

Centre for Entomological Studies Ankara

Memoirs

ISSN 1015-8227

13 12 2012

Volume 6

urn:lsid:zoobank.org:pub:36761945-6130-4DA8-9741-A741D9E6359B

LIST OF THE HITHERTO RECORDED PTERYGOT TAXA OF TURKEY (INSECTA)

(TEMPORARY REPORT OF THE ENTOMOFAUNA PROJECT OF TURKEY-10)

Ahmet Ömer Koçak Muhabbet Kemal

Van, 2012



Abstract: List of the hitherto recorded pterygot taxa of Turkey (Insecta) (Temporary report of the Entomofauna Project of Turkey-10). *Cent. Ent. Stud., Memoirs* 6: i-iv+ 1-1649, 1 fig.

In the first part of the specific list, totally 5282 lepidopteran species are classified under following 76 families: Adelidae, Agonoxenidae, Alucitidae, Arctiidae, Argynnidae, Autostichidae, Blastobasidae, Bombycidae, Brachodidae, Brahmaeidae, Bucculatricidae, Carposinidae, Choreutidae, Cimeliidae, Coleophoridae, Cosmopterigidae, Cossidae, Ctenuchidae, Danaidae, Deoclonidae, Douglasiidae, Drepanidae, Elachistidae, Endromidae, Epermeniidae, Eriocottidae, Eriocraniidae, Ethmiidae, Gelechiidae, Geometridae, Glyphipterygidae, Gracillariidae, Heliodinidae, Hepialidae, Hesperidae, Incurvariidae, Lasiocampidae, Lecithoceridae, Lemoniidae, Libytheidae, Limacodidae, Lycaenidae, Lymantriidae, Lyonetiidae, Micronoctuidae, Micropterigidae, Momphidae, Nepticulidae, Noctuidae, Notodontidae, Oecophoridae, Opistegidae, Papilionidae, Pieridae, Prodoxidae, Psychidae, Pterolonchidae, Pterophoridae, Pyralidae, Riodinidae, Roeslerstammiidae, Saturniidae, Satyridae, Schreckensteiniidae, Scythridae, Sesiidae, Sphingidae, Stathmopodidae, Thaumetopoeidae, Thyatiridae, Thyridae, Tineidae, Tischeriidae, Tortricidae, Yponomeutidae, Zygaenidae. Species of the orders Plecoptera, Odonata, Blattodea, Mantodea, Dermaptera, Phasmida, Orthoptera, Hemiptera, Homoptera, Planipennia, Trichoptera, Mecoptera, Diptera, Hymenoptera, and Coleoptera, are recorded in Turkey. In the second part of the specific list, totally 15135 pterygot species of alphabetically arranged 301 families of these orders. These families are as follows: Achilidae, Acrididae, Acroceridae, Aeshnidae, Agaonidae, Agromyzidae, Alydidae, Amorphoscelidae, Andrenidae, Anthicidae, Anthomyiidae, Anthomyzidae, Anthribidae, Aphelinidae, Aphelocheiridae, Aphididae, Apidae, Apionidae, Aradidae, Argidae, Ascalaphidae, Asilidae, Asterolecaniidae, Athericidae, Attelabidae, Aulacidae, Bacillidae, Belostomatidae, Beraeidae, Berothidae, Berytidae, Bibionidae, Blattidae, Blephariceridae, Bolitophilidae, Bombyliidae, Bostrichidae, Brachycentridae, Brachyceridae, Braconidae, Braulidae, Brenthidae, Bruchidae, Buprestidae, Byturidae, Calamoceratidae, Caliscelidae, Calliphoridae, Calopterygidae, Cantharidae, Capniidae, Carabidae, Carnidae, Cebionidae, Cecidomyiidae, Cephidae, Cerambycidae, Ceratopogonidae, Cercopidae, Cercococcidae, Chalcididae, Chamaemyiidae, Chironomidae, Chloroperlidae, Chloropidae, Chrysidae, Chrysomelidae, Chrysopidae, Cicadellidae, Cicadidae, Cimicidae, Cimididae, Cixiidae, Cleridae, Coccidae, Coccinellidae, Coenagrionidae, Colletidae, Conoptrygidae, Conopidae, Cordulegasteridae, Corduliidae, Coreidae, Corixidae, Crabronidae, Culicidae, Curculionidae, Cydnidae, Cylindrotomidae, Cynipidae, Dactylopiidae, Delphacidae, Derbidae, Dericorythidae, Dermestidae, Diapheromeridae, Diaspididae, Dictyopharidae, Dilaridae, Dinidoridae, Dolichopodidae, Drosophilidae, Dytiscidae, Ecnomidae, Elateridae, Empusidae, Empidae, Encyrtidae, Ephydriidae, Eriococcidae, Eucharidae, Eulophidae, Eumastidae, Eupelmidae, Eurytomidae, Fanniidae, Flatidae, Forficulidae, Formicidae, Georissidae, Geotrupidae, Gerridae, Glaphyridae, Glossosomatidae, Goeridae, Gomphidae, Gryllidae, Gryllotalpidae, Gyrinidae, Halictidae, Haliplidae, Heleomyzidae, Helicopsychidae, Helophoridae, Hemerobiidae, Hippoboscidae, Histeridae, Hybotidae, Hydraenidae, Hydrochidae, Hydrometridae, Hydrophilidae, Hydropterygidae, Hydroptilidae, Hygrobiidae, İbaliidae, İchneumonidae, İrididae, İssidae, Kermesidae, Keroplatidae, Labiduridae, Lampyridae, Lauxaniidae, Lecanodiaspididae, Leiodidae, Lepidostomatidae, Leptoceridae, Lestidae, Leucospidae, Leuctridae, Libellulidae, Limnephilidae, Limoniidae, Lonchopteridae, Lucaniidae, Lygaeidae, Mantidae, Mantispidae, Margarodidae, Meenoplidae, Megachilidae, Megalodontesidae, Melittidae, Meloidae, Melyridae, Membracidae, Micrococcidae, Micropezidae, Milichiidae, Miridae, Mogoplistidae, Muscidae, Mutillidae, Mycetophilidae, Mydidae, Mymaridae, Mymecophilidae, Myrmeleonidae, Mythicomyiidae, Nabidae, Naucoridae, Nemestrinidae, Nemopteridae, Nemouridae, Nepidae, Nitidulidae, Noteridae, Notonectidae, Nycteribiidae, Ochteridae, Oedemeridae, Opomyzidae, Ormyridae, Ortheziidae, Orussidae, Osmylidae, Pamphagidae, Pamphiliidae, Panorpidae, Pediciidae, Pentatomidae, Perilampidae, Perlidae, Perlidae, Philopotamidae, Phoridae, Phryganeidae, Piesmatidae, Piophilidae, Pipunculidae, Plataspidae, Platynemidae, Platystomidae, Pleidae, Polycentropodidae, Polyphagidae, Pompilidae, Pseudococcidae, Psilidae, Psychodidae, Psychomyiidae, Psyllidae, Pteromalidae, Pyrgomorphidae, Pyrochroidae, Pyrrhocoridae, Raphidiidae, Raphidophoridae, Reduviidae, Rhagionidae, Rhinophoridae, Rhopalidae, Rhyacophilidae, Ricaniidae, Saldidae, Sapygidae, Sarcophagidae, Scarabaeidae, Scathophagidae, Scelionidae, Schizodactylidae, Sciaridae, Sciomyzidae, Scirtidae, Scoliidae, Scutelleridae, Sepsidae, Sericostomatidae, Sialidae, Signiphoridae, Silphidae, Simuliidae, Spercheidae, Sphaeroceridae, Sphecidae, Spongiphoridae, Staphylinidae, Stenocephalidae, Stratiomyidae, Streblidae, Syrphidae, Tabanidae, Tachinidae, Taeniopterygidae, Tenebrionidae, Tenthredinidae, Tephritidae, Tethinidae, Tetracampidae, Tetrigidae, Tettigometridae, Tettigoniidae, Therevidae, Tingidae, Tiphidae, Tipulidae, Torymidae, Trichoceridae, Trichogrammatidae, Tridactylidae, Triozidae, Trixocelidae, Tropiduchidae, Uenidae, Ulidiidae, Veliidae, Vespidae, Xyelidae and Xylomyidae.

In the appendix, lists of the Pterygot Insects of the adjacent countries are also given. These countries and the number of their recorded species are as follows: Iran (7475 species), Iraq (2090 species), Syria (2469 species), Lebanon (2027 species), Israel / Palestine (4654 species), Jordan (1423 species), Cyprus (2033 species), Caucasus (7581 species), Bulgaria (5555 species), Greece (6992 species).

Key words: Pterygota, Insecta, Plecoptera, Odonata, Blattodea, Mantodea, Dermaptera, Phasmida, Orthoptera, Hemiptera, Homoptera, Planipennia, Trichoptera, Mecoptera, Diptera, Hymenoptera, Coleoptera, Turkey, catalogue, fauna, bibliography.

Frontispiece: *Pedestredorcadion dimidiatum* (Motschoulsky,1838) from NE Turkey, Iğdır Province, Ağrı Dağı 1950m 12 5 2012, photo M.Kemal (Cesa ©)

	page
Contents	
Abstract	iii
Introduction	1
List of the family group names of the <i>Pterygota</i> of Turkey	3
<i>Lepidoptera</i>	3
Other Pterygot Orders	15
List of the genus group names of the <i>Pterygota</i> of Turkey	39
<i>Lepidoptera</i>	39
Other Pterygot Orders	85
List of the pterygot species of Turkey	173
<i>Lepidoptera</i>	173
Other Pterygot Orders	329
Selected References	704
Appendix	843
List of the Pterygot Insects of the adjacent countries	843
Iran	843
Iraq	974
Syria	1015
Lebanon	1061
Israel / Palestine	1102
Jordan	1186
Cyprus	1213
Caucasus	1254
Bulgaria	1397
Greece	1513

Introduction

Concerning the studies on the “Entomofauna of the World”, the authors made their first attempt in 2007 (Koçak & Kemal, 2007).¹ On the “Entomofauna of Turkey”, six temporary reports have been published so far.² In the sixth report, totally **11132** pterygot species of Turkey were listed.³ Special reports on *Diptera*,⁴ *Hymenoptera*,⁵ and *Coleoptera*⁶ of Turkey have been published by the authors respectively. Thenceforth, numerous new faunal additions, nomenclatural and taxonomical changes were made. In the present revised and expanded list of the *Pterygota* of Turkey comprises **20417** species, belonging to **5905** genera/subgenera and **1955** family group taxa.

The following quotes by the authors are still up to date and meaningful:

“As in the case of other projects of the Cesa, the Entomofauna of Turkey is an international Project with the reports of the temporary results free to all the readers...

The project Entomofauna of Turkey, without time limitation, is the unique attempt in determining the pterygot fauna of Turkey, based upon the literary data, the collection of the Cesa, as well as the field studies of the authors...

Turkey, our land is placed in the focus of this survey. By doing this, we should search the fauna of not only the neighbour countries [see Appendix, page], but also the continents, namely Eurasia and Africa, as their faunal elements inhabit in various regions of Turkey in various rates...

Final words that we would say are so; our Project are pure scientific; therefore it has no reward...

During the preparations of the Entomofauna programs, we are completely open to all **esteemed entomologists** interested in our studies. Therefore, we publish openly all the reports concerning our scientific activities, and the results even so they are temporary. We treat these reports very important, as their contents have vast information on the literary data, and the numerous original images of the Cesa Archive. The latter reflects not only the scientific activities of the authors during their field studies, but also the faunal compositions and richness of the country studied.” (Koçak & Kemal, 2009).⁷

“...Finally, this not an ordinary but a planned, long-termed study. If it is needed, the Cesa projects with their published reports should be compared by the readers with the equivalent attempts only.” (Koçak & Kemal, 2010).⁸

¹ <http://archive.org/details/CentreForEntomologicalStudiesAnkaraMemoirs3-41989Pages49Plates10>

² Koçak, A.Ö., Kemal, M. et al., 2008, Entomofauna of Turkey. Report of the Entomofauna of Turkey-I. Cesa News 36: 13-25. - Koçak, A.Ö., Kemal, M., Özdemir, M. & I. Özdemir, 2008, Report on the “Entomofauna of Turkey” 2- Index of the recorded species of the Pterygot Insects of Turkey. Cesa News 37: 2-41, 1 fig. - Koçak, A.Ö., Kemal, M., Özkol, H. & L. Kayci, 2009, Report on the “Entomofauna of Turkey” 3- Revised and expanded index of the recorded genera and species of the Pterygot Insects of Turkey. - Cesa News 40: 12- 83, 1 fig. - Koçak, A.Ö. & M. Kemal, 2009, Report on the “Entomofauna of Turkey” 4- Revised and expanded index of the species of the Pterygot Insects of Turkey. - Cesa News 41: 4-46, 2 figs. - Koçak, A.Ö. & M. Kemal, 2009, Report on the “Entomofauna of Turkey” 5- Revised and expanded index of the species of the Pterygot Insects of Turkey. - Cesa News 42: 1-38, 9 figs. - Koçak, A.Ö. & M. Kemal, 2009, Results of the Entomofauna Projects of the Cesa 6- List of the 11132 pterygot insect species of Turkey hitherto recorded in the database of the Cesa. Cesa News 47: 47-197.

³ <http://archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.47>

⁴ Koçak, A.Ö. & M. Kemal, 2009, List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa. Cesa News 51: 3-106, 40 figs. (7th report of the Project Entomofauna of Turkey). <http://archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.51>

⁵ Koçak, A.Ö. & M. Kemal, 2009, List of the hymenopteran genera and species recorded in Turkey based upon the Info-system of the Cesa. Cesa News 52: 1-63, 14 figs. (8th report of the Project Entomofauna of Turkey). <http://archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.52>

⁶ Koçak, A.Ö. & M. Kemal, 2009, List of the coleopteran genera and species recorded in Turkey based upon the Info-system of the Cesa. Cesa News 53: 1-213, 145 figs. (9th report of the Project Entomofauna of Turkey). <http://archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.53>

⁷ Cesa News 53: 2-3 [2009]. <http://archive.org/details/CentreForEntomologicalStudiesAnkaraCesaNewsNr.53>

⁸ Koçak & Kemal, 2010, Results of the Entomofauna of the World based upon info-system of the Cesa. Cent. ent. Stud., Priamus Suppl. 18: 1-3186, 2 figs, 1 map. <http://archive.org/details/CentreForEntomologicalStudiesAnkaraPriamusSupplement18>

In the present catalog, totally **20417** pterygot species of Turkey, belong to **5905** genera/subgenera and **1955** family group taxa are studied. Although the present number is not complete, this survey is considered by us very important and a basic study for Turkey, as it is incomparable among the published works in Turkey. The expected number of the pterygot species based upon the literary data is more than 25000 species.

In the present study, three major lists of the pterygots of Turkey are given.

1- List of the family group names of the *Pterygota* of Turkey (in two parts *Lepidoptera* and other pterygot orders);

2- List of the genus group names of the *Pterygota* of Turkey (in two parts *Lepidoptera* and other pterygot orders);

3- List of the pterygot species of Turkey (in two parts *Lepidoptera* and other pterygot orders).

In all lists, valid taxa are arranged alphabetically together with their synonyms. Specific list reflects the present total number recorded in Turkey, based upon the info-system of the Cesa. Number of the species of each province in Turkey is mentioned in Table 1. In this table, well-studied and unstudied provinces are discriminated by green and yellow colours. According to this, best known province is Ankara with the 3483 species. Least known province is Kilis with 47 species.

Table 1 - Number of the pterygot species recorded from the provinces of Turkey. National codes of the provinces are given as 01-81.⁹ Number of the species are mentioned in blue. Comparatively well-studied provinces coloured with green (more than 2000 species). Almost unstudied provinces coloured with yellow (less than 400 species)
[ex Cesa info-system, stand 7 12 2012]

01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20
2118	490	610	810	1947	3483	2246	1427	739	683	616	492	1262	1206	514	2168	806	661	399	546
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
837	673	714	1080	2595	590	625	319	623	1248	1562	1084	2559	1311	1879	1507	575	1293	633	279
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
362	2557	503	826	802	2218	626	1125	438	1146	1081	340	616	276	523	670	313	1351	366	910
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
750	617	740	191	2096	501	292	209	483	535	640	141	629	173	552	999	112	210	47	522
81																			
218																			

Present number of the studied publications on the Pterygota of Turkey is 4200 (see selected references).

At the end of this study, additional faunal lists of ten neighbour countries of Turkey based upon the info-system of the Cesa, are also given in the chapter "Appendix". These are as follows: Iran (7475 species), Iraq (2090 species), Syria (2469 species), Lebanon (2027 species), Israel / Palestine (4654 species), Jordan (1423 species), Cyprus (2033 species), Caucasus (7581 species), Bulgaria (5555 species), Greece (6992 species).

⁹ 01- Adana, 02-Adıyaman, 03-Afyonkarahisar, 04-Ağrı, 05-Amasya, 06-Ankara, 07-Antalya, 08- Artvin, 09-Aydın, 10-Balıkesir, 11-Bilecik, 12-Bingöl, 13-Bitlis, 14-Bolu, 15-Burdur, 16-Bursa, 17-Çanakkale, 18-Çankırı, 19-Çorum, 20-Denizli, 21-Diyarbakır, 22-Edirne, 23-Elazığ, 24-Erzincan, 25-Erzurum, 26-Eskişehir, 27-Gaziantep, 28-Giresun, 29-Gümüşhane, 30-Hakkari, 31-Hatay, 32- Isparta, 33-İçel, 34-İstanbul, 35-İzmir, 36-Kars, 37-Kastamonu, 38-Kayseri, 39-Kırklareli, 40-Kırşehir, 41-Kocaeli, 42-Konya, 43-Kütahya, 44-Malatya, 45-Manisa, 46-Kahramanmaraş, 47-Mardin, 48-Muğla, 49-Muş, 50-Nevşehir, 51-Niğde, 52-Ordu, 53-Rize, 54-Sakarya, 55-Samsun, 56-Siirt, 57-Sinop, 58-Sivas, 59-Tekirdağ, 60-Tokat, 61-Trabzon, 62-Tunceli, 63-Şanlıurfa, 64-Uşak, 65-Van, 66-Yozgat, 67-Zonguldak, 68-Aksaray, 69-Bayburt, 70-Karaman, 71-Kırıkkale, 72-Batman, 73-Şırnak, 74-Bartın, 75-Ardahan, 76-Iğdır, 77-Yalova, 78-Karabük, 79-Kilis, 80-Osmaniye, 81-Düzce.

List of the family group names of the *Pterygota* of Turkey

Family group taxa (superfamily, family, subfamily, tribus and subtribus) recorded in Turkey so far are represented by 1955 valid names. Below, these names listed alphabetically together with synonyms, under the two different titles; namely, Lepidoptera, and other pterygot orders.

Lepidoptera

- 1) **Adelidae Bruand, 1850** (Adelidae) Synonym(s): *Adelidae Bruand, 1850*
- 2) **Adelinae Bruand, 1850** (Adelidae) Synonym(s): *Adelinae Bruand, 1850*
- 3) **Adeloidea Bruand, 1850** (Adelidae) Synonym(s): *Adeloidea Bruand, 1850*
- 4) **Nematopogoninae Hinton, 1955** (Adelidae) Synonym(s): *Nematopogoninae Hinton, 1955*
- 5) **Blastodacnidae Clarke, 1962** (Agonoxenidae) Synonym(s): *Blastodacnidae Clarke, 1962; Blastodactinae Sinev, 1979; Blastodacninae Koçak & Seven, 1993*
- 6) **Alucitidae Leach, [1815]** (Alucitidae) Synonym(s): *Alucitidae Leach, [1815]; Orneodidae Herrich-Schäffer, 1843*
- 7) **Alucitoidea Leach, [1815]** (Alucitidae) Synonym(s): *Alucitoidea Leach, [1815]*
- 8) **Arctiidae Leach, [1815]** (Arctiidae) Synonym(s): *Arctiidae Leach, [1815]*
- 9) **Arctiinae Leach, [1815]** (Arctiidae) Synonym(s): *Arctiinae Leach, [1815]*
- 10) **Arctiini Leach, [1815]** (Arctiidae) Synonym(s): *Arctiini Leach, [1815]*
- 11) **Callimorphini Walker, 1856** (Arctiidae) Synonym(s): *Callimorphini Walker, 1856*
- 12) **Lithosinae Billberg, 1820** (Arctiidae) Synonym(s): *Lithosinae Billberg, 1820*
- 13) **Lithosini Billberg, 1820** (Arctiidae) Synonym(s): *Lithosini Billberg, 1820*
- 14) **Nudariini** (Arctiidae) Synonym(s):
- 15) **Spilosomini Kirby, 1892** (Arctiidae) Synonym(s): *Spilosomini Kirby, 1892*
- 16) **Apaturinae Boisduval, 1840** (Argynnidae) Synonym(s): *Apaturinae Boisduval, 1840*
- 17) **Argynnidae Duponchel, [1835]** (Argynnidae) Synonym(s): *Nymphalidae Swainson, 1827 (invalid as its type genus junior homonym); Argynnidae Duponchel, [1835]*
- 18) **Argynnina Duponchel, [1835]** (Argynnidae) Synonym(s): *Nymphalidae Swainson, 1827 (invalid as its type genus junior homonym); Argynnidae Duponchel, [1835]*
- 19) **Argynnini Duponchel, [1835]** (Argynnidae) Synonym(s): *Nymphalidae Swainson, 1827 (invalid as its type genus junior homonym); Argynnidae Duponchel, [1835]*
- 20) **Boloriina** (Argynnidae) Synonym(s):
- 21) **Charaxinae Guenée, 1865** (Argynnidae) Synonym(s): *Charaxinae Guenée, 1865*
- 22) **Limenitidina Behr, 1864** (Argynnidae) Synonym(s): *Limenitinae Behr, 1864*
- 23) **Limenitidini Behr, 1864** (Argynnidae) Synonym(s): *Limenitinae Behr, 1864*
- 24) **Limenitinae Behr, 1864** (Argynnidae) Synonym(s): *Limenitinae Behr, 1864*
- 25) **Melitaeini Newman, 1871** (Argynnidae) Synonym(s): *Melitaeini Newman, 1871*
- 26) **Neptina Newman, 1871** (Argynnidae) Synonym(s): *Neptina Newman, 1871*
- 27) **Vanessinae Duponchel, [1835]** (Argynnidae) Synonym(s): *Nymphalini Swainson, 1827 (invalid as its type-species junior homonym); Vanessini Duponchel, [1835]; Araschniini Grote, 1897*
- 28) **Vanessini Duponchel, [1835]** (Argynnidae) Synonym(s): *Nymphalini Swainson, 1827 (invalid as its type-species junior homonym); Vanessini Duponchel, [1835]; Araschniini Grote, 1897*
- 29) **Holcopogoninae Gozmany, 1967** (Autostichidae) Synonym(s): *Holcopogoninae Gozmany, 1967*
- 30) **Symmocinae Gozmany, 1963** (Autostichidae) Synonym(s): *Symmocinae Gozmany, 1963*
- 31) **Batrachedridae Heinemann & Wocke, [1876]** (Batrachedridae) Synonym(s): *Batrachedridae Heinemann & Wocke, [1876]*
- 32) **Blastobasidae Meyrick, 1894** (Blastobasidae) Synonym(s): *Blastobasidae Meyrick, 1894*
- 33) **Blastobasinae Meyrick, 1894** (Blastobasidae) Synonym(s): *Blastobasinae Meyrick, 1894*
- 34) **Bombycidae Latreille, [1802]** (Bombycidae) Synonym(s): *Bombycidae Latreille, [1802]*
- 35) **Bombycinae Latreille, [1802]** (Bombycidae) Synonym(s): *Bombycinae Latreille, [1802]*
- 36) **Bombycoidea Latreille, [1802]** (Bombycidae) Synonym(s): *Bombycoidea Latreille, [1802]*

- 37) **Brachodidae Agenjo, 1966** (Brachodidae) Synonym(s): *Atychides Duponchel*, [1835] (praeocc.); *Chimerites Blanchard*, 1840 (praeocc.); *Atychioidae Lederer*, 1853 (praeocc.); *Brachodinae Agenjo*, 1966; *Brachodidae Heppner*, 1979.
- 38) **Brachodinae Agenjo, 1966** (Brachodidae) Synonym(s): *Atychides Duponchel*, [1835] (praeocc.); *Chimerites Blanchard*, 1840 (praeocc.); *Atychioidae Lederer*, 1853 (praeocc.); *Brachodinae Agenjo*, 1966; *Brachodidae Heppner*, 1979.
- 39) **Brahmaeidae Swinhoe, 1892** (Brahmaeidae) Synonym(s): *Brahmaeidae Swinhoe*, 1892
- 40) **Bucculatricidae Fracker, 1915** (Bucculatricidae) Synonym(s): *Bucculatricidae Fracker*, 1915
- 41) **Bucculatricinae Fracker, 1915** (Bucculatricidae) Synonym(s): *Bucculatricinae Fracker*, 1915
- 42) **Carposinidae Walsingham, 1897** (Carposinidae) Synonym(s): *Carposinidae Walsingham*, 1897
- 43) **Carposinoidea Walsingham, 1897** (Carposinidae) Synonym(s): *Carposinoidea Walsingham*, 1897
- 44) **Choreutidae Stainton, [1858]** (Choreutidae) Synonym(s): *Choreutidae Stainton*, [1858]; *Choreutina Heinemann & Wocke*, 1877; *Simaethidae Swinhoe & Cotes*, 1889; *Hemerophilidae Walsingham*, 1910
- 45) **Choreutinae Stainton, [1858]** (Choreutidae) Synonym(s): *Choreutidae Stainton*, [1858]; *Choreutina Heinemann & Wocke*, 1877; *Simaethidae Swinhoe & Cotes*, 1889; *Hemerophilidae Walsingham*, 1910
- 46) **Choreutoidea Stainton, [1858]** (Choreutidae) Synonym(s): *Choreutoidea Stainton*, [1858]
- 47) **Millieriinae Heppner, 1982** (Choreutidae) Synonym(s): *Millieriinae Heppner*, 1982
- 48) **Cimeliidae Chrétien, 1916** (Cimeliidae) Synonym(s): *Cimeliidae Chrétien*, 1916; *Axiidae Rebel*, 1919 nec *Bates*, 1888.
- 49) **Coleophoridae Bruand, 1850** (Coleophoridae) Synonym(s): *Coleophoridae Bruand*, 1850
- 50) **Coleophorinae Bruand, 1850** (Coleophoridae) Synonym(s): *Coleophorinae Bruand*, 1850
- 51) **Copromorphoidea** (Copromorphidae) Synonym(s):
- 52) **Scaeosophinae** (Cosmopterigidae) Synonym(s):
- 53) **Cosmopteriginae Heinemann & Wocke, [1876]** (Cosmopterigidae) Synonym(s): *Cosmopteriginae Heinemann & Wocke*, [1876]
- 54) **Chrysopeleinae Mosher, 1916** (Cosmopterigidae) Synonym(s): *Chrysopeleinae Mosher*, 1916; *Walshiidae Hodges*, 1962; *Antequerinae Hodges*, 1978
- 55) **Cosmopterigidae Heinemann & Wocke, [1876]** (Cosmopterigidae) Synonym(s): *Cosmopterigidae Heinemann & Wocke*, [1876]
- 56) **Cossidae Leach, [1815]** (Cossidae) Synonym(s): *Cossidae Leach*, [1815]; *Stygiidae Newman*, 1832
- 57) **Cossinae Leach, [1815]** (Cossidae) Synonym(s): *Cossinae Leach*, [1815]; *Stygiinae Newman*, 1832
- 58) **Cossoidea Leach, [1815]** (Cossidae) Synonym(s): *Cossoidea Leach*, [1815]; *Stygioidea Newman*, 1832
- 59) **Hypoptinae Neumoegen & Dyar, 1894** (Cossidae) Synonym(s): *Hypoptinae Neumoegen & Dyar*, 1894
- 60) **Zeuserinae Boisduval, 1828** (Cossidae) Synonym(s): *Zeuserinae Boisduval*, 1828
- 61) **Ctenuchidae Kirby, 1837** (Ctenuchidae) Synonym(s): *Ctenuchidae Kirby*, 1837
- 62) **Ctenuchinae Kirby, 1837** (Ctenuchidae) Synonym(s): *Ctenuchinae Kirby*, 1837
- 63) **Danaidae Boisduval, 1833** (Danaidae) Synonym(s): *Danaidae Boisduval*, 1833
- 64) **Danainae Boisduval, 1833** (Danaidae) Synonym(s): *Danainae Boisduval*, 1833
- 65) **Danaini Boisduval, 1833** (Danaidae) Synonym(s): *Danaini Boisduval*, 1833
- 66) **Douglasiidae Heinemann & Wocke, [1876]** (Douglasiidae) Synonym(s): *Douglasiidae Heinemann & Wocke*, [1876]
- 67) **Douglasiinae Heinemann & Wocke, [1876]** (Douglasiidae) Synonym(s): *Douglasiinae Heinemann & Wocke*, [1876]
- 68) **Cilicinae Herrich-Schäffer, [1847]** (Drepanidae) Synonym(s): *Cilicinae Herrich-Schäffer*, [1847]
- 69) **Drepanidae Boisduval, 1828** (Drepanidae) Synonym(s): *Drepanidae Boisduval*, 1828
- 70) **Drepaninae Boisduval, 1828** (Drepanidae) Synonym(s): *Drepaninae Boisduval*, 1828
- 71) **Drepanoidea Boisduval, 1828** (Drepanidae) Synonym(s): *Drepanoidea Boisduval*, 1828
- 72) **Elachistidae Bruand, 1850** (Elachistidae) Synonym(s): *Elachistidae Bruand*, 1850
- 73) **Endromidae** (Endromidae) Synonym(s): *Endromidae*; *Endromididae auct.*
- 74) **Epermeniidae Spuler, 1910** (Epermeniidae) Synonym(s): *Epermeniidae Spuler*, 1910
- 75) **Epermeniinae Spuler, 1910** (Epermeniidae) Synonym(s): *Epermeniinae Spuler*, 1910
- 76) **Epermenioidea Spuler, 1910** (Epermeniidae) Synonym(s): *Epermenioidea Spuler*, 1910
- 77) **Ochromolopinae Gaedike, 1966** (Epermeniidae) Synonym(s): *Ochromolopinae Gaedike*, 1966
- 78) **Compsocteninae Dierl, 1970** (Eriocottidae) Synonym(s): *Compsocteninae Dierl*, 1970
- 79) **Eriocottidae Spuler, 1898** (Eriocottidae) Synonym(s): *Eriocottidae Spuler*, 1898; *Deuterotineidae Zagulyaev*, 1973.
- 80) **Eriocottinae Spuler, 1898** (Eriocottidae) Synonym(s): *Eriocottidae Spuler*, 1898; *Deuterotineidae Zagulyaev*, 1973.
- 81) **Eriocraniidae Walsingham, 1898** (Eriocraniidae) Synonym(s): *Eriocraniidae Walsingham*, 1898
- 82) **Eriocranioidea Walsingham, 1898** (Eriocraniidae) Synonym(s): *Eriocranioidea Walsingham*, 1898
- 83) **Ethmiidae Busck, 1909** (Ethmiidae) Synonym(s): *Ethmiidae Busck*, 1909
- 84) **Dichomerinae Hampson, 1918** (Gelechiidae) Synonym(s): *Dichomerinae Hampson*, 1918; *Dichomerisinae Heslop*, 1938; *Chelariinae Heslop*, 1938; *Hypatiminae Kloet & Hincks*, 1945
- 85) **Dichomerini Hampson, 1918** (Gelechiidae) Synonym(s): *Dichomerini Hampson*, 1918

- 86) **Gelechiidae Stainton, 1854** (Gelechiidae) Synonym(s): *Gelechiidae Stainton, 1854*
 87) **Gelechiinae Stainton, 1854** (Gelechiidae) Synonym(s): *Gelechiinae Stainton, 1854*
 88) **Gelechiini Stainton, 1854** (Gelechiidae) Synonym(s): *Gelechiini Stainton, 1854*
 89) **Gelechioidea Stainton, 1854** (Gelechiidae) Synonym(s): *Gelechioidea Stainton, 1854*
 90) **Gnorimoschemini Povolny, 1964** (Gelechiidae) Synonym(s): *Gnorimoschemini Povolny, 1964*
 91) **Pexicopiinae Hodges, 1986** (Gelechiidae) Synonym(s): *Pexicopiinae Hodges, 1986*
 92) **Teleiodini Piskunov, 1973** (Gelechiidae) Synonym(s): *Teleiodini Piskunov, 1973*
 93) **Abraxini W. Warren, 1893** (Geometridae) Synonym(s): *Zerenini Duponchel, [1845]* (homonym); *Pantheridae Moore, 1887* (homonym); *Abraxini W. Warren, 1893*.
 94) **Alsophilinae Herbulot, 1962** (Geometridae) Synonym(s): *Alsophilinae Herbulot, 1962*
 95) **Amphidasina Duponchel, [1845]** (Geometridae) Synonym(s): *Amphidasites Duponchel, [1845]*; *Bistonidi Stephens, 1850*; *Eubyjini W. Warren, 1893*; *Erannini Tutt, 1896*.
 96) **Archiearinae D.S. Fletcher, 1951** (Geometridae) Synonym(s): *Archiearinae D.S. Fletcher, 1951*.
 97) **Asthenini W. Warren, 1894** (Geometridae) Synonym(s): *Astheninae W. Warren, 1894*
 98) **Baptini Forbes, 1948** (Geometridae) Synonym(s): *Baptini Forbes, 1948*.
 99) **Boarmiina Duponchel, [1845]** (Geometridae) Synonym(s): *Boarmites Duponchel, [1845]*; *Cleorites Duponchel, [1845]*; *Fidonites Duponchel, [1845]*; *Selidosemidae Meyrick, 1892*.
 100) **Boarmiini Duponchel, [1845]** (Geometridae) Synonym(s): *Boarmites Duponchel, [1845]*; *Cleorites Duponchel, [1845]*; *Fidonites Duponchel, [1845]*; *Selidosemidae Meyrick, 1892*.
 101) **Bupalina Herbulot, 1962** (Geometridae) Synonym(s): *Bupalini Herbulot, 1962*
 102) **Caberina Duponchel, [1845]** (Geometridae) Synonym(s): *Caberites Duponchel, [1845]*; *Deiliniinae W. Warren, 1893*; *Catopyrrhinae W. Warren, 1894*.
 103) **Campaeini Forbes, 1948** (Geometridae) Synonym(s): *Metrocampidae Tutt, 1896*; *Campaeini Forbes, 1948*.
 104) **Cataclysmiini Herbulot, 1962** (Geometridae) Synonym(s): *Cataclysmiini Herbulot, 1962*
 105) **Chesiadini Stephens, 1850** (Geometridae) Synonym(s): *Chesiadi Stephens, 1850*; *Eucestiinae W. Warren, 1894*.
 106) **Chloroclystini Mironov, 1990** (Geometridae) Synonym(s): *Chloroclystini Mironov, 1990*
 107) **Cidariini Duponchel, [1845]** (Geometridae) Synonym(s): *Cidarites Duponchel, [1845]*.
 108) **Colotoina Herbulot, 1962** (Geometridae) Synonym(s): *Colotoini Herbulot, 1962*
 109) **Comibaeini Inoue, 1961** (Geometridae) Synonym(s): *Comibaenini Inoue, 1961*; *Euchlorini Herbulot, 1962*; *Synchlorini Ferguson, 1969*.
 110) **Crocallina Tutt, 1896** (Geometridae) Synonym(s): *Crocallidi Tutt, 1896*
 111) **Cyclophorini Moore, 1887** (Geometridae) Synonym(s): *Zonosomatidi White, 1876*; *Cyclophoridae Moore, 1887*; *Cosymbiinae L.B. Prout, 1911*.
 112) **Ennomina Duponchel, [1845]** (Geometridae) Synonym(s): *Ennomites Duponchel, [1845]*; *Erastrini Herrich-Schäffer, [1845]*; *Odopterini Stephens, 1850*; *Cingiliini Forbes, 1948*.
 113) **Ennominae Duponchel, [1845]** (Geometridae) Synonym(s): *Ennomites Duponchel, [1845]*; *Erastrini Herrich-Schäffer, [1845]*; *Odopterini Stephens, 1850*; *Cingiliini Forbes, 1948*.
 114) **Ennomini Duponchel, [1845]** (Geometridae) Synonym(s): *Ennomites Duponchel, [1845]*; *Erastrini Herrich-Schäffer, [1845]*; *Odopterini Stephens, 1850*; *Cingiliini Forbes, 1948*.
 115) **Entephrini Pierce, 1914** (Geometridae) Synonym(s): *Entephrinae Pierce, 1914*
 116) **Epionini Bruand, 1846** (Geometridae) Synonym(s): *Epionidae Bruand, 1846*; *Ruminiinae Tutt, 1896*.
 117) **Epirrhanthini Forbes, 1948** (Geometridae) Synonym(s): *Epirrhanthini Forbes, 1948*.
 118) **Euboliinae Duponchel, [1845]** (Geometridae) Synonym(s): *Euboliinae Duponchel, [1845]*
 119) **Euboliini Duponchel, [1845]** (Geometridae) Synonym(s): *Euboliini Duponchel, [1845]*
 120) **Eucosmiini Gumpfenberg, 1887** (Geometridae) Synonym(s): *Eucosminae Gumpfenberg, 1887*
 121) **Euphyini Herbulot, 1962** (Geometridae) Synonym(s): *Euphyini Herbulot, 1962*
 122) **Eupitheciini Tutt, 1896** (Geometridae) Synonym(s): *Eupitheciinae Tutt, 1896*; *Tephroclystiinae W. Warren, 1895*.
 123) **Geometridae Leach, [1815]** (Geometridae) Synonym(s): *Geometridae Leach, [1815]*
 124) **Geometrinae Leach, [1815]** (Geometridae) Synonym(s): *Geometrinae Leach, [1815]*
 125) **Geometrini Leach, [1815]** (Geometridae) Synonym(s): *Geometrini Leach, [1815]*
 126) **Geometroidea Leach, [1815]** (Geometridae) Synonym(s): *Geometroidea Leach, [1815]*
 127) **Gnophina Duponchel, [1845]** (Geometridae) Synonym(s): *Gnophites Duponchel, [1845]*; *Dasydites Duponchel, [1845]*; *Sionites Duponchel, [1845]*.
 128) **Gonodontini Forbes, 1948** (Geometridae) Synonym(s): *Gonodontini Forbes, 1948*
 129) **Hemistolini Inoue, 1961** (Geometridae) Synonym(s): *Hemistolini Inoue, 1961*; *Neohipparchini Inoue, 1961*
 130) **Hemitheini Bruand, 1846** (Geometridae) Synonym(s): *Chlorochromites Duponchel, [1845]*; *Hemitheidae Bruand, 1846*; *Hemistolini Inoue, 1961*; *Jodini Inoue, 1961*; *Thalerini Leraut, 1980*.
 131) **Hydriomenini Meyrick, 1892** (Geometridae) Synonym(s): *Hydriomenidae Meyrick, 1892*
 132) **Jodini Inoue, 1961** (Geometridae) Synonym(s): *Jodini Inoue, 1961*

- 133) Larentiinae Duponchel,[1845]** (Geometridae) Synonym(s): *Eubolites Duponchel,[1845]*; *Larentites Duponchel,[1845]*;
- 134) Larentiini Duponchel,[1845]** (Geometridae) Synonym(s): *Larentiini Duponchel,[1845]*; *Psychophorinae Hampson,1918*.
- 135) Lithinini Forbes,1948** (Geometridae) Synonym(s): *Lithinini Forbes,1948*; *Lacariini Orfila & Schajocskoy,1959*.
- 136) Lobophorini Tutt,1896** (Geometridae) Synonym(s): *Lobophorinae Tutt,1896*
- 137) Lythriini Herbulot,1962** (Geometridae) Synonym(s): *Lythriini Herbulot,1962*
- 138) Macariini Guenée,[1858]** (Geometridae) Synonym(s): *Macariini Guenée,[1858]*; *Semiothisini W.Warren,1894*; *Fernaldellini Hulst,1896*.
- 139) Melanthiini Duponchel,[1845]** (Geometridae) Synonym(s): *Melanthites Duponchel,[1845]*
- 140) Microloxiini Hausmann,1996** (Geometridae) Synonym(s): *Microloxiini Hausmann,1996*
- 141) Neohipparchini Inoue,1961** (Geometridae) Synonym(s): *Neohipparchini Inoue,1961*
- 142) Odeziini Exposito,1978** (Geometridae) Synonym(s): *Odeziini Exposito,1978*
- 143) Odontoperini Tutt,1896** (Geometridae) Synonym(s): *Odontoperinae Tutt,1896*.
- 144) Oenochrominae Guenée,[1858]** (Geometridae) Synonym(s): *Oenochromidae Guenée,[1858]*
- 145) Onychorini Herbulot,1962** (Geometridae) Synonym(s): *Onychorini Herbulot,1962*
- 146) Operophterini Packard,1876** (Geometridae) Synonym(s): *Operophterinae Packard,1876*; *Oporiniinae Pierce,1914*.
- 147) Orthostixinae Meyrick,1892** (Geometridae) Synonym(s): *Orthostixidae Meyrick,1892*
- 148) Ourapterygini Guenée,[1858]** (Geometridae) Synonym(s): *Urapteridae Bruand,1846*; *Ourapterygini Guenée,[1858]*.
- 149) Perizomini Herbulot,1962** (Geometridae) Synonym(s): *Perizomini Herbulot,1962*.
- 150) Phaseliina Wehrli,1941** (Geometridae) Synonym(s): *Phaseliini Wehrli,1941*
- 151) Phasianini Gumpfenberg,1887** (Geometridae) Synonym(s): *Phasianinae Gumpfenberg,1887*.
- 152) Phileremini Pierce,1914** (Geometridae) Synonym(s): *Philereminae Pierce,1914*.
- 153) Problepsina Wiltshire,1990** (Geometridae) Synonym(s): *Problepsini Wiltshire,1990*
- 154) Pseudoterpnini W.Warren,1893** (Geometridae) Synonym(s): *Pseudoterpninae W.Warren,1893*; *Terpnini Inoue,1961*; *Archeobalbini Viidalepp,1981*.
- 155) Rheumapterini Herbulot,1962** (Geometridae) Synonym(s): *Melanippidae Bruand,1846*; *Rheumapterini Herbulot,1962*.
- 156) Rhodometrini Agenjo,1951** (Geometridae) Synonym(s): *Rhodometrini Agenjo,1951*
- 157) Rhodostrophiiini L.B.Prout,1935** (Geometridae) Synonym(s): *Rhodostrophiiinae L.B.Prout,1935*
- 158) Scopulina Duponchel,[1845]** (Geometridae) Synonym(s): *Scopulites Duponchel,[1845]*; *Aletinae Hampson,1918*.
- 159) Scopulinae Duponchel,[1845]** (Geometridae) Synonym(s): *Scopulites Duponchel,[1845]*; *Aletinae Hampson,1918*.
- 160) Scopulini Duponchel,[1845]** (Geometridae) Synonym(s): *Scopulites Duponchel,[1845]*; *Aletinae Hampson,1918*.
- 161) Scotopterygini W.Warren,1895** (Geometridae) Synonym(s): *Scotopteryginae W.Warren,1895*; *Ortholithinae Tutt,1896*; *Epirrhoinae Pierce,1914*; *Xanthorhoinae Pierce,1914 [sensu Leraut,1997]*.
- 162) Seleniina Tutt,1896** (Geometridae) Synonym(s): *Seleniini Tutt,1896*.
- 163) Sterrhini Meyrick,1892** (Geometridae) Synonym(s): *Idaeidae Butler,1881*; *Sterrhidae Meyrick,1892*.
- 164) Thalerini Herbulot,1963** (Geometridae) Synonym(s): *Thalerini Herbulot,1963*
- 165) Theriina Herbulot,1962** (Geometridae) Synonym(s): *Cheimatobiini Tutt,1896*; *Theriini Herbulot,1962*.
- 166) Therini Pierce,1914** (Geometridae) Synonym(s): *Therinae Pierce,1914*
- 167) Timandridini Stephens,1850** (Geometridae) Synonym(s): *Timandridi Stephens,1850*; *Calothysanini Herbulot,1962*.
- 168) Triphosini Tutt,1896** (Geometridae) Synonym(s): *Triphosinae Tutt,1896*
- 169) Glyphipterygidae Stainton,1854** (Glyphipterygidae) Synonym(s): *Aechmidae Bruand,1850*; *Glyphipterygidae Stainton,1854*; *Glyphipterigidae Rosenstock,1885*
- 170) Glyphipteryginae Stainton,1854** (Glyphipterygidae) Synonym(s): *Aechminae Bruand,1850*; *Glyphipteryginae Stainton,1854*; *Glyphipteriginae Rosenstock,1885*
- 171) Gracillariidae Stainton,1854** (Gracillariidae) Synonym(s): *Gracillariidae Stainton,1854*
- 172) Gracillariinae Stainton,1854** (Gracillariidae) Synonym(s): *Gracillariinae Stainton,1854*
- 173) Gracillarioidea Stainton,1854** (Gracillariidae) Synonym(s): *Gracillarioidea Stainton,1854*
- 174) Lithocolletinae Stainton,1854** (Gracillariidae) Synonym(s): *Lithocolletinae Stainton,1854*
- 175) Phyllocnistinae Herrich-Schäffer,[1857]** (Gracillariidae) Synonym(s): *Phyllocnistinae Herrich-Schäffer,[1857]*
- 176) Heliozelidae Heinemann & Wocke,[1876]** (Heliozelidae) Synonym(s): *Heliozelidae Heinemann & Wocke,[1876]*
- 177) Hepialidae Stephens,1829** (Hepialidae) Synonym(s): *Hepialidae Stephens,1829*
- 178) Hepialoidea Stephens,1829** (Hepialidae) Synonym(s): *Hepialoidea Stephens,1829*

- 179) Hesperidae Latreille, 1809** (Hesperidae) Synonym(s): *Hesperidae Latreille, 1809; Pamphilinae Butler, 1870*
- 180) Hesperinae Latreille, 1809** (Hesperidae) Synonym(s): *Hesperinae Latreille, 1809; Pamphilinae Butler, 1870*
- 181) Hesperini Latreille, 1809** (Hesperidae) Synonym(s): *Hesperini Latreille, 1809; Pamphilinae Butler, 1870; Adopaeini Clark, 1948*
- 182) Hesperioidea Latreille, 1809** (Hesperidae) Synonym(s): *Hesperioidea Latreille, 1809*
- 183) Heteropterini Aurivillius, 1925 (1879)** (Hesperidae) Synonym(s): *Cyclopidini Speyer, 1879; Heteropterini Aurivillius, 1925 (1879); Carterocephelini Orfila, 1949*
- 184) Pyrginae Burmeister, 1878** (Hesperidae) Synonym(s): *Pyrginae Burmeister, 1878; Achlyodidae Burmeister, 1878; Eudamidae Burmeister, 1878; Thymelidae Burmeister, 1878; Telegonidae Burmeister, 1878; Pyrginae Speyer, 1879; Erynninae Tutt, 1906; Erynnidae Swinhoe, 1913; Carcharodinae Picard, 1947*
- 185) Pyrgini Burmeister, 1878** (Hesperidae) Synonym(s): *Pyrginae Burmeister, 1878; Achlyodidae Burmeister, 1878; Eudamidae Burmeister, 1878; Thymelidae Burmeister, 1878; Telegonidae Burmeister, 1878; Pyrginae Speyer, 1879; Erynninae Tutt, 1906; Erynnidae Swinhoe, 1913; Carcharodinae Picard, 1947*
- 186) Incurvariidae Spuler, 1898** (Incurvariidae) Synonym(s): *Incurvariidae Spuler, 1898*
- 187) Incurvariinae Spuler, 1898** (Incurvariidae) Synonym(s): *Incurvariinae Spuler, 1898*
- 188) Incurvarioidea Spuler, 1898** (Incurvariidae) Synonym(s): *Incurvarioidea Spuler, 1898*
- 189) Chondrostegini Tutt, 1902** (Lasiocampidae) Synonym(s): *Chondrostegini Tutt, 1902*
- 190) Gastropachini Neumoegen & Dyar, 1893** (Lasiocampidae) Synonym(s): *Gastropachini Neumoegen & Dyar, 1893*
- 191) Lasiocampidae Harris, 1841** (Lasiocampidae) Synonym(s): *Lasiocampidae Harris, 1841*
- 192) Lasiocampinae Harris, 1841** (Lasiocampidae) Synonym(s): *Lasiocampinae Harris, 1841; Malacosominae Tutt, 1902*
- 193) Lasiocampini Harris, 1841** (Lasiocampidae) Synonym(s): *Lasiocampini Harris, 1841; Malacosomini Tutt, 1902*
- 194) Odonestini Tutt, 1902** (Lasiocampidae) Synonym(s): *Odonestini Tutt, 1902*
- 195) Poecilocampini Tutt, 1902** (Lasiocampidae) Synonym(s): *Poecilocampini Tutt, 1902*
- 196) Selenepherini Tutt, 1902** (Lasiocampidae) Synonym(s): *Selenepherini Tutt, 1902*
- 197) Ceuthomadarinae Gozmany, 1978** (Lecithoceridae) Synonym(s): *Ceuthomadarinae Gozmany, 1978*
- 198) Ceuthomadarini Gozmany, 1978** (Lecithoceridae) Synonym(s): *Ceuthomadarini Gozmany, 1978*
- 199) Lecithoceridae Marchand, 1947** (Lecithoceridae) Synonym(s): *Lecithoceridae Marchand, 1947; Timyridae Clarke, 1955*
- 200) Lecithocerinae Marchand, 1947** (Lecithoceridae) Synonym(s): *Lecithocerinae Marchand, 1947; Timyridae Clarke, 1955*
- 201) Lecithocerini Marchand, 1947** (Lecithoceridae) Synonym(s): *Lecithocerini Marchand, 1947; Timyridae Clarke, 1955*
- 202) Oditini Lvovsky, 1996** (Lecithoceridae) Synonym(s): *Oditini Lvovsky, 1996*
- 203) Torodorinae Gozmany, 1978** (Lecithoceridae) Synonym(s): *Torodorinae Gozmany, 1978*
- 204) Lemoniidae Dyar, 1896** (Lemoniidae) Synonym(s): *Lemoniidae Dyar, 1896; Lemoniidae Staudinger & Rebel, 1901; Sabaliadae Hampson, 1901*
- 205) Libytheidae Boisduval, 1833** (Libytheidae) Synonym(s): *Libytheidae Boisduval, 1833*
- 206) Limacodidae Duponchel, [1845]** (Limacodidae) Synonym(s): *Limacodidae Duponchel, [1845]*
- 207) Limacodinae Duponchel, [1845]** (Limacodidae) Synonym(s): *Limacodinae Duponchel, [1845]*
- 208) Aphnaeini Distant, 1884** (Lycaenidae) Synonym(s): *Aphnaeini Distant, 1884*
- 209) Celastrinae Tutt, [1907]** (Lycaenidae) Synonym(s): *Celastrinae Tutt, [1907]; Lycaenopsina Lorkovic, [1931]*
- 210) Eumaeini Doubleday, 1847** (Lycaenidae) Synonym(s): *Eumaeini Doubleday, 1847*
- 211) Everina Tutt, [1907]** (Lycaenidae) Synonym(s): *Everidi Tutt, [1907]; Cupididi Tutt, [1907]*
- 212) Everini Tutt, [1907]** (Lycaenidae) Synonym(s): *Everidi Tutt, [1907]; Cupididi Tutt, [1907]*
- 213) Lampidina Tutt, 1907** (Lycaenidae) Synonym(s): *Lampidina Tutt, 1907*
- 214) Lycaenidae [Leach], [1815]** (Lycaenidae) Synonym(s): *Lycaenidae [Leach], [1815]*
- 215) Lycaeninae [Leach], [1815]** (Lycaenidae) Synonym(s): *Lycaeninae [Leach], [1815]*
- 216) Lycaenini [Leach], [1815]** (Lycaenidae) Synonym(s): *Lycaenini [Leach], [1815]; Athamanthiini Korb, 2005*
- 217) Polyommata Swainson, 1827** (Lycaenidae) Synonym(s): *Polyommata Swainson, 1827; Cyanirina Tutt, [1907]; Plebejina Tutt, [1909]*
- 218) Polyommata Swainson, 1827** (Lycaenidae) Synonym(s): *Polyommata Swainson, 1827; Cyanirinae Tutt, [1907]; Plebejinae Tutt, [1909]*
- 219) Polyommata Swainson, 1827** (Lycaenidae) Synonym(s): *Polyommata Swainson, 1827; Cyanirini Tutt, [1907]; Plebejini Tutt, [1909]*
- 220) Scolitantidini Tutt, [1907]** (Lycaenidae) Synonym(s): *Scolitantidini Tutt, [1907]; Glaucopsychni Hemming, 1931; Iolanini Riley, 1956*
- 221) Tarucina Verity, 1943** (Lycaenidae) Synonym(s): *Tarucina Verity, 1943; Leptotiti Wagener, 1995*
- 222) Theclinae Swainson, 1831 (1820)** (Lycaenidae) Synonym(s): *Theclinae Swainson, 1831*

- 223) **Theclini Swainson,1831 (1820)** (Lycaenidae) Synonym(s): *Theclini Swainson,1831*.
- 224) **Tomarini Eliot,1973** (Lycaenidae) Synonym(s): *Tomarini Eliot,1973*
- 225) **Zizeeriina Chapman,1910** (Lycaenidae) Synonym(s): *Zizeeriina Chapman,1910*
- 226) **Arctornini Holloway,1999** (Lymantriidae) Synonym(s): *Arctornithini Holloway,1999*
- 227) **Leucomini Holloway,1999** (Lymantriidae) Synonym(s): *Leucomini Holloway,1999*
- 228) **Lymantriidae Hampson,[1893]** (Lymantriidae) Synonym(s): *Lymantriidae Hampson,[1893]*
- 229) **Lymantriinae Hampson,[1893]** (Lymantriidae) Synonym(s): *Lymantriinae Hampson,[1893]*
- 230) **Lymantriini Hampson,[1893]** (Lymantriidae) Synonym(s): *Lymantriini Hampson,[1893]*
- 231) **Cemiostominae Spuler,1898** (Lyonetiidae) Synonym(s): *Cemiostominae Spuler,1898*
- 232) **Lyonetiidae Stainton,1854** (Lyonetiidae) Synonym(s): *Lyonetiidae Stainton,1854*
- 233) **Lyonetiinae Stainton,1854** (Lyonetiidae) Synonym(s): *Lyonetiinae Stainton,1854*
- 234) **Micronoctuidae Fibiger,2005** (Micronoctuidae) Synonym(s): *Micronoctuidae Fibiger,2005*
- 235) **Micronoctuinae Fibiger,2005** (Micronoctuidae) Synonym(s): *Micronoctuidae Fibiger,2005*
- 236) **Micropterigidae Herrich-Schäffer,[1855]** (Micropterigidae) Synonym(s): *Micropterigidae Herrich-Schäffer,[1855]; Eriocephalidae Dyar,1895*
- 237) **Micropterigoidea Herrich-Schäffer,[1855]** (Micropterigidae) Synonym(s): *Micropterigidae Herrich-Schäffer,[1855]; Eriocephalidae Dyar,1895*
- 238) **Momphidae Herrich-Schäffer,[1857]** (Momphidae) Synonym(s): *Momphidae Herrich-Schäffer,[1857]; Lavernidae Wocke,1871; Psacaphorinae Spuler,1898*
- 239) **Nepticulidae Stainton,1854** (Nepticulidae) Synonym(s): *Nepticulidae Stainton,1854*
- 240) **Nepticulinae Stainton,1854** (Nepticulidae) Synonym(s): *Nepticulinae Stainton,1854*
- 241) **Nepticulini Stainton,1854** (Nepticulidae) Synonym(s): *Nepticulini Stainton,1854*
- 242) **Nepticuloidea Stainton,1854** (Nepticulidae) Synonym(s): *Nepticuloidea Stainton,1854*
- 243) **Trifurculini Scoble,1983** (Nepticulidae) Synonym(s): *Trifurculini Scoble,1983*
- 244) **Acontiina Guenée,1857** (Noctuidae) Synonym(s): *Acontiinae Guenée,1837; Cuculliinae Herrich-Schäffer,[1850]*.
- 245) **Acontiinae Guenée,1837** (Noctuidae) Synonym(s): *Acontiinae Guenée,1837; Cuculliinae Herrich-Schäffer,[1850]*.
- 246) **Acontiini Guenée,1837** (Noctuidae) Synonym(s): *Acontiinae Guenée,1837; Cuculliinae Herrich-Schäffer,[1850]*.
- 247) **Acronictinae Heinemann,1859** (Noctuidae) Synonym(s): *Acronictini Heinemann,1859; Craniophorini Beck,1996; Conistrina Beck,1996*
- 248) **Acronictini Heinemann,1859** (Noctuidae) Synonym(s): *Acronictini Heinemann,1859; Craniophorini Beck,1996; Conistrina Beck,1996*
- 249) **Actinotiina Beck,1996** (Noctuidae) Synonym(s): *Actinotiina Beck,1996*
- 250) **Adpyramidcampina Beck,1996** (Noctuidae) Synonym(s): *Adpyramidcampina Beck,1996*
- 251) **Aediinae Beck,1980** (Noctuidae) Synonym(s): *Aediinae Beck,1980*
- 252) **Agrotina Heinemann,1859** (Noctuidae) Synonym(s): *Agrotina Heinemann,1859; Agrotina Grote,1890*
- 253) **Agrotini Heinemann,1859** (Noctuidae) Synonym(s): *Agrotini Heinemann,1859*
- 254) **Allophyina Beck,1996** (Noctuidae) Synonym(s): *Allophyina Beck,1996*
- 255) **Allophyini Beck,1996** (Noctuidae) Synonym(s): *Allophyini Beck,1996*
- 256) **Amphipyrrina Guenée,1838** (Noctuidae) Synonym(s): *Amphipyrrina Guenée,1838*
- 257) **Amphipyrrini Guenée,1838** (Noctuidae) Synonym(s): *Amphipyrrini Guenée,1838; Feraliini Franclemont & Todd,1983*
- 258) **Anaplectoidina Beck,1996** (Noctuidae) Synonym(s): *Anaplectoidina Beck,1996*
- 259) **Anartina Heinemann,1859** (Noctuidae) Synonym(s): *Anartina Heinemann,1859; Discestrina Beck,1996*
- 260) **Apameina Guenée,1841** (Noctuidae) Synonym(s): *Apameina Guenée,1841*
- 261) **Apopestini Beck,1996** (Noctuidae) Synonym(s): *Apopestini Beck,1996*
- 262) **Axyliina Beck,1996** (Noctuidae) Synonym(s): *Axyliina Beck,1996*
- 263) **Boletobiini Grote,1895** (Noctuidae) Synonym(s): *Boletobiini Grote,1895*
- 264) **Bryophilinae Guenée,1852** (Noctuidae) Synonym(s): *Bryophilinae Guenée,1852*
- 265) **Bryophilini Guenée,1852** (Noctuidae) Synonym(s): *Bryophilini Guenée,1852; Cryphiini Beck,1996; Bryoleucini Beck,1996*.
- 266) **Calamiina Beck,1996** (Noctuidae) Synonym(s): *Calamiina Beck,1996*
- 267) **Caradrinina Duponchel,1844** (Noctuidae) Synonym(s): *Caradrinina Duponchel,1844*
- 268) **Catephiina Guenée,1852** (Noctuidae) Synonym(s): *Catephiina Guenée,1852*
- 269) **Catocalina Boisduval,1828** (Noctuidae) Synonym(s): *Catocalinae Boisduval,1828; Catocalinae Guenée,1837*
- 270) **Catocalinae Boisduval,1828** (Noctuidae) Synonym(s): *Catocalinae Boisduval,1828; Catocalinae Guenée,1837*
- 271) **Catocalini Boisduval,1828** (Noctuidae) Synonym(s): *Catocalinae Boisduval,1828; Catocalinae Guenée,1837*

- 272) **Cerastina Beck,1996** (Noctuidae) Synonym(s): *Cerastina Beck,1996*
 273) **Chersotina Beck,1996** (Noctuidae) Synonym(s): *Chersotina Beck,1996*
 274) **Chloephorini Stainton,1859** (Noctuidae) Synonym(s): *Chloephorini Stainton,1859*
 275) **Cleophanina Heinemann,1859** (Noctuidae) Synonym(s): *Cleophanina Heinemann,1859*;
Calophasiina Beck,1996
 276) **Cleophanini Heinemann,1859** (Noctuidae) Synonym(s): *Cleophanini Heinemann,1859*;
Oncocnemidini Forbes & Franclemont,1954
 277) **Conistrina Beck,1996** (Noctuidae) Synonym(s): *Conistrina Beck,1996*
 278) **Cosmiina Guenée,1852** (Noctuidae) Synonym(s): *Cosmiina Guenée,1852*
 279) **Cuculliini Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *Cuculliini Herrich-Schäffer,[1850]*
 280) **Dasypoliina Heslop,1960** (Noctuidae) Synonym(s): *Dasypoliina Heslop,1960*
 281) **Diarsiina Beck,1996** (Noctuidae) Synonym(s): *Diarsiina Beck,1996*
 282) **Dichagyryna Beck,1996** (Noctuidae) Synonym(s): *Dichagyryna Beck,1996*
 283) **Dichoniina Beck,1996** (Noctuidae) Synonym(s): *Dichoniina Beck,1996*
 284) **Dilobinae Aurivillius,1889** (Noctuidae) Synonym(s): *Dilobinae Aurivillius,1889*
 285) **Dryobotina Beck,1996** (Noctuidae) Synonym(s): *Phytometrini Hampson,1918*; *Phytometrini Wiltshire,1990*
 286) **Dypterygiina Beck,1996** (Noctuidae) Synonym(s): *Dypterygiina Beck,1996*
 287) **Dysgoniini Moore,1884** (Noctuidae) Synonym(s): *Dysgoniini Moore,1884*; *Achaeini Wiltshire,1976*
 288) **Eariini Beck,1996** (Noctuidae) Synonym(s): *Eariini Beck,1996*
 289) **Elaphriinae Beck,1996** (Noctuidae) Synonym(s): *Elaphriinae Beck,1996*
 290) **Episemina Guenée,1852** (Noctuidae) Synonym(s): *Episemina Guenée,1852*
 291) **Eublemmini Hampson,1893** (Noctuidae) Synonym(s): *Eublemmini Hampson,1893*; *Eublemmini Forbes,1954*
 292) **Euchalciina Chou & Lu,1979** (Noctuidae) Synonym(s): *Euchalciina Chou & Lu,1979*
 293) **Euchalciini Chou & Lu,1979** (Noctuidae) Synonym(s): *Euchalciini Chou & Lu,1979*
 294) **Euclidiina Guenée,1852** (Noctuidae) Synonym(s): *Euclidiina Guenée,1852*
 295) **Eugnorismina Beck,1996** (Noctuidae) Synonym(s): *Eugnorismina Beck,1996*
 296) **Eugraphiina Beck,1996** (Noctuidae) Synonym(s): *Eugraphiina Beck,1996*
 297) **Euroina Beck,1996** (Noctuidae) Synonym(s): *Euroina Beck,1996*
 298) **Eustrotiinae Grote,1882** (Noctuidae) Synonym(s): *Eustrotiinae Grote,1882*
 299) **Euteliinae Grote,1882** (Noctuidae) Synonym(s): *Euteliinae Grote,1882*
 300) **Exophylini Beck,1996** (Noctuidae) Synonym(s): *Exophylini Beck,1996*
 301) **Hadenina Guenée,1838** (Noctuidae) Synonym(s): *Hadenina Guenée,1838*
 302) **Hadenini Guenée,1838** (Noctuidae) Synonym(s): *Hadenini Guenée,1838*
 303) **Hadina Beck,1996** (Noctuidae) Synonym(s): *Hadina Beck,1996*
 304) **Heliothinae Boisduval,1828** (Noctuidae) Synonym(s): *Heliothinae Boisduval,1828*
 305) **Herminiinae Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *Herminiinae Herrich-Schäffer,[1850]*
 306) **Hypeninae Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *Hypeninae Herrich-Schäffer,[1850]*
 307) **Hypenodinae Forbes,1954** (Noctuidae) Synonym(s): *Hypenodinae Forbes,1954*
 308) **Ipimorphina Beck,1989** (Noctuidae) Synonym(s): *Ipimorphina Beck,1989*
 309) **Leucaniina Guenée,1841** (Noctuidae) Synonym(s): *Leucaniina Guenée,1841*
 310) **Lithophanina Forbes,1954** (Noctuidae) Synonym(s): *Lithophanina Forbes,1954*
 311) **Luperinina Beck,1996** (Noctuidae) Synonym(s): *Luperinina Beck,1996*
 312) **Lycophotiina Beck,1996** (Noctuidae) Synonym(s): *Lycophotiina Beck,1996*
 313) **Mamestrina Beck,1996** (Noctuidae) Synonym(s): *Mamestrina Beck,1996*
 314) **Maniina Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *Maniina Herrich-Schäffer,[1850]*
 315) **Mesapameina Beck,1996** (Noctuidae) Synonym(s): *Mesapameina Beck,1996*
 316) **Metachrostinae W.Warren,1909** (Noctuidae) Synonym(s): *Metachrostinae W.Warren,1909*
 317) **Metachrostini W.Warren,1909** (Noctuidae) Synonym(s): *Metachrostini W.Warren,1909*;
Metachrostini Beck,1996
 318) **Metopocerina Beck,1996** (Noctuidae) Synonym(s): *Metopocerina Beck,1996*
 319) **Naeniina Beck,1996** (Noctuidae) Synonym(s): *Naeniina Beck,1996*
 320) **Noctuidae Latreille,1809** (Noctuidae) Synonym(s): *Noctuidae Latreille,1809*
 321) **Noctuina Latreille,1809** (Noctuidae) Synonym(s): *Noctuina Latreille,1809*
 322) **Noctuinae Latreille,1809** (Noctuidae) Synonym(s): *Noctuinae Latreille,1809*
 323) **Noctuiini Latreille,1809** (Noctuidae) Synonym(s): *Noctuiini Latreille,1809*
 324) **Noctuoidea Latreille,1809** (Noctuidae) Synonym(s): *Noctuoidea Latreille,1809*
 325) **Nolinae Bruand,1846** (Noctuidae) Synonym(s): *Nolites Bruand,1846*; *Nolidae Stainton,1859*
 326) **Nolini Bruand,1846** (Noctuidae) Synonym(s): *Nolini Bruand,1846*
 327) **Nonagriina Guenée,1837** (Noctuidae) Synonym(s): *Nonagriini Guenée,1837*; *Apameini Guenée,1841*

- 328) **Nonagriini Guenée, 1837** (Noctuidae) Synonym(s): *Nonagriini Guenée, 1837*; *Apameini Guenée, 1841*
- 329) **Omiina Beck, 1996** (Noctuidae) Synonym(s): *Omiina Beck, 1996*
- 330) **Omiini Beck, 1996** (Noctuidae) Synonym(s): *Omiini Beck, 1996*
- 331) **Omphalophanina Beck, 1996** (Noctuidae) Synonym(s):
- 332) **Oncocnemidina Forbes & Franclemont, 1954** (Noctuidae) Synonym(s): *Oncocnemidina Forbes & Franclemont, 1954*
- 333) **Ophiderinae Guenée, 1852** (Noctuidae) Synonym(s): *Ophiderinae Guenée, 1852*
- 334) **Ophiusini Guenée, 1837** (Noctuidae) Synonym(s): *Ophiusini Guenée, 1837*
- 335) **Opigenina Beck, 1996** (Noctuidae) Synonym(s): *Opigenina Beck, 1996*
- 336) **Orthosiina Guenée, 1838** (Noctuidae) Synonym(s): *Orthosiina Guenée, 1838*; *Orthosiina Beck, 1996*
- 337) **Oxytripsiina Gozmany** (Noctuidae) Synonym(s): *Oxytripsiina Gozmany*
- 338) **Pachetrina Beck, 1996** (Noctuidae) Synonym(s): *Pachetrina Beck, 1996*
- 339) **Panchrysiina Beck, 1996** (Noctuidae) Synonym(s): *Panchrysiina Beck, 1996*
- 340) **Pandesmini Berio, 1992** (Noctuidae) Synonym(s): *Pandesmini Berio, 1992*
- 341) **Pangraptini Grote, 1882** (Noctuidae) Synonym(s): *Pangraptini Grote, 1882*
- 342) **Pantheina Smith & Dyar, 1898** (Noctuidae) Synonym(s): *Pantheina Smith & Dyar, 1898*
- 343) **Pantheini Smith & Dyar, 1898** (Noctuidae) Synonym(s): *Pantheini Smith & Dyar, 1898*
- 344) **Peridromiina Beck, 1996** (Noctuidae) Synonym(s): *Peridromiina Beck, 1996*
- 345) **Perigraphina Beck, 1996** (Noctuidae) Synonym(s): *Perigraphina Beck, 1996*
- 346) **Phlogophorina Forbes, 1954** (Noctuidae) Synonym(s): *Phlogophorina Forbes, 1954*
- 347) **Phytometrini Hampson, 1918** (Noctuidae) Synonym(s): *Phytometrini Hampson, 1918*; *Phytometrini Wiltshire, 1990*.
- 348) **Plusidiina Beck, 1996** (Noctuidae) Synonym(s): *Plusidiina Beck, 1996*
- 349) **Plusiina Boisduval, 1828** (Noctuidae) Synonym(s): *Plusiina Boisduval, 1828*
- 350) **Plusiinae Boisduval, 1828** (Noctuidae) Synonym(s): *Plusiinae Boisduval, 1828*
- 351) **Plusiini Boisduval, 1828** (Noctuidae) Synonym(s): *Plusiini Boisduval, 1828*
- 352) **Poliina Beck, 1996** (Noctuidae) Synonym(s): *Poliina Beck, 1996*
- 353) **Polychrysiina Kljutschko, 1985** (Noctuidae) Synonym(s): *Polychrysiina Kljutschko, 1985*
- 354) **Polydesmini Berio, 1992** (Noctuidae) Synonym(s): *Polydesmini Berio, 1992*
- 355) **Polymixina Beck, 1996** (Noctuidae) Synonym(s): *Polymixina Beck, 1996*
- 356) **Polyphaenina Beck, 1996** (Noctuidae) Synonym(s): *Polyphaenina Beck, 1996*
- 357) **Prodeniina Forbes, 1954** (Noctuidae) Synonym(s): *Prodeniina Forbes, 1954*
- 358) **Pyroina Beck, 1996** (Noctuidae) Synonym(s): *Pyroina Beck, 1996*
- 359) **Recophorina Beck, 1996** (Noctuidae) Synonym(s): *Recophorina Beck, 1996*
- 360) **Rhyaciina Beck, 1996** (Noctuidae) Synonym(s): *Rhyaciina Beck, 1996*
- 361) **Rivulinae Grote, 1895** (Noctuidae) Synonym(s): *Rivulinae Grote, 1895*
- 362) **Sarrothripina Hampson, 1894** (Noctuidae) Synonym(s): *Sarrothripina Hampson, 1894*
- 363) **Scoliopteryginae Spuler, 1908** (Noctuidae) Synonym(s): *Scoliopteryginae Spuler, 1908*
- 364) **Standfussianina Beck, 1996** (Noctuidae) Synonym(s): *Standfussianina Beck, 1996*
- 365) **Thalpophilina Beck, 1996** (Noctuidae) Synonym(s): *Thalpophilina Beck, 1996*
- 366) **Toxocampina Guenée, 1852** (Noctuidae) Synonym(s): *Toxocampina Guenée, 1852*
- 367) **Toxocampini Guenée, 1852** (Noctuidae) Synonym(s): *Toxocampini Guenée, 1852*
- 368) **Tracheina Beck, 1996** (Noctuidae) Synonym(s): *Tracheina Beck, 1996*
- 369) **Tytina Beck, 1996** (Noctuidae) Synonym(s): *Tytina Beck, 1996*
- 370) **Xestiina Beck, 1996** (Noctuidae) Synonym(s): *Xestiina Beck, 1996*
- 371) **Xylinina Guenée, 1838** (Noctuidae) Synonym(s): *Xylinina Guenée, 1838*; *Calocampina Grote, 1895*
- 372) **Xylinini Guenée, 1838** (Noctuidae) Synonym(s): *Xylinini Guenée, 1838*; *Ipimorphini Beck, 1989*
- 373) **Xylocampina Tutt, 1902** (Noctuidae) Synonym(s): *Xylocampina Tutt, 1902*
- 374) **Xylophasiina Guenée, 1852** (Noctuidae) Synonym(s): *Xylophasiina Guenée, 1852*
- 375) **Notodontidae Stephens, 1828** (Notodontidae) Synonym(s): *Notodontidae Stephens, 1828*
- 376) **Notodontinae Stephens, 1828** (Notodontidae) Synonym(s): *Notodontinae Stephens, 1828*
- 377) **Pygaerinae** (Notodontidae) Synonym(s):
- 378) **Chimabacchinae Heinemann, 1870** (Oecophoridae) Synonym(s): *Chimabacchinae Heinemann, 1870*
- 379) **Crossotocerini Lvovsky, 2002** (Oecophoridae) Synonym(s): *Crossotocerini Lvovsky, 2002*
- 380) **Cryptolechiinae Meyrick, 1883** (Oecophoridae) Synonym(s): *Cryptolechiinae Meyrick, 1883*; *Orophini Lvovsky, 1974*
- 381) **Depressariinae Meyrick, 1883** (Oecophoridae) Synonym(s): *Epigraphidi Guenée, 1845*; *Depressariinae Meyrick, 1883*
- 382) **Deuteroniinae Toll, 1956** (Oecophoridae) Synonym(s): *Deuteroniinae Toll, 1956*
- 383) **Oecophoridae Bruand, 1850** (Oecophoridae) Synonym(s): *Oecophoridae Bruand, 1850*
- 384) **Oecophorinae Bruand, 1850** (Oecophoridae) Synonym(s): *Oecophorinae Bruand, 1850*
- 385) **Oecophorini Bruand, 1850** (Oecophoridae) Synonym(s): *Oecophorini Bruand, 1850*

- 386) Oecophoroidea Bruand,1850** (Oecophoridae) Synonym(s): *Oecophoroidea Bruand,1850*
- 387) Pleurotini Toll,1956** (Oecophoridae) Synonym(s): *Pleurotini Toll,1956*
- 388) Opostegidae Meyrick,1893** (Opostegidae) Synonym(s): *Opostegides Meyrick,1893; Opotegoidinae Kozlov,1985*
- 389) Opoteginae Meyrick,1893** (Opostegidae) Synonym(s): *Opostegides Meyrick,1893; Opotegoidinae Kozlov,1985*
- 390) Archonina Koçak,1989** (Papilionidae) Synonym(s): *Archonina Koçak,1989*
- 391) Luehdorfiini Chapman,1895** (Papilionidae) Synonym(s): *Luehdorfiini Chapman,1895; #Thaidi Chapman,1895; #Thaidinae Kirby,1896; Zerynthianae Grote,1899.*
- 392) Papilionidae Latreille,[1802]** (Papilionidae) Synonym(s): *Papilionidae Latreille,[1802]*
- 393) Papilioninae Latreille,[1802]** (Papilionidae) Synonym(s): *Papilioninae Latreille,[1802]*
- 394) Papilionini Latreille,[1802]** (Papilionidae) Synonym(s): *Papilionini Latreille,[1802]*
- 395) Papilionoidea Latreille,[1802]** (Papilionidae) Synonym(s): *Papilionoidea Latreille,[1802]*
- 396) Parnassiina Duponchel,[1835]** (Papilionidae) Synonym(s): *Parnassiina Duponchel,[1835]*
- 397) Parnassiinae Duponchel,[1835]** (Papilionidae) Synonym(s): *Parnassiinae Duponchel,[1835]*
- 398) Parnassiini Duponchel,[1835]** (Papilionidae) Synonym(s): *Parnassiini Duponchel,[1835]*
- 399) Anthocharina Scudder,1889** (Pieridae) Synonym(s): *Anthocharini Scudder,1889; Anthocharidi Tutt,1894; Euchloini Klots,1930.*
- 400) Anthocharini Scudder,1889** (Pieridae) Synonym(s): *Anthocharini Scudder,1889; Anthocharidi Tutt,1894; Euchloini Klots,1930.*
- 401) Aporiini Chapman,1895** (Pieridae) Synonym(s): *Aporiini Chapman,1895*
- 402) Coliadae Swainson,1827** (Pieridae) Synonym(s): *Coliadae Swainson,1827*
- 403) Dismorphiinae Schatz,1886** (Pieridae) Synonym(s): *Dismorphiinae Schatz,1886; Dismorphiina Godman & Salvin,1889; Leptidiinae Grote,1897; Leptosiidi Wheeler,1903; Leptideidi Verity,1947.*
- 404) Euchloina Klots,1930** (Pieridae) Synonym(s): *Euchloini Klots,1930.*
- 405) Pieridae Duponchel,[1835]** (Pieridae) Synonym(s): *Pieridae Duponchel,[1835]*
- 406) Pierina Duponchel,[1835]** (Pieridae) Synonym(s): *Pierina Duponchel,[1835]; Pontiina Reuter,1897.*
- 407) Pierinae Duponchel,[1835]** (Pieridae) Synonym(s): *Pierinae Duponchel,[1835]*
- 408) Pierini Duponchel,[1835]** (Pieridae) Synonym(s): *Pierini Duponchel,[1835]*
- 409) Rhodocerinae Duponchel,[1835]** (Pieridae) Synonym(s): *Rhodocerinae Duponchel,[1835]; Dryaden Schatz,[1886]; Callidryadinae Kirby,1896; Catopsilidi Reuter,1897; Eurymini Grote,1897; Gonepterygidi Verity,1947.*
- 410) Teracolina Reuter,1897** (Pieridae) Synonym(s): *Teracolina Reuter,1897; Colotina Larsen,1983.*
- 411) Apteroini Tutt,1900** (Psychidae) Synonym(s): *Apteroini Tutt,1900*
- 412) Epichnopteryginae Tutt,1900** (Psychidae) Synonym(s): *Epichnopteryginae Tutt,1900*
- 413) Epichnopterygini Tutt,1900** (Psychidae) Synonym(s): *Epichnopterygini Tutt,1900; Bijugini Tutt,1900; Psychideini Dalla Torre & Strand,1929; Rebeliini Dalla Torre & Strand,1929.*
- 414) Naryciinae Tutt,1900** (Psychidae) Synonym(s): *Naryciinae Tutt,1900; Diplodominae Tutt,1900*
- 415) Narycini Tutt,1900** (Psychidae) Synonym(s): *Narycini Tutt,1900; Diplodomini Tutt,1900*
- 416) Oiketicinae Herrich-Schäffer,[1850]** (Psychidae) Synonym(s): *Oiketicinae Herrich-Schäffer,[1850]; Acanthopsychini Tutt,1900*
- 417) Oiketicini Herrich-Schäffer,[1850]** (Psychidae) Synonym(s): *Oiketicini Herrich-Schäffer,[1850]; Acanthopsychini Tutt,1900*
- 418) Psychidae Boisduval,1828** (Psychidae) Synonym(s): *Psychidae Boisduval,1828*
- 419) Psychinae Boisduval,1828** (Psychidae) Synonym(s): *Psychinae Boisduval,1828*
- 420) Psychini Boisduval,1828** (Psychidae) Synonym(s): *Psychini Boisduval,1828; Luffiini Tutt,1900; Fumeini Tutt,1900; Proutiini Tutt,1900.*
- 421) Stichobasini Dalla Torre & Strand,1929** (Psychidae) Synonym(s): *Stichobasini Dalla Torre & Strand,1929*
- 422) Taleporiinae Herrich-Schäffer,[1857]** (Psychidae) Synonym(s): *Taleporiinae Herrich-Schäffer,[1857]*
- 423) Taleporiini Herrich-Schäffer,[1857]** (Psychidae) Synonym(s): *Taleporiini Herrich-Schäffer,[1857]*
- 424) Typhoniinae Lederer,1852** (Psychidae) Synonym(s): *Typhoniinae Lederer,1852; Melasinini Tutt,1900; Dissocotenini Tutt,1900*
- 425) Typhoniini Lederer,1852** (Psychidae) Synonym(s): *Typhoniini Lederer,1852; Melasinini Tutt,1900; Dissocotenini Tutt,1900*
- 426) Agdistinae Walsingham,1891** (Pterophoridae) Synonym(s): *Agdistinae Walsingham,1891; Agdistidae Tutt,1906.*
- 427) Oidaematophorini** (Pterophoridae) Synonym(s):
- 428) Oxyptilini** (Pterophoridae) Synonym(s):
- 429) Platyptiliinae Tutt,1905** (Pterophoridae) Synonym(s): *Platyptiliinae Tutt,1905*
- 430) Platyptiliini Tutt,1905** (Pterophoridae) Synonym(s): *Platyptiliini Tutt,1905*
- 431) Pterophoridae Latreille,[1802]** (Pterophoridae) Synonym(s): *Pterophoridae Latreille,[1802]; Pterophorinae Zeller,1841; Alucitidae Tutt,1906; Platyptiliinae Tutt,1907.*

- 432) Pterophorinae Latreille,[1802]** (Pterophoridae) Synonym(s): *Pterophorinae Latreille,[1802]*;
Pterophorinae Zeller,1841; *Alucitidae Tutt,1906*; *Platyptiliinae Tutt,1907*.
- 433) Pterophorini Latreille,[1802]** (Pterophoridae) Synonym(s): *Pterophorini Latreille,[1802]*
- 434) Pterophoroidea Latreille,[1802]** (Pterophoridae) Synonym(s): *Pterophoroidea Latreille,[1802]*;
Pterophorinae Zeller,1841; *Alucitidae Tutt,1906*; *Platyptiliinae Tutt,1907*.
- 435) Acentropinae Stephens,1836** (Pyralidae) Synonym(s): *Acentropinae Stephens,1836*
- 436) Acrobasiina Agenjo,1958** (Pyralidae) Synonym(s): *Acrobasiina Agenjo,1958*
- 437) Ambiini** (Pyralidae) Synonym(s):
- 438) Ancylolomiini Swinhoe & Cotes,1891** (Pyralidae) Synonym(s): *Ancylolomiini Swinhoe & Cotes,1891*
- 439) Anerastiini Ragonot,1885** (Pyralidae) Synonym(s): *Anerastiini Ragonot,1885*
- 440) Cledeobiini Blanchard,1840** (Pyralidae) Synonym(s): *Cledeobiini Blanchard,1840*
- 441) Crambinae Latreille,1810** (Pyralidae) Synonym(s): *Crambinae Latreille,1810*
- 442) Crambini Latreille,1810** (Pyralidae) Synonym(s): *Crambini Latreille,1810*
- 443) Cryptoblabini Roesler,1968** (Pyralidae) Synonym(s): *Cryptoblabini Roesler,1968*
- 444) Cybalomiinae Marion,1955** (Pyralidae) Synonym(s): *Cybalomiinae Marion,1955*
- 445) Diptychophorini Gaskin,1971** (Pyralidae) Synonym(s): *Diptychophorini Gaskin,1971*
- 446) Endotrichina Ragonot,1890** (Pyralidae) Synonym(s): *Endotrichina Ragonot,1890*
- 447) Epipaschiinae Meyrick,1884** (Pyralidae) Synonym(s): *Epipaschiinae Meyrick,1884*
- 448) Euclastini Popescu-Gorj & Constantinescu,1977** (Pyralidae) Synonym(s): *Euclastinae Popescu-Gorj & Constantinescu,1977*
- 449) Eurrhypini Leraut & Luquet,1982** (Pyralidae) Synonym(s): *Eurrhypini Leraut & Luquet,1982*
- 450) Evergestinae Marion,1952** (Pyralidae) Synonym(s): *Evergestinae Marion,1952*
- 451) Evergestini Marion,1952** (Pyralidae) Synonym(s): *Evergestini Marion,1952*
- 452) Galleriinae Stainton,[1858]** (Pyralidae) Synonym(s): *Galleriinae Stainton,[1858]*
- 453) Galleriini Stainton,[1858]** (Pyralidae) Synonym(s): *Galleriini Stainton,[1858]*
- 454) Glaphyriinae Forbes,1923** (Pyralidae) Synonym(s): *Glaphyriinae Forbes,1923*
- 455) Glaphyriini Forbes,1923** (Pyralidae) Synonym(s): *Glaphyriini Forbes,1923*
- 456) Heliothelini Amsel,1961** (Pyralidae) Synonym(s): *Heliothelini Amsel,1961*
- 457) Hercynini** (Pyralidae) Synonym(s):
- 458) Hypotiina Janse,1917** (Pyralidae) Synonym(s): *Hypotiina Janse,1917*
- 459) Nymphulinae Duponchel,[1845]** (Pyralidae) Synonym(s): *Nymphulinae Duponchel,[1845]*
- 460) Nymphulini Duponchel,[1845]** (Pyralidae) Synonym(s): *Nymphulini Duponchel,[1845]*
- 461) Odontiina Guenée,1854** (Pyralidae) Synonym(s): *Odontiina Guenée,1854*
- 462) Odontiinae Guenée,1854** (Pyralidae) Synonym(s): *Odontiinae Guenée,1854*
- 463) Peoriini Hulst,1890** (Pyralidae) Synonym(s): *Peoriini Hulst,1890*
- 464) Phycitina Zeller,1839** (Pyralidae) Synonym(s): *Phycitina Zeller,1839*
- 465) Phycitinae Zeller,1839** (Pyralidae) Synonym(s): *Phycitinae Zeller,1839*
- 466) Phycitini Zeller,1839** (Pyralidae) Synonym(s): *Phycitini Zeller,1839*
- 467) Pyralidae Latreille,1809** (Pyralidae) Synonym(s): *Pyralidae Latreille,1809*
- 468) Pyralina Latreille,1809** (Pyralidae) Synonym(s): *Pyralina Latreille,1809*
- 469) Pyralinae Latreille,1809** (Pyralidae) Synonym(s): *Pyralinae Latreille,1809*
- 470) Pyralini Latreille,1809** (Pyralidae) Synonym(s): *Pyralini Latreille,1809*
- 471) Pyraloidea Latreille,1809** (Pyralidae) Synonym(s): *Pyraloidea Latreille,1809*
- 472) Pyraustinae Meyrick,1890** (Pyralidae) Synonym(s): *Pyraustinae Meyrick,1890*
- 473) Pyraustini Meyrick,1890** (Pyralidae) Synonym(s): *Pyraustini Meyrick,1890*
- 474) Schoenobiinae Duponchel,[1846]** (Pyralidae) Synonym(s): *Schoenobiinae Duponchel,[1846]*
- 475) Schoenobiini Duponchel,[1846]** (Pyralidae) Synonym(s): *Schoenobiini Duponchel,[1846]*
- 476) Scopariinae Guenée,1854** (Pyralidae) Synonym(s): *Eudoridi Stephens,1852*; *Scoparidae Guenée,1854*; *Eudoreidae Stainton,1859*
- 477) Scopariini Guenée,1854** (Pyralidae) Synonym(s): *Eudoridi Stephens,1852*; *Scoparidae Guenée,1854*; *Eudoreidae Stainton,1859*
- 478) Spilomelini** (Pyralidae) Synonym(s):
- 479) Riodinidae Grote,1895** (Riodinidae) Synonym(s): *Riodinidae Grote,1895*
- 480) Roeslerstammiidae Bruand,1850** (Roeslerstammiidae) Synonym(s): *Roeslerstammiidae Bruand,1850*; *Amphiteridae auct.*
- 481) Attacini Blanchard,1840** (Saturniidae) Synonym(s): *Attacini Blanchard,1840*
- 482) Saturniidae Boisduval,[1837]** (Saturniidae) Synonym(s): *Saturniidae Boisduval,[1837]*
- 483) Saturniinae Boisduval,[1837]** (Saturniidae) Synonym(s): *Saturniinae Boisduval,[1837]*
- 484) Saturniini Boisduval,[1837]** (Saturniidae) Synonym(s): *Saturniini Boisduval,[1837]*; *Actiadini Testout,1941*; *Graellsini Vives Moreno,1994*
- 485) Coenonymphini Tutt,1896** (Satyridae) Synonym(s): *Coenonymphini Tutt,1896*
- 486) Erebiini Tutt,1896** (Satyridae) Synonym(s): *Erebiini Tutt,1896*

- 487) **Maniolini Grote,1897** (Satyridae) Synonym(s): *Maniolini Grote,1897*
 488) **Melanargiini Wheeler,1903** (Satyridae) Synonym(s): *Melanargiini Wheeler,1903*
 489) **Satyridae Boisduval,1833** (Satyridae) Synonym(s): *Satyridae Boisduval,1833*
 490) **Satyrina Boisduval,1833** (Satyridae) Synonym(s): *Satyrina Boisduval,1833*
 491) **Satyrini Boisduval,1833** (Satyridae) Synonym(s): *Satyrini Boisduval,1833*
 492) **Ypthimini Miller,1968** (Satyridae) Synonym(s): *Ypthimini Miller,1968*
 493) **Scythridae Rebel,1901** (Scythridae) Synonym(s): *Scythridae Rebel,1901*
 494) **Paranthreninae Niculescu,1964** (Sesiidae) Synonym(s): *Paranthreninae Niculescu,1964*
 495) **Pennisetiini Naumann,1971** (Sesiidae) Synonym(s): *Pennisetiini Naumann,1971; Paraglosseciini Gorbunov,1991*
 496) **Sesiidae Boisduval,1828** (Sesiidae) Synonym(s): *Sesiidae Boisduval,1828; Aegeriidae Stephens,1828*
 497) **Sesiinae Boisduval,1828** (Sesiidae) Synonym(s): *Sesiinae Boisduval,1828; Aegeriinae Stephens,1828*
 498) **Sesiini Boisduval,1828** (Sesiidae) Synonym(s): *Sesiini Boisduval,1828; Aegeriini Stephens,1828; #Euthrenini Fischer,2006; Afrokonini Fischer,2006*
 499) **Sesioidea Boisduval,1828** (Sesiidae) Synonym(s): *Sesioidea Boisduval,1828*
 500) **Synanthedonini Niculescu,1964** (Sesiidae) Synonym(s): *Synanthedonini Niculescu,1964; Thamnospheciini Kralicek & Povolny,1977*
 501) **Tinithinae Cerf,1917** (Sesiidae) Synonym(s): *Tinithinae Cerf,1917; Bembeciinae Niculescu,1964; Zenodoxinae MacKay,1968*
 502) **Tinithini Cerf,1917** (Sesiidae) Synonym(s): *Tinithini Cerf,1917; Zenodoxini MacKay,1968*
 503) **Aceronthiina Butler,1876** (Sphingidae) Synonym(s): *Aceronthiina Butler,1876*
 504) **Choerocampina Grote & Robinson,1865** (Sphingidae) Synonym(s): *Choerocampina Grote & Robinson,1865*
 505) **Macroglossina Harris,1839** (Sphingidae) Synonym(s): *Macroglossina Harris,1839*
 506) **Macroglossinae Harris,1839** (Sphingidae) Synonym(s): *Macroglossinae Harris,1839*
 507) **Macroglossini Harris,1839** (Sphingidae) Synonym(s): *Macroglossini Harris,1839*
 508) **Smerinthina Grote & Robinson,1865** (Sphingidae) Synonym(s): *Smerinthina Grote & Robinson,1865*
 509) **Smerinthini Grote & Robinson,1865** (Sphingidae) Synonym(s): *Smerinthini Grote & Robinson,1865*
 510) **Sphingidae Latreille,[1802]** (Sphingidae) Synonym(s): *Sphingidae Latreille,[1802]*
 511) **Sphingina Latreille,[1802]** (Sphingidae) Synonym(s): *Sphingina Latreille,[1802]*
 512) **Sphinginae Latreille,[1802]** (Sphingidae) Synonym(s): *Sphinginae Latreille,[1802]*
 513) **Sphingini Latreille,[1802]** (Sphingidae) Synonym(s): *Sphingini Latreille,[1802]*
 514) **Sphingoidea Latreille,[1802]** (Sphingidae) Synonym(s): *Sphingoidea Latreille,[1802]*
 515) **Stathmopodidae Meyrick,1913** (Stathmopodidae) Synonym(s): *Stathmopodidae Meyrick,1913*
 516) **Thaumetopoeidae Aurivillius,1889** (Thaumetopoeidae) Synonym(s): *Thaumetopoeidae Aurivillius,1889*
 517) **Thaumetopoeinae Aurivillius,1889** (Thaumetopoeidae) Synonym(s): *Thaumetopoeinae Aurivillius,1889*
 518) **Habrosynini** (Thyatiridae) Synonym(s):
 519) **Polyplocinae Meyrick,1895** (Thyatiridae) Synonym(s): *Polyplocinae Meyrick,1895*
 520) **Polyplocini Meyrick,1895** (Thyatiridae) Synonym(s): *Polyplocini Meyrick,1895*
 521) **Tetheini** (Thyatiridae) Synonym(s):
 522) **Thyatiridae Smith,1893** (Thyatiridae) Synonym(s): *Thyatiridae Smith,1893*
 523) **Thyatirinae Smith,1893** (Thyatiridae) Synonym(s): *Thyatirinae Smith,1893*
 524) **Thyatirini Smith,1893** (Thyatiridae) Synonym(s): *Thyatirini Smith,1893*
 525) **Thyridae Herrich-Schäffer,1846** (Thyridae) Synonym(s): *Thyridae Herrich-Schäffer,1846*
 526) **Thyrinae Herrich-Schäffer,1846** (Thyridae) Synonym(s): *Thyrinae Herrich-Schäffer,1846*
 527) **Thyridoidea Herrich-Schäffer,1846** (Thyridoidea) *Thyridoidea Herrich-Schäffer,1846*
 528) **Ateliotini Zagulyaev,1975** (Tineidae) Synonym(s): *Ateliotini Zagulyaev,1975*
 529) **Cephimallotini Zagulyaev,1965** (Tineidae) Synonym(s): *Cephimallotini Zagulyaev,1965*
 530) **Dryadaulinae** (Tineidae) Synonym(s): *Dryadaulinae; Archimeessiini Zagulyaev,1970*
 531) **Euplocaminae Bruand,1858** (Tineidae) Synonym(s): *Euplocaminae Bruand,1858*
 532) **Hapsiferinae Zagulyaev,1968** (Tineidae) Synonym(s): *Hapsiferinae Zagulyaev,1968*
 533) **Hapsiferini Zagulyaev,1968** (Tineidae) Synonym(s): *Hapsiferini Zagulyaev,1968*
 534) **Hieroxestinae Meyrick,1893** (Tineidae) Synonym(s): *Dendroneurinae Walsingham,[1892]; Hieroxestinae Meyrick,1893; Oenophilidae Spuler,1898*
 535) **Infurcitineini Gozmany,1965** (Tineidae) Synonym(s): *Infurcitineini Gozmany,1965*
 536) **Meessiinae Zagulyaev,1958** (Tineidae) Synonym(s): *Meessiinae Zagulyaev,1958*
 537) **Meessiini Zagulyaev,1958** (Tineidae) Synonym(s): *Meessiini Zagulyaev,1958*
 538) **Myrmecozelinae Zagulyaev,1958** (Tineidae) Synonym(s): *Myrmecozelinae Zagulyaev,1958*
 539) **Myrmecozelini Zagulyaev,1958** (Tineidae) Synonym(s): *Myrmecozelini Zagulyaev,1958*

- 540) **Nemapogoninae Hinton,1955** (Tineidae) Synonym(s): *Nemapogoninae Hinton,1955*
 541) **Nemapogonini Hinton,1955** (Tineidae) Synonym(s): *Nemapogonini Hinton,1955*
 542) **Novotineini Capuse,1971** (Tineidae) Synonym(s): *Novotineini Capuse,1971*
 543) **Rhodobatini Capuse,1968** (Tineidae) Synonym(s): *Rhodobatini Capuse,1968*
 544) **Scardiinae Eyer,1924** (Tineidae) Synonym(s): *Scardiinae Eyer,1924*
 545) **Tineidae Latreille,1810** (Tineidae) Synonym(s): *Tineidae Latreille,1810*
 546) **Tineinae Latreille,1810** (Tineidae) Synonym(s): *Tineinae Latreille,1810*
 547) **Tineoidea Latreille,1810** (Tineidae) Synonym(s): *Tineoidea Latreille,1810*
 548) **Triaxomerini G.Petersen,1983** (Tineidae) Synonym(s): *Triaxomerini G.Petersen,1983*
 549) **Tischeriidae Spuler,1898** (Tischeriidae) Synonym(s): *Tischeriidae Spuler,1898*
 550) **Tischerioidea Spuler,1898** (Tischeriidae) Synonym(s): *Tischerioidea Spuler,1898*
 551) **Archipini Pierce & Metcalf,1922** (Tortricidae) Synonym(s): *Archipini Pierce & Metcalf,1922*
 552) **Bactrini Falkovitsh,1962** (Tortricidae) Synonym(s): *Bactrini Falkovitsh,1962*
 553) **Ceracini Cotes & Swinhoe,1889** (Tortricidae) Synonym(s): *Ceracinae Cotes & Swinhoe,1889*
 554) **Chlidanotinae Diakonoff,1960** (Tortricidae) Synonym(s): *Chlidanotinae Diakonoff,1960*
 555) **Chlidanotini Diakonoff,1960** (Tortricidae) Synonym(s): *Chlidanotini Diakonoff,1960*
 556) **Cnephasiini Stainton,[1858]** (Tortricidae) Synonym(s): *Cnephasiini Stainton,[1858]*
 557) **Cochylini Guenée,1845** (Tortricidae) Synonym(s): *Cochylini Guenée,1845*
 558) **Endotheniina Diakonoff,1973** (Tortricidae) Synonym(s): *Endotheniina Diakonoff,1973*
 559) **Endotheniini Diakonoff,1973** (Tortricidae) Synonym(s): *Endotheniini Diakonoff,1973*
 560) **Eucosmini Meyrick,1909** (Tortricidae) Synonym(s): *Penthinidi Guenée,1845; Spilonotidi Guenée,1845; EStigmonotidae Stainton,[1858]; Epiblemidiae Meyrick,1895; Eucosmidiae Meyrick,1909*
 561) **Euliini Kuznetsov & Stekolnikov,1977** (Tortricidae) Synonym(s): *Euliae Kuznetsov & Stekolnikov,1977*
 562) **Grapholitini Guenée,1845** (Tortricidae) Synonym(s): *Grapholitini Guenée,1845*
 563) **Hilarographini Diakonoff,1977** (Tortricidae) Synonym(s): *Hilarographini Diakonoff,1977*
 564) **Olethreutina Walshingham,1895** (Tortricidae) Synonym(s): *Syricoridi Guenée,1845; Olethreutinae Walshingham,1895; Eudemini Falkovich,1962; Lobesiini Falkovich,1962; Rhodocosmariae Diakonoff,1973; Zomariae Diakonoff,1973; Sorolophiae Diakonoff,1973; Sycacanthinae Diakonoff,1973; Statherotinae Diakonoff,1973;*
 565) **Olethreutinae Walshingham,1895** (Tortricidae) Synonym(s): *Syricoridi Guenée,1845; Olethreutinae Walshingham,1895; Eudemini Falkovich,1962; Lobesiini Falkovich,1962; Rhodocosmariae Diakonoff,1973; Zomariae Diakonoff,1973; Sorolophiae Diakonoff,1973; Sycacanthinae Diakonoff,1973; Statherotinae Diakonoff,1973;*
 566) **Olethreutini Walshingham,1895** (Tortricidae) Synonym(s): *Syricoridi Guenée,1845; Olethreutinae Walshingham,1895; Eudemini Falkovich,1962; Lobesiini Falkovich,1962; Rhodocosmariae Diakonoff,1973; Zomariae Diakonoff,1973; Sorolophiae Diakonoff,1973; Sycacanthinae Diakonoff,1973; Statherotinae Diakonoff,1973;*
 567) **Penthininae Guenée,1845** (Tortricidae) Synonym(s): *Penthininae Guenée,1845*
 568) **Phricanthini Diakonoff,1981** (Tortricidae) Synonym(s): *Phricanthini Diakonoff,1981*
 569) **Polyorthini Obratzov,1966** (Tortricidae) Synonym(s): *Polyorthini Obratzov,1966*
 570) **Sparganothini Walsingham,1913** (Tortricidae) Synonym(s): *Sparganothini Walsingham,1913*
 571) **Spilonotina Guenée,1845** (Tortricidae) Synonym(s): *Spilonotina Guenée,1845*
 572) **Spilonotini Guenée,1845** (Tortricidae) Synonym(s): *Spilonotini Guenée,1845*
 573) **Tortricidae Latreille,[1803]** (Tortricidae) Synonym(s): *Tortricidae Latreille,[1803]*
 574) **Tortricinae Latreille,[1803]** (Tortricidae) Synonym(s): *Tortricinae Latreille,[1803]*
 575) **Tortricini Latreille,[1803]** (Tortricidae) Synonym(s): *Tortricini Latreille,[1803]*
 576) **Tortricoidea Latreille,[1803]** (Tortricidae) Synonym(s): *Tortricoidea Latreille,[1803]*
 577) **Ochsenheimeriinae Herrich-Schäffer,1857** (Yponomeutidae) Synonym(s): *Ochsenheimeriinae Herrich-Schäffer,1857*
 578) **Plutellinae Guenée,1845** (Yponomeutidae) Synonym(s): *Plutellinae Guenée,1845*
 579) **Praydinae Moriuti,1977** (Yponomeutidae) Synonym(s): *Praydinae Moriuti,1977*
 580) **Scythropiinae** (Yponomeutidae) Synonym(s):
 581) **Yponomeutidae Stephens,1829** (Yponomeutidae) Synonym(s): *Yponomeutidae Stephens,1829*
 582) **Yponomeutinae Stephens,1829** (Yponomeutidae) Synonym(s): *Yponomeutinae Stephens,1829*
 583) **Yponomeutoidea Stephens,1829** (Yponomeutidae) Synonym(s): *Yponomeutoidea Stephens,1829*
 584) **Ypsolophinae Guenée,1845** (Yponomeutidae) Synonym(s): *Ypsolophinae Guenée,1845*
 585) **Procrinae Boisduval,1828** (Zygaenidae) Synonym(s): *Procrinae Boisduval,1828*
 586) **Procrini Boisduval,1828** (Zygaenidae) Synonym(s): *Procrini Boisduval,1828*
 587) **Zygaenidae Latreille,1809** (Zygaenidae) Synonym(s): *Zygaenidae Latreille,1809*
 588) **Zygaeninae Latreille,1809** (Zygaenidae) Synonym(s): *Zygaeninae Latreille,1809*
 589) **Zygaenini Latreille,1809** (Zygaenidae) Synonym(s): *Zygaenini Latreille,1809*
 590) **Zygaenoidea Latreille,1809** (Zygaenidae) Synonym(s): *Zygaenoidea Latreille,1809*

Other Pterygot Orders

- 591) Achilidae Stal,1866** (Achilidae) Synonym(s): *Achilidae Stal,1866*
- 592) Acrididae MacLeay,1821** (Acrididae) Synonym(s): *Acrididae MacLeay,1821*
- 593) Acridinae MacLeay,1821** (Acrididae) Synonym(s): *Acridinae MacLeay,1821*
- 594) Acridini MacLeay,1821** (Acrididae) Synonym(s): *Acridini MacLeay,1821*
- 595) Acrotylini Shumakov,1963** (Acrididae) Synonym(s): *Acrotylini Shumakov,1963*
- 596) Aiolopini Shumakov,1963** (Acrididae) Synonym(s): *Aiolopini Shumakov,1963*
- 597) Arcypterini Shumakov,1963** (Acrididae) Synonym(s): *Arcypterini Shumakov,1963*
- 598) Calliptaminae Tinkham,1940** (Acrididae) Synonym(s): *Calliptaminae Tinkham,1940*
- 599) Catantopinae Brunner von Wattenwyl,1893** (Acrididae) Synonym(s): *Catantopinae Brunner von Wattenwyl,1893*
- 600) Pezotettigini Brunner von Wattenwyl,1893** (Acrididae) Synonym(s): *Pezotettigini Brunner von Wattenwyl,1893*
- 601) Cyrtacanthacridinae W.F.Kirby,1902** (Acrididae) Synonym(s): *Cyrtacanthacridinae W.F.Kirby,1902*
- 602) Dociostaurini** (Acrididae) Synonym(s):
- 603) Epacromiini Brunner von Wattenwyl,1893** (Acrididae) Synonym(s): *Epacromiini Brunner von Wattenwyl,1893*
- 604) Eyprepocneminae Brunner von Wattenwyl,1893** (Acrididae) Synonym(s): *Eyprepocneminae Brunner von Wattenwyl,1893*
- 605) Gomphocerinae Fieber,1853** (Acrididae) Synonym(s): *Gomphocerinae Fieber,1853*
- 606) Gomphocerini Fieber,1853** (Acrididae) Synonym(s): *Gomphocerini Fieber,1853; Chorthippini Shumakov,1963*
- 607) Locustini Kirby,1825** (Acrididae) Synonym(s): *Locustini Kirby,1825*
- 608) Melanoplinae S.H.Scudder,1897** (Acrididae) Synonym(s): *Melanoplinae S.H.Scudder,1897*
- 609) Oedipodinae Walker,1871** (Acrididae) Synonym(s): *Oedipodinae Walker,1871*
- 610) Oedipodini Walker,1871** (Acrididae) Synonym(s): *Oedipodini Walker,1871*
- 611) Parapleurini Brunner von Wattenwyl,1893** (Acrididae) Synonym(s): *Parapleurini Brunner von Wattenwyl,1893; Mecostethini Hebard,1924; Ceraerini Yin & X.-C.,1984*
- 612) Podismini Mishchenko,1945** (Acrididae) Synonym(s): *Podismini Mishchenko,1945; Parapodisminae Inoue,1985*
- 613) Sphingonotini Johnston,1956** (Acrididae) Synonym(s): *Sphingonotini Johnston,1956*
- 614) Stenobothrini Harz,1975** (Acrididae) Synonym(s): *Stenobothrini Harz,1975*
- 615) Tropidopolinae Dirsh,1961** (Acrididae) Synonym(s): *Tropidopolinae Dirsh,1961; Tropidopolinae Otte,1995*
- 616) Acridoidea MacLeay,1821** (Acridoidea) *Acridoidea MacLeay,1821*
- 617) Acroceridae Leach,1815** (Acroceridae) Synonym(s): *Acroceridae Leach,1815*
- 618) Panopinae** (Acroceridae) Synonym(s):
- 619) Aeshnidae Rambur,1842** (Aeshnidae) Synonym(s): *Aeshnidae Rambur,1842*
- 620) Agaonidae Walker,1846** (Agaonidae) Synonym(s): *Agaonidae Walker,1846*
- 621) Agromyzidae Fallén,1810** (Agromyzidae) Synonym(s): *Agromyzidae Fallén,1810*
- 622) Agromyzinae Fallén,1810** (Agromyzidae) Synonym(s): *Agromyzinae Fallén,1810*
- 623) Phytomyzinae** (Agromyzidae) Synonym(s):
- 624) Alydidae Amyot & Audinet-Serville,1843** (Alydidae) Synonym(s): *Alydidae Amyot & Audinet-Serville,1843*
- 625) Alydinae Amyot & Audinet-Serville,1843** (Alydidae) Synonym(s): *Alydinae Amyot & Audinet-Serville,1843*
- 626) Alydini Amyot & Audinet-Serville,1843** (Alydidae) Synonym(s): *Alydini Amyot & Audinet-Serville,1843*
- 627) Amorphoscelidae Stal,1877** (Amorphoscelidae) Synonym(s): *Amorphoscelidae Stal,1877*
- 628) Amorphoscelinae Stal,1877** (Amorphoscelidae) Synonym(s): *Amorphoscelinae Stal,1877*
- 629) Ampulicidae Shuckard,1840** (Ampulicidae) Synonym(s): *Ampulicidae Shuckard,1840*
- 630) Andrenidae Latreille,1802** (Andrenidae) Synonym(s): *Andrenidae Latreille,1802; Anthreninae Burmeister,1829; Alocandreninae Michener,2000*
- 631) Andreninae Latreille,1802** (Andrenidae) Synonym(s): *Andreninae Latreille,1802; Anthreninae Burmeister,1829; Alocandreninae Michener,2000*
- 632) Panurginae Leach,1815** (Andrenidae) Synonym(s): *Panurginae Leach,1815*
- 633) Panurgini Leach,1815** (Andrenidae) Synonym(s): *Panurgini Leach,1815*
- 634) Melitturgini Newman,1834** (Andrenidae) Synonym(s): *Melitturgini Newman,1834*
- 635) Anthicidae Latreille,1819** (Anthicidae) Synonym(s): *Anthicidae Latreille,1819*

- 636) **Anthicinae Latreille,1819** (Anthicidae) Synonym(s): *Anthicinae Latreille,1819*
637) **Anthocoridae Fieber,1837** (Anthocoridae) Synonym(s): *Anthocoridae Fieber,1837*
638) **Anthocorinae Fieber,1837** (Anthocoridae) Synonym(s): *Anthocorinae Fieber,1837*
639) **Anthocorini Fieber,1837** (Anthocoridae) Synonym(s): *Anthocorini Fieber,1837*
640) **Oriini** (Anthocoridae) Synonym(s):
641) **Cardiastethini** (Anthocoridae) Synonym(s):
642) **Buchananiella Reuter,1885** (Anthocoridae) Synonym(s): *Buchananiella Reuter,1885*
643) **Dufouriellini** (Anthocoridae) Synonym(s):
644) **Xylacorini** (Anthocoridae) Synonym(s):
645) **Anthomyiidae Latreille,1829** (Anthomyiidae) Synonym(s): *Anthomyiidae Latreille,1829*
646) **Anthomyiinae Latreille,1829** (Anthomyiidae) Synonym(s): *Anthomyiinae Latreille,1829*
647) **Anthomyiini Latreille,1829** (Anthomyiidae) Synonym(s): *Anthomyiini Latreille,1829*
648) **Hydrophoriini Lioy,1864** (Anthomyiidae) Synonym(s): *Hydrophoriini Lioy,1864*
649) **Pegomyini R-D.,1830** (Anthomyiidae) Synonym(s): *Pegomyini R-D.,1830*
650) **Pegomyinae R-D.,1830** (Anthomyiidae) Synonym(s): *Pegomyinae R-D.,1830*
651) **Anthomyzidae Frey,1921** (Anthomyzidae) Synonym(s): *Anthomyzidae Frey,1921*
652) **Anthribidae Billberg,1820** (Anthribidae) Synonym(s): *Anthribidae Billberg,1820*
653) **Anthribinae Billberg,1820** (Anthribidae) Synonym(s): *Anthribinae Billberg,1820*
654) **Pleurocerinae** (Anthribidae) Synonym(s):
655) **Choraginae W.Kirby,1819** (Anthribidae) Synonym(s): *Choraginae W.Kirby,1819; Anocerinae auct.*
656) **Aphelinidae** (Aphelinidae) Synonym(s):
657) **Aphelocheiridae Fieber,1851** (Aphelocheiridae) Synonym(s): *Aphelocheiridae Fieber,1851*
658) **Aphididae Latreille,1802** (Aphididae) Synonym(s): *Aphididae Latreille,1802*
659) **Aphidinae Latreille,1802** (Aphididae) Synonym(s): *Aphidinae Latreille,1802*
660) **Aphidini Latreille,1802** (Aphididae) Synonym(s): *Aphidini Latreille,1802*
661) **Aphidina Latreille,1802** (Aphididae) Synonym(s): *Aphidina Latreille,1802*
662) **Rhopalosiphina Mordvilko,1914** (Aphididae) Synonym(s): *Rhopalosiphina Mordvilko,1914*
663) **Macrosiphini Wilson,1910** (Aphididae) Synonym(s): *Macrosiphini Wilson,1910*
664) **Chaitophorinae Mordvilko,1908** (Aphididae) Synonym(s): *Chaitophorinae Mordvilko,1908*
665) **Chaitophorini Mordvilko,1908** (Aphididae) Synonym(s): *Chaitophorini Mordvilko,1908*
666) **Siphini Mordvilko,1928** (Aphididae) Synonym(s): *Siphini Mordvilko,1928*
667) **Lachninae Herrich-Schäffer,1854** (Aphididae) Synonym(s): *Lachninae Herrich-Schäffer,1854*
668) **Cinarini** (Aphididae) Synonym(s):
669) **Lachnini Herrich-Schäffer,1854** (Aphididae) Synonym(s): *Lachnini Herrich-Schäffer,1854*
670) **Anoeciinae Tullgren,1909** (Aphididae) Synonym(s): *Anoeciinae Tullgren,1909*
671) **Anoeciini Tullgren,1909** (Aphididae) Synonym(s): *Anoeciini Tullgren,1909*
672) **Myzocallidinae** (Aphididae) Synonym(s):
673) **Myzocallidini** (Aphididae) Synonym(s):
674) **Pemphiginae Herrich-Schäffer,1854** (Aphididae) Synonym(s): *Pemphiginae Herrich-Schäffer,1854*
675) **Eriosomatini Kirkaldy,1905** (Aphididae) Synonym(s): *Eriosomatini Kirkaldy,1905*
676) **Fordini Acloque,1897** (Aphididae) Synonym(s): *Fordini Acloque,1897*
677) **Pemphigini Herrich-Schäffer,1854** (Aphididae) Synonym(s): *Pemphigini Herrich-Schäffer,1854*
678) **Pterocommatinae Wilson,1910** (Aphididae) Synonym(s): *Pterocommatinae Wilson,1910*
679) **Pterocommatini Wilson,1910** (Aphididae) Synonym(s): *Pterocommatini Wilson,1910*
680) **Calaphidinae Oestlund,1919** (Aphididae) Synonym(s): *Calaphidinae Oestlund,1919*
681) **Calaphidini Oestlund,1919** (Aphididae) Synonym(s): *Calaphidini Oestlund,1919*
682) **Panaphidini Oestlund,1923** (Aphididae) Synonym(s): *Panaphidini Oestlund,1923*
683) **Baizongiina Börner,1944** (Aphididae) Synonym(s): *#Dasiina Van der Goot,1918; Baizongiina Börner,1944*
684) **Apidae Latreille,1802** (Apidae) Synonym(s): *Apidae Latreille,1802*
685) **Bombinae Latreille,1802** (Apidae) Synonym(s): *Bombinae Latreille,1802*
686) **Apinae Latreille,1802** (Apidae) Synonym(s): *Apinae Latreille,1802*
687) **Xylocopinae Latreille,1802** (Apidae) Synonym(s): *Xylocopinae Latreille,1802*
688) **Nomadinae Latreille,1802** (Apidae) Synonym(s): *Nomadinae Latreille,1802*
689) **Apionidae Schoenherr,1823** (Apionidae) Synonym(s): *Apionidae Schoenherr,1823*
690) **Apoidea Latreille,1802** (Apoidea) *Apoidea Latreille,1802*
691) **Aradidae Brullé,1836** (Aradidae) Synonym(s): *Aradidae Brullé,1836*
692) **Aradinae Brullé,1836** (Aradidae) Synonym(s): *Aradinae Brullé,1836*
693) **Calisiinae Stal,1873** (Aradidae) Synonym(s): *Calisiinae Stal,1873*
694) **Aneurinae Douglas & Scott,1865** (Aradidae) Synonym(s): *Aneurinae Douglas & Scott,1865*
695) **Argidae Konow,1890** (Argidae) Synonym(s): *Argidae Konow,1890*
696) **Sterictiphorinae** (Argidae) Synonym(s):

- 697) **Ascalaphidae Rambur,1842** (Ascalaphidae) Synonym(s): *Ascalaphidae Rambur,1842*
698) **Ascalaphinae Rambur,1842** (Ascalaphidae) Synonym(s): *Ascalaphinae Rambur,1842*
699) **Asilidae Latreille,1802** (Asilidae) Synonym(s): *Asilidae Latreille,1802*
700) **Asilinae Latreille,1802** (Asilidae) Synonym(s): *Asilinae Latreille,1802*
701) **Dasypogoninae Macquart,1838** (Asilidae) Synonym(s): *Dasypogoninae Macquart,1838*
702) **Dasypogonini Macquart,1838** (Asilidae) Synonym(s): *Dasypogonini Macquart,1838*
703) **Dioctriinae Enderlein,1936** (Asilidae) Synonym(s): *Dioctriinae Enderlein,1936*
704) **Laphriinae Macquart,1838** (Asilidae) Synonym(s): *Laphriinae Macquart,1838*
705) **Ctenotini Hull,1962** (Asilidae) Synonym(s): *Ctenotini Hull,1962*
706) **Laphriini Macquart,1838** (Asilidae) Synonym(s): *Laphriini Macquart,1838*
707) **Andrenosomini Hull,1962** (Asilidae) Synonym(s): *Andrenosomini Hull,1962*
708) **Laphystiinae Hendel,1936** (Asilidae) Synonym(s): *Laphystiinae Hendel,1936*
709) **Leptogastrinae Schiner,1862** (Asilidae) Synonym(s): *Leptogastrinae Schiner,1862*
710) **Stenopogoninae Hardy,1930** (Asilidae) Synonym(s): *Stenopogoninae Hardy,1930*
711) **Dioctriini Enderlein,1936** (Asilidae) Synonym(s): *Dioctriini Enderlein,1936*
712) **Stenopogonini Hardy,1930** (Asilidae) Synonym(s): *Stenopogonini Hardy,1930*
713) **Stichopogoninae Hardy,1930** (Asilidae) Synonym(s): *Stichopogoninae Hardy,1930*
714) **Asiloidea Latreille,1802** (Asiloidea) *Asiloidea Latreille,1802*
715) **Asterolecaniidae** (Asterolecaniidae) Synonym(s):
716) **Athericidae Stuckenberg,1973** (Athericidae) Synonym(s): *Athericidae Stuckenberg,1973*
717) **Attelabidae Billberg,1820** (Attelabidae) Synonym(s): *Attelabidae Billberg,1820*
718) **Attelabinae Billberg,1820** (Attelabidae) Synonym(s): *Attelabinae Billberg,1820*
719) **Attelabini Billberg,1820** (Attelabidae) Synonym(s): *Attelabini Billberg,1820*
720) **Apoderinae Jekel,1860** (Attelabidae) Synonym(s): *Apoderinae Jekel,1860*
721) **Apoderini Jekel,1860** (Attelabidae) Synonym(s): *Apoderini Jekel,1860*
722) **Rhynchitinae Gistel,1856** (Attelabidae) Synonym(s): *Rhynchitinae Gistel,1856*
723) **Rhynchitini Gistel,1856** (Attelabidae) Synonym(s): *Rhynchitini Gistel,1856*
724) **Isotheini Scudder,1893** (Attelabidae) Synonym(s): *Isotheini Scudder,1893; Deporaini Voss,1931*
725) **Auletini Reitter,1913** (Attelabidae) Synonym(s): *Auletini Reitter,1913*
726) **Byctiscini Voss,1929** (Attelabidae) Synonym(s): *Byctiscini Voss,1929*
727) **Auchenorrhyncha Duméril,1806** (Auchenorrhyncha) *Auchenorrhyncha Duméril,1806*
728) **Aulacidae** (Aulacidae) Synonym(s):
729) **Bacillidae Brunner von Wattenwyl,1893** (Basillidae) Synonym(s): *Bacillidae Brunner von Wattenwyl,1893*
730) **Belostomatidae Leach,1815** (Belostomatidae) Synonym(s): *Belostomatidae Leach,1815*
731) **Beraeidae Wallengren,1891** (Beraeidae) Synonym(s): *Beraeidae Wallengren,1891*
732) **Berothidae Handlirsch,1908** (Berothidae) Synonym(s): *Berothidae Handlirsch,1908*
733) **Berytidae Fieber,1851** (Berytidae) Synonym(s): *Berytidae Fieber,1851*
734) **Bibionidae Fleming,1821** (Bibionidae) Synonym(s): *Bibionidae Fleming,1821*
735) **Bibioninae Fleming,1821** (Bibionidae) Synonym(s): *Bibioninae Fleming,1821*
736) **Bibionoidea Fleming,1821** (Bibionoidea) *Bibionoidea Fleming,1821*
737) **Bittacidae Handlirsch,1906** (Bittacidae) Synonym(s): *Bittacidae Handlirsch,1906*
738) **Blattidae Handlirsch,1925** (Blattidae) Synonym(s): *Blattidae Handlirsch,1925*
739) **Blattinae Handlirsch,1925** (Blattidae) Synonym(s): *Blattinae Handlirsch,1925*
740) **Ectobiinae Chopard,1951** (Blattidae) Synonym(s): *Ectobiinae Chopard,1951*
741) **Blattodea Handlirsch,1925** (Blattodea) *Blattodea Handlirsch,1925*
742) **Blephariceridae Schiner,1862** (Blephariceridae) Synonym(s): *Blephariceridae Schiner,1862*
743) **Blepharicerinae Schiner,1862** (Blephariceridae) Synonym(s): *Blepharicerinae Schiner,1862*
744) **Apistomyiini** (Blephariceridae) Synonym(s):
745) **Blepharicerini Schiner,1862** (Blephariceridae) Synonym(s): *Blepharicerini Schiner,1862*
746) **Blephariceroida Schiner,1862** (Blephariceroida) *Blephariceroida Schiner,1862*
747) **Bolitophilidae Winnertz,1863** (Bolitophilidae) Synonym(s): *Bolitophilidae Winnertz,1863*
748) **Anthracinae Latreille,1804** (Bombyliidae) Synonym(s): *Anthracinae Latreille,1804*
749) **Anthracini Latreille,1804** (Bombyliidae) Synonym(s): *Anthracini Latreille,1804*
750) **Bombyliidae Latreille,1802** (Bombyliidae) Synonym(s): *Bombyliidae Latreille,1802*
751) **Usiinae Becker** (Bombyliidae) Synonym(s):
752) **Usiini Becker** (Bombyliidae) Synonym(s):
753) **Phthiriinae Becker** (Bombyliidae) Synonym(s):
754) **Phthiriini Becker** (Bombyliidae) Synonym(s):
755) **Toxophorinae Schiner** (Bombyliidae) Synonym(s):
756) **Geronini Hesse,1938** (Bombyliidae) Synonym(s): *Geronini Hesse,1938*
757) **Systropodini Brauer** (Bombyliidae) Synonym(s):
758) **Toxophorini Schiner** (Bombyliidae) Synonym(s):

- 759) **Heterotropinae Becker, 1912** (Bombyliidae) Synonym(s): *Heterotropinae Becker, 1912*
 760) **Bombyliinae Latreille, 1802** (Bombyliidae) Synonym(s): *Bombyliinae Latreille, 1802*
 761) **Bombyliini Latreille, 1802** (Bombyliidae) Synonym(s): *Bombyliini Latreille, 1802*
 762) **Cythereinae Becker** (Bombyliidae) Synonym(s):
 763) **Exoprosopini Becker, 1912** (Bombyliidae) Synonym(s): *Exoprosopini Becker, 1912*
 764) **Lomatiinae Schiner, 1868** (Bombyliidae) Synonym(s): *Lomatiinae Schiner, 1868*
 765) **Oligodraninae Evenhuis** (Bombyliidae) Synonym(s):
 766) **Usiini Becker** (Bombyliidae) Synonym(s):
 767) **Usiinae Becker** (Bombyliidae) Synonym(s):
 768) **Mariobezzinae Becker** (Bombyliidae) Synonym(s):
 769) **Bombyloidea Latreille, 1802** (Bombyloidea) *Bombyloidea Latreille, 1802*
 770) **Bostrichidae Latreille, 1802** (Bostrichidae) Synonym(s): *Bostrichidae Latreille, 1802*
 771) **Bostrichinae Latreille, 1802** (Bostrichidae) Synonym(s): *Bostrichinae Latreille, 1802*
 772) **Psoinae Blanchard, 1851** (Bostrichidae) Synonym(s): *Psoinae Blanchard, 1851*
 773) **Lyctinae Billberg, 1820** (Bostrichidae) Synonym(s): *Lyctinae Billberg, 1820*
 774) **Bostrichoidea Latreille, 1802** (Bostrichoidea) *Bostrichoidea Latreille, 1802*
 775) **Brachycentridae** (Brachycentridae) Synonym(s):
 776) **Brachyceridae Billberg, 1820** (Brachyceridae) Synonym(s): *Brachyceridae Billberg, 1820*
 777) **Microgastrinae Förster, 1862** (Braconidae) Synonym(s): *Microgastrinae Förster, 1862*
 778) **Apantelini Viereck, 1918** (Braconidae) Synonym(s): *Apantelini Viereck, 1918*
 779) **Cotesiini Mason, 1981** (Braconidae) Synonym(s): *Cotesiini Mason, 1981*
 780) **Microgastrini Förster, 1862** (Braconidae) Synonym(s): *Microgastrini Förster, 1862*
 781) **Microplitini Mason, 1981** (Braconidae) Synonym(s): *Microplitini Mason, 1981*
 782) **Cheloninae Förster, 1862** (Braconidae) Synonym(s): *Cheloninae Förster, 1862; Adeliinae Viereck, 1918; Acaeliinae Viereck, 1918; Acoeliinae Viereck, 1918*
 783) **Phanerotomini Baker, 1926** (Braconidae) Synonym(s): *Phanerotomini Baker, 1926*
 784) **Braconidae Nees ab Esenbeck, 1811** (Braconidae) Synonym(s): *Braconidae Nees ab Esenbeck, 1811*
 785) **Braconinae Nees ab Esenbeck, 1811** (Braconidae) Synonym(s): *Braconinae Nees ab Esenbeck, 1811*
 786) **Agathidinae Haliday, 1833** (Braconidae) Synonym(s): *Agathidinae Haliday, 1833*
 787) **Alysiinae Leach, 1815** (Braconidae) Synonym(s): *Alysiinae Leach, 1815*
 788) **Alysiini Leach, 1815** (Braconidae) Synonym(s): *Alysiini Leach, 1815*
 789) **Blacinae Förster, 1862** (Braconidae) Synonym(s): *Blacinae Förster, 1862*
 790) **Blacini Förster, 1862** (Braconidae) Synonym(s): *Blacini Förster, 1862*
 791) **Brachistinae Förster, 1862** (Braconidae) Synonym(s): *Brachistinae Förster, 1862*
 792) **Euphorinae Förster, 1862** (Braconidae) Synonym(s): *Euphorinae Förster, 1862; Perilitinae Förster, 1862*
 793) **Helconinae Förster, 1862** (Braconidae) Synonym(s): *Helconinae Förster, 1862*
 794) **Miracinae Viereck, 1918** (Braconidae) Synonym(s): *Miracinae Viereck, 1918*
 795) **Opiinae Blanchard, 1845** (Braconidae) Synonym(s): *Opiinae Blanchard, 1845*
 796) **Braulidae Egger, 1853** (Braulidae) Synonym(s): *Braulidae Egger, 1853*
 797) **Brentidae Billberg, 1820** (Brentidae) Synonym(s): *Brentidae Billberg, 1820*
 798) **Brentinae Billberg, 1820** (Brentidae) Synonym(s): *Brentinae Billberg, 1820*
 799) **Apioninae Schoenherr, 1823** (Brentidae) Synonym(s): *Apioninae Schoenherr, 1823*
 800) **Ceratapiini Alonso-Zarazaga, 1991** (Brentidae) Synonym(s): *Ceratapiini Alonso-Zarazaga, 1991*
 801) **Eremoxenini Semenov, 1892** (Brentidae) Synonym(s): *Eremoxenini Semenov, 1892*
 802) **Bruchidae Latreille, 1802** (Bruchidae) Synonym(s): *Bruchidae Latreille, 1802*
 803) **Bruchinae Latreille, 1802** (Bruchidae) Synonym(s): *Bruchinae Latreille, 1802*
 804) **Pachymerinae Bridwell, 1929** (Bruchidae) Synonym(s): *Pachymerinae Bridwell, 1929*
 805) **Buprestidae Leach, 1815** (Buprestidae) Synonym(s): *Buprestidae Leach, 1815*
 806) **Julodinae Lacordaire, 1857** (Buprestidae) Synonym(s): *Julodinae Lacordaire, 1857*
 807) **Acmaeoderini Kerremans, 1893** (Buprestidae) Synonym(s): *Acmaeoderini Kerremans, 1893*
 808) **Polycetesini Cobos, 1955** (Buprestidae) Synonym(s): *Polycetesini Cobos, 1955*
 809) **Chrysochroini Laporte, 1835** (Buprestidae) Synonym(s): *Chrysochroini Laporte, 1835*
 810) **Chalcophorina Lacordaire, 1857** (Buprestidae) Synonym(s): *Chalcophorina Lacordaire, 1857*
 811) **Sphenopterini Lacordaire, 1857** (Buprestidae) Synonym(s): *Sphenopterini Lacordaire, 1857*
 812) **Dicerini Gistel, 1848** (Buprestidae) Synonym(s): *Dicerini Gistel, 1848*
 813) **Dicerina Gistel, 1848** (Buprestidae) Synonym(s): *Dicerina Gistel, 1848*
 814) **Buprestinae Leach, 1815** (Buprestidae) Synonym(s): *Buprestinae Leach, 1815*
 815) **Buprestini Leach, 1815** (Buprestidae) Synonym(s): *Buprestini Leach, 1815*
 816) **Anthaxiini Gory & Laporte, 1869** (Buprestidae) Synonym(s): *Anthaxiini Gory & Laporte, 1869*
 817) **Melanophilini Bedel, 1921** (Buprestidae) Synonym(s): *Melanophilini Bedel, 1921*
 818) **Chrysobothrini Gory & Laporte, 1838** (Buprestidae) Synonym(s): *Chrysobothrini Gory & Laporte, 1838*

- 819) **Agrilinae Laporte,1835** (Buprestidae) Synonym(s): *Agrilinae Laporte,1835*
820) **Coraebeini Bedel,1921** (Buprestidae) Synonym(s): *Coraebeini Bedel,1921*
821) **Agrilini Laporte,1835** (Buprestidae) Synonym(s): *Agrilini Laporte,1835*
822) **Trachini Laporte,1835** (Buprestidae) Synonym(s): *Trachini Laporte,1835*
823) **Buprestoidea Leach,1815** (Buprestoidea) *Buprestoidea Leach,1815*
824) **Byturidae Jacquelin du Val,1858** (Byturidae) Synonym(s): *Byturidae Jacquelin du Val,1858*
825) **Calamoceratidae Ulmer,1905** (Calamoceratidae) Synonym(s): *Calamoceratidae Ulmer,1905*
826) **Caliscelidae Amyot & Audinet-Serville,1843** (Caliscelidae) Synonym(s): *Caliscelidae Amyot & Audinet-Serville,1843*
827) **Caliscelinae Amyot & Audinet-Serville,1843** (Caliscelidae) Synonym(s): *Caliscelinae Amyot & Audinet-Serville,1843*
828) **Ommatidiotinae** (Caliscelidae) Synonym(s):
829) **Calliphoridae Brauer & Bergenstamm,1889** (Calliphoridae) Synonym(s): *Calliphoridae Brauer & Bergenstamm,1889*
830) **Calliphorinae Brauer & Bergenstamm,1889** (Calliphoridae) Synonym(s): *Calliphorinae Brauer & Bergenstamm,1889*
831) **Calliphorini Brauer & Bergenstamm,1889** (Calliphoridae) Synonym(s): *Calliphorini Brauer & Bergenstamm,1889*
832) **Stomorhininae Lehrer,2007** (Calliphoridae) Synonym(s): *Stomorhininae Lehrer,2007*;
#*Stomorphiniinae Lehrer,2007*
833) **Luciliinae** (Calliphoridae) Synonym(s):
834) **Chrysomyinae** (Calliphoridae) Synonym(s):
835) **Calopterygidae Selys,1850** (Calopterygidae) Synonym(s): *Calopterygidae Selys,1850*
836) **Calopteryginae Selys,1850** (Calopterygidae) Synonym(s): *Calopteryginae Selys,1850*
837) **Epallaginae Needham,1903** (Calopterygidae) Synonym(s): *Epallaginae Needham,1903*; *Euphaeinae Jacobson & Bianki,1904*
838) **Cantharidae Imhoff,1856 (1815)** (Cantharidae) Synonym(s): *Cantharidae Imhoff,1856 (1815)*
839) **Cantharinae Imhoff,1856 (1815)** (Cantharidae) Synonym(s): *Cantharinae Imhoff,1856 (1815)*
840) **Cantharini Imhoff,1856 (1815)** (Cantharidae) Synonym(s): *Cantharini Imhoff,1856 (1815)*
841) **Malthininae Kiesenwetter,1852** (Cantharidae) Synonym(s): *Malthininae Kiesenwetter,1852*
842) **Malthinini Kiesenwetter,1852** (Cantharidae) Synonym(s): *Malthinini Kiesenwetter,1852*
843) **Malthodini Boeving & Craighead,1930** (Cantharidae) Synonym(s): *Malthodini Boeving & Craighead,1930*
844) **Capniidae Banks,1900** (Capniidae) Synonym(s): *Capniidae Banks,1900*
845) **Apotominae LeConte,1853** (Carabidae) Synonym(s): *Apotominae LeConte,1853*
846) **Apotomini LeConte,1853** (Carabidae) Synonym(s): *Apotomini LeConte,1853*
847) **Bembidiina Stephens,1827** (Carabidae) Synonym(s): *Bembidiina Stephens,1827*
848) **Bembidiini Stephens,1827** (Carabidae) Synonym(s): *Bembidiini Stephens,1827*
849) **Brachininae Bonelli,1810** (Carabidae) Synonym(s): *Brachininae Bonelli,1810*
850) **Callistina Laporte,1834** (Carabidae) Synonym(s): *Callistina Laporte,1834*
851) **Carabidae Latreille,1802** (Carabidae) Synonym(s): *Carabidae Latreille,1802*
852) **Carabinae Latreille,1802** (Carabidae) Synonym(s): *Carabinae Latreille,1802*
853) **Harpalinae Bonelli,1810** (Carabidae) Synonym(s): *Harpalinae Bonelli,1810*
854) **Chlaeniina Brullé,1834** (Carabidae) Synonym(s): *Chlaeniina Brullé,1834*
855) **Chlaeniini Brullé,1834** (Carabidae) Synonym(s): *Chlaeniini Brullé,1834*
856) **Cicindelinae Latreille,1802** (Carabidae) Synonym(s): *Cicindelinae Latreille,1802*
857) **Licinini Bonelli,1810** (Carabidae) Synonym(s): *Licinini Bonelli,1810*
858) **Molopina Bonelli,1810** (Carabidae) Synonym(s): *Molopina Bonelli,1810*
859) **Nebriini Laporte,1834** (Carabidae) Synonym(s): *Nebriini Laporte,1834*
860) **Notiophilini Motschoulsky,1850** (Carabidae) Synonym(s): *Notiophilini Motschoulsky,1850*
861) **Oodini LaFerte-Senectere,1851** (Carabidae) Synonym(s): *Oodini LaFerte-Senectere,1851*
862) **Paussina Latreille,1807** (Carabidae) Synonym(s): *Paussina Latreille,1807*
863) **Paussinae Latreille,1807** (Carabidae) Synonym(s): *Paussinae Latreille,1807*
864) **Paussini Latreille,1807** (Carabidae) Synonym(s): *Paussini Latreille,1807*
865) **Perileptina Sloane,1903** (Carabidae) Synonym(s): *Perileptina Sloane,1903*
866) **Platynini Bonelli,1810** (Carabidae) Synonym(s): *Platynini Bonelli,1810*
867) **Pogonini Laporte,1834** (Carabidae) Synonym(s): *Pogonini Laporte,1834*
868) **Pterostichidi Bonelli,1810** (Carabidae) Synonym(s): *Pterostichinae Bonelli,1810*
869) **Pterostichini Bonelli,1810** (Carabidae) Synonym(s): *Pterostichini Bonelli,1810*
870) **Siagoninae Bonelli,1813** (Carabidae) Synonym(s): *Siagoninae Bonelli,1813*
871) **Siagonini Bonelli,1813** (Carabidae) Synonym(s): *Siagonini Bonelli,1813*
872) **Sphodrina Laporte,1834** (Carabidae) Synonym(s): *Sphodrina Laporte,1834*
873) **Sphodriini Laporte,1834** (Carabidae) Synonym(s): *Sphodriini Laporte,1834*

- 874) **Synuchina Lindroth,1956** (Carabidae) Synonym(s): *Synuchina Lindroth,1956*
875) **Tachyina Motschoulsky,1862** (Carabidae) Synonym(s): *Tachyina Motschoulsky,1862*
876) **Trechina Bonelli,1810** (Carabidae) Synonym(s): *Trechina Bonelli,1810*
877) **Trechinae Bonelli,1810** (Carabidae) Synonym(s): *Trechinae Bonelli,1810*
878) **Trechini Bonelli,1810** (Carabidae) Synonym(s): *Trechini Bonelli,1810*
879) **Carnidae Newman,1834** (Carnidae) Synonym(s): *Carnidae Newman,1834*
880) **Cebrionidae Latreille,1802** (Cebrionidae) Synonym(s): *Cebrionidae Latreille,1802*
881) **Cecidomyiidae Newman,1834** (Cecidomyiidae) Synonym(s): *Cecidomyiidae Newman,1834*
882) **Cephidae Newman,1834** (Cephidae) Synonym(s): *Cephidae Newman,1834*
883) **Hartigiini** (Cephidae) Synonym(s):
884) **Pachycephini** (Cephidae) Synonym(s):
885) **Cephini Newman,1834** (Cephidae) Synonym(s): *Cephini Newman,1834*
886) **Cephoidea Newman,1834** (Cephoidea) *Cephoidea Newman,1834*
887) **Cerambycidae Latreille,1802** (Cerambycidae) Synonym(s): *Cerambycidae Latreille,1802*
888) **Prioninae Latreille,1802** (Cerambycidae) Synonym(s): *Prioninae Latreille,1802*
889) **Spondylidinae Audinet-Serville,1832** (Cerambycidae) Synonym(s): *Spondylidinae Audinet-Serville,1832*
890) **Saphanini Gistel,1856** (Cerambycidae) Synonym(s): *Saphanini Gistel,1856*
891) **Cerambycinae Latreille,1802** (Cerambycidae) Synonym(s): *Cerambycinae Latreille,1802*
892) **Achrysonini Lacordaire,1869** (Cerambycidae) Synonym(s): *Achrysonini Lacordaire,1869*
893) **Callichromatini Blanchard,1845** (Cerambycidae) Synonym(s): *Callichromatini Blanchard,1845*
894) **Callidiopini Lacordaire,1869** (Cerambycidae) Synonym(s): *Callidiopini Lacordaire,1869*
895) **Cerambycini Latreille,1802** (Cerambycidae) Synonym(s): *Cerambycini Latreille,1802*
896) **Certalini Audinet-Serville,1834** (Cerambycidae) Synonym(s): *Certalini Audinet-Serville,1834*
897) **Clytini Mulsant,1839** (Cerambycidae) Synonym(s): *Clytini Mulsant,1839*
898) **Hesperophanini Mulsant,1839** (Cerambycidae) Synonym(s): *Hesperophanini Mulsant,1839*
899) **Trachyderini Dupont,1836** (Cerambycidae) Synonym(s): *Trachyderini Dupont,1836*; *Purpuricenini Thomson,1860*
900) **Rosaliini Fairmaire,1864** (Cerambycidae) Synonym(s): *Rosaliini Fairmaire,1864*
901) **Stenopterini Fairmaire,1868** (Cerambycidae) Synonym(s): *Stenopterini Fairmaire,1868*
902) **Lepturinae Latreille,1802** (Cerambycidae) Synonym(s): *Lepturinae Latreille,1802*
903) **Lepturini Latreille,1802** (Cerambycidae) Synonym(s): *Lepturini Latreille,1802*
904) **Rhagiini Kirby,1837** (Cerambycidae) Synonym(s): *Rhagiini Kirby,1837*
905) **Lamiinae Latreille,1825** (Cerambycidae) Synonym(s): *Lamiinae Latreille,1825*
906) **Acanthocinini J.Thomson,1860** (Cerambycidae) Synonym(s): *Acanthocinini J.Thomson,1860*
907) **Agapanthiini Mulsant,1839** (Cerambycidae) Synonym(s): *Agapanthiini Mulsant,1839*
908) **Batocerini Lacordaire,1869** (Cerambycidae) Synonym(s): *Batocerini Lacordaire,1869*
909) **Dorcadiini Mulsant,1839** (Cerambycidae) Synonym(s): *Dorcadiini Mulsant,1839*
910) **Lamiini Latreille,1825** (Cerambycidae) Synonym(s): *Lamiini Latreille,1825*
911) **Obereini Thomson,1864** (Cerambycidae) Synonym(s): *Obereini Thomson,1864*
912) **Phytoeciini Pascoe,1864** (Cerambycidae) Synonym(s): *Phytoeciini Pascoe,1864*
913) **Saperdini Mulsant,1839** (Cerambycidae) Synonym(s): *Saperdini Mulsant,1839*
914) **Tetropini Thomson,1860** (Cerambycidae) Synonym(s): *Tetropini Thomson,1860*
915) **Ceratopogonidae Newman,1834** (Ceratopogonidae) Synonym(s): *Ceratopogonidae Newman,1834*
916) **Ceratopogoninae Newman,1834** (Ceratopogonidae) Synonym(s): *Ceratopogoninae Newman,1834*
917) **Ceratopogonini Newman,1834** (Ceratopogonidae) Synonym(s): *Ceratopogonini Newman,1834*
918) **Culicoidini Kieffer,1911** (Ceratopogonidae) Synonym(s): *Culicoidini Kieffer,1911*
919) **Sphaeromiini Newman,1834** (Ceratopogonidae) Synonym(s): *Sphaeromiini Newman,1834*
920) **Dasyheleinae Lenz,1934** (Ceratopogonidae) Synonym(s): *Dasyheleinae Lenz,1934*
921) **Forcipomyiinae Lenz,1934** (Ceratopogonidae) Synonym(s): *Forcipomyiinae Lenz,1934*
922) **Aphrophorinae Amyot & Audinet-Serville,1843** (Cercopidae) Synonym(s): *Aphrophorinae Amyot & Audinet-Serville,1843*
923) **Cercopidae Leach,1815** (Cercopidae) Synonym(s): *Cercopidae Leach,1815*
924) **Cercopinae Leach,1815** (Cercopidae) Synonym(s): *Cercopinae Leach,1815*
925) **Chalcididae Latreille,1817** (Chalcididae) Synonym(s): *Chalcidites Latreille,1817*
926) **Chalcidinae Latreille,1817** (Chalcididae) Synonym(s): *Chalcidites Latreille,1817*
927) **Chalcidoidea Latreille,1817** (Chalcididae) Synonym(s): *Chalcidoidea Latreille,1817*
928) **Haltichellinae** (Chalcididae) Synonym(s):
929) **Chamaemyiidae Hendel,1910** (Chamaemyiidae) Synonym(s): *Chamaemyiidae Hendel,1910*
930) **Chironomidae Newman,1834** (Chironomidae) Synonym(s): *Chironomidae Newman,1834*
931) **Tanypodinae Goetghebuer,1927** (Chironomidae) Synonym(s): *Tanypodinae Goetghebuer,1927*
932) **Diamesinae Kieffer,1923** (Chironomidae) Synonym(s): *Diamesinae Kieffer,1923*
933) **Prodiamesinae Saether,1979** (Chironomidae) Synonym(s): *Prodiamesinae Saether,1979*

- 934) **Orthocladiinae Kieffer, 1911** (Chironomidae) Synonym(s): *Orthocladiinae Kieffer, 1911*
 935) **Chironominae Newman, 1834** (Chironomidae) Synonym(s): *Chironominae Newman, 1834*
 936) **Chironomini Newman, 1834** (Chironomidae) Synonym(s): *Chironomini Newman, 1834*
 937) **Tanytarsini Goetghebuer, 1937** (Chironomidae) Synonym(s): *Tanytarsini Goetghebuer, 1937*
 938) **Chironomoidea Newman, 1834** (Chironomoidea) *Chironomoidea Newman, 1834*
 939) **Chloroperlidae Okamoto, 1912** (Chloroperlidae) Synonym(s): *Chloroperlidae Okamoto, 1912*
 940) **Chloropidae Rondani, 1856** (Chloropidae) Synonym(s): *Chloropidae Rondani, 1856*
 941) **Chloropinae Rondani, 1856** (Chloropidae) Synonym(s): *Chloropinae Rondani, 1856*
 942) **Oscinellinae Becker, 1910** (Chloropidae) Synonym(s): *Oscinellinae Becker, 1910*; *Oscinosominae Enderlein, 1911*; *Botanobiinae Malloch, 1913*
 943) **Chrysididae Latreille, 1802** (Chrysididae) Synonym(s): *Chrysididae Latreille, 1802*
 944) **Cleptinae Latreille, 1802** (Chrysididae) Synonym(s): *Cleptinae Latreille, 1802*
 945) **Elampinae Dahlbom, 1854** (Chrysididae) Synonym(s): *Elampinae Dahlbom, 1854*
 946) **Elampini Dahlbom, 1854** (Chrysididae) Synonym(s): *Elampini Dahlbom, 1854*
 947) **Chrysidinae Latreille, 1802** (Chrysididae) Synonym(s): *Chrysidinae Latreille, 1802*
 948) **Chrysidini Latreille, 1802** (Chrysididae) Synonym(s): *Chrysidini Latreille, 1802*
 949) **Parnopini Aaron, 1909** (Chrysididae) Synonym(s): *Parnopini Aaron, 1909*
 950) **Chrysidoidae Latreille, 1802** (Chrysidoidae) *Chrysidoidae Latreille, 1802*
 951) **Chrysomelidae Latreille, 1802** (Chrysomelidae) Synonym(s): *Chrysomelidae Latreille, 1802*
 952) **Criocerinae Latreille, 1804** (Chrysomelidae) Synonym(s): *Criocerinae Latreille, 1804*
 953) **Chrysomelinae Latreille, 1802** (Chrysomelidae) Synonym(s): *Chrysomelinae Latreille, 1802*
 954) **Galerucinae Latreille, 1802** (Chrysomelidae) Synonym(s): *Galerucinae Latreille, 1802*
 955) **Eumolpinae Hope, 1840** (Chrysomelidae) Synonym(s): *Eumolpinae Hope, 1840*
 956) **Cassidinae Gyllenhal, 1813** (Chrysomelidae) Synonym(s): *Cassidinae Gyllenhal, 1813*
 957) **Cryptocephalinae Gyllenhal, 1813** (Chrysomelidae) Synonym(s): *Cryptocephalinae Gyllenhal, 1813*
 958) **Clytrinae Kirby, 1837** (Chrysomelidae) Synonym(s): *Clytrinae Kirby, 1837*
 959) **Alticinae Spinola, 1844** (Chrysomelidae) Synonym(s): *Alticinae Spinola, 1844*
 960) **Donaciinae Kirby, 1837** (Chrysomelidae) Synonym(s): *Donaciinae Kirby, 1837*
 961) **Hispinae Gyllenhal, 1813** (Chrysomelidae) Synonym(s): *Hispinae Gyllenhal, 1813*
 962) **Chrysomeloidea Latreille, 1802** (Chrysomeloidea) *Chrysomeloidea Latreille, 1802*
 963) **Chrysomeloidea Latreille, 1802** (Chrysomeloidea) *Chrysomeloidea Latreille, 1802*
 964) **Chrysopidae Schneider, 1851** (Chrysopidae) Synonym(s): *Chrysopidae Schneider, 1851*
 965) **Nothochrysininae Navas, 1910** (Chrysopidae) Synonym(s): *Nothochrysininae Navas, 1910*
 966) **Chrysopinae Schneider, 1851** (Chrysopidae) Synonym(s): *Chrysopinae Schneider, 1851*
 967) **Chrysopini Schneider, 1851** (Chrysopidae) Synonym(s): *Chrysopini Schneider, 1851*
 968) **Italochrysini Hölzel, 1970** (Chrysopidae) Synonym(s): *Italochrysini Hölzel, 1970*
 969) **Agalliinae Kirkaldy, 1901** (Cicadellidae) Synonym(s): *Agalliinae Kirkaldy, 1901*
 970) **Aphrodinae Haupt, 1927** (Cicadellidae) Synonym(s): *Aphrodinae Haupt, 1927*
 971) **Cicadellidae Latreille, 1825** (Cicadellidae) Synonym(s): *Cicadellidae Latreille, 1825*
 972) **Cicadellinae Latreille, 1825** (Cicadellidae) Synonym(s): *Cicadellinae Latreille, 1825*
 973) **Deltocephalinae Fieber, 1869** (Cicadellidae) Synonym(s): *Deltocephalinae Fieber, 1869*
 974) **Iassinae Amyot & Audinet-Serville, 1843** (Cicadellidae) Synonym(s): *Iassinae Amyot & Audinet-Serville, 1843*
 975) **Idiocerinae Baker, 1915** (Cicadellidae) Synonym(s): *Idiocerinae Baker, 1915*
 976) **Ledrinae Kirschbaum, 1868** (Cicadellidae) Synonym(s): *Ledrinae Kirschbaum, 1868*
 977) **Macropsinae Evans, 1935** (Cicadellidae) Synonym(s): *Macropsinae Evans, 1935*; *Oncopsinae Wagner, 1951*
 978) **Megophthalminae Kirkaldy, 1906** (Cicadellidae) Synonym(s): *Megophthalminae Kirkaldy, 1906*
 979) **Penthimiinae Kirschbaum, 1868** (Cicadellidae) Synonym(s): *Penthimiinae Kirschbaum, 1868*
 980) **Stegelytrinae Baker, 1915** (Cicadellidae) Synonym(s): *Stegelytrinae Baker, 1915*
 981) **Typhlocybinae Kirschbaum, 1868** (Cicadellidae) Synonym(s): *Typhlocybinae Kirschbaum, 1868*
 982) **Typhlocybini Kirschbaum, 1868** (Cicadellidae) Synonym(s): *Typhlocybini Kirschbaum, 1868*
 983) **Erythroneurini Young, 1952** (Cicadellidae) Synonym(s): *Erythroneurini Young, 1952*
 984) **Dikraneurini McAtee, 1926** (Cicadellidae) Synonym(s): *Dikraneurini McAtee, 1926*
 985) **Ulopinae Le Peletier & Audinet-Serville, 1825** (Cicadellidae) Synonym(s): *Ulopinae Le Peletier & Audinet-Serville, 1825*
 986) **Xestocephalinae Baker, 1915** (Cicadellidae) Synonym(s): *Xestocephalinae Baker, 1915*
 987) **Cicadidae Leach, 1815** (Cicadidae) Synonym(s): *Cicadidae Leach, 1815*
 988) **Cicadinae Leach, 1815** (Cicadidae) Synonym(s): *Cicadinae Leach, 1815*
 989) **Cicadini Leach, 1815** (Cicadidae) Synonym(s): *Cicadini Leach, 1815*
 990) **Cicadina Leach, 1815** (Cicadidae) Synonym(s): *Cicadina Leach, 1815*
 991) **Tibicininae Kolenati, 1857** (Cicadidae) Synonym(s): *Tibicininae Kolenati, 1857*
 992) **Tibicinini Kolenati, 1857** (Cicadidae) Synonym(s): *Tibicinini Kolenati, 1857*

- 993) **Cimbicidae** (Cimbicidae) Synonym(s):
 994) **Zaraeinae** (Cimbicidae) Synonym(s):
 995) **Corynidinae Benson,1938** (Cimbicidae) Synonym(s): *Corynidinae Benson,1938*
 996) **Cimbicinae** (Cimbicidae) Synonym(s):
 997) **Cimicidae** (Cimicidae) Synonym(s):
 998) **Cimicomorpha** (Cimicomorpha)
 999) **Cixiidae Spinola,1839** (Cixiidae) Synonym(s): *Cixiidae Spinola,1839*
 1000) **Cleridae Latreille,1802** (Cleridae) Synonym(s): *Cleridae Latreille,1802*
 1001) **Clerinae Latreille,1802** (Cleridae) Synonym(s): *Clerinae Latreille,1802*
 1002) **Tillinae Leach,1815** (Cleridae) Synonym(s): *Tillinae Leach,1815*
 1003) **Cleroidea Latreille,1802** (Cleroidea) *Cleroidea Latreille,1802*
 1004) **Coccidae Handlirsch,1903** (Coccidae) Synonym(s): *Coccidae Handlirsch,1903*
 1005) **Coccinellidae Latreille,1807** (Coccinellidae) Synonym(s): *Coccinellidae Latreille,1807*
 1006) **Coccidulinae Mulsant,1846** (Coccinellidae) Synonym(s): *Coccidulinae Mulsant,1846*
 1007) **Coccinellinae Latreille,1807** (Coccinellidae) Synonym(s): *Coccinellinae Latreille,1807*
 1008) **Coccinellini Latreille,1807** (Coccinellidae) Synonym(s): *Coccinellini Latreille,1807*
 1009) **Bulacini** (Coccinellidae) Synonym(s):
 1010) **Psylloborini** (Coccinellidae) Synonym(s):
 1011) **Thyttaspididini** (Coccinellidae) Synonym(s):
 1012) **Coenagrionidae Kennedy,1920** (Coenagrionidae) Synonym(s): *Coenagrionidae Kennedy,1920*
 1013) **Colletidae Lepeletier,1841** (Colletidae) Synonym(s): *Colletidae Lepeletier,1841*
 1014) **Colletinae Lepeletier,1841** (Colletidae) Synonym(s): *Colletinae Lepeletier,1841*
 1015) **Coniopterygidae Burmeister,1839** (Coniopterygidae) Synonym(s): *Coniopterygidae Burmeister,1839*
 1016) **Coniopteryginae Burmeister,1839** (Coniopterygidae) Synonym(s): *Coniopteryginae Burmeister,1839*
 1017) **Aleuropteryginae Enderlein,1905** (Coniopterygidae) Synonym(s): *Aleuropteryginae Enderlein,1905*
 1018) **Aleuropterygini Enderlein,1905** (Coniopterygidae) Synonym(s): *Aleuropterygini Enderlein,1905*
 1019) **Conwentziini** (Coniopterygidae) Synonym(s):
 1020) **Fontenelleini** (Coniopterygidae) Synonym(s):
 1021) **Conopidae Latreille,1802** (Conopidae) Synonym(s): *Conopidae Latreille,1802*
 1022) **Conopinae Latreille,1802** (Conopidae) Synonym(s): *Conopinae Latreille,1802*
 1023) **Dalmanniinae** (Conopidae) Synonym(s):
 1024) **Myopinae** (Conopidae) Synonym(s):
 1025) **Cordulegasteridae Calvert,1893** (Cordulegasteridae) Synonym(s): *Cordulegasteridae Calvert,1893*
 1026) **Corduliidae Selys,1850** (Corduliidae) Synonym(s): *Corduliidae Selys,1850*
 1027) **Coreidae Leach,1815** (Coreidae) Synonym(s): *Coreidae Leach,1815*
 1028) **Coreinae Leach,1815** (Coreidae) Synonym(s): *Coreinae Leach,1815*
 1029) **Coreini Leach,1815** (Coreidae) Synonym(s): *Coreini Leach,1815; Syromastini Amyot & Audinet-Serville,1843; Spathocerini Mulsant & Rey,1870*
 1030) **Gonocerini** (Coreidae) Synonym(s):
 1031) **Phyllomorphini Mulsant & Rey,1870** (Coreidae) Synonym(s): *Phyllomorphini Mulsant & Rey,1870*
 1032) **Pseudophloeinae Stal,1868** (Coreidae) Synonym(s): *Pseudophloeinae Stal,1868; Arenocorinae Bergroth,1913*
 1033) **Corixidae Leach,1815** (Corixidae) Synonym(s): *Corixidae Leach,1815*
 1034) **Crabronidae Latreille,1802** (Crabronidae) Synonym(s): *Crabronidae Latreille,1802*
 1035) **Astatinae Lepeletier,1845** (Crabronidae) Synonym(s): *Astatinae Lepeletier,1845; Diploplectrini W.Fox,1894; Dimorphini Brues & Melander,1932*
 1036) **Astatini Lepeletier,1845** (Crabronidae) Synonym(s): *Astatini Lepeletier,1845*
 1037) **Bembicinae Latreille,1802** (Crabronidae) Synonym(s): *Bembicinae Latreille,1802*
 1038) **Alyssontini Dalla Torre,1897** (Crabronidae) Synonym(s): *Alyssontini Dalla Torre,1897*
 1039) **Bembicini Latreille,1802** (Crabronidae) Synonym(s): *Bembicini Latreille,1802*
 1040) **Exeirina Dalla Torre,1897** (Crabronidae) Synonym(s): *Exeirina Dalla Torre,1897*
 1041) **Gorytina Lepeletier,1845** (Crabronidae) Synonym(s): *Gorytina Lepeletier,1845*
 1042) **Handlirschiina Nemkov & Lelej,1996** (Crabronidae) Synonym(s): *Handlirschiina Nemkov & Lelej,1996*
 1043) **Stizina A.Costa,1859** (Crabronidae) Synonym(s): *Stizina A.Costa,1859*
 1044) **Bembicina Latreille,1802** (Crabronidae) Synonym(s): *Bembicina Latreille,1802*
 1045) **Gorytini Lepeletier,1845** (Crabronidae) Synonym(s): *Gorytini Lepeletier,1845*
 1046) **Nyssonini Latreille,1804** (Crabronidae) Synonym(s): *Nyssonini Latreille,1804*
 1047) **Crabroninae Latreille,1802** (Crabronidae) Synonym(s): *Crabroninae Latreille,1802*

- 1048) **Mellinini Latreille, 1802** (Crabronidae) Synonym(s): *Mellinini Latreille, 1802*
 1049) **Dinetini W. Fox, 1895** (Crabronidae) Synonym(s): *Dinetini W. Fox, 1895*
 1050) **Palarini Schrottky, 1909** (Crabronidae) Synonym(s): *Palarini Schrottky, 1909*
 1051) **Larrini Latreille, 1810** (Crabronidae) Synonym(s): *Larrini Latreille, 1810*
 1052) **Larrina Latreille, 1810** (Crabronidae) Synonym(s): *Larrina Latreille, 1810*
 1053) **Gastrosericina André, 1886** (Crabronidae) Synonym(s): *Gastrosericina André, 1886*
 1054) **Miscophini W. Fox, 1895** (Crabronidae) Synonym(s): *Miscophini W. Fox, 1895*
 1055) **Trypoxylini Lepeletier, 1845** (Crabronidae) Synonym(s): *Trypoxylini Lepeletier, 1845*
 1056) **Oxybelini Leach, 1815** (Crabronidae) Synonym(s): *Oxybelini Leach, 1815*
 1057) **Crabronini Latreille, 1802** (Crabronidae) Synonym(s): *Crabronini Latreille, 1802*
 1058) **Anacrabronina Ashmead, 1899** (Crabronidae) Synonym(s): *Anacrabronina Ashmead, 1899*
 1059) **Crabronina Latreille, 1802** (Crabronidae) Synonym(s): *Crabronina Latreille, 1802*
 1060) **Pemphredoninae Dahlbom, 1835** (Crabronidae) Synonym(s): *Pemphredoninae Dahlbom, 1835*
 1061) **Entomosericipini Dalla Torre, 1897** (Crabronidae) Synonym(s): *Entomosericipini Dalla Torre, 1897*
 1062) **Psenini A. Costa, 1858** (Crabronidae) Synonym(s): *Psenini A. Costa, 1858*
 1063) **Pemphredonini Dahlbom, 1835** (Crabronidae) Synonym(s): *Pemphredonini Dahlbom, 1835*
 1064) **Pemphredonina Dahlbom, 1835** (Crabronidae) Synonym(s): *Pemphredonina Dahlbom, 1835*
 1065) **Spilomenina Menke, 1989** (Crabronidae) Synonym(s): *Spilomenina Menke, 1989*
 1066) **Stigmina R. Bohart & Menke, 1976** (Crabronidae) Synonym(s): *Stigmina R. Bohart & Menke, 1976*
 1067) **Philanthinae Latreille, 1802** (Crabronidae) Synonym(s): *Philanthinae Latreille, 1802*
 1068) **Philanthini Latreille, 1802** (Crabronidae) Synonym(s): *Philanthini Latreille, 1802*
 1069) **Cercerini Lepeletier, 1845** (Crabronidae) Synonym(s): *Cercerini Lepeletier, 1845*
 1070) **Cucujoidea Latreille, 1802** (Cucujoidea) *Cucujoidea Latreille, 1802*
 1071) **Culicidae Meigen, 1830** (Culicidae) Synonym(s): *Culicidae Meigen, 1830*
 1072) **Anophelinae Theobald, 1901** (Culicidae) Synonym(s): *Anophelinae Theobald, 1901*
 1073) **Culicinae Meigen, 1830** (Culicidae) Synonym(s): *Culicinae Meigen, 1830*
 1074) **Culicini Meigen, 1830** (Culicidae) Synonym(s): *Culicini Meigen, 1830*
 1075) **Culisetini** (Culicidae) Synonym(s):
 1076) **Uranotaeniini** (Culicidae) Synonym(s):
 1077) **Mansoniini Belkin, 1962** (Culicidae) Synonym(s): *Mansoniini Belkin, 1962; Mansoniini Ronderos & Bachmann, 1963*
 1078) **Culicoidea Meigen, 1830** (Culicoidea) *Culicoidea Meigen, 1830*
 1079) **Curculionidae Latreille, 1802** (Curculionidae) Synonym(s): *Curculionidae Latreille, 1802*
 1080) **Entiminae Schoenherr, 1823** (Curculionidae) Synonym(s): *Entiminae Schoenherr, 1823*
 1081) **Lixinae Schönherr, 1823** (Curculionidae) Synonym(s): *Lixinae Schönherr, 1823*
 1082) **Curculioninae Latreille, 1802** (Curculionidae) Synonym(s): *Curculioninae Latreille, 1802*
 1083) **Ceutorhynchinae Gistel, 1856** (Curculionidae) Synonym(s): *Ceutorhynchinae Gistel, 1856*
 1084) **Hyperinae Lacordaire, 1863** (Curculionidae) Synonym(s): *Phytonominae Gistel, 1848; Hyperinae Lacordaire, 1863*
 1085) **Gymnetrinae Thomson, 1859** (Curculionidae) Synonym(s): *Gymnetrinae Thomson, 1859*
 1086) **Cioninae Schönherr, 1825** (Curculionidae) Synonym(s): *Cioninae Schönherr, 1825*
 1087) **Curculionoidea Latreille, 1802** (Curculionoidea) *Curculionoidea Latreille, 1802*
 1088) **Cydnidae Billberg, 1820** (Cydnidae) Synonym(s): *Cydnidae Billberg, 1820*
 1089) **Cydninae Billberg, 1820** (Cydnidae) Synonym(s): *Cydninae Billberg, 1820*
 1090) **Sehirinae Amyot & Audinet-Serville, 1843** (Cydnidae) Synonym(s): *Sehirinae Amyot & Audinet-Serville, 1843*
 1091) **Cylindrotomidae** (Cylindrotomidae) Synonym(s):
 1092) **Cynipidae Latreille, 1802** (Cynipidae) Synonym(s): *Cynipidae Latreille, 1802*
 1093) **Cynipinae Latreille, 1802** (Cynipidae) Synonym(s): *Cynipinae Latreille, 1802*
 1094) **Cynipini Latreille, 1802** (Cynipidae) Synonym(s): *Cynipini Latreille, 1802*
 1095) **Synergini Ashmead, 1896** (Cynipidae) Synonym(s): *Synergini Ashmead, 1896*
 1096) **Aylacini Ashmead, 1903** (Cynipidae) Synonym(s): *Aylacini Ashmead, 1903; Aulacideini Fergusson, 1988*
 1097) **Diplolepidini Latreille, 1802** (Cynipidae) Synonym(s): *Diplolepidini Latreille, 1802; Rhoditini Hartig, 1840*
 1098) **Cynipoidea Latreille, 1802** (Cynipoidea) *Cynipoidea Latreille, 1802*
 1099) **Dactylopiidae** (Dactylopiidae) Synonym(s):
 1100) **Asiracinae Motschulsky, 1863** (Delphacidae) Synonym(s): *Asiracinae Motschulsky, 1863*
 1101) **Chlorioninae Wagner, 1963** (Delphacidae) Synonym(s): *Chlorioninae Wagner, 1963*
 1102) **Criomorphinae Kirkaldy, 1910** (Delphacidae) Synonym(s): *Criomorphinae Kirkaldy, 1910; Megamelinae Haupt, 1929*
 1103) **Delphacidae Leach, 1815** (Delphacidae) Synonym(s): *Delphacidae Leach, 1815; Araeopidae Metcalf, 1938*

- 1104) Delphacinae Leach, 1815** (Delphacidae) Synonym(s): *Delphacinae Leach, 1815*; *Araeopinae Metcalf, 1938*
- 1105) Kelisiinae Wagner, 1963** (Delphacidae) Synonym(s): *Kelisiinae Wagner, 1963*
- 1106) Stenocraninae Wagner, 1963** (Delphacidae) Synonym(s): *Stenocraninae Wagner, 1963*
- 1107) Stirominae Wagner, 1963** (Delphacidae) Synonym(s): *Stirominae Wagner, 1963*
- 1108) Tropidocephalinae Muir, 1915** (Delphacidae) Synonym(s): *Tropidocephalinae Muir, 1915*
- 1109) Dericorythidae Jacobson & Bianchi, 1905** (Dericorythidae) Synonym(s): *Dericorythidae Jacobson & Bianchi, 1905*
- 1110) Dericorythinae Jacobson & Bianchi, 1905** (Dericorythidae) Synonym(s): *Dericorythinae Jacobson & Bianchi, 1905*
- 1111) Dermestidae Latreille, 1804** (Dermestidae) Synonym(s): *Dermestidae Latreille, 1804*
- 1112) Megatominae Ganglbauer, 1904** (Dermestidae) Synonym(s): *Megatominae Ganglbauer, 1904*
- 1113) Anthrenini** (Dermestidae) Synonym(s):
- 1114) Attageninae Laporte, 1840** (Dermestidae) Synonym(s): *Attageninae Laporte, 1840*
- 1115) Attagenini Laporte, 1840** (Dermestidae) Synonym(s): *Attagenini Laporte, 1840*
- 1116) Dermestinae Latreille, 1804** (Dermestidae) Synonym(s): *Dermestinae Latreille, 1804*
- 1117) Orphilinae LeConte, 1861** (Dermestidae) Synonym(s): *Orphilinae LeConte, 1861*
- 1118) Diapheromeridae Kirby, 1904** (Diapheromeridae) Synonym(s): *Diapheromeridae Kirby, 1904*
- 1119) Diaspididae Targioni-Tozzetti, 1868** (Diaspididae) Synonym(s): *Diaspididae Targioni-Tozzetti, 1868*
- 1120) Dictyopharidae Spinola, 1839** (Dictyopharidae) Synonym(s): *Dictyopharidae Spinola, 1839*
- 1121) Dictyopharinae Spinola, 1839** (Dictyopharidae) Synonym(s): *Dictyopharinae Spinola, 1839*
- 1122) Orgeriinae Fieber, 1872** (Dictyopharidae) Synonym(s): *Orgeriinae Fieber, 1872*
- 1123) Orgeriini Fieber, 1872** (Dictyopharidae) Synonym(s): *Orgeriini Fieber, 1872*; *Almanini Kuznezov, 1936*
- 1124) Dilaridae Handlirsch, 1908** (Dilaridae) Synonym(s): *Dilaridae Handlirsch, 1908*
- 1125) Dinidoridae Stal, 1867** (Dinidoridae) Synonym(s): *Dinidoridae Stal, 1867*; *Coridiidae Schumacher, 1924*
- 1126) Diopsoidea Billberg, 1820** (Diopsoidea) *Diopsoidea Billberg, 1820*
- 1127) Diprionidae** (Diprionidae) Synonym(s):
- 1128) Dolichopodidae Latreille, 1809** (Dolichopodidae) Synonym(s): *Dolichopodidae Latreille, 1809*
- 1129) Acalcinae Grootaert & Meuffels, 1997** (Dolichopodidae) Synonym(s): *Acalcinae Grootaert & Meuffels, 1997*
- 1130) Diaphorinae Schiner, 1864** (Dolichopodidae) Synonym(s): *Diaphorinae Schiner, 1864*
- 1131) Dolichopinae Latreille, 1809** (Dolichopodidae) Synonym(s): *Dolichopodinae Latreille, 1809*
- 1132) Hydrophorinae Lioy, 1864** (Dolichopodidae) Synonym(s): *Hydrophorinae Lioy, 1864*
- 1133) Medeterinae Lioy, 1864** (Dolichopodidae) Synonym(s): *Medeterinae Lioy, 1864*
- 1134) Neurigoninae Aldrich, 1905** (Dolichopodidae) Synonym(s): *Neurigoninae Aldrich, 1905*
- 1135) Rhaphiinae Bigot, 1852** (Dolichopodidae) Synonym(s): *Rhaphiinae Bigot, 1852*
- 1136) Sciapinae Becker, 1917** (Dolichopodidae) Synonym(s): *Sciapodinae auct.*; *Sciapinae Becker, 1917*
- 1137) Sympycninae Aldrich, 1905** (Dolichopodidae) Synonym(s): *Sympycninae Aldrich, 1905*
- 1138) Drosophilidae Rondani, 1856** (Drosophilidae) Synonym(s): *Drosophilidae Rondani, 1856*
- 1139) Drosophilinae Rondani, 1856** (Drosophilidae) Synonym(s): *Drosophilinae Rondani, 1856*
- 1140) Drosophilini Rondani, 1856** (Drosophilidae) Synonym(s): *Drosophilini Rondani, 1856*
- 1141) Steganinae Hendel, 1917** (Drosophilidae) Synonym(s): *Steganinae Hendel, 1917*
- 1142) Steganini Hendel, 1917** (Drosophilidae) Synonym(s): *Steganini Hendel, 1917*
- 1143) Gitonini** (Drosophilidae) Synonym(s):
- 1144) Dytiscidae Leach, 1815** (Dytiscidae) Synonym(s): *Dytiscidae Leach, 1815*
- 1145) Agabinae Thomson, 1867** (Dytiscidae) Synonym(s): *Agabinae Thomson, 1867*
- 1146) Colymbetinae Erichson, 1837** (Dytiscidae) Synonym(s): *Colymbetinae Erichson, 1837*
- 1147) Dytiscinae Leach, 1815** (Dytiscidae) Synonym(s): *Dytiscinae Leach, 1815*
- 1148) Hydroporinae Aubé, 1836** (Dytiscidae) Synonym(s): *Hydroporinae Aubé, 1836*
- 1149) Bidessini Sharp, 1882** (Dytiscidae) Synonym(s): *Bidessini Sharp, 1882*
- 1150) Hydroporini Aubé, 1836** (Dytiscidae) Synonym(s): *Hydroporini Aubé, 1836*
- 1151) Hydrovatini Sharp, 1882** (Dytiscidae) Synonym(s): *Hydrovatini Sharp, 1882*
- 1152) Hygrotini Portevin, 1929** (Dytiscidae) Synonym(s): *Hygrotini Portevin, 1929*
- 1153) Laccophilinae Gistel, 1856** (Dytiscidae) Synonym(s): *Laccophilinae Gistel, 1856*
- 1154) Ecnomidae Ulmer, 1903** (Ecnomidae) Synonym(s): *Ecnomidae Ulmer, 1903*
- 1155) Elateridae Leach, 1815** (Elateridae) Synonym(s): *Elateridae Leach, 1815*
- 1156) Elaterinae Leach, 1815** (Elateridae) Synonym(s): *Elaterinae Leach, 1815*
- 1157) Agrypninae Candeze, 1857** (Elateridae) Synonym(s): *Agrypninae Candeze, 1857*
- 1158) Cardiophorinae Candeze, 1860** (Elateridae) Synonym(s): *Cardiophorinae Candeze, 1860*
- 1159) Dendrometrinae Gistel, 1856** (Elateridae) Synonym(s): *Dendrometrinae Gistel, 1856*; *Denticollinae Stein & Weise, 1877*

- 1160) **Hypnoidinae Schwarz,1906** (Elateridae) Synonym(s): *Hypnoidinae Schwarz,1906*
- 1161) **Melanotinae Candeze,1859** (Elateridae) Synonym(s): *Melanotinae Candeze,1859*
- 1162) **Negastriinae Nakane & Kishii,1956** (Elateridae) Synonym(s): *Negastriinae Nakane & Kishii,1956*
- 1163) **Plastocerinae Crowson,1972** (Elateridae) Synonym(s): *Plastocerinae Crowson,1972*
- 1164) **Elateroidea Leach,1815** (Elateroidea) *Elateroidea Leach,1815*
- 1165) **Empidae Latreille,1804** (Empididae) Synonym(s): *Empidae Latreille,1804*
- 1166) **Empinae Latreille,1804** (Empididae) Synonym(s): *Empinae Latreille,1804*
- 1167) **Empidoidea Latreille,1804** (Empidoidea) *Empidoidea Latreille,1804*
- 1168) **Empusidae Burmeister,1838** (Empusidae) Synonym(s): *Empusidae Burmeister,1838*
- 1169) **Empusinae Burmeister,1838** (Empusidae) Synonym(s): *Empusinae Burmeister,1838*
- 1170) **Empusini Burmeister,1838** (Empusidae) Synonym(s): *Empusini Burmeister,1838*
- 1171) **Encyrtidae Walker,1837** (Encyrtidae) Synonym(s): *Encyrtidae Walker,1837*
- 1172) **Ephydriidae Zetterstedt,1837** (Ephydriidae) Synonym(s): *Ephydriidae Zetterstedt,1837*
- 1173) **Ephydrinae Zetterstedt,1837** (Ephydriidae) Synonym(s): *Ephydrinae Zetterstedt,1837*
- 1174) **Hydrelliinae** (Ephydriidae) Synonym(s):
- 1175) **Discomyzinae** (Ephydriidae) Synonym(s):
- 1176) **Psilopini Cresson** (Ephydriidae) Synonym(s):
- 1177) **Hecamedini** (Ephydriidae) Synonym(s):
- 1178) **Hydrelliini** (Ephydriidae) Synonym(s):
- 1179) **Notiphilini** (Ephydriidae) Synonym(s):
- 1180) **Gymnomyzinae Latreille,1829** (Ephydriidae) Synonym(s): *Gymnomyzinae Latreille,1829*;
Gymnopini Cresson,1922
- 1181) **Ephydroidea Zetterstedt,1837** (Ephydroidea) *Ephydroidea Zetterstedt,1837*
- 1182) **Eriococcidae** (Eriococcidae) Synonym(s):
- 1183) **Eucharidae Walker,1846** (Eucharidae) Synonym(s): *Eucharidae Walker,1846*; *Eucharitidae*
Girault,1928
- 1184) **Entedoninae Förster,1856** (Eulophidae) Synonym(s): *Entedoninae Förster,1856*; *Omphalini*
Ashmead,1904; *Pediobiini Ashmead,1904*
- 1185) **Eulophidae Westwood,1829** (Eulophidae) Synonym(s): *Eulophides Westwood,1829*; *Ophelimini*
Ashmead,1904; *Platytruncatini Boucek,1988*; *Anselmellini Boucek,1988*; *Boucekelimini Kim & La Salle,2005*
- 1186) **Eulophinae Westwood,1829** (Eulophidae) Synonym(s): *Eulophides Westwood,1829*; *Ophelimini*
Ashmead,1904; *Platytruncatini Boucek,1988*; *Anselmellini Boucek,1988*; *Boucekelimini Kim & La Salle,2005*
- 1187) **Eupelmidae** (Eupelmidae) Synonym(s):
- 1188) **Eurytomidae Walker,1832** (Eurytomidae) Synonym(s): *Eurytomidae Walker,1832*
- 1189) **Fanniidae Schnabl,1911** (Fanniidae) Synonym(s): *Fanniidae Schnabl,1911*
- 1190) **Flatidae Spinola,1839** (Flatidae) Synonym(s): *Flatidae Spinola,1839*
- 1191) **Forficulidae Latreille,1810** (Forficulidae) Synonym(s): *Forficulidae Latreille,1810*
- 1192) **Formicidae Latreille,1802** (Formicidae) Synonym(s): *Formicidae Latreille,1802*
- 1193) **Ponerinae Lepeletier,1835** (Formicidae) Synonym(s): *Ponerinae Lepeletier,1835*
- 1194) **Myrmicinae Lepeletier,1835** (Formicidae) Synonym(s): *Myrmicinae Lepeletier,1835*
- 1195) **Dolichoderinae** (Formicidae) Synonym(s):
- 1196) **Formicinae Latreille,1802** (Formicidae) Synonym(s): *Formicinae Latreille,1802*
- 1197) **Dorylinae Leach,1815** (Formicidae) Synonym(s): *Dorylinae Leach,1815*
- 1198) **Dorylini Leach,1815** (Formicidae) Synonym(s): *Dorylini Leach,1815*
- 1199) **Georissidae Laporte,1819** (Georissidae) Synonym(s): *Georissidae Laporte,1819*
- 1200) **Geotrupidae Latreille,1802** (Geotrupidae) Synonym(s): *Geotrupidae Latreille,1802*
- 1201) **Gerridae Leach,1815** (Gerridae) Synonym(s): *Gerridae Leach,1815*
- 1202) **Gerrinae Leach,1815** (Gerridae) Synonym(s): *Gerrinae Leach,1815*
- 1203) **Glaphyridae MacLeay,1819** (Glaphyridae) Synonym(s): *Glaphyridae MacLeay,1819*;
Cretoglaphyrini Nikolajev,2005
- 1204) **Glossomatidae Wallengren,1891** (Glossomatidae) Synonym(s): *Glossomatidae Wallengren,1891*
- 1205) **Goeridae Ulmer,1903** (Goeridae) Synonym(s): *Goeridae Ulmer,1903*
- 1206) **Gomphidae Rambur,1842** (Gomphidae) Synonym(s): *Gomphidae Rambur,1842*
- 1207) **Gryllidae Laicharting,1781** (Gryllidae) Synonym(s): *Gryllidae Laicharting,1781*; *Brachytrupidae*
Saussure,1877
- 1208) **Gryllinae Laicharting,1781** (Gryllidae) Synonym(s): *Gryllinae Laicharting,1781*; *Brachytrupinae*
Saussure,1877
- 1209) **Gryllomorphinae Saussure,1877** (Gryllidae) Synonym(s): *Gryllomorphinae Saussure,1877*
- 1210) **Gryllomorphini Saussure,1877** (Gryllidae) Synonym(s): *Gryllomorphini Saussure,1877*
- 1211) **Modicogryllini Otte & Alexander,1983** (Gryllidae) Synonym(s): *Modicogryllini Otte &*
Alexander,1983
- 1212) **Nemobiinae Saussure,1877** (Gryllidae) Synonym(s): *Nemobiinae Saussure,1877*

- 1213) Oecanthinae Brunner von Wattenwyl, 1873** (Gryllidae) Synonym(s): *Oecanthinae Brunner von Wattenwyl, 1873*
- 1214) Petaloptilini Gorochoy, 1984** (Gryllidae) Synonym(s): *Petaloptilini Gorochoy, 1984*
- 1215) Trigonidiinae Saussure, 1874** (Gryllidae) Synonym(s): *Trigonidiinae Saussure, 1874*
- 1216) Grylloidea Laicharting, 1781** (Grylloidea) *Grylloidea Laicharting, 1781*
- 1217) Gryllotalpidae Fieber, 1852** (Gryllotalpidae) Synonym(s): *Gryllotalpidae Fieber, 1852*
- 1218) Gryllotalpinae Fieber, 1852** (Gryllotalpidae) Synonym(s): *Gryllotalpinae Fieber, 1852*
- 1219) Gyrinidae Latreille, 1802** (Gyrinidae) Synonym(s): *Gyrinidae Latreille, 1802*
- 1220) Halictidae Thomson, 1869** (Halictidae) Synonym(s): *Halictidae Thomson, 1869*
- 1221) Rophitinae Schenck, 1866** (Halictidae) Synonym(s): *Rophitinae Schenck, 1866*
- 1222) Rophitini Schenck, 1866** (Halictidae) Synonym(s): *Rophitini Schenck, 1866; Dufoureiini Robertson, 1904; Halictoidini Börner, 1919; Systrophini Handlirsch, 1925*
- 1223) Nomiinae Robertson, 1904** (Halictidae) Synonym(s): *Nomiinae Robertson, 1904*
- 1224) Halictinae Thomson, 1869** (Halictidae) Synonym(s): *Halictinae Thomson, 1869*
- 1225) Halictini Thomson, 1869** (Halictidae) Synonym(s): *Halictini Thomson, 1869*
- 1226) Halictina Thomson, 1869** (Halictidae) Synonym(s): *Halictina Thomson, 1869*
- 1227) Nomioidinae Börner, 1919** (Halictidae) Synonym(s): *Nomioidinae Börner, 1919*
- 1228) Haliplidae Aubé, 1836** (Haliplidae) Synonym(s): *Haliplidae Aubé, 1836*
- 1229) Heleomyzidae Westwood, 1840** (Heleomyzidae) Synonym(s): *Heleomyzidae Westwood, 1840*
- 1230) Heleomyzinae Westwood, 1840** (Heleomyzidae) Synonym(s): *Heleomyzinae Westwood, 1840*
- 1231) Heleomyzini Westwood, 1840** (Heleomyzidae) Synonym(s): *Heleomyzini Westwood, 1840*
- 1232) Heteromyzinae Fallén, 1820** (Heleomyzidae) Synonym(s): *Heteromyzinae Fallén, 1820*
- 1233) Suilliinae Bezzi, 1911** (Heleomyzidae) Synonym(s): *Suilliinae Bezzi, 1911*
- 1234) Helicopsychidae Ulmer, 1906** (Helicopsychidae) Synonym(s): *Helicopsychidae Ulmer, 1906*
- 1235) Helophoridae Leach, 1815** (Helophoridae) Synonym(s): *Helophoridae Leach, 1815*
- 1236) Hemerobiidae Latreille, 1803** (Hemerobiidae) Synonym(s): *Hemerobiidae Latreille, 1803*
- 1237) Hemerobiinae Latreille, 1803** (Hemerobiidae) Synonym(s): *Hemerobiinae Latreille, 1803*
- 1238) Notiobiellinae** (Hemerobiidae) Synonym(s):
- 1239) Megalominae** (Hemerobiidae) Synonym(s):
- 1240) Hippoboscidae Samouelle, 1819** (Hippoboscidae) Synonym(s): *Hippoboscidae Samouelle, 1819*
- 1241) Ornithomyinae** (Hippoboscidae) Synonym(s):
- 1242) Hippoboscoidea Samouelle, 1819** (Hippoboscoidea) *Hippoboscoidea Samouelle, 1819*
- 1243) Histeridae Gyllenhal, 1808** (Histeridae) Synonym(s): *Histeridae Gyllenhal, 1808*
- 1244) Histerinae Gyllenhal, 1808** (Histeridae) Synonym(s): *Histerinae Gyllenhal, 1808*
- 1245) Tribalinae Bickhardt, 1914** (Histeridae) Synonym(s): *Tribalinae Bickhardt, 1914*
- 1246) Hybotidae Fallén, 1816** (Hybotidae) Synonym(s): *Hybotidae Fallén, 1816*
- 1247) Hydraenidae Mulsant, 1844** (Hydraenidae) Synonym(s): *Hydraenidae Mulsant, 1844*
- 1248) Hydrochidae** (Hydrochidae) Synonym(s):
- 1249) Hydrometridae Billberg, 1820** (Hydrometridae) Synonym(s): *Hydrometridae Billberg, 1820; Limnobatidae Fieber, 1860*
- 1250) Hydrometrinae Billberg, 1820** (Hydrometridae) Synonym(s): *Hydrometrinae Billberg, 1820*
- 1251) Hydrophilidae Latreille, 1802** (Hydrophilidae) Synonym(s): *Hydrophilidae Latreille, 1802*
- 1252) Laccobiini Bertrand, 1967** (Hydrophilidae) Synonym(s): *Laccobiini Bertrand, 1967*
- 1253) Berosini Mulsant, 1844** (Hydrophilidae) Synonym(s): *Berosini Mulsant, 1844*
- 1254) Anacaenini Hansen, 1991** (Hydrophilidae) Synonym(s): *Anacaenini Hansen, 1991*
- 1255) Chaetarthriini Bedel, 1881** (Hydrophilidae) Synonym(s): *Chaetarthriini Bedel, 1881*
- 1256) Coleostomatini Hansen, 1991** (Hydrophilidae) Synonym(s): *Coleostomatini Hansen, 1991*
- 1257) Megasternini Hansen, 1991** (Hydrophilidae) Synonym(s): *Megasternini Hansen, 1991*
- 1258) Sphaeridiini Latreille, 1802** (Hydrophilidae) Synonym(s): *Sphaeridiini Latreille, 1802*
- 1259) Hydrophilini Latreille, 1802** (Hydrophilidae) Synonym(s): *Hydrophilini Latreille, 1802*
- 1260) Acidocerina Hansen, 1991** (Hydrophilidae) Synonym(s): *Acidocerina Hansen, 1991*
- 1261) Hydrobiina Mulsant, 1844** (Hydrophilidae) Synonym(s): *Hydrobiina Mulsant, 1844*
- 1262) Hydrophilina Latreille, 1802** (Hydrophilidae) Synonym(s): *Hydrophilina Latreille, 1802*
- 1263) Hydrophiloidea Latreille, 1802** (Hydrophiloidea) *Hydrophiloidea Latreille, 1802*
- 1264) Hydropsychidae Curtis, 1835** (Hydropsychidae) Synonym(s): *Hydropsychidae Curtis, 1835*
- 1265) Hydrosychoidea Curtis, 1835** (Hydrosychoidea) *Hydrosychoidea Curtis, 1835*
- 1266) Hydroptilidae Stephens, 1836** (Hydroptilidae) Synonym(s): *Hydroptilidae Stephens, 1836*
- 1267) Hydroptiloidea Stephens, 1836** (Hydroptiloidea) *Hydroptiloidea Stephens, 1836*
- 1268) Hygrobiidae Régimbart, 1878** (Hygrobiidae) Synonym(s): *Hygrobiidae Régimbart, 1878*
- 1269) Ibalidae Thomson, 1862** (Ibalidae) Synonym(s): *Ibalidae Thomson, 1862*
- 1270) Ichneumonidae Latreille, 1802** (Ichneumonidae) Synonym(s): *Ichneumonidae Latreille, 1802*
- 1271) Cryptini Kirby, 1837** (Ichneumonidae) Synonym(s): *Cryptini Kirby, 1837; Itamopleginae Bradley, 1928; Hedycryptinae Bradley, 1969; Ischnina Townes, 1970*

- 1272) Agrothereutina Townes, 1970** (Ichneumonidae) Synonym(s): *Agrothereutina Townes, 1970*
- 1273) Cryptina Kirby, 1837** (Ichneumonidae) Synonym(s): *Cryptina Kirby, 1837*; *Itamopleginae Bradley, 1928*; *Hedycryptinae Bradley, 1969*; *Ischnina Townes, 1970*
- 1274) Goryphina Townes, 1970** (Ichneumonidae) Synonym(s): *Goryphina Townes, 1970*
- 1275) Mesostenina Ashmead, 1900** (Ichneumonidae) Synonym(s): *Mesostenina Ashmead, 1900*
- 1276) Osprynchotina Viereck, 1918** (Ichneumonidae) Synonym(s): *Osprynchotina Viereck, 1918*; *Nematopodiina Townes, 1970*
- 1277) Sphecophagina Beirne, 1941** (Ichneumonidae) Synonym(s): *#Crypturina Schiedeknecht, 1911*; *#Endurini Schiedeknecht, 1912*; *#Sphecophagini Seyrig, 1934*; *Sphecophagina Beirne, 1941*; *Latibulini Constantineanu & Constantineanu, 1968*
- 1278) Phygadeuontini Förster, 1868** (Ichneumonidae) Synonym(s): *Phygadeuontini Förster, 1868*
- 1279) Bathythrachina Townes, 1970** (Ichneumonidae) Synonym(s): *Bathythrachina Townes, 1970*
- 1280) Chiroticina Townes, 1970** (Ichneumonidae) Synonym(s): *Chiroticina Townes, 1970*
- 1281) Mastrina Townes, 1970** (Ichneumonidae) Synonym(s): *Mastrina Townes, 1970*
- 1282) Phygadeuontina Förster, 1868** (Ichneumonidae) Synonym(s): *Phygadeuontina Förster, 1868*
- 1283) Stilpnina Förster, 1868** (Ichneumonidae) Synonym(s): *Stilpnina Förster, 1868*
- 1284) Hemigasterini Ashmead, 1900** (Ichneumonidae) Synonym(s): *Hemigasterini Ashmead, 1900*
- 1285) Acaenitinae Förster, 1868** (Ichneumonidae) Synonym(s): *Acaenitoidea Förster, 1868*; *Coleocentrini Clément, 1938*
- 1286) Anomaloninae Viereck, 1918 (1900)** (Ichneumonidae) Synonym(s): *Anomaloninae Viereck, 1918 (1900)*
- 1287) Anomalonini Viereck, 1918 (1900)** (Ichneumonidae) Synonym(s): *Anomalonini Viereck, 1918 (1900)*
- 1288) Gravenhorstiini Enderlein, 1912** (Ichneumonidae) Synonym(s): *Gravenhorstiini Enderlein, 1912*; *Therioninae Viereck, 1918*; *Erigorgina Viktorov, 1968*; *Podogastrini Townes, 1971*
- 1289) Atrophini Seyrig, 1932** (Ichneumonidae) Synonym(s): *Atrophini Seyrig, 1932*
- 1290) Glyptini Cushman & Rohwer, 1920** (Ichneumonidae) Synonym(s): *Glyptini Cushman & Rohwer, 1920*
- 1291) Banchinae Wesmael, 1845** (Ichneumonidae) Synonym(s): *Banchinae Wesmael, 1845*
- 1292) Brachycyrtinae Viereck, 1919** (Ichneumonidae) Synonym(s): *Brachycyrtinae Viereck, 1919*
- 1293) Campopleginae Förster, 1868** (Ichneumonidae) Synonym(s): *Campoplegoidae Förster, 1868*; *Helluigioidae Förster, 1868*; *Nesomesochorini Ashmead, 1905*; *Limnerinae Szepligeti, 1911*; *Charopsinae Viereck, 1918*; *Mavandini Seyrig, 1935*; *Nonnini Topwones, Townes & Gupta, 1961*; *Macrini Townes, 1971*; *Cymodunini V. Gupta, 1987*
- 1294) Campoplegini Förster, 1868** (Ichneumonidae) Synonym(s): *Campoplegoidae Förster, 1868*; *Helluigioidae Förster, 1868*; *Nesomesochorini Ashmead, 1905*; *Limnerinae Szepligeti, 1911*; *Charopsinae Viereck, 1918*; *Mavandini Seyrig, 1935*; *Nonnini Topwones, Townes & Gupta, 1961*; *Macrini Townes, 1971*; *Cymodunini V. Gupta, 1987*
- 1295) Nemeritini** (Ichneumonidae) Synonym(s):
- 1296) Collyriinae Cushman, 1924** (Ichneumonidae) Synonym(s): *Collyriini Cushman, 1924*
- 1297) Cremastinae Förster, 1868** (Ichneumonidae) Synonym(s): *Cremastoidae Förster, 1868*; *Pristomeroidae Förster, 1868*; *Xiphosominae Szepligeti, 1905*; *Eiphosominae Viereck, 1918*
- 1298) Cryptinae Kirby, 1837** (Ichneumonidae) Synonym(s): *Cryptinae Kirby, 1837*
- 1299) Ctenopelmatinae Förster, 1868** (Ichneumonidae) Synonym(s): *Ctenopelmatoidae Förster, 1868*; *Notopygina Schmiedeknecht, 1911*; *Ctenopelmatini Townes, 1944*
- 1300) Ctenopelmatini Förster, 1868** (Ichneumonidae) Synonym(s): *Ctenopelmatoidae Förster, 1868*; *Notopygina Schmiedeknecht, 1911*; *Ctenopelmatini Townes, 1944*
- 1301) Euryproctini Thomson, 1883** (Ichneumonidae) Synonym(s): *Euryproctini Thomson, 1883*; *Megacerini Szepligeti, 1908*; *Zemiophorinae Viereck, 1918*
- 1302) Mesoleiini Thomson, 1883** (Ichneumonidae) Synonym(s): *Mesoleiini Thomson, 1883*
- 1303) Perilissini Thomson, 1883** (Ichneumonidae) Synonym(s): *Perilissini Thomson, 1883*
- 1304) Pionini Smith & Shenefelt, 1955** (Ichneumonidae) Synonym(s): *#Pionini Townes, 1945*; *Pionini Smith & Shenefelt, 1955*
- 1305) Scolobatini Schmiedeknecht, 1911** (Ichneumonidae) Synonym(s): *Scolobatini Schmiedeknecht, 1911*; *Westwoodini Townes, 1970*
- 1306) Diplazoninae Viereck, 1918** (Ichneumonidae) Synonym(s): *Diplazoninae Viereck, 1918*
- 1307) Ichneumoninae Latreille, 1802** (Ichneumonidae) Synonym(s): *Ichneumoninae Latreille, 1802*
- 1308) Alomyini Förster, 1868** (Ichneumonidae) Synonym(s): *Alomyoidae Förster, 1868*; *Phaeogenoidae Förster, 1868*; *Dicaelotina Holmgren, 1889*; *Diadromina Holmgren, 1889*; *Epitomina Holmgren, 1889*; *Gnathoxina Holmgren, 1889*; *Herpestomina Holmgren, 1889*; *Oronotina Holmgren, 1889*; *Stenodotina Schmiedeknecht, 1903*
- 1309) Hereiarchini Ashmead, 1900** (Ichneumonidae) Synonym(s): *Hereiarchini Ashmead, 1900*
- 1310) Ichneumonini Latreille, 1802** (Ichneumonidae) Synonym(s): *Ichneumonini Latreille, 1802*
- 1311) Listrodromini Förster, 1868** (Ichneumonidae) Synonym(s): *Listrodromini Förster, 1868*
- 1312) Metopiinae Förster, 1868** (Ichneumonidae) Synonym(s): *Metopiididae Förster, 1868*; *Exochoidae Förster, 1868*; *Cariini Schmiedeknecht, 1924*; *Laptonini Clément, 1938*; *Spudaeini Constantineanu, 1961*

- 1313) Ophioninae Shuckard,1840** (Ichneumonidae) Synonym(s): *Ophioninae Shuckard,1840*
1314) Ophionini Shuckard,1840 (Ichneumonidae) Synonym(s): *Ophionini Shuckard,1840*
1315) Enicospilini Townes,1971 (Ichneumonidae) Synonym(s): *Enicospilini Townes,1971*
1316) Orthocentrinae Förster,1868 (Ichneumonidae) Synonym(s): *Orthocentroides Förster,1868*;
Plectiscoidae Förster,1868; *Helictinae Gupta,1987*
1317) Orthopelmatinae Schiedeknecht,1910 (Ichneumonidae) Synonym(s): *Orthopelmina*
Schiedeknecht,1910; *Orthopelmatinae Schiedeknecht, Townes & Townes,1951*
1318) Phrudinae Townes & Townes,1949 (Ichneumonidae) Synonym(s): *Phrudini Townes &*
Townes,1949; *Brachyscleromatinae Townes,1961*
1319) Pimplinae Wesmael,1845 (Ichneumonidae) Synonym(s): *Pimplinae Wesmael,1845*
1320) Poemeniinae Smith & Shenefelt,1955 (Ichneumonidae) Synonym(s): *Poemeniinae Smith &*
Shenefelt,1955
1321) Rhyssinae Morley,1913 (Ichneumonidae) Synonym(s): *Rhyssinae Morley,1913*
1322) Tersilochinae Schmiedeknecht,1910 (Ichneumonidae) Synonym(s): *Tersilochinae*
Schmiedeknecht,1910
1323) Tryphoninae Shuckard,1840 (Ichneumonidae) Synonym(s): *Tryphoninae Shuckard,1840*
1324) Xoridinae Shuckard,1840 (Ichneumonidae) Synonym(s): *Xoridinae Shuckard,1840*
1325) Inocelliidae Navas,1913 (Inocelliidae) Synonym(s): *Inocelliidae Navas,1913*
1326) Irididae Westwood,1889 (Irididae) Synonym(s): *Irididae Westwood,1889*
1327) Iridinae Westwood,1889 (Irididae) Synonym(s): *Iridinae Westwood,1889*
1328) Issidae Spinola,1839 (Issidae) Synonym(s): *Issidae Spinola,1839*
1329) Kermesidae Signoret,1875 (Kermesidae) Synonym(s): *Kermesidae Signoret,1875*
1330) Keroplatidae Rondani,1856 (Keroplatidae) Synonym(s): *Keroplatidae Rondani,1856*
1331) Labiduridae Verhoef,1902 (Labiduridae) Synonym(s): *Labiduridae Verhoef,1902*
1332) Nalinae (Labiduridae) Synonym(s):
1333) Lampyridae Latreille,1817 (Lampyridae) Synonym(s): *Lampyridae Latreille,1817*
1334) Lampyrinae Latreille,1817 (Lampyridae) Synonym(s): *Lampyrinae Latreille,1817*
1335) Lauxaniidae Macquart,1835 (Lauxaniidae) Synonym(s): *Lauxaniidae Macquart,1835*
1336) Lauxaniinae Macquart,1835 (Lauxaniidae) Synonym(s): *Lauxaniinae Macquart,1835*
1337) Lauxanioidea Macquart,1835 (Lauxanioidea) *Lauxanioidea Macquart,1835*
1338) Lecanodiaspididae (Lecanodiaspididae) Synonym(s):
1339) Leiodidae Fleming,1821 (Leiodidae) Synonym(s): *Leiodidae Fleming,1821*
1340) Leiodinae Fleming,1821 (Leiodidae) Synonym(s): *Leiodinae Fleming,1821*
1341) Agathidiini Westwood,1838 (Leiodidae) Synonym(s): *Agathidiini Westwood,1838*
1342) Cholevinae Kirby,1837 (Leiodidae) Synonym(s): *Cholevinae Kirby,1837*
1343) Lepidostomatidae Ulmer,1903 (Lepidostomatidae) Synonym(s): *Lepidostomatidae Ulmer,1903*
1344) Leptoceridae Leach,1815 (Leptoceridae) Synonym(s): *Leptoceridae Leach,1815*
1345) Leptoceroidea Leach,1815 (Leptoceroidea) *Leptoceroidea Leach,1815*
1346) Lestidae Calvert,1901 (Lestidae) Synonym(s): *Lestidae Calvert,1901*
1347) Leucospidae (Leucospidae) Synonym(s):
1348) Leuctridae Klapalek,1905 (Leuctridae) Synonym(s): *Leuctridae Klapalek,1905*
1349) Libellulidae Rambur,1842 (Libellulidae) Synonym(s): *Libellulidae Rambur,1842*
1350) Limnephilidae Kolenati,1848 (Limnephilidae) Synonym(s): *Limnephilidae Kolenati,1848*
1351) Limnephiloidea Kolenati,1848 (Limnephiloidea) *Limnephiloidea Kolenati,1848*
1352) Limoniidae Rondani,1856 (Limoniidae) Synonym(s): *Limoniidae Rondani,1856*
1353) Limoniinae Rondani,1856 (Limoniidae) Synonym(s): *Limoniinae Rondani,1856*
1354) Chioneinae (Limoniidae) Synonym(s):
1355) Lonchopteridae Curtis,1839 (Lonchopteridae) Synonym(s): *Lonchopteridae Curtis,1839*
1356) Lonchopteroidea Curtis,1839 (Lonchopteroidea) *Lonchopteroidea Curtis,1839*
1357) Lucanidae Latreille,1804 (Lucanidae) Synonym(s): *Lucanidae Latreille,1804*
1358) Lygaeidae Schilling,1829 (Lygaeidae) Synonym(s): *Lygaeidae Schilling,1829*
1359) Lygaeinae Schilling,1829 (Lygaeidae) Synonym(s): *Lygaeinae Schilling,1829*
1360) Orsillinae Stal,1872 (Lygaeidae) Synonym(s): *Orsillinae Stal,1872*
1361) Cyminae Bärensprung,1860 (Lygaeidae) Synonym(s): *Cyminae Bärensprung,1860*
1362) Heterogastrinae Stal,1872 (Lygaeidae) Synonym(s): *Heterogastrinae Stal,1872*
1363) Geocorinae Dahlbom,1851 (Lygaeidae) Synonym(s): *Geocorinae Dahlbom,1851*
1364) Oxycareninae Stal,1862 (Lygaeidae) Synonym(s): *Oxycareninae Stal,1862*
1365) Rhyparochrominae Amyot & Serville,1843 (Lygaeidae) Synonym(s): *Rhyparochrominae Amyot*
& Serville,1843
1366) Artheneinae (Lygaeidae) Synonym(s):
1367) Drymini Stal,1872 (Lygaeidae) Synonym(s): *Drymini Stal,1872*
1368) Gonianotini Stal,1872 (Lygaeidae) Synonym(s): *Gonianotini Stal,1872*
1369) Megalonotini Slater,1957 (Lygaeidae) Synonym(s): *Megalonotini Slater,1957*

- 1370) Rhyparochromini Amyot & Serville, 1843** (Lygaeidae) Synonym(s): *Rhyparochromini Amyot & Serville, 1843*
- 1371) Lethaeini Stal, 1872** (Lygaeidae) Synonym(s): *Lethaeini Stal, 1872*
- 1372) Bledionotinae** (Lygaeidae) Synonym(s):
- 1373) Blissinae** (Lygaeidae) Synonym(s):
- 1374) Pachygronthinae Stal, 1865** (Lygaeidae) Synonym(s): *Pachygronthinae Stal, 1865*
- 1375) Henestariniae Douglas & Scott, 1865** (Lygaeidae) Synonym(s): *Henestariniae Douglas & Scott, 1865*
- 1376) Mantodea Burmeister, 1838** (Mantidae) Synonym(s): *Mantodea Burmeister, 1838*
- 1377) Mantidae Burmeister, 1838** (Mantidae) Synonym(s): *Mantidae Burmeister, 1838*
- 1378) Eremiaphilinae Westwood, 1889** (Mantidae) Synonym(s): *Eremiaphilinae Westwood, 1889*
- 1379) Amelinae Westwood, 1889** (Mantidae) Synonym(s): *Amelinae Westwood, 1889; Amelinae Giglio-Tos, 1919*
- 1380) Mantinae Burmeister, 1838** (Mantidae) Synonym(s): *Mantinae Burmeister, 1838; Manteidae Saussure, 1859*
- 1381) Mantispidae Leach, 1815** (Mantispidae) Synonym(s): *Mantispidae Leach, 1815*
- 1382) Mantispinae Leach, 1815** (Mantispidae) Synonym(s): *Mantispinae Leach, 1815*
- 1383) Mantispoidea Leach, 1815** (Mantispoidea) *Mantispoidea Leach, 1815*
- 1384) Margarodidae Cockerell, 1899** (Margarodidae) Synonym(s): *Margarodidae Cockerell, 1899*
- 1385) Mecoptera** (Mecoptera)
- 1386) Kermesiinae** (Meenoplidae) Synonym(s):
- 1387) Meenoplidae Fieber, 1872** (Meenoplidae) Synonym(s): *Meenoplidae Fieber, 1872*
- 1388) Meenoplinae Fieber, 1872** (Meenoplidae) Synonym(s): *Meenoplinae Fieber, 1872*
- 1389) Megachilidae Latreille, 1802** (Megachilidae) Synonym(s): *Megachilidae Latreille, 1802*
- 1390) Megachilinae Latreille, 1802** (Megachilidae) Synonym(s): *Megachilinae Latreille, 1802*
- 1391) Lithurginae Newman, 1834** (Megachilidae) Synonym(s): *Lithurginae Newman, 1834*
- 1392) Lithurgini Newman, 1834** (Megachilidae) Synonym(s): *Lithurgini Newman, 1834; Trichothurgini Moure, 1949*
- 1393) Anthidiini Ashmead, 1899** (Megachilidae) Synonym(s): *Anthidiini Ashmead, 1899*
- 1394) Anthidiina Ashmead, 1899** (Megachilidae) Synonym(s): *Anthidiina Ashmead, 1899*
- 1395) Dioxyina Cockerell, 1902** (Megachilidae) Synonym(s): *Dioxyina Cockerell, 1902*
- 1396) Megachilini Latreille, 1802** (Megachilidae) Synonym(s): *Megachilini Latreille, 1802; Coelioxylini Dalla Torre & Friese, 1894*
- 1397) Osmiina Newman, 1834** (Megachilidae) Synonym(s): *Osmiina Newman, 1834; Chelostomina Kirby, 1837; Trypetina Robertson, 1903 (praeocc.); Heriadini Michener, 1941*
- 1398) Osmiini Newman, 1834** (Megachilidae) Synonym(s): *Osmiini Newman, 1834; Chelostomina Kirby, 1837; Trypetina Robertson, 1903 (praeocc.); Heriadini Michener, 1941*
- 1399) Megalodontesidae Konow, 1897** (Megalodontesidae) Synonym(s): *Megalodontesidae Konow, 1897 (Opinion 1829)*
- 1400) Megalodontesiodea Konow, 1897** (Megalodontesiodea) *Megalodontesiodea Konow, 1897*
- 1401) Melittidae Schenck, 1860** (Melittidae) Synonym(s): *Melittidae Schenck, 1860*
- 1402) Dasypodainae Börner, 1919** (Melittidae) Synonym(s): *Dasypodainae Börner, 1919*
- 1403) Melittinae Schenck, 1860** (Melittidae) Synonym(s): *Melittinae Schenck, 1860*
- 1404) Meloidae Gyllenhal, 1810** (Meloidae) Synonym(s): *Meloidae Gyllenhal, 1810*
- 1405) Meloinae Gyllenhal, 1810** (Meloidae) Synonym(s): *Meloinae Gyllenhal, 1810*
- 1406) Lyttini Solier, 1851** (Meloidae) Synonym(s): *Lyttini Solier, 1851; Alosimates Mulsant, 1857; Sybarides Wellman, 1910; Pyrotini MacSwain, 1956; Lydina Kaszab, 1959*
- 1407) Mylabrini Castelnau, 1840** (Meloidae) Synonym(s): *Mylabrini Castelnau, 1840; Calydina Kaszab, 1960; Zonabriini Reitter, 1911*
- 1408) Meloini Gyllenhal, 1810** (Meloidae) Synonym(s): *Meloini Gyllenhal, 1810*
- 1409) Cerocomini Leach, 1815** (Meloidae) Synonym(s): *Cerocomini Leach, 1815*
- 1410) Epicautini Denier, 1935** (Meloidae) Synonym(s): *Epicautini Denier, 1935*
- 1411) Nemognathinae Lacordaire, 1859** (Meloidae) Synonym(s): *Nemognathinae Lacordaire, 1859*
- 1412) Sitarini Mulsant, 1857** (Meloidae) Synonym(s): *Sitarini Mulsant, 1857*
- 1413) Nemognathini Lacordaire, 1859** (Meloidae) Synonym(s): *Nemognathini Lacordaire, 1859*
- 1414) Melyridae Leach, 1815** (Melyridae) Synonym(s): *Melyridae Leach, 1815*
- 1415) Melyrinae Leach, 1815** (Melyridae) Synonym(s): *Melyrinae Leach, 1815*
- 1416) Malachiinae Leach, 1817** (Melyridae) Synonym(s): *Malachiinae Leach, 1817*
- 1417) Malachiini Leach, 1817** (Melyridae) Synonym(s): *Malachiini Leach, 1817*
- 1418) Rhadalinae LeConte, 1862** (Melyridae) Synonym(s): *Rhadalinae LeConte, 1862*
- 1419) Danacaeinae** (Melyridae) Synonym(s):
- 1420) Chaetomalachiinae Majer, 1987** (Melyridae) Synonym(s): *Chaetomalachiinae Majer, 1987*
- 1421) Dasytinae Laporte, 1840** (Melyridae) Synonym(s): *Dasytinae Laporte, 1840*
- 1422) Membracidae Rafinesque, 1815** (Membracidae) Synonym(s): *Membracidae Rafinesque, 1815*

- 1423) **Centrotinae Spinola,1850** (Membracidae) Synonym(s): *Centrotoideae Spinola,1850*
 1424) **Mesoveliidae** (Mesoveliidae) Synonym(s):
 1425) **Micrococcidae** (Micrococcidae) Synonym(s):
 1426) **Micropezidae Loew,1861** (Micropezidae) Synonym(s): *Micropezidae Loew,1861*
 1427) **Calobatinae Enderlein,1922** (Micropezidae) Synonym(s): *Calobatinae Enderlein,1922*
 1428) **Micropezinae Loew,1861** (Micropezidae) Synonym(s): *Micropezinae Loew,1861*
 1429) **Milichiidae Schiner,1862** (Milichiidae) Synonym(s): *Milichiidae Schiner,1862*
 1430) **Milichiinae Schiner,1862** (Milichiidae) Synonym(s): *Milichiinae Schiner,1862*
 1431) **Miridae Hahn,1831** (Miridae) Synonym(s): *Miridae Hahn,1831; Capsidae Burmeister,1835*
 1432) **Bryocorinae Bärensprung,1860** (Miridae) Synonym(s): *Bryocorinae Bärensprung,1860*
 1433) **Dicyphini Reuter,1883** (Miridae) Synonym(s): *Dicyphini Reuter,1883*
 1434) **Deraeocorinae Carvalho,1957** (Miridae) Synonym(s): *Deraeocorinae Carvalho,1957*
 1435) **Deraeocorini Carvalho,1957** (Miridae) Synonym(s): *Deraeocorini Carvalho,1957*
 1436) **Mirinae Hahn,1831** (Miridae) Synonym(s): *Mirinae Hahn,1831; Capsinae Burmeister,1835*
 1437) **Mirini Hahn,1831** (Miridae) Synonym(s): *Mirini Hahn,1831; Capsinae Burmeister,1835*
 1438) **Stenodemini China,1943** (Miridae) Synonym(s): *Stenodemini China,1943*
 1439) **Orthotylinae Van Duzee,1916** (Miridae) Synonym(s): *Orthotylinae Van Duzee,1916*
 1440) **Halticini Costa,1853** (Miridae) Synonym(s): *Halticini Costa,1853*
 1441) **Orthotylini Van Duzee,1916** (Miridae) Synonym(s): *Orthotylini Van Duzee,1916*
 1442) **Phylinae Douglas & Scott,1865** (Miridae) Synonym(s): *Phylinae Douglas & Scott,1865*
 1443) **Hallodapini Van Duzee,1916** (Miridae) Synonym(s): *Hallodapini Van Duzee,1916*
 1444) **Phylini Douglas & Scott,1865** (Miridae) Synonym(s): *Phylini Douglas & Scott,1865*
 1445) **Mogoplistidae Brunner von Wattenwyl,1873** (Mogoplistidae) Synonym(s): *Mogoplistidae Brunner von Wattenwyl,1873*
 1446) **Muscidae Latreille,1802** (Muscidae) Synonym(s): *Muscidae Latreille,1802*
 1447) **Atherigoninae** (Muscidae) Synonym(s):
 1448) **Azeliinae R-D.,1830** (Muscidae) Synonym(s): *Azeliinae R-D.,1830*
 1449) **Coenosiinae Verrall,1888** (Muscidae) Synonym(s): *Coenosiinae Verrall,1888*
 1450) **Muscinae Latreille,1802** (Muscidae) Synonym(s): *Muscinae Latreille,1802*
 1451) **Phaoniinae Malloch,1917** (Muscidae) Synonym(s): *Phaoniinae Malloch,1917*
 1452) **Muscoidea Latreille,1802** (Muscoidea) *Muscoidea Latreille,1802*
 1453) **Mutillidae Latreille,1802** (Mutillidae) Synonym(s): *Mutillariae Latreille,1802*
 1454) **Myrmosinae Fox,1894** (Mutillidae) Synonym(s): *Myrmosinae Fox,1894*
 1455) **Pseudophotopsidinae Bischoff,1920** (Mutillidae) Synonym(s): *Pseudophotopsidinae Bischoff,1920*
 1456) **Myrmillinae Bischoff,1920** (Mutillidae) Synonym(s): *Myrmillinae Bischoff,1920*
 1457) **Mutillinae Latreille,1802** (Mutillidae) Synonym(s): *Mutillinae Latreille,1802*
 1458) **Mutillini Latreille,1802** (Mutillidae) Synonym(s): *Mutillini Latreille,1802*
 1459) **Smicromyrmicini Bischoff,1920** (Mutillidae) Synonym(s): *Smicromyrmicini Bischoff,1920*
 1460) **Petersenidiini Lelej,1996** (Mutillidae) Synonym(s): *Petersenidiini Lelej,1996*
 1461) **Trogaspidiini Bischoff,1920** (Mutillidae) Synonym(s): *Trogaspidiini Bischoff,1920*
 1462) **Dasylabrinae Skorikov,1935** (Mutillidae) Synonym(s): *Dasylabrinae Skorikov,1935*
 1463) **Mycetophilidae Newman,1834** (Mycetophilidae) Synonym(s): *Mycetophilidae Newman,1834*
 1464) **Leiinae** (Mycetophilidae) Synonym(s):
 1465) **Mycetophilinae Newman,1834** (Mycetophilidae) Synonym(s): *Mycetophilinae Newman,1834*
 1466) **Mycomyinae** (Mycetophilidae) Synonym(s):
 1467) **Sciophilinae** (Mycetophilidae) Synonym(s):
 1468) **Mydidae** (Mydidae) Synonym(s):
 1469) **Mymaridae** (Mymaridae) Synonym(s):
 1470) **Myrmecophilidae Saussure,1874** (Myrmecophilidae) Synonym(s): *Myrmecophilidae Saussure,1874*
 1471) **Myrmecophilinae Saussure,1874** (Myrmecophilidae) Synonym(s): *Myrmecophilinae Saussure,1874*
 1472) **Myrmecophilini Saussure,1874** (Myrmecophilidae) Synonym(s): *Myrmecophilini Saussure,1874*
 1473) **Myrmeleonidae Latreille,1802** (Myrmeleonidae) Synonym(s): *Myrmeleonidae Latreille,1802*
 1474) **Palparinae Banks,1899** (Myrmeleonidae) Synonym(s): *Palparinae Banks,1899*
 1475) **Echthromyrmicinae Hölzel,1972** (Myrmeleonidae) Synonym(s): *Echthromyrmicinae Hölzel,1972*
 1476) **Myrmeleoninae Latreille,1802** (Myrmeleonidae) Synonym(s): *Myrmeleoninae Latreille,1802*
 1477) **Dendroleonini** (Myrmeleonidae) Synonym(s):
 1478) **Acanthaclisini Navas,1912** (Myrmeleonidae) Synonym(s): *Acanthaclisini Navas,1912*
 1479) **Myrmeleonini Latreille,1802** (Myrmeleonidae) Synonym(s): *Myrmeleonini Latreille,1802*
 1480) **Myrmecaelurini** (Myrmeleonidae) Synonym(s):
 1481) **Isoleonini Hölzel** (Myrmeleonidae) Synonym(s):

- 1482) **Distoleonini** (Myrmeleonidae) Synonym(s):
 1483) **Glenurini** (Myrmeleonidae) Synonym(s):
 1484) **Mythicomysiidae Melander,1902** (Mythicomysiidae) Synonym(s): *Mythicomysiidae Melander,1902*
 1485) **Platypyginae Verrall,1909** (Mythicomysiidae) Synonym(s): *Platypyginae Verrall,1909*
 1486) **Glabellulinae Cockerell** (Mythicomysiidae) Synonym(s):
 1487) **Nabidae A.Costa,1853** (Nabidae) Synonym(s): *Nabidae A.Costa,1853*
 1488) **Naucoridae Leach,1815** (Naucoridae) Synonym(s): *Naucoridae Leach,1815*
 1489) **Nemestrinidae Macquart,1834** (Nemestrinidae) Synonym(s): *Nemestrinidae Macquart,1834*
 1490) **Nemestrininae Macquart,1834** (Nemestrinidae) Synonym(s): *Nemestrininae Macquart,1834*
 1491) **Hirmoneurinae** (Nemestrinidae) Synonym(s):
 1492) **Trichopsidaeinae** (Nemestrinidae) Synonym(s):
 1493) **Nemopteridae Rambur,1842** (Nemopteridae) Synonym(s): *Nemopteridae Rambur,1842*
 1494) **Nemopterinae Rambur,1842** (Nemopteridae) Synonym(s): *Nemopterinae Rambur,1842*
 1495) **Crocinae Navas,1910** (Nemopteridae) Synonym(s): *Crocinae Navas,1910*
 1496) **Nemouridae Newman,1853** (Nemouridae) Synonym(s): *Nemouridae Newman,1853*
 1497) **Nepidae Latreille,1802** (Nepidae) Synonym(s): *Nepidae Latreille,1802*
 1498) **Nepomorpha** (Nepomorpha)
 1499) **Nitidulidae Latreille,1802** (Nitidulidae) Synonym(s): *Nitidulidae Latreille,1802*
 1500) **Noteridae Thomson,1860** (Noteridae) Synonym(s): *Noteridae Thomson,1860*
 1501) **Noteridae Thomson,1860** (Noteridae) Synonym(s): *Noteridae Thomson,1860*
 1502) **Notonectidae Leach,1815** (Notonectidae) Synonym(s): *Notonectidae Leach,1815*
 1503) **Nycteriibiidae Samouelle,1819** (Nycteriibiidae) Synonym(s): *Nycteriibiidae Samouelle,1819*
 1504) **Nycteriibiinae Samouelle,1819** (Nycteriibiidae) Synonym(s): *Nycteriibiinae Samouelle,1819*
 1505) **Cyclopodiinae** (Nycteriibiidae) Synonym(s):
 1506) **Ochteridae Kirkaldy,1906** (Ochteridae) Synonym(s): *Ochteridae Kirkaldy,1906*
 1507) **Oedemeridae Latreille,1810** (Oedemeridae) Synonym(s): *Oedemeridae Latreille,1810*
 1508) **Nacerdinae Mulsant,1858** (Oedemeridae) Synonym(s): *Nacerdinae Mulsant,1858*
 1509) **Calopodinae Costa,1852** (Oedemeridae) Synonym(s): *Calopodinae Costa,1852*
 1510) **Oedemerinae Latreille,1810** (Oedemeridae) Synonym(s): *Oedemerinae Latreille,1810*
 1511) **Oestroidea Townsend,1931** (Oestroidea) *Oestroidea Townsend,1931*
 1512) **Opomyzidae Fallén,1820** (Opomyzidae) Synonym(s): *Opomyzidae Fallén,1820*
 1513) **Opomyzoidea Fallén,1820** (Opomyzoidea) *Opomyzoidea Fallén,1820*
 1514) **Ormyridae** (Ormyridae) Synonym(s):
 1515) **Ortheziidae Green,1896** (Ortheziidae) Synonym(s): *Ortheziidae Green,1896*
 1516) **Orussidae Newman,1834** (Orussidae) Synonym(s): *Orussidae Newman,1834*
 1517) **Osmylidae Leach,1815** (Osmylidae) Synonym(s): *Osmylidae Leach,1815*
 1518) **Osmyloidea Leach,1815** (Osmyloidea) *Osmyloidea Leach,1815*
 1519) **Akicerinae Bolivar,1916** (Pamphagidae) Synonym(s): *Akicerinae Bolivar,1916*
 1520) **Nocarodesinae Bolivar,1916** (Pamphagidae) Synonym(s): *Nocarodesinae Bolivar,1916*
 1521) **Pamphagidae Burmeister,1840** (Pamphagidae) Synonym(s): *Pamphagidae Burmeister,1840*
 1522) **Pamphaginae Burmeister,1840** (Pamphagidae) Synonym(s): *Pamphaginae Burmeister,1840*
 1523) **Prionotropisinae Zhang, Daochuan, Hong Yin & X.Yin,2003** (Pamphagidae) Synonym(s):
Prionotropisinae Zhang, Daochuan, Hong Yin & X.Yin,2003
 1524) **Tropidaucheninae Zhang, Daochuan, Hong Yin & X.Yin,2003** (Pamphagidae) Synonym(s):
Tropidaucheninae Zhang, Daochuan, Hong Yin & X.Yin,2003
 1525) **Pamphiliidae Cameron,1890** (Pamphiliidae) Synonym(s): *Pamphiliidae Cameron,1890*;
#Pamphilidae Benson,1968
 1526) **Pamphiliinae Cameron,1890** (Pamphiliidae) Synonym(s): *Pamphiliinae Cameron,1890*;
#Pamphilidae Benson,1968
 1527) **Panorpidae** (Panorpidae) Synonym(s):
 1528) **Pediciidae Osten Sacken,1860** (Pediciidae) Synonym(s): *Pediciidae Osten Sacken,1860*
 1529) **Pediciinae Osten Sacken,1860** (Pediciidae) Synonym(s): *Pediciinae Osten Sacken,1860*
 1530) **Ulinae** (Pediciidae) Synonym(s):
 1531) **Pentatomidae Leach,1815** (Pentatomidae) Synonym(s): *Pentatomidae Leach,1815*
 1532) **Asopinae Spinola,1850** (Pentatomidae) Synonym(s): *Asopinae Spinola,1850*
 1533) **Phyllocephalinae Amyot & Audinet-Serville,1843** (Pentatomidae) Synonym(s):
Phyllocephalinae Amyot & Audinet-Serville,1843
 1534) **Podopinae Amyot & Audinet-Serville,1843** (Pentatomidae) Synonym(s): *Podopinae Amyot & Audinet-Serville,1843*
 1535) **Graphosomini Mulsant & Rey,1865** (Pentatomidae) Synonym(s): *Graphosomatini auct.*;
Graphosomini Mulsant & Rey,1865; *Trigonosomatini Mulsant & Rey,1866*; *Ancyrosomatini Mulsant & Rey,1866*;
Ventocorini Oshanin,1912

- 1536) Podopini Amyot & Audinet-Serville, 1843** (Pentatomidae) Synonym(s): *Podopini Amyot & Audinet-Serville, 1843*
- 1537) Tarisini** (Pentatomidae) Synonym(s):
- 1538) Pentatominae Leach, 1815** (Pentatomidae) Synonym(s): *Pentatominae Leach, 1815*
- 1539) Strachiini Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Strachiini Mulsant & Rey, 1866*
- 1540) Pentatomini Leach, 1815** (Pentatomidae) Synonym(s): *Pentatomini Leach, 1815; Rhaphigastini Amyot & Audinet-Serville, 1843*
- 1541) Piezodorini Atkinson, 1888** (Pentatomidae) Synonym(s): *Piezodorini Atkinson, 1888*
- 1542) Halyini Amyot & Audinet-Serville, 1843** (Pentatomidae) Synonym(s): *Halyini Amyot & Audinet-Serville, 1843*
- 1543) Sciocorini Amyot & Audinet-Serville, 1843** (Pentatomidae) Synonym(s): *Sciocorini Amyot & Audinet-Serville, 1843*
- 1544) Aulacetrini Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Aulacetrini Mulsant & Rey, 1866; Holcogastrini Oshanin, 1906*
- 1545) Aeliini Douglas & Scott, 1865** (Pentatomidae) Synonym(s): *Aeliini Douglas & Scott, 1865*
- 1546) Eysarcorini Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Eysarcorini Mulsant & Rey, 1866*
- 1547) Carpocorini Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Carpocorini Mulsant & Rey, 1866; Rubiconiini Mulsant & Rey, 1866; Dolycorini Yang, 1962*
- 1548) Myrocheini Stal, 1871** (Pentatomidae) Synonym(s): *Myrocheini Stal, 1871; Dorpiini Distant, 1902; Dymantini Distant, 1902*
- 1549) Nezarini Atkinson, 1888** (Pentatomidae) Synonym(s): *Nezarini Atkinson, 1888; Palomenini Yang, 1962*
- 1550) Perilampidae** (Perilampidae) Synonym(s):
- 1551) Perlidae Latreille, 1802** (Perlidae) Synonym(s): *Perlidae Latreille, 1802*
- 1552) Perlinae Latreille, 1802** (Perlidae) Synonym(s): *Perlinae Latreille, 1802*
- 1553) Perlini Latreille, 1802** (Perlidae) Synonym(s): *Perlini Latreille, 1802*
- 1554) Perlodidae Klapalek, 1912** (Perlodidae) Synonym(s): *Perlodidae Klapalek, 1912*
- 1555) Philopotamidae Stephens, 1829** (Philopotamidae) Synonym(s): *Philopotamidae Stephens, 1829*
- 1556) Philopotamoidea Stephens, 1829** (Philopotamoidea) *Philopotamoidea Stephens, 1829*
- 1557) Phoridae Latreille, 1796** (Phoridae) Synonym(s): *Phoridae Latreille, 1796*
- 1558) Phryganeidae Leach, 1815** (Phryganeidae) Synonym(s): *Phryganeidae Leach, 1815*
- 1559) Phryganeoida Leach, 1815** (Phryganeoida) *Phryganeoida Leach, 1815*
- 1560) Piesmatidae Amyot & Serville, 1843** (Piesmatidae) Synonym(s): *Piesmatidae Amyot & Serville, 1843; Zosmenidae Dohrn, 1859; Zosmoridae Douglas & Scott, 1865; Piesmidae Walker, 1873*
- 1561) Piophilidae Macquart, 1835** (Piophilidae) Synonym(s): *Piophilidae Macquart, 1835*
- 1562) Pipunculidae** (Pipunculidae) Synonym(s):
- 1563) Pipunculinae** (Pipunculidae) Synonym(s):
- 1564) Cephalopsini** (Pipunculidae) Synonym(s):
- 1565) Eudorylini** (Pipunculidae) Synonym(s):
- 1566) Tomosvaryellini** (Pipunculidae) Synonym(s):
- 1567) Plataspidae** (Plataspidae) Synonym(s):
- 1568) Platynemidae Tillyard, 1917** (Platynemidae) Synonym(s): *Platynemidae Tillyard, 1917*
- 1569) Platypezidae Fallén, 1815** (Platypezidae) Synonym(s): *Platypezidae Fallén, 1815*
- 1570) Platypezinae Fallén, 1815** (Platypezidae) Synonym(s): *Platypezinae Fallén, 1815*
- 1571) Platypezoidea Fallén, 1815** (Platypezoidea) *Platypezoidea Fallén, 1815*
- 1572) Platystomidae Schiner, 1862** (Platystomidae) Synonym(s): *Platystomidae Schiner, 1862*
- 1573) Pleidae Fieber, 1817** (Pleidae) Synonym(s): *Pleidae Fieber, 1817*
- 1574) Polycentropodidae Ulmer, 1903** (Polycentropodidae) Synonym(s): *Polycentropodidae Ulmer, 1903*
- 1575) Polyphagidae** (Polyphagidae) Synonym(s):
- 1576) Pompilidae Latreille, 1805** (Pompilidae) Synonym(s): *Pompilidae Latreille, 1805*
- 1577) Ceropalinae Radoszkowski, 1888** (Pompilidae) Synonym(s): *Ceropalinae Radoszkowski, 1888*
- 1578) Ctenocerinae** (Pompilidae) Synonym(s):
- 1579) Pepsinae Lepeletier, 1845** (Pompilidae) Synonym(s): *Pepsinae Lepeletier, 1845*
- 1580) Pepsini Lepeletier, 1845** (Pompilidae) Synonym(s): *Pepsini Lepeletier, 1845*
- 1581) Ageniellini** (Pompilidae) Synonym(s):
- 1582) Pompilinae Latreille, 1805** (Pompilidae) Synonym(s): *Pompilinae Latreille, 1805*
- 1583) Aporini** (Pompilidae) Synonym(s):
- 1584) Homonotini** (Pompilidae) Synonym(s):
- 1585) Psammoderini** (Pompilidae) Synonym(s):
- 1586) Pompilini Latreille, 1805** (Pompilidae) Synonym(s): *Pompilini Latreille, 1805*
- 1587) Pompiloidea Latreille, 1805** (Pompiloidea) *Pompiloidea Latreille, 1805*
- 1588) Proctotrupidae** (Proctotrupidae)
- 1589) Pseudococcidae Cockerell, 1899** (Pseudococcidae) Synonym(s): *Pseudococcidae Cockerell, 1899*

- 1590) **Phenacocinae Sulc,1944** (Pseudococcidae) Synonym(s): *Phenacocinae Sulc,1944*
- 1591) **Psilidae** (Psilidae) Synonym(s):
- 1592) **Loxocerinae** (Psilidae) Synonym(s):
- 1593) **Psilinae** (Psilidae) Synonym(s):
- 1594) **Chylizinae** (Psilidae) Synonym(s):
- 1595) **Psychodidae Newman,1834** (Psychodidae) Synonym(s): *Psychodidae Newman,1834*
- 1596) **Psychodinae Newman,1834** (Psychodidae) Synonym(s): *Psychodinae Newman,1834*
- 1597) **Phlebotominae** (Psychodidae) Synonym(s):
- 1598) **Psychomyiidae Walker,1852** (Psychomyiidae) Synonym(s): *Psychomyiidae Walker,1852*
- 1599) **Psyllidae Latreille,1807** (Psyllidae) Synonym(s): *Psyllidae Latreille,1807*
- 1600) **Psylloidea Latreille,1807** (Psylloidea) *Psylloidea Latreille,1807*
- 1601) **Asaphiinae** (Pteromalidae) Synonym(s):
- 1602) **Ceinae** (Pteromalidae) Synonym(s):
- 1603) **Colotrechninae** (Pteromalidae) Synonym(s):
- 1604) **Miscogasterinae** (Pteromalidae) Synonym(s):
- 1605) **Pteromalidae Dalman,1820** (Pteromalidae) Synonym(s): *Pteromalidae Dalman,1820; Lieparini Boucek,1988*
- 1606) **Pteromalinae Dalman,1820** (Pteromalidae) Synonym(s): *Pteromalinae Dalman,1820; Lieparini Boucek,1988*
- 1607) **Spalangiinae** (Pteromalidae) Synonym(s):
- 1608) **Pyrgomorphidae Brunner von Wattenwyl,1874** (Pyrgomorphidae) Synonym(s): *Pyrgomorphidae Brunner von Wattenwyl,1874*
- 1609) **Pyrgomorphae Brunner von Wattenwyl,1874** (Pyrgomorphidae) Synonym(s): *Pyrgomorphae Brunner von Wattenwyl,1874*
- 1610) **Pyrgomorphini Brunner von Wattenwyl,1874** (Pyrgomorphidae) Synonym(s): *Pyrgomorphini Brunner von Wattenwyl,1874*
- 1611) **Pyrgomorphaidea** (Pyrgomorphaidea)
- 1612) **Pyrgomorphaidea Brunner von Wattenwyl,1874** (Pyrgomorphaidea) *Pyrgomorphaidea Brunner von Wattenwyl,1874*
- 1613) **Pyrochroidae** (Pyrochroidae) Synonym(s):
- 1614) **Pyrrhocoridae Amyot & Audinet-Serville,1843** (Pyrrhocoridae) Synonym(s): *Pyrrhocoridae Amyot & Audinet-Serville,1843*
- 1615) **Raphidiidae Latreille,1810** (Raphidiidae) Synonym(s): *Raphidiidae Latreille,1810*
- 1616) **Dolichopodinae Brunner von Wattenwyl,1888** (Raphidophoridae) Synonym(s): *Dolichopodinae Brunner von Wattenwyl,1888; Dolichopodinae auct.*
- 1617) **Raphidophoridae Walker,1871** (Raphidophoridae) Synonym(s): *Raphidophoridae Walker,1871*
- 1618) **Troglophilinae Krauss,1879** (Raphidophoridae) Synonym(s): *Troglophilinae Krauss,1879*
- 1619) **Reduviidae Latreille,1807** (Reduviidae) Synonym(s): *Reduviidae Latreille,1807*
- 1620) **Emesinae Amyot & Audinet-Serville,1843** (Reduviidae) Synonym(s): *Emesinae Amyot & Audinet-Serville,1843*
- 1621) **Harpactorinae Amyot & Audinet-Serville,1843** (Reduviidae) Synonym(s): *Harpactorinae Amyot & Audinet-Serville,1843*
- 1622) **Peiratinae Amyot & Audinet-Serville,1843** (Reduviidae) Synonym(s): *Peiratinae Amyot & Audinet-Serville,1843*
- 1623) **Phymatinae Laporte,1832** (Reduviidae) Synonym(s): *Phymatinae Laporte,1832*
- 1624) **Reduviinae Latreille,1807** (Reduviidae) Synonym(s): *Reduviinae Latreille,1807*
- 1625) **Rhagionidae Latreille,1802** (Rhagionidae) Synonym(s): *Rhagionidae Latreille,1802*
- 1626) **Rhinophoridae R-D.,1830** (Rhinophoridae) Synonym(s): *Rhinophoridae R-D.,1830*
- 1627) **Rhopalidae Amyot & Audinet-Serville,1843** (Rhopalidae) Synonym(s): *Rhopalidae Amyot & Audinet-Serville,1843; Corizidae Costa,1853*
- 1628) **Rhopalinae Amyot & Audinet-Serville,1843** (Rhopalidae) Synonym(s): *Rhopalinae Amyot & Audinet-Serville,1843*
- 1629) **Rhopalini Amyot & Audinet-Serville,1843** (Rhopalidae) Synonym(s): *Rhopalini Amyot & Audinet-Serville,1843*
- 1630) **Chorosomini Douglas & Scott,1865** (Rhopalidae) Synonym(s): *Chorosomini Douglas & Scott,1865*
- 1631) **Macroethini Chopra,1967** (Rhopalidae) Synonym(s): *Macroethini Chopra,1967*
- 1632) **Corizomorphini Kiritshenko,1964** (Rhopalidae) Synonym(s): *Corizomorphini Kiritshenko,1964; Corizomorphini Chopra,1967*
- 1633) **Rhyacophilidae Stephens,1836** (Rhyacophilidae) Synonym(s): *Rhyacophilidae Stephens,1836*
- 1634) **Rhyacophiloidea Stephens,1836** (Rhyacophiloidea) *Rhyacophiloidea Stephens,1836*
- 1635) **Ricaniidae Amyot & Audinet-Serville,1843** (Ricaniidae) Synonym(s): *Ricaniidae Amyot & Audinet-Serville,1843*
- 1636) **Ripiphoridae Gemminger & Harold,1870** (Ripiphoridae) Synonym(s): *Ripiphoridae Gemminger & Harold,1870*

- 1637) **Saldidae** (Saldidae) Synonym(s):
 1638) **Sapygidae** (Sapygidae) Synonym(s):
 1639) **Fedtschenkiinae** (Sapygidae) Synonym(s):
 1640) **Sapyginae** (Sapygidae) Synonym(s):
 1641) **Sarcophagidae Macquart, 1834** (Sarcophagidae) Synonym(s): *Sarcophagidae Macquart, 1834*
 1642) **Miltogramminae** (Sarcophagidae) Synonym(s):
 1643) **Paramacronychiinae Brauer & Bergenstamm, 1889** (Sarcophagidae) Synonym(s):
Paramacronychiinae Brauer & Bergenstamm, 1889
 1644) **Sarcophaginae Macquart, 1834** (Sarcophagidae) Synonym(s): *Sarcophaginae Macquart, 1834*
 1645) **Macronychiinae Brauer & Bergenstamm, 1889** (Sarcophagidae) Synonym(s): *Macronychiinae Brauer & Bergenstamm, 1889*
 1646) **Scarabaeidae Latreille, 1802** (Scarabaeidae) Synonym(s): *Scarabaeidae Latreille, 1802*
 1647) **Scarabaeinae Latreille, 1802** (Scarabaeidae) Synonym(s): *Scarabaeinae Latreille, 1802*
 1648) **Hybosorinae Erichson, 1847** (Scarabaeidae) Synonym(s): *Hybosorinae Erichson, 1847*
 1649) **Coprinae Kolbe, 1905** (Scarabaeidae) Synonym(s): *Coprinae Kolbe, 1905*
 1650) **Euchirinae Burmeister, 1842** (Scarabaeidae) Synonym(s): *Euchirinae Burmeister, 1842*
 1651) **Aphodiinae Leach, 1815** (Scarabaeidae) Synonym(s): *Aphodiinae Leach, 1815*
 1652) **Aphodiini Leach, 1815** (Scarabaeidae) Synonym(s): *Aphodiini Leach, 1815*
 1653) **Melolonthinae Samouelle, 1819** (Scarabaeidae) Synonym(s): *Melolonthinae Samouelle, 1819*
 1654) **Rhizotroginae** (Scarabaeidae) Synonym(s):
 1655) **Pachydeminae Reitter, 1902** (Scarabaeidae) Synonym(s): *Pachydeminae Reitter, 1902*
 1656) **Sericinae Kirby, 1837** (Scarabaeidae) Synonym(s): *Sericinae Kirby, 1837*
 1657) **Hopliinae Latreille, 1829** (Scarabaeidae) Synonym(s): *Hopliinae Latreille, 1829*
 1658) **Cetoniinae Leach, 1815** (Scarabaeidae) Synonym(s): *Cetoniinae Leach, 1815*
 1659) **Dynastinae MacLeay, 1819** (Scarabaeidae) Synonym(s): *Dynastinae MacLeay, 1819*
 1660) **Rutelinae Latreille, 1802** (Scarabaeidae) Synonym(s): *Rutelinae Latreille, 1802*
 1661) **Valginae Mulsant, 1842** (Scarabaeidae) Synonym(s): *Valginae Mulsant, 1842*
 1662) **Valgini Mulsant, 1842** (Scarabaeidae) Synonym(s): *Valgini Mulsant, 1842*
 1663) **Trichiinae** (Scarabaeidae) Synonym(s):
 1664) **Scarabaeoidea Latreille, 1802** (Scarabaeoidea) *Scarabaeoidea Latreille, 1802*
 1665) **Scathophagidae R-D., 1830** (Scathophagidae) Synonym(s): *Scathophagidae R-D., 1830*
 1666) **Scathophaginae R-D., 1830** (Scathophagidae) Synonym(s): *Scathophaginae R-D., 1830*
 1667) **Scathophagini R-D., 1830** (Scathophagidae) Synonym(s): *Scathophagini R-D., 1830*
 1668) **Scelionidae** (Scelionidae) Synonym(s):
 1669) **Schizodactylidae Blanchard, 1845** (Schizodactylidae) Synonym(s): *Schizodactylidae Blanchard, 1845*
 1670) **Sciaridae Billberg, 1820** (Sciaridae) Synonym(s): *Sciaridae Billberg, 1820*
 1671) **Sciarioidea Bilberg, 1820** (Sciarioidea) *Sciarioidea Bilberg, 1820*
 1672) **Sciomyzidae Fallén, 1820** (Sciomyzidae) Synonym(s): *Sciomyzidae Fallén, 1820*
 1673) **Salticellinae** (Sciomyzidae) Synonym(s):
 1674) **Sciomyzinae Fallén, 1820** (Sciomyzidae) Synonym(s): *Sciomyzinae Fallén, 1820*
 1675) **Sciomyzini Fallén, 1820** (Sciomyzidae) Synonym(s): *Sciomyzini Fallén, 1820*
 1676) **Tetanocerini** (Sciomyzidae) Synonym(s):
 1677) **Sciomyzoidea Fallén, 1820** (Sciomyzoidea) *Sciomyzoidea Fallén, 1820*
 1678) **Scirtidae Fleming, 1821** (Scirtidae) Synonym(s): *Scirtidae Fleming, 1821*
 1679) **Scoliidae Latreille, 1802** (Scoliidae) Synonym(s): *Scoliidae Latreille, 1802*
 1680) **Proscoliinae Rasnitsyn, 1977** (Scoliidae) Synonym(s): *Proscoliinae Rasnitsyn, 1977*
 1681) **Scolioidea Latreille, 1802** (Scolioidea) *Scolioidea Latreille, 1802*
 1682) **Scutelleridae Leach, 1815** (Scutelleridae) Synonym(s): *Scutelleridae Leach, 1815*
 1683) **Sepsidae Walker, 1833** (Sepsidae) Synonym(s): *Sepsidae Walker, 1833*
 1684) **Sepsinae Walker, 1833** (Sepsidae) Synonym(s): *Sepsinae Walker, 1833*
 1685) **Sericostomatidae Stephens, 1836** (Sericostomatidae) Synonym(s): *Sericostomatidae Stephens, 1836*
 1686) **Sericostomatoidea Stephens, 1836** (Sericostomatoidea) *Sericostomatoidea Stephens, 1836*
 1687) **Signiphoridae** (Signiphoridae) Synonym(s):
 1688) **Silphidae Latreille, 1807** (Silphidae) Synonym(s): *Silphidae Latreille, 1807*
 1689) **Silphinae Latreille, 1807** (Silphidae) Synonym(s): *Silphinae Latreille, 1807*
 1690) **Nicrophorinae Kirby, 1837** (Silphidae) Synonym(s): *Nicrophorinae Kirby, 1837*
 1691) **Simuliidae Newman, 1834** (Simuliidae) Synonym(s): *Simuliites Newman, 1834*
 1692) **Spercheidae** (Spercheidae) Synonym(s):
 1693) **Sphaeroceridae Macquart, 1835** (Sphaeroceridae) Synonym(s): *Sphaeroceridae Macquart, 1835*
 1694) **Sphaerocerinae Macquart, 1835** (Sphaeroceridae) Synonym(s): *Sphaerocerinae Macquart, 1835*

- 1695) **Limosininae Frey,1921** (Sphaeroceridae) Synonym(s): #*Limosinae Stenhammar,1855*; *Limosininae Frey,1921*; *Leptocerinae Hendel,1928 nec Leach,1815*; *Ceropterinae Vanschuytbroeck,1959*
- 1696) **Copromyzinae Stenhammar,1855** (Sphaeroceridae) Synonym(s): *Copromyzinae Stenhammar,1855*
- 1697) **Sphaeroceroidea Macquart,1835** (Sphaeroceroidea) *Sphaeroceroidea Macquart,1835*
- 1698) **Sphecidae Latreille,1802** (Sphecidae) Synonym(s): *Sphecidae Latreille,1802*
- 1699) **Sphecinae Latreille,1802** (Sphecidae) Synonym(s): *Sphecinae Latreille,1802*
- 1700) **Ammophilinae André,1886** (Sphecidae) Synonym(s): *Ammophilinae André,1886*
- 1701) **Sceliphrinae Ashmead,1899** (Sphecidae) Synonym(s): *Sceliphrinae Ashmead,1899*
- 1702) **Sphecoidea Latreille,1802** (Sphecoidea) *Sphecoidea Latreille,1802*
- 1703) **Spongiphoridae Veroeff,1902** (Spongiphoridae) Synonym(s): *Spongiphoridae Veroeff,1902*
- 1704) **Labiinae Burr,1909** (Spongiphoridae) Synonym(s): *Labiinae Burr,1909*
- 1705) **Staphylinidae Latreille,1802** (Staphylinidae) Synonym(s): *Staphylinidae Latreille,1802*
- 1706) **Aleocharinae Fleming,1821** (Staphylinidae) Synonym(s): *Aleocharinae Fleming,1821*
- 1707) **Gymnusini Heer,1839** (Staphylinidae) Synonym(s): *Gymnusini Heer,1839*
- 1708) **Deinopsini Sharp,1883** (Staphylinidae) Synonym(s): *Deinopsini Sharp,1883*
- 1709) **Myllaenini Ganglbauer,1895** (Staphylinidae) Synonym(s): *Myllaenini Ganglbauer,1895*
- 1710) **Oxypodini Thomson,1859** (Staphylinidae) Synonym(s): *Oxypodini Thomson,1859*
- 1711) **Athetini Casey,1910** (Staphylinidae) Synonym(s): *Athetini Casey,1910*
- 1712) **Aleocharini Fleming,1821** (Staphylinidae) Synonym(s): *Aleocharini Fleming,1821*
- 1713) **Lomechusini Fleming,1821** (Staphylinidae) Synonym(s): *Lomechusini Fleming,1821*
- 1714) **Falagriini Mulsant & Rey,1873** (Staphylinidae) Synonym(s): *Falagriini Mulsant & Rey,1873*
- 1715) **Autaliini Thomson,1859** (Staphylinidae) Synonym(s): *Autaliini Thomson,1859*
- 1716) **Homalotini Heer,1839** (Staphylinidae) Synonym(s): *Homalotini Heer,1839*
- 1717) **Phytosini Thomson,1867** (Staphylinidae) Synonym(s): *Phytosini Thomson,1867*
- 1718) **Pronomaeini Mulsant & Rey,1873** (Staphylinidae) Synonym(s): *Pronomaeini Mulsant & Rey,1873*
- 1719) **Hypocyphtini Laporte,1835** (Staphylinidae) Synonym(s): *Hypocyphtini Laporte,1835*
- 1720) **Dasycerinae Reitter,1887** (Staphylinidae) Synonym(s): *Dasycerinae Reitter,1887*
- 1721) **Euaesthetinae Thomson,1859** (Staphylinidae) Synonym(s): *Euaesthetinae Thomson,1859*
- 1722) **Habrocerinae Mulsant & Rey,1877** (Staphylinidae) Synonym(s): *Habrocerinae Mulsant & Rey,1877*
- 1723) **Leptotyphlinae Fauvel,1874** (Staphylinidae) Synonym(s): *Leptotyphlinae Fauvel,1874*
- 1724) **Entomoculiini Coiffait,1957** (Staphylinidae) Synonym(s): *Entomoculiini Coiffait,1957*
- 1725) **Leptotyphlini Fauvel,1874** (Staphylinidae) Synonym(s): *Leptotyphlini Fauvel,1874*
- 1726) **Metrotaphlini Coiffait,1963** (Staphylinidae) Synonym(s): *Metrotaphlini Coiffait,1963*
- 1727) **Micropeplinae Leach,1815** (Staphylinidae) Synonym(s): *Micropeplinae Leach,1815*
- 1728) **Omaliinae MacLeay,1825** (Staphylinidae) Synonym(s): *Omaliinae MacLeay,1825*
- 1729) **Anthophagini Thomson,1859** (Staphylinidae) Synonym(s): *Anthophagini Thomson,1859*
- 1730) **Omaliini MacLeay,1825** (Staphylinidae) Synonym(s): *Omaliini MacLeay,1825*
- 1731) **Eusphalerini Hatch,1957** (Staphylinidae) Synonym(s): *Eusphalerini Hatch,1957*
- 1732) **Hadrognathini Portevin,1929** (Staphylinidae) Synonym(s): *Hadrognathini Portevin,1929*
- 1733) **Coryphiini Jakobson,1908** (Staphylinidae) Synonym(s): *Coryphiini Jakobson,1908*
- 1734) **Osoriinae Erichson,1839** (Staphylinidae) Synonym(s): *Osoriinae Erichson,1839*
- 1735) **Osoriini Erichson,1839** (Staphylinidae) Synonym(s): *Osoriini Erichson,1839*
- 1736) **Thoracophorini Reitter,1909** (Staphylinidae) Synonym(s): *Thoracophorini Reitter,1909*
- 1737) **Oxyporinae Fleming,1821** (Staphylinidae) Synonym(s): *Oxyporinae Fleming,1821*
- 1738) **Oxytelinae Fleming,1821** (Staphylinidae) Synonym(s): *Oxytelinae Fleming,1821*
- 1739) **Deleasterini Reitter,1909** (Staphylinidae) Synonym(s): *Deleasterini Reitter,1909*
- 1740) **Coprophilini Heer,1839** (Staphylinidae) Synonym(s): *Coprophilini Heer,1839*
- 1741) **Thinobiini Sahlberg,1876** (Staphylinidae) Synonym(s): *Thinobiini Sahlberg,1876*
- 1742) **Oxytelini Fleming,1821** (Staphylinidae) Synonym(s): *Oxytelini Fleming,1821*
- 1743) **Paederinae Fleming,1821** (Staphylinidae) Synonym(s): *Paederinae Fleming,1821*
- 1744) **Paederini Fleming,1821** (Staphylinidae) Synonym(s): *Paederini Fleming,1821*
- 1745) **Astenina Hatch,1957** (Staphylinidae) Synonym(s): *Astenina Hatch,1957*
- 1746) **Cryptobiina Casey,1905** (Staphylinidae) Synonym(s): *Cryptobiina Casey,1905*
- 1747) **Doliceonina Casey,1905** (Staphylinidae) Synonym(s): *Doliceonina Casey,1905*
- 1748) **Lathrobiina Laporte,1835** (Staphylinidae) Synonym(s): *Lathrobiina Laporte,1835*
- 1749) **Medonina Casey,1905** (Staphylinidae) Synonym(s): *Medonina Casey,1905*
- 1750) **Paederina Fleming,1821** (Staphylinidae) Synonym(s): *Paederina Fleming,1821*
- 1751) **Scopaeina Mulsant & Rey,1878** (Staphylinidae) Synonym(s): *Scopaeina Mulsant & Rey,1878*
- 1752) **Stilicina Casey,1905** (Staphylinidae) Synonym(s): *Stilicina Casey,1905*
- 1753) **Pinophilini Nordmann,1837** (Staphylinidae) Synonym(s): *Pinophilini Nordmann,1837*
- 1754) **Piestinae Erichson,1839** (Staphylinidae) Synonym(s): *Piestinae Erichson,1839*

- 1755) **Proteininae Erichson,1839** (Staphylinidae) Synonym(s): *Proteininae Erichson,1839*
- 1756) **Pselaphinae Latreille,1802** (Staphylinidae) Synonym(s): *Pselaphinae Latreille,1802*
- 1757) **Trichonychini Reitter,1882** (Staphylinidae) Synonym(s): *Trichonychini Reitter,1882*
- 1758) **Euplectini LeConte,1861** (Staphylinidae) Synonym(s): *Euplectini LeConte,1861*
- 1759) **Amauropini Jeannel,1948** (Staphylinidae) Synonym(s): *Amauropini Jeannel,1948*
- 1760) **Batrisini Reitter,1882** (Staphylinidae) Synonym(s): *Batrisini Reitter,1882*
- 1761) **Bythinini Raffray,1890** (Staphylinidae) Synonym(s): *Bythinini Raffray,1890*
- 1762) **Tychini Raffray,1904** (Staphylinidae) Synonym(s): *Tychini Raffray,1904*
- 1763) **Brachyglutini Raffray,1904** (Staphylinidae) Synonym(s): *Brachyglutini Raffray,1904*
- 1764) **Faronini Reitter,1882** (Staphylinidae) Synonym(s): *Faronini Reitter,1882*
- 1765) **Pselaphini Latreille,1802** (Staphylinidae) Synonym(s): *Pselaphini Latreille,1802*
- 1766) **Ctenistini Blanchard,1845** (Staphylinidae) Synonym(s): *Ctenistini Blanchard,1845*
- 1767) **Tyrini Reitter,1882** (Staphylinidae) Synonym(s): *Tyrini Reitter,1882*
- 1768) **Clavigerini Leach,1815** (Staphylinidae) Synonym(s): *Clavigerini Leach,1815*
- 1769) **Scaphidiinae Latreille,1807** (Staphylinidae) Synonym(s): *Scaphidiinae Latreille,1807*
- 1770) **Cypariini Achard,1924** (Staphylinidae) Synonym(s): *Cypariini Achard,1924*
- 1771) **Scaphiini Achard,1924** (Staphylinidae) Synonym(s): *Scaphiini Achard,1924*
- 1772) **Scaphidiini Latreille,1807** (Staphylinidae) Synonym(s): *Scaphidiini Latreille,1807*
- 1773) **Scaphisomatini Casey,1894** (Staphylinidae) Synonym(s): *Scaphisomatini Casey,1894*
- 1774) **Staphylininae Latreille,1802** (Staphylinidae) Synonym(s): *Staphylininae Latreille,1802*
- 1775) **Staphylinini Latreille,1802** (Staphylinidae) Synonym(s): *Staphylinini Latreille,1802*
- 1776) **Philonthina Kirby,1837** (Staphylinidae) Synonym(s): *Philonthina Kirby,1837*
- 1777) **Quediina Kraatz,1857** (Staphylinidae) Synonym(s): *Quediina Kraatz,1857*
- 1778) **Staphylinina Latreille,1802** (Staphylinidae) Synonym(s): *Staphylinina Latreille,1802*
- 1779) **Othiini Thomson,1859** (Staphylinidae) Synonym(s):
- 1780) **Steninae MacLeay,1825** (Staphylinidae) Synonym(s): *Steninae MacLeay,1825*
- 1781) **Tachyporinae MacLeay,1825** (Staphylinidae) Synonym(s): *Tachyporinae MacLeay,1825*
- 1782) **Tachyporini MacLeay,1825** (Staphylinidae) Synonym(s): *Tachyporini MacLeay,1825*
- 1783) **Mycetoporini Thomson,1859** (Staphylinidae) Synonym(s): *Mycetoporini Thomson,1859*
- 1784) **Trichophyinae Thomson,1859** (Staphylinidae) Synonym(s): *Trichophyinae Thomson,1859*
- 1785) **Trigonurinae Reiche,1866** (Staphylinidae) Synonym(s): *Trigonurinae Reiche,1866*
- 1786) **Phloeocharinae Erichson,1839** (Staphylinidae) Synonym(s): *Phloeocharinae Erichson,1839*
- 1787) **Pseudopsinae Ganglbauer,1895** (Staphylinidae) Synonym(s): *Pseudopsinae Ganglbauer,1895*
- 1788) **Staphyloidea Latreille,1802** (Staphyloidea) *Staphyloidea Latreille,1802*
- 1789) **Stenocephalidae Dallas,1852** (Stenocephalidae) Synonym(s): *Stenocephalidae Dallas,1852*
- 1790) **Sternorrhyncha** (Sternorrhyncha)
- 1791) **Stratiomyidae Latreille,1804** (Stratiomyidae) Synonym(s): *Stratiomyidae Latreille,1804*
- 1792) **Beridinae Westwood,1838** (Stratiomyidae) Synonym(s): *Beridinae Westwood,1838*
- 1793) **Sarginae Walker,1834** (Stratiomyidae) Synonym(s): *Sarginae Walker,1834*
- 1794) **Stratiomyinae Latreille,1804** (Stratiomyidae) Synonym(s): *Stratiomyinae Latreille,1804*
- 1795) **Clitellariinae Brauer,1882** (Stratiomyidae) Synonym(s): *Clitellariinae Brauer,1882*
- 1796) **Pachygasterinae Loew,1856** (Stratiomyidae) Synonym(s): *Pachygasterinae Loew,1856*
- 1797) **Hermetiinae Loew,1862** (Stratiomyidae) Synonym(s): *Hermetiinae Loew,1862*
- 1798) **Strebliidae Kolenati,1863** (Strebliidae) Synonym(s): *Strebliidae Kolenati,1863*
- 1799) **Nycteriboscinae** (Strebliidae) Synonym(s):
- 1800) **Syrphidae Latreille,1802** (Syrphidae) Synonym(s): *Syrphidae Latreille,1802*
- 1801) **Syrphinae Latreille,1802** (Syrphidae) Synonym(s): *Syrphinae Latreille,1802*
- 1802) **Eumerinae Thompson,1972** (Syrphidae) Synonym(s): *Eumerinae Thompson,1972*
- 1803) **Milesiinae** (Syrphidae) Synonym(s):
- 1804) **Microdontinae** (Syrphidae) Synonym(s):
- 1805) **Tabanidae Latreille,1802** (Tabanidae) Synonym(s): *Tabanidae Latreille,1802*
- 1806) **Pangoninae** (Tabanidae) Synonym(s):
- 1807) **Chrysopsinae** (Tabanidae) Synonym(s):
- 1808) **Tabaninae Latreille,1802** (Tabanidae) Synonym(s): *Tabaninae Latreille,1802*
- 1809) **Tabanoidea Latreille,1802** (Tabanoidea) *Tabanoidea Latreille,1802*
- 1810) **Tachinidae R-D.,1830** (Tachinidae) Synonym(s): *Tachinidae R-D.,1830*
- 1811) **Dexiinae Macquart,1834** (Tachinidae) Synonym(s): *Dexiinae Macquart,1834*
- 1812) **Phasiinae R-D.,1830** (Tachinidae) Synonym(s): *Phasiinae R-D.,1830; Hyalomiyini Liou,1864*
- 1813) **Cylindromyiini** (Tachinidae) Synonym(s):
- 1814) **Leucostomatini** (Tachinidae) Synonym(s):
- 1815) **Exoristinae R-D.,1863** (Tachinidae) Synonym(s): *Exoristinae R-D.,1863*
- 1816) **Exoristini R-D.,1863** (Tachinidae) Synonym(s): *Exoristini R-D.,1863*

- 1817) **Goniini Lioy, 1864** (Tachinidae) Synonym(s): *Goniini Lioy, 1864*
- 1818) **Tachininae R-D., 1830** (Tachinidae) Synonym(s): *Tachininae R-D., 1830*
- 1819) **Tachinini R-D., 1830** (Tachinidae) Synonym(s): *Tachinini R-D., 1830*
- 1820) **Macquartiini R-D., 1830** (Tachinidae) Synonym(s): *Macquartiini R-D., 1830*
- 1821) **Micropalpini R-D., 1863** (Tachinidae) Synonym(s): *Micropalpini R-D., 1863; Linnaemyini Townsend, 1919; Linnaemyini Malloch, 1929*
- 1822) **Minthoini Brauer & Bergenstamm, 1889** (Tachinidae) Synonym(s): *Minthoini Brauer & Bergenstamm, 1889*
- 1823) **Loewiini Brauer & Bergenstamm, 1891** (Tachinidae) Synonym(s): *Loewiini Brauer & Bergenstamm, 1891*
- 1824) **Taeniopterygidae Klapalek, 1905** (Taeniopterygidae) Synonym(s): *Taeniopterygidae Klapalek, 1905*
- 1825) **Brachypterinae Zwick, 1973** (Taeniopterygidae) Synonym(s): *Brachypterinae Zwick, 1973*
- 1826) **Taeniopteryginae Klapalek, 1905** (Taeniopterygidae) Synonym(s): *Taeniopteryginae Klapalek, 1905*
- 1827) **Tenebrionidae Latreille, 1802** (Tenebrionidae) Synonym(s): *Tenebrionidae Latreille, 1802*
- 1828) **Lagriinae Latreille, 1825** (Tenebrionidae) Synonym(s): *Lagriinae Latreille, 1825*
- 1829) **Cossyphini Latreille, 1802** (Tenebrionidae) Synonym(s): *Cossyphini Latreille, 1802*
- 1830) **Adeliini Hope, 1840** (Tenebrionidae) Synonym(s): *Adeliini Hope, 1840*
- 1831) **Pimeliinae Latreille, 1802** (Tenebrionidae) Synonym(s): *Pimeliinae Latreille, 1802*
- 1832) **Erodiini Billberg, 1820** (Tenebrionidae) Synonym(s): *Erodiini Billberg, 1820*
- 1833) **Zophosini Solier, 1834** (Tenebrionidae) Synonym(s): *Zophosini Solier, 1834*
- 1834) **Tentyriini Eschscholtz, 1831** (Tenebrionidae) Synonym(s): *Tentyriini Eschscholtz, 1831*
- 1835) **Adesmiini Lacordaire, 1859** (Tenebrionidae) Synonym(s): *Adesmiini Lacordaire, 1859*
- 1836) **Adelostomini Solier, 1834** (Tenebrionidae) Synonym(s): *Adelostomini Solier, 1834*
- 1837) **Stenosini Lacordaire, 1859** (Tenebrionidae) Synonym(s): *Stenosini Lacordaire, 1859*
- 1838) **Ceratanisini Gebien, 1937** (Tenebrionidae) Synonym(s): *Ceratanisini Gebien, 1937*
- 1839) **Akidini Billberg, 1820** (Tenebrionidae) Synonym(s): *Akidini Billberg, 1820*
- 1840) **Pimeliini Latreille, 1802** (Tenebrionidae) Synonym(s): *Pimeliini Latreille, 1802*
- 1841) **Boletophaginae Kirby, 1837** (Tenebrionidae) Synonym(s): *Boletophaginae Kirby, 1837*
- 1842) **Boletophagini Kirby, 1837** (Tenebrionidae) Synonym(s): *Boletophagini Kirby, 1837; Rhipidandrini LeConte, 1862*
- 1843) **Diaperinae Latreille, 1802** (Tenebrionidae) Synonym(s): *Diaperinae Latreille, 1802*
- 1844) **Phaleriini Blanchard, 1845** (Tenebrionidae) Synonym(s): *Phaleriini Blanchard, 1845*
- 1845) **Diaperini Latreille, 1802** (Tenebrionidae) Synonym(s): *Diaperini Latreille, 1802*
- 1846) **Crypticini Brullé, 1832** (Tenebrionidae) Synonym(s): *Crypticini Brullé, 1832*
- 1847) **Trachyscelini Blanchard, 1845** (Tenebrionidae) Synonym(s): *Trachyscelini Blanchard, 1845*
- 1848) **Opatrinae Brullé, 1832** (Tenebrionidae) Synonym(s): *Opatrinae Brullé, 1832*
- 1849) **Opatrini Brullé, 1832** (Tenebrionidae) Synonym(s): *Opatrini Brullé, 1832*
- 1850) **Melanimini Seidlitz, 1894** (Tenebrionidae) Synonym(s): *Melanimini Seidlitz, 1894*
- 1851) **Dendarini Seidlitz, 1889** (Tenebrionidae) Synonym(s): *Dendarini Seidlitz, 1889*
- 1852) **Pedinini Eschscholtz, 1829** (Tenebrionidae) Synonym(s): *Pedinini Eschscholtz, 1829*
- 1853) **Leichenini Mulsant & Rey, 1854** (Tenebrionidae) Synonym(s): *Leichenini Mulsant & Rey, 1854*
- 1854) **Tenebrioninae Latreille, 1802** (Tenebrionidae) Synonym(s): *Tenebrioninae Latreille, 1802*
- 1855) **Blaptini Leach, 1815** (Tenebrionidae) Synonym(s): *Blaptini Leach, 1815*
- 1856) **Ulomini Blanchard, 1845** (Tenebrionidae) Synonym(s): *Ulomini Blanchard, 1845*
- 1857) **Helopini Latreille, 1802** (Tenebrionidae) Synonym(s): *Helopini Latreille, 1802; Nephodini Reitter, 1917*
- 1858) **Cylindronotini Espanol, 1956** (Tenebrionidae) Synonym(s): *Cylindronotini Espanol, 1956*
- 1859) **Triboliini Mulsant & Rey, 1854** (Tenebrionidae) Synonym(s): *Triboliini Mulsant & Rey, 1854*
- 1860) **Alphitobiini Reitter, 1917** (Tenebrionidae) Synonym(s): *Alphitobiini Reitter, 1917*
- 1861) **Tenebrionini Latreille, 1802** (Tenebrionidae) Synonym(s): *Tenebrionini Latreille, 1802*
- 1862) **Toxicini Lacordaire, 1859** (Tenebrionidae) Synonym(s): *Toxicini Lacordaire, 1859*
- 1863) **Stenochiinae Kirby, 1837** (Tenebrionidae) Synonym(s): *Stenochiinae Kirby, 1837*
- 1864) **Cnodalonini Gistel, 1856** (Tenebrionidae) Synonym(s): *Cnodalonini Gistel, 1856; Coelometopini Lacordaire, 1859*
- 1865) **Alleculinae Laporte, 1840** (Tenebrionidae) Synonym(s): *Alleculinae Laporte, 1840*
- 1866) **Cteniopodini Solier, 1835** (Tenebrionidae) Synonym(s): *Cteniopodini Solier, 1835*
- 1867) **Tenebrionoidea Latreille, 1802** (Tenebrionoidea) *Tenebrionoidea Latreille, 1802*
- 1868) **Tenthredinidae Latreille, 1802** (Tenthredinidae) Synonym(s): *Tenthredinidae Latreille, 1802*
- 1869) **Tenthredininae Latreille, 1802** (Tenthredinidae) Synonym(s): *Tenthredininae Latreille, 1802*
- 1870) **Blennocampinae Konow, 1890** (Tenthredinidae) Synonym(s): *Blennocampinae Konow, 1890*
- 1871) **Dolerinae** (Tenthredinidae) Synonym(s):

- 1872) Nematinae** (Tenthredinidae) Synonym(s):
1873) Selandrinae (Tenthredinidae) Synonym(s):
1874) Allantinae (Tenthredinidae) Synonym(s):
1875) Heterarthrinae (Tenthredinidae) Synonym(s):
1876) Tenthredioidea Latreille, 1802 (Tenthredioidea) *Tenthredioidea Latreille, 1802*
1877) Tephritidae Newman, 1834 (Tephritidae) Synonym(s): *Tephritidae Newman, 1834*
1878) Tephritinae Newman, 1834 (Tephritidae) Synonym(s): *Tephritinae Newman, 1834*
1879) Tephritini Newman, 1834 (Tephritidae) Synonym(s): *Tephritini Newman, 1834*
1880) Noetini Norrbom & Korneyev, 1999 (Tephritidae) Synonym(s): *Noetini Norrbom & Korneyev, 1999*
1881) Aciurinae M. Hering, 1941 (Tephritidae) Synonym(s): *Aciurinae M. Hering, 1941*
1882) Myopitinae Bezzi, 1910 (Tephritidae) Synonym(s): *Myopitinae Bezzi, 1910*
1883) Terelliinae Hendel, 1927 (Tephritidae) Synonym(s): *Terelliinae Hendel, 1927*
1884) Trypetinae Loew, 1861 (Tephritidae) Synonym(s): *Trypetinae Loew, 1861*
1885) Trypetini Loew, 1861 (Tephritidae) Synonym(s): *Trypetini Loew, 1861*
1886) Carpomyini Norrbom (Tephritidae) Synonym(s):
1887) Carpomyina Norrbom (Tephritidae) Synonym(s):
1888) Dacinae Loew, 1862 (Tephritidae) Synonym(s): *Dacinae Loew, 1862*
1889) Dacini Loew, 1862 (Tephritidae) Synonym(s): *Dacini Loew, 1862*
1890) Ceratitidini (Tephritidae) Synonym(s):
1891) Xyphosiini Hendel, 1927 (Tephritidae) Synonym(s): *Xyphosiini Hendel, 1927*
1892) Tephritoidea Newman, 1834 (Tephritoidea) *Tephritoidea Newman, 1834*
1893) Tethinidae Hendel, 1916 (Tethinidae) Synonym(s): *Tethinidae Hendel, 1916*
1894) Tethininae Hendel, 1916 (Tethinidae) Synonym(s): *Tethininae Hendel, 1916*
1895) Tetracampidae (Tetracampidae) Synonym(s):
1896) Tetrigidae Audinet-Serville, 1838 (Tetrigidae) Synonym(s): *Tetrigidae Audinet-Serville, 1838*
1897) Tetrigoidea (Tetrigoidea)
1898) Tettigometridae Germar, 1821 (Tettigometridae) Synonym(s): *Tettigometridae Germar, 1821*
1899) Acrometopini Brunner von Wattenwyl, 1878 (Tettigoniidae) Synonym(s): *Acrometopini Brunner von Wattenwyl, 1878*
1900) Bradyporinae Burmeister, 1838 (Tettigoniidae) Synonym(s): *Bradyporinae Burmeister, 1838; Callimeninae Brunner von Wattenwyl, 1882*
1901) Bradyporini Burmeister, 1838 (Tettigoniidae) Synonym(s): *Bradyporinae Burmeister, 1838; Callimeninae Brunner von Wattenwyl, 1882*
1902) Conocephalinae Burmeister, 1838 (Tettigoniidae) Synonym(s): *Conocephalinae Burmeister, 1838*
1903) Decticini Brunner von Wattenwyl, 1893 (Tettigoniidae) Synonym(s): *Decticini Brunner von Wattenwyl, 1893*
1904) Drymadusini Uvarov, 1924 (Tettigoniidae) Synonym(s): *Drymadusae Uvarov, 1924; Bergiolini Storozhenko, 1994*
1905) Ephippigerini Brunner von Wattenwyl, 1878 (Tettigoniidae) Synonym(s): *Ephippigerini Brunner von Wattenwyl, 1878*
1906) Gampsocleidini Brunner von Wattenwyl, 1878 (Tettigoniidae) Synonym(s): *Gampsocleidini Brunner von Wattenwyl, 1878*
1907) Meconematinae Burmeister, 1838 (Tettigoniidae) Synonym(s): *Meconematinae Burmeister, 1838*
1908) Phaneropterinae Burmeister, 1838 (Tettigoniidae) Synonym(s): *Phaneropterinae Burmeister, 1838*
1909) Phaneropterini Burmeister, 1838 (Tettigoniidae) Synonym(s): *Phaneropterini Burmeister, 1838*
1910) Pholidopterini Beier, 1954 (Tettigoniidae) Synonym(s): *Pholidopterini Beier, 1954*
1911) Platycleidini Brunner von Wattenwyl, 1893 (Tettigoniidae) Synonym(s): *Platycleidini Brunner von Wattenwyl, 1893*
1912) Saginae Brunner-Wattenwyl, 1878 (Tettigoniidae) Synonym(s): *Saginae Brunner-Wattenwyl, 1878*
1913) Tettigoniidae Krauss, 1902 (Tettigoniidae) Synonym(s): *Decticidae Brunner von Wattenwyl, 1893; Phasgonurinae Karsch, 1893; Tettigoniinae Krauss, 1902*
1914) Tettigoniinae Krauss, 1902 (Tettigoniidae) Synonym(s): *Decticidae Brunner von Wattenwyl, 1893; Phasgonurinae Karsch, 1893; Tettigoniinae Krauss, 1902*
1915) Tettigoniini Krauss, 1902 (Tettigoniidae) Synonym(s): *Tettigoniini Krauss, 1902*
1916) Tylopsini Jacobson, 1905 (Tettigoniidae) Synonym(s): *Tylopsini Jacobson, 1905*
1917) Therevidae Burmeister, 1837 (Therevidae) Synonym(s): *Therevidae Burmeister, 1837*
1918) Therevinae Burmeister, 1837 (Therevidae) Synonym(s): *Therevinae Burmeister, 1837*
1919) Thripidae (Thripidae) Synonym(s):
1920) Tingidae Laporte, 1832 (Tingidae) Synonym(s): *Tingidae Laporte, 1832*
1921) Tiphidae (Tiphidae) Synonym(s):
1922) Tiphinae (Tiphidae) Synonym(s): *Tiphinae; Silifkinae Argaman & Özbek, 1992*
1923) Myzininae (Tiphidae) Synonym(s):

- 1924) Methochinae** (Tiphidae) Synonym(s):
1925) Tiphioidea (Tiphioidea)
1926) Tipulidae Latreille, 1802 (Tipulidae) Synonym(s): *Tipulidae Latreille, 1802*
1927) Torymidae (Torymidae) Synonym(s):
1928) Trichoceridae Rondani, 1841 (Trichoceridae) Synonym(s): *Trichoceridae Rondani, 1841; Musidoromimidae Rohdendorf, 1962*
1929) Trichoceroidea Rondani, 1841 (Trichoceroidea) *Trichoceroidea Rondani, 1841; Musidoromimidae Rohdendorf, 1962*
1930) Trichogrammatidae Haliday & Walker, 1851 (Trichogrammatidae) Synonym(s): *Trichogrammatidae Haliday & Walker, 1851*
1931) Tridactylidae Saussure, 1874 (Tridactylidae) Synonym(s): *Tridactylidae Saussure, 1874*
1932) Tridactylinae Saussure, 1874 (Tridactylidae) Synonym(s): *Tridactylinae Saussure, 1874*
1933) Dentractylinae Günther, 1979 (Tridactylidae) Synonym(s): *Dentractylinae Günther, 1979*
1934) Tridactyloidea Brullé, 1835 (Tridactyloidea) *Tridactyloidea Brullé, 1835*
1935) Triozidae (Triozidae) Synonym(s):
1936) Trixoscelidae Hendel, 1916 (Trixoscelidae) Synonym(s): *Trixoscelidae Hendel, 1916*
1937) Tropiduchidae Stal, 1866 (Tropiduchidae) Synonym(s): *Tropiduchidae Stal, 1866*
1938) Uenoidae Iwata, 1927 (Uenoidae) Synonym(s): *Uenoidae Iwata, 1927*
1939) Ulidiidae Macquart, 1835 (Ulidiidae) Synonym(s): *Ulidiidae Macquart, 1835*
1940) Otitinae (Ulidiidae) Synonym(s):
1941) Otitini (Ulidiidae) Synonym(s):
1942) Ulidiinae Macquart, 1835 (Ulidiidae) Synonym(s): *Ulidiinae Macquart, 1835*
1943) Seiopterini (Ulidiidae) Synonym(s):
1944) Ulidiini Macquart, 1835 (Ulidiidae) Synonym(s): *Ulidiini Macquart, 1835*
1945) Veliidae Amyot & Audinet-Serville, 1843 (Veliidae) Synonym(s): *Veliidae Amyot & Audinet-Serville, 1843*
1946) Microveliinae (Veliidae) Synonym(s):
1947) Veliinae Amyot & Audinet-Serville, 1843 (Veliidae) Synonym(s): *Veliinae Amyot & Audinet-Serville, 1843*
1948) Vermileonidae Nagatomi, 1977 (Vermileonidae) Synonym(s): *Vermileonidae Nagatomi, 1977*
1949) Vespidae (Vespidae) Synonym(s):
1950) Vespinae (Vespidae) Synonym(s):
1951) Masarinae Latreille, 1802 (Vespidae) Synonym(s): *Masarides Latreille, 1802; Mazaridinae Schulz, 1911; Celonitinae Börner, 1919; Saryarinae Kuznetsov, 1923*
1952) Eumeninae (Vespidae) Synonym(s):
1953) Polistinae Lepeletier, 1836 (Vespidae) Synonym(s): *Polistinae Lepeletier, 1836*
1954) Xyelidae (Xyelidae) Synonym(s):
1955) Xylomyidae (Xylomyidae) Synonym(s):

List of the genus group names of the *Pterygota* of Turkey

Genus group names (genus, subgenus, and section) recorded in Turkey so far are represented by 5905 valid names. Below, these names listed alphabetically together with synonyms, under the two different titles; namely, Lepidoptera, and other pterygot orders.

Lepidoptera

- 1) Adela Latreille, 1796** (Adelidae) Synonym(s): *Adela Latreille, 1796; Capillaria Haworth, [1828] nec Zeder, 1800; Metallitis Sodoffsky, 1837; Aedilis Gistel, 1848 nec Audin.-Serv., 1835*
- 2) Cauchas Zeller, 1839** (Adelidae) Synonym(s): *Cauchas Zeller, 1839; Cyanauges Braun, 1919 nec Philippi, 1865; Chalceopla Braun, 1921*
- 3) Nematopogon Zeller, 1839** (Adelidae) Synonym(s): *Nemophora Hübner, [1825] nec Hoffmanns., 1798; Nematopogon Zeller, 1839*
- 4) Nemophora Hoffmannsegg, 1798** (Adelidae) Synonym(s): *Nemophora Hoffmannsegg, 1798; Elasmion Hübner, 1822; Nemotois Hübner, [1825]; Eutyphia Hübner, [1825]; Epityphia Hübner, [1825]; Nematophora Agassiz, 1847 nec Gry., 1840; Uعتia Walker, 1866; Trichofrons Amsel, 1937*

- 5) **Blastodacna Wocke,[1876]** (Agonoxenidae) Synonym(s): *Blastodacna Wocke,[1876]*; *Sinitinea Yang,1977*
- 6) **Chrysoclista Stainton,1854** (Agonoxenidae) Synonym(s): *Chrysoclista Stainton,1854*
- 7) **Haplochrois Meyrick,1897** (Agonoxenidae) Synonym(s): *Aetia Chambers,1880 nec Agass.,1847*; *Haplochrois Meyrick,1897*; *Rhadinastis Meyrick,1897*; *Tetanocentria Rebel,1902*; *Platybathra Meyrick,1911*; *Parametriotes Kuznetsov,1916*; *Synteternis Meyrick,1922*
- 8) **Heinemannia Wocke,[1876]** (Agonoxenidae) Synonym(s): *Tebenna Hübner,[1825] nec Billb.,1820*; *Heinemannia Wocke,[1876]*
- 9) **Spuleria Hofmann,1898** (Agonoxenidae) Synonym(s): *Spuleria Hofmann,1898*
- 10) **Alucita Linnaeus,1758** (Alucitidae) Synonym(s): *Alucita Linnaeus,1758*; *Orneodes Latreille,1796*; *Rhipidophora Hübner,1822*; *Euchiradia Hübner,[1825]*; *Alucitina Heydenreich,1851*.
- 11) **Andala Walker,1855** (Arctiidae) Synonym(s): *Andala Walker,1855*; *Spilarctia Staudinger,1892 nec Butl.,1875*; *Nebrarctia A.Watson,1980*
- 12) **Arctia (Epicallia) Hübner,[1820]** (Arctiidae) Synonym(s): *Epicallia Hübner,[1820]*
- 13) **Arctia (Eucharia) Hübner,[1820]** (Arctiidae) Synonym(s): *Eucharia Hübner,[1820]*.
- 14) **Arctia Schrank,1802** (Arctiidae) Synonym(s): *Arctia Schrank,1802*; *Hypercombe Hübner,[1806] (rejected)*; *Eyprepia Ochsenheimer,1810*; *Euprepia Hübner,[1819]*; *Zoote Hübner,[1820]*; *Chelonia Godart,[1823]*; *Arctinia Eichwald,1830*; *Callarctia Packard,1864*.
- 15) **Atolmis Hübner,[1819]** (Arctiidae) Synonym(s): *Atolmis Hübner,[1819]*; *Gnophria Stephens,1829*
- 16) **Axiopoea Ménétriés,1842** (Arctiidae) Synonym(s): *Axiopoea Ménétriés,1842*
- 17) **Callimorpha Latreille,1809** (Arctiidae) Synonym(s): *Callimorpha Latreille,1809*; *Panaxia Tams,1939*.
- 18) **Chelis Rambur,1866** (Arctiidae) Synonym(s): *Chelis Rambur,1866*
- 19) **Collita Moore,1878** (Arctiidae) Synonym(s): *Collita Moore,1878*
- 20) **Coscinia Hübner,[1819]** (Arctiidae) Synonym(s): *Coscinia Hübner,[1819]*
- 21) **Cybosia Hübner,[1819]** (Arctiidae) Synonym(s): *Cybosia Hübner,[1819]*; *Ecteina Rambur,1866*
- 22) **Cymbalophora Rambur,1866** (Arctiidae) Synonym(s): *Tympanophora Laboulbène,1865 nec White,1841*; *Cymbalophora Rambur,1866*
- 23) **Diacrisia Hübner,[1819]** (Arctiidae) Synonym(s): *Diacrisia Hübner,[1819]*; *Euthemonia Stephens,1828*; *Elpis Dyar,1893*.
- 24) **Diaphora Hübner,1818** (Arctiidae) Synonym(s): *Diaphora Hübner,1818*
- 25) **Eilema Hübner,[1819]** (Arctiidae) Synonym(s): *Eilema Hübner,[1819]*; *Piesta Billberg,1820*; *Hilema Agassiz,1847*; *Ilema Hampson,1900*; *Lophilema Aurivillius,1910*
- 26) **Epatolmis Butler,1877** (Arctiidae) Synonym(s): *Epatolmis Butler,1877*
- 27) **Euplagia Hübner,[1820]** (Arctiidae) Synonym(s): *Euplagia Hübner,[1820]*
- 28) **Hyphantria Harris,1841** (Arctiidae) Synonym(s): *Hyphantria Harris,1841*
- 29) **Hyphoraia Hübner,[1820]** (Arctiidae) Synonym(s): *Hyphoraia Hübner,[1820]*
- 30) **Katha Moore,1878** (Arctiidae) Synonym(s): *Katha Moore,1878*
- 31) **Lacydes Walker,1855** (Arctiidae) Synonym(s): *Lacydes Walker,1855*; *Acymba Rambur,1866*; *Palparctia Spuler,1906*; *Volgarctia Alpheraky,1908*.
- 32) **Lithosia Fabricius,1798** (Arctiidae) Synonym(s): *Lithosia Fabricius,1798*; *Lithosis Billberg,1820*; *Lichenia Sodoffsky,1837*.
- 33) **Miltochrista Hübner,[1819]** (Arctiidae) Synonym(s): *Miltochrista Hübner,[1819]*; *Calligenia Duponchel,1844*; *Barsine Walker,1854*; *Sesapa Walker,1854*; *Ammatho Walker,1855*; *Cabarda Walker,1863*; *Castabala Walker,1864*; *Korawa Moore,1878*; *Mahavira Moore,1878*; *Gurna Swinhoe,1892*
- 34) **Muscula Koçak,1991** (Arctiidae) Synonym(s): *Muscula Koçak,1991*
- 35) **Nudaria Haworth,[1809]** (Arctiidae) Synonym(s): *Nudaria Haworth,[1809]*
- 36) **Ocnogyna (Somatotrichia) Kirby,1892** (Arctiidae) Synonym(s): *Trichosoma Rambur,1832 nec Rudolph,1819*; *Somatotrichia Kirby,1892*
- 37) **Ocnogyna (s.str.) Lederer,1853** (Arctiidae) Synonym(s): *Ocnogyna Lederer,1853*
- 38) **Ocnogyna Lederer,1853** (Arctiidae) Synonym(s): *Ocnogyna Lederer,1853*
- 39) **Paidia (Conjuncta) Koçak,1991** (Arctiidae) Synonym(s): *Conjuncta Koçak,1991*
- 40) **Paidia Hübner,[1819]** (Arctiidae) Synonym(s): *Paidia Hübner,[1819]*
- 41) **Parasemia Hübner,[1820]** (Arctiidae) Synonym(s): *Parasemia Hübner,[1820]*
- 42) **Pelosia Hübner,[1819]** (Arctiidae) Synonym(s): *Pelosia Hübner,[1819]*
- 43) **Phragmatobia Stephens,1828** (Arctiidae) Synonym(s): *Phragmatobia Stephens,1828*
- 44) **Rhyparia Hübner,[1825]** (Arctiidae) Synonym(s): *Rhyparia Hübner,[1825]*
- 45) **Setina Schrank,1802** (Arctiidae) Synonym(s): *Setina Schrank,1802*; *Endrosa Hübner,[1819]*; *Philea Zetterstedt,1839*
- 46) **Spilarctia Butler,1875** (Arctiidae) Synonym(s): *Spilarctia Butler,1875*; *#Spilaretia Lewvanich,2001*
- 47) **Spilosoma Curtis,1825** (Arctiidae) Synonym(s): *Olistheria Hübner,[1820]*; *Spilosoma Curtis,1825*; *Rhagonis Walker,1862*; *Spilarctia Butler,1875*; *Thanatarctia Butler,1877*
- 48) **Spiris Hübner,[1819]** (Arctiidae) Synonym(s): *Spiris Hübner,[1819]*; *Callopis Billberg,1820*; *Eulepia Curtis,1825*; *Emydia Boisduval,1828*.

- 49) **Thumatha Walker, 1866** (Arctiidae) Synonym(s): *Thumatha* Walker, 1866; *Pelobrochis* Lucas, 1892; *Dictenus* Butler, 1897.
- 50) **Tyria Hübner, [1819]** (Arctiidae) Synonym(s): *Hipocrita* Hübner, [1808] (rejected name); *Tyria* Hübner, [1819]; *Euchelia* Boisduval, 1828.
- 51) **Utetheisa Hübner, [1819]** (Arctiidae) Synonym(s): *Utetheisa* Hübner, [1819]; *Deiopeia* Curtis, 1827.
- 52) **Watsonarctia Freina & Witt, 1984** (Arctiidae) Synonym(s): *Watsonarctia* Freina & Witt, 1984; *Eurachia* Dubatolov, 1985; *Eucastana* Leraut, 1985.
- 53) **Wittia de Freina, 1980** (Arctiidae) Synonym(s): *Systropha* Hübner, [1819] nec Illig., 1806; *Wittia* de Freina, 1980; *Strysopha* Arora & Chaudhury, 1982.
- 54) **Aglais Dalman, 1816** (Argynnidae) Synonym(s): *Aglais* Dalman, 1816; *Ichnusa* Reuss, 1939.
- 55) **Apatura Fabricius, 1807** (Argynnidae) Synonym(s): *Apatura* Fabricius, 1807.
- 56) **Araschnia Hübner, [1819]** (Argynnidae) Synonym(s): *Araschnia* Hübner, [1819].
- 57) **Argynnis (Fabriciana) Reuss, 1920** (Argynnidae) Synonym(s): *Fabriciana* Reuss, 1920; *Profabriciana* Reuss, 1926.
- 58) **Argynnis (Pandoriana) B.C.S. Warren, 1942** (Argynnidae) Synonym(s): *Pandoriana* B.C.S. Warren, 1942.
- 59) **Argynnis (Speyeria) Scudder, 1872** (Argynnidae) Synonym(s): *Speyeria* Scudder, 1872; *Mesoacidalia* Reuss, 1926.
- 60) **Argynnis (s.str.) Fabricius, 1807** (Argynnidae) Synonym(s): *Argynnis* Fabricius, 1807; *Mesodryas* Reuss, 1927.
- 61) **Argynnis Fabricius, 1807** (Argynnidae) Synonym(s): *Argynnis* Fabricius, 1807; *Mesodryas* Reuss, 1927.
- 62) **Boloria (Clossiana) Reuss, 1920** (Argynnidae) Synonym(s): *Clossiana* Reuss, 1920.
- 63) **Boloria (Proclossiana) Reuss, 1926** (Argynnidae) Synonym(s): *Proclossiana* Reuss, 1926.
- 64) **Boloria (s.str.) Moore, [1900]** (Argynnidae) Synonym(s): *Boloria* Moore, [1900]; *Smoljana* Slivov, 1995.
- 65) **Boloria Moore, [1900]** (Argynnidae) Synonym(s): *Boloria* Moore, [1900]; *Smoljana* Slivov, 1995.
- 66) **Brenthis Hübner, [1819]** (Argynnidae) Synonym(s): *Brenthis* Hübner, [1819]; *Neobrenthis* Koçak, 1980.
- 67) **Charaxes Ochsenheimer, 1816** (Argynnidae) Synonym(s): *Charaxes* Ochsenheimer, 1816; *Paphia* Fabricius, 1807 nec Röding, 1798 (rejected); *Jasia* Swainson, 1832.
- 68) **Euapatura Ebert, 1971** (Argynnidae) Synonym(s): *Euapatura* Ebert, 1971; *Protapatura* Igarashi, 1971.
- 69) **Euphydryas (Eurodryas) Higgins, 1978** (Argynnidae) Synonym(s): *Eurodryas* Higgins, 1978; *Oreodryas* Lastukhin, 2008; *Taigadryas* Lastukhin, 2008; *Protodryas* Lastukhin, 2008 nec Reuss, 1928; *Afrodryas* Lastukhin, 2008.
- 70) **Euphydryas (Hypodryas) Higgins, 1978** (Argynnidae) Synonym(s): *Hypodryas* Higgins, 1978; *Neodryas* Lastukhin, 2008; *Cryodryas* Lastukhin, 2008.
- 71) **Hypolimnas Hübner, [1819]** (Argynnidae) Synonym(s): *Hypolimnas* Hübner, [1819]; *Diadema* Boisduval, [1832]; *Eucalia* Felder, 1861; *Euralia* Westwood, [1850].
- 72) **Inachis Hübner, [1819]** (Argynnidae) Synonym(s): *Inachis* Hübner, [1819].
- 73) **Issoria Hübner, [1819]** (Argynnidae) Synonym(s): *Issoria* Hübner, [1819]; *Rathora* Moore, [1900]; *Yramea* Reuss, 1920; *Kukenthaliella* Reuss, 1921; *Prokuekenthaliella* Reuss, 1926; *Pseudorathora* Reuss, 1926; *Chilargynnis* Bryk, 1945.
- 74) **Limenitis (Azuritis) Boudinot, 1986** (Argynnidae) Synonym(s): *Azuritis* Boudinot, 1986.
- 75) **Limenitis (Ladoga) Moore, [1898]** (Argynnidae) Synonym(s): *Ladoga* Moore, [1898].
- 76) **Melitaea (Cinclidia) Hübner, [1819]** (Argynnidae) Synonym(s): *Cinclidia* Hübner, [1819].
- 77) **Melitaea (Didymaeformis) Verity, 1950** (Argynnidae) Synonym(s): *Didymaeformis* Verity, 1950.
- 78) **Melitaea (Melicta) Billberg, 1820** (Argynnidae) Synonym(s): *Melicta* Billberg, 1820.
- 79) **Melitaea (s.str.) Fabricius, 1807** (Argynnidae) Synonym(s): *Melitaea* Fabricius, 1807.
- 80) **Melitaea Fabricius, 1807** (Argynnidae) Synonym(s): *Melitaea* Fabricius, 1807; *Lucina* Rafinesque, 1815; *Schoenis* Hübner, [1819]; *Melinaea* Sodoffsky, 1837.
- 81) **Neptis (s.str.) Fabricius, 1807** (Argynnidae) Synonym(s): *Neptis* Fabricius, 1807; *Philonoma* Billberg, 1820; *Paraneptis* Moore, [1898]; *Kalkasia* Moore, [1898]; *Hamadryodes* Moore, [1898]; *Bimbisara* Moore, [1898]; *Stabrobates* Moore, [1898]; *Rasalia* Moore, [1898]; *Neptidomina* Holland, 1920.
- 82) **Neptis Fabricius, 1807** (Argynnidae) Synonym(s): *Neptis* Fabricius, 1807; *Philonoma* Billberg, 1820; *Paraneptis* Moore, [1898]; *Kalkasia* Moore, [1898]; *Hamadryodes* Moore, [1898]; *Bimbisara* Moore, [1898]; *Stabrobates* Moore, [1898]; *Rasalia* Moore, [1898]; *Neptidomina* Holland, 1920.
- 83) **Nymphalis Kluk, 1802** (Argynnidae) Synonym(s): *Nymphalis* Kluk, 1802; *Hamadryas* Hübner, [1806]; *Scudderia* Grote, 1873 nec Stal, 1873; *Euvanessa* Scudder, 1889; *Antiopana* Korb, 2005.
- 84) **Polygonia (Comma) Rennie, 1832** (Argynnidae) Synonym(s): *Comma* Rennie, 1832.
- 85) **Polygonia Hübner, [1819]** (Argynnidae) Synonym(s): *Polygonia* Hübner, [1819]; *Eugonia* Hübner, [1819]; *Grapta* Kirby, 1837.
- 86) **Precis (Junonia) Hübner, [1819]** (Argynnidae) Synonym(s): *Junonia* Hübner, [1819].
- 87) **Thaleropis Staudinger, 1871** (Argynnidae) Synonym(s): *Thaleropis* Staudinger, 1871.
- 88) **Vanessa (Cynthia) Fabricius, 1807** (Argynnidae) Synonym(s): *Cynthia* Fabricius, 1807; *Neopyrameis* Scudder, 1889; *Fieldia* Niculescu, 1979 (praeocc.); *Neofieldia* Özdikmen, 2008.
- 89) **Vanessa (s.str.) Fabricius, 1807** (Argynnidae) Synonym(s): *Vanessa* Fabricius, 1807; *Pyrameis* Hübner, [1819]; *Ammiralis* Rennie, 1832; *Phanessa* Sodoffsky, 1837.

- 90) Vanessa Fabricius,1807** (Argynnidae) Synonym(s): *Vanessa Fabricius*,1807; *Pyrameis Hübner*,[1819]; *Ammiralis Rennie*,1832; *Phanessa Sodoffsky*,1837.
- 91) Amselina Gozmany,1957** (Autostichidae) Synonym(s): *Amselina Gozmany*,1957
- 92) Apiletria (s.str.) Lederer,1855** (Autostichidae) Synonym(s): *Apiletria Lederer*,1855
- 93) Apiletria Lederer,1855** (Autostichidae) Synonym(s): *Apiletria Lederer*,1855
- 94) Aprominta Gozmany,1957** (Autostichidae) Synonym(s): *Aprominta Gozmany*,1957; *Parthenoptera Gozmany*,1857.
- 95) Arragonia Amsel,1942** (Autostichidae) Synonym(s): *Arragonia Amsel*,1942; *Aragonia Agenjo*,1968.
- 96) Charadraula Meyrick,1931** (Autostichidae) Synonym(s): *Charadraula Meyrick*,1931; *Bubulcellodes Amsel*,1942
- 97) Deroxena Meyrick,1913** (Autostichidae) Synonym(s): *Deroxena Meyrick*,1913
- 98) Dysspastus Gozmany,1964** (Autostichidae) Synonym(s): *Dysspastus Gozmany*,1964
- 99) Hecestoptera Gozmany,1961** (Autostichidae) Synonym(s): *Hecestoptera Gozmany*,1961
- 100) Holcopogon Staudinger,1879** (Autostichidae) Synonym(s): *Holcopogon Staudinger*,1879
- 101) Mylothra Meyrick,1907** (Autostichidae) Synonym(s): *Mylothra Meyrick*,1907
- 102) Oegoconia Stainton,1854** (Autostichidae) Synonym(s): *Oegoconia Stainton*,1854; *Clerogenes Meyrick*,1921; *#Oegoconia Amsel*,1958; *Microgonia Popescu-Gorj & Capuse*,1965
- 103) Symmacantha Gozmany,1963** (Autostichidae) Synonym(s): *Symmacantha Gozmany*,1963
- 104) Symmoca Hübner,[1825]** (Autostichidae) Synonym(s): *Symmoca Hübner*,[1825]; *Parasymmoca Rebel*,1903; *Asarista Meyrick*,1935; *Conquassata Gozmany*,1957; *Symmoletria Gozmany*,1963
- 105) Blastobasis Zeller,1855** (Blastobasidae) Synonym(s): *Blastobasis Zeller*,1855; *Epistetus Walsingham*,1894; *Agnoea Walsingham*,1907; *Prosthesis Walsingham*,1908; *Zenodochium Walsingham*,1908; *Euresia Dietz*,1910; *Xenodochium T.B.Fletcher*,1929
- 106) Hypatopa Walsingham,1908** (Blastobasidae) Synonym(s): *Hypatopa Walsingham*,1908
- 107) Bombyx Linnaeus,1758** (Bombycidae) Synonym(s): *Bombyx Linnaeus*,1758; *Minyas Savigny*,1816; *Theophila Moore*,1862
- 108) Brachodes Guenée,1845** (Brachodidae) Synonym(s): *Atychia Latreille*,1809 nec *Ochs*,1808; *Brachodes Guenée*,1845; *Palameris Meyrick*,1906
- 109) Phycodes Guenée,1852** (Brachodidae) Synonym(s): *Phycodes Guenée*,1852; *Tegna Walker*,1866
- 110) Brahmaea (s.str.) Walker,1855** (Brahmaeidae) Synonym(s): *Brahmaea Walker*,1855
- 111) Brahmaea Walker,1855** (Brahmaeidae) Synonym(s): *Brahmaea Walker*,1855
- 112) Bucculatrix Zeller,1839** (Bucculatricidae) Synonym(s): *Bucculatrix Zeller*,1839; *Ceroclastis Zeller*,1848
- 113) Carposina Herrich-Schäffer,[1854]** (Carposinidae) Synonym(s): *Carposina Herrich-Schäffer*,[1854]; *Enopa Walker*,1866; *Oistophora Meyrick*,1881; *Paramorpha Meyrick*,1881; *Heterocrossa Meyrick*,1882
- 114) Anthophila Haworth,[1811]** (Choreutidae) Synonym(s): *Pallium Retzius*,1783; *Anthophila Haworth*,[1811]; *Simaethis Leach*,[1815]; *Xylopoda Berthold*,1827; *Symaethis Dunning & Pickard*,[1859]
- 115) Choreutis Hübner,[1825]** (Choreutidae) Synonym(s): *Choreutis Hübner*,[1825]; *Eutromula Frölich*,1828; *Choreutes Treitschke*,1835; *Macropia Costa*,[1836]; *Entomoloma Ragonot*,1875; *Orchemia Fernald*,1900 nec *Gn.*,1845; *Choreutidia Sauber*,1902; *Allonyma Busck*,1904
- 116) Millieria Ragonot,1874** (Choreutidae) Synonym(s): *Millieria Ragonot*,1874; *Ripismia Wocke*,[1876]; *Rhipismia Reutti*,1898; *Milliereia Spuler*,1910; *#Milliera Le Marchard*,1937; *#Millieroa Le Marchard*,1937
- 117) Prochoreutis Diakonoff & Heppner,1980** (Choreutidae) Synonym(s): *Prochoreutis Diakonoff & Heppner*,1980
- 118) Tebenna Billberg,1820** (Choreutidae) Synonym(s): *Tebenna Billberg*,1820; *Porpe Hübner*,[1825]
- 119) Axia (Epicimelia) Korb,1900** (Cimeliidae) Synonym(s): *Epicimelia Korb*,1900
- 120) Axia (s.str.) Hübner,[1821]** (Cimeliidae) Synonym(s): *Axia Hübner*,[1821]
- 121) Axia Hübner,[1821]** (Cimeliidae) Synonym(s): *Axia Hübner*,[1821]
- 122) Augasma Herrich-Schäffer,[1853]** (Coleophoridae) Synonym(s): *Augasma Herrich-Schäffer*,[1853]
- 123) Coleophora Hübner,1822** (Coleophoridae) Synonym(s): *Galleria Vallot*,1818 nec *Fabr.*,1798; *Coleophora Hübner*,1822; *Eupista Hübner*,[1825]; *Haploptilia Hübner*,[1825]; *Apista Hübner*,[1825]; *Porrectaria Haworth*,1828; *Damophila Curtis*,1832; *Astyages Stephens*,1834; *Metallosetia Stephens*,1834; *Casas Wallengren*,1881; *Casigneta Wallengren*,1881; *Corythangela Meyrick*,1897; *Casignetella Strand*,1928; *Protocryptis Meyrick*,1931; *Tolleophora Capuse*,1971; *Ionescumia Capuse*,1971; *Stollia Capuse*,1971; *Razowskia Capuse*,1971; *Orghidania Capuse*,1971; *Suireia Capuse*,1971; *Frederickoenigia Capuse*,1971; *Zaguljaevia Capuse*,1971; *Amseliphora Capuse*,1971; *Nemesia Capuse*,1971 nec *Sav.*,1826; *Zangheriphora Capuse*,1971; *Bourgogneja Capuse*,1971; *Aureliania Capuse*,1971 nec *Gosse*,1860; *Bacescuia Capuse*,1971; *Klinzigedia Capuse*,1971; *Vladdelia Capuse*,1971; *Klimeschja Capuse*,1971; *Glaseria Capuse*,1971; *Valvulongia Capuse*,1971; *Falkovitshia Capuse*,1971; *Helopharea Falkovitsh*,1972; *Cricotechna Falkovitsh*,1972; *Plegmidia Falkovitsh*,1972; *Agapalsa Falkovitsh*,1972;
- 124) Goniodoma Zeller,1849** (Coleophoridae) Synonym(s): *Goniodoma Zeller*,1849
- 125) Metriotes Herrich-Schäffer,[1855]** (Coleophoridae) Synonym(s): *Metriotes Herrich-Schäffer*,[1855]
- 126) Alloclita Staudinger,1859** (Cosmopterigidae) Synonym(s): *Alloclita Staudinger*,1859; *Proceleustis Meyrick*,1914; *Dahrania Amsel*,1958
- 127) Allotalanta Meyrick,1913** (Cosmopterigidae) Synonym(s): *Allotalanta Meyrick*,1913
- 128) Ascalenia Wocke,[1876]** (Cosmopterigidae) Synonym(s): *Ascalenia Wocke*,[1876]

- 129) Coccidiphila Danilevsky,1950** (Cosmopterigidae) Synonym(s): *Coccidiphila Danilevsky,1950*; *Bathrachedropsis Amsel,1955*.
- 130) Cosmopterix Hübner,[1825]** (Cosmopterigidae) Synonym(s): *Cosmopterix Hübner,[1825]*; *Cosmopteryx Agassiz,1847 nec Zell.,1839*; *Lienigia Spuler,1910*
- 131) Eteobalea Hodges,1962** (Cosmopterigidae) Synonym(s): *Eteobalea Hodges,1962*
- 132) Hodgesiella Riedl,1965** (Cosmopterigidae) Synonym(s): *Hodgesiella Riedl,1965*
- 133) Pancalia Stephens,1829** (Cosmopterigidae) Synonym(s): *Pancalia Stephens,1829*
- 134) Pyroderces Herrich-Schäffer,[1853]** (Cosmopterigidae) Synonym(s): *Pyroderces Herrich-Schäffer,[1853]*; *Syntomactis Meyrick,1889*; *Anatrachyntis Meyrick,1915*; *Lallia Chrétien,1915*; *Lacciferophaga Zagulyaev,1959*; *Sathrobrotia Hodges,1962*; *#Anatrachynis Edwards & Nielsen,1996*
- 135) Ramphis Riedl,1969** (Cosmopterigidae) Synonym(s): *Ramphis Riedl,1969*
- 136) Sorhagenia Spuler,1910** (Cosmopterigidae) Synonym(s): *Sorhagenia Spuler,1910*; *Cystioecetes Braun,1915*; *Sorhageniella Riedl,1965*
- 137) Stigmatophora Herrich-Schäffer,[1853]** (Cosmopterigidae) Synonym(s): *Stigmatophora Herrich-Schäffer,[1853]*; *Parastigmatophora Riedl,1965*
- 138) Tolliella Riedl,1969** (Cosmopterigidae) Synonym(s): *Tolliella Riedl,1969*
- 139) Vulcaniella Riedl,1965** (Cosmopterigidae) Synonym(s): *Vulcaniella Riedl,1965*
- 140) Acossus Dyar,1905** (Cossidae) Synonym(s): *Acossus Dyar,1905*; *Lamellocossus Daniel,1954*
- 141) Arctiocossus R.Felder & Rogenhofer,1874** (Cossidae) Synonym(s): *Arctiocossus R.Felder & Rogenhofer,1874*
- 142) Azygophleps Hampson,1892** (Cossidae) Synonym(s): *Azygophleps Hampson,1892*
- 143) Cossulus Staudinger,1887** (Cossidae) Synonym(s): *Cossulus Staudinger,1887*; *Cossulinus Kirby,1892*
- 144) Cossus Fabricius,1793** (Cossidae) Synonym(s): *Cossus Fabricius,1793*; *Trypanus Rambur,1866*
- 145) Dieida Strand,1911** (Cossidae) Synonym(s): *Dieida Strand,1911*
- 146) Dyspessa Hübner,[1820]** (Cossidae) Synonym(s): *Dyspessa Hübner,[1820]*; *Endagria Boisduval,[1837]*
- 147) Dyspessacossus Daniel,1953** (Cossidae) Synonym(s): *Dyspessacossus Daniel,1953*
- 148) Holcocerus Staudinger,1884** (Cossidae) Synonym(s): *Holcocerus Staudinger,1884*
- 149) Isoceras Turati,1924** (Cossidae) Synonym(s): *Isoceras Turati,1924*
- 150) Paracossulus Schoorl,1990** (Cossidae) Synonym(s): *Paracossulus Schoorl,1990*
- 151) Parahypopta Daniel,1961** (Cossidae) Synonym(s): *Parahypopta Daniel,1961*
- 152) Paropta Staudinger,1900** (Cossidae) Synonym(s): *Paropta Staudinger,1900*
- 153) Phragmacossia Schawerda,1924** (Cossidae) Synonym(s): *Phragmacossia Schawerda,1924*
- 154) Phragmataecia Newman,1850** (Cossidae) Synonym(s): *Phragmataecia Newman,1850*; *Macrogaster Duponchel,[1845] nec Thunb.,1805*
- 155) Semagystia Schoorl,1990** (Cossidae) Synonym(s): *Semagystia Schoorl,1990*; *#Samagystia De Freina,1994*
- 156) Semitocossus Yakovlev,2007** (Cossidae) Synonym(s): *Semitocossus Yakovlev,2007*
- 157) Stygioides Bruand,1853** (Cossidae) Synonym(s): *Stygioides Bruand,1853*; *Bruandia Desmarest,1857*; *Psychidostygia Daniel,1955*; *Danielostygia Reisser,1962*
- 158) Zeuzera Latreille,1804** (Cossidae) Synonym(s): *Zeuzera Latreille,1804*; *Aegolia Billberg,1820*; *Latagia Hübner,[1820]*
- 159) Amata Fabricius,1807** (Ctenuchidae) Synonym(s): *Amata Fabricius,1807*; *Syntomis Ochsenheimer,1808*; *Coenochromia Hübner,[1819]*; *Syntoma Billberg,1820*; *Hydrusa Walker,1854*; *Asinusca Wallengren,1862*; *#Asinutea Wallengren,1863*; *Buthysia Wallengren,1863*; *#Buthisia Walker,1866*; *#Synthomis Mabille,1892*; *Leopoldina Hering,1934*.
- 160) Callitomis Butler,1876** (Ctenuchidae) Synonym(s): *Callitomis Butler,1876*
- 161) Dysauxes (Adauctis) Ignatyev & Zolotuhin,2006** (Ctenuchidae) Synonym(s): *Adauctis Ignatyev & Zolotuhin,2006*
- 162) Dysauxes (s.str.) Hübner,[1819]** (Ctenuchidae) Synonym(s): *Dysauxes Hübner,[1819]*; *Naclia Boisduval,1840*; *Parauxes De Laever,1983*.
- 163) Dysauxes Hübner,[1819]** (Ctenuchidae) Synonym(s): *Dysauxes Hübner,[1819]*; *Naclia Boisduval,1840*; *Parauxes De Laever,1983*.
- 164) Danaus (Anosia) Hübner,[1816]** (Danaidae) Synonym(s): *Limnas Hübner,[1806]* (rejected; Opinion 278, 1954); *Anosia Hübner,[1816]*; *Panlymnas Bryk,1937*.
- 165) Danaus Kluk,1802** (Danaidae) Synonym(s): *Danaus Kluk,1802*; *Danaida Latreille,1804*; *Danais Latreille,1807*; *Festivus Crotch,1872*; *Tasitia Moore,1883*; *Danaomorpha Kremky,1925*; *Panlymnas Bryk,1937*.
- 166) Syringopais M.Hering,1919** (Deoclonidae) Synonym(s): *Syringopais M.Hering,1919*; *Nochelodes Meyrick,1920*
- 167) Klimeschia Amsel,1938** (Douglesiidae) Synonym(s): *Klimeschia Amsel,1938*
- 168) Tinagma Zeller,1839** (Douglesiidae) Synonym(s): *Tinagma Zeller,1839*
- 169) Cilix Leach,[1815]** (Drepanidae) Synonym(s): *Cilix Leach,[1815]*; *Euclea Hübner,[1819]*; *#Cilyx Blanchard,1840*
- 170) Drepana Schrank,1802** (Drepanidae) Synonym(s): *Drepana Schrank,1802*; *Syssaura Hübner,[1819]*; *Cleopteryx Gistel,1848*

- 171) *Watsonalla Minet, 1985*** (Drepanidae) Synonym(s): *Watsonalla Minet, 1985*
- 172) *Elachista Treitschke, 1833*** (Elachistidae) Synonym(s): *Elachista Treitschke, 1833*; *Aphelosetia Stephens, 1834*; *Cynodia Herrich-Schäffer, 1853*; *Phigalia Chambers, 1875*; *Atachia Wocke, [1876]*; *Neaera Chambers, 1880*; *Hecista Wallengren, 1881*; *Aphigalia Dyar, 1903*; *Irenicodes Meyrick, 1919*; *Euproteodes Viette, 1954*
- 173) *Perittia Stainton, 1854*** (Elachistidae) Synonym(s): *Perittia Stainton, 1854*; *Scirtopoda Wocke, 1876* (praeocc.); *Mendesia De Joannis, 1902*; *Symphoristis Meyrick, 1918*; *Onceroptila Braun, 1948*; *Swezeyula Zimmermann & Bradley, 1950*; *Pretoriana Traugott-Olsen, 1995 nec Curr., 1938*; *Gautengia Kemal & Koçak, 2006*
- 174) *Stephensia Stainton, 1854*** (Elachistidae) Synonym(s): *Stephensia Stainton, 1854*
- 175) *Endromis Ochsenheimer, 1810*** (Endromidae) Synonym(s): *Endromis Ochsenheimer, 1810*; *Dorvillia Leach, [1815]*; *Dimorpha Hübner, 1822 nec Jurine, 1807*
- 176) *Epermenia (Calotripis) Hübner, [1825]*** (Epermeniidae) Synonym(s): *Calotripis Hübner, [1825]*
- 177) *Epermenia (s.str.) Hübner, [1825]*** (Epermeniidae) Synonym(s): *Epermenia, [1825]*; *Heydenia Hofmann, 1898* (homonym)
- 178) *Epermenia Hübner, [1825]*** (Epermeniidae) Synonym(s): *Epermenia, [1825]*; *Heydenia Hofmann, 1898* (homonym)
- 179) *Ochromolopis Hübner, [1825]*** (Epermeniidae) Synonym(s): *Ochromolopis Hübner, [1825]*; *Temelucha Meyrick, 1909*; *Temeluchella T.B.Fletcher, 1940*
- 180) *Phaulernis Meyrick, 1895*** (Epermeniidae) Synonym(s): *Aechmia Stainton, 1854 nec Tr., 1833*; *Phaulernis Meyrick, 1895*
- 181) *Deuterotinea Rebel, 1900*** (Eriocottidae) Synonym(s): *Deuterotinea Rebel, 1900*; *Cronodoxa Meyrick, 1922*
- 182) *Eriocottis Zeller, 1847*** (Eriocottidae) Synonym(s): *Eriocottis Zeller, 1847*
- 183) *Dyseriocrania Meess, 1910*** (Eriocraniidae) Synonym(s): *Dyseriocrania Meess, 1910*; *Mnemonic Meyrick, 1912*
- 184) *Ethmia Hübner, [1819]*** (Ethmiidae) Synonym(s): *Ethmia Hübner, [1819]*; *Pseudadia Hübner, [1825]*; *Anesychia Hübner, [1825]*; *Melanoleuca Stephens, 1829*; *Aedia Duponchel, 1837 nec Hübner, [1825]*; *Wiltshirea Amsel, 1949 nec Buckman, 1904*
- 185) *Acanthophila Heinemann, 1870*** (Gelechiidae) Synonym(s): *Acanthophila Heinemann, 1870*; *#Acanthophila Osthelder, 1951*; *Mimomeris Povolny, 1978*
- 186) *Acompsia Hübner, [1825]*** (Gelechiidae) Synonym(s): *Acompsia Hübner, [1825]*; *#Accompsia Bruand, [1851]*; *Brachycrossata Heinemann, 1870*; *Telephila Meyrick, 1923*
- 187) *Agnippe Chambers, 1872*** (Gelechiidae) Synonym(s): *Agnippe Chambers, 1872*; *Evippe Chambers, 1873*; *Phaetusa Chambers, 1875 nec Wagler, 1832*; *Tholerostola Meyrick, 1917*
- 188) *Altenia Sattler, 1960*** (Gelechiidae) Synonym(s): *Altenia Sattler, 1960*
- 189) *Anacampsis Curtis, 1827*** (Gelechiidae) Synonym(s): *Anacampsis Curtis, 1827*; *Tachyptilia Heinemann, 1870*; *Agriastis Meyrick, 1914*
- 190) *Anarsia (Ananarsia) Amsel, 1959*** (Gelechiidae) Synonym(s): *Ananarsia Amsel, 1959*
- 191) *Anarsia (s.str.) Zeller, 1839*** (Gelechiidae) Synonym(s): *Anarsia Zeller, 1839*
- 192) *Anarsia Zeller, 1839*** (Gelechiidae) Synonym(s): *Anarsia Zeller, 1839*
- 193) *Apatetris Staudinger, 1879*** (Gelechiidae) Synonym(s): *Apatetris Staudinger, 1879*
- 194) *Apodia Heinemann, 1870*** (Gelechiidae) Synonym(s): *Apodia Heinemann, 1870*
- 195) *Aproaerema Durrant, 1897*** (Gelechiidae) Synonym(s): *Aproaerema Durrant, 1897*
- 196) *Aristotelia Hübner, [1825]*** (Gelechiidae) Synonym(s): *Aristotelia Hübner, [1825]*; *Ergatis Heinemann, 1870 nec Blackwall, 1841*; *Eucatoptus Walsingham, 1897*
- 197) *Aroga Busck, 1914*** (Gelechiidae) Synonym(s): *Aroga Busck, 1914*
- 198) *Athrips Billberg, 1820*** (Gelechiidae) Synonym(s): *Athrips Billberg, 1820*; *Rhynchopacha Staudinger, 1871*; *Epitectis Meyrick, 1895*; *Leobatus Walsingham, 1904*; *Ziminiola Gerasimov, 1930*; *Cremona Busck, 1934*
- 199) *Atremaea Staudinger, 1871*** (Gelechiidae) Synonym(s): *Atremaea Staudinger, 1871*
- 200) *Bryotropha Heinemann, 1870*** (Gelechiidae) Synonym(s): *Bryotropha Heinemann, 1870*; *Mniophaga Pierce & Daltry, 1938*; *Adelphotropha Gozmany, 1955*
- 201) *Carpatolechia Capuse, 1964*** (Gelechiidae) Synonym(s): *Carpatolechia Capuse, 1964*
- 202) *Caryocolum Gregor & Povolny, 1954*** (Gelechiidae) Synonym(s): *Caryocolum Gregor & Povolny, 1954*
- 203) *Chionodes Hübner, [1825]*** (Gelechiidae) Synonym(s): *Chionodes Hübner, [1825]*
- 204) *Chrysoesthia Hübner, [1825]*** (Gelechiidae) Synonym(s): *Chrysoesthia Hübner, [1825]*
- 205) *Coloptilia T.B.Fletcher, 1940*** (Gelechiidae) Synonym(s): *Coloptilia T.B.Fletcher, 1940*
- 206) *Crossobela Meyrick, 1923*** (Gelechiidae) Synonym(s): *Crossobela Meyrick, 1923*; *Uncustriodonta Agenjo, 1952*
- 207) *Deltophora Janse, 1950*** (Gelechiidae) Synonym(s): *Deltophora Janse, 1950*
- 208) *Dichomeris Hübner, 1818*** (Gelechiidae) Synonym(s): *Dichomeris Hübner, 1818*; *Oxybelia Hübner, [1825]*; *Rhinosia Treitschke, 1833*; *Anorthosia Clemens, 1860*; *Trichotaphe Clemens, 1860*; *Rhobonda Walker, 1864 nec 1863*; *Vazugada Walker, 1864*; *Gaesa Walker, 1864*; *Tocmia Walker, 1864*; *Carna Walker, 1864 nec Gstl., 1848*; *Noeza Walker, 1866 nec Mgn., 1800*; *Sagaritis Chambers, 1872 nec Billb., 1820*; *Begoe Chambers, 1872*;

Epicorthylis Zeller,1873; *Atasthalistis* Meyrick,1886;; *Zalithia* Meyrick,1894; *Pappophorus* Walsingham,1897; *Arotria* Meyrick,1904; *Dectobathra* Meyrick,1904; *Croesopola* Meyrick,1904; *Hypelictis* Meyrick,1905; *Paristhmia* Meyrick,1909; *Hylograptis* Meyrick,1910; *Schematistis* Meyrick,1911; *Paranoea* Walsingham,1911; *Placomosaris* Meyrick,1912; *Machlotricha* Meyrick,1912; *Holaxyra* Meyrick,1913; *Carbatina* Meyrick,1913; *Zomeutis* Meyrick,1913; *Ilingiotis* Meyrick,1914; *Pachysaris* Meyrick,1914; *Deimnestra* Meyrick,1918; *Daemonarcha* Meyrick,1918; *Macrozancla* Turner,1919; *Euryzancla* Turner,1919; *Rhadinophylla* Turner,1919; *Eurysara* Turner,1919; *Iocharea* Meyrick,1921; *Eporgastis* Meyrick,1921; *Aphnogenes* Meyrick,1921; *Taphrosaris* Meyrick,1922; *Prophoraula* Meyrick,1922; *Acribologa* Meyrick,1923; *Cymotricha* Meyrick,1923; *Ageliarchis* Meyrick,1923; *Myrophila* Meyrick,1923; *Brochometis* Meyrick,1923; *Neochrista* Meyrick,1923; *Semiomeris* Meyrick,1923; *Mythographa* Meyrick,1923; *Sathrogenes* Meyrick,1923; *Musurga* Meyrick,1923; *Thelyasceta* Meyrick,1923; *Oxysactis* Meyrick,1923; *Rhynchotona* Meyrick,1923; *Catoptristis* Meyrick,1925; *Cymatoplex* Meyrick,1925 nec Turn.,1910; *Catelaphris* Meyrick,1925; *Cerycangela* Meyrick,1925; *Epicharta* Meyrick,1926; *Prasodryas* Meyrick,1926; *Xenorrhhythma* Meyrick,1926; *Thyrsomnestis* Meyrick,1929; *Desmophylax* Meyrick,1935; *Ereboscaea* Meyrick,1937; *Chthonogenes* Meyrick,1938; *Cymatoplicella* Fletcher,1940; *Neopachnistis* Janse,1954; *Picroptera* Janse,1960; *Parabrachmia* Janse,1960; *Deltolophos* Janse,1960

- 209) Dirhinosisia Rebel,1905** (Gelechiidae) Synonym(s): *Dirhinosisia* Rebel,1905
- 210) Ephysteris (Microcraspedus) Janse,1958** (Gelechiidae) Synonym(s): *Microcraspedus* Janse,1958; *Ochrodia* Povolny,1964; *Opacopsis* Povolny,1964; *Echinoglossa* Clarke,1965
- 211) Ephysteris (s.str.) Meyrick,1908** (Gelechiidae) Synonym(s): *Ephysteris* Meyrick,1908
- 212) Ephysteris Meyrick,1908** (Gelechiidae) Synonym(s): *Ephysteris* Meyrick,1908
- 213) Epiparasia Rebel,1914** (Gelechiidae) Synonym(s): *Epiparasia* Rebel,1914
- 214) Eulamprotes Bradley,1971** (Gelechiidae) Synonym(s): *Lamprotes* Heinemann,1870 nec R.L.,1817; *Argyritis* Heinemann,1870 nec Hbn.,[1821]; *Eulamprotes* Bradley,1971
- 215) Filatima Busck,1939** (Gelechiidae) Synonym(s): *Filatima* Busck,1939
- 216) Gelechia Hübner,[1825]** (Gelechiidae) Synonym(s): *Gelechia* Hübner,[1825]; *Guenea* Bruand,[1851]; *Cirra* Chambers,1872; *Oeseis* Chambers,1875; *Mesogelesia* Omelko,1986.
- 217) Gnorimoschema Busck,1900** (Gelechiidae) Synonym(s): *Gnorimoschema* Busck,1900; *Lerupsia* Riedl,1965; *Neoschema* Povolny,1967
- 218) Harpagidia Ragonot,1895** (Gelechiidae) Synonym(s): *Harpagidia* Ragonot,1895; *Glaphyrerga* Meyrick,1925
- 219) Inotica Meyrick,1913** (Gelechiidae) Synonym(s): *Inotica* Meyrick,1913
- 220) Isophrictis Meyrick,1917** (Gelechiidae) Synonym(s): *Isophrictis* Meyrick,1917
- 221) Istrianis Meyrick,1918** (Gelechiidae) Synonym(s): *Istrianis* Meyrick,1918
- 222) Iwaruna Gozmany,1957** (Gelechiidae) Synonym(s): *Iwaruna* Gozmany,1957
- 223) Megacraspedus Zeller,1839** (Gelechiidae) Synonym(s): *Megacraspedus* Zeller,1839; *Toxoceras* Chrétien,1915; *Toxidoceras* Chrétien,1923
- 224) Mesophleps Hübner,[1825]** (Gelechiidae) Synonym(s): *Mesophleps* Hübner,[1825]
- 225) Metanarsia Staudinger,1870** (Gelechiidae) Synonym(s): *Metanarsia* Staudinger,1870; *Calyptritis* Meyrick,1891
- 226) Metzneria Zeller,1839** (Gelechiidae) Synonym(s): *Metzneria* Zeller,1839
- 227) Mirificarma (s.str. (Interrupta)) Koçak & Kemal,2008** (Gelechiidae) Synonym(s): *Interrupta* Koçak & Kemal,2008
- 228) Mirificarma (s.str. (s.str.)) Gozmany,1955** (Gelechiidae) Synonym(s): *Mirificarma* Gozmany,1955
- 229) Mirificarma Gozmany,1955** (Gelechiidae) Synonym(s): *Helina* Guenée,1849 nec Robineau-Desvoidy,1830; *Mirificarma* Gozmany,1955.
- 230) Monochroa Heinemann,1870** (Gelechiidae) Synonym(s): *Monochroa* Heinemann,1870; *Paltodora* Meyrick,1894; *Catabrachmia* Rebel,1909
- 231) Neofaculta Gozmany,1955** (Gelechiidae) Synonym(s): *Neofaculta* Gozmany,1955
- 232) Neofriseria Sattler,1960** (Gelechiidae) Synonym(s): *Neofriseria* Sattler,1960
- 233) Nothris Hübner,[1825]** (Gelechiidae) Synonym(s): *Nothris* Hübner,[1825]
- 234) Onebala Walker,1864** (Gelechiidae) Synonym(s): *Onebala* Walker,1864; *Helcystogramma* Zeller,1877; *#Onebala* Janse,1954
- 235) Ornatalva Gozmany,1955** (Gelechiidae) Synonym(s): *Ornatalva* Gozmany,1955; *Pelostola* Janse,1960.
- 236) Palumbina Rondani,1876** (Gelechiidae) Synonym(s): *Palumbina* Rondani,1876; *Thyrsostoma* Meyrick,1907.
- 237) Parastenolechia Kanazawa,1985** (Gelechiidae) Synonym(s): *Parastenolechia* Kanazawa,1985; *Tutor* Omelko,1988; *Origo* Omelko,1988
- 238) Pectinophora Busck,1917** (Gelechiidae) Synonym(s): *Pectinophora* Busck,1917
- 239) Pexicopia Common,1958** (Gelechiidae) Synonym(s): *Pexicopia* Common,1958
- 240) Platyedra Meyrick,1895** (Gelechiidae) Synonym(s): *Platyedra* Meyrick,1895
- 241) Pogochaetia Staudinger,1879** (Gelechiidae) Synonym(s): *Pogochaetia* Staudinger,1879
- 242) Prolita Leraut,1993** (Gelechiidae) Synonym(s): *Lita* Treitschke,1833 nec Koll.,1832; *Prolita* Leraut,1993

- 243) Pseudotelphusa Janse,1958** (Gelechiidae) Synonym(s): *Pseudotelphusa Janse,1958*; *Sattleria Capuse,1968 nec Pov.,1965*; *Klaussattleria Capuse,1968*
- 244) Psoricoptera Stainton,1854** (Gelechiidae) Synonym(s): *Psoricoptera Stainton,1854*
- 245) Ptocheuusa Heinemann,1870** (Gelechiidae) Synonym(s): *Ptocheuusa Heinemann,1870*
- 246) Recurvaria Haworth,1828** (Gelechiidae) Synonym(s): *Recurvaria Haworth,1828*; *Lita Kollar,1832*; *Telea Stephens,1834*; *Aphanaula Meyrick,1895*; *Hinnebergia Spuler,1910*; *Microlechia Turati,1924*.
- 247) Scrobipalpa (Ergasiola) Povolny,1967** (Gelechiidae) Synonym(s): *Ergasiola Povolny,1967*
- 248) Scrobipalpa (Ilseopsis) Povolny,1965** (Gelechiidae) Synonym(s): *Ilseopsis Povolny,1965*; *Eusrobipalpa Povolny,1967*
- 249) Scrobipalpa (s.str.) Janse,1951** (Gelechiidae) Synonym(s): *Scrobipalpa Janse,1951*
- 250) Scrobipalpa Janse,1951** (Gelechiidae) Synonym(s): *Scrobipalpa Janse,1951*
- 251) Scrobipalpula Povolny,1964** (Gelechiidae) Synonym(s): *Scrobipalpula Povolny,1964*
- 252) Siderea Omelko,1999** (Gelechiidae) Synonym(s): *Siderea Omelko,1999*
- 253) Sitotroga Heinemann,1870** (Gelechiidae) Synonym(s): *Sitotroga Heinemann,1870*; *Nesolechia Meyrick,1921*; *Syngenomictis Meyrick,1927*
- 254) Sophronia Hübner,[1825]** (Gelechiidae) Synonym(s): *Sophronia Hübner,[1825]*
- 255) Spiniphallellus Bidzilya & Karsholt,2008** (Gelechiidae) Synonym(s): *Spiniphallellus Bidzilya & Karsholt,2008*
- 256) Stenolechia Meyrick,1894** (Gelechiidae) Synonym(s): *Stenolechia Meyrick,1894*; *Poecilia Heinemann,1870 nec Schneider,1801*; *Gibbosa Omelko,1988*.
- 257) Stenolechoides Elsner,[1996]** (Gelechiidae) Synonym(s): *Stenolechoides Elsner,[1996]*
- 258) Stomopteryx Heinemann,1870** (Gelechiidae) Synonym(s): *Stomopteryx Heinemann,1870*.
- 259) Streyella Janse,1958** (Gelechiidae) Synonym(s): *Streyella Janse,1958*
- 260) Syncopacma Meyrick,1925** (Gelechiidae) Synonym(s): *Harpagus Stephens,1834 nec Vigors,1824*; *Syncopacma Meyrick,1925*
- 261) Teleiodes Sattler,1960** (Gelechiidae) Synonym(s): *Teleia Heinemann,1870 nec Hübner,[1825]*; *Teleiodes Sattler,1960*; *Dubitationis M.Omelko & N.Omelko,1998*
- 262) Teleiopsis Sattler,1960** (Gelechiidae) Synonym(s): *Teleiopsis Sattler,1960*
- 263) Telphusa Chambers,1872** (Gelechiidae) Synonym(s): *Telphusa Chambers,1872*; *Adrasteia Chambers,1872*; *Adrastia Kirby,1874*
- 264) Tila Povolny,1965** (Gelechiidae) Synonym(s): *Tila Povolny,1965*
- 265) Turcopalpa Povolny,1973** (Gelechiidae) Synonym(s): *Turcopalpa Povolny,1973*
- 266) Tuta Strand,1911** (Gelechiidae) Synonym(s): *Tuta Strand,1911*
- 267) Xenolechia Meyrick,1895** (Gelechiidae) Synonym(s): *Xenolechia Meyrick,1895*
- 268) Xystophora Wocke,1876** (Gelechiidae) Synonym(s): *Xystophora Wocke,1876*
- 269) Abraxas (Calospilos) Hübner,[1825]** (Geometridae) Synonym(s): *Calospilos Hübner,[1825]*
- 270) Abraxas Leach,[1815]** (Geometridae) Synonym(s): *Abraxas Leach,[1815]*
- 271) Acanthovalva M.Krüger,2001** (Geometridae) Synonym(s): *#Acanthovalva Staude,1999*; *Acanthovalva M.Krüger,2001*.
- 272) Agriopis Hübner,[1825]** (Geometridae) Synonym(s): *Agriopis Hübner,[1825]*; *Anisopteryx Stephens,1827*; *Amalthea Gumpfenberg,1887 nec Raf.1815*; *Cyropega Dumont,1925*
- 273) Alcis Curtis,1826** (Geometridae) Synonym(s): *Alcis Curtis,1826*; *Poecilalcis W.Warren,1893*; *Dictyodea Wehrli,1934*; *Alcisca Wehrli,1943*
- 274) Aleucis Guenée,[1845]** (Geometridae) Synonym(s): *Aleucis Guenée,[1845]*; *Aleucis Stephens,1850*; *Anhibernia Staudinger,1892*
- 275) Alsophila Hübner,[1825]** (Geometridae) Synonym(s): *Alsophila Hübner,[1825]*
- 276) Amorphogynia W.Warren,1894** (Geometridae) Synonym(s): *Amorphogynia W.Warren,1894*
- 277) Angerona Duponchel,1829** (Geometridae) Synonym(s): *Angerona Duponchel,1829*
- 278) Anticlea Stephens,1831** (Geometridae) Synonym(s): *Anticlea Stephens,1831*
- 279) Apeira Gistel,1848** (Geometridae) Synonym(s): *Pericallia Stephens,1828 nec Hbn.,[1820]*; *Apeira Gistel,1848*; *Hydrochroa Gumpfenberg,1887*; *Cyphosea Grote,1896*; *#Apeir.a Okyar & Aytaç,1999*
- 280) Aplasta Hübner,[1823]** (Geometridae) Synonym(s): *Aplasta Hübner,[1823]*
- 281) Aplocera Stephens,1827** (Geometridae) Synonym(s): *Aplocera Stephens,1827*; *Anaitis Duponchel,1829*; *Larissa Curtis,1830*; *Haplocera Agassiz,1847*
- 282) Apocheima Hübner,[1825]** (Geometridae) Synonym(s): *Apocheima Hübner,[1825]*; *Amphidasis Stephens,1829 nec Treitschke,1825*.
- 283) Apochima Agassiz,1847** (Geometridae) Synonym(s): *Apocheima Herrich-Schäffer,1838 nec Hübner,[1825]*; *Apochima Agassiz,1847*; *Zamacra Meyrick,1892*; *Acanthocampa Dyar,1905*.
- 284) Archiearis Hübner,[1823]** (Geometridae) Synonym(s): *Archiearis Hübner,[1823]*.
- 285) Artiora Meyrick,1892** (Geometridae) Synonym(s): *Artiora Meyrick,1892*
- 286) Ascotis Hübner,[1825]** (Geometridae) Synonym(s): *Ascotis Hübner,[1825]*; *Hypopalpis Guenée,1862*; *Burichura Moore,1888*; *Trigonomolea W.Warren,1904*
- 287) Asovia Alpheraky,1908** (Geometridae) Synonym(s): *Asovia Alpheraky,1908*

- 288) Aspitates Treitschke, 1825** (Geometridae) Synonym(s): *Aspitates Treitschke, 1825*; *Aspilates Treitschke, 1827*; *Parallela Sodoffsky, 1837*; #*Aspilades Heydenreich, 1846*; *Aspilata Unger, 1856*; *Napuca Walker, [1863]*; *Eversmannia Erschoff, 1871 (praeocc.)*; *Sinope Gumpfenberg, 1887*; *Toxogrammia Gumpfenberg, 1887*; *Pseudosiona Butler, 1893*; *Nyctiphanta Hulst, 1896*; *Erschoffia Swinhoe, 1900*; *Semiapilates Wehrli, 1953*; *Apoapilates Wehrli, 1954*
- 289) Asthena Hübner, [1825]** (Geometridae) Synonym(s): *Asthena Hübner, [1825]*; *Roessleria Breyer, 1869*
- 290) Biston Leach, 1815** (Geometridae) Synonym(s): *Biston Leach, 1815*; *Dasyphara Billberg, 1820*; *Pachys Hübner, 1822*; *Eugyja Hübner, [1825]*; *Amphidasia Treitschke, 1825*; *Amphidasys Sodoffsky, 1837*; *Amphidasea Unger, 1856*; *Buzura Walker, [1863]*; *Culcula Moore, 1888*; *Eubyjodonta W. Warren, 1893*; *Blepharoctenia W. Warren, 1894*; *Epamraica Matsumura, 1910*; #*Bazura Hutacharern & Tuhtim, 1995*
- 291) Bupalus Leach, 1815** (Geometridae) Synonym(s): *Bupalus Leach, 1815*; *Phaophyga Billberg, 1820*; *Chleuastes Hübner, 1822*; *Catograptia Hübner, [1823]*; *Bupala Snellen, 1867 nec Pascoe, 1863*
- 292) Cabera Treitschke, 1825** (Geometridae) Synonym(s): *Cabera Treitschke, 1825*; *Deilinia Hübner, [1825]*; *Cabera Stephens, 1829 nec Tr., 1825*; *Cabira Sodoffsky, 1837*; *Dilina Agassiz, 1847*; *Cabiro Unger, 1856*; *Thysanochilus Butler, 1878 nec Troschel, 1857*; *Dilinia Hampson, 1895*; *Gyalomia L.B. Prout, 1913*
- 293) Campaea Lamarck, 1816** (Geometridae) Synonym(s): *Campaea Lamarck, 1816*; *Eratopis R.L., 1817*; *Tribacis Billberg, 1820*; *Metrocampus Berthold, 1827*; *Metrocampe Rambur, 1833*; *Metrocampa Bruand, 1846*
- 294) Campptogramma Stephens, 1831** (Geometridae) Synonym(s): *Campptogramma Stephens, 1831*
- 295) Carsia Hübner, [1825]** (Geometridae) Synonym(s): *Carsia Hübner, [1825]*; *Celma Stephens, 1831*
- 296) Casilda Agenjo, 1952** (Geometridae) Synonym(s): *Casilda Agenjo, 1952*
- 297) Cataclysmes Hübner, [1825]** (Geometridae) Synonym(s): *Cataclysmes Hübner, [1825]*; *Paraplaneta W. Warren, 1895*
- 298) Catarhoe Herbulot, 1951** (Geometridae) Synonym(s): *Catarhoe Herbulot, 1951*
- 299) Cepphis Hübner, [1823]** (Geometridae) Synonym(s): *Cepphis Hübner, [1823]*; *Hetrione Poppius, 1887*
- 300) Chemerina Boisduval, 1840** (Geometridae) Synonym(s): *Chemerina Boisduval, 1840*
- 301) Chesias Treitschke, 1825** (Geometridae) Synonym(s): *Chesias Treitschke, 1825*; *Eucestia Hübner, [1825]*
- 302) Chesistege Viidalepp, 1990** (Geometridae) Synonym(s): *Chesistege Viidalepp, 1990*
- 303) Chiasmia Hübner, [1823]** (Geometridae) Synonym(s): *Chiasmia Hübner, [1823]*; *Arte Stephens, 1829*; *Hercyna Stephens, 1829 nec Treit., 1828*; *Strenia Duponchel, 1829*; *Sternia Kolenati, 1846*; *Osteodes Guenée, [1858] nec Conrad, 1855*; *Discalma Meyrick, 1892*; *Tephropsis W. Warren, 1896*; *Xenoneura W. Warren, 1896*; *Hyostomodes W. Warren, 1897*; *Peridela W. Warren, 1897*; *Iulocera W. Warren, 1905*; *Allochrosis Strand, 1912*; *Neomacaria Wehrli, 1937*; *Thyridesia Wehrli, 1940*; #*Chiasama Hutacharern & Tuhtim, 1995*
- 304) Chlorissa Stephens, 1831** (Geometridae) Synonym(s): *Chlorissa Stephens, 1831*; *Aoshakuna Matsumura, 1925*
- 305) Chloroclysta Hübner, [1825]** (Geometridae) Synonym(s): *Chloroclysta Hübner, [1825]*; *Dysstroma Hübner, [1825]*; *Polyphasia Stephens, 1831*; *Euthalia Stephens, 1831*
- 306) Chloroclystis Hübner, [1825]** (Geometridae) Synonym(s): *Chloroclystis Hübner, [1825]*; *Axinoptera Hampson, 1893*; *Ceratorhynchus Hampson, 1893 nec Agass., 1829*; *Rhinoprora W. Warren, 1895*; *Gymnopera W. Warren, 1896*; *Cithecia Staudinger, 1897*; *Dyserga W. Petersen, 1909*; *Calliclystis Dietze, 1910*; *Olygoclystia Bastelberger, 1911*
- 307) Chrysocraspeda Swinhoe, 1893** (Geometridae) Synonym(s): *Chrysocraspeda Swinhoe, 1893*; *Chrysocraspeda Hampson, 1895*; *Ptochophyle W. Warren, 1896*; *Chrysolene W. Warren, 1897*; *Heteroctenis Meyrick, 1897*
- 308) Cidaria Treitschke, 1825** (Geometridae) Synonym(s): *Cidaria Treitschke, 1825*; *Harpalyce Stephens, 1827*; *Zonodonta Sodoffsky, 1837*
- 309) Cinglis Guenée, [1858]** (Geometridae) Synonym(s): *Cinglis Guenée, [1858]*
- 310) Cleora Curtis, 1825** (Geometridae) Synonym(s): *Cleora Curtis, 1825*; *Cerotricha Guenée, [1858]*; *Barsine Meyrick, 1883 nec Walk., 1854*; *Meyrickia Butler, 1884*; *Chogada Moore, 1887*; *Carecomotis W. Warren, 1896*
- 311) Cleorodes W. Warren, 1894** (Geometridae) Synonym(s): *Cleorodes W. Warren, 1894*
- 312) Cleta Duponchel, [1845]** (Geometridae) Synonym(s): *Cleta Duponchel, [1845]*; *Chrysoctenis Meyrick, 1892*
- 313) Cnestrognophos Wehrli, 1951** (Geometridae) Synonym(s): *Cnestrognophos Wehrli, 1951*
- 314) Colostyia Hübner, [1825]** (Geometridae) Synonym(s): *Colostyia Hübner, [1825]*; *Amoebe Hübner, [1825]*; *Erinobia Stephens, 1850*
- 315) Colotois Hübner, [1823]** (Geometridae) Synonym(s): *Colotois Hübner, [1823]*; *Metra Stephens, 1827*; *Himera Duponchel, 1829*
- 316) Comibaena Hübner, [1823]** (Geometridae) Synonym(s): *Comibaena Hübner, [1823]*
- 317) Cosmorhoe Hübner, [1825]** (Geometridae) Synonym(s): *Cosmorhoe Hübner, [1825]*; *Lyncometra L.B. Prout, 1914*
- 318) Costaconvexa Agenjo, 1949** (Geometridae) Synonym(s): *Costaconvexa Agenjo, 1949*; *Grammorhoe Herbulot, 1951*
- 319) Crocallis Treitschke, 1825** (Geometridae) Synonym(s): *Crocallis Treitschke, 1825*
- 320) Culpinia L.B. Prout, 1912** (Geometridae) Synonym(s): *Culpinia L.B. Prout, 1912*
- 321) Cyclophora Hübner, 1822** (Geometridae) Synonym(s): *Cyclophora Hübner, 1822*; *Codonia Hübner, [1823]*; *Cosymbia Hübner, [1823]*; *Leucophthalmia Hübner, [1823]*; *Cyclophora Stephens, 1829 nec*

Hbn.,1822; *Ephyra* Stephen,1829; *Matella* Gistel,1848; *Anisodes* Guenée,[1858]; *Zonosoma* Lederer,1853; *Pisoraca* Walker,1861; *Euephyra* Packard,1873; *Streptopteron* Swinhoe,1892; *Pachythalia* W.Warren,1897; *Peostenodes* W.Warren,1903

- 322) **Dasycorsa L.B.Prout,1915** (Geometridae) Synonym(s): *Dasycorsa* L.B.Prout,1915
 323) **Dicrognophos Wehrli,1951** (Geometridae) Synonym(s): *Dicrognophos* Wehrli,1951
 324) **Digrammia Gumpfenberg,1887** (Geometridae) Synonym(s): *Digrammia* Gumpfenberg,1887; *Asmate* Gumpfenberg,1887; *Spinuncina* Wehrli,1937
 325) **Docirava Walker,[1863]** (Geometridae) Synonym(s): *Docirava* Walker,[1863]
 326) **Dyscia (Calodyscia) Wehrli,1950** (Geometridae) Synonym(s): *Calodyscia* Wehrli,1950
 327) **Dyscia (Warneckeella) Wehrli,1950** (Geometridae) Synonym(s): *Warneckeella* Wehrli,1950
 328) **Dyscia (s.str.) Hübner,[1825]** (Geometridae) Synonym(s): *Dyscia* Hübner,[1825]; *Scodiona* Boisduval,1840.
 329) **Dyscia Hübner,[1825]** (Geometridae) Synonym(s): *Dyscia* Hübner,[1825]; *Scodiona* Boisduval,1840.
 330) **Ecliptopera W.Warren,1894** (Geometridae) Synonym(s): *Ecliptopera* W.Warren,1894; *Diactinia* W.Warren,1898; *Urolophia* Swinhoe,1900
 331) **Ectropis Hübner,[1825]** (Geometridae) Synonym(s): *Ectropis* Hübner,[1825]; *Boarmia* Stephens,1829 (praeoc.); *Tephrosia* Boisduval,1840; *Coenobita* Gistel,1848 (praeoc.)
 332) **Eilicrinia Hübner,[1823]** (Geometridae) Synonym(s): *Eilicrinia* Hübner,[1823]; *Ilicrinia* Agassiz,1847; *Pareilicrinia* W.Warren,1894
 333) **Electrophaes L.B.Prout,1923** (Geometridae) Synonym(s): *Electrophaes* L.B.Prout,1923
 334) **Ematurga Lederer,1853** (Geometridae) Synonym(s): *Ematurga* Lederer,1853
 335) **Enanthyperythra Wehrli,1937** (Geometridae) Synonym(s): *Enanthyperythra* Wehrli,1937
 336) **Ennomos (Deuteronomos) L.B.Prout,1914** (Geometridae) Synonym(s): *Deuteronomos* L.B.Prout,1914
 337) **Ennomos (s.str.) Treitschke,1825** (Geometridae) Synonym(s): *Eugonia* Hübner,[1823] nec Hübner,[1819]; *Ennomos* Treitschke,1825; *Odoptera* Sodoffsky,1837; *Odontoptera* Agassiz,1847.
 338) **Entephria Hübner,[1825]** (Geometridae) Synonym(s): *Entephria* Hübner,[1825]; *Glaucopteryx* Hübner,[1825]; *Phaesyloides* Bruand,[1847]; *Trichochlamys* Hulst,1896.
 339) **Epilobophora Inoue,1943** (Geometridae) Synonym(s): *Epilobophora* Inoue,1943; *Paramathia* Herbulot,1948.
 340) **Epione Duponchel,1829** (Geometridae) Synonym(s): *Epione* Duponchel,1829
 341) **Epirrhoe Hübner,[1825]** (Geometridae) Synonym(s): *Epirrhoe* Hübner,[1825]
 342) **Epirrita Hübner,[1822]** (Geometridae) Synonym(s): *Epirrita* Hübner,[1822]; *Oporinia* Hübner,[1825]; *Oporabia* Stephens,1831; *Oporobia* Agassiz,1847
 343) **Erannis Hübner,[1825]** (Geometridae) Synonym(s): *Erannis* Hübner,[1825]; *Hybernia* Berthold,1827; *Lampetia* Stephens,1827; *Chimadia* Speyer,1839; *Thriptera* Gistel,1848
 344) **Euchoeca Hübner,[1823]** (Geometridae) Synonym(s): *Euchoeca* Hübner,[1823]
 345) **Eucrostes Hübner,[1823]** (Geometridae) Synonym(s): *Eucrostes* Hübner,[1823]; *Eucrostis* Hübner,1826; *Euchrostis* Zeller,1872; *Euchrostes* Gumpfenberg,1887
 346) **Eulithis Hübner,[1821]** (Geometridae) Synonym(s): *Eulithis* Hübner,[1821]; *Lygris* Hübner,[1825]; *Steganolopia* Stephens,1829; *Neolexia* Hulst,1896; *Phylace* Hulst,1896.
 347) **Eumera Staudinger,1892** (Geometridae) Synonym(s): *Eumera* Staudinger,1892
 348) **Euphyia Hübner,[1825]** (Geometridae) Synonym(s): *Euphyia* Hübner,[1825]; *Anapalta* W.Warren,1904; *Orthoprora* W.Warren,1904; *Warrenia* L.B.Prout,1910
 349) **Eupithecia Curtis,1825** (Geometridae) Synonym(s): *Eupithecia* Curtis,1825; *Arcyonia* Hübner,[1825]; *Dyscymatoge* Hübner,[1825]; *Eucymatoge* Hübner,[1825]; *Hyperirritis* Hübner,[1825]; *Leucocora* Hübner,[1825]; *Tarachia* Hübner,[1825]; *Tephroclysta* Hübner,[1825]; *Zygmena* Boie,1839; *Lepiodes* Guenée,1858; *Pena* Walker,1863; *Epicaste* Gumpfenberg,1887; *Dietzea* Schütze,1956; *Petersenia* Schütze,1958; *Bohatschia* Schütze,1960; *Delaeveria* Schütze,1961; *Catarina* Vojnits & De Laever,1973; *Propithecia* Vojnits,1985; *Heteropithecia* Vojnits,1985; *Neoithecia* Vojnits,1985.
 350) **Eustroma Hübner,[1825]** (Geometridae) Synonym(s): *Eustroma* Hübner,[1825]
 351) **Geometra Linnaeus,1758** (Geometridae) Synonym(s): *Geometra* Linnaeus,1758
 352) **Glossotrophia (Libanonia) Hausmann,1993** (Geometridae) Synonym(s): *Libanonia* Hausmann,1993
 353) **Glossotrophia (s.str.) L.B.Prout,1913** (Geometridae) Synonym(s): *Glossotrophia* L.B.Prout,1913
 354) **Gnopharmia Staudinger,1892** (Geometridae) Synonym(s): *Gnopharmia* Staudinger,1892
 355) **Gnophos (Cnestrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Cnestrognophos* Wehrli,1951
 356) **Gnophos (Dicrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Dicrognophos* Wehrli,1951
 357) **Gnophos (Dysgnophos) Wehrli,1951** (Geometridae) Synonym(s): *Dysgnophos* Wehrli,1951
 358) **Gnophos (Organognophos) Wehrli,1951** (Geometridae) Synonym(s): *Organognophos* Wehrli,1951
 359) **Gnophos (s.str.) Treitschke,1825** (Geometridae) Synonym(s): *#Sciadion* Hübner,[1806]; *Gnophos* Treitschke,1825; *Scotopterix* Hübner,[1825]; *Scotopteryx* Agassiz,1847; *Gnophus* Agassiz,1847; *#Sciadion* L.B.Prout,1904.

- 360) Gnophos Treitschke,1825** (Geometridae) Synonym(s): *#Sciadion* Hübner,[1806]; *Gnophos Treitschke,1825*; *Scotopteryx* Hübner,[1825]; *Scotopteryx* Agassiz,1847; *Gnophus* Agassiz,1847; *#Sciadion* L.B.Prout,1904.
- 361) Gymnoscelis Mabille,1868** (Geometridae) Synonym(s): *Gymnoscelis* Mabille,1868; *Iramba* Moore,1887; *Dolerosceles* Meyrick,1889
- 362) Gypsochroa Hübner,[1825]** (Geometridae) Synonym(s): *Gypsochroa* Hübner,[1825]
- 363) Heliomata Grote & Robinson,1866** (Geometridae) Synonym(s): *Heliomata* Grote & Robinson,1866
- 364) Hemistola W.Warren,1893** (Geometridae) Synonym(s): *Hemistola* W.Warren,1893
- 365) Hemithea Duponchel,1829** (Geometridae) Synonym(s): *Hemithea* Duponchel,1829; *Geometrina* Motschulsky,[1861]; *Lophocrita* W.Warren,1894; *Mixolophia* W.Warren,1894
- 366) Heterolocha Lederer,1853** (Geometridae) Synonym(s): *Heterolocha* Lederer,1853; *Nabla* Walker,1866; *Hetaera* Gumpfenberg,1887; *Symmetresia* Wehrli,1937
- 367) Hierochthonia L.B.Prout,1912** (Geometridae) Synonym(s): *Hierochthonia* L.B.Prout,1912
- 368) Holoterpna Püngeler,1900** (Geometridae) Synonym(s): *Holoterpna* Püngeler,1900
- 369) Horisme Hübner,[1825]** (Geometridae) Synonym(s): *Horisme* Hübner,[1825]; *Larentia* Bruand,1847 (praecocc.)
- 370) Hydrelia Hübner,[1825]** (Geometridae) Synonym(s): *Hydrelia* Hübner,[1825]; *Autallacta* W.Warren,1893
- 371) Hydria Hübner,1822** (Geometridae) Synonym(s): *Hydria* Hübner,1822
- 372) Hydriomena Hübner,[1825]** (Geometridae) Synonym(s): *Hydriomena* Hübner,[1825]; *Ypsipetes* Stephens,1829; *Hypsipetes* Stephens,1831 nec Vigors,1831; *Karacidaria* Matsumura,1925
- 373) Hylaea Hübner,1822** (Geometridae) Synonym(s): *Hylaea* Hübner,1822; *Therina* Hübner,[1823]; *Ellopiea* Treitschke,1825; *Ellopiea* Stephens,1829 nec Tr.,1825
- 374) Hypomecis Hübner,[1821]** (Geometridae) Synonym(s): *Hypomecis* Hübner,[1821]; *Dryocoetis* Hübner,[1825]; *Boarmia* Treitschke,1825; *Serraca* Moore,[1887]; *Pseudoangerona* Moore,[1887]; *Narapa* Moore,[1887]; *Alcippe* Gumpfenberg,1887 nec Blyth,1844; *Astacuda* Moore,1888; *Maidana* Swinhoe,1900; *Pseudoboarmia* McDunnough,1920
- 375) Hyposcotis (Charissa) Curtis,1826** (Geometridae) Synonym(s): *Charissa* Curtis,1826; *Lycognophos* Wehrli,1951; *#Lysognophos* Wehrli,1953
- 376) Hyposcotis (Euchrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Euchrognophos* Wehrli,1951
- 377) Hyposcotis (Kemtrognophos) Wehrli,1951** (Geometridae) Synonym(s): *Kemtrognophos* Wehrli,1951
- 378) Hyposcotis (Neognophina) Wehrli,1946** (Geometridae) Synonym(s): *Neognophina* Wehrli,1946
- 379) Hyposcotis (Rhopalognophos) Wehrli,1951** (Geometridae) Synonym(s): *Rhopalognophos* Wehrli,1951
- 380) Hyposcotis (s.str.) Hübner,[1825]** (Geometridae) Synonym(s): *Hyposcotis* Hübner,[1825]
- 381) Hyposcotis Hübner,[1825]** (Geometridae) Synonym(s): *Hyposcotis* Hübner,[1825]
- 382) Idaea Treitschke,1825** (Geometridae) Synonym(s): *Idaea* Treitschke,1825; *Sterrra* Hübner,[1825]; *Arrhostia* Hübner,[1825]; *Pycitis* Hübner,[1825]; *Ptychopoda* Curtis,1826; *Hyria* Stephens,1829 nec Lam.,1819; *Ania* Stephens,1831; *Goniacidalia* Packard,1873; *Pythodora* Meyrick,1886; *Janarda* Moore,1888; *Xenocentris* Meyrick,1889; *Mnesterodes* Meyrick,1889; *Aphrogeneia* Gumpfenberg,1890; *Argia* Gumpfenberg,1890; *Gnidia* Gumpfenberg,1890; *Pelagia* Gumpfenberg,1890 nec Peron,1810; ; *Andragrupos* Hampson,1891; *Carphoxera* Riley,1891; *Zeuctoneura* W.Warren,1895; *Synomila* Hulst,1896; *Ptenopoda* Hulst,1896; *Polygraphodes* W.Warren,1897; *Leptacme* W.Warren,1897; *Brachyprota* W.Warren,1897; *Hemipogon* W.Warren,1897; *Cacorista* W.Warren,1899; *Anteiois* W.Warren,1900; *Hyriogona* W.Warren,1900; *Neochrysa* W.Warren,1900; *Pogonogya* W.Warren,1900; *Prospasta* W.Warren,1900; *Cysteophora* Hulst,1900; *Thysanotricha* W.Warren,1903; *Deinopyga* W.Warren,1904; *Schematorhages* W.Warren,1905; *Lobura* W.Warren,1906; *Omopera* W.Warren,1906; *Argyroscelia* W.Warren,1907; *Pareupithex* W.Warren,1907; etc.
- 383) Isturgia Hübner,[1823]** (Geometridae) Synonym(s): *Isturgia* Hübner,[1823]; *Histurgia* Agassiz,1847; *Enconista* Lederer,1853; *Bichroma* Gumpfenberg,1887
- 384) Itame Hübner,[1823]** (Geometridae) Synonym(s): *Itame* Hübner,[1823]; *Speranza* Curtis,1828; *Halia* Duponchel,1829 nec Risso,1826; *Grammatophora* Stephens,1829; *Eupisteria* Boisduval,1840; *Thamnonoma* Lederer,1853
- 385) Jodis Hübner,[1823]** (Geometridae) Synonym(s): *Jodis* Hübner,[1823]; *Leucoglyphica* W.Warren,1894; *Pareuchloris* W.Warren,1894
- 386) Lampropteryx Stephens,1831** (Geometridae) Synonym(s): *Lampropteryx* Stephens,1831; *Paralophia* W.Warren,1893; *Anisobole* W.Warren,1902; *Paracomucha* W.Warren,1904
- 387) Larentia Treitschke,1825** (Geometridae) Synonym(s): *Larentia* Treitschke,1825; *Plerocymia* Hübner,[1825]; *Larentia* Stephens,1829 nec Tr.,1825; *Cymazonita* Sodoffsky,1837
- 388) Larerannis Wehrli,1935** (Geometridae) Synonym(s): *Larerannis* Wehrli,1935; *Phigaliohybernia* Inoue,1942; *Pachyerannis* Inoue,1982
- 389) Ligdia Guenée,[1858]** (Geometridae) Synonym(s): *Ligdia* Guenée,[1858]; *Harpicostia* Wehrli,1936
- 390) Lithostege Hübner,[1825]** (Geometridae) Synonym(s): *Lithostege* Hübner,[1825]; *Agrapha* Gumpfenberg,1887.
- 391) Lomaspilis Hübner,[1825]** (Geometridae) Synonym(s): *Lomaspilis* Hübner,[1825]

- 392) Lomographa Hübner,[1825]** (Geometridae) Synonym(s): *Lomographa Hübner,[1825]*; *Bapta Stephens,1829*; *Corycia Duponchel,1829 nec Hbn.,[1825]*; *Aleucis Guenée,[1858]*; *Lomatographa Agassiz,1847*; *Anhibernia Staudinger,1892*; *Leucetaera W.Warren,1894*; *Earoxyptera Djakonov,1936*; *Neobapta Djakonov,1936 nec Warr.,1904*; *Cyrtesia Wehrli,1937*; *Cirretaera Wehrli,1939*; *Eudjakonovia D.S.Fletcher,1979*
- 393) Lycia Hübner,[1825]** (Geometridae) Synonym(s): *Lycia Hübner,[1825]*; *Nyssia Duponchel,1829*; *Amorphogynia W.Warren,1894*; *Melanocoma Harrison,1910 nec Woll.,1867*; *Poecilopsis Harrison,1910*
- 394) Lythria Hübner,[1823]** (Geometridae) Synonym(s): *Lythria Hübner,[1823]*
- 395) Macaria Curtis,1826** (Geometridae) Synonym(s): *Macaria Curtis,1826*; *Philobia Duponchel,1829*; *Eutropa Hübner,[1831]*; *Sciagraphia Hulst,1896*
- 396) Megalycinia Wehrli,1939** (Geometridae) Synonym(s): *Megalycinia Wehrli,1939*
- 397) Melanthia Duponchel,1829** (Geometridae) Synonym(s): *Melanthia Duponchel,1829*
- 398) Menophra Moore,1887** (Geometridae) Synonym(s): *Hemerophila Stephens,1829 nec Hbn.,[1817]*; *Menophra Moore,1887*; *Leptodontopera W.Warren,1894*; *Ephemerophila W.Warren,1894*; *Ceruncina Wehrli,1941*; *Malacuncina Wehrli,1941*
- 399) Microloxia W.Warren,1893** (Geometridae) Synonym(s): *Microloxia W.Warren,1893*
- 400) Minoa Treitschke,1825** (Geometridae) Synonym(s): *Minoa Treitschke,1825*
- 401) Myinodes Meyrick,1892** (Geometridae) Synonym(s): *Myinodes Meyrick,1892*
- 402) Narraga Walker,1861** (Geometridae) Synonym(s): *Narraga Walker,1861*
- 403) Nebula Bruand,[1846]** (Geometridae) Synonym(s): *Nebula Bruand,[1846]*; *Coenotephria L.B.Prout,1914*
- 404) Neognopharmia Wehrli,1953** (Geometridae) Synonym(s): *Neognopharmia Wehrli,1953*
- 405) Nychiodes (Eunychiodes) Wehrli,1941** (Geometridae) Synonym(s): *Eunychiodes Wehrli,1941*
- 406) Nychiodes (Fritzwagneria) Wehrli,1941** (Geometridae) Synonym(s): *Fritzwagneria Wehrli,1941*
- 407) Nychiodes (s.str.) Lederer,1853** (Geometridae) Synonym(s): *Nychiodes Lederer,1853*
- 408) Nychiodes Lederer,1853** (Geometridae) Synonym(s): *Nychiodes Lederer,1853*
- 409) Ochodontia Lederer,1853** (Geometridae) Synonym(s): *Ochodontia Lederer,1853*; *#Ochodontia Vasilenko,1998*
- 410) Odezia Boisduval,1840** (Geometridae) Synonym(s): *Tanagra Duponchel,1829 nec Linn.,1764*; *Odezia Boisduval,1840*; *Hodezia Spormann,1909*
- 411) Odontognophos Wehrli,1951** (Geometridae) Synonym(s): *Odontognophos Wehrli,1951*; *#Odontognophos Wehrli,1951*
- 412) Odontopera Stephens,1831** (Geometridae) Synonym(s): *Odontopera Stephens,1831*; *Corotia Moore,1868*; *Nipponissa Butler,1878*; *Caripetodes W.Warren,1895*; *Cenoctenucha W.Warren,1897*; *Aethiopodes W.Warren,1902*; *Lioptilesia Wehrli,1936*; *Paragonodontis Wehrli,1936*
- 413) Operophtera Hübner,[1825]** (Geometridae) Synonym(s): *Operophtera Hübner,[1825]*; *Thysanodes Rambur,1870 nec Newm.,1842*; *Rachela Hulst,1896*; *Paraptera Hulst,1896*
- 414) Opisthograptis Hübner,[1823]** (Geometridae) Synonym(s): *Opisthograptis Hübner,[1823]*; *Rumia Duponchel,1829*
- 415) Orthonama Hübner,[1825]** (Geometridae) Synonym(s): *Orthonama Hübner,[1825]*; *Plemyria Hübner,[1825] nec Hbn.,[1825]*; *Nycterosea Hulst,1896*; *Percnoptilota Hulst,1896*
- 416) Orthostixis Hübner,[1799]** (Geometridae) Synonym(s): *Orthostixis Hübner,[1799]*
- 417) Oulobophora Staudinger,1892** (Geometridae) Synonym(s): *Oulobophora Staudinger,1892*
- 418) Ourapteryx Leach,1814** (Geometridae) Synonym(s): *Ourapteryx Leach,1814*; *Uraptera Billberg,1820*; *Acaena Treitschke,1825*; *Uropteryx Agassiz,1847*; *Euctenurapteryx W.Warren,1894*; *Energopteryx Thierry-Mieg,1903*; *Phrudura Swinhoe,1906*
- 419) Pachynemia Stephens,1829** (Geometridae) Synonym(s): *Pachynemia Stephens,1829*; *Sthanelia Boisduval,1840*; *Continia Hartig,1976*; *#Pachynemia Okyar & Aytaç,1999*
- 420) Paraboardia Krampl,1994** (Geometridae) Synonym(s): *Paraboardia Krampl,1994*
- 421) Paradarisa W.Warren,1894** (Geometridae) Synonym(s): *Paradarisa W.Warren,1894*
- 422) Parectropis Sato,1980** (Geometridae) Synonym(s): *Parectropis Sato,1980*
- 423) Pareulype Herbulot,1951** (Geometridae) Synonym(s): *Pareulype Herbulot,1951*
- 424) Pasiphila Meyrick,1883** (Geometridae) Synonym(s): *Pasiphila Meyrick,1883*; *Calliclystis Dietze,1910*; *Cithecina Staudinger,1897*; *Helastiodes W.Warren,1895*; *Rhinoprora W.Warren,1895*
- 425) Pellonia Duponchel,1829** (Geometridae) Synonym(s): *Pellonia Duponchel,1829*
- 426) Pelurga Hübner,[1825]** (Geometridae) Synonym(s): *Pelurga Hübner,[1825]*
- 427) Perconia Hübner,[1823]** (Geometridae) Synonym(s): *Perconia Hübner,[1823]*
- 428) Peribatodes Wehrli,1943** (Geometridae) Synonym(s): *Peribatodes Wehrli,1943*
- 429) Perizoma Hübner,[1825]** (Geometridae) Synonym(s): *Perizoma Hübner,[1825]*; *Mesotype Hübner,[1825]*; *Emmelesia Stephens,1829*; *Zerynthia Curtis,1830 (praeocc.)*; *Gagitodes W.Warren,1893*
- 430) Petrophora Hübner,[1811]** (Geometridae) Synonym(s): *Petrophora Hübner,[1811]*; *Ortholitha Hübner,[1821]*; *Lithina Hübner,[1825]*; *Lozogramma Stephens,1829*; *Loxogramma Agassiz,1847*; *Perigune Gumpfenberg,1887*
- 431) Phaiogramma Gumpfenberg,1887** (Geometridae) Synonym(s): *Phaiogramma Gumpfenberg,1887*
- 432) Phaselia Guenée,[1858]** (Geometridae) Synonym(s): *Phaselia Guenée,[1858]*

- 433) Phibalapteryx Stephens,1829** (Geometridae) Synonym(s): *Phibalapteryx* Stephens,1829; *Mesogramma* Stephens,1850
- 434) Phigalia Duponchel,1829** (Geometridae) Synonym(s): *Phigalia* Duponchel,1829; *Pterotocera* Staudinger,1892; *Coniodes* Hulst,1896; *Rhaphidodemas* Hulst,1896; *Metriocera* Djakonov,1949.
- 435) Philereme Hübner,[1825]** (Geometridae) Synonym(s): *Philereme* Hübner,[1825]; *Scotosia* Stephens,1829.
- 436) Phyllometra Boisduval,1840** (Geometridae) Synonym(s): *Phyllometra* Boisduval,1840; *Egea* Duponchel,[1845]
- 437) Plagodis Hübner,[1823]** (Geometridae) Synonym(s): *Plagodis* Hübner,[1823]; *Anagoga* Hübner,[1823]; *Azinephora* Stephens,1827; *Eurymene* Duponchel,1829; *Numeria* Duponchel,1829.
- 438) Plemymia Hübner,[1825]** (Geometridae) Synonym(s): *Plemymia* Hübner,[1825]
- 439) Problepsis Lederer,1853** (Geometridae) Synonym(s): *Caloptera* Frivaldsky,1845 nec Gistel,1834; *Problepsis* Lederer,1853; *Argyris* Guenée,[1858]; *Problepsiodes* W.Warren,1899
- 440) Proteuchloris Hausmann,1996** (Geometridae) Synonym(s): *Proteuchloris* Hausmann,1996
- 441) Protorhoe Herbulot,1951** (Geometridae) Synonym(s): *Protorhoe* Herbulot,1951
- 442) Proutictis Bryk,1938** (Geometridae) Synonym(s): *Proutictis* Bryk,1938
- 443) Pseudopanthera Hübner,[1823]** (Geometridae) Synonym(s): *Pseudopanthera* Hübner,[1823]; *Venilia* Duponchel,1829 nec Raf.,1815
- 444) Pseudoterpna Hübner,[1823]** (Geometridae) Synonym(s): *Pseudoterpna* Hübner,[1823]
- 445) Pungeleria Rougemont,1903** (Geometridae) Synonym(s): *Pungeleria* Rougemont,1903
- 446) Pydna Herrich-Schäffer,[1855]** (Geometridae) Synonym(s): *Pydna* Herrich-Schäffer,[1855]
- 447) Rheumaptera Hübner,1822** (Geometridae) Synonym(s): *Rheumaptera* Hübner,1822; *Eulype* Hübner,[1825]; *Calocalpe* Hübner,[1825]; *Melanippe* Duponchel,1829; *Rheumatoptera* Gumpfenberg,1887; *Xenospora* W.Warren,1903
- 448) Rhodometra Meyrick,1892** (Geometridae) Synonym(s): *Rhodometra* Meyrick,1892; *Sterrhanthia* Butler,1894
- 449) Rhodostrophia Hübner,[1823]** (Geometridae) Synonym(s): *Rhodostrophia* Hübner,[1823]; *Delocharis* Butler,1883; *Leptosidia* Hampson,1903; *#Rhodostrophia* Brandt,1938
- 450) Rhoptria Guenée,[1858]** (Geometridae) Synonym(s): *Rhoptria* Guenée,[1858]; *Pseudognophos* Staudinger,1900
- 451) Schistostege Hübner,[1825]** (Geometridae) Synonym(s): *Schistostege* Hübner,[1825]
- 452) Scopula Schrank,1802** (Geometridae) Synonym(s): *Scopula* Schrank,1802
- 453) Scotopteryx Hübner,[1825]** (Geometridae) Synonym(s): *Scotopteryx* Hübner,[1825]; *Onychia* Hübner,[1825]; *Eubolia* Duponchel,1829; *Phasiane* Duponchel,1829; *Eusebia* Bruand,1846 nec Dup.,[1845]; *Limonophila* Gumpfenberg,1887; *Forbachia* Albrecht,1920.
- 454) Selenia Hübner,[1823]** (Geometridae) Synonym(s): *Selenia* Hübner,[1823]
- 455) Selidosema Hübner,[1823]** (Geometridae) Synonym(s): *Selidosema* Hübner,[1823]; *Spermo* Gumpfenberg,1887.
- 456) Siona Duponchel,1829** (Geometridae) Synonym(s): *Siona* Duponchel,1829; *#Sionia* Okyar & Aytaç,1999
- 457) Stamnodes Guenée,[1858]** (Geometridae) Synonym(s): *Stamnodes* Guenée,[1858]; *Tora* Walker,1867; *Marmopteryx* Packard,1874; *Synneuria* Mabilie,1885; *Lissopsis* W.Warren,1894; *Grammicopteryx* Thierry-Mieg,1904
- 458) Stegania Guenée,1845** (Geometridae) Synonym(s): *Stegania* Guenée,1845; *Terpnomicta* Lederer,1853; *Liposchema* W.Warren,1914
- 459) Stueningia Hausmann,1993** (Geometridae) Synonym(s): *Stueningia* Hausmann,1993; *#Steeegania* Riemis,1996
- 460) Synopsia Hübner,[1825]** (Geometridae) Synonym(s): *Synopsia* Hübner,[1825]
- 461) Synopsidia Djakonov,1935** (Geometridae) Synonym(s): *Synopsidia* Djakonov,1935; *Hashtaresia* Wehrli,1936
- 462) Tephрина Guenée,[1845]** (Geometridae) Synonym(s): *Tephрина* Guenée,[1845]; *#Tephрина* Okyar & Aytaç,1999
- 463) Tephronia Hübner,[1825]** (Geometridae) Synonym(s): *Tephronia* Hübner,[1825]; *Mniophila* Boisduval,1840 nec Stph.,1834; *Gymnospile* Gumpfenberg,1887; *L.B.Mannia* Prout,1915 nec Davidson,1874; *Eumannia* D.S.Fletcher,1979
- 464) Thaleria Hübner,[1823]** (Geometridae) Synonym(s): *Thaleria* Hübner,[1823]; *Chlorochroma* Duponchel,[1845]; *Heterothaleria* Bryk,1949
- 465) Thera (Pennithera) Viidalepp,1980** (Geometridae) Synonym(s): *Pennithera* Viidalepp,1980
- 466) Thera Stephens,1831** (Geometridae) Synonym(s): *Thera* Stephens,1831; *Corythea* Duponchel,[1845]
- 467) Therapis Hübner,[1823]** (Geometridae) Synonym(s): *Therapis* Hübner,[1823]; *Caustoloma* Lederer,1853
- 468) Theria Hübner,[1825]** (Geometridae) Synonym(s): *Theria* Hübner,[1825]; *Cheimatobia* Stephens,1829
- 469) Thetidia Boisduval,1840** (Geometridae) Synonym(s): *Euchloris* Hübner,[1823] nec Bill.,1820; *Thetidia* Boisduval,1840; *Aglossochloris* L.B.Prout,1912; *Antonechloris* Raineri,1994

- 470) Timandra Duponchel, 1829** (Geometridae) Synonym(s): *Timandra Duponchel*, 1829; *Bradyepetes Stephens*, 1829; *Bradyepetes Agassiz*, 1847
- 471) Trichodezia W. Warren, 1895** (Geometridae) Synonym(s): *Trichodezia W. Warren*, 1895; *Neodezia W. Warren*, 1904
- 472) Triphosa Stephens, 1829** (Geometridae) Synonym(s): *Triphosa Stephens*, 1829; *Umbrosina Bruand*, 1847; *Speluncaris Bruand*, 1847; *Strepsizuga W. Warren*, 1908
- 473) Venusia Curtis, 1839** (Geometridae) Synonym(s): *Venusia Curtis*, 1839; *Discoloxia W. Warren*, 1895; *Nomenia Pearsall*, 1905
- 474) Wehrliola Strand, 1932** (Geometridae) Synonym(s): *Pfeifferia Wehrli*, 1932 nec *Gray*, 1853; *Wehrliola Strand*, 1932; *Pfeifferula Wehrli*, 1934
- 475) Xanthorhoe Hübner, [1825]** (Geometridae) Synonym(s): *Xanthorhoe Hübner*, [1825]; *Malenydris Hübner*, [1825]; *Ochyria Hübner*, [1825]; *Cidaria Stephens*, 1829; *Coremia Guenée*, [1845] nec *Audinet-Serville*, 1834; *Scotocoremia Butler*, 1882; *Monochryria W. Warren*, 1901; *Anisolasia W. Warren*, 1904
- 476) Xenochlorodes W. Warren, 1897** (Geometridae) Synonym(s): *Xenochlorodes W. Warren*, 1897; *Hissarica Viidalepp*, 1988
- 477) Glyphipterix Hübner, [1825]** (Glyphipterygidae) Synonym(s): *Glyphipterix Hübner*, [1825]; *Heribeia Stephens*, 1829; *Aechmia Treitschke*, 1833; *Anacampsoides Bruand*, 1851
- 478) Acrocercops Wallengren, 1881** (Gracillariidae) Synonym(s): *Acrocercops Wallengren*, 1881; *Eucosmophora Walsingham*, 1897; *Neurobathra Ely*, 1918; *#Neurostrata Ely*, 1918
- 479) Aspilapteryx (Sabulopteryx) Triberti, 1985** (Gracillariidae) Synonym(s): *Sabulopteryx Triberti*, 1985
- 480) Aspilapteryx (s.str.) Spuler, 1910** (Gracillariidae) Synonym(s): *Aspilapteryx Spuler*, 1910
- 481) Aspilapteryx Spuler, 1910** (Gracillariidae) Synonym(s): *Aspilapteryx Spuler*, 1910
- 482) Callisto Stephens, 1834** (Gracillariidae) Synonym(s): *Callisto Stephens*, 1834; *Annickia Gibeaux*, 1990
- 483) Caloptilia (Povolnya) Kuznetsov, 1979** (Gracillariidae) Synonym(s): *Povolnya Kuznetsov*, 1979
- 484) Caloptilia Hübner, [1825]** (Gracillariidae) Synonym(s): *Caloptilia Hübner*, [1825]; *Ornix Kollar*, 1832; *Coriscium Zeller*, 1839; *Calliptilia Agassiz*, 1847; *Antiolopha Meyrick*, 1894
- 485) Calybites Hübner, 1822** (Gracillariidae) Synonym(s): *Calybites Hübner*, 1822; *Euspilapteryx Stephens*, 1835; *Euspilopteryx Agassiz*, 1847; *Eucalybites Kumata*, 1982
- 486) Cupedia Klimesch & Kumata, 1973** (Gracillariidae) Synonym(s): *Cupedia Klimesch & Kumata*, 1973
- 487) Dialectica Walsingham, 1897** (Gracillariidae) Synonym(s): *Dialectica Walsingham*, 1897; *Eutrichocnemis Spuler*, 1910
- 488) Euspilapteryx Stephens, 1835** (Gracillariidae) Synonym(s): *Euspilapteryx Stephens*, 1835; *Euspilopteryx Agassiz*, 1847
- 489) Gracillaria Haworth, 1828** (Gracillariidae) Synonym(s): *Gracillaria Haworth*, 1828; *Gracilaria Zeller*, 1839; *Gracilaria Walsingham*, 1907; *Xanthospilapteryx Spuler*, 1910
- 490) Micrurapteryx Spuler, 1910** (Gracillariidae) Synonym(s): *Micrurapteryx Spuler*, 1910
- 491) Parornix Spuler, 1910** (Gracillariidae) Synonym(s): *Parornix Spuler*, 1910; *Alfaornix Kuznetsov*, 1979; *Betaornix Kuznetsov*, 1979; *Gammaornix Kuznetsov*, 1979; *Deltaornix Kuznetsov*, 1979
- 492) Phyllocnistis Zeller, 1848** (Gracillariidae) Synonym(s): *Phyllocnistis Zeller*, 1848
- 493) Phyllonorycter Hübner, 1822** (Gracillariidae) Synonym(s): *Phyllonorycter Hübner*, 1822; *Lithocolletis Hübner*, [1825]; *Phyllorycter Walsingham*, 1914; *Hirsuta T.B. Fletcher*, 1929
- 494) Polymitia Triberti, 1986** (Gracillariidae) Synonym(s): *Polymitia Triberti*, 1986
- 495) Sauterina Kuznetsov, 1979** (Gracillariidae) Synonym(s): *Sauterina Kuznetsov*, 1979
- 496) Spulerina Vari, 1961** (Gracillariidae) Synonym(s): *Spulerina Vari*, 1961
- 497) Heliodines Stainton, 1854** (Heliodinidae) Synonym(s): *Heliodines Stainton*, 1854
- 498) Hepialus Fabricius, 1775** (Hepialidae) Synonym(s): *Hepialus Fabricius*, 1775; *Hepiolus Illiger*, 1801; *Epialus Agassiz*, 1847
- 499) Korscheltellus Börner, 1920** (Hepialidae) Synonym(s): *Korscheltellus Börner*, 1920
- 500) Triodia Hübner, [1820]** (Hepialidae) Synonym(s): *Triodia Hübner*, [1820]; *Alphus Wallengren*, 1869 nec *Thomson*, 1860
- 501) Zenophassus Tindale, 1941** (Hepialidae) Synonym(s): *Zenophassus Tindale*, 1941
- 502) Carcharodus (Lavatheria) Verity, 1940** (Hesperiidae) Synonym(s): *Lavatheria Verity*, 1940
- 503) Carcharodus (Reverdinus) Ragusa, 1919** (Hesperiidae) Synonym(s): *Reverdinus Ragusa*, 1919
- 504) Carcharodus (s.str.) Hübner, [1819]** (Hesperiidae) Synonym(s): *Carcharodus Hübner*, [1819]; *Spilothyrsus Duponchel*, 1835
- 505) Carcharodus Hübner, [1819]** (Hesperiidae) Synonym(s): *Carcharodus Hübner*, [1819]; *Spilothyrsus Duponchel*, 1835
- 506) Carterocephalus Lederer, 1852** (Hesperiidae) Synonym(s): *Carterocephalus Lederer*, 1852; *Aubertia Oberthür*, 1896; *Pamphilida Lindsey*, 1925.
- 507) Eogenes Mabilie, 1909** (Hesperiidae) Synonym(s): *Eogenes Mabilie*, 1909
- 508) Erynnis (Hesperopegasus) Seven, 2002** (Hesperiidae) Synonym(s): *Hallia Tutt*, [1906] nec *Edwards & Haime*, 1850; *Hesperopegasus Seven*, 2002.
- 509) Erynnis (s.str.) Schrank, 1801** (Hesperiidae) Synonym(s): *Erynnis Schrank*, 1801
- 510) Gegeres Hübner, [1819]** (Hesperiidae) Synonym(s): *Gegeres Hübner*, [1819]; *Philoodus Rambur*, 1842

- 511) *Hesperia Fabricius, 1793*** (Hesperiidae) Synonym(s): *Hesperia Fabricius, 1793*; *Pamphila Fabricius, 1807*; *Diorthosus Rafinesque, 1815*; *Symmachia Sodoffsky, 1837* nec *Hübner, 1819*; *Anthomaster Scudder, 1872*; *Ocytes Scudder, 1872*; *Urbicola Tutt, 1905*
- 512) *Heteropterus Duméril, 1806*** (Hesperiidae) Synonym(s): *Heteropterus Duméril, 1806*
- 513) *Muschampia Tutt, [1906]*** (Hesperiidae) Synonym(s): *Muschampia Tutt, [1906]*
- 514) *Ochlodes Scudder, 1872*** (Hesperiidae) Synonym(s): *Ochlodes Scudder, 1872*
- 515) *Pelopidas Walker, 1870*** (Hesperiidae) Synonym(s): *Pelopidas Walker, 1870*; *Chapra Moore, [1881]*
- 516) *Pyrgus Hübner, [1819]*** (Hesperiidae) Synonym(s): *Pyrgus Hübner, [1819]*; *Scelotrix Rambur, 1858*; *Teleomorpha B.C.S. Warren, 1926*; *Hemiteleomorpha B.C.S. Warren, 1926*; *Ateleomorpha B.C.S. Warren, 1926*; *Scelothrix Scudder, 1875*; *Bremeria Tutt, 1906* nec *Mre., [1896]* non *Alph., 1892*.
- 517) *Spialia (Neospialia) Koçak, 1989*** (Hesperiidae) Synonym(s): *Powellia Tutt, [1906]* nec *Maskell, 1879*; *Neospialia Koçak, 1989*.
- 518) *Spialia (s.str.) Swinhoe, [1912]*** (Hesperiidae) Synonym(s): *Spialia Swinhoe, 1912*
- 519) *Spialia Swinhoe, [1912]*** (Hesperiidae) Synonym(s): *Spialia Swinhoe, 1912*
- 520) *Thymelicus Hübner, [1819]*** (Hesperiidae) Synonym(s): *Thymelicus Hübner, [1819]*; *Adopoea Billberg, 1820*; *Pelion Kirby, 1858*.
- 521) *Alloclemensia Schmidt-Nielsen, 1981*** (Incurvariidae) Synonym(s): *Alloclemensia Schmidt-Nielsen, 1981*
- 522) *Incurvaria Haworth, 1828*** (Incurvariidae) Synonym(s): *Brosis Billberg, 1820*; *Incurvaria Haworth, 1828*
- 523) *Chondrostega Lederer, 1858*** (Lasiocampidae) Synonym(s): *Chondrostega Lederer, 1858*; *Eustaudingeria Dyar, 1898*; *Libanopacha Zerny, 1933*
- 524) *Dendrolimus Germar, 1812*** (Lasiocampidae) Synonym(s): *Dendrolimus Germar, 1812*; *Eutricha Stephens, 1829* nec *Hbn., [1814]*; *Ptilorhina Zetterstedt, 1839*; *Oenona Walker, 1855*; *Chatra Moore, 1879*; *Karenkonio Matsumura, 1932*; *#Dendrolismus De Freina, 1983*
- 525) *Eriogaster (Autosphylla) Rambur, 1866*** (Lasiocampidae) Synonym(s): *Autosphylla Rambur, 1866*
- 526) *Eriogaster (s.str.) Germar, 1810*** (Lasiocampidae) Synonym(s): *Eriogaster Germar, 1810*; *Gastris Billberg, 1820*; *Dasysoma Hübner, [1820]*; *Lachneis Hübner, 1822*
- 527) *Eriogaster Germar, 1810*** (Lasiocampidae) Synonym(s): *Eriogaster Germar, 1810*; *Gastris Billberg, 1820*; *Dasysoma Hübner, [1820]*; *Lachneis Hübner, 1822* *Autosphylla Rambur, 1866*
- 528) *Gastropacha (s.str.) Ochsenheimer, 1810*** (Lasiocampidae) Synonym(s): *Gastropacha Ochsenheimer, 1810*; *Phylloma Billberg, 1820*; *Bombyx Boisduval, 1828* nec *Linn., 1758*
- 529) *Gastropacha Ochsenheimer, 1810*** (Lasiocampidae) Synonym(s): *Gastropacha Ochsenheimer, 1810*; *Phylloma Billberg, 1820*; *Bombyx Boisduval, 1828* nec *Linn., 1758*
- 530) *Lasiocampa Schrank, 1802*** (Lasiocampidae) Synonym(s): *Lasiocampa Schrank, 1802*; *Pachygastria Hübner, [1820]*; *Irenocampa Rambur, 1858*
- 531) *Macrothylacia Rambur, 1866*** (Lasiocampidae) Synonym(s): *Macrothylacia Rambur, 1866*; *Lachnocampa Wallengren, 1869*
- 532) *Malacosoma Hübner, [1820]*** (Lasiocampidae) Synonym(s): *Malacosoma Hübner, [1820]*; *Trichoda Hübner, 1822* nec *Müll., 1773*; *Trichodia Stephens, 1827*; *Clisiocampa Curtis, 1828*; *Cliseocampa Agassiz, 1847*
- 533) *Odonestis Germar, 1812*** (Lasiocampidae) Synonym(s): *Odonestis Germar, 1812*; *Chrostogastria Hübner, [1820]*; *Phylloxera Rambur, 1866* nec *Boyer, 1834*; *Lobocampa Wallengren, 1869*; *Pseudarguda Matsumura, 1932*; *#Odonestia Lewvanich, 2001*
- 534) *Pachypasa Walker, 1855*** (Lasiocampidae) Synonym(s): *Pachypasa Walker, 1855*; *Mecistosoma Rambur, 1866*
- 535) *Phyllodesma (Epicnaptera) Rambur, 1866*** (Lasiocampidae) Synonym(s): *Epicnaptera Rambur, 1866*; *#Epicnapteryx O. Bang-Haas, 1927*
- 536) *Phyllodesma Hübner, [1820]*** (Lasiocampidae) Synonym(s): *Phyllodesma Hübner, [1820]*; *Ammatocampa Wallengren, 1869*
- 537) *Poecilocampa Stephens, 1828*** (Lasiocampidae) Synonym(s): *Poecilocampa Stephens, 1828*
- 538) *Sena Walker, 1862*** (Lasiocampidae) Synonym(s): *Sena Walker, 1862*
- 539) *Trichiura (s.str.) Stephens, 1828*** (Lasiocampidae) Synonym(s): *Trichiura Stephens, 1828*
- 540) *Trichiura Stephens, 1828*** (Lasiocampidae) Synonym(s): *Trichiura Stephens, 1828*
- 541) *Ceuthomadarus Mann, 1864*** (Lecithoceridae) Synonym(s): *Ceuthomadarus Mann, 1864*; *Asbolistis Meyrick, 1936*; *Exorgana Gozmany, 1957*
- 542) *Eurodachtha Gozmany, 1978*** (Lecithoceridae) Synonym(s): *Eurodachtha Gozmany, 1978*
- 543) *Homaloxestis Meyrick, 1910*** (Lecithoceridae) Synonym(s): *Homaloxestis Meyrick, 1910*; *#Hamaloxestis Meyrick, 1931*
- 544) *Lecithocera Herrich-Schäffer, [1853]*** (Lecithoceridae) Synonym(s): *Lecithocera Herrich-Schäffer, [1853]*; *Patouissa Walker, 1864*; *Brachyerga Meyrick, 1925*; *Periphorectis Meyrick, 1925*; *Xanthocera Amsel, 1953* nec *Towns., 1915*; *Leviptera Janse, 1954*; *Xanthoceroles Amsel, 1955*; *Parrhasastris Gozmany, 1972*
- 545) *Odites (Gozmaniola) Lvovsky, 1996*** (Lecithoceridae) Synonym(s): *Gozmaniola Lvovsky, 1996*
- 546) *Lemonia Hübner, [1820]*** (Lemoniidae) Synonym(s): *Lemonia Hübner, [1820]*; *Crateronyx Duponchel, [1845]*; *Limonia Agassiz, 1847* nec *Meig., 1803*

- 547) Libythea Fabricius,1807** (Libytheidae) Synonym(s): *Libythea Fabricius,1807*; *Hecaerge Ochsenheimer,1816*; *Hypatus Hübner,1822*; *Libythaëus Boitard,1828*; *Dichora Scudder,1889*.
- 548) Apoda Haworth,[1809]** (Limacodidae) Synonym(s): *Apoda Haworth,[1809]*; *Chelone R.L.,1817*; *Cochlidium Hübner,1822*; *Chelonias Hübner,[1825] nec Raf.,1815*; *Limacodes Berthold,1827*; *Manlia Agassiz,1846*; *Cochlidion auct.*
- 549) Heterogenea Knoch,1783** (Limacodidae) Synonym(s): *Heterogenea Knoch,1783*
- 550) Hoyosia Agenjo,1972** (Limacodidae) Synonym(s): *#Ruperezia Agenjo,1968*; *Hoyosia Agenjo,1972*
- 551) Latoia Guérin-Méneville,[1844]** (Limacodidae) Synonym(s): *Latoia Guérin-Méneville,[1844]*; *Somara Walker,1855*; *Asteria R.Felder & Rogenhofer,1874 nec Müll.,1775*
- 552) Callophrys Billberg,1820** (Lycaenidae) Synonym(s): *Lycus Hübner,[1819] nec Fabr.,1787*; *Callophrys Billberg,1820*; *Licus Hübner,[1823]*; *Incisalia Scudder,1872*; *Mitoura Scudder,1872*; *Satsuma Murray,1875 nec Adams,1868*; *Ahlbergia Bryk,1946*; *Ginzia Okano,1947*; *#Callophris Barragué,1954*; *Sandia Clench & Ehrlich,1960*; *Xamia Clench,1961*; *Cisincisalia K.Johnson,1992*; *Loranthomitoura Ballmer & Pratt,1992*; *Novosatsuma K.Johnson,1992*; *Cissatsuma K.Johnson,1992*; *Deciduphagus K.Johnson,1992*
- 553) Celastrina Tutt,1906** (Lycaenidae) Synonym(s): *Celastrina Tutt,1906*; *Cyaniriodes Matsumura,1919 nec de Niceville,1890*; *Maslowskia Kurenzov,1974*.
- 554) Chilades (Freyeria) Courvoisier,1920** (Lycaenidae) Synonym(s): *Freyeria Courvoisier,1920*
- 555) Chilades (Lachides) Nekrutenko,1984** (Lycaenidae) Synonym(s): *Lachides Nekrutenko,1984*
- 556) Chilades Moore,[1881]** (Lycaenidae) Synonym(s): *Chilades Moore,[1881]*
- 557) Cigaritis Donzel,1847** (Lycaenidae) Synonym(s): *Cigaritis Donzel,1847*; *Spindasis Wallengren,1857*; *Apharitis Riley,1925*; *#Zigaritis Pfeiffer,1932*
- 558) Cupido (Everes) Hübner,[1819]** (Lycaenidae) Synonym(s): *Everes Hübner,[1819]*; *Tiora Evans,1912*; *Ununcula van Eecke,1915*
- 559) Cupido (s.str.) Schrank,1801** (Lycaenidae) Synonym(s): *Cupido Schrank,1801*
- 560) Cupido Schrank,1801** (Lycaenidae) Synonym(s): *Cupido Schrank,1801*
- 561) Glaucopsyche (Apelles) Hemming,1931** (Lycaenidae) Synonym(s): *Apelles Hemming,1931*
- 562) Glaucopsyche (Iolana) Bethune-Baker,1914** (Lycaenidae) Synonym(s): *Iolana Bethune-Baker,1914*
- 563) Glaucopsyche (s.str.) Scudder,1872** (Lycaenidae) Synonym(s): *Glaucopsyche Scudder,1872*
- 564) Glaucopsyche Scudder,1872** (Lycaenidae) Synonym(s): *Glaucopsyche Scudder,1872*
- 565) Lampides Hübner,[1819]** (Lycaenidae) Synonym(s): *Lampides Hübner,[1819]*; *Cosmolyce Toxopeus,1927*.
- 566) Leptotes Scudder,1876** (Lycaenidae) Synonym(s): *Leptotes Scudder,1876*; *Syntarucus Butler,[1901]*; *Syntarucoides Kaye,1904*; *Langia Tutt,[1906] nec Moore,1872*; *Raywardia Tutt,1908*.
- 567) Lycaena (Alciphronia) Koçak,1992** (Lycaenidae) Synonym(s): *Alciphronia Koçak,1992*
- 568) Lycaena (Heodes) Dalman,1816** (Lycaenidae) Synonym(s): *Heodes Dalman,1816*; *Chrysoptera Zincken,1817*.
- 569) Lycaena (Loweia) Tutt,[1906]** (Lycaenidae) Synonym(s): *Loweia Tutt,[1906]*; *Palaeoloweia Verity,1934*.
- 570) Lycaena (Margelycaena) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Phoenicurusia auct. nec Verity,1943*; *Margelycaena Koçak & Kemal,2001*
- 571) Lycaena (Palaeochrysophanus) Verity,1943** (Lycaenidae) Synonym(s): *Palaeochrysophanus Verity,1943*
- 572) Lycaena (Phoenicurusia) Verity,1943** (Lycaenidae) Synonym(s): *Phoenicurusia Verity,1943*; *Athamanthia Zhdanko,1983*
- 573) Lycaena (Thersamolycaena) Verity,1957** (Lycaenidae) Synonym(s): *Disparia Verity,1943 nec Nagano,1916*; *Thersamolycaena Verity,1957*; *#Thersamonolycaena Churkin,1999*
- 574) Lycaena (Thersamonia) Verity,1919** (Lycaenidae) Synonym(s): *Thersamonia Verity,1919*; *Hyllolycaena & L.Miller & F.M.Brown,1979*
- 575) Lycaena (s.str.) Fabricius,1807** (Lycaenidae) Synonym(s): *Lycaena Fabricius,1807*
- 576) Lycaena Fabricius,1807** (Lycaenidae) Synonym(s): *Lycaena Fabricius,1807*; *Lycia Sodoffsky,1837*; *Migonitis Sodoffsky,1837*; *Rumicia Tutt,1906*.
- 577) Phengaris Doherty,1891** (Lycaenidae) Synonym(s): *#Argus Boisduval,[1832] nec Bohadsch,1761*; *Phengaris Doherty,1891*; *Maculinea van Eecke,1915*
- 578) Plebejus (Kretania) Beuret,1959** (Lycaenidae) Synonym(s): *Kretania Beuret,1959*
- 579) Plebejus (Lycæides) Hübner,[1819]** (Lycaenidae) Synonym(s): *Lycæides Hübner,[1819]*
- 580) Plebejus (Plebejides) Sauter,1968** (Lycaenidae) Synonym(s): *Plebejides Sauter,1968*
- 581) Plebejus (s.str.) Kluk,1802** (Lycaenidae) Synonym(s): *Plebejus Kluk,1802*
- 582) Plebejus Kluk,1802** (Lycaenidae) Synonym(s): *Plebejus Kluk,1802*; *Plebeius Kirby,1871 nec Tschudi,1846*.
- 583) Polyommatus (Agriades (s.str.)) Hübner,[1819]** (Lycaenidae) Synonym(s): *Agriades Hübner,[1819]*; *Latorina Tutt,[1909]*
- 584) Polyommatus (Albulina (Plebejidea)) Koçak,1983** (Lycaenidae) Synonym(s): *Plebejidea Koçak,1983*; *Glabroculus Lvovsky,1993*; *Elviria Zhdanko,1994*.

- 585) Polyommatus (Albulina (Vacciniina)) Tutt,[1909]** (Lycaenidae) Synonym(s): *Vacciniina* Tutt,[1909]; *Farsia* Zhdanko,1994
- 586) Polyommatus (Aricia (Eumedonia)) Forster,1938** (Lycaenidae) Synonym(s): *Eumedonia* Forster,1938
- 587) Polyommatus (Aricia (Pseudoaricia)) Beuret,1959** (Lycaenidae) Synonym(s): *Pseudoaricia* Beuret,1959
- 588) Polyommatus (Aricia (Ultraaricia)) Beuret,1959** (Lycaenidae) Synonym(s): *Ultraaricia* Beuret,1959
- 589) Polyommatus (Aricia (s.str.)) Reichenbach,1817** (Lycaenidae) Synonym(s): *Aricia* s.str. Reichenbach,1817
- 590) Polyommatus (Aricia) [Reichenbach],1817** (Lycaenidae) Synonym(s): *Aricia* [Reichenbach],1817; *Gynomorphia* Verity,1929.
- 591) Polyommatus (s.str. (Agrodiaetus (Actisia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Actisia* Koçak & Kemal,2001
- 592) Polyommatus (s.str. (Agrodiaetus (Admetusia))) Koçak & Seven,1998** (Lycaenidae) Synonym(s): *Admetusia* Koçak & Seven,1998
- 593) Polyommatus (s.str. (Agrodiaetus (Antidolus))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Antidolus* Koçak & Kemal,2001
- 594) Polyommatus (s.str. (Agrodiaetus (Damaia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Damaia* Koçak & Kemal,2001.
- 595) Polyommatus (s.str. (Agrodiaetus (Musa))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Musa* Koçak & Kemal,2001
- 596) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Phyllisia* Koçak & Kemal,2001
- 597) Polyommatus (s.str. (Agrodiaetus (Transcaspianus))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Transcaspianus* Koçak & Kemal,2001
- 598) Polyommatus (s.str. (Agrodiaetus (Xerxesia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Xerxesia* Koçak & Kemal,2001
- 599) Polyommatus (s.str. (Agrodiaetus)) Hübner,1822** (Lycaenidae) Synonym(s): *Agrodiaetus* Hübner,1822; *Hirsutina* Tutt,[1909].
- 600) Polyommatus (s.str. (Cyaniris)) Dalman,1816** (Lycaenidae) Synonym(s): *Cyaniris* Dalman,1816; *Nomiades* Hübner,[1819].
- 601) Polyommatus (s.str. (Lysandra)) Hemming,1933** (Lycaenidae) Synonym(s): *Lysandra* Hemming,1933
- 602) Polyommatus (s.str. (Meleageria)) De Sagarra,1925** (Lycaenidae) Synonym(s): *Meleageria* De Sagarra,1925
- 603) Polyommatus (s.str. (Neolysandra)) Koçak,1977** (Lycaenidae) Synonym(s): *Neolysandra* Koçak,1977
- 604) Polyommatus (s.str. (Plebicula)) Higgins,1969** (Lycaenidae) Synonym(s): *Plebicula* Higgins,1969
- 605) Polyommatus (s.str. (Sublysandra)) Koçak,1977** (Lycaenidae) Synonym(s): *Sublysandra* Koçak,1977
- 606) Polyommatus (s.str. (Thersitesia)) Koçak & Seven,1998** (Lycaenidae) Synonym(s): *Thersitesia* Koçak & Seven,1998
- 607) Polyommatus (s.str.) Latreille,1804** (Lycaenidae) Synonym(s): *Polyommatus* Latreille,1804
- 608) Polyommatus Latreille,1804** (Lycaenidae) Synonym(s): *Polyommatus* Latreille,1804
- 609) Pseudophilotes Beuret,1958** (Lycaenidae) Synonym(s): *Pseudophilotes* Beuret,1958
- 610) Quercusia Verity,1943** (Lycaenidae) Synonym(s): *Quercusia* Verity,1943
- 611) Rubrapterus Korshunov,1987** (Lycaenidae) Synonym(s): *Rubrapterus* Korshunov,1987
- 612) Satyrium (Nordmannia) Tutt,[1907]** (Lycaenidae) Synonym(s): *Nordmannia* Tutt,[1907]
- 613) Satyrium (Strymonidia) Tutt,[1908]** (Lycaenidae) Synonym(s): *Strymonidia* Tutt,[1908]
- 614) Satyrium (Superflua) Strand,1910** (Lycaenidae) Synonym(s): *Superflua* Strand,1910
- 615) Satyrium Scudder,1876** (Lycaenidae) Synonym(s): *Satyrium* Scudder,1876; *Callipsyche* Scudder,1876.
- 616) Scolitantides Hübner,[1819]** (Lycaenidae) Synonym(s): *Scolitantides* Hübner,[1819]
- 617) Tarucus Moore,[1881]** (Lycaenidae) Synonym(s): *Tarucus* Moore,[1881]
- 618) Thecla Fabricius,1807** (Lycaenidae) Synonym(s): *Thecla* Fabricius,1807; #*Theclaria* Rafinesque,1815; *Zephyrus* Dalman,1816; *Aurotis* Dalman,1816; *Zephyrius* Billberg,1820; *Ruralis* Tutt,[1906].
- 619) Tomares Rambur,[1840]** (Lycaenidae) Synonym(s): *Tomares* Rambur,[1840]
- 620) Turanana Bethune-Baker,1916** (Lycaenidae) Synonym(s): *Turanina* Bethune-Baker,1914 nec Rag.,1890; *Turanana* Bethune-Baker,1916
- 621) Zizeeria Chapman,1910** (Lycaenidae) Synonym(s): *Zizeeria* Chapman,1910
- 622) Arctornis Germar,1811** (Lymantriidae) Synonym(s): *Arctornis* Germar,1811; #*Actornis* De Freina,1981

- 623) Calliteara Butler,1881** (Lymantriidae) Synonym(s): *Calliteara* Butler,1881; *Elkneria* Börner,1932; *Takashachia* Matsumura,1929
- 624) Dicallomera Butler,1881** (Lymantriidae) Synonym(s): *Dicallomera* Butler,1881
- 625) Euproctis Hübner,[1819]** (Lymantriidae) Synonym(s): *Euproctis* Hübner,[1819]; *Nygmia* Hübner,[1820]; *Porthesia* Stephens,1828; *Antipha* Walker,1855; *Arna* Walker,1855; *Artaxa* Walker,1855; *Lacida* Walker,1855; *Lopera* Walker,1855; *Somena* Walker,1856; *Urocoma* Herrich-Schäffer,1858; *Ela* Walker,1862; *Utidava* Walker,1863; *Adullia* Walker,1865; *Orvasca* Walker,1865; *Themaca* Walker,1865; *Cozola* Walker,1865; *Bembina* Walker,1865; *Gogana* Walker,1866; *Micromorphe* R.Felder,1874; *Choerotricha* R.Felder,1874; *Chionophasma* Butler,1886; *Ocybola* Turner,1912; *Meteuproctis* Matsumura,1927; *Epeuproctis* Matsumura,1933; *Sphrageidus* Maes,1984
- 626) Leucoma Hübner,1822** (Lymantriidae) Synonym(s): *Leucoma* Hübner,1822; *Laria* Schrank,1802 nec Scop.,1763; *Stilpnotia* Humprey & Westwood,1843; *Leucosia* Rambur,1866 nec Wb.,1795; *Nymphyxis* Grote,1895
- 627) Lymantria Hübner,[1819]** (Lymantriidae) Synonym(s): *Lymantria* Hübner,[1819]; *Porthetria* Hübner,[1819]; *Hypogymna* Billberg,1820; *Sericaria* Berthold,1827; *Psilura* Stephens,1828; *Enome* Walker,1855
- 628) Ocnerygia Staudinger,[1892]** (Lymantriidae) Synonym(s): *Ocnerygia* Staudinger,[1892]; *#Ocnerygia* Staudinger,[1892]; *#Ocnerygia* De Freina,1999
- 629) Orgyia Ochsenheimer,1810** (Lymantriidae) Synonym(s): *Orgyia* Ochsenheimer,1810; *Notolophus* Germar,1812; *Orgyia* Zetterstedt,1839; *Teia* Walker,1855; *Clethrogyna* Rambur,1866; *Micropterogyna* Rambur,1866; *Apterogynis* Guenée,[1875]
- 630) Parocneria Dyar,1897** (Lymantriidae) Synonym(s): *Parocneria* Dyar,1897; *Uliolepis* W.Warren,1897; *Maimaia* Matsumura,1933; *Daniela* Hartig,1963 nec Koch,1891.
- 631) Polymona Walker,1855** (Lymantriidae) Synonym(s): *Polymona* Walker,1855
- 632) Uliolepis W.Warren,1897** (Lymantriidae) Synonym(s): *Uliolepis* W.Warren,1897; *Pseudolabis* Hartig,1963 nec Matth.,1904
- 633) Bedellia Stainton,1849** (Lyonetiidae) Synonym(s): *Bedellia* Stainton,1849; *#Bedelia* Parenti,2000
- 634) Leucoptera Hübner,[1825]** (Lyonetiidae) Synonym(s): *Leucoptera* Hübner,[1825]; *Cemiostoma* Zeller,1848; *Proleucoptera* Busck,1902; *Paraleucoptera* Heinrich,1918; *Perileucoptera* Silvestri,1943.
- 635) Lyonetia Hübner,[1825]** (Lyonetiidae) Synonym(s): *Lyonetia* Hübner,[1825]; *Nocturno* Gistel,1847; *Olethria* Gistel,1848; *Gracillaroides* Bruand,1851; *Syncrobyla* Meyrick,1915; *Lyonetiola* Kuroko,1964
- 636) Micronola Amsel,1935** (Micronoctuidae) Synonym(s): *Micronola* Amsel,1935; *Micronoctua* Fibiger,1997
- 637) Micropterix Hübner,[1825]** (Micropterigidae) Synonym(s): *Micropterix* Hübner,[1825]; *Eriocephala* Curtis,1839; *Micropteryx* Zeller,1839; *Electrocrania* Kuznetsov,1941
- 638) Mompha (Anybia) Stainton,1854** (Mompidae) Synonym(s): *Anybia* Stainton,1854
- 639) Mompha (Lophoptilus) Sircom,1848** (Mompidae) Synonym(s): *Lophoptilus* Sircom,1848
- 640) Mompha (s.str.) Hübner,[1825]** (Mompidae) Synonym(s): *Mompha* Hübner,[1825]; *Laverna* Curtis,1839
- 641) Mompha Hübner,[1825]** (Mompidae) Synonym(s): *Mompha* Hübner,[1825]; *Laverna* Curtis,1839
- 642) Acalyptris Meyrick,1921** (Nepticulidae) Synonym(s): *Acalyptris* Meyrick,1921; *Microcalyptris* Brown,1925; *Niepeltia* Strand,1934; *Weberia* Müller-Rutz,1934; *Weberina* Müller-Rutz,1934.
- 643) Ectoedemia (Etainia) Beirne,1945** (Nepticulidae) Synonym(s): *Obrussa* Braun,1915 nec Heyd.,1891; *Etainia* Beirne,1945
- 644) Ectoedemia (Fomoria) Beirne,1945** (Nepticulidae) Synonym(s): *Fomoria* Beirne,1945
- 645) Ectoedemia (s.str.) Busck,1907** (Nepticulidae) Synonym(s): *Ectoedemia* Busck,1907; *Dechtiria* Beirne,1945
- 646) Ectoedemia Busck,1907** (Nepticulidae) Synonym(s): *Ectoedemia* Busck,1907
- 647) Stigmella Schrank,1802** (Nepticulidae) Synonym(s): *Stigmella* Schrank,1802
- 648) Trifurcula (Glaucolepis) Braun,1917** (Nepticulidae) Synonym(s): *Glaucolepis* Braun,1917; *Fedalmia* Beirne,1945; *Sinoptacula* Yang,1989
- 649) Trifurcula (Levarchama) Beirne,1945** (Nepticulidae) Synonym(s): *Levarchama* Beirne,1945
- 650) Trifurcula Zeller,1848** (Nepticulidae) Synonym(s): *Trifurcula* Zeller,1848
- 651) Abrostola Ochsenheimer,1816** (Noctuidae) Synonym(s): *#Unca* Oken,1813; *Abrostola* Ochsenheimer,1816; *Habrostola* Sodoffsky,1837; *Inguridia* Butler,1879; *Unca* Lhomme,[1929]; *Trigeminostola* Beck,[1992]; *Asclepistola* Beck,[1992]
- 652) Acantholipes Lederer,1857** (Noctuidae) Synonym(s): *Acantholipes* Lederer,1857; *Docela* Walker,[1866]; *Lasionota* W.Warren,1912 (homonym); *Nolaseniola* Strand,1920; *Isatoolna* Nye,1975
- 653) Acontia (Emmelia) Hübner,[1821]** (Noctuidae) Synonym(s): *Emmelia* Hübner,[1821]; *Erotyla* Hübner,1822; *Agrophila* Boisduval,1840; *Ponometia* Herrich-Schäffer,1868; *Fruva* Grote,1877; *Heliodora* Neumoegen,1891; *Graeperia* Grote,1895; *Therasesa* Grote,1895; *Trachidia* Hampson,1898; *Tornacontia* Smith,1900; *Conacontia* Smith,1900; *Conochares* Smith,1905; *Neptunia* Barnes & McDunnough,1911; *Hemispargueia* Barnes & McDunnough,1923; *Acropserotarache* Berio,1937; *Emmelacontia* Beck,2000
- 654) Acontia (Uracontia) Beck,1996** (Noctuidae) Synonym(s): *Uracontia* Beck,1996
- 655) Acontia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Acontia* Ochsenheimer,1816; *Tarache* Hübner,[1823]; *Desmophora* Stephens,1829; *Euphasia* Stephens,1830; *Heliothera* Sodoffsky,1837; *Porrotha* Gistel,1848; *Tima* Walker,[1858]; *Pseudalypia* H.Edwards,1874; *Spragueia* Grote,1875; *Trichotarache* Grote,1875; *Hoplotarache* Hampson,1910; *Prociosis* Hampson,1910; *Cardiosace* Hampson,1910; *Fredina* Brandt,1939

- 656) Acontiola Staudinger,[1900]** (Noctuidae) Synonym(s): *Acontiola Staudinger,[1900]*
- 657) Acrapex Hampson,1894** (Noctuidae) Synonym(s): *Acrapex Hampson,1894; Acutipenna Hampson,1894.*
- 658) Acronicta (Hyboma) Hübner,[1820]** (Noctuidae) Synonym(s): *Hyboma Hübner,[1820]*
- 659) Acronicta (Subacronicta) Kozhantshikov,1950** (Noctuidae) Synonym(s): *Subacronicta Kozhantshikov,1950*
- 660) Acronicta (Triaena) Hübner,1818** (Noctuidae) Synonym(s): *#Apatele Hübner,1808; Triaena Hübner,1818; Semaphora Guenée,1841; Sematophora Agassiz,1846; Cuspidia Chapman,1890*
- 661) Acronicta (Viminia) Chapman,1890** (Noctuidae) Synonym(s): *Viminia Chapman,1890*
- 662) Acronicta (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Acronicta Ochsenheimer,1816*
- 663) Acronicta Ochsenheimer,1816** (Noctuidae) Synonym(s): *Acronicta Ochsenheimer,1816*
- 664) Actebia Stephens,1829** (Noctuidae) Synonym(s): *Actebia Stephens,1829; Hapalia Hübner,[1821] nec Hbn.,1818; Dissimactebia Beck,1991*
- 665) Actinotia Hübner,[1821]** (Noctuidae) Synonym(s): *Actinotia Hübner,[1821]; Radinotia Beck,1996*
- 666) Aedia Hübner,[1823]** (Noctuidae) Synonym(s): *Aedia Hübner,[1823]; Anophia Guenée,1841*
- 667) Aedophron Lederer,1857** (Noctuidae) Synonym(s): *Aedophron Lederer,1857*
- 668) Aegle Hübner,[1823]** (Noctuidae) Synonym(s): *Aegle Hübner,[1823]*
- 669) Agrapha Hübner,[1821]** (Noctuidae) Synonym(s): *Agrapha Hübner,[1821]; Acanthoplusia Dufay,1970; Ctenoplusia Dufay,1970.*
- 670) Agrochola (Alpichola) Ronkay,1984** (Noctuidae) Synonym(s): *Alpichola Ronkay,1984*
- 671) Agrochola (Anchoscelis) Guenée,1839** (Noctuidae) Synonym(s): *Anchoscelis Guenée,1839*
- 672) Agrochola (Frivaldskyola) Ronkay,1984** (Noctuidae) Synonym(s): *Frivaldskyola Ronkay,1984*
- 673) Agrochola (Propenistra) Berio,1981** (Noctuidae) Synonym(s): *Propenistra Berio,1981*
- 674) Agrochola (Sunira) Franclemont,1950** (Noctuidae) Synonym(s): *Sunira Franclemont,1950*
- 675) Agrochola (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Agrochola Hübner,[1821]; Leptologia Prout,1901; Lycanades Franclemont,1937; Alexia De Laever nec Leach,1817; Agrolitha Berio,1980; Delaeveria Berio,1980; Xandria De Laever,1983; Pseudanchoscelis Beck,1991; Humichola Beck,1991; Rufachola Beck,1991; Haemachola Beck,1991; Thurnerichola Beck,1991; Osthelderichola Beck,1991; Fissipunctia Beck,1991; Aurxanthia Beck,1991*
- 676) Agrochola Hübner,[1821]** (Noctuidae) Synonym(s): *Agrochola Hübner,[1821]; Leptologia Prout,1901; Lycanades Franclemont,1937; Alexia De Laever nec Leach,1817; Agrolitha Berio,1980; Delaeveria Berio,1980; Xandria De Laever,1983; Pseudanchoscelis Beck,1991; Humichola Beck,1991; Rufachola Beck,1991; Haemachola Beck,1991; Thurnerichola Beck,1991; Osthelderichola Beck,1991; Fissipunctia Beck,1991; Aurxanthia Beck,1991*
- 677) Agrotis (Crassagrotis) Beck,1991** (Noctuidae) Synonym(s): *Crassagrotis Beck,1991*
- 678) Agrotis (Leucagrotis) Beck,1991** (Noctuidae) Synonym(s): *Leucagrotis Beck,1991*
- 679) Agrotis (Putagrotis) Beck,1991** (Noctuidae) Synonym(s): *Putagrotis Beck,1991*
- 680) Agrotis (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Agrotis Ochsenheimer,1816*
- 681) Agrotis Ochsenheimer,1816** (Noctuidae) Synonym(s): *Agrotis Ochsenheimer,1816*
- 682) Albocosta Fibiger & Lafontaine,1997** (Noctuidae) Synonym(s): *Albocosta Fibiger & Lafontaine,1997*
- 683) Allophytes Tams,1942** (Noctuidae) Synonym(s): *Allophytes Tams,1942*
- 684) Ammoconia Lederer,1857** (Noctuidae) Synonym(s): *Ammoconia Lederer,1857; #Ammocania Tschetverikov,1904*
- 685) Amphipoea Billberg,1820** (Noctuidae) Synonym(s): *Amphipoea Billberg,1820*
- 686) Amphipyra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Amphipyra Ochsenheimer,1816; Scotophila Hübner,[1821]; Pyrophila Stephens,1829; Philopyra Guenée,1852; Neocomia Rougemont,1902.*
- 687) Anaplectoides McDunnough,[1929]** (Noctuidae) Synonym(s): *Anaplectoides McDunnough,[1929]*
- 688) Antarchaea Hübner,[1821]** (Noctuidae) Synonym(s): *Antarchaea Hübner,[1821]; Daona Walker,1864; Byturna Moore,1883; Myana Swinhoe,1884; Pseudomicra Butler,1892*
- 689) Antennola de Freina & Witt,1984** (Noctuidae) Synonym(s): *Antennola de Freina & Witt,1984*
- 690) Anthracia Hübner,[1823]** (Noctuidae) Synonym(s): *Anthracia Hübner,[1823]; Gracilipalpus Calberla,1888; Micromania Christoph,1893; Scioptila W.Warren,1911*
- 691) Antitype Hübner,[1821]** (Noctuidae) Synonym(s): *Antitype Hübner,[1821]*
- 692) Anumeta Walker,1858** (Noctuidae) Synonym(s): *Anumeta Walker,1858; Palpangula Staudinger,1877; Eremonoma W.Warren,1913*
- 693) Apamea (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Apamea Ochsenheimer,1816; Abromias Billberg,1820; Septis Hübner,[1821]; Hama Stephens,1829; Xylophasia Stephens,1829; Agrostobia Boie,1835; Crymodes Guenée,1841; Syma Stephens,1850; Eleemosia Prout,1901; Protagrotis Hampson,1903; Trichoplexia Hampson,1908; Heteromma W.Warren,1911; Heterommiola Strand,1912; Apaconjunctdonta Beck,[1992]*
- 694) Apamea Ochsenheimer,1816** (Noctuidae) Synonym(s): *Apamea Ochsenheimer,1816; Abromias Billberg,1820; Septis Hübner,[1821]; Hama Stephens,1829; Xylophasia Stephens,1829; Agrostobia Boie,1835; Crymodes Guenée,1841; Syma Stephens,1850; Eleemosia Prout,1901; Protagrotis Hampson,1903; Trichoplexia Hampson,1908; Heteromma W.Warren,1911; Heterommiola Strand,1912; Apaconjunctdonta Beck,[1992]*

- 695) **Apaustis Hübner,[1823]** (Noctuidae) Synonym(s): *Apaustis Hübner,[1823]*
696) **Apopestes Hübner,[1823]** (Noctuidae) Synonym(s): *Apopestes Hübner,[1823]*
697) **Aporophyla Guenée,1841** (Noctuidae) Synonym(s): *Aporophyla Guenée,1841*
698) **Araeopteron Hampson,1893** (Noctuidae) Synonym(s): *Araeopteron Hampson,1893*
699) **Archanara Walker,1866** (Noctuidae) Synonym(s): *Archanara Walker,1866*
700) **Arenostola Hampson,1910** (Noctuidae) Synonym(s): *Arenostola Hampson,1910*
701) **Argyrospila Herrich-Schäffer,1851** (Noctuidae) Synonym(s): *Argyrospila Herrich-Schäffer,1851*
702) **Armada Staudinger,1884** (Noctuidae) Synonym(s): *Armada Staudinger,1884*
703) **Asteroscopus Boisduval,1828** (Noctuidae) Synonym(s): *Asteroscopus Boisduval,1828*
704) **Atethmia Hübner,[1821]** (Noctuidae) Synonym(s): *Atethmia Hübner,[1821]*; *Cirroedia Guenée,1839*
705) **Athetis Hübner,[1821]** (Noctuidae) Synonym(s): *Athetis Hübner,[1821]*; *Proxenus Herrich-Schäffer,[1850]*; *Elydna Walker,1858*; *Nebrissa Walker,1862*; *Radinacra Butler,1878*; *Dadica Moore,1881*; *Radingoes Butler,1886*; *Strepselydna W.Warren,1911*; *Hydrillula Tams,1938*; *Tectorea Berio,1955*.
706) **Atypha Hübner,[1821]** (Noctuidae) Synonym(s): *Atypha Hübner,[1821]*; *Paratypha Koçak,1980*
707) **Auchmis (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Auchmis Hübner,[1821]*
708) **Auchmis Hübner,[1821]** (Noctuidae) Synonym(s): *Auchmis Hübner,[1821]*
709) **Autographa Hübner,[1821]** (Noctuidae) Synonym(s): *Autographa Hübner,[1821]*
710) **Autophila Hübner,[1823]** (Noctuidae) Synonym(s): *Autophila Hübner,[1823]*
711) **Axylia Hübner,[1821]** (Noctuidae) Synonym(s): *Axylia Hübner,[1821]*; *#Actinia Ebert & Hacker,2002*
712) **Basistriga Fibiger & Lafontaine,1997** (Noctuidae) Synonym(s): *Basistriga Fibiger & Lafontaine,1997*
713) **Behounekia Hacker,1990** (Noctuidae) Synonym(s): *Behounekia Hacker,1990*
714) **Bena Billberg,1820** (Noctuidae) Synonym(s): *Bena Billberg,1820*
715) **Boursinia Brandt,1938** (Noctuidae) Synonym(s): *Boursinia Brandt,1938*; *Anamecia Boursin,1958*; *#Boursinia Hacker,1998*
716) **Brachylomia Hampson,1906** (Noctuidae) Synonym(s): *Brachylomia Hampson,1906*
717) **Brandtina Bytinski-Salz & Brandt,1937** (Noctuidae) Synonym(s): *Brandtina Bytinski-Salz & Brandt,1937*; *Cometera Hacker,1996*; *#Brandtaxia Ebert & Hacker,2002*
718) **Bryomima Staudinger,1900** (Noctuidae) Synonym(s): *Bryomima Staudinger,1900*
719) **Bryophilopsis Hampson,1894** (Noctuidae) Synonym(s): *Bryophilopsis Hampson,1894*
720) **Calamia Hübner,[1821]** (Noctuidae) Synonym(s): *Calamia Hübner,[1821]*
721) **Callierges Hübner,[1821]** (Noctuidae) Synonym(s): *Callierges Hübner,[1821]*; *Lithocampa Guenée,1852*
722) **Callistege Hübner,[1823]** (Noctuidae) Synonym(s): *Callistege Hübner,[1823]*; *Euclidimera Hampson,1913*
723) **Callopietria Hübner,[1821]** (Noctuidae) Synonym(s): *Callopietria Hübner,[1821]*; *Lagopus R.L.,1817 nec Brisson,1760*; *Eriopus Treitschke,1825*; *Agabra Walker,1862*; *Obana Walker,1862 nec Walk.,1862*; *Gnamptocera Butler,1881*; *Haploolophus Butler,1881*; *Dissolophus Butler,1881*; *Hemipachycera Butler,1881*; *Rheptrotrichia Butler,1881*; *Platydasys Butler,1881*; *Methorasa Moore,1881*; *Cotanda Moore,1881*; *Herrichia Grote,1882 nec Stgr.,1871*; *Euherrichia Grote,1882*; *Hyperdasis Swinhoe,1901*; *Miropalpa Berio,1955*
724) **Calocucullia G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *Calocucullia G.Ronkay & L.Ronkay,1987*
725) **Calophasia Stephens,1829** (Noctuidae) Synonym(s): *Calophasia Stephens,1829*
726) **Calymma Hübner,[1823]** (Noctuidae) Synonym(s): *Calymma Hübner,[1823]*
727) **Calyptra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Calyptra Ochsenheimer,1816*; *Calpe Treitschke,1825*; *Culasta Moore,1881*; *Hypocalpe Butler,1883*; *Percalpe Berio,1956*
728) **Caradrina (Boursinidrina) Hacker,2004** (Noctuidae) Synonym(s): *Boursinidrina Hacker,2004*
729) **Caradrina (Eremodrina) Boursin,1937** (Noctuidae) Synonym(s): *Eremodrina Boursin,1937*
730) **Caradrina (Kalchbergiana) Hacker,2004** (Noctuidae) Synonym(s): *Kalchbergiana Hacker,2004*
731) **Caradrina (Levantrina) Hacker,2004** (Noctuidae) Synonym(s): *Levantrina Hacker,2004*
732) **Caradrina (Paradrina) Boursin,1937** (Noctuidae) Synonym(s): *Paradrina Boursin,1937*
733) **Caradrina (Platyperigea) Smith,1894** (Noctuidae) Synonym(s): *Platyperigea Smith,1894*; *Hymenodrina Boursin,1937*
734) **Caradrina Ochsenheimer,1816** (Noctuidae) Synonym(s): *Caradrina Ochsenheimer,1816*; *Charadrina Agassiz,1847*; *Amphidrina Staudinger,1892*
735) **Cardepia Hampson,1905** (Noctuidae) Synonym(s): *Cardepia Hampson,1905*
736) **Catephia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Catephia Ochsenheimer,1816*; *Idicara Walker,[1863]*; *Zarima Moore,1882*; *Mageutica Hampson,1926*
737) **Catocala (Ephesia) Hübner,1818** (Noctuidae) Synonym(s): *Ephesia Hübner,1818*
738) **Catocala (s.str.) Schrank,1802** (Noctuidae) Synonym(s): *Catocala Schrank,1802*; *Hemigeometra Haworth,1809*; *Lamprosia Hübner,[1821]*; *Belpharidia Hübner,1822*; *Astioties Hübner,[1823]*; *Corisce Hübner,[1823]*; *Eucora Hübner,[1823]*; *Eunetis Hübner,[1823]*; *Andrewsia Grote,1882*; *Catabapta Hulst,1884*; *Andreusia Hampson,1913*; *Simplicala Beck,1996*
739) **Catocala Schrank,1802** (Noctuidae) Synonym(s): *Catocala Schrank,1802*; *Hemigeometra Haworth,1809*; *Lamprosia Hübner,[1821]*; *Belpharidia Hübner,1822*; *Astioties Hübner,[1823]*; *Corisce*

- Hübner,[1823]; *Eucora* Hübner,[1823]; *Eunetis* Hübner,[1823]; *Andrewsia* Grote,1882; *Catabapta* Hulst,1884; *Andreusia* Hampson,1913; *Simplicala* Beck,1996
- 740) **Celaena Stephens,1829** (Noctuidae) Synonym(s): *Celaena* Stephens,1829; *Helotropha* Lederer,1857
- 741) **Cerapteryx Curtis,1833** (Noctuidae) Synonym(s): *Cerapteryx* Curtis,1833
- 742) **Cerastis Ochsenheimer,1816** (Noctuidae) Synonym(s): *Cerastis* Ochsenheimer,1816; *Cerastia* Stephens,1850; *Sora* Heinemann,1859 nec Wlk.,1859; *Matuta* Grote,1874; *Gypsites* Tams,1939; *Facastis* Beck,1991
- 743) **Cerocala Boisduval,1829** (Noctuidae) Synonym(s): *Cerocala* Boisduval,1829
- 744) **Charanyca Billberg,1820** (Noctuidae) Synonym(s): *Charanyca* Billberg,1820; *Meristis* Hübner,[1821]; *Grammesia* Stephens,1829
- 745) **Chazaria Moore,1881** (Noctuidae) Synonym(s): *Chazaria* Moore,1881; *Rhodocleptia* Hampson,1903.
- 746) **Chersotis (Cyrebia) Guenée,1852** (Noctuidae) Synonym(s): *Cyrebia* Guenée,1852
- 747) **Chersotis (s.str.) Boisduval,1840** (Noctuidae) Synonym(s): *Chersotis* Boisduval,1840
- 748) **Chilodes Herrich-Schäffer,1849** (Noctuidae) Synonym(s): *Chilodes* Herrich-Schäffer,1849; *Hypostilbia* Hampson,1908
- 749) **Chionoxantha Hampson,1914** (Noctuidae) Synonym(s): *Xantholeuca* Hampson,1910 (praeocc.); *Chionoxantha* Hampson,1914
- 750) **Chloantha Boisduval, Rambur & Graslin,1836** (Noctuidae) Synonym(s): *Chloantha* Boisduval, Rambur & Graslin,1836
- 751) **Chortodes Tutt,1897** (Noctuidae) Synonym(s): *Chortodes* Tutt,1897
- 752) **Chrysodeixis Hübner,[1821]** (Noctuidae) Synonym(s): *Chrysodeixis* Hübner,[1821]; *Neoplusia* Okano,1963
- 753) **Cleoceris Boisduval,1836** (Noctuidae) Synonym(s): *Cleoceris* Boisduval,1836
- 754) **Cleonymia (Serryvania) Berio,1980** (Noctuidae) Synonym(s): *Serryvania* Berio,1980
- 755) **Cleonymia Berio,1966** (Noctuidae) Synonym(s): *Cleonymia* Berio,1966
- 756) **Clytie (Hypoglaucitis) Staudinger,1895** (Noctuidae) Synonym(s): *Hypoglaucitis* Staudinger,1895
- 757) **Clytie (s.str.) Hübner,[1823]** (Noctuidae) Synonym(s): *Clytie* Hübner,[1823]; *Pseudophia* Guenée,1852.
- 758) **Clytie Hübner,[1823]** (Noctuidae) Synonym(s): *Clytie* Hübner,[1823]; *Pseudophia* Guenée,1852.
- 759) **Coenophila Stephens,1850** (Noctuidae) Synonym(s): *Coenophila* Stephens,1850
- 760) **Colobochyla (Caspicastra) Koçak & Kemal,2002** (Noctuidae) Synonym(s): *Caspicastra* Koçak & Kemal,2002
- 761) **Colobochyla Hübner,[1825]** (Noctuidae) Synonym(s): *#Salia* Hübner,[1806]; *Colobochyla* Hübner,[1825]; *#Cholobochyla* Hübner,[1826]; *Madopa* Stephens,1829; *Cholobochyla* Agassiz,1846; *#Calobochyla* Walker,[1859]; *#Matopa* Hacker,1990.
- 762) **Colocasia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Colocasia* Ochsenheimer,1816; *Leptostola* Billberg,1820; *Demas* Stephens,1829; *#Calocasia* auct.
- 763) **Condica Walker,1856** (Noctuidae) Synonym(s): *Condica* Walker,1856; *Gaphara* Walker,1862; *Platysenta* Grote,1874; *Myrtale* Druce,1891; *Monocondica* Berio,1981; *Bicondica* Berio,1981.
- 764) **Conistra (Dasycampa) Guenée,1837** (Noctuidae) Synonym(s): *Dasycampa* Guenée,1837
- 765) **Conistra (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Conistra* Hübner,[1821]; *Orrhodia* Hübner,[1821]; *Gloia* Hübner,1822; *Peperina* Hreblay,1992
- 766) **Cornutiplusia Kostrowicki,1961** (Noctuidae) Synonym(s): *Cornutiplusia* Kostrowicki,1961
- 767) **Cosmia (Calymnia) Hübner,[1821]** (Noctuidae) Synonym(s): *Calymnia* Hübner,[1821]
- 768) **Cosmia (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Cosmia* Ochsenheimer,1816; *Eustegnia* Hübner,[1821].
- 769) **Cosmia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Cosmia* Ochsenheimer,1816; *Eustegnia* Hübner,[1821].
- 770) **Craniophora Snellen,1867** (Noctuidae) Synonym(s): *Craniophora* Snellen,1867; *Bisulcia* Chapman,1890; *Cranionycta* De Lattin,1949; *Hampsonia* Kozhantschikov,1950; *Miracopa* Draudt,1950; *Hampsonidia* Inoue,1958.
- 771) **Cryphia (Bryoleuca) Hampson,1908** (Noctuidae) Synonym(s): *Bryoleuca* Hampson,1908
- 772) **Cryphia (Bryophila) Treitschke,1825** (Noctuidae) Synonym(s): *Poecilia* Schrank,1802 nec Schneider,1801; *Bryophila* Treitschke,1825
- 773) **Cryphia (Bryopsis) Boursin,1969** (Noctuidae) Synonym(s): *Bryopsis* Boursin,1969
- 774) **Cryphia (Euthales) Hübner,[1820]** (Noctuidae) Synonym(s): *Euthales* Hübner,[1820]; *Jaspidia* Hübner,1822
- 775) **Cryphia (s.str.) Hübner,1818** (Noctuidae) Synonym(s): *Cryphia* Hübner,1818; *Heterocryphia* Beck,1996
- 776) **Cryphia Hübner,1818** (Noctuidae) Synonym(s): *Cryphia* Hübner,1818; *Heterocryphia* Beck,1996
- 777) **Crypsotidia Rothschild,1901** (Noctuidae) Synonym(s): *Crypsotidia* Rothschild,1901
- 778) **Cucullia (Shargacucullia) G.Ronkay & L.Ronkay,1992** (Noctuidae) Synonym(s): *Shargacucullia* G.Ronkay & L.Ronkay,1992; *Prenanthcucullia* Beck,1996
- 779) **Cucullia (s.str.) Schrank,1802** (Noctuidae) Synonym(s): *Cucullia* Schrank,1802; *Euderaea* Hübner,[1821]; *Empusa* Hübner,[1821]; *Eucalimia* Hübner,[1821]; *Callaenia* Hübner,[1821]; *Argyritis* Hübner,[1821]; *Tribunophora* Hübner,1822; *Lophia* Sodoffsky,1837; *Argyroglea* Hampson,1906; *Cheligalea* Hampson,1906; *Argyromata* Hampson,1906; *Empusada* Hampson,1906; *Pseudocopicucullia* Dumont,1929

- 780) Cucullia Schrank,1802** (Noctuidae) Synonym(s): *Cucullia Schrank,1802*; *Euderaea Hübner,[1821]*; *Empusa Hübner,[1821]*; *Eucalimia Hübner,[1821]*; *Callaenia Hübner,[1821]*; *Argyritis Hübner,[1821]*; *Tribunophora Hübner,1822*; *Lophia Sodoffsky,1837*; *Argyroglea Hampson,1906*; *Cheligalea Hampson,1906*; *Argyromata Hampson,1906*; *Empusada Hampson,1906*; *Pseudocopicucullia Dumont,1929*
- 781)Dasypolia (Dasymixis) L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *Dasymixis L.Ronkay & Varga,1990*
- 782) Dasypolia (s.str.) Guenée,1852** (Noctuidae) Synonym(s): *Dasypolia Guenée,1852*
- 783) Dasypolia Guenée,1852** (Noctuidae) Synonym(s): *Dasypolia Guenée,1852*
- 784) Deltote Reichenbach,1817** (Noctuidae) Synonym(s): *Deltote Reichenbach,1817*
- 785) Diachrysia Hübner,[1821]** (Noctuidae) Synonym(s): *Diachrysia Hübner,[1821]*
- 786) Diarsia Hübner,[1821]** (Noctuidae) Synonym(s): *Diarsia Hübner,[1821]*; *Oxira Walker,1865*
- 787) Dichagyris (Yigoga) Nye,1975** (Noctuidae) Synonym(s): *Yigoga Nye,1975*; *Flavyigoga Beck,1996*; *Nigryigoga Beck,1996*
- 788) Dichagyris Lederer,1857** (Noctuidae) Synonym(s): *Dichagyris Lederer,1857*
- 789) Dichonia (Gripesia) Tams,1939** (Noctuidae) Synonym(s): *Gripesia Tams,1939*
- 790) Dichonia Hübner,[1821]** (Noctuidae) Synonym(s): *Dichonia Hübner,[1821]*
- 791)Dicycla Guenée,1852** (Noctuidae) Synonym(s): *Dicycla Guenée,1852*
- 792) Diloba Boisduval,1840** (Noctuidae) Synonym(s): *Diloba Boisduval,1840*
- 793) Drasteria Hübner,1818** (Noctuidae) Synonym(s): *Drasteria Hübner,1818*
- 794) Dryobota Lederer,1857** (Noctuidae) Synonym(s): *Dryobota Lederer,1857*
- 795) Dryobotodes (Dichonioxia) Berio,1980** (Noctuidae) Synonym(s): *Dichonioxia Berio,1980*
- 796) Dryobotodes (s.str.) W.Warren,1911** (Noctuidae) Synonym(s): *Dryobotodes W.Warren,1911*
- 797)Dryobotodes W.Warren,1911** (Noctuidae) Synonym(s): *Dryobotodes W.Warren,1911*
- 798) Dypterygia Stephens,1829** (Noctuidae) Synonym(s): *Dypterygia Stephens,1829*
- 799) Earias Hübner,[1825]** (Noctuidae) Synonym(s): *Earias Hübner,[1825]*; *Aphusia Walker,[1858]*; *Digba Walker,1862*
- 800) Egira Duponchel,[1845]** (Noctuidae) Synonym(s): *Egira Duponchel,[1845]*; *Xylomiges Guenée,1852*
- 801) Eicomorpha Staudinger,1888** (Noctuidae) Synonym(s): *Eicomorpha Staudinger,1888*
- 802) Elaphria Hübner,[1821]** (Noctuidae) Synonym(s): *Elaphria Hübner,[1821]*
- 803) Enargia Hübner,[1821]** (Noctuidae) Synonym(s): *Enargia Hübner,[1821]*
- 804) Epilecta Hübner,[1821]** (Noctuidae) Synonym(s): *Epilecta Hübner,[1821]*
- 805) Epimecia Guenée,1839** (Noctuidae) Synonym(s): *Epimecia Guenée,1839*
- 806) Epipsammia Staudinger,1879** (Noctuidae) Synonym(s): *Epipsammia Staudinger,1879*; *Namangana Staudinger,1888*; *Namanganum Riesen,1891*; *Sartha Staudinger,1891*; *Pseudathetis Boursin,1937*
- 807) Episema Ochsenheimer,1816** (Noctuidae) Synonym(s): *Episema Ochsenheimer,1816*
- 808) Eremobia Stephens,1829** (Noctuidae) Synonym(s): *Eremobia Stephens,1829*
- 809) Eremobina McDunnough,1927** (Noctuidae) Synonym(s): *Eremobina McDunnough,1927*; *Pabulatricula Sugi,1982*
- 810) Eriopygodes Hampson,1905** (Noctuidae) Synonym(s): *Eriopygodes Hampson,1905*
- 811)Eublemma (Coccidiphaga) Spuler,1907** (Noctuidae) Synonym(s): *Coccidiphaga Spuler,1907*; *Zonethiousa Thierry-Mieg,1907*
- 812) Eublemma (Honeyania) Berio,1988** (Noctuidae) Synonym(s): *Honeyania Berio,1988*
- 813) Eublemma Hübner,[1821]** (Noctuidae) Synonym(s): *#Antophila Hübner,1806*; *Anthophila Ochsenheimer,1816 (praeocc.)*; *Eublemma Hübner,[1821]*; *Eromene Hübner,[1821]*; *Porphyrinia Hübner,[1821]*; *Trothisa Hübner,[1821]*; *Ecethetis Hübner,[1823]*; *Heliomanes Sodoffsky,1837*; *Microphisa Boisduval,1840*; *Mixocharis Lederer,1853*; *Thalpocharis Lederer,1853*; *Eumestleta Butler,1892*; *Thalomicra Spuler,1907*; *Polyorycta W.Warren,1911*; *Gyophora W.Warren,1913*; *Eumicremma Berio,1954*; *Roseoblemma Beck,1996*; *Parvablemma Beck,1996*
- 814) Eucarta Lederer,1857** (Noctuidae) Synonym(s): *Eucarta Lederer,1857*
- 815) Euchalcia (Pseudochalcia) Kljutshko,1984** (Noctuidae) Synonym(s): *Pseudochalcia Kljutshko,1984*
- 816) Euchalcia (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Euchalcia Hübner,[1821]*; *Adeva McDunnough,1944*; *Pareuchalcia Beck,1991*
- 817)Euchalcia Hübner,[1821]** (Noctuidae) Synonym(s): *Euchalcia Hübner,[1821]*; *Adeva McDunnough,1944*; *Pareuchalcia Beck,1991*
- 818) Euclidia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Euclidia Ochsenheimer,1816*; *Ectypa Billberg,1820*; *Gonospileia Hübner,[1823]*; *Euclidina McDunnough,1937*
- 819) Eugnorisma (Metagnorisma) Varga & Ronkay,1987** (Noctuidae) Synonym(s): *Metagnorisma Varga & Ronkay,1987*
- 820) Eugnorisma (s.str.) Boursin,1946** (Noctuidae) Synonym(s): *Eugnorisma Boursin,1946*
- 821) Eugnorisma Boursin,1946** (Noctuidae) Synonym(s): *Eugnorisma Boursin,1946*
- 822) Eulocastra Butler,1886** (Noctuidae) Synonym(s): *Eulocastra Butler,1886*; *Thalerastraria Staudinger,1897*
- 823) Euplexia Stephens,1829** (Noctuidae) Synonym(s): *Euplexia Stephens,1829*; *Berrhaea Walker,1858*; *Epa Bethune-Baker,1906*; *Yula Bethune-Baker,1906*

- 824) Eupsilia Hübner,[1821]** (Noctuidae) Synonym(s): *Eupsilia Hübner,[1821]*; *Scopelosoma Curtis,1836*; *Mecoptera Guenée,1837*; *Dichagramma Grote,1864*
- 825) Eurois Hübner,[1821]** (Noctuidae) Synonym(s): *Eurois Hübner,[1821]*
- 826) Eutelia Hübner,[1823]** (Noctuidae) Synonym(s): *Eutelia Hübner,[1823]*; *Eurhipia Boisduval,1829*; *Phlegetonia Guenée,1852*; *Ripogenus Grote,1865*; *Zobia Saalmüller,1891*; *Alotsa Swinhoe,1900*; *Silacida Swinhoe,1900*; *Noctasota Clench,1954*; *Adoraria Beck,1996*; *#Alotoa Leraut,1997*; *#Phlegetomia Leraut,1997*
- 827) Euxoa (Chorizagrotis) Smith,1890** (Noctuidae) Synonym(s): *Chorizagrotis Smith,1890*
- 828) Euxoa (Pleonectopoda) Grote,1873** (Noctuidae) Synonym(s): *Pleonectopoda Grote,1873*
- 829) Euxoa Hübner,[1821]** (Noctuidae) Synonym(s): *Euxoa Hübner,[1821]*; *Metaxyja Hübner,[1821]*; *Exarnis Hübner,[1821]*; *Brotis Hübner,[1821]*; *Mimetes Hübner,[1821]* nec *Esch.,1818*; *Telmia Hübner,[1821]*; *Carneades Grote,1883*; *Paragrotis Dyar,1902*
- 830) Evisa Reisser,1930** (Noctuidae) Synonym(s): *Evisa Reisser,1930*
- 831) Exophyla Guenée,1841** (Noctuidae) Synonym(s): *Exophyla Guenée,1841*; *#Exophila Guenée,1841*
- 832) Gonospileia Hübner,[1823]** (Noctuidae) Synonym(s): *Gonospileia Hübner,[1823]*
- 833) Gortyna Ochsenheimer,1816** (Noctuidae) Synonym(s): *Gortyna Ochsenheimer,1816*
- 834) Grammodes Guenée,1852** (Noctuidae) Synonym(s): *Grammodes Guenée,1852*; *Prodotis John,1910*
- 835) Graphantha (Dysgraphhadena) Ronkay, Varga & Fabian,1995** (Noctuidae) Synonym(s): *Dysgraphhadena Ronkay, Varga & Fabian,1995*
- 836) Graphantha Ronkay, Varga & Fabian,1995** (Noctuidae) Synonym(s): *Graphantha Ronkay, Varga & Fabian,1995*
- 837) Graphiphora Ochsenheimer,1816** (Noctuidae) Synonym(s): *Graphiphora Ochsenheimer,1816*
- 838) Hada Billberg,1820** (Noctuidae) Synonym(s): *Hada Billberg,1820*; *Clemathada Beck,1991*
- 839) Hadena (Anepia) Hampson,1918** (Noctuidae) Synonym(s): *Epia Hübner,[1821]* nec *Hbn.,[1820]*; *Anepia Hampson,1918*
- 840) Hadena (Enterpia) Guenée,1850** (Noctuidae) Synonym(s): *Enterpia Guenée,1850*
- 841) Hadena (Maschukia) Hacker,1996** (Noctuidae) Synonym(s): *Maschukia Hacker,1996*
- 842) Hadena (Pinkericola) Hacker,1987** (Noctuidae) Synonym(s): *Pinkericola Hacker,1987*
- 843) Hadena (s.str.(Albimaculia)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Albimaculia Koçak & Kemal,2006*
- 844) Hadena (s.str.(Anatolidena)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Anatolidena Koçak & Kemal,2006*
- 845) Hadena (s.str.(Caeshadena)) Koçak & Kemal,2008** (Noctuidae) Synonym(s): *#Caeshadena Koçak & Kemal,2006*; *Caeshadena Koçak & Kemal,2008*
- 846) Hadena (s.str.(Clarhadena)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Clarhadena Koçak & Kemal,2006*
- 847) Hadena (s.str.(Dianthoecia)) Boisduval,1834** (Noctuidae) Synonym(s): *Dianthoecia Boisduval,1834*
- 848) Hadena (s.str.(Filograna)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Filograna Koçak & Kemal,2006*
- 849) Hadena (s.str.(Hadenobilis)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Hadenobilis Koçak & Kemal,2006*
- 850) Hadena (s.str.(Luteocincta)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Luteocincta Koçak & Kemal,2006*
- 851) Hadena (s.str.(Magnifica)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Magnifica Koçak & Kemal,2006*
- 852) Hadena (s.str.(Magnolihadena)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Maghadena Beck,1991* nec *Viett.,1962*; *Magnolihadena Koçak & Kemal,2006*
- 853) Hadena (s.str.(Miselia)) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Miselia Ochsenheimer,1816*; *Harmodia Hübner,[1820]*
- 854) Hadena (s.str.(Montanohadena)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Montanohadena Koçak & Kemal,2006*
- 855) Hadena (s.str.(Turkihadena)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Turkihadena Koçak & Kemal,2006*
- 856) Hadena (s.str.(Zeteolyga)) Billberg,1820** (Noctuidae) Synonym(s): *Zeteolyga Billberg,1820*
- 857) Hadena Schrank,1802** (Noctuidae) Synonym(s): *Hadena Schrank,1802*; *Adena Agassiz,1847*
- 858) Hadjina Staudinger,1892** (Noctuidae) Synonym(s): *Hadjina Staudinger,1892*; *Aridagricola Shchetkin,1965*
- 859) Hadula (Caloestra (Dianthus)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Dianthus Koçak & Kemal,2006*
- 860) Hadula (Caloestra (Hadufurca)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Hadufurca Koçak & Kemal,2006*
- 861) Hadula (Caloestra (Hadumendax)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Hadumendax Koçak & Kemal,2006*
- 862) Hadula (Caloestra (Hadupugnax)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Hadupugnax Koçak & Kemal,2006*

- 863) Hadula (Calocestra (Hadutrifolium)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Hadutrifolium* Koçak & Kemal,2006
- 864) Hadula (Calocestra (Stigmosa)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Stigmosa* Koçak & Kemal,2006
- 865) Hadula (Calocestra) Beck,1991** (Noctuidae) Synonym(s): *Calocestra* Beck,1991
- 866) Hadula (Ptochicestra) Hacker,1998** (Noctuidae) Synonym(s): *Ptochicestra* Hacker,1998
- 867) Hadula (Pulchrohadula) Hacker,1998** (Noctuidae) Synonym(s): *Pulchrohadula* Hacker,1998
- 868) Hadula (s.str. (Habulorum)) Koçak & Kemal,2006** (Noctuidae) Synonym(s): *Habulorum* Koçak & Kemal,2006
- 869) Hadula Staudinger,1889** (Noctuidae) Synonym(s): *Hadula* Staudinger,1889
- 870) Haemerosia Boisduval,1840** (Noctuidae) Synonym(s): *Haemerosia* Boisduval,1840; *#Haemeosia* Ebert & Hacker,2002
- 871) Hakkaria L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *Hakkaria* L.Ronkay & Varga,1990
- 872) Hecatera Guenée,1852** (Noctuidae) Synonym(s): *Aethria* Hübner,[1821] nec Hübner,[1819]; *Hecatera* Guenée,1852.
- 873) Helicoverpa Hardwick,1965** (Noctuidae) Synonym(s): *Helicoverpa* Hardwick,1965
- 874) Heliophobus Boisduval,1829** (Noctuidae) Synonym(s): *Heliophobus* Boisduval,1829; *Neuria* Guenée,1841
- 875) Heliothis Oechsenheimer,1816** (Noctuidae) Synonym(s): *Heliothis* Oechsenheimer,1816; *Heliotis* Lefebvre,1827; *Heliothisa* Meigen,1832; *Heliotis* Sodoffsky,1837; *Chloridea* Duncan & [Westwood],1841; *Aspila* Guenée,1852 (praeocc.); *Disocnemis* Grote,1883; *Dysocnemis* Grote,1890; *Neocleptria* Hampson,1903; *Nubiothis* Berio; *Peltothis* Beck,1996.
- 876) Heptapotamia Alpheraky,1882** (Noctuidae) Synonym(s): *Heptapotamia* Alpheraky,1882; *Guselderia* Hacker,Kuhna & Gross,1986.
- 877) Herminia Latreille,1802** (Noctuidae) Synonym(s): *Herminia* Latreille,1802; *Pogonitis* Sodoffsky,1837; *Quaramia* Berio,1988; *Hypertrocon* Berio,1989; *Zellerminia* Beck,1996
- 878) Heteropalpia Berio,1939** (Noctuidae) Synonym(s): *Heteropalpia* Berio,1939
- 879) Heterophya Boursin,1953** (Noctuidae) Synonym(s): *Heterophya* Boursin,1953
- 880) Himalistra Hacker & Ronkay,1993** (Noctuidae) Synonym(s): *Himalistra* Hacker & Ronkay,1993
- 881) Hoplodrina Boursin,1937** (Noctuidae) Synonym(s): *Hoplodrina* Boursin,1937
- 882) Hypena (Ophiuche) Hübner,[1825]** (Noctuidae) Synonym(s): *Ophiuche* Hübner,[1825]
- 883) Hypena (s.str.) Schrank,1802** (Noctuidae) Synonym(s): *Hypena* Schrank,1802; *Erichila* Billberg,1820; *Herpyzon* Hübner,1822; *Bomolocha* Hübner,[1825]; *Badausa* Walker,1863; *Peliala* Walker,1865; *Euhypena* Grote,1873; *Lomanaltes* Grote,1873; *Macrhypena* Grote,1873; *Meghypena* Grote,1873; *Plathypena* Grote,1873; *Mathura* Moore,1882; *Apanda* Moore,1882; *Hypoepa* Leech,1889; *Nesamiptis* Meyrick,1899; *Anepischetos* Smith,1900; *Placerobela* Turner,1903; *Obesypena* Beck,1996; *Rostrypena* Beck,1996.
- 884) Hypena Schrank,1802** (Noctuidae) Synonym(s): *Hypena* Schrank,1802; *Erichila* Billberg,1820; *Herpyzon* Hübner,1822; *Bomolocha* Hübner,[1825]; *Badausa* Walker,1863; *Peliala* Walker,1865; *Euhypena* Grote,1873; *Lomanaltes* Grote,1873; *Macrhypena* Grote,1873; *Meghypena* Grote,1873; *Plathypena* Grote,1873; *Mathura* Moore,1882; *Apanda* Moore,1882; *Hypoepa* Leech,1889; *Nesamiptis* Meyrick,1899; *Anepischetos* Smith,1900; *Placerobela* Turner,1903; *Obesypena* Beck,1996; *Rostrypena* Beck,1996.
- 885) Hypenodes Doubleday,1850** (Noctuidae) Synonym(s): *Hypenodes* Doubleday,1850
- 886) Hypeuthina Lederer,1855** (Noctuidae) Synonym(s): *Hypeuthina* Lederer,1855; *#Hypeuthyna* Oberthür,1890
- 887) Hyppa Duponchel,1845** (Noctuidae) Synonym(s): *Hyppa* Duponchel,1845
- 888) Hyssia Guenée,1845** (Noctuidae) Synonym(s): *Hyssia* Guenée,1845
- 889) Idia Hübner,[1813]** (Noctuidae) Synonym(s): *Idia* Hübner,[1813]; *Epizeuxis* Hübner,1818; *Camptyllochila* Stephens,1834 nec Hbn.,1818; *Campyllochila* Agassiz,1847; *Helia* Guenée,1854 nec Hbn.,1818; *Pseudaglossa* Grote,1874
- 890) Ipimorpha Hübner,[1821]** (Noctuidae) Synonym(s): *Ipimorpha* Hübner,[1821]
- 891) Iranada Wiltshire,1977** (Noctuidae) Synonym(s): *Iranada* Wiltshire,1977
- 892) Janthinea Guenée,1852** (Noctuidae) Synonym(s): *Janthinea* Guenée,1852
- 893) Jodia Hübner,1818** (Noctuidae) Synonym(s): *Jodia* Hübner,1818; *Xanthia* Boisduval,1829; *Lampetia* Curtis,[1830] (hom.); *Xantholeuca* Stephens,1831; *Hoporina* Blanchard,1840; *Oporina* Agassiz,[1847]
- 894) Lacanobia (Dianobia) Behounek,1992** (Noctuidae) Synonym(s): *Dianobia* Behounek,1992
- 895) Lacanobia (Diataraxia) Hübner,[1821]** (Noctuidae) Synonym(s): *Diataraxia* Hübner,[1821]
- 896) Lacanobia (s.str.) Billberg,1820** (Noctuidae) Synonym(s): *Lacanobia* Billberg,1820; *Peucephila* Hampson,1909; *#Lacabonia* Hacker,1992
- 897) Lacanobia Billberg,1820** (Noctuidae) Synonym(s): *Lacanobia* Billberg,1820; *Peucephila* Hampson,1909; *#Lacabonia* Hacker,1992
- 898) Lamprostieta Hübner,[1820]** (Noctuidae) Synonym(s): *Lamprostieta* Hübner,[1820]
- 899) Lasionycta Aurivillius,1892** (Noctuidae) Synonym(s): *Lasionycta* Aurivillius,1892
- 900) Laspeyria Germar,1810** (Noctuidae) Synonym(s): *Laspeyria* Germar,1810
- 901) Ledereragrotis Varga,1991** (Noctuidae) Synonym(s): *Ledereragrotis* Varga,1991

- 902) Leucania Ochsenheimer,1816** (Noctuidae) Synonym(s): *Leucania Ochsenheimer*,1816; *Donachlora Sodoffsky*,1837; *Leucadia Sodoffsky*,1837; *Donacochlora Agassiz*,1847; *Pudorina Gistel*,1848; *Cirphis Walker*,1865; *Borolia Moore*,1881; *Neoborlia Matsumura*,1926; *Acantholeucania Rungs*,1953; *Boursinania Rungs*,1955; *Xipholeucania Sugi*,1970.
- 903) Leucochlaena Hampson,1906** (Noctuidae) Synonym(s): *Leucochlaena Hampson*,1906
- 904) Lithophane Hübner,[1821]** (Noctuidae) Synonym(s): *Lithophane Hübner*,[1821]
- 905) Lophoterges (Fibigeres) L.Ronkay,2005** (Noctuidae) Synonym(s): *Fibigeres L.Ronkay*,2005
- 906) Lophoterges Hampson,1906** (Noctuidae) Synonym(s): *Lophoterges Hampson*,1906
- 907) Luperina Boisduval,1829** (Noctuidae) Synonym(s): *Luperina Boisduval*,1829
- 908) Lycophorus Staudinger,1901** (Noctuidae) Synonym(s): *Lycophorus Staudinger*,1901; *Pachyagrotis Boursin*,1953
- 909) Lygephila (s.str.) Billberg,1820** (Noctuidae) Synonym(s): *Lygephila Billberg*,1820; *Asticta Hübner*,[1823]; *Eccrita Lederer*,1857; *Toxocampa Guenée*,1841; *Craccaphila Beck*,1996.
- 910) Lygephila Billberg,1820** (Noctuidae) Synonym(s): *Lygephila Billberg*,1820; *Asticta Hübner*,[1823]; *Eccrita Lederer*,1857; *Toxocampa Guenée*,1841; *Craccaphila Beck*,1996.
- 911) Macdunnoughia Kostrowicki,1961** (Noctuidae) Synonym(s): *Macdunnoughia Kostrowicki*,1961; *Scleroplusia Ichinose*,1962
- 912) Mamestra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mamestra Ochsenheimer*,1816; *Barathra Hübner*,[1820]; *Mamistra Sodoffsky*,1837; *Copimamestra Grote*,1883
- 913) Maraschia Osthelder,1933** (Noctuidae) Synonym(s): *Maraschia Osthelder*,1933
- 914) Margelana Staudinger,1888** (Noctuidae) Synonym(s): *Margelana Staudinger*,1888
- 915) Megalodes Guenée,1852** (Noctuidae) Synonym(s): *Megalodes Guenée*,1852
- 916) Meganephria Hübner,[1821]** (Noctuidae) Synonym(s): *Meganephria Hübner*,[1821]; *Belosticta Butler*,1879
- 917) Meganola Dyar,1898** (Noctuidae) Synonym(s): *Meganola Dyar*,1898
- 918) Melanchra Hübner,[1820]** (Noctuidae) Synonym(s): *Melanchra Hübner*,[1820]
- 919) Mesapamea (Resapamea) Varga & Ronkay,1992** (Noctuidae) Synonym(s): *Resapamea Varga & Ronkay*,1992
- 920) Mesapamea Heinicke,1959** (Noctuidae) Synonym(s): *Mesapamea Heinicke*,1959
- 921) Mesogona Boisduval,1840** (Noctuidae) Synonym(s): *Mesogona Boisduval*,1840
- 922) Mesoligia Boursin,1965** (Noctuidae) Synonym(s): *Mesoligia Boursin*,1965
- 923) Metachrostis Hübner,[1820]** (Noctuidae) Synonym(s): *Metachrostis Hübner*,[1820]; *Leptosia Guenée*,1841 (praeocc.).
- 924) Metaegle Hampson,1908** (Noctuidae) Synonym(s): *Metaegle Hampson*,1908
- 925) Metalopha (Antholopha) Ronkay,1990** (Noctuidae) Synonym(s):
- 926) Metalopha (s.str.) Staudinger,1892** (Noctuidae) Synonym(s): *Metalopha Staudinger*,1892
- 927) Metalopha Staudinger,1892** (Noctuidae) Synonym(s): *Metalopha Staudinger*,1892
- 928) Metopoceras (s.str.) Guenée,1850** (Noctuidae) Synonym(s): *Metopoceras Guenée*,1850
- 929) Metopoceras Guenée,1850** (Noctuidae) Synonym(s): *Metopoceras Guenée*,1850
- 930) Metopodicha Draudt,1936** (Noctuidae) Synonym(s): *Metopodicha Draudt*,1936; *Persidia Wiltshire*,1946
- 931) Metoponrhis Staudinger,1888** (Noctuidae) Synonym(s): *Metoponrhis Staudinger*,1888
- 932) Metopoplus Alpheraky,1892** (Noctuidae) Synonym(s): *Metopoplus Alpheraky*,1892
- 933) Micriantha Hampson,1908** (Noctuidae) Synonym(s): *Micriantha Hampson*,1908
- 934) Minucia Moore,[1885]** (Noctuidae) Synonym(s): *Minucia Moore*,[1885]
- 935) Mniotype Franclemont,1941** (Noctuidae) Synonym(s): *Mniotype Franclemont*,1941
- 936) Moma Hübner,[1820]** (Noctuidae) Synonym(s): *#Diphthera Hübner*,[1806]; *Moma Hübner*,[1820]; *Diphtherocome W.Warren*,1907; *Diphtheramoma Berio*,1961
- 937) Mormo Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mormo Ochsenheimer*,1816; *Lemur Hübner*,1822 nec Linn.,1758; *Mania Treitschke*,1825 nec Hbn.,[1821]; *Acyra Gistel*,1848
- 938) Mythimna (Aletia) Hübner,[1821]** (Noctuidae) Synonym(s): *Aletia Hübner*,[1821]
- 939) Mythimna (Anapoma) Berio,1980** (Noctuidae) Synonym(s): *Apoma Berio*,1980 nec Beck,1837; *Anapoma Berio*,1980
- 940) Mythimna (Hyphilare) Hübner,[1821]** (Noctuidae) Synonym(s): *Hyphilare Hübner*,[1821]; *Allitoria Beck*,1996
- 941) Mythimna (Morphopoliana) Hreblay,1996** (Noctuidae) Synonym(s): *Morphopoliana Hreblay*,1996
- 942) Mythimna (Pseudaletia) Franclemont,1951** (Noctuidae) Synonym(s): *Pseudaletia Franclemont*,1951
- 943) Mythimna (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mythimna Ochsenheimer*,1816
- 944) Mythimna Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mythimna Ochsenheimer*,1816
- 945) Naenia Stephens,1827** (Noctuidae) Synonym(s): *Naenia Stephens*,1827
- 946) Netrocerocora Bartel,1903** (Noctuidae) Synonym(s): *Netrocerocora Bartel*,1903
- 947) Nezonecta Varga & Ronkay,1991** (Noctuidae) Synonym(s): *Nezonecta Varga & Ronkay*,1991

- 948) Noctua (Divaena) Fibiger,1993** (Noctuidae) Synonym(s): *Divaena Fibiger,1993*
- 949) Noctua (Euschesis) Hübner,[1821]** (Noctuidae) Synonym(s): *Euschesis Hübner,[1821]*
- 950) Noctua (Lampra) Hübner,[1821]** (Noctuidae) Synonym(s): *Lampra Hübner,[1821]*
- 951) Noctua (Latanoctua) Beck, Kobes & Ahola,1993** (Noctuidae) Synonym(s): *Latanoctua Beck, Kobes & Ahola,1993*
- 952) Noctua (Paranoctua) Beck, Kobes & Ahola,1993** (Noctuidae) Synonym(s): *Paranoctua Beck, Kobes & Ahola,1993; Carvalhoia Beck,1999 nec Kormilev,1951 non Miller & China,1956*
- 953) Noctua Linnaeus,1758** (Noctuidae) Synonym(s): *Noctua Linnaeus,1758; Noctuella Rafinesque,1815; Nyctemia Rafinesque,1815; Triphaena Ochsenheimer,1816; Triphaena Hübner,[1821]; Xanthoptera Sodoffsky,1837*
- 954) Nodaria Guenée,1854** (Noctuidae) Synonym(s): *Nodaria Guenée,1854*
- 955) Nola Leach,1815** (Noctuidae) Synonym(s): *Nola Leach,1815; Lira Billberg,1820; Chlamifera Hübner,1822; Roeselia Hübner,[1825]; Manoba Walker,[1863]; Celama Walker,1865; Selca Walker,[1866]; Tribunta Walker,[1866]; Aradrappa Walker,[1866]; Lebena Walker,1866; Minnagara Walker,1866; Argyrophytes Grote,1873; Epizeuctis Meyrick,1889; Sorocostia Rosenstock,1885; ztenola Möschler,1890; Rhynchopalpus Hampson,1893; Poliothripa Hampson,1902; Cryphimaea Turner,1933; Nestiodes Turner,1939; Idiocyttara Turner,1944; Neocleta Turner,1944*
- 956) Nonagria Ochsenheimer,1816** (Noctuidae) Synonym(s): *Nonagria Ochsenheimer,1816*
- 957) Nycteola Hübner,1822** (Noctuidae) Synonym(s): *Nycteola Hübner,1822; Sarrothripus Curtis,1824; Axia Hübner,[1825]; Subrita Walker,1866; Dufayella Capuse,1972; #Nycteloa Hacker,1998*
- 958) Ochroleura Hübner,[1821]** (Noctuidae) Synonym(s): *Ochroleura Hübner,[1821]*
- 959) Odice Hübner,[1823]** (Noctuidae) Synonym(s): *Odice Hübner,[1823]; Microphisa Boisduval,1840*
- 960) Oligia Hübner,[1821]** (Noctuidae) Synonym(s): *Oligia Hübner,[1821]; Miana Stephens,1829; Procus Agassiz,1846*
- 961) Olivenebula Kishida & Yoshimoto,1977** (Noctuidae) Synonym(s): *Olivenebula Kishida & Yoshimoto,1977; Chlorothalpa Beck,1996*
- 962) Omia Hübner,[1821]** (Noctuidae) Synonym(s): *Omia Hübner,[1821]*
- 963) Omphalophana Hampson,1906** (Noctuidae) Synonym(s): *Omphalophana Hampson,1906*
- 964) Oncocnemis Lederer,1853** (Noctuidae) Synonym(s): *Oncocnemis Lederer,1853; Phornacisa Walker,1862; Copihadena Morrison,1875; Metahadena Morrison,1876*
- 965) Ophiusa Ochsenheimer,1816** (Noctuidae) Synonym(s): *Ophiusa Ochsenheimer,1816; Ophiogenes Reichenbach,1816; Meropis Hübner,1822; Ophiussa Hübner,[1823]; Hemachra Sodoffsky,1837; Anua Walker,1858; Stenopis Mabilie,1880; Trichanua Berio,1954; Subanua Berio,1959; Peranua Berio,1959; Perophiusa Berio,1959.*
- 966) Opigena Boisduval,1840** (Noctuidae) Synonym(s): *Opigena Boisduval,1840*
- 967) Orectis Lederer,1857** (Noctuidae) Synonym(s): *Orectis Lederer,1857*
- 968) Oria Hübner,[1821]** (Noctuidae) Synonym(s): *Oria Hübner,[1821]*
- 969) Orthosia (Dioszeghyana) Hreblay,1993** (Noctuidae) Synonym(s): *Dioszeghyana Hreblay,1993*
- 970) Orthosia (Monima) Hübner,[1821]** (Noctuidae) Synonym(s): *Monima Hübner,[1821]; Microrthisia Berio,1980.*
- 971) Orthosia (Semiophora) Stephens,1829** (Noctuidae) Synonym(s): *Semiophora Stephens,1829*
- 972) Orthosia (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Orthosia Ochsenheimer,1816*
- 973) Orthosia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Orthosia Ochsenheimer,1816*
- 974) Ostheldera Nye,1975** (Noctuidae) Synonym(s): *Pfeifferella Osthelder,1933 nec Labbe,1899; Ostheldera Nye,1975*
- 975) Oxytripia Staudinger,1871** (Noctuidae) Synonym(s): *Oxytripia Staudinger,1871*
- 976) Ozarba Walker,1865** (Noctuidae) Synonym(s): *Ozarba Walker,1865*
- 977) Pamparama G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s): *Pamparama G.Ronkay & L.Ronkay,1995*
- 978) Panchrysia Hübner,[1821]** (Noctuidae) Synonym(s): *Panchrysia Hübner,[1821]; Tetrargentia Beck,1991*
- 979) Panemeria Hübner,[1823]** (Noctuidae) Synonym(s): *Panemeria Hübner,[1823]*
- 980) Panolis Hübner,[1821]** (Noctuidae) Synonym(s): *Panolis Hübner,[1821]; Ilarus Boisduval,1829; Hilarus Agassiz,1847*
- 981) Panthea Hübner,[1820]** (Noctuidae) Synonym(s): *Panthea Hübner,[1820]; Elatina Duponchel,[1845]*
- 982) Papestra Sukhareva,1973** (Noctuidae) Synonym(s): *Papestra Sukhareva,1973*
- 983) Paracolax Hübner,[1825]** (Noctuidae) Synonym(s): *Paracolax Hübner,[1825]*
- 984) Paraegle Hampson,1908** (Noctuidae) Synonym(s): *Paraegle Hampson,1908*
- 985) Parallelia Hübner,1818** (Noctuidae) Synonym(s): *Parallelia Hübner,1818; Dysgonia Hübner,[1823]*
- 986) Parascotia Hübner,[1825]** (Noctuidae) Synonym(s): *Parascotia Hübner,[1825]; Kara Matsumura,1925 nec Strebel*
- 987) Parastichtis Hübner,[1821]** (Noctuidae) Synonym(s): *Parastichtis Hübner,[1821]; Dyschorista Lederer,1857.*
- 988) Pardoxia Vives & González,1981** (Noctuidae) Synonym(s): *Pardoxia Vives & González,1981*
- 989) Parexarnis Boursin,1946** (Noctuidae) Synonym(s): *Parexarnis Boursin,1946*

- 990) Pechipogo Hübner,[1825]** (Noctuidae) Synonym(s): *Pechipogo Hübner,[1825]*; *Pechypogon Agassiz,1847*; *Microphtha Berio,1988*
- 991) Pericyma Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *Pericyma Herrich-Schäffer,[1851]*; *Alamis Guenée,1852*; *Dugaria Walker,[1858]*; *Moepa Walker,1865*.
- 992) Peridroma Hübner,[1821]** (Noctuidae) Synonym(s): *Peridroma Hübner,[1821]*
- 993) Perigrapha (Anorthoa) Berio,1980** (Noctuidae) Synonym(s): *Anorthoa Berio,1980*
- 994) Perigrapha (Opacographa (Turcographa)) Koçak & Kemal,2008** (Noctuidae) Synonym(s): *#Turcographa Koçak & Kemal,2007*; *Turcographa Koçak & Kemal,2008*
- 995) Perigrapha (Opacographa (s.str.)) Hreblay,1996** (Noctuidae) Synonym(s): *Opacographa Hreblay,1996*
- 996) Perigrapha (Opacographa) Hreblay,1995** (Noctuidae) Synonym(s): *Opacographa Hreblay,1995*
- 997) Perigrapha (s.str.) Lederer,1857** (Noctuidae) Synonym(s): *Perigrapha Lederer,1857*
- 998) Perigrapha Lederer,1857** (Noctuidae) Synonym(s): *Perigrapha Lederer,1857*
- 999) Periphanes Hübner,[1821]** (Noctuidae) Synonym(s): *Periphanes Hübner,[1821]*; *Chariclea Curtis,1825*
- 1000) Phleboeis Christoph,1887** (Noctuidae) Synonym(s): *Phleboeis Christoph,1887*; *Stenosomides Strand,1942* (cf. *Koçak,1991*; *Fibiger,1997*).
- 1001) Phlogophora Treitschke,1825** (Noctuidae) Synonym(s): *Phlogophora Treitschke,1825*
- 1002) Photedes Lederer,1857** (Noctuidae) Synonym(s): *Photedes Lederer,1857*
- 1003) Phylapora Berio,1980** (Noctuidae) Synonym(s): *Phylapora Berio,1980*
- 1004) Phyllophila Guenée,1852** (Noctuidae) Synonym(s): *Phyllophila Guenée,1852*
- 1005) Phytometra Haworth,1809** (Noctuidae) Synonym(s): *Phytometra Haworth,1809*
- 1006) Plecoptera Guenée,1852** (Noctuidae) Synonym(s): *Plecoptera Guenée,1852*; *Carteia Walker,[1863]*; *Biregula Saalmüller,1891*; *Plecopteroides Strand,1918*.
- 1007) Plusia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Plusia Ochsenheimer,1816*; *Chrysapidia Hübner,[1821]*
- 1008) Plusidia Butler,1879** (Noctuidae) Synonym(s): *Plusidia Butler,1879*
- 1009) Polia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Polia Ochsenheimer,1816*; *Chera Hübner,[1821]*; *Aplecta Guenée,1838*
- 1010) Polychrysis Hübner,[1821]** (Noctuidae) Synonym(s): *Polychrysis Hübner,[1821]*
- 1011) Polymixis (Bischoffia) Hacker & Ronkay,1992** (Noctuidae) Synonym(s): *Bischoffia Hacker & Ronkay,1992*
- 1012) Polymixis (Brandticola) Hacker & L.Ronkay,1992** (Noctuidae) Synonym(s): *Brandticola Hacker & L.Ronkay,1992*
- 1013) Polymixis (Eremophysa) Boursin,1958** (Noctuidae) Synonym(s): *Eremophysa Boursin,1958*
- 1014) Polymixis (Myxinia) Berio,1985** (Noctuidae) Synonym(s): *Myxinia Berio,1985*
- 1015) Polymixis (Parabrachionycha) Hacker,1990** (Noctuidae) Synonym(s): *Parabrachionycha Hacker,1990*
- 1016) Polymixis (Serpmixis) Beck,1991** (Noctuidae) Synonym(s): *Serpmixis Beck,1991*
- 1017) Polymixis (s.str.) Hübner,[1820]** (Noctuidae) Synonym(s): *Polymixis Hübner,[1820]*
- 1018) Polymixis Hübner,[1820]** (Noctuidae) Synonym(s): *Polymixis Hübner,[1820]*
- 1019) Polyphaenis Boisduval,1840** (Noctuidae) Synonym(s): *Polyphaenis Boisduval,1840*
- 1020) Polypogon Schrank,1802** (Noctuidae) Synonym(s): *Polypogon Schrank,1802*; *Hyrceanypena Wagner,1937*; *Zanclostathme Draudt,1937*; *Gryphopogon Beck,1996*
- 1021) Powellinia Oberthür,1912** (Noctuidae) Synonym(s): *Powellinia Oberthür,1912*
- 1022) Praestilbia Staudinger,1892** (Noctuidae) Synonym(s): *Praestilbia Staudinger,1892*
- 1023) Protexarnis McDunnough,1929** (Noctuidae) Synonym(s): *Protexarnis McDunnough,1929*
- 1024) Protodeltote Ueda,1984** (Noctuidae) Synonym(s): *Protodeltote Ueda,1984*
- 1025) Protolampra McDunnough,[1929]** (Noctuidae) Synonym(s): *Protolampra McDunnough,[1929]*
- 1026) Proxenus Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *Proxenus Herrich-Schäffer,[1850]*
- 1027) Pseudenargia Boursin,1956** (Noctuidae) Synonym(s): *Pseudenargia Boursin,1956*
- 1028) Pseudeustrotia W.Warren,1913** (Noctuidae) Synonym(s): *Pseudeustrotia W.Warren,1913*
- 1029) Pseudohadena (Pseudopseustis) Hampson,1910** (Noctuidae) Synonym(s): *Pseudopseustis Hampson,1910*
- 1030) Pseudohadena Alpheraky,1889** (Noctuidae) Synonym(s): *Pseudohadena Alpheraky,1889*
- 1031) Pseudoips Hübner,1822** (Noctuidae) Synonym(s): *Pseudoips Hübner,1822*
- 1032) Pseudozarba W.Warren,1914** (Noctuidae) Synonym(s): *Pseudozarba W.Warren,1914*
- 1033) Pyrocleptria Hampson,1903** (Noctuidae) Synonym(s): *Pyrocleptria Hampson,1903*
- 1034) Pyrois Hübner,[1820]** (Noctuidae) Synonym(s): *Pyrois Hübner,[1820]*; *Syntomopus Guenée,1837* nec *Wlk.,1833*; *Adpyramidampa Beck,1991*
- 1035) Pyrrhia Hübner,[1821]** (Noctuidae) Synonym(s): *Pyrrhia Hübner,[1821]*
- 1036) Recophora Nye,1975** (Noctuidae) Synonym(s): *Recophora Nye,1975*
- 1037) Rhizedra W.Warren,1911** (Noctuidae) Synonym(s): *Rhizedra W.Warren,1911*
- 1038) Rhyacia (Epipsilia) Hübner,[1821]** (Noctuidae) Synonym(s): *Epipsilia Hübner,[1821]*

- 1039) Rhyacia (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Rhyacia* Hübner,[1821]; *Antirhyacia* Beck,1991
- 1040) Rhyacia Hübner,[1821]** (Noctuidae) Synonym(s): *Rhyacia* Hübner,[1821]
- 1041) Rhypagla Nye,1975** (Noctuidae) Synonym(s): *Rhypagla* Nye,1975
- 1042) Rileyiana Moucha & Chávala,1963** (Noctuidae) Synonym(s): *Rileyiana* Moucha & Chávala,1963
- 1043) Rivula Guenée,1845** (Noctuidae) Synonym(s): *Rivula* Guenée,1845; *Cholimma* Walker,1863; *Motina* Walker,1863; *Rhazunda* Walker,1866; *Pasira* Moore,1882 nec Stal,1859; *Rivulana* Bethune-Baker,1911; *Alikangiana* Strand,1920; *Paurosceles* Turner,1945
- 1044) Rusina Stephens,1829** (Noctuidae) Synonym(s): *Rusina* Stephens,1829
- 1045) Saragossa Staudinger,1900** (Noctuidae) Synonym(s): *Saragossa* Staudinger,1900
- 1046) Schinia Hübner,[1823]** (Noctuidae) Synonym(s): *Schinia* Hübner,[1823]
- 1047) Schrankia Hübner,[1825]** (Noctuidae) Synonym(s): *Schrankia* Hübner,[1825]
- 1048) Scoliopteryx Germar,1810** (Noctuidae) Synonym(s): *Scoliopteryx* Germar,1810; *Pterodonta* Reichenbach,1817; *Ephemias* Hübner,[1821]; *Euphais* Hüber,1822; *Gonoptera* Berthold,1827 nec Billb.,1820
- 1049) Scotochrosta Lederer,1857** (Noctuidae) Synonym(s): *Scotochrosta* Lederer,1857
- 1050) Scythocentropus Speiser,1902** (Noctuidae) Synonym(s): *Scythocentropus* Speiser,1902; *Ecboleemia* Hampson,1908
- 1051) Sesamia Guenée,1852** (Noctuidae) Synonym(s): *Sesamia* Guenée,1852
- 1052) Setoctena Wallengren,1863** (Noctuidae) Synonym(s): *Setoctena* Wallengren,1863; *Pseudocalpe* Hampson,1894 (praeocc.); *Metaculasta* Butler,1898
- 1053) Sidemia Staudinger,1892** (Noctuidae) Synonym(s): *Sidemia* Staudinger,1892
- 1054) Sideridis (Aneda) Sukhareva,1973** (Noctuidae) Synonym(s): *Aneda* Sukhareva,1973
- 1055) Sideridis (Conisania) Hampson,1905** (Noctuidae) Synonym(s): *Conisania* Hampson,1905
- 1056) Sideridis (Dianthivora) Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *Dianthivora* Varga & L.Ronkay,1991
- 1057) Sideridis (Luteohadena) Beck,1991** (Noctuidae) Synonym(s): *Luteohadena* Beck,1991
- 1058) Sideridis (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Sideridis* Hübner,[1821]; *Colonsideridis* Beck,1991.
- 1059) Sideridis Hübner,[1821]** (Noctuidae) Synonym(s): *Sideridis* Hübner,[1821]; *Colonsideridis* Beck,1991.
- 1060) Simplicia Guenée,1854** (Noctuidae) Synonym(s): *Simplicia* Guenée,1854; *Libisosa* Walker,[1859]; *Culicula* Walker,1864; *Aginna* Walker,1865; *Nabarthia* Moore,1887
- 1061) Simyra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Simyra* Ochsenheimer,1816
- 1062) Spaelotis Boisduval,1840** (Noctuidae) Synonym(s): *Spaelotis* Boisduval,1840
- 1063) Spodoptera Guenée,1852** (Noctuidae) Synonym(s): *Spodoptera* Guenée,1852; *Calogramma* Guenée,1852; *Laphygma* Guenée,1852; *Prodenia* Guenée,1852; *Rusidrina* Staudinger,1892; *Douzdrina* De Laever,1985.
- 1064) Spudaea Snellen,1867** (Noctuidae) Synonym(s): *Spudaea* Snellen,1867
- 1065) Standfussiana Boursin,1946** (Noctuidae) Synonym(s): *Standfussiana* Boursin,1946
- 1066) Stenodrina Boursin,1937** (Noctuidae) Synonym(s): *Stenodrina* Boursin,1937
- 1067) Stenoecia W.Warren,1911** (Noctuidae) Synonym(s): *Stenoecia* W.Warren,1911
- 1068) Stilbina (s.str.) Staudinger,1892** (Noctuidae) Synonym(s): *Stilbina* Staudinger,1892
- 1069) Stilbina Staudinger,1892** (Noctuidae) Synonym(s): *Stilbina* Staudinger,1892
- 1070) Syngrapha Hübner,[1821]** (Noctuidae) Synonym(s): *Syngrapha* Hübner,[1821]; *Caloplusia* Smith,1884; *Palaeographa* Kljutschko,1983; *Aingrapha* Beck,1991.
- 1071) Tarachephia Hampson,1926** (Noctuidae) Synonym(s): *Tarachephia* Hampson,1926
- 1072) Tathorhynchus Hampson,1894** (Noctuidae) Synonym(s): *Tathorhynchus* Hampson,1894; *Xymehops* Viette,1954
- 1073) Teinoptera Calberla,1891** (Noctuidae) Synonym(s): *Teinoptera* Calberla,1891; *Copiphana* Hampson,1906
- 1074) Thalpophila Hübner,[1820]** (Noctuidae) Synonym(s): *Thalpophila* Hübner,[1820]
- 1075) Tholera Hübner,[1821]** (Noctuidae) Synonym(s): *Tholera* Hübner,[1821]
- 1076) Thria Walker,[1858]** (Noctuidae) Synonym(s): *Thria* Walker,[1858]
- 1077) Thysanoplusia (Daubeiplusia) Beck,1991** (Noctuidae) Synonym(s): *Daubeiplusia* Beck,1991
- 1078) Thysanoplusia (s.str.) Ichinose,1973** (Noctuidae) Synonym(s): *Thysanoplusia* Ichinose,1973
- 1079) Thysanoplusia Ichinose,1973** (Noctuidae) Synonym(s): *Thysanoplusia* Ichinose,1973
- 1080) Trachea Ochsenheimer,1816** (Noctuidae) Synonym(s): *Trachea* Ochsenheimer,1816; *Achatis* Billberg,1820; *Berrhaea* Walker,1858
- 1081) Trichoplusia McDunnough,1944** (Noctuidae) Synonym(s): *Trichoplusia* McDunnough,1944; *Thysanoplusia* Inoue,1973; *Daubeplusia* Beck,1991.
- 1082) Trisateles Tams,1939** (Noctuidae) Synonym(s): *Trisateles* Tams,1939
- 1083) Tyta Billberg,1820** (Noctuidae) Synonym(s): *Tyta* Billberg,1820; *Dysthymia* Newman,1863
- 1084) Ulochlaena Lederer,1857** (Noctuidae) Synonym(s): *Ulochlaena* Lederer,1857
- 1085) Valeria Stephens,1829** (Noctuidae) Synonym(s): *Valeria* Stephens,1829

- 1086) Valerietta Draudt,1938** (Noctuidae) Synonym(s): *Valerietta Draudt,1938*
- 1087) Victrix (Rasihia) Koçak,1989** (Noctuidae) Synonym(s): *Christophia Varga & Ronkay,1989 nec Rag.,1887; Rasihia Koçak,1989.*
- 1088) Victrix (s.str.) Staudinger,1879** (Noctuidae) Synonym(s): *Victrix Staudinger,1879*
- 1089) Victrix Staudinger,1879** (Noctuidae) Synonym(s): *Victrix Staudinger,1879*
- 1090) Xanthia (Cirrhia) Hübner,[1821]** (Noctuidae) Synonym(s): *Cirrhia Hübner,[1821]*
- 1091) Xanthia (Tiliacea) Tutt,1896** (Noctuidae) Synonym(s): *Tiliacea Tutt,1896*
- 1092) Xanthia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Xanthia Ochsenheimer,1816; Citria Hübner,[1821]; Mellinia Hübner,[1821]*
- 1093) Xanthodes Guenée,1852** (Noctuidae) Synonym(s): *Xanthodes Guenée,1852*
- 1094) Xanthothrix Edwards,1878** (Noctuidae) Synonym(s): *Xanthothrix Edwards,1878*
- 1095) Xenophysa Boursin,1969** (Noctuidae) Synonym(s): *Xenophysa Boursin,1969*
- 1096) Xestia (Megasema) Hübner,[1821]** (Noctuidae) Synonym(s): *Megasema Hübner,[1821]; Agrotiphila Grote,1876; Agrotimorpha Barnes & McDunnough,1929; Ashworthia Beck,1996*
- 1097) Xestia (s.str.) Hübner,1818** (Noctuidae) Synonym(s): *Xestia Hübner,1818; Amathes Hübner,[1821]; Lytaea Stephens,1829; Segetia Stephens,1829; Hiptelia Guenée,1852; Ericarthia Beck,1996; Castanasta Beck,1996; Palkermes Beck,1996; Monticollia Beck,1996*
- 1098) Xestia Hübner,1818** (Noctuidae) Synonym(s): *Xestia Hübner,1818; Amathes Hübner,[1821]; Lytaea Stephens,1829; Segetia Stephens,1829; Hiptelia Guenée,1852; Ericarthia Beck,1996; Castanasta Beck,1996; Palkermes Beck,1996; Monticollia Beck,1996*
- 1099) Xylena Ochsenheimer,1816** (Noctuidae) Synonym(s): *Xylena Ochsenheimer,1816; Xylites R.L.,1817; Xylina Treitschke,1826; Calocampa Stephens,1829*
- 1100) Xylocampa Guenée,1837** (Noctuidae) Synonym(s): *Xylocampa Guenée,1837*
- 1101) Xylomoia Staudinger,1892** (Noctuidae) Synonym(s): *Xylomoia Staudinger,1892*
- 1102) Zebeeba Kirby,1892** (Noctuidae) Synonym(s): *Zebeeba Kirby,1892*
- 1103) Zekelita (Ravalita) Lödl & Mayerl,1997** (Noctuidae) Synonym(s): *Ravalita Lödl & Mayerl,1997*
- 1104) Zekelita (Rhynchodontodes) W.Warren,1913** (Noctuidae) Synonym(s): *Rhynchodontodes W.Warren,1913*
- 1105) Zekelita (s.str.) Walker,1863** (Noctuidae) Synonym(s): *Zekelita Walker,1863*
- 1106) Zekelita Walker,1863** (Noctuidae) Synonym(s): *Zekelita Walker,1863*
- 1107) Zethes Rambur,1833** (Noctuidae) Synonym(s): *Zethes Rambur,1833*
- 1108) Cerura Schrank,1802** (Notodontidae) Synonym(s): *Cerura Schrank,1802; Andria Hübner,1822; Pania Dalman,1823; Dicranura Boisduval,1828 nec Reichenbach,1817; Apocerura De Lattin, Becker & Bender,1974*
- 1109) Clostera Samouelle,1819** (Notodontidae) Synonym(s): *Clostera Samouelle,1819; Ichtyura Hübner,[1819]; Melalopha Hübner,1822; Tholoda Gistel,1848; Neoclostera Kiriakoff,1963*
- 1110) Dicranura Reichenbach,1817** (Notodontidae) Synonym(s): *Dicranura Reichenbach,1817; Exaereta Hübner,[1820].*
- 1111) Drymonia Hübner,[1819]** (Notodontidae) Synonym(s): *Drymonia Hübner,[1819]; Ochrostigma Hübner,[1819]; Chaonia Stephens,1828; Drynobia Duponchel,[1845].*
- 1112) Furcula Lamarck,1816** (Notodontidae) Synonym(s): *Furcula Lamarck,1816; Harpyias Hübner,[1819]*
- 1113) Harpyia Ochsenheimer,1810** (Notodontidae) Synonym(s): *Harpyia Ochsenheimer,1810; Hoplitis Hübner,[1819] nec Klug,1807; Damatoides Matsumura,1927; Hybocampa Lederer,1853.*
- 1114) Neoharpyia Daniel,1938** (Notodontidae) Synonym(s): *Neoharpyia Daniel,1938*
- 1115) Notodonta Ochsenheimer,1810** (Notodontidae) Synonym(s): *Notodonta Ochsenheimer,1810; Notodon Meigen,1830; Mimodonta Matsumura,1920; Microdontella Strand,1934; Triophia Kiriakoff,1967; Eligmodonta Kiriakoff,1967*
- 1116) Paradrymonia Kiriakoff,1967** (Notodontidae) Synonym(s): *Paradrymonia Kiriakoff,1967*
- 1117) Peridea Stephens,1828** (Notodontidae) Synonym(s): *Peridea Stephens,1828; Mesodonta Matsumura,1920 nec Baly,1865; Fusadonta Matsumura,1920*
- 1118) Phalera Hübner,[1819]** (Notodontidae) Synonym(s): *Phalera Hübner,[1819]; Acrosema Meigen,1830; Hammatophora Westwood,1843; Dinara Walker,1856; Horishachia Matsumura,1925; Phaleromimus Bryk,1950*
- 1119) Pheosia Hübner,[1819]** (Notodontidae) Synonym(s): *Pheosia Hübner,[1819]; Leiocampa Stephens,1828; Liocampa Agassiz,1847*
- 1120) Pterostoma Germar,1812** (Notodontidae) Synonym(s): *Pterostoma Germar,1812; Euchila Billberg,1820; Orthorhinia Boisduval,[1828]; Ptilodontis Stephens,1828; Odonptera Latreille,1829; Orthorhina Meigen,1830; Orthorhinia Agassiz,1847.*
- 1121) Ptilodon Hübner,1822** (Notodontidae) Synonym(s): *#Ptilodon Hübner,1806; Ptilodon Hübner,1822; Lophopteryx Stephens,1828*
- 1122) Ptilodontella Kiriakoff,1967** (Notodontidae) Synonym(s): *Ptilodontella Kiriakoff,1967*
- 1123) Rhegmatophila Standfuss,1888** (Notodontidae) Synonym(s): *Rhegmatophila Standfuss,1888*
- 1124) Spatalia Hübner,[1819]** (Notodontidae) Synonym(s): *Spatalia Hübner,[1819]; Heterodonta Duponchel,[1845]; Spataliodes Matsumura,1924; Stenospatalia Matsumura,1924*
- 1125) Stauropus Germar,1812** (Notodontidae) Synonym(s): *Stauropus Germar,1812; Terasion Hübner,[1819]; Neostauropus Kiriakoff,1967*

- 1126) Agonopterix Hübner,[1825]** (Oecophoridae) Synonym(s): *Agonopterix Hübner,[1825]*
- 1127) Alabonia Hübner,[1825]** (Oecophoridae) Synonym(s): *Alabonia Hübner,[1825]*; *Enicostoma Stephens,1829*; *Henicostoma Agassiz,1847*
- 1128) Anchinia Hübner,[1825]** (Oecophoridae) Synonym(s): *Anchinia Hübner,[1825]*; *Palpula Kollar,1832*; *Fugia Duponchel,[1846]*
- 1129) Batia Stephens,1834** (Oecophoridae) Synonym(s): *Batia Stephens,1834*
- 1130) Borkhausenia Hübner,[1825]** (Oecophoridae) Synonym(s): *Borkhausenia Hübner,[1825]*
- 1131) Cacochoa Heinemann,1870** (Oecophoridae) Synonym(s): *Cacochoa Heinemann,1870*
- 1132) Carcina Hübner,[1825]** (Oecophoridae) Synonym(s): *Carcina Hübner,[1825]*
- 1133) Cephalispheira Bruand,1850** (Oecophoridae) Synonym(s): *Cephalispheira Bruand,1850*
- 1134) Crossotocera Zerny,1930** (Oecophoridae) Synonym(s): *Crossotocera Zerny,1930*
- 1135) Denisia Hübner,[1825]** (Oecophoridae) Synonym(s): *Denisia Hübner,[1825]*
- 1136) Depressaria Haworth,[1811]** (Oecophoridae) Synonym(s): *Depressaria Haworth,[1811]*; *Piesta Billberg,1820*; *Volucrum Berthold,1827*; *#Depressia Staudinger,1879*; *Schistodepressaria Spuler,1910*
- 1137) Diurnea Haworth,1811** (Oecophoridae) Synonym(s): *Diurnea Haworth,1811*; *Enyphantes Hübner,1822*; *Chimabache Hübner,[1825]*; *Cheimophila Hübner,[1825]*; *Lemnaphila Treitschke,1832*; *Xenomicta Meyrick,1914*
- 1138) Endrosis Hübner,[1825]** (Oecophoridae) Synonym(s): *Endrosis Hübner,[1825]*
- 1139) Epicallima Dyar,[1903]** (Oecophoridae) Synonym(s): *Callima Clemens,1860 nec Herrich-Schäff.,[1858]*; *Epicallima Dyar,[1903]*; *Dafa Hodges,1974*; *Hannemanniana Vives Moreno,1986*; *Subcallima L'vovsky & Arutjunova,1992*.
- 1140) Eratophyes Diakonoff,1975** (Oecophoridae) Synonym(s): *Eratophyes Diakonoff,1975*
- 1141) Esperia Hübner,[1825]** (Oecophoridae) Synonym(s): *Esperia Hübner,[1825]*
- 1142) Exaeretia Stainton,1849** (Oecophoridae) Synonym(s): *Exaeretia Stainton,1849*
- 1143) Fabiola Busck,1908** (Oecophoridae) Synonym(s): *Fabiola Busck,1908*
- 1144) Harpella Schrank,1802** (Oecophoridae) Synonym(s): *Harpella Schrank,1802*
- 1145) Holoscolia Zeller,1839** (Oecophoridae) Synonym(s): *Holoscolia Zeller,1839*
- 1146) Horridopalpus Hannemann,1953** (Oecophoridae) Synonym(s): *Horridopalpus Hannemann,1953*
- 1147) Hypercallia Stephens,1829** (Oecophoridae) Synonym(s): *Hypercallia Stephens,1829*
- 1148) Minetia Leraut,1991** (Oecophoridae) Synonym(s): *Minetia Leraut,1991*; *Athopeutis Koçak,1993*.
- 1149) Oecophora (Oecophoreola) Lvovsky,1995** (Oecophoridae) Synonym(s): *Oecophoreola Lvovsky,1995*
- 1150) Oecophora (s.str.) Latreille,1796** (Oecophoridae) Synonym(s): *Oecophora Latreille,1796*
- 1151) Oecophora Latreille,1796** (Oecophoridae) Synonym(s): *Oecophora Latreille,1796*
- 1152) Pleurota Hübner,[1825]** (Oecophoridae) Synonym(s): *Pleurota Hübner,[1825]*; *Eupleuris Hübner,[1825]*; *Macrochila Stephens,1829*; *Palpula Treitschke,1833 nec Koll.,1832*; *Acropogona Sodoffsky,1837*
- 1153) Protasis Herrich-Schäffer,[1853]** (Oecophoridae) Synonym(s): *Protasis Herrich-Schäffer,[1853]*
- 1154) Pseudatemelia Rebel,1910** (Oecophoridae) Synonym(s): *Pseudatemelia Rebel,1910*
- 1155) Schiffermuelleria Hübner,[1825]** (Oecophoridae) Synonym(s): *Schiffermuelleria Hübner,[1825]*; *Disqueia Spuler,1910*
- 1156) Semioscopis Hübner,[1825]** (Oecophoridae) Synonym(s): *Semioscopis Hübner,[1825]*; *Epigraphia Stephens,1829*
- 1157) Telechrysis Toll,1956** (Oecophoridae) Synonym(s): *Telechrysis Toll,1956*
- 1158) Tubuliferola Strand,1917** (Oecophoridae) Synonym(s): *Tubulifera Spuler,1910 nec Zopf,1885*; *Tubuliferola Strand,1917*
- 1159) Opostega Zeller,1839** (Opostegidae) Synonym(s): *Opostega Zeller,1839*
- 1160) Pseudopostega Kozlov,1985** (Opostegidae) Synonym(s): *Pseudopostega Kozlov,1985*
- 1161) Archon Hübner,1822** (Papilionidae) Synonym(s): *Archon Hübner,1822*; *Dorarchon Rothschild,1918*.
- 1162) Iphiclides Hübner,[1819]** (Papilionidae) Synonym(s): *Iphiclides Hübner,[1819]*; *Podalirius Swainson,[1833] nec Latreille,1802*.
- 1163) Papilio (s.str. (Alexanoria)) Koçak & Kemal,2002** (Papilionidae) Synonym(s): *Alexanoria Koçak & Kemal,2002*
- 1164) Papilio (s.str.) Linnaeus,1758** (Papilionidae) Synonym(s): *Papilio Linnaeus,1758*; *Amaryssus Dalman,1816*; *Aernauta Berge,1842*.
- 1165) Papilio Linnaeus,1758** (Papilionidae) Synonym(s): *Papilio Linnaeus,1758*; *Amaryssus Dalman,1816*; *Aernauta Berge,1842*.
- 1166) Parnassius (Driopa) Korshunov,1988** (Papilionidae) Synonym(s): *Driopa Korshunov,1988*; *Erythrodriopa Korshunov,1988*; *Adoritis Koçak,1989*; *Eversmanniodriopa Korb,2005*
- 1167) Parnassius (s.str.) Schneider,1785** (Papilionidae) Synonym(s): *Parnassius Schneider,1785*; *Parnassius Latreille,1804*; *Doritis Fabricius,1807*; *Parnassis Hübner,[1819]*; *Therius Billberg,1820*; *Tadumia Moore,1902*; *Kailasius Moore,1902*; *Koramius Moore,1902*; *Lingamius Bryk,1935*; *Eukoramius Bryk,1935*; *Sachaia Korshunov,1988*; *Quinhaicus Korshunov,1988*; *Krezbergius Korshunov,1988*
- 1168) Parnassius Schneider,1785** (Papilionidae) Synonym(s): *Parnassius Schneider,1785*; *Parnassius Latreille,1804*; *Doritis Fabricius,1807*; *Parnassis Hübner,[1819]*; *Therius Billberg,1820*; *Tadumia Moore,1902*;

- Kailasius* Moore,1902; *Koramius* Moore,1902; *Lingamius* Bryk,1935; *Eukoramius* Bryk,1935; *Sachaia* Korshunov,1988; *Quinhaicus* Korshunov,1988; *Krezbergius* Korshunov,1988
- 1169) **Princeps (s.str.) Hübner,[1807]** (Papilionidae) Synonym(s): *Princeps* Hübner,[1807]
- 1170) **Zerynthia (Allancastris) Bryk,1934** (Papilionidae) Synonym(s): *Allancastris* Bryk,1934
- 1171) **Zerynthia (s.str.) Ochsenheimer,1816** (Papilionidae) Synonym(s): *Thais* Fabricius,1807 nec Rödinger,1798; *Zerynthia* Ochsenheimer,1816; *Eugraphis* Billberg,1820;
- 1172) **Zerynthia Ochsenheimer,1816** (Papilionidae) Synonym(s): *Thais* Fabricius,1807 nec Rödinger,1798; *Zerynthia* Ochsenheimer,1816; *Eugraphis* Billberg,1820;
- 1173) **Anthocharis Boisduval, Rambur, Duméril & Graslin,1833** (Pieridae) Synonym(s): *Anthocharis* Boisduval, Rambur, Duméril & Graslin,1833
- 1174) **Aporia (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Aporia* Hübner,[1819]; *Leuconea* Donzel,1837.
- 1175) **Aporia Hübner,[1819]** (Pieridae) Synonym(s): *Aporia* Hübner,[1819]; *Leuconea* Donzel,1837.
- 1176) **Belenois Hübner,[1819]** (Pieridae) Synonym(s): *Belenois* Hübner,[1819]; *Anaphaeis* Hübner,[1819]; *Pseudohuphina* Stoneham,1940; *Pseudonaphaeis* Bernardi,1953
- 1177) **Catopsilia Hübner,[1819]** (Pieridae) Synonym(s): *Catopsilia* Hübner,[1819]; *Murtia* Hübner,[1819]
- 1178) **Colias (Eriocolias) Watson,1895** (Pieridae) Synonym(s): *Eriocolias* Watson,1895
- 1179) **Colias (Neocolias) Berger,1986** (Pieridae) Synonym(s): *Neocolias* Berger,1986
- 1180) **Colias (s.str.) Fabricius,1807** (Pieridae) Synonym(s): *Colias* Fabricius,1807; *Eurymus* Horsfield,1829; *Coliastes* Hemming,1931; *Protocolias* Petersen,1963; *Mesocolias* Petersen,1963
- 1181) **Colias Fabricius,1807** (Pieridae) Synonym(s): *Colias* Fabricius,1807; *Eurymus* Horsfield,1829; *Coliastes* Hemming,1931; *Protocolias* Petersen,1963; *Mesocolias* Petersen,1963
- 1182) **Colotis (Teracolus) Swainson,[1833]** (Pieridae) Synonym(s): *Teracolus* Swainson,[1833]
- 1183) **Colotis Hübner,[1819]** (Pieridae) Synonym(s): *Colotis* Hübner,[1819]; *Aphrodite* Hübner,[1819]; *Idmais* Boisduval,1836; *Callosune* Doubleday,1847; *Anthopsyche* Wallengren,1857; *Ptychopteryx* Wallengren,1857; *Thespia* Wallengren,1858; *Calicharis* Oberthür,1876; *Madais* Swinhoe,1909.
- 1184) **Euchloe (Elphinstonia) Klots,1930** (Pieridae) Synonym(s): *Elphinstonia* Klots,1930
- 1185) **Euchloe (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Euchloe* Hübner,[1819]; *Phyllocharis* Schatz,[1886] nec Dalman,1824
- 1186) **Euchloe Hübner,[1819]** (Pieridae) Synonym(s): *Euchloe* Hübner,[1819]; *Phyllocharis* Schatz,[1886] nec Dalman,1824
- 1187) **Gonepteryx (Isogonepteryx) Nekrutenko,1968** (Pieridae) Synonym(s): *Isogonepteryx* Nekrutenko,1968
- 1188) **Gonepteryx (s.str.) [Leach],[1815]** (Pieridae) Synonym(s): *Gonepteryx* [Leach],[1815]; *Rhodocera* Boisduval & Leconte,[1830]; *Earina* Speyer,1839; *Eugonepteryx* Nekrutenko,1968.
- 1189) **Gonepteryx [Leach],[1815]** (Pieridae) Synonym(s): *Gonepteryx* [Leach],[1815]; *Rhodocera* Boisduval & Leconte,[1830]; *Earina* Speyer,1839; *Eugonepteryx* Nekrutenko,1968.
- 1190) **Leptidea Billberg,1820** (Pieridae) Synonym(s): *Leptidea* Billberg,1820; *Leucophasia* Stephens,1827
- 1191) **Pieris (Artogeia) Verity,1947** (Pieridae) Synonym(s): *Artogeia* Verity,1947
- 1192) **Pieris (s.str.) Schrank,1801** (Pieridae) Synonym(s): *Pieris* Schrank,1801; *Ganoris* Dalman,1816; *Andropodum* Hübner,1822
- 1193) **Pieris Schrank,1801** (Pieridae) Synonym(s): *Pieris* Schrank,1801; *Ganoris* Dalman,1816; *Andropodum* Hübner,1822
- 1194) **Pontia Fabricius,1807** (Pieridae) Synonym(s): *Pontia* Fabricius,1807; *Synchloe* Hübner,1818; *Mancipium* Stephens,1827; *Parapieris* Nicéville,1897; *Leucochloe* Röber,1907; *Pontieuchloia* Verity,1929.
- 1195) **Zegris Boisduval,1836** (Pieridae) Synonym(s): *Zegris* Boisduval,1836; *Zegris* Rambur,[1837].
- 1196) **Lampronia Stephens,1829** (Prodoxidae) Synonym(s): *Lampronia* Stephens,1829
- 1197) **Acanthopsyche Heylaerts,1881** (Psychidae) Synonym(s): *Acanthopsyche* Heylaerts,1881
- 1198) **Apterona Millière,1857** (Psychidae) Synonym(s): *Apterona* Millière,1857; *Cochliotheca* Rambur,1866; *Cochlophanes* Staudinger,1871; *Cochlophora* Siebold,1871.
- 1199) **Bankesia Tutt,1899** (Psychidae) Synonym(s): *Bankesia* Tutt,1899
- 1200) **Bijugis Heylaerts,1881** (Psychidae) Synonym(s): *Bijugis* Heylaerts,1881
- 1201) **Bruandia Tutt,1900** (Psychidae) Synonym(s): *Bruandia* Tutt,1900; *Anaproutia* Lewin,1949
- 1202) **Canephora Hübner,1822** (Psychidae) Synonym(s): *Canephora* Hübner,1822; *Pachytelia* Westwood,1848; *Lepidopsyche* Newman,1850; *Oiketicoides* Heylaerts,1881; *Oiceticoides* Kirby,1882; *Eurukuttarus* Hampson,1891; *#Amictoides* Gerasimov,1937; *Amictoides* Bourgogne,1949 nec Bezzi,1909; *Paramictoides* Koçak,1980.
- 1203) **Dahlica Enderlein,1912** (Psychidae) Synonym(s): *Dahlica* Enderlein,1912
- 1204) **Diplodoma Zeller,1852** (Psychidae) Synonym(s): *Diplodoma* Zeller,1852
- 1205) **Dissoctena Staudinger,1859** (Psychidae) Synonym(s): *Dissoctena* Staudinger,1859
- 1206) **Eochorica Rebel,1940** (Psychidae) Synonym(s): *Eochorica* Rebel,1940
- 1207) **Eosolenobia Filipjev,1924** (Psychidae) Synonym(s): *Eosolenobia* Filipjev,1924
- 1208) **Epichnopterix Hübner,[1825]** (Psychidae) Synonym(s): *Epichnopterix* Hübner,[1825]
- 1209) **Eumasia Chrétien,1904** (Psychidae) Synonym(s): *Eumasia* Chrétien,1904; *Kruegeria* Müller-Rutz,1920.

- 1210) Megalophanes Heylaerts,1881** (Psychidae) Synonym(s): *Megalophanes Heylaerts,1881*
- 1211) Penestoglossa Rogenhofer,1875** (Psychidae) Synonym(s): *Psilothrix Wocke,1871 nec Küster,1850; Penestoglossa Rogenhofer,1875; Dyselpistis Meyrick,1938*
- 1212) Phalacropterix Hübner,[1825]** (Psychidae) Synonym(s): *Phalacropterix Hübner,[1825]; Phalacropterix Agassiz,1847; Arctus Rambur,1866 nec haan,1849; Stenophanes Heylaerts,1881*
- 1213) Psyche Schrank,1802** (Psychidae) Synonym(s): *Psyche Schrank,1802; Fumaria Haworth,1811; Fumea Haworth,1812; Saccofera Sodoffsky,1837; Saccofera Sodoffsky,1837; Saccophora Agassiz,1847 nec Brandt,1837; Masonia Tutt,1900; #Massonia Siedler,1975.*
- 1214) Ptilocephala (Deuterohyalina) Dalla Torre,1920** (Psychidae) Synonym(s): *Deuterohyalina Dalla Torre,1920*
- 1215) Ptilocephala (s.str.) Rambur,1866** (Psychidae) Synonym(s): *Ptilocephala Rambur,1866; Pyropsyche Chapman,1903*
- 1216) Ptilocephala Rambur,1866** (Psychidae) Synonym(s): *Ptilocephala Rambur,1866; Pyropsyche Chapman,1903*
- 1217) Rebelia Heylaerts,1900** (Psychidae) Synonym(s): *Rebelia Heylaerts,1900; Leucanacantha Kozhantischikov,1956; Micropsychia Gomez-Bustillo,1979 nec Agassiz,1847; Micropsychinia Gomez-Bustillo,1979*
- 1218) Reisseronia Siedler,1956** (Psychidae) Synonym(s): *Reisseronia Siedler,1956*
- 1219) Taleporia Hübner,[1825]** (Psychidae) Synonym(s): *Taleporia Hübner,[1825]; Cochleophasia Curtis,1834; Solenobia Duponchel,[1843]; Cochliophasia Agassiz,1847; Talaeporia Agassiz,1847*
- 1220) Typhonia Boisduval,1834** (Psychidae) Synonym(s): *Typhonia Boisduval,1834; Melasina Boisduval,1840*
- 1221) Pterolonche (Gomezbustillus) Vives Moreno,1986** (Pterolonchidae) Synonym(s): *Gomezbustillus Vives Moreno,1986*
- 1222) Pterolonche (s.str.) Zeller,1847** (Pterolonchidae) Synonym(s): *Pterolonche Zeller,1847*
- 1223) Pterolonche Zeller,1847** (Pterolonchidae) Synonym(s): *Pterolonche Zeller,1847*
- 1224) Adaina Tutt,1905** (Pterophoridae) Synonym(s): *Adaina Tutt,1905*
- 1225) Agdistis Hübner,[1825]** (Pterophoridae) Synonym(s): *Agdistis Hübner,[1825]; Adactylus Curtis,1833; Adactyla Zeller,1841.*
- 1226) Amblyptilia Hübner,[1825]** (Pterophoridae) Synonym(s): *Amblyptilia Hübner,[1825]; Amblyptilus Wallengren,1862.*
- 1227) Buszkoiana Koçak,1981** (Pterophoridae) Synonym(s): *Richardia Buszko,1978 nec Robineau-Desvoidy,1830; Buszkoiana Koçak,1981; #Buzkoiana Gielis,1996*
- 1228) Calyciphora Kasy,1960** (Pterophoridae) Synonym(s): *Calyciphora Kasy,1960*
- 1229) Capperia Tutt,1905** (Pterophoridae) Synonym(s): *Capperia Tutt,1905; Anacapperia Bigot & Picard,1986.*
- 1230) Cnaemidophorus Wallengren,1859** (Pterophoridae) Synonym(s): *Cnaemidophorus Wallengren,1859*
- 1231) Crombrugghia Tutt,1906** (Pterophoridae) Synonym(s): *Crombrugghia Tutt,1906*
- 1232) Emmelina Tutt,1905** (Pterophoridae) Synonym(s): *Emmelina Tutt,1905*
- 1233) Geina Tutt,1907** (Pterophoridae) Synonym(s): *Geina Tutt,1907*
- 1234) Gypsochares Meyrick,1890** (Pterophoridae) Synonym(s): *Gypsochares Meyrick,1890; Sibiretta Ustjuzhanin,1996.*
- 1235) Hellinsia Tutt,1905** (Pterophoridae) Synonym(s): *Hellinsia Tutt,1905; Leioptilus Wallengren,1862 nec Gray,1860; Lioptilus Zeller,1867 nec Cabanis,1850; Paulianilus Gibeaux,1995*
- 1236) Marasmarcha Meyrick,1886** (Pterophoridae) Synonym(s): *Marasmarcha Meyrick,1886*
- 1237) Merrifieldia Tutt,1905** (Pterophoridae) Synonym(s): *Merrifieldia Tutt,1905*
- 1238) Oidaematophorus Wallengren,1862** (Pterophoridae) Synonym(s): *Oidaematophorus Wallengren,1862; Oedematophorus Zeller,1867; Ovendenia Tutt,1905; Euleioptilus Bigot & Picard,1996; Oidaemalus Bigot & Picard,1996.*
- 1239) Oxyptilus Zeller,1841** (Pterophoridae) Synonym(s): *Oxyptilus Zeller,1841*
- 1240) Paracapperia Bigot & Picard,1986** (Pterophoridae) Synonym(s): *Paracapperia Bigot & Picard,1986*
- 1241) Paraplatyptilia Bigot & Picard,1986** (Pterophoridae) Synonym(s): *Mariana Tutt,1907 nec Locard,1889; Paraplatyptilia Bigot & Picard,1986.*
- 1242) Platyptilia Hübner,[1825]** (Pterophoridae) Synonym(s): *Platyptilia Hübner,[1825]; Platyptilus Zeller,1841; Gillmeria Tutt,1905; Fredericina Tutt,1905.*
- 1243) Porritia Tutt,1905** (Pterophoridae) Synonym(s): *Porritia Tutt,1905*
- 1244) Procapperia Adamczewski,1951** (Pterophoridae) Synonym(s): *Procapperia Adamczewski,1951*
- 1245) Pselnophorus Wallengren,1881** (Pterophoridae) Synonym(s): *Pselnophorus Wallengren,1881; Crasimetis Meyrick,1890.*
- 1246) Pterophorus Schäffer,1766** (Pterophoridae) Synonym(s): *Pterophorus Schäffer,1766; Pterophora Hübner,1822; Aciptilia Hübner,[1825]; Aciptilus Zeller,1841; Acoptilia Agassiz,1847.*
- 1247) Stangeia Tutt,1906** (Pterophoridae) Synonym(s): *Stangeia Tutt,1906*
- 1248) Stenoptilia Hübner,[1825]** (Pterophoridae) Synonym(s): *Stenoptilia Hübner,[1825]; Mimaeseoptilus Wallengren,1862; Mimeseoptilus Zeller,1867; Doxosteres Meyrick,1886; Adkinia Tutt,1905.*

- 1249) Stenoptilodes Zimmermann, 1958** (Pterophoridae) Synonym(s): *Stenoptilodes Zimmermann, 1958*
- 1250) Tabulaephorus Arenberger, 1993** (Pterophoridae) Synonym(s): *Tabulaephorus Arenberger, 1993*
- 1251) Wheeleria Tutt, 1905** (Pterophoridae) Synonym(s): *Wheeleria Tutt, 1905*
- 1252) Acentria Stephens, 1829** (Pyralidae) Synonym(s): *Setina Hübner, [1819]* (praeocc.); *Acentria Stephens, 1829*; *Acentropus Curtis, 1834*;
- 1253) Achroia Hübner, [1819]** (Pyralidae) Synonym(s): *Achroia Hübner, [1819]*; *Meliphora Guenée, 1845*; *Achroea Agassiz, 1847*; *Vobrix Walker, 1864*.
- 1254) Achyra Guenée, 1849** (Pyralidae) Synonym(s): *Achyra Guenée, 1849*; *Dosara Walker, 1859*; *Eurycreon Lederer, 1863*; *Tritaea Meyrick, 1884*.
- 1255) Acrobasis Zeller, 1839** (Pyralidae) Synonym(s): *Acrobasis Zeller, 1839*; *Mineola Hulst, 1890*; *Seneca Hulst, 1890*; *Numonia Ragonot, 1893*; *Acrocaula Hulst, 1900*; *Catacrobasis Gozmany, 1958*.
- 1256) Actenia Guenée, 1854** (Pyralidae) Synonym(s): *Actenia Guenée, 1854*; *Libora Ragonot, 1891*
- 1257) Aeglotis Amsel, 1949** (Pyralidae) Synonym(s): *Aeglotis Amsel, 1949*
- 1258) Aeschremon Lederer, 1863** (Pyralidae) Synonym(s): *Aeschremon Lederer, 1863*
- 1259) Aglossa Latreille, [1796]** (Pyralidae) Synonym(s): *Aglossa Latreille, [1796]*; *Euclita Hübner, [1825]*; *Agriope Ragonot, 1894*
- 1260) Agriphila Hübner, [1825]** (Pyralidae) Synonym(s): *Agriphila Hübner, [1825]*; *Agrophila Agassiz, 1847* nec Bsd., 1840
- 1261) Agriphiloides Bleszynski, 1965** (Pyralidae) Synonym(s): *Agriphiloides Bleszynski, 1965*
- 1262) Agrotera Schrank, 1802** (Pyralidae) Synonym(s): *Agrotera Schrank, 1802*; *Tetracona Meyrick, 1884*; *Sagariphora Meyrick, 1894*
- 1263) Alisa Ganév & Hacker, 1984** (Pyralidae) Synonym(s): *Alisa Ganév & Hacker, 1984*
- 1264) Alophia Ragonot, 1893** (Pyralidae) Synonym(s): *Alophia Ragonot, 1893*; *#Alophila Arenberger & Wimmer, 1996*
- 1265) Amaurophanes Lederer, 1863** (Pyralidae) Synonym(s): *Amaurophanes Lederer, 1863*
- 1266) Anania (Eurrhypara) Hübner, [1825]** (Pyralidae) Synonym(s): *Eurrhypara Hübner, [1825]*
- 1267) Anania (Opsibotys) W. Warren, 1890** (Pyralidae) Synonym(s): *Opsibotys W. Warren, 1890*
- 1268) Anania (Perinephela) Hübner, [1825]** (Pyralidae) Synonym(s): *Perinephela Hübner, [1825]*; *#Perinephele Hübner, [1826]*; *#Perinephila Hampson, 1897*
- 1269) Anania (Phlyctaenia) Hübner, [1825]** (Pyralidae) Synonym(s): *Phlyctaenia Hübner, [1825]*
- 1270) Anania (s.str.) Hübner, [1823]** (Pyralidae) Synonym(s): *Anania Hübner, [1823]*; *Perinephela Hübner, [1825]*; *Phlyctaenia Hübner, [1825]*; *Ennychia Treitschke, 1828*; *Ebulea Doubleday, 1849*; *Algedonia Lederer, 1863*; *Crypsitya Meyrick, 1894*; *Udonomeiga Mutuura, 1954*; *Trichovalva Amsel, 1956*; *Pronomis Munroe & Mutuura, 1968*; *Coclebotys Munroe & Mutuura, 1969*; *Tenerobotys Munroe & Mutuura, 1971*; *Mutuuraia Munroe, 1976*; *Nealgedonia Munroe, 1976*
- 1271) Anania Hübner, [1823]** (Pyralidae) Synonym(s): *Anania Hübner, [1823]*; *Perinephela Hübner, [1825]*; *Phlyctaenia Hübner, [1825]*; *Ennychia Treitschke, 1828*; *Ebulea Doubleday, 1849*; *Algedonia Lederer, 1863*; *Crypsitya Meyrick, 1894*; *Udonomeiga Mutuura, 1954*; *Trichovalva Amsel, 1956*; *Pronomis Munroe & Mutuura, 1968*; *Coclebotys Munroe & Mutuura, 1969*; *Tenerobotys Munroe & Mutuura, 1971*; *Mutuuraia Munroe, 1976*; *Nealgedonia Munroe, 1976*
- 1272) Anarpia Chapman, 1912** (Pyralidae) Synonym(s): *Anarpia Chapman, 1912*
- 1273) Ancylodes Ragonot, 1887** (Pyralidae) Synonym(s): *Ancylodes Ragonot, 1887*
- 1274) Ancylolomia Hübner, [1825]** (Pyralidae) Synonym(s): *Ancylolomia Hübner, [1825]*; *Jartheza Walker, 1863*; *Ctenus Mabille, 1906* nec Walken., 1805; *Pseudoctenella Strand, 1907*; *Tollia Amsel, 1949* nec Pavlov, 1914.
- 1275) Ancylosis (Cabotia) Ragonot, 1888** (Pyralidae) Synonym(s): *Cabotia Ragonot, 1888*; *Canarsia Hulst, 1890*; *Hulstia Hampson, 1901*; *Encystia Hampson, 1901*; *Harnocha Dyar, 1914*; *Canarsiana Strand, 1920*.
- 1276) Ancylosis (Heterographis) Ragonot, 1885** (Pyralidae) Synonym(s): *Heterographis Ragonot, 1885*; *Mona Hulst, 1888*; *Acornigerula Amsel, 1935*
- 1277) Ancylosis (s.str.) Zeller, 1839** (Pyralidae) Synonym(s): *Ancylosis Zeller, 1839*; *Heterographia Ragonot, 1890*; *Hypogryphia Ragonot, 1890*.
- 1278) Anerastia Hübner, [1825]** (Pyralidae) Synonym(s): *Anerastia Hübner, [1825]*; *Prinanerastia Hampson, 1918*
- 1279) Angustalius Marion, 1954** (Pyralidae) Synonym(s): *Angustalius Marion, 1954*; *Crambopsis De Lattin, 1952* nec Walk., 1865; *Bleszynskia De Lattin, 1961*
- 1280) Anthophilopsis Ragonot, 1891** (Pyralidae) Synonym(s): *Anthophilopsis Ragonot, 1891*
- 1281) Antigastra Lederer, 1863** (Pyralidae) Synonym(s): *Antigastra Lederer, 1863*
- 1282) Aphomia Hübner, [1825]** (Pyralidae) Synonym(s): *Aphomia Hübner, [1825]*; *Ilithyia Berthold, 1827*; *Melia Curtis, 1828*; *Melissoblaptis Zeller, 1839*; *Aphomoea Agassiz, 1847*
- 1283) Apomyelois Heinrich, 1956** (Pyralidae) Synonym(s): *Apomyelois Heinrich, 1956*; *Ectomyelois Heinrich, 1956*; *Spectrobates sensu Roesler, 1965*
- 1284) Aporodes Guenée, 1854** (Pyralidae) Synonym(s): *Aporodes Guenée, 1854*
- 1285) Arimania Amsel, 1953** (Pyralidae) Synonym(s): *Arimania Amsel, 1953*
- 1286) Arsissa Ragonot, 1893** (Pyralidae) Synonym(s): *Arsissa Ragonot, 1893*; *Myeloisiphana Hartig, 1937*; *Palloria Amsel, 1961*; *Farsia Amsel, 1961*; *Anjumania Amsel, 1970*.

- 1287) Asalebria (Exophora) Roesler, 1988** (Pyralidae) Synonym(s): *Exophora* Roesler, 1988
- 1288) Asalebria (s.str.) Amsel, 1953** (Pyralidae) Synonym(s): *Asalebria* Amsel, 1953; *Praesalebria* Amsel, 1954; *Postsalebria* Amsel, 1955.
- 1289) Asalebria Amsel, 1953** (Pyralidae) Synonym(s): *Asalebria* Amsel, 1953; *Praesalebria* Amsel, 1954; *Postsalebria* Amsel, 1955.
- 1290) Asarta Zeller, 1848** (Pyralidae) Synonym(s): *Chionea* Guenée, 1845 nec Dalm., 1816; *Asarta* Zeller, 1848.
- 1291) Assara Walker, 1863** (Pyralidae) Synonym(s): *Assara* Walker, 1863; *Cateremna* Meyrick, 1882.
- 1292) Atralata Sylven, 1947** (Pyralidae) Synonym(s): *Ennychia* Lederer, 1863 nec Treitsch., 1828; *#Ennychia* Duponchel, 1834; *Atralata* Sylven, 1947
- 1293) Bazararia Ragonot, 1887** (Pyralidae) Synonym(s): *Bazararia* Ragonot, 1887; *Anorista* Rebel, 1914; *Culcita* Amsel, 1959; *Culcitaria* Amsel, 1970; *Vixsinusia* Amsel, 1970.
- 1294) Bradyrrhoa Zeller, 1848** (Pyralidae) Synonym(s): *Bradyrrhoa* Zeller, 1848; *#Bradyrrhaea* Marschall, 1873
- 1295) Cadra Walker, 1864** (Pyralidae) Synonym(s): *Cadra* Walker, 1864; *Xenephestia* Gozmany, 1958.
- 1296) Calamotropha Zeller, 1863** (Pyralidae) Synonym(s): *Calamotropha* Zeller, 1863; *Myeza* Walker, 1863; *Aurelianus* Bleszynski, 1962 nec Dist., 1902
- 1297) Cataclysta Hübner, [1825]** (Pyralidae) Synonym(s): *Cataclysta* Hübner, [1825]; *Cryptocosma* Lederer, 1863; *Eugauria* Snellen, 1901; *Chalcoelopsis* Dyar, 1914
- 1298) Cataonia Ragonot, 1891** (Pyralidae) Synonym(s): *Cataonia* Ragonot, 1891
- 1299) Catastia Hübner, [1825]** (Pyralidae) Synonym(s): *Catastia* Hübner, [1825]
- 1300) Catharia Lederer, 1863** (Pyralidae) Synonym(s): *Catharia* Lederer, 1863
- 1301) Catoptria Hübner, [1825]** (Pyralidae) Synonym(s): *Catoptria* Hübner, [1825]; *Exoria* Hübner, [1825].
- 1302) Chilo Zincken, 1817** (Pyralidae) Synonym(s): *Chilo* Zincken, 1817; *Chilona* Sodoffsky, 1837; *Borer* Guenée, 1854; *Diphryx* Grote, 1881; *Nephalia* Turner, 1911; *Hypiasta* Hampson, 1919; *Silveria* Dyar, 1925
- 1303) Chrysocrambus Bleszynski, 1957** (Pyralidae) Synonym(s): *Chrysocrambus* Bleszynski, 1957
- 1304) Chrysoteuchia Hübner, [1825]** (Pyralidae) Synonym(s): *Chrysoteuchia* Hübner, [1825]; *Amphibolia* Snellen, 1884.
- 1305) Conobathra Meyrick, 1886** (Pyralidae) Synonym(s): *Conobathra* Meyrick, 1886; *Mahela* Ragonot, 1888; *Cyphita* Roesler, 1971.
- 1306) Corecra Ragonot, 1885** (Pyralidae) Synonym(s): *Corecra* Ragonot, 1885; *Tineopsis* Dyar, 1913 nec Felder, 1861.
- 1307) Cornifrons Lederer, 1858** (Pyralidae) Synonym(s): *Cornifrons* Lederer, 1858
- 1308) Crambus Fabricius, 1798** (Pyralidae) Synonym(s): *Crambus* Fabricius, 1798; *Palparia* Haworth, [1811]; *Tetrachila* Hübner, 1822; *Argyrotheuchia* Hübner, [1825]; *Arequipa* Walker, 1863.
- 1309) Cryptoblabes Zeller, 1848** (Pyralidae) Synonym(s): *Cryptoblabes* Zeller, 1848; *Albinia* Briosi, [1877] nec Robineau-Desvoidy, 1830
- 1310) Cybalomia Lederer, 1863** (Pyralidae) Synonym(s): *Cybalomia* Lederer, 1863; *#Cybolomia* Ragonot, 1887; *Capparidia* Dumont, 1931
- 1311) Cynaeda Hübner, [1825]** (Pyralidae) Synonym(s): *Cynaeda* Hübner, [1825]; *Odontia* Duponchel, 1832
- 1312) Diasemia Hübner, [1825]** (Pyralidae) Synonym(s): *Diasemia* Hübner, [1825]; *Prodelia* Doubleday, [1849]; *Goniogramma* Mann, 1854
- 1313) Diasemiopsis Munroe, 1957** (Pyralidae) Synonym(s): *Diasemiopsis* Munroe, 1957; *#Diasemopsis* Leraut, 1997
- 1314) Dioryctria Zeller, 1846** (Pyralidae) Synonym(s): *Dioryctria* Zeller, 1846
- 1315) Dolicharthria Stephens, 1834** (Pyralidae) Synonym(s): *Dolicharthria* Stephens, 1834; *Dolycharthria* Stephens, 1850; *Stenia* Guenée, 1854
- 1316) Donacaula Meyrick, 1890** (Pyralidae) Synonym(s): *Donacaula* Meyrick, 1890
- 1317) Duponchelia Zeller, 1847** (Pyralidae) Synonym(s): *Duponchelia* Zeller, 1847
- 1318) Ecbatania Amsel, 1961** (Pyralidae) Synonym(s): *Ecbatania* Amsel, 1961; *Rhinogradentia* Amsel, 1970.
- 1319) Eccopisa Zeller, 1848** (Pyralidae) Synonym(s): *Eccopisa* Zeller, 1848
- 1320) Ecpyrrhorhoe Hübner, [1825]** (Pyralidae) Synonym(s): *Ecpyrrhorhoe* Hübner, [1825]; *Harpadispar* Agenjo, 1952; *Pyraustegia* Marion, 1963.
- 1321) Elegia Ragonot, 1887** (Pyralidae) Synonym(s): *Elegia* Ragonot, 1887; *Ichorarchis* Meyrick, 1937.
- 1322) Elophila Hübner, 1822** (Pyralidae) Synonym(s): *Elophila* Hübner, 1822; *Hydrocampus* Berthold, 1827; *Hydrocampe* Stephens, 1829; *Hydrocampe* Latreille, 1829; *Cyrtogramme* Yoshiyasu, 1985
- 1323) Ematheudes Zeller, 1867** (Pyralidae) Synonym(s): *Ematheudes* Zeller, 1867; *Proavitheudes* Amsel, 1961
- 1324) Emmalocera Ragonot, 1888** (Pyralidae) Synonym(s): *Ampycophora* Meyrick, 1882 nec Wahlb., 1847; *Emmalocera* Ragonot, 1888; *Lodiana* Ragonot, 1888; *Poujadia* Ragonot, 1888; *Baroda* Ragonot, 1888 nec Stoliczka, 1870; *Pectinigeria* Ragonot, 1888; *Ambala* Ragonot, 1888; *Socora* Ragonot, 1888; *Papua* Ragonot, 1890; *Critonia* Ragonot, 1891; *Enosima* Ragonot, 1901; *Singhaliella* Strand, 1920
- 1325) Endotricha Zeller, 1847** (Pyralidae) Synonym(s): *Endotricha* Zeller, 1847; *Doththa* Walker, 1859; *Messatis* Walker, 1859; *Pacoria* Walker, 1866; *Zania* Walker, 1866; *Tricomia* Walker, 1866; *Rhisina* Walker, 1866; *#Paconia* Walker, 1866; *Endotrichodes* Ragonot, 1891; *Endotrichopsis* W. Warren, 1895; *#Rhisinia* Whalley, 1961
- 1326) Epactoctena Meyrick, 1937** (Pyralidae) Synonym(s): *Epactoctena* Meyrick, 1937

- 1327) Ephelis Lederer, 1863** (Pyralidae) Synonym(s): *Ephelis Lederer, 1863*
- 1328) Ephestia (Anagasta) Heinrich, 1956** (Pyralidae) Synonym(s): *Anagasta Heinrich, 1956*
- 1329) Ephestia (s.str.) Guenée, 1845** (Pyralidae) Synonym(s): *Ephestia Guenée, 1845; Hyphantidium Scott, 1859.*
- 1330) Ephestia Guenée, 1845** (Pyralidae) Synonym(s): *Ephestia Guenée, 1845; Hyphantidium Scott, 1859.*
- 1331) Epidauria Hampson, 1901** (Pyralidae) Synonym(s): *Epidauria Hampson, 1901*
- 1332) Epiepischnia Amsel, 1953** (Pyralidae) Synonym(s): *Epiepischnia Amsel, 1953*
- 1333) Epimetasia Ragonot, 1894** (Pyralidae) Synonym(s): *Epimetasia Ragonot, 1894*
- 1334) Epischnia Hübner, [1825]** (Pyralidae) Synonym(s): *Epischnia Hübner, [1825]*
- 1335) Episcythrastris Meyrick, 1937** (Pyralidae) Synonym(s): *Episcythrastris Meyrick, 1937; Myelopsis Heinrich, 1956.*
- 1336) Etiella Zeller, 1839** (Pyralidae) Synonym(s): *Etiella Zeller, 1839; Rhamphodes Guenée, 1845; Mella Walker, 1859; Modiana Walker, 1863; Alata Walker, 1863 nec Linck, 1783; Arucha Walker, 1863; Ceratamma Butler, 1881.*
- 1337) Eucampyla Meyrick, 1882** (Pyralidae) Synonym(s): *Eucampyla Meyrick, 1882; Patagonia Hampson, 1901*
- 1338) Eucarphia Hübner, [1825]** (Pyralidae) Synonym(s): *Eucarphia Hübner, [1825]; Argyrodes Guenée, 1845; Argyrohabda Hampson, 1926.*
- 1339) Euchromius Guenée, 1845** (Pyralidae) Synonym(s): *Eromene Hübner, [1825] nec Hübn., [1821]; Euchromius Guenée, 1845; Ommatopteryx Kirby, 1897; Pseudoancylolomia Ahmad, Zaidi & Kamaluddin, 1982.*
- 1340) Euclasta (s.str.) Lederer, 1855** (Pyralidae) Synonym(s): *Euclasta Lederer, 1855; Ilurgia Walker, 1859*
- 1341) Euclasta Lederer, 1855** (Pyralidae) Synonym(s): *Euclasta Lederer, 1855; Ilurgia Walker, 1859*
- 1342) Eudonia Billberg, 1820** (Pyralidae) Synonym(s): *Eudonia Billberg, 1820; Boiea Zetterstedt, [1839]; Witlesia Chapman, 1912; #Eudoria Marion, 1959; Toulgoetodes Leraut, 1988*
- 1343) Eurhodope (Eurhobasis) Roesler, 1988** (Pyralidae) Synonym(s): *Eurhobasis Roesler, 1988*
- 1344) Eurhodope (s.str.) Hübner, [1825]** (Pyralidae) Synonym(s): *Eurhodope Hübner, [1825]; Semnia Guenée, 1845 nec Hübn., [1823]; Kyra Gozmany, 1958*
- 1345) Eurhodope Hübner, [1825]** (Pyralidae) Synonym(s): *Eurhodope Hübner, [1825]; Semnia Guenée, 1845 nec Hübn., [1823]; Kyra Gozmany, 1958*
- 1346) Eurrhysis Hübner, [1825]** (Pyralidae) Synonym(s): *Eurrhysis Hübner, [1825]; Threnodes Duponchel, [1845]*
- 1347) Euzophera (Cymbalorissa) Gozmany, 1958** (Pyralidae) Synonym(s): *Cymbalorissa Gozmany, 1958*
- 1348) Euzophera (s.str.) Zeller, 1867** (Pyralidae) Synonym(s): *Stenoptycha Heinemann, 1865 nec Agas., 1862; Melia Heinemann, 1865 nec Risso, 1813; Euzophera Zeller, 1867; Pistogenes Meyrick, 1937; Ahwazia Amsel, 1949; Longignathia Roesler, 1965*
- 1349) Euzophera Zeller, 1867** (Pyralidae) Synonym(s): *Stenoptycha Heinemann, 1865 nec Agas., 1862; Melia Heinemann, 1865 nec Risso, 1813; Euzophera Zeller, 1867; Pistogenes Meyrick, 1937; Ahwazia Amsel, 1949; Longignathia Roesler, 1965*
- 1350) Euzopherodes Hampson, 1899** (Pyralidae) Synonym(s): *Euzopherodes Hampson, 1899; Lydia Rebel, 1901 nec Gistl, 1848; Lydia Hampson, 1901 nec Gistl, 1848; Phloeophaga Chrétien, 1910; Radiestra Hampson, 1927; Neononia Hampson, 1930; Symphestia Hampson, 1930; Trigonopyralis Amsel, 1935; Nyctigenes Meyrick, 1937 Epilydia Amsel, 1954; Delattinia Roesler, 1965; Infinita Whalley, 1970.*
- 1351) Evergestis Hübner, [1825]** (Pyralidae) Synonym(s): *Evergestis Hübner, [1825]*
- 1352) Faveria Walker, 1859** (Pyralidae) Synonym(s): *Faveria Walker, 1859; Oligochroa Ragonot, 1888; Pristarthria Ragonot, 1893; Sclerobia Ragonot, 1893*
- 1353) Friedlanderia Agnew, 1987** (Pyralidae) Synonym(s): *#Chiloides Amsel, 1949; Chiloides Bleszynski, 1963 nec Butl., 1881; Friedlanderia Agnew, 1987*
- 1354) Galleria Fabricius, 1798** (Pyralidae) Synonym(s): *Galleria Fabricius, 1798; #Adeona Rafinesque, 1815; Ceriolepta Sodoffsky, 1837; Vindana Walker, 1866.*
- 1355) Glaucobaris Meyrick, 1938** (Pyralidae) Synonym(s): *Ditomoptera Hampson, 1893 nec Germ., 1839; Glaucobaris Meyrick, 1938; Pareromene Osthelder, 1941; Pagmania Amsel, 1961*
- 1356) Gymnancyla (Spermatophthora) Lederer, 1852** (Pyralidae) Synonym(s): *Spermatophthora Lederer, 1852*
- 1357) Gymnancyla (s.str.) Zeller, 1848** (Pyralidae) Synonym(s): *Gymnancyla Zeller, 1848; Nefertitita Gozmany, 1960.*
- 1358) Gymnancyla Zeller, 1848** (Pyralidae) Synonym(s): *Gymnancyla Zeller, 1848; Nefertitita Gozmany, 1960.*
- 1359) Hannemannea Roesler, 1967** (Pyralidae) Synonym(s): *Hannemannea Roesler, 1967*
- 1360) Heliothela Guenée, 1854** (Pyralidae) Synonym(s): *Heliothela Guenée, 1854; Orosana Walker, 1863; Nyctarcha Meyrick, 1884*
- 1361) Hellula Guenée, 1854** (Pyralidae) Synonym(s): *#Oeobia Hübner, [1825] (rejected name by ICZN, 1959 Opinion 536); Hellula Guenée, 1854; Phyratocosma Meyrick, 1936; Ashwania Pajni & Rose, 1977*
- 1362) Herpetogramma Lederer, 1863** (Pyralidae) Synonym(s): *Herpetogramma Lederer, 1863; Pachyzancla Meyrick, 1884; Acharana Moore, [1885]; Piloptyla Swinhoe, 1894; Pantoeocome W. Warren, 1896;*

- Macrobotys* Munroe,1950; *Coremataria* Amsel,1956; *Culcitaria* Amsel,1957; #*Herpitogramma* Hutacharern & Tubtim,1995
- 1363) Homoeosoma (Anhomoeosoma) Roesler,1965** (Pyralidae) Synonym(s): *Anhomoeosoma* Roesler,1965
- 1364) Homoeosoma (s.str.) Curtis,1833** (Pyralidae) Synonym(s): *Homoeosoma* Curtis,1833; *Phycidea* Zeller,1839; *Lotria* Guenée,1845.
- 1365) Homoeosoma Curtis,1833** (Pyralidae) Synonym(s): *Homoeosoma* Curtis,1833; *Phycidea* Zeller,1839; *Lotria* Guenée,1845.
- 1366) Hydriris Meyrick,1885** (Pyralidae) Synonym(s): *Spanista* Lederer,1863 nec Foester,1862; *Hydriris* Meyrick,1885; *Antiercta* Amsel,1956
- 1367) Hyperlais Marion,1959** (Pyralidae) Synonym(s): *Hyperlais* Marion,1959
- 1368) Hypochalcia Hübner,[1825]** (Pyralidae) Synonym(s): *Hypochalcia* Hübner,[1825]; *Araxes* Stephens,1834
- 1369) Hyporatasia Ragonot,1901** (Pyralidae) Synonym(s): *Hyporatasia* Ragonot,1901
- 1370) Hypotia Zeller,1847** (Pyralidae) Synonym(s): *Hypotia* Zeller,1847; *Dattinia* Ragonot,1887; *Constantia* Ragonot,1887 nec Adams,1860; *Mnesixena* Meyrick,1890; *Baniura* Ragonot,1891; *Palura* Ragonot,1891 nec Wlk.,1861; *Macroctenia* Hampson,1900; *Boursinella* Amsel,1953; *Gomezmenoria* Agenjo,1966
- 1371) Hypsopygia Hübner,[1825]** (Pyralidae) Synonym(s): *Hypsopygia* Hübner,[1825]
- 1372) Hypsotropa Zeller,1848** (Pyralidae) Synonym(s): *Hypsotropa* Zeller,1848; #*Hypsotrophia* Snellen,1880; *Seleucia* Ragonot,1887; *Tiarra* Ragonot,1888; *Lymira* Ragonot,1888; *Ambala* Ragonot,1888; *Socora* Ragonot,1888; *Talamba* Ragonot,1888; *Hypsotrophia* Hampson,1896
- 1373) Isauria Ragonot,1887** (Pyralidae) Synonym(s): *Isauria* Ragonot,1887; *Adelosemia* Ragonot,1887; *Melitene* Ragonot,1888; *Divona* Ragonot,1893; *Pseudomegasis* Chrétien,1931.
- 1374) Keradere Whalley,1970** (Pyralidae) Synonym(s): *Keradere* Whalley,1970
- 1375) Khorassania Amsel,1951** (Pyralidae) Synonym(s): *Brephia* Heinemann,1865 nec Hübn.,1822; *Khorassania* Amsel,1951; *Abrephia* Amsel,1953
- 1376) Lambaesia Rebel,1903** (Pyralidae) Synonym(s): *Lambaesia* Rebel,1903; *Monotonia* Amsel,1955
- 1377) Lamoria Walker,1863** (Pyralidae) Synonym(s): *Lamoria* Walker,1863; *Maraclea* Walker,1863; *Hornigia* Ragonot,1885; *Tugela* Ragonot,1888.
- 1378) Lepidogma Meyrick,1890** (Pyralidae) Synonym(s): *Lepidogma* Meyrick,1890; *Precopia* Ragonot,1891; *Asopina* Christoph,1893
- 1379) Leptarchis Meyrick,1937** (Pyralidae) Synonym(s): *Leptarchis* Meyrick,1937
- 1380) Loxostege Hübner,[1825]** (Pyralidae) Synonym(s): *Loxostege* Hübner,[1825]; *Leimonia* Hübner,[1825]; *Margaritita* Stephens,1827; *Boreophila* Guenée,1845; *Limonia* Agassiz,1847; *Cosmocreon* W.Warren,1892; *Maroa* Barnes & McDunnough,1914; *Polingia* Barnes & McDunnough,1914; *Parasitochroa* Hannemann,1964
- 1381) Mardinia Amsel,1952** (Pyralidae) Synonym(s): *Mardinia* Amsel,1952
- 1382) Margaretania Amsel,1961** (Pyralidae) Synonym(s): *Margaretania* Amsel,1961
- 1383) Mecyna Doubleday,[1849]** (Pyralidae) Synonym(s): *Mecyna* Doubleday,[1849]
- 1384) Megasis Guenée,1845** (Pyralidae) Synonym(s): *Megasis* Guenée,1845; *Tsaraphycis* Viette,1970.
- 1385) Merulempista Roesler,1967** (Pyralidae) Synonym(s): *Merulempista* Roesler,1967
- 1386) Mesocrambus Bleszynski,1957** (Pyralidae) Synonym(s): *Mesocrambus* Bleszynski,1957
- 1387) Metacrambus Bleszynski,1957** (Pyralidae) Synonym(s): *Metacrambus* Bleszynski,1957
- 1388) Metaeuchromius Bleszynski,1960** (Pyralidae) Synonym(s): *Metaeuchromius* Bleszynski,1960
- 1389) Metallosticha Rebel,1901** (Pyralidae) Synonym(s): *Metallosticha* Rebel,1901; *Ametallosticha* Amsel,1935.
- 1390) Metallostichodes Roesler,1967** (Pyralidae) Synonym(s): *Metallostichodes* Roesler,1967
- 1391) Metasia (Clasperia) Hartig,1952** (Pyralidae) Synonym(s): *Clasperia* Hartig,1952.
- 1392) Metasia (s.str.) Guenée,1854** (Pyralidae) Synonym(s): *Metasia* Guenée,1854
- 1393) Metasia Guenée,1854** (Pyralidae) Synonym(s): *Metasia* Guenée,1854
- 1394) Metaxmeste Hübner,[1825]** (Pyralidae) Synonym(s): *Metaxmeste* Hübner,[1825]; *Hercyna* Treitschke,1828.
- 1395) Microstega Meyrick,1890** (Pyralidae) Synonym(s): *Microstega* Meyrick,1890
- 1396) Mimudea W.Warren,1892** (Pyralidae) Synonym(s): *Mimudea* W.Warren,1892; *Eudaimonisma* Lucas,1902; *Otiophora* Turner,1908; *Emphylica* Turner,1913
- 1397) Myelois (Gnathogutta) Roesler,1988** (Pyralidae) Synonym(s): *Gnathogutta* Roesler,1988
- 1398) Myelois (s.str.) Hübner,[1825]** (Pyralidae) Synonym(s): *Myelois* Hübner,[1825]; *Lispe* Treitschke,1832; *Myelophila* Treitschke,1835
- 1399) Myelois Hübner,[1825]** (Pyralidae) Synonym(s): *Myelois* Hübner,[1825]; *Lispe* Treitschke,1832; *Myelophila* Treitschke,1835
- 1400) Myrlaea Ragonot,1887** (Pyralidae) Synonym(s): *Myrlaea* Ragonot,1887
- 1401) Nascia Curtis,1835** (Pyralidae) Synonym(s): *Nascia* Curtis,1835
- 1402) Neocrambus Bleszynski,1957** (Pyralidae) Synonym(s): *Neocrambus* Bleszynski,1957
- 1403) Nephopterix Hübner,[1825]** (Pyralidae) Synonym(s): *Nephopterix* Hübner,[1825]; #*Nephopteryx* Zeller,1839; *Alispa* Zeller,1848; *Denticera* Amsel,1961; *Clasperopsis* Roesler,1969; *Paranephopterix* Roesler,1969.

- 1404) Noctuelia Guenée,1854** (Pyralidae) Synonym(s): *Noctuelia Guenée,1854*; *Noctuaelia Wocke,1871*
- 1405) Nomophila Hübner,[1825]** (Pyralidae) Synonym(s): *Nomophila Hübner,[1825]*; *Stenopteryx Guenée,[1845]* nec *Meigen,1830*; *Macronomeutis Meyrick,1936*
- 1406) Nyctegretis Zeller,1848** (Pyralidae) Synonym(s): *Nyctegretis Zeller,1848*; *Trichorachia Hampson,1930*; *Synallorema Gozmany,1958*.
- 1407) Nymphula Schrank,1802** (Pyralidae) Synonym(s): *Nymphula Schrank,1802*
- 1408) Oncocera Stephens,1829** (Pyralidae) Synonym(s): *Oncocera Stephens,1829*; *Pollichia Roesler,1980*
- 1409) Ortholepis Ragonot,1887** (Pyralidae) Synonym(s): *Ortholepis Ragonot,1887*; *Metriostola Ragonot,1893*
- 1410) Orthopygia Ragonot,1890** (Pyralidae) Synonym(s): *Orthopygia Ragonot,1890*
- 1411) Ostrinia Hübner,[1825]** (Pyralidae) Synonym(s): *Ostrinia Hübner,[1825]*; *Micractus W.Warren,1892*; *Eupolemarcha Meyrick,1937*; *Zeaphagus Agenjo,1952*.
- 1412) Oxybia Rebel,1901** (Pyralidae) Synonym(s): *Oxybia Rebel,1901*
- 1413) Palmitia Ragonot,1890** (Pyralidae) Synonym(s): *Palmitia Ragonot,1890*
- 1414) Palpita Hübner,[1808]** (Pyralidae) Synonym(s): *Palpita Hübner,[1808]*; *Hapalia Hübner,1818*; *Conchia Hübner,[1821]*; *Margaronia Hübner,[1825]*; *Paradosis Zeller,1852*; *Margarodes Guenée,1854* nec *Guilding,1829*; *Sarothronota Lederer,1863*; *Sebunta Walker,1863*; *Ledereria Marschall,1873*; *Sylora Swinhoe,1900*; *Hvidodes Swinhoe,1900*; *Apyrausta Amsel,1951*
- 1415) Panstegia Hübner,[1825]** (Pyralidae) Synonym(s): *Panstegia Hübner,[1825]*
- 1416) Paracorsia Marion,1959** (Pyralidae) Synonym(s): *Paracorsia Marion,1959*
- 1417) Paralaodamia Balinsky,1994** (Pyralidae) Synonym(s): *Paralaodamia Balinsky,1994*
- 1418) Paralipsa Butler,1879** (Pyralidae) Synonym(s): *Paralipsa Butler,1879*; *Paralipsa Spuler,1910*
- 1419) Paramaxillaria Inoue,1955** (Pyralidae) Synonym(s): *Maxillaria Staudinger,1880* nec *Gistel,1848*; *Paramaxillaria Inoue,1955*.
- 1420) Paranephopterix Roesler,1969** (Pyralidae) Synonym(s): *Paranephopterix Roesler,1969*
- 1421) Parapoynx Hübner,[1825]** (Pyralidae) Synonym(s): *Parapoynx Hübner,[1825]*; *#Paraponyx Guenée,1854*; *Eustales Clemens,1860* nec *Schönherr,1826*; *Sironia Clemens,1860* nec *Hübner,[1823]*; *Nymphaeella Grote,1880*; *Hydreuretis Meyrick,1885*; *Microdracon W.Warren,1890*; *Cosmophylla Turner,1905*.
- 1422) Paratalanta Meyrick,1867** (Pyralidae) Synonym(s): *Paratalanta Meyrick,1867*; *Microstega Meyrick,1890*
- 1423) Pediasia Hübner,[1825]** (Pyralidae) Synonym(s): *Pediasia Hübner,[1825]*; *Carvanca Walker,1856*.
- 1424) Pempelia Hübner,[1825]** (Pyralidae) Synonym(s): *Pempelia Hübner,[1825]*; *Rhodophaea Guenée,1845*; *Salebria Zeller,1846*; *Neurotomia Chrétien,1911*; *Hoeneia Caradja,1938*.
- 1425) Pempeliella Caradja,1916** (Pyralidae) Synonym(s): *Pempeliella Caradja,1916*; *Pseudosyria Rebel,1927*.
- 1426) Phlyctaenomorpha Amsel,1970** (Pyralidae) Synonym(s): *Phlyctaenomorpha Amsel,1970*
- 1427) Phycita Curtis,1828** (Pyralidae) Synonym(s): *Phycis Fabricius,1798* nec *Walbaum,1792*; *Phycita Curtis,1828*; *Ceratium Thienemann,1828* nec *Schrank,1793*; *Gyra Gistel,1848*
- 1428) Phycitodes Hampson,1917** (Pyralidae) Synonym(s): *Phycitodes Hampson,1917*; *Rotruda Heinrich,1956*.
- 1429) Pima Hulst,1888** (Pyralidae) Synonym(s): *Pima Hulst,1888*
- 1430) Pleuroptya Meyrick,1890** (Pyralidae) Synonym(s): *Nagia Walker,[1866]* nec *Wlk.,1858*; *Pleuroptya Meyrick,1890*; *Loxoscia W.Warren,1890*; *Nagiella Munroe,1976*
- 1431) Plodia Guenée,1845** (Pyralidae) Synonym(s): *Plodia Guenée,1845*
- 1432) Polyocha Zeller,1848** (Pyralidae) Synonym(s): *Polyocha Zeller,1848*
- 1433) Praeepischnia Amsel,1953** (Pyralidae) Synonym(s): *Praeepischnia Amsel,1953*
- 1434) Prionapteryx Stephens,1834** (Pyralidae) Synonym(s): *Prionapteryx Stephens,1834*; *Prionopteryx Zeller,1863*; *Surattha Walker,1863*; *Pindictora Walker,1863*; *Nuarace Walker,1863*; *Calarina Walker,1866*; *Hypotomorpha Rebel,1892*; *Platytesia Strand,1919*; *Alloea Turner,1947* nec *Haliday,1833*; *#Naurace Bleszynski,1962*
- 1435) Pristocerella Kiefer,1909** (Pyralidae) Synonym(s): *Pristocera Ragonot,1893* nec *Klug,1808*; *Pristocerella Kiefer,1909*; *#Pristocera Osthelder,1935*; *#Pristocerella Whalley,1970*.
- 1436) Proceratia Hampson,1901** (Pyralidae) Synonym(s): *Proceratia Hampson,1901*; *Epischidia Rebel,1901*.
- 1437) Prochoristis Meyrick,1890** (Pyralidae) Synonym(s): *Prochoristis Meyrick,1890*
- 1438) Prophtasia Ragonot,1887** (Pyralidae) Synonym(s): *Prophtasia Ragonot,1887*
- 1439) Prorophora (Aproceratia) Amsel,1950** (Pyralidae) Synonym(s): *Epischidia Ragonot,1901* nec *Rbl.,1901*; *Aproceratia Amsel,1950*.
- 1440) Prorophora Ragonot,1887** (Pyralidae) Synonym(s): *Prorophora Ragonot,1887*
- 1441) Psammotis Hübner,[1825]** (Pyralidae) Synonym(s): *Psammotis Hübner,[1825]*
- 1442) Psorosa Zeller,1846** (Pyralidae) Synonym(s): *Psorosa Zeller,1846*; *Ectyposa Joannis,1929*
- 1443) Psorosodes Amsel,1953** (Pyralidae) Synonym(s): *Psorosodes Amsel,1953*
- 1444) Pterothrixidia Amsel,1953** (Pyralidae) Synonym(s): *Pterothrixidia Amsel,1953*
- 1445) Pyla Grote,1882** (Pyralidae) Synonym(s): *Pyla Grote,1882*

- 1446) *Pyralis* Linnaeus,1758** (Pyralidae) Synonym(s): *Pyralis* Linnaeus,1758; *Spyrella* Rafinesque,1815; *Asopia* Treitschke,1828; *Sacatia* Walker,1863
- 1447) *Pyrasia* Martin,1987** (Pyralidae) Synonym(s): *Pyrasia* Martin,1987
- 1448) *Pyrausta* (Haematia) Hübner,1818** (Pyralidae) Synonym(s): *Haematia* Hübner,1818
- 1449) *Pyrausta* (s.str.) Schrank,1802** (Pyralidae) Synonym(s): *Pyrausta* Schrank,1802 [Apr.]; *Botys* Latreille,1802 [Nov.]; *Pyraustes* Billberg,1820; *Botis* Swainson,1821; *Heliaca* Hübner,1822; *Tholeria* Hübner,[1823]; *Porphyritis* Hübner,[1825]; *Leimonia* Hübner,[1825]; *Perilypa* Hübner,[1825]; *Osterophena* Sodoffsky,1837; *Rhodaria* Guenée,1854; *Limonia* Agassiz,1847; *Herbula* Guenée,1854; *Synchromia* Guenée,1854; *Cindaphia* Lederer,1863; *Sciorista* W.Warren,1890; *Autocosmia* W.Warren,1892; *Rattana* Pajni & Rose,1979.
- 1450) *Pyrausta* Schrank,1802** (Pyralidae) Synonym(s): *Pyrausta* Schrank,1802 [Apr.]; *Botys* Latreille,1802 [Nov.]; *Pyraustes* Billberg,1820; *Botis* Swainson,1821; *Heliaca* Hübner,1822; *Tholeria* Hübner,[1823]; *Porphyritis* Hübner,[1825]; *Leimonia* Hübner,[1825]; *Perilypa* Hübner,[1825]; *Osterophena* Sodoffsky,1837; *Rhodaria* Guenée,1854; *Limonia* Agassiz,1847; *Herbula* Guenée,1854; *Synchromia* Guenée,1854; *Cindaphia* Lederer,1863; *Sciorista* W.Warren,1890; *Autocosmia* W.Warren,1892; *Rattana* Pajni & Rose,1979.
- 1451) *Pyraustimorpha* Koçak & Seven,1995** (Pyralidae) Synonym(s): *Pyraustimorpha* Koçak & Seven,1995
- 1452) *Raphimetopus* Hampson,1918** (Pyralidae) Synonym(s): *Raphimetopus* Hampson,1918
- 1453) *Reskovitsia* Szent-Ivany,1942** (Pyralidae) Synonym(s): *Reskovitsia* Szent-Ivany,1942
- 1454) *Saluria* Ragonot,1887** (Pyralidae) Synonym(s): *Saluria* Ragonot,1887; *Baroda* Ragonot,1888
- 1455) *Schoenobius* Duponchel,1836** (Pyralidae) Synonym(s): *Schoenobius* Duponchel,1836; *Erioproctus* Zeller,1839
- 1456) *Sciota* (Clasperopsis) Roesler,1969** (Pyralidae) Synonym(s): *Clasperopsis* Roesler,1969
- 1457) *Sciota* (s.str.) Hulst,1888** (Pyralidae) Synonym(s): *Sciota* Hulst,1888
- 1458) *Scirpophaga* Treitschke,1832** (Pyralidae) Synonym(s): *Scirpophaga* Treitschke,1832; *Schoenophaga* Duponchel,1836; *Spartophaga* Duponchel,1836; *Schoinophaga* Sodoffsky,1837; *Schoenophaga* Agassiz,1847 nec Dup.,1836; *Apurima* Walker,1863; *Tryporyza* Common,1960.
- 1459) *Sclerocona* Meyrick,1890** (Pyralidae) Synonym(s): *Sclerocona* Meyrick,1890
- 1460) *Scoparia* Haworth,[1811]** (Pyralidae) Synonym(s): *Scoparia* Haworth,[1811]; *Eudorea* Curtis,1827; *Scopea* Haworth,1828; *Cholius* Guenée,1845; *Phegea* Gistel,1848; *Tetraprosopus* Butler,1882; *Xeroscopa* Meyrick,1884; *Eudoria* Chapman,1912
- 1461) *Scotomera* Butler,1882** (Pyralidae) Synonym(s): *Scotomera* Butler,1882
- 1462) *Sefidia* Amsel,1950** (Pyralidae) Synonym(s): *Sefidia* Amsel,1950
- 1463) *Selagia* Hübner,[1825]** (Pyralidae) Synonym(s): *Selagia* Hübner,[1825]
- 1464) *Serrulacera* Amsel,1955** (Pyralidae) Synonym(s): *Serrulacera* Amsel,1955
- 1465) *Sitochroa* Hübner,[1825]** (Pyralidae) Synonym(s): *Sitochroa* Hübner,[1825]
- 1466) *Spoladea* Guenée,1854** (Pyralidae) Synonym(s): *Spoladea* Guenée,1854; *Hymenia* auct.
- 1467) *Staudingeria* (s.str.) Ragonot,1887** (Pyralidae) Synonym(s): *Staudingeria* Ragonot,1887; *Cornigerula* Amsel,1935.
- 1468) *Staudingeria* Ragonot,1887** (Pyralidae) Synonym(s): *Staudingeria* Ragonot,1887; *Cornigerula* Amsel,1935.
- 1469) *Stemmatophora* Guenée,1854** (Pyralidae) Synonym(s): *Stemmatophora* Guenée,1854; *Maradana* Moore,[1884]; *Koremalepis* Hampson,1891.
- 1470) *Stiphrometasia* Zerny,1914** (Pyralidae) Synonym(s): *Stiphrometasia* Zerny,1914
- 1471) *Sultania* Koçak,1987** (Pyralidae) Synonym(s): *Sultania* Koçak,1987
- 1472) *Susia* Ragonot,1888** (Pyralidae) Synonym(s): *Susia* Ragonot,1888; *Anephopteryx* Amsel,1955.
- 1473) *Synaphe* Hübner,[1825]** (Pyralidae) Synonym(s): *Synaphe* Hübner,[1825]; *Cledeobia* Stephens,1829; *Mitopoda* Mann,1854.
- 1474) *Synclera* Lederer,1863** (Pyralidae) Synonym(s): *Synclera* Lederer,1863; *#Synclera* Möschler,1886
- 1475) *Synclera* Ragonot,1888** (Pyralidae) Synonym(s): *Synclera* Ragonot,1888
- 1476) *Syrianarpia* Leraut,1982** (Pyralidae) Synonym(s): *Syrianarpia* Leraut,1982
- 1477) *Talis* Guenée,1845** (Pyralidae) Synonym(s): *Talis* Guenée,1845; *Prosmixis* Zeller,1846; *Araxates* Ragonot,1888
- 1478) *Tegostoma* Zeller,1847** (Pyralidae) Synonym(s): *Tegostoma* Zeller,1847
- 1479) *Therapne* Ragonot,1890** (Pyralidae) Synonym(s): *Therapne* Ragonot,1890
- 1480) *Thisanotia* Hübner,[1825]** (Pyralidae) Synonym(s): *Thisanotia* Hübner,[1825]
- 1481) *Thopeutis* Hübner,1818** (Pyralidae) Synonym(s): *Thopeutis* Hübner,1818; *Cephis* Ragonot,1892; *Stenochilo* Hampson,1896; *Hombergia* De Joannis,1910.
- 1482) *Thospia* Ragonot,1888** (Pyralidae) Synonym(s): *Thospia* Ragonot,1888
- 1483) *Thyridiphora* W.Warren,1888** (Pyralidae) Synonym(s): *Thyridiphora* W.Warren,1888; *#Thyridiphora* Hampson,1896
- 1484) *Titanio* Hübner,[1825]** (Pyralidae) Synonym(s): *Titanio* Hübner,[1825]; *Noctuumorpha* Guenée,1854
- 1485) *Trachycera* Ragonot,1893** (Pyralidae) Synonym(s): *Trachycera* Ragonot,1893; *Stuphlorachis* Hampson,1930; *Hylopylora* Meyrick,1933; *Rhodophaeopsis* Amsel,1950; *Aurana* sensu Leraut,1979; *Gaana* sensu Roesler,1981; *Numonia* sensu Roesler,1985
- 1486) *Tragonitis* Zeller,1848** (Pyralidae) Synonym(s): *Tragonitis* Zeller,1848

- 1487) *Treptopteryx* Ragonot, 1891** (Pyralidae) Synonym(s): *Treptopteryx* Ragonot, 1891
- 1488) *Trigonuncus* Amsel, 1952** (Pyralidae) Synonym(s): *Trigonuncus* Amsel, 1952
- 1489) *Udea* Guenée, [1845]** (Pyralidae) Synonym(s): *Udea* Guenée, [1845]; *Stantira* Walker, 1863; *Melanomecyna* Butler, 1883; *Mnesictena* Meyrick, 1884; *Protocolletis* Meyrick, 1888; *Prototaulacistis* Meyrick, 1899; *Notophytis* Meyrick, 1932
- 1490) *Ulotricha* Lederer, 1863** (Pyralidae) Synonym(s): *Ulotricha* Lederer, 1863
- 1491) *Uresiphita* Hübner, [1825]** (Pyralidae) Synonym(s): *Uresiphita* Hübner, [1825]; *Uresiphoeta* Agassiz, 1847; *Mecyna* Guenée, 1854 nec Doubl., [1849]
- 1492) *Xanthocrambus* Bleszynski, 1955** (Pyralidae) Synonym(s): *Xanthocrambus* Bleszynski, 1955
- 1493) *Zitha* Walker, [1866]** (Pyralidae) Synonym(s): *Zitha* Walker, [1866]; *Angenora* Ragonot, 1891
- 1494) *Zophodia* Hübner, [1825]** (Pyralidae) Synonym(s): *Zophodia* Hübner, [1825]; *Olyca* Walker, 1857; *Melitara* Walker, 1863; *Dakrumba* Grote, 1878; *Megaphycis* Grote, 1882; *Ozamia* Ragonot, 1901; *Yosemitia* Ragonot, 1901; *Cactobrosis* Dyar, 1915; *Olycella* Dyar, 1928; *Parolyca* Dyar, 1928; *Nanaia* Heinrich, 1929
- 1495) *Zophodiodes* Ragonot, 1887** (Pyralidae) Synonym(s): *Zophodiodes* Ragonot, 1887
- 1496) *Hamearis* Hübner, [1819]** (Riodinidae) Synonym(s): *Hamearis* Hübner, [1819]
- 1497) *Roeslerstammia* Zeller, 1839** (Roeslerstammiidae) Synonym(s): *Roeslerstammia* Zeller, 1839
- 1498) *Saturnia* (Heraea) Hübner, 1822** (Saturniidae) Synonym(s): *Heraea* Hübner, 1822
- 1499) *Saturnia* (Neoris) Moore, 1862** (Saturniidae) Synonym(s): *Neoris* Moore, 1862
- 1500) *Saturnia* (Perisomena) Walker, 1855** (Saturniidae) Synonym(s): *Perisomena* Walker, 1855; *Typhloteta* Rambur, 1866
- 1501) *Saturnia* (s.str.) Schrank, 1802** (Saturniidae) Synonym(s): *Saturnia* Schrank, 1802; *Nyctaon* Billberg, 1820; *Eriogyna* Jordan, 1913
- 1502) *Saturnia* Schrank, 1802** (Saturniidae) Synonym(s): *Saturnia* Schrank, 1802; *Nyctaon* Billberg, 1820; *Eriogyna* Jordan, 1913
- 1503) *Aphantopus* Wallengren, 1853** (Satyridae) Synonym(s): *Aphantopus* Wallengren, 1853
- 1504) *Arethusana* De Lesse, 1951** (Satyridae) Synonym(s): *Arethusana* De Lesse, 1951
- 1505) *Brintesia* Fruhstorfer, 1911** (Satyridae) Synonym(s): *Brintesia* Fruhstorfer, 1911
- 1506) *Chazara* (Neochazara) Koçak, 1989** (Satyridae) Synonym(s): *Philareta* Moore, 1893 nec Mr.; *Neochazara* Koçak, 1989
- 1507) *Chazara* (s.str.) Moore, [1893]** (Satyridae) Synonym(s): *Chazara* Moore, [1893]
- 1508) *Chazara* Moore, [1893]** (Satyridae) Synonym(s): *Chazara* Moore, [1893]
- 1509) *Coenonympha* Hübner, [1819]** (Satyridae) Synonym(s): *Coenonympha* Hübner, [1819]; *Chortobius* [Dunning & Pickard], 1859; *Sicca* Verity, 1953
- 1510) *Erebia* Dalman, 1816** (Satyridae) Synonym(s): *Erebia* Dalman, 1816; *Epigea* Hübner, 1819; *Phorcis* Hübner, 1819; *Syngea* Hübner, 1819; *Marica* Hübner, 1819; *Oreina* Humphrey & Westwood, 1841 nec Chevr., 1835; *Medusia* Verity, 1953; *Triariia* Verity, 1953; *Simplicia* Verity, 1953 nec Gn., 1854; *Truncaefalcia* Verity, 1953; *Simplospinosia* Verity, 1957
- 1511) *Esperarge* Nekrutenko, 1988** (Satyridae) Synonym(s): *Esperia* Nekrutenko, 1987 nec Hübner, [1825]; *Esperella* Nekrutenko, 1987 nec Vosmaer, 1885; *Esperarge* Nekrutenko, 1988
- 1512) *Hipparchia* (Neohipparchia) De Lesse, 1951** (Satyridae) Synonym(s): *Neohipparchia* De Lesse, 1951
- 1513) *Hipparchia* (Parahipparchia) Kudrna, 1977** (Satyridae) Synonym(s): *Parahipparchia* Kudrna, 1977
- 1514) *Hipparchia* (Pseudotergumia) Agenjo, 1947** (Satyridae) Synonym(s): *Pseudotergumia* Agenjo, 1947
- 1515) *Hipparchia* (s.str.) Fabricius, 1807** (Satyridae) Synonym(s): *Hipparchia* Fabricius, 1807
- 1516) *Hipparchia* Fabricius, 1807** (Satyridae) Synonym(s): *Hipparchia* Fabricius, 1807
- 1517) *Hyponephele* (s.str. (Ereminephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Ereminephele* Koçak & Kemal, 2001
- 1518) *Hyponephele* (s.str. (Iranonephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Iranonephele* Koçak & Kemal, 2001
- 1519) *Hyponephele* (s.str. (Tengrinephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Tengrinephele* Koçak & Kemal, 2001
- 1520) *Hyponephele* (s.str. (Turaninephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Turaninephele* Koçak & Kemal, 2001
- 1521) *Hyponephele* (s.str.) Muschamp, 1915** (Satyridae) Synonym(s): *Hyponephele* Muschamp, 1915
- 1522) *Hyponephele* Muschamp, 1915** (Satyridae) Synonym(s): *Hyponephele* Muschamp, 1915
- 1523) *Idata* De Lesse, 1952** (Satyridae) Synonym(s): *Idata* De Lesse, 1952
- 1524) *Kirinia* (Melike) Koçak & Kemal, 2002** (Satyridae) Synonym(s): *Melike* Koçak & Kemal, 2002
- 1525) *Kirinia* Moore, [1893]** (Satyridae) Synonym(s): *Kirinia* Moore, [1893]
- 1526) *Lasiommata* Westwood, 1841** (Satyridae) Synonym(s): *Lasiommata* Westwood, 1841
- 1527) *Maniola* (Telmessiola) Koçak & Kemal, 2002** (Satyridae) Synonym(s): *Telmessiola* Koçak & Kemal, 2002
- 1528) *Maniola* (s.str.) Schrank, 1801** (Satyridae) Synonym(s): *Maniola* Schrank, 1801; *Epinephele* Hübner, [1819].

- 1529) Melanargia (Parce) Oberthür & Houlbert,1922** (Satyridae) Synonym(s): *Parce Oberthür & Houlbert,1922*
- 1530) Melanargia (Turcargia) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Turcargia Koçak & Kemal,2002*
- 1531) Melanargia (s.str.) Meigen,1828** (Satyridae) Synonym(s): *Agapetes Billberg,1820 (rejected); Melanargia Meigen,1828; Lachesis Oberthür & Houlbert,1922 nec Daudin,1803.*
- 1532) Melanargia Meigen,1828** (Satyridae) Synonym(s): *Agapetes Billberg,1820 (rejected); Melanargia Meigen,1828; Lachesis Oberthür & Houlbert,1922 nec Daudin,1803.*
- 1533) Minois Hübner,[1819]** (Satyridae) Synonym(s): *Minois Hübner,[1819]*
- 1534) Pararge Hübner,[1819]** (Satyridae) Synonym(s): *Pararge Hübner,[1819]*
- 1535) Proterebia Roos & Arnscheid,1980** (Satyridae) Synonym(s): *Proterebia Roos & Arnscheid,1980*
- 1536) Pseudochazara (Achazara) Koçak,1996** (Satyridae) Synonym(s): *Achazara Koçak,1996*
- 1537) Pseudochazara (s.str.) De Lesse,1951** (Satyridae) Synonym(s): *Pseudochazara De Lesse,1951*
- 1538) Pseudochazara De Lesse,1951** (Satyridae) Synonym(s): *Pseudochazara De Lesse,1951*
- 1539) Pyronia Hübner,[1819]** (Satyridae) Synonym(s): *Pyronia Hübner,[1819]; Pasiphana De Lesse,1952.*
- 1540) Satyrus (Asatyrus) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Asatyrus Koçak & Kemal,2002*
- 1541) Satyrus (s.str.(s.str.)) Latreille,1810** (Satyridae) Synonym(s): *Satyrus Latreille,1810*
- 1542) Satyrus Latreille,1810** (Satyridae) Synonym(s): *Satyrus Latreille,1810*
- 1543) Triphysa Zeller,1850** (Satyridae) Synonym(s): *Triphysa Zeller,1850*
- 1544) Ypthima Hübner,1818** (Satyridae) Synonym(s): *Ypthima Hübner,1818*
- 1545) Schreckensteinia Hübner,[1825]** (Schreckensteiniidae) Synonym(s): *Schreckensteinia Hübner,[1825]*
- 1546) Bactrianoscythris Passerin d'Entrèves & Roggero,2009** (Scythridae) Synonym(s): *Bactrianoscythris Passerin d'Entrèves & Roggero,2009*
- 1547) Enolmis Duponchel,[1846]** (Scythridae) Synonym(s): *Enolmis Duponchel,[1846]; Bryophaga Ragonot,1875*
- 1548) Scythris Hübner,[1825]** (Scythridae) Synonym(s): *Scythris Hübner,[1825]; Galanthia Hübner,[1825]; Butalis Treitschke,1833 nec Boie,1826; Copida Sodoffsky,1837*
- 1549) Bembecia (Ductispina) Capuse,1973** (Sesiidae) Synonym(s): *Ductispina Capuse,1973*
- 1550) Bembecia (Pseudosphecia) Capuse,1973** (Sesiidae) Synonym(s): *Pseudosphecia Capuse,1973*
- 1551) Bembecia Hübner,[1819]** (Sesiidae) Synonym(s): *Bembecia Hübner,[1819]*
- 1552) Chamaesphecia Spuler,1910** (Sesiidae) Synonym(s): *Chamaesphecia Spuler,1910; Scopulosphecia Lastuwka,[1990]*
- 1553) Dipchaspecia Capuse,1973** (Sesiidae) Synonym(s): *Dipchaspecia Capuse,1973*
- 1554) Euhagena Edwards,1881** (Sesiidae) Synonym(s): *Euhagena Edwards,1881; Larunda Edwards,1881; Gaeta Beutenmüller,1896*
- 1555) Microsphecia Bartel,1912** (Sesiidae) Synonym(s): *Microsphecia Bartel,1912*
- 1556) Negotinthia Gorbunov,2001** (Sesiidae) Synonym(s): *Negotinthia Gorbunov,2001*
- 1557) Osmia Le Cerf,1917** (Sesiidae) Synonym(s): *Osmia Le Cerf,1917; Signaphora Engelhardt,1946; Sazonia Gorbunov & Arita,2001; Miniosa Gorbunov & Arita,2001*
- 1558) Paranthrene Hübner,[1819]** (Sesiidae) Synonym(s): *Paranthrena auct.; Paranthrene Hübner,[1819]; Memythrus Newman,1832; Sciapterion Staudinger,1854; Tarsa Walker,1856; Pseudosesia Felder,1861; Pramila Moore,1879; Fatua Edwards,1882 nec Dej.,1835; Phlogothauma Butler,1882; Sciapterum Bartel,1912; Leptocimbicina Bryk,1947*
- 1559) Pennisetia Dehne,1850** (Sesiidae) Synonym(s): *Pennisetia Dehne,1850; Anthrenoptera Swinhoe,1892; Lophocnema Turner,1917; Diapryra Turner,1917; Glossecia Hampson,1919.*
- 1560) Pyropteron Newman,1832** (Sesiidae) Synonym(s): *Pyropteron Newman,1832; Pyropteron Agassiz,1847*
- 1561) Sesia Fabricius,1775** (Sesiidae) Synonym(s): *Sesia Fabricius,1775; Trochilium Scopoli,1777; Aegeria Fabricius,1807; Sphecia Hübner,[1819]; Setia Meigen,1829; Trochilia Speyer & Speyer,1858 nec Duj.,1841; Sphecodoptera Hampson,1893; Eusphecia Le Cerf,1937*
- 1562) Synansphecia Capuse,1973** (Sesiidae) Synonym(s): *Synansphecia Capuse,1973*
- 1563) Synanthedon Hübner,[1819]** (Sesiidae) Synonym(s): *Synanthedon Hübner,[1819]; Conopia Hübner,[1819]; Pyrhotani Grote,1875; Vespamima Beutenmüller,1894; Thamnosphecia Spuler,1910; Sylvora Engelhardt,1946; Tipulia Kralicek & Povolny,1977*
- 1564) Tinthia Walker,[1865]** (Sesiidae) Synonym(s): *Tinthia Walker,[1865]; Soronia Moore,1877 nec Erichson,1843; Zenodoxus auct.*
- 1565) Acherontia [Laspeyres],1809** (Sphingidae) Synonym(s): *#Manduca Hübner,[1806]; Acherontia [Laspeyres],1809; #Atropos Oken,1815; Brachyglossa Boisduval,1828; Atropos Agassiz,1846*
- 1566) Agrius Hübner,[1819]** (Sphingidae) Synonym(s): *Agrius Hübner,[1819]; Timoria Kaye,1919*
- 1567) Akbesia Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Akbesia Rothschild & Jordan,1903*
- 1568) Clarina Tutt,1903** (Sphingidae) Synonym(s): *Clarina Tutt,1903; Berutana Rothschild & Jordan,1903.*
- 1569) Daphnis Hübner,[1819]** (Sphingidae) Synonym(s): *Daphnis Hübner,[1819]; Regia Tutt,1903; Histriosphinx,1976.*
- 1570) Deilephila Laspeyres,1809** (Sphingidae) Synonym(s): *Deilephila Laspeyres,1809*

- 1571) Dolbina Staudinger,1887** (Sphingidae) Synonym(s): *Dolbina Staudinger,1887*; *Dolbinopsis Rothschild & Jordan,1903*; *Elegodolba Eitschberger & Zolotuhin,1997*.
- 1572) Hemaris (Cochrania) Tutt,1902** (Sphingidae) Synonym(s): *Cochrania Tutt,1902*
- 1573) Hemaris (Eitschbergera) Kemal & Koçak,2005** (Sphingidae) Synonym(s): *Mandarina Eitschberger, Danner & Surholt,1998 nec Pilsbry,1894*; *Eitschbergera Kemal & Koçak,2005*
- 1574) Hemaris (s.str.) Dalman,1816** (Sphingidae) Synonym(s): *Hemaris Dalman,1816*; *Hemaria Billberg,1820*; *Haemorrhagia Grote & Robinson,1865*; *Chamaesesia Grote,1873*; *Jilinga Eitschberger, Danner & Surholt,1998 (homonym)*, *Saudersia Eitschberger, Danner & Surholt,1998 (homonym)*
- 1575) Hemaris Dalman,1816** (Sphingidae) Synonym(s): *Hemaris Dalman,1816*; *Hemaria Billberg,1820*; *Haemorrhagia Grote & Robinson,1865*; *Chamaesesia Grote,1873*; *Jilinga Eitschberger, Danner & Surholt,1998 (homonym)*, *Saudersia Eitschberger, Danner & Surholt,1998 (homonym)*
- 1576) Hippotion Hübner,[1819]** (Sphingidae) Synonym(s): *Hippotion Hübner,[1819]*; *Panacra Walker,1856*; *Lilina Tutt,1903*
- 1577) Hyles Hübner,[1819]** (Sphingidae) Synonym(s): *Hyles Hübner,[1819]*; *Thaumas Hübner,[1819]*; *Celerio Agassiz,1846*; *Turneria Tutt,1903*; *Hawaiiina Tutt,1903*; *Weismannia Tutt,1904*; *Danneria Eitschberger & Zolotuhin,1998*; *Eremohyles Eitschberger & Zolotuhin,1998*; *Hipohyles Eitschberger & Zolotuhin,1998*; *Rommeliana Eitschberger & Zolotuhin,1998*; *Surholtia Eitschberger & Zolotuhin,1998*
- 1578) Laothoe Fabricius,1807** (Sphingidae) Synonym(s): *#Amorpha Hübner,[1806]*; *Laothoe Fabricius,1807*.
- 1579) Macroglossum Scopoli,1777** (Sphingidae) Synonym(s): *Macroglossum Scopoli,1777*; *#Bombylia Hübner,[1806]*; *Macroglossa Ochsenheimer,1816*; *Psithyros Hübner,[1819]*; *Bombylia Hübner,1822*; *Macroglossa Boissduval,1833 (praeocc.)*; *Rhamphosschisma Wallengren,1858*; *Rhopalopsyche Butler,1875*
- 1580) Marumba Moore,[1882]** (Sphingidae) Synonym(s): *Marumba Moore,[1882]*; *Burrowsia Tutt,1902*; *Kayeia Tutt,1902*; *Sichia Tutt,1902*.
- 1581) Mimas Hübner,[1819]** (Sphingidae) Synonym(s): *Mimas Hübner,[1819]*
- 1582) Proserpinus Hübner,[1819]** (Sphingidae) Synonym(s): *Proserpinus Hübner,[1819]*
- 1583) Rethera Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *Rethera Rothschild & Jordan,1903*; *Borshomia Austaut,1905*.
- 1584) Smerinthus Latreille,[1802]** (Sphingidae) Synonym(s): *Smerinthus Latreille,[1802]*; *Dilina Dalman,1816*; *Merinthus Meigen,1830*; *Bebroptera Sod.,1837*; *Eusmerinthus Grote,1877*; *Copismerinthus Kirby,1892*; *Bellia Tutt,1902 (praeoc.)*; *Daddia Tutt,1902*; *Nicholsonia Tutt,1902 (praeoc.)*; *Bellinea, Niia Strand,1943*.
- 1585) Sphingonaepiopsis Wallengren,1858** (Sphingidae) Synonym(s): *Sphingonaepiopsis Wallengren,1858*; *#Sphingonaepeopsis Tutt,1904*
- 1586) Sphinx Linnaeus,1758** (Sphingidae) Synonym(s): *Sphinx Linnaeus,1758*; *Spectrum Scopoli,1777*; *Hyloicus Hübner,[1819]*; *Lethia Hübner,[1819]*; *Herse Agassiz,1846*; *Hyloecus Agassiz,1846*; *Lintheria Butler,1876*; *Gargantua Kirby,1892*; *Mesosphinx Cockerell,1920*.
- 1587) Theretra Hübner,[1819]** (Sphingidae) Synonym(s): *Theretra Hübner,[1819]*; *Oreus Hübner,[1819]*; *Gnathostypsis Wallengren,1858*; *Hathia Moore,[1882]*; *Florina Tutt,1903*.
- 1588) Tortilia Chrétien,1908** (Stathmopodidae) Synonym(s): *Tortilia Chrétien,1908*; *Diadoxastis Meyrick,1913*; *Apertodiscus Amsel,1935*
- 1589) Thaumetopoea (s.str.) Hübner,[1820]** (Thaumetopoeidae) Synonym(s): *Thaumetopoea Hübner,[1820]*; *Cnethocampa Stephens,1828*; *Helianthocampa De Freina & Witt,1985*
- 1590) Thaumetopoea Hübner,[1820]** (Thaumetopoeidae) Synonym(s): *Thaumetopoea Hübner,[1820]*; *Cnethocampa Stephens,1828*; *Helianthocampa De Freina & Witt,1985*
- 1591) Achlya Billberg,1820** (Thyatiridae) Synonym(s): *Achlya Billberg,1820*; *Cymatophora Treitschke,1825 nec Hübn.,1812*; *Daruma Matsumura,1927 nec Jord. & Starks,1904*; *Darumona Strand,1935*; *#Achyla auct.*
- 1592) Asphalia Hübner,[1821]** (Thyatiridae) Synonym(s): *Asphalia Hübner,[1821]*; *Scodra Heinemann,1859*.
- 1593) Cymatophorima Spuler,1908** (Thyatiridae) Synonym(s): *Pachycera Stephens,1827 nec Billb.,1820*; *Cymatophorima Spuler,1908*
- 1594) Habrosyne Hübner,[1821]** (Thyatiridae) Synonym(s): *Habrosyne Hübner,[1821]*; *Gonophora Bruand,1845 nec Dejean,1835*; *Cymatochrocis Houlbert,1921*; *Hannya Matsumura,1927*; *Miothyatira Matsumura,1933*; *Habrosynula Bryk,1943*
- 1595) Polyploca Hübner,[1821]** (Thyatiridae) Synonym(s): *Polyploca Hübner,[1821]*; *Parmelina Houlbert,1921*
- 1596) Tethea Ochsenheimer,1816** (Thyatiridae) Synonym(s): *Tethea Ochsenheimer,1816*; *Palimpsestis Hübner,[1821]*; *Bombycia Hübner,1822*; *Ceropacha Stephens,1829*; *Ceratopacha Stephens,1850*; *Saronaga Moore,1881*; *Eutethia Grote,1902*; *Episaronaga Matsumura,1933*
- 1597) Thyatira Ochsenheimer,1816** (Thyatiridae) Synonym(s): *Thyatira Ochsenheimer,1816*; *Strophia Ochsenheimer,1816*; *Calleida Sodoffsky,1837 nec Latr.,1824*; *Thyathira Bruand,1845*
- 1598) Thyris Laspeyres,1803** (Thyridae) Synonym(s): *Thyris Laspeyres,1803*; *Apyralis Hübner,1822*
- 1599) Ateliotum Zeller,1839** (Tineidae) Synonym(s): *Ateliotum Zeller,1839*
- 1600) Cephimallota Bruand,1849** (Tineidae) Synonym(s): *Cephimallota Bruand,1849*; *Anemallota Zagulyaev,1965*
- 1601) Ceratuncus G.Petersen,1957** (Tineidae) Synonym(s): *Ceratuncus G.Petersen,1957*

- 1602) Crypsithyris Meyrick, 1907** (Tineidae) Synonym(s): *Crypsithyris Meyrick, 1907*
- 1603) Dryadaula Meyrick, 1893** (Tineidae) Synonym(s): *Cyane Chambers, 1873* (praeocc.); *Dryadaula Meyrick, 1893*; *Ditrigonophora Walsingham, 1897*; *Choropleca Durrant, 1914*; *Opsodoca Meyrick, 1919*; *Diachalastis Meyrick, 1920*; *Thermocrates Meyrick, 1936*; *Archimeessia Zagulyaev, 1970*; *Eressoxesta Gozmany & Vari, 1973*; *Strophalinga Gozmany & Vari, 1973*; *Reinhardtia Satschkov, 1996*; *Slitereia Satschkov, 1996*
- 1604) Edosa Walker, 1866** (Tineidae) Synonym(s): *Edosa Walker, 1866*; *Chrysoryctis Meyrick, 1886*; *Episcardia Ragonot, 1895*; *Bilobatana Zagulyaev, 1975*
- 1605) Episcardia (Bilobatana) Zagulyaev, 1975** (Tineidae) Synonym(s): *Bilobatana Zagulyaev, 1975*
- 1606) Episcardia (s.str.) Ragonot, 1895** (Tineidae) Synonym(s): *Episcardia Ragonot, 1895*
- 1607) Episcardia Ragonot, 1895** (Tineidae) Synonym(s): *Episcardia Ragonot, 1895*
- 1608) Eudarcia (Abchagleris) Zagulyaev, 1979** (Tineidae) Synonym(s): *Abchagleris Zagulyaev, 1979*
- 1609) Eudarcia (Obesoceras) G.Petersen, 1957** (Tineidae) Synonym(s): *Obesoceras G.Petersen, 1957*
- 1610) Eudarcia Clemens, 1880** (Tineidae) Synonym(s): *Eudarcia Clemens, 1880*
- 1611) Euplocamus Latreille, 1809** (Tineidae) Synonym(s): *Euplocamus Latreille, 1809*
- 1612) Fermocelina Hartig, 1950** (Tineidae) Synonym(s): *Fermocelina Hartig, 1950*; *Subpentagona Agenjo, 1952*; *Praetinea Amsel, 1955*.
- 1613) Haplotinea Diakonoff & Hinton, 1956** (Tineidae) Synonym(s): *Haplotinea Diakonoff & Hinton, 1956*
- 1614) Hapsifera Zeller, 1847** (Tineidae) Synonym(s): *Hapsifera Zeller, 1847*; *Euplocera Ragonot, 1895*; *Pseudohapsifera Amsel, 1935*; *Ptochoglyptis Meyrick, 1938*
- 1615) Infurcitinea Spuler, 1910** (Tineidae) Synonym(s): *Infurcitinea Spuler, 1910*; *Omichlospora Meyrick, 1928*; *Tineiforma Amsel, 1952*; *Atinea Amsel, 1954*; *Microtinea Amsel, 1954*; *Gozmanytinea Capuse, 1966*; *Finalis Zagulyaev, 1979*; *Atris Zagulyaev, 1979*; *Rumelis Zagulyaev, 1979*; *Pseudorumelis Satschkov, 1995*.
- 1616) Lichenotinea G.Petersen, 1957** (Tineidae) Synonym(s): *Lichenotinea G.Petersen, 1957*
- 1617) Monopis Hübner, [1825]** (Tineidae) Synonym(s): *Monopis Hübner, [1825]*
- 1618) Montescardia Amsel, 1952** (Tineidae) Synonym(s): *Montescardia Amsel, 1952*
- 1619) Montetinea G.Petersen, 1957** (Tineidae) Synonym(s): *Montetinea G.Petersen, 1957*
- 1620) Morophaga Herrich-Schäffer, [1853]** (Tineidae) Synonym(s): *Morophaga Herrich-Schäffer, [1853]*; *Atabyria Snellen, 1884*; *#Atabyria Rebel, 1901*; *Osphretica Meyrick, 1908*; *Microscardia Amsel, 1952*
- 1621) Myrmecozela (Flavida) Zagulyaev, 1975** (Tineidae) Synonym(s): *Flavida Zagulyaev, 1975*
- 1622) Myrmecozela (Promasia) Chrétien, 1905** (Tineidae) Synonym(s): *Promasia Chrétien, 1905*
- 1623) Myrmecozela Zeller, 1852** (Tineidae) Synonym(s): *Myrmecozela Zeller, 1852*
- 1624) Nemapogon Schrank, 1802** (Tineidae) Synonym(s): *Nemapogon Schrank, 1802*; *Brosis Hübner, 1822* nec Billb., 1820; *Diaphthirusa Hübner, [1825]*; *Petalographis Zagulyaev, 1962*; *Anemapogon Zagulyaev, 1963*; *Longiductus Zagulyaev, 1964*; *Paranemapogon Zagulyaev, 1964*
- 1625) Neurothaumasia Marchand, 1934** (Tineidae) Synonym(s): *Neurothaumasia Marchand, 1934*
- 1626) Niditinea G.Petersen, 1957** (Tineidae) Synonym(s): *Niditinea G.Petersen, 1957*; *Tineidia Zagulyaev, 1960*
- 1627) Novotinea Amsel, 1938** (Tineidae) Synonym(s): *Novotinea Amsel, 1938*
- 1628) Perissomastix (Aphrodoxa) Gozmany, 1959** (Tineidae) Synonym(s): *Aphrodoxa Gozmany, 1959*
- 1629) Perissomastix (s.str.) W.Warren & Rothschild, 1905** (Tineidae) Synonym(s): *Perissomastix W.Warren & Rothschild, 1905*; *Malacyntis Meyrick, 1908*; *Catabola Durrant, 1913*; *Boviceras Turati, 1919*; *Crassicornella Agenjo, 1952*; *Praelongicera Amsel, 1956*; *Tineomorpha Amsel, 1956*; *Lazocatena Gozmany, 1959*; *Petersenia Gozmany, 1960* (praeocc.); *Denticunicula Petersen, 1988*; *Betroka Petersen, 1988* (praeocc.); *Neopsolarcha Petersen, 1988*; *Trokabe Viette, 1993*
- 1630) Perissomastix W.Warren & Rothschild, 1905** (Tineidae) Synonym(s): *Perissomastix W.Warren & Rothschild, 1905*; *Malacyntis Meyrick, 1908*; *Catabola Durrant, 1913*; *Boviceras Turati, 1919*; *Crassicornella Agenjo, 1952*; *Praelongicera Amsel, 1956*; *Tineomorpha Amsel, 1956*; *Lazocatena Gozmany, 1959*; *Petersenia Gozmany, 1960* (praeocc.); *Denticunicula G.Petersen, 1988*; *Betroka G.Petersen, 1988* (praeocc.); *G.Neopsolarcha Petersen, 1988*; *Trokabe Viette, 1993*
- 1631) Praelongicera Amsel, 1956** (Tineidae) Synonym(s): *Praelongicera Amsel, 1956*
- 1632) Proterospastis Meyrick, 1937** (Tineidae) Synonym(s): *Proterospastis Meyrick, 1937*; *Paratinea G.Petersen, 1957*
- 1633) Reisserita Agenjo, 1952** (Tineidae) Synonym(s): *Reisserita Agenjo, 1952*
- 1634) Rhodobates Ragonot, 1895** (Tineidae) Synonym(s): *Rhodobates Ragonot, 1895*; *Paraplutella Rebel, 1900*; *Tineodoxa Amsel, 1955*.
- 1635) Tinea Linnaeus, 1758** (Tineidae) Synonym(s): *Tinea Linnaeus, 1758*; *Tinaea Geoffroy, 1762*; *Tinearina Rafinesque, 1815*; *Ses Hübner, 1822*; *Acedes Hübner, [1825]*; *Autoses Hübner, [1825]*; *Scleroplasta Meyrick, 1919*; *Dystinea Börner, 1925*; *#Monopina Zagulyaev, 1955*; *Tineopsis Zagulyaev, 1960*; *Tineopsis Bradley, 1972*
- 1636) Tineola Herrich-Schäffer, [1853]** (Tineidae) Synonym(s): *Tineola Herrich-Schäffer, [1853]*
- 1637) Triaxomera Zagulyaev, 1959** (Tineidae) Synonym(s): *Triaxomera Zagulyaev, 1959*
- 1638) Trichophaga Ragonot, 1894** (Tineidae) Synonym(s): *Trichophaga Ragonot, 1894*
- 1639) Wegneria Diakonoff, 1951** (Tineidae) Synonym(s): *Wegneria Diakonoff, 1951*

- 1640) Coptotriche Walsingham,1890** (Tischeriidae) Synonym(s): *Coptotriche Walsingham,1890*; *Emmetia Leraut,1993*
- 1641) Tischeria Zeller,1839** (Tischeriidae) Synonym(s): *Tischeria Zeller,1839*
- 1642) Acleris Hübner,[1825]** (Tortricidae) Synonym(s): *Peronea Curtis,1824 nec Raf.,1815*; *Acleris Hübner,[1825]*; *Lopas Hübner,[1825]*; *Rhacodia Hübner,[1825]*; *Eclectis Hübner,[1825]*; *Teleia Hübner,[1825]*; *Oxigrapta Hübner,[1825]*; *Leptogramma Stephens,1829*; *Glyphisia Stephens,1829*; *Cheimatophila Stephens,1829*; *Teras Treitschke,1829*; *Phloiophila Duponchel,1834*; *Phloeophila Duponchel,1835*; *Glyphiptera Duponchel,1835*; *Chimatophila Agassiz,1847*; *Glyphidia Agassiz,1847*; *Oxygrapha Agassiz,1847*; *Telia Agassiz,1847*; *Phylacophora Filipjev,1931*;
- 1643) Aethes Billberg,1820** (Tortricidae) Synonym(s): *Aethes Billberg,1820*; *Chlidonia Hübner,[1825]*; *Phalonia Hübner,[1825]*; *Dapsilia Hübner,[1825]*; *Lozopera Stephens,1834*; *Argyridia Stephens,1852*; *Coeaethes Obraztsov,1943*; *Cirriaethes Obraztsov,1943*.
- 1644) Agapeta Hübner,1822** (Tortricidae) Synonym(s): *Agapeta Hübner,1822*; *Agapete Hübner,[1825]*; *Euxanthis Hübner,[1825]*; *Xanthosetia Stephens,1829*.
- 1645) Aleimma Hübner,[1825]** (Tortricidae) Synonym(s): *Aleimma Hübner,[1825]*; *Dictyopteryx Stephens,1829*; *Alimma Agassiz,1847*; *Gastrolatrix Gistel,1848*
- 1646) Ancyliis Hübner,[1825]** (Tortricidae) Synonym(s): *Ancyliis Hübner,[1825]*; *Epicharis Hübner,[1825]* *nec Klg.,1907*; *Anchylopera Stephens,1829*; *Phoxopteris Treitschke,1830*; *Anticlea Stephens,1834 nec Stph.,1831*; *Philaclea Stephens,1835*; *Phoxopteryx Sodoffsky,1837*; *Sideria Guenée,1845*; *#Sideria Stainton,1859*; *Palaeobia Meyrick,1881*; *Lamyrodes Meyrick,1910*; *Ancyloides Diakonoff,1982 nec Kuzn.,1964*; *Ancylophytes Diakonoff,1988*; *Diakonoffiella Kuznetsov,1997*
- 1647) Aphelia (Anaphelia) Razowski,1981** (Tortricidae) Synonym(s): *Anaphelia Razowski,1981*
- 1648) Aphelia (Zelotherses) Lederer,1859** (Tortricidae) Synonym(s): *Zelotherses Lederer,1859*
- 1649) Aphelia (s.str.) Hübner,[1825]** (Tortricidae) Synonym(s): *Aphelia Hübner,[1825]*
- 1650) Aphelia Hübner,[1825]** (Tortricidae) Synonym(s): *Aphelia Hübner,[1825]*
- 1651) Apotomis Hübner,[1825]** (Tortricidae) Synonym(s): *Apotomis Hübner,[1825]*; *Aphania Hübner,[1825]*; *Limma Hübner,[1825]*; *Antithesia Stephens,1829*; *Apotomus Agassiz,1847 nec Ill.,1807*; *Brachytaenia Stephens,1852*
- 1652) Archips Hübner,1822** (Tortricidae) Synonym(s): *Archips Hübner,1822*; *Cacoecia Hübner,[1825]*; *Archippus Freeman,1958*; *Pararchips Kuznetsov,1970*
- 1653) Argyrotaenia Stephens,1852** (Tortricidae) Synonym(s): *Argyrotaenia Stephens,1852*; *Subargyrotaenia Obraztsov,1961*.
- 1654) Asketria Falkovitsh,1964** (Tortricidae) Synonym(s): *Asketria Falkovitsh,1964*
- 1655) Aterpia Guenée,1845** (Tortricidae) Synonym(s): *Aterpia Guenée,1845*; *Esia Heinrich,1926*; *Leptocera Diakonoff,1983 nec Kroeber,1928*
- 1656) Bactra (Chiloides) Butler,1881** (Tortricidae) Synonym(s): *Chiloides Butler,1881*
- 1657) Bactra (s.str.) Stephens,1834** (Tortricidae) Synonym(s): *Bactra Stephens,1834*
- 1658) Bactra Stephens,1834** (Tortricidae) Synonym(s): *Bactra Stephens,1834*
- 1659) Barbara Heinrich,1923** (Tortricidae) Synonym(s): *Barbara Heinrich,1923*
- 1660) Cacoecimorpha Obraztsov,1954** (Tortricidae) Synonym(s): *Cacoecimorpha Obraztsov,1954*
- 1661) Capricornia Obraztsov,1960** (Tortricidae) Synonym(s): *Melodes Guenée,1845 nec Keyserling & Blasius,1840*; *Capricornia Obraztsov,1960*
- 1662) Celypha Hübner,[1825]** (Tortricidae) Synonym(s): *Euchromia Stephens,1829 nec Hübn,[1819]*; *Celypha Hübner,[1825]*; *Syricoris Treitschke,1829*; *Sericoris Treitschke,1830*; *Loxoterma Busck,1906*; *Paracelypha Obraztsov,1960*; *Celyphoides Obraztsov,1960*
- 1663) Ceratoxanthia Razowski,1960** (Tortricidae) Synonym(s): *Ceratoxanthia Razowski,1960*
- 1664) Choristoneura Lederer,1859** (Tortricidae) Synonym(s): *Choristoneura Lederer,1859*; *Cornicacoecia Obraztsov,1954*; *Hoshinoa Kawabe,1965*
- 1665) Cirriphora Obraztsov,1951** (Tortricidae) Synonym(s): *Cirriphora Obraztsov,1951*
- 1666) Clavigesta Obraztsov,1946** (Tortricidae) Synonym(s): *Clavigesta Obraztsov,1946*
- 1667) Clepsia Guenée,1845** (Tortricidae) Synonym(s): *Clepsia Guenée,1845*; *Smicrotes Clemens,1860*; *Siclobola Diakonoff,1948*; *Pseudamelia Obraztsov,1954*; *Clepsodes Diakonoff,1957*; *Mochlopyga Diakonoff,1964*
- 1668) Cnephasia (Cnephasiella) Adamczewski,1935** (Tortricidae) Synonym(s): *Cnephasiella Adamczewski,1935*
- 1669) Cnephasia (s.str.) Curtis,1826** (Tortricidae) Synonym(s): *Cnephasia Curtis,1826*; *Sciaphila Treitschke,1829*; *Hypostephanuntia Réal,1951*; *Anoplocnephasia Réal,1953*; *Brachycnephasia Réal,1953*
- 1670) Cnephasia Curtis,1826** (Tortricidae) Synonym(s): *Cnephasia Curtis,1826*
- 1671) Cochylidia Obraztsov,1956** (Tortricidae) Synonym(s): *Cochylidia Obraztsov,1956*
- 1672) Cochylimorpha Razowski,1959** (Tortricidae) Synonym(s): *Stenodes Guenée,1845 nec Dujard.,[1844]*; *Cochylimorpha Razowski,1959*; *Euxanthoides Razowski,1960*; *Substenodes Razowski,1960*; *Eustenodes Razowski,1960*; *Bipenisia Razowski,1960*; *Bleszynskiella Razowski,1960*; *Paraxanthoides Raz.,1960*; *Parastenodes Raz.,1960*
- 1673) Cochylis Treitschke,1929** (Tortricidae) Synonym(s): *Cochylis Treitschke,1829*; *Conchylis Sodoffsky,1837*; *Ponturania Obraztsov,1943*; *Acornutia Obraztsov,1944*; *Cochylischroa Obraztsov & Swatschek,1958*; *Longicornutia, Neocochylis, Paracochylis, Brevicornutia Razowski,1960*.

- 1674) *Crociosema* Zeller, 1847** (Tortricidae) Synonym(s): *Crociosema* Zeller, 1847; *#Crociosoma* Walker, 1863; *Heligmocera* Walsingham, 1892; *Parasuleima* Clarke, 1965
- 1675) *Croesia* Hübner, [1825]** (Tortricidae) Synonym(s): *Croesia* Hübner, [1825]; *Argyrotoza* Stephens, 1829; *Argyrotoxa* Agassiz, 1847; *Ergasia* Issiki & Stringer, 1932
- 1676) *Cryptocochylis* Razowski, 1960** (Tortricidae) Synonym(s): *Cryptocochylis* Razowski, 1960
- 1677) *Cydia* Hübner, [1825]** (Tortricidae) Synonym(s): *Cydia* Hübner, [1825]; *Laspeyresia* Hübner, [1825] nec R.L., 1817; *Eucelis* Hübner, [1825]; *Erminea* Kirby & Spence, 1826 nec Hw., 1811; *Semasia* Stephens, 1829; *Carpocapsa* Treitschke, 1829; *Coccyx* Treitschke, 1829; *Grapholita* Treitschke, 1829; *Aspila* Stephens, 1834; *Euspila* Stephens, 1834; *Ephippiphora* Duponchel, 1834; *Strobila* Sodoffsky, 1837 nec Sars, 1829; *Carpocampa* Harris, 1841; *Trycheris* Guenée, 1845; *Orchemia* Guenée, 1845; *Opadia* Guenée, 1845; *Endopisa* Guenée, 1845; *Stigmonota* Guenée, 1845; *Cerata* Stephens, 1852; *Coptoloma* Lederer, 1859; *Melissopus* Riley, 1882; *Adenoneura* Walsingham, 1907; *Crobylophora* Kennel, 1908 nec Meyr., 1880; *Kenneliola* Paclt, 1951; *Pseudotomoides* Obratzov, 1968; *Danilevskia* Kuznetsov, 1970; *Dicraniana* Diakonoff, 1984.
- 1678) *Diceratura* Djakonov, 1929** (Tortricidae) Synonym(s): *Diceratura* Djakonov, 1929
- 1679) *Dichelia* Guenée, 1845** (Tortricidae) Synonym(s): *Dichelia* Guenée, 1845; *Parasyndemis* Obratzov, 1954
- 1680) *Dichrorampha* Guenée, 1845** (Tortricidae) Synonym(s): *Amaurosetia* Stephens, 1835 (suppressed, ICZN, 1999); *Dichrorampha* Guenée, 1845; *Lipoptycha* Lederer, 1859; *Balbis* Walsingham, 1897; *Dichroramphoides* Obratzov, 1953; *Lipoptychodes* Obratzov, 1953; *Paralipoptycha* Obratzov, 1958
- 1681) *Ditula* Stephens, 1829** (Tortricidae) Synonym(s): *Ditula* Stephens, 1829; *Batodes* Guenée, 1845
- 1682) *Eana* (*Eutrachia*) Hübner, 1822** (Tortricidae) Synonym(s): *Eutrachia* Hübner, 1822; *Ablabia* Hübner, [1825]; *Argyroptera* Duponchel, 1834
- 1683) *Eana* (s.str.) Billberg, 1820** (Tortricidae) Synonym(s): *Eana* Billberg, 1820; *Nephodesme* Hübner, [1825]
- 1684) *Eana* Billberg, 1820** (Tortricidae) Synonym(s): *Eana* Billberg, 1820; *Nephodesme* Hübner, [1825]
- 1685) *Enarmonia* Hübner, [1825]** (Tortricidae) Synonym(s): *Enarmonia* Hübner, [1825]; *#Enarmonia* Hübner, [1825]; *Enarmonopsis* Kuznetsov, 1969
- 1686) *Endothenia* Stephens, 1852** (Tortricidae) Synonym(s): *Orthotaenia* Stainton, 1859 nec Stt., 1829; *Endothenia* Stephens, 1852; *Taniva* Heinrich, 1926; *Tia* Heinrich, 1926; *Hulda* Heinrich, 1926; *Alloendothenia* Oku, 1963; *Neothernia* Diakonoff, 1973
- 1687) *Epagoge* Hübner, [1825]** (Tortricidae) Synonym(s): *Epagoge* Hübner, [1825]; *#Epapoge* Hübner, [1825]
- 1688) *Epiblema* Hübner, [1825]** (Tortricidae) Synonym(s): *Epiblema* Hübner, [1825]; *#Epiblemma* Hübner, [1825]; *Cacochroea* Lederer, 1859; *Monosphragis* Clemens, 1860; *Euryptychia* Clemens, 1865; *#Eurytychia* Heinrich, 1923
- 1689) *Epinotia* Hübner, [1825]** (Tortricidae) Synonym(s): *Epinotia* Hübner, [1825]; *Astata* Hübner, [1825]; *Asthenia* Hübner, [1825]; *Evetria* Hübner, [1825]; *Panoplia* Hübner, [1825]; *Acalla* Hübner, [1825]; *Poecilochroma* Stephens, 1829; *Paedisca* Treitschke, 1830; *Steganoptycha* Stephens, 1834; *Paragrapha* Sodoffsky, 1837; *Hypermercia* Guenée, 1845; *Phlaeodes* Guenée, 1845; *Pamplusia* Guenée, 1845; *Cartella* Stephens, 1852; *Halonota* Stephens, 1852; *Lithographia* Stephens, 1852; *#Curtella* Stainton, 1859; *Proteopteryx* Walsingham, 1879; *#Epinotis* Kearfott, 1907; *Neurasthenia* Pierce & Metcalfe, 1922; *Griselda* Heinrich, 1923; *Hamuligera* Obratzov, 1946
- 1690) *Eriopsela* Guenée, 1845** (Tortricidae) Synonym(s): *Eriopsela* Guenée, 1845
- 1691) *Eucosma* Hübner, [1823]** (Tortricidae) Synonym(s): *Eucosma* Hübner, [1823]; *Catoptria* Guenée, 1845 nec Hübner, [1825]; *Phaneta* Stephens, 1852; *Calosetia* Stainton, 1859; *Pygolopha* Lederer, 1859; *Ioplocama* Clemens, 1860; *Affa* Walker, 1863; *Exentera* Grote, 1877; *Exenterella* Grote, 1883; *Palpocrinia* Kennel, 1919; *Astenodes* Kuznetsov, 1966.
- 1692) *Eudemis* Hübner, [1825]** (Tortricidae) Synonym(s): *Eudemis* Hübner, [1825]; *Thirates* Treitschke, 1829; *Therates* Agassiz, 1847 nec Latr., 1817
- 1693) *Eudemopsis* Falkovitsh, 1962** (Tortricidae) Synonym(s): *Eudemopsis* Falkovitsh, 1962
- 1694) *Eugnosta* Hübner, [1825]** (Tortricidae) Synonym(s): *Eugnosta* Hübner, [1825]; *Argyrolepia* Stephens, 1829; *Safra* Walker, 1863.
- 1695) *Eupoecilia* Stephens, 1829** (Tortricidae) Synonym(s): *Eupoecilia* Stephens, 1829; *Clysia* Hübner, [1825]; *Clysiana* T.B. Fletcher, 1941; *Arachnoites* Diakonoff, 1952.
- 1696) *Falseuncaria* Obratzov & Swatschek, 1958** (Tortricidae) Synonym(s): *Falseuncaria* Obratzov & Swatschek, 1958
- 1697) *Fulvoclysia* Obratzov, 1943** (Tortricidae) Synonym(s): *Fulvoclysia* Obratzov, 1943
- 1698) *Gravitarmata* Obratzov, 1946** (Tortricidae) Synonym(s): *Gravitarmata* Obratzov, 1946
- 1699) *Gynnidomorpha* Turner, 1916** (Tortricidae) Synonym(s): *Gynnidomorpha* Turner, 1916; *Piercea* Filipjev, 1940.
- 1700) *Gypsonoma* Meyrick, 1895** (Tortricidae) Synonym(s): *Gypsonoma* Meyrick, 1895
- 1701) *Hedya* Hübner, [1825]** (Tortricidae) Synonym(s): *Hedya* Hübner, [1825]; *Episagma* Hübner, [1825]; *Pendina* Treitschke, 1829; *Penthina* Treitschke, 1830.
- 1702) *Hysterophora* Obratzov, 1944** (Tortricidae) Synonym(s): *Hysterophora* Obratzov, 1944
- 1703) *Isotrias* Meyrick, 1895** (Tortricidae) Synonym(s): *Isotrias* Meyrick, 1895
- 1704) *Kenneliola* Paclt, 1951** (Tortricidae) Synonym(s): *Kenneliola* Paclt, 1951
- 1705) *Lathronympha* Meyrick, 1936** (Tortricidae) Synonym(s): *Lathronympha* Meyrick, 1936

- 1706) Lipoptycha Lederer, 1859** (Tortricidae) Synonym(s): *Lipoptycha Lederer*, 1859
- 1707) Lobesia (s.str.) Guenée, 1845** (Tortricidae) Synonym(s): *Lobesia Guenée*, 1845; *Lomaschizodes Diakonoff*, 1954
- 1708) Lobesia Guenée, 1845** (Tortricidae) Synonym(s): *Lobesia Guenée*, 1845; *Lomaschizodes Diakonoff*, 1954
- 1709) Lobesiodes Diakonoff, 1954** (Tortricidae) Synonym(s): *Lobesiodes Diakonoff*, 1954
- 1710) Lozotaenia Stephens, 1829** (Tortricidae) Synonym(s): *Lozotaenia Stephens*, 1829
- 1711) Lozotaeniodes Obraztsov, 1954** (Tortricidae) Synonym(s): *Lozotaeniodes Obraztsov*, 1954
- 1712) Metendothenia Diakonoff, 1972** (Tortricidae) Synonym(s): *Metendothenia Diakonoff*, 1972
- 1713) Neosphaleroptera Réal, 1953** (Tortricidae) Synonym(s): *Neosphaleroptera Réal*, 1953
- 1714) Notocelia Hübner, [1825]** (Tortricidae) Synonym(s): *Notocelia Hübner*, [1825]; *Aspis Treitschke*, 1829; *Aspidia Duponchel*, 1835; *Pardia Guenée*, 1845
- 1715) Olethreutes (Argyroproce) Hübner, [1825]** (Tortricidae) Synonym(s): *Argyroproce Hübner*, [1825]; *Phiaris Hübner*, [1825]; *Mixodia Guenée*, 1845; *Sticta Guenée*, 1845; *Biscopa Diakonoff*, 1973
- 1716) Olethreutes Hübner, 1822** (Tortricidae) Synonym(s): *Olethreutes Hübner*, 1822; *Phiaris Hübner*, [1825]; *Roxana Stephens*, 1834; *Mixodia Guenée*, 1845; *Exartema Clemens*, 1860; *Biscopa Diakonoff*, 1973
- 1717) Olindia Guenée, 1845** (Tortricidae) Synonym(s): *Olindia Guenée*, 1845; *Anisotaenia Stephens*, 1852; *#Olinda Lhomme*, 1939
- 1718) Orthotaenia Stephens, 1829** (Tortricidae) Synonym(s): *Orthotaenia Stephens*, 1829; *Badebecia Heinrich*, 1926
- 1719) Oxypteron Staudinger, 1871** (Tortricidae) Synonym(s): *Oxypteron Staudinger*, 1871; *Gynoxypteron Speiser*, 1902; *Mauginia Turati*, 1924; *Oporopsamma Gozmany*, 1954; *Psammozesta Gozmany*, 1954
- 1720) Pammene Hübner, [1825]** (Tortricidae) Synonym(s): *Palla Billberg*, 1820 (homonym); *Pammene Hübner*, [1825]; *Eucelis Hübner*, [1825]; *Hemimene Hübner*, [1825]; *Pseudotomia Stephens*, 1829; *Heusimene Stephens*, 1834; *Orchemia Guenée*, 1845; *Pyrodes Guenée*, 1845; *Trycheris Guenée*, 1845; *Halonota Stephens*, 1852; *Hemerostia Stephens*, 1852; *Phthoroblastis Lederer*, 1859; *Sphaeroeca Meyrick*, 1895; *Metasphaeroeca Fernald*, 1908
- 1721) Pandemis Hübner, [1825]** (Tortricidae) Synonym(s): *Pandemis Hübner*, [1825]
- 1722) Paramesia Stephens, 1829** (Tortricidae) Synonym(s): *Paramesia Stephens*, 1829; *Ramapesia Razowski*, 1981; *#Ramapezia Chambon & Khou*, 1993
- 1723) Pelochrista Lederer, 1859** (Tortricidae) Synonym(s): *Pelochrista Lederer*, 1859; *Callimosema Clemens*, 1865; *Pseudeucosma Obraztsov*, 1946; *Eucosmoides Obraztsov*, 1946.
- 1724) Periclepsis Bradley, 1977** (Tortricidae) Synonym(s): *Paraclepsis Obraztsov*, 1954 (praeocc.); *Periclepsis Bradley*, 1977
- 1725) Phalonidia Le Marchand, 1933** (Tortricidae) Synonym(s): *Phalonidia Le Marchand*, 1933; *Brevisociaria Obraztsov*, 1943.
- 1726) Phaneta Stephens, 1852** (Tortricidae) Synonym(s): *Phaneta Stephens*, 1852
- 1727) Philedone Hübner, [1825]** (Tortricidae) Synonym(s): *Philedone Hübner*, [1825]; *Amphisa Curtis*, 1828
- 1728) Phtheochroa Stephens, 1829** (Tortricidae) Synonym(s): *Phtheochroa Stephens*, 1829; *Trachysmia Guenée*, 1845; *Hysterosia Stephens*, 1852; *Idiographis Lederer*, 1859; *Propira Durrant*, 94; *Arce Joannis*, 1919; *Parahysterosia Razowski*, 1960; *Durrantia Razowski*, 1960 nec *Busck*, 1908.
- 1729) Piniphila Falkovitsh, 1962** (Tortricidae) Synonym(s): *Piniphila Falkovitsh*, 1962
- 1730) Prochlidonia Razowski, 1960** (Tortricidae) Synonym(s): *Prochlidonia Razowski*, 1960
- 1731) Propiromorpha Obraztsov, 1955** (Tortricidae) Synonym(s): *Propiromorpha Obraztsov*, 1955
- 1732) Pseudamelia Obraztsov, 1954** (Tortricidae) Synonym(s): *Pseudamelia Obraztsov*, 1954
- 1733) Pseudargyrotoza Obraztsov, 1954** (Tortricidae) Synonym(s): *Pseudargyrotoza Obraztsov*, 1954
- 1734) Pseudeulia Obraztsov, 1954** (Tortricidae) Synonym(s): *Pseudeulia Obraztsov*, 1954
- 1735) Pseudococcyx Swatschek, 1958** (Tortricidae) Synonym(s): *#Pseudococcyx Agenjo*, 1955; *#Subepiblemma Agenjo*, 1955; *Pseudococcyx Swatschek*, 1958; *Blastesthia Obraztsov*, 1960.
- 1736) Pseudosciaphila Obraztsov, 1966** (Tortricidae) Synonym(s): *Pseudosciaphila Obraztsov*, 1966
- 1737) Ptycholoma Stephens, 1929** (Tortricidae) Synonym(s): *Ptycholoma Stephens*, 1929
- 1738) Rhopobota Lederer, 1859** (Tortricidae) Synonym(s): *Rhopobota Lederer*, 1859; *Erinaea Meyrick*, 1907; *Norma Heinrich*, 1923; *Kundrya Heinrich*, 1923; *Eumarissa Clarke*, 1976.
- 1739) Rhyacionia Hübner, [1825]** (Tortricidae) Synonym(s): *Rhyacionia Hübner*, [1825]
- 1740) Selania Stephens, 1834** (Tortricidae) Synonym(s): *Selania Stephens*, 1834; *Chretienia Obraztsov*, 1968 nec *Spl.*, 1910; *Mevlanaia Koçak*, 1981
- 1741) Siclobola Diakonoff, 1947** (Tortricidae) Synonym(s): *Siclobola Diakonoff*, 1947
- 1742) Sparganothis Hübner, [1825]** (Tortricidae) Synonym(s): *Sparganothis Hübner*, [1825]
- 1743) Sponota Stephens, 1829** (Tortricidae) Synonym(s): *Sponota Stephens*, 1829; *Tmetocera Lederer*, 1859.
- 1744) Strophedra Herrich-Schäffer, [1854]** (Tortricidae) Synonym(s): *Strophosoma Herrich-Schäffer*, [1853] nec *Billb.*, 1820; *Strophedra Herrich-Schäffer*, [1854].
- 1745) Syndemis Hübner, [1825]** (Tortricidae) Synonym(s): *Syndemis Hübner*, [1825]
- 1746) Thiodia Hübner, [1825]** (Tortricidae) Synonym(s): *Thiodia Hübner*, [1825]; *Botropteryx Caradja*, 1916; *Gypsonomoides Obraztsov*, 1946; *Foveifera Obraztsov*, 1946.
- 1747) Tortricodes Guenée, 1845** (Tortricidae) Synonym(s): *Tortricodes Guenée*, 1845

- 1748) Tortrix Linnaeus,1758** (Tortricidae) Synonym(s): *Tortrix Linnaeus,1758*; *Heterognomon Lederer,1859*
- 1749) Trachysmia Guenée,1845** (Tortricidae) Synonym(s): *Trachysmia Guenée,1845*
- 1750) Xerocnephasia Leraut,[1979]** (Tortricidae) Synonym(s): *Xerocnephasia Leraut,[1979]*
- 1751) Zeiraphera Treitschke,1829** (Tortricidae) Synonym(s): *Zeiraphera Treitschke,1829*; *Charlotta Forbes,1923*; *Sinusia Caradja,1916*
- 1752) Acrolepiopsis Gaedike,1970** (Yponomeutidae) Synonym(s): *Acrolepiopsis Gaedike,1970*
- 1753) Argyresthia (Blastotere) Ratzeburg,1840** (Yponomeutidae) Synonym(s): *Blastotere Ratzeburg,1840*
- 1754) Argyresthia (s.str.) Hübner,[1825]** (Yponomeutidae) Synonym(s): *Argyresthia Hübner,[1825]*; *Argyrosetia Stephens,1829*; *Oligos Treitschke,1830*; *Ederesa Curtis,1833*; *Ismene Stephens,1834 nec Savigny,1816*; *Paraargyresthia Moriuti,1969*; *#Parargyresthia Kyrki,1984*
- 1755) Argyresthia Hübner,[1825]** (Yponomeutidae) Synonym(s): *Argyresthia Hübner,[1825]*; *Argyrosetia Stephens,1829*; *Oligos Treitschke,1830*; *Ederesa Curtis,1833*; *Ismene Stephens,1834 nec Savigny,1816*; *Paraargyresthia Moriuti,1969*; *#Parargyresthia Kyrki,1984*
- 1756) Atemelia Herrich-Schäffer,[1853]** (Yponomeutidae) Synonym(s): *Atemelia Herrich-Schäffer,[1853]*; *Orinympha Meyrick,1927*
- 1757) Digitivalva (Inuliphila) Gaedike,1970** (Yponomeutidae) Synonym(s): *Inuliphila Gaedike,1970*
- 1758) Digitivalva Gaedike,1970** (Yponomeutidae) Synonym(s): *Digitivalva Gaedike,1970*
- 1759) Eidophasia Stephens,1842** (Yponomeutidae) Synonym(s): *Parasemia Stephens,1841 nec Hübn.,[1820]*; *Eidophasia Stephens,1842*; *Spania Guenée,1845*; *Eudophasia Herrich-Schäffer,1853*; *Hufnagelia Reutti,1853*
- 1760) Kessleria (s.str.) Nowicki,1864** (Yponomeutidae) Synonym(s): *Kessleria Nowicki,1864*; *Paradoxus Stainton,1869*; *Hofmannia Wocke,1876*; *Parahyponomeuta Toll,1941*
- 1761) Kessleria Nowicki,1864** (Yponomeutidae) Synonym(s): *Kessleria Nowicki,1864*; *Paradoxus Stainton,1869*; *Hofmannia Wocke,1876*; *Parahyponomeuta Toll,1941*
- 1762) Niphonympha Meyrick,1914** (Yponomeutidae) Synonym(s): *Calantica Zeller,1847 nec Gry.,1825*; *Niphonympha Meyrick,1914*
- 1763) Ochsenheimeria Hübner,[1825]** (Yponomeutidae) Synonym(s): *Ochsenheimeria Hübner,[1825]*; *Lepidocera Stephens,1829*; *Phygas Treitschke,1833*; *Aeria Gistl,1848 nec Hübn.,1816*
- 1764) Paraswammerdamia Friese,1960** (Yponomeutidae) Synonym(s): *Paraswammerdamia Friese,1960*
- 1765) Plutella (Anadetia) Hübner,[1825]** (Yponomeutidae) Synonym(s): *Anadetia Hübner,[1825]*
- 1766) Plutella (s.str.) Schrank,1802** (Yponomeutidae) Synonym(s): *Plutella Schrank,1802*; *Euota Hübner,[1825]*; *Creagria Sodoffsky,1837*; *Evota Agassiz,1847*
- 1767) Prays Hübner,[1825]** (Yponomeutidae) Synonym(s): *Prays Hübner,[1825]*; *Pepilla Guenée,1845*
- 1768) Pseudoswammerdamia Friese,1960** (Yponomeutidae) Synonym(s): *Pseudoswammerdamia Friese,1960*
- 1769) Rhigognostis Zeller,1857** (Yponomeutidae) Synonym(s): *Rhigognostis Zeller,1857*; *Caunaca Wallengren,1880*; *Eumachaeristis Meyrick,1938*; *Subeidophasia Moriuti,1977*
- 1770) Swammerdamia Hübner,[1825]** (Yponomeutidae) Synonym(s): *Swammerdamia Hübner,[1825]*
- 1771) Yponomeuta Latreille,1796** (Yponomeutidae) Synonym(s): *Yponomeuta Latreille,1796*
- 1772) Ypsolopha Latreille,1796** (Yponomeutidae) Synonym(s): *Ypsolopha Latreille,1796*; *Ypsolophus Fabricius,1798*; *Cerostoma Latreille,1802*; *Hypsolopha Billberg,1820*; *Theristis Hübner,[1825]*; *Harpipteryx Hübner,[1825]*; *Abebaea Hübner,[1825]*; *Harpipteryx Stephens,1834*; *Chaetochilus Stephens,1834*; *Pteroxia Guenée,1845*; *Hypolepia Guenée,1845*; *Credemnon Wallengren,1880*; *Periclymenobius Wallengren,1880*; *Trachoma Wallengren,1880*; *Pycnopogon Chrétien,1922 nec Loew,1847*
- 1773) Zelleria Stainton,1849** (Yponomeutidae) Synonym(s): *Zelleria Stainton,1849*; *Eudrymopa Lower,1908*
- 1774) Adscita (Tarmannita) Efetov,2000** (Zygaenidae) Synonym(s): *Tarmannita Efetov,2000*
- 1775) Adscita (s.str.) Retzius,1783** (Zygaenidae) Synonym(s): *Adscita Retzius,1783*; *Procris Fabricius,1807*; *Atychia Ochsenheimer,1808*; *Ino Leach,[1815]*; *Bradyptesis Sodoffsky,1837*
- 1776) Adscita Retzius,1783** (Zygaenidae) Synonym(s): *Adscita Retzius,1783*; *Procris Fabricius,1807*; *Atychia Ochsenheimer,1808*; *Ino Leach,[1815]*; *Bradyptesis Sodoffsky,1837*
- 1777) Clelea Walker,1854** (Zygaenidae) Synonym(s): *Clelea Walker,1854*
- 1778) Jordanita (Lucasiterna) Alberti,1961** (Zygaenidae) Synonym(s): *Lucasiterna Alberti,1961*
- 1779) Jordanita (Praviela) Alberti,1954** (Zygaenidae) Synonym(s): *Praviela Alberti,1954*
- 1780) Jordanita (Rjabovia) Efetov & Tarmann,1995** (Zygaenidae) Synonym(s): *Rjabovia Efetov & Tarmann,1995*
- 1781) Jordanita (Roccia) Alberti,1954** (Zygaenidae) Synonym(s): *Roccia Alberti,1954*
- 1782) Jordanita (Tremewania) Efetov & Tarmann,1999** (Zygaenidae) Synonym(s): *Tremewania Efetov & Tarmann,1999*
- 1783) Jordanita (s.str.) Verity,1946** (Zygaenidae) Synonym(s): *Jordanita Verity,1946*
- 1784) Jordanita Verity,1946** (Zygaenidae) Synonym(s): *Jordanita Verity,1946*

- 1785) Rhagades (Wiegelia) Efetov & Tarmann,1995** (Zygaenidae) Synonym(s): *Wiegelia Efetov & Tarmann,1995*
- 1786) Rhagades Wallengren,1863** (Zygaenidae) Synonym(s): *Rhagades Wallengren,1863*
- 1787) Theresimima Strand,1917** (Zygaenidae) Synonym(s): *Theresia Spuler,1906 nec Robineau-Desvoidy,1830; Theresimima Strand,1917*
- 1788) Zygaena (Agrumenia) Hübner,[1819]** (Zygaenidae) Synonym(s): *Agrumenia Hübner,[1819]; Epizygaena Jordan,1907; Agrumenoidea Holik,1937; Coelestina Holik,1953*
- 1789) Zygaena (Mesembrynus) Hübner,[1819]** (Zygaenidae) Synonym(s): *Mesembrynus Hübner,[1819]; Heschia Hübner,[1819]; Hyala Burgeff,1926 nec Adams,1852; Santolinophaga Burgeff,1926; Peucedanophila Burgeff,1926; Coelestis Burgeff,1926; Yasumatsuia Strand,1936; #Cirsiphaga Holik,1953; Libania Holik & Sheljuzhko,1956; Usgenta Holik & Sheljuzhko,1956; Mesembrynoidea Holik & Sheljuzhko,1956; Cirsiphaga Tremewan,1961*
- 1790) Zygaena (s.str.) Fabricius,1775** (Zygaenidae) Synonym(s): *Zygaena Fabricius,1775; Anthrocera Scopoli,1777; Euthychia Hübner,[1819]; Anthilaria Hübner,[1819]; Aeacis Hübner,[1819]; Thermophila Hübner,[1819]; Lycastes Hübner,[1819]; Silvicola Burgeff,1926; Lictoria Burgeff,1926; Peristygia Burgeff,1926; Polymorpha Burgeff,1926 nec Soldani,1791; Biezankoia Strand,1936; Huebneriana Holik & Sheljuzhko,1957; Burgeffia Holik & Sheljuzhko,1957; Rhaphidozygaena Burgeff,1975*
- 1791) Zygaena Fabricius,1775** (Zygaenidae) Synonym(s): *Zygaena Fabricius,1775; Anthrocera Scopoli,1777; Euthychia Hübner,[1819]; Anthilaria Hübner,[1819]; Aeacis Hübner,[1819]; Thermophila Hübner,[1819]; Lycastes Hübner,[1819]; Silvicola Burgeff,1926; Lictoria Burgeff,1926; Peristygia Burgeff,1926; Polymorpha Burgeff,1926 nec Soldani,1791; Biezankoia Strand,1936; Huebneriana Holik & Sheljuzhko,1957; Burgeffia Holik & Sheljuzhko,1957; Rhaphidozygaena Burgeff,1975*

Other Pterygot Orders

- 1792) Akotropis Matsumura,1914** (Achilidae) Synonym(s): *Akotropis Matsumura,1914; Ballonymus Jacobi,1941*
- 1793) Cixidia Fieber,1866** (Achilidae) Synonym(s): *Helicoptera Amyot & Serville,1843; Cixidia Fieber,1866; Epiptera Metcalf,1922*
- 1794) Acrida Linnaeus,1758** (Acrididae) Synonym(s): *Acrida Linnaeus,1758; Tryxalis Brullé,1835*
- 1795) Acrotylus Fieber,1854** (Acrididae) Synonym(s): *Acrotylus Fieber,1854*
- 1796) Aeropedellus Hebard,1935** (Acrididae) Synonym(s): *Aeropedellus Hebard,1935*
- 1797) Aiolopus Fieber,[1853]** (Acrididae) Synonym(s): *Epacromia Fieber,1853; Aiolopus Fieber,[1853]; Aeolopus Kirby,1910; Ailopus Sjöstedt,1920; Aeoloptilus Bei-Bienko,1966*
- 1798) Anacridium Uvarov,1923** (Acrididae) Synonym(s): *Anacridium Uvarov,1923; Flamiruizia Liebermann,1943*
- 1799) Arcyptera (Pararcyptera) Tarbinskii,1930** (Acrididae) Synonym(s): *Pararcyptera Tarbinskii,1930*
- 1800) Arcyptera Audinet-Serville,1839** (Acrididae) Synonym(s): *Arcyptera Audinet-Serville,1839; Arcyoptera Agassiz,1846; #Arcyptera Smith,1869*
- 1801) Asphingoderus Bei-Bienko,1950** (Acrididae) Synonym(s): *Asphingoderus Bei-Bienko,1950*
- 1802) Brunnerella Saussure,1888** (Acrididae) Synonym(s): *Brunnerella Saussure,1888*
- 1803) Calliptamus Audinet-Serville,1831** (Acrididae) Synonym(s): *Calliptamus Audinet-Serville,1831; Caloptenus Burmeister,1838*
- 1804) Celes Saussure,1884** (Acrididae) Synonym(s): *Celes Saussure,1884*
- 1805) Charora Saussure,[1888]** (Acrididae) Synonym(s): *Charora Saussure,[1888]*
- 1806) Chorthippus (Glyptobothrus) Chopard,1951** (Acrididae) Synonym(s): *Glyptobothrus Chopard,1951*
- 1807) Chorthippus (s.str.) Fieber,1852** (Acrididae) Synonym(s): *#Chorthippus Fischer von Waldheim,1846; Chorthippus Fieber,1852*
- 1808) Chrysochraon Fischer,1853** (Acrididae) Synonym(s): *Chrysochraon Fischer,1853*
- 1809) Dasyhippus Uvarov,1930** (Acrididae) Synonym(s): *Dasyhippus Uvarov,1930*
- 1810) Demirsoyus Şirin & Çıplak,2004** (Acrididae) Synonym(s): *Demirsoyus Şirin & Çıplak,2004*
- 1811) Dociostaurus (Kazakia) Bei-Bienko,1933** (Acrididae) Synonym(s): *Kazakia Bei-Bienko,1933*
- 1812) Dociostaurus (Notostaurus) Bei-Bienko,1933** (Acrididae) Synonym(s): *Notostaurus Bei-Bienko,1933*
- 1813) Dociostaurus (Stauronotulus) Tarbinskii,1940** (Acrididae) Synonym(s): *Stauronotulus Tarbinskii,1940*
- 1814) Dociostaurus (s.str.) Fieber,1853** (Acrididae) Synonym(s): *Dociostaurus Fieber,1853; Stauronotus Fieber,1853*
- 1815) Dociostaurus Fieber,1853** (Acrididae) Synonym(s): *Dociostaurus Fieber,1853; Stauronotus Fieber,1853*

- 1816) Duroniella Bolivar,1908** (Acrididae) Synonym(s): *Duroniella Bolivar,1908*
- 1817) Eremippus Uvarov,1926** (Acrididae) Synonym(s): *Eremippus Uvarov,1926*
- 1818) Euthystira Fieber,1872** (Acrididae) Synonym(s): *Euthystira Fieber,1872; Eogeacris Rehn,1928*
- 1819) Eyprepocnemis Fieber,1853** (Acrididae) Synonym(s): *Eyprepocnemis Fieber,1853*
- 1820) Gomphocerus Thunberg,1815** (Acrididae) Synonym(s): *Gomphocerus Thunberg,1815; Aeropus Gistel,1848*
- 1821) Heliopteryx Uvarov,1914** (Acrididae) Synonym(s): *Heliopteryx Uvarov,1914*
- 1822) Heteracris Walker,1870** (Acrididae) Synonym(s): *Heteracris Walker,1870; Paraeuprepocnemis Brunner von Wattenwyl,1893; Thisoicetrus Brunner von Wattenwyl,1893; Horaeocerus Saussure,1899; Asmara Bolivar,1914; Bibulus Bolivar,1914; Thisoicetrinus Uvarov,1921; Parathisoicetrus Ramme,1929*
- 1823) Leptopternis Saussure,1884** (Acrididae) Synonym(s): *Leptopternis Saussure,1884*
- 1824) Locusta Linnaeus,1758** (Acrididae) Synonym(s): *Locusta Linnaeus,1758*
- 1825) Mecostethus Fieber,1852** (Acrididae) Synonym(s): *Mecostethus Fieber,1852; Parapleurus Fischer,1853*
- 1826) Micropodisma Dovnar-Zapolski,1932** (Acrididae) Synonym(s): *Micropodisma Dovnar-Zapolski,1932*
- 1827) Mioscirtus Saussure,1888** (Acrididae) Synonym(s): *Mioscirtus Saussure,1888; Thiopteris Houlbert,1927*
- 1828) Morphacris Walker,1870** (Acrididae) Synonym(s): *Morphacris Walker,1870*
- 1829) Ochridia Stal,1873** (Acrididae) Synonym(s): *Platypterna Fieber,1853; Ochridia Stal,1873; Platypternella Salfi,1928; Platypternopsis Chopard,1947*
- 1830) Oedaleus Fieber,1853** (Acrididae) Synonym(s): *Oedaleus Fieber,1853; Oedalius Sjöstedt,1920; Microgastrimargus Lee & Park,1992*
- 1831) Oedipoda Latreille,1829** (Acrididae) Synonym(s): *Oedipoda Latreille,1829; Eusternum Wesmael,1838; #Aedipoda Le Guillou,1841; Ctypohippus Fieber,1852; Ctyphippus Bolivar,1878*
- 1832) Omocestus (s.str.) Bolivar,1878** (Acrididae) Synonym(s): *Omocestus Bolivar,1878; Dirshius Harz,1975*
- 1833) Omocestus Bolivar,1878** (Acrididae) Synonym(s): *Omocestus Bolivar,1878; Dirshius Harz,1975*
- 1834) Paracaloptenus Bolivar,1876** (Acrididae) Synonym(s): *Paracaloptenus Bolivar,1876*
- 1835) Paracinema Fischer,1853** (Acrididae) Synonym(s): *Paracinema Fischer,1853*
- 1836) Pezotettix Burmeister,1840** (Acrididae) Synonym(s): *Pezotettix Burmeister,1840; Pelecycleis Fieber,1853; Pelecyclus Fieber,1853; Platyphyma Fischer,1853*
- 1837) Podisma Berthold,1827** (Acrididae) Synonym(s): *Podisma Berthold,1827; Paraeuprocnemis Brunner von Wattenwyl,1893; #Podisme Ebner,1908*
- 1838) Pseudocoles Bolivar,1899** (Acrididae) Synonym(s): *Pseudocoles Bolivar,1899; Grusia Harz,1978*
- 1839) Ptygippus Mistshenko,1951** (Acrididae) Synonym(s): *Ptygippus Mistshenko,1951*
- 1840) Pyrgodera Fischer von Waldheim,1846** (Acrididae) Synonym(s): *Pyrgodera Fischer von Waldheim,1846*
- 1841) Ramburiella (Palaeocesa) Koçak & Kemal,2010** (Acrididae) Synonym(s): *Pallasiella Kirby,1910 nec Sars,1895; Palaeocesa Koçak & Kemal,2010*
- 1842) Ramburiella Bolivar,1906** (Acrididae) Synonym(s): *Ramburia Bolivar,1897 nec Robin.-Desv.,1851; ; Stethophyma Bolivar,1897 nec Fisch.,1853; Ramburiella Bolivar,1906*
- 1843) Rammeihippus Woznessenskij,1996** (Acrididae) Synonym(s): *Microhippus Ramme,1939 nec Matschie,1922; Rammeihippus Woznessenskij,1996; #Rameihippus Woznessenskij,1996*
- 1844) Rammeihippus Woznessensky,1996** (Acrididae) Synonym(s): *Microhippus Ramme,1939 nec Matschie,1922; Rammeihippus Woznessensky,1996*
- 1845) Rammepodisma Weidner,1969** (Acrididae) Synonym(s): *Rammepodisma Weidner,1969*
- 1846) Schistocerca Stal,1873** (Acrididae) Synonym(s): *Schistocerca Stal,1873*
- 1847) Scintharista Saussure,1884** (Acrididae) Synonym(s): *Scintharista Saussure,1884; Conistica Saussure,1884; Quiroquesia Bolivar,1886*
- 1848) Sphenophyma Uvarov,1934** (Acrididae) Synonym(s): *Sphenophyma Uvarov,1934*
- 1849) Sphingonotus (Sphingoderus) Bei-Bienko,1950** (Acrididae) Synonym(s): *Sphingoderus Bei-Bienko,1950*
- 1850) Sphingonotus (s.str.) Fieber,1852** (Acrididae) Synonym(s): *Sphingonotus Fieber,1852; Wernerella Karny,1907; Fortunata Bolivar,1908; Pseudosphingonotus Shumakov,1963; Neosphingonotus Benediktov,1997*
- 1851) Sphingonotus Fieber,1852** (Acrididae) Synonym(s): *Sphingonotus Fieber,1852; Wernerella Karny,1907; Fortunata Bolivar,1908; Pseudosphingonotus Shumakov,1963; Neosphingonotus Benediktov,1997*
- 1852) Stauroderus Bolivar,1897** (Acrididae) Synonym(s): *Stauroderus Bolivar,1897; Plagiophlebis Houlbert,1927*
- 1853) Stethophyma Fischer,1853** (Acrididae) Synonym(s): *Stethophyma Fischer,1853; Doranii Goding,1890*
- 1854) Tropidopola Stal,1873** (Acrididae) Synonym(s): *Opomala Fieber,1853; Opsomala Fieber,1853; Tropidopola Stal,1873*
- 1855) Truxalis Fabricius,1775** (Acrididae) Synonym(s): *Truxalis Fabricius,1775; #Troxalis Marshall,1870; Acridella Bolivar,1893; #Tryxalis Scudder,1897*

- 1856) Xerohippus Uvarov,1942** (Acrididae) Synonym(s): *Xerohippus Uvarov,1942*
- 1857) Astomella Latreille,1809** (Acroceridae) Synonym(s): *Astomella Latreille,1809*; *Physegaster Macquart,1849*
- 1858) Ogcodes Latreille,1796** (Acroceridae) Synonym(s): *Ogcodes Latreille,1796*; *Oncodes Meigen,1822*
- 1859) Oligoneura Bigot,1878** (Acroceridae) Synonym(s): *Oligoneura Bigot,1878*
- 1860) Aeshna Fabricius,1775** (Aeshnidae) Synonym(s): *Aeshna Fabricius,1775*
- 1861) Anax Leach,1815** (Aeshnidae) Synonym(s): *Anax Leach,1815*
- 1862) Brachytron Evans,1845** (Aeshnidae) Synonym(s): *Brachytron Evans,1845*
- 1863) Caliaeschna Selys,1883** (Aeshnidae) Synonym(s): *Caliaeschna Selys,1883*
- 1864) Hemianax Selys,1883** (Aeshnidae) Synonym(s): *Hemianax Selys,1883*
- 1865) Blastophaga Gravenhorst,1829** (Agaonidae) Synonym(s): *Blastophagus Gravenhorst,1827*; *Blastophaga Gravenhorst,1829*
- 1866) Agromyza Fallén,1810** (Agromyzidae) Synonym(s): *Agromyza Fallén,1810*
- 1867) Amauromyza (Cephalomyza) Hendel,1931** (Agromyzidae) Synonym(s): *Cephalomyza Hendel,1931*
- 1868) Amauromyza (s.str.) Hendel,1931** (Agromyzidae) Synonym(s): *Amauromyza Hendel,1931*
- 1869) Amauromyza Hendel,1931** (Agromyzidae) Synonym(s): *Amauromyza Hendel,1931*
- 1870) Aulagromyza Enderlein,1936** (Agromyzidae) Synonym(s): *Aulagromyza Enderlein,1936*
- 1871) Calycomyza Hendel,1931** (Agromyzidae) Synonym(s): *Calycomyza Hendel,1931*
- 1872) Cerodontha (Butomomyza) Nowakowski,1967** (Agromyzidae) Synonym(s): *Butomomyza Nowakowski,1967*
- 1873) Cerodontha (Dizygomyza) Hendel,1920** (Agromyzidae) Synonym(s): *Dizygomyza Hendel,1920*
- 1874) Cerodontha (Poemyza) Hendel,1931** (Agromyzidae) Synonym(s): *Poemyza Hendel,1931*
- 1875) Cerodontha (s.str.) Rondani,1861** (Agromyzidae) Synonym(s): *Cerodontha Rondani,1861*
- 1876) Cerodontha Rondani,1861** (Agromyzidae) Synonym(s): *Cerodontha Rondani,1861*
- 1877) Chromatomyia Hardy,1849** (Agromyzidae) Synonym(s): *Chromatomyia Hardy,1849*
- 1878) Galiomyza Spencer,1981** (Agromyzidae) Synonym(s): *Galiomyza Spencer,1981*
- 1879) Hexomyza Enderlein,1936** (Agromyzidae) Synonym(s): *Hexomyza Enderlein,1936*
- 1880) Japanagromyza Sasakawa,1958** (Agromyzidae) Synonym(s): *Japanagromyza Sasakawa,1958*
- 1881) Liriomyza Mik,1894** (Agromyzidae) Synonym(s): *Liriomyza Mik,1894*
- 1882) Melanagromyza Hendel,1920** (Agromyzidae) Synonym(s): *Melanagromyza Hendel,1920*
- 1883) Metopomyza Enderlein,1936** (Agromyzidae) Synonym(s): *Metopomyza Enderlein,1936*
- 1884) Napomyza Westwood,1840** (Agromyzidae) Synonym(s): *Napomyza Westwood,1840*
- 1885) Ophiomyia Braschnikov,1897** (Agromyzidae) Synonym(s): *Ophiomyia Braschnikov,1897*
- 1886) Phytoliriomyza Hendel,1931** (Agromyzidae) Synonym(s): *Phytoliriomyza Hendel,1931*
- 1887) Phytomyza Fallén,1810** (Agromyzidae) Synonym(s): *Phytomyza Fallén,1810*
- 1888) Pseudonapomyza Hendel,1920** (Agromyzidae) Synonym(s): *Pseudonapomyza Hendel,1920*
- 1889) Alydus Fabricius,1803** (Alydidae) Synonym(s): *Alydus Fabricius,1803*
- 1890) Camptopus Amyot & Audinet-Serville,1843** (Alydidae) Synonym(s): *Camptopus Amyot & Audinet-Serville,1843*
- 1891) Amorphoscelis Stal,1871** (Amorphoscelidae) Synonym(s): *Amorphoscelis Stal,1871*
- 1892) Andrena (Brachyandrena) Pittioni,1948** (Andrenidae) Synonym(s): *Brachyandrena Pittioni,1948*
- 1893) Andrena (Notandrena) Pérez,1890** (Andrenidae) Synonym(s): *Notandrena Pérez,1890*
- 1894) Andrena Fabricius,1775** (Andrenidae) Synonym(s): *Andrena Fabricius,1775*; *Andraena Cuvier,1800*; *Anthochaessa Gistel,1850*
- 1895) Camptopoeum (Epimethea) Morawitz,1876** (Andrenidae) Synonym(s): *Epimethea Morawitz,1876*
- 1896) Camptopoeum (s.str.) Spinola,1843** (Andrenidae) Synonym(s): *Camptopoeum Spinola,1843*
- 1897) Camptopoeum Spinola,1843** (Andrenidae) Synonym(s): *Camptopoeum Spinola,1843*
- 1898) Melitturga Latreille,1809** (Andrenidae) Synonym(s): *Melitturga Latreille,1809*; *#Melliturga Latreille,1809*
- 1899) Panurginus Nylander,1848** (Andrenidae) Synonym(s): *Panurginus Nylander,1848*
- 1900) Panurgus Panzer,1806** (Andrenidae) Synonym(s): *Panurgus Panzer,1806*
- 1901) Plesiopanurgus (Zizopanurgus) Patiny & Rasmont,1999** (Andrenidae) Synonym(s): *Zizopanurgus Patiny & Rasmont,1999*
- 1902) Plesiopanurgus Cameron,1907** (Andrenidae) Synonym(s): *Plesiopanurgus Cameron,1907*
- 1903) Endomia Laporte,1840** (Anthicidae) Synonym(s): *Endomia Laporte,1840*
- 1904) Formicomus Ferté-Senectere,1849** (Anthicidae) Synonym(s): *Formicomus Ferté-Senectere,1849*
- 1905) Hirticomus Pic,1894** (Anthicidae) Synonym(s): *Hirticomus Pic,1894*
- 1906) Microhoria Chevrolat,1877** (Anthicidae) Synonym(s): *Microhoria Chevrolat,1877*
- 1907) Notoxus Geoffroy,1762** (Anthicidae) Synonym(s): *Notoxus Geoffroy,1762*
- 1908) Acompocoris Reuter,1875** (Anthocoridae) Synonym(s): *Acompocoris Reuter,1875*

- 1909) **Anthocoris Fallén,1814** (Anthocoridae) Synonym(s): *Anthocoris Fallén,1814*
- 1910) **Buchananiella continua (White,1880)** (Anthocoridae) Synonym(s): *continua White,1880*
- 1911) **Cardiastethus Fieber,1860** (Anthocoridae) Synonym(s): *Cardiastethus Fieber,1860*; #*Cardiostethus Fieber,1860*
- 1912) **Dufouriellus Kirkaldy,1906** (Anthocoridae) Synonym(s): *Dufouriellus Kirkaldy,1906*
- 1913) **Dysepicritus Reuter,1885** (Anthocoridae) Synonym(s): *Dysepicritus Reuter,1885*
- 1914) **Elatophilus Reuter,1885** (Anthocoridae) Synonym(s): *Elatophilus Reuter,1885*
- 1915) **Lytocoris Hahn,1836** (Anthocoridae) Synonym(s): *Lytocoris Hahn,1836*
- 1916) **Orius Wolff,1811** (Anthocoridae) Synonym(s): *Orius Wolff,1811*
- 1917) **Temnostethus Fieber,[1860]** (Anthocoridae) Synonym(s): *Temnostethus Fieber,[1860]*; *Tmetostethus Marshall,1868*; *Stethotomus Marshall,1868*
- 1918) **Xylocoris Dufour,1831** (Anthocoridae) Synonym(s): *Xylocoris Dufour,1831*; #*Xycoloris Dufour,1833*
- 1919) **Anthomyia Meigen,1803** (Anthomyiidae) Synonym(s): *Anthomyia Meigen,1803*; *Anthomya Rafinesque,1815*; *Craspedochoeta Macquart,1851*; *Chelisia Rondani,1856*; *Hylemyioide Albuquerque,1949*
- 1920) **Delia R-D.,1830** (Anthomyiidae) Synonym(s): *Delia R-D.,1830*; *Eroischia Lioy,1864*; *Cimbotoma Lioy,1864*; *Gastrolepta Lioy,1864*; *Crinura Schnabl & Dziedzicki,1911*; *Leptohylemyia Schnabl & Dziedzicki,1911*; *Chortophilina Karl,1928*; *Flavena Karl,1928*; *Tricharia Karl,1928*; *Atrichodelia Karl,1943*; *Bisetaria Karl,1943*; *Chaetodelia Karl,1943*; *Leucodelia Karl,1943*; *Monodelia Karl,1943*; *Subdelia Karl,1943*; *Trichohylemyia Karl,1943*
- 1921) **Leucophora R-D.,1830** (Anthomyiidae) Synonym(s): *Leucophora R-D.,1830*; *Proboscimyia Bigot,1883*; *Neohylemia Malloch,1917*
- 1922) **Paradelia Ringdahl,1933** (Anthomyiidae) Synonym(s): *Paradelia Ringdahl,1933*; *Pegomyiella Ringdahl,1938*; #*Pseudonupedia Ringdahl,1959*; *Pseudonupedia Hennig,1972*
- 1923) **Pegomya R-D.,1830** (Anthomyiidae) Synonym(s): *Pegomya R-D.,1830*; *Chlorina R-D.,1830*; *Pegomyia Macquart,1835*; *Phoraea R-D.,1830*; *Phyllis R-D.,1830*; *Zabia R-D.,1830*; *Carduophila Hendel,1925*; *Chaetopogomyia Ringdahl,1938*; *Petrmyia Albuquerque,1954*
- 1924) **Phorbia R-D.,1830** (Anthomyiidae) Synonym(s): *Phorbia R-D.,1830*; *Chortophila Macquart,1835*
- 1925) **Anagnota Becker,1902** (Anthomyzidae) Synonym(s): *Anagnota Becker,1902*
- 1926) **Fungomyza Rohacek,1999** (Anthomyzidae) Synonym(s): *Fungomyza Rohacek,1999*
- 1927) **Anthribus Fabricius,1792** (Anthribidae) Synonym(s): *Anthribus Fabricius,1792*; *Macrocephalus Olivier,1795*
- 1928) **Choragus Kirby,1818** (Anthribidae) Synonym(s): *Choragus Kirby,1818*; *Alticopus Villa,1833*
- 1929) **Noxius Jordan,1936** (Anthribidae) Synonym(s): *Noxius Jordan,1936*
- 1930) **Opanthribus Schilsky,1907** (Anthribidae) Synonym(s): *Opanthribus Schilsky,1907*
- 1931) **Phaenotherium Ganglbauer,1902** (Anthribidae) Synonym(s): *Phaenotherium Ganglbauer,1902*
- 1932) **Phaenotherion Frivaldsky,1878** (Anthribidae) Synonym(s): *Phaenotherion Frivaldsky,1878*; *Phaenotherium Ganglbauer,1902*
- 1933) **Phaenotheriosoma Frieser,1978** (Anthribidae) Synonym(s): *Phaenotheriosoma Frieser,1978*
- 1934) **Tropiderinus Reitter,1916** (Anthribidae) Synonym(s): *Tropiderinus Reitter,1916*
- 1935) **Ablerus Howard,1894** (Aphelinidae) Synonym(s): *Ablerus Howard,1894*; *Azotus Howard,1898*; *Myocnemella Girault,1913*; *Dimacrocerus Brèthes,1914*
- 1936) **Aphelinus Dalman,1820** (Aphelinidae) Synonym(s): *Aphelinus Dalman,1820*; *Agonioneurus Westwood,1833*; *Myina Nees,1834*; *Mesidia Förster,1856*; *Anozus Förster,1856*; *Eriophilus Haldeman,1859*; *Meroligon Rondani,1877*; *Mesidiopsis Nowicki,1930*; *Paulianaphlinus Risbec,1957*; *Indaphelinus Hayat,1990*
- 1937) **Aphytis Howard,1900** (Aphelinidae) Synonym(s): *Aphytis Howard,1900*; *Prospaphelinus De Gregorio,1914*; *Paraphytis Compere,1925*; *Syediella Shafee,1970*; #*Apytis Japoshvili & Karaca,2002*
- 1938) **Cales Howard,1907** (Aphelinidae) Synonym(s): *Cales Howard,1907*; *Diaspidophilus Brèthes,1914*; *Paranthemus Girault,1915*
- 1939) **Coccobius Ratzeburg,1852** (Aphelinidae) Synonym(s): *Coccobius Ratzeburg,1852*; *Physcus Howard,1895*; *Encyrtophyscus Blanchard,1948*; *Physculus Yasnosh,1977*
- 1940) **Coccophagoides Girault,1915** (Aphelinidae) Synonym(s): *Coccophagoides Girault,1915*; *Diaspiniphagus Silvestri,1927*; *Primaprospaltella DeBach & LaSalle,1981*
- 1941) **Coccophagus Westwood,1833** (Aphelinidae) Synonym(s): *Coccophagus Westwood,1833*; *Aneristus Haword,1895*; *Paracharitopus Brèthes,1913*; *Ataneostigma Girault,1914*; *Euxanthellus Silvestri,1915*; *Prococcophagus Silvestri,1915*; *Taneostigmoidella Girault,1915*; *Onophilus Brèthes,1918*; *Parencarsia Mercet,1930*; *Heptacritus De Santis,1961*; *Aclerdaephagus Sugonjaev,1969*; *Polycoccophagus Sugonjaev,1976*
- 1942) **Encarsia Förster,1878** (Aphelinidae) Synonym(s): *Encarsia Förster,1878*; *Aspidiotiphagus Howard,1894*; *Prospalta Howard,1894 nec Walk.,1857*; *Prospaltella Ashmead,1904*; *Mimatomus Cockerell,1911*; *Doloresia Mercet,1912*; *Prospalthoides Brèthes,1914*; *Paraspidiotiphagus Alam,1956*; *Citrina Viggiani & Mazzone,1979 nec Wgn.,1905 non Redtenb.,1906*; *Aleurodiphilus DeBach & Rose,1981*
- 1943) **Eretmoceris Haldeman,1850** (Aphelinidae) Synonym(s): *Eretmoceris Haldeman,1850*; #*Eretomoceris Ashmead,1904*; *Ricinusa Risbec,1951*
- 1944) **Marietta Motschoulsky,1863** (Aphelinidae) Synonym(s): *Marietta Motschoulsky,1863*; *Perissopterus Howard,1895*; *Pseudaphelinus Brèthes,1918*

- 1945) Pteroptrix Westwood,1833** (Aphelinidae) Synonym(s): *Pteroptrix Westwood,1833*; *Archenomus Howard,1898*; *Casca Howard,1907*; *Artas Howard,1907*; *Hispaniella Mercet,1911*; *Pteroptrichoides Fullaway,1913*; *Apteroptrix Girault,1915*; *Pseudopteroptrix Fullaway,1918*; *Oa Girault,1929*; *Aphelosoma Nikol'skaya,1963*; *Archenomiscus Nikol'skaya*
- 1946) Aphelocheirus Westwood,1833** (Aphelocheiridae) Synonym(s): *Aphelocheirus Westwood,1833*
- 1947) Acaudinum (Protacaudinum) Holman,1991** (Aphididae) Synonym(s): *Protacaudinum Holman,1991*
- 1948) Acaudinum Börner,1930** (Aphididae) Synonym(s): *Acaudinum Börner,1930*
- 1949) Acyrthosiphon (Xanthomyzus) Narzikulov,1966** (Aphididae) Synonym(s): *Xanthomyzus Narzikulov,1966*
- 1950) Acyrthosiphon Mordvilko,1914** (Aphididae) Synonym(s): *Acyrthosiphon Mordvilko,1914*
- 1951) Ammiaphis Börner,1944** (Aphididae) Synonym(s): *Ammiaphis Börner,1944*
- 1952) Amphorophora Buckton,1876** (Aphididae) Synonym(s): *Amphorophora Buckton,1876*
- 1953) Anoecia Koch,1857** (Aphididae) Synonym(s): *Anoecia Koch,1857*
- 1954) Anuraphis Del Guercio,1907** (Aphididae) Synonym(s): *Anuraphis Del Guercio,1907*
- 1955) Aphidura Hille Ris Lambers,1956** (Aphididae) Synonym(s): *Aphidura Hille Ris Lambers,1956*
- 1956) Aphis (Bursaphis) McVicar & Baker,1934** (Aphididae) Synonym(s): *Bursaphis McVicar & Baker,1934*
- 1957) Aphis (Protaphis) Börner,1952** (Aphididae) Synonym(s): *Protaphis Börner,1952*
- 1958) Aphis Linnaeus,1758** (Aphididae) Synonym(s): *Aphis Linnaeus,1758*; *#Aphys Illiger,1802*
- 1959) Aploneura Passerini,1863** (Aphididae) Synonym(s): *Aploneura Passerini,1863*
- 1960) Aspidaphis Gillette,1917** (Aphididae) Synonym(s): *Aspidaphis Gillette,1917*
- 1961) Atheroides Haliday,1839** (Aphididae) Synonym(s): *Atheroides Haliday,1839*; *Corealachus Paik,1971*
- 1962) Baizongia Rondani,1848** (Aphididae) Synonym(s): *Baizongia Rondani,1848*; *Dasia Van der Goot,1918 nec Gray,1839*
- 1963) Brachycaudus (Acaudus) Van der Goot,1913** (Aphididae) Synonym(s): *Acaudus Van der Goot,1913*
- 1964) Brachycaudus (Appelia) Börner,1930** (Aphididae) Synonym(s): *Appelia Börner,1930*
- 1965) Brachycaudus (Thuleaphis) Hille Ris Lambers,1960** (Aphididae) Synonym(s): *Thuleaphis Hille Ris Lambers,1960*
- 1966) Brachycaudus Van der Goot,1913** (Aphididae) Synonym(s): *Brachycaudus Van der Goot,1913*
- 1967) Brachyunguis Das,1918** (Aphididae) Synonym(s): *Brachyunguis Das,1918*; *Parabrachyunguis Remaudière & Davatchi,1955*
- 1968) Brevicoryne Van der Goot,1915** (Aphididae) Synonym(s): *Brevicoryne Van der Goot,1915*
- 1969) Brevicoryne Van der Goot,1915** (Aphididae) Synonym(s): *Brevicoryne Van der Goot,1915*
- 1970) Calaphis Walsh,[1863]** (Aphididae) Synonym(s): *Calaphis Walsh,[1863]*
- 1971) Callipterinella Van der Goot,1913** (Aphididae) Synonym(s): *Callipterinella Van der Goot,1913*
- 1972) Capitophorus Van der Goot,1913** (Aphididae) Synonym(s): *Capitophorus Van der Goot,1913*
- 1973) Cavariella (Cavariellia) Heize,1960** (Aphididae) Synonym(s): *Cavariella Heize,1960*
- 1974) Cavariella (s.str.) Del Guercio,1911** (Aphididae) Synonym(s): *Cavariella Del Guercio,1911*
- 1975) Cavariella Del Guercio,1911** (Aphididae) Synonym(s): *Cavariella Del Guercio,1911*
- 1976) Ceruraphis Börner,1926** (Aphididae) Synonym(s): *Ceruraphis Börner,1926*
- 1977) Chaitophorus Koch,1854** (Aphididae) Synonym(s): *Chaitophorus Koch,1854*
- 1978) Chromaphis Walker,1870** (Aphididae) Synonym(s): *Chromaphis Walker,1870*
- 1979) Cinara (Cedrobium) Remaudière,1954** (Aphididae) Synonym(s): *Cedrobium Remaudière,1954*
- 1980) Cinara (Cupressobium) Börner,1940** (Aphididae) Synonym(s): *Cupressobium Börner,1940*
- 1981) Cinara Curtis,1835** (Aphididae) Synonym(s): *Cinara Curtis,1835*
- 1982) Coloradoa Wilson,1910** (Aphididae) Synonym(s): *Coloradoa Wilson,1910*
- 1983) Dysaphis (Cotoneaseria) Shaposhnikov,1964** (Aphididae) Synonym(s): *Cotoneaseria Shaposhnikov,1964*
- 1984) Dysaphis (Pomaphis) Börner,1939** (Aphididae) Synonym(s): *Pomaphis Börner,1939*
- 1985) Dysaphis (Pomaphis) Börner,1939** (Aphididae) Synonym(s): *Dentatus Van der Goot,1913 nec Gray,1847*; *Pomaphis Börner,1939*
- 1986) Dysaphis Börner,1931** (Aphididae) Synonym(s): *Dysaphis Börner,1931*
- 1987) Eriosoma Leach,1818** (Aphididae) Synonym(s): *Eriosoma Leach,1818*
- 1988) Forda Von Heyden,1837** (Aphididae) Synonym(s): *Forda Von Heyden,1837*
- 1989) Hyadaphis Kirkaldy,1904** (Aphididae) Synonym(s): *Hyadaphis Kirkaldy,1904*
- 1990) Hyalopterus Koch,1854** (Aphididae) Synonym(s): *Hyalopterus Koch,1854*
- 1991) Hyperomyzus Börner,1933** (Aphididae) Synonym(s): *Hyperomyzus Börner,1933*
- 1992) Lachnus Burmeister,1835** (Aphididae) Synonym(s): *Lachnus Burmeister,1835*
- 1993) Macrosiphoniella (Papillomyzus) Szelegiewicz,1963** (Aphididae) Synonym(s): *Papillomyzus Szelegiewicz,1963*

- 1994) Macrosiphoniella (Phalangomyzus) Börner,1939** (Aphididae) Synonym(s): *Phalangomyzus Börner,1939*
- 1995) Macrosiphoniella Del Guercio,1911** (Aphididae) Synonym(s): *Macrosiphoniella Del Guercio,1911*
- 1996) Macrosiphum Passerini,1860** (Aphididae) Synonym(s): *Macrosiphum Passerini,1860*
- 1997) Metopolophium Mordvilko,1914** (Aphididae) Synonym(s): *Metopolophium Mordvilko,1914*
- 1998) Myzocallis Aizenberg,1959** (Aphididae) Synonym(s): *Myzocallis Aizenberg,1959*
- 1999) Myzus (Nectarosiphon) Schouteden,1901** (Aphididae) Synonym(s): *Nectarosiphon Schouteden,1901*
- 2000) Myzus Passerini,1860** (Aphididae) Synonym(s): *Myzus Passerini,1860*
- 2001) Nurudea Matsumura,1917** (Aphididae) Synonym(s): *Nurudea Matsumura,1917*
- 2002) Ovatus Van der Goot,1913** (Aphididae) Synonym(s): *Ovatus Van der Goot,1913*
- 2003) Panaphis Kirkaldy,1904** (Aphididae) Synonym(s): *Panaphis Kirkaldy,1904*
- 2004) Pemphigus Hartig,1839** (Aphididae) Synonym(s): *Pemphigus Hartig,1839*
- 2005) Phorodon Passerini,1860** (Aphididae) Synonym(s): *Phorodon Passerini,1860*
- 2006) Pterochloroides Mordvilko,1914** (Aphididae) Synonym(s): *Pterochloroides Mordvilko,1914*
- 2007) Pterocomma Buckton,1879** (Aphididae) Synonym(s): *Pterocomma Buckton,1879*
- 2008) Rhopalosiphum Koch,1854** (Aphididae) Synonym(s): *Rhopalosiphum Koch,1854*
- 2009) Schizaphis Börner,1931** (Aphididae) Synonym(s): *Schizaphis Börner,1931*
- 2010) Sitobion Mordvilko,1914** (Aphididae) Synonym(s): *Sitobion Mordvilko,1914*
- 2011) Slavum Mordvilko,1927** (Aphididae) Synonym(s): *Slavum Mordvilko,1927*
- 2012) Tuberculatus (Tuberculoides) Van der Goot,1915** (Aphididae) Synonym(s): *Tuberculoides Van der Goot,1915*
- 2013) Tuberculatus (s.str.) Mordvilko,1894** (Aphididae) Synonym(s): *Tuberculatus Mordvilko,1894*
- 2014) Tuberculatus Mordvilko,1894** (Aphididae) Synonym(s): *Tuberculatus Mordvilko,1894*
- 2015) Tuberculoides Van der Goot,1915** (Aphididae) Synonym(s): *Tuberculoides Van der Goot,1915*
- 2016) Tuberolachnus Mordvilko,1909** (Aphididae) Synonym(s): *Tuberolachnus Mordvilko,1909*
- 2017) Uroleucon (Uromelan) Mordvilko,1914** (Aphididae) Synonym(s): *Uromelan Mordvilko,1914*
- 2018) Uroleucon (s.str.) Mordvilko,1914** (Aphididae) Synonym(s): *Uroleucon Mordvilko,1914*
- 2019) Uroleucon Mordvilko,1914** (Aphididae) Synonym(s): *Uroleucon Mordvilko,1914*
- 2020) Allodape Lepeletier & Audinet-Serville,1825** (Apidae) Synonym(s): *Allodape Lepeletier & Audinet-Serville,1825*
- 2021) Anthophora Latreille,1803** (Apidae) Synonym(s): *Anthophora Latreille,1803*
- 2022) Apis (s.str.) Linnaeus,1758** (Apidae) Synonym(s): *Apis Linnaeus,1758*
- 2023) Apis Linnaeus,1758** (Apidae) Synonym(s): *Apis Linnaeus,1758*
- 2024) Bombus (Alpigenobombus) Skorikov,1914** (Apidae) Synonym(s): *Alpigenobombus Skorikov,1914*
- 2025) Bombus (Cullumanobombus) Vogt,1911** (Apidae) Synonym(s): *Cullumanobombus Vogt,1911; Coccineobombus Skorikov,1922; Fraternobombus Skorikov,1922; Funebribombus Skorikov,1922; Robustobombus Skorikov,1922; Rubicundobombus Skorikov,1922; Separatobombus Frison,1927; Crotchibombus Franklin,1954; Brachycephalibombus Williams,1985; Dasybombus Labougle & Ayala,1986*
- 2026) Bombus (Kallobombus) Dalla Torre,1880** (Apidae) Synonym(s): *Kallobombus Dalla Torre,1880*
- 2027) Bombus (Megabombus) Dalla Torre,1880** (Apidae) Synonym(s): *Megabombus Dalla Torre,1880; Hortobombus Vogt,1911; Diversobombus Skorikov,1915; Senexibombus Frison,1930*
- 2028) Bombus (Melanobombus) Dalla Torre,1880** (Apidae) Synonym(s): *Melanobombus Dalla Torre,1880; Rufipedibombus Skorikov,1922; Festivobombus Tkalcu,1933*
- 2029) Bombus (Mendacibombus) Skorikov,1914** (Apidae) Synonym(s): *Mendacibombus Skorikov,1914*
- 2030) Bombus (Psithyrus) Lepeletier,1833** (Apidae) Synonym(s): *Psithyrus Lepeletier,1833; Apathus Newman,1835; Laboriopsithyrus Frison,1927; Ashtonipsithyrus Frison,1927; Fernaldaepsithyrus Frison,1927; Eopsithyrus Popov,1931; Metapsithyrus Popov,1931; Allopsithyrus Popov,1931; Ceratopsithyrus Pittioni,1949; Citrinopsithyrus Thorp,1983*
- 2031) Bombus (Pyrobombus) Dalla Torre,1880** (Apidae) Synonym(s): *Pyrobombus Dalla Torre,1880; Poecilobombus Dalla Torre,1882; Hypnorobombus Pérez,1927; Lapponicobombus Pérez,1927; Pressibombus Frison,1935*
- 2032) Bombus (Sibiricobombus) Vogt,1911** (Apidae) Synonym(s): *Sibiricobombus Vogt,1911; Obertobombus Reinig,1930*
- 2033) Bombus (Subterraneobombus) Vogt,1911** (Apidae) Synonym(s): *Subterraneobombus Vogt,1911*
- 2034) Bombus (Thoracobombus) Dalla Torre,1880** (Apidae) Synonym(s): *Thoracobombus Dalla Torre,1880; Rhodobombus Dalla Torre,1880; Exilobombus Skorikov,1922; Fervidobombus Skorikov,1922; Tricornibombus Skorikov,1922; Laesobombus Skorikov,1922; Mucidobombus Skorikov,1922; Eversmannibombus Skorikov,1938*
- 2035) Bombus (s.str.) Latreille,1802** (Apidae) Synonym(s): *Bombus Latreille,1802; Leucobombus Dalla Torre,1880; Terretribombus Vogt,1911*
- 2036) Bombus Latreille,1802** (Apidae) Synonym(s): *Bombus Latreille,1802; Leucobombus Dalla Torre,1880; Terretribombus Vogt,1911*

- 2037) Ceratina Latreille,1802** (Apidae) Synonym(s): *Ceratina Latreille,1802*; *Euceratina Hirashima, Moure & Daly,1971* [subg.]
- 2038) Eucera Scopoli,1770** (Apidae) Synonym(s): *Eucera Scopoli,1770*; *Synhalonia Robertson,1905*
- 2039) Eupavlovskia Popov,1955** (Apidae) Synonym(s): *Eupavlovskia Popov,1955*
- 2040) Exoneuridia Cockerell,1911** (Apidae) Synonym(s): *Exoneuridia Cockerell,1911*
- 2041) Habropoda Smith,1854** (Apidae) Synonym(s): *Habrophora Smith,1854* (praeocc.); *Habropoda Smith,1854*
- 2042) Melecta Latreille,1802** (Apidae) Synonym(s): *Melecta Latreille,1802*; *Melilecta Agassiz,1846*
- 2043) Nomada Scopoli,1770** (Apidae) Synonym(s): *Nomada Scopoli,1770*
- 2044) Tetralonia Spinola,1838** (Apidae) Synonym(s): *Tetralonia Spinola,1838*
- 2045) Thyreus Panzer,1806** (Apidae) Synonym(s): *Thyreus Panzer,1806*; *Crocisa Jurine,1807*
- 2046) Xylocopa (Copoxya) Maa,1954** (Apidae) Synonym(s): *Copoxya Maa,1954*
- 2047) Xylocopa (Ctenoxylocopa) Michener,1942** (Apidae) Synonym(s): *Ctenoxylocopa Michener,1942*
- 2048) Xylocopa (Koptortosoma) Gribodo,1894** (Apidae) Synonym(s): *Koptortosoma Gribodo,1894*
- 2049) Xylocopa (Proxycopa) Hedicke,1938** (Apidae) Synonym(s): *Proxycopa Hedicke,1938*; *Ancyclocopa Maa,1954*
- 2050) Xylocopa (s.str.) Latreille,1802** (Apidae) Synonym(s): *Xylocopa Latreille,1802*
- 2051) Xylocopa Latreille,1802** (Apidae) Synonym(s): *Xylocopa Latreille,1802*
- 2052) Apion Herbst,1797** (Apionidae) Synonym(s): *Apion Herbst,1797*
- 2053) Aneurus Fabricius,1803** (Aradidae) Synonym(s): *Aneurus Fabricius,1803*
- 2054) Aradus Fabricius,1803** (Aradidae) Synonym(s): *Aradus Fabricius,1803*
- 2055) Calisius Stal,1858** (Aradidae) Synonym(s): *Calisius Stal,1858*; *Aradosyrtris A.Costa,1864*
- 2056) Quilnus Stal,1873** (Aradidae) Synonym(s): *Quilnus Stal,1873*
- 2057) Aprosthema Konow,1899** (Argidae) Synonym(s): *Aprosthema Konow,1899*
- 2058) Arge Schrank,1802** (Argidae) Synonym(s): *Arge Schrank,1802*
- 2059) Kokujewia Konow,1902** (Argidae) Synonym(s): *Kokujewia Konow,1902*
- 2060) Sterictiphora Billberg,1820** (Argidae) Synonym(s): *Sterictiphora Billberg,1820*; *Schizocerus Dahlbom,1835*
- 2061) Ascalaphus Fabricius,1775** (Ascalaphidae) Synonym(s): *Ascalaphus Fabricius,1775*
- 2062) Bubopsis McLachlan,1898** (Ascalaphidae) Synonym(s): *Bubo Rambur,1842 nec Dum.,1806*; *Bubopsis McLachlan,1898*; *Phyurus Navas,1900*
- 2063) Deleproctophylla Lefebvre,1842** (Ascalaphidae) Synonym(s): *Deleproctophylla Lefebvre,1842*
- 2064) Iranoidricerus Abraham & Meszaros,2002** (Ascalaphidae) Synonym(s): *Iranoidricerus Abraham & Meszaros,2002*
- 2065) Libelloides Tjeder,1972** (Ascalaphidae) Synonym(s): *Libelloides Tjeder,1972*
- 2066) Ptyngidricerus Van der Weele,1909** (Ascalaphidae) Synonym(s): *Ptyngidricerus Van der Weele,1909*
- 2067) Acnephalum Macquart,1838** (Asilidae) Synonym(s): *Acnephalum Macquart,1838*; *Pycnopogon Loew,1847*
- 2068) Acrochordomerus Hermann,1920** (Asilidae) Synonym(s): *Acrochordomerus Hermann,1920*
- 2069) Amphisbetetus Hermann,1906** (Asilidae) Synonym(s): *Amphisbetetus Hermann,1906*
- 2070) Anarolius Loew,1844** (Asilidae) Synonym(s): *Anarolius Loew,1844*
- 2071) Ancylorhynchus Berthold,1827** (Asilidae) Synonym(s): *Ancylorhynchus Berthold,1827*
- 2072) Andrenosoma Rondani,1856** (Asilidae) Synonym(s): *Andrenosoma Rondani,1856*
- 2073) Aneomochtherus Lehr,1996** (Asilidae) Synonym(s): *Aneomochtherus Lehr,1996*
- 2074) Anisopogon Roeder,1881** (Asilidae) Synonym(s): *Anisopogon Roeder,1881*
- 2075) Antipalus Loew,1849** (Asilidae) Synonym(s): *Antipalus Loew,1849*
- 2076) Antiphrisson Loew,1849** (Asilidae) Synonym(s): *Antiphrisson Loew,1849*; *#Antiphisson Giray,1981*
- 2077) Apoclea Macquart,1838** (Asilidae) Synonym(s): *Apoclea Macquart,1838*
- 2078) Asiloephesus Lehr,1992** (Asilidae) Synonym(s): *Asiloephesus Lehr,1992*
- 2079) Asilus Linnaeus,1758** (Asilidae) Synonym(s): *Asilus Linnaeus,1758*
- 2080) Cerdistus Loew,1849** (Asilidae) Synonym(s): *Cerdistus Loew,1849*; *#Cerditus Koçak & Kemal,2008*
- 2081) Choerades Walker,1851** (Asilidae) Synonym(s): *Choerades Walker,1851*
- 2082) Crobilocerus Loew,1847** (Asilidae) Synonym(s): *Crobilocerus Loew,1847*
- 2083) Dasypogon Meigen,1803** (Asilidae) Synonym(s): *Dasypogon Meigen,1803*
- 2084) Didysmachus Lehr,1996** (Asilidae) Synonym(s): *Didysmachus Lehr,1996*
- 2085) Dioctria Meigen,1803** (Asilidae) Synonym(s): *Dioctria Meigen,1803*
- 2086) Dysmachus Loew,1860** (Asilidae) Synonym(s): *Dysmachus Loew,1860*
- 2087) Echthistus Loew,1849** (Asilidae) Synonym(s): *Echthistus Loew,1849*
- 2088) Engelepogon Lehr,1992** (Asilidae) Synonym(s): *Acanthopleura Engel,1927* (praeocc.); *Engelepogon Lehr,1992*
- 2089) Erax Scopoli,1763** (Asilidae) Synonym(s): *Erax Scopoli,1763*; *Protophanes Loew,1860*

- 2090) Euscelidia Westwood,1850** (Asilidae) Synonym(s): *Euscelidia Westwood,1850*; *Dolichoscus Janssens,1953*
- 2091) Eutolmus Loew,1848** (Asilidae) Synonym(s): *Eutolmus Loew,1848*
- 2092) Habropogon Loew,1847** (Asilidae) Synonym(s): *Habropogon Loew,1847*
- 2093) Heteropogon Loew,1847** (Asilidae) Synonym(s): *Heteropogon Loew,1847*
- 2094) Holopogon Loew,1847** (Asilidae) Synonym(s): *Holopogon Loew,1847*
- 2095) Jothopogon Becker,1913** (Asilidae) Synonym(s): *Jothopogon Becker,1913*
- 2096) Laphria Meigen,1803** (Asilidae) Synonym(s): *Laphria Meigen,1803*
- 2097) Laphystia Loew,1847** (Asilidae) Synonym(s): *Laphystia Loew,1847*
- 2098) Lasiopogon Loew,1847** (Asilidae) Synonym(s): *Lasiopogon Loew,1847*; *Alexiopogon Curran,1934*
- 2099) Leptarthus Stephens,1829** (Asilidae) Synonym(s): *Leptarthus Stephens,1829*
- 2100) Leptogaster Meigen,1803** (Asilidae) Synonym(s): *Leptogaster Meigen,1803*; *Gonipes Latreille,1805*
- 2101) Machimus Loew,1849** (Asilidae) Synonym(s): *Machimus Loew,1849*; *Allomachimus Bequaert,1964*
- 2102) Mesoleptogaster Frey,1937** (Asilidae) Synonym(s): *Mesoleptogaster Frey,1937*
- 2103) Molobratia Hull,1958** (Asilidae) Synonym(s): *Molobratia Hull,1958*
- 2104) Neoitamus Osten Sacken,1878** (Asilidae) Synonym(s): *Neoitamus Osten Sacken,1878*
- 2105) Neomochtherus Osten Sacken,1878** (Asilidae) Synonym(s): *Neomochtherus Osten Sacken,1878*
- 2106) Nusa Walker,1851** (Asilidae) Synonym(s): *Nusa Walker,1851*
- 2107) Oligopogon Loew,1847** (Asilidae) Synonym(s): *Oligopogon Loew,1847*
- 2108) Ommatius Wiedemann,1821** (Asilidae) Synonym(s): *Ommatius Wiedemann,1821*
- 2109) Pamponerus Loew,1849** (Asilidae) Synonym(s): *Pamponerus Loew,1849*
- 2110) Paraphamartania Engel,1930** (Asilidae) Synonym(s): *Paraphamartania Engel,1930*
- 2111) Philodicus Loew,1847** (Asilidae) Synonym(s): *Philodicus Loew,1847*
- 2112) Philonicus Loew,1849** (Asilidae) Synonym(s): *Philonicus Loew,1849*
- 2113) Pogonosoma Rondani,1856** (Asilidae) Synonym(s): *Pogonosoma Rondani,1856*
- 2114) Polyphonus Loew,1848** (Asilidae) Synonym(s): *Polyphonus Loew,1848*
- 2115) Polysarca Schiner,1866** (Asilidae) Synonym(s): *Polysarca Schiner,1866*
- 2116) Promachus Loew,1848** (Asilidae) Synonym(s): *Promachus Loew,1848*
- 2117) Saropogon Loew,1847** (Asilidae) Synonym(s): *Saropogon Loew,1847*; *#Saropogon Williston,1889*; *Araiopogon Carrera,1949*; *Oberon Carrera & Papavero,1962*
- 2118) Satanas Jacobson,1908** (Asilidae) Synonym(s): *Satanas Jacobson,1908*
- 2119) Scytomedes Röder,1882** (Asilidae) Synonym(s): *Scytomedes Röder,1882*
- 2120) Stenopogon Loew,1847** (Asilidae) Synonym(s): *Stenopogon Loew,1847*
- 2121) Stichopogon Loew,1847** (Asilidae) Synonym(s): *Stichopogon Loew,1847*
- 2122) Stiphrolamyra Engel,1928** (Asilidae) Synonym(s): *Stiphrolamyra Engel,1928*
- 2123) Tolmerus Loew,1849** (Asilidae) Synonym(s): *Tolmerus Loew,1849*
- 2124) Triclis Loew,1851** (Asilidae) Synonym(s): *Triclis Loew,1851*
- 2125) Turka Özdikmen,2008** (Asilidae) Synonym(s): *Turkiella Lehr,1996 nec Zumpt & Till,1953*; *Turka Özdikmen,2008*
- 2126) Asterodiaspis Signoret,1877** (Asterolecaniidae) Synonym(s): *Asterodiaspis Signoret,1877*
- 2127) Planchonia Signoret,1870** (Asterolecaniidae) Synonym(s): *Planchonia Signoret,1870*
- 2128) Pollinia Targoni-Tozzetti,1868** (Asterolecaniidae) Synonym(s): *Pollinia Targoni-Tozzetti,1868*
- 2129) Atricops Verrall,1909** (Athericidae) Synonym(s): *Atricops Verrall,1909*; *Heterosuragina Nagatomi,1958*
- 2130) Apoderus Voss,1926** (Attelabidae) Synonym(s): *Apoderus Voss,1926*
- 2131) Attelabus Linnaeus,1758** (Attelabidae) Synonym(s): *Attelabus Linnaeus,1758*; *Chyphus Thunberg,1815*; *Casnonia Schönherr,1833*
- 2132) Auletobius Desbrochers,1869** (Attelabidae) Synonym(s): *Auletobius Desbrochers,1869*
- 2133) Byctiscus C.G.Thomson,1859** (Attelabidae) Synonym(s): *Byctiscus C.G.Thomson,1859*
- 2134) Chonostropheus Prell,1924** (Attelabidae) Synonym(s): *Chonostropheus Prell,1924*
- 2135) Coenorrhinus C.G.Thomson,1859** (Attelabidae) Synonym(s): *Coenorrhinus C.G.Thomson,1859*
- 2136) Deporaus Samouelle,1819** (Attelabidae) Synonym(s): *Deporaus Samouelle,1819*
- 2137) Lasiorrhynchites Jekel,1860** (Attelabidae) Synonym(s): *Lasiorrhynchites Jekel,1860*
- 2138) Pselaphorrhynchites Schilsky,1903** (Attelabidae) Synonym(s): *Pselaphorrhynchites Schilsky,1903*
- 2139) Rhynchites Schneider,1791** (Attelabidae) Synonym(s): *Rhynchites Schneider,1791*; *Mechoris Billberg,1820*
- 2140) Pristaulacus Kieffer,1900** (Aulacidae) Synonym(s): *Aulacostethus Philippi,1873 nec Waterh.,1869*; *Pristaulacus Kieffer,1900*
- 2141) Bacillus Latreille,1805** (Basillidae) Synonym(s): *Bacillus Latreille,1805*
- 2142) Belostoma Latreille,1807** (Belostomatidae) Synonym(s): *Belostoma Latreille,1807*
- 2143) Lethocerus Mayr,1853** (Belostomatidae) Synonym(s): *Lethocerus Mayr,1853*
- 2144) Beraea Stephens,1833** (Beraeidae) Synonym(s): *Beraea Stephens,1833*
- 2145) Ernodes Wallengren,1891** (Beraeidae) Synonym(s): *Ernodes Wallengren,1891*

- 2146) Isoscelipteron Costa,1863** (Berothidae) Synonym(s): *Isoscelipteron Costa,1863*
2147) Nyrma Navas,1933 (Berothidae) Synonym(s): *Nyrma Navas,1933*
2148) Berytinus Kirkaldy,1900 (Berytidae) Synonym(s): *Berytinus Kirkaldy,1900*
2149) Cardopostethus Fieber,1859 (Berytidae) Synonym(s): *Cardopostethus Fieber,1859*
2150) Gampsocoris Fuss,1852 (Berytidae) Synonym(s): *Gampsocoris Fuss,1852*
2151) Megalomerium Fieber,1859 (Berytidae) Synonym(s): *Megalomerium Fieber,1859*
2152) Neides Latreille,1802 (Berytidae) Synonym(s): *Neides Latreille,1802; Leides Rafinesque,1815*
2153) Bibio Geoffroy,1762 (Bibionidae) Synonym(s): *Bibio Geoffroy,1762; Pullata Harris,1776; Hirtea Fabricius,1798; Lithobibio Beier,1952; Bibiophus Bollow,1954*
2154) Dilophus Meigen,1803 (Bibionidae) Synonym(s): *#Philia Meigen,1800; Dilophus Meigen,1803; Acanthocnemis Blanchard,1852 nec Hawle & Corda,1847; Cnemidoctenia Enderlein,1934; Dactylodiscia Enderlein,1934; Tridicroctena Enderlein,1934; Triploctenia Enderlein,1934*
2155) Penthetria Meigen,1803 (Bibionidae) Synonym(s): *Penthetria Meigen,1803*
2156) Bittacus Latreille,1805 (Bittacidae) Synonym(s): *Bittacus Latreille,1805; Thyridates Navas,1908; Neobittacus Esben-Petersen,1914*
2157) Blatta Linnaeus,1758 (Blattidae) Synonym(s): *Blatta Linnaeus,1758*
2158) Blattella Caudell,1903 (Blattidae) Synonym(s): *Blattella Caudell,1903*
2159) Ectobius Stephens,1836 (Blattidae) Synonym(s): *Ectobius Stephens,1836*
2160) Loboptera Brunner von Wattenwyl,1865 (Blattidae) Synonym(s): *Loboptera Brunner von Wattenwyl,1865*
2161) Periplaneta Burmeister,1838 (Blattidae) Synonym(s): *Periplaneta Burmeister,1838*
2162) Phyllodromica Fieber,1853 (Blattidae) Synonym(s): *Phyllodromica Fieber,1853*
2163) Shelfordella Adelung,1910 (Blattidae) Synonym(s): *Shelfordella Adelung,1910*
2164) Apistomyia Bigot,1862 (Blephariceridae) Synonym(s): *Apistomyia Bigot,1862*
2165) Blepharicera Macquart,1843 (Blephariceridae) Synonym(s): *Blepharicera Macquart,1843*
2166) Liponeura Loew,1844 (Blephariceridae) Synonym(s): *Liponeura Loew,1844*
2167) Bolitophila Meigen,1818 (Bolitophilidae) Synonym(s): *Bolitophila Meigen,1818; Messala Curtis,1836; Bolitophilella Landrock,1925; #Bilitophila Bechev & Koç,2006*
2168) Amictus Wiedemann,1817 (Bombyliidae) Synonym(s): *Amictus Wiedemann,1817; Thlipsomyza Wiedemann,1820; Thlipsogaster Rondani,1863; Truquia Rondani,1863; Subbombylius Kapoor,1979*
2169) Anastoechus Osten Sacken,1877 (Bombyliidae) Synonym(s): *Anastoechus Osten-Sacken,1877*
2170) Anthrax Scopoli,1763 (Bombyliidae) Synonym(s): *Anthrax Scopoli,1763; Leucamoeba Sack,1909; Chalcamoeba Sack,1909*
2171) Apolysis Loew,1860 (Bombyliidae) Synonym(s): *Apolysis Loew,1860; Rhabdopselaphus Bigot,1886; Pseudogeron Cresson,1915; Dagestania Paramonov,1929*
2172) Beckerellus Greathead,1995 (Bombyliidae) Synonym(s): *Beckerellus Greathead,1995*
2173) Bombomyia Greathead,1995 (Bombyliidae) Synonym(s): *Bombomyia Greathead,1995*
2174) Bombylella Greathead,1995 (Bombyliidae) Synonym(s): *Bombylella Greathead,1995*
2175) Bombylisoma Rondani,1856 (Bombyliidae) Synonym(s): *Bombylisoma Rondani,1856; Chasmona Hesse,1938*
2176) Bombylius (Zephyrectes) Evenhuis,1978 (Bombyliidae) Synonym(s): *Zephyrectes Evenhuis,1978*
2177) Bombylius (s.str.) Linnaeus,1758 (Bombyliidae) Synonym(s): *Bombylius Linnaeus,1758*
2178) Bombylius Linnaeus,1758 (Bombyliidae) Synonym(s): *Bombylius Linnaeus,1758*
2179) Caecanthrax Greathead,1981 (Bombyliidae) Synonym(s): *#Caecanthrax Greathead,1980; Caecanthrax Greathead,1981*
2180) Callostoma Macquart,1840 (Bombyliidae) Synonym(s): *Callostoma Macquart,1840; Callistoma Agassiz,1846*
2181) Chalcochiton Loew,1844 (Bombyliidae) Synonym(s): *Chalcochiton Loew,1844; Logcocerius Rondani,1863; Loncocerius Bezzi,1903; Lonchocerus Bezzi,1924*
2182) Cononedys Hermann,1907 (Bombyliidae) Synonym(s): *Cononedys Hermann,1907; Conogaster Hermann,1907 nec Brauer & Bergenstamm,1891*
2183) Conophorus Meigen,1803 (Bombyliidae) Synonym(s): *Conophorus Meigen,1803; Ploas Latreille,1804; Tornotes Gistel,1848; Codionus Rondani,1873; Calopelta Greene,1921*
2184) Cyllenia Latreille,1802 (Bombyliidae) Synonym(s): *Cyllenia Latreille,1802*
2185) Cytherea Fabricius,1794 (Bombyliidae) Synonym(s): *Cytherea Fabricius,1794; Mulio Latreille,1797; Astrophra Rafinesque,1815; Glossista Rondani,1856*
2186) Desmatoneura Williston,1895 (Bombyliidae) Synonym(s): *Desmatoneura Williston,1895*
2187) Eclimus Loew,1844 (Bombyliidae) Synonym(s): *Eclimus Loew,1844; Eclimmus Agassiz,1846*
2188) Exhyalanthrax Becker,1916 (Bombyliidae) Synonym(s): *Exhyalanthrax Becker,1916; Oriellus Hull,1973; Tauropsis Hull,1973*
2189) Exoprosopa Macquart,1840 (Bombyliidae) Synonym(s): *Exoprosopa Macquart,1840*
2190) Geron (s.str.) Meigen,1820 (Bombyliidae) Synonym(s): *Geron Meigen,1820; Amictogeron Hesse,1938*
2191) Geron Meigen,1820 (Bombyliidae) Synonym(s): *Geron Meigen,1820; Amictogeron Hesse,1938*

- 2192) Hemipenthes Loew,1869** (Bombyliidae) Synonym(s): *Hemipenthes Loew,1869*; *Isopenthes Osten Sacken,1886*
- 2193) Heteralonia (Acrodisca) Bezzi,1921** (Bombyliidae) Synonym(s): *Acrodisca Bezzi,1921*; *Cladodisca Bezzi,1922*
- 2194) Heteralonia (Homolonia) Bowden,1975** (Bombyliidae) Synonym(s): *Homolonia Bowden,1975*
- 2195) Heteralonia (Zygodiola) Bezzi,1924** (Bombyliidae) Synonym(s): *Zygodiola Bezzi,1924*
- 2196) Heteralonia (s.str.) Rondani,1863** (Bombyliidae) Synonym(s): *Mima Meigen,1820*; *Heteralonia Rondani,1863*
- 2197) Heteralonia (subgen?)** (Bombyliidae) Synonym(s):
- 2198) Heteralonia Rondani,1863** (Bombyliidae) Synonym(s): *Mima Meigen,1820*; *Heteralonia Rondani,1863*
- 2199) Heterotropus Loew,1873** (Bombyliidae) Synonym(s): *Heterotropus Loew,1873*; *Malthacotricha Becker,1907*
- 2200) Legnotomyia Bezzi,1902** (Bombyliidae) Synonym(s): *Legnotus Loew,1855 nec Schiöd.,1848*; *Legnotomyia Bezzi,1902*; *Psiatholasius Becker,1906*
- 2201) Ligyra Newman,1841** (Bombyliidae) Synonym(s): *Ligyra Newman,1841*; *Velocia Coquillett,1886 nec Rob.-Des.,1863*; *Paranthrax Paramonov,1931*; *Paranthracina Paramonov,1933*
- 2202) Lomatia Meigen,1822** (Bombyliidae) Synonym(s): *Stygia Meigen,1820 nec Latr.,1804*; *Lomatia Meigen,1822*; *Stygide Latreille,1825*; *Stygidium Berthold,1827*; *Stygides Latreille,1829*; *Nettadion Gistel,1848*; *#Ancentralis Bezzi,1925*
- 2203) Mariobezzia Becker,1913** (Bombyliidae) Synonym(s): *Mariobezzia Becker,1913*
- 2204) Micomitra Bowden,1964** (Bombyliidae) Synonym(s): *Micomitra Bowden,1964*
- 2205) Oestranthrax Bezzi,1921** (Bombyliidae) Synonym(s): *Oestranthrax Bezzi,1921*
- 2206) Oligodranes Loew,1844** (Bombyliidae) Synonym(s): *Oligodranes Loew,1844*
- 2207) Pachyanthrax François,1964** (Bombyliidae) Synonym(s): *Pachyanthrax François,1964*
- 2208) Parageron Paramonov,1929** (Bombyliidae) Synonym(s): *Parageron Paramonov,1929*
- 2209) Petrorossia Bezzi,1908** (Bombyliidae) Synonym(s): *Petrorossia Bezzi,1908*
- 2210) Phthiria Meigen,1803** (Bombyliidae) Synonym(s): *Phthiria Meigen,1803*; *Ptimia Rafinesque,1815*
- 2211) Plesiocera Macquart,1840** (Bombyliidae) Synonym(s): *Plesiocera Macquart,1840*; *Calledax Hull,1973*
- 2212) Prorachthes Loew,1868** (Bombyliidae) Synonym(s): *Prorachthes Loew,1868*; *Dumontiella Séguy,1932*; *Cheilohadrus Hesse,1938*
- 2213) Pterobates Bezzi,1921** (Bombyliidae) Synonym(s): *Pterobates Bezzi,1921*
- 2214) Satyramoeba Sack,1909** (Bombyliidae) Synonym(s): *Satyramoeba Sack,1909*; *Meganthrax Evenhuis,1979*
- 2215) Spogostylum Macquart,1840** (Bombyliidae) Synonym(s): *Spogostylum Macquart,1840*; *Spongostylum Agassiz,1846*; *Argyromoeba Schiner,1860*; *Argyramoeba Loew,1869*; *Anthracamoeba Sack,1909*; *Chrysamoeba Sack,1909*; *Molybdamoeba Sack,1909*; *Psamatamoeba Sack,1909*; *Coniomastix Enderlein,1934*; *Aureomoeba Evenhuis,1978*
- 2216) Stomylomyia Bigot,1888** (Bombyliidae) Synonym(s): *Stomylomyia Bigot,1888*
- 2217) Systoechus Loew,1855** (Bombyliidae) Synonym(s): *Systoechus Loew,1855*
- 2218) Thevenetimyia (s.str.) Bigot,1875** (Bombyliidae) Synonym(s): *Thevenetimyia Bigot,1875*; *Epibates Osten-Sacken,1877*
- 2219) Thevenetimyia Bigot,1875** (Bombyliidae) Synonym(s): *Thevenetimyia Bigot,1875*; *Epibates Osten-Sacken,1877*
- 2220) Thyridanthrax Osten Sacken,1886** (Bombyliidae) Synonym(s): *Thyridanthrax Osten Sacken,1886*
- 2221) Toxophora Meigen,1803** (Bombyliidae) Synonym(s): *Toxophora Meigen,1803*; *Eniconevra Macquart,1840*; *Heniconevra Agassiz,1846*; *Heniconevra Bezzi,1903*; *Toxomyia Hull,1973*
- 2222) Triplasius Loew,1855** (Bombyliidae) Synonym(s): *Triplasius Loew,1855*
- 2223) Usia (Micrusia) Evenhuis,1990** (Bombyliidae) Synonym(s): *Micrusia Evenhuis,1990*
- 2224) Usia (s.str.) Latreille,1802** (Bombyliidae) Synonym(s): *#Voluccella Fabricius,1794*; *Usia Latreille,1802*; *Zerynthia Rafinesque,1815*
- 2225) Usia Latreille,1802** (Bombyliidae) Synonym(s): *#Voluccella Fabricius,1794*; *Usia Latreille,1802*; *Zerynthia Rafinesque,1815*
- 2226) Veribubo Evenhuis,1978** (Bombyliidae) Synonym(s): *Tumulus Hull,1978 nec Monteros.,[1888]*; *Veribubo Evenhuis,1978*
- 2227) Villa Liroy,1864** (Bombyliidae) Synonym(s): *Villa Liroy,1864*
- 2228) Villoestrus Paramonov,1931** (Bombyliidae) Synonym(s): *Villoestrus Paramonov,1931*
- 2229) Xeramoeba Hesse,1956** (Bombyliidae) Synonym(s): *Xeramoeba Hesse,1956*
- 2230) Amphicerus (Caenophrada) Waterhouse,1888** (Bostrichidae) Synonym(s): *Caenophrada Waterhouse,1888*; *Schistoceros Lesne,1899*
- 2231) Amphicerus LeConte,1861** (Bostrichidae) Synonym(s): *Amphicerus LeConte,1861*
- 2232) Bostrichus Geoffroy,1762** (Bostrichidae) Synonym(s): *Bostrichus Geoffroy,1762*; *#Brostrichus Trost,1801*; *Bostrychus Agassiz,1846*
- 2233) Botrychoplites Lesne,1899** (Bostrichidae) Synonym(s): *Botrychoplites Lesne,1899*

- 2234) Lyctus Fabricius,1792** (Bostrichidae) Synonym(s): *Lyctus Fabricius,1792*
- 2235) Psoa Herbst,1797** (Bostrichidae) Synonym(s): *Psoa Herbst,1797; Acrepis LeConte,1852*
- 2236) Sinoxylon Duftschmid,1825** (Bostrichidae) Synonym(s): *Sinoxylon Duftschmid,1825; Trypocladus Guérin-Ménéville,1845; Apatodes Blackburn,1889*
- 2237) Stenomera Lucas,1849** (Bostrichidae) Synonym(s): *Stenomera Lucas,1849*
- 2238) Xylomedes Lesne,1901** (Bostrichidae) Synonym(s): *Xylomedes Lesne,1901*
- 2239) Brachycerus Olivier,1789** (Brachyceridae) Synonym(s): *Brachycerus Olivier,1789*
- 2240) Apanteles Förster,1862** (Braconidae) Synonym(s): *Apanteles Förster,1862*
- 2241) Ascogaster Wesmael,1835** (Braconidae) Synonym(s): *Ascogaster Wesmael,1835*
- 2242) Atanycolus Förster,1862** (Braconidae) Synonym(s): *Atanycolus Förster,1862*
- 2243) Atormus Van Achterberg,1997** (Braconidae) Synonym(s): *Atormus Van Achterberg,1997*
- 2244) Baryproctus Ashmead,1900** (Braconidae) Synonym(s): *Baryproctus Ashmead,1900*
- 2245) Bassus Fabricius,1804** (Braconidae) Synonym(s): *Bassus Fabricius,1804; Microdus Nees,1834*
- 2246) Biosteres (Chilotrichia) Förster,1862** (Braconidae) Synonym(s): *Chilotrichia Förster,1862*
- 2247) Biosteres (s.str.) Förster,1862** (Braconidae) Synonym(s): *Biosteres Förster,1862*
- 2248) Biosteres Förster,1862** (Braconidae) Synonym(s): *Biosteres Förster,1862*
- 2249) Bitomus Szépligeti,1910** (Braconidae) Synonym(s): *Bitomus Szépligeti,1910*
- 2250) Blacus (Ganychorus) Haliday,1835** (Braconidae) Synonym(s): *Ganychorus Haliday,1835*
- 2251) Blacus (Hysterobolus) Viereck,1913** (Braconidae) Synonym(s): *Hysterobolus Viereck,1913*
- 2252) Blacus (s.str.) Nees ab Esenbeck,1818** (Braconidae) Synonym(s): *Blacus Nees ab Esenbeck,1818; Gonicormus Förster,1862; Miocolus Förster,1862*
- 2253) Blacus Nees ab Esenbeck,1818** (Braconidae) Synonym(s): *Blacus Nees ab Esenbeck,1818; Gonicormus Förster,1862; Miocolus Förster,1862*
- 2254) Bracon (Asiabracon) Tobias,1957** (Braconidae) Synonym(s): *Asiabracon Tobias,1957*
- 2255) Bracon (Cyanopterobracon) Tobias,1957** (Braconidae) Synonym(s): *Cyanopterobracon Tobias,1957*
- 2256) Bracon (Glabrobracon) Tobias,1957** (Braconidae) Synonym(s): *Glabrobracon Tobias,1957*
- 2257) Bracon (Lucobracon) Fahringer,1927** (Braconidae) Synonym(s): *Lucobracon Fahringer,1927; #Lucobracon Beyarslan & Tobias,2008*
- 2258) Bracon (Rostrobracon) Tobias,1957** (Braconidae) Synonym(s): *Rostrobracon Tobias,1957*
- 2259) Bracon (s.str.) Fabricius,1805** (Braconidae) Synonym(s): *Bracon Fabricius,1805; Brachon Brullé,1832*
- 2260) Bracon Fabricius,1805** (Braconidae) Synonym(s): *Bracon Fabricius,1805; Brachon Brullé,1832*
- 2261) Chelonus Jurine,1806** (Braconidae) Synonym(s): *#Anomala von Block,1799; AChelonus Jurine,1806; Davisania La Munyon,1877; Arichelonus Viereck,1913; Megachelonus Baker,1926*
- 2262) Chelostes Van Achterberg,1990** (Braconidae) Synonym(s): *Chelostes Van Achterberg,1990*
- 2263) Choeras Mason,1981** (Braconidae) Synonym(s): *Choeras Mason,1981*
- 2264) Chorebus Haliday,1833** (Braconidae) Synonym(s): *Chorebus Haliday,1833*
- 2265) Coelinidea Viereck,1913** (Braconidae) Synonym(s): *Coelinidea Viereck,1913*
- 2266) Cotesia Cameron,1891** (Braconidae) Synonym(s): *Cotesia Cameron,1891; Cryptapanteles Viereck,1910; Stenopleura Viereck,1911 nec Stebbing,1888*
- 2267) Dacnusa Haliday,1833** (Braconidae) Synonym(s): *Dacnusa Haliday,1833*
- 2268) Diachasmimorpha Viereck,1913** (Braconidae) Synonym(s): *Diachasmimorpha Viereck,1913*
- 2269) Dinotrema Förster,1862** (Braconidae) Synonym(s): *Dinotrema Förster,1862*
- 2270) Diolcogaster Ashmead,1900** (Braconidae) Synonym(s): *Diolcogaster Ashmead,1900*
- 2271) Diospilus Haliday,1833** (Braconidae) Synonym(s): *Diospilus Haliday,1833*
- 2272) Dolichogenidea Viereck,1911** (Braconidae) Synonym(s): *Dolichogenidea Viereck,1911; #Dolichogenides Inanç & Beyarslan,2001*
- 2273) Eurytenes (Jucundopius) Fischer,1984** (Braconidae) Synonym(s): *Jucundopius Fischer,1984*
- 2274) Eurytenes Förster,1862** (Braconidae) Synonym(s): *Eurytenes Förster,1862*
- 2275) Exotela Förster,1862** (Braconidae) Synonym(s): *Exotela Förster,1862*
- 2276) Foesteria Szepligeti,1896** (Braconidae) Synonym(s): *Foesteria Szepligeti,1896*
- 2277) Glyptapanteles Ashmead,1904** (Braconidae) Synonym(s): *Glyptapanteles Ashmead,1904*
- 2278) Glyptomorpha Holmgren,1868** (Braconidae) Synonym(s): *Glyptomorpha Holmgren,1868*
- 2279) Iconella Mason,1981** (Braconidae) Synonym(s): *Iconella Mason,1981*
- 2280) Illidops Mason,1981** (Braconidae) Synonym(s): *Illidops Mason,1981*
- 2281) Meteorus Haliday,1835** (Braconidae) Synonym(s): *Meteorus Haliday,1835; Saprotychus Holmgren,1868*
- 2282) Microchelonus Szepligeti,1908** (Braconidae) Synonym(s): *Microchelonus Szepligeti,1908; Chelonella Szepligeti,1908; Neochelonella Hincks,1943*
- 2283) Microgaster Latreille,1804** (Braconidae) Synonym(s): *Microgaster Latreille,1804*
- 2284) Microptilis Förster,1862** (Braconidae) Synonym(s): *Microptilis Förster,1862*
- 2285) Mirax Haliday,1833** (Braconidae) Synonym(s): *Mirax Haliday,1833; #Myrax Dalla Torre,1898*
- 2286) Opilus (Agnopius) Fischer,1982** (Braconidae) Synonym(s): *Agnopius Fischer,1982*

- 2287) **Opius (Allophlebus) Fischer, 1972** (Braconidae) Synonym(s): *Allophlebus* Fischer, 1972
- 2288) **Opius (Allotypus) Förster, 1862** (Braconidae) Synonym(s): *Allotypus* Förster, 1862
- 2289) **Opius (Apodesmia) Förster, 1862** (Braconidae) Synonym(s): *Apodesmia* Förster, 1862
- 2290) **Opius (Cryptognathopus) Fischer, 1984** (Braconidae) Synonym(s): *Cryptognathopus* Fischer, 1984
- 2291) **Opius (Cryptonastes) Förster, 1862** (Braconidae) Synonym(s): *Cryptonastes* Förster, 1862
- 2292) **Opius (Gastrosema) Fischer, 1972** (Braconidae) Synonym(s): *Gastrosema* Fischer, 1972
- 2293) **Opius (Hypocynodus) Förster, 1862** (Braconidae) Synonym(s): *Hypocynodus* Förster, 1862
- 2294) **Opius (Ilicopius) Fischer, 1992** (Braconidae) Synonym(s): *Ilicopius* Fischer, 1992
- 2295) **Opius (Merotrachys) Fischer, 1972** (Braconidae) Synonym(s): *Merotrachys* Fischer, 1972
- 2296) **Opius (Misophthora) Förster, 1862** (Braconidae) Synonym(s): *Misophthora* Förster, 1862
- 2297) **Opius (Nosopaeopus) Fischer, 1972** (Braconidae) Synonym(s): *Nosopaeopus* Fischer, 1972
- 2298) **Opius (Nosopoea) Förster, 1862** (Braconidae) Synonym(s): *Nosopoea* Förster, 1862
- 2299) **Opius (Odontopoea) Fischer, 1986** (Braconidae) Synonym(s): *Odontopoea* Fischer, 1986
- 2300) **Opius (Opiognathus) Fischer, 1972** (Braconidae) Synonym(s): *Opiognathus* Fischer, 1972
- 2301) **Opius (Opiostomus) Fischer, 1971** (Braconidae) Synonym(s): *Opiostomus* Fischer, 1971
- 2302) **Opius (Opiothorax) Fischer, 1972** (Braconidae) Synonym(s): *Opiothorax* Fischer, 1972
- 2303) **Opius (Pendopius) Fischer, 1972** (Braconidae) Synonym(s): *Pendopius* Fischer, 1972
- 2304) **Opius (Phaedrotoma) Förster, 1862** (Braconidae) Synonym(s): *Phaedrotoma* Förster, 1862
- 2305) **Opius (Rhogadopsis) Brèthes, 1913** (Braconidae) Synonym(s): *Rhogadopsis* Brèthes, 1913
- 2306) **Opius (Snoflakopius) Fischer, 1972** (Braconidae) Synonym(s): *Snoflakopius* Fischer, 1972
- 2307) **Opius (Utetes) Förster, 1862** (Braconidae) Synonym(s): *Utetes* Förster, 1862
- 2308) **Opius (Xynobius) Förster, 1862** (Braconidae) Synonym(s): *Xynobius* Förster, 1862
- 2309) **Opius (s.str.) Wesmael, 1835** (Braconidae) Synonym(s): *Opius* Wesmael, 1835
- 2310) **Opius Wesmael, 1835** (Braconidae) Synonym(s): *Opius* Wesmael, 1835
- 2311) **Phanerotoma (Bracotritoma) Csiki, 1909** (Braconidae) Synonym(s): *Tritoma* Szepligeti, 1908 (*praeocc.*); *Bracotritoma* Csiki, 1909
- 2312) **Phanerotoma Wesmael, 1838** (Braconidae) Synonym(s): *Phanerotoma* Wesmael, 1838; *Sulydus* Du Buysson, 1897; *Ichneutipterus* Vachal, 1907; *Neophanerotoma* Szepligeti, 1908; *Tritoma* Szepligeti, 1908; *Bracotritoma* Csiki, 1909; *Szepligeti* Schulz, 1911; *Tritomios* Strand, 1921; *Unica* Snoflak, 1951
- 2313) **Phanerotomella Szepligeti, 1900** (Braconidae) Synonym(s): *Phanerotomella* Szepligeti, 1900; *Plesiosphaeropyx* Cameron, 1912
- 2314) **Polydegmon Förster, 1862** (Braconidae) Synonym(s): *Polydegmon* Förster, 1862
- 2315) **Protopanteles Ashmead, 1898** (Braconidae) Synonym(s): *Protopanteles* Ashmead, 1898
- 2316) **Protodacnusa Griffiths, 1964** (Braconidae) Synonym(s): *Protodacnusa* Griffiths, 1964
- 2317) **Pseudovipio Szepligeti, 1896** (Braconidae) Synonym(s): *Pseudovipio* Szepligeti, 1896
- 2318) **Psytalia (s.str.) Walker, 1860** (Braconidae) Synonym(s): *Psytalia* Walker, 1860
- 2319) **Psytalia Walker, 1860** (Braconidae) Synonym(s): *Psytalia* Walker, 1860
- 2320) **Sathon Mason, 1981** (Braconidae) Synonym(s): *Sathon* Mason, 1981
- 2321) **Schizoprymnus Förster, 1862** (Braconidae) Synonym(s): *Schizoprymnus* Förster, 1862
- 2322) **Sigalphus Latreille, 1802** (Braconidae) Synonym(s): *Sigalphus* Latreille, 1802
- 2323) **Taphaeus Wesmael, 1835** (Braconidae) Synonym(s): *Taphaeus* Wesmael, 1835; *#Tapeus* Beyarslan et al., 2008
- 2324) **Triaspis Haliday, 1835** (Braconidae) Synonym(s): *Triaspis* Haliday, 1835
- 2325) **Utetes Förster, 1862** (Braconidae) Synonym(s): *Utetes* Förster, 1862
- 2326) **Vipio Latreille, 1804** (Braconidae) Synonym(s): *Vipio* Latreille, 1804
- 2327) **Braula Nitzsch, 1818** (Braulidae) Synonym(s): *Braula* Nitzsch, 1818; *Entomibia* A. Costa, 1846; *Melittomyia* Bigot, 1885
- 2328) **Amorphocephala Damoiseau, 1966** (Brentidae) Synonym(s): *Amorphocephalus* Schönherr, 1840 nec Bowdich, 1825; *Amorphocephala* Damoiseau, 1966
- 2329) **Ceratapion Schilsky, 1901** (Brentidae) Synonym(s): *Ceratapion* Schilsky, 1901
- 2330) **Bruchus Linnaeus, 1767** (Bruchidae) Synonym(s): *Bruchus* Linnaeus, 1767
- 2331) **Caryedon Schoenherr, 1823** (Bruchidae) Synonym(s): *Caryedon* Schoenherr, 1823
- 2332) **Acmaeodera Eschscholtz, 1829** (Buprestidae) Synonym(s): *Acmaeodera* Eschscholtz, 1829; *Andromeda* Gistel, 1834; *Ptychomus* Marseul, 1865
- 2333) **Acmaeoderella (Carininota) Volkovich, 1979** (Buprestidae) Synonym(s): *Carininota* Volkovich, 1979
- 2334) **Acmaeoderella (Euacmaeoderella) Volkovich, 1979** (Buprestidae) Synonym(s): *Euacmaeoderella* Volkovich, 1979
- 2335) **Acmaeoderella (s.str.) Cobos, 1955** (Buprestidae) Synonym(s): *Acmaeoderella* Cobos, 1955
- 2336) **Acmaeoderella Cobos, 1955** (Buprestidae) Synonym(s): *Acmaeoderella* Cobos, 1955
- 2337) **Agrilus (Anambus) Thomson, 1864** (Buprestidae) Synonym(s): *Anambus* Thomson, 1864
- 2338) **Agrilus Curtis, 1825** (Buprestidae) Synonym(s): *Agrilus* Curtis, 1825
- 2339) **Anthaxia (Cratomerus) Solier, 1833** (Buprestidae) Synonym(s): *Cratomerus* Solier, 1833

- 2340) **Anthaxia (Euanthaxia) Reitter, 1911** (Buprestidae) Synonym(s): *Euanthaxia Reitter, 1911*
- 2341) **Anthaxia (Haplanthaxia) Richter, 1945** (Buprestidae) Synonym(s): *Haplanthaxia Richter, 1945*
- 2342) **Anthaxia (Melanthaxia) Richter, 1945** (Buprestidae) Synonym(s): *Melanthaxia Richter, 1945*
- 2343) **Anthaxia (s.str.) Eschscholtz, 1829** (Buprestidae) Synonym(s): *Anthaxia Eschscholtz, 1829*
- 2344) **Anthaxia Eschscholtz, 1829** (Buprestidae) Synonym(s): *Anthaxia Eschscholtz, 1829*
- 2345) **Capnodis Eschscholtz, 1829** (Buprestidae) Synonym(s): *Capnodis Eschscholtz, 1829; Caloptera Gistel, 1834*
- 2346) **Chalcophorella Kerremans, 1903** (Buprestidae) Synonym(s): *Chalcophorella Kerremans, 1903*
- 2347) **Chrysobothris Eschscholtz, 1829** (Buprestidae) Synonym(s): *Chrysobothris Eschscholtz, 1829*
- 2348) **Coraebus Laporte & Gory, 1836** (Buprestidae) Synonym(s): *Coraebus Laporte & Gory, 1836*
- 2349) **Eurythyrea Lacordaire, 1835** (Buprestidae) Synonym(s): *Eurythyrea Lacordaire, 1835*
- 2350) **Julodella Semenov, 1893** (Buprestidae) Synonym(s): *Julodella Semenov, 1893*
- 2351) **Julodis Eschscholtz, 1829** (Buprestidae) Synonym(s): *Julodis Eschscholtz, 1829*
- 2352) **Meliboeus Deyrolle, 1864** (Buprestidae) Synonym(s): *Meliboeus Deyrolle, 1864*
- 2353) **Polycatesis Marseul, 1865** (Buprestidae) Synonym(s): *Polycatesis Marseul, 1865*
- 2354) **Trachys Fabricius, 1801** (Buprestidae) Synonym(s): *Trachys Fabricius, 1801; Phytodera Gistel, 1856*
- 2355) **Xerasia Lewis, 1895** (Byturidae) Synonym(s): *Xerasia Lewis, 1895*
- 2356) **Aphelonema Uhler, 1876** (Caliscelidae) Synonym(s): *Aphelonema Uhler, 1876*
- 2357) **Brucoscelis Melichar, 1906** (Caliscelidae) Synonym(s): *Brucoscelis Melichar, 1906*
- 2358) **Caliscelis Laporte, 1833** (Caliscelidae) Synonym(s): *Caliscelis Laporte, 1833; Mejonosoma O. Costa, 1834; Ahomocnemiella Kusnezov, 1929*
- 2359) **Ommatidiotus Spinola, 1839** (Caliscelidae) Synonym(s): *Ommatidiotus Spinola, 1839*
- 2360) **Peltonotellus Puton, 1886** (Caliscelidae) Synonym(s): *Peltonotus Mulsant & Rey, 1855 (praeocc.); Peltonotellus Puton, 1886*
- 2361) **Calliphora R-D., 1830** (Calliphoridae) Synonym(s): *Calliphora R-D., 1830; Acrophaga Brauer & Bergenstamm, 1891; Acronesia Hall, 1948*
- 2362) **Chrysomya R-D., 1830** (Calliphoridae) Synonym(s): *Chrysomya R-D., 1830; Compsomyia Rondani, 1875; Pycnosoma Brauer & Bergenstamm, 1894; Achoetandrus Bezzi, 1927; Pycnosomops Townsend, 1934*
- 2363) **Lucilia R-D., 1830** (Calliphoridae) Synonym(s): *Lucilia R-D., 1830; Phaenicia R-D., 1863; Bufolucilia Townsend, 1914; Francilia Shannon, 1924; Caesariceps Rohdendorf, 1926; Dasylucilia Rohdendorf, 1926; Chaetophaenicia Enderlein, 1936; Acrophagella Ringdahl, 1942*
- 2364) **Pollenia R-D., 1830** (Calliphoridae) Synonym(s): *Pollenia R-D., 1830*
- 2365) **Rhyncomyia R-D., 1830** (Calliphoridae) Synonym(s): *Rhyncomyia R-D., 1830; Metallea Wulp, 1880*
- 2366) **Stomorphina Rondani, 1861** (Calliphoridae) Synonym(s): *Idia Wiedemann, 1820 nec Hbn., 1813 non Lamouroux, 1816; Stomorphina Rondani, 1861*
- 2367) **Calopteryx Leach, 1815** (Calopterygidae) Synonym(s): *Calopteryx Leach, 1815*
- 2368) **Epallage Charpentier, 1840** (Calopterygidae) Synonym(s): *Epallage Charpentier, 1840; Euphaea Selys-Longchamps, 1840; Pseudophaea Kirby, 1890 nec Selys-Longchamps, 1840; #Epallage Brauer, 1902; #Epallaga Demirsoy, 1982; #Epallaga Demirsoy, 1982*
- 2369) **Ancistronycha Markel, 1852** (Cantharidae) Synonym(s): *Ancistronycha Markel, 1852*
- 2370) **Boveycantharis Wittmer, 1969** (Cantharidae) Synonym(s): *Boveycantharis Wittmer, 1969*
- 2371) **Cantharis Linnaeus, 1758** (Cantharidae) Synonym(s): *Cantharis Linnaeus, 1758; Silotrachelus Solsky, 1881*
- 2372) **Cordicantharis Svihla, 1999** (Cantharidae) Synonym(s): *Cordicantharis Svihla, 1999*
- 2373) **Islamocantharis (Unicantharis) Svihla, 1999** (Cantharidae) Synonym(s): *Unicantharis Svihla, 1999*
- 2374) **Islamocantharis (s.str.) Wittmer & Magis, 1978** (Cantharidae) Synonym(s): *Islamocantharis Wittmer & Magis, 1978*
- 2375) **Islamocantharis Wittmer & Magis, 1978** (Cantharidae) Synonym(s): *Islamocantharis Wittmer & Magis, 1978*
- 2376) **Malthinus Latreille, 1790** (Cantharidae) Synonym(s): *Malthinus Latreille, 1790; Apteromalthinus Escalera, 1913*
- 2377) **Malthodes Kiesenwetter, 1852** (Cantharidae) Synonym(s): *Malthodes Kiesenwetter, 1852; Hapaloderus Motschoulsky, 1853; Apodistrus Reitter, 1882; Malthinellus Seidlitz, 1889 nec Kiesenw., 1874; Podistrina Seidlitz, 1889; Malthodellus Bourgeois, 1892; Paramalthodes Weise, 1893; Dalthomes Fiori, 1905; Maltharcus Fiori, 1905; Malthodinus Fiori, 1905; Mesomalthodes Fiori, 1905; Promalthodes Fiori, 1905; Prothalmodes Fiori, 1905*
- 2378) **Metacantharis Bourgeois, 1886** (Cantharidae) Synonym(s): *Metacantharis Bourgeois, 1886*
- 2379) **Occathemus Svihla, 1999** (Cantharidae) Synonym(s): *Occathemus Svihla, 1999*
- 2380) **Pakabsidia Wittmer, 1972** (Cantharidae) Synonym(s): *Pakabsidia Wittmer, 1972*
- 2381) **Rhagonycha Eschscholtz, 1830** (Cantharidae) Synonym(s): *Rhagonycha Eschscholtz, 1830*
- 2382) **Sinometa Wittmer, 1969** (Cantharidae) Synonym(s): *Sinometa Wittmer, 1969*
- 2383) **Capnia Pictet, 1841** (Capniidae) Synonym(s): *Capnia Pictet, 1841; Arsapnia Banks, 1897*
- 2384) **Abax (Abacopercus) Ganglbauer, 1891** (Carabidae) Synonym(s): *Abacopercus Ganglbauer, 1891*

- 2385) Abax Bonelli,1810** (Carabidae) Synonym(s): *Abax Bonelli,1810*
- 2386) Acinopus (s.str.) Dejean,1821** (Carabidae) Synonym(s): *Acinopus Dejean,1821*
- 2387) Agonum Bonelli,1810** (Carabidae) Synonym(s): *Agonum Bonelli,1810*
- 2388) Amara (Amarocelia) Motschoulsky,1862** (Carabidae) Synonym(s): *Amarocelia Motschoulsky,1862*
- 2389) Amara (Amathitis) C.Zimmermann,1832** (Carabidae) Synonym(s): *Amathitis C.Zimmermann,1832*
- 2390) Amara (Bradytus) Stephens,1827** (Carabidae) Synonym(s): *Bradytus Stephens,1827*
- 2391) Amara (Celia) C.Zimmermann,1832** (Carabidae) Synonym(s): *Celia C.Zimmermann,1832*
- 2392) Amara (Curtonotus) Stephens,1827** (Carabidae) Synonym(s): *Curtonotus Stephens,1827*
- 2393) Amara (Xenocelia) Hieke,2001** (Carabidae) Synonym(s): *Xenocelia Hieke,2001*
- 2394) Amara (Zezea) Csiki,1929** (Carabidae) Synonym(s): *Zezea Csiki,1929*
- 2395) Amara (s.str.) Bonelli,1810** (Carabidae) Synonym(s): *Amara Bonelli,1810*
- 2396) Amara Bonelli,1810** (Carabidae) Synonym(s): *Amara Bonelli,1810*
- 2397) Anillidius (s.str.) Jeannel,1928** (Carabidae) Synonym(s): *Anillidius Jeannel,1928*
- 2398) Apotomus (Apotomus) Illiger,1807** (Carabidae) Synonym(s): *Apotomus Illiger,1807*
- 2399) Aptinus Bonelli,1810** (Carabidae) Synonym(s): *Aptinus Bonelli,1810*
- 2400) Asaphidion (Asaphidion) Gozis,1886** (Carabidae) Synonym(s): *Asaphidion Gozis,1886*
- 2401) Atranopsis Baehr,1982** (Carabidae) Synonym(s): *Atranopsis Baehr,1982*
- 2402) Atranus LeConte,1848** (Carabidae) Synonym(s): *Atranus LeConte,1848*
- 2403) Bembidion (Bembidion) Latreille,1802** (Carabidae) Synonym(s): *Bembidion Latreille,1802*
- 2404) Bembidion (Bembidionetolitzkya) Strand,1929** (Carabidae) Synonym(s): *Bembidionetolitzkya Strand,1929*
- 2405) Bembidion (Chlorodius) Motschoulsky,1864** (Carabidae) Synonym(s): *Chlorodius Motschoulsky,1864*
- 2406) Bembidion (Diplocampa) Bedel,1896** (Carabidae) Synonym(s): *Diplocampa Bedel,1896*
- 2407) Bembidion (Emphanes) Motschoulsky,1850** (Carabidae) Synonym(s): *Emphanes Motschoulsky,1850*
- 2408) Bembidion (Euperyphus) Jeannel,1941** (Carabidae) Synonym(s): *Euperyphus Jeannel,1941*
- 2409) Bembidion (Metallina) Motschoulsky,1850** (Carabidae) Synonym(s): *Metallina Motschoulsky,1850*
- 2410) Bembidion (Microserrullula) Netolitzky,1921** (Carabidae) Synonym(s): *Microserrullula Netolitzky,1921*
- 2411) Bembidion (Neja) Motschoulsky,1864** (Carabidae) Synonym(s): *Neja Motschoulsky,1864*
- 2412) Bembidion (Nepha) Motschoulsky,1864** (Carabidae) Synonym(s): *Nepha Motschoulsky,1864*
- 2413) Bembidion (Notaphemphanes) Netolitzky,1920** (Carabidae) Synonym(s): *Notaphemphanes Netolitzky,1920*
- 2414) Bembidion (Notaphocampa) Netolitzky,1914** (Carabidae) Synonym(s): *Notaphocampa Netolitzky,1914*
- 2415) Bembidion (Notaphus) Dejean,1821** (Carabidae) Synonym(s): *Notaphus Dejean,1821*
- 2416) Bembidion (Ocydromus) Clairville,1806** (Carabidae) Synonym(s): *Ocydromus Clairville,1806*
- 2417) Bembidion (Ocyturanus) Müller & Motzfeld,1986** (Carabidae) Synonym(s): *Ocyturanus Müller & Motzfeld,1986*
- 2418) Bembidion (Odontium) LeConte,1848** (Carabidae) Synonym(s): *Odontium LeConte,1848*
- 2419) Bembidion (Omoperyphus) Netolitzky,1931** (Carabidae) Synonym(s): *Omoperyphus Netolitzky,1931*
- 2420) Bembidion (Peryphanes) Jeannel,1941** (Carabidae) Synonym(s): *Peryphanes Jeannel,1941*
- 2421) Bembidion (Peryphiolus) Jeannel,1941** (Carabidae) Synonym(s): *Peryphiolus Jeannel,1941*
- 2422) Bembidion (Peryphus) Dejean,1821** (Carabidae) Synonym(s): *Peryphus Dejean,1821*
- 2423) Bembidion (Philochthus) Stephens,1828** (Carabidae) Synonym(s): *Philochthus Stephens,1828*
- 2424) Bembidion (Phyla) Motschoulsky,1844** (Carabidae) Synonym(s): *Phyla Motschoulsky,1844*
- 2425) Bembidion (Princidium) Motschoulsky,1864** (Carabidae) Synonym(s): *Princidium Motschoulsky,1864*
- 2426) Bembidion (Talanus) Motschoulsky,1864** (Carabidae) Synonym(s): *Talanus Motschoulsky,1864*
- 2427) Bembidion (Testediolum) Ganglbauer,1891** (Carabidae) Synonym(s): *Testediolum Ganglbauer,1891*
- 2428) Bembidion (Testedium) Motschoulsky,1864** (Carabidae) Synonym(s): *Testedium Motschoulsky,1864*
- 2429) Bembidion (Trepanes) Motschoulsky,1864** (Carabidae) Synonym(s): *Trepanes Motschoulsky,1864*
- 2430) Bembidion (s.str.) Latreille,1802** (Carabidae) Synonym(s): *Bembidion Latreille,1802*
- 2431) Brachinus (Aploa) Hope,1833** (Carabidae) Synonym(s): *Aploa Hope,1833*
- 2432) Brachinus (Brachynidius) Reitter,1919** (Carabidae) Synonym(s): *Brachynidius Reitter,1919*
- 2433) Brachinus (Brachynolomus) Reitter,1919** (Carabidae) Synonym(s): *Brachynolomus Reitter,1919*

- 2434) **Brachinus (Cnecostolus) Reitter, 1919** (Carabidae) Synonym(s): *Cnecostolus Reitter, 1919*
- 2435) **Brachinus (s.str.) Weber, 1801** (Carabidae) Synonym(s): *Brachinus Weber, 1801*
- 2436) **Brachinus Weber, 1801** (Carabidae) Synonym(s): *Brachinus Weber, 1801*
- 2437) **Callisthenes (s.str.) Fischer von Waldheim, 1821** (Carabidae) Synonym(s): *Callisthenes Fischer von Waldheim, 1821*
- 2438) **Callisthenes Fischer von Waldheim, 1821** (Carabidae) Synonym(s): *Callisthenes Fischer von Waldheim, 1821*
- 2439) **Callistus Bonelli, 1810** (Carabidae) Synonym(s): *Callistus Bonelli, 1810*
- 2440) **Calosoma Weber, 1801** (Carabidae) Synonym(s): *Calosoma Weber, 1801*
- 2441) **Caminara Motschoulsky, 1865** (Carabidae) Synonym(s): *Caminara Motschoulsky, 1865*
- 2442) **Campalita Motschoulsky, 1865** (Carabidae) Synonym(s): *Campalita Motschoulsky, 1865*
- 2443) **Carabus (Archicarabus) Seidlitz, 1887** (Carabidae) Synonym(s): *Archicarabus Seidlitz, 1887*
- 2444) **Carabus (Cechenochilus) Motschoulsky, 1846** (Carabidae) Synonym(s): *Cechenochilus Motschoulsky, 1846*
- 2445) **Carabus (Heterocarabus) Morawitz, 1886** (Carabidae) Synonym(s): *Heterocarabus Morawitz, 1886*
- 2446) **Carabus (Ischnocarabus) Kraatz, 1877** (Carabidae) Synonym(s): *Ischnocarabus Kraatz, 1877*
- 2447) **Carabus (Lamprostus) Motschoulsky, 1865** (Carabidae) Synonym(s): *Lamprostus Motschoulsky, 1865*
- 2448) **Carabus (Limnocarabus) Géhin, 1876** (Carabidae) Synonym(s): *Limnocarabus Géhin, 1876*
- 2449) **Carabus (Limnocarabus) Géhin, 1876** (Carabidae) Synonym(s): *Limnocarabus Géhin, 1876*
- 2450) **Carabus (Lipaster) Motschoulsky, 1865** (Carabidae) Synonym(s): *Lipaster Motschoulsky, 1865*
- 2451) **Carabus (Mimocarabus) Géhin, 1885** (Carabidae) Synonym(s): *Mimocarabus Géhin, 1885*
- 2452) **Carabus (Morphocarabus) Géhin, 1885** (Carabidae) Synonym(s): *Morphocarabus Géhin, 1885*
- 2453) **Carabus (Oreocarabus) Géhin, 1876** (Carabidae) Synonym(s): *Oreocarabus Géhin, 1876*
- 2454) **Carabus (Oxycarabus) Semenov, 1898** (Carabidae) Synonym(s): *Oxycarabus Semenov, 1898*
- 2455) **Carabus (Pachycarabus) Géhin, 1876** (Carabidae) Synonym(s): *Pachycarabus Géhin, 1876*
- 2456) **Carabus (Pachystus) Motschoulsky, 1865** (Carabidae) Synonym(s): *Pachystus Motschoulsky, 1865*
- 2457) **Carabus (Procerus) Dejean, 1828** (Carabidae) Synonym(s): *Procerus Dejean, 1828*
- 2458) **Carabus (Procrustes) Bonelli, 1809** (Carabidae) Synonym(s): *Procrustes Bonelli, 1809; Procrusticus White, 1845; Macrogenus Motschoulsky, 1846; Sphodristus Motschoulsky, 1865; Chaetomelas Thomson, 1875; Procrustocarabus Géhin, 1876; Creprostus Imura, 2002*
- 2459) **Carabus (Sphodristocarabus) Géhin, 1885** (Carabidae) Synonym(s): *Sphodristocarabus Géhin, 1885*
- 2460) **Carabus (Tachypus) Weber, 1801** (Carabidae) Synonym(s): *Tachypus Weber, 1801*
- 2461) **Carabus (Tomocarabus) Reitter, 1896** (Carabidae) Synonym(s): *Tomocarabus Reitter, 1896*
- 2462) **Carabus (s.str.) Linnaeus, 1758** (Carabidae) Synonym(s): *Carabus Linnaeus, 1758*
- 2463) **Carabus Linnaeus, 1758** (Carabidae) Synonym(s): *Carabus Linnaeus, 1758*
- 2464) **Cephalota (Taenidia) Rivalier, 1950** (Carabidae) Synonym(s): *Taenidia Rivalier, 1950*
- 2465) **Cephalota (s.str.) Dokhturov, 1883** (Carabidae) Synonym(s): *Cephalota Dokhturov, 1883*
- 2466) **Cephalota Dokhturov, 1883** (Carabidae) Synonym(s): *Cephalota Dokhturov, 1883*
- 2467) **Chlaenius (Chlaeniellus) Reitter, 1908** (Carabidae) Synonym(s): *Chlaeniellus Reitter, 1908*
- 2468) **Chlaenius (Chlaenites) Motschoulsky, 1860** (Carabidae) Synonym(s): *Chlaenites Motschoulsky, 1860*
- 2469) **Chlaenius (s.str.) Bonelli, 1810** (Carabidae) Synonym(s): *Chlaenius Bonelli, 1810*
- 2470) **Cicindela Linnaeus, 1758** (Carabidae) Synonym(s): *Cicindela Linnaeus, 1758*
- 2471) **Cylindera (Cicindina) Adam & Merkl, 1986** (Carabidae) Synonym(s): *Eugrapha Rivalier, 1950 nec Hbn., [1825]; Cicindina Adam & Merkl, 1986*
- 2472) **Cylindera (s.str.) Westwood, 1831** (Carabidae) Synonym(s): *Cylindera Westwood, 1831; Cy lindella Jacobson, 1924*
- 2473) **Harpalus (Actephilus) Stephens, 1829** (Carabidae) Synonym(s): *Actephilus Stephens, 1829*
- 2474) **Harpalus (Artabas) Gozis, 1883** (Carabidae) Synonym(s): *Artabas Gozis, 1883*
- 2475) **Harpalus (Harpalophonus) Ganglbauer, 1892** (Carabidae) Synonym(s): *Harpalophonus Ganglbauer, 1892*
- 2476) **Harpalus (s.str.) Latreille, 1802** (Carabidae) Synonym(s): *Harpalus Latreille, 1802; Euxenus Gistel, 1856; Epiharpalus Reitter, 1900; Lasioharpalus Reitter, 1900; Haploharpalus Schauburger, 1926*
- 2477) **Harpalus Latreille, 1802** (Carabidae) Synonym(s): *Harpalus Latreille, 1802; Euxenus Gistel, 1856; Epiharpalus Reitter, 1900; Lasioharpalus Reitter, 1900; Haploharpalus Schauburger, 1926*
- 2478) **Homodela Rivalier, 1950** (Carabidae) Synonym(s): *Homodela Rivalier, 1950*
- 2479) **Laemostenus (Pristonychus) Dejean, 1828** (Carabidae) Synonym(s): *Pristonychus Dejean, 1828; Aechmites Schaufuss, 1865; Pseudopristonychus Schaufuss, 1865; Eutrichomerus Carret, 1907; Neomelicharia Schatzmayr, 1909; Paralaemostenus Jeannel, 1914; Trichotarsus Jedlicka, 1962 nec Canestrini, 1888 non Krtz., 1897*
- 2480) **Laemostenus (s.str.) Bonelli, 1810** (Carabidae) Synonym(s): *Laemostenus Bonelli, 1810*
- 2481) **Laemostenus Bonelli, 1810** (Carabidae) Synonym(s): *Laemostenus Bonelli, 1810*

- 2482) **Leistus (Pogonophorus) Latreille, 1802** (Carabidae) Synonym(s): *Pogonophorus Latreille, 1802*
 2483) **Leistus (s.str.) Frölich, 1799** (Carabidae) Synonym(s): *Leistus Frölich, 1799*
 2484) **Lophyridia Jeannel, 1946** (Carabidae) Synonym(s): *Lophyridia Jeannel, 1946*
 2485) **Megacephala Latreille, 1803** (Carabidae) Synonym(s): *Megacephala Latreille, 1803*
 2486) **Myriochile (Monelica) Rivalier, 1950** (Carabidae) Synonym(s): *Monelica Rivalier, 1950*
 2487) **Myriochile (s.str.) Motschulsky, 1862** (Carabidae) Synonym(s): *Myriochile Motschulsky, 1862*
 2488) **Myriochile Motschulsky, 1862** (Carabidae) Synonym(s): *Myriochile Motschulsky, 1862*
 2489) **Nebria (Eunebria) Jeannel, 1937** (Carabidae) Synonym(s): *Eunebria Jeannel, 1937*
 2490) **Nebria (Eurynebria) Ganglbauer, 1891** (Carabidae) Synonym(s): *Eurynebria Ganglbauer, 1891*
 2491) **Nebria (Nebria) Latreille, 1802** (Carabidae) Synonym(s): *Nebria Latreille, 1802*
 2492) **Nebria (Tyrrhenia) Ledoux & Roux, 2005** (Carabidae) Synonym(s): *Tyrrhenia Ledoux & Roux, 2005*
 2493) **Nebria (s.str.) Latreille, 1802** (Carabidae) Synonym(s): *Nebria Latreille, 1802*
 2494) **Neoblemus (s.str.) Jeannel, 1923** (Carabidae) Synonym(s): *Neoblemus Jeannel, 1923*
 2495) **Notiophilus Dumeril, 1806** (Carabidae) Synonym(s): *Notiophilus Dumeril, 1806*
 2496) **Oodes (s.str.) Bonelli, 1810** (Carabidae) Synonym(s): *Oodes Bonelli, 1810*
 2497) **Ophonus (Hesperophonus) Antoine, 1959** (Carabidae) Synonym(s): *Hesperophonus Antoine, 1959*
 2498) **Ophonus Stephens, 1827** (Carabidae) Synonym(s): *Ophonus Stephens, 1827*
 2499) **Parvocaecus (Parvocaecus) Coiffait, 1956** (Carabidae) Synonym(s): *Parvocaecus Coiffait, 1956*
 2500) **Paussus (Cochliopaussus) H. Kolbe, 1927** (Carabidae) Synonym(s): *Cochliopaussus H. Kolbe, 1927*
 2501) **Paussus Linnaeus, 1775** (Carabidae) Synonym(s): *Paussus Linnaeus, 1775; #Pausus Thunberg, 1781*
 2502) **Perileptus Schaum, 1860** (Carabidae) Synonym(s): *Perileptus Schaum, 1860*
 2503) **Pogonistes (Pogonistes) Chaudoir, 1871** (Carabidae) Synonym(s): *Pogonistes Chaudoir, 1871*
 2504) **Pseudoophonus Motschoulsky, 1844** (Carabidae) Synonym(s): *Pseudoophonus Motschoulsky, 1844*
 2505) **Siagona (Siagona) Latreille, 1804** (Carabidae) Synonym(s): *Siagona Latreille, 1804*
 2506) **Sinechostictus (s.str.) Motschoulsky, 1864** (Carabidae) Synonym(s): *Sinechostictus Motschoulsky, 1864*
 2507) **Synuchus (Synuchus) Gyllenhal, 1810** (Carabidae) Synonym(s): *Synuchus Gyllenhal, 1810*
 2508) **Tachys (Eotachys) Jeannel, 1941** (Carabidae) Synonym(s): *Eotachys Jeannel, 1941*
 2509) **Taphoxenus (Lychnifugus) Motschoulsky, 1865** (Carabidae) Synonym(s): *Lychnifugus Motschoulsky, 1865*
 2510) **Taphoxenus Motschoulsky, 1850** (Carabidae) Synonym(s): *Taphoxenus Motschoulsky, 1850*
 2511) **Trechus (s.str.) Clairville, 1806** (Carabidae) Synonym(s): *Trechus Clairville, 1806*
 2512) **Troglocimmerites (s.str.) Ljovuschkin, 1970** (Carabidae) Synonym(s): *Troglocimmerites Ljovuschkin, 1970*
 2513) **Turkanillus (Turkanillus) Coiffait, 1956** (Carabidae) Synonym(s): *Turkanillus Coiffait, 1956*
 2514) **Xenion Tschitscherine, 1902** (Carabidae) Synonym(s): *Xenion Tschitscherine, 1902*
 2515) **Zabrus (s.str.) Clairville, 1806** (Carabidae) Synonym(s): *Zabrus Clairville, 1806*
 2516) **Zabrus Clairville, 1806** (Carabidae) Synonym(s): *Zabrus Clairville, 1806*
 2517) **Meoneura Rondani, 1846** (Carnidae) Synonym(s): *Meoneura Rondani, 1846*
 2518) **Cebrio Olivier, 1790** (Cebriionidae) Synonym(s): *Cebrio Olivier, 1790*
 2519) **Aphidoletes Kieffer, 1904** (Cecidomyiidae) Synonym(s): *Aphidoletes Kieffer, 1904*
 2520) **Apiomyia Kieffer, 1912** (Cecidomyiidae) Synonym(s): *Apiomyia Kieffer, 1912*
 2521) **Arthrocnodax Rübsaamen, 1895** (Cecidomyiidae) Synonym(s): *Arthrocnodax Rübsaamen, 1895*
 2522) **Asphondylia Loew, 1850** (Cecidomyiidae) Synonym(s): *Asphondylia Loew, 1850*
 2523) **Asynapta Loew, 1850** (Cecidomyiidae) Synonym(s): *Asynapta Loew, 1850; #Asynapta Rondani, 1860*
 2524) **Brachineura Rondani, 1840** (Cecidomyiidae) Synonym(s): *Brachineura Rondani, 1840; Brachyneura Agassiz, 1846*
 2525) **Camptomyia Kieffer, 1894** (Cecidomyiidae) Synonym(s): *Camptomyia Kieffer, 1894*
 2526) **Clinodiplosis Kieffer, 1894** (Cecidomyiidae) Synonym(s): *Clinodiplosis Kieffer, 1894*
 2527) **Contarinia Rondani, 1860** (Cecidomyiidae) Synonym(s): *Contarinia Rondani, 1860*
 2528) **Dasineura Rondani, 1840** (Cecidomyiidae) Synonym(s): *Dasineura Rondani, 1840; Dasyneura Agassiz, 1846*
 2529) **Dicrodiplosis Kieffer, 1895** (Cecidomyiidae) Synonym(s): *Dicrodiplosis Kieffer, 1895*
 2530) **Dryomyia Kieffer, 1898** (Cecidomyiidae) Synonym(s): *Dryomyia Kieffer, 1898*
 2531) **Feltiella Rübsaamen, 1910** (Cecidomyiidae) Synonym(s): *Feltiella Rübsaamen, 1910*
 2532) **Harmandiola Skuhrava, 1997** (Cecidomyiidae) Synonym(s): *Harmandia Kieffer, 1896 nec Rocheb., 1892; Harmandiola Skuhrava, 1997*
 2533) **Hartigiola Rübsaamen, 1912** (Cecidomyiidae) Synonym(s): *Hartigiola Rübsaamen, 1912*
 2534) **Iteomyia Kieffer, 1913** (Cecidomyiidae) Synonym(s): *Iteomyia Kieffer, 1913*
 2535) **Jaapiella Rübsaamen, [1916]** (Cecidomyiidae) Synonym(s): *Jaapiella Rübsaamen, [1916]*
 2536) **Janetia Kieffer, 1896** (Cecidomyiidae) Synonym(s): *Janetia Kieffer, 1896*

- 2537) Janetiella Kieffer, 1898** (Cecidomyiidae) Synonym(s): *Janetiella Kieffer, 1898*
- 2538) Lasioptera Meigen, 1818** (Cecidomyiidae) Synonym(s): *Lasioptera Meigen, 1818*; *Diomyza Meigen, 1818*; *Prolasioptera Kieffer, 1913*; *Thomasiella Rübsaamen, 1915*; *Gastinella Del Guercio, 1918*
- 2539) Leptodiplosis Kieffer, 1894** (Cecidomyiidae) Synonym(s): *Leptodiplosis Kieffer, 1894*; *#Lestodiplosis Kieffer, 1895*
- 2540) Macrodiplosis Kieffer, 1895** (Cecidomyiidae) Synonym(s): *Macrodiplosis Kieffer, 1895*
- 2541) Mayetiola Kieffer, 1896** (Cecidomyiidae) Synonym(s): *Mayetia Kieffer, 1896 (praeocc.)*; *Mayetiola Kieffer, 1896*
- 2542) Mikiola Kieffer, 1896** (Cecidomyiidae) Synonym(s): *Mikiola Kieffer, 1896*
- 2543) Mikomya Kieffer, 1912** (Cecidomyiidae) Synonym(s): *Mikomya Kieffer, 1912*
- 2544) Monarthropalpus Rübsaamen, 1892** (Cecidomyiidae) Synonym(s): *Monarthropalpus Rübsaamen, 1892*
- 2545) Odinadiplosis Mani, 1935** (Cecidomyiidae) Synonym(s): *Odinadiplosis Mani, 1935*
- 2546) Oligotrophus Latreille, 1804** (Cecidomyiidae) Synonym(s): *Oligotrophus Latreille, 1804*
- 2547) Ozirhincus Rondani, 1840** (Cecidomyiidae) Synonym(s): *Ozirhincus Rondani, 1840*; *Clionorhyncha Loew, 1850*; *#Ozirhinchus Kieffer, 1901*
- 2548) Physemocecis Rübsaamen, 1914** (Cecidomyiidae) Synonym(s): *Physemocecis Rübsaamen, 1914*
- 2549) Probruggmanniella Möhn, 1961** (Cecidomyiidae) Synonym(s): *Probruggmanniella Möhn, 1961*
- 2550) Rabdophaga Westwood, 1847** (Cecidomyiidae) Synonym(s): *Rabdophaga Westwood, 1847*; *Dichelomyia Rübsaamen, 1892*; *Bertieria Kieffer, 1896*; *Rabdophaga Kieffer, 1901*; *Helicomylia Rübsaamen, 1916*; *Epouren, a Rapp, 1946*; *Bremiolina Mamaev & Mirumian, 1990*
- 2551) Resseliella Seitner, 1906** (Cecidomyiidae) Synonym(s): *Resseliella Seitner, 1906*
- 2552) Rhopalomyia Rübsaamen, 1892** (Cecidomyiidae) Synonym(s): *Rhopalomyia Rübsaamen, 1892*
- 2553) Taxomyia Rübsaamen, 1912** (Cecidomyiidae) Synonym(s): *Taxomyia Rübsaamen, 1912*
- 2554) Thecodiplosis Kieffer, 1895** (Cecidomyiidae) Synonym(s): *Thecodiplosis Kieffer, 1895*
- 2555) Wachtliella Rübsaamen, 1915** (Cecidomyiidae) Synonym(s): *Wachtliella Rübsaamen, 1915*
- 2556) Zygiobia Kieffer, 1913** (Cecidomyiidae) Synonym(s): *Zygiobia Kieffer, 1913*
- 2557) Calameuta (s.str.) Konow, 1896** (Cephidae) Synonym(s): *Calameuta Konow, 1896*; *Monoplopus Konow, 1896*; *Haplocephus Benson, 1935*
- 2558) Calameuta Konow, 1896** (Cephidae) Synonym(s): *Calameuta Konow, 1896*; *Monoplopus Konow, 1896*; *Haplocephus Benson, 1935*
- 2559) Cephus Latreille, 1802** (Cephidae) Synonym(s): *Cephus Latreille, 1802*
- 2560) Characopygus Konow, 1899** (Cephidae) Synonym(s): *Characopygus Konow, 1899*
- 2561) Hartigia Schiodte, 1839** (Cephidae) Synonym(s): *Hartigia Schiodte, 1839*; *Cerobactrus Costa, 1860*; *Macrocephus Schlechtendal, 1878*; *Cephosoma Gradl, 1881*; *Adirus Konow, 1899*; *Paradirus Dohnar-Zapolski, 1931*; *Hissarocephus Gussakowski, 1935*
- 2562) Janus Stephens, 1829** (Cephidae) Synonym(s): *Janus Stephens, 1829*; *Phylloecus Newman, 1838*; *Ephippionotus Costa, 1860*
- 2563) Pachycephus (Eversmannella) Jakovlev, 1892** (Cephidae) Synonym(s): *Eversmannella Jakovlev, 1892*
- 2564) Pachycephus Stein, 1876** (Cephidae) Synonym(s): *Pachycephus Stein, 1876*
- 2565) Syrista Konow, 1896** (Cephidae) Synonym(s): *Syrista Konow, 1896*
- 2566) Trachelus Jurine, 1807** (Cephidae) Synonym(s): *Trachelus Jurine, 1807*
- 2567) Agapanthia Audinet-Serville, 1835** (Cerambycidae) Synonym(s): *Agapanthia Audinet-Serville, 1835*; *Segmentaria Gistel, 1848*
- 2568) Agapanthiola Ganglbauer, 1900** (Cerambycidae) Synonym(s): *Agapanthiola Ganglbauer, 1900*
- 2569) Alosterna Mulsant, 1863** (Cerambycidae) Synonym(s): *Alosterna Mulsant, 1863*
- 2570) Anaglyptus Mulsant, 1839** (Cerambycidae) Synonym(s): *Anaglyptus Mulsant, 1839*
- 2571) Anastrangalia Casey, 1924** (Cerambycidae) Synonym(s): *Anastrangalia Casey, 1924*
- 2572) Anoplodera Mulsant, 1839** (Cerambycidae) Synonym(s): *Anoplodera Mulsant, 1839*
- 2573) Arhopalus Audinet-Serville, 1834** (Cerambycidae) Synonym(s): *Arhopalus Audinet-Serville, 1834*
- 2574) Aromia Audinet-Serville, 1834** (Cerambycidae) Synonym(s): *Aromia Audinet-Serville, 1834*
- 2575) Asemum Eschscholtz, 1830** (Cerambycidae) Synonym(s): *Asemum Eschscholtz, 1830*
- 2576) Batocera Laporte, 1840** (Cerambycidae) Synonym(s): *Batocera Laporte, 1840*
- 2577) Blepisanis Pascoe, 1867** (Cerambycidae) Synonym(s): *Blepisanis Pascoe, 1867*
- 2578) Calamobius Guérin-Ménéville, 1847** (Cerambycidae) Synonym(s): *Calamobius Guérin-Ménéville, 1847*
- 2579) Calandrea Sama & Rapuzzi, 1999** (Cerambycidae) Synonym(s): *Calandrea Sama & Rapuzzi, 1999*
- 2580) Calchaenesthes Kraatz, 1863** (Cerambycidae) Synonym(s): *Calchaenesthes Kraatz, 1863*
- 2581) Callimoxys Kraatz, 1863** (Cerambycidae) Synonym(s): *Callimoxys Kraatz, 1863*
- 2582) Callimus (Lampropterus) Mulsant, 1863** (Cerambycidae) Synonym(s): *Lampropterus Mulsant, 1863*
- 2583) Callimus (Procallimus) Pic, 1907** (Cerambycidae) Synonym(s): *Procallimus Pic, 1907*

- 2584) Callimus Mulsant,1846** (Cerambycidae) Synonym(s): *Callimus Mulsant,1846; Callimellum Strand,1928*
- 2585) Cardoria Mulsant,1863** (Cerambycidae) Synonym(s): *Cardoria Mulsant,1863*
- 2586) Carinatodorcadion Breuning,1942** (Cerambycidae) Synonym(s): *Carinatodorcadion Breuning,1942*
- 2587) Cerambyx (Microcerambyx) Miksic & Georgijevic,1973** (Cerambycidae) Synonym(s): *Microcerambyx Miksic & Georgijevic,1973*
- 2588) Cerambyx (s.str.) Linnaeus,1758** (Cerambycidae) Synonym(s): *Cerambyx Linnaeus,1758*
- 2589) Cerambyx Linnaeus,1758** (Cerambycidae) Synonym(s): *Cerambyx Linnaeus,1758*
- 2590) Certallum Dejean,1821** (Cerambycidae) Synonym(s): *Certallum Dejean,1821*
- 2591) Chlorophorus Chevrolat,1863** (Cerambycidae) Synonym(s): *Chlorophorus Chevrolat,1863*
- 2592) Clytus Laicharting,1784** (Cerambycidae) Synonym(s): *Clytus Laicharting,1784*
- 2593) Coptosia Fairmaire,[1863]** (Cerambycidae) Synonym(s): *Coptosia Fairmaire,[1863]*
- 2594) Dorcadion (Cribridorcadion) Pic,1901** (Cerambycidae) Synonym(s): *Cribridorcadion Pic,1901*
- 2595) Dorcadion (s.str.) Dalman,1817** (Cerambycidae) Synonym(s): *Dorcadion Dalman,1817*
- 2596) Dorcadion Dalman,1817** (Cerambycidae) Synonym(s): *Dorcadion Dalman,1817*
- 2597) Drymochares Mulsant,1847** (Cerambycidae) Synonym(s): *Drymochares Mulsant,1847*
- 2598) Etorofus Matsushita,1933** (Cerambycidae) Synonym(s): *Etorofus Matsushita,1933*
- 2599) Fallacia Mulsant & Rey,1863** (Cerambycidae) Synonym(s): *Fallacia Mulsant & Rey,1863*
- 2600) Helladia Fairmaire,[1863]** (Cerambycidae) Synonym(s): *Helladia Fairmaire,[1863]*
- 2601) Herophila Mulsant,1863** (Cerambycidae) Synonym(s): *Herophila Mulsant,1863; Dorcatypus Thomson,1864*
- 2602) Hybometopia Ganglbauer,1889** (Cerambycidae) Synonym(s): *Hybometopia Ganglbauer,1889*
- 2603) Icosium Lucas,1854** (Cerambycidae) Synonym(s): *Icosium Lucas,1854*
- 2604) Isotomus Mulsant,1863** (Cerambycidae) Synonym(s): *Isotomus Mulsant,1863*
- 2605) Lamia Fabricius,1775** (Cerambycidae) Synonym(s): *Lamia Fabricius,1775*
- 2606) Leptura Linnaeus,1758** (Cerambycidae) Synonym(s): *Leptura Linnaeus,1758*
- 2607) Micromallosia Pic,1900** (Cerambycidae) Synonym(s): *Micromallosia Pic,1900*
- 2608) Morimus Brullé,1832** (Cerambycidae) Synonym(s): *Morimus Brullé,1832*
- 2609) Musaria Thomson,1864** (Cerambycidae) Synonym(s): *Musaria Thomson,1864*
- 2610) Neodorcadion Ganglbauer,1884** (Cerambycidae) Synonym(s): *Neodorcadion Ganglbauer,1884*
- 2611) Neomusaria Plavilshchikov,1928** (Cerambycidae) Synonym(s): *Neomusaria Plavilshchikov,1928*
- 2612) Neoplacionotus Kasatkin,2005** (Cerambycidae) Synonym(s): *Neoplacionotus Kasatkin,2005*
- 2613) Nothorhina Redtenbacher,1845** (Cerambycidae) Synonym(s): *Nothorhina Redtenbacher,1845*
- 2614) Oberea Mulsant,1839** (Cerambycidae) Synonym(s): *Oberea Mulsant,1839*
- 2615) Opsilia Mulsant,1863** (Cerambycidae) Synonym(s): *Opsilia Mulsant,1863*
- 2616) Osphranteria Redtenbacher,[1849]** (Cerambycidae) Synonym(s): *Osphranteria Redtenbacher,[1849]*
- 2617) Oxylia Mulsant,1863** (Cerambycidae) Synonym(s): *Oxylia Mulsant,1863*
- 2618) Pachytodes Pic,1891** (Cerambycidae) Synonym(s): *Pachytodes Pic,1891*
- 2619) Paraclytus Bates,1884** (Cerambycidae) Synonym(s): *Paraclytus Bates,1884*
- 2620) Paracorymbia Miroshnikov,1998** (Cerambycidae) Synonym(s): *Paracorymbia Miroshnikov,1998*
- 2621) Paraplagionotus Kasatkin,2005** (Cerambycidae) Synonym(s): *Paraplagionotus Kasatkin,2005*
- 2622) Pedestredorcadion Breuning,1942** (Cerambycidae) Synonym(s): *Pedestredorcadion Breuning,1942*
- 2623) Pedomangalia Sokolov,1896** (Cerambycidae) Synonym(s): *Pedomangalia Sokolov,1896*
- 2624) Phytoecia (Blepisanis) Pascoe,1867** (Cerambycidae) Synonym(s): *Blepisanis Pascoe,1867*
- 2625) Phytoecia (Metallidia) Kasatkin,2011** (Cerambycidae) Synonym(s): *Metallidia Kasatkin,2011*
- 2626) Phytoecia (Pilemia) Fairmaire,1863** (Cerambycidae) Synonym(s): *Pilemia Fairmaire,1863*
- 2627) Phytoecia (s.str.) Dejean,1835** (Cerambycidae) Synonym(s): *Phytoecia Dejean,1835*
- 2628) Phytoecia Dejean,1835** (Cerambycidae) Synonym(s): *Phytoecia Dejean,1835*
- 2629) Plagionotus Mulsant,1842** (Cerambycidae) Synonym(s): *Platynotus Mulsant,1839 (praeocc.); Plagionotus Mulsant,1842*
- 2630) Pseudosphegistes Reitter,1912** (Cerambycidae) Synonym(s): *Pseudosphegistes Reitter,1912*
- 2631) Pseudovadonia Lobanov, Danilevsky & Murzin,1981** (Cerambycidae) Synonym(s): *Pseudovadonia Lobanov, Danilevsky & Murzin,1981*
- 2632) Purpuricenus Fischer von Waldheim,1824** (Cerambycidae) Synonym(s): *Purpuricenus Fischer von Waldheim,1824*
- 2633) Rutpela Nakane & Ohbayashi,1957** (Cerambycidae) Synonym(s): *Rutpela Nakane & Ohbayashi,1957*
- 2634) Saperda Fabricius,1775** (Cerambycidae) Synonym(s): *Saperda Fabricius,1775*
- 2635) Semnosia K.Daniel,1904** (Cerambycidae) Synonym(s): *Semnosia K.Daniel,1904*
- 2636) Spondylis Fabricius,1775** (Cerambycidae) Synonym(s): *Spondylis Fabricius,1775*

- 2637) *Stenopterus Illiger,1804*** (Cerambycidae) Synonym(s): *Stenopterus Illiger,1804*; *Steropterus Agassiz,1846*
- 2638) *Stenurella Villers,1974*** (Cerambycidae) Synonym(s): *Stenurella Villers,1974*
- 2639) *Stictoleptura Casey,1924*** (Cerambycidae) Synonym(s): *Stictoleptura Casey,1924*
- 2640) *Strangalia Audinet-Serville,1835*** (Cerambycidae) Synonym(s): *Strangalia Audinet-Serville,1835*
- 2641) *Tetrops Kirby,1826*** (Cerambycidae) Synonym(s): *Tetrops Kirby,1826*; *Tetraopes Kirby,1826*
- 2642) *Theophilea Pic,1895*** (Cerambycidae) Synonym(s): *Theophilea Pic,1895*
- 2643) *Trichoferus Wollaston,1854*** (Cerambycidae) Synonym(s): *Trichoferus Wollaston,1854*
- 2644) *Turanoclytus Sama,1994*** (Cerambycidae) Synonym(s): *Turanoclytus Sama,1994*
- 2645) *Vadonia Mulsant,1863*** (Cerambycidae) Synonym(s): *Vadonia Mulsant,1863*
- 2646) *Xylotrechus Chevrolat,1860*** (Cerambycidae) Synonym(s): *Xylotrechus Chevrolat,1860*
- 2647) *Atrichopogon Kieffer,1906*** (Ceratopogonidae) Synonym(s): *Atrichopogon Kieffer,1906*; *Kempia Kieffer,1913 nec Matthews,1912*; *Gymnohelea Kieffer,1921*; *Dolichohelea Edwards,1929*; *Impensukempia Yu,2001*
- 2648) *Ceratopogon Meigen,1803*** (Ceratopogonidae) Synonym(s): *#Helea Meigen,1800*; *Ceratopogon Meigen,1803*; *Cerapogon Rafinesque,1815*; *Psilohelea Kieffer,1915*; *Anakempia Kieffer,1924*; *Diplohelea Kieffer,1925*
- 2649) *Culicoides Latreille,1809*** (Ceratopogonidae) Synonym(s): *Culicoides Latreille,1809*; *Padrosia Rafinesque,1815*; *Oecacta Poey,1853*; *Psychophaena Philippi,1865*; *Haematomydium Goeldi,1905*; *Cotocripus Brèthes,1912*; *Oxyhelea Kieffer,1921*; *Diplosella Kieffer,1921*; *Haemophoructus Macfie,1925*; *Prosapelma Kieffer,1925*; *Synhelea Kieffer,1925*; *Hoffmania Fox,1948*; *Beltranmyia Vargas,1953*; *Selfia Khalaf,1954*; *Monoculicoides Khalaf,1954*; *Avaritia Fox,1955*; *Trithecoides Wirth & Hubert,1959*; *Anilomyia Vargas,1960*; *Drymodesmyia Vargas,1960*; *Diphaomyia Vargas,1960*; *Glaphiromyia Vargas,1960*; *Meijerehelea With & Hubert,1961*; *Pontoculicoides Remm,1968*; *Callotia Vargas & Kremer,1972*; *Wirthomyia Vargas,1973*; *Sensiculicoides Shevchenko,1977*; *Remmia Glukhova,1977*; *Silvaticulicoides Glukhova,1977*; *Neoculicoides Boorman & Lane,1979*; *Nullicella Lee,1982*; *Sinocoides Chu,1983*; *Jilinocoides Chu,1983*; *Stigmoculicoides Isaev,1988*; *Amosovia Glukhova,1989*; *Silvicola Mirzaeva & Isaev,1990*; *Tokunagahelea Dyce & Meiswinkel,1995*; *Fastus Lee,2005*
- 2650) *Dasyhelea Kieffer,1911*** (Ceratopogonidae) Synonym(s): *Dasyhelea Kieffer,1911*; *Prokempia Kieffer,1913*; *Pseudoculicoides Malloch,1915*; *Tetrahelea Kieffer,1925*; *Dicryptoscena Enderlein,1936*; *Sebossia Remm,1979*; *Borkentimyia Yu et al.,2006*
- 2651) *Forcipomyia (s.str.) Meigen,1818*** (Ceratopogonidae) Synonym(s): *Forcipomyia Meigen,1818*; *Labidomyia Stephens,1829*; *Tetrastoma Philippi,1865*; *Prohelea Kieffer,1911*
- 2652) *Forcipomyia Meigen,1818*** (Ceratopogonidae) Synonym(s): *Forcipomyia Meigen,1818*; *Labidomyia Stephens,1829*; *Tetrastoma Philippi,1865*; *Prohelea Kieffer,1911*
- 2653) *Sphaeromias Curtis,1829*** (Ceratopogonidae) Synonym(s): *#Sphaeromias Stephens,1829*; *Sphaeromias Curtis,1829*; *Xylocrypta Kieffer,1899*
- 2654) *Aphrophora Germar,1821*** (Cercopidae) Synonym(s): *Aphrophora Germar,1821*; *Omalophora Matsumura,1942*; *Trigophora Matsumura,1942*; *Europhora Matsumura,1942*; *Obiphora Matsumura,1942*; *Tilophora Matsumura,1942*; *Atuphora Matsumura,1942*
- 2655) *Cercopis Fabricius,1775*** (Cercopidae) Synonym(s): *Cercopis Fabricius,1775*; *Triecphora Amyot & Serville,1843*
- 2656) *Haematoloma Haupt,1919*** (Cercopidae) Synonym(s): *Haematoloma Haupt,1919*
- 2657) *Lepyronia Amyot & Audinet-Serville,1843*** (Cercopidae) Synonym(s): *Lepyronia Amyot & Audinet-Serville,1843*; *Euclovia Matsumura,1903*
- 2658) *Mesoptyelus Matsumura,1904*** (Cercopidae) Synonym(s): *Mesoptyelus Matsumura,1904*; *Lepyroniella Melcihar,1913*
- 2659) *Neophilaenus Haupt,1935*** (Cercopidae) Synonym(s): *Neophilaenus Haupt,1935*; *Neophilaenulus Emeljanov,1964*
- 2660) *Paraphilaenus Vilbaste,1962*** (Cercopidae) Synonym(s): *Paraphilaenus Vilbaste,1962*
- 2661) *Philaenus Stal,1864*** (Cercopidae) Synonym(s): *Philaenus Stal,1864*
- 2662) *Triecphorella Nast,1933*** (Cercopidae) Synonym(s): *Triecphorella Nast,1933*
- 2663) *Cerococcus Comstock,1882*** (Cerococcidae) Synonym(s): *Cerococcus Comstock,1882*
- 2664) *Anachalcis Steffan,1951*** (Chalcididae) Synonym(s): *Anachalcis Steffan,1951*
- 2665) *Aphasganophora Nikolskaya,1952*** (Chalcididae) Synonym(s): *Aphasganophora Nikolskaya,1952*
- 2666) *Belaspidia Masi,1916*** (Chalcididae) Synonym(s): *Belaspidia Masi,1916*
- 2667) *Brachymeria Westwood,1829*** (Chalcididae) Synonym(s): *Brachymeria Westwood,1829*; *Thaumtelia Kirby,1883*; *#Brodymeria Ashmead,1904*; *Oncochalcis Cameron,1904*; *Holochalcis Kieffer,1905*; *Ceyxia Girault,1911*; *Tumidicoxa Girault,1911*; *Thaumteliana Girault,1912*; *Pseudepitelia Girault,1913*; *Tumidicoxella Girault,1913*; *Tumidicoxoides Girault,1913*; *Dirrhinomorpha Girault & Dodd,1915*; *Mirochalcis Girault,1915*; *Meyeriella Krausse,1917*; *Neobrachymeria Masi,1929*; *Australochalcis Girault,1939*; *Gahanula Burks,1960*; *Matsumurameria Habu,1960*
- 2668) *Dirhinus Dalman,1818*** (Chalcididae) Synonym(s): *Dirhinus Dalman,1818*; *Eniaca Kirby,1883*; *Hontalia Cameron,1884*; *Chontalia Schultz,1906*; *Dirrhinoidea Girault,1912*; *Parenia Girault,1913*; *Eniacella Girault,1913*; *Eniacomorpha Girault,1915*; *Dirhinoidea Masi,1947*
- 2669) *Euchalcis Dufour,1861*** (Chalcididae) Synonym(s): *Euchalcis Dufour,1861*
- 2670) *Haltichella Spinola,1811*** (Chalcididae) Synonym(s): *Haltichella Spinola,1811*

- 2671) Hockeria Walker, 1834** (Chalcididae) Synonym(s): *Hockeria* Walker, 1834; *Stomatoceras* Kirby, 1883; *Temnata* Cameron, 1897; *Centrochalcis* Cameron, 1905; *Hypochalcis* Girault, 1915; *Hockerella* Girault, 1930; *Afrchalcis* Schmitz, 1946; *Afrhockeria* Steffan, 1955; *Nipponohockeria* Habu, 1960
- 2672) Kriechbaumerella Dalla Torre, 1897** (Chalcididae) Synonym(s): *Kriechbaumerella* Dalla Torre, 1897
- 2673) Lasiochalcidia Masi, 1929** (Chalcididae) Synonym(s): *Lasiochalcidia* Masi, 1929
- 2674) Neochalcis Kirby, 1883** (Chalcididae) Synonym(s): *Neochalcis* Kirby, 1883
- 2675) Proconura Dodd, 1915** (Chalcididae) Synonym(s): *Proconura* Dodd, 1915
- 2676) Psilochalcis Kieffer, 1905** (Chalcididae) Synonym(s): *Psilochalcis* Kieffer, 1905
- 2677) Leucopis Meigen, 1830** (Chamaemyiidae) Synonym(s): *Leucopis* Meigen, 1830
- 2678) Parochthiphila Czerny, 1904** (Chamaemyiidae) Synonym(s): *Parochthiphila* Czerny, 1904
- 2679) Abiskomyia Edwards, 1937** (Chironomidae) Synonym(s): *Abiskomyia* Edwards, 1937
- 2680) Ablabesmyia Johannsen, 1905** (Chironomidae) Synonym(s): *Ablabesmyia* Johannsen, 1905
- 2681) Acalcarella Shil., 1955** (Chironomidae) Synonym(s): *Acalcarella* Shil., 1955
- 2682) Acricotopus K., 1921** (Chironomidae) Synonym(s): *Acricotopus* K., 1921
- 2683) Apsectrotanypus Fittkau, 1962** (Chironomidae) Synonym(s): *Apsectrotanypus* Fittkau, 1962
- 2684) Beckidia Saether, 1979** (Chironomidae) Synonym(s): *Beckiella* Saether, 1977 (praeocc.); *Beckidia* Saether, 1979
- 2685) Brillia Kieffer, 1913** (Chironomidae) Synonym(s): *Brillia* Kieffer, 1913
- 2686) Bryophaenocladus Thienemann, 1944** (Chironomidae) Synonym(s): *Bryophaenocladus* Thienemann, 1944
- 2687) Cardiocladus Kieffer, 1912** (Chironomidae) Synonym(s): *Cardiocladus* Kieffer, 1912
- 2688) Chironomus Meigen, 1803** (Chironomidae) Synonym(s): *Chironomus* Meigen, 1803
- 2689) Cladotanytarsus Kieffer, 1922** (Chironomidae) Synonym(s): *Cladotanytarsus* Kieffer, 1922
- 2690) Clinotanypus Kieffer, 1913** (Chironomidae) Synonym(s): *Clinotanypus* Kieffer, 1913
- 2691) Corynoneura Winnertz, 1846** (Chironomidae) Synonym(s): *Corynoneura* Winnertz, 1846; *Corinoneura* Bigot, 1854
- 2692) Cricotopus Wulp, 1874** (Chironomidae) Synonym(s): *Cricotopus* Wulp, 1874
- 2693) Cryptochironomus Kieffer, 1918** (Chironomidae) Synonym(s): *Cryptochironomus* Kieffer, 1918
- 2694) Cryptocladopelma Lenz, 1954** (Chironomidae) Synonym(s): *Cryptocladopelma* Lenz, 1954
- 2695) Cryptotendipes Lenz, 1941** (Chironomidae) Synonym(s): *Cryptotendipes* Lenz, 1941
- 2696) Diamesa Wärtl, 1837** (Chironomidae) Synonym(s): *Diamesa* Wärtl, 1837
- 2697) Dicrotendipes Kieffer, 1913** (Chironomidae) Synonym(s): *Dicrotendipes* Kieffer, 1913
- 2698) Diplocadius Kieffer, 1908** (Chironomidae) Synonym(s): *Diplocadius* Kieffer, 1908
- 2699) Einfeldia Kieffer, 1924** (Chironomidae) Synonym(s): *Einfeldia* Kieffer, 1924
- 2700) Endochironomus Kieffer, 1918** (Chironomidae) Synonym(s): *Endochironomus* Kieffer, 1918
- 2701) Eukiefferiella Thienemann, 1926** (Chironomidae) Synonym(s): *Eukiefferiella* Thienemann, 1926
- 2702) Fleuria Kieffer, 1924** (Chironomidae) Synonym(s): *Fleuria* Kieffer, 1924
- 2703) Gillotia Kieffer, 1921** (Chironomidae) Synonym(s): *Gillotia* Kieffer, 1921
- 2704) Halocladus Hirvenoja, 1973** (Chironomidae) Synonym(s): *Halocladus* Hirvenoja, 1973
- 2705) Harnischia Kieffer, 1921** (Chironomidae) Synonym(s): *Harnischia* Kieffer, 1921
- 2706) Krenopelopia Fittkau, 1962** (Chironomidae) Synonym(s): *Krenopelopia* Fittkau, 1962
- 2707) Lapposmittia Tn., 1939** (Chironomidae) Synonym(s): *Lapposmittia* Tn., 1939
- 2708) Larsia Fittkau, 1962** (Chironomidae) Synonym(s): *Larsia* Fittkau, 1962
- 2709) Limnophyes Eat., 1875** (Chironomidae) Synonym(s): *Limnophyes* Eat., 1875
- 2710) Lobosmittia Saether & Andersen, 1993** (Chironomidae) Synonym(s): *Lobosmittia* Saether & Andersen, 1993
- 2711) Lobosmittia Saether & Andersen, 1993** (Chironomidae) Synonym(s): *Lobosmittia* Saether & Andersen, 1993
- 2712) Metriocnemus Wulp, 1874** (Chironomidae) Synonym(s): *Metriocnemus* Wulp, 1874
- 2713) Microcricotopus Thienemann & Harn., 1933** (Chironomidae) Synonym(s): *Microcricotopus* Thienemann & Harn., 1933
- 2714) Micropsectra Kieffer, 1909** (Chironomidae) Synonym(s): *Micropsectra* Kieffer, 1909
- 2715) Microtendipes Kieffer, 1915** (Chironomidae) Synonym(s): *Microtendipes* Kieffer, 1915
- 2716) Monopelopia Fittkau, 1962** (Chironomidae) Synonym(s): *Monopelopia* Fittkau, 1962
- 2717) Odontomesa Pagast, 1947** (Chironomidae) Synonym(s): *Odontomesa* Pagast, 1947
- 2718) Orthocladus Wulp, 1874** (Chironomidae) Synonym(s): *Orthocladus* Wulp, 1874
- 2719) Parachironomus Lenz, 1921** (Chironomidae) Synonym(s): *Parachironomus* Lenz, 1921
- 2720) Paracladius Hirv., 1973** (Chironomidae) Synonym(s): *Paracladius* Hirv., 1973
- 2721) Paracladopelma Harnisch, 1923** (Chironomidae) Synonym(s): *Paracladopelma* Harnisch, 1923
- 2722) Parakiefferiella Thienemann, 1936** (Chironomidae) Synonym(s): *Parakiefferiella* Thienemann, 1936
- 2723) Paralauterboniella Lenz, 1941** (Chironomidae) Synonym(s): *Paralauterboniella* Lenz, 1941

- 2724) **Paramerina Fittkau, 1962** (Chironomidae) Synonym(s): *Paramerina Fittkau, 1962*
- 2725) **Parametriocnemus Goetghebuer, 1932** (Chironomidae) Synonym(s): *Parametriocnemus Goetghebuer, 1932*
- 2726) **Paratanytarsus Bause, 1913** (Chironomidae) Synonym(s): *Paratanytarsus Bause, 1913*
- 2727) **Paratendipes Kieffer, 1911** (Chironomidae) Synonym(s): *Paratendipes Kieffer, 1911*
- 2728) **Paratrachocladus Thienemann, 1942** (Chironomidae) Synonym(s): *Paratrachocladus Thienemann, 1942*
- 2729) **Polypedilum Kieffer, 1913** (Chironomidae) Synonym(s): *Polypedilum Kieffer, 1913*
- 2730) **Potthastia Kieffer, 1922** (Chironomidae) Synonym(s): *Potthastia Kieffer, 1922*
- 2731) **Procladius Skuze, 1889** (Chironomidae) Synonym(s): *Procladius Skuze, 1889*
- 2732) **Prodiamesa Kieffer, 1911** (Chironomidae) Synonym(s): *Prodiamesa Kieffer, 1911*
- 2733) **Psectrocladius Kieffer, 1906** (Chironomidae) Synonym(s): *Psectrocladius Kieffer, 1906*
- 2734) **Psectrotanypus Kieffer, 1909** (Chironomidae) Synonym(s): *Psectrotanypus Kieffer, 1909*
- 2735) **Pseudodiamesa Goetghebuer, 1939** (Chironomidae) Synonym(s): *Pseudodiamesa Goetghebuer, 1939*
- 2736) **Pseudosmittia Goetghebuer, 1932** (Chironomidae) Synonym(s): *Pseudosmittia Goetghebuer, 1932*
- 2737) **Psilodiamesa Kieffer, 1918** (Chironomidae) Synonym(s): *Psilodiamesa Kieffer, 1918*
- 2738) **Rheocricotopus Thienemann & Harn., 1933** (Chironomidae) Synonym(s): *Rheocricotopus Thienemann & Harn., 1933; #Rheocricotopus Şahin, 1984*
- 2739) **Rheotanytarsus Bause, 1913** (Chironomidae) Synonym(s): *Rheotanytarsus Bause, 1913*
- 2740) **Robackia Saether, 1977** (Chironomidae) Synonym(s): *Robackia Saether, 1977*
- 2741) **Stempellina Bause, 1913** (Chironomidae) Synonym(s): *Stempellina Bause, 1913*
- 2742) **Stictochironomus Kieffer, 1919** (Chironomidae) Synonym(s): *Stictochironomus Kieffer, 1919*
- 2743) **Syndiamesa Kieffer, 1925** (Chironomidae) Synonym(s): *Syndiamesa Kieffer, 1925*
- 2744) **Tanypus Meigen, 1803** (Chironomidae) Synonym(s): *Tanypus Meigen, 1803*
- 2745) **Tanytarsus Wulp, 1874** (Chironomidae) Synonym(s): *Tanytarsus Wulp, 1874*
- 2746) **Thienemanniella Kieffer, 1911** (Chironomidae) Synonym(s): *Thienemanniella Kieffer, 1911*
- 2747) **Thienemannimyia Fittkau, 1957** (Chironomidae) Synonym(s): *Thienemannimyia Fittkau, 1957*
- 2748) **Trissopelopia Kieffer, 1923** (Chironomidae) Synonym(s): *Trissopelopia Kieffer, 1923*
- 2749) **Zalutschia Lipina, 1939** (Chironomidae) Synonym(s): *Zalutschia Lipina, 1939*
- 2750) **Zavrelia Kieffer, Thienemann & Bause, 1913** (Chironomidae) Synonym(s): *Zavrelia Kieffer, Thienemann & Bause, 1913*
- 2751) **Zavrelimyia Fittkau, 1962** (Chironomidae) Synonym(s): *Zavrelimyia Fittkau, 1962*
- 2752) **Chloroperla Newman, 1836** (Chloroperlidae) Synonym(s): *Chloroperla Newman, 1836; Dodecatoma Dutour, 1836; Isopteryx Pictet, 1841; Leptomerces Rambur, 1842*
- 2753) **Pontoperla Zwick, 1967** (Chloroperlidae) Synonym(s): *Pontoperla Zwick, 1967*
- 2754) **Siphonoperla Zwick, 1967** (Chloroperlidae) Synonym(s): *Siphonoperla Zwick, 1967*
- 2755) **Anacamptoneurum Becker, 1903** (Chloropidae) Synonym(s): *Anacamptoneurum Becker, 1903*
- 2756) **Aphanotrigonum Duda, 1932** (Chloropidae) Synonym(s): *Aphanotrigonum Duda, 1932*
- 2757) **Chlorops Meigen, 1803** (Chloropidae) Synonym(s): *Chlorops Meigen, 1803; Oscinis Latreille, 1804; Anthracophaga Loew, 1866*
- 2758) **Elachiptera Macquart, 1835** (Chloropidae) Synonym(s): *Elachiptera Macquart, 1835; Crassiseta Von Roser, 1840; Macrochetum Rondani, 1856; Neolachiptera Séguin, 1938*
- 2759) **Lasiambia Enderlein, 1936** (Chloropidae) Synonym(s): *Lasiambia Enderlein, 1936*
- 2760) **Lasiosina Becker, 1910** (Chloropidae) Synonym(s): *Lasiosina Becker, 1910; Euchlorops Malloch, 1913*
- 2761) **Oscinella (Cyclocerculla) Beschovsky, 1978** (Chloropidae) Synonym(s): *Cyclocerculla Beschovsky, 1978; #Cyclocerculla Dawah & Abdullah, 2006*
- 2762) **Oscinella Becker, 1909** (Chloropidae) Synonym(s): *Oscinella Becker, 1909*
- 2763) **Polyodaspis Duda, 1933** (Chloropidae) Synonym(s): *Macrothorax Liou, 1864 nec Desm., 1852; Polyodaspis Duda, 1933*
- 2764) **Scoliophthalmus Becker, 1903** (Chloropidae) Synonym(s): *Scoliophthalmus Becker, 1903*
- 2765) **Thaumatomyia Zenker, 1833** (Chloropidae) Synonym(s): *Thaumatomyia Zenker, 1833; Chloropisca Loew, 1866*
- 2766) **Chrysidea Bischoff, 1913** (Chrysidae) Synonym(s): *Chrysidea Bischoff, 1913*
- 2767) **Chrysis Linnaeus, 1761** (Chrysidae) Synonym(s): *Chrysis Linnaeus, 1761*
- 2768) **Chrysura Dahlbom, 1845** (Chrysidae) Synonym(s): *Chrysura Dahlbom, 1845*
- 2769) **Chrysura Dahlbom, 1845** (Chrysidae) Synonym(s): *Chrysura Dahlbom, 1845*
- 2770) **Cleptes Latreille, 1802** (Chrysidae) Synonym(s): *Cleptes Latreille, 1802*
- 2771) **Elampus Spinola, 1806** (Chrysidae) Synonym(s): *Elampus Spinola, 1806; Notozus Förster, 1853*
- 2772) **Euchroeus Latreille, 1809** (Chrysidae) Synonym(s): *Euchroeus Latreille, 1809*
- 2773) **Hedychridium Abeille, 1878** (Chrysidae) Synonym(s): *Hedychridium Abeille, 1878*
- 2774) **Hedychrum Latreille, 1802** (Chrysidae) Synonym(s): *Hedychrum Latreille, 1802*
- 2775) **Holopyga Dahlbom, 1845** (Chrysidae) Synonym(s): *Holopyga Dahlbom, 1845*
- 2776) **Omalus Panzer, 1801** (Chrysidae) Synonym(s): *Omalus Panzer, 1801*

- 2777) **Parnopes Latreille,1796** (Chrysididae) Synonym(s): *Parnopes Latreille,1796*
 2778) **Pentachrysis Lichtenstein,1876** (Chrysididae) Synonym(s): *Pentachrysis Lichtenstein,1876*
 2779) **Philoctetes Abeille,1879** (Chrysididae) Synonym(s): *Philoctetes Abeille,1879*
 2780) **Pseudomalus Ashmead,1902** (Chrysididae) Synonym(s): *Pseudomalus Ashmead,1902*
 2781) **Pseudospinolia Linsenmaier,1951** (Chrysididae) Synonym(s): *Pseudospinolia Linsenmaier,1951*
 2782) **Spinolia Dahlbom,1854** (Chrysididae) Synonym(s): *Spinolia Dahlbom,1854*
 2783) **Spintharia Semenov,1892** (Chrysididae) Synonym(s): *Spintharia Semenov,1892*
 2784) **Stilbum Spinola,1806** (Chrysididae) Synonym(s): *Stilbum Spinola,1806*
 2785) **Trichrysis Dahlbom,1854** (Chrysididae) Synonym(s): *Trichrysis Dahlbom,1854*
 2786) **Altica Fabricius,1775** (Chrysomelidae) Synonym(s): *Altica Fabricius,1775*
 2787) **Anthobiodes Weise,1887** (Chrysomelidae) Synonym(s): *Anthobiodes Weise,1887*
 2788) **Aphthona Chevrolat,1825** (Chrysomelidae) Synonym(s): *Aphthona Chevrolat,1825*
 2789) **Batophila Foudras,1860** (Chrysomelidae) Synonym(s): *Batophila Foudras,1860*
 2790) **Cassida Linnaeus,1758** (Chrysomelidae) Synonym(s): *Cassida Linnaeus,1758*
 2791) **Chaetocnema Stephens,1831** (Chrysomelidae) Synonym(s): *Chaetocnema Stephens,1831*
 2792) **Cheilotoma Chevrolat,1837** (Chrysomelidae) Synonym(s): *Cheilotoma Chevrolat,1837*
 2793) **Chrysolina Moutschulsky,1860** (Chrysomelidae) Synonym(s): *Chrysolina Moutschulsky,1860*
 2794) **Chrysomela Linnaeus,1758** (Chrysomelidae) Synonym(s): *Chrysomela Linnaeus,1758; Elia Gisl,1848*
 2795) **Clytra Laicharting,1781** (Chrysomelidae) Synonym(s): *Clytra Laicharting,1781*
 2796) **Colaphus Chevrolat,[1844]** (Chrysomelidae) Synonym(s): *Colaphus Chevrolat,[1844]*
 2797) **Coptocephala Chevrolat,1837** (Chrysomelidae) Synonym(s): *#Coptocephala Dejean,1835; Coptocephala Chevrolat,1837*
 2798) **Crepidodera Faldermann,1837** (Chrysomelidae) Synonym(s): *Crepidodera Faldermann,1837*
 2799) **Crioceris Geoffroy,1762** (Chrysomelidae) Synonym(s): *Crioceris Geoffroy,1762*
 2800) **Cryptocephalus Geoffroy,1762** (Chrysomelidae) Synonym(s): *Cryptocephalus Geoffroy,1762*
 2801) **Cyrtonastes Fairmaire,1874** (Chrysomelidae) Synonym(s): *Cyrtonastes Fairmaire,1874*
 2802) **Derocrepis Weise,1886** (Chrysomelidae) Synonym(s): *Derocrepis Weise,1886*
 2803) **Dibolia Latreille,1829** (Chrysomelidae) Synonym(s): *Dibolia Latreille,1829*
 2804) **Diorhabda Weise,1893** (Chrysomelidae) Synonym(s): *Diorhabda Weise,1893*
 2805) **Entomoscelis Chevrolat,1837** (Chrysomelidae) Synonym(s): *Entomoscelis Chevrolat,1837*
 2806) **Epitrix Foudras,1860** (Chrysomelidae) Synonym(s): *Epitrix Foudras,1860*
 2807) **Gastrophysa Chevrolat,1837** (Chrysomelidae) Synonym(s): *Gastrophysa Chevrolat,1837*
 2808) **Gonioctena Chevrolat,1837** (Chrysomelidae) Synonym(s): *Gonioctena Chevrolat,1837*
 2809) **Hermaeophaga Foudras,1860** (Chrysomelidae) Synonym(s): *Hermaeophaga Foudras,1860*
 2810) **Hippuriphila Foudras,1860** (Chrysomelidae) Synonym(s): *Hippuriphila Foudras,1860*
 2811) **Hispa Linnaeus,1767** (Chrysomelidae) Synonym(s): *Hispa Linnaeus,1767*
 2812) **Hydrothassa Thomson,1866** (Chrysomelidae) Synonym(s): *Hydrothassa Thomson,1866*
 2813) **Hypocassida Weise,1893** (Chrysomelidae) Synonym(s): *Hypocassida Weise,1893*
 2814) **Ischyronota Weise,1891** (Chrysomelidae) Synonym(s): *Ischyronota Weise,1891*
 2815) **Labidostomis (s.str.) Germar,1822** (Chrysomelidae) Synonym(s): *Labidostomis Germar,1822*
 2816) **Labidostomis Germar,1822** (Chrysomelidae) Synonym(s): *Labidostomis Germar,1822*
 2817) **Lachnaia Chevrolat,1837** (Chrysomelidae) Synonym(s): *Lachnaia Chevrolat,1837*
 2818) **Leptinotarsa Stal,1858** (Chrysomelidae) Synonym(s): *Leptinotarsa Stal,1858*
 2819) **Lilioceris Reitter,1912** (Chrysomelidae) Synonym(s): *Lilioceris Reitter,1912*
 2820) **Longitarsus Latreille,1827** (Chrysomelidae) Synonym(s): *Longitarsus Latreille,1827*
 2821) **Luperus Geoffroy,1762** (Chrysomelidae) Synonym(s): *Luperus Geoffroy,1762*
 2822) **Macrocoma Weise,1896** (Chrysomelidae) Synonym(s): *Macrocoma Weise,1896*
 2823) **Macrolenes Chevrolat,1837** (Chrysomelidae) Synonym(s): *Macrolenes Chevrolat,1837*
 2824) **Mantura Stephens,1831** (Chrysomelidae) Synonym(s): *Mantura Stephens,1831*
 2825) **Mniophila Stephens,1831** (Chrysomelidae) Synonym(s): *Mniophila Stephens,1831*
 2826) **Neocrepidodera Heikertinger,1911** (Chrysomelidae) Synonym(s): *Neocrepidodera Heikertinger,1911*
 2827) **Ochrosis Foudras,1860** (Chrysomelidae) Synonym(s): *Ochrosis Foudras,1860*
 2828) **Orestia Germar,1845** (Chrysomelidae) Synonym(s): *Orestia Germar,1845*
 2829) **Pachybrachis (s.str.) Chevrolat,1837** (Chrysomelidae) Synonym(s): *Pachybrachis Chevrolat,1837*
 2830) **Pachybrachis Chevrolat,1837** (Chrysomelidae) Synonym(s): *Pachybrachis Chevrolat,1837*
 2831) **Phaedon Dahl,1823** (Chrysomelidae) Synonym(s): *Phaedon Dahl,1823*
 2832) **Phratora Chevrolat,1837** (Chrysomelidae) Synonym(s): *Phratora Chevrolat,1837*
 2833) **Phyllobrotica Chevrolat,1837** (Chrysomelidae) Synonym(s): *Phyllobrotica Chevrolat,1837*
 2834) **Phyllotreta Chevrolat,1837** (Chrysomelidae) Synonym(s): *Phyllotreta Chevrolat,1837*
 2835) **Plagioderia Redtenbacher,1845** (Chrysomelidae) Synonym(s): *Plagioderia Redtenbacher,1845*

- 2836) Plagiosterna Motschoulsky,1860** (Chrysomelidae) Synonym(s): *Plagiosterna Motschoulsky,1860*; *Linnaeidea Motschoulsky,1860*; #*Linnaeidae Aslan,Gruev & Özbek,2003*
- 2837) Podagrica Chevrolat,1837** (Chrysomelidae) Synonym(s): *Podagrica Chevrolat,1837*
- 2838) Prasocuris Latreille,1802** (Chrysomelidae) Synonym(s): *Prasocuris Latreille,1802*
- 2839) Psylliodes Berthold,1827** (Chrysomelidae) Synonym(s): *Psylliodes Berthold,1827*
- 2840) Smaragdina Chevrolat,1837** (Chrysomelidae) Synonym(s): *Smaragdina Chevrolat,1837*
- 2841) Sphaeroderma Stephens,1831** (Chrysomelidae) Synonym(s): *Sphaeroderma Stephens,1831*
- 2842) Timarcha (Timarchostoma) Motschoulsky,1860** (Chrysomelidae) Synonym(s): *Timarchostoma Motschoulsky,1860*
- 2843) Timarcha (s.str.) Latreille,1829** (Chrysomelidae) Synonym(s): *Timarcha Latreille,1829*
- 2844) Timarcha Latreille,1829** (Chrysomelidae) Synonym(s): *Timarcha Latreille,1829*
- 2845) Tituboea Lacordaire,1848** (Chrysomelidae) Synonym(s): *Tituboea Lacordaire,1848*
- 2846) Zygogramma Chevrolat,1834** (Chrysomelidae) Synonym(s): *Zygogramma Chevrolat,1834*
- 2847) Anisochrysa (Chrysoperla) Steinmann,1964** (Chrysopidae) Synonym(s): *Chrysoperla Steinmann,1964*
- 2848) Anisochrysa (Cunctochrysa) Hölzel,1970** (Chrysopidae) Synonym(s): *Cunctochrysa Hölzel,1970*
- 2849) Anisochrysa Nakahara,1955** (Chrysopidae) Synonym(s): *Anisochrysa Nakahara,1955*
- 2850) Brinckochrysa Tjeder,1966** (Chrysopidae) Synonym(s): *Brinckochrysa Tjeder,1966*
- 2851) Chrysopa Leach,[1815]** (Chrysopidae) Synonym(s): *Chrysopa Leach,[1815]*
- 2852) Hypochrysa Hagen,1866** (Chrysopidae) Synonym(s): *Hypochrysa Hagen,1866*
- 2853) Italochrysa Principi,1946** (Chrysopidae) Synonym(s): *Italochrysa Principi,1946*
- 2854) Nineta Navas,1912** (Chrysopidae) Synonym(s): *Nineta Navas,1912*
- 2855) Nothochrysa McLachlan,1868** (Chrysopidae) Synonym(s): *Nothochrysa McLachlan,1868*
- 2856) Peyerimhoffina Lacroix,1920** (Chrysopidae) Synonym(s): *Peyerimhoffina Lacroix,1920*; *Tjederina Hölzel,1970*
- 2857) Rexa Navas,1919** (Chrysopidae) Synonym(s): *Rexa Navas,1919*
- 2858) Suarius Navas,1914** (Chrysopidae) Synonym(s): *Suaris Navas,1914*
- 2859) Acericerus Dlabola,1974** (Cicadellidae) Synonym(s): *Acericerus Dlabola,1974*
- 2860) Aconura Lethierry,1876** (Cicadellidae) Synonym(s): *Aconura Lethierry,1876*; *Carinifer Linnavuori,1952*; *Stalinabada Dlabola,1961*; *Sagittifer Dlabola,1961 nec Kuhl,1820*; *Jiridlabolina Koçak,1981*
- 2861) Aconurella Ribaut,1948** (Cicadellidae) Synonym(s): *Aconurella Ribaut,1948*
- 2862) Adarrus Ribaut,1947** (Cicadellidae) Synonym(s): *Adarrus Ribaut,1947*; *Errastunus Ribaut,1947*; *Belaunus Ribaut,1952*; *Batarius Emeljanov,1966*; *Romanus Emeljanov,1966*
- 2863) Agallia Curtis,1833** (Cicadellidae) Synonym(s): *Agallia Curtis,1833*; *Anaceratogallia Zachvatkin,1946*
- 2864) Aglena Amyot & Audinet-Serville,1843** (Cicadellidae) Synonym(s): *Aglena Amyot & Audinet-Serville,1843*
- 2865) Aguriahana Distant,1918** (Cicadellidae) Synonym(s): *Aguriahana Distant,1918*; *Eupteroidea Young,1952*; *Kashitettix Ishihara,1952*; *Asymmetropteryx Dlabola,1958*; *Wagneripteryx Dlabola,1958*
- 2866) Alebra Fieber,1872** (Cicadellidae) Synonym(s): *Compsus Fieber,1866 (praeocc.)*; *Alebra Fieber,1872*
- 2867) Allygidius Ribaut,1948** (Cicadellidae) Synonym(s): *Allygidius Ribaut,1948*; *Dicrallygus Ribaut,1952*
- 2868) Allygus Fieber,1875** (Cicadellidae) Synonym(s): *Allygus Fieber,1875*; *Syringius Emeljanov,1966*
- 2869) Anaceratagallia Zachvatkin,1946** (Cicadellidae) Synonym(s): *Anaceratagallia Zachvatkin,1946*
- 2870) Anoplotettix Ribaut,1942** (Cicadellidae) Synonym(s): *Anoplotettix Ribaut,1942*
- 2871) Anoscopus Kirschbaum,1868** (Cicadellidae) Synonym(s): *Anoscopus Kirschbaum,1868*
- 2872) Anoterostemma Loew,1885** (Cicadellidae) Synonym(s): *Anoterostemma Loew,1885*
- 2873) Aphrodes Curtis,1833** (Cicadellidae) Synonym(s): *Aphrodes Curtis,1833*; *Acucephalus Germar,1833*; *Acucephalus Burmeister,1835*; *Pholetaera Zetterstedt,1840*; *Anoscopus Kirschbaum,1858*
- 2874) Arboridia Zachvatkin,1946** (Cicadellidae) Synonym(s): *Arboridia Zachvatkin,1946*
- 2875) Arocephalus Ribaut,1946** (Cicadellidae) Synonym(s): *Arocephalus Ribaut,1946*; *Ariellus Ribaut,1952*
- 2876) Artianus Ribaut,1942** (Cicadellidae) Synonym(s): *Artianus Ribaut,1942*
- 2877) Asymmetrasca Dlabola,1958** (Cicadellidae) Synonym(s): *Asymmetrasca Dlabola,1958*
- 2878) Austroasca (s.str.) Lower,1952** (Cicadellidae) Synonym(s): *Austroasca Lower,1952*
- 2879) Austroasca Lower,1952** (Cicadellidae) Synonym(s): *Austroasca Lower,1952*
- 2880) Balcanocerus Maldonado-Capriles,1971** (Cicadellidae) Synonym(s): *Balcanocerus Maldonado-Capriles,1971*
- 2881) Balclutha Kirkaldy,1900** (Cicadellidae) Synonym(s): *Gnathodus Fieber,1866 (praeocc.)*; *Balclutha Kirkaldy,1900*; *Nesosteles Kirkaldy,1906*; *Balcluthina Singh-Pruthi,1930*
- 2882) Batracomorphus Lewis,1834** (Cicadellidae) Synonym(s): *Batracomorphus Lewis,1834*
- 2883) Bobacella Kusnezov,1929** (Cicadellidae) Synonym(s): *Bobacella Kusnezov,1929*
- 2884) Bugraia Koçak,1981** (Cicadellidae) Synonym(s): *Taeniocerus Dlabola,1974 nec Kaup,1871 non Blandford,1893*; *Bugraia Koçak,1981*; #*Bugraria Guistina,1989*
- 2885) Chiasmus Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *Chiasmus Mulsant & Rey,1855*; *Atractotypus Fieber,1866*

- 2886) Chlorita Fieber, 1872** (Cicadellidae) Synonym(s): *Chloria* Fieber, 1866 (praeocc.); *Chlorita* Fieber, 1872; *Eremochlorita* Zachvatkin, 1946; *Artemisiella* Zachvatkin, 1953; *Xerochlorita* Zachvatkin, 1953
- 2887) Chunrocerus Zachvatkin, 1946** (Cicadellidae) Synonym(s): *Chunrocerus* Zachvatkin, 1946
- 2888) Cicadella Latreille, 1817** (Cicadellidae) Synonym(s): *Cicadella* Latreille, 1817
- 2889) Cicadula Zetterstedt, 1840** (Cicadellidae) Synonym(s): *Cicadula* Zetterstedt, 1840; *Henriana* Emeljanov, 1964
- 2890) Cicadulina China, 1926** (Cicadellidae) Synonym(s): *Cicadulina* China, 1926
- 2891) Circulifer Zachvatkin, 1935** (Cicadellidae) Synonym(s): *Circulifer* Zachvatkin, 1935
- 2892) Colladonus Ball, 1936** (Cicadellidae) Synonym(s): *Colladonus* Ball, 1936
- 2893) Conosanus Osborn & Ball, 1902** (Cicadellidae) Synonym(s): *Conosanus* Osborn & Ball, 1902; *Metathysanus* Dahl, 1912
- 2894) Deltocephalus Burmeister, 1838** (Cicadellidae) Synonym(s): *Deltocephalus* Burmeister, 1838
- 2895) Dikraneura Hardy, 1850** (Cicadellidae) Synonym(s): *Dikraneura* Hardy, 1850; *Dicranoneura* Douglas, 1879; *Dicraneura* Puton, 1886
- 2896) Diplocolenus Ribaut, 1946** (Cicadellidae) Synonym(s): *Diplocolenus* Ribaut, 1946; *Erdianus* Ribaut, 1952
- 2897) Docotettix Ribaut, 1948** (Cicadellidae) Synonym(s): *Docotettix* Ribaut, 1948
- 2898) Doratulina Melichar, 1903** (Cicadellidae) Synonym(s): *Doratulina* Melichar, 1903; *Trebellius* Distant, 1918; *Pseudaconura* Linnavuori, 1952
- 2899) Doratura Sahlberg, 1871** (Cicadellidae) Synonym(s): *Doratura* Sahlberg, 1871; *Doraturina* Emeljanov, 1964
- 2900) Doraturopsis Lindberg, 1935** (Cicadellidae) Synonym(s): *Doraturopsis* Lindberg, 1935; *Adoratura* Kusnezov, 1938
- 2901) Dorycephalus Kuschakewisch, 1866** (Cicadellidae) Synonym(s): *Dorycephalus* Kuschakewisch, 1866
- 2902) Dryodurgades Zachvatkin, 1946** (Cicadellidae) Synonym(s): *Dryodurgades* Zachvatkin, 1946
- 2903) Ebarrius Ribaut, 1946** (Cicadellidae) Synonym(s): *Ebarrius* Ribaut, 1946
- 2904) Edwardsiana Zachvatkin, 1929** (Cicadellidae) Synonym(s): *Edwardsiana* Zachvatkin, 1929
- 2905) Elymana DeLong, 1936** (Cicadellidae) Synonym(s): *Elymana* DeLong, 1936; *Solenopyx* Ribaut, 1939
- 2906) Emelyanoviana Anufriev, 1970** (Cicadellidae) Synonym(s): *Emelyanoviana* Anufriev, 1970
- 2907) Empoasca Walsh, 1862** (Cicadellidae) Synonym(s): *Empoasca* Walsh, 1862
- 2908) Eohardya Zachvatkin, 1946** (Cicadellidae) Synonym(s): *Eohardya* Zachvatkin, 1946; *Hardyopsis* Ribaut, 1948
- 2909) Erythria (s.str.) Fieber, 1866** (Cicadellidae) Synonym(s): *Erythria* Fieber, 1866
- 2910) Erythria Fieber, 1866** (Cicadellidae) Synonym(s): *Erythria* Fieber, 1866
- 2911) Erythroneura Fitch, 1851** (Cicadellidae) Synonym(s): *Erythroneura* Fitch, 1851
- 2912) Eupelix Germar, 1821** (Cicadellidae) Synonym(s): *Eupelix* Germar, 1821
- 2913) Eupterycyba Dlabola, 1958** (Cicadellidae) Synonym(s): *Eupterycyba* Dlabola, 1958
- 2914) Euscelidius Ribaut, 1942** (Cicadellidae) Synonym(s): *Euscelidius* Ribaut, 1942
- 2915) Euscelis Brullé, 1832** (Cicadellidae) Synonym(s): *Euscelis* Brullé, 1832; *Phrynomorphus* Curtis, 1833
- 2916) Evacanthus Le Peletier & Audinet-Serville, 1825** (Cicadellidae) Synonym(s): *Evacanthus* Le Peletier & Audinet-Serville, 1825; *Euacanthus* Burmeister, 1835
- 2917) Exitianus Ball, 1929** (Cicadellidae) Synonym(s): *Exitianus* Ball, 1929; *Mimodrylix* Zachvatkin, 1935
- 2918) Ficocyba Vidano, 1960** (Cicadellidae) Synonym(s): *Ficocyba* Vidano, 1960
- 2919) Fieberiella Signoret, 1880** (Cicadellidae) Synonym(s): *Fieberia* Signoret, 1879 (praeocc.); *Fieberiella* Signoret, 1880
- 2920) Frutioidia (s.str.) Zachvatkin, 1946** (Cicadellidae) Synonym(s): *Frutioidia* Zachvatkin, 1946
- 2921) Goniagnathus Fieber, 1866** (Cicadellidae) Synonym(s): *Goniagnathus* Fieber, 1866
- 2922) Grammacephalus Haupt, 1929** (Cicadellidae) Synonym(s): *Grammacephalus* Haupt, 1929; *Caffretus* Evans, 1947
- 2923) Graphocraerus Thomson, 1869** (Cicadellidae) Synonym(s): *Graphocraerus* Thomson, 1869
- 2924) Grypotes Fieber, 1866** (Cicadellidae) Synonym(s): *Grypotes* Fieber, 1866; *Protaenia* Thomson, 1869
- 2925) Handianus Ribaut, 1942** (Cicadellidae) Synonym(s): *Handianus* Ribaut, 1942; *Dlabolia* Lang, 1945; *Usuironus* Ishihara, 1953
- 2926) Hardya Edwards, 1922** (Cicadellidae) Synonym(s): *Hardya* Edwards, 1922; *Mimohardya* Zachvatkin, 1946
- 2927) Hauptidia (s.str.) Dworakowska, 1970** (Cicadellidae) Synonym(s): *Hauptidia* Dworakowska, 1970
- 2928) Hauptidia Dworakowska, 1970** (Cicadellidae) Synonym(s): *Hauptidia* Dworakowska, 1970
- 2929) Hecalus Stal, 1864** (Cicadellidae) Synonym(s): *Hecalus* Stal, 1864
- 2930) Helionidia Zachvatkin, 1946** (Cicadellidae) Synonym(s): *Helionidia* Zachvatkin, 1946
- 2931) Hephathus Ribaut, 1952** (Cicadellidae) Synonym(s): *Hephathus* Ribaut, 1952
- 2932) Hesium Ribaut, 1942** (Cicadellidae) Synonym(s): *Hesium* Ribaut, 1942
- 2933) Hespericerus Gnezdilov, 1999** (Cicadellidae) Synonym(s): *Hespericerus* Gnezdilov, 1999
- 2934) Iassus Fabricius, 1803** (Cicadellidae) Synonym(s): *Iassus* Fabricius, 1803; *Bythoscopus* Germar, 1833

- 2935) Idiocerus Lewis,1834** (Cicadellidae) Synonym(s): *Idiocerus Lewis,1834*; *Liocratus Dubovsky,1966*
- 2936) Imbecilla Dworakowska,1970** (Cicadellidae) Synonym(s): *Imbecilla Dworakowska,1970*
- 2937) Jassargus Zachvatkin,1933** (Cicadellidae) Synonym(s): *Jassargus Zachvatkin,1933*; *Lausulus Ribaut,1946*; *Araulus Ribaut,1952*; *Aurkius Ribaut,1952*; *Sayetis Ribaut,1952*
- 2938) Kropka Dworakowska,1970** (Cicadellidae) Synonym(s): *Kropka Dworakowska,1970*
- 2939) Kyboasca Zachvatkin,1953** (Cicadellidae) Synonym(s): *Kyboasca Zachvatkin,1953*
- 2940) Kybos Fieber,1866** (Cicadellidae) Synonym(s): *Kybos Fieber,1866*; *Cybus Douglas,1875*
- 2941) Laburris Ribaut,1942** (Cicadellidae) Synonym(s): *Laburris Ribaut,1942*; *Esolanus Ribaut,1952*
- 2942) Laminacutus Abdul-Nour,2001** (Cicadellidae) Synonym(s): *Laminacutus Abdul-Nour,2001*
- 2943) Ledra Fabricius,1803** (Cicadellidae) Synonym(s): *Ledra Fabricius,1803*; *Ledraria Rafinesque,1815*
- 2944) Liguropia Haupt,1930** (Cicadellidae) Synonym(s): *Liguropia Haupt,1930*
- 2945) Limotettix Sahlberg,1871** (Cicadellidae) Synonym(s): *Limotettix Sahlberg,1871*; *Drylix Edwards,1922*
- 2946) Lindbergina Dlabola,1958** (Cicadellidae) Synonym(s): *Youngia Dlabola,1958* (praeocc.); *Lindbergina Dlabola,1958*; *Youngiada Dlabola,1959*
- 2947) Linnavuoriana Dlabola,1958** (Cicadellidae) Synonym(s): *Linnavuoriana Dlabola,1958*
- 2948) Macropsidius Ribaut,1952** (Cicadellidae) Synonym(s): *Macropsidius Ribaut,1952*
- 2949) Macropsis Lewis,1834** (Cicadellidae) Synonym(s): *Macropsis Lewis,1834*
- 2950) Macrosteles Fieber,1866** (Cicadellidae) Synonym(s): *Macrosteles Fieber,1866*; *Acrostigmus Thomson,1869*; *Erotettix Haupt,1929*
- 2951) Megophthalmus Curtis,1833** (Cicadellidae) Synonym(s): *Megophthalmus Curtis,1833*
- 2952) Mesagallia Zachvatkin,1946** (Cicadellidae) Synonym(s): *Mesagallia Zachvatkin,1946*
- 2953) Micantulina (Mulsantina) Anufriev,1970** (Cicadellidae) Synonym(s): *Mulsantina Anufriev,1970*
- 2954) Micantulina (s.str.) Anufriev,1970** (Cicadellidae) Synonym(s): *Micantulina Anufriev,1970*
- 2955) Micantulina Anufriev,1970** (Cicadellidae) Synonym(s): *Micantulina Anufriev,1970*
- 2956) Mocuellus Ribaut,1946** (Cicadellidae) Synonym(s): *Mocuellus Ribaut,1946*; *Falcitettix Linnavuori,1953*
- 2957) Mocydia Edwards,1922** (Cicadellidae) Synonym(s): *Mocydia Edwards,1922*
- 2958) Mocydiopsis Ribaut,1939** (Cicadellidae) Synonym(s): *Mocydiopsis Ribaut,1939*
- 2959) Mogangella Dlabola,1957** (Cicadellidae) Synonym(s): *Mogangella Dlabola,1957*
- 2960) Neoliturus Distant,1918** (Cicadellidae) Synonym(s): *Neoliturus Distant,1918*; *Bothrognathus Bergroth,1920*; *Distomotettix Ribaut,1938*
- 2961) Nesoclutha Evans,1947** (Cicadellidae) Synonym(s): *Nesoclutha Evans,1947*; *Irinula Ribaut,1948*
- 2962) Notus Fieber,1866** (Cicadellidae) Synonym(s): *Notus Fieber,1866*
- 2963) Oncopsis Burmeister,1838** (Cicadellidae) Synonym(s): *Oncopsis Burmeister,1838*; *Sispocnis Anufriev,1967*
- 2964) Opsius Fieber,1866** (Cicadellidae) Synonym(s): *Opsius Fieber,1866*; *Cestius Distant,1908*
- 2965) Orosius Distant,1918** (Cicadellidae) Synonym(s): *Orosius Distant,1918*
- 2966) Osbornellus Ball,1932** (Cicadellidae) Synonym(s): *Osbornellus Ball,1932*; *Mavromoustaca Dlabola,1967*
- 2967) Paluda DeLong,1937** (Cicadellidae) Synonym(s): *Paluda DeLong,1937*; *Rhopalopyx Ribaut,1939*
- 2968) Paradorydium Kirkaldy,1901** (Cicadellidae) Synonym(s): *Dorydium Burmeister,1838* nec Schinz,1825; *Paradorydium Kirkaldy,1901*; *Carphosoma Royer,1907*; *Bumizana Distant,1918*; *Semenovium Kusnezov,1929*; *Kuznetsovium Zachvatkin,1953*
- 2969) Paralimnellus Emeljanov,1972** (Cicadellidae) Synonym(s): *Paralimnellus Emeljanov,1972*
- 2970) Paralimnus Matsumura,1902** (Cicadellidae) Synonym(s): *Paralimnus Matsumura,1902*; *Bubulcus Dlabola,1961*; *Anthocallis Emeljanov,1964*; *Paragygrus Emeljanov,1964*
- 2971) Paramesodes Ishihara,1953** (Cicadellidae) Synonym(s): *Paramesodes Ishihara,1953*; *Coexitianus Dlabola,1960*
- 2972) Paramesus Fieber,1866** (Cicadellidae) Synonym(s): *Paramesus Fieber,1866*; *Dochmocarum Thomson,1869*
- 2973) Parapotes Emelyanov,1975** (Cicadellidae) Synonym(s): *Paranastus Emelyanov,1972* (praeocc.); *Parapotes Emelyanov,1975*
- 2974) Penthimia Germar,1821** (Cicadellidae) Synonym(s): *Penthimia Germar,1821*
- 2975) Phlepsius Fieber,1866** (Cicadellidae) Synonym(s): *Phlepsius Fieber,1866*
- 2976) Phlogotettix Ribaut,1942** (Cicadellidae) Synonym(s): *Phlogotettix Ribaut,1942*
- 2977) Planaphrodes Hamilton,1975** (Cicadellidae) Synonym(s): *Planaphrodes Hamilton,1975*
- 2978) Platymetopius (Quernus) Dlabola,1974** (Cicadellidae) Synonym(s): *Quernus Dlabola,1974*
- 2979) Platymetopius (s.str.) Burmeister,1838** (Cicadellidae) Synonym(s): *Platymetopius Burmeister,1838*; *Eremetopius Lindberg,1927*; *Mahalana Distant,1918*
- 2980) Platymetopius Burmeister,1838** (Cicadellidae) Synonym(s): *Platymetopius Burmeister,1838*; *Eremetopius Lindberg,1927*; *Mahalana Distant,1918*
- 2981) Populicerus Dlabola,1974** (Cicadellidae) Synonym(s): *Populicerus Dlabola,1974*
- 2982) Proceps Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *Proceps Mulsant & Rey,1855*

- 2983) Psammotettix Haupt,1929** (Cicadellidae) Synonym(s): *Psammotettix* Haupt,1929; *Ribautiellus* Zachvatkin,1933
- 2984) Recilia Edwards,1922** (Cicadellidae) Synonym(s): *Recilia* Edwards,1922; *Inemadara* Ishihara,1953
- 2985) Rhoananus Dlabola,1949** (Cicadellidae) Synonym(s): *Rhoananus* Dlabola,1949
- 2986) Rhytidodus Fieber,1868** (Cicadellidae) Synonym(s): *Rhytidodus* Fieber,1868
- 2987) Sagatus Ribaut,1948** (Cicadellidae) Synonym(s): *Sagatus* Ribaut,1948
- 2988) Scleroracrus Van Duzee,1894** (Cicadellidae) Synonym(s): *Scleroracrus* Van Duzee,1894; *Ophiola* Edwards,1922; *Ophiolix* Ribaut,1942; *Omaniella* Ishihara,1953
- 2989) Selenocephalus Germar,1833** (Cicadellidae) Synonym(s): *Selenocephalus* Germar,1833; *Levantotettix* Lindberg,1953
- 2990) Speudotettix Ribaut,1942** (Cicadellidae) Synonym(s): *Speudotettix* Ribaut,1942
- 2991) Stegelytra Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *Stegelytra* Mulsant & Rey,1855; *Iberia* Kirkaldy,1907
- 2992) Stenometopiellus Haupt,1917** (Cicadellidae) Synonym(s): *Stenometopiellus* Haupt,1917; *Diplocolenoidea* Linnavuori,1953
- 2993) Stictocoris Thomson,1869** (Cicadellidae) Synonym(s): *Stictocoris* Thomson,1869
- 2994) Streptanus Ribaut,1942** (Cicadellidae) Synonym(s): *Streptanus* Ribaut,1942; *Streptanulus* Emeljanov,1962
- 2995) Stymphalus Stal,1866** (Cicadellidae) Synonym(s): *Stymphalus* Stal,1866; *Purpuranus* Zachvatkin,1933
- 2996) Sulamicerus Dlabola,1974** (Cicadellidae) Synonym(s): *Sulamicerus* Dlabola,1974
- 2997) Synophyropsis Haupt,1926** (Cicadellidae) Synonym(s): *Synophyropsis* Haupt,1926
- 2998) Tamaricella Zachvatkin,1946** (Cicadellidae) Synonym(s): *Tamaricella* Zachvatkin,1946
- 2999) Tbilisica Dlabola,1958** (Cicadellidae) Synonym(s): *Tbilisica* Dlabola,1958
- 3000) Tetartostylus Wagner,1951** (Cicadellidae) Synonym(s): *Tetartostylus* Wagner,1951
- 3001) Thamnotettix (Loepotettix) Ribaut,1942** (Cicadellidae) Synonym(s): *Loepotettix* Ribaut,1942
- 3002) Thamnotettix (s.str.) Zetterstedt,1840** (Cicadellidae) Synonym(s): *Thamnotettix* Zetterstedt,1840; *Thamnus* Fieber,1866
- 3003) Thamnotettix Zetterstedt,1840** (Cicadellidae) Synonym(s): *Thamnotettix* Zetterstedt,1840; *Thamnus* Fieber,1866
- 3004) Tremulicerus Dlabola,1974** (Cicadellidae) Synonym(s): *Tremulicerus* Dlabola,1974
- 3005) Typhlocyba Germar,1833** (Cicadellidae) Synonym(s): *Typhlocyba* Germar,1833
- 3006) Utecha Emeljanov,1996** (Cicadellidae) Synonym(s): *Utecha* Emeljanov,1996
- 3007) Verdanus Oman,1949** (Cicadellidae) Synonym(s): *Verdanus* Oman,1949
- 3008) Viridicerus Dlabola,1974** (Cicadellidae) Synonym(s): *Viridicerus* Dlabola,1974
- 3009) Xestocephalus Van Duzee,1892** (Cicadellidae) Synonym(s): *Xestocephalus* Van Duzee,1892
- 3010) Zercanus Dlabola,1965** (Cicadellidae) Synonym(s): *Zercanus* Dlabola,1965
- 3011) Zyгина (s.str.) Fieber,1866** (Cicadellidae) Synonym(s): *Zyгина* Fieber,1866; *Flammigeroidia* Dlabola,1958
- 3012) Zyгина Fieber,1866** (Cicadellidae) Synonym(s): *Zyгина* Fieber,1866; *Flammigeroidia* Dlabola,1958
- 3013) Zyginella Loew,1885** (Cicadellidae) Synonym(s): *Zyginella* Loew,1885; *Pyramidotettix* Matsumura,1931; *Remmia* Vilbaste,1968
- 3014) Zyginidia (Anatolidia) Zachvatkin,1937** (Cicadellidae) Synonym(s): *Anatolidia* Zachvatkin,1937
- 3015) Zyginidia (s.str.) Haupt,1929** (Cicadellidae) Synonym(s): *Idia* Fieber,1866 (preocc.); *Zyginidia* Haupt,1929
- 3016) Cicada Linnaeus,1758** (Cicadidae) Synonym(s): *Cicada* Linnaeus,1758; *Tettigia* Kolenati,1857; *Macroprotopus* A.Costa,1877;
- 3017) Cicadatra Amyot,1847** (Cicadidae) Synonym(s): *Cicadatra* Amyot,1847; *Psalmocharias* Kirkaldy,1908; *Rustavelia* Horvath,1912
- 3018) Cicadetta Kolenati,1857** (Cicadidae) Synonym(s): *Cicadetta* Kolenati,1857; *Melampsalta* Kolenati,1857; *Tettigetia* Kolenati,1857; *Pauropsalta* Goding & Froggatt,1904; *Heptaglena* Horvath,1911; *Oligoglena* Horvath,1912; *Kosemia* Matsumura,1927; *Karapsalta* Matsumura,1931
- 3019) Cicadivetta Boulard,1982** (Cicadidae) Synonym(s): *Cicadivetta* Boulard,1982
- 3020) Dimissalna Boulard,2007** (Cicadidae) Synonym(s): *Dimissalna* Boulard,2007
- 3021) Klapperichicen Dlabola,1957** (Cicadidae) Synonym(s): *Klapperichicen* Dlabola,1957; #Klapperichien Lodos & Kalkandelen,1981
- 3022) Lyristes Horvath,1926** (Cicadidae) Synonym(s): *Lyristes* Horvath,1926
- 3023) Pagiphora Horvath,1912** (Cicadidae) Synonym(s): *Pagiphora* Horvath,1912
- 3024) Tibicina Amyot,1847** (Cicadidae) Synonym(s): *Tibicina* Amyot,1847; *Tibicina* Kolenati,1857
- 3025) Triglina Fieber,1875** (Cicadidae) Synonym(s): *Triglina* Fieber,1875
- 3026) Abia Leach,1817** (Cimbicidae) Synonym(s): *Abia* Leach,1817; *Zaraea* Leach,1817; #Albia Tischbein,1846; *Aenoabia* Kangas,1946
- 3027) Cimbex Olivier,1791** (Cimbicidae) Synonym(s): *Cimbex* Olivier,1791; *Palaeocimbex* Semenov,1935
- 3028) Corynis Thunberg,1789** (Cimbicidae) Synonym(s): *Corynis* Thunberg,1789; *Amasis* Leach,1817

- 3029) Pseudoclavellaria Schultz,1906** (Cimbicidae) Synonym(s): *Pseudoclavellaria Schultz,1906*
- 3030) Cacodmus Stal,1873** (Cimicidae) Synonym(s): *Cacodmus Stal,1873*
- 3031) Cimex Linnaeus,1758** (Cimicidae) Synonym(s): *Cimex Linnaeus,1758*
- 3032) Cixius Latreille,1804** (Cixiidae) Synonym(s): *Cixius Latreille,1804; Paracixius Wagner,1939; Ceratocixius Wagner,1939; Acanthocixius Wagner,1939; Orinocixius Wagner,1939; Sciocixius Wagner,1939; Tetracixius Ribaut,1960; Ussuricixius Vilbaste,1968*
- 3033) Duilius Stal,1858** (Cixiidae) Synonym(s): *Duilius Stal,1858; Hemitropis Fieber,1866; Haplacha Lethierry,1874; Duiliopsis Bergevin,1933; Bitropis Dlabola,1985*
- 3034) Eumecurus Emeljanov,1971** (Cixiidae) Synonym(s): *Eumecurus Emeljanov,1971*
- 3035) Hemitropis Fieber,1866** (Cixiidae) Synonym(s): *Hemitropis Fieber,1866*
- 3036) Hyalesthes Signoret,1865** (Cixiidae) Synonym(s): *Hyalesthes Signoret,1865; Liorhinus Kirschbaum,1868; Pseudhyalesthes Kusnezov,1935*
- 3037) Myndus Stal,1862** (Cixiidae) Synonym(s): *Myndus Stal,1862; Entithena Fieber,1866*
- 3038) Oliarus Stal,1862** (Cixiidae) Synonym(s): *Oliarus Stal,1862*
- 3039) Pentastira Kirschbaum,1868** (Cixiidae) Synonym(s): *Pentastira Kirschbaum,1868*
- 3040) Pentastiridius Kirschbaum,1868** (Cixiidae) Synonym(s): *Pentastiridius Kirschbaum,1868*
- 3041) Pseudoliarus Haupt,1927** (Cixiidae) Synonym(s): *Pseudoliarus Haupt,1927*
- 3042) Reptalus (Trepalus) Emeljanov,1995** (Cixiidae) Synonym(s): *Trepalus Emeljanov,1995*
- 3043) Reptalus (s.str.) Emeljanov,1971** (Cixiidae) Synonym(s): *Reptalus Emeljanov,1971*
- 3044) Reptalus Emeljanov,1971** (Cixiidae) Synonym(s): *Reptalus Emeljanov,1971*
- 3045) Setapius Dlabola,1988** (Cixiidae) Synonym(s): *Setapius Dlabola,1988*
- 3046) Tachycixius Wagner,1939** (Cixiidae) Synonym(s): *Tachycixius Wagner,1939; Siculus Dlabola,1980*
- 3047) Clerus Geoffroy,1762** (Cleridae) Synonym(s): *Clerus Geoffroy,1762*
- 3048) Denops Fischer de Waldheim,1829** (Cleridae) Synonym(s): *Denops Fischer de Waldheim,1829*
- 3049) Flabellotilloidea Gerstmeier & Ku,1992** (Cleridae) Synonym(s): *Flabellotilloidea Gerstmeier & Ku,1992*
- 3050) Opilo Latreille,1802** (Cleridae) Synonym(s): *Opilo Latreille,1802*
- 3051) Phloiocopus Spinola,1841** (Cleridae) Synonym(s): *Phloiocopus Spinola,1841*
- 3052) Thanasimus Latreille,1806** (Cleridae) Synonym(s): *Thanasimus Latreille,1806*
- 3053) Tilloidea Laporte,1832** (Cleridae) Synonym(s): *Tilloidea Laporte,1832*
- 3054) Tillus Olivier,1790** (Cleridae) Synonym(s): *Tillus Olivier,1790*
- 3055) Trichodes Herbst,1792** (Cleridae) Synonym(s): *Trichodes Herbst,1792*
- 3056) Acanthopulvinaria Borkhsenius,1952** (Coccidae) Synonym(s): *Acanthopulvinaria Borkhsenius,1952*
- 3057) Anapulvinaria Borkhsenius,1952** (Coccidae) Synonym(s): *Anapulvinaria Borkhsenius,1952*
- 3058) Bodenheimeria Bodenheimer,1935** (Coccidae) Synonym(s): *Bodenheimeria Bodenheimer,1935*
- 3059) Ceroplastes Gray,1828** (Coccidae) Synonym(s): *Ceroplastes Gray,1828*
- 3060) Coccus Linnaeus,1758** (Coccidae) Synonym(s): *Coccus Linnaeus,1758*
- 3061) Eriopeltis Signoret,1872** (Coccidae) Synonym(s): *Eriopeltis Signoret,1872*
- 3062) Eucalymnatus Cockerell,1901** (Coccidae) Synonym(s): *Eucalymnatus Cockerell,1901*
- 3063) Eulecanium Cockerell,1893** (Coccidae) Synonym(s): *Eulecanium Cockerell,1893*
- 3064) Exaeretopus Newstead,1894** (Coccidae) Synonym(s): *Exaeretopus Newstead,1894*
- 3065) Lecanopsis Targioni-Tozzetti,1868** (Coccidae) Synonym(s): *Lecanopsis Targioni-Tozzetti,1868*
- 3066) Lichtensia Signoret,1873** (Coccidae) Synonym(s): *Lichtensia Signoret,1873*
- 3067) Nemolecanium Borkhsenius,1955** (Coccidae) Synonym(s): *Nemolecanium Borkhsenius,1955*
- 3068) Palaeolecanium Sulc,1908** (Coccidae) Synonym(s): *Palaeolecanium Sulc,1908*
- 3069) Parasaissetia Takahashi,1955** (Coccidae) Synonym(s): *Parasaissetia Takahashi,1955*
- 3070) Parthenolecanium Sulc,1908** (Coccidae) Synonym(s): *Parthenolecanium Sulc,1908*
- 3071) Philippia Targioni-Tozzetti,1867** (Coccidae) Synonym(s): *Philippia Targioni-Tozzetti,1867; Filippia Targioni-Tozzetti,1868*
- 3072) Physokermes Targioni-Tozzetti,1868** (Coccidae) Synonym(s): *Physokermes Targioni-Tozzetti,1868; Physochermes Targioni-Tozzetti,1869*
- 3073) Pulvinaria Targioni-Tozzetti,1867** (Coccidae) Synonym(s): *Pulvinaria Targioni-Tozzetti,1867*
- 3074) Pulvinariella Borkhsenius,1953** (Coccidae) Synonym(s): *Pulvinariella Borkhsenius,1953*
- 3075) Rhizopulvinaria Borkhsenius,1952** (Coccidae) Synonym(s): *Rhizopulvinaria Borkhsenius,1952*
- 3076) Rhodococcus Borkhsenius,1953** (Coccidae) Synonym(s): *Rhodococcus Borkhsenius,1953*
- 3077) Saissetia Déplanche,1858** (Coccidae) Synonym(s): *Saissetia Déplanche,1858*
- 3078) Scythia Kiritshenko,1938** (Coccidae) Synonym(s): *Scythia Kiritshenko,1938*
- 3079) Sphaerolecanium Sulc,1908** (Coccidae) Synonym(s): *Sphaerolecanium Sulc,1908*
- 3080) Adalia Mulsant,1846** (Coccinellidae) Synonym(s): *Idalia Mulsant,1846 (praeocc.); Adalia Mulsant,1846; Arrowella Brethes,1925*
- 3081) Brumus Mulsant,1850** (Coccinellidae) Synonym(s): *Brumus Mulsant,1850*
- 3082) Bulaea Mulsant,1850** (Coccinellidae) Synonym(s): *Bulaea Mulsant,1850*

- 3083) Calvia Mulsant, 1846** (Coccinellidae) Synonym(s): *Calvia Mulsant, 1846*
- 3084) Chilocorus Leach, 1815** (Coccinellidae) Synonym(s): *Chilocorus Leach, 1815*
- 3085) Coccinella (Neococcinella) Savojskaia, 1969** (Coccinellidae) Synonym(s): *Neococcinella Savojskaia, 1969*
- 3086) Coccinella (s.str.) Linnaeus, 1758** (Coccinellidae) Synonym(s): *Coccinella Linnaeus, 1758*
- 3087) Coccinella Linnaeus, 1758** (Coccinellidae) Synonym(s): *Coccinella Linnaeus, 1758*
- 3088) Coccinula Dobzhansky, 1925** (Coccinellidae) Synonym(s): *Coccinula Dobzhansky, 1925*
- 3089) Cryptolaemus Mulsant, 1853** (Coccinellidae) Synonym(s): *Cryptolaemus Mulsant, 1853*
- 3090) Cynegetis Dejean, 1835** (Coccinellidae) Synonym(s): *Cynegetis Dejean, 1835*
- 3091) Exochomus Redtenbacher, 1843** (Coccinellidae) Synonym(s): *Exochomus Redtenbacher, 1843*
- 3092) Harmonia Mulsant, 1846** (Coccinellidae) Synonym(s): *Harmonia Mulsant, 1846*
- 3093) Henosepilachna Li & Cook, 1961** (Coccinellidae) Synonym(s): *Henosepilachna Li & Cook, 1961*
- 3094) Hippodamia (Adonia) Mulsant, 1846** (Coccinellidae) Synonym(s): *Adonia Mulsant, 1846*
- 3095) Hippodamia (Semiadalia) Crotch, 1874** (Coccinellidae) Synonym(s): *Semiadalia Crotch, 1874*
- 3096) Hippodamia (s.str.) Dejean, 1833** (Coccinellidae) Synonym(s): *Hippodamia Dejean, 1833*
- 3097) Hippodamia Dejean, 1833** (Coccinellidae) Synonym(s): *Hippodamia Dejean, 1833*
- 3098) Hyperaspis Dejean, 1833** (Coccinellidae) Synonym(s): *Hyperaspis Dejean, 1833*
- 3099) Nephus Mulsant, 1846** (Coccinellidae) Synonym(s): *Nephus Mulsant, 1846; Diomus Mulsant, 1850; Sidis Mulsant, 1850; Bipunctatus Fürsch, 1987*
- 3100) Oenopia Mulsant, 1850** (Coccinellidae) Synonym(s): *Oenopia Mulsant, 1850; Synharmonia Ganglbauer, 1899*
- 3101) Pharoscymnus Bedel, 1906** (Coccinellidae) Synonym(s): *Pharoscymnus Bedel, 1906*
- 3102) Platynaspis Redtenbacher, 1843** (Coccinellidae) Synonym(s): *Platynaspis Redtenbacher, 1843*
- 3103) Propylea Mulsant, 1846** (Coccinellidae) Synonym(s): *Propylea Mulsant, 1846*
- 3104) Psyllobora Dejean, 1833** (Coccinellidae) Synonym(s): *Psyllobora Dejean, 1833*
- 3105) Rodolia Mulsant, 1850** (Coccinellidae) Synonym(s): *Rodolia Mulsant, 1850*
- 3106) Scymnus Kugelann, 1794** (Coccinellidae) Synonym(s): *Scymnus Kugelann, 1794; Pullus Mulsant, 1846; Neopullus Sasaji, 1971; Mimopullus Fürsch, 1987*
- 3107) Stethorus Weise, 1885** (Coccinellidae) Synonym(s): *Stethorus Weise, 1885*
- 3108) Subcoccinella Huber, 1841** (Coccinellidae) Synonym(s): *Subcoccinella Huber, 1841; Subcoccinella Guérin-Méneville, 1842*
- 3109) Tytthaspis Crotch, 1874** (Coccinellidae) Synonym(s): *Tytthaspis Crotch, 1874*
- 3110) Vibidia Mulsant, 1846** (Coccinellidae) Synonym(s): *Vibidia Mulsant, 1846*
- 3111) Agriocnemis Selys, 1869** (Coenagrionidae) Synonym(s): *Agriocnemis Selys, 1869*
- 3112) Cercion Navas, 1907** (Coenagrionidae) Synonym(s): *Cercion Navas, 1907*
- 3113) Ceriagrion Selys, 1876** (Coenagrionidae) Synonym(s): *Ceriagrion Selys, 1876*
- 3114) Coenagrion Kirby, 1890** (Coenagrionidae) Synonym(s): *Coenagrion Kirby, 1890*
- 3115) Enallagma Charpentier, 1840** (Coenagrionidae) Synonym(s): *Enallagma Charpentier, 1840*
- 3116) Erythromma Charpentier, 1840** (Coenagrionidae) Synonym(s): *Erythromma Charpentier, 1840*
- 3117) Ischnura Charpentier, 1840** (Coenagrionidae) Synonym(s): *Ischnura Charpentier, 1840*
- 3118) Pseudagrion Selys, 1876** (Coenagrionidae) Synonym(s): *Pseudagrion Selys, 1876*
- 3119) Pyrrhosoma Charpentier, 1840** (Coenagrionidae) Synonym(s): *Pyrrhosoma Charpentier, 1840*
- 3120) Colletes Latreille, 1802** (Colletidae) Synonym(s): *Colletes Latreille, 1802*
- 3121) Hylaeus Fabricius, 1793** (Colletidae) Synonym(s): *Hylaeus Fabricius, 1793; Anylaeus Bridwell, 1919; Anhylaeus Heider, 1926; Auricularia Méhely, 1935; Barbata Méhely, 1935; Campanularia Méhely, 1935; Cingulata Méhely, 1935; Dentigera Méhely, 1935; Amblyspatulariella Pittioni, 1950; Brachyspatulariella Pittioni, 1950; Boreopsis Ikudome, 1991*
- 3122) Aleuropteryx Löw, 1885** (Coniopterygidae) Synonym(s): *Aleuropteryx Löw, 1885*
- 3123) Coniopteryx (s.str.) Curtis, 1834** (Coniopterygidae) Synonym(s): *Coniopteryx Curtis, 1834*
- 3124) Coniopteryx Curtis, 1834** (Coniopterygidae) Synonym(s): *Coniopteryx Curtis, 1834*
- 3125) Conwentzia Enderlein, 1905** (Coniopterygidae) Synonym(s): *Conwentzia Enderlein, 1905*
- 3126) Helicoconis (Ohmopteryx) Kis, 1970** (Coniopterygidae) Synonym(s): *Ohmopteryx Kis, 1970*
- 3127) Helicoconis Enderlein, 1905** (Coniopterygidae) Synonym(s): *Helicoconis Enderlein, 1905*
- 3128) Nimboa Navas, 1914** (Coniopterygidae) Synonym(s): *Nimboa Navas, 1914*
- 3129) Parasemidalis Enderlein, 1905** (Coniopterygidae) Synonym(s): *Parasemidalis Enderlein, 1905*
- 3130) Semidalis Enderlein, 1905** (Coniopterygidae) Synonym(s): *Semidalis Enderlein, 1905*
- 3131) Brachyceraea Roeder, 1892** (Conopidae) Synonym(s): *Brachyceraea Roeder, 1892; Brachyceratias Roeder, 1893*
- 3132) Conops Linnaeus, 1758** (Conopidae) Synonym(s): *Conops Linnaeus, 1758; Conopaejus Rondani, 1845; Conopilla Rondani, 1856; Sphixosoma Rondani, 1857; Bombidia Liroy, 1864*
- 3133) Dalmannia R-D., 1830** (Conopidae) Synonym(s): *Dalmannia R-D., 1830; Stachynia Macquart, 1835; Dalmania R-D., 1853*
- 3134) Leopoldius Rondani, 1843** (Conopidae) Synonym(s): *Leopoldius Rondani, 1843*
- 3135) Melanosoma R-D., 1853** (Conopidae) Synonym(s): *Melanosoma R-D., 1853; Glossigona Rondani, 1856*

- 3136) Myopa Fabricius,1775** (Conopidae) Synonym(s): *Myopa Fabricius,1775*; *Pictinia R-D.,1853*; *Myopella R-D.,1853*; *Phorosia R-D.,1853*; *Fairmairia R-D.,1853*; *Lonchopalpus R-D.,1853*; *Purpurella R-D.,1853*; *Myopina R-D.,1853*; *Haustellia R-D.,1853*; *Glossigona Rondani,1856*; *Gonirhynchus Rondani,1857*; *Arpagita Lioy,1864*
- 3137) Myopotta Zimina,1969** (Conopidae) Synonym(s): *Myopotta Zimina,1969*
- 3138) Neobrachyglossum Kröber,1915** (Conopidae) Synonym(s): *Neobrachyglossum Kröber,1915*
- 3139) Physocephala Schiner,1861** (Conopidae) Synonym(s): *Physocephala Schiner,1861*
- 3140) Sicus Scopoli,1763** (Conopidae) Synonym(s): *Sicus Scopoli,1763*; *Cylindrogaster Lioy,1864*
- 3141) Thecophora Rondani,1845** (Conopidae) Synonym(s): *Thecophora Rondani,1845*; *Occemya R-D.,1853*
- 3142) Tropidomyia Williston,1888** (Conopidae) Synonym(s): *Tropidomyia Williston,1888*
- 3143) Zodion Latreille,1796** (Conopidae) Synonym(s): *Zodion Latreille,1796*
- 3144) Cordulegaster Leach,1815** (Cordulegasteridae) Synonym(s): *Cordulegaster Leach,1815*
- 3145) Cordulia Leach,1815** (Corduliidae) Synonym(s): *Cordulia Leach,1815*
- 3146) Somatochlora Selys,1871** (Corduliidae) Synonym(s): *Somatochlora Selys,1871*
- 3147) Anoplocerus Kiritshenko,1926** (Coreidae) Synonym(s): *Anoplocerus Kiritshenko,1926*; *#Anoplocerus Kiritshenko,1926*
- 3148) Arenocoris Hahn,1834** (Coreidae) Synonym(s): *Arenocoris Hahn,1834*; *Ammocoris Agassiz,1846*; *Pseudophloeus Burmeister,1835*; *Psammocoris Marshall,1868*; *Boudicca Kirkaldy,1909*
- 3149) Bathysolen Fieber,1860** (Coreidae) Synonym(s): *Bathysolen Fieber,1860*
- 3150) Centrocoris Kolenati,1845** (Coreidae) Synonym(s): *Centrocoris Kolenati,1845*; *Centrocarenus Fieber,1860*
- 3151) Ceraleptus Costa,1847** (Coreidae) Synonym(s): *Ceraleptus Costa,1847*; *Ceratoleptus Marshall,1868*; *Molus Mulsant & Rey,1870*
- 3152) Cercinthus Stal,1860** (Coreidae) Synonym(s): *Cercinthus Stal,1860*; *Coccocephalus Fieber,1860*; *Coccodocephalus Fieber,1861*
- 3153) Coreus Fabricius,1794** (Coreidae) Synonym(s): *Coreus Fabricius,1794*; *Coridus Rafinesque,1815*; *Mesocerus Reuter,1888*
- 3154) Coriomeris Westwood,1842** (Coreidae) Synonym(s): *Coriomeris Westwood,1842*; *Merocoris Hahn,1834*; *Dasycoris Dallas,1852*
- 3155) Enoplops Amyot & Audinet-Serville,1843** (Coreidae) Synonym(s): *Enoplops Amyot & Audinet-Serville,1843*; *Palethrocoris Kolenati,1845*
- 3156) Gonocerus Berthold,1827** (Coreidae) Synonym(s): *Gonocerus Berthold,1827*
- 3157) Haploprocta Stal,1872** (Coreidae) Synonym(s): *Haploprocta Stal,1872*; *Platymelus Jakovlev,1875*
- 3158) Loxocnemis Fieber,1860** (Coreidae) Synonym(s): *Loxocnemis Fieber,1860*
- 3159) Phyllomorphus Laporte,1833** (Coreidae) Synonym(s): *Phyllomorphus Laporte,1833*; *#Phyllomorpha Laporte,1832 (p.47)*
- 3160) Spathocera Stein,1860** (Coreidae) Synonym(s): *Atractus Laporte,1833 (praeocc.)*; *Spathocera Stein,1860*
- 3161) Strobilotoma Fieber,1860** (Coreidae) Synonym(s): *Strobilotoma Fieber,1860*
- 3162) Syromastus Berthold,1827** (Coreidae) Synonym(s): *Syromastus Berthold,1827*; *Syromastes Latreille,1829*; *Verlusia Spinola,1837*
- 3163) Callicorixa White,1873** (Corixidae) Synonym(s): *Callicorixa White,1873*
- 3164) Corixa Geoffroy,1762** (Corixidae) Synonym(s): *Corixa Geoffroy,1762*
- 3165) Heliocorisa Lundblad,1928** (Corixidae) Synonym(s): *Heliocorisa Lundblad,1928*
- 3166) Hesperocorixa Kirkaldy,1908** (Corixidae) Synonym(s): *Hesperocorixa Kirkaldy,1908*
- 3167) Micronecta Kirkaldy,1897** (Corixidae) Synonym(s): *Micronecta Kirkaldy,1897*
- 3168) Monticorixa Stys,1975** (Corixidae) Synonym(s): *Monticorixa Stys,1975*
- 3169) Paracorixa Poisson,1957** (Corixidae) Synonym(s): *Paracorixa Poisson,1957*
- 3170) Sigara Fabricius,1775** (Corixidae) Synonym(s): *Sigara Fabricius,1775*
- 3171) Alysson Panzer,1806** (Crabronidae) Synonym(s): *Alysson Panzer,1806*
- 3172) Ammatomus A.Costa,1859** (Crabronidae) Synonym(s): *Ammatomus A.Costa,1859*
- 3173) Ammoplanus Giraud,1869** (Crabronidae) Synonym(s): *Ammoplanus Giraud,1869*
- 3174) Argogorytes Ashmead,1899** (Crabronidae) Synonym(s): *Argogorytes Ashmead,1899*
- 3175) Astatia Latreille,1796** (Crabronidae) Synonym(s): *Astatia Latreille,1796*
- 3176) Bembecinus A.Costa,1859** (Crabronidae) Synonym(s): *Bembecinus A.Costa,1859*; *Stizomorphus A.Costa,1859*; *#Gorystizus Minkiewicz,1934*; *Gorystizus Pate,1937*
- 3177) Bembix Fabricius,1775** (Crabronidae) Synonym(s): *Bembix Fabricius,1775*; *#Bembyx Fabricius,1775*; *Bembex Fabricius,1777*; *Apobembex Pate,1937*; *Epibembex Pate,1937*
- 3178) Cerceris Latreille,1802** (Crabronidae) Synonym(s): *Cerceris Latreille,1802*; *Nectanebus Spinola,1839*; *Diamma Dahlbom,1844 nec Westw.,1835*; *Didesmus Dahlbom,1845*; *Paracerceris Brethes,1913*; *Apiraptrix Shestakov,1923*; *Bucerceris Minkiewicz,1934*; *Stercobata Gussakowsky,1935*; *Apicerceris Pate,1937*
- 3179) Didineis Wesmael,1852** (Crabronidae) Synonym(s): *Didineis Wesmael,1852*
- 3180) Dryudella Spinola,1843** (Crabronidae) Synonym(s): *Dryudella Spinola,1843*
- 3181) Ectemnius (Cameronitus) Leclercq,1950** (Crabronidae) Synonym(s): *Cameronitus Leclercq,1950*

- 3182) Ectemnius (Clytochrysus) A.Morawitz,1864** (Crabronidae) Synonym(s): *Clytochrysus A.Morawitz,1864*
- 3183) Ectemnius (Hypocrabro) Ashmead,1899** (Crabronidae) Synonym(s): *Hypocrabro Ashmead,1899*
- 3184) Ectemnius (Metacrabro) Ashmead,1899** (Crabronidae) Synonym(s): *Metacrabro Ashmead,1899*
- 3185) Ectemnius (Thyreocerus) A.Costa,1871** (Crabronidae) Synonym(s): *Thyreocerus A.Costa,1871*
- 3186) Ectemnius (s.str.) Dahlbom,1845** (Crabronidae) Synonym(s): *Ectemnius Dahlbom,1845*
- 3187) Ectemnius Dahlbom,1845** (Crabronidae) Synonym(s): *Ectemnius Dahlbom,1845*
- 3188) Gorytes Latreille,1805** (Crabronidae) Synonym(s): *Gorytes Latreille,1805*
- 3189) Harpactus Shuckard,1837** (Crabronidae) Synonym(s): *Harpactus Shuckard,1837*
- 3190) Hoplisoides Gribodo,1884** (Crabronidae) Synonym(s): *Hoplisoides Gribodo,1884*
- 3191) Lestiphorus Lepeletier,1832** (Crabronidae) Synonym(s): *Lestiphorus Lepeletier,1832*
- 3192) Lindenius Lepeletier & Brullé,1835** (Crabronidae) Synonym(s): *Lindenius Lepeletier & Brullé,1835*
- 3193) Oryttus Spinola,1836** (Crabronidae) Synonym(s): *Oryttus Spinola,1836*
- 3194) Philanthus Fabricius,1790** (Crabronidae) Synonym(s): *Philanthus Fabricius,1790*
- 3195) Protostigmus Turner,1918** (Crabronidae) Synonym(s): *Protostigmus Turner,1918*
- 3196) Psammaecius Lepeletier,1832** (Crabronidae) Synonym(s): *Psammaecius Lepeletier,1832*
- 3197) Sphecius Dahlbom,1843** (Crabronidae) Synonym(s): *Sphecius Dahlbom,1843*
- 3198) Stizoides Guérin-Ménéville,1844** (Crabronidae) Synonym(s): *Stizoides Guérin-Ménéville,1844; Omphalius Vachal,1900; Scotomphales Vachal,1900; #Tachystizus Minkiewicz,1934; Tachystizus Pate,1937*
- 3199) Stizus Latreille,1802** (Crabronidae) Synonym(s): *Stizus Latreille,1802*
- 3200) Aedes (Aedimorphus) Theobald,1903** (Culicidae) Synonym(s): *Aedimorphus Theobald,1903; Catageimyia Theobald,1903; Ecculex Felt,1904; Reedomyia Ludlow,1905; Polypleptomomyia Theobald,1905; Lepidotomyia Theobald,1905; Pecomyia Theobald,1905; Pseudograbhamia Theobald,1905; Duttonia Newstead,1907; Geitonomyia Leicester,1908; Mimeteceulex Theobald,1908; Bathosomyia Theobald,1909; Leslieomyia Christophers,1911*
- 3201) Aedes (Finlaya) Theobald,1903** (Culicidae) Synonym(s): *Finlaya Theobald,1903; Danielsia Theobald,1904; Popea Ludlow,1905; Phagomyia Theobald,1905; Pseudocarrollia Theobald,1910; Calomyia Taylor,1914*
- 3202) Aedes (Ochlerotatus) Lynch Arribalzaga,1891** (Culicidae) Synonym(s): *Ochlerotatus Lynch Arribalzaga,1891; #Taeniorhynchus Lynch Arribalzaga,1891; Gilesia Theobald,1903; Acartomyia Theobald,1903; Culicada Felt,1904; Protoculex Felt,1904; Culicelsa Felt,1904; Chrysoconops Goeldi,1905; Pseudoculex Dyar,1905; Lepidoplatys Coquillett,1906; Pseudohowardina Theobald,1907; Andersonia Strickland,1911*
- 3203) Aedes (Rusticoidus) Shevchenko & Prudkina,1973** (Culicidae) Synonym(s): *Rusticoidus Shevchenko & Prudkina,1973*
- 3204) Aedes (Stegomyia) Theobald,1901** (Culicidae) Synonym(s): *Stegomyia Theobald,1901; Quasistegomyia Theobald,1906; Kingia Theobald,1910 nec Schloen.,1866; Aniella Enderlein,1923*
- 3205) Aedes (s.str.) Meigen,1818** (Culicidae) Synonym(s): *Aedes Meigen,1818*
- 3206) Aedes Meigen,1818** (Culicidae) Synonym(s): *Aedes Meigen,1818*
- 3207) Anopheles (s.str.) Meigen,1818** (Culicidae) Synonym(s): *Anopheles Meigen,1818; Christya Theobald,1903*
- 3208) Anopheles Meigen,1818** (Culicidae) Synonym(s): *Anopheles Meigen,1818; Christya Theobald,1903*
- 3209) Coquillettia Dyar,1905** (Culicidae) Synonym(s): *Coquillettia Dyar,1905*
- 3210) Culex (Barradius) Edwards,1921** (Culicidae) Synonym(s): *Barradius Edwards,1921*
- 3211) Culex (Maillotia) Theobald,1907** (Culicidae) Synonym(s): *Maillotia Theobald,1907*
- 3212) Culex (Neoculex) Dyar,1905** (Culicidae) Synonym(s): *Neoculex Dyar,1905*
- 3213) Culex (s.str.) Linnaeus,1758** (Culicidae) Synonym(s): *Culex Linnaeus,1758*
- 3214) Culex Linnaeus,1758** (Culicidae) Synonym(s): *Culex Linnaeus,1758*
- 3215) Culiseta (Allotheobaldia) Broelemann,1919** (Culicidae) Synonym(s): *Allotheobaldia Broelemann,1919*
- 3216) Culiseta (Culicella) Felt,1904** (Culicidae) Synonym(s): *Culicella Felt,1904*
- 3217) Culiseta (s.str.) Felt,1904** (Culicidae) Synonym(s): *Culiseta Felt,1904*
- 3218) Culiseta Felt,1904** (Culicidae) Synonym(s): *Culiseta Felt,1904*
- 3219) Uranotaenia (Pseudoficalbia) Theobald,1912** (Culicidae) Synonym(s): *Pseudoficalbia Theobald,1912*
- 3220) Acentrus Schoenherr,1845** (Curculionidae) Synonym(s): *Acentrus Schoenherr,1845*
- 3221) Aomidius Bialooki,2005** (Curculionidae) Synonym(s): *Aomidius Bialooki,2005*
- 3222) Aomus Schoenherr,1834** (Curculionidae) Synonym(s): *Aomus Schoenherr,1834; Chilodrosus Reitter,1913*
- 3223) Bangasternus Des Gozis,1882** (Curculionidae) Synonym(s): *Coelostethus Capiomont,1873 (praeocc.); Bangasternus Des Gozis,1882*
- 3224) Bothynoderes Schönherr,1823** (Curculionidae) Synonym(s): *Bothynoderes Schönherr,1823*
- 3225) Ceutorhynchus Germar,1824** (Curculionidae) Synonym(s): *Ceutorhynchus Germar,1824*

- 3226) **Chromoderus Motschoulsky,1860** (Curculionidae) Synonym(s): *Chromoderus Motschoulsky,1860*
 3227) **Cionus Clairville,1798** (Curculionidae) Synonym(s): *Cionus Clairville,1798*
 3228) **Cleonis Dejean,1821** (Curculionidae) Synonym(s): *Cleonis Dejean,1821*
 3229) **Coniatus Germar,1817** (Curculionidae) Synonym(s): *Coniatus Germar,1817*
 3230) **Coniocleonus Motschoulsky,1860** (Curculionidae) Synonym(s): *Coniocleonus Motschoulsky,1860*
 3231) **Conorhynchus Motschoulsky,1860** (Curculionidae) Synonym(s): *Conorhynchus Motschoulsky,1860*
 3232) **Curculio Linnaeus,1758** (Curculionidae) Synonym(s): *Curculio Linnaeus,1758*
 3233) **Donus Capiomont,1868** (Curculionidae) Synonym(s): *#Donus Dejean,1821; Donus Capiomont,1868*
 3234) **Eustenopus Petri,1907** (Curculionidae) Synonym(s): *Eustenopus Petri,1907*
 3235) **Hypera Germar,1817** (Curculionidae) Synonym(s): *Hypera Germar,1817; Phytonomus Schoenherr,1823*
 3236) **Hypolixus Desbrochers,1898** (Curculionidae) Synonym(s): *Hypolixus Desbrochers,1898*
 3237) **Larinus Dejean,1821** (Curculionidae) Synonym(s): *Larinus Dejean,1821*
 3238) **Limobius Schönherr,1843** (Curculionidae) Synonym(s): *Limobius Schönherr,1843; Limonobius Gemminger,1871*
 3239) **Lixus Fabricius,1801** (Curculionidae) Synonym(s): *Lixus Fabricius,1801*
 3240) **Microlarinus Hochhuth,1847** (Curculionidae) Synonym(s): *Microlarinus Hochhuth,1847*
 3241) **Neotournieria Apfelbeck,1932** (Curculionidae) Synonym(s): *Neotournieria Apfelbeck,1932*
 3242) **Pachycerus Schönherr,1823** (Curculionidae) Synonym(s): *Pachycerus Schönherr,1823*
 3243) **Rhinocyllus Germar,1817** (Curculionidae) Synonym(s): *Rhinocyllus Germar,1817*
 3244) **Tychius Germar,1817** (Curculionidae) Synonym(s): *Tychius Germar,1817*
 3245) **Canthophorus Mulsant & Rey,1866** (Cydniidae) Synonym(s): *Canthophorus Mulsant & Rey,1866*
 3246) **Cydnus Fabricius,1803** (Cydniidae) Synonym(s): *Cydnus Fabricius,1803*
 3247) **Macroscytus Fieber,[1860]** (Cydniidae) Synonym(s): *Macroscytus Fieber,[1860]; Hahnia Ellenrieder,1862; Philaopdemus Kirkaldy,1910*
 3248) **Schirus Amyot & Audinet-Serville,1843** (Cydniidae) Synonym(s): *Schirus Amyot & Audinet-Serville,1843*
 3249) **Tritomegas Amyot & Audinet-Serville,1843** (Cydniidae) Synonym(s): *Tritomegas Amyot & Audinet-Serville,1843*
 3250) **Diogma Edwards,1938** (Cylindrotomidae) Synonym(s): *Diogma Edwards,1938*
 3251) **Andricus Hartig,1840** (Cynipidae) Synonym(s): *Andricus Hartig,1840; Aphilotrix Förster,1869; Liodora Förster,1869; Manderstjernia Radoskowsky,1886; Adleria Rohwer & Fagan,1917; Euschmitzia Dettmer,1925; Oncaspis Dettmer,1925; Druon Kinsey,1937; Femuros Kinsey,1937; Feron Kinsey,1937; Conobius Kinsey,1938*
 3252) **Aphelonyx Mayr,1881** (Cynipidae) Synonym(s): *Aphelonyx Mayr,1881*
 3253) **Aulacidea Ashmead,1897** (Cynipidae) Synonym(s): *Aulacidea Ashmead,1897*
 3254) **Aylax Hartig,1840** (Cynipidae) Synonym(s): *Aylax Hartig,1840; #Aulax Hartig,1843*
 3255) **Biorhiza Westwood,1840** (Cynipidae) Synonym(s): *Biorhiza Westwood,1840*
 3256) **Callirhytis Förster,1868** (Cynipidae) Synonym(s): *Callirhytis Förster,1868*
 3257) **Chilaspis Mayr,1881** (Cynipidae) Synonym(s): *Chilaspis Mayr,1881*
 3258) **Cynips Linnaeus,1758** (Cynipidae) Synonym(s): *Cynips Linnaeus,1758; Dryophanta Förster,1869*
 3259) **Diplolepis Goeffroy,1762** (Cynipidae) Synonym(s): *Diplolepis Goeffroy,1762; Rhodites Hartig,1840; Tribalia Walsh,1864; Hololexis Förster,1869; Lytorhodites Kieffer,1902*
 3260) **Dryocosmus Giraud,1859** (Cynipidae) Synonym(s): *Dryocosmus Giraud,1859; Entrophia Förster,1869*
 3261) **Liposthenes Förster,1868** (Cynipidae) Synonym(s): *Liposthenes Förster,1868*
 3262) **Neuroterus Hartig,1840** (Cynipidae) Synonym(s): *Neuroterus Hartig,1840; Spathegaster Hartig,1840; Ameristus Förster,1869; Dolichostrophus Ashmead,1887; Neospathegaster Kinsey,1923; Diplobius Kinsey,1923*
 3263) **Plagiotrochus Mayr,1881** (Cynipidae) Synonym(s): *Plagiotrochus Mayr,1881; Fioria Kieffer,1903 nec Silvestri,1898; Fioriella Kieffer,1903*
 3264) **Pseudoneuroterus Kinsey,1923** (Cynipidae) Synonym(s): *Pseudoneuroterus Kinsey,1923*
 3265) **Synergus Hartig,1840** (Cynipidae) Synonym(s): *Synergus Hartig,1840; Sapholytus Förster,1869*
 3266) **Synophrus Hartig,1843** (Cynipidae) Synonym(s): *Synophrus Hartig,1843*
 3267) **Trigonaspis Hartig,1840** (Cynipidae) Synonym(s): *Trigonaspis Hartig,1840*
 3268) **Dactylopius Costa,1836** (Dactylopiidae) Synonym(s): *Dactylopius Costa,1836*
 3269) **Acanthodelphax Le Quesne,1964** (Delphacidae) Synonym(s): *Acanthodelphax Le Quesne,1964*
 3270) **Alatades Dlabola,1957** (Delphacidae) Synonym(s): *Alatades Dlabola,1957*
 3271) **Asiraca Latreille,1796** (Delphacidae) Synonym(s): *Asiraca Latreille,1796; Manchookhania Kato,1933*
 3272) **Calligypona Sahlberg,1871** (Delphacidae) Synonym(s): *Calligypona Sahlberg,1871*
 3273) **Chloriona Fieber,1866** (Delphacidae) Synonym(s): *Chloriona Fieber,1866*
 3274) **Conomelus Fieber,1866** (Delphacidae) Synonym(s): *Conomelus Fieber,1866*
 3275) **Delphacodes Fieber,1866** (Delphacidae) Synonym(s): *Delphacodes Fieber,1866*

- 3276) Delphacodoides Muir,1929** (Delphacidae) Synonym(s): *Delphacodoides Muir,1929*; *Alatades Dlabola,1957*
- 3277) Delphax Fabricius,1798** (Delphacidae) Synonym(s): *Delphax Fabricius,1798*; *Araeopus Spinola,1839*
- 3278) Diceranotropis Fieber,1866** (Delphacidae) Synonym(s): *Diceranotropis Fieber,1866*; *Leimonodite Kirkaldy,1907*
- 3279) Ditropis Kirschbaum,1868** (Delphacidae) Synonym(s): *Ditropis Kirschbaum,1868*
- 3280) Ditropsis Wagner,1963** (Delphacidae) Synonym(s): *Ditropsis Wagner,1963*
- 3281) Euides Fieber,1866** (Delphacidae) Synonym(s): *Euides Fieber,1866*; *Euidella Puton,1886*
- 3282) Euidopsis Ribaut,1948** (Delphacidae) Synonym(s): *Euidopsis Ribaut,1948*
- 3283) Eurybregma Scott,1875** (Delphacidae) Synonym(s): *Eurybregma Scott,1875*
- 3284) Eurysa Fieber,1866** (Delphacidae) Synonym(s): *Eurysa Fieber,1866*; *Epeurysa Matsumura,1900*
- 3285) Falcotoya Fennah,1969** (Delphacidae) Synonym(s): *Falcotoya Fennah,1969*
- 3286) Flastena Nast,1975** (Delphacidae) Synonym(s): *Flastena Nast,1975*
- 3287) Florodelphax Vilbaste,1968** (Delphacidae) Synonym(s): *Florodelphax Vilbaste,1968*
- 3288) Horvathianella Anufriev,1980** (Delphacidae) Synonym(s): *Horvathianella Anufriev,1980*
- 3289) Iubsoda Nast,1975** (Delphacidae) Synonym(s): *Iubsoda Nast,1975*
- 3290) Javesella Fennah,1963** (Delphacidae) Synonym(s): *Javesella Fennah,1963*; *Weidneriella Wagner,1963*; *Haffneriella Wagner,1966*
- 3291) Kelisia Fieber,1866** (Delphacidae) Synonym(s): *Kelisia Fieber,1866*
- 3292) Laodelphax Fennah,1963** (Delphacidae) Synonym(s): *Laodelphax Fennah,1963*; *Callidelphax Wagner,1963*
- 3293) Leptodelphax Haupt,1927** (Delphacidae) Synonym(s): *Leptodelphax Haupt,1927*
- 3294) Muellerianella Wagner,1963** (Delphacidae) Synonym(s): *Muellerianella Wagner,1963*
- 3295) Muirodelphax Wagner,1963** (Delphacidae) Synonym(s): *Muirodelphax Wagner,1963*
- 3296) Perkinsiella Kirkaldy,1903** (Delphacidae) Synonym(s): *Perkinsiella Kirkaldy,1903*; *Araeopides Ribaut,1948*
- 3297) Pseudaraeopus Kirkaldy,1904** (Delphacidae) Synonym(s): *Delphacodes Melichar,1901 (praeocc.)*; *Pseudaraeopus Kirkaldy,1904*; *Tricranoneura Horvath,1922*
- 3298) Ribautodelphax Wagner,1963** (Delphacidae) Synonym(s): *Ribautodelphax Wagner,1963*
- 3299) Sogatella Fennah,1956** (Delphacidae) Synonym(s): *Sogatella Fennah,1956*; *Sogatodes Fennah,1963*
- 3300) Stenocranus Fieber,1866** (Delphacidae) Synonym(s): *Stenocranus Fieber,1866*
- 3301) Toya Distant,1906** (Delphacidae) Synonym(s): *Toya Distant,1906*; *Metadelphax Wagner,1963*
- 3302) Tropidocephala Stal,1853** (Delphacidae) Synonym(s): *Tropidocephala Stal,1853*; *Nephropsia A.Costa,1862*; *Conicoda Matsumura,1900*; *Smara Distant,1906*
- 3303) Unkanodes Fennah,1956** (Delphacidae) Synonym(s): *Unkanodes Fennah,1956*; *Elymodelphax Wagner,1963*; *Chilodelphax Wagner,1968*
- 3304) Malenia Haupt,1924** (Derbidae) Synonym(s): *Malenia Haupt,1924*
- 3305) Dericorys Audinet-Serville,[1838]** (Dericorythidae) Synonym(s): *Dericorys Audinet-Serville,[1838]*; *Derocorystes Burmeister,1840*; *Cyphophorus Fischer von Waldheim,1846*; *Corystoderes Bolivar,1936*
- 3306) Anthrenus (Florilinus) Mulsant & Rey,1867** (Dermestidae) Synonym(s): *Florilinus Mulsant & Rey,1867*
- 3307) Anthrenus (Nathrenus) Casey,1900** (Dermestidae) Synonym(s): *Nathrenus Casey,1900*
- 3308) Anthrenus Schaeffer,1766** (Dermestidae) Synonym(s): *Anthrenus Schaeffer,1766*
- 3309) Attagenus (s.str.) Latreille,1802** (Dermestidae) Synonym(s): *Attagenus Latreille,1802*
- 3310) Attagenus Latreille,1802** (Dermestidae) Synonym(s): *Attagenus Latreille,1802*
- 3311) Ctesias Stephens,1830** (Dermestidae) Synonym(s): *Ctesias Stephens,1830*
- 3312) Dermestes (Montandonia) Jacquet,1886** (Dermestidae) Synonym(s): *Montandonia Jacquet,1886*
- 3313) Dermestes Linnaeus,1758** (Dermestidae) Synonym(s): *Dermestes Linnaeus,1758*
- 3314) Globicornis Latreille,1829** (Dermestidae) Synonym(s): *Globicornis Latreille,1829*
- 3315) Orphilus Erichson,1846** (Dermestidae) Synonym(s): *Orphilus Erichson,1846*
- 3316) Phradonoma Jacquelin du Val,1859** (Dermestidae) Synonym(s): *Phradonoma Jacquelin du Val,1859*
- 3317) Trogoderma Berthold,1827** (Dermestidae) Synonym(s): *Trogoderma Berthold,1827*
- 3318) Turcicornis Hava,2000** (Dermestidae) Synonym(s): *Turcicornis Hava,2000*
- 3319) Clonaria Stal,1875** (Diapheromeridae) Synonym(s): *Clonaria Stal,1875*; *Gratidia Stal,1875*; *Paraclonaria Brunner von Wattenwyl,1893*
- 3320) Abgrallaspis Balachowski,1948** (Diaspididae) Synonym(s): *Abgrallaspis Balachowski,1948*
- 3321) Acanthomytilus Borkhsenius,1947** (Diaspididae) Synonym(s): *Acanthomytilus Borkhsenius,1947*
- 3322) Aonidia Targioni-Tozzetti,1868** (Diaspididae) Synonym(s): *Aonidia Targioni-Tozzetti,1868*
- 3323) Aonidiella Berlese & Leonardi,1895** (Diaspididae) Synonym(s): *Aonidiella Berlese & Leonardi,1895*
- 3324) Aspidiotus Bouché,1833** (Diaspididae) Synonym(s): *Aspidiotus Bouché,1833*

- 3325) *Aulacaspis* Cockerell, 1893 (Diaspididae) Synonym(s): *Aulacaspis* Cockerell, 1893
- 3326) *Carulaspis* McGillivray, 1921 (Diaspididae) Synonym(s): *Carulaspis* McGillivray, 1921
- 3327) *Chionaspis* Signoret, [1869] (Diaspididae) Synonym(s): *Chionaspis* Signoret, [1869]
- 3328) *Chlidaspis* Borkhsenius, 1949 (Diaspididae) Synonym(s): *Chlidaspis* Borkhsenius, 1949
- 3329) *Chortinaspis* Ferris, 1938 (Diaspididae) Synonym(s): *Chortinaspis* Ferris, 1938
- 3330) *Chrysomphalus* Ashmead, 1880 (Diaspididae) Synonym(s): *Chrysomphalus* Ashmead, 1880
- 3331) *Contigaspidis* McGillivray, 1921 (Diaspididae) Synonym(s): *Contigaspidis* McGillivray, 1921
- 3332) *Diaspidiotus* Berlese, 1896 (Diaspididae) Synonym(s): *Diaspidiotus* Berlese, 1896
- 3333) *Diaspis* Costa, [1828] (Diaspididae) Synonym(s): *Diaspis* Costa, [1828]
- 3334) *Duplachionaspis* MacGillivray, 1921 (Diaspididae) Synonym(s): *Duplachionaspis* MacGillivray, 1921
- 3335) *Dynaspidiotus* Thiem & Gerneck, 1934 (Diaspididae) Synonym(s): *Dynaspidiotus* Thiem & Gerneck, 1934
- 3336) *Epidiaspis* Cockerell, 1899 (Diaspididae) Synonym(s): *Epidiaspis* Cockerell, 1899
- 3337) *Fiorinia* Targioni-Tozzetti, 1869 (Diaspididae) Synonym(s): *Fiorinia* Targioni-Tozzetti, 1869
- 3338) *Furchadaspis* MacGillivray, 1921 (Diaspididae) Synonym(s): *Furchadaspis* MacGillivray, 1921
- 3339) *Genistaspis* Bodenheimer, 1951 (Diaspididae) Synonym(s): *Genistaspis* Bodenheimer, 1951
- 3340) *Gonaspidiotus* MacGillivray, 1921 (Diaspididae) Synonym(s): *Gonaspidiotus* MacGillivray, 1921
- 3341) *Hemiberlesia* Leonardi, 1897 (Diaspididae) Synonym(s): *Hemiberlesia* Leonardi, 1897
- 3342) *Kuwanaspis* MacGillivray, 1921 (Diaspididae) Synonym(s): *Kuwanaspis* MacGillivray, 1921
- 3343) *Lepidosaphes* Shimer, 1868 (Diaspididae) Synonym(s): *Lepidosaphes* Shimer, 1868
- 3344) *Leucaspis* Targioni-Tozzetti, 1868 (Diaspididae) Synonym(s): *Leucaspis* Targioni-Tozzetti, 1868; *Leucodiaspis* Signoret, 1869
- 3345) *Lineaspis* MacGillivray, 1921 (Diaspididae) Synonym(s): *Lineaspis* MacGillivray, 1921
- 3346) *Lopholeucaspis* Balachowsky, 1953 (Diaspididae) Synonym(s): *Lopholeucaspis* Balachowsky, 1953
- 3347) *Melanaspis* Cockerell, 1897 (Diaspididae) Synonym(s): *Melanaspis* Cockerell, 1897
- 3348) *Mercetaspis* Menor, 1927 (Diaspididae) Synonym(s): *Mercetaspis* Menor, 1927
- 3349) *Mohelnaspis* Sulc, 1937 (Diaspididae) Synonym(s): *Mohelnaspis* Sulc, 1937
- 3350) *Oceanaspidiotus* Takagi, 1984 (Diaspididae) Synonym(s): *Oceanaspidiotus* Takagi, 1984
- 3351) *Parlatoresopsis* Lindinger, 1912 (Diaspididae) Synonym(s): *Parlatoresopsis* Lindinger, 1912
- 3352) *Parlatoria* Targioni-Tozzetti, 1868 (Diaspididae) Synonym(s): *Parlatoria* Targioni-Tozzetti, 1868
- 3353) *Pinnaspis* Cockerell, 1892 (Diaspididae) Synonym(s): *Pinnaspis* Cockerell, 1892
- 3354) *Prodiaspis* Young & Wang, 1984 (Diaspididae) Synonym(s): *Prodiaspis* Young & Wang, 1984
- 3355) *Rhizaspidiotus* MacGillivray, 1921 (Diaspididae) Synonym(s): *Rhizaspidiotus* MacGillivray, 1921
- 3356) *Salicicola* Lindinger, 1906 (Diaspididae) Synonym(s): *Salicicola* Lindinger, 1906
- 3357) *Targionia* Signoret, 1869 (Diaspididae) Synonym(s): *Targionia* Signoret, 1869
- 3358) *Unaspis* MacGillivray, 1921 (Diaspididae) Synonym(s): *Unaspis* MacGillivray, 1921
- 3359) *Callodictya* Melichar, 1912 (Dictyopharidae) Synonym(s): *Callodictya* Melichar, 1912
- 3360) *Dictyophara* Germar, 1833 (Dictyopharidae) Synonym(s): *Dictyophara* Germar, 1833; *Pseudophana* Burmeister, 1835; *Chanitus* Kolenati, 1857; *Avephora* Bierman, 1910
- 3361) *Philotheria* Melichar, 1912 (Dictyopharidae) Synonym(s): *Philotheria* Melichar, 1912
- 3362) *Ranissus* Fieber, 1866 (Dictyopharidae) Synonym(s): *Ranissus* Fieber, 1866; *Schizoegeus* Kusnezov, 1930; *Palaeorgeus* Fennah, 1944
- 3363) *Dilar* Rambur, 1838 (Dilaridae) Synonym(s): *Dilar* Rambur, 1838
- 3364) *Aspongopus* Laporte, 1832 (Dinidoridae) Synonym(s): *Aspongopus* Laporte, 1832
- 3365) *Coridius* Illiger, 1807 (Dinidoridae) Synonym(s): *Coridius* Illiger, 1807; *#Coridus* Önder et al., 2006
- 3366) *Aphrosylus* Haliday, 1851 (Dolichopodidae) Synonym(s): *Aphrosylus* Haliday, 1851
- 3367) *Argyra* Macquart, 1834 (Dolichopodidae) Synonym(s): *Argyra* Macquart, 1834
- 3368) *Campsicnemus* Haliday, 1851 (Dolichopodidae) Synonym(s): *Campsicnemus* Haliday, 1851
- 3369) *Chrysotimus* Loew, 1857 (Dolichopodidae) Synonym(s): *Chrysotimus* Loew, 1857
- 3370) *Chrysotus* Meigen, 1824 (Dolichopodidae) Synonym(s): *Chrysotus* Meigen, 1824
- 3371) *Diaphorus* Meigen, 1824 (Dolichopodidae) Synonym(s): *Diaphorus* Meigen, 1824
- 3372) *Dolichopus* Latreille, 1796 (Dolichopodidae) Synonym(s): *Dolichopus* Latreille, 1796
- 3373) *Gymnopternus* Loew, 1857 (Dolichopodidae) Synonym(s): *Gymnopternus* Loew, 1857
- 3374) *Hercostomus* Loew, 1857 (Dolichopodidae) Synonym(s): *Hercostomus* Loew, 1857; *Microhercostomus* Stackelberg, 1949; *Steleopyga* Grootaert & Meuffels, 2001 nec Fischer, 1833
- 3375) *Hydrophorus* Fallén, 1823 (Dolichopodidae) Synonym(s): *Hydrophorus* Fallén, 1823
- 3376) *Lamprochromus* Mik, 1878 (Dolichopodidae) Synonym(s): *Lamprochromus* Mik, 1878
- 3377) *Liancalus* Loew, 1857 (Dolichopodidae) Synonym(s): *Liancalus* Loew, 1857
- 3378) *Medetera* Fischer von Waldheim, 1819 (Dolichopodidae) Synonym(s): *Medetera* Fischer von Waldheim, 1819; *Medeterium* Berthold, 1827; *Taechobates* Haliday, 1832; *Orthobates* Wahlberg, 1844; *Anorthus* Loew, 1850; *Oligochaetus* Mik, 1878; *Elongomedetera* Hollis, 1964; *Asioligochaetus* Negrobov, 1966; *Lorea* Negrobov, 1966

- 3379) Neurigona Rondani,1856** (Dolichopodidae) Synonym(s): *Neurigona Rondani,1856; Saucropus Loew,1857; Neurogona Oldenberg,1904*
- 3380) Ortochile Latreille,1809** (Dolichopodidae) Synonym(s): *Ortochile Latreille,1809; #Orthochile Berthold,1827*
- 3381) Poecilobothrus Mik,1878** (Dolichopodidae) Synonym(s): *Poecilobothrus Mik,1878*
- 3382) Rhaphium Meigen,1803** (Dolichopodidae) Synonym(s): *Rhaphium Meigen,1803*
- 3383) Sciapus Zeller,1842** (Dolichopodidae) Synonym(s): *Leptopus Fallén,1823 nec Latr.,1809; Psilopus Meigen,1824 nec Poli,1795; Sciapus Zeller,1842; Stenarus Gistel,1848; Psilopodius Rondani,1861; Psilopodinus Bigot,1888; Psilopiella Van Duzee,1914; #Sciopus Parenti,1925; Agastoplax Enderlein,1936; Dactylodiscia Enderlein,1936; Dactylorhipis Enderlein,1936; Placantichir Birkel,1994*
- 3384) Sympycnus Loew,1857** (Dolichopodidae) Synonym(s): *Sympycnus Loew,1857*
- 3385) Syntormon Loew,1857** (Dolichopodidae) Synonym(s): *Syntormon Loew,1857*
- 3386) Tachytrechus Stannius,1831** (Dolichopodidae) Synonym(s): *Tachytrechus Stannius,1831*
- 3387) Telmaturgus Mik,1874** (Dolichopodidae) Synonym(s): *Telmaturgus Mik,1874*
- 3388) Teuchophorus Loew,1857** (Dolichopodidae) Synonym(s): *Teuchophorus Loew,1857*
- 3389) Thinophilus Wahlberg,1844** (Dolichopodidae) Synonym(s): *Thinophilus Wahlberg,1844*
- 3390) Thrypticus Gerstaecker,1864** (Dolichopodidae) Synonym(s): *Thrypticus Gerstaecker,1864; Aphantotimus Wheeler,1890; Xanthotricha Aldrich,1896; Submedeterus Becker,1917*
- 3391) Amiota (Phortica) Schiner,1862** (Drosophilidae) Synonym(s): *Phortica Schiner,1862*
- 3392) Amiota Loew,1862** (Drosophilidae) Synonym(s): *Amiota Loew,1862*
- 3393) Drosophila (Dorsilopha) Sturtevant,1942** (Drosophilidae) Synonym(s): *Dorsilopha Sturtevant,1942*
- 3394) Drosophila (Lordiphosa) Basden,1961** (Drosophilidae) Synonym(s): *Lordiphosa Basden,1961*
- 3395) Drosophila (Scaptodrosophila) Duda,1923** (Drosophilidae) Synonym(s): *Scaptodrosophila Duda,1923; Paradrosophila Duda,1923; Spuriostyloptera Duda,1923; Pholadoris Sturtevant,1942*
- 3396) Drosophila (Sophophora) Sturtevant,1939** (Drosophilidae) Synonym(s): *Sophophora Sturtevant,1939*
- 3397) Drosophila (s.str.) Fallén,1823** (Drosophilidae) Synonym(s): *Drosophila Fallén,1823; Idiomyia Grimshaw,1901; Hyphenomyia Grimshaw,1901; Chaetodrosophillella Duda,1923; Acanthophila Duda,1924; Antopocerus Hardy,1965; Ateledrosophila Hardy,1965; Nudidrosophila Hardy,1965; Trichotobregma Hardy,1965*
- 3398) Drosophila Fallén,1823** (Drosophilidae) Synonym(s): *Drosophila Fallén,1823; Idiomyia Grimshaw,1901; Hyphenomyia Grimshaw,1901; Chaetodrosophillella Duda,1923; Acanthophila Duda,1924; Antopocerus Hardy,1965; Ateledrosophila Hardy,1965; Nudidrosophila Hardy,1965; Trichotobregma Hardy,1965*
- 3399) Gitona Meigen,1830** (Drosophilidae) Synonym(s): *Gitona Meigen,1830*
- 3400) Leucophenga Mik,1886** (Drosophilidae) Synonym(s): *Leucophenga Mik,1886; Oxyleucophenga Hendel,1913; Drosomyiella Hendel,1914*
- 3401) Scaptomyza (Parascaptomyza) Duda,1924** (Drosophilidae) Synonym(s): *Parascaptomyza Duda,1924*
- 3402) Scaptomyza (s.str.) Hardy,[1850]** (Drosophilidae) Synonym(s): *Scaptomyza Hardy,[1850]*
- 3403) Scaptomyza Hardy,[1850]** (Drosophilidae) Synonym(s): *Scaptomyza Hardy,[1850]*
- 3404) Zaprionus Coquillett,1901** (Drosophilidae) Synonym(s): *Zaprionus Coquillett,1901*
- 3405) Acilius Leach,1817** (Dytiscidae) Synonym(s): *Acilius Leach,1817*
- 3406) Agabus (Acatodes) Thomson,1859** (Dytiscidae) Synonym(s): *Acatodes Thomson,1859; Badynectus Seidlitz,1882; Acathodes Seidlitz,1887; Heteronyctus Seidlitz,1887; Scytodytes Seidlitz,1887; Xanthodytes Seidlitz,1887; Allonychus Zaitzev,1905; Mesogabus Guéorguiev,1969*
- 3407) Agabus (Gaurodytes) Thomson,1859** (Dytiscidae) Synonym(s): *Necticus Hope,1838; Gaurodytes Thomson,1859; Dichodytes Thomson,1886; Xanthodytes Seidlitz,1887; Gabinectes Guignot,1931; Agabinectes Guignot,1932;*
- 3408) Agabus Leach,1817** (Dytiscidae) Synonym(s): *Agabus Leach,1817*
- 3409) Bidessus Sharp,1881** (Dytiscidae) Synonym(s): *Bidessus Sharp,1881*
- 3410) Colymbetes Schellenberg,1806** (Dytiscidae) Synonym(s): *Colymbetes Schellenberg,1806*
- 3411) Cybister (Scaphinectes) Adam,1993** (Dytiscidae) Synonym(s): *Scaphinectes Adam,1993*
- 3412) Cybister (s.str.) Curtis,1827** (Dytiscidae) Synonym(s): *Cybister Curtis,1827*
- 3413) Cybister Curtis,1827** (Dytiscidae) Synonym(s): *Cybister Curtis,1827*
- 3414) Deronectes Sharp,1881** (Dytiscidae) Synonym(s): *Deronectes Sharp,1881*
- 3415) Dytiscus Linnaeus,1758** (Dytiscidae) Synonym(s): *Dytiscus Linnaeus,1758; Diticus Goldfuss,1820*
- 3416) Eretes Laporte,1833** (Dytiscidae) Synonym(s): *Eunectes Erichson,1832 nec Wagl.,1830; Eretes Laporte,1833; Nogrus Dejean,1833*
- 3417) Graphoderus Dejean,1833** (Dytiscidae) Synonym(s): *Graphoderus Dejean,1833*
- 3418) Graptodytes Seidlitz,1887** (Dytiscidae) Synonym(s): *Graptodytes Seidlitz,1887*
- 3419) Hydaticus (Guignotites) Brinck,1944** (Dytiscidae) Synonym(s): *Isonotus Houlbert,1934 (praeocc.); Guignotites Brinck,1944*
- 3420) Hydaticus Leach,1817** (Dytiscidae) Synonym(s): *Hydaticus Leach,1817*
- 3421) Hydroglyphus Motschoulsky,1853** (Dytiscidae) Synonym(s): *Hydroglyphus Motschoulsky,1853*
- 3422) Hydroporus Clairville,1806** (Dytiscidae) Synonym(s): *Hydroporus Clairville,1806*

- 3423) **Hydrovatus Motschoulsky, 1853** (Dytiscidae) Synonym(s): *Hydrovatus Motschoulsky, 1853*
 3424) **Hygrotus (Coelambus) Thomson, 1860** (Dytiscidae) Synonym(s): *Coelambus Thomson, 1860*
 3425) **Hygrotus Stephens, 1828** (Dytiscidae) Synonym(s): *Hygrotus Stephens, 1828*
 3426) **Ilybius Erichson, 1832** (Dytiscidae) Synonym(s): *Ilybius Erichson, 1832*; *Ilyobius Agassiz, 1846*
 3427) **Laccophilus Leach, 1817** (Dytiscidae) Synonym(s): *Laccophilus Leach, 1817*
 3428) **Nebrioporus Régimbart, 1906** (Dytiscidae) Synonym(s): *Nebrioporus Régimbart, 1906*
 3429) **Oreodytes Seidlitz, 1887** (Dytiscidae) Synonym(s): *Oreodytes Seidlitz, 1887*
 3430) **Platambus Thomson, 1860** (Dytiscidae) Synonym(s): *Platambus Thomson, 1860*
 3431) **Rantus Dejean, 1833** (Dytiscidae) Synonym(s): *Rantus Dejean, 1833*; *Rhantus Lacordaire, 1835*
 3432) **Scarodytes Des Gozis, 1914** (Dytiscidae) Synonym(s): *Scarodytes Des Gozis, 1914*
 3433) **Adelocera Latreille, 1829** (Elateridae) Synonym(s): *Adelocera Latreille, 1829*
 3434) **Adrastus Eschscholtz, 1829** (Elateridae) Synonym(s): *Adrastus Eschscholtz, 1829*
 3435) **Aeoloderma Fleutiaux, 1928** (Elateridae) Synonym(s): *Aeoloderma Fleutiaux, 1928*
 3436) **Aeoloides Schwarz, 1906** (Elateridae) Synonym(s): *Aeoloides Schwarz, 1906*
 3437) **Aeolosomus Dolin, 1982** (Elateridae) Synonym(s): *Aeolosomus Dolin, 1982*
 3438) **Agriotes (s.str.) Eschscholtz, 1829** (Elateridae) Synonym(s): *Agriotes Eschscholtz, 1829*
 3439) **Agriotes Eschscholtz, 1829** (Elateridae) Synonym(s): *Agriotes Eschscholtz, 1829*
 3440) **Agrypnus Eschscholtz, 1829** (Elateridae) Synonym(s): *Agrypnus Eschscholtz, 1829*
 3441) **Ampedus Dejean, 1833** (Elateridae) Synonym(s): *Ampedus Dejean, 1833*
 3442) **Anostirus Thomson, 1859** (Elateridae) Synonym(s): *Anostirus Thomson, 1859*
 3443) **Aplotarsus Stephens, 1830** (Elateridae) Synonym(s): *Aplotarsus Stephens, 1830*
 3444) **Athous (Euplathous) Reitter, 1905** (Elateridae) Synonym(s): *Euplathous Reitter, 1905*
 3445) **Athous (Haplathous) Reitter, 1905** (Elateridae) Synonym(s): *Haplathous Reitter, 1905*
 3446) **Athous (Orthathous) Reitter, 1905** (Elateridae) Synonym(s): *Orthathous Reitter, 1905*
 3447) **Athous (Orthathous) Reitter, 1905** (Elateridae) Synonym(s): *Orthathous Reitter, 1905*
 3448) **Athous (s.str.) Eschscholtz, 1829** (Elateridae) Synonym(s): *Athous Eschscholtz, 1829*
 3449) **Athous Eschscholtz, 1829** (Elateridae) Synonym(s): *Athous Eschscholtz, 1829*
 3450) **Betarmon Kiesenwetter, 1858** (Elateridae) Synonym(s): *Betarmon Kiesenwetter, 1858*
 3451) **Brachygonus Buysson, 1912** (Elateridae) Synonym(s): *Brachygonus Buysson, 1912*
 3452) **Calais Laporte, 1838** (Elateridae) Synonym(s): *Calais Laporte, 1838*
 3453) **Cardiophorus (s.str.) Eschscholtz, 1829** (Elateridae) Synonym(s): *Cardiophorus Eschscholtz, 1829*
 3454) **Cardiophorus Eschscholtz, 1829** (Elateridae) Synonym(s): *Cardiophorus Eschscholtz, 1829*
 3455) **Cidnopus Thomson, 1859** (Elateridae) Synonym(s): *Cidnopus Thomson, 1859*
 3456) **Ctenicera Latreille, 1829** (Elateridae) Synonym(s): *Ctenicera Latreille, 1829*
 3457) **Dalopius Eschscholtz, 1829** (Elateridae) Synonym(s): *Dalopius Eschscholtz, 1829*
 3458) **Danasoma Thomson, 1859** (Elateridae) Synonym(s): *Danasoma Thomson, 1859*
 3459) **Denticollis Piller & Mitterpacher, 1783** (Elateridae) Synonym(s): *Denticollis Piller & Mitterpacher, 1783*
 3460) **Dicronychus Brullé, 1832** (Elateridae) Synonym(s): *Dicronychus Brullé, 1832*
 3461) **Drasterius Eschscholtz, 1829** (Elateridae) Synonym(s): *Drasterius Eschscholtz, 1829*
 3462) **Ectamenogonus Buysson, 1894** (Elateridae) Synonym(s): *Ectamenogonus Buysson, 1894*
 3463) **Ectinus Eschscholtz, 1829** (Elateridae) Synonym(s): *Ectinus Eschscholtz, 1829*
 3464) **Elater Linnaeus, 1758** (Elateridae) Synonym(s): *Elater Linnaeus, 1758*
 3465) **Elathous Reitter, 1890** (Elateridae) Synonym(s): *Elathous Reitter, 1890*
 3466) **Haterumelater Ohira, 1968** (Elateridae) Synonym(s): *Haterumelater Ohira, 1968*
 3467) **Hemicrepidius Germar, 1839** (Elateridae) Synonym(s): *Hemicrepidius Germar, 1839*
 3468) **Hypnoidus Dillwyn, 1829** (Elateridae) Synonym(s): *Hypnoidus Dillwyn, 1829*
 3469) **Hypoganus Kiesenwetter, 1863** (Elateridae) Synonym(s): *Hypoganus Kiesenwetter, 1863*
 3470) **Idolus Desbrochers, 1875** (Elateridae) Synonym(s): *Idolus Desbrochers, 1875*
 3471) **Idotarmonides Agajev, 1985** (Elateridae) Synonym(s): *Idotarmonides Agajev, 1985*
 3472) **Ischnodes Germar, 1844** (Elateridae) Synonym(s): *Ischnodes Germar, 1844*
 3473) **Isidus Mulsant & Rey, 1874** (Elateridae) Synonym(s): *Isidus Mulsant & Rey, 1874*
 3474) **Lacon Laporte, 1838** (Elateridae) Synonym(s): *Lacon Laporte, 1838*
 3475) **Lanelater Arnett, 1952** (Elateridae) Synonym(s): *Lanelater Arnett, 1952*
 3476) **Limoniscus Reitter, 1905** (Elateridae) Synonym(s): *Limoniscus Reitter, 1905*
 3477) **Limonius Eschscholtz, 1829** (Elateridae) Synonym(s): *Limonius Eschscholtz, 1829*; *Kibunea Kishii, 1966*
 3478) **Megapenthes Kiesenwetter, 1858** (Elateridae) Synonym(s): *Megapenthes Kiesenwetter, 1858*
 3479) **Melanotus (Spheniscosomus) Schwarz, 1902** (Elateridae) Synonym(s): *Spheniscosomus Schwarz, 1902*
 3480) **Melanotus Eschscholtz, 1829** (Elateridae) Synonym(s): *Melanotus Eschscholtz, 1829*
 3481) **Mulsanteus Gozis, 1875** (Elateridae) Synonym(s): *Mulsanteus Gozis, 1875*; *Neotrichophorus Jacobson, 1913*

- 3482) **Negastrius Thomson, 1859** (Elateridae) Synonym(s): *Negastrius Thomson, 1859*
 3483) **Neopristilpophus Buysson, 1894** (Elateridae) Synonym(s): *Neopristilpophus Buysson, 1894*
 3484) **Nothodes LeConte, 1861** (Elateridae) Synonym(s): *Nothodes LeConte, 1861*
 3485) **Paracardiophorus Schwarz, 1895** (Elateridae) Synonym(s): *Paracardiophorus Schwarz, 1895*
 3486) **Peripontius Gurjeva, 1979** (Elateridae) Synonym(s): *Peripontius Gurjeva, 1979*
 3487) **Pittonotus Jacquelin du Val, 1860** (Elateridae) Synonym(s): *Pittonotus Jacquelin du Val, 1860*
 3488) **Plastocerus LeConte, 1853** (Elateridae) Synonym(s): *Plastocerus LeConte, 1853*
 3489) **Podeonius Kiesenwetter, 1858** (Elateridae) Synonym(s): *Podeonius Kiesenwetter, 1858*
 3490) **Porthmidius Germar, 1847** (Elateridae) Synonym(s): *Porthmidius Germar, 1847*
 3491) **Procræus Reitter, 1905** (Elateridae) Synonym(s): *Procræus Reitter, 1905*
 3492) **Prosternon Latreille, 1804** (Elateridae) Synonym(s): *Prosternon Latreille, 1804*
 3493) **Pseudagriotes Schwarz, 1896** (Elateridae) Synonym(s): *Pseudagriotes Schwarz, 1896*
 3494) **Pseudanostirus Dolin, 1964** (Elateridae) Synonym(s): *Pseudanostirus Dolin, 1964*
 3495) **Pseudocrepidophorus Dolin & Agajev, 1988** (Elateridae) Synonym(s): *Pseudocrepidophorus Dolin & Agajev, 1988*
 3496) **Quasimus Gozis, 1886** (Elateridae) Synonym(s): *Quasimus Gozis, 1886*
 3497) **Reitterelater Platia & Cate, 1990** (Elateridae) Synonym(s): *Reitterelater Platia & Cate, 1990*
 3498) **Ryukyucardiophorus Ohira, 1973** (Elateridae) Synonym(s): *Ryukyucardiophorus Ohira, 1973*
 3499) **Selatosomus (Pristilophus) Latreille, 1834** (Elateridae) Synonym(s): *Pristilophus Latreille, 1834*
 3500) **Selatosomus (Warchalowskianus) Tarnawski, 1995** (Elateridae) Synonym(s): *Warchalowskianus Tarnawski, 1995*
 3501) **Selatosomus (s.str.) Stephens, 1830** (Elateridae) Synonym(s): *Selatosomus Stephens, 1830*
 3502) **Selatosomus Stephens, 1830** (Elateridae) Synonym(s): *Selatosomus Stephens, 1830*
 3503) **Solskyana Dolin, 1978** (Elateridae) Synonym(s): *Solskyana Dolin, 1978*
 3504) **Stenagostus Thomson, 1859** (Elateridae) Synonym(s): *Stenagostus Thomson, 1859*
 3505) **Synaptus Eschscholtz, 1829** (Elateridae) Synonym(s): *Synaptus Eschscholtz, 1829*
 3506) **Tetrigus Candeze, 1857** (Elateridae) Synonym(s): *Tetrigus Candeze, 1857*
 3507) **Tolphorea Gurjeva, 1983** (Elateridae) Synonym(s): *Tolphorea Gurjeva, 1983*
 3508) **Zorochros Thomson, 1859** (Elateridae) Synonym(s): *Zorochros Thomson, 1859*; *#Zorochrus Thomson, 1864*
 3509) **Empis (Euempis) Frey, 1953** (Empididae) Synonym(s): *Euempis Frey, 1953*
 3510) **Empis (Leptempis) Collins, 1926** (Empididae) Synonym(s): *Leptempis Collins, 1926*
 3511) **Empis (Lisempis) Bezzi, 1909** (Empididae) Synonym(s): *Lisempis Bezzi, 1909*
 3512) **Empis (Pachymeria) Stephens, 1829** (Empididae) Synonym(s): *Pachymeria Stephens, 1829*
 3513) **Empis (Polyblepharis) Bezzi, 1909** (Empididae) Synonym(s): *Polyblepharis Bezzi, 1909*
 3514) **Empis (Xanthempis) Bezzi, 1909** (Empididae) Synonym(s): *Xanthempis Bezzi, 1909*
 3515) **Empis (s.str.) Linnaeus, 1758** (Empididae) Synonym(s): *Empis Linnaeus, 1758*
 3516) **Empis Linnaeus, 1758** (Empididae) Synonym(s): *Empis Linnaeus, 1758*
 3517) **Hilara Meigen, 1822** (Empididae) Synonym(s): *Hilara Meigen, 1822*
 3518) **Rhamphomyia (Lundstroemiella) Frey, 1922** (Empididae) Synonym(s): *Lundstroemiella Frey, 1922*
 3519) **Rhamphomyia Meigen, 1822** (Empididae) Synonym(s): *Rhamphomyia Meigen, 1822*
 3520) **Blepharopsis Rehn, 1902** (Empusidae) Synonym(s): *Blepharis Serville, 1831 nec Cuvier, 1807*; *?Chersomantis Gistel, 1856*; *Blepharopsis Rehn, 1902*
 3521) **Empusa Illiger, 1798** (Empusidae) Synonym(s): *Empusa Illiger, 1798*; *Phantoma Risso, 1826*; *#Ampusa Rambur, 1838*
 3522) **Achalcerinys Girault, 1915** (Encyrtidae) Synonym(s): *Achalcerinys Girault, 1915*
 3523) **Adelencyrtus Ashmead, 1900** (Encyrtidae) Synonym(s): *Adelencyrtus Ashmead, 1900*; *Epiencyrtoides Girault, 1915*; *Rotrencyrtus Risbec, 1959*
 3524) **Ageniaspis Dalbohm, 1857** (Encyrtidae) Synonym(s): *Ageniaspis Dalbohm, 1857*; *#Agenisapis Thomson, 1876*; *Holcothorax Mayr, 1876*; *Leuroceroides Girault, 1915*; *Paraleurocerus Girault, 1915*; *Microrhopus Girault, 1932*; *Gibberella Miller, 1961 nec Abushik, 1958*
 3525) **Anagyrus Howard, 1896** (Encyrtidae) Synonym(s): *Anagyrus Howard, 1896*; *Paranusia Brethes, 1913*; *Epidinocarsis Girault, 1913*; *Doliphoceras Mercet, 1921*; *Gyranusia Brethes, 1921*; *Apoanagyrus Compere, 1947*; *Anathrix Burks, 1952*; *Aglyptoideus De Santis, 1964*; *Xiphmastix De Santis, 1972*; *Tongyus Noyes & Hayat, 1984*
 3526) **Anicetus Howard, 1896** (Encyrtidae) Synonym(s): *Anicetus Howard, 1896*
 3527) **Aphycoides Mercet, 1921** (Encyrtidae) Synonym(s): *Aphycoides Mercet, 1921*
 3528) **Aphycus Mayr, 1875** (Encyrtidae) Synonym(s): *Aphycus Mayr, 1875*
 3529) **Aschitus Mercet, 1921** (Encyrtidae) Synonym(s): *Aschitus Mercet, 1921*
 3530) **Blastothrix Mayr, 1875** (Encyrtidae) Synonym(s): *Blastothrix Mayr, 1875*
 3531) **Bothriothorax Ratzeburg, 1844** (Encyrtidae) Synonym(s): *Bothriothorax Ratzeburg, 1844*
 3532) **Callipteroma Motschulsky, 1863** (Encyrtidae) Synonym(s): *Callipteroma Motschulsky, 1863*
 3533) **Cerapterocerus Westwood, 1833** (Encyrtidae) Synonym(s): *Cerapterocerus Westwood, 1833*; *Jurinia Costa, 1839*; *Telegraphus Ratzburg, 1848*

- 3534) **Cerchysiella Girault,1915** (Encyrtidae) Synonym(s): *Cerchysiella Girault,1915*
 3535) **Cerchysius Westwood,1832** (Encyrtidae) Synonym(s): *Cerchysius Westwood,1832*
 3536) **Charitopus Förster,1856** (Encyrtidae) Synonym(s): *Charitopus Förster,1856*
 3537) **Cheiloneurus Westwood,1833** (Encyrtidae) Synonym(s): *Cheiloneurus Westwood,1833*
 3538) **Choreia Westwood,1833** (Encyrtidae) Synonym(s): *Choreia Westwood,1833*; *#Choreius Westwood,1837*
 3539) **Coelopencyrtus Timberlake,1919** (Encyrtidae) Synonym(s): *Coelopencyrtus Timberlake,1919*
 3540) **Comperiella Howard,1906** (Encyrtidae) Synonym(s): *Comperiella Howard,1906*
 3541) **Copidosoma Ratzeburg,1844** (Encyrtidae) Synonym(s): *Copidosoma Ratzeburg,1844*; *Litomastix Thomson,1876*; *Pentacnemus Howard,1892*; *Berecynthus Howard,1898*; *Parapsylophrys Howard,1898*; *Pseudencyrtella Girault,1913*; *Zaomencyrtus Girault,1915*; *Paracaenocercus Girault,1915*; *Verdunia Mercet,1917*; *Limastotix Mercet,1921*; *Litomastiellus Mercet,1921*; *Paralitomastix Mercet,1921*; *Angeliconana Girault,1922*; *Neocopidosoma Ishii,1923*; *Parasteropaeus Girault,1923*; *Mesocopidosomyia Girault,1925*; *Mesencyrtus Timberlake,1941*; *Berecynthiscus Ghesquière,1946*; *Arrenoclavus Doutt,1948*
 3542) **Cowperia Girault,1919** (Encyrtidae) Synonym(s): *Cowperia Girault,1919*
 3543) **Dicarnosis Mercet,1921** (Encyrtidae) Synonym(s): *Dicarnosis Mercet,1921*
 3544) **Dinocarsis Förster,1856** (Encyrtidae) Synonym(s): *Dinocarsis Förster,1856*; *Euscapus Dahlbom,1857*
 3545) **Discodes Förster,1856** (Encyrtidae) Synonym(s): *Discodes Förster,1856*; *Phaenodiscus Förster,1856*
 3546) **Echthroplexiella Mercet,1921** (Encyrtidae) Synonym(s): *Echthroplexiella Mercet,1921*; *Lutfia Trjapitzin,1965*
 3547) **Encyrtus Latreille,1809** (Encyrtidae) Synonym(s): *Encyrtus Latreille,1809*; *Comys Förster,1856*; *Eucomys Förster,1856*; *Howardia Dalla Torre,1897*; *Howardiella Dalla Torre,1898*; *Allorhopoideus Brethes,1916*; *Prorhopoideus Brethes,1921*
 3548) **Epitetracnemus Girault,1915** (Encyrtidae) Synonym(s): *Epitetracnemus Girault,1915*
 3549) **Ericydnus Haliday,1837** (Encyrtidae) Synonym(s): *#Ericydnus Haliday,1829*; *Ericydnus Haliday,1837*; *#Ericinidus Blanchard,1840*; *#Erycidnus Howard,1886*
 3550) **Eugahania Mercet,1926** (Encyrtidae) Synonym(s): *Eugahania Mercet,1926*
 3551) **Ginsiana Erdös & Novicky,1955** (Encyrtidae) Synonym(s): *Ginsiana Erdös & Novicky,1955*
 3552) **Habrolepis Förster,1856** (Encyrtidae) Synonym(s): *Habrolepis Förster,1856*
 3553) **Homalotylus Mayr,1875** (Encyrtidae) Synonym(s): *Homalotylus Mayr,1875*
 3554) **Hoploopsis Stefani,1889** (Encyrtidae) Synonym(s): *Hoploopsis Stefani,1889*
 3555) **Isodromus Howard,1887** (Encyrtidae) Synonym(s): *Isodromus Howard,1887*
 3556) **Lamennaisia Girault,1922** (Encyrtidae) Synonym(s): *Lamennaisia Girault,1922*
 3557) **Leptomastidea Mercet,1916** (Encyrtidae) Synonym(s): *Leptomastidea Mercet,1916*
 3558) **Leptomastix Förster,1856** (Encyrtidae) Synonym(s): *Leptomastix Förster,1856*
 3559) **Mayridia Mercet,1921** (Encyrtidae) Synonym(s): *Mayridia Mercet,1921*
 3560) **Metanotalia Mercet,1921** (Encyrtidae) Synonym(s): *Metanotalia Mercet,1921*
 3561) **Metaphycus Mercet,1927** (Encyrtidae) Synonym(s): *Metaphycus Mercet,1927*
 3562) **Microterys Thomson,1876** (Encyrtidae) Synonym(s): *Microterys Thomson,1876*
 3563) **Monodiscodes Hoffer,1954** (Encyrtidae) Synonym(s): *Monodiscodes Hoffer,1954*
 3564) **Ooencyrtus Ashmead,1900** (Encyrtidae) Synonym(s): *Ooencyrtus Ashmead,1900*
 3565) **Parasauleia Hoffer,1968** (Encyrtidae) Synonym(s): *Parasauleia Hoffer,1968*
 3566) **Pentacladocerus Erdös,1963** (Encyrtidae) Synonym(s): *Pentacladocerus Erdös,1963*
 3567) **Pseudococcobius Timberlake,1916** (Encyrtidae) Synonym(s): *Pseudococcobius Timberlake,1916*
 3568) **Psilophrys Mayr,1875** (Encyrtidae) Synonym(s): *Psilophrys Mayr,1875*
 3569) **Psyllaephagus Ashmead,1900** (Encyrtidae) Synonym(s): *Psyllaephagus Ashmead,1900*
 3570) **Rhopus Förster,1856** (Encyrtidae) Synonym(s): *Rhopus Förster,1856*
 3571) **Stryphophagus Ashmead,1900** (Encyrtidae) Synonym(s): *Stryphophagus Ashmead,1900*
 3572) **Tetracnemus Westwood,1837** (Encyrtidae) Synonym(s): *Tetracnemus Westwood,1837*
 3573) **Trechnites Thomson,1876** (Encyrtidae) Synonym(s): *Trechnites Thomson,1876*
 3574) **Trichomasthus Thomson,1876** (Encyrtidae) Synonym(s): *Trichomasthus Thomson,1876*
 3575) **Zaomma Ashmead,1900** (Encyrtidae) Synonym(s): *Zaomma Ashmead,1900*
 3576) **Ephydra Fallén,1810** (Ephydridae) Synonym(s): *Ephydra Fallén,1810*
 3577) **Halmopota Haliday,1856** (Ephydridae) Synonym(s): *Halmopota Haliday,1856*
 3578) **Hecamedoides Hendel,1917** (Ephydridae) Synonym(s): *Hecamedoides Hendel,1917*
 3579) **Hydrellia R-D.,1830** (Ephydridae) Synonym(s): *Hydrellia R-D.,1830*; *Hydropota Rondani,1861*
 3580) **Mosillus Latreille,1804** (Ephydridae) Synonym(s): *Mosillus Latreille,1804*; *Gymnomyza Fallén,1810*; *Gymnopa Fallén,1820*; *Glabrinus Rondani,1856*
 3581) **Notiphila Fallén,1823** (Ephydridae) Synonym(s): *Notiphila Fallén,1823*
 3582) **Ochthera Latreille,1802** (Ephydridae) Synonym(s): *Ochthera Latreille,1802*; *Macrochira Meigen,1803*
 3583) **Psilopa Fallén,1823** (Ephydridae) Synonym(s): *Psilopa Fallén,1823*; *Hygrella Haliday,1839*; *Ephygrobia Schiner,1862*; *Diasemocera Bezzi,1895*; *Discocerinella Mercier,1927*

- 3584) Cryptococcus Douglas, 1890** (Eriococcidae) Synonym(s): *Cryptococcus Douglas*, 1890
- 3585) Eriococcus Targioni-Tozzetti, 1868** (Eriococcidae) Synonym(s): *Eriococcus Targioni-Tozzetti*, 1868
- 3586) Pseudochermes Nitsche, 1895** (Eriococcidae) Synonym(s): *Pseudochermes Nitsche*, 1895
- 3587) Eucharis Latreille, 1804** (Eucharidae) Synonym(s): *Eucharis Latreille*, 1804; *Psilogaster Blanchard*, 1840; *Psilogastrellus Ghesquière*, 1946; *Eucharisca Boucek*, 1956
- 3588) Stilbula Spinola, 1811** (Eucharidae) Synonym(s): *Stilbula Spinola*, 1811; *Eltolada Cameron*, 1909
- 3589) Stilbula Spinola, 1811** (Eucharidae) Synonym(s): *Stilbula Spinola*, 1811; *Eltolada Cameron*, 1909
- 3590) Anaprostocetus Graham, 1987** (Eulophidae) Synonym(s): *Anaprostocetus Graham*, 1987
- 3591) Aprostocetus Westwood, 1833** (Eulophidae) Synonym(s): *Aprostocetus Westwood*, 1833; *Tetrastichus Walker*, 1842; *Trichoceras Ratzeburg*, 1844; *Geniocerus Ratzeburg*, 1848; *Lonchentedon Ratzeburg*, 1852; *Hyperteles Förster*, 1856; *Oxymorpha Förster*, 1856; *Exurus Philippi*, 1873; *Myiomisa Rondani*, 1877; *Syntomosphyrum Förster*, 1878; *Tetrastichodes Ashmead*, 1887; *Ootetrastichus Perkins*, 1906; *Aprostocerella Girault*, 1913; *Asyntomosphyrum Girault*, 1913; *Epentastichus Girault*, 1913; *Hadrothrix Cameron*, 1913; *Neomphaloides Girault*, 1913; *Neomphaloidella Girault*, 1913; *Ootetrastichella Girault*, 1913; *Selitrichodelia Girault*, 1913; *Tetrastichella Girault*, 1913; *Omphalomopsis Girault*, 1917; *Anellaria Bakkendorf*, 1934; *Pachyscapus Erdős*, 1954; *Domenichinia Kostjukov*, 1977; *Coriophagus Graham*, 1987; *Turktichus Doğanlar*, 1993; *Quercastichus LaSalle*, 1994; *Abrostetus Doğanlar et al.*, 2006
- 3592) Aulogymnus Förster, 1851** (Eulophidae) Synonym(s): *Aulogymnus Förster*, 1851; *Olynx Förster*, 1856; *Cyniphocionus Reinhard*, 1858; *Olinx Reinhard*, 1858; *Ophelinoideus Ashmead*, 1904; *Scotolinx Ashmead*, 1904; *Pseudiglyphella Girault*, 1913; *Pseudolynx Girault*, 1916; *Mirolinx Girault*, 1916
- 3593) Baryscapus Förster, 1856** (Eulophidae) Synonym(s): *Baryscapus Förster*, 1856; *Thriposoma Crawford*, 1913; *Tetrastichopsis Girault*, 1916; *Eutetrastichus Kostjukov*, 1977
- 3594) Ceranisus Walker, 1841** (Eulophidae) Synonym(s): *Ceranisus Walker*, 1830; *Ceranisus Walker*, 1841; *Urfacus Doğanlar*, 2003
- 3595) Chrysocharis Förster, 1856** (Eulophidae) Synonym(s): *Chrysocharis Förster*, 1856; *Oxycharis Delucchi*, 1954 nec *Meyrick*, 1939; *Trichocharis Delucchi*, 1954 nec *Simon*, 1895; *Xenocharis Delucchi*, 1954 nec *Bierig*, 1934
- 3596) Cirrospilus Westwood, 1832** (Eulophidae) Synonym(s): *Cirrospilus Westwood*, 1832; *Atoposoma Masi*, 1907; *Atoposomoidea Howard*, 1910; *Winnemana Crawford*, 1911; *Achrysocharelloidea Girault*, 1913; *Cirrospilomella Girault*, 1913; *Pseudiglyphomyia Girault*, 1913; *Gyrolasella Girault*, 1913; *Cirrospilopsis Girault*, 1915; *Parzagrammosoma Girault*, 1916; *Giraultia Gahan & Fagan*, 1923; *Austrolinx Girault*, 1929; *Plesiospilus Ferrière*, 1954
- 3597) Closterocerus Westwood, 1833** (Eulophidae) Synonym(s): *Closterocerus Westwood*, 1833; *Asecodes Förster*, 1856; *Ganahlia Dalla Torre*, 1897; *Neochrysocharis Kurdjumov*, 1912; *Achrysocharis Girault*, 1913; *Achrysocharella Girault*, 1913; *Chrysocharella Girault*, 1913; *Pseudochrysocharis Girault*, 1913; *Rhcnopeltomyia Girault*, 1913; *Teleopterus Silvestri*, 1914; *Wolffiella Krausse*, 1917; *Halochris Erdős*, 1951; *Heterocharis Erdős*, 1954; *Metasecodes Erdős*, 1955; *Chrysocharidia Erdős*, 1956; *Desmatocharis Graham*, 1959; *Cecidiophaga Erdős*, 1966; *Mangocharis Boucek*, 1986; *Hispinocharis Boucek*, 1988
- 3598) Colpoclypeus Lucchese, 1941** (Eulophidae) Synonym(s): *Colpoclypeus Lucchese*, 1941
- 3599) Crataepus Förster, 1878** (Eulophidae) Synonym(s): *Crataepus Förster*, 1878
- 3600) Dahlbominus Hincks, 1945** (Eulophidae) Synonym(s): *Microplectron Dahlbom*, 1857 nec *Streubel*, 1842; *Dahlbominus Hincks*, 1945
- 3601) Diglyphus Walker, 1844** (Eulophidae) Synonym(s): *Diglyphus Walker*, 1844; *Diaulus Ashmead*, 1904; *Diaulinus Schulz*, 1906; *Cycloscapus Erdős & Novicky*, 1951
- 3602) Elachertus Spinola, 1811** (Eulophidae) Synonym(s): *Elachertus Spinola*, 1811; *Elachistus Förster*, 1856; *Ardalus Howard*, 1897; *Cirrospiloideus Ashmead*, 1904; *Diglyphomorphella Girault*, 1913; *Parentedon Girault*, 1913; *Pseudelachertus Girault*, 1913; *Sympiesomorphelleus Girault*, 1913; *Ardaloides Girault*, 1915; *Euplectromorphella Girault*, 1915; *Proardalus Girault & Dodd*, 1915; *Epardalus Girault*, 1917; *Peteenus Erdős*, 1961
- 3603) Elasmus Westwood, 1833** (Eulophidae) Synonym(s): *Elasmus Westwood*, 1833; *Aneure Nees*, 1834; *Heptocondyla Rondani*, 1877; *Cyclopleura Cameron*, 1913; *Austelasmus Riek*, 1967
- 3604) Entedon Dalman, 1820** (Eulophidae) Synonym(s): *Entedon Dalman*, 1820; *Entodon Berthold*, 1827; *Tranocera Curtis*, 1829; *Pleuropachus Westwood*, 1837; *Pleuropachys Förster*, 1856; *Eriglyptus Crawford*, 1907; *Metacrias Girault*, 1913; *Entedonella Girault*, 1913; *Peloroelopsella Girault*, 1913; *Uracrias Girault*, 1913; *Acanthentedon Dodd*, 1917; *Metacriasinus Ghesquière*, 1946
- 3605) Euderus Haliday, 1844** (Eulophidae) Synonym(s): *Euderus Haliday*, 1844
- 3606) Eulophus Geoffroy, 1762** (Eulophidae) Synonym(s): *Eulophus Geoffroy*, 1762
- 3607) Euplectrus Westwood, 1832** (Eulophidae) Synonym(s): *Euplectrus Westwood*, 1832
- 3608) Hemiptarsenus Westwood, 1833** (Eulophidae) Synonym(s): *Hemiptarsenus Westwood*, 1833
- 3609) Hyssopus Girault, 1916** (Eulophidae) Synonym(s): *Hyssopus Girault*, 1916; *Hyssopiscus Ghesquière*, 1946
- 3610) Leptocybe Fisher & La Salle, 2004** (Eulophidae) Synonym(s): *Leptocybe Fisher & La Salle*, 2004
- 3611) Microlycus Thomson, 1878** (Eulophidae) Synonym(s): *Microlycus Thomson*, 1878
- 3612) Necremnus Thomson, 1878** (Eulophidae) Synonym(s): *Necremnus Thomson*, 1878
- 3613) Neotrichoporoides Girault, 1913** (Eulophidae) Synonym(s): *Neotrichoporoides Girault*, 1913
- 3614) Oomyzus Rondani, 1870** (Eulophidae) Synonym(s): *Oomyzus Rondani*, 1870
- 3615) Pediobius Walker, 1846** (Eulophidae) Synonym(s): *Pediobius Walker*, 1846

- 3616) **Platyplectrus Ferriere, 1941** (Eulophidae) Synonym(s): *Platyplectrus Ferriere, 1941*
- 3617) **Pnigalio Schrank, 1802** (Eulophidae) Synonym(s): *Pnigalio Schrank, 1802*
- 3618) **Pronotalia Grandwell, 1957** (Eulophidae) Synonym(s): *Pronotalia Grandwell, 1957*
- 3619) **Puklina Graham, 1991** (Eulophidae) Synonym(s): *Puklina Graham, 1991*
- 3620) **Quadrastichus Girault, 1913** (Eulophidae) Synonym(s): *Quadrastichus Girault, 1913; Cecidotetrastichus Kostjukov, 1977*
- 3621) **Ratzburgiola Erdős, 1958** (Eulophidae) Synonym(s): *Ratzburgiola Erdős, 1958*
- 3622) **Rhcnopelte Förster, 1878** (Eulophidae) Synonym(s): *Rhcnopelte Förster, 1878*
- 3623) **Semielacher Boucek, 1988** (Eulophidae) Synonym(s): *Semielacher Boucek, 1988*
- 3624) **Sigmophora Rondani, 1867** (Eulophidae) Synonym(s): *Sigmophora Rondani, 1867*
- 3625) **Sympiesis Förster, 1856** (Eulophidae) Synonym(s): *Sympiesis Förster, 1856; Teleogmus Förster, 1856; Sympiezus Thomson, 1878; Asympiesiella Girault, 1913; Diaulomella Girault, 1913; Necremnomyia Girault, 1913; Opheliminus Girault, 1913; Pseudopheliminus Girault, 1913; Sympiesonecremnus Girault, 1913; Diaulomorphella Girault, 1915; Pardiaulomella Girault, 1915; Pardiaulomyia Girault & Todd, 1915; Pronecremnus Girault & Todd, 1915; Moroceras Erdős, 1954; Cladosympiesis Graham, 1959*
- 3626) **Wichmannia Ruschka, 1916** (Eulophidae) Synonym(s): *Wichmannia Ruschka, 1916*
- 3627) **Pseudosavalania Demirsoy, 1973** (Eumasticidae) Synonym(s): *Pseudosavalania Demirsoy, 1973*
- 3628) **Anastatus Motschulsky, [1860]** (Eupelmidae) Synonym(s): *Anastatus Motschulsky, [1860]*
- 3629) **Calosota Curtis, 1836** (Eupelmidae) Synonym(s): *Calosota Curtis, 1836; Caloster Walker, 1872*
- 3630) **Eupelmus Dalman, 1820** (Eupelmidae) Synonym(s): *Eupelmus Dalman, 1820*
- 3631) **Pentacladia Westwood, 1835** (Eupelmidae) Synonym(s): *Pentacladia Westwood, 1835*
- 3632) **Bruchophagus Ashmead, 1888** (Eurytomidae) Synonym(s): *Bruchophagus Ashmead, 1888*
- 3633) **Eurytoma Illiger, 1803** (Eurytomidae) Synonym(s): *Eurytoma Illiger, 1803*
- 3634) **Exeurytoma Burks, 1971** (Eurytomidae) Synonym(s): *Exeurytoma Burks, 1971*
- 3635) **Macrorileya Ashmead, 1900** (Eurytomidae) Synonym(s): *Macrorileya Ashmead, 1900*
- 3636) **Rileya Ashmead, 1888** (Eurytomidae) Synonym(s): *Rileya Ashmead, 1888; Ashmeadia Howard, 1889*
- 3637) **Sycophila Walker, 1871** (Eurytomidae) Synonym(s): *Sycophila Walker, 1871; Tineomyza Rondani, 1872; Isanisa Walker, 1875; Pseudisa Walker, 1875; Decatomidea Ashmead, 1888; Eudecatoma Ashmead, 1888*
- 3638) **Systole Walker, 1832** (Eurytomidae) Synonym(s): *Systole Walker, 1832*
- 3639) **Tetramesa Walker, 1848** (Eurytomidae) Synonym(s): *Tetramesa Walker, 1848*
- 3640) **Fannia R-D., 1830** (Fanniidae) Synonym(s): *Fannia R-D., 1830; Homalomomyia Bouché, 1834; Coelomyia Haliday, 1840*
- 3641) **Metcalfa Caldwell, 1951** (Flatidae) Synonym(s): *Metcalfa Caldwell, 1951*
- 3642) **Phantia Fieber, 1866** (Flatidae) Synonym(s): *Phantia Fieber, 1866*
- 3643) **Anechura Scudder, 1876** (Forficulidae) Synonym(s): *Anechura Scudder, 1876*
- 3644) **Forficula Linnaeus, 1758** (Forficulidae) Synonym(s): *Forficula Linnaeus, 1758*
- 3645) **Guanchia Burr, 1911** (Forficulidae) Synonym(s): *Guanchia Burr, 1911*
- 3646) **Acantholepis Mayr, 1861** (Formicidae) Synonym(s): *Acantholepis Mayr, 1861*
- 3647) **Amblyopone Erichson, 1842** (Formicidae) Synonym(s): *Amblyopone Erichson, 1842*
- 3648) **Aphaenogaster Mayr, 1853** (Formicidae) Synonym(s): *Aphaenogaster Mayr, 1853*
- 3649) **Bothriomyrmex Emery, 1869** (Formicidae) Synonym(s): *Bothriomyrmex Emery, 1869*
- 3650) **Camponotus Mayr, 1861** (Formicidae) Synonym(s): *Camponotus Mayr, 1861*
- 3651) **Cardiocondyla Emery, 1869** (Formicidae) Synonym(s): *Cardiocondyla Emery, 1869*
- 3652) **Cataglyphis Förster, 1850** (Formicidae) Synonym(s): *Cataglyphis Förster, 1850*
- 3653) **Crematogaster Lund, 1831** (Formicidae) Synonym(s): *Crematogaster Lund, 1831; Cremastogaster Agassiz, 1846*
- 3654) **Diplorhoptrum Mayr, 1855** (Formicidae) Synonym(s): *Diplorhoptrum Mayr, 1855*
- 3655) **Dorylus Fabricius, 1793** (Formicidae) Synonym(s): *Dorylus Fabricius, 1793*
- 3656) **Formica Linnaeus, 1758** (Formicidae) Synonym(s): *Formica Linnaeus, 1758*
- 3657) **Lasius Fabricius, [1805]** (Formicidae) Synonym(s): *Lasius Fabricius, [1805]*
- 3658) **Leptothorax Mayr, 1855** (Formicidae) Synonym(s): *Leptothorax Mayr, 1855*
- 3659) **Liometopum Mayr, 1861** (Formicidae) Synonym(s): *Liometopum Mayr, 1861*
- 3660) **Manica Jurine, 1807** (Formicidae) Synonym(s): *Manica Jurine, 1807*
- 3661) **Messor Forel, 1890** (Formicidae) Synonym(s): *Messor Forel, 1890*
- 3662) **Monomorium Mayr, 1855** (Formicidae) Synonym(s): *Monomorium Mayr, 1855*
- 3663) **Myrmica Latreille, 1804** (Formicidae) Synonym(s): *Myrmica Latreille, 1804*
- 3664) **Pheidole Westwood, 1840** (Formicidae) Synonym(s): *Pheidole Westwood, 1840*
- 3665) **Plagiolepis Mayr, 1861** (Formicidae) Synonym(s): *Plagiolepis Mayr, 1861*
- 3666) **Proformica Ruzsky, 1903** (Formicidae) Synonym(s): *Proformica Ruzsky, 1903*
- 3667) **Tapinoma Förster, 1850** (Formicidae) Synonym(s): *Tapinoma Förster, 1850*
- 3668) **Tetramorium Mayr, 1855** (Formicidae) Synonym(s): *Tetramorium Mayr, 1855*
- 3669) **Georissus Latreille, 1809** (Georissidae) Synonym(s): *Georissus Latreille, 1809*

- 3670) **Anoplotrupes Jekel,1866** (Geotrupidae) Synonym(s): *Anoplotrupes Jekel,1866*
 3671) **Geotrupes Latreille,1802** (Geotrupidae) Synonym(s): *Geotrupes Latreille,1802*
 3672) **Aquarius Schellenberg,1800** (Gerridae) Synonym(s): *Aquarius Schellenberg,1800*
 3673) **Gerris Fabricius,1794** (Gerridae) Synonym(s): *Gerris Fabricius,1794*
 3674) **Amphicoma (Eulasia) Warren,1902** (Glaphyridae) Synonym(s): *Eulasia Warren,1902*
 3675) **Amphicoma (Pygopleurus) Motschulsky,[1860]** (Glaphyridae) Synonym(s): *Pygopleurus Motschulsky,[1860]*
 3676) **Amphicoma (Rudeulasia) Baraud,1990** (Glaphyridae) Synonym(s): *Rudeulasia Baraud,1990*
 3677) **Amphicoma (Vittateulasia) Baraud,1990** (Glaphyridae) Synonym(s): *Vittateulasia Baraud,1990*
 3678) **Amphicoma (s.str.) Latreille,1807** (Glaphyridae) Synonym(s): *Amphicoma Latreille,1807*
 3679) **Amphicoma Latreille,1807** (Glaphyridae) Synonym(s): *Amphicoma Latreille,1807*; #*Amphycoma Frivaldsky,1845*; *Amphitriche Gistel,1848*
 3680) **Anthypna Eschscholtz,1818** (Glaphyridae) Synonym(s): *Anthypna Eschscholtz,1818*; #*Anthipna Cuvier,1832*
 3681) **Anormogomphus Selys,1854** (Gomphidae) Synonym(s): *Anormogomphus Selys,1854*
 3682) **Gomphus Leach,1815** (Gomphidae) Synonym(s): *Gomphus Leach,1815*
 3683) **Lindenia De Haan,1826** (Gomphidae) Synonym(s): *Lindenia De Haan,1826*
 3684) **Onychogomphus Selys,1854** (Gomphidae) Synonym(s): *Onychogomphus Selys,1854*
 3685) **Ophiogomphus Selys,1854** (Gomphidae) Synonym(s): *Ophiogomphus Selys,1854*
 3686) **Paragomphus Cowley,1934** (Gomphidae) Synonym(s): *Mesogomphus Förster,1906 (praeocc.)*; *Paragomphus Cowley,1934*
 3687) **Glandulosa Harz,1979** (Gryllidae) Synonym(s): *Glandulosa Harz,1979*
 3688) **Gryllomorpha (Gryllomorphella) Gorochoy,1984** (Gryllidae) Synonym(s): *Gryllomorphella Gorochoy,1984*
 3689) **Gryllomorpha Fieber,1853** (Gryllidae) Synonym(s): *Gryllomorpha Fieber,1853*; *Gryllomorphus Saussure,1877*
 3690) **Gryllus (s.str.) Linnaeus,1758** (Gryllidae) Synonym(s): *Gryllus Linnaeus,1758*; *Liogryllus Saussure,1877*; *Lenigryllus Chopard,1961*; *Nigrogryllus Gorochoy,1983*
 3691) **Gryllus Linnaeus,1758** (Gryllidae) Synonym(s): *Gryllus Linnaeus,1758*; *Liogryllus Saussure,1877*; *Lenigryllus Chopard,1961*; *Nigrogryllus Gorochoy,1983*
 3692) **Melanogryllus Chopard,1961** (Gryllidae) Synonym(s): *Melanogryllus Chopard,1961*
 3693) **Modicogryllus (Eumodicogryllus) Gorochoy,1986** (Gryllidae) Synonym(s): *Eumodicogryllus Gorochoy,1986*
 3694) **Modicogryllus (Promodicogryllus) Gorochoy,1986** (Gryllidae) Synonym(s): *Promodicogryllus Gorochoy,1986*
 3695) **Modicogryllus (s.str.) Chopard,1961** (Gryllidae) Synonym(s): *Modicogryllus Chopard,1961*; #*Medicogryllus Salman,1978*
 3696) **Modicogryllus Chopard,1961** (Gryllidae) Synonym(s): *Modicogryllus Chopard,1961*; #*Medicogryllus Salman,1978*
 3697) **Oecanthus Audinet-Serville,1831** (Gryllidae) Synonym(s): *Oecanthus Audinet-Serville,1831*
 3698) **Pteronemobius (s.str.) Jacobson,1904** (Gryllidae) Synonym(s): *Pteronemobius Jacobson,1904*
 3699) **Stenonemobius (s.str.) Gorochoy,1981** (Gryllidae) Synonym(s): *Stenonemobius Gorochoy,1981*
 3700) **Tartarogryllus Tarbinsky,1940** (Gryllidae) Synonym(s): *Tartarogryllus Tarbinsky,1940*
 3701) **Trigonidium (s.str.) Rambur,1839** (Gryllidae) Synonym(s): *Trigonidium Rambur,1839*
 3702) **Turanogryllus Tarbinskii,1940** (Gryllidae) Synonym(s): *Turanogryllus Tarbinskii,1940*; *Paragryllopsis Chopard,1963*
 3703) **Gryllotalpa Latreille,1802** (Gryllotalpidae) Synonym(s): *Gryllotalpa Latreille,1802*; *Curtilla Oken,1815*; *Austrotalpa Mjöberg,1913*
 3704) **Aulonogyrus Gemminger & Harold,1868** (Gyrinidae) Synonym(s): *Aulonogyrus Gemminger & Harold,1868*
 3705) **Gyrinus Geoffroy,1762** (Gyrinidae) Synonym(s): *Gyrinus Geoffroy,1762*
 3706) **Orectochilus Lacordaire,1835** (Gyrinidae) Synonym(s): #*Orectochilus Dejean,1833*; *Orectochilus Lacordaire,1835*
 3707) **Ceylalictus (s.str.) Strand,1913** (Halictidae) Synonym(s): *Ceylalictus Strand,1913*
 3708) **Ceylalictus Strand,1913** (Halictidae) Synonym(s): *Ceylalictus Strand,1913*
 3709) **Dufourea (Cypriophites) Warncke,1979** (Halictidae) Synonym(s): *Cypriophites Warncke,1979*
 3710) **Dufourea (Halictoides) Nylander,1848** (Halictidae) Synonym(s): *Halictoides Nylander,1848*
 3711) **Dufourea (s.str.) Lepeletier,1841** (Halictidae) Synonym(s): *Dufourea Lepeletier,1841*
 3712) **Dufourea Lepeletier,1841** (Halictidae) Synonym(s): *Dufourea Lepeletier,1841*
 3713) **Halictus (s.str.) Latreille,1804** (Halictidae) Synonym(s): *Halictus Latreille,1804*
 3714) **Halictus Latreille,1804** (Halictidae) Synonym(s): *Halictus Latreille,1804*
 3715) **Lasioglossum (Evylaeus) Robertson,1902** (Halictidae) Synonym(s): *Evylaeus Robertson,1902*
 3716) **Lasioglossum Curtis,1833** (Halictidae) Synonym(s): *Lasioglossum Curtis,1833*
 3717) **Nomia (Lobonomia) Warncke,1976** (Halictidae) Synonym(s): *Lobonomia Warncke,1976*

- 3718) **Nomia Latreille, 1804** (Halictidae) Synonym(s): *Nomia Latreille, 1804*; *Nitocris Rafinesque, 1815*
 3719) **Nomioides (s.str.) Schenck, 1866** (Halictidae) Synonym(s): *Nomioides Schenck, 1866*
 3720) **Nomioides Schenck, 1866** (Halictidae) Synonym(s): *Nomioides Schenck, 1866*
 3721) **Pseudapis (Nomiapis) Cockerell, 1919** (Halictidae) Synonym(s): *Nomiapis Cockerell, 1919*
 3722) **Rhophitoides Schenck, 1859** (Halictidae) Synonym(s): *Rhophitoides Schenck, 1859*; *#Rophitoides Grace, 2010*
 3723) **Rophites Spinola, 1838** (Halictidae) Synonym(s): *Rophites Spinola, 1838*; *Rhophites Agassiz, 1846*
 3724) **Sphecodes Latreille, 1804** (Halictidae) Synonym(s): *Sphecodes Latreille, 1804*
 3725) **Systropha (s.str.) Illiger, 1806** (Halictidae) Synonym(s): *Systropha Illiger, 1806*
 3726) **Systropha Illiger, 1806** (Halictidae) Synonym(s): *Systropha Illiger, 1806*
 3727) **Thrincohalictus Blüthgen, 1955** (Halictidae) Synonym(s): *Thrincohalictus Blüthgen, 1955*
 3728) **Haliphus Latreille, 1802** (Halipidae) Synonym(s): *Haliphus Latreille, 1802*
 3729) **Peltodytes Régimbart, 1879** (Halipidae) Synonym(s): *Peltodytes Régimbart, 1879*
 3730) **Eccoptomera Loew, 1862** (Heleomyzidae) Synonym(s): *Eccoptomera Loew, 1862*
 3731) **Heleomyza Fallén, 1810** (Heleomyzidae) Synonym(s): *Heleomyza Fallén, 1810*
 3732) **Neoleria Malloch, 1919** (Heleomyzidae) Synonym(s): *Neoleria Malloch, 1919*
 3733) **Oecothea Haliday, 1837** (Heleomyzidae) Synonym(s): *Oecothea Haliday, 1837*
 3734) **Pseudoleria Garrett, 1921** (Heleomyzidae) Synonym(s): *Pseudoleria Garrett, 1921*
 3735) **Suillia R-D., 1830** (Heleomyzidae) Synonym(s): *Suillia R-D., 1830*
 3736) **Tephrochlamys Loew, 1862** (Heleomyzidae) Synonym(s): *Tephrochlamys Loew, 1862*
 3737) **Helophorus (Orphelophorus) Orchymont, 1927** (Helophoridae) Synonym(s): *Orphelophorus Orchymont, 1927*
 3738) **Helophorus Fabricius, 1775** (Helophoridae) Synonym(s): *Helophorus Fabricius, 1775*
 3739) **Boriomyia Banks, 1905** (Hemerobiidae) Synonym(s): *#Boriomyia Banks, 1904*; *Boriomyia Banks, 1905*
 3740) **Hemerobius Linnaeus, 1758** (Hemerobiidae) Synonym(s): *Hemerobius Linnaeus, 1758*
 3741) **Megalomus Rambur, 1842** (Hemerobiidae) Synonym(s): *Megalomus Rambur, 1842*
 3742) **Symphorobius Banks, 1905** (Hemerobiidae) Synonym(s): *Symphorobius Banks, 1905*
 3743) **Wesmaelius (Kimminsia) Killington, 1937** (Hemerobiidae) Synonym(s): *Kimminsia Killington, 1937*
 3744) **Wesmaelius (s.str.) Krüger, 1922** (Hemerobiidae) Synonym(s): *Wesmaelius Krüger, 1922*
 3745) **Wesmaelius Krüger, 1922** (Hemerobiidae) Synonym(s): *Wesmaelius Krüger, 1922*
 3746) **Pseudolynchia Bequaert, 1925** (Hippoboscidae) Synonym(s): *Pseudolynchia Bequaert, 1925*
 3747) **Abraeus Leach, 1817** (Histeridae) Synonym(s): *Abraeus Leach, 1817*
 3748) **Acritus LeConte, 1853** (Histeridae) Synonym(s): *Acritus LeConte, 1853*
 3749) **Aeletes Horn, 1873** (Histeridae) Synonym(s): *Aeletes Horn, 1873*
 3750) **Atholus Thomson, 1859** (Histeridae) Synonym(s): *Atholus Thomson, 1859*
 3751) **Hister Linnaeus, 1758** (Histeridae) Synonym(s): *Hister Linnaeus, 1758*
 3752) **Hypocaccus (s.str.) Thomson, 1867** (Histeridae) Synonym(s): *Hypocaccus Thomson, 1867*
 3753) **Hypocaccus Thomson, 1867** (Histeridae) Synonym(s): *Hypocaccus Thomson, 1867*
 3754) **Margarinotus (Paralister) Bickhardt, 1917** (Histeridae) Synonym(s): *Paralister Bickhardt, 1917*
 3755) **Margarinotus Marseul, 1854** (Histeridae) Synonym(s): *Margarinotus Marseul, 1854*
 3756) **Notodoma Lacordaire, 1854** (Histeridae) Synonym(s): *Notodoma Lacordaire, 1854*
 3757) **Saprinus Erichson, 1834** (Histeridae) Synonym(s): *Saprinus Erichson, 1834*
 3758) **Tribalus Erichson, 1834** (Histeridae) Synonym(s): *Tribalus Erichson, 1834*
 3759) **Tachydromia Meigen, 1803** (Hybotidae) Synonym(s): *Sicus Latreille, 1796 nec Sc., 1763*; *#Coryneta Meigen, 1800*; *Tachydromia Meigen, 1803*; *Sicodus Rafinesque, 1815*; *Tachista Loew, 1864*
 3760) **Ochthebius (Asiabates) Thomson, 1859** (Hydraenidae) Synonym(s): *Asiabates Thomson, 1859*
 3761) **Ochthebius (s.str.) Leach, 1815** (Hydraenidae) Synonym(s): *Ochthebius Leach, 1815*
 3762) **Ochthebius Leach, 1815** (Hydraenidae) Synonym(s): *Ochthebius Leach, 1815*
 3763) **Hydrochus Leach, 1817** (Hydrochidae) Synonym(s): *Hydrochus Leach, 1817*; *#Hydrochus Provancher, 1877*; *#Hydrochous Bedel, 1881*; *Kiransus Makhan, 1994*; *Amrishi Makhan, 1998*; *Deepakius Makhan, 1998*; *Rishwani Makhan, 1998*
 3764) **Hydrometra Latreille, 1796** (Hydrometridae) Synonym(s): *Hydrometra Latreille, 1796*
 3765) **Anacaena Thomson, 1859** (Hydrophilidae) Synonym(s): *Anacaena Thomson, 1859*
 3766) **Berosus (Enoplurus) Hope, 1838** (Hydrophilidae) Synonym(s): *Enoplurus Hope, 1838*
 3767) **Berosus (s.str.) Leach, 1817** (Hydrophilidae) Synonym(s): *Berosus Leach, 1817*
 3768) **Berosus Leach, 1817** (Hydrophilidae) Synonym(s): *Berosus Leach, 1817*
 3769) **Cercyon Leach, 1817** (Hydrophilidae) Synonym(s): *Cercyon Leach, 1817*
 3770) **Chaetarthria Stephens, 1833** (Hydrophilidae) Synonym(s): *Chaetarthria Stephens, 1833*
 3771) **Coelostoma Brullé, 1835** (Hydrophilidae) Synonym(s): *Coelostoma Brullé, 1835*
 3772) **Enochrus (Lumetus) Zaitzev, 1908** (Hydrophilidae) Synonym(s): *Lumetus Zaitzev, 1908*
 3773) **Enochrus (Methydrus) Rey, 1884** (Hydrophilidae) Synonym(s): *Methydrus Rey, 1884*

- 3774) **Enochrus (s.str.) Thomson, 1859** (Hydrophilidae) Synonym(s): *Enochrus Thomson, 1859*
 3775) **Enochrus Thomson, 1859** (Hydrophilidae) Synonym(s): *Enochrus Thomson, 1859*
 3776) **Hydrobius Leach, 1817** (Hydrophilidae) Synonym(s): *Hydrobius Leach, 1817*
 3777) **Hydrochara Berthold, 1827** (Hydrophilidae) Synonym(s): *Hydrochara Berthold, 1827*
 3778) **Hydrophilus Müller, 1764** (Hydrophilidae) Synonym(s): *Hydrophilus Müller, 1764*
 3779) **Laccobius (Compsolaccobius) Ganglbauer, 1904** (Hydrophilidae) Synonym(s): *Compsolaccobius Ganglbauer, 1904*; *#Composolaccobius Incekara et al., 2003*
 3780) **Laccobius (Dimorpholaccobius) Zaitzev, 1938** (Hydrophilidae) Synonym(s): *Dimorpholaccobius Zaitzev, 1938*
 3781) **Laccobius (Microlaccobius) Gentili, 1972** (Hydrophilidae) Synonym(s): *Microlaccobius Gentili, 1972*
 3782) **Laccobius (s.str.) Erichson, 1837** (Hydrophilidae) Synonym(s): *Laccobius Erichson, 1837*
 3783) **Laccobius Erichson, 1837** (Hydrophilidae) Synonym(s): *Laccobius Erichson, 1837*
 3784) **Limnoxenus Motschoulsky, 1853** (Hydrophilidae) Synonym(s): *Limnoxenus Motschoulsky, 1853*
 3785) **Paracymus Thomson, 1867** (Hydrophilidae) Synonym(s): *Paracymus Thomson, 1867*
 3786) **Sphaeridium Fabricius, 1775** (Hydrophilidae) Synonym(s): *Sphaeridium Fabricius, 1775*
 3787) **Hygrobia Latreille, 1817** (Hygrobidae) Synonym(s): *Hygriobia Latreille, 1804*; *Hygrobia Latreille, 1817*
 3788) **Ibalia Latreille, 1802** (Ibaliidae) Synonym(s): *Ibalia Latreille, 1802*
 3789) **Acrodactyla Haliday, 1838** (Ichneumonidae) Synonym(s): *Barypus Haliday, 1837 nec Lap., 1835*; *Acrodactyla Haliday, 1838*; *Colpomeria Holmgren, 1859*; *Symphylus Förster, 1871 nec Dall., 1851*; *Polemophthorus Schulz, 1911*
 3790) **Acropimpla Townes & Townes, 1960** (Ichneumonidae) Synonym(s): *Selanaspis Roman, 1910 (praeocc.)*; *Acropimpla Townes & Townes, 1960*
 3791) **Acroricnus Ratzeburg, 1852** (Ichneumonidae) Synonym(s): *Acroricnus Ratzeburg, 1852*; *Xenodocon Förster, 1855*; *Macrobatus Holmgren, 1856*; *Linoceras Taschenberg, 1865*; *Leptobatides Buysson, 1896*; *Agathobanchus Ashmead, 1900*
 3792) **Agrothereutes Förster, 1850** (Ichneumonidae) Synonym(s): *Agrothereutes Förster, 1850*; *Spilocryptus Thomson, 1873*; *Dayro Cameron, 1902*
 3793) **Agrypon Förster, 1860** (Ichneumonidae) Synonym(s): *Agrypon Förster, 1860*; *Agrypum Schulz, 1906*; *Trichonotus Cameron, 1906 nec Schn., 1801*; *Odontagrypon Cameron, 1906*; *Paragrypon Uchida, 1941*; *Dioborus Rao, 1953*
 3794) **Alloplasta Förster, 1868** (Ichneumonidae) Synonym(s): *Alloplasta Förster, 1868*; *Asymmictus Förster, 1868*; *Trysicampe Förster, 1868*; *Trichopimpla Cameron, 1903*
 3795) **Alomya Panzer, 1806** (Ichneumonidae) Synonym(s): *Alomya Panzer, 1806*; *Halomya Billberg, 1820*; *#Alomia Kolarov, 1995*
 3796) **Amblyteles Wesmael, 1845** (Ichneumonidae) Synonym(s): *Amblyteles Wesmael, 1845*
 3797) **Aneucelis Förster, 1868** (Ichneumonidae) Synonym(s): *Aneucelis Förster, 1868*
 3798) **Anisobas Wesmael, 1845** (Ichneumonidae) Synonym(s): *Anisobas Wesmael, 1845*; *Lycaeniphilos Heinrich, 1934*
 3799) **Anomalon Panzer, 1804** (Ichneumonidae) Synonym(s): *Anomalon Panzer, 1804*; *Trachynotus Gravenhorst, 1829 nec Latr., 1829*; *Ochlerus Gistel, 1848 nec Spinol., 1837*; *Nototrachys Marshall, 1872*; *Ophiononeura Cameron, 1904*; *Stictophion Cameron, 1906*; *Erythrophion Cameron, 1906*; *Anomalum Schulz, 1906*; *Neogreenia Viereck, 1912*; *Trachyopterus Morley, 1912*; *Pseudonototrachys Meyer, 1930*; *Microcremastus Hedwig, 1961*
 3800) **Apechthis Förster, 1868** (Ichneumonidae) Synonym(s): *#Ephialtes Schrank, 1802*; *Apechthis Förster, 1868*; *#Apechtis Thomson, 1889*; *Taiwatheronia Sonan, 1936*; *Paraapechthis Blanchard, 1936*
 3801) **Aphanistes Förster, 1868** (Ichneumonidae) Synonym(s): *Aphanistes Förster, 1868*; *Anochilacrum Enderlein, 1921*
 3802) **Apophua Morley, 1913** (Ichneumonidae) Synonym(s): *Apophua Morley, 1913*
 3803) **Aritranis Förster, 1868** (Ichneumonidae) Synonym(s): *Aritranis Förster, 1868*; *Hoplocryptus Thomson, 1873*
 3804) **Arotes Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Arotes Gravenhorst, 1829*; *Asthenomeris Förster, 1868*; *Sphalerus Kriechbaumer, 1878*; *Retanisia Cameron, 1886*
 3805) **Atrometoides Fahringer, 1922** (Ichneumonidae) Synonym(s): *Atrometoides Fahringer, 1922*; *Romanella Meyer, 1935*
 3806) **Banchopsis Rudow, 1886** (Ichneumonidae) Synonym(s): *Banchopsis Rudow, 1886*; *Banchopsis Kriechbaumer, 1886*; *Euceribanchus Costa, 1888*; *Banchoides Dalla Torre, 1888*; *Ephonites Cameron, 1905*
 3807) **Banchus Fabricius, 1798** (Ichneumonidae) Synonym(s): *Banchus Fabricius, 1798*; *Corynephanus Wesmael, 1849*; *Cidaphurus Förster, 1868*; *Nawaia Ashmead, 1906*
 3808) **Barichneumon Thomson, 1893** (Ichneumonidae) Synonym(s): *Barichneumon Thomson, 1893*; *Gurfyia Cameron, 1903*; *Harsaces Cameron, 1903*; *Darpasus Cameron, 1904*; *Stictichneumon Cameron, 1905*
 3809) **Barylypa Förster, 1868** (Ichneumonidae) Synonym(s): *Barylypa Förster, 1868*; *Laphyctes Förster, 1868 nec Duj., 1844*; *Sarntheinia Dalla Torre, 1901*; *Hadromanus Szepliget, 1905*; *Magnibucca Morley, 1913*; *Trochiscomerus Meyer, 1931*

- 3810) Barytarbes Förster, 1868** (Ichneumonidae) Synonym(s): *Barytarbes* Förster, 1868; *Polytrera* Förster, 1868; *Isodiaeta* Förster, 1868; *Hybristes* Förster, 1868 nec Reich., 1850; *Barytarbus* Thomson, 1883; *Polytreres* Thomson, 1892
- 3811) Bathyplectes Förster, 1868** (Ichneumonidae) Synonym(s): *Canidia* Holmgren, 1860 nec Thom., 1857; *Bathyplectes* Förster, 1868; *Rhexineura* Förster, 1868; *Canidiella* Ashmead, 1900; *Biolysia* Schmiedeknecht, 1907; *Bathyplesta* Aubert, 1979; #*Bathyplectis* Kolarov, 1995
- 3812) Bathytrix Förster, 1868** (Ichneumonidae) Synonym(s): *Bathytrix* Förster, 1868; *Ischnurgops* Förster, 1868; *Stenagops* Förster, 1868; *Panargyrops* Förster, 1868; *Gausocentrus* Förster, 1868; #*Stenoschema* Förster, 1868; *Leptocryptus* Thomson, 1873; *Agenora* Cameron, 1909
- 3813) Bathytrix Förster, 1868** (Ichneumonidae) Synonym(s): *Bathytrix* Förster, 1868
- 3814) Benjaminia Viereck, 1912** (Ichneumonidae) Synonym(s): *Benjaminia* Viereck, 1912; *Zachrestoides* Viereck, 1925
- 3815) Blapsidotes Förster, 1868** (Ichneumonidae) Synonym(s): *Blapsidotes* Förster, 1868
- 3816) Brachycyrtus Kriechbaumer, 1880** (Ichneumonidae) Synonym(s): *Brachycyrtus* Kriechbaumer, 1880
- 3817) Buathra Cameron, 1903** (Ichneumonidae) Synonym(s): *Buathra* Cameron, 1903; *Bathycrisis* Cameron, 1905
- 3818) Caenocryptus Thomson, 1873** (Ichneumonidae) Synonym(s): *Caenocryptus* Thomson, 1873; *Habrocryptoides* Uchida, 1952; *Pseudischnus* Walkley, 1954
- 3819) Campoplex Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Campoplex* Gravenhorst, 1829; *Dioratica* Förster, 1868; *Omorgus* Förster, 1868 nec Erichs., 1847; *Omorga* Thomson, 1887; *Zatranosema* Viereck, 1912; *Campoleptidea* Viereck, 1912; *Sesioplex* Viereck, 1912; *Pseuderipternoides* Viereck, 1917
- 3820) Casinaria Holmgren, 1859** (Ichneumonidae) Synonym(s): *Casinaria* Holmgren, 1859; *Alcima* Förster, 1868; *Amorphota* Förster, 1868; *Campotrephus* Förster, 1868; *Horogenes* Förster, 1868; *Anempheres* Förster, 1868; *Nothalomalon* Szepligeti, 1905; *Trophocampa* Schmiedeknecht, 1907; *Fiebrigia* Viereck, 1912; *Neonortonia* Viereck, 1912; *Zastenomorpha* Viereck, 1912; *Zastenogastra* Viereck, 1925; *Nothanomaloides* Uchida, 1928 nec Vier., 1925; *Deltops* Seyrig, 1935; *Longicharops* Uchida, 1940; *Neonortoniella* Blanchard, 1947; *Casinaroides* Aubert, 1960
- 3821) Ceratophygadeuon Viereck, 1924** (Ichneumonidae) Synonym(s): *Ceratophygadeuon* Viereck, 1924; *Remonzia* Seyrig, 1952; *Euromonzia* Aubert, 1965
- 3822) Chirotica Förster, 1868** (Ichneumonidae) Synonym(s): *Chirotica* Förster, 1868; *Allocota* Förster, 1868 nec Motsch., 1860; *Spinolia* Förster, 1868 nec Dahlbom, 1854; *Syneches* Förster, 1868 nec Walter, 1852; *Diaglypta* Förster, 1868; *Deuterospinolia* Della Torre, 1902; *Aphadnus* Cameron, 1907; *Hymenosyneches* Viereck, 1912
- 3823) Clypeocampulum Gauld, 1976** (Ichneumonidae) Synonym(s): *Clypeocampulum* Gauld, 1976
- 3824) Collyria Schiötte, 1839** (Ichneumonidae) Synonym(s): *Pachymerus* Gravenhorst, 1829 nec Thunb., 1805; *Collyria* Schiötte, 1839
- 3825) Colpotrichia Holmgren, 1855** (Ichneumonidae) Synonym(s): *Colpotrichia* Holmgren, 1855; *Alcocerus* Förster, 1868; *Exochoides* Cresson, 1869; *Scallama* Cameron, 1899; *Ischyrocnemopsis* Ashmead, 1900; *Aithris* Cameron, 1906; *Aethris* Schulz, 1906; *Inoresa* Cameron, 1909; *Colpotrochoides* Uchida, 1930
- 3826) Cosmoconus Förster, 1868** (Ichneumonidae) Synonym(s): *Cosmoconus* Förster, 1868
- 3827) Cotiheresiarches Telenga, 1929** (Ichneumonidae) Synonym(s): *Cotiheresiarches* Telenga, 1929; *Zimmeria* Heinrich, 1933
- 3828) Cratichneumon Thomson, 1893** (Ichneumonidae) Synonym(s): *Cratichneumon* Thomson, 1893; *Cosmiojoppa* Cameron, 1902; *Lareiga* Cameron, 1903; *Sycaonia* Cameron, 1903; *Tanyjoppa* Cameron, 1906; *Nimbolareiga* Heinrich, 1969
- 3829) Cremastus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Cremastus* Gravenhorst, 1829; *Zaleptopygus* Viereck, 1911; *Neocremastus* Cushman, 1920
- 3830) Cryptopimpla Taschenberg, 1863** (Ichneumonidae) Synonym(s): *Cryptopimpla* Taschenberg, 1863; *Aphanodon* Förster, 1868; *Xenacis* Förster, 1868; *Xenocornia* Schmiedeknecht, 1900; *Fintona* Cameron, 1909
- 3831) Cryptus Fabricius, 1804** (Ichneumonidae) Synonym(s): *Cryptus* Fabricius, 1804; *Eucryptus* Haldeman, 1842; *Itamoplex* Förster, 1868; *Plesiocryptus* Cameron, 1903
- 3832) Cymodusa (s.str.) Holmgren, 1859** (Ichneumonidae) Synonym(s): *Cymodusa* Holmgren, 1859; *Sagaritis* Holmgren, 1859; *Thertisia* Schmiedeknecht, 1907; *Cymodusopsis* Viereck, 1912; *Sagaritopsis* Hinks, 1944
- 3833) Cymodusa Holmgren, 1859** (Ichneumonidae) Synonym(s): *Cymodusa* Holmgren, 1859; *Sagaritis* Holmgren, 1859; *Thertisia* Schmiedeknecht, 1907; *Cymodusopsis* Viereck, 1912; *Sagaritopsis* Hinks, 1944
- 3834) Delomerista Förster, 1868** (Ichneumonidae) Synonym(s): *Delomerista* Förster, 1868
- 3835) Diadegma Förster, 1868** (Ichneumonidae) Synonym(s): *Angitia* Holmgren, 1859 nec Wlk., 1858; *Diadegma* Förster, 1868; *Nythobia* Förster, 1868; *Pectinella* Morley, 1914 nec Verr., 1897; *Areolina* Enderlein, 1921; *Nothanomaloides* Viereck, 1925; *Neoangitia* Horstmann, 1969; *Auma* Dbar, 1984
- 3836) Diaglyptellana Horstmann, 1976** (Ichneumonidae) Synonym(s): *Diaglyptellana* Horstmann, 1976
- 3837) Diaparsis (Nanodiaparsis) Horstmann, 1971** (Ichneumonidae) Synonym(s): *Nanodiaparsis* Horstmann, 1971
- 3838) Diaparsis Förster, 1868** (Ichneumonidae) Synonym(s): *Diaparsis* Förster, 1868
- 3839) Dicaelotus Wesmael, 1845** (Ichneumonidae) Synonym(s): *Dicaelotus* Wesmael, 1845; *Leptodemas* Förster, 1868; *Deloglyptus* Förster, 1868; *Cinxaelotus* Holmgren, 1890; *Euryptilus* Holmgren, 1890; *Gnathichneumon* Aubert, 1958

- 3840) Dichrogaster Doumerc, 1855** (Ichneumonidae) Synonym(s): *Dichrogaster Doumerc*, 1855; *Otacustes* Förster, 1868; *Microtorus* Förster, 1868; *Xenobrachys* Förster, 1868; *Brachycephalus* Förster, 1868 nec Fitzinger, 1826; *Brachycranium* Ashmead, 1900; *Chrysopoctonus* Cushman, 1919
- 3841) Dichrogaster Doumerc, 1855** (Ichneumonidae) Synonym(s): *Dichrogaster Doumerc*, 1855
- 3842) Diphysus Kriechbaumer, 1890** (Ichneumonidae) Synonym(s): *Diphysus Kriechbaumer*, 1890; *Pseudamblytele* Ashmead, 1900; *Physcoteles Berthoumieu*, 1904; *Macrophatnus* Cameron, 1905; *Rossella* Cameron, 1906; *Paraphyscoteles* Heinrich, 1968
- 3843) Diplazon Viereck, 1914** (Ichneumonidae) Synonym(s): *Diplazon Viereck*, 1914
- 3844) Dolichomitus Smith, 1877** (Ichneumonidae) Synonym(s): *Closterocerus* Hartig, 1847 (praeocc.); *Dolichomitus* Smith, 1877; *Mesoepialtes Schmiedeknecht*, 1906; *Diclostercerus Viereck*, 1914; *Exeristoidea* Viereck, 1924; *Tuberculephialtes* Ozols, 1962; *Paucdolichomitus Constantineanu & Pisica*, 1970
- 3845) Dusona Cameron, 1900** (Ichneumonidae) Synonym(s): *Dusona* Cameron, 1900; *Delopia* Cameron, 1903; *Anisitsia Viereck*, 1912; *Pseudocasina* Viereck, 1912; *Thymarimorpha Viereck*, 1913; *Viereckiana* Strand, 1914; *Zachrestinus Enderlein*, 1921; *Idisomidea Viereck*, 1925; *Neodelopia Benoit*, 1957; *Kartika V. Gupta & M. Gupta*, 1976
- 3846) Echthronomas Förster, 1868** (Ichneumonidae) Synonym(s): *Echthronomas Förster*, 1868
- 3847) Echthrus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Echthrus Gravenhorst*, 1829; *Sphaetes* Bremi, 1849; *Karaechthrus Uchida*, 1929; *Bioleter* Meyer, 1930
- 3848) Enclisis Townes, 1970** (Ichneumonidae) Synonym(s): *Enclisis Townes*, 1970
- 3849) Endasys Förster, 1868** (Ichneumonidae) Synonym(s): *Endasys Förster*, 1868; *Scinascopus* Förster, 1868; *Bachia Endasys Förster*, 1868 nec Gray, 1845; *Stylcryptus Thomson*, 1873; *Bachiana* Strand, 1928
- 3850) Enicospilus Stephens, 1835** (Ichneumonidae) Synonym(s): *Enicospilus Stephens*, 1835; *Henicospilus* Agassiz, 1846; *Allocamptus Förster*, 1868; *Dispilus Kriechbaumer*, 1894; *Pleuroneurophion* Asmead, 1900; *Cymatoneura Kriechbaumer*, 1901; *Pterospilus Kriechbaumer* nec Rond., 1856; *Trispilus Kriechbaumer*, 1901; *Metophion Szepligeti*, 1905; *Ceratospilus Szepligeti*, 1905; *Atoponeura Szepligeti*, 1905; *Ophiomorpha Szepligeti*, 1905 nec Nilss., 1836; *Cryptocampus Brethes*, 1909; *Eremotyloides Perkins*, 1915; *Amesospilus* Enderlein, 1918; *Schizospilus Seyrig*, 1936
- 3851) Eremotylus Förster, 1868** (Ichneumonidae) Synonym(s): *Eremotylus Förster*, 1868; *Camptoneura* Kriechbaumer, 1901 nec Agass., 1846; *Genophion Felt*, 1903; *Camptoneuroides Strand*, 1928; *Clistorapha* Cushman, 1947; *Boethoneura Cushman*, 1947; *Chilophion Cushman*, 1947; *Chlorophion Townes*, 1971
- 3852) Eriborus Förster, 1868** (Ichneumonidae) Synonym(s): *Eriborus Förster*, 1868; *Zaporus Förster*, 1868; *Bosmina* Cameron, 1899 nec Baird, 1845; *Hymenobosmina Dalla Torre*, 1901; *Neobosmina* Cameron, 1906
- 3853) Erromenus Holmgren, 1855** (Ichneumonidae) Synonym(s): *Erromenus Holmgren*, 1855
- 3854) Eucremastoides Kolarov, 1980** (Ichneumonidae) Synonym(s): *Eucremastoides Kolarov*, 1980
- 3855) Eucremastus Szepligeti, 1905** (Ichneumonidae) Synonym(s): *Eugnomus Förster*, 1868 nec Schoenh., 1847; *Eucremastus Szepligeti*, 1905; *Cephalobolus Morley*, 1913
- 3856) Eudelus Förster, 1868** (Ichneumonidae) Synonym(s): *Eudelus Förster*, 1868; *Idemum Förster*, 1868; *Calliphururus Förster*, 1868
- 3857) Eugalta Cameron, 1899** (Ichneumonidae) Synonym(s): *Eugalta Cameron*, 1899
- 3858) Euryproctus Holmgren, 1855** (Ichneumonidae) Synonym(s): *Euryproctus Holmgren*, 1855; *Syncholeter Förster*, 1868; *Hypocryptus Förster*, 1868; *Xenonastes Förster*, 1868; *Fovaya* Cameron, 1903
- 3859) Exenterus Hartig, 1837** (Ichneumonidae) Synonym(s): *Exenterus Hartig*, 1837
- 3860) Exeristes Förster, 1868** (Ichneumonidae) Synonym(s): *Exeristes Förster*, 1868
- 3861) Exetastes Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Exetastes Gravenhorst*, 1829; *Leptobatus Gravenhorst*, 1829; *Semnophrys Förster*, 1868; *Rhimphalea Förster*, 1868; *Icyona* Cameron, 1903; *Allexetastes Kokujev*, 1904; *Rhynchexetastes Cameron*, 1906; *Tegona Morley*, 1913; *Pseudexetastes Meyer*, 1927
- 3862) Exochus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Exochus Gravenhorst*, 1829; *Amesotylus* Förster, 1868; *Mima Davis*, 1897; *Xanthexochus Morley*, 1913
- 3863) Exyston Schiödt, 1839** (Ichneumonidae) Synonym(s): *Exyston Schiödt*, 1839; *Tricamptus* Förster, 1868; *Diaborus Förster*, 1868; *Anecphysis Förster*, 1868; *Parexyston Kerrich*, 1952
- 3864) Fileanta Cameron, 1901** (Ichneumonidae) Synonym(s): *Fileanta Cameron*, 1901
- 3865) Gambrus Förster, 1868** (Ichneumonidae) Synonym(s): *Gambrus Förster*, 1868; *Kaltenbachia* Förster, 1868; *Hygrocryptus Thomson*, 1873; *Alloccryptus Viereck*, 1917
- 3866) Gelis Thunberg, 1827** (Ichneumonidae) Synonym(s): *Gelis Thunberg*, 1827; *Pezomachus* Gravenhorst, 1829; *Pezolochus Förster*, 1850; *Hemimachus Ratzeburg*, 1852; *Plesiomma Förster*, 1868 nec Macq., 1838; *Alegina Förster*, 1868; *Rhadiurgus Förster*, 1868 nec Lw., 1849; *Aschistus Förster*, 1868; *Philonygmus* Förster, 1868; *Ilapinastes Förster*, 1868; *Barydotira Förster*, 1868; *Urithreptus Förster*, 1868; *Terpiphora* Förster, 1868; *Micromeson Strickland*, 1912; *Myrmicomorpha Viereck*, 1913; *Leptogelis Ceballos*, 1925; *Cryptogelis* Hellén, 1944; *Fianonia Seyrig*, 1952; *Holcogelis Aubert*, 1957; *Arctodoeon Hellén*, 1967; *Rhadiurginus Hellén*, 1967
- 3867) Giraudia Förster, 1868** (Ichneumonidae) Synonym(s): *Giraudia Förster*, 1868; *Calocryptus* Thomson, 1873; *Pseudocryptus Kriechbaumer*, 1893; *Gyraudia Kolarov*, 1995
- 3868) Glyphicnemis Förster, 1868** (Ichneumonidae) Synonym(s): *Glyphicnemis Förster*, 1868; *Gnathocryptus Thomson*, 1873; *Semiodes Harrington*, 1894
- 3869) Grasseiteles Aubert, 1965** (Ichneumonidae) Synonym(s): *Grasseiteles Aubert*, 1965
- 3870) Gravenhorstia (Erigorgus) Förster, 1868** (Ichneumonidae) Synonym(s): *Erigorgus* Förster, 1868; *Sympratis Förster*, 1868; *Paranomalon Viereck*, 1912

- 3871) Gravenhorstia (Kokujewiella) Shestakov, 1926** (Ichneumonidae) Synonym(s): *Kokujewiella Shestakov, 1926*; *Nenethes Ceballos, 1957*
- 3872) Gravenhorstia Boie, 1836** (Ichneumonidae) Synonym(s): *Gravenhorstia Boie, 1836*; *Odontopsis Förster, 1868*
- 3873) Habronyx Förster, 1868** (Ichneumonidae) Synonym(s): *Habronyx Förster, 1868*; *Acanthostoma Kriechbaumer, 1894*; *Macrostemma Shastakov, 1923*; *Formosanomalon Uchida, 1928*
- 3874) Hadractylus Förster, 1868** (Ichneumonidae) Synonym(s): *Hadractylus Förster, 1868*; *Dizemon Förster, 1868*; *Zemiodes Förster, 1868*; *Narcopoea Förster, 1868*; *Meropaches Schmiedeknecht, 1913*
- 3875) Helcostizus Förster, 1868** (Ichneumonidae) Synonym(s): *Helcostizus Förster, 1868*; *Brachycentrus Taschenberg, 1865 nec Curt., 1834*; *Cyrtocryptus Marshall, 1872*; *Mesocryptus Thomson, 1873*; *Heterocryptus Woldstedt, 1873*; *Asternaulax Viereck, 1912*; *Chenbergus Navas, 1930*
- 3876) Hellwigiella Szepligeti, 1905** (Ichneumonidae) Synonym(s): *Hellwigiella Szepligeti, 1905*
- 3877) Herpestomus Wesmael, 1845** (Ichneumonidae) Synonym(s): *Herpestomus Wesmael, 1845*
- 3878) Heterischnus Wesmael, 1859** (Ichneumonidae) Synonym(s): *Heterischnus Wesmael, 1859*; *Rhexidermus Förster, 1868*; *Posocentrus Provancher, 1875*; *Ischnopsidea Viereck, 1914*; *Aethiopschnus Heinrich, 1938*
- 3879) Hidryta Förster, 1868** (Ichneumonidae) Synonym(s): *Hidryta Förster, 1868*; *Brachycryptus Thomson, 1873*; *Euthycryptus Jussel, 1907*
- 3880) Himerta Förster, 1868** (Ichneumonidae) Synonym(s): *Himerta Förster, 1868*; *Ithagene Förster, 1868 nec Agass., 1846*; *Clepsiorthus Förster, 1868*; *Enocetis Förster, 1868*; *Dolioctomus Förster, 1868*; *Himertus Thomson, 1883*; *Neoprotarchus Cushman, 1924*; *Daisetsuzania Uchida, 1930*
- 3881) Hyposoter Förster, 1868** (Ichneumonidae) Synonym(s): *Hyposoter Förster, 1868*; *Rhythmonotus Förster, 1868*; *Ischnoscopus Förster, 1868*; *Amelocnotus Förster, 1868*; *Ebiicha Seyrig, 1936*; *Neozachresta Havrylenko & Winterhalter, 1949*; *Neorhiza Rao, 1953*
- 3882) Hypsicera Latreille, 1829** (Ichneumonidae) Synonym(s): *Hypsicera Latreille, 1829*; *Metacoelus Förster, 1868*; *Polyclitus Förster, 1868*; *Plesioexochus Cameron, 1905*
- 3883) Ichneumon Linnaeus, 1758** (Ichneumonidae) Synonym(s): *Ichneumon Linnaeus, 1758*; *Brachypterus Gravenhorst, 1829*; *Pterocormus Förster, 1850*; *Colobacis Cameron, 1900*; *Tyanites Cameron, 1903*; *Vabsaris Cameron, 1903*; *Euichneumon Berthoumieu, 1904*; *Matsumuraius Ashmead, 1906*; *Coreojoppa Uchida, 1926*; *Bureschias Heinrich, 1936*; *Thyrateles Perkins, 1953*
- 3884) Idiolispa Förster, 1868** (Ichneumonidae) Synonym(s): *Idiolispa Förster, 1868*; *Liocryptus Thomson, 1873*; *Paracryptus Szepligeti, 1916*
- 3885) Ischnus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Ischnus Gravenhorst, 1829*; *Habrocryptus Thomson, 1873*; *Aglaoecryptus Cameron, 1903*; *Erythrocryptus Cameron, 1905*
- 3886) Itopectis Förster, 1868** (Ichneumonidae) Synonym(s): *Itopectis Förster, 1868*; *Nesopimpla Ashmead, 1906*; *Exeristesoides Uchida, 1928*
- 3887) Lamachus Förster, 1868** (Ichneumonidae) Synonym(s): *Lamachus Förster, 1868*; *Zaphthora Förster, 1868*; *Adexioma Förster, 1868*; *Torocampus Schmiedeknecht, 1913*; *Bathyglyptus Schmiedeknecht, 1913 nec Case, 1911*
- 3888) Latibulus Gistel, 1848** (Ichneumonidae) Synonym(s): *Crypturus Gravenhorst, 1829 nec Ill., 1811*; *Latibulus Gistel, 1848*; *Endurus Rondani, 1876*; *Pseudosyzeuctus Hedwig, 1961*
- 3889) Linycus Cameron, 1903** (Ichneumonidae) Synonym(s): *Linycus Cameron, 1903*; *Erythroischnus Cameron, 1904*
- 3890) Liotryphon Ashmead, 1900** (Ichneumonidae) Synonym(s): *Liogaster Kriechbaumer, 1890 (praeocc.)*; *Liotryphon Ashmead, 1900*
- 3891) Lissonota (Loxonota) Aubert, 1978** (Ichneumonidae) Synonym(s): *Loxonota Aubert, 1978*
- 3892) Lissonota Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Lissonota Gravenhorst, 1829*; *Lampronota Curtis, 1832*; *Stilbonota Stephens, 1835*; *Meniscus Schiödt, 1839*; *Asynida Gistel, 1848*; *Bothynophrys Förster, 1868*; *Enisimus Förster, 1868*; *Amersibia Förster, 1868*; *Bathycetes Förster, 1868*; *Opisorhyssa Kriechbaumer, 1890*; *Ctenopimpla Cameron, 1899 nec Kriechb., 1898*; *Trevoria Ashmead, 1900*; *Pimplopterus Ashmead, 1900*; *Harrimaniella Ashmead, 1900*; *Echthrodoca Schmiedeknecht, 1900*; *Campocinetia Schmiedeknecht, 1900*; *Anarthronota Schmiedeknecht, 1900*; *Adelopimpla Schulz, 1906*; *Stilbopoides Rohwer, 1913*; *Lophatium Clement, 1935*; *Gibbonota Heinrich, 1937*; *Lissonotoides Benoit, 1955*
- 3893) Listrognathus Tschek, 1871** (Ichneumonidae) Synonym(s): *Listrognathus Tschek, 1871*
- 3894) Lymantrichneumon Heinrich, 1968** (Ichneumonidae) Synonym(s): *Lymantrichneumon Heinrich, 1968*
- 3895) Lysibia Förster, 1868** (Ichneumonidae) Synonym(s): *Lysibia Förster, 1868*; *Pemon Förster, 1868*; *Stiboscopus Förster, 1868*; *Haplaspis Townes, 1944*
- 3896) Magwengiella Heinrich, 1938** (Ichneumonidae) Synonym(s): *Magwengiella Heinrich, 1938*; *Listrocalus Heinrich, 1978*
- 3897) Meloboris Holmgren, 1859** (Ichneumonidae) Synonym(s): *Meloboris Holmgren, 1859*; *Asinamora Förster, 1868*; *Nepiera Förster, 1868*; *Pseudocymodusa Habermehl, 1922*; *Anoixis Townes, 1970*
- 3898) Meringopus Förster, 1868** (Ichneumonidae) Synonym(s): *Meringopus Förster, 1868*; *Goniocryptus Thomson, 1873*

- 3899) Mesochorus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Mesochorus Gravenhorst*, 1829; *Stictopisthus Thomson*, 1886; *Edrisa Cameron*, 1907; *Zamesochorus Viereck*, 1912; *Plectochorus Uchida*, 1933; *Cryptochorus Aubert*, 1965; *Oncocotta Dasch*, 1974; *Piestetron Dasch*, 1974; *Rhaibaspis Dasch*, 1974
- 3900) Mesoleptus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Mesoleptus Gravenhorst*, 1829; *Exolytus Holmgren*, 1858
- 3901) Mesostenus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Mesostenus Gravenhorst*, 1829; *Stenaraeus Thomson*, 1896; *Umlima Cameron*, 1902; *Derocentrus Cushman*, 1919
- 3902) Metopius (Ceratopius) Clément, 1927** (Ichneumonidae) Synonym(s): *Ceratopius Clément*, 1927
- 3903) Metopius (Peltocarus) Thomson, 1887** (Ichneumonidae) Synonym(s): *Peltocarus Thomson*, 1887; *Clemontia Michener*, 1941
- 3904) Metopius (Tylopius) H.Townes & M.Townes, 1959** (Ichneumonidae) Synonym(s): *Tylopius H.Townes & M.Townes*, 1959
- 3905) Metopius (s.str.) Panzer, 1806** (Ichneumonidae) Synonym(s): *Metopius Panzer*, 1806; *Peltastes Illiger*, 1807; *Peltopius Clément*, 1927
- 3906) Metopius Panzer, 1806** (Ichneumonidae) Synonym(s): *Metopius Panzer*, 1806; *Peltastes Illiger*, 1807; *Peltopius Clément*, 1927
- 3907) Myrmeleonostenus Uchida, 1936** (Ichneumonidae) Synonym(s): *Myrmeleonostenus Uchida*, 1936
- 3908) Nemeritis Holmgren, 1860** (Ichneumonidae) Synonym(s): *Nemeritis Holmgren*, 1860; *Pseudonemeritis Szepligeti*, 1916
- 3909) Neotypus Förster, 1868** (Ichneumonidae) Synonym(s): *Neotypus Förster*, 1868; *Cillimus Tosquinet*, 1896
- 3910) Neoxorides Cléments, 1938** (Ichneumonidae) Synonym(s): *Neoxorides Cléments*, 1938
- 3911) Netelia (Bessobates) Townes, Townes & Gupta, 1961** (Ichneumonidae) Synonym(s): *Bessobates Townes, Townes & Gupta*, 1961
- 3912) Netelia (Paropheltes) Cameron, 1907** (Ichneumonidae) Synonym(s): *Paropheltes Cameron*, 1907
- 3913) Netelia (Paropheltes) Cameron, 1907** (Ichneumonidae) Synonym(s): *Paropheltes Cameron*, 1907
- 3914) Netelia (Toxochiloides) Tolkantitz, 1974** (Ichneumonidae) Synonym(s): *Toxochiloides Tolkantitz*, 1974; *Neteloides Delrio*, 1975
- 3915) Netelia (s.str.) Gray, 1860** (Ichneumonidae) Synonym(s): *Netelia Gray*, 1860; *Bucheckerinus Schulz*, 1906; *Scammatonotum Enderlein*, 1914; *Amebachia Uchida*, 1928
- 3916) Netelia Gray, 1860** (Ichneumonidae) Synonym(s): *Netelia Gray*, 1860; *Bucheckerinus Schulz*, 1906; *Scammatonotum Enderlein*, 1914; *Amebachia Uchida*, 1928
- 3917) Obtusodonta Heinrich, 1962** (Ichneumonidae) Synonym(s): *Obtusodonta Heinrich*, 1962
- 3918) Odontocolon Cushman, 1942** (Ichneumonidae) Synonym(s): *Odontomerus Gravenhorst*, 1829 nec *Leach*, 1819; *Odontocolon Cushman*, 1942
- 3919) Olesicampe Förster, 1868** (Ichneumonidae) Synonym(s): *Limneria Holmgren*, 1859 nec *Adam*, 1851; *Olesicampe Förster*, 1868; *Omoborus Förster*, 1868; *Holocremnus Förster*, 1868; *Olesicampa Thomson*, 1887; *Holocremna Thomson*, 1887; *Limnerium Ashmead*, 1900; *Zaplatystoma Viereck*, 1925
- 3920) Opheltes Holmgren, 1859** (Ichneumonidae) Synonym(s): *Opheltes Holmgren*, 1859; *Nephopheltes Cushman*, 1924
- 3921) Ophion Fabricius, 1798** (Ichneumonidae) Synonym(s): *Ophion Fabricius*, 1798; *Paniscus Schrank*, 1802; *#Pylonychia Szepligeti*, 1905; *Stenophthalmus Szepligeti*, 1905 nec *Beck*, 1903; *Pachyprotoma Kohl*, 1906; *Australophion Morley*, 1912; *Neophion Morley*, 1912; *Apatophion Shestakov*, 1926; *Platophion Hellén*, 1926; *Potophion Cushman*, 1947; *Pylonychia Cushman*, 1947; *Apomesus Townes*, 1971; *Mecetron Townes*, 1971
- 3922) Orthocentrus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Orthocentrus Gravenhorst*, 1829; *Tapinops Förster*, 1868; *Atmetus Förster*, 1868; *Phaenosemus Förster*, 1868; *Pachyonyx Walsh*, 1873 nec *Schoenh.*, 1837; *Orthocentrellus Benoit*, 1954
- 3923) Orthopelma Taschenberg, 1865** (Ichneumonidae) Synonym(s): *Orthopelma Taschenberg*, 1865; *Proedruss Förster*, 1868
- 3924) Otlophorus Förster, 1868** (Ichneumonidae) Synonym(s): *Otlophorus Förster*, 1868; *Neales Förster*, 1868; *Dialges Förster*, 1868; *Aeolometis Förster*, 1868; *Tachyporthus Förster*, 1868; *Holmgrenia Förster*, 1868; *Aeolometis Thomson*, 1894; *Otlophorinus Hinks*, 1944
- 3925) Pantorhaestes Förster, 1868** (Ichneumonidae) Synonym(s): *Pantorhaestes Förster*, 1868; *Trophoctonus Förster*, 1868
- 3926) Parania Morley, 1913** (Ichneumonidae) Synonym(s): *Parania Morley*, 1913
- 3927) Patrocloides Heinrich, 1961** (Ichneumonidae) Synonym(s): *Patrocloides Heinrich*, 1961
- 3928) Perilissus Holmgren, 1855** (Ichneumonidae) Synonym(s): *Perilissus Holmgren*, 1855; *Spanotecnus Förster*, 1868; *Ichneops Förster*, 1868; *Polyoncus Förster*, 1868; *Udenia Förster*, 1868; *Exacradus Förster*, 1868; *Daugna Seyrig*, 1935; *Pseudochorus Rao*, 1953
- 3929) Perithous Holmgren, 1859** (Ichneumonidae) Synonym(s): *Perithous Holmgren*, 1859; *Hybomischos Baltazar*, 1961
- 3930) Phaenolobus Förster, 1868** (Ichneumonidae) Synonym(s): *Phaenolobus Förster*, 1868; *Chorischizus Förster*, 1868; *Moldacoenitus Constantineanu & Constantineanu*, 1968

- 3931) Phaeogenes Wesmael, 1845** (Ichneumonidae) Synonym(s): *Phaeogenes Wesmael, 1845*; *Tycherus Förster, 1868*; *Micrope Förster, 1868*; *Proscus Holmgren, 1980*; *Micropa Schulz, 1906*; *Glyptichneumon Habermehl, 1917*
- 3932) Phaestacoenitus Smits van Burgst, 1913** (Ichneumonidae) Synonym(s): *Phaestacoenitus Smits van Burgst, 1913*
- 3933) Phradis Förster, 1868** (Ichneumonidae) Synonym(s): *Phradis Förster, 1868*; *Eutomus Förster, 1868 nec Hope, 1838*; *Isurgus Förster, 1868*
- 3934) Pimpla Fabricius, [1805]** (Ichneumonidae) Synonym(s): *Pimpla Fabricius, [1805]*; *Coccygomimus Saussure, 1892*; *Habropimpla Cameron, 1900*; *Lissotheronia Cameron, 1905*; *Phytodiaetoides Morley, 1913*; *Pimplidea Viereck, 1914*; *Coelopimpla Brethes, 1916*; *Liotheronia Enderlein, 1919*; *Dihiboplax Enderlein, 1919*; *Neogabunia Brethes, 1927*; *Opodactyla Seyrig, 1932*; *Oxypimpla Noskiewicz & Chudoba, 1951*; *Jamaicapimpla Mason, 1975*
- 3935) Pion Schiödte, 1838** (Ichneumonidae) Synonym(s): *Pion Schiödte, 1838*; *Catoglyptus Holmgren, 1855*
- 3936) Pithotomus Kriechbaumer, 1888** (Ichneumonidae) Synonym(s): *Pithotomus Kriechbaumer, 1888*
- 3937) Pleolophus Townes, 1962** (Ichneumonidae) Synonym(s): *Pleolophus Townes, 1962*
- 3938) Poemenia Holmgren, 1859** (Ichneumonidae) Synonym(s): *Poemenia Holmgren, 1859*
- 3939) Polytribax Förster, 1868** (Ichneumonidae) Synonym(s): *Polytribax Förster, 1868*; *Plesignathus Förster, 1868*; *Neleophron Förster, 1868*; *Epiphorbus Förster, 1868*; *Steriphocryptus Cameron, 1903*; *Chasmocryptus Uchida, 1936*
- 3940) Priopoda Holmgren, 1855** (Ichneumonidae) Synonym(s): *Priopoda Holmgren, 1855*; *Prionopoda Holmgren, 1855*
- 3941) Pristomerus Curtis, 1836** (Ichneumonidae) Synonym(s): *Pristomerus Curtis, 1836*; *Pristomeridia Ashmead, 1900*; *Pristocelus Szpligeti, 1905*; *Neopristomerus Viereck, 1912*; *Nesanomalon Morley, 1913*
- 3942) Probles (Euporizon) Horstmann, 1971** (Ichneumonidae) Synonym(s): *Euporizon Horstmann, 1971*
- 3943) Probles Förster, 1868** (Ichneumonidae) Synonym(s): *Probles Förster, 1868*
- 3944) Promethes Förster, 1868** (Ichneumonidae) Synonym(s): *Promethes Förster, 1868*; *Liopsis Förster, 1868*; *Promethus Thomson, 1890*
- 3945) Protichneumon Thomspon, 1893** (Ichneumonidae) Synonym(s): *Protichneumon Thomspon, 1893*; *Metopichneumon Uchida, 1935*
- 3946) Pycnocryptodes Aubert, 1971** (Ichneumonidae) Synonym(s): *Pycnocryptodes Aubert, 1971*
- 3947) Pycnocryptus Thomson, 1873** (Ichneumonidae) Synonym(s): *Pycnocryptus Thomson, 1873*; *Cylindrocryptus Ceballos, 1921*
- 3948) Pygmaeolus Hellén, 1958** (Ichneumonidae) Synonym(s): *Pygmaeolus Hellén, 1958*
- 3949) Pyracmon Holmgren, 1859** (Ichneumonidae) Synonym(s): *Pyracmon Holmgren, 1859*
- 3950) Rhyssa Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Rhyssa Gravenhorst, 1829*
- 3951) Scambus (Atelophadnus) Cameron, 1905** (Ichneumonidae) Synonym(s): *Atelophadnus Cameron, 1905*
- 3952) Scambus (Endromopoda) Hellén, 1939** (Ichneumonidae) Synonym(s): *Endromopoda Hellén, 1939*
- 3953) Scambus (s.str.) Hartig, 1838** (Ichneumonidae) Synonym(s): *Scambus Hartig, 1838*
- 3954) Scambus Hartig, 1838** (Ichneumonidae) Synonym(s): *Scambus Hartig, 1838*
- 3955) Scolobates Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Scolobates Gravenhorst, 1829*; *Aglyphus Giraud, 1872*; *Parabraconia Schmiedeknecht, 1914*
- 3956) Sinarachna Townes & Townes, 1960** (Ichneumonidae) Synonym(s): *Sinarachna Townes & Townes, 1960*
- 3957) Sinophorus Förster, 1868** (Ichneumonidae) Synonym(s): *Sinophorus Förster, 1868*; *Eulimneria Schmiedeknecht, 1907*
- 3958) Stenarella Szepligeti, 1916** (Ichneumonidae) Synonym(s): *Stenarella Szepligeti, 1916*; *Orientostenaraeus Uchida, 1930*; *Parasilsila Cheesman, 1936*
- 3959) Stenomacrus Förster, 1868** (Ichneumonidae) Synonym(s): *Stenomacrus Förster, 1868*; *Synoplus Förster, 1868*; *Mnesidacus Förster, 1868*; *Hypoleptus Förster, 1868*; *Deleter Förster, 1868*; *Camarotops Förster, 1868*
- 3960) Stilpnus Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *Stilpnus Gravenhorst, 1829*
- 3961) Strongylopsis Brauns, 1896** (Ichneumonidae) Synonym(s): *Strongylopsis Brauns, 1896*
- 3962) Sympherta Förster, 1868** (Ichneumonidae) Synonym(s): *Sympherta Förster, 1868*; *Stiphrosomus Förster, 1868 nec Fieb., 1858*; *Trapezocora Förster, 1868*; *Atrestes Förster, 1868*; *Campogenes Förster, 1868*; *Provancherella Dalla Torre, 1901*; *Eustiphrosomus Hinks, 1944*
- 3963) Synechocryptus Schmiedeknecht, 1904** (Ichneumonidae) Synonym(s): *Synechocryptus Schmiedeknecht, 1904*
- 3964) Synomelix Förster, 1868** (Ichneumonidae) Synonym(s): *Synomelix Förster, 1868*; *Zemiophora Förster, 1868*; *Zemiophorus Thomson, 1894*
- 3965) Syrphoctonus Förster, 1868** (Ichneumonidae) Synonym(s): *Syrphoctonus Förster, 1868*; *Homotropus Förster, 1868*; *Homoporus Thomson, 1890*; *Homocidus Morley, 1911*
- 3966) Syrphophilus Dasch, 1964** (Ichneumonidae) Synonym(s): *Syrphophilus Dasch, 1964*

- 3967) Syzeuctus Förster, 1868** (Ichneumonidae) Synonym(s): *Syzeuctus Förster, 1868*; *Diceratops Förster, 1868*; *Syzeucta Thomson, 1889*; *Meyva Cameron, 1899*; *Rhynchotrevoria Cameron, 1906*; *Ephialtina Szepligeti, 1908*; *Leptoglyphis Brethes, 1927*; *Paratanera Rao, 1953*
- 3968) Temelucha Förster, 1868** (Ichneumonidae) Synonym(s): *Temelucha Förster, 1868*; *Paracremastus Szpligeti, 1900*; *Tarytia Cameron, 1907*; *Androna Cameron, 1911*; *Cremastidea Viereck, 1912*; *Neocremastus Meyer, 1930 nec Cushm., 1917*
- 3969) Therion Curtis, 1830** (Ichneumonidae) Synonym(s): *Therion Curtis, 1830*; *Agassiz, 1846*; *Exochilum Wesmael, 1849*
- 3970) Theronia Holmgren, 1859** (Ichneumonidae) Synonym(s): *Theronia Holmgren, 1859*; *Pseudacoenites Kriechbaumer, 1892*; *Poecilopimpla Cameron, 1903*; *Erythrotheronia Cameron, 1905*; *Orientotheronia Morley, 1913*
- 3971) Theroscopus Förster, 1850** (Ichneumonidae) Synonym(s): *Theroscopus Förster, 1850*; *Chamerpes Förster, 1868*; *Eriplanus Förster, 1868*; *Phyrtus Förster, 1868*; *Thysiotorus Förster, 1868*; *Aenoplegimorpha Viereck, 1912*
- 3972) Thibetoides Davis, 1897** (Ichneumonidae) Synonym(s): *Thibetoides Davis, 1897*
- 3973) Thrybius Townes, 1965** (Ichneumonidae) Synonym(s): *Thrybius Townes, 1965*
- 3974) Trematopygus Holmgren, 1855** (Ichneumonidae) Synonym(s): *Trematopygus Holmgren, 1855*; *Amorphognathon Förster, 1868*; *Rhigelus Förster, 1868*; *Aselasma Förster, 1868*; *Campoporus Förster, 1868*; *Volucris Davis, 1897*
- 3975) Trichomma Wesmael, 1849** (Ichneumonidae) Synonym(s): *Trichomma Wesmael, 1849*; *Trichomella Szepligeti, 1910*
- 3976) Triclistus Förster, 1868** (Ichneumonidae) Synonym(s): *Triclistus Förster, 1868*
- 3977) Trieses Townes, 1946** (Ichneumonidae) Synonym(s): *Trieses Townes, 1946*
- 3978) Triptognathus Berthoumieu, 1904** (Ichneumonidae) Synonym(s): *Triptognathus Berthoumieu, 1904*
- 3979) Tromatobia Förster, 1868** (Ichneumonidae) Synonym(s): *Tromatobia Förster, 1868*; *Austropimpla Brethes, 1913*
- 3980) Tryphon Fallén, 1813** (Ichneumonidae) Synonym(s): *Tryphon Fallén, 1813*
- 3981) Venturia Schrottky, 1902** (Ichneumonidae) Synonym(s): *Idechthis Förster, 1868 nec Hbn., 1821*; *Venturia Schrottky, 1902*; *Devorgilla Cameron, 1907*; *Balcarcia Brethes, 1922*; *Notamorphota Blanchard, 1947*; *Exidechthis Walkley, 1958*; *Slenda Gauld, 1984*
- 3982) Xenoschesis (s.str.) Förster, 1868** (Ichneumonidae) Synonym(s): *Xenoschesis Förster, 1868*; *Homobia Förster, 1868*; *Glyptocentrus Kriechbaumer, 1894*
- 3983) Xenoschesis Förster, 1868** (Ichneumonidae) Synonym(s): *Xenoschesis Förster, 1868*; *Homobia Förster, 1868*; *Glyptocentrus Kriechbaumer, 1894*
- 3984) Xorides (Gonophonus) Förster, 1868** (Ichneumonidae) Synonym(s): *Gonophonus Förster, 1868*
- 3985) Xorides (Moerophora) Förster, 1868** (Ichneumonidae) Synonym(s): *Moerophora Förster, 1868*
- 3986) Xorides Latreille, 1809** (Ichneumonidae) Synonym(s): *Xorides Latreille, 1809*
- 3987) Zabrachypus Cushman, 1920** (Ichneumonidae) Synonym(s): *Zabrachypus Cushman, 1920*
- 3988) Zaglyptus Förster, 1868** (Ichneumonidae) Synonym(s): *Zaglyptus Förster, 1868*
- 3989) Zaplethocornia Schmiedeknecht, 1912** (Ichneumonidae) Synonym(s): *Zaplethocornia Schmiedeknecht, 1912*; *Nictula Burks, 1952*; *Parastadus Burks, 1952*; *#Zapletocorina Kolarov, 1995*
- 3990) Zatypota Förster, 1868** (Ichneumonidae) Synonym(s): *Zatypota Förster, 1868*; *Polysphinctopsis Habermehl, 1917*; *Lycorinopsis Haupt, 1954*
- 3991) Inocellia Schneider, 1843** (Inocellidae) Synonym(s): *Inocellia Schneider, 1843*
- 3992) Iris Saussure, 1869** (Irididae) Synonym(s): *Iris Saussure, 1869*
- 3993) Aconosimus Dlabola, 1983** (Issidae) Synonym(s): *Aconosimus Dlabola, 1983*; *#Acanosimus Lodos & Kalkandelen, 1988*
- 3994) Agalmatium Emeljanov, 1971** (Issidae) Synonym(s): *Agalmatium Emeljanov, 1971*
- 3995) Anatolodus Dlabola, 1982** (Issidae) Synonym(s): *Anatolodus Dlabola, 1982*
- 3996) Bubastia (Acrestia) Dlabola, 1980** (Issidae) Synonym(s): *Acrestia Dlabola, 1980*
- 3997) Bubastia (s.str.) Emeljanov, 1975** (Issidae) Synonym(s): *Bubastia Emeljanov, 1975*
- 3998) Bubastia Emeljanov, 1975** (Issidae) Synonym(s): *Bubastia Emeljanov, 1975*
- 3999) Falcidiopsis Kusnezov, 1930** (Issidae) Synonym(s): *Falcidiopsis Kusnezov, 1930*
- 4000) Falcidius Stal, 1866** (Issidae) Synonym(s): *Falcidius Stal, 1866*
- 4001) Hysteropterum Amyot & Audinet-Serville, 1943** (Issidae) Synonym(s): *Hysteropterum Amyot & Audinet-Serville, 1943*
- 4002) Issus Fabricius, 1803** (Issidae) Synonym(s): *Issus Fabricius, 1803*
- 4003) Kervillea Bergevin, [1918]** (Issidae) Synonym(s): *Kervillea Bergevin, [1918]*
- 4004) Latematium Dlabola, 1979** (Issidae) Synonym(s): *Latematium Dlabola, 1979*
- 4005) Latilica Emeljanov, 1971** (Issidae) Synonym(s): *Latilica Emeljanov, 1971*; *Dalmatium Dlabola, 1980*
- 4006) Libanissum Dlabola, 1980** (Issidae) Synonym(s): *Libanissum Dlabola, 1980*
- 4007) Mycterodus (Aconosimus) Dlabola, 1983** (Issidae) Synonym(s): *Aconosimus Dlabola, 1983*
- 4008) Mycterodus (Comporodus) Koçak, 1982** (Issidae) Synonym(s): *Comporodus Koçak, 1982*
- 4009) Mycterodus (Semirodus) Dlabola, 1987** (Issidae) Synonym(s): *Semirodus Dlabola, 1987*
- 4010) Mycterodus (s.str.) Spinola, 1839** (Issidae) Synonym(s): *Mycterodus Spinola, 1839*

- 4011) **Mycterodus Spinola, 1839** (Issidae) Synonym(s): *Mycterodus Spinola, 1839*
- 4012) **Quadrastylum Dlabola, 1979** (Issidae) Synonym(s): *Quadrastylum Dlabola, 1979*
- 4013) **Rhissolepus Emeljanov, 1971** (Issidae) Synonym(s): *Rhissolepus Emeljanov, 1971*
- 4014) **Scorlupella Emeljanov, 1971** (Issidae) Synonym(s): *Scorlupella Emeljanov, 1971*
- 4015) **Tshurtshurnella Kusnezov, 1927** (Issidae) Synonym(s): *Tshurtshurnella Kusnezov, 1927; Megissus Linnavuori, 1965*
- 4016) **Webbsianus Dlabola, 1983** (Issidae) Synonym(s): *Webbsianus Dlabola, 1983*
- 4017) **Kermes Latreille, 1798** (Kermesidae) Synonym(s): *Kermes Latreille, 1798*
- 4018) **Nidularia Targioni-Tozzetti, 1868** (Kermesidae) Synonym(s): *Nidularia Targioni-Tozzetti, 1868*
- 4019) **Macrocera Meigen, 1803** (Keroplastidae) Synonym(s): *#Euphrosyne Meigen, 1800; Macrocera Meigen, 1803; Geneja Liouy, 1863; Promacrocera Speiser, 1913*
- 4020) **Platyura Meigen, 1803** (Keroplastidae) Synonym(s): *Platyura Meigen, 1803*
- 4021) **Urytalpa Edwards, 1929** (Keroplastidae) Synonym(s): *Urytalpa Edwards, 1929*
- 4022) **Anisolabis Fieber, 1853** (Labiduridae) Synonym(s): *Anisolabis Fieber, 1853*
- 4023) **Chelidura Berthold, 1827** (Labiduridae) Synonym(s): *Chelidura Berthold, 1827*
- 4024) **Euborellia Burr, 1910** (Labiduridae) Synonym(s): *Euborellia Burr, 1910*
- 4025) **Labidura Leach, 1815** (Labiduridae) Synonym(s): *Labidura Leach, 1815*
- 4026) **Nala Zacher, 1910** (Labiduridae) Synonym(s): *Nala Zacher, 1910*
- 4027) **Lampyrus Müller, 1764** (Lampyridae) Synonym(s): *Lampyrus Müller, 1764*
- 4028) **Lampyroidea Costa, 1875** (Lampyridae) Synonym(s): *Lampyroidea Costa, 1875*
- 4029) **Luciola Laporte de Castelnau, 1833** (Lampyridae) Synonym(s): *Luciola Laporte de Castelnau, 1833*
- 4030) **Nyctophila E. Olivier, 1884** (Lampyridae) Synonym(s): *Nyctophila E. Olivier, 1884*
- 4031) **Calliopum Strand, 1928** (Lauxaniidae) Synonym(s): *Calliopum Strand, 1928*
- 4032) **Eusapromyza Malloch, 1923** (Lauxaniidae) Synonym(s): *Eusapromyza Malloch, 1923*
- 4033) **Minettia R-D., 1830** (Lauxaniidae) Synonym(s): *Minettia R-D., 1830*
- 4034) **Sapromyza Fallén, 1810** (Lauxaniidae) Synonym(s): *Sapromyza Fallén, 1810*
- 4035) **Lecanodiaspis Targioni-Tozzetti, 1869** (Lecanodiaspididae) Synonym(s): *Lecanodiaspis Targioni-Tozzetti, 1869*
- 4036) **Agathidium (s.str.) Panzer, 1797** (Leiodidae) Synonym(s): *Agathidium Panzer, 1797*
- 4037) **Attaephilus Motschoulsky, 1869** (Leiodidae) Synonym(s): *Attaephilus Motschoulsky, 1869*
- 4038) **Chovela (s.str.) Latreille, 1796** (Leiodidae) Synonym(s): *Chovela Latreille, 1796*
- 4039) **Chovela Latreille, 1796** (Leiodidae) Synonym(s): *Chovela Latreille, 1796*
- 4040) **Setodes Rambur, 1842** (Leptoceridae) Synonym(s): *Setodes Rambur, 1842*
- 4041) **Lestes Leach, 1815** (Lestidae) Synonym(s): *Lestes Leach, 1815*
- 4042) **Sympecma Burmeister, 1839** (Lestidae) Synonym(s): *Sympecma Burmeister, 1839*
- 4043) **Leucospis Fabricius, 1775** (Leucospidae) Synonym(s): *Leucospis Fabricius, 1775*
- 4044) **Leuctra Stephens, 1836** (Leuctridae) Synonym(s): *Leuctra Stephens, 1836*
- 4045) **Brachythemis Brauer, 1868** (Libellulidae) Synonym(s): *Brachythemis Brauer, 1868*
- 4046) **Crocothemis Brauer, 1868** (Libellulidae) Synonym(s): *Crocothemis Brauer, 1868*
- 4047) **Diplacodes Kirby, 1889** (Libellulidae) Synonym(s): *Diplacodes Kirby, 1889*
- 4048) **Leucorrhinia Brittinger, 1850** (Libellulidae) Synonym(s): *Leucorrhinia Brittinger, 1850*
- 4049) **Libellula Linnaeus, 1758** (Libellulidae) Synonym(s): *Libellula Linnaeus, 1758*
- 4050) **Orthetrum Newman, 1833** (Libellulidae) Synonym(s): *Orthetrum Newman, 1833*
- 4051) **Pantala Hagen, 1861** (Libellulidae) Synonym(s): *Pantala Hagen, 1861*
- 4052) **Selysiotthemis Ris, 1909** (Libellulidae) Synonym(s): *Selysiotthemis Ris, 1909*
- 4053) **Sympetrum Newman, 1833** (Libellulidae) Synonym(s): *Sympetrum Newman, 1833*
- 4054) **Trithemis Brauer, 1868** (Libellulidae) Synonym(s): *Trithemis Brauer, 1868*
- 4055) **Zygonyx Hagen, 1867** (Libellulidae) Synonym(s): *Zygonyx Hagen, 1867*
- 4056) **Chaetopteryx Stephens, 1829** (Limnephilidae) Synonym(s): *Chaetopteryx Stephens, 1829*
- 4057) **Limnephilus Leach, 1815** (Limnephilidae) Synonym(s): *Limnephilus Leach, 1815*
- 4058) **Rizeiella Sipahiler, 1986** (Limnephilidae) Synonym(s): *Rizeiella Sipahiler, 1986*
- 4059) **Antocha (Orimargula) Mik, 1883** (Limoniidae) Synonym(s): *Orimargula Mik, 1883*
- 4060) **Antocha Osten-Sacken, 1859** (Limoniidae) Synonym(s): *Antocha Osten-Sacken, 1859*
- 4061) **Arctoconopa Alexander, 1955** (Limoniidae) Synonym(s): *Arctoconopa Alexander, 1955*
- 4062) **Austrolimnophila Alexander, 1920** (Limoniidae) Synonym(s): *Austrolimnophila Alexander, 1920*
- 4063) **Baeoura Alexander, 1924** (Limoniidae) Synonym(s): *Baeoura Alexander, 1924*
- 4064) **Cheilotrichia (Empeda) Osten Sacken, 1869** (Limoniidae) Synonym(s): *Empeda Osten Sacken, 1869*
- 4065) **Cheilotrichia Rossi, 1848** (Limoniidae) Synonym(s): *Cheilotrichia Rossi, 1848*
- 4066) **Dactylolabis (Coenolabis) Savchenko, 1969** (Limoniidae) Synonym(s): *Coenolabis Savchenko, 1969*
- 4067) **Ellipteroides (s.str.) Becker, 1907** (Limoniidae) Synonym(s): *Ellipteroides Becker, 1907*
- 4068) **Ellipteroides Becker, 1907** (Limoniidae) Synonym(s): *Ellipteroides Becker, 1907*

- 4069) Erioptera (Mesocyphona) Osten Sacken,1869** (Limoniidae) Synonym(s): *Mesocyphona* Osten Sacken,1869
- 4070) Erioptera Meigen,1803** (Limoniidae) Synonym(s): *Erioptera* Meigen,1803
- 4071) Euphyllidorea Alexander,1972** (Limoniidae) Synonym(s): *Euphyllidorea* Alexander,1972
- 4072) Gonomyia Meigen,1818** (Limoniidae) Synonym(s): *Gonomyia* Meigen,1818
- 4073) Hexatoma (Eriocera) Macquart,1838** (Limoniidae) Synonym(s): *Caloptera* Guérin-Méneville,1831; *Eriocera* Macquart,1838; *Evanioptera* Guérin-Méneville,1838; *Pterocosmus* Walker,1848; *Allarithmia* Loew,1850; *Oligomera* Doleschall,1857; *Physecrania* Bigot,1859; *Arrhenica* Osten Sacken,1860; *Penthoptera* Schiner,1863; *Androclosma* Enderlein,1912; *Globicera* Matsumura,1916
- 4074) Idiocera Dale,1842** (Limoniidae) Synonym(s): *Idiocera* Dale,1842; *Ptilostena* Bergroth,1913; *Pseudogonomyia* Santos Abreu,1923; *#Idioptera* Parvu & Popescu-Mirceni,2005
- 4075) Ilisia Rondani,1856** (Limoniidae) Synonym(s): *Ilisia* Rondani,1856; *#Elisia* Bigot,1857
- 4076) Limonia Meigen,1803** (Limoniidae) Synonym(s): *Limonia* Meigen,1803
- 4077) Molophilus Curtis,1833** (Limoniidae) Synonym(s): *Molophilus* Curtis,1833
- 4078) Paradelphomyia (Oxyrhiza) Meijere,1946** (Limoniidae) Synonym(s): *Oxyrhiza* Meijere,1946
- 4079) Paradelphomyia Alexander,1936** (Limoniidae) Synonym(s): *Paradelphomyia* Alexander,1936
- 4080) Phylidorea Bigot,1854** (Limoniidae) Synonym(s): *Phylidorea* Bigot,1854
- 4081) Phyllolabis Osten Sacken,1877** (Limoniidae) Synonym(s): *Phyllolabis* Osten Sacken,1877; *#Phllolabis* Koc,2004
- 4082) Piliaria Sintenis,1889** (Limoniidae) Synonym(s): *Piliaria* Sintenis,1889
- 4083) Pseudolimnophila Alexander,1919** (Limoniidae) Synonym(s): *Pseudolimnophila* Alexander,1919
- 4084) Rhabdomastix Skuse,1890** (Limoniidae) Synonym(s): *Rhabdomastix* Skuse,1890
- 4085) Symplecta (Psiloconopa) Zetterstedt,1838** (Limoniidae) Synonym(s): *Psiloconopa* Zetterstedt,1838
- 4086) Symplecta Meigen,1830** (Limoniidae) Synonym(s): *Symplecta* Meigen,1830
- 4087) Lonchoptera Meigen,1803** (Lonchopteridae) Synonym(s): *#Musidora* Meigen,1800; *Lonchoptera* Meigen,1803
- 4088) Dorcus MacLeay,1819** (Lucanidae) Synonym(s): *Dorcus* MacLeay,1819
- 4089) Lucanus (.s.str.) Scopoli,1763** (Lucanidae) Synonym(s): *Lucanus* Scopoli,1763; *Hexaphyllus* Mulsant,1839
- 4090) Lucanus (Pseudolucanus) Hope & Westwood,1845** (Lucanidae) Synonym(s): *Pseudolucanus* Hope & Westwood,1845; *Eolucanus* Kurosawa,1970
- 4091) Lucanus Scopoli,1763** (Lucanidae) Synonym(s): *Lucanus* Scopoli,1763; *Hexaphyllus* Mulsant,1839
- 4092) Platycerus Geoffroy,1762** (Lucanidae) Synonym(s): *Platycerus* Geoffroy,1762
- 4093) Sinodendron Schneider,1791** (Lucanidae) Synonym(s): *Ligniperda* Fabricius,1790 (praeocc.); *Sinodendron* Schneider,1791
- 4094) Acompus Fieber,1860** (Lygaeidae) Synonym(s): *Acompus* Fieber,1860
- 4095) Aellopus Wolff,1811** (Lygaeidae) Synonym(s): *Aellopus* Wolff,1811
- 4096) Aoploscelis Fieber,1860** (Lygaeidae) Synonym(s): *Aoploscelis* Fieber,1860
- 4097) Aphanus Laporte de Castelnau,1833** (Lygaeidae) Synonym(s): *Aphanus* Laporte de Castelnau,1833
- 4098) Apterola Mulsant & Rey,1866** (Lygaeidae) Synonym(s): *Apterola* Mulsant & Rey,1866
- 4099) Arocatus Spinola,1837** (Lygaeidae) Synonym(s): *Arocatus* Spinola,1837; *Tetralaccus* Fieber,1860; *Microcaenocoris* Breddin,1900
- 4100) Artheneis Spinola,1837** (Lygaeidae) Synonym(s): *Artheneis* Spinola,1837
- 4101) Auchenodes Horvath,1891** (Lygaeidae) Synonym(s): *Auchenodes* Horvath,1891
- 4102) Beosus Amyot & Serville,1843** (Lygaeidae) Synonym(s): *Beosus* Amyot & Serville,1843
- 4103) Bledionotus Reuter,1878** (Lygaeidae) Synonym(s): *Bledionotus* Reuter,1878
- 4104) Brachyplax Fieber,1860** (Lygaeidae) Synonym(s): *Brachyplax* Fieber,1860
- 4105) Caenocoris Fieber,1860** (Lygaeidae) Synonym(s): *Caenocoris* Fieber,1860
- 4106) Callistonotus Horvath,1906** (Lygaeidae) Synonym(s): *Callistonotus* Horvath,1906
- 4107) Camptocera Jakovlev,1877** (Lygaeidae) Synonym(s): *Camptocera* Jakovlev,1877
- 4108) Camptotelus Fieber,1860** (Lygaeidae) Synonym(s): *Camptotelus* Fieber,1860
- 4109) Cymophyes Fieber,1870** (Lygaeidae) Synonym(s): *Cymophyes* Fieber,1870
- 4110) Cymus Hahn,1832** (Lygaeidae) Synonym(s): *Cymus* Hahn,1832
- 4111) Dieuches F.A.Dohrn,1860** (Lygaeidae) Synonym(s): *Dieuches* F.A.Dohrn,1860
- 4112) Dimorphopterus Stal,1872** (Lygaeidae) Synonym(s): *Dimorphopterus* Stal,1872
- 4113) Diomphalus Fieber,1864** (Lygaeidae) Synonym(s): *Diomphalus* Fieber,1864
- 4114) Drymus Fieber,1860** (Lygaeidae) Synonym(s): *Drymus* Fieber,1860
- 4115) Emblethis Fieber,[1860]** (Lygaeidae) Synonym(s): *Emblethis* Fieber,[1860]; *Embolimus* Marshall,1868
- 4116) Engistus Fieber,1864** (Lygaeidae) Synonym(s): *Engistus* Fieber,1864; *Brachypterna* Jakovlev,1874
- 4117) Eremocoris Fieber,1860** (Lygaeidae) Synonym(s): *Eremocoris* Fieber,1860
- 4118) Gastrodes Westwood,1840** (Lygaeidae) Synonym(s): *Gastrodes* Westwood,1840

- 4119) **Geocoris Fallén,1814** (Lygaeidae) Synonym(s): *Geocoris Fallén,1814*
 4120) **Gonianotus Fieber,1860** (Lygaeidae) Synonym(s): *Gonianotus Fieber,1860*
 4121) **Graptostethus Stal,1868** (Lygaeidae) Synonym(s): *Graptostethus Stal,1868*
 4122) **Henestaris Spinola,1837** (Lygaeidae) Synonym(s): *Henestaris Spinola,1837*
 4123) **Heterogaster Schilling,1829** (Lygaeidae) Synonym(s): *Heterogaster Schilling,1829*
 4124) **Horvathiolus Josifov,1965** (Lygaeidae) Synonym(s): *Horvathiolus Josifov,1965*
 4125) **Ischnodemus Fieber,1837** (Lygaeidae) Synonym(s): *Ischnodemus Fieber,1837*
 4126) **Ischnopeza Fieber,1860** (Lygaeidae) Synonym(s): *Ischnopeza Fieber,1860*
 4127) **Lethaeus Dallas,1852** (Lygaeidae) Synonym(s): *Lethaeus Dallas,1852*
 4128) **Lygaeosoma Spinola,1837** (Lygaeidae) Synonym(s): *Lygaeosoma Spinola,1837*; *Epibomius Distant,1909*
 4129) **Lygaeus Fabricius,1794** (Lygaeidae) Synonym(s): *Lygaeus Fabricius,1794*; *Lygeus Rafinesque,1815*; *Lyginus Rafinesque,1815*; *Graptolomus Stal,1868*; *Eulygaeus Reuter,1888*
 4130) **Megalonotus Fieber,1860** (Lygaeidae) Synonym(s): *Rhyparochromus Curtis,1836 nec Hahn,1826*; *Megalonotus Fieber,1860*; *Ktenofer Roubal,1965*
 4131) **Melanocoryphus Stal,1872** (Lygaeidae) Synonym(s): *Melanocoryphus Stal,1872*
 4132) **Neurocladus Fieber,1860** (Lygaeidae) Synonym(s): *Neurocladus Fieber,1860*
 4133) **Nysius Dallas,1852** (Lygaeidae) Synonym(s): *Nysius Dallas,1852*
 4134) **Oxycarenus (Euoxycarenus) Samy,1969** (Lygaeidae) Synonym(s): *Euoxycarenus Samy,1969*
 4135) **Oxycarenus (s.str.) Fieber,1837** (Lygaeidae) Synonym(s): *Oxycarenus Fieber,1837*
 4136) **Oxycarenus Fieber,1837** (Lygaeidae) Synonym(s): *Oxycarenus Fieber,1837*
 4137) **Piocoris Stal,1872** (Lygaeidae) Synonym(s): *Piocoris Stal,1872*
 4138) **Pionosomus Fieber,1860** (Lygaeidae) Synonym(s): *Pionosomus Fieber,1860*
 4139) **Pionosomus Fieber,[1860]** (Lygaeidae) Synonym(s): *Pionosomus Fieber,[1860]*
 4140) **Pterotmetus Amyot & Serville,1843** (Lygaeidae) Synonym(s): *Pterotmetus Amyot & Serville,1843*
 4141) **Rhyparochromus Hahn,1826** (Lygaeidae) Synonym(s): *Rhyparochromus Hahn,1826*
 4142) **Spilostethus Stal,1868** (Lygaeidae) Synonym(s): *Spilostethus Stal,1868*
 4143) **Trapezonotus Fieber,[1860]** (Lygaeidae) Synonym(s): *Trapezonotus Fieber,[1860]*
 4144) **Tropistethus Fieber,[1860]** (Lygaeidae) Synonym(s): *Tropistethus Fieber,[1860]*; *Tropidostethus Marshall,1868*
 4145) **Ameles Burmeister,1838** (Mantidae) Synonym(s): *Ameles Burmeister,1838*; *Parameles Saussure,1869*
 4146) **Bolivaria Stal,1877** (Mantidae) Synonym(s): *Bolivaria Stal,1877*
 4147) **Eremiaphila Lefebvre,1835** (Mantidae) Synonym(s): *Eremiaphila Lefebvre,1835*
 4148) **Geomantis Pantel,1896** (Mantidae) Synonym(s): *Geomantis Pantel,1896*
 4149) **Hierodula Burmeister,1838** (Mantidae) Synonym(s): *Hierodula Burmeister,1838*; *Ephierodula Giglio-Tos,1912*; *Parhierodula Giglio-Tos,1912*; *Rhomboderula Giglio-Tos,1912*; *Zopheromantis Tindale,1924*
 4150) **Mantis Linnaeus,1767** (Mantidae) Synonym(s): *#Mantis Linnaeus,1758*; *Mantis Linnaeus,1767*
 4151) **Rivetina Berland & Chopard,1922** (Mantidae) Synonym(s): *Fischeria Saussure,1869 (praeocc.)*; *Rivetina Berland & Chopard,1922*; *Eufischeriella Giglio-Tos,1927*; *#Rivetina Demirsoy,1979*; *Kinzelbachia Harz,1988*
 4152) **Mantispa Illiger,1798** (Mantispidae) Synonym(s): *Mantispa Illiger,1798*; *Amycla Rafinesque,1815*
 4153) **Perlamantispa Handschin,1960** (Mantispidae) Synonym(s): *Perlamantispa Handschin,1960*
 4154) **Gueriniella Fernald,1903** (Margarodidae) Synonym(s): *Guerinia Targioni-Tozzetti,1868 (praeocc.)*; *Gueriniella Fernald,1903*
 4155) **Icerya Signoret,1875** (Margarodidae) Synonym(s): *Icerya Signoret,1875*
 4156) **Marchalina Vayssiere,1925** (Margarodidae) Synonym(s): *Marchalina Vayssiere,1925*
 4157) **Matsucoccus Cockerell,1909** (Margarodidae) Synonym(s): *Matsucoccus Cockerell,1909*
 4158) **Neomargarodes Green,1914** (Margarodidae) Synonym(s): *Neomargarodes Green,1914*
 4159) **Palaeococcus Cockerell,1894** (Margarodidae) Synonym(s): *Palaeococcus Cockerell,1894*
 4160) **Porphyrophora Brandt & Ratzeburg,1833** (Margarodidae) Synonym(s): *Porphyrophora Brandt & Ratzeburg,1833*
 4161) **Meenoplus Fieber,1866** (Meenoplidae) Synonym(s): *Meenoplus Fieber,1866*
 4162) **Nisia Melichar,1903** (Meenoplidae) Synonym(s): *Nisia Melichar,1903*
 4163) **Aglaopis Cameron,1901** (Megachilidae) Synonym(s): *Aglaopis Cameron,1901*
 4164) **Allodioxys Popov,1947** (Megachilidae) Synonym(s): *Allodioxys Popov,1947*
 4165) **Anthidium (Anthidiellum) Cockerell,1904** (Megachilidae) Synonym(s): *Anthidiellum Cockerell,1904*; *Cerianthidium Friese,1923*; *Eoanthidium Popov,1950*; *Eoanthidiellum Pasteels,1969*
 4166) **Anthidium (Archianthidium) Mavromoustakis,1939** (Megachilidae) Synonym(s): *Archianthidium Mavromoustakis,1939*
 4167) **Anthidium (Exanthidium) Pasteels,1969** (Megachilidae) Synonym(s): *Exanthidium Pasteels,1969*
 4168) **Anthidium (Icteranthidium) Michener,1948** (Megachilidae) Synonym(s): *Icteranthidium Michener,1948*

- 4169) Anthidium (Mesanthidium) Popov,1950** (Megachilidae) Synonym(s): *Mesanthidium Popov,1950; Neanthidium Pasteels,1969*
- 4170) Anthidium (Oxyanthidium) Mavromoustakis,1963** (Megachilidae) Synonym(s): *Oxyanthidium Mavromoustakis,1963*
- 4171) Anthidium (Paraanthidium) Friese,1898** (Megachilidae) Synonym(s): *Paraanthidium Friese,1898*
- 4172) Anthidium (Proanthidium) Friese,1898** (Megachilidae) Synonym(s): *Proanthidium Friese,1898; Gulanthidium Pasteels,1969; Echianthidium Pasteels,1969; Ardentidium Pasteels,1969*
- 4173) Anthidium (Pseudoanthidium) Friese,1898** (Megachilidae) Synonym(s): *Pseudoanthidium Friese,1898; Paraanthidiellum Michener,1948; Carinellum Pasteels,1969; Poyanthidium Pasteels,1969; Reanthidium Pasteels,1969*
- 4174) Anthidium (Rhodanthidium) Isensee,1927** (Megachilidae) Synonym(s): *Rhodanthidium Isensee,1927; Meganthidium Popov,1950; Asianthidium Popov,1950; Trianthidium Mavromoustakis,1958; Bellanthidium Pasteels,1969; Axillanthidium Pasteels,1969*
- 4175) Anthidium (Trachusa) Panzer,1804** (Megachilidae) Synonym(s): *Trachusa Panzer,1804; Diphysis Lepeletier,1841*
- 4176) Anthidium (s.str.) Fabricius,1804** (Megachilidae) Synonym(s): *Anthidium Fabricius,1804*
- 4177) Anthidium Fabricius,1804** (Megachilidae) Synonym(s): *Anthidium Fabricius,1804*
- 4178) Chalicodoma Lepeletier,1841** (Megachilidae) Synonym(s): *Chalicodoma Lepeletier,1841*
- 4179) Chelostoma (Foveosmia) Warncke,1991** (Megachilidae) Synonym(s): *Foveosmia Warncke,1991*
- 4180) Chelostoma (Gyrodromella) Michener,1997** (Megachilidae) Synonym(s): *Gyrodromella Michener,1997*
- 4181) Chelostoma (s.str.) Latreille,1809** (Megachilidae) Synonym(s): *Chelostoma Latreille,1809*
- 4182) Chelostoma Latreille,1809** (Megachilidae) Synonym(s): *Chelostoma Latreille,1809*
- 4183) Coelioxys (Allocoelioxys) Tkalcu,1974** (Megachilidae) Synonym(s): *Allocoelioxys Tkalcu,1974*
- 4184) Coelioxys Latreille,1809** (Megachilidae) Synonym(s): *Coelioxys Latreille,1809*
- 4185) Creightonella (Metamegachile) Tkalcu,1967** (Megachilidae) Synonym(s): *Metamegachile Tkalcu,1967*
- 4186) Creightonella Cockerell,1908** (Megachilidae) Synonym(s): *Creightonella Cockerell,1908*
- 4187) Dioxys Lepeletier & Audinet-Serville,1825** (Megachilidae) Synonym(s): *Dioxys Lepeletier & Audinet-Serville,1825*
- 4188) Ensliniana Alfken,1938** (Megachilidae) Synonym(s): *Ensliniana Alfken,1938*
- 4189) Haetosmia Popov,1952** (Megachilidae) Synonym(s): *Haetosmia Popov,1952*
- 4190) Heriades (Michenerella) Krombein,1950** (Megachilidae) Synonym(s): *Michenerella Krombein,1950*
- 4191) Heriades (Rhopaloheriades) Griswold & Michener,1997** (Megachilidae) Synonym(s): *Rhopaloheriades Griswold & Michener,1997*
- 4192) Heriades (s.str.) Spinola,1808** (Megachilidae) Synonym(s): *Heriades Spinola,1808; Herias Oken,1817*
- 4193) Heriades Spinola,1808** (Megachilidae) Synonym(s): *Heriades Spinola,1808; Herias Oken,1817*
- 4194) Hofferia Tkalcu,1984** (Megachilidae) Synonym(s): *Hofferia Tkalcu,1984*
- 4195) Hoplitis (Alcidamea) Cresson,1864** (Megachilidae) Synonym(s): *Alcidamea Cresson,1864; Andronicus Cresson,1864; Monumetha Cresson,1864; Acanthosmia Thomson,1972; Liosmia Thomson,1972; Tridentosmia Schmiedeknecht,1886; Megalosmia Schmiedeknecht,1886; Robertsonella Titus,1904; Autochelostoma Sladen,1916; Chlorosmia Sladen,1916; Glossosmia Michener,1943; Cyrtosmia Michener,1947; Dasyosmia Michener,1947*
- 4196) Hoplitis (Annosmia) Warncke,1991** (Megachilidae) Synonym(s): *Annosmia Warncke,1991*
- 4197) Hoplitis (Anthocopa) Lepeletier & Serville,1825** (Megachilidae) Synonym(s): *Anthocopa Lepeletier & Serville,1825*
- 4198) Hoplitis (Bytinskia) Mavromoustakis,1954** (Megachilidae) Synonym(s): *Bytinskia Mavromoustakis,1954*
- 4199) Hoplitis (Chlidoplitis) Griswold,1997** (Megachilidae) Synonym(s): *Chlidoplitis Griswold,1997*
- 4200) Hoplitis (Megahoplitis) Tkalcu,1993** (Megachilidae) Synonym(s): *Megahoplitis Tkalcu,1993*
- 4201) Hoplitis (Megalosmia) Schmiedeknecht,[1885]** (Megachilidae) Synonym(s): *Megalosmia Schmiedeknecht,[1885]*
- 4202) Hoplitis (Micreriades) Mavromoustakis,1958** (Megachilidae) Synonym(s): *Micreriades Mavromoustakis,1958*
- 4203) Hoplitis (Pentadentosmia) Warncke,1991** (Megachilidae) Synonym(s): *Pentadentosmia Warncke,1991*
- 4204) Hoplitis (Platosmia) Warncke,1990** (Megachilidae) Synonym(s): *Platosmia Warncke,1990*
- 4205) Hoplitis (Prionohoplitis) Tkalcu,1993** (Megachilidae) Synonym(s): *Prionohoplitis Tkalcu,1993*
- 4206) Hoplitis (Stenosmia) Michener,1941** (Megachilidae) Synonym(s): *Stenosmia Michener,1941*
- 4207) Hoplitis (s.str.) Klug,1807** (Megachilidae) Synonym(s): *Hoplitis Klug,1807*
- 4208) Hoplitis Klug,1807** (Megachilidae) Synonym(s): *Hoplitis Klug,1807*
- 4209) Lithurgus Berthold,1827** (Megachilidae) Synonym(s): *Lithurgus Berthold,1827*

- 4210) Megachile (Eutricharaea) Thomson,1872** (Megachilidae) Synonym(s): *Eutricharaea Thomson,1872*
- 4211) Megachile (Neoeutricharaea) Rebmann,1967** (Megachilidae) Synonym(s): *Neoeutricharaea Rebmann,1967; #Neoentricharaea Özbek & Zanden,1996*
- 4212) Megachile (Xanthosarus) Robertson,1903** (Megachilidae) Synonym(s): *Xanthosarus Robertson,1903*
- 4213) Megachile (s.str.) Latreille,1802** (Megachilidae) Synonym(s): *Megachile Latreille,1802*
- 4214) Megachile Latreille,1802** (Megachilidae) Synonym(s): *Megachile Latreille,1802*
- 4215) Metadioxys Popov,1947** (Megachilidae) Synonym(s): *Metadioxys Popov,1947*
- 4216) Osmia (Allosmia) Tkalcu,1974** (Megachilidae) Synonym(s): *Allosmia Tkalcu,1974*
- 4217) Osmia (Erythrosmia) Schmiedeknecht,[1885]** (Megachilidae) Synonym(s): *Erythrosmia Schmiedeknecht,[1885]*
- 4218) Osmia (Exosmia) Tkalcu,1979** (Megachilidae) Synonym(s): *Exosmia Tkalcu,1979*
- 4219) Osmia (Helicosmia) Thomson,1872** (Megachilidae) Synonym(s): *Helicosmia Thomson,1872*
- 4220) Osmia (Hemiosmia) Tkalcu,1975** (Megachilidae) Synonym(s): *Hemiosmia Tkalcu,1975*
- 4221) Osmia (Hoplosmia) Thomson,1872** (Megachilidae) Synonym(s): *Hoplosmia Thomson,1872*
- 4222) Osmia (Melanosmia) Schmiedeknecht,[1885]** (Megachilidae) Synonym(s): *Melanosmia Schmiedeknecht,[1885]*
- 4223) Osmia (Metallinella) Tkalcu,1966** (Megachilidae) Synonym(s): *Metallinella Tkalcu,1966*
- 4224) Osmia (Monosmia) Tkalcu,1974** (Megachilidae) Synonym(s): *Monosmia Tkalcu,1974*
- 4225) Osmia (Orientosmia) Peters,1978** (Megachilidae) Synonym(s): *Orientosmia Peters,1978*
- 4226) Osmia (Ozbekosmia) Zanden,1994** (Megachilidae) Synonym(s): *Ozbekosmia Zanden,1994*
- 4227) Osmia (Pyrosmia) Tkalcu,1975** (Megachilidae) Synonym(s): *Pyrosmia Tkalcu,1975*
- 4228) Osmia (Tergosmia) Warncke,1988** (Megachilidae) Synonym(s): *Tergosmia Warncke,1988*
- 4229) Osmia (Tergosmia) Warncke,1988** (Megachilidae) Synonym(s): *Tergosmia Warncke,1988*
- 4230) Osmia Panzer,1806** (Megachilidae) Synonym(s): *Osmia Panzer,1806; #Odmia Warncke,1991*
- 4231) Paradioxys Mocsary,1894** (Megachilidae) Synonym(s): *Paradioxys Mocsary,1894*
- 4232) Protosmia (Chelostomopsis) Cockerell,1925** (Megachilidae) Synonym(s): *Chelostomopsis Cockerell,1925*
- 4233) Protosmia (Nanosmia) Griswold,1986** (Megachilidae) Synonym(s): *Nanosmia Griswold,1986*
- 4234) Protosmia Duche,1900** (Megachilidae) Synonym(s): *Protosmia Duche,1900*
- 4235) Stelis (Stelidomorpha) Morawitz,1875** (Megachilidae) Synonym(s): *Stelidomorpha Morawitz,1875*
- 4236) Stelis (s.str.) Panzer,1806** (Megachilidae) Synonym(s): *Stelis Panzer,1806; Gyrodroma Klug,1807; Gymnus Spinola,1808; Cerablastes Gistel,1848; Chelynia Provancher,1888; Protostelis Friese,1895; Melanostelis Ashmead,1898; Stelidium Robertson,1902; Microstelis Robertson,1903; Pavostelis Sladen,1916; Stelidina Timbelake,1941; Heterostelis Timberlake,1941; Pseudostelis Popov,1956; Leucostelis Noskiewicz,1961; Doxanthidium Pasteels,1969*
- 4237) Stelis Panzer,1806** (Megachilidae) Synonym(s): *Stelis Panzer,1806; Gyrodroma Klug,1807; Gymnus Spinola,1808; Cerablastes Gistel,1848; Chelynia Provancher,1888; Protostelis Friese,1895; Melanostelis Ashmead,1898; Stelidium Robertson,1902; Microstelis Robertson,1903; Pavostelis Sladen,1916; Stelidina Timbelake,1941; Heterostelis Timberlake,1941; Pseudostelis Popov,1956; Leucostelis Noskiewicz,1961; Doxanthidium Pasteels,1969*
- 4238) Stenoheriades Tkalcu,1984** (Megachilidae) Synonym(s): *Stenoheriades Tkalcu,1984*
- 4239) Megalodontes Latreille,1802** (Megalodontesidae) Synonym(s): *Megalodontes Latreille,1802; Tarpa Fabricius,1804; Megalodus Rafinesque,1815; Rhipidioceros Konow,1897; Melanopus Konow,1897; Tristactus Konow,1897; Forficulotarpa Pic,1918; Tristactoides Chevin,1985*
- 4240) Dasypoda (Heterodasypoda) Michez,2004** (Melittidae) Synonym(s): *Heterodasypoda Michez,2004*
- 4241) Dasypoda (Megadasypoda) Michez,2004** (Melittidae) Synonym(s): *Megadasypoda Michez,2004*
- 4242) Dasypoda (s.str.) Latreille,1802** (Melittidae) Synonym(s): *Dasypoda Latreille,1802; Podasys Rafinesque,1815*
- 4243) Dasypoda Latreille,1802** (Melittidae) Synonym(s): *Dasypoda Latreille,1802; Podasys Rafinesque,1815*
- 4244) Actenodia Laporte,1840** (Meloidae) Synonym(s): *Actenodia Laporte,1840; Rusadiria Pardo Alcaide,1954*
- 4245) Alosimus Mulsant,1857** (Meloidae) Synonym(s): *Alosimus Mulsant,1857; Halosimus Gemmiger & Harold,1870*
- 4246) Apalus Fabricius,1775** (Meloidae) Synonym(s): *Apalus Fabricius,1775; Hapalus Illiger,1801; Deratus Motschulsky,1848; Criolis Mulsant,1858; ? Coriologiton Marseul,1879*
- 4247) Calydus Reitter,1896** (Meloidae) Synonym(s): *Caloenas Reitter,1889 nec Gray,1840; Calydus Reitter,1896*
- 4248) Cerocoma (Metacerocoma) Kaszab,1951** (Meloidae) Synonym(s): *Metacerocoma Kaszab,1951*
- 4249) Cerocoma Geoffroy,1762** (Meloidae) Synonym(s): *Cerocoma Geoffroy,1762*

- 4250) Ctenopus Fischer de Waldheim,1824** (Meloidae) Synonym(s): *Ctenopus Fischer de Waldheim,1824*
- 4251) Epicauta Dejean,1834** (Meloidae) Synonym(s): *Epicauta Dejean,1834; Causima Dejean,1834; Henous Haldeman,1852; Isopentra Mulsant & Ray,1858; Apterospasta LeConte,1862; Pleuropompha LeConte,1862; Nomaspas LeConte,1866; Gnathospasta Horn,1875; Anomalonyx Denier,1935 nec Weise,1903; Anomalonychus Saylor,1940; Maculicauta Dillon,1952*
- 4252) Euzonitis Semenov,1893** (Meloidae) Synonym(s): *Euzonitis Semenov,1893*
- 4253) Hycleus Latreille,1817** (Meloidae) Synonym(s): *Coryna Billberg,1813 nec Wolff,1811 non Bosc.,1802; Hycleus Latreille,1817; Dices Dejean,1821; Decatoma Dejean,1821 (praeocc.); Decapotoma Voigts,1902; Gorrizia Pardo Alcaide,1954*
- 4254) Lydus Latreille,1803** (Meloidae) Synonym(s): *Lydus Latreille,1803*
- 4255) Lytta Fabricius,1787** (Meloidae) Synonym(s): *Lytta Fabricius,1787*
- 4256) Meloe (Anchomeloe) Jablokoff-Khnzorian,1983** (Meloidae) Synonym(s): *Anchomeloe Jablokoff-Khnzorian,1983*
- 4257) Meloe (Eurymeloe) Reitter,1911** (Meloidae) Synonym(s): *Eurymeloe Reitter,1911*
- 4258) Meloe (Lampromeloe) Reitter,1911** (Meloidae) Synonym(s): *Lampromeloe Reitter,1911*
- 4259) Meloe (Lasiomeloe) Reitter,1911** (Meloidae) Synonym(s): *Lasiomeloe Reitter,1911*
- 4260) Meloe (Listromeloe) Reitter,1911** (Meloidae) Synonym(s): *Listromeloe Reitter,1911*
- 4261) Meloe (Meloegonius) Reitter,1911** (Meloidae) Synonym(s): *Meloegonius Reitter,1911*
- 4262) Meloe (Taphromeloe) Reitter,1911** (Meloidae) Synonym(s): *Taphromeloe Reitter,1911*
- 4263) Meloe (s.str.) Linnaeus,1758** (Meloidae) Synonym(s): *Meloe Linnaeus,1758; Proscarabaeus Schrank,1781; Melittophagus Kirby,1818; Triungulinus Dufour,1828; Cnestocera Thomson,1859*
- 4264) Meloe Linnaeus,1758** (Meloidae) Synonym(s): *Meloe Linnaeus,1758; Proscarabaeus Schrank,1781; Melittophagus Kirby,1818; Triungulinus Dufour,1828; Cnestocera Thomson,1859*
- 4265) Micromeloe Reitter,1911** (Meloidae) Synonym(s): *Micromeloe Reitter,1911; Trapezimeloe Plinginsky,1935*
- 4266) Muzimes Aksentjev,1988** (Meloidae) Synonym(s): *Micromerus Mulsant & Rey,1858 nec Rambur,1842; Muzimes Aksentjev,1988*
- 4267) Mylabris (Argabris) Kuzin,1954** (Meloidae) Synonym(s): *Argabris Kuzin,1954*
- 4268) Mylabris (Chalcabris) Kuzin,1954** (Meloidae) Synonym(s): *#Chalcabris Kuzin,1953; Chalcabris Kuzin,1954*
- 4269) Mylabris (Chrysabris) Kuzin,1954** (Meloidae) Synonym(s): *Chrysabris Kuzin,1954*
- 4270) Mylabris (Eumylabris) Kuzin,1954** (Meloidae) Synonym(s): *Eumylabris Kuzin,1954; Neabris Kaszab,1958*
- 4271) Mylabris (Micrabris) Kuzin,1954** (Meloidae) Synonym(s): *Androplicata Pardo Alcaide,1948; Micrabris Kuzin,1954; Mesolaevigata Pardo Alcaide,1954*
- 4272) Mylabris (Zitunabris) Pardo Alcaide,1969** (Meloidae) Synonym(s): *Zitunabris Pardo Alcaide,1969*
- 4273) Mylabris (s.str.) Fabricius,1775** (Meloidae) Synonym(s): *Mylabris Fabricius,1775; Coryna Billberg,1813; Zonabris Harold,1879; Megabris Des Gozis,1881*
- 4274) Mylabris Fabricius,1775** (Meloidae) Synonym(s): *Mylabris Fabricius,1775; Coryna Billberg,1813; Zonabris Harold,1879; Megabris Des Gozis,1881*
- 4275) Nemognatha Illiger,1807** (Meloidae) Synonym(s): *Nemognatha Illiger,1807; Nematognatha Gemminger & Harold,1870; Gnathonemula Aksentjev,1981*
- 4276) Oenas Latreille,1802** (Meloidae) Synonym(s): *Oenas Latreille,1802*
- 4277) Sitaris Latreille,1802** (Meloidae) Synonym(s): *Sitaris Latreille,1802*
- 4278) Stenodera Eschscholtz,1818** (Meloidae) Synonym(s): *Stenodera Eschscholtz,1818; Zonitides Abeille de Perrin,1880*
- 4279) Stenoria Mulsant,1857** (Meloidae) Synonym(s): *Stenoria Mulsant,1857*
- 4280) Syriolytta Kaszab,1962** (Meloidae) Synonym(s): *Syriolytta Kaszab,1962*
- 4281) Teratolytta Semenow,1894** (Meloidae) Synonym(s): *Teratolytta Semenow,1894; #Taratolytta Semenow,1894*
- 4282) Trichomeloe Reitter,1911** (Meloidae) Synonym(s): *Trichomeloe Reitter,1911*
- 4283) Zonitis Fabricius,1775** (Meloidae) Synonym(s): *Zonitis Fabricius,1775*
- 4284) Acromalachus Evers,1985** (Melyridae) Synonym(s): *Acromalachus Evers,1985*
- 4285) Anthocomus Erichson,1840** (Melyridae) Synonym(s): *Anthocomus Erichson,1840*
- 4286) Anthomalachus Tshernyshev,2009** (Melyridae) Synonym(s): *Anthomalachus Tshernyshev,2009*
- 4287) Aplocnemus Stephens,1830** (Melyridae) Synonym(s): *Aplocnemus Stephens,1830*
- 4288) Attalus Erichson,1840** (Melyridae) Synonym(s): *Attalus Erichson,1840*
- 4289) Axinotarsus Motschoulsky,1854** (Melyridae) Synonym(s): *Axinotarsus Motschoulsky,1854*
- 4290) Brachemys Abeille de Perrin,1890** (Melyridae) Synonym(s): *Brachemys Abeille de Perrin,1890*
- 4291) Cephaloncus Westwood,1864** (Melyridae) Synonym(s): *Cephaloncus Westwood,1864*
- 4292) Cerapheles Mulsant & Rey,1867** (Melyridae) Synonym(s): *Cerapheles Mulsant & Rey,1867*
- 4293) Ceratistes Fischer von Waldheim,1844** (Melyridae) Synonym(s): *Ceratistes Fischer von Waldheim,1844*

- 4294) Chaetomalachius Kraatz,1882** (Melyridae) Synonym(s): *Chaetomalachius Kraatz,1882*; *Trithrix Schilsky,1896*; *Setomalachius Majer,1989*
- 4295) Charopus Erichson,1840** (Melyridae) Synonym(s): *Charopus Erichson,1840*
- 4296) Chionotopus Abeille de Perrin,1881** (Melyridae) Synonym(s): *Chionotopus Abeille de Perrin,1881*
- 4297) Clanoptilus (Hypoptilus) Mulsant,1867** (Melyridae) Synonym(s): *Hypoptilus Mulsant,1867*
- 4298) Clanoptilus (s.str.) Motschoulsky,1854** (Melyridae) Synonym(s): *Clanoptilus Motschoulsky,1854*
- 4299) Clanoptilus Motschoulsky,1854** (Melyridae) Synonym(s): *Clanoptilus Motschoulsky,1854*
- 4300) Clanoptilus Motschoulsky,1854** (Melyridae) Synonym(s): *Clanoptilus Motschoulsky,1854*
- 4301) Colotes Erichson,1840** (Melyridae) Synonym(s): *Colotes Erichson,1840*
- 4302) Cordylepherus Evers,1985** (Melyridae) Synonym(s): *Cordylepherus Evers,1985*
- 4303) Cyrtosus Motschoulsky,1854** (Melyridae) Synonym(s): *Cyrtosus Motschoulsky,1854*
- 4304) Danacaea Laporte de Castelnau,1836** (Melyridae) Synonym(s): *Danacaea Laporte de Castelnau,1836*
- 4305) Dasytes Paykull,1799** (Melyridae) Synonym(s): *Dasytes Paykull,1799*; *Anthoxenus Motschoulsky,1854*; *Psilocorse Thomson,1864*; *Hapalogluta Thomson,1864*; *Hypodasytes Mulsant & Rey,1868*; *Mesodasytes Mulsant & Rey,1868*; *Metadasytes Mulsant & Rey,1868*; *Pseudodasytes Mulsant & Rey,1868*
- 4306) Dasytidius Schilsky,1896** (Melyridae) Synonym(s): *Dasytidius Schilsky,1896*
- 4307) Dasytiscus Kiesenwetter,1859** (Melyridae) Synonym(s): *Dasytiscus Kiesenwetter,1859*
- 4308) Ebaeus Erichson,1840** (Melyridae) Synonym(s): *Ebaeus Erichson,1840*
- 4309) Embrocerus Peyron,1877** (Melyridae) Synonym(s): *Embrocerus Peyron,1877*
- 4310) Enicopus Stephens,1830** (Melyridae) Synonym(s): *Enicopus Stephens,1830*; *Henicopus Agassiz,1846*; *Parahenicopus Portevin,1931*
- 4311) Flabellomalachius Evers,1985** (Melyridae) Synonym(s): *Flabellomalachius Evers,1985*
- 4312) Haplomalachius Evers,1985** (Melyridae) Synonym(s): *Haplomalachius Evers,1985*
- 4313) Haplothrix Schilsky,1896** (Melyridae) Synonym(s): *Haplothrix Schilsky,1896*
- 4314) Haplothrix Schilsky,1896** (Melyridae) Synonym(s): *Haplothrix Schilsky,1896*; *#Haplohrx Majer,1996*
- 4315) Hypebaeus Kiesenwetter,1863** (Melyridae) Synonym(s): *Hypebaeus Kiesenwetter,1863*
- 4316) Malachiomimus Champion,1921** (Melyridae) Synonym(s): *Malachiomimus Champion,1921*
- 4317) Malachius Fabricius,1775** (Melyridae) Synonym(s): *Malachius Fabricius,1775*
- 4318) Nepachys Thomson,1859** (Melyridae) Synonym(s): *Nepachys Thomson,1859*
- 4319) Parathrix Majer,1989** (Melyridae) Synonym(s): *Parathrix Majer,1989*
- 4320) Paratinus Abeille de Perrin,1891** (Melyridae) Synonym(s): *Paratinus Abeille de Perrin,1891*
- 4321) Protapalochrus Evers,1987** (Melyridae) Synonym(s): *Protapalochrus Evers,1987*
- 4322) Psilothrix Küster,1850** (Melyridae) Synonym(s): *Psilothrix Küster,1850*
- 4323) Troglops Erichson,1840** (Melyridae) Synonym(s): *Troglops Erichson,1840*; *Trauglops Abeille,1890*
- 4324) Centrotus Megerle,1802** (Membracidae) Synonym(s): *Centrotus Megerle,1802*
- 4325) Ceresa Amyot & Serville,1843** (Membracidae) Synonym(s): *Ceresa Amyot & Serville,1843*; *#Ceresinae Johnson & Ledig,1918*
- 4326) Gargara Amyot & Serville,1843** (Membracidae) Synonym(s): *Gargara Amyot & Serville,1843*
- 4327) Oxyrhachis Germar,1833** (Membracidae) Synonym(s): *Oxyrhachis Germar,1833*; *Xiphistes Stal,1866*
- 4328) Stictocephala Stal,1859** (Membracidae) Synonym(s): *Stictocephala Stal,1859*
- 4329) Micrococcus Leonardi,1907** (Micrococcidae) Synonym(s): *Micrococcus Leonardi,1907*
- 4330) Micropeza Meigen,1803** (Micropezidae) Synonym(s): *#Tylos Meigen,1800*; *Micropeza Meigen,1803*
- 4331) Neria R-D.,1830** (Micropezidae) Synonym(s): *Neria R-D.,1830*
- 4332) Milichia Meigen,1830** (Milichiidae) Synonym(s): *Milichia Meigen,1830*; *Lobioptera Wahlberg,1847*; *Prosaetomilichia Meijere,1909*
- 4333) Milichiella Giglio-Tos,1895** (Milichiidae) Synonym(s): *Milichiella Giglio-Tos,1895*; *Ophthalmomyia Williston,1896*; *Stenoporomyia Hendel,1903*; *Eccoptomma Becker,1907*; *Pareccoptomma Duda,1935*
- 4334) Acetropis Fieber,1858** (Miridae) Synonym(s): *Acetropis Fieber,1858*; *Paracetropis E.Wagner,1962*
- 4335) Acrorrhinium Noualhier,1895** (Miridae) Synonym(s): *Acrorrhinium Noualhier,1895*; *Cinnamus Distant,1909*; *Lutheriella Poppius,1913*; *Seversyia DeLattre,1950*
- 4336) Acrotelus Reuter,1885** (Miridae) Synonym(s): *Acrotelus Reuter,1885*; *Ibiaris Horvath & Reuter,1901*; *Sceodamia Poppius,1912*
- 4337) Adelphocoris Reuter,1896** (Miridae) Synonym(s): *Adelphocoris Reuter,1896*; *Trichophoroncus Reuter,1896*; *Fulgentius Distant,1904*
- 4338) Alloecomimus Reuter,1910** (Miridae) Synonym(s): *Alloecomimus Reuter,1910*
- 4339) Alloetomus Fieber,1858** (Miridae) Synonym(s): *Alloetomus Fieber,1858*
- 4340) Amblytylus Fieber,1858** (Miridae) Synonym(s): *Amblytylus Fieber,1858*
- 4341) Atomoscelis Reuter,1875** (Miridae) Synonym(s): *Atomoscelis Reuter,1875*
- 4342) Barbarosia Kiyak,1995** (Miridae) Synonym(s): *Halticidea Reuter,1901 nec Horn,1893*; *Barbarosia Kiyak,1995*
- 4343) Blepharidopterus Kolenati,1845** (Miridae) Synonym(s): *Blepharidopterus Kolenati,1845*

- 4344) **Brachycoleus Fieber, 1858** (Miridae) Synonym(s): *Brachycoleus Fieber, 1858*
- 4345) **Calocoris Fieber, 1858** (Miridae) Synonym(s): *Calocoris Fieber, 1858*
- 4346) **Campylomma Reuter, 1878** (Miridae) Synonym(s): *Campylomma Reuter, 1878*
- 4347) **Campyloneura Fieber, 1861** (Miridae) Synonym(s): *Camptoneura Fieber, 1858 nec Macq., 1843; Campyloneura Fieber, 1861*
- 4348) **Capsodes Dahlbom, [1851]** (Miridae) Synonym(s): *Capsodes Dahlbom, [1851]*
- 4349) **Closterotomus Fieber, 1858** (Miridae) Synonym(s): *Closterotomus Fieber, 1858*
- 4350) **Cranocapsus Wagner, 1954** (Miridae) Synonym(s): *Cranocapsus Wagner, 1954*
- 4351) **Dasyscytus Fieber, 1864** (Miridae) Synonym(s): *Dasyscytus Fieber, 1864; Kilicanata Seidenstücker, 1956*
- 4352) **Deraeocoris Kirschbaum, 1855** (Miridae) Synonym(s): *Deraeocoris Kirschbaum, 1855; #Deraeocoris Kiyak et al., 2004*
- 4353) **Dicyphus Fieber, 1858** (Miridae) Synonym(s): *Dicyphus Fieber, 1858; Brachyceroea Fieber, 1858; Idolocoris Douglas & Scott, 1865; Abibalus Distant, 1909; Bucobia Poppius, 1914; Mesodicyphus E. Wagner, 1951*
- 4354) **Eumecotarsus Kerzhner, 1962** (Miridae) Synonym(s): *Eumecotarsus Kerzhner, 1962*
- 4355) **Globiceps Lepeletier & Audinet-Serville, 1825** (Miridae) Synonym(s): *Globiceps Lepeletier & Audinet-Serville, 1825; Kelidocoris Kolenati, 1845; Paraglobiceps Wagner, 1956; Aglobiceps Wagner, 1969*
- 4356) **Grypocoris Douglas & Scott, 1868** (Miridae) Synonym(s): *Lophyrus Kolenati, 1845; Grypocoris Douglas & Scott, 1868; Lophyromiris Wagner, 1958; Turciocoris Wagner, 1966*
- 4357) **Lygus Hahn, 1831** (Miridae) Synonym(s): *Lygus Hahn, 1831*
- 4358) **Macrolophus Fieber, 1858** (Miridae) Synonym(s): *Macrolophus Fieber, 1858; Pandama Distant, 1884; Macrolophidea Poppius, 1914; Tylocapsus Van Duzee, 1923*
- 4359) **Macrostylus Fieber, 1858** (Miridae) Synonym(s): *Macrostylus Fieber, 1858*
- 4360) **Macrotylus Fieber, 1858** (Miridae) Synonym(s): *Macrotylus Fieber, 1858; Mermimerus Sahlberg, 1870; Alloonycha Reuter, 1904*
- 4361) **Mecomma Fieber, 1858** (Miridae) Synonym(s): *Mecomma Fieber, 1858; Sphyracephalus Douglas & Scott, 1865; Sphyrops Douglas & Scott, 1866; Antiphylus Distant, 1909; Aristobulus Distant, 1910; Globicellus Kiritschenko, 1951*
- 4362) **Megalocoleus Reuter, 1890** (Miridae) Synonym(s): *Megalocoleus Reuter, 1890*
- 4363) **Nesidiocoris Kirkaldy, 1902** (Miridae) Synonym(s): *Nesidiocoris Kirkaldy, 1902; Gallobellicus Distant, 1904*
- 4364) **Nicticoris Hoberlandt, 1961** (Miridae) Synonym(s): *Nicticoris Hoberlandt, 1961*
- 4365) **Oncotylus Fieber, 1858** (Miridae) Synonym(s): *Oncotylus Fieber, 1858*
- 4366) **Orthocephalus Fieber, 1858** (Miridae) Synonym(s): *Orthocephalus Fieber, 1858; Oraniella Reuter, 1894; Anapomella Putshkov, 1961*
- 4367) **Orthonotus Stephens, 1829** (Miridae) Synonym(s): *Orthonotus Stephens, 1829*
- 4368) **Orthops Fieber, 1858** (Miridae) Synonym(s): *Orthops Fieber, 1858*
- 4369) **Orthotylus Fieber, 1858** (Miridae) Synonym(s): *Orthotylus Fieber, 1858*
- 4370) **Plagiognathus Fieber, 1858** (Miridae) Synonym(s): *Plagiognathus Fieber, 1858; Microphylellus Reuter, 1909; Gerhardiella Poppius, 1911; Chaetophylidea Knight, 1968*
- 4371) **Polymerus Hahn, 1831** (Miridae) Synonym(s): *Polymerus Hahn, 1831; Poeciloscytus Fieber, 1858; Systratiotus Douglas & Scott, 1865; Metopicoris Odhiambo, 1960*
- 4372) **Psallus Fieber, 1858** (Miridae) Synonym(s): *Psallus Fieber, 1858; Apocremnus Fieber, 1858; Ilops Fieber, 1870; Phylidea Reuter, 1899; Pityopsallus Wagner, 1952; Hylopsallus Wagner, 1952; Asthenarius Kerzhner, 1962; Mesopsallus Wagner, 1970; Supsallus Linnavuori, 1993; Calopsallus Yasunaga & Vinokurov, 2000*
- 4373) **Reuterista Kirkaldy, 1904** (Miridae) Synonym(s): *Brachybasis Reuter, 1900 nec Selys, 1868; Reuterista Kirkaldy, 1904; Calocorisellus E. Wagner, 1968*
- 4374) **Singhalesia China & Carvalho, 1952** (Miridae) Synonym(s): *Singhalesia China & Carvalho, 1952*
- 4375) **Solenoxyphus Reuter, 1875** (Miridae) Synonym(s): *Solenoxyphus Reuter, 1875; Malthacomosa Reuter, 1879; Leucopteryx Reuter, 1879*
- 4376) **Stenodema Laporte, 1832** (Miridae) Synonym(s): *Stenodema Laporte, 1832*
- 4377) **Stethoconus Flor, 1861** (Miridae) Synonym(s): *Stethoconus Flor, 1861; Acropelta Mella, 1869; Apollodotus Distant, 1909; Apollodotidea Hsiao, 1944*
- 4378) **Systellonotus Fieber, 1858** (Miridae) Synonym(s): *Systellonotus Fieber, 1858*
- 4379) **Thermocoris Puton, 1875** (Miridae) Synonym(s): *Thermocoris Puton, 1875*
- 4380) **Trigonotylus Fieber, 1858** (Miridae) Synonym(s): *Trigonotylus Fieber, 1858*
- 4381) **Tuponia Reuter, 1875** (Miridae) Synonym(s): *Tuponia Reuter, 1875; Chlorotuponia Wagner & Weber, 1964*
- 4382) **Arachnocephalus A. Costa, 1855** (Mogoplistidae) Synonym(s): *Arachnocephalus A. Costa, 1855*
- 4383) **Pseudomogoplistes Gorochoff, 1984** (Mogoplistidae) Synonym(s):
- 4384) **Atherigona Rondani, 1856** (Muscidae) Synonym(s): *Orthostylum Macquart, 1851; Atherigona Rondani, 1856; Acritochaeta Grimshaw, 1901*
- 4385) **Azelia R-D., 1830** (Muscidae) Synonym(s): *Azelia R-D., 1830*
- 4386) **Brontaea Kowarz, 1873** (Muscidae) Synonym(s): *Gymnodia R-D., 1863 nec R-D., 1830; Brontaea Kowarz, 1873; Brachiohydra Giglio-Tos, 1893; Eulimnophora Malloch, 1920*

- 4387) Coenosia Meigen,1826** (Muscidae) Synonym(s): *Coenosia Meigen,1826*; *Caricea R-D.,1830*; *Limosia R-D.,1830*; *Palusia R-D.,1830*; *Choetura Macquart,1851*; *Oplogaster Rondani,1856*; *Allognota Pokorny,1893*; *Centriocera Pokorny,1893*; *Dexiopsis Pokorny,1893*; *Rhynchocoenops Bezzi,1918*; *Tenuicosta Stein,1919*; *Macrocoenosia Malloch,1920*; *Hebdomostilba Enderlein,1936*; *Mesodiplectra Enderlein,1936*; *Diatinoza Enderlein,1936*; *Psephidocera Enderlein,1936*; *Platychiracra Enderlein,1936*; *Adiplecta Enderlein,1936*; *Trilasias Karl,1936*; *Lamprocoenosia Ringdahl,1945*; *Leucocoenosia Ringdahl,1945*; *Xanthorrhinia Ringdahl,1945*
- 4388) Dasyphora R-D.,1830** (Muscidae) Synonym(s): *Dasyphora R-D.,1830*
- 4389) Drymeia Meigen,1826** (Muscidae) Synonym(s): *Drymeia Meigen,1826*; *#Drimeia Rondani,1856*
- 4390) Eudasyphora Townsend,1911** (Muscidae) Synonym(s): *Eudasyphora Townsend,1911*
- 4391) Graphomya R-D.,1830** (Muscidae) Synonym(s): *Graphomya R-D.,1830*; *Graphomyia Agassiz,1847*
- 4392) Haematobia Lepeletier & Audinet_Serville,1825** (Muscidae) Synonym(s): *Haematobia Lepeletier & Audinet_Serville,1825*
- 4393) Haematobosca Bezzi,1907** (Muscidae) Synonym(s): *Haematobosca Bezzi,1907*
- 4394) Hebecnema Schnabl,1889** (Muscidae) Synonym(s): *Hebecnema Schnabl,1889*
- 4395) Helina R-D.,1830** (Muscidae) Synonym(s): *Helina R-D.,1830*; *Aricia R-D.,1830 (praeocc.)*; *Spilogaster Macquart,1835*; *Yetodesia Rondani,1861*; *Enoplopteryx Hendel,1902*; *Quadrularia Heckett,1965*
- 4396) Hydrotaea R-D.,1830** (Muscidae) Synonym(s): *Hydrotaea R-D.,1830*
- 4397) Limnophora R-D.,1830** (Muscidae) Synonym(s): *Limnophora R-D.,1830*
- 4398) Limnospila Schnabl,1902** (Muscidae) Synonym(s): *Limnospila Schnabl,1902*; *Aphanoneura Stein,1919*
- 4399) Lispe Latreille,1796** (Muscidae) Synonym(s): *Lispe Latreille,1796*; *Lispa Fallén,1810*
- 4400) Lispocephala Pokorny,1893** (Muscidae) Synonym(s): *Lispocephala Pokorny,1893*; *Pectiniseta Stein,1919*
- 4401) Macrorchis Rondani,1877** (Muscidae) Synonym(s): *Macrorchis Rondani,1877*
- 4402) Mesembrina Meigen,1826** (Muscidae) Synonym(s): *Mesembrina Meigen,1826*
- 4403) Morellia R-D.,1830** (Muscidae) Synonym(s): *Morellia R-D.,1830*
- 4404) Musca (Plaxemya) R-D.,1830** (Muscidae) Synonym(s): *Plaxemya R-D.,1830*; *Placomys Scudder,1882*; *#Plaxemyia Emden,1965*
- 4405) Musca Linnaeus,1758** (Muscidae) Synonym(s): *Musca Linnaeus,1758*
- 4406) Muscina R-D.,1830** (Muscidae) Synonym(s): *Muscina R-D.,1830*
- 4407) Mydaea R-D.,1830** (Muscidae) Synonym(s): *Mydaea R-D.,1830*; *#Mydea Liou,1864*
- 4408) Myospila Rondani,1856** (Muscidae) Synonym(s): *Myospila Rondani,1856*
- 4409) Neomyia Walker,1859** (Muscidae) Synonym(s): *Neomyia Walker,1859*; *Euphoria R-D.,1863*; *Orthellia R-D.,1863*; *Pseudopyrellia Girschner,1864*
- 4410) Phaonia R-D.,1830** (Muscidae) Synonym(s): *Phaonia R-D.,1830*; *Wahlgrenia Ringdahl,1929*; *Dialytina Ringdahl,1945*
- 4411) Polietes Rondani,1866** (Muscidae) Synonym(s): *Polietes Rondani,1866*
- 4412) Pyrellia R-D.,1830** (Muscidae) Synonym(s): *Pyrellia R-D.,1830*
- 4413) Schoenomyza Haliday,1833** (Muscidae) Synonym(s): *Schoenomyza Haliday,1833*
- 4414) Spilogona Schnabl,1911** (Muscidae) Synonym(s): *Spilogona Schnabl,1911*
- 4415) Stomoxys Geoffroy,1762** (Muscidae) Synonym(s): *Stomoxys Geoffroy,1762*
- 4416) Thricops Rondani,1856** (Muscidae) Synonym(s): *Thricops Rondani,1856*
- 4417) Artiotilla Invrea,1950** (Mutillidae) Synonym(s): *Artiotilla Invrea,1950*
- 4418) Ctenotilla Bischoff,1920** (Mutillidae) Synonym(s): *Ctenotilla Bischoff,1920*
- 4419) Dasylabris (Craspedopyga) Skorikov,1935** (Mutillidae) Synonym(s): *Craspedopyga Skorikov,1935*
- 4420) Dasylabris (Inbaltilla) Lelej,1976** (Mutillidae) Synonym(s): *Inbaltilla Lelej,1976*
- 4421) Dasylabris (s.str.) Radoszkowski,1885** (Mutillidae) Synonym(s): *Dasylabris Radoszkowski,1885*
- 4422) Dasylabris Radoszkowski,1885** (Mutillidae) Synonym(s): *Dasylabris Radoszkowski,1885*
- 4423) Dentilla Lelej,1980** (Mutillidae) Synonym(s): *Dentilla Lelej,1980*
- 4424) Krombeinella Pate,1947** (Mutillidae) Synonym(s): *Krombeinella Pate,1947*; *Paramyrmosa Suarez,1963 nec Sauss.,1880*
- 4425) Macromyrme Lelej,1984** (Mutillidae) Synonym(s): *Macromyrme Lelej,1984*
- 4426) Mutilla Linnaeus,1758** (Mutillidae) Synonym(s): *Mutilla Linnaeus,1758*
- 4427) Myrmilla (Eurygnathilla) Skorikov,1927** (Mutillidae) Synonym(s): *Eurygnathilla Skorikov,1927*
- 4428) Myrmilla (Pseudomutilla) Costa,1884** (Mutillidae) Synonym(s): *Pseudomutilla Costa,1884*; *Edrionotus Radoszkowski,1885*
- 4429) Myrmilla (s.str.) Wesmael,1852** (Mutillidae) Synonym(s): *Myrmilla Wesmael,1852*; *Rudia Costa,1858*
- 4430) Myrmilla Wesmael,1852** (Mutillidae) Synonym(s): *Myrmilla Wesmael,1852*; *Rudia Costa,1858*
- 4431) Myrmosa Latreille,1796** (Mutillidae) Synonym(s): *Myrmosa Latreille,1796*; *Ischioceras Provancher,1882*
- 4432) Nemka Lelej,1985** (Mutillidae) Synonym(s): *Nemka Lelej,1985*

- 4433) Paramyrmosa Saussure,1880** (Mutillidae) Synonym(s): *Paramyrmosa Saussure,1880*; *Morysmula Suarez,1963*
- 4434) Physetopoda Schuster,1949** (Mutillidae) Synonym(s): *Physetopoda Schuster,1949*
- 4435) Platymyrmilla André,1899** (Mutillidae) Synonym(s): *Platymyrmilla André,1899*
- 4436) Pseudophotopsis André,1896** (Mutillidae) Synonym(s): *Pseudophotopsis André,1896*; *Alloneuron Ashmead,1899*; *Sphinctomutilla André,1899*
- 4437) Ronisia Costa,1858** (Mutillidae) Synonym(s): *Ronisia Costa,1858*; *Pycnotilla Bischoff,1920*
- 4438) Sigilla Skorikov,1927** (Mutillidae) Synonym(s): *Sigilla Skorikov,1927*
- 4439) Skorikovia Ovtchinnikov,2002** (Mutillidae) Synonym(s): *Skorikovia Ovtchinnikov,2002*
- 4440) Smicromyrme (Astomyrme) Schwartz,1984** (Mutillidae) Synonym(s): *Astomyrme Schwartz,1984*
- 4441) Smicromyrme (Eremotilla) Lelej,1985** (Mutillidae) Synonym(s): *Eremotilla Lelej,1985*
- 4442) Smicromyrme (Erimyrme) Lelej,1985** (Mutillidae) Synonym(s): *Erimyrme Lelej,1985*
- 4443) Smicromyrme (s.str.) Thomson,1870** (Mutillidae) Synonym(s): *Smicromyrme Thomson,1870*
- 4444) Smicromyrme Thomson,1870** (Mutillidae) Synonym(s): *Smicromyrme Thomson,1870*
- 4445) Stenomutilla (s.str.) André,1896** (Mutillidae) Synonym(s): *Stenomutilla André,1896*
- 4446) Stenomutilla André,1896** (Mutillidae) Synonym(s): *Stenomutilla André,1896*
- 4447) Trogaspidia Ashmead,1899** (Mutillidae) Synonym(s): *Trogaspidia Ashmead,1899*
- 4448) Tropidotilla Bischoff,1920** (Mutillidae) Synonym(s): *Tropidotilla Bischoff,1920*
- 4449) Allodia (Brachycampta) Winnertz,1863** (Mycetophilidae) Synonym(s): *Brachycampta Winnertz,1863*
- 4450) Allodia Winnertz,1863** (Mycetophilidae) Synonym(s): *Allodia Winnertz,1863*
- 4451) Allodiopsis Tuomikoski,1966** (Mycetophilidae) Synonym(s): *Allodiopsis Tuomikoski,1966*
- 4452) Anatella Winnertz,1863** (Mycetophilidae) Synonym(s): *Anatella Winnertz,1863*
- 4453) Brevicornu Marshall,1896** (Mycetophilidae) Synonym(s): *Brevicornu Marshall,1896*
- 4454) Coelosia Winnertz,1863** (Mycetophilidae) Synonym(s): *Coelosia Winnertz,1863*; *#Coellosia Bechev & Koç,2006*
- 4455) Cordyla Meigen,1803** (Mycetophilidae) Synonym(s): *Cordyla Meigen,1803*
- 4456) Docosia Winnertz,1863** (Mycetophilidae) Synonym(s): *Docosia Winnertz,1863*
- 4457) Exechia Winnertz,1863** (Mycetophilidae) Synonym(s): *Exechia Winnertz,1863*; *Parexechia Becher,1886*
- 4458) Leia Meigen,1818** (Mycetophilidae) Synonym(s): *Leia Meigen,1818*; *Lejomya Rondani,1856*; *Lejosoma Rondani,1856*; *Glaphyroptera Winnertz,1863*; *Neoglaphyroptera Osten Sacken,1878*
- 4459) Mycetophila Meigen,1803** (Mycetophilidae) Synonym(s): *#Fungivora Meigen,1800*; *Mycetophila Meigen,1803*; *Mycetina Rondani,1856*; *Mycozetaea Rondani,1861*; *Mycothera Winnertz,1863*; *Opistholoba Mik,1891*
- 4460) Mycomya (Cymomya) Vaisanen,1984** (Mycetophilidae) Synonym(s): *Cymomya Vaisanen,1984*
- 4461) Mycomya Rondani,1856** (Mycetophilidae) Synonym(s): *Mycomya Rondani,1856*
- 4462) Phronia Winnertz,1863** (Mycetophilidae) Synonym(s): *Phronia Winnertz,1863*
- 4463) Pseudexechia Tuomikoski,1966** (Mycetophilidae) Synonym(s): *Pseudexechia Tuomikoski,1966*
- 4464) Rymosia Winnertz,1863** (Mycetophilidae) Synonym(s): *Rymosia Winnertz,1863*
- 4465) Sceptonia Winnertz,1863** (Mycetophilidae) Synonym(s): *Sceptonia Winnertz,1863*
- 4466) Sciophila Meigen,1818** (Mycetophilidae) Synonym(s): *Sciophila Meigen,1818*
- 4467) Zygomysia Winnertz,1863** (Mycetophilidae) Synonym(s): *Zygomysia Winnertz,1863*
- 4468) Leptomydas Gerstaecker,1868** (Mydidae) Synonym(s): *Leptomydas Gerstaecker,1868*
- 4469) Anagrus Haliday,1833** (Mymaridae) Synonym(s): *Anagrus Haliday,1833*
- 4470) Anaphes Haliday,1833** (Mymaridae) Synonym(s): *Anaphes Haliday,1833*
- 4471) Litus Haliday,1833** (Mymaridae) Synonym(s): *Litus Haliday,1833*; *#Lytus Blanchard,1840*
- 4472) Stephanodes Enock,1909** (Mymaridae) Synonym(s): *Stephanodes Enock,1909*
- 4473) Myrmecophilus Berthold,1827** (Myrmecophilidae) Synonym(s): *Myrmecophilus Berthold,1827*
- 4474) Acanthaclisis Rambur,1842** (Myrmeleonidae) Synonym(s): *Acanthaclisis Rambur,1842*
- 4475) Aspoeckina Hölzel,1972** (Myrmeleonidae) Synonym(s): *Aspoeckina Hölzel,1972*
- 4476) Aspoeckina Hölzel,1972** (Myrmeleonidae) Synonym(s): *Aspoeckina Hölzel,1972*
- 4477) Creoleon Tillyard,1918** (Myrmeleonidae) Synonym(s): *Creagris Hagen,1860 nec Nietn.,1857*; *Creoleon Tillyard,1918*
- 4478) Cueta Navas,1911** (Myrmeleonidae) Synonym(s): *Cueta Navas,1911*
- 4479) Delfimeus Navas,1912** (Myrmeleonidae) Synonym(s): *Delfimeus Navas,1912*; *Pignatellus Navas,1913*
- 4480) Dendroleon Brauer,1866** (Myrmeleonidae) Synonym(s): *Dendroleon Brauer,1866*
- 4481) Distoleon Banks,1910** (Myrmeleonidae) Synonym(s): *Formicaleo Leach,1815 nec Goffr.,1762*; *Distoleon Banks,1910*; *Formicaleon Banks,1911*
- 4482) Echthromyrmex McLachlan,1867** (Myrmeleonidae) Synonym(s): *Echthromyrmex McLachlan,1867*
- 4483) Euroleon Esben-Petersen,1918** (Myrmeleonidae) Synonym(s): *Euroleon Esben-Petersen,1918*

- 4484) *Gymnocnemia* Schneider,1845** (Myrmeleonidae) Synonym(s): *Gymnocnemia* Schneider,1845; *Aplectocnemus* Costa,1855
- 4485) *Macronemurus* Costa,1855** (Myrmeleonidae) Synonym(s): *Macronemurus* Costa,1855; *Uroleon* Brauer,1900; *Neusmia* Navas,1912; *Barreja* Navas,1915; *Nemur,us* Navas,1935
- 4486) *Megistopus* Rambur,1842** (Myrmeleonidae) Synonym(s): *Megistopus* Rambur,1842
- 4487) *Mesonemurus* Navas,1919** (Myrmeleonidae) Synonym(s): *Mesonemurus* Navas,1919; *Nefta* Navas,1930
- 4488) *Myrmecaelurus* Costa,1855** (Myrmeleonidae) Synonym(s): *Myrmecaelurus* Costa,1855
- 4489) *Myrmeleon* (Morter) Navas,1915** (Myrmeleonidae) Synonym(s): *Morter* Navas,1915; *Neseurus* Navas,1916; *Grocus* Navas,1925
- 4490) *Myrmeleon* Linnaeus,1767** (Myrmeleonidae) Synonym(s): *Myrmeleon* Linnaeus,1767
- 4491) *Nedroledon* Navas,1914** (Myrmeleonidae) Synonym(s): *Nedroledon* Navas,1914; *Pteroleon* Navas,1932; *Banatoleon* Kis,1964
- 4492) *Neuroleon* Navas,1909** (Myrmeleonidae) Synonym(s): *Neuroleon* Navas,1909; *Ganussa* Navas,1912; *Nelees* Navas,1912; *Barceus* Navas,1914; *Maldonatus* Navas,1914; *Neleoma* Kimmins,1938; *Afroclimacius* Navas,1930; *Oligoleon* Esben-Petersen,1930
- 4493) *Nicarinus* Navas,1914** (Myrmeleonidae) Synonym(s): *Nicarinus* Navas,1914; *Nisteus* Navas,1916
- 4494) *Nohoveus* Navas,1919** (Myrmeleonidae) Synonym(s): *Nohoveus* Navas,1919; *Loveus* Navas,1920
- 4495) *Palpares* Rambur,1842** (Myrmeleonidae) Synonym(s): *Palpares* Rambur,1842
- 4496) *Parapalpares* Insom & Carfi,1988** (Myrmeleonidae) Synonym(s): *Parapalpares* Insom & Carfi,1988
- 4497) *Solter* Navas,1912** (Myrmeleonidae) Synonym(s): *Solter* Navas,1912; *Nelus* Navas,1929
- 4498) *Cyrtisiopsis* Séguy,1930** (Mythicomyiidae) Synonym(s): *Cyrtisiopsis* Séguy,1930
- 4499) *Glabellula* Bezzi,1902** (Mythicomyiidae) Synonym(s): *Platygaster* Zetterstedt,1838 nec Latr.,1809; *Sphaerogaster* Zetterstedt,1842; *Glabella* Loew,1873 nec Swains.,1840; *Glabellula* Bezzi,1902; *Pachyneres* Greene,1924; *Proglabellula* Hennig,1966
- 4500) *Platypygus* Loew,1844** (Mythicomyiidae) Synonym(s): *Platypygus* Loew,1844; *Popsia* Costa,1863
- 4501) *Alloerhynchus* Fieber,[1860]** (Nabidae) Synonym(s): *Alloerhynchus* Fieber,[1860]
- 4502) *Aptus* Hahn,1831** (Nabidae) Synonym(s): *Aptus* Hahn,1831
- 4503) *Aspilaspis* Stal,1873** (Nabidae) Synonym(s): *Aspilaspis* Stal,1873
- 4504) *Himacerus* Wolff,1811** (Nabidae) Synonym(s): *Himacerus* Wolff,1811
- 4505) *Nabis* Latreille,1802** (Nabidae) Synonym(s): *Nabis* Latreille,1802
- 4506) *Phorticus* Stal,1858** (Nabidae) Synonym(s): *Phorticus* Stal,1858
- 4507) *Prostemma* Laporte,1832** (Nabidae) Synonym(s): *Prostemma* Laporte,1832; *Metastemma* Amyot & Audinet-Serville,1843
- 4508) *Stalia* Reuter,1872** (Nabidae) Synonym(s): *Stalia* Reuter,1872
- 4509) *Ilyocoris* Stal,1861** (Naucoridae) Synonym(s): *Ilyocoris* Stal,1861
- 4510) *Naucoris* Geoffroy,1762** (Naucoridae) Synonym(s): *Naucoris* Geoffroy,1762
- 4511) *Fallenia* Meigen,1820** (Nemestrinidae) Synonym(s): *Fallenia* Meigen,1820
- 4512) *Hirmoneura* Wiedemann,1820** (Nemestrinidae) Synonym(s): *Hirmoneura* Wiedemann,1820; *Hirmoneura* Blanchard,1840; *Hermoneura* Rondani,1865
- 4513) *Nemestrinus* Latreille,1802** (Nemestrinidae) Synonym(s): *Nemestrinus* Latreille,1802; *Rhynchocephalus* Fischer,1806; *Andreomyia* Rondani,1850; *Heminemestrinus* Bequaert,1932; *Symmictoides* Bequaert,1932; *Nemestrellus* Sack,1933
- 4514) *Neorhynchocephalus* Lichtwardt,1909** (Nemestrinidae) Synonym(s): *Neorhynchocephalus* Lichtwardt,1909
- 4515) *Dielocroce* Cowley,1941** (Nemopteridae) Synonym(s): *Dielocroce* Cowley,1941
- 4516) *Lertha* Navas,1910** (Nemopteridae) Synonym(s): *Lertha* Navas,1910; *Kirbynia* Navas,1910; *Olivierina* Navas,1910
- 4517) *Nemoptera* Latreille,1802** (Nemopteridae) Synonym(s): *Nemoptera* Latreille,1802; *Nemopteryx* Leach,1815; *Physapus* Leach,1815; *Nematoptera* Burmeister,1838
- 4518) *Amphinemura* Ris,1902** (Nemouridae) Synonym(s): *Amphinemura* Ris,1902
- 4519) *Nemoura* Latreille,1796** (Nemouridae) Synonym(s): *Nemoura* Latreille,1796; *Nemura* Rambur,1842; *Gemnra* Navas,1928
- 4520) *Protonemura* Kempny,1898** (Nemouridae) Synonym(s): *Protonemura* Kempny,1898
- 4521) *Nepa* Linnaeus,1758** (Nepidae) Synonym(s): *Nepa* Linnaeus,1758
- 4522) *Ranatra* Fabricius,1790** (Nepidae) Synonym(s): *Ranatra* Fabricius,1790
- 4523) *Epuraea* Erichson,1843** (Nitidulidae) Synonym(s): *Epuraea* Erichson,1843
- 4524) *Meligethes* Stephens,1829** (Nitidulidae) Synonym(s): *Meligethes* Stephens,1829
- 4525) *Canthydrus* Sharp,1882** (Noteridae) Synonym(s): *Canthydrus* Sharp,1882
- 4526) *Noterus* Schellenberg,1806** (Noteridae) Synonym(s): *Noterus* Schellenberg,1806
- 4527) *Anisops* Spinola,1837** (Notonectidae) Synonym(s): *Anisops* Spinola,1837
- 4528) *Notonecta* Linnaeus,1758** (Notonectidae) Synonym(s): *Notonecta* Linnaeus,1758
- 4529) *Basilia* Ribeiro,1903** (Nycteribiidae) Synonym(s): *Basilia* Ribeiro,1903

- 4530) **Eucampsipoda Kolenati, 1857** (Nycteribiidae) Synonym(s): *Eucampsipoda Kolenati*, 1857
 4531) **Nycteribia (Acrocholidia) Kolenati, 1857** (Nycteribiidae) Synonym(s): *Acrocholidia Kolenati*, 1857
 4532) **Nycteribia (s.str.) Latreille, 1796** (Nycteribiidae) Synonym(s): *Nycteribia Latreille*, 1796
 4533) **Penicillidia Kolenati, 1863** (Nycteribiidae) Synonym(s): *Penicillidia Kolenati*, 1863
 4534) **Phthiridium Hermann, 1804** (Nycteribiidae) Synonym(s): *Phthiridium Hermann*, 1804
 4535) **Ochterus Latreille, 1807** (Ochteridae) Synonym(s): *Ochterus Latreille*, 1807
 4536) **Anogcodes Dejean, 1834** (Oedemeridae) Synonym(s): *Anogcodes Dejean*, 1834
 4537) **Chitona W.Schmidt, 1844** (Oedemeridae) Synonym(s): *Chitona W.Schmidt*, 1844; *Dolichopyga Seidlitz*, 1899
 4538) **Chrysanthia W.Schmidt, 1844** (Oedemeridae) Synonym(s): *Chrysanthia W.Schmidt*, 1844
 4539) **Ischnomera Stephens, 1832** (Oedemeridae) Synonym(s): *Ischnomera Stephens*, 1832
 4540) **Nacerdes (Xanthochroa) W.Schmidt, 1846** (Oedemeridae) Synonym(s): *Xanthochroa W.Schmidt*, 1846
 4541) **Nacerdes (s.str.) Dejean, 1834** (Oedemeridae) Synonym(s): *Nacerdes Dejean*, 1834
 4542) **Nacerdes Dejean, 1834** (Oedemeridae) Synonym(s): *Nacerdes Dejean*, 1834
 4543) **Oedemera (Oncomera) Stephens, 1829** (Oedemeridae) Synonym(s): *Oncomera Stephens*, 1829
 4544) **Oedemera (s.str.) Olivier, 1789** (Oedemeridae) Synonym(s): *Oedemera Olivier*, 1789
 4545) **Oedemera Olivier, 1789** (Oedemeridae) Synonym(s): *Oedemera Olivier*, 1789
 4546) **Opsimea Miller, 1880** (Oedemeridae) Synonym(s): *Opsimea Miller*, 1880
 4547) **Sparedrus Dejean, 1821** (Oedemeridae) Synonym(s): *Sparedrus Dejean*, 1821
 4548) **Xanthochroina Ganglbauer, 1881** (Oedemeridae) Synonym(s): *Xanthochroina Ganglbauer*, 1881
 4549) **Geomyza Fallén, 1810** (Opomyzidae) Synonym(s): *Geomyza Fallén*, 1810
 4550) **Ormyrus Westwood, 1832** (Ormyridae) Synonym(s): *Ormyrus Westwood*, 1832; *Periglyphus Boheman*, 1834; *Siphonura Nees*, 1834; *Cyrtosoma Perris*, 1840; *Monobaeus Förster*, 1860; *Tribaeus Förster*, 1860; *Chrysoideus De Stefani*, 1898; *Wania Risbec*, 1951; *Avrasyamyrus Doğanlar*, 1991
 4551) **Orthezia Kriechbaumer, 1898** (Ortheziidae) Synonym(s): *Orthezia Kriechbaumer*, 1898
 4552) **Mocsarya Konow, 1897** (Orussidae) Synonym(s): *Mocsarya Konow*, 1897
 4553) **Orussus Latreille, 1796** (Orussidae) Synonym(s): *Orussus Latreille*, 1796; *#Oryssus Fabricius*, 1798; *#Orissus A.Costa*, 1860
 4554) **Pseudoryssus Guiglia, 1954** (Orussidae) Synonym(s): *Pseudoryssus Guiglia*, 1954
 4555) **Osmylus Latreille, 1802** (Osmylidae) Synonym(s): *Osmylus Latreille*, 1802
 4556) **Asiotmethis Uvarov, 1943** (Pamphagidae) Synonym(s): *Asiotmethis Uvarov*, 1943
 4557) **Ebnerodes Ramme, 1951** (Pamphagidae) Synonym(s): *Ebnerodes Ramme*, 1951
 4558) **Eunothrotes Adelung, 1907** (Pamphagidae) Synonym(s): *Eunothrotes Adelung*, 1907
 4559) **Glyphotmethis Bei-Bienko, 1951** (Pamphagidae) Synonym(s): *Glyphotmethis Bei-Bienko*, 1951
 4560) **Nocaracris Uvarov, 1928** (Pamphagidae) Synonym(s): *Nocaracris Uvarov*, 1928
 4561) **Nocarodes Fischer von Waldheim, 1846** (Pamphagidae) Synonym(s): *Nocarodes Fischer von Waldheim*, 1846; *Vachushtia Shugurov*, 1912; *Znojkiiana Mistshenko*, 1951
 4562) **Orchamus Stal, 1876** (Pamphagidae) Synonym(s): *Orchamus Stal*, 1876
 4563) **Oronothrotes Mistshenko, 1951** (Pamphagidae) Synonym(s): *Oronothrotes Mistshenko*, 1951
 4564) **Paranocarodes Bolivar, 1916** (Pamphagidae) Synonym(s): *Paranocarodes Bolivar*, 1916; *Ananothrotes Mishchenko*, 1951; *Granulodes Ramme*, 1951
 4565) **Paranothrotes Mistshenko, 1951** (Pamphagidae) Synonym(s): *Paranothrotes Mistshenko*, 1951; *Nocaropsis Ramme*, 1951; *Pseudonothrotes Mistshenko*, 1951
 4566) **Prionosthenus (s.str.) Bolivar, 1878** (Pamphagidae) Synonym(s): *Prionosthenus Bolivar*, 1878
 4567) **Prionosthenus Bolivar, 1878** (Pamphagidae) Synonym(s): *Prionosthenus Bolivar*, 1878
 4568) **Prionotropis Fieber, 1853** (Pamphagidae) Synonym(s): *Prionotropis Fieber*, 1853; *Cuculligera Fischer*, 1853
 4569) **Tmethis Fieber, 1853** (Pamphagidae) Synonym(s): *?Accessorius Fischer von Waldheim*, 1833; *Eremobia Audinet-Serville*, 1838 nec *Stephens*, 1829; *Tmethis Fieber*, 1853; *#Tmethis Salman*, 1978
 4570) **Acantholyda (Itycorsia) Konow, 1897** (Pamphiliidae) Synonym(s): *Itycorsia Konow*, 1897
 4571) **Acantholyda Costa, 1894** (Pamphiliidae) Synonym(s): *Acantholyda Costa*, 1894
 4572) **Caenolyda Konow, 1897** (Pamphiliidae) Synonym(s): *Caenolyda Konow*, 1897; *Dictyolyda Semenov*, 1934
 4573) **Kelidoptera Konow, 1897** (Pamphiliidae) Synonym(s): *Kelidoptera Konow*, 1897; *#Celidoptera Benson*, 1968
 4574) **Neurotoma Konow, 1897** (Pamphiliidae) Synonym(s): *Neurotoma Konow*, 1897
 4575) **Pamphilius Latreille, 1803** (Pamphiliidae) Synonym(s): *Pamphilius Latreille*, 1803; *Lyda Fabricius*, 1804; *Anoplolyda Costa*, 1894; *Bactroceros Konow*, 1897
 4576) **Panorpa Linnaeus, 1758** (Panorpidae) Synonym(s): *Panorpa Linnaeus*, 1758
 4577) **Dicranota (Ludicia) Hutson & Vane-Wright, 1969** (Pedicidae) Synonym(s): *Ludicia Hutson & Vane-Wright*, 1969
 4578) **Dicranota (Paradicranota) Alexander, 1934** (Pedicidae) Synonym(s): *Paradicranota Alexander*, 1934

- 4579) **Dicranota Zetterstedt, 1838** (Pedicidae) Synonym(s): *Dicranota Zetterstedt, 1838*
- 4580) **Pedicia (Amalopsis) Haliday, 1856** (Pedicidae) Synonym(s): *Amalopsis Haliday, 1856*
- 4581) **Pedicia (Crunobia) Kolenati, 1859** (Pedicidae) Synonym(s): *Crunobia Kolenati, 1859*
- 4582) **Pedicia Latreille, 1809** (Pedicidae) Synonym(s): *Pedicia Latreille, 1809*
- 4583) **Tricyphona (s.str.) Zetterstedt, 1837** (Pedicidae) Synonym(s): *Tricyphona Zetterstedt, 1837; Bophrosia Rondani, 1856*
- 4584) **Tricyphona Zetterstedt, 1837** (Pedicidae) Synonym(s): *Tricyphona Zetterstedt, 1837; Bophrosia Rondani, 1856*
- 4585) **Ula (s.str.) Haliday, 1833** (Pedicidae) Synonym(s): *Ula Haliday, 1833*
- 4586) **Ula Haliday, 1833** (Pedicidae) Synonym(s): *Ula Haliday, 1833*
- 4587) **Acrosternum Fieber, 1860** (Pentatomidae) Synonym(s): *Acrosternum Fieber, 1860*
- 4588) **Aelia Fabricius, 1803** (Pentatomidae) Synonym(s): *Aelia Fabricius, 1803; Aeliana Rafinesque, 1815*
- 4589) **Agatharchus (s.str.) Stal, 1876** (Pentatomidae) Synonym(s): *Agatharchus Stal, 1876*
- 4590) **Agatharchus Stal, 1876** (Pentatomidae) Synonym(s): *Agatharchus Stal, 1876*
- 4591) **Ancyrosoma Amyot & Audinet-Serville, 1843** (Pentatomidae) Synonym(s): *Ancyrosoma Amyot & Audinet-Serville, 1843*
- 4592) **Andrallus Bergroth, 1905** (Pentatomidae) Synonym(s): *Audinetia Ellenrieder, 1862 (praeocc.); Andrallus Bergroth, 1905*
- 4593) **Apodiphus Spinola, 1837** (Pentatomidae) Synonym(s): *Apodiphus Spinola, 1837; Neonevisanus Distant, 1918*
- 4594) **Apodiphus integriceps Horvath, 1888** (Pentatomidae) Synonym(s): *integriceps Horvath, 1888; rugosus Distant, 1918*
- 4595) **Arma Hahn, 1832** (Pentatomidae) Synonym(s): *Arma Hahn, 1832; Harma Marshall, 1868; Auriga Kirkaldy, 1909*
- 4596) **Bagrada (Nitilia) Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Nitilia Mulsant & Rey, 1866*
- 4597) **Bagrada Stal, 1862** (Pentatomidae) Synonym(s): *Bagrada Stal, 1862; Nitilia Mulsant & Rey, 1866*
- 4598) **Brachynema Mulsant, 1852** (Pentatomidae) Synonym(s): *Brachynema Mulsant, 1852; Oncoma Fieber, 1860*
- 4599) **Carpocoris Kolenati, 1846** (Pentatomidae) Synonym(s): *Carpocoris Kolenati, 1846*
- 4600) **Chroantha Stal, 1872** (Pentatomidae) Synonym(s): *Chroantha Stal, 1872*
- 4601) **Cnephosa Jakovlev, 1880** (Pentatomidae) Synonym(s): *Cnephosa Jakovlev, 1880*
- 4602) **Codophila (s.str.) Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Codophila Mulsant & Rey, 1866*
- 4603) **Codophila Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Codophila Mulsant & Rey, 1866*
- 4604) **Derula Mulsant & Rey, 1856** (Pentatomidae) Synonym(s): *Derula Mulsant & Rey, 1856*
- 4605) **Dolycoris Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Dolycoris Mulsant & Rey, 1866*
- 4606) **Dyroderes Spinola, 1837** (Pentatomidae) Synonym(s): *Dyroderes Spinola, 1837; Doryderes Amyot & Audinet-Serville, 1843*
- 4607) **Eurydema (Rubrodorsalium) Stichel, 1944** (Pentatomidae) Synonym(s): *Rubrodorsalium Stichel, 1944*
- 4608) **Eurydema (s.str.) Laporte, 1833** (Pentatomidae) Synonym(s): *Eurydema Laporte, 1833*
- 4609) **Eurydema Laporte, 1833** (Pentatomidae) Synonym(s): *Eurydema Laporte, 1833*
- 4610) **Eysarcoris Hahn, 1834** (Pentatomidae) Synonym(s): *Eysarcoris Hahn, 1834; Stollia Ellenrieder, 1862*
- 4611) **Graphosoma (s.str.) De Laporte, 1833** (Pentatomidae) Synonym(s): *Graphosoma De Laporte, 1833*
- 4612) **Graphosoma De Laporte, 1833** (Pentatomidae) Synonym(s): *Graphosoma De Laporte, 1833*
- 4613) **Holcogaster Fieber, 1860** (Pentatomidae) Synonym(s): *Holcogaster Fieber, 1860; Aulacetrus Mulsant & Rey, 1866*
- 4614) **Holcostethus Fieber, [1860]** (Pentatomidae) Synonym(s): *Holcostethus Fieber, [1860]*
- 4615) **Jalla Hahn, 1832** (Pentatomidae) Synonym(s): *Jalla Hahn, 1832*
- 4616) **Leprosoma Bärensprung, 1859** (Pentatomidae) Synonym(s): *Leprosoma Bärensprung, 1859; Leprosomatessa Kirkaldy, 1909*
- 4617) **Menaccarus (Oploscelis) Mulsant & Rey, 1852** (Pentatomidae) Synonym(s): *Oploscelis Mulsant & Rey, 1852*
- 4618) **Menaccarus (Orocephalus) Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Orocephalus Mulsant & Rey, 1866*
- 4619) **Menaccarus Amyot & Serville, 1843** (Pentatomidae) Synonym(s): *Menaccarus Amyot & Serville, 1843*
- 4620) **Mustha Amyot & Audinet-Serville, 1843** (Pentatomidae) Synonym(s): *Mustha Amyot & Audinet-Serville, 1843*
- 4621) **Neottiglossa Kirby, 1837** (Pentatomidae) Synonym(s): *Neottiglossa Kirby, 1837*
- 4622) **Nezara Amyot & Serville, 1843** (Pentatomidae) Synonym(s): *Nezara Amyot & Serville, 1843*
- 4623) **Palomena Mulsant & Rey, 1866** (Pentatomidae) Synonym(s): *Palomena Mulsant & Rey, 1866*
- 4624) **Pausias Jakovlev, 1905** (Pentatomidae) Synonym(s): *Pausias Jakovlev, 1905*

- 4625) Pentatoma Olivier,1789** (Pentatomidae) Synonym(s): *Pentatoma Olivier,1789*; *Tropicoris Hahn,1834*; *Gudea Distant,1911*
- 4626) Perillus Stal,1862** (Pentatomidae) Synonym(s): *Perillus Stal,1862*
- 4627) Phaeocoris Jakovlev,1887** (Pentatomidae) Synonym(s): *Phaeocoris Jakovlev,1887*; *Timuria Horvath,1903*; *Tancreisca Jensen-Haarup,1937*; *Lodosia Ahmad & Önder,1996*
- 4628) Picromerus Amyot & Audinet-Serville,1843** (Pentatomidae) Synonym(s): *Picromerus Amyot & Audinet-Serville,1843*
- 4629) Piezodorus Fieber,1860** (Pentatomidae) Synonym(s): *Piezodorus Fieber,1860*
- 4630) Pinthaeus Stal,1867** (Pentatomidae) Synonym(s): *Pinthaeus Stal,1867*
- 4631) Pitedia Reuter,1888** (Pentatomidae) Synonym(s): *Pitedia Reuter,1888*
- 4632) Raphigaster Laporte,1833** (Pentatomidae) Synonym(s): *Raphigaster Laporte,1833*
- 4633) Rhombocoris Mayr,1864** (Pentatomidae) Synonym(s): *Rhombocoris Mayr,1864*
- 4634) Risibia Horvath,1888** (Pentatomidae) Synonym(s): *Risibia Horvath,1888*; *Parastaria Kirtshenko,1911*
- 4635) Schyzops Spinola,1837** (Pentatomidae) Synonym(s): *Schyzops Spinola,1837*; *#Schizops Amyot & Serville,1843*
- 4636) Sciocoris (Aposciocoris) Wagner,1965** (Pentatomidae) Synonym(s): *Aposciocoris Wagner,1965*
- 4637) Sciocoris (Neosciocoris) Wagner,1965** (Pentatomidae) Synonym(s): *Neosciocoris Wagner,1965*
- 4638) Sciocoris (Parasciocoris) Wagner,1965** (Pentatomidae) Synonym(s): *Parasciocoris Wagner,1965*
- 4639) Sciocoris (s.str.) Fallén,1829** (Pentatomidae) Synonym(s): *Sciocoris Fallén,1829*
- 4640) Sciocoris Fallén,1829** (Pentatomidae) Synonym(s): *Sciocoris Fallén,1829*
- 4641) Stagonomus Gorski,1852** (Pentatomidae) Synonym(s): *Stagonomus Gorski,1852*
- 4642) Staria Dohrn,1860** (Pentatomidae) Synonym(s): *Staria Dohrn,1860*; *Rhacostethus Fieber,1860*
- 4643) Stenozygum (s.str.) Fieber,1861** (Pentatomidae) Synonym(s): *Stenozygum Fieber,1861*
- 4644) Stenozygum Fieber,1861** (Pentatomidae) Synonym(s): *Stenozygum Fieber,1861*
- 4645) Tarisa Amyot & Audinet-Serville,1843** (Pentatomidae) Synonym(s): *Tarisa Amyot & Audinet-Serville,1843*; *Coelocoris Bolivar,1879*
- 4646) Tholagmus Baerensprung,1860** (Pentatomidae) Synonym(s): *Tholagmus Baerensprung,1860*
- 4647) Trochiscocoris Reuter,1890** (Pentatomidae) Synonym(s): *Trochiscocoris Reuter,1890*
- 4648) Troilus Stal,1867** (Pentatomidae) Synonym(s): *Troilus Stal,1867*
- 4649) Tshingisella Kiritshenko,1913** (Pentatomidae) Synonym(s): *Tshingisella Kiritshenko,1913*
- 4650) Ventocoris (Astirocoris) Jakovlev,1894** (Pentatomidae) Synonym(s): *Selenodera Horvath,1889 nec Agass.,1846*; *Astirocoris Jakovlev,1894*; *Paraselenodera Schouteden,1905*; *Selenocoris Koçak & Kemal,2012*
- 4651) Ventocoris Hahn,1834** (Pentatomidae) Synonym(s): *Trigonosoma Laporte,1833 nec Gray,1832*; *Ventocoris Hahn,1834*
- 4652) Vilpianus Stal,1860** (Pentatomidae) Synonym(s): *Vilpianus Stal,1860*
- 4653) Zicrona Amyot & Serville,1843** (Pentatomidae) Synonym(s): *Zicrona Amyot & Serville,1843*
- 4654) Chrysolampus Spinola,1811** (Perilampidae) Synonym(s): *Chrysolampus Spinola,1811*
- 4655) Chrysomalla Förster,1859** (Perilampidae) Synonym(s): *Chrysomalla Förster,1859*
- 4656) Perilampus Latreille,1809** (Perilampidae) Synonym(s): *Perilampus Latreille,1809*
- 4657) Agnetina Klapalek,1907** (Perlidae) Synonym(s): *Agnetina Klapalek,1907*; *Phasganophora Klapalek,1921*; *Neophasganophora Lestage,1922*; *Harrisicola Banks,1948*
- 4658) Eoperla Illies,1956** (Perlidae) Synonym(s): *Eoperla Illies,1956*
- 4659) Marthamea Klapalek,1907** (Perlidae) Synonym(s): *Marthamea Klapalek,1907*; *Lerpa Navas,1909*
- 4660) Paragnetina Klapalek,1907** (Perlidae) Synonym(s): *Paragnetina Klapalek,1907*; *Tylopyge Klapalek,1913*; *Banksiella Klapalek,1921*; *Banksiana Claassen,1936*; *Caucasoperla Zhiltzova,1967*
- 4661) Perla Geoffroy,1762** (Perlidae) Synonym(s): *Perla Geoffroy,1762*; *Semblis Fabricius,1775*; *Sialis Latreille,1802*; *Esera Navas,1909*
- 4662) Isoperla Banks,1906** (Perlodidae) Synonym(s): *Isoperla Banks,1906*; *Suzukia Okamoto,1912*; *Megahelus Klapalek,1923*; *Perliphanes Banks,1947*; *Occiperla Banks,1947*; *Nanoperla Banks,1947*; *Walshiola Banks,1947*; *Perliola Banks,1947*
- 4663) Perlodes Banks,1903** (Perlodidae) Synonym(s): *Dictyopteryx Pictet,1841 (praeocc.)*; *Perlodes Banks,1903*
- 4664) Philopotamus Stephens,1829** (Philopotamidae) Synonym(s): *Philopotamus Stephens,1829*
- 4665) Megaselia Rondani,1856** (Phoridae) Synonym(s): *Megaselia Rondani,1856*
- 4666) Phalacrotophora Enderlein,1912** (Phoridae) Synonym(s): *Phalacrotophora Enderlein,1912*
- 4667) Piesma (Parapiesma) Péricart,1974** (Piesmatidae) Synonym(s): *Parapiesma Péricart,1974*
- 4668) Piesma (s.str.) La Peletier & Serville,1828** (Piesmatidae) Synonym(s): *Piesma La Peletier & Serville,1828*; *Aspidotoma Curtis,1833*; *Zosmenus Laporte,1833*; *Zosmerus Burmeister,1835*; *Agrammodes Uhler,1895*
- 4669) Piesma La Peletier & Serville,1828** (Piesmatidae) Synonym(s): *Piesma La Peletier & Serville,1828*; *Aspidotoma Curtis,1833*; *Zosmenus Laporte,1833*; *Zosmerus Burmeister,1835*; *Agrammodes Uhler,1895*
- 4670) Protopiophila Duda,1924** (Piophilidae) Synonym(s): *Protopiophila Duda,1924*
- 4671) Cephalops Fallén,1810** (Pipunculidae) Synonym(s): *Cephalops Fallén,1810*

- 4672) Clistoabdominalis Skevington, 2001** (Pipunculidae) Synonym(s): *Clistoabdominalis Skevington, 2001*
- 4673) Eudorylas Aczel, 1940** (Pipunculidae) Synonym(s): *Eudorylas Aczel, 1940*
- 4674) Tomosvaryella Aczel, 1939** (Pipunculidae) Synonym(s): *Tomosvaryella Aczel, 1939*
- 4675) Coptosoma De Laporte, 1832** (Plataspidae) Synonym(s): *Coptosoma De Laporte, 1832; Globocoris Hahn, 1834*
- 4676) Platycnemis Burmeister, 1839** (Platycnemidae) Synonym(s): *Platycnemis Burmeister, 1839*
- 4677) Platystoma Meigen, 1803** (Platystomidae) Synonym(s): *Platystoma Meigen, 1803; Hesyquillia R-D., 1830; #Platistoma Guérin-Ménéville, 1831; Megaglossa Rondani, 1869*
- 4678) Plea Leach, 1817** (Pleidae) Synonym(s): *Plea Leach, 1817*
- 4679) Arenivaga Rehn, 1903** (Polyphagidae) Synonym(s): *Arenivaga Rehn, 1903*
- 4680) Polyphaga Brullé, 1835** (Polyphagidae) Synonym(s): *Polyphaga Brullé, 1835*
- 4681) Agenioideus Ashmead, 1902** (Pompilidae) Synonym(s): *Agenioideus Ashmead, 1902*
- 4682) Amblyellus Day, 1981** (Pompilidae) Synonym(s): *Amblyellus Day, 1981*
- 4683) Anoplius Dufour, 1834** (Pompilidae) Synonym(s): *Anoplius Dufour, 1834; #Anoplus Dalla Torre, 1897*
- 4684) Anospilus Haupt, 1929** (Pompilidae) Synonym(s): *Anospilus Haupt, 1929*
- 4685) Aporinellus Banks, 1934** (Pompilidae) Synonym(s): *Aporinellus Banks, 1934*
- 4686) Aporus Spinola, 1808** (Pompilidae) Synonym(s): *Aporus Spinola, 1808*
- 4687) Arachnospila Kincaid, 1900** (Pompilidae) Synonym(s): *Arachnospila Kincaid, 1900*
- 4688) Arachnotheutes Haupt, 1927** (Pompilidae) Synonym(s): *Arachnotheutes Haupt, 1927*
- 4689) Arctoclavelia Haupt, 1962** (Pompilidae) Synonym(s): *Arctoclavelia Haupt, 1962*
- 4690) Auplopus Spinola, 1841** (Pompilidae) Synonym(s): *Auplopus Spinola, 1841*
- 4691) Batozonellus Arnold, 1937** (Pompilidae) Synonym(s): *Batozonellus Arnold, 1937*
- 4692) Caliadurgus Pate, 1946** (Pompilidae) Synonym(s): *Calicurgus Lepeletier, 1845 (praeocc.); Caliadurgus Pate, 1946*
- 4693) Ceropales Latreille, 1796** (Pompilidae) Synonym(s): *Ceropales Latreille, 1796*
- 4694) Cryptocheilus Panzer, 1806** (Pompilidae) Synonym(s): *Cryptocheilus Panzer, 1806*
- 4695) Ctenagenia Saussure, 1892** (Pompilidae) Synonym(s): *Ctenagenia Saussure, 1892*
- 4696) Cyphononyx Dahlbom, 1845** (Pompilidae) Synonym(s): *Cyphononyx Dahlbom, 1845*
- 4697) Dicyrtomellus Gussakowskii, 1935** (Pompilidae) Synonym(s): *Dicyrtomellus Gussakowskii, 1935*
- 4698) Dipogon (Deuteragenia) Sustera, 1912** (Pompilidae) Synonym(s): *Agenia Schiödte, 1837 (praeocc.); Deuteragenia Sustera, 1912*
- 4699) Dipogon Fox, 1897** (Pompilidae) Synonym(s): *Dipogon Fox, 1897*
- 4700) Elaphrosyron Haupt, 1930** (Pompilidae) Synonym(s): *Elaphrosyron Haupt, 1930*
- 4701) Entomobora Gistel, 1857** (Pompilidae) Synonym(s): *Entomobora Gistel, 1857*
- 4702) Eoferreola Arnold, 1935** (Pompilidae) Synonym(s): *Eoferreola Arnold, 1935*
- 4703) Episyron Schiödte, 1837** (Pompilidae) Synonym(s): *Episyron Schiödte, 1837; Epizuron Ashmead, 1902*
- 4704) Evagetes Lepeletier, 1845** (Pompilidae) Synonym(s): *Evagetes Lepeletier, 1845; Sophropompilus Asmead, 1902; Leuchimon Haupt, 1930; Trichosyron Haupt, 1930; Psammocharoides Moczar, 1946; Streptosella Dreisbach, 1950; Contempevagetes Wolf, 1970; Carinevagetes Wolf, 1970*
- 4705) Ferreola Lepeletier, 1845** (Pompilidae) Synonym(s): *Ferreola Lepeletier, 1845*
- 4706) Hemipepsis Dahlbom, 1844** (Pompilidae) Synonym(s): *Hemipepsis Dahlbom, 1844*
- 4707) Homonotus Dahlbom, 1845** (Pompilidae) Synonym(s): *Homonotus Dahlbom, 1845*
- 4708) Microphadnus Cameron, 1905** (Pompilidae) Synonym(s): *Microphadnus Cameron, 1905*
- 4709) Nanoclavelia Haupt, 1926** (Pompilidae) Synonym(s): *Nanoclavelia Haupt, 1926*
- 4710) Pedinpompilus Wolf, 1961** (Pompilidae) Synonym(s): *Pedinpompilus Wolf, 1961*
- 4711) Pompilus Fabricius, 1798** (Pompilidae) Synonym(s): *Pompilus Fabricius, 1798*
- 4712) Priocnemis Schiödte, 1837** (Pompilidae) Synonym(s): *Priocnemis Schiödte, 1837*
- 4713) Pseudopompilus Costa, 1887** (Pompilidae) Synonym(s): *Pseudopompilus Costa, 1887*
- 4714) Schistonyx Saussure, 1887** (Pompilidae) Synonym(s): *Schistonyx Saussure, 1887; #Schiztonyx Ashmead, 1900*
- 4715) Tachyagetes Haupt, 1930** (Pompilidae) Synonym(s): *Tachyagetes Haupt, 1930*
- 4716) Telostegus Costa, 1889** (Pompilidae) Synonym(s): *Telostegus Costa, 1889*
- 4717) Xenaporus Ashmead, 1902** (Pompilidae) Synonym(s): *Xenaporus Ashmead, 1902*
- 4718) Antonina Signoret, 1875** (Pseudococcidae) Synonym(s): *Antonina Signoret, 1875*
- 4719) Atrococcus Goux, 1941** (Pseudococcidae) Synonym(s): *Atrococcus Goux, 1941*
- 4720) Chaetococcus Maskell, 1898** (Pseudococcidae) Synonym(s): *Chaetococcus Maskell, 1898*
- 4721) Coccidohystrix Lindinger, 1943** (Pseudococcidae) Synonym(s): *Coccidohystrix Lindinger, 1943*
- 4722) Euripersia Borkhsenius, 1948** (Pseudococcidae) Synonym(s): *Euripersia Borkhsenius, 1948*
- 4723) Heliococcus Sulc, 1912** (Pseudococcidae) Synonym(s): *Heliococcus Sulc, 1912*
- 4724) Heterococcopsis Borkhsenius, 1948** (Pseudococcidae) Synonym(s): *Heterococcopsis Borkhsenius, 1948*
- 4725) Heterococcus Ferris, 1918** (Pseudococcidae) Synonym(s): *Heterococcus Ferris, 1918*

- 4726) **Longicoccus Dantzig, 1975** (Pseudococcidae) Synonym(s): *Longicoccus Dantzig, 1975*
 4727) **Metadenopus Sulc, 1933** (Pseudococcidae) Synonym(s): *Metadenopus Sulc, 1933*
 4728) **Micrococcopsis** (Pseudococcidae) Synonym(s):
 4729) **Neotrionymus Borkhsenius, 1948** (Pseudococcidae) Synonym(s): *Neotrionymus Borkhsenius, 1948*
 4730) **Nipaecoccus Sulc, 1945** (Pseudococcidae) Synonym(s): *Nipaecoccus Sulc, 1945*
 4731) **Peliococcopsis Borkhsenius, 1948** (Pseudococcidae) Synonym(s): *Peliococcopsis Borkhsenius, 1948*
 4732) **Peliococcus Borkhsenius, 1948** (Pseudococcidae) Synonym(s): *Peliococcus Borkhsenius, 1948*
 4733) **Phenacoccus Cockerell, 1893** (Pseudococcidae) Synonym(s): *Phenacoccus Cockerell, 1893*
 4734) **Planococcus Ferris, 1950** (Pseudococcidae) Synonym(s): *Planococcus Ferris, 1950*
 4735) **Pseudococcus Westwood, 1840** (Pseudococcidae) Synonym(s): *Pseudococcus Westwood, 1840*
 4736) **Puto Signoret, 1876** (Pseudococcidae) Synonym(s): *Puto Signoret, 1876*
 4737) **Rhodania Goux, 1934** (Pseudococcidae) Synonym(s): *Rhodania Goux, 1934*
 4738) **Ripersiella Tinsley, 1899** (Pseudococcidae) Synonym(s): *Ripersiella Tinsley, 1899*
 4739) **Spilococcus Ferris, 1950** (Pseudococcidae) Synonym(s): *Spilococcus Ferris, 1950*
 4740) **Spinococcus Kiritchenko, 1930** (Pseudococcidae) Synonym(s): *Spinococcus Kiritchenko, 1930*
 4741) **Trabutina Marchal, 1905** (Pseudococcidae) Synonym(s): *Trabutina Marchal, 1905*
 4742) **Trionymus Berg, 1899** (Pseudococcidae) Synonym(s): *Trionymus Berg, 1899*
 4743) **Chamaepsila Hendel, 1917** (Psilidae) Synonym(s): *Chamaepsila Hendel, 1917*
 4744) **Chyliza Fallén, 1820** (Psilidae) Synonym(s): *Chyliza Fallén, 1820*
 4745) **Loxocera Meigen, 1803** (Psilidae) Synonym(s): *Loxocera Meigen, 1803*
 4746) **Oxypsila Frey, 1925** (Psilidae) Synonym(s): *Oxypsila Frey, 1925*
 4747) **Bazarella Vaillant, 1961** (Psychodidae) Synonym(s): *Bazarella Vaillant, 1961*
 4748) **Joostiella Vaillant, 1983** (Psychodidae) Synonym(s): *Joostiella Vaillant, 1983*
 4749) **Mormia Enderlein, 1935** (Psychodidae) Synonym(s): *Mormia Enderlein, 1935*
 4750) **Pericoma Walker, 1856** (Psychodidae) Synonym(s): *Pericoma Walker, 1856*
 4751) **Philosepedon Eaton, 1904** (Psychodidae) Synonym(s): *Philosepedon Eaton, 1904*
 4752) **Phlebotomus (Adlerius) Nitzulescu, 1931** (Psychodidae) Synonym(s): *Adlerius Nitzulescu, 1931*
 4753) **Phlebotomus (Larrousius) Nitzulescu, 1931** (Psychodidae) Synonym(s): *Larrousius Nitzulescu, 1931*
 4754) **Phlebotomus (Paraphlebotomus) Theodor, 1948** (Psychodidae) Synonym(s): *Paraphlebotomus Theodor, 1948*
 4755) **Phlebotomus (Transphlebotomus) Artemiev, 1984** (Psychodidae) Synonym(s): *Transphlebotomus Artemiev, 1984*
 4756) **Phlebotomus (s.str.) Rondani, 1840** (Psychodidae) Synonym(s): *#Phlebotomus Rondani, 1840; Phlebotomus Rondani, 1840*
 4757) **Phlebotomus Rondani, 1840** (Psychodidae) Synonym(s): *#Phlebotomus Rondani, 1840; Phlebotomus Rondani, 1840*
 4758) **Psychoda Latreille, 1796** (Psychodidae) Synonym(s): *Psychoda Latreille, 1796; Psicoda Rondani, 1856*
 4759) **Satchelliella Vaillant, 1979** (Psychodidae) Synonym(s): *Satchelliella Vaillant, 1979*
 4760) **Thornburghiella Vaillant, 1973** (Psychodidae) Synonym(s): *Thornburghiella Vaillant, 1973; Thornburghiella Vaillant, 1982*
 4761) **Tonnoiriella Vaillant, 1982** (Psychodidae) Synonym(s): *Tonnoiriella Vaillant, 1982*
 4762) **Aphalara Förster, 1848** (Psyllidae) Synonym(s): *Aphalara Förster, 1848*
 4763) **Cacopsylla Ossiannilsson, 1970** (Psyllidae) Synonym(s): *Cacopsylla Ossiannilsson, 1970*
 4764) **Craspedolepta Enderlein, 1921** (Psyllidae) Synonym(s): *Craspedolepta Enderlein, 1921*
 4765) **Crastina Loginova, 1964** (Psyllidae) Synonym(s): *Crastina Loginova, 1964*
 4766) **Cyamophila Loginova, 1976** (Psyllidae) Synonym(s): *Cyamophila Loginova, 1976*
 4767) **Euphyllura Förster, 1848** (Psyllidae) Synonym(s): *Euphyllura Förster, 1848*
 4768) **Livia Latreille, 1802** (Psyllidae) Synonym(s): *Livia Latreille, 1802*
 4769) **Livilla Curtis, 1836** (Psyllidae) Synonym(s): *Livilla Curtis, 1836*
 4770) **Psyllopsis Loew, 1879** (Psyllidae) Synonym(s): *Psyllopsis Loew, 1879*
 4771) **Anisopteromalus Ruschka, 1912** (Pteromalidae) Synonym(s): *Anisopteromalus Ruschka, 1912; Aplastomorpha Crawford, 1913*
 4772) **Arthrolytus Thomson, 1878** (Pteromalidae) Synonym(s): *Arthrolytus Thomson, 1878; Anarthrolytus Graham, 1969; Anadolytus Doğanlar, 1978*
 4773) **Asaphes Walker, 1834** (Pteromalidae) Synonym(s): *Asaphes Walker, 1834; Isocratus Förster, 1856; Parectroma Brethes, 1913*
 4774) **Caenocrepis Thomson, 1878** (Pteromalidae) Synonym(s): *Caenocrepis Thomson, 1878*
 4775) **Catolaccus Thomson, 1878** (Pteromalidae) Synonym(s): *Catolaccus Thomson, 1878*
 4776) **Cea Haliday, 1837** (Pteromalidae) Synonym(s): *Cea Haliday, 1837*
 4777) **Cheiopachus Westwood, 1828** (Pteromalidae) Synonym(s): *Cheiopachus Westwood, 1828; Pachychirus Agassiz, 1846*
 4778) **Chlorocytus Graham, 1956** (Pteromalidae) Synonym(s): *Chlorocytus Graham, 1956*

- 4779) **Coelopisthia Förster, 1856** (Pteromalidae) Synonym(s): *Coelopisthia Förster, 1856*
 4780) **Colotrechnus Thomson, 1878** (Pteromalidae) Synonym(s): *Colotrechnus Thomson, 1878*
 4781) **Conomorium Masi, 1926** (Pteromalidae) Synonym(s): *Conomorium Masi, 1926*
 4782) **Cyrtogaster Walker, 1833** (Pteromalidae) Synonym(s): *Cyrtogaster Walker, 1833*; *Polycystus Westwood, 1839*; *Dicormus Förster, 1841*; *Hatia Risbec, 1955*; *#Cyrtogaster Doğanlar, 1985*
 4783) **Cyrtoptyx Delucchi, 1956** (Pteromalidae) Synonym(s): *Cyrtoptyx Delucchi, 1956*
 4784) **Dibrachoides Kurdiumov, 1913** (Pteromalidae) Synonym(s): *Dibrachoides Kurdiumov, 1913*
 4785) **Dibrachys Förster, 1856** (Pteromalidae) Synonym(s): *Dibrachys Förster, 1856*
 4786) **Dinarmus Thomson, 1878** (Pteromalidae) Synonym(s): *Dinarmus Thomson, 1878*
 4787) **Dinotiscus Ghesquière, 1946** (Pteromalidae) Synonym(s): *Dinotus Förster, 1856 nec Guettard, 1770*; *Dinotiscus Ghesquière, 1946*
 4788) **Dipara Walker, 1833** (Pteromalidae) Synonym(s): *Dipara Walker, 1833*; *Trichoyphus Förster, 1856*; *Alloterra Apterolepas Ashmead, 1901*; *Kieffer & Marshall, 1904*; *Trimicrops Kieffer, 1906*; *Parurios Girault, 1913*; *Uriolelaps Girault, 1915*; *Pseudipara Girault, 1915*; *Epilelaps Girault, 1915*; *Apterolaelaps Girault, 1916*; *Pseudiparella Girault, 1927*; *Hispanolelaps Mercet, 1927*; *Emersonia Girault, 1933*; *Grahamisia Delucchi, 1962*; *Afrolelaps Hedqvist, 1964*; *Diparomorpha Hedqvist, 1972*; *Africesa Koçak, Hüseyinoğlu & Kemal, 2008*
 4789) **Erdoesina Graham, 1957** (Pteromalidae) Synonym(s): *Erdoesina Graham, 1957*
 4790) **Eunotus Walker, 1834** (Pteromalidae) Synonym(s): *Eunotus Walker, 1834*
 4791) **Gastrancistrus Westwood, 1833** (Pteromalidae) Synonym(s): *Gastrancistrus Westwood, 1833*
 4792) **Goidanichium Boucek, 1970** (Pteromalidae) Synonym(s): *Goidanichium Boucek, 1970*
 4793) **Gugolzia Delucchi & Steffan, 1956** (Pteromalidae) Synonym(s): *Gugolzia Delucchi & Steffan, 1956*
 4794) **Halticoptera Spinola, 1811** (Pteromalidae) Synonym(s): *Halticoptera Spinola, 1811*
 4795) **Halticopterina Erdös, 1947** (Pteromalidae) Synonym(s): *Halticopterina Erdös, 1947*
 4796) **Hobbya Delucchi, 1957** (Pteromalidae) Synonym(s): *Hobbya Delucchi, 1957*
 4797) **Homoporus Thomson, 1878** (Pteromalidae) Synonym(s): *Homoporus Thomson, 1878*
 4798) **Ksenoplata Boucek, 1965** (Pteromalidae) Synonym(s): *Ksenoplata Boucek, 1965*
 4799) **Lampoterma Graham, 1956** (Pteromalidae) Synonym(s): *Lampoterma Graham, 1956*
 4800) **Lamprotatus Westwood, 1833** (Pteromalidae) Synonym(s): *Lamprotatus Westwood, 1833*
 4801) **Lariophagus Crawford, 1909** (Pteromalidae) Synonym(s): *Lariophagus Crawford, 1909*
 4802) **Macroglenes Westwood, 1832** (Pteromalidae) Synonym(s): *Macroglenes Westwood, 1832*
 4803) **Merisus Walker, 1834** (Pteromalidae) Synonym(s): *Merisus Walker, 1834*
 4804) **Mesopolobus Westwood, 1833** (Pteromalidae) Synonym(s): *Mesopolobus Westwood, 1833*
 4805) **Miscogaster Walker, 1833** (Pteromalidae) Synonym(s): *Miscogaster Walker, 1833*
 4806) **Muscidifurax Girault & Sanders, 1910** (Pteromalidae) Synonym(s): *Muscidifurax Girault & Sanders, 1910*; *Smeagolia Hedqvist, 1973*
 4807) **Nasonia Ashmead, 1904** (Pteromalidae) Synonym(s): *Nasonia Ashmead, 1904*
 4808) **Norbanus Walker, 1843** (Pteromalidae) Synonym(s): *Norbanus Walker, 1843*
 4809) **Oxyglypta Förster, 1856** (Pteromalidae) Synonym(s): *Oxyglypta Förster, 1856*
 4810) **Pachycrepoideus Ashmead, 1904** (Pteromalidae) Synonym(s): *Pachycrepoideus Ashmead, 1904*
 4811) **Pachyneuron Walker, 1833** (Pteromalidae) Synonym(s): *Pachyneuron Walker, 1833*
 4812) **Platneptis Boucek, 1961** (Pteromalidae) Synonym(s): *Platneptis Boucek, 1961*
 4813) **Pseudocatolaccus Masi, [1908]** (Pteromalidae) Synonym(s): *Pseudocatolaccus Masi, [1908]*
 4814) **Psilocera Walker, 1833** (Pteromalidae) Synonym(s): *Psilocera Walker, 1833*
 4815) **Psilonotus Walker, 1834** (Pteromalidae) Synonym(s): *Psilonotus Walker, 1834*
 4816) **Psychophagus Mayr, 1904** (Pteromalidae) Synonym(s): *Psychophagus Mayr, 1904*
 4817) **Pteromalus Swederus, 1795** (Pteromalidae) Synonym(s): *Pteromalus Swederus, 1795*
 4818) **Rhaphitelus Walker, 1834** (Pteromalidae) Synonym(s): *Rhaphitelus Walker, 1834*
 4819) **Rhopalicus Förster, 1856** (Pteromalidae) Synonym(s): *Rhopalicus Förster, 1856*
 4820) **Roptrocercus Ratzeburg, 1848** (Pteromalidae) Synonym(s): *Pachycercus Ratzeburg, 1844 (praeocc.)*; *Roptrocercus Ratzeburg, 1848*
 4821) **Schizonotus Ratzeburg, 1852** (Pteromalidae) Synonym(s): *Schizonotus Ratzeburg, 1852*
 4822) **Scutellista Motschulsky, [1860]** (Pteromalidae) Synonym(s): *Scutellista Motschulsky, [1860]*
 4823) **Spalangia Latreille, 1804** (Pteromalidae) Synonym(s): *Spalangia Latreille, 1804*
 4824) **Sphegigaster Spinola, 1811** (Pteromalidae) Synonym(s): *Sphegigaster Spinola, 1811*
 4825) **Spintherus Thomson, 1878** (Pteromalidae) Synonym(s): *Spintherus Thomson, 1878*
 4826) **Stenomalina Ghesquière, 1946** (Pteromalidae) Synonym(s): *Stenomalina Ghesquière, 1946*
 4827) **Syntomopus Walker, 1833** (Pteromalidae) Synonym(s): *Syntomopus Walker, 1833*
 4828) **Systasis Walker, 1834** (Pteromalidae) Synonym(s): *Systasis Walker, 1834*
 4829) **Theocolax Westwood, 1832** (Pteromalidae) Synonym(s): *Theocolax Westwood, 1832*
 4830) **Thinodytes Graham, 1956** (Pteromalidae) Synonym(s): *Thinodytes Graham, 1956*
 4831) **Tomicobia Ashmead, 1899** (Pteromalidae) Synonym(s): *Tomicobia Ashmead, 1899*
 4832) **Trichomalopsis Crawford, 1913** (Pteromalidae) Synonym(s): *Trichomalopsis Crawford, 1913*
 4833) **Trichomalus Thomson, 1878** (Pteromalidae) Synonym(s): *Trichomalus Thomson, 1878*

- 4834) Trjapitzinia Dzhankmen, 1975** (Pteromalidae) Synonym(s): *Trjapitzinia Dzhankmen, 1975*
- 4835) Pyrgomorpha (s.str.) Audinet-Serville, 1838** (Pyrgomorphidae) Synonym(s): *Pyrgomorpha Audinet-Serville, 1838*
- 4836) Pyrgomorpha Audinet-Serville, 1838** (Pyrgomorphidae) Synonym(s): *Pyrgomorpha Audinet-Serville, 1838*
- 4837) Hemidendroides Ferrari, 1869** (Pyrochroidae) Synonym(s): *Hemidendroides Ferrari, 1869*
- 4838) Pyrrhocoris Fallén, 1814** (Pyrrhocoridae) Synonym(s): *Pyrrhocoris Fallén, 1814; Platynotus Schilling, 1829; Meganotus Laporte, 1832; Phyllocoris Laporte, 1832; Astemma Spinola, 1837; Platycoris Gistel, 1848*
- 4839) Scantius Stal, 1866** (Pyrrhocoridae) Synonym(s): *Scantius Stal, 1866*
- 4840) Raphidia (Magnoraphidia) Aspöck & Aspöck, 1968** (Raphidiidae) Synonym(s): *Magnoraphidia Aspöck & Aspöck, 1968*
- 4841) Raphidia (Phidiara) H. Aspöck & U. Aspöck, 1968** (Raphidiidae) Synonym(s): *Phidiara H. Aspöck & U. Aspöck, 1968*
- 4842) Raphidia (Pontoraphidia) H. Aspöck & U. Aspöck, 1968** (Raphidiidae) Synonym(s): *Pontoraphidia H. Aspöck & U. Aspöck, 1968*
- 4843) Raphidia (Turcoraphidia) H. Aspöck & U. Aspöck, 1968** (Raphidiidae) Synonym(s): *Turcoraphidia H. Aspöck & U. Aspöck, 1968*
- 4844) Raphidia (s.str.) Linnaeus, 1758** (Raphidiidae) Synonym(s): *Raphidia Linnaeus, 1758*
- 4845) Raphidia Linnaeus, 1758** (Raphidiidae) Synonym(s): *Raphidia Linnaeus, 1758*
- 4846) Dolichopoda Bolivar, 1880** (Raphidophoridae) Synonym(s): *Dolichopoda Bolivar, 1880; Hellerina Galvagni, 2006 nec Dworakowska, 1972*
- 4847) Troglophilus (s.str.) Krauss, 1879** (Raphidophoridae) Synonym(s): *Troglophilus Krauss, 1879*
- 4848) Troglophilus Krauss, 1879** (Raphidophoridae) Synonym(s): *Troglophilus Krauss, 1879*
- 4849) Callistodema Reuter, 1890** (Reduviidae) Synonym(s): *Callidema Jakovlev, 1875 nec Guérin-Mén., 1843; Callistodema Reuter, 1890*
- 4850) Coranus Curtis, 1833** (Reduviidae) Synonym(s): *Coranus Curtis, 1833; Collicoris Hahn, 1833; Sinocoris Mulsant & Rey, 1873; Velinoides Matsumura, 1913*
- 4851) Ectomocoris Mayr, 1865** (Reduviidae) Synonym(s): *Ectomocoris Mayr, 1865*
- 4852) Empicoris Wolff, 1811** (Reduviidae) Synonym(s): *Empicoris Wolff, 1811*
- 4853) Holotrichius Burmeister, 1835** (Reduviidae) Synonym(s): *Holotrichius Burmeister, 1835; Lochus Douglas & Scott, 1868; Oreada Mulsant & Mayet, 1868*
- 4854) Metapterus A. Costa, 1860** (Reduviidae) Synonym(s): *Metapterus A. Costa, 1860*
- 4855) Nagusta Stal, 1859** (Reduviidae) Synonym(s): *Nagusta Stal, 1859*
- 4856) Oncocephalus Klug, 1830** (Reduviidae) Synonym(s): *Oncocephalus Klug, 1830*
- 4857) Pasira Stal, 1859** (Reduviidae) Synonym(s): *Pasira Stal, 1859*
- 4858) Peirates Audinet-Serville, 1831** (Reduviidae) Synonym(s): *Peirates Audinet-Serville, 1831; Pirates Burmeister, 1835*
- 4859) Phymata (s.str.) Latreille, 1802** (Reduviidae) Synonym(s): *Phymata Latreille, 1802*
- 4860) Phymata Latreille, 1802** (Reduviidae) Synonym(s): *Phymata Latreille, 1802*
- 4861) Ploiaria Scopoli, 1786** (Reduviidae) Synonym(s): *Ploiaria Scopoli, 1786; #Ploiera Latreille, [1802]; #Ploioaria Rafinesque, 1815; Wahrmania Dispons, 1964; #Ploeria Önder et al., 2006*
- 4862) Pygolampis Germar, 1817** (Reduviidae) Synonym(s): *Pygolampis Germar, 1817*
- 4863) Reduvius Fabricius, 1775** (Reduviidae) Synonym(s): *Reduvius Fabricius, 1775; Ryparocoris Schummel, 1827; Opsicoetus Klug, 1830; Oplistus Jakovlev, 1874; Holotrichiopsis Jakovlev, 1901; Parthocoris China & Miller, 1950*
- 4864) Rhynocoris Hahn, 1833** (Reduviidae) Synonym(s): *Rhynocoris Hahn, 1833; Rhinocoris Agassiz, 1847; Oncauchenius Stal, 1872; Chirillus Stal, 1874; Harpiscus Stal, 1874; Lamphrius Stal, 1874*
- 4865) Sphedanolestes Stal, 1866** (Reduviidae) Synonym(s): *Sphedanolestes Stal, 1866*
- 4866) Stenolemus Signoret, 1858** (Reduviidae) Synonym(s): *Stenolemus Signoret, 1858; #Stenolomus Önder et al., 2006*
- 4867) Vachiria Stal, 1859** (Reduviidae) Synonym(s): *Vachiria Stal, 1859*
- 4868) Chrysopilus Macquart, 1826** (Rhagionidae) Synonym(s): *Chrysopilus Macquart, 1826*
- 4869) Rhagio Fabricius, 1775** (Rhagionidae) Synonym(s): *Rhagio Fabricius, 1775; Leptis Fabricius, 1805*
- 4870) Oplisa (Anoplisa) Herting, 1961** (Rhinophoridae) Synonym(s): *Anoplisa Herting, 1961*
- 4871) Oplisa Rondani, 1862** (Rhinophoridae) Synonym(s): *Oplisa Rondani, 1862; Hoplisa Brauer & Bergenstamm, 1889*
- 4872) Phyto R-D., 1830** (Rhinophoridae) Synonym(s): *Phyto R-D., 1830; Cirillia Rondani, 1856*
- 4873) Stevenia R-D., 1830** (Rhinophoridae) Synonym(s): *Stevenia R-D., 1830; Eophyto Townsend, 1919*
- 4874) Agraphopus Stal, 1872** (Rhopalidae) Synonym(s): *Agraphopus Stal, 1872*
- 4875) Brachycarenum Fieber, [1860]** (Rhopalidae) Synonym(s): *Brachycarenum Fieber, [1860]*
- 4876) Chorosoma Curtis, 1830** (Rhopalidae) Synonym(s): *Chorosoma Curtis, 1830; #Chrosoma Kiyak et al., 2004*
- 4877) Corizomorpha Jakovlev, 1883** (Rhopalidae) Synonym(s): *Corizomorpha Jakovlev, 1883*

- 4878) Corizus Fallén,1814** (Rhopalidae) Synonym(s): *Corizus Fallén,1814*; *Coryzus Spinola,1837*; *Corisus Rambur,1839*
- 4879) Leptoceraea Jakovlev,1873** (Rhopalidae) Synonym(s): *Leptoceraea Jakovlev,1873*
- 4880) Limacocarenum Kiritchenko,1914** (Rhopalidae) Synonym(s): *Limacocarenum Kiritchenko,1914*; *Scolopocranum Horvath,1914*
- 4881) Liorhyssus Stal,1870** (Rhopalidae) Synonym(s): *Liorhyssus Stal,1870*
- 4882) Maccevethus Amyot,1846** (Rhopalidae) Synonym(s): *Maccevethus Amyot,1846*
- 4883) Myrmus Hahn,1832** (Rhopalidae) Synonym(s): *Myrmus Hahn,1832*
- 4884) Rhopalus Schilling,1827** (Rhopalidae) Synonym(s): *Rhopalus Schilling,1827*
- 4885) Stictopleurus Stal,1872** (Rhopalidae) Synonym(s): *Stictopleurus Stal,1872*; *#Stictoplerus Kiyak et al.,2004*
- 4886) Ricania Germar,1818** (Ricanidae) Synonym(s): *Ricania Germar,1818*
- 4887) Salda Fabricius,1793** (Saldidae) Synonym(s): *Salda Fabricius,1793*
- 4888) Saldula Van Duzee,1914** (Saldidae) Synonym(s): *Saldula Van Duzee,1914*
- 4889) Asmisapyga Kurzenko,1994** (Sapygidae) Synonym(s): *Asmisapyga Kurzenko,1994*
- 4890) Fedtschenkia Saussure,1880** (Sapygidae) Synonym(s): *Fedtschenkia Saussure,1880*; *Cosilella Banks,1913*
- 4891) Monosapyga Pic,1920** (Sapygidae) Synonym(s): *Monosapyga Pic,1920*
- 4892) Sapyga (Polosapyga) Kurzenko,1994** (Sapygidae) Synonym(s): *Polosapyga Kurzenko,1994*
- 4893) Sapyga (s.str.) Latreille,1796** (Sapygidae) Synonym(s): *Sapyga Latreille,1796*
- 4894) Sapyga Latreille,1796** (Sapygidae) Synonym(s): *Sapyga Latreille,1796*; *Hellus Fabricius,1804*
- 4895) Sapygina A.Costa,1887** (Sapygidae) Synonym(s): *Sapygina A.Costa,1887*
- 4896) Agria R-D.,1830** (Sarcophagidae) Synonym(s): *Agria R-D.,1830*
- 4897) Agriella Villeneuve,1911** (Sarcophagidae) Synonym(s): *Agriella Villeneuve,1911*; *Anablaesoxipha Villeneuve,1928*; *Asioblaesoxipha Rohdendorf,1937*
- 4898) Amobia R-D.,1830** (Sarcophagidae) Synonym(s): *Amobia R-D.,1830*; *Pachyophthalmus Brauer & Bergenstamm,1889*; *Ammobia Bezzi & Stein,1907*; *Austrometopia Malloch,1930*
- 4899) Blaesoxipha (s.str.) Loew,1861** (Sarcophagidae) Synonym(s): *Blaesoxipha Loew,1861*; *Listeria R-D.,1863*; *Sphaerogaster Liroy,1864 nec Dej.,1821*; *Parasarcophila Brauer & Bergenstamm,1891*; *Gesneriodes Villeneuve,1909*; *Gesneriella Villeneuve,1912*; *#Blaesophixa Kara & Pape,2002*; *#Blaesoxsipha Pekbey & Hayat,2009*
- 4900) Blaesoxipha Loew,1861** (Sarcophagidae) Synonym(s): *Blaesoxipha Loew,1861*; *Listeria R-D.,1863*; *Sphaerogaster Liroy,1864 nec Dej.,1821*; *Parasarcophila Brauer & Bergenstamm,1891*; *Gesneriodes Villeneuve,1909*; *Gesneriella Villeneuve,1912*; *#Blaesophixa Kara & Pape,2002*; *#Blaesoxsipha Pekbey & Hayat,2009*
- 4901) Craticulina Bezzi,1906** (Sarcophagidae) Synonym(s): *Craticula Pandellé,1895 (praeocc.)*; *Craticulina Bezzi,1906*
- 4902) Ctenodasypygia Enderlein,1928** (Sarcophagidae) Synonym(s): *Ctenodasypygia Enderlein,1928*
- 4903) Macronychia (s.str.) Rondani,1859** (Sarcophagidae) Synonym(s): *Macronychia Rondani,1859*; *Theone R-D.,1863*; *Amobiopsis Townsend,1915*; *Itamobia Townsend,1927*
- 4904) Macronychia Rondani,1859** (Sarcophagidae) Synonym(s): *Macronychia Rondani,1859*; *Theone R-D.,1863*; *Amobiopsis Townsend,1915*; *Itamobia Townsend,1927*
- 4905) Metopia Meigen,1803** (Sarcophagidae) Synonym(s): *Metopia Meigen,1803*; *Argyria R-D.,1863*; *Chaetanicia Townsend,1933*; *Australoanicia Verves,1979*
- 4906) Metopodia Brauer & Bergenstamm,1891** (Sarcophagidae) Synonym(s): *Metopodia Brauer & Bergenstamm,1891*
- 4907) Miltogramma (Dichiracantha) Enderlein,1934** (Sarcophagidae) Synonym(s): *Dichiracantha Enderlein,1934*
- 4908) Miltogramma Meigen,1803** (Sarcophagidae) Synonym(s): *Miltogramma Meigen,1803*; *Hamulia R-D.,1863*; *Cylindrothecum Rodhendorf,1930*; *Stephanodactylum Rodhendorf,1930*; *Eumiltogramma Townsend,1933*
- 4909) Miltogrammidium (s.str.) Rohdendorf,1930** (Sarcophagidae) Synonym(s): *Miltogrammidium Rohdendorf,1930*
- 4910) Miltogrammidium Rohdendorf,1930** (Sarcophagidae) Synonym(s): *Miltogrammidium Rohdendorf,1930*
- 4911) Nyctia R-D.,1830** (Sarcophagidae) Synonym(s): *Nyctia R-D.,1830*
- 4912) Phrosinella R-D.,1863** (Sarcophagidae) Synonym(s): *Phrosinella R-D.,1863*
- 4913) Phylloteles Loew,1844** (Sarcophagidae) Synonym(s): *Phylloteles Loew,1844*
- 4914) Protomiltogramma Townsend,1916** (Sarcophagidae) Synonym(s): *Protomiltogramma Townsend,1916*; *Thereomyia Rohdendorf,1927*; *Sisyropecta Enderlein,1934*
- 4915) Pterella R-D.,1863** (Sarcophagidae) Synonym(s): *Pterella R-D.,1863*; *Setulia R-D.,1863*; *Pseudosphecapata Enderlein,1934*; *Prometheomyia Rohdendorf,1935*
- 4916) Ravinia R-D.,1863** (Sarcophagidae) Synonym(s): *Ravinia R-D.,1863*
- 4917) Sarcophaga (Bercaea) R-D.,1863** (Sarcophagidae) Synonym(s): *Bercaea R-D.,1863*; *Thyrsotetradiscalis Enderlein,1928*; *Mesothyrsia Enderlein,1928*; *Coprosarcophaga Rohdendorf,1937*

- 4918) Sarcophaga (Discachaeta) Enderlein, 1928** (Sarcophagidae) Synonym(s): *Discachaeta Enderlein, 1928*
- 4919) Sarcophaga (Helicophagella) Enderlein, 1928** (Sarcophagidae) Synonym(s): *Helicophagella Enderlein, 1928*
- 4920) Sarcophaga (Heteronychia) Brauer & Bergenstamm, [1889]** (Sarcophagidae) Synonym(s): *Erichsonia R-D., 1863; Hartigia R-D., 1863; Heteronychia Brauer & Bergenstamm, [1889]; Notoecus Stein, 1924; Sarcotenia Enderlein, 1928; Discachaeta Enderlein, 1928; Ctenodasyptigia Enderlein, 1928; Dasyptigia Enderlein, 1928; Boettcherella Enderlein, 1928; Asceloctis Enderlein, 1928; Platyperas Enderlein, 1934; Pandelleola Rohdendorf, 1937; Eupierretia Rohdendorf, 1937; Spatulapica Fan, 1964; Salemea Rohdendorf, 1965; Mediterranisca Rohdendorf, 1965; Leclercqomyia Lehrer, 1976; Benedenia Lehrer, 1976; Artamonoviella Verves, 1989; Devriesia Lehrer, 1995 nec Mintz, 1967; Salemiophalla Lehrer, 1995; Shoachaeta Lehrer, 1997; Ashlaiana Lehrer, 1998; Lehrera Koçak & Kemal, 2009*
- 4921) Sarcophaga (Jantia) Rohdendorf, 1937** (Sarcophagidae) Synonym(s): *Jantia Rohdendorf, 1937*
- 4922) Sarcophaga (Krameromyia) Verves, 1982** (Sarcophagidae) Synonym(s): *Kramerella Rohdendorf, 1937 (praeocc.); Krameromyia Verves, 1982*
- 4923) Sarcophaga (Liopygia) Enderlein, 1928** (Sarcophagidae) Synonym(s): *Liopygia Enderlein, 1928*
- 4924) Sarcophaga (Liosarcophaga) Enderlein, 1928** (Sarcophagidae) Synonym(s): *Liosarcophaga Enderlein, 1928*
- 4925) Sarcophaga (Mehria) Enderlein, 1928** (Sarcophagidae) Synonym(s): *Mehria Enderlein, 1928*
- 4926) Sarcophaga (Myorhina) R-D., 1830** (Sarcophagidae) Synonym(s): *Myorhina R-D., 1830*
- 4927) Sarcophaga (Pandelleana) Rohdendorf, 1937** (Sarcophagidae) Synonym(s): *Pandelleana Rohdendorf, 1937*
- 4928) Sarcophaga (Pandelleisca) Rohdendorf, 1937** (Sarcophagidae) Synonym(s): *Pandelleisca Rohdendorf, 1937*
- 4929) Sarcophaga (Parasarcophaga) Johnston & Tiegs, 1922** (Sarcophagidae) Synonym(s): *Parasarcophaga Johnston & Tiegs, 1922*
- 4930) Sarcophaga (Phytosarcophaga) Rohdendorf, 1937** (Sarcophagidae) Synonym(s): *Phytosarcophaga Rohdendorf, 1937*
- 4931) Sarcophaga (Pseudothyrsocnema) Rohdendorf, 1937** (Sarcophagidae) Synonym(s): *Pseudothyrsocnema Rohdendorf, 1937*
- 4932) Sarcophaga (Rosellea) Rohdendorf, 1937** (Sarcophagidae) Synonym(s): *Rosellea Rohdendorf, 1937*
- 4933) Sarcophaga (Sarcotachinella) Townsend, 1892** (Sarcophagidae) Synonym(s): *Sarcotachinella Townsend, 1892*
- 4934) Sarcophaga (Thomsonea) Rohdendorf, 1937** (Sarcophagidae) Synonym(s): *Thomsonea Rohdendorf, 1937*
- 4935) Sarcophaga (Thyrsocnema) Enderlein, 1928** (Sarcophagidae) Synonym(s): *Thyrsocnema Enderlein, 1928*
- 4936) Sarcophaga (s.str.) Meigen, 1826** (Sarcophagidae) Synonym(s): *Sarcophaga Meigen, 1826; Phorella R-D., 1830; Myophora R-D., 1830*
- 4937) Sarcophaga Meigen, 1826** (Sarcophagidae) Synonym(s): *Sarcophaga Meigen, 1826; Phorella R-D., 1830; Myophora R-D., 1830*
- 4938) Sarcophila Rondani, 1856** (Sarcophagidae) Synonym(s): *Sarcophila Rondani, 1856*
- 4939) Senotainia (Sphixapata) Rondani, 1859** (Sarcophagidae) Synonym(s): *Sphixapata Rondani, 1859*
- 4940) Senotainia (s.str.) Macquart, 1846** (Sarcophagidae) Synonym(s): *Megaera R-D., 1830 (praeocc.); Senotainia Macquart, 1846; Nyctella Zimin, 1928 nec Reut., 1905; Chaetometopia Malloch, 1930*
- 4941) Senotainia Macquart, 1846** (Sarcophagidae) Synonym(s): *Megaera R-D., 1830 (praeocc.); Senotainia Macquart, 1846; Nyctella Zimin, 1928 nec Reut., 1905; Chaetometopia Malloch, 1930*
- 4942) Sphenometopa Townsend, 1908** (Sarcophagidae) Synonym(s): *Sphenometopa Townsend, 1908; Arabiopsis Townsend, 1915; Asiaraba Rohdendorf, 1967; Tarsaraba Rohdendorf, 1967; Xantharaba Rohdendorf, 1967*
- 4943) Taxigramma Macquart, 1849** (Sarcophagidae) Synonym(s): *Taxigramma Macquart, 1849*
- 4944) Wohlfahrtia Brauer & Bergenstamm, 1889** (Sarcophagidae) Synonym(s): *Wohlfahrtia Brauer & Bergenstamm, 1889; #Wohlfahrtia Kara & Pape, 2002*
- 4945) Adoretus Laporte, 1840** (Scarabaeidae) Synonym(s): *Adoretus Laporte, 1840*
- 4946) Aethiessa Burmeister, 1842** (Scarabaeidae) Synonym(s): *Aethiessa Burmeister, 1842*
- 4947) Anisoplia (Brancoplia) Baraud, 1986** (Scarabaeidae) Synonym(s): *Brancoplia Baraud, 1986*
- 4948) Anisoplia (Chaetopteropia) Medvedev, 1949** (Scarabaeidae) Synonym(s): *Chaetopteropia Medvedev, 1949*
- 4949) Anisoplia (s.str.) Fischer v. Waldheim, 1824** (Scarabaeidae) Synonym(s): *Anisoplia Fischer v. Waldheim, 1824*
- 4950) Anisoplia Fischer v. Waldheim, 1824** (Scarabaeidae) Synonym(s): *Anisoplia Fischer v. Waldheim, 1824*
- 4951) Anomala Samouelle, 1819** (Scarabaeidae) Synonym(s): *Anomala Samouelle, 1819*
- 4952) Anoxia (Protanoxia) Medvedev, 1951** (Scarabaeidae) Synonym(s): *Protanoxia Medvedev, 1951*

- 4953) Aphodius (Pseudacrossus) Reitter, 1892** (Scarabaeidae) Synonym(s): *Pseudacrossus* Reitter, 1892
- 4954) Aphodius Illiger, 1798** (Scarabaeidae) Synonym(s): *Aphodius* Illiger, 1798; *Heptaulacus* Mulsant, 1842; *Apsteiniella* A. Schmidt, 1916; *Cnemargulus* Semenov, 1903
- 4955) Aplidia Hope, 1837** (Scarabaeidae) Synonym(s): *Aplidia* Hope, 1837; *Haploidea* Agassiz, 1846; #*Haplidia* Gemminger & Harold, 1869
- 4956) Blitopertha (Asiopertha) Machatschke, 1957** (Scarabaeidae) Synonym(s): *Asiopertha* Machatschke, 1957
- 4957) Blitopertha (Trichopertha) Reitter, 1903** (Scarabaeidae) Synonym(s): *Trichopertha* Reitter, 1903
- 4958) Blitopertha Reitter, 1903** (Scarabaeidae) Synonym(s): *Blitopertha* Reitter, 1903
- 4959) Bubas Mulsant, 1842** (Scarabaeidae) Synonym(s): *Bubas* Mulsant, 1842
- 4960) Caccobius (s.str.) Thomson, 1859** (Scarabaeidae) Synonym(s): *Caccobius* Thomson, 1859
- 4961) Caccobius Thomson, 1859** (Scarabaeidae) Synonym(s): *Caccobius* Thomson, 1859
- 4962) Cetonia (s.str.) Fabricius, 1775** (Scarabaeidae) Synonym(s): *Cetonia* Fabricius, 1775
- 4963) Cetonia Fabricius, 1775** (Scarabaeidae) Synonym(s): *Cetonia* Fabricius, 1775
- 4964) Cheironitis Van Lansberge, 1875** (Scarabaeidae) Synonym(s): *Cheironitis* Van Lansberge, 1875; *Chironitis* Reitter, 1894
- 4965) Chromovalgus Kolbe, 1897** (Scarabaeidae) Synonym(s): *Chromovalgus* Kolbe, 1897; *Spilovalgus* Kolbe, 1904
- 4966) Chromovalgus Kolbe, 1897** (Scarabaeidae) Synonym(s): *Chromovalgus* Kolbe, 1897
- 4967) Copris Geoffroy, 1762** (Scarabaeidae) Synonym(s): *Copris* Geoffroy, 1762
- 4968) Cryptotrogus Kraatz, 1888** (Scarabaeidae) Synonym(s): *Cryptotrogus* Kraatz, 1888
- 4969) Euheptaulacus Dellacasa, 1983** (Scarabaeidae) Synonym(s): *Euheptaulacus* Dellacasa, 1983
- 4970) Gnorimus Lepeletier & Audinet-Serville, 1828** (Scarabaeidae) Synonym(s): *Gnorimus* Lepeletier & Audinet-Serville, 1828
- 4971) Gymnopleurus Illiger, 1803** (Scarabaeidae) Synonym(s): *Gymnopleurus* Illiger, 1803
- 4972) Holochelus (Miltotrogus) Reitter, 1902** (Scarabaeidae) Synonym(s): *Miltotrogus* Reitter, 1902
- 4973) Holochelus Reitter, 1889** (Scarabaeidae) Synonym(s): *Holochelus* Reitter, 1889
- 4974) Hoplia (Decamera) Mulsant, 1842** (Scarabaeidae) Synonym(s): *Decamera* Mulsant, 1842
- 4975) Hoplia (s.str.) Illiger, 1803** (Scarabaeidae) Synonym(s): *Hoplia* Illiger, 1803
- 4976) Hoplia Illiger, 1803** (Scarabaeidae) Synonym(s): *Hoplia* Illiger, 1803
- 4977) Maladera (Aserica) Lewis, 1895** (Scarabaeidae) Synonym(s): *Aserica* Lewis, 1895
- 4978) Maladera Mulsant & Rey, 1871** (Scarabaeidae) Synonym(s): *Maladera* Mulsant & Rey, 1871
- 4979) Megatelus Reitter, 1892** (Scarabaeidae) Synonym(s): *Megatelus* Reitter, 1892
- 4980) Megatelus Reitter, 1892** (Scarabaeidae) Synonym(s): *Megatelus* Reitter, 1892
- 4981) Melolontha (s.str.) Geoffroy, 1762** (Scarabaeidae) Synonym(s): *Melolontha* Geoffroy, 1762
- 4982) Melolontha Geoffroy, 1762** (Scarabaeidae) Synonym(s): *Melolontha* Geoffroy, 1762
- 4983) Omaloplia (Acarina) Baraud, 1965** (Scarabaeidae) Synonym(s): *Acarina* Baraud, 1965
- 4984) Omaloplia (s.str.) Schoenherr, 1817** (Scarabaeidae) Synonym(s): *Omaloplia* Schoenherr, 1817; *Brachyphylla* Mulsant, 1842; *Homalopia* Redtenbacher, 1845
- 4985) Omaloplia Schoenherr, 1817** (Scarabaeidae) Synonym(s): *Omaloplia* Schoenherr, 1817; *Brachyphylla* Mulsant, 1842; *Homalopia* Redtenbacher, 1845
- 4986) Onitis Fabricius, 1798** (Scarabaeidae) Synonym(s): *Onitis* Fabricius, 1798
- 4987) Onthophagus (Amphionthophagus) Martin Pierra & Zunino, 1983** (Scarabaeidae) Synonym(s): *Amphionthophagus* Martin Pierra & Zunino, 1983
- 4988) Onthophagus (Palaeonthophagus) Zunino, 1979** (Scarabaeidae) Synonym(s): *Palaeonthophagus* Zunino, 1979
- 4989) Oryctes Illiger, 1798** (Scarabaeidae) Synonym(s): *Oryctes* Illiger, 1798
- 4990) Osmanius Branco & Baraud, 1988** (Scarabaeidae) Synonym(s): *Osmanius* Branco & Baraud, 1988
- 4991) Oxythyrea Mulsant & Rey, 1842** (Scarabaeidae) Synonym(s): *Oxythyrea* Mulsant & Rey, 1842
- 4992) Paroniticellus Balthasar, 1963** (Scarabaeidae) Synonym(s): *Paroniticellus* Balthasar, 1963
- 4993) Pentodon Hope, 1837** (Scarabaeidae) Synonym(s): *Pentodon* Hope, 1837
- 4994) Pleurophorus Mulsant, 1842** (Scarabaeidae) Synonym(s): *Pleurophorus* Mulsant, 1842
- 4995) Polyphylla Harris, 1841** (Scarabaeidae) Synonym(s): *Polyphylla* Harris, 1841
- 4996) Propomacrus Newman, 1837** (Scarabaeidae) Synonym(s): *Propomacrus* Newman, 1837; *Porropus* Laporte, 1840
- 4997) Protaetia (Cetonischema) Miksic, 1963** (Scarabaeidae) Synonym(s): *Cetonischema* Miksic, 1963
- 4998) Protaetia (Eupotosia) Miksic, 1954** (Scarabaeidae) Synonym(s): *Eupotosia* Miksic, 1954
- 4999) Protaetia (Foveopotosia) Miksic, 1959** (Scarabaeidae) Synonym(s): *Foveopotosia* Miksic, 1959
- 5000) Protaetia (Potosia) Mulsant & Rey, 1871** (Scarabaeidae) Synonym(s): *Potosia* Mulsant & Rey, 1871
- 5001) Protaetia Burmeister, 1842** (Scarabaeidae) Synonym(s): *Protaetia* Burmeister, 1842
- 5002) Pseudotrematodes Jacquelin du Val, 1806** (Scarabaeidae) Synonym(s): *Pseudotrematodes* Jacquelin du Val, 1806
- 5003) Rhizotrogus (Amphimallon) Berthold, 1827** (Scarabaeidae) Synonym(s): *Amphimallon* Berthold, 1827

- 5004) Rhizotrogus Berthold,1827** (Scarabaeidae) Synonym(s): *Rhizotrogus Berthold,1827*; *#Rhisotragus Cristofori & Jan,1832*
- 5005) Scarabaeus Linnaeus,1758** (Scarabaeidae) Synonym(s): *Scarabaeus Linnaeus,1758*
- 5006) Sisyphus Wiedemann,1823** (Scarabaeidae) Synonym(s): *Sisyphus Wiedemann,1823*
- 5007) Tanyproctus Faldermann,1832** (Scarabaeidae) Synonym(s): *Tanyproctus Faldermann,1832*
- 5008) Trichius Fabricius,1775** (Scarabaeidae) Synonym(s): *Trichius Fabricius,1775*
- 5009) Triodontella Reitter,1919** (Scarabaeidae) Synonym(s): *Triodonta Mulsant,1842 nec Bory,1827*; *Triodontella Reitter,1919*
- 5010) Tropinota (Epicometis) Burmeister,1842** (Scarabaeidae) Synonym(s): *Epicometis Burmeister,1842*
- 5011) Tropinota (s.str.) Mulsant,1842** (Scarabaeidae) Synonym(s): *Tropinota Mulsant,1842*
- 5012) Tropinota Mulsant,1842** (Scarabaeidae) Synonym(s): *Tropinota Mulsant,1842*
- 5013) Valgus Scriba,1790** (Scarabaeidae) Synonym(s): *Valgus Scriba,1790*; *Acanthurus Kirby,1827*
- 5014) Coniosternum Becker,1894** (Scathophagidae) Synonym(s): *Coniosternum Becker,1894*
- 5015) Scathophaga Meigen,1803** (Scathophagidae) Synonym(s): *Scathophaga Meigen,1803*; *#Scopeuma Meigen,1800*; *#Scatophaga Fabricius,1805*; *Pyropa Illiger,1807*; *Scatomyza Fallén,1810*; *Amina Robineu-Desvoidy,1830*; *Scatina Robineu-Desvoidy,1830*; *Pseudopogonota Malloch,1920*; *Scaophagella Szilady,1926*
- 5016) Trissolcus Ashmead,1893** (Scelionidae) Synonym(s): *Trissolcus Ashmead,1893*; *Asolcus Nakagawa,1900*; *Immsia Cameron,1912*; *Aphanurus Kieffer,1912 nec Looss,1907*; *Microphanurus Kieffer,1926*
- 5017) Schizodactylus Brullé,1835** (Schizodactylidae) Synonym(s): *Schizodactylus Brullé,1835*; *Schizocephalus Brunner-Wattenwyl,1888*; *Dactylocomicus Karny,1923*
- 5018) Lycoriella Frey,1942** (Sciaridae) Synonym(s): *Lycoriella Frey,1942*
- 5019) Colobaea Zetterstedt,1838** (Sciomyzidae) Synonym(s): *Colobaea Zetterstedt,1838*; *Ctenulus Rondani,1856*; *Melanochira Schiner,1864*
- 5020) Coremacera Rondani,1856** (Sciomyzidae) Synonym(s): *Statinia Meigen,1800*; *Coremacera Rondani,1856*
- 5021) Dichetophora Rondani,1868** (Sciomyzidae) Synonym(s): *Dichetophora Rondani,1868*
- 5022) Euthycera Latreille,1829** (Sciomyzidae) Synonym(s): *Euthycera Latreille,1829*; *Oregocera Rondani,1856*; *Lunigera Hendel,1900*
- 5023) Hydromya R-D.,1830** (Sciomyzidae) Synonym(s): *Hydromya R-D.,1830*; *Hydromya Agassiz,1847*
- 5024) Knutsonia (s.str.) Verbeke,1964** (Sciomyzidae) Synonym(s): *Chione R-D.,1830 nec Megerl.,1811*; *Knutsonia Verbeke,1964*
- 5025) Knutsonia Verbeke,1964** (Sciomyzidae) Synonym(s): *Chione R-D.,1830 nec Megerl.,1811*; *Knutsonia Verbeke,1964*
- 5026) Limnia R-D.,1830** (Sciomyzidae) Synonym(s): *Limnia R-D.,1830*
- 5027) Pherbellia R-D.,1830** (Sciomyzidae) Synonym(s): *Pherbellia R-D.,1830*; *Graphomyzina Macquart,1835*; *Ditaenia Hendel,1902*; *Dictyomyza Enderlein,1939*; *Oxytaenia Sack,1939 nec Först.,1868*
- 5028) Pherbina R-D.,1830** (Sciomyzidae) Synonym(s): *Pherbina R-D.,1830*
- 5029) Psacadina Enderlein,1939** (Sciomyzidae) Synonym(s): *Psacadina Enderlein,1939*
- 5030) Salticella R-D.,1830** (Sciomyzidae) Synonym(s): *Salticella R-D.,1830*
- 5031) Sciomyza Fallén,1820** (Sciomyzidae) Synonym(s): *Sciomyza Fallén,1820*; *Bischofia Hendel,1902*
- 5032) Sepedon (s.str.) Latreille,1804** (Sciomyzidae) Synonym(s): *Sepedon Latreille,1804*
- 5033) Sepedon Latreille,1804** (Sciomyzidae) Synonym(s): *Sepedon Latreille,1804*
- 5034) Tetanocera Latreille,1804** (Sciomyzidae) Synonym(s): *Tetanocera Latreille,1804*
- 5035) Trypetoptera Hendel,1900** (Sciomyzidae) Synonym(s): *Trypetoptera Hendel,1900*
- 5036) Cyphon Paykull,1799** (Scirtidae) Synonym(s): *Cyphon Paykull,1799*
- 5037) Elodes Latreille,1796** (Scirtidae) Synonym(s): *Elodes Latreille,1796*
- 5038) Odeles Klausnitzer,2004** (Scirtidae) Synonym(s): *Odeles Klausnitzer,2004*
- 5039) Campsomeriella Betrem,1941** (Scoliidae) Synonym(s): *Campsomeriella Betrem,1941*
- 5040) Colpa (s.str.) Dufour,1841** (Scoliidae) Synonym(s): *Colpa Dufour,1841*
- 5041) Colpa Dufour,1841** (Scoliidae) Synonym(s): *Colpa Dufour,1841*
- 5042) Dasyscolia Bradley,1951** (Scoliidae) Synonym(s): *Dasyscolia Bradley,1951*
- 5043) Megascolia (Regiscolia) Betrem & Bradley,1964** (Scoliidae) Synonym(s): *Regiscolia Betrem & Bradley,1964*
- 5044) Megascolia Betrem,1928** (Scoliidae) Synonym(s): *Megascolia Betrem,1928*
- 5045) Proscolia Rasnitsyn,1977** (Scoliidae) Synonym(s): *Proscolia Rasnitsyn,1977*
- 5046) Scolia Fabricius,1775** (Scoliidae) Synonym(s): *Solia Fabricius,1775*
- 5047) Ellipsocoris Mayr,1864** (Scutelleridae) Synonym(s): *Ellipsocoris Mayr,1864*
- 5048) Eurygaster Laporte,1832** (Scutelleridae) Synonym(s): *Eurygaster Laporte,1832*
- 5049) Irochrotus Amyot & Audinet-Serville,1843** (Scutelleridae) Synonym(s): *Irochrotus Amyot & Audinet-Serville,1843*
- 5050) Odontoscelis Laporte,1832** (Scutelleridae) Synonym(s): *Odontoscelis Laporte,1832*
- 5051) Odontotarsus Laporte,1832** (Scutelleridae) Synonym(s): *Odontotarsus Laporte,1832*; *Odontarsus Mulsant & Rey,1865*

- 5052) *Phimodera* Germar, 1839** (Scutelleridae) Synonym(s): *Phimodera* Germar, 1839
- 5053) *Promecocoris* (*Emphylocoris*) Reuter, 1900** (Scutelleridae) Synonym(s): *Emphylocoris* Reuter, 1900
- 5054) *Promecocoris* Puton, 1886** (Scutelleridae) Synonym(s): *Promecosoma* Jakovlev, 1885 (praeocc.); *Promecocoris* Puton, 1886
- 5055) *Psacasta* Germar, 1839** (Scutelleridae) Synonym(s): *Psacasta* Germar, 1839
- 5056) *Solenostethium* Spinola, 1837** (Scutelleridae) Synonym(s): *Solenostethium* Spinola, 1837
- 5057) *Nemopoda* R-D., 1830** (Sepsidae) Synonym(s): *Nemopoda* R-D., 1830; *Nematopoda* Agasiz, 1846
- 5058) *Saltella* R-D., 1830** (Sepsidae) Synonym(s): *Saltella* R-D., 1830; *Brachygaster* Meigen, 1826; *Pandora* Haliday, 1833; *Anisophysa* Macquart, 1835; *Pseudopandora* Rapp, 1946
- 5059) *Sepsis* Fallén, 1810** (Sepsidae) Synonym(s): *Sepsis* Fallén, 1810
- 5060) *Themira* R-D., 1830** (Sepsidae) Synonym(s): *Themira* R-D., 1830
- 5061) *Sialis* Latreille, 1803** (Sialidae) Synonym(s): *Sialis* Latreille, 1803
- 5062) *Chartocerus* Motschulsky, [1860]** (Signiphoridae) Synonym(s): *Chartocerus* Motschulsky, [1860]
- 5063) *Thysanus* Walker, 1839** (Signiphoridae) Synonym(s): *#Thusamus* Walker, 1829; *Thysanus* Walker, 1839
- 5064) *Ablattaria* Reitter, 1885** (Silphidae) Synonym(s): *Ablattaria* Reitter, 1885
- 5065) *Aclypea* Reitter, 1885** (Silphidae) Synonym(s): *Aclypea* Reitter, 1885; *Blitophaga* Reitter, 1885
- 5066) *Dendroxena* Motschoulsky, 1858** (Silphidae) Synonym(s): *Dendroxena* Motschoulsky, 1858; *Xylodrepa* Thomson, 1859
- 5067) *Necrodes* Leach, 1815** (Silphidae) Synonym(s): *Necrodes* Leach, 1815; *Asbolus* Bergroth, 1884; *Protonecrodes* Portevin, 1922
- 5068) *Nicrophorus* Fabricius, 1775** (Silphidae) Synonym(s): *Nicrophorus* Fabricius, 1775; *Necrophorus* Thunberg, 1789; *Cyrtoscelis* Hope, 1840; *Acanthopsilus* Portevin, 1914; *Necrocharis* Portevin, 1923; *Necroxenus* Semenov, 1926; *Eunecrophorus* Semenov, 1933; *Necrophoriscus* Semenov, 1933; *Nesonecrophorus* Semenov, 1933; *Necrophorindus* Semenov, 1933; *Necrocleptes* Semenov, 1933; *Nesonecropter* Semenov, 1933; *Necropter* Semenov, 1933; *Stictonecropter* Semenov, 1933; *Neonicrophorus* Hatch, 1946
- 5069) *Oiceoptoma* Leach, 1815** (Silphidae) Synonym(s): *Oiceoptoma* Leach, 1815; *Isosilpha* Portevin, 1920
- 5070) *Phosphuga* Leach, 1817** (Silphidae) Synonym(s): *Phosphuga* Leach, 1817
- 5071) *Silpha* Linnaeus, 1758** (Silphidae) Synonym(s): *Silpha* Linnaeus, 1758; *Parasilpha* Reitter, 1885; *Carpatsilpha* Smetana, 1952
- 5072) *Thanatophilus* Leach, 1815** (Silphidae) Synonym(s): *Thanatophilus* Leach, 1815; *Pseudopelta* Bergroth, 1884; *Philas* Portevin, 1903; *Silphosoma* Portevin, 1903; *Chalcossilpha* Portevin, 1926
- 5073) *Metacnephia* Crosskey, 1969** (Simuliidae) Synonym(s): *Metacnephia* Crosskey, 1969
- 5074) *Prosimulium* (s.str.) Rouband, 1906** (Simuliidae) Synonym(s): *Prosimulium* Rouband, 1906; *Hellichia* Enderlein, 1925; *Taeniopterna* Enderlein, 1925; *Mallochella* Enderlein, 1930 (praeocc.); *Mallochianella* Vargas & Diaz Najera, 1948; *Piezosimulium* Peterson, 1989
- 5075) *Prosimulium* Rouband, 1906** (Simuliidae) Synonym(s): *Prosimulium* Rouband, 1906; *Hellichia* Enderlein, 1925; *Taeniopterna* Enderlein, 1925; *Mallochella* Enderlein, 1930 (praeocc.); *Mallochianella* Vargas & Diaz Najera, 1948; *Piezosimulium* Peterson, 1989
- 5076) *Simulium* (*Boophthora*) Enderlein, 1925** (Simuliidae) Synonym(s): *Boophthora* Enderlein, 1925; *Pseudosimulium* Baranov, 1926
- 5077) *Simulium* (*Eusimulium*) Roubaud, 1906** (Simuliidae) Synonym(s): *Eusimulium* Roubaud, 1906
- 5078) *Simulium* (*Eusimulium*) Roubaud, 1906** (Simuliidae) Synonym(s): *Eusimulium* Roubaud, 1906
- 5079) *Simulium* (*Montisimulium*) Rubtsov, 1974** (Simuliidae) Synonym(s): *Montisimulium* Rubtsov, 1974
- 5080) *Simulium* (*Nevermannia*) Enderlein, 1921** (Simuliidae) Synonym(s): *Nevermannia* Enderlein, 1921
- 5081) *Simulium* (*Trichodagmia*) Enderlein, 1934** (Simuliidae) Synonym(s): *Trichodagmia* Enderlein, 1934; *Thyrsopelma* Enderlein, 1934; *Hemicnetha* Enderlein, 1934; *Dyarella* Vargas, Martinez Palacios & Diaz Najera, 1946; *Hearlea* Vargas, Martinez Palacios & Diaz Najera, 1946; *Obuchovia* Rubtsov, 1947; *Grenieriella* Vargaz & Diaz Najera, 1951; *Hagenomyia* Shewell, 1959 (praeocc.); *Shewellomyia* Peterson, 1975
- 5082) *Simulium* (*Wilhelmia*) Enderlein, 1921** (Simuliidae) Synonym(s): *Wilhelmia* Enderlein, 1921
- 5083) *Simulium* (s.str.) Latreille, 1802** (Simuliidae) Synonym(s): *Simulium* Latreille, 1802; *Odagmia* Enderlein, 1921; *Friesia* Enderlein, 1922; *Discosphyria* Enderlein, 1922; *Gynonychodon* Enderlein, 1925; *Pseudodagmia* Baranov, 1926; *Danubiosimulium* Baranov, 1935; *Cleitosisimulium* Séguéy & Dorier, 1936; *Gnus* Rubtsov, 1940; *Tetisimulium* Rubtsov, 1963; *Parabyssodon* Rubtsov, 1964; *Phosterodoros* Stone & Snoddy, 1969; *Phoretodagmia* Rubtsov, 1972; *Himalayum* Lewis, 1973; *Paragnus* Rubtsov & Yankovsky, 1982; *Archesimulium* Rubtsov & Yankovsky, 1982; *Argentisimulium* Rubtsov & Yankovsky, 1982; *Striatosimulium* Rubtsov & Yankovsky, 1982
- 5084) *Simulium* Latreille, 1802** (Simuliidae) Synonym(s): *Simulium* Latreille, 1802; *Odagmia* Enderlein, 1921; *Friesia* Enderlein, 1922; *Discosphyria* Enderlein, 1922; *Gynonychodon* Enderlein, 1925; *Pseudodagmia* Baranov, 1926; *Danubiosimulium* Baranov, 1935; *Cleitosisimulium* Séguéy & Dorier, 1936; *Gnus* Rubtsov, 1940; *Tetisimulium* Rubtsov, 1963; *Parabyssodon* Rubtsov, 1964; *Phosterodoros* Stone & Snoddy, 1969; *Phoretodagmia* Rubtsov, 1972; *Himalayum* Lewis, 1973; *Paragnus* Rubtsov & Yankovsky, 1982; *Archesimulium*

Rubtsov & Yankovsky,1982; *Argentisimulium* Rubtsov & Yankovsky,1982; *Striatosimulium* Rubtsov & Yankovsky,1982

- 5085) *Sulcinephya* Rubtsov,1971** (Simuliidae) Synonym(s): *Sulcinephya* Rubtsov,1971
- 5086) *Coproica* Rondani,1861** (Sphaeroceridae) Synonym(s): *Heteroptera* Macquart,1835 nec Raf.,1814; *Coproica* Rondani,1861
- 5087) *Copromyza* (*Crumomyia*) Macquart,1835** (Sphaeroceridae) Synonym(s): *Crumomyia* Macquart,1835
- 5088) *Copromyza* Fallén,1810** (Sphaeroceridae) Synonym(s): *Copromyza* Fallén,1810; *Cimbometopia* Lioy,1864; *Isogaster* Lioy,1864; *Trichiaspis* Duda,1923
- 5089) *Leptocera* Olivier,1813** (Sphaeroceridae) Synonym(s): *Leptocera* Olivier,1813; *Collinella* Duda,1918; *Paracollinella* Duda,1924; *Collinellula* Strand,1928; *Colluta* Strand,1932; *Rachispodina* Enderlein,1936
- 5090) *Minilimosina* (*Allolimosina*) Rohacek,1983** (Sphaeroceridae) Synonym(s): *Allolimosina* Rohacek,1983
- 5091) *Minilimosina* Rohacek,1983** (Sphaeroceridae) Synonym(s): *Minilimosina* Rohacek,1983
- 5092) *Norrbomia* Papp,1988** (Sphaeroceridae) Synonym(s): *Norrbomia* Papp,1988
- 5093) *Opacifrons* Duda,1918** (Sphaeroceridae) Synonym(s): *Opacifrons* Duda,1918
- 5094) *Puncticorpus* Duda,1918** (Sphaeroceridae) Synonym(s): *Puncticorpus* Duda,1918
- 5095) *Rachispoda* Lioy,1864** (Sphaeroceridae) Synonym(s): *Rachispoda* Lioy,1864
- 5096) *Terrilimosina* Rohacek,1983** (Sphaeroceridae) Synonym(s): *Terrilimosina* Rohacek,1983
- 5097) *Thoracochaeta* Duda,1918** (Sphaeroceridae) Synonym(s): *Thoracochaeta* Duda,1918
- 5098) *Ammophila* Kirby,1798** (Sphecidae) Synonym(s): *Ammophila* Kirby,1798; *Ammophylus* Latreille,1802; *Miscus* Jurine,1807; *Ammophilus* Latreille,1829; *Coloptera* Latreille,1845; *Argyrammophila* Gussakowski,1928; *Apynemia* Leclercq,1961
- 5099) *Podalonia* Fernald,1927** (Sphecidae) Synonym(s): *Podalonia* Fernald,1927
- 5100) *Sceliphron* (*Hensenia*) Pagliano & Scaramozzino,1989** (Sphecidae) Synonym(s): *Prosceliphron* Van der Vecht,1968 nec Frenguelli,1946; *Hensenia* Pagliano & Scaramozzino,1989; #*Hansenia* Gayubo & Özbek,2005
- 5101) *Sceliphron* (s.str.) Klug,1801** (Sphecidae) Synonym(s): *Sceliphron* Klug,1801; *Pelopoeus* Latreille,1802; *Sceliphrum* Schulz,1906
- 5102) *Sceliphron* Klug,1801** (Sphecidae) Synonym(s): *Sceliphron* Klug,1801; *Pelopoeus* Latreille,1802; *Sceliphrum* Schulz,1906
- 5103) *Sphex* Linnaeus,1758** (Sphecidae) Synonym(s): *Sphex* Linnaeus,1758; #*Sphaex* Scopoli,1772
- 5104) *Isolabella* Verhoeff,1902** (Spongiphoridae) Synonym(s): *Isolabella* Verhoeff,1902
- 5105) *Isolaboides* Hincks,1958** (Spongiphoridae) Synonym(s): *Isolaboides* Hincks,1958
- 5106) *Labia* Leach,1815** (Spongiphoridae) Synonym(s): *Labia* Leach,1815
- 5107) *Acidota* Kirby,1829** (Staphylinidae) Synonym(s): *Acidota* Kirby,1829
- 5108) *Acrolocha* Thomson,1858** (Staphylinidae) Synonym(s): *Acrolocha* Thomson,1858
- 5109) *Acrotona* Thomson,1859** (Staphylinidae) Synonym(s): *Acrotona* Thomson,1859
- 5110) *Acrotona concamerata* Assing,2004** (Staphylinidae) Synonym(s): *concamerata* Assing,2004
- 5111) *Aleochara* Gravenhorst,1802** (Staphylinidae) Synonym(s): *Aleochara* Gravenhorst,1802
- 5112) *Alevonota* Thomson,1858** (Staphylinidae) Synonym(s): *Alevonota* Thomson,1858
- 5113) *Aloconota* Thomson,1858** (Staphylinidae) Synonym(s): *Aloconota* Thomson,1858
- 5114) *Amarochara* Thomson,1858** (Staphylinidae) Synonym(s): *Amarochara* Thomson,1858
- 5115) *Amischa* Thomson,1858** (Staphylinidae) Synonym(s): *Amischa* Thomson,1858
- 5116) *Anaulacaspis* Ganglbauer,1895** (Staphylinidae) Synonym(s): *Anaulacaspis* Ganglbauer,1895
- 5117) *Anomognathus* Solier,1849** (Staphylinidae) Synonym(s): *Anomognathus* Solier,1849
- 5118) *Anthobium* Leach,1819** (Staphylinidae) Synonym(s): *Anthobium* Leach,1819
- 5119) *Anthophagus* Gravenhorst,1802** (Staphylinidae) Synonym(s): *Anthophagus* Gravenhorst,1802
- 5120) *Arrhenopeplus* Koch,1937** (Staphylinidae) Synonym(s): *Arrhenopeplus* Koch,1937
- 5121) *Atheta* Thomson,1858** (Staphylinidae) Synonym(s): *Atheta* Thomson,1858
- 5122) *Autalia* Samouelle,1819** (Staphylinidae) Synonym(s): *Autalia* Samouelle,1819
- 5123) *Batrisodes* Reitter,1882** (Staphylinidae) Synonym(s): *Batrisodes* Reitter,1882
- 5124) *Batrisus* Aubé,1833** (Staphylinidae) Synonym(s): *Batrisus* Aubé,1833
- 5125) *Bergrothia* Reitter,1884** (Staphylinidae) Synonym(s): *Amicrops* Saulcy,1880 (praeocc.); *Bergrothia* Reitter,1884; *Bergrothiella* Reitter,1887
- 5126) *Biblopectus* Reitter,1882** (Staphylinidae) Synonym(s): *Biblopectus* Reitter,1882
- 5127) *Bibloporus* Thomson,1859** (Staphylinidae) Synonym(s): *Bibloporus* Thomson,1859
- 5128) *Bolitobius* Samouelle,1819** (Staphylinidae) Synonym(s): *Bolitobius* Samouelle,1819
- 5129) *Bolitochara* Mannerheim,1831** (Staphylinidae) Synonym(s): *Bolitochara* Mannerheim,1831
- 5130) *Boreaphilus* Sahlberg,1832** (Staphylinidae) Synonym(s): *Boreaphilus* Sahlberg,1832
- 5131) *Brachygluta* Thomson,1859** (Staphylinidae) Synonym(s): *Brachygluta* Thomson,1859
- 5132) *Brachygnathellus* Zerche,1991** (Staphylinidae) Synonym(s): *Brachygnathellus* Zerche,1991
- 5133) *Bryaxis* Kugelan,1794** (Staphylinidae) Synonym(s): *Bryaxis* Kugelan,1794
- 5134) *Bryophacis* Reitter,1909** (Staphylinidae) Synonym(s): *Bryophacis* Reitter,1909

- 5135) **Bryoporus cernuus (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *cernuus* Gravenhorst,1806
- 5136) **Bythinus Leach,1817** (Staphylinidae) Synonym(s): *Bythinus* Leach,1817
- 5137) **Callicerus Gravenhorst,1802** (Staphylinidae) Synonym(s): *Callicerus* Gravenhorst,1802
- 5138) **Calodera Mannerheim,1831** (Staphylinidae) Synonym(s): *Calodera* Mannerheim,1831
- 5139) **Caloderina Ganglbauer,1895** (Staphylinidae) Synonym(s): *Caloderina* Ganglbauer,1895
- 5140) **Chaetosogonocephus Pace,1986** (Staphylinidae) Synonym(s): *Chaetosogonocephus* Pace,1986
- 5141) **Chennium Latreille,1807** (Staphylinidae) Synonym(s): *Chennium* Latreille,1807
- 5142) **Cilea Jacquelin Du Val,1858** (Staphylinidae) Synonym(s): *Cilea* Jacquelin Du Val,1858
- 5143) **Claviger Preyssler,1790** (Staphylinidae) Synonym(s): *Claviger* Preyssler,1790
- 5144) **Coprophilus Latreille,1829** (Staphylinidae) Synonym(s): *Coprophilus* Latreille,1829
- 5145) **Coproporus Kraatz,1856** (Staphylinidae) Synonym(s): *Coproporus* Kraatz,1856
- 5146) **Cordalia Mulsant & Rey,1875** (Staphylinidae) Synonym(s): *Cordalia* Mulsant & Rey,1875
- 5147) **Coryphiodes Bernhauer,1898** (Staphylinidae) Synonym(s): *Coryphiodes* Bernhauer,1898
- 5148) **Coryphium Stephens,1829** (Staphylinidae) Synonym(s): *Coryphium* Stephens,1829
- 5149) **Cousya Mulsant & Rey,1875** (Staphylinidae) Synonym(s): *Cousya* Mulsant & Rey,1875
- 5150) **Cryptobium Mannerheim,1830** (Staphylinidae) Synonym(s): *Cryptobium* Mannerheim,1830
- 5151) **Ctenisomorphus Raffray,1890** (Staphylinidae) Synonym(s): *Ctenisomorphus* Raffray,1890
- 5152) **Ctenistes Reichenbach,1816** (Staphylinidae) Synonym(s): *Ctenistes* Reichenbach,1816
- 5153) **Cypha Syepkens,1829** (Staphylinidae) Synonym(s): *Cypha* Syepkens,1829
- 5154) **Dasycerus Brongniart,1800** (Staphylinidae) Synonym(s): *Dasycerus* Brongniart,1800
- 5155) **Deinopsis Matthew,1838** (Staphylinidae) Synonym(s): *Deinopsis* Matthew,1838
- 5156) **Deleaster Erichson,1839** (Staphylinidae) Synonym(s): *Deleaster* Erichson,1839
- 5157) **Delenda Croissandeau,1891** (Staphylinidae) Synonym(s): *Delenda* Croissandeau,1891
- 5158) **Deliphrosoma Reitter,1909** (Staphylinidae) Synonym(s): *Deliphrosoma* Reitter,1909
- 5159) **Derocala Mulsant & Rey,1875** (Staphylinidae) Synonym(s): *Derocala* Mulsant & Rey,1875
- 5160) **Dialycera Ganglbauer,1895** (Staphylinidae) Synonym(s): *Dialycera* Ganglbauer,1895
- 5161) **Dinusa Saulcy,1865** (Staphylinidae) Synonym(s): *Dinusa* Saulcy,1865
- 5162) **Drusilla Samouelle,1819** (Staphylinidae) Synonym(s): *Drusilla* Samouelle,1819
- 5163) **Enoptostomus Schaum,1864** (Staphylinidae) Synonym(s): *Enoptostomus* Schaum,1864;
#*Enaptostomus* Anlaß,2009
- 5164) **Euplectus Leach,1817** (Staphylinidae) Synonym(s): *Euplectus* Leach,1817
- 5165) **Euryalea Mulsant & Rey,1875** (Staphylinidae) Synonym(s): *Euryalea* Mulsant & Rey,1875
- 5166) **Euryusa Erichson,1837** (Staphylinidae) Synonym(s): *Euryusa* Erichson,1837
- 5167) **Eusphalerum Kraatz,1858** (Staphylinidae) Synonym(s): *Eusphalerum* Kraatz,1858
- 5168) **Falagria Samouelle,1819** (Staphylinidae) Synonym(s): *Falagria* Samouelle,1819
- 5169) **Falagrioma Casey,1906** (Staphylinidae) Synonym(s): *Falagrioma* Casey,1906
- 5170) **Faronus Aubé,1844** (Staphylinidae) Synonym(s): *Faronus* Aubé,1844
- 5171) **Geodromicus Redtenbacher,[1857]** (Staphylinidae) Synonym(s): *Geodromus* Heer,1841
(*praeocc.*); *Geodromicus* Redtenbacher,[1857]
- 5172) **Geomitopsis Scheerpeltz,1931** (Staphylinidae) Synonym(s): *Geomitopsis* Scheerpeltz,1931
- 5173) **Geostiba Thomson,1858** (Staphylinidae) Synonym(s): *Geostiba* Thomson,1858
- 5174) **Gnypeta Thomson,1858** (Staphylinidae) Synonym(s): *Gnypeta* Thomson,1858
- 5175) **Gymnusa Karsten,1806** (Staphylinidae) Synonym(s): *Gymnusa* Karsten,1806
- 5176) **Gyrophæna Mannerheim,1831** (Staphylinidae) Synonym(s): *Gyrophæna* Mannerheim,1831
- 5177) **Habrocerus Erichson,1839** (Staphylinidae) Synonym(s): *Habrocerus* Erichson,1839
- 5178) **Halobrecta Thomson,1858** (Staphylinidae) Synonym(s): *Halobrecta* Thomson,1858
- 5179) **Haploglossa Kraatz,1858** (Staphylinidae) Synonym(s): *Haploglossa* Kraatz,1858; *Microglotta* Kraatz,1862
- 5180) **Heterota Mulsant & Rey,1873** (Staphylinidae) Synonym(s): *Heterota* Mulsant & Rey,1873
- 5181) **Homoeusa Kraatz,1858** (Staphylinidae) Synonym(s): *Homoeusa* Kraatz,1858
- 5182) **Ilyobates Kraatz,1856** (Staphylinidae) Synonym(s): *Ilyobates* Kraatz,1856
- 5183) **Ischnoglossa Kraatz,[1856]** (Staphylinidae) Synonym(s): *Ischnoglossa* Kraatz,[1856]
- 5184) **Ischnopoda Stephens,1835** (Staphylinidae) Synonym(s): *Ischnopoda* Stephens,1835
- 5185) **Ischnosoma assingi Schülke,2007** (Staphylinidae) Synonym(s): *assingi* Schülke,2007
- 5186) **Lamprinodes Luze,1901** (Staphylinidae) Synonym(s): *Lamprinodes* Luze,1901
- 5187) **Leptotyphlopsis Scheerpeltz,1931** (Staphylinidae) Synonym(s): *Leptotyphlopsis* Scheerpeltz,1931
- 5188) **Leptusa Kraatz,1858** (Staphylinidae) Synonym(s): *Leptusa* Kraatz,1858
- 5189) **Lesteva Latreille,1796** (Staphylinidae) Synonym(s): *Lesteva* Latreille,1796
- 5190) **Liogluta Thomson,1858** (Staphylinidae) Synonym(s): *Liogluta* Thomson,1858
- 5191) **Lordithon Thomson,1859** (Staphylinidae) Synonym(s): *Lordithon* Thomson,1859
- 5192) **Mannerheimia Maeklin,1880** (Staphylinidae) Synonym(s): *Mannerheimia* Maeklin,1880
- 5193) **Megalogastrina Bernhauer,1901** (Staphylinidae) Synonym(s): *Megalogastrina* Bernhauer,1901
- 5194) **Megaloscapa Seidlitz,1889** (Staphylinidae) Synonym(s): *Megaloscapa* Seidlitz,1889

- 5195) **Megarathrus Stephens, 1829** (Staphylinidae) Synonym(s): *Megarathrus Stephens, 1829*
 5196) **Meotica Mulsant & Rey, 1875** (Staphylinidae) Synonym(s): *Meotica Mulsant & Rey, 1875*
 5197) **Metopsia Wollaston, 1854** (Staphylinidae) Synonym(s): *Metopsia Wollaston, 1854*
 5198) **Micropeplus Latreille, 1809** (Staphylinidae) Synonym(s): *Micropeplus Latreille, 1809*
 5199) **Mycetoporus Mannerheim, 1831** (Staphylinidae) Synonym(s): *Mycetoporus Mannerheim, 1831*
 5200) **Myllaena Erichson, 1837** (Staphylinidae) Synonym(s): *Myllaena Erichson, 1837*; #*Myllana Duponchel, 1841*
 5201) **Myrmecopora Saulcy, 1865** (Staphylinidae) Synonym(s): *Myrmecopora Saulcy, 1865*
 5202) **Myrmoeia Mulsant & Rey, 1873** (Staphylinidae) Synonym(s): *Myrmoeia Mulsant & Rey, 1873*
 5203) **Namunia Reitter, 1882** (Staphylinidae) Synonym(s): *Namunia Reitter, 1882*
 5204) **Nehemitropia Lohse, 1971** (Staphylinidae) Synonym(s): *Nehemitropia Lohse, 1971*
 5205) **Notothecta Thomson, 1858** (Staphylinidae) Synonym(s): *Notothecta Thomson, 1858*
 5206) **Ocalea Erichson, 1837** (Staphylinidae) Synonym(s): *Ocalea Erichson, 1837*
 5207) **Oligota Mannerheim, 1831** (Staphylinidae) Synonym(s): *Oligota Mannerheim, 1831*
 5208) **Olophrum Erichson, 1839** (Staphylinidae) Synonym(s): *Olophrum Erichson, 1839*
 5209) **Omalium Gravenhorst, 1802** (Staphylinidae) Synonym(s): *Omalium Gravenhorst, 1802*
 5210) **Ousipalia Des Gozis, 1886** (Staphylinidae) Synonym(s): *Ousipalia Des Gozis, 1886*
 5211) **Oxypoda Mannerheim, 1831** (Staphylinidae) Synonym(s): *Oxypoda Mannerheim, 1831*
 5212) **Panaphantus Kraatz, 1858** (Staphylinidae) Synonym(s): *Panaphantus Kraatz, 1858*
 5213) **Parabolitobius Li, Zhao & Sakai, 2000** (Staphylinidae) Synonym(s): *Parabolitobius Li, Zhao & Sakai, 2000*
 5214) **Paratychus Besuchet, 1960** (Staphylinidae) Synonym(s): *Paratychus Besuchet, 1960*
 5215) **Parocyusa Bernhauer, 1902** (Staphylinidae) Synonym(s): *Parocyusa Bernhauer, 1902*
 5216) **Pella Stephens, 1835** (Staphylinidae) Synonym(s): *Pella Stephens, 1835*
 5217) **Pelochromonia Reitter, 1909** (Staphylinidae) Synonym(s): *Pelochromonia Reitter, 1909*
 5218) **Peltodonia Bernhauer, 1936** (Staphylinidae) Synonym(s): *Peltodonia Bernhauer, 1936*
 5219) **Philorirum Kraatz, 1858** (Staphylinidae) Synonym(s): *Philorirum Kraatz, 1858*; #*Philonirum Anlaß, 2009*
 5220) **Phloeocharis Mannerheim, 1831** (Staphylinidae) Synonym(s): *Phloeocharis Mannerheim, 1831*
 5221) **Phloeopora Erichson, 1837** (Staphylinidae) Synonym(s): *Phloeopora Erichson, 1837*; *Phlaeopora auct.*
 5222) **Phloeostiba Thomson, 1858** (Staphylinidae) Synonym(s): *Phloeostiba Thomson, 1858*
 5223) **Phyllodrepa Thomson, 1861** (Staphylinidae) Synonym(s): *Phyllodrepa Thomson, 1861*
 5224) **Phytosus Curtis, 1838** (Staphylinidae) Synonym(s): *Phytosus Curtis, 1838*
 5225) **Piochardia Heyden, 1870** (Staphylinidae) Synonym(s): *Piochardia Heyden, 1870*
 5226) **Plataraea Thomson, 1858** (Staphylinidae) Synonym(s): *Plataraea Thomson, 1858*
 5227) **Platyola Mulsant & Rey, 1875** (Staphylinidae) Synonym(s): *Platyola Mulsant & Rey, 1875*
 5228) **Plectophloeus Reitter, 1891** (Staphylinidae) Synonym(s): *Plectophloeus Reitter, 1891*
 5229) **Poromniusa Ganglbauer, 1895** (Staphylinidae) Synonym(s): *Poromniusa Ganglbauer, 1895*
 5230) **Potamaurops Müller, 1944** (Staphylinidae) Synonym(s): *Potamaurops Müller, 1944*
 5231) **Pronomaea Erichson, 1837** (Staphylinidae) Synonym(s): *Pronomaea Erichson, 1837*
 5232) **Proteinus Latreille, 1796** (Staphylinidae) Synonym(s): *Proteinus Latreille, 1796*
 5233) **Pselaphogenius Reitter, 1910** (Staphylinidae) Synonym(s): *Pselaphogenius Reitter, 1910*
 5234) **Pselaphus Herbst, 1792** (Staphylinidae) Synonym(s): *Pselaphus Herbst, 1792*
 5235) **Pseudocalea Luze, 1902** (Staphylinidae) Synonym(s): *Pseudocalea Luze, 1902*
 5236) **Pseudoplectus Reitter, 1882** (Staphylinidae) Synonym(s): *Pseudoplectus Reitter, 1882*
 5237) **Pseudosemiris Machulka, 1935** (Staphylinidae) Synonym(s): *Pseudosemiris Machulka, 1935*
 5238) **Pycnota Mulsant & Rey, 1873** (Staphylinidae) Synonym(s): *Pycnota Mulsant & Rey, 1873*
 5239) **Pyroglossa Bernhauer, 1901** (Staphylinidae) Synonym(s): *Pyroglossa Bernhauer, 1901*
 5240) **Reichenbachia Leach, 1826** (Staphylinidae) Synonym(s): *Reichenbachia Leach, 1826*
 5241) **Rhopalocerina Reitter, 1909** (Staphylinidae) Synonym(s): *Rhopalocera Ganglbauer, 1895 nec Agassiz, 1846; Rhopalocerina Reitter, 1909*
 5242) **Rybaxis Saulcy, 1876** (Staphylinidae) Synonym(s): *Rybaxis Saulcy, 1876*
 5243) **Scotoplectus Reitter, 1880** (Staphylinidae) Synonym(s): *Scotoplectus Reitter, 1880*
 5244) **Sepedophilus** (Staphylinidae) Synonym(s):
 5245) **Silusa Erichson, 1837** (Staphylinidae) Synonym(s): *Silusa Erichson, 1837*
 5246) **Sognorus Reitter, [1881]** (Staphylinidae) Synonym(s): *Sognorus Reitter, [1881]*
 5247) **Tachinus Gravenhorst, 1802** (Staphylinidae) Synonym(s): *Tachinus Gravenhorst, 1802*
 5248) **Tachyporus Gravenhorst, 1802** (Staphylinidae) Synonym(s): *Tachyporus Gravenhorst, 1802*
 5249) **Tachyusa Erichson, 1837** (Staphylinidae) Synonym(s): *Tachyusa Erichson, 1837*
 5250) **Taxicera Mulsant & Rey, 1875** (Staphylinidae) Synonym(s): *Taxicera Mulsant & Rey, 1875*
 5251) **Tectusa Bernhauer, 1899** (Staphylinidae) Synonym(s): *Tectusa Bernhauer, 1899*
 5252) **Tetartoepus Czwalińska, 1888** (Staphylinidae) Synonym(s): *Tetartoepus Czwalińska, 1888*

- 5253) **Thiasophila Kraatz,[1856]** (Staphylinidae) Synonym(s): *Thiasophila Kraatz,[1856]*
 5254) **Tinotus Sharp,1883** (Staphylinidae) Synonym(s): *Tinotus Sharp,1883*
 5255) **Tomoglossa Kraatz,1858** (Staphylinidae) Synonym(s): *Tomoglossa Kraatz,1858*
 5256) **Tremissus inexpectatus Besuchet,1981** (Staphylinidae) Synonym(s): *inexpectatus Besuchet,1981*
 5257) **Tribatus Motschoulsky,1851** (Staphylinidae) Synonym(s): *Tribatus Motschoulsky,1851*
 5258) **Trichophya Mannerheim,1831** (Staphylinidae) Synonym(s): *Trichophya Mannerheim,1831*
 5259) **Trimium Aubé,1833** (Staphylinidae) Synonym(s): *Trimium Aubé,1833*
 5260) **Trissemus Jeannel,1949** (Staphylinidae) Synonym(s): *Trissemus Jeannel,1949*
 5261) **Tropimenelytron Scheerpeltz,1951** (Staphylinidae) Synonym(s): *Tropimenelytron Scheerpeltz,1951*
 5262) **Turcizyras Murayama,2006** (Staphylinidae) Synonym(s): *Turcizyras Murayama,2006*
 5263) **Tychobythinus Ganglbauer,1896** (Staphylinidae) Synonym(s): *Tychobythinus Ganglbauer,1896*
 5264) **Tychus Leach,1817** (Staphylinidae) Synonym(s): *Tychus Leach,1817*
 5265) **Tyrus Aubé,1833** (Staphylinidae) Synonym(s): *Tyrus Aubé,1833*
 5266) **Xylodromus Heer,1839** (Staphylinidae) Synonym(s): *Xylodromus Heer,1839*
 5267) **Zibus Saulcy,1876** (Staphylinidae) Synonym(s): *Zibus Saulcy,1876*
 5268) **Zoosetha Mulsant & Rey,1875** (Staphylinidae) Synonym(s): *Zoosetha Mulsant & Rey,1875*
 5269) **Dicranocephalus Hahn,1826** (Stenocephalidae) Synonym(s): *Dicranocephalus Hahn,1826; Stenocephala Berthold,1827; Stenocephalus Latreille,1829; Dicranomerus Hahn,1831; Psotilnus Stal,1860*
 5270) **Adoxomyia Kertész,1907** (Stratiomyidae) Synonym(s): *Adoxomyia Kertész,1907; Euclitellaria Kertész,1923*
 5271) **Beris Latreille,1802** (Stratiomyidae) Synonym(s): *Beris Latreille,1802; Hexacantha Meigen,1803; Hexacantha Lioy,1864; Octacantha Lioy,1864*
 5272) **Chloromyia Duncan,1837** (Stratiomyidae) Synonym(s): *Chloromyia Duncan,1837*
 5273) **Exochostoma Macquart,1842** (Stratiomyidae) Synonym(s): *Exochostoma Macquart,1842*
 5274) **Hermetia Latreille,1804** (Stratiomyidae) Synonym(s): *Hermetia Latreille,1804*
 5275) **Lasiopa Brullé,1832** (Stratiomyidae) Synonym(s): *Lasiopa Brullé,1832; Cyclogaster Macquart,1834*
 5276) **Nemotelus (s.str.) Geoffroy,1762** (Stratiomyidae) Synonym(s): *Nemotelus Geoffroy,1762; Galeodiotrigger Pleske,1937; #Melanonemotelinus Lindner,1937; Melanonemotelinus Szilady,1941*
 5277) **Nemotelus Geoffroy,1762** (Stratiomyidae) Synonym(s): *Nemotelus Geoffroy,1762; Galeodiotrigger Pleske,1937; #Melanonemotelinus Lindner,1937; Melanonemotelinus Szilady,1941*
 5278) **Odontomyia Meigen,1803** (Stratiomyidae) Synonym(s): *#Eulalia Meigen,1800; Odontomyia Meigen,1803; Opseogymnus A.Costa,1857; Trichacrostylia Enderlein,1914; Neuraphanisis Enderlein,1914; Catatasina Enderlein,1914; Stratiomyiopsis Pleske,1922; Hadracantha Pleske,1922; Clitellariopsis Pleske,1922; Achlyomyia Pleske,1922; Zoniomyia Pleske,1922; Orthogoniocera Lindler,1951*
 5279) **Oplodontha Rondani,1863** (Stratiomyidae) Synonym(s): *Oplodontha Rondani,1863; Oplodonta Brauer,1882; Haplodonta Scudder,1882*
 5280) **Oxycera (Camptopelta) Williston,1917** (Stratiomyidae) Synonym(s): *Camptopelta Williston,1917; Nemotelinus Enderlein,1936*
 5281) **Oxycera Meigen,1803** (Stratiomyidae) Synonym(s): *#Hermione Meigen,1800; Oxycera Meigen,1803; Hypoleon Dumeril,1806; Heteroxycera Bigot,1856; Euoxycera Pleske,1925; Paroxycera Pleske,1925; Macroxyrcera Pleske,1925; Metoxyrcera Pleske,1925; Alphoxyrcera Pleske,1925; Betoxyrcera Pleske,1925; Microxyrcera Pleske,1925; Heraclina Lindner,1938*
 5282) **Pachygaster Meigen,1803** (Stratiomyidae) Synonym(s): *Pachygaster Meigen,1803; Vappo Latreille,1804; Praomyia Kertész,1916; Alphapachygaster Pleske,1922*
 5283) **Pycnomalla Gerstaecker,1857** (Stratiomyidae) Synonym(s): *Pycnomalla Gerstaecker,1857*
 5284) **Sargus Fabricius,1798** (Stratiomyidae) Synonym(s): *Sargus Fabricius,1798; Chrysonotus Loew,1855; Chrysochroma Williston,1896; Chrysonotomyia Hunter,1900; Geosargus Bezzi,1907; Pedicellina James,1952 nec Sars,1935*
 5285) **Stratiomys Geoffroy,1762** (Stratiomyidae) Synonym(s): *Stratiomys Geoffroy,1762; Hirtea Scopoli,1763; Stratiomyia Macquart,1838; Hoplomyia Zeller,1842; Thyreodontha Rondani,1863; Stratiotomyia Lynch Arribalzaga,1882; Oreomyia Pleske,1922; Holopyrrhoceromyia Pleske,1922; Hemipyrrhoceromyia Pleske,1922; Laternigera Pleske,1922; Eustratiomyia Pleske,1922; Amauromyia Pleske,1922; Poecilothorax Pleske,1922; Diademomyia Pleske,1922; Metastratiomyia Pleske,1922; Electrolophidion Pleske,1922; Parastratiomyia Pleske,1922; Stereoxantha Pleske,1922*
 5286) **Brachytarsina Macquart,1851** (Strebliidae) Synonym(s): *Brachytarsina Macquart,1851*
 5287) **Baccha Fabricius,1805** (Syrphidae) Synonym(s): *Baccha Fabricius,1805; Bacca Rondani,1844; Bacha Schiner,1861*
 5288) **Brachypalpoides Hipparia,1978** (Syrphidae) Synonym(s): *Brachypalpoides Hipparia,1978*
 5289) **Brachypalpus Macquart,1834** (Syrphidae) Synonym(s): *Brachypalpus Macquart,1834*
 5290) **Caliprobola Rondani,1845** (Syrphidae) Synonym(s): *Caliprobola Rondani,1845*
 5291) **Ceriana Rafinesque,1815** (Syrphidae) Synonym(s): *Ceria Fabricius,1794 nec Sc.,1763; Ceriana Rafinesque,1815; Styloceria Enderlein,1934; Hisamatsumyia Shiraki,1968*
 5292) **Chalcosyrphus Curran,1925** (Syrphidae) Synonym(s): *Chalcosyrphus Curran,1925*

- 5293) Cheilosia (s.str.) Panzer,[1809]** (Syrphidae) Synonym(s): *Cheilosia* Panzer,[1809]; *Chilosia* Agassiz,1846; *Cartosyrphus* Bigot,1883; *Chilomyia* Shannon,1922; *Dasychilosia* Enderlein,1936; *Chaetochilosia* Enderlein,1936
- 5294) Cheilosia Panzer,[1809]** (Syrphidae) Synonym(s): *Cheilosia* Panzer,[1809]; *Chilosia* Agassiz,1846; *Cartosyrphus* Bigot,1883; *Chilomyia* Shannon,1922; *Dasychilosia* Enderlein,1936; *Chaetochilosia* Enderlein,1936
- 5295) Chrysogaster Meigen,1803** (Syrphidae) Synonym(s): *Chrysogaster* Meigen,1803
- 5296) Chrysotoxum Meigen,1803** (Syrphidae) Synonym(s): *#Antiopa* Meigen,1800; *Chrysotoxum* Meigen,1803
- 5297) Dasysyrphus Enderlein,1937** (Syrphidae) Synonym(s): *Dasysyrphus* Enderlein,1937
- 5298) Didea Macquart,1834** (Syrphidae) Synonym(s): *Didea* Macquart,1834; *Enica* Meigen,1838
- 5299) Epistrophe (s.str.) Walker,1852** (Syrphidae) Synonym(s): *Epistrophe* Walker,1852; *Lagenosyrphus* Mik,1897; *Eristalosyrphus* Matsumura,1918; *Zimaera* Hippa,1968; *Stackelbergina* Violovitsh,1979
- 5300) Epistrophe Walker,1852** (Syrphidae) Synonym(s): *Epistrophe* Walker,1852; *Lagenosyrphus* Mik,1897; *Eristalosyrphus* Matsumura,1918; *Zimaera* Hippa,1968; *Stackelbergina* Violovitsh,1979
- 5301) Episyrphus Matsumura,1917** (Syrphidae) Synonym(s): *Episyrphus* Matsumura,1917; *Heterepistrophe* Szilady,1940
- 5302) Eristalinus (Eristalodes) Mik,1897** (Syrphidae) Synonym(s): *Eristalodes* Mik,1897
- 5303) Eristalinus (Lathyrophthalmus) Mik,1897** (Syrphidae) Synonym(s): *Lathyrophthalmus* Mik,1897
- 5304) Eristalinus (s.str.) Rondani,[1845]** (Syrphidae) Synonym(s): *Eristalinus* Rondani,[1845]
- 5305) Eristalinus Rondani,[1845]** (Syrphidae) Synonym(s): *Eristalinus* Rondani,[1845]
- 5306) Eristalis (Eoseritalis) Latreille,1804** (Syrphidae) Synonym(s): *Eoseritalis* Latreille,1804
- 5307) Eristalis Latreille,1804** (Syrphidae) Synonym(s): *#Tubifera* Meigen,1800; *Elophilus* Meigen,1803; *Eristalis* Latreille,1804; *Helophilus* Leach,1817; *Eristaloides* Rondani,1845; *Eristalomyia* Rondani,1857; *Eristalomyia* Verrall,1882; *Eriops* Liroy,1864
- 5308) Eumerus Meigen,1822** (Syrphidae) Synonym(s): *Eumerus* Meigen,1822; *Paragopsis* Matsumura,1916
- 5309) Eupeodes Osten-Sacken,1877** (Syrphidae) Synonym(s): *Eupeodes* Osten-Sacken,1877; *Metasyrphus* Matsumura,1917; *Posthosyrphus* Enderlein,1938
- 5310) Ferdinandea Rondani,1844** (Syrphidae) Synonym(s): *Ferdinandea* Rondani,1844
- 5311) Helophilus (Anasimyia) Schiner,1864** (Syrphidae) Synonym(s): *Anasimyia* Schiner,1864
- 5312) Helophilus Meigen,1822** (Syrphidae) Synonym(s): *Helophilus* Meigen,1822; *Eurimyia* Bigot,1883; *Eurinomyia* Mik,1897
- 5313) Heringia Rondani,1856** (Syrphidae) Synonym(s): *Heringia* Rondani,1856
- 5314) Ischiodon Sack,1913** (Syrphidae) Synonym(s): *Ischiodon* Sack,1913; *#Ischidon* Khaghaninia et al.,2010
- 5315) Lapposyrphus Dusek & Laska,1967** (Syrphidae) Synonym(s): *Lapposyrphus* Dusek & Laska,1967
- 5316) Lejogaster Rondani,1857** (Syrphidae) Synonym(s): *Lejogaster* Rondani,1857; *Liogaster* Verrall,1882; *Sulcatella* Goffe,1944
- 5317) Lejops Rondani,1857** (Syrphidae) Synonym(s): *Lejops* Rondani,1857; *#Liops* Verrall,1901
- 5318) Leucozona Schiner,1860** (Syrphidae) Synonym(s): *Leucozona* Schiner,1860
- 5319) Mallota Meigen,1822** (Syrphidae) Synonym(s): *Mallota* Meigen,1822; *Zetterstedtia* Rondani,1845; *Paramesembrinus* Shiraki,1930; *Pseudomallota* Shiraki,1930; *Pseudomerodon* Shiraki,1930; *Bombozelosis* Enderlein,1934
- 5320) Melanogaster Rondani,1857** (Syrphidae) Synonym(s): *Melanogaster* Rondani,1857
- 5321) Melanostoma Schiner,1860** (Syrphidae) Synonym(s): *Melanostoma* Schiner,1860; *Pachysphyria* Enderlein,1938
- 5322) Meliscaeva Frey,1946** (Syrphidae) Synonym(s): *Meliscaeva* Frey,1946
- 5323) Merodon Meigen,1803** (Syrphidae) Synonym(s): *#Lampetia* Meigen,1800; *Merodon* Meigen,1803; *Exmerodon* Becker,1912
- 5324) Mesembrius Rondani,1857** (Syrphidae) Synonym(s): *Mesembrius* Rondani,1857
- 5325) Microdon Meigen,1803** (Syrphidae) Synonym(s): *Microdon* Meigen,1803; *Aphritis* Latreille,1804; *Dimeraspis* Newman,1838; *Colacis* Gistel,1848
- 5326) Milesia Latreille,1804** (Syrphidae) Synonym(s): *Milesia* Latreille,1804; *Sphixea* Rondani,1845
- 5327) Myathropa Rondani,[1845]** (Syrphidae) Synonym(s): *Myathropa* Rondani,[1845]
- 5328) Myolepta Newman,1838** (Syrphidae) Synonym(s): *Myolepta* Newman,1838; *Myiolepta* Newman,1841; *Leptomysia* Walker,1851
- 5329) Neoascia Williston,1886** (Syrphidae) Synonym(s): *Ascia* Meigen,1822 nec ; *Neoascia* Williston,1886
- 5330) Orthonevra Macquart,1829** (Syrphidae) Synonym(s): *Orthonevra* Macquart,1829; *Orthoneura* Loew,1843; *Campeneura* Rondani,1856; *Camponura* Verrall,1882
- 5331) Palumbia (s.str.) Rondani,1865** (Syrphidae) Synonym(s): *Palumbia* Rondani,1865
- 5332) Palumbia Rondani,1865** (Syrphidae) Synonym(s): *Palumbia* Rondani,1865
- 5333) Paragus (Pandasyopthalmus) Stuckenberg,1954** (Syrphidae) Synonym(s): *Pandasyopthalmus* Stuckenberg,1954
- 5334) Paragus (s.str.) Latreille,1804** (Syrphidae) Synonym(s): *Paragus* Latreille,1804
- 5335) Paragus Latreille,1804** (Syrphidae) Synonym(s): *Paragus* Latreille,1804

- 5336) *Parasyrphus* Matsumura, 1917** (Syrphidae) Synonym(s): *Parasyrphus* Matsumura, 1917
- 5337) *Parhelophilus* Girschner, 1897** (Syrphidae) Synonym(s): *Parhelophilus* Girschner, 1897
- 5338) *Pelecocera* Meigen, 1822** (Syrphidae) Synonym(s): *Pelecocera* Meigen, 1822
- 5339) *Pipiza* Fallén, 1810** (Syrphidae) Synonym(s): *Pipiza* Fallén, 1810
- 5340) *Pipizella* Rondani, 1856** (Syrphidae) Synonym(s): *Pipizella* Rondani, 1856; *Pizipella* Schiner, 1862
- 5341) *Platycheirus* Lepeletier & Audinet-Serville, 1828** (Syrphidae) Synonym(s): *Platycheirus* Lepeletier & Audinet-Serville, 1828; *Platycheirus* Agassiz, 1846; *Pachysphyria* Enderlein, 1938
- 5342) *Rhingia* Scopoli, 1763** (Syrphidae) Synonym(s): *Rhingia* Scopoli, 1763
- 5343) *Riponnensia* Maibach, Goeldlin & Speight, 1994** (Syrphidae) Synonym(s): *Riponnensia* Maibach, Goeldlin & Speight, 1994
- 5344) *Scaeva* Fabricius, 1805** (Syrphidae) Synonym(s): *Scaeva* Fabricius, 1805; *Lasipticus* Rondani, 1845; *Catabomba* Osten-Sacken, 1877
- 5345) *Sericomyia* Meigen, 1803** (Syrphidae) Synonym(s): *Cinxia* Meigen, 1800; *Sericomyia* Meigen, 1803; *Sericomyza* Zetterstedt, 1838
- 5346) *Spazigaster* Rondani, 1843** (Syrphidae) Synonym(s): *Spazigaster* Rondani, 1843; *Spathegaster* Schiner, 1868; *Spathiogaster* Loew, 1876; *Spathidogaster* Loew, 1876
- 5347) *Sphaerophoria* Lepeletier & Audinet-Serville, 1828** (Syrphidae) Synonym(s): *Sphaerophoria* Lepeletier & Audinet-Serville, 1828; *Melithreptus* Loew, 1840; *Nesosyrphus* Frey, 1845
- 5348) *Sphegina* (Asiosphegina) Stackelberg, 1974** (Syrphidae) Synonym(s): *Asiosphegina* Stackelberg, 1953; *Asiosphegina* Stackelberg, 1974
- 5349) *Sphegina* (s.str.) Meigen, 1822** (Syrphidae) Synonym(s): *Sphegina* Meigen, 1822; *Sphecina* Agassiz, 1846; *Humatrix* Gistel, 1848; *Sphoegina* Rondani, 1857
- 5350) *Sphegina* Meigen, 1822** (Syrphidae) Synonym(s): *Sphegina* Meigen, 1822; *Sphecina* Agassiz, 1846; *Humatrix* Gistel, 1848; *Sphoegina* Rondani, 1857
- 5351) *Sphiximorpha* Rondani, 1850** (Syrphidae) Synonym(s): *Sphiximorpha* Rondani, 1850; *Cerioides* Rondani, 1850; *Sphiximorpha* Rondan, 1856; *Sphecomorpha* Bezzi, 1906 nec Hbn., [1813]; *Shambalia* Virolvitsh, 1981
- 5352) *Syritta* Lepeletier & Audinet-Serville, 1828** (Syrphidae) Synonym(s): *Syritta* Lepeletier & Audinet-Serville, 1828; *Coprina* Zetterstedt, 1838; *Xylota* Westwood, 1840
- 5353) *Syrphus* Fabricius, 1775** (Syrphidae) Synonym(s): *Syrphus* Fabricius, 1775; *Syrphidis* Goffe, 1933
- 5354) *Temnostoma* Lepeletier & Audinet-Serville, 1828** (Syrphidae) Synonym(s): *Temnostoma* Lepeletier & Audinet-Serville, 1828
- 5355) *Tropidia* Meigen, 1822** (Syrphidae) Synonym(s): *Tropidia* Meigen, 1822
- 5356) *Volucella* Geoffroy, 1762** (Syrphidae) Synonym(s): *Volucella* Geoffroy, 1762; *Pterocera* Meigen, 1803; *Cenogaster* Dumeril, 1806; *Temnocera* Lepeletier & Audinet-Serville, 1828
- 5357) *Xanthandrus* Verrall, 1901** (Syrphidae) Synonym(s): *Xanthandrus* Verrall, 1901
- 5358) *Xanthogramma* Schiner, 1860** (Syrphidae) Synonym(s): *Xanthogramma* Schiner, 1860
- 5359) *Xylota* Meigen, 1822** (Syrphidae) Synonym(s): *Zelima* Meigen, 1800; *Eumeros* Meigen, 1803; *Heliophilus* Meigen, 1803; *Xylota* Meigen, 1822; *Micraptoma* Westwood, 1840
- 5360) *Atylotus* Osten Sacken, 1876** (Tabanidae) Synonym(s): *Atylotus* Osten Sacken, 1876; *Ochrops* Szilady, 1915; *Baikalia* Surcouf, 1921 nec Mart., 1876; *Dasystypia* Enderlein, 1922; *Surcoufiella* Bequaert, 1924; *Baikalomysia* Stackelberg, 1926; *Abatylotus* Philip, 1948
- 5361) *Chrysops* (Petersenichrysops) Moucha & Chvala, 1970** (Tabanidae) Synonym(s): *Petersenichrysops* Moucha & Chvala, 1970; *Petersenichrysops* Kılıç, 1999
- 5362) *Chrysops* Meigen, 1803** (Tabanidae) Synonym(s): *Chrysops* Meigen, 1803
- 5363) *Dasyrhamphus* Enderlein, 1922** (Tabanidae) Synonym(s): *Dasyrhamphus* Enderlein, 1922; *Dasyrhamphus* Kılıç, 2006
- 5364) *Glaucops* Szilady, 1923** (Tabanidae) Synonym(s): *Glaucops* Szilady, 1923
- 5365) *Haematopota* Meigen, 1803** (Tabanidae) Synonym(s): *Chrysozona* Meigen, 1800; *Haematopota* Meigen, 1803
- 5366) *Hybomitra* Enderlein, 1922** (Tabanidae) Synonym(s): *Hybomitra* Enderlein, 1922; *Tylostypia* Enderlein, 1922; *Didymops* Szilady, 1922; *Sipala* Enderlein, 1923; *Tylostypina* Enderlein, 1923; *Sziladynus* Enderlein, 1925; *Aplococera* Enderlein, 1933; *Tibetomyia* Olsufjev, 1967; *Mouchaemyia* Olsufjev, 1972
- 5367) *Nemorius* Rondani, 1856** (Tabanidae) Synonym(s): *Nemorius* Rondani, 1856; *Haemophila* Kriechbaumer, 1873 nec Reichenb., 1850; *Haematophila* Verrall, 1882
- 5368) *Pangonius* (Melanopangonius) Szilady, 1923** (Tabanidae) Synonym(s): *Melanopangonius* Szilady, 1923
- 5369) *Pangonius* (s.str.) Latreille, 1802** (Tabanidae) Synonym(s): *Pangonius* Latreille, 1802; *Tanyglossa* Meigen, 1804; *Pangonia* Fabricius, 1805; *Tacina* Walker, 1850; *Dasysylvius* Enderlein, 1922
- 5370) *Pangonius* Latreille, 1802** (Tabanidae) Synonym(s): *Pangonius* Latreille, 1802; *Tanyglossa* Meigen, 1804; *Pangonia* Fabricius, 1805; *Tacina* Walker, 1850; *Dasysylvius* Enderlein, 1922
- 5371) *Philipomyia* Olsufjev, 1964** (Tabanidae) Synonym(s): *Philipomyia* Olsufjev, 1964
- 5372) *Silvius* (Heterosilvius) Olsufjev, 1970** (Tabanidae) Synonym(s): *Heterosilvius* Olsufjev, 1970; *Heterosilvius* Kılıç, 1999
- 5373) *Silvius* Meigen, 1830** (Tabanidae) Synonym(s): *Silvius* Meigen, 1830

- 5374) Stonemyia Brennan,1935** (Tabanidae) Synonym(s): *Stonemyia Brennan,1935*
- 5375) Tabanus Linnaeus,1758** (Tabanidae) Synonym(s): *Tabanus Linnaeus,1758*; *Phyrta Enderlein,1922*; *Styporhamphus Enderlein,1922*; *Straba Enderlein,1923*; *Hybostraba Enderlein,1923*
- 5376) Therioptectes Zeller,1842** (Tabanidae) Synonym(s): *Therioptectes Zeller,1842*; *Brachystomus Costa,1857*; *Sziladya Enderlein,1923*
- 5377) Acemya R-D.,1830** (Tachinidae) Synonym(s): *Acemya R-D.,1830*; *Acomyia Agassiz,1846*; *#Acemyia Lioy,1864*
- 5378) Allophorocera Hendel,1901** (Tachinidae) Synonym(s): *Allophorocera Hendel,1901*
- 5379) Athrycia R-D.,1830** (Tachinidae) Synonym(s): *Athrycia R-D.,1830*
- 5380) Baumhaueria Meigen,1838** (Tachinidae) Synonym(s): *Baumhaueria Meigen,1838*
- 5381) Besseria R-D.,1830** (Tachinidae) Synonym(s): *Besseria R-D.,1830*
- 5382) Bithia R-D.,1863** (Tachinidae) Synonym(s): *Bithia R-D.,1863*
- 5383) Blepharipa Rondani,1856** (Tachinidae) Synonym(s): *Blepharipa Rondani,1856*
- 5384) Blondelia R-D.,1830** (Tachinidae) Synonym(s): *Blondelia R-D.,1830*
- 5385) Cadurciella Villeneuve,1927** (Tachinidae) Synonym(s): *Cadurciella Villeneuve,1927*
- 5386) Ceratochaetops Mesnil,1954** (Tachinidae) Synonym(s): *Ceratochaetops Mesnil,1954*
- 5387) Chetogena Rondani,1856** (Tachinidae) Synonym(s): *Chetogena Rondani,1856*
- 5388) Compsilura Bouché,1834** (Tachinidae) Synonym(s): *Compsilura Bouché,1834*
- 5389) Conogaster Brauer & Bergenstamm,1891** (Tachinidae) Synonym(s): *Conogaster Brauer & Bergenstamm,1891*
- 5390) Cylindromyia (Calocyptera) Herting,1983** (Tachinidae) Synonym(s): *Calocyptera Herting,1983*
- 5391) Cylindromyia (Neocyptera) Townsend,1916** (Tachinidae) Synonym(s): *Neocyptera Townsend,1916*
- 5392) Cylindromyia (s.str.) Meigen,1803** (Tachinidae) Synonym(s): *Cylindromyia Meigen,1803*; *Ocyptera Latreille,1804*; *Elaphroptera Gistel,1848*; *Catocyptera Townsend,1915*
- 5393) Cylindromyia Meigen,1803** (Tachinidae) Synonym(s): *Cylindromyia Meigen,1803*; *Ocyptera Latreille,1804*; *Elaphroptera Gistel,1848*; *Catocyptera Townsend,1915*
- 5394) Dinera R-D.,1830** (Tachinidae) Synonym(s): *Dinera R-D.,1830*; *Myocera R-D.,1830*; *Phorostoma R-D.,1830*
- 5395) Drino R-D.,1863** (Tachinidae) Synonym(s): *Drino R-D.,1863*
- 5396) Ectophasia Townsend,1912** (Tachinidae) Synonym(s): *Ectophasia Townsend,1912*
- 5397) Eliezeta Rondani,1856** (Tachinidae) Synonym(s): *Eliezeta Rondani,1856*
- 5398) Epicampocera Macquart,1850** (Tachinidae) Synonym(s): *Epicampocera Macquart,1850*
- 5399) Eriothrix Meigen,1803** (Tachinidae) Synonym(s): *Eriothrix Meigen,1803*; *Erithorix Townsend,1911*
- 5400) Erycia R-D.,1830** (Tachinidae) Synonym(s): *Erycia R-D.,1830*; *Hemimasicera Brauer & Bergenstamm,[1889]*
- 5401) Erythroceras R-D.,1849** (Tachinidae) Synonym(s): *Erythroceras R-D.,1849*
- 5402) Estheria R-D.,1830** (Tachinidae) Synonym(s): *Estheria R-D.,1830*
- 5403) Exorista Meigen,1803** (Tachinidae) Synonym(s): *Exorista Meigen,1803*; *Eutachina Brauer & Bergenstamm,1889*
- 5404) Germaria R-D.,1830** (Tachinidae) Synonym(s): *Germaria R-D.,1830*; *Illigera Meigen,1838*; *Atractochaeta Brauer & Bergenstamm,1889*; *Atractogonia Townsend,1932*; *Germarina Mesnil,1963*
- 5405) Gonia Meigen,1803** (Tachinidae) Synonym(s): *#Salmacia Meigen,1800*; *Gonia Meigen,1803*; *Reamuria R-D.,1830*; *Pissemya R-D.,1851*; *Knabia Townsend,1915*; *Cystogonia Townsend,1915*; *Eugymnochaetopsis Townsend,1916*; *Turanogonia Rohdendorf,1924*; *Asiogonia Rohdendorf,1928*; *Chrysocerosogonia Rohdendorf,1928*; *Eremogonia Rohdendorf,1928*; *Fuscigonia Brooks,1944*; *Setigonia Brooks,1944*
- 5406) Graphogaster Rondani,1868** (Tachinidae) Synonym(s): *Graphogaster Rondani,1868*
- 5407) Gymnosoma Meigen,1803** (Tachinidae) Synonym(s): *Gymnosoma Meigen,1803*; *Rhodogyne Meigen,1830*; *Stylogymnomyia Brauer & Bergenstamm,1891*
- 5408) Hypovoria Villeneuve,1912** (Tachinidae) Synonym(s): *Hypovoria Villeneuve,1912*
- 5409) Leskia R-D.,1830** (Tachinidae) Synonym(s): *Leskia R-D.,1830*; *Leschia Rondani,1861*; *Lesnia Schiner,1861*
- 5410) Leucostoma Meigen,1803** (Tachinidae) Synonym(s): *Leucostoma Meigen,1803*
- 5411) Linnaemya R-D.,1830** (Tachinidae) Synonym(s): *Linnaemya R-D.,1830*; *Bonnellia R-D.,1830*; *Linnaemyia R-D.,1830*; *Micropalpis Macquart,1834*; *Bonnellimyia Townsend,1919*; *Eugymnochaetopsis Townsend,1927*; *Palpina Malloch,1927*; *Hemilinnaemyia Villeneuve,1932*; *Eurysurstyla Chao & Shi,1990*
- 5412) Loewia Egger,1856** (Tachinidae) Synonym(s): *Loewia Egger,1856*
- 5413) Lophosia Meigen,1824** (Tachinidae) Synonym(s): *Lophosia Meigen,1824*
- 5414) Macquartia R-D.,1830** (Tachinidae) Synonym(s): *Macquartia R-D.,1830*; *Proteremoplax Enderlein,1936*; *Hesionella Mesnil,1972 nec Hart.,1939*
- 5415) Masicera Macquart,1834** (Tachinidae) Synonym(s): *Masicera Macquart,1834*
- 5416) Medina R-D.,1830** (Tachinidae) Synonym(s): *Medina R-D.,1830*
- 5417) Meigenia R-D.,1830** (Tachinidae) Synonym(s): *Meigenia R-D.,1830*
- 5418) Mintho R-D.,1830** (Tachinidae) Synonym(s): *Mintho R-D.,1830*

- 5419) **Myxexoristops Townsend, 1911** (Tachinidae) Synonym(s): *Myxexoristops Townsend, 1911*
- 5420) **Nemoraea R-D., 1830** (Tachinidae) Synonym(s): *Nemoraea R-D., 1830*
- 5421) **Nemorilla Rondani, 1856** (Tachinidae) Synonym(s): *Nemorilla Rondani, 1856*
- 5422) **Nilea R-D., 1863** (Tachinidae) Synonym(s): *Nilea R-D., 1863*
- 5423) **Nowickia Wachtl, 1894** (Tachinidae) Synonym(s): *Nowickia Wachtl, 1894*
- 5424) **Pales R-D., 1830** (Tachinidae) Synonym(s): *Pales R-D., 1830*
- 5425) **Palesisa Villeneuve, 1929** (Tachinidae) Synonym(s): *Palesisa Villeneuve, 1929*
- 5426) **Pandelleia Villeneuve, 1907** (Tachinidae) Synonym(s): *Pandelleia Villeneuve, 1907*
- 5427) **Peleteria R-D., 1830** (Tachinidae) Synonym(s): *Peleteria R-D., 1830*
- 5428) **Phasia (Hyalomya) R-D., 1830** (Tachinidae) Synonym(s): *Hyalomya R-D., 1830*
- 5429) **Phasia Latreille, 1804** (Tachinidae) Synonym(s): *Phasia Latreille, 1804; Alophora R-D., 1830; Alophorella Townsend, 1912; Alophoropsis Townsend, 1915; Alophorellopsis Townsend, 1927; Brumptallophora Dupuis, 1949; Androeuryops Beneway, 1961; Barbella Draber-Monko, 1965*
- 5430) **Phryno R-D., 1830** (Tachinidae) Synonym(s): *Phryno R-D., 1830*
- 5431) **Phryxe R-D., 1830** (Tachinidae) Synonym(s): *Phryxe R-D., 1830; Blepharidea Rondani, 1856; Eurygastrina Lioy, 1864; Blepharidopsis Brauer & Bergenstamm, 1891*
- 5432) **Pseudogonia Brauer & Bergenstamm, [1889]** (Tachinidae) Synonym(s): *Pseudogonia Brauer & Bergenstamm, [1889]*
- 5433) **Rondania R-D., 1850** (Tachinidae) Synonym(s): *Rondania R-D., 1850*
- 5434) **Senometopia Macquart, 1834** (Tachinidae) Synonym(s): *Carcelia R-D., 1830; Senometopia Macquart, 1834*
- 5435) **Simoma Aldrich, 1926** (Tachinidae) Synonym(s): *Simoma Aldrich, 1926*
- 5436) **Spallanzania R-D., 1830** (Tachinidae) Synonym(s): *Spallanzania R-D., 1830; Cnephalia Rondani, 1856; Acroglossa Williston, 1889; Cnephalomyia Townsend, 1911; Cnephaliops Townsend, 1915; Imaguncula Reinhard, 1958*
- 5437) **Stomina R-D., 1830** (Tachinidae) Synonym(s): *Stomina R-D., 1830*
- 5438) **Tachina (Echinogaster) Lioy, 1864** (Tachinidae) Synonym(s): *Echinogaster Lioy, 1864*
- 5439) **Tachina (Eudoromyia) Bezzi, 1906** (Tachinidae) Synonym(s): *Eudora R-D., 1863 (praeocc.); Eudoromyia Bezzi, 1906*
- 5440) **Tachina (Servillia) R-D., 1830** (Tachinidae) Synonym(s): *Servillia R-D., 1830; Pelus Gistel, 1848*
- 5441) **Tachina (s.str.) Meigen, 1803** (Tachinidae) Synonym(s): *Tachina Meigen, 1803; Echinomyia Latreille, 1804; Faunia R-D., 1830; Periechusa Gistel, 1848; Pelus Gistel, 1848; #Tachna Walker, 1849; Pareudora Wachtl, 1894; Eupeleteria Townsend, 1908; Larvaevora Hendel, 1908; Laufferia Strobl, 1909 nec Bol., 1905; Smirnoviola Zimin, 1931; Parasmirnoviola Chao, 1962*
- 5442) **Tachina Meigen, 1803** (Tachinidae) Synonym(s): *Tachina Meigen, 1803; Echinomyia Latreille, 1804; Faunia R-D., 1830; Periechusa Gistel, 1848; Pelus Gistel, 1848; #Tachna Walker, 1849; Pareudora Wachtl, 1894; Eupeleteria Townsend, 1908; Larvaevora Hendel, 1908; Laufferia Strobl, 1909 nec Bol., 1905; Smirnoviola Zimin, 1931; Parasmirnoviola Chao, 1962*
- 5443) **Thelymorpha Brauer & Bergenstamm, 1889** (Tachinidae) Synonym(s): *Thelymorpha Brauer & Bergenstamm, 1889*
- 5444) **Townsendiellomyia Baranoff, 1932** (Tachinidae) Synonym(s): *Townsendiellomyia Baranoff, 1932*
- 5445) **Voria R-D., 1830** (Tachinidae) Synonym(s): *Voria R-D., 1830*
- 5446) **Wagneria R-D., 1830** (Tachinidae) Synonym(s): *Wagneria R-D., 1830*
- 5447) **Wardarina Mesnil, 1956** (Tachinidae) Synonym(s): *Wardarina Mesnil, 1956*
- 5448) **Xysta Meigen, 1829** (Tachinidae) Synonym(s): *Xysta Meigen, 1829; #Xista Rondani, 1856*
- 5449) **Zaira R-D., 1830** (Tachinidae) Synonym(s): *Zaira R-D., 1830; Fabricia Meigen, 1838 nec Blainv., 1828; Sitophaga Gistel, 1848; Biomyia Rondani, 1856; Viviania Rondani, 1861; Pseudatractocera Townsend, 1892; Eubiomyia Townsend, 1916; Thematheca Reinhard, 1961; Nearchus Reinhard, 1964 nec Redt., 1908*
- 5450) **Zeuxia Meigen, 1826** (Tachinidae) Synonym(s): *Zeuxia Meigen, 1826*
- 5451) **Zophomyia Macquart, 1835** (Tachinidae) Synonym(s): *Zophomyia Macquart, 1835*
- 5452) **Brachyptera Newport, 1848** (Taeniopterygidae) Synonym(s): *Brachyptera Newport, 1848; Nephotheryx Navas, 1915; Zhiltzovia Ricker & Ross, 1975*
- 5453) **Rhabdiopteryx Klapalek, 1902** (Taeniopterygidae) Synonym(s): *Rhabdiopteryx Klapalek, 1902*
- 5454) **Taeniopteryx Pictet, 1841** (Taeniopterygidae) Synonym(s): *Taeniopteryx Pictet, 1841; Nephopteryx Klapalek, 1902; Nephelopteryx Klapalek, 1903*
- 5455) **Accanthopus Dejean, 1821** (Tenebrionidae) Synonym(s): *Accanthopus Dejean, 1821; Enoplopus Solier, 1848*
- 5456) **Adelina Wollaston, 1858** (Tenebrionidae) Synonym(s): *#Adelina Dejean, 1835; Adelina Wollaston, 1858*
- 5457) **Adelostoma (s.str.) Duponchel, 1827** (Tenebrionidae) Synonym(s): *Adelostoma Duponchel, 1827; Polyscopus Waltl, 1835*
- 5458) **Adelostoma Duponchel, 1827** (Tenebrionidae) Synonym(s): *Adelostoma Duponchel, 1827; Polyscopus Waltl, 1835*
- 5459) **Adesmia (Macradesmia) Koch, 1944** (Tenebrionidae) Synonym(s): *Macradesmia Koch, 1944*
- 5460) **Adesmia (Oteroscelis) Solier, 1835** (Tenebrionidae) Synonym(s): *Oteroscelis Solier, 1835*

- 5461) Adesmia Fischer von Waldheim,1822** (Tenebrionidae) Synonym(s): *Adesmia Fischer von Waldheim,1822; Adesma Percheron,1835*
- 5462) Akis Herbst,1799** (Tenebrionidae) Synonym(s): *Akis Herbst,1799*
- 5463) Alphetobius Stephens,1829** (Tenebrionidae) Synonym(s): *Alphetobius Stephens,1829*
- 5464) Alphetophagus Stephens,1832** (Tenebrionidae) Synonym(s): *Alphetophagus Stephens,1832*
- 5465) Ammobius Guérin-Méneville,1844** (Tenebrionidae) Synonym(s): *Ammobius Guérin-Méneville,1844*
- 5466) Amnodeis Miller,1858** (Tenebrionidae) Synonym(s): *Amnodeis Miller,1858*
- 5467) Belopus (Centorus) Mulsant,1854** (Tenebrionidae) Synonym(s): *Centorus Mulsant,1854*
- 5468) Belopus Gebien,1911** (Tenebrionidae) Synonym(s): *Belopus Gebien,1911*
- 5469) Blaps Fabricius,1775** (Tenebrionidae) Synonym(s): *Blaps Fabricius,1775*
- 5470) Bolitophagus Illiger,1798** (Tenebrionidae) Synonym(s): *Bolitophagus Illiger,1798; Boletophagus Say,1826*
- 5471) Brachyesthes Fairmaire,1868** (Tenebrionidae) Synonym(s): *Brachyesthes Fairmaire,1868*
- 5472) Cabirutus Strand,1929** (Tenebrionidae) Synonym(s): *Cabirus Mulsant & Rey,1853 (praeocc.); Cabirutus Strand,1929*
- 5473) Caenoblaps König,1906** (Tenebrionidae) Synonym(s): *Caenoblaps König,1906*
- 5474) Calyptopsis Solier,1835** (Tenebrionidae) Synonym(s): *Calyptopsis Tate,1893*
- 5475) Calyptopsis Solier,1835** (Tenebrionidae) Synonym(s): *Calyptopsis Solier,1835; Choristopsis Kraatz,1865*
- 5476) Cataphronetis Lucas,1846** (Tenebrionidae) Synonym(s): *Cataphronetis Lucas,1846*
- 5477) Catomus (Stenomacridius) Seidlitz,1896** (Tenebrionidae) Synonym(s): *Stenomacridius Seidlitz,1896*
- 5478) Catomus Allard,1876** (Tenebrionidae) Synonym(s): *Catomus Allard,1876*
- 5479) Cephalostenus Dejean,1834** (Tenebrionidae) Synonym(s): *Cephalostenus Dejean,1834*
- 5480) Ceratanisus Gemminger,1870** (Tenebrionidae) Synonym(s): *Ceratanisus Gemminger,1870*
- 5481) Cheiroides (Anemia) Laporte,1840** (Tenebrionidae) Synonym(s): *Anemia Laporte,1840*
- 5482) Cheiroides Gén  ,1839** (Tenebrionidae) Synonym(s): *Cheiroides Gén  ,1839*
- 5483) Clitobius Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *Clitobius Mulsant & Rey,1853*
- 5484) Cnemeplatia A.Costa,1847** (Tenebrionidae) Synonym(s): *Cnemeplatia A.Costa,1847*
- 5485) Colpotus Mulsant & Rey,1853** (Tenebrionidae) Synonym(s): *Colpotus Mulsant & Rey,1853*
- 5486) Cossyphus Olivier,1791** (Tenebrionidae) Synonym(s): *Cossyphus Olivier,1791*
- 5487) Cryphaeus Klug,[1833]** (Tenebrionidae) Synonym(s): *Cryphaeus Klug,[1833]*
- 5488) Crypticus (Platycripticus) Espanol,1951** (Tenebrionidae) Synonym(s): *Platycripticus Espanol,1951*
- 5489) Crypticus Latreille,1817** (Tenebrionidae) Synonym(s): *Crypticus Latreille,1817*
- 5490) Cyldrlnotus (s.str.) Faldermann,1837** (Tenebrionidae) Synonym(s): *Cyldrlnotus Faldermann,1837; Cyldrlnotus Agassiz,1846*
- 5491) Cyldrlnotus (Helopelius) Reitter,1922** (Tenebrionidae) Synonym(s): *Helopelius Reitter,1922*
- 5492) Cyldrlnotus (Odocnemis) Allard,1876** (Tenebrionidae) Synonym(s): *Odocnemis Allard,1876*
- 5493) Cyldrlnotus (Omaleis) Allard,1877** (Tenebrionidae) Synonym(s): *Omaleis Allard,1877*
- 5494) Cyldrlnotus (Stenomax) Allard,1876** (Tenebrionidae) Synonym(s): *Stenomax Allard,1876*
- 5495) Cyldrlnotus Faldermann,1837** (Tenebrionidae) Synonym(s): *Cyldrlnotus Faldermann,1837; Cyldrlnotus Agassiz,1846*
- 5496) Cyphogenia (Lechriomus) Morawitz,1866** (Tenebrionidae) Synonym(s): *Lechriomus Morawitz,1866*
- 5497) Cyphogenia Solier,1835** (Tenebrionidae) Synonym(s): *Cyphogenia Solier,1835*
- 5498) Dailognatha Eschscholtz,1829** (Tenebrionidae) Synonym(s): *Dailognatha Eschscholtz,1829; Gnathosia Lacordaire,1859*
- 5499) Dailognatha Eschscholtz,1829** (Tenebrionidae) Synonym(s): *Dailognatha Eschscholtz,1829*
- 5500) Dendarus (Pandarlnus) Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *Pandarlnus Mulsant & Rey,1854*
- 5501) Dendarus (Pandarlnus) Faldermann,1837** (Tenebrionidae) Synonym(s): *Pandarlnus Faldermann,1837 nec Leach,1816*
- 5502) Dendarus Dejean,1821** (Tenebrionidae) Synonym(s): *Dendarus Dejean,1821*
- 5503) Diacalna Jacquelin du Val,1861** (Tenebrionidae) Synonym(s): *Diacalna Jacquelin du Val,1861*
- 5504) Diaperis Geoffroy,1762** (Tenebrionidae) Synonym(s): *Diaperis Geoffroy,1762*
- 5505) Dichilllus (Dichilllnus) Reitter,1916** (Tenebrionidae) Synonym(s): *Dichilllnus Reitter,1916*
- 5506) Dichilllus (Dichillocerus) Reitter,1916** (Tenebrionidae) Synonym(s): *Dichillocerus Reitter,1916*
- 5507) Dichilllus Jacquelin du Val,1861** (Tenebrionidae) Synonym(s): *Dichilllus Jacquelin du Val,1861*
- 5508) Dichomma Solier,1835** (Tenebrionidae) Synonym(s): *Dichomma Solier,1835*
- 5509) Dissonomus Jacquelin du Val,1861** (Tenebrionidae) Synonym(s): *Heterophyllus Mulsant & Rey,1859 (praeocc.); Dissonomus Jacquelin du Val,1861*
- 5510) Eledona Latreille,1796** (Tenebrionidae) Synonym(s): *Eledona Latreille,1796*

- 5511) **Entomogonus (Delonurops) Reitter, 1922** (Tenebrionidae) Synonym(s): *Delonurops* Reitter, 1922
- 5512) **Entomogonus (Eutelogonus) Reitter, 1922** (Tenebrionidae) Synonym(s): *Eutelogonus* Reitter, 1922
- 5513) **Entomogonus Solier, 1848** (Tenebrionidae) Synonym(s): *Entomogonus* Solier, 1848
- 5514) **Erodus Fabricius, 1775** (Tenebrionidae) Synonym(s): *Erodus* Fabricius, 1775
- 5515) **Euboeus Boieldieu, 1865** (Tenebrionidae) Synonym(s): *Euboeus* Boieldieu, 1865
- 5516) **Eutagenia Reitter, 1886** (Tenebrionidae) Synonym(s): *Eutagenia* Reitter, 1886
- 5517) **Gnaptor Brullé, 1832** (Tenebrionidae) Synonym(s): *Gnaptor* Brullé, 1832; *Petrobius* Brullé, 1832
- 5518) **Gnathocerus Agassiz, 1846** (Tenebrionidae) Synonym(s): *Gnathocerus* Agassiz, 1846
- 5519) **Gonocephalum Chevrolat, 1845** (Tenebrionidae) Synonym(s): *Gonocephalum* Chevrolat, 1845
- 5520) **Graecopachys Skopin, 1968** (Tenebrionidae) Synonym(s): *Graecopachys* Skopin, 1968
- 5521) **Gunarus Gozis, 1886** (Tenebrionidae) Synonym(s): *Gunarus* Gozis, 1886
- 5522) **Hedyphanes Fischer von Waldheim, 1822** (Tenebrionidae) Synonym(s): *Hedyphanes* Fischer von Waldheim, 1822; *Hediphanes* Ferrer & Soldati, 1999
- 5523) **Helops (Mesohelops) Reitter, 1922** (Tenebrionidae) Synonym(s): *Mesohelops* Reitter, 1922
- 5524) **Helops (s.str.) Fabricius, 1775** (Tenebrionidae) Synonym(s): *Helops* Fabricius, 1775
- 5525) **Helops Fabricius, 1775** (Tenebrionidae) Synonym(s): *Helops* Fabricius, 1775
- 5526) **Hymenalia Mulsant, 1856** (Tenebrionidae) Synonym(s): *Hymenalia* Mulsant, 1856
- 5527) **Idastrandiella Strand, 1929** (Tenebrionidae) Synonym(s): *Idastrandiella* Strand, 1929
- 5528) **Iphthimulus Reitter, 1920** (Tenebrionidae) Synonym(s): *Iphthimulus* Reitter, 1920
- 5529) **Laena Dejean, 1821** (Tenebrionidae) Synonym(s): *Laena* Dejean, 1821; *Leaena* Dahl, 1823
- 5530) **Latheticus Waterhouse, 1880** (Tenebrionidae) Synonym(s): *Latheticus* Waterhouse, 1880
- 5531) **Leichenum Blanchard, 1845** (Tenebrionidae) Synonym(s): *Leichenum* Blanchard, 1845
- 5532) **Lobodera (Penthomagus) Reitter, 1904** (Tenebrionidae) Synonym(s): *Penthomagus* Reitter, 1904
- 5533) **Lobodera Mulsant & Rey, 1859** (Tenebrionidae) Synonym(s): *Lobodera* Mulsant & Rey, 1859
- 5534) **Lyphia Mulsant & Rey, 1859** (Tenebrionidae) Synonym(s): *Lyphia* Mulsant & Rey, 1859
- 5535) **Megischina Reitter, 1906** (Tenebrionidae) Synonym(s): *Megischina* Reitter, 1906
- 5536) **Melanimon Steven, 1829** (Tenebrionidae) Synonym(s): *Melanimon* Steven, 1829; *Microzoum* Redtenbacher, 1845
- 5537) **Menephrus Mulsant, 1854** (Tenebrionidae) Synonym(s): *Menephrus* Mulsant, 1854
- 5538) **Mesomorphus Miedel, 1880** (Tenebrionidae) Synonym(s): *Mesomorphus* Miedel, 1880
- 5539) **Mesostena Eschscholtz, 1831** (Tenebrionidae) Synonym(s): *Mesostena* Eschscholtz, 1831
- 5540) **Metaclisa Jacquelin du Val, 1861** (Tenebrionidae) Synonym(s): *Metaclisa* Jacquelin du Val, 1861
- 5541) **Micrositus Mulsant & Rey, 1854** (Tenebrionidae) Synonym(s): *Micrositus* Mulsant & Rey, 1854
- 5542) **Nalassus (Helopondrus) Reitter, 1922** (Tenebrionidae) Synonym(s): *Helopondrus* Reitter, 1922
- 5543) **Nalassus Mulsant, 1854** (Tenebrionidae) Synonym(s): *Nalassus* Mulsant, 1854
- 5544) **Neatus LeConte, 1862** (Tenebrionidae) Synonym(s): *Neatus* LeConte, 1862
- 5545) **Omophlus (Odontomophlus) Seidlitz, 1896** (Tenebrionidae) Synonym(s): *Odontomophlus* Seidlitz, 1896
- 5546) **Omophlus (s.str.) Solier, 1835** (Tenebrionidae) Synonym(s): *Omophlus* Solier, 1835
- 5547) **Omophlus Solier, 1835** (Tenebrionidae) Synonym(s): *Omophlus* Solier, 1835
- 5548) **Oochrotus Lucas, 1852** (Tenebrionidae) Synonym(s): *Oochrotus* Lucas, 1852
- 5549) **Opatroides Brullé, 1832** (Tenebrionidae) Synonym(s): *Opatroides* Brullé, 1832; *Penthicus* Faldermann, 1837
- 5550) **Opatrum Fabricius, 1775** (Tenebrionidae) Synonym(s): *Opatrum* Fabricius, 1775
- 5551) **Pachyscelis Solier, 1836** (Tenebrionidae) Synonym(s): *Pachyscelis* Solier, 1836; *Phymatiotris* Solier, 1836
- 5552) **Palorus (Circomus) Fleischer, 1900** (Tenebrionidae) Synonym(s): *Circomus* Fleischer, 1900
- 5553) **Palorus Mulsant, 1854** (Tenebrionidae) Synonym(s): *Palorus* Mulsant, 1854
- 5554) **Pedinus (Vadalus) Mulsant & Rey, 1853** (Tenebrionidae) Synonym(s): *Vadalus* Mulsant & Rey, 1853
- 5555) **Pedinus Latreille, 1796** (Tenebrionidae) Synonym(s): *Pedinus* Latreille, 1796
- 5556) **Pentaphyllus Latreille, 1829** (Tenebrionidae) Synonym(s): *Pentaphyllus* Latreille, 1829
- 5557) **Phaleria Latreille, 1802** (Tenebrionidae) Synonym(s): *Phaleria* Latreille, 1802
- 5558) **Phtora Germar, 1835** (Tenebrionidae) Synonym(s): *Phtora* Germar, 1835
- 5559) **Pimelia (Camphonota) Solier, 1836** (Tenebrionidae) Synonym(s): *Camphonota* Solier, 1836
- 5560) **Pimelia (Eurypimelia) Reitter, 1915** (Tenebrionidae) Synonym(s): *Eurypimelia* Reitter, 1915
- 5561) **Pimelia (Gedeon) Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *Gedeon* Reiche & Saulcy, 1857
- 5562) **Pimelia (Melanostola) Dejean, 1834** (Tenebrionidae) Synonym(s): *Melanostola* Dejean, 1834
- 5563) **Pimelia (s.str.) Fabricius, 1775** (Tenebrionidae) Synonym(s): *Pimelia* Fabricius, 1775
- 5564) **Pimelia Fabricius, 1775** (Tenebrionidae) Synonym(s): *Pimelia* Fabricius, 1775
- 5565) **Platydemia Laporte & Brullé, 1831** (Tenebrionidae) Synonym(s): *Platydemia* Laporte & Brullé, 1831

- 5566) **Podonta Solier,1835** (Tenebrionidae) Synonym(s): *Podonta Solier,1835*
- 5567) **Polycoelogastridion Reichardt,1936** (Tenebrionidae) Synonym(s): *Polycoelogastridion Reichardt,1936*
- 5568) **Probaticus (Pelorinus) de Vauloger,1900** (Tenebrionidae) Synonym(s): *Pelorinus de Vauloger,1900*
- 5569) **Probaticus (s.str.) Seidlitz,1896** (Tenebrionidae) Synonym(s): *Probaticus Seidlitz,1896*
- 5570) **Probaticus Seidlitz,1896** (Tenebrionidae) Synonym(s): *Probaticus Seidlitz,1896*
- 5571) **Raiboscelis Seidlitz,1896** (Tenebrionidae) Synonym(s): *Raiboscelis Seidlitz,1896*
- 5572) **Scaurus Fabricius,1775** (Tenebrionidae) Synonym(s): *Scaurus Fabricius,1775*
- 5573) **Scleron Hope,1840** (Tenebrionidae) Synonym(s): *Scleron Hope,1840*
- 5574) **Sitophagus Mulsant,1854** (Tenebrionidae) Synonym(s): *Sitophagus Mulsant,1854*
- 5575) **Stegastopsis Kraatz,1865** (Tenebrionidae) Synonym(s): *Stegastopsis Kraatz,1865; Ohyonthis Reitter,1898*
- 5576) **Stenosis Herbst,1799** (Tenebrionidae) Synonym(s): *Stenosis Herbst,1799*
- 5577) **Sternoplax (Pachysternoplax) Skopin,1973** (Tenebrionidae) Synonym(s): *Pachysternoplax Skopin,1973*
- 5578) **Sternoplax Frivaldsky,1890** (Tenebrionidae) Synonym(s): *Sternoplax Frivaldsky,1890*
- 5579) **Teles Mulsant & Godart,1876** (Tenebrionidae) Synonym(s): *Teles Mulsant & Godart,1876*
- 5580) **Tenebrio Linnaeus,1758** (Tenebrionidae) Synonym(s): *Tenebrio Linnaeus,1758*
- 5581) **Tentyria Latreille,1802** (Tenebrionidae) Synonym(s): *Tentyria Latreille,1802; Heliodromus Brullé,1832*
- 5582) **Trachyderma Latreille,1829** (Tenebrionidae) Synonym(s): *Trachyderma Latreille,1829*
- 5583) **Trachyscelis Latreille,1809** (Tenebrionidae) Synonym(s): *Trachyscelis Latreille,1809*
- 5584) **Tribolium MacLeay,1825** (Tenebrionidae) Synonym(s): *Tribolium MacLeay,1825*
- 5585) **Uloma Latreille,1829** (Tenebrionidae) Synonym(s): *Uloma Latreille,1829*
- 5586) **Zophosis (Oculosis) Penrith,1977** (Tenebrionidae) Synonym(s): *Oculosis Penrith,1977*
- 5587) **Zophosis (Septentriophosis) Penrith,1982** (Tenebrionidae) Synonym(s): *Septentriophosis Penrith,1982*
- 5588) **Zophosis Latreille,1802** (Tenebrionidae) Synonym(s): *Zophosis Latreille,1802*
- 5589) **Aglaostigma** (Tenthredinidae) Synonym(s):
- 5590) **Allantus Panzer,1801** (Tenthredinidae) Synonym(s): *Allantus Panzer,1801; Anemphytus Dovnar-Zapolski,1930; Synemphytus Malaise,1945*
- 5591) **Ametastegia Costa,1882** (Tenthredinidae) Synonym(s): *Ametastegia Costa,1882; Aomodyctium Ashmead,1898; Prottemphytus Rohwer,1909; Emphytina Rohwer,1911; Simplemphytus MacGillivray,1914; Unitaxonus MacGillivray,1914*
- 5592) **Apethymus Benson,1939** (Tenthredinidae) Synonym(s): *Apethymus Benson,1939; Kjellia Malaise,1947*
- 5593) **Athalia Leach,1817** (Tenthredinidae) Synonym(s): *Athalia Leach,1817; Denathalia Benson,1931*
- 5594) **Caliroa O.Costa,1859** (Tenthredinidae) Synonym(s): *Caliroa O.Costa,1859*
- 5595) **Cladius Illiger,1807** (Tenthredinidae) Synonym(s): *Cladius Illiger,1807*
- 5596) **Cuneala Zirngiebl,1956** (Tenthredinidae) Synonym(s): *Cuneala Zirngiebl,1956; Parastasis Kirby,1881; Labidia Provancher,1886; Rethrax Cameron,1899; Fethali Cameron,1902; Clydostomus Konow,1908; Tenthredella Rohwer,1910; Zamacrophya Rohwer,1912*
- 5597) **Elinora Benson,1946** (Tenthredinidae) Synonym(s): *Elinora Benson,1946*
- 5598) **Eriocampa Hartig,1837** (Tenthredinidae) Synonym(s): *Eriocampa Hartig,1837; Brachyocampa Zirngiebl,1956*
- 5599) **Eutomostethus Enslin,1913** (Tenthredinidae) Synonym(s): *Eutomostethus Enslin,1913*
- 5600) **Fenusa Leach,1817** (Tenthredinidae) Synonym(s): *Fenusa Leach,1817*
- 5601) **Macrophya Dahlbom,1835** (Tenthredinidae) Synonym(s): *Macrophya Dahlbom,1835; Zalagium Rohwer,1912; Beldonea Enderlein,1919 nec Cameron,1899; Paramacrophya Forsius,1918*
- 5602) **Messa Leach,1817** (Tenthredinidae) Synonym(s): *Messa Leach,1817*
- 5603) **Monophadnoides Ashmead,1898** (Tenthredinidae) Synonym(s): *Monophadnoides Ashmead,1898*
- 5604) **Monophadnus Hartig,1837** (Tenthredinidae) Synonym(s): *Monophadnus Hartig,1837*
- 5605) **Pachyprotasis Hartig,1837** (Tenthredinidae) Synonym(s): *Pachyprotasis Hartig,1837; Lithracia Cameron,1902*
- 5606) **Rhogogaster Konow,1884** (Tenthredinidae) Synonym(s): *Rhogogaster Konow,1884; Rhogogastera Konow,1885*
- 5607) **Sciapteryx Stephens,1835** (Tenthredinidae) Synonym(s): *Sciapteryx Stephens,1835; Eniscia Thomson,1870; Sciapterina Ushinskij,1940*
- 5608) **Selandria Leach,1817** (Tenthredinidae) Synonym(s): *Selandria Leach,1817*
- 5609) **Seljukia Benson,1966** (Tenthredinidae) Synonym(s): *Seljukia Benson,1966; Anatoliroa Muche,1983*
- 5610) **Stethomostus Benson,1939** (Tenthredinidae) Synonym(s): *Stethomostus Benson,1939*
- 5611) **Tenthredo (Cephaledo) Zhelochovtsev,1988** (Tenthredinidae) Synonym(s): *Cephaledo Zhelochovtsev,1988*

- 5612) Tenthredo (Elinora) Benson, 1946** (Tenthredinidae) Synonym(s): *Elinora Benson*, 1946
- 5613) Tenthredo Linnaeus, 1758** (Tenthredinidae) Synonym(s): *Tenthredo Linnaeus*, 1758; *Parastasis Kirby*, 1881; *Labidia Provancher*, 1886; *Rethrax Cameron*, 1899; *Fethalia Cameron*, 1902; *Clydostomus Konow*, 1908; *Tenthredina Rohwer*, 1910; *Zamacrophya Rohwer*, 1912
- 5614) Tenthredopsis Costa, 1859** (Tenthredinidae) Synonym(s): *Tenthredopsis Costa*, 1859; *Ebolia Costa*, 1859; *Thomsonia Konow*, 1884; *Eutenthredopsis Enslin*, 1913
- 5615) Tomostethus Konow, 1886** (Tenthredinidae) Synonym(s): *Tomostethus Konow*, 1886
- 5616) Acanthiophilus Becker, 1908** (Tephritidae) Synonym(s): *Acanthiophilus Becker*, 1908
- 5617) Aciura R-D., 1830** (Tephritidae) Synonym(s): *Aciura R-D.*, 1830
- 5618) Actinoptera Rondani, 1871** (Tephritidae) Synonym(s): *Actinoptera Rondani*, 1871
- 5619) Bactrocera (Daculus) Speiser, 1924** (Tephritidae) Synonym(s): *Daculus Speiser*, 1924
- 5620) Bactrocera Macquart, 1835** (Tephritidae) Synonym(s): *Bactrocera Macquart*, 1835
- 5621) Campiglossa Rondani, 1870** (Tephritidae) Synonym(s): *Campiglossa Rondani*, 1870; *Campiglossa Hendel*, 1924; *Paroxyna Hendel*, 1927; *Whiteina Korneyev*, 1989
- 5622) Capitetes Foete & Freidberg, 1981** (Tephritidae) Synonym(s): *Capitetes Foete & Freidberg*, 1981
- 5623) Carpomya Costa, 1854** (Tephritidae) Synonym(s): *Carpomya Costa*, 1854
- 5624) Ceratitis (s.str.) Mac Leay, 1829** (Tephritidae) Synonym(s): *Ceratitis Mac Leay*, 1829; *Pinacochaeta Munro*, 1933
- 5625) Ceratitis Mac Leay, 1829** (Tephritidae) Synonym(s): *Ceratitis Mac Leay*, 1829; *Pinacochaeta Munro*, 1933
- 5626) Chaetorellia Hendel, 1927** (Tephritidae) Synonym(s): *Chaetorellia Hendel*, 1927
- 5627) Chaetostomella Hendel, 1927** (Tephritidae) Synonym(s): *Chaetostomella Hendel*, 1927
- 5628) Dioxyna Frey, 1945** (Tephritidae) Synonym(s): *Dioxyna Frey*, 1945
- 5629) Ensina R-D., 1830** (Tephritidae) Synonym(s): *Ensina R-D.*, 1830
- 5630) Euaresta Loew, 1873** (Tephritidae) Synonym(s): *Euaresta Loew*, 1873
- 5631) Euleia Walker, 1835** (Tephritidae) Synonym(s): *Euleia Walker*, 1835
- 5632) Goniurellia Hendel, 1927** (Tephritidae) Synonym(s): *Goniurellia Hendel*, 1927
- 5633) Hendrella Munro, 1938** (Tephritidae) Synonym(s): *Hendrella Munro*, 1938
- 5634) Heringina Aczel, 1940** (Tephritidae) Synonym(s): *Heringina Aczel*, 1940
- 5635) Hypenidium Loew, 1862** (Tephritidae) Synonym(s): *Hypenidium Loew*, 1862
- 5636) Myoleja Rondani, 1856** (Tephritidae) Synonym(s): *Myoleja Rondani*, 1856
- 5637) Noeeta R-D., 1830** (Tephritidae) Synonym(s): *Noeeta R-D.*, 1830
- 5638) Orellia R-D., 1830** (Tephritidae) Synonym(s): *Orellia R-D.*, 1830
- 5639) Oxyaciura R-D., 1830** (Tephritidae) Synonym(s): *Oxyaciura R-D.*, 1830
- 5640) Oxya R-D., 1830** (Tephritidae) Synonym(s): *Oxya R-D.*, 1830
- 5641) Rhagoletis Loew, 1862** (Tephritidae) Synonym(s): *Rhagoletis Loew*, 1862
- 5642) Spathulina Rondani, 1856** (Tephritidae) Synonym(s): *Spathulina Rondani*, 1856
- 5643) Sphenella R-D., 1830** (Tephritidae) Synonym(s): *Sphenella R-D.*, 1830
- 5644) Tephritis Latreille, 1804** (Tephritidae) Synonym(s): *Tephritis Latreille*, 1804; *Acrorellia Wang*, 1990; *Pangasella V. Richter*, 1995
- 5645) Tephritomyia Hendel, 1927** (Tephritidae) Synonym(s): *Tephritomyia Hendel*, 1927
- 5646) Terellia (Cerajocera) Rondani, 1856** (Tephritidae) Synonym(s): *Cerajocera Rondani*, 1856; *#Ceriocera Rondani*, 1870
- 5647) Terellia (s.str.) R-D., 1830** (Tephritidae) Synonym(s): *Terellia R-D.*, 1830
- 5648) Terellia R-D., 1830** (Tephritidae) Synonym(s): *Terellia R-D.*, 1830
- 5649) Trupanea Schrank, 1795** (Tephritidae) Synonym(s): *Trupanea Schrank*, 1795; *Trypanea Agassiz*, 1846
- 5650) Urophora R-D., 1830** (Tephritidae) Synonym(s): *#Euribia Meigen*, 1800; *Urophora R-D.*, 1830
- 5651) Xyphosia R-D., 1830** (Tephritidae) Synonym(s): *Xyphosia R-D.*, 1830
- 5652) Tethina Haliday, 1837** (Tethinidae) Synonym(s): *Tethina Haliday*, 1837; *Rhinoessa Loew*, 1862; *Phycomyza Melander*, 1952
- 5653) Epiclerus Haliday, 1844** (Tetracampidae) Synonym(s): *Epiclerus Haliday*, 1844
- 5654) Eremocampe Sugonjaev, 1971** (Tetracampidae) Synonym(s): *Eremocampe Sugonjaev*, 1971
- 5655) Foersterella Dalla Torre, 1897** (Tetracampidae) Synonym(s): *Hyperbius Förster*, 1878 (praeocc.); *Foersterella Dalla Torre*, 1897
- 5656) Platynochaetus Westwood, 1837** (Tetracampidae) Synonym(s): *Platynochaetus Westwood*, 1837
- 5657) Depressotetrix Karaman, 1960** (Tetrigidae) Synonym(s): *Depressotetrix Karaman*, 1960
- 5658) Misthenkotetrix Harz, 1973** (Tetrigidae) Synonym(s): *Mesotettix Bei-Bienko*, 1951 nec *Matsum.*, 1914; *Misthenkotetrix Harz*, 1973
- 5659) Paratettix Bolivar, 1887** (Tetrigidae) Synonym(s): *Paratettix Bolivar*, 1887
- 5660) Tetrix Latreille, 1802** (Tetrigidae) Synonym(s): *Tetrix Latreille*, 1802; *Tettix Dalman*, 1823
- 5661) Brachycephalus Kirkaldy, 1906** (Tettigometridae) Synonym(s): *Brachycephalus Signoret*, 1866 (praeocc.); *Brachycephalus Kirkaldy*, 1906
- 5662) Micrometrina Lindberg, 1948** (Tettigometridae) Synonym(s): *Micrometrina Lindberg*, 1948

- 5663) Tettigometra (Hystriagonia) Emelyanov,1980** (Tettigometridae) Synonym(s): *Hystriagonia Emelyanov,1980*
- 5664) Tettigometra (Metroplaca) Emelyanov,1980** (Tettigometridae) Synonym(s): *Metroplaca Emelyanov,1980*
- 5665) Tettigometra (Mitricephalus) Signoret,1866** (Tettigometridae) Synonym(s): *Mitricephalus Signoret,1866*
- 5666) Tettigometra (Stirometra) Emelyanov,1980** (Tettigometridae) Synonym(s): *Stirometra Emelyanov,1980*
- 5667) Tettigometra (s.str.) Latreille,1804** (Tettigometridae) Synonym(s): *Tettigometra Latreille,1804*
- 5668) Tettigometra Latreille,1804** (Tettigometridae) Synonym(s): *Tettigometra Latreille,1804*
- 5669) Acrometopa Fieber,1853** (Tettigoniidae) Synonym(s): *Acrometopa Fieber,1853*
- 5670) Anadolua Ramme,1939** (Tettigoniidae) Synonym(s): *Anadolua Ramme,1939*
- 5671) Anadrymadusa (s.str.) Karabağ,1961** (Tettigoniidae) Synonym(s): *Anadrymadusa Karabağ,1961*
- 5672) Anadrymadusa Karabağ,1961** (Tettigoniidae) Synonym(s): *Anadrymadusa Karabağ,1961*
- 5673) Ancistrura Uvarov,1921** (Tettigoniidae) Synonym(s): *Ancistrura Uvarov,1921*
- 5674) Anterastes Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *Anterastes Brunner von Wattenwyl,1882*
- 5675) Apholidoptera Maran,1953** (Tettigoniidae) Synonym(s): *#Apholidoptera Ramme,1951; Apholidoptera Maran,1953*
- 5676) Artvinia Karabağ,1962** (Tettigoniidae) Synonym(s): *Artvinia Karabağ,1962*
- 5677) Bolua Ünal,1999** (Tettigoniidae) Synonym(s): *Bolua Ünal,1999*
- 5678) Bradyporus (Callimenus) Fischer von Waldheim,1830** (Tettigoniidae) Synonym(s): *Callimenus Fischer von Waldheim,1830; #Callimus Fischer von Waldheim,1833*
- 5679) Bradyporus Charpentier,1825** (Tettigoniidae) Synonym(s): *Bradyporus Charpentier,1825; Derallimus Caudell,1912; Dinarchus Stal,1874*
- 5680) Bucephaloptera Ebner,1923** (Tettigoniidae) Synonym(s): *Bucephaloptera Ebner,1923*
- 5681) Conocephalus (Anisoptera) Latreille,1829** (Tettigoniidae) Synonym(s): *Anisoptera Latreille,1829; Xiphidion Serville,1831; Xiphidium Burmeister,1838; Palotta Walker,1869; Neoxiphidion Karny,1912; Thecoxiphidion Karny,1912; Amurocephalus Storozhenko,2004*
- 5682) Conocephalus (s.str.) Thunberg,1815** (Tettigoniidae) Synonym(s): *Conocephalus Thunberg,1815; Xiphidium Burmeister,1838; Xyphidium Fieber,1853; Anarthropus Rehn & Hebard,1915; Aphauropus Rehn & Hebard,1915*
- 5683) Decticus Audinet-Serville,1831** (Tettigoniidae) Synonym(s): *Decticus Audinet-Serville,1831*
- 5684) Drymadusa Stein,1860** (Tettigoniidae) Synonym(s): *Drymadusa Stein,1860*
- 5685) Ephippiger Berthold,1827** (Tettigoniidae) Synonym(s): *Ephippiger Berthold,1827; Ephippigera Serville,1831*
- 5686) Eupholidoptera Maran,1953** (Tettigoniidae) Synonym(s): *#Eupholidoptera Ramme,1951; Eupholidoptera Maran,1953; Karabagia Harz,1979*
- 5687) Exopholidoptera Ünal,1998** (Tettigoniidae) Synonym(s): *Exopholidoptera Ünal,1998*
- 5688) Festella Giglio-Tos,1894** (Tettigoniidae) Synonym(s): *Festella Giglio-Tos,1894*
- 5689) Gampsocleis Fieber,1852** (Tettigoniidae) Synonym(s): *Gampsocleis Fieber,1852*
- 5690) Isophya Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *Isophya Brunner von Wattenwyl,1878; Jaquetia Saussure,1898*
- 5691) Koroglus Ünal,2002** (Tettigoniidae) Synonym(s): *Koroglus Ünal,2002*
- 5692) Kurdia Uvarov,1916** (Tettigoniidae) Synonym(s): *Kurdia Uvarov,1916*
- 5693) Leptodusa Stolyar,1994** (Tettigoniidae) Synonym(s): *Leptodusa Stolyar,1994*
- 5694) Leptophyes Fieber,1852** (Tettigoniidae) Synonym(s): *Leptophyes Fieber,1852*
- 5695) Lithodusa Bei-Bienko,1951** (Tettigoniidae) Synonym(s): *Lithodusa Bei-Bienko,1951*
- 5696) Meconema Serville,1831** (Tettigoniidae) Synonym(s): *Meconema Serville,1831*
- 5697) Medecticus Uvarov,1912** (Tettigoniidae) Synonym(s): *Medecticus Uvarov,1912*
- 5698) Metrioptera (Bicolorana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Bicolorana Zeuner,1941*
- 5699) Metrioptera (Broughtonia) Harz,1969** (Tettigoniidae) Synonym(s): *Broughtonia Harz,1969*
- 5700) Metrioptera (Roeseliana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Roeseliana Zeuner,1941*
- 5701) Metrioptera (Vichetia) Harz,1969** (Tettigoniidae) Synonym(s): *Vichetia Harz,1969*
- 5702) Novadrymadusa Demirsoy, Salman & Sevgili,2002** (Tettigoniidae) Synonym(s): *Novadrymadusa Demirsoy, Salman & Sevgili,2002*
- 5703) Pachytrachis Uvarov,1940** (Tettigoniidae) Synonym(s): *Pachytrachelus Fieber,1853; Pachytrachis Uvarov,1940*
- 5704) Paradrymadusa Herman,1874** (Tettigoniidae) Synonym(s): *Paradrymadusa Herman,1874; Paradrynadosa Kirby,1906*
- 5705) Parapholidoptera Maran,1953** (Tettigoniidae) Synonym(s): *#Parapholidoptera Ramme,1951; Parapholidoptera Maran,1953*
- 5706) Parapoecilimon Karabağ,1975** (Tettigoniidae) Synonym(s): *Parapoecilimon Karabağ,1975*
- 5707) Pezodrymadusa Karabağ,1961** (Tettigoniidae) Synonym(s): *Pezodrymadusa Karabağ,1961*

- 5708) Phaneroptera (Erdemia) Koçak & Kemal,2009** (Tettigoniidae) Synonym(s): *Erdemia Koçak & Kemal,2009*
- 5709) Phaneroptera (s.str.) Audinet-Serville,1831** (Tettigoniidae) Synonym(s): *Phaneroptera Audinet-Serville,1831; Dannfeltia Sjöstedt,1901; Anerota Caudell,1921; Paranerota Karny,1926; Euanerota Karny,1927*
- 5710) Phaneroptera Audinet-Serville,1831** (Tettigoniidae) Synonym(s): *Phaneroptera Audinet-Serville,1831; Dannfeltia Sjöstedt,1901; Anerota Caudell,1921; Paranerota Karny,1926; Euanerota Karny,1927*
- 5711) Pholidoptera Wesmael,1838** (Tettigoniidae) Synonym(s): *Pholidoptera Wesmael,1838*
- 5712) Phonochorion Uvarov,1916** (Tettigoniidae) Synonym(s): *Phonochorion Uvarov,1916*
- 5713) Phytodrymadusa Ramme,1939** (Tettigoniidae) Synonym(s): *Phytodrymadusa Ramme,1939*
- 5714) Platycleis (Incertana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Incertana Zeuner,1941; Platycleis (s.str.) sensu Çıplak et al.,2002: 211!*
- 5715) Platycleis (Montana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Montana Zeuner,1941*
- 5716) Platycleis (Sepiana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Sepiana Zeuner,1941*
- 5717) Platycleis (Sporadiana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Sporadiana Zeuner,1941*
- 5718) Platycleis (Squamiana) Zeuner,1941** (Tettigoniidae) Synonym(s): *Squamiana Zeuner,1941*
- 5719) Platycleis (Tessellana) Zeller,1941** (Tettigoniidae) Synonym(s): *Tessellana Zeller,1941*
- 5720) Platycleis (Yalvaciana) Çıplak, Heller & Demirsoy,2002** (Tettigoniidae) Synonym(s): *Yalvaciana Çıplak, Heller & Demirsoy,2002*
- 5721) Platycleis (s.str.) Fieber,1853** (Tettigoniidae) Synonym(s): *Chelidoptera Wesmael,1838; Platycleis Fieber,1853*
- 5722) Poecilimon Fischer,1853** (Tettigoniidae) Synonym(s): *Poecilimon Fischer,1853; #Poecilemon Kirby,1906; Poecilimonella Uvarov,1921; Eupoecilimon Tarbinsky,1932; Micrimon Ramme,1942; Artvinia Karabag,1962; #Micromon Otte,1997*
- 5723) Polysarcus Fieber,[1853]** (Tettigoniidae) Synonym(s): *Polysarcus Fieber,[1853]; Orphania Fieber,1853; Hadrosoma Fieber,1854*
- 5724) Psorodonotus Brunner von Wattenwyl,1861** (Tettigoniidae) Synonym(s): *Peltastes Fischer von Waldheim,1839; Psorodonotus Brunner von Wattenwyl,1861; Semenovites Tarbinsky,1932*
- 5725) Rammeola Uvarov,1934** (Tettigoniidae) Synonym(s): *Rammeola Uvarov,1934*
- 5726) Rhacocleis Fieber,1853** (Tettigoniidae) Synonym(s): *Rhacocleis Fieber,1853; Scirtobaenus Pantel,1886*
- 5727) Ruspolia Schulthess Schindler,1898** (Tettigoniidae) Synonym(s): *Ruspolia Schulthess Schindler,1898; Homorocoryphus Karny,1907*
- 5728) Saga Charpentier,1825** (Tettigoniidae) Synonym(s): *Saga Charpentier,1825; Tettigopsis Fischer von Waldheim,1830*
- 5729) Scotodrymadusa Ramme,1939** (Tettigoniidae) Synonym(s): *Scotodrymadusa Ramme,1939*
- 5730) Sureyaella Uvarov,1934** (Tettigoniidae) Synonym(s): *Sureyaella Uvarov,1934*
- 5731) Tettigonia Linnaeus,1758** (Tettigoniidae) Synonym(s): *Tettigonia Linnaeus,1758; Locusta Geoffroy,1762; Phasgonura Stephens,1835; Eumenymus Pictet,1888*
- 5732) Trigonocorypha Stal,1873** (Tettigoniidae) Synonym(s): *Trigonocorypha Stal,1873; #Trigonocorhypha Bei-Bienko,1965*
- 5733) Tylopsis Fieber,1853** (Tettigoniidae) Synonym(s): *Tylopsis Fieber,1853; Centrophorus Fischer von Waldheim,1846*
- 5734) Uvarovistia Maran,1953** (Tettigoniidae) Synonym(s): *#Uvarovistia Ramme,1951; Uvarovistia Maran,1953*
- 5735) Acrosathe Irwin & Lyneborg,1981** (Therevidae) Synonym(s): *Acrosathe Irwin & Lyneborg,1981*
- 5736) Ammothereva Lyneborg,1984** (Therevidae) Synonym(s): *Ammothereva Lyneborg,1984*
- 5737) Baryphora Loew,1844** (Therevidae) Synonym(s): *Baryphora Loew,1844*
- 5738) Pandivirilia Irwin & Lyneborg,1981** (Therevidae) Synonym(s): *Pandivirilia Irwin & Lyneborg,1981*
- 5739) Phycus Walker,1850** (Therevidae) Synonym(s): *Phycus Walker,1850; Caenophanes Loew,1874; Caenophanomyia Bezzi,1902; Paraphycus Becker,1922 nec Girault,1915 (hom.n.)*
- 5740) Salentia A.Costa,1857** (Therevidae) Synonym(s): *Salentia A.Costa,1857*
- 5741) Schoutedenomyia Kröber,1936** (Therevidae) Synonym(s): *Schoutedenomyia Kröber,1936*
- 5742) Thereva Latreille,1796** (Therevidae) Synonym(s): *Thereva Latreille,1796; Exapata Macquart,1840; Thereva Loew,1854; Thereva Agassiz,1846; Neothereva Kröber,1912; Caenozona Kröber,1912; Athereva Kröber,1925; Reinigiellum Enderlein,1934;*
- 5743) Agramma (s.str.) Stephens,1829** (Tingidae) Synonym(s): *Agramma Stephens,1829; Serenthia Spinola,1837; Wombalia Schouteden,1919; Paraserenthia E.Wagner,1941; Serenthiella E.Wagner,1941; Drakea Schouteden,1953*
- 5744) Agramma Stephens,1829** (Tingidae) Synonym(s): *Agramma Stephens,1829; Serenthia Spinola,1837; Wombalia Schouteden,1919; Paraserenthia E.Wagner,1941; Serenthiella E.Wagner,1941; Drakea Schouteden,1953*
- 5745) Campylosteira Fieber,1844** (Tingidae) Synonym(s): *Campylosteira Fieber,1844; #Campylostira Fieber,1860*
- 5746) Cantacader Amyot & Serville,1843** (Tingidae) Synonym(s): *Cantacader Amyot & Serville,1843*

- 5747) **Catoplatus Spinola,1837** (Tingidae) Synonym(s): *Catoplatus Spinola,1837*
- 5748) **Copium Thunberg,1822** (Tingidae) Synonym(s): *Copium Thunberg,1822*; *Monanthia Lepeletier & Audinet-Serville,1828*; *Eurycera Laporte,1833*; *Lacometopus Fieber,1844*
- 5749) **Corythucha Stal,1873** (Tingidae) Synonym(s): *Corythucha Stal,1873*; #*Corythuca Lethierry & Severin,1896*
- 5750) **Derephysia Spinola,1837** (Tingidae) Synonym(s): *Derephysia Spinola,1837*
- 5751) **Dictyla Stal,1874** (Tingidae) Synonym(s): *Dictyla Stal,1874*
- 5752) **Dictyonota Curtis,1827** (Tingidae) Synonym(s): *Dictyonota Curtis,1827*; #*Dictinota Costa,1847*
- 5753) **Elasmotropis Stal,1874** (Tingidae) Synonym(s): *Elasmotropis Stal,1874*
- 5754) **Galeatus Curtis,1833** (Tingidae) Synonym(s): *Galeatus Curtis,1833*
- 5755) **Hyalochiton Horvath,1905** (Tingidae) Synonym(s): *Hyalochiton Horvath,1905*; #*Hyalochitan Önder et al.,2006*
- 5756) **Lasiacantha Stal,1873** (Tingidae) Synonym(s): *Lasiacantha Stal,1873*
- 5757) **Monosteira Costa,1860** (Tingidae) Synonym(s): *Monosteira Costa,1860*
- 5758) **Physatocheila Fieber,1844** (Tingidae) Synonym(s): *Physatocheila Fieber,1844*; #*Phystaocheila Önder et al.,2006*
- 5759) **Tingis Fabricius,1803** (Tingidae) Synonym(s): *Tingis Fabricius,1803*
- 5760) **Urentius Distant,1903** (Tingidae) Synonym(s): *Urentius Distant,1903*
- 5761) **Icronatha Nagy,1967** (Tiphidae) Synonym(s): *Icronatha Nagy,1967*
- 5762) **Ludita Nagy,1967** (Tiphidae) Synonym(s): *Ludita Nagy,1967*
- 5763) **Meria Illiger,1807** (Tiphidae) Synonym(s): *Meria Illiger,1807*
- 5764) **Mesa Saussure,1892** (Tiphidae) Synonym(s): *Mesa Saussure,1892*
- 5765) **Methocha Latreille,1804** (Tiphidae) Synonym(s): *Methocha Latreille,1804*
- 5766) **Poecilotiphia Cameron,1902** (Tiphidae) Synonym(s): *Poecilotiphia Cameron,1902*
- 5767) **Silifka Argaman & Özbek,1992** (Tiphidae) Synonym(s): *Silifka Argaman & Özbek,1992*
- 5768) **Tiphia Fabricius,1775** (Tiphidae) Synonym(s): *Tiphia Fabricius,1775*
- 5769) **Ctenophora Meigen,1803** (Tipulidae) Synonym(s): *Ctenophora Meigen,1803*
- 5770) **Dictenidia Brullé,1833** (Tipulidae) Synonym(s): *Dictenidia Brullé,1833*
- 5771) **Dolichopeza (s.str.) Curtis,1825** (Tipulidae) Synonym(s): *Dolichopeza Curtis,1825*; *Dolicopeza Rondani,1856*
- 5772) **Dolichopeza Curtis,1825** (Tipulidae) Synonym(s): *Dolichopeza Curtis,1825*; *Dolicopeza Rondani,1856*
- 5773) **Nephrotoma Meigen,1803** (Tipulidae) Synonym(s): #*Pales Meigen,1800*; *Nephrotoma Meigen,1803*; *Pachyrhina Macquart,1834*
- 5774) **Nigrotipula Hutson & Vane-Wright,1969** (Tipulidae) Synonym(s): *Nigrotipula Hutson & Vane-Wright,1969*
- 5775) **Tipula (Acutipula) Alexander,1924** (Tipulidae) Synonym(s): *Acutipula Alexander,1924*
- 5776) **Tipula (Beringotipula) Savchenko,1961** (Tipulidae) Synonym(s): *Beringotipula Savchenko,1961*
- 5777) **Tipula (Dendrotipula) Savchenko,1961** (Tipulidae) Synonym(s): *Dendrotipula Savchenko,1961*
- 5778) **Tipula (Emodotipula) Alexander,1965** (Tipulidae) Synonym(s): *Emodotipula Alexander,1965*
- 5779) **Tipula (Lunatipula) Edwards,1931** (Tipulidae) Synonym(s): *Lunatipula Edwards,1931*
- 5780) **Tipula (Mediotipula) Pierre,1924** (Tipulidae) Synonym(s): *Mediotipula Pierre,1924*
- 5781) **Tipula (Pterelachisus) Rondani,1842** (Tipulidae) Synonym(s): *Pterelachisus Rondani,1842*
- 5782) **Tipula (Savtshenkia) Mannheims,1962** (Tipulidae) Synonym(s): *Savtshenkia Mannheims,1962*
- 5783) **Tipula (Schummelia) Edwards,1931** (Tipulidae) Synonym(s): *Schummelia Edwards,1931*
- 5784) **Tipula (Vestiplex) Bezzi,1924** (Tipulidae) Synonym(s): *Vestiplex Bezzi,1924*
- 5785) **Tipula (Yamatotipula) Matsumura,[1916]** (Tipulidae) Synonym(s): *Yamatotipula Matsumura,[1916]*
- 5786) **Tipula Linnaeus,1758** (Tipulidae) Synonym(s): *Tipula Linnaeus,1758*
- 5787) **Adontomerus Nikolskaya,1955** (Torymidae) Synonym(s): *Adontomerus Nikolskaya,1955*; *Mellitotorymus Steffan,1964*
- 5788) **Exopristoides Boucek,1982** (Torymidae) Synonym(s): *Exopristoides Boucek,1982*
- 5789) **Exopristus Ruschka,1923** (Torymidae) Synonym(s): *Exopristus Ruschka,1923*
- 5790) **Glyphomerus Förster,1856** (Torymidae) Synonym(s): *Glyphomerus Förster,1856*
- 5791) **Idiomacromerus Crawford,1914** (Torymidae) Synonym(s): *Idiomacromerus Crawford,1914*; #*Idiomacromarus Fallahzadeh et al.,2009*
- 5792) **Megastigmus Dalman,1820** (Torymidae) Synonym(s): *Megastigmus Dalman,1820*; *Cycloneuron Dahlbom,1857*; *Trogocarpus Rondani,1877*; *Megalostigmus Schultz,1906*; *Xanthosomoides Girault,1913*; *Epimegastigmus Girault,1915*; *Eumegastigmus Hussey,1956*; #*Megastimus Bouaziz & Roques,2006*
- 5793) **Microdontomerus Crawford,1907** (Torymidae) Synonym(s): *Microdontomerus Crawford,1907*
- 5794) **Monodontomerus Westwood,1833** (Torymidae) Synonym(s): *Monodontomerus Westwood,1833*
- 5795) **Oopristus Steffan,1968** (Torymidae) Synonym(s): *Oopristus Steffan,1968*
- 5796) **Podagrion Spinola,1811** (Torymidae) Synonym(s): *Podagrion Spinola,1811*

- 5797) Podagrionella Girault,1913** (Torymidae) Synonym(s): *Podagrionella* Girault,1913; *Iridophaga* Picard,1933; *Tarachodiphaga* Ferrière,1955; *Iridophagoides* Erdős,1964
- 5798) Pseudotorymus Masi,1922** (Torymidae) Synonym(s): *Pseudotorymus* Masi,1922; *Holaspis* Mayr,1874; *Senegalella* Risbec,1951; *Thiesia* Risbec,1951
- 5799) Tormoides Walker,1871** (Torymidae) Synonym(s): *Tormoides* Walker,1871; *Dimeromicrus* Crawford,1910; *Macrodontomerus* Girault,1913; *Didactyliocerus* Masi,1916; *Ameromicrus* Nikolskaya,1954; *Pontotorymus* Boucek,1978
- 5800) Tormus Dalman,1820** (Torymidae) Synonym(s): *Tormus* Dalman,1820; #*Tormys* Nees,1834
- 5801) Trichocera (Saltrichocera) Krzeminska,2002** (Trichoceridae) Synonym(s): *Saltrichocera* Krzeminska,2002
- 5802) Trichocera Meigen,1803** (Trichoceridae) Synonym(s): #*Melusina* Meigen,1800; #*Petaurista* Meigen,1800; *Trichocera* Meigen,1803; *Atractocera* Meigen,1803; *Trichocerodes* Brethes,1925; *Palaeopetaurista* Séguy,1940
- 5803) Aphelinoidea Girault,1911** (Trichogrammatidae) Synonym(s): *Aphelinoidea* Girault,1911
- 5804) Bloodiella Nowicki,1935** (Trichogrammatidae) Synonym(s): *Bloodiella* Nowicki,1935
- 5805) Chaetostricha Walker,1851** (Trichogrammatidae) Synonym(s): *Chaetostricha* Walker,1851
- 5806) Monorthochaeta Blood & Kryger,1928** (Trichogrammatidae) Synonym(s): *Monorthochaeta* Blood & Kryger,1928
- 5807) Oligosita Walker,1851** (Trichogrammatidae) Synonym(s): *Oligosita* Walker,1851
- 5808) Pseudoligosita Girault,1913** (Trichogrammatidae) Synonym(s): *Pseudoligosita* Girault,1913
- 5809) Pterandrophysalis Nowicki,1935** (Trichogrammatidae) Synonym(s): *Pterandrophysalis* Nowicki,1935
- 5810) Trichogramma Westwood,1833** (Trichogrammatidae) Synonym(s): *Trichogramma* Westwood,1833
- 5811) Ufens Girault,1911** (Trichogrammatidae) Synonym(s): *Ufens* Girault,1911
- 5812) Ufensia Girault,1913** (Trichogrammatidae) Synonym(s): *Ufensia* Girault,1913
- 5813) Uscana Girault,1911** (Trichogrammatidae) Synonym(s): *Uscana* Girault,1911
- 5814) Bruntridactylus Günther,1979** (Tridactylidae) Synonym(s): *Bruntridactylus* Günther,1979
- 5815) Tridactylus Olivier,1789** (Tridactylidae) Synonym(s): *Tridactylus* Olivier,1789
- 5816) Xya Latreille,1809** (Tridactylidae) Synonym(s): *Xya* Latreille,1809
- 5817) Bactericera Puton,1876** (Trioziidae) Synonym(s): *Bactericera* Puton,1876
- 5818) Trioza Förster,1848** (Trioziidae) Synonym(s): *Trioza* Förster,1848
- 5819) Trixoscelis Rondani,1856** (Trixoscelidae) Synonym(s): *Trixoscelis* Rondani,1856
- 5820) Trypetimorpha A.Costa,1862** (Tropiduchidae) Synonym(s): *Trypetimorpha* A.Costa,1862
- 5821) Ceroxys Macquart,1835** (Ulidiidae) Synonym(s): *Meckelia* R-D.,1830; *Ceroxys* Macquart,1835; *Ceratoxys* Rondani,1861; *Anacampta* Loew,1868; *Holodasia* Loew,1869; *Engytortalis* Hendel,1935
- 5822) Dorycera Meigen,1830** (Ulidiidae) Synonym(s): *Dorycera* Meigen,1830; *Percnomatia* Loew,1868; *Macheirocera* Rondani,1869
- 5823) Herina R-D.,1830** (Ulidiidae) Synonym(s): *Herina* R-D.,1830
- 5824) Melieria R-D.,1830** (Ulidiidae) Synonym(s): *Melieria* R-D.,1830; *Hypochra* Loew,1860; *Phaeosoma* Becker,1908
- 5825) Myennis R-D.,1830** (Ulidiidae) Synonym(s): *Myennis* R-D.,1830; #*Miennis* Rondani,1869; #*Miennys* Rondani,1869;
- 5826) Otites Latreille,1804** (Ulidiidae) Synonym(s): *Otites* Latreille,1804; *Blainvillia* R-D.,1830; *Heramyia* R-D.,1830; *Myoris* R-D.,1830; *Carmocoris* Loew,1868; *Pteropocila* Loew,1868; *Ptilonota* Loew,1868; *Systata* Loew,1869
- 5827) Physiphora Fallén,1810** (Ulidiidae) Synonym(s): *Physiphora* Fallén,1810; *Chrysomyza* Fallén,1817; *Chloria* Schiner,1862; *Cliochoiria* Enderlein,1927
- 5828) Seioptera Kirby,1817** (Ulidiidae) Synonym(s): *Seioptera* Kirby,1817; *Myodina* R-D.,1830
- 5829) Timia (Empyelocera) Loew,1866** (Ulidiidae) Synonym(s): *Empyelocera* Loew,1866
- 5830) Timia Wiedemann,1824** (Ulidiidae) Synonym(s): *Timia* Wiedemann,1824
- 5831) Ulidia Meigen,1826** (Ulidiidae) Synonym(s): *Ulidia* Meigen,1826
- 5832) Ulidiopsis Henning,1939** (Ulidiidae) Synonym(s): *Ulididiopsis* Henning,1939
- 5833) Microvelia Westwood,1834** (Veliidae) Synonym(s): *Microvelia* Westwood,1834
- 5834) Velia (s.str.) Latreille,1804** (Veliidae) Synonym(s): *Velia* Latreille,1804
- 5835) Velia Latreille,1804** (Veliidae) Synonym(s): *Velia* Latreille,1804
- 5836) Acanthodynerus Gusenleitner,1969** (Vespidae) Synonym(s): *Acanthodynerus* Gusenleitner,1969
- 5837) Alastor (Megalastor) Blüthgen,1951** (Vespidae) Synonym(s): *Megalastor* Blüthgen,1951
- 5838) Alastor (s.str.) Lepeletier,1841** (Vespidae) Synonym(s): *Alastor* Lepeletier,1841
- 5839) Alastor Lepeletier,1841** (Vespidae) Synonym(s): *Alastor* Lepeletier,1841
- 5840) Allodynerus Blüthgen,1938** (Vespidae) Synonym(s): *Allodynerus* Blüthgen,1938
- 5841) Ancistrocerus Wesmael,1836** (Vespidae) Synonym(s): *Ancistrocerus* Wesmael,1836

- 5842) Antepipona Saussure,[1855]** (Vespidae) Synonym(s): *Antepipona Saussure,[1855]*; *Antepiponus Saussure,1875*; #*Antepipone Dalla Torre,1894*; *Mehelyella Moczar,1937*; *Odontodynerus Blüthgen,1938*; *Dichodynerus Blüthgen,1938*; *Metastenancistrocerus Blüthgen,1938*
- 5843) Antodynerus Saussure,[1855]** (Vespidae) Synonym(s): *Antodynerus Saussure,[1855]*; *Kalliepipona Giordani Soika,1952*; *Pseudokalliepipona Giordani Soika,1955*; *Parepipona Giordani Soika,1957*; #*Anthodynerus Giordani Soika,1961*
- 5844) Brachyodynerus Blüthgen,1938** (Vespidae) Synonym(s): *Brachyodynerus Blüthgen,1938*
- 5845) Brachypipona Gusenleitner,1967** (Vespidae) Synonym(s): *Brachypipona Gusenleitner,1967*; *Desertodynerus Kurzenko,1977*
- 5846) Celonites Latreille,1802** (Vespidae) Synonym(s): *Celonites Latreille,1802*; #*Paracelonites Kostylev,1935*; #*Euclonites Kostylev,1935*; *Euclonites Richards,1962*
- 5847) Cephalochilus Blüthgen,1939** (Vespidae) Synonym(s): *Cephalochilus Blüthgen,1939*
- 5848) Ceramius Latreille,1810** (Vespidae) Synonym(s): *Ceramius Latreille,1810*; *Gnatho Klug,1810*; *Paraceramius Saussure,1854*; *Ceramioides Saussure,1854*; *Euceramius Dalla Torre,1904*
- 5849) Chlorodynerus Blüthgen,1951** (Vespidae) Synonym(s): *Chlorodynerus Blüthgen,1951*
- 5850) Cyrtolabulus Vecht,1969** (Vespidae) Synonym(s): *Cyrtolabus Vecht,1963 nec Voss,1925*; *Cyrtolabulus Vecht,1969*
- 5851) Delta Saussure,[1855]** (Vespidae) Synonym(s): *Delta Saussure,[1855]*; *Phi Saussure,[1855]*; *Erinys Zirngiebl,1953 nec Rye,1876*
- 5852) Discoelius Latreille,1809** (Vespidae) Synonym(s): *Discoelius Latreille,1809*
- 5853) Dolichovespula Rohwer,1916** (Vespidae) Synonym(s): *Dolichovespula Rohwer,1916*; *Pseudovespula Birula,1931*; *Boreovespula Blüthgen,1943*; *Metavespula Blüthgen,1943*
- 5854) Eumenes Latreille,1802** (Vespidae) Synonym(s): *Eumenes Latreille,1802*
- 5855) Euodynerus (s.str.) Dalla Torre,1904** (Vespidae) Synonym(s): *Euodynerus Dalla Torre,1904*
- 5856) Euodynerus Dalla Torre,1904** (Vespidae) Synonym(s): *Euodynerus Dalla Torre,1904*
- 5857) Eustenancistrocerus (Parastenancistrocerus) Blüthgen,1938** (Vespidae) Synonym(s): *Parastenancistrocerus Blüthgen,1938*
- 5858) Eustenancistrocerus (s.str.) Blüthgen,1938** (Vespidae) Synonym(s): *Eustenancistrocerus Blüthgen,1938*
- 5859) Eustenancistrocerus Blüthgen,1938** (Vespidae) Synonym(s): *Eustenancistrocerus Blüthgen,1938*
- 5860) Gymnomerus Blüthgen,1938** (Vespidae) Synonym(s): *Gymnomerus Blüthgen,1938*
- 5861) Hemipterochilus Ferton,1910** (Vespidae) Synonym(s): *Hemipterochilus Ferton,1910*
- 5862) Ischnogasteroides Magretti,1884** (Vespidae) Synonym(s): *Ischnogasteroides Magretti,1884*
- 5863) Jucancistrocerus Blüthgen,1938** (Vespidae) Synonym(s): *Jucancistrocerus Blüthgen,1938*
- 5864) Jugurtia Saussure,1854** (Vespidae) Synonym(s): *Jugurtia Saussure,1854*; #*Jugurthia André,1886*; #*Jujurtha Ashmead,1902*; *Ceramiellus Schulthess,1922*
- 5865) Katamenes Meade-Waldo,1910** (Vespidae) Synonym(s): *Katamenes Meade-Waldo,1910*
- 5866) Knemodynerus Blüthgen,1940** (Vespidae) Synonym(s): *Knemodynerus Blüthgen,1940*
- 5867) Leptochilus (Euleptochilus) Blüthgen,1943** (Vespidae) Synonym(s): *Euleptochilus Blüthgen,1943*
- 5868) Leptochilus (Lionotulus) Blüthgen,1938** (Vespidae) Synonym(s): *Lionotulus Blüthgen,1938*
- 5869) Leptochilus (Neoleptochilus) Blüthgen,1961** (Vespidae) Synonym(s): *Neoleptochilus Blüthgen,1961*
- 5870) Leptochilus (s.str.) Saussure,1853** (Vespidae) Synonym(s): *Leptochilus Saussure,1853*
- 5871) Leptochilus Saussure,1853** (Vespidae) Synonym(s): *Leptochilus Saussure,1853*
- 5872) Microdynerus (Alastoryneus) Blüthgen,1938** (Vespidae) Synonym(s): *Alastoryneus Blüthgen,1938*
- 5873) Microdynerus (Pseudomicrodynerus) Blüthgen,1938** (Vespidae) Synonym(s): *Pseudomicrodynerus Blüthgen,1938*
- 5874) Microdynerus (s.str.) Thomson,1874** (Vespidae) Synonym(s): *Microdynerus Thomson,1874*
- 5875) Microdynerus Thomson,1874** (Vespidae) Synonym(s): *Microdynerus Thomson,1874*
- 5876) Odynerus (Spinicoxa) Blüthgen,1938** (Vespidae) Synonym(s): *Spinicoxa Blüthgen,1938*
- 5877) Odynerus (s.str.) Latreille,1802** (Vespidae) Synonym(s): *Odynerus Latreille,1802*; *Epipone Kirby & Spence,1815 (praeocc.)*; *Oplopus Wesmael,1836*; *Oplomerus Westwood,1840*; *Euepipona Dalla Torre,1904*
- 5878) Odynerus Latreille,1802** (Vespidae) Synonym(s): *Odynerus Latreille,1802*; *Epipone Kirby & Spence,1815 (praeocc.)*; *Oplopus Wesmael,1836*; *Oplomerus Westwood,1840*; *Euepipona Dalla Torre,1904*
- 5879) Onychopterocheilus Blüthgen,1955** (Vespidae) Synonym(s): *Onychopterocheilus Blüthgen,1955*
- 5880) Paragymnomerus Blüthgen,1938** (Vespidae) Synonym(s): *Paragymnomerus Blüthgen,1938*
- 5881) Parapolybia Saussure,[1854]** (Vespidae) Synonym(s): *Parapolybia Saussure,[1854]*
- 5882) Paravespa Radoszkowski,1886** (Vespidae) Synonym(s): *Paravespa Radoszkowski,1886*; *Theletor Kokujev,1912*
- 5883) Pareumenes Saussure,[1855]** (Vespidae) Synonym(s): *Pareumenes Saussure,[1855]*
- 5884) Parodontodynerus Blüthgen,1938** (Vespidae) Synonym(s): *Parodontodynerus Blüthgen,1938*
- 5885) Polistes (s.str.) Latreille,1802** (Vespidae) Synonym(s): *Polistes Latreille,1802*; *Sulcopolistes Blüthgen,1938*; *Polistula Weyrauch,1939*

- 5886) Polistes Latreille,1802** (Vespidae) Synonym(s): *Polistes Latreille,1802*; *Sulcopolistes Blüthgen,1938*; *Polistula Weyrauch,1939*
- 5887) Pseudepipona (Deuterepipona) Blüthgen,1951** (Vespidae) Synonym(s): *Deuterepipona Blüthgen,1951*
- 5888) Pseudepipona (s.str.) Saussure,[1856]** (Vespidae) Synonym(s): *Pseudepipona Saussure,[1856]*; *Metepipona Blüthgen,1951*; *Trichepipona Blüthgen,1951*; *Leptepipona Blüthgen,1951*; *#Pseudepipone Bytinski-Salz & Gusenleitner,1971*
- 5889) Pseudepipona Saussure,[1856]** (Vespidae) Synonym(s): *Pseudepipona Saussure,[1856]*; *Metepipona Blüthgen,1951*; *Trichepipona Blüthgen,1951*; *Leptepipona Blüthgen,1951*; *#Pseudepipone Bytinski-Salz & Gusenleitner,1971*
- 5890) Pseudosymmorphus Blüthgen,1938** (Vespidae) Synonym(s): *Pseudosymmorphus Blüthgen,1938*
- 5891) Psiliglossa Saunders,1872** (Vespidae) Synonym(s): *Psiliglossa Saunders,1872*; *#Psilioglossa Bağrıaçık & Tüzün,2005*
- 5892) Pterocheilus Klug,1805** (Vespidae) Synonym(s): *Pterocheilus Klug,1805*; *#Pterochilus Illiger,1807*; *#Pterochile Blanchard,1840*; *Odontopterochilus Kostylev,1940*; *Nannopterochilus Blüthgen,1961*
- 5893) Quartinia André,1884** (Vespidae) Synonym(s): *Quartinia André,1884*
- 5894) Raphiglossa Saunders,1850** (Vespidae) Synonym(s): *Raphiglossa Saunders,1850*
- 5895) Rhynchium Spinola,1806** (Vespidae) Synonym(s): *Rhynchium Spinola,1806*
- 5896) Stenodynerus Saussure,1863** (Vespidae) Synonym(s): *Stenodynerus Saussure,1863*; *Nannodynerus Blüthgen,1938*; *Parhypodynerus Giordani Soika,1974*
- 5897) Symmorphus Wesmael,1836** (Vespidae) Synonym(s): *Symmorphus Wesmael,1836*; *Protodynerus Saussure,1855*
- 5898) Syneuodynerus Blüthgen,1951** (Vespidae) Synonym(s): *Syneuodynerus Blüthgen,1951*; *#Syneuodynerus Kurzenko,1981*
- 5899) Tachyancistrocerus Giordani Soika,1952** (Vespidae) Synonym(s): *Subancistrocerus Blüthgen,1938* (praeocc.); *Tachyancistrocerus Giordani Soika,1952*
- 5900) Tropidodynerus Blüthgen,1939** (Vespidae) Synonym(s): *Tropidodynerus Blüthgen,1939*
- 5901) Vespa Linnaeus,1758** (Vespidae) Synonym(s): *Vespa Linnaeus,1758*; *Macrovespa Dalla Torre,1904*; *Nyctovespa Van der Vecht,1959*
- 5902) Vespula Thomson,1869** (Vespidae) Synonym(s): *Vespula Thomson,1869*
- 5903) Xyela Dalman,1819** (Xyelidae) Synonym(s): *Xyela Dalman,1819*
- 5904) Solva Walker,1860** (Xylomyidae) Synonym(s): *Solva Walker,1860*; *Hanauia Enderlein,1920*
- 5905) Xylomya Rondani,1861** (Xylomyidae) Synonym(s): *Xylomya Rondani,1861*; *Subula Meigen,1820*; *#Xlomyia Üstüner & Kalyoncu,2005*

List of the pterygot species of Turkey

Pterygot species (subspecies are excluded here) of 16 orders, recorded in Turkey so far are represented by 20417 valid names of 377 families. Below, these names listed alphabetically together with synonyms, under the two different titles; namely, *Lepidoptera*, and other pterygot orders.

Lepidoptera

Totally 5282 species of 76 families known from Turkey are listed below alphabetically. Chronologically arranged synonymous names are also given.

ADELIDAE

- 1) Adela auricella Ragonot,1874** (Adelidae) Synonym(s): *auricella Ragonot,1874*
- 2) Adela australis (Heydenreich,1851)** (Adelidae) Synonym(s): *aldrovandella Villers,1789*; *australis Heydenreich,1851*; *australis Herrich-Schäffer,1855*
- 3) Adela chlorista (Meyrick,1912)** (Adelidae) Synonym(s): *chlorista Meyrick,1912*
- 4) Adela croesella (Scopoli,1763)** (Adelidae) Synonym(s): *croesella Scopoli,1763*; *podaella Linnaeus,1767*; *sultzella Linnaeus,1767*; *malletella Fourcroy,1785*; *fasciata Esper,1791*; *sultzii Haworth,1828*; *sulzeriella Zeller,1839*; *laqueatella Zeller,1850*.

- 5) **Adela mazzolella (Hübner,[1801])** (Adelidae) Synonym(s): *aurella* [Denis & Schiffermüller],1775 nec Fabr.,1775; *mazzolella* Hübner,[1801]; *armeniella* Rebel,1902
- 6) **Adela reaumurella (Linnaeus,1758)** (Adelidae) Synonym(s): *reaumurella* Linnaeus,1758; *viridella* Scopoli,1763; *sphingiella* Hübner,1793; *viridis* Haworth,1828; *#nigra* Zeller,1853; *speyeri* Zeller,1853; *vernella* Bruand,1859
- 7) **Adela repetitella Mann,1861** (Adelidae) Synonym(s): *repetitella* Mann,1861
- 8) **Cauchas anatolica (Rebel,1902)** (Adelidae) Synonym(s): *anatolica* Rebel,1902
- 9) **Cauchas fibulella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *fibulella* [Denis & Schiffermüller],1775; *pulchella* Eversmann,1844; *immaculata* Wocke,1877
- 10) **Cauchas florella (Staudinger,1871)** (Adelidae) Synonym(s): *florella* Staudinger,1871
- 11) **Cauchas leucocerella (Scopoli,1763)** (Adelidae) Synonym(s): *leucocerella* Scopoli,1763; *conformella* Zeller,1839; *bimaculella* Fischer v. Rösslerstamm,1840
- 12) **Cauchas rufifrontella (Treitschke,1833)** (Adelidae) Synonym(s): *rufifrontella* Treitschke,1833
- 13) **Cauchas rufimitrella (Scopoli,1763)** (Adelidae) Synonym(s): *rufimitrella* Scopoli,1763; *purpuratella* Zeller,1850
- 14) **Cauchas tridesma (Meyrick,1912)** (Adelidae) Synonym(s): *trifasciella* Staudinger,1879 (praeocc.); *tridesma* Meyrick,1912.
- 15) **Nematopogon adansoniella (Villers,1789)** (Adelidae) Synonym(s): *adansoniella* Villers,1789; *panzerella* Fabricius,1794; *panzeri* Haworth,1828; *sabulosella* Walker,1863; *annulatella* Ragonot,1876; *pseudopilella* Peyerimhoff,1877.
- 16) **Nematopogon pilella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *pilella* [Denis & Schiffermüller],1775; *pilea* Haworth,1828; *minutella* Snellen,1884; *submetallica* Caradja,1920; *flavicomella* Müller-Rutz,1927
- 17) **Nematopogon robertella (Clerck,1759)** (Adelidae) Synonym(s): *#robertella* Clerck,1759; *pilulella* Hübner,[1813].
- 18) **Nematopogon schwarziella Zeller,1839** (Adelidae) Synonym(s): *schwarziellus* Zeller,1839; *carteri* Stainton,1854
- 19) **Nematopogon swammerdamella (Linnaeus,1758)** (Adelidae) Synonym(s): *swammerdamella* Linnaeus,1758; *reamurella* Peyerimhoff,1877.
- 20) **Nemophora barbatella (Zeller,1847)** (Adelidae) Synonym(s): *barbatellus* Zeller,1847; *chalcocorysellus* Mann,1855; *constantinella* Baker,1888; *demaioni* Ragonot,1889; *#padrejusto* Agenjo,1965
- 21) **Nemophora chrysochraon (Razowski,1978)** (Adelidae) Synonym(s): *pfeifferella* Hübner,[1813] (fig.422) nec Hbn,[1813] (fig.398); *chrysochraon* Razowski,1978; *#chrysochranon* Razowski,1978; *huebneri* Koçak,1980.
- 22) **Nemophora cupriacella (Hübner,[1819])** (Adelidae) Synonym(s): *cupriacella* Hübner,[1819]
- 23) **Nemophora dumerilella (Duponchel,1839)** (Adelidae) Synonym(s): *basochesella* Hübner,[1824] (n.o.); *dumerilella* Duponchel,1839; *inauratella* Duponchel,1844; *#fervidellus* Zeller,1853; *#zelleriellus* Zeller,1853
- 24) **Nemophora eretna Kemal & Koçak,2006** (Adelidae) Synonym(s): *eretna* Kemal & Koçak,2006
- 25) **Nemophora fasciella (Fabricius,1775)** (Adelidae) Synonym(s): *fasciella* Fabricius,1775; *schiffermüllerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867
- 26) **Nemophora istrianaella (Heydenreich,1851)** (Adelidae) Synonym(s): *istrianaella* Heydenreich,1851; *dalmatinellus* Zeller,1853; *beyruthella* Bruand,1858; *chlorista* Meyrick,1912
- 27) **Nemophora metallica (Poda,1761)** (Adelidae) Synonym(s): *metallica* Poda,1761; *scabiosella* Scopoli,1763; *viridella* Hübner,1796; *aerosellus* Zeller,1850; *rebelellus* Turati,1924
- 28) **Nemophora mollella (Hübner,[1813])** (Adelidae) Synonym(s): *mollella* Hübner,[1813]; *glabrata* Meyrick,1922
- 29) **Nemophora prodigella (Zeller,1853)** (Adelidae) Synonym(s): *prodigellus* Zeller,1853; *auricellus* Ragonot,1874; *splendidus* Staudinger,1880
- 30) **Nemophora raddella (Hübner,1793)** (Adelidae) Synonym(s): *raddella* Hübner,1793; *latreillella* Fabricius,1798; *raddaellus* Wocke,1871; *algeriensis* Walsingham,1907

AGONOXENIDAE

- 31) **Blastodacna libanotica Diakonoff,1939** (Agonoxenidae) Synonym(s): *libanotica* Diakonoff,1939
- 32) **Chrysoclista linneella (Clerck,1759)** (Agonoxenidae) Synonym(s): *#linneella* Clerck,1759; *linneella* Linnaeus,1761
- 33) **Haplochrois theae (Kuznetsov,1916)** (Agonoxenidae) Synonym(s): *theae* Kuznetsov,1916
- 34) **Heinemannia festivella ([Denis & Schiffermüller],1775)** (Agonoxenidae) Synonym(s): *festivella* [Denis & Schiffermüller],1775; *kokujevi* Krulikowsky,1903
- 35) **Heinemannia laspeyrella (Hübner,1796)** (Agonoxenidae) Synonym(s): *laspeyrella* Hübner,1796
- 36) **Spuleria flavicaput (Haworth,1828)** (Agonoxenidae) Synonym(s): *flavicaput* Haworth,1828; *aurifrontella* Geyer,[1832]; *aurocapitella* Bruand,[1851]; *flavicapitella* Doubleday,1859

ALUCITIDAE

- 37) **Alucita cancellata (Meyrick,1908)** (Alucitidae) Synonym(s): *cancellata* Meyrick,1908
 38) **Alucita cinnerethella Amsel,1935** (Alucitidae) Synonym(s): *cinnerethella* Amsel,1935
 39) **Alucita cymatodactyla Zeller,1852** (Alucitidae) Synonym(s): *cymatodactyla* Zeller,1852.
 40) **Alucita desmodactyla Zeller,1847** (Alucitidae) Synonym(s): *desmodactyla* Zeller,1847
 41) **Alucita grammodactyla Zeller,1841** (Alucitidae) Synonym(s): *grammodactyla* Zeller,1841
 42) **Alucita hexadactyla Linnaeus,1758** (Alucitidae) Synonym(s): *hexadactyla* Linnaeus,1758
 43) **Alucita huebneri Wallengren,1859** (Alucitidae) Synonym(s): *huebneri* Wallengren,1859
 44) **Alucita klimeschi Scholz,1997** (Alucitidae) Synonym(s): *klimeschi* Scholz,1997
 45) **Alucita major (Rebel,1906)** (Alucitidae) Synonym(s): *major* Rebel,1906
 46) **Alucita palodactyla Zeller,1847** (Alucitidae) Synonym(s): *palodactyla* Zeller,1847; *perittodactyla* Staudinger,1859; *parthenodactyla* Chrétien,1915
 47) **Alucita pseudohuebneri Scholz,1997** (Alucitidae) Synonym(s): *pseudohuebneri* Scholz,1997
 48) **Alucita tridentata Scholz & Jäckh,1994** (Alucitidae) Synonym(s): *tridentata* Scholz & Jäckh,1994
 49) **Alucita zonodactyla Zeller,1847** (Alucitidae) Synonym(s): *zonodactyla* Zeller,1847

ARCTIIDAE

- 50) **Andala semiramis (Staudinger,1892)** (Arctiidae) Synonym(s): *semiramis* Staudinger,1892
 51) **Arctia (Epicallia) marchandi De Freina,1983** (Arctiidae) Synonym(s): *marchandi* De Freina,1983.
 52) **Arctia (Epicallia) villica (Linnaeus,1758)** (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
 53) **Arctia (Eucharia) festiva (Hufnagel,1766)** (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménéttriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
 54) **Arctia (s.str.) caja (Linnaeus,1758)** (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 nec Rom.,1884; *rebeli* Wnukowsky,1929.
 55) **Arctia (s.str.) flavia (Fuessly,1779)** (Arctiidae) Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,[1804]; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927
 56) **Atolmis rubricollis (Linnaeus,1758)** (Arctiidae) Synonym(s): *rubricollis* Linnaeus,1758
 57) **Axiopoea karelini Ménéttriés,1863** (Arctiidae) Synonym(s): *karelini* Ménéttriés,1863; *transcaucasia* Sheljuzhko,1926; *manissadjiani* O.Bang-Haas,1927.
 58) **Callimorpha dominula (Linnaeus,1758)** (Arctiidae) Synonym(s): *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943.
 59) **Chelis maculosa (Gerning,1780)** (Arctiidae) Synonym(s): *#maculosa* [Denis & Schiffermüller],1775; *maculosa* Gerning,1780; *monacensis* Osthelder,1933.
 60) **Chelis reticulata (Christoph,1887)** (Arctiidae) Synonym(s): *reticulata* Christoph,1887
 61) **Collita griseola (Hübner,[1803])** (Arctiidae) Synonym(s): *griseola* Hübner,[1803]; *plumbeolata* Stephens,1829; *stramineola* Doubleday,1847.
 62) **Coscinia cribraria (Linnaeus,1758)** (Arctiidae) Synonym(s): *cribraria* Linnaeus,1758; *cribrum* Linnaeus,1761; *chrysocephala* Hübner,[1804]; *punctigera* Freyer,1834; *sibirica* Staudinger,1892; *bivittata* South,1900; *fumidaria* O.Bang-Haas,1927; *arenaria* Lempke,1937; *nikitini* O.Bang-Haas,1938; *pannonica* Daniel,1955;...
 63) **Cybosia mesomella (Linnaeus,1758)** (Arctiidae) Synonym(s): *mesomella* Linnaeus,1758; *eborina* Denis & Schiffermüller,1775; *quatrilis* Fourcroy,1785; *eremella* Vorbodt,1914
 64) **Cymbalophora oetzeni (Lederer,1855)** (Arctiidae) Synonym(s): *oetzeni* Lederer,1855
 65) **Cymbalophora rivularis (Ménéttriés,1832)** (Arctiidae) Synonym(s): *rivularis* Ménéttriés,1832; *dannehli* Dannehl,1929.
 66) **Diacrisia sannio (Linnaeus,1758)** (Arctiidae) Synonym(s): *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892.
 67) **Diaphora mendica (Linnaeus,1761)** (Arctiidae) Synonym(s): *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]
 68) **Eilema caniolum (Hübner,[1808])** (Arctiidae) Synonym(s): *caniola* Hübner,[1808]
 69) **Epatolmis caesarea (Goeze,1781)** (Arctiidae) Synonym(s): *#luctifera* [Denis & Schiffermüller],1775; *caesarea* Goeze,1781; *japonica* Walker,[1865].
 70) **Euplagia quadripunctaria (Poda,1761)** (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 nec Hol.,1897; *latefasciata* Bubacek,1915.

- 71) Euplagia splendidior (Tams,1922)** (Arctiidae) Synonym(s): *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935.
- 72) Hyphantria cunea (Drury,[1773])** (Arctiidae) Synonym(s): *cunea* Drury,[1773]; *punctatissima* Smith,1797; *budea* Hübner,[1823]; *textor* Harris,1828; *mutans* Walker,1856; *collaris* Fitch,1857; *punctata* Fitch,1857; *pallida* Packard,1864; *candida* Walker,1865; *suffusa* Strecker,1900; *brunnea* Strecker,1900
- 73) Hyphoraia aulica (Linnaeus,1758)** (Arctiidae) Synonym(s): *aulica* Linnaeus,1758; *pustulata* Müller,1764
- 74) Katha depressa (Esper,[1787])** (Arctiidae) Synonym(s): *deplana* Esper,[1787] *nec* Linn.,1771; *depressa* Esper,[1787]; *helvola* Hübner,[1803]; *ochreola* Hübner,[1803]; *helvola* Ochsenheimer,1810.
- 75) Lacydes spectabilis (Tauscher,1806)** (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
- 76) Lithosia quadra (Linnaeus,1758)** (Arctiidae) Synonym(s): *quadra* Linnaeus,1758; *flava* Müller,1764; *deplana* Linnaeus,1771; *quadrata* Walckenaer,1802; *dives* Butler,1877.
- 77) Manulea (Agenjoa) lurideola (Zincken,1817)** (Arctiidae) Synonym(s): *lurideolum* Zincken,1817; *complanula* Boisduval,1834; *plumbeolana* Herrich-Schäffer,1852.
- 78) Manulea (s.str.) complana (Linnaeus,1758)** (Arctiidae) Synonym(s): *complana* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939.
- 79) Manulea (s.str.) costalis (Zeller,1847)** (Arctiidae) Synonym(s): *#morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847
- 80) Manulea (s.str.) lutarella (Linnaeus,1758)** (Arctiidae) Synonym(s): *lutarella* Linnaeus,1758; *luteola* [Denis & Schiffermüller],1775; *alboflava* Retzius,1783; *flava* Fabricius,1798; *lutea* Fabricius,1798 *nec* Fabr.,1775
- 81) Manulea (s.str.) palliatella (Scopoli,1763)** (Arctiidae) Synonym(s): *palliatella* Scopoli,1763; *unita* [Denis & Schiffermüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866.
- 82) Manulea (s.str.) pseudocomplana (Daniel,1939)** (Arctiidae) Synonym(s): *pseudocomplana* Daniel,1939
- 83) Manulea (s.str.) pygmaeola (Doubleday,1847)** (Arctiidae) Synonym(s): *pygmaeolum* Doubleday,1847
- 84) Miltchrista miniata (Forster,1771)** (Arctiidae) Synonym(s): *miniata* Forster,1771; *rosea* Fabricius,1775; *rubicunda* [Denis & Schiffermüller],1775; *minialis* Thunberg,1784; *rosacea* Fourcroy,1785; *roseana* Villers,1789; *rosea* Donovan,1793 *nec* Fabricius,1775; *destrigata* Dannehl,1928; *mosbacheri* Roesler,1967.
- 85) Muscula muscula (Staudinger,1899)** (Arctiidae) Synonym(s): *muscula* Staudinger,1899
- 86) Nudaria mundana (Linnaeus,1761)** (Arctiidae) Synonym(s): *mundana* Linnaeus,1761
- 87) Ocnogyna (Somatotrichia) anatolica Witt,1980** (Arctiidae) Synonym(s): *anatolica* Witt,1980
- 88) Ocnogyna (Somatotrichia) parasita (Hübner,1790)** (Arctiidae) Synonym(s): *parasita* Hübner,1790
- 89) Ocnogyna (s.str.) armena Staudinger,1871** (Arctiidae) Synonym(s): *armena* Staudinger,1871
- 90) Ocnogyna (s.str.) bellieri (Lederer,1855)** (Arctiidae) Synonym(s): *bellieri* Lederer,1855; *banghaasi* Staudinger,1895.
- 91) Ocnogyna (s.str.) herrichi Staudinger,1879** (Arctiidae) Synonym(s): *herrichi* Staudinger,1879
- 92) Ocnogyna (s.str.) loewii (Zeller,1846)** (Arctiidae) Synonym(s): *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931.
- 93) Paidia (Conjuncta) conjuncta (Staudinger,1892)** (Arctiidae) Synonym(s): *conjuncta* Staudinger,1892
- 94) Paidia (s.str.) albescens (Staudinger,1892)** (Arctiidae) Synonym(s): *albescens* Staudinger,1892
- 95) Paidia (s.str.) cinerascens (Herrich-Schäffer,[1847])** (Arctiidae) Synonym(s): *cinerascens* Herrich-Schäffer,[1847]
- 96) Paidia (s.str.) rica (Freyer,[1855])** (Arctiidae) Synonym(s): *rica* Freyer,[1855]
- 97) Parasemia plantaginis (Linnaeus,1758)** (Arctiidae) Synonym(s): *plantaginis* Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775.
- 98) Pelosia muscerda (Hufnagel,1766)** (Arctiidae) Synonym(s): *muscerda* Hufnagel,1766
- 99) Pelosia obtusa Herrich-Schäffer,[1847]** (Arctiidae) Synonym(s): *obtusa* Herrich-Schäffer,[1847]; *taurica* Daniel,1939.
- 100) Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934
- 101) Phragmatobia placida (Frivaldsky,1835)** (Arctiidae) Synonym(s): *placida* Frivaldsky,1835
- 102) Rhyparia purpurata (Linnaeus,1758)** (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
- 103) Setina aurata (Ménétriés,1832)** (Arctiidae) Synonym(s): *aurata* Ménétriés,1832; *#pontica* Draudt,1933; *pontica* Schwingenschuss,1939
- 104) Setina flavicans (Geyer,[1836])** (Arctiidae) Synonym(s): *flavicans* Geyer,[1836]
- 105) Setina roscida ([Denis & Schiffermüller],1775)** (Arctiidae) Synonym(s): *roscida* [Denis & Schiffermüller],1775; *roscidella* Fabricius,1794; *melanomos* Nickerl,1845; *bosniaca* Rebel,1910; *baltica* Wahlgren,1913; *subalpina* Thomann,1951; *rubeni* Viidalepp,1979

- 106) *Spilarctia lutea* (Hufnagel,1766)** (Arctiidae) Synonym(s): *lutea* Hufnagel,1766; *radiatus* Haworth,1812; *rhododactyla* Bryk,1948; *reisseri* Koutsaftikis,1973
- 107) *Spilosoma lubricipedum* (Linnaeus,1758)** (Arctiidae) Synonym(s): *lubricipeda* Linnaeus,1758; *menthastri* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsaftikis,1973; #*lubrecipeda* De Freina,1981.
- 108) *Spilosoma urticae* (Esper,[1789])** (Arctiidae) Synonym(s): *urticae* Esper,[1789]; *papyratia* Marsham,1791
- 109) *Spiris striata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obraztsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948.
- 110) *Thumatha senex* (Hübner,[1808])** (Arctiidae) Synonym(s): *senex* Hübner,[1808]; *syriaca* Daniel,1939.
- 111) *Tyria jacobaeae* (Linnaeus,1758)** (Arctiidae) Synonym(s): *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908.
- 112) *Utetheisa* (s.str.) *pulchella* (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacherjee & Gupta,1969; *menoni* Bhattacherjee & Gupta,1969.
- 113) *Watsonarctia deserta* (Bartel,1902)** (Arctiidae) Synonym(s): *casta* Esper,[1784] *nec* Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980.
- 114) *Wittia sororcula* (Hufnagel,1766)** (Arctiidae) Synonym(s): *sororcula* Hufnagel,1766; *crocella* Fourcroy,1785; *crocinea* Villers,1789; *aureola* Hübner,[1808]; *aurantia* Haworth,1809.

ARGYNNIDAE (=NYMPHALIDAE)

- 115) *Aglais urticae* (Linnaeus,1758)** (Argynnididae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936.
- 116) *Apatura ilia* ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *ilia* [Denis & Schiffermüller],1775; *clytie* [Denis & Schiffermüller],1775; *luteus* Esper,1777; *roeselii* Bergsträßer,1779; *vulgaris* Bergsträßer,1779; *rubescens* Esper,1781; *eos* Rossi,1794; *julia* Schrank,1801; *astasia* Hübner,1826; *heos* Meigen,1828, etc.
- 117) *Apatura metis* Freyer,1829** (Argynnididae) Synonym(s): *metis* Freyer,1829
- 118) *Araschnia levana* (Linnaeus,1758)** (Argynnididae) Synonym(s): *levana* Linnaeus,1758; *prorsa* Linnaeus,1758.
- 119) *Argynnis* (Fabriciana) *adippe* (Rottemburg,1775)** (Argynnididae) Synonym(s): *cydippe* Linnaeus,1761 (rejected); *berecynthia* Poda,1761 (rejected); *adippe* Rottemburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc.
- 120) *Argynnis* (Fabriciana) *niobe* (Linnaeus,1758)** (Argynnididae) Synonym(s): *niobe* Linnaeus,1758.
- 121) *Argynnis* (Pandoriana) *pandora* ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schurda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
- 122) *Argynnis* (Speyeria) *aglaja* (Linnaeus,1758)** (Argynnididae) Synonym(s): *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 *nec* Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 *nec* Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926.
- 123) *Argynnis* (s.str.) *paphia* (Linnaeus,1758)** (Argynnididae) Synonym(s): *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950.
- 124) *Boloria* (Clossiana) *dia* (Linnaeus,1767)** (Argynnididae) Synonym(s): *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919.
- 125) *Boloria* (Clossiana) *euphrosyne* (Linnaeus,1758)** (Argynnididae) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *figal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc.
- 126) *Boloria* (Procllossiana) *eunomia* (Esper,[1799])** (Argynnididae) Synonym(s): *eunomia* Esper,[1799]; *aphirape* Hübner,[1800]; *tomyris* Herbst,1800.
- 127) *Boloria* (s.str.) *caucasica* (Lederer,1852)** (Argynnididae) Synonym(s): *caucasica* Lederer,1852; *pontica* Crosson du Cormier, Guérin & De Lesse,1957.
- 128) *Boloria* (s.str.) *graeca* (Staudinger,1870)** (Argynnididae) Synonym(s): *graeca* Staudinger,1870
- 129) *Brenthis daphne* (Bergsträsser,1780)** (Argynnididae) Synonym(s): *daphne* Bergsträsser,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935.
- 130) *Brenthis hecate* ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933.
- 131) *Brenthis ino* (Rottemburg,1775)** (Argynnididae) Synonym(s): *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträßer,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957.

- 132) *Brenthis mofidii* Wyatt, 1968** (Argynnididae) Synonym(s): *mofidii* Wyatt, 1968
- 133) *Charaxes jasius* (Linnaeus, 1767)** (Argynnididae) Synonym(s): *jasius* Linnaeus, 1767; *jason* Linnaeus, 1767 *praeocc.*; *rhea* Hübner, 1800; *unedonis* Hübner, 1806; *faroensis* Ribbe, 1909; *septentrionalis* Verity, 1913; *europaeus* Verity, 1917.
- 134) *Eupatúra mirza* Ebert, 1971** (Argynnididae) Synonym(s): *mirza* Ebert, 1971; *iwasei* Igarashi, 1971.
- 135) *Euphydryas (Eurodryas) aurinia* (Rottemburg, 1775)** (Argynnididae) Synonym(s): *aurinia* Rottemburg, 1775; *artemis* [Denis & Schiffermüller], 1775; *lye* Bergsträßer, [1779]; *koloswarensis* Piller & Mitterpacher, 1783; *scotica* Robson, 1880; *signifera* Kane, 1893; *anglicana* Fruhstorfer, 1917; *acedia* Fruhstorfer, 1917; *pychanpar* Lastukhin, 2007
- 136) *Euphydryas (Eurodryas) orientalis* (Herrich-Schäffer, [1845])** (Argynnididae) Synonym(s): *orientalis* Herrich-Schäffer, [1845]; *amasina* Seitz, 1908.
- 137) *Euphydryas (Hypodryas) iduna* (Dalman, 1816)** (Argynnididae) Synonym(s): *iduna* Dalman, 1816; *ichnea* Boisduval, 1832
- 138) *Hypolimnas misippus* (Linnaeus, 1764)** (Argynnididae) Synonym(s): *misippus* Linnaeus, 1764 *inaria* Cramer, [1779]; *alcippoides* Butler, 1883.
- 139) *Inachis io* (Linnaeus, 1758)** (Argynnididae) Synonym(s): *io* Linnaeus, 1758; *ioides* Ochsenheimer, 1808; *caucasica* Jachontov, 1911.
- 140) *Issoria lathonia* (Linnaeus, 1758)** (Argynnididae) Synonym(s): *lathonia* Linnaeus, 1758; *saturata* Röber, 1897; *hungarica* Aigner-Abafi, 1906; *florens* Verity, 1916; *emiflorens* Verity, 1919; *attenuata* Sagarra, 1926; *nigroprivata* Verity, 1933.
- 141) *Limenitis (Azuritis) reducta* Staudinger, 1901** (Argynnididae) Synonym(s): *reducta* Staudinger, 1901.
- 142) *Limenitis (Ladoga) camilla* (Linnaeus, 1764)** (Argynnididae) Synonym(s): *camilla* Linnaeus, 1764; *prorsa* Linnaeus, 1764 *nec* Linnaeus, 1758; *sibilla* Linnaeus, 1769; *luctuosus* Fourcroy, 1785 *nec* Walch, 1775.
- 143) *Melitaea (Cinclidia) (phoebe) phoebe* (Goeze, 1779)** (Argynnididae) Synonym(s): *#phoebe* [Denis & Schiffermüller], 1775; *phoebe* Goeze, 1779; *paedotropos* Bergsträßer, [1780]; *tremulae* Piller & Mitterpacher, 1783.
- 144) *Melitaea (Cinclidia) (phoebe) punica* Oberthür, 1876** (Argynnididae) Synonym(s): *punica* Oberthür, 1876
- 145) *Melitaea (Cinclidia) collina* Lederer, 1861** (Argynnididae) Synonym(s): *collina* Lederer, 1861
- 146) *Melitaea (Cinclidia) turkmanica* Higgins, 1940** (Argynnididae) Synonym(s): *turkmanica* Higgins, 1940
- 147) *Melitaea (Didymaeformis) didyma* (Esper, [1779])** (Argynnididae) Synonym(s): *didyma* Esper, [1779]; *armoricana* Oberthür, 1909.
- 148) *Melitaea (Didymaeformis) fascelis* (Fabricius, 1787)** (Argynnididae) Synonym(s): *#trivia* Denis & Schiffermüller, 1775; *iphigenia* Esper, 1782 (*praeocc.*); *#fascelis* Esper, 1783; *fascelis* Fabricius, 1787; *cleo* Latreille, 1803
- 149) *Melitaea (Didymaeformis) interrupta* Kolenati, 1846** (Argynnididae) Synonym(s): *interrupta* Kolenati, 1846; *#transcaucasica* Turati, 1919; *caucasi* Verity, 1922; *venosata* Niesiolowsky, 1937; *distinctissima* Bryk, 1940; *musatscherii* Alberti, 1969; *itkolensis* Alberti, 1969.
- 150) *Melitaea (Didymaeformis) persea* Kollar, [1849]** (Argynnididae) Synonym(s): *persea* Kollar, [1849]; *caucasica* Staudinger, 1861; *magnacasta* Verity, 1929; *araratica* Verity, 1929; *sargon* Hemming, 1932; *tauricus* Belter, 1934; *causicola* Bryk, 1940; *hafiz* Higgins, 1941; *gina* Higgins, 1941; *darius* Gross & Ebert, 1975; *pfeifferi* Gross & Ebert, 1975 (*praeocc.*); *wernickei* Gross & Ebert, 1975; *elbursicola* Gross & Ebert, 1975; *safawides* Gross & Ebert, 1975.
- 151) *Melitaea (Mellicta) athalia* (Rottemburg, 1775)** (Argynnididae) Synonym(s): *athalia* Rottemburg, 1775; *eos* Rossi, 1803 *nec* Rossi, 1794; *pyronia* Hübner, 1804; *aphaea* Hübner, 1816; *tessellata* Stephens, 1827; *britannia* Verity, 1914; *luciflua* Fruhstorfer, 1916; *vividior* Gouin, 1922; *anatolica* F. Wagner, 1929; *subluciflua* Verity, 1935; *mixtaceladussa* Verity, 1940; *neglecta* Pfau, 1962
- 152) *Melitaea (Mellicta) aurelia* (Nickerl, 1850)** (Argynnididae) Synonym(s): *parthenie* Borkhausen, 1788 *nec* Bergsträßer, [1780]; *aurelia* Nickerl, 1850; *#serotina* Oberthür, 1909; *lucasi* Verity, 1920.
- 153) *Melitaea (Mellicta) britomartis* (Assmann, 1847)** (Argynnididae) Synonym(s): *britomartis* Assmann, 1847; *veronicae* Dorfmeister, 1853.
- 154) *Melitaea (Mellicta) caucasogenita* Verity, 1930** (Argynnididae) Synonym(s): *caucasogenita* Verity, 1930
- 155) *Melitaea (s.str.) arduinna* (Fabricius, 1787)** (Argynnididae) Synonym(s): *arduinna* Fabricius, 1787; *rhodopensis* Freyer, [1836]; *uralensis* Eversmann, 1844.
- 156) *Melitaea (s.str.) cinxia* (Linnaeus, 1758)** (Argynnididae) Synonym(s): *cinxia* Linnaeus, 1758; *abacus* Retzius, 1783; *fulla* Quensel, 1791.
- 157) *Melitaea (s.str.) diamina* (Lang, 1789)** (Argynnididae) Synonym(s): *dictynna* Esper, 1778 *nec* [Denis & Schiffermüller], 1775; *diamina* Lang, 1789; *magnaobscura* Verity, 1931.
- 158) *Neptis (s.str.) rivularis* (Scopoli, 1763)** (Argynnididae) Synonym(s): *rivularis* Scopoli, 1763; *lucilla* Denis & Schiffermüller, 1775; *coenobita* Cramer, 1780; *#tolunay* Koçak & Kemal, 2006.
- 159) *Nymphalis antiopa* (Linnaeus, 1758)** (Argynnididae) Synonym(s): *antiopa* Linnaeus, 1758; *pompador* Pollich, 1783; *morio* Retzius, 1783; *borealis* Wnukowsky, 1927.
- 160) *Nymphalis polychloros* (Linnaeus, 1758)** (Argynnididae) Synonym(s): *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896.

- 161) *Nymphalis vaualbum* ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *#vaualbum* [Denis & Schiffermüller],1775; *l-album* Esper,[1781]
- 162) *Nymphalis xanthomelas* (Esper,[1781])** (Argynnidae) Synonym(s): *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781]
- 163) *Polygonia* (Comma) *c-album* (Linnaeus,1758)** (Argynnidae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
- 164) *Polygonia* (Comma) *egaea* (Cramer,[1775])** (Argynnidae) Synonym(s): *egaea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
- 165) *Precis* (Junonia) *orithya* (Linnaeus,1758)** (Argynnidae) Synonym(s): *orithya* Linnaeus,1758
- 166) *Thaleropsis ionia* (Eversmann,1851)** (Argynnidae) Synonym(s): *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851.
- 167) *Vanessa* (Cynthia) *cardui* (Linnaeus,1758)** (Argynnidae) Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.
- 168) *Vanessa* (s.str.) *atalanta* (Linnaeus,1758)** (Argynnidae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klimene* Fischer,1896; *italica* Stichel,1900.

AUTOSTICHIDAE

- 169) *Amselina cedeștiella* (Zeller,1868)** (Autostichidae) Synonym(s): *cedeștiella* Zeller,1868; *dissoluta* Staudinger,1870.
- 170) *Amselina emir* (Gozmany,1961)** (Autostichidae) Synonym(s): *emir* Gozmany,1961
- 171) *Amselina minorita* (Gozmany,1968)** (Autostichidae) Synonym(s): *minorita* Gozmany,1968
- 172) *Amselina olympi* (Gozmany,1957)** (Autostichidae) Synonym(s): *olympi* Gozmany,1957
- 173) *Amselina parapsesta* Gozmany,1986** (Autostichidae) Synonym(s): *parapsesta* Gozmany,1986
- 174) *Apatema mediopallidum* Walsingham,1900** (Autostichidae) Synonym(s): *mediopallidum* Walsingham,1900
- 175) *Apiletria* (Aretascetis) *endopercna* (Meyrick,1936)** (Autostichidae) Synonym(s): *endopercna* Meyrick,1936
- 176) *Apiletria* (Aretascetis) *purulentella* Stainton,1867** (Autostichidae) Synonym(s): *purulentella* Stainton,1867
- 177) *Apiletria* (s.str.) *luella* Lederer,1855** (Autostichidae) Synonym(s): *luella* Lederer,1855
- 178) *Aprominta aga* Gozmany,1962** (Autostichidae) Synonym(s): *aga* Gozmany,1962
- 179) *Aprominta arenbergeri* Gozmany,1968** (Autostichidae) Synonym(s): *arenbergeri* Gozmany,1968
- 180) *Aprominta bifasciata* (Staudinger,1870)** (Autostichidae) Synonym(s): *bifasciata* Staudinger,1870; *virginella* Rebel,1902.
- 181) *Aprominta designatella* (Herrich-Schäffer,[1855])** (Autostichidae) Synonym(s): *designatella* Herrich-Schäffer,[1855]
- 182) *Aprominta syriacella* Ragonot,1895** (Autostichidae) Synonym(s): *syriacella* Ragonot,1895
- 183) *Arragonia anatolica* Gozmany,1986** (Autostichidae) Synonym(s): *anatolica* Gozmany,1986
- 184) *Charadraula cassandra* Gozmany,1967** (Autostichidae) Synonym(s): *cassandra* Gozmany,1967
- 185) *Deroxena venosulella* (Möschler,1862)** (Autostichidae) Synonym(s): *venosulella* Möschler,1862; *neglectella* Lederer,1863.
- 186) *Dysspastus cinerascens* Gozmany,1968** (Autostichidae) Synonym(s): *cinerascens* Gozmany,1968
- 187) *Dysspastus undecimpunctellus* (Mann,1864)** (Autostichidae) Synonym(s): *undecimpunctellus* Mann,1864
- 188) *Hecestoptera kyra* Gozmany,1961** (Autostichidae) Synonym(s): *kyra* Gozmany,1961
- 189) *Holcopogon bubulcellus* (Staudinger,1859)** (Autostichidae) Synonym(s): *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata* Walsingham,1900.
- 190) *Mylothra pyrrhella* Ragonot,1895** (Autostichidae) Synonym(s): *pyrrhella* Ragonot,1895; *zeitunella* Rebel,1902.
- 191) *Oegoconia caradjai* Popescu-Gorj & Capuse,1965** (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse,1965
- 192) *Oegoconia deauratella* (Herrich-Schäffer,[1854])** (Autostichidae) Synonym(s): *deauratella* Herrich-Schäffer,[1854]; *bacescui* Popescu-Gorj & Capuse,1965
- 193) *Symmactantha sparsella* (De Joannis,1891)** (Autostichidae) Synonym(s): *sparsella* De Joannis,1891.
- 194) *Symmoca caliginella* Mann,1867** (Autostichidae) Synonym(s): *caliginella* Mann,1867
- 195) *Symmoca contristella* Caradja,1920** (Autostichidae) Synonym(s): *contristella* Caradja,1920
- 196) *Symmoca deprinsi* Gozmany,2001** (Autostichidae) Synonym(s): *deprinsi* Gozmany,2001
- 197) *Symmoca longipalpella* Rebel,1914** (Autostichidae) Synonym(s): *longipalpella* Rebel,1914
- 198) *Symmoca salinata* Gozmany,1986** (Autostichidae) Synonym(s): *salinata* Gozmany,1986

- 199) Symmoca straminella Gozmany,1986** (Autostichidae) Synonym(s): *straminella* Gozmany,1986
200) Symmoca vitiosella Zeller,1868 (Autostichidae) Synonym(s): *vitiosella* Zeller,1868

BLASTOBASIDAE

- 201) Blastobasis phycidella (Zeller,1839)** (Blastobasidae) Synonym(s): *phycidella* Zeller,1839;
roscidella Zeller,1847
202) Hypatopa inunctella (Zeller,1839) (Blastobasidae) Synonym(s): *inunctella* Zeller,1839; *haliciella*
Klemensiewicz,1898; *fuscella* Klemensiewicz,1898

BOMBYCIDAE

- 203) Bombyx mori (Linnaeus,1758)** (Bombycidae) Synonym(s): *mori* Linnaeus,1758; *sinensis* Moore &
Hutton,1862; *croesi* Moore & Hutton,1862; *fortunatus* Moore & Hutton,1862; *arracanensis* Moore & Hutton,1862;
textor Moore & Hutton,1862.

BRACHODIDAE

- 204) Brachodes anaticus Kallies,2001** (Brachodidae) Synonym(s): *anaticus* Kallies,2001
205) Brachodes appendiculata (Esper,[1783]) (Brachodidae) Synonym(s): *appendiculata*
Esper,[1783]; *vahlana* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853;
powelli Oberthür,1922; *gerassimovii* Kozhantschikov,1923
206) Brachodes araxella Zagulyaev,1999 (Brachodidae) Synonym(s): *araxella* Zagulyaev,1999
207) Brachodes buxeus Kallies,2001 (Brachodidae) Synonym(s): *buxeus* Kallies,2001
208) Brachodes candefacta (Lederer,1858) (Brachodidae) Synonym(s): *candefacta* Lederer,1858;
diacona Lederer,1858
209) Brachodes compar (Staudinger,1879) (Brachodidae) Synonym(s): *compar* Staudinger,1879
210) Brachodes dispar (Herrich-Schäffer,[1854]) (Brachodidae) Synonym(s): *dispar* Herrich-
Schäffer,[1854]
211) Brachodes fulguritus (Fischer v. Waldheim,1832) (Brachodidae) Synonym(s): *fulgurita* Fischer v.
Waldheim,1832; *orbonota* Freyer,1842; *exilis* Herrich-Schäffer,[1856]; *confinis* Boisduval,[1875]
212) Brachodes nana (Treitschke,1834) (Brachodidae) Synonym(s): *nana* Treitschke,1834
213) Brachodes orientalis (Rebel,1905) (Brachodidae) Synonym(s): *orientalis* Rebel,1905
214) Brachodes pumilus (Ochsenheimer,1808) (Brachodidae) Synonym(s): *pumila*
Ochsenheimer,1808
215) Brachodes tristis (Staudinger,1879) (Brachodidae) Synonym(s): *tristis* Staudinger,1879
216) Phycodes chalcocrossa Meyrick,1909 (Brachodidae) Synonym(s): *chalcocrossa* Meyrick,1909;
mesopotamica Rebel,1910
217) Phycodes radiata (Ochsenheimer,1808) (Brachodidae) Synonym(s): *radiata* Ochsenheimer,1808;
hirudinicornis Guenée,1852; *hyblaeella* Walker,1866; *#superbella* Rebel,1910; *tertiana* Diakonoff,1978

BRAHMAEIDAE

- 218) Brahmaea (s.str.) christophi Staudinger,1879** (Brahmaeidae) Synonym(s): *christophi*
Staudinger,1879
219) Brahmaea (s.str.) ledereri Rogenhofer,1873 (Brahmaeidae) Synonym(s): *ledereri*
Rogenhofer,1873

BUCCULATRICIDAE

- 220) Bucculatrix albedinella (Zeller,1839)** (Bucculatricidae) Synonym(s): *albedinella* Zeller,1839;
boyerella Duponchel,[1840].
221) Bucculatrix anthemidella Deschka,1972 (Bucculatricidae) Synonym(s): *anthemidella* Deschka,1972
222) Bucculatrix basifuscella Staudinger,1880 (Bucculatricidae) Synonym(s): *basifuscella*
Staudinger,1880
223) Bucculatrix bechsteinella (Bechstein & Scharfenberg,1805) (Bucculatricidae) Synonym(s):
bechsteinella Bechstein & Scharfenberg,1805; *crataegi* Zeller,1839; *crataegifoliella* Duponchel,1842; *crataegella*
Herrich-Schäffer,1862.

- 224) Bucculatrix infans Staudinger,1880** (Bucculatricidae) Synonym(s): *infans* Staudinger,1880
225) Bucculatrix nigricomella (Zeller,1839) (Bucculatricidae) Synonym(s): *nigricomella* Zeller,1839; *aurimaculella* Stainton,1849
226) Bucculatrix oppositella Staudinger,1880 (Bucculatricidae) Synonym(s): *oppositella* Staudinger,1880
227) Bucculatrix pseudosylvella Rebel,1941 (Bucculatricidae) Synonym(s): *pseudosylvella* Rebel,1941
228) Bucculatrix ulmella Zeller,1848 (Bucculatricidae) Synonym(s): *ulmella* Zeller,1848; *sircomella* Stainton,1848; *venustella* Stainton,1849.

CARPOSINIDAE

- 229) Carposina berberidella Herrich-Schäffer,[1854]** (Carposinidae) Synonym(s): *berberidella* Herrich-Schäffer,[1854]
230) Carposina scirrhosella Herrich-Schäffer,[1854] (Carposinidae) Synonym(s): *scirrhosella* Herrich-Schäffer,[1854]; *orientella* Stanoiu & Nemes,1968.

CHOREUTIDAE

- 231)Anthophila fabriciana (Linnaeus,1767)** (Choreutidae) Synonym(s): *fabriciana* Linnaeus,1767; *oxyacanthella* Linnaeus,1767; *urticana* Denis & Schiffermüller,[1775]; *excisum* Retzius,1783; *gilibertiana* Villers,1789; *oxyacanthae* Fabricius,1798; *dentana* Hübner,1799; *fabricii* Haworth,1811; *dentanal* Treitschke,1829; *parietariae* Stainton,1855; *fabriciella* Herrich-Schäffer,1862; *parietariella* Herrich-Schäffer,1862
232) Choreutis muhabbet Koçak,2008 (Choreutidae) Synonym(s): *muhabbet* Koçak,2008
233) Choreutis nemorana (Hübner,[1799]) (Choreutidae) Synonym(s): *nemorana* Hübner,[1799]; *incisalis* Treitschke,1828; *nemoranal* Treitschke,1829; *nemorella* Herrich-Schäffer,1862
234) Choreutis pariana (Clerck,1759) (Choreutidae) Synonym(s): *#pariana* Clerck,1759; *lutosa* Haworth,1811; *parialis* Treitschke,1828; *pariella* Herrich-Schäffer,1862
235) Millieria dolosana (Herrich-Schäffer,[1854]) (Choreutidae) Synonym(s): *#dolosalis* Heydenreich,1851; *dolosana* Herrich-Schäffer,[1854]; *#dolasana* Desmarest,[1857]
236) Prochoreutis myllerana (Fabricius,1794) (Choreutidae) Synonym(s): *myllerana* Fabricius,1794; *mylleri* Haworth,1811; *augustana* Hübner,[1813]; *scintilulana* Hübner,[1825]; *scintilulalis* Treitschke,1835; *albipunctalis* Zetterstedt,1839; *müllerana* Heyden,1865
237) Prochoreutis sehestediana (Fabricius,1777) (Choreutidae) Synonym(s): *sehestediana* Fabricius,1777; *punctosa* Haworth,1811; *philonyma* Meyrick,1912; *phalaraspis* Meyrick,1923
238) Prochoreutis stellaris (Zeller,1847) (Choreutidae) Synonym(s): *stellaris* Zeller,1847; *irradiata* Meyrick,1913
239) Tebenna bjerkandrella (Borgström,1784) (Choreutidae) Synonym(s): *cardui* Ström,1783; *bjerkandrella* Borgström,1784; *prunnerella* Rossi,1794; *vibrana* Hübner,[1813]; *fibrana* Hübner,[1825]; *pretiosana* Duponchel,1842; *vibralis* Treitschke,1835; *australis* Zeller,1857; *kawabei* Arita,1975
240) Tebenna micalis (Mann,1857) (Choreutidae) Synonym(s): *micalis* Mann,1857; *isschikii* Matsumura,1931; *bradleyi* Clarke,1971; *hypocroca* Diakonoff,1978

CIMELIIDAE

- 241) Axia (Epicimelia) theresiae (Korb,1900)** (Cimeliidae) Synonym(s): *theresiae* Korb,1900
242) Axia (s.str.) olga Staudinger,1900 (Cimeliidae) Synonym(s): *olga* Staudinger,1900

COLEOPHORIDAE

- 243) Augasma aeratellum (Zeller,1839)** (Coleophoridae) Synonym(s): *aeratellum* Zeller,1839
244) Coleophora adelogrammella Zeller,1849 (Coleophoridae) Synonym(s): *adelogrammella* Zeller,1849; *collina* Frey,1880; *separatella* Benander,1939.
245) Coleophora adjectella Herrich-Schäffer,1861 (Coleophoridae) Synonym(s): *adjectella* Herrich-Schäffer,1861
246) Coleophora adjunctella Hodgkinson,1882 (Coleophoridae) Synonym(s): *adjunctella* Hodgkinson,1882; *paludicola* Stainton,1885; *aratorensis* Barasch,1934
247) Coleophora agrianella Rebel,1934 (Coleophoridae) Synonym(s): *agrianella* Rebel,1934
248) Coleophora agridensis Baldizzone,2001 (Coleophoridae) Synonym(s): *agridensis* Baldizzone,2001

- 249) Coleophora albella (Thunberg,1788)** (Coleophoridae) Synonym(s): *albella* Thunberg,1788; *leucapennella* Hübner,1796.
- 250) Coleophora albicans Zeller,1849** (Coleophoridae) Synonym(s): *albicans* Zeller,1849; *artemisiella* Scott,1861; *simillimella* Fuchs,1881; *digitella* Palm,1947
- 251) Coleophora albicostella (Duponchel,1842)** (Coleophoridae) Synonym(s): *albicostella* Duponchel,1842; *albimarginella* Herrich-Schäffer,1855
- 252) Coleophora albiochrella Toll & Amsel,1967** (Coleophoridae) Synonym(s): *albiochrella* Toll & Amsel,1967
- 253) Coleophora albipennella Staudinger,1879** (Coleophoridae) Synonym(s): *albipennella* Staudinger,1879
- 254) Coleophora albostraminata Toll,1960** (Coleophoridae) Synonym(s): *albostraminata* Toll,1960
- 255) Coleophora albotitae Rebel,1935** (Coleophoridae) Synonym(s): *albotitae* Rebel,1935
- 256) Coleophora alcyonipennella (Kollar,1832)** (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962
- 257) Coleophora amasicola Toll,1942** (Coleophoridae) Synonym(s): *amasicola* Toll,1942
- 258) Coleophora amasiella Stainton,1867** (Coleophoridae) Synonym(s): *amasiella* Stainton,1867
- 259) Coleophora amentastra Falkovitsh,1972** (Coleophoridae) Synonym(s): *amentastra* Falkovitsh,1972
- 260) Coleophora amethystinella Ragonot,1885** (Coleophoridae) Synonym(s): *amethystinella* Ragonot,1885
- 261) Coleophora ammophora (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *ammophora* Falkovitsh,1989
- 262) Coleophora arenbergeri Glaser,1981** (Coleophoridae) Synonym(s): *arenbergeri* Glaser,1981
- 263) Coleophora argentifimbriata Walsingham,1907** (Coleophoridae) Synonym(s): *argentifimbriata* Walsingham,1907
- 264) Coleophora argentipennella Duponchel,1838** (Coleophoridae) Synonym(s): *argentipennella* Duponchel,1838
- 265) Coleophora argentula (Stephens,1834)** (Coleophoridae) Synonym(s): *argentula* Stephens,1834; *cothurnella* Duponchel,1843; *argentulella* Doubleday,1859; *argentulella* Bruand,1859
- 266) Coleophora argyrella Herrich-Schäffer,1861** (Coleophoridae) Synonym(s): *argyrella* Herrich-Schäffer,1861
- 267) Coleophora armeniae Baldizzone & Patzak,1991** (Coleophoridae) Synonym(s): *armeniae* Baldizzone & Patzak,1991
- 268) Coleophora asiaeminoris Toll,1952** (Coleophoridae) Synonym(s): *asiaeminoris* Toll,1952
- 269) Coleophora asperginella Christoph,1862** (Coleophoridae) Synonym(s): *asperginella* Christoph,1862
- 270) Coleophora asthenella Constant,1893** (Coleophoridae) Synonym(s): *asthenella* Constant,1893
- 271) Coleophora astragalella Zeller,1849** (Coleophoridae) Synonym(s): *astragalella* Zeller,1849; *fimbriosella* Herrich-Schäffer,1861; *plusiella* Constant,1865; *persimilis* Rebel,1904
- 272) Coleophora audeoudi Rebel,1935** (Coleophoridae) Synonym(s): *audeoudi* Rebel,1935
- 273) Coleophora bagorella (Falkovitsh,1977)** (Coleophoridae) Synonym(s): *bagorella* Falkovitsh,1977; *capusiella* Nemes,2003
- 274) Coleophora baischi Baldizzone,2007** (Coleophoridae) Synonym(s): *baischi* Baldizzone,2007
- 275) Coleophora ballotella (Fischer v. Röslerstamm,1839)** (Coleophoridae) Synonym(s): *ballotella* Fischer v. Röslerstamm,1839; *alexinschiella* Nemes,2004
- 276) Coleophora basimaculella Mann,1864** (Coleophoridae) Synonym(s): *basimaculella* Mann,1864
- 277) Coleophora berlandella Toll,1956** (Coleophoridae) Synonym(s): *berlandella* Toll,1956
- 278) Coleophora bernoulliella (Goeze,1783)** (Coleophoridae) Synonym(s): *bernoulliella* Goeze,1783; *anatipennella* Hübner,1796
- 279) Coleophora bilineatella Zeller,1849** (Coleophoridae) Synonym(s): *bilineatella* Zeller,1849
- 280) Coleophora bilineella Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *bilineella* Herrich-Schäffer,1855; *perserenella* Rebel,1919; *joannisella* Suires,1930; *sergii* Gozmany,1956
- 281) Coleophora bitlisella Baldizzone,1994** (Coleophoridae) Synonym(s): *bitlisella* Baldizzone,1994
- 282) Coleophora bivittella Staudinger,1879** (Coleophoridae) Synonym(s): *bivittella* Staudinger,1879
- 283) Coleophora bornicensis Fuchs,1886** (Coleophoridae) Synonym(s): *bornicensis* Fuchs,1886
- 284) Coleophora botaurella Herrich-Schäffer,1861** (Coleophoridae) Synonym(s): *botaurella* Herrich-Schäffer,1861
- 285) Coleophora breviscula Staudinger,1880** (Coleophoridae) Synonym(s): *breviscula* Staudinger,1880
- 286) Coleophora caelebipennella Zeller,1839** (Coleophoridae) Synonym(s): *caelebipennella* Zeller,1839; *bifurcella* Turati,1930
- 287) Coleophora calycotomella Stainton,1869** (Coleophoridae) Synonym(s): *calycotomella* Stainton,1869; *sarothamni* Rössler,1877; *oranella* Toll,1952; *afra* Toll,1952; *paraobviella* Toll,1961
- 288) Coleophora canariipennella Toll,1959** (Coleophoridae) Synonym(s): *canariipennella* Toll,1959
- 289) Coleophora capillata Baldizzone,1994** (Coleophoridae) Synonym(s): *capillata* Baldizzone,1994

- 290) Coleophora cappadociae Baldizzone,1994** (Coleophoridae) Synonym(s): *cappadociae* Baldizzone,1994
- 291) Coleophora cartilaginella Christoph,1872** (Coleophoridae) Synonym(s): *cartilaginella* Christoph,1872; *dubiosa* Toll,1952; *paraspmosella* Toll,1957; *medicagivora* Toll,1961.
- 292) Coleophora caucasica Stainton,1867** (Coleophoridae) Synonym(s): *caucasica* Stainton,1867
- 293) Coleophora chamaedriella Bruand,1852** (Coleophoridae) Synonym(s): *chamaedriella* Bruand,1852; *setipalpella* Staudinger,1879.
- 294) Coleophora cherasforella Baldizzone,2001** (Coleophoridae) Synonym(s): *cherasforella* Baldizzone,2001
- 295) Coleophora christenseni Baldizzone,1983** (Coleophoridae) Synonym(s): *christenseni* Baldizzone,1983
- 296) Coleophora colutella (Fabricius,1794)** (Coleophoridae) Synonym(s): *colutella* Fabricius,1794, *serenella* Duponchel,1843; *crocina* Tengström,1848; *stanioiui* Nemes,2004
- 297) Coleophora confusa Staudinger,1880** (Coleophoridae) Synonym(s): *confusa* Staudinger,1880
- 298) Coleophora congeriella Staudinger,1859** (Coleophoridae) Synonym(s): *congeriella* Staudinger,1859; *suboriolella* Toll,1944
- 299) Coleophora conspersa Baldizzone & Tabell,1999** (Coleophoridae) Synonym(s): *conspersa* Baldizzone & Tabell,1999
- 300) Coleophora conspicuella Zeller,1849** (Coleophoridae) Synonym(s): *conspicuella* Zeller,1849; *centaureicoella* Bruand,[1856]; *similis* Staudinger,1880; *aceris* Caradja,1920
- 301) Coleophora conyzae Zeller,1868** (Coleophoridae) Synonym(s): *conyzae* Zeller,1868, *angustilinea* Toll,1962; *mellechella* Toll,1962; *vicolii* Nemes,2003
- 302) Coleophora coracipennella (Hübner,1796)** (Coleophoridae) Synonym(s): *coracipennella* Hübner,1796; *coracipennis* Haworth,[1828]; *nigricella* Stephens,1834; *occidentis* Zeller,1873; *varii* Patzak,1969.
- 303) Coleophora coronillae Zeller,1849** (Coleophoridae) Synonym(s): *coronillae* Zeller,1849
- 304) Coleophora corsicella Walsingham,1898** (Coleophoridae) Synonym(s): *corsicella* Walsingham,1898
- 305) Coleophora cracella Vallot,1835** (Coleophoridae) Synonym(s): *cracella* Vallot,1835
- 306) Coleophora crepidinella Zeller,1847** (Coleophoridae) Synonym(s): *crepidinella* Zeller,1847
- 307) Coleophora crispella Baldizzone,1994** (Coleophoridae) Synonym(s): *crispella* Baldizzone,1994
- 308) Coleophora cuprariella Zeller,1847** (Coleophoridae) Synonym(s): *cuprariella* Zeller,1847
- 309) Coleophora currucipennella Zeller,1839** (Coleophoridae) Synonym(s): *currucipennella* Zeller,1839
- 310) Coleophora daglarica Baldizzone & Tabell,1999** (Coleophoridae) Synonym(s): *daglarica* Baldizzone & Tabell,1999
- 311) Coleophora deauratella Lienig & Zeller,1846** (Coleophoridae) Synonym(s): *deauratella* Lienig & Zeller,1846
- 312) Coleophora denigrella Gerasimov,1930** (Coleophoridae) Synonym(s): *denigrella* Gerasimov,1930
- 313) Coleophora dianthi Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer,1855; *dianthella* Herrich-Schäffer,1861; *amseli* Toll,1942
- 314) Coleophora didymella Chrétien,1899** (Coleophoridae) Synonym(s): *didymella* Chrétien,1899
- 315) Coleophora dignella Toll,1961** (Coleophoridae) Synonym(s): *dignella* Toll,1961
- 316) Coleophora discordella Zeller,1849** (Coleophoridae) Synonym(s): *discordella* Zeller,1849; *doryeniella* Hartig,1939
- 317) Coleophora ditella Zeller,1849** (Coleophoridae) Synonym(s): *ditella* Zeller,1849; *tanaceti* Roesler,1866 *nec* Mühl.,1865; *roesleri* Wocke,[1876]; *anatolica* Toll,1952.
- 318) Coleophora dubiella Baker,1888** (Coleophoridae) Synonym(s): *dubiella* Baker,1888; *reisseri* Rebel,1926; *eucera* Toll,1952; *microeucera* Toll,1960; *leucostrigella* Toll,1960
- 319) Coleophora echinacea Falkovitsh,1972** (Coleophoridae) Synonym(s): *echinacea* Falkovitsh,1972
- 320) Coleophora echinella Staudinger,1879** (Coleophoridae) Synonym(s): *echinella* Staudinger,1879
- 321) Coleophora egenella Toll,1952** (Coleophoridae) Synonym(s): *egenella* Toll,1952
- 322) Coleophora etrusca Baldizzone,1990** (Coleophoridae) Synonym(s): *etrusca* Baldizzone,1990
- 323) Coleophora eupreta Walsingham,1907** (Coleophoridae) Synonym(s): *eupreta* Walsingham,1907; *nageli* Rebel,1910; *circumdatella* Turati,1934; *argentariella* Klimesch,1952; *africana* Toll,1957; *gozmanyi* Toll,1960; *betica* Glaser,1981
- 324) Coleophora ferruginea Baldizzone,1994** (Coleophoridae) Synonym(s): *ferruginea* Baldizzone,1994
- 325) Coleophora filaginella Fuchs,1881** (Coleophoridae) Synonym(s): *filaginella* Fuchs,1881; *graurii* Nemes,2004
- 326) Coleophora fiorii Toll,1953** (Coleophoridae) Synonym(s): *fiorii* Toll,1953
- 327) Coleophora flaviella Mann,1857** (Coleophoridae) Synonym(s): *flaviella* Mann,1857
- 328) Coleophora flavilineella Toll,1952** (Coleophoridae) Synonym(s): *flavilineella* Toll,1952
- 329) Coleophora flavipennella (Duponchel,1843)** (Coleophoridae) Synonym(s): *flavipennella* Duponchel,1843

- 330) Coleophora follicularis (Vallot,1802)** (Coleophoridae) Synonym(s): *follicularis* Vallot,1802; *troglydytella* Duponchel,1843.
- 331) Coleophora fretella Zeller,1847** (Coleophoridae) Synonym(s): *fretella* Zeller,1847; *gilveolella* Toll,1953.
- 332) Coleophora fringillella Zeller,1839** (Coleophoridae) Synonym(s): *fringillella* Zeller,1839
- 333) Coleophora frischella (Linnaeus,1758)** (Coleophoridae) Synonym(s): *frischella* Linnaeus,1758; *dannehli* Toll,1952; *auronitella* Toll,1962
- 334) Coleophora fuscicornis Zeller,1847** (Coleophoridae) Synonym(s): *fuscicornis* Zeller,1847
- 335) Coleophora fuscociliella Zeller,1849** (Coleophoridae) Synonym(s): *fuscociliella* Zeller,1849; *bucovinae* Nemes,2004
- 336) Coleophora galbulipennella Zeller,1838** (Coleophoridae) Synonym(s): *galbulipennella* Zeller,1838; *otitae* Zeller,1839.
- 337) Coleophora gallipennella (Hübner,1796)** (Coleophoridae) Synonym(s): *gallipennella* Hübner,1796
- 338) Coleophora gaviaepennella Toll,1952** (Coleophoridae) Synonym(s): *gaviaepennella* Toll,1952
- 339) Coleophora gazella Toll,1952** (Coleophoridae) Synonym(s): *gazella* Toll,1952
- 340) Coleophora genistae Stainton,1857** (Coleophoridae) Synonym(s): *genistae* Stainton,1857
- 341) Coleophora glaucicolella Wood,1892** (Coleophoridae) Synonym(s): *glaucicolella* Wood,1892
- 342) Coleophora goluensis Baldizzone,1994** (Coleophoridae) Synonym(s): *goluenis* Baldizzone,1994
- 343) Coleophora granuloseella Staudinger,1880** (Coleophoridae) Synonym(s): *granuloseella* Staudinger,1880
- 344) Coleophora gryphipennella (Hübner,1796)** (Coleophoridae) Synonym(s): *gryphipennella* Hübner,1796; *obscura* Haworth,1828; *mariniella* Hodgkinson,1881; *scolopiphora* Hering,1926.
- 345) Coleophora gurunensis Baldizzone,1994** (Coleophoridae) Synonym(s): *gurunensis* Baldizzone,1994
- 346) Coleophora hartigi Toll,1944** (Coleophoridae) Synonym(s): *hartigi* Toll,1944
- 347) Coleophora helianthemella Millièrè,1870** (Coleophoridae) Synonym(s): *helianthemella* Millièrè,1870
- 348) Coleophora hemerobiella (Scopoli,1763)** (Coleophoridae) Synonym(s): *hemerobiella* Scopoli,1763
- 349) Coleophora heringi Toll,1952** (Coleophoridae) Synonym(s): *heringi* Toll,1952
- 350) Coleophora herniariae Baldizzone,2001** (Coleophoridae) Synonym(s): *herniariae* Baldizzone,2001
- 351) Coleophora hieronella Zeller,1849** (Coleophoridae) Synonym(s): *hieronella* Zeller,1849
- 352) Coleophora horridula Baldizzone,2001** (Coleophoridae) Synonym(s): *horridula* Baldizzone,2001
- 353) Coleophora hystericella Toll,1957** (Coleophoridae) Synonym(s): *hystericella* Toll,1957
- 354) Coleophora inflatae Stainton,1857** (Coleophoridae) Synonym(s): *inflatae* Stainton,1857
- 355) Coleophora inusitatella Caradja,1920** (Coleophoridae) Synonym(s): *inusitatella* Caradja,1920
- 356) Coleophora isomoera Falkovitsh,1972** (Coleophoridae) Synonym(s): *isomoera* Falkovitsh,1972
- 357) Coleophora ispartae Baldizzone,1994** (Coleophoridae) Synonym(s): *ispartae* Baldizzone,1994
- 358) Coleophora ivrizensis Baldizzone,1994** (Coleophoridae) Synonym(s): *ivrizensis* Baldizzone,1994
- 359) Coleophora jerusalemella Toll,1942** (Coleophoridae) Synonym(s): *jerusalemella* Toll,1942
- 360) Coleophora karakurti Baldizzone,1994** (Coleophoridae) Synonym(s): *karakurti* Baldizzone,1994
- 361) Coleophora kasyi Toll,1961** (Coleophoridae) Synonym(s): *kasyi* Toll,1961
- 362) Coleophora kautzi Rebel,1933** (Coleophoridae) Synonym(s): *kautzi* Rebel,1933
- 363) Coleophora klimeschiella Toll,1952** (Coleophoridae) Synonym(s): *klimeschiella* Toll,1952
- 364) Coleophora kroneella Fuchs,1899** (Coleophoridae) Synonym(s): *kroneella* Fuchs,1899
- 365) Coleophora kuehnella (Goeze,1783)** (Coleophoridae) Synonym(s): *kuehnella* Goeze,1783; *palliatella* Zincken,1813.
- 366) Coleophora lagopella Baldizzone,2001** (Coleophoridae) Synonym(s): *lagopella* Baldizzone,2001
- 367) Coleophora lassella Staudinger,1859** (Coleophoridae) Synonym(s): *lassella* Staudinger,1859; *teidensis* Walsingham,1908; *gotlandica* Benander,1939; *telavivella* Toll,1942
- 368) Coleophora laticostella Mann,1859** (Coleophoridae) Synonym(s): *laticostella* Mann,1859
- 369) Coleophora lebedella (Falkovitsh,1982)** (Coleophoridae) Synonym(s): *lebedella* Falkovitsh,1982
- 370) Coleophora limosipennella (Duponchel,1843)** (Coleophoridae) Synonym(s): *limosipennella* Duponchel,1843
- 371) Coleophora lineariella Zeller,1849** (Coleophoridae) Synonym(s): *lineariella* Zeller,1849
- 372) Coleophora lixella Zeller,1849** (Coleophoridae) Synonym(s): *lixella* Zeller,1849
- 373) Coleophora lusciniapennella (Treitschke,1833)** (Coleophoridae) Synonym(s): *lusciniapennella* Treitschke,1833; *viminetella* Zeller,1849.
- 374) Coleophora luteolella Staudinger,1880** (Coleophoridae) Synonym(s): *luteolella* Staudinger,1880; *mendosella* Toll,1960
- 375) Coleophora lutipennella (Zeller,1838)** (Coleophoridae) Synonym(s): *lutipennella* Zeller,1838.
- 376) Coleophora lycaoniae Baldizzone,1994** (Coleophoridae) Synonym(s): *lycaoniae* Baldizzone,1994
- 377) Coleophora machinopsis Meyrick,1936** (Coleophoridae) Synonym(s): *machinopsis* Meyrick,1936

- 378) **Coleophora malatiella Toll,1952** (Coleophoridae) Synonym(s): *malatiella* Toll,1952
- 379) **Coleophora mausolella Chrétien,1908** (Coleophoridae) Synonym(s): *mausolella* Chrétien,1908; *thermoleuca* Meyrick,1922; *palaestinella* Toll,1942
- 380) **Coleophora mayrella (Hübner,[1813])** (Coleophoridae) Synonym(s): *fabriciella* Villers,1789 nec Swed.,1787; *mayrella* Hübner,[1813]; *spissicornis* Haworth,[1828]; *moldaviella* Nemes,2004
- 381) **Coleophora medelichensis Krone,1908** (Coleophoridae) Synonym(s): *medelichensis* Krone,1908
- 382) **Coleophora milvipennis Zeller,1839** (Coleophoridae) Synonym(s): *milvipennis* Zeller,1839
- 383) **Coleophora miniaxella Toll,1952** (Coleophoridae) Synonym(s): *miniaxella* Toll,1952
- 384) **Coleophora miserella Staudinger,1880** (Coleophoridae) Synonym(s): *miserella* Staudinger,1880
- 385) **Coleophora narbonensis Baldizzone,1990** (Coleophoridae) Synonym(s): *narbonensis* Baldizzone,1990
- 386) **Coleophora necessaria Staudinger,1880** (Coleophoridae) Synonym(s): *necessaria* Staudinger,1880; *indiges* Falkovitsh,1992.
- 387) **Coleophora nitidipennella Toll & Amsel,1967** (Coleophoridae) Synonym(s): *nitidipennella* Toll & Amsel,1967
- 388) **Coleophora niveicostella Zeller,1839** (Coleophoridae) Synonym(s): *niveicostella* Zeller,1839
- 389) **Coleophora niveistrigella Heinemann & Wocke,[1877]** (Coleophoridae) Synonym(s): *niveistrigella* Heinemann & Wocke,[1877]
- 390) **Coleophora nomgona Falkovitsh,1975** (Coleophoridae) Synonym(s): *nomgona* Falkovitsh,1975
- 391) **Coleophora nutantella Mühlig & Frey,1857** (Coleophoridae) Synonym(s): *nutantella* Mühlig & Frey,1857
- 392) **Coleophora obliterated Toll,1952** (Coleophoridae) Synonym(s): *obliterated* Toll,1952
- 393) **Coleophora obtectella Zeller,1849** (Coleophoridae) Synonym(s): *obtectella* Zeller,1849
- 394) **Coleophora obviella Rebel,1914** (Coleophoridae) Synonym(s): *obviella* Rebel,1914
- 395) **Coleophora occatella Staudinger,1880** (Coleophoridae) Synonym(s): *occatella* Staudinger,1880
- 396) **Coleophora ochrea (Haworth,[1828])** (Coleophoridae) Synonym(s): *ochrea* Haworth,[1828]
- 397) **Coleophora ochripennella Zeller,1849** (Coleophoridae) Synonym(s): *ochripennella* Zeller,1849
- 398) **Coleophora onobrychiella Zeller,1849** (Coleophoridae) Synonym(s): *onobrychiella* Zeller,1849; *arenariella* Zeller,1865
- 399) **Coleophora onopordiella Zeller,1849** (Coleophoridae) Synonym(s): *onopordiella* Zeller,1849; *eremica* Amsel,1935; *cerinaula* Meyrick,1936; *fusca* Toll,1952; *pseudophlomidella* Toll,1952; *sivandella* Toll,1959; *litorella* Nemes,2003
- 400) **Coleophora oriolella Zeller,1849** (Coleophoridae) Synonym(s): *oriolella* Zeller,1849
- 401) **Coleophora ornatipennella (Hübner,1796)** (Coleophoridae) Synonym(s): *ornatipennella* Hübner,1796; *#agrammella* Rebel,1935.
- 402) **Coleophora paphlagoniae Baldizzone,1994** (Coleophoridae) Synonym(s): *paphlagoniae* Baldizzone,1994
- 403) **Coleophora paraptarmica Toll & Amsel,1967** (Coleophoridae) Synonym(s): *paraptarmica* Toll & Amsel,1967
- 404) **Coleophora parcella Toll,1952** (Coleophoridae) Synonym(s): *parcella* Toll,1952
- 405) **Coleophora parthenica Meyrick,1891** (Coleophoridae) Synonym(s): *parthenica* Meyrick,1891; *cygnipennella* Toll,1959; *candidella* Toll,1959; *transcaspica* Toll,1959; *lashkarella* Toll & Amsel,1967; *hilmendella* Amsel,1968.
- 406) **Coleophora partitella Zeller,1849** (Coleophoridae) Synonym(s): *partitella* Zeller,1849; *davidii* Nemes,2003
- 407) **Coleophora parvicuprella Baldizzone & Tabell,2006** (Coleophoridae) Synonym(s): *parvicuprella* Baldizzone & Tabell,2006
- 408) **Coleophora passeripennella Baldizzone,2001** (Coleophoridae) Synonym(s): *passeripennella* Baldizzone,2001
- 409) **Coleophora pellicornella Zerny,1930** (Coleophoridae) Synonym(s): *pellicornella* Zerny,1930
- 410) **Coleophora pennella ([Denis & Schiffermüller],1775)** (Coleophoridae) Synonym(s): *pennella* [Denis & Schiffermüller],1775; *borowskiella* Goeze,1783; *mucosa* Fourcroy,1785; *mucosella* Villers,1789; *onosmella* Brahm,1791; *struthionipennella* Hübner,1796; *cornuum* Vallot,1818; *hispanicella* Möschler,1866; *diffinis* Staudinger,1880; *nervosella* Müller-Rutz,1927; *flavilineella* Toll,1952; *gogovi* Capuse,1971
- 411) **Coleophora phlomidella Christoph,1862** (Coleophoridae) Synonym(s): *phlomidella* Christoph,1862
- 412) **Coleophora phlomidis Stainton,1867** (Coleophoridae) Synonym(s): *phlomidis* Stainton,1867
- 413) **Coleophora phrygiae Baldizzone,1994** (Coleophoridae) Synonym(s): *phrygiae* Baldizzone,1994
- 414) **Coleophora poliacantha Baldizzone,2001** (Coleophoridae) Synonym(s): *poliacantha* Baldizzone,2001
- 415) **Coleophora preisseckeri Toll,1942** (Coleophoridae) Synonym(s): *preisseckeri* Toll,1942
- 416) **Coleophora propinqua Staudinger,1880** (Coleophoridae) Synonym(s): *propinqua* Staudinger,1880
- 417) **Coleophora protecta Walsingham,1907** (Coleophoridae) Synonym(s): *protecta* Walsingham,1907
- 418) **Coleophora pseudociconiella Toll,1952** (Coleophoridae) Synonym(s): *pseudociconiella* Toll,1952; *patrascui* Nemes,2003

- 419) **Coleophora ptarmica** Walsingham,1910 (Coleophoridae) Synonym(s): *ptarmica* Walsingham,1910
- 420) **Coleophora pyrenaica** Baldizzone,1980 (Coleophoridae) Synonym(s): *pyrenaica* Baldizzone,1980
- 421) **Coleophora pyrrhulipennella** Zeller,1839 (Coleophoridae) Synonym(s): *pyrrhulipennella* Zeller,1839
- 422) **Coleophora quadristraminella** Toll,1961 (Coleophoridae) Synonym(s): *quadristraminella* Toll,1961
- 423) **Coleophora qulikushella** Toll,1959 (Coleophoridae) Synonym(s): *qulikushella* Toll,1959
- 424) **Coleophora reisseri** Rebel,1926 (Coleophoridae) Synonym(s): *reisseri* Rebel,1926
- 425) **Coleophora rhinoceros** Baldizzone,2001 (Coleophoridae) Synonym(s): *rhinoceros* Baldizzone,2001
- 426) **Coleophora riffelensis** Rebel,1913 (Coleophoridae) Synonym(s): *riffelensis* Rebel,1913; *fischeri* Toll,1950; *klemensiewiczzi* Toll,1950
- 427) **Coleophora salicorniae** Heinemann & Wocke,1877 (Coleophoridae) Synonym(s): *salicorniae* Heinemann & Wocke,1877; *cypriacella* Rebel,1928.
- 428) **Coleophora salsolella** Chrétien,1915 (Coleophoridae) Synonym(s): *salsolella* Chrétien,1915; *nigradorsella* Amsel,1935.
- 429) **Coleophora sarehma** Toll,1956 (Coleophoridae) Synonym(s): *sarehma* Toll,1956; *exasperatella* Toll,1957
- 430) **Coleophora saxicolella** (Duponchel,1843) (Coleophoridae) Synonym(s): *saxicolella* Duponchel,1843; *bucovinensis* Nemes,2004
- 431) **Coleophora serpylletorum** Hering,1889 (Coleophoridae) Synonym(s): *serpylletorum* Hering,1889; *assisti* Nemes,2003
- 432) **Coleophora serratella** (Linnaeus,1761) (Coleophoridae) Synonym(s): *serratella* Linnaeus,1761; *fusedinella* Zeller,1849; *metallicella* Hodgkinson,1892; *aethiopiformis* Strand,1902; *salmani* Heinrich,1929; *parasalmani* Oudejans,1971
- 433) **Coleophora serratulella** Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *serratulella* Herrich-Schäffer,1855
- 434) **Coleophora silenella** Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *silenella* Herrich-Schäffer,1855; *dragusanii* Nemes,2004
- 435) **Coleophora sobrinella** Toll,1944 (Coleophoridae) Synonym(s): *sobrinella* Toll,1944
- 436) **Coleophora soffneriella** Toll,1961 (Coleophoridae) Synonym(s): *soffneriella* Toll,1961
- 437) **Coleophora spiniferella** Toll,1952 (Coleophoridae) Synonym(s): *spiniferella* Toll,1952
- 438) **Coleophora squamella** Constant,1885 (Coleophoridae) Synonym(s): *squamella* Constant,1885; *paragenistae* Kasy,1964
- 439) **Coleophora squamosella** Stainton,1856 (Coleophoridae) Synonym(s): *squamosella* Stainton,1856; *erigerella* Ford,1935; *podolensis* Toll,1938; *sabulicola* Benander,1939
- 440) **Coleophora stramentella** Zeller,1849 (Coleophoridae) Synonym(s): *stramentella* Zeller,1849
- 441) **Coleophora subochracea** Toll,1952 (Coleophoridae) Synonym(s): *subochracea* Toll,1952
- 442) **Coleophora subula** (Falkovitsh,1993) (Coleophoridae) Synonym(s): *subula* Falkovitsh,1993
- 443) **Coleophora symphistropa** Reznik,1976 (Coleophoridae) Synonym(s): *symphistropa* Reznik,1976
- 444) **Coleophora tabelli** Baldizzone,2001 (Coleophoridae) Synonym(s): *tabelli* Baldizzone,2001
- 445) **Coleophora taeniipennella** Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *taeniipennella* Herrich-Schäffer,1855; *galactaula* Meyrick,1928
- 446) **Coleophora tamesis** Waters,1929 (Coleophoridae) Synonym(s): *tamesis* Waters,1929
- 447) **Coleophora tanaceti** Mühlig,1865 (Coleophoridae) Synonym(s): *tanaceti* Mühlig,1865
- 448) **Coleophora taurica** Baldizzone,1994 (Coleophoridae) Synonym(s): *taurica* Baldizzone,1994
- 449) **Coleophora tauricella** Staudinger,1880 (Coleophoridae) Synonym(s): *tauricella* Staudinger,1880; *skopusella* Amsel,1935; *kurdistanella* Amsel,1955.
- 450) **Coleophora taygeti** Baldizzone,1983 (Coleophoridae) Synonym(s): *taygeti* Baldizzone,1983
- 451) **Coleophora testudo** Falkovitsh,1973 (Coleophoridae) Synonym(s): *testudo* Falkovitsh,1973
- 452) **Coleophora tetraciliata** Baldizzone,2007 (Coleophoridae) Synonym(s): *tetraciliata* Baldizzone,2007
- 453) **Coleophora therinella** Tengström,1848 (Coleophoridae) Synonym(s): *therinella* Tengström,1848
- 454) **Coleophora thymi** Hering,1942 (Coleophoridae) Synonym(s): *thymi* Hering,1942
- 455) **Coleophora tollamseliella** Oudejans,1971 (Coleophoridae) Synonym(s): *tollamseliella* Oudejans,1971
- 456) **Coleophora treskaensis** Toll & Amsel,1967 (Coleophoridae) Synonym(s): *treskaensis* Toll & Amsel,1967; *sciurella* Baldizzone,1987
- 457) **Coleophora trifariella** Zeller,1849 (Coleophoridae) Synonym(s): *trifariella* Zeller,1849
- 458) **Coleophora trifolii** (Curtis,1832) (Coleophoridae) Synonym(s): *trifolii* Curtis,1832; *chalybaella* Costa,[1836]; *melilotella* Scott,1861.
- 459) **Coleophora trigeminella** Fuchs,1881 (Coleophoridae) Synonym(s): *trigeminella* Fuchs,1881

- 460) Coleophora trimaculella Baldizzone,2001** (Coleophoridae) Synonym(s): *trimaculella Baldizzone,2001*
- 461) Coleophora tringella Baldizzone,1988** (Coleophoridae) Synonym(s): *tringella Baldizzone,1988*
- 462) Coleophora tripeniella Baldizzone,1994** (Coleophoridae) Synonym(s): *tripeniella Baldizzone,1994*
- 463) Coleophora tristella Staudinger,1879** (Coleophoridae) Synonym(s): *tristella Staudinger,1879*
- 464) Coleophora turca Baldizzone,1994** (Coleophoridae) Synonym(s): *turca Baldizzone,1994*
- 465) Coleophora univittella Staudinger,1880** (Coleophoridae) Synonym(s): *univittella Staudinger,1880*
- 466) Coleophora uralensis Toll,1961** (Coleophoridae) Synonym(s): *uralensis Toll,1961*
- 467) Coleophora valesianella Zeller,1849** (Coleophoridae) Synonym(s): *valesianella Zeller,1849; giraudi Ragonot,1874; simillima Staudinger,1880; predotaella Rebel,1914*
- 468) Coleophora versurella Zeller,1849** (Coleophoridae) Synonym(s): *versurella Zeller,1849; tardipennella Zeller,1849; miserella Staudinger,1880; agricolella Fuchs,1886; atlanticella Rebel,1896; enchorda Meyrick,1931; pallorella Benander,1939; thalassella McDunnough,1940; constanti Hering,1942; pisella Amsel,1953; saccharella Amsel,1953; amaranthivora Oku,1965*
- 469) Coleophora vestianella (Linnaeus,1758)** (Coleophoridae) Synonym(s): *vestianella Linnaeus,1758; laripennella Zetterstedt,1839; galbulipennella Duponchel,1843; annulatella Tengström,1848; tengstroemella Doubleday,1859; subtractella Caradja,1920*
- 470) Coleophora vibicella (Hübner,[1813])** (Coleophoridae) Synonym(s): *vibicella Hübner,[1813]; vibicipennella Treitschke,1833; brunneella Müller-Rutz,1922*
- 471) Coleophora vicinella Zeller,1849** (Coleophoridae) Synonym(s): *vicinella Zeller,1849; gypsophilae Christoph,1862.*
- 472) Coleophora virgatella Zeller,1849** (Coleophoridae) Synonym(s): *virgatella Zeller,1849*
- 473) Coleophora vulnerariae Zeller,1839** (Coleophoridae) Synonym(s): *vulnerariae Zeller,1839; ictarella Duponchel,1840; vulnerariella Doubleday,1859; vulnerariella Bruand,1859*
- 474) Coleophora vulpecula Zeller,1849** (Coleophoridae) Synonym(s): *vulpecula Zeller,1849; vulpeculoides Toll,1952*
- 475) Coleophora walsinghami Baldizzone,1990** (Coleophoridae) Synonym(s): *walsinghami Baldizzone,1990*
- 476) Coleophora wiltshirei Toll,1959** (Coleophoridae) Synonym(s): *wiltshirei Toll,1959*
- 477) Coleophora wockeella Zeller,1849** (Coleophoridae) Synonym(s): *wockeella Zeller,1849; fumigatella Caradja,1920; italiae Toll,1960*
- 478) Coleophora xanthoargentea Toll,1959** (Coleophoridae) Synonym(s): *xanthoargentea Toll,1959*
- 479) Coleophora zelleriella Heinemann,1854** (Coleophoridae) Synonym(s): *zelleriella Heinemann,1854*
- 480) Coleophora zofodella Baldizzone,2001** (Coleophoridae) Synonym(s): *zofodella Baldizzone,2001*
- 481) Goniograma auroguttella (Fischer v. Röslerstamm,1841)** (Coleophoridae) Synonym(s): *auroguttella Fischer v. Röslerstamm,1841*
- 482) Metriotes lutarea (Haworth,[1828])** (Coleophoridae) Synonym(s): *lutarea Haworth,[1828]; modestella Duponchel,1838; splendidella Lienig & Zeller,1846; bucovinella Nemes,2004*

COSMOPTERIGIDAE

- 483) Alloclita deprinsi Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *deprinsi Koster & Sinev,2003*
- 484) Allotalanta autophaea Meyrick,1913** (Cosmopterigidae) Synonym(s): *autophaea Meyrick,1913*
- 485) Anatrachyntis rileyi (Walsingham,1882)** (Cosmopterigidae) Synonym(s): *rileyi Walsingham,1882; stigmatophora Walsingham,1882*
- 486) Ascalenia echidnias (Meyrick,1891)** (Cosmopterigidae) Synonym(s): *echidnias Meyrick,1891; signatella Chrétien,1915; oranella Lucas,1939; satellita Gozmany,1960.*
- 487) Ascalenia vanella (Frey,1860)** (Cosmopterigidae) Synonym(s): *vanella Frey,1860; seeboldiella Ragonot,1882.*
- 488) Ascalenia vanelloides Gerasimov,1930** (Cosmopterigidae) Synonym(s): *vanelloides Gerasimov,1930; #eremella Amsel,1933; eremella Amsel,1935.*
- 489) Ascalenia viviparella Kasy,1969** (Cosmopterigidae) Synonym(s): *viviparella Kasy,1969*
- 490) Coccidiphila gerasimovi Danilevsky,1950** (Cosmopterigidae) Synonym(s): *gerasimovi Danilevsky,1950*
- 491) Coccidiphila ledereriella (Zeller,1850)** (Cosmopterigidae) Synonym(s): *ledereriella Zeller,1850; unedella Millièr,1876; rungsella Nel & Brusseaux,1997*
- 492) Cosmopterix crassicervicella Chrétien,1896** (Cosmopterigidae) Synonym(s): *crassicervicella Chrétien,1896; flavipes Turati,1930; superba Gozmany,1960; dalii Agenjo,1981*
- 493) Cosmopterix scribaiella Zeller,1850** (Cosmopterigidae) Synonym(s): *scribaiella Zeller,1850; hermsiella Hering,1889; japonica Kuroko,1960*

- 494) Cosmopterix zieglerella (Hübner,[1810])** (Cosmopterigidae) Synonym(s): *zieglerella* Hübner,[1810]; *eximia* Haworth,1828
- 495) Eteobalea albiapicella (Duponchel,1843)** (Cosmopterigidae) Synonym(s): *albiapicella* Duponchel,1843
- 496) Eteobalea amseli (Osthelder,1940)** (Cosmopterigidae) Synonym(s): *amseli* Osthelder,1940
- 497) Eteobalea dohrnii (Zeller,1847)** (Cosmopterigidae) Synonym(s): *dohrnii* Zeller,1847
- 498) Eteobalea intermediella (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966
- 499) Eteobalea isabellella (Costa,1836)** (Cosmopterigidae) Synonym(s): *isabellella* Costa,1836; *opulentella* Herrich-Schäffer,1853; *rutilella* Chrétien,1896.
- 500) Eteobalea serratella (Treitschke,1833)** (Cosmopterigidae) Synonym(s): *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920
- 501) Eteobalea siciliae (Riedl,1966)** (Cosmopterigidae) Synonym(s): *siciliae* Riedl,1966
- 502) Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920
- 503) Eteobalea tririvella (Staudinger,1871)** (Cosmopterigidae) Synonym(s): *tririvella* Staudinger,1871; *kasyi* Riedl,1965.
- 504) Hodgesiella christophi Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *christophi* Koster & Sinev,2003
- 505) Pancalia leuwenhoekella (Linnaeus,1761)** (Cosmopterigidae) Synonym(s): *leuwenhoekella* Linnaeus,1761; *schmidtella* Treitschke,1833
- 506) Pancalia nodosella (Bruand,[1850])** (Cosmopterigidae) Synonym(s): *nodosella* Bruand,[1850]; *nodosella* Mann,1854
- 507) Pancalia schwarzella (Fabricius,1798)** (Cosmopterigidae) Synonym(s): *schwarzella* Fabricius,1798; *latreillella* Curtis,1830.
- 508) Pyroderces argyrogrammos (Zeller,1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldegiella* Herrich-Schäffer,[1853]
- 509) Pyroderces caesaris Gozmany,1957** (Cosmopterigidae) Synonym(s): *caesaris* Gozmany,1957
- 510) Ramphis libanoticus Riedl,1969** (Cosmopterigidae) Synonym(s): *libanoticus* Riedl,1969
- 511) Sorhagenia fibigeri Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *fibigeri* Koster & Sinev,2003
- 512) Sorhagenia lophyrella (Douglas,1846)** (Cosmopterigidae) Synonym(s): *lophyrella* Douglas,1846; *tolli* Riedl,1962
- 513) Sorhagenia rhamniella (Zeller,1839)** (Cosmopterigidae) Synonym(s): *rhamniella* Zeller,1839; *asperipunctella* Bruand,1850
- 514) Sorhagenia taurensis Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *taurensis* Koster & Sinev,2003
- 515) Stigmatophora anonymella (Riedl,1965)** (Cosmopterigidae) Synonym(s): *anonymella* Riedl,1965
- 516) Stigmatophora beata (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *beata* Walsingham,1907
- 517) Tolliella fulguritella (Ragonot,1895)** (Cosmopterigidae) Synonym(s): *fulguritella* Ragonot,1895; *copidobathra* Meyrick,1936.
- 518) Vulcaniella anatolica Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *anatolica* Koster & Sinev,2003
- 519) Vulcaniella caucasica Sinev,1986** (Cosmopterigidae) Synonym(s): *caucasica* Sinev,1986
- 520) Vulcaniella cognatella Riedl,1991** (Cosmopterigidae) Synonym(s): *cognatella* Riedl,1991
- 521) Vulcaniella fiordalisa (Petty,1904)** (Cosmopterigidae) Synonym(s): *fiordalisa* Petty,1904; *gnaphaliella* Chrétien,1922.
- 522) Vulcaniella glaseri (Riedl,1966)** (Cosmopterigidae) Synonym(s): *glaseri* Riedl,1966
- 523) Vulcaniella grabowiella (Staudinger,1859)** (Cosmopterigidae) Synonym(s): *grabowiella* Staudinger,1859
- 524) Vulcaniella grandiferella Sinev,1986** (Cosmopterigidae) Synonym(s): *grandiferella* Sinev,1986
- 525) Vulcaniella karadaghella Sinev,1986** (Cosmopterigidae) Synonym(s): *karadaghella* Sinev,1986
- 526) Vulcaniella pomposella (Zeller,1839)** (Cosmopterigidae) Synonym(s): *pomposella* Zeller,1839
- 527) Vulcaniella pontica Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *pontica* Koster & Sinev,2003

COSSIDAE

- 528) Acossus terebrus (Denis,1785)** (Cossidae) Synonym(s): *#terebra* [Denis & Schiffermüller],1775; *terebra* Denis,1785.
- 529) Azygophleps regia (Staudinger,1892)** (Cossidae) Synonym(s): *regia* Staudinger,1892
- 530) Cossulus argentatus (Staudinger,1887)** (Cossidae) Synonym(s): *argentatus* Staudinger,1887; *araxes* De Freina,1982
- 531) Cossulus lena Yakovlev,2008** (Cossidae) Synonym(s): *lena* Yakovlev,2008

- 532) **Cossulus lignosus (Brandt,1938)** (Cossidae) Synonym(s): *lignosus* Brandt,1938
- 533) **Cossulus nedretus De Freina & Yakovlev,2005** (Cossidae) Synonym(s): *nedretus* De Freina & Yakovlev,2005
- 534) **Cossus cossus (Linnaeus,1758)** (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794
- 535) **Cossus divisa Rothschild,1912** (Cossidae) Synonym(s): *divisa* Rothschild,1912
- 536) **Cossus funkei (Röber,1896)** (Cossidae) Synonym(s): *funkei* Röber,1896
- 537) **Dieida ledereri Staudinger,1871** (Cossidae) Synonym(s): *ledereri* Staudinger,1871 o
- 538) **Dyspessa arabeska Yakovlev,2005** (Cossidae) Synonym(s): *arabeska* Yakovlev,2005
- 539) **Dyspessa argaeensis Rebel,1902** (Cossidae) Synonym(s): *argaeensis* Rebel,1902; *taurica* Rebel,1902.
- 540) **Dyspessa artemis Yakovlev,2008** (Cossidae) Synonym(s): *artemis* Yakovlev,2008
- 541) **Dyspessa blonda Yakovlev,2008** (Cossidae) Synonym(s): *blonda* Yakovlev,2008
- 542) **Dyspessa cerberus Daniel,1939** (Cossidae) Synonym(s): *cerberus* Daniel,1939
- 543) **Dyspessa defreinai Yakovlev,2008** (Cossidae) Synonym(s): *defreinai* Yakovlev,2008
- 544) **Dyspessa emilia (Staudinger,1879)** (Cossidae) Synonym(s): *emilia* Staudinger,1879
- 545) **Dyspessa hethitica Daniel,1932** (Cossidae) Synonym(s): *hethitica* Daniel,1932; *#hetithica* De Freina,1981
- 546) **Dyspessa infusata (Staudinger,1892)** (Cossidae) Synonym(s): *infusata* Staudinger,1892; *cypriaca* Rebel,1927; *kurdistan* Turati,1909.
- 547) **Dyspessa pallidata Staudinger,1901** (Cossidae) Synonym(s): *#pallidata* Staudinger,1892; *pallidata* Staudinger,1901; *nigrita* Wagner,1931; *dueldueli* Daniel,1939.
- 548) **Dyspessa salicicola (Eversmann,1848)** (Cossidae) Synonym(s): *salicicola* Eversmann,1848
- 549) **Dyspessa stroehlei Yakovlev,2008** (Cossidae) Synonym(s): *stroehlei* Yakovlev,2008
- 550) **Dyspessa tyumasevae Yakovlev,2008** (Cossidae) Synonym(s): *tyumasevae* Yakovlev,2008
- 551) **Dyspessa ulula (Borkhausen,1790)** (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912.
- 552) **Dyspessa zurvan Yakovlev,2008** (Cossidae) Synonym(s): *zurvan* Yakovlev,2008
- 553) **Dyspessacossus fereidun Groum-Grshimailo,1895** (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo,1895; *firdusi* Wagner,1937.
- 554) **Dyspessacossus hadjinensis Daniel,1953** (Cossidae) Synonym(s): *hadjinensis* Daniel,1953
- 555) **Holcocerus volgensis Christoph,1893** (Cossidae) Synonym(s): *volgensis* Christoph,1893
- 556) **Isoceras bipunctatum (Staudinger,1887)** (Cossidae) Synonym(s): *bipunctatum* Staudinger,1887
- 557) **Isoceras huberi Eitschberger & Ströhle,1987** (Cossidae) Synonym(s): *huberi* Eitschberger & Ströhle,1987
- 558) **Paracossulus thrips (Hübner,[1818])** (Cossidae) Synonym(s): *thrips* Hübner,[1818]; *fuchsiana* Eversmann,1832; *kindermannii* Freyer,1836.
- 559) **Parahypopta caestrum (Hübner,[1808])** (Cossidae) Synonym(s): *caestrum* Hübner,[1808]; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912.
- 560) **Paropta paradoxus (Herrich-Schäffer,1851)** (Cossidae) Synonym(s): *paradoxus* Herrich-Schäffer,1851
- 561) **Phragmacossia albida (Erschoff,1874)** (Cossidae) Synonym(s): *albida* Erschoff,1874
- 562) **Phragmataecia castaneae (Hübner,1790)** (Cossidae) Synonym(s): *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891
- 563) **Phragmataecia territa Staudinger,1878** (Cossidae) Synonym(s): *territa* Staudinger,1878
- 564) **Semagystia cuhensis De Freina,1994** (Cossidae) Synonym(s): *cuhensis* De Freina,1994
- 565) **Semagystia enigma Yakovlev,2007** (Cossidae) Synonym(s): *enigma* Yakovlev,2007
- 566) **Semitocossus johannes (Staudinger,1899)** (Cossidae) Synonym(s): *johannes* Staudinger,1899; *striolatus* Rothschild,1912
- 567) **Stygioides colchica (Herrich-Schäffer,[1851])** (Cossidae) Synonym(s): *colchica* Herrich-Schäffer,[1851]
- 568) **Zeuzera pyrina (Linnaeus,1761)** (Cossidae) Synonym(s): *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892

CTENUCHIDAE

- 569) **Amata aequipuncta (Turati,1917)** (Ctenuchidae) Synonym(s): *aequipuncta* Turati,1917; *#aequipunctata* De Freina,1994
- 570) **Amata antiochena (Lederer,1861)** (Ctenuchidae) Synonym(s): *antiochena* Lederer,1861; *tricingulata* Culot,1909

- 571) *Amata caspia* (Staudinger,1877)** (Ctenuchidae) Synonym(s): *caspia* Staudinger,1877; *#caspica* Romanoff,1884; *minuta* A.Bang-Haas,1910 nec Bsd.,1833; *martinierici* Bryk,1941; *banghaasi* Obratzsov,1966; *minutissima* Obratzsov,1966; *schachti* De Freina,1994.
- 572) *Amata hakkariana* (De Freina,1982)** (Ctenuchidae) Synonym(s): *hakkariana* De Freina,1982
- 573) *Amata kruegeri* (Ragusa,1904)** (Ctenuchidae) Synonym(s): *#kruegeri* Ragusa,1904; *kruegeri* Turati,1917
- 574) *Amata phegea* (Linnaeus,1758)** (Ctenuchidae) Synonym(s): *phegea* Linnaeus,1758; *quercus* Fabricius,1793
- 575) *Amata rossica* (Turati,1917)** (Ctenuchidae) Synonym(s): *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (praeocc.); *rossica* Turati,1917; *tanaica* Obratzsov,1941
- 576) *Amata sintenisi* (Standfuss,1892)** (Ctenuchidae) Synonym(s): *sintenisi* Standfuss,1892; *aurivala* Schawerda,1923
- 577) *Amata tanina* (De Freina,1982)** (Ctenuchidae) Synonym(s): *tanina* De Freina,1982.
- 578) *Amata taurica* (Turati,1917)** (Ctenuchidae) Synonym(s): *#taurica* Hampson,1898; *taurica* Turati,1917.
- 579) *Amata transcaspica* Obratzsov,1941** (Ctenuchidae) Synonym(s): *transcaspica* Obratzsov,1941
- 580) *Amata wiltshirei* Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *wiltshirei* Bytinski-Salz,1939
- 581) *Callitomis dimorpha* Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *dimorpha* Bytinski-Salz,1939; *#nigerrima* Bytinski-Salz,1939
- 582) *Dysauxes (Adauctis) punctata* (Fabricius,1781)** (Ctenuchidae) Synonym(s): *punctata* Fabricius,1781; *serva* Hübner,[1803]; *confamula* Hübner,[1803]; *ochrea* Millière,1876
- 583) *Dysauxes (s.str.) ancilla* (Linnaeus,1767)** (Ctenuchidae) Synonym(s): *ancilla* Linnaeus,1767; *obscura* Fabricius,1781; *quadrioculata* Goeze,1783; *lomopicta* Fourcroy,1785; *fuscoptera* Fourcroy,1785; *tripunctata* Scopoli,1786; *arcuatella* Schrank,1802; *horta* Schrank,1802; *abundans* Dannehl,1933; *pluripuncta* Naufock,1933.
- 584) *Dysauxes (s.str.) famula* (Freyer,1836)** (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983.
- 585) *Dysauxes (s.str.) fraterna* Ignatyev & Zolotuhin,2006** (Ctenuchidae) Synonym(s): *fraterna* Ignatyev & Zolotuhin,2006
- 586) *Dysauxes (s.str.) syntomida* (Staudinger,1892)** (Ctenuchidae) Synonym(s): *syntomida* Staudinger,1892

DANAIDAE

- 587) *Danaus (Anosia) chrysippus* (Linnaeus,1758)** (Danaiidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759

DEOCLONIDAE

- 588) *Syringopais temperatella* (Lederer,1855)** (Deoclonidae) Synonym(s): *temperatella* Lederer,1855; *fuscofasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920

DOUGLASIIDAE

- 589) *Klimeschia cinereipunctella* (Turati & Fiori,1930)** (Douglassiidae) Synonym(s): *cinereipunctella* Turati & Fiori,1930; *lutumella* Amsel,1938.
- 590) *Klimeschia transversella* (Zeller,1839)** (Douglassiidae) Synonym(s): *transversella* Zeller,1839
- 591) *Klimeschia vibratoriella* (Mann,1862)** (Douglassiidae) Synonym(s): *vibratoriella* Mann,1862
- 592) *Tinagma anchusellum* (Benander,1936)** (Douglassiidae) Synonym(s): *anchusellum* Benander,1936
- 593) *Tinagma columbellum* (Staudinger,1880)** (Douglassiidae) Synonym(s): *columbellum* Staudinger,1880.
- 594) *Tinagma hedemanni* (Caradja,1920)** (Douglassiidae) Synonym(s): *hedemanni* Caradja,1920
- 595) *Tinagma minutissimum* (Staudinger,1880)** (Douglassiidae) Synonym(s): *minutissimum* Staudinger,1880.
- 596) *Tinagma ocnestomellum* (Stainton,1850)** (Douglassiidae) Synonym(s): *ocnestomellum* Stainton,1850; *echii* Herrich-Schäffer,1854.

DREPANIDAE

- 597) *Cilix asiatica* A.Bang-Haas,1907** (Drepanidae) Synonym(s): *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913
- 598) *Cilix glaucata* (Scopoli,1763)** (Drepanidae) Synonym(s): *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777
- 599) *Drepana falcatoria* (Linnaeus,1758)** (Drepanidae) Synonym(s): *falcatoria* Linnaeus,1758; *sicula* [Denis & Schiffermüller],1775; *falcula* [Denis & Schiffermüller],1775; *falcata* Retzius,1783 nec Fabr.,1775; *falcatorialis* Haworth,1802; *infernalis* Bytinski-Salz,1939
- 600) *Watsonalla binaria* (Hufnagel,1767)** (Drepanidae) Synonym(s): *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculatoria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802]
- 601) *Watsonalla cultraria* (Fabricius,1775)** (Drepanidae) Synonym(s): *cultraria* Fabricius,1775; *hamula* [Denis & Schiffermüller],1775; *cultrialis* Haworth,1802; *unguicula* Hübner,[1803]; *fasciata* Stephens,1829
- 602) *Watsonalla uncinula* (Borkhausen,1790)** (Drepanidae) Synonym(s): *uncinula* Borkhausen,1790

ELACHISTIDAE

- 603) *Elachista* (Aphelosetia) *pollinariella* Zeller,1839** (Elachistidae) Synonym(s): *pollinariella* Zeller,1839
- 604) *Elachista adscitella* Stainton,1851** (Elachistidae) Synonym(s): *cinctella* auct.; *adscitella* Stainton,1851
- 605) *Elachista albifrontella* (Hübner,[1817])** (Elachistidae) Synonym(s): *albifrontella* Hübner,[1817]
- 606) *Elachista anatoliensis* Traugott-Olsen,1990** (Elachistidae) Synonym(s): *anatoliensis* Traugott-Olsen,1990
- 607) *Elachista anserinella* Zeller,1839** (Elachistidae) Synonym(s): *anserinella* Zeller,1839; *disertella* Herrich-Schäffer,[1855].
- 608) *Elachista argentella* (Clerck,1759)** (Elachistidae) Synonym(s): *argentella* Clerck,1759; *alabastrella* [Denis & Schiffermüller],1775; *melanopsis* Fourcroy,1785; *alabastrata* Villers,1789; *cygnipennella* Hübner,1796; *cygnipennis* Haworth,1828; *semialbella* Stephens,1834
- 609) *Elachista atrisquamosa* Staudinger,1880** (Elachistidae) Synonym(s): *atrisquamosa* Staudinger,1880
- 610) *Elachista bisulcella* (Duponchel,1843)** (Elachistidae) Synonym(s): *bisulcella* Duponchel,1843; *zonariella* Tengström,1847
- 611) *Elachista blancellae* Traugott-Olsen,1992** (Elachistidae) Synonym(s): *blancellae* Traugott-Olsen,1992
- 612) *Elachista canapennella* (Hübner,[1813])** (Elachistidae) Synonym(s): *canapennella* Hübner,[1813]; *pulchella* Haworth,[1828] nec Fabricius,1794; *obscura* Stainton,1849; *incanella* Herrich-Schäffer,[1855], etc.
- 613) *Elachista chionella* Mann,1861** (Elachistidae) Synonym(s): *chionella* Mann,1861
- 614) *Elachista chrysodesmella* Zeller,1850** (Elachistidae) Synonym(s): *chrysodesmella* Zeller,1850
- 615) *Elachista cingillella* (Herrich-Schäffer,[1855])** (Elachistidae) Synonym(s): *cingillella* Herrich-Schäffer,[1855]; *densicornuella* Hodgkinson,1879
- 616) *Elachista collitella* (Duponchel,1843)** (Elachistidae) Synonym(s): *collitella* Duponchel,1843; *grossepunctella* Herrich-Schäffer,1855
- 617) *Elachista contaminatella* Zeller,1847** (Elachistidae) Synonym(s): *contaminatella* Zeller,1847; *fadella* Millière,1876; *suspectella* Chrétien,1896; *hypoleuca* Walsingham,1907
- 618) *Elachista deceptricula* Staudinger,1880** (Elachistidae) Synonym(s): *deceptricula* Staudinger,1880
- 619) *Elachista disemiella* Zeller,1847** (Elachistidae) Synonym(s): *disemiella* Zeller,1847
- 620) *Elachista dispilella* Zeller,1839** (Elachistidae) Synonym(s): *dispilella* Zeller,1839
- 621) *Elachista festucicolella* Zeller,1853** (Elachistidae) Synonym(s): *festucicolella* Zeller,1853; *#festucicolella* Staudinger,1880.
- 622) *Elachista flavescens* Parenti,1981** (Elachistidae) Synonym(s): *flavescens* Parenti,1981
- 623) *Elachista gangabella* Zeller,1850** (Elachistidae) Synonym(s): *gangabella* Zeller,1850; *taeniatella* Stainton,1857; *ursinella* Chrétien,1896
- 624) *Elachista gebzeensis* Traugott-Olsen,1990** (Elachistidae) Synonym(s): *gebzeensis* Traugott-Olsen,1990
- 625) *Elachista gleichenella* (Fabricius,1781)** (Elachistidae) Synonym(s): *gleichenella* Fabricius,1781; *gleichella* Fabricius,1794; *magnificella* Duponchel,1843; *trifasciella* Tengström,1848; *fractella* Herrich-Schäffer,1855
- 626) *Elachista griseella* (Duponchel,1843)** (Elachistidae) Synonym(s): *griseella* Duponchel,1843; *dispositella* Frey,1859
- 627) *Elachista incanella* Herrich-Schäffer,[1855]** (Elachistidae) Synonym(s): *incanella* Herrich-Schäffer,[1855]

- 628) Elachista kleini Amsel, 1935** (Elachistidae) Synonym(s): *kleini* Amsel, 1935
- 629) Elachista maculata Parenti, 1978** (Elachistidae) Synonym(s): *maculata* Parenti, 1978
- 630) Elachista maculicerusella Bruand, 1849** (Elachistidae) Synonym(s): *cerusella* Hübner, 1796 nec [Denis & Schiff.], 1775; *maculicerusella* Bruand, 1849; *monosemiella* auct.
- 631) Elachista melancholica Frey, 1859** (Elachistidae) Synonym(s): *melancholica* Frey, 1859
- 632) Elachista minusculella Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *minusculella* Traugott-Olsen, 1992
- 633) Elachista modesta Parenti, 1978** (Elachistidae) Synonym(s): *modesta* Parenti, 1978
- 634) Elachista nuraghella Amsel, 1951** (Elachistidae) Synonym(s): *nuraghella* Amsel, 1951
- 635) Elachista ohridella Parenti, 2001** (Elachistidae) Synonym(s): *ohridella* Parenti, 2001
- 636) Elachista pollutella (Duponchel, 1844)** (Elachistidae) Synonym(s): *pollutella* Duponchel, 1844
- 637) Elachista pollutissima Staudinger, 1880** (Elachistidae) Synonym(s): *pollutissima* Staudinger, 1880
- 638) Elachista pullicomella Zeller, 1839** (Elachistidae) Synonym(s): *pullicomella* Zeller, 1839; *rectifasciella* Stainton, 1851; *bohmanni* Wallengren, 1852; *pullella* Herrich-Schäffer, 1855
- 639) Elachista revinctella Zeller, 1850** (Elachistidae) Synonym(s): *revinctella* Zeller, 1850
- 640) Elachista rudectella Stainton, 1851** (Elachistidae) Synonym(s): *rudectella* Stainton, 1851
- 641) Elachista rufocinerea (Haworth, [1828])** (Elachistidae) Synonym(s): *rufocinerea* Haworth, [1828]; *oleae* Haworth, [1828]; *floslactis* Haworth, [1828]; *rufocinereella* Herrich-Schäffer, 1855; *rufocinereella* Bruand, 1859
- 642) Elachista squamosella (Duponchel, 1843)** (Elachistidae) Synonym(s): *squamosella* Duponchel, 1843
- 643) Elachista turkensis Traugott-Olsen, 1990** (Elachistidae) Synonym(s): *turkensis* Traugott-Olsen, 1990
- 644) Elachista unifasciella (Haworth, [1828])** (Elachistidae) Synonym(s): *unifasciella* Haworth, [1828]
- 645) Elachista vegliae Parenti, 1978** (Elachistidae) Synonym(s): *vegliae* Parenti, 1978
- 646) Perittia echiella Joannis, 1902** (Elachistidae) Synonym(s): *echiella* Joannis, 1902
- 647) Perittia huemeri (Traugott-Olsen, 1990)** (Elachistidae) Synonym(s): *huemeri* Traugott-Olsen, 1990
- 648) Perittia junnilaisella Kaila, 2009** (Elachistidae) Synonym(s): *junnilaisella* Kaila, 2009
- 649) Perittia karadaghella Sinev & Budashkin, 1991** (Elachistidae) Synonym(s): *karadaghella* Sinev & Budashkin, 1991
- 650) Perittia mucronata (Parenti, 2001)** (Elachistidae) Synonym(s): *mucronata* Parenti, 2001
- 651) Perittia ravida Kaila, 2009** (Elachistidae) Synonym(s): *ravida* Kaila, 2009
- 652) Stephensia abbreviatella (Stainton, 1851)** (Elachistidae) Synonym(s): *abbreviatella* Stainton, 1851; *maxima* Höfner, 1897; *myosotivora* Müller-Rutz, 1937.
- 653) Stephensia brunnichella (Linnaeus, 1767)** (Elachistidae) Synonym(s): *brunnichella* Linnaeus, 1767.

ENDROMIDAE

- 654) Endromis versicolora (Linnaeus, 1758)** (Endromidae) Synonym(s): *versicolora* Linnaeus, 1758; *versicolor* Schrank, 1801; *lapponica* Bau, 1877; *sachalinensis* Matsumura, 1929; *asiaeorientis* Warnecke, 1943; *meridionalis* Rougeot, 1971; *subpyrinaea* Gomez-Bustillo et al., 1974

EPERMENIIDAE

- 655) Epermenia (Calotripis) aequidentella (Hofmann, 1867)** (Epermeniidae) Synonym(s): *aequidentella* Hofmann, 1867; *daucellus* Peyerimhoff, 1870.
- 656) Epermenia (Calotripis) chaerophyllella (Goeze, 1783)** (Epermeniidae) Synonym(s): *chaerophyllella* Goeze, 1783; *testaceella* Hübner, [1813]; *fasciculellus* Stephens, 1834; *nigrostriatellus* Heylaerts, 1883; *turatiella* Constantini, 1923.
- 657) Epermenia (Calotripis) insecurella (Stainton, 1849)** (Epermeniidae) Synonym(s): *insecurella* Stainton, 1849; *dentosella* Stainton, 1851; *iniquellus* Wocke, 1867; *plumbeella* Rebel, 1915; *kruegerella* Schawerda, 1921.
- 658) Epermenia (Calotripis) strictella (Wocke, 1867)** (Epermeniidae) Synonym(s): *strictella* Wocke, 1867; *anthracoptila* Meyrick, 1931.
- 659) Epermenia (s.str.) ochreomaculella (Millière, 1854)** (Epermeniidae) Synonym(s): *ochreomaculella* Millière, 1854; *prohaskaella* Schawerda, 1921; *afghanistanella* Gaedike, 1971.
- 660) Epermenia (s.str.) orientalis Gaedike, 1966** (Epermeniidae) Synonym(s): *orientalis* Gaedike, 1966.

- 661) Epermenia (s.str.) pontificella (Hübner,1796)** (Epermeniidae) Synonym(s): *pontificella* Hübner,1796
662) Epermenia (s.str.) wockeella (Staudinger,1880) (Epermeniidae) Synonym(s): *wockeella* Staudinger,1880.
663) Ochromolopis ictella (Hübner,[1813]) (Epermeniidae) Synonym(s): *ictella* Hübner,[1813]; *ictipennella* Treitschke,1833.
664) Ochromolopis staintonella (Millière,1869) (Epermeniidae) Synonym(s): *staintonellus* Millière,1869.
665) Phaulernis fulviguttella (Zeller,1839) (Epermeniidae) Synonym(s): *fulviguttella* Zeller,1839; *flavimaculella* Stainton,1849; *auromaculata* Frey,1865.

ERIOCOTTIDAE

- 666) Deuterotinea balcanica Zagulyaev,1972** (Eriocottidae) Synonym(s): *balcanica* Zagulyaev,1972
667) Deuterotinea casanella (Eversmann,1844) (Eriocottidae) Synonym(s): *casanella* Eversmann,1844
668) Deuterotinea palaestinensis Rebel,1900 (Eriocottidae) Synonym(s): *palaestinensis* Rebel,1900
669) Deuterotinea syriaca Lederer,1857 (Eriocottidae) Synonym(s): *syriaca* Lederer,1857
670) Eriocottis fuscanella Zeller,1847 (Eriocottidae) Synonym(s): *fuscanella* Zeller,1847
671) Eriocottis paradoxella (Staudinger,1859) (Eriocottidae) Synonym(s): *paradoxella* Staudinger,1859

ERIOCRANIIDAE

- 672) Dyseriocrania subpurpurella (Haworth,[1828])** (Eriocraniidae) Synonym(s): *subpurpurella* Haworth,[1828]; *fastuosella* Zeller,1839; *donzelella* Duponchel,[1839].

ETHMIIDAE

- 673) Ethmia amasina (Staudinger,1879)** (Ethmiidae) Synonym(s): *amasina* Staudinger,1879
674) Ethmia aurifluella (Hübner,[1810]) (Ethmiidae) Synonym(s): *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882.
675) Ethmia bipunctella (Fabricius,1775) (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947.
676) Ethmia candidella (Alpheraky,1908) (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931.
677) Ethmia caradjae (Rebel,1907) (Ethmiidae) Synonym(s): *caradjae* Rebel,1907; *chosroes* Wiltshire,1947
678) Ethmia chrysopyga (Zeller,1844) (Ethmiidae) Synonym(s): *chrysopyga* Zeller,1844; *callidella* Walsingham,1910.
679) Ethmia defreinae Ganey,1984 (Ethmiidae) Synonym(s): *defreinae* Ganey,1984
680) Ethmia derbendella Sattler,1967 (Ethmiidae) Synonym(s): *derbendella* Sattler,1967
681) Ethmia distigmatella (Erschoff,1874) (Ethmiidae) Synonym(s): *distigmatella* Erschoff,1874; *bipunctella* Rebel,1936; *distichella* Rebel,1940.
682) Ethmia dodecea (Haworth,[1828]) (Ethmiidae) Synonym(s): *decemguttella* Hübner,[1810] *nec* Fabr.,1794; *dodecea* Haworth,[1828].
683) Ethmia euphoria Kun,2007 (Ethmiidae) Synonym(s): *euphoria* Kun,2007
684) Ethmia fumidella (Wocke,1850) (Ethmiidae) Synonym(s): *fumidella* Wocke,1850; *ardosiella* Caradja,1931.
685) Ethmia haemorrhoidella (Eversmann,1844) (Ethmiidae) Synonym(s): *haemorrhoidella* Eversmann,1844; *anatolica* Amsel,1953.
686) Ethmia hakkarica Koçak,1986 (Ethmiidae) Synonym(s): *hakkarica* Koçak,1986
687) Ethmia infelix Meyrick,1914 (Ethmiidae) Synonym(s): *confusella* Rebel,1901 (*praeocc.*); *infelix* Meyrick,1914; *kurdistanella* Amsel,1959
688) Ethmia interposita Sattler,1967 (Ethmiidae) Synonym(s): *interposita* Sattler,1967
689) Ethmia iranella Zerny,1940 (Ethmiidae) Synonym(s): *iranella* Zerny,1940
690) Ethmia pseudoscythrella (Rebel,1902) (Ethmiidae) Synonym(s): *pseudoscythrella* Rebel,1902
691) Ethmia pusiella (Linnaeus,1758) (Ethmiidae) Synonym(s): *pusiella* Linnaeus,1758; *scaella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796.
692) Ethmia quadrillella (Goeze,1783) (Ethmiidae) Synonym(s): *quadrillella* Goeze,1783; *inversella* Fourcroy,1785; *funerella* Fabricius,1787; *funerea* Haworth,1828; *afflatella* Fuchs,1903.

- 693) Ethmia quadrinotella (Mann,1861)** (Ethmiidae) Synonym(s): *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922.
- 694) Ethmia rothschildi (Rebel,1912)** (Ethmiidae) Synonym(s): *rothschildi* Rebel,1912
- 695) Ethmia similis Sattler,1967** (Ethmiidae) Synonym(s): *similis* Sattler,1967
- 696) Ethmia suspecta Sattler,1867** (Ethmiidae) Synonym(s): *suspecta* Sattler,1967
- 697) Ethmia terminella T.B.Fletcher,1938** (Ethmiidae) Synonym(s): *sexpunctella* Hübner,[1810] *nec* Fabr.,1794; *terminella* T.B.Fletcher,1938.
- 698) Ethmia treitschkeella (Staudinger,1879)** (Ethmiidae) Synonym(s): *treitschkeella* Staudinger,1879
- 699) Ethmia tripunctella (Staudinger,1879)** (Ethmiidae) Synonym(s): *tripunctella* Staudinger,1879

GELECHIIDAE

- 700) Acanthophila alacella (Zeller,1839)** (Gelechiidae) Synonym(s): *alacella* Zeller,1839
- 701) Acompsia cinerella (Clerck,1759)** (Gelechiidae) Synonym(s): *cinerella* Clerck,1759; *murinella* Scopoli,1763; *ardeliella* Hübner,[1817]; *cinerea* Haworth,1828; *spodiella* Treitschke,1833
- 702) Agnippe penicillata (Amsel,1961)** (Gelechiidae) Synonym(s): *penicillata* Amsel,1961
- 703) Agnippe pseudolella (Christoph,1888)** (Gelechiidae) Synonym(s): *pseudolella* Christoph,1888; *cephalella* Caradja,1920.
- 704) Altenia scriptella (Hübner,1796)** (Gelechiidae) Synonym(s): *scriptella* Hübner,1796
- 705) Altenia wagneriella (Rebel,1926)** (Gelechiidae) Synonym(s): *wagneriella* Rebel,1926; *danilevskiyi* Piskunov,1973.
- 706) Anacampsis obscurella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *obscurella* [Denis & Schiffermüller],1775; *subsequella* Hübner,1796.
- 707) Anacampsis panormitella (Caradja,1920)** (Gelechiidae) Synonym(s): *panormitella* Caradja,1920
- 708) Anacampsis populella (Clerck,1759)** (Gelechiidae) Synonym(s): *populella* Clerck,1759; *tremella* Denis & Schiffermüller,1775; *populi* Haworth,1828; *Stephens*,1834; *tremulella* Duponchel,[1839]
- 709) Anacampsis scintillella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *scintillella* Fischer v. Röslerstamm,1841; *brunneella* Herrich-Schäffer,1854; *contuberniella* Staudinger,1859
- 710) Anacampsis timidella (Wocke,1887)** (Gelechiidae) Synonym(s): *timidella* Wocke,1887; *quercella* Chrétien,1907; *disquei* Mees,1907; *suberiella* Caradja,1920.
- 711) Anarsia (Ananarsia) aleurodes Meyrick,1922** (Gelechiidae) Synonym(s): *aleurodes* Meyrick,1922
- 712) Anarsia (Ananarsia) lineatella Zeller,1839** (Gelechiidae) Synonym(s): *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967.
- 713) Anarsia (s.str.) spartiella (Schrank,1802)** (Gelechiidae) Synonym(s): *spartiella* Schrank,1802; *genistae* Stainton,1854; *ragonotella* Réal,1994; *krausei* Réal,1994; *lhommeella* Réal,1994; *acutiloba* Réal,1994; *pseudospartielle* Réal,1994 *ungemachi* Réal,1994
- 714) Apatetris mirabella Staudinger,1879** (Gelechiidae) Synonym(s): *mirabella* Staudinger,1879
- 715) Apodia bifractella (Duponchel,1843)** (Gelechiidae) Synonym(s): *bifractella* Duponchel,[1843]
- 716) Aproaerema anthyllidella (Hübner,[1813])** (Gelechiidae) Synonym(s): *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralella* Millière,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964
- 717) Aristotelia baltica A.Sulcs & I.Sulcs,1983** (Gelechiidae) Synonym(s): *baltica* A.Sulcs & I.Sulcs,1983
- 718) Aristotelia cupreella Zerny,1934** (Gelechiidae) Synonym(s): *cupreella* Zerny,1934
- 719) Aristotelia decoratella (Staudinger,1880)** (Gelechiidae) Synonym(s): *decoratella* Staudinger,1880
- 720) Aristotelia decurtella (Hübner,[1813])** (Gelechiidae) Synonym(s): *decurtella* Hübner,[1813]; *turbatella* Treitschke,1835; *amoenella* Joannis,1891
- 721) Aristotelia euprepella Zerny,1934** (Gelechiidae) Synonym(s): *euprepella* Zerny,1934
- 722) Aristotelia fervidella Mann,1864** (Gelechiidae) Synonym(s): *fervidella* Mann,1864; *#feroidella* Staudinger,1880.
- 723) Aristotelia jactatrix Meyrick,1926** (Gelechiidae) Synonym(s): *jactatrix* Meyrick,1926
- 724) Aristotelia osthelderi Rebel,1935** (Gelechiidae) Synonym(s): *osthelderi* Rebel,1935
- 725) Aristotelia pancaliella (Staudinger,1871)** (Gelechiidae) Synonym(s): *pancaliella* Staudinger,1871
- 726) Aristotelia parvula (Staudinger,1879)** (Gelechiidae) Synonym(s): *parvula* Staudinger,1879
- 727) Aristotelia punctatella (Staudinger,1879)** (Gelechiidae) Synonym(s): *punctatella* Staudinger,1879
- 728) Aristotelia retusella Rebel,1891** (Gelechiidae) Synonym(s): *retusella* Rebel,1891
- 729) Aristotelia servella Zeller,1839** (Gelechiidae) Synonym(s): *servella* Zeller,1839
- 730) Aristotelia striatopunctella Rebel,1891** (Gelechiidae) Synonym(s): *striatopunctella* Rebel,1891
- 731) Aristotelia subericinella (Duponchel,1843)** (Gelechiidae) Synonym(s): *subericinella* Duponchel,1843; *prohaskaella* Rebel,1907
- 732) Aristotelia unifasciella Rebel,1929** (Gelechiidae) Synonym(s): *unifasciella* Rebel,1929

- 733) Aroga aristotelis (Millière,1875)** (Gelechiidae) Synonym(s): *aristotelis* Millière,1875; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacertella* Walsingham; *hyrcanella* Toll,1948.
- 734) Aroga flavicomella (Zeller,1839)** (Gelechiidae) Synonym(s): *flavicomella* Zeller,1839
- 735) Aroga pascuicola (Staudinger,1871)** (Gelechiidae) Synonym(s): *pascuicola* Staudinger,1871
- 736) Aroga peperistis (Meyrick,1926)** (Gelechiidae) Synonym(s): *peperistis* Meyrick,1926
- 737) Aroga velocella (Zeller,1839)** (Gelechiidae) Synonym(s): *velocella* Zeller,1839; *affiniella* Zetterstedt,[1839]; *tesserella* Zetterstedt,[1839]; *brunnea* Schöyen,1882; *aterrimella* Rebel,1889; *rupicolella* Müller-Rutz,1934
- 738) Athrips amoenella (Frey,1882)** (Gelechiidae) Synonym(s): *amoenella* Frey,1882; *#allgunnensis* Svensson,1993
- 739) Athrips nigricostella (Duponchel,1842)** (Gelechiidae) Synonym(s): *nigricostella* Duponchel,1842
- 740) Athrips rancidella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rancidella* Herrich-Schäffer,[1854]; *triatomaea* Mühlig,1864; *vepretella* Zeller,1870; *superfetella* Peyerimhoff,1877; *cotoneastri* Busck,1934; *cerasivorella* Kuznetsov,1960.
- 741) Atremaea lonchoptera Staudinger,1871** (Gelechiidae) Synonym(s): *lonchoptera* Staudinger,1871
- 742) Brachmia blandella (Fabricius,1798)** (Gelechiidae) Synonym(s): *blandella* Fabricius,1798; *gerronella* Zeller,1850
- 743) Bryotropha arabica Amsel,1952** (Gelechiidae) Synonym(s): *arabica* Amsel,1952
- 744) Bryotropha azovica Bidzilya,1996** (Gelechiidae) Synonym(s): *azovica* Bidzilya,1996
- 745) Bryotropha desertella (Douglas,1850)** (Gelechiidae) Synonym(s): *desertella* Douglas,1850; *decrepidella* Herrich-Schäffer,1854.
- 746) Bryotropha domestica (Haworth,1828)** (Gelechiidae) Synonym(s): *domestica* Haworth,1828; *domesticella* Doubleday,1859; *domesticella* Bruand,1859; *salmonis* Walsingham,1908; *algiricella* Chrétien,1917
- 747) Bryotropha dryadella (Zeller,1850)** (Gelechiidae) Synonym(s): *dryadella* Zeller,1850; *saraella* Amsel,1952
- 748) Bryotropha hendrikseni Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hendrikseni* Karsholt & Rutten,2005
- 749) Bryotropha horribilis Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *horribilis* Karsholt & Rutten,2005
- 750) Bryotropha hulli Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hulli* Karsholt & Rutten,2005
- 751) Bryotropha plebejella (Zeller,1847)** (Gelechiidae) Synonym(s): *plebejella* Zeller,1847; *ancillula* Walsingham,1908; *inexpectella* Nel,1999
- 752) Bryotropha sabulosella (Rebel,1905)** (Gelechiidae) Synonym(s): *sabulosella* Rebel,1905
- 753) Bryotropha senectella (Zeller,1839)** (Gelechiidae) Synonym(s): *senectella* Zeller,1839; *obscurella* Heinemann,1870; *phoebusella* Millière,1876; *larseni* Strand,1927
- 754) Bryotropha similis (Stainton,1854)** (Gelechiidae) Synonym(s): *similis* Stainton,1854; *thaleella* Zeller,1857; *similella* Doubleday,1859; *stolidella* Morris,1870; *confinis* Stainton,1871; *obscuricinerea* Nolcken,1871; *dufraneella* De Joannis,1928; *novisimilis* Li & Zheng,1997
- 755) Bryotropha sutteri Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *sutteri* Karsholt & Rutten,2005
- 756) Bryotropha tachyptilella (Rebel,1916)** (Gelechiidae) Synonym(s): *tachyptilella* Rebel,1916
- 757) Bryotropha terrella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *terrella* [Denis & Schiffermüller],1775; *inulella* Hübner,[1825]; *pauperella* Hübner,[1825]; *latella* Herrich-Schäffer,1854; *lutescens* Constant,1865; *suspectella* Heinemann,1870; *alpicolella* Heinemann,1870; *tenebrosella* Teich,1886; *sardoterrella* Schawerda,1936
- 758) Carpatolechia fugitivella (Zeller,1839)** (Gelechiidae) Synonym(s): *fugitivella* Zeller,1839; *#fugivitella* Noack,1960.
- 759) Carpatolechia humeralis (Zeller,1839)** (Gelechiidae) Synonym(s): *decorella* Haworth,1812 nec Hübner,[1810]; *humeralis* Zeller,1839; *lyellella* Humpreys & Westwood,1845; *incretella* Duponchel,[1854]; *pisticella* Nowicki,1860; *scabra* Staudinger,1870; *erschoffii* Frey,1880; *buckwelli* Lucas,1956; *dumitrescui* Capuse,1964.
- 760) Carpatolechia notatella (Hübner,[1813])** (Gelechiidae) Synonym(s): *notatella* Hübner,[1813]; *euratella* Herrich-Schäffer,1854
- 761) Carpatolechia proximella (Hübner,1796)** (Gelechiidae) Synonym(s): *proximella* Hübner,1796
- 762) Caryocolum albithoracellum Huemer,1989** (Gelechiidae) Synonym(s): *albithoracellum* Huemer,1989
- 763) Caryocolum amaurellum (M.Hering,1924)** (Gelechiidae) Synonym(s): *amaurellum* M.Hering,1924
- 764) Caryocolum anatolicum Huemer,1989** (Gelechiidae) Synonym(s): *anatolicum* Huemer,1989
- 765) Caryocolum horoscopa Meyrick,1926** (Gelechiidae) Synonym(s): *horoscopa* Meyrick,1926
- 766) Caryocolum iranikum Huemer,1989** (Gelechiidae) Synonym(s): *iranikum* Huemer,1989
- 767) Caryocolum junctellum (Douglas,1851)** (Gelechiidae) Synonym(s): *junctellum* Douglas,1851; *aganocarpa* Meyrick,1935
- 768) Caryocolum leucomelanellum (Zeller,1839)** (Gelechiidae) Synonym(s): *leucomelanellum* Zeller,1839; *gypsophilae* Stainton,1869

- 769) Caryocolum petrophilum (Preissecker,1914)** (Gelechiidae) Synonym(s): *petrophilum* Preissecker,1914
- 770) Caryocolum proximum (Haworth,[1828])** (Gelechiidae) Synonym(s): *proximum* Haworth,[1828]; *maculiferella* Douglas,1851; *maculivicinella* Bruand,1859; *horticolla* Peyerimhoff,1871.
- 771) Caryocolum schleichi (Christoph,1872)** (Gelechiidae) Synonym(s): *schleichi* Christoph,1872; *dianthella* Chrétien,1925; *hackeri* Derra,1985
- 772) Caulastrocecis interstratella (Christoph,1873)** (Gelechiidae) Synonym(s): *interstratella* Christoph,1873; *salinatrix* Meyrick,1926
- 773) Chionodes distinctella (Zeller,1839)** (Gelechiidae) Synonym(s): *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979.
- 774) Chionodes fumatella (Douglas,1850)** (Gelechiidae) Synonym(s): *fumatella* Douglas,1850; *celerella* Stainton,1851; *oppletella* Herrich-Schäffer,1854; *reuttiella* Heinemann,1870; *nigricans* Heinemann,1870; *syrticola* Staudinger,1871
- 775) Chrysoesthia drurella (Fabricius,1775)** (Gelechiidae) Synonym(s): *drurella* Fabricius,1775; *myllerella* Fabricius,1794; *zinckeella* Hübner,[1813]; *zinckenella* Hübner,[1825]; *druryella* Zeller,1850; *hermannella* auct.
- 776) Chrysoesthia sexguttella (Thunberg,1794)** (Gelechiidae) Synonym(s): *sexguttella* Thunberg,1794; *auropunctella* Thunberg,1794; *stipella* sensu Hübner,1796; *aurofasciella* Stephens,1834; *naeviferella* Duponchel,[1843].
- 777) Coloptilia conchylidella (Hofmann,[1898])** (Gelechiidae) Synonym(s): *conchylidella* Hofmann,[1898]
- 778) Crossobela trinotella (Herrich-Schäffer,[1856])** (Gelechiidae) Synonym(s): *trinotella* Herrich-Schäffer,[1856].
- 779) Deltophora maculata (Staudinger,1879)** (Gelechiidae) Synonym(s): *maculata* Staudinger,1879
- 780) Dichomeris barbella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *barbella* [Denis & Schiffermüller],1775
- 781) Dichomeris derasella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *derasella* [Denis & Schiffermüller],1775; *fasciella* Hübner,1796; *unguiculatus* Fabricius,1798; *coreana* Matsumura,1931; *paranthes* Meyrick,1936
- 782) Dichomeris juniperella (Linnaeus,1761)** (Gelechiidae) Synonym(s): *juniperella* Linnaeus,1761; *juniperi* Haworth,1828.
- 783) Dichomeris lamprostoma (Zeller,1847)** (Gelechiidae) Synonym(s): *lamprostoma* Zeller,1847; *zulu* Walsingham,1881; *scutata* Meyrick,1894.
- 784) Dichomeris limosella (Schläger,1849)** (Gelechiidae) Synonym(s): *limosella* Schläger,1849; *deflectivella* Reutti,1853.
- 785) Dichomeris pudicella (Mann,1861)** (Gelechiidae) Synonym(s): *pudicella* Mann,1861
- 786) Dichomeris syndyas Meyrick,1926** (Gelechiidae) Synonym(s): *syndyas* Meyrick,1926
- 787) Dirhinosis arnoldiella (Rebel,1905)** (Gelechiidae) Synonym(s): *arnoldiella* Rebel,1905
- 788) Dirhinosis cervinella (Eversmann,1844)** (Gelechiidae) Synonym(s): *cervinella* Eversmann,1844; *trifasciella* Rebel,1905
- 789) Dirhinosis nitidula (Stainton,1867)** (Gelechiidae) Synonym(s): *nitidula* Stainton,1867
- 790) Dirhinosis unifasciella (Rebel,1929)** (Gelechiidae) Synonym(s): *unifasciella* Rebel,1929
- 791) Ephysteris (Microcraspedus) deserticolella (Staudinger,1871)** (Gelechiidae) Synonym(s): *deserticolella* Staudinger,1871.
- 792) Ephysteris (Microcraspedus) diminutella (Zeller,1847)** (Gelechiidae) Synonym(s): *diminutella* Zeller,1847
- 793) Ephysteris (s.str.) promptella (Staudinger,1859)** (Gelechiidae) Synonym(s): *promptella* Staudinger,1859; *despectella* Walker,1863; *petiginella* Mann,1867; *parvula* Staudinger,1879; *cacomicra* Walsingham,1907; *chersaea* Meyrick,1908; *oschophora* Meyrick,1910; *fanatica* Meyrick,1921; *dispensata* Meyrick,1921; *xanthorhabda* Gozmany,1951 *australiae* Povolny,1977; *#promptella* Sattler,1978.
- 794) Eulamprotes atrella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *atrella* [Denis & Schiffermüller],1775; *quadripunctella* Fabricius,1781; *umbriferella* Herrich-Schäffer,1854; *aurimaculella* Höfner,1896
- 795) Eulamprotes wilkella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *wilkella* Linnaeus,1758; *merianella* Linnaeus,1758; *pictella* Zeller,1839; *tarquiniella* Stainton,1862.
- 796) Filatima spurcella (Duponchel,1843)** (Gelechiidae) Synonym(s): *spurcella* Duponchel,1843; *fuscantella* Heinemann,1870.
- 797) Gelechia basipunctella Herrich-Schäffer,[1854]** (Gelechiidae) Synonym(s): *basipunctella* Herrich-Schäffer,[1854]
- 798) Gelechia dujardini Huemer,1991** (Gelechiidae) Synonym(s): *dujardini* Huemer,1991.
- 799) Gelechia hippophaella (Schränk,1802)** (Gelechiidae) Synonym(s): *hippophaella* Schränk,1802
- 800) Gelechia invenustella Berg.,1875** (Gelechiidae) Synonym(s): *invenustella* Berg.,1875
- 801) Gelechia pistaciae Filipjev,1934** (Gelechiidae) Synonym(s): *pistaciae* Filipjev,1934
- 802) Gelechia repetitrix Meyrick,1931** (Gelechiidae) Synonym(s): *repetitrix* Meyrick,1931

- 803) Gelechia rhombelliformis Staudinger,1871** (Gelechiidae) Synonym(s): *rhombelliformis Staudinger,1871*
- 804) Gelechia sabinella (Zeller,1839)** (Gelechiidae) Synonym(s): *sabinella Zeller,1839; hoffmanniella Strand,1901; kalevalella Kanerva,1936.*
- 805) Gelechia scotinella Herrich-Schäffer,[1854]** (Gelechiidae) Synonym(s): *scotinella Herrich-Schäffer,[1854]*
- 806) Gelechia senticetella (Staudinger,1859)** (Gelechiidae) Synonym(s): *senticetella Staudinger,1859; obscuripennis Frey,1880; limitanella Rebel,1904; #senticella Rebel,1932; nigrostriatella Zerny,1936.*
- 807) Gelechia stramentella (Rebel,1935)** (Gelechiidae) Synonym(s): *stramentella Rebel,1935*
- 808) Gnorimoschema antiquum Povolny,1966** (Gelechiidae) Synonym(s): *antiquum Povolny,1966*
- 809) Gnorimoschema herbichii (Nowicki,1864)** (Gelechiidae) Synonym(s): *herbichii Nowicki,1864; pusillella Rebel,1893; tengstroemiella Joannis,1910; pазsiczkji Rebel,1913; parenthesesella Toll,1936; tengstroemi Hackman,1946; soffneri Riedl,1965*
- 810) Gnorimoschema tetrameris (Meyrick,1926)** (Gelechiidae) Synonym(s): *tetrameris Meyrick,1926*
- 811) Harpagidia magnetella (Staudinger,[1871])** (Gelechiidae) Synonym(s): *magnetella Staudinger,[1871]; pallidibasella Ragonot,1895*
- 812) Inotica gaesata Meyrick,1913** (Gelechiidae) Synonym(s): *gaesata Meyrick,1913*
- 813) Isophrictis anthemidella (Wocke,1871)** (Gelechiidae) Synonym(s): *anthemidella Wocke,1871*
- 814) Isophrictis invisella (Constant,1885)** (Gelechiidae) Synonym(s): *invisella Constant,1885*
- 815) Isophrictis kefersteiniellus (Zeller,1850)** (Gelechiidae) Synonym(s): *kefersteiniella Zeller,1850; senicula Meyrick,1913; leptidella Turati,1924*
- 816) Isophrictis lineatellus (Zeller,1850)** (Gelechiidae) Synonym(s): *lineatellus Zeller,1850; albilineella Bruand,1859*
- 817) Isophrictis striatella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *striatella [Denis & Schiffermüller],1775; tanacetella Schrank,1802*
- 818) Istrianis brucinella (Mann,1872)** (Gelechiidae) Synonym(s): *brucinella Mann,1872*
- 819) Istrianis femoralis (Staudinger,1876)** (Gelechiidae) Synonym(s): *femoralis Staudinger,1876; comedonella Staudinger,1879; gravosensis Rebel,1937; angustipennis Rebel,1941; funebrella Rebel,1941.*
- 820) Iwaruna biguttella (Duponchel,1843)** (Gelechiidae) Synonym(s): *biguttella Duponchel,1843*
- 821) Megacraspedus argyroneurellus Staudinger,1876** (Gelechiidae) Synonym(s): *argyroneurellus Staudinger,1876*
- 822) Megacraspedus attritellus Staudinger,1871** (Gelechiidae) Synonym(s): *attritellus Staudinger,1871*
- 823) Megacraspedus imparellus (Fischer v. Röslerstamm,1843)** (Gelechiidae) Synonym(s): *imparellus Fischer v. Röslerstamm,1843*
- 824) Megacraspedus incertellus Rebel,1930** (Gelechiidae) Synonym(s): *incertellus Rebel,1930*
- 825) Megacraspedus monolorellus Rebel,1905** (Gelechiidae) Synonym(s): *monolorellus Rebel,1905*
- 826) Megacraspedus separatellus (Fischer v. Röslerstamm,1843)** (Gelechiidae) Synonym(s): *separatellus Fischer v. Röslerstamm,1843*
- 827) Mesophleps silacella (Hübner,1796)** (Gelechiidae) Synonym(s): *?pyropella Hübner,1793; silacella Hübner,1796; silacea Haworth,1828*
- 828) Metanarsia (s.str.) incertella (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): *incertella Herrich-Schäffer,1861; longivittella Rebel,1914; halmyropis Meyrick,1926*
- 829) Metanarsia (s.str.) modesta Staudinger,1871** (Gelechiidae) Synonym(s): *modesta Staudinger,1871*
- 830) Metzneria aestivella (Zeller,1839)** (Gelechiidae) Synonym(s): *aestivella Zeller,1839; carlinella Stainton,1851; selaginella Mann,1855; torridella Mann.*
- 831) Metzneria agraphella (Ragonot,1895)** (Gelechiidae) Synonym(s): *agrappella Ragonot,1895; incognita Walsingham,1904.*
- 832) Metzneria aprilella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *aprilella Herrich-Schäffer,[1854]*
- 833) Metzneria artificella (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): *artificella Herrich-Schäffer,1861; litigiosella Milliere,1879.*
- 834) Metzneria ehikeella Gozmany,1954** (Gelechiidae) Synonym(s): *ehikeella Gozmany,1954*
- 835) Metzneria intestinella (Mann,1864)** (Gelechiidae) Synonym(s): *intestinella Mann,1864*
- 836) Metzneria metzneriella Stainton,1851** (Gelechiidae) Synonym(s): *paucipunctella Douglas,1850 nec Zeller,1851; metzneriella Stainton,1851.*
- 837) Metzneria paucipunctella (Zeller,1839)** (Gelechiidae) Synonym(s): *paucipunctella Zeller,1839; zimmermanni Hering,1940; confusalis Lucas,1955.*
- 838) Metzneria santolinella (Amsel,1936)** (Gelechiidae) Synonym(s): *santolinella Amsel,1936; consimilella Hackman,1947.*
- 839) Metzneria tenuiella (Mann,1864)** (Gelechiidae) Synonym(s): *tenuiella Mann,1864; infelix Walsingham,1908; insignificans Walsingham,1908.*

- 840) Metzneria varennei Nel,1997** (Gelechiidae) Synonym(s): *pannonicella Rebel,1915; varennei Nel,1997.*
- 841) Mirificarma (s.str. (Interrupta)) lentiginosella (Zeller,1839)** (Gelechiidae) Synonym(s): *lentiginosella Zeller,1839*
- 842) Mirificarma (s.str. (s.str.)) aflavella (Amsel,1935)** (Gelechiidae) Synonym(s): *aflavella Amsel,1935*
- 843) Mirificarma (s.str. (s.str.)) eburnella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *eburnella [Denis & Schiffermüller],1775; formosella Hübner,1796 nec [Denis & Schiffermüller],1775; flammella Hübner,[1825]; rufeoformosella Bruand,1859.*
- 844) Mirificarma (s.str. (s.str.)) flavella (Duponchel,[1844])** (Gelechiidae) Synonym(s): *flavella Duponchel,[1844]; segetella Zeller,1847.*
- 845) Mirificarma (s.str. (s.str.)) maculatella (Hübner,1796)** (Gelechiidae) Synonym(s): *maculatella Hübner,1796*
- 846) Mirificarma (s.str. (s.str.)) rhodoptera (Mann,1866)** (Gelechiidae) Synonym(s): *rhodoptera Mann,1866.*
- 847) Monochroa arundinetella (Stainton,1858)** (Gelechiidae) Synonym(s): *arundinetella Stainton,1858*
- 848) Monochroa lutulentella (Zeller,1839)** (Gelechiidae) Synonym(s): *lutulentella Zeller,1839; brunickii Rebel,1913*
- 849) Monochroa melagonella (Constant,1895)** (Gelechiidae) Synonym(s): *melagonella Constant,1895*
- 850) Monochroa servella (Zeller,1839)** (Gelechiidae) Synonym(s): *servella Zeller,1839*
- 851) Monochroa tenebrella (Hübner,[1817])** (Gelechiidae) Synonym(s): *tenebrella Hübner,[1817]; fuscocuprea Haworth,1828; subcuprella Stephens,1834; tenebrosella Zeller,1839; parvella Heydenreich,1851; fuscocuprella Doubleday,1859; buffonella Millière,1876*
- 852) Neofaculta confidella Rebel,1935** (Gelechiidae) Synonym(s): *confidella Rebel,1935*
- 853) Neofaculta ericetella (Geyer,[1832])** (Gelechiidae) Synonym(s): *ericetella Geyer,[1832]; gallinella Treitschke,1833; lanceolella Stephens,1834; fuscella Duponchel,1844; atlanticella Amsel,1938; #amseli Dufrane,1955*
- 854) Neofriseria peliella (Treitschke,1835)** (Gelechiidae) Synonym(s): *peliella Treitschke,1835*
- 855) Neofriseria sceptrophora (Meyrick,1926)** (Gelechiidae) Synonym(s): *sceptrophora Meyrick,1926*
- 856) Neofriseria singula (Staudinger,1876)** (Gelechiidae) Synonym(s): *singula Staudinger,1876*
- 857) Nothris sabulosella Rebel,1935** (Gelechiidae) Synonym(s): *sabulosella Rebel,1935*
- 858) Nothris sulcella Staudinger,1879** (Gelechiidae) Synonym(s): *sulcella Staudinger,1879*
- 859) Nothris verbascella (Brahm,1791)** (Gelechiidae) Synonym(s): *#verbascella [Denis & Schiffermüller],1775; verbascella Brahm,1791; lutarea Haworth,1828; clarella Amsel,1935*
- 860) Ornativulva heluanensis (Debski,1913)** (Gelechiidae) Synonym(s): *heluanensis Debski,1913; frankeniuvorella Chrétiën,1917; oasicoella Turati,1924; siculella Mariani,1937.*
- 861) Ornativulva mixolitha (Meyrick,1918)** (Gelechiidae) Synonym(s): *mixolitha Meyrick,1918*
- 862) Ornativulva ochraceofusca Sattler,1967** (Gelechiidae) Synonym(s): *ochraceofusca Sattler,1967*
- 863) Ornativulva ornatella Sattler,1967** (Gelechiidae) Synonym(s): *ornatella Sattler,1967*
- 864) Ornativulva plutelliformis (Staudinger,1859)** (Gelechiidae) Synonym(s): *plutelliformis Staudinger,1859; sinuatella Walsingham,1904*
- 865) Palumbina guerinii (Stainton,[1857])** (Gelechiidae) Synonym(s): *guerinii Stainton,[1857]; terebintella Rondani,1876; pistaciae Anagnostopoulos,1935.*
- 866) Parastenolechia nigrinotella (Zeller,1847)** (Gelechiidae) Synonym(s): *nigrinotella Zeller,1847; nigralbella Herrich-Schäffer,[1854].*
- 867) Pectinophora gossypiella (Saunders,1844)** (Gelechiidae) Synonym(s): *gossypiella Saunders,1844; umbripennis Walsingham,1885*
- 868) Pexicopia malvella (Hübner,[1805])** (Gelechiidae) Synonym(s): *umbrella auct.; malvella Hübner,[1805]; lutarea Haworth,1828*
- 869) Platyedra subcinerea (Haworth,[1828])** (Gelechiidae) Synonym(s): *subcinerea Haworth,[1828]; vilella Zeller,1847.*
- 870) Pogochaetia solitaria Staudinger,1879** (Gelechiidae) Synonym(s): *solitaria Staudinger,1879*
- 871) Prolita sexpunctella (Fabricius,1794)** (Gelechiidae) Synonym(s): *sexpunctella Fabricius,1794; virgella Thunberg,1784; longicornis Curtis,1827; histrionella Geyer,[1832]; zebrella Treitschke,1833; alpicola Frey,1867; alternella Keafott,1908; petulans Braun,1925.*
- 872) Prolita solutella (Zeller,1839)** (Gelechiidae) Synonym(s): *solutella Zeller,1839; fumosella Douglas,1852; pribitzeri Rebel,1889; nigrobipunctella Lucas,1932.*
- 873) Pseudotelphusa istrella (Mann,1866)** (Gelechiidae) Synonym(s): *istrella Mann,1866; decuriella Mann,1872; trifasciella Rebel,1916.*
- 874) Pseudotelphusa paripunctella (Thunberg,1794)** (Gelechiidae) Synonym(s): *paripunctella Thunberg,1794; triparella Zeller,1839; trijugella Erschoff,1877; sultanella Caradja,1920; arenicolella Caradja,1920.*

- 875) Pseudotelphusa scalella (Scopoli,1763)** (Gelechiidae) Synonym(s): *scalella* Scopoli,1763; *aleella* Fabricius,1794; *alternella* Hübner,1796 nec Den. & Schiff.,1775; *alterna* Haworth,1828; *bicolorella* Treitschke,1832
- 876) Psoricoptera gibbosella (Zeller,1839)** (Gelechiidae) Synonym(s): *gibbosella* Zeller,1839; *triorthias* Meyrick,1935; *lepigreella* Lucas,1946.
- 877) Ptocheuusa campicolella (Mann,1857)** (Gelechiidae) Synonym(s): *campicolella* Mann,1857
- 878) Ptocheuusa inopella (Zeller,1839)** (Gelechiidae) Synonym(s): *inopella* Zeller,1839
- 879) Ptocheuusa paupella (Zeller,1847)** (Gelechiidae) Synonym(s): *paupella* Zeller,1847
- 880) Recurvaria leucatella (Linnaeus,1761)** (Gelechiidae) Synonym(s): *#leucatella* Clerck,1759; *leucatella* Linnaeus,1761; *leucatea* Haworth,1828.
- 881) Recurvaria nanella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *nanella* [Denis & Schiffermüller],1775; *pumilella* [Denis & Schiffermüller],1775; *nana* Haworth,1828; *crataegella* Busck,1903; *unicolor* Rebel,1927
- 882) Scrobipalpa (Ergasiola) ergasima (Meyrick,1916)** (Gelechiidae) Synonym(s): *ergasima* Meyrick,1916; *intestina* Meyrick,1921; *mignatella* Caradja,1920; *mirabilis* Gregor & Povolny,1955; *perdava* Clarke,1962
- 883) Scrobipalpa (Ilseopsis) acuminatella (Sircom,1850)** (Gelechiidae) Synonym(s): *acuminatella* Sircom,1850
- 884) Scrobipalpa (Ilseopsis) artemisiella (Treitschke,1833)** (Gelechiidae) Synonym(s): *artemisiella* Treitschke,1833; *paniculatella* Novickij,1924
- 885) Scrobipalpa (Ilseopsis) atriplicella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *atriplicella* Fischer v. Röslerstamm,1841
- 886) Scrobipalpa (Ilseopsis) bazae Povolny,1977** (Gelechiidae) Synonym(s): *bazae* Povolny,1977
- 887) Scrobipalpa (Ilseopsis) bryophiloides Povolny,1966** (Gelechiidae) Synonym(s): *bryophiloides* Povolny,1966
- 888) Scrobipalpa (Ilseopsis) chetitica Povolny,1974** (Gelechiidae) Synonym(s): *chetitica* Povolny,1974
- 889) Scrobipalpa (Ilseopsis) divisella (Rebel,1936)** (Gelechiidae) Synonym(s): *divisella* Rebel,1936
- 890) Scrobipalpa (Ilseopsis) erichi Povolny,1964** (Gelechiidae) Synonym(s): *erichi* Povolny,1964
- 891) Scrobipalpa (Ilseopsis) fraterna Povolny,1969** (Gelechiidae) Synonym(s): *fraterna* Povolny,1969
- 892) Scrobipalpa (Ilseopsis) gallincolella (Mann,1872)** (Gelechiidae) Synonym(s): *gallincolella* Mann,1872
- 893) Scrobipalpa (Ilseopsis) grossa Povolny,1966** (Gelechiidae) Synonym(s): *grossa* Povolny,1966
- 894) Scrobipalpa (Ilseopsis) indignella (Staudinger,1879)** (Gelechiidae) Synonym(s): *indignella* Staudinger,1879
- 895) Scrobipalpa (Ilseopsis) nitentella (Fuchs,1902)** (Gelechiidae) Synonym(s): *nitentella* Fuchs,1902
- 896) Scrobipalpa (Ilseopsis) obsoletella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *obsoletella* Fischer v. Röslerstamm,1841; *miscitella* Clarke,1932; *calaritanella* Amsel,1951.
- 897) Scrobipalpa (Ilseopsis) ocellatella (Boyd,1858)** (Gelechiidae) Synonym(s): *ocellatella* Boyd,1858; *submissella* Stainton,1859; *horticolella* Rössler,1866.
- 898) Scrobipalpa (Ilseopsis) pulchra Povolny,1967** (Gelechiidae) Synonym(s): *pulchra* Povolny,1967
- 899) Scrobipalpa (Ilseopsis) remota Povolny,1972** (Gelechiidae) Synonym(s): *remota* Povolny,1972
- 900) Scrobipalpa (Ilseopsis) smithi Povolny & Bradley,1964** (Gelechiidae) Synonym(s): *smithi* Povolny & Bradley,1964
- 901) Scrobipalpa (Ilseopsis) vladimiri Povolny,1966** (Gelechiidae) Synonym(s): *vladimiri* Povolny,1966
- 902) Scrobipalpa (s.str.) anatolica Povolny,1973** (Gelechiidae) Synonym(s): *anatolica* Povolny,1973
- 903) Scrobipalpa (s.str.) aptatella (Walker,1864)** (Gelechiidae) Synonym(s): *aptatella* Walker,1864; *heliopa* Lower,1900
- 904) Scrobipalpa (s.str.) halophila Povolny,1973** (Gelechiidae) Synonym(s): *halophila* Povolny,1973
- 905) Scrobipalpa (s.str.) heretica Povolny,1973** (Gelechiidae) Synonym(s): *heretica* Povolny,1973
- 906) Scrobipalpa (s.str.) lutea Povolny,1977** (Gelechiidae) Synonym(s): *lutea* Povolny,1977
- 907) Scrobipalpa (s.str.) meteorica Povolny,1984** (Gelechiidae) Synonym(s): *meteorica* Povolny,1984
- 908) Scrobipalpa (s.str.) nana Povolny,1973** (Gelechiidae) Synonym(s): *nana* Povolny,1973
- 909) Scrobipalpula psilella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *psilella* Herrich-Schäffer,[1854]; *cacuminum* Frey,1870.
- 910) Siderea superbella (Zeller,1839)** (Gelechiidae) Synonym(s): *superbella* Zeller,1839
- 911) Sitotroga cerealella (Olivier,1789)** (Gelechiidae) Synonym(s): *cerealella* Olivier,1789; *hordei* Kirby,1815; *arctella* Walker,1864; *melanartha* Lower,1900; *palearis* Meyrick,1913; *ochrescens* Meyrick,1938
- 912) Sophronia consanguinella Herrich-Schäffer,[1855]** (Gelechiidae) Synonym(s): *consanguinella* Herrich-Schäffer,[1855]; *marginella* Toll,1936 nec *marginella* Thunberg,1794 non Den. & Schiff.,1775.
- 913) Sophronia finitimella Rebel,1905** (Gelechiidae) Synonym(s): *finitimella* Rebel,1905

- 914) *Sophronia humerella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *humerella* [Denis & Schiffermüller],1775
- 915) *Sophronia illustrella* (Hübner,1796)** (Gelechiidae) Synonym(s): *illustrella* Hübner,1796
- 916) *Spiniphallellus fuscescens* Bidzilya & Karsholt,2008** (Gelechiidae) Synonym(s): *fuscescens* Bidzilya & Karsholt,2008
- 917) *Stenolechia gemmella* (Linnaeus,1758)** (Gelechiidae) Synonym(s): *gemmella* Linnaeus,1758; *nivella* Fabricius,1794; *nivea* Haworth,1828; *lepidella* Zeller,1839; *nigrovittella* Duponchel,1839].
- 918) *Stenolechia sagittella* Caradja,1920** (Gelechiidae) Synonym(s): *sagittella* Caradja,1920
- 919) *Stenolechoides pseudogemmellus* Elsner,[1996]** (Gelechiidae) Synonym(s): *pseudogemmellus* Elsner,[1996]
- 920) *Stomopteryx detersella* (Zeller,1847)** (Gelechiidae) Synonym(s): *detersella* Zeller,1847
- 921) *Stomopteryx remissella* (Zeller,1847)** (Gelechiidae) Synonym(s): *remissella* Zeller,1847
- 922) *Streyella anguinella* (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): *anguinella* Herrich-Schäffer,1861; *ostentella* Zerny,1934.
- 923) *Syncopacma captivella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *captivella* Herrich-Schäffer,[1854]
- 924) *Syncopacma cinctella* (Clerck,1759)** (Gelechiidae) Synonym(s): *cinctella* Clerck,1759; *vorticella* Scopoli,1763; *ligulella* [Denis & Schiffermüller],1775; *vittata* Fourcroy,1785; *vittatella* Villers,1789; *albistrigella* Stephens,1834; *cincticulella* Heydenreich,1851 nec Br.,1850; *sircomella* Stainton,1854; *finlandica* Gozmany,1957
- 925) *Syncopacma cincticulella* (Bruand,1850)** (Gelechiidae) Synonym(s): *cincticulella* Bruand,1850
- 926) *Syncopacma coronilella* (Treitschke,1833)** (Gelechiidae) Synonym(s): *coronilella* Treitschke,1833
- 927) *Syncopacma maraschella* (Caradja,1920)** (Gelechiidae) Synonym(s): *maraschella* Caradja,1920
- 928) *Syncopacma patruella* (Mann,1857)** (Gelechiidae) Synonym(s): *patruella* Mann,1857
- 929) *Syncopacma polychromella* (Rebel,1902)** (Gelechiidae) Synonym(s): *polychromella* Rebel,1902; *rebeliella* Caradja,1920; *argyrobiella* Caradja,1920
- 930) *Syncopacma sangiella* (Stainton,1863)** (Gelechiidae) Synonym(s): *sangiella* Stainton,1863
- 931) *Syncopacma semicostella* (Staudinger,1871)** (Gelechiidae) Synonym(s): *semicostella* Staudinger,1871; *albicapitella* Bidzilya,1996
- 932) *Syncopacma splendens* (Staudinger,1881)** (Gelechiidae) Synonym(s): *splendens* Staudinger,1881
- 933) *Syncopacma syncrita* (Meyrick,1926)** (Gelechiidae) Synonym(s): *syncrita* Meyrick,1926.
- 934) *Syncopacma taeniolella* (Zeller,1839)** (Gelechiidae) Synonym(s): *taeniolella* Zeller,1839
- 935) *Teleiodes cisti* (Stainton,1869)** (Gelechiidae) Synonym(s): *cisti* Stainton,1869
- 936) *Teleiodes luculella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *luculella* Hübner,[1813]
- 937) *Teleiodes vulgella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *vulgella* [Denis & Schiffermüller],1775; *aspera* Haworth,1828.
- 938) *Teleiopsis bagriotella* (Duponchel,1840)** (Gelechiidae) Synonym(s): *bagriotella* Duponchel,1840
- 939) *Teleiopsis diffinis* (Haworth,[1828])** (Gelechiidae) Synonym(s): *diffinis* Haworth,[1828]; *tristis* Staudinger,1879.
- 940) *Teleiopsis latisacculus* Pitkin,1988** (Gelechiidae) Synonym(s): *latisacculus* Pitkin,1988
- 941) *Teleiopsis rosabella* (Fologne,1862)** (Gelechiidae) Synonym(s): *rosabella* Fologne,1862
- 942) *Teleiopsis terebinthinella* (Herrich-Schäffer,[1856])** (Gelechiidae) Synonym(s): *terebinthinella* Herrich-Schäffer,[1856]
- 943) *Telphusa comedonella* (Staudinger,1880)** (Gelechiidae) Synonym(s): *comendonella* Staudinger,1880
- 944) *Telphusa mersinella* (Staudinger,1879)** (Gelechiidae) Synonym(s): *mersinella* Staudinger,1879
- 945) *Telphusa praedicata* Meyrick,1923** (Gelechiidae) Synonym(s): *praedicata* Meyrick,1923
- 946) *Tila sequanda* Povolny,1974** (Gelechiidae) Synonym(s): *sequanda* Povolny,1974
- 947) *Turcopalpa glaseri* Povolny,1973** (Gelechiidae) Synonym(s): *glaseri* Povolny,1973
- 948) *Tuta absoluta* (Meyrick,1917)** (Gelechiidae) Synonym(s): *absoluta* Meyrick,1917
- 949) *Uliaria rasilella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rasilella* Herrich-Schäffer,[1854]; *insulella* Dumont,1921; *occidentella* Zerny,1927.
- 950) *Xenolechia aethiops* (Humphreys & Westwood,1845)** (Gelechiidae) Synonym(s): *aethiops* Humphreys & Westwood,1845
- 951) *Xenolechia pseudovulgella* Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *pseudovulgella* Huemer & Karsholt,1999
- 952) *Xystophora carchariella* (Zeller,1839)** (Gelechiidae) Synonym(s): *carchariella* Zeller,1839

GEOMETRIDAE

- 953) *Abraxas (Calospilos) pantaria* (Linnaeus,1767)** (Geometridae) Synonym(s): *pantaria* Linnaeus,1767

- 954) **Abraxas (Calospilos) sylvata (Scopoli,1763)** (Geometridae) Synonym(s): *sylvata* Scopoli,1763
- 955) **Abraxas (s.str.) grossulariatus (Linnaeus,1758)** (Geometridae) Synonym(s): *grossulariata* Linnaeus,1758; *cuneifera* W.Warren,1895; *memorabilis* Inoue,1946
- 956) **Acanthovalva inconspicuaris (Hübner,[1819])** (Geometridae) Synonym(s): *inconspicuaris* Hübner,[1819]; *pumicaria* Lederer,1855; *osyraria* Guenée,[1858]; *cinerascens* Butler,1875; *perturbata* Bastelberger,1908; *cinnamomaria* Rothschild,1914.
- 957) **Agriopis bajaran (Denis & Schiffermüller,1775)** (Geometridae) Synonym(s): *aerugaria* [Denis & Schiffermüller],1775; *bajaran* [Denis & Schiffermüller],1775; *vittaria* Sulzer,1776; *rubrostriata* Goeze,1781; *ligustriaria* Lang,1789; *sericearia* Borkhausen,1794; *cineraria* Esper,[1801]; *sorditaria* Hübner,[1809]; *legrasi* Dumont,1925
- 958) **Agriopis brumaria (Borkhausen,1794)** (Geometridae) Synonym(s): *leucophaearia* [Denis & Schiffermüller],1775; *brumaria* Borkhausen,1794; *nigricaria* Hübner,[1799].
- 959) **Alcis repandata (Linnaeus,1758)** (Geometridae) Synonym(s): *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *bistortae* Vallot,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 nec Wrnk.,1941
- 960) **Aleucis distinctata (Herrich-Schäffer,[1839])** (Geometridae) Synonym(s): *distinctata* Herrich-Schäffer,[1839]; *pictaria* auct.
- 961) **Aleucis mimetes (Wehrli,1932)** (Geometridae) Synonym(s): *mimetes* Wehrli,1932
- 962) **Aleucis orientalis (Staudinger,1892)** (Geometridae) Synonym(s): *orientalis* Staudinger,1892
- 963) **Alsophila aceraria (Denis & Schiffermüller,1775)** (Geometridae) Synonym(s): *aceraria* [Denis & Schiffermüller],1775; *quadripunctaria* Esper,1801 nec Pda.,1761
- 964) **Alsophila hirsutaria (Fabricius,1781)** (Geometridae) Synonym(s): *aescularia* [Denis & Schiffermüller],1775; *hirtaria* Fabricius,[1776] nec Linn.,1761; *hirsutaria* Fabricius,1781; *murinaria* Borkhausen,1794.
- 965) **Amorphogynia necessaria (Zeller,1849)** (Geometridae) Synonym(s): *necessaria* Zeller,1849
- 966) **Angerona prunaria (Linnaeus,1758)** (Geometridae) Synonym(s): *prunaria* Linnaeus,1758
- 967) **Anticlea badiata (Lang,1789)** (Geometridae) Synonym(s): *badiata* [Denis & Schiffermüller],1775; *badiata* Lang,1789; *radiata* Spener & Spener,1843.
- 968) **Anticlea derivata (Denis & Schiffermüller,1775)** (Geometridae) Synonym(s): *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788.
- 969) **Apeira syringaria (Linnaeus,1758)** (Geometridae) Synonym(s): *syringaria* Linnaeus,1758; *jaspoides* Fourcroy,1785; *circularia* Thunberg,1792
- 970) **Aplasta ononaria (Fuessly,1783)** (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicaparia* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
- 971) **Aplocera annexata (Freyer,[1830])** (Geometridae) Synonym(s): *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831
- 972) **Aplocera columbata (Metzner,1845)** (Geometridae) Synonym(s): *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848
- 973) **Aplocera efformata (Guenée,[1858])** (Geometridae) Synonym(s): *efformata* Guenée,[1858]; *pallidata* Staudinger,1870
- 974) **Aplocera fraternata (Herrich-Schäffer,1861)** (Geometridae) Synonym(s): *fraternata* Herrich-Schäffer,1861
- 975) **Aplocera fraudulentata (Herrich-Schäffer,1861)** (Geometridae) Synonym(s): *fraudulentata* Herrich-Schäffer,1861
- 976) **Aplocera guneyi Riemis,1992** (Geometridae) Synonym(s): *guneyi* Riemis,1992
- 977) **Aplocera musculata (Staudinger,1892)** (Geometridae) Synonym(s): *musculata* Staudinger,1892
- 978) **Aplocera numidaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *numidaria* Herrich-Schäffer,[1852]
- 979) **Aplocera obsitaria (Lederer,1853)** (Geometridae) Synonym(s): *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
- 980) **Aplocera opificata (Lederer,1870)** (Geometridae) Synonym(s): *opificata* Lederer,1870; *kawrigini* Christoph,1885.
- 981) **Aplocera plagiata (Linnaeus,1758)** (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
- 982) **Aplocera simplicata (Treitschke,1835)** (Geometridae) Synonym(s): *simplicata* Treitschke,1835
- 983) **Aplocera uniformata (Urbahn,1971)** (Geometridae) Synonym(s): *uniformata* Urbahn,1971
- 984) **Apocheima hispidarium (Denis & Schiffermüller,1775)** (Geometridae) Synonym(s): *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauaria* Newman,1833.
- 985) **Apocheima diaphanaria (Püngeler,1904)** (Geometridae) Synonym(s): *diaphanaria* Püngeler,1904
- 986) **Apocheima flabellaria (Heeger,1838)** (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
- 987) **Archiearis notha (Hübner,[1803])** (Geometridae) Synonym(s): *notha* Hübner,[1803]
- 988) **Archiearis parthenias (Linnaeus,1761)** (Geometridae) Synonym(s): *parthenias* Linnaeus,1761

- 989) Artiora evonymaria (Hübner,[1799])** (Geometridae) Synonym(s): *#evonymaria* [Denis & Schiffermüller],1775; *evonymaria* Hübner,[1799].
- 990) Ascotis selenaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#selenaris* Okyar & Aytaç,1999
- 991) Asovia maeoticaria (Alpheraky,1876)** (Geometridae) Synonym(s): *maeoticaria* Alpheraky,1876; *decoloraria* Alpheraky,1889
- 992) Aspitates ochrearia (Rossi,1794)** (Geometridae) Synonym(s): *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953
- 993) Aspitates quadripunctata (Goeze,1781)** (Geometridae) Synonym(s): *#gilvaria* [Denis & Schiffermüller],1775; *quadripunctata* Goeze,1781.
- 994) Asthena albulata (Hufnagel,1767)** (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *candidata* [Denis & Schiffermüller],1775; *candidaria* Hübner,[1799]; *candidulata* Haworth,1809; *albularia* Boisduval,1840
- 995) Biston achyrus Wehrli,1936** (Geometridae) Synonym(s): *achyra* Wehrli,1936; *engonia* Wehrli,1941
- 996) Biston betularius (Linnaeus,1758)** (Geometridae) Synonym(s): *betularia* Linnaeus,1758; *p-graecum* Poda,1761; *marmoraria* Sepp,1792; *ulmaria* Borkhausen,1794; *alexandrina* Wehrli,1941.
- 997) Biston stratiarius (Hufnagel,1767)** (Geometridae) Synonym(s): *strataria* Hufnagel,1767; *prodromaria* [Denis & Schiffermüller],1775; *marmorata* Sulzer,1776; *vernalis* Fourcroy,1785; *nigricans* Oberthür,1913
- 998) Bupalus piniarius (Linnaeus,1758)** (Geometridae) Synonym(s): *piniaria* Linnaeus,1758; *tiliaria* Linnaeus,1758; *iberaria* Kolenati,1846
- 999) Cabera exanthemata (Scopoli,1763)** (Geometridae) Synonym(s): *exanthemata* Scopoli,1763; *exanthemaria* Borkhausen,1794; *striaria* Hübner,[1799]; *approximaria* Haworth,1809; *arenosaria* Haworth,1809; *suprapunctata* Wehrli,1935.
- 1000) Cabera pusaria (Linnaeus,1758)** (Geometridae) Synonym(s): *pusaria* Linnaeus,1758; *strigata* Scopoli,1763; *rotundaria* Haworth,1809; *confinaria* Freyer,1832; *heyeraria* Herrich-Schäffer,1848
- 1001) Campaea margaritaria (Linnaeus,1761)** (Geometridae) Synonym(s): *margaritaria* Linnaeus,1761; *margaritata* Linnaeus,1767; *vernaria* Hufnagel,1767; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* Villers,1789; *rubrociliata* Schawerda,1932
- 1002) Campptogramma bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilineararia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
- 1003) Campptogramma grisescens (Staudinger,1892)** (Geometridae) Synonym(s): *grisescens* Staudinger,1892
- 1004) Carsia lythoxylata (Hübner,[1799])** (Geometridae) Synonym(s): *lythoxylata* Hübner,[1799]; *lythoxylaria* Boisduval,1840.
- 1005) Casilda antophilaria (Hübner,[1813])** (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911.
- 1006) Casilda rosearia (Treitschke,1828)** (Geometridae) Synonym(s): *rosearia* Treitschke,1828
- 1007) Cataclysmes riguada (Hübner,[1813])** (Geometridae) Synonym(s): *riguada* Hübner,[1813]; *subtilisparsata* Wehrli,1932.
- 1008) Catarhoe cuculata (Hufnagel,1767)** (Geometridae) Synonym(s): *cuculata* Hufnagel,1767; *sinuata* [Denis & Schiffermüller],1775; *sabinata* Dannehl,1933
- 1009) Catarhoe cupreata (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *cupreata* Herrich-Schäffer,1839
- 1010) Catarhoe hortulanaria (Staudinger,1879)** (Geometridae) Synonym(s): *hortulanaria* Staudinger,1879; *palaestinensis* Staudinger,1895
- 1011) Catarhoe mosulensis (Schawerda,1924)** (Geometridae) Synonym(s): *mosulensis* Schawerda,1924; *cinneretharia* Amsel,1935.
- 1012) Catarhoe permixtaria (Guenée,[1858])** (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858]
- 1013) Catarhoe putridaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millièr,1868
- 1014) Catarhoe rubidata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775
- 1015) Cepphis advenaria (Hübner,[1799])** (Geometridae) Synonym(s): *advenaria* Hübner,[1799]
- 1016) Chemerina caliginearia (Rambur,1833)** (Geometridae) Synonym(s): *caliginearia* Rambur,1833
- 1017) Chesias leuconeura L.B.Prout,1931** (Geometridae) Synonym(s): *leuconeura* L.B.Prout,1931; *sureyata* Rebel,1933.
- 1018) Chesias rufata (Fabricius,1775)** (Geometridae) Synonym(s): *rufata* Fabricius,1775; *obliquaria* [Denis & Schiffermüller],1775; *bombycata* Donovan,1806; *occidentalis* Delahaye,1900; *cinereata* Staudinger,1901; *plumbeata* Staudinger,1901; *ornata* Heydemann,1933; *scotica* Richardson,1952
- 1019) Chesistege korbi (Bohatsch,1910)** (Geometridae) Synonym(s): *korbi* Bohatsch,1910
- 1020) Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
- 1021) Chiasmia (Godonela) cesa sp.n.** (Geometridae) Synonym(s):

- 1022) Chiasmia (Godonela) syriacaria (Staudinger,1871)** (Geometridae) Synonym(s): *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934.
- 1023) Chiasmia clathrata (Linnaeus,1758)** (Geometridae) Synonym(s): *clathrata* Linnaeus,1758; *almacola* Wehrli,1934.
- 1024) Chlorissa asphaleia Wiltshire,1966** (Geometridae) Synonym(s): *asphaleia* Wiltshire,1966; *#esphaleia* Scoble,1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world].
- 1025) Chlorissa cloraria (Hübner,[1813])** (Geometridae) Synonym(s): *cloraria* Hübner,[1813]; *porrinata* Zeller,1848; *porrinaria* Heydenreich,1851.
- 1026) Chlorissa pretiosaria Staudinger,1877** (Geometridae) Synonym(s): *pretiosaria* Staudinger,1877
- 1027) Chlorissa viridata (Linnaeus,1758)** (Geometridae) Synonym(s): *viridata* Linnaeus,1758; *volutata* Fabricius,1775; *sirene* Villers,1789
- 1028) Chloroclysta citrata (Linnaeus,1761)** (Geometridae) Synonym(s): *citrata* Linnaeus,1761; *variata* Thunberg,1784 nec [Denis & Schiff.],1775; *marmorata* Fabricius,1794; *strigulata* Fabricius,1794; *immanata* Haworth,1809; *amoenata* Stephens,1831; *immanaria* Doubleday,1849; *acutata* Guenée,1858; *pythonissata* Millière,1872
- 1029) Chloroclysta guriata (Emich,1873)** (Geometridae) Synonym(s): *guriata* Emich,1873
- 1030) Chloroclysta miata (Linnaeus,1758)** (Geometridae) Synonym(s): *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 nec Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853
- 1031) Chloroclysta siterata (Hufnagel,1767)** (Geometridae) Synonym(s): *siterata* Hufnagel,1767; *psittacata* [Denis & Schiffermüller],1775; *rubroviridata* Donovan,1810; *psittacaria* Boisduval,1840
- 1032) Chloroclysta truncata (Hufnagel,1767)** (Geometridae) Synonym(s): *truncata* Hufnagel,1767; *centumnotata* Schulze,1775; *russata* [Denis & Schiffermüller],1775; *perfuscata* Haworth,1809; *commanotata* Haworth,1809; *saturata* Stephens,1831; *russaria* Boisduval,1840; *perfuscaria* La Harpe,1853
- 1033) Chloroclystis v-ata (Haworth,1809)** (Geometridae) Synonym(s): *v-ata* Haworth,1809; *coronata* Hübner,[1813]; *coronaria* Doubleday,1849
- 1034) Chrysocraspeda charites (Oberthür,1916)** (Geometridae) Synonym(s): *charites* Oberthür,1916
- 1035) Cidaria fulvata (Forster,1771)** (Geometridae) Synonym(s): *fulvata* Forster,1771; *cuspidata* Thunberg,1784
- 1036) Cinglis humifusaria (Eversmann,1837)** (Geometridae) Synonym(s): *humifusaria* Eversmann,1837
- 1037) Cleora cinctaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *cinctaria* [Denis & Schiffermüller],1775; *pascuaria* Brahm,1791; *consimilaria* Duponchel,1829.
- 1038) Cleorodes lichenarius (Hufnagel,1767)** (Geometridae) Synonym(s): *lichenaria* Hufnagel,1767
- 1039) Cleta filacearia (Herrich-Schäffer,[1847])** (Geometridae) Synonym(s): *filacearia* Herrich-Schäffer,[1847]
- 1040) Cleta perpusillaria (Eversmann,1847)** (Geometridae) Synonym(s): *perpusillaria* Eversmann,1847
- 1041) Cnestrognophos libanoticus (Wehrli,1931)** (Geometridae) Synonym(s): *libanoticus* Wehrli,1931
- 1042) Colostygia olivata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *olivata* [Denis & Schiffermüller],1775
- 1043) Colostygia pectinataria (Knoch,1781)** (Geometridae) Synonym(s): *viridaria* Fabricius,1775 nec Cl.,1759; *pectinataria* Knoch,1781
- 1044) Colostygia taurica (Staudinger,1901)** (Geometridae) Synonym(s): *taurica* Staudinger,1901
- 1045) Colotois pennaria (Linnaeus,1761)** (Geometridae) Synonym(s): *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809
- 1046) Comibaena bajularia ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pustulata* Hufnagel,1767 nec Müller,1764; *bajularia* [Denis & Schiffermüller],1775
- 1047) Cosmorhoe ocellata (Linnaeus,1758)** (Geometridae) Synonym(s): *ocellata* Linnaeus,1758; *lynca* Fabricius,1775; *lynceata* Fabricius,1781; *ocellaria* Boisduval,1840
- 1048) Costaconvexa polygrammata (Borkhausen,1794)** (Geometridae) Synonym(s): *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *#rosea* Wiltshire,1946
- 1049) Crocallis (s.str.) elinguarina (Linnaeus,1758)** (Geometridae) Synonym(s): *elinguarina* Linnaeus,1758; *trapezaria* Boisduval,1840
- 1050) Crocallis (s.str.) inexpectata Warnecke,1940** (Geometridae) Synonym(s): *inexpectata* Warnecke,1940
- 1051) Crocallis (s.str.) tusciaria (Borkhausen,1793)** (Geometridae) Synonym(s): *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799]
- 1052) Culpinia prouti (Thierry-Mieg,1913)** (Geometridae) Synonym(s): *prouti* Thierry-Mieg,1913; *feroniaria* Oberthür,1916.
- 1053) Cyclophora albiocellaria (Hübner,1789)** (Geometridae) Synonym(s): *albiocellaria* Hübner,1789; *ocellaria* Hübner,1799; *argusaria* Boisduval,1840
- 1054) Cyclophora albipunctata (Hufnagel,1767)** (Geometridae) Synonym(s): *albipunctata* Hufnagel,1767; *suspensa* Retzius,1783; *pupillaria* Brahm,1791; *circularia* Fabricius,1798; *vusarmana* Walker,1861; *ianthinarium* Stichel,1901; *subroseata* Woodforde,1902

- 1055) Cyclophora annularia (Fabricius,1775)** (Geometridae) Synonym(s): *annularia* Fabricius,1775; *annulata* Schulze,1775
- 1056) Cyclophora linearia (Hübner,[1799])** (Geometridae) Synonym(s): *zonata* Fourcroy,1785; *luteolaria* Villers,1789; *linearia* Hübner,[1799]; *strabonaria* Zeller,1851
- 1057) Cyclophora pendularia (Clerck,1759)** (Geometridae) Synonym(s): *pendularia* Clerck,1759; *orbicularia* Hübner,1799
- 1058) Cyclophora porata (Linnaeus,1767)** (Geometridae) Synonym(s): *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825
- 1059) Cyclophora punctaria (Linnaeus,1758)** (Geometridae) Synonym(s): *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
- 1060) Cyclophora puppillaria (Hübner,[1799])** (Geometridae) Synonym(s): *puppillaria* Hübner,[1799].
- 1061) Cyclophora quercimontaria (Bastelberger,1897)** (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrosarsaria* Scoble,1999; *privataria* Scoble,1999
- 1062) Cyclophora ruficiliaria (Herrich-Schäffer,[1855])** (Geometridae) Synonym(s): *ruficiliaria* Herrich-Schäffer,[1855]
- 1063) Cyclophora suppunctaria (Zeller,1847)** (Geometridae) Synonym(s): *suppunctaria* Zeller,1847
- 1064) Dasycorsa modesta (Staudinger,1879)** (Geometridae) Synonym(s): *modesta* Staudinger,1879
- 1065) Dicrognophos amanensis (Wehrli,1934)** (Geometridae) Synonym(s): *amanensis* Wehrli,1934
- 1066) Digrammia rippertaria (Duponchel,1830)** (Geometridae) Synonym(s): *rippertaria* Duponchel,1830; *hebetata* Hulst,1881; *ponderosa* Barnes & McDunnough,1917; *demaculata* Barnes & McDunnough,1917; *tulareata* Cassino & Swett,1923.
- 1067) Docirava dervenaria (Mentzer,1981)** (Geometridae) Synonym(s): *dervenaria* Mentzer,1981
- 1068) Docirava erubescens (Staudinger,1892)** (Geometridae) Synonym(s): *erubescens* Staudinger,1892; *palumbata* Metzner,1981
- 1069) Docirava mundata (Staudinger,1892)** (Geometridae) Synonym(s): *mundata* Staudinger,1892
- 1070) Docirava mundulata (Guenée,[1858])** (Geometridae) Synonym(s): *mundulata* Guenée,[1858]; *submundulata* Staudinger,1892
- 1071) Drepanopterula limaria (Christoph,1885)** (Geometridae) Synonym(s): *limaria* Christoph,1885
- 1072) Dyscia (Calodyscia) innocentaria (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentana* Pugaev & Zolotuhin,2006
- 1073) Dyscia (Warneckeella) malatyana (Wehrli,1934)** (Geometridae) Synonym(s): *malatyana* Wehrli,1934
- 1074) Dyscia (s.str.) conspersaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *conspersaria* [Denis & Schiffermüller],1775; *cuniculina* Hübner,1790; *cunicularia* Esper,1803; *turturaria* Boisduval,1840; *#conspersana* Pugaev & Zolotuhin,2006
- 1075) Dyscia (s.str.) lentiscaria (Donzel,1837)** (Geometridae) Synonym(s): *lentiscaria* Donzel,1837; *agacles* Oberthür,1923
- 1076) Ecliptopera silaceata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *silaceata* [Denis & Schiffermüller],1775; *insulata* Haworth,1809; *cuneata* Donovan,1810; *silacearia* Boisduval,1840
- 1077) Ectropis histortata (Goeze,1781)** (Geometridae) Synonym(s): *#crepuscularia* [Denis & Schiffermüller],1775; *virginaria* Cramer,[1780]; *bistortata* Goeze,1781; *biundulata* Villers,1789; *biundularia* Borkhausen,1794; *baeticaria* Scharfenberg,1805; *strigularia* Stephens,1831; *defessaria* Freyer,1847; *occiduaria* Guenée,[1858]; *divisaria* Walker,1860 nec Wlk.,1860; *intrataria* Walker,1860; *signaria* Walker,1860; *spatiosaria* Walker,1860; *abraxaria* Walker,1860; *cineraria* Walker,1860; *crepusculata* Herrich-Schäffer,1863; *fumataria* Minot,1869; *tristis* Riesen,1897
- 1078) Eilicrinia cordiaria (Hübner,1790)** (Geometridae) Synonym(s): *cordiaria* Hübner,1790
- 1079) Eilicrinia subcordaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *tritomata* Fischer de Waldheim,1840; *subcordaria* Herrich-Schäffer,[1852]; *anicularia* Eversmann,1852; *freitagaria* Möschler,1854; *subcordata* Herrich-Schäffer,1861.
- 1080) Eilicrinia trinotata (Metzner,1845)** (Geometridae) Synonym(s): *trinotata* Metzner,1845
- 1081) Electrophaes corylata (Thunberg,1792)** (Geometridae) Synonym(s): *corylata* Thunberg,1792; *ruptata* Hübner,[1799]; *albocrenata* Curtis,1836; *ruptaria* Boisduval,1840
- 1082) Ematurga atomaria (Linnaeus,1758)** (Geometridae) Synonym(s): *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926.
- 1083) Enanthyperythra legataria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *legataria* Herrich-Schäffer,[1852]
- 1084) Ennomos (Deuteronomos) erosarius (Hübner,1790)** (Geometridae) Synonym(s): *#erosaria* [Denis & Schiffermüller],1775; Hübner,1790.
- 1085) Ennomos (Deuteronomos) fraxineti Wiltshire,1947** (Geometridae) Synonym(s): *fraxineti* Wiltshire,1947; *#effusaria* Wiltshire,1947
- 1086) Ennomos (Deuteronomos) freidbergi Hausmann,1997** (Geometridae) Synonym(s): *freidbergi* Hausmann,1997

- 1087) Ennomos (Deuteronomos) fuscantarius (Haworth,1809)** (Geometridae) Synonym(s): *fuscantaria* Haworth,1809
- 1088) Ennomos (Deuteronomos) quercarius (Hübner,[1813])** (Geometridae) Synonym(s): *quercaria* Hübner,[1813]
- 1089) Ennomos (s.str.) effractarius Freyer,[1842]** (Geometridae) Synonym(s): *effractaria* Freyer,[1842]
- 1090) Ennomos (s.str.) quercinarius (Hufnagel,1767)** (Geometridae) Synonym(s): *quercinaria* Hufnagel,1767; *angularia* [Denis & Schiffermüller],1775; *zona* Fourcroy,1785; *carpinaria* Hübner,[1799]
- 1091) Entephria caesiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *caesiata* [Denis & Schiffermüller],1775
- 1092) Entephria ignorata (Staudinger,1892)** (Geometridae) Synonym(s): *ignorata* Staudinger,1892
- 1093) Epilobophora sabinata (Geyer,[1831])** (Geometridae) Synonym(s): *sabinata* Geyer,[1831]
- 1094) Epione repandaria (Hufnagel,1767)** (Geometridae) Synonym(s): *repandaria* Hufnagel,1767; *apiciaria* [Denis & Schiffermüller],1775; *marginaria* Villers,1789; *demarginaria* Wehrli,1940; *franziscaria* Müller,1962
- 1095) Epione vespertaria (Linnaeus,1767)** (Geometridae) Synonym(s): *vespertaria* Linnaeus,1767; *paralellaria* [Denis & Schiffermüller],1775; *affiniaria* Borkhausen,1794; *amura* Wehrli,1940
- 1096) Epirrhoe alternata (Müller,1764)** (Geometridae) Synonym(s): *alternata* Müller,1764; *sociata* Borkhausen,1794; *degenerata* Haworth,1809; *subtristata* Haworth,1809; *contristata* Donovan,1811; *aparinata* Hübner,[1825].
- 1097) Epirrhoe galiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912
- 1098) Epirrhoe molluginata (Hübner,[1813])** (Geometridae) Synonym(s): *molluginata* Hübner,[1813]
- 1099) Epirrhoe rivata (Hübner,[1813])** (Geometridae) Synonym(s): *rivata* Hübner,[1813]
- 1100) Epirrhoe tristata (Linnaeus,1758)** (Geometridae) Synonym(s): *tristata* Linnaeus,1758; *limbosignata* Nolcken,1867
- 1101) Epirrita dilutata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#dilutata* [Denis & Schiffermüller],1775; *nebulata* Thunberg,1784; *impluviata* Borkhausen,1794; *fimbriata* Haworth,1809; *inscriptata* Donovan,1811; *neglectata* Weaver,1852; *unicolorata* Lambillion,1905
- 1102) Erannis ankeraria (Staudinger,1861)** (Geometridae) Synonym(s): *ankeraria* Staudinger,1861
- 1103) Erannis declinans (Staudinger,1879)** (Geometridae) Synonym(s): *declinans* Staudinger,1879.
- 1104) Erannis defoliaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#defoliaria* Clerk,1759; *defoliaria* Linnaeus,1761
- 1105) Euchoeca nebulata (Scopoli,1763)** (Geometridae) Synonym(s): *nebulata* Scopoli,1763; *obliterata* Hufnagel,1767; *heparata* [Denis & Schiffermüller],1775; *strigata* Thunberg,1788 *nec* Sc.,1763; *hepararia* Hübner,[1799]
- 1106) Eucrostes indigenata (Villers,1789)** (Geometridae) Synonym(s): *indigenata* Villers,1789
- 1107) Eulithis populata (Linnaeus,1758)** (Geometridae) Synonym(s): *populata* Linnaeus,1758; *dotata* Linnaeus,1758; *popularia* Boisduval,1840.
- 1108) Eulithis prunata (Linnaeus,1758)** (Geometridae) Synonym(s): *prunata* Linnaeus,1758; *ribesaria* Boisduval,1840
- 1109) Eulithis pyraliata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#pyraliata* [Denis & Schiffermüller],1775; *?aurantiaca* Fourcroy,1785; *pyraliaria* Bosiudval,1840; *dotata* sensu Staudinger,1877
- 1110) Eulithis roessleraria (Staudinger,1871)** (Geometridae) Synonym(s): *roessleraria* Staudinger,1871; *pseudoledereri* Schwingenschuss,1939.
- 1111) Eumera hoeferi Wehrli,1934** (Geometridae) Synonym(s): *#höferi* Wehrli,1934; *hoeferi* Wehrli,1934; *#hoferi* Wiltshire,1937.
- 1112) Eumera regina Staudinger,1892** (Geometridae) Synonym(s): *regina* Staudinger,1892
- 1113) Eumera sp.n.** (Geometridae) Synonym(s):
- 1114) Eumera turcosyrica Wehrli,1932** (Geometridae) Synonym(s): *turcosyrica* Wehrli,1932; *#turcosyriaca* Wehrli,1934.
- 1115) Euphyia adumbraria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *adumbraria* Herrich-Schäffer,1852; *cretacea* F.Wagner,1922
- 1116) Euphyia biangulata (Haworth,[1809])** (Geometridae) Synonym(s): *biangulata* Haworth,[1809]; *picata* Hübner,[1813]
- 1117) Euphyia chalusata Wiltshire,1970** (Geometridae) Synonym(s): *chalusata* Wiltshire,1970
- 1118) Euphyia frustata (Treitschke,1828)** (Geometridae) Synonym(s): *frustata* Treitschke,1828; *muscosata* Donzel,1837; *fulvocinctata* Rambur,1866
- 1119) Euphyia scopulata (Brandt,1938)** (Geometridae) Synonym(s): *scopulata* Brandt,1938
- 1120) Euphyia sintenisi (Staudinger,1892)** (Geometridae) Synonym(s): *sintenisi* Staudinger,1892; *sultania* Wehrli,1938.
- 1121) Eupithecia abbreviata Stephens,1831** (Geometridae) Synonym(s): *nebulata* Haworth,1809; *abbreviata* Stephens,1831

- 1122) *Eupithecia abietaria* (Goeze,1781)** (Geometridae) Synonym(s): *pini* Retzius,1783 nec Linn.,1758; *abietaria* Goeze,1781; *strobilata* Borkhausen,1794; *togata* Hübner,[1817]; *bilunulata* Zetterstedt,1839; *togaria* Boisduval,1840.
- 1123) *Eupithecia achyrdaghica* Wehrli,1929** (Geometridae) Synonym(s): *achyrdaghica* Wehrli,1929
- 1124) *Eupithecia actaeata* Walderdorff,1869** (Geometridae) Synonym(s): *actaeata* Walderdorff,1869; *bergunensis* Dietze,1875
- 1125) *Eupithecia adscriptaria* Staudinger,1871** (Geometridae) Synonym(s): *adscriptaria* Staudinger,1871
- 1126) *Eupithecia albosparsata* Joannis,1891** (Geometridae) Synonym(s): *albosparsata* Joannis,1891
- 1127) *Eupithecia alliararia* Staudinger,1870** (Geometridae) Synonym(s): *alliararia* Staudinger,1870; *#notata* Dietze,1910 nec Stph.,1831
- 1128) *Eupithecia amasina* Bohatsch,1893** (Geometridae) Synonym(s): *#amasina* Bohatsch,1893; *dinaria* Vardikjan,1985.
- 1129) *Eupithecia antalica* Mironov,2001** (Geometridae) Synonym(s): *antalica* Mironov,2001
- 1130) *Eupithecia arenbergeri* Pinker,1976** (Geometridae) Synonym(s): *arenbergeri* Pinker,1976
- 1131) *Eupithecia bastelbergeri* Dietze,1913** (Geometridae) Synonym(s): *bastelbergeri* Dietze,1913
- 1132) *Eupithecia biornata* Christoph,1867** (Geometridae) Synonym(s): *biornata* Christoph,1867
- 1133) *Eupithecia breviculata* (Donzel,1837)** (Geometridae) Synonym(s): *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977.
- 1134) *Eupithecia brunneata* Staudinger,1900** (Geometridae) Synonym(s): *brunneata* Staudinger,1900
- 1135) *Eupithecia calligraphata* Wagner,1929** (Geometridae) Synonym(s): *calligraphata* Wagner,1929
- 1136) *Eupithecia cerussaria* (Lederer,1855)** (Geometridae) Synonym(s): *cerussaria* Lederer,1855
- 1137) *Eupithecia cucullaria* (Rebel,1901)** (Geometridae) Synonym(s): *undata* Bohatsch,1893 nec Frr.,1840; *cucullaria* Rebel,1901
- 1138) *Eupithecia denotata* (Hübner,[1813])** (Geometridae) Synonym(s): *denotata* (Hübner,[1813]; *atraria* Herrich-Schäffer,[1848]; *campanulata* Herrich-Schäffer,1861; *primulata* Millière,1874; *jasioneata* Crewe,1881; *livida* Dietze,1910.
- 1139) *Eupithecia denticulata* (Treitschke,1828)** (Geometridae) Synonym(s): *denticulata* Treitschke,1828
- 1140) *Eupithecia distinctaria* Herrich-Schäffer,[1848]** (Geometridae) Synonym(s): *distinctaria* Herrich-Schäffer,[1848]; *constrictata* Guenée,[1858]; *sextiata* Dardoin & Millière,1867; *piemonticola* Schwingenschuss,1954
- 1141) *Eupithecia dodoneata* Guenée,[1858]** (Geometridae) Synonym(s): *dodoneata* Guenée,[1858]; *quercifoliata* A.Bang-Haas,1874; *austrina* Herbulot,1962
- 1142) *Eupithecia egenaria* Herrich-Schäffer,[1848]** (Geometridae) Synonym(s): *egenaria* Herrich-Schäffer,[1848]; *undosata* Dietze,1875
- 1143) *Eupithecia ericeata* (Rambur,1833)** (Geometridae) Synonym(s): *ericeata* Rambur,1833; *millierata* Staudinger,1871
- 1144) *Eupithecia euxinata* Bohatsch,1893** (Geometridae) Synonym(s): *#euxinata* Bohatsch,1893
- 1145) *Eupithecia expallidata* Doubleday,1856** (Geometridae) Synonym(s): *expallidata* Doubleday,1856
- 1146) *Eupithecia extensaria* (Freyer,1844)** (Geometridae) Synonym(s): *extensaria* Freyer,1844; *prolongata* Lienig,1846; *sydyi* Staudinger,1885; *leuca* Dietze,1910; *prolongata* Dietze,1910 nec Lien.,1846; *occidua* L.B.Prout,1914
- 1147) *Eupithecia extraversaria* Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *extraversaria* Herrich-Schäffer,[1852]; *libanotidata* Guenée,[1858]
- 1148) *Eupithecia extremata* (Fabricius,1787)** (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
- 1149) *Eupithecia fuscata* Staudinger,1879** (Geometridae) Synonym(s): *fuscata* Staudinger,1879
- 1150) *Eupithecia fuscicostata* Christoph,1887** (Geometridae) Synonym(s): *fuscicostata* Christoph,1887; *fuscostigma* Alpheraky,1892; *salami* Brandt,1938; *domogledana* Vojnits & Szabo,1988
- 1151) *Eupithecia gemellata* Herrich-Schäffer,1861** (Geometridae) Synonym(s): *gemellata* Herrich-Schäffer,1861
- 1152) *Eupithecia graphata* (Treitschke,1828)** (Geometridae) Synonym(s): *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858]
- 1153) *Eupithecia gratiosata* Herrich-Schäffer,1861** (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885
- 1154) *Eupithecia gueneata* Millière,1862** (Geometridae) Synonym(s): *gueneata* Millière,1862; *busambraria* Ragusa,1889
- 1155) *Eupithecia haworthiata* Doubleday,1856** (Geometridae) Synonym(s): *haworthiata* Doubleday,1856; *gozmanyi* Vojnits,1972
- 1156) *Eupithecia icterata* (Villers,1789)** (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
- 1157) *Eupithecia impurata* (Hübner,[1813])** (Geometridae) Synonym(s): *impurata* Hübner,[1813]; *modicata* Hübner,[1813]; *proluaria* Freyer,1852; *badeniata* Schütze,1952; *germanicata* Schütze,1952;

- gremmingerata* Schütze,1952; *langeata* Schütze,1952; *franconiata* Schütze,1956; *thuringiata* Schütze,1956; *westfalicata* Weigt,1982
- 1158) **Eupithecia inconspicua** Bohatsch,1893 (Geometridae) Synonym(s): *#inconspicua* Bohatsch,1893
- 1159) **Eupithecia indigata** (Hübner,[1813]) (Geometridae) Synonym(s): *indigata* Hübner,[1813]; *turfosata* Draudt,1903; *pliniata* Stauder,1929
- 1160) **Eupithecia innotata** (Hufnagel,1767) (Geometridae) Synonym(s): *innotata* Hufnagel,1767; *tamarisciata* Freyer,1836; *suspectata* Dietze,1871; *uliata* Staudinger,1897; *ulicada* Dietze,1910; *alexandriana* Vardikjan,1972; *sergiana* Vardikjan,1972.
- 1161) **Eupithecia insigniata** (Hübner,1790) (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794.
- 1162) **Eupithecia intricata** Zetterstedt,[1839] (Geometridae) Synonym(s): *intricata* Zetterstedt,[1839]; *helveticaria* Boisduval,1840
- 1163) **Eupithecia inturbata** (Hübner,[1817]) (Geometridae) Synonym(s): *inturbata* Hübner,[1817]; *neglectata* Herrich-Schäffer,1848; *subciliata* Doubleday,1856
- 1164) **Eupithecia irriguata** (Hübner,[1813]) (Geometridae) Synonym(s): *variegata* Haworth,1809 *nec* Scop.,1763; *irriguata* Hübner,[1813]
- 1165) **Eupithecia karadaghensis** Mironov,1988 (Geometridae) Synonym(s): *karadaghensis* Mironov,1988
- 1166) **Eupithecia kunzi** Pinker,1976 (Geometridae) Synonym(s): *kunzi* Pinker,1976
- 1167) **Eupithecia lacteolata** Dietze,1906 (Geometridae) Synonym(s): *lacteolata* Dietze,1906
- 1168) **Eupithecia laquaearia** Herrich-Schäffer,[1848] (Geometridae) Synonym(s): *laquaearia* Herrich-Schäffer,[1848]; *merinata* Guenée,[1858]
- 1169) **Eupithecia limbata** Staudinger,1879 (Geometridae) Synonym(s): *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973
- 1170) **Eupithecia linariata** (Fabricius,1787) (Geometridae) Synonym(s): *#linariata* [Denis & Schiffermüller],1775; *linariata* Fabricius,1787
- 1171) **Eupithecia lutosaria** Bohatsch,1893 (Geometridae) Synonym(s): *#lutosaria* Bohatsch,1893
- 1172) **Eupithecia marasa** Wehrli,1932 (Geometridae) Synonym(s): *marasa* Wehrli,1932
- 1173) **Eupithecia marginata** Staudinger,1892 (Geometridae) Synonym(s): *marginata* Staudinger,1892
- 1174) **Eupithecia mekrana** Brandt,1941 (Geometridae) Synonym(s): *mekrana* Brandt,1941; *commenticia* Vojnits,1982; *idonea* Vojnits,1982; *stulta* Vojnits,1982.
- 1175) **Eupithecia mesogrammata** Dietze,1908 (Geometridae) Synonym(s): *mesogrammata* Dietze,1908; *#mesogrammata* L.B.Prout,1914.
- 1176) **Eupithecia millefoliata** Roesler,1866 (Geometridae) Synonym(s): *millefoliata* Roesler,1866; *achilleata* Mabilie,1869; *#maeoticaria* Bohatsch,1893
- 1177) **Eupithecia minusculata** (Alpheraky,1883) (Geometridae) Synonym(s): *minusculata* Alpheraky,1883; *inversaria* Turati,1930; *penultimaria* Wiltshire,1985.
- 1178) **Eupithecia mystica** Dietze,1910 (Geometridae) Synonym(s): *mystica* Dietze,1910; *wehrlii* F.Wagner,1931
- 1179) **Eupithecia nanata** (Hübner,[1813]) (Geometridae) Synonym(s): *angustata* Haworth,1809; *nanata* Hübner,[1813]; *angusta* L.B.Prout,1938; *gelidatoides* Warnecke,1951
- 1180) **Eupithecia nigritaria** Staudinger,1879 (Geometridae) Synonym(s): *nigritaria* Staudinger,1879
- 1181) **Eupithecia novata** Dietze,1903 (Geometridae) Synonym(s): *novata* Dietze,1903
- 1182) **Eupithecia oblongata** (Thunberg,1784) (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892; *chinae* Vojnits,1977.
- 1183) **Eupithecia ochridata** Schütze & Pinker,1968 (Geometridae) Synonym(s): *ochridata* Schütze & Pinker,1968; *szelenyii* Vojnits,1969.
- 1184) **Eupithecia ochrovittata** Christoph,1887 (Geometridae) Synonym(s): *ochrovittata* Christoph,1887
- 1185) **Eupithecia orphnata** W.Petersen,1909 (Geometridae) Synonym(s): *#orphnata* Bohatsch,1883; *orphnata* W.Petersen,1909
- 1186) **Eupithecia oxycedrata** (Rambur,1833) (Geometridae) Synonym(s): *oxycedrata* Rambur,1833; *oxycedrararia* Boisduval,1840; *provinciata* Millière,1872
- 1187) **Eupithecia pfeifferi** Wehrli,1929 (Geometridae) Synonym(s): *pfeifferi* Wehrli,1929
- 1188) **Eupithecia pimpinellata** (Hübner,[1813]) (Geometridae) Synonym(s): *pimpinellata* Hübner,[1813]; *altaicata* Guenée,[1858]; *lantosca* Millière,1873; *cinerascens* Tengström,1875; *limbosignata* Dietze,1910; *elongata* Dietze,1913 *nec* Hw,1809; *retheli* L.B.Prout,1938; *variata* Schwingenschuss,1936.
- 1189) **Eupithecia pinkeri** Mironov,1991 (Geometridae) Synonym(s): *pinker* Mironov,1991
- 1190) **Eupithecia plumbeolata** (Haworth,[1809]) (Geometridae) Synonym(s): *plumbeolata* Haworth,[1809]; *isogrammata* Treitschke,1828; *begrandaria* Boisduval,1840; *singularia* Herrich-Schäffer,1848; *plumbeolaria* Doubleday,1849; *begrandata* Bruand,1850; *dshungarica* Viidalepp,1988.
- 1191) **Eupithecia pseudocastigata** Pinker,1976 (Geometridae) Synonym(s): *pseudocastigata* Pinker,1976
- 1192) **Eupithecia pulchellata** Stephens,1831 (Geometridae) Synonym(s): *pulchellata* Stephens,1831

- 1193) Eupithecia pusillata (Fabricius,1787)** (Geometridae) Synonym(s): *#pusillata* [Denis & Schiffermüller],1775; *pusillata* Fabricius,1787; *sobrinata* Hübner,[1817]; *pusillaria* Hübner,[1825]; *sobrinaria* Boisduval,1840; *expressaria* Herrich-Schäffer,1848; *anglicata* Herrich-Schäffer,1863; *latoniata* Millière,1882; *stevensata* Webb,1896; *scotica* Dietze,1910
- 1194) Eupithecia pyreneata Mabilie,1871** (Geometridae) Synonym(s): *pyreneata* Mabilie,1871; *digitaliaria* Dietze,1872; *granadensis* Bubacek,1926
- 1195) Eupithecia quercetica L.B.Prout,1938** (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938
- 1196) Eupithecia reisserata Pinker,1976** (Geometridae) Synonym(s): *reisserata* Pinker,1976
- 1197) Eupithecia satyrata (Hübner,[1813])** (Geometridae) Synonym(s): *satyrata* Hübner,[1813]; *satyraria* Boisduval,1840; *italicata* Guenée,1858; *submelanochroa* Vojnits,1973
- 1198) Eupithecia scalptata Christoph,1885** (Geometridae) Synonym(s): *scalptata* Christoph,1885
- 1199) Eupithecia schiefereri Dietze,1904** (Geometridae) Synonym(s): *#schiefereri* Bohatsch,1893; *schiefereri* Dietze,1904; *#confluens* Dietze,1910; *#schiefererie* Pinker,1958; *#schieferi* Arnscheid,2000
- 1200) Eupithecia scopariata (Rambur,1833)** (Geometridae) Synonym(s): *scopariata* Rambur,1833; *scoparia* Boisduval,1840; *tenebrosaria* Herrich-Schäffer,1848; *multiflorata* Millière,1866
- 1201) Eupithecia semigraphata Bruand,[1847]** (Geometridae) Synonym(s): *semigraphata* Bruand,[1847]
- 1202) Eupithecia separata Staudinger,1879** (Geometridae) Synonym(s): *separata* Staudinger,1879; *saueri* Vojnits,1978.
- 1203) Eupithecia silenata Assmann,1848** (Geometridae) Synonym(s): *silenata* Assmann,1848; *silenaria* Herrich-Schäffer,1852.
- 1204) Eupithecia silenicolata Mabilie,1867** (Geometridae) Synonym(s): *silenicolata* Mabilie,1867
- 1205) Eupithecia simplicata Haworth,[1809]** (Geometridae) Synonym(s): *simplicata* Haworth,[1809]; *subnotata* Hübner,[1813]; *subnotaria* Boisduval,1840; *subnotataria* Herrich-Schäffer,1848.
- 1206) Eupithecia spadiceata Zerny,1933** (Geometridae) Synonym(s): *spadiceata* Zerny,1933
- 1207) Eupithecia spissilineata (Metzner,1846)** (Geometridae) Synonym(s): *spissilineata* Metzner,1846; *multilineata* Mann,1866.
- 1208) Eupithecia subfenestrata Staudinger,1892** (Geometridae) Synonym(s): *subfenestrata* Staudinger,1892
- 1209) Eupithecia subfuscata (Haworth,[1809])** (Geometridae) Synonym(s): *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898
- 1210) Eupithecia subsequaria Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *subsequaria* Herrich-Schäffer,[1852]; *dubiosa* Wagner,1929; *dubiosata* Wagner,1929; *richteri* Vardikjan,1954
- 1211) Eupithecia subumbrata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *subumbrata* [Denis & Schiffermüller],1775; *scabiosata* Borkhausen,1794; *piperata* Stephens,1831, *subumbraria* Boisduval,1840; *obrutaria* Doubleday,1849; *majoraria* De La Harpe,1855.
- 1212) Eupithecia succenturiata (Linnaeus,1758)** (Geometridae) Synonym(s): *succenturiata* Linnaeus,1758; *disparata* Hübner,[1799]
- 1213) Eupithecia syriacata Staudinger,1879** (Geometridae) Synonym(s): *syriacata* Staudinger,1879; *semicaesia* W. Warren,1900.
- 1214) Eupithecia tantillaria Boisduval,1840** (Geometridae) Synonym(s): *tantillaria* Boisduval,1840; *laricis* Speyer,1873; *calabrica* Dietze,1910; *piceata* L.B.Prout,1915
- 1215) Eupithecia tenuiata (Hübner,[1813])** (Geometridae) Synonym(s): *tenuiata* Hübner,[1813]; *macellata* Fischer v. Roeslerstamm,1827
- 1216) Eupithecia terrenata Dietze,1904** (Geometridae) Synonym(s): *terrenata* Dietze,1904
- 1217) Eupithecia tripunctaria Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *albipunctata* Haworth,1809 *nec* Hfn.,1767; *tripunctaria* Herrich-Schäffer,[1852]; *angelicata* Barrett,1877; *promulgata* Pearsall,1909; *#privata* Dietze,1913
- 1218) Eupithecia trisignaria Herrich-Schäffer,1848** (Geometridae) Synonym(s): *trisignaria* Herrich-Schäffer,1848; *#trisignata* Herrich-Schäffer,1861
- 1219) Eupithecia ultimaria Boisduval,1840** (Geometridae) Synonym(s): *ultimaria* Boisduval,1840; *tornifascia* Rothschild,1913
- 1220) Eupithecia undata (Freyer,[1840])** (Geometridae) Synonym(s): *undata* Freyer,[1840]; *scriptaria* Herrich-Schäffer,1848; *puengeleri* Dietze.
- 1221) Eupithecia unedonata (Mabilie,1868)** (Geometridae) Synonym(s): *unedonata* Mabilie,1868
- 1222) Eupithecia variostrigata Alpheraky,1876** (Geometridae) Synonym(s): *variostrigata* Alpheraky,1876; *littorata* Constant,1884; *artemesiata* Constant,1884
- 1223) Eupithecia venosata (Fabricius,1787)** (Geometridae) Synonym(s): *venosata* Fabricius,1787; *insignata* Hübner,1789; *decussata* Donovan,1799; *comparanda* Vojnits,1981
- 1224) Eupithecia vulgata (Haworth,[1809])** (Geometridae) Synonym(s): *vulgata* Haworth,[1809]; *pygmaeata* Borkhausen,1794; *clusterata* Hübner,[1813]; *austeraria* Herrich-Schäffer,1848; *atropicta* Dietze,1910; *cyrneata* Schawerda,1933
- 1225) Eustroma mardinata (Staudinger,[1895])** (Geometridae) Synonym(s): *mardinata* Staudinger,[1895]

- 1226) *Geometra papilionaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *papilionaria* Linnaeus,1758; *prasinaria* Hufnagel,1767; *albopunctata* Mattuschka,1805.
- 1227) *Glossotrophia (Libanonia) sacraria* (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910
- 1228) *Glossotrophia* (s.str.) *confinaria* (Herrich-Schäffer,[1847])** (Geometridae) Synonym(s): *confinaria* Herrich-Schäffer,[1847]
- 1229) *Glossotrophia* (s.str.) *diffinaria* L.B.Prout,1913** (Geometridae) Synonym(s): *luridata* Staudinger,1871 nec Zell.; *diffinaria* L.B.Prout,1913
- 1230) *Gnopharmia colchidaria* (Lederer,1870)** (Geometridae) Synonym(s): *colchidaria* Lederer,1870; *melanotaenia* Wehrli,1938
- 1231) *Gnopharmia erema* Wehrli,1939** (Geometridae) Synonym(s): *erema* Wehrli,1939
- 1232) *Gnopharmia rubraria* Staudinger,1892** (Geometridae) Synonym(s): *rubraria* Staudinger,1892
- 1233) *Gnophos (Cnestrognophos) anthina* Wehrli,1953** (Geometridae) Synonym(s): *anthina* Wehrli,1953
- 1234) *Gnophos (Cnestrognophos) rjabovi* Wehrli,1929** (Geometridae) Synonym(s): *rjabovi* Wehrli,1929
- 1235) *Gnophos (Dicrognophos) amanensis* Wehrli,1934** (Geometridae) Synonym(s): *amanensis* Wehrli,1934
- 1236) *Gnophos (Dicrognophos) anophaeus* Wehrli,1939** (Geometridae) Synonym(s): *anophaea* Wehrli,1939
- 1237) *Gnophos (Dicrognophos) choristus* Wehrli,1939** (Geometridae) Synonym(s): *chorista* Wehrli,1939
- 1238) *Gnophos (Dicrognophos) orthogonius* Wehrli,1939** (Geometridae) Synonym(s): *orthogonia* Wehrli,1939
- 1239) *Gnophos (Dicrognophos) pseudosnelleni* (Rjabov,1964)** (Geometridae) Synonym(s): *pseudosnelleni* Rjabov,1964
- 1240) *Gnophos (Dicrognophos) sartatus* (Treitschke,1827)** (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.
- 1241) *Gnophos (Dicrognophos) snelleni* Christoph,1887** (Geometridae) Synonym(s): *snelleni* Christoph,1887
- 1242) *Gnophos (Euchrognophos) symmictus* Wehrli,1953** (Geometridae) Synonym(s): *symmicta* Wehrli,1953
- 1243) *Gnophos (Organognophos) wanensis* Wehrli,1936** (Geometridae) Synonym(s): *wanensis* Wehrli,1936
- 1244) *Gnophos* (s.str.) *ciscaucasius* Rjabov,1964** (Geometridae) Synonym(s): *ciscaucasius* Rjabov,1964
- 1245) *Gnophos* (s.str.) *obfuscatus* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#obfuscata* [Denis & Schiffermüller],1775
- 1246) *Gymnoscelis dearmata* (Dietze,1904)** (Geometridae) Synonym(s): *dearmata* Dietze,1904
- 1247) *Gymnoscelis rufifasciata* (Haworth,[1809])** (Geometridae) Synonym(s): *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813].
- 1248) *Gypsochroa renitidata* (Hübner,[1817])** (Geometridae) Synonym(s): *renitidata* Hübner,[1817].
- 1249) *Heliomata glarearia* (Brahm,1791)** (Geometridae) Synonym(s): *#glarearia* [Denis & Schiffermüller],1775; *glarearia* Brahm,1791.
- 1250) *Hemistola chrysoprasaria* (Esper,[1794])** (Geometridae) Synonym(s): *nayas* Fourcroy,1785; *pomona* Fourcroy,1785; *lucidata* Donovan,1794; *chrysoprasaria* Esper,[1794];
- 1251) *Hemithea aestivaria* (Hübner,1789)** (Geometridae) Synonym(s): *strigata* Müller,1764 nec Sc.,1763; *herbacea* Fourcroy,1785; *aestivaria* Hübner,[1799]; *alboundulata* Hedemann,1879
- 1252) *Heterolocha laminaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *laminaria* Herrich-Schäffer,[1852]
- 1253) *Hierochthonia pulverata* (W.Warren,1901)** (Geometridae) Synonym(s): *pulverata* W.Warren,1901.
- 1254) *Holoterpna pruinosa* (Staudinger,1898)** (Geometridae) Synonym(s): *pruinosa* Staudinger,1898
- 1255) *Horisme corticata* (Treitschke,1835)** (Geometridae) Synonym(s): *corticata* Treitschke,1835
- 1256) *Horisme tersata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *tersata* [Denis & Schiffermüller],1775; *singulariata* Villers,1789; *testacea* Hübner,[1809]; *tersaria* Boisduval,1840; *testacearia* Boisduval,1840; *tersulata* Staudinger,1871
- 1257) *Horisme vitalbata* (Hübner,[1799])** (Geometridae) Synonym(s): *#vitalbata* [Denis & Schiffermüller],1775; *nebulata* Villers,1789 nec Thunb.,1784; *vitalbata* Hübner,[1799]; *vitalbaria* Boisduval,1840; *detersata* Püngeler,1900; *repedata* L.B.Prout,1938
- 1258) *Hydrelia flammeolaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *flammeolaria* Hufnagel,1767; *luteata* [Denis & Schiffermüller],1775; *centrata* Fabricius,[1776]; *flavicata* Thunberg,1784; *sinuosata* Girona,1791; *flavostrigata* Donovan,1806; *chibiana* Matsumura,1925

- 1259) Hydria cervinalis (Scopoli,1763)** (Geometridae) Synonym(s): *cervinalis* Scopoli,1763; *cervinata* [Denis & Schiffermüller],1775; *fasciaria* Goeze,1781; *fasciata* Retzius,1783; *cervinaria* Treitschke,1825; *certata* Hübner,[1825]; *certaria* Boisduval,1840.
- 1260) Hydria undulata (Linnaeus,1758)** (Geometridae) Synonym(s): *undulata* Linnaeus,1758; *serrata* Hufnagel,1767; *limbata* Goeze,1781; *fuscata* Fourcroy,1785 nec Hufn.,1767; *undularia* Boisduval,1840
- 1261) Hydiomena coerulata (Fabricius,1777)** (Geometridae) Synonym(s): *#impluviata* [Denis & Schiffermüller],1775; *coerulata* Fabricius,1777; *autumnalis* Ström,1783; *trifasciata* Borkhausen,1794; *bicommata* Schrank,1802; *literata* Donovan,1810; *relictata* Zetterstedt,1839; *impluviaria* Boisduval,1840; *insulicolata* Schawerda,1933
- 1262) Hydiomena furcata (Thunberg,1784)** (Geometridae) Synonym(s): *furcata* Thunberg,1784; *sordidata* Fabricius,1794; *elutata* Hübner,[1799]; *fuscoundata* Donovan,1806; *elutaria* Boisduval,1840; *shibuyae* Matsumura,1925.
- 1263) Hydiomena ruberata (Freyer,[1831])** (Geometridae) Synonym(s): *ruberata* Freyer,[1831]; *ruberaria* Herrich-Schäffer,1848
- 1264) Hylaea cedricola (Wehrli,1929)** (Geometridae) Synonym(s): *cedricola* Wehrli,1929
- 1265) Hylaea fasciaria (Linnaeus,1758)** (Geometridae) Synonym(s): *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *biliosata* Villers,1789; *viridifasciosa* Esper,1794; *cleui* Leraut,1993
- 1266) Hylaea pinicolaria (Bellier,1861)** (Geometridae) Synonym(s): *pinicolaria* Bellier,1861
- 1267) Hypomecis punctinalis (Scopoli,1763)** (Geometridae) Synonym(s): *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goeze,1781; *bandevillaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* Villers,1789
- 1268) Hypomecis roboraria (Fabricius,1787)** (Geometridae) Synonym(s): *#roboraria* [Denis & Schiffermüller],1775; *roboraria* Fabricius,1787; *consobrinaria* Hübner,[1799] nec Borkh.,1790; *grandaria* Haworth,1809; *piperitaria* Stephens,1831; *isabellae* Fernandez,1931
- 1269) Hyposcotis (?) mutilata (Staudinger,1879)** (Geometridae) Synonym(s): *mutilata* Staudinger,1879
- 1270) Hyposcotis (Charissa) certhiata (Rebel & Zerny,1931)** (Geometridae) Synonym(s): *certhiatus* Rebel & Zerny,1931; *bezengius* Niesiolowski,1953.
- 1271) Hyposcotis (Charissa) obscurata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#obscurata* [Denis & Schiffermüller],1775; *lividata* Fabricius,1787 nec Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808
- 1272) Hyposcotis (Euchrognophos) dubitaria (Staudinger,1892)** (Geometridae) Synonym(s): *dubitaria* Staudinger,1892
- 1273) Hyposcotis (Euchrognophos) mucidaria (Hübner,[1799])** (Geometridae) Synonym(s): *mucidaria* Hübner,[1799]; *herrichi* Oberthür,1913; *nubilarius* Reisser,1936
- 1274) Hyposcotis (Euchrognophos) nannodes (Wehrli,1936)** (Geometridae) Synonym(s): *nannodes* Wehrli,1936
- 1275) Hyposcotis (Euchrognophos) subtaurica (Wehrli,1932)** (Geometridae) Synonym(s): *subtaurica* Wehrli,1932
- 1276) Hyposcotis (Euchrognophos) variegata (Duponchel,1830)** (Geometridae) Synonym(s): *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932.
- 1277) Hyposcotis (Kemtrognophos) ambiguata (Duponchel,1830)** (Geometridae) Synonym(s): *ambiguata* Duponchel,1830; *meyeraria* Harpe,1853; *ophthalmicata* Lederer,1853
- 1278) Hyposcotis (Kemtrognophos) mardinaria Staudinger,1901** (Geometridae) Synonym(s): *mardinaria* Staudinger,1901
- 1279) Hyposcotis (Kemtrognophos) onustaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *onustaria* Herrich-Schäffer,[1852]; *oneraria* Guenée,[1858]
- 1280) Hyposcotis (Kemtrognophos) zeitunaria (Staudinger,1901)** (Geometridae) Synonym(s): *zeitunaria* Staudinger,1901
- 1281) Hyposcotis (Neognophina) pfeifferi Wehrli,1926** (Geometridae) Synonym(s): *pfeifferi* Wehrli,1926
- 1282) Hyposcotis (Rhopalognophos) glaucinaria (Hübner,[1799])** (Geometridae) Synonym(s): *glaucinaria* Hübner,[1799]; *glaucinata* Treitschke,1827; *falconaria* Freyer,1842; *supinata* Bruand,[1852]; *supinaria* Mann,1854; *perstrigata* Wehrli,1924
- 1283) Idaea admiranda Hausmann,2004** (Geometridae) Synonym(s): *litigiosaria sensu* Okyar & Aktaç,1999 nec Bsd.,1840; *admiranda* Hausmann,2004
- 1284) Idaea affinitata (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *affinitata* A.Bang-Haas,1907
- 1285) Idaea albitorquata (Püngeler,1909)** (Geometridae) Synonym(s): *albitorquata* Püngeler,1909
- 1286) Idaea allongata (Staudinger,1898)** (Geometridae) Synonym(s): *allongata* Staudinger,1898; *allongaria* Staudinger,1900; *paulusi* L.B.Prout,1935.
- 1287) Idaea aureolaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *trilineata* Scopoli,1772 nec Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1875; *trilineararia* Hübner,[1787].

- 1288) *Idaea aversata* (Linnaeus,1758)** (Geometridae) Synonym(s): *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fuliginata* Haworth,1809; *latifasciaria* Heydenreich,1851.
- 1289) *Idaea bilinearia* (Fuchs,1889)** (Geometridae) Synonym(s): *bilinearia* Fuchs,1889; *rubraria* Staudinger,1901
- 1290) *Idaea biselata* (Hufnagel,1767)** (Geometridae) Synonym(s): *biselata* Hufnagel,1767; *fimbriata* [Denis & Schifferrmüller],1775; *fimbriolata* Stephens,1831; *plumipedata* Walker,1861; *shimizuensis* Matsumura,1925.
- 1291) *Idaea camparia* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934.
- 1292) *Idaea cervantaria* (Millière,1869)** (Geometridae) Synonym(s): *cervantaria* Millière,1869
- 1293) *Idaea circuitaria* (Hübner,[1819])** (Geometridae) Synonym(s): *circuitaria* Hübner,[1819]; *chimaeraria* Millière,1869
- 1294) *Idaea consanguinaria* (Lederer,1853)** (Geometridae) Synonym(s): *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
- 1295) *Idaea consociata* (Staudinger,1900)** (Geometridae) Synonym(s): *consociata* Staudinger,1900.
- 1296) *Idaea consolidata* (Lederer,1853)** (Geometridae) Synonym(s): *consolidata* Lederer,1853
- 1297) *Idaea degeneraria* (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913
- 1298) *Idaea determinata* (Staudinger,1876)** (Geometridae) Synonym(s): *determinata* Staudinger,1876; *fasciata* Staudinger,1892; *geministrigata* Fuchs,1901.
- 1299) *Idaea dilutaria* (Hübner,[1799])** (Geometridae) Synonym(s): *dilutaria* Hübner,[1799]; *holosericata* Duponchel,1842; *holosericearia* Bruand,1846; *holosericearia* De La Harpe,1853; *praeustaria* De La Harpe,1853.
- 1300) *Idaea dimidiata* (Hufnagel,1767)** (Geometridae) Synonym(s): *dimidiata* Hufnagel,1767; *scutulata* [Denis & Schifferrmüller],1775; *antitaurica* Wehrli,1931 *nec* Wehrli,1931; *tauricola* Wehrli,1934.
- 1301) *Idaea distinctaria* (Boisduval,1840)** (Geometridae) Synonym(s): *distinctaria* Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852
- 1302) *Idaea elongaria* (Rambur,1833)** (Geometridae) Synonym(s): *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infermata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942.
- 1303) *Idaea emargianata* (Linnaeus,1758)** (Geometridae) Synonym(s): *emarginata* Linnaeus,1758
- 1304) *Idaea epaphrodita* (Wehrli,1934)** (Geometridae) Synonym(s): *epaphrodita* Wehrli,1934; *serrataria* Sterneck,1934.
- 1305) *Idaea fathmaria* (Oberthür,1876)** (Geometridae) Synonym(s): *fathmaria* Oberthür,1876; *millieri* Rothschild,1914.
- 1306) *Idaea filicata* (Hübner,[1799])** (Geometridae) Synonym(s): *filicata* Hübner,[1799]; *filicaria* Duponchel,1830; *levequei* Leraut,2003
- 1307) *Idaea flaveolaria* (Hübner,[1809])** (Geometridae) Synonym(s): *brunnearia* Fabricius,1794; *flaveolaria* Hübner,[1809]
- 1308) *Idaea fuscovenosa* (Goeze,1781)** (Geometridae) Synonym(s): *fuscovenosa* Goeze,1781; *plebeia* Fourcroy,1785
- 1309) *Idaea gracilipennis* (W.Warren,1901)** (Geometridae) Synonym(s): *gracilipennis* W.Warren,1901; *#rubrolineata* Schwingenschuss,1933
- 1310) *Idaea holliata* (Homberg,1909)** (Geometridae) Synonym(s): *holliata* Homberg,1909
- 1311) *Idaea humiliata* (Hufnagel,1767)** (Geometridae) Synonym(s): *humiliata* Hufnagel,1767; *osseata* [Denis & Schifferrmüller],1775; *ossearia* Hübner,[1799]
- 1312) *Idaea inclinata* (Lederer,1855)** (Geometridae) Synonym(s): *inclinata* Lederer,1855
- 1313) *Idaea infirmaria* (Rambur,1833)** (Geometridae) Synonym(s): *infirmaria* Rambur,1833; *carnearia* Mann,1855; *ledererata* Guenée,[1858]; *nigrobarbata* Staudinger,1859; *aquitania* Constant,1865
- 1314) *Idaea inquinata* (Scopoli,1763)** (Geometridae) Synonym(s): *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840
- 1315) *Idaea intermedia* (Staudinger,1879)** (Geometridae) Synonym(s): *intermedia* Staudinger,1879
- 1316) *Idaea laevigata* (Scopoli,1763)** (Geometridae) Synonym(s): *laevigata* Scopoli,1763; *laevigaria* Hübner,[1799]; *renularia* Hübner,[1809]; *lividellaria* Peyerimhoff,1863; *renulata* Rambur,1866; *couloniata* Balestre,1907; *storaе* Andreas,1928
- 1317) *Idaea leipnitzii* Hausmann,2004** (Geometridae) Synonym(s): *leipnitzii* Hausmann,2004
- 1318) *Idaea longaria* (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *longaria* Herrich-Schäffer,1852; *prolongata* Rambur,1866
- 1319) *Idaea maritima* (Bruand,1846)** (Geometridae) Synonym(s): *maritima* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885
- 1320) *Idaea metohiensis* (Rebel,1900)** (Geometridae) Synonym(s): *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938.
- 1321) *Idaea mimosaria* (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *mimosaria* Herrich-Schäffer,1852

- 1322) *Idaea moniliata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *moniliata* [Denis & Schiffermüller],1775; *?pentalineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805
- 1323) *Idaea muricata* (Hufnagel,1767)** (Geometridae) Synonym(s): *muricata* Hufnagel,1767; *auroralis* [Denis & Schiffermüller],1775; *variegata* Fabricius,1777 nec Sc.,1763; *aureopolita* Goeze,1783; *sanguinaria* Hübner,1787; *auroraria* Borkhausen,1794
- 1324) *Idaea nitidata* (Herrich-Schäffer,1861)** (Geometridae) Synonym(s): *nitidata* Herrich-Schäffer,1861; *tectaria* Leech,1897.
- 1325) *Idaea obsoletaria* (Rambur,1833)** (Geometridae) Synonym(s): *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 nec Wlk.,1861
- 1326) *Idaea ochrata* (Scopoli,1763)** (Geometridae) Synonym(s): *ochrata* Scopoli,1763; *#ochreata* [Denis & Schiffermüller],1775; *corrigata* Fabricius,1781; *ochrearia* Schrank,1802 nec Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901
- 1327) *Idaea ossiculata* (Lederer,1871)** (Geometridae) Synonym(s): *ossiculata* Lederer,1871
- 1328) *Idaea ostrinaria* (Hübner,[1813])** (Geometridae) Synonym(s): *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938.
- 1329) *Idaea palaestinensis* (Sterneck,1933)** (Geometridae) Synonym(s): *antitaurica* Wehrli,1932 nec Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934.
- 1330) *Idaea pallidata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pallidata* [Denis & Schiffermüller],1775; *pallidaria* Treitschke,1825; *byssinata* Treitschke,1828; *byssinaria* Boisduval,1840
- 1331) *Idaea pectinata* (Sterneck,1933)** (Geometridae) Synonym(s): *pectinata* Sterneck,1933
- 1332) *Idaea peluraria* (Reisser,1939)** (Geometridae) Synonym(s): *peluraria* Reisser,1939
- 1333) *Idaea politaria* (Hübner,[1799])** (Geometridae) Synonym(s): *politata* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901
- 1334) *Idaea proclivata* (Fuchs,1902)** (Geometridae) Synonym(s): *proclivata* Fuchs,1902; *osthelderi* Wehrli,1932.
- 1335) *Idaea purpureomarginata* (Bohatsch,1880)** (Geometridae) Synonym(s): *purpureomarginata* Bohatsch,1880
- 1336) *Idaea roseofasciata* (Christoph,1882)** (Geometridae) Synonym(s): *roseofasciata* Christoph,1882
- 1337) *Idaea rufaria* (Hübner,[1799])** (Geometridae) Synonym(s): *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944
- 1338) *Idaea ruficostata* Zeller,1847** (Geometridae) Synonym(s): *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852.
- 1339) *Idaea rusticata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866.
- 1340) *Idaea seriata* (Schrank,1802)** (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *seriata* Schrank,1802; *cubicularia* Peyerimhoff,1862
- 1341) *Idaea sericeata* (Hübner,[1813])** (Geometridae) Synonym(s): *sericeata* Hübner,[1813]; *altivolaria* Bubacek,1923;
- 1342) *Idaea serpentata* (Hufnagel,1767)** (Geometridae) Synonym(s): *serpentata* Hufnagel,1767; *trifasciata* Scopoli,1772; *similata* Thunberg,1784; *perochraria* Fischer von Rösslerstamm,1836.
- 1343) *Idaea sodaliaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *sodaliaria* Herrich-Schäffer,[1852]
- 1344) *Idaea straminata* (Borkhausen,1794)** (Geometridae) Synonym(s): *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmatata* Guenée,[1858]
- 1345) *Idaea subpurpurata* (Staudinger,1900)** (Geometridae) Synonym(s): *subpurpurata* Staudinger,1900
- 1346) *Idaea subsericeata* (Haworth,[1809])** (Geometridae) Synonym(s): *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934
- 1347) *Idaea sylvestraria* (Hübner,[1799])** (Geometridae) Synonym(s): *sylvestraria* Hübner,[1799]; *marginipunctata* Stephens,1831 nec Gz.,1781; *straminata* Treitschke,1835 nec Bkh.,1794; *grammicaria* Boisduval,1840; *circellata* Guenée,1858; *folognearia* Staudinger,1863; *graciliata* Mann,1867; *shiskensis* Matsumura,1925; *minuta* Heydemann,1933
- 1348) *Idaea taurica* (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *taurica* A.Bang-Haas,1907
- 1349) *Idaea textaria* (Lederer,1861)** (Geometridae) Synonym(s): *textaria* Lederer,1861
- 1350) *Idaea tineata* (Thierry-Mieg,1911)** (Geometridae) Synonym(s): *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931.
- 1351) *Idaea trigeminata* (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830.
- 1352) *Idaea troglodytaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939
- 1353) *Isturgia berytaria* (Staudinger,1892)** (Geometridae) Synonym(s): *berytaria* Staudinger,1892
- 1354) *Itame vincularia* (Hübner,[1813])** (Geometridae) Synonym(s): *vincularia* Hübner,[1813]

- 1355) Jodis lactearia (Linnaeus,1758)** (Geometridae) Synonym(s): *lactearia* Linnaeus,1758; *vernaria* Linnaeus,1761; *aeruginaria* [Denis & Schiffermüller],1775; *semipectinata* Retzius,1783; *syrene* Fourcroy,1785; *sirene* Villers,1789; *syrena* Geoffroy,1799
- 1356) Lampropteryx suffumata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *suffumata* [Denis & Schiffermüller],1775; *piceata* Stephens,1831
- 1357) Larentia clavaria Haworth,[1809]** (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
- 1358) Larerannis aurantiaria (Hübner,[1799])** (Geometridae) Synonym(s): *aurantiaria* Hübner,[1799]; *incompletaria* Haworth,1809
- 1359) Larerannis marginaria (Fabricius,1777)** (Geometridae) Synonym(s): *marginaria* Fabricius,1777; *testacea* Retzius,1783; *testacearia* Villers,1789; *progemmaria* Hübner,[1799]; *capreolaria* Esper,1801 nec [Den. & Schiff.],1775; *luctuaria* Haworth,1809; *connectaria* Haworth,1809; *stictaria* Haworth,1809
- 1360) Ligdia adustata (Fabricius,1787)** (Geometridae) Synonym(s): *#adustata* [Denis & Schiffermüller],1775; *adustata* Fabricius,1787; *adustaria* Boisduval,1840
- 1361) Ligdia coctata Guenée,[1858]** (Geometridae) Synonym(s): *coctata* Guenée,[1858]; *efferata* Walker,1862; *restitutata* Walker,1862; *inspersata* Staudinger,1879; *restituta* Butler,1886
- 1362) Ligdia lassulata (Rogenhofer,1873)** (Geometridae) Synonym(s): *lassulata* Rogenhofer,1873
- 1363) Lithostege ancyrana L.B.Prout,1938** (Geometridae) Synonym(s): *ancyrana* L.B.Prout,1938
- 1364) Lithostege bosporaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *bosporaria* Herrich-Schäffer,[1848]; *porcataria* Boisduval,1848; *latestrigata* Rebel,1933.
- 1365) Lithostege coassata (Hübner,[1825])** (Geometridae) Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840.
- 1366) Lithostege farinata (Hufnagel,1767)** (Geometridae) Synonym(s): *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turton,1802; *bachmutensis* L.B.Prout,1938
- 1367) Lithostege flavicornata (Zeller,1847)** (Geometridae) Synonym(s): *flavicornata* Zeller,1847
- 1368) Lithostege griseata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkiata* Stephens,1850; *gigantea* Bytinski-Salz & Brandt,1937; *#transversaria* Bytinski-Salz & Brandt,1937
- 1369) Lithostege infuscata Eversmann,1837** (Geometridae) Synonym(s): *infuscata* Eversmann,1837
- 1370) Lithostege odessaria (Boisduval,1848)** (Geometridae) Synonym(s): *odessaria* Boisduval,1848
- 1371) Lithostege palaestinensis Amsel,1935** (Geometridae) Synonym(s): *palaestinensis* Amsel,1935; *ali* Wiltshire,1941.
- 1372) Lithostege witzenmanni Standfuss,1892** (Geometridae) Synonym(s): *witzenmanni* Standfuss,1892
- 1373) Lobophora halterata (Hufnagel,1767)** (Geometridae) Synonym(s): *halterata* Hufnagel,1767
- 1374) Lomaspilis marginata (Linnaeus,1758)** (Geometridae) Synonym(s): *marginata* Linnaeus,1758; *bithynica* Wehrli,1939
- 1375) Lomaspilis opis (Butler,1878)** (Geometridae) Synonym(s): *opis* Butler,1878
- 1376) Lomographa bimaculata (Fabricius,1775)** (Geometridae) Synonym(s): *bimaculata* Fabricius,1775; *taminata* [Denis & Schiffermüller],1775; *taminaria* Hübner,1799
- 1377) Lomographa temerata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *punctata* Fabricius,1775 nec Cl.,1759; *temerata* [Denis & Schiffermüller],1775; *nitidula* Fourcroy,1785; *sylvestrata* Hübner,1786; *nitidularia* Villers,1789; *temeraria* Hübner,1799; *nubeculata* Haworth,1809
- 1378) Lycia graecarius (Staudinger,1861)** (Geometridae) Synonym(s): *graecarius* Staudinger,1861
- 1379) Lycia hirtaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#hirtaria* Clerck,1759; *hirtaria* Linnaeus,1761; *eremita* Scopoli,1763; *atomaria* Hufnagel,1767 nec Linn.,1758; *hirtipennis* Retzius,1783; *congeneraria* Hübner,1799; *fumaria* Haworth,1809; *hanoviensis* Heymons,1891
- 1380) Lycia pomonaria (Hübner,1790)** (Geometridae) Synonym(s): *grisea* Thunberg,1784; *pomonaria* Hübner,1790; *stigmatella* Zetterstedt,1839
- 1381) Lycia zonaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *zonaria* [Denis & Schiffermüller],1775; *zona* Fabricius,1787
- 1382) Lythria cruentaria (Hufnagel,1767)** (Geometridae) Synonym(s): *purpurata* Linnaeus,1761 nec Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839.
- 1383) Lythria purpuraria (Linnaeus,1758)** (Geometridae) Synonym(s): *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767
- 1384) Macaria alternata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *alternata* [Denis & Schiffermüller],1775; *alternaria* Hübner,[1805]; *praenotata* Haworth,1809
- 1385) Macaria liturata (Linnaeus,1761)** (Geometridae) Synonym(s): *#liturata* Clerck,1759; *liturata* Linnaeus,1761; *igneata* Hufnagel,1767; *fuscata* Thunberg,1788; *liturataria* Esper,[1801]; *lituraria* Hübner,[1823]
- 1386) Macaria notata (Linnaeus,1758)** (Geometridae) Synonym(s): *notata* Linnaeus,1758; *notataria* [Denis & Schiffermüller],1775; *hieroglyphica* Fourcroy,1785; *notaria* Morris,1861
- 1387) Macaria signaria (Hübner,[1809])** (Geometridae) Synonym(s): *signaria* Hübner,[1809]
- 1388) Macaria wauaria (Linnaeus,1758)** (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Vill.,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809.
- 1389) Megalycinia engys Wehrli,1939** (Geometridae) Synonym(s): *engys* Wehrli,1939

- 1390) Megalycinia scalaria (Christoph,1893)** (Geometridae) Synonym(s): *scalaria* Christoph,1893
- 1391) Melanthia procellata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *procellata* [Denis & Schiffermüller],1775; ? *areolata* Fourcroy,1785; *procellaria* Boisduval,1840
- 1392) Menophra abruptaria (Thunberg,1792)** (Geometridae) Synonym(s): *abruptaria* Thunberg,1792; *strigata* Fabricius,1794; *petrificata* Hübner,[1799]; *suberaria* Donovan,1808; *petrificaria* Duponchel,1829; *barcinonaria* Bellier,1862; *theobromaria* Turati,1909
- 1393) Menophra berenicidaria (Turati,1924)** (Geometridae) Synonym(s): *berenicidaria* Turati,1924; *trypanaria* Wiltshire,1948; *cretacaria* Reisser,1948
- 1394) Microloxia herbaria (Hübner,[1813])** (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860.
- 1395) Minoa murinata (Scopoli,1763)** (Geometridae) Synonym(s): *murinata* Scopoli,1763; *sordata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799; *limburgia* Lempke,1969
- 1396) Myinodes shohami Hausmann,1994** (Geometridae) Synonym(s): *shohami* Hausmann,1994
- 1397) Narraga cappadocica Herbulot,1943** (Geometridae) Synonym(s): *cappadocica* Herbulot,1943
- 1398) Narraga fasciolaria (Hufnagel,1767)** (Geometridae) Synonym(s): *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829.
- 1399) Nebula achromaria (La Harpe,1853)** (Geometridae) Synonym(s): *achromaria* La Harpe,1853; *saxicolata* Lederer,1853; *hispalata* Rambur,1866; *fasciata* Wehrli,1920; *tenebrata* Dannehl,1933.
- 1400) Nebula apiciata (Staudinger,1892)** (Geometridae) Synonym(s): *apiciata* Staudinger,1892
- 1401) Nebula approximata (Staudinger,1879)** (Geometridae) Synonym(s): *approximata* Staudinger,1879
- 1402) Nebula impunctata (Staudinger,1879)** (Geometridae) Synonym(s): *impunctata* Staudinger,1879
- 1403) Nebula ludificata (Staudinger,1870)** (Geometridae) Synonym(s): *ludificata* Staudinger,1870; *decipiata* Staudinger,1901
- 1404) Nebula reclamata (L.B.Prout,1914)** (Geometridae) Synonym(s): *reclamata* L.B.Prout,1914
- 1405) Nebula salicata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller],1775
- 1406) Nebula schneideraria (Lederer,1855)** (Geometridae) Synonym(s): *schneideraria* Lederer,1855
- 1407) Nebula senectaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *senectaria* Herrich-Schäffer,[1852].
- 1408) Neognopharmia cataleucaria (Staudinger,1901)** (Geometridae) Synonym(s): *cataleucaria* Staudinger,1901
- 1409) Neognopharmia stevenaria (Boisduval,1840)** (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841
- 1410) Nychiodes (Eunychiodes) amygdalaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *amygdalaria* Herrich-Schäffer,[1848]
- 1411) Nychiodes (Eunychiodes) divergaria (Staudinger,1892)** (Geometridae) Synonym(s): *divergaria* Staudinger,1892
- 1412) Nychiodes (Eunychiodes) variabila Brandt,1938** (Geometridae) Synonym(s): *variabila* Brandt,1938; *#variabilis* auct.
- 1413) Nychiodes (Fritzwagneria) dalmatina F.Wagner,1909** (Geometridae) Synonym(s): *dalmatina* F.Wagner,1909
- 1414) Nychiodes (Fritzwagneria) rayatica Wiltshire,1957** (Geometridae) Synonym(s): *rayatica* Wiltshire,1957
- 1415) Nychiodes (Fritzwagneria) waltheri F.Wagner,1919** (Geometridae) Synonym(s): *waltheri* F.Wagner,1919.
- 1416) Nychiodes (s.str.) obscuraria (Villers,1789)** (Geometridae) Synonym(s): *obscuraria* Villers,1789; *obscurata* Borkhausen,1794; *lividaria* Hübner,[1799]
- 1417) Ochodontia adustaria Fischer de Waldheim,1840** (Geometridae) Synonym(s): *adustaria* Fischer de Waldheim,1840; *sareptanaria* Freyer,1841; *#sareptaria* Eversmann,1844
- 1418) Odezia atrata (Linnaeus,1758)** (Geometridae) Synonym(s): *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpenberg,1887; *meridionalis* Reisser,1935
- 1419) Odontognophos zacharius (Staudinger,1879)** (Geometridae) Synonym(s): *zacharia* Staudinger,1879
- 1420) Odontopera bidentata (Linnaeus,1761)** (Geometridae) Synonym(s): *#bidentata* Clerck,1759; *bidentata* Linnaeus,1761; *bidentaria* Fabricius,1794; *dentaria* Hübner,[1799].
- 1421) Operophtera brumata (Linnaeus,1758)** (Geometridae) Synonym(s): *brumata* Linnaeus,1758; *hyemata* Hufnagel,1767; *hyemalis* Retzius,1783; *brumaria* Esper,1801; *vulgaris* Stephens,1829; *phryganea* Rambur,1870; *myricaria* Cooke,1882
- 1422) Operophtera fagata (Scharfenberg,1805)** (Geometridae) Synonym(s): *fagata* Scharfenberg,1805; *boreata* Hübner,[1813]; *borearia* Boisduval,1840
- 1423) Opisthograptis luteolata (Linnaeus,1758)** (Geometridae) Synonym(s): *luteolata* Linnaeus,1758; *crataegata* Linnaeus,1761; *crataegaria* Hübner,[1823]; *#emaculata* Graeser,1892; *impunctata* Osthelder,1931.
- 1424) Opisthograptis niko (Christoph,1893)** (Geometridae) Synonym(s): *niko* Christoph,1893

- 1425) Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonym(s): *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905
- 1426) Orthonama vittata (Borkhausen,1794)** (Geometridae) Synonym(s): *vittata* Borkhausen,1794; *lignata* Hübner,[1799]; *areolaria* Haworth,1809; *lineataria* Donovan,1810; *lignaria* Boisduval,1840
- 1427) Orthostixis calcularia Lederer,1853** (Geometridae) Synonym(s): *calcularia* Lederer,1853
- 1428) Orthostixis cribraria (Hübner,[1799])** (Geometridae) Synonym(s): *cribraria* Hübner,[1799].
- 1429) Oulobophora externata Freyer,1846** (Geometridae) Synonym(s): *#externata* Herrich-Schäffer,1843; *externata* Freyer,1846; *turcosyrica* Wehrli,1934.
- 1430) Oulobophora internata (Püngeler,1888)** (Geometridae) Synonym(s): *internata* Püngeler,1888; *macedonica* Staudinger,1892
- 1431) Ourapteryx malatyensis Wehrli,1936** (Geometridae) Synonym(s): *malatyensis* Wehrli,1936; *#malatyana* Wehrli,1936 [Tafel II].
- 1432) Ourapteryx persica Ménétriés,1832** (Geometridae) Synonym(s): *persica* Ménétriés,1832
- 1433) Ourapteryx sambucaria (Linnaeus,1758)** (Geometridae) Synonym(s): *sambucaria* Linnaeus,1758.
- 1434) Pachycnemia hippocastanaria (Hübner,[1799])** (Geometridae) Synonym(s): *hippocastanaria* Hübner,[1799]; *anomalata* Haworth,1812; *degenerata* Hübner,[1813]; *difformaria* Hübner,[1825]; *hippocastanata* Treitschke,1827; *modestaria* Lempke,1970
- 1435) Paraboardia viertlii (Bohatsch,1883)** (Geometridae) Synonym(s): *viertlii* Bohatsch,1883
- 1436) Paradarisa consonaria (Hübner,[1799])** (Geometridae) Synonym(s): *consonaria* Hübner,[1799]; *tetragonaria* Curtis,1829
- 1437) Parectropis similaria (Hufnagel,1767)** (Geometridae) Synonym(s): *similaria* Hufnagel,1767; *corticaria* [Denis & Schiffermüller],1775; *extersaria* Hübner,[1799]; *luridata* Borkhausen,1794
- 1438) Pareulype berberata (Fabricius,1787)** (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840
- 1439) Pasiphila chloerata (Mabille,1870)** (Geometridae) Synonym(s): *chloerata* Mabille,1870; *consueta* Butler,1879; *horticolaria* Fuchs,1892
- 1440) Pasiphila debiliata (Hübner,[1817])** (Geometridae) Synonym(s): *debiliata* Hübner,[1817]; *nigropunctata* Chant,1833; *debiliaria* Boisduval,1840; *clerci* Krulikovsky,1891; *suspiciosa* Inoue,1982
- 1441) Pasiphila rectangulata (Linnaeus,1758)** (Geometridae) Synonym(s): *rectangulata* Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocereata* Haworth,1809; *sericeata* Haworth,1809; *subaerata* Hübner,[1817]; *rectangularia* Boisduval,1840
- 1442) Pellonia vibicaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789.
- 1443) Pelurga comitata (Linnaeus,1758)** (Geometridae) Synonym(s): *comitata* Linnaeus,1758
- 1444) Perconia strigillaria (Hübner,1787)** (Geometridae) Synonym(s): *strigillaria* Hübner,1787; *respersaria* Hübner,[1799]; *inaequaria* Haworth,1809; *herpeticaria* Rambur,1866; *grisearia* Lempke,1952; *fuscognaria* Lempke,1953
- 1445) Peribatodes correptarius (Zeller,1847)** (Geometridae) Synonym(s): *correptaria* Zeller,1847.
- 1446) Peribatodes ilicarius (Geyer,1833)** (Geometridae) Synonym(s): *ilicaria* Geyer,1833; *manuelarius* Herrich-Schäffer,1852; *maghrebica* Le Cerf,1923; *jacobiaria* Fernandez,1931
- 1447) Peribatodes rhomboidarius [Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goetze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943
- 1448) Peribatodes secundarius ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#secundaria* [Denis & Schiffermüller],1775; *fallentaria* Staudinger,1879; *druentaria* Cleu,1928; *syrisca* Wehrli,1933; *francosuevica* Schneider,1942; *rometschi* Schneider,1942; *occidentaria* Lempke,1953
- 1449) Peribatodes umbrarius (Hübner,[1809])** (Geometridae) Synonym(s): *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
- 1450) Perizoma albulata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *albulata* [Denis & Schiffermüller],1775; *dissoluta* Strand,1902
- 1451) Perizoma alchemillata (Linnaeus,1758)** (Geometridae) Synonym(s): *alchemillata* Linnaeus,1758; *rivulata* [Denis & Schiffermüller],1775; *nassata* Fabricius,1794; *alchemillaria* Borkhausen,1794; *aparinata* Hübner,[1825]; *silenata* Stephens,1850; *fennica* Reuter,1893
- 1452) Perizoma bifaciata (Haworth,1809)** (Geometridae) Synonym(s): *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *aquilaria* Herrich-Schäffer,1848; *linulata* Guenée,[1858]; *odontata* Millière,1870; *#bifasciata* Rebel,1939
- 1453) Perizoma blandiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *blandiata* [Denis & Schiffermüller],1775; *adaequata* Borkhausen,1794; *derasata* Schrank,1802; *trigonata* Haworth,1809; *dilacerata* Zetterstedt,1839; *blandiaria* Boisduval,1840; *jucundaria* Boisduval,1840; *albidata* Eversmann,1842.

- 1454) Perizoma flavofasciata (Thunberg,1792)** (Geometridae) Synonym(s): *flavofasciata* Thunberg,1792; *decolorata* Thunberg,[1799] nec Viller,1789.
- 1455) Perizoma gigas Wiltshire,1976** (Geometridae) Synonym(s): *gigas* Wiltshire,1976
- 1456) Perizoma hydrata (Treitschke,1829)** (Geometridae) Synonym(s): *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852
- 1457) Perizoma lugdunaria (Herrich-Schäffer,1855)** (Geometridae) Synonym(s): *lugdunaria* Herrich-Schäffer,1855
- 1458) Perizoma onurcani Can & Mironov,2006** (Geometridae) Synonym(s): *onurcani* Can & Mironov,2006
- 1459) Perizoma parahydrata Alberti,1969** (Geometridae) Synonym(s): *parahydrata* Alberti,1969
- 1460) Perizoma verberata (Scopoli,1763)** (Geometridae) Synonym(s): *verberata* Scopoli,1763; *rupestrata* [Denis & Schiffermüller],1775; *bassaria* Feisthamel,1835; *vogesaria* Peyerimhoff,1880; *pawlitscheki* Hormuzaki,1899
- 1461) Petrophora chlorosata (Scopoli,1763)** (Geometridae) Synonym(s): *chlorosata* Scopoli,1763; *innata* Fabricius,1794; *virgaria* Borkhausen,1794; *petraria* Hübner,[1799]; *petrata* Haworth,1809.
- 1462) Phaioگرامma etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903.
- 1463) Phaselia joestleinae Hausmann,1996** (Geometridae) Synonym(s): *joestleinae* Hausmann,1996
- 1464) Phaselia serrularia (Eversmann,1847)** (Geometridae) Synonym(s): *serrularia* Eversmann,1847; *phaeoleucaria* Lederer,1855.
- 1465) Phibalapteryx virgata (Hufnagel,1767)** (Geometridae) Synonym(s): *virgata* Hufnagel,1767; *lineolata* [Denis & Schiffermüller],1775; *obliquata* Thunberg,1784; *lineolaria* Boisduval,1840
- 1466) Phigalia pedaria (Fabricius,1787)** (Geometridae) Synonym(s): *#pilosaria* [Denis & Schiffermüller],1775; *pedaria* Fabricius,1787; *hyemaria* Borkhausen,1794; *extinctaria* Standfuss,1847.
- 1467) Philereme senescens (Staudinger,1892)** (Geometridae) Synonym(s): *senescens* Staudinger,1892
- 1468) Philereme transversata (Hufnagel,1767)** (Geometridae) Synonym(s): *transversata* Hufnagel,1767; *rhamnata* [Denis & Schiffermüller],1775.
- 1469) Philereme vetulata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *undulataria* Hufnagel,1767; *vetulata* [Denis & Schiffermüller],1775; *affectata* Eversmann,1842; *subductata* Walker,1862
- 1470) Phyllometra culminaria (Eversmann,1843)** (Geometridae) Synonym(s): *culminaria* Eversmann,1843; *desertaria* Freyer,1844.
- 1471) Plagodis dolabraria (Linnaeus,1767)** (Geometridae) Synonym(s): *dolabraria* Linnaeus,1767; *ustulataria* Hufnagel,1767; *fulvicans* Fourcroy,1785.
- 1472) Plagodis pulveraria (Linnaeus,1758)** (Geometridae) Synonym(s): *pulveraria* Linnaeus,1758; *diffusaria* Walker,1862
- 1473) Plemyria rubiginata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bicolorata* Hufnagel,1767 nec Hufn.,1766; *rubiginata* [Denis & Schiffermüller],1775.
- 1474) Problepsis ocellata (Frivaldszky,1845)** (Geometridae) Synonym(s): *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858]
- 1475) Proteuchloris neriaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *neriaria* Herrich-Schäffer,[1852].
- 1476) Protorhoe corollaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935.
- 1477) Protorhoe renodata (Püngeler,1909)** (Geometridae) Synonym(s): *renodata* Püngeler,1909
- 1478) Protorhoe unicata (Guenée,[1858])** (Geometridae) Synonym(s): *unicata* Guenée,[1858]
- 1479) Proutictis artesiaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller],1775
- 1480) Pseudopanthera macularia (Linnaeus,1758)** (Geometridae) Synonym(s): *macularia* Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrimaculata* Haworth,1809; *meridionalis* Galvagni,1908
- 1481) Pseudopanthera syriacata (Guenée,1852)** (Geometridae) Synonym(s): *syriacata* Guenée,1852; *#syriacaria* Wiltshire,1958
- 1482) Pseudoterpna coronillaria (Hübner,[1817])** (Geometridae) Synonym(s): *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 nec Z.,1847; *#coronillaria* Rebel,1939
- 1483) Pseudoterpna pruinata (Hufnagel,1767)** (Geometridae) Synonym(s): *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 nec Hufnagel,1767; *cythisaria* [Denis & Schiffermüller],1775; *genistaria* Villers,1789.
- 1484) Püngeleria capreolaria (Fabricius,1787)** (Geometridae) Synonym(s): *capreolaria* Fabricius,1787; *donzelaria* Duponchel,1829; *valesiaria* Vorbrodt & Müller-Rutz,1913
- 1485) Pydna badiaria (Freyer,[1841])** (Geometridae) Synonym(s): *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854.
- 1486) Pydna bahara (Brandt,1938)** (Geometridae) Synonym(s): *bahara* Brandt,1938
- 1487) Rheumaptera hastata (Linnaeus,1758)** (Geometridae) Synonym(s): *hastata* Linnaeus,1758; *heraclitaea* Fourcroy,1785; *hastaria* Boisduval,1840
- 1488) Rheumaptera montivagata Duponchel,1830** (Geometridae) Synonym(s): *montivagata* Duponchel,1830; *montivagaria* Boisduval,1840; *andalusica* Ribbe,1912

- 1489) Rhodometra sacraria (Linnaeus,1767)** (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858];
- 1490) Rhodostrophia auctata (Staudinger,1879)** (Geometridae) Synonym(s): *auctata* Staudinger,1879
- 1491) Rhodostrophia calabra (Petagna,1786)** (Geometridae) Synonym(s): *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabraria* Hübner,1790.
- 1492) Rhodostrophia cuprinaria (Christoph,1876)** (Geometridae) Synonym(s): *cuprinaria* Christoph,1876; *phaenicearia* Hampson,1907.
- 1493) Rhodostrophia discopunctata Amsel,1935** (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935
- 1494) Rhodostrophia jacularia (Hübner,[1813])** (Geometridae) Synonym(s): *jacularia* Hübner,[1813]; *minor* Alpheraky,1892; *tyugui* Vasilenko,1998
- 1495) Rhodostrophia sieversi (Christoph,1882)** (Geometridae) Synonym(s): *sieversi* Christoph,1882
- 1496) Rhodostrophia sp.n.** (Geometridae) Synonym(s):
- 1497) Rhodostrophia tabidaria (Zeller,1847)** (Geometridae) Synonym(s): *tabidaria* Zeller,1847
- 1498) Rhoptria asperaria (Hübner,[1817])** (Geometridae) Synonym(s): *asperaria* Hübner,[1817]; *collata* Hübner,[1826]; *pityata* Rambur,1829; *esteparentis* Agenjo,1933; *#aspersaria* Zukowsky,1941.
- 1499) Rhoptria dolosaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *dolosaria* Herrich-Schäffer,[1848]
- 1500) Rhoptria mardinata (Staudinger,1900)** (Geometridae) Synonym(s): *mardinata* Staudinger,1900; *pistaciae* Wiltshire,1943
- 1501) Schistostege nubilaria (Hübner,[1799])** (Geometridae) Synonym(s): *nubilaria* Hübner,[1799]; *exalbata* Hübner,[1817]; *knuppferi* Hoyningen-Huene,1904
- 1502) Scopula beckeraria (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853
- 1503) Scopula congruata (Zeller,1847)** (Geometridae) Synonym(s): *congruata* Zeller,1847; *leukiberica* Wehrli,1927; *ablutata* Dannehl,1927.
- 1504) Scopula decorata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806].
- 1505) Scopula drenowskii Sterneck,1941** (Geometridae) Synonym(s): *drenowskii* Sterneck,1941
- 1506) Scopula flaccidaria (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
- 1507) Scopula floslactata (Haworth,1809)** (Geometridae) Synonym(s): *spataceata* Scopoli,1763; *concanetata* Hufnagel,1767; *brunneata* Goeze,1781; *fulvostriata* Goeze,1781; *fulvicans*, *strigata* Fourcroy,1785; *dentilineata* Borkhausen,1794; *remutata* Hübner,1799; *floslactata* Haworth,1809; *lactata* Haworth,1809; *scotica* Cockayne,1951.
- 1508) Scopula imitaria (Hübner,[1799])** (Geometridae) Synonym(s): *fimbriata* Fourcroy,1785 nec Schreb.,1759; *imitaria* Hübner,[1799]
- 1509) Scopula immistaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
- 1510) Scopula immorata (Linnaeus,1758)** (Geometridae) Synonym(s): *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festuaria* Brahm,1791 nec Hbn.,1790; *fuscata* Fabricius,1794 nec Hfn.,1767; *immoraria* Hübner,[1799]; *serenata* Turati,1905; *myrtillata* Dadd,1911
- 1511) Scopula immutata (Linnaeus,1758)** (Geometridae) Synonym(s): *immutata* Linnaeus,1758; *pallidata* Borkhausen,1794.
- 1512) Scopula incanata (Linnaeus,1758)** (Geometridae) Synonym(s): *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846
- 1513) Scopula luridata (Zeller,1847)** (Geometridae) Synonym(s): *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855
- 1514) Scopula marginepunctata (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
- 1515) Scopula minorata (Boisduval,1833)** (Geometridae) Synonym(s): *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabilie,1900; *mombasae* W.Warren,1904; *dresnayi* D.Lucas,1937.
- 1516) Scopula nigropunctata (Hufnagel,1767)** (Geometridae) Synonym(s): *nigropunctata* Hufnagel,1767; *nemorata* Borkhausen,1794; *tristriaria* Fabricius,1794; *inspersata* Schrank,1802; *exemptaria* Hübner,[1823]
- 1517) Scopula ochraceata (Staudinger,1901)** (Geometridae) Synonym(s): *ochraceata* Staudinger,1901
- 1518) Scopula orientalis (Alpheraky,1876)** (Geometridae) Synonym(s): *orientalis* Alpheraky,1876
- 1519) Scopula ornata (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottentburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.

- 1520) Scopula pseudohonestata (Wehrli,1926)** (Geometridae) Synonym(s): *pseudohonestata* Wehrli,1926
- 1521) Scopula rubiginata (Hufnagel,1767)** (Geometridae) Synonym(s): *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839
- 1522) Scopula submutata (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
- 1523) Scopula tessellaria (Boisduval,1840)** (Geometridae) Synonym(s): *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955
- 1524) Scopula transcaspica L.B.Prout,1935** (Geometridae) Synonym(s): *transcaspica* L.B.Prout,1935
- 1525) Scopula turbulentaria (Staudinger,1870)** (Geometridae) Synonym(s): *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturcica* Wehrli,1934
- 1526) Scopula vigilata (Wagner,1926)** (Geometridae) Synonym(s): *#submutulata* Rebel,1902; *#vigilata* L.B.Prout,1913; *vigilata* Wagner,1926; *turatii* Wagner,1926; *submutulata* Wagner,1926
- 1527) Scopula virgulata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *virgulata* [Denis & Schiffermüller],1775; *strigaria* Hübner,[1799]; *virgularia* Hübner,[1825]; *sulcaria* Hübner,[1825].
- 1528) Scotopteryx alpherakii (Erschoff,1877)** (Geometridae) Synonym(s): *alpherakii* Erschoff,1877
- 1529) Scotopteryx bipunctaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 *nec* Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851
- 1530) Scotopteryx chenopodiata (Linnaeus,1758)** (Geometridae) Synonym(s): *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829
- 1531) Scotopteryx coarctaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809]
- 1532) Scotopteryx diana Riemis,1997** (Geometridae) Synonym(s): *diana* Riemis,1997
- 1533) Scotopteryx kuznetzovi (Vardikjan,1957)** (Geometridae) Synonym(s): *kuznetzovi* Vardikjan,1957
- 1534) Scotopteryx langi (Christoph,1885)** (Geometridae) Synonym(s): *langi* Christoph,1885
- 1535) Scotopteryx luridata (Hufnagel,1767)** (Geometridae) Synonym(s): *luridata* Hufnagel,1767; *plumbaria* Fabricius,1775; *palumbaria* [Denis & Schiffermüller],1775; *marginaria* Goeze,1781; *quadrifasciaria* Thunberg,1784; *luridaria* Brahm,1791; *palumbata* Hübner,[1825]
- 1536) Scotopteryx moeniata (Scopoli,1763)** (Geometridae) Synonym(s): *moeniata* Scopoli,1763; *moenaria* [Denis & Schiffermüller],1775; *fimbriata* Fabricius,1777 *nec* Schr.,1759; *angulata* Rottemburg,1777 *nec* Hufn.,1767; *moenataria* Villers,1789; *modesta* Lempke,1967
- 1537) Scotopteryx mucronata (Scopoli,1763)** (Geometridae) Synonym(s): *mucronata* Scopoli,1763; *virgaria* Esper,[1801]; *turturia* Treitschke,1827
- 1538) Scotopteryx nebulata (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *nebulata* A.Bang-Haas,1907
- 1539) Scotopteryx octodurensis (Favre,1903)** (Geometridae) Synonym(s): *octodurensis* Favre,1903; *nevadina* Wehrli,1927
- 1540) Scotopteryx vicinaria (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919
- 1541) Selenia dentaria (Fabricius,1775)** (Geometridae) Synonym(s): *dentaria* Fabricius,1775; *gagathes* Goeze,1781; *achataea* Fourcroy,1785; *ustularia* Donovan,1794; *illunaria* Hübner,[1799]; *bilunaria* Esper,[1801]; *juliaria* Haworth,1809; *minor* Boisduval,1840
- 1542) Selenia lunularia (Hübner,1788)** (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 *nec* Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831
- 1543) Selidosema brunnearium (Villers,1789)** (Geometridae) Synonym(s): *brunnearia* Villers,1789; *ericetaria* Villers,1789; *subfimbriata* Haworth,1812; *oelandica* Wahlgren,1913.
- 1544) Selidosema plumarium ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#plumaria* [Denis & Schiffermüller],1775; *limbata* Rambur,1829.
- 1545) Siona lineata (Scopoli,1763)** (Geometridae) Synonym(s): *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 *nec* Fabr.,1775; *dealbaria* Hübner,[1799]
- 1546) Stamnodes depeculata (Lederer,1870)** (Geometridae) Synonym(s): *depeculata* Lederer,1870
- 1547) Stegania dalmataria (Guenée,[1858])** (Geometridae) Synonym(s): *dalmataria* Guenée,[1858]
- 1548) Stegania dilectaria (Hübner,1790)** (Geometridae) Synonym(s): *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832]
- 1549) Stegania trimaculata (Villers,1789)** (Geometridae) Synonym(s): *trimaculata* Villers,1789; *permutataria* Hübner,[1799]; *albica* Bruand,1846; *cognataria* Lederer,1853
- 1550) Stueningia wolfi Hausmann,1993** (Geometridae) Synonym(s): *wolfi* Hausmann,1993
- 1551) Synopsis sociaria (Hübner,[1799])** (Geometridae) Synonym(s): *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926
- 1552) Tephрина sp.n.** (Geometridae) Synonym(s):

- 1553) *Tephрина arenacearia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *arenacearia* [Denis & Schiffermüller],1775; *flavidaria* Eversmann,1852; *discriminaria* Walker,1862; *irradiata* Walker,1862; *impreviata* Walker,1863; *stena* Wehrli,1940
- 1554) *Tephрина hopfferaria* (Staudinger,1879)** (Geometridae) Synonym(s): *hopfferaria* Staudinger,1879
- 1555) *Tephрина murinaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *murinaria* [Denis & Schiffermüller],1775; *nubecularia* Villers,1789; *myosaria* Esper,[1806]; *cineraria* Duponchel,1829; *buffonaria* Millière,1855
- 1556) *Tephronia oppositaria* Mann,1864** (Geometridae) Synonym(s): *oppositaria* Mann,1864
- 1557) *Tephronia sepiaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *sepiaria* Hufnagel,1767; *cineraria* [Denis & Schiffermüller],1775; *carieraria* Herrich-Schäffer,1848; *destituta* Walker,1870; *fingalata* Millière,1873
- 1558) *Thalera fimbrialis* (Scopoli,1763)** (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
- 1559) *Thera (Pennithera) firmata* (Hübner,[1822])** (Geometridae) Synonym(s): *firmata* Hübner,[1822]; *consobrinata* Curtis,1834; *firmaria* Treitschke,1835
- 1560) *Thera (s.str.) britannica* (Turner,1925)** (Geometridae) Synonym(s): *britannica* Turner,1925; *albonigrata* Gornik,1942
- 1561) *Thera (s.str.) cognata* (Thunberg,1792)** (Geometridae) Synonym(s): *cognata* Thunberg,1792; *simulata* Hübner,[1809]; *coniferata* Curtis,1834; *geneata* Feisthamel,1835; *simularia* Boisduval,1840; *genearia* Boisduval,1840
- 1562) *Thera (s.str.) cupressata* (Geyer,[1831])** (Geometridae) Synonym(s): *cupressata* (Geyer,[1831]; *cupressaria* Boisduval,1840
- 1563) *Thera (s.str.) juniperata* (Linnaeus,1758)** (Geometridae) Synonym(s): *juniperata* Linnaeus,1758; *juniperaria* Boisduval,1840
- 1564) *Thera (s.str.) obeliscata* (Hübner,1787)** (Geometridae) Synonym(s): *obeliscata* Hübner,1787; *tristrigaria* Donovan,1808; *scotica* Staudinger,1901; *diniensis* Heinrich,1923
- 1565) *Thera (s.str.) variata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *variata* [Denis & Schiffermüller],1775; *adumbrata* Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932.
- 1566) *Therapis flavicaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *flavicaria* [Denis & Schiffermüller],1775
- 1567) *Theria rupicaprararia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rupicaprararia* [Denis & Schiffermüller],1775
- 1568) *Thetidia crucigerata* (Christoph,1887)** (Geometridae) Synonym(s): *crucigerata* Christoph,1887
- 1569) *Thetidia persica* Hausmann,1996** (Geometridae) Synonym(s): *persica* Hausmann,1996
- 1570) *Thetidia prasinaria* (Eversmann,1837)** (Geometridae) Synonym(s): *prasinaria* Eversmann,1837; *volgaria* Guenée,[1858]; *mongolica* Staudinger,1897
- 1571) *Thetidia smaragdaria* (Fabricius,1787)** (Geometridae) Synonym(s): *smaragdaria* Fabricius,1787
- 1572) *Timandra comae* Schmidt,1931** (Geometridae) Synonym(s): *angulata* Fourcroy,1785 *nec* Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994
- 1573) *Timandra griseata* W.Petersen,1902** (Geometridae) Synonym(s): *griseata* W.Petersen,1902
- 1574) *Trichodezia haberhaueri* (Lederer,1864)** (Geometridae) Synonym(s): *haberhaueri* Lederer,1864; *ledereri* Staudinger,1901
- 1575) *Triphosa agnata* Le Cerf,1918** (Geometridae) Synonym(s): *agnata* Le Cerf,1918; *oberthueri* Le Cerf,1918.
- 1576) *Triphosa dubitata* (Linnaeus,1758)** (Geometridae) Synonym(s): *dubitata* Linnaeus,1758
- 1577) *Triphosa sabaudiata* (Duponchel,1830)** (Geometridae) Synonym(s): *sabaudiata* Duponchel,1830
- 1578) *Triphosa taochata* Lederer,1870** (Geometridae) Synonym(s): *taochata* Lederer,1870
- 1579) *Venusia blomeri* (Curtis,1832)** (Geometridae) Synonym(s): *blomeri* Curtis,1832; *pulchraria* Eversmann,1842; *szechuanensis* Wehrli,1931
- 1580) *Wehrliola revocaria* (Staudinger,1892)** (Geometridae) Synonym(s): *revocaria* Staudinger,1892; *#fasciata* Wagner,1931.
- 1581) *Xanthorhoe (s.str.) montanata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *montanata* [Denis & Schiffermüller],1775; *implicata* Villers,1789; *implicaria* Haworth,1809; *montanaria* Treitschke,1828
- 1582) *Xanthorhoe biriviata* (Borkhausen,1794)** (Geometridae) Synonym(s): *biriviata* Borkhausen,1794; *pomoeraria* Eversmann,1844
- 1583) *Xanthorhoe decoloraria* (Esper,[1806])** (Geometridae) Synonym(s): *decoloraria* Esper,[1806]; *munitata* Hübner,[1809]; *munitaria* Boisduval,1840; *collinaria* Metzner,1840; *pauperrimata* Christoph,1888
- 1584) *Xanthorhoe designata* (Hufnagel,1767)** (Geometridae) Synonym(s): *designata* Hufnagel,1767; *propugnata* [Denis & Schiffermüller],1775; *fuscofasciata* Retzius,1783; *fuscaria* Villers,1789; *propugnaria* Treitschke,1825
- 1585) *Xanthorhoe ferrugata* (Clerck,1759)** (Geometridae) Synonym(s): *#ferrugata* Clerck,1759; *corculata* Hufnagel,1767; *ferrugaria* [Denis & Schiffermüller],1775; *littorea* Fourcroy,1785; *lictorea* Geoffroy,1800; *unidentaria* Haworth,1809

- 1586) Xanthorhoe fluctuata (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
- 1587) Xanthorhoe inconsiderata (Staudinger,1892)** (Geometridae) Synonym(s): *inconsiderata* Staudinger,1892
- 1588) Xanthorhoe oxybiata (Millière,1872)** (Geometridae) Synonym(s): *oxybiata* Millière,1872
- 1589) Xanthorhoe quadrifasciata (Linnaeus,1761)** (Geometridae) Synonym(s): *#quadrifasciaria* Clerck,1759; *quadrifasciata* Linnaeus,1761; *ligustrata* [Denis & Schiffermüller],1775; *undulataria* Villers,1789; *badiata* Borkhausen,1794; *ligustraria* Treitschke,1825; *#quadrifasciata* Viidalepp,1996
- 1590) Xanthorhoe rectifasciaria (Lederer,1853)** (Geometridae) Synonym(s): *rectifasciaria* Lederer,1853; *orthogrammaria* Guenée,[1858]
- 1591) Xanthorhoe spadicearia ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *spadicearia* [Denis & Schiffermüller],1775; *alchemillaria* Esper,1801; *livinaria* LaHarpe,1855
- 1592) Xenochlorodes beryllaria (Mann,1853)** (Geometridae) Synonym(s): *beryllaria* Mann,1853; *aureliaria* Millière,1863
- 1593) Xenochlorodes olympiaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *olympiaria* Herrich-Schäffer,[1852]; *cremonaria* Staudinger,1897; *pallida* W.Warren,1897.

GLYPHIPTERYGIDAE

- 1594) Glyphipterix equitella (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *equitella* Scopoli,1763; *majorella* Heinemann & Wocke,[1876]; *minorella* Snellen,1882; *crassilunella* Rebel,1916; *zermattensis* Amsel,1933; *sexguttella* Toll,1936
- 1595) Glyphipterix forsterella (Fabricius,1781)** (Glyphipterygidae) Synonym(s): *forsterella* Fabricius,1781; *lucasella* Duponchel,1838; *variella* Zeller,1839; *oculatella* Zeller,1850; *albinaculella* Heinemann,1877
- 1596) Glyphipterix simpliciella (Stephens,1834)** (Glyphipterygidae) Synonym(s): *simpliciella* Stephens,1834; *cognatella* Stephens,1834; *conjunctella* Costa,1834; *colluripennella* Costa,1834; *aechmiella* Duponchel,1838; *fischeriella* Zeller,1839; *desideratella* Duponchel,1842; *roeslerstammella* Fischer v. Roeslerstamm,1843; *?nattani* Gozmany,1954
- 1597) Glyphipterix thrasonella (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *thrasonella* Scopoli,1763; *klemannella* Fabricius,1781; *fuesella* Fabricius,1787; *fyesella* Fabricius,1794; *ahornerella* Hübner,1796; *seppella* Hübner,1796; *aillyella* Hübner,1796; *triguttella* Donovan,1806; *fueslii* Haworth,1828; *equitella* Treitschke,1833; *poeyella* Duponchel,1838; *cladiella* Stainton,1859; *eyndhoveniella* Snellen,1882; *albardella* Snellen,1882; *#nitens* Bankes,1907; *struvei* Amsel,1938

GRACILLARIIDAE

- 1598) Acrocercops brongniardella (Fabricius,1798)** (Gracillariidae) Synonym(s): *brongniardella* Fabricius,1798; *substriga* Haworth,1828; *quercetella* Zeller,1838; *curtisella* Duponchel,[1840]
- 1599) Aspilapteryx (Sabulopteryx) inquinata Triberti,1985** (Gracillariidae) Synonym(s): *inquinata* Triberti,1985
- 1600) Aspilapteryx (Sabulopteryx) limosella (Duponchel,1844)** (Gracillariidae) Synonym(s): *limosella* Duponchel,1844
- 1601) Aspilapteryx (s.str.) tringipennella (Zeller,1839)** (Gracillariidae) Synonym(s): *tringipennella* Zeller,1839; *fringilella* Duponchel,1843.
- 1602) Callisto denticulella (Thunberg,1794)** (Gracillariidae) Synonym(s): *denticulella* Thunberg,1794; *gyllenhalella* Thunberg,1794; *malinella* Hübner,[1813]; *guttea* Haworth,1828; *guttiferella* Duponchel,1840; *marginimaculella* Eversmann,1844; *guttella* Doubleday,1859; *solitariella* Dietz,1907
- 1603) Caloptilia (Povolnya) leucapennella (Stephens,1835)** (Gracillariidae) Synonym(s): *sulphurella* Haworth,[1828] nec Fabr.,1777; *leucapennella* Stephens,1835; *citrinellum* Zeller,1839; *aurantiella* Peyerimhoff,1871.
- 1604) Caloptilia (s.str.) alchimiella (Scopoli,1763)** (Gracillariidae) Synonym(s): *alchimiella* Scopoli,1763; *crucifera* Fourcroy,1785; *swederella* Thunberg,1788; *thunbergella* Fabricius,1794; *franckella* Hübner,1796; *thunbergii* Haworth,1828; *hilaripennella* Treitschke,1833; *sardiniella* Amsel,1936
- 1605) Caloptilia (s.str.) braccatella (Staudinger,1870)** (Gracillariidae) Synonym(s): *braccatella* Staudinger,1870; *?mutilata* Staudinger,1880
- 1606) Caloptilia (s.str.) coruscans (Walsingham,1907)** (Gracillariidae) Synonym(s): *coruscans* Walsingham,1907; *schinella* Walsingham,1908; *terebinthiella* Chrétien,1910; *instincta* Meyrick,1922; *ferruginipennis* Turati,1924
- 1607) Caloptilia (s.str.) cuculipennella (Hübner,1796)** (Gracillariidae) Synonym(s): *cuculipennella* Hübner,1796; *cinerea* Haworth,1828; *ligustrinellum* Zeller,1839; *alaudella* Duponchel,[1840]

- 1608) Caloptilia (s.str.) elongella (Linnaeus,1761)** (Gracillariidae) Synonym(s): *elongella* Linnaeus,1761; *punctella* Linnaeus,1761; *signipennella* Hübner,1796; *elongatus* Fabricius,1798; *signipennis* Haworth,1828; *bruneorubella* Bruand,1850; *inconstans* Stainton,1851; *stramineella* Stainton,1851; *inconstantella* Bruand,1859
- 1609) Caloptilia (s.str.) fidella (Reutti,1853)** (Gracillariidae) Synonym(s): *fidella* Reutti,1853
- 1610) Caloptilia (s.str.) fribergensis (Fritzsche,1871)** (Gracillariidae) Synonym(s): *fribergensis* Fritzsche,1871; *monspessulanella* Klimesch,1942
- 1611) Caloptilia (s.str.) hemidactylella ([Denis & Schiffermüller],1775)** (Gracillariidae) Synonym(s): *hemidactylella* [Denis & Schiffermüller],1775; *hemedactylus* Fabricius,1798
- 1612) Caloptilia (s.str.) onustella (Hübner,[1813])** (Gracillariidae) Synonym(s): *onustella* Hübner,[1813]
- 1613) Caloptilia (s.str.) pallescens (Staudinger,1880)** (Gracillariidae) Synonym(s): *pallescens* Staudinger,1880
- 1614) Caloptilia (s.str.) rhodinella (Herrich-Schäffer,[1854])** (Gracillariidae) Synonym(s): *rhodinella* Herrich-Schäffer,[1854]
- 1615) Caloptilia (s.str.) robustella Jäckh,1972** (Gracillariidae) Synonym(s): *robustella* Jäckh,1972
- 1616) Caloptilia (s.str.) roscipennella (Hübner,1796)** (Gracillariidae) Synonym(s): *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867
- 1617) Caloptilia (s.str.) stigmatella (Fabricius,1781)** (Gracillariidae) Synonym(s): *stigmatella* Fabricius,1781; *cruciella* Goeze,1783; *equestris* Fourcroy,1783; *upupaepennella* Hübner,1796; *triangulella* Panzer,1799; *purpurea* Haworth,1828; *ochracea* Haworth,1828; *triangulosella* Costa,[1836]; *purpuriella* Chambers,1872; *consimilella* Frey,1876
- 1618) Calybites quadrisignella (Zeller,1839)** (Gracillariidae) Synonym(s): *quadrisignella* Zeller,1839
- 1619) Cupedia cupediella (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *cupediella* Herrich-Schäffer,1855
- 1620) Dialectica imperialella (Zeller,1847)** (Gracillariidae) Synonym(s): *imperialella* Zeller,1847
- 1621) Dialectica scalariella (Zeller,1850)** (Gracillariidae) Synonym(s): *scalariella* Zeller,1850
- 1622) Euspilapteryx auroguttella Stephens,1835** (Gracillariidae) Synonym(s): *stipella* Haworth,1828 *nec* Linn.,1761; *auroguttella* Stephens,1835; *lacertella* Zeller,1839; *plumbella* Duponchel,1845
- 1623) Gracillaria syringella (Fabricius,1794)** (Gracillariidae) Synonym(s): *?microdactylella* [Denis & Schiffermüller],1775; *syringella* Fabricius,1794; *anastomosis* Haworth,1828; *aedaeapennella* Treitschke,1833; *heringiella* Reutti,1898
- 1624) Micrurapteryx kollariella (Zeller,1839)** (Gracillariidae) Synonym(s): *kollariella* Zeller,1839
- 1625) Micrurapteryx sophorivora Kuznetsov & Tristan,1985** (Gracillariidae) Synonym(s): *sophorivora* Kuznetsov & Tristan,1985
- 1626) Parornix anglicella (Stainton,1850)** (Gracillariidae) Synonym(s): *nebulea* Haworth,1828; *anglicella* Stainton,1850; *fragariae* Stainton,1874; *rubiella* Caradja,1920
- 1627) Parornix anguliferella (Zeller,1847)** (Gracillariidae) Synonym(s): *anguliferella* Zeller,1847
- 1628) Parornix devoniella (Stainton,1850)** (Gracillariidae) Synonym(s): *devoniella* Stainton,1850; *avellanella* Stainton,1854; *avellanaecolella* Doubleday,1859; *cotoneastri* Caradja,1920
- 1629) Parornix finitimella (Zeller,1850)** (Gracillariidae) Synonym(s): *finitimella* Zeller,1850
- 1630) Parornix oculata Triberti,1979** (Gracillariidae) Synonym(s): *oculata* Triberti,1979
- 1631) Parornix torquillella (Zeller,1850)** (Gracillariidae) Synonym(s): *meleagripennella* Hübner,1796; *torquillella* Zeller,1850; *#torquillella* Doubleday,1859
- 1632) Phyllocnistis citrella Stainton,1856** (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913
- 1633) Phyllocnistis unipunctella (Stephens,1834)** (Gracillariidae) Synonym(s): *unipunctella* Stephens,1834; *augustella* Costa,[1836] *nec* Hübner,1796; *suffusella* Zeller,1848
- 1634) Phyllonorycter abrasella (Duponchel,1843)** (Gracillariidae) Synonym(s): *abrasella* Duponchel,1843; *abrasella* Zeller,1846
- 1635) Phyllonorycter acaciella (Duponchel,1843)** (Gracillariidae) Synonym(s): *acaciella* Duponchel,1843; *bentivoliella* Costantini,1923
- 1636) Phyllonorycter acerifoliella (Zeller,1839)** (Gracillariidae) Synonym(s): *sylvella* Haworth,[1828] *nec* Hübner,[1813]; *acerifoliella* Zeller,1839; *acernella* Duponchel,[1843]
- 1637) Phyllonorycter anatolica (Deschka,1970)** (Gracillariidae) Synonym(s): *anatolica* Deschka,1970
- 1638) Phyllonorycter armeniella (Kuznetsov,1958)** (Gracillariidae) Synonym(s): *armeniella* Kuznetsov,1958
- 1639) Phyllonorycter belotella (Staudinger,1859)** (Gracillariidae) Synonym(s): *belotella* Staudinger,1859
- 1640) Phyllonorycter blancardella (Fabricius,1781)** (Gracillariidae) Synonym(s): *blancardella* Fabricius,1781; *pyrariella* Tutt,1898; *concomitella* Banks,1899
- 1641) Phyllonorycter corylifoliella (Hübner,1796)** (Gracillariidae) Synonym(s): *corylifoliella* Hübner,1796; *betulae* Zeller,1839; *betulifoliella* Duponchel,[1845]; *caledoniella* Stainton,1851; *betulella* Herrich-Schäffer,1855

- 1642) Phyllonorycter deleta (Staudinger,1880)** (Gracillariidae) Synonym(s): *deleta Staudinger,1880*
- 1643) Phyllonorycter emberizaepennella (Bouché,1834)** (Gracillariidae) Synonym(s): *emberizaepennella Bouché,1834; pezzolella Herrich-Schäffer,1855*
- 1644) Phyllonorycter esperella (Goeze,1783)** (Gracillariidae) Synonym(s): *esperella Goeze,1783; quinnata Fourcroy,1785; quinnatella Villers,1789; caprinicolella Stainton,1851*
- 1645) Phyllonorycter flava Deschka,1975** (Gracillariidae) Synonym(s): *flava Deschka,1975*
- 1646) Phyllonorycter fraxinella (Zeller,1846)** (Gracillariidae) Synonym(s): *fraxinella Zeller,1846*
- 1647) Phyllonorycter gerasimovi (M.Hering,1930)** (Gracillariidae) Synonym(s): *gerasimovi M.Hering,1930*
- 1648) Phyllonorycter harrisella (Linnaeus,1761)** (Gracillariidae) Synonym(s): *harrisella Linnaeus,1761; cramerella Fabricius,1777; tenella Duponchel,[1843]*
- 1649) Phyllonorycter helianthemella (Herrich-Schäffer,1861)** (Gracillariidae) Synonym(s): *helianthemella Herrich-Schäffer,1861; cistifoliella Groschke,1944*
- 1650) Phyllonorycter kleemannella (Fabricius,1781)** (Gracillariidae) Synonym(s): *kleemannella Fabricius,1781*
- 1651) Phyllonorycter kuhlweiniella (Zeller,1839)** (Gracillariidae) Synonym(s): *hortella Fabricius,1794 nec Fabr.,1794; kuhlweiniella Zeller,1839; saportella Duponchel,1840*
- 1652) Phyllonorycter kUSDasi (Deschka,1970)** (Gracillariidae) Synonym(s): *kUSDasi Deschka,1970*
- 1653) Phyllonorycter lantanella (Schränk,1802)** (Gracillariidae) Synonym(s): *lantanella Schränk,1802; elatella Zeller,1846; confertella Heydenreich,1851*
- 1654) Phyllonorycter lautella (Zeller,1846)** (Gracillariidae) Synonym(s): *lautella Zeller,1846; irradiella Stainton,1854*
- 1655) Phyllonorycter macrantherella (Kuznetsov,1961)** (Gracillariidae) Synonym(s): *macrantherella Kuznetsov,1961*
- 1656) Phyllonorycter maestingella (Müller,1764)** (Gracillariidae) Synonym(s): *maestingella Müller,1764; faginella Zeller,1846; securiferella Stainton,1848; triguttella Stainton,1850; phegophagella Herrich-Schäffer,1855; hedemanni Caradja,1920*
- 1657) Phyllonorycter mannii (Zeller,1846)** (Gracillariidae) Synonym(s): *mannii Zeller,1846; manniella Herrich-Schäffer,1855; #manni M.Hering,1934*
- 1658) Phyllonorycter mespilella (Hübner,[1805])** (Gracillariidae) Synonym(s): *mespilella Hübner,[1805]; pomifoliella Zeller,1839; decimella Stainton,1851; aureopallidella Bruand,1859; pyrivorella Banks,1899*
- 1659) Phyllonorycter messaniella (Zeller,1846)** (Gracillariidae) Synonym(s): *messaniella Zeller,1846*
- 1660) Phyllonorycter millierella (Staudinger,1871)** (Gracillariidae) Synonym(s): *millierella Staudinger,1871; celtidella Rondani,1876*
- 1661) Phyllonorycter muelleriella (Zeller,1839)** (Gracillariidae) Synonym(s): *muelleriella Zeller,1839; amyotella Duponchel,1840*
- 1662) Phyllonorycter nivalis Deschka,1986** (Gracillariidae) Synonym(s): *nivalis Deschka,1986*
- 1663) Phyllonorycter oxyacanthae (Frey,1855)** (Gracillariidae) Synonym(s): *oxyacanthae Frey,1855*
- 1664) Phyllonorycter platani (Staudinger,1870)** (Gracillariidae) Synonym(s): *platani Staudinger,1870; felinella Heinrich,1920*
- 1665) Phyllonorycter populifoliella (Treitschke,1833)** (Gracillariidae) Synonym(s): *populifoliella Treitschke,1833; fritillella Koch,1856; pilosissimella Bruand,1859; petrassaniella Constantini,1923*
- 1666) Phyllonorycter pyrispinosae Deschka,1986** (Gracillariidae) Synonym(s): *pyrispinosae Deschka,1986*
- 1667) Phyllonorycter quercifoliella (Zeller,1839)** (Gracillariidae) Synonym(s): *quercifoliella Zeller,1839*
- 1668) Phyllonorycter roboris (Zeller,1839)** (Gracillariidae) Synonym(s): *roboris Zeller,1839; roborifoliella Duponchel,[1843]; roborella Stainton,1848*
- 1669) Phyllonorycter schreberella (Fabricius,1781)** (Gracillariidae) Synonym(s): *schreberella Fabricius,1781; ulminella Zeller,1839; guicciardiella Costantini,1923*
- 1670) Phyllonorycter spinicolella (Zeller,1846)** (Gracillariidae) Synonym(s): *spinicolella Zeller,1846; cerasicolella Herrich-Schäffer,1855*
- 1671) Phyllonorycter trifasciella (Haworth,[1828])** (Gracillariidae) Synonym(s): *trifasciella Haworth,[1828]*
- 1672) Polymitia eximipalpella (Gerasimov,1930)** (Gracillariidae) Synonym(s): *eximipalpella Gerasimov,1930; telaviviella Amsel,1935*
- 1673) Sauterina hofmanniella (Schleich,1867)** (Gracillariidae) Synonym(s): *hofmanniella Schleich,1867*
- 1674) Spulerina simploniella (Fischer v. Röslerstamm,1840)** (Gracillariidae) Synonym(s): *simploniella Fischer v. Röslerstamm,1840; eximiella Christoph,1888*

HELIODINIDAE

- 1675) *Heliodines roesella* (Linnaeus,1758) (Heliodinidae) Synonym(s): *roesella* Linnaeus,1758**

HEPIALIDAE

- 1676) *Hepialus humuli* (Linnaeus,1758) (Hepialidae) Synonym(s): *humuli* Linnaeus,1758; *humulator* Haworth,1802**
1677) *Korscheltellus lupulinus* (Linnaeus,1758) (Hepialidae) Synonym(s): *lupulinus* Linnaeus,1758; *serraticornis* Gmelin,1790; *obliquus* Fabricius,1794; *cora* Schrank,1801; *lupulator* Haworth,1802; *obliquator* Haworth,1802; *nebulosator* Haworth,1802; *fuscus* Haworth,1809; *angulum* Haworth,1809; *nebulosus* Haworth,1809; *nebulosus* Haworth,1828; *espanoli* Gregorio,1981
1678) *Triodia amasina* (Herrich-Schäffer,[1851]) (Hepialidae) Synonym(s): *amasina* Herrich-Schäffer,[1851]
1679) *Triodia sylvina* (Linnaeus,1761) (Hepialidae) Synonym(s): *sylvina* Linnaeus,1761; *hamma* [Denis & Schiffermüller],1775; *angulatum* Fabricius,1781; *multicolor* Fourcroy,1785; *crux* Fabricius,1787; *c-album* Villers,1789; *fauna* Schrank,1801; *cruxator* Haworth,1802; *angulator* Haworth,1802; *sylvinator* Haworth,1802; *kruegeri* Turati,1909; *androgynus* Agenjo,1942; *pardo* Agenjo,1942; *alfaroi* Agenjo,1942; *laincalvo* Agenjo,1942
1680) *Zenophasus schamyl* (Christoph,1888) (Hepialidae) Synonym(s): *schamyl* Christoph,1888

HESPERIIDAE

- 1681) *Carcharodus (Lavatheria) lavatherae* (Esper,[1783]) (Hesperiidae) Synonym(s): *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948.**
1682) *Carcharodus (Lavatheria) stauderi* Reverdin,1913 (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913.
1683) *Carcharodus (Reverdinus) flocciferus* (Zeller,1847) (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *altheae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.
1684) *Carcharodus (Reverdinus) orientalis* Reverdin,1913 (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *#aestatis* Graves,1928; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
1685) *Carcharodus (s.str.) alcaeae* (Esper,[1780]) (Hesperiidae) Synonym(s): *alcaeae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
1686) *Carterocephalus palaemon* (Pallas,1771) (Hesperiidae) Synonym(s): *palaemon* Pallas,1771; *paniscus* Fabricius,1775; *brontes* [Denis & Schiffermüller],1775; *mesapano* Scudder,1868; *skada* Edwards,1870.
1687) *Eogenes alcides* Herrich-Schäffer,[1852] (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer,[1852]
1688) *Eogenes lesliei* Evans,1926 (Hesperiidae) Synonym(s): *#lesliei* Evans,1912; *lesliei* Evans,1926.
1689) *Erynnis (Hesperopegasus) marloyi* (Boisduval,[1834]) (Hesperiidae) Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849].
1690) *Erynnis (s.str.) tages* (Linnaeus,1758) (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921.
1691) *Gegenes nostradamus* (Fabricius,1793) (Hesperiidae) Synonym(s): *nostradamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940.
1692) *Gegenes pumilio* (Hoffmannsegg,1804) (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrilli,1787 *nec* Fabr.,1775; *aetna* Boisduval,1840; *lefebvreii* Rambur,1842; *monochroa* Rebel,1907.
1693) *Hesperia comma* (Linnaeus,1758) (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.
1694) *Heteropterus morpheus* (Pallas,1771) (Hesperiidae) Synonym(s): *morpheus* Pallas,1771; *speculum* Rottemburg,1775; *steropes* Denis & Schiffermüller,1775; *aracanthus* Fabricius,1777; *speculifer* Fourcroy,1785.
1695) *Muschampia nomas* (Lederer,1855) (Hesperiidae) Synonym(s): *nomas* Lederer,1855
1696) *Muschampia plurimacula* (Christoph,1893) (Hesperiidae) Synonym(s): *plurimacula* Christoph,1893
1697) *Muschampia poggei* (Lederer,1858) (Hesperiidae) Synonym(s): *poggei* Lederer,1858
1698) *Muschampia proteides* (F.Wagner,1929) (Hesperiidae) Synonym(s): *proteides* F.Wagner,1929; *lycaonius* F.Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *#lycaomius* Benjamini & Avni,2001
1699) *Muschampia proto* (Ochsenheimer,1808) (Hesperiidae) Synonym(s): *proto* Ochsenheimer,1808
1700) *Muschampia tersa* Evans,1949 (Hesperiidae) Synonym(s): *tersa* Evans,1949

- 1701) *Muschampia tessellum* (Hübner,[1802])** (Hesperiidae) Synonym(s): *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816
- 1702) *Ochlodes venatus* (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s): *venatus* Bremer & Grey,[1852]
- 1703) *Pelopidas thrax* (Hübner,[1821])** (Hesperiidae) Synonym(s): *thrax* Hübner,[1821]; *midea* Walker,1870
- 1704) *Pyrgus aladaghensis* De Prins & Poorten,1995** (Hesperiidae) Synonym(s): *aladaghensis* De Prins & Poorten,1995
- 1705) *Pyrgus alveus* (Hübner,[1803])** (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
- 1706) *Pyrgus armoricanus* (Oberthür,1910)** (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
- 1707) *Pyrgus bolkariensis* De Prins & Poorten,1995** (Hesperiidae) Synonym(s): *bolkariensis* De Prins & Poorten,1995
- 1708) *Pyrgus carlinae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *carlinae* Rambur,[1839]; *olivacea* Oberthür,1910; *caecus* Turati & Verity,1911; *atrata* Verity,1925; *cottiana* Kaufman,1954.
- 1709) *Pyrgus carthami* (Hübner,[1813])** (Hesperiidae) Synonym(s): *carthami* Hübner,[1813]
- 1710) *Pyrgus cinarae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840
- 1711) *Pyrgus jupei* (Alberti,1967)** (Hesperiidae) Synonym(s): *jupei* Alberti,1967; *centralasiae* Renner,1991.
- 1712) *Pyrgus malvae* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938.
- 1713) *Pyrgus melotis* (Duponchel,[1834])** (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucus* Lederer,1853; *jordana* Hemming,1932.
- 1714) *Pyrgus serratulae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 1715) *Pyrgus sidae* (Esper,[1784])** (Hesperiidae) Synonym(s): *sidae* Esper,[1784]
- 1716) *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 1717) *Spialia* (s.str.) *osthelderi* (Pfeiffer,1932)** (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932
- 1718) *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 1719) *Thymelicus acteon* (Rottemburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 1720) *Thymelicus hyrax* (Lederer,1861)** (Hesperiidae) Synonym(s): *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 1721) *Thymelicus lineolus* (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 1722) *Thymelicus novus* (Reverdin,1916)** (Hesperiidae) Synonym(s): *novus* Reverdin,1916
- 1723) *Thymelicus sylvestris* (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brännich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905

INCURVARIIDAE

- 1724) *Alloclemensia devotella* Rebel,1893** (Incurvariidae) Synonym(s): *devotella* Rebel,1893
- 1725) *Incurvaria masculella* ([Denis & Schiffermüller],1775)** (Incurvariidae) Synonym(s): *masculella* [Denis & Schiffermüller],1775; *muscula* Haworth,[1828]; *spuria* Haworth,[1828].

LASIOCAMPIDAE

- 1726) *Chondrostega osthelderi* Püngeler,1925** (Lasiocampidae) Synonym(s): *osthelderi* Püngeler,1925
- 1727) *Chondrostega pastranum* Lederer,1858** (Lasiocampidae) Synonym(s): *pastranum* Lederer,1858; *hyrcanum* Staudinger,1871
- 1728) *Dendrolimus pini* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Michieli,1959
- 1729) *Eriogaster* (Autosphyla) *neogena* (Fischer de Waldheim,1824)** (Lasiocampidae) Synonym(s): *neogena* Fischer de Waldheim,1824
- 1730) *Eriogaster* (s.str.) *catax* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *catax* Linnaeus,1758; *lentipes* Esper,1783

- 1731) Eriogaster (s.str.) inspersa (Staudinger,1879)** (Lasiocampidae) Synonym(s): *inspersa* Staudinger,1879; *nippei* De Freina,1988
- 1732) Eriogaster (s.str.) lanestris (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *lanestris* Linnaeus,1758; *senecta* Graeser,1888
- 1733) Eriogaster (s.str.) pfeifferi Daniel,1932** (Lasiocampidae) Synonym(s): *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941
- 1734) Eriogaster (s.str.) rimicola (Schränk,1802)** (Lasiocampidae) Synonym(s): *#rimicola* [Denis & Schiffermüller],1775; *rimicola* Schränk,1802
- 1735) Eriogaster czipkai De Lajonquière,1975** (Lasiocampidae) Synonym(s): *czipkai* De Lajonquière,1975
- 1736) Gastropacha (s.str.) populifolia (Esper,[1782])** (Lasiocampidae) Synonym(s): *#populifolia* [Denis & Schiffermüller],1775; *populifolia* Esper,[1782]
- 1737) Gastropacha (s.str.) quercifolia (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909
- 1738) Lasiocampa eversmanni (Kindermann,1843)** (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
- 1739) Lasiocampa grandis (Rogenhofer,1891)** (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891
- 1740) Lasiocampa piontkovskii Sheljuzhko,1943** (Lasiocampidae) Synonym(s): *piontkovskii* Sheljuzhko,1943; *#pionkovskii* Didmanidze,2008
- 1741) Lasiocampa quercus (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millièr,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981
- 1742) Lasiocampa terreni (Herrich-Schäffer,1847)** (Lasiocampidae) Synonym(s): *terreni* Herrich-Schäffer,1847
- 1743) Lasiocampa trifolii ([Denis & Schiffermüller],1775)** (Lasiocampidae) Synonym(s): *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *ratamae* Herrich-Schäffer,1851; *bathseba* Staudinger,1891; *maculosa* Rogenhofer,1891
- 1744) Macrothylacia rubi (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *rubi* Linnaeus,1758
- 1745) Malacosoma alpicola Staudinger,1870 /primum Staudinger,1887** (Lasiocampidae) Synonym(s): *alpicola* Staudinger,1870
- 1746) Malacosoma castrensis (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *castrensis* Linnaeus,1758; *ksiezopolskii* Sheljuzhko,1943
- 1747) Malacosoma franconicum ([Denis & Schiffermüller],1775) /prima Staudinger,1887** (Lasiocampidae) Synonym(s): *#franconica* [Denis & Schiffermüller],1775; *grandiella* Boisduval,1840
- 1748) Malacosoma neustrium (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803
- 1749) Malacosoma parallellum Staudinger,1887** (Lasiocampidae) Synonym(s): *parallellum* Staudinger,1887
- 1750) Odonestis pruni (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *pruni* Linnaeus,1758
- 1751) Pachypasa otus (Drury,[1773])** (Lasiocampidae) Synonym(s): *otus* Drury,[1773]
- 1752) Phylodesma (s.str.) tremulifolium (Hübner,[1810])** (Lasiocampidae) Synonym(s): *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *danieli* De Lajonquière,1963; *#tremulifolium* De Freina,1999
- 1753) Poecilocampa alpina (Frey & Wulschlegel,1874)** (Lasiocampidae) Synonym(s): *alpina* Frey & Wulschlegel,1874; *pontica* De Freina,1999.
- 1754) Sena proxima (Staudinger,1894)** (Lasiocampidae) Synonym(s): *proxima* Staudinger,1894
- 1755) Sena sordida (Erschoff,1874)** (Lasiocampidae) Synonym(s): *sordida* Erschoff,1874; *cinerascens* Oberthür,1916
- 1756) Trichiura (s.str.) castiliana (Spuler,1908)** (Lasiocampidae) Synonym(s): *castiliana* Spuler,1908
- 1757) Trichiura (s.str.) crataegi (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *crataegi* Linnaeus,1758; *ariae* Hübner,[1824]; *scytharum* Seitz,1913; *albicans* Daniel,1956; *vallisincola* Daniel,1956; *griseotincta* Daniel,1956; *borealis* Daniel,1956; *#passini* Boursin,1957
- 1758) Trichiura (s.str.) sapor Wiltshire,1946** (Lasiocampidae) Synonym(s): *sapor* Wiltshire,1946
- 1759) Trichiura (s.str.) stroehlei Zolotuhin,2007** (Lasiocampidae) Synonym(s): *stroehlei* Zolotuhin,2007
- 1760) Trichiura (s.str.) verenae Witt,1981** (Lasiocampidae) Synonym(s): *verenae* Witt,1981; *witti* Ganev,1982

LECITHOCERIDAE

- 1761) Ceuthomadarus tenebrionellus Mann,1864** (Lecithoceridae) Synonym(s): *tenebrionellus* Mann,1864; *monochromella* Rebel,1902; *crepusculellus* Caradja,1920.

- 1762) Eurodachtha flavissimella (Mann,1862)** (Lecithoceridae) Synonym(s): *flavissimella* Mann,1862
1763) Eurodachtha nigralba Gozmany,1978 (Lecithoceridae) Synonym(s): *nigralba* Gozmany,1978
1764) Homaloxestis briantiella (Turati,1879) (Lecithoceridae) Synonym(s): *briantiella* Turati,1879
1765) Homaloxestis hades Gozmany,1978 (Lecithoceridae) Synonym(s): *hades* Gozmany,1978
1766) Lecithocera anatolica Gozmany,1978 (Lecithoceridae) Synonym(s): *anatolica* Gozmany,1978
1767) Lecithocera nigrana (Duponchel,1836) (Lecithoceridae) Synonym(s): *nigrana* Duponchel,1836; *laticornella* Zeller,1839; *orsoviella* Heinemann,1870; *#leticornella* Staudinger,1880.
1768) Lecithocera syriella Gozmany,1978 (Lecithoceridae) Synonym(s): *syriella* Gozmany,1978
1769) Lecithocera turcica Gozmany & Mey,2005 (Lecithoceridae) Synonym(s): *turcica* Gozmany & Mey,2005
1770) Odites (Gozmaniola) kollarella (Costa,[1836]) (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836]

LEMONIIDAE

- 1771) Lemonia balcanica Herrich-Schäffer,[1843]** (Lemoniidae) Synonym(s): *balcanica* Herrich-Schäffer,[1843]; *anatolica* Wagner,1931.
1772) Lemonia ballioni (Christoph,1888) (Lemoniidae) Synonym(s): *ballioni* Christoph,1888
1773) Lemonia dumi (Linnaeus,1761) (Lemoniidae) Synonym(s): *dumi* Linnaeus,1761; *dumeti* Linnaeus,1767
1774) Lemonia peilei Rothschild,1921 (Lemoniidae) Synonym(s): *peilei* Rothschild,1921
1775) Lemonia pia Püngeler,1902 (Lemoniidae) Synonym(s): *pia* Püngeler,1902
1776) Lemonia sacrosancta Püngeler,1902 (Lemoniidae) Synonym(s): *sacrosancta* Püngeler,1902
1777) Lemonia taraxaconis (Gmelin,1790) (Lemoniidae) Synonym(s): *#taraxaci* [Denis & Schiffermüller],1775; *taraxaconis* Gmelin,1790

LIBYTHEIDAE

- 1778) Libythea (s.str.) celtis (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis* Laicharting,1782

LIMACODIDAE

- 1779) Apoda limacodes (Hufnagel,1766)** (Limacodidae) Synonym(s): *limacodes* Hufnagel,1766; *testudo* [Denis & Schiffermüller],1775; *funalis* Donovan,1794; *testunidana* Hübner,[1799]; *avellana* auct.
1780) Heterogenea asella ([Denis & Schiffermüller],1775) (Limacodidae) Synonym(s): *#asella* [Denis & Schiffermüller],1775; *cruciata* Knoch,1783; *asellana* Hübner,[1799]
1781) Hoyosia cretica (Rebel,1906) (Limacodidae) Synonym(s): *cretica* Rebel,1906
1782) Latoia inexpectata (Staudinger,1895) (Limacodidae) Synonym(s): *inexpectata* Staudinger,1895

LYCAENIDAE

- 1783) Callophrys danchenkoi Zhdanko,1998** (Lycaenidae) Synonym(s): *danchenkoi* Zhdanko,1998
1784) Callophrys herculeana Pfeiffer,1927 (Lycaenidae) Synonym(s): *herculeana* Pfeiffer,1927
1785) Callophrys mystaphia Miller,1913 (Lycaenidae) Synonym(s): *mystaphia* Miller,1913
1786) Callophrys paulae Pfeiffer,1932 (Lycaenidae) Synonym(s): *paulae* Pfeiffer,1932; *?alpicola* Koçak,1989
1787) Callophrys rubi (Linnaeus,1758) (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758; *caecus* Fourcroy,1785; *virgatus* Verity,1913; *herculeana* Pfeiffer,1927
1788) Celastrina argiolus (Linnaeus,1758) (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
1789) Chilades (Freyeria) trochylus (Freyer,[1843]) (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
1790) Chilades (Lachides) galba (Lederer,1855) (Lycaenidae) Synonym(s): *galba* Lederer,1855
1791) Cigaritis acamas (Klug,1834) (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932

- 1792) Cigaritis cilissa Lederer,1861** (Lycaenidae) Synonym(s): *cilissa Lederer,1861; minima Staudinger,1901*
- 1793) Cigaritis uighurica Kemal & Koçak,2005** (Lycaenidae) Synonym(s): *maxima Staudinger,1901 nec Elw.,1892; uighurica Kemal & Koçak,2005*
- 1794) Cupido (Everes) alcetas (Hoffmannsegg,1804)** (Lycaenidae) Synonym(s): *tiresias Hübner,[1800] nec tiresias Rottemburg,1775; alcetas Hoffmannsegg,1804; coretas Ochsenheimer,1808.*
- 1795) Cupido (Everes) argiades (Pallas,1771)** (Lycaenidae) Synonym(s): *argiades Pallas,1771; tiresias Rottemburg,1775; amyntas [Denis & Schiffermüller],1775 nec Poda,1761; irenae Dujardin,1974.*
- 1796) Cupido (Everes) decoloratus (Staudinger,1886)** (Lycaenidae) Synonym(s): *decoloratus Staudinger,1886.*
- 1797) Cupido (s.str.) minimus (Fuessly,1775)** (Lycaenidae) Synonym(s): *minimus Fuessly,1775; alsus [Denis & Schiffermüller],1775; pseudolus Bersträßer,[1779]; puer Schrank,1801.*
- 1798) Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) Synonym(s): *osiris Meigen,[1829]; saportae Dupnchel,1832; violacea Verity,1911; sebrus Boisduval,[1833].*
- 1799) Cupido (s.str.) staudingeri (Christoph,1873)** (Lycaenidae) Synonym(s): *staudingeri Christoph,1873*
- 1800) Glaucopsyche (Apelles) astraea (Freyer,[1851])** (Lycaenidae) Synonym(s): *astraea Freyer,[1851]; #astrea Gerhard,1853*
- 1801) Glaucopsyche (Iolana) lessei Bernardi,1964** (Lycaenidae) Synonym(s): *lessei Bernardi,1964; christinae Betti,1977; cappadocia Betti,1977*
- 1802) Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) Synonym(s): *alexis Poda,1761; damaetas [Denis & Schiffermüller],1775; #sublugens Strand,1909; #insulicola Turati & Fiori,1930; mironi Coutsis,1976.*
- 1803) Lampides boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus Linnaeus,1767; damoetes Fabricius,1775; coluteae Fuessly,1775; pisorum Fourcroy,1785; boedicus Borkhausen,1788; #baeticus Latreille,1809; armeniensis Gerhard,1886; bagus Distant,1886*
- 1804) Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous Linnaeus,1767; telicanus Lang,1789; tetrica Sagarra,1925.*
- 1805) Lycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) Synonym(s): *alciphron Rottemburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787.*
- 1806) Lycaena (Heodes) ottomanus (Lefèbvre,[1830])** (Lycaenidae) Synonym(s): *ottomanus Lefèbvre,[1830]; legeri Freyer,1830.*
- 1807) Lycaena (Heodes) virgaureae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *virgaureae Linnaeus,1758; armeniaca A.Bang-Haas,1906; chrysorhoas Fruhstorfer,1917; balcanicola Graves,1928.*
- 1808) Lycaena (Loweia) tityrus (Poda,1761)** (Lycaenidae) Synonym(s): *tityrus Poda,1761; acrion [Brünnich],1763; orientalis Staudinger,1881; argentifex Balint,1990.*
- 1809) Lycaena (Margelycaena) euphratica (Eckweiler,1989)** (Lycaenidae) Synonym(s): *euphratica Eckweiler,1989*
- 1810) Lycaena (Palaeochrysophanus) candens (Herrich-Schäffer,[1845])** (Lycaenidae) Synonym(s): *candens Herrich-Schäffer,[1845]*
- 1811) Lycaena (Phoenicurusia) phoenicurus (Lederer,1870)** (Lycaenidae) Synonym(s): *phoenicurus Lederer,1870; transcaucasica Miller,1923*
- 1812) Lycaena (Thersamolycaena) dispar ([Haworth],1802)** (Lycaenidae) Synonym(s): *dispar [Haworth],1802; hippothoe Rottemburg,1775 nec Linnaeus,1761.*
- 1813) Lycaena (Thersamonia) asabinus (Gerhard,[1850])** (Lycaenidae) Synonym(s): *#helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852].*
- 1814) Lycaena (Thersamonia) kefersteinii (Gerhard,[1850])** (Lycaenidae) Synonym(s): *kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852].*
- 1815) Lycaena (Thersamonia) kurdistanicus (Riley,1921)** (Lycaenidae) Synonym(s): *kurdistanica Riley,1921*
- 1816) Lycaena (Thersamonia) lampon (Lederer,1870)** (Lycaenidae) Synonym(s): *lampon Lederer,1870*
- 1817) Lycaena (Thersamonia) thersamon (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus Cramer,[1775]; thersamon Esper,[1784]; omphale Klug,1834; persica Bienert,1870; #militaris Graves,1925.*
- 1818) Lycaena (Thersamonia) thetis (Klug,1834)** (Lycaenidae) Synonym(s): *thetis Klug,1834.*
- 1819) Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas Linnaeus,1761; virgaureae Fourcroy,1785 nec Linn.,1758; eleus Fabricius,1798; aestivus Zeller,1850; schmidtii Gerhard,1853*
- 1820) Phengaris arion (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion Linnaeus,1758; telegone Bergsträßer,1779; telegones Bergsträßer,1779; mamers Bergsträßer,1779; arctophoni Bergsträßer,1779; arcina Fruhstorfer,1910; eutyphron Fruhstorfer,1915; microchroa Verity,1948; gelbiae Lempke,1956*
- 1821) Phengaris nausithous (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *nausithous Bergsträßer,1779; nausithoe Bergsträßer,1779; arcas Rottemburg,1775 nec Drury,1773; erebus Knoch,1782.*
- 1822) Phengaris rebeli (Hirschke,1904)** (Lycaenidae) Synonym(s): *rebeli Hirschke,1904; coerulea Vorbrodt,1912; latimargo Courvoisier,1913; alpicola Beuret,1949; cruciata Beuret,1949; gadmensis Beuret,1949; magnalpicola Beuret,1949.*
- 1823) Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) Synonym(s): *carmon Gerhard,[1851, November]; euryphilus Freyer,[1851,December].*

- 1824) Plebejus (Kretania) iranicus (Forster,1938)** (Lycaenidae) Synonym(s): *iranicus* Forster,1938
- 1825) Plebejus (Lycaeides) argyrognomon (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *argyrognomon* Bergsträßer,[1779]; *argyrobis* Bergsträßer,[1779]; *argyrocapelus* Bergsträßer,[1779]; *argyrocopus* Bergsträßer,[1779]; *argyroela* Bergsträßer,[1779]; *argyrophylax* Bergsträßer,[1779]; *ismenias* Meigen,1829; *ligurica* Oberthür,1910; *aegus* Chapman,1917
- 1826) Plebejus (Lycaeides) christophi (Staudinger,1874)** (Lycaenidae) Synonym(s): *christophi* Staudinger,1874; *argivus* Staudinger,1886.
- 1827) Plebejus (Lycaeides) idas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793.
- 1828) Plebejus (Lycaeides) maracandicus (Erschoff,1874)** (Lycaenidae) Synonym(s): *maracandica* Erschoff,1874; *dschagatai* Groum-Grshimailo,1887; *buchara* Forster,1936.
- 1829) Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) Synonym(s): *modicus* Verity,1935; *microsephyrus* Verity,1935
- 1830) Plebejus (Plebejides) nichollae (Elwes,1901)** (Lycaenidae) Synonym(s): *nichollae* Elwes,1901
- 1831) Plebejus (Plebejides) sephirus (Frivaldszky,1835)** (Lycaenidae) Synonym(s): *sephirus* Frivaldszky,1835; *uhryki* Rebel,1911; *proximus* Szabo,1954; *kovacsi* Szabo,1954; *foticus* Szabo,1956.
- 1832) Plebejus (Plebejides) zephyrinus (Christoph,1884)** (Lycaenidae) Synonym(s): *zephyrinus* Christoph,1884
- 1833) Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931.
- 1834) Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003
- 1835) Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934.
- 1836) Polyommatus (Albulina (Plebejidea)) rosei (Eckweiler,1989)** (Lycaenidae) Synonym(s): *rosei* Eckweiler,1989
- 1837) Polyommatus (Albulina (Vacciniina)) alcedo (Christoph,1877)** (Lycaenidae) Synonym(s): *alcedo* Christoph,1877
- 1838) Polyommatus (Albulina (Vacciniina)) morgianus (Kirby,1871)** (Lycaenidae) Synonym(s): *hyrcana* Lederer,1869 nec Feld.,1860; *morgiana* Kirby,1871.
- 1839) Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 nec Fabr.,1775; *eumedon* Esper,[1780]; *osiris* O.Bang-Haas,1927 nec Hopff.,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
- 1840) Polyommatus (Aricia (Pseudoaricia)) hyacinthus (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): *hyacinthus* Herrich-Schäffer,[1847]; *guelayae* Schurian & Rose,1991; *silvestris* Schurian & Eckweiler,1993.
- 1841) Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) Synonym(s): *isauricus* Staudinger,1871
- 1842) Polyommatus (Aricia (Pseudoaricia)) teberdinus (Sheljuzhko,1934)** (Lycaenidae) Synonym(s): *teberdinus* Sheljuzhko,1934
- 1843) Polyommatus (Aricia (Pseudoaricia)) torulensis Hesselbarth & Siepe,1993** (Lycaenidae) Synonym(s): *torulensis* Hesselbarth & Siepe,1993
- 1844) Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) Synonym(s): *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Frivaldszky,1835; *orpheus* Nekrutenko,1980.
- 1845) Polyommatus (Aricia (Ultraaricia)) bassoni (T.Larsen,1974)** (Lycaenidae) Synonym(s): *bassoni* T.Larsen,1974
- 1846) Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) Synonym(s): *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909.
- 1847) Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 1848) Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) Synonym(s): *artaxerxes* Fabricius,1793.
- 1849) Polyommatus (s.str. (Agrodiaetus (Actisia))) actis (Herrich-Schäffer,[1851])** (Lycaenidae) Synonym(s): *atys* Gerhard,[May,1851] nec *atys* Hübner,1804 non Cramer,1780; *actis* Herrich-Schäffer,[December,1851]; *athis* Freyer,[December,1851].
- 1850) Polyommatus (s.str. (Agrodiaetus (Actisia))) artvinensis (Carbonell,1997)** (Lycaenidae) Synonym(s): *artvinensis* Carbonell,1997
- 1851) Polyommatus (s.str. (Agrodiaetus (Actisia))) bilgini (Dantchenko & Lukhtanov,2002)** (Lycaenidae) Synonym(s): *bilgini* Dantchenko & Lukhtanov,2002
- 1852) Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius (Carbonell,1998)** (Lycaenidae) Synonym(s): *cilicius* Carbonell,1998
- 1853) Polyommatus (s.str. (Agrodiaetus (Actisia))) haigi (Dantchenko & Lukhtanov,2002)** (Lycaenidae) Synonym(s): *haigi* Dantchenko & Lukhtanov,2002

- 1854) Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960)** (Lycaenidae)
Synonym(s): *pseudactis* Forster,1960; *vaspurakani* Lukhtanov & Dantchenko,2003
- 1855) Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis (Koçak,1979)** (Lycaenidae)
Synonym(s): *sertavulensis* Koçak,1979
- 1856) Polyommatus (s.str. (Agrodiaetus (Actisia))) sigberti Olivier, Poorten, Puplesiene & de Prins,2000** (Lycaenidae) Synonym(s): *sigberti* Olivier, Poorten, Puplesiene & de Prins,2000
- 1857) Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae)
Synonym(s): *admetus* Esper,[1783]
- 1858) Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae)
Synonym(s): *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 1859) Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis (Brown,1976)** (Lycaenidae)
Synonym(s): *aroaniensis* Brown,1976
- 1860) Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi (Lukhtanov, Wiemers & Meusemann,2003)** (Lycaenidae) Synonym(s): *dantchenkoi* Lukhtanov, Wiemers & Meusemann,2003
- 1861) Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *demavendi* Pfeiffer,1938; *#demaventi de Lesse*,1960
- 1862) Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) Synonym(s): *eriwanensis* Forster,1960
- 1863) Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae)
Synonym(s): *ripartii* Freyer,[1830].
- 1864) Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycaenidae)
Synonym(s): *antidolus* Rebel,1901
- 1865) Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus (Forster,1961)** (Lycaenidae) Synonym(s): *kurdistanicus* Forster,1961
- 1866) Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae)
Synonym(s): *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900.
- 1867) Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) Synonym(s): *mithridates* Staudinger,1878
- 1868) Polyommatus (s.str. (Agrodiaetus (Damaia))) dama (Staudinger,[1892])** (Lycaenidae)
Synonym(s): *dama* Staudinger,[1892]
- 1869) Polyommatus (s.str. (Agrodiaetus (Damaia))) hopfferi (Gerhard,[1851])** (Lycaenidae)
Synonym(s): *#hopferi* Herrich-Schäffer,[August,1851] (uninominal); *hopfferi* Gerhard,[November,1851]; *hopfferi* Herrich-Schäffer,31.December,1851]; *hadjina* Heyne,[1895]; *malatiae* Forster,1961.
- 1870) Polyommatus (s.str. (Agrodiaetus (Damaia))) lycius (Carbonell,1996)** (Lycaenidae)
Synonym(s): *lycius* Carbonell,1996
- 1871) Polyommatus (s.str. (Agrodiaetus (Damaia))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) Synonym(s): *poseidon* Herrich-Schäffer,[1851]; *mesopotamica* Staudinger,1892.
- 1872) Polyommatus (s.str. (Agrodiaetus (Damaia))) theresiae Schurian, Oorschot & Brink,1992** (Lycaenidae) Synonym(s): *theresiae* Schurian et al.,1992
- 1873) Polyommatus (s.str. (Agrodiaetus (Musa))) erzindjanensis (Carbonell,2002)** (Lycaenidae) Synonym(s): *erzindjanensis* Carbonell,[2003]
- 1874) Polyommatus (s.str. (Agrodiaetus (Musa))) maraschi (Forster,1956)** (Lycaenidae)
Synonym(s): *maraschi* Forster,1956
- 1875) Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae)
Synonym(s): *wagneri* Forster,1956
- 1876) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959)** (Lycaenidae)
Synonym(s): *baytopi* De Lesse,1959
- 1877) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) igisizilim Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *igisizilim* Koçak & Kemal,2001
- 1878) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphicarmon Eckweiler & Rose,1993** (Lycaenidae) Synonym(s): *iphicarmon* Eckweiler & Rose,1993
- 1879) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): *iphigenia* Herrich-Schäffer,[1847]
- 1880) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph,1877)** (Lycaenidae)
Synonym(s): *phyllis* Christoph,1877
- 1881) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri (De Lesse,1960)** (Lycaenidae)
Synonym(s): *tankeri* De Lesse,1960
- 1882) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae)
Synonym(s): *vanensis* De Lesse,1957
- 1883) Polyommatus (s.str. (Agrodiaetus (Transcaspius))) altivagans (Forster,1956)** (Lycaenidae) Synonym(s): *altivagans* Forster,1956
- 1884) Polyommatus (s.str. (Agrodiaetus (Transcaspius))) anticarmon (Koçak,1983)** (Lycaenidae) Synonym(s): *anticarmon* Koçak,1983; *charmieuxi* Pagés,1994

- 1885) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) aserbeidschanus (Forster,1956)**
(Lycaenidae) Synonym(s): *aserbeidschana* Forster,1956
- 1886) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) caeruleus (Staudinger,1871)**
(Lycaenidae) Synonym(s): *caeruleus* Staudinger,1871
- 1887) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) eurypilos (Gerhard,[1851])**
(Lycaenidae) Synonym(s): *eurypilos* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978
- 1888) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) guezelmavi Olivier et al.,1999**
(Lycaenidae) Synonym(s): *guezelmavi* Olivier et al.,1999
- 1889) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) huberti (Carbonell,1993)**
(Lycaenidae) Synonym(s): *huberti* Carbonell,1993
- 1890) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) ninae (Forster,1956)** (Lycaenidae)
Synonym(s): *ninae* Forster,1956
- 1891) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) pierceae (Lukhtanov & Dantchenko,2002)** (Lycaenidae) Synonym(s): *pierceae* Lukhtanov & Dantchenko,2002; *#rierceae* Lukhtanov & Dantchenko,2002
- 1892) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) schuriani (Rose,1978)** (Lycaenidae)
Synonym(s): *#schuriani* Rose,1978 [conditionally proposed]; *kunchuy* Koçak,1999
- 1893) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) surakovi Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *surakovi* Dantchenko & Lukhtanov,1994; *sekercioghui* Dantchenko & Lukhtanov,2002
- 1894) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) transcaspicus (Heyne,[1895])**
(Lycaenidae) Synonym(s): *transcaspicus* Heyne,[1895]; *transcaspicus* Staudinger,1899.
- 1895) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicola (Koçak,1977)** (Lycaenidae)
Synonym(s): *turcicola* Koçak,1977; *#turcicolus* Kandul et al.,2004
- 1896) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicus (Koçak,1977)** (Lycaenidae)
Synonym(s): *turcicus* Koçak,1977
- 1897) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zapvadi (Carbonell,1993)**
(Lycaenidae) Synonym(s): *zapvadi* Carbonell,1993
- 1898) Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae)
Synonym(s): *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956.
- 1899) Polyommatus (s.str. (Agrodiaetus (Xerxesia))) merhaba De Prins,1991** (Lycaenidae)
Synonym(s): *merhaba* De Prins,1991
- 1900) Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles (Herrich-Schäffer,[1844])**
(Lycaenidae) Synonym(s): *damocles* Herrich-Schäffer,[1844]
- 1901) Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)**
(Lycaenidae) Synonym(s): *damon* [Denis & Schiffermüller],1775
- 1902) Polyommatus (s.str. (Agrodiaetus (s.str.))) kanduli (Dantchenko & Lukhtanov,2002)**
(Lycaenidae) Synonym(s): *kanduli* Dantchenko & Lukhtanov,2002
- 1903) Polyommatus (s.str. (Agrodiaetus (s.str.))) putnami (Dantchenko & Lukhtanov,2002)**
(Lycaenidae) Synonym(s): *putnami* Dantchenko & Lukhtanov,2002
- 1904) Polyommatus (s.str. (Agrodiaetus) cilicinus (Charmieux,2008)** (Lycaenidae) Synonym(s):
cilicinus Charmieux,2008
- 1905) Polyommatus (s.str. (Cyaniris)) antiochenus (Lederer,1861)** (Lycaenidae) Synonym(s):
antiochena Lederer,1861
- 1906) Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) Synonym(s): *bellis*
Freyer,[1842]
- 1907) Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775)** (Lycaenidae) Synonym(s):
semiargus Rottemburg,1775; *acis* Denis & Schiffermüller,1775 nec Dry.,1773; *byzas* Bergsträßer,[1779]; *byze* Bergsträßer,[1779]; *argopoeus* Bergsträßer,[1779]; *byzenus* Bergsträßer,[1779]; *argopoei* Bergsträßer,[1779]; *cimon* Lewin,1795; *argianus* Dalman,1816.
- 1908) Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) Synonym(s):
bellargus Rottemburg,1775; *thetis* Rottemburg,1775 nec Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779;; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 1909) Polyommatus (s.str. (Lysandra)) coridon (Poda,1761)** (Lycaenidae) Synonym(s): *coridon*
Poda,1761; *graeca* Heyne,1895; *torgniensis* Haverkamp,1906; *altica* Neustetter,1909; *alpiumpallida* Verity,1926; *jurae* Verity,1926; *insulana* Verity,1926; *galliae* Verity,1926; *narbonensis* Verity,1926; *fumosa* Verity,1926; *italagallia* Verity,1926; *dinae* Verity,1926; *minutepunctata* Verity,1926; *bieneri* Stauder,1924; *nicaeensis* Dujardin,1944.
- 1910) Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae)
Synonym(s): *corydonius* Herrich-Schäffer,[1852]

- 1911) Polyommatus (s.str. (Lysandra)) dezinus** Freina & Witt,1983 (Lycaenidae) Synonym(s): *dezinus* Freina & Witt,1983
- 1912) Polyommatus (s.str. (Lysandra)) ossmar** (Gerhard,[1851]) (Lycaenidae) Synonym(s): *ossmar* Gerhard,[1851]
- 1913) Polyommatus (s.str. (Lysandra)) syriacus** (Tutt,1914) (Lycaenidae) Synonym(s): *syriacus* Tutt,1914
- 1914) Polyommatus (s.str. (Meleageria)) daphnis** ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 1915) Polyommatus (s.str. (Neolysandra)) coelestinus** (Eversmann,1843) (Lycaenidae) Synonym(s): *coelestinus* Eversmann,1843
- 1916) Polyommatus (s.str. (Neolysandra)) diana** (Miller,[1913]) (Lycaenidae) Synonym(s): *diana* Miller,[1913]
- 1917) Polyommatus (s.str. (Neolysandra)) fatima** Eckweiler & Schurian,1980 (Lycaenidae) Synonym(s): *fatima* Eckweiler & Schurian,1980
- 1918) Polyommatus (s.str. (Plebicula)) amandus** (Schneider,1792) (Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792
- 1919) Polyommatus (s.str. (Plebicula)) dorylas** ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] nec Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985.
- 1920) Polyommatus (s.str. (Plebicula)) escheri** (Hübner,[1823]) (Lycaenidae) Synonym(s): *escheri* Hübner,[1823]; *agestor* Godart,1823.
- 1921) Polyommatus (s.str. (Sublysandra)) aedon** (Christoph,1877) (Lycaenidae) Synonym(s): *aedon* Christoph,1877
- 1922) Polyommatus (s.str. (Sublysandra)) cornelius** (Freyer,[1850]) (Lycaenidae) Synonym(s): *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charmeux,1992.
- 1923) Polyommatus (s.str. (Sublysandra)) myrrhus** (Herrich-Schäffer,[1852]) (Lycaenidae) Synonym(s): *myrrhus* Herrich-Schäffer,[1852]
- 1924) Polyommatus (s.str. (Thersitesia)) thersites** (Canterer,[1835]) (Lycaenidae) Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919.
- 1925) Polyommatus (s.str.) bollandi** Dumont,1998 (Lycaenidae) Synonym(s): *bollandi* Dumont,1998
- 1926) Polyommatus (s.str.) buzulmavi** Carbonell,1991 (Lycaenidae) Synonym(s): *buzulmavi* Carbonell,1991
- 1927) Polyommatus (s.str.) ciloicus** De Freina & Witt,1983 (Lycaenidae) Synonym(s): *ciloicus* De Freina & Witt,1983
- 1928) Polyommatus (s.str.) eroides** (Frivaldsky,1835) (Lycaenidae) Synonym(s): *eroides* Frivaldsky,1835
- 1929) Polyommatus (s.str.) eros** (Ochsenheimer,1808) (Lycaenidae) Synonym(s): *tithonus* Hübner,[1804] nec Linn.,1771; *eros* Ochsenheimer,1808
- 1930) Polyommatus (s.str.) erotulus** Nekrutenko,1985 (Lycaenidae) Synonym(s): *erotulus* Nekrutenko,1985; *delessei* Carbonell,1994.
- 1931) Polyommatus (s.str.) icarus** (Rottemburg,1775) (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 1932) Polyommatus (s.str.) persicus** (Bienert,1870) (Lycaenidae) Synonym(s): *persica* Bienert,1870; *bienerti* Balint,[1993].
- 1933) Pseudophilotes vicrama** (Moore,1865) (Lycaenidae) Synonym(s): *vicrama* Moore,1865
- 1934) Quercusia quercus** (Linnaeus,1758) (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 1935) Rubrapterus bavius** (Eversmann,1832) (Lycaenidae) Synonym(s): *bavius* Eversmann,1832
- 1936) Satyrium (Nordmannia) abdominalis** (Gerhard,[1850]) (Lycaenidae) Synonym(s): *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardti* Wiltshire,1943; *elta* Higgins,1964.
- 1937) Satyrium (Nordmannia) acaciae** (Fabricius,1787) (Lycaenidae) Synonym(s): *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965.
- 1938) Satyrium (Nordmannia) armenum** (Rebel,1901) (Lycaenidae) Synonym(s): *armenum* Rebel,1901
- 1939) Satyrium (Nordmannia) ilicis** (Esper,[1779]) (Lycaenidae) Synonym(s): *ilicis* Esper,[1779]
- 1940) Satyrium (Nordmannia) marcidum** (Riley,1921) (Lycaenidae) Synonym(s): *marcidum* Riley,1921
- 1941) Satyrium (Nordmannia) zabni** Oorschot & Brink,1991 (Lycaenidae) Synonym(s): *#zabni* Higgins,1964; *zabni* Oorschot & Brink,1991.

- 1942) *Satyrium (Strymonidia) spini* (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller,1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
- 1943) *Satyrium (Strymonidia) w-album* (Knoch,1782)** (Lycaenidae) Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.
- 1944) *Satyrium (Superflua) hyrcanicum* (Riley,1939)** (Lycaenidae) Synonym(s): *hyrcanicum* Riley,1939
- 1945) *Satyrium (Superflua) ledereri* (Boisduval,1848)** (Lycaenidae) Synonym(s): *ledereri* Boisduval,1848
- 1946) *Scolitantides orion* (Pallas,1771)** (Lycaenidae) Synonym(s): *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.
- 1947) *Tarucus (s.str.) balkanicus* (Freyer,[1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer,[1843]
- 1948) *Thecla betulae* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850].
- 1949) *Tomares (nogelii) dobrogensis* (Caradja,1895)** (Lycaenidae) Synonym(s): *obscura* Rühl,[1893]
- 1950) *Tomares (nogelii) nesimachus* (Oberthür,1893)** (Lycaenidae) Synonym(s): *nesimachus* Oberthür,1893
- 1951) *Tomares (nogelii) nogelii* (Freyer,[1851])** (Lycaenidae) Synonym(s): *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852]
- 1952) *Tomares callimachus* (Eversmann,1848)** (Lycaenidae) Synonym(s): *callimachus* Eversmann,1848
- 1953) *Tomares desinens* Nekrutenko & Effendi,1980** (Lycaenidae) Synonym(s): *desinens* Nekrutenko & Effendi,1980
- 1954) *Tomares romanovi* (Christoph,1882)** (Lycaenidae) Synonym(s): *romanovi* Christoph,1882
- 1955) *Turanana cytis* (Christoph,1877)** (Lycaenidae) Synonym(s): *cytis* Christoph,1876
- 1956) *Turanana endymion* (Freyer,[1850])** (Lycaenidae) Synonym(s): *endymion* Freyer,[1850]
- 1957) *Turanana taygetica* (Rebel,1902)** (Lycaenidae) Synonym(s): *taygetica* Rebel,1902
- 1958) *Zizeeria (s.str.) karsandra* (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865

LYMANTRIIDAE

- 1959) *Arctornis l-nigrum* (Müller,1764)** (Lymantriidae) Synonym(s): *l-nigrum* Müller,1764; *v-nigrum* Fabricius,1775; *nivosa* [Denis & Schiffermüller],1775; *vaunigra* Stephens,1828
- 1960) *Calliteara pudibunda* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *pudibunda* Linnaeus,1758; *scopularia* Linnaeus,1758; *jutica* Müller,1764; *porrectaalba* Retzius,1783; *grandi* Lorkovic,1930
- 1961) *Dicallomera fascelina* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *fascelina* Linnaeus,1758; *medicaginis* Hübner,[1803]; *danieli* De Freina,1979.
- 1962) *Euproctis chrysorrhoea* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *chrysorrhoea* Linnaeus,1758; *phaeorrhoeus* Haworth,1803
- 1963) *Euproctis melania* (Staudinger,1892)** (Lymantriidae) Synonym(s): *melania* Staudinger,1892; *melaniodes* Strand,1910; *#melaina* De Freina,1999.
- 1964) *Euproctis similis* (Fuessly,1775)** (Lymantriidae) Synonym(s): *similis* Fuessly,1775; *auriflua* [Denis & Schiffermüller],1775; *cygnea* Thunberg,1788; *rebeli* Haberhauer,1902.
- 1965) *Leucoma salicis* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoequisti* Bryk,1942; *variabilis* Bryk,1949
- 1966) *Lymantria dispar* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabilie,1876; *bordigalensis* Mabilie,1876; *asiatica* Wnukowsky,1926
- 1967) *Lymantria monacha* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *monacha* Linnaeus,1758; *heteroclita* Müller,1764; *chosenibia* Bryk,1949; *matuta* Bryk,1949; *idae* Bryk,1949
- 1968) *Ocnegoria amanda* Staudinger,[1892]** (Lymantriidae) Synonym(s): *amanda* Staudinger,[1892]
- 1969) *Orgyia antiqua* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *antiqua* Linnaeus,1758; *gonostigma* Scopoli,1763; *paradoxa* Retzius,1783; *modesta* Heyne,1899; *manchurica* Matsumura,1931;
- 1970) *Orgyia dubia* (Tauscher,1806)** (Lymantriidae) Synonym(s): *dubia* Tauscher,1806
- 1971) *Orgyia trigotephra* Boisduval,1829** (Lymantriidae) Synonym(s): *trigotephra* Boisduval,1829; *etrusca* Verity,1905.
- 1972) *Parocneria detrita* (Esper,[1785])** (Lymantriidae) Synonym(s): *detrita* Esper,[1785]; *orientalis* Schwingenschuss,1939; *orientis* Daniel,1963
- 1973) *Parocneria nora* (Staudinger,1895)** (Lymantriidae) Synonym(s): *nora* Staudinger,1895
- 1974) *Parocneria raddei* (Christoph,1885)** (Lymantriidae) Synonym(s): *raddei* Christoph,1885
- 1975) *Parocneria samarita* (Staudinger,1895)** (Lymantriidae) Synonym(s): *samarita* Staudinger,1895
- 1976) *Parocneria terebinthi* (Freyer,[1838])** (Lymantriidae) Synonym(s): *terebinthi* Freyer,[1838]

- 1977) Parocneria terebynthina (Staudinger,[1895])** (Lymantriidae) Synonym(s): *terebynthina* Staudinger,[1895]; *insolita* Brandt,1938
- 1978) Parocneria toelgi (Rebel,1917)** (Lymantriidae) Synonym(s): *toelgi* Rebel,1917
- 1979) Polymona destituta (Staudinger,1892)** (Lymantriidae) Synonym(s): *destituta* Staudinger,1892; *maraschi* Daniel,1932.
- 1980) Polymona griseipennis (Kozhantshikov,1950)** (Lymantriidae) Synonym(s): *griseipennis* Kozhantshikov,1950
- 1981) Polymona lapidicola (Herrich-Schäffer,[1852])** (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852]
- 1982) Uliolepis signatoria (Christoph,1893)** (Lymantriidae) Synonym(s): *signatoria* Christoph,1893; *pilosa* W.Warren,1897

LYONETIIDAE

- 1983) Bedellia somnulentella (Zeller,1847)** (Lyonetiidae) Synonym(s): *somnulentella* Zeller,1847; *orpheella* Stainton,1849; *convolutella* Heydenreich,1851; *staintoniella* Clemens,1860; *mnesileuca* Meyrick,1928; *ipomoeae* Bradley,1953
- 1984) Leucoptera laburnella (Stainton,1851)** (Lyonetiidae) Synonym(s): *laburnella* Stainton,1851; *waillesella* Stainton,1858; *cytisella* Amsel,1939
- 1985) Leucoptera malifoliella (Costa,[1836])** (Lyonetiidae) Synonym(s): *malifoliella* Costa,[1836]; *scitella* Zeller,1839.
- 1986) Lyonetia clerkella (Linnaeus,1758)** (Lyonetiidae) Synonym(s): *clerkella* Linnaeus,1758; *penicilla* Borkhausen,1794; *cerasifoliella* Hübner,1796; *malifoliella* Hübner,1796; *malella* Schrank,1802; *autumnella* Curtis,1829; *unipunctella* Stephens,1829; *semiaurella* Stephens,1829; *nivella* Stephens,1829; *aereella* Treitschke,1833; *phrynella* Costa,[1836]; *fonscolombella* Duponchel,[1840]; *magnimaculella* Bruand,1859
- 1987) Lyonetia prunifoliella (Hübner,1796)** (Lyonetiidae) Synonym(s): *prunifoliella* Hübner,1796; *padifoliella* Hübner,[1813]; *sittaepenella* Hübner,[1825]; *acerifoliella* Curtis,1850

MICRONOCTUIDAE

- 1988) Micronola karsholti (Fibiger,1997)** (Micronoctuidae) Synonym(s): *karsholti* Fibiger,1997

MICROPTERIGIDAE

- 1989) Microptericina amasiella (Staudinger,1880)** (Micropterigidae) Synonym(s): *amasiella* Staudinger,1880
- 1990) Micropterix allionella (Fabricius,1794)** (Micropterigidae) Synonym(s): *allionella* Fabricius,1794; *tricinctella* Costa,[1836]
- 1991) Micropterix aruncella (Scopoli,1763)** (Micropterigidae) Synonym(s): *aruncella* Scopoli,1763; *seppella* Fabricius,1787; *podevinella* Hübner,[1813]; *concinella* Stephens,1834; *eximiella* Zeller,1850; *atricapila* Wocke,1877; *nuraghella* Amsel,1936
- 1992) Micropterix aureatella (Scopoli,1763)** (Micropterigidae) Synonym(s): *aureatella* Scopoli,1763; *ammanella* Hübner,[1813]; *allionella* sensu Stainton,1850
- 1993) Micropterix klimeschi J.Heath,1973** (Micropterigidae) Synonym(s): *klimeschi* J.Heath,1973
- 1994) Micropterix maschukella Alpheraky,1876** (Micropterigidae) Synonym(s): *maschukella* Alpheraky,1876
- 1995) Micropterix paykullella (Fabricius,1794)** (Micropterigidae) Synonym(s): *paykullella* Fabricius,1794; *anderschella* Hübner,[1813]
- 1996) Micropterix rothenbachii (Frey,1856)** (Micropterigidae) Synonym(s): *rothenbachii* Frey,1856; *rothenbachella* Herrich-Schäffer,1862; *australis* Heath,1981; *vallebonnella* Réal,1988
- 1997) Micropterix schaefferi J.Heath,1975** (Micropterigidae) Synonym(s): *anderschella* sensu Herrich-Schäffer,1855; *schaefferi* J.Heath,1975
- 1998) Micropterix uxoria Walsingham,1919** (Micropterigidae) Synonym(s): *uxoria* Walsingham,1919

MOMPHIDAE

- 1999) Mompha (Anybia) epilobiella (Roemer,1794)** (Mompidae) Synonym(s): *epilobiella* Roemer,1794; *langiella* Hübner,1796; *niveipunctella* Stainton,1849; *fulicella* Herrich-Schäffer,1853.

- 2000) Mompha (Lophoptilus) miscella ([Denis & Schiffermüller],1775)** (Momphidae) Synonym(s): *miscella* [Denis & Schiffermüller],1775; *staintoni* Sircom,1848; *opacella* Müller-Rutz,1934.
- 2001) Mompha (s.str.) divisella Herrich-Schäffer,1854** (Momphidae) Synonym(s): *divisella* Herrich-Schäffer,1854; *decorella* Stainton,1854.
- 2002) Mompha (s.str.) lacteella (Stephens,1834)** (Momphidae) Synonym(s): *lacteella* Stephens,1834; *gibbiferella* Zeller,1839; *basipallidella* Stainton,1849
- 2003) Mompha (s.str.) ochraceella (Curtis,1839)** (Momphidae) Synonym(s): *ochraceella* Curtis,1839
- 2004) Mompha (s.str.) subbistrigella (Haworth,[1828])** (Momphidae) Synonym(s): *subbistrigella* Haworth,[1828]

NEPTICULIDAE

- 2005) Acalyptris pistaciae Nieukerken,2007** (Nepticulidae) Synonym(s): *pistaciae* Nieukerken,2007
- 2006) Acalyptris platani (Müller-Rutz,1934)** (Nepticulidae) Synonym(s): *platani* Müller-Rutz,1934
- 2007) Ectoedemia (Etainia) sericopeza (Zeller,1839)** (Nepticulidae) Synonym(s): *sericopeza* Zeller,1839
- 2008) Ectoedemia (Fomoria) deegeri Nieukerken,2008** (Nepticulidae) Synonym(s): *deegeri* Nieukerken,2008
- 2009) Ectoedemia (Fomoria) luisae (Klimesch,1978)** (Nepticulidae) Synonym(s): *luisae* Klimesch,1978
- 2010) Ectoedemia (s.str.) arcuatella (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *arcuatella* Herrich-Schäffer,1855
- 2011) Ectoedemia (s.str.) caradjai (M.Hering,1932)** (Nepticulidae) Synonym(s): *caradjai* M.Hering,1932
- 2012) Ectoedemia (s.str.) terebinthivora (Klimesch,1975)** (Nepticulidae) Synonym(s): *terebinthivora* Klimesch,1975
- 2013) Stigmella aceris (Frey,1857)** (Nepticulidae) Synonym(s): *aceris* Frey,1857; *penicillata* Heinemann & Wocke,1877
- 2014) Stigmella atricapitella (Haworth,1828)** (Nepticulidae) Synonym(s): *atricapitella* Haworth,1828; *discrepans* Sorhagen,1922
- 2015) Stigmella azaroli (Klimesch,1978)** (Nepticulidae) Synonym(s): *azaroli* Klimesch,1978
- 2016) Stigmella basiguttella (Heinemann,1862)** (Nepticulidae) Synonym(s): *basiguttella* Heinemann,1862
- 2017) Stigmella bicuspidata Nieukerken & Johansson,2003** (Nepticulidae) Synonym(s): *bicuspidata* Nieukerken & Johansson,2003
- 2018) Stigmella carpinella (Heinemann,1862)** (Nepticulidae) Synonym(s): *carpinella* Heinemann,1862
- 2019) Stigmella centifoliella (Zeller,1848)** (Nepticulidae) Synonym(s): *centifoliella* Zeller,1848
- 2020) Stigmella cocciferae Nieukerken & Johansson,2003** (Nepticulidae) Synonym(s): *cocciferae* Nieukerken & Johansson,2003
- 2021) Stigmella divina Puplesis, Diskus & Van Nieukerken,1997** (Nepticulidae) Synonym(s): *divina* Puplesis, Diskus & Van Nieukerken,1997
- 2022) Stigmella dorsiguttella (Johansson,1971)** (Nepticulidae) Synonym(s): *dorsiguttella* Johansson,1971
- 2023) Stigmella eberhardi (Johansson,1971)** (Nepticulidae) Synonym(s): *eberhardi* Johansson,1971
- 2024) Stigmella fagella Heinemann,1862** (Nepticulidae) Synonym(s): *fagella* Heinemann,1862
- 2025) Stigmella fasciata Nieukerken & Johansson,2003** (Nepticulidae) Synonym(s): *fasciata* Nieukerken & Johansson,2003
- 2026) Stigmella macrolepidella (Klimesch,1978)** (Nepticulidae) Synonym(s): *macrolepidella* Klimesch,1978
- 2027) Stigmella mespilicola (Frey,1856)** (Nepticulidae) Synonym(s): *mespilicola* Frey,1856; *ariella* Herrich-Schäffer,1860
- 2028) Stigmella minusculella Herrich-Schäffer,[1855]** (Nepticulidae) Synonym(s): *minusculella* Herrich-Schäffer,[1855]
- 2029) Stigmella muricatella Klimesch,1978** (Nepticulidae) Synonym(s): *muricatella* Klimesch,1978
- 2030) Stigmella paliurella (Klimesch,1940)** (Nepticulidae) Synonym(s): *paliurella* Klimesch,1940
- 2031) Stigmella prunetorum (Stainton,1855)** (Nepticulidae) Synonym(s): *prunetorum* Stainton,1855; *dimidiatella* Herrich-Schäffer,1855; *perpusillella* Herrich-Schäffer,1855; *prunetella* Doubleday,1859; *ligustrella* Rössler,1866; *punctella* Threfall,1884.
- 2032) Stigmella pyrellicola Klimesch,1978** (Nepticulidae) Synonym(s): *pyrellicola* Klimesch,1978
- 2033) Stigmella rhamnophila (Amsel,1934)** (Nepticulidae) Synonym(s): *rhamnophila* Amsel,1934
- 2034) Stigmella roborella (Johansson,1971)** (Nepticulidae) Synonym(s): *roborella* Johansson,1971
- 2035) Stigmella samiatella (Zeller,1839)** (Nepticulidae) Synonym(s): *samiatella* Zeller,1839
- 2036) Stigmella szoeciella (Borkowski,1972)** (Nepticulidae) Synonym(s): *szoeciella* Borkowski,1972

- 2037) Stigmella trojana** Z.Lastuvka & A.Lastuvka,1998 (Nepticulidae) Synonym(s): *trojana* Z.Lastuvka & A.Lastuvka,1998
- 2038) Stigmella zangherii** (Klimesch,1951) (Nepticulidae) Synonym(s): *zangherii* Klimesch,1951
- 2039) Trifurcula (Glaucolepis) albiflorella** Klimesch,1978 (Nepticulidae) Synonym(s): *albiflorella* Klimesch,1978
- 2040) Trifurcula (Glaucolepis) melanopectera** van Nieukerken & Puplesis,1991 (Nepticulidae) Synonym(s): *melanopectera* van Nieukerken & Puplesis,1991
- 2041) Trifurcula (Levachama) eurema** (Tutt,1899) (Nepticulidae) Synonym(s): *eurema* Tutt,1899; *dorycniella* Suire,1928; *gozmanyi* Szocs,1959
- 2042) Trifurcula (s.str.) pallidella** (Duponchel,1843) (Nepticulidae) Synonym(s): *pallidella* Duponchel,1843
- 2043) Trifurcula (s.str.) subnitidella** (Duponchel,1843) (Nepticulidae) Synonym(s): *subnitidella* Duponchel,1843; *griseella* Wolff,1957

NOCTUIDAE

- 2044) Abrostola agnorista** Dufay,1956 (Noctuidae) Synonym(s): *agnorista* Dufay,1956
- 2045) Abrostola asclepiadis** (Lang,1789) (Noctuidae) Synonym(s): *#asclepiadis* [Denis & Schiffermüller],1775; *asclepiadis* Lang,1789.
- 2046) Abrostola clarissa** (Staudinger,1900) (Noctuidae) Synonym(s): *clarissa* Staudinger,1900
- 2047) Abrostola tripartita** (Hufnagel,1766) (Noctuidae) Synonym(s): *tripartita* Hufnagel,1766; *conspicillum* Retzius,1783; *urticae* Hübner,[1817]
- 2048) Abrostola triplasia** (Linnaeus,1758) (Noctuidae) Synonym(s): *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864.
- 2049) Acantholipes regularis** (Hübner,[1813]) (Noctuidae) Synonym(s): *regularis* Hübner,[1813]
- 2050) Acontia (Emmelia) trabealis** (Scopoli,1763) (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881
- 2051) Acontia (Uracontia) titania** (Esper,[1798]) (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
- 2052) Acontia (s.str.) lucida** (Hufnagel,1766) (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliodora* Schawerda,1923
- 2053) Acontia (s.str.) sordescens** (Staudinger,1895) (Noctuidae) Synonym(s): *sordescens* Staudinger,1895
- 2054) Acontiola lascivalis** (Lederer,1855) (Noctuidae) Synonym(s): *lascivalis* Lederer,1855
- 2055) Acontiola moldavicola** (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874
- 2056) Acrapex taurica** (Staudinger,1900) (Noctuidae) Synonym(s): *taurica* Staudinger,1900
- 2057) Acronicta (Subacronicta) megacephala** (Fabricius,1787) (Noctuidae) Synonym(s): *megacephala* Fabricius,1787; *ankarensis* Hering,1933.
- 2058) Acronicta (Triaena) aceris** (Linnaeus,1758) (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 2059) Acronicta (Triaena) alni** (Linnaeus,1767) (Noctuidae) Synonym(s): *alni* Linnaeus,1767
- 2060) Acronicta (Triaena) pasiphae** Draudt,1936 (Noctuidae) Synonym(s): *pasiphae* Draudt,1936
- 2061) Acronicta (Triaena) psi** (Linnaeus,1758) (Noctuidae) Synonym(s): *psi* Linnaeus,1758
- 2062) Acronicta (Triaena) tridens** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *tridens* [Denis & Schiffermüller],1775; *karghalika* Moore,1878.
- 2063) Acronicta (Viminia) auricoma** (Fabricius,1787) (Noctuidae) Synonym(s): *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858
- 2064) Acronicta (Viminia) euphorbiae** (Denis,1785) (Noctuidae) Synonym(s): *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusiak & Niesiolowski,1946.
- 2065) Acronicta (Viminia) orientalis** Mann,1862 (Noctuidae) Synonym(s): *orientalis* Mann,1862
- 2066) Acronicta (Viminia) rumicis** (Linnaeus,1758) (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 2067) Acronicta (s.str.) leporina** (Linnaeus,1758) (Noctuidae) Synonym(s): *leporina* Linnaeus,1758
- 2068) Actebia praecox** (Linnaeus,1758) (Noctuidae) Synonym(s): *praecox* Linnaeus,1758; *praeceps* Denis & Schiffermüller,[1775]; *pomacea* Fourcroy,1785
- 2069) Actinotia polyodon** (Clerck,1759) (Noctuidae) Synonym(s): *#polyodon* Clerck,1759; *perspicillaris* Linnaeus,1761.
- 2070) Actinotia radiosa** (Esper,[1804]) (Noctuidae) Synonym(s): *radiosa* Esper,[1804]; *lyncea* Hübner,[1809] (*praeocc.*)

- 2071) *Aedia funesta* (Esper,[1786])** (Noctuidae) Synonym(s): *funesta* Esper,[1786]; *quadrimaculata* Scopoli,1786
- 2072) *Aedia leucomelas* (Linnaeus,1758)** (Noctuidae) Synonym(s): *leucomelas* Linnaeus,1758; *ramburi* Boisdual,1829; *adepta* Geyer,1832; *olivascens* Guenée,1852; *limitaris* Walker,[1863]; *shisa* Strand,1920; *thomae* A.E.Prout,1927; *albidiscalis* Roepke,1932; *ermanniae* Berio,1989
- 2073) *Aedophron phlebophora* Lederer,1858** (Noctuidae) Synonym(s): *phlebophora* Lederer,1858
- 2074) *Aedophron rhodites* (Eversmann,1851)** (Noctuidae) Synonym(s): *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852].
- 2075) *Aegle diatemna* Boursin,1962** (Noctuidae) Synonym(s): *diatemna* Boursin,1962
- 2076) *Aegle exquisita* Boursin,1969** (Noctuidae) Synonym(s): *exquisita* Boursin,1969
- 2077) *Aegle gratiosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *gratiosa* Staudinger,1892; *iranica* Bytinski-Salz & Brandt,1937.
- 2078) *Aegle kaekeritziana* (Hübner,[1799])** (Noctuidae) Synonym(s): *kaekeritziana* Hübner,[1799]; *flava* Hübner,[1809]; *flavida* Ochsenheimer,1816.
- 2079) *Aegle nubila* (Staudinger,1892)** (Noctuidae) Synonym(s): *nubila* Staudinger,1892
- 2080) *Aegle rebeli* Schawerda,1923** (Noctuidae) Synonym(s): *rebeli* Schawerda,1923
- 2081) *Aegle semicana* (Esper,[1798])** (Noctuidae) Synonym(s): *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938; *#verspertalis* Hacker,1986.
- 2082) *Agrochola accentifera* (Lefèbvre,1827)** (Noctuidae) Synonym(s): *accentifera* Lefèbvre,1827; *l-aureum* Freyer,1831; *accifera* Gaede,1937.
- 2083) *Agrochola* (Alpichola) *egorovi* (O.Bang-Haas,1934)** (Noctuidae) Synonym(s): *egorovi* O.Bang-Haas,1934
- 2084) *Agrochola* (Alpichola) *fibigeri* Hacker & Moberg,1989** (Noctuidae) Synonym(s): *fibigeri* Hacker & Moberg,1989
- 2085) *Agrochola* (Alpichola) *janhillmanni* Hacker & Moberg,1989** (Noctuidae) Synonym(s): *janhillmanni* Hacker & Moberg,1989
- 2086) *Agrochola* (Alpichola) *lactiflora* (Draudt,1934)** (Noctuidae) Synonym(s): *lactiflora* Draudt,1934
- 2087) *Agrochola* (Alpichola?) *gratiosa* (Staudinger,1882)** (Noctuidae) Synonym(s): *gratiosa* Staudinger,1881
- 2088) *Agrochola* (Anchoscelis) *consueta* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *consueta* Herrich-Schäffer,[1852]
- 2089) *Agrochola* (Anchoscelis) *deleta* (Staudinger,1881)** (Noctuidae) Synonym(s): *deleta* Staudinger,1881
- 2090) *Agrochola* (Anchoscelis) *helvola* (Linnaeus,1758)** (Noctuidae) Synonym(s): *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759
- 2091) *Agrochola* (Anchoscelis) *humilis* (Fabricius,1787)** (Noctuidae) Synonym(s): *#humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787
- 2092) *Agrochola* (Anchoscelis) *imitata* Ronkay,1984** (Noctuidae) Synonym(s): *imitata* Ronkay,1984
- 2093) *Agrochola* (Anchoscelis) *kindermannii* (Fischer v. Röslerstamm,[1841])** (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermannii* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953.
- 2094) *Agrochola* (Anchoscelis) *litura* (Linnaeus,1761)** (Noctuidae) Synonym(s): *litura* Linnaeus,1761
- 2095) *Agrochola* (Anchoscelis) *lota* (Clerck,1759)** (Noctuidae) Synonym(s): *#lota* Clerck,1759; *hippophae* Goerze,1781; *hippophaes* Retzius,1783; *americana* Morris,1876
- 2096) *Agrochola* (Anchoscelis) *luteogrisea* (W.Warren,1911)** (Noctuidae) Synonym(s): *luteogrisea* W.Warren,1911
- 2097) *Agrochola* (Anchoscelis) *macilenta* (Hübner,[1809])** (Noctuidae) Synonym(s): *macilenta* Hübner,[1809]
- 2098) *Agrochola* (Anchoscelis) *nitida* (Fabricius,1787)** (Noctuidae) Synonym(s): *#nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787
- 2099) *Agrochola* (Anchoscelis) *occulta* Hacker,1996** (Noctuidae) Synonym(s): *occulta* Hacker,1996
- 2100) *Agrochola* (Anchoscelis) *oropotamica* (Wiltshire,1941)** (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941.
- 2101) *Agrochola* (Anchoscelis) *osthelderi* Boursin,1951** (Noctuidae) Synonym(s): *osthelderi* Boursin,1951
- 2102) *Agrochola* (Anchoscelis) *pauli* (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892
- 2103) *Agrochola* (Anchoscelis) *rupicapra* (Staudinger,1879)** (Noctuidae) Synonym(s): *rupicapra* Staudinger,1879
- 2104) *Agrochola* (Anchoscelis) *sairtana* Derra,1990** (Noctuidae) Synonym(s): *sairtana* Derra,1990
- 2105) *Agrochola* (Anchoscelis) *schreieri* Hacker & Weigert,1986** (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert,1986
- 2106) *Agrochola* (Frivaldskyola) *mansueta* (Herrich-Schäffer,[1850])** (Noctuidae) Synonym(s): *mansueta* Herrich-Schäffer,[1850]; *pontica* Staudinger,1901.

- 2107) *Agrochola (Frivaldskyola) staudingeri* Ronkay, 1984** (Noctuidae) Synonym(s): *staudingeri* Ronkay, 1984
- 2108) *Agrochola (Propenistra) laevis* (Hübner, [1803])** (Noctuidae) Synonym(s): *laevis* Hübner, [1803]
- 2109) *Agrochola (Sunira) circellaris* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *circellaris* Hufnagel, 1766
- 2110) *Agrochola (s.str.) pistacina* (Goeze, 1781)** (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller, 1775; *pistacina* Goeze, 1781; *rubetra* Esper, [1791]; *canaria* Esper, [1791]; *serina* Esper, [1791]; *lineola* Donovan, 1801 nec Panzer, 1785; *sphaerulatina* Haworth, 1809; *venosa* Haworth, 1809 nec Hw. 1809.
- 2111) *Agrotis (Crassagrotis) bigramma* (Esper, [1790])** (Noctuidae) Synonym(s): *bigramma* Esper, [1790]; *crassa* Hübner, [1803]; *lata* Treitschke, 1835; *golickei* Erschoff, 1872; *huguenini* Rühl, 1891.
- 2112) *Agrotis (Crassagrotis) obesa* (Boisduval, 1829)** (Noctuidae) Synonym(s): *obesa* Boisduval, 1840
- 2113) *Agrotis (Putagrotis) herzogii* (Rebel, 1911)** (Noctuidae) Synonym(s): *herzogii* Rebel, 1911; *hoggari* Rothschild, 1920; *minima* Turati, 1924; *securifera* Turati, 1924; *saracenica* Tams, 1925; *leroyi* Lucas, 1940
- 2114) *Agrotis (Putagrotis) puta* (Hübner, [1803])** (Noctuidae) Synonym(s): *puta* Hübner, [1803]; *radius* Haworth, 1803; *renitens* Hübner, [1824]; *lignosa* Godart, 1825; *erythroxylea* Treit., 1826; *radiola* Stephens, 1829; *catalaunensis* Milliere, 1873; *meridionalis* Spuler, 1905; *andreasi*, *minima*, *silvestrii* Turati, 1924; *insula* Richardson, 1958.
- 2115) *Agrotis (Putagrotis) syricola* Berio, 1936** (Noctuidae) Synonym(s): *#syricola* Corti & Draudt, 1933; *syricola* Berio, 1936
- 2116) *Agrotis (s.str.) biconicus* Kollar, [1844]** (Noctuidae) Synonym(s): *spinifera* Hübner, [1808] nec Vill., 1789; *biconica* Kollar, [1844]; *aristifera* Guenée, 1852; *spiculifera* Guenée, 1852; *ferina* Felder & Rogenhofer, 1874; *hodnae* Oberthür, 1878
- 2117) *Agrotis (s.str.) bifurca* Staudinger, 1881** (Noctuidae) Synonym(s): *bifurca* Staudinger, 1881; *stabilita* Corti, 1928.
- 2118) *Agrotis (s.str.) cinerea* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *cinerea* [Denis & Schiffermüller], 1775; *obscura* Hübner, [1803]; *dentimaculatus* Haworth, 1803; *fusca* Boisduval, [1837]; *murina* Eversmann, 1848; *livonica* Teich, 1886; *alpigena* Calberla, 1888; *tephrina* Staudinger, 1901; *eximia* Culot, 1910.
- 2119) *Agrotis (s.str.) clavis* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *clavis* Hufnagel, 1766; *corticea* [Denis & Schiffermüller], 1775; *clavigerus* Haworth, 1803; *subfuscus* Haworth, 1803; *sincerii* Freyer, 1849; *transversa* Walker, [1857]; *neocomensis* Rougemont, 1902.
- 2120) *Agrotis (s.str.) desertorum* Boisduval, 1840** (Noctuidae) Synonym(s): *desertorum* Boisduval, 1840; *deserticola* Eversmann, 1842
- 2121) *Agrotis (s.str.) exclamationis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *exclamationis* Linnaeus, 1758; *clavus* Hufnagel, 1766; *murina* Goeze, 1781 nec Hufnagel, 1766; *bimaculata* Geoffroy, 1785; *picea* Haworth, 1809; *plaga* Stephens, 1835; *haruspex* Le Cerf, 1924; *nigriorbis* Zerny, 1934.
- 2122) *Agrotis (s.str.) haifae* Staudinger, 1897** (Noctuidae) Synonym(s): *haifae* Staudinger, 1897
- 2123) *Agrotis (s.str.) ipsilon* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *ipsilon* Hufnagel, 1766; *suffusa* [Denis & Schiffermüller], 1775; *idonea* Cramer, [1780]; *spinula* Esper, [1786]; *spinifera* Villers, 1789.
- 2124) *Agrotis (s.str.) lata* Treitschke, 1835** (Noctuidae) Synonym(s): *lata* Treitschke, 1835; *dirempta* Staudinger, 1859; *sabura* Mabilie, 1888; *fulva* Turati, 1922; *castellana* Fernandez, 1929; *afflouensis* Corti, 1932
- 2125) *Agrotis (s.str.) sardzeana* Brandt, 1941** (Noctuidae) Synonym(s): *sardzeana* Brandt, 1941
- 2126) *Agrotis (s.str.) scruposa* (Draudt, 1936)** (Noctuidae) Synonym(s): *scruposa* Draudt, 1936
- 2127) *Agrotis (s.str.) segetum* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller], 1775; *sordida* [Denis & Schiffermüller], 1775; *undulatus* Goeze, 1781 (*praeocc.*); *nigricornis* Villers, 1789; *segetis* Fabricius, 1794; *catenatus* Haworth, 1803; *monileus* Haworth, 1803; *pectinatus* Haworth, 1803; *connexus* Haworth, 1803; *subatratus* Haworth, 1803; *nigricornutus* Haworth, 1803; *praecox* Hübner, [1808]; *fervida* Hübner, [1824]; *affinis* Stephens, 1829; *sicula* Boisduval, 1840; *dimidia* Zeller, 1847; *sicania* Guenée, 1852; *marginalis* Walker, 1857; *aversa* Walker, 1857; *correctus* Walker, 1857; *obliviosus* Walker, 1857; *denticulosus* Wallengren, 1860; *certificata* Walker, 1865; *conspurcatus* Walker, 1865; *repulsus* Walker, 1865; *ingratus* Butler, 1878; *pallidus* Staudinger, 1881; *lassa* Swinhoe, 1886.
- 2128) *Agrotis (s.str.) trux* (Hübner, [1824])** (Noctuidae) Synonym(s): *trux* Hübner, [1824]; *lenticulosa* Duponchel, 1826; *lunigera* Stephens, 1829; *terranea* Freyer, 1831; *amasina* Staudinger, 1901; *subalba* Corti & Draudt, 1933; *adolphi* Corti & Draudt, 1933.
- 2129) *Albocosta musiva* (Hübner, [1803])** (Noctuidae) Synonym(s): *musiva* Hübner, [1803]
- 2130) *Allophyes asiatica* (Staudinger, 1892)** (Noctuidae) Synonym(s): *asiatica* Staudinger, 1892
- 2131) *Allophyes benedictina* (Staudinger, 1892)** (Noctuidae) Synonym(s): *benedictina* Staudinger, 1892
- 2132) *Allophyes metaxys* Boursin, 1953** (Noctuidae) Synonym(s): *metaxys* Boursin, 1953
- 2133) *Allophyes oxyacanthae* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *oxyacanthae* Linnaeus, 1758; *capucina* Milliere, 1870; *corsica* Spuler, 1905; *alfaroi* Agenjo, 1951; *powelli* Rungs, [1953]; *protai* Boursin, 1966; *dijardini* Boursin, 1968; *parenzani* De Laever, 1977.
- 2134) *Allophyes renalis* (Wiltshire, 1941)** (Noctuidae) Synonym(s): *renalis* Wiltshire, 1941; *crassicornis* Brandt, 1941.
- 2135) *Amephana aurita* (Fabricius, 1787)** (Noctuidae) Synonym(s): *aurita* Fabricius, 1787
- 2136) *Amephana dalmatica* (Rebel, 1919)** (Noctuidae) Synonym(s): *dalmatica* Rebel, 1919

- 2137) Ammonoconia anonyma Ronkay & Varga,1984** (Noctuidae) Synonym(s): *anonyma* Ronkay & Varga,1984
- 2138) Ammonoconia caecimacula (Fabricius,1787)** (Noctuidae) Synonym(s): *caecimacula* Fabricius,1787; *millegrana* Esper,[1790]; *respersa* Brahm,1791; *rhaeticaria* Dannehl,1926; *marsicaria* Dannehl,1929
- 2139) Ammonoconia senex (Geyer,[1828])** (Noctuidae) Synonym(s): *senex* Geyer,[1828].
- 2140) Amphipoea oculatea (Linnaeus,1761)** (Noctuidae) Synonym(s): *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918.
- 2141) Amphipyra berbera Rungs,1949** (Noctuidae) Synonym(s): *#variegata* W.Warren,1911; *berbera* Rungs,1949
- 2142) Amphipyra boursini Hacker,1998** (Noctuidae) Synonym(s): *boursini* Hacker,1998
- 2143) Amphipyra livida ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *livida* [Denis & Schiffermüller],1775
- 2144) Amphipyra micans Lederer,1857** (Noctuidae) Synonym(s): *micans* Lederer,1857; *frivaldskyi* Mocsary,1896
- 2145) Amphipyra molybdea Christoph,1867** (Noctuidae) Synonym(s): *molybdea* Christoph,1867
- 2146) Amphipyra perflua (Fabricius,1787)** (Noctuidae) Synonym(s): *perflua* Fabricius,1787; *ulmea* Schrank,1801; *pyramidina* Esper,[1803].
- 2147) Amphipyra pyramidea (Linnaeus,1758)** (Noctuidae) Synonym(s): *pyramidea* Linnaeus,1758
- 2148) Amphipyra stix Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879.
- 2149) Amphipyra submicans Kuznetsov,1958** (Noctuidae) Synonym(s): *submicans* Kuznetsov,1958
- 2150) Amphipyra tetra (Fabricius,1787)** (Noctuidae) Synonym(s): *tetra* Fabricius,1787
- 2151) Amphipyra tragopoginis (Clerck,1759)** (Noctuidae) Synonym(s): *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766.
- 2152) Amphipyra turcomana Staudinger,1888** (Noctuidae) Synonym(s): *turcomana* Staudinger,1888
- 2153) Anaplectoides prasina (Goeze,1781)** (Noctuidae) Synonym(s): *#prasina* [Denis & Schiffermüller],1775; *#hebrida* [Denis & Schiffermüller],1775; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 *nec* De Vill.,1789; *mixta* Haworth,1809 *nec* Fabr.,1787; *herbacea* Guenée,1852; *albicula* Hormuzaki,1894
- 2154) Antarchaea baischi Hacker,1996** (Noctuidae) Synonym(s): *baischi* Hacker,1996
- 2155) Antarchaea conicephala (Staudinger,1870)** (Noctuidae) Synonym(s): *conicephala* Staudinger,1870 [April]; *conicephala* Staudinger,1870 [Oct.]; *barcinonensis* Milliéré,1872; *fumicollis* Rogenhofer,1873.
- 2156) Antarchaea numisma (Hübner,[1803])** (Noctuidae) Synonym(s): *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851.
- 2157) Antennola impura (Mann,1862)** (Noctuidae) Synonym(s): *impura* Mann,1862
- 2158) Anthracia eriopoda (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer,[1851]; *sareptae* Guenée,1852; *eriopodoides* Strand,1916
- 2159) Antitype chi (Linnaeus,1758)** (Noctuidae) Synonym(s): *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929.
- 2160) Antitype chionodes Boursin,1968** (Noctuidae) Synonym(s): *chionodes* Boursin,1968
- 2161) Antitype jonis (Lederer,1865)** (Noctuidae) Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901.
- 2162) Antitype suda (Geyer,[1832])** (Noctuidae) Synonym(s): *suda* Geyer,[1832]
- 2163) Anumeta arax Fibiger,1995** (Noctuidae) Synonym(s): *dentistrigata* sensu Romanoff,1885 *nec* Stgr.; *caucasica* Rjabov (in litt.); *arax* Fibiger,1995
- 2164) Anumeta spilota (Erschoff,1874)** (Noctuidae) Synonym(s): *spilota* Erschoff,1874
- 2165) Apamea (s.str.) anceps ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller],1775; *sordida* Borkhausen,1792; *infesta* Ochsenheimer,1816; *renardii* Boisduval,1829; *engelhardtii* Duurloo,1889; *pyxina* A.Bang-Haas,1910; *siegeli* Berio,1985; *sassanidica* Hacker,1990; *mazeli* Lutran,1993
- 2166) Apamea (s.str.) aquila Donzel,1837** (Noctuidae) Synonym(s): *aquila* Donzel,1837
- 2167) Apamea (s.str.) crenata (Hufnagel,1766)** (Noctuidae) Synonym(s): *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopocurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812.
- 2168) Apamea (s.str.) epomidion (Haworth,1809)** (Noctuidae) Synonym(s): *charactera* auct. *nec* [Denis & Schiff.],1775; *epomidion* Haworth,1809
- 2169) Apamea (s.str.) euxinia Hacker,1985** (Noctuidae) Synonym(s): *euxinia* Hacker,1985
- 2170) Apamea (s.str.) ferrago (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago* Eversmann,1837
- 2171) Apamea (s.str.) furva ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775
- 2172) Apamea (s.str.) illyria Freyer,1846** (Noctuidae) Synonym(s): *illyria* Freyer,1846
- 2173) Apamea (s.str.) lateritia (Hufnagel,1766)** (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].

- 2174) Apamea (s.str.) leucodon (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon* Eversmann,1837
- 2175) Apamea (s.str.) lithoxylaea (Fabricius,1787)** (Noctuidae) Synonym(s): *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787.
- 2176) Apamea (s.str.) maraschi (Draudt,1934)** (Noctuidae) Synonym(s): *maraschi* Draudt,1934
- 2177) Apamea (s.str.) monoglypha (Hufnagel,1766)** (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766.
- 2178) Apamea (s.str.) oblonga (Haworth,[1809])** (Noctuidae) Synonym(s): *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813].
- 2179) Apamea (s.str.) platinea (Treitschke,1825)** (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *griseus* Touleschkov,1951 nec Stgr.,1889; *touleschkoffi* Koçak,1980.
- 2180) Apamea (s.str.) polyglypha (Staudinger,1892)** (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892
- 2181) Apamea (s.str.) remissa (Hübner,[1809])** (Noctuidae) Synonym(s): *remissa* Hübner,[1809]
- 2182) Apamea (s.str.) rjaboviana Mikkola, Varga & Lafontaine,** (Noctuidae) Synonym(s):
- 2183) Apamea (s.str.) sicula (Turati,1909)** (Noctuidae) Synonym(s): *sicula* Turati,1909
- 2184) Apamea (s.str.) sordens (Hufnagel,1766)** (Noctuidae) Synonym(s): *sordens* Hufnagel,1766; *basilinea* [Denis & Schiffermüller],1775; *marmorosa* Esper,[1788]; *nebulosa* Vieweg,1790; *cinefacta* Graeser,1889 nec Gte.,1881; *griseus* Staudinger,1889; *basistriga* Staudinger,1892; *alacra* Dannehl,1933
- 2185) Apamea (s.str.) sublustris (Esper,[1788])** (Noctuidae) Synonym(s): *sublustris* Esper,[1788]
- 2186) Apamea (s.str.) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 2187) Apamea (s.str.) unanimis (Hübner,[1813])** (Noctuidae) Synonym(s): *unanimis* Hübner,[1813]
- 2188) Apamea (s.str.) zeta (Treitschke,1825)** (Noctuidae) Synonym(s): *zeta* Treitschke,1825
- 2189) Apamea indiges (Turati,1926)** (Noctuidae) Synonym(s): *indiges* Turati,1926
- 2190) Apaustis rupicola ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *rupicola* [Denis & Schiffermüller],1775; *palliat* Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803]
- 2191) Apaustis theophila (Staudinger,1866)** (Noctuidae) Synonym(s): *theophila* Staudinger,1866
- 2192) Apopetes noe L.Ronkay,1990** (Noctuidae) Synonym(s): *noe* Ronkay,1990
- 2193) Apopetes phantasma (Eversmann,1843)** (Noctuidae) Synonym(s): *phantasma* Eversmann,1843; *centralasiae* W.Warren,1913.
- 2194) Apopetes spectrum (Esper,[1787])** (Noctuidae) Synonym(s): *spectrum* Esper,[1787]; *innotata* W.Warren,1913; *maura* W.Warren,1913
- 2195) Aporophyla australis (Boisduval,1829)** (Noctuidae) Synonym(s): *australis* Boisduval,1829
- 2196) Aporophyla lutulenta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lutulenta* [Denis & Schiffermüller],1775; *electrica* Fabricius,1794; *fuscus* Haworth,1803; *consimilis* Stephens,1829; *orthostigma* Stephens,1829; *sedi* Duponchel,1836; *tripuncta* Freyer,1848; *brunnea* Schawerda,1929; *aterrima* Warnecke,1936; *insularis* Hansson,1952
- 2197) Aporophyla nigra (Haworth,[1809])** (Noctuidae) Synonym(s): *lunula* Ström,1783 nec Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
- 2198) Araeopteron ecphaea (Hampson,1914)** (Noctuidae) Synonym(s): *ecphaea* Hampson,1914
- 2199) Archanara algae (Esper,[1789])** (Noctuidae) Synonym(s): *algae* Esper,[1789]; *cannae* Ochsenheimer,1816
- 2200) Archanara dissoluta (Treitschke,1825)** (Noctuidae) Synonym(s): *dissoluta* Treitschke,1825; *hessii* Boisduval,1840; *arundineta* Schmidt,1858
- 2201) Archanara geminipuncta (Haworth,1809)** (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817].
- 2202) Archanara sparganii (Esper,[1790])** (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892.
- 2203) Arenostola deserticola (Staudinger,1900)** (Noctuidae) Synonym(s): *deserticola* Staudinger,1900; *chimaera* Rothschild,1920.
- 2204) Arenostola phragmitidis (Hübner,[1803])** (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803]
- 2205) Arenostola unicolor W.Warren,1914** (Noctuidae) Synonym(s): *unicolor* W.Warren,1914
- 2206) Argyrospila succinea (Esper,[1798])** (Noctuidae) Synonym(s): *succinea* Esper,[1798]
- 2207) Armada clio (Staudinger,1884)** (Noctuidae) Synonym(s): *clio* Staudinger,1884
- 2208) Armada panaceorum (Ménétriés,1849)** (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 2209) Asteroscopus sphinx (Hufnagel,1766)** (Noctuidae) Synonym(s): *sphinx* Hufnagel,1766; *cassinia* [Denis & Schiffermüller],1775; *alpina* Seifers,1916.
- 2210) Asteroscopus syriaca (W.Warren,1910)** (Noctuidae) Synonym(s): *syriaca* W.Warren,1910; *decipulae* Kovacs,1966.
- 2211) Atethmia ambusta (Fabricius,1787)** (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
- 2212) Atethmia centrargo (Haworth,[1809])** (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].

- 2213) *Atethmia obscura* Osthelder,1933** (Noctuidae) Synonym(s): *obscura* Osthelder,1933
- 2214) *Atethmia pinkeri* (Boursin,1970)** (Noctuidae) Synonym(s): *#pinkeri* Boursin,1970
- 2215) *Athetis furvula* (Hübner,[1808])** (Noctuidae) Synonym(s): *furvula* Hübner,[1808]; *dasychira* Hübner,[1817]; *lenta* Treitschke,1825.
- 2216) *Athetis gluteosa* (Treitschke,1835)** (Noctuidae) Synonym(s): *gluteosa* Treitschke,1835
- 2217) *Athetis pallustris* (Hübner,[1808])** (Noctuidae) Synonym(s): *pallustris* Hübner,[1808]; *#palustris* Lederer,1870
- 2218) *Atypha pulmonaris* (Esper,[1790])** (Noctuidae) Synonym(s): *pulmonaris* Esper,[1790]
- 2219) *Auchmis* (s.str.) *detersa* (Esper,[1791])** (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller],1775; *detersa* Esper,[1791]
- 2220) *Auchmis* (s.str.) *peterseni* (Christoph,1887)** (Noctuidae) Synonym(s): *peterseni* Christoph,1887
- 2221) *Autographa aemula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aemula* [Denis & Schiffermüller],1775
- 2222) *Autographa bractea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *bractea* [Denis & Schiffermüller],1775
- 2223) *Autographa gamma* (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992.
- 2224) *Autographa jota* (Linnaeus,1758)** (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaurina* Haworth,1809; *percontationis* Ochsenheimer,1816; *aurigutta* Hübner,[1821]; *ancora* Freyer,1832; *bartholomaei* Ménétériés,1859; *anatolica* Schwingenschuss,1938
- 2225) *Autophila* (Cheirophanes) *anaphanes* Boursin,1940** (Noctuidae) Synonym(s): *anaphanes* Boursin,1940
- 2226) *Autophila* (Cheirophanes) *chamaephanes* Boursin,1940** (Noctuidae) Synonym(s): *chamaephanes* Boursin,1940
- 2227) *Autophila* (Cheirophanes) *ligaminosa* (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 2228) *Autophila* (Cheirophanes) *plattneri* Boursin,1955** (Noctuidae) Synonym(s): *plattneri* Boursin,1955
- 2229) *Autophila* (s.str.) *asiatica* (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1888
- 2230) *Autophila* (s.str.) *banghaasi* Boursin,1940** (Noctuidae) Synonym(s): *banghaasi* Boursin,1940
- 2231) *Autophila* (s.str.) *cerealis* (Staudinger,1871)** (Noctuidae) Synonym(s): *cerealis* Staudinger,1871
- 2232) *Autophila* (s.str.) *depressa* (Püngeler,1914)** (Noctuidae) Synonym(s): *depressa* Püngeler,1914
- 2233) *Autophila* (s.str.) *dilucida* (Hübner,[1808])** (Noctuidae) Synonym(s): *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniceki* Reisser,1958.
- 2234) *Autophila* (s.str.) *einsleri* Amsel,1935** (Noctuidae) Synonym(s): *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
- 2235) *Autophila* (s.str.) *hirsuta* (Staudinger,1870)** (Noctuidae) Synonym(s): *hirsuta* Staudinger,1870
- 2236) *Autophila* (s.str.) *iranica* L.Ronkay,1989** (Noctuidae) Synonym(s): *iranica* L.Ronkay,1989
- 2237) *Autophila* (s.str.) *libanotica* (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
- 2238) *Autophila* (s.str.) *limbata* (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871
- 2239) *Autophila* (s.str.) *sinesafida* Wiltshire,1952** (Noctuidae) Synonym(s): *sinesafida* Wiltshire,1952
- 2240) *Autophila* (s.str.) *subfusca* (Christoph,1893)** (Noctuidae) Synonym(s): *subfusca* Christoph,1893
- 2241) *Axylia putris* (Linnaeus,1761)** (Noctuidae) Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *pallium* Villers,1789; *lignosa* Hübner,[1803]; *mundipennis* W.Warren,1912
- 2242) *Basistriga flammata* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 2243) *Behounekia freyeri* (Frivaldsky,1835)** (Noctuidae) Synonym(s): *freyeri* Frivaldsky,1835; *lintea* Freyer,1842; *orontii* Herrich-Schäffer,[1851]; *senescens* Eversmann,1856; *#linthea* Lederer,1870
- 2244) *Bena bicolorana* (Fuessly,1775)** (Noctuidae) Synonym(s): *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspersa* W.Warren,1913.
- 2245) *Boursinia deceptrix* (Staudinger,1900)** (Noctuidae) Synonym(s): *deceptrix* Staudinger,1900
- 2246) *Boursinia discordans* (Boursin,1940)** (Noctuidae) Synonym(s): *discrepans* Staudinger,1892 nec Wlk.,1865; *discordans* Boursin,1940
- 2247) *Boursinia ferdovsi* (Brandt,1941)** (Noctuidae) Synonym(s): *ferdovsi* Brandt,1941
- 2248) *Brachylomia uralensis* (W.Warren,1910)** (Noctuidae) Synonym(s): *uralensis* W.Warren,1910
- 2249) *Brachylomia viminalis* (Fabricius,1777)** (Noctuidae) Synonym(s): *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803].
- 2250) *Brandtina albonigra* Bytinski-Salz & Brandt,1937** (Noctuidae) Synonym(s): *albonigra* Bytinski-Salz & Brandt,1937; *noacki* Boursin,1967
- 2251) *Bryomima carducha* Staudinger,1900** (Noctuidae) Synonym(s): *carducha* Staudinger,1900
- 2252) *Bryomima defreina* Hacker,[1987]** (Noctuidae) Synonym(s): *defreina* Hacker,[1987].
- 2253) *Bryomima hakkariensis* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *hakkariensis* De Freina & Hacker,1985

- 2254) *Bryomima luteosordida* Osthelder,1933** (Noctuidae) Synonym(s): *luteosordida* Osthelder,1933
- 2255) *Bryophilopsis roederi* (Standfuss,1892)** (Noctuidae) Synonym(s): *roederi* Standfuss,1892
- 2256) *Calamia staudingeri* Warnecke,1941** (Noctuidae) Synonym(s): *staudingeri* Warnecke,1941
- 2257) *Callierges ramosa* (Esper,[1786])** (Noctuidae) Synonym(s): *ramosa* Esper,[1786]
- 2258) *Callistege mi* (Clerck,1759)** (Noctuidae) Synonym(s): *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 nec Sc.,1763
- 2259) *Callopietria juvenina* (Stoll,[1782])** (Noctuidae) Synonym(s): *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878
- 2260) *Callopietria latreillei* (Duponchel,1827)** (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973.
- 2261) *Calocucullia celsiae* (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850]
- 2262) *Calophasia barthae* F.Wagner,1929** (Noctuidae) Synonym(s): *barthae* F.Wagner,1929
- 2263) *Calophasia lunula* (Hufnagel,1766)** (Noctuidae) Synonym(s): *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775.
- 2264) *Calophasia opalina* (Esper,[1796])** (Noctuidae) Synonym(s): *casta* Borkhausen,1793 nec Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923.
- 2265) *Calophasia pauli* (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892
- 2266) *Calophasia platyptera* (Esper,[1788])** (Noctuidae) Synonym(s): *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901; *signata* Constantini,1916
- 2267) *Calymma communimacula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller],1775
- 2268) *Calyptra thalictri* (Borkhausen,1790)** (Noctuidae) Synonym(s): *capucina* Esper,1789 nec Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938
- 2269) *Caradrina* (Boursinidrina) *panurgia* (Boursin,1939)** (Noctuidae) Synonym(s): *panurgia* Boursin,1939
- 2270) *Caradrina* (Boursinidrina) *parvaspersa* (Boursin,1936)** (Noctuidae) Synonym(s): *parvaspersa* Boursin,1936
- 2271) *Caradrina* (Boursinidrina) *pseudadelpha* (Boursin,1939)** (Noctuidae) Synonym(s): *pseudadelpha* Boursin,1939
- 2272) *Caradrina* (Boursinidrina) *rjabovi* (Boursin,1936)** (Noctuidae) Synonym(s): *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939
- 2273) *Caradrina* (Boursinidrina) *surchica* (Boursin,1937)** (Noctuidae) Synonym(s): *surchica* Boursin,1937
- 2274) *Caradrina* (Boursinidrina) *syriaca* (Staudinger,1892)** (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
- 2275) *Caradrina* (Boursinidrina) *wiltshirei* (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936
- 2276) *Caradrina* (Eremodrina) *armeniaca* (Boursin,1936)** (Noctuidae) Synonym(s): *armeniaca* Boursin,1936
- 2277) *Caradrina* (Eremodrina) *avis* (Pinker,1980)** (Noctuidae) Synonym(s): *avis* Pinker,1980
- 2278) *Caradrina* (Eremodrina) *belucha* Swinhoe,1885** (Noctuidae) Synonym(s): *belucha* Swinhoe,1885; *conditorana* Pinker,1980
- 2279) *Caradrina* (Eremodrina) *doleropsis* (Boursin,1939)** (Noctuidae) Synonym(s): *doleropsis* Boursin,1939; *doleropsis* Boursin,1940.
- 2280) *Caradrina* (Eremodrina) *draudti* (Boursin,1936)** (Noctuidae) Synonym(s): *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax* Boursin,1940
- 2281) *Caradrina* (Eremodrina) *gilva* (Donzel,1837)** (Noctuidae) Synonym(s): *gilva* Donzel,1837; *molisana* Dannehl,1929
- 2282) *Caradrina* (Eremodrina) *inumbata* (Staudinger,1900)** (Noctuidae) Synonym(s): *inumbata* Staudinger,1900; *inumbatella* Pinker,1980
- 2283) *Caradrina* (Eremodrina) *melanura* Alpheraky,1897** (Noctuidae) Synonym(s): *melanura* Alpheraky,1897; *samurana* Boursin,1939; *samurana* Boursin,1940
- 2284) *Caradrina* (Eremodrina) *pertinax* (Staudinger,1879)** (Noctuidae) Synonym(s): *pertinax* Staudinger,1879; *argentea* Caradja,1930.
- 2285) *Caradrina* (Eremodrina) *salzi* (Boursin,1936)** (Noctuidae) Synonym(s): *salzi* Boursin,1936
- 2286) *Caradrina* (Eremodrina) *vicina* (Staudinger,1870)** (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911
- 2287) *Caradrina* (Eremodrina) *zernyi* (Boursin,1936)** (Noctuidae) Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936
- 2288) *Caradrina* (Kalchbergiana) *ingrata* (Staudinger,1897)** (Noctuidae) Synonym(s): *ingrata* Staudinger,1897

- 2289) Caradrina (Levantrina) bodenheimeri (Draudt,1934)** (Noctuidae) Synonym(s): *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *pleiarchia* Boursin,1937
- 2290) Caradrina (Paradrina) abruzzensis (Draudt,1933)** (Noctuidae) Synonym(s): *abruzzensis* Draudt,1933
- 2291) Caradrina (Paradrina) atriluna Guenée,1852** (Noctuidae) Synonym(s): *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935
- 2292) Caradrina (Paradrina) boursini (F.Wagner,1936)** (Noctuidae) Synonym(s): *boursini* F.Wagner,1936
- 2293) Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975
- 2294) Caradrina (Paradrina) flava (Oberthür,1876)** (Noctuidae) Synonym(s): *flava* Oberthür,1876; *approximans* Rothschild,1914.
- 2295) Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) Synonym(s): *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980
- 2296) Caradrina (Paradrina) fulvafusca Hacker,2004** (Noctuidae) Synonym(s): *fulvafusca* Hacker,2004
- 2297) Caradrina (Paradrina) poecila (Boursin,1939)** (Noctuidae) Synonym(s): *poecila* Boursin,1939
- 2298) Caradrina (Paradrina) scotoptera (Püngeler,1914)** (Noctuidae) Synonym(s): *scotoptera* Püngeler,1914
- 2299) Caradrina (Paradrina) selini (Boisduval,1840)** (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Riegenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935]
- 2300) Caradrina (Paradrina) suscijania Mentzer,1981** (Noctuidae) Synonym(s): *suscijania* Mentzer,1981
- 2301) Caradrina (Paradrina) wullschlegeli (Püngeler,1903)** (Noctuidae) Synonym(s): *wullschlegeli* Püngeler,1903
- 2302) Caradrina (Paradrina) zandi (Wiltshire,1952)** (Noctuidae) Synonym(s): *zandi* Wiltshire,1952
- 2303) Caradrina (Platyperigea) albina (Eversmann,1848)** (Noctuidae) Synonym(s): *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
- 2304) Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) Synonym(s): *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913.
- 2305) Caradrina (Platyperigea) kadenii (Freyer,1836)** (Noctuidae) Synonym(s): *kadenii* Freyer,1836
- 2306) Caradrina (Platyperigea) montana (Bremer,1861)** (Noctuidae) Synonym(s): *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949
- 2307) Caradrina (Platyperigea) terrea (Freyer,[1840])** (Noctuidae) Synonym(s): *terrea* Freyer,[1840]; *ustirena* Boisduval,1840
- 2308) Caradrina (s.str.) agrotina (Staudinger,1892)** (Noctuidae) Synonym(s): *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933.
- 2309) Caradrina (s.str.) morpheus (Hufnagel,1766)** (Noctuidae) Synonym(s): *morpheus* Hufnagel,1766; *pulla* Beckwith,1794 *nec* Esp.,[1785]; *sepii* Hübner,[1803]; *dresnaya* D.Lucas,1933; *alpina* Hartig,[1938]
- 2310) Cardepiia arenbergeri Pinker,1974** (Noctuidae) Synonym(s): *arenbergeri* Pinker,1974
- 2311) Cardepiia deserticola Hampson,1905** (Noctuidae) Synonym(s): *deserticola* Hampson,1905
- 2312) Cardepiia hartigi Parenzan,1981** (Noctuidae) Synonym(s): *hartigi* Parenzan,1981
- 2313) Cardepiia sociabilis (Graslin,1850)** (Noctuidae) Synonym(s): *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
- 2314) Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775
- 2315) Catocala (Ephesia) eutychea (Treitschke,1835)** (Noctuidae) Synonym(s): *eutychea* Treitschke,1835; *delicata* Vicent,1913.
- 2316) Catocala (Ephesia) nymphaea (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
- 2317) Catocala (Ephesia) separata Freyer,1848** (Noctuidae) Synonym(s): *separata* Freyer,1848
- 2318) Catocala (s.str.) abacta Staudinger,1900** (Noctuidae) Synonym(s): *abacta* Staudinger,1900; *irana* Brandt,1938; *#iranica* Hacker,1986.
- 2319) Catocala (s.str.) brandti Hacker & Kautt,1999** (Noctuidae) Synonym(s): *brandti* Hacker & Kautt,1999
- 2320) Catocala (s.str.) catei Weisert,1998** (Noctuidae) Synonym(s): *catei* Weisert,1998
- 2321) Catocala (s.str.) conjuncta (Esper,[1787])** (Noctuidae) Synonym(s): *conjuncta* Esper,[1787]; *conjuga* Hübner,[1803]; *perrettei* Seyer,1976
- 2322) Catocala (s.str.) conversa (Esper,1783)** (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813]

- 2323) Catocala (s.str.) dilecta (Hübner,[1808])** (Noctuidae) Synonym(s): *dilecta* Hübner,[1808]; *laetitia* Schawerda,1931
- 2324) Catocala (s.str.) disjuncta (Geyer,[1828])** (Noctuidae) Synonym(s): *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884; *fumigata* Kuznetsov,1903.
- 2325) Catocala (s.str.) diversa (Geyer,[1828])** (Noctuidae) Synonym(s): *diversa* Geyer,[1828]; *callinympha* Boisduval,[1828]; *#divera* Hacker,1988
- 2326) Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 2327) Catocala (s.str.) fraxini (Linnaeus,1758)** (Noctuidae) Synonym(s): *fraxini* Linnaeus,1758
- 2328) Catocala (s.str.) fulminea (Scopoli,1763)** (Noctuidae) Synonym(s): *fulminea* Scopoli,1763; *manturna* Hufnagel,1766; *paranympha* Linnaeus,1767; *invasa* Leech,1900; *melli* Ishizuka,2001; *tungus* Ishizuka,2009
- 2329) Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775
- 2330) Catocala (s.str.) lesbia Christoph,1887** (Noctuidae) Synonym(s): *lesbia* Christoph,1887
- 2331) Catocala (s.str.) lupina Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851]; *detrita* W.Warren,1913
- 2332) Catocala (s.str.) mesopotamica Kuznesov,1903** (Noctuidae) Synonym(s): *hetaera* Staudinger,1895 *nec* Stgr.,1892; *aspasia* Staudinger,1897 *nec* Streck.,1874; *mesopotamica* Kuznesov,1903
- 2333) Catocala (s.str.) neonympha (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha* Esper,[1805]
- 2334) Catocala (s.str.) nupta (Linnaeus,1767)** (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concubina* Hübner,[1803]
- 2335) Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 2336) Catocala (s.str.) optima Staudinger,1888** (Noctuidae) Synonym(s): *optima* Staudinger,1888
- 2337) Catocala (s.str.) promissa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller],1775; *mneste* Hübner,[1813]
- 2338) Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorni,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pellex* Hübner,[1809]; *romana* Schultz,1909
- 2339) Catocala (s.str.) sponsa (Linnaeus,1767)** (Noctuidae) Synonym(s): *sponsa* Linnaeus,1767; *rejecta* Fischer v. Waldheim,1820
- 2340) Catocala (s.str.) viviannae Hacker & Kautt,1996** (Noctuidae) Synonym(s): *viviannae* Hacker & Kautt,1996
- 2341) Catocala (s.str.) weiserti Hacker,1999** (Noctuidae) Synonym(s): *weiserti* Hacker,1999
- 2342) Catocala (s.str.) wolffi Hacker,1999** (Noctuidae) Synonym(s): *wolffi* Hacker,1999
- 2343) Celaena haworthii (Curtis,1829)** (Noctuidae) Synonym(s): *haworthii* Curtis,1829; *hibernica* Stephens,1829; *lancea* Stephens,1829
- 2344) Cerapteryx graminis (Linnaeus,1758)** (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837].
- 2345) Cerapteryx megala (Alpheraky,1882)** (Noctuidae) Synonym(s): *megala* Alpheraky,1882.
- 2346) Cerastis rubricosa (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813].
- 2347) Cerocala sana Staudinger,1901** (Noctuidae) Synonym(s): *insana* Staudinger,1871 *nec* H-S.,1858; *sana* Staudinger,1901; *albifusa* de Joannis,1910.
- 2348) Charanyca trigrammica (Hufnagel,1766)** (Noctuidae) Synonym(s): *trigrammica* Hufnagel,1766; *quercus* Fabricius,1775; *trilinea* [Denis & Schiffermüller],1775; *evidens* Thunberg,1784; *notacula* Fabricius,1787; *quercicola* Gmelin,1790; *bilinea* Hübner,1803; *semifuscans* Haworth,1809; *approximans* Haworth,1809; *asiaminorica* Pinker,1980
- 2349) Chazaria incarnata (Freyer,1838)** (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840.
- 2350) Chersotis (Cyrebia) adili (Koçak,1987)** (Noctuidae) Synonym(s): *adili* Koçak,1987
- 2351) Chersotis (Cyrebia) anachoreta (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987
- 2352) Chersotis (Cyrebia) luperinoides Guenée,1852** (Noctuidae) Synonym(s): *luperinoides* Guenée,1852
- 2353) Chersotis (s.str.) alpestris (Boisduval,[1837])** (Noctuidae) Synonym(s): *alpestris* Boisduval,[1837]
- 2354) Chersotis (s.str.) anatolica (Draudt,1936)** (Noctuidae) Synonym(s): *anatolica* Draudt,1936; *elegantula* Boursin,1945.
- 2355) Chersotis (s.str.) andereggii (Boisduval,[1837])** (Noctuidae) Synonym(s): *andereggii* Boisduval,[1837]
- 2356) Chersotis (s.str.) capnistis (Lederer,1872)** (Noctuidae) Synonym(s): *capnistis* Lederer,1872; *neara* Püngeler,1902.
- 2357) Chersotis (s.str.) cuprea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller],1775; *haematitedea* Esper,[1794]; *palustris* Osthelder,1927; *jordanovi* Touleschkov,1951.

- 2358) Chersotis (s.str.) ebertorum Koçak,1980** (Noctuidae) Synonym(s): *maraschi* Corti & Draudt,1933 (p.61) *nec* Corti & Draudt,1933 (p.58); *ebertorum* Koçak,1980.
- 2359) Chersotis (s.str.) fimbriola (Esper,[1798])** (Noctuidae) Synonym(s): *fimbriola* Esper,[1798]
- 2360) Chersotis (s.str.) firdussi Schwingenschuss,1937** (Noctuidae) Synonym(s): *firdussi* Schwingenschuss,1937
- 2361) Chersotis (s.str.) friedeli Pinker,1974** (Noctuidae) Synonym(s): *friedeli* Pinker,1974
- 2362) Chersotis (s.str.) glebosa (Staudinger,1900)** (Noctuidae) Synonym(s): *glebosa* Staudinger,1900
- 2363) Chersotis (s.str.) gratissima (Corti,1932)** (Noctuidae) Synonym(s): *gratissima* Corti,1932
- 2364) Chersotis (s.str.) illauta (Draudt,1936)** (Noctuidae) Synonym(s): *illauta* Draudt,1936
- 2365) Chersotis (s.str.) juvenis (Staudinger,1901)** (Noctuidae) Synonym(s): *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936.
- 2366) Chersotis (s.str.) laeta (Rebel,1904)** (Noctuidae) Synonym(s): *laeta* Rebel,1904
- 2367) Chersotis (s.str.) larixia (Guenée,1852)** (Noctuidae) Synonym(s): *larixia* Guenée,1852.
- 2368) Chersotis (s.str.) margaritacea (Villers,1789)** (Noctuidae) Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982
- 2369) Chersotis (s.str.) multangula (Hübner,[1803])** (Noctuidae) Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Touleschkov,1951.
- 2370) Chersotis (s.str.) rectangula (Fabricius,1787)** (Noctuidae) Synonym(s): *rectangula* Fabricius,1787.
- 2371) Chersotis (s.str.) ronkayorum Fibiger Hacker & Varga,1992** (Noctuidae) Synonym(s): *ronkayorum* Fibiger Hacker & Varga,1993
- 2372) Chersotis (s.str.) sarhada Brandt,1941** (Noctuidae) Synonym(s): *sarhada* Brandt,1941
- 2373) Chersotis (s.str.) semna (Püngeler,1906)** (Noctuidae) Synonym(s): *semna* Püngeler,1906
- 2374) Chersotis (s.str.) stenographa Varga,1979** (Noctuidae) Synonym(s): *stenographa* Varga,1979
- 2375) Chersotis (s.str.) zukowskyi (Draudt,1936)** (Noctuidae) Synonym(s): *zukowskyi* Draudt,1936
- 2376) Chilodes maritima (Tauscher,1806)** (Noctuidae) Synonym(s): *maritima* Tauscher,1806; *bipunctana* Haworth,1812.
- 2377) Chionoxantha staudingeri (Standfuss,1892)** (Noctuidae) Synonym(s): *staudingeri* Standfuss,1892
- 2378) Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
- 2379) Chortodes morrisii (Dale,1837)** (Noctuidae) Synonym(s): *morrisii* Dale,1837; *bondii* Knaggs,1861
- 2380) Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
- 2381) Cleoceris scoriacea (Esper,[1789])** (Noctuidae) Synonym(s): *scoriacea* Esper,[1789]; *capreae* Hübner,[1803].
- 2382) Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
- 2383) Cleonymia (Serryvania) pectinicornis (Staudinger,1859)** (Noctuidae) Synonym(s): *pectinicornis* Staudinger,1859; *youngi* Rothschild,1925
- 2384) Cleonymia (s.str.) baetica (Rambur,1837)** (Noctuidae) Synonym(s): *baetica* Rambur,1837
- 2385) Clytie (Hypoglaucitis) distincta (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *distincta* A.Bang-Haas,1907
- 2386) Clytie (s.str.) gracilis (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913.
- 2387) Clytie (s.str.) haifae (Habich,1905)** (Noctuidae) Synonym(s): *haifae* Habich,1905
- 2388) Clytie (s.str.) sancta (Staudinger,1898)** (Noctuidae) Synonym(s): *sancta* Staudinger,1898
- 2389) Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
- 2390) Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893
- 2391) Coenophila miniago (Freyer,[1839])** (Noctuidae) Synonym(s): *miniago* Freyer,[1839]
- 2392) Colobochyla (Caspicastra) platyzona (Lederer,1870)** (Noctuidae) Synonym(s): *platyzona* Lederer,1870; *#platizona* Hacker,1990.
- 2393) Colobochyla (s.str.) salicalis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller],1775; *salicatus* Haworth,1809; *cinerea* Butler,1879.
- 2394) Colocasia coryli (Linnaeus,1758)** (Noctuidae) Synonym(s): *coryli* Linnaeus,1758; *gibbosa* Miller,1764
- 2395) Condica viscosa (Freyer,1831)** (Noctuidae) Synonym(s): *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980.
- 2396) Conistra (Dasycampa) erythrocephala (Fabricius,1787)** (Noctuidae) Synonym(s): *#erythrocephala* [Denis & Schiffermüller],1775; *erythrocephala* Fabricius,1787.
- 2397) Conistra (Dasycampa) rubiginea (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubiginea* [Denis & Schiffermüller],1775; *rubiginea* Fabricius,1787; *tigerina* Esper,[1791]; *pulverea* Hübner,[1803]
- 2398) Conistra (s.str.) acutula (Staudinger,1892)** (Noctuidae) Synonym(s): *acutula* Staudinger,1892

- 2399) Conistra (s.str.) asiatica** **Pinker,1980** (Noctuidae) Synonym(s): *asiatica* **Pinker,1980**
- 2400) Conistra (s.str.) chajami** **Hacker & Weigert,1986** (Noctuidae) Synonym(s): *chajami* **Hacker & Weigert,1986**
- 2401) Conistra (s.str.) kasyi** **Boursin,1963** (Noctuidae) Synonym(s): *kasyi* **Boursin,1963**
- 2402) Conistra (s.str.) ligula** (**Esper,1791**) (Noctuidae) Synonym(s): *ligula* **Esper,[1791]**
- 2403) Conistra (s.str.) metria** **Boursin,1940** (Noctuidae) Synonym(s): *metria* **Boursin,1940**; *pseudopolitina* **Hacker,1990**.
- 2404) Conistra (s.str.) ragusae** (**Failla-Tedaldi,1890**) (Noctuidae) Synonym(s): *ragusae* **Failla-Tedaldi,1890**
- 2405) Conistra (s.str.) rubiginosa** (**Scopoli,1763**) (Noctuidae) Synonym(s): *rubiginosa* **Scopoli,1763**; *silene* [**Denis & Schiffermüller**,1775; *vaupunctatum* **Esper,[1786]**].
- 2406) Conistra (s.str.) rubricans** **Fibiger,1997** (Noctuidae) Synonym(s): *rubricans* **Fibiger,1997**
- 2407) Conistra (s.str.) torrida** (**Lederer,1857**) (Noctuidae) Synonym(s): *torrida* **Lederer,1857**
- 2408) Conistra (s.str.) vaccinii** (**Linnaeus,1761**) (Noctuidae) Synonym(s): *vaccinii* **Linnaeus,1761**; *polita* [**Denis & Schiffermüller**,1775; *spadicea* [**Denis & Schiffermüller**,1775
- 2409) Conistra (s.str.) veronicae** (**Hübner,[1813]**) (Noctuidae) Synonym(s): *veronicae* **Hübner,[1813]**
- 2410) Cornutiplusia circumflexa** (**Linnaeus,1767**) (Noctuidae) Synonym(s): *circumflexa* **Linnaeus,1767**; *lunata* **Fabricius,1787**; *flexuosa* **Donovan,1807**; *daubii* **Freyer,1838**; *graphica* **Herrich-Schäffer,1851**; *patefacta* **Walker,[1858]**; *reticulata* **Moore,1882**; *clarescens* **Pinker & Bacallado,1975**; *#unata* **Kononenko & Pinratana,2005**
- 2411) Cosmia (Calymnia) trapezina** (**Linnaeus,1758**) (Noctuidae) Synonym(s): *trapezina* **Linnaeus,1758**
- 2412) Cosmia (s.str.) affinis** (**Linnaeus,1767**) (Noctuidae) Synonym(s): *affinis* **Linnaeus,1767**
- 2413) Cosmia (s.str.) confinis** **Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *confinis* **Herrich-Schäffer,[1849]**; *rhodopsis* **Boursin,1962**; *phaiopsis* **Boursin,1962**.
- 2414) Cosmia (s.str.) diffinis** (**Linnaeus,1767**) (Noctuidae) Synonym(s): *diffinis* **Linnaeus,1767**
- 2415) Craniophora ligustri** (**Fabricius,1787**) (Noctuidae) Synonym(s): *#ligustri* [**Denis & Schiffermüller**,1775; *ligustri* **Fabricius,1787**].
- 2416) Craniophora pontica** (**Staudinger,1879**) (Noctuidae) Synonym(s): *pontica* **Staudinger,1879**
- 2417) Cryphia (Bryoleuca) dolopsis** (**Hampson,1908**) (Noctuidae) Synonym(s): *dolopsis* **Hampson,1908**; *#dolopsis* **Osthelder,1933**.
- 2418) Cryphia (Bryoleuca) ereptricula** (**Treitschke,1825**) (Noctuidae) Synonym(s): *ereptricula* **Treitschke,1825**
- 2419) Cryphia (Bryoleuca) eucta** (**Hampson,1908**) (Noctuidae) Synonym(s): *eucta* **Hampson,1908**
- 2420) Cryphia (Bryoleuca) labecula** (**Lederer,1855**) (Noctuidae) Synonym(s): *labecula* **Lederer,1855**
- 2421) Cryphia (Bryoleuca) microphysa** **Boursin,1952** (Noctuidae) Synonym(s): *microphysa* **Boursin,1952**
- 2422) Cryphia (Bryoleuca) orthogramma** **Boursin,1954** (Noctuidae) Synonym(s): *orthogramma* **Boursin,1954**; *aksuensis* **Boursin,1954**; *ammochoa* **Boursin,1954**; *taishanensis* **Boursin,1954**; *#radiata* **Boursin,1954**
- 2423) Cryphia (Bryoleuca) petrea** (**Guenée,1852**) (Noctuidae) Synonym(s): *petrea* **Guenée,1852**
- 2424) Cryphia (Bryoleuca) petricolor** (**Lederer,1870**) (Noctuidae) Synonym(s): *petricolor* **Lederer,1870**; *iranica* **Schwingenschuss,1937**; *#solimana* **Draudt,1937**.
- 2425) Cryphia (Bryoleuca) raddei** **Boursin,1953** (Noctuidae) Synonym(s): *raddei* **Boursin,1953**
- 2426) Cryphia (Bryoleuca) raptricula** (**[Denis & Schiffermüller],1775**) (Noctuidae) Synonym(s): *raptricula* [**Denis & Schiffermüller**,1775; *divisa* **Esper,[1791]**; *palliola* **Borkhausen,1792**; *pomula* **Borkhausen,1792**; *deceptricula* **Hübner,[1803]**; *carbonis* **Freyer,1849**; *felina* **Eversmann,1852**; *#striata* **Staudinger,1879**; *#persica* **Strand,1915**; *cretica* **Reisser,1962**
- 2427) Cryphia (Bryoleuca) ravula** (**Hübner,[1813]**) (Noctuidae) Synonym(s): *ravula* **Hübner,[1813]**; *lupula* **Hübner,[1813]**; *trogodyta* **Freyer,1832**.
- 2428) Cryphia (Bryoleuca) rectilinea** (**W.Warren,1909**) (Noctuidae) Synonym(s): *rectilinea* **W.Warren,1909**; *mediocracea* **Bytinski-Salz,1936**; *insulicola* **Reisser,1962**.
- 2429) Cryphia (Bryoleuca) remanei** **Heydemann & Schulte,1963** (Noctuidae) Synonym(s): *remanei* **Heydemann & Schulte,1963**
- 2430) Cryphia (Bryoleuca) seladona** (**Christoph,1885**) (Noctuidae) Synonym(s): *seladona* **Christoph,1885**; *umovii* **auct.**
- 2431) Cryphia (Bryoleuca) tephrocharis** **Boursin,1954** (Noctuidae) Synonym(s): *tephrocharis* **Boursin,1954**
- 2432) Cryphia (Bryoleuca) thamanaea** (**Hampson,1908**) (Noctuidae) Synonym(s): *thamanaea* **Hampson,1908**
- 2433) Cryphia (Bryophila) eucharista** **Boursin,1960** (Noctuidae) Synonym(s): *iranica* **Brandt,1941** *nec* **Schwing.,1937**; *eucharista* **Boursin,1960**.
- 2434) Cryphia (Bryophila) maeonis** (**Lederer,1865**) (Noctuidae) Synonym(s): *maeonis* **Lederer,1865**; *praecana* **Christoph,1893**; *rubellina* **Staudinger,1900**; *sordida* **Staudinger,1900**; *sabulosa* **W.Warren,1909**.

- 2435) Cryphia (Bryophila) occidentalis (Osthelder,1933)** (Noctuidae) Synonym(s): *occidentalis* Osthelder,1933.
- 2436) Cryphia (Bryopsis) amasina (Draudt,1931)** (Noctuidae) Synonym(s): *amasina* Draudt,1931
- 2437) Cryphia (Bryopsis) muralis (Forster,1771)** (Noctuidae) Synonym(s): *muralis* Forster,1771; *lichenis* Fabricius,1775; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]; *viridior* Schawerda,1932
- 2438) Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) Synonym(s): *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *alni* Fabricius,1787; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813].
- 2439) Cryphia (Euthales) ochsi (Boursin,1941)** (Noctuidae) Synonym(s): *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952
- 2440) Cryphia (s.str.) receptricula (Hübner,[1803])** (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 *nec* Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétériés,1859.
- 2441) Crypsotidia maculifera (Staudinger,1898)** (Noctuidae) Synonym(s): *maculifera* Staudinger,1898; *wollastoni* Rothschild,1901; *voollastoni* Hampson,1913; ? *maculata* Tams,1926.
- 2442) Cucullia (Shargacucullia) armena G.Ronkay & L.Ronkay,1986** (Noctuidae) Synonym(s): *armena* G.Ronkay & L.Ronkay,1986
- 2443) Cucullia (Shargacucullia) barthae Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933
- 2444) Cucullia (Shargacucullia) blattariae (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790]
- 2445) Cucullia (Shargacucullia) gozmanyi G.Ronkay & L.Ronkay,1994** (Noctuidae) Synonym(s): *gozmanyi* G.Ronkay & L.Ronkay,1994
- 2446) Cucullia (Shargacucullia) lanceolata (Villers,1789)** (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
- 2447) Cucullia (Shargacucullia) lychnitis (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833
- 2448) Cucullia (Shargacucullia) osthelderi Boursin,1933** (Noctuidae) Synonym(s): *osthelderi* Boursin,1933
- 2449) Cucullia (Shargacucullia) prenanthis Boisduval,1840** (Noctuidae) Synonym(s): *prenanthis* Boisduval,1840; *ceramanthea* Freyer,1844.
- 2450) Cucullia (Shargacucullia) scrophulariae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852
- 2451) Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 2452) Cucullia (s.str.) absinthii (Linnaeus,1761)** (Noctuidae) Synonym(s): *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857
- 2453) Cucullia (s.str.) anifurca (Goeze,1781)** (Noctuidae) Synonym(s): *#lactucae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781.
- 2454) Cucullia (s.str.) argentina (Fabricius,1787)** (Noctuidae) Synonym(s): *argentina* Fabricius,1787; *achalina* Püngeler,1900; *grisescens* F.Wagner,1931 *nec* Lch.,1900; *anatoliensis* Koçak,1980.
- 2455) Cucullia (s.str.) asteris ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#asteris* [Denis & Schiffermüller],1775
- 2456) Cucullia (s.str.) behouneki Hacker & Ronkay,1988** (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay,1988
- 2457) Cucullia (s.str.) boryphora Fischer v. Waldheim,1840** (Noctuidae) Synonym(s): *boryphora* Fischer & Waldheim,1840; *lignata* Guenée,1841; *rimula* Freyer,1842
- 2458) Cucullia (s.str.) calendulae Treitschke,1835** (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980.
- 2459) Cucullia (s.str.) chamomillae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822].
- 2460) Cucullia (s.str.) cineracea Freyer,1841** (Noctuidae) Synonym(s): *cineracea* Freyer,1841
- 2461) Cucullia (s.str.) citella G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *citella* G.Ronkay & L.Ronkay,1987
- 2462) Cucullia (s.str.) dracunculi (Hübner,[1813])** (Noctuidae) Synonym(s): *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guenée,1852; *linosyridis* Fuchs,1903.
- 2463) Cucullia (s.str.) gnaphalii (Hübner,[1813])** (Noctuidae) Synonym(s): *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945.
- 2464) Cucullia (s.str.) improba Christoph,1885** (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958
- 2465) Cucullia (s.str.) lucifuga (Hübner,[1803])** (Noctuidae) Synonym(s): *lucifuga* Hübner,[1803].
- 2466) Cucullia (s.str.) magnifica Freyer,1839** (Noctuidae) Synonym(s): *magnifica* Freyer,1839
- 2467) Cucullia (s.str.) mixta Freyer,1841** (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846
- 2468) Cucullia (s.str.) ronkayi Hacker & Pinker,1987** (Noctuidae) Synonym(s): *ronkayi* Hacker & Pinker,1987

- 2469) *Cucullia* (s.str.) *santolinae* Rambur,1834** (Noctuidae) Synonym(s): *santolinae* Rambur,1834
- 2470) *Cucullia* (s.str.) *santonici* (Hübner,[1813])** (Noctuidae) Synonym(s): *santonici* Hübner,[1813]; *yuennanensis* Boursin,1941
- 2471) *Cucullia* (s.str.) *tanaceti* (Goeze,1781)** (Noctuidae) Synonym(s): *tanaceti* Goeze,1781
- 2472) *Cucullia* (s.str.) *tecca* Püngeler,1906** (Noctuidae) Synonym(s): *tecca* Püngeler,1906
- 2473) *Cucullia* (s.str.) *umbratica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
- 2474) *Cucullia* (s.str.) *xeranthemi* Boisduval,1840** (Noctuidae) Synonym(s): *xeranthemi* Boisduval,1840
- 2475) *Dasypolia* (Dasymixis) *diva* L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *diva* L.Ronkay & Varga,1990
- 2476) *Dasypolia* (s.str.) *altissima* Hacker & Moberg,1988** (Noctuidae) Synonym(s): *altissima* Hacker & Moberg,1988
- 2477) *Dasypolia* (s.str.) *dichroa* L.Ronkay & Varga,1985** (Noctuidae) Synonym(s): *dichroa* L.Ronkay & Varga,1985
- 2478) *Dasypolia* (s.str.) *ferdinandi* Rühl,1892** (Noctuidae) Synonym(s): *ferdinandi* Rühl,1892
- 2479) *Dasypolia* (s.str.) *fibigeri* Hacker & Moberg,1988** (Noctuidae) Synonym(s): *fibigeri* Hacker & Moberg,1988
- 2480) *Dasypolia* (s.str.) *templi* (Thunberg,1792)** (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
- 2481) *Dasypolia* (s.str.) *vera* L.Ronkay & Szaboky,1995** (Noctuidae) Synonym(s): *vera* L.Ronkay & Szaboky,1995
- 2482) *Deltote delicatula* (Christoph,1882)** (Noctuidae) Synonym(s): *delicatula* Christoph,1882
- 2483) *Desertoplusia bella* (Christoph,1887)** (Noctuidae) Synonym(s): *bella* Christoph,1887
- 2484) *Desertoplusia colornata* Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *bella* auct. nec Chr.,1887; *colornata* Varga & L.Ronkay,1991; *#colomata* Hacker,1992
- 2485) *Diachrysia chrysis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758
- 2486) *Diachrysia chryson* (Esper,[1789])** (Noctuidae) Synonym(s): *chryson* Esper,[1789]; *aerifera* Sowerby,1805
- 2487) *Diachrysia tutti* (Kostrowicki,1961)** (Noctuidae) Synonym(s): *tutti* Kostrowicki,1961
- 2488) *Diarsia brunnea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#brunnea* [Denis & Schiffermüller],1775
- 2489) *Diarsia florida* (Schmidt,1859)** (Noctuidae) Synonym(s): *florida* Schmidt,1859
- 2490) *Diarsia mendica* (Fabricius,1775)** (Noctuidae) Synonym(s): *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933.
- 2491) *Diarsia rubi* (Vieweg,1790)** (Noctuidae) Synonym(s): *rubi* Vieweg,1790; *radica* Esper,[1790]; *bella* Borkhausen,1792 nec Linn.,1758; *quadratum* Hübner,[1813]; *posticata* Walker,[1858].
- 2492) *Dichagyris* (Grisyigoga) *candelisequa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962.
- 2493) *Dichagyris* (Yigoga) *celsicola* (Bellier,1858)** (Noctuidae) Synonym(s): *celsicola* Bellier,1858
- 2494) *Dichagyris* (Yigoga) *eureteocles* (Boursin,1940)** (Noctuidae) Synonym(s): *eureteocles* Boursin,1940
- 2495) *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
- 2496) *Dichagyris* (Yigoga) *forcipula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
- 2497) *Dichagyris* (Yigoga) *gracilis* (F.Wagner,1929)** (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929
- 2498) *Dichagyris* (Yigoga) *hackeri* (Fibiger,1992)** (Noctuidae) Synonym(s): *hackeri* Fibiger,1992
- 2499) *Dichagyris* (Yigoga) *latipennis* (Püngeler,1909)** (Noctuidae) Synonym(s): *latipennis* Püngeler,1909
- 2500) *Dichagyris* (Yigoga) *lutescens* (Eversmann,1844)** (Noctuidae) Synonym(s): *lutescens* Eversmann,1844; *dilucida* Eversmann,1844; *leonina* Staudinger,1877.
- 2501) *Dichagyris* (Yigoga) *nachadira* (Brandt,1941)** (Noctuidae) Synonym(s): *nachadira* Brandt,1941
- 2502) *Dichagyris* (Yigoga) *nigrescens* (Hofner,1888)** (Noctuidae) Synonym(s): *nigrescens* Hofner,1888
- 2503) *Dichagyris* (Yigoga) *orientis* (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
- 2504) *Dichagyris* (Yigoga) *romanovi* (Christoph,1885)** (Noctuidae) Synonym(s): *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990.
- 2505) *Dichagyris* (Yigoga) *serraticornis* (Staudinger,1898)** (Noctuidae) Synonym(s): *serraticornis* Staudinger,1898

- 2506) *Dichagyris (Yigoga) signifera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775
- 2507) *Dichagyris (Yigoga) sincera* (De Freina & Hacker,1985)** (Noctuidae) Synonym(s): *sincera* De Freina & Hacker,1985.
- 2508) *Dichagyris (Yigoga) soror* Fibiger,1997** (Noctuidae) Synonym(s): *soror* Fibiger,1997
- 2509) *Dichagyris (Yigoga) truculenta* (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853
- 2510) *Dichagyris (Yigoga) weigerti* Hacker & Varga,1990** (Noctuidae) Synonym(s): *weigerti* Hacker & Varga,1990
- 2511) *Dichagyris (Yigoga) wiltshirei* (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936; *#wiltshirei* Ebert & Hacker,2002
- 2512) *Dichagyris (s.str.) achalensis* (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *achalensis* Kozhantshikov,1929
- 2513) *Dichagyris (s.str.) amoena* (Staudinger,1892)** (Noctuidae) Synonym(s): *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933.
- 2514) *Dichagyris (s.str.) anastasia* (Draudt,1936)** (Noctuidae) Synonym(s): *anastasia* Draudt,1936
- 2515) *Dichagyris (s.str.) argentea* (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *argentea* Kozhantshikov,1929
- 2516) *Dichagyris (s.str.) armeniaca* Kozhantshikov,1929** (Noctuidae) Synonym(s): *armeniaca* Kozhantshikov,1929; *assimilata* Kozhantshikov,1929; *striatus* Kozhantshikov,1929.
- 2517) *Dichagyris (s.str.) cataleipa* Varga,1993** (Noctuidae) Synonym(s): *cataleipa* Varga,1993
- 2518) *Dichagyris (s.str.) celebrata* (Alpheraky,1897)** (Noctuidae) Synonym(s): *celebrata* Alpheraky,1897
- 2519) *Dichagyris (s.str.) contermina* (Corti,1929)** (Noctuidae) Synonym(s): *contermina* Corti,1929; *wolffi* Hacker,1985.
- 2520) *Dichagyris (s.str.) devota* (Christoph,1884)** (Noctuidae) Synonym(s): *devota* Christoph,1884; *turana* Staudinger,1892
- 2521) *Dichagyris (s.str.) elbursica* (Draudt,1937)** (Noctuidae) Synonym(s): *elbursica* Draudt,1937
- 2522) *Dichagyris (s.str.) erubescens* (Staudinger,1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger,1892
- 2523) *Dichagyris (s.str.) forficula* (Eversmann,1851)** (Noctuidae) Synonym(s): *forficula* Eversmann,1851
- 2524) *Dichagyris (s.str.) fredii* (Brandt,1938)** (Noctuidae) Synonym(s): *fredii* Brandt,1938
- 2525) *Dichagyris (s.str.) griseotincta* (Wagner,1931)** (Noctuidae) Synonym(s): *griseotincta* Wagner,1931
- 2526) *Dichagyris (s.str.) grisescens* Staudinger,1879** (Noctuidae) Synonym(s): *grisescens* Staudinger,1879; *fasciata* Vorbrodt,1930; *euryloma* Corti,1933
- 2527) *Dichagyris (s.str.) leucomelas* Brandt,1941** (Noctuidae) Synonym(s): *leucomelas* Brandt,1941
- 2528) *Dichagyris (s.str.) melanura* (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
- 2529) *Dichagyris (s.str.) multicuspis* (Eversmann,1852)** (Noctuidae) Synonym(s): *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *issykula* Staudinger,1889; *aequicuspis* Staudinger,1895; *issycula* Hampson,1903
- 2530) *Dichagyris (s.str.) pfeifferi* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt,1933
- 2531) *Dichagyris (s.str.) psammochroa* (Boursin,1940)** (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; *#dichroa* Boursin,1940.
- 2532) *Dichagyris (s.str.) renigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.
- 2533) *Dichagyris (s.str.) singularis* (Staudinger,1877)** (Noctuidae) Synonym(s): *singularis* Staudinger,1877
- 2534) *Dichagyris (s.str.) squalidior* (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901
- 2535) *Dichagyris (s.str.) squalorum* (Eversmann,1856)** (Noctuidae) Synonym(s): *squalorum* Eversmann,1856
- 2536) *Dichagyris (s.str.) terminicincta* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
- 2537) *Dichagyris (s.str.) tyrannus* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *tyrannus* A.Bang-Haas,1912
- 2538) *Dichagyris (s.str.) vallesiaca* (Boisduval,[1837])** (Noctuidae) Synonym(s): *vallesiaca* Boisduval,[1837]
- 2539) *Dichagyris (s.str.) wilsoni* Fibiger,2002** (Noctuidae) Synonym(s): *wilsoni* Fibiger,2002
- 2540) *Dichagyris (s.str.) zeituna* (Staudinger,1900)** (Noctuidae) Synonym(s): *zeituna* Staudinger,1900; *seituna* Hampson,1903

- 2541) *Dichonia (Gripesia) aprilina* (Linnaeus,1758)** (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 2542) *Dichonia (Gripesia) pinkeri* Kobes,1973** (Noctuidae) Synonym(s): *pinkeri* Kobes,1973
- 2543) *Dichonia (Gripesia) wegneri* Kobes & Fibiger,2003** (Noctuidae) Synonym(s): *wegneri* Kobes & Fibiger,2003
- 2544) *Dichonia (s.str.) aeruginea* (Hübner,[1803])** (Noctuidae) Synonym(s): *aeruginea* Hübner,[1803]; *miouleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913.
- 2545) *Dichonia (s.str.) convergens* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791]
- 2546) *Dicycla oo* (Linnaeus,1758)** (Noctuidae) Synonym(s): *oo* Linnaeus,1758; *ferruginago* Hübner,[1803].
- 2547) *Diloba caeruleocephala* (Linnaeus,1758)** (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
- 2548) *Drasteria cailino* (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857
- 2549) *Drasteria caucasica* (Kolenati,1846)** (Noctuidae) Synonym(s): *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903.
- 2550) *Drasteria flexuosa* (Ménétriés,1848)** (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
- 2551) *Drasteria herzi* (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi* Alpheraky,1895
- 2552) *Drasteria picta* (Christoph,1877)** (Noctuidae) Synonym(s): *picta* Christoph,1877; *radapicta* Staudinger,1901.
- 2553) *Drasteria rada* (Boisduval,1848)** (Noctuidae) Synonym(s): *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851.
- 2554) *Drasteria saisani* (Staudinger,1882)** (Noctuidae) Synonym(s): *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910.
- 2555) *Drasteria sequax* (Staudinger,1901)** (Noctuidae) Synonym(s): *sequax* Staudinger,1901
- 2556) *Drasteria sesquilina* (Staudinger,1888)** (Noctuidae) Synonym(s): *sesquilina* Staudinger,1888; *sequax* Staudinger,1901.
- 2557) *Drasteria sesquistria* (Eversmann,1854)** (Noctuidae) Synonym(s): *sesquistria* Eversmann,1854
- 2558) *Drasteria tenera* (Staudinger,1877)** (Noctuidae) Synonym(s): *tenera* Staudinger,1877; *antiqua* Staudinger,1889.
- 2559) *Dryobota labecula* (Esper,[1788])** (Noctuidae) Synonym(s): *labecula* Esper,[1788]
- 2560) *Dryobotodes (Dichonioxa) tenebrosa* (Esper,[1789])** (Noctuidae) Synonym(s): *tenebrosa* Esper,[1789]; *saportae* Duponchel,1826.
- 2561) *Dryobotodes (s.str.) carbonis* (F.Wagner,1931)** (Noctuidae) Synonym(s): *carbonis* F.Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976.
- 2562) *Dryobotodes (s.str.) eremita* (Fabricius,1775)** (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911
- 2563) *Dryobotodes (s.str.) monochroma* (Esper,1790)** (Noctuidae) Synonym(s): *monochroma* Esper,[1790]; *distans* Hübner,[1813]; *suberis* Duponchel,1827
- 2564) *Dryobotodes (s.str.) servadeii* Parenzan,1982** (Noctuidae) Synonym(s): *servadeii* Parenzan,1982
- 2565) *Dypterygia scabriuscula* (Linnaeus,1758)** (Noctuidae) Synonym(s): *scabriuscula* Linnaeus,1758; *pinastri* Linnaeus,1761.
- 2566) *Earias chlorophyllana* Staudinger,1892** (Noctuidae) Synonym(s): *chlorophyllana* Staudinger,1892; *syrticola* Turati,1926; *watsoni* Wiltshire,1947.
- 2567) *Earias clorana* (Linnaeus,1761)** (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
- 2568) *Earias insulana* (Boisduval,1833)** (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
- 2569) *Earias syriacana* Bartel,1903** (Noctuidae) Synonym(s): *syriacana* Bartel,1903
- 2570) *Earias vernana* (Fabricius,1787)** (Noctuidae) Synonym(s): *vernana* Fabricius,1787; *obliterata* Bartel,1914
- 2571) *Egira anatolica* (Hering,1933)** (Noctuidae) Synonym(s): *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966
- 2572) *Egira conspicillaris* (Linnaeus,1758)** (Noctuidae) Synonym(s): *conspicillaris* Linnaeus,1758
- 2573) *Egira fatima* Hreblay,1994** (Noctuidae) Synonym(s): *fatima* Hreblay,1994
- 2574) *Egira tibori* Hreblay,1994** (Noctuidae) Synonym(s): *tibori* Hreblay,1994
- 2575) *Eicomorpha antiqua* Staudinger,1888** (Noctuidae) Synonym(s): *antiqua* Staudinger,1888.
- 2576) *Eicomorpha kurdestanica* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *kurdestanica* De Freina & Hacker,1985
- 2577) *Elaphria venustula* (Hübner,1790)** (Noctuidae) Synonym(s): *venustula* Hübner,1790

- 2578) Enargia abluta (Hübner,[1808])** (Noctuidae) Synonym(s): *abluta* Hübner,[1808]; *imbuta* Boisduval,1840.
- 2579) Enargia paleacea (Esper,[1788])** (Noctuidae) Synonym(s): *paleacea* Esper,[1788].
- 2580) Enargia pinkeri De Freina & Hacker,1985** (Noctuidae) Synonym(s): *pinkeri* De Freina & Hacker,1985
- 2581) Epilecta linogrisea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901.
- 2582) Epimecia ustula (Freyer,1835)** (Noctuidae) Synonym(s): *ustula* Freyer,1835
- 2583) Epipsammia cretacea (Staudinger,1888)** (Noctuidae) Synonym(s): *cretacea* Staudinger,1888.
- 2584) Episema amasina (Hampson,1906)** (Noctuidae) Synonym(s): *amasina* Hampson,1906
- 2585) Episema didymogramma (Boursin,1955)** (Noctuidae) Synonym(s): *didymogramma* Boursin,1955
- 2586) Episema glaucina (Esper,[1789])** (Noctuidae) Synonym(s): *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929.
- 2587) Episema korsakovi (Christoph,1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
- 2588) Episema lederi Christoph,1885** (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#ledereri* Wiltshire,1937.
- 2589) Episema tersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956.
- 2590) Eremobia asiatica Draudt,1936** (Noctuidae) Synonym(s): *asiatica* Draudt,1936
- 2591) Eremobina pabulatricula (Brahm,1791)** (Noctuidae) Synonym(s): *pabulatricula* Brahm,1791
- 2592) Eriopygodes imbecilla (Fabricius,1794)** (Noctuidae) Synonym(s): *imbecilla* Fabricius,1794; *alpina* Hübner,1793; *aliena* Hübner,[1808]; *disparilis* Ochsenheimer,1816.
- 2593) Eublemma (Coccidiphaga) scitulum (Rambur,1833)** (Noctuidae) Synonym(s): *scitula* Rambur,1833; *exasperata* Lederer,1855; *gibbosa* Snellen,1872; *futilis* Swinhoe,1884; *cretacea* Hampson,1893; *turatii* Berio,2002.
- 2594) Eublemma (Glossodice) polygrammum (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *violetta* Staudinger,1889.
- 2595) Eublemma (Honeyania) ragusanum (Freyer,1844)** (Noctuidae) Synonym(s): *ragusana* Freyer,1844; *virginea* Guenée,1852; *cinerina* Ghiliani,1854; *psilogramma* Lederer,1855; *quinquelinealis* Moore,1877; *dividens* Lucas,1892; *polygramma* Hampson,1894.
- 2596) Eublemma (albida-gr.) compunctum (Lederer,1872)** (Noctuidae) Synonym(s): *compuncta* Lederer,1872; *aftob* Brandt,1938.
- 2597) Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): *albida* auct.; *gratissima* Staudinger,1892; *infuscata* Staudinger,1892; *peralba* Schawerda,1923.
- 2598) Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,[1851]
- 2599) Eublemma (albida-gr.) stramineum (Staudinger,1892)** (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933.
- 2600) Eublemma (bulla-gr.) albivestalis (Hampson,1910)** (Noctuidae) Synonym(s): *vestalis* Staudinger,1900 nec Btl.,1886; *albivestalis* Hampson,1910
- 2601) Eublemma (bulla-gr.) lutosum Staudinger,1892** (Noctuidae) Synonym(s): *lutosa* Staudinger,1892; *substrigula* Staudinger,1892
- 2602) Eublemma (bulla-gr.) pura (Hübner,[1813])** (Noctuidae) Synonym(s): *pura* Hübner,[1813]
- 2603) Eublemma (bulla-gr.) suppurum (Staudinger,1892)** (Noctuidae) Synonym(s): *suppura* Staudinger,1892
- 2604) Eublemma (candidana-gr.) aureolum Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *aureola* Fibiger & Hacker,2002
- 2605) Eublemma (candidana-gr.) candidanum (Fabricius,1794)** (Noctuidae) Synonym(s): *candidana* Fabricius,1794; *minuta* Hübner,[1809]; *perlana* Geyer,[1830]; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871.
- 2606) Eublemma (candidana-gr.) minutatum (Fabricius,1794)** (Noctuidae) Synonym(s): *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809].
- 2607) Eublemma (candidana-gr.) ochreolum (Staudinger,1900)** (Noctuidae) Synonym(s): *ochreola* Staudinger,1900; *thurneri* Zerny,1936.
- 2608) Eublemma (candidana-gr.) viridulum (Guenée,1841)** (Noctuidae) Synonym(s): *viridula* Guenée,1841; *minuta* Freyer,1849; *dalmatina* Herrich-Schäffer,[1851]; *caprearum* Draudt,1933.
- 2609) Eublemma (candidana-gr.) wagneri (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *wagneri* Herrich-Schäffer,1851
- 2610) Eublemma (chlorotica-gr.) chloroticum (Lederer,1858)** (Noctuidae) Synonym(s): *chlorotica* Lederer,1858
- 2611) Eublemma (cochylioides-gr.) cochylioides (Guenée,1852)** (Noctuidae) Synonym(s): *cochylioides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusata* W.Warren,1913.

- 2612) Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsaftikis,1973.
- 2613) Eublemma (pallidula-gr.) pallidulum (Herrich-Schäffer,1856)** (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856
- 2614) Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabilie,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
- 2615) Eublemma (rosina-gr.) amoenum (Hübner,[1803])** (Noctuidae) Synonym(s): *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888.
- 2616) Eublemma (rosina-gr.) caelestis (Brandt,1938)** (Noctuidae) Synonym(s): *caelestis* Brandt,1938
- 2617) Eublemma (rosina-gr.) panonicum (Freyer,1840)** (Noctuidae) Synonym(s): *panonica* Freyer,1840; *kindermannii* Boisduval,1840; *lenis* Eversmann,1844
- 2618) Eublemma (rosina-gr.) parallelum (Freyer,1842)** (Noctuidae) Synonym(s): *parallela* Freyer,1842; *concinnulla* Herrich-Schäffer,1851; *#densata* W.Warren,1912.
- 2619) Eublemma (rosina-gr.) purpurinum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901.
- 2620) Eublemma (rosina-gr.) pusillum (Eversmann,1834)** (Noctuidae) Synonym(s): *pusilla* Eversmann,1834
- 2621) Eublemma (rosina-gr.) rosinum (Hübner,[1803])** (Noctuidae) Synonym(s): *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
- 2622) Eublemma (siticulosa-gr.) siticulosum (Lederer,1858)** (Noctuidae) Synonym(s): *siticulosa* Lederer,1858; *rushi* Wiltshire,1961.
- 2623) Eublemma fugitiva (Christoph,1877)** (Noctuidae) Synonym(s): *fugitiva* Christoph,1877
- 2624) Eublemma supuncta (Staudinger,1892)** (Noctuidae) Synonym(s): *supuncta* Staudinger,1892; *#suppuncta* Hacker,1988
- 2625) Eucarta amethystina (Hübner,[1803])** (Noctuidae) Synonym(s): *amethystina* Hübner,[1803]; *austera* W.Warren,1911.
- 2626) Euchalcia (Pseudochalcia) kitchingi Hacker & Ronkay,1992** (Noctuidae) Synonym(s): *kitchingi* Hacker & Ronkay,1992
- 2627) Euchalcia (s.str.) annemaria De Freina & Hacker,1985** (Noctuidae) Synonym(s): *annemaria* De Freina & Hacker,1985
- 2628) Euchalcia (s.str.) armeniae Dufay,1966** (Noctuidae) Synonym(s): *armeniae* Dufay,1966; *#armeninae* Hacker,1986.
- 2629) Euchalcia (s.str.) augusta (Staudinger,1892)** (Noctuidae) Synonym(s): *augusta* Staudinger,1892
- 2630) Euchalcia (s.str.) biezankoi (Alberti,1965)** (Noctuidae) Synonym(s): *biezankoi* Alberti,1965; *#bienzankoi* Hacker,[1987].
- 2631) Euchalcia (s.str.) chalcophanes Dufay,1963** (Noctuidae) Synonym(s): *chalcophanes* Dufay,1963
- 2632) Euchalcia (s.str.) cuprescens Dufay,1966** (Noctuidae) Synonym(s): *cuprescens* Dufay,1966
- 2633) Euchalcia (s.str.) dorsiflava (Standfuss,1892)** (Noctuidae) Synonym(s): *dorsiflava* Standfuss,1892
- 2634) Euchalcia (s.str.) emichi (Rogenhofer,1873)** (Noctuidae) Synonym(s): *emichi* Rogenhofer,1873
- 2635) Euchalcia (s.str.) hedeia Dufay,1978** (Noctuidae) Synonym(s): *hedeia* Dufay,1978; *#hedeja* Hacker,1990; *aureolineata* Ronkay & Gyulai,1997.
- 2636) Euchalcia (s.str.) hyrcaniae Dufay,1963** (Noctuidae) Synonym(s): *hyrcaniae* Dufay,1963
- 2637) Euchalcia (s.str.) kautti Hacker & Ronkay,1992** (Noctuidae) Synonym(s): *kautti* Hacker & Ronkay,1992
- 2638) Euchalcia (s.str.) maria (Staudinger,1892)** (Noctuidae) Synonym(s): *maria* Staudinger,1892
- 2639) Euchalcia (s.str.) modestoides Poole,1989** (Noctuidae) Synonym(s): *modesta* Hübner,1787 *nec* Müll.,1764; *modestoides* Poole,1989
- 2640) Euchalcia (s.str.) paulina (Staudinger,1892)** (Noctuidae) Synonym(s): *paulina* Staudinger,1892
- 2641) Euchalcia (s.str.) siderifera (Eversmann,1846)** (Noctuidae) Synonym(s): *siderifera* Eversmann,1846
- 2642) Euchalcia (s.str.) taurica (Osthelder,1933)** (Noctuidae) Synonym(s): *taurica* Osthelder,1933
- 2643) Euchalcia (s.str.) variabilis (Piller & Mitterpacher,1783)** (Noctuidae) Synonym(s): *variabilis* Piller & Mitterpacher,1783; *cuprea* Esper,1787; *illustris* Fabricius,1787
- 2644) Euchalcia (s.str.) viridis (Staudinger,1901)** (Noctuidae) Synonym(s): *viridis* Staudinger,1901
- 2645) Euclidia glyphica (Linnaeus,1758)** (Noctuidae) Synonym(s): *glyphica* Linnaeus,1758; *pratensis* Müller,1764
- 2646) Eugnorisma (Metagnorisma) depuncta (Linnaeus,1761)** (Noctuidae) Synonym(s): *depuncta* Linnaeus,1761; *meridionalis* Dannehl,1925.
- 2647) Eugnorisma (Metagnorisma) heuristica Varga & Ronkay,1987** (Noctuidae) Synonym(s): *heuristica* Varga & Ronkay,1987
- 2648) Eugnorisma (Metagnorisma) pontica (Staudinger,1892)** (Noctuidae) Synonym(s): *pontica* Staudinger,1892

- 2649) Eugnorisma (Metagnorisma) rafidain (Boursin,1936)** (Noctuidae) Synonym(s): *rafidain Boursin,1936*
- 2650) Eugnorisma (s.str.) chaldaica (Boisduval,1840)** (Noctuidae) Synonym(s): *chaldaica Boisduval,1840*
- 2651) Eugnorisma (s.str.) eminens (Lederer,1855)** (Noctuidae) Synonym(s): *eminens Lederer,1855; excellens Staudinger,1867*
- 2652) Eugnorisma (s.str.) enargiaris (Draudt,1936)** (Noctuidae) Synonym(s): *enargiaris Draudt,1936*
- 2653) Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) Synonym(s): *insignata Lederer,1853; intermedia Eversmann,1855.*
- 2654) Eugnorisma (s.str.) kurdistan Hacke, Kuhna & Gross,1986** (Noctuidae) Synonym(s): *kurdistan Hacke, Kuhna & Gross,1986*
- 2655) Eugnorisma (s.str.) leuconeura (Hampson,1918)** (Noctuidae) Synonym(s): *leuconeura Hampson,1918; fuliginosa Draudt,1936.*
- 2656) Eugnorisma (s.str.) persago Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *persago Gyulai & L.Ronkay,2006*
- 2657) Eugnorisma (s.str.) semiramis (Boursin,1940)** (Noctuidae) Synonym(s): *semiramis Boursin,1940*
- 2658) Eulocasta diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): *diaphora Staudinger,1879; triangularis W.Warren,1888; atribasalis Hampson,1896; laticincta Staudinger,1898.*
- 2659) Euplexia lucipara (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucipara Linnaeus,1758; dubia Hufnagel,1766; leonhardi Rebel,1909; brittanica Turner,1943*
- 2660) Eupsilia transversa (Hufnagel,1766)** (Noctuidae) Synonym(s): *transversa Hufnagel,1766; satellitia Linnaeus,1767*
- 2661) Eurois occulta (Linnaeus,1758)** (Noctuidae) Synonym(s): *occulta Linnaeus,1758; implicata Lefebvre,1836; extricata Zetterstedt,[1839]; prolixa Zetterstedt,[1839]; puncticosa Zetterstedt,[1839]; roseovirgata Dannehl,1929; fumea Corti & Draudt,1933; tibetica Corti & Draudt,1933*
- 2662) Eutelia adoratrix (Staudinger,1892)** (Noctuidae) Synonym(s): *adoratrix Staudinger,1892*
- 2663) Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): *adulatrix Hübner,[1813]*
- 2664) Euxoa (Chorisagrotis) adumbrata (Eversmann,1842)** (Noctuidae) Synonym(s): *adumbrata Eversmann,1842; polygonides Staudinger,1874; variegata Wagner,1913; pamiricola Kozhantshikov,1937.*
- 2665) Euxoa (Chorisagrotis) lidia (Stoll,1782)** (Noctuidae) Synonym(s): *lidia Stoll,[1782].*
- 2666) Euxoa (Orosagrotis) difficillima (Draudt,1937)** (Noctuidae) Synonym(s): *difficillima Draudt,1937*
- 2667) Euxoa (Orosagrotis) foeda (Lederer,1855)** (Noctuidae) Synonym(s): *foeda Lederer,1855; enitens Corti,1926; marmorosa Corti,1927; vanensis Draudt,1937.*
- 2668) Euxoa (Pleonectopoda) hilaris (Freyer,1838)** (Noctuidae) Synonym(s): *hilaris Freyer,1838*
- 2669) Euxoa (Pleonectopoda) inclusa Corti,1931** (Noctuidae) Synonym(s): *inclusa Corti,1931*
- 2670) Euxoa (Pleonectopoda) rjabovi Kozhantshikov,1929** (Noctuidae) Synonym(s): *rjabovi Kozhantshikov,1929; inclusa Corti,1931*
- 2671) Euxoa (s.str.) adjemi Brandt,1941** (Noctuidae) Synonym(s): *adjemi Brandt,1941.*
- 2672) Euxoa (s.str.) anaemica Draudt,1936** (Noctuidae) Synonym(s): *anaemica Draudt,1936*
- 2673) Euxoa (s.str.) anatolica Draudt,1936** (Noctuidae) Synonym(s): *anatolica Draudt,1936.*
- 2674) Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aquilina [Denis & Schiffermüller],1775; fictilis Hübner,[1813]; unicolor Hübner,[1813]; petrina Mayer,1937.*
- 2675) Euxoa (s.str.) armena (Eversmann,1856)** (Noctuidae) Synonym(s): *armena Eversmann,1856; deserta Staudinger,1870*
- 2676) Euxoa (s.str.) basigramma (Staudinger,1870)** (Noctuidae) Synonym(s): *basigramma Staudinger,1870*
- 2677) Euxoa (s.str.) birivia ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *birivia [Denis & Schiffermüller],1775; honnoratina Donzel,1837; cuprina Staudinger,1900; sudetica Skala,1929; caucasica Spuler,1908; flavisignata Corti,1932.*
- 2678) Euxoa (s.str.) christophi (Staudinger,1870)** (Noctuidae) Synonym(s): *christophi Staudinger,1870*
- 2679) Euxoa (s.str.) conifera (Christoph,1877)** (Noctuidae) Synonym(s): *conifera Christoph,1877*
- 2680) Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua Hübner,[1824]; agricola Boisduval,1829; lycarum Herrich-Schäffer,1846; abdita De Joannis,1891; #indistincta Strand,1915; osthelderi Corti,1931; complicata Corti,1931.*
- 2681) Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos Hübner,[1824]; tephra Boisduval,1840; nagyagensis Freyer,1845; vacillans Herrich-Schäffer,[1850]; millierei Staudinger,1870; cycladum Staudinger,1871; aphe Mabille,1885; crimaea A.Bang-Haas,1906; mesopotamica A.Bang-Haas,1912; rubra Corti,1933.*
- 2682) Euxoa (s.str.) decora ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *decora [Denis & Schiffermüller],1775*
- 2683) Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) Synonym(s): *distinguenda Lederer,1857.*

- 2684) Euxoa (s.str.) dsheiron Brandt,1938** (Noctuidae) Synonym(s): *dsheiron* Brandt,1938.
- 2685) Euxoa (s.str.) eruta (Hübner,[1817])** (Noctuidae) Synonym(s): *eruta* Hübner,[1817].
- 2686) Euxoa (s.str.) glabella (Wagner,1930)** (Noctuidae) Synonym(s): *glabella* Wagner,1930
- 2687) Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
- 2688) Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Christoph,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 2689) Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
- 2690) Euxoa (s.str.) luteomixta (F.Wagner,1932)** (Noctuidae) Synonym(s): *luteomixta* F.Wagner,1932
- 2691) Euxoa (s.str.) mobergi Fibiger,1990** (Noctuidae) Synonym(s): *mobergi* Fibiger,1990
- 2692) Euxoa (s.str.) montivaga Fibiger,1997** (Noctuidae) Synonym(s): *montivaga* Fibiger,1997
- 2693) Euxoa (s.str.) mustelina (Christoph,1877)** (Noctuidae) Synonym(s): *mustelina* Christoph,1877
- 2694) Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
- 2695) Euxoa (s.str.) nigrofusca (Esper,[1788])** (Noctuidae) Synonym(s): *tritici sensu auct. nec* Linn.,1761; *nigrofusca* Esper,[1788]; *praticola* Borkhausen,1792; *domestica* Fabricius,1794; *pupillata* Haworth,1803; *venosus* Haworth,1803; *pusillus* Haworth,1803; *lineolata* Haworth,1809; *sordida* Haworth,1809; *albilinea* Haworth,1809; *hortorum* Stephens,1829; *cuneigera* Stephens,1829; *nigrina* Staudinger,1867; *pygmaea* Hampson,1903; *privigna* Püngeler,1906; *fumosoides* Culot,1909
- 2696) Euxoa (s.str.) obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* W.Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934.
- 2697) Euxoa (s.str.) ochrogaster (Guenée,1852)** (Noctuidae) Synonym(s): *ochrogaster* Guenée,1852
- 2698) Euxoa (s.str.) perierga Brandt,1938** (Noctuidae) Synonym(s): *perierga* Brandt,1938
- 2699) Euxoa (s.str.) recussa (Hübner,[1817])** (Noctuidae) Synonym(s): *recussa* Hübner,[1817]; *telifera* Donzel,1837; *transsylvania* Herrich-Schäffer,[1851]; *florigera* Eversmann,1856; *latebrosa* Corti,1931.
- 2700) Euxoa (s.str.) robiginosa (Staudinger,[1895])** (Noctuidae) Synonym(s): *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensior* Draudt,1936; *vinirufa* Draudt,1936.
- 2701) Euxoa (s.str.) rubrior Pinker,1980** (Noctuidae) Synonym(s): *rubrior* Pinker,1980; *kansui* Kornoşor,1989; *oezeri* Kornoşor,1989; *loedlii* Kornoşor,1989
- 2702) Euxoa (s.str.) sabuletorum (Boisduval,1840)** (Noctuidae) Synonym(s): *sabuletorum* Boisduval,1840.
- 2703) Euxoa (s.str.) scurrilis Draudt,1937** (Noctuidae) Synonym(s): *scurrilis* Draudt,1937
- 2704) Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 2705) Euxoa (s.str.) subdecora Hampson,1903** (Noctuidae) Synonym(s): *subdecora* Hampson,1903; *clauda* Püngeler,1906.
- 2706) Euxoa (s.str.) sulcifera (Christoph,1893)** (Noctuidae) Synonym(s): *sulfifera* Christoph,1893
- 2707) Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 2708) Euxoa (s.str.) tritici (Linnaeus,1761)** (Noctuidae) Synonym(s): *tritici* Linnaeus,1761
- 2709) Euxoa (s.str.) vitta (Esper,[1789])** (Noctuidae) Synonym(s): *vitta* Esper,[1789]
- 2710) Euxoa (s.str.) zernyi Boursin,1944** (Noctuidae) Synonym(s): *zernyi* Boursin,1944.
- 2711) Evisa schawerdae Reisser,1930** (Noctuidae) Synonym(s): *schawerdae* Reisser,1930
- 2712) Exophyla rectangularis (Geyer,[1828])** (Noctuidae) Synonym(s): *rectangularis* Geyer,[1828]; *#rectangularis* Lehmann, Hacker et al.,1998
- 2713) Gonospileia munita (Hübner,[1813])** (Noctuidae) Synonym(s): *munita* Hübner,[1813]; *angulosa* Eversmann,1832.
- 2714) Gonospileia triquetra ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881.
- 2715) Gortyna cervago Eversmann,1844** (Noctuidae) Synonym(s): *cervago* Eversmann,1844; *#argillago* Draudt,1936.
- 2716) Gortyna flavago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller],1775
- 2717) Gortyna hethitica Hacker,Kuhna & Gross,1986** (Noctuidae) Synonym(s): *hethitica* Hacker,Kuhna & Gross,1986
- 2718) Gortyna moesiaca Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *moesiaca* Herrich-Schäffer,[1849]; *perlucida* W.Warren,1911.
- 2719) Gortyna osmana Hacker & Kuhna,1986** (Noctuidae) Synonym(s): *osmana* Hacker & Kuhna,1986

- 2720) Grammodes bifasciata (Petagna,1786)** (Noctuidae) Synonym(s): *geometrica* auct.; *bifasciata* Petagna,1786; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalciptera* Borkhausen,1792; *parallelaris* Hübner,[1803].
- 2721) Grammodes stolidus (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidus* Fabricius,1775; *cingularis* Hübner,[1808]; *stipida* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
- 2722) Graphantha (Dysgraphhadena) commoda (Staudinger,1889)** (Noctuidae) Synonym(s): *indigna* auct. nec Chr.,1887; *commoda* Staudinger,1889; *manifesta* Christoph,1893; *idumaea* Püngeler,1902; *schlumbergeri* Püngeler,1905
- 2723) Graphiphora augur (Fabricius,1775)** (Noctuidae) Synonym(s): *augur* Fabricius,1775
- 2724) Hada persa (Alpheraky,1897)** (Noctuidae) Synonym(s): *persa* Alpheraky,1897
- 2725) Hada plebeja (Linnaeus,1761)** (Noctuidae) Synonym(s): *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiffermüller],1775; *leucostigma* Haworth,1809; *odontides* Boisduval,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rebel & Zerny,[1932]; *littoralis* Schawerda,1938; *gredensis* Schawerda,1938; *nevadensis* Schawerda,1938; *hawelkae* Schawerda,1938
- 2726) Hadena (Anepia) esperi Hacker,1992** (Noctuidae) Synonym(s): *esper* Hacker,1992
- 2727) Hadena (Anepia) irregularis (Hufnagel,1766)** (Noctuidae) Synonym(s): *irregularis* Hufnagel,1766; *echii* Borkhausen,1792; *syngenesiae* Borkhausen,1793; *brecciaeformis* Esper,[1805].
- 2728) Hadena (Anepia) musculina (Staudinger,1892)** (Noctuidae) Synonym(s): *musculina* Staudinger,1892; *mayeri* F.Wagner,1931.
- 2729) Hadena (Anepia) neglecta Hacker,1992** (Noctuidae) Synonym(s): *neglecta* Hacker,1992
- 2730) Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
- 2731) Hadena (Anepia) sancta (Staudinger,1859)** (Noctuidae) Synonym(s): *sancta* Staudinger,1859
- 2732) Hadena (Anepia) silenes (Hübner,[1822])** (Noctuidae) Synonym(s): *silenes* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850].
- 2733) Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 2734) Hadena (Anepia) wolffi Hacker,1992** (Noctuidae) Synonym(s): *wolffi* Hacker,1992
- 2735) Hadena (Enterpia) laudeti (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval,1840
- 2736) Hadena (Enterpia) roseocandida Hacker,1996** (Noctuidae) Synonym(s): *roseocandida* Hacker,1996
- 2737) Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879
- 2738) Hadena (Pinkericola) cappadocia Hacker,1987** (Noctuidae) Synonym(s): *cappadocia* Hacker,1987
- 2739) Hadena (Pinkericola) inexpectata Varga,1979** (Noctuidae) Synonym(s): *inexpectata* Varga,1979
- 2740) Hadena (Pinkericola) pygmaea (Boursin,1962)** (Noctuidae) Synonym(s): *pygmaea* Boursin,1962
- 2741) Hadena (Pinkericola) tephroleuca (Boisduval,1833)** (Noctuidae) Synonym(s): *tephroleuca* Boisduval,1833
- 2742) Hadena (s.str.(Albimaculia)) adriana (Schawerda,1921)** (Noctuidae) Synonym(s): *adriana* Schawerda,1921
- 2743) Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820].
- 2744) Hadena (s.str.(Albimaculia)) cavalla Pinker,1980** (Noctuidae) Synonym(s): *cavalla* Pinker,1980
- 2745) Hadena (s.str.(Albimaculia)) defreinai Hacker, Kuhna & Gross,1986** (Noctuidae) Synonym(s): *grisea* Idrisov,1961; *defreinai* Hacker, Kuhna & Gross,1986
- 2746) Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905
- 2747) Hadena (s.str.(Albimaculia)) humilis (Christoph,1893)** (Noctuidae) Synonym(s): *humilis* Christoph,1893; *stenoptera* Rebel,1933.
- 2748) Hadena (s.str.(Albimaculia)) secreta Hacker,1996** (Noctuidae) Synonym(s): *secreta* Hacker,1996
- 2749) Hadena (s.str.(Anatolidena)) danilewskyi Hacker,1996** (Noctuidae) Synonym(s): *danilewskyi* Hacker,1996
- 2750) Hadena (s.str.(Anatolidena)) nebulosa Hacker,1996** (Noctuidae) Synonym(s): *nebulosa* Hacker,1996
- 2751) Hadena (s.str.(Anatolidena)) pfeifferi (Draudt,1934)** (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934
- 2752) Hadena (s.str.(Anatolidena)) ronkayorum Hacker,1996** (Noctuidae) Synonym(s): *ronkayorum* Hacker,1996

- 2753) Haden** (s.str.(Anatolidena)) **staudingeri** (F.Wagner,1931) (Noctuidae) Synonym(s): *staudingeri* F.Wagner,1931
- 2754) Haden** (s.str.(Caeshadena)) **caesia** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *caesia* [Denis & Schiffermüller],1775; *dichroma* Esp.,[1790].
- 2755) Haden** (s.str.(Caeshadena)) **vanensis** Hacker,1996 (Noctuidae) Synonym(s): *vanensis* Hacker,1996
- 2756) Haden** (s.str.(Clarhadena)) **clara** (Staudinger,1901) (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938.
- 2757) Haden** (s.str.(Clarhadena)) **drenowski** (Rebel,1930) (Noctuidae) Synonym(s): *drenowski* Rebel,1930.
- 2758) Haden** (s.str.(Clarhadena)) **hyrcanoides** Hacker,1996 (Noctuidae) Synonym(s): *hyrcanoides* Hacker,1996
- 2759) Haden** (s.str.(Clarhadena)) **pseudoclara** Hacker,1996 (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996
- 2760) Haden** (s.str.(Clarhadena)) **subhyrcana** Hacker,1996 (Noctuidae) Synonym(s): *subhyrcana* Hacker,1996
- 2761) Haden** (s.str.(Dianthoecia)) **impressa** (Esper,[1790]) (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790].
- 2762) Haden** (s.str.(Filograna)) **filograna** (Esper,[1788]) (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrana* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821].
- 2763) Haden** (s.str.(Hadenobilis)) **albertii** Hacker,1996 (Noctuidae) Synonym(s): *albertii* Hacker,1996
- 2764) Haden** (s.str.(Hadenobilis)) **chrysographa** Hacker,1996 (Noctuidae) Synonym(s): *chrysographa* Hacker,1996
- 2765) Haden** (s.str.(Hadenobilis)) **germaniciae** Boursin,1959 (Noctuidae) Synonym(s): *germaniciae* Boursin,1959
- 2766) Haden** (s.str.(Hadenobilis)) **melanochroa** (Staudinger,1892) (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892
- 2767) Haden** (s.str.(Hadenobilis)) **perpetua** Hacker,1996 (Noctuidae) Synonym(s): *perpetua* Hacker,1996
- 2768) Haden** (s.str.(Hadenobilis)) **tristis** (Draudt,1934) (Noctuidae) Synonym(s): *tristis* Draudt,1934
- 2769) Haden** (s.str.(Hadenobilis)) **vulcanica** (Turati,1907) (Noctuidae) Synonym(s): *vulcanica* Turati,1907
- 2770) Haden** (s.str.(Luteocincta)) **femina** Hacker,1996 (Noctuidae) Synonym(s): *femina* Hacker,1996
- 2771) Haden** (s.str.(Luteocincta)) **lucida** (Brandt,1938) (Noctuidae) Synonym(s): *lucida* Brandt,1938
- 2772) Haden** (s.str.(Luteocincta)) **persimilis** Hacker,1996 (Noctuidae) Synonym(s): *persimilis* Hacker,1996
- 2773) Haden** (s.str.(Luteocincta)) **thecaphaga** (Draudt,1937) (Noctuidae) Synonym(s): *thecaphaga* Draudt,1937
- 2774) Haden** (s.str.(Luteocincta)) **wehrlii** (Draudt,1934) (Noctuidae) Synonym(s): *wehrlii* Draudt,1934
- 2775) Haden** (s.str.(Magnifica)) **magnifica** Hacker,1996 (Noctuidae) Synonym(s): *magnifica* Hacker,1996
- 2776) Haden** (s.str.(Magnolihadena)) **magnolii** (Boisduval,1828) (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844.
- 2777) Haden** (s.str.(Miselia)) **compta** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
- 2778) Haden** (s.str.(Montanohadena)) **fibigeri** Hacker,1996 (Noctuidae) Synonym(s): *fibigeri* Hacker,1996
- 2779) Haden** (s.str.(Montanohadena)) **praetermissa** Hacker,1996 (Noctuidae) Synonym(s): *praetermissa* Hacker,1996
- 2780) Haden** (s.str.(Montanohadena)) **pseudohyrcana** De Freina & Hacker,1985 (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker,1985.
- 2781) Haden** (s.str.(Montanohadena)) **purpurea** Hacker,1996 (Noctuidae) Synonym(s): *purpurea* Hacker,1996
- 2782) Haden** (s.str.(Montanohadena)) **virescens** Hacker,1996 (Noctuidae) Synonym(s): *virescens* Hacker,1996
- 2783) Haden** (s.str.(Turkihadena)) **rjabovi** (Idrisov,1961) (Noctuidae) Synonym(s): *rjabovi* Idrisov,1961; *occidentalis* De Freina & Hacker,1985
- 2784) Haden** (s.str.(Zeteolyga)) **confusa** (Hufnagel,1766) (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902.

- 2785) Hadena (s.str.(Zeteolyga)) pseudodealbata Hacker,1988** (Noctuidae) Synonym(s): *pseudodealbata* Hacker,1988
- 2786) Hadjina lutosa Staudinger,1892** (Noctuidae) Synonym(s): *lutosa* Staudinger,1892
- 2787) Hadula (Calocestra (Dianthus)) dianthi (Tauscher,1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930.
- 2788) Hadula (Calocestra (Hadufurca)) colletti (Schneider,1876)** (Noctuidae) Synonym(s): *colletti* Schneider,1876
- 2789) Hadula (Calocestra (Hadumendax)) hoplites (Staudinger,1901)** (Noctuidae) Synonym(s): *hoplites* Staudinger,1901
- 2790) Hadula (Calocestra (Hadumendax)) mendax (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax* Staudinger,1879
- 2791) Hadula (Calocestra (Hadumendax)) mendica (Staudinger,[1895])** (Noctuidae) Synonym(s): *mendica* Staudinger,[1895].
- 2792) Hadula (Calocestra (Hadupugnax)) latemarginata (Wiltshire,1976)** (Noctuidae) Synonym(s): *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986.
- 2793) Hadula (Calocestra (Hadupugnax)) odontites (Boisduval,1829)** (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941.
- 2794) Hadula (Calocestra (Hadupugnax)) pugnax (Hübner,[1824])** (Noctuidae) Synonym(s): *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942
- 2795) Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 2796) Hadula (Calocestra (Stigmosa)) stigmosa (Christoph,1887)** (Noctuidae) Synonym(s): *stigmosa* Christoph,1887.
- 2797) Hadula (Cardiastrea) vassilini (O.Bang-Haas,1927)** (Noctuidae) Synonym(s): *vassilini* O.Bang-Haas,1927
- 2798) Hadula (Ptochicestra) osmana Hacker,1998** (Noctuidae) Synonym(s): *osmana* Hacker,1998
- 2799) Hadula (s.str. (Habulorum)) sabulorum (Alpheraky,1882)** (Noctuidae) Synonym(s): *sabulorum* Alpheraky,1882
- 2800) Haemerosia renalis (Hübner,[1813])** (Noctuidae) Synonym(s): *renalis* Hübner,[1813]
- 2801) Hakkaria varga (Hacker,[1987])** (Noctuidae) Synonym(s): *varga* Hacker,[1987]
- 2802) Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861.
- 2803) Hecatera cappa (Hübner,[1809])** (Noctuidae) Synonym(s): *cappa* Hübner,[1809]
- 2804) Hecatera rhodocharis (Brandt,1938)** (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938
- 2805) Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910.
- 2806) Helicoverpa armigera (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 2807) Heliophobus reticulata (Goeze,1781)** (Noctuidae) Synonym(s): *calcatrappae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
- 2808) Heliophobus unicolor (Alpheraky,1889)** (Noctuidae) Synonym(s): *unicolor* Alpheraky,1889
- 2809) Heliothis maritima Graslin,1855** (Noctuidae) Synonym(s): *maritima* Graslin,1855
- 2810) Heliothis nubigera Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 2811) Heliothis ononis (Fabricius,1787)** (Noctuidae) Synonym(s): *#ononis* [Denis & Schiffermüller],1775; *ononis* Fabricius,1787; *ononidis* Guenée,1852.
- 2812) Heliothis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 2813) Heliothis viriplaca (Hufnagel,1766)** (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 2814) Heptapotamia eustratii Alpheraky,1882** (Noctuidae) Synonym(s): *eustratii* Alpheraky,1882
- 2815) Herminia grisealis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nemoralis* Fabricius,1775 nec Scop.,1763; *grisealis* [Denis & Schiffermüller],1775; *sulzeriana* Scopoli,1786; *nemorum* Fabricius,1798; *nemoratus* Haworth,1809
- 2816) Herminia nigricaria Osthelder,1933** (Noctuidae) Synonym(s): *nigricaria* Osthelder,1933
- 2817) Herminia proxima Christoph,1893** (Noctuidae) Synonym(s): *proxima* Christoph,1893
- 2818) Herminia tarsicrinalis (Knoch,1782)** (Noctuidae) Synonym(s): *tarsicrinalis* Knoch,1782; *tarsicrinatus* Haworth,1809
- 2819) Herminia tarsipennalis Treitschke,1835** (Noctuidae) Synonym(s): *tarsipennalis* Treitschke,1835

- 2820) *Herminia tenuialis* (Rebel,1899)** (Noctuidae) Synonym(s): *tenuialis* Rebel,1899
- 2821) *Heteropalpia vetusta* (Walker,1865)** (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
- 2822) *Heterophysa dumetorum* (Geyer,1834)** (Noctuidae) Synonym(s): *dumetorum* Geyer,1834; *rhadama* Milliére,1883
- 2823) *Himalistra tahiricola* Ronkay & Hreblay,1994** (Noctuidae) Synonym(s): *tahiricola* Ronkay & Hreblay,1994
- 2824) *Hoplodrina ambigua* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 2825) *Hoplodrina blanda* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
- 2826) *Hoplodrina levis* (Staudinger,1888)** (Noctuidae) Synonym(s): *levis* Staudinger,1888
- 2827) *Hoplodrina octogenaria* (Goeze,1781)** (Noctuidae) Synonym(s): *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 nec Hübner,[1803]
- 2828) *Hoplodrina pfeifferi* (Boursin,1932)** (Noctuidae) Synonym(s): *pfeifferi* Boursin,1932.
- 2829) *Hoplodrina respersa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 nec Vill.,1789
- 2830) *Hoplodrina superstes* (Ochsenheimer,1816)** (Noctuidae) Synonym(s): *superstes* Ochsenheimer,1816
- 2831) *Hypena (Ophiuche) lividalis* (Hübner,1796)** (Noctuidae) Synonym(s): *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicalis* Zeller,1852; *abjuralis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ? *bipartita* Smith,1900.
- 2832) *Hypena (s.str.) obsitalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813]
- 2833) *Hypena munitalis* Mann,1861** (Noctuidae) Synonym(s): *munitalis* Mann,1861.
- 2834) *Hypena obesalis* Treitschke,1829** (Noctuidae) Synonym(s): *obesalis* Treitschke,1829
- 2835) *Hypena opulenta* (Christoph,1877)** (Noctuidae) Synonym(s): *opulenta* Christoph,1877
- 2836) *Hypena palpalis* (Hübner,1796)** (Noctuidae) Synonym(s): *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901.
- 2837) *Hypena proboscidalis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *proboscidalis* Linnaeus,1758; *tatorhina* Butler,1879
- 2838) *Hypena rostralis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *rostralis* Linnaeus,1758.
- 2839) *Hypenodes anatolica* Schwingenschuss,1938** (Noctuidae) Synonym(s): *anatolica* Schwingenschuss,1938; *nigritalis* Ronkay,1984.
- 2840) *Hypenodes humidalis* Doubleday,1850** (Noctuidae) Synonym(s): *humidalis* Doubleday,1850
- 2841) *Hypenodes kalchbergi* Staudinger,1876** (Noctuidae) Synonym(s): *kalchbergi* Staudinger,1876
- 2842) *Hypenodes orientalis* Staudinger,1901** (Noctuidae) Synonym(s): *orientalis* Staudinger,1901; *nesiota* Rebel,1916.
- 2843) *Hypeuthina fulgurita* Lederer,1855** (Noctuidae) Synonym(s): *fulgurita* Lederer,1855
- 2844) *Hyppa rectilinea* (Esper,[1788])** (Noctuidae) Synonym(s): *rectilinea* Esper,[1788]; *albopicta* Matsumura,1952
- 2845) *Hyssia cavernosa* (Eversmann,1852)** (Noctuidae) Synonym(s): *cavernosa* Eversmann,1852
- 2846) *Idia calvaria* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller],1775
- 2847) *Ipimorpha retusa* (Linnaeus,1761)** (Noctuidae) Synonym(s): *retusa* Linnaeus,1761; *chreysoglossa* Beckwith,1794; *gracilis* Haworth,1809.
- 2848) *Ipimorpha subtusa* (Fabricius,1787)** (Noctuidae) Synonym(s): *#subtusa* [Denis & Schiffermüller],1775; *subtusa* Fabricius,1787.
- 2849) *Iranada tarachoides* (Bytinski-Salz & Brandt,1937)** (Noctuidae) Synonym(s): *tarachoides* Bytinski-Salz & Brandt,1937
- 2850) *Janthinea divalis* Staudinger,1892** (Noctuidae) Synonym(s): *divalis* Staudinger,1892
- 2851) *Janthinea friwaldskii* (Duponchel,1835)** (Noctuidae) Synonym(s): *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#violacea* Staudinger,1879; *friwaldszci* Hampson,1910.
- 2852) *Jodia croceago* (Fabricius,1787)** (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiagio* Donovan,1796; *corsica* Mabille,1868
- 2853) *Lacanobia (Dianobia) dissimilis* (Knoch,1781)** (Noctuidae) Synonym(s): *#suasa* [Denis & Schiffermüller],1775; *dissimilis* Knoch,1781; *leucographa* Esper,[1790]; *denscanis* Haworth,1809; *permixta* Geyer,[1833]; *pavida* Boisduval,1840; *confluens* Eversmann,1844; *laeta* Reuter,1893.
- 2854) *Lacanobia (Dianobia) histrio* (Goeze,1781)** (Noctuidae) Synonym(s): *#contigua* [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc.
- 2855) *Lacanobia (Dianobia) obvia* (Eversmann,1856)** (Noctuidae) Synonym(s): *obvia* Eversmann,1856
- 2856) *Lacanobia (Dianobia) thalassina* (Hufnagel,1766)** (Noctuidae) Synonym(s): *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813].

- 2857) *Lacanobia (Diataraxia) aliena* (Hübner,[1809])** (Noctuidae) Synonym(s): *aliena* Hübner,[1809]
- 2858) *Lacanobia (Diataraxia) blenna* (Hübner,[1824])** (Noctuidae) Synonym(s): *blenna* Hübner,[1824]; *peregrina* Treitschke,1825; *trimenda* Geyer,[1832]; *guenei* Bruand,1850.
- 2859) *Lacanobia (Diataraxia) oleracea* (Linnaeus,1758)** (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
- 2860) *Lacanobia (Diataraxia) praedita* (Hübner,[1813])** (Noctuidae) Synonym(s): *praedita* Hübner,[1813]
- 2861) *Lacanobia (Diataraxia) splendens* (Hübner,[1808])** (Noctuidae) Synonym(s): *splendens* Hübner,[1808]
- 2862) *Lacanobia (s.str.) w-latinum* (Hufnagel,1766)** (Noctuidae) Synonym(s): *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962.
- 2863) *Lamprosticta culta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#culta* [Denis & Schiffermüller],1775
- 2864) *Lasionycta draudti* (F.Wagner,1936)** (Noctuidae) Synonym(s): *draudti* F.Wagner,1936
- 2865) *Lasionycta proxima* (Hübner,[1809])** (Noctuidae) Synonym(s): *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976.
- 2866) *Laspeyria flexula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flexula* [Denis & Schiffermüller],1775
- 2867) *Ledereragrotis multifida* (Lederer,1870)** (Noctuidae) Synonym(s): *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906
- 2868) *Leucania comma* (Linnaeus,1761)** (Noctuidae) Synonym(s): *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909.
- 2869) *Leucania herrichi* Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,[1849]
- 2870) *Leucania loreyi* (Duponchel,1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 2871) *Leucania obsoleta* (Hübner,[1803])** (Noctuidae) Synonym(s): *obsoleta* Hübner,[1803]; *insecuta* Walker,1865; *intermissa* Walker,1865; *nohirae* Matsumura,1926; *griseola* Matsumura,1926
- 2872) *Leucania palaestinae* Staudinger,1897** (Noctuidae) Synonym(s): *palaestinae* Staudinger,1897; *languida* Staudinger,1897 *nec* Wlk.,1858; *#obscura* Heydemann et al.,1963; *#plastinaea* Kornošor & Lödl,1990
- 2873) *Leucania punctosa* (Treitschke,1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
- 2874) *Leucania putrescens* (Hübner,[1824])** (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
- 2875) *Leucania zae* (Duponchel,1827)** (Noctuidae) Synonym(s): *zae* Duponchel,1827; *indistincta* Christoph,1887; *putrida* Staudinger,1889; *cinerea* Lucas,1948
- 2876) *Leucochlaena fallax* (Staudinger,1870)** (Noctuidae) Synonym(s): *fallax* Staudinger,1870
- 2877) *Leucochlaena hoerhammeri* (Wagner,1931)** (Noctuidae) Synonym(s): *hoerhammeri* Wagner,1931
- 2878) *Leucochlaena jordana* Draudt,1934** (Noctuidae) Synonym(s): *jordana* Draudt,1934
- 2879) *Leucochlaena muscosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892
- 2880) *Lithophane lapidea* (Hübner,[1808])** (Noctuidae) Synonym(s): *lapidea* Hübner,[1808]
- 2881) *Lithophane ledereri* (Staudinger,1892)** (Noctuidae) Synonym(s): *ledereri* Staudinger,1892; *discors* Staudinger,1892
- 2882) *Lithophane merckii* (Rambur,1832)** (Noctuidae) Synonym(s): *merckii* Rambur,1832
- 2883) *Lithophane ornitopus* (Hufnagel,1766)** (Noctuidae) Synonym(s): *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976
- 2884) *Lithophane semibrunnea* (Haworth,1809)** (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824].
- 2885) *Lithophane socia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *socia* Hufnagel,1766
- 2886) *Lithophasia venosula* Staudinger,1892** (Noctuidae) Synonym(s): *venosula* Staudinger,1892
- 2887) *Lophoterges (Fibigeres) hoerhammeri* (Wagner,1931)** (Noctuidae) Synonym(s): *hoerhammeri* Wagner,1931
- 2888) *Loscopia scolopacina* (Esper,1788)** (Noctuidae) Synonym(s): *scolopacina* Esper,1788
- 2889) *Luperina diversa* (Staudinger,1892)** (Noctuidae) Synonym(s): *diversa* Staudinger,1892; *indistincta* Rebel,1933
- 2890) *Luperina dumerilii* (Duponchel,1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826
- 2891) *Luperina koshantschikovi* (Püngeler,1914)** (Noctuidae) Synonym(s): *koshantschikovi* Püngeler,1914
- 2892) *Luperina rjabovi* (Kljutschko,1967)** (Noctuidae) Synonym(s): *rjabovi* Kljutschko,1967

- 2893) *Luperina rubella* (Duponchel,1835)** (Noctuidae) Synonym(s): *mediosignata* Turati,1930; *sericea* Caradja,1932; *thurneri* Schawerda,1938.
- 2894) *Luperina testacea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *testacea* [Denis & Schiffermüller],1775
- 2895) *Lycophorus ankarensis* (Rebel,1931)** (Noctuidae) Synonym(s): *ankarensis* Rebel,1931; *wichgrafi* Corti & Draudt,1933; *#ankariensis* Hacker,2001
- 2896) *Lycophorus tischendorfi* (Püngeler,1915)** (Noctuidae) Synonym(s): *tischendorfi* Püngeler,1915 (nec 1925!); *flagrans* Püngeler,1925; *libanotica* Corti & Draudt,1933.
- 2897) *Lygephila* (s.str.) *craccae* (Fabricius,1787)** (Noctuidae) Synonym(s): *#craccae* [Denis & Schiffermüller],1775; *craccae* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#craccae* Hacker & Kautt,1999.
- 2898) *Lygephila* (s.str.) *ludicra* (Hübner,1790)** (Noctuidae) Synonym(s): *ludicra* Hübner,1790
- 2899) *Lygephila* (s.str.) *lusoria* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758; *orobi* Duponchel,1821; *lathyri* Boisduval,[1828]
- 2900) *Lygephila* (s.str.) *pallida* (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *pallida* A.Bang-Haas,1907
- 2901) *Lygephila* (s.str.) *pastinum* (Treitschke,1826)** (Noctuidae) Synonym(s): *pastinum* Treitschke,1826; *astragali* Herrich-Schäffer,1851; *dilutior* Staudinger,1892.
- 2902) *Lygephila* (s.str.) *procax* (Hübner,[1813])** (Noctuidae) Synonym(s): *procax* Hübner,[1813]; *limosa* Treitschke,1826; *nigricostata* Graeser,1890
- 2903) *Lygephila* (s.str.) *schachti* Behounek & Hacker,1986** (Noctuidae) Synonym(s): *schachti* Behounek & Hacker,1986
- 2904) *Lygephila* (s.str.) *subpicata* Wiltshire,1971** (Noctuidae) Synonym(s): *subpicata* Wiltshire,1971
- 2905) *Lygephila* (s.str.) *viciae* (Hübner,[1822])** (Noctuidae) Synonym(s): *viciae* Hübner,[1822]; *coronillae* Herrich-Schäffer,1851; *stigmata* Wileman,1911; *violaceogrisea* Draudt,1950
- 2906) *Macdunnoughia confusa* (Stephens,1850)** (Noctuidae) Synonym(s): *confusa* Stephens,1850; *gutta* Guenée,1852.
- 2907) *Mamestra brassicae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889.
- 2908) *Maraschia grisescens* Osthelder,1933** (Noctuidae) Synonym(s): *grisescens* Osthelder,1933
- 2909) *Margelana flavidior* Wagner,1831** (Noctuidae) Synonym(s): *flavidior* Wagner,1831
- 2910) *Margelana versicolor* Staudinger,1888** (Noctuidae) Synonym(s): *versicolor* Staudinger,1888
- 2911) *Megalodes eximia* (Freyer,1845)** (Noctuidae) Synonym(s): *eximia* Freyer,1845
- 2912) *Meganephria bimaculosa* (Linnaeus,1767)** (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804].
- 2913) *Meganola albula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#albula* [Denis & Schiffermüller],1775
- 2914) *Meganola gigantula* (Staudinger,1879)** (Noctuidae) Synonym(s): *gigantula* Staudinger,1879
- 2915) *Meganola strigula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#strigula* [Denis & Schiffermüller],1775
- 2916) *Meganola taurica* (Daniel,1935)** (Noctuidae) Synonym(s): *taurica* Daniel,1935
- 2917) *Meganola togatulalis* (Hübner,1796)** (Noctuidae) Synonym(s): *togatulalis* Hübner,1796; *togatulana* Duponchel,1845
- 2918) *Melanchra persicariae* (Linnaeus,1761)** (Noctuidae) Synonym(s): *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,[1788].
- 2919) *Melanchra pisi* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pisi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoi* Agenjo,1945.
- 2920) *Mesapamea* (Resapamea) *hedeni* (Graeser,1888)** (Noctuidae) Synonym(s): *hedeni* Graeser,1888; *radicosa* Graeser,1892; *subornata* Staudinger,1896.
- 2921) *Mesapamea* (s.str.) *didyma* (Esper,[1788])** (Noctuidae) Synonym(s): *didyma* Esper,[1788]; *secalella* Remm,1983.
- 2922) *Mesapamea* (s.str.) *secalis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *secalis* Linnaeus,1758
- 2923) *Mesapamea* (s.str.) *vaskeni* Varga,1979** (Noctuidae) Synonym(s): *vaskeni* Varga,1979
- 2924) *Mesogona acetosellae* (Goeze,1781)** (Noctuidae) Synonym(s): *#acetosellae* [Denis & Schiffermüller],1775; *acetosellae* Goeze,1781; *vorbodti* Wehrli,1917; *grisea* Dannehl,1929; *pallida* Dannehl,1929; *segoviensis* Calle,1982; *#clarescens* Calle,1982
- 2925) *Mesogona oxalina* (Hübner,[1803])** (Noctuidae) Synonym(s): *oxalina* Hübner,[1803]
- 2926) *Mesoligia furuncula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller],1775; *spoliaticula* [Denis & Schiffermüller],1775; *bicoloria* Villers,1789; *vinctuncula* Hübner,[1803]; *humeralis* Haworth,1809; *terminalis* Haworth,1809; *rufuncula* Haworth,1809
- 2927) *Mesoligia literosa* (Haworth,[1809])** (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erratricula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918
- 2928) *Metachrostis dardouini* (Boisduval,1840)** (Noctuidae) Synonym(s): *dardouini* Boisduval,1840; *velox* Treitschke nec Hbn.,[1813]; *mendacula* Freyer,1841; *dilutior* Schwingenschuss,1926
- 2929) *Metachrostis sefidi* (Brandt,1938)** (Noctuidae) Synonym(s): *sefidi* Brandt,1938

- 2930) *Metachrostis velocior* (Staudinger,1892)** (Noctuidae) Synonym(s): *velocior* Staudinger,1892
- 2931) *Metachrostis velox* (Hübner,[1813])** (Noctuidae) Synonym(s): *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *mendacularis* Treitschke,1829; *tarda* Turati,1926; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930
- 2932) *Metaegle gratiosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *gratiosa* Staudinger,1892; *iranica* Bytinski-Salz & Brandt,1937.
- 2933) *Metaegle pallida* (Staudinger,1892)** (Noctuidae) Synonym(s): *pallida* Staudinger,1892
- 2934) *Metalopha* (*Antholopha*) *gloriosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.
- 2935) *Metalopha* (s.str.) *ionodoxa* Ronkay,1990** (Noctuidae) Synonym(s): *ionodoxa* Ronkay,1990
- 2936) *Metalopha* (s.str.) *liturata* (Christoph,1887)** (Noctuidae) Synonym(s): *liturata* Christoph,1887; *plusina* Staudinger,1892.
- 2937) *Metopoceras* (s.str.) *delicata* (Staudinger,1898)** (Noctuidae) Synonym(s): *delicata* Staudinger,1898; *gauckleri* Püngeler,1905.
- 2938) *Metopoceras* (s.str.) *omar* (Oberthür,1887)** (Noctuidae) Synonym(s): *omar* Oberthür,1887
- 2939) *Metopodicha ernesti* Draudt,1936** (Noctuidae) Synonym(s): *ernesti* Draudt,1936; *achaemenica* Wiltshire,1941
- 2940) *Metoponrhis albirena* (Christoph,1887)** (Noctuidae) Synonym(s): *albirena* Christoph,1887
- 2941) *Metopoplus boursini* Brandt,1938** (Noctuidae) Synonym(s): *boursini* Brandt,1938
- 2942) *Metopoplus excelsa* (Christoph,1885)** (Noctuidae) Synonym(s): *excelsa* Christoph,1885
- 2943) *Micriantha decorata* (Frivaldsky,1845)** (Noctuidae) Synonym(s): *decorata* Frivaldsky,1845; *violacea* Herrich-Schäffer,[1851]
- 2944) *Minucia bimaculata* Osthelder,1933** (Noctuidae) Synonym(s): *bimaculata* Osthelder,1933
- 2945) *Mniotype adusta* (Esper,[1790])** (Noctuidae) Synonym(s): *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *grisescens* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki
- 2946) *Mniotype solieri* (Boisduval,1840)** (Noctuidae) Synonym(s): *solieri* Boisduval,1940
- 2947) *Moma alpium* (Osbeck,1778)** (Noctuidae) Synonym(s): *alpium* Osbeck,1778; *orion* Esper,1791; *murrhina* Graeser,1889; *designata* Turati,1923; *kolthoffi* Bryk,1949
- 2948) *Mormo maura* (Linnaeus,1758)** (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996
- 2949) *Mythimna* (*Aletia*) *alopecuri* (Boisduval,1840)** (Noctuidae) Synonym(s): *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933
- 2950) *Mythimna* (*Aletia*) *andereggii* (Boisduval,1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval,1840
- 2951) *Mythimna* (*Aletia*) *congrua* (Hübner,[1817])** (Noctuidae) Synonym(s): *congrua* Hübner,[1817]; *amnicola* Rambur,1829.
- 2952) *Mythimna* (*Aletia*) *conigera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788].
- 2953) *Mythimna* (*Aletia*) *consanguis* (Guenée,1852)** (Noctuidae) Synonym(s): *consanguis* Guenée,1852
- 2954) *Mythimna* (*Aletia*) *deserticola* (Bartel,1903)** (Noctuidae) Synonym(s): *deserticola* Bartel,1903
- 2955) *Mythimna* (*Aletia*) *impura* (Hübner,[1808])** (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892; *transbaikalensis* Staudinger,1892; *fuscipennis* W.Warren,1910
- 2956) *Mythimna* (*Aletia*) *l-album* (Linnaeus,1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881
- 2957) *Mythimna* (*Aletia*) *pallens* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pallens* Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea* Stephens,1829; *suffusa* Stephens,1829.
- 2958) *Mythimna* (*Aletia*) *prominens* Walker,1856** (Noctuidae) Synonym(s): *prominens* Walker,1856; *hispanica* Bellier,1863.
- 2959) *Mythimna* (*Aletia*) *pudorina* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *pudorina* [Denis & Schiffermüller],1775; *impudens* Hübner,[1803].
- 2960) *Mythimna* (*Aletia*) *sassanidica* (Hacker,1986)** (Noctuidae) Synonym(s): *sassanidica* Hacker,1986
- 2961) *Mythimna* (*Aletia*) *scirpi* (Duponchel,1836)** (Noctuidae) Synonym(s): *scirpi* Duponchel,1836; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *cyperi* Boisduval,1840; *fuscilinea* Graslin,1852; *syriaca* Osthelder,1933.
- 2962) *Mythimna* (*Aletia*) *sicula* (Treitschke,1835)** (Noctuidae) Synonym(s): *sicula* Treitschke,1835; *albivena* Graslin,1852.
- 2963) *Mythimna* (*Aletia*) *straminea* (Treitschke,1825)** (Noctuidae) Synonym(s): *straminea* Treitschke,1825

- 2964) Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellena* Lederer,1870; *decolorata* Dannehl,1929; *saturation* Dannehl,1929; *grisea* Dannehl,1929.
- 2965) Mythimna (Anapoma) riparia (Rambur,1829)** (Noctuidae) Synonym(s): *riparia* Rambur,1829
- 2966) Mythimna (Hyphilare) albipuncta (Fabricius,1787)** (Noctuidae) Synonym(s): *#albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921.
- 2967) Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926
- 2968) Mythimna (Morphopoliana) languida (Walker,1858)** (Noctuidae) Synonym(s): *consanguis* auct. nec Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952.
- 2969) Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsaftikis,1974.
- 2970) Naenia typica (Linnaeus,1758)** (Noctuidae) Synonym(s): *typica* Linnaeus,1758; *filicis* Goeze,1781; *venosa* Hübner,[1803]; *excusa* Esper,[1805]; *claricolor* Schawerda,1928.
- 2971) Netrocerocora quadrangula (Eversmann,1844)** (Noctuidae) Synonym(s): *quadrangula* Eversmann,1844; *coraxa* Püngeler,1898; *oblongula* Staudinger,1901; *quadriplaga* Bartel,1902
- 2972) Nezonycta obtusa Varga & Ronkay,1991** (Noctuidae) Synonym(s): *obtusa* Varga & Ronkay,1991
- 2973) Nezonycta pusilla (Püngeler,1900)** (Noctuidae) Synonym(s): *pusilla* Püngeler,1900
- 2974) Noctua (Divaena) haywardi (Tams,1926)** (Noctuidae) Synonym(s): *haywardi* Tams,1926; *balcanica* Slivov,1985
- 2975) Noctua (Euschesis) interjecta (Hübner,[1803])** (Noctuidae) Synonym(s): *interjecta* Hübner,[1803].
- 2976) Noctua (Euschesis) janthina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900.
- 2977) Noctua (Lampra) fimbriata (Schreber,1759)** (Noctuidae) Synonym(s): *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787.
- 2978) Noctua (Lampra) tirrenica (Biebinger, Speidel & Hanigk,1983)** (Noctuidae) Synonym(s): *tirrenica* Biebinger, Speidel & Hanigk,1983
- 2979) Noctua (Latanoctua) orbona (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
- 2980) Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 2981) Noctua (Paranoctua) interposita (Hübner,1790)** (Noctuidae) Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszczyk,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963
- 2982) Noctua (Paranoctua) warreni (Lödl,1987)** (Noctuidae) Synonym(s): *warreni* Lödl,1987
- 2983) Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piesz.,1908; *decolorata* Turati,1923.
- 2984) Noctua (s.str.) tertia Mentzer, Moberg & Fibiger,1991** (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991
- 2985) Nodaria nodosalis (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *nodosalis* Herrich-Schäffer,[1851]; *aethiopalis* Herrich-Schäffer,[1851]; *hispanalis* Guenée,1854; *aesopusalis* Walker,[1859]; *#nododalis* Hacker,1992.
- 2986) Nola chlamitulalis (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamitulalis* Hübner,[1813]; *chlamydulana* Duponchel,[1845]
- 2987) Nola cicatricalis (Treitschke,1835)** (Noctuidae) Synonym(s): *cicatricalis* Treitschke,1835
- 2988) Nola confusalis (Herrich-Schäffer,1847)** (Noctuidae) Synonym(s): *confusalis* Herrich-Schäffer,1847; *fumosalis* Daniel,1957.
- 2989) Nola cristatula (Hübner,1793)** (Noctuidae) Synonym(s): *cristatula* Hübner,1793; *cristulalis* Hübner,1796; *cristulana* Hübner,[1825].
- 2990) Nola cucullatella (Linnaeus,1758)** (Noctuidae) Synonym(s): *cucullatella* Linnaeus,1758; *ludvigella* Müller,1764; *palliola* [Denis & Schiffermüller],1775; *pygmaria* Fabricius,1794; *palliotalis* Hübner,1796; *cucullatalis* Haworth,1811; *cucullatana* Hübner,[1825]; *fuliginalis* Stephens,1834
- 2991) Nola harouni (Wiltshire,1951)** (Noctuidae) Synonym(s): *harouni* Wiltshire,1951; *dilmuna* Wiltshire,1961.
- 2992) Nola karelica (Tengström,1869)** (Noctuidae) Synonym(s): *karelica* Tengström,1869
- 2993) Nola ronkayorum Beshkov,2006** (Noctuidae) Synonym(s): *ronkayorum* Beshkov,2006
- 2994) Nola squalida Staudinger,1871** (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henriotti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947
- 2995) Nola subchlamydula Staudinger,1870** (Noctuidae) Synonym(s): *subchlamydula* Staudinger,1870

- 2996) *Nonagria typhae* (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787.
- 2997) *Nyteola asiatica* (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954.
- 2998) *Nyteola columbana* (Turner,1925)** (Noctuidae) Synonym(s): *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958.
- 2999) *Nyteola eremostola* Dufay,1961** (Noctuidae) Synonym(s): *eremostola* Dufay,1961
- 3000) *Nyteola revayana* (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 *nec* Hbn.,1787
- 3001) *Nyteola siculana* (Fuchs,1899)** (Noctuidae) Synonym(s): *siculana* Fuchs,1899; *cuneana* Patočka,1953; *pseudodilutana* Obraztsov,1954.
- 3002) *Ochroleura leucogaster* (Freyer,1831)** (Noctuidae) Synonym(s): *leucogaster* Freyer,1831
- 3003) *Ochroleura plecta* (Linnaeus,1761)** (Noctuidae) Synonym(s): *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unupplecta* Bryk,1942.
- 3004) *Odice arcuinna* (Hübner,1790)** (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
- 3005) *Odice kuelekana* (Staudinger,1871)** (Noctuidae) Synonym(s): *kuelekana* Staudinger,1871
- 3006) *Odice suava* (Hübner,[1813])** (Noctuidae) Synonym(s): *suava* Hübner,[1813].
- 3007) *Oligia latruncula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775
- 3008) *Oligia pseudodubia* Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *pseudodubia* Rezbanyai-Reser,1997
- 3009) *Oligia strigilis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775.
- 3010) *Oligia suleiman* Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *suleiman* Rezbanyai-Reser,1997
- 3011) *Oligia turcia* Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *turcia* Rezbanyai-Reser,1997
- 3012) *Oligia versicolor* (Borkhausen,1792)** (Noctuidae) Synonym(s): *versicolor* Borkhausen,1792; *vojnitsi* Kovacs,1967; *nerminae* Koçak,1982.
- 3013) *Olivenebula subsericata* (Herrich-Schäffer,1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
- 3014) *Omia raphaeli* Kettner,2004** (Noctuidae) Synonym(s): *raphaeli* Kettner,2004
- 3015) *Omphalophana anatolica* (Lederer,1857)** (Noctuidae) Synonym(s): *anatolica* Lederer,1857
- 3016) *Omphalophana antirrhinii* (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803]
- 3017) *Omphalophana durnalayana* Osthelder,1933** (Noctuidae) Synonym(s): *durnalayana* Osthelder,1933
- 3018) *Omphalophana pauli* (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892; *adamantina* Blachier,1905
- 3019) *Oncocnemis arenbergeri* Hacker & Lödl,1989** (Noctuidae) Synonym(s): *arenbergeri* Hacker & Lödl,1989
- 3020) *Oncocnemis campicola* Lederer,1853** (Noctuidae) Synonym(s): *campicola* Lederer,1853; *#campiola* Ebert,1978
- 3021) *Oncocnemis confusa* (Freyer,[1839])** (Noctuidae) Synonym(s): *confusa* Freyer,[1839].
- 3022) *Oncocnemis exacta* Christoph,1887** (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937
- 3023) *Oncocnemis fuscipicta* Wiltshire,1976** (Noctuidae) Synonym(s): *fuscipicta* Wiltshire,1976
- 3024) *Oncocnemis nigricula* (Eversmann,1847)** (Noctuidae) Synonym(s): *nigricula* Eversmann,1847
- 3025) *Oncocnemis strioligera* Lederer,1853** (Noctuidae) Synonym(s): *strioligera* Lederer,1853
- 3026) *Ophiusa lunaris* (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949.
- 3027) *Ophiusa tirhaca* (Cramer,[1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaca* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 3028) *Opigena huberi* Hacker,1999** (Noctuidae) Synonym(s): *huberi* Hacker,1999
- 3029) *Opigena polygona* (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792.
- 3030) *Orectis proboscidata* (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *proboscidata* Herrich-Schäffer,[1851]; *barteli* Turati,1907.
- 3031) *Oria musculosa* (Hübner,[1808])** (Noctuidae) Synonym(s): *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889.

- 3032) Orthosia (Dioszeghyana) schmidtii (Diószeghy,1935)** (Noctuidae) Synonym(s): *schmidtii* Diószeghy,1935
- 3033) Orthosia (Monima) cerasi (Fabricius,1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 3034) Orthosia (Monima) dalmatica (Wagner,1909)** (Noctuidae) Synonym(s): *dalmatica* Wagner,1909
- 3035) Orthosia (Monima) populeti (Fabricius,1781)** (Noctuidae) Synonym(s): *populeti* Fabricius,1781; *populi* Ström,1783; *subplumbeus* Haworth,1803; *intermedia* Stephens,1829; *ocularis* Freyer,1833; *tremuleti* Tetens,1876.
- 3036) Orthosia (Monima) pulverulenta (Esper,[1786])** (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 3037) Orthosia (Semiophora) gothica (Linnaeus,1758)** (Noctuidae) Synonym(s): *gothica* Linnaeus,1758; *nunatrum* [Denis & Schiffermüller],1775; *gothicina* Herrich-Schäffer,[1849].
- 3038) Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888
- 3039) Orthosia cypriaca Hacker,1996** (Noctuidae) Synonym(s): *cypriaca* Hacker,1996
- 3040) Orthosia gracilis (Fabricius,1787)** (Noctuidae) Synonym(s): *#gracilis* [Denis & Schiffermüller],1775; *gracilis* Fabricius,1787; *lepida* Brahm,1791; *sparsus* Haworth,1803; *pallidior* Staudinger,1888.
- 3041) Orthosia rubricosa (Esper,[1786])** (Noctuidae) Synonym(s): *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper,[1786].
- 3042) Ostheldera arne L.Ronkay & Varga,1994** (Noctuidae) Synonym(s): *arne* L.Ronkay & Varga,1994
- 3043) Ostheldera gracilis (Osthelder,1933)** (Noctuidae) Synonym(s): *gracilis* Osthelder,1933
- 3044) Oxytripia orbiculosa (Esper,1799)** (Noctuidae) Synonym(s): *orbiculosa* Esper,1799
- 3045) Oxytripia stephania Sutton,[1964]** (Noctuidae) Synonym(s): *stephania* Sutton,[1964]; *danilevskyi* Miljanovsky,1973.
- 3046) Pamparama acuta (Freyer,[1837])** (Noctuidae) Synonym(s): *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871.
- 3047) Panchrysia aurea (Hübner,[1803])** (Noctuidae) Synonym(s): *deaurata* Esper,[1787] nec Goeze,1981; *chryson* Borkhausen,1792 nec Esp.,[1789]; *aurea* Hübner,[1803].
- 3048) Panemeria tenebrata (Scopoli,1763)** (Noctuidae) Synonym(s): *tenebrata* Scopoli,1763
- 3049) Panolis flammea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammea* [Denis & Schiffermüller],1775
- 3050) Panthea coenobita (Esper,1785)** (Noctuidae) Synonym(s): *coenobita* Esper,1785
- 3051) Papestra biren (Goeze,1781)** (Noctuidae) Synonym(s): *biren* Goeze,1781; *glaucia* Kleemann,1792; *lappo* Duponchel,1827; *aperta* Geyer,[1832]; *quadriposita* Zetterstedt,[1839]; *poliostigma* Hampson,1894; *tanensis* Fuchs,1899; *paupercula* Püngeler,1902; *frustrata* McDunnough,1946.
- 3052) Paracolax tristalis (Fabricius,1794)** (Noctuidae) Synonym(s): *tristalis* Fabricius,1794; *derivalis* Hübner,1796.
- 3053) Paraegle ochracea (Erschoff,1874)** (Noctuidae) Synonym(s): *ochracea* Erschoff,1874
- 3054) Paraegle subochracea (Staudinger,1892)** (Noctuidae) Synonym(s): *subochracea* Staudinger,1892
- 3055) Parallelia algira (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europa* Schawerda,1912
- 3056) Parallelia torrida (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987]
- 3057) Parascotia detersa (Staudinger,1892)** (Noctuidae) Synonym(s): *detersa* Staudinger,1892
- 3058) Parascotia fuliginaria (Linnaeus,1761)** (Noctuidae) Synonym(s): *fuliginaria* Linnaeus,1761; *lunulata* Fabricius,1775; *carbonaria* Denis & Schiffermüller,1775; *lignaria* Fabricius,1794
- 3059) Parascotia robiginosa (Staudinger,1892)** (Noctuidae) Synonym(s): *robiginosa* Staudinger,1892
- 3060) Parastichtis corticea (Esper,[1800])** (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 nec Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 3061) Parastichtis suspecta (Hübner,[1817])** (Noctuidae) Synonym(s): *suspecta* Hübner,[1817]
- 3062) Pardoxia graellsii (Feisthamel,1837)** (Noctuidae) Synonym(s): *graellsii* Feisthamel,1837; *innocens* Walker,1858; *fimbriata* Walker,1865
- 3063) Parexarnis ala (Staudinger,1881)** (Noctuidae) Synonym(s): *ala* Staudinger,1881
- 3064) Parexarnis damnata (Draudt,1937)** (Noctuidae) Synonym(s): *damnata* Draudt,1937
- 3065) Parexarnis figulina (Draudt,1936)** (Noctuidae) Synonym(s): *figulina* Draudt,1936
- 3066) Parexarnis squalida (Guenée,1852)** (Noctuidae) Synonym(s): *squalida* Guenée,1852

- 3067) *Parexarnis taurica* (Staudinger,1879)** (Noctuidae) Synonym(s): *taurica* Staudinger,1879; *pseudosollers* Boursin,1940.
- 3068) *Pechipogo strigilata* (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809.
- 3069) *Pericyma albidentaria* (Freyer,1842)** (Noctuidae) Synonym(s): *albidentaria* Freyer,1842
- 3070) *Pericyma squalens* Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855
- 3071) *Peridroma saucia* (Hübner,[1808])** (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 3072) *Perigrapha (Anorthoa) munda* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#munda* [Denis & Schiffermüller],1775
- 3073) *Perigrapha (Opacographa (Turcographa)) rorida* (Frivaldsky,1835)** (Noctuidae) Synonym(s): *rorida* Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990
- 3074) *Perigrapha (Opacographa (Turcographa)) wolffi* (Hacker,1988)** (Noctuidae) Synonym(s): *wolffi* Hacker,1988
- 3075) *Perigrapha (Opacographa (s.str.)) cilissa* Püngeler,1917** (Noctuidae) Synonym(s): *cilissa* Püngeler,1917
- 3076) *Perigrapha (s.str.) i-cinctum* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966.
- 3077) *Periphanes delphinii* (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 3078) *Periphanes victorina* (Sodoffsky,1849)** (Noctuidae) Synonym(s): *victorina* Sodoffsky,1849
- 3079) *Phleboeis sureyae* (Rebel,1931)** (Noctuidae) Synonym(s): *sureyae* Rebel,1931.
- 3080) *Phlogophora meticulosa* (Linnaeus,1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993
- 3081) *Phlogophora scita* (Hübner,1790)** (Noctuidae) Synonym(s): *scita* Hübner,1790
- 3082) *Photedes captiuncula* (Treitschke,1825)** (Noctuidae) Synonym(s): *captiuncula* Treitschke,1825; *unica* Freyer,1858; *tincta* Kane,1895; *delattini* Varga,1970 *nec* Wiltshire,1953; *kasyi* Varga,1970.
- 3083) *Photedes extrema* (Hübner,[1809])** (Noctuidae) Synonym(s): *extrema* Hübner,[1809]; *concolor* Guenée,1852; *calamoxantha* Varga,1982.
- 3084) *Photedes fluxa* (Hübner,[1809])** (Noctuidae) Synonym(s): *fluxa* Hübner,[1809]
- 3085) *Phylapora canescens* (Duponchel,1826)** (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933.
- 3086) *Phyllophila melacheila* (Staudinger,1896)** (Noctuidae) Synonym(s): *melacheila* Staudinger,1896
- 3087) *Phyllophila oblitterata* (Rambur,1833)** (Noctuidae) Synonym(s): *oblitterata* Rambur,1833; *wimmerii* Treitschke,1835; *recta* Eversmann,1844; *cretacea* Butler,1879; *venerica* Bryk,1949.
- 3088) *Phytometra viridaria* (Clerck,1759)** (Noctuidae) Synonym(s): *#viridaria* Clerck,1759; *purpurata* Linnaeus,1761; *lanceata* Scopoli,1763; *aenea* [Denis & Schiffermüller],1775; *olivacea* Vieweg,1790; *latruncula* Esper,[1791]; *hoffmanni*, Stauder,1915; *lutaigira* Schawerda,1924
- 3089) *Plecoptera inquinata* (Lederer,1857)** (Noctuidae) Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
- 3090) *Plusia festucae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *festucae* Linnaeus,1758; *aureoargentea* Retzius,1783; *yokohamensis* Bryk,1949; *japonibia* Bryk,1949
- 3091) *Plusidia cheiranthi* (Tauscher,1809)** (Noctuidae) Synonym(s): *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* W.Warren,1913.
- 3092) *Polia bombycina* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809.
- 3093) *Polia nebulosa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *nebulosa* Hufnagel,1766; *bimaculosa* Esper,1788 *nec* Linn.,1767; *thapsi* Brahm,1791; *grandis* Donovan,1801; *plebeja* Hübner,[1803].
- 3094) *Polia sagittigera* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.
- 3095) *Polia serratilinea* Ochsenheimer,1816** (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 3096) *Polychrysis moneta* (Fabricius,1787)** (Noctuidae) Synonym(s): *moneta* Fabricius,1787; *argyritis* Esper,1787; *napelli* Villers,1789
- 3097) *Polymixis (Bischoffia) bischoffi* (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bischoffi* Herrich-Schäffer,[1850]
- 3098) *Polymixis (Brandticola) dubiosa* (Brandt,1938)** (Noctuidae) Synonym(s): *dubiosa* Brandt,1938
- 3099) *Polymixis (Eremophysa) apothaina* (Brandt,1938)** (Noctuidae) Synonym(s): *apothaina* Brandt,1938
- 3100) *Polymixis (Myxinia) chrysographa* (F.Wagner,1931)** (Noctuidae) Synonym(s): *chrysographa* F.Wagner,1931

- 3101) Polymixis (Myxinia) perchrysa** Hacker & Ronkay,1992 (Noctuidae) Synonym(s): *perchrysa* Hacker & Ronkay,1992
- 3102) Polymixis (Myxinia) philippsi** (Püngeler,1911) (Noctuidae) Synonym(s): *philippsi* Püngeler,1911
- 3103) Polymixis (Myxinia) rufocincta** (Geyer,1828) (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 3104) Polymixis (Parabrachionycha) atossa** (Wiltshire,1941) (Noctuidae) Synonym(s): *atossa* Wiltshire,1941
- 3105) Polymixis (Parabrachionycha) trisignata** (Ménétriés,1847) (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamoni* Turati,1924
- 3106) Polymixis (Serpimixis) serpentina** (Treitschke,1825) (Noctuidae) Synonym(s): *serpentina* Treitschke,1825
- 3107) Polymixis (s.str.) ancepsoides** Poole,1989 (Noctuidae) Synonym(s): *anceps* Staudinger,1898 nec *Stph.*,1850; *ancepsoides* Poole,1989
- 3108) Polymixis (s.str.) manisadjiani** (Staudinger,1881) (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881
- 3109) Polymixis (s.str.) paravarga** Ronkay,1990 (Noctuidae) Synonym(s): *paravarga* Ronkay,1990
- 3110) Polymixis (s.str.) polymita** (Linnaeus,1761) (Noctuidae) Synonym(s): *viridiobscura* Goeze,1781; *ridens* Hübner,[1803]; *aithalodes* Dannehl,1929
- 3111) Polymixis (s.str.) rjabovi** (Boursin,1944) (Noctuidae) Synonym(s): *rjabovi* Boursin,1944
- 3112) Polymixis (s.str.) rosinae** (Bohatsch,1910) (Noctuidae) Synonym(s): *rosinae* Bohatsch,1910; *paradisiaca* Boursin,1944
- 3113) Polymixis (s.str.) xanthomista** (Hübner,[1819]) (Noctuidae) Synonym(s): *xanthomista* Hübner,[1819]; *nigrocincta* Treitschke,1825; *nivescens* Staudinger,1861; *nivea* Dannehl,1929
- 3114) Polymixis aphrodite** Fibiger,1997 (Noctuidae) Synonym(s): *aphrodite* Fibiger,1997
- 3115) Polymixis crinomima** (Wiltshire,1946) (Noctuidae) Synonym(s): *crinomima* Wiltshire,1946
- 3116) Polyphaenis monophaeis** Brandt,1938 (Noctuidae) Synonym(s): *monophaeis* Brandt,1938; *#unicoloris* Brandt,1938.
- 3117) Polyphaenis propinqua** Staudinger,1895 (Noctuidae) Synonym(s): *propinqua* Staudinger,1895
- 3118) Polyphaenis viridis** (De Villers,1789) (Noctuidae) Synonym(s): *sericata* Esper,[1787] nec ; *viridis* De Villers,1789.
- 3119) Polypogon lunalis** (Scopoli,1763) (Noctuidae) Synonym(s): *lunalis* Scopoli,1763
- 3120) Polypogon plumigeralis** (Hübner,[1825]) (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 3121) Polypogon schwingenschussi** (Wagner,1937) (Noctuidae) Synonym(s): *schwingenschussi* Wagner,1937; *elbursalis* Draudt,1937.
- 3122) Polypogon tentacularia** (Linnaeus,1758) (Noctuidae) Synonym(s): *tentacularia* Linnaeus,1758
- 3123) Polypogon zelleralis** (Wocke,1850) (Noctuidae) Synonym(s): *zelleralis* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851.
- 3124) Powellinia boetica** (Rambur,1837) (Noctuidae) Synonym(s): *boetica* Rambur,1837
- 3125) Powellinia carthalina** (Christoph,1893) (Noctuidae) Synonym(s): *carthalina* Christoph,1893
- 3126) Powellinia lasserei** (Oberthür,1881) (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924
- 3127) Praestilbia armeniaca** Staudinger,1892 (Noctuidae) Synonym(s): *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936
- 3128) Protexarnis confinis** (Staudinger,1881) (Noctuidae) Synonym(s): *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *susplicax* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964.
- 3129) Protexarnis opisoleuca** (Staudinger,1881) (Noctuidae) Synonym(s): *opisoleuca* Staudinger,1881; *inermis* Corti & Draudt,1933.
- 3130) Protexarnis squalidiformis** (Corti & Draudt,1933) (Noctuidae) Synonym(s): *squalidiformis* Corti & Draudt,1933; *susplicax* Corti & Draudt,1933.
- 3131) Protodeltote pygarga** (Hufnagel,1766) (Noctuidae) Synonym(s): *pygarga* Hufnagel,1766
- 3132) Protoschinia scutosa** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
- 3133) Proxenus hospes** (Freyer,[1831]) (Noctuidae) Synonym(s): *hospes* Freyer,[1831]
- 3134) Pseudenargia deleta** (Osthelder,1933) (Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
- 3135) Pseudenargia regina** (Staudinger,1892) (Noctuidae) Synonym(s): *regina* Staudinger,1892
- 3136) Pseudeustrotia candidula** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *candidula* [Denis & Schiffermüller],1775; *pusilla* Vieweg,1789
- 3137) Pseudeustrotia deceptoria** (Scopoli,1763) (Noctuidae) Synonym(s): *deceptoria* Scopoli,1763; *tineodes* Hufnagel,1766; *atrata* [Denis & Schiffermüller],1775
- 3138) Pseudohadena (s.str.) chenopodiphaga** (Rambur,1832) (Noctuidae) Synonym(s): *chenopodiphaga* Rambur,1832

- 3139) Pseudohadena (s.str.) impedita (Christoph,1887)** (Noctuidae) Synonym(s): *impedita* Christoph,1887
- 3140) Pseudohadena (s.str.) laciniosa (Christoph,1887)** (Noctuidae) Synonym(s): *laciniosa* Christoph,1887
- 3141) Pseudoips prasinana (Linnaeus,1758)** (Noctuidae) Synonym(s): *prasinana* Linnaeus,1758; *fagana* Fabricius,1781; *sylvana* Fabricius,1794; *britannica* W.Warren,1913.
- 3142) Pseudozarba bipartita (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bipartita* Herrich-Schäffer,1850
- 3143) Pyrocleptria cora (Eversmann,1837)** (Noctuidae) Synonym(s): *cora* Eversmann,1837
- 3144) Pyrois cinnamomea (Goeze,1781)** (Noctuidae) Synonym(s): *cinnamomea* Goeze,1781
- 3145) Pyrois effusa (Boisduval,1828)** (Noctuidae) Synonym(s): *effusa* Boisduval,1828; *sciaphila* Staudinger,1871
- 3146) Pyrrhia treitschkii (Frivaldszky,1835)** (Noctuidae) Synonym(s): *treitschkii* Frivaldszky,1835.
- 3147) Pyrrhia umbra (Hufnagel,1766)** (Noctuidae) Synonym(s): *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölzermann,1902.
- 3148) Recophora beata (Staudinger,1892)** (Noctuidae) Synonym(s): *beata* Staudinger,1892
- 3149) Recophora hreblayi Hacker & L.Ronkay,2002** (Noctuidae) Synonym(s): *hreblayi* Hacker & L.Ronkay,2002
- 3150) Rhizedra lutosa (Hübner,[1803])** (Noctuidae) Synonym(s): *lutosa* Hübner,[1803]
- 3151) Rhyacia (Epipsilia) cervantes (Reisser,1935)** (Noctuidae) Synonym(s): *cervantes* Reisser,1935; *#gyulaipetri* Varga,1975
- 3152) Rhyacia (Epipsilia) latens (Hübner,[1809])** (Noctuidae) Synonym(s): *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929.
- 3153) Rhyacia (s.str.) arenacea (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
- 3154) Rhyacia (s.str.) helvetina (Boisduval,1833)** (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836
- 3155) Rhyacia (s.str.) lucipeta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775.
- 3156) Rhyacia (s.str.) nyctimerides (O.Bang-Haas,1922)** (Noctuidae) Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschkoff,1951; *alagesica* Boursin,1962; *#nyctomerides* Hacker,[1987]
- 3157) Rhyacia (s.str.) simulans (Hufnagel,1766)** (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914
- 3158) Rhyapaga lacernaria (Hübner,[1813])** (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 3159) Rileyana fovea (Treitschke,1825)** (Noctuidae) Synonym(s): *fovea* Treitschke,1825
- 3160) Rivula sericealis (Scopoli,1763)** (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leeana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789.
- 3161) Rivula tanitalis Rebel,1912** (Noctuidae) Synonym(s): *tanitalis* Rebel,1912
- 3162) Rusina ferrosqualida Simonyi,1996** (Noctuidae) Synonym(s): *ferrosqualida* Simonyi,1996
- 3163) Rusina ferruginea (Esper,[1785])** (Noctuidae) Synonym(s): *umbratica* Goeze,1781; *ferruginea* Esper,[1785]; *tenebrosa* Hübner,[1803]; *phaeus* Haworth,1803; *obsoletissima* Haworth,1809.
- 3164) Saragossa siccanorum (Staudinger,1870)** (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870
- 3165) Schinia cardui (Hübner,1790)** (Noctuidae) Synonym(s): *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933.
- 3166) Schinia cognata (Freyer,[1833])** (Noctuidae) Synonym(s): *cognata* Freyer,[1833]
- 3167) Schinia imperialis (Staudinger,1871)** (Noctuidae) Synonym(s): *imperialis* Staudinger,1871
- 3168) Schinia purpurascens (Tauscher,1809)** (Noctuidae) Synonym(s): *purpurascens* Tauscher,1809; *pulchra* Eversmann,1842
- 3169) Schrankia costaeistrigalis (Stephens,1834)** (Noctuidae) Synonym(s): *costaeistrigalis* Stephens,1834; *hartigi* Berio,1991.
- 3170) Schrankia taenialis (Hübner,[1809])** (Noctuidae) Synonym(s): *taenialis* Hübner,[1809]
- 3171) Scoliopteryx libatrix (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatrix* Haworth,1809
- 3172) Scotochrosta pulla ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller],1775
- 3173) Scythrocentropus misella (Püngeler,1907)** (Noctuidae) Synonym(s): *misella* Püngeler,1907
- 3174) Sesamia cretica Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857
- 3175) Sesamia lacteola (Christoph,1893)** (Noctuidae) Synonym(s): *lacteola* Christoph,1893
- 3176) Sesamia nonagrioides (Lefèbvre,1827)** (Noctuidae) Synonym(s): *nonagrioides* Lefèbvre,1827; *hesperica* Rambur,1839; *sacchari* Wollaston,1858; *gracilis* Rebel,1898.

- 3177) *Setoctena dentula* (Lederer,1869)** (Noctuidae) Synonym(s): *dentula* Lederer,1869; *angulifera* Moore,1881; *innubila* Swinhoe,1886
- 3178) *Sideridis (Aneda) rivularis* (Fabricius,1775)** (Noctuidae) Synonym(s): *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845.
- 3179) *Sideridis (Conisania) capsivora* (Draudt,1933)** (Noctuidae) Synonym(s): *capsivora* Draudt,1933
- 3180) *Sideridis (Dianthivora) implexa* (Hübner,[1809])** (Noctuidae) Synonym(s): *implexa* Hübner,[1809]; *fallovii* Oberthür,1876
- 3181) *Sideridis (Luteohadena) literata* (Fischer v. Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983.
- 3182) *Sideridis (Luteohadena) luteago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990.
- 3183) *Sideridis (s.str.) egena* (Lederer,1853)** (Noctuidae) Synonym(s): *egena* Lederer,1853; ? *stoliczkana* Moore,1878
- 3184) *Sideridis (s.str.) lampra* (Schawerda,1913)** (Noctuidae) Synonym(s): *evidens* Hübner,[1808] *nec* Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975
- 3185) *Sideridis (s.str.) turbida* (Esper,[1790])** (Noctuidae) Synonym(s): *turbida* Esper,[1790]; *albicolon* Hübner,[1813]
- 3186) *Simplicia rectalis* (Eversmann,1842)** (Noctuidae) Synonym(s): *rectalis* Eversmann,1842
- 3187) *Simyra albovenosa* (Goeze,1781)** (Noctuidae) Synonym(s): *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809.
- 3188) *Simyra dentinosa* Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 3189) *Simyra nervosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775.
- 3190) *Spaelotis degeniata* (Christoph,1876)** (Noctuidae) Synonym(s): *degeniata* Christoph,1876
- 3191) *Spaelotis demavendi* (F.Wagner,1937)** (Noctuidae) Synonym(s): *demavendi* F.Wagner,1937
- 3192) *Spaelotis ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933.
- 3193) *Spaelotis senna* (Freyer,1829)** (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
- 3194) *Spodoptera cilium* Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *imperviata* Walker,1865; *retrahens* Walker,1870.
- 3195) *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebghana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
- 3196) *Spodoptera littoralis* (Boisduval,1833)** (Noctuidae) Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911.
- 3197) *Spudaea castanea* Osthelder,1933** (Noctuidae) Synonym(s): *#castanea* W.Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968
- 3198) *Standfussiana lucerneae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucernea* Linnaeus,1758
- 3199) *Standfussiana nictymera* (Boisduval,[1837])** (Noctuidae) Synonym(s): *nictymera* Boisduval,[1837]; *carriei* Boursin,1948.
- 3200) *Stenodrina aeschista* Boursin,1937** (Noctuidae) Synonym(s): *aeschista* Boursin,1937; *#aeshita* Poltavsky & Nekrasov,2002
- 3201) *Stenoecia dos* (Freyer,1838)** (Noctuidae) Synonym(s): *dos* Freyer,1838
- 3202) *Stenoecia raphaeli* Kettner,2004** (Noctuidae) Synonym(s): *raphaeli* Kettner,2004
- 3203) *Stilbina (s.str.) hypaenides* Staudinger,1892** (Noctuidae) Synonym(s): *hypaenides* Staudinger,1892
- 3204) *Syngrapha interrogationis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *interrogationis* Linnaeus,1758; *aurosignata* Donovan,1808
- 3205) *Taracheiphia hueberi* (Erschoff,1874)** (Noctuidae) Synonym(s): *hueberi* Erschoff,1874
- 3206) *Tathorhynchus exsiccatus* (Lederer,1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer,1855; *vinetalis* Walker,[1866]; *angustiorata* Grote,1882; *fallax* Swinhoe,1902; *#exiccata* Wiltshire,1941; *greuteri* Koutsaftikis,1973
- 3207) *Teinoptera oliva* (Staudinger,[1895])** (Noctuidae) Synonym(s): *oliva* Staudinger,[1895]
- 3208) *Teinoptera olivina* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer,[1852]
- 3209) *Thalpophila matura* (Hufnagel,1766)** (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912.

- 3210) Tholera cespitis (Goeze,1781)** (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 3211) Tholera decimalis (Poda,1761)** (Noctuidae) Synonym(s): *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927; *chebka* Rungs,1940
- 3212) Tholera hilaris (Staudinger,1901)** (Noctuidae) Synonym(s): *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963
- 3213) Thria robusta Walker,[1858]** (Noctuidae) Synonym(s): *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 3214) Thysanoplusia (Daubeiplusia) daubei (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858]
- 3215) Thysanoplusia (s.str.) orichalcea (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813].
- 3216) Trachea atriplicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *atriplicis* Linnaeus,1758
- 3217) Trichoplusia circumscripta (Freyer,1831)** (Noctuidae) Synonym(s): *circumscripta* Freyer,1831
- 3218) Trichoplusia ni (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 3219) Trisateles emortualis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *emortualis* [Denis & Schiffermüller],1775
- 3220) Tyta luctuosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 3221) Ulochlaena hirta (Hübner,[1813])** (Noctuidae) Synonym(s): *hirta* Hübner,[1813]
- 3222) Valeria kartalea Kuhna & Schmitz,1997** (Noctuidae) Synonym(s): *kartalea* Kuhna & Schmitz,1997
- 3223) Valeria oleagina (Esper,[1786])** (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786].
- 3224) Valerietta boursini De Freina & Hacker,1985** (Noctuidae) Synonym(s): *boursini* De Freina & Hacker,1985
- 3225) Valerietta niphopasta (Hampson,1906)** (Noctuidae) Synonym(s): *niphopasta* Hampson,1906
- 3226) Victrix (Rasihia) boursini (Draudt,1936)** (Noctuidae) Synonym(s): *boursini* Draudt,1936
- 3227) Victrix (Rasihia) commixta (W.Warren,1909)** (Noctuidae) Synonym(s): *commixta* W.Warren,1909
- 3228) Victrix (Rasihia) duelduelica (Osthelder,1932)** (Noctuidae) Synonym(s): *duelduelica* Osthelder,1932.
- 3229) Victrix (Rasihia) hackeri Varga & Ronkay,1991** (Noctuidae) Synonym(s): *hackeri* Varga & Ronkay,1991
- 3230) Victrix (Rasihia) tabora (Staudinger,1892)** (Noctuidae) Synonym(s): *tabora* Staudinger,1892
- 3231) Victrix (s.str.) artaxias Varga & Ronkay,1989** (Noctuidae) Synonym(s): *artaxias* Varga & Ronkay,1989
- 3232) Victrix (s.str.) gracilis (Wagner,1931)** (Noctuidae) Synonym(s): *gracilis* Wagner,1931
- 3233) Victrix (s.str.) karsiana Staudinger,1879** (Noctuidae) Synonym(s): *karsiana* Staudinger,1879
- 3234) Victrix (s.str.) pinkeri Hacker & Lödl,1989** (Noctuidae) Synonym(s): *pinker* Hacker & Lödl,1989
- 3235) Victrix sp.** (Noctuidae) Synonym(s):
- 3236) Xanthia (Cirrhia) gilvago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775.
- 3237) Xanthia (Cirrhia) ocellaris (Borkhausen,1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
- 3238) Xanthia (Tiliacea) aurago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aurago* [Denis & Schiffermüller],1775; *rutilago* [Denis & Schiffermüller],1775 ; *fuscata* Esper,1788 nec Hufn.,1766
- 3239) Xanthia (Tiliacea) citrigo (Linnaeus,1758)** (Noctuidae) Synonym(s): *citrigo* Linnaeus,1758; *flavastrigata* Retzius,1783
- 3240) Xanthia (Tiliacea) cypreago (Hampson,1906)** (Noctuidae) Synonym(s): *cypreago* Hampson,1906
- 3241) Xanthia icteritia (Hufnagel,1766)** (Noctuidae) Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788].
- 3242) Xanthia sulphurago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#fulvago* Clerk,1759; *sulphurago* [Denis & Schiffermüller],1775; *ochrago* Fabricius,1791; *#sulfurago* Poltavsky & Nekrasov,2002
- 3243) Xanthia togata (Esper,1788)** (Noctuidae) Synonym(s): *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,[1803].
- 3244) Xanthodes albago (Fabricius,1794)** (Noctuidae) Synonym(s): *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858.

- 3245) Xanthothrix callicore (Staudinger,1871)** (Noctuidae) Synonym(s): *callicore* Staudinger,1871
- 3246) Xenophysa huberi Varga,1989** (Noctuidae) Synonym(s): *huberi* Varga,1989
- 3247) Xenophysa junctimacula (Christoph,1887)** (Noctuidae) Synonym(s): *junctimacula* Christoph,1887; *cacumena* Brandt,1938.
- 3248) Xestia (Megasema) ashworthii (Doubleday,1855)** (Noctuidae) Synonym(s): *ashworthii* Doubleday,1855
- 3249) Xestia (Megasema) c-nigrum (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 3250) Xestia (Megasema) ditrapezium ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#ditrapezium* [Denis & Schiffermüller],1775
- 3251) Xestia (Megasema) triangulum (Hufnagel,1766)** (Noctuidae) Synonym(s): *triangulum* Hufnagel,1766; *rhomboidea* Esper,[1790].
- 3252) Xestia (s.str.) baja ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *baja* [Denis & Schiffermüller],1775
- 3253) Xestia (s.str.) castanea (Esper,[1798])** (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949.
- 3254) Xestia (s.str.) cohaesa (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 3255) Xestia (s.str.) kermesina (Mabille,1869)** (Noctuidae) Synonym(s): *kermesina* Mabille,1869
- 3256) Xestia (s.str.) ochreago (Hübner,[1809])** (Noctuidae) Synonym(s): *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909.
- 3257) Xestia (s.str.) palaestinensis (Kalchberg,1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898.
- 3258) Xestia (s.str.) pallidago (Staudinger,1900)** (Noctuidae) Synonym(s): *pallidago* Staudinger,1900
- 3259) Xestia (s.str.) rhomboidea (Esper,[1790])** (Noctuidae) Synonym(s): *rhomboidea* Esper,[1790]; *stigmatica* Hbn.,[1813].
- 3260) Xestia (s.str.) sareptana (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 3261) Xestia (s.str.) trifida (Fischer v. Waldheim,1820)** (Noctuidae) Synonym(s): *trifida* Fischer v. Waldheim,1820.
- 3262) Xestia (s.str.) xanthographa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 3263) Xylena exsoleta (Linnaeus,1758)** (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 3264) Xylena lunifera W.Warren,1910** (Noctuidae) Synonym(s): *lunifera* W.Warren,1910; *#lunigera* W.Warren,1910
- 3265) Xylena vetusta (Hübner,[1813])** (Noctuidae) Synonym(s): *vetusta* Hübner,[1813]
- 3266) Xylocampa areola (Esper,[1789])** (Noctuidae) Synonym(s): *areola* Esper,[1789]; *lithorhiza* Borkhausen,1792; *operosa* Hübner,[1808]
- 3267) Xylocampa mustapha (Oberthür,1920)** (Noctuidae) Synonym(s): *mustapha* Oberthür,1920
- 3268) Xylomoia apameaoides (Hacker,1989)** (Noctuidae) Synonym(s): *apameaoides* Hacker,1989
- 3269) Zebeeba falsalis (Herrich-Schäffer,1839)** (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer,1839
- 3270) Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
- 3271) Zekelita (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquilis* Zukowsky,1941
- 3272) Zekelita (Rhynchodontodes) mardinalis (Staudinger,1892)** (Noctuidae) Synonym(s): *mardinalis* Staudinger,1892
- 3273) Zethes brandti Janzon,1977** (Noctuidae) Synonym(s): *nemea* Brandt,1938 (p.p.); *nemea sensu* Koçak,1977; *brandti* Janzon,1977.
- 3274) Zethes insularis Rambur,1833** (Noctuidae) Synonym(s): *insularis* Rambur,1833
- 3275) Zethes narghisa Brandt,1938** (Noctuidae) Synonym(s): *narghisa* Brandt,1938

NOTODONTIDAE

- 3276) Cerura (s.str.) intermedia (Teich,1896)** (Notodontidae) Synonym(s): *intermedia* Teich,1896
- 3277) Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939

- 3278) Clostera anachoreta (Fabricius,1787)** (Notodontidae) Synonym(s): *#anachoreta* [Denis & Schiffermüller],1775; *anachoreta* Fabricius,1787; *pallida* Staudinger,1887 *nec* Wlk.,1855; *albidior* Pfitze,1901; *erema* Bryk,1942; *lundquisti* Bryk,1942; *mahatma* Bryk,1949
- 3279) Clostera anastomosis (Linnaeus,1758)** (Notodontidae) Synonym(s): *anastomosis* Linnaeus,1758; *alticaudagrisea* Retzius,1783; *orientalis* Fixsen,1887; *kononis* Matsumura,1929; *insignior* Kiriakoff,1963
- 3280) Clostera curtula (Linnaeus,1758)** (Notodontidae) Synonym(s): *curtula* Linnaeus,1758; *albicaudaalba* Retzius,1783
- 3281) Clostera pigra (Hufnagel,1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936
- 3282) Diceranura ulmi ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#ulmi* [Denis & Schiffermüller],1775; *discors* Fabricius,1798; *modica* Dannehl,1929; *istriaca* Bytinski-Salz,1939.
- 3283) Drymonia dodonaea ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#dodonaea* [Denis & Schiffermüller],1775; *trimacula* Esper,[1785]; *lunata* Villers,1789; *poltawskii* Schintlmeister,1981; *wageneri* De Freina,1981
- 3284) Drymonia oblitterata (Esper,[1785])** (Notodontidae) Synonym(s): *oblitterata* Esper,[1785]; *melagona* Borkhausen,1790; *deleta* Brahm,1790; *esmera* De Freina,1981
- 3285) Drymonia querna (Fabricius,1787)** (Notodontidae) Synonym(s): *#querna* [Denis & Schiffermüller],1775; *querna* Fabricius,1787; *sausalica* Daniel,1968; *meridioitalica* Hartig,1970; *danieli* Hartig,1970
- 3286) Drymonia ruficornis (Hufnagel,1766)** (Notodontidae) Synonym(s): *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803
- 3287) Drymonia velitaris (Hufnagel,1766)** (Notodontidae) Synonym(s): *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789
- 3288) Furcula bicuspis (Borkhausen,1790)** (Notodontidae) Synonym(s): *bicuspis* Borkhausen,1790; *borealis* Boisduval,1829; *infumata* Staudinger,1887; *transiens* Krulikowsky,1909
- 3289) Furcula bifida (Brahm,1787)** (Notodontidae) Synonym(s): *hermelina* Goeze,1781 *nec* Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *hype* Seifers,1933; *beida* Rungs,1956
- 3290) Furcula furcula (Linnaeus,1761)** (Notodontidae) Synonym(s): *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965.
- 3291) Furcula interrupta Christoph,1867** (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
- 3292) Harpyia milhauseri (Fabricius,1775)** (Notodontidae) Synonym(s): *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932
- 3293) Neoharpyia pulcherrima (Brandt,1938)** (Notodontidae) Synonym(s): *pulcherrima* Brandt,1938
- 3294) Notodonta dromedarius (Linnaeus,1758)** (Notodontidae) Synonym(s): *dromedarius* Linnaeus,1758; *dromedarulus* Haworth,1803; *zebu* Donovan,1807; *perfusca* Stephens,1828; *frigida* Rangnow,1932; *westfalica* Brandt,1936; *schintlmeisteri* Witt,1980
- 3295) Notodonta tritophus ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#tritophus* [Denis & Schiffermüller],1775; *phoebe* Siebert,1790; *perfuscus* Haworth,1803; *irfana* De Freina,1983.
- 3296) Notodonta ziczac (Linnaeus,1758)** (Notodontidae) Synonym(s): *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956
- 3297) Paradrymonia vittata (Staudinger,1892)** (Notodontidae) Synonym(s): *vittata* Staudinger,1892
- 3298) Peridea anceps (Goeze,1781)** (Notodontidae) Synonym(s): *anceps* Goeze,1781; *trepida* Esper,1786; *serrata* Thunberg,1792; *tremula* Hübner,[1800]; *baetica* Zerny,1927; *agenjoi* Schawerda,1938; *mesatlantica* Rungs,1940; *albertiana* Witt,1974.
- 3299) Peridea korbi (Rebel,1918)** (Notodontidae) Synonym(s): *korbi* Rebel,1918
- 3300) Phalera bucephala (Linnaeus,1758)** (Notodontidae) Synonym(s): *bucephala* Linnaeus,1758; *lunula* Retzius,1783 *nec* Hufn.,1766 *non* Strm,1768.
- 3301) Phalera bucephaloides (Ochsenheimer,1810)** (Notodontidae) Synonym(s): *bucephaloides* Ochsenheimer,1810
- 3302) Pheosia tremula (Linnaeus,1761)** (Notodontidae) Synonym(s): *#tremula* Clerck,1759; *tremula* Linnaeus,1761; *dictaea* Linnaeus,1767; *turcica* De Freina,1979; *#turica* Schintlmeister,1989
- 3303) Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) Synonym(s): *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812.
- 3304) Ptilodon capucina (Linnaeus,1758)** (Notodontidae) Synonym(s): *capucina* Linnaeus,1758; *camelina* Linnaeus,1758
- 3305) Ptilodontella cucullina ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *cucullina* [Denis & Schiffermüller],1775; *cuculla* Esper
- 3306) Rhegmatochila alpina (Bellier,1881)** (Notodontidae) Synonym(s): *alpina* Bellier,1881; *burgensis* Fernandez,1934.
- 3307) Spatalia argentina ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller],1775

3308) *Stauropus fagi* (Linnaeus,1758) (Notodontidae) Synonym(s): *fagi* Linnaeus,1758

OECOPHORIDAE

- 3309) *Agonopterix adpersella* (Kollar,1832)** (Oecophoridae) Synonym(s): *adpersella* Kollar,1832; *athamanticella* Heinemann,1870; *amanthicella* Staudinger,1901; *sabulatella* Turati,1919; *karmeliella* Amsel,1933
- 3310) *Agonopterix alstromeriana* (Clerck,1759)** (Oecophoridae) Synonym(s): *alstromeriana* Clerck,1759; *monilella* [Denis & Schiffermüller],1775; *puella* Hübner,1796; *alstroemeri* Haworth,1811; *alstroemerella* Hübner,[1825]; *albidella* Eversmann,1844; *alstroemeriella* Doubleday,1859
- 3311) *Agonopterix assimilella* (Treitschke,1832)** (Oecophoridae) Synonym(s): *assimilella* Treitschke,1832; *irrorella* Stephens,1834; *reticulatella* Bruand,1850
- 3312) *Agonopterix atomella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *atomella* [Denis & Schiffermüller],1775; *atomosa* Haworth,1811
- 3313) *Agonopterix cachritis* (Staudinger,1859)** (Oecophoridae) Synonym(s): *cachritis* Staudinger,1859; *epicachritis* Ragonot,1895
- 3314) *Agonopterix capreolella* (Zeller,1839)** (Oecophoridae) Synonym(s): *capreolella* Zeller,1839; *caprella* Stainton,1849
- 3315) *Agonopterix cervariella* (Constant,1885)** (Oecophoridae) Synonym(s): *cervariella* Constant,1885
- 3316) *Agonopterix cnicella* (Treitschke,1832)** (Oecophoridae) Synonym(s): *cnicella* Treitschke,1832
- 3317) *Agonopterix comitella* (Lederer,1855)** (Oecophoridae) Synonym(s): *comitella* Lederer,1855
- 3318) *Agonopterix curvipunctosa* (Haworth,[1811])** (Oecophoridae) Synonym(s): *curvipunctosa* Haworth,[1811]; *zephyrella* Hübner,[1813]; *granulosella* Stainton,1854; *doubledayella* Bruand,1859; *amasina* Mann,1861.
- 3319) *Agonopterix ferocella* (Chrétien,1910)** (Oecophoridae) Synonym(s): *ferocella* Chrétien,1910
- 3320) *Agonopterix furvella* (Treitschke,1832)** (Oecophoridae) Synonym(s): *furvella* Treitschke,1832
- 3321) *Agonopterix imbutella* Christoph,1888** (Oecophoridae) Synonym(s): *imbutella* Christoph,1888
- 3322) *Agonopterix irrorata* (Staudinger,1870)** (Oecophoridae) Synonym(s): *irrorata* Staudinger,1870; *rubrociliella* Ragonot,1877; *anthriscella* Brown,1886
- 3323) *Agonopterix kaekeritziana* (Linnaeus,1767)** (Oecophoridae) Synonym(s): *kaekeritziana* Linnaeus,1767; *litrella* [Denis & Schiffermüller],1775; *hirudinella* Goeze,1783; *sparmanniana* Swederus,1787; *flavella* Hübner,1796; *bimaculella* Schrank,1802 *nec* Thunb.,1784; *flavosa* Haworth,1811; *montanella* Lhomme,1929.
- 3324) *Agonopterix laterella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *laterella* [Denis & Schiffermüller],1775
- 3325) *Agonopterix latipennella* (Zerny,1934)** (Oecophoridae) Synonym(s): *latipennella* Zerny,1934
- 3326) *Agonopterix nanatella* (Stainton,1849)** (Oecophoridae) Synonym(s): *nanatella* Stainton,1849
- 3327) *Agonopterix nervosa* (Haworth,[1811])** (Oecophoridae) Synonym(s): *nervosa* Haworth,[1811]; *costosa* Haworth,1811; *depunctella* Hübner,[1825]; *boieella* Freyer,1835; *costella* Doubleday,1859; *nervosella* Doubleday,1859; *nervosella* Bruand,1859; *costosella* Bruand,1859; *dryadoxena* Meyrick,1920; *blackmori* Busck,1922; *venosata* Kautz,1930
- 3328) *Agonopterix nodiflorella* (Millière,1866)** (Oecophoridae) Synonym(s): *nodiflorella* Millière,1866
- 3329) *Agonopterix ocellana* (Fabricius,1775)** (Oecophoridae) Synonym(s): *ocellana* Fabricius,1775; *characterella* [Denis & Schiffermüller],1775; *signella* Hübner,1796; *signana* Hübner,1796; *signosa* Haworth,1811; *characterosa* Haworth,1811; *rubrolineella* Bruand,1850; *ocellella* Doubleday,1859
- 3330) *Agonopterix pallorella* (Zeller,1839)** (Oecophoridae) Synonym(s): *pallorella* Zeller,1839; *subpallorella* Staudinger,1871
- 3331) *Agonopterix pavidella* (Meyrick,1913)** (Oecophoridae) Synonym(s): *pavidella* Meyrick,1913
- 3332) *Agonopterix purpurea* (Haworth,[1811])** (Oecophoridae) Synonym(s): *purpurea* Haworth,[1811]
- 3333) *Agonopterix ramosella* Stainton,1867** (Oecophoridae) Synonym(s): *ramosella* Stainton,1867
- 3334) *Agonopterix rotundella* (Douglas,1846)** (Oecophoridae) Synonym(s): *rotundella* Douglas,1846; *peloritanaella* Zeller,1847
- 3335) *Agonopterix rutana* (Fabricius,1794)** (Oecophoridae) Synonym(s): *rutana* Fabricius,1794; *retiferella* Zeller,1850; *griseirubidella* Bruand,1850; *rutella* Heydenreich,1851; *syriaca* Caradja,1920.
- 3336) *Agonopterix squamosa* (Mann,1864)** (Oecophoridae) Synonym(s): *squamosa* Mann,1864
- 3337) *Agonopterix subpropinquella* (Stainton,1849)** (Oecophoridae) Synonym(s): *subpropinquella* Stainton,1849; *rhodochrella* Herrich-Schäffer,[1854]; *thoracica* Lederer,1855; *sublutella* Staudinger,1859; *variabilis* Heinemann,1870; *crispella* Lhomme,1929; *amilcarella* Lucas,1951.
- 3338) *Agonopterix subumbellana* Hannemann,1959** (Oecophoridae) Synonym(s): *subumbellana* Hannemann,1959
- 3339) *Agonopterix thapsiella* (Zeller,1847)** (Oecophoridae) Synonym(s): *thapsiella* Zeller,1847; *feruliphila* Millière,1866; *linolotella* Lhomme,1929
- 3340) *Agonopterix xyleuta* (Meyrick,1913)** (Oecophoridae) Synonym(s): *xyleuta* Meyrick,1913
- 3341) *Alabonia staintoniella* (Zeller,1850)** (Oecophoridae) Synonym(s): *staintoniella* Zeller,1850

- 3342) Anchinia grandis Stainton,1867** (Oecophoridae) Synonym(s): *grandis* Stainton,1867
- 3343) Anchinia laureolella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer,1854
- 3344) Batia lunaris (Haworth,[1828])** (Oecophoridae) Synonym(s): *lunaris* Haworth,[1828]
- 3345) Borkhausenia ? cinerariella Mann,1859** (Oecophoridae) Synonym(s): *cinerariella* Mann,1859
- 3346) Borkhausenia ? coeruleopicta Christoph,1888** (Oecophoridae) Synonym(s): *coeruleopicta* Christoph,1888
- 3347) Borkhausenia ? haasi Rebel,1902** (Oecophoridae) Synonym(s): *haasi* Rebel,1902
- 3348) Borkhausenia minutella (Linnaeus,1758)** (Oecophoridae) Synonym(s): *minutella* Linnaeus,1758
- 3349) Borkhausenia osthelderi Rebel,1935** (Oecophoridae) Synonym(s): *osthelderi* Rebel,1935
- 3350) Borkhausenia trigutta (Christoph,1888)** (Oecophoridae) Synonym(s): *trigutta* Christoph,1888
- 3351) Cacochroa permixtella (Herrich-Schäffer,[1855])** (Oecophoridae) Synonym(s): *permixtella* Herrich-Schäffer,[1855]
- 3352) Carcina quercana (Fabricius,1775)** (Oecophoridae) Synonym(s): *quercana* Fabricius,1775
- 3353) Cephalispheira denisella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *denisella* [Denis & Schiffermüller],1775
- 3354) Cephalispheira sordidella (Hübner,1796)** (Oecophoridae) Synonym(s): *sordidella* Hübner,1796
- 3355) Cephalispheira sp.** (Oecophoridae) Synonym(s):
- 3356) Crossotocera wagnerella Zerny,1930** (Oecophoridae) Synonym(s): *wagnerella* Zerny,1930
- 3357) Denisia similella (Hübner,1796)** (Oecophoridae) Synonym(s): *similella* Hübner,1796
- 3358) Depressaria amblyopa Meyrick,1921** (Oecophoridae) Synonym(s): *amblyopa* Meyrick,1921
- 3359) Depressaria badiella (Hübner,1796)** (Oecophoridae) Synonym(s): *badiella* Hübner,1796; *badia* Haworth,1811; *aurantiella* Tutt,1893; *frigidella* Turati,1919
- 3360) Depressaria cervicella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *cervicella* Herrich-Schäffer,1854
- 3361) Depressaria chaerophylli Zeller,1839** (Oecophoridae) Synonym(s): *chaerophylli* Zeller,1839
- 3362) Depressaria corticinella Zeller,1854** (Oecophoridae) Synonym(s): *corticinella* Zeller,1854; *uhrykella* Fuchs,1903.
- 3363) Depressaria depressana (Fabricius,1775)** (Oecophoridae) Synonym(s): *depressana* Fabricius,1775; *anethana* Brahm,1791; *depressella* Fabricius,1798; *bluntii* Curtis,1828; *collarella* Zetterstedt,1839.
- 3364) Depressaria despoliatella Erschoff,1874** (Oecophoridae) Synonym(s): *despoliatella* Erschoff,1874
- 3365) Depressaria discipunctella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer,1854
- 3366) Depressaria douglasella Stainton,1849** (Oecophoridae) Synonym(s): *douglasella* Stainton,1849
- 3367) Depressaria erzurumella Lvovsky,1996** (Oecophoridae) Synonym(s): *erzurumella* Lvovsky,1996
- 3368) Depressaria floridella Mann,1864** (Oecophoridae) Synonym(s): *floridella* Mann,1864
- 3369) Depressaria hannemanniana Lvovsky,1990** (Oecophoridae) Synonym(s): *hannemanniana* Lvovsky,1990
- 3370) Depressaria hirtipalpis Zeller,1854** (Oecophoridae) Synonym(s): *hirtipalpis* Zeller,1854
- 3371) Depressaria hofmanni Stainton,1861** (Oecophoridae) Synonym(s): *hofmanni* Stainton,1861
- 3372) Depressaria marcella Rebel,1901** (Oecophoridae) Synonym(s): *marcella* Rebel,1901; *cuprinella* Walsingham,1907; *marcidella* Walsingham,1907; *cruenta* Meyrick,1920; *chneuriella* Lucas,1940
- 3373) Depressaria pastinacella (Duponchel,1838)** (Oecophoridae) Synonym(s): *pastinacella* Duponchel,1838
- 3374) Depressaria pavida Meyrick,1913** (Oecophoridae) Synonym(s): *pavida* Meyrick,1913
- 3375) Depressaria pimpinellae Zeller,1839** (Oecophoridae) Synonym(s): *pimpinellae* Zeller,1839; *pimpinella* Duponchel,[1843]; *pimpinellella* Duponchel,[1845]; *reichlini* Heinemann,1870
- 3376) Depressaria pulcherrimella Stainton,1849** (Oecophoridae) Synonym(s): *pulcherrimella* Stainton,1849
- 3377) Depressaria sordidatella Tengström,1848** (Oecophoridae) Synonym(s): *sordidatella* Tengström,1848; *weirella* Stainton,1849.
- 3378) Depressaria tenebricosa Zeller,1854** (Oecophoridae) Synonym(s): *tenebricosa* Zeller,1854
- 3379) Depressaria veneficella Zeller,1847** (Oecophoridae) Synonym(s): *veneficella* Zeller,1847
- 3380) Depressaria zelleri Staudinger,1879** (Oecophoridae) Synonym(s): *zelleri* Staudinger,1879
- 3381) Diurnea fagella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *fagella* [Denis & Schiffermüller],1775; *pilosella* Thunberg,1788; *atomana* Brahm,1791; *fagi* Fabricius,1798; *disparella* Schrank,1802; *dormoyella* Duponchel,1838; *nolckenella* Millière,1881
- 3382) Endrosis sarcitrella (Linnaeus,1758)** (Oecophoridae) Synonym(s): *sarcitrella* Linnaeus,1758; *luridella* Scopoli,1763; *lacteella* [Denis & Schiffermüller],1775; *scapulata* Fourcroy,1785; *betulinella* Fabricius,1787; *scapulata* Villers,1789; *atratus* Panzer,1804; *sarcitea* Haworth,1828; *kennicottella* Clemens,1860; *subditella* Walker,1863; *antarctica* Staudinger,1899.
- 3383) Epicallima formosella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller],1775
- 3384) Epicallima icterinella (Mann,1867)** (Oecophoridae) Synonym(s): *icterinella* Mann,1867

- 3385) *Epicallima splendidella* (Amsel,1935)** (Oecophoridae) Synonym(s): *splendidella* Amsel,1935
- 3386) *Eratophyes amasiella* (Herrich-Schäffer,[1855])** (Oecophoridae) Synonym(s): *amasiella* Herrich-Schäffer,[1855]; *aleatrix* Diakonoff,1975.
- 3387) *Esperia imitatrix* (Zeller,1847)** (Oecophoridae) Synonym(s): *imitatrix* Zeller,1847
- 3388) *Esperia intermediella* (Stainton,1867)** (Oecophoridae) Synonym(s): *intermediella* Stainton,1867
- 3389) *Esperia oliviella* (Fabricius,1794)** (Oecophoridae) Synonym(s): *oliviella* Fabricius,1794
- 3390) *Esperia sulphurella* (Fabricius,1775)** (Oecophoridae) Synonym(s): *sulphurella* Fabricius,1775
- 3391) *Exaeretia ledereri* (Zeller,1854)** (Oecophoridae) Synonym(s): *ledereri* Zeller,1854.
- 3392) *Exaeretia lutosella* (Herrich-Schäffer,[1854])** (Oecophoridae) Synonym(s): *lutosella* Herrich-Schäffer,[1854]
- 3393) *Exaeretia nigromaculata* Hannemann,1989** (Oecophoridae) Synonym(s): *nigromaculata* Hannemann,1989
- 3394) *Fabiola pokornyi* (Nickerl,1864)** (Oecophoridae) Synonym(s): *pokornyi* Nickerl,1864
- 3395) *Harpella eseliensis* ? Rebel,1908** (Oecophoridae) Synonym(s): *eseliensis* Rebel,1908
- 3396) *Harpella forficella* (Scopoli,1763)** (Oecophoridae) Synonym(s): *forficella* Scopoli,1763
- 3397) *Holoscolia berytella* Rebel,1902** (Oecophoridae) Synonym(s): *berytella* Rebel,1902; *monticolella* Zerny,1934
- 3398) *Holoscolia huebneri* Koçak,1980** (Oecophoridae) Synonym(s): *forficella* Hübner,[1813] *nec* Thunb.,1794; *huebneri* Koçak,1980
- 3399) *Holoscolia majorella* Rebel,1902** (Oecophoridae) Synonym(s): *majorella* Rebel,1902
- 3400) *Horridopalpus radiatus* (Staudinger,1879)** (Oecophoridae) Synonym(s): *radiata* Staudinger,1879
- 3401) *Hypercallia citrinalis* (Scopoli,1763)** (Oecophoridae) Synonym(s): *citrinalis* Scopoli,1763; *christiennana* Linnaeus,1767; *thoracella* Goeze,1783; *thoracica* Fourcroy,1785; *christiennella* Hübner,[1824]; *christierella* Hübner,[1825]; *christiennini* Zeller,1839
- 3402) *Minetia crinitella* Herrich-Schäffer,[1855]** (Oecophoridae) Synonym(s): *crinitella* Herrich-Schäffer,[1855]
- 3403) *Oecophora* (Oecophoreola) *kindermanni* (Herrich-Schäffer,[1852])** (Oecophoridae) Synonym(s): *kindermanni* Herrich-Schäffer,[1852]
- 3404) *Oecophora* (s.str.) *bractella* (Linnaeus,1758)** (Oecophoridae) Synonym(s): *bractella* Linnaeus,1758
- 3405) *Pleurota amaniella* Mann,1873** (Oecophoridae) Synonym(s): *amaniella* Mann,1873
- 3406) *Pleurota aristella* (Linnaeus,1767)** (Oecophoridae) Synonym(s): *aristella* Linnaeus,1767; *corniculata* Villers,1789; *cornicella* Villers,1789; *schlaegerella* Zeller,1847; *argentistrigella* Mann,1854
- 3407) *Pleurota armeniella* Caradja,1920** (Oecophoridae) Synonym(s): *armeniella* Caradja,1920
- 3408) *Pleurota christophi* Lvovskiy,1993** (Oecophoridae) Synonym(s): *christophi* Lvovskiy,1993
- 3409) *Pleurota contristatella* Mann,1867** (Oecophoridae) Synonym(s): *contristatella* Mann,1867
- 3410) *Pleurota ericella* (Duponchel,1839)** (Oecophoridae) Synonym(s): *ericella* Duponchel,1839; *imitatrix* Herrich-Schäffer,1854; *imitatricella* Herrich-Schäffer,1862; *aeonella* Lhomme,1949
- 3411) *Pleurota eximia* Lederer,1861** (Oecophoridae) Synonym(s): *eximia* Lederer,1861; *galaticella* Staudinger,1880
- 3412) *Pleurota generosella* Rebel,1900** (Oecophoridae) Synonym(s): *generosella* Rebel,1900; *alexandrina* Meyrick,1935
- 3413) *Pleurota issicella* Staudinger,1880** (Oecophoridae) Synonym(s): *issicella* Staudinger,1880
- 3414) *Pleurota malatya* H.Back,1973** (Oecophoridae) Synonym(s): *malatya* H.Back,1973
- 3415) *Pleurota metricella* (Zeller,1847)** (Oecophoridae) Synonym(s): *metricella* Zeller,1847
- 3416) *Pleurota proteella* Staudinger,1880** (Oecophoridae) Synonym(s): *proteella* Staudinger,1880
- 3417) *Pleurota pungitiella* Herrich-Schäffer,[1854]** (Oecophoridae) Synonym(s): *pungitiella* Herrich-Schäffer,[1854]
- 3418) *Pleurota pyropella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller],1775
- 3419) *Pleurota simplex* Staudinger,1880** (Oecophoridae) Synonym(s): *simplex* Staudinger,1880
- 3420) *Pleurota sparella* (Lederer,1855)** (Oecophoridae) Synonym(s): *sparella* Lederer,1855; *karmeliella* Amsel,1935
- 3421) *Pleurota sublustrella* (Mann,1872)** (Oecophoridae) Synonym(s): *sublustrella* Mann,1872
- 3422) *Pleurota subpyropella* Staudinger,1880** (Oecophoridae) Synonym(s): *subpyropella* Staudinger,1880
- 3423) *Pleurota syriaca* Staudinger,1880** (Oecophoridae) Synonym(s): *syriaca* Staudinger,1880
- 3424) *Pleurota tristatella* Staudinger,1871** (Oecophoridae) Synonym(s): *tristatella* Staudinger,1871
- 3425) *Pleurota tristictella* Seebold,1898** (Oecophoridae) Synonym(s): *tristictella* Seebold,1898
- 3426) *Protasis punctella* (Costa,[1836])** (Oecophoridae) Synonym(s): *punctella* Costa,[1846]; *monostictella* Heydenreich,1851
- 3427) *Pseudatemelia sordida* (Staudinger,1879)** (Oecophoridae) Synonym(s): *sordida* Staudinger,1879

- 3428) Schiffermuelleria irroratella (Staudinger,1879)** (Oecophoridae) Synonym(s): *irroratella Staudinger,1879*
- 3429) Schiffermuelleria schaefferella (Linnaeus,1758)** (Oecophoridae) Synonym(s): *schaefferella Linnaeus,1758; hermannella Fabricius,1781; lucidula Fourcroy,1785.*
- 3430) Semioscopis osthelderi Rebel,1935** (Oecophoridae) Synonym(s): *osthelderi Rebel,1935*
- 3431) Telechrysis tripuncta (Haworth,[1828])** (Oecophoridae) Synonym(s): *tripuncta Haworth,[1828]; tripunctella Stephens,1834; scyllaella Costa,[1836]; trisignella Zeller,1839; trimaculella Duponchel,[1840]*
- 3432) Tubuliferola flavifrontella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *flavifrontella [Denis & Schiffermüller],1775*

OPOSTEGIDAE

- 3433) Opostega salaciella (Treitschke,1833)** (Opostegidae) Synonym(s): *salaciella Treitschke,1833; reliquella Zeller,1848*
- 3434) Opostega spatulella Herrich-Schäffer,[1855]** (Opostegidae) Synonym(s): *spatulella Herrich-Schäffer,[1855]; nepticulella Bruand,1859; bimaculatella Rothschild,1912; constantiniella Costantini,1923; angulata Gerasimov,1930; heringiella Mariani,1937*
- 3435) Pseudopostega auritella (Hübner,[1813])** (Opostegidae) Synonym(s): *auritella Hübner,[1813]*
- 3436) Pseudopostega crepusculella (Zeller,1839)** (Opostegidae) Synonym(s): *crepusculella Zeller,1839; lvovskyi Kozlov,1985*

PAPILIONIDAE

- 3437) Archon apollinaris (Staudinger,[1892])** (Papilionidae) Synonym(s): *apollinaris Staudinger,[1892]; pallidior Spuler,1892; #mardina Stichel,1907*
- 3438) Archon apollinus (Herbst,1798)** (Papilionidae) Synonym(s): *apollinus Herbst,1798; pythius Esper,1805; thia Hübner,1806; annii Ondrias, Kouts. & Douma-Petridou,1979.*
- 3439) Iphiclides podalirius (Linnaeus,1758)** (Papilionidae) Synonym(s): *podalirius Linnaeus,1758; sinon Poda,1761; flammeus Fourcroy,1785; brassicae Fabricius,1807; inalpinus Verity,1911; valesiaca Verity,1911; zancaeides Verity,1911; pseudopersica Rocci,1926.*
- 3440) Papilio (s.str. (Alexanoria)) alexanor Esper,[1800]** (Papilionidae) Synonym(s): *polidamas De Prunner,1787 nec Linn.,1758; alexanor Esper,[1800]; polychaon Loche,1801; destelensis Nel & Chauliac,1983.*
- 3441) Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) Synonym(s): *machaon Linnaeus,1758; reginae Retzius,1783; umbellatarum Fabricius,1807; aurantiaca Speyer,1858.*
- 3442) Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne Linnaeus,1758*
- 3443) Parnassius (Driopa) nordmanni [Ménétries],[1850]** (Papilionidae) Synonym(s): *clarius Eversmann,1845 nec Evers.,1843; nordmanni [Menetries],[1850]; pataraeus Westwood,1852; minima Honrath,1885; christophi Bryk & Eisner,1932; bogosi O.Bang-Haas,1934; #fasciata Sheljuzhko,1935; #cohaerens Sheljuzhko,1935; #flavomaculata Sheljuzhko,1935*
- 3444) Parnassius (s.str.) apollo (Linnaeus,1758)** (Papilionidae) Synonym(s): *apollo Linnaeus,1758*
- 3445) Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758)** (Papilionidae) Synonym(s): *demoleus Linnaeus,1758; erithonius Cramer,[1782]; epus Fabricius,1793; sthenelus Macleay,1826; demoleinus Oberthür,1879; pictus Fruhstorfer,1898; #chryseis Boulet & Le Cerf,1912; flavosignatus Heydemann,1954*
- 3446) Zerynthia (Allancastris) caucasica (Lederer,1864)** (Papilionidae) Synonym(s): *caucasica Lederer,1864; tkatshukovi Sheljuzhko,1927; cachetica Sheljuzhko,1927; #caucasia Bernardi,1970.*
- 3447) Zerynthia (Allancastris) cerisyi (Godart,1822)** (Papilionidae) Synonym(s): *cerisyi Godart,1822; cerisy Godart,[1824]; martini Fruhst.,1906; speciosa, cypria Stichel,1907; #destrigata Schultz,1908; #caeca Shelj.,1927; mysiniensis Eism. & Wag.,1974; kocaki, goeksui Kuhna,1977; koroneii Katt.& Kouts.,1978; sami Schmidt,1989.*
- 3448) Zerynthia (Allancastris) deyrollei (Oberthür,1869)** (Papilionidae) Synonym(s): *deyrollei Oberthür,1869; eisneri Bernardi,1970; lycaoniae Eisner & Wagnen,1974; #flavomaculata Verity,1905; #ochracea Verity,1905; #obscurior Verity,1905; #subflava Schultz,1908; #deflexa Schultz,1908; #charis Schultz,1908; #separata Sheljuzhko,1927.*
- 3449) Zerynthia (s.str.) polyxena ([Denis & Schiffermüller],1775)** (Papilionidae) Synonym(s): *hypermnestra Scopoli,1763 nec Linn.,1763; polyxena [Denis & Schiffermüller],1775; hypsipyle Fabricius,1777; aristolochiae Schneider,1787 nec Fabricius,1775.*

PIERIDAE

- 3450) Anthocharis cardamines (Linnaeus,1758)** (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911
- 3451) Anthocharis damone Boisduval,1836** (Pieridae) Synonym(s): *damone* Boisduval,1836
- 3452) Anthocharis grueneri Herrich-Schäffer,[1851]** (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907
- 3453) Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 3454) Belenois aurota (Fabricius,1793)** (Pieridae) Synonym(s): *mesentina* Cramer,[1780] nec Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 3455) Catopsilia florella (Fabricius,1775)** (Pieridae) Synonym(s): *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 3456) Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
- 3457) Colias (Eriocolias) thisoa Ménétriés,1832** (Pieridae) Synonym(s): *thisoa* Ménétriés,1832; *helenia* Herrich-Schäffer,[1844]; *eos* Herrich-Schäffer,[1848]; *#ludmilla* Schulte,1989.
- 3458) Colias (Neocolias) aurorina Herrich-Schäffer,[1850]** (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer,[1850]
- 3459) Colias (Neocolias) caucasica Staudinger,1871** (Pieridae) Synonym(s): *caucasica* Staudinger,1871; *olga* Romanoff,1882; *anna* Gerhard,1882.
- 3460) Colias (Neocolias) chlorocoma Christoph,1888** (Pieridae) Synonym(s): *chlorocoma* Christoph,1888
- 3461) Colias (Neocolias) erate (Esper,[1805])** (Pieridae) Synonym(s): *erate* Esper,[1805]; *afghana* O.Bang-Haas,1927
- 3462) Colias (s.str.) alfacariensis Ribbe,1905** (Pieridae) Synonym(s): *alfacariensis* Ribbe,1905
- 3463) Colias (s.str.) hyale (Linnaeus,1758)** (Pieridae) Synonym(s): *hyale* Linnaeus,1758; *#amdensis* Verity,[1911].
- 3464) Colotis (s.str.) fausta (Olivier,[1804])** (Pieridae) Synonym(s): *fausta* Olivier,[1804]
- 3465) Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
- 3466) Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
- 3467) Euchloe (s.str.) belemia (Esper,[1800])** (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glauca* Freyer,[1848]
- 3468) Gonepteryx (Isogonepteryx) cleopatra (Linnaeus,1767)** (Pieridae) Synonym(s): *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920.
- 3469) Gonepteryx (s.str.) farinosa (Zeller,1847)** (Pieridae) Synonym(s): *farinosa* Zeller,1847
- 3470) Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) Synonym(s): *rhamni* Linnaeus,1758; *gravesi* Huggins,1956.
- 3471) Leptidea duponcheli (Staudinger,1871)** (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003
- 3472) Leptidea morsei (Fenton,1881)** (Pieridae) Synonym(s): *morsei* Fenton,1882
- 3473) Leptidea sinapis (Linnaeus,1758)** (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
- 3474) Pieris (Artogeia) bowdeni Eitschberger,[1984]** (Pieridae) Synonym(s): *bowdeni* Eitschberger,[1984]
- 3475) Pieris (Artogeia) bryoniae (Hübner,[1804])** (Pieridae) Synonym(s): *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debrosi* Eitschberger,[1984] (cf. Leraut,1997).
- 3476) Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) Synonym(s): *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].
- 3477) Pieris (Artogeia) krueperi Staudinger,1860** (Pieridae) Synonym(s): *krueperi* Staudinger,1860
- 3478) Pieris (Artogeia) mannii (Mayer,1851)** (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.
- 3479) Pieris (Artogeia) persis Verity,1922** (Pieridae) Synonym(s): *persis* Verity,1922; *higginsii* Bowden,1961.
- 3480) Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) Synonym(s): *pseudorapae* Verity,1908
- 3481) Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
- 3482) Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.

- 3483) Pontia callidice (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803].
- 3484) Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] *nec russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec Oberthür*,1881.
- 3485) Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.
- 3486) Pontia edusa (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
- 3487) Zegris eupheme (Esper,[1804])** (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erothoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].

PRODOXIDAE

- 3488) Lampronia corticella (Linnaeus,1758)** (Prodoxidae) Synonym(s): *corticella* Linnaeus,1758; *rubiella* Bjerkander,1781.
- 3489) Lampronia koernerella (Zeller,1839)** (Prodoxidae) Synonym(s): *koernerella* Zeller,1839; *albicostella* Duponchel,[1845]
- 3490) Lampronia rupella ([Denis & Schiffermüller],1775)** (Prodoxidae) Synonym(s): *rupella* [Denis & Schiffermüller],1775

PSYCHIDAE

- 3491) Acanthopsyche atra (Linnaeus,1767)** (Psychidae) Synonym(s): *atra* Linnaeus,1767; *stigmatella* Zetterstedt,1839; *opacella* Herrich-Schäffer,1846.
- 3492) Amicta quadrangularis (Christoph,1873)** (Psychidae) Synonym(s): *quadrangularis* Christoph,1873; *nigrescens* Staudinger,1899
- 3493) Apterona helicoidella (Vallot,1827)** (Psychidae) Synonym(s): *helicoidella* Vallot,1827; *resedella* Vallot,1843; *helix* Siebold,[1851].
- 3494) Bankesia pallida (Staudinger,1879)** (Psychidae) Synonym(s): *pallida* Staudinger,1879
- 3495) Bijugis bombycella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *bombycella* [Denis & Schiffermüller],1775
- 3496) Bijugis pectinella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *pectinella* [Denis & Schiffermüller],1775
- 3497) Bruandia reticulatella (Bruand,1853)** (Psychidae) Synonym(s): *reticulatella* Bruand,1853
- 3498) Canephora armena (Heylaerts,1885)** (Psychidae) Synonym(s): *armena* Heylaerts,1885
- 3499) Canephora caucasica (A.Bang-Haas,1912)** (Psychidae) Synonym(s): *caucasica* A.Bang-Haas,1921; *subgrisea* Kozhanchikov,1956.
- 3500) Canephora febretha (Boyer de Fonscolombe,1835)** (Psychidae) Synonym(s): *febretha* Boyer de Fonscolombe,1835
- 3501) Canephora hirsuta (Poda,1761)** (Psychidae) Synonym(s): *hirsuta* Poda,1761; *dubia* Scopoli,1763; *unicolor* Hufnagel,1766; *xylophthorum* Pallas,1767; *vestita* Fabricius,1775; *fasciculifera* Fourcroy,1785; *quercus* Schrank,1802; *vestitella* Hübner,[1825]; *asiatica* Staudinger,1887.
- 3502) Canephora lutea (Staudinger,1871)** (Psychidae) Synonym(s): *lutea* Staudinger,1871
- 3503) Canephora senex (Staudinger,1871)** (Psychidae) Synonym(s): *senex* Staudinger,1871
- 3504) Canephora sp.?** (Psychidae) Synonym(s):
- 3505) Canephora taurica (Wehrli,1932)** (Psychidae) Synonym(s): *taurica* Wehrli,1932
- 3506) Canephora villosella (Ochsenheimer,1810)** (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810
- 3507) Dahlica triquetrella (Hübner,[1813])** (Psychidae) Synonym(s): *triquetrella* Hübner,[1813]
- 3508) Diplodoma laichartingella (Goeze,1783)** (Psychidae) Synonym(s): *laichartingella* Goeze,1783; *herminata* Fourcroy,1785; *herminatella* Villers,1789; *marginepunctella* Stephens,1835; *siderella* Zeller,1839.
- 3509) Dissoctena granigerella Staudinger,1859** (Psychidae) Synonym(s): *granigerella* Staudinger,1859
- 3510) Eochorica balcanica (Rebel,1919)** (Psychidae) Synonym(s): *balcanica* Rebel,1919; *troughiti* Amsel,1955; *#balcania* De Freina,1994
- 3511) Eosolenobia manni (Zeller,1852)** (Psychidae) Synonym(s): *manni* Zeller,1852
- 3512) Epichnopteryx plumella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *plumella* [Denis & Schiffermüller],1775; *pulla* Esper,[1785]
- 3513) Eumasia parietariella (Heydenreich,1851)** (Psychidae) Synonym(s): *parietariella* Heydenreich,1851; *crepusculella* Müller-Rutz,1920.
- 3514) Eumasia syriaca (Caradja,1920)** (Psychidae) Synonym(s): *syriaca* Caradja,1920
- 3515) Megalophanes viciella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977.

- 3516) Penestoglossa tauricella Rebel,1935** (Psychidae) Synonym(s): *tauricella Rebel,1935*
- 3517) Phalacropterix bruandi (Lederer,1855)** (Psychidae) Synonym(s): *bruandi Lederer,1855*
- 3518) Psyche casta (Pallas,1767)** (Psychidae) Synonym(s): *casta Pallas,1767; nitidella Hübner,1793; germanica Chapman,1900; minor Chapman,1900; bowerella Chapman,1900; mitterdella Chapman,1900; niponica Hori,1926; ussuriensis Kozhantschikov,1956.*
- 3519) Psyche crassiorella (Bruand,[1851])** (Psychidae) Synonym(s): *crassiorella Bruand,[1851]; intermediella Bruand,1853; affinis Reutti,1853; subflavella Milliere,1876; ciliella Chapman,1900; danieli Siedler,1958.*
- 3520) Psyche rassei (Siedler,1975)** (Psychidae) Synonym(s): *rassei Siedler,1975*
- 3521) Ptilocephala (Deuterohyalina) albida (Esper,[1786])** (Psychidae) Synonym(s): *albida Esper,[1786]*
- 3522) Ptilocephala (gr.4) plumifera (Ochsenheimer,1810)** (Psychidae) Synonym(s): *plumifera Ochsenheimer,1810; mediterranea Lederer,1853.*
- 3523) Ptilocephala (s.str.) muscella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *muscella [Denis & Schiffermüller],1775*
- 3524) Rebelia surientella (Bruand,1858)** (Psychidae) Synonym(s): *surientella Bruand,1858; suriens Bruand,1859*
- 3525) Reisseronia flavociliella (Mann,1864)** (Psychidae) Synonym(s): *flavociliella Mann,1864*
- 3526) Taleporia pseudoimprovisella Freina & Witt,1984** (Psychidae) Synonym(s): *pseudoimprovisella Freina & Witt,1984*
- 3527) Taleporia tubulosa (Retzius,1783)** (Psychidae) Synonym(s): *tubulosa Retzius,1783; pseudobombycella Hübner,1796; glabrella Ochsenheimer,1816; tessellea Haworth,1828; tesserella Stephens,1829; anderreggella Duponchel,1842; guenei Zeller,1852; hirta Bartosova & Duskova,1958*
- 3528) Typhonia lugubris (Hübner,1793)** (Psychidae) Synonym(s): *lugubris Hübner,1793; ciliaris Ochsenheimer,1810; lugubris Hübner,[1808] nec Fabricius,1777; aequalis Osthelder,1938*
- 3529) Typhonia punctata (Herrich-Schäffer,[1855])** (Psychidae) Synonym(s): *punctata Herrich-Schäffer,[1855]*

PTEROLONCHIDAE

- 3530) Pterolonche (Gomezbustillus) pulverulenta Zeller, 1847** (Pterolonchidae) Synonym(s): *pulverulenta Zeller, 1847*
- 3531) Pterolonche (s.str.) albescens Zeller,1847** (Pterolonchidae) Synonym(s): *albescens Zeller,1847*
- 3532) Pterolonche (s.str.) inspersa Staudinger,1859** (Pterolonchidae) Synonym(s): *inspersa Staudinger,1859*

PTEROPHORIDAE

- 3533) Adaina microdactyla (Hübner,[1813])** (Pterophoridae) Synonym(s): *microdactyla Hübner,[1813]; carphodactylus Stephens,1834; subflavescens Meyrick,1930; montivola Meyrick,1937.*
- 3534) Agdistis adactyla (Hübner,[1819])** (Pterophoridae) Synonym(s): *adactyla Hübner,[1819]; huebneri Curtis,1834; delphinensella Bruand,1858; shaanxisis Qin & Zheng,1997.*
- 3535) Agdistis caradjai Arenberger,1975** (Pterophoridae) Synonym(s): *caradjai Arenberger,1975; dagestanica Zagulyaev & Filippova,1976.*
- 3536) Agdistis frankeniae (Zeller,1847)** (Pterophoridae) Synonym(s): *frankeniae Zeller,1847; lerinsis Milliere,1876; bahrlutia Amsel,1955; tondeuri Bigot,1963; rupestris Bigot,1974; rjabovi Zagulyaev & Filippova,1976; kulunda Ustjuzhanin,1991.*
- 3537) Agdistis heydeni (Zeller,1852)** (Pterophoridae) Synonym(s): *heydeni Zeller,1852; canariensis Rebel,1896; excurata Meyrick,1920.*
- 3538) Agdistis intermedia Caradja,1920** (Pterophoridae) Synonym(s): *intermedia Caradja,1920; hungarica Amsel,1955.*
- 3539) Agdistis meridionalis (Zeller,1847)** (Pterophoridae) Synonym(s): *meridionalis Zeller,1847; staticis Milliere,1875; portlandica Tutt,1906; clivicola Meyrick,1920; tyrrhenica Amsel,1952; prolai Hartig,1953.*
- 3540) Agdistis mevlaniella Arenberger,1972** (Pterophoridae) Synonym(s): *mevlaniella Arenberger,1972*
- 3541) Agdistis protai Arenberger,1973** (Pterophoridae) Synonym(s): *protai Arenberger,1973*
- 3542) Agdistis satanas Milliere,1876** (Pterophoridae) Synonym(s): *satanas Milliere,1876; nanus Turati,1924; pseudosatanas Amsel,1952.*
- 3543) Agdistis sissia Arenberger,1987** (Pterophoridae) Synonym(s): *sissia Arenberger,1987*
- 3544) Agdistis tamaricis (Zeller,1847)** (Pterophoridae) Synonym(s): *tamaricis Zeller,1847; bagdadiensis Amsel,1949; xinjiangsis Qin & Zheng,1997.*
- 3545) Amblyptilia acanthadactyla (Hübner,[1813])** (Pterophoridae) Synonym(s): *acanthadactyla Hübner,[1813]; odontodactyla Charpentier,1821; calaminthae Frey,1886; tetralicella Hofmann,1895.*

- 3546) *Buszkoiana capnodactyla* (Zeller,1841)** (Pterophoridae) Synonym(s): *capnodactylus* Zeller,1841
- 3547) *Calyciphora homiodactyla* (Kasy,1960)** (Pterophoridae) Synonym(s): *homiodactyla* Kasy,1960
- 3548) *Calyciphora maraschella* Zagulyaev,1986** (Pterophoridae) Synonym(s): *maraschella* Zagulyaev,1986
- 3549) *Calyciphora nephelodactyla* (Eversmann,1844)** (Pterophoridae) Synonym(s): *nephelodactyla* Eversmann,1844; *apollina* Millière,1882; *extensa* Zagulyaev,1986.
- 3550) *Calyciphora xanthodactyla* (Treitschke,1833)** (Pterophoridae) Synonym(s): *xanthodactyla* Treitschke,1833
- 3551) *Calyciphora xerodactyla* (Zeller,1841)** (Pterophoridae) Synonym(s): *xerodactyla* Zeller,1841; *sicula* Fuchs,1901.
- 3552) *Capperia britanniodactyla* (Gregson,1869)** (Pterophoridae) Synonym(s): *britanniodactyla* Gregson,1869; *teucarii* Jordan,1869.
- 3553) *Capperia celeusi* (Frey,1886)** (Pterophoridae) Synonym(s): *celeusi* Frey,1886; *intercisus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997.
- 3554) *Capperia fletcheri* Adamczewski,1951** (Pterophoridae) Synonym(s): *fletcheri* Adamczewski,1951
- 3555) *Capperia fusca* (Hofmann,1898)** (Pterophoridae) Synonym(s): *fusca* Hofmann,1898; *marrubii* Adamczewski,1951
- 3556) *Capperia hellenica* Adamczewski,1951** (Pterophoridae) Synonym(s): *hellenica* Adamczewski,1951
- 3557) *Capperia maratonica* Adamczewski,1951** (Pterophoridae) Synonym(s): *maratonica* Adamczewski,1951
- 3558) *Capperia marginella* (Zeller,1847)** (Pterophoridae) Synonym(s): *marginella* Zeller,1847
- 3559) *Capperia polonica* Adamczewski,1951** (Pterophoridae) Synonym(s): *polonica* Adamczewski,1951
- 3560) *Capperia salanga* Arenberger,1995** (Pterophoridae) Synonym(s): *salanga* Arenberger,1995
- 3561) *Capperia tamsi* Adamczewski,1951** (Pterophoridae) Synonym(s): *tamsi* Adamczewski,1951
- 3562) *Capperia trichodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *trichodactyla* [Denis & Schiffermüller],1775; *leonuri* Stange,1882; *affinis* Müller-Rutz,1933.
- 3563) *Capperia washbourni* Adamczewski,1951** (Pterophoridae) Synonym(s): *washbourni* Adamczewski,1951
- 3564) *Cnaemidophorus rhododactylus* (Fabricius,1787)** (Pterophoridae) Synonym(s): *#rhododactyla* [Denis & Schiffermüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931; *#rhododactylus* Arenberger,1998
- 3565) *Crombruggia distans* (Zeller,1847)** (Pterophoridae) Synonym(s): *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactucae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieili* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997.
- 3566) *Crombruggia kollari* (Stainton,1851)** (Pterophoridae) Synonym(s): *kollari* Stainton,1851
- 3567) *Crombruggia laeta* (Zeller,1847)** (Pterophoridae) Synonym(s): *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882.
- 3568) *Crombruggia propedistans* (Bigot & Picard,1988)** (Pterophoridae) Synonym(s): *propedistans* Bigot & Picard,1988
- 3569) *Crombruggia reichli* Arenberger,1998** (Pterophoridae) Synonym(s): *reichli* Arenberger,1998
- 3570) *Crombruggia tristis* (Zeller,1839)** (Pterophoridae) Synonym(s): *tristis* Zeller,1839; *tristidactyla* Bruand,1858; *adamczewskii* Bigot & Picard,1988.
- 3571) *Emmelina monodactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 3572) *Geina didactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *didactyla* Linnaeus,1758; *brunneodactyla* Millière,1854.
- 3573) *Gypsochares baptodactylus* (Zeller,1850)** (Pterophoridae) Synonym(s): *baptodactylus* Zeller,1850; *dactylographa* Turati,1927.
- 3574) *Hellinsia carphodactyla* (Hübner,[1813])** (Pterophoridae) Synonym(s): *carphodactylus* Hübner,[1813]; *citridactylus* Stephens,1834; *infirma* Heydenreich,1851; *buphthalmi* Hofmann,1898; *inulaevorus* Gibeaux,1989; *alpinus* Gibeaux & Picard,1992
- 3575) *Hellinsia inulae* (Zeller,1852)** (Pterophoridae) Synonym(s): *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992.
- 3576) *Hellinsia osteodactylus* (Zeller,1841)** (Pterophoridae) Synonym(s): *microdactyla* Zetterstedt,1839 nec Hübner,[1813]; *osteodactylus* Zeller,1841; *trimmatodactylus* Christoph,1872; *cinerariae* Millière,1874; *chrysocomae* Ragonot,1875; *korbi* Caradja,1920; *turbidellus* Caradja,1920; *sophronistes* Meyrick,1938.
- 3577) *Marasmarcha ehrenbergiana* Zeller,1841** (Pterophoridae) Synonym(s): *ehrenbergiana* Zeller,1841; *decolorum* Caradja,1920.
- 3578) *Merrifieldia baliodactyla* (Zeller,1841)** (Pterophoridae) Synonym(s): *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *dalioidactylus* Bruand,1850; *meridionalis* Staudinger,1880.
- 3579) *Merrifieldia brandti* (Arenberger,1981)** (Pterophoridae) Synonym(s): *brandti* Arenberger,1981
- 3580) *Merrifieldia calcaria* (Lederer,1870)** (Pterophoridae) Synonym(s): *calcaria* Lederer,1870
- 3581) *Merrifieldia deprinsi* Arenberger,1990** (Pterophoridae) Synonym(s): *deprinsi* Arenberger,1990

- 3582) Merrifieldia diwani (Arenberger,1981)** (Pterophoridae) Synonym(s): *diwani* Arenberger,1981
- 3583) Merrifieldia leucodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *#leucodactyla* [Denis & Schiffermüller],1775; *theiodactyla* Hübner,[1825]; *wernickei* Wocke,1897; *fitzi* Rebel,1912; *flavella* Chrétien,1923; *dryogramma* Meyrick,1930.
- 3584) Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
- 3585) Merrifieldia tridactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *tridactyla* Linnaeus,1758; *tetradactyla* Linnaeus,1758; *niveidactylus* Stephens,1829; *fuscolimbatus* Duponchel,1844; *icterodactyla* Mann,1855; *exilidactyla* Buszko,1975.
- 3586) Oidaematophorus didactylites (Ström,1783)** (Pterophoridae) Synonym(s): *didactylites* Ström,1783; *scarodactyla* Hübner,[1813]; *icarodactyla* Treitschke,1833; *catharodactylus* Caradja,1921.
- 3587) Oidaematophorus lithodactylus (Treitschke,1833)** (Pterophoridae) Synonym(s): *lithodactylus* Treitschke,1833; *septodactylus* Treitschke,1833; *similidactylus* Dale,1834; *lithoxylodactylus* Duponchel,[1840].
- 3588) Oxyptilus chrysodactylus ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *chrysodactylus* [Denis & Schiffermüller],1775; *hieracii* Zeller,1841; *hieracidactyla* Bruand,1858; *perunovi* Ustjuzhanin,1996.
- 3589) Oxyptilus ericetorum (Zeller,1844)** (Pterophoridae) Synonym(s): *ericetorum* Zeller,1844; *ericetidactyla* Bruand,1859.
- 3590) Oxyptilus parvidactylus (Haworth,[1811])** (Pterophoridae) Synonym(s): *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroccanensis* Amsel,1956.
- 3591) Oxyptilus pilosellae (Zeller,1841)** (Pterophoridae) Synonym(s): *pilosellae* Zeller,1841; *pilosellidactyla* Bruand,1859; *bohemandi* Wallengren,1862.
- 3592) Paracapperia anatolica (Caradja,1920)** (Pterophoridae) Synonym(s): *anatolica* Caradja,1920.
- 3593) Paraplatyptilia metzneri (Zeller,1841)** (Pterophoridae) Synonym(s): *metzneri* Zeller,1841; *bolli* Frey,1856; *gaji* Zagulyaev,1983
- 3594) Platyptilia calodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *calodactyla* [Denis & Schiffermüller],1775; *petradactyla* Hübner,[1819]; *zetterstedtii* Zeller,1841; *taeniadactylus* South,1882; *doronicella* Fuchs,1902; *leucorrhincha* Meyrick,1902.
- 3595) Platyptilia chondrodactyla Caradja,1920** (Pterophoridae) Synonym(s): *chondrodactyla* Caradja,1920
- 3596) Platyptilia farfarella Zeller,1867** (Pterophoridae) Synonym(s): *farfarella* Zeller,1867; *molopias* Meyrick,1906; *gonodactyla* Hori,1934 nec [Denis & Schiffermüller],1775.
- 3597) Platyptilia gonodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *gonodactyla* [Denis & Schiffermüller],1775; *megalodactyla* [Denis & Schiffermüller],1775; *diptera* Sulzer,1776; *trigonodactyla* Haworth,1811; *farfara* Gregson,1885; *albidior* Caradja,1920.
- 3598) Platyptilia kozanica Fazekas,2003** (Pterophoridae) Synonym(s): *kozanica* Fazekas,2003
- 3599) Platyptilia nemoralis (Zeller,1841)** (Pterophoridae) Synonym(s): *nemoralis* Zeller,1841; *nemorolidactyla* Bruand,1859; *graafii* Zeller,1873; *sinuosa* Yano,1960.
- 3600) Platyptilia tetradactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *tetradactyla* Linnaeus,1758
- 3601) Porritia galactodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *galactodactyla* [Denis & Schiffermüller],1775; *albodactylus* Fabricius,1794.
- 3602) Procapperia ankaraica Fazekas,2003** (Pterophoridae) Synonym(s): *ankaraica* Fazekas,2003
- 3603) Procapperia kuldschaensis (Rebel,1914)** (Pterophoridae) Synonym(s): *kuldschaensis* Rebel,1914; *asiatica* Zagulyaev,1986.
- 3604) Procapperia linariae (Chrétien,1922)** (Pterophoridae) Synonym(s): *linariae* Chrétien,1922; *croatica* Adameczewski,1951.
- 3605) Procapperia maculata (Constant,1865)** (Pterophoridae) Synonym(s): *maculata* Constant,1865; *croatica* Adameczewski,1951.
- 3606) Pselnophorus poggei (Mann,1862)** (Pterophoridae) Synonym(s): *poggei* Mann,1862; *minutus* Alpheraky,1876; *borzhomei* Zagulyaev,1987.
- 3607) Pterophorus caspius Lederer,1870** (Pterophoridae) Synonym(s): *caspius* Lederer,1870
- 3608) Pterophorus ischnodactylus (Treitschke,1835)** (Pterophoridae) Synonym(s): *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968.
- 3609) Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880.
- 3610) Pterophorus subalternans (Lederer,1869)** (Pterophoridae) Synonym(s): *subalternans* Lederer,1869
- 3611) Stangeia siceliota (Zeller,1847)** (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
- 3612) Stenoptilia arida (Zeller,1847)** (Pterophoridae) Synonym(s): *arida* Zeller,1847; *oxyactis* Meyrick,1921; *elkefi* Arenberger,1984; *kopetdagi* Zagulyaev,2002

- 3613) *Stenoptilia bipunctidactyla* (Scopoli,1763)** (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli,1763; *mictodactyla* [Denis & Schiffermüller],1775; *#pallida* Tutt,1906; *arida* Caradja,1920 nec Zell.,1847.
- 3614) *Stenoptilia coprodactyla* (Stainton,1851)** (Pterophoridae) Synonym(s): *coprodactyla* Stainton,1851; *zalocrossa* Meyrick,1907.
- 3615) *Stenoptilia lucasi* Arenberger,1990** (Pterophoridae) Synonym(s): *lucasi* Arenberger,1990
- 3616) *Stenoptilia mannii* (Zeller,1852)** (Pterophoridae) Synonym(s): *mannii* Zeller,1852; *megaloehra* Meyrick,1930.
- 3617) *Stenoptilia mariaeluisae* Bigot & Picard,2002** (Pterophoridae) Synonym(s): *mariaeluisae* Bigot & Picard,2002
- 3618) *Stenoptilia parnasia* Arenberger,1986** (Pterophoridae) Synonym(s): *parnasia* Arenberger,1986
- 3619) *Stenoptilia pinkeri* Arenberger,1984** (Pterophoridae) Synonym(s): *pinkeri* Arenberger,1984
- 3620) *Stenoptilia plagiodactyla* (Stainton,1851)** (Pterophoridae) Synonym(s): *plagiodactyla* Stainton,1851
- 3621) *Stenoptilia pterodactyla* (Linnaeus,1761)** (Pterophoridae) Synonym(s): *pterodactyla* Linnaeus,1761; *fuscus* Retzius,1783; *fuscodactyla* Haworth,1811; *ptilodactyla* Hübner,[1813]; *palludicola* Wallengren,1862; *#pallida* Tutt,1906
- 3622) *Stenoptilia stigmatodactyla* (Zeller,1852)** (Pterophoridae) Synonym(s): *stigmatodactyla* Zeller,1852
- 3623) *Stenoptilia zophodactyla* (Duponchel,1838)** (Pterophoridae) Synonym(s): *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873.
- 3624) *Stenoptilodes taprobanes* (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonym(s): *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenicodactyla* Chrétien,1915; *terlizzii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962.
- 3625) *Tabulaephorus parthicus* (Lederer,1870)** (Pterophoridae) Synonym(s): *parthicus* Lederer,1870
- 3626) *Tabulaephorus punctinervis* (Constant,1885)** (Pterophoridae) Synonym(s): *punctinervis* Constant,1885
- 3627) *Wheeleria elbursi* (Arenberger,1981)** (Pterophoridae) Synonym(s): *elbursi* Arenberger,1981
- 3628) *Wheeleria ivae* (Kasy,1960)** (Pterophoridae) Synonym(s): *ivae* Kasy,1960
- 3629) *Wheeleria obsoleta* (Zeller,1841)** (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970.
- 3630) *Wheeleria phlomidis* (Staudinger,1871)** (Pterophoridae) Synonym(s): *phlomidis* Staudinger,1871
- 3631) *Wheeleria sobeidae* (Arenberger,1981)** (Pterophoridae) Synonym(s): *sobeidae* Arenberger,1981
- 3632) *Wheeleria spilodactyla* (Curtis,1827)** (Pterophoridae) Synonym(s): *spilodactyla* Curtis,1827; *marrubii* Heydenreich,1851.

PYRALIDAE

- 3633) *Acentria ephemerella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ephemerella* [Denis & Schiffermüller],1775; *nivea* Olivier,1791; *phryganea* Hübner,[1803]; *sembris* Hübner,1808; *ephemera* Hübner,1819; *hansonii* Stephens,1833; *nivosa* Stephens,1834; *garnonsii* Curtis,1834; *newae* Kolenati,1858; *latipennis* Möschler,1860; *obscurus* Tengström,1869; *badensis* Nolcken,1869; *germanicus* Nolcken,1869
- 3634) *Achroia grisella* (Fabricius,1794)** (Pyralidae) Synonym(s): *grisella* Fabricius,1794; *alvearia* Fabricius,1798; *cinereola* Hübner,[1803]; *alvea* Haworth,1811; *alveariella* Guenée,1845; *anticella* Walker,1863; *obscurivittella* Ragonot,1901; *#major* Dufrane,1930.
- 3635) *Achyra nudalis* (Hübner,1796)** (Pyralidae) Synonym(s): *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901
- 3636) *Acrobasis atrisquamella* Ragonot,1887** (Pyralidae) Synonym(s): *atrisquamella* Ragonot,1887; *nigrisquamella* Amsel,1953
- 3637) *Acrobasis bithynella* Zeller,1848** (Pyralidae) Synonym(s): *bithynella* Zeller,1848; *minusculella* Turati,1930; *witteella* Roesler,1969.
- 3638) *Acrobasis centunculella* (Mann,1859)** (Pyralidae) Synonym(s): *centunculella* Mann,1859
- 3639) *Acrobasis consociella* (Hübner,[1813])** (Pyralidae) Synonym(s): *consociella* Hübner,[1813]; *consocialis* Hübner,[1825]; *tumidella* Duponchel,1836; *oberthueri* Lucas,1914.
- 3640) *Acrobasis glaucella* Staudinger,1859** (Pyralidae) Synonym(s): *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910.
- 3641) *Acrobasis obliqua* (Zeller,1847)** (Pyralidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927.
- 3642) *Acrobasis obtusella* (Hübner,1796)** (Pyralidae) Synonym(s): *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825].
- 3643) *Actenia beatalis* Kalchberg,1897** (Pyralidae) Synonym(s): *beatalis* Kalchberg,1897

- 3644) *Actenia brunnealis* (Treitschke,1829)** (Pyralidae) Synonym(s): *brunnealis* Treitschke,1829; *phaealis* Hampson,1900.
- 3645) *Actenia honestalis* (Treitschke,1829)** (Pyralidae) Synonym(s): *honestalis* Treitschke,1829
- 3646) *Aeglotis argentalis* (Christoph,1887)** (Pyralidae) Synonym(s): *argentalis* Christoph,1887
- 3647) *Aeschremon disparalis* Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961
- 3648) *Aglossa asiatica* Erschoff,1871** (Pyralidae) Synonym(s): *asiatica* Erschoff,1871
- 3649) *Aglossa caprealis* (Hübner,[1809])** (Pyralidae) Synonym(s): *caprealis* Hübner,[1809]; *capreolatus* Haworth,1809; *aenalis* Costa,1836; *domalis* Guenée,1854; *incultella* Walker,1866; *enthealis* Hulst,1886; *#cuprealis* Kalchberg,1897
- 3650) *Aglossa pinguinalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *asiatica* Erschoff,1871; *rubralis* Hampson,1900; *guicciardii* Constantino,1922; *sanaensis* Rebel,1930; *maroccana* Schmidt,1934
- 3651) *Agriphila bleszynskiella* Amsel,1961** (Pyralidae) Synonym(s): *bleszynskiella* Amsel,1961
- 3652) *Agriphila brionella* (Zerny,1914)** (Pyralidae) Synonym(s): *brioniella* Zerny,1914; *#subbrioniella* Amsel,1959.
- 3653) *Agriphila deliella* (Hübner,[1813])** (Pyralidae) Synonym(s): *deliella* Hübner,[1813]; *delialis* Hübner,[1825]
- 3654) *Agriphila geniculea* (Haworth,[1811])** (Pyralidae) Synonym(s): *geniculea* Haworth,[1811]; *imistella* Hübner,[1813]; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839.
- 3655) *Agriphila inquinatella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910.
- 3656) *Agriphila latistria* (Haworth,[1811])** (Pyralidae) Synonym(s): *latistria* Haworth,[1811]; *gueneellus* Duponchel,1836; *monotaeniellus* Herrich-Schäffer,[1852]; *vectifer* Zeller,1863; *vallicolella* Costa,1885.
- 3657) *Agriphila melike* Kemal & Koçak,2004** (Pyralidae) Synonym(s): *asiatica* Ganév & Hacker,1984 *nec* Blesz.,1965; *melike* Kemal & Koçak,2004
- 3658) *Agriphila paleatella* (Zeller,1847)** (Pyralidae) Synonym(s): *paleatellus* Zeller,1847
- 3659) *Agriphila poliella* (Treitschke,1832)** (Pyralidae) Synonym(s): *poliella* Treitschke,1832
- 3660) *Agriphila straminella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *straminella* [Denis & Schiffermüller],1775 *marginella* Stephens,1834.
- 3661) *Agriphila tersella* (Lederer,1855)** (Pyralidae) Synonym(s): *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942.
- 3662) *Agriphila tolli* (Bleszynski,1952)** (Pyralidae) Synonym(s): *tollis* Bleszynski,1952
- 3663) *Agriphila trabeatella* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *trabeatellus* Herrich-Schäffer,[1848]; *divisellus* Joannis,1888.
- 3664) *Agriphila tristella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tristella* [Denis & Schiffermüller],1775; *ferruginella* Thunberg,1788; *paleella* Hübner,1796; *aquilella* Hübner,1796; *moerens* Fabricius,1798; *fuscineella* Schrank,1802; *fuscineellus* Stephens,1834; *ribbeellus* Caradja,1910; *discistrigatus* Hampson,1919.
- 3665) *Agriphiloides longipalpellus* Bleszynski,1965** (Pyralidae) Synonym(s): *longipalpellus* Bleszynski,1965
- 3666) *Agrotera nemoralis* (Scopoli,1763)** (Pyralidae) Synonym(s): *nemoralis* Scopoli,1763
- 3667) *Alisa amseli* Ganév & Hacker,1984** (Pyralidae) Synonym(s): *amseli* Ganév & Hacker,1984
- 3668) *Allophia combustella* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910.
- 3669) *Amaurophanes stigmosalis* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *stigmosalis* Herrich-Schäffer,[1848]
- 3670) *Anania* (Eurrhyncha) *hortulata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *hortulata* Linnaeus,1758; *urticata* Linnaeus,1761; *urticalis* [Denis & Schiffermüller],1775; *flavicauda* Retzius,1783; *hortulana* Fourcroy,1785.
- 3671) *Anania* (Opsibotys) *fuscalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *fuscalis* [Denis & Schiffermüller],1775
- 3672) *Anania* (Perinephela) *lancealis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *lancealis* [Denis & Schiffermüller],1775; *glabralis* Fabricius,1794; *palustrata* Fabricius,1794; *longalis* Haworth,1811
- 3673) *Anania* (Phlyctaenia) *coronata* (Hufnagel,1767)** (Pyralidae) Synonym(s): *coronata* Hufnagel,1767; *sambucalis* [Denis & Schiffermüller],1775; *aureomaculata* Goeze,1781; *sambuci* Retzius,1783; *sambucata* Fabricius,1787.
- 3674) *Anania* (Phlyctaenia) *perlucidalis* (Hübner,[1809])** (Pyralidae) Synonym(s): *perlucidalis* Hübner,[1809]
- 3675) *Anania* (s.str.) *crocealis* (Hübner,1796)** (Pyralidae) Synonym(s): *crocealis* Hübner,1796
- 3676) *Anania* (s.str.) *funeraria* (Ström,1768)** (Pyralidae) Synonym(s): *funeraria* Ström,1768; *octomaculata* Linnaeus,1771; *funeraria* Müller,1764; *atralis* Fabricius,1775; *guttalis* [Denis & Schiffermüller],1775; *octomaculalis* Treitschke,1828.

- 3677) *Anania (s.str.) terrealis* (Treitschke,1829)** (Pyralidae) Synonym(s): *terrealis* Treitschke,1829
- 3678) *Anania (s.str.) testacealis* (Zeller,1847)** (Pyralidae) Synonym(s): *testacealis* Zeller,1847
- 3679) *Anania verbascata* (Fabricius,1787)** (Pyralidae) Synonym(s): *#verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934.
- 3680) *Anarpia incertalis* (Duponchel,1832)** (Pyralidae) Synonym(s): *incertalis* Duponchel,1832; *pyrenaealis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaeella* Duponchel,[1845]; *pyrenaicalis* Guenée,1846
- 3681) *Ancylodes pallens* Ragonot,1887** (Pyralidae) Synonym(s): *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958.
- 3682) *Ancylodes staminella* (Christoph,1877)** (Pyralidae) Synonym(s): *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949
- 3683) *Ancylolomia disparalis* (Hübner,[1825])** (Pyralidae) Synonym(s): *disparella* Hübner,[1813] *nec* Schr.,1802; *disparalis* Hübner,[1825]; *contritellus* Zeller,1847; *hipponella* Ragonot,1888; *rabatella* Lucas,1937; *griseella* Amsel,1951; *powelli* Lucas,1954.
- 3684) *Ancylolomia palpella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909
- 3685) *Ancylolomia pectinatella* (Zeller,1847)** (Pyralidae) Synonym(s): *pectinatellus* Zeller,1847
- 3686) *Ancylolomia tentaculella* (Hübner,1796)** (Pyralidae) Synonym(s): *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 3687) *Ancylosis (Cabotia) lacteicostella* (Ragonot,1887)** (Pyralidae) Synonym(s): *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915.
- 3688) *Ancylosis (Cabotia) oblitella* (Zeller,1848)** (Pyralidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955.
- 3689) *Ancylosis (Heterographis) albicosta* (Staudinger,1870)** (Pyralidae) Synonym(s): *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901.
- 3690) *Ancylosis (Heterographis) candidatella* (Lederer,1858)** (Pyralidae) Synonym(s): *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890.
- 3691) *Ancylosis (Heterographis) convexella* (Lederer,1855)** (Pyralidae) Synonym(s): *convexella* Lederer,1855; *albicieliella* Staudinger,1859; *favorinella* Zeller,1867
- 3692) *Ancylosis (Heterographis) faustinella* (Zeller,1867)** (Pyralidae) Synonym(s): *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
- 3693) *Ancylosis (Heterographis) geminella* (Amsel,1961)** (Pyralidae) Synonym(s): *geminella* Amsel,1961
- 3694) *Ancylosis (Heterographis) gracilella* Ragonot,1887** (Pyralidae) Synonym(s): *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932.
- 3695) *Ancylosis (Heterographis) harmoniella* (Ragonot,1887)** (Pyralidae) Synonym(s): *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930.
- 3696) *Ancylosis (Heterographis) hellenica* (Staudinger,1870)** (Pyralidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 3697) *Ancylosis (Heterographis) muliebris* (Meyrick,1937)** (Pyralidae) Synonym(s): *muliebris* Meyrick,1937; *macedonica* Schawerda,1937.
- 3698) *Ancylosis (Heterographis) nigripunctella* (Staudinger,1879)** (Pyralidae) Synonym(s): *nigripunctella* Staudinger,1879; *wockeella* Ragonot,1887; *carnibasalis* Hampson,1896.
- 3699) *Ancylosis (Heterographis) nubeculella* (Ragonot,1887)** (Pyralidae) Synonym(s): *nubeculella* Ragonot,1887
- 3700) *Ancylosis (Heterographis) pallida* (Staudinger,1870)** (Pyralidae) Synonym(s): *pallida* Staudinger,1870
- 3701) *Ancylosis (Heterographis) pectinatella* Ragonot,1887** (Pyralidae) Synonym(s): *pectinatella* Ragonot,1887
- 3702) *Ancylosis (Heterographis) pyrethrella* (Herrich-Schäffer,1860)** (Pyralidae) Synonym(s): *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammata* Ragonot,1901; *trilineata* Amsel,1961.
- 3703) *Ancylosis (Heterographis) rhodochrella* (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 3704) *Ancylosis (Heterographis) roscidella* (Eversmann,1844)** (Pyralidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W.Warren,1888; *barteella* Caradja,1910; *benderella* Amsel,1961.
- 3705) *Ancylosis (Heterographis) samaritanella* (Zeller,1867)** (Pyralidae) Synonym(s): *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954.

- 3706) Ancylosis (Heterographis) xylinella (Staudinger,1870)** (Pyralidae) Synonym(s): *xylinella* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929.
- 3707) Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pyralidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 3708) Ancylosis (s.str.) dumetella (Ragonot,1887)** (Pyralidae) Synonym(s): *dumetella* Ragonot,1887; *albinotella* Ragonot,1887; *alvandella* Amsel,1961.
- 3709) Ancylosis (s.str.) iranella Ragonot,1887** (Pyralidae) Synonym(s): *iranella* Ragonot,1887; *turaniella* Ragonot,1887.
- 3710) Ancylosis (s.str.) maculifera Staudinger,1870** (Pyralidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 3711) Ancylosis (s.str.) ochricostella Ragonot,1887** (Pyralidae) Synonym(s): *ochricostella* Ragonot,1887
- 3712) Ancylosis (s.str.) sareptella (Herrich-Schäffer,1860)** (Pyralidae) Synonym(s): *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863.
- 3713) Ancylosis (s.str.) turaniella Ragonot,1887** (Pyralidae) Synonym(s): *turaniella* Ragonot,1887
- 3714) Anerastia lotella (Hübner,[1813])** (Pyralidae) Synonym(s): *lotella* Hübner,[1813]
- 3715) Angustalius malacellus (Duponchel,1836)** (Pyralidae) Synonym(s): *malacellus* Duponchel,1836
- 3716) Anthophilopsis baphialis (Staudinger,1870)** (Pyralidae) Synonym(s): *baphialis* Staudinger,1870; *#baphiale* Caradja,1917.
- 3717) Anthophilopsis moeschleri (Christoph,1862)** (Pyralidae) Synonym(s): *moeschleri* Christoph,1862
- 3718) Antigastra catalaunalis (Duponchel,1833)** (Pyralidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929
- 3719) Aphomia sapozhnikovi (Krulikovsky,1909)** (Pyralidae) Synonym(s): *anella* Zincken nec [Denis & Schiff.]; *bipunctatus* Zeller,1848 nec Curt.; *sapozhnikovi* Krulikovsky,1909; *decolor* Caradja,1910; *zelleri* Joannis,1932
- 3720) Aphomia sociella (Linnaeus,1758)** (Pyralidae) Synonym(s): *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffmüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941.
- 3721) Aphomia unicolor (Staudinger,1870)** (Pyralidae) Synonym(s): *unicolor* Staudinger,1870
- 3722) Apomyelois ceratoniae (Zeller,1839)** (Pyralidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilinella* Hampson,1896; *psarella* Hampson,1903; *rivularis* W. Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950
- 3723) Aporodes floralis (Hübner,[1809])** (Pyralidae) Synonym(s): *floralis* Hübner,[1809]; *stygielis* Treitschke,1829; *sicualis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 3724) Aporodes nepticulalis Hofmann,[1898]** (Pyralidae) Synonym(s): *nepticulalis* Hofmann,[1898]
- 3725) Arimania komaroffi (Ragonot,1888)** (Pyralidae) Synonym(s): *komaroffi* Ragonot,1888; *amanella* Zerny,1934; *diplocapna* Meyrick,1937
- 3726) Arsissa divaricella (Ragonot,1887)** (Pyralidae) Synonym(s): *divaricella* Ragonot,1887; *#aurantiacella* Caradja,1910; *velocella* Toll,1948; *firusella* Amsel,1961.
- 3727) Arsissa miridella (Ragonot,1893)** (Pyralidae) Synonym(s): *miridella* Ragonot,1893; *pallorella* Amsel,1961; *#incertella* Amsel,1970.
- 3728) Arsissa ramosella (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939.
- 3729) Asalebria (Exophora) exasperata (Staudinger,1879)** (Pyralidae) Synonym(s): *exasperata* Staudinger,1879; *#exaspersata* Roesler,1993
- 3730) Asalebria (Exophora) florella (Mann,1862)** (Pyralidae) Synonym(s): *florella* Mann,1862
- 3731) Asalebria (s.str.) geminella (Eversmann,1844)** (Pyralidae) Synonym(s): *geminella* Eversmann,1844
- 3732) Asalebria (s.str.) venustella (Ragonot,1887)** (Pyralidae) Synonym(s): *venustella* Ragonot,1887; *hilarella* Caradja,1916; *palella* Caradja,1916
- 3733) Asarta ciliciella Staudinger,1879** (Pyralidae) Synonym(s): *ciliciella* Staudinger,1879
- 3734) Assara turciella Roesler,1973** (Pyralidae) Synonym(s): *turciella* Roesler,1973
- 3735) Atralata albofascialis (Treitschke,1829)** (Pyralidae) Synonym(s): *albofascialis* Treitschke,1829; *minutalis* Speyer,1868
- 3736) Bazaría gilvella (Ragonot,1887)** (Pyralidae) Synonym(s): *gilvella* Ragonot,1887
- 3737) Bazaría leucochrella (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *leucochrella* Herrich-Schäffer,[1855].
- 3738) Bazaría nomiella (Ragonot,1887)** (Pyralidae) Synonym(s): *nomiella* Ragonot,1887; *atrisparsella* Ragonot,1887.
- 3739) Bazaría turensis Ragonot,1887** (Pyralidae) Synonym(s): *turensis* Ragonot,1887

- 3740) *Bradyrrhoa cantenerella* (Duponchel,1837)** (Pyralidae) Synonym(s): *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicolella* Schawerda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955
- 3741) *Bradyrrhoa confiniella* Zeller,1848** (Pyralidae) Synonym(s): *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1893; *ifraneella* Lucas,1956; *ebertella* Roesler,1969
- 3742) *Bradyrrhoa gilveolella* (Treitschke,1833)** (Pyralidae) Synonym(s): *gilveolella* Treitschke,1833
- 3743) *Bradyrrhoa mesobaphella* Ragonot,1888** (Pyralidae) Synonym(s): *mesobaphella* Ragonot,1888
- 3744) *Bradyrrhoa trapezella* (Duponchel,1836)** (Pyralidae) Synonym(s): *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalcedoniella* Herrisch-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933.
- 3745) *Cadra abstersella* (Zeller,1847)** (Pyralidae) Synonym(s): *abstersella* Zeller,1847; *liguriella* Amsel,1954.
- 3746) *Cadra calidella* (Guenée,1845)** (Pyralidae) Synonym(s): *calidella* Guenée,1845; *#ficella* Douglas,1851; *xanthotricha* Staudinger,1859.
- 3747) *Cadra cautella* (Walker,1863)** (Pyralidae) Synonym(s): *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959
- 3748) *Cadra delattinella* Roesler,1965** (Pyralidae) Synonym(s): *delattinella* Roesler,1965
- 3749) *Cadra figulilella* (Gregson,1871)** (Pyralidae) Synonym(s): *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *#halfaella* Roesler,1965.
- 3750) *Cadra furcatella* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer,[1849]
- 3751) *Calamotropa hierichuntica* Zeller,1867** (Pyralidae) Synonym(s): *hierichuntica* Zeller,1867; *orontella* Ragonot,1895; *leucaniellus* Zerny,1914.
- 3752) *Calamotropa paludella* (Hübner,[1824])** (Pyralidae) Synonym(s): *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramattellus* Meyrick,1879; *carpherus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959.
- 3753) *Cataclysta lemnata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935.
- 3754) *Cataonia erubescens* (Christoph,1877)** (Pyralidae) Synonym(s): *erubescens* Christoph,1877; *monocerialis* Ragonot,1891.
- 3755) *Cataonia mauritanica* Amsel,1953** (Pyralidae) Synonym(s): *mauritanica* Amsel,1953
- 3756) *Catastia acraspedella* (Staudinger,1879)** (Pyralidae) Synonym(s): *acraspedella* Staudinger,1879
- 3757) *Catastia marginata* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *marginata* [Denis & Schiffermüller],1775.
- 3758) *Catharia pyrenaealis* (Duponchel,[1843])** (Pyralidae) Synonym(s): *pyrenaealis* Duponchel,1843
- 3759) *Catoptria ciliciella* (Rebel,1893)** (Pyralidae) Synonym(s): *ciliciellus* Rebel,1893; *#siliciellus* Ganev,1996.
- 3760) *Catoptria colchicella* (Lederer,1870)** (Pyralidae) Synonym(s): *colchicellus* Lederer,1870
- 3761) *Catoptria confusella* (Staudinger,1881)** (Pyralidae) Synonym(s): *confusellus* Staudinger,1881
- 3762) *Catoptria dimorphella* (Staudinger,1881)** (Pyralidae) Synonym(s): *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *wolffi* Ganev & Hacker,1984
- 3763) *Catoptria falsella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956.
- 3764) *Catoptria hilarella* (Caradja,1925)** (Pyralidae) Synonym(s): *hilarellus* Caradja,1925
- 3765) *Catoptria incertella* (Herrich-Schäffer,[1852])** (Pyralidae) Synonym(s): *incertellus* Herrich-Schäffer,[1852]
- 3766) *Catoptria laevigatella* (Lederer,1870)** (Pyralidae) Synonym(s): *laevigatellus* Lederer,1870; *semicanella* Fuchs,1903.
- 3767) *Catoptria lithargyrella* (Hübner,1796)** (Pyralidae) Synonym(s): *lithargyrella* Hübner,1796
- 3768) *Catoptria mytilella* (Hübner,[1805])** (Pyralidae) Synonym(s): *mytilella* Hübner,[1805]; *vilarrubiae* Agenjo,1954.
- 3769) *Catoptria pinella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
- 3770) *Catoptria verella* (Zincken,1817)** (Pyralidae) Synonym(s): *verellus* Zincken,1817; *radiolana* Eversmann,1844.
- 3771) *Chilo luteellus* (Motschulsky,1866)** (Pyralidae) Synonym(s): *lutellus* Motschulsky,1860 nec [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941.
- 3772) *Chilo phragmitellus* (Hübner,[1810])** (Pyralidae) Synonym(s): *phragmitellus* Hübner,[1810]; *rhombea* Haworth,[1811].
- 3773) *Chilo pulverosellus* Ragonot,1895** (Pyralidae) Synonym(s): *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezii* Joannis,1932; *lemarchandellus* Lucas,1945.

- 3774) *Chrysocrambus craterellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958.
- 3775) *Chrysocrambus linetellus* (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
- 3776) *Chrysocrambus syriellus* (Zerny,1934)** (Pyralidae) Synonym(s): *syriellus* Zerny,1934
- 3777) *Chrysoteuchia culmella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#hortellus* Zerny,1914; *#brunnea* Dufrane,1942.
- 3778) *Conobathra celticola* (Staudinger,1879)** (Pyralidae) Synonym(s): *celticola* Staudinger,1879
- 3779) *Conobathra repandana* (Fabricius,1798)** (Pyralidae) Synonym(s): *repandana* Fabricius,1798; *tumidella* Zincken,1818; *zelleri* Ragonot,1888.
- 3780) *Conobathra tumidana* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839.
- 3781) *Corcyra cephalonica* (Stainton,1866)** (Pyralidae) Synonym(s): *cephalonica* Stainton,1866; *oeconomellus* Mann,1872; *translineella* Hampson,1901; *theobromae* Dyar,1913; *lineata* Legrand,1965
- 3782) *Cornifrons ulceratalis* Lederer,1858** (Pyralidae) Synonym(s): *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876
- 3783) *Crambus lathoniellus* (Zincken,1817)** (Pyralidae) Synonym(s): *nemorellus* Hübner,[1813] *nec* Thunb.,1788; *lathoniellus* Zincken,1817; *angustellus* Stephens,1834; *alfacarellus* Staudinger,1859; *altivolens* Schawerda,1913; *marpurgensis* Strand,1920.
- 3784) *Crambus pascuellus* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutulellus* Chrétien,1896.
- 3785) *Crambus perlellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
- 3786) *Crambus pratellus* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pratellus* Linnaeus,1758; *dumetellus* Hübner,[1813]; *saltalis* Hübner,[1825].
- 3787) *Crambus scoticus* Westwood,1849** (Pyralidae) Synonym(s): *scoticus* Westwood,1849; *uliginosellus* Zeller,1850; *#infuscatellus* Caradja,1910
- 3788) *Cryptoblabes gnidiella* (Millière,1867)** (Pyralidae) Synonym(s): *gnidiella* Millière,1867; *wockiana* Briosi,[1877]; *aliena* Swezey,1909
- 3789) *Cybalomia lutosalis* (Mann,1862)** (Pyralidae) Synonym(s): *lutosalis* Mann,1862
- 3790) *Cybalomia pentadalis* (Lederer,1855)** (Pyralidae) Synonym(s): *pentadalis* Lederer,1855
- 3791) *Cynaeda dentalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
- 3792) *Cynaeda gigantea* (Wocke,1871)** (Pyralidae) Synonym(s): *gigantea* Wocke,1871
- 3793) *Diasemia reticularis* (Linnaeus,1761)** (Pyralidae) Synonym(s): *reticularis* Linnaeus,1761; *litterata* Scopoli,1763
- 3794) *Diasemiopsis ramburialis* (Duponchel,1831)** (Pyralidae) Synonym(s): *ramburialis* Duponchel,1831; *melaleucalis* Walker,1859; *reconditalis* Walker,[1866]; *leucophaealis* Walker,[1866].
- 3795) *Dioryctria abietella* (Fabricius,1787)** (Pyralidae) Synonym(s): *#abietella* [Denis & Schiffermüller],1775; *abietella* Fabricius,1787
- 3796) *Dioryctria mendacella* (Staudinger,1859)** (Pyralidae) Synonym(s): *mendacella* Staudinger,1859; *#mendecella* Rebel,1939
- 3797) *Dioryctria simplicella* Heinemann,1863** (Pyralidae) Synonym(s): *simplicella* Heinemann,1863; *mutatella* Fuchs,1903.
- 3798) *Dioryctria sylvestrella* (Ratzeburg,1840)** (Pyralidae) Synonym(s): *sylvestrella* Ratzeburg,1840; *splendidella* sensu auct.
- 3799) *Dipleurina lacustrata* (Panzer,1804)** (Pyralidae) Synonym(s): *crataegella* sensu Hübner,1796 *nec* Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845.
- 3800) *Dolicharthria bruguieralis* (Duponchel,1833)** (Pyralidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915
- 3801) *Dolicharthria punctalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *punctalis* [Denis & Schiffermüller],1775
- 3802) *Donacula mucronella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *mucronella* [Denis & Schiffermüller],1775
- 3803) *Duponchelia fovealis* (Zeller,1847)** (Pyralidae) Synonym(s): *fovealis* Zeller,1847; *canuisalis* Millière,1869; *griseata* Butler,1875; *uniflexalis* Mabille,1880
- 3804) *Ecbatania holopyrrhella* (Ragonot,1888)** (Pyralidae) Synonym(s): *holopyrrhella* Ragonot,1888
- 3805) *Eccopisa effractella* Zeller,1848** (Pyralidae) Synonym(s): *effractella* Zeller,1848
- 3806) *Ecpyrrhorhoe diffusalis* (Guenée,1854)** (Pyralidae) Synonym(s): *carnealis* Dup.,1831 *nec* Treit.1829; *diffusalis* Guenée,1854; *affusalis* Guenée,1854; *tenuialis* Mann,1862.
- 3807) *Ecpyrrhorhoe rubiginalis* (Hübner,1796)** (Pyralidae) Synonym(s): *rubiginalis* Hübner,1796
- 3808) *Elegia fallax* (Staudinger,1881)** (Pyralidae) Synonym(s): *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953.

- 3809) *Elophila hederalis* Amsel,1935** (Pyralidae) Synonym(s): *hederalis* Amsel,1935; *auralis* Osthelder,1935
- 3810) *Elophila nymphaeata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *nymphaeata* Linnaeus,1758; *potamogata* Linnaeus,1758; *rivulata* Scopoli,1763; *nymphaealis* [Denis & Schifferrmüller],1775; *potamogalis* [Denis & Schifferrmüller],1775; *obscuralis* Selys-Longchamps,1845; *potamogetalis* Reutti,1898
- 3811) *Ematheudes pseudopunctellus* Ragonot,1888** (Pyralidae) Synonym(s): *pseudopunctellus* Ragonot,1888
- 3812) *Ematheudes punctellus* (Treitschke,1833)** (Pyralidae) Synonym(s): *punctellus* Treitschke,1833
- 3813) *Ematheudes varicellus* Ragonot,1887** (Pyralidae) Synonym(s): *varicellus* Ragonot,1887
- 3814) *Ematheudes vitellinellus* Ragonot,1887** (Pyralidae) Synonym(s): *vitellinella* Ragonot,1887; *#vittelinella* Amsel,1949.
- 3815) *Emmalocera lucidicostella* Ragonot,1888** (Pyralidae) Synonym(s): *lucidicostella* Ragonot,1888
- 3816) *Endotricha flammealis* ([Denis & Schifferrmüller],1775)** (Pyralidae) Synonym(s): *flammealis* [Denis & Schifferrmüller],1775; *carnealis* De Lattin,1951.
- 3817) *Epactoctena octogenalis* (Lederer,1863)** (Pyralidae) Synonym(s): *octogenalis* Lederer,1863.
- 3818) *Epascestria peltaloides* (Rebel,1932)** (Pyralidae) Synonym(s): *peltaloides* Rebel,1932
- 3819) *Epascestria pustulalis* (Hübner,[1823])** (Pyralidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917.
- 3820) *Ephelis cruentalis* (Geyer,[1832])** (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835
- 3821) *Ephestia (Anagasta) cypriusella* Roesler,1965** (Pyralidae) Synonym(s): *cypriusella* Roesler,1965
- 3822) *Ephestia (Anagasta) kuehniella* Zeller,1879** (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern & Tuhtim,1995
- 3823) *Ephestia (Anagasta) welseriella* (Zeller,1848)** (Pyralidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephriella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927.
- 3824) *Ephestia (s.str.) disparella* Hampson,1901** (Pyralidae) Synonym(s): *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934.
- 3825) *Ephestia (s.str.) elutella* (Hübner,1796)** (Pyralidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965
- 3826) *Ephestia (s.str.) parasitella* Staudinger,1859** (Pyralidae) Synonym(s): *parasitella* Staudinger,1859; *bimaculella* Lucas,1955.
- 3827) *Epichalcia amasiella* Roesler,1969** (Pyralidae) Synonym(s): *amasiella* Roesler,1969
- 3828) *Epidauria discella* Ragonot,1901** (Pyralidae) Synonym(s): *discella* Ragonot,1901
- 3829) *Epidauria phoeniciella* Ragonot,1895** (Pyralidae) Synonym(s): *phoeniciella* Ragonot,1895
- 3830) *Epidauria strigosa* (Staudinger,1879)** (Pyralidae) Synonym(s): *strigosa* Staudinger,1879
- 3831) *Epidauria transversariella* (Zeller,1848)** (Pyralidae) Synonym(s): *transversariella* Zeller,1848
- 3832) *Epiepischnia pseudolydella* Amsel,1953** (Pyralidae) Synonym(s): *pseudolydella* Amsel,1953
- 3833) *Epimetasia vestalis* (Ragonot,1894)** (Pyralidae) Synonym(s): *vestalis* Ragonot,1894; *rubrilinealis* Zerny,1939.
- 3834) *Epischnia adultella* (Zeller,1848)** (Pyralidae) Synonym(s): *adultella* Zeller,1848
- 3835) *Epischnia asteris* Staudinger,1870** (Pyralidae) Synonym(s): *asteris* Staudinger,1870
- 3836) *Epischnia christophori* Ragonot,1887** (Pyralidae) Synonym(s): *christophori* Ragonot,1887; *#chrystophori* Noack,1960.
- 3837) *Epischnia cretaciella* Mann,1869** (Pyralidae) Synonym(s): *cretaciella* Mann,1869; *demartinella* Turati,1922.
- 3838) *Epischnia cuculliella* Ragonot,1887** (Pyralidae) Synonym(s): *cuculliella* Ragonot,1887
- 3839) *Epischnia illotella* Zeller,1839** (Pyralidae) Synonym(s): *illotella* Zeller,1839
- 3840) *Epischnia leucoloma* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *leucoloma* Herrich-Schäffer,[1849]
- 3841) *Epischnia leucomixtella* Ragonot,1887** (Pyralidae) Synonym(s): *leucomixtella* Ragonot,1887
- 3842) *Epischnia muscidella* Ragonot,1887** (Pyralidae) Synonym(s): *muscidella* Ragonot,1887
- 3843) *Epischnia prodromella* (Hübner,[1799])** (Pyralidae) Synonym(s): *prodromella* Hübner,[1799]; *#prodomella* Rebel,1939
- 3844) *Epischnia stenopterella* Rebel,1910** (Pyralidae) Synonym(s): *stenopterella* Rebel,1910
- 3845) *Episcythrastis tabidella* (Mann,1864)** (Pyralidae) Synonym(s): *tabidella* Mann,1864; *griseella* Ragonot,1887; *constanti* Ragonot,1893; *heringi* Hartig,1938; *demawendella* Zerny,1939
- 3846) *Episcythrastis tetricella* ([Denis & Schifferrmüller],1775)** (Pyralidae) Synonym(s): *tetricella* [Denis & Schifferrmüller],1775; *tetrix* Fabricius,1798; *chrysorrhoeella* Zincken,1818; *plumbaginella* Eversmann,1844; *amurensis* Ragonot,1887; *alternella* Lewin,1942
- 3847) *Etiella zinckenella* (Treitschke,1832)** (Pyralidae) Synonym(s): *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836;

- dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975.
- 3848) *Eucampyla dealbatella* (Erschoff,1874)** (Pyralidae) Synonym(s): *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulata* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965.
- 3849) *Eucarphia vinetella* (Fabricius,1787)** (Pyralidae) Synonym(s): *vinetella* Fabricius,1787; *vinetorum* Fabricius,1798; *vinetalis* Hübner,[1825].
- 3850) *Euchromius anapiellus* (Zeller,1847)** (Pyralidae) Synonym(s): *anapiellus* Zeller,1847
- 3851) *Euchromius bellus* (Hübner,1796)** (Pyralidae) Synonym(s): *bella* Hübner,1796; *bellalis* Hübner,[1825].
- 3852) *Euchromius bleszynskiellus* Popescu-Gorj,1964** (Pyralidae) Synonym(s): *bleszynskiellus* Popescu-Gorj,1964
- 3853) *Euchromius cambridgei* (Zeller,1867)** (Pyralidae) Synonym(s): *cambridgei* Zeller,1867; *luciella* Chrétien,1907; *prototypa* Meyrick,1935; *congruentella* Amsel,1958; *szijartoi* Gozmany,1959; *ilku* Gozmany,1959.
- 3854) *Euchromius cochlearellus* (Amsel,1949)** (Pyralidae) Synonym(s): *cochlearella* Amsel,1949
- 3855) *Euchromius gratiosellus* (Caradja,1910)** (Pyralidae) Synonym(s): *gratiosella* Caradja,1910
- 3856) *Euchromius jaxartellus* (Erschoff,1874)** (Pyralidae) Synonym(s): *jaxartella* Erschoff,1874
- 3857) *Euchromius keredjellus* (Amsel,1949)** (Pyralidae) Synonym(s): *keredjella* Amsel,1949
- 3858) *Euchromius ocelleus* (Haworth,[1811])** (Pyralidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 3859) *Euchromius pulverosus* (Christoph,1887)** (Pyralidae) Synonym(s): *pulverosa* Christoph,1887
- 3860) *Euchromius ramburiellus* (Duponchel,1836)** (Pyralidae) Synonym(s): *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949.
- 3861) *Euchromius rayatellus* (Amsel,1949)** (Pyralidae) Synonym(s): *rayatella* Amsel,1949
- 3862) *Euchromius siuxellus* Ganév & Hacker,1986** (Pyralidae) Synonym(s): *siuxellus* Ganév & Hacker,1986
- 3863) *Euchromius superbellus* (Zeller,1849)** (Pyralidae) Synonym(s): *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958.
- 3864) *Euchromius vinculellus* (Zeller,1847)** (Pyralidae) Synonym(s): *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrlutella* Amsel,1949.
- 3865) *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *splendidalis* Herrich-Schäffer,[1848]
- 3866) *Eudonia angustea* (Curtis,1827)** (Pyralidae) Synonym(s): *angustea* Curtis,1827
- 3867) *Eudonia lineola* (Curtis,1827)** (Pyralidae) Synonym(s): *lineola* Curtis,1827
- 3868) *Eudonia mercurella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *mercurella* Linnaeus,1758; *mercurii* Fabricius,1798; *mercurea* Haworth,1811; *mercuralis* Hübner,[1825]; *portlandica* Westwood,1845; *frequentella* Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862
- 3869) *Eudonia murana* (Curtis,1827)** (Pyralidae) Synonym(s): *murana* Curtis,1827; *muralis* Doubleday,1850; *delphinatalis* Guenée,1854; *muranella* La Harpe,1855; *pseudomurana* Müller-Rutz,1925
- 3870) *Eudonia obsoleta* (Staudinger,1879)** (Pyralidae) Synonym(s): *obsoleta* Staudinger,1879
- 3871) *Eudonia phaeoleuca* (Zeller,1846)** (Pyralidae) Synonym(s): *phaeoleuca* Zeller,1846; *sciaphilella* La Harpe,1855; *bielnalis* Rougemont,1904; *gratiella* Turati,1914
- 3872) *Eudonia speideli* Leraut,1982** (Pyralidae) Synonym(s): *speideli* Leraut,1982
- 3873) *Eudonia truncicolella* (Stainton,1849)** (Pyralidae) Synonym(s): *truncicolella* Stainton,1849; *pallida* Banks,1895 nec Curt.,1827; *#minor* Dufrane,1960; *#fusca* Dufrane,1960
- 3874) *Eurhodope* (Eurhobasis) *cinerea* (Staudinger,1879)** (Pyralidae) Synonym(s): *cinerea* Staudinger,1879
- 3875) *Eurhodope* (Eurhobasis) *lutescentella* (Caradja,1916)** (Pyralidae) Synonym(s): *lutescentella* Caradja,1916
- 3876) *Eurhodope* (s.str.) *incompta* (Zeller,1847)** (Pyralidae) Synonym(s): *incompta* Zeller,1847
- 3877) *Eurhodope* (s.str.) *monogrammos* (Zeller,1867)** (Pyralidae) Synonym(s): *monogrammos* Zeller,1867; *buxtoni* Rothschild,1921; *homochromella* Amsel,1961; *melanella* Roesler,1969
- 3878) *Eurhodope* (s.str.) *rosella* (Scopoli,1763)** (Pyralidae) Synonym(s): *rosella* Scopoli,1763; *pudoralis* Denis & Schiffermüller,1775; *pudorella* Hübner,1796; *pudorana* Frölich,1828
- 3879) *Eurhodope* (s.str.) *sielmannella* Roesler,1969** (Pyralidae) Synonym(s): *sielmannella* Roesler,1969
- 3880) *Eurrhysis cacuminalis* (Eversmann,1843)** (Pyralidae) Synonym(s): *cacuminalis* Eversmann,1843
- 3881) *Eurrhysis gutturalis* (Herrich-Schäffer,1848)** (Pyralidae) Synonym(s): *gutturalis* Herrich-Schäffer,1848
- 3882) *Eurrhysis pollinalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985
- 3883) *Eurrhysis sartalis* (Hübner,[1813])** (Pyralidae) Synonym(s): *sartalis* Hübner,[1813].

- 3884) Euzophera (Cymbalorissa) fuliginosella (Heinemann,1865)** (Pyralidae) Synonym(s): *fuliginosella* Heinemann,1865; *polyxenella* Millière,1872.
- 3885) Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 3886) Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyralidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimeleella* Zerny,1934.
- 3887) Euzophera (s.str.) fibigerella Asselbergs,1997** (Pyralidae) Synonym(s): *fibigerella* Asselbergs,1997
- 3888) Euzophera (s.str.) flagella (Lederer,1869)** (Pyralidae) Synonym(s): *flagella* Lederer,1869
- 3889) Euzophera (s.str.) hulli Asselbergs,2009** (Pyralidae) Synonym(s): *#hulli* Asselbergs,2009
- 3890) Euzophera (s.str.) imperfectella Ragonot,1895** (Pyralidae) Synonym(s): *imperfectella* Ragonot,1895; *xylomorpha* Meyrick,1937.
- 3891) Euzophera (s.str.) luculentella Ragonot,1888** (Pyralidae) Synonym(s): *luculentella* Ragonot,1888
- 3892) Euzophera (s.str.) lunulella (Costa,1836)** (Pyralidae) Synonym(s): *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851.
- 3893) Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
- 3894) Euzophera (s.str.) pinguis (Haworth,[1811])** (Pyralidae) Synonym(s): *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848.
- 3895) Euzophera (s.str.) pulchella Ragonot,1887** (Pyralidae) Synonym(s): *pulchella* Ragonot,1887; *xylomorpha* Meyrick,1937
- 3896) Euzophera (s.str.) rubricetella (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *rubricetella* Herrich-Schäffer,[1856]
- 3897) Euzophera (s.str.) umbrosella (Staudinger,1879)** (Pyralidae) Synonym(s): *umbrosella* Staudinger,1879; *albogilvella* Ragonot,1887; *depauperatella* Ragonot,1901.
- 3898) Euzopherodes charlottae (Rebel,1914)** (Pyralidae) Synonym(s): *charlottae* Rebel,1914; *nigrolineella* Zerny,1936.
- 3899) Euzopherodes lutisignella (Mann,1869)** (Pyralidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 3900) Euzopherodes vapidella (Mann,1857)** (Pyralidae) Synonym(s): *vapidella* Mann,1857; *tenebrosa* Zeller,1867; *lutescentella* Chrétien,1911; *xylobrunnea* Amsel,1951.
- 3901) Evergestis aenealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *aenealis* [Denis & Schiffermüller],1775; *furvalis* Hübner,1796; *rufimitralis* Hübner,1796; *nigralis* Schrank,1802; *mitralis* Hübner,[1825]
- 3902) Evergestis bifascialis (Guenée,1849)** (Pyralidae) Synonym(s): *bifascialis* Guenée,1849
- 3903) Evergestis boursini Amsel,1938** (Pyralidae) Synonym(s): *boursini* Amsel,1938
- 3904) Evergestis caesialis Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *caesialis* Herrich-Schäffer,[1855]
- 3905) Evergestis desertalis (Hübner,[1813])** (Pyralidae) Synonym(s): *desertalis* Hübner,[1813]; *avicennae* Tams,1925.
- 3906) Evergestis extimalis (Scopoli,1763)** (Pyralidae) Synonym(s): *extimalis* Scopoli,1763; *margaritalis* [Denis & Schiffermüller],1775; *flavofusca* Retzius,1783; *mediella* Goeze,1783; *intermediata* Fourcroy,1785; *erucalis* Hübner,1796
- 3907) Evergestis flavifuscalis Rebel,1903** (Pyralidae) Synonym(s): *flavifuscalis* Rebel,1903
- 3908) Evergestis forficalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *forficalis* Linnaeus,1758; *trivialis* Scopoli,1763; *forficatus* Fabricius,1798; *sodalis* Butler,1878
- 3909) Evergestis frumentalis (Linnaeus,1761)** (Pyralidae) Synonym(s): *frumentalis* Linnaeus,1761
- 3910) Evergestis infirmalis (Staudinger,1870)** (Pyralidae) Synonym(s): *infirmalis* Staudinger,1870; *helenalis* Staudinger,1870
- 3911) Evergestis isatidalis (Duponchel,1833)** (Pyralidae) Synonym(s): *isatidalis* Duponchel,1833
- 3912) Evergestis limbata (Linnaeus,1767)** (Pyralidae) Synonym(s): *limbata* Linnaeus,1767; *praetextalis* Hübner,[1825]; *limbalis* Hübner,[1825]
- 3913) Evergestis mundalis (Guenée,1854)** (Pyralidae) Synonym(s): *mundalis* Guenée,1854
- 3914) Evergestis nomadalis (Lederer,1871)** (Pyralidae) Synonym(s): *nomadalis* Lederer,1871
- 3915) Evergestis pallidata (Hufnagel,1767)** (Pyralidae) Synonym(s): *pallidata* Hufnagel,1767; *straminalis* Hübner,1793; *stramentalis* Hübner,[1825]
- 3916) Evergestis politalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *politalis* [Denis & Schiffermüller],1775; *pictoralis* Fabricius,1794; *bifascialis* Guenée,1849; *bicoloralis* La Harpe,1861; *maroccana* Lucas,1955
- 3917) Evergestis segetalis (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *segetalis* Herrich-Schäffer,1851
- 3918) Evergestis serratalis (Staudinger,1870)** (Pyralidae) Synonym(s): *serratalis* Staudinger,1870

- 3919) Evergestis sophialis (Fabricius,1787)** (Pyralidae) Synonym(s): *sophialis* Fabricius,1787; *variegalis* Fabricius,1787; *sophiae* Fabricius,1798
- 3920) Evergestis subfuscalis (Staudinger,1870)** (Pyralidae) Synonym(s): *subfuscalis* Staudinger,1870
- 3921) Evergestis umbrosalis (Fischer v. Röslerstamm,[1842])** (Pyralidae) Synonym(s): *umbrosalis* Fischer v. Röslerstamm,[1842]
- 3922) Faveria dionysia (Zeller,1846)** (Pyralidae) Synonym(s): *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937
- 3923) Friedlanderia cicatricella (Hübner,[1824])** (Pyralidae) Synonym(s): *cicatricella* Hübner,[1824]; *strigellus* Treitschke,1833; *treitschkeella* Freyer,1836 *nec* Sodoffsky,1830.
- 3924) Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930.
- 3925) Glaucobaris euchromiella (Ragonot,1895)** (Pyralidae) Synonym(s): *euchromiella* Ragonot,1895; *sinualis* Hampson,1900; *rebeli* Osthelder,1941.
- 3926) Gymnancyla (Spermatophthora) hornigii (Lederer,1852)** (Pyralidae) Synonym(s): *hornigii* Lederer,1852; *#hornigi* Hannemann,1964.
- 3927) Gymnancyla (s.str.) canella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *canella* [Denis & Schiffermüller],1775; *depositella* Zincken,1818; *canellaris* Hübner,[1825].
- 3928) Hannemanneia tacapella (Ragonot,1887)** (Pyralidae) Synonym(s): *tacapella* Ragonot,1887
- 3929) Heliothela wulfeniana (Scopoli,1763)** (Pyralidae) Synonym(s): *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 *nec* Fabr.,1775; *coerulealis* Caradja,1917; *huebneri* Koçak,1980.
- 3930) Hellula undalis (Fabricius,1781)** (Pyralidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977
- 3931) Heosphora ramulosella Ragonot,1895** (Pyralidae) Synonym(s): *ramulosella* Ragonot,1895
- 3932) Herpetogramma licarsisalis (Walker,1859)** (Pyralidae) Synonym(s): *licarsisalis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1889; *#licarsialis* Rebel,1939
- 3933) Homoeosoma (Anhomoeosoma) nimbellum (Duponchel,1837)** (Pyralidae) Synonym(s): *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Bentick,1930.
- 3934) Homoeosoma (s.str.) achroeellum Ragonot,1887** (Pyralidae) Synonym(s): *achroeella* Ragonot,1887; *microsignella* Amsel,1961.
- 3935) Homoeosoma (s.str.) calcellum Ragonot,1887** (Pyralidae) Synonym(s): *calcella* Ragonot,1887
- 3936) Homoeosoma (s.str.) inustellum Ragonot,1884** (Pyralidae) Synonym(s): *inustella* Ragonot,1884; *compsitella* Rebel,1914.
- 3937) Homoeosoma (s.str.) nebulellum ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *nebulella* [Denis & Schiffermüller],1775; *nebulea* Haworth,1811; *muscerdalis* Hübner,[1813].
- 3938) Homoeosoma (s.str.) sinuellum (Fabricius,1794)** (Pyralidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 3939) Homoeosoma (s.str.) subalbatellum (Mann,1864)** (Pyralidae) Synonym(s): *subalbatella* Mann,1864
- 3940) Hydriris ornatalis (Duponchel,1832)** (Pyralidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *decusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabille,1880 *nec* Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972
- 3941) Hyperlais dulcinalis (Treitschke,1835)** (Pyralidae) Synonym(s): *dulcinalis* Treitschke,1835
- 3942) Hyperlais nemausalis (Duponchel,1834)** (Pyralidae) Synonym(s): *nemausalis* Duponchel,1834
- 3943) Hypochalcia ahenella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924
- 3944) Hypochalcia decorella (Hübner,[1810])** (Pyralidae) Synonym(s): *decorella* Hübner,[1810]; *indecoralis* Hübner,[1825].
- 3945) Hypochalcia dignella (Hübner,1796)** (Pyralidae) Synonym(s): *dignella* Hübner,1796; *dignalis* Hübner,[1825]
- 3946) Hypochalcia fasciatella Staudinger,1881** (Pyralidae) Synonym(s): *fasciatella* Staudinger,1881
- 3947) Hyporatasa allotriella (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *allotriella* Herrich-Schäffer,1855
- 3948) Hypotia colchicalis (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900.
- 3949) Hypotia corticalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *corticalis* [Denis & Schiffermüller],1775
- 3950) Hypotia infulalis Lederer,1858** (Pyralidae) Synonym(s): *infulalis* Lederer,1858
- 3951) Hypotia variabilis (Zerny,1930)** (Pyralidae) Synonym(s): *variabilis* Zerny,1930
- 3952) Hypsopygia costalis (Fabricius,1775)** (Pyralidae) Synonym(s): *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.

- 3953) *Hypsotropa ichorella* (Lederer,1855)** (Pyralidae) Synonym(s): *ichorella* Lederer,1855
- 3954) *Hypsotropa limbella* Zeller,1848** (Pyralidae) Synonym(s): *limbella* Zeller,1848
- 3955) *Hypsotropa paucipunctella* Ragonot,1895** (Pyralidae) Synonym(s): *paucipunctella* Ragonot,1895
- 3956) *Hypsotropa syriacella* Ragonot,1888** (Pyralidae) Synonym(s): *syriacella* Ragonot,1888
- 3957) *Hypsotropa vulneratella* (Zeller,1847)** (Pyralidae) Synonym(s): *vulneratella* Zeller,1847; *roseistrigella* Ragonot,1901.
- 3958) *Isauria dilucidella* (Duponchel,1836)** (Pyralidae) Synonym(s): *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsoritella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *grisescens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970
- 3959) *Keradere lepidella* (Ragonot,1887)** (Pyralidae) Synonym(s): *lepidella* Ragonot,1887
- 3960) *Keradere tengstroemiella* (Erschoff,1874)** (Pyralidae) Synonym(s): *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879.
- 3961) *Khorassania compositella* (Treitschke,1835)** (Pyralidae) Synonym(s): *compositella* Treitschke,1835; *murinella* Heinemann,1865; *senescens* Heinemann,1865; *kalischiella* Staudinger,1870; *iconiensis* Caradja,1910.
- 3962) *Khorassania hartigi* Amsel,1951** (Pyralidae) Synonym(s): *hartigi* Amsel,1951
- 3963) *Lambaesia fumosella* (Ragonot,1887)** (Pyralidae) Synonym(s): *fumosella* Ragonot,1887; *noctileucella* Ragonot,1887.
- 3964) *Lambaesia pistrinariella* (Ragonot,1887)** (Pyralidae) Synonym(s): *pistrinariella* Ragonot,1887; *acomptella* Ragonot,1888
- 3965) *Lambaesia straminella* (Zerny,1914)** (Pyralidae) Synonym(s): *straminella* Zerny,1914; *alphetopis* Meyrick,1937.
- 3966) *Lamoria anella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller],1775
- 3967) *Lamoria brevinaevella* Zerny,1934** (Pyralidae) Synonym(s): *brevinaevella* Zerny,1934
- 3968) *Lamoria jordanis* Ragonot,1901** (Pyralidae) Synonym(s): *jordanis* Ragonot,1901
- 3969) *Lamoria ruficostella* Ragonot,1888** (Pyralidae) Synonym(s): *ruficostella* Ragonot,1888
- 3970) *Lepidogma tamaricalis* (Mann,1873)** (Pyralidae) Synonym(s): *tamaricalis* Mann,1873; *obatralis* Christoph,1876; *vafera* Swinhoe,1884
- 3971) *Leptarchis intervacatalis* (Christoph,1877)** (Pyralidae) Synonym(s): *intervacatalis* Christoph,1877; *psologramma* Meyrick,1937
- 3972) *Loxostege aeruginalis* (Hübner,1796)** (Pyralidae) Synonym(s): *aeruginalis* Hübner,1796; *olivalis* Hübner,1796
- 3973) *Loxostege clathralis* (Hübner,[1813])** (Pyralidae) Synonym(s): *clathralis* (Hübner,[1813]; *comptalis* Lederer,1855 nec Frr.,[1848]; *#nivalis* Caradja,1916
- 3974) *Loxostege flavivenalis* (Hampson,1913)** (Pyralidae) Synonym(s): *flavivenalis* Hampson,1913; *osthelderi* Schawerda,1932.
- 3975) *Loxostege foviferalis* (Hampson,1900)** (Pyralidae) Synonym(s): *foviferalis* Hampson,1900
- 3976) *Loxostege halil Kemal & Koçak,2007*** (Pyralidae) Synonym(s): *halil Kemal & Koçak,2007*
- 3977) *Loxostege mucosalis* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *mucosalis* Herrich-Schäffer,[1848]
- 3978) *Loxostege sticticalis* (Linnaeus,1761)** (Pyralidae) Synonym(s): *lupulina* Clerk,1759 nec Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811
- 3979) *Loxostege straminealis* (Hampson,1900)** (Pyralidae) Synonym(s): *straminealis* Hampson,1900
- 3980) *Loxostege turbidalis* (Treitschke,1829)** (Pyralidae) Synonym(s): *turbidalis* Treitschke,1829
- 3981) *Loxostege wagneri* Zerny,1929** (Pyralidae) Synonym(s): *wagneri* Zerny,1929
- 3982) *Mardinia ferrealis* (Hampson,1900)** (Pyralidae) Synonym(s): *ferrealis* Hampson,1900
- 3983) *Mardinia ossealis* (Staudinger,1879)** (Pyralidae) Synonym(s): *ossealis* Staudinger,1879
- 3984) *Mecyna amasialis* (Staudinger,1879)** (Pyralidae) Synonym(s): *amasialis* Staudinger,1879
- 3985) *Mecyna asinalis* (Hübner,[1819])** (Pyralidae) Synonym(s): *asinalis* Hübner,[1819]; *characteralis* Freyer,1848
- 3986) *Mecyna auralis* (Peyerimhoff,1872)** (Pyralidae) Synonym(s): *auralis* Peyerimhoff,1872
- 3987) *Mecyna biternalis* (Mann,1862)** (Pyralidae) Synonym(s): *biternalis* Mann,1862
- 3988) *Mecyna flavalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flavalis* [Denis & Schiffermüller],1775; *paludalis* Rougemont,1906; *flavicularis* Caradja,1916
- 3989) *Mecyna lutealis* (Duponchel,1833)** (Pyralidae) Synonym(s): *flavalis* Devillers,1789 nec [Denis & Schiff.],1775; *lutealis* Duponchel,1833; *citralis* Herrich-Schäffer,1849; *gomagoialis* Amsel,1932
- 3990) *Mecyna lutulentalis* (Lederer,1858)** (Pyralidae) Synonym(s): *lutulentalis* Lederer,1858
- 3991) *Mecyna pontica* (Staudinger,1879)** (Pyralidae) Synonym(s): *pontica* Staudinger,1879; *levilinealis* Amsel,1935
- 3992) *Mecyna subsequalis* (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *subsequalis* Herrich-Schäffer,1851; *consequens* Meyrick,1932.
- 3993) *Mecyna trinalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *trinalis* [Denis & Schiffermüller],1775

- 3994) Megasis libanoticella Zerny,1934** (Pyralidae) Synonym(s): *libanoticella* Zerny,1934; *#libanotidella* Osthelder,1934.
- 3995) Megasis mimeticella (Staudinger,1879)** (Pyralidae) Synonym(s): *mimeticella* Staudinger,1879; *tolli* Amsel,1953.
- 3996) Megasis rippertella (Zeller,1839)** (Pyralidae) Synonym(s): *rippertella* Zeller,1839
- 3997) Merulempista brucella (Staudinger,1879)** (Pyralidae) Synonym(s): *brucella* Staudinger,1879
- 3998) Merulempista cingillella (Zeller,1846)** (Pyralidae) Synonym(s): *cingillella* Zeller,1846; *verruculella* Ragonot,1887.
- 3999) Mesocrambus candidellus (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *candidellus* Herrich-Schäffer,[1848]; *#candiellus* Bleszynski,1965.
- 4000) Metacrambus carectellus (Zeller,1847)** (Pyralidae) Synonym(s): *carectellus* Zeller,1847; *lugdunellus* Millièrè,1868; *truncatellus* Caradja,1916.
- 4001) Metaeuchromius yusufeliensis Nuss & Speidel,1999** (Pyralidae) Synonym(s): *yusufeliensis* Nuss & Speidel,1999
- 4002) Metallosticha argyrogrammos (Zeller,1847)** (Pyralidae) Synonym(s): *argyrogrammos* Zeller,1847
- 4003) Metallostichodes bicolorella (Heinemann,1864)** (Pyralidae) Synonym(s): *bicolorella* Heinemann,1864
- 4004) Metallostichodes nigrocyaneella (Constant,1865)** (Pyralidae) Synonym(s): *nigrocyaneella* Constant,1865; *chalcocyanella* Staudinger & Wocke,1871.
- 4005) Metallostichodes vinaceella (Ragonot,1895)** (Pyralidae) Synonym(s): *vinaceella* Ragonot,1895 ; *#vinacellum* Rebel,1939
- 4006) Metasia (Clasperia) ophialis (Treitschke,1829)** (Pyralidae) Synonym(s): *ophialis* Treitschke,1829; *parvalis* Caradja,1917.
- 4007) Metasia (s.str.) albicostalis Hampson,1900** (Pyralidae) Synonym(s): *albicostalis* Hampson,1900
- 4008) Metasia (s.str.) alvandalis Amsel,1961** (Pyralidae) Synonym(s): *alvandalis* Amsel,1961
- 4009) Metasia (s.str.) carnealis (Treitschke,1829)** (Pyralidae) Synonym(s): *carnealis* Treitschke,1829
- 4010) Metasia (s.str.) inustalis Ragonot,1894** (Pyralidae) Synonym(s): *inustalis* Ragonot,1894
- 4011) Metasia (s.str.) rosealis Ragonot,1895** (Pyralidae) Synonym(s): *rosealis* Ragonot,1895
- 4012) Metasia (s.str.) subtilialis Caradja,1917** (Pyralidae) Synonym(s): *subtilialis* Caradja,1917
- 4013) Metasia (s.str.) suppandalis (Hübner,[1823])** (Pyralidae) Synonym(s): *suppandalis* Hübner,[1823]
- 4014) Metasia (s.str.) virginalis Ragonot,1894** (Pyralidae) Synonym(s): *virginalis* Ragonot,1894; *fulvilinealis* Hampson,1900; *#virginalis* Rebel,1901; *phthoneropsis* Meyrick,1937
- 4015) Metaxmeste sericatalis (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *sericatalis* Herrich-Schäffer,[1848]
- 4016) Microstega praepetalis (Lederer,1869)** (Pyralidae) Synonym(s): *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937
- 4017) Mimudea bipunctalis (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *bipunctalis* Herrich-Schäffer,1851; *dispunctalis* Guenée,1854
- 4018) Mimudea confinalis (Lederer,1858)** (Pyralidae) Synonym(s): *confinalis* Lederer,1858; *graecalis* Staudinger,1870
- 4019) Mimudea institalis (Hübner,[1819])** (Pyralidae) Synonym(s): *?focorum* Fourcroy,1785; *institalis* Hübner,[1819]; *rutana* Vallot,1829; *ferreralis* Duponchel,1833
- 4020) Mimudea languidalis (Eversmann,1842)** (Pyralidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *veneralis* Staudinger,1871
- 4021) Mimudea lutealis (Hübner,[1809])** (Pyralidae) Synonym(s): *lutealis* Hübner,[1809]; *pascualis* Lienig & Zeller,1846; *aetialis* Stephens,1850; *aetialis* Guenée,1854
- 4022) Mimudea nebulalis (Hübner,1796)** (Pyralidae) Synonym(s): *nebulalis* Hübner,1796; *squalidalis* Hübner,[1809]; *pratalis* Zeller,1841
- 4023) Mimudea silvalis (De Joannis,1891)** (Pyralidae) Synonym(s): *silvalis* De Joannis,1891
- 4024) Myelois (Gnathogutta) circumdatella Lederer,1858** (Pyralidae) Synonym(s): *circumdatella* Lederer,1858; *ottoella* Schawerda,1924
- 4025) Myelois (Gnathogutta) luticornella (Ragonot,1887)** (Pyralidae) Synonym(s): *luticornella* Ragonot,1887
- 4026) Myelois (Gnathogutta) osseella (Ragonot,1887)** (Pyralidae) Synonym(s): *osseella* Ragonot,1887
- 4027) Myelois (Gnathogutta) pluripunctella (Ragonot,1887)** (Pyralidae) Synonym(s): *pluripunctella* Ragonot,1887
- 4028) Myelois (Gnathogutta) pumicosa Lederer,1855** (Pyralidae) Synonym(s): *pumicosa* Lederer,1855
- 4029) Myelois (Gnathogutta) umbratella (Treitschke,1832)** (Pyralidae) Synonym(s): *umbratella* Treitschke,1832; *ossicolor* Ragonot,1893; *unipunctella* Chrétien,1911
- 4030) Myelois (s.str.) circumvoluta (Fourcroy,1785)** (Pyralidae) Synonym(s): *circumvoluta* Fourcroy,1785; *circumvolutella* Villers,1789; *cribrella* Hübner,1796; *carhdui* Haworth,1811; *medullalis*

- Hübner,[1825]; *pallium* Vallot,1829; *gilvescentella* Fuchs,1903; *britannicella* Amsel,1951; *impunctata* Hartig,1952; *nigrapeza* Hartig,1952
- 4031) Myelois (s.str.) cribratella Zeller,1847** (Pyralidae) Synonym(s): *cribratella* Zeller,1847; *pallipedella* Ragonot,1893
- 4032) Myelois (s.str.) fuscicostella Mann,1861** (Pyralidae) Synonym(s): *fuscicostella* Mann,1861
- 4033) Myelois (s.str.) multiflorella Ragonot,1887** (Pyralidae) Synonym(s): *multiflorella* Ragonot,1887; *#multiforella* Zerny,1939.
- 4034) Myelois (s.str.) quadripunctella Zerny,1914** (Pyralidae) Synonym(s): *quadripunctella* Zerny,1914
- 4035) Myrlaea albistrigata (Staudinger,1881)** (Pyralidae) Synonym(s): *albistrigata* Staudinger,1881
- 4036) Myrlaea dentilineella Ragonot,1887** (Pyralidae) Synonym(s): *dentilineella* Ragonot,1887
- 4037) Myrlaea epischniella (Staudinger,1879)** (Pyralidae) Synonym(s): *epischniella* Staudinger,1879
- 4038) Myrlaea serratella Ragonot,1893** (Pyralidae) Synonym(s): *serratella* Ragonot,1893
- 4039) Nascia ciliaris (Hübner,1796)** (Pyralidae) Synonym(s): *ciliaris* Hübner,1796
- 4040) Neocrambus wolfschlaegeri (Schawerda,1937)** (Pyralidae) Synonym(s): *wolfschlaegeri* Schawerda,1937
- 4041) Nephopterix angustella (Hübner,1796)** (Pyralidae) Synonym(s): *angustella* Hübner,1796; *angusta* Haworth,1811; *gracilalis* Hübner,[1825].
- 4042) Nephopterix divisella (Duponchel,1842)** (Pyralidae) Synonym(s): *divisella* Duponchel,1842; *albiricella* Herrich-Schäffer,1849; *euphorbiella* Zeller,1846; *sardzeella* Amsel,1961.
- 4043) Nephopterix gregella Eversmann,1844** (Pyralidae) Synonym(s): *gregella* Eversmann,1844
- 4044) Nephopterix melanotaeniella Ragonot,1888** (Pyralidae) Synonym(s): *melanotaeniella* Ragonot,1888; *amasiella* Caradja,1910.
- 4045) Nephopterix minimella Amsel,1953** (Pyralidae) Synonym(s): *minimella* Amsel,1953
- 4046) Noctuelia escherichi Hofmann,[1898]** (Pyralidae) Synonym(s): *escherichi* Hofmann,[1898]
- 4047) Noctuelia mardinalis Staudinger,1892** (Pyralidae) Synonym(s): *mardinalis* Staudinger,1892
- 4048) Noctuelia superba (Freyer,[1844])** (Pyralidae) Synonym(s): *superba* Freyer,[1844]
- 4049) Noctuelia vespertalis Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *vespertalis* Herrich-Schäffer,[1855]; *#gilvalis* Zerny,1914.
- 4050) Nomophila noctuella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859
- 4051) Nyctegretis lineana (Scopoli,1786)** (Pyralidae) Synonym(s): *lineana* Scopoli,1786; *achatinella* Hübner,[1824].
- 4052) Nyctegretis ruminella Harpe,1860** (Pyralidae) Synonym(s): *ruminella* Harpe,1860
- 4053) Nyctegretis triangulella Ragonot,1901** (Pyralidae) Synonym(s): *triangulella* Ragonot,1901; *griseella* Caradja,1910; *impossibilella* Roesler,1969.
- 4054) Nymphula nitidulata (Hufnagel,1767)** (Pyralidae) Synonym(s): *nitidulata* Hufnagel,1767; *stagnata* Donovan,1806; *stagnalis* Guenée,1854; *corculina* Butler,1879; *distinctalis* Ragonot,1894
- 4055) Ocrisiodes discomaculella (Ragonot,1888)** (Pyralidae) Synonym(s): *discomaculella* Ragonot,1888
- 4056) Oncocera semirubella (Scopoli,1763)** (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
- 4057) Ortholepis betulae (Goeze,1778)** (Pyralidae) Synonym(s): *betulae* Goeze,1778
- 4058) Orthopygia almanalis (Rebel,1917)** (Pyralidae) Synonym(s): *almanalis* Rebel,1917
- 4059) Orthopygia fulvociliaris (Duponchel,1834)** (Pyralidae) Synonym(s): *fulvociliaris* Duponchel,1834
- 4060) Orthopygia glaucinalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *glaucinalis* Linnaeus,1758
- 4061) Orthopygia incarnatalis Zeller,1847** (Pyralidae) Synonym(s): *incarnatalis* Zeller,1847
- 4062) Orthopygia rubidalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *rubidalis* [Denis & Schiffermüller],1775
- 4063) Ostrinia nubilalis (Hübner,1796)** (Pyralidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis* Hübner,1796.
- 4064) Oxybia transversella (Duponchel,1836)** (Pyralidae) Synonym(s): *transversella* Duponchel,1836; *bituminella* Millièrre,1870; *panorminatella* Caradja,1928.
- 4065) Palmitia massilialis (Duponchel,1832)** (Pyralidae) Synonym(s): *massilialis* Duponchel,1832; *taurica* Rebel,1910.
- 4066) Palpita vitrealis (Rossi,1794)** (Pyralidae) Synonym(s): *vitrealis* Rossi,1794; *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *suralis* Lederer,1863; *septempunctalis* Mabille,1880
- 4067) Panstegia aerealis (Hübner,1793)** (Pyralidae) Synonym(s): *aerealis* Hübner,1793; *unicolor* Rebel,1917.
- 4068) Panstegia limbopunctalis (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *limbopunctalis* Herrich-Schäffer,[1849]
- 4069) Panstegia meciti Koçak,1987** (Pyralidae) Synonym(s): *meciti* Koçak,1987
- 4070) Paracorsia repandalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *repandalis* [Denis & Schiffermüller],1775

- 4071) Paralipsa gularis (Zeller,1877)** (Pyralidae) Synonym(s): *gularis* Zeller,1877; *modesta* Butler,1879; *tenebrosus* Butler,1879
- 4072) Paramaxillaria meretrix (Staudinger,1879)** (Pyralidae) Synonym(s): *meretrix* Staudinger,1879; *trifracta* Turati,1930.
- 4073) Paraneophoterix adelphella (Fischer v. Röslerstamm,[1836])** (Pyralidae) Synonym(s): *adelphella* Fischer v. Röslerstamm,[1836]; *barteli* Caradja,1910.
- 4074) Parapoynx affinialis (Guenée,1854)** (Pyralidae) Synonym(s): *affinialis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *#alaicalis* Caradja,1916
- 4075) Parapoynx stratiotatum (Linnaeus,1758)** (Pyralidae) Synonym(s): *stratiotata* Linnaeus,1758; *paludata* Fabricius,1794; *amanica* Osthelder,1935
- 4076) Paratalanta cultralis (Staudinger,1867)** (Pyralidae) Synonym(s): *cultralis* Staudinger,1867
- 4077) Paratalanta hyalinalis (Hübner,1796)** (Pyralidae) Synonym(s): *hyalinalis* Hübner,1796
- 4078) Paratalanta pandalis (Hübner,[1825])** (Pyralidae) Synonym(s): *pandalis* Hübner,[1825]
- 4079) Pediasia aridella (Thunberg,1788)** (Pyralidae) Synonym(s): *aridella* Thunberg,1788; *salinellus* Tutt,1887.
- 4080) Pediasia aridelloides Bleszynski,1965** (Pyralidae) Synonym(s): *aridelloides* Bleszynski,1965
- 4081) Pediasia contaminella (Hübner,1796)** (Pyralidae) Synonym(s): *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886.
- 4082) Pediasia desertella (Lederer,1855)** (Pyralidae) Synonym(s): *desertellus* Lederer,1855
- 4083) Pediasia epineura (Meyrick,1883)** (Pyralidae) Synonym(s): *ramosellus* Zeller,1863 *nec* Doubl.,1843; *epineurus* Meyrick,1883.
- 4084) Pediasia fascelinella (Hübner,[1813])** (Pyralidae) Synonym(s): *fascelinella* Hübner,[1813]; *treitschkeella* Sodoffsky,1830
- 4085) Pediasia luteella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *luteella* [Denis & Schiffermüller],1775; *exoletella* [Denis & Schiffermüller],1775; *exoletella* Hübner,1796; *ochrella* Hübner,1796; *kindermannii* Zeller,1863; *uhryki* Rothschild,1911.
- 4086) Pediasia matricella (Treitschke,1832)** (Pyralidae) Synonym(s): *matricella* Treitschke,1832; *obscura* Caradja,1931
- 4087) Pediasia persella (Toll,1947)** (Pyralidae) Synonym(s): *persella* Toll,1947
- 4088) Pediasia phrygia Fazekas,1990** (Pyralidae) Synonym(s): *phrygius* Fazekas,1990
- 4089) Pempelia alpigenella (Duponchel,1836)** (Pyralidae) Synonym(s): *alpigenella* Duponchel,1836; *wagnerella* Freyer,1845
- 4090) Pempelia ambustiella Ragonot,1887** (Pyralidae) Synonym(s): *ambustiella* Ragonot,1887
- 4091) Pempelia amoenella (Zeller,1848)** (Pyralidae) Synonym(s): *amoenella* Zeller,1848
- 4092) Pempelia argillaceella (Osthelder,1934)** (Pyralidae) Synonym(s): *argillaceella* Osthelder,1934
- 4093) Pempelia brephiella (Staudinger,1879)** (Pyralidae) Synonym(s): *brephiella* Staudinger,1879; *farinosella* Caradja,1910.
- 4094) Pempelia cirtensis Ragonot,1890** (Pyralidae) Synonym(s): *cirtensis* Ragonot,1890
- 4095) Pempelia diffusa Staudinger,1881** (Pyralidae) Synonym(s): *diffusa* Staudinger,1881
- 4096) Pempelia formosa (Haworth,[1811])** (Pyralidae) Synonym(s): *formosa* Haworth,[1811]; *perfluella* Zincken,1818; *dibaphiella* Geyer,[1836]; *dubiella* Duponchel,1836; *formosella* Doubleday,1859.
- 4097) Pempelia genistella (Duponchel,1836)** (Pyralidae) Synonym(s): *genistella* Duponchel,1836; *albariella* Zeller,1839.
- 4098) Pempelia johannella (Caradja,1917)** (Pyralidae) Synonym(s): *johannella* Caradja,1917
- 4099) Pempelia obductella Zeller,1839** (Pyralidae) Synonym(s): *obductella* Zeller,1839
- 4100) Pempelia obscurella (Osthelder,1934)** (Pyralidae) Synonym(s): *obscurella* Osthelder,1934
- 4101) Pempelia palumbella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palumbella* [Denis & Schiffermüller],1775
- 4102) Pempelia placidella (Zerny,1929)** (Pyralidae) Synonym(s): *placidella* Zerny,1929
- 4103) Pempelia romanoffella (Ragonot,1887)** (Pyralidae) Synonym(s): *romanoffella* Ragonot,1887
- 4104) Pempelia sordida Staudinger,1879** (Pyralidae) Synonym(s): *sordida* Staudinger,1879
- 4105) Pempelia thymiella Zeller,1846** (Pyralidae) Synonym(s): *thymiella* Zeller,1846
- 4106) Pempeliella dilutella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *dilutella* [Denis & Schiffermüller],1775; *magna* Amsel,1953
- 4107) Pempeliella ornatella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ornatella* [Denis & Schiffermüller],1775; *criptella* Hübner,1796; *criptea* Haworth,1811; *ornatalis* Hübner,[1825]; *fraternella* Ragonot,1887; *gigantella* Amsel,1932; *aixella* Lucas,1938; *elbursella* Amsel,1954
- 4108) Pempeliella sororiella (Zeller,1839)** (Pyralidae) Synonym(s): *sororiella* Zeller,1839
- 4109) Phlyctaenomorpha sinuosalis (Le Cerf,1910)** (Pyralidae) Synonym(s): *sinuosalis* le Cerf,1909; *platyphaea* Meyrick,1937.
- 4110) Phycita characterica Asselbergs,2009** (Pyralidae) Synonym(s): *characterica* Asselbergs,2009
- 4111) Phycita coronatella (Guenée,1845)** (Pyralidae) Synonym(s): *coronatella* Guenée,1845
- 4112) Phycita diaphana (Staudinger,1870)** (Pyralidae) Synonym(s): *diaphana* Staudinger,1870
- 4113) Phycita kurdistanella Amsel,1953** (Pyralidae) Synonym(s): *kurdistanella* Amsel,1953

- 4114) Phycita macrodontella (Ragonot,1887)** (Pyralidae) Synonym(s): *macrodontella* Ragonot,1887; *burkhunella* Ragonot,1888; *pallidisignata* Toll,1948.
- 4115) Phycita meliella (Mann,1864)** (Pyralidae) Synonym(s): *meliella* Mann,1864
- 4116) Phycita metzneri (Zeller,1846)** (Pyralidae) Synonym(s): *metzneri* Zeller,1846
- 4117) Phycita mianella Amsel,1950** (Pyralidae) Synonym(s): *mianella* Amsel,1950
- 4118) Phycita pedesignella Ragonot,1887** (Pyralidae) Synonym(s): *pedesignella* Ragonot,1887
- 4119) Phycita poteriella (Zeller,1846)** (Pyralidae) Synonym(s): *poteriella* Zeller,1846
- 4120) Phycita roborella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *#roborella* [Denis & Schiffermüller],1775; *spissicella* Fabricius,1777; *spissicornis* Fabricius,1798; *roboralis* Hübner,[1825].
- 4121) Phycita strigata (Staudinger,1879)** (Pyralidae) Synonym(s): *strigata* Staudinger,1879
- 4122) Phycitodes albatella (Ragonot,1887)** (Pyralidae) Synonym(s): *albatella* Ragonot,1887
- 4123) Phycitodes binaevella (Hübner,[1813])** (Pyralidae) Synonym(s): *binaevella* Hübner,[1813].
- 4124) Phycitodes carlinella (Heinemann,1865)** (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901
- 4125) Phycitodes inquinatella (Ragonot,1887)** (Pyralidae) Synonym(s): *inquinatella* Ragonot,1887
- 4126) Phycitodes lacteella (Rothschild,1915)** (Pyralidae) Synonym(s): *lacteella* Rothschild,1915; *viettella* Roesler,1965.
- 4127) Phycitodes nigrilimbella (Ragonot,1887)** (Pyralidae) Synonym(s): *nigrilimbella* Ragonot,1887
- 4128) Phycitodes saxicola (Vaughan,1870)** (Pyralidae) Synonym(s): *saxicola* Vaughan,1870
- 4129) Pima boisduvaliella (Guenée,1845)** (Pyralidae) Synonym(s): *boisduvaliella* Guenée,1845
- 4130) Pleuroptya balteata (Fabricius,1798)** (Pyralidae) Synonym(s): *balteata* Fabricius,1798; *crocealis* Duponchel,1831; *aurantiacalis* Fischer v. Roeslerstamm,1840; *accipitralis* Walker,[1866]; *aurea* Butler,1879; *fraterna* Moore,1886; *evergestialis* Strand,1918.
- 4131) Pleuroptya ruralis (Scopoli,1763)** (Pyralidae) Synonym(s): *ruralis* Scopoli,1763; *iridialis* Hübner,[1825]; *perpendicularis* Duponchel,1833; *conchalis* Werneburg,1864; *dubia* Hampson,1891
- 4132) Plodia interpunctella (Hübner,[1813])** (Pyralidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 4133) Polyocha cremoricosta Ragonot,1895** (Pyralidae) Synonym(s): *cremoricosta* Ragonot,1895
- 4134) Polyocha venosa (Zeller,1847)** (Pyralidae) Synonym(s): *venosa* Zeller,1847
- 4135) Praeepischnia lydella (Lederer,1865)** (Pyralidae) Synonym(s): *lydella* Lederer,1865; *gypsocrates* Meyrick,1937
- 4136) Prionapteryx margherita (Bleszynski,1965)** (Pyralidae) Synonym(s): *margherita* Bleszynski,1965
- 4137) Pristocerella deltagrammella (Ragonot,1888)** (Pyralidae) Synonym(s): *deltagrammella* Ragonot,1888
- 4138) Pristocerella solskyi (Christoph,1877)** (Pyralidae) Synonym(s): *solskyi* Christoph,1877; *ochroleucella* Staudinger,1879; *bivitella* Christoph,1887.
- 4139) Proceratia caesariella Ragonot,1901** (Pyralidae) Synonym(s): *caesariella* Ragonot,1901
- 4140) Prochoristis capparidis (Christoph,1876)** (Pyralidae) Synonym(s): *capparidis* Christoph,1876
- 4141) Prochoristis rupicapralis (Lederer,1855)** (Pyralidae) Synonym(s): *rupicapralis* Lederer,1855
- 4142) Prophtasia platycerella Ragonot,1887** (Pyralidae) Synonym(s): *platycerella* Ragonot,1887
- 4143) Prorophora (Aproceratia) albunculella (Staudinger,1879)** (Pyralidae) Synonym(s): *albunculella* Staudinger,1879; *rhctogramma* Meyrick,1937.
- 4144) Psammotis pulveralis (Hübner,1796)** (Pyralidae) Synonym(s): *pulveralis* Hübner,1796
- 4145) Psorosa albunculella Ragonot,1901** (Pyralidae) Synonym(s): *albunculella* Ragonot,1901
- 4146) Psorosa dahliella (Treitschke,1832)** (Pyralidae) Synonym(s): *dahliella* Treitschke,1832; *bivitella* Duponchel,1836.
- 4147) Psorosa maraschella Caradja,1910** (Pyralidae) Synonym(s): *maraschella* Caradja,1910
- 4148) Psorosa nucleolella (Möschler,1866)** (Pyralidae) Synonym(s): *nucleolella* Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterranea* Amsel,1953.
- 4149) Psorosa ochrifasciella Ragonot,1887** (Pyralidae) Synonym(s): *ochrifasciella* Ragonot,1887
- 4150) Psorosodes dalakiella Amsel,1953** (Pyralidae) Synonym(s): *dalakiella* Amsel,1953
- 4151) Pterothrixidia ancyrensis Amsel,1953** (Pyralidae) Synonym(s): *ancyrensis* Amsel,1953
- 4152) Pterothrixidia caucasiella (Ragonot,1888)** (Pyralidae) Synonym(s): *caucasiella* Ragonot,1888
- 4153) Pterothrixidia contectella (Zeller,1848)** (Pyralidae) Synonym(s): *contectella* Zeller,1848
- 4154) Pterothrixidia fimbriatella (Zeller,1848)** (Pyralidae) Synonym(s): *fimbriatella* Zeller,1848
- 4155) Pterothrixidia impurella (Duponchel,1836)** (Pyralidae) Synonym(s): *impurella* Duponchel,1836
- 4156) Pterothrixidia orientella (Ragonot,1893)** (Pyralidae) Synonym(s): *orientella* Ragonot,1893
- 4157) Pterothrixidia rufella (Duponchel,1836)** (Pyralidae) Synonym(s): *rufella* Duponchel,1836; *squalidella* Eversmann,1842; *luridatella* Zeller,1848; *infuscatella* Herrich-Schäffer,1849; *tauricella* Wocke,1871; *corsicella* Ragonot,1893.
- 4158) Pyla fusca (Haworth,[1811])** (Pyralidae) Synonym(s): *fusca* Haworth,[1811]

- 4159) *Pyralis farinalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
- 4160) *Pyralis imperialis* Caradja,1916** (Pyralidae) Synonym(s): *imperialis* Caradja,1916
- 4161) *Pyralis kacheticalis* (Christoph,1893)** (Pyralidae) Synonym(s): *kacheticalis* Christoph,1893
- 4162) *Pyralis narynensis* Zerny,1914** (Pyralidae) Synonym(s): *perversalis* sensu auct. nec Herr.-Schäff.,1849; *narynensis* Zerny,1914; *#naryssensis* Amsel,1961
- 4163) *Pyralis perversalis* Herrich-Schäffer,1849** (Pyralidae) Synonym(s): *perversalis* Herrich-Schäffer,1849; *transcaspica* Rebel,1903; *#transcaspia* Speidel,1996.
- 4164) *Pyralis regalis* [Denis & Schiffermüller],1775** (Pyralidae) Synonym(s): *regalis* [Denis & Schiffermüller],1775
- 4165) *Pyrasia gutturalis* (Staudinger,1879)** (Pyralidae) Synonym(s): *gutturalis* Staudinger,1879
- 4166) *Pyrausta (Haematia) castalis* Treitschke,1829** (Pyralidae) Synonym(s): *castalis* Treitschke,1829
- 4167) *Pyrausta (Haematia) cingulata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *cingulata* Linnaeus,1758; *aethiopata* Scopoli,1763; *cingulalis* [Denis & Schiffermüller],1775; *eremitica* Fourcroy,1785; *vittalis* La Harpe,1864; *apenninalis* Costantini,1923
- 4168) *Pyrausta (Haematia) despicata* (Scopoli,1763)** (Pyralidae) Synonym(s): *despicata* Scopoli,1763; *cespitalis* [Denis & Schiffermüller],1775.
- 4169) *Pyrausta (Haematia) sanguinalis* (Linnaeus,1767)** (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
- 4170) *Pyrausta (Haematia) virginalis* Duponchel,1832** (Pyralidae) Synonym(s): *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916
- 4171) *Pyrausta (s.str.) amatalis* Rebel,1903** (Pyralidae) Synonym(s): *amatalis* Rebel,1903
- 4172) *Pyrausta (s.str.) aurata* (Scopoli,1763)** (Pyralidae) Synonym(s): *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *niepoldalis* Lederer,1863
- 4173) *Pyrausta (s.str.) cuprinalis* Ragonot,1895** (Pyralidae) Synonym(s): *cuprinalis* Ragonot,1895
- 4174) *Pyrausta (s.str.) falcatalis* (Guenée,1854)** (Pyralidae) Synonym(s): *falcatalis* Guenée,1854; *coeciliialis* Walker,1859; *flegialis* Walker,1859; *noraxalis* Walker,1859; *ocellusalis* Walker,1859; *palopealis* Walker,1859; *probalis* Walker,1859; *catenalis* Walker,[1866]; *concatenalis* Walker,[1866]; *juncturalis* Walker,[1866]; *tauricalis* Caradja,1917
- 4175) *Pyrausta (s.str.) inciae* Koçak,1982** (Pyralidae) Synonym(s): *meridionalis* Staudinger,1880 nec Wcke,1871; *inciae* Koçak,1982.
- 4176) *Pyrausta (s.str.) ledereri* (Staudinger,1870)** (Pyralidae) Synonym(s): *ledereri* Staudinger,1870
- 4177) *Pyrausta (s.str.) nigrata* (Scopoli,1763)** (Pyralidae) Synonym(s): *nigrata* Scopoli,1763; *podaella* Fabricius,1781; *funigera* Fourcroy,1785; *anguinalis* Hübner,1796; *fascialis* Schrank,1802 nec Hbn.,1796
- 4178) *Pyrausta (s.str.) obfuscata* (Scopoli,1763)** (Pyralidae) Synonym(s): *obfuscata* Scopoli,1763; *fuscorubella* Goetze,1783; *bimaculosa* Fourcroy,1785; *rubralis* Villers,1789; *pygmeal* Duponchel,1833; *fucatalis* Treitschke,1835; *atrosanguinalis* Eversmann,1842
- 4179) *Pyrausta (s.str.) ostrinalis* (Hübner,1796)** (Pyralidae) Synonym(s): *ostrinalis* Hübner,1796; *moestalis* Duponchel,1833; *puralis* La Harpe,1864
- 4180) *Pyrausta (s.str.) pachyceralis* Hampson,1900** (Pyralidae) Synonym(s): *pachyceralis* Hampson,1900
- 4181) *Pyrausta (s.str.) pauperalis* (Staudinger,1879)** (Pyralidae) Synonym(s): *pauperalis* Staudinger,1879
- 4182) *Pyrausta (s.str.) pavidalis* Zerny,1934** (Pyralidae) Synonym(s): *pavidalis* Zerny,1934
- 4183) *Pyrausta (s.str.) purpuralis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916
- 4184) *Pyrausta (s.str.) trimaculalis* (Staudinger,1867)** (Pyralidae) Synonym(s): *trimaculalis* Staudinger,1867
- 4185) *Pyrausta (s.str.) zeitunalis* Caradja,1917** (Pyralidae) Synonym(s): *zeitunalis* Caradja,1917
- 4186) *Pyraustimorpha inexpectata* Koçak & Seven,1995** (Pyralidae) Synonym(s): *inexpectata* Koçak & Seven,1995
- 4187) *Pyraustimorpha sp.n.*** (Pyralidae) Synonym(s):
- 4188) *Raphimetopus ablutellus* (Zeller,1839)** (Pyralidae) Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 4189) *Reskovitsia alborivulalis* (Eversmann,1843)** (Pyralidae) Synonym(s): *alborivulalis* Eversmann,1843
- 4190) *Saluria chehirella* Zerny,1929** (Pyralidae) Synonym(s): *chehirella* Zerny,1929.
- 4191) *Saluria maculivittella* Ragonot,1887** (Pyralidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888.
- 4192) *Schoenobius alpherakyi* Staudinger,1874** (Pyralidae) Synonym(s): *alpherakyi* Staudinger,1874
- 4193) *Schoenobius gigantellus* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *gigantella* [Denis & Schiffermüller],1775
- 4194) *Schoenobius niloticus* Zeller,1867** (Pyralidae) Synonym(s): *niloticus* Zeller,1867

- 4195) Sciota (Clasperopsis) fumella (Eversmann,1844)** (Pyralidae) Synonym(s): *fumella* Eversmann,1844
- 4196) Sciota (s.str.) hostilis (Stephens,1834)** (Pyralidae) Synonym(s): *hostilis* Stephens,1834
- 4197) Sciota (s.str.) imperialella (Ragonot,1887)** (Pyralidae) Synonym(s): *imperialella* Ragonot,1887
- 4198) Sciota (s.str.) insignella (Mann,1862)** (Pyralidae) Synonym(s): *insignella* Mann,1862
- 4199) Sciota (s.str.) rhenella (Zincken,1818)** (Pyralidae) Synonym(s): *rhenella* Zincken,1818
- 4200) Scirpophaga praelata (Scopoli,1763)** (Pyralidae) Synonym(s): *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960.
- 4201) Sclerocona acutella (Eversmann,1842)** (Pyralidae) Synonym(s): *acutella* Eversmann,1842; *acutalis* Guenée,1854; *tincticostellus* Walker,1863; *sinensellus* Walker,1863
- 4202) Scoparia absconditalis Christoph,1887** (Pyralidae) Synonym(s): *absconditalis* Christoph,1887
- 4203) Scoparia ambigualis (Treitschke,1829)** (Pyralidae) Synonym(s): *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Bankes,1909
- 4204) Scoparia basistrigalis Knaggs,1866** (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
- 4205) Scoparia ingratala (Zeller,1846)** (Pyralidae) Synonym(s): *? majalis* Scopoli,1763; *ingratala* Zeller,1846; *ingratalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982
- 4206) Scoparia luteolaris (Scopoli,1772)** (Pyralidae) Synonym(s): *luteolaris* Scopoli,1772; *ochrealis* [Denis & Schiffermüller],1775; *simplicella* Laharpe,1861; *cremealis* Zerny,1934.
- 4207) Scoparia obsoleta Staudinger,1879** (Pyralidae) Synonym(s): *obsoleta* Staudinger,1879
- 4208) Scoparia perplexella (Zeller,1839)** (Pyralidae) Synonym(s): *perplexella* Zeller,1839; *perplexalis* Guenée,1854
- 4209) Scoparia pyralella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *pyralella* [Denis & Schiffermüller],1775; *arundinata* Thunberg,1792; *dubitalis* Hübner,1796; *dubita* Haworth,1811; *pyralea* Haworth,1811; *dubitellus* Zincken,1817; *tristrigella* Stephens,1834; *pyralis* Guenée,1854; *purbeckensis* Bankes,1889; *australis* Müller-Rutz,1920; *vesubiella* Marion,1976
- 4210) Scoparia subfusca Haworth,[1811]** (Pyralidae) Synonym(s): *subfusca* Haworth,[1811]; *graecella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *#sugfusca* Leraut,1984
- 4211) Scotomera caesarealis (Ragonot,1891)** (Pyralidae) Synonym(s): *caesarealis* Ragonot,1891
- 4212) Scotomerodes syriacalis Ragonot,1895** (Pyralidae) Synonym(s): *syriacalis* Ragonot,1895
- 4213) Sefidia clasperella Asselbergs,1994** (Pyralidae) Synonym(s): *clasperella* Asselbergs,1994
- 4214) Selagia argyrella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *argyrella* ([Denis & Schiffermüller],1775; *janthinella* Hübner,[1813].
- 4215) Selagia dissimilella Ragonot,1887** (Pyralidae) Synonym(s): *dissimilella* Ragonot,1887
- 4216) Selagia spadicella (Hübner,1796)** (Pyralidae) Synonym(s): *spadicella* Hübner,1796
- 4217) Selagia subochrella (Herrich-Schäffer,1849)** (Pyralidae) Synonym(s): *subochrella* Herrich-Schäffer,1849
- 4218) Serrulacera serraticornella (Zeller,1839)** (Pyralidae) Synonym(s): *serraticornella* Zeller,1839; *gregella* Eversmann,1844.
- 4219) Sitochroa concoloralis (Lederer,1857)** (Pyralidae) Synonym(s): *concoloralis* Lederer,1857
- 4220) Sitochroa palealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *? flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]
- 4221) Sitochroa verticalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
- 4222) Spoladea recurvalis (Fabricius,1775)** (Pyralidae) Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifascialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1910.
- 4223) Staudingeria (s.str.) deserticola (Staudinger,1870)** (Pyralidae) Synonym(s): *deserticola* Staudinger,1870
- 4224) Staudingeria (s.str.) morbosella (Staudinger,1879)** (Pyralidae) Synonym(s): *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915.
- 4225) Stenmatophora combustalis (Fischer v. Röslerstamm,[1842])** (Pyralidae) Synonym(s): *combustalis* Fischer v. Röslerstamm,[1842].
- 4226) Stiphrometasia sancta (Hampson,1900)** (Pyralidae) Synonym(s): *sancta* Hampson,1900; *alba* Caradja,1917.
- 4227) Sultania lophotalis (Hampson,1900)** (Pyralidae) Synonym(s): *lophotalis* Hampson,1900
- 4228) Susia uberalis (Swinhoe,1884)** (Pyralidae) Synonym(s): *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968.
- 4229) Synaphe antennalis (Fabricius,1794)** (Pyralidae) Synonym(s): *antennalis* Fabricius,1794; *connectalis* Hübner,1796
- 4230) Synaphe armenialis (Lederer,1870)** (Pyralidae) Synonym(s): *armenialis* Lederer,1870

- 4231) Synaphe asiatica Obraztsov,1952** (Pyralidae) Synonym(s): *asiatica* Obraztsov,1952
- 4232) Synaphe berytalis Ragonot,1888** (Pyralidae) Synonym(s): *berytalis* Ragonot,1888
- 4233) Synaphe bombycalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
- 4234) Synaphe consecratalis (Lederer,1855)** (Pyralidae) Synonym(s): *consecratalis* Lederer,1855
- 4235) Synaphe moldavica (Esper,[1789])** (Pyralidae) Synonym(s): *moldavica* Esper,[1789]; *schmidtii* Hartig,1941.
- 4236) Synaphe morbidalis (Guenée,1849)** (Pyralidae) Synonym(s): *morbidalis* Guenée,1849
- 4237) Synaphe punctalis (Fabricius,1775)** (Pyralidae) Synonym(s): *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775.
- 4238) Synaphe syriaca (Rebel,1903)** (Pyralidae) Synonym(s): *syriaca* Rebel,1903
- 4239) Synaphe uxoralis (Lederer,1858)** (Pyralidae) Synonym(s): *uxoralis* Lederer,1858
- 4240) Synclera traducalis (Zeller,1852)** (Pyralidae) Synonym(s): *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatalis* Guenée,1862
- 4241) Synoria antiquella (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *antiquella* Herrich-Schäffer,[1855]
- 4242) Syrianarpia mendicalis (Staudinger,1879)** (Pyralidae) Synonym(s): *mendicalis* Staudinger,1879; *#mencidalis* Amsel,1949; *osthelderi* Leraut,1982; *fuscella* Leraut,1982
- 4243) Talis quercella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824].
- 4244) Talis renatae Ganév & Hacker,1984** (Pyralidae) Synonym(s): *renatae* Ganév & Hacker,1984
- 4245) Tegostoma albizonalis Hampson,1900** (Pyralidae) Synonym(s): *albizonalis* Hampson,1900.
- 4246) Tegostoma comparalis (Hübner,1796)** (Pyralidae) Synonym(s): *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *fotalis* Swinhoe,1885; *#comparale* Caradja,1917.
- 4247) Tegostoma perlepidalis (Guenée,1854)** (Pyralidae) Synonym(s): *#lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis* Herrich-Schäffer,[1855]; *#lepidale* Caradja,1917.
- 4248) Therapne obsoletalis (Mann,1864)** (Pyralidae) Synonym(s): *obsoletalis* Mann,1864
- 4249) Thisanotia chrysonuchella (Scopoli,1763)** (Pyralidae) Synonym(s): *chrysonuchella* Scopoli,1763; *gramella* Fabricius,1781; *campella* Hübner,1793; *dilutor* Alpheraky,1877.
- 4250) Thopeutis galleriellus (Ragonot,1892)** (Pyralidae) Synonym(s): *galleriellus* Ragonot,1892; *canicostalis* Hampson,1896; *unicolor* De Joannis,1910; *submedianalis* Hampson,1919; *buxtoni* Rotschild,1921; *chretienellus* Dumont,1930; *maculalis* Predota,1934; *hederalis* Amsel,1935.
- 4251) Thospia permixtella Ragonot,1888** (Pyralidae) Synonym(s): *permixtella* Ragonot,1888
- 4252) Thospia trifasciella (Ragonot,1887)** (Pyralidae) Synonym(s): *trifasciella* Ragonot,1887; *alborivulella* Ragonot,1888.
- 4253) Thyridiphora furia (Swinhoe,1884)** (Pyralidae) Synonym(s): *furia* Swinhoe,1884; *fenestrata* W.Warren,1888; *grisea* Amsel,1968.
- 4254) Titanio caradjae (Rebel,1902)** (Pyralidae) Synonym(s): *caradjae* Rebel,1902
- 4255) Titanio normalis (Hübner,1796)** (Pyralidae) Synonym(s): *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898].
- 4256) Titanio venustalis (Lederer,1855)** (Pyralidae) Synonym(s): *venustalis* Lederer,1855
- 4257) Trachycera advenella (Zincken,1818)** (Pyralidae) Synonym(s): *advenella* Zincken,1818; *rhenella* Stephens,1834; *consociella* Duponchel,1836; *recurvella* Guenée,1845
- 4258) Trachycera dulcella (Zeller,1848)** (Pyralidae) Synonym(s): *dulcella* Zeller,1848
- 4259) Trachycera erastrilla (Ragonot,1887)** (Pyralidae) Synonym(s): *erastrilla* Ragonot,1887; *semistrigella* Mabilie,1908; *lella* Chrétien,1911
- 4260) Trachycera legatea (Haworth,[1811])** (Pyralidae) Synonym(s): *legatea* Haworth,[1811]; *legatella* Hübner,1796 nec [Den. & Schiff.],1775; *legatalis* Hübner,[1825]
- 4261) Trachycera marmorea (Haworth,[1811])** (Pyralidae) Synonym(s): *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859
- 4262) Trachycera niveicinctella (Ragonot,1887)** (Pyralidae) Synonym(s): *niveicinctella* Ragonot,1887; *iranalis* Amsel,1950
- 4263) Trachycera suavella (Zincken,1818)** (Pyralidae) Synonym(s): *suavella* Zincken,1818; *fascia* Stephens,1829; *porphyrea* Stephens,1834; *supposita* Heinrich,1940
- 4264) Tragonitis cristella (Hübner,1796)** (Pyralidae) Synonym(s): *cristella* Hübner,1796; *cristalis* Hübner,[1825].
- 4265) Trepteryx pertusalis (Geyer,[1832])** (Pyralidae) Synonym(s): *pertusalis* Geyer,[1832]; *weissenbornii* Freyer
- 4266) Trigonuncus euergestalis Amsel,1953** (Pyralidae) Synonym(s): *euergestalis* Amsel,1953; *#euergestalis* Wiltshire,1957.
- 4267) Udea albescentalis (Hampson,1900)** (Pyralidae) Synonym(s): *albescentalis* Hampson,1900
- 4268) Udea ferrugalis (Hübner,1796)** (Pyralidae) Synonym(s): *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
- 4269) Udea fimbriatralis (Duponchel,1834)** (Pyralidae) Synonym(s): *fimbriatralis* Duponchel,1834; *#fimbriatralis* Rebel,1901

- 4270) Udea fulvalis (Hübner,[1809])** (Pyralidae) Synonym(s): *fulvalis* Hübner,[1809]; *pronoidalis* Staudinger,1879
- 4271) Udea numeralis (Hübner,1796)** (Pyralidae) Synonym(s): *numeralis* Hübner,1796; *simplicella* La Harpe,1861
- 4272) Udea olivalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *olivalis* [Denis & Schiffermüller],1775; *umbralis* Hübner,1796
- 4273) Udea prunalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *#prunalis* [Denis & Schiffermüller],1775; *nivealis* Fabricius,1781; *ferruginalis* Villers,1789 *nec Fabr.*,1781
- 4274) Udea rhododendronalis (Duponchel,1834)** (Pyralidae) Synonym(s): *rhododendronalis* Duponchel,1834; *ventosalis* Leraut,1996; *luquetalis* Leraut,1996
- 4275) Udea vestalis (Hampson,1900)** (Pyralidae) Synonym(s): *vestalis* Hampson,1900
- 4276) Ulotricha egregialis (Herrich-Schäffer,1838)** (Pyralidae) Synonym(s): *egregialis* Herrich-Schäffer,1838
- 4277) Uresiphita polygonalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971
- 4278) Witlesia pallida (Curtis,1827)** (Pyralidae) Synonym(s): *pallida* Curtis,1827; *oertzeniella* Herrich-Schäffer,1848
- 4279) Xanthocrambus argentarius (Staudinger,1867)** (Pyralidae) Synonym(s): *argentarius* Staudinger,1867
- 4280) Xanthocrambus saxonellus (Zincken,1821)** (Pyralidae) Synonym(s): *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888
- 4281) Zitha subustalis (Lederer,1855)** (Pyralidae) Synonym(s): *subustalis* Lederer,1855
- 4282) Zophodia grossulariella (Hübner,[1809])** (Pyralidae) Synonym(s): *convolutella* Hübner,1796 *nec* [Denis & Schiffermüller],1775; *grossulariella* Hübner,[1809]; *rectella* Guenée,1845.
- 4283) Zophodiodes leucocostella Ragonot,1887** (Pyralidae) Synonym(s): *leucocostella* Ragonot,1887

RIODINIDAE

- 4284) Hamearis lucina (Linnaeus,1758)** (Riodinidae) Synonym(s): *lucina* Linnaeus,1758

ROESLERSTAMMIIDAE

- 4285) Roeslerstammia pronubella ([Denis & Schiffermüller],1775)** (Roeslerstammiidae) Synonym(s): *pronubella* [Denis & Schiffermüller],1775

SATURNIIDAE

- 4286) Saturnia (Heraea) cephalariae (Romanoff,1885)** (Saturniidae) Synonym(s): *cephalariae* Romanoff,1885
- 4287) Saturnia (Heraea) pavonia (Linnaeus,1758)** (Saturniidae) Synonym(s): *pavonia* Linnaeus,1758; *pavoniella* Scopoli,1763; *carpini* Denis & Schiffermüller,1775; *pavunculus* Retzius,1783
- 4288) Saturnia (Heraea) spini ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775
- 4289) Saturnia (Neoris) naessigi (De Freina,1992)** (Saturniidae) Synonym(s): *naessigi* De Freina,1992
- 4290) Saturnia (Perisomena) caecigena Kupido,1825** (Saturniidae) Synonym(s): *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914
- 4291) Saturnia (s.str.) pyri ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980.

SATYRIDAE

- 4292) Aphantopus hyperantus (Linnaeus,1758)** (Satyridae) Synonym(s): *hyperantus* Linnaeus,1758; *arete* Müller,1764; *vidua* Müller,1764; *tristan* Retzius,1783; *sajanus* O.Bang-Haas,1906.
- 4293) Arethusana arethusana ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *arethusana* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (*sensu* Hesselbarth et al.,1995: 917).

- 4294) Brintesia circe (Fabricius,1775)** (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabalae* Gaillard,1959; *maladettæ* Varin,1962.
- 4295) Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807.
- 4296) Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *bischoffi* Herrich-Schäffer,[1846]
- 4297) Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
- 4298) Chazara (s.str.) egina (Staudinger,[1892])** (Satyridae) Synonym(s): *egina* Staudinger,[1892]; *aisha* Rose,1986.
- 4299) Coenonympha (s.str.) arcania (Linnaeus,1761)** (Satyridae) Synonym(s): *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *triumphans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935.
- 4300) Coenonympha (s.str.) glycerion (Borkhausen,1788)** (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 *nec* Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.
- 4301) Coenonympha (s.str.) leander (Fabricius,1787)** (Satyridae) Synonym(s): *#leander* Esper,[1784]; *leander* Fabricius,1787
- 4302) Coenonympha (s.str.) pamphilus (Linnaeus,1758)** (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 4303) Coenonympha (s.str.) saadi (Kollar,[1849])** (Satyridae) Synonym(s): *saadi* Kollar,[1849]; *iphias* Eversmann,1851.
- 4304) Coenonympha (s.str.) symphita Lederer,1870** (Satyridae) Synonym(s): *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919
- 4305) Erebia aethiops (Esper,[1777])** (Satyridae) Synonym(s): *aethiops* Esper,[1777]; *ligea* Poda,1761 *nec* Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936.
- 4306) Erebia graucasica Jachontov,1909** (Satyridae) Synonym(s): *graucasica* Jachontov,1909; *caucasica* Korshunov, Antonova & Kotschetova,1984.
- 4307) Erebia hewitsonii Lederer,1864** (Satyridae) Synonym(s): *hewitsonii* Lederer,1864
- 4308) Erebia iranica Groum-Grshimailo,1895** (Satyridae) Synonym(s): *iranica* Groum-Grshimailo,1895
- 4309) Erebia ligea (Linnaeus,1758)** (Satyridae) Synonym(s): *ligea* Linnaeus,1758; *alexis* Retzius,1783 *nec* Poda,1761; *per magna* Fruhstorfer,1909; *carthusianorum* Fruhstorfer,1909.
- 4310) Erebia medusa ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller],1775
- 4311) Erebia melancholica Herrich-Schäffer,[1846]** (Satyridae) Synonym(s): *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937.
- 4312) Erebia ottomana Herrich-Schäffer,[1847]** (Satyridae) Synonym(s): *ottomana* Herrich-Schäffer,[1847]
- 4313) Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) Synonym(s): *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819].
- 4314) Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950.
- 4315) Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) Synonym(s): *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000.
- 4316) Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc.
- 4317) Hipparchia (Parahipparchia) aristaeus (Bonelli,1826)** (Satyridae) Synonym(s): *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algirica* auct.
- 4318) Hipparchia (Parahipparchia) mersina (Staudinger,1871)** (Satyridae) Synonym(s): *mersina* Staudinger,1871; *malickyi* Kudrna,1977.
- 4319) Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) Synonym(s): *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976.
- 4320) Hipparchia (Parahipparchia) volgensis (Mazochin-Porshnjakov,1952)** (Satyridae) Synonym(s): *volgensis* Mazochin-Porshnjakov,1952
- 4321) Hipparchia (Pseudotergumia) pisidice (Klug,1832)** (Satyridae) Synonym(s): *pisidice* Klug,1832
- 4322) Hipparchia (s.str.) fagi (Scopoli,1763)** (Satyridae) Synonym(s): *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orphnia* Fruhstorfer,1908; *sigurdriifa* Fruhstorfer,1908; *aturia*

- Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fuixiensis* Varin,1963.
- 4323) Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
- 4324) Hyponephele (s.str. (Ereminephele)) naricoides Gross,1977** (Satyridae) Synonym(s): *naricoides* Gross,1977
- 4325) Hyponephele (s.str. (Iranonephele)) kocaki Eckweiler,1978** (Satyridae) Synonym(s): *kocaki* Eckweiler,1978
- 4326) Hyponephele (s.str. (Tengrinephele)) cadusia (Lederer,1869)** (Satyridae) Synonym(s): *cadusia* Lederer,1869
- 4327) Hyponephele (s.str. (Turaninephele)) urartua De Freina & Aussem,[1987]** (Satyridae) Synonym(s): *urartua* De Freina & Aussem,[1987]
- 4328) Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *wagneri* Herrich-Schäffer,[1846]; *schmidtii* Bang-Haas,1927.
- 4329) Hyponephele (s.str.) hasantahsin Koçak & Kemal,2002** (Satyridae) Synonym(s): *hasantahsin* Koçak & Kemal,2002
- 4330) Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) Synonym(s): *lupina* Costa,[1836]
- 4331) Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) Synonym(s): *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800; *rufomaculata* Korb,2005
- 4332) Hyponephele (s.str.) lycaonoides Weiss,1978** (Satyridae) Synonym(s): *lycaonoides* Weiss,1978
- 4333) Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) Synonym(s): *zuvandica* Samodurov & Koroljev,1996; *#zuvandi* Korb,2000
- 4334) Idata cecilia (Vallantin,1894)** (Satyridae) Synonym(s): *ida* Esper,1784 *nec* Cramer,1775; *cecilia* Vallantin,1894; *aphrodite* Hemming,1934.
- 4335) Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989
- 4336) Lasioommata maera (Linnaeus,1758)** (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 4337) Lasioommata megera (Linnaeus,1767)** (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 4338) Lasioommata menava Moore,1865** (Satyridae) Synonym(s): *menava* Moore,1865.
- 4339) Lasioommata petropolitana (Fabricius,1787)** (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929.
- 4340) Maniola (Telmessiola) halicarnassus Thomson,1990** (Satyridae) Synonym(s): *halicarnassus* Thomson,1990
- 4341) Maniola (Telmessiola) telmessia (Zeller,1847)** (Satyridae) Synonym(s): *telmessia* Zeller,1847; *pallescent* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *maniolides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekasii* Kattulas & Koutsaftikis,1978.
- 4342) Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) Synonym(s): *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801.
- 4343) Maniola (s.str.) megala (Oberthür,1909)** (Satyridae) Synonym(s): *megala* Oberthür,1909; *maraschi* Pfeiffer,1932; *antalyana* Tauber,1970.
- 4344) Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) Synonym(s): *russiae* Esper,[1784]; *suvarovius* Herbst,1796; *clotho* Hübner,[1800]; *varalauko* Korb,2005
- 4345) Melanargia (Turcargia) grumi Standfuss,1892** (Satyridae) Synonym(s): *grumi* Standfuss,1892
- 4346) Melanargia (Turcargia) hylata (Ménétriés,1832)** (Satyridae) Synonym(s): *hylata* Ménétriés,1832
- 4347) Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) Synonym(s): *larissa* Geyer,[1828].
- 4348) Melanargia (Turcargia) syriaca (Oberthür,1894)** (Satyridae) Synonym(s): *syriaca* Oberthür,1894
- 4349) Melanargia (Turcargia) titea (Klug,1832)** (Satyridae) Synonym(s): *titea* Klug,1832
- 4350) Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) Synonym(s): *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmédiensis* Derenne,1926; *xanthonica* Varin,1948.
- 4351) Minois dryas (Scopoli,1763)** (Satyridae) Synonym(s): *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsaftikis,1988.
- 4352) Pararge aegeria (Linnaeus,1758)** (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 4353) Proterebia afra (Fabricius,1787)** (Satyridae) Synonym(s): *afra* Fabricius,1787
- 4354) Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
- 4355) Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) Synonym(s): *telephassa* Geyer,[1827]

- 4356) Pseudochazara (s.str.) aurantiaca (Staudinger,1871)** (Satyridae) Synonym(s): *aurantiaca* Staudinger,1871
- 4357) Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) Synonym(s): *beroe* Freyer,[1843]
- 4358) Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978
- 4359) Pseudochazara (s.str.) guriensis (Staudinger,[1878])** (Satyridae) Synonym(s): *guriensis* Staudinger,[1878]
- 4360) Pseudochazara (s.str.) lydia (Staudinger,1878)** (Satyridae) Synonym(s): *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978.
- 4361) Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,1895
- 4362) Pseudochazara (s.str.) mnischei (Herrich-Schäffer,[1851])** (Satyridae) Synonym(s): *mnischei* Herrich-Schäffer,[1851]
- 4363) Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) Synonym(s): *pelopea* Klug,1832
- 4364) Pseudochazara (s.str.) schakuhensis (Staudinger,1881)** (Satyridae) Synonym(s): *schakuhensis* Staudinger,1881; *brandti* Holik,1949.
- 4365) Pyronia tithonus (Linnaeus,1771)** (Satyridae) Synonym(s): *tithonus* Linnaeus,1771; *tiphon* Kühn,1774; *pilosellae* Fabricius,1775; *herse* Denis & Schiffermüller,1775; *phaedra* Esper,1776; *amaryllis* Fourcroy,1785 *nec* Cramer,1782; *tithone* Hübner,1819; *britanniae* Verity,1914; *bajocassensis* Moulton,1938; *armoricanus* Moulton,1938
- 4366) Satyrus (Asatyrus (s.str.)) amasinus Staudinger,1861** (Satyridae) Synonym(s): *bryce* Herrich-Schäffer,[1852] *nec* Hübn.,[1800]; *amasinus* Staudinger,1861
- 4367) Satyrus (Asatyrus (s.str.)) ferulus (Fabricius,1793)** (Satyridae) Synonym(s): *proserpina* Cyrillo,1787 *nec* Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 *nec* Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800].
- 4368) Satyrus (Asatyrus (s.str.)) iranica (Schwingenschuss,1939)** (Satyridae) Synonym(s): *iranica* Schwingenschuss,1939; *kyros* Gross & Ebert,1975.
- 4369) Satyrus (s.str.(s.str.)) favonius Staudinger,[1892]** (Satyridae) Synonym(s): *favonius* Staudinger,[1892]
- 4370) Satyrus (s.str.(s.str.)) parthicus Lederer,1869** (Satyridae) Synonym(s): *parthicus* Lederer,1869; *pimpla* sensu Wiltshire,1957
- 4371) Triphysa phryne (Pallas,1771)** (Satyridae) Synonym(s): *phryne* Pallas,1771
- 4372) Ypthima asterope (Klug,1832)** (Satyridae) Synonym(s): *asterope* Klug,1832; *marlenii* Kattulas & Koutsaftikis,1978.

SCHRECKENSTEINIIDAE

- 4373) Schreckensteiniella festaliella (Hübner,[1819])** (Schreckensteiniidae) Synonym(s): *festaliella* Hübner,[1819]

SCYTHRIDAE

- 4374) Bactrianoscythris satyrella (Staudinger,1880)** (Scythridae) Synonym(s): *satyrella* Staudinger,1880; *matronella* Staudinger,1880; *vitellia* Christoph,1885
- 4375) Enolmis acanthella (Godart,1824)** (Scythridae) Synonym(s): *acanthella* Godart,1824; *gallicella* Zeller,1839; *delicatella* Agenjo,1951 *nec* Rbl.; *tavaresi* Monteiro,1961
- 4376) Enolmis desidella (Lederer,1855)** (Scythridae) Synonym(s): *desidella* Lederer,1855
- 4377) Eretmocera medinella (Staudinger,1859)** (Scythridae) Synonym(s): *medinella* Staudinger,1859; *#decolorata* Turati,1924
- 4378) Scythris (aerariella-gr.) aerariella (Herrich-Schäffer,[1854])** (Scythridae) Synonym(s): *aerariella* Herrich-Schäffer,[1854]
- 4379) Scythris (aerariella-gr.) anomaloptera (Staudinger,1880)** (Scythridae) Synonym(s): *anomaloptera* Staudinger,1880; *ulluoi* Agenjo,1969
- 4380) Scythris (aerariella-gr.) flaviventrella (Herrich-Schäffer,1855)** (Scythridae) Synonym(s): *flaviventrella* Herrich-Schäffer,1855
- 4381) Scythris (aerariella-gr.) imperiella Jäckh,1978** (Scythridae) Synonym(s): *imperiella* Jäckh,1978
- 4382) Scythris (aerariella-gr.) jaeckhi Bengtsson,1989** (Scythridae) Synonym(s): *jaeckhi* Bengtsson,1989
- 4383) Scythris (aerariella-gr.) popescugorji Passerin d'Entrèves,1984** (Scythridae) Synonym(s): *popescugorji* Passerin d'Entrèves,1984

- 4384) Scythris (bagdadiella-gr.) bagdadiella Amsel,1949** (Scythridae) Synonym(s): *bagdadiella* Amsel,1949
- 4385) Scythris (canescens-gr.) canescens (Staudinger,1880)** (Scythridae) Synonym(s): *canescens* Staudinger,1880; *plumbeogrisea* Walsingham,1907; *maculatella* Chrétien,1915
- 4386) Scythris (cicadella-gr.) moldavicella Caradja,1905** (Scythridae) Synonym(s): *moldavicella* Caradja,1905; *moldavicella* Rebel,1907; *ottomana* Jäckh,1978; *balcanica* Jäckh,1978
- 4387) Scythris (cicadella-gr.) potentillella (Zeller,1847)** (Scythridae) Synonym(s): *potentillella* Zeller,1847; *potentillae* Zeller,1855; *albiapex* Hering,1924
- 4388) Scythris (crypta-gr.) crypta Hannemann,1961** (Scythridae) Synonym(s): *crypta* Hannemann,1961
- 4389) Scythris (elegantella-gr.) limbella (Fabricius,1775)** (Scythridae) Synonym(s): *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880.
- 4390) Scythris (fallacella-gr.) fallacella (Schläger,1847)** (Scythridae) Synonym(s): *fallacella* Schläger,1847; *armatella* Herrich-Schäffer,1855; *hydrargyrella* Steudel & Hofmann,1882
- 4391) Scythris (fuscoaenea-gr.) dissimilella (Herrich-Schäffer,1855)** (Scythridae) Synonym(s): *dissimilella* Herrich-Schäffer,1855
- 4392) Scythris (fuscoaenea-gr.) tenuivittella (Stainton,1867)** (Scythridae) Synonym(s): *tenuivittella* Stainton,1867; *leucogaster* Mann,1872; *constantella* Dumont,1925; *rhueli* Gozmany,1960
- 4393) Scythris (fuscoaenea-gr.) vittella (Costa,[1836])** (Scythridae) Synonym(s): *vittella* Costa,[1836]; *restigerella* Zeller,1839.
- 4394) Scythris (grandipennis-gr.) cupreella (Staudinger,1859)** (Scythridae) Synonym(s): *cupreella* Staudinger,1859; *#cuprella* Meess,1910
- 4395) Scythris (grandipennis-gr.) tabidella (Herrich-Schäffer,[1854])** (Scythridae) Synonym(s): *tabidella* Herrich-Schäffer,[1854]; *inquilinella* Erschoff,1874
- 4396) Scythris (gravatella-gr.) gravatella (Zeller,1847)** (Scythridae) Synonym(s): *gravatella* Zeller,1847; *vagabundella* Herrich-Schäffer,[1854]; *caradjae* Amsel,1939; *flavidella* Passerin d'Entrèves,1986 nec Preiss.,1911
- 4397) Scythris (inclusella-gr.) inclusella Lederer,1855** (Scythridae) Synonym(s): *inclusella* Lederer,1855; *subflabella* Stainton,1867
- 4398) Scythris (inertella-gr.) inertella (Zeller,1855)** (Scythridae) Synonym(s): *inertella* Zeller,1855; *tangerensis* Stainton,1872; *gurdella* Christoph,1877; *orbidella* Chrétien,1901; *marionella* Walsingham,1907; *praeflava* Meyrick,1913; *hassenella* Chrétien,1915; *semialbicostella* Turati,1927
- 4399) Scythris (laminella-gr.) braschiella (Hofmann,1897)** (Scythridae) Synonym(s): *braschiella* Hofmann,1897
- 4400) Scythris (monochreella-gr.) monochreella Ragonot,1896** (Scythridae) Synonym(s): *monochreella* Ragonot,1896; *lychnitis* Meyrick,1918
- 4401) Scythris (obscurella-gr.) amphonycella (Geyer,[1836])** (Scythridae) Synonym(s): *amphonycella* Geyer,[1836]; *viridatella* Herrich-Schäffer,1855
- 4402) Scythris (obscurella-gr.) cuspidella ([Denis & Schiffermüller],1775)** (Scythridae) Synonym(s): *cuspidella* [Denis & Schiffermüller],1775; *bifariella* Hübner,[1813]; *lampyrella* Constant,1865; *ochrolitella* Staudinger,1871; *flavilaterella* Fuchs,1886; *immaculata* Fuchs,1895; *#unicolor* Müller-Rutz,1920
- 4403) Scythris (obscurella-gr.) obscurella (Scopoli,1763)** (Scythridae) Synonym(s): *obscurella* Scopoli,1763; *esperella* Hübner,[1799] nec Fabr.,1787; *extensella* Hübner,[1825]
- 4404) Scythris (pascuella-gr.) flavidella Preissecker,1911** (Scythridae) Synonym(s): *flavidella* Preissecker,1911
- 4405) Scythris (pascuella-gr.) pascuella (Zeller,1855)** (Scythridae) Synonym(s): *pascuella* Zeller,1855; *flavidella* Preissecker,1911
- 4406) Scythris (pascuella-gr.) pudorinella (Möschler,1866)** (Scythridae) Synonym(s): *pudorinella* Möschler,1866
- 4407) Scythris (pascuella-gr.) subaerariella (Stainton,1867)** (Scythridae) Synonym(s): *subaerariella* Stainton,1867
- 4408) Scythris (pascuella-gr.) tabescentella (Staudinger,1880)** (Scythridae) Synonym(s): *tabescentella* Staudinger,1880; *? caniolella* Fuchs,1903
- 4409) Scythris (platypyga-gr.) platypyga (Staudinger,1880)** (Scythridae) Synonym(s): *platypyga* Staudinger,1880
- 4410) Scythris (pulicella-gr.) langohri Passerin d'Entrèves,1990** (Scythridae) Synonym(s): *langohri* Passerin d'Entrèves,1990
- 4411) Scythris (punctivittella-gr.) emichi (Anker,1870)** (Scythridae) Synonym(s): *emichi* Anker,1870
- 4412) Scythris (punctivittella-gr.) punctivittella (Costa,[1836])** (Scythridae) Synonym(s): *punctivittella* Costa,[1836]; *asmodella* Millièrre,1873
- 4413) Scythris (scopolella-gr.) apicalis (Zeller,1847)** (Scythridae) Synonym(s): *apicalis* Zeller,1847; *unipunctella* Rebel,1901.
- 4414) Scythris (scopolella-gr.) flabella (Mann,1861)** (Scythridae) Synonym(s): *flabella* Mann,1861; *aurella* Caradja,1920
- 4415) Scythris (seliniella-gr.) seliniella (Zeller,1839)** (Scythridae) Synonym(s): *seliniella* Zeller,1839

- 4416) **Scythris (seliniella-gr.) subseliniella (Heinemann,1876)** (Scythridae) Synonym(s): *subseliniella* Heinemann,1876
- 4417) **Scythris (subfasciata-gr.) subfasciata (Staudinger,1880)** (Scythridae) Synonym(s): *subfasciata* Staudinger,1880
- 4418) **Scythris alceella Junnilainen,2002** (Scythridae) Synonym(s): *alceella* Junnilainen,2002
- 4419) **Scythris aristidella (Rebel,1902)** (Scythridae) Synonym(s): *aristidella* Rebel,1902
- 4420) **Scythris asiatica (Staudinger,1880)** (Scythridae) Synonym(s): *asiatica* Staudinger,1880; *melanopepla* Caradja,1920
- 4421) **Scythris balanophora Meyrick,1916** (Scythridae) Synonym(s): *balanophora* Meyrick,1916; *taurella* Caradja,1920
- 4422) **Scythris basistrigella (Staudinger,1880)** (Scythridae) Synonym(s): *basistrigella* Staudinger,1880; *zelleri* Staudinger,1880
- 4423) **Scythris bifasciella Passerin d'Entrèves & Roggero,2011** (Scythridae) Synonym(s): *bifasciella* Passerin d'Entrèves & Roggero,2011
- 4424) **Scythris capitalis (Erschoff,1874)** (Scythridae) Synonym(s): *capitalis* Erschoff,1874
- 4425) **Scythris caramani (Staudinger,1880)** (Scythridae) Synonym(s): *caramani* Staudinger,1880
- 4426) **Scythris deprinsi Bengtsson,2005** (Scythridae) Synonym(s): *deprinsi* Bengtsson,2005
- 4427) **Scythris discimaculella Rebel,1936** (Scythridae) Synonym(s): *discimaculella* Rebel,1936
- 4428) **Scythris divergens Bengtsson,2005** (Scythridae) Synonym(s): *divergens* Bengtsson,2005
- 4429) **Scythris hebesella Nupponen,2005** (Scythridae) Synonym(s): *hebesella* Nupponen,2005
- 4430) **Scythris hyalinella Caradja,1920** (Scythridae) Synonym(s): *hyalinella* Caradja,1920
- 4431) **Scythris iconiensis Rebel,1903** (Scythridae) Synonym(s): *iconiensis* Rebel,1903
- 4432) **Scythris lagomorphella Junnilainen,2002** (Scythridae) Synonym(s): *lagomorphella* Junnilainen,2002
- 4433) **Scythris ottomana Jäckh,1978** (Scythridae) Synonym(s): *ottomana* Jäckh,1978
- 4434) **Scythris paelopyga (Staudinger,1880)** (Scythridae) Synonym(s): *paelopyga* Staudinger,1880
- 4435) **Scythris parachalca Meyrick,1916** (Scythridae) Synonym(s): *parachalca* Meyrick,1916
- 4436) **Scythris pfeifferella Rebel,1935** (Scythridae) Synonym(s): *pfeifferella* Rebel,1935
- 4437) **Scythris ruehli Gozmany,1960** (Scythridae) Synonym(s): *ruehli* Gozmany,1960
- 4438) **Scythris schreieri Bengtsson,1996** (Scythridae) Synonym(s): *schreieri* Bengtsson,1996
- 4439) **Scythris senescens Stainton,1854** (Scythridae) Synonym(s): *senescens* Stainton,1854
- 4440) **Scythris shafferi Bengtsson,2005** (Scythridae) Synonym(s): *shafferi* Bengtsson,2005
- 4441) **Scythris subclavella Rebel,1901** (Scythridae) Synonym(s): *subclavella* Rebel,1901
- 4442) **Scythris tabelli Junnilainen,2002** (Scythridae) Synonym(s): *tabelli* Junnilainen,2002
- 4443) **Scythris tenuisquamata (Staudinger,1880)** (Scythridae) Synonym(s): *tenuisquamata* Staudinger,1880
- 4444) **Scythris triguttella Zeller,1839** (Scythridae) Synonym(s): *triguttella* Zeller,1839
- 4445) **Scythris triochrias Meyrick,1916** (Scythridae) Synonym(s): *triochrias* Meyrick,1916
- 4446) **Scythris tuzensis Bengtsson,2005** (Scythridae) Synonym(s): *tuzensis* Bengtsson,2005
- 4447) **Scythris unguicella Bengtsson,2005** (Scythridae) Synonym(s): *unguicella* Bengtsson,2005; *#unguisella* Bengtsson,2005
- 4448) **Scythris unimaculella Rebel,1905** (Scythridae) Synonym(s): *unimaculella* Rebel,1905
- 4449) **Scythris vernusella Jäckh,1978** (Scythridae) Synonym(s): *vernusella* Jäckh,1978

SESIIDAE

- 4450) **Bembecia (Ductispina) transcaucasica (Staudinger,1891)** (Sesiidae) Synonym(s): *transcaucasica* Staudinger,1891
- 4451) **Bembecia (Pseudosphecia) stiziformis (Herrich-Schäffer,1851)** (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer,1851; *kara* De Freina,1983; *tubercula* De Freina,1983; *barbarossa* De Freina,1983.
- 4452) **Bembecia albanensis (Rebel,1918)** (Sesiidae) Synonym(s): *albanensis* Rebel,1918; *corcyrensis* Rebel,1918; *kalavrytana* Sheljuzhko,1924
- 4453) **Bembecia gegamica Gorbunov,1991** (Sesiidae) Synonym(s): *gegamica* Gorbunov,1991
- 4454) **Bembecia hofmanni Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *hofmanni* Kallies & K.Spatenka,2003
- 4455) **Bembecia ichneumoniformis ([Denis & Schiffermüller],1775)** (Sesiidae) Synonym(s): *#ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *syntrophaeformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910
- 4456) **Bembecia illustris (Rebel,1901)** (Sesiidae) Synonym(s): *illustris* Rebel,1901
- 4457) **Bembecia lomatiaeformis Lederer,1853** (Sesiidae) Synonym(s): *lomatiaeformis* Lederer,1853
- 4458) **Bembecia parthica (Lederer,1870)** (Sesiidae) Synonym(s): *parthica* Lederer,1870
- 4459) **Bembecia peterseni K.Spatenka,1997** (Sesiidae) Synonym(s): *peterseni* K.Spatenka,1997

- 4460) **Bembecia pontica (Staudinger,1891)** (Sesiidae) Synonym(s): *pontica* Staudinger,1891
- 4461) **Bembecia priesneri Kallies et al.,1998** (Sesiidae) Synonym(s): *priesneri* Kallies et al.,1998
- 4462) **Bembecia puella Z.Lastuvka,1989** (Sesiidae) Synonym(s): *puella* Z.Lastuvka,1989; *daghestanica* Gorbunov,1991; *aladagica* Gorbunov & K. Spatenka,2001
- 4463) **Bembecia sanguinolenta (Lederer,1853)** (Sesiidae) Synonym(s): *sanguinolenta* Lederer,1853
- 4464) **Bembecia scopigera (Scopoli,1763)** (Sesiidae) Synonym(s): *scopigera* Scopoli,1763; *communis* Le Cerf,1920
- 4465) **Bembecia staryi K.Spatenka & Gorbunov,1992** (Sesiidae) Synonym(s): *staryi* K.Spatenka & Gorbunov,1992
- 4466) **Bembecia syzjevici Gorbunov,1990** (Sesiidae) Synonym(s): *syzjevici* Gorbunov,1990
- 4467) **Bembecia uroceriformis (Treitschke,1834)** (Sesiidae) Synonym(s): *uroceriformis* Treitschke,1834; *mamertina* Zeller,1847; *monedulaeformis* Rambur,1866; *athaliaeformis* Boisduval,[1875]; *armoricana* Oberthür,1907; *atlantica* Le Cerf,1920; *nigricornis* Mariani,1937
- 4468) **Bembecia zuvandica Gorbunov,1987** (Sesiidae) Synonym(s): *zuvandica* Gorbunov,1987
- 4469) **Chamaesphecia albiventris Lederer,1853** (Sesiidae) Synonym(s): *albiventris* Lederer,1853
- 4470) **Chamaesphecia alysoniformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *alysoniformis* Herrich-Schäffer,1846
- 4471) **Chamaesphecia anatolica Schwingenschuss,1938** (Sesiidae) Synonym(s): *anatolica* Schwingenschuss,1938
- 4472) **Chamaesphecia annellata (Zeller,1847)** (Sesiidae) Synonym(s): *annellata* Zeller,1847; *ceriaeformis* Lederer,1853 *nec* Luc.,1849; *muscinaeformis* Walker,1856; *ceriiformis* Staudinger,1856; *clermonti* Le Cerf,1914
- 4473) **Chamaesphecia astatiformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *astatiformis* Herrich-Schäffer,1846
- 4474) **Chamaesphecia aurifera (Romanoff,1885)** (Sesiidae) Synonym(s): *aurifera* Romanoff,1885
- 4475) **Chamaesphecia bibioniformis (Esper,[1800])** (Sesiidae) Synonym(s): *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954.
- 4476) **Chamaesphecia chalciformis (Esper,[1804])** (Sesiidae) Synonym(s): *chalciformis* Esper,[1804]
- 4477) **Chamaesphecia cilicia Bartsch & Lingenhöle,2011** (Sesiidae) Synonym(s): *cilicia* Bartsch & Lingenhöle,2011
- 4478) **Chamaesphecia colpiformis (Staudinger,1856)** (Sesiidae) Synonym(s): *colpiformis* Staudinger,1856
- 4479) **Chamaesphecia diabarensis Gorbunov,1987** (Sesiidae) Synonym(s): *diabarensis* Gorbunov,1987
- 4480) **Chamaesphecia doleriformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *doleriformis* Herrich-Schäffer,1846
- 4481) **Chamaesphecia doryceraeformis (Lederer,1853)** (Sesiidae) Synonym(s): *doryceraeformis* Lederer,1853
- 4482) **Chamaesphecia dumonti Le Cerf,1922** (Sesiidae) Synonym(s): *dumonti* Le Cerf,1922; *similis* Lastuvka,1983
- 4483) **Chamaesphecia elampiformis (Herrich-Schäffer,1851)** (Sesiidae) Synonym(s): *elampiformis* Herrich-Schäffer,1851
- 4484) **Chamaesphecia empiformis (Esper,[1783])** (Sesiidae) Synonym(s): *empiformis* Esper,[1783]; *bombyciformis* Fourcroy,1785; *empinaeformis* Walker,1856; *#flavoabdominalis* Popescu-Gorj,1955; *lastuvkai* Spatenka,1987
- 4485) **Chamaesphecia euceraeformis (Ochsenheimer,1816)** (Sesiidae) Synonym(s): *euceraeformis* Ochsenheimer,1816; *stelidiformis* Freyer,1836; *#misoleptiformis* Herrich-Schäffer,1846; *unicincta* Herrich-Schäffer,1851; *herrichii* Staudinger,1856; *euceraformis* Staudinger,1856
- 4486) **Chamaesphecia gorbunovi K.Spatenka,1992** (Sesiidae) Synonym(s): *gorbunovi* K.Spatenka,1992
- 4487) **Chamaesphecia haberhaueri (Staudinger,1878)** (Sesiidae) Synonym(s): *haberhaueri* Staudinger,1878
- 4488) **Chamaesphecia iranica Le Cerf,1937** (Sesiidae) Synonym(s): *iranica* Le Cerf,1937; *bagandara* Gorbunov,1995
- 4489) **Chamaesphecia kautti K.Spatenka,1997** (Sesiidae) Synonym(s): *kautti* K.Spatenka,1997
- 4490) **Chamaesphecia leucopsiformis (Esper,1800)** (Sesiidae) Synonym(s): *leucopsiformis* Esper,1800; *foenusaeformis* Heydenreich,1851; *leucopsidiformis* Lederer,1853
- 4491) **Chamaesphecia masariformis (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 *nec* Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966
- 4492) **Chamaesphecia minor (Staudinger,1856)** (Sesiidae) Synonym(s): *minor* Staudinger,1856
- 4493) **Chamaesphecia nigrifrons (Le Cerf,1911)** (Sesiidae) Synonym(s): *nigrifrons* Le Cerf,1911; *sevenari* Liphay,1961; *#schmidtii* Liphay,1961
- 4494) **Chamaesphecia odyneriformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *odyneriformis* Herrich-Schäffer,1846

- 4495) Chamaesphecia oxybeliformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *oxybeliformis* Herrich-Schäffer,1846
- 4496) Chamaesphecia palustris Kautz,1927** (Sesiidae) Synonym(s): *palustris* Kautz,1927
- 4497) Chamaesphecia proximata (Staudinger,1871)** (Sesiidae) Synonym(s): *proximata* Staudinger,1871; *moreaui* Le Cerf,1911; *gravesi* Rebel,1927
- 4498) Chamaesphecia regula (Staudinger,1891)** (Sesiidae) Synonym(s): *regula* Staudinger,1891
- 4499) Chamaesphecia ruficoronata Kallies, Petersen & Riefenstahl,1998** (Sesiidae) Synonym(s): *ruficoronata* Kallies, Petersen & Riefenstahl,1998
- 4500) Chamaesphecia schmidtiformis (Freyer,1836)** (Sesiidae) Synonym(s): *schmidtiformis* Freyer,1836
- 4501) Chamaesphecia schwingenschussi (Le Cerf,1937)** (Sesiidae) Synonym(s): *schwingenschussi* Le Cerf,1937
- 4502) Chamaesphecia sefid Le Cerf,1938** (Sesiidae) Synonym(s): *sefid* Le Cerf,1938; *modica* Le Cerf,1938; *vanensis* Gorbunov,2001
- 4503) Chamaesphecia tahira Kallies & Petersen,1995** (Sesiidae) Synonym(s): *tahira* Kallies & Petersen,1995
- 4504) Chamaesphecia taurica K.Spatenka,1997** (Sesiidae) Synonym(s): *taurica* K.Spatenka,1997
- 4505) Chamaesphecia tenthrediniformis ([Denis & Schiffermüller],1775)** (Sesiidae) Synonym(s): *tenthrediniformis* [Denis & Schiffermüller],1775; *taediiformis* Freyer,1836
- 4506) Chamaesphecia thracica Z.Lastuvka,1983** (Sesiidae) Synonym(s): *thracica* Z.Lastuvka,1983
- 4507) Chamaesphecia turbida Le Cerf,1937** (Sesiidae) Synonym(s): *turbida* Le Cerf,1937
- 4508) Dipchasphecia intermedia K.Spatenka,1997** (Sesiidae) Synonym(s): *intermedia* K.Spatenka,1997
- 4509) Dipchasphecia kopica Gorbunov & Spatenka,2001** (Sesiidae) Synonym(s): *kopica* Gorbunov & Spatenka,2001
- 4510) Dipchasphecia lanipes (Lederer,1863)** (Sesiidae) Synonym(s): *lanipes* Lederer,1863
- 4511) Dipchasphecia sertavula Bartsch & Spatenka,2002** (Sesiidae) Synonym(s): *sertavula* Bartsch & Spatenka,2002
- 4512) Euhagena palariformis (Lederer,1858)** (Sesiidae) Synonym(s): *palariformis* Lederer,1858; *diotriiformis* Romanoff,1884; *rubescens* Staudinger,1887; *almana* Rebel,1917
- 4513) Microsphecia brosiiformis (Hübner,[1813])** (Sesiidae) Synonym(s): *brosiiformis* Hübner,[1813]; *dorsalis* Le Cerf,1914; *#obscura* Le Cerf,1914
- 4514) Microsphecia tineiformis (Esper,[1789])** (Sesiidae) Synonym(s): *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794.
- 4515) Negotinthia hoplisiformis (Mann,1864)** (Sesiidae) Synonym(s): *hoplisiformis* Mann,1864
- 4516) Negotinthia myrmosaeformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853; *myrmosiformis* Staudinger,1856.
- 4517) Osminia fenusaeformis (Herrich-Schäffer,1852)** (Sesiidae) Synonym(s): *fenusaeformis* Herrich-Schäffer,1852; *fenusiformis* Staudinger,1856
- 4518) Paranthrene diaphana Dalla-Torre & Strand,1925** (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand,1925
- 4519) Paranthrene insolita Le Cerf,1914** (Sesiidae) Synonym(s): *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917.
- 4520) Paranthrene tabaniformis (Rottensburg,1775)** (Sesiidae) Synonym(s): *tabaniformis* Rottensburg,1775; *asiliformis* [Denis & Schiffermüller],1775 *nec* Rott.,1775; *sesia* Gmelin,1789; *rhingiaeformis* Hübner,1790; *crabroniformis* Laspeyres,1801 *nec* Fabr.,1793; *tricincta* Harris,1839; *serratiformis* Freyer,1842; *rhingiiformis* Staudinger,1856; *denotata* Edwards,1882; *flammans* Hampson,1893
- 4521) Pennisetia hylaeiformis (Laspeyres,1801)** (Sesiidae) Synonym(s): *hylaeiformis* Laspeyres,1801; *anomala* Dehne,1850.
- 4522) Pyropteron chrysidiformis (Esper,[1782])** (Sesiidae) Synonym(s): *chrysidiformis* Esper,[1782]; *crabroniformis* Fabricius,1793; *polistiformis* Boisduval,1840; *chalcocnemis* Staudinger,1856; *depuiseti* Sand,1879; *rondoui* Siepi,1909; *lecerfi* Oberthür,1909; *joannis* Le Cerf,1909; *castiliana* Le Cerf,1922
- 4523) Pyropteron minianiformis (Freyer,1843)** (Sesiidae) Synonym(s): *minianiformis* Freyer,1843
- 4524) Pyropteron triannuliformis (Freyer,1845)** (Sesiidae) Synonym(s): *meriaeformis* Assmann,1845 *nec* Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 *nec* Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *ljljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987
- 4525) Sesia apiformis (Clerck,1759)** (Sesiidae) Synonym(s): *#apiformis* Clerck,1759; *crabroniformis* [Denis & Schiffermüller],1775; *sireciformis* Esper,1782; *tenebrioniformis* Esper,1782; *vespa* Retzius,1783
- 4526) Sesia bembeciformis (Hübner,[1806])** (Sesiidae) Synonym(s): *bembeciformis* Hübner,[1806]; *crabroniformis* Lewin,1797 *nec* [Denis & Schiff.],1775; *dasypodiformis* Walker,1856; *montelii* Lofquist,1922
- 4527) Sesia melanocephala Dalman,1816** (Sesiidae) Synonym(s): *melanocephala* Dalman,1816; *laphriaeformis* Hübner,[1825]; *laphriiformis* Staudinger,1856
- 4528) Sesia pimplaeformis Oberthür,1872** (Sesiidae) Synonym(s): *pimplaeformis* Oberthür,1872
- 4529) Synansphecia affinis (Staudinger,1856)** (Sesiidae) Synonym(s): *affinis* Staudinger,1856
- 4530) Synansphecia cirgisa (Bartel,1912)** (Sesiidae) Synonym(s): *cirgisa* Bartel,1912

- 4531) Synansphecchia hera K.Spatenka,1997** (Sesiidae) Synonym(s): *hera* K.Spatenka,1997
- 4532) Synansphecchia leucomelaena (Zeller,1847)** (Sesiidae) Synonym(s): *leucomelaena* Zeller,1847
- 4533) Synansphecchia mannii (Lederer,1853)** (Sesiidae) Synonym(s): *mannii* Lederer,1853
- 4534) Synansphecchia muscaeformis (Esper,[1783])** (Sesiidae) Synonym(s): *muscaeformis* Esper,[1783]
- 4535) Synanthedon andrenaeformis (Laspeyres,1801)** (Sesiidae) Synonym(s): *andrenaeformis* Laspeyres,1801; *atlantiforme* Newman,1832; *andraeniformis* Westwood,1843; *andreniformis* Staudinger,1856
- 4536) Synanthedon cephiiformis (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *cephiiformis* Ochsenheimer,1808; *laspeyres* Heppner & Duckworth,1981
- 4537) Synanthedon colchidensis K.Spatenka & Gorbunov,1992** (Sesiidae) Synonym(s): *colchidensis* K.Spatenka & Gorbunov,1992
- 4538) Synanthedon culiciformis (Linnaeus,1758)** (Sesiidae) Synonym(s): *culiciformis* Linnaeus,1758; *culex* Retzius,1783; *americana* Beutenmüller,1896
- 4539) Synanthedon formicaeformis (Esper,[1783])** (Sesiidae) Synonym(s): *formicaeformis* Esper,[1783]; *formiciformis* Staudinger,1856
- 4540) Synanthedon myopaeformis (Borkhausen,1789)** (Sesiidae) Synonym(s): *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiformis* Staudinger,1856; *elegans* Lederer,1861.
- 4541) Synanthedon pamphyla Kallies,2003** (Sesiidae) Synonym(s): *pamphyla* Kallies,2003
- 4542) Synanthedon pipiziforme Lederer,1855** (Sesiidae) Synonym(s): *pipiziforme* Lederer,1855
- 4543) Synanthedon rubiana Kallies, M.Petersen & Riefenstahl,1998** (Sesiidae) Synonym(s): *rubiana* Kallies, M.Petersen & Riefenstahl,1998
- 4544) Synanthedon spuleri (Fuchs,1908)** (Sesiidae) Synonym(s): *spuleri* Fuchs,1908; *schwarzi* Kralicek & Povolny,1977
- 4545) Synanthedon stomoxiformis (Hübner,1790)** (Sesiidae) Synonym(s): *stomoxiformis* Hübner,1790; *culiciformis* Scopoli,1763 nec Linn.,1758; *stomoxiformis* Hübner,1796; *amasina* Staudinger,1878.
- 4546) Synanthedon syriaca Spatenka,2001** (Sesiidae) Synonym(s): *syriaca* Spatenka,2001
- 4547) Synanthedon tipuliformis (Clerck,1759)** (Sesiidae) Synonym(s): *#salmachus* Linnaeus,1758 (suppressed); *tipuliformis* Clerck,1759; *tipula* Retzius,1783; *ophioniformis* Hübner,[1813]
- 4548) Synanthedon vespiformis (Linnaeus,1761)** (Sesiidae) Synonym(s): *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795

SPHINGIDAE

- 4549) Acherontia atropos (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
- 4550) Agrius convolvuli (Linnaeus,1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
- 4551) Akbesia davidi (Oberthür,1884)** (Sphingidae) Synonym(s): *davidi* Oberthür,1884
- 4552) Clarina kotschy (Kollar,[1849])** (Sphingidae) Synonym(s): *kotschy* Kollar,[1849]; *mardina* Staudinger,1901.
- 4553) Clarina syriaca (Lederer,1855)** (Sphingidae) Synonym(s): *syriaca* Lederer,1855; *#griseus* Ebert,1976.
- 4554) Daphnis nerii (Linnaeus,1758)** (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
- 4555) Deilephila elpenor (Linnaeus,1758)** (Sphingidae) Synonym(s): *elpenor* Linnaeus,1758
- 4556) Deilephila porcellus (Linnaeus,1758)** (Sphingidae) Synonym(s): *porcellus* Linnaeus,1758
- 4557) Deilephila suellus Staudinger,1878** (Sphingidae) Synonym(s): *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938.
- 4558) Dolbina elegans (A.Bang-Haas,1912)** (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,1912; *steffensi* Popescu-Gorj,1971.
- 4559) Hemaris (Cochrania) croatica (Esper,[1779])** (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 4560) Hemaris (Eitschbergera) tityus (Linnaeus,1758)** (Sphingidae) Synonym(s): *tityus* Linnaeus,1758; *bombyliiformis* Linnaeus,1758; *knautiae* Zeller,1869; *scabiosae* Zeller,1869; *alajana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; *#tityrus* De Freina,1983; *saldaitisi* Eitschberger, Danner & Surholt,1998
- 4561) Hemaris (s.str.) dentata (Staudinger,1887)** (Sphingidae) Synonym(s): *dentata* Staudinger,1887
- 4562) Hemaris (s.str.) syra (Daniel,1939)** (Sphingidae) Synonym(s): *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005
- 4563) Hippotion celerio (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrousier,1864

- 4564) Hyles conspicua (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan,1903.
- 4565) Hyles gallii (Rottemburg,1775)** (Sphingidae) Synonym(s): *gallii* Rottemburg,1775; *intermedia* Kirby,1837; *oxybaphi* Clemens,1859; *gallii* Kirby,1892; *sachaliensis* Matsumura,1929; *nepalensis* Daniel,1961; *tibetanica* Eichler,1971.
- 4566) Hyles hippophaes (Esper,[1789])** (Sphingidae) Synonym(s): *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsaftikis,1974; *#hippophaeas* De Freina,1981
- 4567) Hyles livornica (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 4568) Hyles nicaea (Prunner,1798)** (Sphingidae) Synonym(s): *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]; *#nicea* De Freina,1981
- 4569) Hyles siehei (Püngeler,1903)** (Sphingidae) Synonym(s): *siehei* Püngeler,1903; *#privata* Austaut,1905.
- 4570) Hyles vespertilio (Esper,[1780])** (Sphingidae) Synonym(s): *vespertilio* Esper,[1780].
- 4571) Hyles zygophylli (Ochsenheimer,1808)** (Sphingidae) Synonym(s): *zygophylli* Ochsenheimer,1808; *jaxartis* Frorreich,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996.
- 4572) Laothoe populeti (Bienert,[1870])** (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 4573) Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 4574) Marumba quercus ([Denis & Schiffermüller],1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescent* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973.
- 4575) Mimas tiliae (Linnaeus,1758)** (Sphingidae) Synonym(s): *tiliae* Linnaeus,1758
- 4576) Proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermülleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
- 4577) Rethera brandti O.Bang-Haas,1937** (Sphingidae) Synonym(s): *brandti* O.Bang-Haas,1937
- 4578) Rethera komarovi (Christoph,1885)** (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
- 4579) Smerinthus kindermanni Lederer,1852** (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917
- 4580) Smerinthus ocellatus (Linnaeus,1758)** (Sphingidae) Synonym(s): *ocellatus* Linnaeus,1758
- 4581) Sphingonaepiopsis gorgoniades (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] *nec* Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 4582) Sphinx ligustri Linnaeus,1758** (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998
- 4583) Sphinx pinastri Linnaeus,1758** (Sphingidae) Synonym(s): *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987.
- 4584) Theretra alecto (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.

STATHMOPODIDAE

- 4585) Tortilia graeca Kasy,1981** (Stathmopodidae) Synonym(s): *graeca* Kasy,1981

THAUMETOPOEIDAE

- 4586) Thaumetopoea (Traumatocampa) ispartaensis (M.Doğanlar & Avcı,2001)** (Thaumetopoeidae) Synonym(s): *ispartaensis* M.Doğanlar & Avcı,2001
- 4587) Thaumetopoea (Traumatocampa) pinivora Treitschke,1834** (Thaumetopoeidae) Synonym(s): *pinivora* Treitschke,1834
- 4588) Thaumetopoea (Traumatocampa) pityocampa ([Denis & Schiffermüller],1775)** (Thaumetopoeidae) Synonym(s): *#pityocampa* [Denis & Schiffermüller],1775; *ceballosi* Agenjo,1941
- 4589) Thaumetopoea (Traumatocampa) sedirica (M.Doğanlar,2005)** (Thaumetopoeidae) Synonym(s): *sedirica* M.Doğanlar,2005; *#sediria* M.Doğanlar,2005

- 4590) *Thaumetopoea (Traumatocampa) torosica* (M.Doğanlar,2005)** (Thaumetopoeidae)
Synonym(s): *torosica* M.Doğanlar,2005
- 4591) *Thaumetopoea (Traumatocampa) wilkinsoni* Tams,1925** (Thaumetopoeidae) Synonym(s):
wilkinsoni Tams,1925
- 4592) *Thaumetopoea (s.str.) libanotica* Kiriakoff & Talhouk,1975** (Thaumetopoeidae)
Synonym(s): *libanotica* Kiriakoff & Talhouk,1975
- 4593) *Thaumetopoea (s.str.) processionea* (Linnaeus,1758)** (Thaumetopoeidae) Synonym(s):
processionea Linnaeus,1758; *pseudosolitaria* Daniel,1951.
- 4594) *Thaumetopoea (s.str.) solitaria* (Freyer,[1838])** (Thaumetopoeidae) Synonym(s): *solitaria*
Freyer,[1838]

THYATIRIDAE

- 4595) *Achlya flavicornis* (Linnaeus,1758)** (Thyatiridae) Synonym(s): *flavicornis* Linnaeus,1758; *cinerea*
Hufnagel,1766; *sulphureomaculata* Retzius,1783; *arcuata* Fourcroy,1785; *luteicornis* Haworth,1809; *finmarchica*
Schöyen,1881; *meridionalis* Wolfsberger,1968
- 4596) *Asphalia ruficollis* (Fabricius,1787)** (Thyatiridae) Synonym(s): *#ruficollis* [Denis &
Schifferrmüller],1775; *ruficollis* Fabricius,1787
- 4597) *Cymatophorima diluta* ([Denis & Schifferrmüller],1775)** (Thyatiridae) Synonym(s): *diluta*
[Denis & Schifferrmüller],1775; *fasciculosa* Borkhausen,1790; *bistrigata* Borkhausen,1790; *hartwiegi* Reisser,1927
- 4598) *Habrosyne pyritoides* (Hufnagel,1766)** (Thyatiridae) Synonym(s): *pyritoides* Hufnagel,1766;
derasa Linnaeus,1767; *gloriosa* Boissduval,1852; *intermedia* Bremer,1864
- 4599) *Polyplocia korbi* Rebel,1901** (Thyatiridae) Synonym(s): *korbi* Rebel,1901
- 4600) *Tethea ocularis* (Linnaeus,1767)** (Thyatiridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena*
Esper,1788; *kosswigi* Werny,[1967]; *caucasica* Werny,[1967] nec Krul.,1901
- 4601) *Tethea or* ([Denis & Schifferrmüller],1775)** (Thyatiridae) Synonym(s): *#or* [Denis &
Schifferrmüller],1775; *gammaeae* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 nec
Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata*
Warnecke,1911; *nigrescens* Werny,[1967]
- 4602) *Thyatira batis* (Linnaeus,1758)** (Thyatiridae) Synonym(s): *batis* Linnaeus,1758; *indecorata*
Turner,1926; *albopunctata* Spuler,1908; *confluens* Marschner,1908; *derosea* Maurer,1909; *conflua* Rebel,1910;
japonica Werny,[1967]; *mandschurica* Werny,[1967]
- 4603) *Thyatira hedemanni* Christoph,1885** (Thyatiridae) Synonym(s): *hedemanni* Christoph,1885;
elbursina Werny,[1967]

THYRIDAE

- 4604) *Thyris fenestrella* (Scopoli,1763)** (Thyridae) Synonym(s): *fenestrella* Scopoli,1763; *fenestrina*
[Denis & Schifferrmüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801;
nevadae Oberthür,1888; *nigra* A.Bang-Haas,1910.

TINEIDAE

- 4605) *Anemapogon gliriella* (Heyden,1865)** (Tineidae) Synonym(s): *gliriella* Heyden,1865; *cachetiellus*
Zagulyaev,1963; *cacheticus* Zagulyaev,1964; *ibericus* Zagulyaev,1968
- 4606) *Anemapogon quercicolella* (Zeller,1852)** (Tineidae) Synonym(s): *quercicolellus* Zeller,1852
- 4607) *Anemapogon teberdella* (Zagulyaev,1963)** (Tineidae) Synonym(s): *teberdellus* Zagulyaev,1963;
georgiellus Zagulyaev,1963; *teberdensis* Zagulyaev,1964; *georgicus* Zagulyaev,1964.
- 4608) *Ateliotum hungaricellum* Zeller,1839** (Tineidae) Synonym(s): *hungaricellum* Zeller,1839;
cypellias Meyrick,1937
- 4609) *Ateliotum petrinellum* (Herrich-Schäffer,1853)** (Tineidae) Synonym(s): *petrinella* Herrich-
Schäffer,1853; *turatiella* Millière,1886
- 4610) *Ateliotum syriacum* (Caradja,1920)** (Tineidae) Synonym(s): *syriacum* Caradja,1920
- 4611) *Ateliotum taurensis* Zagulyaev,1966** (Tineidae) Synonym(s): *taurensis* Zagulyaev,1966
- 4612) *Cephimallota angusticostella* (Zeller,1839)** (Tineidae) Synonym(s): *angusticostella* Zeller,1839;
libanotica G.Petersen,1959; *hasarorum* Zagulyaev,1965
- 4613) *Cephimallota crassiflavella* (Bruand,1851)** (Tineidae) Synonym(s): *crassiflavella* Bruand,1851;
simplicella Zeller,1852.
- 4614) *Cephimallota praetoriella* (Christoph,1872)** (Tineidae) Synonym(s): *praetoriella*
Christoph,1872; *uralskella* Caradja,1920.
- 4615) *Cephimallota tunesiella* (Zagulyaev,1966)** (Tineidae) Synonym(s): *tunesiella* Zagulyaev,1966

- 4616) *Ceratuncus affinitellus* (Rebel,1901)** (Tineidae) Synonym(s): *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951.
- 4617) *Ceratuncus danubiellus* (Mann,1866)** (Tineidae) Synonym(s): *danubiellus* Mann,1866
- 4618) *Crypsithyris turcica* Gaedike,2007** (Tineidae) Synonym(s): *turcica* Gaedike,2007
- 4619) *Dryadaula minuta* Gaedike,2007** (Tineidae) Synonym(s): *minuta* Gaedike,2007
- 4620) *Edosa lardatella* (Lederer,1858)** (Tineidae) Synonym(s): *lardatella* Lederer,1858
- 4621) *Elatobia bugrai* Koçak,1981** (Tineidae) Synonym(s): *atrattella* Staudinger,1870 *nec* Fourcr.,1785; *bugrai* Koçak,1981.
- 4622) *Elatobia fuliginosella* (Lienig & Zeller,1846)** (Tineidae) Synonym(s): *fuliginosella* Lienig & Zeller,1846
- 4623) *Episcardia* (Bilobatana) *fuscoviolacella* (Ragonot,1895)** (Tineidae) Synonym(s): *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935.
- 4624) *Eudarcia* (Abchagleris) *glaseri* (G.Petersen,1967)** (Tineidae) Synonym(s): *glaseri* G.Petersen,1967
- 4625) *Eudarcia* (Obesoceras) *forsteri* G.Petersen,1964** (Tineidae) Synonym(s): *forsteri* G.Petersen,1964
- 4626) *Eudarcia* (Obesoceras) *turcica* Gaedike,1997** (Tineidae) Synonym(s): *turcica* Gaedike,1997
- 4627) *Euplocamus anthracinalis* (Scopoli,1763)** (Tineidae) Synonym(s): *anthracinalis* Scopoli,1763; *anthracinella* [Denis & Schiffermüller],1775; *fuesslinella* Sulzer,1776; *guttella* Fabricius,1781; *anthracina* Borkhausen,1793; *fuesslinaria* Esper,[1801]; *guttatus* Latreille,1809; *monetellus* Lederer,1864; *amanalis* Osthelder,1935.
- 4628) *Euplocamus delagrangi* Ragonot,1895** (Tineidae) Synonym(s): *delagrangi* Ragonot,1895; *#delagrangeri* Gaedike,2011
- 4629) *Euplocamus ophius* (Cramer,[1779])** (Tineidae) Synonym(s): *ophius* Cramer,[1779]
- 4630) *Fermocelina latiusculella* (Stainton,1867)** (Tineidae) Synonym(s): *latiusculella* Stainton,1867
- 4631) *Haplotinea ditella* (Pierce & Diakonoff,1938)** (Tineidae) Synonym(s): *ditella* Pierce & Diakonoff,1938
- 4632) *Hapsifera luridella* Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949
- 4633) *Hapsifera multiguttella* (Ragonot,1895)** (Tineidae) Synonym(s): *multiguttella* Ragonot,1895; *jerichoella* Amsel,1935.
- 4634) *Infurcitinea albicomella* (Stainton,1851)** (Tineidae) Synonym(s): *albicomella* Stainton,1851; *albicapilla* Zeller,1852; *luridella* Jäckh,1959; *raetica* Zagulyaev,1974.
- 4635) *Infurcitinea anatolica* G.Petersen,1968** (Tineidae) Synonym(s): *anatolica* G.Petersen,1968
- 4636) *Infurcitinea frustigerella* (Walsingham,1907)** (Tineidae) Synonym(s): *frustigerella* Walsingham,1907; *absconditella* Chrétien,1915.
- 4637) *Infurcitinea graeca* Gaedike,1983** (Tineidae) Synonym(s): *graeca* Gaedike,1983; *graeca* G.Petersen & Gaedike,1983
- 4638) *Infurcitinea nedae* Gaedike,1983** (Tineidae) Synonym(s): *nedae* Gaedike,1983; *nedae* Baldizzone,1983
- 4639) *Infurcitinea nigropluviella* (Walsingham,1907)** (Tineidae) Synonym(s): *nigropluviella* Walsingham,1907; *maraschensis* G.Petersen,1968.
- 4640) *Infurcitinea rumelicella* (Rebel,1903)** (Tineidae) Synonym(s): *rumelicella* Rebel,1903
- 4641) *Infurcitinea tauridella* G.Petersen,1968** (Tineidae) Synonym(s): *tauridella* G.Petersen,1968; *juliae* Satschkov,1995.
- 4642) *Infurcitinea tribertii* Gaedike,1983** (Tineidae) Synonym(s): *tribertii* Gaedike,1983; *tribertii* Baldizzone,1983.
- 4643) *Infurcitinea turcica* G.Petersen,1968** (Tineidae) Synonym(s): *turcica* G.Petersen,1968
- 4644) *Lichenotinea pustulatella* (Zeller,1852)** (Tineidae) Synonym(s): *pustulatella* Zeller,1852; *igaloensis* Amsel,1951
- 4645) *Monopis crocicapitella* (Clemens,1859)** (Tineidae) Synonym(s): *crocicapitella* Clemens,1859; *amandatella* Walker,1863; *hyalinella* Staudinger,1870; *lombardica* Hering,1889; *heringi* Richardson,1893; *ptilophaga* Enderlein,1909; *prometopias* Gye,1913; *ceconii* Turati,1919; *dobrogica* Georgescu,1964
- 4646) *Monopis imella* (Hübner,[1813])** (Tineidae) Synonym(s): *imella* Hübner,[1813]; *nitidella* Zagulyaev,1960.
- 4647) *Monopis laevigella* ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *laevigella* [Denis & Schiffermüller],1775; *rusticella* Hübner,1796; *rustica* Haworth,[1828]; *saturella* Haworth,[1828].
- 4648) *Monopis meleodes* Meyrick,1917** (Tineidae) Synonym(s): *meleodes* Meyrick,1917
- 4649) *Monopis obviella* ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *obviella* [Denis & Schiffermüller],1775; *ferruginella* Hübner,[1813] *nec* Thunberg,1788; *splendella* Hübner,[1813] *nec* [Denis & Schiffermüller],1775.
- 4650) *Montescardia tessulatellus* (Lienig & Zeller,1846)** (Tineidae) Synonym(s): *tessulatellus* Lienig & Zeller,1846

- 4651) Morophaga (choragella-gr.) choragella ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *choragella* [Denis & Schiffermüller],1775; *boleti* Fabricius,1777; *fungella* Thunberg,1794; *mediella* Hübner,1796
- 4652) Morophaga (morella-gr.) morella (Duponchel,1838)** (Tineidae) Synonym(s): *morella* Duponchel,1838; *#fungicolella* Dumont,1930
- 4653) Myrmecozela (Flavida) lutosella (Eversmann,1844)** (Tineidae) Synonym(s): *lutosella* Eversmann,1844; *gigantea* Christoph,1873; *centrogramma* Meyrick,1921; *insignis* Amsel,1935; *stichograpta* Meyrick,1936
- 4654) Myrmecozela (Promasia) parnassiella (Rebel,1915)** (Tineidae) Synonym(s): *parnassiella* Rebel,1915
- 4655) Nemapogon anatolica Gaedike,1986** (Tineidae) Synonym(s): *anatolica* Gaedike,1986
- 4656) Nemapogon arcella (Fabricius,1777)** (Tineidae) Synonym(s): *arcella* Fabricius,1777; ? *niveella* Fabricius,1777; *clematella* Fabricius,1781; *repandella* Hübner,[1799]; *clematea* Haworth,1828; *auritinctella* Wallengren,1852
- 4657) Nemapogon arenbergeri Gaedike,1986** (Tineidae) Synonym(s): *arenbergeri* Gaedike,1986
- 4658) Nemapogon cloacella (Haworth,[1828])** (Tineidae) Synonym(s): *cloacella* Haworth,[1828]; *infimella* Herrich-Schäffer,1851.
- 4659) Nemapogon granella (Linnaeus,1758)** (Tineidae) Synonym(s): *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763 (*praeocc.*); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873; *fuscomaculella* Chambers,1875; *mancuniella* Hodgkinson,1880; *nigroatomella* Dietz,1905; *fusciomella* Wörz,1958
- 4660) Nemapogon gravosaella G.Petersen,1957** (Tineidae) Synonym(s): *gravosaellus* G.Petersen,1957; *signatellus* G.Petersen,1960; *borshomi* Zagulyaev,1964.
- 4661) Nemapogon grossi Gaedike,2007** (Tineidae) Synonym(s): *grossi* Gaedike,2007
- 4662) Nemapogon hungarica Gozmany,1960** (Tineidae) Synonym(s): *hungaricus* Gozmany,1960; *pliginskii* Zagulyaev,1963.
- 4663) Nemapogon inconditella (Lucas,1956)** (Tineidae) Synonym(s): *inconditella* Lucas,1956; *buckwelli* Lucas,1956; *heydeni* G.Petersen,1957; *hispanellus* Gozmany,1960; *thomasi* Capuşe,1975.
- 4664) Nemapogon kasyi Gaedike,1986** (Tineidae) Synonym(s): *kasyi* Gaedike,1986.
- 4665) Nemapogon levantina G.Petersen,1961** (Tineidae) Synonym(s): *levantinus* G.Petersen,1961
- 4666) Nemapogon reisseri G.Petersen & Gaedike,1983** (Tineidae) Synonym(s): *reisseri* G.Petersen & Gaedike,1983.
- 4667) Nemapogon ruricolella (Stainton,1859)** (Tineidae) Synonym(s): *ruricolella* Stainton,1859; *cochylidella* Stainton,1854.
- 4668) Nemapogon scutifera Gaedike,2007** (Tineidae) Synonym(s): *scutifera* Gaedike,2007
- 4669) Nemapogon signatella G.Petersen,1957** (Tineidae) Synonym(s): *signatellus* G.Petersen,1957
- 4670) Nemapogon variatella (Clemens,1859)** (Tineidae) Synonym(s): *variata* Clemens,1859; *personella* Pierce & Metcalf,1934; *secalella* Zacher,1938; *infimella* Corbet,1943.
- 4671) Nemapogon vartianae Gaedike,1986** (Tineidae) Synonym(s): *vartianae* Gaedike,1986
- 4672) Neurothaumasia ankerella (Mann,1867)** (Tineidae) Synonym(s): *ankerella* Mann,1867; *geratocoma* Walsingham,1907; *nigratella* Chrétien,1917; *burdigalensis* Le Marchand,1934; *tirsella* Amsel,1952;
- 4673) Neurothaumasia macedonica G.Petersen,1962** (Tineidae) Synonym(s): *macedonica* G.Petersen,1962; *inornata* G.Petersen,1966
- 4674) Niditinea fuscella (Linnaeus,1758)** (Tineidae) Synonym(s): *fuscella* Linnaeus,1758; *spretella* [Denis & Schiffermüller],1775; *crinitella* Schrank,1802; *fuscipunctella* Haworth,[1828]; *nubilipennella* Clemens,1859; *abligatella* Walker,1863; *eurinella* Zagulyaev,1952; *distans* Gozmany,1959.
- 4675) Niditinea striolella (Matsumura,1931)** (Tineidae) Synonym(s): *striolella* Matsumura,1931; *semidivisa* Meyrick,1934; *piercella* Bentineck,1935; *ignotella* Zagulyaev,1956; *distinguenda* G.Petersen,1957; *pacifella* Zagulyaev,1960
- 4676) Niditinea tugurialis (Meyrick,1932)** (Tineidae) Synonym(s): *tugurialis* Meyrick,1932; *unipunctella* Zagulyaev,1960
- 4677) Novotinea fasciata (Staudinger,1879)** (Tineidae) Synonym(s): *fasciata* Staudinger,1879
- 4678) Perissomastix (Aphrodoxa) wiltshirella (G.Petersen,1964)** (Tineidae) Synonym(s): *wiltshirella* G.Petersen,1964
- 4679) Perissomastix (s.str.) biskraella (Rebel,1901)** (Tineidae) Synonym(s): *biskraella* Rebel,1901; *intermediella* Turati,1926.
- 4680) Perissomastix (s.str.) crassicornella (Zeller,1847)** (Tineidae) Synonym(s): *crassicornella* Zeller,1847
- 4681) Petalographis Zagulyaev,1962** (Tineidae) Synonym(s): *Petalographis* Zagulyaev,1962
- 4682) Petalographis orientalis (G.Petersen,1961)** (Tineidae) Synonym(s): *orientalis* G.Petersen,1961
- 4683) Praelongicera palaestinella (Amsel,1956)** (Tineidae) Synonym(s): *palaestinella* Amsel,1956
- 4684) Proterospastis merdella (Zeller,1852)** (Tineidae) Synonym(s): *merdella* Zeller,1852; *siccanella* Chrétien,1915; *palaestinella* Amsel,1935.
- 4685) Reisserita chrysopterella (Herrich-Schäffer,[1854])** (Tineidae) Synonym(s): *chrysopterella* Herrich-Schäffer,[1854]; *vitellinella* Staudinger,1859

- 4686) Reisserita relicinella (Zeller,1839)** (Tineidae) Synonym(s): *relicinella* Zeller,1839
- 4687) Rhodobates laevigatellus (Herrich-Schäffer,[1854])** (Tineidae) Synonym(s): *laevigatellus* Herrich-Schäffer,[1854].
- 4688) Rhodobates pallipalpellus Rebel,1901** (Tineidae) Synonym(s): *pallipalpellus* Rebel,1901; *atactopis* Meyrick,1937.
- 4689) Tinea basifasciella Ragonot,1895** (Tineidae) Synonym(s): *basifasciella* Ragonot,1895; *punctigera* Walsingham,1907; *nitentella* Chrétien,1908; *palaestinisensis* Amsel,1955; *#basifasciella* Gaedike,2011
- 4690) Tinea columburiella Wocke,1877** (Tineidae) Synonym(s): *columburiella* Wocke,1877
- 4691) Tinea murariella Staudinger,1859** (Tineidae) Synonym(s): *murariella* Staudinger,1859; *bipunctella* Ragonot,1874.
- 4692) Tinea pellionella Linnaeus,1758** (Tineidae) Synonym(s): *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] *nec* Thunb.,1788; *demiurga* Meyrick,1920; *gerasimovi* Zagulyaev,1978.
- 4693) Tinea translucens Meyrick,1917** (Tineidae) Synonym(s): *translucens* Meyrick,1917; *metonella* Pierce & Metcalfe,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *forficata* Gozmany,1968.
- 4694) Tinea trinotella Thunberg,1794** (Tineidae) Synonym(s): *trinotella* Thunberg,1794; *ganomella* Treitschke,1833; *lappella* auct.
- 4695) Tineola bisselliella (Hummel,1823)** (Tineidae) Synonym(s): *flavifrontella* Thunberg,1794 *nec* [Denis & Schiff.],1775; *bisselliella* Hummel,1823; *crinella* Sodoffsky,1830; *destructor* Stephens,1834; *lanariella* Clemens,1859; *furciferella* Zagulyaev,1954.
- 4696) Triaxomera fulvimitrella (Sodoffsky,1830)** (Tineidae) Synonym(s): *fulvimitrella* Sodoffsky,1830
- 4697) Triaxomera parasitella (Hübner,1796)** (Tineidae) Synonym(s): *parasitella* Hübner,1796
- 4698) Trichophaga bipartitella (Ragonot,1892)** (Tineidae) Synonym(s): *abruptella* Wollaston,1858 (*praeocc.*); *bipartitella* Ragonot,1892; *desertella* Mabilie,1907; *amina* Meyrick,1925
- 4699) Trichophaga tapetzella (Linnaeus,1758)** (Tineidae) Synonym(s): *tapetzella* Linnaeus,1758; *pulchella* Fabricius,1794; *pulchana* Fabricius,1798; *#tapezana* Fabricius,1798; *#tapetiella* Zeller,1839; *palaestrica* Butler,1877
- 4700) Wegneria panchalcella (Staudinger,1871)** (Tineidae) Synonym(s): *panchalcella* Staudinger,1871
- 4701) Coptotriche angusticollella (Duponchel,1843)** (Tischeriidae) Synonym(s): *angusticollella* Duponchel,1843; *aurifrontella* Ragonot,1874.

TISCHERIIDAE

- 4702) Coptotriche marginea (Haworth,[1828])** (Tischeriidae) Synonym(s): *marginea* Haworth,[1828]
- 4703) Tischeria ekebladella (Bjerkander,1795)** (Tischeriidae) Synonym(s): *ekebladella* Bjerkander,1795; *complanella* Hübner,[1817].

TORTRICIDAE

- 4704) "Argyroplote" ottomana Obraztsov,1952** (Tortricidae) Synonym(s): *ottomana* Obraztsov,1952
- 4705) Acleris boscanoides Razowski,1959** (Tortricidae) Synonym(s): *boscanoides* Razowski,1959
- 4706) Acleris comariana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *comariana* Lienig & Zeller,1846; *proteana* Herrich-Schäffer,1851; *potentillana* Wilkinson,1859.
- 4707) Acleris cristana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *cristana* [Denis & Schiffermüller],1775; *rossiana* Fabricius,1794; *desfontainana* Fabricius,1794; *profanana* Fabricius,1794; *ephippiana* Donovan,1794; *sericana* Hübner,[1799]; *spadiceana* Haworth,1811; *ruficostana* Curtis,1824; *brunneana* Stephens,1834; *vittana* Stephens,1834; *consimilana* Stephens,1834; *albovittana* Stephens,1834; *lefebriana* Duponchel,1835; *lichenana* Curtis,1835; *semiustana* Curtis,1835; *sequana* Curtis,1835; *subcristalana* Curtis,1835; *insulana* Curtis,1835; *bentleyana* Curtis,1835; *alboflammana* Curtis,1835; *chantana* Curtis,1835; *ruficristana* Johnson,1842; *gumpinana* Johnson,1842; *unicolorana* Desvignes,1845; *curtisana* Desvignes,1845.
- 4708) Acleris hastiana (Linnaeus,1758)** (Tortricidae) Synonym(s): *hastiana* Linnaeus,1758; *coronana* Thunberg,1784; *borana* Fabricius,1787; *liberana* Fabricius,1787; *byringerana* Hübner,1793; *blomiana* Thunberg,1797; *stickmanniana* Thunberg,1797; *radiana* Hübner,[1799]; *albistriana* Haworth,1811; *eximiana* Haworth,1811; *aquilana* Hübner,[1813]; *divisana* Hübner,[1813]; *combustana* Hübner,[1813]; *autumnana* Hübner,[1817]; *bollingerana* Hübner,[1825]; *veterana* Hübner,[1825]; *leprosana* Frölich,1828; *mayrana* Geyer,[1833]; *ramostriana* Stephens,1834; *centrovittana* Stephens,1834; *subcristana* Stephens,1834; *obsoletana* Stephens,1834; *leacheana* Curtis,1835; *leucophaeana* Humpreys & Westwood,1845; *basilineana* Peyerimhoff,1863.
- 4709) Acleris kochiella (Goeze,1783)** (Tortricidae) Synonym(s): *kochiella* Goeze,1783; *ternatella* Fourcroy,1785; *boscana* Fabricius,1794; *cerusana* Hübner,[1799]; *ulmana* Duponchel,1836; *parisiana* Guenée,1845.
- 4710) Acleris lacordairana (Duponchel,1836)** (Tortricidae) Synonym(s): *lacordairana* Duponchel,1836; *obtusana* Eversmann,1844; *dissonana* Herrich-Schäffer,1851; *roxana* Razowski & Yasuda,1964.

- 4711) *Acleris literana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *literana* Linnaeus,1758; *squamana* Fabricius,1775; *aspersana* [Denis & Schiffermüller],1775; *romanana* Fabricius,1787; *squamulana* Hübner,1793; *irrorana* Hübner,[1799]; *tricolorana* Haworth,1811; *abjectana* Hübner,[1825]; *aerugana* Hübner,[1825]; *fulvomixtana* Stephens,1834; *suavana* Herrich-Schäffer,1851.
- 4712) *Acleris logiana* (Clerck,1759)** (Tortricidae) Synonym(s): *logiana* Clerck,1759; *treueriana* Denis & Schiffermüller,1775; *niveana* Fabricius,1787; *mulzeriana* Hübner,[1825]; *scotana* Stephens,1852; *placidana* Robinson,1869; *trisignana* Robinson,1869.
- 4713) *Acleris notana* (Donovan,1806)** (Tortricidae) Synonym(s): *tripunctana* Hübner,1799 nec [Denis & Schiff.],1775; *notana* Donovan,1806.
- 4714) *Acleris osthelderi* Obratzsov,1949** (Tortricidae) Synonym(s): *osthelderi* Obratzsov,1949
- 4715) *Acleris permutana* (Duponchel,1836)** (Tortricidae) Synonym(s): *permutana* Duponchel,1836; *permutatana* Herrich-Schäffer,1851.
- 4716) *Acleris quercinana* (Zeller,1849)** (Tortricidae) Synonym(s): *quercinana* Zeller,1849; ? *mucidana* Peyerimhoff,1874
- 4717) *Acleris rhombana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *rhombana* [Denis & Schiffermüller],1775; *reticulata* Ström,1783; *centrana* Fabricius,1794; *contaminana* Hübner,[1799]; *ciliana* Hübner,[1799]; *obscurana* Donovan,1806 nec Schr.,1802; *dimidiana* Frölich,1828.
- 4718) *Acleris scabrana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *scabrana* [Denis & Schiffermüller],1775; *elevana* Fabricius,1787; *psorana* Frölich,1828.
- 4719) *Acleris schalleriana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *schalleriana* Linnaeus,1761; *hirundana* Thunberg,1791; *tristana* Hübner,[1799]; *castaneana* Haworth,1811; *plumbosana* Haworth,1811; *falsana* Hübner,[1825]; *germarana* Frölich,1828; *trigonana* Stephens,1834; *semirhombana* Curtis,1835; *violaceana* Guenée,1845; *erutana* Herrich-Schäffer,1851.
- 4720) *Acleris sparsana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *sparsana* [Denis & Schiffermüller],1775; *sponsana* Fabricius,1787; *halliana* Thunberg,1791; *roborana* Fabricius,1794; *favillaceana* Hübner,[1799]; *reticulana* Haworth,1811; *fagana* Curtis,1835; *longepartitana* Bruand,1850; *malivorana* Ragonot,1875; *pyriivorana* Ragonot,1875.
- 4721) *Acleris undulana* (Walsingham,1900)** (Tortricidae) Synonym(s): *undulana* Walsingham,1900; *coprana* Walsingham,1900; *aphorista* Meyrick,1923; *subcoprana* Obratzsov,1956
- 4722) *Acleris variegana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851.
- 4723) *Aethes argyrosipila* Karisch,2005** (Tortricidae) Synonym(s): *argyrosipila* Karisch,2005
- 4724) *Aethes bilbaensis* (Rössler,1877)** (Tortricidae) Synonym(s): *bilbaensis* Rössler,1877; *loxopteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923.
- 4725) *Aethes capnospila* (Meyrick,1912)** (Tortricidae) Synonym(s): *capnospila* Meyrick,1912
- 4726) *Aethes caucasica* (Amsel,1959)** (Tortricidae) Synonym(s): *caucasica* Amsel,1959; *elsana* Razowski,1961; #*caucasia* Brown,2005.
- 4727) *Aethes cremonana* (Ragonot,1894)** (Tortricidae) Synonym(s): *cremonana* Ragonot,1894
- 4728) *Aethes deaurana* (Peyerimhoff,1877)** (Tortricidae) Synonym(s): *deaurana* Peyerimhoff,1877; *fusciella* Turati,1924.
- 4729) *Aethes dilucidana* (Stephens,1852)** (Tortricidae) Synonym(s): *dilucidana* Stephens,1852
- 4730) *Aethes eryngiella* (Vallot,1829)** (Tortricidae) Synonym(s): *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helvticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952.
- 4731) *Aethes francillana* (Fabricius,1794)** (Tortricidae) Synonym(s): *francillana* Fabricius,1794; *francillonana* Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920.
- 4732) *Aethes hartmanniana* (Clerck,1759)** (Tortricidae) Synonym(s): *lyonetella* Linnaeus,1758; #*hartmanniana* Clerck,1759; *wiedemannella* Müller,1764; *baumanniana* [Denis & Schiffermüller],1775; *allioniana* De Villers,1789; *avellana* Hübner,1822; *subbaumanniana* Wilkinson,1859; *murciana* Caradja,1916; *excelsior* Schawerda,1920.
- 4733) *Aethes iranica* Razowski,1963** (Tortricidae) Synonym(s): *iranica* Razowski,1963
- 4734) *Aethes kasyi* Razowski,1962** (Tortricidae) Synonym(s): *kasyi* Razowski,1962
- 4735) *Aethes kindermanniana* (Treitschke,1830)** (Tortricidae) Synonym(s): *kindermanniana* Treitschke,1830
- 4736) *Aethes margaritana* (Haworth,[1811])** (Tortricidae) Synonym(s): *margaritana* Haworth,[1811]; *dipoltella* Hübner,[1813].
- 4737) *Aethes margaritifera* Falkovitsh,1963** (Tortricidae) Synonym(s): *margaritifera* Falkovitsh,1963
- 4738) *Aethes margarotana* (Duponchel,1836)** (Tortricidae) Synonym(s): *margarotana* Duponchel,1836; *maritimana* Guenée,1845; *parallelana* Kennel,1913; *edrisitana* Chrétien,1922; *paronyma* Meyrick,1932.
- 4739) *Aethes mauritanica* (Walsingham,1898)** (Tortricidae) Synonym(s): *mauritanica* Walsingham,1898; #*mauretanica* Kennel,1910; *cornelia* Turati,1924; *albella* Amsel,1952.
- 4740) *Aethes moribundana* (Staudinger,1859)** (Tortricidae) Synonym(s): *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.

- 4741) Aethes munda Karisch, 2003** (Tortricidae) Synonym(s): *munda* Karisch, 2003
- 4742) Aethes nefandana (Kennel, 1899)** (Tortricidae) Synonym(s): *nefandana* Kennel, 1899; *diacrisiana* Rebel, 1903; *chersonana* Obratsov, 1937.
- 4743) Aethes pannosana (Kennel, 1913)** (Tortricidae) Synonym(s): *pannosana* Kennel, 1913
- 4744) Aethes sanguinana (Treitschke, 1830)** (Tortricidae) Synonym(s): *sanguinana* Treitschke, 1830; *#sanguinea* Humpreys & Westwood, 1845; *#sanguinella* Bradley, Tremewan & Smith, 1973
- 4745) Aethes smeathmanniana (Fabricius, 1781)** (Tortricidae) Synonym(s): *smeathmanniana* Fabricius, 1781; *fabriciana* Hübner, [1799]; *biviana* Duponchel, 1842; *stachydana* Herrich-Schäffer, 1851; *scissana* Walker, 1863.
- 4746) Aethes speciosa Razowski, 1962** (Tortricidae) Synonym(s): *speciosa* Razowski, 1962
- 4747) Aethes spirana (Kennel, 1899)** (Tortricidae) Synonym(s): *spirana* Kennel, 1899
- 4748) Aethes tesserana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller], 1775; *aleella* Sulzer, 1776; *heiserana* Fabricius, 1787; *groendaliana* Thunberg, 1791.
- 4749) Aethes tornella (Walsingham, 1898)** (Tortricidae) Synonym(s): *tornella* Walsingham, 1898
- 4750) Aethes williana (Brahm, 1791)** (Tortricidae) Synonym(s): *williana* Brahm, 1791; *cembrana* Hübner, [1825]; *zephyrana* Treitschke, 1830; *dubrisana* Curtis, 1834; *marmoratana* Curtis, 1834; *luteolana* Stephens, 1834; *virginana* Guenée, 1845; *loriculana* Guenée, 1849; *costignata* Filipjev, 1926.
- 4751) Agapeta hamana (Linnaeus, 1758)** (Tortricidae) Synonym(s): *hamana* Linnaeus, 1758; *trigonana* [Denis & Schiffermüller], 1775; *citrinella* Fourcroy, 1785; *cruciana* Fabricius, 1787; *diversana* Hübner, 1793
- 4752) Agapeta zoegana (Linnaeus, 1767)** (Tortricidae) Synonym(s): *zoegana* Linnaeus, 1767; *cincta* Fourcroy, 1785; *flavella* Villers, 1789; *ferrugana* Haworth, [1811] nec [Denis & Schiff.], 1775; *#zaegana* Staudinger, 1879
- 4753) Aleimma loeflingianum (Linnaeus, 1758)** (Tortricidae) Synonym(s): *loeflingiana* Linnaeus, 1758; *mixtana* Fabricius, 1794; *plumbana* Hübner, [1799]; *ectypa* Hübner, [1800]; *plumbeolana* Haworth, 1811
- 4754) Ancylis achatana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *achatana* [Denis & Schiffermüller], 1775; *inarmorana* Hübner, [1799]; *stevani* Portchinskij, 1888
- 4755) Ancylis apicella ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *apicella* [Denis & Schiffermüller], 1775; *leeana* Fabricius, 1777; *plumbana* Fabricius, 1787; *siculana* Hübner, [1799]; *#alpina* Weber, 1936
- 4756) Ancylis badiana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *badiana* [Denis & Schiffermüller], 1775; *lundana* Fabricius, 1777.
- 4757) Ancylis comptana (Frölich, 1828)** (Tortricidae) Synonym(s): *comptana* Frölich, 1828; *conflexana* Walker, 1863; *pulchellana* Clemens, 1864; *lamiana* Clemens, 1864; *fragariae* Walsh & Riley, 1869; *floridana* Zeller, 1875; *amblygona* Zeller, 1875; *cometana* Walsingham, 1879; *sculpta* Meyrick, 1922
- 4758) Ancylis geminana (Donovan, 1806)** (Tortricidae) Synonym(s): *geminana* Donovan, 1806; *cuspidana* Treitschke, 1830; *biarcuana* Stephens, 1834; *crenana* Duponchel, 1835; *subarcuana* Douglas, 1847; *fluctigerana* Herrich-Schäffer, [1851]; *inornatana* Herrich-Schäffer, [1851]; *diminuatana* Kearfott, 1905
- 4759) Ancylis laetana (Fabricius, 1775)** (Tortricidae) Synonym(s): *laetana* Fabricius, 1775; *#lactana* Fabricius, 1781; *harpana* Hübner, [1799].
- 4760) Ancylis mitterbacheriana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *mitterbacheriana* [Denis & Schiffermüller], 1775; *subuncana* Haworth, 1811
- 4761) Ancylis obtusana (Haworth, [1811])** (Tortricidae) Synonym(s): *obtusana* Haworth, [1811]; *consobrinana* Curtis, 1831; *distortana* Guenée, 1845; *segmentana* Herrich-Schäffer, 1851
- 4762) Ancylis paludana (Barrett, 1871)** (Tortricidae) Synonym(s): *paludana* Barrett, 1871; *rhusana* Fuchs, 1903.
- 4763) Ancylis selenana (Guenée, 1845)** (Tortricidae) Synonym(s): *selenana* Guenée, 1845; *curvana* Zeller, 1849
- 4764) Ancylis transientana Filipjev, 1926** (Tortricidae) Synonym(s): *transientana* Filipjev, 1926
- 4765) Ancylis uncella ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *uncella* [Denis & Schiffermüller], 1775; *uncana* Hübner, [1799]; *subuncana* Krulikowsky, 1907
- 4766) Ancylis unculana (Haworth, [1811])** (Tortricidae) Synonym(s): *unculana* Haworth, [1811]; *derasana* Hübner, [1813].
- 4767) Aphelia (Zelothereses) euxina (Djakonov, 1929)** (Tortricidae) Synonym(s): *euxina* Djakonov, 1929; *regisborissi* Drenowski, 1931
- 4768) Aphelia (Zelothereses) icteratana (Staudinger, 1880)** (Tortricidae) Synonym(s): *icteratana* Staudinger, 1880
- 4769) Aphelia (Zelothereses) ignoratana (Staudinger, 1880)** (Tortricidae) Synonym(s): *ignoratana* Staudinger, 1880
- 4770) Aphelia (Zelothereses) imperfectana (Lederer, 1858)** (Tortricidae) Synonym(s): *imperfectana* Lederer, 1858; *ineffecta* Obratsov, 1968.
- 4771) Aphelia (Zelothereses) insincera (Meyrick, 1912)** (Tortricidae) Synonym(s): *insincera* Meyrick, 1912
- 4772) Aphelia (Zelothereses) ochreana (Hübner, [1799])** (Tortricidae) Synonym(s): *ferugana* Hübner, 1793 (homonym); *ochreana* Hübner, [1799]; *shaqlawana* Amsel, 1955; *chretieni* Obratsov, 1957

- 4773) *Aphelia (Zelotherses) paleana* (Hübner,1793)** (Tortricidae) Synonym(s): *paleana* Hübner,1793; *flavana* Hübner,[1799] nec Hübner,[1799]; *icterana* Fröhlich,1828; *intermediana* Herrich-Schäffer,1856 nec Heyd.,1851; *raebeli* Toll,1951
- 4774) *Aphelia* (s.str.) *viburniana* (Fabricius,1787)** (Tortricidae) Synonym(s): *#viburnana* [Denis & Schiffermüller],1775; *viburniana* Fabricius,1787
- 4775) *Apotomis capreana* (Hübner,[1817])** (Tortricidae) Synonym(s): *capreana* Hübner,[1817]; *sapporensis* Matsumura,1931
- 4776) *Archips crataeganus* (Hübner,[1799])** (Tortricidae) Synonym(s): *crataegana* Hübner,[1799]; *roborana* Hübner,[1799]
- 4777) *Archips podanus* (Scopoli,1763)** (Tortricidae) Synonym(s): *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,[1799]; *congenerana* Hübner,[1824]; *sauberiana* Sorhagen,1882; *vulpeculana* Fuchs,1903; *meridana* Kozlov & Esartia,1991
- 4778) *Archips rosanus* (Linnaeus,1758)** (Tortricidae) Synonym(s): *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834
- 4779) *Archips xylosteanus* (Linnaeus,1758)** (Tortricidae) Synonym(s): *xylosteana* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784; *densata* Fourcroy,1785; *densana* Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901
- 4780) *Argyrotaenia ljunghiana* (Thunberg,1797)** (Tortricidae) Synonym(s): *ljunghiana* Thunberg,1797; *sylvana* Hübner,[1799]; *pulchellana* Haworth,1811; *cognatana* Stephens,1852; *fuscociliana* Stephens,1852; *lepidana* Herrich-Schäffer,1854; *micantana* Lucas,1937.
- 4781) *Asketria cervinana* (Caradja,1916)** (Tortricidae) Synonym(s): *cervinana* Caradja,1916
- 4782) *Aterpia andereggana* Guenée,1845** (Tortricidae) Synonym(s): *andereggana* Guenée,1845; *spuriana* Herrich-Schäffer,1851
- 4783) *Aterpia flavens* Falkovitsh,1966** (Tortricidae) Synonym(s): *flavens* Falkovitsh,1966
- 4784) *Bactra (Chiloides) venosana* (Zeller,1847)** (Tortricidae) Synonym(s): *venosana* Zeller,1847; *truculenta* Meyrick,1909; *scythropa* Meyrick,1911; *geraropa* Meyrick,1932; *banosii* Gozmany,1960
- 4785) *Bactra* (s.str.) *furfurana* (Haworth,[1811])** (Tortricidae) Synonym(s): *furfurana* Haworth,[1811]; *gozmaniana* Toll,1958
- 4786) *Bactra* (s.str.) *lancealana* (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852
- 4787) *Bactra* (s.str.) *robustana* (Christoph,1872)** (Tortricidae) Synonym(s): *robustana* Christoph,1872; *griseana* A.M.Djakonov,1929; *grisea* A.M.Djakonov,1929; *scirpicolana* Pierce,1935
- 4788) *Barbara herrichiana* Obratzov,1960** (Tortricidae) Synonym(s): *herrichiana* Obratzov,1960
- 4789) *Barbara osmana* Obratzov,1952** (Tortricidae) Synonym(s): *osmana* Obratzov,1952
- 4790) *Cacoecimorpha pronubana* (Hübner,[1799])** (Tortricidae) Synonym(s): *pronubana* Hübner,[1799]; *ambustana* Fröhlich,1830; *herminiana* Treitschke,1835; *insolatana* Lucas,1848; *perochreana* Herrich-Schäffer,1856; *obsoletana* Strand,1901
- 4791) *Capricornia boisduvaliana* (Duponchel,1836)** (Tortricidae) Synonym(s): *boisduvaliana* Duponchel,1836
- 4792) *Celypha anatoliana* (Caradja,1916)** (Tortricidae) Synonym(s): *anatoliana* Caradja,1916
- 4793) *Celypha aurofasciana* (Haworth,[1811])** (Tortricidae) Synonym(s): *aurofasciana* Haworth,[1811]; *venustana* Fröhlich,1828; *dormoyana* Duponchel,1835; *grapholitana* Guenée,1845; *implicana* Offmann,1850; *paleana* Caradja,1916
- 4794) *Celypha cespitana* (Hübner,[1817])** (Tortricidae) Synonym(s): *?umbriana* Scopoli,1763; *cespitana* Hübner,[1817]; *gramineana* Curtis,1831; *poana* Zeller,1875
- 4795) *Celypha flavipalpana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *flavipalpana* Herrich-Schäffer,[1851]; *lobocasis* Meyrick,1936
- 4796) *Celypha rivulana* (Scopoli,1763)** (Tortricidae) Synonym(s): *rivulana* Scopoli,1763; *rivellana* Fabricius,1775; *fasciella* Goeze,1783; *undulatella* Fourcroy,1785; *conchana* Hübner,[1799]
- 4797) *Celypha rurestrana* (Duponchel,1843)** (Tortricidae) Synonym(s): *rurestrana* Duponchel,1843; *lucivagana* Lienig & Zeller,1846; *#rupestrana* Staudinger,1879; *kemnerana* Benander,1943.
- 4798) *Celypha striana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *striana* [Denis & Schiffermüller],1775; *rusticana* Hübner,[1799]; *biliturana* Donovan,1806; *fasciolana* Hübner,[1817].
- 4799) *Celypha woodiana* (Barrett,1882)** (Tortricidae) Synonym(s): *woodiana* Barrett,1882
- 4800) *Ceratoxanthia argentomixtana* (Staudinger,1870)** (Tortricidae) Synonym(s): *argentomixtana* Staudinger,1870
- 4801) *Choristoneura diversana* (Hübner,[1817])** (Tortricidae) Synonym(s): *diversana* Hübner,[1817]; *viduana* Fröhlich,1828; *transitana* Guenée,1845; *alfredana* Duponchel,1846
- 4802) *Choristoneura hebenstreitella* (Müller,1764)** (Tortricidae) Synonym(s): *hebenstreitella* Müller,1764; *pyrana* Villers,1789; *sorbiana* Hübner,[1799]
- 4803) *Choristoneura lafauryana* (Ragonot,1875)** (Tortricidae) Synonym(s): *lafauryana* Ragonot,1875; *inornatana* Walsingham,1900

- 4804) Choristoneura murinana (Hübner,[1799])** (Tortricidae) Synonym(s): *murinana* Hübner,[1799]; *caprimulgana* Koch,1859; *besseri* Nowicki,1860; *histrionana* Ratzeburg,1868 nec Fröl.,1828; *immaculana* Wachtl,1882
- 4805) Cirriphora pharaonana (Kollar,1858)** (Tortricidae) Synonym(s): *pharaonana* Kollar,1858
- 4806) Clavigesta tokei K.Larsen,2010** (Tortricidae) Synonym(s): *tokei* K.Larsen,2010
- 4807) Clepsis consimilana (Hübner,[1817])** (Tortricidae) Synonym(s): *consimilana* Hübner,[1817]; *unifasciana* Duponchel,1843; *productana* Zeller,1847; *obliterana* Herrich-Schäffer,1851; *peregrinana* Stephens,1852; *eatoniana* Ragonot,1881; *semiana* Chrétien,1915; *acclivana* Zerny,1933; *placida* Diakonoff,1948
- 4808) Clepsis dumicolana (Zeller,1847)** (Tortricidae) Synonym(s): *dumicolana* Zeller,1847; *austriaca* Amsel,1952
- 4809) Clepsis pallidana (Fabricius,1776)** (Tortricidae) Synonym(s): *pallidana* Fabricius,1776; *strigana* Hübner,[1799]; *stramineana* Herrich-Schäffer,[1851]; *quinquemaculana* Bremer,1864; *cesareana* Joannis,1891; *districta* Meyrick,1920.
- 4810) Clepsis rurinana (Linnaeus,1758)** (Tortricidae) Synonym(s): *rurinana* Linnaeus,1758; *modeerinana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935.
- 4811) Clepsis senecionana (Hübner,[1819])** (Tortricidae) Synonym(s): *rusticana* Hübner,[1799] (*praeocc.*); *senecionana* Hübner,[1819]; *helvolana* Fröhlich,1828; *stramineana* Zetterstedt,1839; *porcana* Zetterstedt,1839; *pulverana* Eversmann,1844; *culmana* Peyerimhoff,1864.
- 4812) Clepsis spectrana (Treitschke,1830)** (Tortricidae) Synonym(s): *spectrana* Treitschke,1830; *vinculana* Treitschke,1830; *latiorana* Stainton,1857; *liverana* Mansbridge,1914; *intermedia* Mansbridge,1914
- 4813) Cnephasia (Cnephasiella) abrasana (Duponchel,1843)** (Tortricidae) Synonym(s): *abrasana* Duponchel,1843
- 4814) Cnephasia (Cnephasiella) incertana (Treitschke,1835)** (Tortricidae) Synonym(s): *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistanana* Amsel,1955; *atticana* Razowski,1958
- 4815) Cnephasia (s.str.) asiatica Kuznetsov,1956** (Tortricidae) Synonym(s): *asiatica* Kuznetsov,1956
- 4816) Cnephasia (s.str.) asseclana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *asseclana* [Denis & Schiffermüller],1775; *interjectana* Haworth,1811; *virgaureana* Treitschke,1835; *oleraceana* Gibson,1916
- 4817) Cnephasia (s.str.) bizensis Razowski,1953** (Tortricidae) Synonym(s): *bizensis* Razowski,1953
- 4818) Cnephasia (s.str.) chrysanthæana (Duponchel,1843)** (Tortricidae) Synonym(s): *chrysanthæana* Duponchel,1843; *cinareana* Chrétien,1892; *#cinereana* Meyrick,1912
- 4819) Cnephasia (s.str.) communana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *communana* Herrich-Schäffer,[1851]
- 4820) Cnephasia (s.str.) cupressivorana (Staudinger,1871)** (Tortricidae) Synonym(s): *cupressivorana* Staudinger,1871; *appenicola* Obraztsov,1950; *orthoxyana* Réal,1951; *confluentana* Réal,1951
- 4821) Cnephasia (s.str.) facetana Kennel,1901** (Tortricidae) Synonym(s): *facetana* Kennel,1901
- 4822) Cnephasia (s.str.) fragosana (Zeller,1847)** (Tortricidae) Synonym(s): *fragosana* Zeller,1847; *adulterinana* Kennel,1901; *reisseri* Filipjev,1934; *distinctana* Lucas,1937
- 4823) Cnephasia (s.str.) graecana Rebel,1902** (Tortricidae) Synonym(s): *graecana* Rebel,1902; *#ochreana* Razowski,1961
- 4824) Cnephasia (s.str.) grandis (Osthelder,1938)** (Tortricidae) Synonym(s): *grandis* Osthelder,1938
- 4825) Cnephasia (s.str.) helenica Obraztsov,1950** (Tortricidae) Synonym(s): *helenica* Obraztsov,1950; *hellenica* Obraztsov,1956
- 4826) Cnephasia (s.str.) heringi Razowski,1958** (Tortricidae) Synonym(s): *heringi* Razowski,1958
- 4827) Cnephasia (s.str.) kenneli Obraztsov,1956** (Tortricidae) Synonym(s): *obsoletana* Kennel,1901 nec Wd.,1832; *kenneli* Obraztsov,1956.
- 4828) Cnephasia (s.str.) korvaci Razowski,1965** (Tortricidae) Synonym(s): *korvaci* Razowski,1965
- 4829) Cnephasia (s.str.) longana (Haworth,[1811])** (Tortricidae) Synonym(s): *longana* Haworth,[1811]; *egenana* Haworth,[1811]; *expallidana* Haworth,[1811]; *ictericana* Haworth,[1811]; *lutosana* Hübner,[1813]; *capillana* Guenée,1845; *stratana* Zeller,1847; *loewiana* Zeller,1847; *luridalbana* Herrich-Schäffer,1851; *insolatana* Herrich-Schäffer,1851; *gratana* Laharpe,1860; *#ongana* Meyrick,1912; *cadizensis* Razowski,1959
- 4830) Cnephasia (s.str.) maraschana Caradja,1916** (Tortricidae) Synonym(s): *maraschana* Caradja,1916
- 4831) Cnephasia (s.str.) orientana (Alpheraky,1877)** (Tortricidae) Synonym(s): *orientana* Alpheraky,1877
- 4832) Cnephasia (s.str.) oxyacanthana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *oxyacanthana* (Herrich-Schäffer,[1851]).
- 4833) Cnephasia (s.str.) pasiuana (Hübner,[1799])** (Tortricidae) Synonym(s): *pasiuana* Hübner,[1799]; *obsoletana* Stephens,1835; *pumicana* Zeller,1847; *#pasivana* Staudinger,1879; *crassifasciana* Joannis,1920; *linophagana* Rebel,1939; *pyrophagana* Rebel,1939; *cleuana* Réal,1952; *pseudotypica* Réal,1952; *algerana* Réal,1953; *blezynskii* Toll,1953; *hagiosana* Razowski,1959

- 4834) Cnephasia (s.str.) sedana (Constant,1884)** (Tortricidae) Synonym(s): *sedana* Constant,1884; *marcidana* Kennel,1901; *valderiana* Turati & Verity,1912; *alaicana* Caradja,1916; *agathana* Kennel,1919; *obscurana* Osthelder,1938; *oricasis* Meyrick,1932; *amseli* Razowski,1957; *pirizanica* Razowski,1965
- 4835) Cnephasia (s.str.) semibrunneata De Joannis,1891** (Tortricidae) Synonym(s): *semibrunneata* De Joannis,1891
- 4836) Cnephasia (s.str.) stephensiana (Doubleday,1849)** (Tortricidae) Synonym(s): *stephensiana* Doubleday,1849
- 4837) Cnephasia (s.str.) tianshanica Filipjev,1934** (Tortricidae) Synonym(s): *tianshanica* Filipjev,1934; *osthelderi* Obraztsov,1950; *sareptana* Razowski,1959; *alatauana* Razowski,1961.
- 4838) Cnephasia (s.str.) tofina (Meyrick,1922)** (Tortricidae) Synonym(s): *tofina* Meyrick,1922; *syriella* Razowski,1956; *tolli* Razowski,1956; *palaestinensis* Amsel,1958
- 4839) Cnephasia (s.str.) tristrami (Walsingham,1900)** (Tortricidae) Synonym(s): *tristrami* Walsingham,1900
- 4840) Cnephasia (s.str.) uniformana Caradja,1916** (Tortricidae) Synonym(s): *uniformana* Caradja,1916
- 4841) Cnephasia (s.str.) virginana (Kennel,1899)** (Tortricidae) Synonym(s): *virginana* Kennel,1899; *maraschana* Caradja,1916.
- 4842) Cochyliidia heydeniana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *heydeniana* Herrich-Schäffer,[1851]; *pudorana* Staudinger,1859; *erigenana* Walsingham,1891; *sabulicola* Walsingham,1900; *almana* Kennel,1919; *obraztsovi* Amsel,1951; *amseli* Obraztsov,1956.
- 4843) Cochyliidia implicitana (Wocke,1856)** (Tortricidae) Synonym(s): *implicitana* Wocke,1856; *coercitana* Staudinger,1859; *noctulatana* Agenjo,1952.
- 4844) Cochyliidia rupicola (Curtis,1834)** (Tortricidae) Synonym(s): *rupicola* Curtis,1834; *marginana* Stephens,1834; *humidana* Herrich-Schäffer,1851
- 4845) Cochylimorpha alternana (Stephens,1834)** (Tortricidae) Synonym(s): *alternana* Stephens,1834; *#gigantana* Doubleday,1849; *moscovana* Kennel,1913; *cinnamomella* Turati & C.G.Krüger,1936.
- 4846) Cochylimorpha armeniana (Joannis,1891)** (Tortricidae) Synonym(s): *armeniana* Joannis,1891.
- 4847) Cochylimorpha asiana (Kennel,1899)** (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934.
- 4848) Cochylimorpha cultana (Lederer,1855)** (Tortricidae) Synonym(s): *cultana* Lederer,1855; *pontana* Staudinger,1859; *extensana* Staudinger,1859; *lambessana* Baker,1888; *oedemana* Constant,1893; *bigenerana* Kennel,1900; *assalana* Chrétien,1915; *albidana* Caradja,1916; *symmerista* Meyrick,1935.
- 4849) Cochylimorpha decolorella (Zeller,1839)** (Tortricidae) Synonym(s): *decolorella* Zeller,1839; *chamomillana* Herrich-Schäffer,[1851]; *pentactinana* Mann,1855.
- 4850) Cochylimorpha diana (Kennel,1899)** (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
- 4851) Cochylimorpha discolorana Kennel,1899** (Tortricidae) Synonym(s): *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; *#sarobica* Razowski,1964
- 4852) Cochylimorpha eburneana (Kennel,1899)** (Tortricidae) Synonym(s): *eburneana* Kennel,1899
- 4853) Cochylimorpha elongana (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *elongana* Fischer v. Röslerstamm,1839; *impurana* Mann,1855; *favillana* Staudinger,1859; *tetricana* Mann,1864
- 4854) Cochylimorpha fucosa (Razowski,1970)** (Tortricidae) Synonym(s): *fucosa* Razowski,1970
- 4855) Cochylimorpha hilarana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *hilarana* Herrich-Schäffer,[1851]; *rheticana* LaHarpe,1864; *dilutana* Caradja,1916.
- 4856) Cochylimorpha kurdistan (Amsel,1959)** (Tortricidae) Synonym(s): *kurdistan* Amsel,1959
- 4857) Cochylimorpha langeana (Kalchberg,1897)** (Tortricidae) Synonym(s): *langeana* Kalchberg,1897; *anticyphas* Meyrick,1936; *hannemanni* Razowski,1961
- 4858) Cochylimorpha meridiana (Staudinger,1859)** (Tortricidae) Synonym(s): *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919.
- 4859) Cochylimorpha meridiolana (Ragonot,1894)** (Tortricidae) Synonym(s): *meridiolana* Ragonot,1894; *ochrostriana* Kennel,1899; *meridiolana* Kennel,1900 nec Ragonot,1894; *kenneli* Razowski,1967.
- 4860) Cochylimorpha nodulana (Möschler,1862)** (Tortricidae) Synonym(s): *nodulana* Möschler,1862
- 4861) Cochylimorpha nomadana (Erschoff,1874)** (Tortricidae) Synonym(s): *nomadana* Erschoff,1874
- 4862) Cochylimorpha pyramidana (Staudinger,1871)** (Tortricidae) Synonym(s): *pyramidana* Staudinger,1871
- 4863) Cochylimorpha sparsana (Staudinger,1880)** (Tortricidae) Synonym(s): *sparsana* Staudinger,1880
- 4864) Cochylimorpha straminea (Haworth,[1811])** (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosana* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
- 4865) Cochylimorpha thomasi Karisch,2003** (Tortricidae) Synonym(s): *thomasi* Karisch,2003
- 4866) Cochylimorpha wiltshirei Razowski,1963** (Tortricidae) Synonym(s): *wiltshirei* Razowski,1963
- 4867) Cochyliis apricana Kennel,1899** (Tortricidae) Synonym(s): *amoenana* Kennel,1899 nec Wlk.,1863; *apricana* Kennel,1899

- 4868) *Cochylis atricapitana* (Stephens,1852)** (Tortricidae) Synonym(s): *atricapitana* Stephens,1852
- 4869) *Cochylis defessana* Mann,1861** (Tortricidae) Synonym(s): *defessana* Mann,1861; *centaureana* Staudinger,1879.
- 4870) *Cochylis epilinana* Duponchel,1842** (Tortricidae) Synonym(s): *epilinana* Duponchel,1842; *carpophilana* Staudinger,1859.
- 4871) *Cochylis hybridella* (Hübner,[1813])** (Tortricidae) Synonym(s): *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916.
- 4872) *Cochylis militariana* Derra,1991** (Tortricidae) Synonym(s): *militariana* Derra,1991
- 4873) *Cochylis nana* (Haworth,[1811])** (Tortricidae) Synonym(s): *nana* Haworth,[1811]; *carneana* Guenée,1845; *cruentana* Guenée,1845; *pallidana* Herrich-Schäffer,1851 nec Zell.,1847; *ochreoalbana* Walker,1863; *albidana* Walker,1866; *altocorsicana* Petry,1904; *winniana* Kearfott,1905
- 4874) *Cochylis pallidana* Zeller,1847** (Tortricidae) Synonym(s): *pallidana* Zeller,1847
- 4875) *Cochylis posterana* Zeller,1847** (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935
- 4876) *Cochylis roseana* (Haworth,[1811])** (Tortricidae) Synonym(s): *roseana* Haworth,[1811]; *rubellana* Hübner,[1823]; *dipsaceana* Duponchel,1843; *undulatana* Kennel,1899.
- 4877) *Cochylis salebrana* Mann,1862** (Tortricidae) Synonym(s): *salebrana* Mann,1862; *millierana* Peyerimhoff,1877.
- 4878) *Cochylis suaveolana* Fuchs,1903** (Tortricidae) Synonym(s): *suaveolana* Fuchs,1903
- 4879) *Crociosema plebejana* Zeller,1847** (Tortricidae) Synonym(s): *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millière,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana* Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946.
- 4880) *Croesia bergmanniana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *bergmanniana* Linnaeus,1758; *rosana* Hübner,1822.
- 4881) *Croesia forsskaleana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *forsskaleana* Linnaeus,1758; *forskaliana* Haworth,1811.
- 4882) *Croesia holmiana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *holmiana* Linnaeus,1758; *stellata* Fourcroy,1785; *stellatella* Villers,1789.
- 4883) *Cryptocochylis conjunctana* (Mann,1864)** (Tortricidae) Synonym(s): *conjunctana* Mann,1864; *grapholitana* Kennel,1913.
- 4884) *Cydia adjunctana* (Kennel,1901)** (Tortricidae) Synonym(s): *adjunctana* Kennel,1901
- 4885) *Cydia alienana* Caradja,1916** (Tortricidae) Synonym(s): *alienana* Caradja,1916; *pfeifferi* Rebel,1935
- 4886) *Cydia amplana* (Hübner,[1799])** (Tortricidae) Synonym(s): *amplana* Hübner,[1799]; *molybdana* Constant,1884
- 4887) *Cydia caecana* (Schläger,1847)** (Tortricidae) Synonym(s): *caecana* Schläger,1847; *obcaecana* Ragonot,1876
- 4888) *Cydia compositella* (Fabricius,1775)** (Tortricidae) Synonym(s): *compositella* Fabricius,1775; *quadrella* Goeze,1783; *quadratella* Fourcroy,1785; *composana* Fabricius,1798; *gundiana* Hübner,[1799]; *compositana* Haworth,1802; *simillimana* Toll,1953
- 4889) *Cydia conicolana* (Heylaerts,1874)** (Tortricidae) Synonym(s): *conicolana* Heylaerts,1874
- 4890) *Cydia coniferana* (Saxesen,1840)** (Tortricidae) Synonym(s): *coniferana* Saxesen,1840; ? *ericicolana* Bruand,1850; *separatana* Herrich-Schäffer,1851
- 4891) *Cydia coronillana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): ? *turcica* Fourcroy,1785; *coronillana* Lienig & Zeller,1846; *moldovana* Caradja,1899
- 4892) *Cydia delineana* (Walker,1863)** (Tortricidae) Synonym(s): *delineana* Walker,1863; *apicatana* Walker,1863; *sinana* Felder,1874; *tetragrammana* Staudinger,1879; *mundana* Christoph,1881; *terstrigana* Ragonot,1894; *quadristrana* Walsingham,1900.
- 4893) *Cydia difficilana* (Walsingham,1900)** (Tortricidae) Synonym(s): *difficilana* Walsingham,1900; *difficilana* Kennel,1901
- 4894) *Cydia duplicana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): ? *dahlana* Frölich,1828; *duplicana* Zetterstedt,1839; *#interruptana* Herrich-Schäffer,1848; *interruptana* Herrich-Schäffer,1851
- 4895) *Cydia fissana* (Frölich,1828)** (Tortricidae) Synonym(s): *fissana* Frölich,1828; *divisana* Duponchel,1836; *diffusana* Herrich-Schäffer,1851
- 4896) *Cydia funebrana* (Treitschke,1835)** (Tortricidae) Synonym(s): *funebrana* Treitschke,1835; *cerasana* Kozhantschikov,1953
- 4897) *Cydia gemmiferana* (Treitschke,1835)** (Tortricidae) Synonym(s): *gemmiferana* Treitschke,1835; *olbiana* Guenée,1845
- 4898) *Cydia honorana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *honorana* Herrich-Schäffer,1851
- 4899) *Cydia inquinatana* (Hübner,[1799])** (Tortricidae) Synonym(s): *inquinatana* Hübner,[1799]
- 4900) *Cydia janthinana* (Duponchel,1843)** (Tortricidae) Synonym(s): *janthinana* Duponchel,1843; *incisana* Herrich-Schäffer,1851
- 4901) *Cydia junctistrigana* (Walsingham,1900)** (Tortricidae) Synonym(s): *junctistrigana* Walsingham,1900

- 4902) *Cydia jungiella* (Linnaeus,1761)** (Tortricidae) Synonym(s): *#jungiella* Clerck,1759; *jungiella* Linnaeus,1761; *perlepidana* Haworth,[1811]; *jungiana* Fröhlich,1828; *schränkiana* Fröhlich,1828; *albisecundella* Bruand,1850.
- 4903) *Cydia larseni* (Rebel,1903)** (Tortricidae) Synonym(s): *larseni* Rebel,1903
- 4904) *Cydia leucogrammana* (Hofmann,1898)** (Tortricidae) Synonym(s): *leucogrammana* Hofmann,1898
- 4905) *Cydia lunulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *lunulana* [Denis & Schiffermüller],1775; *mederleana* Frölich,1828; *jungiana* Frölich,1828; *selenana* Zeller,1847; *effusana* Lederer,1855; *conspectana* Lederer,1859; *selliferana* Kennel,1901; *bipartitana* Kennel,1901; *dimidiatana* Kennel,1901; *intacta* Walsingham, 1903; *amplidorsana* Caradja,1916; *exosticha* Meyrick,1936; *praedorsana* Amsel,1958
- 4906) *Cydia microgrammana* (Guenée,1845)** (Tortricidae) Synonym(s): *microgrammana* Guenée,1845
- 4907) *Cydia molesta* (Busck,1916)** (Tortricidae) Synonym(s): *molesta* Busck,1916
- 4908) *Cydia nebritana* (Treitschke,1830)** (Tortricidae) Synonym(s): *nebritana* Treitschke,1830
- 4909) *Cydia nigricana* (Fabricius,1794)** (Tortricidae) Synonym(s): *#rusticella* Clerck,1759; *nigricana* Fabricius,1794; *proximana* Haworth,1811; *pisana* Guenée,1845; *ratifera* Meyrick,1912; *novimundi* Heinrich,1920
- 4910) *Cydia orobana* (Treitschke,1830)** (Tortricidae) Synonym(s): *orobana* Treitschke,1830; *strandiana* Fuchs,1901; *persicana* Osthelder,1938
- 4911) *Cydia oxytropidis* (Martini,1912)** (Tortricidae) Synonym(s): *oxytropidis* Martini,1912
- 4912) *Cydia pallifrontana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *? elegantana* Frölich,1828; *pallifrontana* Lienig & Zeller,1846; *filana* Herrich-Schäffer,1851
- 4913) *Cydia phalacris* (Meyrick,1912)** (Tortricidae) Synonym(s): *phalacris* Meyrick,1912; *elongata* Kuznetsov,1962
- 4914) *Cydia pomonella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859
- 4915) *Cydia pyrivora* Danilevsky,1947** (Tortricidae) Synonym(s): *pyrivora* Danilevsky,1947; *dannehli* Obratsov,1950
- 4916) *Cydia selenana* (Zeller,1847)** (Tortricidae) Synonym(s): *jungiana sensu* Zeller,1847; *selenana* Zeller,1847
- 4917) *Cydia selliferana* (Kennel,1901)** (Tortricidae) Synonym(s): *selliferana* Kennel,1901
- 4918) *Cydia sinana* (C.Felder & Rogenhofer,1875)** (Tortricidae) Synonym(s): *sinana* C.Felder & Rogenhofer,1875
- 4919) *Cydia strobilella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *strobilella* Linnaeus,1758; *strobilana* Hübner,[1799]; *kollarana* Treitschke,1829
- 4920) *Cydia succedana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] *nec* [Den. & Schiff.],1775; *griseana* Osthelder,1938
- 4921) *Cydia tenebrosana* (Duponchel,1843)** (Tortricidae) Synonym(s): *tenebrosana* Duponchel,1843; *roseticolana* Zeller,1849
- 4922) *Cydia triangulella* (Goeze,1783)** (Tortricidae) Synonym(s): *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *#glandella* Schrank,1802; *reaumurana* Heyden,1860
- 4923) *Cydia turciana* Chambon,1993** (Tortricidae) Synonym(s): *turciana* Chambon,1993
- 4924) *Cydia ulicetana* (Haworth,[1811])** (Tortricidae) Synonym(s): *ulicetana* Haworth,[1811]; *consequana* Zeller,1847; *micaceana* Constant,1865.
- 4925) *Diceratura ostrinana* (Guenée,1845)** (Tortricidae) Synonym(s): *ostrinana* Guenée,1845; *purpuratana* Herrich-Schäffer,[1851].
- 4926) *Diceratura rhodograptia* Djakonov,1929** (Tortricidae) Synonym(s): *rhodograptia* Djakonov,1929
- 4927) *Diceratura roseofasciana* (Mann,1855)** (Tortricidae) Synonym(s): *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana* Razowski,1963.
- 4928) *Dichelia alexiana* (Kennel,1919)** (Tortricidae) Synonym(s): *alexiana* Kennel,1919
- 4929) *Dichelia cedricola* (Diakonoff,1974)** (Tortricidae) Synonym(s): *cedricola* Diakonoff,1974
- 4930) *Dichelia histrionana* (Frölich,1828)** (Tortricidae) Synonym(s): *pinana* [Denis & Schiffermüller],1775; *histrionana* Frölich,1828; *stygiانا* Rebel,1929
- 4931) *Dichrorampha acuminatana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *acuminatana* Lienig & Zeller,1846; *cochylana* Peyerimhoff,1863; *graminana* Peyerimhoff,1870
- 4932) *Dichrorampha agilana* (Tengström,1848)** (Tortricidae) Synonym(s): *agilana* Tengström,1848
- 4933) *Dichrorampha alpinana* (Treitschke,1830)** (Tortricidae) Synonym(s): *alpinana* Treitschke,1830; *quaestionana* Zeller,1878
- 4934) *Dichrorampha caucasica* (Danilevsky,1948)** (Tortricidae) Synonym(s): *caucasica* Danilevsky,1948
- 4935) *Dichrorampha cinerosana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *cinerosana* Herrich-Schäffer,1851; *eurychorana* Rebel,1941
- 4936) *Dichrorampha coniana* Obratsov,1953** (Tortricidae) Synonym(s): *coniana* Obratsov,1953
- 4937) *Dichrorampha eximia* (Danilevsky,1948)** (Tortricidae) Synonym(s): *eximia* Danilevsky,1948; *obratsovi* Amsel,1959

- 4938) *Dichrorampha gruneriana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *gruneriana* Herrich-Schäffer,1851
- 4939) *Dichrorampha ligulana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *ligulana* Herrich-Schäffer,1851; *plusiana* Staudinger,1871; *obliterana* Müller-Rutz,1934
- 4940) *Dichrorampha petiverella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *petiverella* Linnaeus,1758; *albinella* Linnaeus,1758; *dorsana* Fabricius,1775; *jacquiniana* [Denis & Schiffermüller],1775; *petiverana* Haworth,1809; *stelliferana* Curtis,1831; *gigantana* Staudinger,1879
- 4941) *Dichrorampha plumbagana* (Treitschke,1830)** (Tortricidae) Synonym(s): *plumbagana* Treitschke,1830; *salictana* Prittwitz,1844; *subsequana* Wocke,1871
- 4942) *Dichrorampha plumbana* (Scopoli,1763)** (Tortricidae) Synonym(s): *plumbana* Scopoli,1763; *saturnana* Guenée,1845; *ulicana* Guenée,1845; *blepharana* Herrich-Schäffer,1851; *rejectana* La Harpe,1858; *resplendana* Heinemann,1863
- 4943) *Dichrorampha proxima* (Danilevsky,1948)** (Tortricidae) Synonym(s): *proxima* Danilevsky,1948
- 4944) *Dichrorampha sequana* (Hübner,[1799])** (Tortricidae) Synonym(s): *sequana* Hübner,[1799]
- 4945) *Dichrorampha vancouverana* McDunnough,1935** (Tortricidae) Synonym(s): *politana* auct.; *vancouverana* McDunnough,1935; *gueneana* Obratzsov,1953
- 4946) *Ditula angustiorana* (Haworth,[1811])** (Tortricidae) Synonym(s): *angustiorana* Haworth,[1811]; *rotundana* Haworth,[1811]; *dumeriliana* Duponchel,1836
- 4947) *Eana* (Eutrachia) *goiiana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *#argentana* Clerck,1759; *goiiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *gerningiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887
- 4948) *Eana* (s.str.) *incanana* (Stephens,1852)** (Tortricidae) Synonym(s): *incanana* Stephens,1852; *sinuana* Stephens,1852; *infusca* Réal,1953
- 4949) *Eana* (s.str.) *penziana* (Thunberg,1791)** (Tortricidae) Synonym(s): *penziana* Thunberg,1791; *bellana* Curtis,1826; *diurneana* Guenée,1845; *alpestris* Réal,1953
- 4950) *Enarmonia formosana* (Scopoli,1763)** (Tortricidae) Synonym(s): *formosana* Scopoli,1763; *woeberiana* [Denis & Schiffermüller],1775; *scriptana* Thunberg,1784; *ornatana* Hübner,[1799]
- 4951) *Endothenia ericetana* (Humphreys & Westwood,1845)** (Tortricidae) Synonym(s): *ericetana* Humphreys & Westwood,1845; *trifoliana* Herrich-Schäffer,[1851]
- 4952) *Endothenia gentianaeana* (Hübner,[1799])** (Tortricidae) Synonym(s): ? *bidella* Fourcroy,1785; *gentianaeana* Hübner,[1799]; *gentianana* Hübner,[1825]; *oblongana* Haworth,[1811]; *sellana* Frölich,1828; *desertana* Staudinger,1879; *adelana* Rebel,1892
- 4953) *Endothenia lapideana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *lapideana* Herrich-Schäffer,[1851]; *digitaliana* Mühlhig,1863
- 4954) *Endothenia marginana* (Haworth,[1811])** (Tortricidae) Synonym(s): *marginana* Haworth,[1811]
- 4955) *Endothenia nigricostana* (Haworth,[1811])** (Tortricidae) Synonym(s): *nigricostana* Haworth,[1811]; *squalidana* Herrich-Schäffer,[1851]; *remyana* Herrich-Schäffer,[1851]; *illepidana* Kennel,1901
- 4956) *Endothenia oblongana* (Haworth,[1811])** (Tortricidae) Synonym(s): *oblongana* Haworth,[1811]; *sellana* Frölich,1828
- 4957) *Endothenia quadrimaculana* (Haworth,1811)** (Tortricidae) Synonym(s): *quadrimaculana* Haworth,1811; *antiguana* Hübner,[1813]; *obesana* Peyerimhoff,1863
- 4958) *Endothenia sororiana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *#sororiana* Herrich-Schäffer,[1850]; *sororiana* Herrich-Schäffer,[1851]; *phlomidana* Staudinger,1871
- 4959) *Epagoge grotiana* (Fabricius,1781)** (Tortricidae) Synonym(s): *grotiana* Fabricius,1781; *flavana* Hübner,[1799]; *ochreana* Hübner,[1799]; *artificana* Herrich-Schäffer,1851; *amasiana* Caradja,1916
- 4960) *Epiblema costipunctana* (Haworth,[1811])** (Tortricidae) Synonym(s): *costipunctana* Haworth,[1811]; *argyrana* Stephens,1829; *trigeminana* Stephens,1834; *poecilana* Guenée,1845; *ravulana* Herrich-Schäffer,1851
- 4961) *Epiblema foenellum* (Linnaeus,1758)** (Tortricidae) Synonym(s): *foenella* Linnaeus,1758; *hohenwartiana* Scopoli,1772; *scopoliana* [Denis & Schiffermüller],1775; *pflugiana* Fabricius,1787; *tibialana* Hübner,[1793]; *interrogationana* Donovan,1793; *clavigerana* Walker,1863; *sinicana* Walker,1863
- 4962) *Epiblema gammana* (Mann,1866)** (Tortricidae) Synonym(s): *gammana* Mann,1866
- 4963) *Epiblema graphana* (Treitschke,1835)** (Tortricidae) Synonym(s): *graphana* Treitschke,1835; *pierretana* Duponchel,1836
- 4964) *Epiblema hepaticana* (Treitschke,1835)** (Tortricidae) Synonym(s): *hepaticana* Treitschke,1835; *senecionana* Staudinger,1871; *tristana* Hauder,1918
- 4965) *Epiblema junctana* (Herrich-Schäffer,1856)** (Tortricidae) Synonym(s): *junctana* Herrich-Schäffer,1856; *jaspidana* Christoph,1872; *maculiferana* Kennel,1900
- 4966) *Epiblema obscurana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *obscurana* Herrich-Schäffer,1851; *inulivora* Meyrick,1932
- 4967) *Epiblema scutulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872
- 4968) *Epiblema sticticana* (Fabricius,1794)** (Tortricidae) Synonym(s): *sticticana* Fabricius,1794; *farfarae* Fletcher,1938
- 4969) *Epiblema turbidana* (Treitschke,1835)** (Tortricidae) Synonym(s): *turbidana* Treitschke,1835; *zelleriana* Schläger,1848

- 4970) *Epinotia abbreviana* (Fabricius,1794)** (Tortricidae) Synonym(s): *abbreviana* Fabricius,1794; *trimaculana* Donovan,1806; *ulmariana* Duponchel,[1843]; *excruciana* Stephens,1852
- 4971) *Epinotia brunnichiana* (Linnaeus,1767)** (Tortricidae) Synonym(s): *brunnichiana* Linnaeus,1767; *sinuana* [Denis & Schiffermüller],1775; *rhenana* Thunberg & Becklin,1791
- 4972) *Epinotia cedricida* Diakonoff,1969** (Tortricidae) Synonym(s): *cedricida* Diakonoff,1969
- 4973) *Epinotia cruciana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *cruciana* Linnaeus,1761; *gyllenhahliana* Thunberg,1784; *augustana* Hübner,[1813]; *viminana* Guenée,1845; *alticolana* Stephens,1852
- 4974) *Epinotia dalmatana* (Rebel,1891)** (Tortricidae) Synonym(s): *dalmatana* Rebel,1891; *psychrodora* Meyrick,1936; *mesopotamica* Obraztsov,1952; *obraztsovi* Agenjo,1967
- 4975) *Epinotia deruptana* (Kennel,1901)** (Tortricidae) Synonym(s): *deruptana* Kennel,1901
- 4976) *Epinotia festivana* (Hübner,[1799])** (Tortricidae) Synonym(s): *festivana* Hübner,[1799]
- 4977) *Epinotia fraternana* (Haworth,[1811])** (Tortricidae) Synonym(s): *fraternana* Haworth,[1811]; *proximana* Herrich-Schäffer,1851; *distinctana* Wilkinson,1859; *concretana* Peyerimhoff,1863
- 4978) *Epinotia immundana* (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *immundana* Fischer v. Röslerstamm,1839
- 4979) *Epinotia kochiana* Herrich-Schäffer,[1851]** (Tortricidae) Synonym(s): *kochiana* Herrich-Schäffer,[1851]
- 4980) *Epinotia nemorivaga* (Tengström,1848)** (Tortricidae) Synonym(s): *nemorivaga* Tengström,1848; *rhododendrana* Herrich-Schäffer,1851; *finitimana* Doubleday,1859
- 4981) *Epinotia nigricana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *nigricana* Herrich-Schäffer,[1851]; *suasana* Peyerimhoff,1863
- 4982) *Epinotia nisella* (Clerck,1759)** (Tortricidae) Synonym(s): *nisella* Clerck,1759; *boeberana* Fabricius,1787; *pavonana* Donovan,1804; *cuspidana* Haworth,1811; *rhombifasciana* Haworth,1811; *stictana* Haworth,1811; *cinereana* Haworth,1811; *nisana* Guenée,1845
- 4983) *Epinotia ramella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *ramella* Linnaeus,1758; *paykulliana* Fabricius,1787; *sesquilunana* Haworth,1811; *ramama* Frölich,1828; *costana* Duponchel,1836
- 4984) *Epinotia solandriana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *solandriana* Linnaeus,1758; *trapezana* Fabricius,1787; *semimaculana* Hübner,1793; *parmatana* Hübner,[1817]; *semilunana* Frölich,1828
- 4985) *Epinotia tenerana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *tenerana* [Denis & Schiffermüller],1775; *retusana* Haworth,1811; *oblitana* Duponchel,1842
- 4986) *Epinotia tetraquetra* (Haworth,1811)** (Tortricidae) Synonym(s): *tetraquetra* Haworth,1811; *triqueetra* Haworth,1811; *angulana* Haworth,1811; *frutetana* Hübner,[1824]
- 4987) *Epinotia thapsiana* (Zeller,1847)** (Tortricidae) Synonym(s): *thapsiana* Zeller,1847
- 4988) *Eriopsela quadrana* (Hübner,[1813])** (Tortricidae) Synonym(s): *quadrana* Hübner,[1813]; *strigulosana* Zetterstedt,1839; *abiskoana* Caradja,1916; *roseni* Obraztsov,1952; *bavarica* Obraztsov,1952
- 4989) *Eucosma agnatana* (Christoph,1872)** (Tortricidae) Synonym(s): *agnatana* Christoph,1872
- 4990) *Eucosma albidulana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *albidulana* Herrich-Schäffer,[1851]
- 4991) *Eucosma aspidiscana* (Hübner,[1817])** (Tortricidae) Synonym(s): *obscurana* Fabricius,1798; *aspidiscana* Hübner,[1817]; *zachana* Hübner,[1817]; *dahlbomiana* Zetterstedt,1839; *rubescana* Constant,1895
- 4992) *Eucosma cana* (Haworth,1811)** (Tortricidae) Synonym(s): *marmorana* Fabricius,1798; *cana* Haworth,1811; *monetulana* Hübner,[1817]; *carduana* Guenée,1845; *subvittana* Staudinger,1892
- 4993) *Eucosma coagulana* (Kennel,1901)** (Tortricidae) Synonym(s): *coagulana* Kennel,1901
- 4994) *Eucosma conformana* (Mann,1872)** (Tortricidae) Synonym(s): *conformana* Mann,1872; *umbratana* Staudinger,1880; *significantana* Kennel,1901
- 4995) *Eucosma conterminana* (Guenée,1845)** (Tortricidae) Synonym(s): *conterminana* Guenée,1845
- 4996) *Eucosma directa* Meyrick,1912** (Tortricidae) Synonym(s): *directa* Meyrick,1912
- 4997) *Eucosma eremodora* Meyrick,1932** (Tortricidae) Synonym(s): *eremodora* Meyrick,1932
- 4998) *Eucosma fulvana* (Stephens,1834)** (Tortricidae) Synonym(s): *#fulvana* Stephens,1829; *fulvana* Stephens,1834
- 4999) *Eucosma gypsatana* (Kennel,1921)** (Tortricidae) Synonym(s): *gypsatana* Kennel,1921
- 5000) *Eucosma hohenwartiana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *cervana* Scopoli,1763; *hohenwartiana* [Denis & Schiffermüller],1775; *pupillana* Hübner,[1799]; *scopoliana* Haworth,[1811]; *strigana* Curtis,1831; *decipiana* Laharpe,1858
- 5001) *Eucosma metzneriana* (Treitschke,1830)** (Tortricidae) Synonym(s): *metzneriana* Treitschke,1830
- 5002) *Eucosma paetulana* (Kennel,1901)** (Tortricidae) Synonym(s): *paetulana* Kennel,1901
- 5003) *Eucosma pupillana* (Clerck,1759)** (Tortricidae) Synonym(s): *pupillana* Clerck,1759
- 5004) *Eucosma recentana* (Zerny,1933)** (Tortricidae) Synonym(s): *recentana* Zerny,1933
- 5005) *Eucosma sparsana* (Rebel,1935)** (Tortricidae) Synonym(s): *sparsana* Rebel,1935
- 5006) *Eucosma tetraplana* (Möschler,1866)** (Tortricidae) Synonym(s): *tetraplana* Möschler,1866
- 5007) *Eucosma urbana* (Kennel,1901)** (Tortricidae) Synonym(s): *urbana* Kennel,1901
- 5008) *Eudemis* (s.str.) *porphyra* (Hübner,[1799])** (Tortricidae) Synonym(s): *porphyra* Hübner,[1799]; *pomedaxana* Pierce & Metcalfe,1915

- 5009) Eudemis (s.str.) profundana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *profundana* [Denis & Schiffermüller],1775; *triangulella* Goeze,1783; *nebulana* Donovan,1806; *aethiopiana* Haworth,1811; *wellesiana* Hübner,[1813]; *alphonsiana* Duponchel,1834; *#obscurata* Gibeaux & Luquet,1998; *#satans* Gibeaux & Luquet,1998
- 5010) Eudemopsis purpurissatana (Kennel,1901)** (Tortricidae) Synonym(s): *purpurissatana* Kennel,1901
- 5011) Eugnosta lathoniana (Hübner,[1800])** (Tortricidae) Synonym(s): *lathoniana* Hübner,[1800]
- 5012) Eugnosta magnificana (Rebel,1914)** (Tortricidae) Synonym(s): *margaritana* Hübner,[1813] *nec* Haw.,[1811]; ? *norvichiana* Hübner,[1817] [*nomina dubia!*]; *magnificana* Rebel,1914.
- 5013) Eupoecilia ambiguella (Hübner,1796)** (Tortricidae) Synonym(s): *ambiguella* Hübner,1796; *omphaciella* Faure-Bignet de Simonest,1801; *roserana* Frölich,1828; *turbinaris* Meyrick,1928
- 5014) Eupoecilia angustana (Hübner,[1799])** (Tortricidae) Synonym(s): *angustana* Hübner,[1799]; *fasciella* Donovan,1808 *nec* Goeze,1783; *cruentana* Herrich-Schäffer,[1851].
- 5015) Falseuncaria ruficiliana (Haworth,[1811])** (Tortricidae) Synonym(s): *ciliella* Hübner,[1796] *nec* [Denis & Schiff.],1775; *ruficiliana* Haworth,[1811]; *coniana* Fuchs,1903; *tectana* Fuchs,1903.
- 5016) Fulvoclysia aulica Razowski,1968** (Tortricidae) Synonym(s): *aulica* Razowski,1968.
- 5017) Fulvoclysia dictyodana (Staudinger,1880)** (Tortricidae) Synonym(s): *dictyodana* Staudinger,1880; *#insignatana* Staudinger,1880; *acutana* Kennel,1913
- 5018) Fulvoclysia nerminae Koçak,1982** (Tortricidae) Synonym(s): *fulvana* Fischer von Rösslerstamm,[1836] *nec* [Denis & Schiff.],1775; *nerminae* Koçak,1982.
- 5019) Fulvoclysia pallorana (Lederer,1864)** (Tortricidae) Synonym(s): *pallorana* Lederer,1864; *armeniaca* Obratzsov,1943.
- 5020) Fulvoclysia proxima Razowski,1970** (Tortricidae) Synonym(s): *proxima* Razowski,1970
- 5021) Fulvoclysia subdolana (Kennel,1901)** (Tortricidae) Synonym(s): *subdolana* Kennel,1901; *subflavana* Amsel,1959
- 5022) Gravarmata margarotana (Heinemann,1863)** (Tortricidae) Synonym(s): *margarotana* Heinemann,1863; *amethystana* Peyerimhoff,1872; *retiferana* Wocke,1879
- 5023) Gynnidomorpha permixtana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *permixtana* [Denis & Schiffermüller],1775; *antennana* Frölich,1828; *mussehlana* Treitschke,1835; *dymotana* Treitschke,1835.
- 5024) Gypsonoma aceriana (Duponchel,1843)** (Tortricidae) Synonym(s): *aceriana* Duponchel,1843; *belgiensis* Dufrane,1945
- 5025) Gypsonoma dealbana (Frölich,1828)** (Tortricidae) Synonym(s): *dealbana* Frölich,1828; *alnetana* Guenée,1845
- 5026) Gypsonoma euphraticana (Amsel,1935)** (Tortricidae) Synonym(s): *euphraticana* Amsel,1935
- 5027) Gypsonoma minutana (Hübner,[1799])** (Tortricidae) Synonym(s): *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836
- 5028) Gypsonoma nitidulana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *nitidulana* Lienig & Zeller,1846; *#ericetana* Lienig & Zeller,1846
- 5029) Gypsonoma obratzsovi Amsel,1959** (Tortricidae) Synonym(s): *obratzsovi* Amsel,1959
- 5030) Gypsonoma simulantana (Staudinger,1879)** (Tortricidae) Synonym(s): *simulantana* Staudinger,1879
- 5031) Gypsonoma sociana (Haworth,[1811])** (Tortricidae) Synonym(s): *sociana* Haworth,[1811]; *neglectana* Duponchel,1844
- 5032) Hedya dimidiana (Clerck,1759)** (Tortricidae) Synonym(s): *#dimidiana* Clerck,1759; *schreberiana* Linnaeus,1761
- 5033) Hedya nubiferana (Haworth,[1811])** (Tortricidae) Synonym(s): *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] *nec* [Denis & Schiff.],1775; *nubiferana* Haworth,[1811]
- 5034) Hedya ochroleucana (Frölich,1828)** (Tortricidae) Synonym(s): *ochroleucana* Frölich,1828; *nimbatana* Clemens,1860; *contrariana* Walker,1863; *consanguinana* Walsingham,1879
- 5035) Hedya pruniana (Hübner,[1799])** (Tortricidae) Synonym(s): *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849
- 5036) Hedya salicella (Linnaeus,1758)** (Tortricidae) Synonym(s): *salicella* Linnaeus,1758; *salicana* [Denis & Schiffermüller],1775
- 5037) Hysterophora maculosana (Haworth,[1811])** (Tortricidae) Synonym(s): *maculosana* Haworth,[1811]; *purgatana* Treitschke,1835; *porculana* Mann,1862.
- 5038) Isotrias hybridana (Hübner,[1817])** (Tortricidae) Synonym(s): *cingulana* Scopoli,1772; *hybridana* Hübner,[1817]; *puellana* Frölich,1828; *pedemontana* Staudinger,1871; *fingalana* Millière,1884; *castiliana* Ragonot,1894
- 5039) Isotrias rectifasciana (Haworth,[1811])** (Tortricidae) Synonym(s): *trifasciana* Donovan,[1806] (*praeocc.*); *rectifasciana* Haworth,[1811]; *nemorana* Frölich,1828; *curvifasciana* Stephens,1834; *albulana* Treitschke,1835; *insubrica* Müller-Rutz,1920; *pseudomolestana* Obratzsov,1957
- 5040) Kenneliola fagiglandana (Zeller,1841)** (Tortricidae) Synonym(s): *grossana* Haworth,[1811] *nec* Thunb.,1791; *fagiglandana* Zeller,1841.
- 5041) Kenneliola molybdana Constant,1884** (Tortricidae) Synonym(s): *molybdana* Constant,1884

- 5042) *Lathronympha strigana* (Fabricius,1775)** (Tortricidae) Synonym(s): *strigana* Fabricius,1775; *politana* [Denis & Schiffermüller],1775; *hypericana* Hübner,[1799].
- 5043) *Lipoptycha grueneriana* Herrich-Schäffer,[1851]** (Tortricidae) Synonym(s): *grueneriana* Herrich-Schäffer,[1851]
- 5044) *Lobesia* (s.str.) *artemisiana* (Zeller,1847)** (Tortricidae) Synonym(s): *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1876
- 5045) *Lobesia* (s.str.) *attributana* (Kennel,1901)** (Tortricidae) Synonym(s): *attributana* Kennel,1901
- 5046) *Lobesia* (s.str.) *bicinctana* (Duponchel,1844)** (Tortricidae) Synonym(s): *bicinctana* Duponchel,1844; *lugdunana* Guenée,1845
- 5047) *Lobesia* (s.str.) *cinerariae* (Nolcken,1882)** (Tortricidae) Synonym(s): *cinerariae* Nolcken,1882
- 5048) *Lobesia* (s.str.) *glebifera* (Meyrick,1912)** (Tortricidae) Synonym(s): *glebifera* Meyrick,1912
- 5049) *Lobesia* (s.str.) *indusiana* (Zeller,1847)** (Tortricidae) Synonym(s): *indusiana* Zeller,1847; *staticeana* Millière,1869; *cognata* Obratzsov,1949.
- 5050) *Lobesia* (s.str.) *littoralis* (Westwood & Humphreys,1845)** (Tortricidae) Synonym(s): *littoralis* Westwood & Humphreys,1845; *venustana* Douglas,1846; *morbidana* Doubleday,1850; *hibernana* Staudinger,1859; *annetensis* Turner,1934.
- 5051) *Lobesia* (s.str.) *porrectana* (Zeller,1847)** (Tortricidae) Synonym(s): *porrectana* Zeller,1847
- 5052) *Lobesia* (s.str.) *quaggana* (Mann,1855)** (Tortricidae) Synonym(s): *quaggana* Mann,1855; *restituta* Turati,1913.
- 5053) *Lobesia* (s.str.) *reliquana* (Hübner,[1825])** (Tortricidae) Synonym(s): *reliquana* Hübner,[1825]; *leucoptera* Frölich,1828; *fischerana* Treitschke,1835.
- 5054) *Lobesia* (s.str.) *subherculeana* (Filipjev,1925)** (Tortricidae) Synonym(s): *subherculeana* Filipjev,1925
- 5055) *Lobesia* (s.str.) *vitisana* (Jacquin,1788)** (Tortricidae) Synonym(s): *#botrana* [Denis & Schiffermüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Millière,1865.
- 5056) *Lobesiods euphorbiana* (Freyer,1842)** (Tortricidae) Synonym(s): *euphorbiana* Freyer,1842
- 5057) *Lobesiods occidentis* Falkovitsh,1970** (Tortricidae) Synonym(s): *occidentis* Falkovitsh,1970
- 5058) *Lozotaenia djakonovi* Danilevsky,1963** (Tortricidae) Synonym(s): *djakonovi* Danilevsky,1963
- 5059) *Lozotaenia forsterana* (Fabricius,1781)** (Tortricidae) Synonym(s): *forsterana* Fabricius,1781; *retucilana* Frölich,1828; *adiunctana* Treitschke,1830; *sineana* Freyer,1833; *luteolana* Humphreys & Westwood,1845; *argyllaceana* Zetterstedt,1839; *immaculana* Strand,1900; *fagi* Constantini,1923
- 5060) *Lozotaeniodes cupressana* (Duponchel,1836)** (Tortricidae) Synonym(s): *cupressana* Duponchel,1836
- 5061) *Metendothenia atropunctana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *atropunctana* Zetterstedt,1839; *ochromelana* Guenée,1845
- 5062) *Neosphaloptera nubilana* (Hübner,[1799])** (Tortricidae) Synonym(s): *? alniana* [Denis & Schiffermüller],1775; *nubilana* Hübner,[1799]; *glareana* Schrank,1802; *perfuscana* Haworth,1811; *conradii* Portshinkij,1888
- 5063) *Notocelia aquana* (Hübner,[1799])** (Tortricidae) Synonym(s): *#roborana* [Denis & Schiffermüller],1775; *aquana* Hübner,[1799].
- 5064) *Notocelia cynosbatella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775; *#cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967.
- 5065) *Notocelia incarnatana* (Hübner,[1800])** (Tortricidae) Synonym(s): *incarnatana* Hübner,[1800]; *amoenana* Hübner,[1817].
- 5066) *Notocelia trimaculana* (Haworth,[1811])** (Tortricidae) Synonym(s): *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843.
- 5067) *Notocelia uddmanniana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *uddmanniana* Linnaeus,1758; *rubiana* Scopoli,1763; *achata* Hübner,[1799]
- 5068) *Olethreutes* (Argyroplote) *delitana* (Staudinger,1879)** (Tortricidae) Synonym(s): *delitana* Staudinger,1879; *laurentiana* Kennel,1919; *flava* Kennel,1919.
- 5069) *Olethreutes* (Argyroplote) *ernestiana* (Obratzsov,1961)** (Tortricidae) Synonym(s): *ernestiana* Obratzsov,1961
- 5070) *Olethreutes* (Argyroplote) *lacunana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *lacunana* [Denis & Schiffermüller],1775; *herbana* Guenée,1845
- 5071) *Olethreutes* (Argyroplote) *metallicana* (Hübner,[1799])** (Tortricidae) Synonym(s): *metallicana* Hübner,[1799]; *metallana* Frölich,1828
- 5072) *Olethreutes* (Argyroplote) *pfeifferiana* (Obratzsov,1961)** (Tortricidae) Synonym(s): *pfeifferiana* Obratzsov,1961
- 5073) *Olethreutes* (Argyroplote) *stibiana* (Guenée,1845)** (Tortricidae) Synonym(s): *stibiana* Guenée,1845; *sibirana* Caradja,1916; *fluviana* Kennel,1919.
- 5074) *Olethreutes* (s.str.) *arcuana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *#arcuella* Clerck,1759; *arcuana* Linnaeus,1761; *lambergiana* Scopoli,1763.
- 5075) *Olethreutes* (s.str.) *obsoletana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *obsoletana* Zetterstedt,1839; *nebulosana* Zetterstedt,1839; *schoenerrhina* Guenée,1845; *sudetana* Standfuss,1846; *irriguana* Herrich-Schäffer,1856

- 5076) *Olethreutes* (s.str.) *umbrosana* (Freyer,1842)** (Tortricidae) Synonym(s): *umbrosana* Freyer,1842
- 5077) *Olindia schumacherana* (Fabricius,1787)** (Tortricidae) Synonym(s): *schumacherana* Fabricius,1787; *ulmana* Hübner,[1823]; *areolana* Hübner,[1823]; *obscurana* Burmann,1949; *cruciana* Burmann,1949.
- 5078) *Orthotaenia undulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *undulana* [Denis & Schiffermüller],1775; *urticana* Hübner,1796; *campestrana* Zeller,1875; *dilutifuscana* Walsingham,1879
- 5079) *Oxypteron impar* Staudinger,1871** (Tortricidae) Synonym(s): *impar* Staudinger,1871
- 5080) *Oxypteron palmoni* (Amsel,1940)** (Tortricidae) Synonym(s): *palmoni* Amsel,1940
- 5081) *Pammene albuginana* (Guenée,1845)** (Tortricidae) Synonym(s): *albuginana* Guenée,1845; *reisseri* Rebel,1937
- 5082) *Pammene amygdalana* (Duponchel,1842)** (Tortricidae) Synonym(s): *amygdalana* Duponchel,1842
- 5083) *Pammene blockiana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): ? *blockiella* Rossi,1794; *blockiana* Herrich-Schäffer,[1851]; *cupressana* Zerny,1927
- 5084) *Pammene fasciana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *fasciana* Linnaeus,1761; *trinotata* Frölich,1828; *juliana* Curtis,1836; *nimbana* Herrich-Schäffer,1851; *herrichiana* Heinemann,1854
- 5085) *Pammene gallicolana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *gallicolana* Lienig & Zeller,1846
- 5086) *Pammene germmana* (Hübner,[1799])** (Tortricidae) Synonym(s): *germmana* Hübner,[1799]; *stagnana* Hübner,[1799]; *atropurpurana* Haworth,[1811]; *germarana* Hübner,[1825]; *puncticostana* Stephens,1834; *immaculana* Guenée,1845; *fulvifrontana* Zeller,1849
- 5087) *Pammene insulana* (Guenée,1845)** (Tortricidae) Synonym(s): *insulana* Guenée,1845; *motacillana* Zeller,1847; *stragulana* Tengström,1848; *ovulana* Tengström,1848.
- 5088) *Pammene luedersiana* (Sorhagen,1885)** (Tortricidae) Synonym(s): *luedersiana* Sorhagen,1885
- 5089) *Pammene mariana* (Zerny,1920)** (Tortricidae) Synonym(s): *mariana* Zerny,1920; *pontica* Obratzov,1960
- 5090) *Pammene nigritana* (Mann,1862)** (Tortricidae) Synonym(s): *nigritana* Mann,1862
- 5091) *Pammene ochsenheimeriana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): ?*panzerana* Frölich,1828; *ochsenheimeriana* Lienig & Zeller,1846; *loxiana* Herrich-Schäffer,1851; *luctiferana* Herrich-Schäffer,1851
- 5092) *Pammene pullana* Kuznetsov,1986** (Tortricidae) Synonym(s): *pullana* Kuznetsov,1986
- 5093) *Pammene regiana* (Zeller,1849)** (Tortricidae) Synonym(s): *regiana* Zeller,1849
- 5094) *Pammene rhediella* (Linnaeus,1761)** (Tortricidae) Synonym(s): *#rhediella* Clerck,1759; *rhediella* Linnaeus,1761; *daldorfana* Fabricius,1787; *dimidiana* Donovan,[1804]; *rhediana* Hübner,[1825]; *parvulana* Frölich,1828
- 5095) *Pammene splendidulana* (Guenée,1845)** (Tortricidae) Synonym(s): *strobilana* Haworth,1811; *splendidulana* Guenée,1845; *plumbatana* Lienig & Zeller,1846; *suberana* Constant,1895
- 5096) *Pammene trauniana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *trauniana* [Denis & Schiffermüller],1775; *floricolana* Frölich,1828; *notata* Westwood,1845; *conjugana* Zeller,1849
- 5097) *Pandemis cerasana* (Hübner,1786)** (Tortricidae) Synonym(s): *cerasana* Hübner,1786; *ribeana* Hübner,[1799]; *grossulariana* Stephens,1834
- 5098) *Pandemis chondrillana* (Herrich-Schäffer,1860)** (Tortricidae) Synonym(s): *chondrillana* Herrich-Schäffer,1860; *praeclorata* Kennel,1901; *laurana* Kennel,1919; *elsana* Kennel,1919; *eulogiana* Kennel,1919; *#unicolor* Obratzov,1943.
- 5099) *Pandemis cinnamomeana* (Treitschke,1830)** (Tortricidae) Synonym(s): *croceana* Hübner,[1799]; *croceana* Frölich,1828 (*praeocc.*); *cinnamomeana* Treitschke,1830; *basana* Zerny,1935
- 5100) *Pandemis corylana* (Fabricius,1794)** (Tortricidae) Synonym(s): *avellana* Poda,1761 (*praeocc.*); *corylana* Fabricius,1794; *textana* Hübner,[1799]
- 5101) *Pandemis dumetana* (Treitschke,1835)** (Tortricidae) Synonym(s): *dumetana* Treitschke,1835; *gravana* Caradja,1932
- 5102) *Pandemis heparana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *heparana* [Denis & Schiffermüller],1775
- 5103) *Paramesia gnomana* (Clerck,1759)** (Tortricidae) Synonym(s): *#gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829; *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943.
- 5104) *Pelochrista agrestana* (Treitschke,1830)** (Tortricidae) Synonym(s): *agrestana* Treitschke,1830; *fultana* Zeller,1847
- 5105) *Pelochrista arabescana* (Eversmann,1844)** (Tortricidae) Synonym(s): *arabescana* Eversmann,1844
- 5106) *Pelochrista caecimaculana* (Hübner,[1799])** (Tortricidae) Synonym(s): *caecimaculana* Hübner,[1799]; *kollariana* Herrich-Schäffer,[1851]
- 5107) *Pelochrista hepatariana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *hepatariana* Herrich-Schäffer,[1851]; *obnuptana* Herrich-Schäffer,[1851]
- 5108) *Pelochrista infidana* (Hübner,[1824])** (Tortricidae) Synonym(s): *infidana* Hübner,[1824]; *bulgarica* Soffner,1967

- 5109) *Pelochrista invisitana* Kuznetsov,1986** (Tortricidae) Synonym(s): *invisitana* Kuznetsov,1986
- 5110) *Pelochrista medullana* (Staudinger,1880)** (Tortricidae) Synonym(s): *medullana* Staudinger,1880
- 5111) *Pelochrista modicana* (Zeller,1847)** (Tortricidae) Synonym(s): *modicana* Zeller,1847; *definitana* Kennel,1901; *hinnebergiana* Fuchs,1902; *modestana* Herrich-Schäffer,[1851]
- 5112) *Pelochrista prae fractana* (Kennel,1901)** (Tortricidae) Synonym(s): *prae fractana* Kennel,1901
- 5113) *Periclepsis cinctana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *cinctana* [Denis & Schiffermüller],1775; *ceretana* Fabricius,1787; *albidana* Hübner,[1799]
- 5114) *Phalonidia acutana* (Kennel,1913)** (Tortricidae) Synonym(s): *acutana* Kennel,1913
- 5115) *Phalonidia albipalpana* (Zeller,1847)** (Tortricidae) Synonym(s): *albipalpana* Zeller,1847
- 5116) *Phalonidia amasiana* (Ragonot,1894)** (Tortricidae) Synonym(s): *amasiana* Ragonot,1894
- 5117) *Phalonidia contractana* (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 5118) *Phalonidia manniana* (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *manniana* Fischer v. Röslerstamm,1839; *notulana* Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960.
- 5119) *Phaneta pauperana* (Duponchel,1843)** (Tortricidae) Synonym(s): *pauperana* Duponchel,1843
- 5120) *Philedone gerningana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *gerningana* [Denis & Schiffermüller],1775; *pectinana* Hübner,[1799].
- 5121) *Phtheochroa chalcantha* (Meyrick,1912)** (Tortricidae) Synonym(s): *chalcantha* Meyrick,1912
- 5122) *Phtheochroa decipiens* (Walsingham,1900)** (Tortricidae) Synonym(s): *decipiens* Walsingham,1900; *rocharva* Obraztsov,1943; *berberidana* Danilevsky,1955.
- 5123) *Phtheochroa duponchelana* (Duponchel,1843)** (Tortricidae) Synonym(s): *duponchelana* Duponchel,1843; *duponcheliana* Costa,1847; *gloriosana* Herrich-Schäffer,1851; *syriaca* Walsingham,1900
- 5124) *Phtheochroa imitana* Derra,1991** (Tortricidae) Synonym(s): *imitana* Derra,1991
- 5125) *Phtheochroa larseni* Huemer,1990** (Tortricidae) Synonym(s): *larseni* Huemer,1990
- 5126) *Phtheochroa osthelderi* Huemer,1990** (Tortricidae) Synonym(s): *osthelderi* Huemer,1990
- 5127) *Phtheochroa procerana* (Lederer,1853)** (Tortricidae) Synonym(s): *procerana* Lederer,1853
- 5128) *Phtheochroa purana* (Guenée,1845)** (Tortricidae) Synonym(s): *purana* Guenée,1845; *limbatana* Herrich-Schäffer,[1851].
- 5129) *Phtheochroa rugosana* (Hübner,[1799])** (Tortricidae) Synonym(s): *rugosana* Hübner,[1799]; *v-albana* Donovan,1806.
- 5130) *Phtheochroa schreibersiana* (Frölich,1828)** (Tortricidae) Synonym(s): *schreibersiana* Frölich,1828
- 5131) *Phtheochroa schreieri* Derra,1991** (Tortricidae) Synonym(s): *schreieri* Derra,1991
- 5132) *Phtheochroa sodaliana* (Haworth,1811)** (Tortricidae) Synonym(s): *sodaliana* Haworth,1811; *amandana* Herrich-Schäffer,1851.
- 5133) *Phtheochroa thiana* Staudinger,[1900]** (Tortricidae) Synonym(s): *thiana* Staudinger,[1900]; *dilectana* Kennel,1900.
- 5134) *Phtheochroa unionana* (Kennel,1900)** (Tortricidae) Synonym(s): *unionana* Kennel,1900
- 5135) *Piniphila bifasciana* (Haworth,1811)** (Tortricidae) Synonym(s): *bifasciana* Haworth,1811; *daleana* Haworth,1811; *bicinctana* Tengström,1848; *decrepitana* Herrich-Schäffer,1851; *silphana* Milliére,1874
- 5136) *Pristerognatha fuligana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *fuligana* [Denis & Schiffermüller],1775
- 5137) *Prochlidonia ochromixtana* (Kennel,1913)** (Tortricidae) Synonym(s): *ochromixtana* Kennel,1913
- 5138) *Propiomorpha rhodophana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *rhodophana* Herrich-Schäffer,[1851]
- 5139) *Pseudamelia rogana* Guenée,1845** (Tortricidae) Synonym(s): *rogana* Guenée,1845
- 5140) *Pseudargyrotoza conwagana* (Fabricius,1775)** (Tortricidae) Synonym(s): *montana* Scopoli,1763; *conwagana* Fabricius,1775; *hofmannseggana* Hübner,[1799]; *spixiana* Frölich,1828; *subaurantiana* Stephens,1834; *graphitana* Eversmann,1844; *#conwajana* Staudinger,1879.
- 5141) *Pseudeulia asinana* (Hübner,[1799])** (Tortricidae) Synonym(s): *asinana* Hübner,[1799]
- 5142) *Pseudococcyx tessulatana* (Staudinger,1871)** (Tortricidae) Synonym(s): *tessulatana* Staudinger,1871
- 5143) *Pseudosciaphila branderiana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *brandariana* Linnaeus,1758; *fuscana* Linnaeus,1758; *wahlbomiana* Linnaeus,1758; *asinana* Clerck,1759; *grossana* Thunberg,1791; *achariana* Thunberg,1797; *maurana* Hübner,[1799]; *sajana* Caradja,1938
- 5144) *Ptycholoma lecheana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *lecheana* Linnaeus,1758; *obsoletana* Stephens,1834
- 5145) *Rhopobota myrtillana* (Humphreys & Westwood,1845)** (Tortricidae) Synonym(s): *myrtillana* Humphreys & Westwood,1845; *vacciniana* Lienig & Zeller,1846; *latifasciana* Peyerimhoff,1863.
- 5146) *Rhopobota stagnana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *stagnana* [Denis & Schiffermüller],1775; *fractifasciana* Haworth,[1811]; *cuphana* Duponchel,1843; *berolinensis* Amsel,1932
- 5147) *Rhyacionia buoliana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; *#bouoliana* Kalchberg,1897

- 5148) Rhyacionia pinicolana (Doubleday,1849)** (Tortricidae) Synonym(s): *pinicolana* Doubleday,1849; *coccinnana* Lederer,1859
- 5149) Rhyacionia pinivorana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *pinivorana* Lienig & Zeller,1846; *albionana* Doubleday,1850; *pudendana* Herrich-Schäffer,1851; *rhaetica* Thomann,1914; *hafneri* Rebel,1937
- 5150) Selania leplastriana (Curtis,1831)** (Tortricidae) Synonym(s): *leplastriana* Curtis,1831; *gueriniana* Duponchel,1836; *maderae* Wollaston,1858; *vana* Kennel,1901; *malcolmiae* Walsingham,1903; *decoratana* Chrétien,1915; *extinctana* Chrétien,1915
- 5151) Siclobola micromys (Stringer,1929)** (Tortricidae) Synonym(s): *micromys* Stringer,1929
- 5152) Siclobola neglectana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer,[1851]
- 5153) Sparganthis pilleriana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *pilleriana* [Denis & Schiffermüller],1775
- 5154) Spilonota ocellana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949
- 5155) Strophedra nitidana (Fabricius,1794)** (Tortricidae) Synonym(s): *nitidana* Fabricius,1794; *redimitana* Guenée,1845; *flexana* Zeller,1849; *vigeliiana* Herrich-Schäffer,1853.
- 5156) Strophedra weirana (Douglas,1850)** (Tortricidae) Synonym(s): *weirana* Douglas,1850
- 5157) Syndemis musculana (Hübner,[1799])** (Tortricidae) Synonym(s): *musculana* Hübner,[1799]; *musculinana* Kennel,1899; *nipponensis* Yasuda,1975.
- 5158) Thiodia anatoliana Kennel,1916** (Tortricidae) Synonym(s): *anatoliana* Kennel,1916
- 5159) Thiodia citrana (Hübner,[1799])** (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obratzsov,1964.
- 5160) Thiodia couleruana (Duponchel,1835)** (Tortricidae) Synonym(s): *couleruana* Duponchel,1835; *castiliana* Caradja,1917; *pseudodelitanus* Obratzsov,1952
- 5161) Thiodia fessana (Mann,1873)** (Tortricidae) Synonym(s): *fessana* Mann,1873
- 5162) Thiodia torridana (Lederer,1859)** (Tortricidae) Synonym(s): *torridana* Lederer,1859
- 5163) Thiodia trochillana (Frölich,1828)** (Tortricidae) Synonym(s): *trochillana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839]
- 5164) Tortricodes selma Koçak,1991** (Tortricidae) Synonym(s): *selma* Koçak,1991
- 5165) Tortrix viridana (Linnaeus,1758)** (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübner,[1799]; *coeruleana* Sorhagen,1881.
- 5166) Trachysmia aureopunctana (Ragonot,1894)** (Tortricidae) Synonym(s): *aureopunctana* Ragonot,1894
- 5167) Trachysmia decipiens (Walsingham,1900)** (Tortricidae) Synonym(s): *decipiens* Walsingham,1900
- 5168) Trachysmia lucentana (Kennel,1899)** (Tortricidae) Synonym(s): *lucentana* Kennel,1899
- 5169) Trachysmia palpana (Ragonot,1894)** (Tortricidae) Synonym(s): *palpana* Ragonot,1894
- 5170) Xerocnephasia rigana (Sodoffsky,1829)** (Tortricidae) Synonym(s): *rigana* Sodoffsky,1829; *horridana* Frölich,1830; *modestana* Treitschke,1830; *monticolana* Frey,1880
- 5171) Zeiraphera isertana (Fabricius,1794)** (Tortricidae) Synonym(s): *isertana* Fabricius,1794; *communana* Fabricius,1794; *cuiviana* Fabricius,1794; *adustana* Hübner,[1813]; *corticana* Hübner,[1813]; *kuhlweiniana* Hübner,[1825]; *licheana* Treitschke,1829; *nigricans* Sorhagen,1882; *steiniana* Sorhagen,1882; *wautersi* Dufrane,1945

YPONOMEUTIDAE

- 5172) Acrolepiopsis vesperella (Zeller,1850)** (Yponomeutidae) Synonym(s): *vesperella* Zeller,1850; *smilaxella* Millière,1864; *tami* Hering,1927
- 5173) Argyresthia (Blastotere) impura (Staudinger,1879)** (Yponomeutidae) Synonym(s): *impura* Staudinger,1879
- 5174) Argyresthia (s.str.) abdominalis Zeller,1839** (Yponomeutidae) Synonym(s): *abdominalis* Zeller,1839; *abdominalella* Duponchel,[1845]; *inauratella* Tengström,1848; *abdominella* Herrich-Schäffer,1855; *helvetica* Heinemann,[1876]
- 5175) Argyresthia (s.str.) conjugella Zeller,1839** (Yponomeutidae) Synonym(s): *conjugella* Zeller,1839; ? *aerariella* Stainton,1871
- 5176) Argyresthia (s.str.) pretiosa Staudinger,1879** (Yponomeutidae) Synonym(s): *pretiosa* Staudinger,1879
- 5177) Argyresthia (s.str.) pruniella (Clerck,1759)** (Yponomeutidae) Synonym(s): *#pruniella* Clerck,1759; *comella* Scopoli,1763; *ephippella* Fabricius,1777; *ephippium* Fabricius,1798; *pruni* Haworth,[1828]; *#ephippiella* Staudinger,1879.

- 5178) *Argyresthia* (s.str.) *spinosella* Stainton,1849** (Yponomeutidae) Synonym(s): *mendica* auct; *spinosella* Stainton,1849.
- 5179) *Atemelia* *torquatella* (Lienig & Zeller,1846)** (Yponomeutidae) Synonym(s): *torquatella* Lienig & Zeller,1846; *fuscifrontella* Stainton,1849
- 5180) *Digitivalva* (*Inuliphila*) *occidentella* (Klimesch,1956)** (Yponomeutidae) Synonym(s): *occidentella* Klimesch,1956.
- 5181) *Digitivalva* (*Inuliphila*) *pulicariae* (Klimesch,1956)** (Yponomeutidae) Synonym(s): *pulicariae* Klimesch,1956
- 5182) *Digitivalva* (*Inuliphila*) *wolfschlaegeri* (Klimesch,1956)** (Yponomeutidae) Synonym(s): *wolfschlaegeri* Klimesch,1956
- 5183) *Digitivalva* *glaseri* Gaedike,1971** (Yponomeutidae) Synonym(s): *glaseri* Gaedike,1971.
- 5184) *Digitivalva* *reticulella* (Hübner,1796)** (Yponomeutidae) Synonym(s): *reticulella* Hübner,1796; *cariosella* Treitschke,1835.
- 5185) *Digitivalva* sp.** (Yponomeutidae) Synonym(s):
- 5186) *Eidophasia* *messingiella* (Fischer v. Röslerstamm,1840)** (Yponomeutidae) Synonym(s): *messingiella* Fischer v. Röslerstamm,1840; *transversella* Stephens,1841; *mullerella* Rougemont,1903
- 5187) *Eidophasia* *syenitella* (Heydenreich,1851)** (Yponomeutidae) Synonym(s): *syenitella* Heydenreich,1851
- 5188) *Eidophasia* *tauricella* Staudinger,1879** (Yponomeutidae) Synonym(s): *tauricella* Staudinger,1879
- 5189) *Kessleria* (s.str.) *caucasica* Friese,1960** (Yponomeutidae) Synonym(s): *caucasica* Friese,1960
- 5190) *Kessleria* (s.str.) *osyridellus* Stainton,1869** (Yponomeutidae) Synonym(s): *osyridellus* Stainton,1869
- 5191) *Niphonympha* *albella* (Zeller,1847)** (Yponomeutidae) Synonym(s): *albella* Zeller,1847; *dealbatella* Zeller,1847; *immaculanella* Bruand,1850; *cignivicinella* Bruand,1859
- 5192) *Ochsenheimeria* *taurella* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *taurella* [Denis & Schiffermüller],1775; *mediopectinellus* Haworth,1828; *birdella* Curtis,1831; *trifasciata* Wocke,1871; *hederarum* Millière,1874; *talhouki* Amsel,1947; *baurella* Zagulyaev,1966
- 5193) *Ochsenheimeria* *vacculella* Fischer v. Röslerstamm,1842** (Yponomeutidae) Synonym(s): *vacculella* Fischer v. Röslerstamm,1842; *chenopodiella* Stainton,1849; *danilevskii* Zagulyaev,1972
- 5194) *Paraswammerdamia* *lutarea* (Haworth,[1828])** (Yponomeutidae) Synonym(s): *lutarea* Haworth,[1828]
- 5195) *Plutella* (*Anadetia*) *porrectella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *porrectella* Linnaeus,1758; *hesperidis* Retzius,1783; *julianella* Olivier,1789; *hesperidella* Hübner,1796; *vittatus* Fabricius,1798
- 5196) *Plutella* (s.str.) *xylostella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 nec Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Bentinck,1943
- 5197) *Prays* *fraxinella* (Bjerkander,1784)** (Yponomeutidae) Synonym(s): *fraxinella* Bjerkander,1784; *curtisella* Donovan,1793; *circulella* Fabricius,1794; *coenobitella* Hübner,[1813]; *curtisii* Haworth,1828; *hortulella* Stephens,1828
- 5198) *Prays* *oleae* (Bernard,1788)** (Yponomeutidae) Synonym(s): *oleae* Bernard,1788; *oleellus* Fabricius,1794; *oliviella* Boyer,1837; *adpersella* Heydenreich,1851; *adpersigriseella* Bruand,1859
- 5199) *Pseudoswammerdamia* *combinella* (Hübner,1786)** (Yponomeutidae) Synonym(s): *combinella* Hübner,1786
- 5200) *Rhigognostis* *senilella* (Zetterstedt,[1839])** (Yponomeutidae) Synonym(s): *senilella* Zetterstedt,[1839]; *dallella* Stainton,1849; *marmarosella* Wocke,1850
- 5201) *Swammerdamia* *caesiella* (Hübner,1796)** (Yponomeutidae) Synonym(s): *caesiella* Hübner,1796; *heroldella* Hübner,[1825]; *caesia* Haworth,1828; *nubeculella* Tengström,1848; *griseocapitella* Stainton,1851
- 5202) *Yponomeuta* *cognagellus* (Hübner,[1813])** (Yponomeutidae) Synonym(s): *cognagella* Hübner,[1813]
- 5203) *Yponomeuta* *evonymellus* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *evonymella* Linnaeus,1758; *padi* Zeller,1846
- 5204) *Yponomeuta* *irrorellus* (Hübner,1796)** (Yponomeutidae) Synonym(s): *irrorellus* Hübner,1796; *irrorea* Haworth,1828; *huebneri* Koçak,1982.
- 5205) *Yponomeuta* *malinellus* Zeller,1838** (Yponomeutidae) Synonym(s): *malinellus* Zeller,1838
- 5206) *Yponomeuta* *padellus* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *padella* Linnaeus,1758; *evonymella* Scopoli,1763 nec Linn.,1758; *malinella* Zeller,1838; *variabilis* Zeller,1844; *diffuellus* Heinemann,1870.
- 5207) *Yponomeuta* *plumbellus* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *plumbellus* [Denis & Schiffermüller],1775; *nigrifimbriatus* Christoph,1882
- 5208) *Yponomeuta* *rorrellus* (Hübner,1796)** (Yponomeutidae) Synonym(s): *rorrella* Hübner,1796; *helicella* Freyer,1827; *rorea* Haworth,1828.
- 5209) *Ypsolopha* *albiramella* (Mann,1861)** (Yponomeutidae) Synonym(s): *albiramella* Mann,1861
- 5210) *Ypsolopha* *asperella* (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *asperella* Linnaeus,1761; *clairvillella* Fabricius,1798; *falcateella* Donovan,1801

- 5211) Ypsolopha excisella (Lederer,1855)** (Yponomeutidae) Synonym(s): *excisella Lederer,1855*
- 5212) Ypsolopha instabilella (Mann,1866)** (Yponomeutidae) Synonym(s): *instabilella Mann,1866*
- 5213) Ypsolopha kristalleniae Rebel,1916** (Yponomeutidae) Synonym(s): *kristalleniae Rebel,1916*
- 5214) Ypsolopha manniella (Staudinger,1879)** (Yponomeutidae) Synonym(s): *manniella Staudinger,1879*
- 5215) Ypsolopha mucronella (Scopoli,1763)** (Yponomeutidae) Synonym(s): *mucronella Scopoli,1763; caudella Linnaeus,1767; panzerella Donovan,1794; cultrella Hübner,1796; acinacidella Hübner,1796; mucronatus Fabricius,1798; helwigella Fabricius,1798; acinacidea Haworth,1828*
- 5216) Ypsolopha nebulella (Staudinger,1871)** (Yponomeutidae) Synonym(s): *nebulella Staudinger,1871*
- 5217) Ypsolopha parenthesella (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *parenthesella Linnaeus,1761; costella Fabricius,1775; genistella [Denis & Schiffermüller],1775; ochrella Hübner,1793; maculella Fabricius,1794; costatus Fabricius,1798; maculatus Fabricius,1798; ochroleucus Haworth,1828; ermineus Haworth,1828; ustulatus Haworth,1828; takamukui Matsumura,1931*
- 5218) Ypsolopha persicella (Fabricius,1787)** (Yponomeutidae) Synonym(s): *persicella Fabricius,1787; sulphurella Hübner,1793; #persicellume Noack,1960.*
- 5219) Ypsolopha sculpturella (Herrich-Schäffer,[1854])** (Yponomeutidae) Synonym(s): *sculpturella Herrich-Schäffer,[1854]*
- 5220) Ypsolopha semitessella (Mann,1861)** (Yponomeutidae) Synonym(s): *semitessella Mann,1861*
- 5221) Ypsolopha sequella (Clerck,1759)** (Yponomeutidae) Synonym(s): *#sequella Clerk,1759; nycthemerella [Denis & Schiffermüller],1775; nyctemerus Fabricius,1798; leucophaea Zeller,1839*
- 5222) Ypsolopha trichonella (Mann,1861)** (Yponomeutidae) Synonym(s): *trichonella Mann,1861*
- 5223) Ypsolopha ustella (Clerck,1759)** (Yponomeutidae) Synonym(s): *#ustella Clerck,1759; ciliella [Denis & Schiffermüller],1775; radiatella Donovan,1794 nec Fourc.,1785; variella Hübner,1796 nec [Den. & Schiff.],1775; fissella Hübner,1796; cornutus Fabricius,1798; unguiculatus Fabricius,1798; parallela Panzer,1799; byssinella Hübner,[1813]; quinquepunctatus Haworth,1828; lutosus Haworth,1828; flaviciliatus Haworth,1828; varians Haworth,1828; fissus Haworth,1828; radiatus Haworth,1828; fulvella Duponchel,1839*
- 5224) Ypsolopha vittella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *vittella Linnaeus,1758; sisymbrella Denis & Schiffermüller,[1775]; lanceolata Fabricius,1777; lancea Borkhausen,1792; dorsella Fabricius,1794; dorsatus Fabricius,1798; #vitellum Noack,1960.*
- 5225) Zelleria hepariella Stainton,1849** (Yponomeutidae) Synonym(s): *hepariella Stainton,1849*

ZYGAENIDAE

- 5226) Adscita (Tarmannita) mannii (Lederer,1853)** (Zygaenidae) Synonym(s): *mannii Lederer,1853; heydenreichii Lederer,1853; crassicornis Staudinger,1862; prasina Rothschild,1917; glauca Verity,1946; pseudostatice Verity,1946.*
- 5227) Adscita (s.str.) capitalis (Staudinger,1878)** (Zygaenidae) Synonym(s): *capitalis Staudinger,1878*
- 5228) Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura Zeller,1847; anceps Staudinger,1862.*
- 5229) Adscita (s.str.) statice (Linnaeus,1758)** (Zygaenidae) Synonym(s): *statice Linnaeus,1758; turcosa Retzius,1783; stuticus Fourcroy,1785; micans Freyer,1833; extensa Alberti,1937; anomala Verity,1946; lutrinensis Heuser,1960; heuseri Reichl,1964*
- 5230) Adscita (s.str.) storaiae (Tarmann,1977)** (Zygaenidae) Synonym(s): *storaiae Tarmann,1977*
- 5231) Clelea fusca (Leech,1887)** (Zygaenidae) Synonym(s): *fusca Leech,1887; microphaea Hampson,1919; syriaca Hampson,1919; maerens Matsumura,1925 nec Stgr.,1887; sachalinensis Matsumura,1927*
- 5232) Jordanita (Lucasiterna) subsolana (Staudinger,1862)** (Zygaenidae) Synonym(s): *subsolana Staudinger,1862*
- 5233) Jordanita (Praviela) anatolica (Naufock,1929)** (Zygaenidae) Synonym(s): *anatolica Naufock,1929; levantina Jordan,1931; pfeifferi Naufock,1935; ? christinae Keil,1998.*
- 5234) Jordanita (Rjabovia) horni (Alberti,1937)** (Zygaenidae) Synonym(s): *horni Alberti,1937; #armena Alberti,1970.*
- 5235) Jordanita (Roccia) budensis (Speyer & Speyer,1858)** (Zygaenidae) Synonym(s): *budensis Speyer & Speyer,1858*
- 5236) Jordanita (Roccia) hector (Jordan,1909)** (Zygaenidae) Synonym(s): *hector Jordan,1909; #monotona Alberti,1937*
- 5237) Jordanita (Roccia) kurdica (Tarmann,1987)** (Zygaenidae) Synonym(s): *kurdica Tarmann,1987*
- 5238) Jordanita (Roccia) paupera (Christoph,1887)** (Zygaenidae) Synonym(s): *paupera Christoph,1887; mollis Grun-Grshimailo,1893; hamifera Jordan,1909; tamerlana Alberti,1937; minor Alberti,1937*
- 5239) Jordanita (Roccia) staudingeri Alberti,1954** (Zygaenidae) Synonym(s): *staudingeri Alberti,1954*
- 5240) Jordanita (Roccia) volgensis (Möschler,1862)** (Zygaenidae) Synonym(s): *volgensis Möschler,1862*
- 5241) Jordanita (Tremewania) notata (Zeller,1847)** (Zygaenidae) Synonym(s): *notata Zeller,1847*

- 5242) *Jordanita (s.str.) chloronota* Staudinger,1870** (Zygaenidae) Synonym(s): *chloronota* Staudinger,1870; *#minima* Alberti,1937
- 5243) *Jordanita (s.str.) chloros* (Hübner,[1813])** (Zygaenidae) Synonym(s): *chloros* Hübner,[1813]; *sepium* Boisduval,1834.
- 5244) *Jordanita (s.str.) globulariae* (Hübner,1793)** (Zygaenidae) Synonym(s): *globulariae* Hübner,1793
- 5245) *Jordanita (s.str.) graeca* (Jordan,1907)** (Zygaenidae) Synonym(s): *graeca* Jordan,1907
- 5246) *Jordanita (s.str.) tenuicornis* (Zeller,1847)** (Zygaenidae) Synonym(s): *tenuicornis* Zeller,1847
- 5247) *Rhagades (Wiegelia) amasina* (Herrich-Schäffer,1851)** (Zygaenidae) Synonym(s): *amasina* Herrich-Schäffer,1851
- 5248) *Theresimima ampellophaga* (Bayle-Barelle,1808)** (Zygaenidae) Synonym(s): *ampellophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878.
- 5249) *Zygaena (Agrumenia) armena* Eversmann,1851** (Zygaenidae) Synonym(s): *armena* Eversmann,1851; *kadenii* Lederer,1864
- 5250) *Zygaena (Agrumenia) carniolica* (Scopoli,1763)** (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909
- 5251) *Zygaena (Agrumenia) formosa* Herrich-Schäffer,[1852]** (Zygaenidae) Synonym(s): *formosa* Herrich-Schäffer,[1852]
- 5252) *Zygaena (Agrumenia) fraxini* Ménétriés,1832** (Zygaenidae) Synonym(s): *fraxini* Ménétriés,1832; *scovitzii* Ménétriés,1832; *cingulata* Sheljuzhko,1958
- 5253) *Zygaena (Agrumenia) loti* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777
- 5254) *Zygaena (Agrumenia) olivieri* Boisduval,1828** (Zygaenidae) Synonym(s): *olivieri* Boisduval,1828; *cremonae* Seitz,1907
- 5255) *Zygaena (Agrumenia) peschmerga* Eckweiler & Görgner,1981** (Zygaenidae) Synonym(s): *peschmerga* Eckweiler & Görgner,1981
- 5256) *Zygaena (Agrumenia) rosinae* Korb,1903** (Zygaenidae) Synonym(s): *rosinae* Korb,1903
- 5257) *Zygaena (Agrumenia) sedi* Fabricius,1787** (Zygaenidae) Synonym(s): *sedi* Fabricius,1787
- 5258) *Zygaena (Mesembrynus) adsharica* H.Reiss,1935** (Zygaenidae) Synonym(s): *adsharica* H.Reiss,1935; *#interrupta* H.Reiss,1935; *#omniconfluens* H.Reiss,1935
- 5259) *Zygaena (Mesembrynus) brizae* (Esper,1800)** (Zygaenidae) Synonym(s): *brizae* Esper,1800
- 5260) *Zygaena (Mesembrynus) cambysea* Lederer,1870** (Zygaenidae) Synonym(s): *cambysea* Lederer,1870
- 5261) *Zygaena (Mesembrynus) cuvieri* Boisduval,1828** (Zygaenidae) Synonym(s): *cuvieri* Boisduval,1828
- 5262) *Zygaena (Mesembrynus) cynarae* (Esper,[1789])** (Zygaenidae) Synonym(s): *cynarae* Esper,[1789]; *genistae* Herrich-Schäffer,1846
- 5263) *Zygaena (Mesembrynus) haematina* Kollar,[1849]** (Zygaenidae) Synonym(s): *haematina* Kollar,[1849]
- 5264) *Zygaena (Mesembrynus) laeta* (Hübner,1790)** (Zygaenidae) Synonym(s): *laeta* Hübner,1790
- 5265) *Zygaena (Mesembrynus) lydia* Staudinger,1887** (Zygaenidae) Synonym(s): *lydia* Staudinger,1887
- 5266) *Zygaena (Mesembrynus) manlia* Lederer,1870** (Zygaenidae) Synonym(s): *manlia* Lederer,1870
- 5267) *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *minos* [Denis & Schiffermüller],1775.
- 5268) *Zygaena (Mesembrynus) punctum* Ochsenheimer,1808** (Zygaenidae) Synonym(s): *punctum* Ochsenheimer,1808
- 5269) *Zygaena (Mesembrynus) purpuralis* (Brünnich,1763)** (Zygaenidae) Synonym(s): *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973.
- 5270) *Zygaena (Mesembrynus) rubricollis* Hampson,1900** (Zygaenidae) Synonym(s): *rubricollis* Hampson,1900
- 5271) *Zygaena (Mesembrynus) tamara* Christoph,1889** (Zygaenidae) Synonym(s): *tamara* Christoph,1889
- 5272) *Zygaena (s.str.) amanica* Reiss,1935** (Zygaenidae) Synonym(s): *amanica* Reiss,1935
- 5273) *Zygaena (s.str.) araratica* Staudinger,1871** (Zygaenidae) Synonym(s): *araratica* Staudinger,1871
- 5274) *Zygaena (s.str.) dorycnii* Ochsenheimer,1808** (Zygaenidae) Synonym(s): *dorycnii* Ochsenheimer,1808
- 5275) *Zygaena (s.str.) filipendulae* (Linnaeus,1758)** (Zygaenidae) Synonym(s): *filipendulae* Linnaeus,1758; *aries* Retzius,1783
- 5276) *Zygaena (s.str.) graslini* Lederer,1855** (Zygaenidae) Synonym(s): *graslini* Lederer,1855
- 5277) *Zygaena (s.str.) lonicerae* (Scheven,1777)** (Zygaenidae) Synonym(s): *lonicerae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965
- 5278) *Zygaena (s.str.) osterodensis* H.Reiss,1921** (Zygaenidae) Synonym(s): *osterodensis* H.Reiss,1921

- 5279) *Zygaena* (s.str.) *problematica* Naumann,1966** (Zygaenidae) Synonym(s): *problematica* Naumann,1966
- 5280) *Zygaena* (s.str.) *ramburii* Herrich-Schäffer,1861** (Zygaenidae) Synonym(s): *ramburii* Herrich-Schäffer,1861; *ramburi* Lederer,1861
- 5281) *Zygaena* (s.str.) *senescens* Staudinger,1887** (Zygaenidae) Synonym(s): *senescens* Staudinger,1887
- 5282) *Zygaena* (s.str.) *viciae* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829

Other Pterygot Orders

Totally 15135 species of the 301 families in the orders *Plecoptera*, *Odonata*, *Blattodea*, *Mantodea*, *Dermaptera*, *Phasmida*, *Orthoptera*, *Hemiptera*, *Homoptera*, *Planipennia*, *Trichoptera*, *Mecoptera*, *Diptera*, *Hymenoptera*, and *Coleoptera*, recorded in Turkey, are listed below. The valid specific names, together with their synonyms, are listed under the alphabetically arranged family names of the orders mentioned above. # denotes nomenclaturally unavailable names. \$ denotes fossil species.

ACHILIDAE

- 5283) *Akotropis quercicola* Linnavuori,1962** (Achilidae) Synonym(s): *quercicola* Linnavuori,1962
- 5284) *Cixidia marginicollis* (Spinola,1839)** (Achilidae) Synonym(s): *marginicollis* Spinola,1839
- 5285) *Cixidia mersinica* (Dlabola,1987)** (Achilidae) Synonym(s): *mersinica* Dlabola,1987
- 5286) *Cixidia parnassia* (Stal,1859)** (Achilidae) Synonym(s): *parnassia* Stal,1859
- 5287) *Cixidia pilatoi* D'Urso & Guglielmino,1995** (Achilidae) Synonym(s): *pilatoi* D'Urso & Guglielmino,1995

ACRIDIDAE

- 5288) *Acrida anatolica* Dirsh,1949** (Acrididae) Synonym(s): *anatolica* Dirsh,1949; *caucasica* Dirsh,1949; #*anatolia* Weidner,1969
- 5289) *Acrida bicolor* (Thunberg,1815)** (Acrididae) Synonym(s): *bicolor* Thunberg,1815; *pellucida* Klug,1830; *stalii* Bolivar,1893; *orientalis* Bolivar,1919; *deminula* Bolivar,1922; *tessellata* Sjöstedt,1931; *leopoldi* Sjöstedt,1934; *algeriana* Dirsh,1949; *bosphorica* Dirsh,1949; *lombardica* Dirsh,1949
- 5290) *Acrida oxycephala* (Pallas,1771)** (Acrididae) Synonym(s): *oxycephala* Pallas,1771; *deserti* Uvarov,1916; *caspica* Dirsh,1949; *persa* Dirsh,1949; *turca* Dirsh,1949
- 5291) *Acrotylus insubricus* (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958
- 5292) *Acrotylus longipes* (Charpentier,1845)** (Acrididae) Synonym(s): *longipes* Charpentier,1845; *aurifera* Walker,1870; *collecta* Walker,1870
- 5293) *Acrotylus patruelis* (Herrich-Schäffer,1838)** (Acrididae) Synonym(s): *patruelis* Herrich-Schäffer,1838
- 5294) *Aeropedellus turcicus* Karabağ,1959** (Acrididae) Synonym(s): *turcicus* Karabağ,1959
- 5295) *Aiolopus simulatrix* (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922
- 5296) *Aiolopus strepens* (Latreille,1802)** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913
- 5297) *Aiolopus thalassinus* (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953
- 5298) *Anacridium aegyptium* (Linnaeus,1764)** (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943
- 5299) *Arcyptera* (Pararcyptera) *labiata* (Brullé,1832)** (Acrididae) Synonym(s): *labiata* Brullé,1832; *tibialis* Brullé,1832; *stenoptera* Uvarov,1942

- 5300) Arcyptera (Pararcyptera) microptera (Fischer de Waldheim,1833)** (Acrididae)
Synonym(s): *microptera* Fischer de Waldheim,1833
- 5301) Arcyptera (s.str.) fusca (Pallas,1773)** (Acrididae) Synonym(s): *fusca* Pallas,1773
- 5302) Asphingoderus elazigi Demirsoy,1977** (Acrididae) Synonym(s): *elazigi* Demirsoy,1977
- 5303) Asphingoderus uvarovites (Mishtshenko,1936)** (Acrididae) Synonym(s): *uvarovites* Mishtshenko,1936
- 5304) Brunnerella mirabilis Saussure,1888** (Acrididae) Synonym(s): *mirabilis* Saussure,1888
- 5305) Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *cephalotes* Fischer von Waldheim,1846; *discoidalis* Walker,1870; *minimus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954
- 5306) Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis* Giglio-Tos,1893; *carbonaria* Uvarov,1914; *angustus* Uvarov,1934; *anatolicus* Maran,1951; *hissaricus* Mishtchenko,1951; *intricatus* Mishtchenko,1951; *#nigra* Bei-Bienko & Richter,1960
- 5307) Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus* Linnaeus,1758; *germanicus* Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellis* Serville,1838; *cerisanus* Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata* Puschig,1910; *anachoretus* Baranov,1925; *gilvonigricans* Voroncovsky,1927; *grandis* Ramme,1927; *reductus* Ramme,1927; *afghanus* Ramme,1952
- 5308) Calliptamus tenuicercis Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis* Tarbinsky,1930; *aurantiacus* Ramme,1930; *iranicus* Ramme,1930; *persa* Uvarov,1938; *aurantipes* Ramme,1951; *syriacus* Ramme,1951; *#tenuicercis* Salman,1978
- 5309) Celes variabilis (Pallas,1771)** (Acrididae) Synonym(s): *variabilis* Pallas,1771; *rhodoptilus* Charpentier,1825; *subcoerulipennis* Charpentier,1825; *#arborarius* Uvarov,1917
- 5310) Charora pentagrammica Bolivar,1899** (Acrididae) Synonym(s): *pentagrammica* Bolivar,1899
- 5311) Chorthippus (Glyptobothrus) aktaci Ünal,2010** (Acrididae) Synonym(s): *aktaci* Ünal,2010
- 5312) Chorthippus (Glyptobothrus) antecessor Şirin & Çıplak,2010** (Acrididae) Synonym(s): *antecessor* Şirin & Çıplak,2010
- 5313) Chorthippus (Glyptobothrus) apricarius (Linnaeus,1758)** (Acrididae) Synonym(s): *apricarius* Linnaeus,1758
- 5314) Chorthippus (Glyptobothrus) biguttulus (Linnaeus,1758)** (Acrididae) Synonym(s): *biguttulus* Linnaeus,1758
- 5315) Chorthippus (Glyptobothrus) binotatus (Charpentier,1825)** (Acrididae) Synonym(s): *binotatus* Charpentier,1825
- 5316) Chorthippus (Glyptobothrus) bozdaghi Uvarov,1934** (Acrididae) Synonym(s): *bozdaghi* Uvarov,1934
- 5317) Chorthippus (Glyptobothrus) brunneus (Thunberg,1815)** (Acrididae) Synonym(s): *brunneus* Thunberg,1815; *bicolor* Charpentier,1825; *biguttula* Stephens,1835; *rhomboida* Stephens,1835; *varipes* Stephens,1835; *venusa* Stephens,1835; *vittata* Stephens,1835; *brunneri* Werner,1902
- 5318) Chorthippus (Glyptobothrus) helverseni Mol, Çıplak & Şirin,2003** (Acrididae)
Synonym(s): *helverseni* Mol, Çıplak & Şirin,2003
- 5319) Chorthippus (Glyptobothrus) ilkazi Uvarov,1934** (Acrididae) Synonym(s): *ilkazi* Uvarov,1934
- 5320) Chorthippus (Glyptobothrus) kazdagensis Mol & Çıplak,2005** (Acrididae) Synonym(s): *kazdagensis* Mol & Çıplak,2005
- 5321) Chorthippus (Glyptobothrus) labaumei Ramme,1926** (Acrididae) Synonym(s): *labaumei* Ramme,1926
- 5322) Chorthippus (Glyptobothrus) longicornis (Latreille,1804)** (Acrididae) Synonym(s): *longicornis* Latreille,1804
- 5323) Chorthippus (Glyptobothrus) macrocerus (Fischer von Waldheim,1846)** (Acrididae)
Synonym(s): *macrocerus* Fischer von Waldheim,1846
- 5324) Chorthippus (Glyptobothrus) mollis (Charpentier,1825)** (Acrididae) Synonym(s): *mollis* Charpentier,1825
- 5325) Chorthippus (Glyptobothrus) relicticus Şirin, Helversen & Çıplak,2010** (Acrididae)
Synonym(s): *relicticus* Şirin, Helversen & Çıplak,2010
- 5326) Chorthippus (Glyptobothrus) satunini Mistshenko,1951** (Acrididae) Synonym(s): *satunini* Mistshenko,1951
- 5327) Chorthippus (Glyptobothrus) taurensis Şirin & Çıplak,2005** (Acrididae) Synonym(s): *taurensis* Şirin & Çıplak,2005
- 5328) Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans* Eversmann,1848
- 5329) Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928
- 5330) Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae) Synonym(s): *dichrous* Eversmann,1859; *australia* Predtechenskii,1928

- 5331) Chorthippus (s.str.) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835
- 5332) Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *loratus* Fischer von Waldheim,1846; *dorsatus* Giglio-Tos,1894; *brauneri* Znojko,1928; *dessyi* Jannone,1936
- 5333) Chorthippus (s.str.) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus* Zetterstedt,1821; *pratorum* Fieber,1852; *explicatus* Selys-Longchamps,1862; *nigrolineatus* Ivanov,1888; *sylvestris* Puschig,1910; *montana* Chopard,1922; *caffra* Ramme,1923; *fuliginosus* Voroncovsky,1928; *prasinolateralis* Voroncovsky,1928; *prasinoperficies* Voroncovsky,1928; *prasinus* Voroncovsky,1928; *viridis* Voroncovsky,1928; *aemulus* Mishchenko,1951; *geriberti* Harz,1962; *caffer* Harz,1975
- 5334) Dasyhippus escalerae (Bolivar,1899)** (Acrididae) Synonym(s): *escalerae* Bolivar,1899
- 5335) Dasyhippus uvarovi Karabağ,1953** (Acrididae) Synonym(s): *uvarovi* Karabağ,1953
- 5336) Demirsoyus salmani Şirin & Çıplak,2004** (Acrididae) Synonym(s): *salmani* Şirin & Çıplak,2004; *#demirsoyi* auct.
- 5337) Dociostaurus (Kazakia) brevicollis (Eversmann,1848)** (Acrididae) Synonym(s): *brevicollis* Eversmann,1848; *annulipes* Türk,1862; *#brevicollis* Salman,1978
- 5338) Dociostaurus (Kazakia) genei (Ocskay,1832)** (Acrididae) Synonym(s): *genei* Ocskay,1832; *crucigerus* Rambur,1838; *pygmaeum* Fischer,1853
- 5339) Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978
- 5340) Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905
- 5341) Dociostaurus (s.str.) maroccanus (Thunberg,1815)** (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciatus* Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965
- 5342) Dociostaurus (s.str.) salmani Demirsoy,1977** (Acrididae) Synonym(s): *salmani* Demirsoy,1977; *salmani* Demirsoy,1979
- 5343) Dociostaurus (Staurotulus) cappadocicus (Azam,1913)** (Acrididae) Synonym(s): *cappadocicus* Azam,1913; *iranicus* Ramme,1951
- 5344) Dociostaurus (Staurotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini* Bolivar,1893
- 5345) Duriella fracta (Krauss,1890)** (Acrididae) Synonym(s): *#fractus* Bolivar,1878; *fracta* Krauss,1890
- 5346) Duriella laticornis (Krauss,1909)** (Acrididae) Synonym(s): *laticornis* Krauss,1909
- 5347) Eremippus angulatus Uvarov,1934** (Acrididae) Synonym(s): *angulatus* Uvarov,1934
- 5348) Eremippus gracilis Uvarov,1934** (Acrididae) Synonym(s): *gracilis* Uvarov,1934
- 5349) Eremippus simplex (Eversmann,1859)** (Acrididae) Synonym(s): *simplex* Eversmann,1859
- 5350) Eremippus turcicus Ramme,1951** (Acrididae) Synonym(s): *turcicus* Ramme,1951
- 5351) Eremippus weidneri Demirsoy,1977** (Acrididae) Synonym(s): *weidneri* Demirsoy,1977; *weidneri* Demirsoy,1979
- 5352) Euchorthippus declivus (Brisout de Barneville,1849)** (Acrididae) Synonym(s): *declivus* Brisout de Barneville,1849
- 5353) Euchorthippus pulvinatus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *pulvinatus* Fischer von Waldheim,1846
- 5354) Euchorthippus transcaucasicus Tarbinski,1930** (Acrididae) Synonym(s): *transcaucasicus* Tarbinski,1930
- 5355) Euthystira brachyptera (Ocskay,1826)** (Acrididae) Synonym(s): *brachyptera* Ocskay,1826; *abbreviatum* Herrich-Schäffer,1840; *smaragdulum* Herrich-Schäffer,1840; *longicrus* Fischer von Waldheim,1846; *ocskeyi* Fischer von Waldheim,1846; *leucoptera* Fischer von Waldheim,1846; *homoptera* Eversmann,1848; *subcaerulea* Puschig,1910; *chrysoberyllus* Fruhstorfer,1921
- 5356) Eyprepocnemis plorans (Charpentier,1825)** (Acrididae) Synonym(s): *plorans* Charpentier,1825; *reticulatus* Fischer von Waldheim,1839; *tarsius* Fischer von Waldheim,1846; *consobrina* Walker,1870; *senegalensis* Bolivar,1914; *pallida* Uvarov,1921; *#polarans* Salman,1978
- 5357) Gomphocerus sibiricus (Linnaeus,1767)** (Acrididae) Synonym(s): *sibiricus* Linnaeus,1767; *clavimanus* Pallas,1772; *graecus* Uvarov,1931; *helveticus* Uvarov,1931; *hispanicus* Uvarov,1931; *pyrenaicus* Uvarov,1931; *turcicus* Mistshenko,1951
- 5358) Heliapteryx humeralis (Kuthy,1907)** (Acrididae) Synonym(s): *humeralis* Kuthy,1907
- 5359) Heteracris adpersus (Redtenbacher,1889)** (Acrididae) Synonym(s): *adpersus* Redtenbacher,1889; *massai* Galvagni,1978
- 5360) Heteracris littoralis (Rambur,1838)** (Acrididae) Synonym(s): *littoralis* Rambur,1838; *similis* Brunner von Wattenwyl,1861; *notata* Walker,1870; *aethiopica* Carl,1916; *asiaticus* Uvarov,1933; *bituberculatus* Bei-Bienko,1948
- 5361) Heteracris pterostichus (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *pterostichus* Fischer von Waldheim,1833; *dorsatus* Fischer von Waldheim,1839; *fischeri* Fieber,1853
- 5362) Leptopternis gracilis (Eversmann,1848)** (Acrididae) Synonym(s): *gracilis* Eversmann,1848; *angustipennis* Saussure,1884; *grobbei* Werner,1905; *maculipennis* Chopard,1949

- 5363) *Locusta migratoria* (Linnaeus,1758)** (Acrididae) Synonym(s): *migratoria* Linnaeus,1758; *danica* Linnaeus,1767; *australis* Saussure,1884; *rossica* Uvarov & Zolotarevsky,1929; *gallica* Remaudiere,1947; *solitaria* Carthy,1955
- 5364) *Mecostethus parapleurus* (Hagenbach,1822)** (Acrididae) Synonym(s): *parapleurus* Hagenbach,1822; *alliaceus* Germar,1825; *typus* Fischer,1853; *fastigiatus* Rehn,1902
- 5365) *Micropodisma koenigi* (Burr,1913)** (Acrididae) Synonym(s): *koenigi* Burr,1913
- 5366) *Mioscirtus wagneri* (Kittary,1849)** (Acrididae) Synonym(s): *wagneri* Kittary,1849
- 5367) *Morphacris fasciata* (Thunberg,1915)** (Acrididae) Synonym(s): *fasciata* Thunberg,1915
- 5368) *Myrmeleotettix maculatus* (Thunberg,1815)** (Acrididae) Synonym(s): *maculatus* Thunberg,1815
- 5369) *Ochrilidia acuta* (Bolivar,1905)** (Acrididae) Synonym(s): *acuta* Bolivar,1905
- 5370) *Ochrilidia obtusa* (Salfi,1931)** (Acrididae) Synonym(s): *obtusa* Salfi,1931
- 5371) *Ochrilidia pruinosa* Brunner von Wattenwyl,1882** (Acrididae) Synonym(s): *pruinosa* Brunner von Wattenwyl,1882
- 5372) *Ochrilidia tibialis* (Fieber,1853)** (Acrididae) Synonym(s): *tibialis* Fieber,1853
- 5373) *Oedaleus decorus* (Germar,1817)** (Acrididae) Synonym(s): *decorus* Germar,1817
- 5374) *Oedipoda aurea* Uvarov,1923** (Acrididae) Synonym(s): *aurea* Uvarov,1923
- 5375) *Oedipoda caerulescens* (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulescens* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873
- 5376) *Oedipoda discessa* Steinmann,1965** (Acrididae) Synonym(s): *discessa* Steinmann,1965
- 5377) *Oedipoda germanica* (Latreille,1804)** (Acrididae) Synonym(s): *germanica* Latreille,1804; *intermedia* Ramme,1913
- 5378) *Oedipoda miniata* (Pallas,1771)** (Acrididae) Synonym(s): *miniata* Pallas,1771; *salinus* Gmelin,1790; *gratiosa* Audinet-Serville,1838; *perurbana* Steinmann,1965
- 5379) *Oedipoda schochi* Saussure,1884** (Acrididae) Synonym(s): *schochi* Saussure,1884; *caucasica* Saussure,1884
- 5380) *Omocestus* (s.str.) *demokidovi* Ramme,1930** (Acrididae) Synonym(s): *demokidovi* Ramme,1930
- 5381) *Omocestus* (s.str.) *haemorrhoidalis* (Charpentier,1825)** (Acrididae) Synonym(s): *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928
- 5382) *Omocestus* (s.str.) *minutus* (Brullé,1832)** (Acrididae) Synonym(s): *minutus* Brullé,1832; *moreanus* Ramme,1926; *chersonensis* Pustovoit,1927
- 5383) *Omocestus* (s.str.) *nanus* Uvarov,1934** (Acrididae) Synonym(s): *nanus* Uvarov,1934
- 5384) *Omocestus* (s.str.) *petraeus* (Brisout,1855)** (Acrididae) Synonym(s): *petraeus* Brisout,1855; *tesquorum* Tarbinsky,1930; *psamophilus* Maran,1954; *toscanus* Schmidt,1967
- 5385) *Omocestus* (s.str.) *rufipes* (Zetterstedt,1821)** (Acrididae) Synonym(s): *rufipes* Zetterstedt,1821; *ventralis* Zetterstedt,1821; *cruentata* Brullé,1832; *geniculata* Brullé,1832; *miniata* Stephens,1835; *viridulum* Wesmael,1838; *zetterstedti* Fieber,1852
- 5386) *Omocestus* (s.str.) *ventralis* (Zetterstedt,1821)** (Acrididae) Synonym(s): *ventralis* Zetterstedt,1821
- 5387) *Omocestus* (s.str.) *viridulus* (Linnaeus,1758)** (Acrididae) Synonym(s): *viridulus* Linnaeus,1758
- 5388) *Paracaloptenus caloptenoides* (Brunner von Wattenwyl,1861)** (Acrididae) Synonym(s): *caloptenoides* Brunner von Wattenwyl,1861; *brunneri* Stal,1876; *typus* Bolivar,1878
- 5389) *Paracinema tricolor* (Thunberg,1815)** (Acrididae) Synonym(s): *tricolor* Thunberg,1815; *sylvestris* Thunberg,1815; *superba* Bolivar,1905; *terminale* Bolivar,1908; *madecassa* Key,1936; *montana* Key,1936; *sudanensis* Key,1936
- 5390) *Pezotettix anatolica* Uvarov,1934** (Acrididae) Synonym(s): *platycerca* sensu Werner,1901; *anatolica* Uvarov,1934
- 5391) *Pezotettix giornae* (Rossi,1794)** (Acrididae) Synonym(s): *giornae* Rossi,1794; *communis* Costa,1836; *rufipes* Brunner von Wattenwyl,1882; *rufitarsis* Navas,1909
- 5392) *Pezotettix platycerca* Stal,1876** (Acrididae) Synonym(s): *platycerca* Stal,1876
- 5393) *Podisma pedestris* (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933
- 5394) *Pseudocoles karadagi* Demirsoy,1977** (Acrididae) Synonym(s): *karadagi* Demirsoy,1977
- 5395) *Pseudocoles ledereri* (Brunner von Wattenwyl,1884)** (Acrididae) Synonym(s): *ledereri* Brunner von Wattenwyl,1884; *coeruleipennis* Uvarov,1914; *turcicus* Dirsh,1949; *#lactea* Ramme,1951
- 5396) *Pseudocoles obscurus* (Uvarov,1927)** (Acrididae) Synonym(s): *obscurus* Uvarov,1927
- 5397) *Pseudocoles oedipodioides* Bolivar,1899** (Acrididae) Synonym(s): *oedipodioides* Bolivar,1899; *arpachai* Dirsh,1949; *uvarovi* Dirsh,1949; *lateritius* Karabağ,1957; *#oedipoides* Demirsoy,1977; *krahmeri* Harz,1978
- 5398) *Psophus stridulus* (Linnaeus,1758)** (Acrididae) Synonym(s): *stridulus* Linnaeus,1758; *samniticus* Baccetti,1958
- 5399) *Ptygippus brachypterus* Mistshenko,1951** (Acrididae) Synonym(s): *brachypterus* Mistshenko,1951

- 5400) *Pyrgodera armata* (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata* Fischer von Waldheim,1820
- 5401) *Ramburiella* (Palaeocesa) *bolivari* (Kuthy,1907)** (Acrididae) Synonym(s): *bolivari* Kuthy,1907; *elegans* Uvarov,1910
- 5402) *Ramburiella* (Palaeocesa) *turcomana* (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *turcomana* Fischer von Waldheim,1833; *formosus* Becker,1864
- 5403) *Rammehippus turcicus* (Ramme,1939)** (Acrididae) Synonym(s): *turcicus* Ramme,1939
- 5404) *Rammepodisma natoliae* (Ramme,1939)** (Acrididae) Synonym(s): *natoliae* Ramme,1939; *turcica* Ramme,1939
- 5405) *Schistocerca gregaria* (Forsk.,1775)** (Acrididae) Synonym(s): *gregaria* Forsk.,1775; *tartaricum* Latreille,1804; *peregrina* Olivier,1804; *rufescens* Thunberg,1815
- 5406) *Sphenophyma rugulosa* (Stal,1876)** (Acrididae) Synonym(s): *rugulosa* Stal,1876
- 5407) *Sphingonotus* (s.str.) *coerulans* (Linnaeus,1767)** (Acrididae) Synonym(s): *coerulans* Linnaeus,1767; *exornatus* Nedelkov,1907
- 5408) *Sphingonotus* (s.str.) *coerulipes* Uvarov,1922** (Acrididae) Synonym(s): *coerulipes* Uvarov,1922; *djakonovi* Mischtschenko,1936; *kurmanus* Ramme,1951
- 5409) *Sphingonotus* (s.str.) *nebulosus* (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *nebulosus* Fischer von Waldheim,1846; *persa* Saussure,1884; *violascens* Uvarov,1926; *anatolicus* Uvarov,1930; *discolor* Uvarov,1933
- 5410) *Sphingonotus* (s.str.) *octofasciatus* Audinet-Serville,1839** (Acrididae) Synonym(s): *octofasciatus* Audinet-Serville,1839; *kittaryi* Saussure,1884; *#octapfasciatus* Abashidze,2002
- 5411) *Sphingonotus* (s.str.) *pilosus* Saussure,1884** (Acrididae) Synonym(s): *pilosus* Saussure,1884
- 5412) *Sphingonotus* (s.str.) *rubescens* (Walker,1870)** (Acrididae) Synonym(s): *rubescens* Walker,1870
- 5413) *Sphingonotus* (s.str.) *theodori* Uvarov,1923** (Acrididae) Synonym(s): *theodori* Uvarov,1923
- 5414) *Sphingonotus* (s.str.) *turcicus* Uvarov,1930** (Acrididae) Synonym(s): *turcicus* Uvarov,1930; *kocaki* Demirsoy,1977; *#trucicus* Demirsoy,1979
- 5415) *Sphingonotus* (*Sphingoderus*) *carinatus* (Saussure,1888)** (Acrididae) Synonym(s): *carinatus* Saussure,1888; *eshrewi* Ramme,1951
- 5416) *Sphingonotus pilosus* Saussure,1884** (Acrididae) Synonym(s): *pilosus* Saussure,1884
- 5417) *Sphingonotus rubescens* (Walker,1870)** (Acrididae) Synonym(s): *rubescens* Walker,1870
- 5418) *Stauroderus scalaris* (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *scalaris* Fischer von Waldheim,1846; *discoidalis* Eversmann,1848; *melanopterus* Borck,1848; *pyrenaicus* Saulcy,1887
- 5419) *Stenobothrus* (*Crotalacris*) *bozcuki* Çıplak,1994** (Acrididae) Synonym(s): *bozcuki* Çıplak,1994
- 5420) *Stenobothrus* (*Crotalacris*) *selmae* Ünal,1999** (Acrididae) Synonym(s): *selmae* Ünal,1999
- 5421) *Stenobothrus* (s.str.) *burri* Karabağ,1953** (Acrididae) Synonym(s): *burri* Karabağ,1953
- 5422) *Stenobothrus* (s.str.) *derrai* Harz,1988** (Acrididae) Synonym(s): *derrai* Harz,1988
- 5423) *Stenobothrus* (s.str.) *fischeri* (Eversmann,1848)** (Acrididae) Synonym(s): *fischeri* Eversmann,1848; *nigrogeniculatus* Krauss,1879; *prasina* Voroncovsky,1927
- 5424) *Stenobothrus* (s.str.) *graecus* Ramme,1926** (Acrididae) Synonym(s): *graecus* Ramme,1926
- 5425) *Stenobothrus* (s.str.) *lineatus* (Panzer,1796)** (Acrididae) Synonym(s): *lineatus* Panzer,1796
- 5426) *Stenobothrus* (s.str.) *miramae* Dirsh,1931** (Acrididae) Synonym(s): *miramae* Dirsh,1931
- 5427) *Stenobothrus* (s.str.) *nigromaculatus* (Herrich-Schäffer,1840)** (Acrididae) Synonym(s): *nigromaculatus* Herrich-Schäffer,1840
- 5428) *Stenobothrus* (s.str.) *stigmaticus* (Rambur,1839)** (Acrididae) Synonym(s): *stigmaticus* Rambur,1839
- 5429) *Stenobothrus* (s.str.) *zubovskii* Bolivar,1899** (Acrididae) Synonym(s): *zubovskii* Bolivar,1899
- 5430) *Stenobothrus* (*Stenobothrodes*) *sviridenkoi* Ramme,1930** (Acrididae) Synonym(s): *sviridenkoi* Ramme,1930
- 5431) *Stenobothrus* (*Stenobothrodes*) *wernerii* Adelung,1907** (Acrididae) Synonym(s): *wernerii* Adelung,1907
- 5432) *Stethophyma grossum* (Linnaeus,1758)** (Acrididae) Synonym(s): *grossum* Linnaeus,1758; *rubripes* DeGeer,1773; *flavipes* Gmelin,1788; *germanicus* Stoll,1813
- 5433) *Tropidopola graeca* Uvarov,1926** (Acrididae) Synonym(s): *graeca* Uvarov,1926
- 5434) *Tropidopola longicornis* (Fieber,1853)** (Acrididae) Synonym(s): *longicornis* Fieber,1853; *syrica* Walker,1871; *cylindrica* Giglio-Tos,1893; *indica* Uvarov,1937
- 5435) *Truxalis eximia* Eichwald,1830** (Acrididae) Synonym(s): *eximia* Eichwald,1830; *cypria* Dirsh,[1951]; *#examia* Weidner,1969
- 5436) *Truxalis nasuta* (Linnaeus,1758)** (Acrididae) Synonym(s): *nasuta* Linnaeus,1758; *annulatus* Thunberg,1815; *bilineatus* Thunberg,1815; *nebulosus* Thunberg,1815; *miniata* Klug,1830; *obsoleta* Klug,1830; *scalaris* Klug,1830; *variabilis* Klug,1830; *unguiculata* Rambur,1839; *isabellina* Fischer-Waldheim,1846; *klugii* Fieber,1853
- 5437) *Truxalis robusta* (Uvarov,1916)** (Acrididae) Synonym(s): *robusta* Uvarov,1916
- 5438) *Xerohippus alkani* Karabağ,1953** (Acrididae) Synonym(s): *alkani* Karabağ,1953
- 5439) *Xerohippus anatolicus* Ramme,1951** (Acrididae) Synonym(s): *anatolicus* Ramme,1951

5440) Xerohippus azami (Bolivar,1901) (Acrididae) Synonym(s): *azami* Bolivar,1901

ACROCERIDAE

- 5441) Astomella hispaniae Lamarck,1816** (Acroceridae) Synonym(s): *hispaniae* Lamarck,1816; *curvinervis* Dufour,1833; *clavicornis* Macquart,1834; *marginata* Meigen,1838; *aurea* Erichson,1840; *lindenii* Erichson,1840; *macquarti* A.Costa,1847; *grandipennis* A.Costa,1854; *apiformis* Westwood,1876; *bombiformis* Westwood,1876
- 5442) Ogcodes formosus Loew,1873** (Acroceridae) Synonym(s): *formosus* Loew,1873
- 5443) Ogcodes guttatus A.Costa,1854** (Acroceridae) Synonym(s): *guttatus* A.Costa,1854; *benacensis* Pokorny,1887
- 5444) Ogcodes hirtus (Sack,1936)** (Acroceridae) Synonym(s): *hirtus* Sack,1936
- 5445) Ogcodes zonatus Erichson,1840** (Acroceridae) Synonym(s): *zonatus* Erichson,1840
- 5446) Oligoneura murina (Loew,1844)** (Acroceridae) Synonym(s): *murina* Loew,1844

AESHNIDAE

- 5447) Aeshna affinis Van Der Linden,1820** (Aeshnidae) Synonym(s): *affinis* Van Der Linden,1820
- 5448) Aeshna cyanea (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *cyanea* O.F.Müller,1764
- 5449) Aeshna juncea (Linnaeus,1758)** (Aeshnidae) Synonym(s): *juncea* Linnaeus,1758
- 5450) Aeshna isosceles (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *isosceles* O.F.Müller,1764
- 5451) Aeshna mixta Latreille,1805** (Aeshnidae) Synonym(s): *mixta* Latreille,1805
- 5452) Aeshna serrata (Hagen,1856)** (Aeshnidae) Synonym(s): *serrata* Hagen,1856
- 5453) Anax immaculifrons Rambur,1842** (Aeshnidae) Synonym(s): *immaculifrons* Rambur,1842
- 5454) Anax imperator Leach,1815** (Aeshnidae) Synonym(s): *imperator* Leach,1815
- 5455) Anax parthenope (Selys,1839)** (Aeshnidae) Synonym(s): *parthenope* Selys,1839; *#parthenope* Demirsoy,1982
- 5456) Brachytron pratense (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *pratense* O.F.Müller,1764; *#partense* Demirsoy,1982
- 5457) Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): *microstigma* Schneider,1845
- 5458) Hemianax ephippiger (Burmeister,1839)** (Aeshnidae) Synonym(s): *ephippiger* Burmeister,1839

AGAONIDAE

- 5459) Blastophaga psenes (Linnaeus,1758)** (Agaonidae) Synonym(s): *psenes* Linnaeus,1758; *grossorum* Gravenhorst,1827; *vaidi* Joseph,1954

AGROMYZIDAE

- 5460) Agromyza abiens Zetterstedt,1848** (Agromyzidae) Synonym(s): *abiens* Zetterstedt,1848
- 5461) Agromyza albipennis Meigen,1830** (Agromyzidae) Synonym(s): *albipennis* Meigen,1830
- 5462) Agromyza albitarsis Meigen,1830** (Agromyzidae) Synonym(s): *albitarsis* Meigen,1830
- 5463) Agromyza ambigua Fallén,1823** (Agromyzidae) Synonym(s): *ambigua* Fallén,1823
- 5464) Agromyza anderssoni Spencer,1976** (Agromyzidae) Synonym(s): *anderssoni* Spencer,1976
- 5465) Agromyza anthracina Meigen,1830** (Agromyzidae) Synonym(s): *anthracina* Meigen,1830
- 5466) Agromyza apfelbecki Strobl,1902** (Agromyzidae) Synonym(s): *apfelbecki* Strobl,1902
- 5467) Agromyza bromi Spencer,1966** (Agromyzidae) Synonym(s): *bromi* Spencer,1966
- 5468) Agromyza felleri M.Hering,1941** (Agromyzidae) Synonym(s): *felleri* M.Hering,1941
- 5469) Agromyza flavipennis Hendel,1920** (Agromyzidae) Synonym(s): *flavipennis* Hendel,1920
- 5470) Agromyza frontella (Rondani,1875)** (Agromyzidae) Synonym(s): *frontella* Rondani,1875
- 5471) Agromyza graminicola Hendel,1931** (Agromyzidae) Synonym(s): *graminicola* Hendel,1931
- 5472) Agromyza hiemalis Becker,1908** (Agromyzidae) Synonym(s): *hiemalis* Becker,1908
- 5473) Agromyza idaeiana Hardy,1853** (Agromyzidae) Synonym(s): *idaeiana* Hardy,1853
- 5474) Agromyza intermittens Becker,1907** (Agromyzidae) Synonym(s): *intermittens* Becker,1907
- 5475) Agromyza marionae Griffiths,1963** (Agromyzidae) Synonym(s): *marionae* Griffiths,1963
- 5476) Agromyza megalopis M.Hering,1933** (Agromyzidae) Synonym(s): *megalopis* M.Hering,1933
- 5477) Agromyza myosotidis Kaltenbach,1864** (Agromyzidae) Synonym(s): *myosotidis* Kaltenbach,1864

- 5478) **Agromyza nana Meigen,1830** (Agromyzidae) Synonym(s): *nana Meigen,1830*
 5479) **Agromyza nigrescens Hendel,1920** (Agromyzidae) Synonym(s): *nigrescens Hendel,1920*
 5480) **Agromyza nigripes Meigen,1830** (Agromyzidae) Synonym(s): *nigripes Meigen,1830*
 5481) **Agromyza phylloposthia Sasakawa,2008** (Agromyzidae) Synonym(s): *phylloposthia Sasakawa,2008*
 5482) **Agromyza pittodes Hendel,1931** (Agromyzidae) Synonym(s): *pittodes Hendel,1931*
 5483) **Agromyza prespana Spencer,1957** (Agromyzidae) Synonym(s): *prespana Spencer,1957*
 5484) **Agromyza reptans Fallén,1823** (Agromyzidae) Synonym(s): *reptans Fallén,1823*
 5485) **Agromyza rondensis Strobl,1900** (Agromyzidae) Synonym(s): *rondensis Strobl,1900*
 5486) **Agromyza trebinjensis Strobl,1900** (Agromyzidae) Synonym(s): *trebinjensis Strobl,1900*
 5487) **Amauromyza (Cephalomyza) flavifrons (Meigen,1830)** (Agromyzidae) Synonym(s): *flavifrons Meigen,1830*
 5488) **Amauromyza (Cephalomyza) luteiceps (Hendel,1920)** (Agromyzidae) Synonym(s): *luteiceps Hendel,1920*
 5489) **Amauromyza (s.str.) morionella (Zetterstedt,1848)** (Agromyzidae) Synonym(s): *morionella Zetterstedt,1848*
 5490) **Aulagromyza buhri (De Meijere,1938)** (Agromyzidae) Synonym(s): *buhri De Meijere,1938*
 5491) **Aulagromyza hamata (Hendel,1932)** (Agromyzidae) Synonym(s): *hamata Hendel,1932*
 5492) **Aulagromyza heringii (Hendel,1920)** (Agromyzidae) Synonym(s): *heringii Hendel,1920*
 5493) **Aulagromyza orphana (Hendel,1920)** (Agromyzidae) Synonym(s): *orphana Hendel,1920*
 5494) **Aulagromyza populi (Kaltenbach,1864)** (Agromyzidae) Synonym(s): *populi Kaltenbach,1864*
 5495) **Aulagromyza trivittata (Loew,1873)** (Agromyzidae) Synonym(s): *trivittata Loew,1873*
 5496) **Calycomyza humeralis (von Roser,1840)** (Agromyzidae) Synonym(s): *humeralis von Roser,1840*
 5497) **Cerodontha (Butomomyza) angulata (Loew,1869)** (Agromyzidae) Synonym(s): *angulata Loew,1869; semiposticata Hendel,1920; caricis M.Hering,1925; cinereifrons Frost,1931*
 5498) **Cerodontha (Butomomyza) pseuderrans (Hendel,1931)** (Agromyzidae) Synonym(s): *pseuderrans Hendel,1931*
 5499) **Cerodontha (Butomomyza) scutellaris (von Roser,1840)** (Agromyzidae) Synonym(s): *scutellaris von Roser,1840*
 5500) **Cerodontha (Dizygomyza) bimaculata (Meigen,1830)** (Agromyzidae) Synonym(s): *bimaculata Meigen,1830*
 5501) **Cerodontha (Poemyza) imbuta (Meigen,1838)** (Agromyzidae) Synonym(s): *imbuta Meigen,1838*
 5502) **Cerodontha (Poemyza) incisa (Meigen,1830)** (Agromyzidae) Synonym(s): *incisa Meigen,1830*
 5503) **Cerodontha (Poemyza) lateralis (Macquart,1835)** (Agromyzidae) Synonym(s): *lateralis Macquart,1835*
 5504) **Cerodontha (Poemyza) pygmaea (Meigen,1830)** (Agromyzidae) Synonym(s): *pygmaea Meigen,1830*
 5505) **Cerodontha (s.str.) denticornis (Panzer,1806)** (Agromyzidae) Synonym(s): *denticornis Panzer,1806*
 5506) **Cerodontha (s.str.) fulvipes (Meigen,1830)** (Agromyzidae) Synonym(s): *fulvipes Meigen,1830*
 5507) **Chromatomyia ciliata (Hendel,1935)** (Agromyzidae) Synonym(s): *ciliata Hendel,1935*
 5508) **Chromatomyia fuscula (Zetterstedt,1838)** (Agromyzidae) Synonym(s): *fuscula Zetterstedt,1838*
 5509) **Chromatomyia horticola (Goureaux,1851)** (Agromyzidae) Synonym(s): *horticola Goureaux,1851*
 5510) **Chromatomyia luzulae (M.Hering,1924)** (Agromyzidae) Synonym(s): *luzulae M.Hering,1924*
 5511) **Chromatomyia milii (Kaltenbach,1864)** (Agromyzidae) Synonym(s): *milii Kaltenbach,1864*
 5512) **Chromatomyia nigra (Meigen,1830)** (Agromyzidae) Synonym(s): *nigra Meigen,1830*
 5513) **Chromatomyia scolopendri (R-D.,1851)** (Agromyzidae) Synonym(s): *scolopendri R-D.,1851*
 5514) **Chromatomyia succisae (M.Hering,1922)** (Agromyzidae) Synonym(s): *succisae M.Hering,1922*
 5515) **Galiomyza violiphaga (Hendel,1932)** (Agromyzidae) Synonym(s): *violiphaga Hendel,1932*
 5516) **Hexomyza simplex (Loew,1869)** (Agromyzidae) Synonym(s): *simplex Loew,1869*
 5517) **Japanagromyza salicifolii (Collin,1911)** (Agromyzidae) Synonym(s): *salicifolii Collin,1911*
 5518) **Liriomyza alyssi (M.Hering,1960)** (Agromyzidae) Synonym(s): *alyssi M.Hering,1960*
 5519) **Liriomyza amarellae M.Hering,1963** (Agromyzidae) Synonym(s): *amarellae M.Hering,1963*
 5520) **Liriomyza amoena (Meigen,1830)** (Agromyzidae) Synonym(s): *amoena Meigen,1830*
 5521) **Liriomyza balcanica (Strobl,1900)** (Agromyzidae) Synonym(s): *balcanica Strobl,1900*
 5522) **Liriomyza brassicae (Riley,1884)** (Agromyzidae) Synonym(s): *brassicae Riley,1884*
 5523) **Liriomyza bryoniae (Kaltenbach,1858)** (Agromyzidae) Synonym(s): *bryoniae Kaltenbach,1858*
 5524) **Liriomyza buhri M.Hering,1937** (Agromyzidae) Synonym(s): *buhri M.Hering,1937*
 5525) **Liriomyza cannabidis Hendel,1931** (Agromyzidae) Synonym(s): *cannabidis Hendel,1931*
 5526) **Liriomyza cardariae Sasakawa,2008** (Agromyzidae) Synonym(s): *cardariae Sasakawa,2008*
 5527) **Liriomyza centaureae M.Hering,1927** (Agromyzidae) Synonym(s): *centaureae M.Hering,1927*
 5528) **Liriomyza cepae (M.Hering,1927)** (Agromyzidae) Synonym(s): *cepa M.Hering,1927*
 5529) **Liriomyza cicerina (Rondani,1875)** (Agromyzidae) Synonym(s): *cicerina Rondani,1875*

- 5530) *Liriomyza congesta* (Becker,1903) (Agromyzidae) Synonym(s): *congesta* Becker,1903
 5531) *Liriomyza dracunculi* M.Hering,1932 (Agromyzidae) Synonym(s): *dracunculi* M.Hering,1932
 5532) *Liriomyza eupatorii* (Kaltenbach,1873) (Agromyzidae) Synonym(s): *eupatorii* Kaltenbach,1873
 5533) *Liriomyza euphorbiae* Martinez,1999 (Agromyzidae) Synonym(s): *euphorbiae* Martinez,1999
 5534) *Liriomyza flaveola* (Fallén,1823) (Agromyzidae) Synonym(s): *flaveola* Fallén,1823
 5535) *Liriomyza freyella* Spencer,1976 (Agromyzidae) Synonym(s): *freyella* Spencer,1976
 5536) *Liriomyza hieracivora* Spencer,1971 (Agromyzidae) Synonym(s): *hieracivora* Spencer,1971
 5537) *Liriomyza huidobrensis* (Blanchard,1926) (Agromyzidae) Synonym(s): *huidobrensis* Blanchard,1926
 5538) *Liriomyza orbona* (Meigen,1830) (Agromyzidae) Synonym(s): *orbona* Meigen,1830
 5539) *Liriomyza pascuum* (Meigen,1838) (Agromyzidae) Synonym(s): *pascuum* Meigen,1838
 5540) *Liriomyza pedestris* Hendel,1931 (Agromyzidae) Synonym(s): *pedestris* Hendel,1931
 5541) *Liriomyza pusilla* (Meigen,1830) (Agromyzidae) Synonym(s): *pusilla* Meigen,1830
 5542) *Liriomyza sativae* Blanchard,1938 (Agromyzidae) Synonym(s): *sativae* Blanchard,1938
 5543) *Liriomyza strigata* (Meigen,1830) (Agromyzidae) Synonym(s): *strigata* Meigen,1830
 5544) *Liriomyza trifolii* (Burgess,1880) (Agromyzidae) Synonym(s): *trifolii* Burgess,1880
 5545) *Liriomyza virgula* Frey,1946 (Agromyzidae) Synonym(s): *virgula* Frey,1946
 5546) *Melanagromyza aeneoventris* (Fallén,1823) (Agromyzidae) Synonym(s): *aeneoventris* Fallén,1823
 5547) *Melanagromyza cunctans* (Meigen,1830) (Agromyzidae) Synonym(s): *cunctans* Meigen,1830
 5548) *Melanagromyza heracleana* Zlobin,2005 (Agromyzidae) Synonym(s): *heracleana* Zlobin,2005
 5549) *Melanagromyza pubescens* Hendel,1923 (Agromyzidae) Synonym(s): *pubescens* Hendel,1923
 5550) *Melanagromyza tripolii* Spencer,1957 (Agromyzidae) Synonym(s): *tripolii* Spencer,1957
 5551) *Melanagromyza vignalis* Spencer,1959 (Agromyzidae) Synonym(s): *vignalis* Spencer,1959
 5552) *Metopomyza scutellata* (Fallén,1823) (Agromyzidae) Synonym(s): *scutellata* Fallén,1823
 5553) *Metopomyza xanthaspis* (Loew,1858) (Agromyzidae) Synonym(s): *xanthaspis* Loew,1858
 5554) *Napomyza bellidis* Griffiths,1967 (Agromyzidae) Synonym(s): *bellidis* Griffiths,1967
 5555) *Napomyza carotae* Spencer,1966 (Agromyzidae) Synonym(s): *carotae* Spencer,1966
 5556) *Napomyza cichorii* Spencer,1966 (Agromyzidae) Synonym(s): *cichorii* Spencer,1966
 5557) *Napomyza elegans* (Meigen,1830) (Agromyzidae) Synonym(s): *elegans* Meigen,1830
 5558) *Napomyza lateralis* (Fallén,1823) (Agromyzidae) Synonym(s): *lateralis* Fallén,1823
 5559) *Ophiomyia beckeri* (Hendel,1923) (Agromyzidae) Synonym(s): *beckeri* Hendel,1923
 5560) *Ophiomyia cunctata* (Hendel,1920) (Agromyzidae) Synonym(s): *cunctata* Hendel,1920
 5561) *Ophiomyia curvipalpis* (Zetterstedt,1848) (Agromyzidae) Synonym(s): *curvipalpis* Zetterstedt,1848
 5562) *Ophiomyia delphinii* Hendel,1928 (Agromyzidae) Synonym(s): *delphinii* Hendel,1928
 5563) *Ophiomyia galii* M.Hering,1937 (Agromyzidae) Synonym(s): *galii* M.Hering,1937
 5564) *Ophiomyia inaequabilis* (Hendel,1931) (Agromyzidae) Synonym(s): *inaequabilis* Hendel,1931
 5565) *Ophiomyia labiatarum* M.Hering,1937 (Agromyzidae) Synonym(s): *labiatarum* M.Hering,1937
 5566) *Ophiomyia maura* (Meigen,1838) (Agromyzidae) Synonym(s): *maura* Meigen,1838
 5567) *Ophiomyia memorabilis* Spencer,1974 (Agromyzidae) Synonym(s): *memorabilis* Spencer,1974
 5568) *Ophiomyia orbiculata* (Hendel,1931) (Agromyzidae) Synonym(s): *orbiculata* Hendel,1931
 5569) *Ophiomyia phaseoli* (Tryon,1895) (Agromyzidae) Synonym(s): *phaseoli* Tryon,1895
 5570) *Ophiomyia pinguis* (Fallén,1820) (Agromyzidae) Synonym(s): *pinguis* Fallén,1820
 5571) *Ophiomyia pulicaria* (Meigen,1830) (Agromyzidae) Synonym(s): *pulicaria* Meigen,1830
 5572) *Ophiomyia submaura* M.Hering,1926 (Agromyzidae) Synonym(s): *submaura* M.Hering,1926
 5573) *Phytoliriomyza arctica* (Lundbeck,1901) (Agromyzidae) Synonym(s): *arctica* Lundbeck,1901
 5574) *Phytoliriomyza dorsata* (Siebke,1863) (Agromyzidae) Synonym(s): *dorsata* Siebke,1863
 5575) *Phytoliriomyza oasis* (Becker,1907) (Agromyzidae) Synonym(s): *oasis* Becker,1907
 5576) *Phytoliriomyza perpusilla* (Meigen,1830) (Agromyzidae) Synonym(s): *perpusilla* Meigen,1830
 5577) *Phytomyza aconitophila* Hendel,1927 (Agromyzidae) Synonym(s): *aconitophila* Hendel,1927
 5578) *Phytomyza affinis* Fallén,1823 (Agromyzidae) Synonym(s): *affinis* Fallén,1823
 5579) *Phytomyza albipennis* (Fallén,1823) (Agromyzidae) Synonym(s): *albipennis* Fallén,1823
 5580) *Phytomyza angelicae* Kaltenbach,1872 (Agromyzidae) Synonym(s): *angelicae* Kaltenbach,1872
 5581) *Phytomyza aquilonia* Frey,1946 (Agromyzidae) Synonym(s): *aquilonia* Frey,1946
 5582) *Phytomyza astrantiae* Hendel,1924 (Agromyzidae) Synonym(s): *astrantiae* Hendel,1924
 5583) *Phytomyza aurei* M.Hering,1931 (Agromyzidae) Synonym(s): *aurei* M.Hering,1931
 5584) *Phytomyza brevifacies* Hendel,1934 (Agromyzidae) Synonym(s): *brevifacies* Hendel,1934
 5585) *Phytomyza cecidonomia* M.Hering,1937 (Agromyzidae) Synonym(s): *cecidonomia* M.Hering,1937
 5586) *Phytomyza chelonei* Spencer,1969 (Agromyzidae) Synonym(s): *chelonei* Spencer,1969
 5587) *Phytomyza cirsii* Hendel,1923 (Agromyzidae) Synonym(s): *cirsii* Hendel,1923
 5588) *Phytomyza clematidis* Kaltenbach,1859 (Agromyzidae) Synonym(s): *clematidis* Kaltenbach,1859

- 5589) *Phytomyza continua* Hendel, 1920 (Agromyzidae) Synonym(s): *continua* Hendel, 1920
- 5590) *Phytomyza conyzae* M. Hering, 1920 (Agromyzidae) Synonym(s): *conyzae* M. Hering, 1920
- 5591) *Phytomyza crassisetia* Zetterstedt, 1860 (Agromyzidae) Synonym(s): *crassisetia* Zetterstedt, 1860
- 5592) *Phytomyza fallaciosa* Brischke, 1880 (Agromyzidae) Synonym(s): *fallaciosa* Brischke, 1880
- 5593) *Phytomyza ferulae* M. Hering, 1927 (Agromyzidae) Synonym(s): *ferulae* M. Hering, 1927
- 5594) *Phytomyza flavicornis* Fallén, 1823 (Agromyzidae) Synonym(s): *flavicornis* Fallén, 1823
- 5595) *Phytomyza geminata* Sasakawa, 2008 (Agromyzidae) Synonym(s): *geminata* Sasakawa, 2008
- 5596) *Phytomyza glabra* Hendel, 1935 (Agromyzidae) Synonym(s): *glabra* Hendel, 1935
- 5597) *Phytomyza gymnostoma* Loew, 1858 (Agromyzidae) Synonym(s): *gymnostoma* Loew, 1858
- 5598) *Phytomyza kaltenbachi* Hendel, 1922 (Agromyzidae) Synonym(s): *kaltenbachi* Hendel, 1922
- 5599) *Phytomyza lappae* Goureau, 1851 (Agromyzidae) Synonym(s): *lappae* Goureau, 1851
- 5600) *Phytomyza nigritula* Zetterstedt, 1838 (Agromyzidae) Synonym(s): *nigritula* Zetterstedt, 1838
- 5601) *Phytomyza origani* M. Hering, 1931 (Agromyzidae) Synonym(s): *origani* M. Hering, 1931
- 5602) *Phytomyza orobanchiae* Kaltenbach, 1864 (Agromyzidae) Synonym(s): *orobanchiae* Kaltenbach, 1864
- 5603) *Phytomyza petoei* M. Hering, 1924 (Agromyzidae) Synonym(s): *petoei* M. Hering, 1924
- 5604) *Phytomyza phillyreae* M. Hering, 1930 (Agromyzidae) Synonym(s): *phillyreae* M. Hering, 1930
- 5605) *Phytomyza plantaginis* R-D., 1851 (Agromyzidae) Synonym(s): *plantaginis* R-D., 1851
- 5606) *Phytomyza podagrariae* M. Hering, 1954 (Agromyzidae) Synonym(s): *podagrariae* M. Hering, 1954
- 5607) *Phytomyza pubicornis* Hendel, 1920 (Agromyzidae) Synonym(s): *pubicornis* Hendel, 1920
- 5608) *Phytomyza ranunculi* (Schränk, 1803) (Agromyzidae) Synonym(s): *ranunculi* Schränk, 1803
- 5609) *Phytomyza rostrata* M. Hering, 1934 (Agromyzidae) Synonym(s): *rostrata* M. Hering, 1934
- 5610) *Phytomyza rufescens* von Roser, 1840 (Agromyzidae) Synonym(s): *rufescens* von Roser, 1840
- 5611) *Phytomyza rufipes* Meigen, 1830 (Agromyzidae) Synonym(s): *rufipes* Meigen, 1830
- 5612) *Phytomyza sii* M. Hering, 1930 (Agromyzidae) Synonym(s): *sii* M. Hering, 1930
- 5613) *Phytomyza socia* Brischke, 1880 (Agromyzidae) Synonym(s): *socia* Brischke, 1880
- 5614) *Phytomyza spoliata* Strobl, 1906 (Agromyzidae) Synonym(s): *spoliata* Strobl, 1906
- 5615) *Phytomyza tenella* Meigen, 1830 (Agromyzidae) Synonym(s): *tenella* Meigen, 1830
- 5616) *Phytomyza tetrasticha* Hendel, 1927 (Agromyzidae) Synonym(s): *tetrasticha* Hendel, 1927
- 5617) *Phytomyza thysselinivora* M. Hering, 1924 (Agromyzidae) Synonym(s): *thysselinivora* M. Hering, 1924
- 5618) *Pseudonapomyza atra* (Meigen, 1830) (Agromyzidae) Synonym(s): *atra* Meigen, 1830
- 5619) *Pseudonapomyza europaea* Spencer, 1973 (Agromyzidae) Synonym(s): *europaea* Spencer, 1973
- 5620) *Pseudonapomyza hispanica* Spencer, 1973 (Agromyzidae) Synonym(s): *hispanica* Spencer, 1973
- 5621) *Pseudonapomyza pyriformis* Sasakawa, 2008 (Agromyzidae) Synonym(s): *pyriformis* Sasakawa, 2008
- 5622) *Pseudonapomyza spicata* (Malloch, 1914) (Agromyzidae) Synonym(s): *spicata* Malloch, 1914
- 5623) *Pseudonapomyza spinosa* Spencer, 1973 (Agromyzidae) Synonym(s): *spinosa* Spencer, 1973
- 5624) *Pseudonapomyza strobliana* Spencer, 1973 (Agromyzidae) Synonym(s): *strobliana* Spencer, 1973

ALYDIDAE

- 5625) *Camptopus bifasciatus* Fieber, 1864 (Alydidae) Synonym(s): *bifasciatus* Fieber, 1864
- 5626) *Camptopus illustris* Horvath, 1899 (Alydidae) Synonym(s): *illustris* Horvath, 1899
- 5627) *Camptopus lateralis* (Germar, 1817) (Alydidae) Synonym(s): *lateralis* Germar, 1817
- 5628) *Camptopus tragacanthae* (Kolenati, 1845) (Alydidae) Synonym(s): *tragacanthae* Kolenati, 1845
- 5629) *Alydus calcaratus* (Linnaeus, 1758) (Alydidae) Synonym(s): *calcaratus* Linnaeus, 1758

AMORPHOSCELIDAE

- 5630) *Amorphoscelis pantherina* Roy, 1966 (Amorphoscelidae) Synonym(s): *pantherina* Roy, 1966

ANDRENIDAE

- 5631) *Andrena* (Aciandrena) *aciculata* Morawitz, 1886 (Andrenidae) Synonym(s): *aciculata* Morawitz, 1886
- 5632) *Andrena* (Aciandrena) *janthina* Warncke, 1975 (Andrenidae) Synonym(s): *janthina* Warncke, 1975

- 5633) Andrena (Aciandrena) konyella Warncke,1975** (Andrenidae) Synonym(s): *konyella Warncke,1975*
- 5634) Andrena (Aciandrena) lamiana Warncke,1965** (Andrenidae) Synonym(s): *lamiana Warncke,1965*
- 5635) Andrena (Aciandrena) pulicaria Warncke,1975** (Andrenidae) Synonym(s): *pulicaria Warncke,1975*
- 5636) Andrena (Aciandrena) tenuiformis Pittioni,1950** (Andrenidae) Synonym(s): *tenuiformis Pittioni,1950*
- 5637) Andrena (Aciandrena) tenuis Morawitz,1878** (Andrenidae) Synonym(s): *tenuis Morawitz,1878*
- 5638) Andrena (Aciandrena) yelkouan Warncke,1975** (Andrenidae) Synonym(s): *yelkouan Warncke,1975*
- 5639) Andrena (Aeandrena) hystrix Schmiedeknecht,1883** (Andrenidae) Synonym(s): *hystrix Schmiedeknecht,1883; rufilata Warncke,1975*
- 5640) Andrena (Aenandrena) aeneiventris Morawitz,1872** (Andrenidae) Synonym(s): *aeneiventris Morawitz,1872*
- 5641) Andrena (Aenandrena) bisulcata Morawitz,1878** (Andrenidae) Synonym(s): *bisulcata Morawitz,1878*
- 5642) Andrena (Aenandrena) bonasia Warncke,1969** (Andrenidae) Synonym(s): *bonasia Warncke,1969; naevia Warncke,1969*
- 5643) Andrena (Aenandrena) chaetogastra Pittioni,1950** (Andrenidae) Synonym(s): *chaetogastra Pittioni,1950*
- 5644) Andrena (Avandrena) canohirta (Friese,1922)** (Andrenidae) Synonym(s): *canohirta Friese,1922*
- 5645) Andrena (Avandrena) caudata Warncke,1965** (Andrenidae) Synonym(s): *caudata Warncke,1965*
- 5646) Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *parvula Morawitz,1871; colletiformis Morawitz,1874; sardinica Strand,1915; #gandzhensis Lebedev,1933; insulana Pittioni,1950; subsquamularis Noskiewicz,1960*
- 5647) Andrena (Brachyandrena) pinguis Ariana, Scheuchl, Tadauchi & Gusenleitner,2009** (Andrenidae) Synonym(s): *pinguis Ariana, Scheuchl, Tadauchi & Gusenleitner,2009*
- 5648) Andrena (Brachyandrena) punctatissima Morawitz,1866** (Andrenidae) Synonym(s): *punctatissima Morawitz,1866*
- 5649) Andrena (Campylogaster) caroli Pérez,1895** (Andrenidae) Synonym(s): *caroli Pérez,1895*
- 5650) Andrena (Campylogaster) erberi Morawitz,1872** (Andrenidae) Synonym(s): *erberi Morawitz,1872*
- 5651) Andrena (Campylogaster) incisa Eversmann,1852** (Andrenidae) Synonym(s): *incisa Eversmann,1852*
- 5652) Andrena (Campylogaster) lateralis Morawitz,1876** (Andrenidae) Synonym(s): *lateralis Morawitz,1876*
- 5653) Andrena (Carandrena) aerinifrons Dours,1873** (Andrenidae) Synonym(s): *aerinifrons Dours,1873*
- 5654) Andrena (Carandrena) cara Nurse,1904** (Andrenidae) Synonym(s): *cara Nurse,1904; halictoides Nurse,1904 nec Smth.,1869; nursei Cockerell,1913; minor Warncke,1975; kurdistanica Engel,2005*
- 5655) Andrena (Carandrena) falcinella Warncke,1969** (Andrenidae) Synonym(s): *falcinella Warncke,1969*
- 5656) Andrena (Carandrena) hieroglyphica Morawitz,1876** (Andrenidae) Synonym(s): *hieroglyphica Morawitz,1876*
- 5657) Andrena (Carandrena) levantina Hedicke,1938** (Andrenidae) Synonym(s): *levantina Hedicke,1938*
- 5658) Andrena (Carandrena) nubica Warncke,1975** (Andrenidae) Synonym(s): *nubica Warncke,1975*
- 5659) Andrena (Carandrena) purpureomicans Alfken,1935** (Andrenidae) Synonym(s): *purpureomicans Alfken,1935*
- 5660) Andrena (Carandrena) schlettereri Friese,1896** (Andrenidae) Synonym(s): *schlettereri Friese,1896*
- 5661) Andrena (Carandrena) zostera Warncke,1975** (Andrenidae) Synonym(s): *zostera Warncke,1975*
- 5662) Andrena (Charitandrena) hattorfiana (Fabricius,1775)** (Andrenidae) Synonym(s): *hattorfiana Fabricius,1775; dimidiata Brullé,1832*
- 5663) Andrena (Chlorandrena) astica Warncke,1967** (Andrenidae) Synonym(s): *astica Warncke,1967*
- 5664) Andrena (Chlorandrena) cinerea Brullé,1832** (Andrenidae) Synonym(s): *cinerea Brullé,1832*
- 5665) Andrena (Chlorandrena) cinereophila Warncke,1965** (Andrenidae) Synonym(s): *cinereophila Warncke,1965*
- 5666) Andrena (Chlorandrena) clypella Strand,1921** (Andrenidae) Synonym(s): *clypella Strand,1921; hasitata Warncke,1973*

- 5667) **Andrena (Chlorandrena) exquisita** Warncke,1975 (Andrenidae) Synonym(s): *exquisita* Warncke,1975
- 5668) **Andrena (Chlorandrena) galbula** Warncke,1975 (Andrenidae) Synonym(s): *galbula* Warncke,1975
- 5669) **Andrena (Chlorandrena) gordia** Warncke,1975 (Andrenidae) Synonym(s): *gordia* Warncke,1975
- 5670) **Andrena (Chlorandrena) humabilis** Warncke,1965 (Andrenidae) Synonym(s): *humabilis* Warncke,1965
- 5671) **Andrena (Chlorandrena) humilis** Imhoff,1832 (Andrenidae) Synonym(s): *humilis* Imhoff,1832; *indigena* Warncke,1975
- 5672) **Andrena (Chlorandrena) orientana** Warncke,1965 (Andrenidae) Synonym(s): *orientana* Warncke,1965
- 5673) **Andrena (Chlorandrena) panurgimorpha** Mavromoustakis,1957 (Andrenidae) Synonym(s): *panurgimorpha* Mavromoustakis,1957
- 5674) **Andrena (Chlorandrena) taduchii** Gusenleitner,1998 (Andrenidae) Synonym(s): *taduchii* Gusenleitner,1998
- 5675) **Andrena (Chlorandrena) taraxaci** Giraud,1861 (Andrenidae) Synonym(s): *taraxaci* Giraud,1861
- 5676) **Andrena (Chrysandrena) dilleri** Gusenleitner,1998 (Andrenidae) Synonym(s): *dilleri* Gusenleitner,1998
- 5677) **Andrena (Chrysandrena) fulvago** (Christ,1791) (Andrenidae) Synonym(s): *fulvago* Christ,1791
- 5678) **Andrena (Chrysandrena) glandaria** Warncke,1975 (Andrenidae) Synonym(s): *glandaria* Warncke,1975
- 5679) **Andrena (Chrysandrena) henotica** Warncke,1975 (Andrenidae) Synonym(s): *henotica* Warncke,1975
- 5680) **Andrena (Chrysandrena) hesperia** Smith,1853 (Andrenidae) Synonym(s): *hesperia* Smith,1853
- 5681) **Andrena (Chrysandrena) merula** Warncke,1969 (Andrenidae) Synonym(s): *merula* Warncke,1969
- 5682) **Andrena (Cnemidandrena) nigripes** (Kirby,1802) (Andrenidae) Synonym(s): *nigripes* Kirby,1802; *comata* Warncke,1975
- 5683) **Andrena (Cordandrena) cordialis** Morawitz,1878 (Andrenidae) Synonym(s): *cordialis* Morawitz,1878
- 5684) **Andrena (Cordandrena) cypria** Pittioni,1950 (Andrenidae) Synonym(s): *cypria* Pittioni,1950
- 5685) **Andrena (Cordandrena) hedikae** Jaeger,1934 (Andrenidae) Synonym(s): *hedikae* Jaeger,1934; *inexpectata* Warncke,1975
- 5686) **Andrena (Cordandrena) pagophila** Warncke,1975 (Andrenidae) Synonym(s): *pagophila* Warncke,1975
- 5687) **Andrena (Cordandrena) torda** Warncke,1965 (Andrenidae) Synonym(s): *torda* Warncke,1965
- 5688) **Andrena (Cryptandrena) brumanensis** Friese,1899 (Andrenidae) Synonym(s): *brumanensis* Friese,1899
- 5689) **Andrena (Cryptandrena) monacha** Warncke,1965 (Andrenidae) Synonym(s): *monacha* Warncke,1965
- 5690) **Andrena (Cryptandrena) ventricosa** Dours,1873 (Andrenidae) Synonym(s): *ventricosa* Dours,1873
- 5691) **Andrena (Cubiandrena) cubiceps** Friese,1914 (Andrenidae) Synonym(s): *cubiceps* Friese,1914
- 5692) **Andrena (Cubiandrena) cubicepsella** Warncke,1975 (Andrenidae) Synonym(s): *cubicepsella* Warncke,1975
- 5693) **Andrena (Didonia) mucida** Kriechbaumer,1873 (Andrenidae) Synonym(s): *mucida* Kriechbaumer,1873; *julliani* Schmiedeknecht,1883; *punica* Gribodo,1894
- 5694) **Andrena (Didonia) nasuta** Giraud,1863 (Andrenidae) Synonym(s): *nasuta* Giraud,1863
- 5695) **Andrena (Didonia) teunissenii** Gusenleitner,1998 (Andrenidae) Synonym(s): *teunissenii* Gusenleitner,1998
- 5696) **Andrena (Euandrena) allosa** Warncke,1975 (Andrenidae) Synonym(s): *allosa* Warncke,1975; *canigica* Warncke,1975; *pileata* Warncke,1975
- 5697) **Andrena (Euandrena) alutacea** Stoeckhert,1942 (Andrenidae) Synonym(s): *alutacea* Stoeckhert,1942
- 5698) **Andrena (Euandrena) bicolor** Fabricius,1775 (Andrenidae) Synonym(s): *bicolor* Fabricius,1775
- 5699) **Andrena (Euandrena) canuta** Warncke,1975 (Andrenidae) Synonym(s): *canuta* Warncke,1975
- 5700) **Andrena (Euandrena) chrysopus** Pérez,1903 (Andrenidae) Synonym(s): *chrysopus* Pérez,1903
- 5701) **Andrena (Euandrena) glabriventris** Alfken,1935 (Andrenidae) Synonym(s): *glabriventris* Alfken,1935
- 5702) **Andrena (Euandrena) rufula** Schmiedeknecht,1883 (Andrenidae) Synonym(s): *rufula* Schmiedeknecht,1883
- 5703) **Andrena (Euandrena) symphyti** Schmiedeknecht,1883 (Andrenidae) Synonym(s): *symphyti* Schmiedeknecht,1883; *furcata* Friese,1921

- 5704) Andrena (Fumandrena) griseigena Warncke,1975** (Andrenidae) Synonym(s): *griseigena Warncke,1975*
- 5705) Andrena (Fumandrena) immaculata Warncke,1975** (Andrenidae) Synonym(s): *immaculata Warncke,1975*
- 5706) Andrena (Fumandrena) kurda Warncke,1975** (Andrenidae) Synonym(s): *kurda Warncke,1975*
- 5707) Andrena (Fumandrena) pandosa Warncke,1968** (Andrenidae) Synonym(s): *pandosa Warncke,1968*
- 5708) Andrena (Fumandrena) querquedula Warncke,1975** (Andrenidae) Synonym(s): *querquedula Warncke,1975*
- 5709) Andrena (Fumandrena) tomora Warncke,1975** (Andrenidae) Synonym(s): *tomora Warncke,1975*
- 5710) Andrena (Graecandrena) butea Warncke,1966** (Andrenidae) Synonym(s): *butea Warncke,1966; ketupa Warncke,1975*
- 5711) Andrena (Graecandrena) hyemala Warncke,1973** (Andrenidae) Synonym(s): *hyemala Warncke,1973; repressa Warncke,1975*
- 5712) Andrena (Graecandrena) impunctata Pérez,1895** (Andrenidae) Synonym(s): *impunctata Pérez,1895; contusa Warncke,1967*
- 5713) Andrena (Graecandrena) schwarzi Warncke,1975** (Andrenidae) Synonym(s): *schwarzi Warncke,1975*
- 5714) Andrena (Graecandrena) volka Warncke,1969** (Andrenidae) Synonym(s): *volka Warncke,1969*
- 5715) Andrena (Holandrena) decipiens Schenck,1859** (Andrenidae) Synonym(s): *decipiens Schenck,1859*
- 5716) Andrena (Holandrena) forsterella Osytsnjuk,1978** (Andrenidae) Synonym(s): *forsterella Osytsnjuk,1978*
- 5717) Andrena (Holandrena) labialis (Kirby,1802)** (Andrenidae) Synonym(s): *labialis Kirby,1802; megalia Warncke,1975*
- 5718) Andrena (Holandrena) variabilis Smith,1853** (Andrenidae) Synonym(s): *variabilis Smith,1853*
- 5719) Andrena (Holandrena) wilhelmi Schuberth,1995** (Andrenidae) Synonym(s): *wilhelmi Schuberth,1995*
- 5720) Andrena (Hoplendrena) clusia Warncke,1966** (Andrenidae) Synonym(s): *clusia Warncke,1966*
- 5721) Andrena (Hoplendrena) ferox Smith,1847** (Andrenidae) Synonym(s): *ferox Smith,1847*
- 5722) Andrena (Hoplendrena) labergeiella Gusenleitner,1998** (Andrenidae) Synonym(s): *labergeiella Gusenleitner,1998*
- 5723) Andrena (Hoplendrena) najadana Warncke,1975** (Andrenidae) Synonym(s): *najadana Warncke,1975*
- 5724) Andrena (Hoplendrena) rosae Panzer,1801** (Andrenidae) Synonym(s): *rosae Panzer,1801*
- 5725) Andrena (Hoplendrena) schonitzeri Gusenleitner,1998** (Andrenidae) Synonym(s): *schonitzeri Gusenleitner,1998*
- 5726) Andrena (Hoplendrena) schuberthi Gusenleitner,1998** (Andrenidae) Synonym(s): *schuberthi Gusenleitner,1998*
- 5727) Andrena (Hoplendrena) trimmerana (Kirby,1802)** (Andrenidae) Synonym(s): *trimmerana Kirby,1802*
- 5728) Andrena (Hyperandrena) bicolorata (Rossi,1790)** (Andrenidae) Synonym(s): *bicolorata Rossi,1790*
- 5729) Andrena (Larandrena) larisana Warncke,1965** (Andrenidae) Synonym(s): *larisana Warncke,1965; medioxima Warncke,1975; sculpturata Warncke,1975*
- 5730) Andrena (Larandrena) sericata Imhoff,1868** (Andrenidae) Synonym(s): *sericata Imhoff,1868*
- 5731) Andrena (Larandrena) ventralis Imhoff,1832** (Andrenidae) Synonym(s): *ventralis Imhoff,1832*
- 5732) Andrena (Leimelissa) ispida Warncke,1966** (Andrenidae) Synonym(s): *ispida Warncke,1966*
- 5733) Andrena (Lepiandrena) tinaria Gusenleitner,1998** (Andrenidae) Synonym(s): *tinaria Gusenleitner,1998*
- 5734) Andrena (Lepiandrena) caprimulga Warncke,1975** (Andrenidae) Synonym(s): *caprimulga Warncke,1975*
- 5735) Andrena (Lepiandrena) curvungula Thomson,1870** (Andrenidae) Synonym(s): *curvungula Thomson,1870*
- 5736) Andrena (Lepiandrena) dorsalis Brullé,1832** (Andrenidae) Synonym(s): *dorsalis Brullé,1832*
- 5737) Andrena (Lepiandrena) elisaria Gusenleitner,1998** (Andrenidae) Synonym(s): *elisaria Gusenleitner,1998*
- 5738) Andrena (Lepiandrena) florivaga Eversmann,1852** (Andrenidae) Synonym(s): *florivaga Eversmann,1852*
- 5739) Andrena (Lepiandrena) mocsaryi Schmiedeknecht,1884** (Andrenidae) Synonym(s): *mocsaryi Schmiedeknecht,1884*
- 5740) Andrena (Lepiandrena) pandellei Pérez,1895** (Andrenidae) Synonym(s): *pandellei Pérez,1895; europaea Warncke,1967*

- 5741) Andrena (Lepidandrena) paucisquama Noskiewicz,1924** (Andrenidae) Synonym(s): *paucisquama* Noskiewicz,1924; *curonica* Warncke,1974
- 5742) Andrena (Lepidandrena) statusa Gusenleitner,1998** (Andrenidae) Synonym(s): *statusa* Gusenleitner,1998
- 5743) Andrena (Leucandrena) argentata Smith,1844** (Andrenidae) Synonym(s): *argentata* Smith,1844
- 5744) Andrena (Leucandrena) barbilabris (Kirby,1802)** (Andrenidae) Synonym(s): *barbilabris* Kirby,1802
- 5745) Andrena (Leucandrena) christineae Dubitzky,2006** (Andrenidae) Synonym(s): *christineae* Dubitzky,2006
- 5746) Andrena (Leucandrena) mistrensis Grünwaldt,2005** (Andrenidae) Synonym(s): *mistrensis* Grünwaldt,2005
- 5747) Andrena (Leucandrena) parviceps Kriechbaumer,1873** (Andrenidae) Synonym(s): *parviceps* Kriechbaumer,1873
- 5748) Andrena (Margandrena) hyacinthina Mavromoustakis,1958** (Andrenidae) Synonym(s): *hyacinthina* Mavromoustakis,1958
- 5749) Andrena (Margandrena) marginata Fabricius,1776** (Andrenidae) Synonym(s): *marginata* Fabricius,1776
- 5750) Andrena (Melanapis) atrocoerulea Giraud,1863** (Andrenidae) Synonym(s): *atrocoerulea* Giraud,1863
- 5751) Andrena (Melanapis) fuscata Erichson,1835** (Andrenidae) Synonym(s): *fuscata* Erichson,1835; *rutula* Spinola,1838; *xanthocelis* Brullé,1839; *dorsalis* Lepeletier,1841; *lepeletieri* Lucas,1849; *ruficornis* Smith,1853; *atrocoerulea* Giraud,1863; *dagestanica* Radoszkowski,1867; *turcestanica* Morawitz,1876; *dilecta* Mocsary,1879; *aschabadensis* Radoszkowski,1893; *jucunda* Pérez,1895; *cleopatra* Friese,1899; *violaceipennis* Cameron,1902; *rufifrons* Nurse,1904; *cypria* Cockerell,1910; *flavipennis* Friese,1914; *pallipes* Friese,1914; *rufocincta* Friese,1914; *rubriventris* Friese,1922; *dorsatula* Viereck,1918; *ankarae* Alfken,1935; *mauritanica* Patiny,1997; *canariensis* Patiny,1997
- 5752) Andrena (Melanapis) rutula Spinola,1838** (Andrenidae) Synonym(s): *rutula* Spinola,1838
- 5753) Andrena (Melandrena) albopunctata (Rossi,1792)** (Andrenidae) Synonym(s): *albopunctata* Rossi,1792; *funebria* Panzer,1798
- 5754) Andrena (Melandrena) assimilis Radoszkowski,1876** (Andrenidae) Synonym(s): *assimilis* Radoszkowski,1876
- 5755) Andrena (Melandrena) atrotegularis Hedicke,1923** (Andrenidae) Synonym(s): *atrotegularis* Hedicke,1923
- 5756) Andrena (Melandrena) cussariensis Morawitz,1886** (Andrenidae) Synonym(s): *cussariensis* Morawitz,1886
- 5757) Andrena (Melandrena) danuvia Stoeckert,1950** (Andrenidae) Synonym(s): *danuvia* Stoeckert,1950
- 5758) Andrena (Melandrena) dubiosa Kohl,1905** (Andrenidae) Synonym(s): *dubiosa* Kohl,1905
- 5759) Andrena (Melandrena) elmaria Gusenleitner,1998** (Andrenidae) Synonym(s): *elmaria* Gusenleitner,1998
- 5760) Andrena (Melandrena) grandilabris Pérez,1903** (Andrenidae) Synonym(s): *grandilabris* Pérez,1903
- 5761) Andrena (Melandrena) induta Morawitz,1895** (Andrenidae) Synonym(s): *induta* Morawitz,1895
- 5762) Andrena (Melandrena) limata Smith,1853** (Andrenidae) Synonym(s): *limata* Smith,1853
- 5763) Andrena (Melandrena) magna Warncke,1965** (Andrenidae) Synonym(s): *magna* Warncke,1965
- 5764) Andrena (Melandrena) morio Brullé,1832** (Andrenidae) Synonym(s): *morio* Brullé,1832
- 5765) Andrena (Melandrena) nigroaenea (Kirby,1802)** (Andrenidae) Synonym(s): *nigroaenea* Kirby,1802; *candiae* Strand,1915; *aemula* Alfken,1926
- 5766) Andrena (Melandrena) nitida (Müller,1776)** (Andrenidae) Synonym(s): *nitida* Müller,1776
- 5767) Andrena (Melandrena) pyropygia Kriechbaumer,1873** (Andrenidae) Synonym(s): *pyropygia* Kriechbaumer,1873
- 5768) Andrena (Melandrena) thoracica (Fabricius,1775)** (Andrenidae) Synonym(s): *thoracica* Fabricius,1775
- 5769) Andrena (Melandrena) vaga Panzer,1799** (Andrenidae) Synonym(s): *vaga* Panzer,1799
- 5770) Andrena (Melittoides) coromanda Warncke,1975** (Andrenidae) Synonym(s): *coromanda* Warncke,1975
- 5771) Andrena (Melittoides) curiosa (Morawitz,1878)** (Andrenidae) Synonym(s): *curiosa* Morawitz,1878
- 5772) Andrena (Melittoides) melittoides Friese,1899** (Andrenidae) Synonym(s): *melittoides* Friese,1899
- 5773) Andrena (Melittoides) ramlehiana Pérez,1903** (Andrenidae) Synonym(s): *ramlehiana* Pérez,1903
- 5774) Andrena (Melittoides) innesi Gribodo,1894** (Andrenidae) Synonym(s): *innesi* Gribodo,1894

- 5775) Andrena (Micrandrena) alfkenella Perkins,1914** (Andrenidae) Synonym(s): *alfkenella Perkins,1914*
- 5776) Andrena (Micrandrena) alfkenelloides Warncke,1965** (Andrenidae) Synonym(s): *alfkenelloides Warncke,1965*
- 5777) Andrena (Micrandrena) biarmica Warncke,1975** (Andrenidae) Synonym(s): *biarmica Warncke,1975*
- 5778) Andrena (Micrandrena) calandra Warncke,1975** (Andrenidae) Synonym(s): *calandra Warncke,1975*
- 5779) Andrena (Micrandrena) enslinella Stöckhert,1924** (Andrenidae) Synonym(s): *enslinella Stöckhert,1924*
- 5780) Andrena (Micrandrena) floricola Eversmann,1852** (Andrenidae) Synonym(s): *floricola Eversmann,1852*
- 5781) Andrena (Micrandrena) garzetta Warncke,1975** (Andrenidae) Synonym(s): *garzetta Warncke,1975*
- 5782) Andrena (Micrandrena) incognita Warncke,1975** (Andrenidae) Synonym(s): *incognita Warncke,1975*
- 5783) Andrena (Micrandrena) lusciniia Warncke,1975** (Andrenidae) Synonym(s): *lusciniia Warncke,1975*
- 5784) Andrena (Micrandrena) magunta Warncke,1965** (Andrenidae) Synonym(s): *magunta Warncke,1965*
- 5785) Andrena (Micrandrena) minutula (Kirby,1802)** (Andrenidae) Synonym(s): *minutula Kirby,1802; parvula Kirby,1802; nigrifrons Smith,1853 nec. Ev.,1852; gilvifrons Pérez,1903; lenis Pérez,1903; dargia Warncke,1965; alga Warncke,1974*
- 5786) Andrena (Micrandrena) minutuloides Perkins,1914** (Andrenidae) Synonym(s): *minutuloides Perkins,1914*
- 5787) Andrena (Micrandrena) niveata Friese,1887** (Andrenidae) Synonym(s): *niveata Friese,1887; bubulca Warncke,1975*
- 5788) Andrena (Micrandrena) oedienema Warncke,1975** (Andrenidae) Synonym(s): *oedienema Warncke,1975*
- 5789) Andrena (Micrandrena) oenas Warncke,1975** (Andrenidae) Synonym(s): *oenas Warncke,1975*
- 5790) Andrena (Micrandrena) paganettina Warncke,1965** (Andrenidae) Synonym(s): *paganettina Warncke,1965*
- 5791) Andrena (Micrandrena) proxima (Kirby,1802)** (Andrenidae) Synonym(s): *proxima Kirby,1802*
- 5792) Andrena (Micrandrena) puffina Warncke,1975** (Andrenidae) Synonym(s): *puffina Warncke,1975*
- 5793) Andrena (Micrandrena) rugothorace Warncke,1965** (Andrenidae) Synonym(s): *rugothorace Warncke,1965*
- 5794) Andrena (Micrandrena) rugulosa Stöckhert,1935** (Andrenidae) Synonym(s): *rugulosa Stöckhert,1935*
- 5795) Andrena (Micrandrena) saxonica Stöckhert,1935** (Andrenidae) Synonym(s): *saxonica Stöckhert,1935*
- 5796) Andrena (Micrandrena) scirpacea Warncke,1975** (Andrenidae) Synonym(s): *scirpacea Warncke,1975*
- 5797) Andrena (Micrandrena) sedentaria Warncke,1975** (Andrenidae) Synonym(s): *sedentaria Warncke,1975*
- 5798) Andrena (Micrandrena) sillata Warncke,1975** (Andrenidae) Synonym(s): *sillata Warncke,1975; histrionica Warncke,1975*
- 5799) Andrena (Micrandrena) simontornyella Noskiewicz,1939** (Andrenidae) Synonym(s): *simontornyella Noskiewicz,1939*
- 5800) Andrena (Micrandrena) stoeckhertella Pittioni,1948** (Andrenidae) Synonym(s): *stoeckhertella Pittioni,1948*
- 5801) Andrena (Micrandrena) stolidia Warncke,1975** (Andrenidae) Synonym(s): *stolidia Warncke,1975*
- 5802) Andrena (Micrandrena) strepera Warncke,1975** (Andrenidae) Synonym(s): *strepera Warncke,1975*
- 5803) Andrena (Micrandrena) taprobana Warncke,1975** (Andrenidae) Synonym(s): *taprobana Warncke,1975*
- 5804) Andrena (Micrandrena) tkalcui Gusenleitner & Schwarz,2002** (Andrenidae) Synonym(s): *tkalcui Gusenleitner & Schwarz,2002*
- 5805) Andrena (Micrandrena) tringa Warncke,1973** (Andrenidae) Synonym(s): *tringa Warncke,1973*
- 5806) Andrena (Micrandrena) virgata Warncke,1975** (Andrenidae) Synonym(s): *virgata Warncke,1975*
- 5807) Andrena (Micrandrena) warnckeii Gusenleitner & Schwarz,2000** (Andrenidae) Synonym(s): *warnckeii Gusenleitner & Schwarz,2000*
- 5808) Andrena (Nobandrena) anatolica Alfken,1935** (Andrenidae) Synonym(s): *anatolica Alfken,1935*

- 5809) Andrena (Nobandrena) asiatica Friesse,1921** (Andrenidae) Synonym(s): *asiatica Friesse,1921*
- 5810) Andrena (Nobandrena) athenensis Warncke,1965** (Andrenidae) Synonym(s): *athensis Warncke,1965*
- 5811) Andrena (Nobandrena) comptaeformis Gusenleitner & Schwarz,2000** (Andrenidae) Synonym(s): *comptaeformis Gusenleitner & Schwarz,2000*
- 5812) Andrena (Nobandrena) flavobila Warncke,1975** (Andrenidae) Synonym(s): *flavobila Warncke,1975*
- 5813) Andrena (Nobandrena) fratercula Warncke,1975** (Andrenidae) Synonym(s): *fratercula Warncke,1975*
- 5814) Andrena (Nobandrena) iliaca Warncke,1969** (Andrenidae) Synonym(s): *iliaca Warncke,1969*
- 5815) Andrena (Nobandrena) nobilis Morawitz,1873** (Andrenidae) Synonym(s): *nobilis Morawitz,1873*
- 5816) Andrena (Nobandrena) probata Warncke,1972** (Andrenidae) Synonym(s): *probata Warncke,1972*
- 5817) Andrena (Notandrena) chrysocles (Kirby,1802)** (Andrenidae) Synonym(s): *chrysocles Kirby,1802*
- 5818) Andrena (Notandrena) erythrocnemis Morawitz,1870** (Andrenidae) Synonym(s): *erythrocnemis Morawitz,1870*
- 5819) Andrena (Notandrena) langadensis Warncke,1965** (Andrenidae) Synonym(s): *langadensis Warncke,1965; clanga Warncke,1965*
- 5820) Andrena (Notandrena) nitidiuscula Schenck,1853** (Andrenidae) Synonym(s): *nitidiuscula Schenck,1853; nigellata Pérez,1895*
- 5821) Andrena (Notandrena) optata Warncke,1975** (Andrenidae) Synonym(s): *optata Warncke,1975*
- 5822) Andrena (Notandrena) pontica Warncke,1972** (Andrenidae) Synonym(s): *pontica Warncke,1972*
- 5823) Andrena (Notandrena) recurvirostra Warncke,1975** (Andrenidae) Synonym(s): *recurvirostra Warncke,1975*
- 5824) Andrena (Notandrena) selcuki Scheuchl & Hazır,2008** (Andrenidae) Synonym(s): *selcuki Scheuchl & Hazır,2008*
- 5825) Andrena (Notandrena) stellaris Warncke,1966** (Andrenidae) Synonym(s): *stellaris Warncke,1966*
- 5826) Andrena (Notandrena) ungeri Mavromoustakis,1952** (Andrenidae) Synonym(s): *ungeri Mavromoustakis,1952*
- 5827) Andrena (Notandrena) urdula Warncke,1965** (Andrenidae) Synonym(s): *urdula Warncke,1965*
- 5828) Andrena (Opandrena) schencki Morawitz,1866** (Andrenidae) Synonym(s): *schencki Morawitz,1866*
- 5829) Andrena (Orandrena) acrana Warncke,1967** (Andrenidae) Synonym(s): *acrana Warncke,1967*
- 5830) Andrena (Orandrena) gallinula Warncke,1975** (Andrenidae) Synonym(s): *gallinula Warncke,1975*
- 5831) Andrena (Orandrena) garrula Warncke,1965** (Andrenidae) Synonym(s): *garrula Warncke,1965; lomvia Warncke,1969*
- 5832) Andrena (Orandrena) gunaca Warncke,1975** (Andrenidae) Synonym(s): *gunaca Warncke,1975*
- 5833) Andrena (Orandrena) monilia Warncke,1967** (Andrenidae) Synonym(s): *monilia Warncke,1967*
- 5834) Andrena (Orandrena) oralis Morawitz,1876** (Andrenidae) Synonym(s): *oralis Morawitz,1876*
- 5835) Andrena (Orandrena) platalea Warncke,1975** (Andrenidae) Synonym(s): *platalea Warncke,1975*
- 5836) Andrena (Oreomelissa) coitana (Kirby,1802)** (Andrenidae) Synonym(s): *coitana Kirby,1802; xema Warncke,1975*
- 5837) Andrena (Pallandrena) braunsiana Friesse,1887** (Andrenidae) Synonym(s): *braunsiana Friesse,1887; detorta Warncke,1975*
- 5838) Andrena (Pallandrena) korbella Grünwaldt,2005** (Andrenidae) Synonym(s): *korbella Grünwaldt,2005*
- 5839) Andrena (Pallandrena) pallidicincta Brullé,1832** (Andrenidae) Synonym(s): *pallidicincta Brullé,1832*
- 5840) Andrena (Parandrenella) bicarinata Morawitz,1876** (Andrenidae) Synonym(s): *bicarinata Morawitz,1876*
- 5841) Andrena (Parandrenella) crista Warncke,1975** (Andrenidae) Synonym(s): *crista Warncke,1975*
- 5842) Andrena (Parandrenella) dentiventris Morawitz,1874** (Andrenidae) Synonym(s): *dentiventris Morawitz,1874*
- 5843) Andrena (Parandrenella) figurata Morawitz,1866** (Andrenidae) Synonym(s): *figurata Morawitz,1866*
- 5844) Andrena (Parandrenella) nisoris Warncke,1969** (Andrenidae) Synonym(s): *nisoris Warncke,1969*

- 5845) Andrena (Pecilandrena) kilikiae Warncke,1969** (Andrenidae) Synonym(s): *kilikiae Warncke,1969*
- 5846) Andrena (Plastandrena) apiformis Kriechbaumer,1873** (Andrenidae) Synonym(s): *apiformis Kriechbaumer,1873*
- 5847) Andrena (Plastandrena) bimaculata (Kirby,1802)** (Andrenidae) Synonym(s): *bimaculata Kirby,1802*
- 5848) Andrena (Plastandrena) eversmanni Radoszkowski,1867** (Andrenidae) Synonym(s): *eversmanni Radoszkowski,1867*
- 5849) Andrena (Plastandrena) mongolica Morawitz,1880** (Andrenidae) Synonym(s): *mongolica Morawitz,1880*
- 5850) Andrena (Plastandrena) pilipes Fabricius,1781** (Andrenidae) Synonym(s): *pilipes Fabricius,1781; dolorosa Nurse,1904*
- 5851) Andrena (Plastandrena) tibialis (Kirby,1802)** (Andrenidae) Synonym(s): *tibialis Kirby,1802; vindobonensis Stoeckhert,1950; porzana Warncke,1975; concreta Warncke,1975*
- 5852) Andrena (Poecilandrena) bytinskii Warncke,1969** (Andrenidae) Synonym(s): *bytinskii Warncke,1969*
- 5853) Andrena (Poecilandrena) ciconia Warncke,1975** (Andrenidae) Synonym(s): *ciconia Warncke,1975*
- 5854) Andrena (Poecilandrena) crassana Warncke,1965** (Andrenidae) Synonym(s): *crassana Warncke,1965; inka Warncke,1969*
- 5855) Andrena (Poecilandrena) hybrida Warncke,1975** (Andrenidae) Synonym(s): *hybrida Warncke,1975; tauriensis Waencke,1975*
- 5856) Andrena (Poecilandrena) labiata Fabricius,1781** (Andrenidae) Synonym(s): *labiata Fabricius,1781*
- 5857) Andrena (Poecilandrena) laticeps Morawitz,1877** (Andrenidae) Synonym(s): *laticeps Morawitz,1877*
- 5858) Andrena (Poecilandrena) paradisaea Warncke,1975** (Andrenidae) Synonym(s): *paradisaea Warncke,1975*
- 5859) Andrena (Poecilandrena) regina Friese,1921** (Andrenidae) Synonym(s): *regina Friese,1921*
- 5860) Andrena (Poecilandrena) rusticola Warncke,1975** (Andrenidae) Synonym(s): *rusticola Warncke,1975*
- 5861) Andrena (Poecilandrena) saturata Warncke,1975** (Andrenidae) Synonym(s): *saturata Warncke,1975*
- 5862) Andrena (Poecilandrena) seminuda Friese,1896** (Andrenidae) Synonym(s): *seminuda Friese,1896*
- 5863) Andrena (Poecilandrena) semirubra Morawitz,1876** (Andrenidae) Synonym(s): *semirubra Morawitz,1876*
- 5864) Andrena (Poecilandrena) viridescens Viereck,1916** (Andrenidae) Synonym(s): *viridescens Viereck,1916*
- 5865) Andrena (Poliandrena) caspica Morawitz,1886** (Andrenidae) Synonym(s): *caspica Morawitz,1886; uncinata Friese,1899*
- 5866) Andrena (Poliandrena) castanea Warncke,1975** (Andrenidae) Synonym(s): *castanea Warncke,1975*
- 5867) Andrena (Poliandrena) florea Fabricius,1793** (Andrenidae) Synonym(s): *florea Fabricius,1793*
- 5868) Andrena (Poliandrena) hibernica Warncke,1975** (Andrenidae) Synonym(s): *hibernica Warncke,1975; caucasica Warncke,1975*
- 5869) Andrena (Poliandrena) limbata Eversmann,1852** (Andrenidae) Synonym(s): *limbata Eversmann,1852; squamea Giraud,1863; dusmeti Warncke,1967*
- 5870) Andrena (Poliandrena) melanota Warncke,1975** (Andrenidae) Synonym(s): *melanota Warncke,1975*
- 5871) Andrena (Poliandrena) mollissima Warncke,1975** (Andrenidae) Synonym(s): *mollissima Warncke,1975*
- 5872) Andrena (Poliandrena) ornata Morawitz,1866** (Andrenidae) Synonym(s): *ornata Morawitz,1866*
- 5873) Andrena (Poliandrena) polita Smith,1847** (Andrenidae) Synonym(s): *polita Smith,1847*
- 5874) Andrena (Poliandrena) pyrozonata Friese,1921** (Andrenidae) Synonym(s): *pyrozonata Friese,1921*
- 5875) Andrena (Poliandrena) toelgiana Friese,1921** (Andrenidae) Synonym(s): *toelgiana Friese,1921*
- 5876) Andrena (Ptilandrena) glidia Warncke,1965** (Andrenidae) Synonym(s): *glidia Warncke,1965*
- 5877) Andrena (Ptilandrena) vetula Lepeletier,1841** (Andrenidae) Synonym(s): *vetula Lepeletier,1841*
- 5878) Andrena (s.str.) bulgariensis Warncke,1965** (Andrenidae) Synonym(s): *bulgariensis Warncke,1965*
- 5879) Andrena (s.str.) fucata Smith,1847** (Andrenidae) Synonym(s): *fucata Smith,1847*
- 5880) Andrena (s.str.) helvola (Linnaeus,1758)** (Andrenidae) Synonym(s): *helvola Linnaeus,1758*

- 5881) Andrena (s.str.) inconstans Morawitz,1877** (Andrenidae) Synonym(s): *inconstans Morawitz,1877*
- 5882) Andrena (s.str.) praecox (Scopoli,1763)** (Andrenidae) Synonym(s): *praecox Scopoli,1763*
- 5883) Andrena (s.str.) synadelpha Perkins,1914** (Andrenidae) Synonym(s): *synadelpha Perkins,1914*
- 5884) Andrena (s.str.) varians (Kirby,1802)** (Andrenidae) Synonym(s): *varians Kirby,1802*
- 5885) Andrena (s.tr.) mitis Schmiedeknecht,1883** (Andrenidae) Synonym(s): *mitis Schmiedeknecht,1883*
- 5886) Andrena (Scitandrena) scita Eversmann,1852** (Andrenidae) Synonym(s): *scita Eversmann,1852*
- 5887) Andrena (Simandrena) cinnamonea Warncke,1975** (Andrenidae) Synonym(s): *cinnamonea Warncke,1975*
- 5888) Andrena (Simandrena) combinata (Christ,1791)** (Andrenidae) Synonym(s): *combinata Christ,1791*
- 5889) Andrena (Simandrena) congruens Schmiedeknecht,1883** (Andrenidae) Synonym(s): *congruens Schmiedeknecht,1883*
- 5890) Andrena (Simandrena) dorsata (Kirby,1802)** (Andrenidae) Synonym(s): *dorsata Kirby,1802*
- 5891) Andrena (Simandrena) gasparella Patiny,1998** (Andrenidae) Synonym(s): *gasparella Patiny,1998*
- 5892) Andrena (Simandrena) lepida Schenck,1861** (Andrenidae) Synonym(s): *lepida Schenck,1861*
- 5893) Andrena (Simandrena) mehelyi Alfken,1936** (Andrenidae) Synonym(s): *mehelyi Alfken,1936*
- 5894) Andrena (Simandrena) melba Warncke,1966** (Andrenidae) Synonym(s): *melba Warncke,1966*
- 5895) Andrena (Simandrena) nucleola Warncke,1972** (Andrenidae) Synonym(s): *nucleola Warncke,1972*
- 5896) Andrena (Simandrena) thomsoni Dücke,1898** (Andrenidae) Synonym(s): *thomsoni Dücke,1898*
- 5897) Andrena (Simandrena) transitoria Morawitz,1872** (Andrenidae) Synonym(s): *transitoria Morawitz,1872*
- 5898) Andrena (Simandrena) venerabilis Alfken,1935** (Andrenidae) Synonym(s): *venerabilis Alfken,1935*
- 5899) Andrena (Suandrena) mirna Warncke,1969** (Andrenidae) Synonym(s): *mirna Warncke,1969*
- 5900) Andrena (Suandrena) sobrina Warncke,1975** (Andrenidae) Synonym(s): *sobrina Warncke,1975*
- 5901) Andrena (Taeniandrena) gelriae Van der Vecht,1927** (Andrenidae) Synonym(s): *gelriae Van der Vecht,1927*
- 5902) Andrena (Taeniandrena) hova Warncke,1975** (Andrenidae) Synonym(s): *hova Warncke,1975*
- 5903) Andrena (Taeniandrena) intermedia Thomson,1870** (Andrenidae) Synonym(s): *intermedia Thomson,1870*
- 5904) Andrena (Taeniandrena) lathyri Alfken,1899** (Andrenidae) Synonym(s): *lathyri Alfken,1899*
- 5905) Andrena (Taeniandrena) leucopsis Warncke,1967** (Andrenidae) Synonym(s): *leucopsis Warncke,1967; finschii Warncke,1975*
- 5906) Andrena (Taeniandrena) morinella Warncke,1975** (Andrenidae) Synonym(s): *morinella Warncke,1975*
- 5907) Andrena (Taeniandrena) ovatula (Kirby,1802)** (Andrenidae) Synonym(s): *ovatula Kirby,1802; poupillieri Dours,1872; heliopsis Friese,1914*
- 5908) Andrena (Taeniandrena) phoenicura Warncke,1975** (Andrenidae) Synonym(s): *phoenicura Warncke,1975*
- 5909) Andrena (Taeniandrena) producta Warncke,1973** (Andrenidae) Synonym(s): *producta Warncke,1973*
- 5910) Andrena (Taeniandrena) sexguttata Morawitz,1878** (Andrenidae) Synonym(s): *sexguttata Morawitz,1878*
- 5911) Andrena (Taeniandrena) similis Smith,1849** (Andrenidae) Synonym(s): *similis Smith,1849*
- 5912) Andrena (Taeniandrena) solitaria Warncke,1975** (Andrenidae) Synonym(s): *solitaria Warncke,1975*
- 5913) Andrena (Taeniandrena) wilkella (Kirby,1802)** (Andrenidae) Synonym(s): *wilkella Kirby,1802*
- 5914) Andrena (Tarsandrena) tarsata Nylander,1848** (Andrenidae) Synonym(s): *tarsata Nylander,1848*
- 5915) Andrena (Thysandrena) hypopolia Schmiedeknecht,1883** (Andrenidae) Synonym(s): *hypopolia Schmiedeknecht,1883; albiscopa Warncke,1967*
- 5916) Andrena (Thysandrena) lunata Warncke,1975** (Andrenidae) Synonym(s): *lunata Warncke,1975*
- 5917) Andrena (Thysandrena) ranuncolorum Morawitz,1878** (Andrenidae) Synonym(s): *ranuncolorum Morawitz,1878*
- 5918) Andrena (Trachandrena) haemorrhoea (Fabricius,1781)** (Andrenidae) Synonym(s): *haemorrhoea Fabricius,1781*
- 5919) Andrena (Trncandrena) noacki Alfken,1935** (Andrenidae) Synonym(s): *noacki Alfken,1935*
- 5920) Andrena (Troandrena) saettana Warncke,1975** (Andrenidae) Synonym(s): *saettana Warncke,1975*

- 5921) Andrena (Troandrena) trodica Warncke,1975** (Andrenidae) Synonym(s): *trodica Warncke,1975*
- 5922) Andrena (Truncandrena) albopicta Radoszkowski,1874** (Andrenidae) Synonym(s): *albopicta Radoszkowski,1874*
- 5923) Andrena (Truncandrena) bassana Warncke,1969** (Andrenidae) Synonym(s): *bassana Warncke,1969; etesiaca Warncke,1975*
- 5924) Andrena (Truncandrena) canae Strand,1915** (Andrenidae) Synonym(s): *canae Strand,1915*
- 5925) Andrena (Truncandrena) delphiensis Warncke,1965** (Andrenidae) Synonym(s): *delphiensis Warncke,1965*
- 5926) Andrena (Truncandrena) derbentina Morawitz,1886** (Andrenidae) Synonym(s): *derbentina Morawitz,1886*
- 5927) Andrena (Truncandrena) fabalis Warncke,1966** (Andrenidae) Synonym(s): *fabalis Warncke,1966*
- 5928) Andrena (Truncandrena) fuligula Warncke,1966** (Andrenidae) Synonym(s): *fuligula Warncke,1966*
- 5929) Andrena (Truncandrena) medeninensis Pérez,1895** (Andrenidae) Synonym(s): *medeninensis Pérez,1895; usura Warncke,1967*
- 5930) Andrena (Truncandrena) mizorhina Warncke,1975** (Andrenidae) Synonym(s): *mizorhina Warncke,1975*
- 5931) Andrena (Truncandrena) oulskii Radoszkowski,1867** (Andrenidae) Synonym(s): *oulskii Radoszkowski,1867*
- 5932) Andrena (Truncandrena) paramythensis Mavromoustakis,1957** (Andrenidae) Synonym(s): *paramythensis Mavromoustakis,1957*
- 5933) Andrena (Truncandrena) roseotincta Warncke,1975** (Andrenidae) Synonym(s): *roseotincta Warncke,1975*
- 5934) Andrena (Truncandrena) rufomaculata Friese,1921** (Andrenidae) Synonym(s): *rufomaculata Friese,1921*
- 5935) Andrena (Truncandrena) schmiedeknechti Magretti,1883** (Andrenidae) Synonym(s): *schmiedeknechti Magretti,1883; flavopilis Warncke,1965*
- 5936) Andrena (Truncandrena) seitzi Alfken,1935** (Andrenidae) Synonym(s): *seitzi Alfken,1935*
- 5937) Andrena (Truncandrena) serraticornis Warncke,1965** (Andrenidae) Synonym(s): *serraticornis Warncke,1965*
- 5938) Andrena (Truncandrena) truncatilabris Morawitz,1877** (Andrenidae) Synonym(s): *truncatilabris Morawitz,1877*
- 5939) Andrena (Truncandrena) tscheki Morawitz,1872** (Andrenidae) Synonym(s): *tscheki Morawitz,1872; tritica Warncke,1965*
- 5940) Andrena (Truncandrena) ulula Warncke,1969** (Andrenidae) Synonym(s): *ulula Warncke,1969*
- 5941) Andrena (Ulandrena) abbreviata Dours,1873** (Andrenidae) Synonym(s): *abbreviata Dours,1873*
- 5942) Andrena (Ulandrena) acerba Warncke,1967** (Andrenidae) Synonym(s): *acerba Warncke,1967*
- 5943) Andrena (Ulandrena) cantiaa Warncke,1975** (Andrenidae) Synonym(s): *cantiaa Warncke,1975; infuscata Warncke,1975*
- 5944) Andrena (Ulandrena) combaella Warncke,1966** (Andrenidae) Synonym(s): *combaella Warncke,1966*
- 5945) Andrena (Ulandrena) dauma Warncke,1969** (Andrenidae) Synonym(s): *dauma Warncke,1969*
- 5946) Andrena (Ulandrena) fulvitaris Brullé,1832** (Andrenidae) Synonym(s): *fulvitaris Brullé,1832*
- 5947) Andrena (Ulandrena) glareola Warncke,1969** (Andrenidae) Synonym(s): *glareola Warncke,1969*
- 5948) Andrena (Ulandrena) heinrichi Grünwaldt,2005** (Andrenidae) Synonym(s): *heinrichi Grünwaldt,2005*
- 5949) Andrena (Ulandrena) isabellina Warncke,1969** (Andrenidae) Synonym(s): *isabellina Warncke,1969*
- 5950) Andrena (Ulandrena) neocyprica Mavromoustakis,1956** (Andrenidae) Synonym(s): *neocyprica Mavromoustakis,1956*
- 5951) Andrena (Ulandrena) osychniukae Radoszkowski,1867** (Andrenidae) Synonym(s): *osychniukae Radoszkowski,1867*
- 5952) Andrena (Ulandrena) polemediana Mavromoustakis,1956** (Andrenidae) Synonym(s): *polemediana Mavromoustakis,1956*
- 5953) Andrena (Ulandrena) schulzi Strand,1921** (Andrenidae) Synonym(s): *schulzi Strand,1921; alba Warncke,1967*
- 5954) Andrena (Zoandrena) gazella Friese,1922** (Andrenidae) Synonym(s): *gazella Friese,1922; flamma Warncke,1975*
- 5955) Andrena (Zonandrena) chrysopyga Schenck,1853** (Andrenidae) Synonym(s): *chrysopyga Schenck,1853*
- 5956) Andrena (Zonandrena) flavipes Panzer,1799** (Andrenidae) Synonym(s): *flavipes Panzer,1799*

- 5957) **Andrena (Zonandrena) grvida Imhoff,1832** (Andrenidae) Synonym(s): *grvida Imhoff,1832*
- 5958) **Andrena (Zonandrena) hungarica Friese,1887** (Andrenidae) Synonym(s): *hungarica Friese,1887; macroura Warncke,1975*
- 5959) **Andrena (Zonandrena) lophura Warncke,1975** (Andrenidae) Synonym(s): *lophura Warncke,1975; anatoliae Warncke,1975*
- 5960) **Andrena (Zonandrena) quadrimaculata Friese,1921** (Andrenidae) Synonym(s): *quadrimaculata Friese,1921*
- 5961) **Andrena biguttata Friese,1922** (Andrenidae) Synonym(s): *biguttata Friese,1922*
- 5962) **Andrena carbonaria (Linnaeus,1767)** (Andrenidae) Synonym(s): *carbonaria Linnaeus,1767*
- 5963) **Andrena citrinella Warncke,1967** (Andrenidae) Synonym(s): *citrinella Warncke,1967*
- 5964) **Andrena clypeata Brullé,1832** (Andrenidae) Synonym(s): *clypeata Brullé,1832*
- 5965) **Andrena concinna Smith,1853** (Andrenidae) Synonym(s): *concinna Smith,1853; crecca Warncke,1965*
- 5966) **Andrena crypta Warncke,1975** (Andrenidae) Synonym(s): *crypta Warncke,1975*
- 5967) **Andrena elegans Giraund,1863** (Andrenidae) Synonym(s): *elegans Giraund,1863*
- 5968) **Andrena fuscocalcarata Morawitz,1878** (Andrenidae) Synonym(s): *fuscocalcarata Morawitz,1878*
- 5969) **Andrena ocreata (Christ,1791)** (Andrenidae) Synonym(s): *ocreata Christ,1791*
- 5970) **Andrena oxyura Warncke,1975** (Andrenidae) Synonym(s): *oxyura Warncke,1975*
- 5971) **Andrena rotundilabris Morawitz,1878** (Andrenidae) Synonym(s): *rotundilabris Morawitz,1878*
- 5972) **Andrena soror Dours,1872** (Andrenidae) Synonym(s): *soror Dours,1872*
- 5973) **Andrena tkalcui Gusenleitner & Schwarz,2002** (Andrenidae) Synonym(s): *testacea Warncke,1975 nec D.-T.,1877; tkalcui Gusenleitner & Schwarz,2002*
- 5974) **Camptopoeum (Epimethea) nigrotum (Warncke,1987)** (Andrenidae) Synonym(s): *nigrotum Warncke,1987*
- 5975) **Camptopoeum (Epimethea) pictipes (Morawitz,1876)** (Andrenidae) Synonym(s): *pictipes Morawitz,1876*
- 5976) **Camptopoeum (Epimethea) rubrum (Warncke,1987)** (Andrenidae) Synonym(s): *rubrum Warncke,1987*
- 5977) **Camptopoeum (Epimethea) subflavum (Warncke,1987)** (Andrenidae) Synonym(s): *subflavum Warncke,1987*
- 5978) **Camptopoeum (Epimethea) variegatum (Morawitz,1876)** (Andrenidae) Synonym(s): *variegatum Morawitz,1876; kilikiae Warncke,1972*
- 5979) **Camptopoeum (s.str.) frontale (Fabricius,1804)** (Andrenidae) Synonym(s): *frontale Fabricius,1804; sacrum Alfken,1935; triticum Warncke,1972*
- 5980) **Camptopoeum friesei Mocsary,1894** (Andrenidae) Synonym(s): *friesei Mocsary,1894; densum Warncke,1972*
- 5981) **Melitturga clavicornis (Latreille,1806)** (Andrenidae) Synonym(s): *clavicornis Latreille,1806*
- 5982) **Melitturga pictipes Morawitz,1892** (Andrenidae) Synonym(s): *pictipes Morawitz,1892; heinrichi Tkalcu,1978*
- 5983) **Melitturga praestans Giraud,1861** (Andrenidae) Synonym(s): *praestans Giraud,1861; syriaca Friese,1896*
- 5984) **Melitturga spinosa Morawitz,1892** (Andrenidae) Synonym(s): *spinosa Morawitz,1892*
- 5985) **Melitturga taurica Friese,1922** (Andrenidae) Synonym(s): *taurica Friese,1922*
- 5986) **Panurginus anaticus (Warncke,1972)** (Andrenidae) Synonym(s): *anaticus Warncke,1972*
- 5987) **Panurginus brullei (Lepeletier,1841)** (Andrenidae) Synonym(s): *brullei Lepeletier,1841; turcomanus Popov,1936; clarus Warncke,1972*
- 5988) **Panurginus cavus (Warncke,1972)** (Andrenidae) Synonym(s): *cavus Warncke,1972*
- 5989) **Panurginus clavatus (Warncke,1972)** (Andrenidae) Synonym(s): *clavatus Warncke,1972*
- 5990) **Panurginus corpanus (Warncke,1972)** (Andrenidae) Synonym(s): *corpanus Warncke,1972*
- 5991) **Panurginus labiatus (Eversmann,1852)** (Andrenidae) Synonym(s): *labiatus Eversmann,1852*
- 5992) **Panurginus lactipennis Friese,1897** (Andrenidae) Synonym(s): *lactipennis Friese,1897*
- 5993) **Panurginus minustulus (Warncke,1987)** (Andrenidae) Synonym(s): *minustulus Warncke,1987*
- 5994) **Panurginus montanus Giraud,1861** (Andrenidae) Synonym(s): *montanus Giraud,1861; tyrolensis Richards,1932; ponticus Warncke,1972*
- 5995) **Panurginus orientalicus (Warncke,1972)** (Andrenidae) Synonym(s): *orientalicus Warncke,1972*
- 5996) **Panurginus punctiventris (Morawitz,1876)** (Andrenidae) Synonym(s): *punctiventris Morawitz,1876*
- 5997) **Panurginus sculpturatus (Morawitz,1872)** (Andrenidae) Synonym(s): *sculpturatus Morawitz,1872; magnus Warncke,1972*
- 5998) **Panurginus stylus (Warncke,1987)** (Andrenidae) Synonym(s): *stylus Warncke,1987*
- 5999) **Panurgus banksianus (Kirby,1802)** (Andrenidae) Synonym(s): *banksianus Kirby,1802*
- 6000) **Panurgus calcaratus (Scopoli,1763)** (Andrenidae) Synonym(s): *calcaratus Scopoli,1763*

- 6001) Panurgus dentipes Latreille, 1811** (Andrenidae) Synonym(s): *dentipes* Latreille, 1811; *oblitus* Warncke, 1972; *posticus* Warncke, 1972; *sidensis* Warncke, 1987
6002) Plesiopanurgus (Zizopanurgus) ibex Baker, 1972 (Andrenidae) Synonym(s): *ibex* Baker, 1972
6003) Plesiopanurgus (Zizopanurgus) zizus (Warncke, 1987) (Andrenidae) Synonym(s): *zizus* Warncke, 1987

ANTHICIDAE

- 6004) Notoxus brachycerus Faldermann, 1837** (Anthicidae) Synonym(s): *brachycerus* Faldermann, 1837
6005) Notoxus appendicinus Desbr., 1875 (Anthicidae) Synonym(s): *appendicinus* Desbr., 1875
6006) Notoxus eurycerus Kiesenwetter, 1861 (Anthicidae) Synonym(s): *eurycerus* Kiesenwetter, 1861
6007) Notoxus anaticus Heberdey, 1936 (Anthicidae) Synonym(s): *anaticus* Heberdey, 1936
6008) Notoxus simulans Heberdey, 1935 (Anthicidae) Synonym(s): *simulans* Heberdey, 1935
6009) Notoxus angustulus Krekich & Strassoldo, 1919 (Anthicidae) Synonym(s): *angustulus* Krekich & Strassoldo, 1919
6010) Formicomus ionicus LaFerté & Sénectere, 1847 (Anthicidae) Synonym(s): *ionicus* LaFerté & Sénectere, 1847
6011) Hirticomus hispidus (Rossi, 1792) (Anthicidae) Synonym(s): *hispidus* Rossi, 1792
6012) Microhoria terminata (Schmidt, 1842) (Anthicidae) Synonym(s): *terminata* Schmidt, 1842
6013) Endomia concolor (Desbrochers, 1875) (Anthicidae) Synonym(s): *concolor* Desbrochers, 1875

ANTHOCORIDAE

- 6014) Acompocoris pygmaeus (Fallén, 1807)** (Anthocoridae) Synonym(s): *pygmaeus* Fallén, 1807
6015) Anthocoris confusus Reuter, 1884 (Anthocoridae) Synonym(s): *confusus* Reuter, 1884
6016) Anthocoris gallarumulmi (DeGeer, 1773) (Anthocoridae) Synonym(s): *gallarumulmi* DeGeer, 1773
6017) Anthocoris minki (Dohrn, 1860) (Anthocoridae) Synonym(s): *minki* Dohrn, 1860; *rubicundulus* Garbiglietti, 1869; *pistaciae* E. Wagner, 1957
6018) Anthocoris nemoralis (Fabricius, 1794) (Anthocoridae) Synonym(s): *nemoralis* Fabricius, 1794
6019) Anthocoris nemorum (Linnaeus, 1761) (Anthocoridae) Synonym(s): *nemorum* Linnaeus, 1761
6020) Anthocoris sibiricus Reuter, 1875 (Anthocoridae) Synonym(s): *sibiricus* Reuter, 1875
6021) Anthocoris visci Douglas, 1889 (Anthocoridae) Synonym(s): *visci* Douglas, 1889
6022) Cardiastethus nazarenus Reuter, 1884 (Anthocoridae) Synonym(s): *nazarenus* Reuter, 1884
6023) Dufouriellus ater (Dufour, 1883) (Anthocoridae) Synonym(s): *ater* Dufour, 1883
6024) Dysepieritus rufescens (Costa, 1847) (Anthocoridae) Synonym(s): *rufescens* Costa, 1847
6025) Elatophilus nigricornis (Zetterstedt, 1838) (Anthocoridae) Synonym(s): *nigricornis* Zetterstedt, 1838
6026) Elatophilus pachynemesis Horvath, 1907 (Anthocoridae) Synonym(s): *pachynemesis* Horvath, 1907
6027) Lyctocoris campestris (Fabricius, 1794) (Anthocoridae) Synonym(s): *campestris* Fabricius, 1794
6028) Lyctocoris dimidiatus (Spinola, 1837) (Anthocoridae) Synonym(s): *dimidiatus* Spinola, 1837
6029) Orius horvathi (Reuter, 1884) (Anthocoridae) Synonym(s): *horvathi* Reuter, 1884
6030) Orius laevigatus (Fieber, 1860) (Anthocoridae) Synonym(s): *laevigatus* Fieber, 1860
6031) Orius minutus (Linnaeus, 1758) (Anthocoridae) Synonym(s): *minutus* Linnaeus, 1758
6032) Orius niger (Wolff, 1811) (Anthocoridae) Synonym(s): *niger* Wolff, 1811
6033) Orius pallidicornis (Reuter, 1884) (Anthocoridae) Synonym(s): *pallidicornis* Reuter, 1884
6034) Orius vicinus (Ribaut, 1923) (Anthocoridae) Synonym(s): *vicinus* Ribaut, 1923
6035) Temnostethus dacicus (Puton, 1888) (Anthocoridae) Synonym(s): *dacicus* Puton, 1888
6036) Temnostethus longirostris (Horvath, 1907) (Anthocoridae) Synonym(s): *longirostris* Horvath, 1907
6037) Temnostethus pusillus (Herrich-Schäffer, 1835) (Anthocoridae) Synonym(s): *pusillus* Herrich-Schäffer, 1835
6038) Temnostethus reduvinus (Herrich-Schäffer, 1835) (Anthocoridae) Synonym(s): *reduvinus* Herrich-Schäffer, 1835
6039) Temnostethus tibialis Reuter, 1888 (Anthocoridae) Synonym(s): *tibialis* Reuter, 1888
6040) Temnostethus wichmanni E. Wagner, 1961 (Anthocoridae) Synonym(s): *wichmanni* E. Wagner, 1961
6041) Xyllocoris cursitans (Fallén, 1807) (Anthocoridae) Synonym(s): *cursitans* Fallén, 1807
6042) Xyllocoris flavipes (Reuter, 1875) (Anthocoridae) Synonym(s): *flavipes* Reuter, 1875
6043) Xyllocoris galactinus (Fieber, 1836) (Anthocoridae) Synonym(s): *galactinus* Fieber, 1836

- 6044) *Xylocoris maculipennis* Baerensprung,1858** (Anthocoridae) Synonym(s): *maculipennis* Baerensprung,1858
6045) *Xylocoris obliquus* Costa,1852 (Anthocoridae) Synonym(s): *obliquus* Costa,1852

ANTHOMYIIDAE

- 6046) *Anthomyia procellaris* Rondani,1866** (Anthomyiidae) Synonym(s): *procellaris* Rondani,1866
6047) *Delia platura* Meigen,1826 (Anthomyiidae) Synonym(s): *platura* Meigen,1826
6048) *Delia radicum* (Linnaeus,1758) (Anthomyiidae) Synonym(s): *radicum* Linnaeus,1758
6049) *Delia silenii* Michelsen,2012 (Anthomyiidae) Synonym(s): *silenii* Michelsen,2012
6050) *Paradelia intersecta* (Meigen,1826) (Anthomyiidae) Synonym(s): *intersecta* Meigen,1826
6051) *Pegomya testacea* (De Geer,1776) (Anthomyiidae) Synonym(s): *testacea* De Geer,1776
6052) *Phorbia penicillifera* Jermy,1953 (Anthomyiidae) Synonym(s): *penicillifera* Jermy,1953
6053) *Phorbia securis* Tiensuu,1935 (Anthomyiidae) Synonym(s): *securis* Tiensuu,1935

ANTHOMYZIDAE

- 6054) *Anagnota coccinea* Rohacek & Freidberg,1993** (Anthomyzidae) Synonym(s): *coccinea* Rohacek & Freidberg,1993
6055) *Fungomyza albimana* (Meigen,1830) (Anthomyzidae) Synonym(s): *albimana* Meigen,1830; *glabra* Meigen,1838; *nigrimana* Meigen,1838; *armillaris* Rondani,1875; *rufa* Czerny,1928

ANTHRIBIDAE

- 6056) *Choragus sheppardi* Kirby,1818** (Anthribidae) Synonym(s): *sheppardi* Kirby,1818; *bostrichoides* Müller,1821; *niger* Stephens,1830; *pygmaeus* Robert,1832; *galeazzii* Villa,1833; *caucasicus* Motschoulsky,1873; *nitidipennis* Gerhard,1901
6057) *Choragus vittatus* Reitter,1885 (Anthribidae) Synonym(s): *vittatus* Reitter,1885
6058) *Noxius curtirostris* (Mulsant,1861) (Anthribidae) Synonym(s): *curtirostris* Mulsant,1861
6059) *Opanthribus tessellatus* (Boheman,1829) (Anthribidae) Synonym(s): *tessellatus* Boheman,1829; *fallax* Perris,1875; *brunneipennis* Reitter,1916
6060) *Phaenotherium hispidum* Frieser,1978 (Anthribidae) Synonym(s): *hispidum* Frieser,1978
6061) *Phaenotherium steindachneri* (Fivaldsky,1883) (Anthribidae) Synonym(s): *steindachneri* Fivaldsky,1883
6062) *Phaenotherium villosum* Frieser,1978 (Anthribidae) Synonym(s): *villosum* Frieser,1978
6063) *Phaenotherion bodemeyeri* Wolfrum,1956 (Anthribidae) Synonym(s): *bodemeyeri* Wolfrum,1956
6064) *Phaenotheriosoma adducta* Frieser,1980 (Anthribidae) Synonym(s): *adducta* Frieser,1980
6065) *Phaenotheriosoma complanata* Frieser,1980 (Anthribidae) Synonym(s): *complanata* Frieser,1980
6066) *Phaenotheriosoma latifolia* Frieser,1980 (Anthribidae) Synonym(s): *latifolia* Frieser,1980
6067) *Phaenotheriosoma pselaphoides* Frieser,1980 (Anthribidae) Synonym(s): *pselaphoides* Frieser,1980
6068) *Tropiderinus interruptus* (Reitter,1889) (Anthribidae) Synonym(s): *interruptus* Reitter,1889

APHELINIDAE

- 6069) *Ablerus atomon* (Walker,1847)** (Aphelinidae) Synonym(s): *atomon* Walker,1847
6070) *Ablerus celsus* (Walker,1839) (Aphelinidae) Synonym(s): *celsus* Walker,1839; *britannicus* Alam,1956
6071) *Ablerus perspiciosus* Girault,1916 (Aphelinidae) Synonym(s): *perspiciosus* Girault,1916; *kashmirensis* Narayanan,1961; *bimaculatus* Khan & Shafee,1976
6072) *Aphelinus asychis* Walker,1839 (Aphelinidae) Synonym(s): *asychis* Walker,1839; *euthria* Walker,1839; *affinis* Förster,1841; *brevicalcar* Thomson,1876; *dubia* Kurdjumov,1913; *brachyptera* Kurdjumov,1913
6073) *Aphelinus chaonia* Walker,1839 (Aphelinidae) Synonym(s): *chaonia* Walker,1839; *flavicornis* Förster,1841; *transversus* Thomson,1876

- 6074) *Aphelinus mali* (Haldeman,1851)** (Aphelinidae) Synonym(s): *mali* Haldeman,1851; *rosae* Ashmead,1886; *varicornis* Girault,1909; *italica* Guercio,1925; *crocidolomiae* Risbec,1951
- 6075) *Aphelinus semiflavus* Howard,1908** (Aphelinidae) Synonym(s): *semiflavus* Howard,1908; *brevipennis* Girault,1917
- 6076) *Aphelinus varipes* (Förster,1841)** (Aphelinidae) Synonym(s): *varipes* Förster,1841; *nigritus* Howard,1908; *toxopteraphidis* Kurdjumov,1913
- 6077) *Aphytis abnormis* (Howard,1881)** (Aphelinidae) Synonym(s): *abnormis* Howard,1881
- 6078) *Aphytis aonidiae* (Mercet,1911)** (Aphelinidae) Synonym(s): *aonidiae* Mercet,1911; *dubius* De Santis,1948; *intermedius* De Santis,1948; *citrinus* Compere,1955
- 6079) *Aphytis chilensis* Howard,1900** (Aphelinidae) Synonym(s): *chilensis* Howard,1900; *longiclavae* Mercet,1910; *capitis* Rust,1915; *signiphoroides* Brèthes,1916; *riadi* Delucchi,1964
- 6080) *Aphytis chrysomphali* (Mercet,1912)** (Aphelinidae) Synonym(s): *chrysomphali* Mercet,1912; *silvestrii* De Gregorio,1914; *quaylei* Rust,1915; *mazandaranica* Kiriukhin,1946
- 6081) *Aphytis diaspidis* (Howard,1881)** (Aphelinidae) Synonym(s): *diaspidis* Howard,1881; *fuscipennis* Howard,1881; *ovidii* Girault,1919; *opuntiae* Risbec,1952; *madagascariensis* Risbec,1952; *risbeci* Annecke & Insley,1971
- 6082) *Aphytis hispanicus* (Mercet,1912)** (Aphelinidae) Synonym(s): *hispanicus* Mercet,1912; *argentinus* Brèthes,1916; *bovelli* Malenotti,1918
- 6083) *Aphytis lepidosaphes* Compere,1955** (Aphelinidae) Synonym(s): *lepidosaphes* Compere,1955
- 6084) *Aphytis libanicus* Traboulsi,1969** (Aphelinidae) Synonym(s): *libanicus* Traboulsi,1969
- 6085) *Aphytis lingnanensis* Compere,1955** (Aphelinidae) Synonym(s): *lingnanensis* Compere,1955
- 6086) *Aphytis maculicornis* (Masi,1911)** (Aphelinidae) Synonym(s): *maculicornis* Masi,1911
- 6087) *Aphytis melinus* DeBach,1959** (Aphelinidae) Synonym(s): *melinus* DeBach,1959
- 6088) *Aphytis mytilaspidis* (Le Baron,1870)** (Aphelinidae) Synonym(s): *albidus* Westwood,1837; *mytilaspidis* Le Baron,1870; *variolosum* Alam,1956; *diaspidioti* Chumakova,1957; *ficus* Traboulsi,1969
- 6089) *Aphytis neuter* Yasnosh & Myartseva,1971** (Aphelinidae) Synonym(s): *neuter* Yasnosh & Myartseva,1971
- 6090) *Aphytis proclia* (Walker,1839)** (Aphelinidae) Synonym(s): *proclia* Walker,1839; *zonatus* Alam,1956; *sugonjaevi* Yasnosh,1972; *chowdhurii* Kaul,1974
- 6091) *Cales noacki* Howard,1907** (Aphelinidae) Synonym(s): *noacki* Howard,1907; *pallidus* Brèthes,1914
- 6092) *Coccobius testaceus* (Masi,1909)** (Aphelinidae) Synonym(s): *testaceus* Masi,1909
- 6093) *Coccophagoides moeris* (Walker,1839)** (Aphelinidae) Synonym(s): *moeris* Walker,1839; *janias* Walker,1839; *similis* Masi,1908; *ilicis* Mercet,1921; *parvipennis* Ferrière,1955; *silwoodensis* Alam,1956
- 6094) *Coccophagus aterrimus* Vikberg,1966** (Aphelinidae) Synonym(s): *aterrimus* Vikberg,1966; *stepanovi* Sugonjaev & Pilipjuk,1972
- 6095) *Coccophagus differens* Yasnosh,1966** (Aphelinidae) Synonym(s): *differens* Yasnosh,1966
- 6096) *Coccophagus insidiator* (Dalman,1826)** (Aphelinidae) Synonym(s): *insidiator* Dalman,1826
- 6097) *Coccophagus kvavadze* Japoshvili & Karaca,2002** (Aphelinidae) Synonym(s): *kvavadze* Japoshvili & Karaca,2002; *kvavadzei* Japoshvili & Karaca,2004
- 6098) *Coccophagus lycimnia* (Walker,1839)** (Aphelinidae) Synonym(s): *lycimnia* Walker,1839; *lecanii* Fitch,1859; *ater* Howard,1881; *cognatus* Howard,1881; *vividus* Howard,1885; *californicus* Howard,1889; *coccidis* Girault,1917; *corni* Alam,1956; *taxi* Alam,1956
- 6099) *Coccophagus palaeolecanii* Yasnosh,1957** (Aphelinidae) Synonym(s): *palaeolecanii* Yasnosh,1957
- 6100) *Coccophagus piceae* Erdős,1956** (Aphelinidae) Synonym(s): *piceae* Erdős,1956
- 6101) *Coccophagus proximus* Yasnosh,1956** (Aphelinidae) Synonym(s): *proximus* Yasnosh,1956
- 6102) *Coccophagus scutellaris* (Dalman,1826)** (Aphelinidae) Synonym(s): *scutellaris* Dalman,1826; *australensis* Girault,1917
- 6103) *Coccophagus spartanus* Japoshvili & Karaca,2002** (Aphelinidae) Synonym(s): *spartanus* Japoshvili & Karaca,2002
- 6104) *Encarsia aspidioticola* (Mercet,1929)** (Aphelinidae) Synonym(s): *aspidioticola* Mercet,1929
- 6105) *Encarsia berlesei* (Howard,1906)** (Aphelinidae) Synonym(s): *berlesei* Howard,1906
- 6106) *Encarsia citrina* (Craw,1891)** (Aphelinidae) Synonym(s): *citrina* Craw,1891; *howardi* Brèthes,1914; *shoeversi* Smits van Burgst,1915; *agilior* Berlese,1917; *severiniellus* Ghesquière,1933; *cyanophilli* Alam,1956; *silwoodensis* Alam,1956
- 6107) *Encarsia formosa* Gahan,1924** (Aphelinidae) Synonym(s): *formosa* Gahan,1924
- 6108) *Encarsia inaron* (Walker,1839)** (Aphelinidae) Synonym(s): *inaron* Walker,1839; *idaeus* Walker,1839; *parthenopea* Masi,1909; *indifferentis* Mercet,1929; *aleyrodis* Mercet,1930; *brassicae* Shafee & Bela,1984; *borealis* Huldén,1986
- 6109) *Encarsia lahorensis* (Howard,1911)** (Aphelinidae) Synonym(s): *lahorensis* Howard,1911
- 6110) *Encarsia leucaspidis* (Mercet,1912)** (Aphelinidae) Synonym(s): *leucaspidis* Mercet,1912; *coniferarum* Ghesquière,1948
- 6111) *Encarsia lounsburyi* (Berlese & Paoli,1916)** (Aphelinidae) Synonym(s): *lounsburyi* Berlese & Paoli,1916

- 6112) Encarsia perniciosi (Tower,1913)** (Aphelinidae) Synonym(s): *perniciosi* Tower,1913; *argentina* De Santis,1948
- 6113) Encarsia sophia (Girault & Dodd,1915)** (Aphelinidae) Synonym(s): *sophia* Girault & Dodd,1915; *transversana* Timberlake,1926; *sublutea* Silvestri,1931; *bemisiae* Ishii,1938; *flava* Shafee,1973; *shafeei* Hayat,1986
- 6114) Encarsia strenua (Silvestri,1927)** (Aphelinidae) Synonym(s): *strenua* Silvestri,1927
- 6115) Encarsia tricolor Förster,1878** (Aphelinidae) Synonym(s): *tricolor* Förster,1878; *coniugata* Masi,1908
- 6116) Eretmocerus debachi Rose & Rosen,1992** (Aphelinidae) Synonym(s): *debachi* Rose & Rosen,1992
- 6117) Eretmocerus diversiciliatus Silvestri,1915** (Aphelinidae) Synonym(s): *diversiciliatus* Silvestri,1915
- 6118) Eretmocerus mundus Mercet,1931** (Aphelinidae) Synonym(s): *mundus* Mercet,1931; *longipilus* Khan & Shafee,1980
- 6119) Marietta leopardina Motschoulsky,1863** (Aphelinidae) Synonym(s): *leopardina* Motschoulsky,1863; *javensis* Howard,1907; *indi* Girault,1932; *exitiosa* Compere,1936; *cheriani* Mani,1939; *habrolepidis* Ghesquière,1960
- 6120) Marietta picta (André,1878)** (Aphelinidae) Synonym(s): *picta* André,1878; *zebra* Kurdjumov,1912; *zebrata* Mercet,1916; *anglicus* Blood,1929
- 6121) Pteroptrix bicolor (Howard,1898)** (Aphelinidae) Synonym(s): *bicolor* Howard,1898; *caucasicus* Yasnosh,1955; *callunae* Alam,1956; *zonatus* Alam,1956
- 6122) Pteroptrix lauri (Mercet,1911)** (Aphelinidae) Synonym(s): *lauri* Mercet,1911

APHELOCHEIRIDAE

- 6123) Aphelocheirus aestivalis (Fabricius,1794)** (Aphelocheiridae) Synonym(s): *aestivalis* Fabricius,1794
- 6124) Aphelocheirus kolenati Kiritshenko,1925** (Aphelocheiridae) Synonym(s): *kolenati* Kiritshenko,1925

APHIDIDAE

- 6125) Acaudinum (Protacaudinum) beheni Remaudière & Davatchi,1959** (Aphididae) Synonym(s): *beheni* Remaudière & Davatchi,1959
- 6126) Acyrthosiphon (Xanthomyzus) lambersi Leclant & Remaudière,1974** (Aphididae) Synonym(s): *lambersi* Leclant & Remaudière,1974
- 6127) Acyrthosiphon caraganae (Cholodkovsky,1908)** (Aphididae) Synonym(s): *caraganae* Cholodkovsky,1908
- 6128) Acyrthosiphon cyparissiae (Koch,1855)** (Aphididae) Synonym(s): *cyparissiae* Koch,1855
- 6129) Acyrthosiphon daphnidis Ilharco,1996** (Aphididae) Synonym(s): *daphnidis* Ilharco,1996
- 6130) Acyrthosiphon euphorbiae Börner,1949** (Aphididae) Synonym(s): *euphorbiae* Börner,1949
- 6131) Acyrthosiphon gossypii Mordvilko,1914** (Aphididae) Synonym(s): *gossypii* Mordvilko,1914
- 6132) Acyrthosiphon ilka Mordvilko,1914** (Aphididae) Synonym(s): *ilka* Mordvilko,1914
- 6133) Acyrthosiphon loti (Thobald,1913)** (Aphididae) Synonym(s): *loti* Thobald,1913
- 6134) Acyrthosiphon malvae (Mosley,1841)** (Aphididae) Synonym(s): *malvae* Mosley,1841
- 6135) Acyrthosiphon pisum (Harris,1776)** (Aphididae) Synonym(s): *pisum* Harris,1776
- 6136) Acyrthosiphon scariolae Nevsky,1929** (Aphididae) Synonym(s): *scariolae* Nevsky,1929
- 6137) Ammiaphis sii (Koch,1855)** (Aphididae) Synonym(s): *sii* Koch,1855
- 6138) Amphorophora rubi (Kaltenbach,1843)** (Aphididae) Synonym(s): *rubi* Kaltenbach,1843
- 6139) Anoecia corni (Fabricius,1775)** (Aphididae) Synonym(s): *corni* Fabricius,1775
- 6140) Anuraphis cachyros Barbagallo & Stroyan,1982** (Aphididae) Synonym(s): *cachyros* Barbagallo & Stroyan,1982
- 6141) Anuraphis farfarae (Koch,1854)** (Aphididae) Synonym(s): *farfarae* Koch,1854
- 6142) Anuraphis subterranea (Walker,1852)** (Aphididae) Synonym(s): *subterranea* Walker,1852
- 6143) Aphidura picta Hille Ris Lambers,1956** (Aphididae) Synonym(s): *picta* Hille Ris Lambers,1956
- 6144) Aphis (Bursaphis) epilobiaria Theobald,1927** (Aphididae) Synonym(s): *epilobiaria* Theobald,1927
- 6145) Aphis (Bursaphis) grossulariae Kaltenbach,1843** (Aphididae) Synonym(s): *grossulariae* Kaltenbach,1843
- 6146) Aphis (Bursaphis) schneideri (Börner,1940)** (Aphididae) Synonym(s): *schneideri* Börner,1940
- 6147) Aphis (Protaphis) pseudocardui Theobald,1915** (Aphididae) Synonym(s): *pseudocardui* Theobald,1915
- 6148) Aphis (Protaphis) terricola Rondani,1847** (Aphididae) Synonym(s): *terricola* Rondani,1847

- 6149) **Aphis acetosellae Linnaeus, 1761** (Aphididae) Synonym(s): *acetosellae Linnaeus, 1761*
6150) **Aphis affinis Del Guercio, 1911** (Aphididae) Synonym(s): *affinis Del Guercio, 1911*
6151) **Aphis armata Hausmann, 1802** (Aphididae) Synonym(s): *armata Hausmann, 1802*
6152) **Aphis avicularis (Hille Ris Lambers, 1931)** (Aphididae) Synonym(s): *avicularis Hille Ris Lambers, 1931*
6153) **Aphis ballotae Passerini, 1860** (Aphididae) Synonym(s): *ballotae Passerini, 1860; balloticola Szelegiewicz, 1968*
6154) **Aphis brotericola Mier Durante, 1978** (Aphididae) Synonym(s): *brotericola Mier Durante, 1978*
6155) **Aphis callunae Theobald, 1915** (Aphididae) Synonym(s): *callunae Theobald, 1915*
6156) **Aphis catalpae Mamontova, 1953** (Aphididae) Synonym(s): *catalpae Mamontova, 1953*
6157) **Aphis chloris Koch, 1854** (Aphididae) Synonym(s): *chloris Koch, 1854*
6158) **Aphis confusa Walker, 1849** (Aphididae) Synonym(s): *confusa Walker, 1849*
6159) **Aphis craccae Linnaeus, 1758** (Aphididae) Synonym(s): *craccae Linnaeus, 1758*
6160) **Aphis craccivora Koch, 1854** (Aphididae) Synonym(s): *craccivora Koch, 1854*
6161) **Aphis cytisorum Hartig, 1841** (Aphididae) Synonym(s): *cytisorum Hartig, 1841*
6162) **Aphis davletshinae Hille Ris Lambers, 1966** (Aphididae) Synonym(s): *davletshinae Hille Ris Lambers, 1966*
6163) **Aphis euphorbiae Kaltenbach, 1843** (Aphididae) Synonym(s): *euphorbiae Kaltenbach, 1843*
6164) **Aphis fabae Scopoli, 1763** (Aphididae) Synonym(s): *fabae Scopoli, 1763; cirsiiacanthoidis Scopoli, 1763; solanella Theobald, 1914; mordvilkoii Börner & Janich, 1922*
6165) **Aphis farinosa Gmelin, 1790** (Aphididae) Synonym(s): *farinosa Gmelin, 1790*
6166) **Aphis forbesi Weed, 1889** (Aphididae) Synonym(s): *forbesi Weed, 1889*
6167) **Aphis frangulae Kaltenbach, 1845** (Aphididae) Synonym(s): *frangulae Kaltenbach, 1845*
6168) **Aphis galliscabri Schrank, 1801** (Aphididae) Synonym(s): *galliscabri Schrank, 1801*
6169) **Aphis gossypii Glover, 1877** (Aphididae) Synonym(s): *gossypii Glover, 1877*
6170) **Aphis hederiae Kaltenbach, 1843** (Aphididae) Synonym(s): *hederiae Kaltenbach, 1843*
6171) **Aphis hispanica Hille Ris Lambers, 1959** (Aphididae) Synonym(s): *hispanica Hille Ris Lambers, 1959*
6172) **Aphis ilicis Kaltenbach, 1843** (Aphididae) Synonym(s): *ilicis Kaltenbach, 1843*
6173) **Aphis illinoisensis Shimer, 1866** (Aphididae) Synonym(s): *illinoisensis Shimer, 1866*
6174) **Aphis intybi Koch, 1855** (Aphididae) Synonym(s): *intybi Koch, 1855*
6175) **Aphis lambersi (Börner, 1940)** (Aphididae) Synonym(s): *lambersi Börner, 1940*
6176) **Aphis lamiorum (Börner, 1950)** (Aphididae) Synonym(s): *lamiorum Börner, 1950*
6177) **Aphis nasturtii Kaltenbach, 1843** (Aphididae) Synonym(s): *nasturtii Kaltenbach, 1843*
6178) **Aphis nerii Boyer de Fonscolombe, 1841** (Aphididae) Synonym(s): *nerii Boyer de Fonscolombe, 1841*
6179) **Aphis plantaginis Goeze, 1778** (Aphididae) Synonym(s): *plantaginis Goeze, 1778*
6180) **Aphis polygonata (Nevksy, 1929)** (Aphididae) Synonym(s): *polygonata Nevksy, 1929*
6181) **Aphis pomi De Geer, 1773** (Aphididae) Synonym(s): *pomi De Geer, 1773*
6182) **Aphis punicae Passerini, 1863** (Aphididae) Synonym(s): *punicae Passerini, 1863*
6183) **Aphis ruborum (Börner, 1932)** (Aphididae) Synonym(s): *ruborum Börner, 1932*
6184) **Aphis rumicis (Linnaeus, 1758)** (Aphididae) Synonym(s): *rumicis Linnaeus, 1758*
6185) **Aphis salsolae (Börner, 1940)** (Aphididae) Synonym(s): *salsolae Börner, 1940*
6186) **Aphis salviae Walker, 1852** (Aphididae) Synonym(s): *salviae Walker, 1852*
6187) **Aphis sambuci Linnaeus, 1758** (Aphididae) Synonym(s): *sambuci Linnaeus, 1758*
6188) **Aphis sanguisorbae Schrank, 1801** (Aphididae) Synonym(s): *sanguisorbae Schrank, 1801*
6189) **Aphis spiraecola Patch, 1914** (Aphididae) Synonym(s): *spiraecola Patch, 1914*
6190) **Aphis spiraephaga F.P.Müller, 1961** (Aphididae) Synonym(s): *spiraephaga F.P.Müller, 1961*
6191) **Aphis tirucallis Hille Ris Lambers, 1954** (Aphididae) Synonym(s): *tirucallis Hille Ris Lambers, 1954*
6192) **Aphis umbrella (Börner, 1950)** (Aphididae) Synonym(s): *umbrella Börner, 1950*
6193) **Aphis urticata Gmelin, 1790** (Aphididae) Synonym(s): *urticata Gmelin, 1790*
6194) **Aphis vallei Hille Ris Lambers, 1959** (Aphididae) Synonym(s): *vallei Hille Ris Lambers, 1959*
6195) **Aphis verbasci Schrank, 1801** (Aphididae) Synonym(s): *verbasci Schrank, 1801*
6196) **Aphis verbenae Nevsky, 1929** (Aphididae) Synonym(s): *verbenae Nevsky, 1929 nec Macchiati, 1884*
6197) **Aphis viburni Scopoli, 1763** (Aphididae) Synonym(s): *viburni Scopoli, 1763*
6198) **Aphis viticis Ferrari, 1872** (Aphididae) Synonym(s): *viticis Ferrari, 1872*
6199) **Aploneura lentisci (Passerini, 1856)** (Aphididae) Synonym(s): *lentisci Passerini, 1856*
6200) **Aspidaphis adjuvans (Walker, 1848)** (Aphididae) Synonym(s): *adjuvans Walker, 1848*
6201) **Atheroides persianus Wieczorek, 2009** (Aphididae) Synonym(s): *persianus Wieczorek, 2009*
6202) **Atheroides serrulatus Haliday, 1839** (Aphididae) Synonym(s): *serrulatus Haliday, 1839; aculeata Dahl, 1912; paradoxa Theobald, 1918; festucae Mordvilko, 1934; suwonensis Paik, 1971*
6203) **Baizongia pistaciae (Linnaeus, 1767)** (Aphididae) Synonym(s): *pistaciae Linnaeus, 1767*

- 6204) Brachycaudus (Acaudus) cardui (Linnaeus,1758)** (Aphididae) Synonym(s): *cardui Linnaeus,1758*
- 6205) Brachycaudus (Acaudus) divaricatae Shaposhnikov,1956** (Aphididae) Synonym(s): *divaricatae Shaposhnikov,1956*
- 6206) Brachycaudus (Acaudus) iranica Davatchi & Remaudière,1953** (Aphididae) Synonym(s): *iranica Davatchi & Remaudière,1953*
- 6207) Brachycaudus (Acaudus) lateralis (Walker,1848)** (Aphididae) Synonym(s): *lateralis Walker,1848*
- 6208) Brachycaudus (Acaudus) lucifugus F.P.Müller,1952** (Aphididae) Synonym(s): *lucifugus F.P.Müller,1952*
- 6209) Brachycaudus (Acaudus) lychnidis (Linnaeus,1758)** (Aphididae) Synonym(s): *lychnidis Linnaeus,1758*
- 6210) Brachycaudus (Acaudus) persicae (Passerini,1860)** (Aphididae) Synonym(s): *persicae Passerini,1860*
- 6211) Brachycaudus (Appelia) prunicola (Kaltenbach,1843)** (Aphididae) Synonym(s): *prunicola Kaltenbach,1843*
- 6212) Brachycaudus (Appelia) schwartzi (Börner,1931)** (Aphididae) Synonym(s): *schwartzi Börner,1931*
- 6213) Brachycaudus (Appelia) tragopogonis (Kaltenbach,1843)** (Aphididae) Synonym(s): *tragopogonis Kaltenbach,1843; setosus Hille Ris Lambers,1948*
- 6214) Brachycaudus (Thuleaphis) amygdalinus (Schouteden,1905)** (Aphididae) Synonym(s): *amygdalinus Schouteden,1905*
- 6215) Brachycaudus (Thuleaphis) rumexicolens (Patch,1917)** (Aphididae) Synonym(s): *rumexicolens Patch,1917*
- 6216) Brachycaudus helichrysi (Kaltenbach,1843)** (Aphididae) Synonym(s): *helichrysi Kaltenbach,1843*
- 6217) Brachyunguis harmalae Das,1918** (Aphididae) Synonym(s): *harmalae Das,1918*
- 6218) Brachyunguis skafi Remaudière & Talhouk,2001** (Aphididae) Synonym(s): *skafi Remaudière & Talhouk,2001*
- 6219) Brachyunguis tamaricis (Lichtenstein,1885)** (Aphididae) Synonym(s): *tamaricis Lichtenstein,1885*
- 6220) Brachyunguis zygophylli (Nevsky,1928)** (Aphididae) Synonym(s): *zygophylli Nevsky,1928*
- 6221) Brevicoryne brassicae (Linnaeus,1758)** (Aphididae) Synonym(s): *brassicae Linnaeus,1758*
- 6222) Brevicoryne brassicae (Linnaeus,1758)** (Aphididae) Synonym(s): *brassicae Linnaeus,1758*
- 6223) Brevicoryne crambinistataricae Bozhko,1953** (Aphididae) Synonym(s): *crambinistataricae Bozhko,1953*
- 6224) Calaphis flava Mordvilko,1928** (Aphididae) Synonym(s): *flava Mordvilko,1928; granovskiy Palmer,1952; basalis Stroyan,1957*
- 6225) Callipterinella calliptera (Hartig,1841)** (Aphididae) Synonym(s): *calliptera Hartig,1841*
- 6226) Capitophorus elaeagni (Del Guercio,1894)** (Aphididae) Synonym(s): *elaeagni Del Guercio,1894*
- 6227) Capitophorus hippophaes (Walker,1852)** (Aphididae) Synonym(s): *hippophaes Walker,1852*
- 6228) Capitophorus horni (Börner,1931)** (Aphididae) Synonym(s): *horni Börner,1931*
- 6229) Capitophorus pakansus Hottes & Frison,1931** (Aphididae) Synonym(s): *pakansus Hottes & Frison,1931*
- 6230) Capitophorus similis Van der Gott,1915** (Aphididae) Synonym(s): *similis Van der Gott,1915*
- 6231) Cavariella (Cavariellia) aquatica (Gillette & Bragg,1916)** (Aphididae) Synonym(s): *aquatica Gillette & Bragg,1916*
- 6232) Cavariella (s.str.) aegopodii (Scopoli,1763)** (Aphididae) Synonym(s): *aegopodii Scopoli,1763*
- 6233) Cavariella (s.str.) aspidaphoides Hille Ris Lambers,1969** (Aphididae) Synonym(s): *aspidaphoides Hille Ris Lambers,1969*
- 6234) Cavariella (s.str.) theobaldi (Gillette & Bragg,1918)** (Aphididae) Synonym(s): *theobaldi Gillette & Bragg,1918*
- 6235) Ceruraphis eriophori (Walker,1849)** (Aphididae) Synonym(s): *eriophori Walker,1849*
- 6236) Ceruraphis viburnicola (Gillette,1909)** (Aphididae) Synonym(s): *viburnicola Gillette,1909*
- 6237) Chaitophorus leucomelas Koch,1854** (Aphididae) Synonym(s): *leucomelas Koch,1854*
- 6238) Chromaphis juglandicola (Kaltenbach,1843)** (Aphididae) Synonym(s): *juglandicola Kaltenbach,1843*
- 6239) Cinara (Cedrobium) laportei (Remaudière,1954)** (Aphididae) Synonym(s): *laportei Remaudière,1954*
- 6240) Cinara (Cupressobium) cupressi (Buckton,1881)** (Aphididae) Synonym(s): *cupressi Buckton,1881*
- 6241) Cinara (Cupressobium) fresai E.E.Blanchard,1939** (Aphididae) Synonym(s): *fresai E.E.Blanchard,1939*
- 6242) Cinara (Cupressobium) juniperi (DeGeer,1773)** (Aphididae) Synonym(s): *juniperi DeGeer,1773*

- 6243) *Cinara* (*Cupressobium*) *tujafilina* (Del Guercio,1909) (Aphididae) Synonym(s): *tujafilina* Del Guercio,1909**
- 6244) *Cinara* *acutirostris* Hille Ris Lambers,1956 (Aphididae) Synonym(s): *acutirostris* Hille Ris Lambers,1956**
- 6245) *Cinara* *brauni* (Börner,1940) (Aphididae) Synonym(s): *brauni* Börner,1940**
- 6246) *Cinara* *cedri* Mimeur,1936 (Aphididae) Synonym(s): *cedri* Mimeur,1936**
- 6247) *Cinara* *confinis* (Koch,1856) (Aphididae) Synonym(s): *confinis* Koch,1856**
- 6248) *Cinara* *maritimae* (Dufour,1833) (Aphididae) Synonym(s): *maritimae* Dufour,1833**
- 6249) *Cinara* *palaestinensis* Hille Ris Lambers,1948 (Aphididae) Synonym(s): *palaestinensis* Hille Ris Lambers,1948**
- 6250) *Cinara* *pectinatae* (Nördlinger,1880) (Aphididae) Synonym(s): *pectinatae* Nördlinger,1880**
- 6251) *Cinara* *piceicola* (Cholodkovsky,1896) (Aphididae) Synonym(s): *piceicola* Cholodkovsky,1896**
- 6252) *Cinara* *pilicornis* (Hartig,1841) (Aphididae) Synonym(s): *pilicornis* Hartig,1841**
- 6253) *Cinara* *pineae* (Mordvilko,1895) (Aphididae) Synonym(s): *pineae* Mordvilko,1895**
- 6254) *Cinara* *pini* (Linnaeus,1758) (Aphididae) Synonym(s): *pini* Linnaeus,1758**
- 6255) *Cinara* *pinihabitans* (Mordvilko,1895) (Aphididae) Synonym(s): *pinihabitans* Mordvilko,1895**
- 6256) *Cinara* *pruinosa* (Hartig,1841) (Aphididae) Synonym(s): *pruinosa* Hartig,1841**
- 6257) *Cinara* *schimitscheki* Börner,1940 (Aphididae) Synonym(s): *schimitscheki* Börner,1940**
- 6258) *Coloradoa* *achilleae* Hille Ris Lambers,1939 (Aphididae) Synonym(s): *achilleae* Hille Ris Lambers,1939**
- 6259) *Coloradoa* *heinzei* (Börner,1952) (Aphididae) Synonym(s): *heinzei* Börner,1952**
- 6260) *Coloradoa* *inodorella* Ossiannilsson,1959 (Aphididae) Synonym(s): *inodorella* Ossiannilsson,1959**
- 6261) *Coloradoa* *submissa* Doncaster,1961 (Aphididae) Synonym(s): *submissa* Doncaster,1961**
- 6262) *Coloradoa* *tanacetina* (Walker,1850) (Aphididae) Synonym(s): *tanacetina* Walker,1850**
- 6263) *Coloradoa* *viridis* (Nevsky,1929) (Aphididae) Synonym(s): *viridis* Nevsky,1929**
- 6264) *Dysaphis* (*Cotoneasteria*) *microsiphon* (Nevsky,1929) (Aphididae) Synonym(s): *microsiphon* Nevsky,1929**
- 6265) *Dysaphis* (*Pomaphis*) *aucupariae* (Buckton,1879) (Aphididae) Synonym(s): *aucupariae* Buckton,1879**
- 6266) *Dysaphis* (*Pomaphis*) *pavlovskaya* Narzikulov,1957 (Aphididae) Synonym(s): *pavlovskaya* Narzikulov,1957**
- 6267) *Dysaphis* (*Pomaphis*) *plantaginea* (Passerini,1860) (Aphididae) Synonym(s): *plantaginea* Passerini,1860**
- 6268) *Dysaphis* (*Pomaphis*) *plantaginea* (Passerini,1860) (Aphididae) Synonym(s): *plantaginea* Passerini,1860**
- 6269) *Dysaphis* (*Pomaphis*) *pyri* (Boyer de Fonscolombe,1841) (Aphididae) Synonym(s): *pyri* Boyer de Fonscolombe,1841**
- 6270) *Dysaphis* (*Pomaphis*) *pyri* (Boyer de Fonscolombe,1841) (Aphididae) Synonym(s): *pyri* Boyer de Fonscolombe,1841**
- 6271) *Dysaphis* (*Pomaphis*) *reaumuri* (Mordvilko,1928) (Aphididae) Synonym(s): *reaumuri* Mordvilko,1928**
- 6272) *Dysaphis* (*Pomaphis*) *sorbi* (Kaltenbach,1843) (Aphididae) Synonym(s): *sorbi* Kaltenbach,1843**
- 6273) *Dysaphis* (*Pomaphis*) *sorbi* (Kaltenbach,1843) (Aphididae) Synonym(s): *sorbi* Kaltenbach,1843**
- 6274) *Dysaphis* *affinis* (Mordvilko,1928) (Aphididae) Synonym(s): *affinis* Mordvilko,1928**
- 6275) *Dysaphis* *apiifolia* (Theobald,1923) (Aphididae) Synonym(s): *apiifolia* Theobald,1923; *ferrugineastriata* Essig,1938**
- 6276) *Dysaphis* *crataegi* (Kaltenbach,1843) (Aphididae) Synonym(s): *crataegi* Kaltenbach,1843**
- 6277) *Dysaphis* *devecta* (Walker,1849) (Aphididae) Synonym(s): *devecta* Walker,1849**
- 6278) *Dysaphis* *devecta* (Walker,1849) (Aphididae) Synonym(s): *devecta* Walker,1849**
- 6279) *Dysaphis* *emicis* (Mimeur,1935) (Aphididae) Synonym(s): *emicis* Mimeur,1935**
- 6280) *Dysaphis* *foeniculus* (Theobald,1923) (Aphididae) Synonym(s): *foeniculus* Theobald,1923**
- 6281) *Dysaphis* *lauberti* (Börner,1940) (Aphididae) Synonym(s): *lauberti* Börner,1940**
- 6282) *Dysaphis* *tulipae* (Boyer de Fonscolombe,1841) (Aphididae) Synonym(s): *tulipae* Boyer de Fonscolombe,1841**
- 6283) *Eriosoma* *lanigerum* (Hausmann,1802) (Aphididae) Synonym(s): *lanigerum* Hausmann,1802**
- 6284) *Forda* *hirsuta* Mordvilko,1928 (Aphididae) Synonym(s): *hirsuta* Mordvilko,1928**
- 6285) *Hyadaphis* *tataricae* (Aizenberg,1935) (Aphididae) Synonym(s): *tataricae* Aizenberg,1935**
- 6286) *Hyalopterus* *amygdali* (E.Blanchard,1840) (Aphididae) Synonym(s): *amygdali* E.Blanchard,1840**
- 6287) *Hyalopterus* *pruni* (Geoffroy,1762) (Aphididae) Synonym(s): *pruni* Geoffroy,1762**
- 6288) *Hyperomyzus* *lactucae* (Linnaeus,1758) (Aphididae) Synonym(s): *lactucae* Linnaeus,1758**

- 6289) Lachnus roboris (Linnaeus,1758)** (Aphididae) Synonym(s): *roboris Linnaeus,1758*
- 6290) Macrosiphoniella (Papillomyzus) papillata Holman,1962** (Aphididae) Synonym(s): *papillata Holman,1962*
- 6291) Macrosiphoniella (Papillomyzus) tuberculata (Nevsky,1928)** (Aphididae) Synonym(s): *tuberculata Nevsky,1928*
- 6292) Macrosiphoniella (Phalangomyzus) oblonga (Mordvilko,1901)** (Aphididae) Synonym(s): *oblonga Mordvilko,1901*
- 6293) Macrosiphoniella abrotani (Walker,1852)** (Aphididae) Synonym(s): *abrotani Walker,1852*
- 6294) Macrosiphoniella absinthii (Linnaeus,1758)** (Aphididae) Synonym(s): *absinthii Linnaeus,1758*
- 6295) Macrosiphoniella aktashica (Nevsky,1928)** (Aphididae) Synonym(s): *aktashica Nevsky,1928*
- 6296) Macrosiphoniella artemisiae (Boyer de Fonscolombe,1841)** (Aphididae) Synonym(s): *artemisiae Boyer de Fonscolombe,1841*
- 6297) Macrosiphoniella dimidiata Börner,1942** (Aphididae) Synonym(s): *dimidiata Börner,1942*
- 6298) Macrosiphoniella helichrysi Remaudière,1952** (Aphididae) Synonym(s): *helichrysi Remaudière,1952*
- 6299) Macrosiphoniella miestingeri (Börner,1950)** (Aphididae) Synonym(s): *miestingeri Börner,1950*
- 6300) Macrosiphoniella pulvera (Walker,1848)** (Aphididae) Synonym(s): *pulvera Walker,1848*
- 6301) Macrosiphoniella sanborni (Gillette,1908)** (Aphididae) Synonym(s): *sanborni Gillette,1908*
- 6302) Macrosiphoniella staegeri Hille Ris Lambers,1947** (Aphididae) Synonym(s): *staegeri Hille Ris Lambers,1947*
- 6303) Macrosiphoniella subaequalis Börner,1942** (Aphididae) Synonym(s): *subaequalis Börner,1942*
- 6304) Macrosiphoniella tanacetaria (Kaltenbach,1843)** (Aphididae) Synonym(s): *tanacetaria Kaltenbach,1843*
- 6305) Macrosiphoniella tapuskae (Hottes & Frison,1931)** (Aphididae) Synonym(s): *tapuskae Hottes & Frison,1931*
- 6306) Macrosiphum amygdaloides Theobald,1925** (Aphididae) Synonym(s): *amygdaloides Theobald,1925*
- 6307) Macrosiphum cerinthiacus Börner,1950** (Aphididae) Synonym(s): *cerinthiacus Börner,1950*
- 6308) Macrosiphum cholodkovskyi (Mordvilko,1909)** (Aphididae) Synonym(s): *cholodkovskyi Mordvilko,1909*
- 6309) Macrosiphum euphorbiae (Thomas,1878)** (Aphididae) Synonym(s): *euphorbiae Thomas,1878*
- 6310) Macrosiphum funestum (Macchiati,1855)** (Aphididae) Synonym(s): *funestum Macchiati,1855*
- 6311) Macrosiphum mordvilkoii Miyazaki,1968** (Aphididae) Synonym(s): *mordvilkoii Miyazaki,1968*
- 6312) Macrosiphum rosae (Linnaeus,1758)** (Aphididae) Synonym(s): *rosae Linnaeus,1758*
- 6313) Metopolophium dirhodum (Walker,1849)** (Aphididae) Synonym(s): *dirhodum Walker,1849*
- 6314) Myzocallis castanicola Baker,1917** (Aphididae) Synonym(s): *castanicola Baker,1917*
- 6315) Myzus (Nectarosiphon) persicae (Sulzer,1776)** (Aphididae) Synonym(s): *persicae Sulzer,1776*
- 6316) Myzus cerasi (Fabricius,1775)** (Aphididae) Synonym(s): *cerasi Fabricius,1775*
- 6317) Nurudea meitanensis (Tsai & Tang,1946)** (Aphididae) Synonym(s): *meitanensis Tsai & Tang,1946*
- 6318) Ovatus mentharius Van der Goot,1913** (Aphididae) Synonym(s): *mentharius Van der Goot,1913*
- 6319) Panaphis juglandis (Goeze,1778)** (Aphididae) Synonym(s): *juglandis Goeze,1778*
- 6320) Pemphigus bursarius (Linnaeus,1758)** (Aphididae) Synonym(s): *bursarius Linnaeus,1758*
- 6321) Pemphigus immunis Buckton,1896** (Aphididae) Synonym(s): *immunis Buckton,1896*
- 6322) Pemphigus populi Courchet,1879** (Aphididae) Synonym(s): *populi Courchet,1879*
- 6323) Pemphigus populinigrae (Schrank,1801)** (Aphididae) Synonym(s): *populinigrae Schrank,1801*
- 6324) Pemphigus protospirae Lichtenstein,1884** (Aphididae) Synonym(s): *protospirae Lichtenstein,1884*
- 6325) Pemphigus spirothecae Passerini,1856** (Aphididae) Synonym(s): *spirothecae Passerini,1856*
- 6326) Pemphigus vesicarius Passerini,1861** (Aphididae) Synonym(s): *vesicarius Passerini,1861*
- 6327) Phorodon humuli (Schrank,1801)** (Aphididae) Synonym(s): *humuli Schrank,1801*
- 6328) Pterochloroides persicae (Cholodkovsky,1899)** (Aphididae) Synonym(s): *persicae Cholodkovsky,1899*
- 6329) Pterocomma pilosum Buckton,1879** (Aphididae) Synonym(s): *pilosum Buckton,1879*
- 6330) Rhopalosiphum maidis (Fitch,1856)** (Aphididae) Synonym(s): *maidis Fitch,1856*
- 6331) Rhopalosiphum padi (Linnaeus,1758)** (Aphididae) Synonym(s): *padi Linnaeus,1758*
- 6332) Schizaphis graminum (Rondani,1847)** (Aphididae) Synonym(s): *graminum Rondani,1847*
- 6333) Sitobion avenae (Fabricius,1775)** (Aphididae) Synonym(s): *avenae Fabricius,1775*
- 6334) Slavum mordvilkoii Kreutzberg,1953** (Aphididae) Synonym(s): *mordvilkoii Kreutzberg,1953*
- 6335) Tuberculatus (s.str.) querceus (Kaltenbach,1843)** (Aphididae) Synonym(s): *querceus Kaltenbach,1843*
- 6336) Tuberculatus (Tuberculoides) annulatus (Hartig,1841)** (Aphididae) Synonym(s): *annulatus Hartig,1841*

- 6337) Tuberculatus (Tuberculoides) eggleri Börner,1950** (Aphididae) Synonym(s): *eggleri Börner,1950*
- 6338) Tuberculatus (Tuberculoides) maximus Hille Ris Lambers,1974** (Aphididae) Synonym(s): *maximus Hille Ris Lambers,1974*
- 6339) Tuberculatus (Tuberculoides) moerickei Hille Ris Lambers,1974** (Aphididae) Synonym(s): *moerickei Hille Ris Lambers,1974; galatensis Hille Ris Lambers,1974*
- 6340) Tuberculatus (Tuberculoides) pallescens Hille Ris Lambers,1974** (Aphididae) Synonym(s): *pallescens Hille Ris Lambers,1974*
- 6341) Tuberculoides pallescens (Hille Ris Lambers,1972)** (Aphididae) Synonym(s): *pallescens Hille Ris Lambers,1972*
- 6342) Tuberolachnus salignus (Gmelin,1790)** (Aphididae) Synonym(s): *salignus Gmelin,1790*
- 6343) Uroleucon (s.str.) cichorii (Koch,1855)** (Aphididae) Synonym(s): *cichorii Koch,1855*
- 6344) Uroleucon (Uromelan) jaceae (Linnaeus,1758)** (Aphididae) Synonym(s): *jaceae Linnaeus,1758*

APIDAE

- 6345) Allodape libanensis (Friese,1899)** (Apidae) Synonym(s): *libanensis Friese,1899*
- 6346) Amegilla garrula (Rossi,1790)** (Apidae) Synonym(s): *garrula Rossi,1790; bombylans Mocsary,1879*
- 6347) Anthophora aestivalis (Panzer,1801)** (Apidae) Synonym(s): *aestivalis Panzer,1801; intermedia Lepeletier,1841*
- 6348) Anthophora aestivalis (Panzer,1801)** (Apidae) Synonym(s): *aestivalis Panzer,1801*
- 6349) Anthophora agama Radoszkowski,1869** (Apidae) Synonym(s): *agama Radoszkowski,1869; kessleri Fedtschenko,1875*
- 6350) Anthophora albigena Lepeletier,1841** (Apidae) Synonym(s): *albigena Lepeletier,1841*
- 6351) Anthophora atroalba Lepeletier,1841** (Apidae) Synonym(s): *atroalba Lepeletier,1841; antiopa Bingham,1898; vedettus Nurse,1904*
- 6352) Anthophora biciliata Lepeletier,1841** (Apidae) Synonym(s): *biciliata Lepeletier,1841; liturata Lepeletier,1841; mucida Gribodo,1873; caucasica Radoszkowski,1874; hedickei Alfken,1938*
- 6353) Anthophora borealis Morawitz,1864** (Apidae) Synonym(s): *borealis Morawitz,1864*
- 6354) Anthophora crassipes Lepeletier,1841** (Apidae) Synonym(s): *crassipes Lepeletier,1841; quadristrigata Dours,1869; dentricus Morawitz,1872; perplexa Radoszkowski,1884*
- 6355) Anthophora crinipes Smith,1854** (Apidae) Synonym(s): *crinipes Smith,1854*
- 6356) Anthophora fulvitaris Brullé,1832** (Apidae) Synonym(s): *fulvitaris Brullé,1832*
- 6357) Anthophora furcata (Panzer,1798)** (Apidae) Synonym(s): *furcata Panzer,1798; dumetorum Panzer,1798; norvegica Nylander,1852; caucasicola Hedicke,1929; obscurella Alfken,1926*
- 6358) Anthophora lydia Tkalcu,1994** (Apidae) Synonym(s): *lydia Tkalcu,1994*
- 6359) Anthophora mucida Gribodo,1873** (Apidae) Synonym(s): *mucida Gribodo,1873*
- 6360) Anthophora orientalis Morawitz,1877** (Apidae) Synonym(s): *orientalis Morawitz,1877*
- 6361) Anthophora parietina (Fabricius,1793)** (Apidae) Synonym(s): *parietina Fabricius,1793*
- 6362) Anthophora pedata Eversmann,1852** (Apidae) Synonym(s): *pedata Eversmann,1852*
- 6363) Anthophora plumipes (Pallas,1772)** (Apidae) Synonym(s): *plumipes Pallas,1772; pilipes Fabricius,1775; hirsuta Fabricius,1787; rufipes Christ,1791; sicula Smith,1853; soror Pérez,1905; lisbonensis Cockerell,1922; palaestinensis Hedicke,1936; cypriaca Mavromoustakis,1957*
- 6364) Anthophora retusa (Linnaeus,1758)** (Apidae) Synonym(s): *retusa Linnaeus,1758; monacha Erichson,1849; meridionalis Pérez,1879; baicalensis Hedicke,1929; rudolphae Romankova,2003*
- 6365) Anthophora robusta (Klug,1817)** (Apidae) Synonym(s): *robusta Klug,1817; pamirica Hedicke,1931*
- 6366) Anthophora rogenhoferi Morawitz,1872** (Apidae) Synonym(s): *rogenhoferi Morawitz,1872*
- 6367) Apis (Micrapis) florea Fabricius,1787** (Apidae) Synonym(s): *florea Fabricius,1787; semirufa Hoffmansegg,1818; lobata Smith,1854; rufiventris Friese,1906; #fuscata Enderlein,1906; nursei Cockerell,1911; nasicana Cockerell,1911*
- 6368) Apis (s.str.) mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera Linnaeus,1758; mellifica Linnaeus,1761*
- 6369) Bombus (Alpigenobombus) wurfleini Radoszkowski,1859** (Apidae) Synonym(s): *wurfleini Radoszkowski,1859*
- 6370) Bombus (Cullumanobombus) apollineus Skorikov,1910** (Apidae) Synonym(s): *apollineus Skorikov,1910*
- 6371) Bombus (Kallobombus) soroensis (Fabricius,1793)** (Apidae) Synonym(s): *soroensis Fabricius,1793*
- 6372) Bombus (Megabombus) argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus Scopoli,1763; sichelii Radoszkowski,1859*
- 6373) Bombus (Megabombus) armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniaceus Radoszkowski,1877; scythes Skorikov,1925*

- 6374) Bombus (Megabombus) humilis (Illiger,1806)** (Apidae) Synonym(s): *humilis* Illiger,1806; *solstitialis* Jurine,1807; *helferanus* Seidl,1837; *variabilis* Schmiedeknecht,1978
- 6375) Bombus (Megabombus) mesomelas (Gerstaecker,1869)** (Apidae) Synonym(s): *mesomelas* Gerstaecker,1869; *elegans* Seidl,1837
- 6376) Bombus (Melanobombus) alagesianus Reinig,1930** (Apidae) Synonym(s): *alagesianus* Reinig,1930
- 6377) Bombus (Melanobombus) erzurumensis (Özbek,1990)** (Apidae) Synonym(s): *erzurumensis* Özbek,1990
- 6378) Bombus (Melanobombus) incertus Morawitz,1881** (Apidae) Synonym(s): *incertus* Morawitz,1881
- 6379) Bombus (Melanobombus) lapidarius (Linnaeus,1761)** (Apidae) Synonym(s): *lapidarius* Linnaeus,1761
- 6380) Bombus (Mendacibombus) handlirschianus Vogt,1909** (Apidae) Synonym(s): *handlirschianus* Vogt,1909
- 6381) Bombus (Mendacibombus) shaposhnikovi Skorikov,1910** (Apidae) Synonym(s): *shaposhnikovi* Skorikov,1910
- 6382) Bombus (Psithyrus) barbutellus (Kirby,1802)** (Apidae) Synonym(s): *barbutellus* Kirby,1802
- 6383) Bombus (Psithyrus) bohemicus Seidl,1837** (Apidae) Synonym(s): *bohemicus* Seidl,1837
- 6384) Bombus (Psithyrus) campestris (Panzer,1801)** (Apidae) Synonym(s): *campestris* Panzer,1801
- 6385) Bombus (Psithyrus) maxillosus Klug,1817** (Apidae) Synonym(s): *maxillosus* Klug,1817
- 6386) Bombus (Psithyrus) quadricolor (Lepeletier,1832)** (Apidae) Synonym(s): *quadricolor* Lepeletier,1832
- 6387) Bombus (Psithyrus) rupestris (Fabricius,1793)** (Apidae) Synonym(s): *rupestris* Fabricius,1793; *pyrenaeus* Lepeletier,1832; *interruptus* Lepeletier,1832;
- 6388) Bombus (Psithyrus) sylvestris (Lepeletier,1832)** (Apidae) Synonym(s): *sylvestris* Lepeletier,1832
- 6389) Bombus (Psithyrus) vestalis (Fourcroy,1785)** (Apidae) Synonym(s): *vestalis* Fourcroy,1785
- 6390) Bombus (Pyrobombus) brodmannicus Vogt,1909** (Apidae) Synonym(s): *brodmannicus* Vogt,1909
- 6391) Bombus (Pyrobombus) haematurus Kriechbaumer,1870** (Apidae) Synonym(s): *haematurus* Kriechbaumer,1870
- 6392) Bombus (Pyrobombus) niveatus (Kriechbaumer,1870)** (Apidae) Synonym(s): *niveatus* Kriechbaumer,1870
- 6393) Bombus (Pyrobombus) pratorum (Linnaeus,1761)** (Apidae) Synonym(s): *pratorum* Linnaeus,1761
- 6394) Bombus (s.str.) lucorum Linnaeus,1761** (Apidae) Synonym(s): *lucorum* Linnaeus,1761; *cryptarum* Fabricius,1775; *lucocryptarum* Ball,1914; *magnus* Alford,1975
- 6395) Bombus (s.str.) terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris* Linnaeus,1758; *cullumanus* Kirby,1802; *audax* Harris,1870; *silantjewei* Morawitz,1892; *holsaticus* Krüger,1954
- 6396) Bombus (Sibiricobombus) niveatus Kriechbaumer,1870** (Apidae) Synonym(s): *niveatus* Kriechbaumer,1870
- 6397) Bombus (Sibiricobombus) sulfureus Friese,1905** (Apidae) Synonym(s): *sulfureus* Friese,1905
- 6398) Bombus (Sibiricobombus) vorticosus Gerstaecker,1872** (Apidae) Synonym(s): *vorticosus* Gerstaecker,1872
- 6399) Bombus (Subterraneobombus) fragrans (Pallas,1771)** (Apidae) Synonym(s): *fragrans* Pallas,1771
- 6400) Bombus (Subterraneobombus) melanurus Lepeletier,1836** (Apidae) Synonym(s): *melanurus* Lepeletier,1836
- 6401) Bombus (Subterraneobombus) subterraneus (Linnaeus,1758)** (Apidae) Synonym(s): *subterraneus* Linnaeus,1758
- 6402) Bombus (Thoracobombus) brodmanni Vogt,909** (Apidae) Synonym(s): *brodmanni* Vogt,909
- 6403) Bombus (Thoracobombus) humilis Illiger,1806** (Apidae) Synonym(s): *humilis* Illiger,1806
- 6404) Bombus (Thoracobombus) laesus Morawitz,1875** (Apidae) Synonym(s): *laesus* Morawitz,1875; *sidemii* Radoszkowski,1888; *#maculidorsis* Skorikov,1922; *?tianschanicus* Panfilov,1956; *ferrugifer* Reinig,1971
- 6405) Bombus (Thoracobombus) mesomelas Gerstaecker,1869** (Apidae) Synonym(s): *mesomelas* Gerstaecker,1869
- 6406) Bombus (Thoracobombus) mlokosievitzi Radoszkowski,1877** (Apidae) Synonym(s): *mlokosievitzi* Radoszkowski,1877
- 6407) Bombus (Thoracobombus) muscorum (Linnaeus,1763)** (Apidae) Synonym(s): *muscorum* Linnaeus,1763
- 6408) Bombus (Thoracobombus) pascuorum (Scopoli,1763)** (Apidae) Synonym(s): *pascuorum* Scopoli,1763
- 6409) Bombus (Thoracobombus) persicus Radoszkowski,1881** (Apidae) Synonym(s): *persicus* Radoszkowski,1881

- 6410) Bombus (Thoracobombus) pomorum (Panzer,1805)** (Apidae) Synonym(s): *pomorum* Panzer,1805
- 6411) Bombus (Thoracobombus) ruderarius (Müller,1776)** (Apidae) Synonym(s): *runderarius* Müller,1776
- 6412) Bombus (Thoracobombus) sylvarum (Linnaeus,1761)** (Apidae) Synonym(s): *sylvarum* Linnaeus,1761
- 6413) Bombus (Thoracobombus) velox Skorikov,1914** (Apidae) Synonym(s): *velox* Skorikov,1914
- 6414) Bombus (Thoracobombus) zonatus Smith,1854** (Apidae) Synonym(s): *zonatus* Smith,1854
- 6415) Bombus hortorum (Linnaeus,1761)** (Apidae) Synonym(s): *hortorum* Linnaeus,1761
- 6416) Ceratina acuta Friese,1896** (Apidae) Synonym(s): *acuta* Friese,1896
- 6417) Ceratina bifida Friese,1900** (Apidae) Synonym(s): *bifida* Friese,1900
- 6418) Ceratina bispinosa Handlirsch,1889** (Apidae) Synonym(s): *bispinosa* Handlirsch,1889
- 6419) Ceratina chalcites Germar,1839** (Apidae) Synonym(s): *aenea* Brullé,1832; *chalcites* Germar,1839; *egregia* Gerstaecker,1896
- 6420) Ceratina christellae Terzo,1998** (Apidae) Synonym(s): *christellae* Terzo,1998
- 6421) Ceratina chrysomalla Gerstaecker,1869** (Apidae) Synonym(s): *chrysomalla* Gerstaecker,1869; *chrysomallina* Kocourek,1998
- 6422) Ceratina cucurbitina (Rossi,1792)** (Apidae) Synonym(s): *cucurbitina* Rossi,1792; *albilabris* Fabricius,1793; *decolorans* Brullé,1832
- 6423) Ceratina denesi Terzo,1998** (Apidae) Synonym(s): *denesi* Terzo,1998
- 6424) Ceratina hakkarica Kocourek,1998** (Apidae) Synonym(s): *hakkarica* Kocourek,1998
- 6425) Ceratina loewi Gerstaecker,1869** (Apidae) Synonym(s): *loewi* Gerstaecker,1869
- 6426) Ceratina mandibularis Friese,1896** (Apidae) Synonym(s): *mandibularis* Friese,1896
- 6427) Ceratina moricei Friese,1899** (Apidae) Synonym(s): *moricei* Friese,1899
- 6428) Ceratina nigroaenea Gerstaecker,1869** (Apidae) Synonym(s): *nigroaenea* Gerstaecker,1869
- 6429) Ceratina parvula Smith,1854** (Apidae) Synonym(s): *parvula* Smith,1854; *pygmaea* Lichtenstein,1872; *scintilla* Cockerell,1931
- 6430) Ceratina rasmonti Terzo,1998** (Apidae) Synonym(s): *rasmonti* Terzo,1998
- 6431) Ceratina sakagamii Terzo,1998** (Apidae) Synonym(s): *sakagamii* Terzo,1998
- 6432) Ceratina schwarzi Kocourek,1998** (Apidae) Synonym(s): *schwarzi* Kocourek,1998
- 6433) Ceratina schwarziana Terzo,1998** (Apidae) Synonym(s): *schwarziana* Terzo,1998
- 6434) Ceratina tibialis Morawitz,1895** (Apidae) Synonym(s): *tibialis* Morawitz,1895; *ahngeri* Kokujev,1905; *?corinna* Nurse,1904
- 6435) Ceratina warncke Terzo,1998** (Apidae) Synonym(s): *warncke* Terzo,1998
- 6436) Ceratina zandeni Terzo,1998** (Apidae) Synonym(s): *zandeni* Terzo,1998
- 6437) Ceratina zwakhalsi Terzo & Rasmont,1997** (Apidae) Synonym(s): *zwakhalsi* Terzo & Rasmont,1997
- 6438) Cubitalia morio (Friese,1922)** (Apidae) Synonym(s): *morio* Friese,1922
- 6439) Eucera atricollis Friese,1922** (Apidae) Synonym(s): *atricollis* Friese,1922
- 6440) Eucera caerulescens Friese,1899** (Apidae) Synonym(s): *caerulescens* Friese,1899
- 6441) Eucera caspica Morawitz,1873** (Apidae) Synonym(s): *caspica* Morawitz,1873; *nigrita* Friese,1896
- 6442) Eucera cineraria Eversmann,1852** (Apidae) Synonym(s): *cineraria* Eversmann,1852
- 6443) Eucera clypeata Erichson,1835** (Apidae) Synonym(s): *clypeata* Erichson,1835; *similis* Lepeletier,1841
- 6444) Eucera dalmatica Lepeletier,1841** (Apidae) Synonym(s): *dalmatica* Lepeletier,1841
- 6445) Eucera excisa Mocsary,1879** (Apidae) Synonym(s): *excisa* Mocsary,1879
- 6446) Eucera furfurea Vachal,1907** (Apidae) Synonym(s): *furfurea* Vachal,1907
- 6447) Eucera graeca Radoszkowski,1876** (Apidae) Synonym(s): *graeca* Radoszkowski,1876
- 6448) Eucera helvola Klug,1845** (Apidae) Synonym(s): *helvola* Klug,1845
- 6449) Eucera hispana Lepeletier,1841** (Apidae) Synonym(s): *hispana* Lepeletier,1841
- 6450) Eucera interrupta Bär,1850** (Apidae) Synonym(s): *interrupta* Bär,1850
- 6451) Eucera longicornis (Linnaeus,1758)** (Apidae) Synonym(s): *longicornis* Linnaeus,1758; *linguaria* Fabricius,1775; *dealbator* Christ,1791; *difficilis* Pérez,1879; *cincta* Friese,1895
- 6452) Eucera longicornis (Linnaeus,1758)** (Apidae) Synonym(s): *longicornis* Linnaeus,1758
- 6453) Eucera morio Friese,1922** (Apidae) Synonym(s): *morio* Friese,1922
- 6454) Eucera nigrescens Pérez,1879** (Apidae) Synonym(s): *nigrescens* Pérez,1879
- 6455) Eucera nigrifacies Lepeletier,1841** (Apidae) Synonym(s): *nigrifacies* Lepeletier,1841
- 6456) Eucera nigrilabris Lepeletier,1841** (Apidae) Synonym(s): *nigrilabris* Lepeletier,1841
- 6457) Eucera nitidiventris Mocsary,1879** (Apidae) Synonym(s): *nitidiventris* Mocsary,1879
- 6458) Eucera pollinosa Smith,1854** (Apidae) Synonym(s): *pollinosa* Smith,1854
- 6459) Eucera seminuda Brullé,1832** (Apidae) Synonym(s): *seminuda* Brullé,1832
- 6460) Eucera sogdiana Morawitz,1875** (Apidae) Synonym(s): *sogdiana* Morawitz,1875
- 6461) Eucera squamosa Lepeletier,1841** (Apidae) Synonym(s): *squamosa* Lepeletier,1841
- 6462) Eucera tegularis Morawitz,1875** (Apidae) Synonym(s): *tegularis* Morawitz,1875

- 6463) **Eucera tuberculata (Fabricius,1793)** (Apidae) Synonym(s): *tuberculata* Fabricius,1793
 6464) **Eucera vittulata Noskiewicz,1934** (Apidae) Synonym(s): *vittulata* Noskiewicz,1934
 6465) **Eupavlovskia funeraria (Smith,1854)** (Apidae) Synonym(s): *funeraria* Smith,1854
 6466) **Eupavlovskia obscura (Friese,1855)** (Apidae) Synonym(s): *obscura* Friese,1855
 6467) **Exoneuridia (s.str.) hakkariensis (Warncke,1983)** (Apidae) Synonym(s): *hakkariensis* Warncke,1983
 6468) **Habropoda annae Schwarz & Gusenleitner,2001** (Apidae) Synonym(s): *annae* Schwarz & Gusenleitner,2001
 6469) **Habropoda hakkariensis Schwarz & Gusenleitner,2001** (Apidae) Synonym(s): *hakkariensis* Schwarz & Gusenleitner,2001
 6470) **Habropoda schafelneri Schwarz & Gusenleitner,2001** (Apidae) Synonym(s): *schafelneri* Schwarz & Gusenleitner,2001
 6471) **Habropoda tarsata (Spinola,1838)** (Apidae) Synonym(s): *tarsata* Spinola,1838
 6472) **Habropoda zonatula Smith,1854** (Apidae) Synonym(s): *zonatula* Smith,1854
 6473) **Melecta albifrons (Förster,1771)** (Apidae) Synonym(s): *albifrons* Förster,1771
 6474) **Melecta ashabadensis Radoszkowski,1893** (Apidae) Synonym(s): *ashabadensis* Radoszkowski,1893
 6475) **Melecta crassicornis Friese,1921** (Apidae) Synonym(s): *crassicornis* Friese,1921
 6476) **Melecta festiva Lieftinck,1980** (Apidae) Synonym(s): *festiva* Lieftinck,1980
 6477) **Melecta luctuosa (Scopoli,1770)** (Apidae) Synonym(s): *luctuosa* Scopoli,1770
 6478) **Nomada caspia Morawitz,1895** (Apidae) Synonym(s): *caspia* Morawitz,1895; *graeca* Schwarz,1967
 6479) **Nomada cruenta Schmiedeknecht,1882** (Apidae) Synonym(s): *cruenta* Schmiedeknecht,1882; *sexspinosa* Friese,1921; *rubescens* Lozinski,1922
 6480) **Nomada curvispinosa Schwarz,1981** (Apidae) Synonym(s): *curvispinosa* Schwarz,1981
 6481) **Nomada diacantha Schwarz,1981** (Apidae) Synonym(s): *diacantha* Schwarz,1981
 6482) **Nomada gracilicornis Morawitz,1895** (Apidae) Synonym(s): *gracilicornis* Morawitz,1895
 6483) **Nomada guichardi Schwarz,1981** (Apidae) Synonym(s): *guichardi* Schwarz,1981
 6484) **Nomada gusenleitneri Schwarz,1981** (Apidae) Synonym(s): *gusenleitneri* Schwarz,1981
 6485) **Nomada imperialis Schmiedeknecht,1882** (Apidae) Synonym(s): *imperialis* Schmiedeknecht,1882
 6486) **Nomada kervilleana Pérez,1913** (Apidae) Synonym(s): *kervilleana* Pérez,1913
 6487) **Nomada kusdasi Schwarz,1981** (Apidae) Synonym(s): *kusdasi* Schwarz,1981
 6488) **Nomada lateritia Mocsary,1883** (Apidae) Synonym(s): *lateritia* Mocsary,1883
 6489) **Nomada lucidula Schwarz,1967** (Apidae) Synonym(s): *lucidula* Schwarz,1967
 6490) **Nomada mocsaryi Schmiedeknecht,1882** (Apidae) Synonym(s): *mocsaryi* Schmiedeknecht,1882
 6491) **Nomada nausicaa Schmiedeknecht,1882** (Apidae) Synonym(s): *nausicaa* Schmiedeknecht,1882
 6492) **Nomada nobilis Herrich-Schäffer,1839** (Apidae) Synonym(s): *nobilis* Herrich-Schäffer,1839; *aberrans* Eversmann,1852; *calabra* Morawitz,1872; *magrettiana* Schmiedeknecht,1882
 6493) **Nomada oculata Friese,1921** (Apidae) Synonym(s): *oculata* Friese,1921
 6494) **Nomada oralis Schwarz,1981** (Apidae) Synonym(s): *oralis* Schwarz,1981
 6495) **Nomada ovaliceps Schwarz,1981** (Apidae) Synonym(s): *ovaliceps* Schwarz,1981
 6496) **Nomada pallispinosa Schwarz,1967** (Apidae) Synonym(s): *pallispinosa* Schwarz,1967
 6497) **Nomada platythorax Schwarz,1981** (Apidae) Synonym(s): *platythorax* Schwarz,1981
 6498) **Nomada pleurosticta Herrich-Schäffer,1839** (Apidae) Synonym(s): *pleurosticta* Herrich-Schäffer,1839; *bicolor* Radoszkowski,1876; *major* Morawitz,1872; *morawitzi* Pérez,1884
 6499) **Nomada pygidialis Schwarz,1981** (Apidae) Synonym(s): *pygidialis* Schwarz,1981
 6500) **Nomada quadrifasciata Schwarz,1981** (Apidae) Synonym(s): *quadrifasciata* Schwarz,1981
 6501) **Nomada quinquefasciata Schwarz,1981** (Apidae) Synonym(s): *quinquefasciata* Schwarz,1981
 6502) **Nomada rubricollis Schwarz,1967** (Apidae) Synonym(s): *rubricollis* Schwarz,1967
 6503) **Nomada rubriventris Schwarz,1981** (Apidae) Synonym(s): *rubriventris* Schwarz,1981
 6504) **Nomada smyrnaensis Friese,1920** (Apidae) Synonym(s): *smyrnaensis* Friese,1920
 6505) **Nomada unispinosa Schwarz,1981** (Apidae) Synonym(s): *unispinosa* Schwarz,1981
 6506) **Nomada yarrowi Schwarz,1981** (Apidae) Synonym(s): *yarrowi* Schwarz,1981
 6507) **Tetralonia acutangula Morawitz,1878** (Apidae) Synonym(s): *acutangula* Morawitz,1878
 6508) **Tetralonia alternans Brullé,1832** (Apidae) Synonym(s): *alternans* Brullé,1832
 6509) **Tetralonia compacta Morawitz** (Apidae) Synonym(s):
 6510) **Tetralonia dentata Klug** (Apidae) Synonym(s):
 6511) **Tetralonia fulvescens Giraud,1863** (Apidae) Synonym(s): *fulvescens* Giraud,1863
 6512) **Tetralonia graja (Eversmann,1852)** (Apidae) Synonym(s): *graja* Eversmann,1852
 6513) **Tetralonia hungarica Friese,1895** (Apidae) Synonym(s): *hungarica* Friese,1895
 6514) **Tetralonia inulae Tkalcu,1979** (Apidae) Synonym(s): *inulae* Tkalcu,1979
 6515) **Tetralonia julliani Pérez,1879** (Apidae) Synonym(s): *julliani* Pérez,1879
 6516) **Tetralonia macroglossa (Illiger,1806)** (Apidae) Synonym(s): *macroglossa* Illiger,1806

- 6517) **Tetralonia malvae (Rossi,1790)** (Apidae) Synonym(s): *malvae* Rossi,1790
 6518) **Tetralonia nana Morawitz,1874** (Apidae) Synonym(s): *nana* Morawitz,1874
 6519) **Tetralonia persica Fr.** (Apidae) Synonym(s):
 6520) **Tetralonia ruficollis (Friese,1911)** (Apidae) Synonym(s): *ruficollis* Friese,1911
 6521) **Tetralonia ruficornis (Fabricius,1804)** (Apidae) Synonym(s): *ruficornis* Fabricius,1804
 6522) **Tetralonia salicariae (Lepeletier,1841)** (Apidae) Synonym(s): *salicariae* Lepeletier,1841
 6523) **Tetralonia tricineta (Erichson,1835)** (Apidae) Synonym(s): *tricincta* Erichson,1835
 6524) **Tetralonia vicina Morawitz,1876** (Apidae) Synonym(s): *vicina* Morawitz,1876
 6525) **Thyreus affinis (Morawitz,1874)** (Apidae) Synonym(s): *affinis* Morawitz,1874; *transcaspica* Radoszkowski,1893; *portchinski* Radoszkowski,1893; *tunensis* Pérez,1895; *villosa* Meyer,1921
 6526) **Thyreus elegans (Morawitz,1877)** (Apidae) Synonym(s): *elegans* Morawitz,1877; *quadridentata* Saunders,1908; *brezzii* Guiglia,1933
 6527) **Thyreus hellenicus Liefstinck,1968** (Apidae) Synonym(s): *hellenicus* Liefstinck,1968
 6528) **Thyreus hirtus (Beaumont,1939)** (Apidae) Synonym(s): *hirtus* Beaumont,1939
 6529) **Thyreus histrionicus (Illiger,1806)** (Apidae) Synonym(s): *histrionicus* Illiger,1806; *major* Morawitz,1876; *divisa* Pérez,1905; *alboscuteolata* Meyer,1921; *rimosiscutum* Alfken,1927
 6530) **Thyreus orbatus (Lepeletier,1841)** (Apidae) Synonym(s): *orbatus* Lepeletier,1841
 6531) **Thyreus praevalens (Kohl,1905)** (Apidae) Synonym(s): *praevalens* Kohl,1905
 6532) **Thyreus ramosus (Lepeletier,1841)** (Apidae) Synonym(s): *ramosus* Lepeletier,1841; *rufa* Radoszkowski,1886; *ashabadensis* Radoszkowski,1893; *albociliata* Meyer,1921; *minor* Friese,1925; *circulata* Alfken,1927
 6533) **Thyreus scutellaris (Fabricius,1781)** (Apidae) Synonym(s): *scutellaris* Fabricius,1781; *crassicornis* Morawitz,1890
 6534) **Thyreus sibiricus (Radoszkowski,1893)** (Apidae) Synonym(s): *sibiricus* Radoszkowski,1893
 6535) **Thyreus truncatus (Pérez,1883)** (Apidae) Synonym(s): *truncatus* Pérez,1883; *mucorea* Friese,1925; *nadigi* Alfken,1934
 6536) **Xylocopa (Copoxya) armeniaca Warncke,1982** (Apidae) Synonym(s): *armeniaca* Warncke,1982
 6537) **Xylocopa (Copoxya) iris (Christ,1791)** (Apidae) Synonym(s): *iris* Christ,1791; *nasuta* Christ,1791; *cyanescens* Brullé,1832; *taurica* Erichson,1841; *minuta* Lepeletier,1841; *canuta* Rondani,1874; *virescentis* Strand,1917; *aliceae* Cockerell,1931
 6538) **Xylocopa (Koptortosoma) pubescens Spinola,1838** (Apidae) Synonym(s): *pubescens* Spinola,1838; *rubida* Gribodo,1884
 6539) **Xylocopa (Proxycopa) nitidiventris Smith,1878** (Apidae) Synonym(s): *nitidiventris* Smith,1878
 6540) **Xylocopa (Proxycopa) olivieri Lepeletier,1841** (Apidae) Synonym(s): *olivieri* Lepeletier,1841
 6541) **Xylocopa (Proxycopa) rufa Friese,1901** (Apidae) Synonym(s): *rufa* Friese,1901; *erivaniensis* Pérez,1901
 6542) **Xylocopa (s.str.) valga Gerstaecker,1872** (Apidae) Synonym(s): *valga* Gerstaecker,1872; *ramulorum* Rondani,1874; *convexa* Smith,1878
 6543) **Xylocopa (s.str.) violacea (Linnaeus,1758)** (Apidae) Synonym(s): *violacea* Linnaeus,1758; *insubrica* Müller,1766; *femorata* Fabricius,1804

APIONIDAE

- 6544) **Apion tauricum Schubert,1963** (Apionidae) Synonym(s): *tauricum* Schubert,1963

ARADIDAE

- 6545) **Aneurus avenius (Dufour,1833)** (Aradidae) Synonym(s): *avenius* Dufour,1833
 6546) **Aneurus laevis (Fabricius,1775)** (Aradidae) Synonym(s): *laevis* Fabricius,1775; *tuberculatus* Mjöberg,1902
 6547) **Aradus betulae (Linnaeus,1758)** (Aradidae) Synonym(s): *betulae* Linnaeus,1758
 6548) **Aradus brenskei Reuter,1884** (Aradidae) Synonym(s): *brenskei* Reuter,1884
 6549) **Aradus caucasicus Kolenati,1856** (Aradidae) Synonym(s): *caucasicus* Kolenati,1856
 6550) **Aradus cilicicum Heiss,1990** (Aradidae) Synonym(s): *cilicicum* Heiss,1990
 6551) **Aradus cinnamomeus Panzer,1806** (Aradidae) Synonym(s): *cinnamomeus* Panzer,1806; *leptopterus* Germar,1834; *perrisi* Dufour,1845; *albopunctatus* Scholtz,1846; *antennalis* Parshley,1922
 6552) **Aradus conspicuus Herrich-Schäffer,1835** (Aradidae) Synonym(s): *conspicuus* Herrich-Schäffer,1835
 6553) **Aradus corticalis (Linnaeus,1758)** (Aradidae) Synonym(s): *corticalis* Linnaeus,1758; *annulicornis* Fabricius,1803

- 6554) **Aradus crenatus Say, 1832** (Aradidae) Synonym(s): *crenatus Say, 1832*
 6555) **Aradus depressus (Fabricius, 1794)** (Aradidae) Synonym(s): *depressus Fabricius, 1794*
 6556) **Aradus flavicornis Dalman, 1823** (Aradidae) Synonym(s): *flavicornis Dalman, 1823*
 6557) **Aradus inopinus Kirschbaum, 1955** (Aradidae) Synonym(s): *inopinus Kirschbaum, 1955*
 6558) **Aradus krueperi Reitter, 1884** (Aradidae) Synonym(s): *krueperi Reitter, 1884*
 6559) **Aradus muricatus Hummel, 1827** (Aradidae) Synonym(s): *muricatus Hummel, 1827*
 6560) **Aradus seidenstueckeri Heiss, 1989** (Aradidae) Synonym(s): *#seidenstueckeri Heiss, 1989; seidenstueckeri Heiss, 1989*
 6561) **Aradus versicolor Herrich-Schäffer, 1835** (Aradidae) Synonym(s): *versicolor Herrich-Schäffer, 1835*
 6562) **Calisius salicis Horvath, 1913** (Aradidae) Synonym(s): *salicis Horvath, 1913*
 6563) **Quilnus parvicollis Stal, 1873** (Aradidae) Synonym(s): *parvicollis Stal, 1873; anatolicus Heiss, 1974*

ARGIDAE

- 6564) **Aprosthemina bifurcum (Klug, 1834)** (Argidae) Synonym(s): *bifurcum Klug, 1834*
 6565) **Aprosthemina melanurum (Klug, 1814)** (Argidae) Synonym(s): *melanurum Klug, 1814; cylindricornis Thomson, 1871; friesei Konow, 1892; alfkeni Konow, 1895;*
 6566) **Aprosthemina syrmienne (Mocsary, 1897)** (Argidae) Synonym(s): *syrmienne Mocsary, 1897*
 6567) **Aprosthemina tardum (Klug, 1814)** (Argidae) Synonym(s): *tardum Klug, 1814; cylindricorne Thomson, 1871; carpentieri Konow, 1902*
 6568) **Arge aurata (Zaddach, 1864)** (Argidae) Synonym(s): *aurata Zaddach, 1864*
 6569) **Arge auripennis Konow, 1891** (Argidae) Synonym(s): *auripennis Konow, 1891*
 6570) **Arge beckeri Tournier, 1889** (Argidae) Synonym(s): *beckeri Tournier, 1889*
 6571) **Arge berberidis (Schrank, 1802)** (Argidae) Synonym(s): *berberidis Schrank, 1802*
 6572) **Arge ciliaris (Linnaeus, 1767)** (Argidae) Synonym(s): *ciliaris Linnaeus, 1767*
 6573) **Arge clavicornis (Fabricius, 1781)** (Argidae) Synonym(s): *clavicornis Fabricius, 1781; fuscineris Lindqvist, 1974*
 6574) **Arge cyanocrocea (Forster, 1771)** (Argidae) Synonym(s): *cyanocrocea Forster, 1771; syriaca Mocsary, 1880*
 6575) **Arge debilis Konow, 1887** (Argidae) Synonym(s): *debilis Konow, 1887*
 6576) **Arge enodis (Linnaeus, 1767)** (Argidae) Synonym(s): *enodis Linnaeus, 1767; coeruleipennis Retzius, 1783*
 6577) **Arge frivaldskyi (Tischbein, 1852)** (Argidae) Synonym(s): *frivaldskyi (Tischbein, 1852*
 6578) **Arge fuscipes (Fallén, 1808)** (Argidae) Synonym(s): *fuscipes Fallén, 1808; seljuki Benson, 1968*
 6579) **Arge gracilicornis (Klug, 1814)** (Argidae) Synonym(s): *gracilicornis Klug, 1814*
 6580) **Arge melanocheira (Gmelin, 1790)** (Argidae) Synonym(s): *melanocheira Gmelin, 1790; nigritarsis Klug, 1834; fuliginata Konow, 1907*
 6581) **Arge nigripes (Retzius, 1783)** (Argidae) Synonym(s): *nigripes Retzius, 1783*
 6582) **Arge ochropus (Gmelin, 1790)** (Argidae) Synonym(s): *ochropus Gmelin, 1790*
 6583) **Arge pagana (Panzer, 1798)** (Argidae) Synonym(s): *pagana Panzer, 1798; flaviventris Fallén, 1807; stephensii Leach, 1817*
 6584) **Arge pleuritica (Klug, 1834)** (Argidae) Synonym(s): *pleuritica Klug, 1834*
 6585) **Arge proxima (André, 1881)** (Argidae) Synonym(s): *proxima André, 1881*
 6586) **Arge pullata (Zaddach, 1859)** (Argidae) Synonym(s): *pullata Zaddach, 1859*
 6587) **Arge pyrenaica (André, 1879)** (Argidae) Synonym(s): *pyrenaica André, 1879*
 6588) **Arge rustica (Linnaeus, 1758)** (Argidae) Synonym(s): *rustica Linnaeus, 1758; atrata Forster, 1771; segmentarius Panzer, 1805*
 6589) **Arge scita (Mocsary, 1880)** (Argidae) Synonym(s): *scita Mocsary, 1880; zarudnyi Gussakovskii, 1935*
 6590) **Arge simulatrix Konow, 1887** (Argidae) Synonym(s): *simulatrix Konow, 1887*
 6591) **Arge ustulata (Linnaeus, 1758)** (Argidae) Synonym(s): *ustulata Linnaeus, 1758*
 6592) **Kokujewia clementi Zirngiebl, 1949** (Argidae) Synonym(s): *clementi Zirngiebl, 1949; taschevi Vassilev, 1978*
 6593) **Kokujewia ectrapela Konow, 1902** (Argidae) Synonym(s): *ectrapela Konow, 1902; palestina Benson, 1954*
 6594) **Sterictiphora furcata (Villers, 1789)** (Argidae) Synonym(s): *furcata Villers, 1789; rubi Rossi, 1790; rubiidae Rossi, 1790; inaequalis Bremi-Wolf, 1849; nigripes Konow; bleusei Pic*
 6595) **Sterictiphora geminata (Gmelin, 1790)** (Argidae) Synonym(s): *geminata Gmelin, 1790; costata Fallén, 1808; pallipes Leach, 1817*

ASCALAPHIDAE

- 6596) *Ascalaphus dicax* Walker, 1853** (Ascalaphidae) Synonym(s): *dicax* Walker, 1853
6597) *Bubopsis andromache* Aspöck, Aspöck & Hölzel, 1979 (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel, 1979
6598) *Bubopsis hamata* (Klug, 1834) (Ascalaphidae) Synonym(s): *hamatus* Klug, 1834
6599) *Bubopsis zarudnyi* Alexandrov-Martynov, 1926 (Ascalaphidae) Synonym(s): *zarudnyi* Alexandrov-Martynov, 1926
6600) *Deleproctophylla dusmeti* Navas, 1914 (Ascalaphidae) Synonym(s): *dusmeti* Navas, 1914
6601) *Deleproctophylla variegata* (Klug, 1834) (Ascalaphidae) Synonym(s): *variegata* Klug, 1834
6602) *Iranoidricerus iranensis* (Kimmings, 1938) (Ascalaphidae) Synonym(s): *iranensis* Kimmings, 1938
6603) *Libelloides jungei* Aistleitner, 1982 (Ascalaphidae) Synonym(s): *jungei* Aistleitner, 1982
6604) *Libelloides lacteus* (Brullé, 1832) (Ascalaphidae) Synonym(s): *lacteus* Brullé, 1832
6605) *Libelloides macaronius* (Scopoli, 1763) (Ascalaphidae) Synonym(s): *macaronius* Scopoli, 1763
6606) *Libelloides ottomanus* (Germar, 1817) (Ascalaphidae) Synonym(s): *ottomanus* Germar, 1817
6607) *Libelloides rhomboideus* (Schneider, 1845) (Ascalaphidae) Synonym(s): *rhomboideus* Schneider, 1845; *#rhomboideus* Dobosz & Abraham, 2007
6608) *Libelloides syriacus* (McLachlan, 1871) (Ascalaphidae) Synonym(s): *syriacus* McLachlan, 1871
6609) *Libelloides ustulatus* (Eversmann, 1850) (Ascalaphidae) Synonym(s): *ustulatus* Eversmann, 1850
6610) *Ptyngidricerus albardanus* (McLachlan, 1891) (Ascalaphidae) Synonym(s): *albardanus* McLachlan, 1891
6611) *Stylascalaphus fabiani* Meszaros & Abraham, 2005 (Ascalaphidae) Synonym(s): *fabiani* Meszaros & Abraham, 2005

ASILIDAE

- 6612) *Acnephalum fasciculatus* (Loew, 1847)** (Asilidae) Synonym(s): *fasciculatus* Loew, 1847
6613) *Acnephalum leucostomus* (Engel, 1930) (Asilidae) Synonym(s): *leucostomus* Engel, 1930
6614) *Acnephalum mixtus* (Loew, 1847) (Asilidae) Synonym(s): *mixtus* Loew, 1847; *anthophorinus* Loew, 1847
6615) *Acnephalum pallidipennis* (Brullé, 1833) (Asilidae) Synonym(s): *pallidipennis* Brullé, 1833
6616) *Acrochordomerus aeneus* Hermann, 1920 (Asilidae) Synonym(s): *aeneus* Hermann, 1920
6617) *Acrochordomerus mediterraneus* Kovár & Hradski, 1995 (Asilidae) Synonym(s): *mediterraneus* Kovár & Hradski, 1995
6618) *Amphisbetetus dorsatus* Becker, 1913 (Asilidae) Synonym(s): *dorsatus* Becker, 1913; *rufipes* Engel, 1930
6619) *Amphisbetetus favillaceus* (Loew, 1856) (Asilidae) Synonym(s): *favillaceus* Loew, 1856
6620) *Anarolius fronto* Loew, 1873 (Asilidae) Synonym(s): *fronto* Loew, 1873
6621) *Anarolius jamshidi* Abbassian-Lintzen, 1964 (Asilidae) Synonym(s): *jamshidi* Abbassian-Lintzen, 1964
6622) *Anarolius jubatus* Loew, 1844 (Asilidae) Synonym(s): *jubatus* Loew, 1844
6623) *Ancylorhynchus brussensis* (Schiner, 1867) (Asilidae) Synonym(s): *brussensis* Schiner, 1867
6624) *Ancylorhynchus glaucius* (Rossi, 1790) (Asilidae) Synonym(s): *glaucius* Rossi, 1790; *variegatus* Wiedemann, 1818; *pictus* Wiedemann, 1821
6625) *Ancylorhynchus longicornis* (Schiner, 1867) (Asilidae) Synonym(s): *longicornis* Schiner, 1867
6626) *Andrenosoma albibarbe* (Meigen, 1820) (Asilidae) Synonym(s): *albibarbe* Meigen, 1820; *adustiventris* Costa, 1863; *erythrurum* Loew, 1847
6627) *Andrenosoma atrum* (Linnaeus, 1758) (Asilidae) Synonym(s): *atrum* Linnaeus, 1758; *prostratum* Scopoli, 1763
6628) *Andrenosoma cornuta* Oldroyd, 1972 (Asilidae) Synonym(s): *cornuta* Oldroyd, 1972
6629) *Andrenosoma serratum* Hermann, 1906 (Asilidae) Synonym(s): *serratum* Hermann, 1906
6630) *Aneomochtherus acratu* (Tsacas, 1968) (Asilidae) Synonym(s): *acratu* Tsacas, 1968
6631) *Aneomochtherus aerifacies* (Tsacas, 1968) (Asilidae) Synonym(s): *aerifacies* Tsacas, 1968; *celaeophanes* Janssens, 1968
6632) *Aneomochtherus grisescens* (Tsacas, 1968) (Asilidae) Synonym(s): *grisescens* Tsacas, 1968
6633) *Aneomochtherus illustris* (Schiner, 1867) (Asilidae) Synonym(s): *illustris* Schiner, 1867
6634) *Aneomochtherus micrasiaticus* (Tsacas, 1968) (Asilidae) Synonym(s): *micrasiaticus* Tsacas, 1968
6635) *Aneomochtherus mundus* (Loew, 1849) (Asilidae) Synonym(s): *mundus* Loew, 1849; *rhodius* Tsacas, 1963
6636) *Aneomochtherus perplexus* (Becker, 1923) (Asilidae) Synonym(s): *perplexus* Becker, 1923; *repentinus* Richter, 1963
6637) *Aneomochtherus soleus* (Tsacas, 1968) (Asilidae) Synonym(s): *soleus* Tsacas, 1968

- 6638) *Anisopogon hermanni* (Engel,1930)** (Asilidae) Synonym(s): *hermanni* Engel,1930; *modestus* Lehr,1964
- 6639) *Antipalus truncatus* (Loew,1849)** (Asilidae) Synonym(s): *truncatus* Loew,1849
- 6640) *Antiphrisson adpressus* (Loew,1849)** (Asilidae) Synonym(s): *adpressus* Loew,1849
- 6641) *Antiphrisson angustifrons* Loew,1849** (Asilidae) Synonym(s): *angustifrons* Loew,1849
- 6642) *Antiphrisson trifarius* (Loew,1849)** (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thallhameri* Lichtwardt,1903
- 6643) *Apoclea algira* (Linnaeus,1767)** (Asilidae) Synonym(s): *algira* Linnaeus,1767; *alginis* Fabricius,1787; *vegeta* Wiedemann,1828; *pallida* Macquart,1838; *fuscana* Macquart,1838; *aberrans* Schiner,1867; *deformis* Walker,1871
- 6644) *Apoclea helvipes* Loew,1873** (Asilidae) Synonym(s): *helvipes* Loew,1873
- 6645) *Apoclea trivialis* Loew,1873** (Asilidae) Synonym(s): *trivialis* Loew,1873
- 6646) *Asiloephesus excisus* (Loew,1848)** (Asilidae) Synonym(s): *excisus* Loew,1848
- 6647) *Asilus crabroniformis* Linnaeus,1758** (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758
- 6648) *Cerdistus dactylopygus* Janssens,1968** (Asilidae) Synonym(s): *dactylopygus* Janssens,1968
- 6649) *Cerdistus debilis* Becker,1923** (Asilidae) Synonym(s): *debilis* Becker,1923
- 6650) *Cerdistus denticulatus* Loew,1849** (Asilidae) Synonym(s): *denticulatus* Loew,1849
- 6651) *Cerdistus erythruoides* Theodor,1980** (Asilidae) Synonym(s): *erythruoides* Theodor,1980
- 6652) *Cerdistus manii* Schiner,1867** (Asilidae) Synonym(s): *manii* Schiner,1867
- 6653) *Choerades fimbriata* (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata* Meigen,1820; *marginata* sensu Meigen,1820
- 6654) *Choerades fuliginosa* (Panzer,1798)** (Asilidae) Synonym(s): *fuliginosa* Panzer,1798
- 6655) *Choerades fulva* (Meigen,1804)** (Asilidae) Synonym(s): *fulva* Meigen,1804; *proboscidea* Loew,1847; *aurigera* Dufour,1850; *aurifera* Schiner,1854
- 6656) *Choerades loewi* Lehr,1991** (Asilidae) Synonym(s): *loewi* Lehr,1991
- 6657) *Choerades ursula* (Loew,1851)** (Asilidae) Synonym(s): *ursula* Loew,1851
- 6658) *Crobilocerus engeli* Geller-Grimm & Hradski,1999** (Asilidae) Synonym(s): *engeli* Geller-Grimm & Hradski,1999
- 6659) *Crobilocerus megilliformis* (Loew,1847)** (Asilidae) Synonym(s): *megilliformis* Loew,1847
- 6660) *Dasypogon diadema* (Fabricius,1781)** (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preyssler,1790; *analys* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906
- 6661) *Dasypogon gerardi* Weinberg,1987** (Asilidae) Synonym(s): *gerardi* Weinberg,1987
- 6662) *Dasypogon irinelae* Weinberg,1986** (Asilidae) Synonym(s): *irinelae* Weinberg,1986
- 6663) *Dasypogon octonotatus* Loew,1869** (Asilidae) Synonym(s): *octonotatus* Loew,1869; *melanopterus* Loew,1869
- 6664) *Didysmachus picipes* (Meigen,1820)** (Asilidae) Synonym(s): *picipes* Meigen,1820
- 6665) *Dioctria abdominalis* Becker,1923** (Asilidae) Synonym(s): *abdominalis* Becker,1923
- 6666) *Dioctria arcana* Richter,1966** (Asilidae) Synonym(s): *arcana* Richter,1966
- 6667) *Dioctria arthritica* Loew,1871** (Asilidae) Synonym(s): *arthritica* Loew,1871
- 6668) *Dioctria atricapilla* Meigen,1804** (Asilidae) Synonym(s): *atricapilla* Meigen,1804; *falleni* Meigen,1820; *atrata* Meigen,1820; *geniculata* Meigen,1820
- 6669) *Dioctria bithynica* Janssens,1968** (Asilidae) Synonym(s): *bithynica* Janssens,1968
- 6670) *Dioctria flavipennis* Meigen,1820** (Asilidae) Synonym(s): *flavipennis* Meigen,1820; *aurifrons* Meigen,1820
- 6671) *Dioctria gracilis* Meigen,1820** (Asilidae) Synonym(s): *gracilis* Meigen,1820; *hyalipennis* sensu Meigen,1830; *concinna* Costa,1883
- 6672) *Dioctria lenta* Becker,1923** (Asilidae) Synonym(s): *lenta* Becker,1923
- 6673) *Dioctria lugens* Loew,1873** (Asilidae) Synonym(s): *lugens* Loew,1873
- 6674) *Dioctria meyeri* Nowicki,1867** (Asilidae) Synonym(s): *meyeri* Nowicki,1867
- 6675) *Dioctria rufonigra* Theodor,1980** (Asilidae) Synonym(s): *rufonigra* Theodor,1980
- 6676) *Dioctria striata* Theodor,1980** (Asilidae) Synonym(s): *striata* Theodor,1980
- 6677) *Dioctria valida* Loew,1856** (Asilidae) Synonym(s): *valida* Loew,1856
- 6678) *Dysmachus antipai* Weinberg,1968** (Asilidae) Synonym(s): *antipai* Weinberg,1968
- 6679) *Dysmachus appendiculatus* Schiner,1867** (Asilidae) Synonym(s): *appendiculatus* Schiner,1867
- 6680) *Dysmachus bifurcus* (Loew,1848)** (Asilidae) Synonym(s): *bifurcus* Loew,1848
- 6681) *Dysmachus bilobus* Loew,1871** (Asilidae) Synonym(s): *bilobus* Loew,1871
- 6682) *Dysmachus bimucronatus* (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus* Loew,1854
- 6683) *Dysmachus cephalenus* Loew,1871** (Asilidae) Synonym(s): *cephalenus* Loew,1871
- 6684) *Dysmachus dasiproctus* Loew,1871** (Asilidae) Synonym(s): *dasiproctus* Loew,1871
- 6685) *Dysmachus fuscipennis* (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis* Meigen,1820
- 6686) *Dysmachus praemorsus* (Loew,1854)** (Asilidae) Synonym(s): *praemorsus* Loew,1854

- 6687) *Dysmachus safranboluticus* Hasbenli & Geller-Grimm,1999** (Asilidae) Synonym(s): *safranboluticus* Hasbenli & Geller-Grimm,1999
- 6688) *Dysmachus setiger* (Loew,1848)** (Asilidae) Synonym(s): *setiger* Loew,1848
- 6689) *Dysmachus setipyga* Becker,1923** (Asilidae) Synonym(s): *setipyga* Becker,1923
- 6690) *Dysmachus stylifer* (Loew,1854)** (Asilidae) Synonym(s): *stylifer* Loew,1854
- 6691) *Dysmachus suludereae* Hasbenli & Geller-Grimm,1999** (Asilidae) Synonym(s): *suludereae* Hasbenli & Geller-Grimm,1999
- 6692) *Dysmachus transcaucasicus* Richter,1962** (Asilidae) Synonym(s): *transcaucasicus* Richter,1962
- 6693) *Dysmachus tricuspis* (Loew,1848)** (Asilidae) Synonym(s): *tricuspis* Loew,1848
- 6694) *Dysmachus zaitzevi* Lehr,1996** (Asilidae) Synonym(s): *zaitzevi* Lehr,1996
- 6695) *Echthistus cognatus* Loew,1849** (Asilidae) Synonym(s): *cognatus* Loew,1849
- 6696) *Echthistus rufinervis* (Meigen,1820)** (Asilidae) Synonym(s): *rufinervis* Meigen,1820
- 6697) *Engelepogon antiochienensis* (Tsacas,1964)** (Asilidae) Synonym(s): *antiochienensis* Tsacas,1964
- 6698) *Engelepogon brunnipes* (Fabricius,1794)** (Asilidae) Synonym(s): *brunnipes* Fabricius,1794; *castanipes* Meigen,1820; *rufipes* Meigen,1820; *goliath* Schiner,1867
- 6699) *Engelepogon chrysophora* (Tsacas,1964)** (Asilidae) Synonym(s): *chrysophora* Tsacas,1964
- 6700) *Engelepogon goedli* (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854
- 6701) *Engelepogon ravus* (Loew,1871)** (Asilidae) Synonym(s): *ravus* Loew,1871
- 6702) *Erax hayati* Tomasovic,2002** (Asilidae) Synonym(s): *hayati* Tomasovic,2002
- 6703) *Erax nigrosetosus* Theodor,1980** (Asilidae) Synonym(s): *nigrosetosus* Theodor,1980
- 6704) *Erax nubeculus* (Loew,1848)** (Asilidae) Synonym(s): *nubeculus* Loew,1848
- 6705) *Erax punctipennis* (Meigen,1820)** (Asilidae) Synonym(s): *punctipennis* Meigen,1820
- 6706) *Erax tenuicornis* (Loew,1848)** (Asilidae) Synonym(s): *tenuicornis* Loew,1848
- 6707) *Eremisca shahgudiani* Abbasian-Lintzen,1964** (Asilidae) Synonym(s): *shahgudiani* Abbasian-Lintzen,1964; *araratica* Richter,1966
- 6708) *Euscelidia pallasii* (Wiedemann,1818)** (Asilidae) Synonym(s): *conopsoides* Pallas,1818; *pallasii* Wiedemann,1818; *pubiceps* Loew,1871
- 6709) *Eutolmus apiculatus* (Loew,1848)** (Asilidae) Synonym(s): *apiculatus* Loew,1848
- 6710) *Eutolmus calopus* (Loew,1848)** (Asilidae) Synonym(s): *calopus* Loew,1848
- 6711) *Eutolmus excisus* (Loew,1848)** (Asilidae) Synonym(s): *excisus* Loew,1848
- 6712) *Eutolmus facialis* (Loew,1848)** (Asilidae) Synonym(s): *facialis* Loew,1848
- 6713) *Eutolmus kiesenwetteri* Loew,1854** (Asilidae) Synonym(s): *kiesenwetteri* Loew,1854; *implacidus* Loew,1870
- 6714) *Eutolmus mordax* (Loew,1848)** (Asilidae) Synonym(s): *mordax* Loew,1848
- 6715) *Eutolmus palestinensis* Theodor,1980** (Asilidae) Synonym(s): *palestinensis* Theodor,1980
- 6716) *Eutolmus parricida* (Loew,1848)** (Asilidae) Synonym(s): *parricida* Loew,1848
- 6717) *Eutolmus polypogon* (Loew,1848)** (Asilidae) Synonym(s): *polypogon* Loew,1848
- 6718) *Eutolmus rufibarbis* (Meigen,1820)** (Asilidae) Synonym(s): *rufibarbis* Meigen,1820
- 6719) *Habropogon decipiens* Theodor,1980** (Asilidae) Synonym(s): *decipiens* Theodor,1980
- 6720) *Habropogon longiventris* Loew,1847** (Asilidae) Synonym(s): *longiventris* Loew,1847
- 6721) *Habropogon similimus* Theodor,1980** (Asilidae) Synonym(s): *similimus* Theodor,1980
- 6722) *Habropogon spissipes* Hermann,1909** (Asilidae) Synonym(s): *spissipes* Hermann,1909
- 6723) *Habropogon verticalis* Becker,1913** (Asilidae) Synonym(s): *verticalis* Becker,1913
- 6724) *Heteropogon lehri* Richter,1968** (Asilidae) Synonym(s): *lehri* Richter,1968
- 6725) *Heteropogon manicatus* (Meigen,1820)** (Asilidae) Synonym(s): *manicatus* Meigen,1820
- 6726) *Heteropogon manni* Loew,1854** (Asilidae) Synonym(s): *manni* Loew,1854
- 6727) *Heteropogon nubilus* (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus* Wiedemann,1820
- 6728) *Heteropogon ornatipes* Loew,1851** (Asilidae) Synonym(s): *ornatipes* Loew,1851
- 6729) *Heteropogon scoparius* Loew,1847** (Asilidae) Synonym(s): *scoparius* Loew,1847
- 6730) *Heteropogon succinctus* Loew,1847** (Asilidae) Synonym(s): *succinctus* Loew,1847
- 6731) *Holopogon albosetosus* Schiner,1867** (Asilidae) Synonym(s): *albosetosus* Schiner,1867
- 6732) *Holopogon fumipennis* (Meigen,1820)** (Asilidae) Synonym(s): *fumipennis* Meigen,1820
- 6733) *Holopogon hasbenlii* Tomasovic, Weyer & Dils,2009** (Asilidae) Synonym(s): *hasbenlii* Tomasovic, Weyer & Dils,2009
- 6734) *Holopogon nigropilosus* Theodor,1980** (Asilidae) Synonym(s): *nigropilosus* Theodor,1980
- 6735) *Holopogon priscus* (Meigen,1820)** (Asilidae) Synonym(s): *priscus* Meigen,1820
- 6736) *Jothopogon leucomallus* (Loew,1871)** (Asilidae) Synonym(s): *leucomallus* Loew,1871
- 6737) *Laphria aurea* (Fabricius,1794)** (Asilidae) Synonym(s): *aurea* Fabricius,1794
- 6738) *Laphria dimidiata* Macquart,1846** (Asilidae) Synonym(s): *dimidiata* Macquart,1846
- 6739) *Laphria dizonias* Loew,1847** (Asilidae) Synonym(s): *dizonias* Loew,1847; *integra* Becker,1912
- 6740) *Laphria flava* (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906

- 6741) **Laphria gibbosa (Linnaeus,1758)** (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758
- 6742) **Laphria varia Loew,1865** (Asilidae) Synonym(s): *varia* Loew,1865
- 6743) **Laphystia anatolica (Hermann,1920)** (Asilidae) Synonym(s): *anatolica* Hermann,1920
- 6744) **Laphystia erberi (Schiner,1865)** (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930
- 6745) **Laphystia sabulicola Loew,1847** (Asilidae) Synonym(s): *sabulicola* Loew,1847
- 6746) **Lasiopogon pilosellus Loew,1847** (Asilidae) Synonym(s): *pilosellus* Loew,1847
- 6747) **Lasiopogon tarsalis Loew,1847** (Asilidae) Synonym(s): *tarsalis* Loew,1847
- 6748) **Leptarthus brevirostris (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804
- 6749) **Leptogaster calceata Engel,1925** (Asilidae) Synonym(s): *calceata* Engel,1925
- 6750) **Leptogaster fumipennis Loew,1871** (Asilidae) Synonym(s): *fumipennis* Loew,1871
- 6751) **Leptogaster gracilis Loew,1847** (Asilidae) Synonym(s): *gracilis* Loew,1847
- 6752) **Leptogaster helvola Loew,1871** (Asilidae) Synonym(s): *helvola* Loew,1871
- 6753) **Leptogaster montana Theodor,1980** (Asilidae) Synonym(s): *montana* Theodor,1980
- 6754) **Leptogaster palparis Loew,1847** (Asilidae) Synonym(s): *palparis* Loew,1847
- 6755) **Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaennicke,1867
- 6756) **Leptogaster suleymani Hasbenli, Candan & Alpay,2006** (Asilidae) Synonym(s): *suleymani* Hasbenli, Candan & Alpay,2006
- 6757) **Leptogaster truncata Theodor,1980** (Asilidae) Synonym(s): *truncata* Theodor,1980
- 6758) **Machimus albicapillus Janssens,1968** (Asilidae) Synonym(s): *albicapillus* Janssens,1968
- 6759) **Machimus annulipes (Brullé,1832)** (Asilidae) Synonym(s): *annulipes* Brullé,1832; *basalis* Loew,1849; *cerdo* Gerstaecker,1861
- 6760) **Machimus atripes Loew,1854** (Asilidae) Synonym(s): *atripes* Loew,1854
- 6761) **Machimus caliginosus (Meigen,1820)** (Asilidae) Synonym(s): *caliginosus* Meigen,1820
- 6762) **Machimus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781
- 6763) **Machimus cyanopus (Loew,1849)** (Asilidae) Synonym(s): *cyanopus* Loew,1849
- 6764) **Machimus elegans (Loew,1849)** (Asilidae) Synonym(s): *elegans* Loew,1849
- 6765) **Machimus fimbriatus (Meigen,1804)** (Asilidae) Synonym(s): *fimbriatus* Meigen,1804
- 6766) **Machimus fuscus (Macquart,1839)** (Asilidae) Synonym(s): *fuscus* Macquart,1839
- 6767) **Machimus gratiosus Loew,1871** (Asilidae) Synonym(s): *gratiosus* Loew,1871
- 6768) **Machimus leucocephalus Janssens,1968** (Asilidae) Synonym(s): *leucocephalus* Janssens,1968
- 6769) **Machimus modestus (Loew,1849)** (Asilidae) Synonym(s): *modestus* Loew,1849
- 6770) **Machimus mystacinus Becker,1923** (Asilidae) Synonym(s): *mystacinus* Becker,1923
- 6771) **Machimus planifacies Becker,1923** (Asilidae) Synonym(s): *planifacies* Becker,1923
- 6772) **Machimus rudis Becker,1923** (Asilidae) Synonym(s): *rudis* Becker,1923
- 6773) **Machimus rusticus (Meigen,1820)** (Asilidae) Synonym(s): *rusticus* Meigen,1820; *obscurus* Meigen,1820; *genualis* Zeller,1840
- 6774) **Machimus sareptanus Becker,1923** (Asilidae) Synonym(s): *sareptanus* Becker,1923
- 6775) **Machimus senex (Wiedemann,1820)** (Asilidae) Synonym(s): *senex* Wiedemann,1820
- 6776) **Machimus setibarbus (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849
- 6777) **Machimus tessellatus Loew,1849** (Asilidae) Synonym(s): *tessellatus* Loew,1849
- 6778) **Machimus thoracius (Loew,1849)** (Asilidae) Synonym(s): *thoracius* Loew,1849
- 6779) **Mesoleptogaster cappadocia Hasbenli & Çağlar,2009** (Asilidae) Synonym(s): *cappadocia* Hasbenli & Çağlar,2009
- 6780) **Molobratia egregia (Loew,1869)** (Asilidae) Synonym(s): *egregia* Loew,1869
- 6781) **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius* Linnaeus,1767; *marmoratus* Geoffroy,1785; *teuton* Macquart,1834
- 6782) **Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849
- 6783) **Neoitamus senectus Richter,1963** (Asilidae) Synonym(s): *senectus* Richter,1963; *lehri* Moucha & Hradski,1963
- 6784) **Neomochtherus albicans (Loew,1849)** (Asilidae) Synonym(s): *albicans* Loew,1849
- 6785) **Neomochtherus auratus Janssens,1968** (Asilidae) Synonym(s): *auratus* Janssens,1968
- 6786) **Neomochtherus leclerqi Janssens,1968** (Asilidae) Synonym(s): *leclerqi* Janssens,1968
- 6787) **Nusa ramicosa (Loew,1871)** (Asilidae) Synonym(s): *ramicosa* Loew,1871
- 6788) **Oligopogon anaticus Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *anaticus* Geller-Grimm & Hradsky,2003
- 6789) **Oligopogon hybotinus (Loew,1847)** (Asilidae) Synonym(s): *hybotinus* Loew,1847
- 6790) **Oligopogon londti Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *londti* Geller-Grimm & Hradsky,2003
- 6791) **Oligopogon rufus Geller-Grimm & Hradsky,2003** (Asilidae) Synonym(s): *rufus* Geller-Grimm & Hradsky,2003
- 6792) **Ommatius stackelbergi (Richter,1960)** (Asilidae) Synonym(s): *stackelbergi* Richter,1960

- 6793) **Pamponerus germanicus (Linnaeus,1758)** (Asilidae) Synonym(s): *germanicus* Linnaeus,1758
- 6794) **Paraphamartania syriaca (Schiner,1867)** (Asilidae) Synonym(s): *syriaca* Schiner,1867
- 6795) **Philodicus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus* Bigot,1880; *bimaculatus* Becker,1913
- 6796) **Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969
- 6797) **Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794
- 6798) **Polyphonus laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus* Loew,1848
- 6799) **Polysarca unguata (Wiedemann,1818)** (Asilidae) Synonym(s): *unguata* Wiedemann,1818
- 6800) **Polysarca violacea Schiner,1867** (Asilidae) Synonym(s): *violacea* Schiner,1867
- 6801) **Promachus canus (Wiedemann,1818)** (Asilidae) Synonym(s): *canus* Wiedemann,1818
- 6802) **Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus* Loew,1848
- 6803) **Promachus microlabis Loew,1857** (Asilidae) Synonym(s): *microlabis* Loew,1857
- 6804) **Promachus mustelus Loew,1854** (Asilidae) Synonym(s): *mustela* Loew,1854
- 6805) **Saropogon dasynotus Loew,1871** (Asilidae) Synonym(s): *dasynotus* Loew,1871
- 6806) **Saropogon ehrenbergii Loew,1851** (Asilidae) Synonym(s): *ehrenbergii* Loew,1851
- 6807) **Saropogon eucerus (Loew,1847)** (Asilidae) Synonym(s): *eucerus* Loew,1847
- 6808) **Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus* Loew,1869; *micropterus* Loew,1869
- 6809) **Saropogon leucocephalus (Meigen,1820)** (Asilidae) Synonym(s): *leucocephalus* Meigen,1820; *scutellaris* Wiedemann,1820
- 6810) **Saropogon melampyrgus (Loew,1851)** (Asilidae) Synonym(s): *melampyrgus* Loew,1851
- 6811) **Saropogon platynotus (Loew,1847)** (Asilidae) Synonym(s): *platynotus* Loew,1847
- 6812) **Saropogon pollinosus Loew,1869** (Asilidae) Synonym(s): *pollinosus* Loew,1869
- 6813) **Saropogon vestitus (Wiedemann,1828)** (Asilidae) Synonym(s): *vestitus* Wiedemann,1828; *aegypticus* Macquart,1838; *confluens* Loew,1851
- 6814) **Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855
- 6815) **Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis* Fabricius,1794; *nubeculipennis* Costa,1863; *menstruus* Loew,1882
- 6816) **Stenopogon callosus (Pallas,1818)** (Asilidae) Synonym(s): *callosus* Pallas,1818
- 6817) **Stenopogon coracinus (Loew,1847)** (Asilidae) Synonym(s): *coracinus* Loew,1847
- 6818) **Stenopogon elongatus (Meigen,1804)** (Asilidae) Synonym(s): *elongatus* Meigen,1804
- 6819) **Stenopogon flavibarbis Enderlein,1934** (Asilidae) Synonym(s): *flavibarbis* Enderlein,1934; *fuscibarbis* Enderlein,1934
- 6820) **Stenopogon junceus (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus* Wiedemann,1820; *tanygastrus* Loew,1861
- 6821) **Stenopogon laevigatus (Loew,1851)** (Asilidae) Synonym(s): *laevigatus* Loew,1851; *bicolor* Bigot,1878
- 6822) **Stenopogon milvus (Loew,1847)** (Asilidae) Synonym(s): *milvus* Loew,1847
- 6823) **Stenopogon mollis Loew,1868** (Asilidae) Synonym(s): *mollis* Loew,1868
- 6824) **Stenopogon nataliae Richter,1963** (Asilidae) Synonym(s): *nataliae* Richter,1963
- 6825) **Stenopogon nigriventris Loew,1868** (Asilidae) Synonym(s): *nigriventris* Loew,1868
- 6826) **Stenopogon roederii Bezzi,1895** (Asilidae) Synonym(s): *roederii* Bezzi,1895
- 6827) **Stenopogon rufescens Theodor,1980** (Asilidae) Synonym(s): *rufescens* Theodor,1980
- 6828) **Stenopogon rufipilus (Loew,1873)** (Asilidae) Synonym(s): *rufipilus* Loew,1873
- 6829) **Stenopogon sabaudus (Fabricius,1794)** (Asilidae) Synonym(s): *sabaudus* Fabricius,1794; *fulvus* Pallas,1818
- 6830) **Stenopogon sciron (Loew,1873)** (Asilidae) Synonym(s): *sciron* Loew,1873; *theseus* Loew,1873
- 6831) **Stenopogon strataegus Gerstaecker,1862** (Asilidae) Synonym(s): *strataegus* Gerstaecker,1862; *antar* Schiner,1867
- 6832) **Stenopogon xanthotricus (Brullé,1832)** (Asilidae) Synonym(s): *xanthotricus* Brullé,1832
- 6833) **Stichopogon albofasciatus (Meigen,1820)** (Asilidae) Synonym(s): *albofasciatus* Meigen,1820
- 6834) **Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): *chrysostoma* Schiner,1867; *lucidiventria* Becker,1902
- 6835) **Stichopogon elegantulus (Wiedemann,1820)** (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820
- 6836) **Stichopogon inaequalis Loew,1847** (Asilidae) Synonym(s): *inaequalis* Loew,1847
- 6837) **Stichopogon scaliger Loew,1847** (Asilidae) Synonym(s): *scaliger* Loew,1847; *congener* Loew,1856
- 6838) **Stiphrolamyra pleskei (Becker,1913)** (Asilidae) Synonym(s): *pleskei* Becker,1913
- 6839) **Tolmerus angustifrons (Loew,1849)** (Asilidae) Synonym(s): *angustifrons* Loew,1849
- 6840) **Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781; *striatus* Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848

- 6841) Tolmerus muhabbet Koçak,2008** (Asilidae) Synonym(s): *fuscus* Macquart,1839 nec Wied.,1828; *muhabbet* Koçak,2008
- 6842) Tolmerus paganus Becker,1923** (Asilidae) Synonym(s): *paganus* Becker,1923
- 6843) Tolmerus senex (Wiedemann,1820)** (Asilidae) Synonym(s): *senex* Wiedemann,1820
- 6844) Tolmerus tivenensis Theodor,1980** (Asilidae) Synonym(s): *tivenensis* Theodor,1980
- 6845) Tolmerus turcicus Koçak & Kemal,2008** (Asilidae) Synonym(s): *tesselatus* Loew,1849 nec Brull.,1832; *turcicus* Koçak & Kemal,2008
- 6846) Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus* Loew,1851; *halictivorus* Rondani,1856
- 6847) Turka cervinus (Loew,1856)** (Asilidae) Synonym(s): *cervinus* Loew,1856; *cretaceus* Becker,1913
- 6848) Turka tridentatus (Loew,1871)** (Asilidae) Synonym(s): *tridentatus* Loew,1871

ASTEROLECANIIDAE

- 6849) Asterodiaspis ilicicola (Targioni Tozzetti)** (Asterolecaniidae) Synonym(s): *ilicicola* (Targioni Tozzetti)
- 6850) Asterodiaspis quercicola (Bouche)** (Asterolecaniidae) Synonym(s): *quercicola* (Bouche)
- 6851) Asterodiaspis variolasa (Ratzeburg)** (Asterolecaniidae) Synonym(s): *variolasa* (Ratzeburg)
- 6852) Planchonia arabidis Signoret** (Asterolecaniidae) Synonym(s): *arabidis* Signoret
- 6853) Planchonia zanthenes (Russel)** (Asterolecaniidae) Synonym(s): *zanthenes* (Russel)
- 6854) Pollinia pollini (A.Costa)** (Asterolecaniidae) Synonym(s): *pollini* (A.Costa)

ATHERICIDAE

- 6855) Atricops apollinis Lindler,1923** (Athericidae) Synonym(s): *apollinis* Lindler,1923

ATTELABIDAE

- 6856) Apoderus coryli (Linnaeus,1758)** (Attelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790
- 6857) Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens* Scopoli,1763; *curculionoides* Linnaeus,1767; *coryli* Müller,1776; *maculipes* Rondani,1833
- 6858) Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons* Argod,1895
- 6859) Attelabus suturalis Jekel,1860** (Attelabidae) Synonym(s): *suturalis* Jekel,1860
- 6860) Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934
- 6861) Auletobius pubescens (Kiesenwetter,1852)** (Attelabidae) Synonym(s): *pubescens* Kiesenwetter,1852; *cisticola* Fairmaire,1859; *subplumbeus* Chevrolat,1860
- 6862) Byctiscus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *violaceus* Poda,1761; *unispinosus* Müller,1776; *inermis* Müller,1776; *unispinus* Müller,1776; *bispinus* Müller,1776; *alni* Müller,1776; *viridis* Geoffroy,1785; *betuleti* Fabricius,1792; *populi* Paykull,1792; *violacea* Donovan,1794
- 6863) Byctiscus populi (Linnaeus,1758)** (Attelabidae) Synonym(s): *populi* Linnaeus,1758; *auratus* Fourcroy,1785
- 6864) Chonostropheus tristis (Fabricius,1794)** (Attelabidae) Synonym(s): *tristis* Fabricius,1794; *seminiger* Reitter,1880
- 6865) Coenorrhinus aeneovirens (Marsham,1802)** (Attelabidae) Synonym(s): *minutus* Herbst,1797; *aeneovirens* Marsham,1802; *punctatus* Olivier,1807; *obscurus* Gyllenhal,1833
- 6866) Coenorrhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903
- 6867) Coenorrhinus cribripennis Desbrochers,1869** (Attelabidae) Synonym(s): *cribripennis* Desbrochers,1869
- 6868) Coenorrhinus cribrum (Desbrochers,1875)** (Attelabidae) Synonym(s): *cribrum* Desbrochers,1875; *italicus* Voss,1929
- 6869) Coenorrhinus germanicus (Herbst,1797)** (Attelabidae) Synonym(s): *germanicus* Herbst,1797; *rugipennis* Stephens,1831; *minutus* C.G.Thomson,1865 nec Herbst.; *fauconetti* Pic,1926
- 6870) Coenorrhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus* Germar,1824; *persicus* Gyllenhal,1839; *pauculus* Voss,1933
- 6871) Deporaus betulae (Linnaeus,1758)** (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *populi* Scopoli,1763; *fagi* Scopoli,1763; *femoratus* Olivier,1789; *populneus* Gmelin,1790; *femoralis* Latreille,1804
- 6872) Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Attelabidae) Synonym(s): *cavifrons* Gyllenhal,1833

- 6873) Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermannii* Desbrochers,1845; *syriacus* Desbrochers,1868
- 6874) Lasiorrhynchites sericeus (Herbst,1797)** (Attelabidae) Synonym(s): *sericeus* Herbst,1797; *ophthalmicus* Stephens,1831; *similis* Curtis,1837; *splendidulus* Kiesenwetter,1861
- 6875) Pselaphorhynchites nanus (Paykull,1792)** (Attelabidae) Synonym(s): *nanus* Paykull,1792; *planirostris* Fabricius,1801; *cylindricus* Stephens,131; *angustifrons* Voss,1932
- 6876) Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798
- 6877) Rhynchites aereipennis Desbrochers,1895** (Attelabidae) Synonym(s): *aereipennis* Desbrochers,1895
- 6878) Rhynchites auratus (Scopoli,1763)** (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937
- 6879) Rhynchites bacchus (Linnaeus,1758)** (Attelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938
- 6880) Rhynchites coeruleus (De Geer,1775)** (Attelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliarum* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930
- 6881) Rhynchites giganteus Krynický,1832** (Attelabidae) Synonym(s): *giganteus* Krynický,1832
- 6882) Rhynchites hajastanicus Ter-Minacian,1965** (Attelabidae) Synonym(s): *hajastanicus* Ter-Minacian,1965
- 6883) Rhynchites hungaricus (Herbst,1784)** (Attelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916
- 6884) Rhynchites lenaeus Faust,1891** (Attelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926
- 6885) Rhynchites lodosi Voss,1973** (Attelabidae) Synonym(s): *lodosi* Voss,1973
- 6886) Rhynchites purpureipennis Voss,1973** (Attelabidae) Synonym(s): *purpureipennis* Voss,1973
- 6887) Rhynchites smyrnensis Desbrochers,1869** (Attelabidae) Synonym(s): *smyrnensis* Desbrochers,1869
- 6888) Rhynchites trojanus Gyllenhal,1839** (Attelabidae) Synonym(s): *trojanus* Gyllenhal,1839; *maximus* Desbrochers,1869; *minor* Schilsky,1903

AULACIDAE

- 6889) Pristaulacus gloriator (Fabricius,1804)** (Aulacidae) Synonym(s): *gloriator* Fabricius,1804; *flagellatus* Nees,1834; *erichsoni* Westwood,1841; *fasciatus* Kriechbaumer,1883
- 6890) Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis* Westwood,1841; *schlettereri* Kieffer,1904

BACILLIDAE

- 6891) Bacillus sp.** (Basillidae) Synonym(s):

BELOSTOMATIDAE

- 6892) Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853
- 6893) Lethocerus patruelis (Stal,1854)** (Belostomatidae) Synonym(s): *patruelis* Stal,1854

BERAEIDAE

- 6894) Beraea alihosi Sipahiler,2008** (Beraeidae) Synonym(s): *alihosi* Sipahiler,2008
- 6895) Beraea walteri Malicky,1975** (Beraeidae) Synonym(s): *walteri* Malicky,1975
- 6896) Beraeodes minutus (Linnaeus,1761)** (Beraeidae) Synonym(s): *minutus* Linnaeus,1761
- 6897) Ernodes abanticus Çakın,1983** (Beraeidae) Synonym(s): *abanticus* Çakın,1983
- 6898) Ernodes anatolicus Çakın,1983** (Beraeidae) Synonym(s): *anatolicus* Çakın,1983
- 6899) Ernodes articularis Pictet,1834** (Beraeidae) Synonym(s): *articularis* Pictet,1834
- 6900) Ernodes orduensis Sipahiler,2008** (Beraeidae) Synonym(s): *orduensis* Sipahiler,2008

BEROTHIDAE

- 6901) Isoscelipteron fulvum Costa,1863** (Berothidae) Synonym(s): *fulvum* Costa,1863
6902) Nyрма kervillea Navas,1933 (Berothidae) Synonym(s): *kervillea* Navas,1933

BERYTIDAE

- 6903) Apoplymus Fieber,1859** (Berytidae) Synonym(s): *Apoplymus Fieber,1859*
6904) Apoplymus pectoralis Fieber,1859 (Berytidae) Synonym(s): *pectoralis Fieber,1859*
6905) Berytinus consimilis (Horvath,1885) (Berytidae) Synonym(s): *consimilis Horvath,1885*
6906) Berytinus distinguendus (Ferrari,1874) (Berytidae) Synonym(s): *distinguendus Ferrari,1874*
6907) Berytinus geniculatus (Horvath,1885) (Berytidae) Synonym(s): *geniculatus Horvath,1885*
6908) Berytinus minor (Herrich-Schäffer,1835) (Berytidae) Synonym(s): *minor Herrich-Schäffer,1835*
6909) Berytinus montivagus (Meyer-Dür,1841) (Berytidae) Synonym(s): *montivagus Meyer-Dür,1841*
6910) Berytinus nigrolineatus (Jakovlev,1904) (Berytidae) Synonym(s): *nigrolineatus Jakovlev,1904*
6911) Berytinus signoreti (Fieber,1859) (Berytidae) Synonym(s): *signoreti Fieber,1859*
6912) Cardopostethus annulosus Fieber,1859 (Berytidae) Synonym(s): *annulosus Fieber,1859*
6913) Gampsocoris culicinus Seidenstücker,1948 (Berytidae) Synonym(s): *culicinus Seidenstücker,1948*
6914) Gampsocoris enslini Seidenstücker,1953 (Berytidae) Synonym(s): *enslini Seidenstücker,1953*
6915) Gampsocoris punctipes (Germar,1822) (Berytidae) Synonym(s): *punctipes Germar,1822*
6916) Megalomerium meridionale (Costa,1838) (Berytidae) Synonym(s): *meridionale Costa,1838*
6917) Neides aduncus Fieber,1859 (Berytidae) Synonym(s): *aduncus Fieber,1859*
6918) Neides brevipennis Puton,1895 (Berytidae) Synonym(s): *brevipennis Puton,1895*
6919) Neides tipularius (Linnaeus,1758) (Berytidae) Synonym(s): *tipularius Linnaeus,1758*

BIBIONIDAE

- 6920) Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus Linnaeus,1758; citrius Harris,1776; hirtipes Loew,1846; hispanicus Duda,1930; major Duda,1930*
6921) Bibio femoralis Meigen,1818 (Bibionidae) Synonym(s): *femoralis Meigen,1818; globuliceps Loew,1846*
6922) Bibio marci (Linnaeus,1758) (Bibionidae) Synonym(s): *marci Linnaeus,1758; brevicornis Linnaeus,1758; crassipes Harris,1776; funerosus Harris,1776; pusillus Macquart,1846*
6923) \$Bibio anatolicus Skartveit & Nel,2012 (Bibionidae) Synonym(s): *anatolicus Skartveit & Nel,2012*
6924) \$Bibio nigricosta Skartveit & Nel,2012 (Bibionidae) Synonym(s): *nigricosta Skartveit & Nel,2012*
6925) \$Penthetria beskonakensis Skartveit & Nel,2012 (Bibionidae) Synonym(s): *beskonakensis Skartveit & Nel,2012*
6926) Dilophus bispinosus Lundström,1913 (Bibionidae) Synonym(s): *bispinosus Lundström,1913*

BLATTIDAE

- 6927) Blatta orientalis Linnaeus,1758** (Blattidae) Synonym(s): *orientalis Linnaeus,1758*
6928) Blattella germanica (Linnaeus,1767) (Blattidae) Synonym(s): *germanica Linnaeus,1767*
6929) Ectobius balcani Rammer,1923 (Blattidae) Synonym(s): *balcani Rammer,1923*
6930) Ectobius vittiventris Costa,1847 (Blattidae) Synonym(s): *vittiventris Costa,1847*
6931) Loboptera decipiens (Germar,1817) (Blattidae) Synonym(s): *decipiens Germar,1817*
6932) Periplaneta americana (Linnaeus,1758) (Blattidae) Synonym(s): *americana Linnaeus,1758*
6933) Phyllodromica beybienkoi Maran,1957 (Blattidae) Synonym(s): *beybienkoi Maran,1957*
6934) Phyllodromica brevipennis (Fischer,1853) (Blattidae) Synonym(s): *brevipennis Fischer,1853*
6935) Phyllodromica graeca (Brunner von Wattenwyl,1882) (Blattidae) Synonym(s): *graeca Brunner von Wattenwyl,1882*
6936) Phyllodromica larrinuai (Bolivar,1881) (Blattidae) Synonym(s): *larrinuai Bolivar,1881*
6937) Phyllodromica marginata (Schreber,1781) (Blattidae) Synonym(s): *marginata Schreber,1781*
6938) Phyllodromica pallida (Brunner von Wattenwyl,1882) (Blattidae) Synonym(s): *pallida Brunner von Wattenwyl,1882*

- 6939) Phyllodromica polita (Krauss,1888)** (Blattidae) Synonym(s): *polita* Krauss,1888
6940) Phyllodromica znoikoi Bei-Bienko,1938 (Blattidae) Synonym(s): *znoikoi* Bei-Bienko,1938
6941) Shelfordella tartara (Saussure,1874) (Blattidae) Synonym(s): *tartara* Saussure,1874

BLEPHARICERIDAE

- 6942) Apistomyia aphrodite Zwick,1988** (Blephariceridae) Synonym(s): *aphrodite* Zwick,1988
6943) Apistomyia sp. (Blephariceridae) Synonym(s):
6944) Blepharicera fasciata (Westwood,1842) (Blephariceridae) Synonym(s): *fasciata* Westwood,1842
6945) Liponeura bithynica Zwick,1988 (Blephariceridae) Synonym(s): *bithynica* Zwick,1988
6946) Liponeura cinerascens Loew,1844 (Blephariceridae) Synonym(s): *cinerascens* Loew,1844
6947) Liponeura euryfrons Bischoff,1935 (Blephariceridae) Synonym(s): *euryfrons* Bischoff,1935
6948) Liponeura heidae Zwick,1972 (Blephariceridae) Synonym(s): *heidae* Zwick,1972
6949) Liponeura lindneri Zwick,1972 (Blephariceridae) Synonym(s): *lindneri* Zwick,1972
6950) Liponeura mannheimsi Zwick,1972 (Blephariceridae) Synonym(s): *mannheimsi* Zwick,1972
6951) Liponeura osmanica Koç & Zwick,2006 (Blephariceridae) Synonym(s): *osmanica* Koç & Zwick,2006
6952) Liponeura tarnogradskyi Bischoff,1930 (Blephariceridae) Synonym(s): *tarnogradskyi* Bischoff,1930
6953) Liponeura vinconi Zwick,2006 (Blephariceridae) Synonym(s): *vinconi* Zwick,2006

BOLITOPHILIDAE

- 6954) Bolitophila (s.str.) saundersi (Curtis,1836)** (Bolitophilidae) Synonym(s): *saundersi* Curtis,1836

BOMBYLIIDAE

- 6955) Amictus pictus Loew,1869** (Bombyliidae) Synonym(s): *pictus* Loew,1869
6956) Amictus pulchellus Macquart,1846 (Bombyliidae) Synonym(s): *pulchellus* Macquart,1846;
strigillatus Loew,1869
6957) Amictus scutellaris Loew,1869 (Bombyliidae) Synonym(s): *scutellaris* Loew,1869
6958) Amictus setosus Loew,1869 (Bombyliidae) Synonym(s): *setosus* Loew,1869
6959) Amictus validus Loew,1869 (Bombyliidae) Synonym(s): *validus* Loew,1869
6960) Amictus virgatus Austen,1937 (Bombyliidae) Synonym(s): *virgatus* Austen,1937
6961) Anastoechus araxis Paramonov,1926 (Bombyliidae) Synonym(s): *araxis* Paramonov,1926;
nigrisetosus Paramonov,1926
6962) Anastoechus hyrcanus (Wiedemann,1818) (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916
6963) Anastoechus nitidulus (Fabricius,1794) (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794;
caudatus Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989
6964) Anthrax aethiops (Fabricius,1781) (Bombyliidae) Synonym(s): *aethiops* Fabricius,1781; *punctata* Meigen,1820; *mendax* Austen,1937
6965) Anthrax anthrax (Schrank,1781) (Bombyliidae) Synonym(s): *anthrax* Schrank,1781; *sinuata* Meigen,1804
6966) Anthrax binotatus Wiedemann,1820 (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820;
subnotata Wiedemann,1820
6967) Anthrax flavipes (Röder,1896) (Bombyliidae) Synonym(s): *flavipes* Röder,1896
6968) Anthrax flavus (Sack,1909) (Bombyliidae) Synonym(s): *flavus* Sack,1909
6969) Anthrax jazykovi Zakhvatkin,1934 (Bombyliidae) Synonym(s): *jazykovi* Zakhvatkin,1934;
jazykovi Paramonov,1935
6970) Anthrax leucogaster Wiedemann,1820 (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820
6971) Anthrax lucidus Becker,1902 (Bombyliidae) Synonym(s): *lucidus* Becker,1902
6972) Anthrax monachus (Sack,1909) (Bombyliidae) Synonym(s): *monachus* Sack,1909
6973) Anthrax pilosulus Strobl,1902 (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902
6974) Anthrax sticticus Klug,1832 (Bombyliidae) Synonym(s): *sticticus* Klug, 1832
6975) Anthrax trifasciatus Meigen,1804 (Bombyliidae) Synonym(s): *trifasciatus* Meigen,1804
6976) Anthrax varius Fabricius,1794 (Bombyliidae) Synonym(s): *varius* Fabricius,1794
6977) Anthrax virgo Egger,1859 (Bombyliidae) Synonym(s): *virgo* Egger,1859

- 6978) *Apolysis fumipennis* (Loew,1844)** (Bombyliidae) Synonym(s): *fumipennis* Loew,1844
- 6979) *Beckerellus androgynus* (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855
- 6980) *Bombomyia discoidea* (Fabricius,1794)** (Bombyliidae) Synonym(s): *analis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analis* Thunberg,1827; *trichromus* Paramonov,1955
- 6981) *Bombomyia vertebralis* (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849
- 6982) *Bombylella atra* (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855
- 6983) *Bombylella* sp.n.** (Bombyliidae) Synonym(s):
- 6984) *Bombylisoma brevisculum* (Loew,1855)** (Bombyliidae) Synonym(s): *brevisculum* Loew,1855
- 6985) *Bombylisoma croaticum* (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 nec Pall.,1818; *croaticum* Kertész,1901
- 6986) *Bombylisoma flavibarbum* (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937
- 6987) *Bombylisoma imitator* (Loew,1855)** (Bombyliidae) Synonym(s): *imitator* Loew,1855
- 6988) *Bombylisoma melanocephalum* (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum* Fabricius,1794; *argyropyga* Macquart,1846
- 6989) *Bombylisoma minimum* (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804
- 6990) *Bombylisoma nigriceps* (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Ségué,1926
- 6991) *Bombylisoma simulator* (Loew,1855)** (Bombyliidae) Synonym(s): *simulator* Loew,1855
- 6992) *Bombylisoma turkmenicum* (Paramonov,1926)** (Bombyliidae) Synonym(s): *turkmenicum* Paramonov,1926; *flavisetis* Paramonov,1940
- 6993) *Bombylisoma unicolor* (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855
- 6994) *Bombylius* (s.str.) *aksarayensis* Hasbenli & Zaitzev,2000** (Bombyliidae) Synonym(s): *aksarayensis* Hasbenli & Zaitzev,2000
- 6995) *Bombylius* (s.str.) *ambustus* Pallas,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas,1818; *dispar* Meigen,1820
- 6996) *Bombylius* (s.str.) *analis* Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796
- 6997) *Bombylius* (s.str.) *candidus* Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855
- 6998) *Bombylius* (s.str.) *canescens* Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855
- 6999) *Bombylius* (s.str.) *cinerascens* Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820
- 7000) *Bombylius* (s.str.) *citrinus* Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855
- 7001) *Bombylius* (s.str.) *discolor* Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796
- 7002) *Bombylius* (s.str.) *fimbriatus* Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855
- 7003) *Bombylius* (s.str.) *flavipes* Wiedemann,1828** (Bombyliidae) Synonym(s): *flavipes* Wiedemann,1828
- 7004) *Bombylius* (s.str.) *floccosus* Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892
- 7005) *Bombylius* (s.str.) *fulvescens* Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820
- 7006) *Bombylius* (s.str.) *major* Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Lioy,1864; *notialis* Evenhuis,1978
- 7007) *Bombylius* (s.str.) *medius* Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *causicus* Paramonov,1940; *varipennis* Evenhuis,1978
- 7008) *Bombylius* (s.str.) *niveus* Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804
- 7009) *Bombylius* (s.str.) *nubilus* Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932
- 7010) *Bombylius* (s.str.) *posticus* Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926
- 7011) *Bombylius* (s.str.) *pumilus* Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820
- 7012) *Bombylius* (s.str.) *punctipennis* Loew,1855** (Bombyliidae) Synonym(s): *punctipennis* Loew,1855

- 7013) Bombylius (s.str.) rhodius Loew,1855** (Bombyliidae) Synonym(s): *rhodius* Loew,1855
- 7014) Bombylius (s.str.) spinulosus Hasbenli & Zaitzev,2000** (Bombyliidae) Synonym(s): *spinulosus* Hasbenli & Zaitzev,2000
- 7015) Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 nec Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926
- 7016) Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830
- 7017) Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926
- 7018) Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855
- 7019) Caecanthrax arabicus (Macquart,1840)** (Bombyliidae) Synonym(s): *arabicus* Macquart,1840; *punctum* Loew,1854; *dimidiatus* Greathead,1980
- 7020) Callostoma fascipenne Macquart,1840** (Bombyliidae) Synonym(s): *fascipenne* Macquart,1840; *palaestinae* Paramonov,1931
- 7021) Callostoma oezbeki Dils & Özbek,2006** (Bombyliidae) Synonym(s): *oezbeki* Dils & Özbek,2006
- 7022) Chalcochiton pallasii (Loew,1856)** (Bombyliidae) Synonym(s): *pallasii* Loew,1856; *schineri* Nowicki,1868
- 7023) Chalcochiton speciosus Loew,1844** (Bombyliidae) Synonym(s): *speciosus* Loew,1844
- 7024) Chalcochiton syriacus (Loew,1869)** (Bombyliidae) Synonym(s): *syriacus* Loew,1869
- 7025) Cononedys stenura (Loew,1871)** (Bombyliidae) Synonym(s): *stenura* Loew,1871
- 7026) Conophorus aktashi Hasbenli, Koç & Zaitzev,1998** (Bombyliidae) Synonym(s): *aktashi* Hasbenli, Koç & Zaitzev,1998
- 7027) Conophorus anatolicus Zaitzev,1981** (Bombyliidae) Synonym(s): *anatolicus* Zaitzev,1981
- 7028) Conophorus asiaticus Paramonov,1929** (Bombyliidae) Synonym(s): *asiaticus* Paramonov,1929
- 7029) Conophorus bivittatus (Loew,1862)** (Bombyliidae) Synonym(s): *bivittatus* Loew,1862
- 7030) Conophorus glaucescens (Loew,1863)** (Bombyliidae) Synonym(s): *glaucescens* Loew,1863; *#glaucescens* Hasbenli & Aktaş,1995
- 7031) Conophorus gracilis Dils & Özbek,2006** (Bombyliidae) Synonym(s): *gracilis* Dils & Özbek,2006
- 7032) Conophorus nobilis (Loew,1873)** (Bombyliidae) Synonym(s): *nobilis* Loew,1873
- 7033) Conophorus rjabovi Paramonov,1929** (Bombyliidae) Synonym(s): *rjabovi* Paramonov,1929
- 7034) Conophorus rossicus Paramonov,1929** (Bombyliidae) Synonym(s): *rossicus* Paramonov,1929
- 7035) Conophorus simplex Loew,1869** (Bombyliidae) Synonym(s): *simplex* Loew,1869
- 7036) Conophorus storthus Bowden,1967** (Bombyliidae) Synonym(s): *storthus* Bowden,1967
- 7037) Conophorus syriacus Paramonov,1929** (Bombyliidae) Synonym(s): *syriacus* Paramonov,1929
- 7038) Conophorus virescens (Fabricius,1787)** (Bombyliidae) Synonym(s): *virescens* Fabricius,1787; *maurus* Mikan,1796; *hirticornis* Latreille,1805; *semirostris* Pallas,1818; *lurida* Wiedemann,1820
- 7039) Cyllenia marginata Loew,1846** (Bombyliidae) Synonym(s): *marginata* Loew,1846
- 7040) Cyllenia obsoleta Loew,1846** (Bombyliidae) Synonym(s): *obsoleta* Loew,1846
- 7041) Cyllenia rustica (Rossi,1790)** (Bombyliidae) Synonym(s): *rustica* Rossi,1790; *maculata* Latreille,1802; *cyllenia* Lamarck,1816
- 7042) Cytherea alexandrina (Becker,1902)** (Bombyliidae) Synonym(s): *alexandrina* Becker,1902
- 7043) Cytherea delicata (Becker,1906)** (Bombyliidae) Synonym(s): *delicata* Becker,1906
- 7044) Cytherea dispar (Loew,1873)** (Bombyliidae) Synonym(s): *dispar* Loew,1873
- 7045) Cytherea fenestrata (Loew,1873)** (Bombyliidae) Synonym(s): *fenestrata* Loew,1873
- 7046) Cytherea fenestrulata (Loew,1873)** (Bombyliidae) Synonym(s): *fenestrulata* Loew,1873; *armeniaca* Paramonov,1930
- 7047) Cytherea melaleuca (Loew,1873)** (Bombyliidae) Synonym(s): *melaleuca* Loew,1873; *melanoleuca* Becker,1903
- 7048) Cytherea obscura Fabricius,1794** (Bombyliidae) Synonym(s): *obscura* Fabricius,1794; *tauriacus* Becker,1903
- 7049) Cytherea pallidipennis Abbasian-Lintzen,1968** (Bombyliidae) Synonym(s): *pallidipennis* Abbasian-Lintzen,1968
- 7050) Eclimus gracilis Loew,1844** (Bombyliidae) Synonym(s): *gracilis* Loew,1844; *festae* Bezzi,1924
- 7051) Eclimus perspicillaris Loew,1844** (Bombyliidae) Synonym(s): *perspicillaris* Loew,1844
- 7052) Exhyalanthrax afer (Fabricius,1794)** (Bombyliidae) Synonym(s): *afer* Fabricius,1794; *fimbriata* Meigen,1804; *marginalis* Wiedemann,1820; *tangerinus* Bigot,1892; *burtti* Hesse,1956; *aequisex* Bowden,1964; *decipiens* Bowden,1964
- 7053) Exhyalanthrax albicingulus (Austen,1936)** (Bombyliidae) Synonym(s): *albicingulus* Austen,1936
- 7054) Exhyalanthrax argentifer (Becker,1916)** (Bombyliidae) Synonym(s): *argentifer* Becker,1916
- 7055) Exhyalanthrax autumnalis (Becker,1916)** (Bombyliidae) Synonym(s): *autumnalis* Becker,1916
- 7056) Exhyalanthrax contrarius Becker,1916** (Bombyliidae) Synonym(s): *contrarius* Becker,1916

- 7057) Exhyalanthrax melanchlaenus (Loew,1869)** (Bombyliidae) Synonym(s): *melanchlaenus* Loew,1869; *agnitionalis* Austen,1937
- 7058) Exhyalanthrax muscarius (Pallas,1818)** (Bombyliidae) Synonym(s): *muscarius* Pallas,1818; *vagans* Loew,1862; *squamifera* Jaennicke,1867; *marginalis* Bezzi,1903; *beckeri* Paramonov,1927; *unistriata* Engel,1936
- 7059) Exoprosopa ahtamara Dils & Özbek,2007** (Bombyliidae) Synonym(s): *ahtamara* Dils & Özbek,2007
- 7060) Exoprosopa baccha Loew,1869** (Bombyliidae) Synonym(s): *baccha* Loew,1869
- 7061) Exoprosopa capucina (Fabricius,1781)** (Bombyliidae) Synonym(s): *capucina* Fabricius,1781; *caloptera* Pallas,1818
- 7062) Exoprosopa cleomene Egger,1859** (Bombyliidae) Synonym(s): *cleomene* Egger,1859
- 7063) Exoprosopa dedecor Loew,1871** (Bombyliidae) Synonym(s): *dedecor* Loew,1871
- 7064) Exoprosopa dispar (Loew,1869)** (Bombyliidae) Synonym(s): *dispar* Loew,1869; *interrupta* Paramonov,1928 nec Wied.,1828; *paramonovi* Evenhuis,1978
- 7065) Exoprosopa grandis (Wiedemann,1820)** (Bombyliidae) Synonym(s): *grandis* Wiedemann,1820; *fasciata* Dufour,1850 nec Meig.,1804; *turcomana* Portschinsky,1887
- 7066) Exoprosopa jacchus (Fabricius,1805)** (Bombyliidae) Synonym(s): *jacchus* Fabricius,1805; *picta* Wiedemann,1820; *quadripunctata* Paramonov,1926
- 7067) Exoprosopa lucidifrons Becker,1913** (Bombyliidae) Synonym(s): *lucidifrons* Becker,1913
- 7068) Exoprosopa maenas Loew,1869** (Bombyliidae) Synonym(s): *maenas* Loew,1869
- 7069) Exoprosopa melaena Loew,1874** (Bombyliidae) Synonym(s): *melaena* Loew,1874; *abbreviata* Paramonov,1928
- 7070) Exoprosopa minoides Paramonov,1928** (Bombyliidae) Synonym(s): *minoides* Paramonov,1928
- 7071) Exoprosopa minois Loew,1869** (Bombyliidae) Synonym(s): *minois* Loew,1869; *semiflavida* Becker,1906
- 7072) Exoprosopa minos (Meigen,1804)** (Bombyliidae) Synonym(s): *minos* Meigen,1804; *semialba* Pallas & Wiedemann,1818; *germari* Wiedemann,1818; *senilis* Klug,1832; *albiventris* Macquart,1840
- 7073) Exoprosopa onusta (Walker,1852)** (Bombyliidae) Synonym(s): *onusta* Walker,1852; *truquii* Rondani,1863
- 7074) Exoprosopa pandora (Fabricius,1805)** (Bombyliidae) Synonym(s): *pandora* Fabricius,1805
- 7075) Exoprosopa pectoralis Loew,1862** (Bombyliidae) Synonym(s): *pectoralis* Loew,1862
- 7076) Exoprosopa pleskei Paramonov,1928** (Bombyliidae) Synonym(s): *pleskei* Paramonov,1928; *transcaucasica* Paramonov,1928
- 7077) Exoprosopa rivularis (Meigen,1820)** (Bombyliidae) Synonym(s): *rivularis* Meigen,1820; *argyrocephala* Macquart,1840; *undans* Walker,1849
- 7078) Exoprosopa rutila (Wiedemann,1818)** (Bombyliidae) Synonym(s): *rutila* Wiedemann,1818; *daubei* Guérin-Méneville,1844; *miegii* Dufour,1850; *interrupta* Mulsant,1852; *hilaris* Eversmann,1855; *kruegeri* Bezzi,1926
- 7079) Exoprosopa subfasciata Engel,1936** (Bombyliidae) Synonym(s): *subfasciata* Engel,1936
- 7080) Geron (s.str.) asiaticus Zaitzev,1967** (Bombyliidae) Synonym(s): *asiaticus* Zaitzev,1967; *paramonovi* Greathead,2001 nec Evenh.,1979
- 7081) Geron (s.str.) auratus Zaitzev,1962** (Bombyliidae) Synonym(s): *auratus* Zaitzev,1962
- 7082) Geron (s.str.) emiliae Zaitzev,1964** (Bombyliidae) Synonym(s): *emiliae* Zaitzev,1964
- 7083) Geron (s.str.) gibbosus (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus* Olivier,1789; *hybridus* Meigen,1804; *gibbosus* Meigen,1820; *corcyreus* Frey,1936
- 7084) Geron (s.str.) griseus Zaitzev,1962** (Bombyliidae) Synonym(s): *griseus* Zaitzev,1962
- 7085) Geron (s.str.) halteralis Wiedemann,1820** (Bombyliidae) Synonym(s): *halteralis* Wiedemann,1820; *albidulus* François,1969
- 7086) Geron (s.str.) kozlovi Zaitzev,1972** (Bombyliidae) Synonym(s): *kozlovi* Zaitzev,1972
- 7087) Geron (s.str.) krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929
- 7088) Geron (s.str.) longiventris Efflatoun,1945** (Bombyliidae) Synonym(s): *longiventris* Efflatoun,1945; *roborovskii* Zaitzev,1996
- 7089) Geron (s.str.) macquarti Greathead,1999** (Bombyliidae) Synonym(s): *macquarti* Greathead,1999
- 7090) Geron (s.str.) olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840
- 7091) Geron (s.str.) smirnovi Zaitzev,1978** (Bombyliidae) Synonym(s): *smirnovi* Zaitzev,1978
- 7092) Hemipenthes hamiferus (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854
- 7093) Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927
- 7094) Hemipenthes mesasiatica Zaitzev,1962** (Bombyliidae) Synonym(s): *mesasiatica* Zaitzev,1962
- 7095) Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823
- 7096) Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus* Zaitzev,1966

- 7097) Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820
- 7098) Heteralonia (Acrodisca) suffusa (Klug,1832)** (Bombyliidae) Synonym(s): *suffusa* Klug,1832; *conturbata* Loew,1869
- 7099) Heteralonia (Homolonia) megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937
- 7100) Heteralonia (Zygodiola) aeaca (Meigen,1804)** (Bombyliidae) Synonym(s): *aeaca* Meigen,1804; *livida* Pallas,1818; *bombyciformis* Dufour,1833; *lutea* Macquart,1840
- 7101) Heteralonia (Zygodiola) algira (Fabricius,1794)** (Bombyliidae) Synonym(s): *algira* Fabricius,1794; *sicula* Macquart,1834; *archimedeia* Bigot,1861
- 7102) Heteralonia (Zygodiola) normalis (Loew,1869)** (Bombyliidae) Synonym(s): *normalis* Loew,1869
- 7103) Heteralonia (Zygodiola) rivulosa (Becker,1902)** (Bombyliidae) Synonym(s): *rivulosa* Becker,1902
- 7104) Heteralonia (Zygodiola) subfasciata (Engel,1936)** (Bombyliidae) Synonym(s): *subfasciata* Engel,1936
- 7105) Heterotropus albidipennis Loew,1873** (Bombyliidae) Synonym(s): *albidipennis* Loew,1873
- 7106) Heterotropus pyrus Bowden,1967** (Bombyliidae) Synonym(s): *pyrus* Bowden,1967
- 7107) Heterotropus taurus Bowden,1967** (Bombyliidae) Synonym(s): *taurus* Bowden,1967
- 7108) Legnotomyia singularis (Macquart,1846)** (Bombyliidae) Synonym(s): *singularis* Macquart,1846; *bombyliformis* Becker,1906
- 7109) Legnotomyia trichorhoea (Loew,1855)** (Bombyliidae) Synonym(s): *trichorhoea* Loew,1855
- 7110) Ligyra ferrea (Walker,1849)** (Bombyliidae) Synonym(s): *ferrea* Walker,1849; *#versicolor* Loew,1869
- 7111) Lomatia abbreviata Villeneuve,1913** (Bombyliidae) Synonym(s): *abbreviata* Villeneuve,1913
- 7112) Lomatia alecto Loew,1846** (Bombyliidae) Synonym(s): *alecto* Loew,1846
- 7113) Lomatia armeniaca Paramonov,1924** (Bombyliidae) Synonym(s): *armeniaca* Paramonov,1924
- 7114) Lomatia belzebul (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul* Fabricius,1794
- 7115) Lomatia erinnys Loew,1869** (Bombyliidae) Synonym(s): *erinnys* Loew,1869
- 7116) Lomatia fasciculata Loew,1869** (Bombyliidae) Synonym(s): *fasciculata* Loew,1869
- 7117) Lomatia flavitibia Zaitzev,1966** (Bombyliidae) Synonym(s): *flavitibia* Zaitzev,1966
- 7118) Lomatia grajugenea Loew,1869** (Bombyliidae) Synonym(s): *grajugenea* Loew,1869
- 7119) Lomatia lachesis Egger,1859** (Bombyliidae) Synonym(s): *lachesis* Egger,1859
- 7120) Lomatia persica Paramonov,1924** (Bombyliidae) Synonym(s): *persica* Paramonov,1924
- 7121) Lomatia polyzona Loew,1869** (Bombyliidae) Synonym(s): *polyzona* Loew,1869
- 7122) Lomatia rogenhoferi Nowicki,1867** (Bombyliidae) Synonym(s): *rogenhoferi* Nowicki,1867
- 7123) Lomatia sabaea (Fabricius,1781)** (Bombyliidae) Synonym(s): *sabaea* Fabricius,1781
- 7124) Lomatia superba Loew,1869** (Bombyliidae) Synonym(s): *superba* Loew,1869
- 7125) Lomatia tysiophone Loew,1860** (Bombyliidae) Synonym(s): *tysiophone* Loew,1860
- 7126) Mariobezzia lichtwardti Becker,1913** (Bombyliidae) Synonym(s): *lichtwardti* Becker,1913; *zarudnyi* Becker,1913; *griseohirta* Nurse,1922; *pellucida* Paramonov,1929; *aegyptiacat* Engel,1933
- 7127) Micomitra bella (Austen,1937)** (Bombyliidae) Synonym(s): *bella* Austen,1937
- 7128) Micomitra iris (Loew,1869)** (Bombyliidae) Synonym(s): *iris* Loew,1869
- 7129) Micomitra stupida (Rossi,1790)** (Bombyliidae) Synonym(s): *stupida* Rossi,1790; *rhadamanthus* Meigen,1804; *chalcoides* Pallas,1818; *vitricosta* Walker,1849; *vitricosta* Walker,1849; *squamea* Mulsant,1852
- 7130) Oestranthrax brunnescens Loew,1857** (Bombyliidae) Synonym(s): *brunnescens* Loew,1857
- 7131) Oestranthrax karavajevi Paramonov,1931** (Bombyliidae) Synonym(s): *karavajevi* Paramonov,1931
- 7132) Oestranthrax melanothrix Miksch,1991** (Bombyliidae) Synonym(s): *melanothrix* Miksch,1991
- 7133) Oligodranes obscuripennis Loew,1844** (Bombyliidae) Synonym(s): *obscuripennis* Loew,1844
- 7134) Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989
- 7135) Pachyanthrax unctus (Loew,1869)** (Bombyliidae) Synonym(s): *unctus* Loew,1869
- 7136) Parageron punctipennis (Loew,1846)** (Bombyliidae) Synonym(s): *punctipennis* Loew,1846
- 7137) Petrorossia hespera (Rossi,1790)** (Bombyliidae) Synonym(s): *hesperus* Rossi,1790; *albipectus* Walker,1849
- 7138) Petrorossia letho (Wiedemann,1828)** (Bombyliidae) Synonym(s): *letho* Wiedemann,1828; *longitarsis* Becker,1902
- 7139) Phthiria conspicua Loew,1846** (Bombyliidae) Synonym(s): *conspicua* Loew,1846
- 7140) Phthiria gaedii Wiedemann,1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedii* Engel,1933

- 7141) *Phthiria pulicaria* (Mikan,1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909
- 7142) *Phthiria subnitens* Loew,1846** (Bombyliidae) Synonym(s): *subnitens* Loew,1846; *rustica* Loew,1846
- 7143) *Phthiria vagans* Loew,1846** (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescent* Engel,1933
- 7144) *Plesiocera algira* Macquart,1840** (Bombyliidae) Synonym(s): *algira* Macquart,1840; *fornicata* Loew,1857; *inaequalis* Becker,1906
- 7145) *Prorachthes beckeri* Paramonov,1926** (Bombyliidae) Synonym(s): *beckeri* Paramonov,1926
- 7146) *Prorachthes ledereri* Loew,1868** (Bombyliidae) Synonym(s): *ledereri* Loew,1868
- 7147) *Prorachthes pleskei* Paramonov,1927** (Bombyliidae) Synonym(s): *pleskei* Paramonov,1927
- 7148) *Pterobates shelkovnikovi* (Paramonov,1928)** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1928
- 7149) *Satyramoeba hetrusca* (Fabricius,1794)** (Bombyliidae) Synonym(s): *hetrusca* Fabricius,1794; *rubiginipennis* Macquart,1840; *formosa* Dufour,1852; *etrusca* Bezzi,1903
- 7150) *Spogostylum candidum* (Sack,1909)** (Bombyliidae) Synonym(s): *candidum* Sack,1909
- 7151) *Spogostylum caucasicum* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *caucasicum* Zaitzev,1961
- 7152) *Spogostylum dubium* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *dubium* Zaitzev,1961
- 7153) *Spogostylum hippolytum* (Wiedemann,1828)** (Bombyliidae) Synonym(s): *hippolytum* Wiedemann,1828; *dedecor* Hermann,1907
- 7154) *Spogostylum isis* (Meigen,1820)** (Bombyliidae) Synonym(s): *isis* Meigen,1820; *subnotata* Walker,1871 nec Wied.,1820
- 7155) *Spogostylum niphias* (Hermann,1907)** (Bombyliidae) Synonym(s): *niphias* Hermann,1907; *bilineata* Engel,1936
- 7156) *Spogostylum rufulum* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *rufulum* Zaitzev,1961
- 7157) *Spogostylum tripunctatum* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *tripunctatum* Wiedemann,1820; *difficilis* Wiedemann,1820; *mystaceum* Macquart,1840
- 7158) *Spogostylum zaitzevi* Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *punctipennis* Zaitzev,1961 nec Wiedem.,1821; *zaitzevi* Evenhuis & Greathead,1999; *#zaitzevi* Dils & Özbek,2006
- 7159) *Stomylomyia europaea* (Loew,1869)** (Bombyliidae) Synonym(s): *europaea* Loew,1869; *leonina* Bigot,1887
- 7160) *Systoechus autumnalis* (Wiedemann,1818)** (Bombyliidae) Synonym(s): *autumnalis* Wiedemann,1818
- 7161) *Systoechus ctenopterus* (Mikan,1796)** (Bombyliidae) Synonym(s): *ctenopterus* Mikan,1796; *sulphureus* Mikan,1796; *aurulentus* Wiedemann,1820; *fulvus* Meigen,1820; *dalmatinus* Loew,1855; *convergens* Loew,1855; *orientalis* Zakhvatkin,1954
- 7162) *Systoechus gradatus* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *gradatus* Wiedemann,1820; *leucophaeus* Wiedemann,1820; *lucidus* Loew,1855; *gallicus* Villeneuve,1904; *tesquorum* Becker,1916; *validus* Bezzi,1925
- 7163) *Systoechus longirostris* Becker,1916** (Bombyliidae) Synonym(s): *longirostris* Becker,1916
- 7164) *Systoechus tesquorum* Becker,1916** (Bombyliidae) Synonym(s): *tesquorum* Becker,1916
- 7165) *Thevenetimyia* (s.str.) *zerrinae* Hasbenli,2005** (Bombyliidae) Synonym(s): *zerrinae* Hasbenli,2005
- 7166) *Thyridanthrax elegans* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *elegans* Wiedemann,1820; *fenestralis* Macquart,1840 nec Wied.,1830; *varinervis* Macquart,1846; *variegatus* Jaennicke,1867 nec Pall.,1818; *macquarti* Bezzi,1912; *calochromatus* Bezzi,1921; *subperspicillaris* Bezzi,1922; *kappa* Bowden,1964; *dolgovskayae* Zaitzev,1999
- 7167) *Thyridanthrax fenestratus* (Fallén,1814)** (Bombyliidae) Synonym(s): *fenestratus* Fallén,1814; *variegata* Pallas,1818; *ornatus* Curtis,1824; *italica* Walker,1849; *montana* Paramonov,1927
- 7168) *Thyridanthrax incanus* (Klug,1832)** (Bombyliidae) Synonym(s): *incanus* Klug,1832; *testacea* Macquart,1840; *varipennis* Macquart,1849
- 7169) *Thyridanthrax lotus* (Loew,1869)** (Bombyliidae) Synonym(s): *lotus* Loew,1869; *confusa* Becker,1916
- 7170) *Thyridanthrax mutilus* (Loew,1869)** (Bombyliidae) Synonym(s): *mutilus* Loew,1869
- 7171) *Thyridanthrax obliterated* (Loew,1862)** (Bombyliidae) Synonym(s): *obliterated* Loew,1862
- 7172) *Thyridanthrax perspicillaris* (Loew,1869)** (Bombyliidae) Synonym(s): *perspicillaris* Loew,1869; *gallus* Loew,1869; *hispanus* Loew,1869; *ternarius* Bezzi,1920; *idolus* Hesse,1956; *speciosus* Hesse,1956; *hessei* Bowden,1964
- 7173) *Thyridanthrax polyphemus* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *polyphemus* Wiedemann,1820; *pumilio* Austen,1937
- 7174) *Toxophora epargyra* Hermann,1907** (Bombyliidae) Synonym(s): *epargyra* Hermann,1907
- 7175) *Toxophora fasciculata* (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933
- 7176) *Triplasius pictus* (Panzer,1794)** (Bombyliidae) Synonym(s): *pictus* Panzer,1794; *planicornis* Fabricius,1798
- 7177) *Usia* (Micrusia) *novakii* Strobl,1902** (Bombyliidae) Synonym(s): *novakii* Strobl,1902

- 7178) *Usia (Micrusia) sricula* Egger,1859 (Bombyliidae) Synonym(s): *sricula* Egger,1859**
7179) *Usia (Micrusia) transcaspica* Paramonov,1950 (Bombyliidae) Synonym(s): *transcaspica* Paramonov,1950
7180) *Usia (Micrusia) versicolor* (Fabricius,1787) (Bombyliidae) Synonym(s): *versicolor* Fabricius,1787; *hyalipennis* Macquart,1840
7181) *Usia (s.str.) aenea* (Rossi,1794) (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertész,1900
7182) *Usia (s.str.) bicolor* Macquart,1855 (Bombyliidae) Synonym(s): *bicolor* Macquart,1855
7183) *Usia (s.str.) calva* Loew,1869 (Bombyliidae) Synonym(s): *calva* Loew,1869
7184) *Usia (s.str.) lata* Loew,1846 (Bombyliidae) Synonym(s): *lata* Loew,1846; *bicoloripes* Malloch,1926
7185) *Usia (s.str.) syriaca* Paramonov,1950 (Bombyliidae) Synonym(s): *syriaca* Paramonov,1950
7186) *Veribubo desertus* Zaitzev,1972 (Bombyliidae) Synonym(s): *desertus* Zaitzev,1972
7187) *Veribubo misellus* (Loew,1869) (Bombyliidae) Synonym(s): *misellus* Loew,1869
7188) *Veribubo transcaspicus* (Paramonov,1924) (Bombyliidae) Synonym(s): *transcaspicus* Paramonov,1924
7189) *Villa abbadon* (Fabricius,1794) (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794
7190) *Villa albida* Becker,1916 (Bombyliidae) Synonym(s): *dubia* Meade,1881; *albida* Becker,1916
7191) *Villa albula* (Loew,1869) (Bombyliidae) Synonym(s): *albula* Loew,1869; *gracilis* Ringdahl,1915
7192) *Villa bizonata* Becker,1916 (Bombyliidae) Synonym(s): *nigripes* Schnabl,1888; *bizonata* Becker,1916
7193) *Villa bombiformis* Becker,1916 (Bombyliidae) Synonym(s): *bombiformis* Becker,1916; *laetabilis* Collin,1951
7194) *Villa brunnea* Becker,1916 (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916
7195) *Villa cana* (Meigen,1804) (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820
7196) *Villa circumdata* (Meigen,1820) (Bombyliidae) Synonym(s): *circumdata* Meigen,1820
7197) *Villa deludens* François,1966 (Bombyliidae) Synonym(s): *deludens* François,1966; *fulvescens* Santos Abreu,1976
7198) *Villa distincta* (Meigen,1835) (Bombyliidae) Synonym(s): *distincta* Meigen,1835; *steinii* Schnabl,1888
7199) *Villa fasciata* (Meigen,1804) (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901
7200) *Villa haesitans* Becker,1916 (Bombyliidae) Synonym(s): *haesitans* Becker,1916
7201) *Villa hottentotta* (Linnaeus,1758) (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780
7202) *Villa ixion* (Fabricius,1794) (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869
7203) *Villa laevis* Becker,1915 (Bombyliidae) Synonym(s): *laevis* Becker,1915
7204) *Villa leucostoma* (Meigen,1820) (Bombyliidae) Synonym(s): *leucostoma* Meigen,1820; *confluens* Stein,1914
7205) *Villa melanura* (Loew,1869) (Bombyliidae) Synonym(s): *melanura* Loew,1869
7206) *Villa merlei* François,1969 (Bombyliidae) Synonym(s): *merlei* François,1969
7207) *Villa modesta* (Meigen,1820) (Bombyliidae) Synonym(s): *modesta* Meigen,1820
7208) *Villa mouchai* François,1969 (Bombyliidae) Synonym(s): *mouchai* François,1969
7209) *Villa multibalteata* Austen,1936 (Bombyliidae) Synonym(s): *multibalteata* Austen,1936
7210) *Villa niphobleta* (Loew,1869) (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916
7211) *Villa orientalis* Zaitzev,1966 (Bombyliidae) Synonym(s): *orientalis* Zaitzev,1966
7212) *Villa panisca* (Rossi,1790) (Bombyliidae) Synonym(s): *paniscus* Rossi,1790; *cingulata* Meigen,1820; *bimaculata* Macquart,1840
7213) *Villa pygarga* (Loew,1868) (Bombyliidae) Synonym(s): *pygarga* Loew,1868
7214) *Villa quinquefasciata* (Wiedemann,1820) (Bombyliidae) Synonym(s): *quinquefasciata* Wiedemann,1820
7215) *Villa senecio* (Loew,1869) (Bombyliidae) Synonym(s): *senecio* Loew,1869
7216) *Villa stenozone* (Loew,1869) (Bombyliidae) Synonym(s): *stenozone* Loew,1869; *disjuncta* Becker,1916
7217) *Villa tomentosa* Becker,1916 (Bombyliidae) Synonym(s): *tomentosa* Becker,1916
7218) *Villoestrus uvarovi* Paramonov,1931 (Bombyliidae) Synonym(s): *uvarovi* Paramonov,1931
7219) *Xeramoeba lepida* (Hermann,1907) (Bombyliidae) Synonym(s): *lepida* Hermann,1907
7220) *Xeramoeba pallipes* (Loew,1869) (Bombyliidae) Synonym(s): *pallipes* Loew,1869
7221) *Xeramoeba sabulonis* (Becker,1906) (Bombyliidae) Synonym(s): *sabulonis* Becker,1906

BOSTRICHIDAE

- 7222) *Bostrichus capucinus* (Linnaeus,1758) (Bostrichidae) Synonym(s): *capucinus* Linnaeus,1758; *ruber* Geoffroy,1785; *luctuosus* Olivier,1790; *nigriventris* Lucas,1843; *rubriventris* Zoufal,1894**

- 7223) Xylomedes cornifrons (Baudi di Selve,1873)** (Bostrichidae) Synonym(s): *cornifrons Baudi di Selve,1873*
- 7224) Xylomedes turcica Lesne,1941** (Bostrichidae) Synonym(s): *turcica Lesne,1941*
- 7225) Amphicerus (Caenophrada) bimaculatus (Olivier,1790)** (Bostrichidae) Synonym(s): *bimaculatus Olivier,1790; aurita Frivaldsky,1835*
- 7226) Botrychoplites normandi (Lesne,1897)** (Bostrichidae) Synonym(s): *normandi Lesne,1897; yemenensis Lesne,1934*
- 7227) Sinoxylon muricatum (Linnaeus,1767)** (Bostrichidae) Synonym(s): *muricatum Linnaeus,1767; sexdentatus Olivier,1790; chalcographus Panzer,1794; bidens Fabricius,1798*
- 7228) Sinoxylon perforans (Schrank,1789)** (Bostrichidae) Synonym(s): *perforans Schrank,1789; bispinosus Olivier,1790*
- 7229) Lyctus pubescens Panzer,1793** (Bostrichidae) Synonym(s): *pubescens Panzer,1793 ; bicolor Comolli,1837; caucasicus Tournier,1874*
- 7230) Psoa viennensis Herbst,1797** (Bostrichidae) Synonym(s): *viennensis Herbst,1797; grandis Motschulsky,1845*
- 7231) Stenomera assyria Lesne,1895** (Bostrichidae) Synonym(s): *assyria Lesne,1895*

BRACHYCENTRIDAE

- 7232) Micrasema anatolicum Botosaneau,1974** (Brachycentridae) Synonym(s): *anatolicum Botosaneau,1974*
- 7233) Micrasema bifoliatum Martynov,1925** (Brachycentridae) Synonym(s): *bifoliatum Martynov,1925*
- 7234) Oligoplectrum maculatum (Fourcroy,1785)** (Brachycentridae) Synonym(s): *maculatum Fourcroy,1785*

BRACHYCERIDAE

- 7235) Brachycerus algirus Latreille,1807** (Brachyceridae) Synonym(s): *algirus Latreille,1807; muricatus Olivier,1790; planirostris Gyllenhal,1833; sulcifrons Gyllenhal,1833; cirrosus Gyllenhal,1840; perodiosus Gyllenhal,1840; semiaeneus Desbrochers,1871; carinula Rey,1894; exemptus Rey,1894; attenuatus Vit.,1903*
- 7236) Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): *argillaceus Reiche,1857; nodulosus Reiche,1857; aegyptiacus Bedel,1874*
- 7237) Brachycerus cribrarius Olivier,1807** (Brachyceridae) Synonym(s): *cribrarius Olivier,1807; ornatus Reiche,1857; fimbriatus Desbrochers,1871*
- 7238) Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae) Synonym(s): *foveicollis Gyllenhal,1833*
- 7239) Brachycerus foveifrons Bedel,1874** (Brachyceridae) Synonym(s): *foveifrons Bedel,1874*
- 7240) Brachycerus freyi Zumpt,1937** (Brachyceridae) Synonym(s): *freyi Zumpt,1937*
- 7241) Brachycerus junix Herbst,1797** (Brachyceridae) Synonym(s): *junix Herbst,1797; incertus Desbrochers,1871; olivieri Desbrochers,1871*
- 7242) Brachycerus lutosus Gyllenhal,1833** (Brachyceridae) Synonym(s): *lutosus Gyllenhal,1833; cinereus Bedel,1874; graecus Zumpt,1937*
- 7243) Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis Reiche,1857*
- 7244) Brachycerus plicatus Gyllenhal,1833** (Brachyceridae) Synonym(s): *plicatus Gyllenhal,1833*
- 7245) Brachycerus quadrisulcatus Fischer v.Waldheim,1830** (Brachyceridae) Synonym(s): *quadrisulcatus Fischer v.Waldheim,1830; difformis Faldermann,1837*
- 7246) Brachycerus sinuatus Olivier,1807** (Brachyceridae) Synonym(s): *psiferus Thunberg,1799; sinuatus Olivier,1807; lutulentus Gyllenhal,1833*
- 7247) Brachycerus undatus Fabricius,1798** (Brachyceridae) Synonym(s): *undatus Fabricius,1798*

BRACONIDAE

- 7248) Apanteles aragatzi Tobias,1976** (Braconidae) Synonym(s): *aragatzi Tobias,1976*
- 7249) Apanteles ater (Ratzeburg,1852)** (Braconidae) Synonym(s): *ater Ratzeburg,1852*
- 7250) Apanteles atreus Nixon,1973** (Braconidae) Synonym(s): *atreus Nixon,1973*
- 7251) Apanteles brunnistigma Abdinbekova,1969** (Braconidae) Synonym(s): *brunnistigma Abdinbekova,1969*
- 7252) Apanteles carpatus Say,1836** (Braconidae) Synonym(s): *carpatus Say,1836*
- 7253) Apanteles evanidus Papp,1975** (Braconidae) Synonym(s): *evanidus Papp,1975*

- 7254) **Apanteles gallerie** **Wilkinson,1932** (Braconidae) Synonym(s): *gallerie* **Wilkinson,1932**
- 7255) **Apanteles hemara** **Nixon,1965** (Braconidae) Synonym(s): *hemara* **Nixon,1965**
- 7256) **Apanteles ingenuoides** **Papp,1971** (Braconidae) Synonym(s): *ingenuoides* **Papp,1971**
- 7257) **Apanteles kubensis** **Abdinbekova,1975** (Braconidae) Synonym(s): *kubensis* **Abdinbekova,1975**
- 7258) **Apanteles myron** **Nixon,1973** (Braconidae) Synonym(s): *myron* **Nixon,1973**
- 7259) **Apanteles obscurus** (**Nees ab Esenbeck,1834**) (Braconidae) Synonym(s): *obscurus* **Nees ab Esenbeck,1834**
- 7260) **Ascogaster armatus** **Wesmael,1835** (Braconidae) Synonym(s): *armatus* **Wesmael,1835**
- 7261) **Ascogaster instabilis** **Wesmael,1835** (Braconidae) Synonym(s): *instabilis* **Wesmael,1835**
- 7262) **Ascogaster rufipes** (**Latreille,1809**) (Braconidae) Synonym(s): *rufipes* **Latreille,1809**
- 7263) **Atanycolus denigrator** (**Linnaeus,1758**) (Braconidae) Synonym(s): *denigrator* **Linnaeus,1758**
- 7264) **Atanycolus initator** (**Fabricius,1793**) (Braconidae) Synonym(s): *initator* **Fabricius,1793**; *genalis* **Thomson,1892**; *petiolaris* **Thomson,1892**; *mongolicus* **Telenga,1936**
- 7265) **Atanycolus ivanowi** (**Kokujev,1898**) (Braconidae) Synonym(s): *ivanowi* **Kokujev,1898**
- 7266) **Atormus victus** (**Haliday,1837**) (Braconidae) Synonym(s): *victus* **Haliday,1837**
- 7267) **Baryproctus barypus** (**Marshall,1885**) (Braconidae) Synonym(s): *barypus* **Marshall,1885**
- 7268) **Bassus armeniacus** (**Telenga,1935**) (Braconidae) Synonym(s): *armeniacus* **Telenga,1935**
- 7269) **Bassus beyarslani** **Erdoğan,2005** (Braconidae) Synonym(s): *beyarslani* **Erdoğan,2005**
- 7270) **Bassus calculator** (**Fabricius,1798**) (Braconidae) Synonym(s): *calculator* **Fabricius,1798**
- 7271) **Bassus cingulipes** (**Nees ab Esenbeck,1814**) (Braconidae) Synonym(s): *cingulipes* **Nees ab Esenbeck,1814**
- 7272) **Bassus conspicuus** (**Wesmael,1837**) (Braconidae) Synonym(s): *conspicuus* **Wesmael,1837**
- 7273) **Bassus dimidiator** (**Nees ab Esenbeck,1834**) (Braconidae) Synonym(s): *dimidiator* **Nees ab Esenbeck,1834**
- 7274) **Bassus graecus** **Achterberg,1992** (Braconidae) Synonym(s): *graecus* **Achterberg,1992**
- 7275) **Bassus linguarius** (**Nees ab Esenbeck,1814**) (Braconidae) Synonym(s): *linguarius* **Nees ab Esenbeck,1814**
- 7276) **Bassus rufipes** (**Nees ab Esenbeck,1814**) (Braconidae) Synonym(s): *rufipes* **Nees ab Esenbeck,1814**
- 7277) **Bassus rugulosus** (**Nees ab Esenbeck,1834**) (Braconidae) Synonym(s): *rugulosus* **Nees ab Esenbeck,1834**
- 7278) **Bassus tumidulus** (**Nees ab Esenbeck,1814**) (Braconidae) Synonym(s): *tumidulus* **Nees ab Esenbeck,1814**
- 7279) **Bassus zaykovi** (**Nixon,1986**) (Braconidae) Synonym(s): *zaykovi* **Nixon,1986**
- 7280) **Biosteres (Chilotrichia) arenarius** (**Stelfox,1959**) (Braconidae) Synonym(s): *arenarius* **Stelfox,1959**
- 7281) **Biosteres (Chilotrichia) blandus** (**Haliday,1837**) (Braconidae) Synonym(s): *blandus* **Haliday,1837**
- 7282) **Biosteres (Chilotrichia) brevipalpis** (**Thomson,1895**) (Braconidae) Synonym(s): *brevipalpis* **Thomson,1895**
- 7283) **Biosteres (Chilotrichia) haemorrhoeus** (**Haliday,1836**) (Braconidae) Synonym(s): *haemorrhoeus* **Haliday,1836**
- 7284) **Biosteres (Chilotrichia) rusticus** (**Haliday,1837**) (Braconidae) Synonym(s): *rusticus* **Haliday,1837**
- 7285) **Biosteres (Chilotrichia) scabriculus** (**Wesmael,1835**) (Braconidae) Synonym(s): *scabriculus* **Wesmael,1835**
- 7286) **Biosteres (Chilotrichia) ultor** (**Förster,1862**) (Braconidae) Synonym(s): *ultor* **Förster,1862**
- 7287) **Biosteres (Chilotrichia) wesmaelii** (**Haliday,1835**) (Braconidae) Synonym(s): *wesmaelii* **Haliday,1835**
- 7288) **Biosteres (s.str.) carbonarius** (**Nees ab Esenbeck,1834**) (Braconidae) Synonym(s): *carbonarius* **Nees ab Esenbeck,1834**
- 7289) **Biosteres (s.str.) kayapinarensis** **Fischer & Beyarslan,2005** (Braconidae) Synonym(s): *kayapinarensis* **Fischer & Beyarslan,2005**
- 7290) **Biosteres (s.str.) longicauda** (**Thomson,1895**) (Braconidae) Synonym(s): *longicauda* **Thomson,1895**
- 7291) **Biosteres (s.str.) remigii** (**Fischer,1971**) (Braconidae) Synonym(s): *remigii* **Fischer,1971**
- 7292) **Biosteres (s.str.) spinaciae** (**Thomson,1895**) (Braconidae) Synonym(s): *spinaciae* **Thomson,1895**
- 7293) **Bitomus (s.str.) castus** (**Zaykov,1983**) (Braconidae) Synonym(s): *castus* **Zaykov,1983**
- 7294) **Bitomus (s.str.) valdepusillus** **Fischer & Beyarslan,2005** (Braconidae) Synonym(s): *valdepusillus* **Fischer & Beyarslan,2005**
- 7295) **Blacus (Ganychorus) armatulus** (**Ruthe,1861**) (Braconidae) Synonym(s): *armatulus* **Ruthe,1861**
- 7296) **Blacus (Ganychorus) diversicornis** (**Nees ab Esenbeck,1834**) (Braconidae) Synonym(s): *diversicornis* **Nees ab Esenbeck,1834**; *compar* **Ruth,1861**

- 7297) Blacus (Ganychorus) maculipes Wesmael,1835** (Braconidae) Synonym(s): *maculipes Wesmael,1835*
- 7298) Blacus (Ganychorus) madli Haeselbarth,1992** (Braconidae) Synonym(s): *madli Haeselbarth,1992*
- 7299) Blacus (Ganychorus) ruficornis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *ruficornis Nees ab Esenbeck,1811*
- 7300) Blacus (Hysteroobolus) nixonii Haeselbarth,1973** (Braconidae) Synonym(s): *nixonii Haeselbarth,1973*
- 7301) Blacus (s.str.) bovistae (Haeselbarth,1973)** (Braconidae) Synonym(s): *bovistae Haeselbarth,1973*
- 7302) Blacus (s.str.) errans (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *errans Nees ab Esenbeck,1811*
- 7303) Blacus (s.str.) exilis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *exilis Nees ab Esenbeck,1811; lactucaphis Fitch,1855; pallipes Förster,1862; propallipes Shenefelt,1969; intermedius Janzon,1975*
- 7304) Blacus (s.str.) filicornis (Haeselbarth,1972)** (Braconidae) Synonym(s): *filicornis Haeselbarth,1972*
- 7305) Blacus (s.str.) hastatus (Haliday,1835)** (Braconidae) Synonym(s): *hastatus Haliday,1835; terebrator Ruthe,1861*
- 7306) Blacus (s.str.) humilis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *humilis Nees ab Esenbeck,1811; trivialis Haliday,1835; wesmaeli Ruthe,1861*
- 7307) Blacus (s.str.) instabilis Ruthe,1861** (Braconidae) Synonym(s): *instabilis Ruthe,1861; #petiolatus Haeselbarth,1973*
- 7308) Blacus (s.str.) interstitialis (Ruthe,1861)** (Braconidae) Synonym(s): *interstitialis Ruthe,1861; oscinellae Fischer,1963*
- 7309) Blacus (s.str.) leptostigma Ruthe,1861** (Braconidae) Synonym(s): *leptostigma Ruthe,1861*
- 7310) Blacus (s.str.) nigricornis Haeselbarth,1973** (Braconidae) Synonym(s): *nigricornis Haeselbarth,1973*
- 7311) Blacus (s.str.) paganus (Haliday,1835)** (Braconidae) Synonym(s): *paganus Haliday,1835; brevicornis Ruthe,1861*
- 7312) Blacus (s.str.) rufescens Ruthe,1861** (Braconidae) Synonym(s): *rufescens Ruthe,1861*
- 7313) Blacus (s.str.) stelfoxi Haeselbarth,1973** (Braconidae) Synonym(s): *stelfoxi Haeselbarth,1973*
- 7314) Bracon (Asiabracon) amaculatus Beyarslan,1988** (Braconidae) Synonym(s): *amaculatus Beyarslan,1988*
- 7315) Bracon (Cyanopterobracon) armeniacus Telenga,1936** (Braconidae) Synonym(s): *armeniaceus Telenga,1936*
- 7316) Bracon (Cyanopterobracon) illyricus (Marshall,1888)** (Braconidae) Synonym(s): *illyricus Marshall,1888*
- 7317) Bracon (Cyanopterobracon) oculatus Tobias,1957** (Braconidae) Synonym(s): *oculatus Tobias,1957*
- 7318) Bracon (Cyanopterobracon) spectabilis (Telenga,1936)** (Braconidae) Synonym(s): *spectabilis Telenga,1936*
- 7319) Bracon (Glabrobracon) abbreviator Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *abbreviator Nees ab Esenbeck,1834*
- 7320) Bracon (Glabrobracon) admotus Papp,2000** (Braconidae) Synonym(s): *admotus Papp,2000*
- 7321) Bracon (Glabrobracon) ahngerii Telenga,1936** (Braconidae) Synonym(s): *ahngerii Telenga,1936*
- 7322) Bracon (Glabrobracon) angustiventris Tobias,1957** (Braconidae) Synonym(s): *angustiventris Tobias,1957*
- 7323) Bracon (Glabrobracon) anthracinus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *anthracinus Nees ab Esenbeck,1834*
- 7324) Bracon (Glabrobracon) atrator (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *atrator Nees ab Esenbeck,1834*
- 7325) Bracon (Glabrobracon) caudatus Ratzeburg,1848** (Braconidae) Synonym(s): *caudatus Ratzeburg,1848*
- 7326) Bracon (Glabrobracon) delusorius Telenga,1936** (Braconidae) Synonym(s): *delusorius Telenga,1936*
- 7327) Bracon (Glabrobracon) densipilosus Tobias,1957** (Braconidae) Synonym(s): *densipilosus Tobias,1957*
- 7328) Bracon (Glabrobracon) dersimensis Beyarslan,2012** (Braconidae) Synonym(s): *dersimensis Beyarslan,2012*
- 7329) Bracon (Glabrobracon) discoideus (Wesmael,1838)** (Braconidae) Synonym(s): *discoideus Wesmael,1838*
- 7330) Bracon (Glabrobracon) dolichurus Marshall,1897** (Braconidae) Synonym(s): *dolichurus Marshall,1897*
- 7331) Bracon (Glabrobracon) flavipalpis Thomson,1892** (Braconidae) Synonym(s): *flavipalpis Thomson,1892*

- 7332) Bracon (Glabrobracon) fumatus Szepligeti,1901** (Braconidae) Synonym(s): *fumatus Szepligeti,1901*
- 7333) Bracon (Glabrobracon) fumipennis (Thomson,1892)** (Braconidae) Synonym(s): *fumipennis Thomson,1892*
- 7334) Bracon (Glabrobracon) jaroslavensis Telenga,1936** (Braconidae) Synonym(s): *jaroslavensis Telenga,1936*
- 7335) Bracon (Glabrobracon) kirgisorum Telenga,1936** (Braconidae) Synonym(s): *kirgisorum Telenga,1936*
- 7336) Bracon (Glabrobracon) larvicida (Wesmael,1838)** (Braconidae) Synonym(s): *larvicida Wesmael,1838*
- 7337) Bracon (Glabrobracon) maculiger (Wesmael,1838)** (Braconidae) Synonym(s): *maculiger Wesmael,1838*
- 7338) Bracon (Glabrobracon) obscurator (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): *obscurator Nees ab Esenbeck,1812*
- 7339) Bracon (Glabrobracon) osculator (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): *osculator Nees ab Esenbeck,1812*
- 7340) Bracon (Glabrobracon) piger (Wesmael,1838)** (Braconidae) Synonym(s): *piger Wesmael,1838*
- 7341) Bracon (Glabrobracon) popovi Telenga,1936** (Braconidae) Synonym(s): *popovi Telenga,1936*
- 7342) Bracon (Glabrobracon) praecox (Wesmael,1838)** (Braconidae) Synonym(s): *praecox Wesmael,1838*
- 7343) Bracon (Glabrobracon) terebella (Wesmael,1838)** (Braconidae) Synonym(s): *terebella Wesmael,1838*
- 7344) Bracon (Glabrobracon) tshitsherini (Kokoujev,1904)** (Braconidae) Synonym(s): *tshitsherini Kokoujev,1904*
- 7345) Bracon (Glabrobracon) variator (Nees ab Esenbeck,1812)** (Braconidae) Synonym(s): *variator Nees ab Esenbeck,1812*
- 7346) Bracon (Glabrobracon) zonites Marshall,1897** (Braconidae) Synonym(s): *zonites Marshall,1897*
- 7347) Bracon (Lucobracon) iskilipus Beyarslan & Tobias,2008** (Braconidae) Synonym(s): *iskilipus Beyarslan & Tobias,2008*
- 7348) Bracon (Lucobracon) moczari Papp,1969** (Braconidae) Synonym(s): *moczari Papp,1969*
- 7349) Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urinator Fabricius,1798*
- 7350) Bracon (s.str.) bachtiae Beyarslan,2012** (Braconidae) Synonym(s): *bachtiae Beyarslan,2012*
- 7351) Bracon (s.str.) changrinicus Beyarslan,2002** (Braconidae) Synonym(s): *changrinicus Beyarslan,2002*
- 7352) Bracon (s.str.) curticornis (Brues,1924)** (Braconidae) Synonym(s): *curticornis Brues,1924*
- 7353) Bracon (s.str.) fulvipes Nees ab Esenbeck,1834** (Braconidae) Synonym(s): *fulvipes Nees ab Esenbeck,1834*
- 7354) Bracon (s.str.) gusaricus Telenga,1933** (Braconidae) Synonym(s): *gusaricus Telenga,1933*
- 7355) Bracon (s.str.) kuslitzkyi Tobias,1986** (Braconidae) Synonym(s): *kuslitzkyi Tobias,1986*
- 7356) Bracon (s.str.) luteator Spinola,1808** (Braconidae) Synonym(s): *luteator Spinola,1808*
- 7357) Bracon (s.str.) murgabensis Tobias,1957** (Braconidae) Synonym(s): *murgabensis Tobias,1957*
- 7358) Bracon (s.str.) pectoralis (Wesmael,1838)** (Braconidae) Synonym(s): *pectoralis Wesmael,1838*
- 7359) Bracon (s.str.) spurnensis Hincks,1951** (Braconidae) Synonym(s): *spurnensis Hincks,1951*
- 7360) Chelonus beyarslani Aydoğdu,2008** (Braconidae) Synonym(s): *beyarslani Aydoğdu,2008*
- 7361) Chelonus carbonator Marshall,1885** (Braconidae) Synonym(s): *carbonator Marshall,1885*
- 7362) Chelonus erythrogaster Lucas,1846** (Braconidae) Synonym(s): *erythrogaster Lucas,1846*
- 7363) Chelonus gravenhorstii (Nees ab Esenbeck,1813)** (Braconidae) Synonym(s): *gravenhorstii Nees ab Esenbeck,1813*
- 7364) Chelonus inanitus (Linnaeus,1767)** (Braconidae) Synonym(s): *inanitus Linnaeus,1767*
- 7365) Chelonus mucronatus Thomson,1874** (Braconidae) Synonym(s): *mucronatus Thomson,1874*
- 7366) Chelonus obscurator Herrich-Schäffer,1838** (Braconidae) Synonym(s): *obscurator Herrich-Schäffer,1838*
- 7367) Chelostes robustus Van Achterberg,1990** (Braconidae) Synonym(s): *robustus Van Achterberg,1990*
- 7368) Chelostes subrobustus Yilmaz & Beyarslan,2009** (Braconidae) Synonym(s): *subrobustus Yilmaz & Beyarslan,2009*
- 7369) Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis Spinola,1808*
- 7370) Chorebus anasella (Stelfox,1952)** (Braconidae) Synonym(s): *anasella Stelfox,1952*
- 7371) Chorebus aphanthus (Marshall,1895)** (Braconidae) Synonym(s): *aphanthus Marshall,1895*
- 7372) Chorebus avesta (Nixon,1944)** (Braconidae) Synonym(s): *avesta Nixon,1944*
- 7373) Chorebus cyclops (Nixon,1937)** (Braconidae) Synonym(s): *cyclops Nixon,1937*
- 7374) Chorebus diremtus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *diremtus Nees ab Esenbeck,1834*

- 7375) **Chorebus femoratus (Tobias,1962)** (Braconidae) Synonym(s): *femoratus* Tobias,1962
 7376) **Chorebus flavipes Goureau,1851** (Braconidae) Synonym(s): *flavipes* Goureau,1851
 7377) **Chorebus iridis Griffiths,1968** (Braconidae) Synonym(s): *iridis* Griffiths,1968
 7378) **Chorebus perkinsi (Nixon,1968)** (Braconidae) Synonym(s): *perkinsi* Nixon,1968
 7379) **Chorebus varuna (Nixon,1945)** (Braconidae) Synonym(s): *varuna* Nixon,1945
 7380) **Coelinidea albimanus (Snellen van Vollenhoven,1873)** (Braconidae) Synonym(s): *albimanus* Snellen van Vollenhoven,1873
 7381) **Coelinidea elegans (Curtis,1829)** (Braconidae) Synonym(s): *elegans* Curtis,1829
 7382) **Cotesia ancilla (Nixon,1974)** (Braconidae) Synonym(s): *ancilla* Nixon,1974
 7383) **Cotesia brevicornis (Wesmael,1837)** (Braconidae) Synonym(s): *brevicornis* Wesmael,1837; *cleocleridis* Marshall,1889
 7384) **Cotesia calodetta (Nixon,1974)** (Braconidae) Synonym(s): *calodetta* Nixon,1974
 7385) **Cotesia cuprea (Lylé,1925)** (Braconidae) Synonym(s): *cuprea* Lylé,1925
 7386) **Cotesia geryonis (Marshall,1885)** (Braconidae) Synonym(s): *geryonis* Marshall,1885
 7387) **Cotesia glabrata (Telenga,1955)** (Braconidae) Synonym(s): *glabrata* Telenga,1955
 7388) **Cotesia hypantiriae (Riley,1887)** (Braconidae) Synonym(s): *hypantiriae* Riley,1887
 7389) **Cotesia jucunda (Marshall,1885)** (Braconidae) Synonym(s): *jucunda* Marshall,1885; *nigrinervis* Thomson,1895
 7390) **Cotesia kazak (Telenga,1949)** (Braconidae) Synonym(s): *kazak* Telenga,1949
 7391) **Cotesia kurdjumovi (Telenga,1955)** (Braconidae) Synonym(s): *kurdjumovi* Telenga,1955; *laverna* Nixon,1974
 7392) **Cotesia lineola (Curtis,1830)** (Braconidae) Synonym(s): *lineola* Curtis,1830; *gabrielis* Gautier & Riel,1919
 7393) **Cotesia melanoscela (Ratzeburg,1844)** (Braconidae) Synonym(s): *melanoscela* Ratzeburg,1844; *solitaria* Ratzeburg,1844; *creata* Balevski,1980
 7394) **Cotesia memnon (Nixon,1974)** (Braconidae) Synonym(s): *memnon* Nixon,1974
 7395) **Cotesia numen (Nixon,1974)** (Braconidae) Synonym(s): *numen* Nixon,1974
 7396) **Cotesia ofella (Nixon,1974)** (Braconidae) Synonym(s): *ofella* Nixon,1974
 7397) **Cotesia orestes (Nixon,1974)** (Braconidae) Synonym(s): *orestes* Nixon,1974
 7398) **Cotesia pappi İnanç,2002** (Braconidae) Synonym(s): *pappi* İnanç,2002
 7399) **Cotesia ruficrus (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834; *antipoda* Ashmead,1900; *manilae* Ashmead,1904; *sydneyensis* Cameron,1911; *narangae* Viereck,1913
 7400) **Cotesia saltatoria (Balevski,1980)** (Braconidae) Synonym(s): *saltatoria* Balevski,1980
 7401) **Cotesia setebis (Nixon,1974)** (Braconidae) Synonym(s): *setebis* Nixon,1974
 7402) **Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972; *amabilis* Nixon,1974
 7403) **Cotesia tenebrosa (Wesmael,1837)** (Braconidae) Synonym(s): *tenebrosa* Wesmael,1837; *?arctica* Thomson,1895
 7404) **Cotesia tetrica (Reinhard,1880)** (Braconidae) Synonym(s): *tetrica* Reinhard,1880
 7405) **Cotesia tibialis (Curtis,1830)** (Braconidae) Synonym(s): *tibialis* Curtis,1830
 7406) **Cotesia vanessae (Reinhard,1880)** (Braconidae) Synonym(s): *vanessae* Reinhard,1880
 7407) **Cotesia villanus Reinhard,1880** (Braconidae) Synonym(s): *villanus* Reinhard,1880
 7408) **Dacnusa evadne Nixon,1937** (Braconidae) Synonym(s): *evadne* Nixon,1937
 7409) **Dacnusa gentianae Griffiths,1967** (Braconidae) Synonym(s): *gentianae* Griffiths,1967
 7410) **Diachasmimorpha (s.str.) paeoniae (Tobias,1980)** (Braconidae) Synonym(s): *paeoniae* Tobias,1980
 7411) **Dinotrema intermisum (Fischer,1974)** (Braconidae) Synonym(s): *intermisum* Fischer,1974
 7412) **Diolcogaster alvearia (Fabricius,1798)** (Braconidae) Synonym(s): *alvearius* Fabricius,1798
 7413) **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia* Papp,1959
 7414) **Diospilus belokobylskiji Beyarslan,2008** (Braconidae) Synonym(s): *belokobylskiji* Beyarslan,2008
 7415) **Diospilus capito (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *capito* Nees ab Esenbeck,1834
 7416) **Diospilus melanoscelus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *melanoscelus* Nees ab Esenbeck,1834
 7417) **Diospilus morosus Reinhard,1862** (Braconidae) Synonym(s): *morosus* Reinhard,1862
 7418) **Diospilus nigricornis (Wesmael,1835)** (Braconidae) Synonym(s): *nigricornis* Wesmael,1835
 7419) **Diospilus productus Marshall,1894** (Braconidae) Synonym(s): *productus* Marshall,1894
 7420) **Dolichogenidea anarsiae (Faure & Alabouvette,1924)** (Braconidae) Synonym(s): *anarsiae* Faure & Alabouvette,1924
 7421) **Dolichogenidea breviventris (Ratzeburg,1848)** (Braconidae) Synonym(s): *breviventris* Ratzeburg,1848
 7422) **Dolichogenidea coleophorae (Wilkinson,1938)** (Braconidae) Synonym(s): *coleophorae* Wilkinson,1938

- 7423) **Dolichogenidea drusilla** (Nixon,1972) (Braconidae) Synonym(s): *drusilla* Nixon,1972
- 7424) **Dolichogenidea immissus** (Papp,1977) (Braconidae) Synonym(s): *immissus* Papp,1977
- 7425) **Dolichogenidea infimus** (Haliday,1834) (Braconidae) Synonym(s): *infimus* Haliday,1834
- 7426) **Dolichogenidea lacteicolor** (Viereck,1911) (Braconidae) Synonym(s): *lacteicolor* Viereck,1911
- 7427) **Dolichogenidea litae** (Nixon,1972) (Braconidae) Synonym(s): *litae* Nixon,1972
- 7428) **Dolichogenidea longicauda** (Wesmael,1837) (Braconidae) Synonym(s): *longicauda* Wesmael,1837
- 7429) **Dolichogenidea longipalpis** (Reinhard,1880) (Braconidae) Synonym(s): *longipalpis* Reinhard,1880
- 7430) **Dolichogenidea mycale** (Nixon,1972) (Braconidae) Synonym(s): *mycale* Nixon,1972
- 7431) **Dolichogenidea sicarius** (Marshall,1885) (Braconidae) Synonym(s): *sicarius* Marshall,1885
- 7432) **Dolichogenidea soikai** (Nixon,1972) (Braconidae) Synonym(s): *soikai* Nixon,1972
- 7433) **Eurytenes (Jucundopius) campanariae** (Fischer,1959) (Braconidae) Synonym(s): *campanariae* Fischer,1959
- 7434) **Exotela umbellina** (Nixon,1954) (Braconidae) Synonym(s): *umbellina* Nixon,1954
- 7435) **Foesteria longicauda** Achterberg,1990 (Braconidae) Synonym(s): *longicauda* Achterberg,1990
- 7436) **Glyptapanteles antione** (Nixon,1973) (Braconidae) Synonym(s): *antione* Nixon,1973
- 7437) **Glyptapanteles callidus** (Haliday,1834) (Braconidae) Synonym(s): *callidus* Haliday,1834
- 7438) **Glyptapanteles eugeni** (Papp,1972) (Braconidae) Synonym(s): *eugeni* Papp,1972
- 7439) **Glyptapanteles fulvipes** (Haliday,1834) (Braconidae) Synonym(s): *fulvipes* Haliday,1834
- 7440) **Glyptomorpha baetica** (Spinola,1843) (Braconidae) Synonym(s): *baetica* Spinola,1843
- 7441) **Glyptomorpha discolor** (Thunberg,1822) (Braconidae) Synonym(s): *discolor* Thunberg,1822
- 7442) **Glyptomorpha exculpta** Shestakov,1926 (Braconidae) Synonym(s): *exculpta* Shestakov,1926
- 7443) **Glyptomorpha gracilis** (Szepligeti,1901) (Braconidae) Synonym(s): *gracilis* Szepligeti,1901
- 7444) **Glyptomorpha kasparyani** Tobias,1976 (Braconidae) Synonym(s): *kasparyani* Tobias,1976
- 7445) **Glyptomorpha pectoralis** (Brullé,1832) (Braconidae) Synonym(s): *pectoralis* Brullé,1832
- 7446) **Iconella albinervis** (Tobias,1964) (Braconidae) Synonym(s): *albinervis* Tobias,1964
- 7447) **Iconella lacteoides** (Nixon,1965) (Braconidae) Synonym(s): *lacteoides* Nixon,1965
- 7448) **Iconella laspeyresiella** (Papp,1972) (Braconidae) Synonym(s): *laspeyresiella* Papp,1972
- 7449) **Iconella vindicia** (Nixon,1965) (Braconidae) Synonym(s): *vindicia* Nixon,1965
- 7450) **Illidops butalidis** (Marshall,1888) (Braconidae) Synonym(s): *butalidis* Marshall,1888
- 7451) **Illidops naso** (Marshall,1888) (Braconidae) Synonym(s): *naso* Marshall,1888
- 7452) **Illidops szaboi** (Papp,1974) (Braconidae) Synonym(s): *szaboi* Papp,1974
- 7453) **Illidops urgo** (Nixon,1965) (Braconidae) Synonym(s): *urgo* Nixon,1965
- 7454) **Illidops vipio** (Reinhard,1880) (Braconidae) Synonym(s): *vipio* Reinhard,1880
- 7455) **Meteorus gyrator** (Thunberg,1822) (Braconidae) Synonym(s): *gyrator* Thunberg,1822; *scutellator* Nees ab Esenbeck,1834; *melanostictus* Capron,1887; *parvulus* Thomson,1895
- 7456) **Meteorus ictericus** (Nees ab Esenbeck,1811) (Braconidae) Synonym(s): *ictericus* Nees ab Esenbeck,1811; *minutor* Thunberg,1822; *ephippium* Curtis,1832; *xanthomelas* Wesmael,1835; *confinis* Ruthe,1862; *fallax* Ruthe,1862; *pleuralis* Ruthe,1862; *liquis* Ruthe,1862; *consors* Ruthe,1862; *crassicus* Thomson,1895; *lophyriphagus* Fahringer,1934; *adoxophyes* Minamikawa,1954
- 7457) **Meteorus obsoletus** (Wesmael,1835) (Braconidae) Synonym(s): *obsoletus* Wesmael,1835; *viridanae* Johansson,1964
- 7458) **Meteorus politutele** Shenefelt,1969 (Braconidae) Synonym(s): *politus* Telenga,1950 *nec* Provancher,1886; *politutele* Shenefelt,1969
- 7459) **Meteorus pulchricornis** (Wesmael,1835) (Braconidae) Synonym(s): *pulchricornis* Wesmael,1835; *striatus* Thomson,1895; *thomsoni* Marshall,1899; *japonicus* Ashmead,1906; *nipponensis* Viereck,1912; *macedonicus* M.Fischer,1957; *graeffei* M.Fischer,1957; *tuberculifer* M.Fischer,1957
- 7460) **Meteorus rubens** (Nees ab Esenbeck,1811) (Braconidae) Synonym(s): *rubens* Nees ab Esenbeck,1811; *leviventris* Wesmael,1835; *islandicus* Ruthe,1859; *medianus* Ruthe,1862; *scutatus* Costa,1884; *heteroneurus* Thomson,1895; *szechuanensis* Fahringer,1935; *mesopotamicus* M.Fischer,1957
- 7461) **Meteorus unicolor** (Wesmael,1835) (Braconidae) Synonym(s): *unicolor* Wesmael,1835; *chinensis* Holmgren,1868
- 7462) **Meteorus versicolor** (Wesmael,1835) (Braconidae) Synonym(s): *versicolor* Wesmael,1835; *bimaculatus* Wesmael,1835; *unicolor* Hartig,1838 *nec* Wesm.,1835; *brevicornis* Ratzeburg,1844; *rugator* Razteburg,1852; *decoloratus* Ruthe,1862; *camptolomae* Watanabe,1939; *ikonomovi* M.Fischer,1959; *hartigi* Shenefelt,1969
- 7463) **Microchelonus basalis** (Curtis,1837) (Braconidae) Synonym(s): *basalis* Curtis,1837
- 7464) **Microchelonus contracta** (Nees ab Esenbeck,1834) (Braconidae) Synonym(s): *contracta* Nees ab Esenbeck,1834
- 7465) **Microchelonus hungarica** (Szepligeti,1896) (Braconidae) Synonym(s): *hungarica* Szepligeti,1896
- 7466) **Microchelonus nitens** (Reinhard,1867) (Braconidae) Synonym(s): *nitens* Reinhard,1867
- 7467) **Microchelonus sulcata** (Jurine,1807) (Braconidae) Synonym(s): *sulcata* Jurine,1807

- 7468) **Microgaster alebion** Nixon,1968 (Braconidae) Synonym(s): *alebion* Nixon,1968
 7469) **Microgaster fischeri** Papp,1960 (Braconidae) Synonym(s): *fischeri* Papp,1960
 7470) **Microgaster fulvicornis** Wesmael,1837 (Braconidae) Synonym(s): *fulvicornis* Wesmael,1837
 7471) **Microgaster opheltes** Nixon,1968 (Braconidae) Synonym(s): *opheltes* Nixon,1968
 7472) **Microgaster subcompleta** Nees ab Esenbeck,1834 (Braconidae) Synonym(s): *subcompleta* Nees ab Esenbeck,1834
 7473) **Microptilis cebes** Nixon,1970 (Braconidae) Synonym(s): *cebes* Nixon,1970
 7474) **Microptilis deces** Tobias,1964 (Braconidae) Synonym(s): *deces* Tobias,1964
 7475) **Microptilis decipiens** Prell,1925 (Braconidae) Synonym(s): *decipiens* Prell,1925
 7476) **Microptilis deprimator** (Fabricius,1798) (Braconidae) Synonym(s): *deprimator* Fabricius,1798
 7477) **Microptilis docilis** (Telenga,1964) (Braconidae) Synonym(s): *docilis* Telenga,1964
 7478) **Microptilis flavipalpis** Brullé,1832 (Braconidae) Synonym(s): *flavipalpis* Brullé,1832
 7479) **Microptilis fordii** Nixon,1970 (Braconidae) Synonym(s): *fordii* Nixon,1970
 7480) **Microptilis heterocera** Ruthe,1860 (Braconidae) Synonym(s): *heterocera* Ruthe,1860
 7481) **Microptilis idia** Nixon,1970 (Braconidae) Synonym(s): *idia* Nixon,1970
 7482) **Microptilis mandibularis** Thomson,1895 (Braconidae) Synonym(s): *mandibularis* Thomson,1895
 7483) **Microptilis marshallii** Kokujev,1897 (Braconidae) Synonym(s): *marshallii* Kokujev,1897
 7484) **Microptilis mediator** (Haliday,1834) (Braconidae) Synonym(s): *mediator* Haliday,1834
 7485) **Microptilis naenia** Nixon,1970 (Braconidae) Synonym(s): *naenia* Nixon,1970
 7486) **Microptilis scrophulariae** Szepligeti,1898 (Braconidae) Synonym(s): *scrophulariae* Szepligeti,1898
 7487) **Microptilis sofron** Nixon,1970 (Braconidae) Synonym(s): *sofron* Nixon,1970
 7488) **Microptilis spinolae** Nees ab Esenbeck,1834 (Braconidae) Synonym(s): *spinolae* Nees ab Esenbeck,1834
 7489) **Microptilis strenua** Reinhard,1880 (Braconidae) Synonym(s): *strenua* Reinhard,1880
 7490) **Microptilis tristis** (Nees ab Esenbeck,1834) (Braconidae) Synonym(s): *tristis* Nees ab Esenbeck,1834
 7491) **Microptilis tuberculifer** (Wesmael,1837) (Braconidae) Synonym(s): *tuberculifer* Wesmael,1837
 7492) **Microptilis varipes** Ruthe,1860 (Braconidae) Synonym(s): *varipes* Ruthe,1860
 7493) **Microptilis vidua** (Ruthe,1860) (Braconidae) Synonym(s): *vidua* Ruthe,1860
 7494) **Mirax rufilabris** Haliday,1833 (Braconidae) Synonym(s): *rufilabris* Haliday,1833
 7495) **Mirax sculpturator** Belokobyski,1989 (Braconidae) Synonym(s): *sculpturator* Belokobyski,1989
 7496) **Mirax striacus** Beyarslan,2009 (Braconidae) Synonym(s): *striacus* Beyarslan,2009
 7497) **Opius (Agnopius) altimontanus** (Fischer,1969) (Braconidae) Synonym(s): *altimontanus* Fischer,1969
 7498) **Opius (Agnopius) angelus** Fischer,1971 (Braconidae) Synonym(s): *angelus* Fischer,1971
 7499) **Opius (Agnopius) nowakowskii** (Fischer,1959) (Braconidae) Synonym(s): *nowakowskii* Fischer,1959
 7500) **Opius (Agnopius) rex** Fischer,1958 (Braconidae) Synonym(s): *rex* Fischer,1958
 7501) **Opius (Agnopius) rugatus** Fischer,1992 (Braconidae) Synonym(s): *rugatus* Fischer,1992
 7502) **Opius (Agnopius) selimbassai** Fischer,1992 (Braconidae) Synonym(s): *selimbassai* Fischer,1992
 7503) **Opius (Agnopius) similis** Szepligeti,1898 (Braconidae) Synonym(s): *similis* Szepligeti,1898
 7504) **Opius (Agnopius) tirolensis** Fischer,1958 (Braconidae) Synonym(s): *tirolensis* Fischer,1958
 7505) **Opius (Allophlebus) fuscipennis** Wesmael,1835 (Braconidae) Synonym(s): *fuscipennis* Wesmael,1835
 7506) **Opius (Allophlebus) singularis** Wesmael,1835 (Braconidae) Synonym(s): *singularis* Wesmael,1835
 7507) **Opius (Allophlebus) staryi** Fischer,1958 (Braconidae) Synonym(s): *staryi* Fischer,1958
 7508) **Opius (Allophlebus) tabificus** Papp,1979 (Braconidae) Synonym(s): *tabificus* Papp,1979
 7509) **Opius (Allotypus) irregularis** Wesmael,1835 (Braconidae) Synonym(s): *irregularis* Wesmael,1835
 7510) **Opius (Allotypus) tuberculatus** Fischer,1959 (Braconidae) Synonym(s): *tuberculatus* Fischer,1959
 7511) **Opius (Apodesmia) aethiops** Haliday,1837 (Braconidae) Synonym(s): *aethiops* Haliday,1837
 7512) **Opius (Apodesmia) karesuandensis** Fischer,1964 (Braconidae) Synonym(s): *karesuandensis* Fischer,1964
 7513) **Opius (Cryptognathopius) uttoisimilis** Fischer,1999 (Braconidae) Synonym(s): *uttoisimilis* Fischer,1999
 7514) **Opius (Cryptonastes) ciceris** Fischer,1974 (Braconidae) Synonym(s): *ciceris* Fischer,1974
 7515) **Opius (Cryptonastes) gracilis** Fischer,1957 (Braconidae) Synonym(s): *gracilis* Fischer,1957
 7516) **Opius (Cryptonastes) pygmaeus** Fischer,1962 (Braconidae) Synonym(s): *pygmaeus* Fischer,1962
 7517) **Opius (Cryptonastes) tersus** (Förster,1862) (Braconidae) Synonym(s): *tersus* Förster,1862

- 7518) **Opius (Gastrosema) caucasi Tobias,1986** (Braconidae) Synonym(s): *caucasi Tobias,1986*
- 7519) **Opius (Gastrosema) docilis Haliday,1837** (Braconidae) Synonym(s): *docilis Haliday,1837*
- 7520) **Opius (Gastrosema) erzurumensis Fischer,2004** (Braconidae) Synonym(s): *erzurumensis Fischer,2004*
- 7521) **Opius (Gastrosema) paraqvisti Fischer,2004** (Braconidae) Synonym(s): *paraqvisti Fischer,2004*
- 7522) **Opius (Hypocynodus) arundinis Fischer,1964** (Braconidae) Synonym(s): *arundinis Fischer,1964*
- 7523) **Opius (Hypocynodus) bouceki Fischer,1958** (Braconidae) Synonym(s): *bouceki Fischer,1958*
- 7524) **Opius (Hypocynodus) crassipes Wesmael,1835** (Braconidae) Synonym(s): *crassipes Wesmael,1835*
- 7525) **Opius (Hypocynodus) lara Fischer,1968** (Braconidae) Synonym(s): *lara Fischer,1968*
- 7526) **Opius (Hypocynodus) larissa Fischer,1968** (Braconidae) Synonym(s): *larissa Fischer,1968*
- 7527) **Opius (Hypocynodus) sonja Fischer,1968** (Braconidae) Synonym(s): *sonja Fischer,1968*
- 7528) **Opius (Illicopius) bajariae (Fischer,1989)** (Braconidae) Synonym(s): *bajariae Fischer,1989*
- 7529) **Opius (Illicopius) pulchripes (Szepligeti,1898)** (Braconidae) Synonym(s): *pulchripes Szepligeti,1898*
- 7530) **Opius (Merotrachys) schmidtii Fischer,1960** (Braconidae) Synonym(s): *schmidtii Fischer,1960*
- 7531) **Opius (Misophthora) monilicornis Fischer,1962** (Braconidae) Synonym(s): *monilicornis Fischer,1962*
- 7532) **Opius (Misophthora) oculisus Telenga,1950** (Braconidae) Synonym(s): *oculisus Telenga,1950*
- 7533) **Opius (Misophthora) tenellae Fischer,1969** (Braconidae) Synonym(s): *tenellae Fischer,1969*
- 7534) **Opius (Misophthora) wachsmanni Szepligeti,1898** (Braconidae) Synonym(s): *wachsmanni Szepligeti,1898*
- 7535) **Opius (Nosopaeopus) ochrogaster Wesmael,1835** (Braconidae) Synonym(s): *ochrogaster Wesmael,1835*
- 7536) **Opius (Nosopoea) cingulatus Wesmael,1835** (Braconidae) Synonym(s): *cingulatus Wesmael,1835*
- 7537) **Opius (Nosopoea) cingutolicus Fischer,1992** (Braconidae) Synonym(s): *cingutolicus Fischer,1992*
- 7538) **Opius (Nosopoea) circulator (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *circulator Nees ab Esenbeck,1834*
- 7539) **Opius (Nosopoea) maculipes Wesmael,1835** (Braconidae) Synonym(s): *maculipes Wesmael,1835*
- 7540) **Opius (Nosopoea) speciosus Fischer,1959** (Braconidae) Synonym(s): *speciosus Fischer,1959*
- 7541) **Opius (Odontopoea) connivens Thomson,1895** (Braconidae) Synonym(s): *connivens Thomson,1895*
- 7542) **Opius (Odontopoea) metanivens Fischer,1992** (Braconidae) Synonym(s): *metanivens Fischer,1992*
- 7543) **Opius (Odontopoea) rhodopicola Zaykov & Fischer,1986** (Braconidae) Synonym(s): *rhodopicola Zaykov & Fischer,1986*
- 7544) **Opius (Opiognathus) propepactum Fischer,1984** (Braconidae) Synonym(s): *propepactum Fischer,1984*
- 7545) **Opius (Opiognathus) propodealis Fischer,1958** (Braconidae) Synonym(s): *propodealis Fischer,1958*
- 7546) **Opius (Opiostomus) griffithsi Fischer,1962** (Braconidae) Synonym(s): *griffithsi Fischer,1962*
- 7547) **Opius (Opiothorax) abditus Fischer,1960** (Braconidae) Synonym(s): *abditus Fischer,1960*
- 7548) **Opius (Opiothorax) dureseui Fischer,1975** (Braconidae) Synonym(s): *dureseui Fischer,1975*
- 7549) **Opius (Opiothorax) filicornis Thomson,1895** (Braconidae) Synonym(s): *filicornis Thomson,1895*
- 7550) **Opius (Opiothorax) laevis Wesmael,1835** (Braconidae) Synonym(s): *laevis Wesmael,1835*
- 7551) **Opius (Opiothorax) latistigma Fischer,1960** (Braconidae) Synonym(s): *latistigma Fischer,1960*
- 7552) **Opius (Opiothorax) longicornis Thomson,1895** (Braconidae) Synonym(s): *longicornis Thomson,1895*
- 7553) **Opius (Opiothorax) lonicerae Fischer,1958** (Braconidae) Synonym(s): *lonicerae Fischer,1958*
- 7554) **Opius (Opiothorax) magnicauda Fischer,1958** (Braconidae) Synonym(s): *magnicauda Fischer,1958*
- 7555) **Opius (Opiothorax) minusculae Fischer,1967** (Braconidae) Synonym(s): *minusculae Fischer,1967*
- 7556) **Opius (Opiothorax) mirabilis Fischer,1958** (Braconidae) Synonym(s): *mirabilis Fischer,1958*
- 7557) **Opius (Opiothorax) neopendulus Fischer,1989** (Braconidae) Synonym(s): *neopendulus Fischer,1989*
- 7558) **Opius (Opiothorax) nigricoloratus Fischer,1958** (Braconidae) Synonym(s): *nigricoloratus Fischer,1958*
- 7559) **Opius (Opiothorax) opacus Fischer,1968** (Braconidae) Synonym(s): *opacus Fischer,1968*

- 7560) *Opius* (*Opiothorax*) *soenderupianus* Fischer,1967** (Braconidae) Synonym(s): *soenderupianus* Fischer,1967
- 7561) *Opius* (*Opiothorax*) *turcicus* Fischer,1960** (Braconidae) Synonym(s): *turcicus* Fischer,1960
- 7562) *Opius* (*Pendopius*) *pendulus* Haliday,1837** (Braconidae) Synonym(s): *pendulus* Haliday,1837
- 7563) *Opius* (*Phaerotoma*) *benignus* (Papp,1981)** (Braconidae) Synonym(s): *benignus* Papp,1981
- 7564) *Opius* (*Phaerotoma*) *biroi* (Fischer,1960)** (Braconidae) Synonym(s): *biroi* Fischer,1960
- 7565) *Opius* (*Phaerotoma*) *depeculator* Förster,1862** (Braconidae) Synonym(s): *depeculator* Förster,1862
- 7566) *Opius* (*Phaerotoma*) *diversa* (Szepligeti,1898)** (Braconidae) Synonym(s): *diversa* Szepligeti,1898
- 7567) *Opius* (*Phaerotoma*) *diversiformis* (Fischer,1960)** (Braconidae) Synonym(s): *diversiformis* Fischer,1960
- 7568) *Opius* (*Phaerotoma*) *exigua* (Wesmael,1835)** (Braconidae) Synonym(s): *exigua* Wesmael,1835
- 7569) *Opius* (*Phaerotoma*) *mirabunda* (Papp,1982)** (Braconidae) Synonym(s): *mirabunda* Papp,1982
- 7570) *Opius* (*Phaerotoma*) *pulchriventris* (Fischer,1958)** (Braconidae) Synonym(s): *pulchriventris* Fischer,1958
- 7571) *Opius* (*Phaerotoma*) *scaptomyzae* (Fischer,1967)** (Braconidae) Synonym(s): *scaptomyzae* Fischer,1967
- 7572) *Opius* (*Phaerotoma*) *seiunctus* (Fischer,1959)** (Braconidae) Synonym(s): *seiunctus* Fischer,1959
- 7573) *Opius* (*Phaerotoma*) *variegata* (Szepligeti,1896)** (Braconidae) Synonym(s): *variegata* Szepligeti,1896
- 7574) *Opius* (*Rhogadopsis*) *parvungula* Thomson,1895** (Braconidae) Synonym(s): *parvungula* Thomson,1895
- 7575) *Opius* (s.str.) *agromyzicola* Fischer,1967** (Braconidae) Synonym(s): *agromyzicola* Fischer,1967
- 7576) *Opius* (s.str.) *caricivora* Fischer,1964** (Braconidae) Synonym(s): *caricivora* Fischer,1964
- 7577) *Opius* (s.str.) *curticornis* Fischer,1960** (Braconidae) Synonym(s): *curticornis* Fischer,1960
- 7578) *Opius* (s.str.) *lugens* Haliday,1837** (Braconidae) Synonym(s): *lugens* Haliday,1837
- 7579) *Opius* (s.str.) *mendus* Papp,1982** (Braconidae) Synonym(s): *mendus* Papp,1982
- 7580) *Opius* (s.str.) *osogovoensis* Fischer,1964** (Braconidae) Synonym(s): *osogovoensis* Fischer,1964
- 7581) *Opius* (s.str.) *pallipes* Wesmael,1835** (Braconidae) Synonym(s): *pallipes* Wesmael,1835
- 7582) *Opius* (s.str.) *peterseni* Fischer,1964** (Braconidae) Synonym(s): *peterseni* Fischer,1964
- 7583) *Opius* (s.str.) *quasipulvis* Fischer,1989** (Braconidae) Synonym(s): *quasipulvis* Fischer,1989
- 7584) *Opius* (*Snoflakopius*) *snoflaki* Fischer,1959** (Braconidae) Synonym(s): *snoflaki* Fischer,1959
- 7585) *Opius* (*Utetes*) *coracinus* (Thomson,1895)** (Braconidae) Synonym(s): *coracinus* Thomson,1895
- 7586) *Opius* (*Utetes*) *magnus* (Fischer,1958)** (Braconidae) Synonym(s): *magnus* Fischer,1958
- 7587) *Opius* (*Utetes*) *propecoracinum* (Fischer,1999)** (Braconidae) Synonym(s): *propecoracinum* Fischer,1999
- 7588) *Opius* (*Utetes*) *rotundiventris* (Thomson,1895)** (Braconidae) Synonym(s): *rotundiventris* Thomson,1895
- 7589) *Opius* (*Utetes*) *testaceus* (Wesmael,1835)** (Braconidae) Synonym(s): *testaceus* Wesmael,1835
- 7590) *Opius* (*Utetes*) *truncatus* (Wesmael,1835)** (Braconidae) Synonym(s): *truncatus* Wesmael,1835
- 7591) *Opius* (*Xynobius*) *aciculatus* (Thomson,1895)** (Braconidae) Synonym(s): *aciculatus* Thomson,1895
- 7592) *Opius* (*Xynobius*) *curtifemur* (Fischer,1961)** (Braconidae) Synonym(s): *curtifemur* Fischer,1961
- 7593) *Opius* (*Xynobius*) *decoratus* (Stelfox,1949)** (Braconidae) Synonym(s): *decoratus* Stelfox,1949
- 7594) *Opius* (*Xynobius*) *macrocerus* (Thomson,1895)** (Braconidae) Synonym(s): *macrocerus* Thomson,1895
- 7595) *Opius* (*Xynobius*) *rudis* (Wesmael,1835)** (Braconidae) Synonym(s): *rudis* Wesmael,1835
- 7596) *Opius* (*Xynobius*) *thomsoni* (Fischer,1971)** (Braconidae) Synonym(s): *thomsoni* Fischer,1971
- 7597) *Phanerotoma* (*Bracotritoma*) *atra* Snoflak,1951** (Braconidae) Synonym(s): *atra* Snoflak,1951
- 7598) *Phanerotoma* (*Bracotritoma*) *bilinea* Lyle,1924** (Braconidae) Synonym(s): *bilinea* Lyle,1924
- 7599) *Phanerotoma* (*Bracotritoma*) *capeki* Achterberg,1990** (Braconidae) Synonym(s): *capeki* Achterberg,1990
- 7600) *Phanerotoma* (*Bracotritoma*) *gracilisoma* Van Achterberg,1990** (Braconidae) Synonym(s): *gracilisoma* Van Achterberg,1990
- 7601) *Phanerotoma* (*Bracotritoma*) *intermedia* Achterberg,1990** (Braconidae) Synonym(s): *intermedia* Achterberg,1990
- 7602) *Phanerotoma* (*Bracotritoma*) *parva* Kokujev,1903** (Braconidae) Synonym(s): *parva* Kokujev,1903; *aberrans* Shestakov,1930; *gussakovskii* Shestakov,1930
- 7603) *Phanerotoma* (*Bracotritoma*) *permixtella* Fischer,1968** (Braconidae) Synonym(s): *permixtella* Fischer,1968; *olearia* Fischer,1968

- 7604) *Phanerotoma* (s.str.) *acuminata* Szepligeti,1908** (Braconidae) Synonym(s): *acuminata* Szepligeti,1908
- 7605) *Phanerotoma* (s.str.) *dentata* (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805; *minor* Snoflak,1951
- 7606) *Phanerotoma* (s.str.) *leucobasis* Kriechbauer,1894** (Braconidae) Synonym(s): *leucobasis* Kriechbauer,1894
- 7607) *Phanerotoma* (s.str.) *planifrons* (Nees ab Esenbeck,1816)** (Braconidae) Synonym(s): *planifrons* Nees ab Esenbeck,1816
- 7608) *Phanerotoma* *ocularia* Kohl,1906** (Braconidae) Synonym(s): *ocularia* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959
- 7609) *Phanerotomella* *bisulcata* (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *bisulcata* Herrich-Schäffer,1838
- 7610) *Phanerotomella* *rufa* (Marshall,1898)** (Braconidae) Synonym(s): *rufa* Marshall,1898; *kerteszi* Szepligeti,1900; *graeffei* Fischer,1959
- 7611) *Polydegmon* *foveolatus* (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *foveolatus* Herrich-Schäffer,1838; *marshalli* Szepligeti,1896
- 7612) *Polydegmon* *sinuatus* Förster,1862** (Braconidae) Synonym(s): *sinuatus* Förster,1862; *pilichi* Zilaki-Kiss,1915
- 7613) *Protapanteles* *anchiades* (Nixon,1973)** (Braconidae) Synonym(s): *anchiades* Nixon,1973
- 7614) *Protodacnusa* *ruthei* Griffiths,1964** (Braconidae) Synonym(s): *ruthei* Griffiths,1964
- 7615) *Protodacnusa* *tristis* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *tristis* Nees ab Esenbeck,1834
- 7616) *Pseudovipio* *castrator* (Fabricius,1798)** (Braconidae) Synonym(s): *castrator* Fabricius,1798
- 7617) *Pseudovipio* *inscriptor* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *inscriptor* Nees ab Esenbeck,1834
- 7618) *Pseudovipio* *siculus* (Marshall,1888)** (Braconidae) Synonym(s): *siculus* Marshall,1888
- 7619) *Pseudovipio* *tataricus* (Kokujev,1898)** (Braconidae) Synonym(s): *tataricus* Kokujev,1898
- 7620) *Psytalia* (s.str.) *concolor* (Szepligeti,1910)** (Braconidae) Synonym(s): *concolor* Szepligeti,1910
- 7621) *Sathon* *falcatus* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *falcatus* Nees ab Esenbeck,1834
- 7622) *Schizoprymnus* *brevicornis* (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *brevicornis* Herrich-Schäffer,1838
- 7623) *Schizoprymnus* *obscurus* (Nees ab Esenbeck,1813)** (Braconidae) Synonym(s): *obscurus* Nees ab Esenbeck,1813
- 7624) *Schizoprymnus* *ozlemae* Beyarslan,1988** (Braconidae) Synonym(s): *ozlemae* Beyarslan,1988
- 7625) *Sigalphus* *irrorator* (Fabricius,1775)** (Braconidae) Synonym(s): *irrorator* Fabricius,1775
- 7626) *Taphaeus* *hiator* (Thunberg,1824)** (Braconidae) Synonym(s): *hiator* Thunberg,1824
- 7627) *Taphaeus* *rufoccephalus* (Thunberg,1824)** (Braconidae) Synonym(s): *rufoccephalus* Thunberg,1824
- 7628) *Triaspis* *caudatus* (Nees ab Esenbeck,1813)** (Braconidae) Synonym(s): *caudatus* Nees ab Esenbeck,1813
- 7629) *Triaspis* *flavipalpis* Wesmael,1835** (Braconidae) Synonym(s): *flavipalpis* Wesmael,1835
- 7630) *Utetes* *magnus* Fischer,1958** (Braconidae) Synonym(s): *magnus* Fischer,1958; *sayanicus* Tobias,1977; *scrutator* Tobias,1977
- 7631) *Vipio* *alpi* Beyarslan,2002** (Braconidae) Synonym(s): *alpi* Beyarslan,2002
- 7632) *Vipio* *appelator* (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *appelator* Nees ab Esenbeck,1834
- 7633) *Vipio* *filicaudis* Szepligeti,1896** (Braconidae) Synonym(s): *filicaudis* Szepligeti,1896
- 7634) *Vipio* *humeralator* (Costa,1885)** (Braconidae) Synonym(s): *humeralator* Costa,1885; *frivaldskyi* Szepligeti,1896; *marshalli* Schmiedeknecht,1896
- 7635) *Vipio* *illusor* (Klug,1817)** (Braconidae) Synonym(s): *illusor* Klug,1817; *contractor* Nees,1834
- 7636) *Vipio* *insectator* Kokoujev,1898** (Braconidae) Synonym(s): *insectator* Kokoujev,1898
- 7637) *Vipio* *intermedius* Szepligeti,1896** (Braconidae) Synonym(s): *intermedius* Szepligeti,1896
- 7638) *Vipio* *lalapasaensis* (Beyarslan,1992)** (Braconidae) Synonym(s): *lalapasaensis* Beyarslan,1992
- 7639) *Vipio* *longicauda* (Boheman,1853)** (Braconidae) Synonym(s): *nominator* Fabricius,1793; *longicauda* Boheman,1853
- 7640) *Vipio* *mlokossewicz* Kokoujev,1898** (Braconidae) Synonym(s): *mlokossewicz* Kokoujev,1898
- 7641) *Vipio* *nomas* Kokoujev,1907** (Braconidae) Synonym(s): *nomas* Kokoujev,1907
- 7642) *Vipio* *nomioides* Shestakov,1926** (Braconidae) Synonym(s): *nomioides* Shestakov,1926
- 7643) *Vipio* *sareptanus* Kawall,1865** (Braconidae) Synonym(s): *sareptanus* Kawall,1865
- 7644) *Vipio* *shestakovi* Telenga,1936** (Braconidae) Synonym(s): *shestakovi* Telenga,1936
- 7645) *Vipio* *simulator* Kokoujev,1898** (Braconidae) Synonym(s): *simulator* Kokoujev,1898
- 7646) *Vipio* *tentator* (Rossi,1790)** (Braconidae) Synonym(s): *tentator* Rossi,1790
- 7647) *Vipio* *terrefactor* (Villers,1789)** (Braconidae) Synonym(s): *terrefactor* Villers,1789

BRAULIDAE

- 7648) Braula orientalis Örösi Pal,1963** (Braulidae) Synonym(s): *orientalis Örösi Pal,1963*
7649) Braula schmitzi Örösi Pal,1939 (Braulidae) Synonym(s): *schmitzi Örösi Pal,1939*

BRENTHIDAE

- 7650) Amorphocephala coronata (Germar,1817)** (Brentidae) Synonym(s): *coronata Germar,1817*
7651) Ceratapion basicorne (Illiger,1807) (Brentidae) Synonym(s): *basicorne Illiger,1807*
7652) Ceratapion gibbifrons (Hustache,1932) (Brentidae) Synonym(s): *gibbifrons Hustache,1932*;
cystocephalus Bajtenov & Lodos,1978

BRUCHIDAE

- 7653) Bruchus anatolicus Anton,1999** (Bruchidae) Synonym(s): *anatolicus Anton,1999*
7654) Caryedon angeri (Semenov,1896) (Bruchidae) Synonym(s): *angeri Semenov,1896*; *palaestinus Southgate,1976*; *#palaestinus Yücel,1994*
7655) Caryedon halperini Anton & Delobel,2004 (Bruchidae) Synonym(s): *#akdamaricus Decelle & Lodos,1989*; *halperini Anton & Delobel,2004*

BUPRESTIDAE

- 7656) Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata Laporte & Gory,1835*; *dorsalis Spinola,1838*; *sturalis Gory,1840*; *bivitis Frivaldsky,1912*; *krueperi Obenberger,1926*
7657) Acmaeodera (s.str.) transcaucasica Semenov,1895 (Buprestidae) Synonym(s): *transcaucasica Semenov,1895*
7658) Acmaeoderella (Carininota) flavofasciata (Piller & Mitterpacher,1783) (Buprestidae) Synonym(s): *flavofasciata Piller & Mitterpacher,1783*
7659) Acmaeoderella (Euacmaeoderella) gibbulosa (Ménétriés,1832) (Buprestidae) Synonym(s): *gibbulosa Ménétriés,1832*
7660) Acmaeoderella (Euacmaeoderella) vetusta (Ménétriés,1832) (Buprestidae) Synonym(s): *vetusta Ménétriés,1832*
7661) Acmaeoderella (Euacmaeoderella) villosula (Steven,1830) (Buprestidae) Synonym(s): *villosula Steven,1830*
7662) Agrilus (Anambus) ater (Linnaeus,1767) (Buprestidae) Synonym(s): *ater Linnaeus,1767*
7663) Agrilus (Anambus) buresi Obenberger,1935 (Buprestidae) Synonym(s): *buresi Obenberger,1935*
7664) Agrilus (Anambus) derasofasciatus Lacordaire,1835 (Buprestidae) Synonym(s): *derasofasciatus Lacordaire,1835*
7665) Agrilus (Anambus) obscuricollis Kiesenwetter,1857 (Buprestidae) Synonym(s): *obscuricollis Kiesenwetter,1857*
7666) Agrilus (Anambus) roscidus Kiesenwetter,1857 (Buprestidae) Synonym(s): *roscidus Kiesenwetter,1857*
7667) Agrilus (Anambus) sericans Kiesenwetter,1857 (Buprestidae) Synonym(s): *sericans Kiesenwetter,1857*
7668) Agrilus (s.str.) aurichalceus Redtenbacher,1849 (Buprestidae) Synonym(s): *aurichalceus Redtenbacher,1849*
7669) Agrilus (s.str.) hyperici (Creutzer,1799) (Buprestidae) Synonym(s): *hyperici Creutzer,1799*
7670) Agrilus (s.str.) lineolus Redtenbacher,1849 (Buprestidae) Synonym(s): *lineolus Redtenbacher,1849*
7671) Agrilus kutahyanus Krolík,2002 (Buprestidae) Synonym(s): *kutahyanus Krolík,2002*
7672) Agrilus rhoos Krolík & Niehuis,2003 (Buprestidae) Synonym(s): *rhoos Krolík & Niehuis,2003*
7673) Anthaxia (Cratomerus) diadema Fischer,1824 (Buprestidae) Synonym(s): *diadema Fischer,1824*
7674) Anthaxia (Cratomerus) eugeniae Ganglbauer,1885 (Buprestidae) Synonym(s): *eugeniae Ganglbauer,1885*

- 7675) Anthaxia (Cratomerus) hungarica (Scopoli,1772)** (Buprestidae) Synonym(s): *hungarica Scopoli,1772*
- 7676) Anthaxia (Cratomerus) krueperi Ganglbauer,1885** (Buprestidae) Synonym(s): *krueperi Ganglbauer,1885*
- 7677) Anthaxia (Cratomerus) mirabilis Zicharev,1918** (Buprestidae) Synonym(s): *mirabilis Zicharev,1918*
- 7678) Anthaxia (Cratomerus) nupta Kiesenwetter,1857** (Buprestidae) Synonym(s): *nupta Kiesenwetter,1857*
- 7679) Anthaxia (Cratomerus) scorzonerae (Frivaldski,1838)** (Buprestidae) Synonym(s): *scorzonerae Frivaldski,1838; euphrosyne Ganglbauer,1885; artemis Daniel,1905*
- 7680) Anthaxia (Cratomerus) sponsa Kiesenwetter,1857** (Buprestidae) Synonym(s): *sponsa Kiesenwetter,1857*
- 7681) Anthaxia (Euanthaxia) anatolica Chevrolat,1837** (Buprestidae) Synonym(s): *anatolica Chevrolat,1837*
- 7682) Anthaxia (Haplanthaxia) armeniaca Obenberger,1929** (Buprestidae) Synonym(s): *armeniaca Obenberger,1929*
- 7683) Anthaxia (Haplanthaxia) bettagi Niehuis,1983** (Buprestidae) Synonym(s): *bettagi Niehuis,1983*
- 7684) Anthaxia (Haplanthaxia) bosdaghensis Obenberger,1938** (Buprestidae) Synonym(s): *bosdaghensis Obenberger,1938*
- 7685) Anthaxia (Haplanthaxia) cavazzutii Bily,1980** (Buprestidae) Synonym(s): *cavazzutii Bily,1980*
- 7686) Anthaxia (Haplanthaxia) cichorii (Olivier,1790)** (Buprestidae) Synonym(s): *cichorii Olivier,1790*
- 7687) Anthaxia (Haplanthaxia) cylindrica Abeille,1900** (Buprestidae) Synonym(s): *cylindrica Abeille,1900*
- 7688) Anthaxia (Haplanthaxia) flavicomis Abeille,1900** (Buprestidae) Synonym(s): *flavicomis Abeille,1900; erivana Obenberger,1913; #flavicomis Ulay & Tezcan,1998*
- 7689) Anthaxia (Haplanthaxia) karsanthiana Pic,1917** (Buprestidae) Synonym(s): *karsanthiana Pic,1917*
- 7690) Anthaxia (Haplanthaxia) kiesenwetteri Marseul,1865** (Buprestidae) Synonym(s): *kiesenwetteri Marseul,1865*
- 7691) Anthaxia (Haplanthaxia) laticeps Abeille,1900** (Buprestidae) Synonym(s): *laticeps Abeille,1900; minerva Obenberger,1913; navratili Bily,1984*
- 7692) Anthaxia (Haplanthaxia) millefolii (Fabricius,1801)** (Buprestidae) Synonym(s): *millefolii Fabricius,1801*
- 7693) Anthaxia (Haplanthaxia) mundula Kiesenwetter,1857** (Buprestidae) Synonym(s): *mundula Kiesenwetter,1857*
- 7694) Anthaxia (Haplanthaxia) niehuisi Brandl,1987** (Buprestidae) Synonym(s): *niehuisi Brandl,1987*
- 7695) Anthaxia (Haplanthaxia) olympica Kiesenwetter,1880** (Buprestidae) Synonym(s): *olympica Kiesenwetter,1880*
- 7696) Anthaxia (Haplanthaxia) ovaciki Nocak,1994** (Buprestidae) Synonym(s): *ovaciki Nocak,1994*
- 7697) Anthaxia (Haplanthaxia) parapleuralis Obenberger,1929** (Buprestidae) Synonym(s): *parapleuralis Obenberger,1929*
- 7698) Anthaxia (Haplanthaxia) praeclara Mannerheim,1837** (Buprestidae) Synonym(s): *praeclara Mannerheim,1837*
- 7699) Anthaxia (Haplanthaxia) puella Bily,1980** (Buprestidae) Synonym(s): *puella Bily,1980*
- 7700) Anthaxia (Haplanthaxia) rossica Daniel,1903** (Buprestidae) Synonym(s): *rossica Daniel,1903; horvathi Kaszab,1940*
- 7701) Anthaxia (Haplanthaxia) serena Daniel,1903** (Buprestidae) Synonym(s): *serena Daniel,1903*
- 7702) Anthaxia (Haplanthaxia) umbellatarum (Fabricius,1787)** (Buprestidae) Synonym(s): *umbellatarum Fabricius,1787*
- 7703) Anthaxia (Haplanthaxia) ursulae Niehuis,1989** (Buprestidae) Synonym(s): *ursulae Niehuis,1989*
- 7704) Anthaxia (Melanthaxia) bilyi Curletti,1984** (Buprestidae) Synonym(s): *bilyi Curletti,1984*
- 7705) Anthaxia (Melanthaxia) caucasica Abeille,1900** (Buprestidae) Synonym(s): *caucasica Abeille,1900*
- 7706) Anthaxia (Melanthaxia) corinthia Reiche & Saulcy,1856** (Buprestidae) Synonym(s): *corinthia Reiche & Saulcy,1856*
- 7707) Anthaxia (Melanthaxia) godeti Gory & Laporte,1839** (Buprestidae) Synonym(s): *godeti Gory & Laporte,1839; granulata Küster,1850; cupricolor Abeille,1909; frankenbergeri Obenberger,1914; submontana Obenberger,1930; balcanica Obenberger,1938; spaethi Obenberger,1938; scheerpeltzi Obenberger,1938; raclinae Baudon,1959*
- 7708) Anthaxia (Melanthaxia) masculina Bily,1984** (Buprestidae) Synonym(s): *masculina Bily,1984*
- 7709) Anthaxia (Melanthaxia) meregallii Curletti & Magnali,1985** (Buprestidae) Synonym(s): *mergallii Curletti & Magnali,1985*

- 7710) Anthaxia (Melanthaxia) misteriosa Obenberger, 1917** (Buprestidae) Synonym(s): *misteriosa* Obenberger, 1917
- 7711) Anthaxia (Melanthaxia) negrei Cobos, 1953** (Buprestidae) Synonym(s): *negrei* Cobos, 1953
- 7712) Anthaxia (Melanthaxia) nigrojubata Roubal, 1913** (Buprestidae) Synonym(s): *nigrojubata* Roubal, 1913; *incognita* Bily, 1974
- 7713) Anthaxia (Melanthaxia) obesa Abeille, 1900** (Buprestidae) Synonym(s): *obesa* Abeille, 1900
- 7714) Anthaxia (Melanthaxia) pinguis Kiesenwetter, 1880** (Buprestidae) Synonym(s): *pinguis* Kiesenwetter, 1880
- 7715) Anthaxia (Melanthaxia) quadripunctata (Linnaeus, 1758)** (Buprestidae) Synonym(s): *quadripunctata* Linnaeus, 1758; *punctata* Ponza, 1805; *angulicollis* Küster, 1850; *angulata* Küster, 1850; *quadrioveolata* Obenberger, 1918
- 7716) Anthaxia (Melanthaxia) rugicollis Lucas, 1846** (Buprestidae) Synonym(s): *rugicollis* Lucas, 1846; *tassii* Herman, 1966
- 7717) Anthaxia (Melanthaxia) scurra Bily & Brodsky, 1982** (Buprestidae) Synonym(s): *scurra* Bily & Brodsky, 1982
- 7718) Anthaxia (Melanthaxia) sternalis (Abeille, 1895)** (Buprestidae) Synonym(s): *sternalis* Abeille, 1895
- 7719) Anthaxia (Melanthaxia) tenella Kiesenwetter, 1858** (Buprestidae) Synonym(s): *tenella* Kiesenwetter, 1858; *insularis* Obenberger, 1914; *virgo* Bily, 1980
- 7720) Anthaxia (Melanthaxia) truncata Abeille, 1900** (Buprestidae) Synonym(s): *truncata* Abeille, 1900
- 7721) Anthaxia (s.str.) adiyamana Svoboda, 1994** (Buprestidae) Synonym(s): *adiyamana* Svoboda, 1994
- 7722) Anthaxia (s.str.) amasina Daniel, 1903** (Buprestidae) Synonym(s): *amasina* Daniel, 1903
- 7723) Anthaxia (s.str.) berytensis Abeille, 1895** (Buprestidae) Synonym(s): *berytensis* Abeille, 1895
- 7724) Anthaxia (s.str.) bicolor Faldermann, 1835** (Buprestidae) Synonym(s): *bicolor* Faldermann, 1835
- 7725) Anthaxia (s.str.) brevis Gory & Laporte, 1839** (Buprestidae) Synonym(s): *brevis* Gory & Laporte, 1839
- 7726) Anthaxia (s.str.) deaurata (Gmelin, 1788)** (Buprestidae) Synonym(s): *deaurata* Gmelin, 1788; *senicula* Schrank, 1789
- 7727) Anthaxia (s.str.) discicollis Gory & Laporte, 1839** (Buprestidae) Synonym(s): *discicollis* Gory & Laporte, 1839; *kanaanita* Obenberger, 1912
- 7728) Anthaxia (s.str.) fulgurans (Schrank, 1789)** (Buprestidae) Synonym(s): *fulgurans* Schrank, 1789
- 7729) Anthaxia (s.str.) funerula (Illiger, 1803)** (Buprestidae) Synonym(s): *funerula* Illiger, 1803
- 7730) Anthaxia (s.str.) ghazi Obenberger, 1938** (Buprestidae) Synonym(s): *ghazi* Obenberger, 1938
- 7731) Anthaxia (s.str.) hackeri Frivalsky, 1884** (Buprestidae) Synonym(s): *hackeri* Frivalsky, 1884
- 7732) Anthaxia (s.str.) herbertschmidtii Novak, 1992** (Buprestidae) Synonym(s): *herbertschmidtii* Novak, 1992
- 7733) Anthaxia (s.str.) hypomelaena (Illiger, 1803)** (Buprestidae) Synonym(s): *hypomelaena* Illiger, 1803
- 7734) Anthaxia (s.str.) irregularis Abeille, 1909** (Buprestidae) Synonym(s): *irregularis* Abeille, 1909
- 7735) Anthaxia (s.str.) kervillei Thery, 1939** (Buprestidae) Synonym(s): *kervillei* Thery, 1939
- 7736) Anthaxia (s.str.) kurdistan Obenberger, 1912** (Buprestidae) Synonym(s): *kurdistan* Obenberger, 1912; *adanensis* Obenberger, 1913
- 7737) Anthaxia (s.str.) lucens Küster, 1852** (Buprestidae) Synonym(s): *lucens* Küster, 1852; *phoenica* Ganglbauer, 1882
- 7738) Anthaxia (s.str.) manca (Linnaeus, 1767)** (Buprestidae) Synonym(s): *manca* Linnaeus, 1767
- 7739) Anthaxia (s.str.) muliebris Obenberger, 1918** (Buprestidae) Synonym(s): *muliebris* Obenberger, 1918
- 7740) Anthaxia (s.str.) myrmidon Abeille, 1891** (Buprestidae) Synonym(s): *myrmidon* Abeille, 1891
- 7741) Anthaxia (s.str.) nigricollis Abeille, 1904** (Buprestidae) Synonym(s): *nigricollis* Abeille, 1904
- 7742) Anthaxia (s.str.) novickii Obenberger, 1938** (Buprestidae) Synonym(s): *novickii* Obenberger, 1938
- 7743) Anthaxia (s.str.) olivieri Gory & Laporte, 1839** (Buprestidae) Synonym(s): *olivieri* Gory & Laporte, 1839
- 7744) Anthaxia (s.str.) passerini (Pecchioli, 1837)** (Buprestidae) Synonym(s): *passerini* Pecchioli, 1837
- 7745) Anthaxia (s.str.) perrini Obenberger, 1918** (Buprestidae) Synonym(s): *perrini* Obenberger, 1918
- 7746) Anthaxia (s.str.) platysoma Abeille, 1891** (Buprestidae) Synonym(s): *platysoma* Abeille, 1891
- 7747) Anthaxia (s.str.) plicata Kiesenwetter, 1859** (Buprestidae) Synonym(s): *plicata* Kiesenwetter, 1859
- 7748) Anthaxia (s.str.) rutilipennis Abeille, 1891** (Buprestidae) Synonym(s): *rutilipennis* Abeille, 1891
- 7749) Anthaxia (s.str.) salicis (Fabricius, 1776)** (Buprestidae) Synonym(s): *salicis* Fabricius, 1776
- 7750) Anthaxia (s.str.) semicuprea Küster, 1851** (Buprestidae) Synonym(s): *semicuprea* Küster, 1851
- 7751) Anthaxia (s.str.) shirasensis Obenberger, 1940** (Buprestidae) Synonym(s): *shirasensis* Obenberger, 1940

- 7752) Anthaxia (s.str.) signaticollis (Krynicky,1832)** (Buprestidae) Synonym(s): *signaticollis* Krynicky,1832; *vandykeana* Obenberger,1936
- 7753) Anthaxia (s.str.) togata Abeille,1882** (Buprestidae) Synonym(s): *togata* Abeille,1882
- 7754) Anthaxia (s.str.) turcica Svoboda,1994** (Buprestidae) Synonym(s): *turcica* Svoboda,1994
- 7755) Anthaxia (s.str.) turcomanica Obenberger,1937** (Buprestidae) Synonym(s): *turcomanica* Obenberger,1937
- 7756) Anthaxia (s.str.) winckleri Obenberger,1914** (Buprestidae) Synonym(s): *winckleri* Obenberger,1914
- 7757) Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926
- 7758) Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787
- 7759) Capnodis excisa Ménétériés,1849** (Buprestidae) Synonym(s): *excisa* Ménétériés,1849
- 7760) Capnodis henningii (Faldermann,1835)** (Buprestidae) Synonym(s): *henningii* Faldermann,1835
- 7761) Capnodis marquardti Reitter,1913** (Buprestidae) Synonym(s): *marquardti* Reitter,1913
- 7762) Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934
- 7763) Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855
- 7764) Capnodis semisuturalis Marseul,1865** (Buprestidae) Synonym(s): *semisuturalis* Marseul,1865; *perrini* Thery,1936
- 7765) Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945
- 7766) Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goetze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917
- 7767) Chalcophorella stigmatica (Schoenherr,1817)** (Buprestidae) Synonym(s): *stigmatica* Schoenherr,1817
- 7768) Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménétériés,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyji* Richter,1944
- 7769) Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894
- 7770) Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Campanyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930
- 7771) Coraebus elatus (Fabricius,1787)** (Buprestidae) Synonym(s): *elatus* Fabricius,1787
- 7772) Coraebus rubi (Linnaeus,1767)** (Buprestidae) Synonym(s): *rubi* Linnaeus,1767
- 7773) Eurythrea austriaca (Linnaeus,1767)** (Buprestidae) Synonym(s): *austriaca* Linnaeus,1767
- 7774) Julodella globithorax (Steven,1830)** (Buprestidae) Synonym(s): *globithorax* Steven,1830
- 7775) Julodis abeillei (Thery,1893)** (Buprestidae) Synonym(s): *abeillei* Thery,1893
- 7776) Julodis andreae (Olivier,1790)** (Buprestidae) Synonym(s): *andreae* Olivier,1790
- 7777) Julodis armeniaca Marseul,1865** (Buprestidae) Synonym(s): *armeniaca* Marseul,1865
- 7778) Julodis ehrenbergi Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi* Laporte,1835
- 7779) Julodis faldermanni Mannerheim,1837** (Buprestidae) Synonym(s): *faldermanni* Mannerheim,1837
- 7780) Julodis speculifera Laporte & Gory,1835** (Buprestidae) Synonym(s): *speculifera* Laporte & Gory,1835
- 7781) Meliboeus adlbaueri Niehuis,1997** (Buprestidae) Synonym(s): *adlbaueri* Niehuis,1997
- 7782) Meliboeus amethystinus (Olivier,1790)** (Buprestidae) Synonym(s): *amethystinus* Olivier,1790
- 7783) Polystes johanidesi Bily,1997** (Buprestidae) Synonym(s): *johanidesi* Bily,1997
- 7784) Trachys minuta (Linnaeus,1758)** (Buprestidae) Synonym(s): *minuta* Linnaeus,1758; *mandjurica* Obenberger,1917; *reflexiformis* Obenberger,1917
- 7785) Trachys troglodytes Gyllenhal,1817** (Buprestidae) Synonym(s): *troglodytes* Gyllenhal,1817; *laevicollis* Kiesenwetter,1857; *puncticeps* Abeille de Perrin,1900; *carinthiaca* Obenberger,1918

BYTURIDAE

- 7786) Xerasia punica Goodrich & Springer, 1988** (Byturidae) Synonym(s): *punica* Goodrich & Springer, 1988

CALAMOCERATIDAE

- 7787) Calamoceras illiesi Malicky & Kumanski, 1974** (Calamoceratidae) Synonym(s): *illiesi* Malicky & Kumanski, 1974

CALISCELIDAE

- 7788) Aphelonema melichari (Horvath, 1897)** (Caliscelidae) Synonym(s): *melichari* Horvath, 1897
7789) Brucoscelis peculiaris (Horvath, 1904) (Caliscelidae) Synonym(s): *peculiaris* Horvath, 1904
7790) Caliscelis wallengreni (Stål, 1863) (Caliscelidae) Synonym(s): *wallengreni* Stål, 1863
7791) Ommatidiotus dissimilis (Fallén, 1806) (Caliscelidae) Synonym(s): *dissimilis* Fallén, 1806
7792) Ommatidiotus inconspicuus Stål, 1863 (Caliscelidae) Synonym(s): *inconspicuus* Stål, 1863
7793) Ommatidiotus iranica Horvath, 1905 (Caliscelidae) Synonym(s): *iranica* Horvath, 1905
7794) Ommatidiotus longiceps Puton, 1896 (Caliscelidae) Synonym(s): *falleni* Bolivar & Chicote, 1879; *longiceps* Puton, 1896; *alternans* Horvath, 1916; *longicipiti* Horvath, 1916
7795) Peltonotellus punctifrons Horvath, 1895 (Caliscelidae) Synonym(s): *punctifrons* Horvath, 1895

CALLIPHORIDAE

- 7796) Calliphora vicina R-D., 1830** (Calliphoridae) Synonym(s): *vicina* R-D., 1830; *monspeliaca* R-D., 1830; *musca* R-D., 1830; *nana* R-D., 1830; *spitzbergensis* R-D., 1830; *thuscia* Walker, 1849; *rufifacies* Macquart, 1851; *acuta* Walker, 1852; *insidiosa* R-D., 1863
7797) Calopteryx hyalina Martin, 1909 (Calopterygidae) Synonym(s): *hyalina* Martin, 1909
7798) Pollenia dasypoda Portschinsky, 1881 (Calliphoridae) Synonym(s): *dasypoda* Portschinsky, 1881
7799) Pollenia labialis R-D., 1863 (Calliphoridae) Synonym(s): *labialis* R-D., 1863; *excarinata* Wainwright, 1940
7800) Rhyncomya cyanescens (Loew, 1844) (Calliphoridae) Synonym(s): *cyanescens* Loew, 1844
7801) Rhyncomya felina (Fabricius, 1794) (Calliphoridae) Synonym(s): *felina* Fabricius, 1794; *ruficeps* Fabricius, 1805
7802) Rhyncomya peusi Zumpt, 1956 (Calliphoridae) Synonym(s): *peusi* Zumpt, 1956
7803) Rhyncomya speciosa (Loew, 1844) (Calliphoridae) Synonym(s): *speciosa* Loew, 1844
7804) Stomorhina lunata (Fabricius, 1805) (Calliphoridae) Synonym(s): *lunata* Fabricius, 1805; *selgae* Lehrer, 1979

CALOPTERYGIDAE

- 7805) Calopteryx intermedia Selys, 1887** (Calopterygidae) Synonym(s): *intermedia* Selys, 1887
7806) Calopteryx mingrelia Selys, 1869 (Calopterygidae) Synonym(s): *mingrelia* Selys, 1869
7807) Calopteryx splendens (Harris, 1776) (Calopterygidae) Synonym(s): *splendens* Harris, 1776
7808) Calopteryx syriaca Génée, 1842 (Calopterygidae) Synonym(s): *syriaca* Génée, 1842; *pseudosyriaca* Buchholtz, 1955
7809) Calopteryx taurica Selys-Longchamps, 1853 (Calopterygidae) Synonym(s): *taurica* Selys-Longchamps, 1853
7810) Calopteryx virgo (Linnaeus, 1758) (Calopterygidae) Synonym(s): *virgo* Linnaeus, 1758; *colchicus* Eichwald, 1837
7811) Calopteryx waterstoni Schneider, 1984 (Calopterygidae) Synonym(s): *waterstoni* Schneider, 1984
7812) Epallage fatime (Charpentier, 1840) (Calopterygidae) Synonym(s): *fatime* Charpentier, 1840
7813) Ancistroneura erichsoni Bach, 1852 (Cantharidae) Synonym(s): *erichsoni* Bach, 1852

CANTHARIDAE

- 7814) Boveycantharis rufimana (Ménétriés, 1832)** (Cantharidae) Synonym(s): *rufimana* Ménétriés, 1832
7815) Boveycantharis tokatensis (Pic, 1898) (Cantharidae) Synonym(s): *tokatensis* Pic, 1898

- 7816) Boveycantharis akschehirensis Wittmer,1969** (Cantharidae) Synonym(s): *akschehirensis Wittmer,1969*
- 7817) Boveycantharis hetitica Wittmer,1969** (Cantharidae) Synonym(s): *hetitica Wittmer,1969*
- 7818) Boveycantharis holzschuhi Svihla,1999** (Cantharidae) Synonym(s): *holzschuhi Svihla,1999*
- 7819) Boveycantharis mersinensis Svihla,1999** (Cantharidae) Synonym(s): *mersinensis Svihla,1999*
- 7820) Boveycantharis phoeniciensis Wittmer,1969** (Cantharidae) Synonym(s): *phoeniciensis Wittmer,1969*
- 7821) Boveycantharis rufimanoides Wittmer,1969** (Cantharidae) Synonym(s): *rufimanoides Wittmer,1969*
- 7822) Boveycantharis tatvanensis Wittmer,1997** (Cantharidae) Synonym(s): *tatvanensis Wittmer,1997*
- 7823) Boveycantharis tauricola Svihla,1999** (Cantharidae) Synonym(s): *tauricola Svihla,1999*
- 7824) Cantharis akbesiana Pic,1906** (Cantharidae) Synonym(s): *akbesiana Pic,1906*
- 7825) Cantharis annularis Ménétériés,1836** (Cantharidae) Synonym(s): *annularis Ménétériés,1836*
- 7826) Cantharis flavilabris Fallén,1807** (Cantharidae) Synonym(s): *flavilabris Fallén,1807*
- 7827) Cantharis lateralis Linnaeus,1758** (Cantharidae) Synonym(s): *lateralis Linnaeus,1758*
- 7828) Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida Linnaeus,1758*
- 7829) Cantharis longicollis Kiesenwetter,1852** (Cantharidae) Synonym(s): *longicollis Kiesenwetter,1852*
- 7830) Cantharis nigra De Geer,1774** (Cantharidae) Synonym(s): *nigra De Geer,1774*
- 7831) Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria Fabricius,1781*
- 7832) Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa Linnaeus,1758*
- 7833) Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica Fallén,1807*
- 7834) Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis Marseul,1864; #symrnensis Silkin,2008*
- 7835) Cantharis ziganadagensis Wittmer,1971** (Cantharidae) Synonym(s): *ziganadagensis Wittmer,1971*
- 7836) Cordicantharis iliaca (Marseul,1864)** (Cantharidae) Synonym(s): *iliaca Marseul,1864*
- 7837) Cordicantharis similis Svihla,1999** (Cantharidae) Synonym(s): *similis Svihla,1999*
- 7838) Islamocantharis (s.str.) orientalis Wittmer & Magis,1978** (Cantharidae) Synonym(s): *orientalis Wittmer & Magis,1978*
- 7839) Islamocantharis (Unicantharis) cilicia (Pic,1904)** (Cantharidae) Synonym(s): *cilicia Pic,1904*
- 7840) Islamocantharis (s.str.) johanidesi Svihla,2004** (Cantharidae) Synonym(s): *johanidesi Svihla,2004*
- 7841) Metacantharis araxicola Reitter,1891** (Cantharidae) Synonym(s): *araxicola Reitter,1891*
- 7842) Metacantharis clypeata (Illiger,1798)** (Cantharidae) Synonym(s): *clypeata Illiger,1798*
- 7843) Metacantharis taurigrada Bourgeois,1900** (Cantharidae) Synonym(s): *taurigrada Bourgeois,1900*
- 7844) Metacantharis kostali Wittmer,1997** (Cantharidae) Synonym(s): *kostali Wittmer,1997*
- 7845) Metacantharis torosensis Svihla,1999** (Cantharidae) Synonym(s): *torosensis Svihla,1999*
- 7846) Metacantharis walteri Svihla,1999** (Cantharidae) Synonym(s): *walteri Svihla,1999*
- 7847) Pakabsidia heinzi Wittmer,1978** (Cantharidae) Synonym(s): *heinzi Wittmer,1978*
- 7848) Occathemus tarsalis Svihla,1999** (Cantharidae) Synonym(s): *tarsalis Svihla,1999*
- 7849) Rhagonycha duplicata Dahlgren,1968** (Cantharidae) Synonym(s): *duplicata Dahlgren,1968*
- 7850) Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva Scopoli,1763*
- 7851) Rhagonycha kiesenwetteri Marseul,1864** (Cantharidae) Synonym(s): *kiesenwetteri Marseul,1864*
- 7852) Rhagonycha lutea (O.F.Müller,1764)** (Cantharidae) Synonym(s): *lutea O.F.Müller,1764*
- 7853) Rhagonycha adanensis Dahlgren,1968** (Cantharidae) Synonym(s): *adanensis Dahlgren,1968*
- 7854) Rhagonycha anatolica Dahlgren,1968** (Cantharidae) Synonym(s): *anatolica Dahlgren,1968*
- 7855) Rhagonycha antennata Svihla,2004** (Cantharidae) Synonym(s): *antennata Svihla,2004*
- 7856) Rhagonycha brancuccii Svihla,1993** (Cantharidae) Synonym(s): *brancuccii Svihla,1993*
- 7857) Rhagonycha carolusi Svihla,1993** (Cantharidae) Synonym(s): *carolusi Svihla,1993*
- 7858) Rhagonycha catei Svihla,1993** (Cantharidae) Synonym(s): *catei Svihla,1993*
- 7859) Rhagonycha curvipes Svihla,2005** (Cantharidae) Synonym(s): *curvipes Svihla,2005*
- 7860) Rhagonycha dvoraki Svihla,1995** (Cantharidae) Synonym(s): *dvoraki Svihla,1995*
- 7861) Rhagonycha fulvaliena Svihla,1995** (Cantharidae) Synonym(s): *fulvaliena Svihla,1995*
- 7862) Rhagonycha icelica Svihla,1995** (Cantharidae) Synonym(s): *icelica Svihla,1995*
- 7863) Rhagonycha kadleci Svihla,2002** (Cantharidae) Synonym(s): *kadleci Svihla,2002*
- 7864) Rhagonycha karsensis Svihla,1995** (Cantharidae) Synonym(s): *karsensis Svihla,1995*
- 7865) Rhagonycha kronbladi Svihla,1993** (Cantharidae) Synonym(s): *kronbladi Svihla,1993*
- 7866) Rhagonycha lundbergi Svihla,1993** (Cantharidae) Synonym(s): *lundbergi Svihla,1993*
- 7867) Rhagonycha nurdagensis Wittmer,1972** (Cantharidae) Synonym(s): *nurdagensis Wittmer,1972*
- 7868) Rhagonycha osellai Svihla,1993** (Cantharidae) Synonym(s): *osellai Svihla,1993*

- 7869) **Rhagonycha paflagonica Svihla, 2004** (Cantharidae) Synonym(s): *paflagonica Svihla, 2004*
- 7870) **Rhagonycha pamphylica Wittmer, 1972** (Cantharidae) Synonym(s): *pamphylica Wittmer, 1972*
- 7871) **Rhagonycha pseudorossica Kazantsev, 1992** (Cantharidae) Synonym(s): *pseudorossica Kazantsev, 1992*
- 7872) **Rhagonycha ruzickai Svihla, 1993** (Cantharidae) Synonym(s): *ruzickai Svihla, 1993*
- 7873) **Rhagonycha rydhi Svihla, 1993** (Cantharidae) Synonym(s): *rydhi Svihla, 1993*
- 7874) **Rhagonycha schneideri Svihla, 2006** (Cantharidae) Synonym(s): *schneideri Svihla, 2006*
- 7875) **Rhagonycha stanislavi Svihla, 2002** (Cantharidae) Synonym(s): *stanislavi Svihla, 2002*
- 7876) **Rhagonycha turcica Wittmer, 1972** (Cantharidae) Synonym(s): *turcica Wittmer, 1972*
- 7877) **Rhagonycha walteri Svihla, 1993** (Cantharidae) Synonym(s): *walteri Svihla, 1993*
- 7878) **Sinometa besucheti Wittmer, 1969** (Cantharidae) Synonym(s): *Sinometa besucheti Wittmer, 1969*
- 7879) **Malthinus hulai Svihla, 2009** (Cantharidae) Synonym(s): *hulai Svihla, 2009*
- 7880) **Malthinus ciraliensis Svihla, 2009** (Cantharidae) Synonym(s): *ciraliensis Svihla, 2009*
- 7881) **Malthinus conspicuus Kiesenwetter, 1852** (Cantharidae) Synonym(s): *conspicuus Kiesenwetter, 1852*
- 7882) **Malthinus malinkai Svihla, 2009** (Cantharidae) Synonym(s): *malinkai Svihla, 2009*
- 7883) **Malthinus alemdagensis Wittmer, 1974** (Cantharidae) Synonym(s): *alemdagensis Wittmer, 1974*
- 7884) **Malthinus anatolicus Wittmer, 1974** (Cantharidae) Synonym(s): *anatolicus Wittmer, 1974*
- 7885) **Malthinus artvinensis Wittmer, 1978** (Cantharidae) Synonym(s): *artvinensis Wittmer, 1978*
- 7886) **Malthinus bezdeki Svihla, 2002** (Cantharidae) Synonym(s): *bezdeki Svihla, 2002*
- 7887) **Malthinus brancuccii Wittmer, 1978** (Cantharidae) Synonym(s): *brancuccii Wittmer, 1978*
- 7888) **Malthinus byzantinus Wittmer, 1974** (Cantharidae) Synonym(s): *byzantinus Wittmer, 1974*
- 7889) **Malthinus complexus Wittmer, 1993** (Cantharidae) Synonym(s): *complexus Wittmer, 1993*
- 7890) **Malthinus cornutus Wittmer, 1974** (Cantharidae) Synonym(s): *cornutus Wittmer, 1974*
- 7891) **Malthinus corylicus Wittmer, 1974** (Cantharidae) Synonym(s): *corylicus Wittmer, 1974*
- 7892) **Malthinus crenaticeps Wittmer, 1974** (Cantharidae) Synonym(s): *crenaticeps Wittmer, 1974*
- 7893) **Malthinus freyi Wittmer, 1974** (Cantharidae) Synonym(s): *freyi Wittmer, 1974*
- 7894) **Malthinus furcatus Wittmer, 1974** (Cantharidae) Synonym(s): *furcatus Wittmer, 1974*
- 7895) **Malthinus hetiticus Wittmer, 1974** (Cantharidae) Synonym(s): *hetiticus Wittmer, 1974*
- 7896) **Malthinus interruptus Wittmer, 1974** (Cantharidae) Synonym(s): *interruptus Wittmer, 1974*
- 7897) **Malthinus kaszabi Wittmer, 1974** (Cantharidae) Synonym(s): *kaszabi Wittmer, 1974*
- 7898) **Malthinus lasistanus Wittmer, 1974** (Cantharidae) Synonym(s): *lasistanus Wittmer, 1974*
- 7899) **Malthinus lundbergi Svihla, 1994** (Cantharidae) Synonym(s): *lundbergi Svihla, 1994*
- 7900) **Malthinus magisi Wittmer, 1974** (Cantharidae) Synonym(s): *magisi Wittmer, 1974*
- 7901) **Malthinus marashensis Wittmer, 1974** (Cantharidae) Synonym(s): *marashensis Wittmer, 1974*
- 7902) **Malthinus medianus Wittmer, 1974** (Cantharidae) Synonym(s): *medianus Wittmer, 1974*
- 7903) **Malthinus mediterraneus Wittmer, 1974** (Cantharidae) Synonym(s): *mediterraneus Wittmer, 1974*
- 7904) **Malthinus mesopotamicus Wittmer, 1974** (Cantharidae) Synonym(s): *mesopotamicus Wittmer, 1974*
- 7905) **Malthinus pamphylicus Wittmer, 1974** (Cantharidae) Synonym(s): *pamphylicus Wittmer, 1974*
- 7906) **Malthinus prudeki Svihla, 2002** (Cantharidae) Synonym(s): *prudeki Svihla, 2002*
- 7907) **Malthinus pseudoflaveolus Wittmer, 1974** (Cantharidae) Synonym(s): *pseudoflaveolus Wittmer, 1974*
- 7908) **Malthinus pseudointerruptus Wittmer, 1974** (Cantharidae) Synonym(s): *pseudointerruptus Wittmer, 1974*
- 7909) **Malthinus resslis Wittmer, 1978** (Cantharidae) Synonym(s): *ressli Wittmer, 1978*
- 7910) **Malthinus rydhi Wittmer, 1993** (Cantharidae) Synonym(s): *rydhi Wittmer, 1993*
- 7911) **Malthinus samsunicus Wittmer, 1974** (Cantharidae) Synonym(s): *samsunicus Wittmer, 1974*
- 7912) **Malthinus stanislavi Svihla, 2004** (Cantharidae) Synonym(s): *stanislavi Svihla, 2004*
- 7913) **Malthinus strangulatus Wittmer, 1974** (Cantharidae) Synonym(s): *strangulatus Wittmer, 1974*
- 7914) **Malthinus walteri Svihla, 2002** (Cantharidae) Synonym(s): *walteri Svihla, 2002*
- 7915) **Malthinus wittmeri Svihla, 1998** (Cantharidae) Synonym(s): *wittmeri Svihla, 1998*
- 7916) **Malthinus zahravniki Svihla, 2002** (Cantharidae) Synonym(s): *zahravniki Svihla, 2002*
- 7917) **Malthodes akbesianus Pic, 1901** (Cantharidae) Synonym(s): *akbesianus Pic, 1901*
- 7918) **Malthodes malinkorum Svihla, 2009** (Cantharidae) Synonym(s): *malinkorum Svihla, 2009*
- 7919) **Malthodes zdeneki Svihla, 2009** (Cantharidae) Synonym(s): *zdeneki Svihla, 2009*
- 7920) **Malthodes flagellatus Svihla, 2009** (Cantharidae) Synonym(s): *flagellatus Svihla, 2009*
- 7921) **Malthodes denizlianus Wittmer, 1970** (Cantharidae) Synonym(s): *denizlianus Wittmer, 1970*
- 7922) **Malthodes andreasi Svihla, 2009** (Cantharidae) Synonym(s): *andreasi Svihla, 2009*
- 7923) **Malthodes lycicus Svihla, 2009** (Cantharidae) Synonym(s): *lycicus Svihla, 2009*
- 7924) **Malthodes besucheti Wittmer, 1970** (Cantharidae) Synonym(s): *besucheti Wittmer, 1970*
- 7925) **Malthodes bucakensis Wittmer, 1970** (Cantharidae) Synonym(s): *bucakensis Wittmer, 1970*

- 7926) **Malthodes turcicus Kiesenwetter, 1872** (Cantharidae) Synonym(s): *turcicus Kiesenwetter, 1872*
 7927) **Malthodes amasiae Wittmer, 1971** (Cantharidae) Synonym(s): *amasiae Wittmer, 1971*
 7928) **Malthodes gillerforsi Wittmer, 1993** (Cantharidae) Synonym(s): *gillerforsi Wittmer, 1993*
 7929) **Malthodes heinertzi Wittmer, 1979** (Cantharidae) Synonym(s): *heinertzi Wittmer, 1979*
 7930) **Malthodes kirisensis Svihla, 2004** (Cantharidae) Synonym(s): *kirisensis Svihla, 2004*
 7931) **Malthodes kopeckyi Svihla, 2002** (Cantharidae) Synonym(s): *kopeckyi Svihla, 2002*
 7932) **Malthodes kopetzi Svihla, 2002** (Cantharidae) Synonym(s): *kopetzi Svihla, 2002*
 7933) **Malthodes mushensis Wittmer, 1997** (Cantharidae) Synonym(s): *mushensis Wittmer, 1997*
 7934) **Malthodes olympicus Svihla, 2004** (Cantharidae) Synonym(s): *olympicus Svihla, 2004*
 7935) **Malthodes pergensis Wittmer, 1993** (Cantharidae) Synonym(s): *pergensis Wittmer, 1993*
 7936) **Malthodes rauschorum Wittmer, 1997** (Cantharidae) Synonym(s): *rauschorum Wittmer, 1997*
 7937) **Malthodes rolciki Svihla, 1998** (Cantharidae) Synonym(s): *rolciki Svihla, 1998*
 7938) **Malthodes ruziclai Svihla, 2002** (Cantharidae) Synonym(s): *ruziclai Svihla, 2002*
 7939) **Malthodes rydhi Svihla, 1994** (Cantharidae) Synonym(s): *rydhi Svihla, 1994*
 7940) **Malthodes vavrai Svihla, 1998** (Cantharidae) Synonym(s): *vavrai Svihla, 1998*
 7941) **Malthodes walteri Svihla, 2002** (Cantharidae) Synonym(s): *walteri Svihla, 2002*
 7942) **Malthodes weigeli Svihla, 2004** (Cantharidae) Synonym(s): *weigeli Svihla, 2004*
 7943) **Malthodes zahradniki Svihla, 1998** (Cantharidae) Synonym(s): *zahradniki Svihla, 1998*

CAPNIIDAE

- 7944) **Capnia nigra (Pictet, 1833)** (Capniidae) Synonym(s): *nigra Pictet, 1833; conic Klapalek, 1909; maynari Navas, 1917*
 7945) **Capnia sevanica Zhiltzova, 1964** (Capniidae) Synonym(s): *sevanica Zhiltzova, 1964*
 7946) **Capnia arensi Zhiltzova, 1964** (Capniidae) Synonym(s): *arensi Zhiltzova, 1964*
 7947) **Capnia tuberculata Zhiltzova, 1964** (Capniidae) Synonym(s): *tuberculata Zhiltzova, 1964*

CARABIDAE

- 7948) **Abacetes quadripustulatus Peyron, 1858** (Carabidae) Synonym(s): *quadripustulatus Peyron, 1858*
 7949) **Abax (Abacopercus) carinatus (Duftschmid, 1812)** (Carabidae) Synonym(s): *carinatus Duftschmid, 1812*
 7950) **Acinopus ammophilus Dejean, 1829** (Carabidae) Synonym(s): *ammophilus Dejean, 1829*
 7951) **Acinopus megacephalus (P. Rossi, 1794)** (Carabidae) Synonym(s): *megacephalus P. Rossi, 1794*
 7952) **Agonum angustatum Dejean, 1828** (Carabidae) Synonym(s): *angustatum Dejean, 1828*
 7953) **Agonum antennarium (Duftschmid, 1812)** (Carabidae) Synonym(s): *antennarium Duftschmid, 1812*
 7954) **Agonum chalconotum Ménéttriés, 1832** (Carabidae) Synonym(s): *chalconotum Ménéttriés, 1832*
 7955) **Agonum extensum Ménéttriés, 1849** (Carabidae) Synonym(s): *extensum Ménéttriés, 1849*
 7956) **Agonum gisellae Csiki, 1931** (Carabidae) Synonym(s): *gisellae Csiki, 1931*
 7957) **Agonum gracile Sturm, 1824** (Carabidae) Synonym(s): *gracile Sturm, 1824*
 7958) **Agonum hypocrita (Apfelbeck, 1904)** (Carabidae) Synonym(s): *hypocrita Apfelbeck, 1904*
 7959) **Agonum longicorne Chaudoir, 1846** (Carabidae) Synonym(s): *longicorne Chaudoir, 1846*
 7960) **Agonum lugens (Duftschmid, 1812)** (Carabidae) Synonym(s): *lugens Duftschmid, 1812; longipenne Mannerheim, 1844*
 7961) **Agonum marginatum (Linnaeus, 1758)** (Carabidae) Synonym(s): *marginatum Linnaeus, 1758*
 7962) **Agonum monachum (Duftschmid, 1812)** (Carabidae) Synonym(s): *monachum Duftschmid, 1812*
 7963) **Agonum muelleri (Herbst, 1784)** (Carabidae) Synonym(s): *muelleri Herbst, 1784*
 7964) **Agonum nigrum Dejean, 1828** (Carabidae) Synonym(s): *nigrum Dejean, 1828*
 7965) **Agonum rugicollae Chaudoir, 1846** (Carabidae) Synonym(s): *rugicollae Chaudoir, 1846*
 7966) **Agonum sexpunctatum (Linnaeus, 1758)** (Carabidae) Synonym(s): *sexpunctatum Linnaeus, 1758*
 7967) **Agonum sordidum Dejean, 1828** (Carabidae) Synonym(s): *sordidum Dejean, 1828*
 7968) **Agonum thoreyi Dejean, 1828** (Carabidae) Synonym(s): *thoreyi Dejean, 1828*
 7969) **Agonum viridicupreum (Goeze, 1777)** (Carabidae) Synonym(s): *viridicupreum Goeze, 1777*
 7970) **Amara ((Curtonotus) propinqua Ménéttriés, 1832)** (Carabidae) Synonym(s): *propinqua Ménéttriés, 1832; bistriata Putzeys, 1866*
 7971) **Amara (Amarocelia) erratica (Duftschmid, 1812)** (Carabidae) Synonym(s): *erratica Duftschmid, 1812; gracula Heer, 1837; affinis Motschoulsky, 1850; nivina Gistel, 1857; rugulosa Gistel, 1857; trophina Gistel, 1857; xenechthum Gistel, 1857; obscuricornis Motschoulsky, 1859; caucasicola Lutschnik, 1935*

- 7972) Amara (Amathitis) abdominalis (Motschoulsky,1844)** (Carabidae) Synonym(s): *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *latiuscula* Poppius,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929
- 7973) Amara (Bradytus) apricaria (Paykull,1790)** (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *rhaetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966
- 7974) Amara (Bradytus) consularis (Duftschmid,1812)** (Carabidae) Synonym(s): *consularis* Duftschmid,1812; *crassa* Stephens,1828; *nigra* Chaudoir,1837; *uralensis* Motschoulsky,1844; *regismontium* Schweiger,1966
- 7975) Amara (Bradytus) fulva (O.F.Müller,1776)** (Carabidae) Synonym(s): *fulva* O.F.Müller,1776; *concolor* Olivier,1795; *iridipennis* Heer,1837
- 7976) Amara (Bradytus) majuscula (Chaudoir,1850)** (Carabidae) Synonym(s): *majuscula* Chaudoir,1850
- 7977) Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans* Baudi di Selva,1864; *syriaca* Putzeys,1866; *palaestina* Putzeys,1870; *gridellii* Baliani,1928
- 7978) Amara (Celia) arenaria (Putzeys,1865)** (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929
- 7979) Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) Synonym(s): *oricalceica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964
- 7980) Amara (Celia) montana Dejean,1828** (Carabidae) Synonym(s): *montana* Dejean,1828; *distincta* Rambur,1838; *corsica* Putzeys,1866; *collina* Putzeys,1867; *burdigalenis* Schuler,1964
- 7981) Amara (Celia) praetermissa (Sahlberg,1827)** (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutshnik,1935; *monticusta* Jablokoff & Khnzorian,1957
- 7982) Amara (Curtonotus) aulica (Panzer,1796)** (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schauburger,1923
- 7983) Amara (Curtonotus) muchei Jedlicka,1962** (Carabidae) Synonym(s): *muchei* Jedlicka,1962
- 7984) Amara (Euderocycla) abnormis Tschitscherine,1894** (Carabidae) Synonym(s): *abnormis* Tschitscherine,1894; *fleischeri* Tschitscherine,1897; *harpaloides* Fleischer,1897
- 7985) Amara (Paracelia) cyrenaica Baliani,1928** (Carabidae) Synonym(s): *cyrenaica* Baliani,1928
- 7986) Amara (Paracelia) monochroa Hieke,2004** (Carabidae) Synonym(s): *monochroa* Hieke,2004
- 7987) Amara (Percosia) equestris (Duftschmid,1812)** (Carabidae) Synonym(s): *equestris* Duftschmid,1812
- 7988) Amara (radytus) crenata Dejean,1828** (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostriata* Chaudoir,1846
- 7989) Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951
- 7990) Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *kekichi* Schtzmair,1919
- 7991) Amara (s.str.) convexior Stephens,1828** (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873
- 7992) Amara (s.str.) curta Dejean,1828** (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861
- 7993) Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870
- 7994) Amara (s.str.) famelica C.Zimmermann,1832** (Carabidae) Synonym(s): *famelica* C.Zimmermann,1832; *bibula* Antoine,1944
- 7995) Amara (s.str.) familiaris (Duftschmid,1812)** (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918
- 7996) Amara (s.str.) littorea Thomson,1857** (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshevi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockoensis* Jedlicka,1936
- 7997) Amara (s.str.) lucida (Duftschmid,1812)** (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythrope* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924
- 7998) Amara (s.str.) lukasi Hejkal,2002** (Carabidae) Synonym(s): *lukasi* Hejkal,2002
- 7999) Amara (s.str.) morio Ménétris,1832** (Carabidae) Synonym(s): *morio* Ménétris,1832
- 8000) Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939

- 8001) Amara (Xenocelia) ambulans C.Zimmermann,1832** (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *inderiensis* Motschoulsky,1850; *dagestana* Jedlicka,1962
- 8002) Amara (Xenocelia) cursitans C.Zimmermann,1832** (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutschnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970
- 8003) Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853
- 8004) Amara (Xenocelia) fusgenua Hieke,1999** (Carabidae) Synonym(s): *fusgenua* Hieke,1999
- 8005) Amara (Xenocelia) ingenua (Duftschmid,1812)** (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828
- 8006) Amara (Xenocelia) municipalis (Duftschmid,1812)** (Carabidae) Synonym(s): *municipalis* Duftschmid,1812
- 8007) Amara (Zezea) chaudoiri Schaum,1858** (Carabidae) Synonym(s): *chaudoiri* Schaum,1858; *incognita* Fassati,1946
- 8008) Amara (Zezea) fulvipes (Audinet-Serville,1821)** (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859
- 8009) Amara (Zezea) plebeja (Gyllenhal,1810)** (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957
- 8010) Anillidius (s.str.) byzantinus Casale, M.Elonti & Giachino,1992** (Carabidae) Synonym(s): *byzantinus* Casale, M.Elonti & Giachino,1992
- 8011) Anillidius (s.str.) coiffaiti Jeannel,1955** (Carabidae) Synonym(s): *coiffaiti* Jeannel,1955
- 8012) Anillidius (s.str.) hobhousae Jaannel,1930** (Carabidae) Synonym(s): *hobhousae* Jaannel,1930
- 8013) Anillidius (s.str.) pisidicus Jeannel,1937** (Carabidae) Synonym(s): *pisidicus* Jeannel,1937
- 8014) Anillidius (s.str.) tauricus Jeannel,1930** (Carabidae) Synonym(s): *tauricus* Jeannel,1930
- 8015) Anillidius (s.str.) turcicus J.Frivaldszky,1880** (Carabidae) Synonym(s): *turcicus* J.Frivaldszky,1880
- 8016) Anillidius (s.str.) uludagensis Schweiger,1965** (Carabidae) Synonym(s): *uludagensis* Schweiger,1965
- 8017) Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens* J.Müller,1943
- 8018) Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837
- 8019) Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus* Dejean,1825
- 8020) Aptinus cordicollis Chaudoir,1843** (Carabidae) Synonym(s): *cordicollis* Chaudoir,1843; *ponticus* Apfelbeck,1904
- 8021) Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne* Solsky,1874
- 8022) Asaphidion (Asaphidion) ganglbaueri J.Müller,1921** (Carabidae) Synonym(s): *ganglbaueri* J.Müller,1921
- 8023) Asaphidion (Asaphidion) nebulosum (P.Rossi,1792)** (Carabidae) Synonym(s): *nebulosum* P.Rossi,1792
- 8024) Asaphidion (Asaphidion) weiratheri Netolitzky,1935** (Carabidae) Synonym(s): *weiratheri* Netolitzky,1935
- 8025) Atranopsis bolognai Casale & Vigna Taglianti,1984** (Carabidae) Synonym(s): *bolognai* Casale & Vigna Taglianti,1984
- 8026) Atranus ruficollis Gautier des Cottés,1858** (Carabidae) Synonym(s): *ruficollis* Gautier des Cottés,1858
- 8027) Badister bullatus (Schränk,1798)** (Carabidae) Synonym(s): *bullatus* Schränk,1798
- 8028) Bembidion (Chlorodius) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum* Sturm,1825
- 8029) Bembidion (Diplocampa) assimile Gyllenhal,1810** (Carabidae) Synonym(s): *assimile* Gyllenhal,1810
- 8030) Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum* Duftschmid,1812
- 8031) Bembidion (Diplocampa) skoraszewskyi Korge,1971** (Carabidae) Synonym(s): *skoraszewskyi* Korge,1971
- 8032) Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum* Erichson,1837
- 8033) Bembidion (Euperyphus) combustum Ménétériés,1832** (Carabidae) Synonym(s): *combustum* Ménétériés,1832
- 8034) Bembidion (Euperyphus) fluviatile Dejean,1831** (Carabidae) Synonym(s): *fluviatile* Dejean,1831
- 8035) Bembidion (Euperyphus) parallelipenne Chaudoir,1850** (Carabidae) Synonym(s): *parallelipenne* Chaudoir,1850

- 8036) Bembidion (Metallina) bodenheimeri Netolitzky,1935** (Carabidae) Synonym(s): *bodenheimeri Netolitzky,1935*
- 8037) Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784*
- 8038) Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828*
- 8039) Bembidion (Microserrullula) apicale Ménétériés,1832** (Carabidae) Synonym(s): *apicale Ménétériés,1832*
- 8040) Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844*
- 8041) Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850*
- 8042) Bembidion (Neja) sporadicum Sahlberg,1903** (Carabidae) Synonym(s): *sporadicum Sahlberg,1903*
- 8043) Bembidion (Neja) torosum Marggi & Huber,1999** (Carabidae) Synonym(s): *torosum Marggi & Huber,1999*
- 8044) Bembidion (Nepha) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s): *caucasicum Motschoulsky,1844*
- 8045) Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum Netolitzky,1918*
- 8046) Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii Kolenati,1845*
- 8047) Bembidion (Nepha) pinkeri Netolitzky,1935** (Carabidae) Synonym(s): *pinker Netolitzky,1935*
- 8048) Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne J.Müller,1918*
- 8049) Bembidion (Nepha) rufimacula J.Müller,1918** (Carabidae) Synonym(s): *rufimacula J.Müller,1918*
- 8050) Bembidion (Nepha) staneki Maran,1932** (Carabidae) Synonym(s): *staneki Maran,1932*
- 8051) Bembidion (Nepha) tetragrammum Chaudoir,1846** (Carabidae) Synonym(s): *tetragrammum Chaudoir,1846*
- 8052) Bembidion (Nepha) turcicum Gemminger & Harold,1868** (Carabidae) Synonym(s): *versicolor Jacquelin du Val,1852 nec LeConte,1848; turcicum Gemminger & Harold,1868 nec Ganglb.,1891*
- 8053) Bembidion (Nepha) vseteckai Maran,1936** (Carabidae) Synonym(s): *vseteckai Maran,1936*
- 8054) Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium Marsham,1802*
- 8055) Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831*
- 8056) Bembidion (Notaphus) semipunctatum (Donovan,1806)** (Carabidae) Synonym(s): *semipunctatum Donovan,1806*
- 8057) Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795*
- 8058) Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854*
- 8059) Bembidion (Ocydromus) cordicolle Jacquelin du Val,1852** (Carabidae) Synonym(s): *cordicolle Jacquelin du Val,1852; veldkampii Kirschenhofer,1994*
- 8060) Bembidion (Ocydromus) decorum (Panzer,1799)** (Carabidae) Synonym(s): *decorum Panzer,1799*
- 8061) Bembidion (Ocydromus) ispartanum Netolitzky,1930** (Carabidae) Synonym(s): *ispartanum Netolitzky,1930*
- 8062) Bembidion (Ocydromus) nemrutdagi Toledano & Rébl,2006** (Carabidae) Synonym(s): *nemrutdagi Toledano & Rébl,2006*
- 8063) Bembidion (Ocydromus) siculum Dejean,1831** (Carabidae) Synonym(s): *siculum Dejean,1831*
- 8064) Bembidion (Ocyturanes) argaeicola Ganglbauer,1905** (Carabidae) Synonym(s): *argaeicola Ganglbauer,1905*
- 8065) Bembidion (Ocyturanes) balcanicum Apfelbeck,1899** (Carabidae) Synonym(s): *balcanicum Apfelbeck,1899*
- 8066) Bembidion (Ocyturanes) culminicola Piochard,1876** (Carabidae) Synonym(s): *culminicola Piochard,1876*
- 8067) Bembidion (Ocyturanes) heinzi Korge,1971** (Carabidae) Synonym(s): *heinzi Korge,1971*
- 8068) Bembidion (Ocyturanes) parsorum Natolitzky,1934** (Carabidae) Synonym(s): *parsorum Natolitzky,1934*
- 8069) Bembidion (Ocyturanes) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum Dejean,1831*
- 8070) Bembidion (Ocyturanes) signatipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *signatipenne Jacquelin du Val,1852*
- 8071) Bembidion (Ocyturanes) tauricum J.Müller,1918** (Carabidae) Synonym(s): *tauricum J.Müller,1918*

- 8072) Bembidion (Ocyturanus) viduum** Netolitzky, 1910 (Carabidae) Synonym(s): *viduum* Netolitzky, 1910
- 8073) Bembidion (Odontium) striatum** (Fabricius, 1792) (Carabidae) Synonym(s): *striatum* Fabricius, 1792
- 8074) Bembidion (Omoperyphus) caricum** Sahlberg, 1908 (Carabidae) Synonym(s): *caricum* Sahlberg, 1908
- 8075) Bembidion (Omoperyphus) semibraccatum** Netolitzky, 1911 (Carabidae) Synonym(s): *semibraccatum* Netolitzky, 1911
- 8076) Bembidion (Peryphanes) castaneipenne** Jacquelin du Val, 1852 (Carabidae) Synonym(s): *castaneipenne* Jacquelin du Val, 1852
- 8077) Bembidion (Peryphanes) dalmatinum** Dejean, 1831 (Carabidae) Synonym(s): *dalmatinum* Dejean, 1831
- 8078) Bembidion (Peryphanes) grandipenne** Schaum, 1862 (Carabidae) Synonym(s): *grandipenne* Schaum, 1862
- 8079) Bembidion (Peryphanes) kulzeri** Netolitzky, 1935 (Carabidae) Synonym(s): *kulzeri* Netolitzky, 1935
- 8080) Bembidion (Peryphanes) lacrimans** Netolitzky, 1935 (Carabidae) Synonym(s): *lacrimans* Netolitzky, 1935
- 8081) Bembidion (Peryphanes) stephensii** Crotch, 1866 (Carabidae) Synonym(s): *stephensii* Crotch, 1866
- 8082) Bembidion (Peryphanes) weiratherianum** Netolitzky, 1932 (Carabidae) Synonym(s): *weiratherianum* Netolitzky, 1932
- 8083) Bembidion (Peryphiolus) monticola** Sturm, 1825 (Carabidae) Synonym(s): *monticola* Sturm, 1825
- 8084) Bembidion (Peryphus) abbreviatum** Solsky, 1874 (Carabidae) Synonym(s): *abbreviatum* Solsky, 1874
- 8085) Bembidion (Peryphus) distinguendum** Jacquelin du Val, 1852 (Carabidae) Synonym(s): *distinguendum* Jacquelin du Val, 1852
- 8086) Bembidion (Peryphus) femoratum** Sturm, 1825 (Carabidae) Synonym(s): *femoratum* Sturm, 1825
- 8087) Bembidion (Peryphus) persicum** Ménétriés, 1832 (Carabidae) Synonym(s): *persicum* Ménétriés, 1832
- 8088) Bembidion (Peryphus) tetracolum** Say, 1823 (Carabidae) Synonym(s): *tetracolum* Say, 1823
- 8089) Bembidion (Philochthus) lunulatum** Geoffroy, 1785 (Carabidae) Synonym(s): *lunulatum* Geoffroy, 1785
- 8090) Bembidion (Phyla) liliputanum** (J. Sahlberg, 1908) (Carabidae) Synonym(s): *liliputanum* J. Sahlberg, 1908
- 8091) Bembidion (Phyla) phoeniceum** Huber & Marggi, 1997 (Carabidae) Synonym(s): *phoeniceum* Huber & Marggi, 1997
- 8092) Bembidion (Princidium) punctulatum** Drapiez, 1820 (Carabidae) Synonym(s): *punctulatum* Drapiez, 1820
- 8093) Bembidion (s.str.) humerale** Sturm, 1825 (Carabidae) Synonym(s): *humerale* Sturm, 1825
- 8094) Bembidion (s.str.) quadripustulatum** Audinet-Serville, 1821 (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville, 1821
- 8095) Bembidion (Talanus) subfasciatum** Chaudoir, 1850 (Carabidae) Synonym(s): *subfasciatum* Chaudoir, 1850
- 8096) Bembidion (Testediolum) armeniacum** Chaudoir, 1846 (Carabidae) Synonym(s): *armeniaceum* Chaudoir, 1846; *glabricolle* Motschoulsky, 1846; *olympicum* De Monte, 1946; *coiffaiti* De Wailly, 1954; *colasi* Schuler, 1961; *davatchii* Morvan, 1971; *damavandense* Marggi & Huber, 1999
- 8097) Bembidion (Testedium) bipunctatum** (Linnaeus, 1761) (Carabidae) Synonym(s): *bipunctatum* Linnaeus, 1761
- 8098) Bembidion (Trepanes) octomaculatum** (Goeze, 1777) (Carabidae) Synonym(s): *octomaculatum* Goeze, 1777
- 8099) Bembidion concoeruleum** Netolitzky, 1943 (Carabidae) Synonym(s): *concoeruleum* Netolitzky, 1943
- 8100) Bembidion tibiale** (Duftschmid, 1812) (Carabidae) Synonym(s): *tibiale* Duftschmid, 1812
- 8101) Brachinus (Aploa) nobilis** (Dejean, 1831) (Carabidae) Synonym(s): *nobilis* Dejean, 1831
- 8102) Brachinus (Brachynidius) ankarensis** Jedlicka, 1962 (Carabidae) Synonym(s): *ankarensis* Jedlicka, 1962
- 8103) Brachinus (Brachynidius) bodemeyeri** Apfelbeck, 1904 (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck, 1904; *fulviventris* Jeannel, 1962 nec Mtsch., 1864
- 8104) Brachinus (Brachynidius) brevicollis** Motschoulsky, 1844 (Carabidae) Synonym(s): *brevicollis* Motschoulsky, 1844; *peregrinus* Apfelbeck, 1904
- 8105) Brachinus (Brachynidius) explodens** (Duftschmid, 1812) (Carabidae) Synonym(s): *explodens* Duftschmid, 1812

- 8106) Brachinus (Brachynidius) nigricornis Gebler,1829** (Carabidae) Synonym(s): *nigricornis Gebler,1829; incertus Brullé,1834*
- 8107) Brachinus (Brachynidius) sclopeta (Fabricius,1792)** (Carabidae) Synonym(s): *sclopeta Fabricius,1792*
- 8108) Brachinus (Cnecostolus) bayardi Dejean,1831** (Carabidae) Synonym(s): *bayardi Dejean,1831*
- 8109) Brachinus (Cnecostolus) bipustulatus (Quensel,1806)** (Carabidae) Synonym(s): *bipustulatus Quensel,1806*
- 8110) Brachinus (Cnecostolus) cruciatus (Quensel,1806)** (Carabidae) Synonym(s): *cruciatus Quensel,1806*
- 8111) Brachinus (Cnecostolus) exhalans (Rossi,1792)** (Carabidae) Synonym(s): *exhalans Rossi,1792*
- 8112) Brachinus (Cnecostolus) hamatus Fischer von Waldheim,1828** (Carabidae) Synonym(s): *hamatus Fischer von Waldheim,1828*
- 8113) Brachinus (s.str.) alexandri F.Battoni,1984** (Carabidae) Synonym(s): *plagiatus Jablonkoff & Khnzorian,1973 nec Reiche,868; alexandri F.Battoni,1984*
- 8114) Brachinus (s.str.) berytensis Reiche & Saulcy,1855** (Carabidae) Synonym(s): *berytensis Reiche & Saulcy,1855*
- 8115) Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans Linnaeus,1758*
- 8116) Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans Fischer von Waldheim,1828*
- 8117) Brachinus (s.str.) ganglbaueri Apfelbeck,1904** (Carabidae) Synonym(s): *ganglbaueri Apfelbeck,1904*
- 8118) Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia Audinet-Serville,1821; elegans Chaudoir,1842*
- 8119) Brachinus (subg.) bagdatensis Pic,1902** (Carabidae) Synonym(s): *bagdatensis Pic,1902; richteri Jedlicka,1961*
- 8120) Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis Dejean,1826*
- 8121) Callisthenes (s.str.) brevisculus (Mannerheim,1830)** (Carabidae) Synonym(s): *breviusculus Mannerheim,1830; araraticus Chaudoir,1846*
- 8122) Callisthenes (s.str.) ewersmanni (Chaudoir,1850)** (Carabidae) Synonym(s): *ewersmanni Chaudoir,1850*
- 8123) Callisthenes (s.str.) peksi (Heinz & Pavesi,1994)** (Carabidae) Synonym(s): *peksi Heinz & Pavesi,1994*
- 8124) Callisthenes (s.str.) persicus (Géhin,1885)** (Carabidae) Synonym(s): *persicus Géhin,1885; adehinotus Lassale,1992*
- 8125) Callisthenes (s.str.) pesarinii (Heinz & Pavesi,1994)** (Carabidae) Synonym(s): *pesarinii Heinz & Pavesi,1994*
- 8126) Callistoma (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775*
- 8127) Calosoma adehinotus Lassale,1992** (Carabidae) Synonym(s): *adehinotus Lassale,1992*
- 8128) Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum Herbst,1784*
- 8129) Calosoma brevisculus Mannerheim,1830** (Carabidae) Synonym(s): *breviusculus Mannerheim,1830*
- 8130) Calosoma eversmanni Chaudoir,1850** (Carabidae) Synonym(s): *eversmanni Chaudoir,1850*
- 8131) Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor Linnaeus,1758; punctiventris Reiche & Saulcy,1855; viridulum Kraatz,1877; cupreofulgens Chapman,1922*
- 8132) Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae Fabricius,1775*
- 8133) Calosoma peksi Heinz & Pavesi,1995** (Carabidae) Synonym(s): *peksi Heinz & Pavesi,1995*
- 8134) Calosoma persicus Gehin,1885** (Carabidae) Synonym(s): *persicus Gehin,1885*
- 8135) Calosoma pesarinii Heinz & Pavesi,1995** (Carabidae) Synonym(s): *pesarinii Heinz & Pavesi,1995*
- 8136) Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850*
- 8137) Caminara olivieri (Dejean,1831)** (Carabidae) Synonym(s): *olivieri Dejean,1831*
- 8138) Campalita auropunctatum (Herbst,1782)** (Carabidae) Synonym(s): *auropunctatum Herbst,1782*
- 8139) Carabus (Archicarabus) gotschii Chaudoir,1846** (Carabidae) Synonym(s): *gotschii Chaudoir,1846*
- 8140) Carabus (Archicarabus) victor Fischer von Waldheim,1836** (Carabidae) Synonym(s): *victor Fischer von Waldheim,1836*
- 8141) Carabus (Archicarabus) wiedemanni Ménétériés,1836** (Carabidae) Synonym(s): *wiedemanni Ménétériés,1836; bythinus Lapouge,1908; winklerianus Breuning,1933*
- 8142) Carabus (Cechenochilus) boeberi Adams,1817** (Carabidae) Synonym(s): *boeberi Adams,1817*
- 8143) Carabus (Cechenochilus) lazorum Belousov & Zamotajlov,1999** (Carabidae) Synonym(s): *lazorum Belousov & Zamotajlov,1999*
- 8144) Carabus (Heterocarabus) marietti De Cristoforis & Jan,1837** (Carabidae) Synonym(s): *marietti De Cristoforis & Jan,1837; ativsengueni Schweiger,1962; petrovitzi Mandl,1964; pseudomariettii Schweiger,1962; charetianus Auvray,1992*

- 8145) Carabus (Ischnocarabus) cychropalpus** Peyron, 1858 (Carabidae) Synonym(s): *cychropalpus* Peyron, 1858; *cychropalpus* Mandl, 1955
- 8146) Carabus (Ischnocarabus) tenuitarsis** Kraatz, 1877 (Carabidae) Synonym(s): *tenuitarsis* Kraatz, 1877
- 8147) Carabus (Lamprostus) calleyi** Fischer von Waldheim, 1823 (Carabidae) Synonym(s): *calleyi* Fischer von Waldheim, 1823
- 8148) Carabus (Lamprostus) erenleriensis** Schweiger, 1966 (Carabidae) Synonym(s): *erenleriensis* Schweiger, 1966; *kaynasliensis* Machard, 1975
- 8149) Carabus (Lamprostus) hemprichi** Dejean, 1826 (Carabidae) Synonym(s): *hemprichi* Dejean, 1826
- 8150) Carabus (Lamprostus) rabaroni** Breuning, 1964 (Carabidae) Synonym(s): *rabaroni* Breuning, 1964
- 8151) Carabus (Lamprostus) robustus** Deyrolle, 1869 (Carabidae) Synonym(s): *robustus* Deyrolle, 1869
- 8152) Carabus (Lamprostus) spinolai** Cristoforis & Jan, 1837 (Carabidae) Synonym(s): *spinolai* Cristoforis & Jan, 1837
- 8153) Carabus (Lamprostus) torosus** Frivaldsky, 1835 (Carabidae) Synonym(s): *torosus* Frivaldsky, 1835
- 8154) Carabus (Limnocarabus) clatratus** Linnaeus, 1761 (Carabidae) Synonym(s): *clatratus* Linnaeus, 1761
- 8155) Carabus (Lipaster) gorgus** Reitter, 1898 (Carabidae) Synonym(s): *gorgus* Reitter, 1898
- 8156) Carabus (Lipaster) stjernvalli** Mannerheim, 1830 (Carabidae) Synonym(s): *stjernvalli* Mannerheim, 1830
- 8157) Carabus (Mimocarabus) maurus** Adams, 1817 (Carabidae) Synonym(s): *maurus* Adams, 1817
- 8158) Carabus (Mimocarabus) pumilio** Küster, 1846 (Carabidae) Synonym(s): *pumilio* Küster, 1846; *aratensis* Kraatz, 1896
- 8159) Carabus (Morphocarabus) scabriusculus** Olivier, 1795 (Carabidae) Synonym(s): *scabriusculus* Olivier, 1795
- 8160) Carabus (Oreocarabus) cribratus** Quensel, 1806 (Carabidae) Synonym(s): *cribratus* Quensel, 1806
- 8161) Carabus (Oreocarabus) porrectangulus** Géhin, 1885 (Carabidae) Synonym(s): *porrectangulus* Géhin, 1885; ? *farineli* Machard, 1975
- 8162) Carabus (Oxycarabus) saphyrinus** De Cristofis & Jan, 1837 (Carabidae) Synonym(s): *saphyrinus* De Cristofis & Jan, 1837
- 8163) Carabus (Pachycarabus) roseri** Faldermann, 1835 (Carabidae) Synonym(s): *roseri* Faldermann, 1835
- 8164) Carabus (Pachystus) ganymed** Heinz, 1975 (Carabidae) Synonym(s): *ganymed* Heinz, 1975
- 8165) Carabus (Pachystus) graecus** Dejean, 1826 (Carabidae) Synonym(s): *graecus* Dejean, 1826
- 8166) Carabus (Pachystus) irmasanus** Heinz & Korge, 1967 (Carabidae) Synonym(s): *felix* Heinz & Korge, 1967 nec Semen. & Znojko, 1931; *irmasanus* Heinz & Korge, 1967
- 8167) Carabus (Pachystus) pisidicus** Peyron, 1854 (Carabidae) Synonym(s): *pisidicus* Peyron, 1854
- 8168) Carabus (Procerus) caucasicus** Adams, 1817 (Carabidae) Synonym(s): *caucasicus* Adams, 1817
- 8169) Carabus (Procerus) scabrosus** Olivier, 1795 (Carabidae) Synonym(s): *scabrosus* Olivier, 1795
- 8170) Carabus (Procerus) sommeri** Mannerheim, 1844 (Carabidae) Synonym(s): *sommeri* Mannerheim, 1844; *breviusculus* Kraatz, 1876; *uhudagensis* Schweiger, 1964; *basoglui* Schweiger, 1964
- 8171) Carabus (Procerus) syriacus** Kollar, 1843 (Carabidae) Synonym(s): *syriacus* Kollar, 1843; *daphnensis* Korell, 1985
- 8172) Carabus (Procerus) transversalis** Csiki, 1927 (Carabidae) Synonym(s): *transversalis* Csiki, 1927; *laticollis* Kraatz, 1876
- 8173) Carabus (Procrustes) anatolicus** Chaudoir, 1857 (Carabidae) Synonym(s): *anatolicus* Chaudoir, 1857; *cypricus* Roeschke, 1915
- 8174) Carabus (Procrustes) chevrolati** Cristoforis & Jan, 1837 (Carabidae) Synonym(s): *chevrolati* Cristoforis & Jan, 1837; *assimilis* Cristoforis & Jan, 1837; *persimilis* Csiki, 1927
- 8175) Carabus (Procrustes) clypeatus** Adams, 1817 (Carabidae) Synonym(s): *clypeatus* Adams, 1817
- 8176) Carabus (Procrustes) coriaceus** Linnaeus, 1758 (Carabidae) Synonym(s): *coriaceus* Linnaeus, 1758
- 8177) Carabus (Procrustes) impressus** Klug, 1832 (Carabidae) Synonym(s): *impressus* Klug, 1832
- 8178) Carabus (Procrustes) mulsantianus** Morawitz, 1886 (Carabidae) Synonym(s): *mulsantianus* Morawitz, 1886
- 8179) Carabus (Procrustes) payapha** White, 1845 (Carabidae) Synonym(s): *payapha* White, 1845; *pseudoacuticollis* Catlos & Moravec, 1999
- 8180) Carabus (Procrustes) piochardi** Géhin, 1883 (Carabidae) Synonym(s): *piochardi* Géhin, 1883
- 8181) Carabus (Procrustes) punctatus** Castelnau, 1835 (Carabidae) Synonym(s): *punctatus* Castelnau, 1835; *antakyae* Korell, 1985
- 8182) Carabus (s.str.) granulatus** Linnaeus, 1758 (Carabidae) Synonym(s): *granulatus* Linnaeus, 1758

- 8183) Carabus (Sphodristocarabus) biroi Csiki,1927** (Carabidae) Synonym(s): *biroi Csiki,1927*
- 8184) Carabus (Sphodristocarabus) coruhnehriensis Cavazzuti,1990** (Carabidae) Synonym(s): *coruhnehriensis Cavazzuti,1990*
- 8185) Carabus (Sphodristocarabus) enigmaticus Heinz,1980** (Carabidae) Synonym(s): *enigmaticus Heinz,1980*
- 8186) Carabus (Sphodristocarabus) georgia Cavazzuti,1984** (Carabidae) Synonym(s): *georgia Cavazzuti,1984*
- 8187) Carabus (Sphodristocarabus) giachinoi Cavazzuti,1991** (Carabidae) Synonym(s): *giachinoi Cavazzuti,1991*
- 8188) Carabus (Sphodristocarabus) gilnickii Deyrolle,1869** (Carabidae) Synonym(s): *gilnickii Deyrolle,1869*
- 8189) Carabus (Sphodristocarabus) heinzi Breuning,1964** (Carabidae) Synonym(s): *heinzi Breuning,1964*
- 8190) Carabus (Sphodristocarabus) kurdicus Heinz,1975** (Carabidae) Synonym(s): *kurdicus Heinz,1975*
- 8191) Carabus (Sphodristocarabus) macrogonus Chaudoir,1847** (Carabidae) Synonym(s): *macrogonus Chaudoir,1847*
- 8192) Carabus (Sphodristocarabus) pavesii Cavazzuti,1992** (Carabidae) Synonym(s): *pavesii Cavazzuti,1992*
- 8193) Carabus (Sphodristocarabus) scovitzii Faldermann,1835** (Carabidae) Synonym(s): *scovitzii Faldermann,1835*
- 8194) Carabus (Sphodristocarabus) tokatensis Roeschke,1898** (Carabidae) Synonym(s): *tokatensis Roeschke,1898*
- 8195) Carabus (Sphodristocarabus) varians Fischer von Waldheim,1827** (Carabidae) Synonym(s): *variens Fischer von Waldheim,1827*
- 8196) Carabus (Tomocarabus) convexus Fabricius,1775** (Carabidae) Synonym(s): *convexus Fabricius,1775*
- 8197) Carabus (Tomocarabus) decolor Fischer von Waldheim,1823** (Carabidae) Synonym(s): *decolor Fischer von Waldheim,1823*
- 8198) Carabus (Tomocarabus) rumelicus Chaudoir,1867** (Carabidae) Synonym(s): *rumelicus Chaudoir,1867*
- 8199) Carabus (Tomocarabus) scabripennis Chaudoir,1867** (Carabidae) Synonym(s): *scabripennis Chaudoir,1867*
- 8200) Carabus (Tomocarabus) simardianus Deuve,1990** (Carabidae) Synonym(s): *simardianus Deuve,1990*
- 8201) Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus Linnaeus,1761*
- 8202) Carabus legrandi Deuve,1991** (Carabidae) Synonym(s): *legrandi Deuve,1991*
- 8203) Carabus marietti Cristoforis & Jan,1837** (Carabidae) Synonym(s): *marietti Cristoforis & Jan,1837*
- 8204) Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus Adams,1817*
- 8205) Carabus merdeniki Cavazzuti & Korell,1992** (Carabidae) Synonym(s): *merdeniki Cavazzuti & Korell,1992*
- 8206) Carabus montivagus Palliardi,1825** (Carabidae) Synonym(s): *montivagus Palliardi,1825*
- 8207) Carabus omphreodes Reitter,1898** (Carabidae) Synonym(s): *omphreodes Reitter,1898*
- 8208) Carabus pisidicus Peyron,1854** (Carabidae) Synonym(s): *pisidicus Peyron,1854*
- 8209) Carabus pseudodepressus Machard,1988** (Carabidae) Synonym(s): *pseudodepressus Machard,1988*
- 8210) Carabus pumilio Kuster,1846** (Carabidae) Synonym(s): *pumilio Kuster,1846*
- 8211) Carabus puschkini Adams,1817** (Carabidae) Synonym(s): *puschkini Adams,1817*
- 8212) Carabus roseri Faldermann,1835** (Carabidae) Synonym(s): *roseri Faldermann,1835*
- 8213) Carabus saphyrinus Cristoforis & Jan,1837** (Carabidae) Synonym(s): *saphyrinus Cristoforis & Jan,1837*
- 8214) Cephalota (s.str.) turcica (Schaum,1859)** (Carabidae) Synonym(s): *turcica Schaum,1859*
- 8215) Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata Dejean,1822*
- 8216) Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola Faldermann,1836*
- 8217) Cephalota (Taenidia) eiselti (Mandl,1967)** (Carabidae) Synonym(s): *eiselti Mandl,1967*
- 8218) Chlaenius (Chlaeniellus) differens Peyron,1858** (Carabidae) Synonym(s): *differens Peyron,1858*
- 8219) Chlaenius (Chlaeniellus) kindermanni Chaudoir,1856** (Carabidae) Synonym(s): *kindermanni Chaudoir,1856*
- 8220) Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787*

- 8221) Chlaenius (Chlaeniellus) nitidulus (Schränk, 1781)** (Carabidae) Synonym(s): *nitidulus Schränk, 1781*
- 8222) Chlaenius (Chlaeniellus) tristis (Schaller, 1783)** (Carabidae) Synonym(s): *tristis Schaller, 1783*
- 8223) Chlaenius (Chlaeniellus) vestitus (Paykull, 1790)** (Carabidae) Synonym(s): *vestitus Paykull, 1790*
- 8224) Chlaenius (Chlaenites) spoliatus (P. Rossi, 1792)** (Carabidae) Synonym(s): *spoliatus P. Rossi, 1792*
- 8225) Chlaenius aeneocephalus Dejean, 1826** (Carabidae) Synonym(s): *aeneocephalus Dejean, 1826*
- 8226) Chlaenius circumscriptus Duftschmid, 1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid, 1812*
- 8227) Chlaenius cruralis Fischer von Waldheim, 1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim, 1829*
- 8228) Chlaenius decipiens L. Dufour, 1820** (Carabidae) Synonym(s): *decipiens L. Dufour, 1820*
- 8229) Chlaenius festivus (Panzer, 1796)** (Carabidae) Synonym(s): *festivus Panzer, 1796*
- 8230) Chlaenius viridis Ménétriés, 1832** (Carabidae) Synonym(s): *viridis Ménétriés, 1832*
- 8231) Cicindela asiatica Audouin & Brullé, 1839** (Carabidae) Synonym(s): *asiatica Audouin & Brullé, 1839*
- 8232) Cicindela campestris Linnaeus, 1758** (Carabidae) Synonym(s): *campestris Linnaeus, 1758*
- 8233) Cicindela desertorum Dejean, 1825** (Carabidae) Synonym(s): *desertorum Dejean, 1825*
- 8234) Cicindela herbacea Klug, 1832** (Carabidae) Synonym(s): *herbacea Klug, 1832; persana Dokhtoureff, 1885*
- 8235) Cicindela sylvatica Linnaeus, 1758** (Carabidae) Synonym(s): *sylvatica Linnaeus, 1758*
- 8236) Cicindela turkestanicoides W. Horn, 1938** (Carabidae) Synonym(s): *turkestanicoides W. Horn, 1938*
- 8237) Cylindera (Cicindina) arenaria (Fuessli, 1775)** (Carabidae) Synonym(s): *arenaria Fuessli, 1775*
- 8238) Cylindera (Cicindina) pygmaea (Dejean, 1825)** (Carabidae) Synonym(s): *pygmaea Dejean, 1825*
- 8239) Cylindera (Cicindina) sublacerata (Solsky, 1874)** (Carabidae) Synonym(s): *sublacerata Solsky, 1874*
- 8240) Cylindera (Cicindina) trisignata (Dejean, 1822)** (Carabidae) Synonym(s): *trisignata Dejean, 1822*
- 8241) Cylindera (s.str.) germanica (Linnaeus, 1758)** (Carabidae) Synonym(s): *germanica Linnaeus, 1758*
- 8242) Cymbionotum (s.str.) pictulum (Bates, 1874)** (Carabidae) Synonym(s): *pictulum Bates, 1874; transcaucasica Chaudoir, 1874; signata Semenov, 1889*
- 8243) Cymbionotum (s.str.) semelederi (Chaudoir, 1861)** (Carabidae) Synonym(s): *semelederi Chaudoir, 1861; algirinus Chaudoir, 1876; funerula Fairmaire, 1885; luniferum Andrewes, 1935; houskai Jedlicka, 1951*
- 8244) Cymbionotum (s.str.) semirubicum (Reitter, 1914)** (Carabidae) Synonym(s): *semirubicum Reitter, 1914; aethiopicus Alluaud, 1923; airense Basilewsky, 1950*
- 8245) Harpalus (Artabas) kadleci (Kataev & Wrase, 1995)** (Carabidae) Synonym(s): *kadleci Kataev & Wrase, 1995*
- 8246) Harpalus (Artabas) petri (Tschitschérine, 1902)** (Carabidae) Synonym(s): *petri Tschitschérine, 1902*
- 8247) Harpalus (Artabas) punctatostriatus (Dejean, 1829)** (Carabidae) Synonym(s): *punctatostriatus Dejean, 1829*
- 8248) Harpalus (Artabas) suturangulus (Reitter, 1887)** (Carabidae) Synonym(s): *suturangulus Reitter, 1887*
- 8249) Harpalus (Artabas) szalliesi (Kataev & Wrase, 1995)** (Carabidae) Synonym(s): *szalliesi Kataev & Wrase, 1995*
- 8250) Harpalus (Harpalophonus) circumpunctatus (Chaudoir, 1846)** (Carabidae) Synonym(s): *circumpunctatus Chaudoir, 1846; anatolicus K. Daniel, 1904 (praeocc.)*
- 8251) Harpalus (Harpalophonus) hospes (Sturm, 1818)** (Carabidae) Synonym(s): *hospes Sturm, 1818; sturmi Dejean, 1829*
- 8252) Harpalus (Harpalophonus) kagyzmanicus Kataev, 1984** (Carabidae) Synonym(s): *kagyzmanicus Kataev, 1984*
- 8253) Harpalus (s.str.) affinis (Schränk, 1781)** (Carabidae) Synonym(s): *aeneus Fabricius, 1775; affinis Schränk, 1781; bifoveolatus Kuster, 1846; paganettii Flach, 1907*
- 8254) Harpalus (s.str.) albanicus Reitter, 1900** (Carabidae) Synonym(s): *albanicus Reitter, 1900*
- 8255) Harpalus (s.str.) anatolicus Tschitschérine, 1898** (Carabidae) Synonym(s): *anatolicus Tschitschérine, 1898*
- 8256) Harpalus (s.str.) angulatus Putzeys, 1878** (Carabidae) Synonym(s): *angulatus Putzeys, 1878; polychromus Apfelbeck, 1904*
- 8257) Harpalus (s.str.) anxioides Kataev, 1991** (Carabidae) Synonym(s): *anxioides Kataev, 1991*
- 8258) Harpalus (s.str.) anxius (Duftschmid, 1812)** (Carabidae) Synonym(s): *anxius Duftschmid, 1812; pumilus Dejean, 1829 nec Sturm, 1818*

- 8259) Harpalus (s.str.) araraticus Mlynar,1979** (Carabidae) Synonym(s): *araraticus Mlynar,1979*
- 8260) Harpalus (s.str.) atratus Latreille,1804** (Carabidae) Synonym(s): *atratus Latreille,1804*
- 8261) Harpalus (s.str.) attenuatus Stephens,1828** (Carabidae) Synonym(s): *attenuatus Stephens,1828*
- 8262) Harpalus (s.str.) autumnalis (Duftschmid,1812)** (Carabidae) Synonym(s): *autumnalis Duftschmid,1812*
- 8263) Harpalus (s.str.) brachypterus Tschitschérine,1908** (Carabidae) Synonym(s): *brachypterus Tschitschérine,1908*
- 8264) Harpalus (s.str.) caspius Steven,1806** (Carabidae) Synonym(s): *caspius Steven,1806*
- 8265) Harpalus (s.str.) compressus Motschoulsky,1844** (Carabidae) Synonym(s): *compressus Motschoulsky,1844; amator Reitter,1900*
- 8266) Harpalus (s.str.) cupreus Dejean,1829** (Carabidae) Synonym(s): *cupreus Dejean,1829; fastuosus Faldermann,1835*
- 8267) Harpalus (s.str.) dimidiatus (Rossi,1790)** (Carabidae) Synonym(s): *dimidiatus Rossi,1790*
- 8268) Harpalus (s.str.) distinguendus (Duftschmid,1812)** (Carabidae) Synonym(s): *distinguendus Duftschmid,1812; psittacinus Reitter,1900*
- 8269) Harpalus (s.str.) euchlorus Ménéttriés,1836** (Carabidae) Synonym(s): *euchlorus Ménéttriés,1836*
- 8270) Harpalus (s.str.) flavicornis Dejean,1829** (Carabidae) Synonym(s): *flavicornis Dejean,1829*
- 8271) Harpalus (s.str.) fuscicornis Ménéttriés,1832** (Carabidae) Synonym(s): *fuscicornis Ménéttriés,1832*
- 8272) Harpalus (s.str.) fuscipalpis Sturm,1818** (Carabidae) Synonym(s): *fuscipalpis Sturm,1818*
- 8273) Harpalus (s.str.) honestus (Duftschmid,1812)** (Carabidae) Synonym(s): *honestus Duftschmid,1812; demelti Korge,1962*
- 8274) Harpalus (s.str.) kazanensis Jedlicka,1958** (Carabidae) Synonym(s): *kazanensis Jedlicka,1958*
- 8275) Harpalus (s.str.) latus (Linnaeus,1758)** (Carabidae) Synonym(s): *latus Linnaeus,1758*
- 8276) Harpalus (s.str.) metallinus Ménéttriés,1836** (Carabidae) Synonym(s): *metallinus Ménéttriés,1836*
- 8277) Harpalus (s.str.) oblitus Dejean,1829** (Carabidae) Synonym(s): *oblitus Dejean,1829*
- 8278) Harpalus (s.str.) pulvinatus Ménéttriés,1848** (Carabidae) Synonym(s): *pulvinatus Ménéttriés,1848; lubricus Reitter,1900*
- 8279) Harpalus (s.str.) pygmaeus Dejean,1829** (Carabidae) Synonym(s): *pygmaeus Dejean,1829*
- 8280) Harpalus (s.str.) quadratus Chaudoir,1846** (Carabidae) Synonym(s): *quadratus Chaudoir,1846; polychromus Tschitschérine,1897*
- 8281) Harpalus (s.str.) quadripunctatus Dejean,1829** (Carabidae) Synonym(s): *quadripunctatus Dejean,1829*
- 8282) Harpalus (s.str.) quasianxius Kataev,1989** (Carabidae) Synonym(s): *quasianxius Kataev,1989*
- 8283) Harpalus (s.str.) reflexus Putzeys,1878** (Carabidae) Synonym(s): *reflexus Putzeys,1878; ciliciensis Mlynar,1979; anadoluensis Kataev,1993*
- 8284) Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes Duftschmid,1812; sobrinus Dejean,1829; serdicanus Apfelbeck,1904*
- 8285) Harpalus (s.str.) rufipalpis Sturm,1818** (Carabidae) Synonym(s): *rufitarsis Duftschmid,1812 nec Ill.,1802; rufipalpis Sturm,1818*
- 8286) Harpalus (s.str.) saxicola Dejean,1829** (Carabidae) Synonym(s): *saxicola Dejean,1829*
- 8287) Harpalus (s.str.) serripes (Quensel,1806)** (Carabidae) Synonym(s): *serripes Quensel,1806*
- 8288) Harpalus (s.str.) smaragdinus (Duftschmid,1812)** (Carabidae) Synonym(s): *smaragdinus Duftschmid,1812*
- 8289) Harpalus (s.str.) smyrnensis Heyden,1888** (Carabidae) Synonym(s): *smyrnensis Heyden,1888; bulgharensis Jedlicka,1958; boluensis Jedlicka,1962; dagliari Jedlicka,1962; ilgasdensis Jedlicka,1962*
- 8290) Harpalus (s.str.) subcylindricus Dejean,1829** (Carabidae) Synonym(s): *subcylindricus Dejean,1829*
- 8291) Harpalus (s.str.) subtruncatus Chaudoir,1846** (Carabidae) Synonym(s): *subtruncatus Chaudoir,1846*
- 8292) Harpalus (s.str.) sulphuripes Germar,1824** (Carabidae) Synonym(s): *sulphuripes Germar,1824*
- 8293) Harpalus (s.str.) taciturnus Dejean,1829** (Carabidae) Synonym(s): *taciturnus Dejean,1829*
- 8294) Harpalus (s.str.) tardus (Panzer,1797)** (Carabidae) Synonym(s): *tardus Panzer,1797*
- 8295) Harpalus (s.str.) torosensis Jedlicka,1961** (Carabidae) Synonym(s): *torosensis Jedlicka,1961*
- 8296) Harpalus (s.str.) trichophorus Tschitschérine,1897** (Carabidae) Synonym(s): *trichophorus Tschitschérine,1897*
- 8297) Harpalus (s.str.) tristis Tschitschérine,1898** (Carabidae) Synonym(s): *tristis Tschitschérine,1898*
- 8298) Harpalus (s.str.) xanthopus Gemminger & Harold,1868** (Carabidae) Synonym(s): *xanthopus Gemminger & Harold,1868; ?winckleri Schaubberger,1923*
- 8299) Harpalus (s.str.) zabroides Dejean,1829** (Carabidae) Synonym(s): *zabroides Dejean,1829*
- 8300) Homodola ismenia (Gory,1833)** (Carabidae) Synonym(s): *ismenia Gory,1833*
- 8301) Laemostenus (Pristonychus) amasiae Semenov,1891** (Carabidae) Synonym(s): *amasiae Semenov,1891*

- 8302) Laemostenus (Pristonychus) asiaminoris Casale,1988** (Carabidae) Synonym(s): *asiaminoris* Casale,1988
- 8303) Laemostenus (Pristonychus) capitatus Chaudoir,1854** (Carabidae) Synonym(s): *capitatus* Chaudoir,1854
- 8304) Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae) Synonym(s): *cimmerius* Fischer von Waldheim,1823; *weiratheiri* J.Müller,1932
- 8305) Laemostenus (Pristonychus) conspicuus (Waltl,1838)** (Carabidae) Synonym(s): *conspicuus* Waltl,1838; *grandicollis* Sturm,1843; *grandis* Motschoulsky,1950; *nitidus* Motschoulsky,1865
- 8306) Laemostenus (Pristonychus) lederi (Reitter,1885)** (Carabidae) Synonym(s): *lederi* Reitter,1885
- 8307) Laemostenus (Pristonychus) mannerheimi (Kolenati,1845)** (Carabidae) Synonym(s): *mannerheimi* Kolenati,1845; *armeniacus* Casale,1988; *transcaucasicus* Casale,1988; *aratensis* Casale,1988
- 8308) Laemostenus (Pristonychus) pisidicus J.Müller,1932** (Carabidae) Synonym(s): *pisidicus* J.Müller,1932
- 8309) Laemostenus (Pristonychus) ponticus Casale,1988** (Carabidae) Synonym(s): *ponticus* Casale,1988; *kurdistanus* Casale,1988; *subponticus* Casale,1988; *caesareae* Casale,1988
- 8310) Laemostenus (Pristonychus) pretiosus (Faldermann,1837)** (Carabidae) Synonym(s): *pretiosus* Faldermann,1837; *amoenus* Fischer von Waldheim,1844
- 8311) Laemostenus (Pristonychus) sciakyi Casale & Vigna Taglianti,1999** (Carabidae) Synonym(s): *sciakyi* Casale & Vigna Taglianti,1999
- 8312) Laemostenus (Pristonychus) sericeus (Fischer von Waldheim,1824)** (Carabidae) Synonym(s): *sericeus* Fischer von Waldheim,1824; *tauricus* Dejean,1828; *hepaticus* Faldermann,1836
- 8313) Leistus (Pogonophorus) hermonis Piochard,1875** (Carabidae) Synonym(s): *hermonis* Piochard,1875
- 8314) Leistus (Pogonophorus) montanus Stephens,1828** (Carabidae) Synonym(s): *montanus* Stephens,1828; *adanensis* Maran,1941; *richteri* Shilenkov,1999
- 8315) Leistus (Pogonophorus) noesskei Banninger,1932** (Carabidae) Synonym(s): *noesskei* Banninger,1932
- 8316) Leistus (Pogonophorus) parvicollis Chaudoir,1869** (Carabidae) Synonym(s): *parvicollis* Chaudoir,1869
- 8317) Leistus (Pogonophorus) rufomarginatus (Duftschmid,1812)** (Carabidae) Synonym(s): *rufomarginatus* Duftschmid,1812; *ottomanus* Schweiger,1970
- 8318) Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis* Fabricius,1775
- 8319) Leistus (s.str.) caucasicus Chaudoir,1867** (Carabidae) Synonym(s): *caucasicus* Chaudoir,1867
- 8320) Leistus (s.str.) chaudoiri Perrault,1986** (Carabidae) Synonym(s): *chaudoiri* Perrault,1986
- 8321) Leistus (s.str.) femoralis Chaudoir,1846** (Carabidae) Synonym(s): *femoralis* Chaudoir,1846
- 8322) Leistus (s.str.) fulvibarbis Dejean,1826** (Carabidae) Synonym(s): *fulvibarbis* Dejean,1826
- 8323) Leistus (s.str.) fulvus Chaudoir,1846** (Carabidae) Synonym(s): *fulvus* Chaudoir,1846
- 8324) Leistus (s.str.) ledouxi Perrault,1986** (Carabidae) Synonym(s): *ledouxi* Perrault,1986
- 8325) Leistus (s.str.) ovitensis Perrault,1974** (Carabidae) Synonym(s): *ovitensis* Perrault,1974
- 8326) Lophyridia aphrodisia (Baudi,1864)** (Carabidae) Synonym(s): *aphrodisia* Baudi,1864
- 8327) Lophyridia caucasica (Adams,1817)** (Carabidae) Synonym(s): *caucasica* Adams,1817
- 8328) Lophyridia concolor (Dejean,1822)** (Carabidae) Synonym(s): *concolor* Dejean,1822
- 8329) Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817
- 8330) Lophyridia hilariola (Bates,1874)** (Carabidae) Synonym(s): *hilariola* Bates,1874
- 8331) Lophyridia littoralis (Fabricius,1787)** (Carabidae) Synonym(s): *littoralis* Fabricius,1787
- 8332) Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822
- 8333) Myriochile (Monelica) orientalis (Dejean,1825)** (Carabidae) Synonym(s): *orientalis* Dejean,1825
- 8334) Myriochile (s.str.) melancholica (Fabricius,1798)** (Carabidae) Synonym(s): *melancholica* Fabricius,1798
- 8335) Nebria (Eunebria) jarrigei Ledoux & Roux,1991** (Carabidae) Synonym(s): *jarrigei* Ledoux & Roux,1991
- 8336) Nebria (Eunebria) merklana Apfelbeck,1904** (Carabidae) Synonym(s): *merklana* Apfelbeck,1904
- 8337) Nebria (Eunebria) nigerrima Chaudoir,1846** (Carabidae) Synonym(s): *nigerrima* Chaudoir,1846
- 8338) Nebria (Eunebria) picicornis (Fabricius,1801)** (Carabidae) Synonym(s): *picicornis* Fabricius,1801
- 8339) Nebria (Eurynebria) complanata (Linnaeus,1767)** (Carabidae) Synonym(s): *complanata* Linnaeus,1767
- 8340) Nebria (s.str.) adjarica Shilenkov,1983** (Carabidae) Synonym(s): *adjarica* Shilenkov,1983
- 8341) Nebria (s.str.) alpicola Motschoulsky,1865** (Carabidae) Synonym(s): *alpicola* Motschoulsky,1865

- 8342) *Nebria* (s.str.) *araschinica* Reitter,1892** (Carabidae) Synonym(s): *araschinica* Reitter,1892
- 8343) *Nebria* (s.str.) *arcensis* Ledoux & Roux,1990** (Carabidae) Synonym(s): *arcensis* Ledoux & Roux,1990
- 8344) *Nebria* (s.str.) *bonellii* M.F. Adams,1817** (Carabidae) Synonym(s): *bonellii* M.F. Adams,1817
- 8345) *Nebria* (s.str.) *crassiceps* Bates,1874** (Carabidae) Synonym(s): *crassiceps* Bates,1874
- 8346) *Nebria* (s.str.) *defreinai* Kirschenhofer,1981** (Carabidae) Synonym(s): *defreinai* Kirschenhofer,1981
- 8347) *Nebria* (s.str.) *deuveiana* Ledoux & Roux,1990** (Carabidae) Synonym(s): *deuveiana* Ledoux & Roux,1990
- 8348) *Nebria* (s.str.) *elliptipennis* Bates,1874** (Carabidae) Synonym(s): *elliptipennis* Bates,1874
- 8349) *Nebria* (s.str.) *finissima* Ledoux & Roux,1990** (Carabidae) Synonym(s): *finissima* Ledoux & Roux,1990
- 8350) *Nebria* (s.str.) *fischeri* Faldermann,1836** (Carabidae) Synonym(s): *fischeri* Faldermann,1836
- 8351) *Nebria* (s.str.) *glacialis* Ledoux & Roux,1999** (Carabidae) Synonym(s): *glacialis* Ledoux & Roux,1999
- 8352) *Nebria* (s.str.) *glacilicola* Ledoux & Roux,2001** (Carabidae) Synonym(s): *glacilicola* Ledoux & Roux,2001
- 8353) *Nebria* (s.str.) *gotschii* Chaudoir,1846** (Carabidae) Synonym(s): *gotschii* Chaudoir,1846
- 8354) *Nebria* (s.str.) *hemprichi* Klug,1832** (Carabidae) Synonym(s): *hemprichi* Klug,1832
- 8355) *Nebria* (s.str.) *irregularis* Jedlicka,1965** (Carabidae) Synonym(s): *irregularis* Jedlicka,1965
- 8356) *Nebria* (s.str.) *korgei* Jedlicka,1965** (Carabidae) Synonym(s): *korgei* Jedlicka,1965
- 8357) *Nebria* (s.str.) *mandibularis* Bates,1872** (Carabidae) Synonym(s): *mandibularis* Bates,1872
- 8358) *Nebria* (s.str.) *mirabilis* Ledoux & Roux,1990** (Carabidae) Synonym(s): *mirabilis* Ledoux & Roux,1990
- 8359) *Nebria* (s.str.) *pontica* Ledoux & Roux,1990** (Carabidae) Synonym(s): *pontica* Ledoux & Roux,1990
- 8360) *Nebria* (s.str.) *sinuosa* Ledoux & Roux,1990** (Carabidae) Synonym(s): *sinuosa* Ledoux & Roux,1990
- 8361) *Nebria* (s.str.) *thonitida* Ledoux & Roux,1990** (Carabidae) Synonym(s): *thonitida* Ledoux & Roux,1990
- 8362) *Nebria* (s.str.) *turcica* Chaudoir,1843** (Carabidae) Synonym(s): *turcica* Chaudoir,1843
- 8363) *Nebria* (s.str.) *walterheinzi* Ledoux & Roux,1990** (Carabidae) Synonym(s): *walterheinzi* Ledoux & Roux,1990
- 8364) *Nebria* (s.str.) *wiedemanni* Fischer von Waldheim,1844** (Carabidae) Synonym(s): *wiedemanni* Fischer von Waldheim,1844
- 8365) *Nebria* (Tyrrhenia) *coiffaiti* Ledoux,1983** (Carabidae) Synonym(s): *coiffaiti* Ledoux,1983
- 8366) *Nebria* (Tyrrhenia) *oramarensis* Shilenkov & Heinz,1984** (Carabidae) Synonym(s): *oramarensis* Shilenkov & Heinz,1984
- 8367) *Nebria* (Tyrrhenia) *testacea* Olivier,1811** (Carabidae) Synonym(s): *testacea* Olivier,1811
- 8368) *Nebria* (Tyrrhenia) *uluderensis* Shilenkov & Heinz,1984** (Carabidae) Synonym(s): *uluderensis* Shilenkov & Heinz,1984
- 8369) *Neoblemus* (s.str.) *gillerforsi* Jeannel,1996** (Carabidae) Synonym(s): *gillerforsi* Jeannel,1996
- 8370) *Notiophilus* *aestuans* Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826
- 8371) *Notiophilus* *biguttatus* (Fabricius,1779)** (Carabidae) Synonym(s): *biguttatus* Fabricius,1779
- 8372) *Notiophilus* *danieli* Reitter,1897** (Carabidae) Synonym(s): *danieli* Reitter,1897
- 8373) *Notiophilus* *germinyi* Fauvel,1863** (Carabidae) Synonym(s): *germinyi* Fauvel,1863
- 8374) *Notiophilus* *interstitialis* Reitter,1889** (Carabidae) Synonym(s): *interstitialis* Reitter,1889
- 8375) *Notiophilus* *laticollis* Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850
- 8376) *Notiophilus* *rufipes* Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829
- 8377) *Notiophilus* *substriatus* C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833
- 8378) *Oodes* (s.str.) *gracilis* A.Villa & GB.Villa,1833** (Carabidae) Synonym(s): *gracilis* A.Villa & GB.Villa,1833
- 8379) *Oodes* (s.str.) *helopioides* Fabricius,1792** (Carabidae) Synonym(s): *helopioides* Fabricius,1792
- 8380) *Ophonus* (Hesperophonus) *azureus* (Fabricius,1775)** (Carabidae) Synonym(s): *azureus* Fabricius,1775; *koniensis* Schaubberger,1927
- 8381) *Ophonus* (s.str.) *sabulicola* (Panzer,1796)** (Carabidae) Synonym(s): *sabulicola* Panzer,1796
- 8382) *Parvocaecus* (Parvocaecus) *anatolicus* (Coiffait,1956)** (Carabidae) Synonym(s): *anatolicus* Coiffait,1956
- 8383) *Parvocaecus* (Parvocaecus) *tokatensis* (Vigna Taglianti,1976)** (Carabidae) Synonym(s): *tokatensis* Vigna Taglianti,1976
- 8384) *Parvocaecus* (Parvocaecus) *turcicus* (Coiffait,1956)** (Carabidae) Synonym(s): *turcicus* Coiffait,1956
- 8385) *Paussus* (Cochliopaussus) *turcicus* Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835

- 8386) Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799
- 8387) Pogonistes convexicollis Chaudoir,1871** (Carabidae) Synonym(s): *convexicollis* Chaudoir,1871
- 8388) Pogonistes liliputanus Apfelbeck,1904** (Carabidae) Synonym(s): *liliputanus* Apfelbeck,1904
- 8389) Pogonistes rufoaeneus Dejean,1828** (Carabidae) Synonym(s): *rufoaeneus* Dejean,1828
- 8390) Pseudophonus rufipes (DeGeer,1774)** (Carabidae) Synonym(s): *rufipes* DeGeer,1774; *pubescens* O.F.Müller,1776
- 8391) Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea* Dejean,1826
- 8392) Sinechostictus (s.str.) effluviator (Peyron,1858)** (Carabidae) Synonym(s): *effluviator* Peyron,1858
- 8393) Sinechostictus (s.str.) elongatus (Dejean,1831)** (Carabidae) Synonym(s): *elongatus* Dejean,1831
- 8394) Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798
- 8395) Tachys (Eotachys) bistriatus (Duftschmid,1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid,1812
- 8396) Tachys (Eotachys) fulvicollis (Dejean,1831)** (Carabidae) Synonym(s): *fulvicollis* Dejean,1831
- 8397) Tachys (Eotachys) jeannei Coulon,2004** (Carabidae) Synonym(s): *jeannei* Coulon,2004
- 8398) Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828
- 8399) Tachys (Eotachys) transcaucasicus Coulon,2004** (Carabidae) Synonym(s): *transcaucasicus* Coulon,2004
- 8400) Tachys (Eotachys) trechoderus Coulon,2004** (Carabidae) Synonym(s): *trechoderus* Coulon,2004
- 8401) Taphoxenus (Lychnifugus) cellarum Adams,1817** (Carabidae) Synonym(s): *cellarum* Adams,1817
- 8402) Taphoxenus (Lychnifugus) cerberus Ganglbauer,1905** (Carabidae) Synonym(s): *cerberus* Ganglbauer,1905
- 8403) Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus* Dejean,1831
- 8404) Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer* Piochard,1876
- 8405) Trechus (s.str.) ilgazicus Pawlowski,1976** (Carabidae) Synonym(s): *ilgazicus* Pawlowski,1976
- 8406) Trechus (s.str.) kackardagi Pawlowski,1978** (Carabidae) Synonym(s): *kackardagi* Pawlowski,1978
- 8407) Trechus (s.str.) machardi Jeanne,1976** (Carabidae) Synonym(s): *machardi* Jeanne,1976
- 8408) Trechus (s.str.) melanocephalus Kolenati,1845** (Carabidae) Synonym(s): *melanocephalus* Kolenati,1845
- 8409) Trechus (s.str.) michaeli Pawlowski,1978** (Carabidae) Synonym(s): *michaeli* Pawlowski,1978
- 8410) Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtusum* Erichson,1837
- 8411) Trechus (s.str.) osmanilis K.Daniel & J.Daniel,1902** (Carabidae) Synonym(s): *osmanilis* K.Daniel & J.Daniel,1902
- 8412) Trechus (s.str.) pamphylicus Jeanne,1996** (Carabidae) Synonym(s): *pamphylicus* Jeanne,1996
- 8413) Trechus (s.str.) quadristriatus (Schränk,1781)** (Carabidae) Synonym(s): *quadristriatus* Schränk,1781
- 8414) Trechus (s.str.) saulcyanus Csiki,1928** (Carabidae) Synonym(s): *saulcyanus* Csiki,1928
- 8415) Trechus (s.str.) ulrichi Pawlowski,1976** (Carabidae) Synonym(s): *ulrichi* Pawlowski,1976
- 8416) Trechus (s.str.) urartaeus Pavesi & Sciaky,1994** (Carabidae) Synonym(s): *urartaeus* Pavesi & Sciaky,1994
- 8417) Trechus (s.str.) witkowskii Pawlowski,1978** (Carabidae) Synonym(s): *witkowskii* Pawlowski,1978
- 8418) Trechus (s.str.) ziganensis Jeanne,1976** (Carabidae) Synonym(s): *ziganensis* Jeanne,1976
- 8419) Troglocimmerites (s.str.) pasquinii Vigna Taglianti,1977** (Carabidae) Synonym(s): *pasquinii* Vigna Taglianti,1977
- 8420) Turkanillus (Turkanillus) strinatii Coiffait,1956** (Carabidae) Synonym(s): *strinatii* Coiffait,1956
- 8421) Xenion ignitum (Kraatz,1875)** (Carabidae) Synonym(s): *ignitum* Kraatz,1875
- 8422) Zabrus aciculatus Schaum,1864** (Carabidae) Synonym(s): *aciculatus* Schaum,1864
- 8423) Zabrus aurichalceus M.F.Adams,1817** (Carabidae) Synonym(s): *aurichalceus* M.F.Adams,1817
- 8424) Zabrus chalceus Faldermann,1836** (Carabidae) Synonym(s): *chalceus* Faldermann,1836
- 8425) Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio* Mandrias,1832
- 8426) Zabrus spinipes (Fabricius,1798)** (Carabidae) Synonym(s): *spinipes* Fabricius,1798
- 8427) Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777

CARNIDAE

- 8428) Meoneura pamphylica Ozerov,2008** (Carnidae) Synonym(s): *pamphylica* Ozerov,2008

8429) Meoneura vernicosa Ozerov,2011 (Carnidae) Synonym(s): *vernicosa* Ozerov,2011

CEBRIONIDAE

8430) Cebrio nigricollis Laporte,1838 (Cebriionidae) Synonym(s): *nigricollis* Laporte,1838

CECIDOMYIIDAE

- 8431) Aphidoletes aphidimyza (Rondani,1847)** (Cecidomyiidae) Synonym(s): *aphidimyza* Rondani,1847
- 8432) Apiomyia bergenstammi (Wachtl,1882)** (Cecidomyiidae) Synonym(s): *bergenstammi* Wachtl,1882
- 8433) Arthrocnodax coryligallarum (Targioni-Tozzetti,1887)** (Cecidomyiidae) Synonym(s): *coryligallarum* Targioni-Tozzetti,1887
- 8434) Asphondylia anatolica Skuhrava & Çam,1998** (Cecidomyiidae) Synonym(s): *anatolica* Skuhrava & Çam,1998
- 8435) Asphondylia gennadii (Marchal,1904)** (Cecidomyiidae) Synonym(s): *gennadii* Marchal,1904; *caspici* Barnes,1932
- 8436) Asphondylia verbasci (Vallot,1827)** (Cecidomyiidae) Synonym(s): *verbasci* Vallot,1827
- 8437) Asynapta strobi (Kieffer,1920)** (Cecidomyiidae) Synonym(s): *strobi* Kieffer,1920
- 8438) Brachineura squamigera (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *squamigera* Winnertz,1853
- 8439) Camptomyia pinicola Mamaev,1961** (Cecidomyiidae) Synonym(s): *pinicola* Mamaev,1961
- 8440) Clinodiplosis botularia (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *botularia* Winnertz,1853
- 8441) Contarinia citri Barnes,1944** (Cecidomyiidae) Synonym(s): *citri* Barnes,1944
- 8442) Contarinia coryli (Kaltenbach,1859)** (Cecidomyiidae) Synonym(s): *coryli* Kaltenbach,1859; *corylina* Loew,1878
- 8443) Contarinia nasturtii (Kieffer,1888)** (Cecidomyiidae) Synonym(s): *nasturtii* Kieffer,1888
- 8444) Contarinia populi (Rübsaamen,1917)** (Cecidomyiidae) Synonym(s): *populi* Rübsaamen,1917
- 8445) Contarinia pyrivora (Riley,1886)** (Cecidomyiidae) Synonym(s): *pyrivora* Riley,1886
- 8446) Dasineura affinis (Kieffer,1886)** (Cecidomyiidae) Synonym(s): *affinis* Kieffer,1886
- 8447) Dasineura crataegi (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *crataegi* Winnertz,1853
- 8448) Dasineura gleditchiae (Osten Sacken,1866)** (Cecidomyiidae) Synonym(s): *gleditchiae* Osten Sacken,1866
- 8449) Dasineura oleae (Loew,1885)** (Cecidomyiidae) Synonym(s): *oleae* Loew,1885
- 8450) Dasineura refescens (Stefani,1896)** (Cecidomyiidae) Synonym(s): *refescens* Stefani,1896
- 8451) Dasineura rosae (Bremi,1847)** (Cecidomyiidae) Synonym(s): *rosae* Bremi,1847; *rosarum* Hardy,1850
- 8452) Dasineura viciae (Kieffer,1888)** (Cecidomyiidae) Synonym(s): *viciae* Kieffer,1888
- 8453) Dicrodiplosis pseudococci (Felt,1914)** (Cecidomyiidae) Synonym(s): *pseudococci* Felt,1914
- 8454) Dryomyia circinans (Giraud,1861)** (Cecidomyiidae) Synonym(s): *circinans* Giraud,1861
- 8455) Feltiella acarisuga (Vallot,1827)** (Cecidomyiidae) Synonym(s): *acarisuga* Vallot,1827; *persicae* Kieffer,1912
- 8456) Harmandiola cavernosa (Rübsaamen,1899)** (Cecidomyiidae) Synonym(s): *cavernosa* Rübsaamen,1899
- 8457) Harmandiola globuli (Rübsaamen,1889)** (Cecidomyiidae) Synonym(s): *globuli* Rübsaamen,1889
- 8458) Hartigiola annulipes (Hartig,1839)** (Cecidomyiidae) Synonym(s): *annulipes* Hartig,1839; *tornatella* Bremi,1847
- 8459) Iteomyia capreae (Winnertz,1853)** (Cecidomyiidae) Synonym(s): *capreae* Winnertz,1853
- 8460) Jaapiella chondrillae Skuhrava,2005** (Cecidomyiidae) Synonym(s): *chondrillae* Skuhrava,2005
- 8461) Janetia cerris (Kollar,1850)** (Cecidomyiidae) Synonym(s): *cerris* Kollar,1850
- 8462) Janetia szepligetii Kieffer,1896** (Cecidomyiidae) Synonym(s): *szepligetii* Kieffer,1896
- 8463) Janetiella lemeei (Kieffer,1904)** (Cecidomyiidae) Synonym(s): *lemeei* Kieffer,1904
- 8464) Janetiella oenephila (Haimhoffen,1875)** (Cecidomyiidae) Synonym(s): *oenephila* Haimhoffen,1875
- 8465) Lasioptera berlesiana Paoli,1907** (Cecidomyiidae) Synonym(s): *berlesiana* Paoli,1907; *kiefferiana* Del Guercio,1910; *carophila* Del Guercio,1918; *brevicornis* Melis,1927
- 8466) Lasioptera carophila Loew,1874** (Cecidomyiidae) Synonym(s): *carophila* Loew,1874; *thapsiae* Kieffer,1898
- 8467) Lasioptera eryngii (Vallot,1829)** (Cecidomyiidae) Synonym(s): *eryngii* Vallot,1829
- 8468) Lasioptera populnea Wachtl,1883** (Cecidomyiidae) Synonym(s): *populnea* Wachtl,1883

- 8469) *Lasioptera rubi* (Schrank,1803)** (Cecidomyiidae) Synonym(s): *rubi* Schrank,1803; *albipennis* Meigen,1804; *picta* Meigen,1818; *juniperi* Meigen,1818; *fusca* Meigen,1818; *argyrosticta* Meigen,1830; *pulchra* Meigen,1830; *annulata* Costa,1844; *fuliginosa* Stephens,1846; *ichigo* Shinji,1935; *rubicola* Monzen,1955
- 8470) *Lasioptera turcica* Möhn,1968** (Cecidomyiidae) Synonym(s): *turcica* Möhn,1968
- 8471) *Leptodiplosis polypori* (Loew,1850)** (Cecidomyiidae) Synonym(s): *polypori* Loew,1850
- 8472) *Macrodiplosis pustularis* (Bremi,1847)** (Cecidomyiidae) Synonym(s): *pustularis* Bremi,1847; *dryobia* Loew,1877
- 8473) *Macrodiplosis roboris* (Hardy,1854)** (Cecidomyiidae) Synonym(s): *roboris* Hardy,1854; *volvans* Kieffer,1895
- 8474) *Mayetiola destructor* (Say,1817)** (Cecidomyiidae) Synonym(s): *destructor* Say,1817; *orientalis* Bollow,1955
- 8475) *Mayetiola hordei* Kieffer,1909** (Cecidomyiidae) Synonym(s): *hordei* Kieffer,1909; *mimeuri* Mesnil,1934
- 8476) *Mikiola fagi* (Hartig,1839)** (Cecidomyiidae) Synonym(s): *fagi* Hartig,1839
- 8477) *Mikiola orientalis* Kieffer,1908** (Cecidomyiidae) Synonym(s): *orientalis* Kieffer,1908
- 8478) *Mikomya coryli* (Kieffer,1901)** (Cecidomyiidae) Synonym(s): *coryli* Kieffer,1901
- 8479) *Monarthropalpus flavus* (Schrank,1776)** (Cecidomyiidae) Synonym(s): *flavus* Schrank,1776; *buxi* Laboulbène,1873
- 8480) *Odinadiplosis amygdali* (Anagnostopoulos,1929)** (Cecidomyiidae) Synonym(s): *amygdali* Anagnostopoulos,1929
- 8481) *Oligotrophus juniperinus* (Linnaeus,1758)** (Cecidomyiidae) Synonym(s): *juniperinus* Linnaeus,1758
- 8482) *Oligotrophus panteli* Kieffer,1898** (Cecidomyiidae) Synonym(s): *panteli* Kieffer,1898
- 8483) *Ozirhincus anthemidis* (Rübsaamen,1915)** (Cecidomyiidae) Synonym(s): *anthemidis* Rübsaamen,1915; *anatolicus* Möhn,1968; *mallorcensis* Möhn,1968; *ibericus* Möhn,1968; *dalmaticus* Möhn,1968; *kabylensis* Möhn,1968
- 8484) *Ozirhincus longicollis* Rondani,1840** (Cecidomyiidae) Synonym(s): *longicollis* Rondani,1840; *chrysanthemi* Loew,1850; *crassipes* Winnertz,1853; *leucanthemi* Kieffer,1898; *planus* Möhn,1966
- 8485) *Ozirhincus millefolii* (Wachtl,1884)** (Cecidomyiidae) Synonym(s): *millefolii* Wachtl,1884; *lusitanicus* Möhn,1968; *minor* Möhn,1968; *amurensis* Möhn,1968
- 8486) *Physemocercis hartigi* (Liebel,1892)** (Cecidomyiidae) Synonym(s): *hartigi* Liebel,1892
- 8487) *Probruggmanniella phillyreae* (Tavares,1907)** (Cecidomyiidae) Synonym(s): *phillyreae* Tavares,1907
- 8488) *Rabdophaga heterobia* (Loew,1850)** (Cecidomyiidae) Synonym(s): *heterobia* Loew,1850
- 8489) *Rabdophaga saliciperda* (Dufour,1841)** (Cecidomyiidae) Synonym(s): *saliciperda* Dufour,1841
- 8490) *Rabdophaga salicis* (Schrank,1803)** (Cecidomyiidae) Synonym(s): *salicis* Schrank,1803; *salicina* Bouché,1834; *gallarumsalicis* Hardy,1850; *argyrosticta* Macquart,1854; *noduli* Rübsaamen,1895; *saliyonai* Shinji,1938
- 8491) *Rabdophaga strobilina* (Bremi,1847)** (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847; *rosaria* Loew,1850
- 8492) *Rabdophaga terminalis* (Loew,1850)** (Cecidomyiidae) Synonym(s): *terminalis* Loew,1850
- 8493) *Resseliella oleisuga* (Targioni-Tozzetti,1886)** (Cecidomyiidae) Synonym(s): *oleisuga* Targioni-Tozzetti,1886
- 8494) *Resseliella piceae* Seitner,1906** (Cecidomyiidae) Synonym(s): *piceae* Seitner,1906
- 8495) *Resseliella theobaldi* (Barnes,1927)** (Cecidomyiidae) Synonym(s): *theobaldi* Barnes,1927
- 8496) *Rhopalomyia artemisiae* (Bouche,1834)** (Cecidomyiidae) Synonym(s): *artemisiae* Bouche,1834
- 8497) *Rhopalomyia baccarum* (Wachtl,1883)** (Cecidomyiidae) Synonym(s): *baccarum* Wachtl,1883
- 8498) *Rhopalomyia saissanica* Fedotova,1999** (Cecidomyiidae) Synonym(s): *saissanica* Fedotova,1999
- 8499) *Taxomyia taxi* (Inchbald,1861)** (Cecidomyiidae) Synonym(s): *taxi* Inchbald,1861
- 8500) *Thecodiplosis* sp.** (Cecidomyiidae) Synonym(s):
- 8501) *Wachtliella ericina* (Loew,1885)** (Cecidomyiidae) Synonym(s): *ericina* Loew,1885
- 8502) *Zygiobia carpini* (Loew,1874)** (Cecidomyiidae) Synonym(s): *carpini* Loew,1874

CEPHIDAE

- 8503) *Calameuta* (s.str.) *filiformis* (Eversmann,1847)** (Cephidae) Synonym(s): *filiformis* Eversmann,1847; *infernalis* Dovnar-Zapolski,1926; *amurensis* Gussakowski,1935
- 8504) *Calameuta* (s.str.) *haemorrhoidalis* (Fabricius,1781)** (Cephidae) Synonym(s): *haemorrhoidalis* Fabricius,1781
- 8505) *Calameuta* (s.str.) *idolon* (Rossi,1794)** (Cephidae) Synonym(s): *idolon* Rossi,1794; *mittrei* Guérin,1844; *bellieri* Sichel,1860; *variegatus* Stein,1876; *apicicornis* Pic,1916
- 8506) *Calameuta* (s.str.) *pallipes* (Klug,1803)** (Cephidae) Synonym(s): *pallipes* Klug,1803
- 8507) *Calameuta* (s.str.) *punctata* (Klug,1803)** (Cephidae) Synonym(s): *punctata* Klug,1803

- 8508) Cephus brachycerus Thomson, 1871** (Cephidae) Synonym(s): *brachycerus* Thomson, 1871
- 8509) Cephus fumipennis Eversmann, 1847** (Cephidae) Synonym(s): *fumipennis* Eversmann, 1847
- 8510) Cephus nigrinus Thomson, 1871** (Cephidae) Synonym(s): *nigrinus* Thomson, 1871
- 8511) Cephus pulcher Tischbein, 1852** (Cephidae) Synonym(s): *pulcher* Tischbein, 1852
- 8512) Cephus pygmaeus (Linnaeus, 1767)** (Cephidae) Synonym(s): *pygmaeus* Linnaeus, 1767; *saltuum* Fabricius, 1775; *abdominalis* Latreille, 1816; *flaviventris* Guérin, 1834; *nigripennis* Sichel, 1860; *notatus* Kokujev, 1910; *nigromaculatus* Pic, 1917; *aegyptiacum* Pic, 1918; *delagrangei* Pic, 1920; *tanaiticus* Dovnar-Zapolski, 1926
- 8513) Cephus rjabovi Dovnar-Zapolski, 1926** (Cephidae) Synonym(s): *rjabovi* Dovnar-Zapolski, 1926
- 8514) Cephus sareptanus Dovnar-Zapolski, 1928** (Cephidae) Synonym(s): *sareptanus* Dovnar-Zapolski, 1928
- 8515) Cephus spinipes (Panzer, 1800)** (Cephidae) Synonym(s): *spinipes* Panzer, 1800
- 8516) Hartigia linearis (Schränk, 1781)** (Cephidae) Synonym(s): *linearis* Schränk, 1781
- 8517) Hartigia nigra (Harris, 1776)** (Cephidae) Synonym(s): *nigra* Harris, 1776
- 8518) Hartigia xanthostoma (Eversmann, 1847)** (Cephidae) Synonym(s): *xanthostoma* Eversmann, 1847
- 8519) Janus compressus (Fabricius, 1793)** (Cephidae) Synonym(s): *compressus* Fabricius, 1793
- 8520) Janus femoratus (Curtis, 1830)** (Cephidae) Synonym(s): *femoratus* Curtis, 1830
- 8521) Pachycephus (Eversmannella) cruentatus (Eversmann, 1847)** (Cephidae) Synonym(s): *cruentatus* Eversmann, 1847
- 8522) Pachycephus smyrnensis Stein, 1876** (Cephidae) Synonym(s): *smyrnensis* Stein, 1876; *aeneovarius* Kohl, 1905; *brevis* Ghigi, 1915; *sanctus* Pic, 1916; *notativentris* Pic, 1916
- 8523) Syrysta parreyssii (Spinola, 1843)** (Cephidae) Synonym(s): *parreyssii* Spinola, 1843
- 8524) Trachelus judaicus (Konow, 1907)** (Cephidae) Synonym(s): *judaicus* Konow, 1907
- 8525) Trachelus libanensis (André, 1881)** (Cephidae) Synonym(s): *libanensis* André, 1881; *armenius* Konow, 1896
- 8526) Trachelus tabidus (Fabricius, 1775)** (Cephidae) Synonym(s): *tabidus* Fabricius, 1775
- 8527) Trachelus troglodytus (Fabricius, 1781)** (Cephidae) Synonym(s): *troglodytus* Fabricius, 1781; *tenuicornis* Konow, 1902

CERAMBYCIDAE

- 8528) Agapanthia amacula Holzschuh, 1989** (Cerambycidae) Synonym(s): *amicula* Holzschuh, 1989
- 8529) Agapanthia coeruleipennis Frivaldsky, 1878** (Cerambycidae) Synonym(s): *coeruleipennis* Frivaldsky, 1878
- 8530) Agapanthia fallax Holzschuh, 1974** (Cerambycidae) Synonym(s): *fallax* Holzschuh, 1974
- 8531) Agapanthia frivaldskyi Ganglbauer, 1884** (Cerambycidae) Synonym(s): *frivaldskyi* Ganglbauer, 1884
- 8532) Agapanthia kirbyi (Gyllenhal, 1817)** (Cerambycidae) Synonym(s): *kirbyi* Gyllenhal, 1817
- 8533) Agapanthia lais Reiche, 1858** (Cerambycidae) Synonym(s): *lais* Reiche, 1858
- 8534) Agapanthia lateralis Ganglbauer, 1884** (Cerambycidae) Synonym(s): *lateralis* Ganglbauer, 1884
- 8535) Agapanthia osmanlis Reiche & Saulcy, 1858** (Cerambycidae) Synonym(s): *osmanlis* Reiche & Saulcy, 1858
- 8536) Agapanthia simplicicornis Reitter, 1898** (Cerambycidae) Synonym(s): *simplicicornis* Reitter, 1898
- 8537) Agapanthia suturalis (Fabricius, 1787)** (Cerambycidae) Synonym(s): *suturalis* Fabricius, 1787; *ruficornis* Pic, 1918
- 8538) Agapanthia villosoviridescens (De Geer, 1775)** (Cerambycidae) Synonym(s): *villosoviridescens* De Geer, 1775
- 8539) Agapanthia violacea (Fabricius, 1775)** (Cerambycidae) Synonym(s): *violacea* Fabricius, 1775
- 8540) Agapanthia walteri (Reitter, 1898)** (Cerambycidae) Synonym(s): *walteri* Reitter, 1898
- 8541) Agapanthiola leucaspis (Steven, 1817)** (Cerambycidae) Synonym(s): *leucaspis* Steven, 1817
- 8542) Alosterna anatolica Adlbauer, 1992** (Cerambycidae) Synonym(s): *anatolica* Adlbauer, 1992
- 8543) Alosterna scapularis (Heyden, 1878)** (Cerambycidae) Synonym(s): *scapularis* Heyden, 1878
- 8544) Anaglyptus arabicus (Küster, 1847)** (Cerambycidae) Synonym(s): *arabicus* Küster, 1847
- 8545) Anaglyptus ganglbaueri Reitter, 1886** (Cerambycidae) Synonym(s): *ganglbaueri* Reitter, 1886
- 8546) Anaglyptus mysticus (Linnaeus, 1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus, 1758
- 8547) Anastrangalia dubia (Scopoli, 1763)** (Cerambycidae) Synonym(s): *dubia* Scopoli, 1763
- 8548) Anastrangalia montana (Mulsant & Rey, 1863)** (Cerambycidae) Synonym(s): *montana* Mulsant & Rey, 1863
- 8549) Anastrangalia sanguinolenta (Linnaeus, 1761)** (Cerambycidae) Synonym(s): *sanguinolenta* Linnaeus, 1761
- 8550) Anoplodera rufipes (Schaller, 1783)** (Cerambycidae) Synonym(s): *rufipes* Schaller, 1783

- 8551) **Arhopalus ferus** (Pic,1891) (Cerambycidae) Synonym(s): *ferus* Pic,1891
- 8552) **Arhopalus rusticus** (Linnaeus,1758) (Cerambycidae) Synonym(s): *rusticus* Linnaeus,1758
- 8553) **Arhopalus syriacus** (Reitter,1895) (Cerambycidae) Synonym(s): *syriacus* Reitter,1895
- 8554) **Aromia moschata** (Linnaeus,1758) (Cerambycidae) Synonym(s): *moschata* Linnaeus,1758
- 8555) **Asemum tenuicorne** Kraatz,1879 (Cerambycidae) Synonym(s): *tenuicorne* Kraatz,1879
- 8556) **Batocera rufomaculata** (DeGeer,1775) (Cerambycidae) Synonym(s): *rufomaculata* DeGeer,1775
- 8557) **Blepisanis vittipennis** (Reich,1877) (Cerambycidae) Synonym(s): *vittipennis* Reich,1877
- 8558) **Calamobius filum** (Rossi,1790) (Cerambycidae) Synonym(s): *filum* Rossi,1790
- 8559) **Calchaenesthes oblongomaculatus** (Guérin,1844) (Cerambycidae) Synonym(s): *oblongomaculatus* Guérin,1844
- 8560) **Callimoxys gracilis** (Brullé,1832) (Cerambycidae) Synonym(s): *gracilis* Brullé,1832
- 8561) **Callimus (Lampropterus) femoratus** (Germar,1824) (Cerambycidae) Synonym(s): *femoratus* Germar,1824
- 8562) **Callimus (Procallimus) egregius** (Mulsant & Rey,1863) (Cerambycidae) Synonym(s): *egregius* Mulsant & Rey,1863
- 8563) **Callimus (s.str.) abdominalis** (Olivier,1795) (Cerambycidae) Synonym(s): *abdominalis* Olivier,1795
- 8564) **Callimus (s.str.) akbesianus** (Pic,1892) (Cerambycidae) Synonym(s): *akbesianus* Pic,1892
- 8565) **Callimus (s.str.) angulatus** (Schränk,1789) (Cerambycidae) Synonym(s): *angulatus* Schränk,1789
- 8566) **Cardoria scutellata** (Fabricius,1792) (Cerambycidae) Synonym(s): *scutellata* Fabricius,1792
- 8567) **Carinatodorcadion aethiops** (Scopoli,1763) (Cerambycidae) Synonym(s): *aethiops* Scopoli,1763; *morio* Fabricius,1787; *majoripenne* Pic,1926; *tomentosulum* Breuning,1946; *kudlai* Heyrovsky,1951
- 8568) **Carinatodorcadion boluense** Breuning,1962 (Cerambycidae) Synonym(s): *boluense* Breuning,1962; *nigrobasisipenne* Breuning,1962
- 8569) **Carinatodorcadion carinatum** (Pallas,1771) (Cerambycidae) Synonym(s): *carinatum* Pallas,1771; *pigra* Schönherr,1817; *cinereopubescens* Breuning,1946
- 8570) **Carinatodorcadion ingeae** (Peks,1993) (Cerambycidae) Synonym(s): *ingeae* Peks,1993
- 8571) **Carlandrea syriaca** (Pic,1891) (Cerambycidae) Synonym(s): *syriaca* Pic,1891
- 8572) **Cerambyx (Microcerambyx) scopoli** Fuessly,1775 (Cerambycidae) Synonym(s): *scopoli* Fuessly,1775; *nitidus* Pic,1892
- 8573) **Cerambyx (s.str.) carinatus** Küster,1846 (Cerambycidae) Synonym(s): *carinatus* Küster,1846
- 8574) **Cerambyx (s.str.) cerdo** Linnaeus,1758 (Cerambycidae) Synonym(s): *cerdo* Linnaeus,1758; *acuminatus* Motschulsky,1852; *pfisteri* Stierlin,1864
- 8575) **Cerambyx (s.str.) dux** (Faldermann,1837) (Cerambycidae) Synonym(s): *dux* Faldermann,1837
- 8576) **Cerambyx (s.str.) heinzianus** Demelt,1976 (Cerambycidae) Synonym(s): *heinzianus* Demelt,1976
- 8577) **Cerambyx (s.str.) miles** Bonelli,1812 (Cerambycidae) Synonym(s): *miles* Bonelli,1812
- 8578) **Cerambyx (s.str.) nodulosus** Germar,1817 (Cerambycidae) Synonym(s): *nodulosus* Germar,1817
- 8579) **Cerambyx (s.str.) welensii** (Küster,1846) (Cerambycidae) Synonym(s): *velutinus* Brullé,1832; *welensii* Küster,1846
- 8580) **Certallum ebulinum** (Linnaeus,1767) (Cerambycidae) Synonym(s): *ebulinum* Linnaeus,1767; *ruficollis* Fabricius,1787
- 8581) **Chlorophorus aegyptiacus** (Fabricius,1775) (Cerambycidae) Synonym(s): *aegyptiacus* Fabricius,1775; *nigripes* Brullé,1832
- 8582) **Chlorophorus dinae** Rapuzzi & Sama,1999 (Cerambycidae) Synonym(s): *dinae* Rapuzzi & Sama,1999
- 8583) **Chlorophorus dominici** Sama,1996 (Cerambycidae) Synonym(s): *dominici* Sama,1996
- 8584) **Chlorophorus figuratus** (Scopoli,1763) (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763
- 8585) **Chlorophorus gratiosus** Marseul,1868 (Cerambycidae) Synonym(s): *gratiosus* Marseul,1868
- 8586) **Chlorophorus nivipictus** (Kraatz,1879) (Cerambycidae) Synonym(s): *nivipictus* Kraatz,1879
- 8587) **Chlorophorus robustior** (Pic,1900) (Cerambycidae) Synonym(s): *robustior* Pic,1900
- 8588) **Chlorophorus sartor** (O.F.Müller,1766) (Cerambycidae) Synonym(s): *sartor* O.F.Müller,1766
- 8589) **Chlorophorus trifasciatus** (Fabricius,1781) (Cerambycidae) Synonym(s): *trifasciatus* Fabricius,1781
- 8590) **Chlorophorus varius** (O.F.Müller,1766) (Cerambycidae) Synonym(s): *varius* O.F.Müller,1766; *damascenus* Chevrolat,1854 [ssp.]
- 8591) **Chlorophorus wewalkai** Holzschuch,1969 (Cerambycidae) Synonym(s): *wewalkai* Holzschuch,1969
- 8592) **Clytus arietis** (Linnaeus,1758) (Cerambycidae) Synonym(s): *arietis* Linnaeus,1758
- 8593) **Clytus arietis lederi** Ganglbauer,1881 (Cerambycidae) Synonym(s): *lederi* Ganglbauer,1881
- 8594) **Clytus ciliciensis** Chevrolat,1863 (Cerambycidae) Synonym(s): *ciliciensis* Chevrolat,1863
- 8595) **Clytus gulekanus** Pic,1904 (Cerambycidae) Synonym(s): *gulekanus* Pic,1904

- 8596) Clytus kumalariensis Johanides,2001** (Cerambycidae) Synonym(s): *kumalariensis Johanides,2001*
- 8597) Clytus rhamni Germar,1817** (Cerambycidae) Synonym(s): *rhamni Germar,1817*
- 8598) Clytus schneideri Kiesenwetter,1879** (Cerambycidae) Synonym(s): *schneideri Kiesenwetter,1879*
- 8599) Clytus taurusiensis (Pic,1903)** (Cerambycidae) Synonym(s): *taurusiensis Pic,1903*
- 8600) Coptosia bithynensis Pic,1900** (Cerambycidae) Synonym(s): *bithynensis Pic,1900*
- 8601) Coptosia ganglbaueri (Pic,1951)** (Cerambycidae) Synonym(s): *ganglbaueri Pic,1951*
- 8602) Dorcadion (Cribridorcadion) divisum Germar,1839** (Cerambycidae) Synonym(s): *divisum Germar,1839*
- 8603) Dorcadion (Cribridorcadion) janatai Kadlec,2006** (Cerambycidae) Synonym(s): *janatai Kadlec,2006*
- 8604) Dorcadion (Maculatodorcadion) triste Frivaldsky,1845** (Cerambycidae) Synonym(s): *triste Frivaldsky,1845*
- 8605) Dorcadion (s.str.) apicale Thomson,1865** (Cerambycidae) Synonym(s): *apicale Thomson,1865; rufoapicale Pic,1942*
- 8606) Dorcadion (s.str.) nodicorne Tournier,1872** (Cerambycidae) Synonym(s): *nodicorne Tournier,1872*
- 8607) Dorcadion (s.str.) quadrimaculatum Küster,1848** (Cerambycidae) Synonym(s): *quadrimaculatum Küster,1848*
- 8608) Dorcadion (s.str.) serotinum Thomson,1865** (Cerambycidae) Synonym(s): *serotinum Thomson,1865*
- 8609) Drymochares starcki Ganglbauer,1888** (Cerambycidae) Synonym(s): *starcki Ganglbauer,1888*
- 8610) Etorofus pubescens (Fabricius,1787)** (Cerambycidae) Synonym(s): *pubescens Fabricius,1787*
- 8611) Fallacia elegans (Faldermann,1837)** (Cerambycidae) Synonym(s): *elegans Faldermann,1837*
- 8612) Helladia adelpha (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *adelpha Ganglbauer,1884*
- 8613) Helladia armeniaca Frivaldsky,1878** (Cerambycidae) Synonym(s): *armeniaca Frivaldsky,1878; testaceovittata Pic,1934; iranica Villers,1960; natali Lobanov,1994; holzschuchi Özdikmen,2008.*
- 8614) Helladia diademata (Faldermann,1837)** (Cerambycidae) Synonym(s): *diademata Faldermann,1837*
- 8615) Helladia humeralis (Waltl,1828)** (Cerambycidae) Synonym(s): *humeralis Waltl,1828*
- 8616) Helladia millefolii (Adams,1817)** (Cerambycidae) Synonym(s): *millefolii Adams,1817*
- 8617) Helladia plasoni Ganglbauer,1884** (Cerambycidae) Synonym(s): *plasoni Ganglbauer,1884*
- 8618) Helladia praetextata (Steven,1817)** (Cerambycidae) Synonym(s): *praetextata Steven,1817*
- 8619) Helladia pretiosa (Faldermann,1837)** (Cerambycidae) Synonym(s): *pretiosa Faldermann,1837*
- 8620) Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis Linnaeus,1767*
- 8621) Hybometopia starcki Ganglbauer,1889** (Cerambycidae) Synonym(s): *starcki Ganglbauer,1889*
- 8622) Icosium tomentosum Lucas,1854** (Cerambycidae) Synonym(s): *tomentosum Lucas,1854*
- 8623) Isotomus comptus (Mannerheim,1825)** (Cerambycidae) Synonym(s): *comptus Mannerheim,1825*
- 8624) Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor Linnaeus,1758*
- 8625) Leptura quadrifasciata Linnaeus,1758** (Cerambycidae) Synonym(s): *quadrifasciata Linnaeus,1758*
- 8626) Micromallosia heinzorum Holzschuh,1991** (Cerambycidae) Synonym(s): *heinzorum Holzschuh,1991*
- 8627) Micromallosia heydeni (Ganglbauer,1888)** (Cerambycidae) Synonym(s): *heydeni Ganglbauer,1888*
- 8628) Micromallosia theresae Pic,1900** (Cerambycidae) Synonym(s): *theresae Pic,1900*
- 8629) Morimus verecundus (Faldermann,1836)** (Cerambycidae) Synonym(s): *verecundus Faldermann,1836*
- 8630) Musaria anatolica (Fuchs & Breuning,1971)** (Cerambycidae) Synonym(s): *anatolica Fuchs & Breuning,1971*
- 8631) Musaria astarte (Ganglbauer,1885)** (Cerambycidae) Synonym(s): *astarte Ganglbauer,1885*
- 8632) Musaria kurdistanica (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *kurdistanica Ganglbauer,1884*
- 8633) Musaria puncticollis (Faldermann,1837)** (Cerambycidae) Synonym(s): *puncticollis Faldermann,1837*
- 8634) Musaria volgensis (Kraatz,1883)** (Cerambycidae) Synonym(s): *volgensis Kraatz,1883*
- 8635) Neodorcadion bilineatum (Germar,1824)** (Cerambycidae) Synonym(s): *bilineatum Germar,1824*
- 8636) Neodorcadion exornatoides Breuning,1962** (Cerambycidae) Synonym(s): *exornatoides Breuning,1962*
- 8637) Neodorcadion exornatum (Frivaldsky,1835)** (Cerambycidae) Synonym(s): *exornatum Frivaldsky,1835; labyrinthicum Thomson,1865; balcanicum Tournier,1872;...*
- 8638) Neodorcadion laqueatum (Waltl,1838)** (Cerambycidae) Synonym(s): *laqueatum Waltl,1838; interruptum Mulsant & Rey,1863; sparsum Mulsant & Rey,1863; abeillei Tournier,1872; bulgaricum Pic,1913;...*

- 8639) Neodorcadion orientale Ganglbauer,1883** (Cerambycidae) Synonym(s): *orientale Ganglbauer,1883; flaschneri Pic,1889; merkli Pic,1892; dispar Pic,1892; eduardi Pic,1900*
- 8640) Neodorcadion pelleti (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *pelleti Mulsant & Rey,1863; segne Mulsant & Rey,1863; disjunctum Pic,1907; credulum Pic,1917*
- 8641) Neomusaria balcanica (Fivaldsky,1835)** (Cerambycidae) Synonym(s): *balcanica Fivaldsky,1835*
- 8642) Neomusaria merkli (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *merkli Ganglbauer,1884*
- 8643) Neomusaria salvicola Holzschuh,1989** (Cerambycidae) Synonym(s): *salvicola Holzschuh,1989*
- 8644) Neomusaria suworovi (Pic,1906)** (Cerambycidae) Synonym(s): *suworovi Pic,1906*
- 8645) Neomusaria waltli Sama,1991** (Cerambycidae) Synonym(s): *waltli Sama,1991*
- 8646) Neoplacionotus bobelayei (Brullé,1832)** (Cerambycidae) Synonym(s): *speciosus Adams,1817; bobelayei Brullé,1832*
- 8647) Neoplacionotus scalaris (Brullé,1832)** (Cerambycidae) Synonym(s): *scalaris Brullé,1832*
- 8648) Nothorhina muricata (Dalman,1817)** (Cerambycidae) Synonym(s): *muricata Dalman,1817*
- 8649) Nothorhina punctata (Fabricius,1798)** (Cerambycidae) Synonym(s): *punctata Fabricius,1798*
- 8650) Oberea erythrocephala (Schränk,1776)** (Cerambycidae) Synonym(s): *erythrocephala (Schränk,1776)*
- 8651) Oberea linearis (Linnaeus,1761)** (Cerambycidae) Synonym(s): *linearis Linnaeus,1761*
- 8652) Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata Linnaeus,1758*
- 8653) Opsilia coerulescens (Scopoli,1763)** (Cerambycidae) Synonym(s): *coerulescens Scopoli,1763*
- 8654) Osphranteria coerulescens Redtenbacher,[1849]** (Cerambycidae) Synonym(s): *coerulescens Redtenbacher,[1849]*
- 8655) Oxylia argentata (Ménétriés,1832)** (Cerambycidae) Synonym(s): *argentata Ménétriés,1832*
- 8656) Pachytodes cerambyciformis (Schränk,1781)** (Cerambycidae) Synonym(s): *cerambyciformis Schränk,1781*
- 8657) Pachytodes erraticus (Dalman,1817)** (Cerambycidae) Synonym(s): *erraticus Dalman,1817*
- 8658) Paraclytus sexguttatus (Adams,1817)** (Cerambycidae) Synonym(s): *sexguttatus Adams,1817*
- 8659) Paracorymbia excisipes (Ménétriés,1832)** (Cerambycidae) Synonym(s): *excisipes Ménétriés,1832*
- 8660) Paracorymbia fulva (De Geer,1775)** (Cerambycidae) Synonym(s): *fulva De Geer,1775*
- 8661) Paracorymbia sambucicola (Holzschuh,1982)** (Cerambycidae) Synonym(s): *sambucicola Holzschuh,1982*
- 8662) Paracorymbia tonsa (K.Daniel & J.Daniel,1891)** (Cerambycidae) Synonym(s): *tonsa K.Daniel & J.Daniel,1891*
- 8663) Paraplagionotus floralis (Pallas,1773)** (Cerambycidae) Synonym(s): *floralis Pallas,1773*
- 8664) Pedestredorcadion accola (Heyden,1894)** (Cerambycidae) Synonym(s): *accola Heyden,1894; delagrangei Pic,1894; mardinense Pic,1900; fuscopubescens Pic,1900*
- 8665) Pedestredorcadion albolineatum (Küster,1847)** (Cerambycidae) Synonym(s): *albolineatum Küster,1847; byzantinum Kraatz,1869; abbreviatolineatum Breuning,1946*
- 8666) Pedestredorcadion albonotatum (Pic,1895)** (Cerambycidae) Synonym(s): *albonotatum Pic,1895*
- 8667) Pedestredorcadion amanense (Breuning,1943)** (Cerambycidae) Synonym(s): *amanense Breuning,1943*
- 8668) Pedestredorcadion anatolicum (Pic,1900)** (Cerambycidae) Synonym(s): *anatolicum Pic,1900; medioterruptum Pic,1901; brevipenne Pic,1902; chehirense Pic,1902; subuniforme Pic,1902;...*
- 8669) Pedestredorcadion arcivagum (Thomson,1868)** (Cerambycidae) Synonym(s): *arcivagum Thomson,1868; cilicium Pic,1904*
- 8670) Pedestredorcadion ardahense (Breuning,1975)** (Cerambycidae) Synonym(s): *ardahense Breuning,1975*
- 8671) Pedestredorcadion bangi (Heyden,1894)** (Cerambycidae) Synonym(s): *bangi Heyden,1894; sanguinimembre Breuning,1946; heinzorum Braun,1975*
- 8672) Pedestredorcadion banjkovskyi (Plavilstshikov,1958)** (Cerambycidae) Synonym(s): *banjkovskiy Plavilstshikov,1958*
- 8673) Pedestredorcadion beckeri (Kraatz,1873)** (Cerambycidae) Synonym(s): *beckeri Kraatz,1873*
- 8674) Pedestredorcadion bithyniense (Chevrolat,1856)** (Cerambycidae) Synonym(s): *bithyniense Chevrolat,1856; dorsoplagiatum Breuning,1946*
- 8675) Pedestredorcadion bodemeyeri (Daniel,1900)** (Cerambycidae) Synonym(s): *bodemeyeri Daniel,1900; rubricolle Breuning,1946*
- 8676) Pedestredorcadion bouilloni (Breuning & Ruspoli,1975)** (Cerambycidae) Synonym(s): *bouilloni Breuning & Ruspoli,1975*
- 8677) Pedestredorcadion bozdaghense (Fairmaire,1866)** (Cerambycidae) Synonym(s): *bozdaghense Fairmaire,1866*
- 8678) Pedestredorcadion bremeri (Breuning,1981)** (Cerambycidae) Synonym(s): *bremeri Breuning,1981*
- 8679) Pedestredorcadion breuningi (Heyrovsky,1943)** (Cerambycidae) Synonym(s): *breuningi Heyrovsky,1943*

- 8680) Pedestredorcadion bulgharmaadense (Breuning,1946)** (Cerambycidae) Synonym(s): *bulgharmaadense Breuning,1946*
- 8681) Pedestredorcadion carolisturanii (Breuning & Ruspoli,1971)** (Cerambycidae) Synonym(s): *carolisturanii Breuning & Ruspoli,1971; baiburtense Breuning,1975*
- 8682) Pedestredorcadion cinerarium (Fabricius,1787)** (Cerambycidae) Synonym(s): *cinerarium Fabricius,1787; tricolor Fischer von Waldheim,1806; caucasicum Küster,1847; micans Thomson,1867; sericatum Kraatz,1873; amasinum Pic,1898; corallicornes Pic,1904; macropoides Plavilstshikov,1932; perroudi Pic,1942; paracinerarium Breuning,1974*
- 8683) Pedestredorcadion coiffaiti (Breuning,1962)** (Cerambycidae) Synonym(s): *coiffaiti Breuning,1962*
- 8684) Pedestredorcadion condensatum (Küster,1852)** (Cerambycidae) Synonym(s): *condensatum Küster,1852; punctatissimum Ganglbauer,1883; adamopolum Pic,1917*
- 8685) Pedestredorcadion culminicola (Thomson,1868)** (Cerambycidae) Synonym(s): *culminicola Thomson,1868*
- 8686) Pedestredorcadion deyrollei (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *deyrollei Ganglbauer,1883*
- 8687) Pedestredorcadion dimidiatum (Motschoulsky,1838)** (Cerambycidae) Synonym(s): *dimidiatum Motschoulsky,1838; erivanicum Pic,1901*
- 8688) Pedestredorcadion drusoides (Breuning,1962)** (Cerambycidae) Synonym(s): *drusoides Breuning,1962*
- 8689) Pedestredorcadion enricisturanii (Breuning & Ruspoli,1971)** (Cerambycidae) Synonym(s): *enricisturanii Breuning & Ruspoli,1971*
- 8690) Pedestredorcadion escherichi (Ganglbauer,1897)** (Cerambycidae) Synonym(s): *escherichi Ganglbauer,1897; angorensis Ganglbauer,1897; cappadocium Breuning,1946*
- 8691) Pedestredorcadion ferruginipes (Ménétriés,1836)** (Cerambycidae) Synonym(s): *ferruginipes Ménétriés,1836; thracicum Küster,1846*
- 8692) Pedestredorcadion gallipolitanum (Thomson,1867)** (Cerambycidae) Synonym(s): *gallipolitanum Thomson,1867*
- 8693) Pedestredorcadion gebzeense (Breuning,1974)** (Cerambycidae) Synonym(s): *gebzeense Breuning,1974*
- 8694) Pedestredorcadion haemorrhoidale (Hampe,1852)** (Cerambycidae) Synonym(s): *haemorrhoidale Hampe,1852*
- 8695) Pedestredorcadion halepense (Kraatz,1873)** (Cerambycidae) Synonym(s): *halepense Kraatz,1873; pseudomardinense Breuning,1946; akbesianum Breuning,1946;...*
- 8696) Pedestredorcadion heinzi (Breuning,1964)** (Cerambycidae) Synonym(s): *heinzi Breuning,1964*
- 8697) Pedestredorcadion holtzi (Pic,1905)** (Cerambycidae) Synonym(s): *holtzi Pic,1905*
- 8698) Pedestredorcadion holzschuhi (Breuning,1974)** (Cerambycidae) Synonym(s): *holzschuhi Breuning,1974*
- 8699) Pedestredorcadion iconiense (Dan.,1901)** (Cerambycidae) Synonym(s): *iconiense Dan.,1901; muchei Breuning,1962; parescherichi Breuning,1966*
- 8700) Pedestredorcadion impressicollis (Kraatz,1873)** (Cerambycidae) Synonym(s): *impressicollis Kraatz,1873; tokatense Pic,1901; diversipes Breuning,1946*
- 8701) Pedestredorcadion impressicorne (Tournier,1872)** (Cerambycidae) Synonym(s): *impressicorne Tournier,1872; kurda Suvorov,1913;...*
- 8702) Pedestredorcadion infernale (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *infernale Mulsant & Rey,1863*
- 8703) Pedestredorcadion ispartense (Breuning,1962)** (Cerambycidae) Synonym(s): *ispartense Breuning,1962*
- 8704) Pedestredorcadion kagyzmanicum (Suvorov,1915)** (Cerambycidae) Synonym(s): *kagyzmanicum Suvorov,1915*
- 8705) Pedestredorcadion karsense (Suvorov,1915)** (Cerambycidae) Synonym(s): *karsense Suvorov,1915*
- 8706) Pedestredorcadion kasikoparanum (Pic,1902)** (Cerambycidae) Synonym(s): *kasikoparanum Pic,1902*
- 8707) Pedestredorcadion kollari (Kraatz,1873)** (Cerambycidae) Synonym(s): *kollari Kraatz,1873; henrici Pic,1905; dorsoimmaculipennis Breuning,1966*
- 8708) Pedestredorcadion kurdistanum (Breuning,1944)** (Cerambycidae) Synonym(s): *kurdistanum Breuning,1944; rufipes Breuning,1963*
- 8709) Pedestredorcadion lameeri (Thery,1896)** (Cerambycidae) Synonym(s): *lameeri Thery,1896*
- 8710) Pedestredorcadion ledereri (Thomson,1865)** (Cerambycidae) Synonym(s): *ledereri Thomson,1865*
- 8711) Pedestredorcadion ledouxi (Breuning,1974)** (Cerambycidae) Synonym(s): *ledouxi Breuning,1974*
- 8712) Pedestredorcadion lodosi (Sabbadini & Pesarini,1992)** (Cerambycidae) Synonym(s): *lodosi Sabbadini & Pesarini,1992*
- 8713) Pedestredorcadion lugubre (Kraatz,1873)** (Cerambycidae) Synonym(s): *lugubre Kraatz,1873*

- 8714) Pedestredorcadion mesopotamicum (Breuning,1944)** (Cerambycidae) Synonym(s): *mesopotamicum* Breuning,1944; *submardinense* Breuning,1946
- 8715) Pedestredorcadion nigrostriatum (Adlbauer,1982)** (Cerambycidae) Synonym(s): *nigrostriatum* Adlbauer,1982
- 8716) Pedestredorcadion nitidum (Motschoulsky,1838)** (Cerambycidae) Synonym(s): *nitidum* Motschoulsky,1838
- 8717) Pedestredorcadion obsoletum (Kraatz,1873)** (Cerambycidae) Synonym(s): *obsoletum* Kraatz,1873; *obsoletoides* Breuning,1946
- 8718) Pedestredorcadion olympicum (Ganglbauer,1882)** (Cerambycidae) Synonym(s): *subalpinum* Kraatz,1873; *olympicum* Ganglbauer,1882; *oreophilum* Ganglbauer,1883; *beieri* Pic,1932; *brussense* Breuning,1946
- 8719) Pedestredorcadion paraladikense (Breuning,1977)** (Cerambycidae) Synonym(s): *paraladikense* Breuning,1977
- 8720) Pedestredorcadion pedestre (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre* Poda,1761; *suturalis* Voet,1778; *rufipes* Fabricius,1792;...
- 8721) Pedestredorcadion piochardi (Kraatz,1873)** (Cerambycidae) Synonym(s): *piochardi* Kraatz,1873; *pelops* Jakovlev,1901
- 8722) Pedestredorcadion pluto (Thomson,1867)** (Cerambycidae) Synonym(s): *pluto* Thomson,1867
- 8723) Pedestredorcadion preissi (Heyden,1894)** (Cerambycidae) Synonym(s): *preissi* Heyden,1894
- 8724) Pedestredorcadion pseudobithyniense (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudobithyniense* Breuning,1962
- 8725) Pedestredorcadion pseudoholosericeum (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudoholosericeum* Breuning,1962
- 8726) Pedestredorcadion pseudopreissi (Breuning,1962)** (Cerambycidae) Synonym(s): *pseudopreissi* Breuning,1962
- 8727) Pedestredorcadion punctipenne (Küster,1852)** (Cerambycidae) Synonym(s): *punctipenne* Küster,1852; *distinguendum* Pic,1931
- 8728) Pedestredorcadion pygmaeum (Breuning,1947)** (Cerambycidae) Synonym(s): *pygmaeum* Breuning,1947
- 8729) Pedestredorcadion regulare (Pic,1931)** (Cerambycidae) Synonym(s): *regulare* Pic,1931
- 8730) Pedestredorcadion rigattii (Breuning,1966)** (Cerambycidae) Synonym(s): *rigattii* Breuning,1966
- 8731) Pedestredorcadion rizeanum (Breuning & Villers,1967)** (Cerambycidae) Synonym(s): *rizeanum* Breuning & Villers,1967
- 8732) Pedestredorcadion saucyi (Thomson,1865)** (Cerambycidae) Synonym(s): *saucyi* Thomson,1865; *mersinense* Breuning,1946
- 8733) Pedestredorcadion scabricolle (Dalman,1817)** (Cerambycidae) Synonym(s): *scabricolle* Dalman,1817
- 8734) Pedestredorcadion sinopense (Breuning,1962)** (Cerambycidae) Synonym(s): *sinopense* Breuning,1962
- 8735) Pedestredorcadion smyrnensis (Linnaeus,1758)** (Cerambycidae) Synonym(s): *smyrnensis* Linnaeus,1758; *crux* Billberg,1817; *graecum* Waltl,1838; *cruciator* Gistel,1848; *bifidum* Chevrolat,1882;...
- 8736) Pedestredorcadion sodale (Hampe,1852)** (Cerambycidae) Synonym(s): *sodale* Hampe,1852; *rosti* Pic,1900
- 8737) Pedestredorcadion spinense (Breuning,1962)** (Cerambycidae) Synonym(s): *spinense* Breuning,1962
- 8738) Pedestredorcadion subatritarse (Breuning,1966)** (Cerambycidae) Synonym(s): *subatritarse* Breuning,1966
- 8739) Pedestredorcadion subcinctellum (Breuning,1962)** (Cerambycidae) Synonym(s): *subcinctellum* Breuning,1962
- 8740) Pedestredorcadion subsericatum (Pic,1901)** (Cerambycidae) Synonym(s): *subsericatum* Pic,1901; *paphlagoniense* Breuning,1944
- 8741) Pedestredorcadion subvestitum (Daniel,1900)** (Cerambycidae) Synonym(s): *subvestitum* Daniel,1900
- 8742) Pedestredorcadion syriense (Breuning,1943)** (Cerambycidae) Synonym(s): *syriense* Breuning,1943
- 8743) Pedestredorcadion turcicum (Breuning,1963)** (Cerambycidae) Synonym(s): *turcicum* Breuning,1963
- 8744) Pedestredorcadion wagneri (Küster,1846)** (Cerambycidae) Synonym(s): *wagneri* Küster,1846
- 8745) Pedostrangalia emmipoda (Mulsant,1863)** (Cerambycidae) Synonym(s): *emmipoda* Mulsant,1863
- 8746) Pedostrangalia kurda Sama,1996** (Cerambycidae) Synonym(s): *kurda* Sama,1996
- 8747) Pedostrangalia revestita (Linnaeus,1767)** (Cerambycidae) Synonym(s): *revestita* Linnaeus,1767
- 8748) Pedostrangalia riccardoi Holzschuh,1984** (Cerambycidae) Synonym(s): *riccardoi* Holzschuh,1984

- 8749) *Pedostrangalia tokatensis* Sama,1996** (Cerambycidae) Synonym(s): *tokatensis* Sama,1996
- 8750) *Pedostrangalia verticenigra* (Pic,1892)** (Cerambycidae) Synonym(s): *verticenigra* Pic,1892; *erinnys* Daniel,1904
- 8751) *Phytoecia* (Blepisanis) *samai* Özdikmen & Turgut,2008** (Cerambycidae) Synonym(s): *samai* Özdikmen & Turgut,2008
- 8752) *Phytoecia* (Blepisanis) *vittipennis* Reiche,1877** (Cerambycidae) Synonym(s): *vittipennis* Reiche,1877; *pallidior* Pic,1901; *tokatensis* Pic,1933
- 8753) *Phytoecia* (Blepisanis) *volkovitshi* Danilevsky,2010** (Cerambycidae) Synonym(s): *volkovitshi* Danilevsky,2010
- 8754) *Phytoecia* (Metallidia) *alinae* Kasatkin,2011** (Cerambycidae) Synonym(s): *alinae* Kasatkin,2011
- 8755) *Phytoecia* (Pilemia) *hirsutula* (Frölich,1793)** (Cerambycidae) Synonym(s): *hirsutula* Frölich,1793
- 8756) *Phytoecia* (Pilemia) *konyaensis* Danilevsky,2010** (Cerambycidae) Synonym(s): *konyaensis* Danilevsky,2010
- 8757) *Phytoecia* (s.str.) *bialookii* Danilevsky,2010** (Cerambycidae) Synonym(s): *bialookii* Danilevsky,2010
- 8758) *Phytoecia* (s.str.) *croceipes* Reiche & Saulcy,1858** (Cerambycidae) Synonym(s): *croceipes* Reiche & Saulcy,1858
- 8759) *Phytoecia* (s.str.) *geniculata* Mulsant,1862** (Cerambycidae) Synonym(s): *geniculata* Mulsant,1862
- 8760) *Phytoecia* (s.str.) *kartalensis* Danilevsky,2010** (Cerambycidae) Synonym(s): *kartalensis* Danilevsky,2010
- 8761) *Phytoecia achilleae* Holzschuh,1971** (Cerambycidae) Synonym(s): *achilleae* Holzschuh,1971
- 8762) *Phytoecia behen* Sama & Rejzek,1999** (Cerambycidae) Synonym(s): *behen* Sama & Rejzek,1999
- 8763) *Phytoecia caerulea* (Scopoli,1772)** (Cerambycidae) Synonym(s): *caerulea* Scopoli,1772
- 8764) *Phytoecia geniculata* Mulsant,1863** (Cerambycidae) Synonym(s): *geniculata* Mulsant,1863
- 8765) *Phytoecia icterica* (Schaller,1783)** (Cerambycidae) Synonym(s): *icterica* Schaller,1783
- 8766) *Phytoecia katarinae* Holzschuh,1974** (Cerambycidae) Synonym(s): *katarinae* Holzschuh,1974
- 8767) *Phytoecia nepheloides* Sama,1997** (Cerambycidae) Synonym(s): *nepheloides* Sama,1997
- 8768) *Phytoecia pustulata* (Schränk,1776)** (Cerambycidae) Synonym(s): *pustulata* Schrank,1776
- 8769) *Phytoecia rufipes* (Olivier,1795)** (Cerambycidae) Synonym(s): *rufipes* Olivier,1795
- 8770) *Phytoecia virgula* (Charpentier,1825)** (Cerambycidae) Synonym(s): *virgula* Charpentier,1825
- 8771) *Plagionotus arcuatus* (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arcuatus* Linnaeus,1758
- 8772) *Plagionotus lugubris* (Ménétriés,1832)** (Cerambycidae) Synonym(s): *lugubris* Ménétriés,1832
- 8773) *Pseudosphegistes longitarsus* Holzschuh,1974** (Cerambycidae) Synonym(s): *longitarsus* Holzschuh,1974
- 8774) *Pseudosphegistes samai* Danilevsky,2000** (Cerambycidae) Synonym(s): *samai* Danilevsky,2000
- 8775) *Pseudovadonia livida* (Fabricius,1777)** (Cerambycidae) Synonym(s): *livida* Fabricius,1777; *pecta* K.Daniel & J.Daniel,1891
- 8776) *Purpuricenius apicalis* Pic,1905** (Cerambycidae) Synonym(s): *apicalis* Pic,1905; *tommasoi* Sama,2001
- 8777) *Purpuricenius bitlisiensis* Pic,1902** (Cerambycidae) Synonym(s): *bitlisiensis* Pic,1902
- 8778) *Purpuricenius budensis* (Götz,1783)** (Cerambycidae) Synonym(s): *budensis* Götz,1783
- 8779) *Purpuricenius caucasicus* Pic,1902** (Cerambycidae) Synonym(s): *caucasicus* Pic,1902
- 8780) *Purpuricenius cornifrons* Sabbadini & Pesarini,1992** (Cerambycidae) Synonym(s): *cornifrons* Sabbadini & Pesarini,1992
- 8781) *Purpuricenius dalmatinus* Sturm,1843** (Cerambycidae) Synonym(s): *dalmatinus* Sturm,1843
- 8782) *Purpuricenius desfontainei* (Fabricius,1792)** (Cerambycidae) Synonym(s): *desfontainei* Fabricius,1792
- 8783) *Purpuricenius kaehleri* (Linnaeus,1758)** (Cerambycidae) Synonym(s): *kaehleri* Linnaeus,1758
- 8784) *Purpuricenius longevittatus* Pic,1941** (Cerambycidae) Synonym(s): *longevittatus* Pic,1941
- 8785) *Purpuricenius nigronotatus* Pic,1907** (Cerambycidae) Synonym(s): *nigronotatus* Pic,1907; *konradi* Bernhauer,1976
- 8786) *Purpuricenius nudicollis* Demelt,1968** (Cerambycidae) Synonym(s): *nudicollis* Demelt,1968
- 8787) *Purpuricenius wachanrui* Levrat,1858** (Cerambycidae) Synonym(s): *wachanrui* Levrat,1858; *aleppensis* Witte,1872; *haussknechti* Witte,1872; *atricolor* Pic,1912; *diversipennis* Pic,1915
- 8788) *Rutpela maculata* (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996
- 8789) *Saperda quercus* Charpentier,1825** (Cerambycidae) Synonym(s): *quercus* Charpentier,1825; *ocellata* Abeille de Perrin,1895
- 8790) *Saperda scalaris* (Linnaeus,1758)** (Cerambycidae) Synonym(s): *scalaris* Linnaeus,1758
- 8791) *Semnosia caucasica* (Pic,1898)** (Cerambycidae) Synonym(s): *caucasica* Pic,1898
- 8792) *Semnosia herminae* (Reitter,1890)** (Cerambycidae) Synonym(s): *herminae* Reitter,1890; *gobustanica* Danilevsky,1990

- 8793) Semnosia imperatrix (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix* Abeille de Perrin,1885
- 8794) Semnosia interrupta (Pic,1905)** (Cerambycidae) Synonym(s): *interrupta* Pic,1905
- 8795) Semnosia mirabilis (Faldermann,1837)** (Cerambycidae) Synonym(s): *mirabilis* Faldermann,1837
- 8796) Semnosia scovitzi (Faldermann,1837)** (Cerambycidae) Synonym(s): *scovitzi* Faldermann,1837
- 8797) Spondylis buprestoides (Linnaeus,1758)** (Cerambycidae) Synonym(s): *buprestoides* Linnaeus,1758
- 8798) Stenopterus adlbaueri Sama,1995** (Cerambycidae) Synonym(s): *adlbaueri* Sama,1995
- 8799) Stenopterus atricornis Pic,1891** (Cerambycidae) Synonym(s): *atricornis* Pic,1891
- 8800) Stenopterus flavicornis Küster,1846** (Cerambycidae) Synonym(s): *flavicornis* Küster,1846; *procerus* A.Costa,1855
- 8801) Stenopterus kraatzii (Pic,1892)** (Cerambycidae) Synonym(s): *kraatzii* Pic,1892
- 8802) Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus* Linnaeus,1767; *attenuatus* Geoffroy,1785
- 8803) Stenopterus similatus Holzschuh,1979** (Cerambycidae) Synonym(s): *similatus* Holzschuh,1979
- 8804) Stenurella bifasciata (O.F.Müller,1776)** (Cerambycidae) Synonym(s): *bifasciata* O.F.Müller,1776
- 8805) Stenurella melanura (Fabricius,1792)** (Cerambycidae) Synonym(s): *melanura* Fabricius,1792
- 8806) Stictoleptura cordigera (Fuesslin,1775)** (Cerambycidae) Synonym(s): *cordigera* Fuesslin,1775
- 8807) Stictoleptura deyrollei (Pic,1895)** (Cerambycidae) Synonym(s): *deyrollei* Pic,1895
- 8808) Stictoleptura erythroptera (Hagenbach,1822)** (Cerambycidae) Synonym(s): *erythroptera* Hagenbach,1822
- 8809) Stictoleptura heydeni (Ganglbauer,1889)** (Cerambycidae) Synonym(s): *ustulata* Ménétriés,1832; *heydeni* Ganglbauer,1889
- 8810) Stictoleptura rufa (Brullé,1832)** (Cerambycidae) Synonym(s): *rufa* Brullé,1832; *dimidiata* J.Daniel,1891
- 8811) Stictoleptura tesserula (Charpentier,1825)** (Cerambycidae) Synonym(s): *tesserula* Charpentier,1825
- 8812) Stictoleptura tripartita (Heyden,1889)** (Cerambycidae) Synonym(s): *tripartita* Heyden,1889
- 8813) Strangalia attenuata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758
- 8814) Tetrops praeustus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *praeustus* Linnaeus,1758; *ustulatus* Hagenbach,1822; *inapicalis* Pic,1891; *angorensis* Pic,1918; *mesmini* Pic,1928; *vicinus* Pic,1928; *anatolicus* Özdişmen & Turgut,2008
- 8815) Tetrops warneckei Holzschuh,1977** (Cerambycidae) Synonym(s): *warneckei* Holzschuh,1977
- 8816) Theophilea cylindricollis Pic,1895** (Cerambycidae) Synonym(s): *cylindricollis* Pic,1895
- 8817) Trichoferus fissitarsis Sama, Fallahzadeh & Rapuzzi,2005** (Cerambycidae) Synonym(s): *fissitarsis* Sama, Fallahzadeh & Rapuzzi,2005
- 8818) Trichoferus griseus (Fabricius,1792)** (Cerambycidae) Synonym(s): *griseus* Fabricius,1792
- 8819) Trichoferus kotschy Ganglbauer,1883** (Cerambycidae) Synonym(s): *kotschy* Ganglbauer,1883
- 8820) Trichoferus lunatus (Szallies,1994)** (Cerambycidae) Synonym(s): *lunatus* Szallies,1994
- 8821) Trichoferus preissi (Heyden,1894)** (Cerambycidae) Synonym(s): *preissi* Heyden,1894
- 8822) Trichoferus samai Kadlec & Rejzek,2001** (Cerambycidae) Synonym(s): *samai* Kadlec & Rejzek,2001
- 8823) Turanoclytus ilamensis (Holzschuh,1979)** (Cerambycidae) Synonym(s): *ilamensis* Holzschuh,1979
- 8824) Turanoclytus sieversi (Ganglbauer,1890)** (Cerambycidae) Synonym(s): *sieversi* Ganglbauer,1890; *deyrollei* Pic,1897
- 8825) Vadonia bisignata (Brullé,1832)** (Cerambycidae) Synonym(s): *bisignata* Brullé,1832
- 8826) Vadonia bitlisiensis (Chevrolat,1882)** (Cerambycidae) Synonym(s): *bitlisiensis* Chevrolat,1882
- 8827) Vadonia instigmata (Pic,1889)** (Cerambycidae) Synonym(s): *instigmata* Pic,1889
- 8828) Vadonia moesiaca (K.Daniel & J.Daniel,1891)** (Cerambycidae) Synonym(s): *moesiaca* K.Daniel & J.Daniel,1891
- 8829) Vadonia soror Holzschuh,1981** (Cerambycidae) Synonym(s): *soror* Holzschuh,1981
- 8830) Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787
- 8831) Xylotrechus arvicola (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola* Olivier,1795
- 8832) Xylotrechus rusticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *rusticus* Linnaeus,1758
- 8833) Xylotrechus sieversi Ganglbauer,1890** (Cerambycidae) Synonym(s): *sieversi* Ganglbauer,1890

CERATOPOGONIDAE

- 8834) Atrichopogon flavolineatus (Strobl,1880)** (Ceratopogonidae) Synonym(s): *flavolineatus* Strobl,1880; *trifasciatus* Kieffer,1918

- 8835) *Atrichopogon rostratus* (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *rostratus* Winnertz,1852; *transversalis* Kieffer,1918; *ventralis* Kieffer,1918; *homopterus* Kieffer,1919; *coracellus* Kieffer,1919; *nigriventris* Kieffer,1919; *putredinis* Kieffer,1922
- 8836) *Atrichopogon winnertzi* Goetghebuer,1922** (Ceratopogonidae) Synonym(s): *winnertzi* Goetghebuer,1922; *torgnyensis* Goetghebuer,1949
- 8837) *Culicoides achrayi* Kettle & Lawson,1955** (Ceratopogonidae) Synonym(s): *achrayi* Kettle & Lawson,1955
- 8838) *Culicoides albonotatus* Kieffer,1918** (Ceratopogonidae) Synonym(s): *albonotatus* Kieffer,1918
- 8839) *Culicoides azerbaijdzhanicus* Dzhabarov,1962** (Ceratopogonidae) Synonym(s): *azerbajdzhanicus* Dzhabarov,1962
- 8840) *Culicoides badooshensis* Khalaf,1961** (Ceratopogonidae) Synonym(s): *badooshensis* Khalaf,1961
- 8841) *Culicoides bulbostylus* Khalaf,1961** (Ceratopogonidae) Synonym(s): *bulbostylus* Khalaf,1961
- 8842) *Culicoides cataneii* Clastrier,1957** (Ceratopogonidae) Synonym(s): *cataneii* Clastrier,1957
- 8843) *Culicoides circumscriptus* Kieffer,1918** (Ceratopogonidae) Synonym(s): *circumscriptus* Kieffer,1918; *nadayanus* Kieffer,1918; *edwardsi* Goetghebuer,1921; *algarum* Kieffer,1924; *salicola* Kieffer,1924; *pictidorsum* Kieffer,1924; *albonotatus* Vimmer,1932 *nec* Kieff.,1918; *albosignatus* Vimmer,1932; *polymaculatus* Vimmer,1932; *kirovabadicus* Dzhabarov,1964
- 8844) *Culicoides denisoni* Boorman,1988** (Ceratopogonidae) Synonym(s): *denisoni* Boorman,1988
- 8845) *Culicoides dewulfi* Goetghebuer,1936** (Ceratopogonidae) Synonym(s): *dewulfi* Goetghebuer,1936; *pseudochipterus* Downes & Kettle,1952
- 8846) *Culicoides duddingstoni* Kettle & Lawson,1955** (Ceratopogonidae) Synonym(s): *duddingstoni* Kettle & Lawson,1955
- 8847) *Culicoides dzhabarovi* Remm,1967** (Ceratopogonidae) Synonym(s): *dzhabarovi* Remm,1967; *dzhabarovi* Callot, Kremer, Molet & Bach,1968
- 8848) *Culicoides fagineus* Edwards,1939** (Ceratopogonidae) Synonym(s): *fagineus* Edwards,1939
- 8849) *Culicoides fascipennis* (Staeger,1839)** (Ceratopogonidae) Synonym(s): *fascipennis* Staeger,1839; *distictus* Kieffer,1916; *albonotatus* Kieffer,1918; *turficola* Kieffer,1925
- 8850) *Culicoides festivipennis* Kieffer,1914** (Ceratopogonidae) Synonym(s): *festivipennis* Kieffer,1914; *odibilis* Austen,1921; *winnertzi* Edwards,1926
- 8851) *Culicoides flavipulicaris* Dzhabarov,1964** (Ceratopogonidae) Synonym(s): *flavipulicaris* Dzhabarov,1964
- 8852) *Culicoides gejjelensis* Dzhabarov,1964** (Ceratopogonidae) Synonym(s): *gejjelensis* Dzhabarov,1964
- 8853) *Culicoides imicola* Kieffer,1913** (Ceratopogonidae) Synonym(s): *imicola* Kieffer,1913; *pallidipennis* Carter, Ingram & Macfie,1920; *iraqensis* Khalaf,1957; *minutus* Sen & Das Gupta,1959; *pseudoturgidus* Das Gupta,1962
- 8854) *Culicoides kibunensis* Tokunaga,1937** (Ceratopogonidae) Synonym(s): *kibunensis* Tokunaga,1937; *cubitalis* Edwards,1939; *ponkikiri* Kono & Takahasi,1940; *sitinoensis* Okada,1941
- 8855) *Culicoides longipennis* Khalaf,1957** (Ceratopogonidae) Synonym(s): *longipennis* Khalaf,1957; *flavisimilis* Dzhabarov,1964
- 8856) *Culicoides maritimus* Kieffer,1924** (Ceratopogonidae) Synonym(s): *maritimus* Kieffer,1924; *submaritimus* Dzhabarov,1962
- 8857) *Culicoides minutissimus* (Zetterstedt,1855)** (Ceratopogonidae) Synonym(s): *minutissimus* Zetterstedt,1855; *nanulus* Kieffer,1919; *albihalter* Kieffer,1919; *tugaicus* Dzhabarov,1960; *bychowskyi* Dzhabarov,1964
- 8858) *Culicoides montanus* Shakirzjanova,1962** (Ceratopogonidae) Synonym(s): *montanus* Shakirzjanova,1962
- 8859) *Culicoides newsteadi* Austen,1921** (Ceratopogonidae) Synonym(s): *newsteadi* Austen,1921; *biclavatus* Kieffer,1924; *halophilus* Kieffer,1924; *edwardsi* Goetghebuer,1933; *edwardsianus* Goetghebuer,1933
- 8860) *Culicoides nubeculosus* (Meigen,1830)** (Ceratopogonidae) Synonym(s): *nubeculosus* Meigen,1830; *puncticollis* Goetghebuer,1912; *punctaticollis* Goetghebuer,1920
- 8861) *Culicoides obsoletus* (Meigen,1818)** (Ceratopogonidae) Synonym(s): *obsoletus* Meigen,1818; *varius* Winnertz,1852; *yezoensis* Matsumura,1911; *obscuripes* Santos Abreu,1918; *lacteinervis* Kieffer,1919; *rivicola* Kieffer,1921; *clavatus* Kieffer,1921; *heterocerus* Kieffer,1921; *pegobius* Kieffer,1922; *kabyliensis* Kieffer,1922; *conitus* Kieffer,1922; *intermedius* Okada,1941; *sintrensis* Cambournac,1956; *seimi* Shevchenko,1967
- 8862) *Culicoides odiatus* Austen,1921** (Ceratopogonidae) Synonym(s): *niger* Dzhabarov,1960 (*praeocc.*); *odiatus* Austen,1921; *indistinctus* Khalaf,1961; *lailae* Khalaf,1961; *kurektschaicus* Dzhabarov,1962; *conicus* Remm,1968
- 8863) *Culicoides picturatus* Kremer & Deduit,1961** (Ceratopogonidae) Synonym(s): *picturatus* Kremer & Deduit,1961
- 8864) *Culicoides pulicaris* (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): *pulicaris* Linnaeus,1758; *setosinervis* Kieffer,1913; *pullatus* Kieffer,1915; *stephensi* Carter,1916; *cinerellus* Kieffer,1919; *quinquepunctatus* Goetghebuer,1921; *flaviplumus* Kieffer,1924; *sawamotoi* Kono & Takahasi,1940
- 8865) *Culicoides pumilus* (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *pumilus* Winnertz,1852

- 8866) *Culicoides punctatus* (Meigen,1804)** (Ceratopogonidae) Synonym(s): *punctatus* Meigen,1804; *punctatus* Latreille,1809; *impressus* Kieffer,1918; *kasachstanicus* Shakirzjanova,1963; *#puncatatus* Navai & Mesghali,1968
- 8867) *Culicoides puncticollis* (Becker,1903)** (Ceratopogonidae) Synonym(s): *puncticollis* Becker,1903; *impressus* Kieffer,1918; *distigma* Kieffer,1922; *donatieni* Kieffer,1922; *sciniphes* Kieffer,1925; *bipunctatus* Vimmer,1932; *tripunctatus* Vimmer,1932; *wenigi* Vimmer,1932; *flavitaris* Vimmer,1932; *flavitaris* Vimmer,1932; *griseovittatus* Vimmer,1932; *luteosignatus* Vimmer,1932; *vavrai* Vimmer,1932
- 8868) *Culicoides riethi* Kieffer,1914** (Ceratopogonidae) Synonym(s): *riethi* Kieffer,1914; *cordatus* Kieffer,1921; *crassiforceps* Kieffer,1924
- 8869) *Culicoides riouxi* Callot & Kremer,1961** (Ceratopogonidae) Synonym(s): *riouxi* Callot & Kremer,1961
- 8870) *Culicoides saevus* Kieffer,1922** (Ceratopogonidae) Synonym(s): *saevus* Kieffer,1922; *drenskii* Zilahi-Sebess,1934; *puncticeps* Goetghebuer,1934; *micromaculithorax* Khalaf,1957
- 8871) *Culicoides sahariensis* Kieffer,1923** (Ceratopogonidae) Synonym(s): *sahariensis* Kieffer,1923; *baghdadensis* Khalaf,1957; *coluzzii* Callot, Kremer & Bailly-Choumara,1970
- 8872) *Culicoides salinarius* Kieffer,1914** (Ceratopogonidae) Synonym(s): *salinarius* Kieffer,1914; *halobius* Kieffer,1914; *meinerti* Kieffer,1915; *punctatidorsum* Kieffer,1924
- 8873) *Culicoides schultzei* (Enderlein,1908)** (Ceratopogonidae) Synonym(s): *schultzei* Enderlein,1908; *irroratus* Goetghebuer,1948
- 8874) *Culicoides sejjadine* Dzhaifarov,1958** (Ceratopogonidae) Synonym(s): *sejjadine* Dzhaifarov,1958; *flavidus* Dzhaifarov,1959
- 8875) *Culicoides semimaculatus* Clastrier,1958** (Ceratopogonidae) Synonym(s): *Clastrier*,1958; *karajevi* Dzhaifarov,1961
- 8876) *Culicoides shaklawensis* Khalaf,1957** (Ceratopogonidae) Synonym(s): *shaklawensis* Khalaf,1957; *caspius* Gutsevich,1959
- 8877) *Culicoides simulator* Edwards,1939** (Ceratopogonidae) Synonym(s): *simulator* Edwards,1939
- 8878) *Culicoides slovacus* Orszagh,1969** (Ceratopogonidae) Synonym(s): *slovacus* Orszagh,1969
- 8879) *Culicoides trivittatus* Vimmer,1932** (Ceratopogonidae) Synonym(s): *trivittatus* Vimmer,1932; *subneglectus* Vimmer,1932; *bulbostylus* Khalaf,1961
- 8880) *Culicoides truncorum* Edwards,1939** (Ceratopogonidae) Synonym(s): *truncorum* Edwards,1939
- 8881) *Culicoides turanicus* Gutsevich & Smatov,in Smatov and Isimbekov,1971: 61. New name for *kasachstanicus*.** (Ceratopogonidae) Synonym(s): *kasachstanicus* Gutsevich & Smatov,1966 (*praeocc.*); *turanicus* Gutsevich & Smatov,1971
- 8882) *Culicoides vexans* (Staeger,1839)** (Ceratopogonidae) Synonym(s): *vexans* Staeger,1839; *pungens* Kieffer,1901; *perpungens* Kieffer,1919; *ajbassovi* Shakirzjanova,1962
- 8883) *Dasyhelea distalis* Kieffer,1918** (Ceratopogonidae) Synonym(s): *distalis* Kieffer,1918
- 8884) *Dasyhelea flaviscapula* Kieffer,1918** (Ceratopogonidae) Synonym(s): *flaviscapula* Kieffer,1918
- 8885) *Dasyhelea scutellaris* Kieffer,1918** (Ceratopogonidae) Synonym(s): *scutellaris* Kieffer,1918
- 8886) *Dasyhelea trifasciata* Kieffer,1918** (Ceratopogonidae) Synonym(s): *trifasciata* Kieffer,1918
- 8887) *Forcipomyia ? koniae* (Kieffer,1918)** (Ceratopogonidae) Synonym(s): *koniae* Kieffer,1918
- 8888) *Sphaeromyia pictus* (Meigen,1818)** (Ceratopogonidae) Synonym(s): *pictus* Meigen,1818; *punctatus* Meigen,1830 (*praeocc.*); *elegans* Winnertz,1852; *candidatus* Loew,1856; *miricornis* Kieffer,1919; *copiosus* Kieffer,1925; *sparus* Borkent,1997

CERCOPIDAE

- 8889) *Aphrophora alni* (Fallén,1805)** (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950
- 8890) *Aphrophora corticea* Germar,1821** (Cercopidae) Synonym(s): *corticea* Germar,1821
- 8891) *Aphrophora exoleta* Horvath,1901** (Cercopidae) Synonym(s): *exoleta* Horvath,1901
- 8892) *Aphrophora salicina* Goeze,1778** (Cercopidae) Synonym(s): *salicina* Goeze,1778
- 8893) *Cercopis distincta* (Melichar,1896)** (Cercopidae) Synonym(s): *distincta* Melichar,1896
- 8894) *Cercopis intermedia* Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923
- 8895) *Cercopis sanguinolenta* (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (*praeocc.*); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917
- 8896) *Cercopis septemmaculata* (Melichar,1903)** (Cercopidae) Synonym(s): *septemmaculata* Melichar,1903
- 8897) *Cercopis vulnerata* Rossi,1807** (Cercopidae) Synonym(s): *vulnerata* Rossi,1807; *helvetica* Melichar,1896; *nicolausi* Wagner,1947
- 8898) *Haematoloma dorsatum* (Ahrens,1812)** (Cercopidae) Synonym(s): *dorsatum* Ahrens,1812; *quinquemaculata* Germar,1821; *lugens* Horvath,1882

- 8899) *Lepyronia coleoptrata* (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896
- 8900) *Mesoptylus impictifrons* (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons* Horvath,1911; *arcifer* Horvath,1911; *seminiger* Horvath,1911; *quinquemaculatus* Horvath,1911; *vestitus* Horvath,1911; *obscurus* Lindberg,1923
- 8901) *Mesoptylus petrovi* (Grigoriev,1910)** (Cercopidae) Synonym(s): *petrovi* Grigoriev,1910
- 8902) *Neophilaenus albipennis* (Fabricius,1798)** (Cercopidae) Synonym(s): *albipennis* Fabricius,1798
- 8903) *Neophilaenus campestris* (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894
- 8904) *Neophilaenus lineatus* (Linnaeus,1758)** (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965
- 8905) *Neophilaenus minor* (Kirschbaum,1868)** (Cercopidae) Synonym(s): *minor* Kirschbaum,1868
- 8906) *Paraphilaenus notatus* (Mulsant & Rey,1855)** (Cercopidae) Synonym(s): *notatus* Mulsant & Rey,1855; *centroasiaticus* Dlabola,1961
- 8907) *Philaenus signatus* Melichar,1896** (Cercopidae) Synonym(s): *signatus* Melichar,1896
- 8908) *Philaenus spumarius* (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758
- 8909) *Poophilus nebulosus* (Lethierry,1876)** (Cercopidae) Synonym(s): *nebulosus* Lethierry,1876
- 8910) *Trieophorella geniculata* (Horvath,1881)** (Cercopidae) Synonym(s): *geniculata* Horvath,1881; *fasciata* Kirschbaum,1868

CEROCOCCIDAE

- 8911) *Cerococcus perowskiae* Archangelskaya** (Cerococcidae) Synonym(s): *perowskiae* Archangelskaya

CHALCIDIDAE

- 8912) *Anachalcis major* Boucek,1952** (Chalcididae) Synonym(s): *major* Boucek,1952
- 8913) *Anachalcis rubra* Steffan,1951** (Chalcididae) Synonym(s): *rubra* Steffan,1951
- 8914) *Aphasganophora armeniaca* (Boucek,1952)** (Chalcididae) Synonym(s): *armeniaca* Boucek,1952; *ensifera* Nikolskaya,1952
- 8915) *Belaspidia nigra* (Siebold,1856)** (Chalcididae) Synonym(s): *nigra* Siebold,1856
- 8916) *Belaspidia obscura* Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951
- 8917) *Brachymeria femorata* (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951
- 8918) *Brachymeria inermis* (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951
- 8919) *Brachymeria minuta* (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplepsia* Crawford,1910; *jezoensis* Matsumura,1918...
- 8920) *Brachymeria moerens* (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922
- 8921) *Brachymeria obtusata* (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898
- 8922) *Brachymeria pseudorugosa* Masi,1951** (Chalcididae) Synonym(s): *pseudorugosa* Masi,1951
- 8923) *Brachymeria rugulosa* (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859
- 8924) *Brachymeria secundaria* (Ruschka,1922)** (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929
- 8925) *Brachymeria tibialis* (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951;
- 8926) *Brachymeria vitripennis* (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859
- 8927) *Dirhinus hesperidum* (Rossi,1790)** (Chalcididae) Synonym(s): *hesperidum* Rossi,1790; *cornigera* Jurine,1807; *imperialis* Giraud,1863
- 8928) *Euchalcis miegii* Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866
- 8929) *Euchalcis unicolor* (Lucas,1871)** (Chalcididae) Synonym(s): *unicolor* Lucas,1871; *nuda* Boucek,1952

- 8930) *Haltichella rufipes* (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905
- 8931) *Hockeria apani* Doğanlar,1990** (Chalcididae) Synonym(s): *apani* Doğanlar,1990
- 8932) *Hockeria bifasciata* Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica* Habu,1960
- 8933) *Hockeria brachygaster* Boucek,1956** (Chalcididae) Synonym(s): *brachygaster* Boucek,1956
- 8934) *Hockeria karatasensis* Boucek,1952** (Chalcididae) Synonym(s): *karatasensis* Boucek,1952
- 8935) *Hockeria magna* Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952
- 8936) *Hockeria mengenillarum* (Silvestri,1943)** (Chalcididae) Synonym(s): *mengenillarum* Silvestri,1943
- 8937) *Hockeria unicolor* Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859
- 8938) *Kriechbaumerella mansues* (Nikol'skaya,1952)** (Chalcididae) Synonym(s): *mansues* Nikol'skaya,1952
- 8939) *Lasiochalcidia dargelasii* (Latreille,1805)** (Chalcididae) Synonym(s): *dargelasii* Latreille,1805; *denticornis* Fonscolombe,1832
- 8940) *Neochalcis fertoni* (Kieffer,1899)** (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952
- 8941) *Neochalcis hippotoides* (Masi,1916)** (Chalcididae) Synonym(s): *hippotoides* Masi,1916
- 8942) *Proconura nigripes* (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes* Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929
- 8943) *Psilochalcis benoisti* (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948
- 8944) *Psilochalcis mirabilis* (Boucek,1952)** (Chalcididae) Synonym(s): *mirabilis* Boucek,1952
- 8945) *Psilochalcis nigerrima* (Masi,1929)** (Chalcididae) Synonym(s): *nigerrima* Masi,1929
- 8946) *Psilochalcis nitida* (Boucek,1952)** (Chalcididae) Synonym(s): *nitida* Boucek,1952
- 8947) *Psilochalcis rufitarsis* (Illiger,1807)** (Chalcididae) Synonym(s): *monstrosa* Villers,1789; *rufitarsis* Illiger,1807; *vicina* Fonscolombe,1832; *nigra* Walker,1834; *frequens* Masi,1929
- 8948) *Psilochalcis subaenea* (Masi,1929)** (Chalcididae) Synonym(s): *subaenea* Masi,1929; *aspera* Steffan,1951
- 8949) *Psilochalcis subarmata* (Förster,1855)** (Chalcididae) Synonym(s): *subarmata* Förster,1855; *tarsalis* Förster,1859

CHAMAEMYIIDAE

- 8950) *Leucopis silesiaca* Egger,1862** (Chamaemyiidae) Synonym(s): *silesiaca* Egger,1862; *annulipes* Oldenberg,1924
- 8951) *Parochthiphila (Euestelia) argentiseta* Raspi & Ebejer,2008** (Chamaemyiidae) Synonym(s): *argentiseta* Raspi & Ebejer,2008

CHIRONOMIDAE

- 8952) *Abiskomyia paravirgo* Goetghebuer,1936** (Chironomidae) Synonym(s): *paravirgo* Goetghebuer,1936
- 8953) *Ablabemyia monilis* (Linnaeus,1758)** (Chironomidae) Synonym(s): *monilis* Linnaeus,1758
- 8954) *Ablabemyia phatta* (Egger,1896)** (Chironomidae) Synonym(s): *phatta* Egger,1896
- 8955) *Ablabemyia* sp.** (Chironomidae) Synonym(s):
- 8956) *Ablabesmyia longistyla* Fittkau,1962** (Chironomidae) Synonym(s): *longistyla* Fittkau,1962
- 8957) *Acalcarella nucus* (Pankratova,1950)** (Chironomidae) Synonym(s): *nucus* Pankratova,1950
- 8958) *Acricotopus lucens* (Zetterstedt,1850)** (Chironomidae) Synonym(s): *lucens* Zetterstedt,1850
- 8959) *Apsectrotamypus trifascipennis* (Zetterstedt,1850)** (Chironomidae) Synonym(s): *trifascipennis* Zetterstedt,1850
- 8960) *Beckidia zabolotzkii* (Goetghebuer,1938)** (Chironomidae) Synonym(s): *zabolotzkii* Goetghebuer,1938
- 8961) *Brillia modesta* (Meigen,1804)** (Chironomidae) Synonym(s): *modesta* Meigen,1804
- 8962) *Bryophaenocladus* aff. *brincki* (Freeman,1955)** (Chironomidae) Synonym(s): *brincki* Freeman,1955
- 8963) *Bryophaenocladus rotundilobus* Caspers & Reiss,1989** (Chironomidae) Synonym(s): *rotundilobus* Caspers & Reiss,1989
- 8964) *Bryophaenocladus virgo* (Thienemann,1941)** (Chironomidae) Synonym(s): *virgo* Thienemann,1941

- 8965) *Cardiocladius capucinus* (Zetterstedt,1850)** (Chironomidae) Synonym(s): *capucinus* Zetterstedt,1850
- 8966) *Chaetocladius* Kieffer,1911** (Chironomidae) Synonym(s): *Chaetocladius* Kieffer,1911
- 8967) *Chaetocladius piger* (Goetghebuer,1913)** (Chironomidae) Synonym(s): *piger* Goetghebuer,1913
- 8968) *Chaetocladius setosipennis* (Kieffer,1913)** (Chironomidae) Synonym(s): *setosipennis* Kieffer,1913
- 8969) *Chironomus anthracinus* (Zetterstedt,1855)** (Chironomidae) Synonym(s): *anthracinus* Zetterstedt,1855
- 8970) *Chironomus plumosus* (Linnaeus,1758)** (Chironomidae) Synonym(s): *plumosus* Linnaeus,1758
- 8971) *Chironomus thummi* Kieffer,1911** (Chironomidae) Synonym(s): *thummi* Kieffer,1911
- 8972) *Chironomus viridicollis* Wulp,1877** (Chironomidae) Synonym(s): *viridicollis* Wulp,1877
- 8973) *Cladotanytarsus mancus* (Walker,1856)** (Chironomidae) Synonym(s): *mancus* Walker,1856
- 8974) *Clinotanypus nervosus* (Meigen,1804)** (Chironomidae) Synonym(s): *nervosus* Meigen,1804
- 8975) *Conchapelopia* sp.** (Chironomidae) Synonym(s):
- 8976) *Corynoneura scutellata* Thienemann,1944** (Chironomidae) Synonym(s): *scutellata* Thienemann,1944; *celeripes* Thienemann,1944; *lacustris* Cranston,1982
- 8977) *Corynoneura validicornis* Kieffer,1911** (Chironomidae) Synonym(s): *validicornis* Kieffer,1911
- 8978) *Cricotopus annulator* Goetghebuer,1927** (Chironomidae) Synonym(s): *annulator* Goetghebuer,1927
- 8979) *Cricotopus bicinctus* (Meigen,1818)** (Chironomidae) Synonym(s): *bicinctus* Meigen,1818
- 8980) *Cricotopus flavocinctus* (Kieffer,1924)** (Chironomidae) Synonym(s): *flavocinctus* Kieffer,1924
- 8981) *Cricotopus fuscus* (Kieffer,1909)** (Chironomidae) Synonym(s): *fuscus* Kieffer,1909
- 8982) *Cricotopus sylvestris* (Fabricius,1794)** (Chironomidae) Synonym(s): *sylvestris* Fabricius,1794
- 8983) *Cricotopus triannulatus* (Macquart,1826)** (Chironomidae) Synonym(s): *triannulatus* Macquart,1826
- 8984) *Cricotopus tricinctus* (Meigen,1828)** (Chironomidae) Synonym(s): *tricinctus* Meigen,1828
- 8985) *Cricotopus vieriensis* Goetghebuer,1935** (Chironomidae) Synonym(s): *vieriensis* Goetghebuer,1935
- 8986) *Cryptochironomus defectus* Kieffer,1921** (Chironomidae) Synonym(s): *defectus* Kieffer,1921
- 8987) *Cryptocladopelma laccophila* (Kieffer,1922)** (Chironomidae) Synonym(s): *laccophila* Kieffer,1922
- 8988) *Cryptotendipes holsatus* Lenz,1941** (Chironomidae) Synonym(s): *holsatus* Lenz,1941
- 8989) *Diamesa coronarunguis* Şahin,1991** (Chironomidae) Synonym(s): *coronarunguis* Şahin,1991
- 8990) *Diamesa discoloriventris* Şahin,1991** (Chironomidae) Synonym(s): *discoloriventris* Şahin,1991
- 8991) *Diamesa hozati* Şahin,1991** (Chironomidae) Synonym(s): *hozati* Şahin,1991
- 8992) *Diamesa steinboeckii* (Goetghebuer,1933)** (Chironomidae) Synonym(s): *steinboeckii* Goetghebuer,1933
- 8993) *Diamesa stylata* Tchernovskii,1949** (Chironomidae) Synonym(s): *stylata* Tchernovskii,1949
- 8994) *Diamesa thienemanni* Kieffer,1911** (Chironomidae) Synonym(s): *thienemanni* Kieffer,1911
- 8995) *Dicrotendipes tritonus* (Kieffer,1916)** (Chironomidae) Synonym(s): *tritonus* Kieffer,1916
- 8996) *Diplocladius cultriger* Kieffer,1908** (Chironomidae) Synonym(s): *cultriger* Kieffer,1908
- 8997) *Einfeldia carbonaria* (Meigen,1804)** (Chironomidae) Synonym(s): *carbonaria* Meigen,1804
- 8998) *Einfeldia dissidens* (Walker,1856)** (Chironomidae) Synonym(s): *dissidens* Walker,1856
- 8999) *Einfeldia* sp.** (Chironomidae) Synonym(s):
- 9000) *Endochironomus tendens* (Fabricius,1794)** (Chironomidae) Synonym(s): *tendens* Fabricius,1794
- 9001) *Eukiefferiella alpestris* Goetghebuer,1935** (Chironomidae) Synonym(s): *alpestris* Goetghebuer,1935
- 9002) *Eukiefferiella brevicar* Kieffer,1929** (Chironomidae) Synonym(s): *brevicar* Kieffer,1929
- 9003) *Eukiefferiella calvescens* Edw.,1929** (Chironomidae) Synonym(s): *calvescens* Edw.,1929
- 9004) *Eukiefferiella claripennis* (Lundbeck,1898)** (Chironomidae) Synonym(s): *claripennis* Lundbeck,1898
- 9005) *Eukiefferiella clypeata* Kieffer,1929** (Chironomidae) Synonym(s): *clypeata* Kieffer,1929
- 9006) *Eukiefferiella discoloripes* Kieffer,1929** (Chironomidae) Synonym(s): *discoloripes* Kieffer,1929
- 9007) *Fleuria lacustris* Kieffer,1924** (Chironomidae) Synonym(s): *lacustris* Kieffer,1924
- 9008) *Gillotia albiviridis* (Malloch,1915)** (Chironomidae) Synonym(s): *albiviridis* Malloch,1915
- 9009) *Halocladius fucicola* (Edwards,1926)** (Chironomidae) Synonym(s): *fucicola* Edwards,1926
- 9010) *Harnischia fuscimana* Kieffer,1921** (Chironomidae) Synonym(s): *fuscimana* Kieffer,1921
- 9011) *Harnischia* sp.** (Chironomidae) Synonym(s):
- 9012) *Kreacpelopia binotata* (Wiedemann,1817)** (Chironomidae) Synonym(s): *binotata* Wiedemann,1817
- 9013) *Lapposmittia parvibarba* Edwards,1939** (Chironomidae) Synonym(s): *parvibarba* Edwards,1939
- 9014) *Larsia curticalcar* (Kieffer,1918)** (Chironomidae) Synonym(s): *curticalcar* Kieffer,1918

- 9015) **Limnophyes prolongatus Kieffer,1929** (Chironomidae) Synonym(s): *prolongatus Kieffer,1929*
- 9016) **Limnophyes pusillus Eat.,1875** (Chironomidae) Synonym(s): *pusillus Eat.,1875*
- 9017) **Limnophyes transcaucasicus Tchern.1949** (Chironomidae) Synonym(s): *transcaucasicus Tchern.1949*
- 9018) **Lobosmittia invaginata (Caspers & Reiss,1989)** (Chironomidae) Synonym(s): *invaginata Caspers & Reiss,1989*
- 9019) **Metriocnemus cubitalis Kieffer,1911** (Chironomidae) Synonym(s): *cubitalis Kieffer,1911*
- 9020) **Microcricotopus bicolor (Zetterstedt,1850)** (Chironomidae) Synonym(s): *bicolor Zetterstedt,1850*
- 9021) **Micropsectra curvicornis (Tchernovskii,1949)** (Chironomidae) Synonym(s): *curvicornis Tchernovskii,1949*
- 9022) **Micropsectra notescens (Walker,1856)** (Chironomidae) Synonym(s): *notescens Walker,1856*
- 9023) **Microtendipes chloris (Meigen,1804)** (Chironomidae) Synonym(s): *chloris Meigen,1804*
- 9024) **Microtendipes tarsalis (Walker,1856)** (Chironomidae) Synonym(s): *tarsalis Walker,1856*
- 9025) **Monopelopia tenuicalcar (Kieffer,1918)** (Chironomidae) Synonym(s): *tenuicalcar Kieffer,1918*
- 9026) **Odontomesa fulva (Kieffer,1921)** (Chironomidae) Synonym(s): *fulva Kieffer,1921*
- 9027) **Orthocladius luteipes Goetghebuer,1921** (Chironomidae) Synonym(s): *luteipes Goetghebuer,1921*
- 9028) **Orthocladius oblidens (Walker,1856)** (Chironomidae) Synonym(s): *oblidens Walker,1856*
- 9029) **Orthocladius rivulorum (Kieffer,1911)** (Chironomidae) Synonym(s): *rivulorum Kieffer,1911*
- 9030) **Orthocladius thienemanni (Kieffer,1918)** (Chironomidae) Synonym(s): *thienemanni Kieffer,1918*
- 9031) **Parachironomus arcuatus (Goethebuer,1919)** (Chironomidae) Synonym(s): *arcuatus Goethebuer,1919*
- 9032) **Parachironomus longiforceps Kruseman,1933** (Chironomidae) Synonym(s): *longiforceps Kruseman,1933; pectinatellae Dendy & Sublette,1959; frequens Lehmann,1970*
- 9033) **Paracladius conversus (Walker,1856)** (Chironomidae) Synonym(s): *conversus Walker,1856*
- 9034) **Paracladopelma nigrigula Goetghebuer,1942** (Chironomidae) Synonym(s): *nigrigula Goetghebuer,1942*
- 9035) **Parakiefferiella coronata (Edwards,1929)** (Chironomidae) Synonym(s): *coronata Edwards,1929*
- 9036) **Parakiefferiella tenuilobata Caspers & Reiss,1989** (Chironomidae) Synonym(s): *tenuilobata Caspers & Reiss,1989*
- 9037) **Paralauterboniella nigrohalteralis (Malloch,1915)** (Chironomidae) Synonym(s): *nigrohalteralis Malloch,1915*
- 9038) **Paramerina cingulata (Walker,1856)** (Chironomidae) Synonym(s): *cingulata Walker,1856*
- 9039) **Parametriocnemus sp.** (Chironomidae) Synonym(s):
- 9040) **Parametriocnemus stylatus (Kieffer,1924)** (Chironomidae) Synonym(s): *stylatus Kieffer,1924*
- 9041) **Paratanytarsus lauterborni Kieffer,1918** (Chironomidae) Synonym(s): *lauterborni Kieffer,1918*
- 9042) **Paratendipes albimanus (Meigen,1818)** (Chironomidae) Synonym(s): *albimanus Meigen,1818*
- 9043) **Paratendipes demirsoyus Şahin,1976** (Chironomidae) Synonym(s): *demirsoyus Şahin,1976*
- 9044) **Paratendipes intermedius Tchern.,1949** (Chironomidae) Synonym(s): *intermedius Tchern.,1949*
- 9045) **Paratrachocladius rufiventris (Meigen,1830)** (Chironomidae) Synonym(s): *rufiventris Meigen,1830*
- 9046) **Polypedilum aberrans (Tchernovskii,1949)** (Chironomidae) Synonym(s): *aberrans Tchernovskii,1949*
- 9047) **Polypedilum bicrenatum Kieffer,1911** (Chironomidae) Synonym(s): *bicrenatum Kieffer,1911*
- 9048) **Polypedilum brevantennatum Tchern.,1949** (Chironomidae) Synonym(s): *brevantennatum Tchern.,1949*
- 9049) **Polypedilum convictum (Walker,1856)** (Chironomidae) Synonym(s): *convictum Walker,1856*
- 9050) **Polypedilum laetum (Meigen,1818)** (Chironomidae) Synonym(s): *laetum Meigen,1818*
- 9051) **Polypedilum pedestre (Meigen,1818)** (Chironomidae) Synonym(s): *pedestre Meigen,1818*
- 9052) **Potthastia gaedii (Meigen,1818)** (Chironomidae) Synonym(s): *gaedii Meigen,1818*
- 9053) **Potthastia sp.** (Chironomidae) Synonym(s):
- 9054) **Procladius sp.** (Chironomidae) Synonym(s):
- 9055) **Prodiamesa olivacea (Meigen,1818)** (Chironomidae) Synonym(s): *olivacea Meigen,1818*
- 9056) **Psectrocladius calcaratus (Edwards,1929)** (Chironomidae) Synonym(s): *calcaratus Edwards,1929*
- 9057) **Psectrocladius dilatatus (Wulp,1877)** (Chironomidae) Synonym(s): *dilatatus Wulp,1877*
- 9058) **Psectrocladius ishimicus Tchern.,1949** (Chironomidae) Synonym(s): *ishimicus Tchern.,1949*
- 9059) **Psectrocladius psilopterus Kieffer,1906** (Chironomidae) Synonym(s): *psilopterus Kieffer,1906*
- 9060) **Psectrocladius serpentrionalis Tchern.,1949** (Chironomidae) Synonym(s): *serpentrionalis Tchern.,1949*
- 9061) **Psectrocladius stratiotis Kieffer,1911** (Chironomidae) Synonym(s): *stratiotis Kieffer,1911*

- 9062) *Psectrocladius ventricosus* Kieffer, 1911** (Chironomidae) Synonym(s): *ventricosus* Kieffer, 1911
- 9063) *Psectrotanypus varius* (Fabricius, 1787)** (Chironomidae) Synonym(s): *varius* Fabricius, 1787
- 9064) *Pseudodiamesa nivosa* (Goetghebuer, 1932)** (Chironomidae) Synonym(s): *nivosa* Goetghebuer, 1932
- 9065) *Pseudodiamesa orientalis* Chern., 1949** (Chironomidae) Synonym(s): *orientalis* Chern., 1949
- 9066) *Pseudosmittia gracilis* (Goetghebuer, 1929)** (Chironomidae) Synonym(s): *gracilis* Goetghebuer, 1929
- 9067) *Psilodiamesa spitzbergensis* Kieffer & Thienemann, 1919** (Chironomidae) Synonym(s): *spitzbergensis* Kieffer & Thienemann, 1919
- 9068) *Rheocricotopus gouini* (Goetghebuer, 1927)** (Chironomidae) Synonym(s): *gouini* Goetghebuer, 1927
- 9069) *Rheotanytarsus exiguus* Joh., 1937** (Chironomidae) Synonym(s): *exiguus* Joh., 1937
- 9070) *Robackia demeijerei* (Kruseman, 1933)** (Chironomidae) Synonym(s): *demeijerei* Tshernovskii, 1949; *demeijerei* Kruseman, 1933
- 9071) *Stempellina bausei* (Kieffer, 1911)** (Chironomidae) Synonym(s): *bausei* Kieffer, 1911
- 9072) *Stictochironomus* sp.1** (Chironomidae) Synonym(s):
- 9073) *Stictochironomus* sp.2** (Chironomidae) Synonym(s):
- 9074) *Syndiamesa magnifipedis* Şahin, 1991** (Chironomidae) Synonym(s): *magnifipedis* Şahin, 1991
- 9075) *Tanypus kraatzi* Kieffer, 1913** (Chironomidae) Synonym(s): *kraatzi* Kieffer, 1913
- 9076) *Tanypus punctipennis* Meigen, 1818** (Chironomidae) Synonym(s): *punctipennis* Meigen, 1818
- 9077) *Tanypus vilipennis* (Kieffer, 1918)** (Chironomidae) Synonym(s): *vilipennis* Kieffer, 1918
- 9078) *Tanytarsus arduennensis* Goetghebuer, 1913** (Chironomidae) Synonym(s): *arduennensis* Goetghebuer, 1913
- 9079) *Tanytarsus gregarius* Kieffer, 1911** (Chironomidae) Synonym(s): *gregarius* Kieffer, 1911
- 9080) *Thienemanniella clavicornis* Kieffer, 1911** (Chironomidae) Synonym(s): *clavicornis* Kieffer, 1911
- 9081) *Thienemanniella* sp.** (Chironomidae) Synonym(s):
- 9082) *Thienemanniella vittata* Edwards, 1929** (Chironomidae) Synonym(s): *vittata* Edwards, 1929
- 9083) *Thienemannimyia lentiginosa* (Fries, 1830)** (Chironomidae) Synonym(s): *lentiginosa* Fries, 1830
- 9084) *Trissopelopia flavida* Kieffer, 1923** (Chironomidae) Synonym(s): *flavida* Kieffer, 1923
- 9085) *Zalutschia korosienis* (Tchern., 1949)** (Chironomidae) Synonym(s): *korosienis* Tchern., 1949
- 9086) *Zalutschia megastylus* (Shil., 1971)** (Chironomidae) Synonym(s): *megastylus* Shil., 1971
- 9087) *Zavrelia pentatoma* Kieffer & Bause, 1914** (Chironomidae) Synonym(s): *pentatoma* Kieffer & Bause, 1914; *atrofasciata* Kieffer, 1921; *nigritula* Goetghebuer, 1921; *paludosa* Goetghebuer, 1931
- 9088) *Zavrelimyia melanura* (Meigen, 1818)** (Chironomidae) Synonym(s): *melanura* Meigen, 1818

CHLOROPERLIDAE

- 9089) *Chloroperla zhiltzovae* Zwick, 1967** (Chloroperlidae) Synonym(s): *zhiltzovae* Zwick, 1967
- 9090) *Pontoperla teberdinica* (Balinsky, 1950)** (Chloroperlidae) Synonym(s): *teberdinica* Balinsky, 1950
- 9091) *Siphonoperla burmeisteri* (Pictet, 1841)** (Chloroperlidae) Synonym(s): *burmeisteri* Pictet, 1841; *rufeola* Rambur, 1842
- 9092) *Siphonoperla hajastanica* (Zhiltzova, 1961)** (Chloroperlidae) Synonym(s): *hajastanica* Zhiltzova, 1961
- 9093) *Siphonoperla taurica* (Pictet, 1841)** (Chloroperlidae) Synonym(s): *taurica* Pictet, 1841; *acuminata* Zhiltzova, 1964

CHLOROPIDAE

- 9094) *Anacamptoneurum obliquum* Becker, 1903** (Chloropidae) Synonym(s): *obliquum* Becker, 1903
- 9095) *Aphanotrigonum cinctellum* (Zetterstedt, 1848)** (Chloropidae) Synonym(s): *cinctellum* Zetterstedt, 1848; *brevirostris* Loew, 1858; *pallidinerve* Duda, 1933
- 9096) *Chlorops dasycerus* Loew, 1866** (Chloropidae) Synonym(s): *dasycerus* Loew, 1866; *horridus* Becker, 1910
- 9097) *Chlorops pallidior* Becker, 1912** (Chloropidae) Synonym(s): *pallidior* Becker, 1912
- 9098) *Dicraeus discolor* (Becker, 1910)** (Chloropidae) Synonym(s): *discolor* Becker, 1910
- 9099) *Elachiptera bimaculata* (Loew, 1845)** (Chloropidae) Synonym(s): *bimaculata* Loew, 1845; *furcata* Perris, 1876; *bilineata* Bigot, 1891; *quadrilineata* Strobl, 1902; *tuberculata* Becker, 1907; *tuberifera* Becker, 1910; *latifasciata* Duda, 1932; *trifasciata* Duda, 1932

- 9100) Elachiptera megaspis (Loew,1858)** (Chloropidae) Synonym(s): *megaspis* Loew,1858
9101) Lasiambia albidipennis (Strobl,1893) (Chloropidae) Synonym(s): *albidipennis* Strobl,1893
9102) Lasiosina littoralis Becker,1910 (Chloropidae) Synonym(s): *littoralis* Becker,1910
9103) Melanum lateralis (Haliday,1833) (Chloropidae) Synonym(s): *lateralis* Haliday,1833; *hyalipenne* Strobl,1899
9104) Meromyza filippovi Ozerov,2009 (Chloropidae) Synonym(s): *filippovi* Ozerov,2009
9105) Oscinella (Cyclocerculla) nartshukiana Beschovsky,1978 (Chloropidae) Synonym(s): *nartshukiana* Beschovsky,1978
9106) Polyodaspis ruficornis (Macquart,1835) (Chloropidae) Synonym(s): *ruficornis* Macquart,1835; *tarsalis* Frey,1923; *flavipila* Duda,1934; *endogena* De Meijere,1938; *flavisetosa* Nartshuk,1991; *similis* Nartshuk,1991
9107) Scolioptthalmus civeleki Deeming,2006 (Chloropidae) Synonym(s): *civeleki* Deeming,2006
9108) Thaumatomyia notata (Meigen,1830) (Chloropidae) Synonym(s): *notata* Meigen,1830; *ornata* Meigen,1830; *circumdata* Meigen,1830; *prodigiosa* Zenker,1833; *lucida* Meigen,1838; *copiosa* Schiner,1872; *punctipleuris* Becker,1913

CHRYSIDIDAE

- 9109) Chrysidea pumila (Klug,1845)** (Chrysididae) Synonym(s): *pumila* Klug,1845
9110) Chrysis aestiva Dahlbom,1854 (Chrysididae) Synonym(s): *aestiva* Dahlbom,1854
9111) Chrysis albanica Trautmann,1927 (Chrysididae) Synonym(s): *albanica* Trautmann,1927
9112) Chrysis amasina Mocsary,1889 (Chrysididae) Synonym(s): *amasina* Mocsary,1889
9113) Chrysis analis Spinola,1808 (Chrysididae) Synonym(s): *analis* Spinola,1808
9114) Chrysis angustifrons Abeille,1878 (Chrysididae) Synonym(s): *angustifrons* Abeille,1878
9115) Chrysis angustula Schenck,1856 (Chrysididae) Synonym(s): *angustula* Schenck,1856
9116) Chrysis araratica Radoszkowsky,1890 (Chrysididae) Synonym(s): *araratica* Radoszkowsky,1890
9117) Chrysis berlandi Linsenmaier,1959 (Chrysididae) Synonym(s): *berlandi* Linsenmaier,1959
9118) Chrysis cerastes Abeille,1877 (Chrysididae) Synonym(s): *cerastes* Abeille,1877
9119) Chrysis chrysoprasina Förster,1853 (Chrysididae) Synonym(s): *chrysoprasina* Förster,1853
9120) Chrysis coerueiventris Abeille,1878 (Chrysididae) Synonym(s): *coerueiventris* Abeille,1878
9121) Chrysis comparata Lepeletier,1806 (Chrysididae) Synonym(s): *comparata* Lepeletier,1806
9122) Chrysis comta Förster,1853 (Chrysididae) Synonym(s): *comta* Förster,1853
9123) Chrysis concolor Mocsary,1893 (Chrysididae) Synonym(s): *concolor* Mocsary,1893
9124) Chrysis consanguinea Mocsary,1889 (Chrysididae) Synonym(s): *consanguinea* Mocsary,1889
9125) Chrysis continentalis Linsenmaier,1959 (Chrysididae) Synonym(s): *continentalis* Linsenmaier,1959
9126) Chrysis elegans Lepeletier,1806 (Chrysididae) Synonym(s): *elegans* Lepeletier,1806
9127) Chrysis euterpe Balthasar,1957 (Chrysididae) Synonym(s): *euterpe* Balthasar,1957
9128) Chrysis fasciata Olivier,1790 (Chrysididae) Synonym(s): *fasciata* Olivier,1790
9129) Chrysis frivaldskyi Mocsary,1882 (Chrysididae) Synonym(s): *frivaldskyi* Mocsary,1882
9130) Chrysis fulgida Linnaeus,1761 (Chrysididae) Synonym(s): *fulgida* Linnaeus,1761
9131) Chrysis germari Wesmael,1839 (Chrysididae) Synonym(s): *germari* Wesmael,1839
9132) Chrysis gracillima Förster,1853 (Chrysididae) Synonym(s): *gracillima* Förster,1853
9133) Chrysis graelsii Guérin-Ménéville,1842 (Chrysididae) Synonym(s): *graelsii* Guérin-Ménéville,1842
9134) Chrysis grohmanni Dahlbom,1854 (Chrysididae) Synonym(s): *grohmanni* Dahlbom,1854
9135) Chrysis ignita Linnaeus,1758 (Chrysididae) Synonym(s): *ignita* Linnaeus,1758
9136) Chrysis inaequalis Dahlbom,1845 (Chrysididae) Synonym(s): *inaequalis* Dahlbom,1845; *sapphirina* Semenov,1912
9137) Chrysis indigotea Dufour & Perris,1840 (Chrysididae) Synonym(s): *indigotea* Dufour & Perris,1840
9138) Chrysis jaxartis Semenov,1910 (Chrysididae) Synonym(s): *jaxartis* Semenov,1910
9139) Chrysis joppensis Buysson,1887 (Chrysididae) Synonym(s): *joppensis* Buysson,1887
9140) Chrysis longula Abeille,1879 (Chrysididae) Synonym(s): *longula* Abeille,1879
9141) Chrysis maculicornis Klug,1865 (Chrysididae) Synonym(s): *maculicornis* Klug,1865
9142) Chrysis marginata Mocsary,1889 (Chrysididae) Synonym(s): *marginata* Mocsary,1889
9143) Chrysis mediata Linsenmaier,1951 (Chrysididae) Synonym(s): *mediata* Linsenmaier,1951
9144) Chrysis mirabilis Radoszkowski,1876 (Chrysididae) Synonym(s): *mirabilis* Radoszkowski,1876
9145) Chrysis obtusidens Dufour & Perris,1840 (Chrysididae) Synonym(s): *obtusidens* Dufour & Perris,1840
9146) Chrysis profugax Linsenmaier,1959 (Chrysididae) Synonym(s): *profugax* Linsenmaier,1959

- 9147) Chrysis provenceana Linsenmaier,1959** (Chrysididae) Synonym(s): *provenceana Linsenmaier,1959*
- 9148) Chrysis pseudoincisa Balthasar,1953** (Chrysididae) Synonym(s): *pseudoincisa Balthasar,1953*
- 9149) Chrysis pulchella Spinola,1808** (Chrysididae) Synonym(s): *pulchella Spinola,1808*
- 9150) Chrysis ruddii Shuckard,1836** (Chrysididae) Synonym(s): *ruddii Shuckard,1836*
- 9151) Chrysis rutilans Olivier,1790** (Chrysididae) Synonym(s): *rutilans Olivier,1790*
- 9152) Chrysis rutiliventris Abeille,1879** (Chrysididae) Synonym(s): *rutiliventris Abeille,1879*
- 9153) Chrysis sardarica Radoskowsky,1890** (Chrysididae) Synonym(s): *sardarica Radoskowsky,1890*
- 9154) Chrysis scutellaris Fabricius,1794** (Chrysididae) Synonym(s): *scutellaris Fabricius,1794*
- 9155) Chrysis separata (Trautmann,1926)** (Chrysididae) Synonym(s): *separata Trautmann,1926*
- 9156) Chrysis sexdentata Christ,1791** (Chrysididae) Synonym(s): *sexdentata Christ,1791*
- 9157) Chrysis soror Dahlbom,1854** (Chrysididae) Synonym(s): *soror Dahlbom,1854*
- 9158) Chrysis splendidula Rossi,1790** (Chrysididae) Synonym(s): *splendidula Rossi,1790*
- 9159) Chrysis subsinuata Marquet,1879** (Chrysididae) Synonym(s): *subsinuata Marquet,1879; fallax Mocsary,1882*
- 9160) Chrysis succincta Linnaeus,1767** (Chrysididae) Synonym(s): *succincta Linnaeus,1767*
- 9161) Chrysis taczanowski Radoskowski,1876** (Chrysididae) Synonym(s): *taczanowski Radoskowski,1876*
- 9162) Chrysis valida Mocsary,1912** (Chrysididae) Synonym(s): *valida Mocsary,1912*
- 9163) Chrysis viridissima Klug,1845** (Chrysididae) Synonym(s): *viridissima Klug,1845; fasciolata Klug,1845*
- 9164) Chrysura ciscirtana Linsenmaier,1959** (Chrysididae) Synonym(s): *ciscirtana Linsenmaier,1959*
- 9165) Chrysura cuprea (Rossi,1790)** (Chrysididae) Synonym(s): *cuprea Rossi,1790*
- 9166) Chrysura dichroa (Dahlbom,1854)** (Chrysididae) Synonym(s): *dichroa Dahlbom,1854*
- 9167) Chrysura erigone Mocsary,1889** (Chrysididae) Synonym(s): *erigone Mocsary,1889*
- 9168) Chrysura ignifrons (Brullé,1833)** (Chrysididae) Synonym(s): *ignifrons Brullé,1833*
- 9169) Chrysura lydiae Mocsary,1889** (Chrysididae) Synonym(s): *lydiae Mocsary,1889*
- 9170) Chrysura progaster (Brullé,1833)** (Chrysididae) Synonym(s): *progaster Brullé,1833*
- 9171) Chrysura radians (Harris,1776)** (Chrysididae) Synonym(s): *radians Harris,1776; pustulosa Abeille,1878*
- 9172) Chrysura refulgens (Spinola,1806)** (Chrysididae) Synonym(s): *refulgens Spinola,1806*
- 9173) Chrysura simplex (Dahlbom,1854)** (Chrysididae) Synonym(s): *simplex Dahlbom,1854*
- 9174) Chrysura sulcata (Dahlbom,1845)** (Chrysididae) Synonym(s): *sulcata Dahlbom,1845*
- 9175) Cleptes afra Lucas,1849** (Chrysididae) Synonym(s): *afra Lucas,1849; afer Mocsary,1889*
- 9176) Cleptes anatolensis Moczar,2001** (Chrysididae) Synonym(s): *anatolensis Moczar,2001*
- 9177) Cleptes anceyi Buysson,1891** (Chrysididae) Synonym(s): *anceyi Buysson,1891; gurunensis Linsenmaier,1987*
- 9178) Cleptes caucasicus Semenov,1920** (Chrysididae) Synonym(s): *caucasicus Semenov,1920; hyrcanus Semenov,1920*
- 9179) Cleptes consimilis Buysson,1887** (Chrysididae) Synonym(s): *consimilis Buysson,1887; chyzeri Mocsary,1889*
- 9180) Cleptes femoralis Mocsary,1890** (Chrysididae) Synonym(s): *femoralis Mocsary,1890; antakyensis Linsenmaier,1968*
- 9181) Cleptes ignitus (Fabricius,1787)** (Chrysididae) Synonym(s): *ignitus Fabricius,1787*
- 9182) Cleptes jordanicus Linsenmaier,1968** (Chrysididae) Synonym(s): *jordanicus Linsenmaier,1968*
- 9183) Cleptes kudasicus Moczar,1968** (Chrysididae) Synonym(s): *kudasicus Moczar,1968*
- 9184) Cleptes muti Moczar,1968** (Chrysididae) Synonym(s): *muti Moczar,1968*
- 9185) Cleptes nitidulus (Fabricius,1793)** (Chrysididae) Synonym(s): *nitidulus Fabricius,1793; fallax Mocsary,1889*
- 9186) Cleptes pallipes Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes Lepeletier,1806; diana Mocsary,1889*
- 9187) Cleptes putoni Buysson,1886** (Chrysididae) Synonym(s): *putoni Buysson,1886*
- 9188) Cleptes saussurei Mocsary,1889** (Chrysididae) Synonym(s): *aurata Dahlbom,1845 nec Panz.,1798; saussurei Mocsary,1889; buyssoni Semenov,1892; dahlbomi Semenov,1920*
- 9189) Cleptes semiauratus (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus Linnaeus,1761*
- 9190) Cleptes turceyanus Linsenmaier,1968** (Chrysididae) Synonym(s): *turceyanus Linsenmaier,1968*
- 9191) Elampus bidens (Förster,1853)** (Chrysididae) Synonym(s): *bidens Förster,1853*
- 9192) Elampus pyrosomus (Förster,1853)** (Chrysididae) Synonym(s): *pyrosomus Förster,1853*
- 9193) Elampus sanzii (Gogorza,1887)** (Chrysididae) Synonym(s): *sanzii Gogorza,1887*
- 9194) Elampus scutellaris (Panzer,1798)** (Chrysididae) Synonym(s): *scutellaris Panzer,1798; panzeri Fabricius,1804; coeruleus Dahlbom,1854*
- 9195) Elampus spinus (Lepeletier,1806)** (Chrysididae) Synonym(s): *spinus Lepeletier,1806*
- 9196) Euchroeus limbatus (Dahlbom,1854)** (Chrysididae) Synonym(s): *limbatus Dahlbom,1854*

- 9197) *Euchroeus purpuratus* Fabricius,1787** (Chrysididae) Synonym(s): *purpuratus* Fabricius,1787;
consularis Buysson,1896
- 9198) *Hedychridium aheneum* (Dahlbom,1854)** (Chrysididae) Synonym(s): *aheneum* Dahlbom,1854;
feritatum Linsenmaier,1959
- 9199) *Hedychridium ardens* (Coquebert,1801)** (Chrysididae) Synonym(s): *ardens* Coquebert,1801
- 9200) *Hedychridium buyssoni* Abeille,1887** (Chrysididae) Synonym(s): *buyssoni* Abeille,1887
- 9201) *Hedychridium bytinskii* Linsenmaier,1959** (Chrysididae) Synonym(s): *bytinskii*
Linsenmaier,1959
- 9202) *Hedychridium caucasicum* Trautmann,1926** (Chrysididae) Synonym(s): *caucasicum*
Trautmann,1926; irregulare Linsenmaier,1959
- 9203) *Hedychridium femoratum* (Dahlbom,1854)** (Chrysididae) Synonym(s): *femoratum*
Dahlbom,1854; miricolor Morice,1909
- 9204) *Hedychridium flavipes* Eversmann,1857** (Chrysididae) Synonym(s): *flavipes* Eversmann,1857
- 9205) *Hedychridium lampadum* Linsenmaier,1959** (Chrysididae) Synonym(s): *limassolense*
Linsenmaier,1959
- 9206) *Hedychridium maculiventre* Linsenmaier,1959** (Chrysididae) Synonym(s): *maculiventre*
Linsenmaier,1959
- 9207) *Hedychridium moricei* Buysson,1904** (Chrysididae) Synonym(s): *moricei* Buysson,1904
- 9208) *Hedychridium palestinense* Balthasar,1953** (Chrysididae) Synonym(s): *palestinense*
Balthasar,1953; sculpturatissimum Linsenmaier,1959
- 9209) *Hedychridium roseum* (Rossi,1790)** (Chrysididae) Synonym(s): *roseum* Rossi,1790
- 9210) *Hedychridium sculpturatum* (Abeille,1877)** (Chrysididae) Synonym(s): *sculpturatum*
Abeille,1877
- 9211) *Hedychrum aureicolle* Mocsary,1889** (Chrysididae) Synonym(s): *aureicolle* Mocsary,1889
- 9212) *Hedychrum gerstaeckeri* Chevrier,1869** (Chrysididae) Synonym(s): *gerstaeckeri* Chevrier,1869
- 9213) *Hedychrum longicolle* Abeille,1877** (Chrysididae) Synonym(s): *longicolle* Abeille,1877
- 9214) *Hedychrum luculentum* Förster,1853** (Chrysididae) Synonym(s): *luculentum* Förster,1853;
bytinskii Linsenmaier,1959
- 9215) *Hedychrum niemelai* Linsenmaier,1959** (Chrysididae) Synonym(s): *niemelai* Linsenmaier,1959
- 9216) *Hedychrum nobile* (Scopoli,1763)** (Chrysididae) Synonym(s): *nobile* Scopoli,1763
- 9217) *Hedychrum rutilans* Dahlbom,1854** (Chrysididae) Synonym(s): *rutilans* Dahlbom,1854;
veterrinum Mocsary,1914
- 9218) *Holopyga amoenula* Dahlbom,1845** (Chrysididae) Synonym(s): *amoenula* Dahlbom,1845;
occidenta Linsenmaier,1959; *oriensa* Linsenmaier,1959
- 9219) *Holopyga bifigurata* Linsenmaier,1968** (Chrysididae) Synonym(s): *bifigurata* Linsenmaier,1968
- 9220) *Holopyga chrysonota* (Förster,1853)** (Chrysididae) Synonym(s): *chrysonota* Förster,1853;
appliata Linsenmaier,1959
- 9221) *Holopyga cypruscula* Linsenmaier,1959** (Chrysididae) Synonym(s): *cypruscula*
Linsenmaier,1959; detrita Linsenmaier,1959
- 9222) *Holopyga fervida* Dahlbom,1854** (Chrysididae) Synonym(s): *fervida* Dahlbom,1854
- 9223) *Holopyga generosa* (Förster,1853)** (Chrysididae) Synonym(s): *generosa* Förster,1853;
crassepunctata Semenov,1954
- 9224) *Holopyga ignicollis* Dahlbom,1854** (Chrysididae) Synonym(s): *ignicollis* Dahlbom,1854
- 9225) *Holopyga inflammata* (Förster,1853)** (Chrysididae) Synonym(s): *inflammata* Förster,1853
- 9226) *Holopyga jurinei* Chevrier,1862** (Chrysididae) Synonym(s): *jurinei* Chevrier,1862
- 9227) *Holopyga lucida* (Lepeletier,1806)** (Chrysididae) Synonym(s): *lucida* Lepeletier,1806
- 9228) *Holopyga minuma* Linsenmaier,1959** (Chrysididae) Synonym(s): *minuma* Linsenmaier,1959
- 9229) *Holopyga mlokosiewitzi* (Radoszkowski,1876)** (Chrysididae) Synonym(s): *mlokosiewitzi*
Radoszkowski,1876
- 9230) *Holopyga punctatissima* Dahlbom,1854** (Chrysididae) Synonym(s): *punctatissima*
Dahlbom,1854; reducta Linsenmaier,1959
- 9231) *Holopyga speciosissima* Buysson,1893** (Chrysididae) Synonym(s): *speciosissima* Buysson,1893
- 9232) *Omalus aeneus* (Fabricius,1787)** (Chrysididae) Synonym(s): *aeneus* Fabricius,1787
- 9233) *Omalus biaccinctus* (Buysson,1893)** (Chrysididae) Synonym(s): *biaccinctus* Buysson,1893
- 9234) *Omalus politus* Buysson,1887** (Chrysididae) Synonym(s): *politus* Buysson,1887
- 9235) *Parnopes grandior* (Pallas,1771)** (Chrysididae) Synonym(s): *grandior* Pallas,1771
- 9236) *Pentachrysis seminigra* (Walker,1790)** (Chrysididae) Synonym(s): *seminigra* Walker,1790
- 9237) *Philoctetes bidentulus* Lepeletier,1806** (Chrysididae) Synonym(s): *bidentulus* Lepeletier,1806
- 9238) *Philoctetes horvathi* Mocsary,1889** (Chrysididae) Synonym(s): *horvathi* Mocsary,1889
- 9239) *Philoctetes medanae* Buysson,1890** (Chrysididae) Synonym(s): *medanae* Buysson,1890
- 9240) *Philoctetes sculpticollis* (Abeille,1878)** (Chrysididae) Synonym(s): *sculpticollis* Abeille,1878
- 9241) *Pseudomalus auratus* (Linnaeus,1758)** (Chrysididae) Synonym(s): *auratus* Linnaeus,1758
- 9242) *Pseudomalus bidentulus* (Lepeletier,1806)** (Chrysididae) Synonym(s): *bidentulus*
Lepeletier,1806

- 9243) *Pseudomalus bogdanovi* (Radoszkowski,1877)** (Chrysididae) Synonym(s): *bogdanovi* Radoszkowski,1877
- 9244) *Pseudomalus punctulatus* (Dahlbom,1854)** (Chrysididae) Synonym(s): *punctulatus* Dahlbom,1854
- 9245) *Pseudomalus pusillus* (Fabricius,1804)** (Chrysididae) Synonym(s): *pusillus* Fabricius,1804
- 9246) *Pseudomalus triangulifer* (Abeille,1877)** (Chrysididae) Synonym(s): *triangulifer* Abeille,1877
- 9247) *Pseudospinolia humboldti* (Dahlbom,1845)** (Chrysididae) Synonym(s): *humboldti* Dahlbom,1845
- 9248) *Pseudospinolia marqueti* (Buysson,1876)** (Chrysididae) Synonym(s): *marqueti* Buysson,1876
- 9249) *Pseudospinolia uniformis* (Dahlbom,1854)** (Chrysididae) Synonym(s): *uniformis* Dahlbom,1854
- 9250) *Spinolia dournovi* Radoszkowski,1866** (Chrysididae) Synonym(s): *dournovi* Radoszkowski,1866
- 9251) *Spintharia vagans* (Radoszkowski,1887)** (Chrysididae) Synonym(s): *vagans* Radoszkowski,1887
- 9252) *Stilbum calens* (Fabricius,1781)** (Chrysididae) Synonym(s): *calens* Fabricius,1781
- 9253) *Stilbum cyanurum* (Förster,1771)** (Chrysididae) Synonym(s): *cyanurum* Förster,1771
- 9254) *Trichrysis cyanea* (Linnaeus,1758)** (Chrysididae) Synonym(s): *cyanea* Linnaeus,1758

CHRYSOMELIDAE

- 9255) *Altica ancyrensis* (Weise,1897)** (Chrysomelidae) Synonym(s): *ancyrensis* Weise,1897
- 9256) *Altica bicarinata* (Kutschera,1860)** (Chrysomelidae) Synonym(s): *bicarinata* Kutschera,1860; *ciliciensis* Weise,1897
- 9257) *Altica brevicollis* Foudras,1860** (Chrysomelidae) Synonym(s): *brevicollis* Foudras,1860
- 9258) *Altica bulgharensis* Kral,1969** (Chrysomelidae) Synonym(s): *bulgharensis* Kral,1969
- 9259) *Altica carduorum* (Guérin-Méneville,1858)** (Chrysomelidae) Synonym(s): *carduorum* Guérin-Méneville,1858
- 9260) *Altica cornivorax* Kral,1969** (Chrysomelidae) Synonym(s): *cornivorax* Kral,1969
- 9261) *Altica deserticola* (Weise,1889)** (Chrysomelidae) Synonym(s): *deserticola* Weise,1889
- 9262) *Altica globicollis* (Weise,1889)** (Chrysomelidae) Synonym(s): *globicollis* Weise,1889
- 9263) *Altica graeca* Kral,1966** (Chrysomelidae) Synonym(s): *graeca* Kral,1966
- 9264) *Altica hamperi* (Allard,1867)** (Chrysomelidae) Synonym(s): *hamperi* Allard,1867; *khnozoriani* Kral,1969
- 9265) *Altica impressicollis* (Reiche,1862)** (Chrysomelidae) Synonym(s): *impressicollis* Reiche,1862; *#impressicoilis* Aslan et al,1999
- 9266) *Altica jarmilae* Kral,1979** (Chrysomelidae) Synonym(s): *jarmilae* Kral,1979
- 9267) *Altica lythri* Aubé,1843** (Chrysomelidae) Synonym(s): *lythri* Aubé,1843
- 9268) *Altica oleracea* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *oleracea* Linnaeus,1758
- 9269) *Altica palustris* (Weise,1888)** (Chrysomelidae) Synonym(s): *palustris* Weise,1888
- 9270) *Altica pontica* (Ogloblin,1925)** (Chrysomelidae) Synonym(s): *pontica* Ogloblin,1925
- 9271) *Altica quercetorum* Foudras,1860** (Chrysomelidae) Synonym(s): *quercetorum* Foudras,1860
- 9272) *Altica tamaricis* Schrank,1785** (Chrysomelidae) Synonym(s): *tamaricis* Schrank,1785
- 9273) *Anthobiodes turcicus* (Medvedev,1975)** (Chrysomelidae) Synonym(s): *turcicus* Medvedev,1975
- 9274) *Aphthona abdominalis* (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *abdominalis* Duftschmid,1825; *finitima* Ogloblin,1927
- 9275) *Aphthona alanyensis* Fritzlar,2004** (Chrysomelidae) Synonym(s): *alanyensis* Fritzlar,2004
- 9276) *Aphthona atrovirens* (Förster,1849)** (Chrysomelidae) Synonym(s): *atrovirens* Förster,1849
- 9277) *Aphthona bergealoides* Fritzlar,2004** (Chrysomelidae) Synonym(s): *bergealoides* Fritzlar,2004
- 9278) *Aphthona bonvouloiri* Allard,1861** (Chrysomelidae) Synonym(s): *bonvouloiri* Allard,1861; *tauricola* Pic,1910
- 9279) *Aphthona crassicornis* Lopatin,1990** (Chrysomelidae) Synonym(s): *crassicornis* Lopatin,1990
- 9280) *Aphthona euphorbiae* (Schrank,1781)** (Chrysomelidae) Synonym(s): *euphorbiae* Schrank,1781
- 9281) *Aphthona flava* Guillebeau,1894** (Chrysomelidae) Synonym(s): *flava* Guillebeau,1894
- 9282) *Aphthona flaviceps* Allard,1859** (Chrysomelidae) Synonym(s): *flaviceps* Allard,1859
- 9283) *Aphthona franzi* Heikertinger,1944** (Chrysomelidae) Synonym(s): *franzi* Heikertinger,1944
- 9284) *Aphthona fuentei* Reitter,1901** (Chrysomelidae) Synonym(s): *fuentei* Reitter,1901
- 9285) *Aphthona gracilis* Faldermann,1837** (Chrysomelidae) Synonym(s): *gracilis* Faldermann,1837
- 9286) *Aphthona kuntzei* Roubal,1931** (Chrysomelidae) Synonym(s): *kuntzei* Roubal,1931
- 9287) *Aphthona lutescens* (Gyllenhal,1808)** (Chrysomelidae) Synonym(s): *lutescens* Gyllenhal,1808
- 9288) *Aphthona maculata* Allard,1876** (Chrysomelidae) Synonym(s): *maculata* Allard,1876
- 9289) *Aphthona nigriceps* (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *nigriceps* Redtenbacher,1842
- 9290) *Aphthona nigriscutis* Foudras,1860** (Chrysomelidae) Synonym(s): *nigriscutis* Foudras,1860
- 9291) *Aphthona nonstriata* (Goeze,1777)** (Chrysomelidae) Synonym(s): *nonstriata* Goeze,1777

- 9292) *Aphthona ovata* Foudras,1860 (Chrysomelidae) Synonym(s): *ovata* Foudras,1860
- 9293) *Aphthona pygmaea* Kutschera,1861 (Chrysomelidae) Synonym(s): *pygmaea* Kutschera,1861
- 9294) *Aphthona rugipennis* Ogloblin,1926 (Chrysomelidae) Synonym(s): *rugipennis* Ogloblin,1926
- 9295) *Aphthona semicyanea* Allard,1859 (Chrysomelidae) Synonym(s): *semicyanea* Allard,1859
- 9296) *Aphthona syriaca* Heikertinger,1944 (Chrysomelidae) Synonym(s): *syriaca* Heikertinger,1944
- 9297) *Aphthona valachica* Heikertinger,1944 (Chrysomelidae) Synonym(s): *valachica* Heikertinger,1944
- 9298) *Aphthona venustula* Kutschera,1861 (Chrysomelidae) Synonym(s): *venustula* Kutschera,1861
- 9299) *Batophila fallax* Weise,1888 (Chrysomelidae) Synonym(s): *fallax* Weise,1888
- 9300) *Batophila olexai* Kral,1964 (Chrysomelidae) Synonym(s): *olexai* Kral,1964
- 9301) *Cassida atrata* Fabricius,1787 (Chrysomelidae) Synonym(s): *atrata* Fabricius,1787
- 9302) *Cassida bella* Faldermann,1837 (Chrysomelidae) Synonym(s): *bella* Faldermann,1837
- 9303) *Cassida brevis* Weise,1834 (Chrysomelidae) Synonym(s): *brevis* Weise,1834
- 9304) *Cassida hablitzae* Motschoulsky,1838 (Chrysomelidae) Synonym(s): *hablitzae* Motschoulsky,1838
- 9305) *Cassida margaritacea* Schaller,1783 (Chrysomelidae) Synonym(s): *margaritacea* Schaller,1783
- 9306) *Cassida palaestina* Reiche,1858 (Chrysomelidae) Synonym(s): *palaestina* Reiche,1858
- 9307) *Cassida pannonica* Suffrian,1844 (Chrysomelidae) Synonym(s): *pannonica* Suffrian,1844
- 9308) *Cassida prasina* Illiger,1798 (Chrysomelidae) Synonym(s): *prasina* Illiger,1798
- 9309) *Cassida rubiginosa* Müller,1776 (Chrysomelidae) Synonym(s): *rubiginosa* Müller,1776
- 9310) *Cassida sanguinolenta* Müller,1776 (Chrysomelidae) Synonym(s): *sanguinolenta* Müller,1776
- 9311) *Cassida saucia* Weise,1889 (Chrysomelidae) Synonym(s): *saucia* Weise,1889
- 9312) *Cassida seraphina* Ménétériés,1836 (Chrysomelidae) Synonym(s): *seraphina* Ménétériés,1836
- 9313) *Cassida vibex* Linnaeus,1767 (Chrysomelidae) Synonym(s): *vibex* Linnaeus,1767
- 9314) *Cassida viridis* Linnaeus,1758 (Chrysomelidae) Synonym(s): *viridis* Linnaeus,1758
- 9315) *Chaetocnema arenacea* (Allard,1860) (Chrysomelidae) Synonym(s): *arenacea* Allard,1860
- 9316) *Chaetocnema aridula* (Gyllenhal,1827) (Chrysomelidae) Synonym(s): *aridula* Gyllenhal,1827
- 9317) *Chaetocnema breviscula* (Faldermann,1884) (Chrysomelidae) Synonym(s): *breviscula* Faldermann,1884
- 9318) *Chaetocnema chlorophana* (Duftschmid,1825) (Chrysomelidae) Synonym(s): *chlorophana* Duftschmid,1825
- 9319) *Chaetocnema concinna* (Marsham,1802) (Chrysomelidae) Synonym(s): *concinna* Marsham,1802
- 9320) *Chaetocnema conducta* (Motschoulsky,1838) (Chrysomelidae) Synonym(s): *conducta* Motschoulsky,1838
- 9321) *Chaetocnema confusa* (Boheman,1851) (Chrysomelidae) Synonym(s): *confusa* Boheman,1851
- 9322) *Chaetocnema coyei* (Allard,1863) (Chrysomelidae) Synonym(s): *coyei* Allard,1863
- 9323) *Chaetocnema hortensis* (Geoffroy,1785) (Chrysomelidae) Synonym(s): *hortensis* Geoffroy,1785
- 9324) *Chaetocnema laevicollis* (Thomson,1866) (Chrysomelidae) Synonym(s): *laevicollis* Thomson,1866
- 9325) *Chaetocnema major* (Jaquelin du Val,1852) (Chrysomelidae) Synonym(s): *major* Jaquelin du Val,1852
- 9326) *Chaetocnema mannerheimi* (Gyllenhal,1827) (Chrysomelidae) Synonym(s): *mannerheimi* Gyllenhal,1827
- 9327) *Chaetocnema montenegrina* Heikertinger,1912 (Chrysomelidae) Synonym(s): *montenegrina* Heikertinger,1912
- 9328) *Chaetocnema obesa* (Boieldieu,1859) (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859
- 9329) *Chaetocnema orientalis* (Bauduer,1874) (Chrysomelidae) Synonym(s): *orientalis* Bauduer,1874
- 9330) *Chaetocnema procerula* (Rosenhauer,1856) (Chrysomelidae) Synonym(s): *procerula* Rosenhauer,1856
- 9331) *Chaetocnema sahlbergi* (Gyllenhal,1859) (Chrysomelidae) Synonym(s): *sahlbergi* Gyllenhal,1859
- 9332) *Chaetocnema scheffleri* (Kutschera,1864) (Chrysomelidae) Synonym(s): *scheffleri* Kutschera,1864
- 9333) *Chaetocnema semicoerulea* (Koch,1803) (Chrysomelidae) Synonym(s): *semicoerulea* Koch,1803
- 9334) *Chaetocnema tibialis* (Illiger,1807) (Chrysomelidae) Synonym(s): *tibialis* Illiger,1807
- 9335) *Chaetocnema turhalus* Iyriboz,1934 (?) (Chrysomelidae) Synonym(s): *turhalus* Iyriboz,1934
- 9336) *Cheilotoma beldei* Kasap,1984 (Chrysomelidae) Synonym(s): *beldei* Kasap,1984
- 9337) *Cheilotoma voriseki* Medvedev & Kantner,2003 (Chrysomelidae) Synonym(s): *voriseki* Medvedev & Kantner,2003
- 9338) *Chrysolina adzharica* Lopatin,1988 (Chrysomelidae) Synonym(s): *adzharica* Lopatin,1988
- 9339) *Chrysolina aeneipennis* (Reiche,1858) (Chrysomelidae) Synonym(s): *aeneipennis* Reiche,1858
- 9340) *Chrysolina amasiensis* (Weise,1894) (Chrysomelidae) Synonym(s): *amasiensis* Weise,1894
- 9341) *Chrysolina americana* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *americana* Linnaeus,1758

- 9342) **Chrysolina anatolica (Dahlgren,1984)** (Chrysomelidae) Synonym(s): *anatolica* Dahlgren,1984
- 9343) **Chrysolina bodemeyeri (Weise,1910)** (Chrysomelidae) Synonym(s): *bodemeyeri* Weise,1910
- 9344) **Chrysolina brunneli (Demaissan,1896)** (Chrysomelidae) Synonym(s): *brunneli* Demaissan,1896
- 9345) **Chrysolina cerealis (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *cerealis* Linnaeus,1767
- 9346) **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans* Scriba,1791; *angelica* Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella* Jacoby,1890; *uzbekorum* Bechyne,1950; *iranica* Jakob,1954; *piffli* Lopatin,1967
- 9347) **Chrysolina compuncta (Weise,1898)** (Chrysomelidae) Synonym(s): *compuncta* Weise,1898
- 9348) **Chrysolina cuprina (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *cuprina* Duftschmid,1825; *staneki* Bechyne,1949
- 9349) **Chrysolina didymata (Scriba,1791)** (Chrysomelidae) Synonym(s): *didymata* Scriba,1791; *syriaca* Weise,1884
- 9350) **Chrysolina fastuosa (Scopoli,1763)** (Chrysomelidae) Synonym(s): *fastuosa* Scopoli,1763
- 9351) **Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata* Paykull,1799
- 9352) **Chrysolina graminis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *graminis* Linnaeus,1758
- 9353) **Chrysolina gypsophilae (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophilae* Küster,1845; *lucidicollis* Küster,1845
- 9354) **Chrysolina haemoptera (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *haemoptera* Linnaeus,1758
- 9355) **Chrysolina halysa Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea* Fairmaire,1865 *nec* Falderm.,1837; *halysa* Bechyne,1950; *ayrica* Bechyne,1950; *intercalaria* Bechyne,1950
- 9356) **Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae) Synonym(s): *herbacea* Duftschmidt,1825; *alacris* Bechyne,1950
- 9357) **Chrysolina hyperici (Forster,1771)** (Chrysomelidae) Synonym(s): *hyperici* Forster,1771
- 9358) **Chrysolina hyrcana (Weise,1884)** (Chrysomelidae) Synonym(s): *hyrcana* Weise,1884
- 9359) **Chrysolina kataevi Lopatin,2000** (Chrysomelidae) Synonym(s): *kataevi* Lopatin,2000
- 9360) **Chrysolina kulzeri Bechyne,1950** (Chrysomelidae) Synonym(s): *kulzeri* Bechyne,1950
- 9361) **Chrysolina limbata (Fabricius,1775)** (Chrysomelidae) Synonym(s): *limbata* Fabricius,1775
- 9362) **Chrysolina lurida (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *lurida* Linnaeus,1767; *diluta* Joakimov,1904
- 9363) **Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata* Linnaeus,1758; *unificans* Bechyne,1950
- 9364) **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950
- 9365) **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955
- 9366) **Chrysolina peregrina (Herrich-Schäffer,1839)** (Chrysomelidae) Synonym(s): *peregrina* Herrich-Schäffer,1839; *erythromera* Lucas,1849; *oberndorferi* Brenske,1890; *schotti* Suffrian,1851; *impavida* Bechyne,1949
- 9367) **Chrysolina planicollis (Breit,1919)** (Chrysomelidae) Synonym(s): *planicollis* Breit,1919
- 9368) **Chrysolina polita (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polita* Linnaeus,1758
- 9369) **Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudolurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952
- 9370) **Chrysolina sahlbergi (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *sahlbergi* Ménétriés,1832; *cupreopunctata* Reiche,1858; *venefica* Weise,1884
- 9371) **Chrysolina salviae (Germar,1824)** (Chrysomelidae) Synonym(s): *salviae* Germar,1824; *sculptipennis* Faldermann,1837
- 9372) **Chrysolina sanguinolenta (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *sanguinolenta* Linnaeus,1758; *marginalis* Duftschmidt,1825
- 9373) **Chrysolina sellata (Weise,1894)** (Chrysomelidae) Synonym(s): *sellata* Weise,1894; *cilissa* Jacobson,1924
- 9374) **Chrysolina staphylea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *staphylea* Linnaeus,1758
- 9375) **Chrysolina trapezicollis Bechyné,1952** (Chrysomelidae) Synonym(s): *trapezicollis* Bechyné,1952
- 9376) **Chrysolina turca (Fairmaire,1865)** (Chrysomelidae) Synonym(s): *turca* Fairmaire,1865
- 9377) **Chrysolina varians (Schaller,1783)** (Chrysomelidae) Synonym(s): *variens* Schaller,1783
- 9378) **Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): *vernalis* Brullé,1836; *ottomana* Weise,1906
- 9379) **Chrysolina wittmeri Medvedev,1975** (Chrysomelidae) Synonym(s): *wittmeri* Medvedev,1975; *guichardi* Gruev,1976
- 9380) **Chrysomela collaris Linnaeus,1758** (Chrysomelidae) Synonym(s): *collaris* Linnaeus,1758
- 9381) **Chrysomela populi Linnaeus,1758** (Chrysomelidae) Synonym(s): *populi* Linnaeus,1758
- 9382) **Chrysomela saliceti (Weise,1884)** (Chrysomelidae) Synonym(s): *saliceti* Weise,1884; *#salceti* Arslan & Özbek,1999
- 9383) **Chrysomela tremulae Fabricius,1787** (Chrysomelidae) Synonym(s): *tremulae* Fabricius,1787

- 9384) *Chrysomela vigintipunctata* (Scopoli,1763)** (Chrysomelidae) Synonym(s): *vigintipunctata* Scopoli,1763
- 9385) *Clytra aliena* Weise,1897** (Chrysomelidae) Synonym(s): *aliena* Weise,1897
- 9386) *Clytra appendicina* Lacordaire,1848** (Chrysomelidae) Synonym(s): *appendicina* Lacordaire,1848
- 9387) *Clytra atraphaxidis* (Pallas,1773)** (Chrysomelidae) Synonym(s): *atraphaxidis* Pallas,1773; *deficiens* Weise,1900
- 9388) *Clytra binominata* Monros,1953** (Chrysomelidae) Synonym(s): *binominata* Monros,1953
- 9389) *Clytra bodemeyeri* Weise,1900** (Chrysomelidae) Synonym(s): *bodemeyeri* Weise,1900
- 9390) *Clytra cingulata* Weise,1898** (Chrysomelidae) Synonym(s): *cingulata* Weise,1898
- 9391) *Clytra laeviuscula* (Ratzeburg,1837)** (Chrysomelidae) Synonym(s): *fasciata* Ratzeburg,1837 *nec* Fabr.,1801; *laeviuscula* Ratzeburg,1837
- 9392) *Clytra nigrocincta* (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigrocincta* Lacordaire,1848
- 9393) *Clytra novempunctata* Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920
- 9394) *Clytra ovata* (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *ovata* Lacordaire,1848
- 9395) *Clytra quadripunctata* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *quadripunctata* Linnaeus,1758
- 9396) *Clytra valeriana* Ménétriés,1832** (Chrysomelidae) Synonym(s): *valeriana* Ménétriés,1832; *tetrastigma* Schmidt,1841; *#valerianae* Aydın & Kismah,1990
- 9397) *Colaphus apicalis* (Ménétriés,1849)** (Chrysomelidae) Synonym(s): *apicalis* Ménétriés,1849
- 9398) *Colaphus hoefti* (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *hoefti* Ménétriés,1832
- 9399) *Colaphus sophiae* (Schaller,1783)** (Chrysomelidae) Synonym(s): *sophiae* Schaller,1783; *amasiae* Machatschke,1954
- 9400) *Coptocephala gebleri* Gebler,1841** (Chrysomelidae) Synonym(s): *quadrimaculatus* Fabricius,1792 *nec* Linn.,1767; *gebleri* Gebler,1841; *amasiensis* Weise,1889; *inundata* Reitter,1905
- 9401) *Coptocephala rubicunda* (Laicharting,1781)** (Chrysomelidae) Synonym(s): *rubicunda* Laicharting,1781; *tetradyma* Küster,1845; *massiliensis* Pic,1914; *dalmatina* Pic,1918; *vittata* Petri,1926; *rossica* Medvedev,1977
- 9402) *Coptocephala simillima* Lodewyckx,1995** (Chrysomelidae) Synonym(s): *simillima* Lodewyckx,1995
- 9403) *Crepidodera aurata* (Marsham,1802)** (Chrysomelidae) Synonym(s): *aurata* Marsham,1802; *pulchella* Stephens,1834; *versicolor* Kutschera,1860; *unicolor* Wetshoff,1881; *subunicolor* Pic,1918
- 9404) *Crepidodera aurea* (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *aurea* Geoffroy,1785; *cyanea* Marsham,1802; *metallica* Duftschmidt,1825; *gaudens* Stephens,1831; *laeta* Weise,1886; *splendens* Weise,1886; *purpurascens* Pic,1918; *syriaca* Pic,1918
- 9405) *Crepidodera fulvicornis* (Fabricius,1792)** (Chrysomelidae) Synonym(s): *fulvicornis* Fabricius,1792; *smaragdina* Foundras,1860; *pivicornis* Weise,1886; *jucunda* Weise,1886; *lapponica* Heikertinger,1950
- 9406) *Crepidodera lamina* (Bedel,1901)** (Chrysomelidae) Synonym(s): *lamina* Bedel,1901; *sapphirina* Weise,1886; *aeruginosa* Weise,1886; *cuprea* Weise,1886
- 9407) *Crepidodera nitidula* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *nitidula* Linnaeus,1758
- 9408) *Crepidodera plutus* (Latreille,1804)** (Chrysomelidae) Synonym(s): *plutus* Latreille,1804; *chloris* Foundras,1860; *foundrasi* Weise,1886; *punctatithorax* Pic,1918; *melanocera* Everts,1919
- 9409) *Crioceris asparagi* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *asparagi* Linnaeus,1758; *campestris* Linnaeus,1767; *pupillata* Ahrens,1812; *maculipes* Gebler,1834
- 9410) *Crioceris bicrucata* (Sahlberg,1823)** (Chrysomelidae) Synonym(s): *bicrucata* Sahlberg,1823; *merkli* Pic,1909
- 9411) *Crioceris duodecimguttata* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *duodecimguttata* Linnaeus,1758; *dodecastigma* Suffrian,1841
- 9412) *Crioceris paracanthesis* (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *paracanthesis* Linnaeus,1767
- 9413) *Crioceris quatuordecimpunctata* (Scopoli,1763)** (Chrysomelidae) Synonym(s): *quatuordecimpunctata* Scopoli,1763; *sibirica* Weise,1887
- 9414) *Crioceris sokolowi* Jacobson,1894** (Chrysomelidae) Synonym(s): *sokolowi* Jacobson,1894
- 9415) *Cryptocephalus amasiensis* Weise,1894** (Chrysomelidae) Synonym(s): *amasiensis* Weise,1894
- 9416) *Cryptocephalus angorensis* Pic,1908** (Chrysomelidae) Synonym(s): *angorensis* Pic,1908
- 9417) *Cryptocephalus araxidis* Weise,1898** (Chrysomelidae) Synonym(s): *araxidis* Weise,1898
- 9418) *Cryptocephalus aureolus* Suffrian,1847** (Chrysomelidae) Synonym(s): *aureolus* Suffrian,1847; *illyricus* Franz,1949
- 9419) *Cryptocephalus ayvazi* Gök & Sassi,2002** (Chrysomelidae) Synonym(s): *ayvazi* Gök & Sassi,2002
- 9420) *Cryptocephalus bicolor* Eschscholtz,1818** (Chrysomelidae) Synonym(s): *bicolor* Eschscholtz,1818; *concinus* Suffrian,1853
- 9421) *Cryptocephalus biguttatus* (Scopoli,1763)** (Chrysomelidae) Synonym(s): *biguttatus* Scopoli,1763
- 9422) *Cryptocephalus biledjekensis* Pic,1909** (Chrysomelidae) Synonym(s): *biledjekensis* Pic,1909

- 9423) *Cryptocephalus bipunctatus* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus,1758; *dispar* Paykull,1799
- 9424) *Cryptocephalus concolor* Suffrian,1847** (Chrysomelidae) Synonym(s): *concolor* Suffrian,1847
- 9425) *Cryptocephalus connexus* Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808
- 9426) *Cryptocephalus curda* Jacobson,1897** (Chrysomelidae) Synonym(s): *curda* Jacobson,1897
- 9427) *Cryptocephalus elegantulus* Gravenhorst,1807** (Chrysomelidae) Synonym(s): *elegantulus* Gravenhorst,1807...
- 9428) *Cryptocephalus flavipes* Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781
- 9429) *Cryptocephalus fulvus* (Goeze,1777)** (Chrysomelidae) Synonym(s): *fulvus* Goeze,1777
- 9430) *Cryptocephalus hypochoeridis* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853
- 9431) *Cryptocephalus imperialis* Laicharting,1781** (Chrysomelidae) Synonym(s): *imperialis* Laicharting,1781
- 9432) *Cryptocephalus janthinus* Germar,1824** (Chrysomelidae) Synonym(s): *janthinus* Germar,1824
- 9433) *Cryptocephalus labiatus* (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *labiatus* Linnaeus,1761; *exilis* Stephens,1834; *diagrammus* Suffrian,1848; *ocularis* Heyden,1863
- 9434) *Cryptocephalus moehringi* Weise,1884** (Chrysomelidae) Synonym(s): *moehringi* Weise,1884
- 9435) *Cryptocephalus moraei* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *moraei* Linnaeus,1758
- 9436) *Cryptocephalus ocellatus* Drapiez,1819** (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819
- 9437) *Cryptocephalus octasmus* Bedel,1891** (Chrysomelidae) Synonym(s): *octasmus* Bedel,1891
- 9438) *Cryptocephalus octomaculatus* Rossi,1790** (Chrysomelidae) Synonym(s): *octomaculatus* Rossi,1790
- 9439) *Cryptocephalus paphlagonius* Sassi & Kismali,2000** (Chrysomelidae) Synonym(s): *paphlagonius* Sassi & Kismali,2000
- 9440) *Cryptocephalus parvulus* Müller,1776** (Chrysomelidae) Synonym(s): *parvulus* Müller,1776
- 9441) *Cryptocephalus populi* Suffrian,1848** (Chrysomelidae) Synonym(s): *populi* Suffrian,1848
- 9442) *Cryptocephalus prusias* Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853
- 9443) *Cryptocephalus pygmaeus* Fabricius,1792** (Chrysomelidae) Synonym(s): *pygmaeus* Fabricius,1792
- 9444) *Cryptocephalus signatifrons* Suffrian,1847** (Chrysomelidae) Synonym(s): *signatifrons* Suffrian,1847
- 9445) *Cryptocephalus sultani* Pic,1920** (Chrysomelidae) Synonym(s): *sultani* Pic,1920
- 9446) *Cryptocephalus trimaculatus* (Rossi,1790)** (Chrysomelidae) Synonym(s): *trimaculatus* Rossi,1790
- 9447) *Cryptocephalus tshorumae* Tomov,1984** (Chrysomelidae) Synonym(s): *tshorumae* Tomov,1984
- 9448) *Cryptocephalus turcicus* Suffrian,1847** (Chrysomelidae) Synonym(s): *turcicus* Suffrian,1847; *pistaciae* Suffrian,1853
- 9449) *Cryptocephalus variceps* Weise,1884** (Chrysomelidae) Synonym(s): *variceps* Weise,1884
- 9450) *Cyrtanastes confusus* Berti & Daccordi,1974** (Chrysomelidae) Synonym(s): *confusus* Berti & Daccordi,1974
- 9451) *Cyrtanastes grandis* Lopatin,1994** (Chrysomelidae) Synonym(s): *grandis* Lopatin,1994
- 9452) *Cyrtanastes seriatopus* Fairmaire,1880** (Chrysomelidae) Synonym(s): *seriatopus* Fairmaire,1880
- 9453) *Derocrepis anatolica* Heikertinger,1922** (Chrysomelidae) Synonym(s): *anatolica* Heikertinger,1922
- 9454) *Derocrepis delangrei* Pic,1903** (Chrysomelidae) Synonym(s): *delangrei* Pic,1903
- 9455) *Derocrepis laterufa* Pic,1909** (Chrysomelidae) Synonym(s): *laterufa* Pic,1909; *obscuricolor* Pic,1911
- 9456) *Derocrepis rufipes* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *rufipes* Linnaeus,1758; *ruficornis* Fabricius,1792; *obscura* Weise,1886; *latithorax* Pic,1911
- 9457) *Derocrepis serbica* (Kutschera,1860)** (Chrysomelidae) Synonym(s): *serbica* Kutschera,1860; *strangulata* Allard,1860; *bicolor* Weise,1886
- 9458) *Derocrepis whiteheadi* Warchalowski,1998** (Chrysomelidae) Synonym(s): *whiteheadi* Warchalowski,1998
- 9459) *Dibolia carpathica* Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893; *transcaucasica* Khnzorian,1968
- 9460) *Dibolia cryptocephala* (Koch,1803)** (Chrysomelidae) Synonym(s): *cryptocephala* Koch,1803
- 9461) *Dibolia cynoglossi* (Koch,1803)** (Chrysomelidae) Synonym(s): *cynoglossi* Koch,1803; *paludina* Foudras,1860; *marrubii* Hering,1924
- 9462) *Dibolia depressiuscula* (Letzner,1847)** (Chrysomelidae) Synonym(s): *depressiuscula* Letzner,1847; *laevicollis* Foudras,1860
- 9463) *Dibolia femoralis* Redtenbacher,1849** (Chrysomelidae) Synonym(s): *femoralis* Redtenbacher,1849; *aurichalcea* Förster,1849; *erythrogaster* Allard,1861; *theresae* Pic,1909
- 9464) *Dibolia kralii* Mohr,1981** (Chrysomelidae) Synonym(s): *kralii* Mohr,1981
- 9465) *Dibolia numidica* Doguet,1971** (Chrysomelidae) Synonym(s): *numidica* Doguet,1971

- 9466) *Dibolia occultans* (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans* Koch,1803; *menthae* Hering,1924
- 9467) *Dibolia phoenicia* Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia* Allard,1866
- 9468) *Dibolia rufofemorata* Reitter,1896** (Chrysomelidae) Synonym(s): *rufofemorata* Reitter,1896
- 9469) *Dibolia rugulosa* Redtenbacher,1849** (Chrysomelidae) Synonym(s): *rugulosa* Redtenbacher,1849
- 9470) *Dibolia schillingii* (Letzner,1847)** (Chrysomelidae) Synonym(s): *schillingii* Letzner,1847; *punctillata* Foudras,1860; *ciliciensis* Heikertinger,1911
- 9471) *Dibolia timida* (Illiger,1807)** (Chrysomelidae) Synonym(s): *timida* Illiger,1807; *eryngii* Bach,1859; *oranensis* Pic,1909
- 9472) *Dibolia tricolor* Reitter,1899** (Chrysomelidae) Synonym(s): *tricolor* Reitter,1899
- 9473) *Dibolia zangezurica* Khnzorian,1968** (Chrysomelidae) Synonym(s): *zangezurica* Khnzorian,1968
- 9474) *Diorhabda carinata* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837
- 9475) *Diorhabda elongata* (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852
- 9476) *Diorhabda fischeri* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *fischeri* Faldermann,1837
- 9477) *Entomoscelis adonidis* (Pallas,1771)** (Chrysomelidae) Synonym(s): *adonidis* Pallas,1771; *abdominalis* Netolitzki,1912
- 9478) *Entomoscelis sacra* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *sacra* Linnaeus,1758
- 9479) *Entomoscelis suturalis* Weise,1882** (Chrysomelidae) Synonym(s): *suturalis* Weise,1882
- 9480) *Epitrix abeillei* (Bauduer,1874)** (Chrysomelidae) Synonym(s): *abeillei* Bauduer,1874
- 9481) *Epitrix atropae* Foudras,1860** (Chrysomelidae) Synonym(s): *atropae* Foudras,1860
- 9482) *Epitrix caucasica* (Heikertinger,1950)** (Chrysomelidae) Synonym(s): *caucasica* Heikertinger,1950
- 9483) *Epitrix dieckmanni* (Mohr,1968)** (Chrysomelidae) Synonym(s): *dieckmanni* Mohr,1968
- 9484) *Epitrix hirtipennis* (Melsheimer,1847)** (Chrysomelidae) Synonym(s): *hirtipennis* Melsheimer,1847
- 9485) *Epitrix intermedia* Foudras,1860** (Chrysomelidae) Synonym(s): *intermedia* Foudras,1860
- 9486) *Epitrix pubescens* (Koch,1803)** (Chrysomelidae) Synonym(s): *pubescens* Koch,1803; *ferruginea* Weise,1886; *suturalis* Bedel,1897; *lenkorana* Pic,1903
- 9487) *Gastrophysa polygoni* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygoni* Linnaeus,1758
- 9488) *Gastrophysa viridula* (DeGeer,1775)** (Chrysomelidae) Synonym(s): *viridula* DeGeer,1775; *caucasica* Jolivet,1951
- 9489) *Gonioctena fornicata* (Brüggemann,1873)** (Chrysomelidae) Synonym(s): *fornicata* Brüggemann,1873; *sempunctata* Joakimov,1904
- 9490) *Gonioctena linnaeana* (Schränk,1781)** (Chrysomelidae) Synonym(s): *linnaeana* Schränk,1781; *decastigma* Dftschmidt,1825; *triandrae* Suffrian,1851
- 9491) *Gonioctena rufipes* (DeGeer,1775)** (Chrysomelidae) Synonym(s): *rufipes* DeGeer,1775
- 9492) *Hermaeophaga mercurialis* (Fabricius,1792)** (Chrysomelidae) Synonym(s): *mercurialis* Fabricius,1792
- 9493) *Hermaeophaga ruficollis* (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849
- 9494) *Hippuriphila modeeri* (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *modeeri* Linnaeus,1761; *chrysopygis* Beck,1817; *mancula* Leconte,1861; *bimaculata* Weise,1886; *chalybaea* Weise,1886; *praescutellaris* Pic,1909; *laevicollis* Hellen,1933
- 9495) *Hispa atra* Linnaeus,1767** (Chrysomelidae) Synonym(s): *atra* Linnaeus,1767; *cariosa* Reiche & Saulcy,1858; *algira* Motschoulsky,1860; *aptera* Motschoulsky,1860; *minuta* Balbi,1892; *balbii* Donckier,1899
- 9496) *Hydrothassa flavocincta* (Brullé,1832)** (Chrysomelidae) Synonym(s): *flavocincta* Brullé,1832
- 9497) *Hydrothassa glabra* (Herbst,1783)** (Chrysomelidae) Synonym(s): *glabra* Herbst,1783; *aucta* Fabricius,1787; *egena* Suffrian,1851 nec Gyll.,1827; *umhangi* Wehncke,1866
- 9498) *Hypocassida subferruginea* (Schränk,1776)** (Chrysomelidae) Synonym(s): *subferruginea* Schränk,1776
- 9499) *Ischyronota desertorum* (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum* Gebler,1833
- 9500) *Labidostomis* (s.str.) *asiatica* Faldermann,1837** (Chrysomelidae) Synonym(s): *asiatica* Faldermann,1837
- 9501) *Labidostomis* (s.str.) *basanica* Sahlberg,1913** (Chrysomelidae) Synonym(s): *basanica* Sahlberg,1913
- 9502) *Labidostomis* (s.str.) *brevipennis* Faldermann,1837** (Chrysomelidae) Synonym(s): *brevipennis* Faldermann,1837; *armeniaca* Lacordaire,1848; *taurica* Lacordaire,1848
- 9503) *Labidostomis* (s.str.) *cyanicornis* Germar,1822** (Chrysomelidae) Synonym(s): *cyanicornis* Germar,1822; *fulvipennis* Lacordaire,1848; *dimidiaticornis* Lacordaire,1848; *hungarica* Lacordaire,1848; *salicis* Lacordaire,1848;
- 9504) *Labidostomis* (s.str.) *dallipennis* (Gebler,1830)** (Chrysomelidae) Synonym(s): *dallipennis* Gebler,1830; *chalybeicornis* Brullé,1832; *longipennis* Gebler,1841; *distinguenda* Rosenhauer,1847; *elongata* Lacordaire,1848; *pilicollis* Lacordaire,1848; *sicula* Kraatz,1872
- 9505) *Labidostomis* (s.str.) *decipiens* Faldermann,1837** (Chrysomelidae) Synonym(s): *decipiens* Faldermann,1837; *lineola* Redtenbacher,1843

- 9506) Labidostomis (s.str.) diversifrons Lefebvre,1876** (Chrysomelidae) Synonym(s): *diversifrons* Lefebvre,1876; *speculifrons* Kraatz,1872; *attenuata* Pic,1897
- 9507) Labidostomis (s.str.) hebraea (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *hebraea* Lacordaire,1848; *limbata* Lacordaire,1848; *jota* Reiche,1854; *posticejuncta* Pic,1912; *bijuncta* Pic,1912; *bisbijuncta* Pic,1912
- 9508) Labidostomis (s.str.) humeralis (Schneider,1792)** (Chrysomelidae) Synonym(s): *humeralis* Schneider,1792; *impressihumera* Lacordaire,1848
- 9509) Labidostomis (s.str.) karamanica Weise,1900** (Chrysomelidae) Synonym(s): *karamanica* Weise,1900; *cyprius* Lopatin,1962
- 9510) Labidostomis (s.str.) korbi Weise,1901** (Chrysomelidae) Synonym(s): *korbi* Weise,1901
- 9511) Labidostomis (s.str.) longimana (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *longimana* Linnaeus,1761; *pallida* Fourcroy,1785; *tridentata* Panzer,1793; *dalmatina* Lacordaire,1848; *uralensis* Lacordaire,1848; *glycyrrhizae* Becher,1880; *caucasica* Medvedev,1962
- 9512) Labidostomis (s.str.) lucida (Germar,1824)** (Chrysomelidae) Synonym(s): *lucida* Germar,1824; *fulgida* Lacordaire,1848; *albipennis* Lacordaire,1848; *axillaris* Lacordaire,1848; *laticollis* Lacordaire,1848; *sareptana* Kraatz,1872
- 9513) Labidostomis (s.str.) maculipennis Lefebvre,1870** (Chrysomelidae) Synonym(s): *maculipennis* Lefebvre,1870; *kindermanni* Kraatz,1872
- 9514) Labidostomis (s.str.) mesopotamica Heyden,1886** (Chrysomelidae) Synonym(s): *mesopotamica* Heyden,1886; *escherichi* Weise,1897; *frontalis* Weise,1900; *iconiensis* Weise,1900
- 9515) Labidostomis (s.str.) metallica Lefebvre,1872** (Chrysomelidae) Synonym(s): *metallica* Lefebvre,1872
- 9516) Labidostomis (s.str.) oertzeni Weise,1889** (Chrysomelidae) Synonym(s): *oertzeni* Weise,1889; *heteromalla* Lefebvre,1889; *villosula* Weise,1900
- 9517) Labidostomis (s.str.) peregrina Weise,1900** (Chrysomelidae) Synonym(s): *peregrina* Weise,1900
- 9518) Labidostomis (s.str.) propinqua Faldermann,1837** (Chrysomelidae) Synonym(s): *propinqua* Faldermann,1837; *binotata* Waltl,1838; *steveni* Waltl,1848; *arnoldii* Medvedev,1962
- 9519) Labidostomis (s.str.) rufa (Waltl,1838)** (Chrysomelidae) Synonym(s): *rufa* Waltl,1838
- 9520) Labidostomis (s.str.) senicula Kraatz,1872** (Chrysomelidae) Synonym(s): *senicula* Kraatz,1872; *nitida* Ballion,1878; *albida* Jacobson,1894; *turcomanica* Lopatin,1954
- 9521) Labidostomis (s.str.) subfasciata Weise,1885** (Chrysomelidae) Synonym(s): *subfasciata* Weise,1885; *trigemina* Weise,1898
- 9522) Labidostomis (s.str.) sulcicollis (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *sulcicollis* Lacordaire,1848; *kaszabi* Medvedev,1962
- 9523) Labidostomis (s.str.) testaceipes Pic,1904** (Chrysomelidae) Synonym(s): *testaceipes* Pic,1904; *delagrangei* Pic,1904; *robusta* Reineck,1911
- 9524) Lachnaia sexpunctata (Scopoli,1763)** (Chrysomelidae) Synonym(s): *sexpunctata* Scopoli,1763; *longipes* Fabricius,1775
- 9525) Leptinotarsa decemlineata (Say,1824)** (Chrysomelidae) Synonym(s): *decemlineata* Say,1824
- 9526) Lilioceris faldermanni (Guérin-Ménéville,1829)** (Chrysomelidae) Synonym(s): *faldermanni* Guérin-Ménéville,1829; *cornuta* Faldermann,1837
- 9527) Longitarsus absynthii Kutschera,1862** (Chrysomelidae) Synonym(s): *absynthii* Kutschera,1862
- 9528) Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis* Marsham,1802 nec Fabr.,1775; *aeneicollis* Faldermann,1837; *nigricollis* Foudras,1860; *rubenticollis* Allard,1860; *similis* Weise,1893; *cribripennis* Abeille,1909
- 9529) Longitarsus albineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *albineus* Foudras,1860
- 9530) Longitarsus alfieri (Pic,1923)** (Chrysomelidae) Synonym(s): *alfieri* Pic,1923; *antineae* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982
- 9531) Longitarsus anatolicus Weise,1900** (Chrysomelidae) Synonym(s): *anatolicus* Weise,1900
- 9532) Longitarsus anchusae (Paykull,1799)** (Chrysomelidae) Synonym(s): *anchusae* Paykull,1799; *punctatissimus* Weise,1888
- 9533) Longitarsus angelikae Fritzlar,2001** (Chrysomelidae) Synonym(s): *angelikae* Fritzlar,2001
- 9534) Longitarsus angorensis Gruev & Kasap,1985** (Chrysomelidae) Synonym(s): *angorensis* Gruev & Kasap,1985
- 9535) Longitarsus aramaicus Leonardi,1979** (Chrysomelidae) Synonym(s): *aramaicus* Leonardi,1979
- 9536) Longitarsus artvinus Gruev & Aslan,1998** (Chrysomelidae) Synonym(s): *artvinus* Gruev & Aslan,1998
- 9537) Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus* Linnaeus,1761; *declivis* Weise,1893
- 9538) Longitarsus auboaorum Biondi,1997** (Chrysomelidae) Synonym(s): *auboaorum* Biondi,1997
- 9539) Longitarsus audisioi Biondi,1992** (Chrysomelidae) Synonym(s): *audisioi* Biondi,1992
- 9540) Longitarsus ballotae (Marsham,1802)** (Chrysomelidae) Synonym(s): *ballotae* Marsham,1802; *canescens* Foudras,1860; *septorum* Buysson,1908; *#caligans* Kral,1945

- 9541) Longitarsus barbarae Doguet & Bergeal, 2002** (Chrysomelidae) Synonym(s): *barbarae* Doguet & Bergeal, 2002
- 9542) Longitarsus bertii Leonhardi, 1973** (Chrysomelidae) Synonym(s): *bertii* Leonhardi, 1973
- 9543) Longitarsus brisouti Heikertinger, 1912** (Chrysomelidae) Synonym(s): *brisouti* Heikertinger, 1912
- 9544) Longitarsus bytinskii Furth, 1979** (Chrysomelidae) Synonym(s): *bytinskii* Furth, 1979
- 9545) Longitarsus callidus Warchalowski, 1967** (Chrysomelidae) Synonym(s): *callidus* Warchalowski, 1967
- 9546) Longitarsus celticus Leonhardi, 1975** (Chrysomelidae) Synonym(s): *celticus* Leonhardi, 1975
- 9547) Longitarsus cerinthes (Schränk, 1798)** (Chrysomelidae) Synonym(s): *cerinthes* Schränk, 1798; *nervosa* Wollaston, 1854; *pectoralis* Foudras, 1860
- 9548) Longitarsus corpulentus Weise, 1887** (Chrysomelidae) Synonym(s): *corpulentus* Weise, 1887
- 9549) Longitarsus echii (Koch, 1803)** (Chrysomelidae) Synonym(s): *echii* Koch, 1803; *tibialis* Duftschmidt, 1825; *excurvus* Wollaston, 1854; *flavipes* Allard, 1860; *coerulescens* Weise, 1888; *nigrescens* Weise, 1888; *peregrinus* Weise, 1888; *kulikovskii* Jacobson, 1895
- 9550) Longitarsus eminus Warchalowski, 1967** (Chrysomelidae) Synonym(s): *eminus* Warchalowski, 1967
- 9551) Longitarsus exsoletus (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *exsoletus* Linnaeus, 1758; *femoralis* Marsham, 1802; *boppardiensis* Bach, 1856; *rufula* Foudras, 1860; *megaloleuca* Allard, 1860; *lividus* Fauvel, 1888; *arctulus* Weise, 1893
- 9552) Longitarsus fallax Weise, 1888** (Chrysomelidae) Synonym(s): *dimidiata* Allard, 1866 *nec* Stph., 1834; *fallax* Weise, 1888; *nitens* Khnzorian, 1968; *cynoglossi* Palij, 1970 *nec* Marshm., 1802
- 9553) Longitarsus foudrasi Weise, 1893** (Chrysomelidae) Synonym(s): *foudrasi* Weise, 1893
- 9554) Longitarsus fuscoaeus Redtenbacher, 1859** (Chrysomelidae) Synonym(s): *fuscoaeus* Redtenbacher, 1859
- 9555) Longitarsus ganglbaueri Haikertinger, 1912** (Chrysomelidae) Synonym(s): *ganglbaueri* Haikertinger, 1912
- 9556) Longitarsus hittita Biondi, 1995** (Chrysomelidae) Synonym(s): *hittita* Biondi, 1995
- 9557) Longitarsus iconiensis Weise, 1900** (Chrysomelidae) Synonym(s): *iconiensis* Weise, 1900; *angorensis* Gruev & Kasap, 1985
- 9558) Longitarsus jacobaeae (Waterhouse, 1858)** (Chrysomelidae) Synonym(s): *jacobaeae* Waterhouse, 1858
- 9559) Longitarsus jailensis Heikertinger, 1913** (Chrysomelidae) Synonym(s): *jailensis* Heikertinger, 1913
- 9560) Longitarsus juncicola (Foudras, 1860)** (Chrysomelidae) Synonym(s): *juncicola* Foudras, 1860
- 9561) Longitarsus karlheini Warchalowski, 1972** (Chrysomelidae) Synonym(s): *karlheini* Warchalowski, 1972
- 9562) Longitarsus kopdagensis Gruev & Aslan, 1998** (Chrysomelidae) Synonym(s): *kopdagensis* Gruev & Aslan, 1998
- 9563) Longitarsus kutscherae (Rey, 1892)** (Chrysomelidae) Synonym(s): *kutscherae* Rey, 1892
- 9564) Longitarsus lateripunctatus Rosenhauer, 1856** (Chrysomelidae) Synonym(s): *lateripunctatus* Rosenhauer, 1856; *personatus* Weise, 1893
- 9565) Longitarsus ledouxii Doguet, 1979** (Chrysomelidae) Synonym(s): *ledouxii* Doguet, 1979
- 9566) Longitarsus lewisii (Baly, 1874)** (Chrysomelidae) Synonym(s): *lewisii* Baly, 1874
- 9567) Longitarsus linnaei (Duftschmid, 1825)** (Chrysomelidae) Synonym(s): *linnaei* Duftschmid, 1825
- 9568) Longitarsus longipennis Kutschera, 1836** (Chrysomelidae) Synonym(s): *longipennis* Kutschera, 1836
- 9569) Longitarsus luridus (Scopoli, 1763)** (Chrysomelidae) Synonym(s): *luridus* Scopoli, 1763
- 9570) Longitarsus lycopi (Foudras, 1860)** (Chrysomelidae) Synonym(s): *lycopi* Foudras, 1860
- 9571) Longitarsus melanocephalus (De Geer, 1775)** (Chrysomelidae) Synonym(s): *melanocephalus* De Geer, 1775
- 9572) Longitarsus membranaceus (Foudras, 1860)** (Chrysomelidae) Synonym(s): *membranaceus* Foudras, 1860
- 9573) Longitarsus minusculus (Foudras, 1860)** (Chrysomelidae) Synonym(s): *minusculus* Foudras, 1860
- 9574) Longitarsus niger (Koch, 1803)** (Chrysomelidae) Synonym(s): *niger* Koch, 1803
- 9575) Longitarsus nigrofasciatus (Goeze, 1777)** (Chrysomelidae) Synonym(s): *nigrofasciatus* Goeze, 1777
- 9576) Longitarsus nimrodi Furth, 1979** (Chrysomelidae) Synonym(s): *nimrodi* Furth, 1979
- 9577) Longitarsus obliterated (Rosenhauer, 1847)** (Chrysomelidae) Synonym(s): *obliterated* Rosenhauer, 1847; *meridionalis* Cziki & Heikertinger, 1940
- 9578) Longitarsus ochroleucus (Marsham, 1802)** (Chrysomelidae) Synonym(s): *ochroleucus* Marsham, 1802
- 9579) Longitarsus parvulus (Paykull, 1799)** (Chrysomelidae) Synonym(s): *parvulus* Paykull, 1799
- 9580) Longitarsus pellucidus (Foudras, 1860)** (Chrysomelidae) Synonym(s): *pellucidus* Foudras, 1860
- 9581) Longitarsus picicollis Weise, 1900** (Chrysomelidae) Synonym(s): *picicollis* Weise, 1900

- 9582) Longitarsus pinguis Weise,1888** (Chrysomelidae) Synonym(s): *pinguis* Weise,1888
- 9583) Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): *pratensis* Panzer,1794
- 9584) Longitarsus quadriguttatus (Pontoppidan,1765)** (Chrysomelidae) Synonym(s): *quadriguttatus* Pontoppidan,1765
- 9585) Longitarsus rectilineatus (Foudras,1860)** (Chrysomelidae) Synonym(s): *rectilineatus* Foudras,1860
- 9586) Longitarsus reichei (Allard,1860)** (Chrysomelidae) Synonym(s): *reichei* Allard,1860
- 9587) Longitarsus salviae Gruev,1975** (Chrysomelidae) Synonym(s): *salviae* Gruev,1975
- 9588) Longitarsus scutellaris (Rey,1874)** (Chrysomelidae) Synonym(s): *scutellaris* Rey,1874
- 9589) Longitarsus succineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *succineus* Foudras,1860
- 9590) Longitarsus suturellus (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *suturellus* Duftschmid,1825
- 9591) Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tabidus* Fabricius,1775
- 9592) Longitarsus trepidus Warchalowski,1973** (Chrysomelidae) Synonym(s): *trepidus* Warchalowski,1973
- 9593) Longitarsus truncatellus Weise,1890** (Chrysomelidae) Synonym(s): *truncatellus* Weise,1890
- 9594) Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): *violentus* Weise,1893
- 9595) Luperus turcicus Medvedev,1975** (Chrysomelidae) Synonym(s): *turcicus* Medvedev,1975
- 9596) Macrocoma doboszi Borowiec,2005** (Chrysomelidae) Synonym(s): *doboszi* Borowiec,2005
- 9597) Macrolenes dentipes (Olivier,1808)** (Chrysomelidae) Synonym(s): *bimaculatus* Rossi,1790 nec Fabr.,1781; *ruficollis* Fabricius,1792 nec Fabr.,1775; *dentipes* Olivier,1808
- 9598) Mantura chrysanthemi (Koch,1803)** (Chrysomelidae) Synonym(s): *chrysanthemi* Koch,1803
- 9599) Mantura cylindrica Miller,1880** (Chrysomelidae) Synonym(s): *cylindrica* Miller,1880
- 9600) Mantura rustica (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *rustica* Linnaeus,1767
- 9601) Mniophila turcica Medvedev,1970** (Chrysomelidae) Synonym(s): *turcica* Medvedev,1970
- 9602) Neocrepidodera crassicornis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *crassicornis* Faldermann,1837
- 9603) Neocrepidodera ferruginea (Scopoli,1763)** (Chrysomelidae) Synonym(s): *ferruginea* Scopoli,1763
- 9604) Neocrepidodera impressa (Fabricius,1801)** (Chrysomelidae) Synonym(s): *impressa* Fabricius,1801
- 9605) Neocrepidodera motschulskyi Konstantinov,1991** (Chrysomelidae) Synonym(s): *motschulskyi* Konstantinov,1991
- 9606) Neocrepidodera nigritula (Gyllenhal,1813)** (Chrysomelidae) Synonym(s): *nigritula* Gyllenhal,1813
- 9607) Neocrepidodera transversa (Marsham,1802)** (Chrysomelidae) Synonym(s): *transversa* Marsham,1802
- 9608) Ochrosis ventralis (Illiger,1807)** (Chrysomelidae) Synonym(s): *ventralis* Illiger,1807
- 9609) Orestia loebli Biondi,1992** (Chrysomelidae) Synonym(s): *loebli* Biondi,1992
- 9610) Orestia olympica Frivaldsky,1884** (Chrysomelidae) Synonym(s): *olympica* Frivaldsky,1884
- 9611) Orestia oselliana Leonardi,1977** (Chrysomelidae) Synonym(s): *oselliana* Leonardi,1977
- 9612) Pachybrachis (s.str.) adaliensis Weise,1886** (Chrysomelidae) Synonym(s): *adaliensis* Weise,1886
- 9613) Pachybrachis (s.str.) akbesianus Pic,1907** (Chrysomelidae) Synonym(s): *akbesianus* Pic,1907
- 9614) Pachybrachis (s.str.) anatolicus Lopatin,1985** (Chrysomelidae) Synonym(s): *anatolicus* Lopatin,1985
- 9615) Pachybrachis (s.str.) bodemeyeri Weise,1906** (Chrysomelidae) Synonym(s): *bodemeyeri* Weise,1906; *#humeralis* Burlini,1968; *#anteconnexus* Burlini,1968
- 9616) Pachybrachis (s.str.) cordatus Sassi & Schöller,2003** (Chrysomelidae) Synonym(s): *cordatus* Sassi & Schöller,2003
- 9617) Pachybrachis (s.str.) excisus Weise,1897** (Chrysomelidae) Synonym(s): *excisus* Weise,1897
- 9618) Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852
- 9619) Pachybrachis (s.str.) glycirrhizae (Olivier,1808)** (Chrysomelidae) Synonym(s): *glycirrhizae* Olivier,1808; *transcaspicus* Breit,1921
- 9620) Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882
- 9621) Pachybrachis (s.str.) mardinensis Weise,1900** (Chrysomelidae) Synonym(s): *mardinensis* Weise,1900; *seidenstueckeri* Kippenberg,1974
- 9622) Pachybrachis (s.str.) mendax Suffrian,1860** (Chrysomelidae) Synonym(s): *mendax* Suffrian,1860; *probus* Weise,1882; *dissecticeps* Roubal,1916; *sibiricus* Lopatin,1962
- 9623) Pachybrachis (s.str.) nitidicollis Weise,1894** (Chrysomelidae) Synonym(s): *nitidicollis* Weise,1894

- 9624) *Pachybrachis* (s.str.) *scripticollis* Faldermann,1837** (Chrysomelidae) Synonym(s): *scripticollis* Faldermann,1837; *israelita* Tappes,1871; *arisi* Pic,1908; *letourneuxi* Pic,1900; *pentheri* Ganglbauer,1905
- 9625) *Pachybrachis* (s.str.) *sinuatus* Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882
- 9626) *Pachybrachis* (s.str.) *tessellatus* (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier,1791; *tauricus* Suffrian,1848; *bisignatus* Redtenbacher,1849; *aethiops* Weise,1882; *picturatus* Rey,1883; *orientalis* Weise,1894; *syriacus* Weise,1900; *melanopygus* Müller,1953
- 9627) *Pachybrachis* (s.str.) *velarum* Warchalowski,1998** (Chrysomelidae) Synonym(s): *velarum* Warchalowski,1998
- 9628) *Phaedon armoraciae* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *armoraciae* Linnaeus,1758
- 9629) *Phaedon cochleariae* (Fabricius,1792)** (Chrysomelidae) Synonym(s): *cochleariae* Fabricius,1792
- 9630) *Phaedon pyritosus* (Rossi,1792)** (Chrysomelidae) Synonym(s): *pyritosus* Rossi,1792
- 9631) *Phratora horioni* (Mohr,1968)** (Chrysomelidae) Synonym(s): *horioni* Mohr,1968
- 9632) *Phratora laticollis* (Suffrian,1851)** (Chrysomelidae) Synonym(s): *laticollis* Suffrian,1851
- 9633) *Phratora tibialis* (Suffrian,1851)** (Chrysomelidae) Synonym(s): *tibialis* Suffrian,1851
- 9634) *Phratora vitellinae* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *vitellinae* Linnaeus,1758
- 9635) *Phratora vulgatissima* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *vulgatissima* Linnaeus,1758
- 9636) *Phyllobrotica binotata* Ogloblin,1936** (Chrysomelidae) Synonym(s): *binotata* Ogloblin,1936; *aslani* Warchalowski,1998
- 9637) *Phyllotreta acutecarinata* Heikertinger,1941** (Chrysomelidae) Synonym(s): *acutecarinata* Heikertinger,1941
- 9638) *Phyllotreta astrachanica* Lopatin,1977** (Chrysomelidae) Synonym(s): *astrachanica* Lopatin,1977
- 9639) *Phyllotreta atra* (Fabricius,1775)** (Chrysomelidae) Synonym(s): *atra* Fabricius,1775
- 9640) *Phyllotreta balcanica* Heikertinger,1909** (Chrysomelidae) Synonym(s): *balcanica* Heikertinger,1909
- 9641) *Phyllotreta bolognai* Biondi,1992** (Chrysomelidae) Synonym(s): *bolognai* Biondi,1992
- 9642) *Phyllotreta caucasicola* Heikertinger,1941** (Chrysomelidae) Synonym(s): *caucasicola* Heikertinger,1941
- 9643) *Phyllotreta corrugata* Reiche,1858** (Chrysomelidae) Synonym(s): *corrugata* Reiche,1858
- 9644) *Phyllotreta cruciferae* (Goeze,1777)** (Chrysomelidae) Synonym(s): *cruciferae* Goeze,1777
- 9645) *Phyllotreta dacica* Heikertinger,1941** (Chrysomelidae) Synonym(s): *dacica* Heikertinger,1941
- 9646) *Phyllotreta diademata* Foudras,1860** (Chrysomelidae) Synonym(s): *diademata* Foudras,1860
- 9647) *Phyllotreta egridirensis* Gruev & Kasap,1985** (Chrysomelidae) Synonym(s): *egridirensis* Gruev & Kasap,1985
- 9648) *Phyllotreta erysimi* Weise,1900** (Chrysomelidae) Synonym(s): *erysimi* Weise,1900
- 9649) *Phyllotreta fallaciosa* Heikertinger,1941** (Chrysomelidae) Synonym(s): *fallaciosa* Heikertinger,1941
- 9650) *Phyllotreta judaea* Pic,1901** (Chrysomelidae) Synonym(s): *judaea* Pic,1901
- 9651) *Phyllotreta latevittata* Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata* Kutschera,1860
- 9652) *Phyllotreta maculicornis* Pic,1906** (Chrysomelidae) Synonym(s): *maculicornis* Pic,1906
- 9653) *Phyllotreta nemorum* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *nemorum* Linnaeus,1758
- 9654) *Phyllotreta nigripes* (Fabricius,1775)** (Chrysomelidae) Synonym(s): *nigripes* Fabricius,1775
- 9655) *Phyllotreta nodicornis* (Marsham,1802)** (Chrysomelidae) Synonym(s): *nodicornis* Marsham,1802
- 9656) *Phyllotreta ochripes* (Curtis,1837)** (Chrysomelidae) Synonym(s): *ochripes* Curtis,1837
- 9657) *Phyllotreta oltuensis* Gruev & Aslan,1998** (Chrysomelidae) Synonym(s): *oltuensis* Gruev & Aslan,1998
- 9658) *Phyllotreta ozbeki* Gruev & Aslan,1998** (Chrysomelidae) Synonym(s): *ozbeki* Gruev & Aslan,1998
- 9659) *Phyllotreta pallidipennis* Reitter,1891** (Chrysomelidae) Synonym(s): *pallidipennis* Reitter,1891
- 9660) *Phyllotreta pontoaegica* Gruev,1982** (Chrysomelidae) Synonym(s): *pontoaegica* Gruev,1982
- 9661) *Phyllotreta praticola* Weise,1887** (Chrysomelidae) Synonym(s): *praticola* Weise,1887
- 9662) *Phyllotreta procera* (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *procera* Redtenbacher,1849
- 9663) *Phyllotreta punctulata* (Marsham,1802)** (Chrysomelidae) Synonym(s): *punctulata* Marsham,1802
- 9664) *Phyllotreta sisymbrii* Weise,1888** (Chrysomelidae) Synonym(s): *sisymbrii* Weise,1888
- 9665) *Phyllotreta striolata* (Fabricius,1803)** (Chrysomelidae) Synonym(s): *striolata* Fabricius,1803
- 9666) *Phyllotreta tetrastigma* (Comolli,1837)** (Chrysomelidae) Synonym(s): *tetrastigma* Comolli,1837
- 9667) *Phyllotreta toelgi* Heikertinger,1941** (Chrysomelidae) Synonym(s): *toelgi* Heikertinger,1941
- 9668) *Phyllotreta undulata* Kutschera,1860** (Chrysomelidae) Synonym(s): *undulata* Kutschera,1860
- 9669) *Phyllotreta variipennis* (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *variipennis* Boieldieu,1859

- 9670) Phyllotreta vilis Weise,1888** (Chrysomelidae) Synonym(s): *vilis* Weise,1888
- 9671) Phyllotreta vittula (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *vittula* Redtenbacher,1849
- 9672) Phyllotreta weiseana Jacobson,1901** (Chrysomelidae) Synonym(s): *weiseana* Jacobson,1901
- 9673) Plagiodera versicolora (Laicharting,1781)** (Chrysomelidae) Synonym(s): *versicolora* Laicharting,1781
- 9674) Plagiosterna aenea (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *aenea* Linnaeus,1758
- 9675) Podagrica fuscicornis (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *fuscicornis* Linnaeus,1767
- 9676) Podagrica malvae (Illiger,1807)** (Chrysomelidae) Synonym(s): *malvae* Illiger,1807
- 9677) Podagrica menetriesi (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi* Faldermann,1837
- 9678) Prasocuris junci (Brahm,1790)** (Chrysomelidae) Synonym(s): *junci* Brahm,1790; *beccabungae* Küster,1846; *minutus* Markovic,1909
- 9679) Prasocuris phellandrii (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *phellandrii* Linnaeus,1758
- 9680) Psylliodes affinis (Paykull,1799)** (Chrysomelidae) Synonym(s): *affinis* Paykull,1799
- 9681) Psylliodes aristus Jablokoff-Khnzorian,1962** (Chrysomelidae) Synonym(s): *aristus* Jablokoff-Khnzorian,1962
- 9682) Psylliodes attenuatus (Koch,1803)** (Chrysomelidae) Synonym(s): *attenuatus* Koch,1803
- 9683) Psylliodes chalcomerus (Illiger,1807)** (Chrysomelidae) Synonym(s): *chalcomerus* Illiger,1807
- 9684) Psylliodes chrysocephalus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *chrysocephalus* Linnaeus,1758
- 9685) Psylliodes circumdatus (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *circumdatus* Redtenbacher,1842
- 9686) Psylliodes cupreus (Koch,1803)** (Chrysomelidae) Synonym(s): *cupreus* Koch,1803
- 9687) Psylliodes dogueti Warchalowski,1993** (Chrysomelidae) Synonym(s): *dogueti* Warchalowski,1993
- 9688) Psylliodes dulcamarae (Koch,1803)** (Chrysomelidae) Synonym(s): *dulcamarae* Koch,1803
- 9689) Psylliodes ellipticus Allard,1861** (Chrysomelidae) Synonym(s): *ellipticus* Allard,1861
- 9690) Psylliodes hyoscyami (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hyoscyami* Linnaeus,1758
- 9691) Psylliodes illyricus Leonardi & Gruev,1993** (Chrysomelidae) Synonym(s): *illyricus* Leonardi & Gruev,1993
- 9692) Psylliodes inflatus Reiche,1856** (Chrysomelidae) Synonym(s): *inflatus* Reiche,1856
- 9693) Psylliodes instabilis Foudras,1860** (Chrysomelidae) Synonym(s): *instabilis* Foudras,1860
- 9694) Psylliodes isatidis Heikertinger,1912** (Chrysomelidae) Synonym(s): *isatidis* Heikertinger,1912
- 9695) Psylliodes kiesenwetteri Kutschera,1867** (Chrysomelidae) Synonym(s): *kiesenwetteri* Kutschera,1867
- 9696) Psylliodes luteolus (O.F.Müller,1776)** (Chrysomelidae) Synonym(s): *luteolus* O.F.Müller,1776
- 9697) Psylliodes marcidus (Illiger,1807)** (Chrysomelidae) Synonym(s): *marcidus* Illiger,1807
- 9698) Psylliodes milleri Kutschera,1864** (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864
- 9699) Psylliodes napi (Fabricius,1792)** (Chrysomelidae) Synonym(s): *napi* Fabricius,1792
- 9700) Psylliodes ozisiki Leonardi & Arnold,1995** (Chrysomelidae) Synonym(s): *ozisiki* Leonardi & Arnold,1995
- 9701) Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903
- 9702) Psylliodes saulcyi Allard,1867** (Chrysomelidae) Synonym(s): *saulcyi* Allard,1867
- 9703) Psylliodes sophiae Heikertinger,1914** (Chrysomelidae) Synonym(s): *sophiae* Heikertinger,1914
- 9704) Psylliodes tauricus Leonardi,1971** (Chrysomelidae) Synonym(s): *tauricus* Leonardi,1971
- 9705) Psylliodes testaceoconcolor Heikertinger,1926** (Chrysomelidae) Synonym(s): *testaceoconcolor* Heikertinger,1926
- 9706) Psylliodes validus Weise,1889** (Chrysomelidae) Synonym(s): *validus* Weise,1889
- 9707) Psylliodes vindobonensis Heikertinger,1914** (Chrysomelidae) Synonym(s): *vindobonensis* Heikertinger,1914
- 9708) Smaragdina amasina (Pic,1897)** (Chrysomelidae) Synonym(s): *amasina* Pic,1897
- 9709) Smaragdina chloris (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris* Lacordaire,1848; *biornata* Lefebvre,1872
- 9710) Smaragdina concolor (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor* Fabricius,1792; *hypocrita* Lacordaire,1848; *amabilis* Lacordaire,1848
- 9711) Smaragdina flavicollis (Charpentier,1825)** (Chrysomelidae) Synonym(s): *flavicollis* Charpentier,1825
- 9712) Smaragdina judaica (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *judaica* Lefebvre,1872
- 9713) Smaragdina limbata (Steven,1806)** (Chrysomelidae) Synonym(s): *limbata* Steven,1806; *dorsalis* Olivier,1808
- 9714) Smaragdina scutellaris (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *scutellaris* Lefebvre,1872
- 9715) Smaragdina tibialis (Brullé,1832)** (Chrysomelidae) Synonym(s): *tibialis* Brullé,1832
- 9716) Smaragdina unipunctata (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata* Olivier,1808

- 9717) *Smaragdina vaulogerii* (Pic,1894)** (Chrysomelidae) Synonym(s): *vaulogerii* Pic,1894; *uyguni* Warchlowski,1993
- 9718) *Smaragdina viridana* (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *viridana* Lacordaire,1848
- 9719) *Smaragdina xanthaspis* (Germar,1824)** (Chrysomelidae) Synonym(s): *xanthaspis* Germar,1824
- 9720) *Sphaeroderma rubidum* (Graells,1858)** (Chrysomelidae) Synonym(s): *rubidum* Graells,1858
- 9721) *Stylosomus flavus* Marseul,1875** (Chrysomelidae) Synonym(s): *flavus* Marseul,1875
- 9722) *Stylosomus* Lacordaire,1845** (Chrysomelidae) Synonym(s): *Stylosomus* Lacordaire,1845
- 9723) *Timarcha* (s.str.) *rugulosa* Herrich-Schäffer,1838** (Chrysomelidae) Synonym(s): *rugulosa* Herrich-Schäffer,1838
- 9724) *Timarcha* (s.str.) *tenebricosa* (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tenebricosa* Fabricius,1775
- 9725) *Timarcha* (*Timarchostoma*) *olivieri* Fairmaire,1868** (Chrysomelidae) Synonym(s): *olivieri* Fairmaire,1868
- 9726) *Timarcha* (*Timarchostoma*) *pratensis* Duftschmid,1825** (Chrysomelidae) Synonym(s): *coriaria* Olivier,1807 nec Laichart.,1781; *pratensis* Duftschmid,1825; *goidanichi* Depoli,1926
- 9727) *Timarcha hummeli* Faldermann,1837** (Chrysomelidae) Synonym(s): *hummeli* Faldermann,1837
- 9728) *Tituboea macropus* (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus* Illiger,1800
- 9729) *Tituboea sexmaculata* (Fabricius,1781)** (Chrysomelidae) Synonym(s): *sexmaculata* Fabricius,1781
- 9730) *Zygogramma suturalis* (Fabricius,1775)** (Chrysomelidae) Synonym(s): *suturalis* Fabricius,1775

CHRYSOPIDAE

- 9731) *Nothochrysa turcicus* Kovanci & Canbulat,2007** (Chrysopidae) Synonym(s): *turcicus* Kovanci & Canbulat,2007
- 9732) *Hypochrysa elegans* (Burmeister,1839)** (Chrysopidae) Synonym(s): *elegans* Burmeister,1839
- 9733) *Hypochrysa pernobilis* Tjeder,1967** (Chrysopidae) Synonym(s): *pernobilis* Tjeder,1967
- 9734) *Italo-chrysa italica* (Rossi,1790)** (Chrysopidae) Synonym(s): *italica* Rossi,1790
- 9735) *Italo-chrysa vartianorum* Hölzel,1967** (Chrysopidae) Synonym(s): *vartianorum* Hölzel,1967
- 9736) *Nineta flava* (Scopoli,1763)** (Chrysopidae) Synonym(s): *flava* Scopoli,1763
- 9737) *Nineta guadarramensis* (Pictet,1865)** (Chrysopidae) Synonym(s): *guadarramensis* Pictet,1865
- 9738) *Nineta carinthiaca* (Hölzel,1965)** (Chrysopidae) Synonym(s): *carinthiaca* Hölzel,1965
- 9739) *Nineta pallida* (Schneider,1845)** (Chrysopidae) Synonym(s): *pallida* Schneider,1845
- 9740) *Chrysopa perla* (Linnaeus,1758)** (Chrysopidae) Synonym(s): *perla* Linnaeus,1758
- 9741) *Chrysopa walkeri* McLachlan,1893** (Chrysopidae) Synonym(s): *walkeri* McLachlan,1893; *novempunctata* Navas,1912; *caucasica* Navas,1920; *alpina* Navas,1920
- 9742) *Chrysopa dorsalis* Burmeister,1839** (Chrysopidae) Synonym(s): *dorsalis* Burmeister,1839
- 9743) *Chrysopa hungarica* Klapalek,1899** (Chrysopidae) Synonym(s): *hungarica* Klapalek,1899
- 9744) *Chrysopa formosa* Brauer,1850** (Chrysopidae) Synonym(s): *formosa* Brauer,1850
- 9745) *Chrysopa nigrescens* Hölzel & Ohm,1986** (Chrysopidae) Synonym(s): *nigrescens* Hölzel & Ohm,1986
- 9746) *Chrysopa dubitans* McLachlan,1887** (Chrysopidae) Synonym(s): *dubitans* McLachlan,1887
- 9747) *Chrysopa pallens* (Rambur,1838)** (Chrysopidae) Synonym(s): *pallens* Rambur,1838
- 9748) *Chrysopa viridana* Schneider,1845** (Chrysopidae) Synonym(s): *viridana* Schneider,1845
- 9749) *Chrysopa nigricostata* Brauer,1850** (Chrysopidae) Synonym(s): *nigricostata* Brauer,1850
- 9750) *Chrysopa septempunctata* Wesmael,1841** (Chrysopidae) Synonym(s): *septempunctata* Wesmael,1841
- 9751) *Chrysopa astarte* Hölzel,1967** (Chrysopidae) Synonym(s): *astarte* Hölzel,1967
- 9752) *Chrysopa curdica* Hölzel,1967** (Chrysopidae) Synonym(s): *curdica* Hölzel,1967
- 9753) *Anisochrysa* (s.str.) *flavifrons* (Brauer,1850)** (Chrysopidae) Synonym(s): *flavifrons* Brauer,1850
- 9754) *Anisochrysa* (s.str.) *subflavifrons* (Tjeder,1949)** (Chrysopidae) Synonym(s): *subflavifrons* Tjeder,1949
- 9755) *Anisochrysa* (s.str.) *sybaritica* (McLachlan,1875)** (Chrysopidae) Synonym(s): *sybaritica* McLachlan,1875
- 9756) *Anisochrysa prasina* (Burmeister,1839)** (Chrysopidae) Synonym(s): *prasina* Burmeister,1839
- 9757) *Anisochrysa* (s.str.) *zelleri* (Schneider,1851)** (Chrysopidae) Synonym(s): *zelleri* Schneider,1851
- 9758) *Anisochrysa* (s.str.) *genei* (Rambur,1842)** (Chrysopidae) Synonym(s): *genei* Rambur,1842
- 9759) *Anisochrysa* (s.str.) *venosa* (Rambur,1842)** (Chrysopidae) Synonym(s): *venosa* Rambur,1842
- 9760) *Anisochrysa* (s.str.) *clathrata* (Schneider,1845)** (Chrysopidae) Synonym(s): *clathrata* Schneider,1845

- 9761) Peyerimhoffina gracilis (Schneider,1851)** (Chrysopidae) Synonym(s): *gracilis* Schneider,1851; *tricolor* Brauer,1856
- 9762) Anisochrysa (Chrysoperla) carnea (Stephens,1836)** (Chrysopidae) Synonym(s): *carnea* Stephens,1836
- 9763) Anisochrysa (Chrysoperla) iranica (Hölzel,1967)** (Chrysopidae) Synonym(s): *iranica* Hölzel,1967
- 9764) Rexa raddai (Hölzel,1966)** (Chrysopidae) Synonym(s): *raddai* Hölzel,1966
- 9765) Anisochrysa (Cunctochrysa) albolineata (Killington,1935)** (Chrysopidae) Synonym(s): *albolineata* Killington,1935
- 9766) Anisochrysa (Cunctochrysa) baetica Hölzel,1972** (Chrysopidae) Synonym(s): *baetica* Hölzel,1972
- 9767) Suarius (s.str.) nanus (McLachlan,1893)** (Chrysopidae) Synonym(s): *nanus* McLachlan,1893
- 9768) Suarius (s.str.) vanensis (Hölzel,1967)** (Chrysopidae) Synonym(s): *vanensis* Hölzel,1967
- 9769) Brinckochrysa amseli (Hölzel,1967)** (Chrysopidae) Synonym(s): *amseli* Hölzel,1967

CICADELLIDAE

- 9770) Aconura impicta (Linnavuori,1962)** (Cicadellidae) Synonym(s): *impicta* Linnavuori,1962
- 9771) Aconura jakowlefi Lethierry,1876** (Cicadellidae) Synonym(s): *jakowlefi* Lethierry,1876
- 9772) Aconura oculata (Lindberg,1948)** (Cicadellidae) Synonym(s): *oculata* Lindberg,1948
- 9773) Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis* Lethierry,1876
- 9774) Aconurella proluxa (Lethierry,1885)** (Cicadellidae) Synonym(s): *proluxa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (praeocc.); *sanguisuga* Lindberg,1927; *obtus* Metcalf,1955
- 9775) Adarrus multinotatus (Boheman,1847)** (Cicadellidae) Synonym(s): *multinotatus* Boheman,1847; *micantulus* Kirschbaum,1868; *thoracicus* Fieber,1869; *mayri* Fieber,1869
- 9776) Adarrus niphanticus Logvinenko,1966** (Cicadellidae) Synonym(s): *niphanticus* Logvinenko,1966
- 9777) Agallia bispinata (Dlabola,1957)** (Cicadellidae) Synonym(s): *bispinata* Dlabola,1957
- 9778) Agallia consobrina Curtis,1833** (Cicadellidae) Synonym(s): *consobrina* Curtis,1833
- 9779) Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis* Melichar,1911
- 9780) Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): *minuta* Melichar,1896
- 9781) Aglena ornata (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer,1838; *pallida* Walker,1851 (praeocc.); *ornatula* Kirkaldy,1906
- 9782) Aguriahana germari (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840
- 9783) Alebra albostrigata (Fallén,1826)** (Cicadellidae) Synonym(s): *albostrigata* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufour* Ribaut,1936
- 9784) Alebra wahlbergi (Boheman,1845)** (Cicadellidae) Synonym(s): *wahlbergi* Boheman,1845; *insignita* McAtee,1926; *pallidula* Ribaut,1936; *brunnea* Ribaut,1936
- 9785) Allygidius atomarius (Fabricius,1794)** (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (praeocc.); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868
- 9786) Allygidius ectabanicus Logvinenko,1979** (Cicadellidae) Synonym(s): *ectabanicus* Logvinenko,1979
- 9787) Allygidius commutatus Fieber,1872** (Cicadellidae) Synonym(s): *commutatus* Fieber,1872
- 9788) Allygidius nihati Kartal & Zeybekoğlu,1994** (Cicadellidae) Synonym(s): *nihati* Kartal & Zeybekoğlu,1994
- 9789) Allygus modestus Scott,1876** (Cicadellidae) Synonym(s): *modestus* Scott,1876
- 9790) Allygus mixtus (Fabricius,1794)** (Cicadellidae) Synonym(s): *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894
- 9791) Anaceratagallia tianshanica (Dubovsky,1970)** (Cicadellidae) Synonym(s): *tianshanica* Dubovsky,1970
- 9792) Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946
- 9793) Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1938
- 9794) Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964
- 9795) Anoplotettix eckerleini Dlabola,1965** (Cicadellidae) Synonym(s): *eckerleini* Dlabola,1965
- 9796) Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882
- 9797) Anoplotettix loewi (Horvath,1884)** (Cicadellidae) Synonym(s): *loewi* Horvath,1884

- 9798) *Anoplotettix kalkandeleni* Dlabola, 1971** (Cicadellidae) Synonym(s): *kalkandeleni* Dlabola, 1971
- 9799) *Anoplotettix lodosianus* Dlabola, 1987** (Cicadellidae) Synonym(s): *lodosianus* Dlabola, 1987
- 9800) *Anoplotettix novaki* Wagner, 1959** (Cicadellidae) Synonym(s): *novaki* Wagner, 1959
- 9801) *Anoplotettix rodosicus* Dlabola, 1974** (Cicadellidae) Synonym(s): *rodosicus* Dlabola, 1974
- 9802) *Anoplotettix sahtyiancii* Dlabola, 1970** (Cicadellidae) Synonym(s): *sahtyiancii* Dlabola, 1970
- 9803) *Colladonus torneellus* (Zetterstedt, 1828)** (Cicadellidae) Synonym(s): *torneellus* Zetterstedt, 1828; *oxalidis* Fieber, 1875
- 9804) *Anoscopus albifrons* (Linnaeus, 1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus, 1758; *costata* Panzer, 1799; *affinis* Fallén, 1806; *subrustica* Fallén, 1806; *dispar* Zetterstedt, 1828; *testudo* Curtis, 1833; *costata* Curtis, 1837; *concinna* Curtis, 1837; *arcuatus* Kirschbaum, 1868; *confusus* Kirschbaum, 1868; *interruptus* Scott, 1873; *polystolus* Scott, 1873; *apicalis* Signoret, 1879; *pelas* Signoret, 1879; *fuliginosus* Ferrari, 1882; *argus* Rey, 1891; *bifasciatus* Melichar, 1896; *limicola* Edwards, 1908; *maculata* Edwards, 1908; *irritans* Wagner, 1937; *germari* Wagner, 1937; *dimidiata* Ribaut, 1952; *blotei* Metcalf, 1963
- 9805) *Anoterostemma ivanoffi* (Lethierry, 1876)** (Cicadellidae) Synonym(s): *ivanoffi* Lethierry, 1876; *fusca* Ivanoff, 1885; *henschi* Loew, 1885
- 9806) *Aphrodes angulaticeps* Emeljanov, 1964** (Cicadellidae) Synonym(s): *angulaticeps* Emeljanov, 1964
- 9807) *Aphrodes albifrons* (Linnaeus, 1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus, 1758
- 9808) *Aphrodes albiger* (Germar, 1821)** (Cicadellidae) Synonym(s): *albiger* Germar, 1821; *kirschbaumi* Edwards, 1920; *nudus* Wagner, 1937; *salinus* Wagner, 1937; *deleta* Ribaut, 1952
- 9809) *Aphrodes bicinctus* (Schränk, 1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus, 1761 (praeocc.); *rustica* Fabricius, 1775 (praeocc.); *bicinctus* Schränk, 1776; *ochromelas* Gmelin, 1790; *variegata* Fabricius, 1794; *striatella* Fabricius, 1794; *transversa* Fabricius, 1798; *strigata* Turton, 1802; *pallidus* Curtis, 1836; *cardui* Curtis, 1836; *fasciatus* Curtis, 1836; *obscurus* Curtis, 1836; *rugosus* Curtis, 1836; *sparsus* Curtis, 1836; *unicolor* Curtis, 1836; *pulverulenta* Curtis, 1837; *adustus* Hardy, 1850; *obtusifrons* Kirschbaum, 1868; *signifrons* Rey, 1894; *aestuarinus* Edwards, 1908; *brevior* Melichar, 1914; *alpinus* Prohaska, 1923; *diminutus* Ribaut, 1952; *centrossicus* Zachvatkin, 1952; *ferganensis* Dubovsky, 1966
- 9810) *Aphrodes bifasciatus* (Linnaeus, 1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus, 1758; *trifasciata* De Geer, 1773; *tristriata* Gmelin, 1790; *spuria* Fallén, 1806; *obliquus* Germar, 1821; *tricinctus* Curtis, 1836; *simulans* Ribaut, 1952; *major* Duffield, 1963
- 9811) *Aphrodes elongatus* (Lethierry, 1876)** (Cicadellidae) Synonym(s): *elongatus* Lethierry, 1876
- 9812) *Aphrodes flavostriatus* (Donovan, 1799)** (Cicadellidae) Synonym(s): *flavostriatus* Donovan, 1799; *rivularis* Germar, 1821
- 9813) *Aphrodes histrionicus* (Fabricius, 1794)** (Cicadellidae) Synonym(s): *histrionicus* Fabricius, 1794; *arenicola* Marshall, 1866
- 9814) *Aphrodes makarovi* Zachvatkin, 1948** (Cicadellidae) Synonym(s): *makarovi* Zachvatkin, 1948
- 9815) *Aphrodes nigritus* (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *nigritus* Kirschbaum, 1868; *integer* Wagner, 1937
- 9816) *Aphrodes trifasciatus* (Hovarth, 1897)** (Cicadellidae) Synonym(s): *trifasciatus* Hovarth, 1897
- 9817) *Arboridia adanae* (Dlabola, 1957)** (Cicadellidae) Synonym(s): *adanae* Dlabola, 1957
- 9818) *Arboridia cantoreanica* Dworakowska, 1970** (Cicadellidae) Synonym(s): *cantoreanica* Dworakowska, 1970
- 9819) *Arboridia expansa* (Zachvatkin, 1946)** (Cicadellidae) Synonym(s): *expansa* Zachvatkin, 1946
- 9820) *Arboridia parvula* (Boheman, 1845)** (Cicadellidae) Synonym(s): *parvula* Boheman, 1845; *disjuncta* Ribaut, 1931 (praeocc.)
- 9821) *Arboridia versuta* (Melichar, 1897)** (Cicadellidae) Synonym(s): *versuta* Melichar, 1897; *spathulata* Ribaut, 1931
- 9822) *Arocephalus languidus* (Flor, 1861)** (Cicadellidae) Synonym(s): *languidus* Flor, 1861; *pallipes* Kirschbaum, 1868; *pusillus* Kirschbaum, 1868; *productus* Thomson, 1869; *haupti* Lindberg, 1924; *ocellatus* Cerutti, 1939
- 9823) *Arocephalus longiceps* (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum, 1868; *longivalvis* Kirschbaum, 1868; *linnei* Fieber, 1869
- 9824) *Artianus interstitialis* (Germar, 1821)** (Cicadellidae) Synonym(s): *interstitialis* Germar, 1821; *diminutus* Kirschbaum, 1858
- 9825) *Artianus manderstjernii* (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum, 1868
- 9826) *Asymmetrasca decedens* (Paoli, 1932)** (Cicadellidae) Synonym(s): *decedens* Paoli, 1932
- 9827) *Austroagallia Evans*, 1935** (Cicadellidae) Synonym(s): *Austroagallia* Evans, 1935; *Peragallia* Ribaut, 1948
- 9828) *Austroagallia sinuata* (Mulsant & Rey, 1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey, 1855; *quadrisignata* Flor, 1861; *homeyeri* Kirschbaum, 1868; *fieberi* Vismara, 1878; *laevis* Bergevin, 1934; *zachvatkini* Vilbaste, 1961; *nasti* Dlabola, 1964; *deserticola* Dlabola, 1964; *afghanistanensis* Kameswara Rao, Ramakrishnan & Ghai, 1979
- 9829) *Austroasca* (s.str.) *vittata* (Lethierry, 1884)** (Cicadellidae) Synonym(s): *vittata* Lethierry, 1884; *artemisiae* Haupt, 1924
- 9830) *Balcanocerus balcanicus* (Horvath, 1903)** (Cicadellidae) Synonym(s): *balcanicus* Horvath, 1903

- 9831) *Balclutha flavella* Linnavuori,1962** (Cicadellidae) Synonym(s): *flavella* Linnavuori,1962
- 9832) *Balclutha hebe* (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927
- 9833) *Balclutha pellucens* Horvath,1909** (Cicadellidae) Synonym(s): *pellucens* Horvath,1909; *viridella* Lindberg,1941
- 9834) *Balclutha punctata* (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952
- 9835) *Balclutha rhenana* Wagner,1939** (Cicadellidae) Synonym(s): *rhenana* Wagner,1939
- 9836) *Balclutha rosea* (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955
- 9837) *Balclutha saltuella* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908
- 9838) *Batracomorphus glaber* Haupt,1927** (Cicadellidae) Synonym(s): *glaber* Haupt,1927; *flavovirens* Lindberg,1948
- 9839) *Batracomorphus irroratus* Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917
- 9840) *Batracomorphus signatus* Lindberg,1923** (Cicadellidae) Synonym(s): *signatus* Lindberg,1923; *nigrum* Lindberg,1923
- 9841) *Bugraia ocularis* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis* Mulsant & Rey,1855; *taeniops* Fieber,1868
- 9842) *Chiasmus conspurcatus* (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886
- 9843) *Chlorita brevispina* Linnavuori,1965** (Cicadellidae) Synonym(s): *brevispina* Linnavuori,1965
- 9844) *Chlorita moganica* (Dlabola,1957)** (Cicadellidae) Synonym(s): *moganica* Dlabola,1957
- 9845) *Chlorita paolii* (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii* Ossiannilsson,1939
- 9846) *Chlorita tessellata* Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata* Lethierry,1884
- 9847) *Chlorita uvaroviana* Zachvatkin,1946** (Cicadellidae) Synonym(s): *uvaroviana* Zachvatkin,1946; *azerbeidzhanica* Zachvatkin,1946
- 9848) *Chlorita vana* Dlabola,1971** (Cicadellidae) Synonym(s): *vana* Dlabola,1971
- 9849) *Chlorita osmanica* Dlabola,1971** (Cicadellidae) Synonym(s): *osmanica* Dlabola,1971
- 9850) *Chunrocerus balcanicus* (Horvath,1903)** (Cicadellidae) Synonym(s): *balcanicus* Horvath,1903
- 9851) *Balcanocerus larvatus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (praeocc.); *notata* Fabricius,1803 (praeocc.); *larvatus* Herrich-Schäffer,1835
- 9852) *Cicadella viridis* (Linnaeus,1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus,1758; *arundinis* Germar,1821; *flavicatella* Graaf,1854; *concolor* Haupt,1912
- 9853) *Cicadella flori* (Sahlberg,1871)** (Cicadellidae) Synonym(s): *flori* Sahlberg,1871; *danensis* Linnavuori,1962
- 9854) *Cicadula lineatopunctata* (Matsumura,1908)** (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952
- 9855) *Cicadula placida* (Horvath,1897)** (Cicadellidae) Synonym(s): *placida* Horvath,1897
- 9856) *Cicadula quadrinotata* (Fabricius,1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius,1794; *strigipes* Zetterstedt,1828; *spilotocephala* Hardy,1850
- 9857) *Cicadula divaricata* Ribaut,1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut,1952*
- 9858) *Cicadula mesasiatica* (Dubovsky,1966)** (Cicadellidae) Synonym(s): *mesasiatica* Dubovsky,1966
- 9859) *Cicadulina bipunctata* (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926
- 9860) *Cicadulina zeae* China,1926** (Cicadellidae) Synonym(s): *zeae* China,1926
- 9861) *Circulifer haematoceps* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948
- 9862) *Concavifer bolkarensis* Kartal,1981** (Cicadellidae) Synonym(s): *bolkarensis* Kartal,1981
- 9863) *Conosanus obsoletus* (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sempunctatus* Sahlberg,1871; *piceus* Scott,1875
- 9864) *Daltocephalus pulicaris* (Fallén,1806)** (Cicadellidae) Synonym(s): *pulicaris* Fallén,1806; *convexus* Rey,1894; *fumigatus* Rey,1894
- 9865) *Dikraneura variata* Hardy,1850** (Cicadellidae) Synonym(s): *variata* Hardy,1850; *agnatus* Lethierry,1850; *lenensis* Linnavuori,1953
- 9866) *Diplocolenus abdominalis* (Fabricius,1803)** (Cicadellidae) Synonym(s): *abdominalis* Fabricius,1803

- 9867) *Diplocolenus frauenfeldi* (Fieber,1869)** (Cicadellidae) Synonym(s): *frauenfeldi* Fieber,1869; *altaicus* Vilbaste,1965
- 9868) *Docotettix cornutus* Ribaut,1948** (Cicadellidae) Synonym(s): *cornutus* Ribaut,1948
- 9869) *Doratulina acuticeps* (Ribaut,1948)** (Cicadellidae) Synonym(s): *acuticeps* Ribaut,1948
- 9870) *Doratulina instabilis* (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis* Ribaut,1948
- 9871) *Doratulina pallifrons* (Horvath,1897)** (Cicadellidae) Synonym(s): *pallifrons* Horvath,1897; *margaritacea* Horvath,1897
- 9872) *Doratura exilis* Horvath,1903** (Cicadellidae) Synonym(s): *exilis* Horvath,1903
- 9873) *Doratura heterophyla* Horvath,1903** (Cicadellidae) Synonym(s): *heterophyla* Horvath,1903
- 9874) *Doratura homophyla* (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla* Flor,1861
- 9875) *Doratura impudica* Horvath,1897** (Cicadellidae) Synonym(s): *impudica* Horvath,1897
- 9876) *Doratura concors* Horvath,1903** (Cicadellidae) Synonym(s): *concors* Horvath,1903; *semenovi* Kusnezov,1952; *dzungarica* Mitjaev,1971
- 9877) *Doratura veneta* Dlabola,1969** (Cicadellidae) Synonym(s): *veneta* Dlabola,1969
- 9878) *Doratura salina* Horvath,1903** (Cicadellidae) Synonym(s): *salina* Horvath,1903
- 9879) *Doratura stylata* (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata* Boheman,1847; *macroptera* Kusnezov,1928
- 9880) *Doraturopsis heros* (Melichar,1902)** (Cicadellidae) Synonym(s): *heros* Melichar,1902
- 9881) *Dryodurgades anaticus* Dlabola,1957** (Cicadellidae) Synonym(s): *anaticus* Dlabola,1957
- 9882) *Dryodurgades dlabolai* Wagner,1963** (Cicadellidae) Synonym(s): *dlabolai* Wagner,1963
- 9883) *Dryodurgades reticulatus* (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834
- 9884) *Ebarrius cognatus* (Fieber,1869)** (Cicadellidae) Synonym(s): *cognatus* Fieber,1869
- 9885) *Edwardsiana avellanae* (Edwards,1888)** (Cicadellidae) Synonym(s): *avellanae* Edwards,1888; *bidentata* Edwards,1914; *#avellana* Lodos & Kalkandelen,1984
- 9886) *Edwardsiana flavescens* (Fabricius,1794)** (Cicadellidae) Synonym(s): *flavescens* Fabricius,1794; *fratercula* Edwards,1908; *sororcula* Ossiannilsson,1936
- 9887) *Edwardsiana lethierryi* (Edwards,1881)** (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935
- 9888) *Edwardsiana rosae* (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936
- 9889) *Edwardsiana salicicola* (Edwards,1885)** (Cicadellidae) Synonym(s): *salicicola* Edwards,1885
- 9890) *Edwardsiana spinigera* (Edwards,1924)** (Cicadellidae) Synonym(s): *spinigera* Edwards,1924
- 9891) *Edwardsiana tersa* (Edwards,1914)** (Cicadellidae) Synonym(s): *tersa* Edwards,1914
- 9892) *Edwardsiana tshinari* Zachvatkin,1947** (Cicadellidae) Synonym(s): *tshinari* Zachvatkin,1947
- 9893) *Elymana sulphurella* (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (*praeocc.*); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917
- 9894) *Emelyanoviana mollicula* (Boheman,1845)** (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876
- 9895) *Empoasca decipiens* Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961
- 9896) *Empoasca solani* (Curtis,1846)** (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960
- 9897) *Empoasca vitis* (Göthe,1875)** (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939
- 9898) *Eohardya fraudulentus* (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948
- 9899) *Erythria* (s.str.) *aureola* (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806; *chlorophana* Herrich-Schäffer,1843; *luteipes* Prohaska,1923
- 9900) *Eupelix cuspidata* (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948
- 9901) *Eupterycyba jucunda* (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda* Herrich-Schäffer,1837; *zetterstedti* Boheman,1845
- 9902) *Eupteryx adspersa* (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adspersa* Herrich-Schäffer,1838; *gallica* Wagner,1939
- 9903) *Eupteryx alticola* Ribaut,1936** (Cicadellidae) Synonym(s): *alticola* Ribaut,1936; *bilobata* Cerutti,1939; *unita* Cerutti,1939
- 9904) *Eupteryx atropunctata* (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778; *nigropunctata* Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *picta* Fabricius,1794; *aureola* Boheman,1845; *petasitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata* Cerutti,1939
- 9905) *Eupteryx aurata* (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939

- 9906) Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936
- 9907) Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948
- 9908) Eupteryx falculata Ribaut,1936** (Cicadellidae) Synonym(s): *falculata* Ribaut,1936
- 9909) Eupteryx fahringeri Melichar,1911** (Cicadellidae) Synonym(s): *fahringeri* Melichar,1911
- 9910) Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): *filicum* Newman,1853; *laureti* Lindberg,1936
- 9911) Eupteryx gyaurdagicus Dlabola,1957** (Cicadellidae) Synonym(s): *gyaurdagicus* Dlabola,1957
- 9912) Eupteryx insulana (Ribaut,1948)** (Cicadellidae) Synonym(s): *insulana* Ribaut,1948
- 9913) Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837
- 9914) Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868
- 9915) Eupteryx pavlovskii Zachvatkin,1947** (Cicadellidae) Synonym(s): *pavlovskii* Zachvatkin,1947; *tochalica* Dlabola,1974
- 9916) Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939
- 9917) Eupteryx taborskyi Dlabola,1957** (Cicadellidae) Synonym(s): *taborskyi* Dlabola,1957
- 9918) Eupteryx tenella (Fallén,1806)** (Cicadellidae) Synonym(s): *tenella* Fallén,1806; *pulchella* Herrich-Schäffer,1834
- 9919) Eupteryx thoulessi Edwards,1926** (Cicadellidae) Synonym(s): *thoulessi* Edwards,1926
- 9920) Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936
- 9921) Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868; *putoni* Lethierry,1876; *hipposideros* Horvath,1892; *decussata* Ribaut,1936
- 9922) Eurhadina ribauti Wagner,1935** (Cicadellidae) Synonym(s): *ribauti* Wagner,1935; *umbrata* Ribaut,1936
- 9923) Eurhadina untica Dlabola,1967** (Cicadellidae) Synonym(s): *untica* Dlabola,1967
- 9924) Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis* Dlabola,1957
- 9925) Euscelidius obenbergeri Dlabola,1957** (Cicadellidae) Synonym(s): *obenbergeri* Dlabola,1957
- 9926) Euscelis alsioides Remane,1967** (Cicadellidae) Synonym(s): *alsioides* Remane,1967
- 9927) Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius* Ribaut,1952
- 9928) Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858
- 9929) Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954
- 9930) Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952
- 9931) Bobacella corvina (Horvath,1903)** (Cicadellidae) Synonym(s): *corvina* Horvath,1903; *teratocera* Kusnezov,1929; *turanica* Hovarth,1936; *ornata* Emeljanov,1962
- 9932) Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus* Fabricius,1794; *acuminalis* Turton,1802; *interstincta* Fallén,1806; *germari* Curtis,1833
- 9933) Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus* Linnaeus,1758; *bicordata* Scopoli,1763; *hemiptera* Piller & Mitterpacher,1783; *moesta* Zetterstedt,1828; *nigroflavus* Stal,1858; *nigricans* Matsumura,1911; *miyakei* Matsumura,1911; *xanthus* Oshanin,1912; *pallidus* Matsumura,1912; *svaneticus* Melichar,1913; *rubescens* Haupt,1925; *striatus* Kusnezov,1929
- 9934) Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927
- 9935) Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930
- 9936) Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria* Horvath,1897
- 9937) Fieberiella aschei Meyer-Arndt,1988** (Cicadellidae) Synonym(s): *aschei* Meyer-Arndt,1988
- 9938) Fieberiella chioscola Meyer-Arndt,1988** (Cicadellidae) Synonym(s): *chioscola* Meyer-Arndt,1988
- 9939) Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864
- 9940) Fieberiella gemelina Dlabola,1965** (Cicadellidae) Synonym(s): *gemelina* Dlabola,1965
- 9941) Fieberiella lindbergi Wagner,1963** (Cicadellidae) Synonym(s): *lindbergi* Wagner,1963
- 9942) Fieberiella macchiai Linnavuori,1962** (Cicadellidae) Synonym(s): *macchiai* Linnavuori,1962
- 9943) Fieberiella oenderi Dlabola,1985** (Cicadellidae) Synonym(s): *oenderi* Dlabola,1985
- 9944) Fieberiella pallida Melichar,1896** (Cicadellidae) Synonym(s): *pallida* Melichar,1896
- 9945) Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963

- 9946) *Frutoidia* (s.str.) *bisignata* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947
- 9947) *Frutoidia* (s.str.) *sanguinosa* (Rey,1891)** (Cicadellidae) Synonym(s): *sanguinosa* Rey,1891; *picta* Melichar,1896
- 9948) *Goniagnathus* *bolivari* (Melichar,1907)** (Cicadellidae) Synonym(s): *bolivari* Melichar,1907; *hoberlandti* Dlabola,1957
- 9949) *Goniagnathus* *brevis* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849
- 9950) *Goniagnathus* *guttulinervis* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929
- 9951) *Goniagnathus* *palliatu*s (Lethierry,1887)** (Cicadellidae) Synonym(s): *palliatu*s Lethierry,1887
- 9952) *Grammacephalus* *pugio* (Noualhier,1895)** (Cicadellidae) Synonym(s): *pugio* Noualhier,1895; *turneri* Evans,1947; *djirofticus* Dlabola,1960
- 9953) *Graphocraerus* *ventralis* (Fallén,1806)** (Cicadellidae) Synonym(s): *ventralis* Fallén,1806; *punctifrons* Germar,1821
- 9954) *Grypotes* *puncticollis* (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *puncticollis* Herrich-Schäffer,1834; *pinetellus* Zetterstedt,1840; *fallax* Kirschbaum,1868
- 9955) *Grypotes* *staurus* Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus* Ivanoff,1885; *australis* Haupt,1927
- 9956) *Handianus* *ignoscus* (Melichar,1896)** (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896
- 9957) *Handianus* *modestus* (Melichar,1896)** (Cicadellidae) Synonym(s): *modestus* Melichar,1896
- 9958) *Handianus* *procerus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinensis* Linnavuori,1962
- 9959) *Hardya* *alpina* Wagner,1955** (Cicadellidae) Synonym(s): *alpina* Wagner,1955
- 9960) *Hardya* *anatolica* Zachvatkin,1946** (Cicadellidae) Synonym(s): *anatolica* Zachvatkin,1946
- 9961) *Hardya* *iranicola* Zachvatkin,1946** (Cicadellidae) Synonym(s): *iranicola* Zachvatkin,1946
- 9962) *Hauptidia* (s.str.) *cretacea* (Moravskaja,1948)** (Cicadellidae) Synonym(s): *cretacea* Moravskaja,1948; *furcata* Dlabola,1957
- 9963) *Hauptidia* (s.str.) *distinguenda* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962
- 9964) *Hauptidia* (s.str.) *rivularis* (Linnavuori,1962)** (Cicadellidae) Synonym(s): *rivularis* Linnavuori,1962
- 9965) *Hauptidia* (s.str.) *stellata* (Ribaut,1948)** (Cicadellidae) Synonym(s): *stellata* Ribaut,1948
- 9966) *Hecalus* *glaucescens* (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897
- 9967) *Helionidia* *himyarita* Zachvatkin,1946** (Cicadellidae) Synonym(s): *himyarita* Zachvatkin,1946; *acutistyla* Dlabola,1952; *desmanthi* Lindberg,1958
- 9968) *Hephathus* *freyi* (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi* Fieber,1868
- 9969) *Hephathus* *nanus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868
- 9970) *Hephathus* *unicolor* (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor* Lindberg,1926; *canus* Dlabola,1961
- 9971) *Hesium* *domino* (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (praeocc.); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955
- 9972) *Balcanocerus* *brusinae* (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae* Horvath,1891
- 9973) *Iassus* *lanio* (Linnaeus,1761)** (Cicadellidae) Synonym(s): *lanio* Linnaeus,1761; *brunnea* Fabricius,1794
- 9974) *Iassus* *mirabilis* Orosz,1979** (Cicadellidae) Synonym(s): *mirabilis* Orosz,1979
- 9975) *Iassus* *pseudocerris* Abdul-Nour,1998** (Cicadellidae) Synonym(s): *pseudocerris* Abdul-Nour,1998
- 9976) *Iassus* *scutellaris* (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris* Fieber,1868
- 9977) *Balcanocerus* *alkani* (Wagner,1958)** (Cicadellidae) Synonym(s): *alkani* Wagner,1958
- 9978) *Idiocerus* *herrichii* Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum,1868
- 9979) *Idiocerus* *litratus* (Fallén,1806)** (Cicadellidae) Synonym(s): *litratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894
- 9980) *Populicerus* *populi* (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (praeocc.); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839
- 9981) *Populicerus* *sharifi* Dlabola,1977** (Cicadellidae) Synonym(s): *sharifi* Dlabola,1977
- 9982) *Populicerus* *albicans* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *albicans* Kirschbaum,1868; *fuscocoerulea* Edwards,1914
- 9983) *Balcanocerus* *ramallahicus* (Dlabola,1965)** (Cicadellidae) Synonym(s): *ramallahicus* Dlabola,1965
- 9984) *Acericerus* *rotundifrons* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *rotundifrons* Kirschbaum,1868

- 9985) *Idiocerus stigmatalis* Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis* Lewis,1834; *adustus* Herrich-Schäffer,1837
- 9986) *Idiocerus vicinus* Melichar,1898** (Cicadellidae) Synonym(s): *vicinus* Melichar,1898
- 9987) *Imbecilla imbecilla* (Linnavuori,1962)** (Cicadellidae) Synonym(s): *imbecilla* Linnavuori,1962; *libanotica* Dlabola,1965
- 9988) *Jassargus kurdicus* Remane & Schultz,1976** (Cicadellidae) Synonym(s): *kurdicus* Remane & Schultz,1976
- 9989) *Jassargus repletus* (Fieber,1869)** (Cicadellidae) Synonym(s): *repletus* Fieber,1869
- 9990) *Jassargus obtusivalvis* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis* Kirschbaum,1868; *picturatus* Fieber,1869
- 9991) *Kropka unipunctata* (Dlabola,1957)** (Cicadellidae) Synonym(s): *unipunctata* Dlabola,1957; *vidanoi* Dworakowska,1970
- 9992) *Kyboasca bipunctata* (Oshanin,1871)** (Cicadellidae) Synonym(s): *bipunctata* Oshanin,1871; *frontalis* Lethierry,1884; *punctum* Haupt,1912 (praeocc.); *haupti* Ribaut,1933; *ulmicola* Zachvatkin,1953
- 9993) *Kybos candelabricus* Dlabola,1958** (Cicadellidae) Synonym(s): *candelabricus* Dlabola,1958
- 9994) *Kybos populi* (Edwards,1908)** (Cicadellidae) Synonym(s): *populi* Edwards,1908; *tremulae* Zachvatkin,1953; *zaizanensis* Mitjaev,1963
- 9995) *Kybos virgator* (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935
- 9996) *Laburrus handlirshi* (Matsumura,1908)** (Cicadellidae) Synonym(s): *artemisiae* Matsumura,1900 (praeocc.); *handlirshi* Matsumura,1908; *maculosus* Vilbaste,1965
- 9997) *Laburrus impictifrons* (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896
- 9998) *Laburrus abrotani* Emelyanov,1962** (Cicadellidae) Synonym(s): *abrotani* Emelyanov,1962
- 9999) *Laminacutus libanensis* Abdul-Nour,2001** (Cicadellidae) Synonym(s): *libanensis* Abdul-Nour,2001
- 10000) *Ledra aurita* (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767
- 10001) *Liguropia juniperi* (Lethierry,1876)** (Cicadellidae) Synonym(s): *juniperi* Lethierry,1876; *menozii* Haupt,1930
- 10002) *Limotettix striola* (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966
- 10003) *Lindbergina pandellei* (Lethierry,1878)** (Cicadellidae) Synonym(s): *pandellei* Lethierry,1878; *spoliata* Horvath,1907
- 10004) *Lindbergina tarsalis* (Linnavuori,1962)** (Cicadellidae) Synonym(s): *tarsalis* Linnavuori,1962
- 10005) *Linnavuoriana sexmaculata* (Hardy,1850)** (Cicadellidae) Synonym(s): *sempunctata* Fallén,1828 (praeocc.); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata* Cerutti,1939; *quadripunctata* Mitjaev,1963
- 10006) *Macropsidius ioculator* Dlabola,1963** (Cicadellidae) Synonym(s): *ioculator* Dlabola,1963
- 10007) *Macropsidius sahlbergi* (Flor,1861)** (Cicadellidae) Synonym(s): *sahlbergi* Flor,1861
- 10008) *Macropsis albae* Wagner,1950** (Cicadellidae) Synonym(s): *albae* Wagner,1950
- 10009) *Macropsis cerea* (Germar,1837)** (Cicadellidae) Synonym(s): *cerea* Germar,1837; *planicollis* Thomson,1870
- 10010) *Macropsis glandacea* (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea* Fieber,1868; *viridiceps* Wagner,1941
- 10011) *Macropsis graminea* (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea* Fabricius,1798; *populi* Edwards,1919
- 10012) *Macropsis marginata* (Herrich-Schäffer,1836)** (Cicadellidae) Synonym(s): *marginata* Herrich-Schäffer,1836; *notatifrons* Rey,1891; *latestiata* Strobl,1900; *lucifer* Wagner,1941; *injucunda* Wagner,1950; *ossiannilssoni* Wagner,1950
- 10013) *Macropsis mendax* (Fieber,1868)** (Cicadellidae) Synonym(s): *mendax* Fieber,1868; *ulmi* Scott,1873
- 10014) *Macropsis megerlei* (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata* Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926
- 10015) *Macropsis scutellata* (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874
- 10016) *Macropsis vicina* (Horvath,1897)** (Cicadellidae) Synonym(s): *vicina* Horvath,1897
- 10017) *Macrosteles alpinus* (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *alpinus* Zetterstedt,1828
- 10018) *Macrosteles fieberi* (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 nec Sett.,1875; *fieberi* Edwards,1889
- 10019) *Macrosteles frontalis* (Scott,1875)** (Cicadellidae) Synonym(s): *frontalis* Scott,1875; *tetrasticta* Horvath,1897; *hamata* Ossiannilsson,1936
- 10020) *Macrosteles lividus* (Edwards,1894)** (Cicadellidae) Synonym(s): *lividus* Edwards,1894
- 10021) *Macrosteles ossiannilssoni* Lindberg,1954** (Cicadellidae) Synonym(s): *ossiannilssoni* Lindberg,1954; *ossiannilssoni* Le Quense,1968

- 10022) Macrosteles forficula (Ribaut,1927)** (Cicadellidae) Synonym(s): *forficula* Ribaut,1927
- 10023) Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936
- 10024) Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933
- 10025) Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Ménéville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894
- 10026) Macrosteles sordidipennis (Stal,1858)** (Cicadellidae) Synonym(s): *sordidipennis* Stal,1858; *salina* Reitter,1886
- 10027) Macrosteles viridigriseus (Edwards,1922)** (Cicadellidae) Synonym(s): *viridigriseus* Edwards,1922
- 10028) Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis* Edwards,1915
- 10029) Mesagallia georgii Zachvatkin,1946** (Cicadellidae) Synonym(s): *georgii* Zachvatkin,1946
- 10030) Micantulina (s.str.) micantula (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *micantula* Zetterstedt,1840; *quinguepunctata* Melichar,1900; *feieberi* Metcalf,1968
- 10031) Micantulina (Mulsantina) acuticeps (Linnavuori,1962)** (Cicadellidae) Synonym(s): *acuticeps* Linnavuori,1962
- 10032) Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884
- 10033) Micantulina (Mulsantina) teucarii (Cerutti,1938)** (Cicadellidae) Synonym(s): *teucarii* Cerutti,1938; *impunctata* Cerutti,1938; *incompleta* Cerutti,1938
- 10034) Mocuellus zelihae Kalkandelen,1972** (Cicadellidae) Synonym(s): *zelihae* Kalkandelen,1972
- 10035) Mocuellus deminutus Dlabola,1981** (Cicadellidae) Synonym(s): *deminutus* Dlabola,1981
- 10036) Mocuellus dlabolai Kalkandelen,1972** (Cicadellidae) Synonym(s): *dlabolai* Kalkandelen,1972
- 10037) Mocuellus foxi Kalkandelen,1972** (Cicadellidae) Synonym(s): *foxi* Kalkandelen,1972
- 10038) Mocuellus quadricornis Dlabola,1949** (Cicadellidae) Synonym(s): *quadricornis* Dlabola,1949
- 10039) Mocydia aegea Abdul-Nour,1988** (Cicadellidae) Synonym(s): *aegea* Abdul-Nour,1988
- 10040) Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868
- 10041) Mocydiopsis monticola Remane,1961** (Cicadellidae) Synonym(s): *monticola* Remane,1961
- 10042) Mocydiopsis parvicauda Ribaut,1939** (Cicadellidae) Synonym(s): *parvicauda* Ribaut,1939
- 10043) Mogangella secundaria Dlabola,1958** (Cicadellidae) Synonym(s): *secundaria* Dlabola,1958
- 10044) Mogangella straminea Dlabola,1957** (Cicadellidae) Synonym(s): *straminea* Dlabola,1957
- 10045) Neoaliturus dubiosus (Matsumura,1908)** (Cicadellidae) Synonym(s): *dubiosus* Matsumura,1908; *ruscionensis* Ribaut,1952; *infirmus* Young & Frazier,1954
- 10046) Neoaliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834
- 10047) Neoaliturus guttulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulatus* Kirschbaum,1868
- 10048) Neoaliturus pulcher (Haupt,1927)** (Cicadellidae) Synonym(s): *pulcher* Haupt,1927
- 10049) Neoaliturus transversalis (Puton,1881)** (Cicadellidae) Synonym(s): *transversalis* Puton,1881; *fasciata* Ferrari,1885
- 10050) Nesoclutha erythrocephala (Ferrari,1882)** (Cicadellidae) Synonym(s): *erythrocephala* Ferrari,1882; *flaveolus* Matsumura,1908; *wagneri* Lindberg,1954
- 10051) Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeocc.*); *haupti* Oshanin,1912
- 10052) Oncopsis alni (Schränk,1801)** (Cicadellidae) Synonym(s): *fenestrata* Schränk,1776 (*praeocc.*); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868
- 10053) Oncopsis flavicollis (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscus* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944
- 10054) Oncopsis tristis (Zetterstedt,1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt,1840; *frontalis* Flor,1861; *rufusculus* Fieber,1868; *brevicauda* Thomson,1870
- 10055) Opsius cypriacus Lindberg,1958** (Cicadellidae) Synonym(s): *cypriacus* Lindberg,1958
- 10056) Opsius dagestanicus Dlabola,1960** (Cicadellidae) Synonym(s): *dagestanicus* Dlabola,1960
- 10057) Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus* Lethierry,1871
- 10058) Opsius lethierryi Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (*praeocc.*); *lethierryi* Wagner,1942
- 10059) Opsius smaragdinus Emeljanov,1964** (Cicadellidae) Synonym(s): *smaragdinus* Emeljanov,1964

- 10060) Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981
- 10061) Orosius orientalis (Matsumura,1914)** (Cicadellidae) Synonym(s): *orientalis* Matsumura,1914; *albicinctus* Distant,1918; *filigranus* Haupt,1927
- 10062) Osbornellus macchiae (Lindberg,1948)** (Cicadellidae) Synonym(s): *macchiae* Lindberg,1948; *consanguineus* Dlabola,1967
- 10063) Paluda vitripennis (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972
- 10064) Paluda agropyri Emelyanov,1962** (Cicadellidae) Synonym(s): *agropyri* Emelyanov,1962
- 10065) Paradorydium mustafai Demir,2005** (Cicadellidae) Synonym(s): *mustafai* Demir,2005
- 10066) Paradorydium occidentale Lindberg,1954** (Cicadellidae) Synonym(s): *occidentale* Lindberg,1954
- 10067) Paradorydium paradoxum (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *paradoxum* Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839
- 10068) Dorycephalus baeri Kuschakewisch,1866** (Cicadellidae) Synonym(s): *baeri* Kuschakewisch,1866
- 10069) Paralinellus cingulatus (Dlabola,1960)** (Cicadellidae) Synonym(s): *cingulatus* Dlabola,1960
- 10070) Paralimnus inexpectatus Dlabola,1961** (Cicadellidae) Synonym(s): *inexpectatus* Dlabola,1961
- 10071) Paralimnus phragmitis (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897
- 10072) Paralimnus picturatus Haupt,1930** (Cicadellidae) Synonym(s): *picturatus* Haupt,1930; *lindneri* Fahringer,1942; *subtilis* Linnavuori,1964
- 10073) Paramesodes lineaticollis (Distant,1908)** (Cicadellidae) Synonym(s): *lineaticollis* Distant,1908; *lucaniae* Dlabola,1959
- 10074) Paramesus major Haupt,1927** (Cicadellidae) Synonym(s): *major* Haupt,1927
- 10075) Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (praeocc.); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913
- 10076) Parapotes reticulatus (Hovarth,1897)** (Cicadellidae) Synonym(s): *reticulatus* Hovarth,1897
- 10077) Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (praeocc.); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952
- 10078) Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838
- 10079) Phlepsius ornatus (Perris,1857)** (Cicadellidae) Synonym(s): *ornatus* Perris,1857; *maculatus* Fieber,1866; *asiaticus* Zachvatkin,1945; *angorensis* Zachvatkin,1945
- 10080) Phlepsius spinulosus Wagner,1963** (Cicadellidae) Synonym(s): *spinulosus* Wagner,1963
- 10081) Phlogotettix cyclops (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey,1855
- 10082) Planaphrodes trifasciatus (Fourcroy,1785)** (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kusnezov,1929
- 10083) Platymetopius (Quernus) quercinus Dlabola,1974** (Cicadellidae) Synonym(s): *quercinus* Dlabola,1974
- 10084) Platymetopius (Quernus) signoreti Wagner,1959** (Cicadellidae) Synonym(s): *viridinervis* Signoret,1880 nec Kbm.,1868; *signoreti* Wagner,1959
- 10085) Platymetopius (Quernus) curvatus Dlabola,1974** (Cicadellidae) Synonym(s): *curvatus* Dlabola,1974
- 10086) Platymetopius (s.str.) enatus Dlabola,1974 (?)** (Cicadellidae) Synonym(s): *enatus* Dlabola,1974
- 10087) Platymetopius (s.str.) filigranus (Scott,1876)** (Cicadellidae) Synonym(s): *filigranus* Scott,1876
- 10088) Platymetopius (s.str.) guttatus Fieber,1869** (Cicadellidae) Synonym(s): *guttatus* Fieber,1869
- 10089) Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) Synonym(s): *henribauti* Dlabola,1961
- 10090) Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus* Signoret,1880
- 10091) Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962
- 10092) Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus* Puton,1877; *turkistanicus* Kusnezov,1927
- 10093) Platymetopius complicatus Nast,1972** (Cicadellidae) Synonym(s): *signoreti* Metcalf,1967 (praeocc.); *complicatus* Nast,1972
- 10094) Platymetopius cruentatus Haupt,1927** (Cicadellidae) Synonym(s): *cruentatus* Haupt,1927
- 10095) Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 10096) Platymetopius quercinus Dlabola,1974** (Cicadellidae) Synonym(s): *quercinus* Dlabola,1974

- 10097) Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894
- 10098) Platymetopius safavii Dlabola,1971** (Cicadellidae) Synonym(s): *safavii* Dlabola,1971
- 10099) Platymetopius shirazicus Dlabola,1974** (Cicadellidae) Synonym(s): *shirazicus* Dlabola,1974
- 10100) Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868
- 10101) Psammetettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914
- 10102) Psammetettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881
- 10103) Psammetettix cerinus (Lindberg,1948)** (Cicadellidae) Synonym(s): *cerinus* Lindberg,1948
- 10104) Psammetettix comitans Emelyanov,1964** (Cicadellidae) Synonym(s): *comitans* Emelyanov,1964
- 10105) Psammetettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925
- 10106) Psammetettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombifer* Fieber,1869; *substriatus* Then,1902
- 10107) Psammetettix majusculus Linnavuori,1951** (Cicadellidae) Synonym(s): *majusculus* Linnavuori,1951
- 10108) Psammetettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus* Ribaut,1925
- 10109) Psammetettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps* Horvath,1897
- 10110) Psammetettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869
- 10111) Psammetettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925
- 10112) Psammetettix prolongatus Dlabola,1979** (Cicadellidae) Synonym(s): *prolongatus* Dlabola,1979
- 10113) Psammetettix salsuginosus Logvinenko,1961** (Cicadellidae) Synonym(s): *salsuginosus* Logvinenko,1961
- 10114) Psammetettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (praeocc.); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908
- 10115) Psammetettix transcaucasicus Dlabola,1961** (Cicadellidae) Synonym(s): *transcaucasicus* Dlabola,1961
- 10116) Recilia coronifera (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866; *coroniceps* Kirschbaum,1868; *i-album* Scott,1881
- 10117) Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
- 10118) Rhoanatus hypochlorus (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus* Fieber,1869
- 10119) Rhytidodus boluicus Dlabola,1970** (Cicadellidae) Synonym(s): *boluicus* Dlabola,1970
- 10120) Rhytidodus decimusquartus (Schränk,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schränk,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894
- 10121) Rhytidodus nobilis (Fieber,1868)** (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus* Kirschbaum,1868
- 10122) Rhytidodus wagneri Dlabola,1965** (Cicadellidae) Synonym(s): *wagneri* Dlabola,1965
- 10123) Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces* Ribaut,1931
- 10124) Ribautiana cruciata (Ribaut,1931)** (Cicadellidae) Synonym(s): *cruciata* Ribaut,1931
- 10125) Ribautiana ognevi (Zachvatkin,1948)** (Cicadellidae) Synonym(s): *ognevi* Zachvatkin,1948; *horvathiana* Dlabola,1954
- 10126) Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947
- 10127) Sagatus punctifrons (Fallén,1826)** (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894
- 10128) Scleroracis decumanus (Kontkanen,1949)** (Cicadellidae) Synonym(s): *striatula* Fallén,1806 (praeocc.); *decumanus* Kontkanen,1949
- 10129) Selenocephalus anatolicus Dlabola,1957** (Cicadellidae) Synonym(s): *anatolicus* Dlabola,1957
- 10130) Selenocephalus ankarae Dlabola,1957** (Cicadellidae) Synonym(s): *ankarae* Dlabola,1957
- 10131) Selenocephalus armeniacus Lindberg,1960** (Cicadellidae) Synonym(s): *armeniacus* Lindberg,1960
- 10132) Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (praeocc.); *obsoletus* Germar,1817; *punctatonevus* Stål,1854
- 10133) Selenocephalus pallens Lindberg,1948** (Cicadellidae) Synonym(s): *pallens* Lindberg,1948; *obscurus* Lindberg,1953
- 10134) Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus* Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos & Kalkandelen,1986
- 10135) Selenocephalus planus (Turton,1802)** (Cicadellidae) Synonym(s): *planus* Turton,1802
- 10136) Selenocephalus amasycus Dlabola,1977** (Cicadellidae) Synonym(s): *amasycus* Dlabola,1977

- 10137) Selenocephalus sirvadi Dlabola,1965** (Cicadellidae) Synonym(s): *sirvadi Dlabola,1965*
- 10138) Selenocephalus stenopterus Signoret,1880** (Cicadellidae) Synonym(s): *stenopterus Signoret,1880*
- 10139) Selenocephalus tapan Dlabola,1981** (Cicadellidae) Synonym(s): *tapan Dlabola,1981*
- 10140) Selenocephalus uvarovi Zachvatkin,1946** (Cicadellidae) Synonym(s): *uvarovi Zachvatkin,1946*
- 10141) Speudotettix subfuscus (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus Fallén,1806; pectoralis Germar,1821; craticula Curtis,1837*
- 10142) Stegelytra putoni Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *putoni Mulsant & Rey,1855*
- 10143) Stegelytra sororcula Dlabola,1974** (Cicadellidae) Synonym(s): *sororcula Dlabola,1974*
- 10144) Stenometopiellus angorensis Zachvatkin,1946** (Cicadellidae) Synonym(s): *angorensis Zachvatkin,1946; tesquorum Emeljanov,1964*
- 10145) Stenometopiellus macilentus (Horvath,1904)** (Cicadellidae) Synonym(s): *macilentus Horvath,1904; turkestanica Linnavuori,1953*
- 10146) Stictocoris picturatus (Sahlberg,1842)** (Cicadellidae) Synonym(s): *lineata Fabricius,1787 (praeocc.); picturatus Sahlberg,1842*
- 10147) Streptanus albanicus (Horvath,1916)** (Cicadellidae) Synonym(s): *albanicus Horvath,1916; josifovi Dlabola,1957*
- 10148) Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus Stal,1855; rubrostriatus Horvath,1907; rubrovittatus Matsumura,1914*
- 10149) Sulamicerus ancorarius (Dlabola,1964)** (Cicadellidae) Synonym(s): *ancorarius Dlabola,1964*
- 10150) Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): *stali Fieber,1868; bicolor Melichar,1896; toktogulensis Dubovsky,1970*
- 10151) Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri Horvath,1897; wagneri Haupt,1926*
- 10152) Tamaricella cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria Ribaut,1948*
- 10153) Tamaricella remanei Dworakowska,1971** (Cicadellidae) Synonym(s): *remanei Dworakowska,1971*
- 10154) Tamaricella ribauti (Zachvatkin,1947)** (Cicadellidae) Synonym(s): *ribauti Zachvatkin,1947*
- 10155) Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis Puton,1872; subpunctata Vilbaste,1961*
- 10156) Tbilisica anatolica Kartal,1983** (Cicadellidae) Synonym(s): *anatolica Kartal,1983*
- 10157) Tetartostylus illyricus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *illyricus Kirschbaum,1868; pellucidus Wagner,1951 nec Melichar,1896*
- 10158) Thamnotettix (Loepotettix) exemtus Melichar,1896** (Cicadellidae) Synonym(s): *exemtus Melichar,1896*
- 10159) Thamnotettix (Loepotettix) lutfi Demir,2006** (Cicadellidae) Synonym(s): *lutfi Demir,2006*
- 10160) Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis Zetterstedt,1828; simplex Herrich-Schäffer,1834; sulphurea Curtis,1837; stupidula Zetterstedt,1840; tincta Zetterstedt,1840; prominulus Reuter,1880; rufescentipes Strand,1913; hoashii Matsumura,1915; schlueteri Haupt,1917*
- 10161) Thamnotettix (s.str.) creticus Dlabola,1974** (Cicadellidae) Synonym(s): *creticus Dlabola,1974*
- 10162) Thamnotettix (s.str.) dilutior (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *dilutior Kirschbaum,1868; erythrostickus Lethierry,1880*
- 10163) Thamnotettix (s.str.) klapperichi Dlabola,1965** (Cicadellidae) Synonym(s): *klapperichi Dlabola,1965*
- 10164) Thamnotettix (s.str.) wittmeri Dlabola,1971** (Cicadellidae) Synonym(s): *wittmeri Dlabola,1971*
- 10165) Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri Kirschbaum,1868*
- 10166) Thamnotettix minoidis Dlabola,1974** (Cicadellidae) Synonym(s): *minoidis Dlabola,1974*
- 10167) Thamnotettix seclusus Linnavuori,1958** (Cicadellidae) Synonym(s): *seclusus Linnavuori,1958*
- 10168) Thamnotettix thrax Dlabola,1965** (Cicadellidae) Synonym(s): *thrax Dlabola,1965*
- 10169) Thamnotettix wittmeri Dlabola,1971** (Cicadellidae) Synonym(s): *wittmeri Dlabola,1971*
- 10170) Tremulicerus mesopyrrhus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *mesopyrrhus Kirschbaum,1868; socialis Fieber,1868; variegata Ribaut,1952*
- 10171) Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus Herrich-Schäffer,1835; falciger Boheman,1845; discolor Flor,1861; venustus Scott,1874*
- 10172) Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) Synonym(s): *vitreus Fabricius,1803; auronitens Kirschbaum,1868; halbum Fieber,1868*
- 10173) Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus Fabricius,1777; fasciata Tollin,1851*
- 10174) Utecha trivia (Germar,1821)** (Cicadellidae) Synonym(s): *trivia Germar,1821; decussata Germar,1821; lugens Germar,1821; germari Fieber,1872*
- 10175) Verdanus bekiri (Kalkandelen,1972)** (Cicadellidae) Synonym(s): *bekiri Kalkandelen,1972*
- 10176) Verdanus melichari (Dlabola,1951)** (Cicadellidae) Synonym(s): *melichari Dlabola,1951*
- 10177) Verdanus gazelicornis (Dlabola,1980)** (Cicadellidae) Synonym(s): *gazelicornis Dlabola,1980*

- 10178) Verdanus pazoukii (Dlabola,1980)** (Cicadellidae) Synonym(s): *pazoukii Dlabola,1980*
- 10179) Verdanus artvinensis Güçlü,2009** (Cicadellidae) Synonym(s): *artvinensis Güçlü,2009*
- 10180) Verdanus hardei (Dlabola,1980)** (Cicadellidae) Synonym(s): *hardei Dlabola,1980*
- 10181) Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis Schrank,1801; ustulatus Mulsant & Rey,1855; salicetorum Mulsant & Rey,1855; prasinus Kirschbaum,1868*
- 10182) Xestocephalus guttulatus (Motschulsky,1859)** (Cicadellidae) Synonym(s): *guttulatus Motschulsky,1859*
- 10183) Zercanus rubroocellatus Dlabola,1965** (Cicadellidae) Synonym(s): *rubroocellatus Dlabola,1965*
- 10184) Zygina (Hypericiella) nebulosa (Ribaut,1948)** (Cicadellidae) Synonym(s): *nebulosa Ribaut,1948*
- 10185) Zygina (s.str.) discolor Horvath,1897** (Cicadellidae) Synonym(s): *discolor Horvath,1897; #discolar Lodos & Kalkandelen,1984*
- 10186) Zygina (s.str.) karatasa (Dlabola,1957)** (Cicadellidae) Synonym(s): *karatasa Dlabola,1957*
- 10187) Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea Mulsant & Rey,1855; punctulum Mulsant & Rey,1855; cruoris Rey,1891; dorsuaria Ribaut,1936; nycthemera Ribaut,1936*
- 10188) Zygina (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria Ribaut,1936; pandellei Ribaut,1936; variegata Ribaut,1936*
- 10189) Zygina (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni Ferrari,1882; simplex Ferrari,1882; detrita Rey,1894; difficilis Ribaut,1936; manca Ribaut,1936*
- 10190) Zygina (s.str.) rorida (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *rorida Mulsant & Rey,1855; costalis Ferrari,1882; deleta Ribaut,1936*
- 10191) Zygina (s.str.) suavis Rey,1891** (Cicadellidae) Synonym(s): *suavis Rey,1891; rhamnicola Horvath,1903; fulguralis Matsumura,1908; concinna Edwards,1924; inconstans Ribaut,1936*
- 10192) Zygina (s.str.) tithide Ferrari,1882** (Cicadellidae) Synonym(s): *tithide Ferrari,1882; nudale Ribaut,1936 (praeocc.); nudior Cerr.,1937; decolorata Cerr.,1939; unipunctata Cerr.,1939; nudista Knull,1944*
- 10193) Zygina pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra Loew,1885; quercus Kusnezov,1930*
- 10194) Zyginiidia (Anatolidia) obesa Zachvatkin,1937** (Cicadellidae) Synonym(s): *obesa Zachvatkin,1937*
- 10195) Zyginiidia (Anatolidia) rostrata Zachvatkin,1937** (Cicadellidae) Synonym(s): *rostrata Zachvatkin,1937*
- 10196) Zyginiidia (s.str.) artvinicus Kalkandelen,1985** (Cicadellidae) Synonym(s): *artvinicus Kalkandelen,1985*
- 10197) Zyginiidia (s.str.) bafranicus Kalkandelen,1985** (Cicadellidae) Synonym(s): *bafranicus Kalkandelen,1985; #bafrae Lodos & Kalkandelen,1988*
- 10198) Zyginiidia (s.str.) emrea Kalkandelen,1985** (Cicadellidae) Synonym(s): *emrea Kalkandelen,1985*
- 10199) Zyginiidia (s.str.) karadenizicus Kalkandelen,1985** (Cicadellidae) Synonym(s): *karadenizicus Kalkandelen,1985*
- 10200) Zyginiidia (s.str.) eremita Zachvatkin,1953** (Cicadellidae) Synonym(s): *eremita Zachvatkin,1953; caucasica Zachvatkin,1953*
- 10201) Zyginiidia (s.str.) pullula (Boheman,1845)** (Cicadellidae) Synonym(s): *pullula Boheman,1845*
- 10202) Zyginiidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab Zachvatkin,1947; coacta Ribaut,1948*

CICADIDAE

- 10203) Cicada lodosi Boulard,1979** (Cicadidae) Synonym(s): *lodosi Boulard,1979*
- 10204) Cicada mordoganensis Boulard,1979** (Cicadidae) Synonym(s): *mordoganensis Boulard,1979*
- 10205) Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni Linnaeus,1758; punctata Fabricius,1798; oleae A.Costa,1877*
- 10206) Cicada permagna (Haupt,1917)** (Cicadidae) Synonym(s): *permagna Haupt,1917*
- 10207) Cicadatra adanai Kartal,1980** (Cicadidae) Synonym(s): *adanai Kartal,1980*
- 10208) Cicadatra atra (Oliver,1790)** (Cicadidae) Synonym(s): *atra Oliver,1790; concinna Germar,1821; transversa Germar,1830 (praeocc.); vitreus Brullé,1832; hyalinatus Brullé,1832; helianthem Rambur,1840; aquila Fieber,1876; pallipes Fieber,1876; tau Fieber,1876; appendiculata Linnavuori,1954*
- 10209) Cicadatra hagenica Dlabola,1987** (Cicadidae) Synonym(s): *virens Hagen,1856; hagenica Dlabola,1987*
- 10210) Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina Fabricius,1798; geodesma Kolenati,1857; taurica Fieber,1876; virens Fieber,1876; burriana Horvath,1912; viridis Haupt,1917; discrepans Schumacher,1923; rossica Schumacher,1923*
- 10211) Cicadatra persica Kirkaldy,1909** (Cicadidae) Synonym(s): *lineola Hagen,1856 (praeocc.); persica Kirkaldy,1909*
- 10212) Cicadatra platyptera Fieber,1876** (Cicadidae) Synonym(s): *platyptera Fieber,1876*
- 10213) Cicadatra tenebrosa Fieber,1876** (Cicadidae) Synonym(s): *tenebrosa Fieber,1876*

- 10214) Cicadetta flaveola (Brullé,1832)** (Cicadidae) Synonym(s): *flaveola* Brullé,1832
- 10215) Cicadetta montana (Scopoli,1772)** (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (praeocc.); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876
- 10216) Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913
- 10217) Cicadetta parvula Fieber,1876** (Cicadidae) Synonym(s): *parvula* Fieber,1876; *fieberi* Oshanin,1908; *libanotica* Horvath,1911
- 10218) Cicadetta pilosa Horvath,1901** (Cicadidae) Synonym(s): *pilosa* Horvath,1901
- 10219) Cicadetta sibilatrix Horvath,1901** (Cicadidae) Synonym(s): *sibilatrix* Horvath,1901
- 10220) Cicadetta turcica (Schedl,2001)** (Cicadidae) Synonym(s): *turcica* Schedl,2001
- 10221) Cicadivetta tibialis (Panzer,1798)** (Cicadidae) Synonym(s): *tibialis* Panzer,1798; *libanotica* Horvath,1911; *cissilvanica* Haupt,1935; *acuta* Dlabola,1961
- 10222) Dimissalna dimissa (Hagen,1856)** (Cicadidae) Synonym(s): *dimissa* Hagen,1856
- 10223) Klapperichicen viridissimus (Walker,1858)** (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreatea* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920
- 10224) Lyristes gemellus Boulard,1988** (Cicadidae) Synonym(s): *gemellus* Boulard,1988
- 10225) Lyristes isodol Boulard,1988** (Cicadidae) Synonym(s): *isodol* Boulard,1988
- 10226) Lyristes plebejus (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955
- 10227) Pagiphora annulata (Brullé,1832)** (Cicadidae) Synonym(s): *annulata* Brullé,1832
- 10228) Pagiphora aschei Kartal,1978** (Cicadidae) Synonym(s): *aschei* Kartal,1978
- 10229) Pagiphora yanni Boulard,1993** (Cicadidae) Synonym(s): *yanni* Boulard,1993
- 10230) Psalmocharias querula (Pallas,1773)** (Cicadidae) Synonym(s): *querula* Pallas,1773; *steveni* Stål,1854 (praeocc.)
- 10231) Tibicina fieberi Puissant & Sueur,2002** (Cicadidae) Synonym(s): *fieberi* Puissant & Sueur,2002
- 10232) Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876
- 10233) Tibicina nigronevosa Fieber,1876** (Cicadidae) Synonym(s): *nigronevosa* Fieber,1876
- 10234) Tibicina serhadensis Koçak & Kemal,2010** (Cicadidae) Synonym(s): *serhadensis* Koçak & Kemal,2010
- 10235) Tibicina steveni (Krynicky,1837)** (Cicadidae) Synonym(s): *steveni* Krynicky,1837
- 10236) Triglina virescens Fieber,1876** (Cicadidae) Synonym(s): *virescens* Fieber,1876

CIMBICIDAE

- 10237) Abia aenea (Klug,1829)** (Cimbicidae) Synonym(s): *aenea* Klug,1829; *bifida* Thomson,1871; *bigenis* Kangas,1946
- 10238) Abia sericea (Linnaeus,1767)** (Cimbicidae) Synonym(s): *sericea* Linnaeus,1767
- 10239) Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbicidae) Synonym(s): *quadrimaculatus* O.F.Müller,1766
- 10240) Corynis caucasica (Mocsary,1886)** (Cimbicidae) Synonym(s): *caucasica* Mocsary,1886
- 10241) Corynis concinna (Stein,1876)** (Cimbicidae) Synonym(s): *concinna* Stein,1876; *sarta* Kuznetsov-Ugamskii; *bleyli* Muche,1964
- 10242) Corynis frontina (Konow,1905)** (Cimbicidae) Synonym(s): *frontina* Konow,1905
- 10243) Corynis italica (Lepeletier,1823)** (Cimbicidae) Synonym(s): *italica* Lepeletier,1823
- 10244) Corynis krueperi (Stein,1876)** (Cimbicidae) Synonym(s): *krueperi* Stein,1876; *enslini* Maidl,1923
- 10245) Corynis lateralis (Brullé,1832)** (Cimbicidae) Synonym(s): *lateralis* Brullé,1832
- 10246) Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969
- 10247) Corynis reticulata Benson,1954** (Cimbicidae) Synonym(s): *reticulata* Benson,1954
- 10248) Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbicidae) Synonym(s): *amerinae* Linnaeus,1758

CIMICIDAE

- 10249) Cimex lectularius Linnaeus,1758** (Cimicidae) Synonym(s): *lectularius* Linnaeus,1758
- 10250) Cacodmus vicinus Horvath,1934** (Cimicidae) Synonym(s): *vicinus* Horvath,1934

CIXIIDAE

- 10251) *Cixius cunicularius* (Linnaeus,1767)** (Cixiidae) Synonym(s): *cunicularius* Linnaeus,1767; *nervosopunctata* De Geer,1773; *cynosbatis* Fabricius,1775; *dionysii* Panzer,1796; *dorsalis* Hardy,1850; *eurypterus* Kirschbaum,1868; *vulgaris* Fieber,1876; *fusca* Fieber,1876
- 10252) *Cixius distinguendus* Kirschbaum,1868** (Cixiidae) Synonym(s): *distinguendus* Kirschbaum,1868; *intermedius* Scott,1870; *brachycranus* Scott,1870; *#distinguendus* Lodos & Kalkandelen,1980
- 10253) *Cixius pallipes* Fieber,1876** (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897
- 10254) *Cixius remotus* Edwards,1888** (Cixiidae) Synonym(s): *remotus* Edwards,1888
- 10255) *Cixius simplex* (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776 (*praeocc.*); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti* Edwards,1888
- 10256) *Duilius seticlosa* (Lethierry,1874)** (Cixiidae) Synonym(s): *seticlosa* Lethierry,1874; *irrorata* A.Costa,1882; *punctata* Lallemant,1929
- 10257) *Duilius tamaricis* (Puton & Lethierry,1887)** (Cixiidae) Synonym(s): *tamaricis* Puton & Lethierry,1887
- 10258) *Eumecurus bourouensis* (Linnavuori,1965)** (Cixiidae) Synonym(s): *bourouensis* Linnavuori,1965
- 10259) *Eumecurus gyaurus* (Dlabola,1957)** (Cixiidae) Synonym(s): *gyaurus* Dlabola,1957
- 10260) *Hemitropis seticlosa* (Lethierry,1874)** (Cixiidae) Synonym(s): *seticlosa* Lethierry,1874
- 10261) *Hyalesthes askalensis* Hoch,1985** (Cixiidae) Synonym(s): *askalensis* Hoch,1985; *erzurumica* Dlabola,1986
- 10262) *Hyalesthes hani* Hoch,1985** (Cixiidae) Synonym(s): *hani* Hoch,1985
- 10263) *Hyalesthes luteipes* Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876
- 10264) *Hyalesthes mavromoustakisi* Dlabola,1959** (Cixiidae) Synonym(s): *mavromoustakisi* Dlabola,1959
- 10265) *Hyalesthes mlokosiewiczzi* Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewiczzi* Signoret,1879
- 10266) *Hyalesthes obsoletus* Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935
- 10267) *Hyalesthes philesakis* Hoch & Remane,1985** (Cixiidae) Synonym(s): *philesakis* Hoch & Remane,1985
- 10268) *Hyalesthes ponticorum* Hoch & Remane,1985** (Cixiidae) Synonym(s): *ponticorum* Hoch & Remane,1985
- 10269) *Hyalesthes scotti* Ferrari,1882** (Cixiidae) Synonym(s): *scotti* Ferrari,1882
- 10270) *Hyalesthes thracicus* Hoch,1985** (Cixiidae) Synonym(s): *thracicus* Hoch,1985
- 10271) *Hyalesthes veysseli* Hoch,1985** (Cixiidae) Synonym(s): *veysseli* Hoch,1985
- 10272) *Hyalesthes yozgaticus* Hoch & Remane,1985** (Cixiidae) Synonym(s): *yozgatica* Hoch & Remane,1985
- 10273) *Myndus musivus* (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825
- 10274) *Oliarus angustiformis* Linnavuori,1953** (Cixiidae) Synonym(s): *angustiformis* Linnavuori,1953
- 10275) *Oliarus cuspidatus* Fieber,1876** (Cixiidae) Synonym(s): *cuspidatus* Fieber,1876
- 10276) *Pentastira rorida* (Fieber,1876)** (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus* Fieber,1876
- 10277) *Oliarus pallens* (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927
- 10278) *Oliarus panzeri* (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883
- 10279) *Oliarus roridus* Fieber,1876** (Cixiidae) Synonym(s): *roridus* Fieber,1876; *maculatus* Fieber,1876
- 10280) *Pentastira major* (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 10281) *Pentastira megista* Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978
- 10282) *Pentastira torossica* (Dlabola,1957)** (Cixiidae) Synonym(s): *torossicus* Dlabola,1957
- 10283) *Pentastiridius leporinus* (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835
- 10284) *Pentastiridius nanus* (Ivanoff,1885)** (Cixiidae) Synonym(s): *nanus* Ivanoff,1885
- 10285) *Pseudoliarus fuscifasciatus* (Melichar,1902)** (Cixiidae) Synonym(s): *fuscifasciatus* Melichar,1902; *obliteratus* Kusnezov,1937; *aegyptiacus* Wagner,1954
- 10286) *Pseudoliarus palaestinensis* Linnavuori,1962** (Cixiidae) Synonym(s): *palaestinensis* Linnavuori,1962
- 10287) *Reptalus (Trepalus) rufocarinatus* (Kusnezov,1937)** (Cixiidae) Synonym(s): *rufocarinatus* Kusnezov,1937; *bitinctus* Dlabola,1961
- 10288) *Reptalus (s.str.) horridus* (Linnavuori,1962)** (Cixiidae) Synonym(s): *horridus* Linnavuori,1962; *zercanus* Dlabola,1965
- 10289) *Reptalus (s.str.) melanochaetus* (Fieber,1876)** (Cixiidae) Synonym(s): *melanochaetus* Fieber,1876; *fasciatus* Kusnezov,1928

- 10290) Reptalus (s.str.) oleae Dlabola,1987** (Cixiidae) Synonym(s): *oleae Dlabola,1987*
10291) Reptalus (s.str.) panzeri (Loew,1883) (Cixiidae) Synonym(s): *panzeri Loew,1883*
10292) Reptalus (s.str.) quinquecostatus (Dufour,1833) (Cixiidae) Synonym(s): *quinquecostatus Dufour,1833; pallidus Kusnezov,1937; flavidus Kusnezov,1937; rufocarinatus Kusnezov,1937*
10293) Setapius apiculatus (Fieber,1876) (Cixiidae) Synonym(s): *apiculatus Fieber,1876*
10294) Setapius barajus (Dlabola,1957) (Cixiidae) Synonym(s): *barajus Dlabola,1957*
10295) Setapius brinki Dlabola,1988 (Cixiidae) Synonym(s): *brinki Dlabola,1988*
10296) Setapius bitinctus (Dlabola,1961) (Cixiidae) Synonym(s): *bitinctus Dlabola,1961*
10297) Setapius klapperichianus Dlabola,1988 (Cixiidae) Synonym(s): *klapperichianus Dlabola,1988*
10298) Setapius lindbergi (Dlabola,1957) (Cixiidae) Synonym(s): *lindbergi Dlabola,1957*
10299) Setapius niyazicus (Dlabola,1985) (Cixiidae) Synonym(s): *niyazicus Dlabola,1985*
10300) Tachycixius bidentifer Dlabola,1971 (Cixiidae) Synonym(s): *bidentifer Dlabola,1971*
10301) Tachycixius creticus Dlabola,1974 (Cixiidae) Synonym(s): *creticus Dlabola,1974*
10302) Tachycixius desertorum (Fieber,1876) (Cixiidae) Synonym(s): *desertorum Fieber,1876*
10303) Tachycixius logvinenkovaе Dlabola,1974 (Cixiidae) Synonym(s): *logvinenkovaе Dlabola,1974*
10304) Tachycixius pilosus (Olivier,1791) (Cixiidae) Synonym(s): *pilosus Olivier,1791; contaminata Germar,1818; albicincta Germar,1818; infumata Fieber,1876; discicollis Rey,1894; nigrita Haupt,1931*

CLERIDAE

- 10305) Clerus mutillaeformis Reitter,1895** (Cleridae) Synonym(s): *mutillaeformis Reitter,1895*
10306) Clerus mutillaroides Reitter,1893 (Cleridae) Synonym(s): *mutillaroides Reitter,1893*
10307) Denops albofasciatus (Charpentier,1825) (Cleridae) Synonym(s): *albofasciatus Charpentier,1825*
10308) Flabellotilloidea palaestina (Pic,1900) (Cleridae) Synonym(s): *palaestina Pic,1900*
10309) Opilo taeniatus (Klug,1842) (Cleridae) Synonym(s): *taeniatus Klug,1842*
10310) Phloiocopus basalis (Klug,1842) (Cleridae) Synonym(s): *basalis Klug,1842*
10311) Thanasmus formicarius (Linnaeus,1758) (Cleridae) Synonym(s): *formicarius Linnaeus,1758*
10312) Tilloidea transversalis (Charpentier,1825) (Cleridae) Synonym(s): *unifasciatus Rossi,1790; transversalis Charpentier,1825*
10313) Tillus pallidipennis Bielz,1850 (Cleridae) Synonym(s): *pallidipennis Bielz,1850*
10314) Tillus pectinicornis Abeille de Perrin,1892 (Cleridae) Synonym(s): *pectinicornis Abeille de Perrin,1892*
10315) Tillus pectinicornis Abeille,1892 (Cleridae) Synonym(s): *pectinicornis Abeille,1892; holtzi Hintz,1902*
10316) Trichodes affinis Chevrolat,1843 (Cleridae) Synonym(s): *affinis Chevrolat,1843; apicalis Champenois,1900*
10317) Trichodes albei Escherich,1893 (Cleridae) Synonym(s): *albei Escherich,1893; korbianus Ganglbauer,1905*
10318) Trichodes apiarius (Linnaeus,1758) (Cleridae) Synonym(s): *apiarius Linnaeus,1758*
10319) Trichodes crabroniformis Fabricius,1787 (Cleridae) Synonym(s): *crabroniformis Fabricius,1787*
10320) Trichodes dilatipennis Reitter,1893 (Cleridae) Synonym(s): *dilatipennis Reitter,1893*
10321) Trichodes ephippiger Chevrolat,1874 (Cleridae) Synonym(s): *ephippiger Chevrolat,1874*
10322) Trichodes ganglbaueri Escherich,1893 (Cleridae) Synonym(s): *ganglbaueri Escherich,1893; israelicus Winkler,1963*
10323) Trichodes heydeni Escherich (Cleridae) Synonym(s): *heydeni Escherich; anaticus Reitter,1893*
10324) Trichodes inermis Reitter,1893 (Cleridae) Synonym(s): *inermis Reitter,1893*
10325) Trichodes insignis Fischer v. Waldheim,1829 (Cleridae) Synonym(s): *insignis Fischer v. Waldheim,1829; armeniacus Baudi,1873*
10326) Trichodes laminatus Chevrolat,1843 (Cleridae) Synonym(s): *laminatus Chevrolat,1843*
10327) Trichodes longissimus (Abeille de Perrin,1881) (Cleridae) Synonym(s): *longissimus Abeille de Perrin,1881; angustifrons Abeille de Perrin,1881*
10328) Trichodes nobilis Klug,1842 (Cleridae) Synonym(s): *nobilis Klug,1842; sanguineosignatus Spinola,1844*
10329) Trichodes oberthueri Champenois,1900 (Cleridae) Synonym(s): *oberthueri Champenois,1900*
10330) Trichodes olivieri (Chevrolat,1843) (Cleridae) Synonym(s): *olivieri Chevrolat,1843*
10331) Trichodes pulcherrimus Escherich,1892 (Cleridae) Synonym(s): *pulcherrimus Escherich,1892*
10332) Trichodes punctatus Fischer v. Waldheim,1829 (Cleridae) Synonym(s): *punctatus Fischer v. Waldheim,1829; illustris Klug,1842; viridifasciatus Chevrolat,1843*
10333) Trichodes quadriguttatus Adams,1817 (Cleridae) Synonym(s): *quadriguttatus Adams,1817*
10334) Trichodes reichei Mulsant & Rey,1863 (Cleridae) Synonym(s): *reichei Mulsant & Rey,1863; klugi Kraatz,1873; conjunctus Escherich,1892*

- 10335) *Trichodes rubrolimbatus* Chevrolat, 1876** (Cleridae) Synonym(s): *rubrolimbatus* Chevrolat, 1876; *difficilis* Escherich, 1893
- 10336) *Trichodes sbordonii* Audisio, 1975** (Cleridae) Synonym(s): *sbordonii* Audisio, 1975
- 10337) *Trichodes sexpustulatus* Chevrolat, 1874** (Cleridae) Synonym(s): *sexpustulatus* Chevrolat, 1874; *erratus* Champenois, 1898
- 10338) *Trichodes sipylus* (Linnaeus, 1758)** (Cleridae) Synonym(s): *sipylus* Linnaeus, 1758; *subfasciatus* Kraatz, 1873; *frater* Kraatz, 1893; *fraterculus* Zaitzev, 1915
- 10339) *Trichodes suspectus* Escherich, 1892** (Cleridae) Synonym(s): *suspectus* Escherich, 1892
- 10340) *Trichodes syriacus* Spinola, 1844** (Cleridae) Synonym(s): *syriacus* Spinola, 1844
- 10341) *Trichodes tauricus* Zimmermann, 1971** (Cleridae) Synonym(s): *tauricus* Zimmermann, 1971

COCCIDAE

- 10342) *Acanthopulvinaria orientalis* (Nasonov)** (Coccidae) Synonym(s): *orientalis* (Nasonov)
- 10343) *Anapulvinaria pistaciae* (Bodenheimer)** (Coccidae) Synonym(s): *pistaciae* Bodenheimer
- 10344) *Bodenheimera rachelae* (Bodenheimer, 1924)** (Coccidae) Synonym(s): *rachelae* Bodenheimer, 1924
- 10345) *Ceroplastes floridensis* Comstock** (Coccidae) Synonym(s): *floridensis* Comstock
- 10346) *Ceroplastes rusci* (Linnaeus)** (Coccidae) Synonym(s): *rusci* Linnaeus
- 10347) *Ceroplastes sinensis* Del Guercio** (Coccidae) Synonym(s): *sinensis* Del Guercio
- 10348) *Coccus hesperidum* Linnaeus** (Coccidae) Synonym(s): *hesperidum* Linnaeus
- 10349) *Coccus pseudomagnoliarum* (Kuwana)** (Coccidae) Synonym(s): *pseudomagnoliarum* Kuwana
- 10350) *Eriopeltis festucae* (Boyer de Fonscolombe)** (Coccidae) Synonym(s): *festucae* Boyer de Fonscolombe
- 10351) *Eucalymnatus tessellatus* (Signoret)** (Coccidae) Synonym(s): *tessellatus* Signoret
- 10352) *Eulecanium ciliatum* (Douglas)** (Coccidae) Synonym(s): *ciliatum* Douglas
- 10353) *Eulecanium pistaciae* Borchsenius** (Coccidae) Synonym(s): *pistaciae* Borchsenius
- 10354) *Eulecanium rugulosum* (Archangelskaya)** (Coccidae) Synonym(s): *rugulosum* Archangelskaya
- 10355) *Eulecanium takachihoi* (Kuwana)** (Coccidae) Synonym(s): *takachihoi* Kuwana
- 10356) *Eulecanium tiliae* (Linnaeus)** (Coccidae) Synonym(s): *tiliae* Linnaeus
- 10357) *Eulecanium transvittatum* (Green)** (Coccidae) Synonym(s): *transvittatum* Green
- 10358) *Exaeretopus agropyri* (Hadzibejli)** (Coccidae) Synonym(s): *agropyri* Hadzibejli
- 10359) *Exaeretopus formiceticola* Newstead** (Coccidae) Synonym(s): *formiceticola* Newstead
- 10360) *Exaeretopus tritici* Williams** (Coccidae) Synonym(s): *tritici* Williams
- 10361) *Philippia follicularis* (Targioni Tozzetti)** (Coccidae) Synonym(s): *follicularis* Targioni Tozzetti
- 10362) *Lecanopsis turcica* (Bodenheimer)** (Coccidae) Synonym(s): *turcica* Bodenheimer
- 10363) *Lichtensia viburni* Signoret** (Coccidae) Synonym(s): *viburni* Signoret
- 10364) *Nemolecanium aptii* (Bodenheimer)** (Coccidae) Synonym(s): *aptii* Bodenheimer
- 10365) *Palaeolecanium bituberculatum* (Signoret)** (Coccidae) Synonym(s): *bituberculatum* Signoret
- 10366) *Palaeolecanium kosswigi* Bodenheimer** (Coccidae) Synonym(s): *kosswigi* Bodenheimer
- 10367) *Parasaissetia nigra* (Nietner)** (Coccidae) Synonym(s): *nigra* Nietner
- 10368) *Parthenolecanium corni* (Bouche)** (Coccidae) Synonym(s): *corni* Bouche
- 10369) *Parthenolecanium persicae* (Fabricius)** (Coccidae) Synonym(s): *persicae* Fabricius
- 10370) *Parthenolecanium pomeranicum* (Kawecki)** (Coccidae) Synonym(s): *pomeranicum* Kawecki
- 10371) *Parthenolecanium pruinatum* (Coquillett)** (Coccidae) Synonym(s): *pruinatum* Coquillett
- 10372) *Parthenolecanium rufulum* (Cockerell)** (Coccidae) Synonym(s): *rufulum* Cockerell
- 10373) *Parthenolecanium tamaricis* (Bodenheimer)** (Coccidae) Synonym(s): *tamaricis* Bodenheimer
- 10374) *Physokermes piceae* (Schrank)** (Coccidae) Synonym(s): *piceae* Schrank
- 10375) *Pulvinaria floccifera* (Westwood)** (Coccidae) Synonym(s): *floccifera* Westwood
- 10376) *Pulvinaria terrestris* Borchsenius** (Coccidae) Synonym(s): *terrestris* Borchsenius
- 10377) *Pulvinariella mesembryanthemi* (Vallot)** (Coccidae) Synonym(s): *mesembryanthemi* Vallot
- 10378) *Rhizopulvinaria artemisiae* (Signoret)** (Coccidae) Synonym(s): *artemisiae* Signoret
- 10379) *Rhizopulvinaria halli* Borchsenius** (Coccidae) Synonym(s): *halli* Borchsenius
- 10380) *Rhizopulvinaria pyrethri* Borchsenius** (Coccidae) Synonym(s): *pyrethri* Borchsenius
- 10381) *Rhizopulvinaria spinifera* Borchsenius** (Coccidae) Synonym(s): *spinifera* Borchsenius
- 10382) *Rhizopulvinaria turkestanica* (Archangelskaya)** (Coccidae) Synonym(s): *turkestanica* Archangelskaya
- 10383) *Rhizopulvinaria viridis* Borchsenius** (Coccidae) Synonym(s): *viridis* Borchsenius
- 10384) *Rhodococcus perornatus* (Cockerell & Parrott)** (Coccidae) Synonym(s): *perornatus* Cockerell & Parrott
- 10385) *Saissetia coffeae* (Walker)** (Coccidae) Synonym(s): *coffeae* Walker
- 10386) *Saissetia oleae* (Olivier)** (Coccidae) Synonym(s): *oleae* Olivier

- 10387) *Scythia craniumequinum* Kiritchenko** (Coccidae) Synonym(s): *craniumequinum* Kiritchenko
10388) *Sphaerolecanium prunastri* (Boyer de Fonscolombe) (Coccidae) Synonym(s): *prunastri* Boyer de Fonscolombe

COCCINELLIDAE

- 10389) *Adalia* (s.str.) *bipunctata* (Linnaeus,1758)** (Coccinellidae) Synonym(s): *bipunctata* Linnaeus,1758
10390) *Adalia* (s.str.) *decempunctata* (Linnaeus,1758) (Coccinellidae) Synonym(s): *decempunctata* Linnaeus,1758
10391) *Adalia* (s.str.) *fasciatopunctata* Mulsant,1866 (Coccinellidae) Synonym(s): *fasciatopunctata* Mulsant,1866
10392) *Brumus octosignatus* (Gebler,1830) (Coccinellidae) Synonym(s): *octosignatus* Gebler,1830
10393) *Bulaea lichatschovi* (Hummel,1827) (Coccinellidae) Synonym(s): *lichatschovi* Hummel,1827
10394) *Calvia quatuordecimguttata* (Linnaeus,1758) (Coccinellidae) Synonym(s): *quatuordecimguttata* Linnaeus,1758
10395) *Chilocorus bipustulatus* (Linnaeus,1758) (Coccinellidae) Synonym(s): *bipustulatus* Linnaeus,1758
10396) *Chilocorus renipustulatus* (Scriba,1790) (Coccinellidae) Synonym(s): *renipustulatus* Scriba,1790
10397) *Coccinella* (Neococcinella) *undecimpunctata* (Linnaeus,1758) (Coccinellidae) Synonym(s): *undecimpunctata* Linnaeus,1758
10398) *Coccinella* (s.str.) *distincta* Falderman (Coccinellidae) Synonym(s): *distincta* Falderman; #distinctu Özbek & Çetin,1991
10399) *Coccinella* (s.str.) *septempunctata* Linnaeus,1758 (Coccinellidae) Synonym(s): *septempunctata* Linnaeus,1758; *brucki* Mulsant,1866
10400) *Coccinula quatuordecimpustulata* (Linnaeus,1758) (Coccinellidae) Synonym(s): *quatuordecimpustulata* Linnaeus,1758
10401) *Coccinula sinuatomarginata* (Faldermann,1837) (Coccinellidae) Synonym(s): *sinuatomarginata* Faldermann,1837
10402) *Cryptolaemus montrouzieri* Mulsant,1853 (Coccinellidae) Synonym(s): *montrouzieri* Mulsant,1853
10403) *Cynegetis impunctata* (Linnaeus,1758) (Coccinellidae) Synonym(s): *impunctata* Linnaeus,1758
10404) *Cynegetis syriaca* (Mader) (Coccinellidae) Synonym(s): *syriaca* Mader ; *rapillyi*
10405) *Exochomus nigromaculatus* (Goeze,1777) (Coccinellidae) Synonym(s): *nigromaculatus* Goeze,1777
10406) *Exochomus quadripustulatus* (Linnaeus,1758) (Coccinellidae) Synonym(s): *quadripustulatus* Linnaeus,1758
10407) *Harmonia axyridis* (Pallas,1773) (Coccinellidae) Synonym(s): *axyridis* Pallas,1773
10408) *Harmonia quadripunctata* (Pontoppidan,1763) (Coccinellidae) Synonym(s): *quadripunctata* Pontoppidan,1763
10409) *Harmonia quattuordecimpunctata* (Linnaeus,1758) (Coccinellidae) Synonym(s): *quattuordecimpunctata* Linnaeus,1758
10410) *Henosepilachna argus* (Geoffroy,1762) (Coccinellidae) Synonym(s): *argus* Geoffroy,1762
10411) *Hippodamia* (Adonia) *variegata* (Goeze,1777) (Coccinellidae) Synonym(s): *variegata* Goeze,1777
10412) *Hippodamia* (s.str.) *tredecimpunctata* (Linnaeus,1758) (Coccinellidae) Synonym(s): *tredecimpunctata* Linnaeus,1758
10413) *Hippodamia* (Semiadalia) *undecimnotata* (Schneider,1792) (Coccinellidae) Synonym(s): *undecimnotata* Schneider,1792
10414) *Hyperaspis campestris* (Herbst,1783) (Coccinellidae) Synonym(s): *campestris* Herbst,1783
10415) *Hyperaspis collaris* Fleischer,1900 (Coccinellidae) Synonym(s): *collaris* Fleischer,1900
10416) *Hyperaspis femorata* (Motschoulsky,1837) (Coccinellidae) Synonym(s): *femorata* Motschoulsky,1837
10417) *Hyperaspis kansui* Uygun & Fürsch,1981 (Coccinellidae) Synonym(s): *kansui* Uygun & Fürsch,1981
10418) *Hyperaspis polita* Weise,1885 (Coccinellidae) Synonym(s): *polita* Weise,1885
10419) *Hyperaspis pseudopustulata* Mulsant,1853 (Coccinellidae) Synonym(s): *pseudopustulata* Mulsant,1853
10420) *Hyperaspis quadrimaculata* Redtenbacher,1843 (Coccinellidae) Synonym(s): *quadrimaculata* Redtenbacher,1843
10421) *Hyperaspis reppensis* (Herbst,1783) (Coccinellidae) Synonym(s): *reppensis* Herbst,1783
10422) *Hyperaspis syriaca* (Weise,1885) (Coccinellidae) Synonym(s): *syriaca* Weise,1885

- 10423) *Hyperaspis weisei* Jablonkoff & Khnorian, 1971** (Coccinellidae) Synonym(s): *weisei* Jablonkoff & Khnorian, 1971
- 10424) *Hyperaspis wellschmiedi* Fürsch, 1987** (Coccinellidae) Synonym(s): *wellschmiedi* Fürsch, 1987
- 10425) *Nephus caneparii* Fürsch & Uygun, 1980** (Coccinellidae) Synonym(s): *caneparii* Fürsch & Uygun, 1980
- 10426) *Nephus hiekei* (Fürsch, 1965)** (Coccinellidae) Synonym(s): *hiekei* Fürsch, 1965
- 10427) *Nephus includens* (Kirsch, 1870)** (Coccinellidae) Synonym(s): *includens* Kirsch, 1870
- 10428) *Nephus kreissli* Fürsch & Uygun, 1980** (Coccinellidae) Synonym(s): *kreissli* Fürsch & Uygun, 1980
- 10429) *Nephus ludyi* Weise, 1879** (Coccinellidae) Synonym(s): *ludyi* Weise, 1879
- 10430) *Nephus nigricans* Weise, 1879** (Coccinellidae) Synonym(s): *nigricans* Weise, 1879
- 10431) *Nephus pallidus* (Fürsch, 1980)** (Coccinellidae) Synonym(s): *pallidus* Fürsch, 1980
- 10432) *Nephus pandicus* Khnorian, 1970** (Coccinellidae) Synonym(s): *pandicus* Khnorian, 1970
- 10433) *Nephus ponticus* Khnorian, 1970** (Coccinellidae) Synonym(s): *ponticus* Khnorian, 1970
- 10434) *Nephus quadrimaculatus* (Herbst, 1783)** (Coccinellidae) Synonym(s): *quadrimaculatus* Herbst, 1783
- 10435) *Oenopia conglobata* (Linnaeus, 1758)** (Coccinellidae) Synonym(s): *conglobata* Linnaeus, 1758
- 10436) *Oenopia oncina* (Olivier, 1808)** (Coccinellidae) Synonym(s): *oncina* Olivier, 1808
- 10437) *Pharoscymnus beritensis* Weise, 1884** (Coccinellidae) Synonym(s): *beritensis* Weise, 1884
- 10438) *Pharoscymnus ovoideus* Sicard, 1929** (Coccinellidae) Synonym(s): *ovoides* Sicard, 1929
- 10439) *Pharoscymnus pharoides* Marseul, 1868** (Coccinellidae) Synonym(s): *pharoides* Marseul, 1868
- 10440) *Platynaspis luteorubra* Goeze, 1777** (Coccinellidae) Synonym(s): *luteorubra* Goeze, 1777
- 10441) *Propylea quatuordecimpunctata* (Linnaeus, 1758)** (Coccinellidae) Synonym(s): *quatuordecimpunctata* Linnaeus, 1758
- 10442) *Psyllobora vigintiduopunctata* (Linnaeus, 1758)** (Coccinellidae) Synonym(s): *vigintiduopunctata* Linnaeus, 1758
- 10443) *Rodolia cardinalis* Mulsant, 1850** (Coccinellidae) Synonym(s): *cardinalis* Mulsant, 1850
- 10444) *Scymnus apetzi* Mulsant, 1846** (Coccinellidae) Synonym(s): *apetzi* Mulsant, 1846
- 10445) *Scymnus araraticus* Jablakoff & Khnorian, 1969** (Coccinellidae) Synonym(s): *araraticus* Jablakoff & Khnorian, 1969
- 10446) *Scymnus auritus* (Thunberg, 1795)** (Coccinellidae) Synonym(s): *auritus* Thunberg, 1795
- 10447) *Scymnus levaillanti* Mulsant, 1850** (Coccinellidae) Synonym(s): *levaillanti* Mulsant, 1850
- 10448) *Scymnus pallipediformis* Günther, 1958** (Coccinellidae) Synonym(s): *pallipediformis* Günther, 1958
- 10449) *Scymnus quadriguttatus* Capra, 1924** (Coccinellidae) Synonym(s): *quadriguttatus* Capra, 1924
- 10450) *Scymnus rubromaculatus* (Goeze, 1778)** (Coccinellidae) Synonym(s): *rubromaculatus* Goeze, 1778
- 10451) *Scymnus subvillosus* (Goeze, 1777)** (Coccinellidae) Synonym(s): *subvillosus* Goeze, 1777
- 10452) *Scymnus suturalis* (Thunberg, 1795)** (Coccinellidae) Synonym(s): *suturalis* Thunberg, 1795
- 10453) *Stethorus gilvifrons* (Mulsant, 1850)** (Coccinellidae) Synonym(s): *gilvifrons* Mulsant, 1850
- 10454) *Stethorus punctillum* Weise, 1891** (Coccinellidae) Synonym(s): *punctillum* Weise, 1891
- 10455) *Subcoccinella vigintiquatuordecimpunctata* (Linnaeus, 1758)** (Coccinellidae) Synonym(s): *vigintiquatuordecimpunctata* Linnaeus, 1758
- 10456) *Tythaspis sedecimpunctata* (Linnaeus, 1758)** (Coccinellidae) Synonym(s): *sedecimpunctata* Linnaeus, 1758
- 10457) *Vibidia duodecimguttata* (Poda, 1761)** (Coccinellidae) Synonym(s): *duodecimguttata* Poda, 1761

COENAGRIONIDAE

- 10458) *Agriocnemis sania* Nielsen, 1959** (Coenagrionidae) Synonym(s): *sania* Nielsen, 1959
- 10459) *Cercion lindenii* (Selys, 1840)** (Coenagrionidae) Synonym(s): *lindenii* Selys, 1840; *zernyi* Schmidt, 1938
- 10460) *Ceriagrion tenellum* (De Villiers, 1789)** (Coenagrionidae) Synonym(s): *tenellum* De Villiers, 1789
- 10461) *Coenagrion hastulatum* (Charpentier, 1825)** (Coenagrionidae) Synonym(s): *hastulatum* Charpentier, 1825
- 10462) *Coenagrion lunulatum* (Charpentier, 1840)** (Coenagrionidae) Synonym(s): *lunulatum* Charpentier, 1840
- 10463) *Coenagrion ornatum* (Selys, 1850)** (Coenagrionidae) Synonym(s): *ornatum* Selys, 1850
- 10464) *Coenagrion persicum* Lohmann, 1993** (Coenagrionidae) Synonym(s): *persicum* Lohmann, 1993
- 10465) *Coenagrion ponticum* (Bartenev, 1929)** (Coenagrionidae) Synonym(s): *ponticum* Bartenev, 1929
- 10466) *Coenagrion puellum* (Linnaeus, 1758)** (Coenagrionidae) Synonym(s): *puellum* Linnaeus, 1758
- 10467) *Coenagrion pulchellum* (Van Der Linden, 1825)** (Coenagrionidae) Synonym(s): *pulchellum* Van Der Linden, 1825
- 10468) *Coenagrion scitulum* (Rambur, 1842)** (Coenagrionidae) Synonym(s): *scitulum* Rambur, 1842

- 10469) Coenagrion syriacum (Morton,1924)** (Coenagrionidae) Synonym(s): *syriacum* Morton,1924
10470) Coenagrion vanbrinkae Lohmann,1993 (Coenagrionidae) Synonym(s): *vanbrinkae* Lohmann,1993
10471) Enallagma cyathigerum (Charpentier,1840) (Coenagrionidae) Synonym(s): *cyathigerum* Charpentier,1840
10472) Erythromma najas (Hansemann,1823) (Coenagrionidae) Synonym(s): *najas* Hansemann,1823
10473) Erythromma viridulum (Charpentier,1840) (Coenagrionidae) Synonym(s): *viridulum* Charpentier,1840
10474) Ischnura elegans (Van Der Linden,1820) (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820
10475) Ischnura evansi Morton,1919 (Coenagrionidae) Synonym(s): *evansi* Morton,1919
10476) Ischnura fountainei (Morton,1905) (Coenagrionidae) Synonym(s): *fountainei* Morton,1905
10477) Ischnura intermedia Dumont,1974 (Coenagrionidae) Synonym(s): *intermedia* Dumont,1974
10478) Ischnura pumilio (Charpentier,1825) (Coenagrionidae) Synonym(s): *pumilio* Charpentier,1825
10479) Ischnura senegalensis (Rambur,1842) (Coenagrionidae) Synonym(s): *senegalensis* Rambur,1842
10480) Pseudagrion syriacum (Selys,1887) (Coenagrionidae) Synonym(s): *syriacum* Selys,1887
10481) Pyrrhosoma nymphula (Sulzer,1776) (Coenagrionidae) Synonym(s): *nymphula* Sulzer,1776

COLLETIDAE

- 10482) Colletes (albomaculatus gr.) albomaculatus (Lucas,1849)** (Colletidae) Synonym(s): *albomaculatus* Lucas,1849
10483) Colletes (albomaculatus gr.) alfkeni Noskiewicz,1958 (Colletidae) Synonym(s): *alfkeni* Noskiewicz,1958
10484) Colletes (albomaculatus gr.) dorsalis Morawitz,1888 (Colletidae) Synonym(s): *dorsalis* Morawitz,1888
10485) Colletes (albomaculatus gr.) punctatus Mocsary,1877 (Colletidae) Synonym(s): *punctatus* Mocsary,1877
10486) Colletes (anchusae gr.) anchusae Noskiewicz,1924 (Colletidae) Synonym(s): *anchusae* Noskiewicz,1924
10487) Colletes (carinatus gr.) carinatus Radoszkowski,1891 (Colletidae) Synonym(s): *carinatus* Radoszkowski,1891
10488) Colletes (cariniger gr.) cariniger Pérez,1903 (Colletidae) Synonym(s): *cariniger* Pérez,1903
10489) Colletes (caspicus gr.) anceps Radoszkowski,1891 (Colletidae) Synonym(s): *anceps* Radoszkowski,1891
10490) Colletes (caspicus gr.) idoneus Cockerell,1922 (Colletidae) Synonym(s): *idoneus* Cockerell,1922
10491) Colletes (caspicus gr.) lebedewi Noskiewicz,1936 (Colletidae) Synonym(s): *lebedewi* Noskiewicz,1936
10492) Colletes (caspicus gr.) maidli Noskiewicz,1936 (Colletidae) Synonym(s): *maidli* Noskiewicz,1936
10493) Colletes (caspicus gr.) transitorius Noskiewicz,1936 (Colletidae) Synonym(s): *transitorius* Noskiewicz,1936
10494) Colletes (clypearis gr.) asiaticus Kuhlmann,1999 (Colletidae) Synonym(s): *grisescens* Noskiewicz,1936 nec Cock.,1930; *asiaticus* Kuhlmann,1999
10495) Colletes (clypearis gr.) floralis Eversmann,1852 (Colletidae) Synonym(s): *floralis* Eversmann,1852
10496) Colletes (clypearis gr.) radoszkowskii Noskiewicz,1936 (Colletidae) Synonym(s): *radoszkowskii* Noskiewicz,1936
10497) Colletes (clypearis gr.) warnckeii Kuhlmann,2002 (Colletidae) Synonym(s): *warnckeii* Kuhlmann,2002
10498) Colletes (cunicularius gr.) armeniacus (Friese,1921) (Colletidae) Synonym(s): *armeniacus* Friese,1921
10499) Colletes (cunicularius gr.) caskanus (Strand,1919) (Colletidae) Synonym(s): *caskanus* Strand,1919
10500) Colletes (cunicularius gr.) cunicularius (Linnaeus,1761) (Colletidae) Synonym(s): *cunicularius* Linnaeus,1761; *cinerea* Geoffroy,1785; *hirtus* Lepeletier,1841; *pilosus* Spinola,1838; *tauricus* Warncke,1978; *khasanensis* Osytshnjuk,1995
10501) Colletes (fodiens gr.) daviesanus Smith,1846 (Colletidae) Synonym(s): *daviesanus* Smith,1846
10502) Colletes (fodiens gr.) edentulus Noskiewicz,1936 (Colletidae) Synonym(s): *edentulus* Noskiewicz,1936
10503) Colletes (fodiens gr.) fodiens (Fourcroy,1785) (Colletidae) Synonym(s): *fodiens* Fourcroy,1785
10504) Colletes (fodiens gr.) glaber Warncke,1978 (Colletidae) Synonym(s): *glaber* Warncke,1978
10505) Colletes (fodiens gr.) similis Schenck,1853 (Colletidae) Synonym(s): *similis* Schenck,1853

- 10506) Colletes (fodiens gr.) tuberculatus Morawitz,1894** (Colletidae) Synonym(s): *tuberculatus Morawitz,1894*
- 10507) Colletes (foveolaris gr.) foveolaris Pérez,1903** (Colletidae) Synonym(s): *foveolaris Pérez,1903*
- 10508) Colletes (hylaeiformis gr.) hylaeiformis Eversmann,1852** (Colletidae) Synonym(s): *hylaeiformis Eversmann,1852*
- 10509) Colletes (marginatus gr.) hethiticus Warncke,1978** (Colletidae) Synonym(s): *hethiticus Warncke,1978*
- 10510) Colletes (marginatus gr.) marginatus Smith,1846** (Colletidae) Synonym(s): *marginatus Smith,1846*
- 10511) Colletes (meyereri gr.) meyereri Noskiewicz,1936** (Colletidae) Synonym(s): *meyereri Noskiewicz,1936*
- 10512) Colletes (mixtus gr.) mixtus Radoszkowski,1891** (Colletidae) Synonym(s): *mixtus Radoszkowski,1891*
- 10513) Colletes (nanus gr.) ankarae Warncke,1978** (Colletidae) Synonym(s): *ankarae Warncke,1978*
- 10514) Colletes (nasutus gr.) nasutus Smith,1853** (Colletidae) Synonym(s): *nasutus Smith,1853*
- 10515) Colletes (nigricans gr.) bidentulus Noskiewicz,1936** (Colletidae) Synonym(s): *bidentulus Noskiewicz,1936*
- 10516) Colletes (nigricans gr.) eous Morice,1904** (Colletidae) Synonym(s): *eous Morice,1904*
- 10517) Colletes (roborovskyi gr.) roborovskyi Friese,1913** (Colletidae) Synonym(s): *roborovskyi Friese,1913*
- 10518) Colletes (senilis gr.) hakkari Kuhlmann,2002** (Colletidae) Synonym(s): *hakkari Kuhlmann,2002*
- 10519) Colletes (senilis gr.) hiekeseniori Kuhlmann,2003** (Colletidae) Synonym(s): *hiekeseniori Kuhlmann,2003*
- 10520) Colletes (senilis gr.) mlokossewicz Radoszkowski,1891** (Colletidae) Synonym(s): *mlokossewicz Radoszkowski,1891*
- 10521) Colletes (senilis gr.) senilis (Eversmann,1852)** (Colletidae) Synonym(s): *senilis Eversmann,1852*
- 10522) Colletes (senilis gr.) subnitens Noskiewicz,1936** (Colletidae) Synonym(s): *subnitens Noskiewicz,1936*
- 10523) Colletes (squamosus gr.) comatus Noskiewicz,1936** (Colletidae) Synonym(s): *comatus Noskiewicz,1936*
- 10524) Colletes (squamosus gr.) cretaceus Morawitz,1876** (Colletidae) Synonym(s): *cretaceus Morawitz,1876*
- 10525) Colletes (squamosus gr.) ottomanus Noskiewicz,1958** (Colletidae) Synonym(s): *ottomanus Noskiewicz,1958*
- 10526) Colletes (squamosus gr.) rubellus Noskiewicz,1936** (Colletidae) Synonym(s): *rubellus Noskiewicz,1936*
- 10527) Colletes (squamosus gr.) wahrmani Noskiewicz,1959** (Colletidae) Synonym(s): *wahrmani Noskiewicz,1959*
- 10528) Colletes (succintus gr.) brevigena Noskiewicz,1936** (Colletidae) Synonym(s): *brevigena Noskiewicz,1936*
- 10529) Colletes (succintus gr.) hederæ Schmidt & Westrich,1993** (Colletidae) Synonym(s): *hederæ Schmidt & Westrich,1993*
- 10530) Colletes (succintus gr.) iranicus Noskiewicz,1962** (Colletidae) Synonym(s): *iranicus Noskiewicz,1962*
- 10531) Hylaeus acer Dathe,1980** (Colletidae) Synonym(s): *acer Dathe,1980*
- 10532) Hylaeus adpersus (Alfken,1935)** (Colletidae) Synonym(s): *adpersus Alfken,1935*
- 10533) Hylaeus angustatus (Schenck,1861)** (Colletidae) Synonym(s): *angustatus Schenck,1861*
- 10534) Hylaeus annularis (Kirby,1802)** (Colletidae) Synonym(s): *annularis Kirby,1802; elbursus Warncke,1981*
- 10535) Hylaeus araxanus (Warncke,1981)** (Colletidae) Synonym(s): *araxanus Warncke,1981*
- 10536) Hylaeus armeniacus (Warncke,1981)** (Colletidae) Synonym(s): *armeniaceus Warncke,1981*
- 10537) Hylaeus bifasciatus (Jurine,1807)** (Colletidae) Synonym(s): *bifasciatus Jurine,1807*
- 10538) Hylaeus bisinuatus Förster,1871** (Colletidae) Synonym(s): *bisinuatus Förster,1871*
- 10539) Hylaeus cervinus (Warncke,1992)** (Colletidae) Synonym(s): *cervinus Warncke,1992*
- 10540) Hylaeus chukar (Warncke,1992)** (Colletidae) Synonym(s): *chukar Warncke,1992*
- 10541) Hylaeus communis Nylander,1852** (Colletidae) Synonym(s): *communis Nylander,1852*
- 10542) Hylaeus cornutus Curtis,1831** (Colletidae) Synonym(s): *cornutus Curtis,1831*
- 10543) Hylaeus crassanus Warncke,1972** (Colletidae) Synonym(s): *crassanus Warncke,1972*
- 10544) Hylaeus crispulus Dathe,1980** (Colletidae) Synonym(s): *crispulus Dathe,1980*
- 10545) Hylaeus cypricolus (Warncke,1972)** (Colletidae) Synonym(s): *cypricolus Warncke,1972*
- 10546) Hylaeus damascenus (Magretti,1890)** (Colletidae) Synonym(s): *damascenus Magretti,1890*
- 10547) Hylaeus decaoctus (Warncke,1992)** (Colletidae) Synonym(s): *decaoctus Warncke,1992*
- 10548) Hylaeus difformis (Eversmann,1852)** (Colletidae) Synonym(s): *difformis Eversmann,1852*

- 10549) *Hylaeus duckei* (Alfken,1904)** (Colletidae) Synonym(s): *duckei* Alfken,1904
10550) *Hylaeus euryscapus* Förster,1871 (Colletidae) Synonym(s): *euryscapus* Förster,1871
10551) *Hylaeus excelsus* (Alfken,1931) (Colletidae) Synonym(s): *excelsus* Alfken,1931
10552) *Hylaeus funereus* (Warncke,1992) (Colletidae) Synonym(s): *funereus* Warncke,1992
10553) *Hylaeus gibbus* Saunders,1850 (Colletidae) Synonym(s): *gibbus* Saunders,1850
10554) *Hylaeus glacialis* (Morawitz,1872) (Colletidae) Synonym(s): *glacialis* Morawitz,1872; *giresunus* Warncke,1992
10555) *Hylaeus heliacus* (Warncke,1992) (Colletidae) Synonym(s): *heliacus* Warncke,1992
10556) *Hylaeus hyperpunctatus* (Strand,1909) (Colletidae) Synonym(s): *hyperpunctatus* Strand,1909
10557) *Hylaeus imparilis* Förster,1871 (Colletidae) Synonym(s): *imparilis* Förster,1871
10558) *Hylaeus iranicus* Dathe,1980 (Colletidae) Synonym(s): *iranicus* Dathe,1980
10559) *Hylaeus irritans* Dathe,1980 (Colletidae) Synonym(s): *irritans* Dathe,1980
10560) *Hylaeus kotschisus* (Warncke,1981) (Colletidae) Synonym(s): *kotschisus* Warncke,1981
10561) *Hylaeus kurdus* (Warncke,1981) (Colletidae) Synonym(s): *kurdus* Warncke,1981; *trochilus* Warncke,1992
10562) *Hylaeus leptcephalus* (Morawitz,1870) (Colletidae) Synonym(s): *leptcephalus* Morawitz,1870
10563) *Hylaeus lineolatus* (Schenck,1861) (Colletidae) Synonym(s): *lineolatus* Schenck,1861
10564) *Hylaeus longimaculus* (Alfken,1936) (Colletidae) Synonym(s): *longimaculus* Alfken,1936
10565) *Hylaeus meridionalis* Förster,1871 (Colletidae) Synonym(s): *meridionalis* Förster,1871
10566) *Hylaeus monedulus* (Warncke,1992) (Colletidae) Synonym(s): *monedulus* Warncke,1992
10567) *Hylaeus moricei* (Friese,1898) (Colletidae) Synonym(s): *moricei* Friese,1898
10568) *Hylaeus nigrinus* (Fabricius,1798) (Colletidae) Synonym(s): *nigrinus* Fabricius,1798
10569) *Hylaeus orientalicus* (Warncke,1981) (Colletidae) Synonym(s): *orientalicus* Warncke,1981
10570) *Hylaeus pictipes* Nylander,1852 (Colletidae) Synonym(s): *pictipes* Nylander,1852
10571) *Hylaeus planulus* (Warncke,1981) (Colletidae) Synonym(s): *planulus* Warncke,1981
10572) *Hylaeus punctatus* (Brullé,1832) (Colletidae) Synonym(s): *punctatus* Brullé,1832
10573) *Hylaeus punctatissimus* Smith,1842 (Colletidae) Synonym(s): *punctatissimus* Smith,1842
10574) *Hylaeus punctus* Förster,1871 (Colletidae) Synonym(s): *punctus* Förster,1871
10575) *Hylaeus querquedulus* (Warncke,1981) (Colletidae) Synonym(s): *querquedulus* Warncke,1981
10576) *Hylaeus rubicola* (Saunders,1850) (Colletidae) Synonym(s): *rubicola* Saunders,1850
10577) *Hylaeus rubosus* (Warncke,1981) (Colletidae) Synonym(s): *rubosus* Warncke,1981
10578) *Hylaeus scutellaris* Morawitz,1873 (Colletidae) Synonym(s): *scutellaris* Morawitz,1873
10579) *Hylaeus scutellatus* (Spinola,1838) (Colletidae) Synonym(s): *scutellatus* Spinola,1838
10580) *Hylaeus sidensis* (Warncke,1981) (Colletidae) Synonym(s): *sidensis* Warncke,1981
10581) *Hylaeus signatus* (Panzer,1798) (Colletidae) Synonym(s): *signatus* Panzer,1798
10582) *Hylaeus sinuatus* (Schenck,1853) (Colletidae) Synonym(s): *sinuatus* Schenck,1853
10583) *Hylaeus styriacus* Förster,1871 (Colletidae) Synonym(s): *styriacus* Förster,1871; *creccus* Warncke,1992
10584) *Hylaeus tephronotus* (Warncke,1992) (Colletidae) Synonym(s): *tephronotus* Warncke,1992
10585) *Hylaeus tetrus* Dathe,2000 (Colletidae) Synonym(s): *tetrus* Dathe,2000
10586) *Hylaeus trifidus* (Alfken,1936) (Colletidae) Synonym(s): *trifidus* Alfken,1936
10587) *Hylaeus trinotatus* (Pérez,1895) (Colletidae) Synonym(s): *trinotatus* Pérez,1895
10588) *Hylaeus tyrolensis* Förster,1871 (Colletidae) Synonym(s): *tyrolensis* Förster,1871
10589) *Hylaeus variegatus* (Fabricius,1798) (Colletidae) Synonym(s): *variegatus* Fabricius,1798

CONOPTERYGIDAE

- 10590) *Aleuropteryx loewi* Klapalek,1894** (Coniopterygidae) Synonym(s): *loewi* Klapalek,1894
10591) *Aleuropteryx perpusilla* Gepp,1969 (Coniopterygidae) Synonym(s): *perpusilla* Gepp,1969
10592) *Aleuropteryx umbrata* Zeleny,1964 (Coniopterygidae) Synonym(s): *umbrata* Zeleny,1964
10593) *Coniopteryx* (s.str.) *pygmaea* Enderlein,1906 (Coniopterygidae) Synonym(s): *pygmaea* Enderlein,1906
10594) *Conwentzia pineticola* Enderlein,1905 (Coniopterygidae) Synonym(s): *pineticola* Enderlein,1905
10595) *Helicoconis* (Ohmopteryx) *pseudolutea* Ohm,1965 (Coniopterygidae) Synonym(s): *pseudolutea* Ohm,1965
10596) *Helicoconis sengeri* Rausch, H.Aspöck & U.Aspöck,1978 (Coniopterygidae) Synonym(s): *sengeri* Rausch, H.Aspöck & U.Aspöck,1978
10597) *Nimboa kasyi* Rausch & H.Aspöck,1978 (Coniopterygidae) Synonym(s): *kasyi* Rausch & H.Aspöck,1978
10598) *Nimboa resli* H.Aspöck & U.Aspöck,1965 (Coniopterygidae) Synonym(s): *resli* H.Aspöck & U.Aspöck,1965

- 10599) *Parasemidalis fuscipennis* (Reuter,1894)** (Coniopterygidae) Synonym(s): *fuscipennis* Reuter,1894
10600) *Semidalis aleyrodiformis* (Stephens,1836) (Coniopterygidae) Synonym(s): *aleyrodiformis* Stephens,1836

CONOPIDAE

- 10601) *Brachyceraea brevicornis* (Loew,1847)** (Conopidae) Synonym(s): *brevicornis* Loew,1847
10602) *Conops flavicaudus* (Bigot,1880) (Conopidae) Synonym(s): *flavicaudus* Bigot,1880; *euzonatus* Bigot,1887; *superbus* Röder,1899; *cypris* Janssens,1955; *#falvicaudus* Stucke, Hayat & Özbek,2008
10603) *Conops flavifrons* Meigen,1824 (Conopidae) Synonym(s): *flavifrons* Meigen,1824; *pugioniformis* Becker,1913; *minor* Becker,1922; *kroeberi* Paramonov,1927; *immaculata* Paramonov,1927
10604) *Conops flavipes* Linnaeus,1758 (Conopidae) Synonym(s): *flavipes* Linnaeus,1758
10605) *Conops insignis* Loew,1848 (Conopidae) Synonym(s): *insignis* Loew,1848; *laeta* Becker,1922
10606) *Conops quadrifasciatus* De Geer,1776 (Conopidae) Synonym(s): *quadrifasciatus* De Geer,1776
10607) *Conops silaceus* Wiedemann,1824 (Conopidae) Synonym(s): *silaceus* Wiedemann,1824
10608) *Conops tomentosus* Kröber,1916 (Conopidae) Synonym(s): *tomentosus* Kröber,1916
10609) *Conops vesicularis* Linnaeus,1761 (Conopidae) Synonym(s): *vesicularis* Linnaeus,1761
10610) *Conops vitellinus* Loew,1847 (Conopidae) Synonym(s): *vitellinus* Loew,1847; *tener* Loew,1853; *mucronatus* Rondani,1857
10611) *Dalmannia aculeata* (Linnaeus,1761) (Conopidae) Synonym(s): *aculeata* Linnaeus,1761; *gemina* Weidemann,1824; *meridionalis* R-D.,1830; *australis* Macquart,1835; *desponsata* Rondani,1857; *nigrifemorata* Paramonov,1927
10612) *Dalmannia dorsalis* (Fabricius,1794) (Conopidae) Synonym(s): *dorsalis* Fabricius,1794; *flavescens* Meigen,1824; *vernalis* R-D.,1853; *confusa* Becker,1923
10613) *Dalmannia marginata* (Meigen,1824) (Conopidae) Synonym(s): *marginata* Meigen,1824; *albovillosa* von Roser,1840; *flavipes* R-D.,1853; *parvula* Rondani,1857; *aharonii* Kröber,1932
10614) *Dalmannia punctata* (Fabricius,1794) (Conopidae) Synonym(s): *punctata* Fabricius,1794; *virens* Meigen,1804
10615) *Leopoldius coronatus* (Rondani,1857) (Conopidae) Synonym(s): *coronatus* Rondani,1857
10616) *Melanosoma bicolor* (Meigen,1824) (Conopidae) Synonym(s): *bicolor* Meigen,1824; *nigrum* Meigen,1824; *nupta* Rondani,1857; *fraternum* Kröber,1915; *flaviventre* Belanovsky,1954
10617) *Melanosoma hyalipennis* Kröber,1914 (Conopidae) Synonym(s): *hyalipennis* Kröber,1914
10618) *Myopa arabica* Macquart,1850 (Conopidae) Synonym(s): *arabica* Macquart,1850
10619) *Myopa buccata* (Linnaeus,1758) (Conopidae) Synonym(s): *buccata* Linnaeus,1758
10620) *Myopa dorsalis* Fabricius,1794 (Conopidae) Synonym(s): *testacea* Gmelin,1793 *nec* Linn.,1767; *dorsalis* Fabricius,1794; *ferruginea* Panzer,[1794]; *grandis* Meigen,1804; *nigrifacies* Becker,1922
10621) *Myopa hirsuta* Stuke & Clements,2008 (Conopidae) Synonym(s): *hirsuta* Stuke & Clements,2008
10622) *Myopa morio* Meigen,1804 (Conopidae) Synonym(s): *morio* Meigen,1804; *puella* Rondani,1857
10623) *Myopa occulta* Wiedemann,1824 (Conopidae) Synonym(s): *occulta* Wiedemann,1824; *dispar* Rondani,1857
10624) *Myopa pallida* Kröber,1916 (Conopidae) Synonym(s): *pallida* Kröber,1916
10625) *Myopa pellucida* (R-D.,1830) (Conopidae) Synonym(s): *pellucida* R-D.,1830; *fulvipalpis* R-D.,1853; *extricata* Collin,1960
10626) *Myopa picta* Panzer,1798 (Conopidae) Synonym(s): *picta* Panzer,1798; *varia* Wiedemann,1830; *meridionalis* Macquart,1835; *chusanensis* Ouchi,1939
10627) *Myopa stigma* Meigen,1824 (Conopidae) Synonym(s): *stigma* Meigen,1824; *nigradorsata* R-D.,1853; *flavipennis* R-D.,1853; *scutellaris* R-D.,1853
10628) *Myopa testacea* (Linnaeus,1767) (Conopidae) Synonym(s): *testacea* Linnaeus,1767; *longirostris* R-D.,1830; *pictipennis* R-D.,1830; *umbripennis* R-D.,1830; *japonica* Kröber,1916
10629) *Myopa variegata* Meigen,1804 (Conopidae) Synonym(s): *variegata* Meigen,1804; *nitidula* Fabricius,1805; *asiatica* Kröber,1916
10630) *Myopotta rubripes* (Villeneuve,1909) (Conopidae) Synonym(s): *rubripes* Villeneuve,1909; *horrida* Becker,1922
10631) *Neobrachyglossum punctatum* Kröber,1915 (Conopidae) Synonym(s): *punctatum* Kröber,1915
10632) *Physocephala aureotomentosa* Kröber,1915 (Conopidae) Synonym(s): *aureotomentosa* Kröber,1915
10633) *Physocephala chrysorrhoea* (Meigen,1824) (Conopidae) Synonym(s): *chrysorrhoea* Meigen,1824
10634) *Physocephala gracilis* Kröber,1915 (Conopidae) Synonym(s): *gracilis* Kröber,1915
10635) *Physocephala lacera* (Meigen,1824) (Conopidae) Synonym(s): *lacera* Meigen,1824
10636) *Physocephala laticincta* (Brullé,1832) (Conopidae) Synonym(s): *laticincta* Brullé,1832

- 10637) *Physocephala nigra* (De Geer,1776)** (Conopidae) Synonym(s): *nigra* De Geer,1776; *macrocephala* Fabricius,1781
- 10638) *Physocephala pusilla* (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *tener* Loew,1847; *persica* Becker,1913; *punctithorax* Becker,1913
- 10639) *Physocephala rufipes* (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes* Fabricius,1781; *petiolata* Donovan,1808; *meridionalis* Macquart,1835
- 10640) *Physocephala truncata* (Loew,1847)** (Conopidae) Synonym(s): *truncata* Loew,1847
- 10641) *Physocephala vaginalis* (Rondani,1865)** (Conopidae) Synonym(s): *vaginalis* Rondani,1865
- 10642) *Physocephala variegata* (Meigen,1824)** (Conopidae) Synonym(s): *variegata* Meigen,1824; *furax* Becker,1913
- 10643) *Physocephala vittata* (Fabricius,1794)** (Conopidae) Synonym(s): *vittata* Fabricius,1794; *dorsalis* Wiedemann,1824; *solaeformis* Gimmerthal,1842; *fraterna* Loew,1847; *semiatrata* Costa,1844; *detecta* Becker,1913; *abdominalis* Kröber,1915; *semirufa* Kröber,1915; *immaculata* Kröber,1939
- 10644) *Physocephala zaitsevi* Zimina,1979** (Conopidae) Synonym(s): *zaitsevi* Zimina,1979
- 10645) *Sicus caucasicus* Zimina,1963** (Conopidae) Synonym(s): *caucasicus* Zimina,1963
- 10646) *Sicus ferrugineus* (Linnaeus,1761)** (Conopidae) Synonym(s): *ferrugineus* Linnaeus,1761; *cessans* Harris,[1776]; *annulipes* R-D.,1830
- 10647) *Sicus nigratarsis* Zimina,1975** (Conopidae) Synonym(s): *nigratarsis* Zimina,1975
- 10648) *Thecophora atra* (Fabricius,1775)** (Conopidae) Synonym(s): *atra* Fabricius,1775; *bimaculata* Preyssler,1791; *annulata* Fabricius,1794; *cinerascens* Meigen,1804; *maculata* Meigen,1804; *micans* Meigen,1804; *femorata* Fabricius,1805; *nana* R-D.,1830; *femoralis* R-D.,1853; *nitidula* R-D.,1853; *fulvifrons* R-D.,1853; *meigeni* R-D.,1853; *pallipes* R-D.,1853; *dufouri* R-D.,1853; *grisea* R-D.,1853; *lamarcki* R-D.,1853; *macquarti* R-D.,1853; *guerini* R-D.,1853; *bigoti* R-D.,1853; *brunipes* R-D.,1853; *lucasi* R-D.,1853
- 10649) *Thecophora distincta* (Wiedemann,1824)** (Conopidae) Synonym(s): *distincta* Wiedemann,1824
- 10650) *Thecophora fulvipes* (R-D.,1830)** (Conopidae) Synonym(s): *fulvipes* R-D.,1830; *sundewalli* Zetterstedt,1844
- 10651) *Thecophora longirostris* Lyneborg,1962** (Conopidae) Synonym(s): *longirostris* Lyneborg,1962
- 10652) *Thecophora melanopa* Rondani,1857** (Conopidae) Synonym(s): *melanopa* Rondani,1857
- 10653) *Thecophora pusilla* (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *abdominalis* Chen,1939
- 10654) *Tropidomyia aureifacies* Kröber,1915** (Conopidae) Synonym(s): *aureifacies* Kröber,1915
- 10655) *Zodion carceli* R-D.,1830** (Conopidae) Synonym(s): *carceli* R-D.,1830
- 10656) *Zodion cinereum* (Fabricius,1794)** (Conopidae) Synonym(s): *cinereum* Fabricius,1794; *notatum* Meigen,1804; *frontalis* Fabricius,1805; *tibiale* Fabricius,1805; *conopsoides* Latreille,1809; *subapertum* Rondani,1868
- 10657) *Zodion erythrurum* Rondani,1865** (Conopidae) Synonym(s): *erythrurum* Rondani,1865; *pulchrum* Loew,1868; *vittipes* Strobl,1906; *grande* Kröber,1915
- 10658) *Zodion nigratarsis* (Strobl,1902)** (Conopidae) Synonym(s): *nigratarsis* Strobl,1902; *grande* Kröber,1915

CORDULEGASTERIDAE

- 10659) *Cordulegaster bidentata* Selys,1843** (Cordulegasteridae) Synonym(s): *bidentata* Selys,1843
- 10660) *Cordulegaster insignis* Schneider,1845** (Cordulegasteridae) Synonym(s): *insignis* Schneider,1845; *amasina* Morton,1916
- 10661) *Cordulegaster picta* Selys,1854** (Cordulegasteridae) Synonym(s): *picta* Selys,1854

CORDULIIDAE

- 10662) *Cordulia aenea* (Linnaeus,1758)** (Corduliidae) Synonym(s): *aenea* Linnaeus,1758
- 10663) *Somatochlora borisi* Marinov,2001** (Corduliidae) Synonym(s): *borisi* Marinov,2001
- 10664) *Somatochlora flavomaculata* (Van Der Linden,1825)** (Corduliidae) Synonym(s): *flavomaculata* Van Der Linden,1825
- 10665) *Somatochlora meridionalis* Nielsen,1935** (Corduliidae) Synonym(s): *meridionalis* Nielsen,1935

COREIDAE

- 10666) *Anoplocerus elevatus* (Fieber,1861)** (Coreidae) Synonym(s): *elevatus* Fieber,1861; *rufulus* Jakovlev,1903; *brevicornis* Kormilev,1939
- 10667) *Anoplocerus luteus* (Fieber,1861)** (Coreidae) Synonym(s): *luteus* Fieber,1861; *subinermis* Puton,1888

- 10668) *Arenocoris falleni* (Schilling,1829)** (Coreidae) Synonym(s): *falleni* Schilling,1829; *ligeratus* Curtis,1834; *egenus* Horvath,1917; *clericus* Wagner,1937
- 10669) *Arenocoris latissimus* Seidenstücker,1960** (Coreidae) Synonym(s): *latissimus* Seidenstücker,1960
- 10670) *Arenocoris waltlii* (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *waltlii* Herrich-Schäffer,1835; *hispanus* Rambur,1839; *auriculatus* Fieber,1861
- 10671) *Bathysolen nubilus* (Fallén,1807)** (Coreidae) Synonym(s): *nubilus* Fallén,1807
- 10672) *Centrocoris degener* (Puton,1874)** (Coreidae) Synonym(s): *degener* Puton,1874
- 10673) *Centrocoris spiniger* (Fabricius,1781)** (Coreidae) Synonym(s): *branderi* Linnaeus,1767; *spiniger* Fabricius,1781; *pallens* Kolenati,1845; *subinermis* Rey,1887; *bampurensis* Linnavuori,1968
- 10674) *Centrocoris variegatus* Kolenati,1845** (Coreidae) Synonym(s): *variegatus* Kolenati,1845; *nigricans* Fieber,1861; *convergens* Sienkiewicz,1959
- 10675) *Centrocoris volxemi* (Puton,1878)** (Coreidae) Synonym(s): *volxemi* Puton,1878; *coroniceps* Jakovlev,1879; *balassogloi* Jakovlev,1883; *ruficeps* Jakovlev,1908; *scutellaris* Linnavuori,1968
- 10676) *Ceraleptus gracilicornis* (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *gracilicornis* Herrich-Schäffer,1835
- 10677) *Ceraleptus lividus* (Stein,1858)** (Coreidae) Synonym(s): *lividus* Stein,1858; *difficilis* Vollenhoven,1869
- 10678) *Ceraleptus obtusus* (Brullé,1839)** (Coreidae) Synonym(s): *obtus* Brullé,1839; *aegyptius* Westwood,1842; *squalidus* Costa,1847; *distinguendus* Stein,1858; *leptocerus* Fieber,1861; *bellieri* Signoret,1862; *armeniacus* Horvath,1898
- 10679) *Cercinthus griseus* (Fieber,1861)** (Coreidae) Synonym(s): *griseus* Fieber,1861
- 10680) *Coreus marginatus* (Linnaeus,1758)** (Coreidae) Synonym(s): *marginatus* Linnaeus,1758
- 10681) *Coriomeris affinis* (Herrich-Schäffer,1839)** (Coreidae) Synonym(s): *affinis* Herrich-Schäffer,1839
- 10682) *Coriomeris alpinus* (Horvath,1895)** (Coreidae) Synonym(s): *alpinus* Horvath,1895; *alticola* Jakovlev,1904
- 10683) *Coriomeris denticulatus* (Scopoli,1763)** (Coreidae) Synonym(s): *denticulatus* Scopoli,1763
- 10684) *Coriomeris pallidus* (Reuter,1900)** (Coreidae) Synonym(s): *pallidus* Reuter,1900
- 10685) *Coriomeris scabricornis* (Panzer,1809)** (Coreidae) Synonym(s): *scabricornis* Panzer,1809
- 10686) *Coriomeris spinolai* (Costa,1847)** (Coreidae) Synonym(s): *spinolai* Costa,1847
- 10687) *Coriomeris subglaber* Horvath,1917** (Coreidae) Synonym(s): *subglaber* Horvath,1917
- 10688) *Coriomeris vitticornis* Reuter,1900** (Coreidae) Synonym(s): *vitticornis* Reuter,1900
- 10689) *Enoplops disciger* (Kolenati,1845)** (Coreidae) Synonym(s): *disciger* Kolenati,1845
- 10690) *Enoplops scapha* (Fabricius,1794)** (Coreidae) Synonym(s): *scapha* Fabricius,1794
- 10691) *Gonocerus acuteangulatus* (Goeze,1778)** (Coreidae) Synonym(s): *acuteangulatus* Goeze,1778
- 10692) *Gonocerus imitator* Reuter,1891** (Coreidae) Synonym(s): *imitator* Reuter,1891; *carreti* Puton,1895
- 10693) *Gonocerus juniperi* (Herrich-Schäffer,1839)** (Coreidae) Synonym(s): *juniperi* Herrich-Schäffer,1839
- 10694) *Haploprocta sulcicornis* (Fabricius,1794)** (Coreidae) Synonym(s): *sulcicornis* Fabricius,1794
- 10695) *Haploprocta umbrina* Jakovlev,1882** (Coreidae) Synonym(s): *umbrina* Jakovlev,1882
- 10696) *Loxocnemis dentator* (Fabricius,1794)** (Coreidae) Synonym(s): *dentator* Fabricius,1794; *alternans* Herrich-Schäffer,1835; *brevicornis* Rambur,1839; *dufourii* Lucas,1849; *perlatus* Cerutti,1937
- 10697) *Phyllomorphus laceratus* (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer,1835
- 10698) *Phyllomorphus laceratus* (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer,1835; *persica* Westwood,1841
- 10699) *Phyllomorphus laciniatus* (Villers,1789)** (Coreidae) Synonym(s): *laciniatus* Villers,1789; *hystrix* Latreille,1817; *gallicus* Germar,1822; *muricatus* Hummel,1827; *algorica* Guérin-Méneville,1839; *erinaceus* Herrich-Schäffer,1842; *brevispina* Wagner,1955; *montandon* Zange,2005
- 10700) *Spathocera dalmani* (Schilling,1829)** (Coreidae) Synonym(s): *dalmani* Schilling,1829
- 10701) *Spathocera lobata* (Herrich-Schäffer,1842)** (Coreidae) Synonym(s): *lobata* Herrich-Schäffer,1842
- 10702) *Spathocera tenuicornis* Jakovlev,1882** (Coreidae) Synonym(s): *tenuicornis* Jakovlev,1882
- 10703) *Strobilotoma typhaecornis* (Fabricius,1803)** (Coreidae) Synonym(s): *typhaecornis* Fabricius,1803; *clavicornis* Fabricius,1803; *genei* Spinola,1837; *obscurus* Herrich-Schäffer,1840; *divergens* Reuter,1900
- 10704) *Syromastus rhombeus* (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767; *quadratus* Fabricius,1775; *sinuata* Fieber,1861; *fusca* Vidal,1936

CORIXIDAE

- 10705) *Callicorixa raddei* (Kiritshenko & Jaczewski,1960)** (Corixidae) Synonym(s): *raddei* Kiritshenko & Jaczewski,1960
- 10706) *Corixa affinis* Leach,1818** (Corixidae) Synonym(s): *affinis* Leach,1818
- 10707) *Corixa dentipes* Thomson,1869** (Corixidae) Synonym(s): *dentipes* Thomson,1869
- 10708) *Corixa jakowleffi* Horvath,1879** (Corixidae) Synonym(s): *jakowleffi* Horvath,1879
- 10709) *Corixa panzeri* (Fieber,1848)** (Corixidae) Synonym(s): *panzeri* Fieber,1848
- 10710) *Corixa punctata* (Illiger,1807)** (Corixidae) Synonym(s): *punctata* Illiger,1807
- 10711) *Cymatia coleoptrata* (Fabricius,1777)** (Corixidae) Synonym(s): *coleoptrata* Fabricius,1777
- 10712) *Cymatia rogenhoferi* (Fieber,1864)** (Corixidae) Synonym(s): *rogenhoferi* Fieber,1864
- 10713) *Heliocorixa vermiculata* (Puton,1874)** (Corixidae) Synonym(s): *vermiculata* Puton,1874
- 10714) *Hesperocorixa castanea* (Thomson,1869)** (Corixidae) Synonym(s): *castanea* Thomson,1869
- 10715) *Hesperocorixa linnaei* (Fieber,1848)** (Corixidae) Synonym(s): *linnaei* Fieber,1848
- 10716) *Hesperocorixa occulta* (Lundblad,1929)** (Corixidae) Synonym(s): *occulta* Lundblad,1929
- 10717) *Hesperocorixa parallela* (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860
- 10718) *Micronecta anatolica* Lindberg,1922** (Corixidae) Synonym(s): *anatolica* Lindberg,1922
- 10719) *Micronecta griseola* (Linnaeus,1758)** (Corixidae) Synonym(s): *griseola* Linnaeus,1758
- 10720) *Micronecta minutissima* (Linnaeus,1758)** (Corixidae) Synonym(s): *minutissima* Linnaeus,1758
- 10721) *Micronecta perplexa* Horvath,1899** (Corixidae) Synonym(s): *perplexa* Horvath,1899
- 10722) *Micronecta pusilla* (Horvath,1895)** (Corixidae) Synonym(s): *pusilla* Horvath,1895
- 10723) *Micronecta vitticeps* (Horvath,1895)** (Corixidae) Synonym(s): *vitticeps* Horvath,1895
- 10724) *Micronecta wui* Lundblad,1933** (Corixidae) Synonym(s): *wui* Lundblad,1933; *alkani* Hoberlandt,1948
- 10725) *Monticorixa armeniaca* (Stys,1975)** (Corixidae) Synonym(s): *armeniaca* Stys,1975
- 10726) *Paracorixa concinna* (Fieber,1848)** (Corixidae) Synonym(s): *concinna* Fieber,1848
- 10727) *Sigara albiventris* (Horvath,1911)** (Corixidae) Synonym(s): *albiventris* Horvath,1911
- 10728) *Sigara assimilis* (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848
- 10729) *Sigara daghestanica* Jansson,1983** (Corixidae) Synonym(s): *daghestanica* Jansson,1983; *#dagestanica* Önder et al.,2006
- 10730) *Sigara falleni* (Fieber,1848)** (Corixidae) Synonym(s): *falleni* Fieber,1848
- 10731) *Sigara iactans* Jansson,1983** (Corixidae) Synonym(s): *iactans* Jansson,1983
- 10732) *Sigara kervillei* (Poisson,1927)** (Corixidae) Synonym(s): *kervillei* Poisson,1927
- 10733) *Sigara lateralis* Leach,1818** (Corixidae) Synonym(s): *lateralis* Leach,1818
- 10734) *Sigara limitata* (Fieber,1848)** (Corixidae) Synonym(s): *limitata* Fieber,1848
- 10735) *Sigara mayri* (Fieber,1860)** (Corixidae) Synonym(s): *mayri* Fieber,1860
- 10736) *Sigara nigrolineata* (Fieber,1848)** (Corixidae) Synonym(s): *nigrolineata* Fieber,1848
- 10737) *Sigara samani* Hoberlandt,1948** (Corixidae) Synonym(s): *samani* Hoberlandt,1948; *tigranes* Jansson,1986
- 10738) *Sigara scripta* (Rambur,1840)** (Corixidae) Synonym(s): *scripta* Rambur,1840
- 10739) *Sigara striata* (Linnaeus,1758)** (Corixidae) Synonym(s): *striata* Linnaeus,1758

CRABRONIDAE

- 10740) *Alysson ocellatus* De Beaumont,1967** (Crabronidae) Synonym(s): *ocellatus* De Beaumont,1967
- 10741) *Alysson spinosus* (Panzer,1801)** (Crabronidae) Synonym(s): *spinosus* Panzer,1801
- 10742) *Alysson tricolor* Lepeletier & Audinet-Serville,1825** (Crabronidae) Synonym(s): *tricolor* Lepeletier & Audinet-Serville,1825
- 10743) *Ammatomus coarctatus* (Spinola,1808)** (Crabronidae) Synonym(s): *coarctatus* Spinola,1808
- 10744) *Ammatomus rogenhoferi* (Handlirsch,1888)** (Crabronidae) Synonym(s): *rogenhoferi* Handlirsch,1888
- 10745) *Ammatomus rufonodis* (Radoszkowski,1877)** (Crabronidae) Synonym(s): *rufonodis* Radoszkowski,1877
- 10746) *Ammoplanus denesi* Boucek,2001** (Crabronidae) Synonym(s): *denesi* Boucek,2001
- 10747) *Ammoplanus hofferi* Snoflak,1943** (Crabronidae) Synonym(s): *hofferi* Snoflak,1943
- 10748) *Ammoplanus kaszabi* Tsuneki,1972** (Crabronidae) Synonym(s): *kaszabi* Tsuneki,1972
- 10749) *Ammoplanus marathroicus* (De Stefani Pérez,1887)** (Crabronidae) Synonym(s): *marathroicus* De Stefani Pérez,1887
- 10750) *Ammoplanus minutus* Boucek,2001** (Crabronidae) Synonym(s): *minutus* Boucek,2001
- 10751) *Ammoplanus monticola* Gussakowski,1952** (Crabronidae) Synonym(s): *monticola* Gussakowski,1952
- 10752) *Ammoplanus perrisi* Giraud,1869** (Crabronidae) Synonym(s): *perrisi* Giraud,1869
- 10753) *Argogorytes fargeii* (Shuckard,1837)** (Crabronidae) Synonym(s): *fargeii* Shuckard,1837
- 10754) *Argogorytes mystaceus* (Linnaeus,1761)** (Crabronidae) Synonym(s): *mystaceus* Linnaeus,1761

- 10755) *Astata affinis* Vander Linden,1829** (Crabronidae) Synonym(s): *affinis* Vander Linden,1829
10756) *Astata apostata* Mercet,1910 (Crabronidae) Synonym(s): *apostata* Mercet,1910
10757) *Astata boops* (Schrank,1781) (Crabronidae) Synonym(s): *boops* Schrank,1781
10758) *Astata brevitarsis* Pulawski,1958 (Crabronidae) Synonym(s): *brevitarsis* Pulawski,1958
10759) *Astata costae* A.Costa,1867 (Crabronidae) Synonym(s): *costae* A.Costa,1867
10760) *Astata diversipes* Pulawski,1955 (Crabronidae) Synonym(s): *diversipes* Pulawski,1955
10761) *Astata gallica* De Beaumont,1942 (Crabronidae) Synonym(s): *gallica* De Beaumont,1942
10762) *Astata graeca* De Beaumont,1965 (Crabronidae) Synonym(s): *graeca* De Beaumont,1965
10763) *Astata jucunda* Pulawski,1959 (Crabronidae) Synonym(s): *jucunda* Pulawski,1959
10764) *Astata kashmirensis* Nurse,1909 (Crabronidae) Synonym(s): *kashmirensis* Nurse,1909
10765) *Astata leila* Pulawski,1967 (Crabronidae) Synonym(s): *leila* Pulawski,1967
10766) *Astata miegii* Dufour,1861 (Crabronidae) Synonym(s): *miegii* Dufour,1861
10767) *Astata minor* Kohl,1885 (Crabronidae) Synonym(s): *minor* Kohl,1885
10768) *Astata quettae* Nurse,1903 (Crabronidae) Synonym(s): *quettae* Nurse,1903
10769) *Astata rufipes* Mocsary,1883 (Crabronidae) Synonym(s): *rufipes* Mocsary,1883
10770) *Bembecinus acanthomerus* (Morice,1911) (Crabronidae) Synonym(s): *acanthomerus* Morice,1911
10771) *Bembecinus anaticus* De Beaumont,1968 (Crabronidae) Synonym(s): *anaticus* De Beaumont,1968
10772) *Bembecinus asiaticus* (Gussakowski,1935) (Crabronidae) Synonym(s): *asiaticus* Gussakowski,1935
10773) *Bembecinus asiaticus iranicus* Schmid-Egger,2004 (Crabronidae) Synonym(s): *iranicus* Schmid-Egger,2004
10774) *Bembecinus birecikensis* Schmid-Egger,2004 (Crabronidae) Synonym(s): *birecikensis* Schmid-Egger,2004
10775) *Bembecinus cyprius* De Beaumont,1954 (Crabronidae) Synonym(s): *cyprius* De Beaumont,1954
10776) *Bembecinus gracilicornis* (Handlirsch,1892) (Crabronidae) Synonym(s): *gracilicornis* Handlirsch,1892
10777) *Bembecinus guichardi* Schmid-Egger,2004 (Crabronidae) Synonym(s): *guichardi* Schmid-Egger,2004
10778) *Bembecinus gusenleitneri* De Beaumont,1967 (Crabronidae) Synonym(s): *gusenleitneri* De Beaumont,1967
10779) *Bembecinus gynandromorphus* (Handlirsch,1892) (Crabronidae) Synonym(s): *gynandromorphus* Handlirsch,1892
10780) *Bembecinus heinrichi* Schmid-Egger,2004 (Crabronidae) Synonym(s): *heinrichi* Schmid-Egger,2004
10781) *Bembecinus henseni* Schmid-Egger,2004 (Crabronidae) Synonym(s): *henseni* Schmid-Egger,2004
10782) *Bembecinus hungaricus* (Frivaldsky,1876) (Crabronidae) Synonym(s): *hungaricus* Frivaldsky,1876
10783) *Bembecinus innocens* De Beaumont,1967 (Crabronidae) Synonym(s): *innocens* De Beaumont,1967
10784) *Bembecinus meridionalis* A.Costa,1859 (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859
10785) *Bembecinus nigrolabrum* Schmid-Egger,2004 (Crabronidae) Synonym(s): *nigrolabrum* Schmid-Egger,2004
10786) *Bembecinus peregrinus* (Smith,1856) (Crabronidae) Synonym(s): *peregrinus* Smith,1856; *erberi* Mocsary,1881; *biarmatus* Mocsary,1883
10787) *Bembecinus rhodius* De Beaumont,1960 (Crabronidae) Synonym(s): *rhodius* De Beaumont,1960; *creticus* De Beaumont,1961
10788) *Bembecinus schwarzi* De Beaumont,1967 (Crabronidae) Synonym(s): *schwarzi* De Beaumont,1967
10789) *Bembecinus tridens* (Fabricius,1781) (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satumanus* Sonan,1934; *errans* De Beaumont,1950
10790) *Bembecinus urfanensis* Schmid-Egger,2004 (Crabronidae) Synonym(s): *urfanensis* Schmid-Egger,2004
10791) *Bembecinus validior* Gussakowski,1952 (Crabronidae) Synonym(s): *validior* Gussakowski,1952; *diacanthus* De Beaumont,1967
10792) *Bembix arenaria* (Handlirsch,1893) (Crabronidae) Synonym(s): *arenaria* Handlirsch,1893; *houskai* Balthasar,1954
10793) *Bembix bicolor* (Radoszkowski,1877) (Crabronidae) Synonym(s): *bicolor* Radoszkowski,1877; *femoralis* Radoszkowski,1877; *bipunctata* Radoszkowski,1877; *barbiventris* Morawitz,1889
10794) *Bembix bidentata* Van der Linden,1829 (Crabronidae) Synonym(s): *bidentata* Van der Linden,1829
10795) *Bembix ciliciensis* De Beaumont,1967 (Crabronidae) Synonym(s): *ciliciensis* De Beaumont,1967
10796) *Bembix cinctella* Handlirsch,1893 (Crabronidae) Synonym(s): *cinctella* Handlirsch,1893

- 10797) *Bembix diversipes* Morawitz,1889** (Crabronidae) Synonym(s): *diversipes* Morawitz,1889
- 10798) *Bembix eburnea* Radoszkowski,1877** (Crabronidae) Synonym(s): *eburnea* Radoszkowski,1877
- 10799) *Bembix gracilis* Handlirsch,1893** (Crabronidae) Synonym(s): *gracilis* Handlirsch,1893
- 10800) *Bembix megerlei* Dahlbom,1845** (Crabronidae) Synonym(s): *megerlei* Dahlbom,1845
- 10801) *Bembix oculata* (Panzer,1801)** (Crabronidae) Synonym(s): *oculata* Panzer,1801; *latreillii* Lepeletier,1845; *neglecta* Dahlbom,1845; *ocellata* Dahlbom,1845; *panzeri* Handlirsch,1893; *hispanica* Mercet,1904; *ebusiana* Giner Mari,1934;
- 10802) *Bembix olivacea* Fabricius,1787** (Crabronidae) Synonym(s): *olivacea* Fabricius,1787; *senilis* Fabricius,1804; *notata* Dahlbom,1845; *mediterranea* Handlirsch,1893; *maroccana* Mercet,1905; *pardoi* Giner Mari,1945
- 10803) *Bembix pallida* Radoszkowski,1877** (Crabronidae) Synonym(s): *pallida* Radoszkowski,1877
- 10804) *Bembix portchinskii* Radoszkowski,1884** (Crabronidae) Synonym(s): *portchinskii* Radoszkowski,1884
- 10805) *Bembix rostrata* (Linnaeus,1758)** (Crabronidae) Synonym(s): *rostrata* Linnaeus,1758; *armata* Gmelin,1790; *vidua* Lepeletier,1845; *dissecta* Dahlbom,1845; *gallica* Mocsary,1883; *paradoxa* Giner Mari,1943
- 10806) *Bembix sinuata* Panzer,1804** (Crabronidae) Synonym(s): *sinuata* Panzer,1804
- 10807) *Bembix turca* Dahlbom,1845** (Crabronidae) Synonym(s): *turca* Dahlbom,1845 *melaena* Smith,1856
- 10808) *Cerceris aerata* Kazenas,1972** (Crabronidae) Synonym(s): *aerata* Kazenas,1972
- 10809) *Cerceris albicolor* Shestakov,1918** (Crabronidae) Synonym(s): *albicolor* Shestakov,1918
- 10810) *Cerceris angustata* Morawitz,1893** (Crabronidae) Synonym(s): *angustata* Morawitz,1893
- 10811) *Cerceris arenaria* (Linnaeus,1758)** (Crabronidae) Synonym(s): *arenaria* Linnaeus,1758
- 10812) *Cerceris arenaria* (Linnaeus,1758)** (Crabronidae) Synonym(s): *arenaria* Linnaeus,1758
- 10813) *Cerceris bicincta* Klug,1835** (Crabronidae) Synonym(s): *bicincta* Klug,1835
- 10814) *Cerceris bracteata* Eversmann,1849** (Crabronidae) Synonym(s): *bracteata* Eversmann,1849
- 10815) *Cerceris bupresticida* Dufour,1841** (Crabronidae) Synonym(s): *bupresticida* Dufour,1841
- 10816) *Cerceris cheskesiana* Giner Mari,1945** (Crabronidae) Synonym(s): *cheskesiana* Giner Mari,1945
- 10817) *Didineis crassicornis* Handlirsch,1888** (Crabronidae) Synonym(s): *crassicornis* Handlirsch,1888
- 10818) *Didineis latro* (De Beaumont,1967)** (Crabronidae) Synonym(s): *latro* De Beaumont,1967
- 10819) *Didineis pannonica* Handlirsch,1888** (Crabronidae) Synonym(s): *pannonica* Handlirsch,1888
- 10820) *Didineis wuestneii* Handlirsch,1888** (Crabronidae) Synonym(s): *wuestneii* Handlirsch,1888
- 10821) *Dryudella amenartais* (Pulawski,1959)** (Crabronidae) Synonym(s): *amenartais* Pulawski,1959
- 10822) *Dryudella freygessneri* (Carl,1920)** (Crabronidae) Synonym(s): *freygessneri* Carl,1920
- 10823) *Dryudella tricolor* (Vander Linden,1829)** (Crabronidae) Synonym(s): *tricolor* Vander Linden,1829
- 10824) *Ectemnius* (Thyreocerus) *crassicornis* (Spinola,1838)** (Crabronidae) Synonym(s): *crassicornis* Spinola,1838
- 10825) *Ectemnius* (Thyreocerus) *massiliensis* (Kohl,1883)** (Crabronidae) Synonym(s): *massiliensis* Kohl,1883; *#massiliensis* Tezcan & Yildirim,2004
- 10826) *Gorytes albidulus* (Lepeletier,1832)** (Crabronidae) Synonym(s): *albidulus* Lepeletier,1832
- 10827) *Gorytes foveolatus* Handlirsch,1888** (Crabronidae) Synonym(s): *foveolatus* Handlirsch,1888
- 10828) *Gorytes hebraeus* De Beaumont,1953** (Crabronidae) Synonym(s): *hebraeus* De Beaumont,1953
- 10829) *Gorytes kohlii* Handlirsch,1888** (Crabronidae) Synonym(s): *kohlii* Handlirsch,1888
- 10830) *Gorytes laticinctus* (Lepeletier,1832)** (Crabronidae) Synonym(s): *laticinctus* Lepeletier,1832
- 10831) *Gorytes nigrifacies* (Mocsary,1879)** (Crabronidae) Synonym(s): *nigrifacies* Mocsary,1879
- 10832) *Gorytes pleuripunctatus* (A.Costa,1859)** (Crabronidae) Synonym(s): *pleuripunctatus* A.Costa,1859
- 10833) *Gorytes procrustes* Handlirsch,1888** (Crabronidae) Synonym(s): *procrustes* Handlirsch,1888
- 10834) *Gorytes quaqudrifasciatus* (Fabricius,1804)** (Crabronidae) Synonym(s): *quaqudrifasciatus* Fabricius,1804
- 10835) *Gorytes quinquecinctus* (Fabricius,1793)** (Crabronidae) Synonym(s): *quinquecinctus* Fabricius,1793
- 10836) *Gorytes quinquefasciatus* (Panzer,1798)** (Crabronidae) Synonym(s): *quinquefasciatus* Panzer,1798
- 10837) *Gorytes schlettereri* Handlirsch,1893** (Crabronidae) Synonym(s): *schlettereri* Handlirsch,1893
- 10838) *Gorytes schmidtii* Schmid-Egger,2002** (Crabronidae) Synonym(s): *schmidtii* Schmid-Egger,2002
- 10839) *Gorytes schmiedeknechtii* Handlirsch,1888** (Crabronidae) Synonym(s): *schmiedeknechtii* Handlirsch,1888
- 10840) *Gorytes sulcifrons* (A.Costa,1867)** (Crabronidae) Synonym(s): *sulfifrons* A.Costa,1867
- 10841) *Harpactus adventicus* (De Beaumont,1967)** (Crabronidae) Synonym(s): *adventicus* De Beaumont,1967
- 10842) *Harpactus affinis* (Spinola,1808)** (Crabronidae) Synonym(s): *affinis* Spinola,1808
- 10843) *Harpactus coccineus* (Balthasar,1954)** (Crabronidae) Synonym(s): *coccineus* Balthasar,1954
- 10844) *Harpactus dimorphus* (Pulawski,1979)** (Crabronidae) Synonym(s): *dimorphus* Pulawski,1979
- 10845) *Harpactus elegans* Lepeletier,1832** (Crabronidae) Synonym(s): *elegans* Lepeletier,1832

- 10846) *Harpactus immaculatus* (Pulawski,1979)** (Crabronidae) Synonym(s): *immaculatus* Pulawski,1979
- 10847) *Harpactus morawitzi* Radoszkowski,1884** (Crabronidae) Synonym(s): *morawitzi* Radoszkowski,1884; *moravicus* Snoflak,1943
- 10848) *Harpactus obscurus* (De Beaumont,1969)** (Crabronidae) Synonym(s): *obscurus* De Beaumont,1969
- 10849) *Harpactus osdroene* (De Beaumont,1969)** (Crabronidae) Synonym(s): *osdroene* De Beaumont,1969
- 10850) *Harpactus transiens* A.Costa,1887** (Crabronidae) Synonym(s): *transiens* A.Costa,1887
- 10851) *Hoplisoides craverii* (A.Costa,1867)** (Crabronidae) Synonym(s): *craverii* A.Costa,1867
- 10852) *Hoplisoides latifrons* (Spinola,1808)** (Crabronidae) Synonym(s): *latifrons* Spinola,1808
- 10853) *Hoplisoides punctuosus* (Eversmann,1849)** (Crabronidae) Synonym(s): *punctuosus* Eversmann,1849
- 10854) *Lestiphorus bicinctus* (Rossi,1794)** (Crabronidae) Synonym(s): *bicinctus* Rossi,1794
- 10855) *Lindenius anatolicus* Beaumont,1967** (Crabronidae) Synonym(s): *anatolicus* Beaumont,1967
- 10856) *Oryttus concinnus* (Rossi,1790)** (Crabronidae) Synonym(s): *concinnus* Rossi,1790; *paradisiacus* De Beaumont,1967
- 10857) *Oryttus infernalis* (Handlirsch,1888)** (Crabronidae) Synonym(s): *infernalis* Handlirsch,1888
- 10858) *Philanthus triangulum* (Fabricius,1775)** (Crabronidae) Synonym(s): *ruspatrix* Linnaeus,1767; *triangulum* Fabricius,1775; *abdelcader* Lepeletier,1845
- 10859) *Protostigmus* sp.** (Crabronidae) Synonym(s):
- 10860) *Psammaecius punctulatus* (Vander Linden,1829)** (Crabronidae) Synonym(s): *punctulatus* Vander Linden,1829
- 10861) *Sphecius antennatus* (Klug,1845)** (Crabronidae) Synonym(s): *antennatus* Klug,1845
- 10862) *Sphecius conicus* (Germar,1817)** (Crabronidae) Synonym(s): *conicus* Germar,1817
- 10863) *Sphecius nigricornis* (Dufour,1838)** (Crabronidae) Synonym(s): *nigricornis* Dufour,1838
- 10864) *Stizoides crassicornis* (Fabricius,1787)** (Crabronidae) Synonym(s): *crassicornis* Fabricius,1787; *rufipes* Olivier,1789; *alienus* Fischer v. Waldheim,1843; *fulvipes* Eversmann,1846
- 10865) *Stizoides melanopterus* (Dahlbom,1845)** (Crabronidae) Synonym(s): *melanopterus* Dahlbom,1845; *concolor* Eversmann,1849
- 10866) *Stizoides tridentatus* (Fabricius,1775)** (Crabronidae) Synonym(s): *tridentatus* Fabricius,1775; *bifasciata* Fabricius,1798; *unifasciatus* Radoszkowski,1877
- 10867) *Stizus fasciatus* (Fabricius,1781)** (Crabronidae) Synonym(s): *fasciatus* Fabricius,1781
- 10868) *Stizus pubescens* (Klug,1835)** (Crabronidae) Synonym(s): *pubescens* Klug,1835
- 10869) *Stizus ruficornis* (J.Forster,1771)** (Crabronidae) Synonym(s): *ruficornis* J.Forster,1771

CULICIDAE

- 10870) *Aedes (Aedimorphus) vexans* (Meigen,1830)** (Culicidae) Synonym(s): *vexans* Meigen,1830; *parvus* Macquart,1834; *articulatus* Rondani,1872; *malariae* Grassi,1898; *sylvestris* Theobald,1901; *montcalmi* Blanchard,1905; *minuta* Theobald,1907; *eruthrosops* Theobald,1910; *sudanensis* Theobald,1911; *euochrus* Howard, Dyar & Knab,1917
- 10871) *Aedes (Finlaya) echinus* Edwards,1920** (Culicidae) Synonym(s): *echinus* Edwards,1920
- 10872) *Aedes (Finlaya) geniculatus* (Olivier,1791)** (Culicidae) Synonym(s): *geniculatus* Olivier,1791; *guttatus* Meigen,1818; *lateralis* Meigen,1818; *ornatus* Meigen,1818; *guttatus* Curtis,1835; *albopunctatus* Rondani,1872
- 10873) *Aedes (Finlaya) versicolor* (Barraud,1924)** (Culicidae) Synonym(s): *versicolor* Barraud,1924
- 10874) *Aedes (Ochlerotatus) annulipes* (Meigen,1803)** (Culicidae) Synonym(s): *annulipes* Meigen,1803; *musivus* Skuse,1889; *mastersi* Skuse,1889; *quartus* Martini,1920; *opisthopus* Komp,1926; *mychonde* Komp,1928; *derricki* Taylor,1943; *perplerus* Taylor,1943; *persimilis* Taylor,1943
- 10875) *Aedes (Ochlerotatus) caspius* (Pallas,1771)** (Culicidae) Synonym(s): *caspius* Pallas,1771; *punctatus* Meigen,1804; *siculus* R-D.,1827; *maculiventris* Macquart,1844; *penicillaris* Rondani,1872; *curriei* Coquillett,1901; *onodagensis* Felt,1904; *longisquamosa* Theobald,1905; *subtilis* Sergeant & Sergeant,1905; *quaylei* Dyar & Knab,1906; *lativittatus* Coquillett,1906; *arabica* Giles,1906; *africanus* Neveu-Lemaire,1906; *willcocksii* Theobald,1907; *arabicus* Becker,1910; *broquetii* Theobald,1913; *grahami* Ludlow,1919; *epsilon* Séguy,1924
- 10876) *Aedes (Ochlerotatus) communis* (DeGeer,1776)** (Culicidae) Synonym(s): *communis* DeGeer,1776
- 10877) *Aedes (Ochlerotatus) detritus* Haliday,1833** (Culicidae) Synonym(s): *detritus* Haliday,1833; *salinus* Ficalbi,1896; *terriei* Theobald,1903; *maculosa* Theobald,1905
- 10878) *Aedes (Ochlerotatus) dorsalis* (Meigen,1830)** (Culicidae) Synonym(s): *dorsalis* Meigen,1830
- 10879) *Aedes (Ochlerotatus) excrucians* (Walker,1856)** (Culicidae) Synonym(s): *excrucians* Walker,1856; *siphonalis* Grossbeck,1904; *abfitchii* Felt,1904; *sansoni* Dyar & Knab,1909; *dytes* Martini,1922

- 10880) *Aedes (Ochlerotatus) flavescens* (Müller,1764) (Culicidae) Synonym(s):** *flavescens* Müller,1764; *lutescens* Fabricius,1775; *variegatus* Schrank,1781; *bipunctatus* R-D.,1827; *flavus* Motschoulsky,1859; *fletcheri* Coquillett,1902
- 10881) *Aedes (Ochlerotatus) nigrocanus* Martini,1927 (Culicidae) Synonym(s):** *nigrocanus* Martini,1927
- 10882) *Aedes (Ochlerotatus) phoeniciae* Coluzzi & Sabatini,1968 (Culicidae) Synonym(s):** *phoeniciae* Coluzzi & Sabatini,1968
- 10883) *Aedes (Ochlerotatus) pulcritarsis* (Rondani,1872) (Culicidae) Synonym(s):** *pulcritarsis* Rondani,1872; *leucacanthus* Loew,1873; *stegomyia* Stackelberg & Monchadskii,1926; *asiatica* Edwards,1926; *simici* Baranoff,1927
- 10884) *Aedes (Ochlerotatus) zammitii* (Theobald,1903) (Culicidae) Synonym(s):** *zammitii* Theobald,1903
- 10885) *Aedes (Rusticoides) lepidonotus* (Edwards,1920) (Culicidae) Synonym(s):** *lepidonotus* Edwards,1920
- 10886) *Aedes (Rusticoides) refiki* Medschid,1928 (Culicidae) Synonym(s):** *refiki* Medschid,1928; *stampari* Apfelbeck,1929; *pseudorusticus* Callot,1945
- 10887) *Aedes (Rusticoides) rusticus* (Rossi,1790) (Culicidae) Synonym(s):** *rusticus* Rossi,1790; *maculatus* Meigen,1804; *musicus* Leach,1825; *pungens* R-D.,1827; *quadratimaculatus* Macquart,1834; *diversus* Theobald,1901; *luteovittata* Theobald,1901; *subtrichurus* Martini,1927 (ssp.)
- 10888) *Aedes (s.str.) cinereus* Meigen,1818 (Culicidae) Synonym(s):** *cinereus* Meigen,1818
- 10889) *Aedes (Stegomyia) aegypti* (Linnaeus,1762) (Culicidae) Synonym(s):** *aegypti* Linnaeus,1762; *argenteus* Poirer,1787; *fasciatus* Fabricius,1805; *sugens* Wiedemann,1828; *annulitarsis* Macquart,1846; *inexorabilis* Walker,1848; *insatiabilis* Bigot,1859; *nigeria* Theobald,1901; *atritarsis* Edwards,1920
- 10890) *Aedes (Stegomyia) cretinus* Edwards,1921 (Culicidae) Synonym(s):** *cretinus* Edwards,1921; *delta* Séguy,1924; *lindtropi* Shingarev,1927
- 10891) *Anopheles (Cellia) pulcherrimus* Theobald,1902 (Culicidae) Synonym(s):** *pulcherrimus* Theobald,1902; *atropotenae* Lindtrop,1924
- 10892) *Anopheles (Cellia) superpictus* Grassi,1899 (Culicidae) Synonym(s):** *superpictus* Grassi,1899; *palestinensis* Theobald,1903; *nursei* Theobald,1907; *cardamatisi* Newstead & Carter,1910; *vassilievi* Portschinsky,1911; *macedoniensis* Cot & Hovasse,1917; *berestnevi* Shingarev,1926; *atheniensis* Cardamatis,1931; *hellenicus* Peus,1954
- 10893) *Anopheles (s.str.) algeriensis* Theobald,1903 (Culicidae) Synonym(s):** *algeriensis* Theobald,1903; *lukisi* Christophers,1916
- 10894) *Anopheles (s.str.) claviger* (Meigen,1804) (Culicidae) Synonym(s):** *claviger* Meigen,1804; *villosus* R-D.,1827; *grisescens* Stephens,1828; *turkestani* Shingarev,1926; *amaurus* Martini,1929; *habibi* Mulligan & Puri,1936; *missiroli* Del Vecchio,1939; *pullutus* Canamares,1945
- 10895) *Anopheles (s.str.) hyrcanus* (Pallas,1771) (Culicidae) Synonym(s):** *hyrcanus* Pallas,1771
- 10896) *Anopheles (s.str.) maculipennis* Meigen,1818 (Culicidae) Synonym(s):** *maculipennis* Meigen,1818
- 10897) *Anopheles (s.str.) marteri* Senetev & Prunelle,1927 (Culicidae) Synonym(s):** *marteri* Senetev & Prunelle,1927; *sogdianus* Keshishian,1938; *conquensis* Torres Canamares,1946
- 10898) *Anopheles (s.str.) plumbeus* Stephens,1828 (Culicidae) Synonym(s):** *plumbeus* Stephens,1828; *nigripes* Staeger,1839; *corsicanus* Edwards,1928; *intermedius* Shingarev,1928
- 10899) *Anopheles (s.str.) sacharovi* Favre,1903 (Culicidae) Synonym(s):** *sacharovi* Favre,1903; *elutus* Edwards,1921
- 10900) *Coquillettidia richiardii* (Ficalbi,1889) (Culicidae) Synonym(s):** *richiardii* Ficalbi,1889; *nikolskyi* Shingarev,1927
- 10901) *Culex (Barradius) modestus* Ficalbi,1889 (Culicidae) Synonym(s):** *modestus* Ficalbi,1889; *eadithae* Barraud,1924; *tanajcus* Stschelkanovzev,1926; *nudipalpis* Shingarev,1927
- 10902) *Culex (Barradius) pusillus* Macquart,1850 (Culicidae) Synonym(s):** *pusillus* Macquart,1850
- 10903) *Culex (Maillotia) deserticola* Kirkpatrick,1924 (Culicidae) Synonym(s):** *deserticola* Kirkpatrick,1924
- 10904) *Culex (Maillotia) hortensis* Ficalbi,1889 (Culicidae) Synonym(s):** *hortensis* Ficalbi,1889; *pilifera* Theobald,1907; *lavieri* Larrousse,1925
- 10905) *Culex (Neoculex) martinii* Medschid,1930 (Culicidae) Synonym(s):** *martinii* Medschid,1930
- 10906) *Culex (Neoculex) territans* Walker,1856 (Culicidae) Synonym(s):** *territans* Walker,1856; *saxatilis* Grossbeck,1905; *frickii* Ludlow,1906; *pyrenaicus* Brolemann,1919; *nematoides* Dyar & Shannon,1925
- 10907) *Culex (s.str.) laticinctus* Edwards,1913 (Culicidae) Synonym(s):** *laticinctus* Edwards,1913
- 10908) *Culex (s.str.) mimeticus* Noe,1899 (Culicidae) Synonym(s):** *mimeticus* Noe,1899; *pseudomimeticus* Sergeant,1909
- 10909) *Culex (s.str.) perexiguus* Theobald,1903 (Culicidae) Synonym(s):** *perexiguus* Theobald,1903
- 10910) *Culex (s.str.) pipiens* Linnaeus,1758 (Culicidae) Synonym(s):** *pipiens* Linnaeus,1758; *bifurcatus* Linnaeus,1758; *fasciatus* Müller,1764; *molestus* Forskal,1775; *trifurcatus* Fabricius,1794; *luteus* Meigen,1804; *domesticus* Germar,1817; *bicolor* Meigen,1818; *marginalis* Stephens,1825; *meridionalis* Leach,1825; *thoracicus* R-D.,1827; *calcitrans* R-D.,1827; *consobrinus* R-D.,1827; *unistriatus* Curtis,1837; *pallipes* Macquart,1838; *rufinus* Bigot,1888; *phytophagus* Ficalbi,1889; *agilis* Bigot,1889; *haematophagus* Ficalbi,1893;

melanorhinus Giles,1900; *longefurcatus* Becker,1903; *varioannulatus* Theobald,1903; *azorensis* Theobald,1903; *quasimodestus* Theobald,1905; *osakensis* Theobald,1907; *comitatus* Dyar & Knab,1909; *dipseticus* Dyar & Knab,1909; *doliorum* Edwards,1912; *autogenicus* Roubaud,1935; *berbericus* Roubaud,1935; *sternopallidus* Roubaud,1945; *sternopunctatus* Roubaud,1945; *disjunctus* Roubaud,1957; *calloti* Rioux & Pech,1959; *erectus* Iglisch,1977; *torridus* Iglisch,1977

- 10911) *Culex* (s.str.) *theileri* Theobald,1903** (Culicidae) Synonym(s): *theileri* Theobald,1903
10912) *Culex* (s.str.) *torrentium* Martini,1925 (Culicidae) Synonym(s): *torrentium* Martini,1925; *pavlovsky* Shingarev,1928
10913) *Culex* (s.str.) *tritaeniorhynchus* Giles,1901 (Culicidae) Synonym(s): *tritaeniorhynchus* Giles,1901; *summorosus* Dyar,1920; *biroi* Theobald,1905; *siamensis* Barraud & Christophers,1931
10914) *Culiseta* (Allotheobaldia) *longiareolata* (Macquart,1838) (Culicidae) Synonym(s): *longiareolata* Macquart,1838; *spathipalpis* Rondani,1872; *leucogrammus* Loew,1874; *serratipes* Becker,1908; *marocanus* D'Anfreville,1916
10915) *Culiseta* (Culicella) *fumipennis* (Stephens,1825) (Culicidae) Synonym(s): *fumipennis* Stephens,1825; *ficalbii* Noe,1899; *theobaldi* Meijere,1911; *setivalva* Monchadskii,1936
10916) *Culiseta* (Culicella) *morsitans* (Theobald,1901) (Culicidae) Synonym(s): *morsitans* Theobald,1901; *dyari* Coquillett,1902; *brittoni* Felt,1905; *parodites* Dyar,1928
10917) *Culiseta* (s.str.) *annulata* (Schränk,1776) (Culicidae) Synonym(s): *annulata* Schränk,1776; *annulatus* Fabricius,1787; *affinis* Stephens,1825; *nicaensis* Leach,1825; *ferruginata* Martini,1924
10918) *Uranotaenia* (Pseudoficalbia) *unguiculata* Edwards,1913 (Culicidae) Synonym(s): *unguiculata* Edwards,1913; *pefflyi* Stone,1961

CURCULIONIDAE

- 10919) *Acentrus* *histrion* (Schoenherr,1837)** (Curculionidae) Synonym(s): *histrion* Schoenherr,1837
10920) *Aomus* *afyonensis* Bialooki,2005 (Curculionidae) Synonym(s): *afyonensis* Bialooki,2005
10921) *Aomus* *bashi* Fremuth & Lodos,1987 (Curculionidae) Synonym(s): *bashi* Fremuth & Lodos,1987
10922) *Aomus* *ilerii* Fremuth & Lodos,1987 (Curculionidae) Synonym(s): *ilerii* Fremuth & Lodos,1987
10923) *Bangasternus* *fausti* (Reitter,1890) (Curculionidae) Synonym(s): *fausti* Reitter,1890
10924) *Bangasternus* *orientalis* (Capiomont,1873) (Curculionidae) Synonym(s): *orientalis* Capiomont,1873
10925) *Bangasternus* *planifrons* (Brullé,1832) (Curculionidae) Synonym(s): *planifrons* Brullé,1832
10926) *Bothynoderes* *carinatus* (Zoubkoff,1829) (Curculionidae) Synonym(s): *carinatus* Zoubkoff,1829
10927) *Bothynoderes* *carinicollis* Gyllenhal,1834 (Curculionidae) Synonym(s): *carinicollis* Gyllenhal,1834
10928) *Bothynoderes* *punctiventris* (Germar,1794) (Curculionidae) Synonym(s): *punctiventris* Germar,1794
10929) *Ceutorhynchus* *aenescens* Schultze,1895 (Curculionidae) Synonym(s): *aenescens* Schultze,1895
10930) *Ceutorhynchus* *anatolicus* Schultze,1900 (Curculionidae) Synonym(s): *anatolicus* Schultze,1900
10931) *Ceutorhynchus* *assimilis* (Paykull,1792) (Curculionidae) Synonym(s): *assimilis* Paykull,1792
10932) *Ceutorhynchus* *coarctatus* Gyllenhal,1837 (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837
10933) *Ceutorhynchus* *difficilis* Schultze,1898 (Curculionidae) Synonym(s): *difficilis* Schultze,1898
10934) *Ceutorhynchus* *erysimi* (Fabricius,1787) (Curculionidae) Synonym(s): *erysimi* Fabricius,1787
10935) *Ceutorhynchus* *fabrilis* Faust,1887 (Curculionidae) Synonym(s): *fabrilis* Faust,1887
10936) *Ceutorhynchus* *fallax* Boheman,1845 (Curculionidae) Synonym(s): *fallax* Boheman,1845
10937) *Ceutorhynchus* *languidus* Schultze,1902 (Curculionidae) Synonym(s): *languidus* Schultze,1902
10938) *Ceutorhynchus* *nanus* Gyllenhal,1837 (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837
10939) *Ceutorhynchus* *niyazii* Hoffmann,1957 (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957
10940) *Ceutorhynchus* *pallidactylus* (Marsham,1802) (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802
10941) *Ceutorhynchus* *pictarsis* Gyllenhal,1837 (Curculionidae) Synonym(s): *pictarsis* Gyllenhal,1837
10942) *Ceutorhynchus* *pulvinatus* Gyllenhal,1837 (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837
10943) *Ceutorhynchus* *rapae* Gyllenhal,1837 (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837
10944) *Ceutorhynchus* *sophiae* Gyllenhal,1837 (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837
10945) *Ceutorhynchus* *subpilosus* Brisothe,1869 (Curculionidae) Synonym(s): *subpilosus* Brisothe,1869
10946) *Ceutorhynchus* *sulcatus* Brisothe,1869 (Curculionidae) Synonym(s): *sulcatus* Brisothe,1869
10947) *Ceutorhynchus* *sulcicollis* (Paykull,1800) (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800
10948) *Ceutorhynchus* *turbatus* Schultze,1903 (Curculionidae) Synonym(s): *turbatus* Schultze,1903
10949) *Chromoderus* *fasciatus* (O.F.Müller,1776) (Curculionidae) Synonym(s): *fasciatus* O.F.Müller,1776
10950) *Cionus* *caucasicus* Reitter,1888 (Curculionidae) Synonym(s): *caucasicus* Reitter,1888

- 10951) **Cionus distinctus** Desbrochers,1869 (Curculionidae) Synonym(s): *distinctus* Desbrochers,1869
 10952) **Cionus donckieri** Pic,1898 (Curculionidae) Synonym(s): *donckieri* Pic,1898
 10953) **Cionus hortulanus** (Geoffroy,1785) (Curculionidae) Synonym(s): *hortulanus* Geoffroy,1785
 10954) **Cionus merkli** Stierlich,1867 (Curculionidae) Synonym(s): *merkli* Stierlich,1867
 10955) **Cionus olens** (Fabricius,1792) (Curculionidae) Synonym(s): *olens* Fabricius,1792
 10956) **Cionus olivieri** Rosenschöld,1838 (Curculionidae) Synonym(s): *olivieri* Rosenschöld,1838
 10957) **Cionus ponticus** Bialooki,2006 (Curculionidae) Synonym(s): *ponticus* Bialooki,2006
 10958) **Cionus pulverosus** Gyllenhal,1838 (Curculionidae) Synonym(s): *pulverosus* Gyllenhal,1838
 10959) **Cionus schultzei** Reitter,1904 (Curculionidae) Synonym(s): *schultzei* Reitter,1904
 10960) **Cionus thapsus** (Fabricius,1792) (Curculionidae) Synonym(s): *thapsus* Fabricius,1792
 10961) **Cionus tuberculosus** (Scopoli,1763) (Curculionidae) Synonym(s): *tuberculosus* Scopoli,1763
 10962) **Cionus unguatus** Germar,1821 (Curculionidae) Synonym(s): *unguatus* Germar,1821
 10963) **Cionus wanati** Bialooki,2006 (Curculionidae) Synonym(s): *wanati* Bialooki,2006
 10964) **Cionus wittei** Kiesenwetter,1851 (Curculionidae) Synonym(s): *wittei* Kiesenwetter,1851
 10965) **Cleonis piger** (Scopoli,1763) (Curculionidae) Synonym(s): *piger* Scopoli,1763
 10966) **Coniatus repandus** (Fabricius,1792) (Curculionidae) Synonym(s): *repandus* Fabricius,1792
 10967) **Coniatus tamarisci** (Fabricius,1787) (Curculionidae) Synonym(s): *tamarisci* Fabricius,1787
 10968) **Coniacleonus excoriatus** (Schoenherr,1834) (Curculionidae) Synonym(s): *excoriatus* Schoenherr,1834; *melanographus* Fahreus,1840
 10969) **Coniacleonus nigrosuturatus** (Goeze,1777) (Curculionidae) Synonym(s): *nigrosuturatus* Goeze,1777
 10970) **Conorhynchus nigrivittis** (Pallas,1781) (Curculionidae) Synonym(s): *nigrivittis* Pallas,1781
 10971) **Curculio crux** Fabricius,1776 (Curculionidae) Synonym(s): *crux* Fabricius,1776
 10972) **Curculio elephas** Gyllenhal,1836 (Curculionidae) Synonym(s): *elephas* Gyllenhal,1836
 10973) **Curculio excellans** Khnzorian,1953 (Curculionidae) Synonym(s): *excellans* Khnzorian,1953
 10974) **Curculio glandium** Marsham,1802 (Curculionidae) Synonym(s): *glandium* Marsham,1802
 10975) **Curculio nucum** Linnaeus,1758 (Curculionidae) Synonym(s): *nucum* Linnaeus,1758
 10976) **Curculio pellitus** Boheman,1843 (Curculionidae) Synonym(s): *pellitus* Boheman,1843
 10977) **Curculio pyrrhoceras** Marsham,1802 (Curculionidae) Synonym(s): *pyrrhoceras* Marsham,1802
 10978) **Curculio salicivorus** Paykull,1792 (Curculionidae) Synonym(s): *salicivorus* Paykull,1792
 10979) **Curculio venosus** (Gravenhorst,1807) (Curculionidae) Synonym(s): *venosus* Gravenhorst,1807
 10980) **Donus audax** Faust,1887 (Curculionidae) Synonym(s): *audax* Faust,1887
 10981) **Donus comatus** (Boheman,1842) (Curculionidae) Synonym(s): *comatus* Boheman,1842
 10982) **Donus zoilus** (Scopoli,1763) (Curculionidae) Synonym(s): *zoilus* Scopoli,1763
 10983) **Eustenopus villosus** (Boheman,1843) (Curculionidae) Synonym(s): *villosus* Boheman,1843
 10984) **Hypera constans** (Boheman,1834) (Curculionidae) Synonym(s): *constans* Boheman,1834
 10985) **Hypera contaminata** (Herbst,1795) (Curculionidae) Synonym(s): *contaminata* Herbst,1795
 10986) **Hypera crinata** (Boheman,1834) (Curculionidae) Synonym(s): *crinata* Boheman,1834
 10987) **Hypera cumanus** Petri,1901 (Curculionidae) Synonym(s): *cumanus* Petri,1901
 10988) **Hypera farinosa** Boheman,1842 (Curculionidae) Synonym(s): *farinosa* Boheman,1842
 10989) **Hypera fasciculata** (Herbst,1795) (Curculionidae) Synonym(s): *fasciculata* Herbst,1795
 10990) **Hypera jucundus** Capiomont,1868 (Curculionidae) Synonym(s): *jucundus* Capiomont,1868
 10991) **Hypera maculipennis** Fairmaire,1859 (Curculionidae) Synonym(s): *maculipennis* Fairmaire,1859
 10992) **Hypera meles** (Fabricius,1792) (Curculionidae) Synonym(s): *meles* Fabricius,1792
 10993) **Hypera orientalis** Capiomont,1867 (Curculionidae) Synonym(s): *orientalis* Capiomont,1867
 10994) **Hypera pastinacae** (Rossi,1790) (Curculionidae) Synonym(s): *pastinacae* Rossi,1790
 10995) **Hypera plantaginis** (De Geer,1775) (Curculionidae) Synonym(s): *plantaginis* De Geer,1775
 10996) **Hypera punctata** (Fabricius,1775) (Curculionidae) Synonym(s): *punctata* Fabricius,1775
 10997) **Hypera rumicis** (Linnaeus,1758) (Curculionidae) Synonym(s): *rumicis* Linnaeus,1758
 10998) **Hypera striata** (Boheman,1834) (Curculionidae) Synonym(s): *striata* Boheman,1834
 10999) **Hypera trilineata** (Marsham,1802) (Curculionidae) Synonym(s): *trilineata* Marsham,1802
 11000) **Hypera variabilis** (Herbst,1795) (Curculionidae) Synonym(s): *variabilis* Herbst,1795
 11001) **Hypera viciae** (Gyllenhal,1813) (Curculionidae) Synonym(s): *viciae* Gyllenhal,1813
 11002) **Hypolixus nubilosus** (Boheman,1836) (Curculionidae) Synonym(s): *nubilosus* Boheman,1836
 11003) **Larinus aeruginosus** Hochhuth,1851 (Curculionidae) Synonym(s): *aeruginosus* Hochhuth,1851
 11004) **Larinus brenskaei** Faust,1900 (Curculionidae) Synonym(s): *brenskaei* Faust,1900
 11005) **Larinus brevis** (Herbst,1795) (Curculionidae) Synonym(s): *brevis* Herbst,1795
 11006) **Larinus carinirostris** Gyllenhal,1836 (Curculionidae) Synonym(s): *carinirostris* Gyllenhal,1836
 11007) **Larinus centaureae** (Olivier,1807) (Curculionidae) Synonym(s): *centaureae* Olivier,1807
 11008) **Larinus curtus** Hochhuth,1851 (Curculionidae) Synonym(s): *curtus* Hochhuth,1851
 11009) **Larinus cynarae** (Fabricius,1787) (Curculionidae) Synonym(s): *cynarae* Fabricius,1787
 11010) **Larinus filiformis** Petri,1907 (Curculionidae) Synonym(s): *filiformis* Petri,1907

- 11011) *Larinus flavescens* Germar,1824 (Curculionidae) Synonym(s): *flavescens* Germar,1824
- 11012) *Larinus grisescens* Gyllenhal,1836 (Curculionidae) Synonym(s): *grisescens* Gyllenhal,1836
- 11013) *Larinus jaceae* (Fabricius,1775) (Curculionidae) Synonym(s): *jaceae* Fabricius,1775
- 11014) *Larinus latus* (Herbst,1784) (Curculionidae) Synonym(s): *latus* Herbst,1784
- 11015) *Larinus minutus* Gyllenhal,1836 (Curculionidae) Synonym(s): *minutus* Gyllenhal,1836
- 11016) *Larinus obtusus* Gyllenhal,1836 (Curculionidae) Synonym(s): *obtus* Gyllenhal,1836
- 11017) *Larinus onopordi* (Fabricius,1787) (Curculionidae) Synonym(s): *onopordi* Fabricius,1787
- 11018) *Larinus orientalis* Capiomont,1874 (Curculionidae) Synonym(s): *orientalis* Capiomont,1874
- 11019) *Larinus ovaliformis* Capiomont,1874 (Curculionidae) Synonym(s): *ovaliformis* Capiomont,1874
- 11020) *Larinus planus* (Fabricius,1792) (Curculionidae) Synonym(s): *planus* Fabricius,1792
- 11021) *Larinus rudicollis* Petri,1907 (Curculionidae) Synonym(s): *rudicollis* Petri,1907
- 11022) *Larinus rusticanus* Gyllenhal,1836 (Curculionidae) Synonym(s): *rusticanus* Gyllenhal,1836
- 11023) *Larinus sturnus* (Schaller,1878) (Curculionidae) Synonym(s): *sturnus* Schaller,1878
- 11024) *Larinus syriacus* Gyllenhal,1836 (Curculionidae) Synonym(s): *syriacus* Gyllenhal,1836
- 11025) *Larinus turbinatus* Gyllenhal,1836 (Curculionidae) Synonym(s): *turbinatus* Gyllenhal,1836
- 11026) *Larinus ursus* (Fabricius,1792) (Curculionidae) Synonym(s): *ursus* Fabricius,1792
- 11027) *Limobius borealis* (Paykull,1792) (Curculionidae) Synonym(s): *borealis* Paykull,1792
- 11028) *Lixus anguinus* (Linnaeus,1767) (Curculionidae) Synonym(s): *anguinus* Linnaeus,1767
- 11029) *Lixus angustatus* (Fabricius,1775) (Curculionidae) Synonym(s): *angustatus* Fabricius,1775
- 11030) *Lixus ascanii* (Linnaeus,1767) (Curculionidae) Synonym(s): *ascanii* Linnaeus,1767
- 11031) *Lixus bardanae* (Fabricius,1787) (Curculionidae) Synonym(s): *bardanae* Fabricius,1787
- 11032) *Lixus cardui* Olivier,1807 (Curculionidae) Synonym(s): *cardui* Olivier,1807
- 11033) *Lixus circumcinctus* Boheman,1836 (Curculionidae) Synonym(s): *circumcinctus* Boheman,1836
- 11034) *Lixus cylindrus* (Fabricius,1781) (Curculionidae) Synonym(s): *cylindrus* Fabricius,1781
- 11035) *Lixus elegantulus* Boheman,1843 (Curculionidae) Synonym(s): *elegantulus* Boheman,1843
- 11036) *Lixus furcatus* Olivier,1807 (Curculionidae) Synonym(s): *furcatus* Olivier,1807
- 11037) *Lixus incanescens* Boheman,1836 (Curculionidae) Synonym(s): *incanescens* Boheman,1836
- 11038) *Lixus iridis* Olivier,1807 (Curculionidae) Synonym(s): *iridis* Olivier,1807
- 11039) *Lixus junci* Boheman,1836 (Curculionidae) Synonym(s): *junci* Boheman,1836
- 11040) *Lixus myagri* Olivier,1807 (Curculionidae) Synonym(s): *myagri* Olivier,1807
- 11041) *Lixus nordmanni* Hochhuht,1847 (Curculionidae) Synonym(s): *nordmanni* Hochhuht,1847
- 11042) *Lixus obesus* Petri,1904 (Curculionidae) Synonym(s): *obesus* Petri,1904
- 11043) *Lixus punctiventris* Boheman,1836 (Curculionidae) Synonym(s): *punctiventris* Boheman,1836
- 11044) *Lixus rubicundus* Zoubkoff,1833 (Curculionidae) Synonym(s): *rubicundus* Zoubkoff,1833
- 11045) *Lixus scabricollis* Boheman,1843 (Curculionidae) Synonym(s): *scabricollis* Boheman,1843
- 11046) *Lixus scolapax* Boheman,1836 (Curculionidae) Synonym(s): *scolapax* Boheman,1836
- 11047) *Lixus speciosus* Miller,1861 (Curculionidae) Synonym(s): *speciosus* Miller,1861
- 11048) *Lixus subtilis* Boheman,1836 (Curculionidae) Synonym(s): *subtilis* Boheman,1836
- 11049) *Lixus vilis* (Rossi,1790) (Curculionidae) Synonym(s): *vilis* Rossi,1790
- 11050) *Microlarinus lareynii* (Jacquelin du Val,1852) (Curculionidae) Synonym(s): *lareynii* Jacquelin du Val,1852
- 11051) *Neotournieria szypulai* Bialooki,2006 (Curculionidae) Synonym(s): *szypulai* Bialooki,2006
- 11052) *Pachycerus cordiger* (Germar,1819) (Curculionidae) Synonym(s): *cordiger* Germar,1819
- 11053) *Rhyncyllus conicus* (Frölich,1792) (Curculionidae) Synonym(s): *conicus* Frölich,1792
- 11054) *Tychius argentatus* Chevrolat,1859 (Curculionidae) Synonym(s): *argentatus* Chevrolat,1859
- 11055) *Tychius aurarius* Boheman,1843 (Curculionidae) Synonym(s): *aurarius* Boheman,1843
- 11056) *Tychius aureolus* Kiesenwetter,1851 (Curculionidae) Synonym(s): *aureolus* Kiesenwetter,1851
- 11057) *Tychius balcanicus* (Penecke,1922) (Curculionidae) Synonym(s): *balcanicus* Penecke,1922
- 11058) *Tychius bicolor* Brisout,1862 (Curculionidae) Synonym(s): *bicolor* Brisout,1862
- 11059) *Tychius brevisculus* Desbrochers,1873 (Curculionidae) Synonym(s): *brevisculus* Desbrochers,1873
- 11060) *Tychius caldarai* Dieckmann,1986 (Curculionidae) Synonym(s): *caldarai* Dieckmann,1986
- 11061) *Tychius consputus* Kiesenwetter,1864 (Curculionidae) Synonym(s): *consputus* Kiesenwetter,1864
- 11062) *Tychius cuprifer* (Panzer,1799) (Curculionidae) Synonym(s): *cuprifer* Panzer,1799
- 11063) *Tychius eldae* Caldara,1990 (Curculionidae) Synonym(s): *eldae* Caldara,1990
- 11064) *Tychius festivus* (Faust,1884) (Curculionidae) Synonym(s): *festivus* Faust,1884
- 11065) *Tychius flavus* Becker,1864 (Curculionidae) Synonym(s): *flavus* Becker,1864
- 11066) *Tychius graecus* Kiesenwetter,1864 (Curculionidae) Synonym(s): *graecus* Kiesenwetter,1864
- 11067) *Tychius grenieri* Brisout,1861 (Curculionidae) Synonym(s): *grenieri* Brisout,1861
- 11068) *Tychius hirtellus* Tournier,1873 (Curculionidae) Synonym(s): *hirtellus* Tournier,1873
- 11069) *Tychius medicaginis* Brisout,1862 (Curculionidae) Synonym(s): *medicaginis* Brisout,1862
- 11070) *Tychius meliloti* Stephens,1831 (Curculionidae) Synonym(s): *meliloti* Stephens,1831

- 11071) **Tychius ochraceus** Tournier,1873 (Curculionidae) Synonym(s): *ochraceus* Tournier,1873
 11072) **Tychius picirostris** (Fabricius,1787) (Curculionidae) Synonym(s): *picirostris* Fabricius,1787
 11073) **Tychius polylineatus** (Germar,1824) (Curculionidae) Synonym(s): *polylineatus* Germar,1824
 11074) **Tychius ruscicus** Desbrochers,1908 (Curculionidae) Synonym(s): *ruscicus* Desbrochers,1908
 11075) **Tychius squamulatus** Gyllenhal,1836 (Curculionidae) Synonym(s): *squamulatus* Gyllenhal,1836
 11076) **Tychius stephensi** Schoenherr,1836 (Curculionidae) Synonym(s): *stephensi* Schoenherr,1836
 11077) **Tychius striatulus** Gyllenhal,1836 (Curculionidae) Synonym(s): *striatulus* Gyllenhal,1836
 11078) **Tychius thoracicus** Boheman,1843 (Curculionidae) Synonym(s): *thoracicus* Boheman,1843

CYDNIDAE

- 11079) **Canthophorus dubius** (Scopoli,1763) (Cydnidae) Synonym(s): *dubius* Scopoli,1763; *albomarginatus* Schrank,1776; *histriolus* Goeze,1778; *viennensis* Gmelin,1790; *albomarginellus* Fabricius,1794
 11080) **Canthophorus maculipes** (Mulsant & Rey,1852) (Cydnidae) Synonym(s): *maculipes* Mulsant & Rey,1852
 11081) **Canthophorus melanopterus** (Herrich-Schäffer,1835) (Cydnidae) Synonym(s): *melanopterus* Herrich-Schäffer,1835
 11082) **Canthophorus wagneri** Asanova,1964 (Cydnidae) Synonym(s): *wagneri* Asanova,1964
 11083) **Cydnus aterrimus** (Forster,1771) (Cydnidae) Synonym(s): *aterrimus* Forster,1771
 11084) **Macroscytus brunneus** (Fabricius,1803) (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919
 11085) **Sehirus congener** Jakovlev,1879 (Cydnidae) Synonym(s): *congener* Jakovlev,1879
 11086) **Sehirus cypriacus** Dohrn,1860 (Cydnidae) Synonym(s): *cypriacus* Dohrn,1860
 11087) **Sehirus delangrangei** Puton,1888 (Cydnidae) Synonym(s): *delangrangei* Puton,1888
 11088) **Sehirus dissimilis** Horvath,1919 (Cydnidae) Synonym(s): *dissimilis* Horvath,1919
 11089) **Sehirus luctuosus** Mulsant & Rey,1866 (Cydnidae) Synonym(s): *luctuosus* Mulsant & Rey,1866
 11090) **Sehirus marginatus** (Signoret,1884) (Cydnidae) Synonym(s): *marginatus* Signoret,1884
 11091) **Sehirus morio** (Linnaeus,1761) (Cydnidae) Synonym(s): *morio* Linnaeus,1761
 11092) **Sehirus ovatus** (Herrich-Schäffer,1839) (Cydnidae) Synonym(s): *ovatus* Herrich-Schäffer,1839
 11093) **Sehirus robustus** Horvath,1895 (Cydnidae) Synonym(s): *robustus* Horvath,1895
 11094) **Tritomegas bicolor** (Linnaeus,1758) (Cydnidae) Synonym(s): *bicolor* Linnaeus,1758
 11095) **Tritomegas sexmaculatus** (Rambur,1842) (Cydnidae) Synonym(s): *sexmaculatus* Rambur,1842

CYLINDROTOMIDAE

- 11096) **Diogma dmitrii** Paramonov,2005 (Cylindrotomidae) Synonym(s): *dmitrii* Paramonov,2005

CYNIPIDAE

- 11097) **Andricus amblycerus** (Giraud,1859) (Cynipidae) Synonym(s): *amblycerus* Giraud,1859
 11098) **Andricus amenti** Giraud,1859 (Cynipidae) Synonym(s): *amenti* Giraud,1859; *giraudianus* Dalla Torre & Kieffer,1910
 11099) **Andricus aries** (Giraud,1859) (Cynipidae) Synonym(s): *aries* Giraud,1859
 11100) **Andricus askewi** Melika & Stone,2001 (Cynipidae) Synonym(s): *askewi* Melika & Stone,2001
 11101) **Andricus bulgaricus** Vassileva & Samnalieva,1977 (Cynipidae) Synonym(s): *bulgaricus* Vassileva & Samnalieva,1977
 11102) **Andricus caliciformis** (Giraud,1859) (Cynipidae) Synonym(s): *caliciformis* Giraud,1859
 11103) **Andricus callidoma** (Hartig,1841) (Cynipidae) Synonym(s): *callidoma* Hartig,1841; *cirratus* Adler,1881; *giraudi* Wachtl,1882
 11104) **Andricus caputmedusae** (Hartig,1843) (Cynipidae) Synonym(s): *caputmedusae* Hartig,1843; *gallaecristatae* Henschel,1876
 11105) **Andricus cecconii** Kieffer,1901 (Cynipidae) Synonym(s): *cecconii* Kieffer,1901
 11106) **Andricus conglomeratus** (Giraud,1859) (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879
 11107) **Andricus conificus** (Hartig,1843) (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901
 11108) **Andricus coriarius** (Hartig,1843) (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900
 11109) **Andricus coronatus** (Giraud,1859) (Cynipidae) Synonym(s): *coronatus* Giraud,1859; *coronaria* Stefani,1898

- 11110) *Andricus corruptrix* (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899
- 11111) *Andricus curtisii* (Müller,1870)** (Cynipidae) Synonym(s): *curtisii* Müller,1870; *mediterraneae* Trotter,1901
- 11112) *Andricus curator* Hartig,1840** (Cynipidae) Synonym(s): *curator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegumentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901
- 11113) *Andricus cydoniae* Giraud,1859** (Cynipidae) Synonym(s): *cydoniae* Giraud,1859
- 11114) *Andricus dentimitratus* (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejto,1887; *mayri* Kieffer,1897 *nec* Wachtl.,1879; *gallaeviscosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998
- 11115) *Andricus foecundatrix* (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918
- 11116) *Andricus galeatus* (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus* Giraud,1859
- 11117) *Andricus gallaeurnaeformis* (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaeurnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882
- 11118) *Andricus gemmeus* (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl,1876
- 11119) *Andricus glutinosus* (Giraud,1859)** (Cynipidae) Synonym(s): *glutinosus* Giraud,1859; *tergestensis* Kieffer,1905
- 11120) *Andricus grossulariae* Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961
- 11121) *Andricus hartigi* (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi* Hartig,1843
- 11122) *Andricus hungaricus* Hartig,1943** (Cynipidae) Synonym(s): *hungaricus* Hartig,1943
- 11123) *Andricus hystrix* Kieffer,1897** (Cynipidae) Synonym(s): *hystrix* Kieffer,1897
- 11124) *Andricus infectorius* (Hartig,1843)** (Cynipidae) Synonym(s): *infectorius* Hartig,1843; *nostra* Kieffer,1901; *tinctorianostras* Trotter,1903
- 11125) *Andricus inflator* Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962
- 11126) *Andricus insanus* (Westwood,1837)** (Cynipidae) Synonym(s): *insanus* Westwood,1837
- 11127) *Andricus kollari* (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909
- 11128) *Andricus lignicolus* (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leuven & Deukhuijzen-Maasland,1958
- 11129) *Andricus lucidus* (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901
- 11130) *Andricus malpighi* (Adler,1881)** (Cynipidae) Synonym(s): *malpighi* Adler,1881; *nudus* Adler,1881
- 11131) *Andricus megalucidus* Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *megalucidus* Melika, Stone, Sadeghi & Pujade-Villar,2004
- 11132) *Andricus megatruncicolus* Melika,2008** (Cynipidae) Synonym(s): *megatruncicolus* Melika,2008
- 11133) *Andricus mitratus* (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870
- 11134) *Andricus moreae* (Graeffe,1905)** (Cynipidae) Synonym(s): *moreae* Graeffe,1905
- 11135) *Andricus multiplicatus* Giraud,1859** (Cynipidae) Synonym(s): *multiplicatus* Giraud,1859
- 11136) *Andricus polycerus* (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906
- 11137) *Andricus pseudoaries* Melika, Stone, Sadeghi,2008** (Cynipidae) Synonym(s): *pseudoaries* Melika, Stone, Sadeghi,2008
- 11138) *Andricus quercuscalicis* (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899
- 11139) *Andricus quercuscorticis* (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercuscorticis* Linnaeus,1761; *corticis* Hartig,1840; *brevicornis* Hartig,1841; *gemmatus* Adler,1881; *krajnovici* Tavares,1901
- 11140) *Andricus quercusradicis* (Fabricius,1789)** (Cynipidae) Synonym(s): *quercusradicis* Fabricius,1789; *noduli* Hartig,1840; *trilineatus* Hartig,1840; *parasiticus* Hartig,1841; *rugiscuta* Thomson,1877; *beirensis* Tavares,1902
- 11141) *Andricus quercusramuli* (Linnaeus,1761)** (Cynipidae) Synonym(s): *quercusramuli* Linnaeus,1761; *autumnalis* Hartig,1840; *amentorum* Hartig,1843; *ramuli* Schenck,1863; *trifasciata* Kieffer,1901
- 11142) *Andricus quercustozae* (Bosc,1792)** (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustozae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898
- 11143) *Andricus schroeckingeri* Wachtl,1876** (Cynipidae) Synonym(s): *schroeckingeri* Wachtl,1876
- 11144) *Andricus seckendorffi* (Wachtl,1879)** (Cynipidae) Synonym(s): *seckendorffi* Wachtl,1879; *magrettii* Kieffer,1897
- 11145) *Andricus solitarius* (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930

- 11146) *Andricus stefanii* (Kieffer,1897)** (Cynipidae) Synonym(s): *stefanii* Kieffer,1897; *#keszthelyensis* Mehes,1953
- 11147) *Andricus sternlichti* Bellido, Pujade-Villar & Melika,2003** (Cynipidae) Synonym(s): *sternlichti* Bellido, Pujade-Villar & Melika,2003
- 11148) *Andricus theophrasteus* Trotter,1866** (Cynipidae) Synonym(s): *theophrasteus* Trotter,1866
- 11149) *Andricus tomentosus* (Trotter,1901)** (Cynipidae) Synonym(s): *tomentosus* Trotter,1901
- 11150) *Andricus truncicola* (Giraud,1859)** (Cynipidae) Synonym(s): *truncicola* Giraud,1859
- 11151) *Aphelonyx cerricola* (Giraud,1859)** (Cynipidae) Synonym(s): *cerricola* Giraud,1859
- 11152) *Aphelonyx persica* Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *persica* Melika, Stone, Sadeghi & Pujade-Villar,2004
- 11153) *Aulacidea acroptilonica* Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica* Tyurebaev,1979
- 11154) *Aylax hypecoi* Trotter,1913** (Cynipidae) Synonym(s): *hypecoi* Trotter,1913; *spiorhynchusii* Diakontshuk,1990
- 11155) *Biorhiza pallida* (Olivier,1791)** (Cynipidae) Synonym(s): *pallida* Olivier,1791; *aptera* Bosc,1791; *gallaealveariformis* Anthoine,1794; *gallaecerebriformis* Anthoine,1794; *quercusterminalis* Fabricius,1798; *terminalis* Hartig,1840; *codinae* Tavares,1928; *hispanica* Tavares,1928; *lusitanica* Tavares,1928
- 11156) *Callirhytis glandium* (Giraud,1859)** (Cynipidae) Synonym(s): *glandium* Giraud,1859; *girardi* Tavares,1902; *aestivalis* Nieves-Aldrey,1992
- 11157) *Callirhytis rufescens* (Mayr,1882)** (Cynipidae) Synonym(s): *rufescens* Mayr,1882; *villarrubiae* Tavares,1930; *glandulosa* Weld,1930
- 11158) *Chilaspis mayri* (Müllner,1901)** (Cynipidae) Synonym(s): *mayri* Müllner,1901
- 11159) *Chilaspis nitida* (Giraud,1859)** (Cynipidae) Synonym(s): *nitida* Giraud,1859; *loewii* Wachtl,1882
- 11160) *Cynips agama* Hartig,1840** (Cynipidae) Synonym(s): *agama* Hartig,1840; *mailleti* Folliot,1964
- 11161) *Cynips cornifex* Hartig,1843** (Cynipidae) Synonym(s): *cornifex* Hartig,1843
- 11162) *Cynips divisa* Hartig,1840** (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870
- 11163) *Cynips quercus* (Fourcroy,1785)** (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962
- 11164) *Cynips quercusfolii* (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaeunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870
- 11165) *Diplolepis eglanteriae* (Hartig,1840)** (Cynipidae) Synonym(s): *eglanteriae* Hartig,1840; *rufipes* Forster,1869
- 11166) *Diplolepis fructuum* (Rübsaamen,1895)** (Cynipidae) Synonym(s): *fructuum* Rübsaamen,1895
- 11167) *Diplolepis mayri* (Schlechtendal,1877)** (Cynipidae) Synonym(s): *mayri* Schlechtendal,1877; *orthopsinae* Beijerinck,1882
- 11168) *Diplolepis rosae* (Linnaeus,1758)** (Cynipidae) Synonym(s): *rosae* Linnaeus,1758; *bedeguaris* Fourcroy,1785
- 11169) *Diplolepis spinosissimae* (Giraud,1859)** (Cynipidae) Synonym(s): *spinosissimae* Giraud,1859
- 11170) *Dryocosmus cerriphilus* Giraud,1859** (Cynipidae) Synonym(s): *cerriphilus* Giraud,1859
- 11171) *Liposthenes kernerii* (Wachtl,1891)** (Cynipidae) Synonym(s): *kernerii* Wachtl,1891
- 11172) *Neuroterus albipes* (Schenck,1863)** (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928
- 11173) *Neuroterus anthracinus* (Curtis,1838)** (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882
- 11174) *Neuroterus lanuginosus* Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859
- 11175) *Neuroterus minutulus* Giraud,1859** (Cynipidae) Synonym(s): *minutulus* Giraud,1859
- 11176) *Neuroterus numismalis* (Fourcroy,1785)** (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925
- 11177) *Neuroterus politus* Hartig,1840** (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventris* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870
- 11178) *Neuroterus quercusbaccarum* (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrio* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916
- 11179) *Neuroterus tricolor* Hartig,1841** (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928
- 11180) *Plagiotrochus quercusilicis* (Fabricius,1798)** (Cynipidae) Synonym(s): *quercusilicis* Fabricius,1798; *cocciferae* Lichtenstein,1877; *ilicis* Lichtenstein,1877; *emereyi* Mayr,1882; *fusifex* Mayr,1882; *kiefferi* Dalla & Torre & Kieffer,1910; *niger* Dalla & Torre & Kieffer,1910; *lichtensteini* Dalla & Torre & Kieffer,1910; *lusitanicus* Tavares,1926

- 11181) *Pseudoneuroterus macropterus* (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus* Hartig,1843
- 11182) *Synergus pallicornis* Hartig,1841** (Cynipidae) Synonym(s): *pallicornis* Hartig,1841; *pallidicornis* Dalla Torre,1893
- 11183) *Synophrus politus* Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843
- 11184) *Trigonaspis synaspis* (Hartig,1841)** (Cynipidae) Synonym(s): *synaspis* Hartig,1841; *megapteropsis* Wriese,1900

DACTYLOPIIDAE

- 11185) *Dactylopius coccus* Costa** (Dactylopiidae) Synonym(s): *coccus* Costa

DELPHACIDAE

- 11186) *Flastena fumata* (Lindberg,1948)** (Delphacidae) Synonym(s): *fumata* Lindberg,1948
- 11187) *Acanthodelphax spinosa* (Fieber,1866)** (Delphacidae) Synonym(s): *spinosa* Fieber,1866; *ferruginea* Kirschbaum,1868
- 11188) *Alatades trilineatus* Dlabola,1957** (Delphacidae) Synonym(s): *trilineatus* Dlabola,1957
- 11189) *Asiraca clavicornis* (Fabricius,1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891
- 11190) *Calligypona reyi* (Fieber,1866)** (Delphacidae) Synonym(s): *reyi* Fieber,1866; *longipes* Kirschbaum,1868; *Sahlberg*,1871; *sahlbergiana* Ishihara,1949
- 11191) *Chloriona canariensis* Lindberg,1954** (Delphacidae) Synonym(s): *canariensis* Lindberg,1954
- 11192) *Chloriona clavata* Dlabola,1960** (Delphacidae) Synonym(s): *clavata* Dlabola,1960
- 11193) *Chloriona glaucescens* Fieber,1866** (Delphacidae) Synonym(s): *glaucescens* Fieber,1866; *alba* Metcalf,1943; *dorsalis* Metcalf,1943; *flava* Metcalf,1943; *nigrofasciata* Metcalf,1943; *nigromaculata* Metcalf,1943
- 11194) *Chloriona flaveola* Lindberg,1948** (Delphacidae) Synonym(s): *flaveola* Lindberg,1948
- 11195) *Chloriona ponticana* Asche,1982** (Delphacidae) Synonym(s): *ponticana* Asche,1982
- 11196) *Chloriona sicula* Matsumura,1910** (Delphacidae) Synonym(s): *sicula* Matsumura,1910; *flaveola* Lindberg,1948
- 11197) *Chloriona unicolor* (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer,1835; *canariensis* Lindberg,1954; *edwardsi* Le Quesne,1960
- 11198) *Conomelus anceps* (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliata* Boheman,1849
- 11199) *Conomelus odryssius* Dlabola,1965** (Delphacidae) Synonym(s): *odryssius* Dlabola,1965; *clavifer* Remane & Asche,1979
- 11200) *Delphacodes audrasi* Ribaut,1954** (Delphacidae) Synonym(s): *audrasi* Ribaut,1954; *linnavuorii* LeQuesne,1960
- 11201) *Delphacodes nastasi* Asche & Remane,1983** (Delphacidae) Synonym(s): *nastasi* Asche & Remane,1983
- 11202) *Delphacodoides anaxarchi* (Muir,1926)** (Delphacidae) Synonym(s): *anaxarchi* Muir,1926; *ornata* Muir,1929; *trilineus* Dlabola,1957; *#trilineatus* Nast,1972
- 11203) *Delphax inermis* Ribaut,1934** (Delphacidae) Synonym(s): *inermis* Ribaut,1934
- 11204) *Dicranotropis beckeri* Fieber,1866** (Delphacidae) Synonym(s): *beckeri* Fieber,1866
- 11205) *Dicranotropis hamata* (Boheman,1847)** (Delphacidae) Synonym(s): *hamata* Boheman,1847
- 11206) *Ditropis flavipes* (Signoret,1865)** (Delphacidae) Synonym(s): *flavipes* Signoret,1865; *nitida* Haupt,1866; *dlabolai* Vilbaste,1980
- 11207) *Ditropis pteridis* (Spinola,1839)** (Delphacidae) Synonym(s): *pteridis* Spinola,1839
- 11208) *Euides caspiana* (Dlabola,1961)** (Delphacidae) Synonym(s): *caspiana* Dlabola,1961
- 11209) *Euidopsis truncata* Ribaut,1948** (Delphacidae) Synonym(s): *truncata* Ribaut,1948
- 11210) *Eurybregma dlabolai* Kalkandelen,1980** (Delphacidae) Synonym(s): *dlabolai* Kalkandelen,1980
- 11211) *Eurybregma nigrolineata* Scott,1875** (Delphacidae) Synonym(s): *nigrolineata* Scott,1875
- 11212) *Eurysa lineata* (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965
- 11213) *Falcotoya minuscula* (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897
- 11214) *Flastena fumipennis* (Fieber,1866)** (Delphacidae) Synonym(s): *fumipennis* Fieber,1866
- 11215) *Florodelphax leptosoma* (Flor,1861)** (Delphacidae) Synonym(s): *leptosoma* Flor,1861; *albofimbriata* Fieber,1866; *albolimbata* Kirschbaum,1868
- 11216) *Horvathianella palliceus* (Horvath,1897)** (Delphacidae) Synonym(s): *palliceus* Horvath,1897
- 11217) *Iubsoda stigmatica* (Melichar,1897)** (Delphacidae) Synonym(s): *stigmatica* Melichar,1897; *strigosa* Matsumura,1910; *duffelsi* Dlabola,1974

- 11218) *Javesella dubia* (Kirschbaum,1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum,1868; *nitidipennis* Kirschbaum,1868; *pargasensis* Reuter,1880; *difficilis* Edwards,1888
- 11219) *Javesella obscurella* (Boheman,1847)** (Delphacidae) Synonym(s): *obscurella* Boheman,1847; *discreta* Edwards,1888; *fuscostacea* Metcalf,1943
- 11220) *Javesella pellucida* (Fabricius,1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius,1794; *striata* Fabricius,1794; *marginata* Fabricius,1794; *dispar* Fallén,1806; *suturalis* Curtis,1837; *ochroleuca* Kirschbaum,1868; *flavipennis* Sahlberg,1871; *obscura* Fieber,1879; *fuscicollis* Rey,1891; *variicollis* Rey,1894
- 11221) *Javesella salina* (Haupt,1924)** (Delphacidae) Synonym(s): *salina* Haupt,1924; *junceae* Haupt,1935
- 11222) *Kelisia brucki* Fieber,1878** (Delphacidae) Synonym(s): *brucki* Fieber,1878
- 11223) *Kelisia melanops* Fieber,1878** (Delphacidae) Synonym(s): *melanops* Fieber,1878
- 11224) *Kelisia monoceros* Ribaut,1934** (Delphacidae) Synonym(s): *monoceros* Ribaut,1934
- 11225) *Kelisia ribauti* Wagner,1938** (Delphacidae) Synonym(s): *guttula* Ribaut,1934 *nec* Germ.,1818; *ribauti* Wagner,1938
- 11226) *Kelisia yarkonensis* Linnavuori,1962** (Delphacidae) Synonym(s): *yarkonensis* Linnavuori,1962
- 11227) *Laodelphax striatellus* (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943
- 11228) *Leptodelphax cyclops* Haupt,1927** (Delphacidae) Synonym(s): *cyclops* Haupt,1927
- 11229) *Megadelphax sordidula* (Stål,1853)** (Delphacidae) Synonym(s): *sordidula* Stål,1853; *sahlbergi* Metcalf,1943
- 11230) *Muellerianella fairmairei* (Perris,1857)** (Delphacidae) Synonym(s): *fairmairei* Perris,1857
- 11231) *Muirodelphax aubei* (Perris,1857)** (Delphacidae) Synonym(s): *aubei* Perris,1857; *cognata* Fieber,1866; *protrusa* Fieber,1866; *obsoleta* Kirschbaum,1868; *obscurinervis* Kirschbaum,1868; *altaicus* Vilbaste,1965
- 11232) *Perkinsiella dorsata* Melichar,1905** (Delphacidae) Synonym(s): *dorsata* Melichar,1905; *insignis* Distant,1912; *picta* Ribaut,1948
- 11233) *Pseudaraeopus lethierryi* (Mulsant & Rey,1879)** (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemand,1921
- 11234) *Ribautodelphax albostratus* (Fieber,1866)** (Delphacidae) Synonym(s): *albostratus* Fieber,1866; *distinguenda* Kirschbaum,1868
- 11235) *Ribautodelphax collinus* (Boheman,1847)** (Delphacidae) Synonym(s): *collinus* Boheman,1847
- 11236) *Ribautodelphax pallens* (Stål,1854)** (Delphacidae) Synonym(s): *pallens* Stål,1854
- 11237) *Ribautodelphax pungens* (Ribaut,1953)** (Delphacidae) Synonym(s): *pungens* Ribaut,1953
- 11238) *Sogatella vibix* (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix* Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicicola* Ishihara,1949; *dogensis* Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977
- 11239) *Stenocranus minutus* (Fabricius,1787)** (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894
- 11240) *Toya ibiturca* Asche,1980** (Delphacidae) Synonym(s): *ibiturca* Asche,1980
- 11241) *Toya obtusangula* (Linnavuori,1957)** (Delphacidae) Synonym(s): *obtusangula* Linnavuori,1957
- 11242) *Toya propinqua* (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868
- 11243) *Tropidocephala andropogonis* Horvath,1895** (Delphacidae) Synonym(s): *andropogonis* Horvath,1895
- 11244) *Tropidocephala tuberipennis* (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis* Mulsant & Rey,1855; *elegans* O.Costa,1834
- 11245) *Unkanodes latespinosa* (Dlabola,1957)** (Delphacidae) Synonym(s): *latespinosa* Dlabola,1957

DERBIDAE

- 11246) *Malenia bosnica* (Horvath,1907)** (Derbidae) Synonym(s): *bosnica* Horvath,1907; *turanica* Anufriev,1966
- 11247) *Malenia kilisica* Dlabola,1986** (Derbidae) Synonym(s): *kilisica* Dlabola,1986
- 11248) *Malenia licea* Dlabola,1979** (Derbidae) Synonym(s): *licea* Dlabola,1979
- 11249) *Malenia mesasiatica* Dubowsky,1965** (Derbidae) Synonym(s): *mesasiatica* Dubowsky,1965

DERICORYTHIDAE

- 11250) *Dericorys albidula* Audinet-Serville,[1838]** (Dericorythidae) Synonym(s): *albidula* Audinet-Serville,[1838]; *tibialis* Fieber,1853 *nec* Pall.,1773; *acutispina* Stal,1875; *curvipes* Redtenbacher,1889

- 11251) *Dericorys annulata* (Fieber,1853)** (Dericorythidae) Synonym(s): *annulata* Fieber,1853; *roseipennis* Redtenbacher,1889; *lazurens* Uvarov,1914
- 11252) *Dericorys tibialis* (Pallas,1773)** (Dericorythidae) Synonym(s): *tibialis* Pallas,1773; *gibbosa* Fischer von Waldheim,1839; *maculata* Fischer von Waldheim,1846; *fumipennis* Adelung,1906
- 11253) *Dericorys uvarovi* Ramme,1930** (Dericorythidae) Synonym(s): *uvarovi* Ramme,1930

DERMESTIDAE

- 11254) *Anthrenus (Florilinus) museorum* (Linnaeus,1761)** (Dermestidae) Synonym(s): *museorum* Linnaeus,1761; *verbaschi* Fabricius,1775; *vagus* Gmelin,1790; *pellio* Thunberg,1815; *varius* Stephens,1830
- 11255) *Anthrenus (Nathrenus) bulirschi* Hava,2000** (Dermestidae) Synonym(s): *bulirschi* Hava,2000
- 11256) *Anthrenus (Nathrenus) pubifer* Reitter,1899** (Dermestidae) Synonym(s): *pubifer* Reitter,1899
- 11257) *Anthrenus (Nathrenus) verbasci* (Linnaeus,1767)** (Dermestidae) Synonym(s): *verbasci* Linnaeus,1767
- 11258) *Anthrenus (s.str.) delicatus* Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus* Kiesenwetter,1851
- 11259) *Anthrenus (s.str.) flavipes* LeConte,1854** (Dermestidae) Synonym(s): *flavipes* LeConte,1854
- 11260) *Anthrenus (s.str.) munroi* Hinton,1943** (Dermestidae) Synonym(s): *munroi* Hinton,1943
- 11261) *Anthrenus (s.str.) picturatus* Solsky,1876** (Dermestidae) Synonym(s): *picturatus* Solsky,1876
- 11262) *Anthrenus (s.str.) pimpinellae* (Fabricius,1775)** (Dermestidae) Synonym(s): *pimpinellae* Fabricius,1775; *scrophulariae* Fourcroy,1785 nec Linn.,1758
- 11263) *Anthrenus (s.str.) rotundulus* Reitter,1889** (Dermestidae) Synonym(s): *rotundulus* Reitter,1889
- 11264) *Anthrenus (s.str.) scrophulariae* (Linnaeus,1758)** (Dermestidae) Synonym(s): *scrophulariae* Linnaeus,1758; *albidus* Brullé,1832; *signatus* Reitter,1881; *senex* Reitter,1881
- 11265) *Anthrenus (s.str.) simonis* Reitter,1881** (Dermestidae) Synonym(s): *simonis* Reitter,1881
- 11266) *Anthrenus akbesianus* Reitter,1899** (Dermestidae) Synonym(s): *akbesianus* Reitter,1899
- 11267) *Anthrenus araraticus* Zhantiev,1976** (Dermestidae) Synonym(s): *araraticus* Zhantiev,1976
- 11268) *Attagenus (s.str.) bifasciatus* (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790
- 11269) *Attagenus (s.str.) brunneus* Faldermann,1835** (Dermestidae) Synonym(s): *brunneus* Faldermann,1835
- 11270) *Attagenus (s.str.) ionicus* Zhantiev,2005** (Dermestidae) Synonym(s): *ionicus* Zhantiev,2005
- 11271) *Attagenus (s.str.) jelineki* Hava,2004** (Dermestidae) Synonym(s): *jelineki* Hava,2004
- 11272) *Attagenus (s.str.) orientalis* Reitter,1878** (Dermestidae) Synonym(s): *orientalis* Reitter,1878
- 11273) *Attagenus (s.str.) pantherinus* (Ahrens,1814)** (Dermestidae) Synonym(s): *pantherinus* Ahrens,1814
- 11274) *Attagenus (s.str.) quadrimaculatus* Kraatz,1858** (Dermestidae) Synonym(s): *quadrimaculatus* Kraatz,1858
- 11275) *Attagenus (s.str.) unicolor* (Brahm,1791)** (Dermestidae) Synonym(s): *unicolor* Brahm,1791
- 11276) *Ctesias syriaca* Ganglbauer,1904** (Dermestidae) Synonym(s): *syriaca* Ganglbauer,1904
- 11277) *Dermestes (Dermestinus) coronatus* Steven,1808** (Dermestidae) Synonym(s): *coronatus* Steven,1808
- 11278) *Dermestes (Dermestinus) frischeri* Kugelan,1792** (Dermestidae) Synonym(s): *frischeri* Kugelan,1792; *vulpinus* Herbst,1792; *pollinctus* Hope,1834; *heyrovskyi* Obenberger,1917; *rufimembris* Pic,1951; *sternimaculatus* Marcu,1957
- 11279) *Dermestes (Dermestinus) gyllenhali* Castelnau,1840** (Dermestidae) Synonym(s): *tessellatus* Gyllenhal,1808 nec Fabr.,1775; *gyllenhali* Castelnau,1840
- 11280) *Dermestes (Dermestinus) intermedius* Kalik,1951** (Dermestidae) Synonym(s): *intermedius* Kalik,1951
- 11281) *Dermestes (Dermestinus) kaszabi* Kalik,1950** (Dermestidae) Synonym(s): *kaszabi* Kalik,1950
- 11282) *Dermestes (Dermestinus) lanarius* Illiger,1801** (Dermestidae) Synonym(s): *lanarius* Illiger,1801; *affinis* Gyllenhal,1808; *catta* Duftschmid,1825; *linarius* Stephens,1829
- 11283) *Dermestes (Dermestinus) leopardinus* Mulsant & Godart,1855** (Dermestidae) Synonym(s): *leopardinus* Mulsant & Godart,1855
- 11284) *Dermestes (Dermestinus) maculatus* DeGeer,1774** (Dermestidae) Synonym(s): *maculatus* DeGeer,1774; *marginatus* Thunberg,1781; *vulpinus* Fabricius,1781; *senex* Germar,1824; *elongatus* Hope,1834; *lupinus* Mannerheim,1843; *cinereus* Redtenbacher,1867; *sudanicus* Gredler,1878; *cyprius* Pic,1951; *pakistanicus* Havelka,1951
- 11285) *Dermestes (Dermestinus) murinus* Linnaeus,1758** (Dermestidae) Synonym(s): *murinus* Linnaeus,1758; *nebulosus* DeGeer,1774; *roseiventris* Laporte,1840
- 11286) *Dermestes (Dermestinus) sardous* Küster,1846** (Dermestidae) Synonym(s): *sardous* Küster,1846; *asiatica* Hava,2002

- 11287) Dermestes (Dermestinus) sibiricus Erichson,1846** (Dermestidae) Synonym(s): *sibiricus Erichson,1846*
- 11288) Dermestes (Dermestinus) undulatus Brahm,1790** (Dermestidae) Synonym(s): *undulatus Brahm,1790*
- 11289) Dermestes (Montandonia) fuliginosus Rossi,1792** (Dermestidae) Synonym(s): *fuliginosus Rossi,1792*
- 11290) Dermestes (Montandonia) olivieri Lepesme,1939** (Dermestidae) Synonym(s): *olivieri Lepesme,1939*
- 11291) Dermestes (s.str.) ater DeGeer,1774** (Dermestidae) Synonym(s): *ater DeGeer,1774; cadaverinus Fabricius,1775; piceus Thunberg,1781; felinus Fabricius,1787; domesticus Germar,1824; hispidulus Montrouzier,1860; chinensis Motschoulsky,1866; subcostatus Murray,1867; noxius Mulsant & Rey,1868; favarcqui Godard,1883*
- 11292) Dermestes (s.str.) bicolor Fabricius,1781** (Dermestidae) Synonym(s): *bicolor Fabricius,1781; striatus Kolenati,1846*
- 11293) Dermestes (s.str.) lardarius Linnaeus,1758** (Dermestidae) Synonym(s): *lardarius Linnaeus,1758*
- 11294) Dermestes (s.str.) Linnaeus,1758** (Dermestidae) Synonym(s): *Dermestes Linnaeus,1758*
- 11295) Globicornis picta (Küster,1851)** (Dermestidae) Synonym(s): *picta Küster,1851*
- 11296) Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali Zhantiev,2001*
- 11297) Phradonoma alium Hava,2006** (Dermestidae) Synonym(s): *alium Hava,2006*
- 11298) Phradonoma nigrum Hava,2006** (Dermestidae) Synonym(s): *nigrum Hava,2006*
- 11299) Phradonoma villosulum (Duftschmid,1825)** (Dermestidae) Synonym(s): *villosulum Duftschmid,1825*
- 11300) Trogoderma granarium Everts,1898** (Dermestidae) Synonym(s): *granarium Everts,1898*
- 11301) Trogoderma inclusum LeConte,1854** (Dermestidae) Synonym(s): *inclusum LeConte,1854; tarsale Riley,1894; advena Casey,1900; obsolescens Casey,1900; frosti Casey,1916; nigrescens Casey,1916; brunnescens Casey,1916*
- 11302) Trogoderma versicolor (Creutzer,1799)** (Dermestidae) Synonym(s): *versicolor Creutzer,1799; grandis Thunberg,1815; elongatulus Duftschmid,1825; costae Mulsant & Rey,1868*
- 11303) Turcicornis kopeckyi Hava,2000** (Dermestidae) Synonym(s): *kopeckyi Hava,2000*

DIAPHEROMERIDAE

- 11304) Clonaria kurda (Uvarov,1944)** (Diapheromeridae) Synonym(s): *kurda Uvarov,1944*
- 11305) Clonaria libanica (Uvarov,1924)** (Diapheromeridae) Synonym(s): *aegyptiacus Pantel,1890 nec Gray,1835; libanica Uvarov,1924; hebraica Uvarov,1939; turca Karabağ,1955*

DIASPIDIDAE

- 11306) Abgrallaspis cyanophylli (Signoret)** (Diaspididae) Synonym(s): *cyanophylli Signoret*
- 11307) Acanthomytilus cedricola Balachowsky & Alkan** (Diaspididae) Synonym(s): *cedricola Balachowsky & Alkan*
- 11308) Aonidia lauri (Bouche)** (Diaspididae) Synonym(s): *lauri Bouche*
- 11309) Aonidiella aurantii (Maskell)** (Diaspididae) Synonym(s): *aurantii Maskell*
- 11310) Aonidiella citrina (Coquillett)** (Diaspididae) Synonym(s): *citrina Coquillett*
- 11311) Aspidiotus hedericola Leonardi** (Diaspididae) Synonym(s): *hedericola Leonardi*
- 11312) Aspidiotus nerii Bouche** (Diaspididae) Synonym(s): *nerii Bouche*
- 11313) Aulacaspis rosae (Bouche)** (Diaspididae) Synonym(s): *rosae Bouche*
- 11314) Carulaspis juniperi (Bouche)** (Diaspididae) Synonym(s): *juniperi Bouche*
- 11315) Carulaspis minima (Signoret)** (Diaspididae) Synonym(s): *minima Signoret*
- 11316) Chlidaspis asiatica (Archangelskaya)** (Diaspididae) Synonym(s): *asiatica Archangelskaya*
- 11317) Chionaspis etrusca Leonardi** (Diaspididae) Synonym(s): *etrusca Leonardi*
- 11318) Chionaspis salicis (Linnaeus)** (Diaspididae) Synonym(s): *salicis Linnaeus*
- 11319) Chrysomphalus aonidum (Linnaeus)** (Diaspididae) Synonym(s): *aonidum Linnaeus*
- 11320) Chrysomphalus dictyospermi (Morgan)** (Diaspididae) Synonym(s): *dictyospermi Morgan*
- 11321) Chrysomphalus pinnulifer (Maskell)** (Diaspididae) Synonym(s): *pinnulifer Maskell*
- 11322) Contigaspis zillae (Hall)** (Diaspididae) Synonym(s): *zillae Hall*
- 11323) Chortinaspis subterranea (Lindinger)** (Diaspididae) Synonym(s): *subterranea Lindinger*
- 11324) Diaspidiotus anatolicus (Bodenheimer)** (Diaspididae) Synonym(s): *anatolicus Bodenheimer*
- 11325) Diaspidiotus armenicus (Borchsenius)** (Diaspididae) Synonym(s): *armenicus Borchsenius*
- 11326) Diaspidiotus caucasicus (Borchsenius)** (Diaspididae) Synonym(s): *caucasicus Borchsenius*

- 11327) **Diaspidiotus distinctus (Leonardi)** (Diaspididae) Synonym(s): *distinctus* Leonardi
 11328) **Diaspidiotus elaeagni (Borchsenius)** (Diaspididae) Synonym(s): *elaegni* Borchsenius
 11329) **Diaspidiotus gigas (Thiem & Gerneck)** (Diaspididae) Synonym(s): *gigas* Thiem & Gerneck
 11330) **Diaspidiotus kaussarii Balachowsy** (Diaspididae) Synonym(s): *kaussarii* Balachowsy
 11331) **Diaspidiotus lenticularis (Lindinger)** (Diaspididae) Synonym(s): *lenticularis* Lindinger
 11332) **Diaspidiotus marani (Zahradnik)** (Diaspididae) Synonym(s): *marani* Zahradnik
 11333) **Diaspidiotus osborni (Newell & Cockerell)** (Diaspididae) Synonym(s): *osborni* Newell & Cockerell
 11334) **Diaspidiotus ostreaeformis (Curtis)** (Diaspididae) Synonym(s): *ostreaeformis* Curtis
 11335) **Diaspidiotus perniciosus (Comstock)** (Diaspididae) Synonym(s): *perniciosus* Comstock
 11336) **Diaspidiotus prunorum (Laing)** (Diaspididae) Synonym(s): *prunorum* Laing
 11337) **Diaspidiotus pyri (Lichtenstein)** (Diaspididae) Synonym(s): *pyri* Lichtenstein
 11338) **Diaspidiotus sulci (Balachowsky)** (Diaspididae) Synonym(s): *sulci* Balachowsky
 11339) **Diaspidiotus wuenni (Lindinger)** (Diaspididae) Synonym(s): *wuenni* Lindinger
 11340) **Diaspidiotus zonatus (Frauenfeld)** (Diaspididae) Synonym(s): *zonatus* Frauenfeld
 11341) **Diaspis boisduvalii Signoret** (Diaspididae) Synonym(s): *boisduvalii* Signoret
 11342) **Diaspis bromeliae (Kerner)** (Diaspididae) Synonym(s): *bromeliae* Kerner
 11343) **Diaspis echinocacti (Bouche)** (Diaspididae) Synonym(s): *echinocacti* Bouche
 11344) **Diaspis syriaca Lindinger** (Diaspididae) Synonym(s): *syriaca* Lindinger
 11345) **Duplachionaspis berlesii (Leonardi)** (Diaspididae) Synonym(s): *berlesii* Leonardi
 11346) **Duplachionaspis natalensis (Maskell)** (Diaspididae) Synonym(s): *natalensis* Maskell
 11347) **Duplachionaspis noaeae (Hall)** (Diaspididae) Synonym(s): *noaeae* Hall
 11348) **Dynaspidiotus abieticola (Koroneos)** (Diaspididae) Synonym(s): *abieticola* Koroneos
 11349) **Dynaspidiotus abietis (Schrank)** (Diaspididae) Synonym(s): *abietis* Schrank
 11350) **Dynaspidiotus atlanticus (Balachowsky)** (Diaspididae) Synonym(s): *atlanticus* Balachowsky
 11351) **Dynaspidiotus britannicus (Newstead)** (Diaspididae) Synonym(s): *britannicus* Newstead
 11352) **Epidiaspis gennadii (Leonardi)** (Diaspididae) Synonym(s): *gennadii* Leonardi
 11353) **Epidiaspis leperii (Signoret)** (Diaspididae) Synonym(s): *leperii* Signoret
 11354) **Fiorinia fiorinae (Targioni Tozzetti)** (Diaspididae) Synonym(s): *fiorinae* Targioni Tozzetti
 11355) **Furchadaspis zamiae (Morgan)** (Diaspididae) Synonym(s): *zamiae* Morgan
 11356) **Genistaspis zelihae Bodenheimer** (Diaspididae) Synonym(s): *zelihae* Bodenheimer
 11357) **Gonaspidiotus seurati (Marchal)** (Diaspididae) Synonym(s): *seurati* Marchal
 11358) **Hemiberlesia lataniae (Signoret)** (Diaspididae) Synonym(s): *lataniae* Signoret
 11359) **Hemiberlesia rapax (Comstock)** (Diaspididae) Synonym(s): *rapax* Comstock
 11360) **Kuwanaspis pseudoleucaspis (Kuwana)** (Diaspididae) Synonym(s): *pseudoleucaspis* Kuwana
 11361) **Lepidosaphes beckii (Newman)** (Diaspididae) Synonym(s): *beckii* Newman
 11362) **Lepidosaphes conchiformis (Gmelin)** (Diaspididae) Synonym(s): *conchiformis* Gmelin
 11363) **Lepidosaphes gloverii (Packard)** (Diaspididae) Synonym(s): *gloverii* Packard
 11364) **Lepidosaphes granati Koroneos** (Diaspididae) Synonym(s): *granati* Koroneos
 11365) **Lepidosaphes juniperi Lindinger** (Diaspididae) Synonym(s): *juniperi* Lindinger
 11366) **Lepidosaphes malicola Borchsenius** (Diaspididae) Synonym(s): *malicola* Borchsenius
 11367) **Lepidosaphes newsteadi (Sulc)** (Diaspididae) Synonym(s): *newsteadi* Sulc
 11368) **Lepidosaphes pinnaeformis (Bouche)** (Diaspididae) Synonym(s): *pinnaeformis* Bouche
 11369) **Lepidosaphes pistaciae Archangelskaya** (Diaspididae) Synonym(s): *pistaciae* Archangelskaya
 11370) **Lepidosaphes serrifrons (Leonardi)** (Diaspididae) Synonym(s): *serrifrons* Leonardi
 11371) **Lepidosaphes ulmi (Linnaeus)** (Diaspididae) Synonym(s): *ulmi* Linnaeus
 11372) **Leucaspis knemion Hoke** (Diaspididae) Synonym(s): *knemion* Hoke
 11373) **Leucaspis lowi Colvee** (Diaspididae) Synonym(s): *lowi* Colvee
 11374) **Leucaspis pini (Hartig)** (Diaspididae) Synonym(s): *pini* Hartig
 11375) **Leucaspis pusilla Löw** (Diaspididae) Synonym(s): *pusilla* Löw
 11376) **Leucaspis riccae Targioni Tozzetti** (Diaspididae) Synonym(s): *riccae* Targioni Tozzetti
 11377) **Lineaspis striata (Newstead)** (Diaspididae) Synonym(s): *striata* Newstead
 11378) **Lopholeucaspis japonica (Cockerell)** (Diaspididae) Synonym(s): *japonica* Cockerell
 11379) **Melanaspis inopinata (Leonardi)** (Diaspididae) Synonym(s): *inopinata* (Leonardi)
 11380) **Mercetaspis halli (Green)** (Diaspididae) Synonym(s): *halli* Green
 11381) **Mercetaspis sureyanus (Bodenheimer)** (Diaspididae) Synonym(s): *sureyanus* Bodenheimer
 11382) **Mohelnaspis massilliensis (Goux)** (Diaspididae) Synonym(s): *massilliensis* Goux
 11383) **Oceanaspidiotus spinosus (Comstock)** (Diaspididae) Synonym(s): *spinosus* Comstock
 11384) **Parlatoria crotonis Douglas** (Diaspididae) Synonym(s): *crotonis* Douglas
 11385) **Parlatoria oleae (Colvee)** (Diaspididae) Synonym(s): *oleae* Colvee
 11386) **Parlatoria parlatoriae (Sulc)** (Diaspididae) Synonym(s): *parlatoriae* Sulc
 11387) **Parlatoria pergandii Comstock** (Diaspididae) Synonym(s): *pergandii* Comstock
 11388) **Parlatoria ziziphi (Lucas)** (Diaspididae) Synonym(s): *ziziphi* Lucas

- 11389) Parlatoreopsis longispina (Newstead)** (Diaspididae) Synonym(s): *longispina* Newstead
11390) Pinnaspis pentagona (Targioni-Tozzetti) (Diaspididae) Synonym(s): *pentagona* Targioni-Tozzetti
11391) Prodiaspis tamaricicola (Malenotti) (Diaspididae) Synonym(s): *tamaricicola* Malenotti
11392) Rhizaspidotus canariensis (Lindinger) (Diaspididae) Synonym(s): *canariensis* Lindinger
11393) Rhizaspidotus donacis (Leonardi) (Diaspididae) Synonym(s): *donacis* Leonardi
11394) Salicicola archangelskyae (Lindinger) (Diaspididae) Synonym(s): *archangelskyae* Lindinger
11395) Salicicola kermanensis (Lindinger) (Diaspididae) Synonym(s): *kermanensis* Lindinger
11396) Salicicola pistaciae (Lindinger) (Diaspididae) Synonym(s): *pistaciae* Lindinger
11397) Targionia nigra Signoret (Diaspididae) Synonym(s): *nigra* Signoret
11398) Targionia vitis (Signoret) (Diaspididae) Synonym(s): *vitis* Signoret
11399) Unaspis euonymi (Comstock) (Diaspididae) Synonym(s): *euonymi* Comstock

DICTYOPHARIDAE

- 11400) Callodictya krueperi (Fieber,1876)** (Dictyopharidae) Synonym(s): *krueperi* Fieber,1876
11401) Dictyophara acuminata (Lindberg,1954) (Dictyopharidae) Synonym(s): *acuminata* Lindberg,1954; *hispana* Linnavuori,1965
11402) Dictyophara asiatica Melichar,1912 (Dictyopharidae) Synonym(s): *asiatica* Melichar,1912
11403) Dictyophara europaea (Linnaeus,1767) (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *aeuropaea* Petagna,1787; *europa* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942
11404) Dictyophara exoptata Dlabola & Heller,1962 (Dictyopharidae) Synonym(s): *exoptata* Dlabola & Heller,1962
11405) Dictyophara iranica Linnavuori,1962 (Dictyopharidae) Synonym(s): *iranica* Linnavuori,1962
11406) Dictyophara lindbergi Metcalf,1955 (Dictyopharidae) Synonym(s): *acuminata* Lindberg,1948; *lindbergi* Metcalf,1955
11407) Dictyophara multireticulata Mulsant & Rey,1855 (Dictyopharidae) Synonym(s): *multireticulata* Mulsant & Rey,1855; *heydenii* Kirschbaum,1868; *curvata* Matsumura,1910; *nemourensis* Matsumura,1910; *oertzeni* Matsumura,1910
11408) Dictyophara nizipa Dlabola,1986 (Dictyopharidae) Synonym(s): *nizipa* Dlabola,1986
11409) Dictyophara pannonica (Germar,1830) (Dictyopharidae) Synonym(s): *pannonica* Germar,1830
11410) Dictyophara striata Oshanin,1879 (Dictyopharidae) Synonym(s): *striata* Oshanin,1879
11411) Dictyophara xiphias Puton,1884 (Dictyopharidae) Synonym(s): *xiphias* Puton,1884; *compacta* Linnavuori,1962
11412) Nymphorgerius curticeps (Linnavuori,1965) (Dictyopharidae) Synonym(s): *curticeps* Linnavuori,1965
11413) Philotheria lodosi Dlabola,1979 (Dictyopharidae) Synonym(s): *lodosi* Dlabola,1979
11414) Ranissus anatolicus Kartal,1987 (Dictyopharidae) Synonym(s): *anatolicus* Kartal,1987
11415) Ranissus leptopus Fieber,1866 (Dictyopharidae) Synonym(s): *leptopus* Fieber,1866; *edirneus* Dlabola,1957
11416) Ranissus punctiger (Horvath,1905) (Dictyopharidae) Synonym(s): *punctiger* Horvath,1905

DILARIDAE

- 11417) Dilar turcicus Hagen,1858** (Dilaridae) Synonym(s): *turcicus* Hagen,1858

DINIDORIDAE

- 11418) Aspongopus viduatus (Fabricius,1794)** (Dinidoridae) Synonym(s): *viduatus* Fabricius,1794
11419) Coridius viduatus (Fabricius,1794) (Dinidoridae) Synonym(s): *viduatus* Fabricius,1794

DOLICHOPODIDAE

- 11420) Aphrosylus parcearmatus Parent,1925** (Dolichopodidae) Synonym(s): *parcearmatus* Parent,1925
11421) Argyra diaphana (Fabricius,1775) (Dolichopodidae) Synonym(s): *diaphana* Fabricius,1775; *ludea* Harris,1776; *pellucens* Fallén,1823; *versicolor* Meigen,1824; *hirtipes* Curtis,1835
11422) Argyra leucocephala (Meigen,1824) (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventris* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838

- 11423) Campsicnemus armatus (Zetterstedt,1849)** (Dolichopodidae) Synonym(s): *armatus* Zetterstedt,1849
- 11424) Campsicnemus curvipes (Fallén,1823)** (Dolichopodidae) Synonym(s): *curvipes* Fallén,1823; *fuscipennis* Macquart,1839; *cilitibius* Von Roser,1840
- 11425) Campsicnemus picticornis (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *picticornis* Zetterstedt,1843; *variicornis* Loew,1864; *camzonerii* Rampini,1975
- 11426) Campsicnemus simplicissimus Strobl,1906** (Dolichopodidae) Synonym(s): *simplicissimus* Strobl,1906
- 11427) Campsicnemus umbripennis Loew,1856** (Dolichopodidae) Synonym(s): *umbripennis* Loew,1856
- 11428) Campsicnemus varipes Loew,1859** (Dolichopodidae) Synonym(s): *varipes* Loew,1859
- 11429) Chrysotimus (s.str.) molliculus (Fallén,1823)** (Dolichopodidae) Synonym(s): *molliculus* Fallén,1823; *laetus* Meigen,1824
- 11430) Chrysotus albibarbus Loew,1857** (Dolichopodidae) Synonym(s): *albibarbus* Loew,1857
- 11431) Chrysotus alpicola Strobl,1893** (Dolichopodidae) Synonym(s): *alpicola* Strobl,1893; *nigerrimus* Becker,1918
- 11432) Chrysotus cilipes Meigen,1824** (Dolichopodidae) Synonym(s): *cilipes* Meigen,1824; *subfemoratus* Frey,1839; *callidus* Parent,1944
- 11433) Chrysotus obscuripes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *obscuripes* Zetterstedt,1838; *amplicornis* Lowarz,1874; *kowarzi* Lundbeck,1912
- 11434) Chrysotus pennatus Lichtwardt,1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt,1902
- 11435) Chrysotus pulchellus Kowarz,1874** (Dolichopodidae) Synonym(s): *pulchellus* Kowarz,1874
- 11436) Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis* Loew,1857
- 11437) Diaphorus graecus Parent,1932** (Dolichopodidae) Synonym(s): *graecus* Parent,1932
- 11438) Diaphorus varifrons Becker,1918** (Dolichopodidae) Synonym(s): *varifrons* Becker,1918
- 11439) Diaphorus winthemi Meigen,1824** (Dolichopodidae) Synonym(s): *winthemi* Meigen,1824
- 11440) Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae) Synonym(s): *cilifemoratus* Macquart,1827; *macquarti* Parent,1926; *pseudocilifemoratus* Stackelberg,1930
- 11441) Dolichopus cinctipes Wahlberg,1850** (Dolichopodidae) Synonym(s): *cinctipes* Wahlberg,1850
- 11442) Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema* Haliday,1832; *fraternus* Staeger,1842
- 11443) Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus* Loew,1859
- 11444) Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 nec Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859
- 11445) Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus* Macquart,1827; *vulgaris* Stannius,1831
- 11446) Dolichopus perversus Loew,1871** (Dolichopodidae) Synonym(s): *perversus* Loew,1871
- 11447) Dolichopus picipes Meigen,1824** (Dolichopodidae) Synonym(s): *picipes* Meigen,1824; *cysneus* Meigen,1824; *fastuosus* Haliday,1832; *plebejus* Zetterstedt,1838
- 11448) Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes* Scopoli,1763; *pennitarsis* Fallén,1823; *planitarsis* Meigen,1824
- 11449) Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): *sabinus* Haliday,1838; *pictus* Staeger,1842
- 11450) Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer* Haliday,1832; *pictipennis* Wahlberg,1850; *punctum* Haliday,1851
- 11451) Dolichopus strigipes Verrall,1875** (Dolichopodidae) Synonym(s): *strigipes* Verrall,1875; *aratriformis* Becker,1890
- 11452) Dolichopus thalhammeri Knezy,1929** (Dolichopodidae) Synonym(s): *thalhammeri* Knezy,1929
- 11453) Gymnopternus celer (Meigen,1824)** (Dolichopodidae) Synonym(s): *celer* Meigen,1824
- 11454) Hercostomus apollo (Loew,1869)** (Dolichopodidae) Synonym(s): *apollo* Loew,1869
- 11455) Hercostomus caucasicus Stackelberg,1933** (Dolichopodidae) Synonym(s): *caucasicus* Stackelberg,1933
- 11456) Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer* Walker,1849; *chetifera* Walker,1849; *alutifer* Haliday,1851; *cretifer* Walker,1856; *cretifera* Walker,1856
- 11457) Hercostomus costatus (Loew,1857)** (Dolichopodidae) Synonym(s): *costatus* Loew,1857
- 11458) Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis* Stannius,1831; *bohemani* Wahlberg,1851
- 11459) Hercostomus libanicola Parent,1933** (Dolichopodidae) Synonym(s): *libanicola* Parent,1933
- 11460) Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923
- 11461) Hercostomus nanus (Macquart,1827)** (Dolichopodidae) Synonym(s): *nanus* Macquart,1827; *minimus* Zetterstedt,1849; *angustus* Loew,1857
- 11462) Hercostomus nigrilamellatus (Macquart,1827)** (Dolichopodidae) Synonym(s): *nigrilamellatus* Macquart,1827
- 11463) Hercostomus phoebus Parent,1927** (Dolichopodidae) Synonym(s): *phoebus* Parent,1927
- 11464) Hercostomus varicoloris Becker,1917** (Dolichopodidae) Synonym(s): *varicoloris* Becker,1917

- 11465) *Hydrophorus balticus* (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840
- 11466) *Hydrophorus praecox* (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherri* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902
- 11467) *Lamprochromus strobli* Parent,1925** (Dolichopodidae) Synonym(s): *strobli* Parent,1925
- 11468) *Liancalus virens* (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805
- 11469) *Medetera diadema* (Linnaeus,1767)** (Dolichopodidae) Synonym(s): *diadema* Linnaeus,1767; *rostrata* Fabricius,1775; *carnivora* Fischer von Waldheim,1819; *aeneivittata* Macquart,1827; *ehrenbergi* Becker,1923
- 11470) *Medetera flavipes* Meigen,1824** (Dolichopodidae) Synonym(s): *flavipes* Meigen,1824; *insignis* Girschner,1888
- 11471) *Medetera jacula* (Fallén,1823)** (Dolichopodidae) Synonym(s): *jacula* Fallén,1823; *nigricans* Meigen,1824; *meridionalis* Negrobov,1967; *armeniaca* Negrobov,1972
- 11472) *Medetera micacea* Loew,1857** (Dolichopodidae) Synonym(s): *micacea* Loew,1857; *acuta* Negrobov,1966
- 11473) *Medetera muralis* Meigen,1824** (Dolichopodidae) Synonym(s): *muralis* Meigen,1824; *melanopleura* Loew,1857; *tertia* Becker,1917; *belgica* Parent,1936; *peloria* Negrobov,1967; *kowarzi* Negrobov,1972; *miki* Negrobov,1972
- 11474) *Medetera setiventris* Thuneberg,1955** (Dolichopodidae) Synonym(s): *setiventris* Thuneberg,1955; *fasciata* Zinovjev,1957
- 11475) *Medetera truncorum* Meigen,1824** (Dolichopodidae) Synonym(s): *truncorum* Meigen,1824; *tenuicauda* sensu Negrob.,1972 nec Lw.,1857
- 11476) *Neurigona erichsoni* (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *erichsoni* Zetterstedt,1843
- 11477) *Neurigona nubifera* (Loew,1869)** (Dolichopodidae) Synonym(s): *nubifera* Loew,1869
- 11478) *Ortochile nigrocoerulea* Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859
- 11479) *Poecilobothrus comitalis* (Kowarz,1867)** (Dolichopodidae) Synonym(s): *comitalis* Kowarz,1867
- 11480) *Poecilobothrus regalis* (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis* Meigen,1824
- 11481) *Rhaphium appendiculatum* Zetterstedt,1849** (Dolichopodidae) Synonym(s): *appendiculatum* Zetterstedt,1849; *anale* Becker,1918; *macrocerum* Parent,1925
- 11482) *Rhaphium caliginosum* Meigen,1824** (Dolichopodidae) Synonym(s): *caliginosum* Meigen,1824; *zetterstedti* Parent,1925
- 11483) *Rhaphium fascipes* Meigen,1824** (Dolichopodidae) Synonym(s): *fascipes* Meigen,1824; *latipes* Macquart,1827; *insulsum* Haliday,1832;
- 11484) *Rhaphium laticorne* (Fallén,1823)** (Dolichopodidae) Synonym(s): *laticorne* Fallén,1823; *memorum* Meigen,1830; *nigripes* Macquart,1834; *subnudipes* Zetterstedt,1859
- 11485) *Rhaphium micans* (Meigen,1824)** (Dolichopodidae) Synonym(s): *micans* Meigen,1824; *simplex* Verrall,1876
- 11486) *Sciapus aberrans* Becker,1918** (Dolichopodidae) Synonym(s): *aberrans* Becker,1918
- 11487) *Sciapus flavicinctus* (Loew,1857)** (Dolichopodidae) Synonym(s): *flavicinctus* Loew,1857; *ludens* Loew,1873
- 11488) *Sciapus holoxanthos* Parent,1926** (Dolichopodidae) Synonym(s): *holoxanthos* Parent,1926
- 11489) *Sciapus maurus* Parent,1930** (Dolichopodidae) Synonym(s): *maurus* Parent,1930
- 11490) *Sybistroma impar* (Rondani,1843)** (Dolichopodidae) Synonym(s): *impar* Rondani,1843
- 11491) *Sympycnus annulipes* (Meigen,1824)** (Dolichopodidae) Synonym(s): *annulipes* Meigen,1824
- 11492) *Sympycnus pulicarius* (Fallén,1823)** (Dolichopodidae) Synonym(s): *pulicarius* Fallén,1823; *annulipes* Meigen,1824; *pygmaeus* Macquart,1827; *cinerellus* Zetterstedt,1838; *desoutteri* Parent,1925
- 11493) *Syntormon abbreviatus* Becker,1918** (Dolichopodidae) Synonym(s): *abbreviatus* Becker,1918
- 11494) *Syntormon aulicum* (Meigen,1824)** (Dolichopodidae) Synonym(s): *aulicus* Meigen,1824; *calcaratus* Becker,1907
- 11495) *Syntormon codinai* Parent,1924** (Dolichopodidae) Synonym(s): *codinai* Parent,1924
- 11496) *Syntormon denticulatum* (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *denticulatus* Zetterstedt,1843; *aculeatus* Zetterstedt,1843; *biseriatus* Loew,1850; *pumilus* Parent,1925
- 11497) *Syntormon fuscipes* (Von Roser,1840)** (Dolichopodidae) Synonym(s): *fuscipes* Von Roser,1840; *spicatus* Loew,1857
- 11498) *Syntormon metathensis* (Loew,1850)** (Dolichopodidae) Synonym(s): *metathensis* Loew,1850; *simplicipes* Frey,1915; *dobrogicus* Parvu,1985
- 11499) *Syntormon monilis* (Haliday,1851)** (Dolichopodidae) Synonym(s): *monilis* Haliday,1851; *silvianus* Parvu,1989

- 11500) Syntormon pallipes (Fabricius,1794)** (Dolichopodidae) Synonym(s): *pallipes Fabricius,1794*; *hamatus Zetterstedt,1843*; *pseudospicatus Strobl,1899*; *immaculatus Santos Abreu,1929*
- 11501) Syntormon pumilum (Meigen,1824)** (Dolichopodidae) Synonym(s): *pumilus Meigen,1824*; *rufipes Meigen,1824*; *longiseta Zetterstedt,1843*; *pumilio Zetterstedt,1859*; *pusillus Zetterstedt,1859*; *tridens Becker,1918*
- 11502) Syntormon subinermis (Loew,1869)** (Dolichopodidae) Synonym(s): *subinermis Loew,1869*
- 11503) Tachytrechus beckeri Lichtwardt,1917** (Dolichopodidae) Synonym(s): *beckeri Lichtwardt,1917*; *gussakowskii Stackelberg,1941*
- 11504) Tachytrechus insignis (Stannius,1831)** (Dolichopodidae) Synonym(s): *insignis Stannius,1831*
- 11505) Tachytrechus kowarzi Mik,1864** (Dolichopodidae) Synonym(s): *kowarzi Mik,1864*
- 11506) Tachytrechus notatus (Stannius,1831)** (Dolichopodidae) Synonym(s): *notatus Stannius,1831*; *litoreus Haliday,1833*; *obscuripes Gertaecker,1864*; *beckeri Müller,1923*
- 11507) Tachytrechus petraeus Loew,1871** (Dolichopodidae) Synonym(s): *petraeus Loew,1871*
- 11508) Tachytrechus ripicola Loew,1857** (Dolichopodidae) Synonym(s): *ripicola Loew,1857*
- 11509) Telmaturgus tumidulus (Raddatz,1873)** (Dolichopodidae) Synonym(s): *tumidulus Raddatz,1873*
- 11510) Teuchophorus bisetus Loew,1871** (Dolichopodidae) Synonym(s): *bisetus Loew,1871*
- 11511) Teuchophorus cristulatus Meuffels & Grootaert,1992** (Dolichopodidae) Synonym(s): *cristulatus Meuffels & Grootaert,1992*
- 11512) Teuchophorus monocanthus Loew,1859** (Dolichopodidae) Synonym(s): *monocanthus Loew,1859*
- 11513) Teuchophorus quadrisetosus Naglis,2009** (Dolichopodidae) Synonym(s): *quadrisetosus Naglis,2009*
- 11514) Teuchophorus spinigerellus (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *spinigerellus Zetterstedt,1843*
- 11515) Thinophilus flavipalpis (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *flavipalpis Zetterstedt,1843*; *neptunus Frey,1815*
- 11516) Thinophilus indigenus Becker,1902** (Dolichopodidae) Synonym(s): *indigenus Becker,1902*
- 11517) Thinophilus versutus Haliday,1851** (Dolichopodidae) Synonym(s): *versutus Haliday,1851*; *maculipennis Strobl,1899*
- 11518) Thrypticus bellus Loew,1869** (Dolichopodidae) Synonym(s): *bellus Loew,1869*
- 11519) Thrypticus viridis Parent,1932** (Dolichopodidae) Synonym(s): *viridis Parent,1932*

DROSOPHILIDAE

- 11520) Amiota (Phortica) goetzi Maca,1987** (Drosophilidae) Synonym(s): *goetzi Maca,1987*
- 11521) Amiota (Phortica) semivirgo Maca,1977** (Drosophilidae) Synonym(s): *semivirgo Maca,1977*
- 11522) Amiota (Phortica) variegata (Fallén,1823)** (Drosophilidae) Synonym(s): *variegata Fallén,1823*
- 11523) Drosophila (Dorsilopha) buskii Coquillett,1901** (Drosophilidae) Synonym(s): *buskii Coquillett,1901*; *rubrostriata Becker,1908*; *plurilineata Villeneuve,1911*
- 11524) Drosophila (Hirtodrosophila) cameraria Haliday,1833** (Drosophilidae) Synonym(s): *cameraria Haliday,1833*; *unistriata Strobl,1898*; *latestriata Becker,1908*; *fungicola Villeneuve,1921*
- 11525) Drosophila (Hirtodrosophila) confusa Staeger,1844** (Drosophilidae) Synonym(s): *confusa Staeger,1844*
- 11526) Drosophila (Lordiphosa) andalusiaca Strobl,1906** (Drosophilidae) Synonym(s): *andalusiaca Strobl,1906*; *forcipata Collin,1952*
- 11527) Drosophila (s.str.) funebris (Fabricius,1787)** (Drosophilidae) Synonym(s): *funebris Fabricius,1787*
- 11528) Drosophila (s.str.) histrio Meigen,1830** (Drosophilidae) Synonym(s): *histrio Meigen,1830*; *pokorny Duda,1924*
- 11529) Drosophila (s.str.) immigrans Sturtevant,1921** (Drosophilidae) Synonym(s): *immigrans Sturtevant,1921*; *cilifemur Villeneuve,1923*
- 11530) Drosophila (s.str.) kuntzei Duda,1924** (Drosophilidae) Synonym(s): *kuntzei Duda,1924*
- 11531) Drosophila (s.str.) littoralis Meigen,1830** (Drosophilidae) Synonym(s): *littoralis Meigen,1830*; *parenti Villeneuve,1921*; *lugubrina Duda,1914*; *imeretensis Sokolov,1948*
- 11532) Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae) Synonym(s): *phalerata Meigen,1830*
- 11533) Drosophila (s.str.) repleta Wollaston,1858** (Drosophilidae) Synonym(s): *repleta Wollaston,1858*; *adspersa Mik,1886*
- 11534) Drosophila (s.str.) testacea Roser,1840** (Drosophilidae) Synonym(s): *testacea Roser,1840*; *nigrithorax Strobl,1894*; *setosa Villeneuve,1921*
- 11535) Drosophila (s.str.) transversa Fallén,1823** (Drosophilidae) Synonym(s): *transversa Fallén,1823*; *laeta Zetterstedt,1847*
- 11536) Drosophila (s.str.) virilis Sturtevant,1916** (Drosophilidae) Synonym(s): *virilis Sturtevant,1916*

- 11537) *Drosophila (Scaptodrosophila) deflexa* Duda,1924** (Drosophilidae) Synonym(s): *deflexa* Duda,1924; *guyenoti* Burla,1948
- 11538) *Drosophila (Scaptodrosophila) rufifrons* Loew,1873** (Drosophilidae) Synonym(s): *rufifrons* Loew,1873; *nitens* Buzzati-Traverso,1943
- 11539) *Drosophila (Sophophora) ambigua* Pomini,1940** (Drosophilidae) Synonym(s): *ambigua* Pomini,1940
- 11540) *Drosophila (Sophophora) melanogaster* Meigen,1830** (Drosophilidae) Synonym(s): *melanogaster* Meigen,1830; *fasciata* Meigen,1830; *approximata* Zetterstedt,1847; *uvarum* Rondani,1875; *pilosula* Becker,1908
- 11541) *Drosophila (Sophophora) obscura* Fallén,1823** (Drosophilidae) Synonym(s): *obscura* Fallén,1823; *meigeni* Duda,1935; *obscuroides* Pomini,1940
- 11542) *Drosophila (Sophophora) simulans* Sturtevant,1921** (Drosophilidae) Synonym(s): *simulans* Sturtevant,1921
- 11543) *Drosophila (Sophophora) subobscura* Collin,1936** (Drosophilidae) Synonym(s): *subobscura* Collin,1936
- 11544) *Drosophila (Sophophora) tristis* Fallén,1823** (Drosophilidae) Synonym(s): *tristis* Fallén,1823; *spurca* Zetterstedt,1847; *tinctipennis* Strobl,1901
- 11545) *Drosophila adusta* Loew,1862** (Drosophilidae) Synonym(s): *adusta* Loew,1862
- 11546) *Drosophila amoena* Loew,1862** (Drosophilidae) Synonym(s): *amoena* Loew,1862
- 11547) *Drosophila ampelophila* Loew,1862** (Drosophilidae) Synonym(s): *ampelophila* Loew,1862
- 11548) *Drosophila buzzatii* Patterson & Wheeler,1942** (Drosophilidae) Synonym(s): *buzzatii* Patterson & Wheeler,1942
- 11549) *Drosophila flavicauda* Toda,1991** (Drosophilidae) Synonym(s): *flavicauda* Toda,1991
- 11550) *Gitona distigma* Meigen,1830** (Drosophilidae) Synonym(s): *distigma* Meigen,1830
- 11551) *Leucophenga maculata* (Dufour,1839)** (Drosophilidae) Synonym(s): *maculata* Dufour,1839
- 11552) *Scaptomyza (Parascaptomyza) pallida* (Zetterstedt,1847)** (Drosophilidae) Synonym(s): *pallida* Zetterstedt,1847; *disticha* Duda,1921
- 11553) *Scaptomyza (s.str.) flava* (Fallén,1823)** (Drosophilidae) Synonym(s): *flava* Fallén,1823; *flaveola* Meigen,1830; *apicalis* Hardy,1849; *montana* Wheeler,1949
- 11554) *Scaptomyza (s.str.) graminum* (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum* Fallén,1823; *incana* Meigen,1830; *rufipes* Meigen,1830; *amoena* Meigen,1838; *flavipennis* Zetterstedt,1838; *tetrasticha* Becker,1908; *semiatricornis* Duda,1935; *norica* Hackman,1955
- 11555) *Zaprionus ghesquierei* Collart,1937** (Drosophilidae) Synonym(s): *ghesquierei* Collart,1937

DYTISCIDAE

- 11556) *Acilius sulcatus* (Linnaeus,1758)** (Dytiscidae) Synonym(s): *sulcatus* Linnaeus,1758
- 11557) *Agabus (Acatodes) bergi* Zaitzev,1913** (Dytiscidae) Synonym(s): *bergi* Zaitzev,1913
- 11558) *Agabus (Acatodes) congener* (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938
- 11559) *Agabus (Acatodes) coxalis* Sharp,1882** (Dytiscidae) Synonym(s): *coxalis* Sharp,1882; *splichali* Reitter,1899
- 11560) *Agabus (Acatodes) lapponicus* (Thomson,1867)** (Dytiscidae) Synonym(s): *lapponicus* Thomson,1867; *obovatus* Sahlberg,1875; *obscuripennis* Sahlberg,1875
- 11561) *Agabus (Acatodes) sturmii* Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii* Gyllenhal,1808; *goedellii* A.Villa & G.B.Villa,1833; *fallax* Munster,1932
- 11562) *Agabus (Gaurodytes) biguttatus* (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795
- 11563) *Agabus (Gaurodytes) bipustulatus* (Linnaeus,1767)** (Dytiscidae) Synonym(s): *bipustulatus* Linnaeus,1767
- 11564) *Agabus (Gaurodytes) caraboides* Sharp,1882** (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884
- 11565) *Agabus (Gaurodytes) conspersus* (Marsham,1802)** (Dytiscidae) Synonym(s): *conspersus* Marsham,1802
- 11566) *Agabus (Gaurodytes) didymus* (Olivier,1795)** (Dytiscidae) Synonym(s): *didymus* Olivier,1795
- 11567) *Agabus (Gaurodytes) dilatatus* (Brullé,1832)** (Dytiscidae) Synonym(s): *dilatatus* Brullé,1832
- 11568) *Agabus (Gaurodytes) faldermanni* Zaitzev,1927** (Dytiscidae) Synonym(s): *faldermanni* Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975
- 11569) *Agabus (Gaurodytes) glacialis* Hochhuth,1846** (Dytiscidae) Synonym(s): *glacialis* Hochhuth,1846; *armeniacus* Sharp,1882; *inguttatus* Reitter,1908
- 11570) *Agabus (Gaurodytes) guttatus* (Paykull,1798)** (Dytiscidae) Synonym(s): *guttatus* Paykull,1798
- 11571) *Agabus (Gaurodytes) nebulosus* (Forster,1771)** (Dytiscidae) Synonym(s): *nebulosus* Forster,1771

- 11572) Agabus (s.str.) labiatus (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femoralis* Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuthi* Zaitsev,1908; *transcaucasicus* Zaitzev,1927
- 11573) Agabus (s.str.) zimmermanni Scholz,1920** (Dytiscidae) Synonym(s): *zimmermanni* Scholz,1920
- 11574) Agabus glacialis Hochhuth,1846** (Dytiscidae) Synonym(s): *glacialis* Hochhuth,1846
- 11575) Agabus paludosus (Fabricius,1801)** (Dytiscidae) Synonym(s): *paludosus* Fabricius,1801
- 11576) Bidessus anatolicus Wewalka,1972** (Dytiscidae) Synonym(s): *anatolicus* Wewalka,1972
- 11577) Bidessus calabricus Guignot,1957** (Dytiscidae) Synonym(s): *calabricus* Guignot,1957
- 11578) Bidessus delicatulus (Schaum,1844)** (Dytiscidae) Synonym(s): *delicatulus* Schaum,1844
- 11579) Bidessus nasutus Sharp,1887** (Dytiscidae) Synonym(s): *nasutus* Sharp,1887
- 11580) Bidessus unistriatus (Goeze,1777)** (Dytiscidae) Synonym(s): *unistriatus* Goeze,1777
- 11581) Colymbetes fuscus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *fuscus* Linnaeus,1758
- 11582) Cybister (s.str.) tripunctatus (Olivier,1795)** (Dytiscidae) Synonym(s): *tripunctatus* Olivier,1795; *lateralis* Fabricius,1798; *gotschii* Hochhuth,1846; *asiaticus* Sharp,1882; *similis* Regimbart,1899; *orientalis* Gschwendtner,1931
- 11583) Cybister (Scaphinectes) lateralimarginalis (De Geer,1774)** (Dytiscidae) Synonym(s): *lateralimarginalis* De Geer,1774
- 11584) Deronectes doriae Sharp,1882** (Dytiscidae) Synonym(s): *doriae* Sharp,1882
- 11585) Deronectes evelynae Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *evelynae* Fery & Hosseinie,1998
- 11586) Deronectes hakkariensis Wewalka,1989** (Dytiscidae) Synonym(s): *hakkariensis* Wewalka,1989
- 11587) Deronectes jaechi Wewalka,1989** (Dytiscidae) Synonym(s): *jaechi* Wewalka,1989
- 11588) Deronectes kinzelbachi Fery & Hosseinie,1998** (Dytiscidae) Synonym(s): *kinzelbachi* Fery & Hosseinie,1998
- 11589) Deronectes longipes Sharp,1882** (Dytiscidae) Synonym(s): *longipes* Sharp,1882
- 11590) Deronectes parvicollis (Schaum,1864)** (Dytiscidae) Synonym(s): *parvicollis* Schaum,1864
- 11591) Deronectes sahlbergi Zimmermann,1932** (Dytiscidae) Synonym(s): *sahlbergi* Zimmermann,1932
- 11592) Deronectes syriacus Wewalka,1971** (Dytiscidae) Synonym(s): *syriacus* Wewalka,1971
- 11593) Deronectes toledoi Fery, Köksal & Hosseinie,2001** (Dytiscidae) Synonym(s): *toledoi* Fery, Köksal & Hosseinie,2001
- 11594) Deronectes wittmeri Wewalka,1971** (Dytiscidae) Synonym(s): *wittmeri* Wewalka,1971
- 11595) Dytiscus circumflexus Fabricius,1781** (Dytiscidae) Synonym(s): *circumflexus* Fabricius,1781
- 11596) Dytiscus dimidiatus Bergsträßer,1778** (Dytiscidae) Synonym(s): *dimidiatus* Bergsträßer,1778
- 11597) Dytiscus marginalis Linnaeus,1758** (Dytiscidae) Synonym(s): *marginalis* Linnaeus,1758
- 11598) Dytiscus semisulcatus O.F.Müller,1776** (Dytiscidae) Synonym(s): *semisulcatus* O.F.Müller,1776
- 11599) Eretes griseus (Fabricius,1781)** (Dytiscidae) Synonym(s): *griseus* Fabricius,1781; *succintus* Klug,1834; *plicipennis* Motschoulsky,1845; *moroderi* Baguena Corella,1935
- 11600) Graphoderus cinereus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *cinereus* Linnaeus,1758
- 11601) Graptodytes bilineatus (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835; *nigritarsis* Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915
- 11602) Graptodytes veterator (Zimmermann,1918)** (Dytiscidae) Synonym(s): *veterator* Zimmermann,1918
- 11603) Hydaticus (Guignotites) ponticus Sharp,1882** (Dytiscidae) Synonym(s): *ponticus* Sharp,1882
- 11604) Hydaticus (s.str.) transversalis (Pontopoddian,1763)** (Dytiscidae) Synonym(s): *transversalis* Pontopoddian,1763
- 11605) Hydroglyphus geminus (Fabricius,1792)** (Dytiscidae) Synonym(s): *geminus* Fabricius,1792
- 11606) Hydroglyphus pubescens Gyllenhal,1808** (Dytiscidae) Synonym(s): *pubescens* Gyllenhal,1808
- 11607) Hydroporus artvinensis Fery & Erman,2009** (Dytiscidae) Synonym(s): *artvinensis* Fery & Erman,2009
- 11608) Hydroporus bodemeyeri Ganglbauer,1900** (Dytiscidae) Synonym(s): *bodemeyeri* Ganglbauer,1900
- 11609) Hydroporus cagrankaya Fery & Erman,2009** (Dytiscidae) Synonym(s): *cagrankaya* Fery & Erman,2009
- 11610) Hydroporus discretus Fairmaire & Brisout,1859** (Dytiscidae) Synonym(s): *discretus* Fairmaire & Brisout,1859
- 11611) Hydroporus erzurumensis Erman & Fery,2000** (Dytiscidae) Synonym(s): *erzurumensis* Erman & Fery,2000
- 11612) Hydroporus kozlovskii Zaitzev,1927** (Dytiscidae) Synonym(s): *kozlovskii* Zaitzev,1927
- 11613) Hydroporus lundbergi Fery & Erman,2009** (Dytiscidae) Synonym(s): *lundbergi* Fery & Erman,2009
- 11614) Hydroporus marginatus (Duftschmid,1805)** (Dytiscidae) Synonym(s): *marginatus* Duftschmid,1805
- 11615) Hydroporus nigellus Mannerheim,1853** (Dytiscidae) Synonym(s): *nigellus* Mannerheim,1853

- 11616) **Hydroporus palustris (Linnaeus,1761)** (Dytiscidae) Synonym(s): *palustris* Linnaeus,1761
- 11617) **Hydroporus planus (Fabricius,1781)** (Dytiscidae) Synonym(s): *planus* Fabricius,1781
- 11618) **Hydroporus pubescens (Gyllenhal,1808)** (Dytiscidae) Synonym(s): *pubescens* Gyllenhal,1808
- 11619) **Hydroporus sivrikaya Fery & Erman,2009** (Dytiscidae) Synonym(s): *sivrikaya* Fery & Erman,2009
- 11620) **Hydroporus thracicus Guéorguiev,1966** (Dytiscidae) Synonym(s): *thracicus* Guéorguiev,1966
- 11621) **Hydroporus toledoi Fery & Erman,2009** (Dytiscidae) Synonym(s): *toledoi* Fery & Erman,2009
- 11622) **Hydrovatus cuspidatus (Kunze,1818)** (Dytiscidae) Synonym(s): *cuspidatus* Kunze,1818
- 11623) **Hygrotus (Coelambus) ahmeti Hajek, Fery & Erman,2005** (Dytiscidae) Synonym(s): *ahmeti* Hajek, Fery & Erman,2005
- 11624) **Hygrotus (Coelambus) armeniacus (Zaitzev,1927)** (Dytiscidae) Synonym(s): *armeniaceus* Zaitzev,1927
- 11625) **Hygrotus (Coelambus) confluens (Fabricius,1787)** (Dytiscidae) Synonym(s): *confluens* Fabricius,1787
- 11626) **Hygrotus (Coelambus) enneagrammus (Ahrens,1833)** (Dytiscidae) Synonym(s): *enneagrammus* Ahrens,1833
- 11627) **Hygrotus (Coelambus) impressopunctatus (Schaller,1783)** (Dytiscidae) Synonym(s): *impressopunctatus* Schaller,1783
- 11628) **Hygrotus (Coelambus) lernaecus (Schaum,1857)** (Dytiscidae) Synonym(s): *lernaecus* Schaum,1857
- 11629) **Hygrotus (Coelambus) marklini (Gyllenhal,1813)** (Dytiscidae) Synonym(s): *marklini* Gyllenhal,1813
- 11630) **Hygrotus (Coelambus) pallidulus (Aubé,1850)** (Dytiscidae) Synonym(s): *pallidulus* Aubé,1850
- 11631) **Hygrotus (Coelambus) parallellogrammus (Ahrens,1812)** (Dytiscidae) Synonym(s): *parallellogrammus* Ahrens,1812
- 11632) **Hygrotus (Coelambus) saginatus (Schaum,1857)** (Dytiscidae) Synonym(s): *saginatulus* Schaum,1857
- 11633) **Hygrotus (s.str.) inaequalis (Fabricius,1777)** (Dytiscidae) Synonym(s): *inaequalis* Fabricius,1777
- 11634) **Ilybius chalconatus (Panzer,1796)** (Dytiscidae) Synonym(s): *chalconatus* Panzer,1796
- 11635) **Ilybius fuliginosus (Fabricius,1792)** (Dytiscidae) Synonym(s): *fuliginosus* Fabricius,1792
- 11636) **Ilybius hulae Wewalka,1984** (Dytiscidae) Synonym(s): *hulae* Wewalka,1984
- 11637) **Ilybius jaechi (Fery & Nilsson,1993)** (Dytiscidae) Synonym(s): *jaechi* Fery & Nilsson,1993
- 11638) **Ilybius quadriguttatus (Lacordaire,1835)** (Dytiscidae) Synonym(s): *obscurus* Marsham,1802; *quadriguttatus* Lacordaire,1835; *sexdentatus* Schiodte,1841
- 11639) **Ilybius satunini (Zaitzev,1913)** (Dytiscidae) Synonym(s): *satunini* Zaitzev,1913
- 11640) **Ilybius wewalkai (Fery & Nilsson,1993)** (Dytiscidae) Synonym(s): *wewalkai* Fery & Nilsson,1993
- 11641) **Laccophilus hyalinus (De Geer,1774)** (Dytiscidae) Synonym(s): *hyalinus* De Geer,1774
- 11642) **Laccophilus minutus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *minutus* Linnaeus,1758; *cimicoides* O.F.Müller,1776; *gilvus* O.F.Müller,1776; *variolosus* Herbst,1784; *melanophthalmos* Geoffroy,1785; *gibbus* Gmelin,1790; *virescens* Brahm,1791; *obscurus* Panzer,1795; *striatus* Depoli,1930
- 11643) **Laccophilus poecilus Klug,1834** (Dytiscidae) Synonym(s): *poecilus* Klug,1834
- 11644) **Nebrioporus airumulus (Kolenati,1845)** (Dytiscidae) Synonym(s): *airumulus* Kolenati,1845
- 11645) **Nebrioporus suavis (Sharp,1882)** (Dytiscidae) Synonym(s): *suavis* Sharp,1882
- 11646) **Nebrioporus turca (Seidlitz,1887)** (Dytiscidae) Synonym(s): *turca* Seidlitz,1887
- 11647) **Oreodytes davisii (Curtis,1831)** (Dytiscidae) Synonym(s): *davisii* Curtis,1831
- 11648) **Oreodytes septentrionalis (Gyllenhal,1826)** (Dytiscidae) Synonym(s): *septentrionalis* Gyllenhal,1826
- 11649) **Oreodytes septentrionalis (Gyllenhal,1826)** (Dytiscidae) Synonym(s): *septentrionalis* Gyllenhal,1826
- 11650) **Platambus lunulatus (Fischer von Waldheim,1829)** (Dytiscidae) Synonym(s): *lunulatus* Fischer von Waldheim,1829
- 11651) **Platambus maculatus (Linnaeus,1758)** (Dytiscidae) Synonym(s): *maculatus* Linnaeus,1758
- 11652) **Rantus suturalis (Macleay,1825)** (Dytiscidae) Synonym(s): *suturalis* Macleay,1825
- 11653) **Scarodytes halensis (Fabricius,1787)** (Dytiscidae) Synonym(s): *halensis* Fabricius,1787
- 11654) **Stictotarsus griseostriatus (De Geer,1774)** (Dytiscidae) Synonym(s): *griseostriatus* De Geer,1774

ECNOMIDAE

- 11655) **Ecnomus tenellus Rambur,1842** (Ecnomidae) Synonym(s): *tenellus* Rambur,1842

ELATERIDAE

- 11656) *Adelocera pygmaea* (Baudi,1871)** (Elateridae) Synonym(s): *pygmaea* Baudi,1871; *adanensis* Jagemann,1944
- 11657) *Adelocera schuberti* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *schuberti* Platia & Gudenzi,2002
- 11658) *Adrastus anatolicus* Platia & Schimmel,1991** (Elateridae) Synonym(s): *anatolicus* Platia & Schimmel,1991
- 11659) *Adrastus circassicus* Reitter,1896** (Elateridae) Synonym(s): *circassicus* Reitter,1896
- 11660) *Adrastus dolini* Welschmied,1978** (Elateridae) Synonym(s): *dolini* Welschmied,1978
- 11661) *Adrastus limbatus* (Fabricius,1776)** (Elateridae) Synonym(s): *limbatus* Fabricius,1776
- 11662) *Adrastus longicornis* Gurjeva,1976** (Elateridae) Synonym(s): *longicornis* Gurjeva,1976
- 11663) *Adrastus montanus* (Scopoli,1763)** (Elateridae) Synonym(s): *montanus* Scopoli,1763
- 11664) *Adrastus pallens* (Fabricius,1792)** (Elateridae) Synonym(s): *pallens* Fabricius,1792
- 11665) *Adrastus protractus* Roubal,1924** (Elateridae) Synonym(s): *protractus* Roubal,1924
- 11666) *Adrastus rachifer* (Fourcroy,1785)** (Elateridae) Synonym(s): *rachifer* Fourcroy,1785
- 11667) *Adrastus samedovi* Dolin & Agajev,1974** (Elateridae) Synonym(s): *samedovi* Dolin & Agajev,1974
- 11668) *Aeoloderma crucifer* (Rossi,1790)** (Elateridae) Synonym(s): *crucifer* Rossi,1790
- 11669) *Aeoloderma oblitterata* (Candeze,1859)** (Elateridae) Synonym(s): *oblitterata* Candeze,1859
- 11670) *Aeoloides figuratus* (Germar,1844)** (Elateridae) Synonym(s): *figuratus* Germar,1844; *turcomanus* Candeze,1889
- 11671) *Aeoloides grisescens* (Germar,1844)** (Elateridae) Synonym(s): *grisescens* Germar,1844; *bicarinatus* Reitter,1891
- 11672) *Aeoloides sarmaticus* (Motschoulsky,1860)** (Elateridae) Synonym(s): *sarmaticus* Motschoulsky,1860
- 11673) *Aeolosomus rossi* (Germar,1844)** (Elateridae) Synonym(s): *rossi* Germar,1844
- 11674) *Agriotes* (s.str.) *acuminatus* (Stephens,1830)** (Elateridae) Synonym(s): *acuminatus* Stephens,1830
- 11675) *Agriotes* (s.str.) *adanensis* Pic,1900** (Elateridae) Synonym(s): *adanensis* Pic,1900
- 11676) *Agriotes* (s.str.) *adlbaueri* Platia & Schimmel,1992** (Elateridae) Synonym(s): *adlbaueri* Platia & Schimmel,1992
- 11677) *Agriotes* (s.str.) *anatolicus* Platia,2003** (Elateridae) Synonym(s): *anatolicus* Platia,2003
- 11678) *Agriotes* (s.str.) *aquilus* Platia,2003** (Elateridae) Synonym(s): *aquilus* Platia,2003
- 11679) *Agriotes* (s.str.) *audisioi* Platia & Schimmel,1992** (Elateridae) Synonym(s): *audisioi* Platia & Schimmel,1992
- 11680) *Agriotes* (s.str.) *barriesi* Cate & Platia,1997** (Elateridae) Synonym(s): *barriesi* Cate & Platia,1997
- 11681) *Agriotes* (s.str.) *brevis* Candeze,1863** (Elateridae) Synonym(s): *brevis* Candeze,1863
- 11682) *Agriotes* (s.str.) *cilicensis* Platia & Gundezi,1998** (Elateridae) Synonym(s): *cilicensis* Platia & Gundezi,1998
- 11683) *Agriotes* (s.str.) *colonnellii* Guglielmi & Platia,1985** (Elateridae) Synonym(s): *colonnellii* Guglielmi & Platia,1985
- 11684) *Agriotes* (s.str.) *conspicuus* Schwarz,1891** (Elateridae) Synonym(s): *conspicuus* Schwarz,1891
- 11685) *Agriotes* (s.str.) *constrictus* Reitter,1900** (Elateridae) Synonym(s): *constrictus* Reitter,1900
- 11686) *Agriotes* (s.str.) *crassiusculus* Platia & Gudenzi,1998** (Elateridae) Synonym(s): *crassiusculus* Platia & Gudenzi,1998
- 11687) *Agriotes* (s.str.) *cribrithorax* Pic,1910** (Elateridae) Synonym(s): *cribrithorax* Pic,1910
- 11688) *Agriotes* (s.str.) *defreinai* Platia & Gudenzi,1998** (Elateridae) Synonym(s): *defreinai* Platia & Gudenzi,1998
- 11689) *Agriotes* (s.str.) *depressus* Schwarz,1891** (Elateridae) Synonym(s): *depressus* Schwarz,1891
- 11690) *Agriotes* (s.str.) *dusaneki* Platia & Gudenzi,1998** (Elateridae) Synonym(s): *dusaneki* Platia & Gudenzi,1998
- 11691) *Agriotes* (s.str.) *furlani* Platia,2003** (Elateridae) Synonym(s): *furlani* Platia,2003
- 11692) *Agriotes* (s.str.) *ganglbaueri* Schwarz,1891** (Elateridae) Synonym(s): *ganglbaueri* Schwarz,1891
- 11693) *Agriotes* (s.str.) *goksunensis* Platia,2004** (Elateridae) Synonym(s): *goksunensis* Platia,2004
- 11694) *Agriotes* (s.str.) *graecus* Franz,1967** (Elateridae) Synonym(s): *graecus* Franz,1967
- 11695) *Agriotes* (s.str.) *granulosus* Platia & Gudenzi,1992** (Elateridae) Synonym(s): *granulosus* Platia & Gudenzi,1992
- 11696) *Agriotes* (s.str.) *gurgistanus* (Faldermann,1835)** (Elateridae) Synonym(s): *gurgistanus* Faldermann,1835
- 11697) *Agriotes* (s.str.) *heydeni* Schwarz,1891** (Elateridae) Synonym(s): *heydeni* Schwarz,1891
- 11698) *Agriotes* (s.str.) *informis* Schwarz,1891** (Elateridae) Synonym(s): *informis* Schwarz,1891
- 11699) *Agriotes* (s.str.) *infuscatus* Desbrochers,1870** (Elateridae) Synonym(s): *infuscatus* Desbrochers,1870
- 11700) *Agriotes* (s.str.) *integricollis* Reitter,1911** (Elateridae) Synonym(s): *integricollis* Reitter,1911

- 11701) Agriotes (s.str.) izmirensis Cate & Platia,1997** (Elateridae) Synonym(s): *izmirensis* Cate & Platia,1997
- 11702) Agriotes (s.str.) karsantianus Pic,1910** (Elateridae) Synonym(s): *karsantianus* Pic,1910
- 11703) Agriotes (s.str.) kraatzi Schwarz,1891** (Elateridae) Synonym(s): *kraatzi* Schwarz,1891
- 11704) Agriotes (s.str.) lapicida (Falderann,1835)** (Elateridae) Synonym(s): *lapicida* Falderann,1835
- 11705) Agriotes (s.str.) leinfesti Platia & Gudenzi,1998** (Elateridae) Synonym(s): *leinfesti* Platia & Gudenzi,1998
- 11706) Agriotes (s.str.) lineatus (Linnaeus,1767)** (Elateridae) Synonym(s): *lineatus* Linnaeus,1767
- 11707) Agriotes (s.str.) litigiosus (Rossi,1792)** (Elateridae) Synonym(s): *litigiosus* Rossi,1792
- 11708) Agriotes (s.str.) lizleri Platia,2003** (Elateridae) Synonym(s): *lizleri* Platia,2003
- 11709) Agriotes (s.str.) lundbergi Platia,1989** (Elateridae) Synonym(s): *lundbergi* Platia,1989
- 11710) Agriotes (s.str.) mertliki Platia,2003** (Elateridae) Synonym(s): *mertliki* Platia,2003
- 11711) Agriotes (s.str.) meticolus Candeze,1863** (Elateridae) Synonym(s): *meticolus* Candeze,1863
- 11712) Agriotes (s.str.) modestus Kiesenwetter,1858** (Elateridae) Synonym(s): *modestus* Kiesenwetter,1858; *incognitus* Schwarz,1891; *ponticus* Stepanov,1935
- 11713) Agriotes (s.str.) nigropubens Reitter,1904** (Elateridae) Synonym(s): *nigropubens* Reitter,1904
- 11714) Agriotes (s.str.) nigror Platia,2003** (Elateridae) Synonym(s): *nigror* Platia,2003
- 11715) Agriotes (s.str.) nuceus Fairmaire,1866** (Elateridae) Synonym(s): *nuceus* Fairmaire,1866
- 11716) Agriotes (s.str.) obscurus (Linnaeus,1758)** (Elateridae) Synonym(s): *obscurus* Linnaeus,1758
- 11717) Agriotes (s.str.) paludum Kiesenwetter,1859** (Elateridae) Synonym(s): *paludum* Kiesenwetter,1859
- 11718) Agriotes (s.str.) petterssoni Platia & Gudenzi,2000** (Elateridae) Synonym(s): *petterssoni* Platia & Gudenzi,2000
- 11719) Agriotes (s.str.) pilosellus (Schönherr,1817)** (Elateridae) Synonym(s): *pilosellus* Schönherr,1817
- 11720) Agriotes (s.str.) propleuralis Platia & Gudenzi,1998** (Elateridae) Synonym(s): *propleuralis* Platia & Gudenzi,1998
- 11721) Agriotes (s.str.) proximus Schwarz,1891** (Elateridae) Synonym(s): *proximus* Schwarz,1891; *lineatoides* Reitter,1911
- 11722) Agriotes (s.str.) radula Desbrochers,1875** (Elateridae) Synonym(s): *radula* Desbrochers,1875; *brevicollis* Schwarz,1891
- 11723) Agriotes (s.str.) reitteri Schwarz,1891** (Elateridae) Synonym(s): *reitteri* Schwarz,1891
- 11724) Agriotes (s.str.) riesei Platia,2004** (Elateridae) Synonym(s): *riesei* Platia,2004
- 11725) Agriotes (s.str.) rufipalpis (Brullé,1832)** (Elateridae) Synonym(s): *rufipalpis* Brullé,1832; *rubiginosus* Candeze,1863
- 11726) Agriotes (s.str.) sameki Platia,2003** (Elateridae) Synonym(s): *sameki* Platia,2003
- 11727) Agriotes (s.str.) schuberti Platia,2004** (Elateridae) Synonym(s): *schuberti* Platia,2004
- 11728) Agriotes (s.str.) schurmanni Platia & Gudenzi,1998** (Elateridae) Synonym(s): *schurmanni* Platia & Gudenzi,1998
- 11729) Agriotes (s.str.) sexualis Platia,2004** (Elateridae) Synonym(s): *sexualis* Platia,2004
- 11730) Agriotes (s.str.) solai Platia,2004** (Elateridae) Synonym(s): *solai* Platia,2004
- 11731) Agriotes (s.str.) sputator (Linnaeus,1758)** (Elateridae) Synonym(s): *sputator* Linnaeus,1758
- 11732) Agriotes (s.str.) starcki Schwarz,1891** (Elateridae) Synonym(s): *starcki* Schwarz,1891
- 11733) Agriotes (s.str.) strigosus Kiesenwetter,1859** (Elateridae) Synonym(s): *strigosus* Kiesenwetter,1859
- 11734) Agriotes (s.str.) subsulcatus Pic,1913** (Elateridae) Synonym(s): *subsulcatus* Pic,1913
- 11735) Agriotes (s.str.) sylviae Cate & Platia,1997** (Elateridae) Synonym(s): *sylviae* Cate & Platia,1997
- 11736) Agriotes (s.str.) tauricus Heyden,1882** (Elateridae) Synonym(s): *tauricus* Heyden,1882
- 11737) Agriotes (s.str.) tristiculus Reitter,1906** (Elateridae) Synonym(s): *tristiculus* Reitter,1906
- 11738) Agriotes (s.str.) turcicus Candeze,1863** (Elateridae) Synonym(s): *turcicus* Candeze,1863
- 11739) Agriotes (s.str.) ustulatus (Schaller,1783)** (Elateridae) Synonym(s): *ustulatus* Schaller,1783
- 11740) Agriotes (s.str.) weneri Platia,2003** (Elateridae) Synonym(s): *weneri* Platia,2003
- 11741) Agriotes (s.str.) witzgalli Platia & Schimmel,1993** (Elateridae) Synonym(s): *witzgalli* Platia & Schimmel,1993
- 11742) Agrypnus crenicollis (Ménétriés,1832)** (Elateridae) Synonym(s): *crenicollis* Ménétriés,1832
- 11743) Agrypnus murinus (Linnaeus,1758)** (Elateridae) Synonym(s): *murinus* Linnaeus,1758
- 11744) Agrypnus sarikamisensis Platia, Yıldırım & Kesdek,2007** (Elateridae) Synonym(s): *sarikamisensis* Platia, Yıldırım & Kesdek,2007
- 11745) Ampedus adlbaueri Schimmel,1990** (Elateridae) Synonym(s): *adlbaueri* Schimmel,1990
- 11746) Ampedus aethiops (Lacordaire,1835)** (Elateridae) Synonym(s): *aethiops* Lacordaire,1835
- 11747) Ampedus agajewi Dolin,1970** (Elateridae) Synonym(s): *agajewi* Dolin,1970
- 11748) Ampedus agilis Platia,2001** (Elateridae) Synonym(s): *agilis* Platia,2001
- 11749) Ampedus anatolicus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *anatolicus* Platia & Gudenzi,2002
- 11750) Ampedus balteatus (Linnaeus,1758)** (Elateridae) Synonym(s): *balteatus* Linnaeus,1758

- 11751) **Ampedus canaliculatus (Reitter,1918)** (Elateridae) Synonym(s): *canaliculatus* Reitter,1918
- 11752) **Ampedus cinnabarinus (Eschscholtz,1829)** (Elateridae) Synonym(s): *cinnabarinus* Eschscholtz,1829; *atropilosus* Reitter,1918
- 11753) **Ampedus circassicus (Reitter,1887)** (Elateridae) Synonym(s): *circassicus* Reitter,1887
- 11754) **Ampedus decumanus Gurjewa,1977** (Elateridae) Synonym(s): *decumanus* Gurjewa,1977
- 11755) **Ampedus demaisonii (Buysson,1898)** (Elateridae) Synonym(s): *demaisonii* Buysson,1898
- 11756) **Ampedus elegantulus (Schönherr,1817)** (Elateridae) Synonym(s): *elegantulus* Schönherr,1817
- 11757) **Ampedus elongatulus (Fabricius,1787)** (Elateridae) Synonym(s): *elongatulus* Fabricius,1787; *glycereus* Herbst,1784; *bodemeyeri* Winkler,1924
- 11758) **Ampedus erythrogonus (P.W.Müller,1821)** (Elateridae) Synonym(s): *erythrogonus* P.W.Müller,1821
- 11759) **Ampedus ganglbaueri (Reitter,1889)** (Elateridae) Synonym(s): *ganglbaueri* Reitter,1889
- 11760) **Ampedus hirticollis (Semenov,1891)** (Elateridae) Synonym(s): *hirticollis* Semenov,1891
- 11761) **Ampedus lubricus (Buysson,1891)** (Elateridae) Synonym(s): *lubricus* Buysson,1891
- 11762) **Ampedus nigerrimus (Lacordaire,1835)** (Elateridae) Synonym(s): *nigerrimus* Lacordaire,1835
- 11763) **Ampedus nigrinus (Herbst,1784)** (Elateridae) Synonym(s): *nigrinus* Herbst,1784
- 11764) **Ampedus nigroflavus (Goeze,1777)** (Elateridae) Synonym(s): *nigroflavus* Goeze,1777
- 11765) **Ampedus ocellatus (Buysson,1891)** (Elateridae) Synonym(s): *ocellatus* Buysson,1891; *fragarinus* Wurst,1995
- 11766) **Ampedus ochropterus Germar,1844** (Elateridae) Synonym(s): *ochropterus* Germar,1844
- 11767) **Ampedus platiai Schimmel,1990** (Elateridae) Synonym(s): *platiai* Schimmel,1990
- 11768) **Ampedus pomonae (Stephens,1830)** (Elateridae) Synonym(s): *pomonae* Stephens,1830
- 11769) **Ampedus pomorum (Herbst,1784)** (Elateridae) Synonym(s): *pomorum* Herbst,1784; *robustus* Bouwer,1980
- 11770) **Ampedus praeustus (Fabricius,1792)** (Elateridae) Synonym(s): *praeustus* Fabricius,1792
- 11771) **Ampedus pulcher (Baudi,1871)** (Elateridae) Synonym(s): *pulcher* Baudi,1871
- 11772) **Ampedus punctatus Schwarz,1893** (Elateridae) Synonym(s): *punctatus* Schwarz,1893
- 11773) **Ampedus resslii Platia & Gudenzi,1999** (Elateridae) Synonym(s): *resslii* Platia & Gudenzi,1999
- 11774) **Ampedus rufipennis (Stephens,1830)** (Elateridae) Synonym(s): *rufipennis* Stephens,1830
- 11775) **Ampedus samedovi Dolin & Ajajew,1983** (Elateridae) Synonym(s): *samedovi* Dolin & Ajajew,1983
- 11776) **Ampedus sanguineus (Linnaeus,1758)** (Elateridae) Synonym(s): *sanguineus* Linnaeus,1758
- 11777) **Ampedus sanguinolentus (Schränk,1776)** (Elateridae) Synonym(s): *sanguinolentus* Schränk,1776
- 11778) **Ampedus schoettleri Zeising & Brunne,2003** (Elateridae) Synonym(s): *schoettleri* Zeising & Brunne,2003
- 11779) **Ampedus sinuatus Germar,1844** (Elateridae) Synonym(s): *sinuatus* Germar,1844
- 11780) **Ampedus turcicus Platia & Kabalak, Sert,2007** (Elateridae) Synonym(s): *turcicus* Platia & Kabalak, Sert,2007
- 11781) **Ampedus wachtangi Dolin,1970** (Elateridae) Synonym(s): *wachtangi* Dolin,1970
- 11782) **Anostirus alexandri Wurst,1995** (Elateridae) Synonym(s): *alexandri* Wurst,1995
- 11783) **Anostirus ataturki Platia & Gudenzi,2000** (Elateridae) Synonym(s): *ataturki* Platia & Gudenzi,2000
- 11784) **Anostirus eschscholtzi (Faldermann,1835)** (Elateridae) Synonym(s): *eschscholtzi* Faldermann,1835
- 11785) **Anostirus gracilicollis (Stierlin,1896)** (Elateridae) Synonym(s): *gracilicollis* Stierlin,1896
- 11786) **Anostirus holtzi (Schwarz,1902)** (Elateridae) Synonym(s): *holtzi* Schwarz,1902
- 11787) **Anostirus incostatus (Pic,1905)** (Elateridae) Synonym(s): *incostatus* Pic,1905
- 11788) **Anostirus lederi (Heyden,1878)** (Elateridae) Synonym(s): *lederi* Heyden,1878
- 11789) **Anostirus nubilosus Wurst & Schimmel,1995** (Elateridae) Synonym(s): *nubilosus* Wurst & Schimmel,1995
- 11790) **Anostirus purpureus (Poda,1761)** (Elateridae) Synonym(s): *purpureus* Poda,1761
- 11791) **Anostirus saltinii Cate, Platia & Schimmel,2002** (Elateridae) Synonym(s): *saltinii* Cate, Platia & Schimmel,2002
- 11792) **Anostirus trivialis Gurjeva,1988** (Elateridae) Synonym(s): *trivialis* Gurjeva,1988
- 11793) **Anostirus turcicus Platia & Mertlik,1996** (Elateridae) Synonym(s): *turcicus* Platia & Mertlik,1996
- 11794) **Aplotarsus angustulus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *angustulus* Kiesenwetter,1858
- 11795) **Athous (Euplathous) proximus (Hampe,1864)** (Elateridae) Synonym(s): *proximus* Hampe,1864
- 11796) **Athous (Haplathous) carpathicus Reitter,1889** (Elateridae) Synonym(s): *carpathicus* Reitter,1889

- 11797) Athous (Haplathous) marginicollis** Reitter,1890 (Elateridae) Synonym(s): *marginicollis* Reitter,1890
- 11798) Athous (Haplathous) subfuscus** (O.F.Müller,1764) (Elateridae) Synonym(s): *subfuscus* O.F.Müller,1764
- 11799) Athous (Haplathous) turcicus** Reitter,1905 (Elateridae) Synonym(s): *turcicus* Reitter,1905
- 11800) Athous (Orthathous) acutangulus** Fairmaire,1866 (Elateridae) Synonym(s): *acutangulus* Fairmaire,1866; *thessalonicus* Reiche,1869
- 11801) Athous (Orthathous) anatolicus** Platia,1989 (Elateridae) Synonym(s): *anatolicus* Platia,1989
- 11802) Athous (Orthathous) apfelbecki** Reitter,1905 (Elateridae) Synonym(s): *apfelbecki* Reitter,1905
- 11803) Athous (Orthathous) artvinensis** Platia, Yildirim & Kesdek,2007 (Elateridae) Synonym(s): *artvinensis* Platia, Yildirim & Kesdek,2007
- 11804) Athous (Orthathous) audisioi** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *audisioi* Guglielmi & Platia,1985
- 11805) Athous (Orthathous) barriesi** Platia & Gudenzi,1996 (Elateridae) Synonym(s): *barriesi* Platia & Gudenzi,1996
- 11806) Athous (Orthathous) benedikti** Platia,2003 (Elateridae) Synonym(s): *benedikti* Platia,2003
- 11807) Athous (Orthathous) cavazzutii** Platia,2003 (Elateridae) Synonym(s): *cavazzutii* Platia,2003
- 11808) Athous (Orthathous) daccordii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *daccordii* Guglielmi & Platia,1985
- 11809) Athous (Orthathous) dasycerus** Buysson,1890 (Elateridae) Synonym(s): *dasycerus* Buysson,1890
- 11810) Athous (Orthathous) demirsoyi** Platia, Kabalak & Sert,2007 (Elateridae) Synonym(s): *demirsoyi* Platia, Kabalak & Sert,2007
- 11811) Athous (Orthathous) dusaneki** Platia,2003 (Elateridae) Synonym(s): *dusaneki* Platia,2003
- 11812) Athous (Orthathous) edirnenensis** Platia & Gudenzi,2000 (Elateridae) Synonym(s): *edirnenensis* Platia & Gudenzi,2000
- 11813) Athous (Orthathous) epirus** Stierlin,1875 (Elateridae) Synonym(s): *epirus* Stierlin,1875
- 11814) Athous (Orthathous) fragariae** Platia & Kovanci,2005 (Elateridae) Synonym(s): *fragariae* Platia & Kovanci,2005
- 11815) Athous (Orthathous) freudei** Platia,1989 (Elateridae) Synonym(s): *freudei* Platia,1989
- 11816) Athous (Orthathous) frontalis** Platia & Schimmel,1991 (Elateridae) Synonym(s): *frontalis* Platia & Schimmel,1991
- 11817) Athous (Orthathous) gianassoi** Platia & Gudenzi,1996 (Elateridae) Synonym(s): *gianassoi* Platia & Gudenzi,1996
- 11818) Athous (Orthathous) graecus** Platia,1989 (Elateridae) Synonym(s): *graecus* Platia,1989
- 11819) Athous (Orthathous) gudenzi** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *gudenzi* Guglielmi & Platia,1985
- 11820) Athous (Orthathous) hajeki** Platia & Gudenzi,2005 (Elateridae) Synonym(s): *hajeki* Platia & Gudenzi,2005
- 11821) Athous (Orthathous) hetzeli** Platia,2004 (Elateridae) Synonym(s): *hetzeli* Platia,2004
- 11822) Athous (Orthathous) kovancii** Platia,2003 (Elateridae) Synonym(s): *kovancii* Platia,2003
- 11823) Athous (Orthathous) lassallei** Platia & Gudenzi,1996 (Elateridae) Synonym(s): *lassallei* Platia & Gudenzi,1996
- 11824) Athous (Orthathous) malmusii** Platia & Gudenzi,2000 (Elateridae) Synonym(s): *malmusii* Platia & Gudenzi,2000
- 11825) Athous (Orthathous) margheritae** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *margheritae* Guglielmi & Platia,1985
- 11826) Athous (Orthathous) mertliki** Platia & Gudenzi,2002 (Elateridae) Synonym(s): *mertliki* Platia & Gudenzi,2002
- 11827) Athous (Orthathous) paflagonensis** Platia & Gudenzi,1998 (Elateridae) Synonym(s): *paflagonensis* Platia & Gudenzi,1998
- 11828) Athous (Orthathous) ponticus** Platia & Gudenzi,2007 (Elateridae) Synonym(s): *ponticus* Platia & Gudenzi,2007
- 11829) Athous (Orthathous) propinquus** Buysson,1889 (Elateridae) Synonym(s): *propinquus* Buysson,1889
- 11830) Athous (Orthathous) ruffoi** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *ruffoi* Guglielmi & Platia,1985
- 11831) Athous (Orthathous) sabatinellii** Guglielmi & Platia,1985 (Elateridae) Synonym(s): *sabatinellii* Guglielmi & Platia,1985
- 11832) Athous (Orthathous) sameki** Platia,2003 (Elateridae) Synonym(s): *sameki* Platia,2003
- 11833) Athous (Orthathous) senaci** Buysson,1889 (Elateridae) Synonym(s): *senaci* Buysson,1889; *ottomanus* Reitter,1905
- 11834) Athous (Orthathous) snizeki** Platia,2004 (Elateridae) Synonym(s): *snizeki* Platia,2004
- 11835) Athous (Orthathous) svihlai** Platia & Gudenzi,1998 (Elateridae) Synonym(s): *svihlai* Platia & Gudenzi,1998

- 11836) Athous (Orthathous) tekkirazicus Platia,2003** (Elateridae) Synonym(s): *tekkirazicus Platia,2003*
- 11837) Athous (Orthathous) tribertii Guglielmi & Platia,1985** (Elateridae) Synonym(s): *tribertii Guglielmi & Platia,1985*
- 11838) Athous (Orthathous) warchalowskii Platia & Tarnawski,1998** (Elateridae) Synonym(s): *warchalowskii Platia & Tarnawski,1998*
- 11839) Athous (Orthathous) wewalkai Platia,1989** (Elateridae) Synonym(s): *wewalkai Platia,1989*
- 11840) Athous (Orthathous) zanettii Guglielmi & Platia,1985** (Elateridae) Synonym(s): *zanettii Guglielmi & Platia,1985*
- 11841) Athous (Orthathous) zbuzeki Platia & Gudenzi,2007** (Elateridae) Synonym(s): *zbuzeki Platia & Gudenzi,2007*
- 11842) Athous (s.str.) haemorrhoidalis (Fabricius,1801)** (Elateridae) Synonym(s): *haemorrhoidalis Fabricius,1801*
- 11843) Athous (s.str.) nadoraz Mertlik & Dusanek,2006** (Elateridae) Synonym(s): *nadoraz Mertlik & Dusanek,2006*
- 11844) Athous (s.str.) vittatus (Fabricius,1792)** (Elateridae) Synonym(s): *vittatus Gmelin,1790; vittatus Fabricius,1792*
- 11845) Betarmon bisbimaculatus (Fabricius,1803)** (Elateridae) Synonym(s): *bisbimaculatus Fabricius,1803*
- 11846) Brachygonus frater Wurst,1995** (Elateridae) Synonym(s): *frater Wurst,1995*
- 11847) Brachygonus graciosus Platia & Schimmel,1991** (Elateridae) Synonym(s): *graciosus Platia & Schimmel,1991*
- 11848) Brachygonus hadullanus Wurst,1995** (Elateridae) Synonym(s): *hadullanus Wurst,1995*
- 11849) Brachygonus megerlei (Lacordaire,1835)** (Elateridae) Synonym(s): *megerlei Lacordaire,1835*
- 11850) Brachygonus ruficepsoides Platia & Gudenzi,2002** (Elateridae) Synonym(s): *ruficepsoides Platia & Gudenzi,2002*
- 11851) Calais parreysi (Steven,1830)** (Elateridae) Synonym(s): *parreysi Steven,1830*
- 11852) Cardiophorus (s.str.) acuminatus Platia & Gundezi,2002** (Elateridae) Synonym(s): *acuminatus Platia & Gundezi,2002*
- 11853) Cardiophorus (s.str.) aemulus Platia & Gundezi,2002** (Elateridae) Synonym(s): *aemulus Platia & Gundezi,2002*
- 11854) Cardiophorus (s.str.) agilis Platia & Gundezi,2002** (Elateridae) Synonym(s): *agilis Platia & Gundezi,2002*
- 11855) Cardiophorus (s.str.) akbesianus (Pic,1899)** (Elateridae) Synonym(s): *akbesianus Pic,1899*
- 11856) Cardiophorus (s.str.) alepensis Pic,1914** (Elateridae) Synonym(s): *alepensis Pic,1914*
- 11857) Cardiophorus (s.str.) analis Schwarz,1892** (Elateridae) Synonym(s): *analis Schwarz,1892*
- 11858) Cardiophorus (s.str.) anticus Erichson,1840** (Elateridae) Synonym(s): *anticus Erichson,1840*
- 11859) Cardiophorus (s.str.) apterus Platia & Gundezi,2002** (Elateridae) Synonym(s): *apterus Platia & Gundezi,2002*
- 11860) Cardiophorus (s.str.) araxicola Jablokoff & Khnzorian,1970** (Elateridae) Synonym(s): *araxicola Jablokoff & Khnzorian,1970*
- 11861) Cardiophorus (s.str.) bellus Platia & Gundezi,2000** (Elateridae) Synonym(s): *bellus Platia & Gundezi,2000*
- 11862) Cardiophorus (s.str.) carnosus Platia & Gundezi,2002** (Elateridae) Synonym(s): *carnosus Platia & Gundezi,2002*
- 11863) Cardiophorus (s.str.) cyanipennis Mulsant & Wachanru,1852** (Elateridae) Synonym(s): *cyanipennis Mulsant & Wachanru,1852*
- 11864) Cardiophorus (s.str.) discicollis (Herbst,1806)** (Elateridae) Synonym(s): *discicollis Herbst,1806*
- 11865) Cardiophorus (s.str.) dolini Mardjanian,1985** (Elateridae) Synonym(s): *dolini Mardjanian,1985*
- 11866) Cardiophorus (s.str.) ebeninus (Germar,1824)** (Elateridae) Synonym(s): *ebeninus Germar,1824*
- 11867) Cardiophorus (s.str.) eliasi Pic,1904** (Elateridae) Synonym(s): *eliasi Pic,1904*
- 11868) Cardiophorus (s.str.) fossulatus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *fossulatus Platia & Gudenzi,2002*
- 11869) Cardiophorus (s.str.) frequens Platia & Gudenzi,2002** (Elateridae) Synonym(s): *frequens Platia & Gudenzi,2002*
- 11870) Cardiophorus (s.str.) gramineus (Scopoli,1763)** (Elateridae) Synonym(s): *gramineus Scopoli,1763*
- 11871) Cardiophorus (s.str.) hayekae Platia & Gudenzi,2002** (Elateridae) Synonym(s): *hayekae Platia & Gudenzi,2002*
- 11872) Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae) Synonym(s): *hinkei Frivaldsky,1837*
- 11873) Cardiophorus (s.str.) imitator Platia & Gudenzi,2002** (Elateridae) Synonym(s): *imitator Platia & Gudenzi,2002*

- 11874) Cardiophorus (s.str.) impressiventris Schwarz,1900** (Elateridae) Synonym(s): *impressiventris* Schwarz,1900; *boyadjiani* Pic,1908
- 11875) Cardiophorus (s.str.) insignis Descrochers,1875** (Elateridae) Synonym(s): *insignis* Descrochers,1875
- 11876) Cardiophorus (s.str.) kindermanni Candeze,1860** (Elateridae) Synonym(s): *kindermanni* Candeze,1860
- 11877) Cardiophorus (s.str.) kinzelbachi Chassain,1979** (Elateridae) Synonym(s): *kinzelbachi* Chassain,1979
- 11878) Cardiophorus (s.str.) laevis Platia & Gudenzi,2002** (Elateridae) Synonym(s): *laevis* Platia & Gudenzi,2002
- 11879) Cardiophorus (s.str.) lundbergi Platia & Gudenzi,2000** (Elateridae) Synonym(s): *lundbergi* Platia & Gudenzi,2000
- 11880) Cardiophorus (s.str.) maculicollis Reiche & Saulcy,1856** (Elateridae) Synonym(s): *maculicollis* Reiche & Saulcy,1856
- 11881) Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae) Synonym(s): *megathorax* Faldermann,1835; *antennalis* Desbrochers,1875
- 11882) Cardiophorus (s.str.) mertliki (Platia & Gundenzi,1999)** (Elateridae) Synonym(s): *mertliki* Platia & Gundenzi,1999
- 11883) Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae) Synonym(s): *miniaticollis* Candeze,1860
- 11884) Cardiophorus (s.str.) neuberti Platia & Gudenzi,2002** (Elateridae) Synonym(s): *neuberti* Platia & Gudenzi,2002
- 11885) Cardiophorus (s.str.) nigerrimus Erichson,1840** (Elateridae) Synonym(s): *nigerrimus* Erichson,1840
- 11886) Cardiophorus (s.str.) nigratissimus Buysson,1891** (Elateridae) Synonym(s): *nigratissimus* Buysson,1891
- 11887) Cardiophorus (s.str.) parvulus Platia & Gudenzi,2000** (Elateridae) Synonym(s): *parvulus* Platia & Gudenzi,2000
- 11888) Cardiophorus (s.str.) pavesii Platia & Gudenzi,2000** (Elateridae) Synonym(s): *pavesii* Platia & Gudenzi,2000
- 11889) Cardiophorus (s.str.) picinus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *picinus* Platia & Gudenzi,2002
- 11890) Cardiophorus (s.str.) picticollis (Kraatz,1882)** (Elateridae) Synonym(s): *picticollis* Kraatz,1882
- 11891) Cardiophorus (s.str.) plurimus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *plurimus* Platia & Gudenzi,2002
- 11892) Cardiophorus (s.str.) procerus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *procerus* Platia & Gudenzi,2002
- 11893) Cardiophorus (s.str.) proprius Platia & Gudenzi,2002** (Elateridae) Synonym(s): *proprius* Platia & Gudenzi,2002
- 11894) Cardiophorus (s.str.) resli Platia & Gudenzi,2002** (Elateridae) Synonym(s): *ressli* Platia & Gudenzi,2002
- 11895) Cardiophorus (s.str.) rotundicollis Frivaldsky,1845** (Elateridae) Synonym(s): *rotundicollis* Frivaldsky,1845; *turgescens* Buysson,1891
- 11896) Cardiophorus (s.str.) ruficollis (Linnaeus,1758)** (Elateridae) Synonym(s): *ruficollis* Linnaeus,1758
- 11897) Cardiophorus (s.str.) ruficruris (Linnaeus,1758)** (Elateridae) Synonym(s): *ruficruris* Linnaeus,1758; *tibialis* Erichson,1840
- 11898) Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae) Synonym(s): *sacratus* Erichson,1840; *tokatensis* Pic,1913
- 11899) Cardiophorus (s.str.) samai Platia & Gudenzi,2000** (Elateridae) Synonym(s): *samai* Platia & Gudenzi,2000
- 11900) Cardiophorus (s.str.) schuberti Platia & Gudenzi,2002** (Elateridae) Synonym(s): *schuberti* Platia & Gudenzi,2002
- 11901) Cardiophorus (s.str.) schurmanni Platia & Gudenzi,2002** (Elateridae) Synonym(s): *schurmanni* Platia & Gudenzi,2002
- 11902) Cardiophorus (s.str.) somcheticus Schwarz,1896** (Elateridae) Synonym(s): *somcheticus* Schwarz,1896
- 11903) Cardiophorus (s.str.) strussineri Buysson,1913** (Elateridae) Synonym(s): *strussineri* Buysson,1913
- 11904) Cardiophorus (s.str.) syriacus (Linnaeus,1758)** (Elateridae) Synonym(s): *syriacus* Linnaeus,1758
- 11905) Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856
- 11906) Cardiophorus (s.str.) turgidus Erichson,1840** (Elateridae) Synonym(s): *turgidus* Erichson,1840
- 11907) Cardiophorus (s.str.) uncinatus Platia & Gudenzi,2002** (Elateridae) Synonym(s): *uncinatus* Platia & Gudenzi,2002

- 11908) *Cardiophorus* (s.str.) *varius* Cate, Platia & Schimmel,2002** (Elateridae) Synonym(s): *varius* Cate, Platia & Schimmel,2002
- 11909) *Cardiophorus* (s.str.) *vestigialis* Erichson,1840** (Elateridae) Synonym(s): *vestigialis* Erichson,1840; *atramentarius* Erichson,1840; *erichsoni* Buysson,1901; *maritimus* Dolin,1971; *nijazi* Dolin & Agajew,1983
- 11910) *Cardiophorus* (s.str.) *winkleri* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *winkleri* Platia & Gudenzi,2002
- 11911) *Cardiophorus* (s.str.) *witzgalli* Platia & Gudenzi,2002** (Elateridae) Synonym(s): *witzgalli* Platia & Gudenzi,2002
- 11912) *Cardiophorus* (s.str.) *zeisingi* Platia,2004** (Elateridae) Synonym(s): *zeisingi* Platia,2004
- 11913) *Cidnopus crassipes* (Schwarz,1900)** (Elateridae) Synonym(s): *crassipes* Schwarz,1900
- 11914) *Cidnopus pilosus* (Leske,1785)** (Elateridae) Synonym(s): *pilosus* Leske,1785
- 11915) *Cidnopus schurmanni* Platia & Gudenzi,1998** (Elateridae) Synonym(s): *schurmanni* Platia & Gudenzi,1998
- 11916) *Cidnopus turcicus* Platia,2004** (Elateridae) Synonym(s): *turcicus* Platia,2004
- 11917) *Ctenicera pectinicornis* (Linnaeus,1758)** (Elateridae) Synonym(s): *pectinicornis* Linnaeus,1758
- 11918) *Dalopius marginatus* (Linnaeus,1758)** (Elateridae) Synonym(s): *marginatus* Linnaeus,1758
- 11919) *Dalopius radiculosus* Gurjeva,1964** (Elateridae) Synonym(s): *radiculosus* Gurjeva,1964
- 11920) *Danasoma fasciata* (Linnaeus,1758)** (Elateridae) Synonym(s): *fasciata* Linnaeus,1758
- 11921) *Denticollis linearis* (Linnaeus,1758)** (Elateridae) Synonym(s): *linearis* Linnaeus,1758
- 11922) *Denticollis parallellicollis* Aubé,1850** (Elateridae) Synonym(s): *parallellicollis* Aubé,1850
- 11923) *Denticollis rubens* Piller & Mitterpacher,1783** (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher,1783
- 11924) *Dicronychus adanensis* (Pic,1908)** (Elateridae) Synonym(s): *adanensis* Pic,1908
- 11925) *Dicronychus apteriformis* Platia & Gudenzi,2004** (Elateridae) Synonym(s): *apteriformis* Platia & Gudenzi,2004
- 11926) *Dicronychus bicolor* Platia & Gudenzi,2004** (Elateridae) Synonym(s): *bicolor* Platia & Gudenzi,2004
- 11927) *Dicronychus bozdaghensis* Platia & Gudenzi,2004** (Elateridae) Synonym(s): *bozdaghensis* Platia & Gudenzi,2004
- 11928) *Dicronychus cinereus* (Herbst,1784)** (Elateridae) Synonym(s): *cinereus* Herbst,1784
- 11929) *Dicronychus decorus* (Faldermann,1835)** (Elateridae) Synonym(s): *decorus* Faldermann,1835
- 11930) *Dicronychus deminutus* Platia & Gudenzi,2004** (Elateridae) Synonym(s): *deminutus* Platia & Gudenzi,2004
- 11931) *Dicronychus desbrochersi* Platia & Gudenzi,2004** (Elateridae) Synonym(s): *desbrochersi* Platia & Gudenzi,2004
- 11932) *Dicronychus drureri* (Pic,1908)** (Elateridae) Synonym(s): *drureri* Pic,1908
- 11933) *Dicronychus equiseti* (Herbst,1784)** (Elateridae) Synonym(s): *equiseti* Herbst,1784
- 11934) *Dicronychus euxinus*** (Elateridae) Synonym(s):
- 11935) *Dicronychus exstinctus* (Erichson,1840)** (Elateridae) Synonym(s): *exstinctus* Erichson,1840
- 11936) *Dicronychus freudei* Platia & Gudenzi,2007** (Elateridae) Synonym(s): *freudei* Platia & Gudenzi,2007
- 11937) *Dicronychus gillerforsi* Platia & Gudenzi,2004** (Elateridae) Synonym(s): *gillerforsi* Platia & Gudenzi,2004
- 11938) *Dicronychus iconiensis* (Pic,1908)** (Elateridae) Synonym(s): *iconiensis* Pic,1908
- 11939) *Dicronychus incanus* (Erichson,1840)** (Elateridae) Synonym(s): *incanus* Erichson,1840
- 11940) *Dicronychus merkli* (Pic,1910)** (Elateridae) Synonym(s): *merkli* Pic,1910
- 11941) *Dicronychus mutilus* Platia & Gudenzi,2004** (Elateridae) Synonym(s): *mutilus* Platia & Gudenzi,2004
- 11942) *Dicronychus obscuripennis* (Pic,1899)** (Elateridae) Synonym(s): *obscuripennis* Pic,1899
- 11943) *Dicronychus pici* Platia & Gudenzi,2004** (Elateridae) Synonym(s): *pici* Platia & Gudenzi,2004
- 11944) *Dicronychus rubripes* (Germar,1824)** (Elateridae) Synonym(s): *rubripes* Germar,1824
- 11945) *Dicronychus senaci* Desbrochers,1870** (Elateridae) Synonym(s): *senaci* Desbrochers,1870
- 11946) *Dicronychus turcicus* Platia & Gudenzi,2004** (Elateridae) Synonym(s): *turcicus* Platia & Gudenzi,2004
- 11947) *Dicronychus variatus* Desbrochers,1875** (Elateridae) Synonym(s): *variatus* Desbrochers,1875
- 11948) *Dicronychus versicolor* (Mulsant & Guillebeau,1856)** (Elateridae) Synonym(s): *versicolor* Mulsant & Guillebeau,1856
- 11949) *Drasterius bimaculatus* (Rossi,1790)** (Elateridae) Synonym(s): *bimaculatus* Rossi,1790; *#levantinus* Roubal,1924
- 11950) *Ectamenogonus montandoni* (Buysson,1888)** (Elateridae) Synonym(s): *montandoni* Buysson,1888
- 11951) *Ectinus aterrimus* (Linnaeus,1761)** (Elateridae) Synonym(s): *aterrimus* Linnaeus,1761
- 11952) *Elater ferrugineus* Linnaeus,1758** (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758

- 11953) *Elater tauricus* (Schwarz,1897) (Elateridae) Synonym(s): *tauricus* Schwarz,1897
- 11954) *Elathous buyssoni* Reitter,1890 (Elateridae) Synonym(s): *buyssoni* Reitter,1890
- 11955) *Elathous depressus* Platia & Schimmel,1991 (Elateridae) Synonym(s): *depressus* Platia & Schimmel,1991
- 11956) *Elathous lizlerweneri* Mertlik & Dusanek,2006 (Elateridae) Synonym(s): *lizlerweneri* Mertlik & Dusanek,2006
- 11957) *Elathous mertliki* Platia & Schimmel,1992 (Elateridae) Synonym(s): *mertliki* Platia & Schimmel,1992
- 11958) *Elathous nigricans* Platia & Schimmel,1991 (Elateridae) Synonym(s): *nigricans* Platia & Schimmel,1991
- 11959) *Elathous pavesii* Platia & Schimmel,1992 (Elateridae) Synonym(s): *pavesii* Platia & Schimmel,1992
- 11960) *Elathous rufobasalis* Wurst,1994 (Elateridae) Synonym(s): *rufobasalis* Wurst,1994
- 11961) *Elathous schwarzi* Reitter,1905 (Elateridae) Synonym(s): *schwarzi* Reitter,1905
- 11962) *Elathous smyrnensis* Reitter,1905 (Elateridae) Synonym(s): *smyrnensis* Reitter,1905
- 11963) *Elathous turcicus* Platia & Gudenzi,2005 (Elateridae) Synonym(s): *turcicus* Platia & Gudenzi,2005
- 11964) *Haterumelater fulvago* (Marseul,1868) (Elateridae) Synonym(s): *fulvago* Marseul,1868; *picinus* Buysson,1891; *julianum* Penev,1987; *preissi* Schimmel,1995
- 11965) *Haterumelater languidus* (Buysson,1891) (Elateridae) Synonym(s): *languidus* Buysson,1891
- 11966) *Hemicrepidius corvinus* (Reitter,1905) (Elateridae) Synonym(s): *corvinus* Reitter,1905
- 11967) *Hemicrepidius hirtus* (Herbst,1784) (Elateridae) Synonym(s): *hirtus* Herbst,1784
- 11968) *Hemicrepidius koenigi* Schwarz,1897 (Elateridae) Synonym(s): *koenigi* Schwarz,1897
- 11969) *Hemicrepidius niger* (Linnaeus,1758) (Elateridae) Synonym(s): *niger* Linnaeus,1758
- 11970) *Hemicrepidius nigrutilus* (Reitter,1890) (Elateridae) Synonym(s): *nigrutilus* Reitter,1890
- 11971) *Hemicrepidius schneideri* (Kiesenwetter,1877) (Elateridae) Synonym(s): *schneideri* Kiesenwetter,1877
- 11972) *Hemicrepidius vulpeculus* (Reitter,1890) (Elateridae) Synonym(s): *vulpeculus* Reitter,1890
- 11973) *Hypnoidus anaticus* Platia & Gudenzi,2000 (Elateridae) Synonym(s): *anaticus* Platia & Gudenzi,2000
- 11974) *Hypoganus inunctus* (Panzer,1795) (Elateridae) Synonym(s): *inunctus* Panzer,1795; *cinctus* Paykull,1800
- 11975) *Hypoganus stepanovi* Denisova,1948 (Elateridae) Synonym(s): *stepanovi* Denisova,1948
- 11976) *Idolus adrastoides* (Reitter,1888) (Elateridae) Synonym(s): *adrastoides* Reitter,1888
- 11977) *Idotarmonides anaticus* (Candeze,1881) (Elateridae) Synonym(s): *anaticus* Candeze,1881
- 11978) *Idotarmonides rydhi* Platia & Schimmel,1992 (Elateridae) Synonym(s): *rydhi* Platia & Schimmel,1992
- 11979) *Ischnodes kadleci* Mertlik,2005 (Elateridae) Synonym(s): *kadleci* Mertlik,2005
- 11980) *Ischnodes sanguinicollis* (Panzer,1793) (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793
- 11981) *Isidus letourneuxi* Pic,1902 (Elateridae) Synonym(s): *letourneuxi* Pic,1902
- 11982) *Isidus moreli* Mulsant & Rey,1874 (Elateridae) Synonym(s): *moreli* Mulsant & Rey,1874
- 11983) *Lacon candezei* Desbrochers,1875 (Elateridae) Synonym(s): *candezei* Desbrochers des Loges,1875
- 11984) *Lacon delagrangi* Buysson,1891 (Elateridae) Synonym(s): *delagrangi* Buysson,1891
- 11985) *Lacon gillerforsi* Platia & Schimmel,1994 (Elateridae) Synonym(s): *gillerforsi* Platia & Schimmel,1994
- 11986) *Lacon graecus* Candeze,1857 (Elateridae) Synonym(s): *graecus* Candeze,1857
- 11987) *Lacon ladae* Mertlik & Dusanek,2006 (Elateridae) Synonym(s): *ladae* Mertlik & Dusanek,2006
- 11988) *Lacon lepidopterus* (Panzer,1801) (Elateridae) Synonym(s): *lepidopterus* Panzer,1801; *aurosquamosus* Jagemann,1939
- 11989) *Lacon punctatus* (Herbst,1779) (Elateridae) Synonym(s): *punctatus* Herbst,1779
- 11990) *Lacon solai* Platia & Gudenzi,2000 (Elateridae) Synonym(s): *solai* Platia & Gudenzi,2000
- 11991) *Lacon unicolor* (Candeze,1874) (Elateridae) Synonym(s): *unicolor* Candeze,1874
- 11992) *Lanelater judaicus* (Reiche & Saulcy,1856) (Elateridae) Synonym(s): *judaicus* Reiche & Saulcy,1856
- 11993) *Lanelater persicus* (Candeze,1874) (Elateridae) Synonym(s): *persicus* Candeze,1874
- 11994) *Limoniscus elegans* (Buysson,1891) (Elateridae) Synonym(s): *elegans* Buysson,1891
- 11995) *Limoniscus violaceus* (P.Müller,1843) (Elateridae) Synonym(s): *violaceus* P.Müller,1843
- 11996) *Limonius araratensis* (Faldermann,1835) (Elateridae) Synonym(s): *araratensis* Faldermann,1835
- 11997) *Limonius minutus* (Linnaeus,1758) (Elateridae) Synonym(s): *minutus* Linnaeus,1758
- 11998) *Limonius poneli* Leseigneur & Mertlik,2007 (Elateridae) Synonym(s): *poneli* Leseigneur & Mertlik,2007
- 11999) *Megapenthes lugens* (Redtenbacher,1842) (Elateridae) Synonym(s): *lugens* Redtenbacher,1842
- 12000) *Megapenthes rutilipennis* Candeze,1859 (Elateridae) Synonym(s): *rutilipennis* Candeze,1859

- 12001** *Melanotus* (s.str.) *aemulus* (Erichson,1841) (Elateridae) Synonym(s): *aemulus* Erichson,1841
- 12002** *Melanotus* (s.str.) *armeniacus* Schwarz,1891 (Elateridae) Synonym(s): *armeniacus* Schwarz,1891
- 12003** *Melanotus* (s.str.) *atricapillus* Reitter,1891 (Elateridae) Synonym(s): *atricapillus* Reitter,1891
- 12004** *Melanotus* (s.str.) *bajulus* (Erichson,1841) (Elateridae) Synonym(s): *bajulus* Erichson,1841
- 12005** *Melanotus* (s.str.) *brignolii* Guglielmi & Platia,1985 (Elateridae) Synonym(s): *brignolii* Guglielmi & Platia,1985
- 12006** *Melanotus* (s.str.) *brunnipes* (Germar,1824) (Elateridae) Synonym(s): *brunnipes* Germar,1824
- 12007** *Melanotus* (s.str.) *castanipes* (Paykull,1800) (Elateridae) Synonym(s): *castanipes* Paykull,1800
- 12008** *Melanotus* (s.str.) *crassicollis* (Erichson,1841) (Elateridae) Synonym(s): *crassicollis* Erichson,1841
- 12009** *Melanotus* (s.str.) *dichrous* (Erichson,1841) (Elateridae) Synonym(s): *dichrous* Erichson,1841
- 12010** *Melanotus* (s.str.) *fraseri* Platia & Schimmel,1993 (Elateridae) Synonym(s): *fraseri* Platia & Schimmel,1993
- 12011** *Melanotus* (s.str.) *fulvus* Reitter,1891 (Elateridae) Synonym(s): *fulvus* Reitter,1891
- 12012** *Melanotus* (s.str.) *fusciceps* (Gyllenhal,1817) (Elateridae) Synonym(s): *fusciceps* Gyllenhal,1817; *robustus* Erichson,1841
- 12013** *Melanotus* (s.str.) *monticola* (Ménétriés,1832) (Elateridae) Synonym(s): *monticola* Ménétriés,1832
- 12014** *Melanotus* (s.str.) *mutatus* Harold,1869 (Elateridae) Synonym(s): *mutatus* Harold,1869
- 12015** *Melanotus* (s.str.) *osellai* Guglielmi & Platia,1985 (Elateridae) Synonym(s): *osellai* Guglielmi & Platia,1985
- 12016** *Melanotus* (s.str.) *punctolineatus* (Pélerin,1829) (Elateridae) Synonym(s): *punctolineatus* Pélerin,1829
- 12017** *Melanotus* (s.str.) *sobrinus* (Ménétriés,1832) (Elateridae) Synonym(s): *sobrinus* Ménétriés,1832
- 12018** *Melanotus* (s.str.) *tenebrosus* (Erichson,1841) (Elateridae) Synonym(s): *tenebrosus* Erichson,1841
- 12019** *Melanotus* (s.str.) *turcicus* Platia & Gudenzi,2002 (Elateridae) Synonym(s): *turcicus* Platia & Gudenzi,2002
- 12020** *Melanotus* (s.str.) *villosus* (Fourcroy,1785) (Elateridae) Synonym(s): *rufipes* Herbst,1784; *villosus* Fourcroy,1785
- 12021** *Melanotus* (*Spheniscosomus*) *cuneiformis* (Baudi,1871) (Elateridae) Synonym(s): *cuneiformis* Baudi,1871
- 12022** *Mulsanteus guillebeaudi* (Mulsant & Godart,1853) (Elateridae) Synonym(s): *guillebeaudi* Mulsant & Godart,1853; *guillebelli* Mulsant & Godart,1853
- 12023** *Mulsanteus manuelae* Platia & Gudenzi,1998 (Elateridae) Synonym(s): *manuelae* Platia & Gudenzi,1998
- 12024** *Mulsanteus schaumii* (Candeze,1881) (Elateridae) Synonym(s): *schaumii* Candeze,1881
- 12025** *Negastrius sabulicola* (Boheman,1851) (Elateridae) Synonym(s): *sabulicola* Boheman,1851
- 12026** *Neopristilpophus insitivus* (Germar,1824) (Elateridae) Synonym(s): *depressus* Germar,1822; *insitivus* Germar,1824
- 12027** *Nothodes parvulus* (Panzer,1799) (Elateridae) Synonym(s): *parvulus* Panzer,1799
- 12028** *Paracardiophorus musculus* (Erichson,1840) (Elateridae) Synonym(s): *musculus* Erichson,1840
- 12029** *Peripontius concolor* (Desbrochers,1875) (Elateridae) Synonym(s): *concolor* Desbrochers,1875
- 12030** *Peripontius crassus* (Buysson,1906) (Elateridae) Synonym(s): *crassus* Buysson,1906; *schimmeli* Zeising & Brunne,2003
- 12031** *Peripontius dentatus* Platia & Schimmel,1991 (Elateridae) Synonym(s): *dentatus* Platia & Schimmel,1991
- 12032** *Peripontius elegantulus* Platia,2003 (Elateridae) Synonym(s): *elegantulus* Platia,2003
- 12033** *Peripontius jagemanni* Platia & Gudenzi,2000 (Elateridae) Synonym(s): *jagemanni* Platia & Gudenzi,2000
- 12034** *Peripontius omissus* (Buysson,1889) (Elateridae) Synonym(s): *omissus* Buysson,1889
- 12035** *Peripontius saroveci* Platia,2003 (Elateridae) Synonym(s): *saroveci* Platia,2003
- 12036** *Peripontius terminatus* (Erichson,1842) (Elateridae) Synonym(s): *terminatus* Erichson,1842
- 12037** *Peripontius turcicus* Platia & Tarnawski,1998 (Elateridae) Synonym(s): *turcicus* Platia & Tarnawski,1998
- 12038** *Pittonotus simoni* (Stierlin,1879) (Elateridae) Synonym(s): *simoni* Stierlin,1879
- 12039** *Pittonotus theseus* (Germar,1817) (Elateridae) Synonym(s): *theseus* Germar,1817
- 12040** *Plastocerus angulosus* (Germar,1845) (Elateridae) Synonym(s): *angulosus* Germar,1845
- 12041** *Podeonius acuticornis* (Germar,1824) (Elateridae) Synonym(s): *acuticornis* Germar,1824
- 12042** *Porthmidius austriacus* (Schränk,1781) (Elateridae) Synonym(s): *austriacus* Schränk,1781
- 12043** *Procaerus bicolor* Platia & Gudenzi,2002 (Elateridae) Synonym(s): *bicolor* Platia & Gudenzi,2002

- 12044) Procræus carinifrons (Desbrochers,1875)** (Elateridae) Synonym(s): *carinifrons Desbrochers,1875*
- 12045) Procræus levantinus Platia & Gudenzi,2007** (Elateridae) Synonym(s): *levantinus Platia & Gudenzi,2007*
- 12046) Procræus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis Lacordaire,1835*
- 12047) Prosternon syriacum (Buysson,1891)** (Elateridae) Synonym(s): *syriacum Buysson,1891; anatolicum Reitter,1901*
- 12048) Prosternon tessellatum (Linnaeus,1758)** (Elateridae) Synonym(s): *tessellatum Linnaeus,1758*
- 12049) Pseudagriotes holtzi Schwarz,1896** (Elateridae) Synonym(s): *holtzi Schwarz,1896*
- 12050) Pseudanostirus jasoni Dolin & Chantladze,1987** (Elateridae) Synonym(s): *jasoni Dolin & Chantladze,1987*
- 12051) Pseudocrepidophorus concavifrons Wurst,1994** (Elateridae) Synonym(s): *concavifrons Wurst,1994*
- 12052) Pseudocrepidophorus flavescens (Eschscholtz,1818)** (Elateridae) Synonym(s): *flavescens Eschscholtz,1818*
- 12053) Quasimus minutissimus (Germar,1817)** (Elateridae) Synonym(s): *minutissimus Germar,1817*
- 12054) Reitterelater dubius Platia & Cate,1990** (Elateridae) Synonym(s): *dubius Platia & Cate,1990*
- 12055) Ryukyucardiophorus mertliki Platia & Gudenzi,1999** (Elateridae) Synonym(s): *mertliki Platia & Gudenzi,1999*
- 12056) Selatosomus (Pristilophus) melancholicus** (Elateridae) Synonym(s):
- 12057) Selatosomus (s.str.) aeneus (Linnaeus,1758)** (Elateridae) Synonym(s): *aeneus Linnaeus,1758*
- 12058) Selatosomus (s.str.) amplicollis (Germar,1843)** (Elateridae) Synonym(s): *amplicollis Germar,1843*
- 12059) Selatosomus (s.str.) armeniacus Dolin,1982** (Elateridae) Synonym(s): *armeniaceus Dolin,1982*
- 12060) Selatosomus (s.str.) atratus (Ballion,1878)** (Elateridae) Synonym(s): *atratus Ballion,1878*
- 12061) Selatosomus (s.str.) beysehiricus Mertlik,2000** (Elateridae) Synonym(s): *beysehiricus Mertlik,2000*
- 12062) Selatosomus (s.str.) caucasicus (Ménétriés,1879)** (Elateridae) Synonym(s): *caucasicus Ménétriés,1879*
- 12063) Selatosomus (s.str.) latissimus Reitter,1910** (Elateridae) Synonym(s): *latissimus Reitter,1910*
- 12064) Selatosomus (s.str.) latus (Fabricius,1801)** (Elateridae) Synonym(s): *latus Fabricius,1801; saginatus Ménétriés,1832; gravidus Germar,1843*
- 12065) Selatosomus (s.str.) pecirkanus Reitter,1910** (Elateridae) Synonym(s): *pecirkanus Reitter,1910*
- 12066) Selatosomus (s.str.) punctipennis Reitter,1910** (Elateridae) Synonym(s): *punctipennis Reitter,1910*
- 12067) Selatosomus (s.str.) sameki Mertlik,2000** (Elateridae) Synonym(s): *sameki Mertlik,2000*
- 12068) Selatosomus (Warchalowskianus) ampliformis Reitter,1910** (Elateridae) Synonym(s): *ampliformis Reitter,1910*
- 12069) Selatosomus (Warchalowskianus) barlaensis Mertlik,2000** (Elateridae) Synonym(s): *barlaensis Mertlik,2000*
- 12070) Solskyana villiger (Solsky,1881)** (Elateridae) Synonym(s): *villiger Solsky,1881*
- 12071) Stenagostus rhombeus (Olivier,1790)** (Elateridae) Synonym(s): *rhombeus Olivier,1790*
- 12072) Stenagostus rosti (Schwarz,1897)** (Elateridae) Synonym(s): *rosti Schwarz,1897*
- 12073) Stenagostus zuercheri Reitter,1909** (Elateridae) Synonym(s): *zuercheri Reitter,1909*
- 12074) Synaptus filiformis (Fabricius,1781)** (Elateridae) Synonym(s): *filiformis Fabricius,1781*
- 12075) Tetrigus cyprius Baudi,1871** (Elateridae) Synonym(s): *cyprius Baudi,1871; akbesianus Fairmaire,1893*
- 12076) Tolphorea kurdistanicus Platia & Gudenzi,1996** (Elateridae) Synonym(s): *kurdistanicus Platia & Gudenzi,1996*
- 12077) Tolphorea pallida Platia,2004** (Elateridae) Synonym(s): *pallida Platia,2004*
- 12078) Tolphorea turcica Platia & Gudenzi,2000** (Elateridae) Synonym(s): *turcica Platia & Gudenzi,2000*
- 12079) Zorochochros alysidotus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *alysidotus Kiesenwetter,1858*
- 12080) Zorochochros anatolicus Dolin & Mertlik,2002** (Elateridae) Synonym(s): *anatolicus Dolin & Mertlik,2002*
- 12081) Zorochochros araxicola (Reitter,1895)** (Elateridae) Synonym(s): *araxicola Reitter,1895*
- 12082) Zorochochros caucasicus Jagemann,1939** (Elateridae) Synonym(s): *caucasicus Jagemann,1939*
- 12083) Zorochochros georgicus Dolin & Tschatlandze,1980** (Elateridae) Synonym(s): *georgicus Dolin & Tschatlandze,1980*
- 12084) Zorochochros heyrovskyi Roubal,1940** (Elateridae) Synonym(s): *heyrovskyi Roubal,1940*
- 12085) Zorochochros kopecky Platia & Gudenzi,1998** (Elateridae) Synonym(s): *kopecky Platia & Gudenzi,1998*
- 12086) Zorochochros kurdicus Dolin & Mertlik,2002** (Elateridae) Synonym(s): *kurdicus Dolin & Mertlik,2002*

- 12087) Zorochros meridionalis (Laporte,1840)** (Elateridae) Synonym(s): *meridionalis* Laporte,1840
12088) Zorochros minimus (Lacordaire,1835) (Elateridae) Synonym(s): *dermestoides* Herbst,1806 nec Linn.,1767; *minimus* Lacordaire,1835
12089) Zorochros murinus (Reitter,1895) (Elateridae) Synonym(s): *murinus* Reitter,1895
12090) Zorochros nanus (Gurjeva,1963) (Elateridae) Synonym(s): *nanus* Gurjeva,1963
12091) Zorochros pallicrus (Desbrochers,1875) (Elateridae) Synonym(s): *pallicrus* Desbrochers,1875; *delicatulus* Schwarz,1897
12092) Zorochros pilosellus (Reitter,1895) (Elateridae) Synonym(s): *pilosellus* Reitter,1895
12093) Zorochros quadriguttatus (Laporte,1840) (Elateridae) Synonym(s): *quadriguttatus* Laporte,1840
12094) Zorochros recellentus Dolin,1995 (Elateridae) Synonym(s): *recellentus* Dolin,1995
12095) Zorochros stibicki (Leseigneur,1970) (Elateridae) Synonym(s): *stibicki* Leseigneur,1970

EMPUSIDAE

- 12096) Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775

EMPIDAE

- 12097) Empis (Euempis) calcarata Bezzi,1899** (Empidae) Synonym(s): *calcarata* Bezzi,1899
12098) Empis (Euempis) dasycera Collin,1960 (Empidae) Synonym(s): *dasycera* Collin,1960
12099) Empis (Euempis) pleurica (Collin,1960) (Empidae) Synonym(s): *pleurica* Collin,1960
12100) Empis (Euempis) sericans Brullé,1833 (Empidae) Synonym(s): *sericans* Brullé,1833; *nepticula* Loew,1869
12101) Empis (Euempis) shushaensis Shamshev,2001 (Empidae) Synonym(s): *shushaensis* Shamshev,2001
12102) Empis (Euempis) tessellata Fabricius,1794 (Empididae) Synonym(s): *tessellata* Fabricius,1794
12103) Empis (Leptempis) affinis Egger,1860 (Empidae) Synonym(s): *affinis* Egger,1860
12104) Empis (Leptempis) discolor Loew,1856 (Empidae) Synonym(s): *discolor* Loew,1856
12105) Empis (Leptempis) grisea Fallén,1816 (Empidae) Synonym(s): *grisea* Fallén,1816; *pilipes* Meigen,1822; *nodosa* Beling,1882; *nigriventris* Strobl,1893; *rufiventris* Strobl,1893; *rufirostris* Oldenberg,1924; *flavipes* Engel,1946 nec Thunb.,1784; *testaceiventris* Oldenberg,1924
12106) Empis (Leptempis) meridionalis Meigen,1822 (Empidae) Synonym(s): *meridionalis* Meigen,1822
12107) Empis (Leptempis) nigricans Meigen,1804 (Empidae) Synonym(s): *nigricans* Meigen,1804
12108) Empis (Lisempis) cuneipennis Bezzi,1899 (Empidae) Synonym(s): *cuneipennis* Bezzi,1899
12109) Empis (Lisempis) nigratarsis Meigen,1804 (Empidae) Synonym(s): *nigratarsis* Meigen,1804; *crassipes* Meigen,1822; *nitidicollis* Curtis,1831
12110) Empis (Pachymeria) contigua (Loew,1864) (Empididae) Synonym(s): *contigua* Loew,1864
12111) Empis (Pachymeria) femorata Fabricius,1798 (Empidae) Synonym(s): *femorata* Fabricius,1798; *ruralis* Meigen,1822; *quinquevittata* Macquart,1827
12112) Empis (Pachymeria) mediterranea (Loew,1864) (Empididae) Synonym(s): *mediterranea* Loew,1864
12113) Empis (Pachymeria) obscuripes (Loew,1873) (Empidae) Synonym(s): *obscuripes* Loew,1873
12114) Empis (Pachymeria) trianguligera Strobl,1898 (Empidae) Synonym(s): *trianguligera* Strobl,1898
12115) Empis (Polyblepharis) dedecor Loew,1869 (Empidae) Synonym(s): *dedecor* Loew,1869
12116) Empis (Polyblepharis) engeli Chvala,1999 (Empidae) Synonym(s): *engeli* Chvala,1999
12117) Empis (Polyblepharis) haemi Loew,1862 (Empidae) Synonym(s): *haemi* Loew,1862
12118) Empis (Polyblepharis) haemorrhoeica Loew,1869 (Empididae) Synonym(s): *haemorrhoeica* Loew,1869; *concisa* Loew,1869; *divergens* Loew,1869
12119) Empis (Polyblepharis) lugubris Loew,1869 (Empididae) Synonym(s): *lugubris* Loew,1869; *decoripes* Röder,1894
12120) Empis (Polyblepharis) nabucco Çiftçi,2012 (Empididae) Synonym(s): *nabucco* Çiftçi,2012
12121) Empis (Polyblepharis) nigerrima Loew,1862 (Empidae) Synonym(s): *nigerrima* Loew,1862
12122) Empis (Polyblepharis) soror Collin,1937 (Empidae) Synonym(s): *soror* Collin,1937
12123) Empis (Polyblepharis) spirifera Bezzi,1909 (Empidae) Synonym(s): *spirifera* Bezzi,1909
12124) Empis (s.str.) acinerea Chavala,1985 (Empididae) Synonym(s): *acinerea* Chavala,1985
12125) Empis (s.str.) caudatula Loew,1867 (Empididae) Synonym(s): *caudatula* Loew,1867
12126) Empis (s.str.) curticoris Collin,1960 (Empididae) Synonym(s): *curticoris* Collin,1960
12127) Empis (s.str.) discrepans Collin,1960 (Empididae) Synonym(s): *discrepans* Collin,1960

- 12128) Empis (s.str.) daronicola Çiftçi, 2012** (Empididae) Synonym(s): *daronicola Çiftçi, 2012*
- 12129) Empis (s.str.) inopinata Collin, 1960** (Empididae) Synonym(s): *inopinata Collin, 1960*
- 12130) Empis (s.str.) insulata Collin, 1960** (Empididae) Synonym(s): *insulata Collin, 1960*
- 12131) Empis (s.str.) lepidopus Meigen, 1822** (Empididae) Synonym(s): *lepidopus Meigen, 1822*
- 12132) Empis (s.str.) nigripes Fabricius, 1794** (Empididae) Synonym(s): *nigripes Fabricius, 1794; obscurella Zetterstedt, 1842*
- 12133) Empis (s.str.) pexata Collin, 1960** (Empididae) Synonym(s): *pexata Collin, 1960*
- 12134) Empis (s.str.) tristis Loew, 1867** (Empididae) Synonym(s): *tristis Loew, 1867*
- 12135) Empis (Xanthempis) aemula Loew, 1873** (Empidae) Synonym(s): *aemula Loew, 1873*
- 12136) Empis (Xanthempis) rohaceki Chvala, 1994** (Empidae) Synonym(s): *rohaceki Chvala, 1994; #rhohaceki Çiftçi & Hasbenli, 2007*
- 12137) Empis (Xanthempis) univittata Loew, 1867** (Empidae) Synonym(s): *univittata Loew, 1867*
- 12138) Empusa fasciata Brullé, 1836** (Empusidae) Synonym(s): *fasciata Brullé, 1836*
- 12139) Empusa pennicornis (Pallas, 1773)** (Empusidae) Synonym(s): *unicornis Linnaeus, 1763; pennicornis Pallas, 1773; pallasiana Olivier, 1792; marginatus Thunberg, 1815; orientalis Burmeister, 1838; stollia Saussure, 1871; attenuata Rammme, 1951; mujuncumica Lindt, 1976; hodshamuminica Lindt, 1976; brevidorsa Lindt, 1977; buharica Lindt, 1977; condarinica Lindt, 1977; copetdagica Lindt, 1977; iliense Lindt, 1977; longidorsa Lindt, 1977; angulata Lindt, 1978; baysunica Lindt, 1978; similis Lindt, 1978; longoapicale Lindt, 1979; luppovae Lindt, 1979; orientalis Lindt, 1979 nec Burm., 1838; lindti Otte, 2004*
- 12140) Hilara antalyensis Chvala, 2008** (Empididae) Synonym(s): *antalyensis Chvala, 2008*
- 12141) Hilara bernmerzi Chvala, 2008** (Empididae) Synonym(s): *bernmerzi Chvala, 2008*
- 12142) Hilara bolkarensis Çiftçi, Parvu & Hasbenli, 2008** (Empididae) Synonym(s): *bolkarensis Çiftçi, Parvu & Hasbenli, 2008*
- 12143) Hilara deryae Çiftçi & Hasbenli, 2011** (Empididae) Synonym(s): *deryae Çiftçi & Hasbenli, 2011*
- 12144) Hilara hasankoci Çiftçi & Hasbenli, 2011** (Empididae) Synonym(s): *hasankoci Çiftçi & Hasbenli, 2011*
- 12145) Hilara moceki Chvala, 2008** (Empididae) Synonym(s): *moceki Chvala, 2008*
- 12146) Hilara spectabilis Chvala, 2008** (Empididae) Synonym(s): *spectabilis Chvala, 2008*
- 12147) Hilara turcica Chvala, 2008** (Empididae) Synonym(s): *turcica Chvala, 2008*
- 12148) Rhamphomyia (Lundstroemiella) cimrmani Bartak, 2006** (Empididae) Synonym(s): *cimrmani Bartak, 2006*
- 12149) Rhamphomyia (s.str.) bohousi Bartak & Kubik, 2008** (Empididae) Synonym(s): *bohousi Bartak & Kubik, 2008*
- 12150) Rhamphomyia (s.str.) karamanensis Bartak, Çiftçi & Hasbenli, 2007** (Empididae) Synonym(s): *karamanensis Bartak, Çiftçi & Hasbenli, 2007*

ENCYRTIDAE

- 12151) Achalcerinys lindus (Mercet, 1921)** (Encyrtidae) Synonym(s): *lindus Mercet, 1921*
- 12152) Adelencyrtus aulacaspidis (Bréthes, 1914)** (Encyrtidae) Synonym(s): *aulacaspidis Bréthes, 1914*
- 12153) Ageniaspis fuscicollis (Dalman, 1820)** (Encyrtidae) Synonym(s): *fuscicollis Dalman, 1820; cyanocephalus Bouché, 1834; praysincola Silvestri, 1907; anchyloperae De Santis, 1957*
- 12154) Anagyrus aligarhensis Agarwal & Alam, 1959** (Encyrtidae) Synonym(s): *diversicornis Mercet, 1921; opacus Mercet, 1921; aligarhensis Agarwal & Alam, 1959; punctulatus Agarwal, 1965; micans Noyes, 2000*
- 12155) Anagyrus matritensis (Mercet, 1921)** (Encyrtidae) Synonym(s): *matritensis Mercet, 1921; orbitalis Ruschka, 1923*
- 12156) Anagyrus pseudococci (Girault, 1915)** (Encyrtidae) Synonym(s): *pseudococci Girault, 1915*
- 12157) Anagyrus schoenherri (Westwood, 1837)** (Encyrtidae) Synonym(s): *schoenherri Westwood, 1837; flavus Ishii, 1928; alboclavatus Ishii, 1928*
- 12158) Anicetus italicus (Masi, 1917)** (Encyrtidae) Synonym(s): *italicus Masi, 1917; brevicaudatus Subba-Rao, 1965*
- 12159) Aphycoides clavellatus (Dalman, 1820)** (Encyrtidae) Synonym(s): *clavellatus Dalman, 1820; corybas Walker, 1837; liriopae Walker, 1837; ilithyia Walker, 1838; mysus Walker, 1838; alycoecus Walker, 1848; cephalotes Ratzeburg, 1852; radialis Thomson, 1876; physokermis Girault, 1916; merceti Ferriere, 1953; viridescens Hoffer, 1957*
- 12160) Aphycus primus (Mercet, 1917)** (Encyrtidae) Synonym(s): *primus Mercet, 1917*
- 12161) Aschitus annulatus Erdős, 1957** (Encyrtidae) Synonym(s): *annulatus Erdős, 1957*
- 12162) Blastothrix erythrostetha (Walker, 1847)** (Encyrtidae) Synonym(s): *erythrostetha Walker, 1847; clara Nikolskaya, 1952*
- 12163) Blastothrix gurselae Japoshvili & Karaca, 2003** (Encyrtidae) Synonym(s): *gurselae Japoshvili & Karaca, 2003*

- 12164) *Blastothrix hungarica* Erdős,1959** (Encyrtidae) Synonym(s): *hungarica* Erdős,1959; *meridionalis* Sugonjaev,1964
- 12165) *Blastothrix longipennis* Howard,1881** (Encyrtidae) Synonym(s): *longipennis* Howard,1881; *confusa* Erdős,1959
- 12166) *Blastothrix sericea* (Dalman,1820)** (Encyrtidae) Synonym(s): *sericea* Dalman,1820; *saccas* Walker,1851; *coryli* Alam,1961
- 12167) *Blastothrix turanica* Sugonjaev,1964** (Encyrtidae) Synonym(s): *turanica* Sugonjaev,1964
- 12168) *Bothriothorax clavicornis* (Dalman,1820)** (Encyrtidae) Synonym(s): *clavicornis* Dalman,1820; *conformis* Thomson,1876
- 12169) *Bothriothorax serratellus* (Dalman,1820)** (Encyrtidae) Synonym(s): *serratellus* Dalman,1820
- 12170) *Callipteroma sexguttata* Motschulsky,1863** (Encyrtidae) Synonym(s): *sexguttata* Motschulsky,1863; *quinqueguttatum* Motschulsky,1863; *guttatipennis* Girault,1915; *kiushiuensis* Ishii,1928
- 12171) *Cerapterocerus mirabilis* Westwood,1833** (Encyrtidae) Synonym(s): *mirabilis* Westwood,1833; *anebus* Walker,1837; *platicera* Costa,1839; *mirabilicornis* Förster,1841; *maculipennis* Ratzeburg,1848; *multiradiatus* Thomson,1876
- 12172) *Cerchysiella planiscutellum* (Mercet,1921)** (Encyrtidae) Synonym(s): *planiscutellum* Mercet,1921; *laeviscuta* Erdős,1946; *vestonicensis* Hoffer,1954
- 12173) *Cerchysius subplanus* (Dalman,1820)** (Encyrtidae) Synonym(s): *subplanus* Dalman,1820; *urocerus* Dalman,1820; *stigmatalis* Westwood,1832; *melanopus* Walker,1837; *caudatus* Förster,1841;
- 12174) *Charitopus fulviventris* Förster,1860** (Encyrtidae) Synonym(s): *fulviventris* Förster,1860; *pinicola* Mercet,1916
- 12175) *Cheiloneurus claviger* Thomson,1876** (Encyrtidae) Synonym(s): *claviger* Thomson,1876; *graeffei* Ruschka,1923
- 12176) *Cheiloneurus paralia* (Walker,1837)** (Encyrtidae) Synonym(s): *paralia* Walker,1837; *formosus* Boheman,1852; *eriococci* Alam,1957; *brachyptera* Hoffer,1957; *nigrithorax* Hoffer,1957; *submacroptera* Hoffer,1957; *mongolicus* Szelenyi,1971
- 12177) *Cheiloneurus quercus* Mayr,1876** (Encyrtidae) Synonym(s): *quercus* Mayr,1876
- 12178) *Choreia maculata* (Hoffer,1954)** (Encyrtidae) Synonym(s): *maculata* Hoffer,1954
- 12179) *Coelopencyrtus callidii* (Jansson,1957)** (Encyrtidae) Synonym(s): *callidii* Jansson,1957; *cephalotus* Hedqvist,1973
- 12180) *Comperiella bifasciata* Howard,1906** (Encyrtidae) Synonym(s): *bifasciata* Howard,1906; *cerapterocera* Mercet,1921; *eugeniae* Risbec,1952
- 12181) *Copidosoma agrotis* (Fonscolombe,1832)** (Encyrtidae) Synonym(s): *agrotis* Fonscolombe,1832; *auricollis* Thomson,1876; *peregrinus* Mercet,1921
- 12182) *Copidosoma aithya* (Walker,1837)** (Encyrtidae) Synonym(s): *aithya* Walker,1837; *hydramon* Walker,1848; *phalenarum* Thomson,1876; *kriechbaumeri* Mayr,1876; *quercicola* Mercet,1921; *salicina* Erdős,1956
- 12183) *Copidosoma boucheanum* Ratzeburg,1844** (Encyrtidae) Synonym(s): *boucheanum* Ratzeburg,1844; *hilaris* Ratzeburg,1852; *cultriformis* Mayr,1876
- 12184) *Copidosoma breviclava* Hoffer,1970** (Encyrtidae) Synonym(s): *breviclava* Hoffer,1970
- 12185) *Copidosoma floridanum* (Ashmead,1900)** (Encyrtidae) Synonym(s): *floridanum* Ashmead,1900; *japonicum* Ashmead,1904; *javae* Girault,1917; *nippon* Girault,1917; *argentinus* Brèthes,1913; *calypso* Crawford,1914; *brasiliensis* Brèthes,1920; *intermedia* Mercet,1921; *walshi* Mercet,1922; *maculata* Ishii,1928; *brethesi* Blanchard,1936; *daccaensis* Mani,1941; *phytometae* Risbec,1951
- 12186) *Copidosoma hispanicum* (Mercet,1921)** (Encyrtidae) Synonym(s): *hispanicum* (Mercet,1921
- 12187) *Copidosoma primulum* (Mercet,1921)** (Encyrtidae) Synonym(s): *primulum* Mercet,1921; *obscurum* Nikolskaya,1952; *nanum* Hoffer,1970; *heliopsis* Liao,1987
- 12188) *Copidosoma truncatellum* (Dalman,1820)** (Encyrtidae) Synonym(s): *truncatellum* Dalman,1820; *aethas* Walker,1837; *aestivalis* Mercet,1921
- 12189) *Copidosoma varicorne* (Nees ab Esenbeck,1834)** (Encyrtidae) Synonym(s): *varicorne* Nees ab Esenbeck,1834; *sylliptae* Risbec,1951; *gallaephila* Risbec,1951; *annulata* Nikolskaya,1952; *clavellatus* Erdős,1960; *batorligetensis* Erdős,1960
- 12190) *Cowperia areolata* (Walker,1872)** (Encyrtidae) Synonym(s): *longicornis* Fonscolombe,1832; *areolata* Walker,1872; *niger* Masi,1919
- 12191) *Dinocarsis hemiptera* (Dalman,1820)** (Encyrtidae) Synonym(s): *hemiptera* Dalman,1820; *submontana* Hoffer,1952
- 12192) *Dicarnosis sugonjaevi* Myartseva,1977** (Encyrtidae) Synonym(s): *sugonjaevi* Myartseva,1977
- 12193) *Dicarnosis superba* Mercet,1921** (Encyrtidae) Synonym(s): *superba* Mercet,1921
- 12194) *Discodes aeneus* (Dalman,1820)** (Encyrtidae) Synonym(s): *aeneus* Dalman,1820; *melanopterus* Nees,1834; *stadius* Walker,1850; *obscuricornis* Mercet,1921; *basihyalinus* Hoffer,1954
- 12195) *Discodes coccophagus* (Ratzeburg,1848)** (Encyrtidae) Synonym(s): *coccophagus* Ratzeburg,1848
- 12196) *Discodes obscuriclavus* Myartseva,1985** (Encyrtidae) Synonym(s): *obscuriclavus* Myartseva,1985
- 12197) *Discodes trjapitzini* Herthveztian,1979** (Encyrtidae) Synonym(s): *trjapitzini* Herthveztian,1979
- 12198) *Echthroplexiella aeneiventris* Mercet,1921** (Encyrtidae) Synonym(s): *aeneiventris* Mercet,1921

- 12199) Encyrtus aurantii (Geoffroy,1785)** (Encyrtidae) Synonym(s): *aurantii* Geoffroy,1785; *lecaniorum* Mayr,1876; *bicolor* Howard,1881; *albicoxa* Ashmead,1885; *hibisci* Girault,1915; *argenticoxa* Girault,1915; *argentiscapus* Girault,1915; *aurantifasciata* Girault,1915; *mirabilis* Brethes,1916; *albiscapus* Masi,1917; *barbatus* Timerlake,1919; *cocci* Risbec,1951; *ceroplastis* Agarwal,1965
- 12200) Encyrtus infelix (Embleton,1902)** (Encyrtidae) Synonym(s): *infelix* Embleton,1902; *hortensis* Girault,1915; *proserpinensis* Girault,1915; *tananarivensis* Risbec,1952
- 12201) Encyrtus infidus (Rossi,1790)** (Encyrtidae) Synonym(s): *infidus* Rossi,1790; *scutellatus* Swederus,1795; *obscura* Dalman,1820; *hokkaidonis* Tachikawa,1963
- 12202) Epitetracnemus intersectus (Fonscolombe)** (Encyrtidae) Synonym(s):
- 12203) Ericydnus aeneus Nikol'skaya** (Encyrtidae) Synonym(s):
- 12204) Ericydnus robustior Mercet** (Encyrtidae) Synonym(s):
- 12205) Eugahania fumipennis (Ratzeburg)** (Encyrtidae) Synonym(s):
- 12206) Ginsiana carpetana (Mercet)** (Encyrtidae) Synonym(s):
- 12207) Habrolepis dalmanni (Westwood)** (Encyrtidae) Synonym(s):
- 12208) Habrolepis italicus Delucchi,1965** (Encyrtidae) Synonym(s): *italicus* Delucchi,1965
- 12209) Homalotylus flaminus (Dalman)** (Encyrtidae) Synonym(s):
- 12210) Homalotylus nigricornis Mercet** (Encyrtidae) Synonym(s):
- 12211) Homalotylus quaylei Timberlake** (Encyrtidae) Synonym(s):
- 12212) Hoplopsis minuta (Fabricius)** (Encyrtidae) Synonym(s):
- 12213) Isodromus flaviscutum Hoffer & Trjapitzin** (Encyrtidae) Synonym(s):
- 12214) Isodromus niger Ashmead** (Encyrtidae) Synonym(s):
- 12215) Lamennaisia ambigua (Nees)** (Encyrtidae) Synonym(s):
- 12216) Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915
- 12217) Leptomastix algerica Trjapitzin** (Encyrtidae) Synonym(s):
- 12218) Leptomastix dactylopii Howard** (Encyrtidae) Synonym(s):
- 12219) Leptomastix flava Mercet** (Encyrtidae) Synonym(s):
- 12220) Mayridia formusula Mercet** (Encyrtidae) Synonym(s):
- 12221) Mayridia merceti Trjapitzin** (Encyrtidae) Synonym(s):
- 12222) Mayridia pulchra Mercet** (Encyrtidae) Synonym(s):
- 12223) Metanotalia maderensis (Walker)** (Encyrtidae) Synonym(s):
- 12224) Metaphycus asterolecanii (Mercet)** (Encyrtidae) Synonym(s):
- 12225) Metaphycus bellae Trjapitzin** (Encyrtidae) Synonym(s):
- 12226) Metaphycus delos Guerrieri & Noyes** (Encyrtidae) Synonym(s):
- 12227) Metaphycus dispar (Mercet)** (Encyrtidae) Synonym(s):
- 12228) Metaphycus flavus (Howard)** (Encyrtidae) Synonym(s):
- 12229) Metaphycus garmon Guerrieri & Noyes** (Encyrtidae) Synonym(s):
- 12230) Metaphycus gennaro Guerrieri & Noyes** (Encyrtidae) Synonym(s):
- 12231) Metaphycus helvolus (Compere)** (Encyrtidae) Synonym(s):
- 12232) Metaphycus ibericus (Mercet)** (Encyrtidae) Synonym(s):
- 12233) Metaphycus insidiosus (Mercet)** (Encyrtidae) Synonym(s):
- 12234) Metaphycus melanostomatus (Timberlake)** (Encyrtidae) Synonym(s):
- 12235) Metaphycus petitus (Walker)** (Encyrtidae) Synonym(s):
- 12236) Metaphycus piceus Hoffer** (Encyrtidae) Synonym(s):
- 12237) Metaphycus silvestrii Sugonjaev** (Encyrtidae) Synonym(s):
- 12238) Metaphycus stagnarum Hoffer** (Encyrtidae) Synonym(s):
- 12239) Microterys bellae Trjapitzin** (Encyrtidae) Synonym(s):
- 12240) Microterys cneus Trjapitzin & Sugonjaev** (Encyrtidae) Synonym(s):
- 12241) Microterys darevskii Trjapitzin** (Encyrtidae) Synonym(s):
- 12242) Microterys hortulanus Erdös** (Encyrtidae) Synonym(s):
- 12243) Microterys lunatus (Dalman)** (Encyrtidae) Synonym(s):
- 12244) Microterys masii Silvestri** (Encyrtidae) Synonym(s):
- 12245) Microterys nietneri (Motschulsky)** (Encyrtidae) Synonym(s):
- 12246) Microterys tricoloricornis (De Stefani)** (Encyrtidae) Synonym(s):
- 12247) Monodiscodes dimorphus (Mercet)** (Encyrtidae) Synonym(s):
- 12248) Ooencyrtus fecundus Ferrière & Voegelé** (Encyrtidae) Synonym(s):
- 12249) Ooencyrtus kuvanae (Howard)** (Encyrtidae) Synonym(s):
- 12250) Ooencyrtus masii (Mercet)** (Encyrtidae) Synonym(s):
- 12251) Ooencyrtus pityocampae (Mercet)** (Encyrtidae) Synonym(s):
- 12252) Ooencyrtus tardus (Ratzeburg)** (Encyrtidae) Synonym(s):
- 12253) Ooencyrtus telenomicida (Vassiliev)** (Encyrtidae) Synonym(s):
- 12254) Parasauleia trjapitzini Hoffer** (Encyrtidae) Synonym(s):
- 12255) Pentacladocerus araraticus (Trjapitzin)** (Encyrtidae) Synonym(s):
- 12256) Pseudococcobius obenbergeri (Novickii)** (Encyrtidae) Synonym(s):

- 12257) Psilophrys bella Japoshvili & Noyes, 2006** (Encyrtidae) Synonym(s): *bella Japoshvili & Noyes, 2006*
- 12258) Psilophrys ghilarovi Japoshvili, 2005** (Encyrtidae) Synonym(s): *ghilarovi Japoshvili, 2005*
- 12259) Psilophrys tenuicornis Graham, 1969** (Encyrtidae) Synonym(s): *longicornis Walker, 1847 nec Dalm., 1820; tenuicornis Graham, 1969*
- 12260) Psyllaephagus caillardiae Sugonjaev** (Encyrtidae) Synonym(s):
- 12261) Psyllaephagus elaeagni Trjapitzin** (Encyrtidae) Synonym(s):
- 12262) Psyllaephagus euphyllurae (Masi)** (Encyrtidae) Synonym(s):
- 12263) Psyllaephagus pistaciae Ferrière** (Encyrtidae) Synonym(s):
- 12264) Psyllaephagus procerus (Mercet)** (Encyrtidae) Synonym(s):
- 12265) Psyllaephagus pulchellus (Mercet)** (Encyrtidae) Synonym(s):
- 12266) Psyllaephagus tokgaevi Myartseva** (Encyrtidae) Synonym(s):
- 12267) Rhopus flavidus (Mercet, 1921)** (Encyrtidae) Synonym(s): *flavidus Mercet, 1921*
- 12268) Stryphophagus aphidivorus (Mayr)** (Encyrtidae) Synonym(s):
- 12269) Tetracnemus heydeni (Mayr)** (Encyrtidae) Synonym(s):
- 12270) Tetracnemus terminassianae Herthveztian** (Encyrtidae) Synonym(s):
- 12271) Trechnites flavipes (Mercet)** (Encyrtidae) Synonym(s):
- 12272) Trechnites psyllae (Ruschka)** (Encyrtidae) Synonym(s):
- 12273) Trichomasthus albimanus Thomson** (Encyrtidae) Synonym(s):
- 12274) Zaomma lambinus (Walker)** (Encyrtidae) Synonym(s):

EPHYDRIDAE

- 12275) Ephydra afghanica Dahl, 1961** (Ephydridae) Synonym(s): *afghanica Dahl, 1961*
- 12276) Ephydra flavipes (Macquart, 1843)** (Ephydridae) Synonym(s): *flavipes Macquart, 1843; helwanensis Steyskal, 1968*
- 12277) Ephydra murina Wirth, 1975** (Ephydridae) Synonym(s): *murina Wirth, 1975*
- 12278) Halmopota mediterranea Loew, 1860** (Ephydridae) Synonym(s): *mediterranea Loew, 1860; anatolica Canzoneri & Meneghini, 1974; septentrionalis Canzoneri & Meneghini, 1974*
- 12279) Halmopota tomentosa Canzoneri & Meneghini, 1974** (Ephydridae) Synonym(s): *tomentosa Canzoneri & Meneghini, 1974*
- 12280) Hecamedoides costatus (Loew, 1860)** (Ephydridae) Synonym(s): *costata Loew, 1860*
- 12281) Hydrellia griseola (Fallén, 1813)** (Ephydridae) Synonym(s): *griseola Fallén, 1813; obscura Meigen, 1830; chrysostoma Meigen, 1830*
- 12282) Mosillus subsultans (Fabricius, 1794)** (Ephydridae) Synonym(s): *subsultans Fabricius, 1794*
- 12283) Notiphila australis Loew, 1860** (Ephydridae) Synonym(s): *australis Loew, 1860*
- 12284) Notiphila riparia Meigen, 1830** (Ephydridae) Synonym(s): *riparia Meigen, 1830; guttiventris Stenhammar, 1844*
- 12285) Notiphila stagnicola R-D., 1830** (Ephydridae) Synonym(s): *stagnicola R-D., 1830*
- 12286) Psilopa nana (Loew, 1860)** (Ephydridae) Synonym(s): *nana Loew, 1860*
- 12287) Psilopa obscuripes Loew, 1860** (Ephydridae) Synonym(s): *obscuripes Loew, 1860*
- 12288) Scatella (Neoscatella) subguttata (Meigen, 1830)** (Ephydridae) Synonym(s): *subguttata Meigen, 1830; aestuans Haliday, 1833; flavipennis Stenhammar, 1844; gilva Loew, 1860; aurulenta Soika, 1956*

ERIOCOCCIDAE

- 12289) Cryptococcus fagisuga Lindinger** (Eriococcidae) Synonym(s): *fagisuga Lindinger*
- 12290) Eriococcus agropyri (Borchsenius)** (Eriococcidae) Synonym(s): *agropyri Borchsenius*
- 12291) Eriococcus araucariae Maskell** (Eriococcidae) Synonym(s): *araucariae Maskell*
- 12292) Eriococcus buxi (Boyer de Fonscolombe)** (Eriococcidae) Synonym(s): *buxi Boyer de Fonscolombe*
- 12293) Eriococcus cingulatus Kiritchenko** (Eriococcidae) Synonym(s): *cingulatus Kiritchenko*
- 12294) Eriococcus cynodontis Kiritchenko** (Eriococcidae) Synonym(s): *cynodontis Kiritchenko*
- 12295) Eriococcus devoniensis (Green)** (Eriococcidae) Synonym(s): *devoniensis Green*
- 12296) Eriococcus greeni Newstead** (Eriococcidae) Synonym(s): *greeni Newstead*
- 12297) Eriococcus herbaceus (Danzig)** (Eriococcidae) Synonym(s): *herbaceus Danzig*
- 12298) Eriococcus laingi (Bodenheimer)** (Eriococcidae) Synonym(s): *laingi Bodenheimer*
- 12299) Eriococcus micracanthus (Danzig)** (Eriococcidae) Synonym(s): *micracanthus Danzig*
- 12300) Eriococcus munroi (Boratynski)** (Eriococcidae) Synonym(s): *munroi Boratynski*
- 12301) Eriococcus pseudinsignis Green** (Eriococcidae) Synonym(s): *pseudinsignis Green*

- 12302) Eriococcus roboris Goux** (Eriococcidae) Synonym(s): *roboris Goux*
12303) Eriococcus spurius (Modeer) (Eriococcidae) Synonym(s): *spurius Modeer*
12304) Eriococcus tavnigani Goux (Eriococcidae) Synonym(s): *tavnigani Goux*
12305) Eriococcus thymi (Schränk) (Eriococcidae) Synonym(s): *thymi Schränk*
12306) Eriococcus variabilis Goux (Eriococcidae) Synonym(s): *variabilis Goux*
12307) Eriococcus zernae (Tereznikova) (Eriococcidae) Synonym(s): *zernae Tereznikova*
12308) Pseudochermes fraxini (Kaltenbach) (Eriococcidae) Synonym(s): *fraxini Kaltenbach*

EUCHARIDAE

- 12309) Eucharis (Psilogastrellus) anatolica Bouček,1951** (Eucharidae) Synonym(s): *anatolica Bouček,1952*
12310) Eucharis (Psilogastrellus) punctata Förster,1859 (Eucharidae) Synonym(s): *punctata Förster,1859*
12311) Eucharis (s.str.) adscendens (Fabricius,1787) (Eucharidae) Synonym(s): *adscendens Fabricius,1787; kollari Förster,1859*
12312) Eucharis (s.str.) reticulata Ruschka,1924 (Eucharidae) Synonym(s): *reticulata Ruschka,1924*
12313) Eucharis (s.str.) specularis Ruschka,1924 (Eucharidae) Synonym(s): *specularis Ruschka,1924*
12314) Eucharis (s.str.) turca Nikolskaya,1952 (Eucharidae) Synonym(s): *turca Nikolskaya,1952*
12315) Stilbula cyniformis (Rossi,1792) (Eucharidae) Synonym(s): *cyniformis Rossi,1792; tenuicornis Ashmead,1904; nekkensis Ishii,1938; #cynipiformis auct.*
12316) Stilbula vitripennis Masi,1934 (Eucharidae) Synonym(s): *vitripennis Masi,1934*

EULOPHIDAE

- 12317) Anaprostocetus acuminatus (Ratzeburg,1848)** (Eulophidae) Synonym(s): *acuminatus Ratzeburg,1848*
12318) Anaprostocetus ankarensis Gençer,2009 (Eulophidae) Synonym(s): *ankarensis Gençer,2009*
12319) Aprostocetus agevilleae Graham,1987 (Eulophidae) Synonym(s): *agevilleae Graham,1987*
12320) Aprostocetus agrus (Walker,1839) (Eulophidae) Synonym(s): *agrus Walker,1839; amynus Walker,1839; conii Erdős,1954; rugosus Erdős,1954*
12321) Aprostocetus bucculentus (Kostjukov,1978) (Eulophidae) Synonym(s): *bucculentus Kostjukov,1978*
12322) Aprostocetus catius (Walker,1839) (Eulophidae) Synonym(s): *catius Walker,1839*
12323) Aprostocetus caudatus Westwood,1833 (Eulophidae) Synonym(s): *caudatus Westwood,1833; tristis Nees,1834; phalis Walker,1839; trabea Walker,1839; mutilia Walker,1839; crassicauda Thomson,1878*
12324) Aprostocetus ceroplastae (Girault,1916) (Eulophidae) Synonym(s): *ceroplastae Girault,1916*
12325) Aprostocetus coelarchus (Graham,1991) (Eulophidae) Synonym(s): *coelarchus Graham,1991*
12326) Aprostocetus cracens Graham,1987 (Eulophidae) Synonym(s): *cracens Graham,1987*
12327) Aprostocetus crino (Walker,1838) (Eulophidae) Synonym(s): *crino Walker,1838; dispar Silvestri,1920; oecanthivorus Gahan,1932; compar Gahan,1932; dubius Bakkendorf,1955*
12328) Aprostocetus decrescens (Graham,1991) (Eulophidae) Synonym(s): *decrescens Graham,1991*
12329) Aprostocetus eriophyes (Taylor,1909) (Eulophidae) Synonym(s): *eriophyes Taylor,1909*
12330) Aprostocetus eurytomae (Nees ab Esenbeck,1834) (Eulophidae) Synonym(s): *eurytomae Nees ab Esenbeck,1834*
12331) Aprostocetus forsteri (Walker,1847) (Eulophidae) Synonym(s): *forsteri Walker,1847*
12332) Aprostocetus holoxanthus Graham,1991 (Eulophidae) Synonym(s): *flavus Graham,1987 nec Gir.,1913; holoxanthus Graham,1991*
12333) Aprostocetus levadiensis Graham,1987 (Eulophidae) Synonym(s): *levadiensis Graham,1987*
12334) Aprostocetus longicauda (Thomson,1878) (Eulophidae) Synonym(s): *longicauda Thomson,1878*
12335) Aprostocetus lycidas (Walker,1839) (Eulophidae) Synonym(s): *lycidas Walker,1839*
12336) Aprostocetus melasomae (Graham,1991) (Eulophidae) Synonym(s): *melasomae Graham,1991*
12337) Aprostocetus neglectus (Domenichini,1957) (Eulophidae) Synonym(s): *neglectus Domenichini,1957*
12338) Aprostocetus pausiris (Walker,1839) (Eulophidae) Synonym(s): *pausiris Walker,1839*
12339) Aprostocetus productus Graham,1987 (Eulophidae) Synonym(s): *productus Graham,1987*
12340) Aprostocetus pygmaeus (Zetterstedt,1838) (Eulophidae) Synonym(s): *pygmaeus Zetterstedt,1838*
12341) Aprostocetus sinope (Walker,1839) (Eulophidae) Synonym(s): *sinope Walker,1839; agathocles Walker,1839; hippis Walker,1839; rapo Walker,1839*
12342) Aprostocetus terebrans Erdős,1954 (Eulophidae) Synonym(s): *terebrans Erdős,1954*

- 12343) Aprostocetus toddaliae (Risbec,1958)** (Eulophidae) Synonym(s): *toddaliae* Risbec,1958
- 12344) Aprostocetus trjapitzini (Kostjukov,1976)** (Eulophidae) Synonym(s): *trjapitzini* Kostjukov,1976
- 12345) Aprostocetus tymber (Walker,1839)** (Eulophidae) Synonym(s): *tymber* Walker,1839
- 12346) Aulogymnus skianeuros (Ratzeburg,1844)** (Eulophidae) Synonym(s): *skianeuros* Ratzeburg,1844; *skianeurus* Ratzeburg,1848
- 12347) Baryscapus adalia (Walker,1839)** (Eulophidae) Synonym(s): *adalia* Walker,1839; *crassinervis* Thomson,1878
- 12348) Baryscapus babiye Doğanlar,1993** (Eulophidae) Synonym(s): *babiye Doğanlar,1993*
- 12349) Baryscapus bruchidii (Erdös)** (Eulophidae) Synonym(s):
- 12350) Baryscapus bruchivorus (Gahan)** (Eulophidae) Synonym(s):
- 12351) Baryscapus bruchophagi (Gahan)** (Eulophidae) Synonym(s):
- 12352) Baryscapus ceroplastophilus (Domenichini)** (Eulophidae) Synonym(s):
- 12353) Baryscapus cirsiicola Graham** (Eulophidae) Synonym(s):
- 12354) Baryscapus crassicornis (Erdös)** (Eulophidae) Synonym(s):
- 12355) Baryscapus दौर (Walker)** (Eulophidae) Synonym(s):
- 12356) Baryscapus endemus (Walker)** (Eulophidae) Synonym(s):
- 12357) Baryscapus euphorbiae Graham** (Eulophidae) Synonym(s):
- 12358) Baryscapus evonymellae Bouché** (Eulophidae) Synonym(s):
- 12359) Baryscapus fossarum Graham** (Eulophidae) Synonym(s):
- 12360) Baryscapus galactopus (Ratzeburg)** (Eulophidae) Synonym(s):
- 12361) Baryscapus garganus (Domenichini)** (Eulophidae) Synonym(s):
- 12362) Baryscapus gaziantepensis Doğanlar,1993** (Eulophidae) Synonym(s): *gaziantepensis* Doğanlar,1993
- 12363) Baryscapus impeditus (Nees)** (Eulophidae) Synonym(s):
- 12364) Baryscapus nigroviolaceus (Nees)** (Eulophidae) Synonym(s):
- 12365) Baryscapus pallidae Graham** (Eulophidae) Synonym(s):
- 12366) Baryscapus protasis Graham** (Eulophidae) Synonym(s):
- 12367) Baryscapus servadeii (Domenichini)** (Eulophidae) Synonym(s):
- 12368) Baryscapus spartifoliellae Graham** (Eulophidae) Synonym(s):
- 12369) Baryscapus turionum (Hartig)** (Eulophidae) Synonym(s):
- 12370) Ceranisus antalyacus Triapitsyn,2004** (Eulophidae) Synonym(s): *antalyacus* Triapitsyn,2004
- 12371) Ceranisus bozovaensis (Doğanlar,2003)** (Eulophidae) Synonym(s): *bozovaensis* Doğanlar,2003
- 12372) Ceranisus hirsutus Doğanlar & Triapitsyn,2007** (Eulophidae) Synonym(s): *hirsutus* Doğanlar & Triapitsyn,2007
- 12373) Ceranisus menes (Walker,1839)** (Eulophidae) Synonym(s): *menes* Walker,1839
- 12374) Ceranisus pacuvius (Walker,1841)** (Eulophidae) Synonym(s): *pacuvius* Walker,1841
- 12375) Chrysocharis amanus (Walker)** (Eulophidae) Synonym(s):
- 12376) Chrysocharis debussyi Hansson** (Eulophidae) Synonym(s):
- 12377) Chrysocharis gemma (Walker)** (Eulophidae) Synonym(s):
- 12378) Chrysocharis idyia (Walker)** (Eulophidae) Synonym(s):
- 12379) Chrysocharis laomedon (Walker)** (Eulophidae) Synonym(s):
- 12380) Chrysocharis latifossa Hansson** (Eulophidae) Synonym(s):
- 12381) Chrysocharis liriomyzae Delucchi** (Eulophidae) Synonym(s):
- 12382) Chrysocharis mediana Förster** (Eulophidae) Synonym(s):
- 12383) Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarius* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980
- 12384) Chrysocharis pentheus (Walker)** (Eulophidae) Synonym(s):
- 12385) Chrysocharis phryne (Walker)** (Eulophidae) Synonym(s):
- 12386) Chrysocharis polyzo (Walker)** (Eulophidae) Synonym(s):
- 12387) Chrysocharis pubicornis (Zetterstedt)** (Eulophidae) Synonym(s):
- 12388) Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lynx* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878
- 12389) Cirrospilus staryi Boucek,1959** (Eulophidae) Synonym(s): *staryi* Boucek,1959
- 12390) Cirrospilus variegatus (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907
- 12391) Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955
- 12392) Closterocerus arvensis (Graham,1963)** (Eulophidae) Synonym(s): *arvensis* Graham,1963
- 12393) Closterocerus chlorogaster (Erdös,1966)** (Eulophidae) Synonym(s): *chlorogaster* Erdös,1966
- 12394) Closterocerus cuprifrons (Erdös,1954)** (Eulophidae) Synonym(s): *cuprifrons* Erdös,1954

- 12395) *Closterocerus formosus* Westwood, 1833** (Eulophidae) Synonym(s): *formosus* Westwood, 1833; *phaenna* Walker, 1839; *lunatus* Ratzeburg, 1848; *ovulorum* Ratzeburg, 1848; *fullowayi* Crawford, 1913; *meridionalis* Silvestri, 1914; *silvia* Girault, 1917; *camilli* Girault, 1917
- 12396) *Closterocerus lyonetiae* (Ferrière, 1952)** (Eulophidae) Synonym(s): *lyonetiae* Ferrière, 1952; *fimbriata* Erdős, 1956
- 12397) *Colpoclypeus florus* (Walker, 1839)** (Eulophidae) Synonym(s): *florus* Walker, 1839; *silvestrii* Lucchese, 1941
- 12398) *Crataepus marbis* (Walker, 1839)** (Eulophidae) Synonym(s): *marbis* Walker, 1839; *aquisgranensis* Förster, 1878; *fletcherii* Ashmead, 1892
- 12399) *Dahlbominus fuscipennis* (Zetterstedt, 1838)** (Eulophidae) Synonym(s): *fuscipennis* Zetterstedt, 1838
- 12400) *Diglyphus anadolucus* Doğanlar, 1982** (Eulophidae) Synonym(s): *anadolucus* Doğanlar, 1982
- 12401) *Diglyphus chabrias* (Walker, 1838)** (Eulophidae) Synonym(s): *chabrias* Walker, 1838
- 12402) *Diglyphus crassinervis* Erdős, 1958** (Eulophidae) Synonym(s): *crassinervis* Erdős, 1958
- 12403) *Diglyphus isaea* (Walker, 1838)** (Eulophidae) Synonym(s): *isaea* Walker, 1838; *lycophron* Walker, 1838; *medidas* Walker, 1838; *gracilis* Goureau, 1851; *ornatus* Förster, 1861; *bisannulatus* Förster, 1861; *clavicornis* Walker, 1872; *phytomyzae* Rondani, 1877
- 12404) *Diglyphus pachyneurus* Graham, 1963** (Eulophidae) Synonym(s): *pachyneurus* Graham, 1963
- 12405) *Elachertus fenestratus* Nees ab Esenbeck, 1834** (Eulophidae) Synonym(s): *fenestratus* Nees ab Esenbeck, 1834; *argissa* Walker, 1839; *eurybates* Walker, 1839; *saon* Walker, 1839; *opaculus* Thomson, 1878; *coxalis* Howard, 1885; *viridaeneus* Cresson, 1887; *pini* Gahan, 1927
- 12406) *Elachertus pulcher* (Erdős, 1961)** (Eulophidae) Synonym(s): *pulcher* Erdős, 1961
- 12407) *Elasmus cyprianus* Ferrière, 1947** (Eulophidae) Synonym(s): *cyprianus* Ferrière, 1947
- 12408) *Elasmus flabellatus* (Fonscolombe, 1832)** (Eulophidae) Synonym(s): *flabellatus* Fonscolombe, 1832; *scutellaris* Nees, 1834; *rhpicerus* Förster, 1841; *giraudi* Ferrière, 1947
- 12409) *Elasmus nudus* (Nees ab Esenbeck, 1834)** (Eulophidae) Synonym(s): *nudus* Nees ab Esenbeck, 1834; *albipennis* Thomson, 1878
- 12410) *Elasmus phthorimaeae* Ferrière, 1947** (Eulophidae) Synonym(s): *phthorimaeae* Ferrière, 1947
- 12411) *Elasmus platydrae* Ferrière, 1935** (Eulophidae) Synonym(s): *platydrae* Ferrière, 1935; *elongatus* Ferrière, 1947
- 12412) *Elasmus steffani* Viggiani, 1967** (Eulophidae) Synonym(s): *masii* Steffan, 1962; *steffani* Viggiani, 1967
- 12413) *Elasmus unicolor* (Rondani, 1877)** (Eulophidae) Synonym(s): *unicolor* Rondani, 1877; *fumipennis* Thomson, 1878; *vibicellae* Ferrière, 1947
- 12414) *Elasmus westwoodi* Giraud, 1856** (Eulophidae) Synonym(s): *westwoodi* Giraud, 1856
- 12415) *Entedon abdera* Walker, 1839** (Eulophidae) Synonym(s): *abdera* Walker, 1839; *punctatus* Thomson, 1878; *nigritarsis* Erdős, 1944
- 12416) *Entedon angorensis* Gumovsky, 1999** (Eulophidae) Synonym(s): *angorensis* Gumovsky, 1999
- 12417) *Entedon biroi* Erdős, 1944** (Eulophidae) Synonym(s): *biroi* Erdős, 1944
- 12418) *Entedon calcicola* Graham, 1971** (Eulophidae) Synonym(s): *calcicola* Graham, 1971
- 12419) *Entedon cionobius* Thomson, 1878** (Eulophidae) Synonym(s): *cionobius* Thomson, 1878; *cinereae* Erdős, 1961; *fruticola* Gumowsky, 1996
- 12420) *Entedon fufius* Walker, 1846** (Eulophidae) Synonym(s): *fufius* Walker, 1846; *montanus* Erdős, 1951
- 12421) *Entedon hercyna* Walker, 1839** (Eulophidae) Synonym(s): *hercyna* Walker, 1839; *elongatus* Thomson, 1878; *aselli* Erdős, 1954
- 12422) *Entedon longus* Boucek, 1968** (Eulophidae) Synonym(s): *longulus* Erdős, 1944; *longus* Boucek, 1968
- 12423) *Entedon pallicrus* Erdős, 1944** (Eulophidae) Synonym(s): *pallicrus* Erdős, 1944
- 12424) *Entedon palvicalcar* Thomson, 1878** (Eulophidae) Synonym(s): *palvicalcar* Thomson, 1878; *subovatus* Thomson, 1878
- 12425) *Entedon pinetorum* Ratzeburg, 1852** (Eulophidae) Synonym(s): *pinetorum* Ratzeburg, 1852
- 12426) *Entedon procioni* Erdős, 1944** (Eulophidae) Synonym(s): *procioni* Erdős, 1944; *molybdaenus* Erdős, 1944; *urticarii* Erdős, 1951; *meliloti* Askew, 1992
- 12427) *Entedon sparetus* Walker, 1839** (Eulophidae) Synonym(s): *sparetus* Walker, 1839; *longiventris* Thomson, 1878; *longiventrosus* Dalla Torre, 1898; *insignis* Erdős, 1944; *lixi* Erdős, 1951; *mecini* Askew, 1992
- 12428) *Entedon subpunctatus* [n.n.]** (Eulophidae) Synonym(s): *#subpunctatus* Doğanlar, 1985
- 12429) *Entedon thomsianus* Erdős, 1944** (Eulophidae) Synonym(s): *thomsianus* Erdős, 1944
- 12430) *Euderus agrili* Boucek** (Eulophidae) Synonym(s):
- 12431) *Euderus brevicornis* Boucek** (Eulophidae) Synonym(s):
- 12432) *Euderus palustris* Erdős** (Eulophidae) Synonym(s):
- 12433) *Eulophus larvarum* (Linnaeus, 1758)** (Eulophidae) Synonym(s): *larvarum* Linnaeus, 1758; *aeneicoxa* Thomson, 1878
- 12434) *Euplectrus bicolor* (Swederus)** (Eulophidae) Synonym(s):
- 12435) *Euplectrus ceresensis* Ferrière** (Eulophidae) Synonym(s):
- 12436) *Euplectrus flavipes* (Fonscolombe)** (Eulophidae) Synonym(s):
- 12437) *Euplectrus phthorimaeae* Ferrière** (Eulophidae) Synonym(s):

- 12438) Hemiptarsenus varicornis (Graul)** (Eulophidae) Synonym(s):
12439) Hemiptarsenus zilahisebessi Erdös (Eulophidae) Synonym(s):
12440) Hyssopus geniculatus (Hartig) (Eulophidae) Synonym(s):
12441) Hyssopus nigrutilus (Zetterstedt) (Eulophidae) Synonym(s):
12442) Leptocybe invasa Fisher & La Salle, 2004 (Eulophidae) Synonym(s): *invasa* Fisher & La Salle, 2004
12443) Microlycus erdoesi Boucek (Eulophidae) Synonym(s):
12444) Necremnus artynes (Walker) (Eulophidae) Synonym(s):
12445) Necremnus croton (Walker) (Eulophidae) Synonym(s):
12446) Necremnus leucarthros (Nees) (Eulophidae) Synonym(s):
12447) Necremnus tidius (Walker) (Eulophidae) Synonym(s):
12448) Neotrichoporoides beyarslani Doğanlar, 1993 (Eulophidae) Synonym(s): *beyarslani* Doğanlar, 1993
12449) Neotrichoporoides biogradensis Graham (Eulophidae) Synonym(s):
12450) Neotrichoporoides cavigena Graham (Eulophidae) Synonym(s):
12451) Neotrichoporoides cynodontis (Domenichini) (Eulophidae) Synonym(s):
12452) Neotrichoporoides mediterraneus Graham (Eulophidae) Synonym(s):
12453) Neotrichoporoides szelenyii (Erdös) (Eulophidae) Synonym(s):
12454) Neotrichoporoides tokatensis Doğanlar, 1993 (Eulophidae) Synonym(s): *tokatensis* Doğanlar, 1993
12455) Neotrichoporoides viridimaculatus (Fullaway) (Eulophidae) Synonym(s):
12456) Oomyzus scaposus (Thomson) (Eulophidae) Synonym(s):
12457) Oomyzus sempronius (Erdös) (Eulophidae) Synonym(s):
12458) Pediobius bruchicida (Rondani, 1872) (Eulophidae) Synonym(s): *bruchicida* Rondani, 1872
12459) Pediobius cassidae Erdös, 1958 (Eulophidae) Synonym(s): *cassidae* Erdös, 1958
12460) Pediobius epigonus (Walker, 1839) (Eulophidae) Synonym(s): *epigonus* Walker, 1839
12461) Pediobius metallicus (Nees ab Esenbeck, 1834) (Eulophidae) Synonym(s): *metallicus* Nees ab Esenbeck, 1834; *acantha* Walker, 1839; *caenus* Walker, 1839
12462) Pediobius nigratarsis (Thomson, 1878) (Eulophidae) Synonym(s): *nigratarsis* Thomson, 1878
12463) Pediobius pyrgo (Walker, 1839) (Eulophidae) Synonym(s): *pyrgo* Walker, 1839
12464) Pediobius saulius (Walker, 1839) (Eulophidae) Synonym(s): *saulius* Walker, 1839
12465) Platyplectrus bouceki (Erdös) (Eulophidae) Synonym(s):
12466) Pnigalio agraulis (Walker) (Eulophidae) Synonym(s):
12467) Pnigalio longulus (Zetterstedt) (Eulophidae) Synonym(s):
12468) Pnigalio pectinicornis (Linnaeus) (Eulophidae) Synonym(s):
12469) Pnigalio soemius (Walker) (Eulophidae) Synonym(s):
12470) Pronotalia carlinarum (Szelényi & Erdös) (Eulophidae) Synonym(s):
12471) Pronotalia erzurumica Doğanlar, 1993 (Eulophidae) Synonym(s): *erzurumica* Doğanlar, 1993
12472) Pronotalia fiorii (Domenichini) (Eulophidae) Synonym(s):
12473) Pronotalia hungarica (Erdös) (Eulophidae) Synonym(s):
12474) Pronotalia tortumensis Doğanlar, 1993 (Eulophidae) Synonym(s): *tortumensis* Doğanlar, 1993
12475) Puklina gelincika Doğanlar, 1993 (Eulophidae) Synonym(s): *gelincika* Doğanlar, 1993
12476) Quadrastichodella nova Girault, 1922 (Eulophidae) Synonym(s): *nova* Girault, 1922; *eucalypti* Timberlake, 1957; *obscurata* De Santis, 1957
12477) Quadrastichus dasineurae M. Doğanlar, Lasalle, Sertkaya & O. Doğanlar, 2009 (Eulophidae) Synonym(s): *dasineurae* M. Doğanlar, Lasalle, Sertkaya & O. Doğanlar, 2009
12478) Ratzeburgiola cristatus (Ratzeburg) (Eulophidae) Synonym(s):
12479) Ratzeburgiola incompleta Boucek (Eulophidae) Synonym(s):
12480) Rhicnopelte crassicornis (Nees) (Eulophidae) Synonym(s):
12481) Semielacher petiolata (Graul) (Eulophidae) Synonym(s):
12482) Sigmophora brevicornis (Panzer) (Eulophidae) Synonym(s):
12483) Sympiesis acalle (Walker, 1848) (Eulophidae) Synonym(s): *acalle* Walker, 1848; *nubeculatus* Ratzeburg, 1848; *bifasciatus* Thomson, 1878; *bimaculatipennis* Girault, 1912; *bimaculatus* Crawford, 1913; *meteor* Girault, 1916
12484) Sympiesis albiflava Fahringer, 1944 (Eulophidae) Synonym(s): *albiflava* Fahringer, 1944
12485) Sympiesis euspilapterygis (Erdös, 1958) (Eulophidae) Synonym(s): *euspilapterygis* Erdös, 1958
12486) Sympiesis sericeicornis (Nees ab Esenbeck, 1834) (Eulophidae) Synonym(s): *sericeicornis* Nees ab Esenbeck, 1834; *upupaenellae* Bouché, 1834; *docilis* Walker, 1839; *eneugamus* Walker, 1839; *sithon* Walker, 1839; *laticornis* Ratzeburg, 1848; *punctipleura* Thomson, 1878; *conicus* Provancher, 1887; *nigrifemora* Ashmead, 1888; *massasoit* Crawford, 1913; *fulvipes* Györfi, 1941
12487) Sympiesis turcica Fahringer, 1938 (Eulophidae) Synonym(s): *turcica* Fahringer, 1938
12488) Wichmannia decorata Ruschka, 1916 (Eulophidae) Synonym(s): *decorata* Ruschka, 1916

EUMASTICIDAE

12489) Pseudosavalania karabagi Demirsoy,1973 (Eumasticidae) Synonym(s): *karabagi Demirsoy,1973*

EUPELMIDAE

12490) Anastatus bifasciatus (Geoffroy) (Eupelmidae) Synonym(s):

12491) Calosota aestivalis Curtis (Eupelmidae) Synonym(s):

12492) Eupelmus annulatus Nees (Eupelmidae) Synonym(s):

12493) Eupelmus microzonus Förster (Eupelmidae) Synonym(s):

12494) Eupelmus seculatus (Ferrière) (Eupelmidae) Synonym(s):

12495) Eupelmus urozonus Dalman (Eupelmidae) Synonym(s):

12496) Eupelmus vesicularis (Retzius) (Eupelmidae) Synonym(s):

12497) Pentacladia hatayensis Doğanlar,2003 (Eupelmidae) Synonym(s): *hatayensis Doğanlar,2003*

EURYTOMIDAE

12498) Bruchophagus roddi Gussakovskiy,1933 (Eurytomidae) Synonym(s): *roddi Gussakovskiy,1933*

12499) Eurytoma amygdali Enderlein,1907 (Eurytomidae) Synonym(s): *amygdali Enderlein,1907*

12500) Eurytoma aspila (Walker,1836) (Eurytomidae) Synonym(s): *aspila Walker,1836*

12501) Eurytoma brevicoxa Zerova & Çam,2003 (Eurytomidae) Synonym(s): *brevicoxa Zerova & Çam,2003*

12502) Eurytoma curculionum Mayr,1878 (Eurytomidae) Synonym(s): *curculionum Mayr,1878*

12503) Eurytoma curta Walker,1832 (Eurytomidae) Synonym(s): *curta Walker,1832*

12504) Eurytoma kemalpasensis Narendran, Tezcan & Civelek,1995 (Eurytomidae) Synonym(s): *kemalpasensis Narendran, Tezcan & Civelek,1995*

12505) Eurytoma lobopterae Erdös,1964 (Eurytomidae) Synonym(s): *lobopterae Erdös,1964*

12506) Eurytoma martellii Domenichini,1960 (Eurytomidae) Synonym(s): *martellii Domenichini,1960*

12507) Eurytoma pistaciae Rondani,1877 (Eurytomidae) Synonym(s): *pistaciae Rondani,1877; setigera Mayr,1878*

12508) Eurytoma robusta Mayr,1878 (Eurytomidae) Synonym(s): *robusta Mayr,1878*

12509) Eurytoma rosae Nees ab Esenbeck,1834 (Eurytomidae) Synonym(s): *rosae Nees ab Esenbeck,1834; pubicornis Boheman,1836*

12510) Eurytoma schreineri Schreiner,1908 (Eurytomidae) Synonym(s): *schreineri Schreiner,1908*

12511) Eurytoma serratulae (Fabricius,1798) (Eurytomidae) Synonym(s): *serratulae Fabricius,1798; tristis Mayr,1878*

12512) Eurytoma tokatensis Doğanlar & Çam,1991 (Eurytomidae) Synonym(s): *tokatensis Doğanlar & Çam,1991*

12513) Eurytoma turkezia Zerova & Çam,2003 (Eurytomidae) Synonym(s): *turkezia Zerova & Çam,2003*

12514) Exeurytoma anatolica Çam,1998 (Eurytomidae) Synonym(s): *anatolica Çam,1998*

12515) Exeurytoma kebanensis Doğanlar,2005 (Eurytomidae) Synonym(s): *kebanensis Doğanlar,2005*

12516) Macrorileya femorata (Boucek,1952) (Eurytomidae) Synonym(s): *femorata Boucek,1952*

12517) Macrorileya inopinata (Silvestri,1920) (Eurytomidae) Synonym(s): *inopinata Silvestri,1920*

12518) Rileyia doganlari Çam,2003 (Eurytomidae) Synonym(s): *doganlari Çam,2003*

12519) Sycophila biguttata (Swederus,1795) (Eurytomidae) Synonym(s): *biguttata Swederus,1795; obscura Curtis,1831; cooperi Curtis,1831; fasciatus Fonscolombe,1832; immaculata Walker,1832; semifasciata Walker,1834; signata Nees,1834; inaequalis Thomson,1876; strigifrons Thomson,1876*

12520) Sycophila submutica (Thomson,1876) (Eurytomidae) Synonym(s): *submutica Thomson,1876*

12521) Sycophila variegata (Curtis,1831) (Eurytomidae) Synonym(s): *variegata Curtis,1831*

12522) Systole brunnicornis Zerova & Çam,2003 (Eurytomidae) Synonym(s): *brunnicornis Zerova & Çam,2003*

12523) Systole minima Zerova & Çam,2003 (Eurytomidae) Synonym(s): *minima Zerova & Çam,2003*

12524) Systole plana Zerova & Çam,2004 (Eurytomidae) Synonym(s): *plana Zerova & Çam,2004*

12525) Systole tokata Zerova & Çam,2004 (Eurytomidae) Synonym(s): *tokata Zerova & Çam,2004*

12526) Tetramesa anatolica Zerova & Çam (Eurytomidae) Synonym(s):

12527) Tetramesa maderae (Walker,1849) (Eurytomidae) Synonym(s): *maderae Walker,1849*

FANNIIDAE

- 12528) *Fannia brinae* Albuquerque, 1951** (Fanniidae) Synonym(s): *brinae* Albuquerque, 1951
12529) *Fannia canicularis* (Linnaeus, 1761) (Fanniidae) Synonym(s): *canicularis* Linnaeus, 1761; *rivularis* R-D., 1830; *chilensis* Macquart, 1843; *constantina* Macquart, 1843; *hilaris* Zetterstedt, 1845; *introducta* Walker, 1853; *muscoïdes* Walker, 1871
12530) *Fannia incisurata* (Zetterstedt, 1838) (Fanniidae) Synonym(s): *incisurata* Zetterstedt, 1838
12531) *Fannia leucosticta* (Meigen, 1838) (Fanniidae) Synonym(s): *leucosticta* Meigen, 1838
12532) *Fannia scalaris* (Fabricius, 1794) (Fanniidae) Synonym(s): *scalaris* Fabricius, 1794
12533) *Fannia serena* (Fallén, 1825) (Fanniidae) Synonym(s): *serena* Fallén, 1825; *stygia* Meigen, 1826

FLATIDAE

- 12534) *Metcalfa pruinosa* (Say, 1830)** (Flatidae) Synonym(s): *pruinosa* Say, 1830
12535) *Phantia subquadrata* (Herrich-Schäffer, 1838) (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer, 1838
12536) *Phantia ferganensis* Dubovskii, 1966 (Flatidae) Synonym(s): *ferganensis* Dubovskii, 1966

FORFICULIDAE

- 12537) *Anechura bipunctata* (Fabricius, 1781)** (Forficulidae) Synonym(s): *bipunctata* Fabricius, 1781; *asiatica* Semenov, 1903; *fabricii* Fieber, 1854
12538) *Anechura zubovskii* (Semenov, 1901) (Forficulidae) Synonym(s): *zubovskii* Semenov, 1901
12539) *Burriola* sp.? (Forficulidae) Synonym(s):
12540) *Forficula aetolica* Brunner von Wattenwyl, 1882 (Forficulidae) Synonym(s): *aetolica* Brunner von Wattenwyl, 1882
12541) *Forficula auricularia* Linnaeus, 1758 (Forficulidae) Synonym(s): *auricularia* Linnaeus, 1758; *dentata* Fabricius, 1775
12542) *Forficula decipiens* Gén  , 1832 (Forficulidae) Synonym(s): *decipiens* Gén  , 1832; *pallidicollis* Brull  , 1832; *laminigera* Costa, 1881; *brevis* Rambur, 1838
12543) *Forficula lucasi* Dohrn, 1865 (Forficulidae) Synonym(s): *lucasi* Dohrn, 1865; *barroisi* Bolivar, 1893
12544) *Forficula lurida* Fischer, 1853 (Forficulidae) Synonym(s): *lurida* Fischer, 1853; *orientalis* Burr, 1900
12545) *Forficula senegalensis* Audinet-Serville, 1839 (Forficulidae) Synonym(s): *senegalensis* Audinet-Serville, 1839
12546) *Forficula smyrnensis* Audinet-Serville, 1839 (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville, 1839
12547) *Forficula tomis* (Kolenati, 1846) (Forficulidae) Synonym(s): *tomis* Kolenati, 1846; *pomerantzevi* Semenov, 1903
12548) *Guanchia hincksi* (Burr, 1947) (Forficulidae) Synonym(s): *hincksi* Burr, 1947
12549) *Guanchia pubescens* (G  n  , 1837) (Forficulidae) Synonym(s): *pubescens* G  n  , 1837; *setulosa* Fieber, 1853

FORMICIDAE

- 12550) *Acantholepis frauenfeldi* (Mayr, 1855)** (Formicidae) Synonym(s): *frauenfeldi* Mayr, 1855
12551) *Amblyopone denticulatum* (Roger, 1859) (Formicidae) Synonym(s): *denticulatum* Roger, 1859
12552) *Aphaenogaster holtzi* Emery, 1898 (Formicidae) Synonym(s): *holtzi* Emery, 1898
12553) *Aphaenogaster kervillei* Forel, 1910 (Formicidae) Synonym(s): *kervillei* Forel, 1910
12554) *Aphaenogaster simonelli* Emery, 1894 (Formicidae) Synonym(s): *simonelli* Emery, 1894
12555) *Aphaenogaster subterranea* (Latreille, 1798) (Formicidae) Synonym(s): *subterranea* Latreille, 1798
12556) *Bothriomyrmex communista* (Santschi, 1920) (Formicidae) Synonym(s): *communista* Santschi, 1920
12557) *Camponotus aethiops* (Latreille, 1798) (Formicidae) Synonym(s): *aethiops* Latreille, 1798
12558) *Camponotus compressus* (Fabricius, 1787) (Formicidae) Synonym(s): *compressus* Fabricius, 1787
12559) *Camponotus dalmaticus* (Nylander, 1848) (Formicidae) Synonym(s): *dalmaticus* Nylander, 1848
12560) *Camponotus fallax* (Nylander, 1856) (Formicidae) Synonym(s): *fallax* Nylander, 1856
12561) *Camponotus festai* Emery, 1894 (Formicidae) Synonym(s): *festai* Emery, 1894
12562) *Camponotus gestroi* Emery, 1878 (Formicidae) Synonym(s): *gestroi* Emery, 1878

- 12563) Camponotus herculeanus (Linnaeus,1758)** (Formicidae) Synonym(s): *herculeanus Linnaeus,1758*
- 12564) Camponotus ionius Emery,1901** (Formicidae) Synonym(s): *ionius Emery,1901*
- 12565) Camponotus jaliensis Dalla Torre,1893** (Formicidae) Synonym(s): *jaliensis Dalla Torre,1893*
- 12566) Camponotus kiesenwetteri Roger,1859** (Formicidae) Synonym(s): *kiesenwetteri Roger,1859*
- 12567) Camponotus samius Forel,1888** (Formicidae) Synonym(s): *samius Forel,1888*
- 12568) Camponotus sylvaticus (Olivier,1792)** (Formicidae) Synonym(s): *sylvaticus Olivier,1792*
- 12569) Cardiocondyla elegans Emery,1869** (Formicidae) Synonym(s): *elegans Emery,1869*
- 12570) Cataglyphis kurdistanicus Pisarski,1965** (Formicidae) Synonym(s): *kurdistanicus Pisarski,1965*
- 12571) Cataglyphis livida André,1881** (Formicidae) Synonym(s): *livida André,1881*
- 12572) Cataglyphis nodus (Brullé,1832)** (Formicidae) Synonym(s): *nodus Brullé,1832*
- 12573) Cataglyphis viaticoides André,1881** (Formicidae) Synonym(s): *viaticoides André,1881*
- 12574) Crematogaster laestrygon Emery,1869** (Formicidae) Synonym(s): *laestrygon Emery,1869*
- 12575) Crematogaster scutellaris (Olivier,1791)** (Formicidae) Synonym(s): *scutellaris Olivier,1791*
- 12576) Crematogaster sordidula (Nylander,1849)** (Formicidae) Synonym(s): *sordidula Nylander,1849*
- 12577) Diplorhoptrum fugax (Latreille,1798)** (Formicidae) Synonym(s): *fugax Latreille,1798*
- 12578) Formica cinereofusca Karawajew,1919** (Formicidae) Synonym(s): *cinereofusca Karawajew,1919*
- 12579) Formica cunicularia Latreille,1798** (Formicidae) Synonym(s): *cunicularia Latreille,1798*
- 12580) Formica fusca Linnaeus,1758** (Formicidae) Synonym(s): *fusca Linnaeus,1758*
- 12581) Formica picea Nylander,1846** (Formicidae) Synonym(s): *picea Nylander,1846*
- 12582) Formica pressilabris Nylander,1846** (Formicidae) Synonym(s): *pressilabris Nylander,1846*
- 12583) Formica sanguinea Latreille,1798** (Formicidae) Synonym(s): *sanguinea Latreille,1798*
- 12584) Lasius alienus (Förster,1850)** (Formicidae) Synonym(s): *alienus Förster,1850*
- 12585) Lasius flavus (Fabricius,1781)** (Formicidae) Synonym(s): *flavus Fabricius,1781*
- 12586) Leptothorax muscorum (Nylander,1846)** (Formicidae) Synonym(s): *muscorum Nylander,1846*
- 12587) Liometopum microcephalum (Panzer,1798)** (Formicidae) Synonym(s): *microcephalum Panzer,1798*
- 12588) Manica rubida (Latreille,1802)** (Formicidae) Synonym(s): *rubida Latreille,1802*
- 12589) Messor semirufus (André,1881)** (Formicidae) Synonym(s): *semirufus André,1881*
- 12590) Messor structor (Latreille,1798)** (Formicidae) Synonym(s): *structor Latreille,1798*
- 12591) Monomorium dentigerum (Roger,1862)** (Formicidae) Synonym(s): *dentigerum Roger,1862*
- 12592) Monomorium kusnezowi Santschi,1928** (Formicidae) Synonym(s): *kusnezowi Santschi,1928*
- 12593) Monomorium minitum Mayr,1855** (Formicidae) Synonym(s): *minitum Mayr,1855*
- 12594) Myrmica bergi Ruzsky,1902** (Formicidae) Synonym(s): *bergi Ruzsky,1902*
- 12595) Myrmica lobicornis Nylander,1846** (Formicidae) Synonym(s): *lobicornis Nylander,1846*
- 12596) Myrmica ravasini Finzi,1923** (Formicidae) Synonym(s): *ravasini Finzi,1923*
- 12597) Myrmica ruginodis Nylander,1846** (Formicidae) Synonym(s): *ruginodis Nylander,1846*
- 12598) Myrmica scabrinodis Nylander,1846** (Formicidae) Synonym(s): *scabrinodis Nylander,1846*
- 12599) Myrmica schencki Viereck,1903** (Formicidae) Synonym(s): *schencki Viereck,1903; kutteri Finzi,1926; obscura Finzi,1926; subopaca Arnoldi,1934*
- 12600) Myrmica specioides Bondroit,1918** (Formicidae) Synonym(s): *specioides Bondroit,1918*
- 12601) Myrmica sulcinodis Nylander,1846** (Formicidae) Synonym(s): *sulcinodis Nylander,1846*
- 12602) Pheidole arenarum Ruzsky,1905** (Formicidae) Synonym(s): *arenarum Ruzsky,1905; kosheunikovi Ruzsky,1905*
- 12603) Pheidole pallidula (Nylander,1848)** (Formicidae) Synonym(s): *pallidula Nylander,1848*
- 12604) Plagiolepis pallescens Forel,1888** (Formicidae) Synonym(s): *pallescens Forel,1888*
- 12605) Plagiolepis pygmaea (Latreille,1798)** (Formicidae) Synonym(s): *pygmaea Latreille,1798*
- 12606) Proformica kobachidzei Arnoldi,1968** (Formicidae) Synonym(s): *kobachidzei Arnoldi,1968*
- 12607) Tapinoma erraticum (Latreille,1798)** (Formicidae) Synonym(s): *erraticum Latreille,1798*
- 12608) Tetramorium caespitum (Linnaeus,1758)** (Formicidae) Synonym(s): *caespitum Linnaeus,1758*
- 12609) Tetramorium lucidula Emery,1909** (Formicidae) Synonym(s): *lucidula Emery,1909*
- 12610) Tetramorium schmidtii Forel,1904** (Formicidae) Synonym(s): *schmidtii Forel,1904*
- 12611) Tetramorium sculptum Poldi,1975** (Formicidae) Synonym(s): *sculptum Poldi,1975*
- 12612) Tetramorium semilaeve André,1883** (Formicidae) Synonym(s): *semilaeve André,1883*

GEORISSIDAE

- 12613) Georissus (Neogeorissus) Sato,1972** (Georissidae) Synonym(s): *Neogeorissus Sato,1972*
- 12614) Georissus (Neogeorissus) trifossulatus Motschoulsky,1843** (Georissidae) Synonym(s): *trifossulatus Motschoulsky,1843*

GEOTRUPIDAE

- 12615) Anoplotrupes stercorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *stercorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czwalińska,1884
- 12616) Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802
- 12617) Geotrupes stercorarius (Linnaeus,1758)** (Geotrupidae) Synonym(s): *stercorarius* Linnaeus,1758

GERRIDAE

- 12618) Aquarius ventralis (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860
- 12619) Aquarius paludum (Fabricius,1794)** (Gerridae) Synonym(s): *paludum* Fabricius,1794
- 12620) Gerris argentatus Schummel,1832** (Gerridae) Synonym(s): *argentatus* Schummel,1832
- 12621) Gerris asper (Fieber,1860)** (Gerridae) Synonym(s): *asper* Fieber,1860
- 12622) Gerris caucasicus Kanyukova,1982** (Gerridae) Synonym(s): *caucasicus* Kanyukova,1982
- 12623) Gerris costae (Herrich-Schäffer,1850)** (Gerridae) Synonym(s): *costae* Herrich-Schäffer,1850; *fieberi* Stichel,1938
- 12624) Gerris gibbifer Schummel,1832** (Gerridae) Synonym(s): *gibbifer* Schummel,1832
- 12625) Gerris lacustris (Linnaeus,1758)** (Gerridae) Synonym(s): *lacustris* Linnaeus,1758
- 12626) Gerris maculatus Tamanini,1946** (Gerridae) Synonym(s): *maculatus* Tamanini,1946
- 12627) Gerris pallidum Fabricius,1794** (Gerridae) Synonym(s): *pallidum* Fabricius,1794
- 12628) Gerris thoracicus Schummel,1832** (Gerridae) Synonym(s): *thoracicus* Schummel,1832
- 12629) Gerris ventralis Fieber,1860** (Gerridae) Synonym(s): *ventralis* Fieber,1860

GLAPHYRIDAE

- 12630) Amphicoma (Eulasia) arctos (Pallas,1781)** (Glaphyridae) Synonym(s): *arctos* Pallas,1781; *martes* Frivaldsky,1845; *armeniaca* Reitter,1890; *subfasciatula* Reitter,1903; *anatolica* Reitter,1903
- 12631) Amphicoma (Eulasia) aurantiaca (Reitter,1890)** (Glaphyridae) Synonym(s): *aurantiaca* Reitter,1890
- 12632) Amphicoma (Eulasia) bicolor Waltl,1838** (Glaphyridae) Synonym(s): *bicolor* Waltl,1838; *limbipennis* Reitter,1899; *dichroa* Reitter,1890
- 12633) Amphicoma (Eulasia) bombyliiformis (Pallas,1781)** (Glaphyridae) Synonym(s): *bombyliiformis* Pallas,1781; *rufipennis* Reitter,1890; *pygidialis* Petrovitz,1963; *erevanica* Petrovitz,1972; *atheneae* Petrovitz,1980
- 12634) Amphicoma (Eulasia) chrysopyga Faldermann,1835** (Glaphyridae) Synonym(s): *chrysopyga* Faldermann,1835; *pallidopilosa* Motschoulsky,1859
- 12635) Amphicoma (Eulasia) corniculata Reitter,1903** (Glaphyridae) Synonym(s): *corniculata* Reitter,1903
- 12636) Amphicoma (Eulasia) diadema Reitter,1890** (Glaphyridae) Synonym(s): *diadema* Reitter,1890; *diademata* Reitter,1903; *cuprea* Petrovitz,1962; *coerulea* Petrovitz,1967; *nigripilis* Petrovitz,1967
- 12637) Amphicoma (Eulasia) ernae Petrovitz,1962** (Glaphyridae) Synonym(s): *ernae* Petrovitz,1962
- 12638) Amphicoma (Eulasia) hyrax Truqui,1848** (Glaphyridae) Synonym(s): *hyrax* Truqui,1848; *truqui* Reitter,1890; *atripilis* Petrovitz,1971; *splendidula* Petrovitz,1971
- 12639) Amphicoma (Eulasia) montana (Reitter,1890)** (Glaphyridae) Synonym(s): *montana* Reitter,1890
- 12640) Amphicoma (Eulasia) nitidicollis (Reiche,1962)** (Glaphyridae) Synonym(s): *sublineata* Reitter,1890; *nitidicollis* Reiche,1962; *simplicipennis* Petrovitz,1964
- 12641) Amphicoma (Eulasia) praeusta (Champenois,1896)** (Glaphyridae) Synonym(s): *praeusta* Champenois,1896; *clypealis* Petrovitz,1972
- 12642) Amphicoma (Pygopleurus) akbesianus Petrovitz,1957** (Glaphyridae) Synonym(s): *akbesianus* Petrovitz,1957; *cuprea* Petrovitz,1957; *coerulea* Petrovitz,1962
- 12643) Amphicoma (Pygopleurus) aleppensis Petrovitz,1957** (Glaphyridae) Synonym(s): *aleppensis* Petrovitz,1957; *violacea* Petrovitz,1957; *palaestinensis* Petrovitz,1963
- 12644) Amphicoma (Pygopleurus) anemoninus (Brullé,1832)** (Glaphyridae) Synonym(s): *anemoninus* Brullé,1832; *purpuricollis* Waltl,1838; *chrysonota* Brullé,1832; *albopilosa* Petrovitz,1957; *pseudopsilotrichia* Petrovitz,1957
- 12645) Amphicoma (Pygopleurus) angulatus Fairmaire,1884** (Glaphyridae) Synonym(s): *angulatus* Fairmaire,1884
- 12646) Amphicoma (Pygopleurus) basalis Reitter,1890** (Glaphyridae) Synonym(s): *basalis* Reitter,1890; *purpurea* Petrovitz,1957
- 12647) Amphicoma (Pygopleurus) costatus Petrovitz,1957** (Glaphyridae) Synonym(s): *costatus* Petrovitz,1957

- 12648) Amphicoma (Pygopleurus) cyaneoviolaceus Motschoulsky,1859** (Glaphyridae) Synonym(s): *psilotrichia* Waltl,1838 nec Fald.,1835; *cyaneoviolaceus* Motschoulsky,1859; *versicolor* Baraud,1989
- 12649) Amphicoma (Pygopleurus) cyanescens (Reitter,1890)** (Glaphyridae) Synonym(s): *cyanescens* Reitter,1890; *bicolor* Petrovitz,1968 nec Wlzl.,1838; *brunneipennis* Petrovitz,1968
- 12650) Amphicoma (Pygopleurus) demelti Petrovitz,1967** (Glaphyridae) Synonym(s): *demelti* Petrovitz,1967
- 12651) Amphicoma (Pygopleurus) despectus Petrovitz,1957** (Glaphyridae) Synonym(s): *despectus* Petrovitz,1957; *orichalcia* Petrovitz,1962
- 12652) Amphicoma (Pygopleurus) diffusus Petrovitz,1957** (Glaphyridae) Synonym(s): *diffusus* Petrovitz,1957
- 12653) Amphicoma (Pygopleurus) distinctus Faldermann,1835** (Glaphyridae) Synonym(s): *distinctus* Faldermann,1835; *persica* Ganglbauer,1905
- 12654) Amphicoma (Pygopleurus) foina (Reitter,1890)** (Glaphyridae) Synonym(s): *foina* Reitter,1890; *albopilosa* Petrovitz,1957; *atriplicis* Petrovitz,1957; *chalybeipennis* Petrovitz,1962
- 12655) Amphicoma (Pygopleurus) gordyenensis Petrovitz,1971** (Glaphyridae) Synonym(s): *gordyenensis* Petrovitz,1971
- 12656) Amphicoma (Pygopleurus) hirsutus (Brullé,1832)** (Glaphyridae) Synonym(s): *hirsutus* Brullé,1832; *suturangula* Reitter,1890
- 12657) Amphicoma (Pygopleurus) humeralis (Brullé,1832)** (Glaphyridae) Synonym(s): *humeralis* Brullé,1832; *apicale* Waltl,1838; *viridisuturata* Reitter,1903; *elegans* Balthasar,1931; *bogoevskii* Miksic,1955; *nigroapicalis* Petrovitz,1957; *obscurithorax* Miksic,1959; *petrovitzi* Miksic,1959; *isikdagensis* Petrovitz,1962; *rufa* Petrovitz,1972; *uniformis* Petrovitz,1972
- 12658) Amphicoma (Pygopleurus) immundus (Reitter,1903)** (Glaphyridae) Synonym(s): *immundus* Reitter,1903; *distinguenda* Mucha,1963
- 12659) Amphicoma (Pygopleurus) kareli Petrovitz,1962** (Glaphyridae) Synonym(s): *kareli* Petrovitz,1962
- 12660) Amphicoma (Pygopleurus) koniae Petrovitz,1957** (Glaphyridae) Synonym(s): *koniae* Petrovitz,1957; *vulpoides* Petrovitz,1968
- 12661) Amphicoma (Pygopleurus) labaumei Petrovitz,1971** (Glaphyridae) Synonym(s): *labaumei* Petrovitz,1971
- 12662) Amphicoma (Pygopleurus) libanonensis Petrovitz,1957** (Glaphyridae) Synonym(s): *libanonensis* Petrovitz,1957
- 12663) Amphicoma (Pygopleurus) lyciensis Petrovitz,1971** (Glaphyridae) Synonym(s): *lyciensis* Petrovitz,1971
- 12664) Amphicoma (Pygopleurus) madenensis Petrovitz,1968** (Glaphyridae) Synonym(s): *madenensis* Petrovitz,1968
- 12665) Amphicoma (Pygopleurus) medius Petrovitz,1957** (Glaphyridae) Synonym(s): *medius* Petrovitz,1957; *nigroapicalis* Petrovitz,1962
- 12666) Amphicoma (Pygopleurus) mithridates Petrovitz,1962** (Glaphyridae) Synonym(s): *mithridates* Petrovitz,1962
- 12667) Amphicoma (Pygopleurus) ottomanus Baraud,1989** (Glaphyridae) Synonym(s): *ottomanus* Baraud,1989
- 12668) Amphicoma (Pygopleurus) ponticus Petrovitz,1957** (Glaphyridae) Synonym(s): *ponticus* Petrovitz,1957
- 12669) Amphicoma (Pygopleurus) pseudomediis (Miksic,1964)** (Glaphyridae) Synonym(s): *pseudomediis* Miksic,1964
- 12670) Amphicoma (Pygopleurus) psilotrichius Faldermann,1835** (Glaphyridae) Synonym(s): *psilotrichius* Faldermann,1835; *aurigaster* Reitter,1895; *nigripennis* Champenois,1896; *maculipennis* Petrovitz,1957; *albopilosa* Petrovitz,1968; *annamariae* Mitter,1992
- 12671) Amphicoma (Pygopleurus) resli Petrovitz,1963** (Glaphyridae) Synonym(s): *ressli* Petrovitz,1963
- 12672) Amphicoma (Pygopleurus) rufovillosus Reitter,1907** (Glaphyridae) Synonym(s): *rufovillosus* Reitter,1907; *nigropubescent* Petrovitz,1963; *pompa* Petrovitz,1963
- 12673) Amphicoma (Pygopleurus) sexualis Petrovitz,1968** (Glaphyridae) Synonym(s): *sexualis* Petrovitz,1968; *muliebris* Petrovitz,1968
- 12674) Amphicoma (Pygopleurus) simplex Petrovitz,1963** (Glaphyridae) Synonym(s): *simplex* Petrovitz,1963
- 12675) Amphicoma (Pygopleurus) tristis Petrovitz,1968** (Glaphyridae) Synonym(s): *tristis* Petrovitz,1968
- 12676) Amphicoma (Pygopleurus) vulpes (Fabricius,1792)** (Glaphyridae) Synonym(s): *alopecias* Pallas,1781; *hirta* Fabricius,1781; *vulpes* Fabricius,1792; *vulpecula* Truqui,1848; *pyrrhothrix* Dohrn,1885; *griseovillosa* Reitter,1903; *obscurithorax* Miksic,1955; *bogoevskii* Miksic,1955
- 12677) Amphicoma (Rudeulasia) anemurensis Petrovitz,1964** (Glaphyridae) Synonym(s): *anemurensis* Petrovitz,1964

- 12678) Amphicoma (Rudeulasia) chalybaea Faldermann, 1835** (Glaphyridae) Synonym(s): *chalybaea* Faldermann, 1835; *adusta* Ganglbauer, 1905; *brenskii* Reitter, 1890; *apicipennis* Petrovitz, 1968; *brunneipennis* Petrovitz, 1968; *coeruleipennis* Petrovitz, 1968
- 12679) Amphicoma (Rudeulasia) eiselti Petrovitz, 1967** (Glaphyridae) Synonym(s): *eiselti* Petrovitz, 1967
- 12680) Amphicoma (Rudeulasia) fastuosa Reitter, 1890** (Glaphyridae) Synonym(s): *fastuosa* Reitter, 1890; *heydeni* Reitter, 1890; *pretiosa* Reitter, 1890; *semicyanea* Reitter, 1890; *reitteri* Ganglbauer, 1905; *cyanea* Petrovitz, 1962
- 12681) Amphicoma (Rudeulasia) harmonia (Petrovitz, 1968)** (Glaphyridae) Synonym(s): *#harmonia* Petrovitz, 1962; *#maculata* Petrovitz, 1962; *harmonia* Petrovitz, 1968; *purpurea* Petrovitz, 1968
- 12682) Amphicoma (Rudeulasia) hybrida (Reitter, 1890)** (Glaphyridae) Synonym(s): *hybrida* Reitter, 1890; *agricola* Reitter, 1890; *ithae* Reitter, 1903
- 12683) Amphicoma (Rudeulasia) papaveris (Sturm, 1843)** (Glaphyridae) Synonym(s): *papaveris* Sturm, 1843; *cupripennis* Kollar & Redtenbacher, 1843; *dominula* Reitter, 1890; *testaceipennis* Champenois, 1896
- 12684) Amphicoma (Rudeulasia) pulchra (Reitter, 1890)** (Glaphyridae) Synonym(s): *pulchra* Reitter, 1890; *kurdistan* Petrovitz, 1968
- 12685) Amphicoma (Rudeulasia) speciosa Champenois, 1900** (Glaphyridae) Synonym(s): *speciosa* Champenois, 1900
- 12686) Amphicoma (Rudeulasia) straussi Ganglbauer, 1905** (Glaphyridae) Synonym(s): *straussi* Ganglbauer, 1905; *#viridis* Petrovitz, 1968
- 12687) Amphicoma (Vittateulasia) pareyssei (Brullé, 1832)** (Glaphyridae) Synonym(s): *pareyssei* Brullé, 1832; *lasserei* Germar, 1834
- 12688) Amphicoma (Vittateulasia) vittata (Fabricius, 1775)** (Glaphyridae) Synonym(s): *vittata* Fabricius, 1775; *lineata* Faldermann, 1835; *strigata* Waltl, 1838; *smyrnensis* Castelnau, 1840; *syriaca* Kollar & Redtenbacher, 1843; *africana* Reitter, 1890; *chrysura* Reitter, 1890; *decorata* Reitter, 1890; *semifulva* Reitter, 1890; *lateritia* Reitter, 1903; *pseudochrysura* Miksic, 1960; *persica* Petrovitz, 1963
- 12689) Anthypna ciliata (Ménétriés, 1836)** (Glaphyridae) Synonym(s): *ciliata* Ménétriés, 1836; *mustela* Waltl, 1838
- 12690) Glaphyrus festivus Ménétriés, 1836** (Glaphyridae) Synonym(s): *festivus* Ménétriés, 1836; *rufipennis* Gory, 1844; *equestris* Champenois, 1898
- 12691) Glaphyrus micans Faldermann, 1835** (Glaphyridae) Synonym(s): *micans* Faldermann, 1835; *persicus* Pic, 1947; *purpureus* Pic, 1947; *euphraticus* Mitter, 1990
- 12692) Glaphyrus varians Ménétriés, 1836** (Glaphyridae) Synonym(s): *variens* Ménétriés, 1836; *globulicollis* Ménétriés, 1836; *sequensi* Reitter, 1903; *variabilis* Reitter, 1903; *turcicus* Mitter, 1990

GLOSSOSOMATIDAE

- 12693) Agapetus belareca Botosaneanu, 1957** (Glossosomatidae) Synonym(s): *belareca* Botosaneanu, 1957
- 12694) Agapetus caucasicus Martynov, 1913** (Glossosomatidae) Synonym(s): *caucasicus* Martynov, 1913
- 12695) Agapetus delicatulus McLachlan, 1884** (Glossosomatidae) Synonym(s): *delicatulus* McLachlan, 1884
- 12696) Agapetus episkopi Malicky, 1972** (Glossosomatidae) Synonym(s): *episkopi* Malicky, 1972
- 12697) Agapetus karabagi Çakın, 1981** (Glossosomatidae) Synonym(s): *karabagi* Çakın, 1981
- 12698) Agapetus laniger Pictet, 1834** (Glossosomatidae) Synonym(s): *laniger* Pictet, 1834
- 12699) Glossosoma baclava Malicky, 1972** (Glossosomatidae) Synonym(s): *baclava* Malicky, 1972
- 12700) Glossosoma capitatum Martynov, 1913** (Glossosomatidae) Synonym(s): *capitatum* Martynov, 1913
- 12701) Glossosoma develi Malicky, 1972** (Glossosomatidae) Synonym(s): *develi* Malicky, 1972
- 12702) Glossosoma tunceliensis Sipahiler, 1987** (Glossosomatidae) Synonym(s): *tunceliensis* Sipahiler, 1987
- 12703) Glossosoma unguiculatum Martynov, 1925** (Glossosomatidae) Synonym(s): *unguiculatum* Martynov, 1925
- 12704) Ptilocolepus colchicus Martynov, 1913** (Glossosomatidae) Synonym(s): *colchicus* Martynov, 1913
- 12705) Ptilocolepus granulatus (Pictet, 1834)** (Glossosomatidae) Synonym(s): *granulatus* Pictet, 1834
- 12706) Synagapetus anatolicus Çakın, 1981** (Glossosomatidae) Synonym(s): *anatolicus* Çakın, 1981

GOERIDAE

- 12707) Goera pilosa Fabricius, 1775** (Goeridae) Synonym(s): *pilosa* Fabricius, 1775
- 12708) Lithax incanus Hagen, 1859** (Goeridae) Synonym(s): *incanus* Hagen, 1859
- 12709) Lithax musaca Malicky, 1972** (Goeridae) Synonym(s): *musaca* Malicky, 1972

GOMPHIDAE

- 12710) Anormogomphus kiritshenkoi Bartenev,1913** (Gomphidae) Synonym(s): *kiritshenkoi Bartenev,1913*
- 12711) Gomphus davidi Selys,1887** (Gomphidae) Synonym(s): *davidi Selys,1887*
- 12712) Gomphus flavipes (Charpentier,1825)** (Gomphidae) Synonym(s): *flavipes Charpentier,1825*
- 12713) Gomphus schneideri Selys,1850** (Gomphidae) Synonym(s): *schneideri Selys,1850*
- 12714) Lindenia tetraphylla (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetraphylla Van Der Linden,1825; inkitii Bartenev,1929*
- 12715) Onychogomphus assimilis (Schneider,1845)** (Gomphidae) Synonym(s): *assimilis Schneider,1845; fulvipennis Bartenev,1912*
- 12716) Onychogomphus flexuosus (Schneider,1845)** (Gomphidae) Synonym(s): *flexuosus Schneider,1845*
- 12717) Onychogomphus forcipatus (Linnaeus,1758)** (Gomphidae) Synonym(s): *forcipatus Linnaeus,1758*
- 12718) Onychogomphus lefebvrei (Rambur,1842)** (Gomphidae) Synonym(s): *lefebvrei Rambur,1842*
- 12719) Onychogomphus macrodon (Selys,1887)** (Gomphidae) Synonym(s): *macrodon Selys,1887*
- 12720) Ophiogomphus cecilia (Fourcroy,1785)** (Gomphidae) Synonym(s): *cecilia Fourcroy,1785; serpentinus Charpentier,1825*
- 12721) Paragomphus genei (Selys,1841)** (Gomphidae) Synonym(s): *genei Selys,1841; hageni Selys,1870; excelsus Costa,1884; atratus Selys,1885; rusticatus Fraser,1928*
- 12722) Paragomphus lineatus (Selys & Hagen,1850)** (Gomphidae) Synonym(s): *lineatus Selys & Hagen,1850*

GRYLLIDAE

- 12723) Acheta domesticus (Linnaeus,1758)** (Gryllidae) Synonym(s): *domestica Linnaeus,1758; aegyptiacus Haan,1842; transversalis Walker,1871; melanocephalus Zacher,1917*
- 12724) Glandulosa harzi Gorochoy,1996** (Gryllidae) Synonym(s): *harzi Gorochoy,1996*
- 12725) Glandulosa kinzelbachi Harz,1979** (Gryllidae) Synonym(s): *kinzelbachi Harz,1979*
- 12726) Glandulosa willemsei Harz,1979** (Gryllidae) Synonym(s): *willemsei Harz,1979*
- 12727) Gryllomorpha (Gryllomorphella) antalya Gorochoy,2009** (Gryllidae) Synonym(s): *antalya Gorochoy,2009*
- 12728) Gryllomorpha (s.str.) dalmatina (Ocskay,1832)** (Gryllidae) Synonym(s): *dalmatina Ocskay,1832; aptera Herrich-Schäffer,1838; fasciata Fieber,1853; longicauda Finot,1897; pieperi Harz,1979; strumae Andreeva,1982*
- 12729) Gryllomorpha (s.str.) willemsei Uvarov,1934** (Gryllidae) Synonym(s): *willemsei Uvarov,1934*
- 12730) Gryllus (s.str.) bimaculatus (De Geer,1773)** (Gryllidae) Synonym(s): *bimaculatus De Geer,1773; capensis Fabricius,1775; rubricollis Stoll,1813; lugubris Stål,1855; interruptus Walker,1869; marginalis Walker,1869; ater Saussure,1877*
- 12731) Gryllus (s.str.) campestris Linnaeus,1758** (Gryllidae) Synonym(s): *campestris Linnaeus,1758; hybrida Rambur,1838; caudata Krauss,1886; cephalotes Ramme,1921*
- 12732) Gryllus (s.str.) urfaensis Gümüßsuyu,1978** (Gryllidae) Synonym(s): *urfaensis Gümüßsuyu,1978*
- 12733) Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus Pallas,1771; melas Charpentier,1825; tristis Audinet-Serville,1838; agricola Rambur,1838; alata Ramme,1921*
- 12734) Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis Weber,1801; burdigalensis Latreille,1804; #bordigalensis Charpentier,1825; cerisyi Audinet-Serville,1838; geminus Audinet-Serville,1838; arvensis Rambur,1838; cinereus Costa,1852; marginatus Eversmann,1859; minusculus Walker,1869; pygmaeus Walker,1869; eversmanni Jakovlev,1871; ferdinandi Bolivar,1899; hygrophilus Krauss,1902; intermedia Bolivar,1927*
- 12735) Modicogryllus (Promodicogryllus) bucharicus (Bei-Bienko,1933)** (Gryllidae) Synonym(s): *bucharicus Bei-Bienko,1933*
- 12736) Modicogryllus (s.str.) algirius (Saussure,1877)** (Gryllidae) Synonym(s): *algirius Saussure,1877; algericus Brunner von Wattenwyl,1882*
- 12737) Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis Fieber,1844; hemsdorfensis Zeller,1856; pubescens Eversmann,1859; caudatus Singer,1869; fasciatus Walker,1871; alata Jacobson,1904; turanicus Bei-Bienko,1933*
- 12738) Modicogryllus (s.str.) truncatus (Tarbinski,1940)** (Gryllidae) Synonym(s): *truncatus Tarbinski,1940*
- 12739) Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens Scopoli,1763; italicus Fabricius,1781; lutaria Petagna,1792; aquea Fabricius,1798; varia Fischer von Waldheim,1846; angustipennis Fitch,1856*
- 12740) Ovaliptila beroni (Popov,1974)** (Gryllidae) Synonym(s): *beroni Popov,1974; uvarovi Us,1975*
- 12741) Ovaliptila Gorochoy,2006** (Gryllidae) Synonym(s): *Ovaliptila Gorochoy,2006*

- 12742) Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855
- 12743) Stenonemobius (s.str.) gracilis (Jakovleff,1871)** (Gryllidae) Synonym(s): *gracilis* Jakovleff,1871
- 12744) Tartarogryllus tartarus (Saussure,1874)** (Gryllidae) Synonym(s): *tartarus* Saussure,1874; *intermedius* Chopard,1940; *intercalatus* Chopard,1943
- 12745) Trigonidium (s.str.) cicindeloides Rambur,1839** (Gryllidae) Synonym(s): *cicindeloides* Rambur,1839
- 12746) Turanogryllus aelleni (Chopard,1954)** (Gryllidae) Synonym(s): *aelleni* Chopard,1954
- 12747) Turanogryllus lateralis (Fieber,1853)** (Gryllidae) Synonym(s): *lateralis* Fieber,1853; *terrestris* Saussure,1877

GRYLLOTALPIDAE

- 12748) Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804

GYRINIDAE

- 12749) Aulonogyrus concinnus (Klug,1834)** (Gyrinidae) Synonym(s): *concinnus* Klug,1834
- 12750) Aulonogyrus striatus (Fabricius,1792)** (Gyrinidae) Synonym(s): *striatus* Fabricius,1792
- 12751) Gyrinus caspius Ménéttriés,1832** (Gyrinidae) Synonym(s): *caspius* Ménéttriés,1832
- 12752) Gyrinus dejeani Brullé,1832** (Gyrinidae) Synonym(s): *dejeani* Brullé,1832
- 12753) Gyrinus distinctus Aubé,1836** (Gyrinidae) Synonym(s): *distinctus* Aubé,1836
- 12754) Gyrinus suffriani Scriba,1855** (Gyrinidae) Synonym(s): *suffriani* Scriba,1855
- 12755) Orectochilus villosus (Müller,1776)** (Gyrinidae) Synonym(s): *villosus* Müller,1776

HALICTIDAE

- 12756) Ceylalictus (s.str.) variegatus (Olivier,1789)** (Halictidae) Synonym(s): *variegatus* Olivier,1789; *pulchella* Jurine,1807; *?syrphoides* Walker,1871; *flavopicta* Dours,1873; *jucunda* Morawitz,1874; *fasciatus* Friese,1898; *intermedius* Alfken,1924; *simplex* Blüthgen,1925; *labiatarum* Cockerell,1931; *nigrita* Blüthgen,1934; *pseudocerea* Blüthgen,1934; *nigriventris* Blüthgen,1934
- 12757) Dufourea (Afrodufourea) atrata (Warncke,1979)** (Halictidae) Synonym(s): *atrata* Warncke,1979
- 12758) Dufourea (Cyprirrophites) armenia Ebmer,1987** (Halictidae) Synonym(s): *armenia* Ebmer,1987
- 12759) Dufourea (Cyprirrophites) coeruleocephala Morawitz,1872** (Halictidae) Synonym(s): *coeruleocephala* Morawitz,1872
- 12760) Dufourea (Cyprirrophites) cypria Mavromoustakis,1952** (Halictidae) Synonym(s): *cypria* Mavromoustakis,1952
- 12761) Dufourea (Halictoides) graeca Ebmer,1976** (Halictidae) Synonym(s): *graeca* Ebmer,1976; *dubiosa* Warncke,1979
- 12762) Dufourea (Halictoides) pontica (Warncke,1979)** (Halictidae) Synonym(s): *pontica* Warncke,1979
- 12763) Dufourea (Halictoides) schmiedeknechtii (Kohl,1905)** (Halictidae) Synonym(s): *schmiedeknechtii* Kohl,1905
- 12764) Dufourea (s.str.) caelestis Ebmer,1987** (Halictidae) Synonym(s): *caelestis* Ebmer,1987
- 12765) Dufourea (s.str.) quadridentata (Warncke,1979)** (Halictidae) Synonym(s): *quadridentata* Warncke,1979
- 12766) Dufourea (s.str.) wolffi Ebmer,1989** (Halictidae) Synonym(s): *wolffi* Ebmer,1989
- 12767) Halictus (Hexataenites) scabiosae (Rossi,1790)** (Halictidae) Synonym(s): *scabiosae* Rossi,1790; *alternans* Fabricius,1793; *zebrus* Walckenaer,1817; *griseozonatus* Dours,1872; *powelli* Cockerell,1931
- 12768) Halictus (Hexataenites) sexcinctus (Fabricius,1775)** (Halictidae) Synonym(s): *sexcinctus* Fabricius,1775
- 12769) Halictus (s.str.) aegypticola Strand,1909** (Halictidae) Synonym(s): *aegypticola* Strand,1909
- 12770) Halictus (s.str.) alfkenellus Strand,1909** (Halictidae) Synonym(s): *alfkenellus* Strand,1909; *cedens* Strand,1925
- 12771) Halictus (s.str.) asperulus Pérez,1895** (Halictidae) Synonym(s): *asperulus* Pérez,1895
- 12772) Halictus (s.str.) berlandi Blüthgen,1936** (Halictidae) Synonym(s): *berlandi* Blüthgen,1936
- 12773) Halictus (s.str.) beytueschepapensis Warncke,1984** (Halictidae) Synonym(s): *beytueschepapensis* Warncke,1984

- 12774) Halictus (s.str.) brunnescens (Eversmann,1852)** (Halictidae) Synonym(s): *brunnescens* Eversmann,1852; *maximus* Friese,1916; *aegyptiacus* Friese,1916
- 12775) Halictus (s.str.) cochlearitarsis (Dours,1872)** (Halictidae) Synonym(s): *cochlearitarsis* Dours,1872
- 12776) Halictus (s.str.) dschulfensis Blüthgen,1936** (Halictidae) Synonym(s): *dschulfensis* Blüthgen,1936
- 12777) Halictus (s.str.) eurygnathus Blüthgen,1930** (Halictidae) Synonym(s): *eurygnathus* Blüthgen,1930
- 12778) Halictus (s.str.) falcinellus Warncke,1982** (Halictidae) Synonym(s): *falcinellus* Warncke,1982
- 12779) Halictus (s.str.) fatsensis Blüthgen,1936** (Halictidae) Synonym(s): *fatsensis* Blüthgen,1936
- 12780) Halictus (s.str.) gordius Warncke,1975** (Halictidae) Synonym(s): *gordius* Warncke,1975
- 12781) Halictus (s.str.) lobatus Ebmer,1978** (Halictidae) Synonym(s): *lobatus* Ebmer,1978
- 12782) Halictus (s.str.) luganicus Blüthgen,1936** (Halictidae) Synonym(s): *luganicus* Blüthgen,1936
- 12783) Halictus (s.str.) lunatus Warncke,1975** (Halictidae) Synonym(s): *lunatus* Warncke,1975
- 12784) Halictus (s.str.) maculatus Smith,1848** (Halictidae) Synonym(s): *maculatus* Smith,1848; *priesneri* Ebmer,1975
- 12785) Halictus (s.str.) patellatus Morawitz,1873** (Halictidae) Synonym(s): *patellatus* Morawitz,1873; *wagneri* Blüthgen,1937; *ifranicola* Cockerell,1937
- 12786) Halictus (s.str.) pentheri Blüthgen,1923** (Halictidae) Synonym(s): *pentheri* Blüthgen,1923
- 12787) Halictus (s.str.) ponticus Blüthgen,1934** (Halictidae) Synonym(s): *ponticus* Blüthgen,1934
- 12788) Halictus (s.str.) quadricinctoides Blüthgen,1936** (Halictidae) Synonym(s): *quadricinctoides* Blüthgen,1936
- 12789) Halictus (s.str.) quadricinctus (Fabricius,1776)** (Halictidae) Synonym(s): *quadricinctus* Fabricius,1776; *hortensis* Geoffroy,1785; *quadristrigatus* Latreille,1805; *grandis* Illiger,1806
- 12790) Halictus (s.str.) resurgens Nurse,1903** (Halictidae) Synonym(s): *resurgens* Nurse,1903
- 12791) Halictus (s.str.) rubicundus (Christ,1791)** (Halictidae) Synonym(s): *rubicundus* Christ,1791
- 12792) Halictus (s.str.) sajo Blüthgen,1923** (Halictidae) Synonym(s): *sajoi* Blüthgen,1923; *bifidus* Warncke,1975
- 12793) Halictus (s.str.) scardicus Blüthgen,1936** (Halictidae) Synonym(s): *scardicus* Blüthgen,1936
- 12794) Halictus (s.str.) senilis (Eversmann,1852)** (Halictidae) Synonym(s): *senilis* Eversmann,1852; *fucosus* Morawitz,1876; *albarius* Pérez,1895; *bivinctus* Vachal,1902
- 12795) Halictus (s.str.) simplex Blüthgen,1923** (Halictidae) Synonym(s): *simplex* Blüthgen,1923
- 12796) Halictus (s.str.) squamosus Lebedev,1910** (Halictidae) Synonym(s): *squamosus* Lebedev,1910
- 12797) Halictus (s.str.) submodernus Blüthgen,1936** (Halictidae) Synonym(s): *submodernus* Blüthgen,1936
- 12798) Halictus (s.str.) tetrazonianellus Strand,1909** (Halictidae) Synonym(s): *tetrazonianellus* Strand,1909
- 12799) Halictus (s.str.) tetrazonius (Klug,1817)** (Halictidae) Synonym(s): *tetrazonius* Klug,1817; *furcatus* Blüthgen,1925
- 12800) Halictus (Seladonia) cephalicus (Morawitz,1873)** (Halictidae) Synonym(s): *cephalicus* Morawitz,1873
- 12801) Halictus (Seladonia) clangulus Warncke,1984** (Halictidae) Synonym(s): *clangulus* Warncke,1984
- 12802) Halictus (Seladonia) confusus Smith,1853** (Halictidae) Synonym(s): *confusus* Smith,1853; *perkinsi* Blüthgen,1926
- 12803) Halictus (Seladonia) desertorum Morawitz,1876** (Halictidae) Synonym(s): *desertorum* Morawitz,1876
- 12804) Halictus (Seladonia) gemmeus Dours,1872** (Halictidae) Synonym(s): *gemmeus* Dours,1872
- 12805) Halictus (Seladonia) kessleri Bramson,1879** (Halictidae) Synonym(s): *kessleri* Bramson,1879
- 12806) Halictus (Seladonia) kudsasi Ebmer,1975** (Halictidae) Synonym(s): *kudsasi* Ebmer,1975
- 12807) Halictus (Seladonia) laticephalus Warncke,1984** (Halictidae) Synonym(s): *laticephalus* Warncke,1984
- 12808) Halictus (Seladonia) leucaheneus Ebmer,1972** (Halictidae) Synonym(s): *leucaheneus* Ebmer,1972; *occipitalis* Ebmer,1972
- 12809) Halictus (Seladonia) seladonius (Fabricius,1794)** (Halictidae) Synonym(s): *seladonius* Fabricius,1794
- 12810) Halictus (Seladonia) smaragdulus Vachal,1895** (Halictidae) Synonym(s): *smaragdulus* Vachal,1895
- 12811) Halictus (Seladonia) subauratus (Rossi,1792)** (Halictidae) Synonym(s): *subauratus* Rossi,1792
- 12812) Halictus (Seladonia) tumulorum (Linnaeus,1758)** (Halictidae) Synonym(s): *tumulorum* Linnaeus,1758
- 12813) Halictus (Seladonia) verticalis Blüthgen,1931** (Halictidae) Synonym(s): *verticalis* Blüthgen,1931
- 12814) Halictus (Vestitohalictus) morawitzi Vachal,1902** (Halictidae) Synonym(s): *morawitzi* Vachal,1902

- 12815) Halictus (Vestitohalictus) nigricutis** Warncke,1975 (Halictidae) Synonym(s): *nigricutis* Warncke,1975
- 12816) Halictus (Vestitohalictus) pollinosus** Sichel,1860 (Halictidae) Synonym(s): *pollinosus* Sichel,1860
- 12817) Halictus (Vestitohalictus) pseudomucoreus** Ebmer,1975 (Halictidae) Synonym(s): *pseudomucoreus* Ebmer,1975
- 12818) Halictus (Vestitohalictus) pulvereus** Morawitz,1874 (Halictidae) Synonym(s): *pulvereus* Morawitz,1874
- 12819) Halictus (Vestitohalictus) semiticus** Blüthgen,1955 (Halictidae) Synonym(s): *semiticus* Blüthgen,1955
- 12820) Halictus (Vestitohalictus) solitudinis** Ebmer,1975 (Halictidae) Synonym(s): *solitudinis* Ebmer,1975
- 12821) Halictus (Vestitohalictus) tuberculatus** Blüthgen,1925 (Halictidae) Synonym(s): *tuberculatus* Blüthgen,1925
- 12822) Halictus korbi** Blüthgen,1929 (Halictidae) Synonym(s): *korbi* Blüthgen,1929
- 12823) Lasioglossum (Ctenonomia) vagans** (Smith,1858) (Halictidae) Synonym(s): *vagans* Smith,1858
- 12824) Lasioglossum (Evylaeus) adaliae** (Blüthgen,1923) (Halictidae) Synonym(s): *adaliae* Blüthgen,1923
- 12825) Lasioglossum (Evylaeus) aeratum** (Kirby,1802) (Halictidae) Synonym(s): *aeratum* Kirby,1802; *caudatum* Warncke,1982
- 12826) Lasioglossum (Evylaeus) albipes** (Fabricius,1781) (Halictidae) Synonym(s): *albipes* Fabricius,1781
- 12827) Lasioglossum (Evylaeus) alectore** (Warncke,1984) (Halictidae) Synonym(s): *alectore* Warncke,1984
- 12828) Lasioglossum (Evylaeus) algirum** (Blüthgen,1923) (Halictidae) Synonym(s): *algirum* Blüthgen,1923
- 12829) Lasioglossum (Evylaeus) anellum** (Vachal,1905) (Halictidae) Synonym(s): *anellum* Vachal,1905
- 12830) Lasioglossum (Evylaeus) angusticeps** (Perkins,1895) (Halictidae) Synonym(s): *angusticeps* Perkins,1895
- 12831) Lasioglossum (Evylaeus) angustipes** Ebmer,1972 (Halictidae) Synonym(s): *angustipes* Ebmer,1972
- 12832) Lasioglossum (Evylaeus) annulipes** (Morawitz,1876) (Halictidae) Synonym(s): *annulipes* Morawitz,1876
- 12833) Lasioglossum (Evylaeus) apostoli** Ebmer,1970 (Halictidae) Synonym(s): *apostoli* Ebmer,1970
- 12834) Lasioglossum (Evylaeus) apricarium** (Warncke,1982) (Halictidae) Synonym(s): *apricarium* Warncke,1982
- 12835) Lasioglossum (Evylaeus) araxanum** (Blüthgen,1923) (Halictidae) Synonym(s): *araxanum* Blüthgen,1923; *araxanellus* Blüthgen,1926
- 12836) Lasioglossum (Evylaeus) argaeum** (Blüthgen,1931) (Halictidae) Synonym(s): *argaeum* Blüthgen,1931
- 12837) Lasioglossum (Evylaeus) atrovirens** (Pérez,1903) (Halictidae) Synonym(s): *atrovirens* Pérez,1903
- 12838) Lasioglossum (Evylaeus) bicallosum** (Morawitz,1873) (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmitrijewi* Morawitz,1892
- 12839) Lasioglossum (Evylaeus) biscoffi** (Blüthgen,1931) (Halictidae) Synonym(s): *biscoffi* Blüthgen,1931
- 12840) Lasioglossum (Evylaeus) bluethgeni** (Ebmer,1971) (Halictidae) Synonym(s): *bluethgeni* Ebmer,1971
- 12841) Lasioglossum (Evylaeus) brevicorne** (Schenck,1868) (Halictidae) Synonym(s): *brevicorne* Schenck,1868
- 12842) Lasioglossum (Evylaeus) calceatum** (Scopoli,1763) (Halictidae) Synonym(s): *calceatum* Scopoli,1763
- 12843) Lasioglossum (Evylaeus) cinclum** (Warncke,1984) (Halictidae) Synonym(s): *cinclum* Warncke,1984
- 12844) Lasioglossum (Evylaeus) ciscapum** (Blüthgen,1931) (Halictidae) Synonym(s): *ciscapum* Blüthgen,1931
- 12845) Lasioglossum (Evylaeus) clypeare** (Schenck,1853) (Halictidae) Synonym(s): *clypeare* Schenck,1853
- 12846) Lasioglossum (Evylaeus) clypeiferellum** (Strand,1909) (Halictidae) Synonym(s): *clypeiferellum* Strand,1909
- 12847) Lasioglossum (Evylaeus) convexusculum** (Schenck,1853) (Halictidae) Synonym(s): *convexusculum* Schenck,1853
- 12848) Lasioglossum (Evylaeus) corvinum** (Morawitz,1876) (Halictidae) Synonym(s): *corvinum* Morawitz,1876

- 12849) Lasioglossum (Evylaeus) crassepunctatum (Blüthgen,1923)** (Halictidae) Synonym(s): *crassepunctatum* Blüthgen,1923
- 12850) Lasioglossum (Evylaeus) croceipes (Morawitz,1876)** (Halictidae) Synonym(s): *croceipes* Morawitz,1876; *semicroceipes* Ebmer,1972
- 12851) Lasioglossum (Evylaeus) cucullatum (Warncke,1984)** (Halictidae) Synonym(s): *cucullatum* Warncke,1984
- 12852) Lasioglossum (Evylaeus) cupromicans (Pérez,1903)** (Halictidae) Synonym(s): *cupromicans* Pérez,1903; *pangaeum* Warncke,1982; *geviense* Warncke,1984
- 12853) Lasioglossum (Evylaeus) daglariense (Warncke,1984)** (Halictidae) Synonym(s): *daglariense* Warncke,1984
- 12854) Lasioglossum (Evylaeus) damascenum (Pérez,1910)** (Halictidae) Synonym(s): *damascenum* Pérez,1910
- 12855) Lasioglossum (Evylaeus) denislucum (Strand,1909)** (Halictidae) Synonym(s): *denislucum* Strand,1909
- 12856) Lasioglossum (Evylaeus) dolichocephalum (Blüthgen,1923)** (Halictidae) Synonym(s): *dolichocephalum* Blüthgen,1923
- 12857) Lasioglossum (Evylaeus) duckei (Alfken,1909)** (Halictidae) Synonym(s): *duckei* Alfken,1909
- 12858) Lasioglossum (Evylaeus) edessae Ebmer,1974** (Halictidae) Synonym(s): *edessae* Ebmer,1974
- 12859) Lasioglossum (Evylaeus) elegans (Lepeletier,1841)** (Halictidae) Synonym(s): *elegans* Lepeletier,1841
- 12860) Lasioglossum (Evylaeus) epipygiale (Blüthgen,1924)** (Halictidae) Synonym(s): *epipygiale* Blüthgen,1924
- 12861) Lasioglossum (Evylaeus) erraticum (Blüthgen,1931)** (Halictidae) Synonym(s): *erraticum* Blüthgen,1931
- 12862) Lasioglossum (Evylaeus) euboense (Strand,1909)** (Halictidae) Synonym(s): *euboense* Strand,1909
- 12863) Lasioglossum (Evylaeus) eurydikae Ebmer,1974** (Halictidae) Synonym(s): *eurydikae* Ebmer,1974
- 12864) Lasioglossum (Evylaeus) filipes Ebmer,1972** (Halictidae) Synonym(s): *filipes* Ebmer,1972
- 12865) Lasioglossum (Evylaeus) fratellum (Pérez,1903)** (Halictidae) Synonym(s): *fratellum* Pérez,1903
- 12866) Lasioglossum (Evylaeus) fulvicorne (Kirby,1802)** (Halictidae) Synonym(s): *fulvicorne* Kirby,1802
- 12867) Lasioglossum (Evylaeus) glabriusculum (Morawitz,1872)** (Halictidae) Synonym(s): *glabriusculum* Morawitz,1872
- 12868) Lasioglossum (Evylaeus) griseolum (Morawitz,1872)** (Halictidae) Synonym(s): *griseolum* Morawitz,1872
- 12869) Lasioglossum (Evylaeus) harputicum Ebmer,1972** (Halictidae) Synonym(s): *harputicum* Ebmer,1972
- 12870) Lasioglossum (Evylaeus) hecate Ebmer,1986** (Halictidae) Synonym(s): *hecate* Ebmer,1986
- 12871) Lasioglossum (Evylaeus) hethiticum Ebmer,1970** (Halictidae) Synonym(s): *hethiticum* Ebmer,1970
- 12872) Lasioglossum (Evylaeus) hilare Ebmer,1972** (Halictidae) Synonym(s): *hilare* Ebmer,1972
- 12873) Lasioglossum (Evylaeus) imbecillum (Ebmer,1974)** (Halictidae) Synonym(s): *imbecillum* Ebmer,1974
- 12874) Lasioglossum (Evylaeus) imbecillum Ebmer,1974** (Halictidae) Synonym(s): *imbecillum* Ebmer,1974
- 12875) Lasioglossum (Evylaeus) intermedium (Schenck,1869)** (Halictidae) Synonym(s): *intermedium* Schenck,1869
- 12876) Lasioglossum (Evylaeus) interruptum (Panzer,1798)** (Halictidae) Synonym(s): *interruptum* Panzer,1798; *trispinosum* Alfken,1907
- 12877) Lasioglossum (Evylaeus) ituraeum Ebmer,1972** (Halictidae) Synonym(s): *ituraeum* Ebmer,1972
- 12878) Lasioglossum (Evylaeus) kappadokium Ebmer,1974** (Halictidae) Synonym(s): *kappadokium* Ebmer,1974
- 12879) Lasioglossum (Evylaeus) laevidorsum (Blüthgen,1923)** (Halictidae) Synonym(s): *laevidorsum* Blüthgen,1923
- 12880) Lasioglossum (Evylaeus) laticeps Schenck,1870** (Halictidae) Synonym(s): *laticeps* Schenck,1870; *hellenicum* Blüthgen,1937
- 12881) Lasioglossum (Evylaeus) limbelloides (Blüthgen,1931)** (Halictidae) Synonym(s): *limbelloides* Blüthgen,1931
- 12882) Lasioglossum (Evylaeus) limbellum (Morawitz,1876)** (Halictidae) Synonym(s): *limbellum* Morawitz,1876
- 12883) Lasioglossum (Evylaeus) lineare (Schenck,1869)** (Halictidae) Synonym(s): *lineare* Schenck,1869

- 12884) Lasioglossum (Evylaeus) lissonatum (Noskiewicz,1925)** (Halictidae) Synonym(s): *lissonatum* Noskiewicz,1925
- 12885) Lasioglossum (Evylaeus) longirostre (Morawitz,1876)** (Halictidae) Synonym(s): *longirostre* Morawitz,1876
- 12886) Lasioglossum (Evylaeus) maculipes (Morawitz,1876)** (Halictidae) Synonym(s): *maculipes* Morawitz,1876
- 12887) Lasioglossum (Evylaeus) mandibulare (Morawitz,1866)** (Halictidae) Synonym(s): *mandibulare* Morawitz,1866; *carneivendre* Dours,1872
- 12888) Lasioglossum (Evylaeus) marginatum (Brullé,1832)** (Halictidae) Synonym(s): *marginatum* Brullé,1832
- 12889) Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982
- 12890) Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *balneorum* Ebmer,1974
- 12891) Lasioglossum (Evylaeus) minutissimum (Kirby,1802)** (Halictidae) Synonym(s): *minutissimum* Kirby,1802
- 12892) Lasioglossum (Evylaeus) minutulum (Schenck,1853)** (Halictidae) Synonym(s): *minutulum* Schenck,1853
- 12893) Lasioglossum (Evylaeus) montifringillum (Warncke,1984)** (Halictidae) Synonym(s): *montifringillum* Warncke,1984
- 12894) Lasioglossum (Evylaeus) montivolans Ebmer,1975** (Halictidae) Synonym(s): *montivolans* Ebmer,1975
- 12895) Lasioglossum (Evylaeus) morio (Fabricius,1793)** (Halictidae) Synonym(s): *morio* Fabricius,1793
- 12896) Lasioglossum (Evylaeus) muganicum Ebmer,1972** (Halictidae) Synonym(s): *muganicum* Ebmer,1972
- 12897) Lasioglossum (Evylaeus) nigripes (Lepeletier,1841)** (Halictidae) Synonym(s): *nigripes* Lepeletier,1841
- 12898) Lasioglossum (Evylaeus) nitidiusculum (Kirby,1802)** (Halictidae) Synonym(s): *nitidiusculum* Kirby,1802
- 12899) Lasioglossum (Evylaeus) nitidulum (Fabricius,1804)** (Halictidae) Synonym(s): *nitidulum* Fabricius,1804
- 12900) Lasioglossum (Evylaeus) obscuratum (Morawitz,1875)** (Halictidae) Synonym(s): *obscuratum* Morawitz,1875
- 12901) Lasioglossum (Evylaeus) ordubadense (Friese,1916)** (Halictidae) Synonym(s): *ordubadense* Friese,1916
- 12902) Lasioglossum (Evylaeus) paleae Ebmer,1972** (Halictidae) Synonym(s): *paleae* Ebmer,1972
- 12903) Lasioglossum (Evylaeus) parvulum (Schenck,1853)** (Halictidae) Synonym(s): *parvulum* Schenck,1853
- 12904) Lasioglossum (Evylaeus) pauperatum (Brullé,1832)** (Halictidae) Synonym(s): *pauperatum* Brullé,1832
- 12905) Lasioglossum (Evylaeus) pauxillum (Schenck,1853)** (Halictidae) Synonym(s): *pauxillum* Schenck,1853
- 12906) Lasioglossum (Evylaeus) peregrinum (Blüthgen,1923)** (Halictidae) Synonym(s): *peregrinum* Blüthgen,1923
- 12907) Lasioglossum (Evylaeus) pistorium (Vachal,1902)** (Halictidae) Synonym(s): *pistorium* Vachal,1902
- 12908) Lasioglossum (Evylaeus) podolicum (Noskiewicz,1924)** (Halictidae) Synonym(s): *podolicum* Noskiewicz,1924
- 12909) Lasioglossum (Evylaeus) politum Schenck,1853** (Halictidae) Synonym(s): *politum* Schenck,1853
- 12910) Lasioglossum (Evylaeus) pressithorax Ebmer,1974** (Halictidae) Synonym(s): *pressithorax* Ebmer,1974
- 12911) Lasioglossum (Evylaeus) pseudoleptorhynchum (Blüthgen,1931)** (Halictidae) Synonym(s): *pseudoleptorhynchum* Blüthgen,1931
- 12912) Lasioglossum (Evylaeus) pseudonigripes (Blüthgen,1934)** (Halictidae) Synonym(s): *pseudonigripes* Blüthgen,1934; *bassanum* Warncke,1982
- 12913) Lasioglossum (Evylaeus) pseudosphecodimorphum (Blüthgen,1923)** (Halictidae) Synonym(s): *pseudosphecodimorphum* Blüthgen,1923
- 12914) Lasioglossum (Evylaeus) pulicarium (Warncke,1975)** (Halictidae) Synonym(s): *pulicarium* Warncke,1975
- 12915) Lasioglossum (Evylaeus) punctatissimum (Schenck,1853)** (Halictidae) Synonym(s): *punctatissimum* Schenck,1853
- 12916) Lasioglossum (Evylaeus) puncticolle (Morawitz,1872)** (Halictidae) Synonym(s): *puncticolle* Morawitz,1872

- 12917) Lasioglossum (Evylaeus) pygmaeum Schenck,1853** (Halictidae) Synonym(s): *pygmaeum* Schenck,1853; *patulum* Vachal,1905
- 12918) Lasioglossum (Evylaeus) quadrisignatus (Schenck,1853)** (Halictidae) Synonym(s): *quadrisignatus* Schenck,1853
- 12919) Lasioglossum (Evylaeus) rhynchites (Morawitz,1876)** (Halictidae) Synonym(s): *rhynchites* Morawitz,1876
- 12920) Lasioglossum (Evylaeus) rupestre (Warncke,1984)** (Halictidae) Synonym(s): *rupestre* Warncke,1984
- 12921) Lasioglossum (Evylaeus) rusticolum (Warncke,1982)** (Halictidae) Synonym(s): *rusticolum* Warncke,1982
- 12922) Lasioglossum (Evylaeus) salinum (Morawitz,1875)** (Halictidae) Synonym(s): *salinum* Morawitz,1875
- 12923) Lasioglossum (Evylaeus) samaricum (Blüthgen,1935)** (Halictidae) Synonym(s): *samaricum* Blüthgen,1935
- 12924) Lasioglossum (Evylaeus) saxatile (Warncke,1984)** (Halictidae) Synonym(s): *saxatile* Warncke,1984
- 12925) Lasioglossum (Evylaeus) schachti (Warncke,1984)** (Halictidae) Synonym(s): *schachti* Warncke,1984
- 12926) Lasioglossum (Evylaeus) schwarzi Ebmer,1985** (Halictidae) Synonym(s): *schwarzi* Ebmer,1985
- 12927) Lasioglossum (Evylaeus) semilucens (Alfken,1914)** (Halictidae) Synonym(s): *semilucens* Alfken,1914
- 12928) Lasioglossum (Evylaeus) setulellum (Strand,1909)** (Halictidae) Synonym(s): *setulellum* Strand,1909
- 12929) Lasioglossum (Evylaeus) siirtense (Warncke,1984)** (Halictidae) Synonym(s): *siirtense* Warncke,1984; *#siistense* Grace,2010
- 12930) Lasioglossum (Evylaeus) skorikovi (Blüthgen,1929)** (Halictidae) Synonym(s): *skorikovi* Blüthgen,1929
- 12931) Lasioglossum (Evylaeus) sobrinum (Warncke,1982)** (Halictidae) Synonym(s): *sobrinum* Warncke,1982
- 12932) Lasioglossum (Evylaeus) sociorum (Blüthgen,1924)** (Halictidae) Synonym(s): *sociorum* Blüthgen,1924
- 12933) Lasioglossum (Evylaeus) soror (Saunders,1901)** (Halictidae) Synonym(s): *soror* Saunders,1901; *elatum* Warncke,1975; *livium* Warncke,1982
- 12934) Lasioglossum (Evylaeus) stelidum (Warncke,1982)** (Halictidae) Synonym(s): *stelidum* Warncke,1982
- 12935) Lasioglossum (Evylaeus) subaenescens (Pérez,1896)** (Halictidae) Synonym(s): *subaenescens* Pérez,1896; *asiaticum* Dalla Torre,1896
- 12936) Lasioglossum (Evylaeus) taninense (Warncke,1984)** (Halictidae) Synonym(s): *taninense* Warncke,1984
- 12937) Lasioglossum (Evylaeus) tarsatum (Schenck,1868)** (Halictidae) Synonym(s): *tarsatum* Schenck,1868
- 12938) Lasioglossum (Evylaeus) tauricum Ebmer,1972** (Halictidae) Synonym(s): *tauricum* Ebmer,1972
- 12939) Lasioglossum (Evylaeus) transitorium (Schenck,1870)** (Halictidae) Synonym(s): *transitorium* Schenck,1870; *uncinum* Vachal,1905
- 12940) Lasioglossum (Evylaeus) trichopygum (Blüthgen,1923)** (Halictidae) Synonym(s): *trichopygum* Blüthgen,1923
- 12941) Lasioglossum (Evylaeus) tricinctum (Schenck,1874)** (Halictidae) Synonym(s): *tricinctum* Schenck,1874; *muganicum* Ebmer,1972
- 12942) Lasioglossum (Evylaeus) truncaticolle (Morawitz,1877)** (Halictidae) Synonym(s): *truncaticolle* Morawitz,1877
- 12943) Lasioglossum (Evylaeus) tschibuklinum (Blüthgen,1931)** (Halictidae) Synonym(s): *tschibuklinum* Blüthgen,1931
- 12944) Lasioglossum (Evylaeus) villosulum (Kirby,1802)** (Halictidae) Synonym(s): *villosulum* Kirby,1802
- 12945) Lasioglossum (Evylaeus) zostaceum (Warncke,1982)** (Halictidae) Synonym(s): *zostaceum* Warncke,1982
- 12946) Lasioglossum (s.str.) acephaloides (Blüthgen,1931)** (Halictidae) Synonym(s): *acephaloides* Blüthgen,1931
- 12947) Lasioglossum (s.str.) aegyptiellum (Strand,1909)** (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis* Cockerell,1918; *dalmaticum* Ebmer,1970
- 12948) Lasioglossum (s.str.) caspicum (Morawitz,1873)** (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911
- 12949) Lasioglossum (s.str.) chloropus (Morawitz,1893)** (Halictidae) Synonym(s): *chloropus* Morawitz,1893; *tungusicum* Ebmer,1978

- 12950) Lasioglossum (s.str.) cilicium Ebmer,1972** (Halictidae) Synonym(s): *cilicium Ebmer,1972*
- 12951) Lasioglossum (s.str.) costulatum (Kriechbaumer,1873)** (Halictidae) Synonym(s): *costulatum Kriechbaumer,1873; alpestris Morawitz,1877*
- 12952) Lasioglossum (s.str.) cristulum (Pérez,1895)** (Halictidae) Synonym(s): *cristulum Pérez,1895; mesoleus Cockerell,1938; donatum Warncke,1975; #cristulam Grace,2010*
- 12953) Lasioglossum (s.str.) discum (Smith,1853)** (Halictidae) Synonym(s): *discum Smith,1853; morbillosus Kriechbaumer,1873; glasunovi Cockrell,1924;*
- 12954) Lasioglossum (s.str.) equinum Ebmer,1978** (Halictidae) Synonym(s): *equinum Ebmer,1978*
- 12955) Lasioglossum (s.str.) euxinicum Ebmer,1972** (Halictidae) Synonym(s): *euxinicum Ebmer,1972*
- 12956) Lasioglossum (s.str.) fahringeri Friese,1921** (Halictidae) Synonym(s): *fahringeri Friese,1921*
- 12957) Lasioglossum (s.str.) fallax (Morawitz,1873)** (Halictidae) Synonym(s): *fallax Morawitz,1873; rhadiourgan Ebner,1980*
- 12958) Lasioglossum (s.str.) haesitans (Blüthgen,1931)** (Halictidae) Synonym(s): *haesitans Blüthgen,1931*
- 12959) Lasioglossum (s.str.) korbi (Blüthgen,1929)** (Halictidae) Synonym(s): *korbi Blüthgen,1929*
- 12960) Lasioglossum (s.str.) kussariense (Blüthgen,1925)** (Halictidae) Synonym(s): *kussariense Blüthgen,1925*
- 12961) Lasioglossum (s.str.) laevigatum (Kirby,1802)** (Halictidae) Synonym(s): *laevigatum Kirby,1802; lugubris Kirby,1802; semicinctus Förster,1860*
- 12962) Lasioglossum (s.str.) laterale (Brullé,1832)** (Halictidae) Synonym(s): *lateralis Brullé,1832; bifasciatus Brullé,1832; ticinensis Frey-Gessner,1903*
- 12963) Lasioglossum (s.str.) lativentre (Schenck,1853)** (Halictidae) Synonym(s): *lativentre Schenck,1853; bisbistrigatus Schenck,1853; bicinctus Schenck,1874; decipiens Perkins,1913; sotschica Blüthgen,1931*
- 12964) Lasioglossum (s.str.) lativentre (Schenck,1853)** (Halictidae) Synonym(s): *lativentre Schenck,1853*
- 12965) Lasioglossum (s.str.) leucozonium (Schränk,1781)** (Halictidae) Synonym(s): *leucozonium Schränk,1781; leucostoma Schränk,1781; similis Smith,1853; bifasciatellus Schenck,1875; nigrotibialis Dalla Torre,1877; deiphobus Bingham,1908; clusium Warncke,1975; cedri Ebmer,1976*
- 12966) Lasioglossum (s.str.) pallens (Brullé,1832)** (Halictidae) Synonym(s): *pallens Brullé,1832*
- 12967) Lasioglossum (s.str.) perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes Blüthgen,1934*
- 12968) Lasioglossum (s.str.) perclavipes (Blüthgen,1934)** (Halictidae) Synonym(s): *perclavipes Blüthgen,1934*
- 12969) Lasioglossum (s.str.) prunellum Warncke,1975** (Halictidae) Synonym(s): *prunellum Warncke,1975*
- 12970) Lasioglossum (s.str.) pseudocaspicum (Blüthgen,1923)** (Halictidae) Synonym(s): *pseudocaspicum Blüthgen,1923*
- 12971) Lasioglossum (s.str.) quadrinotatum (Kirby,1802)** (Halictidae) Synonym(s): *quadrinotatum Kirby,1802*
- 12972) Lasioglossum (s.str.) sexnotatum (Kirby,1802)** (Halictidae) Synonym(s): *sexnotatum Kirby,1802*
- 12973) Lasioglossum (s.str.) solitarium (Warncke,1975)** (Halictidae) Synonym(s): *solitarium Warncke,1975*
- 12974) Lasioglossum (s.str.) subbuteo (Warncke,1982)** (Halictidae) Synonym(s): *subbuteo Warncke,1982*
- 12975) Lasioglossum (s.str.) subfasciatum (Imhoff,1832)** (Halictidae) Synonym(s): *subfasciatum Imhoff,1832*
- 12976) Lasioglossum (s.str.) tadschicum (Blüthgen,1929)** (Halictidae) Synonym(s): *tadschicum Blüthgen,1929*
- 12977) Lasioglossum (s.str.) tenuiceps (Vachal,1905)** (Halictidae) Synonym(s): *tenuiceps Vachal,1905*
- 12978) Lasioglossum (s.str.) xanthopum (Kirby,1802)** (Halictidae) Synonym(s): *xanthopum Kirby,1802; lativalve Warncke,1984*
- 12979) Lasioglossum (s.str.) zonulum (Smith,1848)** (Halictidae) Synonym(s): *zonulum Smith,1848*
- 12980) Lasioglossum buccale (Pérez,1903)** (Halictidae) Synonym(s): *buccale Pérez,1903*
- 12981) Lasioglossum eurasicum Ebmer,1972** (Halictidae) Synonym(s): *eurasicum Ebmer,1972*
- 12982) Lasioglossum sexnotatum Kirby,1802** (Halictidae) Synonym(s): *sexnotatum Kirby,1802*
- 12983) Lasioglossum solitarium Warncke,1975** (Halictidae) Synonym(s): *solitarium Warncke,1975*
- 12984) Lasioglossum subfasciatum Imhoff,1832** (Halictidae) Synonym(s): *subfasciatum Imhoff,1832*
- 12985) Lasioglossum tinnunculum Warncke,1982** (Halictidae) Synonym(s): *tinnunculum Warncke,1982*
- 12986) Lasioglossum xanthopum Kirby,1802** (Halictidae) Synonym(s): *xanthopum Kirby,1802*
- 12987) Nomioides (s.str.) chalybeatus (Blüthgen,1934)** (Halictidae) Synonym(s): *chalybeatus Blüthgen,1934*
- 12988) Nomioides (s.str.) facilis (Smith,1853)** (Halictidae) Synonym(s): *facilis Smith,1853*

- 12989) Nomioides (s.str.) gussakovskiji Blüthgen,1933** (Halictidae) Synonym(s): *gussakovskiji Blüthgen,1933*
- 12990) Nomioides (s.str.) ino (Nurse,1904)** (Halictidae) Synonym(s): *ino Nurse,1904*
- 12991) Nomioides (s.str.) minutissimus (Rossi,1790)** (Halictidae) Synonym(s): *minutissimus Rossi,1790; modestus Pesenko,1977*
- 12992) Nomioides (s.str.) modestus Pesenko,1977** (Halictidae) Synonym(s): *modestus Pesenko,1977*
- 12993) Nomioides (s.str.) parviceps Morawitz,1876** (Halictidae) Synonym(s): *parviceps Morawitz,1876*
- 12994) Nomioides (s.str.) schwarzi Pesenko,1989** (Halictidae) Synonym(s): *schwarzi Pesenko,1989*
- 12995) Nomioides (s.str.) similis Pesenko,1983** (Halictidae) Synonym(s): *similis Pesenko,1983; rugosus Pesenko,1983*
- 12996) Nomioides (s.str.) squamiger Saunders,1908** (Halictidae) Synonym(s): *squamiger Saunders,1908*
- 12997) Nomioides (s.str.) turanicus Morawitz,1876** (Halictidae) Synonym(s): *turanicus Morawitz,1876*
- 12998) Pseudapis (Nomiapis) diversipes (Latreille,1806)** (Halictidae) Synonym(s): *diversipes Latreille,1806*
- 12999) Pseudapis (Nomiapis) equestris Gerstaecker,1872** (Halictidae) Synonym(s): *equestris Gerstaecker,1872*
- 13000) Pseudapis (Nomiapis) femoralis (Pallas,1773)** (Halictidae) Synonym(s): *femoralis Pallas,1773; valga Gerstaecker,1872*
- 13001) Pseudapis (Nomiapis) monstrosa (Costa,1861)** (Halictidae) Synonym(s): *monstrosa Costa,1861*
- 13002) Pseudapis (Nomiapis) unidentata (Olivier,1811)** (Halictidae) Synonym(s): *unidentata Olivier,1811*
- 13003) Pseudapis (Nomiapis) urfana (Warncke,1980)** (Halictidae) Synonym(s): *urfana Warncke,1980*
- 13004) Pseudapis (Nomiapis) valga (Gerstaecker,1872)** (Halictidae) Synonym(s): *valga Gerstaecker,1872*
- 13005) Pseudapis (s.str.) anatolica (Warncke,1976)** (Halictidae) Synonym(s): *anatolica Warncke,1976*
- 13006) Pseudapis (s.str.) bytinski (Warncke,1976)** (Halictidae) Synonym(s): *bytinski Warncke,1976*
- 13007) Pseudapis (s.str.) edentata (Morawitz,1876)** (Halictidae) Synonym(s): *edentata Morawitz,1876*
- 13008) Pseudapis (s.str.) lobata (Olivier,1811)** (Halictidae) Synonym(s): *lobata Olivier,1811*
- 13009) Pseudapis (s.str.) platula (Warncke,1976)** (Halictidae) Synonym(s): *platula Warncke,1976*
- 13010) Pseudapis (s.str.) rufescens (Morawitz,1876)** (Halictidae) Synonym(s): *rufescens Morawitz,1876*
- 13011) Rhophitoides anaticus Schwammberger,1975** (Halictidae) Synonym(s): *anaticus Schwammberger,1975*
- 13012) Rhophitoides canus (Eversmann,1852)** (Halictidae) Synonym(s): *canus Eversmann,1852; bifoveolatus Sichel,1854; distinguendus Schenck,1861*
- 13013) Rophites algirus Pérez,1895** (Halictidae) Synonym(s): *algirus Pérez,1895; trispinosus Pérez,1903; montanus Ebmer,1978; graecus Warncke,1980*
- 13014) Rophites caucasicus Morawitz,1875** (Halictidae) Synonym(s): *caucasicus Morawitz,1875*
- 13015) Rophites clypealis Schwammberger,1976** (Halictidae) Synonym(s): *clypealis Schwammberger,1976*
- 13016) Rophites foveolatus Friese,1900** (Halictidae) Synonym(s): *foveolatus Friese,1900*
- 13017) Rophites gusenleitneri Schwammberger,1973** (Halictidae) Synonym(s): *gusenleitneri Schwammberger,1973*
- 13018) Rophites hartmanni Friese,1902** (Halictidae) Synonym(s): *hartmanni Friese,1902*
- 13019) Rophites heinrichi Schwammberger,1976** (Halictidae) Synonym(s): *heinrichi Schwammberger,1976*
- 13020) Rophites leclercqi Schwammberger,1971** (Halictidae) Synonym(s): *leclercqi Schwammberger,1971*
- 13021) Rophites morawitzia Friese,1902** (Halictidae) Synonym(s): *morawitzia Friese,1902*
- 13022) Rophites nigripes Friese,1902** (Halictidae) Synonym(s): *nigripes Friese,1902*
- 13023) Rophites quinquespinosus Spinola,1808** (Halictidae) Synonym(s): *quinquespinosus Spinola,1808*
- 13024) Rophites transitorius Ebmer,1993** (Halictidae) Synonym(s): *transitorius Ebmer,1993*
- 13025) Sphecodes albilabris (Fabricius,1793)** (Halictidae) Synonym(s): *albilabris Fabricius,1793*
- 13026) Sphecodes alternatus Smith,1853** (Halictidae) Synonym(s): *alternatus Smith,1853; punctiventris Hagens,1882; gracilior Morawitz,1894; antigae Tournier,1901; lindbergi Pittioni,1950*
- 13027) Sphecodes anaticus Warncke,1992** (Halictidae) Synonym(s): *anaticus Warncke,1992*
- 13028) Sphecodes armeniacus Warncke,1992** (Halictidae) Synonym(s): *armeniaceus Warncke,1992*
- 13029) Sphecodes crassus Thomson,1870** (Halictidae) Synonym(s): *crassus Thomson,1870*
- 13030) Sphecodes cristatus Hagens,1882** (Halictidae) Synonym(s): *cristatus Hagens,1882*
- 13031) Sphecodes croaticus Meyer,1922** (Halictidae) Synonym(s): *croaticus Meyer,1922; cyprius Blüthgen,1938*
- 13032) Sphecodes dusmeti Blüthgen,1924** (Halictidae) Synonym(s): *dusmeti Blüthgen,1924*

- 13033) *Sphecodes ephippius* (Linnaeus,1767)** (Halictidae) Synonym(s): *ephippius* Linnaeus,1767
13034) *Sphecodes ferruginatus* Hagens,1882 (Halictidae) Synonym(s): *ferruginatus* Hagens,1882
13035) *Sphecodes geoffrellus* (Kirby,1802) (Halictidae) Synonym(s): *geoffrellus* Kirby,1802; *hakkariensis* Warncke,1992
13036) *Sphecodes gibbus* (Linnaeus,1758) (Halictidae) Synonym(s): *gibbus* Linnaeus,1758; *rufispinosus* Meyer,1920
13037) *Sphecodes intermedius* Blüthgen,1923 (Halictidae) Synonym(s): *intermedius* Blüthgen,1923
13038) *Sphecodes longulus* Hagens,1882 (Halictidae) Synonym(s): *longulus* Hagens,1882
13039) *Sphecodes majalis* Pérez,1903 (Halictidae) Synonym(s): *majalis* Pérez,1903; *barbatus* Blüthgen,1923
13040) *Sphecodes marginatus* Hagens,1882 (Halictidae) Synonym(s): *marginatus* Hagens,1882; *biskrensis* Pérez,1903
13041) *Sphecodes monilicornis* (Kirby,1802) (Halictidae) Synonym(s): *monilicornis* Kirby,1802; *cephalotes* Meyer,1920
13042) *Sphecodes olivieri* Lepeletier,1825 (Halictidae) Synonym(s): *olivieri* Lepeletier,1825
13043) *Sphecodes pellucidus* Smith,1845 (Halictidae) Synonym(s): *pellucidus* Smith,1845
13044) *Sphecodes pinguiculus* Pérez,1903 (Halictidae) Synonym(s): *pinguiculus* Pérez,1903; *sareptensis* Meyer,1922
13045) *Sphecodes punctipes* Thomson,1870 (Halictidae) Synonym(s): *punctipes* Thomson,1870
13046) *Sphecodes reticulatus* Thomson,1870 (Halictidae) Synonym(s): *reticulatus* Thomson,1870
13047) *Sphecodes rubicundus* Hagens,1875 (Halictidae) Synonym(s): *rubicundus* Hagens,1875
13048) *Sphecodes rufiventris* (Panzer,1798) (Halictidae) Synonym(s): *rufiventris* Panzer,1798; *hethiticus* Warncke,1992
13049) *Sphecodes zangherii* Noskiewicz,1931 (Halictidae) Synonym(s): *zangherii* Noskiewicz,1931
13050) *Systropha* (s.str.) *curvicornis* (Scopoli,1770) (Halictidae) Synonym(s): *curvicornis* Scopoli,1770; *convolvuli* Pallas,1773; *labrosa* Eversmann,1852
13051) *Systropha* (s.str.) *planidens* Giraud,1861 (Halictidae) Synonym(s): *planidens* Giraud,1861; *chrysura* Pérez,1905; *grandimargo* Pérez,1905; *anatolica* Warncke,1977
13052) *Thrincohalictus prognathus* (Pérez,1912) (Halictidae) Synonym(s): *prognathus* Pérez,1912

HALIPLIDAE

- 13053) *Haliplus variegatus* Sturm,1834** (Haliplidae) Synonym(s): *variegatus* Sturm,1834
13054) *Peltodytes caesus* (Duftschmid,1805) (Haliplidae) Synonym(s): *caesus* Duftschmid,1805

HELEOMYZIDAE

- 13055) *Eccoptomera microps* (Meigen,1830)** (Heleomyzidae) Synonym(s): *microps* Meigen,1830
13056) *Heleomyza modesta* (Meigen,1838) (Heleomyzidae) Synonym(s): *modesta* Meigen,1838
13057) *Neoleria flavicornis* (Loew,1862) (Heleomyzidae) Synonym(s): *flavicornis* Loew,1862
13058) *Neoleria pusilla* Loew,1862 (Heleomyzidae) Synonym(s): *pusilla* Loew,1862
13059) *Oecothia fenestralis* (Fallén,1820) (Heleomyzidae) Synonym(s): *fenestralis* Fallén,1820
13060) *Pseudoleria pectinata* (Loew,1872) (Heleomyzidae) Synonym(s): *pectinata* Loew,1872
13061) *Suillia affinis* (Meigen,1830) (Heleomyzidae) Synonym(s): *affinis* Meigen,1830
13062) *Suillia bistrigata* (Meigen,1830) (Heleomyzidae) Synonym(s): *bistrigata* Meigen,1830
13063) *Suillia gigantea* (Meigen,1830) (Heleomyzidae) Synonym(s): *gigantea* Meigen,1830
13064) *Suillia humilis* (Meigen,1830) (Heleomyzidae) Synonym(s): *humilis* Meigen,1830; *inornata* Loew,1862
13065) *Suillia pallida* (Fallén,1820) (Heleomyzidae) Synonym(s): *pallida* Fallén,1820
13066) *Suillia variegata* (Loew,1862) (Heleomyzidae) Synonym(s): *variegata* Loew,1862
13067) *Suillia villeneuvei* Czerny,1924 (Heleomyzidae) Synonym(s): *villeneuvei* Czerny,1924
13068) *Tephrochlamys laeta* (Meigen,1830) (Heleomyzidae) Synonym(s): *laeta* Meigen,1830
13069) *Tephrochlamys rufiventris* (Meigen,1830) (Heleomyzidae) Synonym(s): *rufiventris* Meigen,1830

HELICOPSYCHIDAE

- 13070) *Helicopsyche bacescui* Orghidan & Botosaneanu,1953** (Helicopsychidae) Synonym(s): *bacescui* Orghidan & Botosaneanu,1953

HELOPHORIDAE

- 13071) Helophorus (Orphelophorus) turca İncekara,2008** (Helophoridae) Synonym(s): *turca İncekara,2008*
- 13072) Helophorus abeillei Guillebeau,1896** (Helophoridae) Synonym(s): *abeillei Guillebeau,1896*
- 13073) Helophorus alternans Gené,1836** (Helophoridae) Synonym(s): *alternans Gené,1836*
- 13074) Helophorus aquaticus (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus Linnaeus,1758*
- 13075) Helophorus armeniacus Ganglbauer,1901** (Helophoridae) Synonym(s): *armeniacus Ganglbauer,1901*
- 13076) Helophorus arvernensis Mulsant,1846** (Helophoridae) Synonym(s): *arvernensis Mulsant,1846*
- 13077) Helophorus brevialipis Bedel,1881** (Helophoridae) Synonym(s): *brevialipis Bedel,1881*
- 13078) Helophorus brevialpis Bedel,1881** (Helophoridae) Synonym(s): *brevialpis Bedel,1881*
- 13079) Helophorus croaticus Kuwert,1886** (Helophoridae) Synonym(s): *croaticus Kuwert,1886*
- 13080) Helophorus daedalus Orchymont,1932** (Helophoridae) Synonym(s): *daedalus Orchymont,1932*
- 13081) Helophorus difficilis Angus,1988** (Helophoridae) Synonym(s): *difficilis Angus,1988*
- 13082) Helophorus discrepans Rey,1885** (Helophoridae) Synonym(s): *discrepans Rey,1885*
- 13083) Helophorus dorsalis (Marsham,1802)** (Helophoridae) Synonym(s): *dorsalis Marsham,1802*
- 13084) Helophorus erzurumicus İncekara, Mart & Erman,2005** (Helophoridae) Synonym(s): *erzurumicus İncekara, Mart & Erman,2005*
- 13085) Helophorus faustianus Sharp,1916** (Helophoridae) Synonym(s): *faustianus Sharp,1916*
- 13086) Helophorus flavipes Fabricius,1792** (Helophoridae) Synonym(s): *flavipes Fabricius,1792*
- 13087) Helophorus frater Orchymont,1926** (Helophoridae) Synonym(s): *frater Orchymont,1926*
- 13088) Helophorus fulgidicollis Motschoulsky,1860** (Helophoridae) Synonym(s): *fulgidicollis Motschoulsky,1860*
- 13089) Helophorus glacialis Villa,1883** (Helophoridae) Synonym(s): *glacialis Villa,1883*
- 13090) Helophorus griseus Herbst,1793** (Helophoridae) Synonym(s): *griseus Herbst,1793*
- 13091) Helophorus guttulus Motschoulsky,1860** (Helophoridae) Synonym(s): *guttulus Motschoulsky,1860*
- 13092) Helophorus hiliaris Sharp,1916** (Helophoridae) Synonym(s): *hiliaris Sharp,1916*
- 13093) Helophorus hirsutiventris Angus,1984** (Helophoridae) Synonym(s): *hirsutiventris Angus,1984*
- 13094) Helophorus illustris Sharp,1916** (Helophoridae) Synonym(s): *illustris Sharp,1916*
- 13095) Helophorus kirgisicus Knisch,1914** (Helophoridae) Synonym(s): *kirgisicus Knisch,1914*
- 13096) Helophorus lapponicus Thomson,1854** (Helophoridae) Synonym(s): *lapponicus Thomson,1854*
- 13097) Helophorus lewisi Angus,1985** (Helophoridae) Synonym(s): *lewisi Angus,1985*
- 13098) Helophorus liguricus Angus,1970** (Helophoridae) Synonym(s): *liguricus Angus,1970*
- 13099) Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis Wollaston,1864*
- 13100) Helophorus longitarsis Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis Wollaston,1864*
- 13101) Helophorus maculatus Motschoulsky,1860** (Helophoridae) Synonym(s): *maculatus Motschoulsky,1860*
- 13102) Helophorus mervensis Semenov,1900** (Helophoridae) Synonym(s): *mervensis Semenov,1900*
- 13103) Helophorus micans Falderman,1835** (Helophoridae) Synonym(s): *micans Falderman,1835*
- 13104) Helophorus minutus Fabricius,1775** (Helophoridae) Synonym(s): *minutus Fabricius,1775*
- 13105) Helophorus montenegrinus Kuwert,1885** (Helophoridae) Synonym(s): *montenegrinus Kuwert,1885*
- 13106) Helophorus nanus Sturm,1836** (Helophoridae) Synonym(s): *nanus Sturm,1836*
- 13107) Helophorus nubilus Fabricius,1776** (Helophoridae) Synonym(s): *nubilus Fabricius,1776*
- 13108) Helophorus obscurus Mulsant,1844** (Helophoridae) Synonym(s): *obscurus Mulsant,1844*
- 13109) Helophorus pallidipennis Mulsant & Wachanru,1852** (Helophoridae) Synonym(s): *pallidipennis Mulsant & Wachanru,1852*
- 13110) Helophorus paraminutus Angus,1986** (Helophoridae) Synonym(s): *paraminutus Angus,1986*
- 13111) Helophorus ponticus Angus,1988** (Helophoridae) Synonym(s): *ponticus Angus,1988*
- 13112) Helophorus porculus Bedel,1881** (Helophoridae) Synonym(s): *porculus Bedel,1881*
- 13113) Helophorus similis Kuwert,1887** (Helophoridae) Synonym(s): *similis Kuwert,1887*
- 13114) Helophorus subarcuatus Rey,1885** (Helophoridae) Synonym(s): *subarcuatus Rey,1885*
- 13115) Helophorus subcarinatus Angus,1985** (Helophoridae) Synonym(s): *subcarinatus Angus,1985*
- 13116) Helophorus syriacus Kuwert,1885** (Helophoridae) Synonym(s): *syriacus Kuwert,1885*
- 13117) Helophorus terminassianae Angus,1984** (Helophoridae) Synonym(s): *terminassianae Angus,1984*
- 13118) Helophorus zagrosicus Angus,1988** (Helophoridae) Synonym(s): *zagrosicus Angus,1988*

HEMEROBIIDAE

- 13119) Boriomyia arenata Aspöck & Aspöck,1966** (Hemerobiidae) Synonym(s): *arenata* Aspöck & Aspöck,1966
- 13120) Hemerobius friedeli Aspöck & Aspöck,1966** (Hemerobiidae) Synonym(s): *friedeli* Aspöck & Aspöck,1966
- 13121) Hemerobius gilvus Stein,1863** (Hemerobiidae) Synonym(s): *gilvus* Stein,1863
- 13122) Hemerobius handschini Tjeder,1957** (Hemerobiidae) Synonym(s): *handschini* Tjeder,1957
- 13123) Hemerobius micans Olivier,1792** (Hemerobiidae) Synonym(s): *micans* Olivier,1792
- 13124) Hemerobius nitidulus Fabricius,1777** (Hemerobiidae) Synonym(s): *nitidulus* Fabricius,1777
- 13125) Hemerobius zernyi Esben-Petersen,1935** (Hemerobiidae) Synonym(s): *zernyi* Esben-Petersen,1935
- 13126) Megalomus tortricoides Rambur,1842** (Hemerobiidae) Synonym(s): *tortricoides* Rambur,1842
- 13127) Sympherobius elegans (Stephens,1836)** (Hemerobiidae) Synonym(s): *elegans* Stephens,1836
- 13128) Sympherobius pygmaeus (Rambur,1842)** (Hemerobiidae) Synonym(s): *pygmaeus* Rambur,1842
- 13129) Wesmaelius (Kimminsia) navasi (Andreu,1911)** (Hemerobiidae) Synonym(s): *navasi* Andreu,1911
- 13130) Wesmaelius (Kimminsia) subnebulosus (Stephens,1836)** (Hemerobiidae) Synonym(s): *subnebulosus* Stephens,1836
- 13131) Wesmaelius (s.str.) concinnus (Stephens,1836)** (Hemerobiidae) Synonym(s): *concinnus* Stephens,1836

HIPPOBOSCIDAE

- 13132) Pseudolynchia canariensis (Macquart,1839)** (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885

HISTERIDAE

- 13133) Abraeus granulum Erichson,1839** (Histeridae) Synonym(s): *granulum* Erichson,1839
- 13134) Abraeus perpusillus (Marsham,1802)** (Histeridae) Synonym(s): *perpusillus* Marsham,1802
- 13135) Abraeus roubali Olexa,1958** (Histeridae) Synonym(s): *roubali* Olexa,1958
- 13136) Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792
- 13137) Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803
- 13138) Aeletes atomarius (Aubé,1843)** (Histeridae) Synonym(s): *atomarius* Aubé,1843
- 13139) Aeletes hopffgarteni (Reitter,1876)** (Histeridae) Synonym(s): *hopffgarteni* Reitter,1876
- 13140) Atholus bimaculatus (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758
- 13141) Atholus corvinus (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817
- 13142) Atholus duodecimstriatus (Schränk,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schränk,1781
- 13143) Hister quadrimaculatus Linnaeus,1758** (Histeridae) Synonym(s): *quadrimaculatus* Linnaeus,1758; *gagates* Illiger,1807; *aethiops* Heer,1841
- 13144) Hypocaccus (s.str.) brasiliensis (Paykull,1811)** (Histeridae) Synonym(s): *brasiliensis* Paykull,1811
- 13145) Margarinotus (Paralister) purpurascens (Herbst,1792)** (Histeridae) Synonym(s): *purpurascens* Herbst,1792
- 13146) Notodoma lewisi Reitter,1910** (Histeridae) Synonym(s): *lewisi* Reitter,1910
- 13147) Saprinus calatravensis Fuente,1899** (Histeridae) Synonym(s): *calatravensis* Fuente,1899
- 13148) Saprinus maculatus (Rossi,1792)** (Histeridae) Synonym(s): *maculatus* Rossi,1792
- 13149) Saprinus subnitescens Bickhardt,1909** (Histeridae) Synonym(s): *subnitescens* Bickhardt,1909
- 13150) Tribalus anatolicus Olexa,1980** (Histeridae) Synonym(s): *anatolicus* Olexa,1980
- 13151) Tribalus olexai Lackner,2004** (Histeridae) Synonym(s): *olexai* Lackner,2004

HYBOTIDAE

- 13152) Platypalpus verralli (Collin,1926)** (Hybotidae) Synonym(s): *verralli* Collin,1926

HYDRAENIDAE

- 13153) Ochthebius (Asiabates) akbuluti Jäch, Kasapoğlu & Erman,2003** (Hydraenidae)
Synonym(s): *akbuluti Jäch, Kasapoğlu & Erman,2003*
- 13154) Ochthebius (Asiabates) oezkani Jäch, Kasapoğlu & Erman,2003** (Hydraenidae)
Synonym(s): *oezkani Jäch, Kasapoğlu & Erman,2003*
- 13155) Ochthebius (s.str.) minabensis Ferro,1983** (Hydraenidae) Synonym(s): *minabensis Ferro,1983*
- 13156) Ochthebius (s.str.) erzerumi Kuwert,1887** (Hydraenidae) Synonym(s): *erzerumi Kuwert,1887*
- 13157) Ochthebius (s.str.) lividipennis Peyron,1885** (Hydraenidae) Synonym(s): *lividipennis Peyron,1885*
- 13158) Ochthebius (s.str.) meridionalis Rey,1885** (Hydraenidae) Synonym(s): *meridionalis Rey,1885*
- 13159) Ochthebius (s.str.) peisonis Ganglbauer,1901** (Hydraenidae) Synonym(s): *peisonis Ganglbauer,1901*
- 13160) Ochthebius (s.str.) pusillus Stephens,1835** (Hydraenidae) Synonym(s): *pusillus Stephens,1835*
- 13161) Ochthebius (s.str.) virens Jäch,1992** (Hydraenidae) Synonym(s): *virens Jäch,1992*
- 13162) Ochthebius (s.str.) viridis Peyron,1885** (Hydraenidae) Synonym(s): *viridis Peyron,1885*

HYDROCHIDAE

- 13163) Hydrochus brevis (Herbst,1793)** (Hydrochidae) Synonym(s): *brevis Herbst,1793*
- 13164) Hydrochus elongatus (Schaller,1783)** (Hydrochidae) Synonym(s): *elongatus Schaller,1783; cincteloides Marsham,1802; crenulatus Motschoulsky,1860; sibiricus Motschoulsky,1860*
- 13165) Hydrochus flavipennis Küster,1852** (Hydrochidae) Synonym(s): *flavipennis Küster,1852; foveostriatus Fairmaire,1859; obtusicollis Fairmaire,1877; filiformis Kuwert,1887; fuscipennis Kuwert,1887; testaceipennis Kuwert,1887*
- 13166) Hydrochus ibericus Valladares,1999** (Hydrochidae) Synonym(s): *ibericus Valladares,1999*
- 13167) Hydrochus ignicollis (Motschoulsky,1860)** (Hydrochidae) Synonym(s): *ignicollis Motschoulsky,1860*
- 13168) Hydrochus megaphallus Berge Henegouwen,1988** (Hydrochidae) Synonym(s): *megaphallus Berge Henegouwen,1988*
- 13169) Hydrochus nodulifer Reitter,1897** (Hydrochidae) Synonym(s): *nodulifer Reitter,1897*

HYDROMETRIDAE

- 13170) Hydrometra stagnorum (Linnaeus,1758)** (Hydrometridae) Synonym(s): *stagnorum Linnaeus,1758*

HYDROPHILIDAE

- 13171) Anacaena limbata (Fabricius,1792)** (Hydrophilidae) Synonym(s): *limbata Fabricius,1792*
- 13172) Anacaena rufipes (Guillebeau,1896)** (Hydrophilidae) Synonym(s): *rufipes Guillebeau,1896*
- 13173) Berosus (Enoplurus) bispinus Reiche & Saulcy,1856** (Hydrophilidae) Synonym(s): *bispinus Reiche & Saulcy,1856*
- 13174) Berosus (Enoplurus) frontifoveatus Kuwert,1888** (Hydrophilidae) Synonym(s): *frontifoveatus Kuwert,1888*
- 13175) Berosus (Enoplurus) fulvus Kuwert,1888** (Hydrophilidae) Synonym(s): *fulvus Kuwert,1888*
- 13176) Berosus (Enoplurus) jaechi Schödl,1991** (Hydrophilidae) Synonym(s): *jaechi Schödl,1991*
- 13177) Berosus (Enoplurus) spinosus (Steven,1808)** (Hydrophilidae) Synonym(s): *spinosus Steven,1808*
- 13178) Berosus (s.str.) affinis Brullé,1835** (Hydrophilidae) Synonym(s): *affinis Brullé,1835; hispanicus Kuster,1847*
- 13179) Berosus (s.str.) byzantinus Ganglbauer,1904** (Hydrophilidae) Synonym(s): *byzantinus Ganglbauer,1904*
- 13180) Berosus (s.str.) dispar Reiche & Saulcy,1856** (Hydrophilidae) Synonym(s): *dispar Reiche & Saulcy,1856*
- 13181) Berosus (s.str.) luridus (Linnaeus,1761)** (Hydrophilidae) Synonym(s): *luridus Linnaeus,1761*
- 13182) Berosus (s.str.) signaticollis (Charpentier,1825)** (Hydrophilidae) Synonym(s): *signaticollis Charpentier,1825*
- 13183) Cercyon haemorrhoidalis (Fabricius,1775)** (Hydrophilidae) Synonym(s): *haemorrhoidalis Fabricius,1775*

- 13184) *Cercyon marinus* Thomson, 1853** (Hydrophilidae) Synonym(s): *marinus* Thomson, 1853
- 13185) *Cercyon putricola* Wollaston, 1867** (Hydrophilidae) Synonym(s): *putricola* Wollaston, 1867
- 13186) *Chaetarthria seminulum* (Herbst, 1797)** (Hydrophilidae) Synonym(s): *seminulum* Herbst, 1797
- 13187) *Coelostoma orbiculare* (Fabricius, 1775)** (Hydrophilidae) Synonym(s): *orbiculare* Fabricius, 1775
- 13188) *Coelostoma transcaspicum* Reitter, 1906** (Hydrophilidae) Synonym(s): *transcaspicum* Reitter, 1906
- 13189) *Enochrus* (Lumetus) *ater* (Kuwert, 1888)** (Hydrophilidae) Synonym(s): *ater* Kuwert, 1888
- 13190) *Enochrus* (Lumetus) *bicolor* (Fabricius, 1792)** (Hydrophilidae) Synonym(s): *bicolor* Fabricius, 1792
- 13191) *Enochrus* (Lumetus) *fuscipennis* (Thomson, 1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson, 1884
- 13192) *Enochrus* (Lumetus) *salmonis* (Sahlberg, 1900)** (Hydrophilidae) Synonym(s): *salmonis* Sahlberg, 1900
- 13193) *Enochrus* (Lumetus) *segmentinotatus* (Kuwert, 1888)** (Hydrophilidae) Synonym(s): *segmentinotatus* Kuwert, 1888
- 13194) *Enochrus* (Methydus) *nigritus* (Sharp, 1872)** (Hydrophilidae) Synonym(s): *nigritus* Sharp, 1872
- 13195) *Enochrus* (s.str.) *melanocephalus* (Olivier, 1792)** (Hydrophilidae) Synonym(s): *melanocephalus* Olivier, 1792
- 13196) *Hydrobius arcticus* Kuwert, 1890** (Hydrophilidae) Synonym(s): *arcticus* Kuwert, 1890
- 13197) *Hydrobius rufipes* (Linnaeus, 1758)** (Hydrophilidae) Synonym(s): *rufipes* Linnaeus, 1758
- 13198) *Hydrochara caraboides* (Linnaeus, 1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus, 1758
- 13199) *Hydrochara dichorama* (Fairmaire, 1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire, 1829
- 13200) *Hydrochara flavipes* (Steven, 1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven, 1808
- 13201) *Hydrochara major* İncekara, Mart, Polat & Karaca, 2009** (Hydrophilidae) Synonym(s): *major* İncekara, Mart, Polat & Karaca, 2009
- 13202) *Hydrophilus aculeatus* (Solier)** (Hydrophilidae) Synonym(s):
- 13203) *Hydrophilus atterimus* Eschscholtz, 1822** (Hydrophilidae) Synonym(s): *atterimus* Eschscholtz, 1822
- 13204) *Hydrophilus piceus* (Linnaeus, 1758)** (Hydrophilidae) Synonym(s): *piceus* Linnaeus, 1758
- 13205) *Laccobius* (Compsolaccobius) *decorus* (Gyllenhal, 1827)** (Hydrophilidae) Synonym(s): *decorus* Gyllenhal, 1827
- 13206) *Laccobius* (Dimorpholaccobius) *bipunctatus* (Fabricius, 1775)** (Hydrophilidae) Synonym(s): *bipunctatus* Fabricius, 1775
- 13207) *Laccobius* (Dimorpholaccobius) *chiesai* Gentili, 1982** (Hydrophilidae) Synonym(s): *chiesai* Gentili, 1982
- 13208) *Laccobius* (Dimorpholaccobius) *halophilus* Gentili, 1982** (Hydrophilidae) Synonym(s): *halophilus* Gentili, 1982
- 13209) *Laccobius* (Dimorpholaccobius) *hauserianus* Knisch, 1914** (Hydrophilidae) Synonym(s): *hauserianus* Knisch, 1914
- 13210) *Laccobius* (Dimorpholaccobius) *hindukuschi* Chiesa, 1966** (Hydrophilidae) Synonym(s): *hindukuschi* Chiesa, 1966
- 13211) *Laccobius* (Dimorpholaccobius) *hoberlandti* Gentili, 1982** (Hydrophilidae) Synonym(s): *hoberlandti* Gentili, 1982
- 13212) *Laccobius* (Dimorpholaccobius) *hopaensis* Mart, İncekara & Erman, 2003** (Hydrophilidae) Synonym(s): *hopaensis* Mart, İncekara & Erman, 2003
- 13213) *Laccobius* (Dimorpholaccobius) *lycius* Gentili & Whitehead, 2000** (Hydrophilidae) Synonym(s): *lycius* Gentili & Whitehead, 2000
- 13214) *Laccobius* (Dimorpholaccobius) *obscuratus* Rottenberg, 1874** (Hydrophilidae) Synonym(s): *obscuratus* Rottenberg, 1874
- 13215) *Laccobius* (Dimorpholaccobius) *sculptus* Orchymont, 1936** (Hydrophilidae) Synonym(s): *sculptus* Orchymont, 1936
- 13216) *Laccobius* (Dimorpholaccobius) *scutellaris* Motschoulsky, 1855** (Hydrophilidae) Synonym(s): *scutellaris* Motschoulsky, 1855
- 13217) *Laccobius* (Dimorpholaccobius) *simulatrix* Orchymont, 1932** (Hydrophilidae) Synonym(s): *simulatrix* Orchymont, 1932
- 13218) *Laccobius* (Dimorpholaccobius) *sipylus* Orchymont, 1939** (Hydrophilidae) Synonym(s): *sipylus* Orchymont, 1939
- 13219) *Laccobius* (Dimorpholaccobius) *striatulus* (Fabricius, 1801)** (Hydrophilidae) Synonym(s): *striatulus* Fabricius, 1801
- 13220) *Laccobius* (Dimorpholaccobius) *sulcatulus* Reitter, 1909** (Hydrophilidae) Synonym(s): *sulcatulus* Reitter, 1909

- 13221) Laccobius (Dimorpholaccobius) syriacus Guillebeau,1896** (Hydrophilidae) Synonym(s): *syriacus Guillebeau,1896*
- 13222) Laccobius (Microlaccobius) alternus Motschoulsky,1855** (Hydrophilidae) Synonym(s): *alternus Motschoulsky,1855*
- 13223) Laccobius (Microlaccobius) exilis Gentili,1974** (Hydrophilidae) Synonym(s): *exilis Gentili,1974*
- 13224) Laccobius (Microlaccobius) gracilis Motschoulsky,1855** (Hydrophilidae) Synonym(s): *gracilis Motschoulsky,1855*
- 13225) Laccobius (Microlaccobius) orientalis Knisch,1924** (Hydrophilidae) Synonym(s): *orientalis Knisch,1924*
- 13226) Laccobius (Microlaccobius) quaesitus Gentili,1988** (Hydrophilidae) Synonym(s): *quaesitus Gentili,1988*
- 13227) Laccobius (s.str.) albipes Kuwert,1890** (Hydrophilidae) Synonym(s): *albipes Kuwert,1890*
- 13228) Laccobius (s.str.) minutus (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *minutus Linnaeus,1758*
- 13229) Limnoxenus niger (Gmelin,1790)** (Hydrophilidae) Synonym(s): *niger Gmelin,1790*
- 13230) Paracymus aeneus (Germar,1824)** (Hydrophilidae) Synonym(s): *aeneus Germar,1824*
- 13231) Sphaeridium substriatum Faldermann,1838** (Hydrophilidae) Synonym(s): *substriatum Faldermann,1838*

HYDROPSYCHIDAE

- 13232) Cheumatopsyche capitella Martynov,1927** (Hydropsychidae) Synonym(s): *capitella Martynov,1927*
- 13233) Cheumatopsyche lepida Pictet,1834** (Hydropsychidae) Synonym(s): *lepida Pictet,1834*
- 13234) Diplectrona atra McLachlan,1878** (Hydropsychidae) Synonym(s): *atra McLachlan,1878*
- 13235) Hydropsyche acuta Martynov,1909** (Hydropsychidae) Synonym(s): *acuta Martynov,1909*
- 13236) Hydropsyche alaca Malicky,1974** (Hydropsychidae) Synonym(s): *alaca Malicky,1974*
- 13237) Hydropsyche angustipennis Curtis,1834** (Hydropsychidae) Synonym(s): *angustipennis Curtis,1834*
- 13238) Hydropsyche bitlis Malicky,1986** (Hydropsychidae) Synonym(s): *bitlis Malicky,1986*
- 13239) Hydropsyche bulbifera McLachlan,1878** (Hydropsychidae) Synonym(s): *bulbifera McLachlan,1878*
- 13240) Hydropsyche consanguinea McLachlan,1884** (Hydropsychidae) Synonym(s): *consanguinea McLachlan,1884*
- 13241) Hydropsyche contubernalis McLachlan,1865** (Hydropsychidae) Synonym(s): *contubernalis McLachlan,1865*
- 13242) Hydropsyche cornuta Martynov,1909** (Hydropsychidae) Synonym(s): *cornuta Martynov,1909*
- 13243) Hydropsyche djabai Schmid,1959** (Hydropsychidae) Synonym(s): *djabai Schmid,1959*
- 13244) Hydropsyche gemecika Malicky,1981** (Hydropsychidae) Synonym(s): *gemecika Malicky,1981*
- 13245) Hydropsyche instabilis Curtis,1834** (Hydropsychidae) Synonym(s): *instabilis Curtis,1834*
- 13246) Hydropsyche jordanensis Tjeder,1946** (Hydropsychidae) Synonym(s): *jordanensis Tjeder,1946*
- 13247) Hydropsyche kebab Malicky,1974** (Hydropsychidae) Synonym(s): *kebab Malicky,1974*
- 13248) Hydropsyche kocaki Çakın,1983** (Hydropsychidae) Synonym(s): *kocaki Çakın,1983*
- 13249) Hydropsyche lepnevae Botosaneau,1967** (Hydropsychidae) Synonym(s): *lepnevae Botosaneau,1967*
- 13250) Hydropsyche mahrkusha Schmid,1959** (Hydropsychidae) Synonym(s): *mahrkusha Schmid,1959*
- 13251) Hydropsyche modesta Navas,1925** (Hydropsychidae) Synonym(s): *modesta Navas,1925*
- 13252) Hydropsyche pellucidula Curtis,1834** (Hydropsychidae) Synonym(s): *pellucidula Curtis,1834*
- 13253) Hydropsyche peristerica Botosaneau & Marinkovic,1966** (Hydropsychidae) Synonym(s): *peristerica Botosaneau & Marinkovic,1966*
- 13254) Hydropsyche resli Malicky,1974** (Hydropsychidae) Synonym(s): *ressli Malicky,1974*
- 13255) Hydropsyche sakarawaka Schmid,1959** (Hydropsychidae) Synonym(s): *sakarawaka Schmid,1959*
- 13256) Hydropsyche sappho Malicky,1976** (Hydropsychidae) Synonym(s): *sappho Malicky,1976*
- 13257) Hydropsyche sciligr Malicky,1977** (Hydropsychidae) Synonym(s): *sciligr Malicky,1977*
- 13258) Hydropsyche siltalai Döhler,1963** (Hydropsychidae) Synonym(s): *siltalai Döhler,1963*
- 13259) Hydropsyche tigrata Malicky,1974** (Hydropsychidae) Synonym(s): *tigrata Malicky,1974*
- 13260) Hydropsyche valkanovi Kumanski,1974** (Hydropsychidae) Synonym(s): *valkanovi Kumanski,1974*

HYDROPTILIDAE

- 13261) *Agraylea sexmaculata* Curtis, 1834** (Hydroptilidae) Synonym(s): *sexmaculata* Curtis, 1834
13262) *Allotrichia pallicornis* Eaton, 1873 (Hydroptilidae) Synonym(s): *pallicornis* Eaton, 1873
13263) *Allotrichia vilnensis* Raciecka, 1937 (Hydroptilidae) Synonym(s): *vilnensis* Raciecka, 1937
13264) *Hydroptila angustata* Mosely, 1939 (Hydroptilidae) Synonym(s): *angustata* Mosely, 1939
13265) *Hydroptila armathai* Schmid, 1959 (Hydroptilidae) Synonym(s): *armathai* Schmid, 1959
13266) *Hydroptila cornuta* Mosely, 1922 (Hydroptilidae) Synonym(s): *cornuta* Mosely, 1922
13267) *Hydroptila forcipata* Eaton, 1873 (Hydroptilidae) Synonym(s): *forcipata* Eaton, 1873
13268) *Hydroptila friedeli* Malicky, 1972 (Hydroptilidae) Synonym(s): *friedeli* Malicky, 1972
13269) *Hydroptila kalonichtis* Malicky, 1972 (Hydroptilidae) Synonym(s): *kalonichtis* Malicky, 1972
13270) *Hydroptila lotensis* Mosely, 1930 (Hydroptilidae) Synonym(s): *lotensis* Mosely, 1930
13271) *Hydroptila manavgatensis* Malicky & Çakın, 1983 (Hydroptilidae) Synonym(s): *manavgatensis* Malicky & Çakın, 1983
13272) *Hydroptila occulta* Eaton, 1873 (Hydroptilidae) Synonym(s): *occulta* Eaton, 1873
13273) *Hydroptila ovacikensis* Sipahiler, 1987 (Hydroptilidae) Synonym(s): *ovacikensis* Sipahiler, 1987
13274) *Hydroptila simulans* Mosely, 1920 (Hydroptilidae) Synonym(s): *simulans* Mosely, 1920
13275) *Hydroptila sparsa* Curtis, 1834 (Hydroptilidae) Synonym(s): *sparsa* Curtis, 1834
13276) *Hydroptila taurica* Martynov, 1934 (Hydroptilidae) Synonym(s): *taurica* Martynov, 1934
13277) *Hydroptila tineoides* Dalman, 1819 (Hydroptilidae) Synonym(s): *tineoides* Dalman, 1819
13278) *Hydroptila vectis* Curtis, 1834 (Hydroptilidae) Synonym(s): *vectis* Curtis, 1834
13279) *Hydroptila vichtaspa* Schmid, 1959 (Hydroptilidae) Synonym(s): *vichtaspa* Schmid, 1959
13280) *Ithytrichia lamellaris* Eaton, 1873 (Hydroptilidae) Synonym(s): *lamellaris* Eaton, 1873
13281) *Orthotrichia costalis* Curtis, 1834 (Hydroptilidae) Synonym(s): *costalis* Curtis, 1834
13282) *Oxyethiva delcourti* Jacquemart, 1973 (Hydroptilidae) Synonym(s): *delcourti* Jacquemart, 1973
13283) *Oxyethiva falcata* Morton, 1893 (Hydroptilidae) Synonym(s): *falcata* Morton, 1893
13284) *Stactobia marlieri* Schmid, 1959 (Hydroptilidae) Synonym(s): *marlieri* Schmid, 1959
13285) *Stactobiella celtikci* Çakın, 1981 (Hydroptilidae) Synonym(s): *celtikci* Çakın, 1981

HYGROBIIDAE

- 13286) *Hygrobia hermanni* (Fabricius, 1775)** (Hygrobiidae) Synonym(s): *hermanni* Fabricius, 1775

IBALIIDAE

- 13287) *Ibalia leucospoides* (Hochenwarth, 1785)** (Ibaliidae) Synonym(s): *leucospoides* Hochenwarth, 1785

ICHNEUMONIDAE

- 13288) *Acrodactyla quadrisculpta* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *quadrisculpta* Gravenhorst, 1829
13289) *Acropimpla didyma* (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *didyma* Gravenhorst, 1829
13290) *Acroricnus seductor* (Scopoli, 1786) (Ichneumonidae) Synonym(s): *seductor* Scopoli, 1786; *syriacus* Mocsary, 1883
13291) *Acroricnus stylator* (Thunberg, 1822) (Ichneumonidae) Synonym(s): *stylator* Thunberg, 1822
13292) *Agrothereutes abbreviator* (Fabricius, 1793) (Ichneumonidae) Synonym(s): *abbreviator* Fabricius, 1793; *incubitor* Gravenhorst, 1829
13293) *Agrothereutes abbreviatus* (Fabricius, 1794) (Ichneumonidae) Synonym(s): *abbreviatus* Fabricius, 1794
13294) *Agrothereutes fumipennis* (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *fumipennis* Gravenhorst, 1829
13295) *Agrothereutes hospes* (Tschek, 1871) (Ichneumonidae) Synonym(s): *hospes* Tschek, 1871
13296) *Agrothereutes parvulus* (Habermehl, 1926) (Ichneumonidae) Synonym(s): *parvulus* Habermehl, 1926
13297) *Agrothereutes tiloidalis* Kolarov & Beyarslan, 1994 (Ichneumonidae) Synonym(s): *tiloidalis* Kolarov & Beyarslan, 1994
13298) *Agrypon debilis* (Wesmael, 1849) (Ichneumonidae) Synonym(s): *debilis* Wesmael, 1849

- 13299) Agrypon flaveolatum (Gravenhorst,1807)** (Ichneumonidae) Synonym(s): *flaveolatum* Gravenhorst,1807
- 13300) Agrypon flexorium (Thunberg,1822)** (Ichneumonidae) Synonym(s): *flexorium* Thunberg,1822
- 13301) Agrypon gracilipes (Curtis,1839)** (Ichneumonidae) Synonym(s): *gracilipes* Curtis,1839
- 13302) Agrypon varitarsum (Wesmael,1849)** (Ichneumonidae) Synonym(s): *varitarsum* Wesmael,1849
- 13303) Alloplasta piceator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *piceator* Thunberg,1822
- 13304) Alomya debellator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *debellator* Fabricius,1775; *ovator* Fabricius,1793
- 13305) Amblyteles armatorius (Forster,1771)** (Ichneumonidae) Synonym(s): *armatorius* Forster,1771
- 13306) Aneuclis incidens (Thomson,1889)** (Ichneumonidae) Synonym(s): *incidens* Thomson,1889
- 13307) Aneuclis melanarius (Holmgren,1860)** (Ichneumonidae) Synonym(s): *melanarius* Holmgren,1860
- 13308) Anisobas cingulatellus Horstmann,1997** (Ichneumonidae) Synonym(s): *cingulatorius* Gravenhorst,1820 (*praeocc.*); *cingulatellus* Horstmann,1997
- 13309) Anisobas seyrigi Heinrich,1933** (Ichneumonidae) Synonym(s): *seyrigi* Heinrich,1933
- 13310) Anomalon cruentatum (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *cruentatum* Geoffroy,1785
- 13311) Anomalon foliator (Fabricius,1798)** (Ichneumonidae) Synonym(s): *foliator* Fabricius,1798
- 13312) Apechthis compunctor (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *compunctor* Linnaeus,1758
- 13313) Apechthis quadridentata (Thomson,1877)** (Ichneumonidae) Synonym(s): *quadridentata* Thomson,1877
- 13314) Aphanistes armatus (Wesmael,1849)** (Ichneumonidae) Synonym(s): *armatus* Wesmael,1849
- 13315) Aphanistes bellicosus (Wesmael,1849)** (Ichneumonidae) Synonym(s): *bellicosus* Wesmael,1849
- 13316) Apophua bipunctaria (Thunberg,1822)** (Ichneumonidae) Synonym(s): *bipunctaria* Thunberg,1822
- 13317) Aritranis buccatus (Tschek,1872)** (Ichneumonidae) Synonym(s): *buccatus* Tschek,1872
- 13318) Aritranis claviventris (Kriechbaumer,1894)** (Ichneumonidae) Synonym(s): *claviventris* Kriechbaumer,1894
- 13319) Aritranis confector (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *confectior* Gravenhorst,1829
- 13320) Aritranis director (Thunberg,1824)** (Ichneumonidae) Synonym(s): *director* Thunberg,1824
- 13321) Aritranis fugitivus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fugitivus* Gravenhorst,1829
- 13322) Aritranis graeffei (Thomson,1896)** (Ichneumonidae) Synonym(s): *graeffei* Thomson,1896
- 13323) Aritranis longicauda (Kriechbaumer,1873)** (Ichneumonidae) Synonym(s): *longicauda* Kriechbaumer,1873
- 13324) Aritranis nigrifemur (Szepligeti,1916)** (Ichneumonidae) Synonym(s): *nigrifemur* Szepligeti,1916
- 13325) Aritranis nigripes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nigripes* Gravenhorst,1829; *gracilis* Taschenberg,1865
- 13326) Aritranis occisor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *occisor* Gravenhorst,1829
- 13327) Aritranis odoriferator (Dufour & Perris,1840)** (Ichneumonidae) Synonym(s): *odoriferator* Dufour & Perris,1840
- 13328) Aritranis quadriguttatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *quadriguttatus* Gravenhorst,1829
- 13329) Arotes albicinctus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *albicinctus* Gravenhorst,1829
- 13330) Atrometoides winkleri Fahringer,1922** (Ichneumonidae) Synonym(s): *winkleri* Fahringer,1922
- 13331) Banchopsis crassicornis Rudow,1886** (Ichneumonidae) Synonym(s): *crassicornis* Rudow,1886
- 13332) Banchus crefeldensis Ulbricht,1916** (Ichneumonidae) Synonym(s): *crefeldensis* Ulbricht,1916
- 13333) Banchus falcatorius (Fabricius,1775)** (Ichneumonidae) Synonym(s): *falcatorius* Fabricius,1775
- 13334) Banchus palpalis Ruthe,1859** (Ichneumonidae) Synonym(s): *palpalis* Ruthe,1859
- 13335) Banchus pictus Fabricius,1798** (Ichneumonidae) Synonym(s): *pictus* Fabricius,1798
- 13336) Banchus turcator Aubert,1984** (Ichneumonidae) Synonym(s): *turcator* Aubert,1984
- 13337) Banchus volutatorius (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *volutatorius* Linnaeus,1758
- 13338) Barichneumon manni (Kriechbaumer,1888)** (Ichneumonidae) Synonym(s): *manni* Kriechbaumer,1888
- 13339) Barylypa amabilis (Tosquinet,1900)** (Ichneumonidae) Synonym(s): *amabilis* Tosquinet,1900
- 13340) Barylypa delictor (Thunberg,1822)** (Ichneumonidae) Synonym(s): *delictor* Thunberg,1822
- 13341) Barylypa insidiator (Förster,1878)** (Ichneumonidae) Synonym(s): *insidiator* Förster,1878
- 13342) Barylypa torquata Atanasov,1975** (Ichneumonidae) Synonym(s): *torquata* Atanasov,1975
- 13343) Barylypa uniguttata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttata* Gravenhorst,1829

- 13344) Barylpa uniguttata** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *uniguttata* Gravenhorst,1829
- 13345) Barytarbes segmentarius** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *segmentarius* Gravenhorst,1829; *sultanator* Aubert,1989
- 13346) Barytarbes superbus** Schmiedeknecht,1913 (Ichneumonidae) Synonym(s): *superbus* Schmiedeknecht,1913
- 13347) Bathyplectes algerica** (Smit van Burgst,1913) (Ichneumonidae) Synonym(s): *algerica* Smit van Burgst,1913
- 13348) Bathyplectes carinata** Horstmann,1974 (Ichneumonidae) Synonym(s): *carinata* Horstmann,1974
- 13349) Bathyplectes carthaginensis** (Smit van Burgst,1913) (Ichneumonidae) Synonym(s): *carthaginensis* Smit van Burgst,1913
- 13350) Bathyplectes curculionis** (Thomson,1887) (Ichneumonidae) Synonym(s): *curculionis* Thomson,1887
- 13351) Bathyplectes exiguus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *exiguus* Gravenhorst,1829
- 13352) Bathyplectes rufipes** Horstmann,1974 (Ichneumonidae) Synonym(s): *rufipes* Horstmann,1974
- 13353) Bathyplectes rufiventror** (Aubert,1979) (Ichneumonidae) Synonym(s): *rufiventror* Aubert,1979
- 13354) Bathythrix claviger** (Taschenberg,1865) (Ichneumonidae) Synonym(s): *claviger* Taschenberg,1865
- 13355) Bathythrix decipiens** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *decipiens* Gravenhorst,1829
- 13356) Bathythrix lamina** (Thomson,1884) (Ichneumonidae) Synonym(s): *lamina* Thomson,1884
- 13357) Benjaminia horstmanni** Wahl,1989 (Ichneumonidae) Synonym(s): *horstmanni* Wahl,1989
- 13358) Blapsidotes vicinus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *vicinus* Gravenhorst,1829
- 13359) Brachycyrtus ornatus** Kriechbaumer,1880 (Ichneumonidae) Synonym(s): *ornatus* Kriechbaumer,1880
- 13360) Buathra laborator** (Thunberg,1824) (Ichneumonidae) Synonym(s): *laborator* Thunberg,1824
- 13361) Buathra tarsoleuca** (Schränk,1781) (Ichneumonidae) Synonym(s): *tarsoleuca* Schränk,1781
- 13362) Caenocryptus rufiventris** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *rufiventris* Gravenhorst,1829
- 13363) Campoplex difformis** (Gmelin,1790) (Ichneumonidae) Synonym(s): *difformis* Gmelin,1790
- 13364) Campoplex granditor** Aubert,1972 (Ichneumonidae) Synonym(s): *granditor* Aubert,1972
- 13365) Campoplex melanostictus** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *melanostictus* Gravenhorst,1829
- 13366) Campoplex ramidulus** (Brischke,1880) (Ichneumonidae) Synonym(s): *ramidulus* Brischke,1880
- 13367) Campoplex tridentator** Aubert,1972 (Ichneumonidae) Synonym(s): *tridentator* Aubert,1972
- 13368) Casinaria tenuiventris** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *tenuiventris* Gravenhorst,1829
- 13369) Ceratophygadeuon anurus** (Thomson,1884) (Ichneumonidae) Synonym(s): *anurus* Thomson,1884
- 13370) Chirotica decorator** (Villers,1789) (Ichneumonidae) Synonym(s): *decorator* Villers,1789
- 13371) Chirotica orientalis** Horstmann,1983 (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1983
- 13372) Chirotica ruficeps** Horstmann,1983 (Ichneumonidae) Synonym(s): *ruficeps* Horstmann,1983
- 13373) Chirotica terebrator** Horstmann,1983 (Ichneumonidae) Synonym(s): *terebrator* Horstmann,1983
- 13374) Clypeocampulum tibiale** Gauld,1976 (Ichneumonidae) Synonym(s): *tibiale* Gauld,1976
- 13375) Collyria coxator** (Villers,1789) (Ichneumonidae) Synonym(s): *coxator* Villers,1789; *calcitrator* Gravenhorst,1829
- 13376) Colpotrichia triclitor** (Aubert,1979) (Ichneumonidae) Synonym(s): *triclitor* Aubert,1979
- 13377) Cosmoconus elongator** (Fabricius,1775) (Ichneumonidae) Synonym(s): *elongator* Fabricius,1775
- 13378) Cotihersiarthes dirus** (Wesmael,1853) (Ichneumonidae) Synonym(s): *dirus* Wesmael,1853
- 13379) Cratichneumon coruscator** (Linnaeus,1758) (Ichneumonidae) Synonym(s): *coruscator* Linnaeus,1758; *luridus* Gravenhorst,1829
- 13380) Cratichneumon fabricator** (Fabricius,1793) (Ichneumonidae) Synonym(s): *fabricator* Fabricius,1793
- 13381) Cratichneumon viator** (Scopoli,1763) (Ichneumonidae) Synonym(s): *viator* Scopoli,1763; *nigritarius* Gravenhorst,1820
- 13382) Cremastus crassicornis** Thomson,1880 (Ichneumonidae) Synonym(s): *crassicornis* Thomson,1880; *dalmatinus* Strobl,1903
- 13383) Cremastus tristator** Aubert,1970 (Ichneumonidae) Synonym(s): *tristator* Aubert,1970
- 13384) Cryptopimpla caligata** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *caligata* Gravenhorst,1829; *armeniator* Aubert,1977

- 13385) *Cryptus armator* Fabricius, 1804** (Ichneumonidae) Synonym(s): *armator* Fabricius, 1804; *albatorius* Tschek, 1870
- 13386) *Cryptus diana* Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *diana* Gravenhorst, 1829
- 13387) *Cryptus leucocheir* (Ratzeburg, 1844)** (Ichneumonidae) Synonym(s): *leucocheir* Ratzeburg, 1844
- 13388) *Cryptus minator* Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *minator* Gravenhorst, 1829
- 13389) *Cryptus spinosus* Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *armatorius* Fabricius, 1804; *spinosus* Gravenhorst, 1829
- 13390) *Cryptus spiralis* (Geoffroy, 1785)** (Ichneumonidae) Synonym(s): *spiralis* Geoffroy, 1785
- 13391) *Cryptus subspinosus* Burgst, 1913** (Ichneumonidae) Synonym(s): *subspinosus* Burgst, 1913
- 13392) *Cryptus tuberculatus* Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *tuberculatus* Gravenhorst, 1829
- 13393) *Cryptus viduatorius* Fabricius, 1804** (Ichneumonidae) Synonym(s): *viduatorius* Fabricius, 1804
- 13394) *Cymodusa* (s.str.) *propodeata* Kolarov & Yurtcan, 2008** (Ichneumonidae) Synonym(s): *propodeata* Kolarov & Yurtcan, 2008
- 13395) *Delomerista pfankuchi* Brauns, 1905** (Ichneumonidae) Synonym(s): *pfankuchi* Brauns, 1905; *unicolor* Hedwig, 1959
- 13396) *Diadegma apostata* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *apostata* Gravenhorst, 1829
- 13397) *Diadegma armilata* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *armilata* Gravenhorst, 1829; *turcica* Fahringer, 1944
- 13398) *Diadegma chrysostictos* (Gmelin, 1790)** (Ichneumonidae) Synonym(s): *chrysostictos* Gmelin, 1790
- 13399) *Diadegma claripennis* (Thomson, 1887)** (Ichneumonidae) Synonym(s): *claripennis* Thomson, 1887
- 13400) *Diadegma crassicornis* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *crassicornis* Gravenhorst, 1829
- 13401) *Diadegma crataegellae* (Thomson, 1877)** (Ichneumonidae) Synonym(s): *crataegellae* Thomson, 1877
- 13402) *Diadegma fenestralis* (Holmgren, 1860)** (Ichneumonidae) Synonym(s): *fenestralis* Holmgren, 1860
- 13403) *Diadegma grisescens* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *grisescens* Gravenhorst, 1829; *hydropota* Holmgren, 1858
- 13404) *Diadegma maculata* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *maculata* Gravenhorst, 1829
- 13405) *Diadegma pulchripes* (Kokujev, 1915)** (Ichneumonidae) Synonym(s): *pulchripes* Kokujev, 1915
- 13406) *Diadegma semiclausum* (Hellén, 1949)** (Ichneumonidae) Synonym(s): *semiclausum* Hellén, 1949
- 13407) *Diadegma velox* (Holmgren, 1860)** (Ichneumonidae) Synonym(s): *velox* Holmgren, 1860
- 13408) *Diaglyptellana punctata* (Holmgren, 1857)** (Ichneumonidae) Synonym(s): *punctata* Holmgren, 1857; *sisyphii* Verhoeff, 1891
- 13409) *Diaparsis* (Nanodiaparsis) *apertus* (Thomson, 1889)** (Ichneumonidae) Synonym(s): *apertus* Thomson, 1889
- 13410) *Dicaelotus montanus* (Destefani, 1886)** (Ichneumonidae) Synonym(s): *montanus* Destefani, 1886
- 13411) *Dicaelotus morosator* Aubert, 1969** (Ichneumonidae) Synonym(s): *morosator* Aubert, 1969
- 13412) *Dicaelotus rufilimbatus* (Gravenhorst, 1820)** (Ichneumonidae) Synonym(s): *rufilimbatus* Gravenhorst, 1820
- 13413) *Dichrogaster diatropa* Townes, 1983** (Ichneumonidae) Synonym(s): *diatropus* Townes, 1983
- 13414) *Dichrogaster liostyla* (Thomson, 1884)** (Ichneumonidae) Synonym(s): *liostylus* Thomson, 1884
- 13415) *Dichrogaster modesta* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *modesta* Gravenhorst, 1829
- 13416) *Diphyus luctatorius* (Linnaeus, 1758)** (Ichneumonidae) Synonym(s): *luctatorius* Linnaeus, 1758; *culpatorius* Linnaeus, 1758
- 13417) *Diphyus mercatorius* (Fabricius, 1793)** (Ichneumonidae) Synonym(s): *mercatorius* Fabricius, 1793; *ponticus* Heinrich, 1978
- 13418) *Diphyus montivagans* (Berthoumieu, 1896)** (Ichneumonidae) Synonym(s): *montivagans* Berthoumieu, 1896
- 13419) *Diphyus ochromelas* (Gmelin, 1790)** (Ichneumonidae) Synonym(s): *ochromelas* Gmelin, 1790; *negatorius* Fabricius, 1793
- 13420) *Diphyus palliatorius* (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *palliatorius* Gravenhorst, 1829
- 13421) *Diphyus pseudomercator*** (Ichneumonidae) Synonym(s): *hexaleucus* Heinrich, 1978; *#caucasicus* Heinrich, 1978
- 13422) *Diphyus quadripunctorius* (Müller, 1776)** (Ichneumonidae) Synonym(s): *quadripunctorius* Müller, 1776
- 13423) *Diphyus quinquecinctus* (Kriechbaumer, 1892)** (Ichneumonidae) Synonym(s): *quinquecinctus* Kriechbaumer, 1892

- 13424) *Diplazon laetatorius* (Fabricius,1781)** (Ichneumonidae) Synonym(s): *laetatorius* Fabricius,1781
- 13425) *Diplazon pectoratorius* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *pectoratorius* Thunberg,1822
- 13426) *Diplazon schachti* Diller,1986** (Ichneumonidae) Synonym(s): *schachti* Diller,1986
- 13427) *Diplazon tetragonus* Thunberg,1822** (Ichneumonidae) Synonym(s): *tetragonus* Thunberg,1822
- 13428) *Diplazon tibiatorius* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *tibiatorius* Thunberg,1822; *albosignatus* Gravenhorst,1829
- 13429) *Dolichomitus mesocentrus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *mesocentrus* Gravenhorst,1829
- 13430) *Dolichomitus messor* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *messor* Gravenhorst,1829
- 13431) *Dolichomitus sericeus* (Hartig,1847)** (Ichneumonidae) Synonym(s): *sericeus* Hartig,1847
- 13432) *Dolichomitus subglabratus* (Perkins,1843)** (Ichneumonidae) Synonym(s): *subglabratus* Perkins,1843
- 13433) *Dusona falcator* (Fabricius,1775)** (Ichneumonidae) Synonym(s): *falcator* Fabricius,1775
- 13434) *Dusona inermis* (Förster,1868)** (Ichneumonidae) Synonym(s): *inermis* Förster,1868
- 13435) *Dusona inteligator* Aubert,1966** (Ichneumonidae) Synonym(s): *inteligator* Aubert,1966
- 13436) *Dusona oxyacanthae* (Boie,1855)** (Ichneumonidae) Synonym(s): *oxyacanthae* Boie,1855
- 13437) *Dusona stragifex* (Förster,1868)** (Ichneumonidae) Synonym(s): *stragifex* Förster,1868
- 13438) *Dusona tricolorator* Aubert,1970** (Ichneumonidae) Synonym(s): *tricolorator* Aubert,1970
- 13439) *Echthronomas tricincta* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *tricincta* Gravenhorst,1829
- 13440) *Echthrus reluctator* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *reluctator* Linnaeus,1758
- 13441) *Enclisis ornaticeps* (Thomson,1885)** (Ichneumonidae) Synonym(s): *ornaticeps* Thomson,1885
- 13442) *Endasys brevis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brevis* Gravenhorst,1829
- 13443) *Endasys erythrogaster* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *erythrogaster* Gravenhorst,1829
- 13444) *Endasys parviventris* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *parviventris* Gravenhorst,1829
- 13445) *Endasys plagiator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *plagiator* Gravenhorst,1829
- 13446) *Endasys rubricator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *rubricator* Thunberg,1822
- 13447) *Enicospilus cerebrator* Aubert,1966** (Ichneumonidae) Synonym(s): *cerebrator* Aubert,1966
- 13448) *Enicospilus cruciator* Victorov,1957** (Ichneumonidae) Synonym(s): *cruciator* Victorov,1957
- 13449) *Enicospilus incognitus* Izquierdo,1983** (Ichneumonidae) Synonym(s): *incognitus* Izquierdo,1983
- 13450) *Enicospilus ramidulus* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *ramidulus* Linnaeus,1758; *merdarius* Gravenhorst,1829
- 13451) *Enicospilus repentinus* (Holmgren,1858)** (Ichneumonidae) Synonym(s): *repentinus* Holmgren,1858
- 13452) *Enicospilus tournieri* (Snellen van Vollenhoven,1879)** (Ichneumonidae) Synonym(s): *tournieri* Snellen van Vollenhoven,1879
- 13453) *Eremotylus marginatus* (Jurine,1807)** (Ichneumonidae) Synonym(s): *marginatus* Jurine,1807
- 13454) *Eriborus terebrans* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *terebrans* Gravenhorst,1829
- 13455) *Erromenus brunnicans* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brunnicans* Gravenhorst,1829
- 13456) *Erromenus melanotus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *melanotus* Gravenhorst,1829; *cavigena* Thomson,1883
- 13457) *Eucremastoides angelovi* Kolarov,1980** (Ichneumonidae) Synonym(s): *angelovi* Kolarov,1980
- 13458) *Eucremastus manni* (Tschek,1871)** (Ichneumonidae) Synonym(s): *manni* Tschek,1871
- 13459) *Eudelus simillimus* (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *simillimus* Taschenberg,1865
- 13460) *Eugalta cinctipes* (Kriechbaumer,1899)** (Ichneumonidae) Synonym(s): *cinctipes* Kriechbaumer,1899
- 13461) *Euryproctus mundus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *mundus* Gravenhorst,1829
- 13462) *Euryproctus numidicus* Schmiedeknecht** (Ichneumonidae) Synonym(s): *numidicus* Schmiedeknecht; *tunetanus* Habermehl,1925; *turcator* Aubert,1979
- 13463) *Exenterus ictericus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ictericus* Gravenhorst,1829
- 13464) *Exeristes roborator* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *roborator* Fabricius,1793
- 13465) *Exetastes adpressorius* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *adpressorius* Thunberg,1822; *guttatorius* Fahringer,1921
- 13466) *Exetastes curvator* Aubert,1977** (Ichneumonidae) Synonym(s): *curvator* Aubert,1977
- 13467) *Exetastes femorator* Desvignes,1856** (Ichneumonidae) Synonym(s): *femorator* Desvignes,1856

- 13468) Exetastes illusor Gravenhorst,1829** (Ichneumonidae) Synonym(s): *illusor* Gravenhorst,1829
- 13469) Exetastes laevigator (Villers,1789)** (Ichneumonidae) Synonym(s): *laevigator* Villers,1789
- 13470) Exochus albicinctus Holmgren,1873** (Ichneumonidae) Synonym(s): *albicinctus* Holmgren,1873
- 13471) Exochus castaniventris Brauns,1896** (Ichneumonidae) Synonym(s): *castaniventris* Brauns,1896
- 13472) Exochus elegantissimus Schmiedeknecht,1925** (Ichneumonidae) Synonym(s): *elegantissimus* Schmiedeknecht,1925; *#clesantissimus Öncüler,1991*
- 13473) Exochus erkini Kolarov,1986** (Ichneumonidae) Synonym(s): *erkini* Kolarov,1986
- 13474) Exochus erythronotus (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *erythronotus* Gravenhorst,1820
- 13475) Exochus mitratus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *mitratus* Gravenhorst,1829
- 13476) Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *suborbitalis* Schmiedeknecht,1924
- 13477) Exyston montanus Kerrich,1975** (Ichneumonidae) Synonym(s): *montanus* Kerrich,1975
- 13478) Exyston subnitidus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *subnitidus* Gravenhorst,1829; *phaeorrhæus Haliday,1838*
- 13479) Fileanta flavolaeta (Berthoumieu,1892)** (Ichneumonidae) Synonym(s): *flavolaeta* Berthoumieu,1892
- 13480) Fileanta radoszkowskii (Berthoumieu,1892)** (Ichneumonidae) Synonym(s): *radoszkowskii* Berthoumieu,1892; *cursorius Smith,1874*
- 13481) Gambrus incubitor (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *incubitor* Linnaeus,1758
- 13482) Gambrus inferus Thomson,1896** (Ichneumonidae) Synonym(s): *inferus* Thomson,1896
- 13483) Gambrus opacus Szepligeti,1916** (Ichneumonidae) Synonym(s): *opacus* Szepligeti,1916
- 13484) Gambrus tricolor (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *tricolor* Gravenhorst,1829
- 13485) Gelis cyanurus (Förster,1851)** (Ichneumonidae) Synonym(s): *cyanurus* Förster,1851
- 13486) Gelis exareolatus (Förster,1851)** (Ichneumonidae) Synonym(s): *exareolatus* Förster,1851
- 13487) Gelis instabilis (Förster,1851)** (Ichneumonidae) Synonym(s): *instabilis* Förster,1851
- 13488) Gelis sculpturator Aubert,1977** (Ichneumonidae) Synonym(s): *sculpturator* Aubert,1977
- 13489) Giraudia gyratoria (Thunberg,1824)** (Ichneumonidae) Synonym(s): *gyratoria* Thunberg,1824; *congruens* Gravenhorst,1829
- 13490) Glyphicnemis profligator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *profligator* Fabricius,1775
- 13491) Glyphicnemis vagabunda (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *vagabunda* Gravenhorst,1829
- 13492) Grasseiteles ciliator Aubert,1968** (Ichneumonidae) Synonym(s): *ciliator* Aubert,1968
- 13493) Gravenhorstia (Erigorgus) cerinops (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cerinops* Gravenhorst,1829
- 13494) Gravenhorstia (Erigorgus) cubitator (Aubert,1960)** (Ichneumonidae) Synonym(s): *cubitator* Aubert,1960
- 13495) Gravenhorstia (Erigorgus) melanobatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *melanobatus* Gravenhorst,1829
- 13496) Gravenhorstia (Kokujewiella) ibera (Ceballos,1957)** (Ichneumonidae) Synonym(s): *ibera* Ceballos,1957
- 13497) Gravenhorstia (Kokujewiella) vicaria Shestakov,1926** (Ichneumonidae) Synonym(s): *vicaria* Shestakov,1926
- 13498) Gravenhorstia (s.str.) picta Boie,1836** (Ichneumonidae) Synonym(s): *picta* Boie,1836
- 13499) Habronyx heros (Wesmael,1849)** (Ichneumonidae) Synonym(s): *heros* Wesmael,1849
- 13500) Hadradactylus femoralis (Holmgren,1855)** (Ichneumonidae) Synonym(s): *femoralis* Holmgren,1855
- 13501) Hadradactylus fugax (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fugax* Gravenhorst,1829
- 13502) Hadradactylus typhae (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *typhae* Geoffroy,1785
- 13503) Helcostizus restaurator (Fabricius,1775)** (Ichneumonidae) Synonym(s): *restaurator* Fabricius,1775; *turcicus Fahringer,1944*
- 13504) Hellwigiella nigripennis Szepligeti,1905** (Ichneumonidae) Synonym(s): *nigripennis* Szepligeti,1905
- 13505) Herpestomus brunnicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *brunnicornis* Gravenhorst,1829
- 13506) Heterischnus truncator (Fabricius,1798)** (Ichneumonidae) Synonym(s): *truncator* Fabricius,1798
- 13507) Hidryta sordida (Tschek,1871)** (Ichneumonidae) Synonym(s): *sordida* Tschek,1871
- 13508) Himerta anatolica (Schmiedeknecht,1913)** (Ichneumonidae) Synonym(s): *anatolica* Schmiedeknecht,1913
- 13509) Hyposoter didymator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *didymator* Thunberg,1822

- 13510) *Hyposoter discedens* (Schmiedeknecht,1911)** (Ichneumonidae) Synonym(s): *discedens Schmiedeknecht,1911*
- 13511) *Hyposoter ebeninus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ebeninus Gravenhorst,1829; ruficinctus Gravenhorst,1829*
- 13512) *Hyposoter ebenitor* Aubert,1972** (Ichneumonidae) Synonym(s): *ebenitor Aubert,1972*
- 13513) *Hyposoter notatus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *notatus Gravenhorst,1829*
- 13514) *Hyposoter vulgaris* (Tschek,1871)** (Ichneumonidae) Synonym(s): *vulgaris Tschek,1871*
- 13515) *Hypsicera anglicus* (Schmiedeknecht,1925)** (Ichneumonidae) Synonym(s): *anglicus Schmiedeknecht,1925*
- 13516) *Hypsicera femoralis* (Geoffroy,1785)** (Ichneumonidae) Synonym(s): *femoralis Geoffroy,1785*
- 13517) *Ichneumon albicollis* Wesmael,1857** (Ichneumonidae) Synonym(s): *albicollis Wesmael,1857*
- 13518) *Ichneumon alius* Tischbein,1879** (Ichneumonidae) Synonym(s): *alius Tischbein,1879*
- 13519) *Ichneumon bucculentus* Wesmael,1844** (Ichneumonidae) Synonym(s): *bucculentus Wesmael,1844*
- 13520) *Ichneumon extensorius* Linnaeus,1758** (Ichneumonidae) Synonym(s): *extensorius Linnaeus,1758*
- 13521) *Ichneumon gracilentus* Wesmael,1844** (Ichneumonidae) Synonym(s): *gracilentus Wesmael,1844*
- 13522) *Ichneumon gracilicornis* Gravenhorst,1829** (Ichneumonidae) Synonym(s): *gracilicornis Gravenhorst,1829*
- 13523) *Ichneumon haematofemur* Heinrich,1980** (Ichneumonidae) Synonym(s): *haematofemur Heinrich,1980*
- 13524) *Ichneumon ligatorius* Thunberg,1822** (Ichneumonidae) Synonym(s): *ligatorius Thunberg,1822*
- 13525) *Ichneumon minutorius* Desvignes,1856** (Ichneumonidae) Synonym(s): *minutorius Desvignes,1856*
- 13526) *Ichneumon ostentator* Heinrich,1978** (Ichneumonidae) Synonym(s): *ostentator Heinrich,1978*
- 13527) *Ichneumon proletarius* Wesmael,1848** (Ichneumonidae) Synonym(s): *proletarius Wesmael,1848*
- 13528) *Ichneumon sarcitorius* Linnaeus,1758** (Ichneumonidae) Synonym(s): *sarcitorius Linnaeus,1758; caucasicus Meyer,1926*
- 13529) *Ichneumon simulans* Tischbein,1873** (Ichneumonidae) Synonym(s): *simulans Tischbein,1873*
- 13530) *Ichneumon stramentarius* Gravenhorst,1820** (Ichneumonidae) Synonym(s): *stramentarius Gravenhorst,1820*
- 13531) *Ichneumon stramentor* Rasnitsin,1984** (Ichneumonidae) Synonym(s): *stramentor Rasnitsin,1984*
- 13532) *Ichneumon terminatorius* Gravenhorst,1820** (Ichneumonidae) Synonym(s): *terminatorius Gravenhorst,1820*
- 13533) *Ichneumon veressi* (Kiss,1915)** (Ichneumonidae) Synonym(s): *veressi Kiss,1915*
- 13534) *Ichneumon xanthorius* Forster,1771** (Ichneumonidae) Synonym(s): *xanthorius Forster,1771*
- 13535) *Idiolispa analis* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *analis Gravenhorst,1829*
- 13536) *Ischnus agitator* (Olivier,1792)** (Ichneumonidae) Synonym(s): *agitator Olivier,1792*
- 13537) *Ischnus inquisitorius* (Müller,1776)** (Ichneumonidae) Synonym(s): *inquisitorius Müller,1776*
- 13538) *Ischnus migrator* (Fabricius,1775)** (Ichneumonidae) Synonym(s): *migrator Fabricius,1775*
- 13539) *Itopectis alternans* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *alternans Gravenhorst,1829*
- 13540) *Itopectis maculator* (Fabricius,1775)** (Ichneumonidae) Synonym(s): *maculator Fabricius,1775*
- 13541) *Itopectis tunetana* (Schmiedeknecht,1914)** (Ichneumonidae) Synonym(s): *tunetana Schmiedeknecht,1914*
- 13542) *Itopectis viduata* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *viduata Gravenhorst,1829*
- 13543) *Lamachus splendor* Aubert,1989** (Ichneumonidae) Synonym(s): *splendor Aubert,1989*
- 13544) *Latibulus argiolus* (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus Rossi,1790*
- 13545) *Linyus exhortator* (Fabricius,1793)** (Ichneumonidae) Synonym(s): *exhortator Fabricius,1793; dimidiatus Gravenhorst,1829*
- 13546) *Liotryphon caudatus* (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *caudatus Ratzeburg,1848*
- 13547) *Lissonota (Loxonota) flavovariegata* (Lucas,1849)** (Ichneumonidae) Synonym(s): *flavovariegata Lucas,1849; lineolator Aubert,1972*
- 13548) *Lissonota (Loxonota) histrio* (Fabricius,1798)** (Ichneumonidae) Synonym(s): *histrio Fabricius,1798*
- 13549) *Lissonota (s.str.) barbator* Aubert,1972** (Ichneumonidae) Synonym(s): *barbator Aubert,1972*
- 13550) *Lissonota (s.str.) clypeator* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *clypeator Gravenhorst,1829*
- 13551) *Lissonota (s.str.) compar* Fonscolombe,1854** (Ichneumonidae) Synonym(s): *compar Fonscolombe,1854*

- 13552) Lissonota (s.str.) cruentator (Panzer,1809)** (Ichneumonidae) Synonym(s): *cruentator* Panzer,1809; *insignita* Gravenhorst,1829
- 13553) Lissonota (s.str.) culiciformis Gravenhorst,1829** (Ichneumonidae) Synonym(s): *culiciformis* Gravenhorst,1829
- 13554) Lissonota (s.str.) fundator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fundator* Thunberg,1822
- 13555) Lissonota (s.str.) mutator Aubert,1969** (Ichneumonidae) Synonym(s): *mutator* Aubert,1969
- 13556) Lissonota (s.str.) nigricoxis Habermehl,1918** (Ichneumonidae) Synonym(s): *nigricoxis* Habermehl,1918; *orientalis* Hedwig,1959
- 13557) Lissonota (s.str.) parallela Gravenhorst,1829** (Ichneumonidae) Synonym(s): *parallela* Gravenhorst,1829
- 13558) Lissonota (s.str.) perspicillator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *perspicillator* Gravenhorst,1829
- 13559) Lissonota (s.str.) rufitarsis Szepligeti,1899** (Ichneumonidae) Synonym(s): *rufitarsis* Szepligeti,1899
- 13560) Lissonota (s.str.) superbator Aubert,1967** (Ichneumonidae) Synonym(s): *superbator* Aubert,1967
- 13561) Listrognathus (s.str.) furax (Tschek,1871)** (Ichneumonidae) Synonym(s): *furax* Tschek,1871
- 13562) Listrognathus ligator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ligator* Gravenhorst,1829
- 13563) Listrognathus orientalis Horstmann,1989** (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1989
- 13564) Lymantrichneumon disparis (Poda,1761)** (Ichneumonidae) Synonym(s): *disparis* Poda,1761
- 13565) Lysibia nana (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *nana* Gravenhorst,1829; *fulvipes* Gravenhorst,1829;
- 13566) Magwengiella flavescens Bachmaier & Diller,1985** (Ichneumonidae) Synonym(s): *flavescens* Bachmaier & Diller,1985
- 13567) Meloboris collector (Thunberg,1822)** (Ichneumonidae) Synonym(s): *collector* Thunberg,1822
- 13568) Meringopus calescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calescens* Gravenhorst,1829
- 13569) Meringopus cyanator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *cyanator* Gravenhorst,1829
- 13570) Meringopus nigerrimus (Fonscolombe,1850)** (Ichneumonidae) Synonym(s): *nigerrimus* Fonscolombe,1850
- 13571) Meringopus pseudonymphus (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus* Tschek,1872
- 13572) Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepligeti,1916
- 13573) Mesochorus nigripes Ratzeburg,1852** (Ichneumonidae) Synonym(s): *nigripes* Ratzeburg,1852
- 13574) Mesochorus vittator (Zetterstedt,1839)** (Ichneumonidae) Synonym(s): *vittator* Zetterstedt,1839
- 13575) Mesoleptus filicornis (Thomson,1884)** (Ichneumonidae) Synonym(s): *filicornis* Thomson,1884
- 13576) Mesoleptus marginatus (Thomson,1884)** (Ichneumonidae) Synonym(s): *marginatus* Thomson,1884
- 13577) Mesostenus albinotatus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *albinotatus* Gravenhorst,1829; *notatus* Gravenhorst,1829
- 13578) Mesostenus grammicus Gravenhorst,1829** (Ichneumonidae) Synonym(s): *grammicus* Gravenhorst,1829
- 13579) Mesostenus transfuga Gravenhorst,1829** (Ichneumonidae) Synonym(s): *transfuga* Gravenhorst,1829
- 13580) Metopius (Ceratopius) dissectorius (Panzer,1805)** (Ichneumonidae) Synonym(s): *dissectorius* Panzer,1805
- 13581) Metopius (Ceratopius) erythropus Kirechbaumer,1894** (Ichneumonidae) Synonym(s): *erythropus* Kirechbaumer,1894
- 13582) Metopius (Peltocarus) croceicornis Thomson,1887** (Ichneumonidae) Synonym(s): *croceicornis* Thomson,1887
- 13583) Metopius (Peltocarus) dentatus (Fabricius,1779)** (Ichneumonidae) Synonym(s): *dentatus* Fabricius,1779
- 13584) Metopius (Peltocarus) dirus Mocsary,1883** (Ichneumonidae) Synonym(s): *dirus* Mocsary,1883
- 13585) Metopius (s.str.) fulvicornis Mocsary,1883** (Ichneumonidae) Synonym(s): *fulvicornis* Mocsary,1883
- 13586) Metopius (Tylopius) brevispinus Thomson,1887** (Ichneumonidae) Synonym(s): *brevispinus* Thomson,1887
- 13587) Metopius (Tylopius) leiopygus Förster,1859** (Ichneumonidae) Synonym(s): *leiopygus* Förster,1859

- 13588) Metopius (Tylopius) pinatorius** Brullé,1846 (Ichneumonidae) Synonym(s): *pinatorius* Brullé,1846
- 13589) Myrmeleonostenus italicus** (Gravenhorts,1829) (Ichneumonidae) Synonym(s): *italicus* Gravenhorts,1829
- 13590) Nemeritis specularis** Horstmann,1975 (Ichneumonidae) Synonym(s): *specularis* Horstmann,1975
- 13591) Nemeritis tuitor** Aubert,1986 (Ichneumonidae) Synonym(s): *tuitor* Aubert,1986
- 13592) Neotypus melanocephalus** (Gmelin,1790) (Ichneumonidae) Synonym(s): *melanocephalus* Gmelin,1790
- 13593) Neoxorides nitens** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *nitens* Gravenhorst,1829
- 13594) Netelia (Bessobates) latungula** (Thomson,1888) (Ichneumonidae) Synonym(s): *latungula* Thomson,1888
- 13595) Netelia (Bessobates) virgata** (Fourcroy,1785) (Ichneumonidae) Synonym(s): *virgata* Fourcroy,1785
- 13596) Netelia (Paropheltes) beschkovi** Kolarov,1994 (Ichneumonidae) Synonym(s): *beschkovi* Kolarov,1994
- 13597) Netelia (s.str.) fuscicornis** (Holmgren,1860) (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888
- 13598) Netelia (s.str.) testacea** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899
- 13599) Netelia (s.str.) valvator** Aubert,1968 (Ichneumonidae) Synonym(s): *valvator* Aubert,1968
- 13600) Netelia (Toxochiloides) krishtali** Tolkantitz,1971 (Ichneumonidae) Synonym(s): *krishtali* Tolkantitz,1971
- 13601) Obtusodonta equitatoria** (Panzer,1786) (Ichneumonidae) Synonym(s): *equitatoria* Panzer,1786
- 13602) Odontocolon dentipes** (Gmelin,1790) (Ichneumonidae) Synonym(s): *dentipes* Gmelin,1790
- 13603) Olesicampe macellator** (Thunberg,1822) (Ichneumonidae) Synonym(s): *macellator* Thunberg,1822
- 13604) Opheltes glaucopterus** (Linnaeus,1758) (Ichneumonidae) Synonym(s): *glaucopterus* Linnaeus,1758
- 13605) Ophion bipictor** Aubert,1980 (Ichneumonidae) Synonym(s): *bipictor* Aubert,1980
- 13606) Ophion longigena** Thomson,1888 (Ichneumonidae) Synonym(s): *longigena* Thomson,1888
- 13607) Ophion luteus** (Linnaeus,1758) (Ichneumonidae) Synonym(s): *luteus* Linnaeus,1758; *fulvus* Retzius,1783; *distans* Thomson,1888; *slaviceki* Kriechbaumer,1892; *pictus* Kokujev,1906; *calcaratus* Morley,1915
- 13608) Ophion minutus** Kriechbaumer,1879 (Ichneumonidae) Synonym(s): *minutus* Kriechbaumer,1879
- 13609) Ophion mirsa** (Shestakov,1926) (Ichneumonidae) Synonym(s): *mirsa* Shestakov,1926
- 13610) Ophion mocsaryi** Brauns,1889 (Ichneumonidae) Synonym(s): *mocsaryi* Brauns,1889
- 13611) Ophion obscuratus** Fabricius,1798 (Ichneumonidae) Synonym(s): *obscuratus* Fabricius,1798; *obscurus* Fabricius,1804
- 13612) Ophion similis** (Szepligeti,1905) (Ichneumonidae) Synonym(s): *similis* Szepligeti,1905
- 13613) Ophion ventricosus** Gravenhorst,1829 (Ichneumonidae) Synonym(s): *impressus* Thunberg,1822 (*preocc.*); *ventricosus* Gravenhorst,1829
- 13614) Orthocentrus radialis** Thomson,1897 (Ichneumonidae) Synonym(s): *radialis* Thomson,1897
- 13615) Orthopelma luteolator** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *luteolator* Gravenhorst,1829
- 13616) Otlophorus inflammator** Aubert,1970 (Ichneumonidae) Synonym(s): *inflammator* Aubert,1970
- 13617) Pantorhaestes xanthostomus** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *xanthostomus* Gravenhorst,1829
- 13618) Parania geniculata** (Holmgren,1857) (Ichneumonidae) Synonym(s): *geniculata* Holmgren,1857
- 13619) Patrocloides sputator** (Fabricius,1793) (Ichneumonidae) Synonym(s): *sputator* Fabricius,1793
- 13620) Perilissus dissimilator** Aubert,1987 (Ichneumonidae) Synonym(s): *dissimilator* Aubert,1987
- 13621) Perilissus filicornis** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *filicornis* Gravenhorst,1829
- 13622) Perilissus lutescens** Holmgren,1855 (Ichneumonidae) Synonym(s): *lutescens* Holmgren,1855
- 13623) Perilissus rufoniger** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *rufoniger* Gravenhorst,1829
- 13624) Perilissus spilonotus** (Stephens,1835) (Ichneumonidae) Synonym(s): *spilonotus* Stephens,1835; *dissimilis* Woldstedt,1877
- 13625) Perilissus tenebrator** Aubert,1987 (Ichneumonidae) Synonym(s): *tenebrator* Aubert,1987
- 13626) Perithous divinator** (Rossi,1790) (Ichneumonidae) Synonym(s): *divinator* Rossi,1790
- 13627) Perithous scurra** (Panzer,1804) (Ichneumonidae) Synonym(s): *scurra* Panzer,1804; *mediator* Fabricius,1804
- 13628) Phaenolobus areolator** (Constantineanu & Constantineanu,1968) (Ichneumonidae) Synonym(s): *areolator* Constantineanu & Constantineanu,1968
- 13629) Phaenolobus fulvicornis** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *fulvicornis* Gravenhorst,1829

- 13630) Phaenolobus major Szepligeti, 1914** (Ichneumonidae) Synonym(s): *major Szepligeti, 1914*
- 13631) Phaenolobus terebrator (Scopoli, 1763)** (Ichneumonidae) Synonym(s): *terebrator Scopoli, 1763*
- 13632) Phaeogenes aff. rusticatus Wesmael, 1844** (Ichneumonidae) Synonym(s): *rusticatus Wesmael, 1844*
- 13633) Phaeogenes corcirensis Berthoumieu, 1901** (Ichneumonidae) Synonym(s): *corcirensis Berthoumieu, 1901*
- 13634) Phaeogenes nigridens Wesmael, 1844** (Ichneumonidae) Synonym(s): *nigridens Wesmael, 1844*
- 13635) Phaeogenes planifrons Wesmael, 1844** (Ichneumonidae) Synonym(s): *planifrons Wesmael, 1844*
- 13636) Phaestacoenitus bidentator Aubert, 1979** (Ichneumonidae) Synonym(s): *bidentator Aubert, 1979*
- 13637) Phradis morionellus (Holmgren, 1860)** (Ichneumonidae) Synonym(s): *morionellus Holmgren, 1860*
- 13638) Pimpla hypochondriaca (Retzius, 1783)** (Ichneumonidae) Synonym(s): *hypochondriaca Retzius, 1783*
- 13639) Pimpla illecebrator (Villers, 1799)** (Ichneumonidae) Synonym(s): *illecebrator Villers, 1799*
- 13640) Pimpla spuria Gravenhorst, 1829** (Ichneumonidae) Synonym(s): *spuria Gravenhorst, 1829*
- 13641) Pimpla turionellae (Linnaeus, 1758)** (Ichneumonidae) Synonym(s): *turionellae Linnaeus, 1758; examinerator Fabricius, 1804*
- 13642) Pion crassipes Holmgren, 1857** (Ichneumonidae) Synonym(s): *crassipes Holmgren, 1857*
- 13643) Pion fortipes (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *fortipes Gravenhorst, 1829*
- 13644) Pithotomus rufiventris Kriechbaumer, 1888** (Ichneumonidae) Synonym(s): *rufiventris Kriechbaumer, 1888*
- 13645) Pleolophus brachypterus (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *brachypterus Gravenhorst, 1829*
- 13646) Poemenia hectica (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *hectica Gravenhorst, 1829*
- 13647) Polytribax rufipes (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *rufipes Gravenhorst, 1829; curvus Gravenhorst, 1829*
- 13648) Priopoda stictica (Fabricius, 1799)** (Ichneumonidae) Synonym(s): *stictica Fabricius, 1799*
- 13649) Pristomerus armatus (Lucas, 1849)** (Ichneumonidae) Synonym(s): *armatus Lucas, 1849; cingulatus Szepligeti, 1905*
- 13650) Pristomerus vulnerator (Panzer, 1799)** (Ichneumonidae) Synonym(s): *vulnerator Panzer, 1799; schreineri Ashmead, 1904; #marginalis Habermehl, 1923*
- 13651) Probles (Euporizon) exilis (Holmgren, 1860)** (Ichneumonidae) Synonym(s): *exilis Holmgren, 1860*
- 13652) Probles (Euporizon) rufipes (Holmgren, 1860)** (Ichneumonidae) Synonym(s): *rufipes Holmgren, 1860*
- 13653) Promethes sulcator (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *sulcator Gravenhorst, 1829*
- 13654) Protichneumon coqueberti (Wesmael, 1848)** (Ichneumonidae) Synonym(s): *coqueberti Wesmael, 1848*
- 13655) Protichneumon fusorius (Linnaeus, 1761)** (Ichneumonidae) Synonym(s): *fusorius Linnaeus, 1761; fuscus Linnaeus, 1767; italicus Rudow, 1888; persicus Morley, 1915; obscuratus Habermehl, 1916*
- 13656) Pycnocryptodes reticulator Aubert, 1971** (Ichneumonidae) Synonym(s): *reticulator Aubert, 1971*
- 13657) Pycnocryptus claviventris Kriechbaumer, 1894** (Ichneumonidae) Synonym(s): *claviventris Kriechbaumer, 1894*
- 13658) Pycnocryptus rarus (Habermehl, 1920)** (Ichneumonidae) Synonym(s): *rarus Habermehl, 1920*
- 13659) Pygmaeolus turcicus Kolarov, 1993** (Ichneumonidae) Synonym(s): *turcicus Kolarov, 1993; #turicus Kolarov, 1993*
- 13660) Pyracmon nactor Aubert, 1986** (Ichneumonidae) Synonym(s): *nactor Aubert, 1986*
- 13661) Rhyssa persuasoria (Linnaeus, 1758)** (Ichneumonidae) Synonym(s): *persuasoria Linnaeus, 1758*
- 13662) Scambus (Atelophadnus) rufator Aubert, 1963** (Ichneumonidae) Synonym(s): *rufator Aubert, 1963*
- 13663) Scambus (Endromopoda) detritus (Holmgren, 1960)** (Ichneumonidae) Synonym(s): *detritus Holmgren, 1960*
- 13664) Scambus (s.str.) brevicornis (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *brevicornis Gravenhorst, 1829*
- 13665) Scambus (s.str.) calobatus (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *calobatus Gravenhorst, 1829*
- 13666) Scambus (s.str.) elegans (Woldstedt, 1877)** (Ichneumonidae) Synonym(s): *elegans Woldstedt, 1877*
- 13667) Scambus (s.str.) pomorum (Ratzeburg, 1848)** (Ichneumonidae) Synonym(s): *pomorum Ratzeburg, 1848*
- 13668) Scolobates nigripennis Sichel, 1860** (Ichneumonidae) Synonym(s): *nigripennis Sichel, 1860*
- 13669) Sinarachna anomala (Holmgren, 1860)** (Ichneumonidae) Synonym(s): *anomala Holmgren, 1860*
- 13670) Sinophorus nigritellus (Thomson, 1887)** (Ichneumonidae) Synonym(s): *nigritellus Thomson, 1887*

- 13671) Sinophorus pleuralis (Thomson,1887)** (Ichneumonidae) Synonym(s): *pleuralis* Thomson,1887
- 13672) Sinophorus sticticale Sanborne,1984** (Ichneumonidae) Synonym(s): *sticticale* Sanborne,1984
- 13673) Sinophorus xanthostomus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *xanthostomus* Gravenhorst,1829
- 13674) Stenarella domator (Poda,1761)** (Ichneumonidae) Synonym(s): *domator* Poda,1761; *gladiator* Fahringer,1922
- 13675) Stenerella domator (Poda,1761)** (Ichneumonidae) Synonym(s): *domator* Poda,1761
- 13676) Stenomacrus affinitor Aubert,1981** (Ichneumonidae) Synonym(s): *affinitor* Aubert,1981
- 13677) Stilpnus adanensis Kolarov & Beyarslan,1994** (Ichneumonidae) Synonym(s): *adanensis* Kolarov & Beyarslan,1994
- 13678) Strongylopsis abdominalis Kasparyan,1974** (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974
- 13679) Sympherta fuscicornis (Gmelin,1790)** (Ichneumonidae) Synonym(s): *fuscicornis* Gmelin,1790
- 13680) Synechocryptus mactator (Tschek,1870)** (Ichneumonidae) Synonym(s): *mactator* Tschek,1870
- 13681) Synomelix albipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *albipes* Gravenhorst,1829
- 13682) Syrphoctonus bifoveolatus (Kriechbaumer,1895)** (Ichneumonidae) Synonym(s): *bifoveolatus* Kriechbaumer,1895
- 13683) Syrphoctonus signatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *signatus* Gravenhorst,1829
- 13684) Syrphoctonus tarsatorius (Panzer,1809)** (Ichneumonidae) Synonym(s): *tarsatorius* Panzer,1809
- 13685) Syrphophilus bizonatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *bizonatus* Gravenhorst,1829
- 13686) Syzeuctus tenuifasciatus Schmiedeknecht,1900** (Ichneumonidae) Synonym(s): *tenuifasciatus* Schmiedeknecht,1900
- 13687) Syzeuctus turcator Aubert,1984** (Ichneumonidae) Synonym(s): *turcator* Aubert,1984
- 13688) Temelucha anatolica (Sedivy,1959)** (Ichneumonidae) Synonym(s): *anatolica* Sedivy,1959
- 13689) Temelucha confluens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *confluens* Gravenhorst,1829
- 13690) Temelucha decorata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *decorata* Gravenhorst,1829; *ornatus* Szepligeti,1900
- 13691) Temelucha meridionellator Aubert,1981** (Ichneumonidae) Synonym(s): *meridionellator* Aubert,1981
- 13692) Temelucha observator Aubert,1966** (Ichneumonidae) Synonym(s): *observator* Aubert,1966
- 13693) Temelucha tricolorata (Sedivy,1968)** (Ichneumonidae) Synonym(s): *tricolorata* Sedivy,1968
- 13694) Therion circumflexum (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *circumflexum* Linnaeus,1758
- 13695) Therion tarsatum (Shestakov,1923)** (Ichneumonidae) Synonym(s): *tarsatum* Shestakov,1923
- 13696) Theronia atalantae (Poda,1761)** (Ichneumonidae) Synonym(s): *atalantae* Poda,1761
- 13697) Theroscopus hemipterus (Fabricius,1793)** (Ichneumonidae) Synonym(s): *hemipterus* Fabricius,1793
- 13698) Theroscopus subzonatus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *subzonatus* Gravenhorst,1829
- 13699) Thibetoides acerbus Victorov,1964** (Ichneumonidae) Synonym(s): *acerbus* Victorov,1964
- 13700) Thrybius praedator (Rossi,1792)** (Ichneumonidae) Synonym(s): *praedator* Rossi,1792; *dreuseni* Thomson,1873
- 13701) Trematopygus triangulator Aubert,1981** (Ichneumonidae) Synonym(s): *triangulator* Aubert,1981
- 13702) Trichomma enecator (Rossi,1790)** (Ichneumonidae) Synonym(s): *enecator* Rossi,1790
- 13703) Triclistus lativentris Thomson,1887** (Ichneumonidae) Synonym(s): *lativentris* Thomson,1887
- 13704) Triclistus podagricus (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *podagricus* Gravenhorst,1829
- 13705) Triece tricarinatus (Holmgren,1856)** (Ichneumonidae) Synonym(s): *tricarinatus* Holmgren,1856
- 13706) Triptognathus atripes (Gravenhorst,1820)** (Ichneumonidae) Synonym(s): *atripes* Gravenhorst,1820; *uniguttatus* Gravenhorst,1829
- 13707) Triptognathus unidentatus (Berthoumieu,1894)** (Ichneumonidae) Synonym(s): *unidentatus* Berthoumieu,1894
- 13708) Tromatobia oculatoria (Fabricius,1798)** (Ichneumonidae) Synonym(s): *oculatoria* Fabricius,1798
- 13709) Tromatobia ornata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *ornata* Gravenhorst,1829
- 13710) Tromatobia variabilis (Holmgren,1856)** (Ichneumonidae) Synonym(s): *variabilis* Holmgren,1856
- 13711) Trychosis atripes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *atripes* Gravenhorst,1829

- 13712 Trychosis legator (Thunberg,1824)** (Ichneumonidae) Synonym(s): *legator* Thunberg,1824
- 13713 Trychosis neglecta (Tschek,1870)** (Ichneumonidae) Synonym(s): *neglecta* Tschek,1870
- 13714 Trychosis pauper (Tschek,1871)** (Ichneumonidae) Synonym(s): *pauper* Tschek,1871
- 13715 Trychosis priesneri Rossem,1971** (Ichneumonidae) Synonym(s): *priesneri* Rossem,1971
- 13716 Trychosis trisator (Tschek,1871)** (Ichneumonidae) Synonym(s): *trisator* Tschek,1871
- 13717 Tryphon (s.str.) rutilator (Linnaeus,1761)** (Ichneumonidae) Synonym(s): *rutilator* Linnaeus,1761
- 13718 Tryphon (s.str.) signator Gravenhorst,1829** (Ichneumonidae) Synonym(s): *signator* Gravenhorst,1829
- 13719 Tryphon (s.str.) trochanteratus Holmgren,1855** (Ichneumonidae) Synonym(s): *trochanteratus* Holmgren,1855
- 13720 Tryphon (s.str.) zavreli Gregor,1939** (Ichneumonidae) Synonym(s): *zavreli* Gregor,1939
- 13721 Tryphon auricularis Thomson,1883** (Ichneumonidae) Synonym(s): *auricularis* Thomson,1883
- 13722 Venturia anatolica Horstmann,1986** (Ichneumonidae) Synonym(s): *anatolica* Horstmann,1986
- 13723 Venturia canescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *canescens* Gravenhorst,1829
- 13724 Xenoschesis (s.str.) fulvipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *fulvipes* Gravenhorst,1829
- 13725 Xorides (Gonophonus) annulator (Fabricius,1804)** (Ichneumonidae) Synonym(s): *annulator* Fabricius,1804
- 13726 Xorides (Moerophora) rufipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *rufipes* Gravenhorst,1829
- 13727 Xorides (s.str.) filiformis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *filiformis* Gravenhorst,1829
- 13728 Xorides (s.str.) fuligator (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuligator* Thunberg,1822
- 13729 Xorides (s.str.) gracilicornis (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *gracilicornis* Gravenhorst,1829
- 13730 Xorides (s.str.) gravenhorstii (Curtis,1831)** (Ichneumonidae) Synonym(s): *gravenhorstii* Curtis,1831; *securicornis* Holmgren,1860; *seticornis* Strobl,1902
- 13731 Xorides (s.str.) praecatorius (Fabricius,1793)** (Ichneumonidae) Synonym(s): *praecatorius* Fabricius,1793
- 13732 Zabrachypus tenuiabdominalis (Uchida,19141)** (Ichneumonidae) Synonym(s): *tenuiabdominalis* Uchida,19141
- 13733 Zaglyptus varipes (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *varipes* Gravenhorst,1829
- 13734 Zapplethocornia procurator (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *procurator* Gravenhorst,1829; *asiaminor* Aubert,1989
- 13735 Zatypota bohemani (Holmgren,1854)** (Ichneumonidae) Synonym(s): *bohemani* Holmgren,1854
- 13736 Zatypota percontatoria (Müller,1776)** (Ichneumonidae) Synonym(s): *percontatoria* Müller,1776

IRIDIDAE

- 13737 Iris oratoria (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832
- 13738 Iris polystictica Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim,1846; *tiflisina* Giglio-Tos,1915; *caucasica* Lindt,1983

ISSIDAE

- 13739 Aconosimus goricus (Dlabola,1958)** (Issidae) Synonym(s): *goricus* Dlabola,1958
- 13740 Agalmatium bilobum (Fieber,1877)** (Issidae) Synonym(s): *bilobum* Fieber,1877
- 13741 Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868
- 13742 Anatolodus ignavus (Dlabola,1981)** (Issidae) Synonym(s): *ignavus* Dlabola,1981
- 13743 Anatolodus musivus Dlabola,1982** (Issidae) Synonym(s): *musivus* Dlabola,1982
- 13744 Bubastia (Acrestia) ephialtes (Linnavuori,1971)** (Issidae) Synonym(s): *ephialtes* Linnavuori,1971
- 13745 Bubastia (s.str.) ludviki Dlabola,1979** (Issidae) Synonym(s): *ludviki* Dlabola,1979
- 13746 Bubastia (s.str.) suturale (Fieber,1877)** (Issidae) Synonym(s): *suturale* Fieber,1877

- 13747) Bubastia (s.str.) transcaucasica (Melichar,1914)** (Issidae) Synonym(s): *transcaucasica Melichar,1914*
- 13748) Bubastia jatagana Dlabola,1982** (Issidae) Synonym(s): *jatagana Dlabola,1982*
- 13749) Falcidiopsis meridionalis Dlabola,1983** (Issidae) Synonym(s): *meridionalis Dlabola,1983*
- 13750) Falcidius anaticus Dlabola,1979** (Issidae) Synonym(s): *anaticus Dlabola,1979*
- 13751) Hysteropterum despectum Linnavuori,1965** (Issidae) Synonym(s): *despectum Linnavuori,1965*
- 13752) Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides Fabricius,1794*
- 13753) Hysteropterum lesbicum Dlabola,1980** (Issidae) Synonym(s): *lesbicum Dlabola,1980*
- 13754) Hysteropterum parvissimum Dlabola,1957** (Issidae) Synonym(s): *parvissimum Dlabola,1957*
- 13755) Hysteropterum transcausicum Melichar,1914** (Issidae) Synonym(s): *transcausicum Melichar,1914*
- 13756) Hysteropterum trifasciatum Linnavuori,1965** (Issidae) Synonym(s): *trifasciatum Linnavuori,1965*
- 13757) Issus coleoptratus (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa Goeze,1778 (praeocc.); coleoptratus Fabricius,1781; pedestris Fabricius,1794; maurus Walker,1851; cribrellus Rey,1894*
- 13758) Issus dilatatus (Fourcroy,1785)** (Issidae) Synonym(s): *dilatatus Fourcroy,1785; luteus Fieber,1876*
- 13759) Issus lauri Ahrens,1814** (Issidae) Synonym(s): *lauri Ahrens,1814; climacus Fieber,1876*
- 13760) Kervillea ancyrana Bergevin,1918** (Issidae) Synonym(s): *ancyrana Bergevin,1918*
- 13761) Kervillea gaziantepica Dlabola,1984** (Issidae) Synonym(s): *gaziantepica Dlabola,1984*
- 13762) Kervillea parvissima (Dlabola,1957)** (Issidae) Synonym(s): *parvissima Dlabola,1957*
- 13763) Kervillea parvissima (Dlabola,1957)** (Issidae) Synonym(s): *parvissima Dlabola,1957*
- 13764) Kervillea placophorum (Horvath,1905)** (Issidae) Synonym(s): *placophorum Horvath,1905*
- 13765) Latematium cingulatum Dlabola,1983** (Issidae) Synonym(s): *cingulatum Dlabola,1983*
- 13766) Latilica antalyica (Dlabola,1986)** (Issidae) Synonym(s): *antalyica Dlabola,1986*
- 13767) Latilica maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum Lethierry,1877; maculipes Melichar,1906; oertzeni Matsumura,1910*
- 13768) Latilica pictifrons (Melichar,1906)** (Issidae) Synonym(s): *pictifrons Melichar,1906*
- 13769) Latilica quercus (Lindberg,1948)** (Issidae) Synonym(s): *quercus Lindberg,1948*
- 13770) Latilica retamae (Linnavuori,1962)** (Issidae) Synonym(s): *retamae Linnavuori,1962*
- 13771) Libanissum talhouki (Dlabola,1974)** (Issidae) Synonym(s): *talhouki Dlabola,1974*
- 13772) Mycterodus (Aconosimus) marki Gnezdilov,2008** (Issidae) Synonym(s): *marki Gnezdilov,2008*
- 13773) Mycterodus (Comporodus) spinicordatus Dlabola,1983** (Issidae) Synonym(s): *spinicordatus Dlabola,1983*
- 13774) Mycterodus (Comporodus) tekneticus (Dlabola,1982)** (Issidae) Synonym(s): *tekneticus Dlabola,1982*
- 13775) Mycterodus (s.str.) alatus Logvinenko,1968** (Issidae) Synonym(s): *alatus Logvinenko,1968*
- 13776) Mycterodus (s.str.) bicornutus Dlabola,1986** (Issidae) Synonym(s): *bicornutus Dlabola,1986*
- 13777) Mycterodus (s.str.) confusus Stal,1861** (Issidae) Synonym(s): *confusus Stal,1861*
- 13778) Mycterodus (s.str.) denticulatus Lindberg,1948** (Issidae) Synonym(s): *denticulatus Lindberg,1948*
- 13779) Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus Fabricius,1794*
- 13780) Mycterodus (s.str.) intricatus Stal,1861** (Issidae) Synonym(s): *intricatus Stal,1861; jaltaicus Dlabola,1958*
- 13781) Mycterodus (s.str.) lodosicus Dlabola,1980** (Issidae) Synonym(s): *lodosicus Dlabola,1980*
- 13782) Mycterodus (s.str.) muticus Dlabola,1986** (Issidae) Synonym(s): *muticus Dlabola,1986*
- 13783) Mycterodus (s.str.) osmanicus Dlabola,1971** (Issidae) Synonym(s): *osmanicus Dlabola,1971*
- 13784) Mycterodus (s.str.) pozanticus Kartal,1983** (Issidae) Synonym(s): *pozanticus Kartal,1983*
- 13785) Mycterodus (s.str.) rostratulus Emeljanov,1964** (Issidae) Synonym(s): *rostratulus Emeljanov,1964*
- 13786) Mycterodus (Semirodus) ionus Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): *ionus Gnezdilov & Drosopoulos,2004*
- 13787) Mycterodus (Semirodus) johannesi Gnezdilov & Drosopoulos,2004** (Issidae) Synonym(s): *johannesi Gnezdilov & Drosopoulos,2004*
- 13788) Mycterodus (Semirodus) pallens Stal,1861** (Issidae) Synonym(s): *pallens Stal,1861*
- 13789) Mycterodus anaticus Dlabola,1981** (Issidae) Synonym(s): *anaticus Dlabola,1981*
- 13790) Mycterodus anatolioriens Dlabola,1979** (Issidae) Synonym(s): *anatolioriens Dlabola,1979*
- 13791) Mycterodus arpadi Dlabola,1977** (Issidae) Synonym(s): *arpadi Dlabola,1977*
- 13792) Mycterodus balikesiricus Dlabola,1979** (Issidae) Synonym(s): *balikesiricus Dlabola,1979*
- 13793) Mycterodus capitatus Dlabola,1982** (Issidae) Synonym(s): *capitatus Dlabola,1982*
- 13794) Mycterodus carpathicus Logvinenko,1974** (Issidae) Synonym(s): *carpathicus Logvinenko,1974*
- 13795) Mycterodus caucasicus (Melichar,1906)** (Issidae) Synonym(s): *caucasicus Melichar,1906*
- 13796) Mycterodus drosopoulovi Dlabola,1982** (Issidae) Synonym(s): *drosopoulovi Dlabola,1982*

- 13797) *Mycterodus efesicus* Dlabola, 1971 (Issidae) Synonym(s): *efesicus* Dlabola, 1971
- 13798) *Mycterodus goricus* (Dlabola, 1958) (Issidae) Synonym(s): *goricus* Dlabola, 1958
- 13799) *Mycterodus hakkaricus* Dlabola, 1980 (Issidae) Synonym(s): *hakkaricus* Dlabola, 1980
- 13800) *Mycterodus hamatus* Dlabola, 1971 (Issidae) Synonym(s): *hamatus* Dlabola, 1971
- 13801) *Mycterodus izmiticus* Dlabola, 1979 (Issidae) Synonym(s): *izmiticus* Dlabola, 1979
- 13802) *Mycterodus nasutus* (Herrich-Schäffer, 1835) (Issidae) Synonym(s): *nasutus* Herrich-Schäffer, 1835
- 13803) *Mycterodus osellai* Dlabola, 1977 (Issidae) Synonym(s): *osellai* Dlabola, 1977
- 13804) *Mycterodus ovifrons* (Puton, 1890) (Issidae) Synonym(s): *ovifrons* Puton, 1890
- 13805) *Mycterodus serbicus* Dlabola, 1980 (Issidae) Synonym(s): *serbicus* Dlabola, 1980
- 13806) *Mycterodus spinicordatus* Dlabola, 1982 (Issidae) Synonym(s): *spinicordatus* Dlabola, 1982
- 13807) *Mycterodus tekneticus* Dlabola, 1982 (Issidae) Synonym(s): *tekneticus* Dlabola, 1982
- 13808) *Mycterodus torosicus* Dlabola, 1980 (Issidae) Synonym(s): *torosicus* Dlabola, 1980
- 13809) *Mycterodus ulukislanus* Dlabola, 1983 (Issidae) Synonym(s): *ulukislanus* Dlabola, 1983
- 13810) *Quadrastylum aylae* Dlabola, 1987 (Issidae) Synonym(s): *aylae* Dlabola, 1987
- 13811) *Quadrastylum basiniger* Dlabola, 1987 (Issidae) Synonym(s): *basiniger* Dlabola, 1987
- 13812) *Quadrastylum beysehiricum* Dlabola, 1983 (Issidae) Synonym(s): *beysehiricum* Dlabola, 1983
- 13813) *Quadrastylum campanuliforme* Dlabola, 1979 (Issidae) Synonym(s): *campanuliforme* Dlabola, 1979
- 13814) *Quadrastylum coronatum* (Loginenkova, 1977) (Issidae) Synonym(s): *coronatum* Loginenkova, 1977
- 13815) *Quadrastylum insulanum* Dlabola, 1983 (Issidae) Synonym(s): *insulanum* Dlabola, 1983
- 13816) *Quadrastylum jahjai* Dlabola, 1983 (Issidae) Synonym(s): *jahjai* Dlabola, 1983
- 13817) *Quadrastylum kulaicum* Dlabola, 1983 (Issidae) Synonym(s): *kulaicum* Dlabola, 1983
- 13818) *Quadrastylum lodosicum* Dlabola, 1983 (Issidae) Synonym(s): *lodosicum* Dlabola, 1983
- 13819) *Quadrastylum scoleogramma* (Fieber, 1877) (Issidae) Synonym(s): *scoleogramma* Fieber, 1877
- 13820) *Quadrastylum tarsusanum* Dlabola, 1989 (Issidae) Synonym(s): *tarsusanum* Dlabola, 1989
- 13821) *Quadrastylum tekirdagicum* Dlabola, 1982 (Issidae) Synonym(s): *tekirdagicum* Dlabola, 1982
- 13822) *Rhissolepus aspinosus* Dlabola, 1982 (Issidae) Synonym(s): *aspinosus* Dlabola, 1982
- 13823) *Scorlupella amica* Dlabola, 1984 (Issidae) Synonym(s): *amica* Dlabola, 1984
- 13824) *Scorlupella assimile* (Horvath, 1905) (Issidae) Synonym(s): *assimile* Horvath, 1905
- 13825) *Scorlupella bouldardi* Dlabola, 1984 (Issidae) Synonym(s): *bouldardi* Dlabola, 1984
- 13826) *Scorlupella corumica* Dlabola, 1982 (Issidae) Synonym(s): *corumica* Dlabola, 1982
- 13827) *Scorlupella discolor* (Germar, 1821) (Issidae) Synonym(s): *discolor* Germar, 1821
- 13828) *Scorlupella montana* (Becker, 1865) (Issidae) Synonym(s): *montanum* Becker, 1865; *arundidis* Becker, 1865
- 13829) *Scorlupella pontica* Dlabola, 1982 (Issidae) Synonym(s): *pontica* Dlabola, 1982
- 13830) *Tshurtshurnella acuta* (Linnavuori, 1965) (Issidae) Synonym(s): *acuta* Linnavuori, 1965
- 13831) *Tshurtshurnella adana* Dlabola, 1986 (Issidae) Synonym(s): *adana* Dlabola, 1986
- 13832) *Tshurtshurnella alanyana* Dlabola, 1982 (Issidae) Synonym(s): *alanyana* Dlabola, 1982
- 13833) *Tshurtshurnella aschei* Kartal, 1985 (Issidae) Synonym(s): *aschei* Kartal, 1985
- 13834) *Tshurtshurnella bicornuta* Dlabola, 1983 (Issidae) Synonym(s): *bicornuta* Dlabola, 1983
- 13835) *Tshurtshurnella bozarmutica* Kartal, 1985 (Issidae) Synonym(s): *bozarmutica* Kartal, 1985
- 13836) *Tshurtshurnella campestre* (Lindberg, 1948) (Issidae) Synonym(s): *campestre* Lindberg, 1948; *bidens* Linnavuori, 1965
- 13837) *Tshurtshurnella cappodocica* (Dlabola, 1981) (Issidae) Synonym(s): *cappodocica* Dlabola, 1981; *acigoelica* Dlabola, 1983
- 13838) *Tshurtshurnella carica* Gnezdilov, 2002 (Issidae) Synonym(s): *carica* Gnezdilov, 2002
- 13839) *Tshurtshurnella despecta* (Linnavuori, 1965) (Issidae) Synonym(s): *despecta* Linnavuori, 1965
- 13840) *Tshurtshurnella diyarbakira* Dlabola, 1980 (Issidae) Synonym(s): *diyarbakira* Dlabola, 1980
- 13841) *Tshurtshurnella edremitica* Dlabola, 1982 (Issidae) Synonym(s): *edremitica* Dlabola, 1982
- 13842) *Tshurtshurnella elmalica* Kartal, 1985 (Issidae) Synonym(s): *elmalica* Kartal, 1985
- 13843) *Tshurtshurnella extrema* Dlabola, 1980 (Issidae) Synonym(s): *extrema* Dlabola, 1980
- 13844) *Tshurtshurnella kalkandelenica* Dlabola, 1982 (Issidae) Synonym(s): *kalkandelenica* Dlabola, 1982
- 13845) *Tshurtshurnella linnavuorii* Dlabola, 1982 (Issidae) Synonym(s): *linnavuorii* Dlabola, 1982
- 13846) *Tshurtshurnella lodosi* Dlabola, 1979 (Issidae) Synonym(s): *lodosi* Dlabola, 1979
- 13847) *Tshurtshurnella longispinosa* (Linnavuori, 1962) (Issidae) Synonym(s): *longispinosa* Linnavuori, 1962
- 13848) *Tshurtshurnella mysica* Gnezdilov, 2002 (Issidae) Synonym(s): *mysica* Gnezdilov, 2002
- 13849) *Tshurtshurnella peloponica* Dlabola, 1979 (Issidae) Synonym(s): *peloponica* Dlabola, 1979
- 13850) *Tshurtshurnella ramosa* Dlabola, 1982 (Issidae) Synonym(s): *ramosa* Dlabola, 1982
- 13851) *Tshurtshurnella rhombica* Dlabola, 1982 (Issidae) Synonym(s): *rhombica* Dlabola, 1982

- 13852) Tshurtshurnella serapae Kartal,1985** (Issidae) Synonym(s): *serapae* Kartal,1985
13853) Tshurtshurnella trifasciata (Linnavuori,1965) (Issidae) Synonym(s): *trifasciata* Linnavuori,1965
13854) Tshurtshurnella uvarovi Gnezdilov,2002 (Issidae) Synonym(s): *uvarovi* Gnezdilov,2002
13855) Tshurtshurnella ventricornis Dlabola,1986 (Issidae) Synonym(s): *ventricornis* Dlabola,1986
13856) Tshurtshurnella verbasci Dlabola,1983 (Issidae) Synonym(s): *verbasci* Dlabola,1983
13857) Tshurtshurnella yozgatica Kartal,1985 (Issidae) Synonym(s): *yozygatica* Kartal,1985
13858) Tshurtshurnella zebrina Dlabola,1985 (Issidae) Synonym(s): *zebrina* Dlabola,1985
13859) Webbsianus ochreicolor Dlabola,1983 (Issidae) Synonym(s): *ochreicolor* Dlabola,1983

KERMESIDAE

- 13860) Kermes bekiri Bodenheimer,1953** (Kermesidae) Synonym(s): *bekiri* Bodenheimer,1953
13861) Kermes palestiniensis Balachowsky,1953 (Kermesidae) Synonym(s): *palestiniensis* Balachowsky,1953
13862) Kermes muhlisi Bodenheimer,1941 (Kermesidae) Synonym(s): *muhlisi* Bodenheimer,1941
13863) Kermes roboris (Fourcroy,1785) (Kermesidae) Synonym(s): *roboris* Fourcroy,1785
13864) Kermes sadrii Bodenheimer,1953 (Kermesidae) Synonym(s): *sadrii* Bodenheimer,1953
13865) Kermes safinazae Özkök,1941 (Kermesidae) Synonym(s): *safinazae* Özkök,1941
13866) Kermes vermilio Planchon,1864 (Kermesidae) Synonym(s): *vermilio* Planchon,1864
13867) Nidularia balachowskii Bodenheimer (Kermesidae) Synonym(s): *balachowskii* Bodenheimer
13868) Nidularia pulvinata (Planchon) (Kermesidae) Synonym(s): *pulvinata* Planchon

KEROPLATIDAE

- 13869) Macrocera crassicornis Winnertz,1863** (Keroplastidae) Synonym(s): *crassicornis* Winnertz,1863; *annulicoxa* Mik,1864
13870) Macrocera fasciata Meigen,1804 (Keroplastidae) Synonym(s): *fasciata* Meigen,1804; *fusca* Landrock,1917; *monticola* Landrock,1917
13871) Macrocera lutea Meigen,1804 (Keroplastidae) Synonym(s): *lutea* Meigen,1804
13872) Macrocera phalerata Meigen,1818 (Keroplastidae) Synonym(s): *phalerata* Meigen,1818; *maculipennis* Macquart,1826
13873) Platyura marginata Meigen,1804 (Keroplastidae) Synonym(s): *marginata* Meigen,1804; *atratus* Fabricius,1805; *rufipes* Meigen,1818
13874) Urytalpa chandleri Bechev & Koç,2008 (Keroplastidae) Synonym(s): *chandleri* Bechev & Koç,2008

LABIDURIDAE

- 13875) Anisolabis maritima (Géné,1832)** (Labiduridae) Synonym(s): *maritima* Géné,1832; *singularis* Shiraki,1905; *addita* Burr,1913; *quadrata* Liu,1946
13876) Chelidura specifica Steinmann,1989 (Labiduridae) Synonym(s): *specifica* Steinmann,1989
13877) Euborellia annulipes (Lucas,1837) (Labiduridae) Synonym(s): *annulipes* Lucas,1837
13878) Euborellia moesta (Géné,1839) (Labiduridae) Synonym(s): *moesta* Géné,1839
13879) Labidura riparia (Pallas,1773) (Labiduridae) Synonym(s): *riparia* Pallas,1773; *mongolica* Rehn,1905
13880) Nala lividipes (Dufour,1828) (Labiduridae) Synonym(s): *lividipes* Dufour,1828

LAMPYRIDAE

- 13881) Luciola italica (Linnaeus,1758)** (Lampyridae) Synonym(s): *italica* Linnaeus,1758
13882) Luciola lusitanica (Charpentier,1825) (Lampyridae) Synonym(s): *italica* Olivier,1790 *nec* Linn.,1767; *lusitanica* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrelia* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969
13883) Lampyroidea dispar (Fairmaire,1857) (Lampyridae) Synonym(s): *dispar* Fairmaire,1857
13884) Lampyroidea graeca (Laporte de Castelnau,1833) (Lampyridae) Synonym(s): *graeca* Laporte de Castelnau,1833; *euboica* Pic,1914

- 13885) *Lampyroidea maculicollis* (Mulsant & Wachanru,1852)** (Lampyridae) Synonym(s): *maculicollis* Mulsant & Wachanru,1852; *maculithorax* Gemminger,1870
- 13886) *Lampyroidea syriaca* A.Costa,1875** (Lampyridae) Synonym(s): *syriaca* A.Costa,1875; *innotaticollis* Pic,1914
- 13887) *Lampyris nervosa* Olivier,1883** (Lampyridae) Synonym(s): *nervosa* Olivier,1883; *barbara* Olivier,1884
- 13888) *Lampyris angustula* Fairmaire,1895** (Lampyridae) Synonym(s): *angustula* Fairmaire,1895; *iraqi* Geisthardt,1999
- 13889) *Lampyris caspica* (Motschoulsky,1854)** (Lampyridae) Synonym(s): *caspica* Motschoulsky,1854
- 13890) *Lampyris pseudozenkeri* Geisthardt,1999** (Lampyridae) Synonym(s): *pseudozenkeri* Geisthardt,1999
- 13891) *Nyctophila anatolica* Geisthardt,1982** (Lampyridae) Synonym(s): *anatolica* Geisthardt,1982
- 13892) *Nyctophila libani* (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *libani* Laporte de Castelnau,1833; *insignis* Ancey,1870
- 13893) *Nyctophila maculicollis* (Fairmaire,1866)** (Lampyridae) Synonym(s): *maculicollis* Fairmaire,1866
- 13894) *Nyctophila reichii* (Jacquelin du Val,1860)** (Lampyridae) Synonym(s): *reichii* Jacquelin du Val,1860
- 13895) *Nyctophila scabripennis* E.Olivier,1907** (Lampyridae) Synonym(s): *scabripennis* E.Olivier,1907
- 13896) *Nyctophila syriaca* (Baudi di Selve,1871)** (Lampyridae) Synonym(s): *syriaca* Baudi di Selve,1871

LAUXANIIDAE

- 13897) *Eusapromyza multipunctata* (Fallén,1820)** (Lauxaniidae) Synonym(s): *multipunctata* Fallén,1820
- 13898) *Minettia* (s.str.) *fasciata* (Fallén,1826)** (Lauxaniidae) Synonym(s): *fasciata* Fallén,1826; *rivosa* Meigen,1826; *nemorosa* R-D.,1830
- 13899) *Minettia* (s.str.) *R-D.*,1830** (Lauxaniidae) Synonym(s): *Minettia* R-D.,1830; *Prorhapochaeta* Czerny,1932
- 13900) *Minettia* (s.str.) *subvittata* (Loew,1847)** (Lauxaniidae) Synonym(s): *subvittata* Loew,1847; *cataracta* Pandellé,1902
- 13901) *Minettia* (s.str.) *tabidiventris* (Rondani,1877)** (Lauxaniidae) Synonym(s): *tabidiventris* Rondani,1877; *luteofrontata* Becker,1895
- 13902) *Sapromyza gozmanyi* Papp,1981** (Lauxaniidae) Synonym(s): *gozmanyi* Papp,1981
- 13903) *Sapromyza intonsa* Loew,1847** (Lauxaniidae) Synonym(s): *intonsa* Loew,1847
- 13904) *Sapromyza intonsina* Yarom,1990** (Lauxaniidae) Synonym(s): *intonsina* Yarom,1990
- 13905) *Sapromyza laszlopappi* Merz,2007** (Lauxaniidae) Synonym(s): *laszlopappi* Merz,2007

LECANODIASPIDIDAE

- 13906) *Lecanodiaspis sardoa* Targioni Tozzetti** (Lecanodiaspididae) Synonym(s): *sardoa* Targioni Tozzetti

LEIODIDAE

- 13907) *Agathidium* (s.str.) *namrunense* Angelini,1998** (Leiodidae) Synonym(s): *namrunense* Angelini,1998
- 13908) *Attaephilus rydhi* Ruzicka,1997** (Leiodidae) Synonym(s): *rydhi* Ruzicka,1997
- 13909) *Catopomorphus* (s.str.) *cappadocianus* Ruzicka,1994** (Leiodidae) Synonym(s): *cappadocianus* Ruzicka,1994
- 13910) *Chovela* (s.str.) *fencli* Ruzicka,1993** (Leiodidae) Synonym(s): *fencli* Ruzicka,1993

LEPIDOSTOMATIDAE

- 13911) *Dinarthrum chaldyrense* Martynov,1909** (Lepidostomatidae) Synonym(s): *chaldyrense* Martynov,1909
- 13912) *Dinarthrum iranikum* Schmid,1959** (Lepidostomatidae) Synonym(s): *iranikum* Schmid,1959

- 13913) *Dinarthrum longiplicatum* Martynov,1913** (Lepidostomatidae) Synonym(s): *longiplicatum Martynov,1913*
- 13914) *Dinarthrum mesoplicatum* Martynov,1913** (Lepidostomatidae) Synonym(s): *mesoplicatum Martynov,1913*
- 13915) *Lasiocephala holzschuhi* Malicky,1977** (Lepidostomatidae) Synonym(s): *holzschuhi Malicky,1977*
- 13916) *Lasiocephala olimpensis* Çakın & Malicky,1983** (Lepidostomatidae) Synonym(s): *olimpensis Çakın & Malicky,1983*
- 13917) *Lepidostoma hirtum* Fabricius,1775** (Lepidostomatidae) Synonym(s): *hirtum Fabricius,1775*

LEPTOCERIDAE

- 13918) *Adicella altandroconia* Botosaneanu & Novak,1965** (Leptoceridae) Synonym(s): *altandroconia Botosaneanu & Novak,1965*
- 13919) *Adicella dionisos* Malicky,1977** (Leptoceridae) Synonym(s): *dionisos Malicky,1977*
- 13920) *Adicella hakkariensis* Malicky,1987** (Leptoceridae) Synonym(s): *hakkariensis Malicky,1987*
- 13921) *Adicella hypseloknossoios* Malicky,1977** (Leptoceridae) Synonym(s): *hypseloknossoios Malicky,1977*
- 13922) *Adicella syriaca* Ulmer,1907** (Leptoceridae) Synonym(s): *syriaca Ulmer,1907*
- 13923) *Adicella thalia* Malicky,1976** (Leptoceridae) Synonym(s): *thalia Malicky,1976*
- 13924) *Athripsodes angriamani* Schmid,1959** (Leptoceridae) Synonym(s): *angriamani Schmid,1959*
- 13925) *Athripsodes fulvicornis* Martynov,1913** (Leptoceridae) Synonym(s): *fulvicornis Martynov,1913*
- 13926) *Athripsodes iltsohi* Malicky,1987** (Leptoceridae) Synonym(s): *iltsohi Malicky,1987*
- 13927) *Athripsodes karsensis* Çakın & Malicky,1983** (Leptoceridae) Synonym(s): *karsensis Çakın & Malicky,1983*
- 13928) *Athripsodes longispinosus* Martynov,1909** (Leptoceridae) Synonym(s): *longispinosus Martynov,1909*
- 13929) *Athripsodes sewangensis* Martynov,1925** (Leptoceridae) Synonym(s): *sewangensis Martynov,1925*
- 13930) *Ceraclea aurea* Pictet,1834** (Leptoceridae) Synonym(s): *aurea Pictet,1834*
- 13931) *Ceraclea riparia* Albarda,1874** (Leptoceridae) Synonym(s): *riparia Albarda,1874*
- 13932) *Ceraclea senilis* Burmeister,1839** (Leptoceridae) Synonym(s): *senilis Burmeister,1839*
- 13933) *Leptocerus interruptus* Fabricius,1775** (Leptoceridae) Synonym(s): *interruptus Fabricius,1775*
- 13934) *Leptocerus tineiformis* Curtis,1834** (Leptoceridae) Synonym(s): *tineiformis Curtis,1834*
- 13935) *Mystacides azurea* (Linnaeus,1761)** (Leptoceridae) Synonym(s): *azurea Linnaeus,1761*
- 13936) *Mystacides nigra* (Linnaeus,1758)** (Leptoceridae) Synonym(s): *nigra Linnaeus,1758*
- 13937) *Oecetis brignolii* Malicky,1981** (Leptoceridae) Synonym(s): *brignolii Malicky,1981*
- 13938) *Oecetis furva* Rambur,1842** (Leptoceridae) Synonym(s): *furva Rambur,1842*
- 13939) *Oecetis ochracea* Curtis,1825** (Leptoceridae) Synonym(s): *ochracea Curtis,1825*
- 13940) *Setodes anatolicus* Schmid,1964** (Leptoceridae) Synonym(s): *anatolicus Schmid,1964*
- 13941) *Setodes dehensurae* Çakın & Malicky,1983** (Leptoceridae) Synonym(s): *dehensurae Çakın & Malicky,1983*
- 13942) *Setodes kuehbandneri* Malicky,1987** (Leptoceridae) Synonym(s): *kuehbandneri Malicky,1987*
- 13943) *Setodes punctatus* Fabricius,1793** (Leptoceridae) Synonym(s): *punctatus Fabricius,1793*
- 13944) *Setodes viridis* (Fourcroy,1785)** (Leptoceridae) Synonym(s): *viridis Fourcroy,1785*
- 13945) *Triaenodes conspersus* Rambur,1842** (Leptoceridae) Synonym(s): *conspersus Rambur,1842*
- 13946) *Triaenodes internus* McLachlan,1875** (Leptoceridae) Synonym(s): *internus McLachlan,1875*
- 13947) *Triaenodes kawraiskii* Martynov,1909** (Leptoceridae) Synonym(s): *kawraiskii Martynov,1909*

LESTIDAE

- 13948) *Lestes barbarus* (Fabricius,1798)** (Lestidae) Synonym(s): *barbarus Fabricius,1798*
- 13949) *Lestes dryas* Kirby,1890** (Lestidae) Synonym(s): *dryas Kirby,1890*
- 13950) *Lestes macrostigma* (Eversmann,1836)** (Lestidae) Synonym(s): *macrostigma Eversmann,1836*
- 13951) *Lestes parvidens* Artobolevski,1929** (Lestidae) Synonym(s): *parvidens Artobolevski,1929*
- 13952) *Lestes sponsa* (Hansemann,1823)** (Lestidae) Synonym(s): *sponsa Hansemann,1823*
- 13953) *Lestes virens* (Charpentier,1825)** (Lestidae) Synonym(s): *virens Charpentier,1825*
- 13954) *Lestes viridis* (Van Der Linden,1825)** (Lestidae) Synonym(s): *viridis Van Der Linden,1825*
- 13955) *Sympecma annulata* (Selys,1887)** (Lestidae) Synonym(s): *paedisca Brauer,1882 nec Eversm.,1836; annulata Selys,1887; braueri Jacobson & Bianchi,1905*
- 13956) *Sympecma fusca* (Van Der Linden,1820)** (Lestidae) Synonym(s): *fusca Van Der Linden,1820*

LEUCOSPDAE

- 13957) *Leucospis bifasciata* Klug,1814** (Leucospidae) Synonym(s): *bifasciata* Klug,1814; *gibba* Klug,1814
13958) *Leucospis biguetina* Jurine,1807 (Leucospidae) Synonym(s): *biguetina* Jurine,1807
13959) *Leucospis brevicauda* Fabricius,1804 (Leucospidae) Synonym(s): *brevicauda* Fabricius,1804; *grohmanni* Spinola,1838; *clavata* Westwood,1839; *fabricii* Westwood,1839; *torquata* Costa,1882
13960) *Leucospis dorsigera* (Fabricius,1775) (Leucospidae) Synonym(s): *dorsigera* Fabricius,1775
13961) *Leucospis gigas* (Fabricius,1793) (Leucospidae) Synonym(s): *gigas* Fabricius,1793; *grandis* Klug,1814; *varia* Klug,1814; *shuckardi* Westwood,1834; *rufonotata* Westwood,1839; *quaettaensis* Cameron,1906; *nursei* Cameron,1906
13962) *Leucospis intermedia* Illiger,1807 (Leucospidae) Synonym(s): *intermedia* Illiger,1807

LEUCTRIDAE

- 13963) *Leuctra aculeata* Zwick,1982** (Leuctridae) Synonym(s): *aculeata* Zwick,1982
13964) *Leuctra anatolica* Kazanci,1986 (Leuctridae) Synonym(s): *anatolica* Kazanci,1986
13965) *Leuctra antalyana* Vincon & Sivec,2001 (Leuctridae) Synonym(s): *antalyana* Vincon & Sivec,2001
13966) *Leuctra artvinensis* Vincon & Sivec,2001 (Leuctridae) Synonym(s): *artvinensis* Vincon & Sivec,2001
13967) *Leuctra aspoecorum* Theischinger,1976 (Leuctridae) Synonym(s): *aspoecorum* Theischinger,1976
13968) *Leuctra boluensis* Kazanci,1999 (Leuctridae) Synonym(s): *boluensis* Kazanci,1999
13969) *Leuctra bozi* Vincon & Sivec,2001 (Leuctridae) Synonym(s): *bozi* Vincon & Sivec,2001
13970) *Leuctra brachyptera* Kazanci,1985 (Leuctridae) Synonym(s): *brachyptera* Kazanci,1985
13971) *Leuctra collaris* Martynov,1928 (Leuctridae) Synonym(s): *collaris* Martynov,1928
13972) *Leuctra delamellata* Zhiltzova,1960 (Leuctridae) Synonym(s): *delamellata* Zhiltzova,1960
13973) *Leuctra furcatella* Martynov,1928 (Leuctridae) Synonym(s): *furcatella* Martynov,1928
13974) *Leuctra fusca* (Linnaeus,1758) (Leuctridae) Synonym(s): *fusca* Linnaeus,1758; *cylindrica* DeGeer,1775; *abdominalis* Stephens,1836; *fusciventris* Stephens,1836; *klapaleki* Kempny,1898; *carpenteri* Despax,1945
13975) *Leuctra hippopus* Kempny,1899 (Leuctridae) Synonym(s): *hippopus* Kempny,1899
13976) *Leuctra karcali* Vincon & Sivec,2001 (Leuctridae) Synonym(s): *karcali* Vincon & Sivec,2001
13977) *Leuctra kurui* Kazanci,1983 (Leuctridae) Synonym(s): *kurui* Kazanci,1983
13978) *Leuctra marilouae* Vincon & Sivec,2001 (Leuctridae) Synonym(s): *marilouae* Vincon & Sivec,2001
13979) *Leuctra martynovi* Zhiltzova,1960 (Leuctridae) Synonym(s): *martynovi* Zhiltzova,1960
13980) *Leuctra minuta* Zhiltzova,1960 (Leuctridae) Synonym(s): *minuta* Zhiltzova,1960; *bursaensis* Vincon & Sivec,2001; *kastamonui* Vincon & Sivec,2001
13981) *Leuctra sanainica* Zhiltzova,1960 (Leuctridae) Synonym(s): *sanainica* Zhiltzova,1960
13982) *Leuctra schistocerca* Zwick,1971 (Leuctridae) Synonym(s): *schistocerca* Zwick,1971
13983) *Leuctra sipahilerae* Vincon & Sivec,2001 (Leuctridae) Synonym(s): *sipahilerae* Vincon & Sivec,2001
13984) *Leuctra theischingeri* Vincon & Sivec,2001 (Leuctridae) Synonym(s): *theischingeri* Vincon & Sivec,2001
13985) *Leuctra zangezurica* Zhiltzova,1960 (Leuctridae) Synonym(s): *zangezurica* Zhiltzova,1960
13986) *Leuctra zhiltzovae* Theischinger,1976 (Leuctridae) Synonym(s): *zhiltzovae* Theischinger,1976

LIBELLULIDAE

- 13987) *Brachythemis leucosticta* (Burmeister,1839)** (Libellulidae) Synonym(s): *leucosticta* Burmeister,1839; *#leucosticta* Demirsoy,1982
13988) *Crocothemis erythraea* (Brullé,1832) (Libellulidae) Synonym(s): *victoria* Fourcroy,1785; *erythraea* Brullé,1832; *coccinea* Charpentier,1840; *lorti* Kirby,1896
13989) *Crocothemis servilia* (Drury,1773) (Libellulidae) Synonym(s): *servilia* Drury,1773; *ferruginata* Fabricius,1781
13990) *Diplacodes lefebvrei* (Rambur,1842) (Libellulidae) Synonym(s): *lefebvrei* Rambur,1842
13991) *Leucorrhinia caudalis* (Charpentier,1840) (Libellulidae) Synonym(s): *caudalis* Charpentier,1840

- 13992) *Leucorrhinia pectoralis* (Charpentier,1825)** (Libellulidae) Synonym(s): *pectoralis Charpentier,1825*
- 13993) *Libellula depressa* Linnaeus,1758** (Libellulidae) Synonym(s): *depressa Linnaeus,1758*
- 13994) *Libellula fulva* O.F.Müller,1764** (Libellulidae) Synonym(s): *fulva O.F.Müller,1764*
- 13995) *Libellula pontica* Selys,1887** (Libellulidae) Synonym(s): *pontica Selys,1887*
- 13996) *Libellula quadrimaculata* Linnaeus,1758** (Libellulidae) Synonym(s): *quadrimaculata Linnaeus,1758*
- 13997) *Orthetrum albistylum* (Selys,1848)** (Libellulidae) Synonym(s): *albistylum Selys,1848*
- 13998) *Orthetrum anceps* (Schneider,1845)** (Libellulidae) Synonym(s): *anceps Schneider,1845*
- 13999) *Orthetrum brunneum* (Fonscolombe,1837)** (Libellulidae) Synonym(s): *brunneum Fonscolombe,1837*
- 14000) *Orthetrum cancellatum* (Linnaeus,1758)** (Libellulidae) Synonym(s): *cancellatum Linnaeus,1758; #cancenlatum Demirsoy,1982*
- 14001) *Orthetrum chrysostigma* (Burmeister,1839)** (Libellulidae) Synonym(s): *chrysostigma Burmeister,1839*
- 14002) *Orthetrum coerulescens* (Fabricius,1798)** (Libellulidae) Synonym(s): *coerulescens Fabricius,1798*
- 14003) *Orthetrum ransonnetti* (Brauer,1865)** (Libellulidae) Synonym(s): *ransonnetti Brauer,1865*
- 14004) *Orthetrum sabina* (Drury,1770)** (Libellulidae) Synonym(s): *sabina Drury,1770*
- 14005) *Orthetrum taeniolatum* (Schneider,1845)** (Libellulidae) Synonym(s): *taeniolatum Schneider,1845*
- 14006) *Orthetrum trinacrium* (Selys,1841)** (Libellulidae) Synonym(s): *trinacria Selys,1841*
- 14007) *Pantala flavescens* (Fabricius,1798)** (Libellulidae) Synonym(s): *flavescens Fabricius,1798*
- 14008) *Selysiothemis nigra* (Van Der Linden,1825)** (Libellulidae) Synonym(s): *nigra Van Der Linden,1825*
- 14009) *Sympetrum arenicolor* Jödicke,1994** (Libellulidae) Synonym(s): *arenicolor Jödicke,1994*
- 14010) *Sympetrum danae* (Sulzer,1776)** (Libellulidae) Synonym(s): *danae Sulzer,1776*
- 14011) *Sympetrum depressiusculum* (Selys,1841)** (Libellulidae) Synonym(s): *depressiusculum Selys,1841*
- 14012) *Sympetrum flaveolum* (Linnaeus,1758)** (Libellulidae) Synonym(s): *flaveolum Linnaeus,1758*
- 14013) *Sympetrum fonscolombii* (Selys,1840)** (Libellulidae) Synonym(s): *fonscolombii Selys,1840*
- 14014) *Sympetrum haritonovi* Borisov,1983** (Libellulidae) Synonym(s): *haritonovi Borisov,1983*
- 14015) *Sympetrum meridionale* (Selys,1841)** (Libellulidae) Synonym(s): *meridionale Selys,1841*
- 14016) *Sympetrum pedemontanum* (Allioni,1766)** (Libellulidae) Synonym(s): *pedemontanum Allioni,1766*
- 14017) *Sympetrum sanguineum* (O.F.Müller,1764)** (Libellulidae) Synonym(s): *sanguineum O.F.Müller,1764*
- 14018) *Sympetrum striolatum* (Charpentier,1840)** (Libellulidae) Synonym(s): *striolatum Charpentier,1840*
- 14019) *Sympetrum vulgatum* (Linnaeus,1758)** (Libellulidae) Synonym(s): *vulgatum Linnaeus,1758*
- 14020) *Trithemis annulata* (P. de Beauvois,1807)** (Libellulidae) Synonym(s): *annulata P. de Beauvois,1807*
- 14021) *Trithemis arteriosa* (Burmeister,1839)** (Libellulidae) Synonym(s): *arteriosa Burmeister,1839*
- 14022) *Trithemis festiva* (Rambur,1842)** (Libellulidae) Synonym(s): *festiva Rambur,1842*
- 14023) *Zygonyx torridus* (Kirby,1889)** (Libellulidae) Synonym(s): *torridus Kirby,1889*

LIMNEPHILIDAE

- 14024) *Apatania olympica* Malicky,1982** (Limnephilidae) Synonym(s): *olympica Malicky,1982*
- 14025) *Apatania subtilis* Martynov,1909** (Limnephilidae) Synonym(s): *subtilis Martynov,1909*
- 14026) *Drusus bayburti* Çakın,1983** (Limnephilidae) Synonym(s): *bayburti Çakın,1983*
- 14027) *Drusus caucasicus* Ulmer,1907** (Limnephilidae) Synonym(s): *caucasicus Ulmer,1907*
- 14028) *Drusus demirsoyi* Çakın,1983** (Limnephilidae) Synonym(s): *demirsoyi Çakın,1983*
- 14029) *Drusus fuesunae* Malicky,1986** (Limnephilidae) Synonym(s): *fuesunae Malicky,1986*
- 14030) *Drusus hackeri* Malicky,1986** (Limnephilidae) Synonym(s): *hackeri Malicky,1986*
- 14031) *Drusus kazanciae* Çakın,1983** (Limnephilidae) Synonym(s): *kazanciae Çakın,1983*
- 14032) *Drusus muchei* Malicky,1987** (Limnephilidae) Synonym(s): *muchei Malicky,1987*
- 14033) *Drusus rizeiensis* Sipahiler,1986** (Limnephilidae) Synonym(s): *rizeiensis Sipahiler,1986*
- 14034) *Drusus simplex* Martynov,1927** (Limnephilidae) Synonym(s): *simplex Martynov,1927*
- 14035) *Ecclisopteryx dalecarlica* Kolenati,1848** (Limnephilidae) Synonym(s): *dalecarlica Kolenati,1848*
- 14036) *Glyptotaelius selysi* McLachlan,1869** (Limnephilidae) Synonym(s): *selysi McLachlan,1869*
- 14037) *Grammotaulius nigropunctatus* Retzius,1783** (Limnephilidae) Synonym(s): *nigropunctatus Retzius,1783*

- 14038) Halesus digitatus Schrank, 1781** (Limnephilidae) Synonym(s): *digitatus Schrank, 1781*
14039) Limnephilus affinis Curtis, 1834 (Limnephilidae) Synonym(s): *affinis Curtis, 1834*
14040) Limnephilus alaicus Martynov, 1915 (Limnephilidae) Synonym(s): *alaicus Martynov, 1915*
14041) Limnephilus auricula Curtis, 1834 (Limnephilidae) Synonym(s): *auricula Curtis, 1834*
14042) Limnephilus binotatus Curtis, 1834 (Limnephilidae) Synonym(s): *binotatus Curtis, 1834*
14043) Limnephilus bipunctatus Curtis, 1834 (Limnephilidae) Synonym(s): *bipunctatus Curtis, 1834*
14044) Limnephilus caucasicus Schmid, 1955 (Limnephilidae) Synonym(s): *caucasicus Schmid, 1955*
14045) Limnephilus decipiens Kolenati, 1848 (Limnephilidae) Synonym(s): *decipiens Kolenati, 1848*
14046) Limnephilus flavicornis (Fabricius, 1787) (Limnephilidae) Synonym(s): *flavicornis Fabricius, 1787*
14047) Limnephilus flavospinosus Stein, 1874 (Limnephilidae) Synonym(s): *flavospinosus Stein, 1874*
14048) Limnephilus griseus (Linnaeus, 1758) (Limnephilidae) Synonym(s): *griseus Linnaeus, 1758*
14049) Limnephilus hirsutus Pictet, 1834 (Limnephilidae) Synonym(s): *hirsutus Pictet, 1834*
14050) Limnephilus incisus Curtis, 1834 (Limnephilidae) Synonym(s): *incisus Curtis, 1834*
14051) Limnephilus lunatus Curtis, 1834 (Limnephilidae) Synonym(s): *lunatus Curtis, 1834*
14052) Limnephilus major Martynov, 1909 (Limnephilidae) Synonym(s): *major Martynov, 1909*
14053) Limnephilus microdentatus Martynov, 1913 (Limnephilidae) Synonym(s): *microdentatus Martynov, 1913*
14054) Limnephilus peculiaris McLachlan, 1875 (Limnephilidae) Synonym(s): *peculiaris McLachlan, 1875*
14055) Limnephilus ponticus McLachlan, 1898 (Limnephilidae) Synonym(s): *ponticus McLachlan, 1898*
14056) Limnephilus rhombicus (Linnaeus, 1758) (Limnephilidae) Synonym(s): *rhombicus Linnaeus, 1758*
14057) Limnephilus sparsus Curtis, 1834 (Limnephilidae) Synonym(s): *sparsus Curtis, 1834*
14058) Limnephilus subcentralis Brauer, 1857 (Limnephilidae) Synonym(s): *subcentralis Brauer, 1857*
14059) Limnephilus tauricus Schmid, 1964 (Limnephilidae) Synonym(s): *tauricus Schmid, 1964*
14060) Limnephilus vittatus (Fabricius, 1798) (Limnephilidae) Synonym(s): *vittatus Fabricius, 1798*
14061) Mesophylax aspersus Rambur, 1842 (Limnephilidae) Synonym(s): *aspersus Rambur, 1842*
14062) Metanoea anatolica Sipahiler, 1986 (Limnephilidae) Synonym(s): *anatolica Sipahiler, 1986*
14063) Micropterna caesareica Schmid, 1959 (Limnephilidae) Synonym(s): *caesareica Schmid, 1959*
14064) Micropterna clavata Martynov, 1916 (Limnephilidae) Synonym(s): *clavata Martynov, 1916*
14065) Micropterna coiffaiti Decamps, 1962 (Limnephilidae) Synonym(s): *coiffaiti Decamps, 1962*
14066) Micropterna hatatitla Malicky, 1985 (Limnephilidae) Synonym(s): *hatatitla Malicky, 1985*
14067) Micropterna malaspina Schmid, 1957 (Limnephilidae) Synonym(s): *malaspina Schmid, 1957*
14068) Micropterna muehleni McLachlan, 1884 (Limnephilidae) Synonym(s): *muehleni McLachlan, 1884*
14069) Micropterna nycterobia McLachlan, 1875 (Limnephilidae) Synonym(s): *nycterobia McLachlan, 1875*
14070) Micropterna sequax McLachlan, 1875 (Limnephilidae) Synonym(s): *sequax McLachlan, 1875*
14071) Micropterna taurica Martynov, 1917 (Limnephilidae) Synonym(s): *taurica Martynov, 1917*
14072) Potamophylax latipennis Curtis, 1834 (Limnephilidae) Synonym(s): *latipennis Curtis, 1834*
14073) Potamophylax luctuosus (Piller & Mitterpacher, 1783) (Limnephilidae) Synonym(s): *luctuosus Piller & Mitterpacher, 1783*
14074) Potamophylax nigricornis Pictet, 1834 (Limnephilidae) Synonym(s): *nigricornis Pictet, 1834*
14075) Psilopterus turcicus Çakın, 1981 (Limnephilidae) Synonym(s): *turcicus Çakın, 1981*
14076) Rizeiella anatolica Sipahiler, 1986 (Limnephilidae) Synonym(s): *anatolica Sipahiler, 1986*
14077) Stenophylax meridiorientalis Malicky, 1980 (Limnephilidae) Synonym(s): *meridiorientalis Malicky, 1980*
14078) Stenophylax permistus McLachlan, 1895 (Limnephilidae) Synonym(s): *permistus McLachlan, 1895*
14079) Stenophylax tauricus Schmid, 1964 (Limnephilidae) Synonym(s): *tauricus Schmid, 1964*

LIMONIIDAE

- 14080) Antocha (Orimargula) alpigena (Mik, 1883)** (Limoniidae) Synonym(s): *alpigena Mik, 1883*
14081) Antocha (s.str.) vitripennis (Meigen, 1830) (Limoniidae) Synonym(s): *vitripennis Meigen, 1830*
14082) Arctoconopa melampodia (Loew, 1873) (Limoniidae) Synonym(s): *melampodia Loew, 1873*
14083) Austrolimnophila (s.str.) brevicellula Stary, 1977 (Limoniidae) Synonym(s): *brevicellula Stary, 1977*
14084) Baeoura alexanderi Mendl & Tjeder, 1974 (Limoniidae) Synonym(s): *alexanderi Mendl & Tjeder, 1974*
14085) Baeoura schachti Mendl, 1986 (Limoniidae) Synonym(s): *schachti Mendl, 1986*

- 14086) Cheilotrichia (Empeda) cinerascens (Meigen,1804)** (Limoniidae) Synonym(s): *cinerascens* Meigen,1804; *nubila* Schummel,1829; *ditula* Zetterstedt,1851; *tenella* Walker,1856
- 14087) Dactylolabis (Coenolabis) aberrans Savchenko,1969** (Limoniidae) Synonym(s): *aberrans* Savchenko,1969
- 14088) Dactylolabis (s.str.) jonica Lackschewitz,1940** (Limoniidae) Synonym(s): *jonica* Lackschewitz,1940
- 14089) Dicranomyia (Glochina) sericata (Meigen,1830)** (Limoniidae) Synonym(s): *sericata* Meigen,1830; *glabrata* Walker,1856; *croatica* Egger,1863
- 14090) Dicranomyia (Glochina) transsilvanica Lackschewitz,1928** (Limoniidae) Synonym(s): *transsilvanica* Lackschewitz,1928
- 14091) Dicranomyia (Glochina) tristis (Schummel,1829)** (Limoniidae) Synonym(s): *tristis* Schummel,1829; *subtristis* Alexander,1924; *retroflexa* Bangerter,1948
- 14092) Dicranomyia (Idiopyga) lackschewitzi Edwards,1928** (Limoniidae) Synonym(s): *lackschewitzi* Edwards,1928
- 14093) Dicranomyia (Melanolimonia) hamata Becker,1908** (Limoniidae) Synonym(s): *hamata* Becker,1908; *saxetana* Santos Abreu,1923; *umbraticola* Santos Abreu,1923; *tyrrhenica* Edwards,1928
- 14094) Dicranomyia (Melanolimonia) morio (Fabricius,1787)** (Limoniidae) Synonym(s): *morio* Fabricius,1787; *leucocephala* Meigen,1818; *reperta* Walker,1848; *pauliani* Ségué,1941
- 14095) Dicranomyia (Melanolimonia) rufiventris (Strobl,1900)** (Limoniidae) Synonym(s): *rufiventris* Strobl,1900
- 14096) Dicranomyia (Numantia) fusca (Meigen,1804)** (Limoniidae) Synonym(s): *fusca* Meigen,1804; *atra* Macquart,1826; *laevigata* Macquart,1826; *turpis* Walker,1856; *pubipennis* Osten Sacken,1860; *pilipennis* Egger,1863
- 14097) Dicranomyia (s.str.) chorea (Meigen,1818)** (Limoniidae) Synonym(s): *#lutea* Meigen,1804; *chorea* Meigen,1818; *quadra* Meigen,1838; *flavicollis* Becker,1908; *longipes* Santos Abreu,1923; *vidua* Santos Abreu,1923; *grisescens* Lackschewitz,1928; *lutescens* Lackschewitz,1928
- 14098) Dicranomyia (s.str.) goritiensis (Mik,1864)** (Limoniidae) Synonym(s): *goritiensis* Mik,1864; *cornubiensis* Edwards,1938
- 14099) Dicranomyia (s.str.) kamakensis Stary,1993** (Limoniidae) Synonym(s): *kamakensis* Stary,1993
- 14100) Dicranomyia (s.str.) livornica Lackschewitz,1928** (Limoniidae) Synonym(s): *livornica* Lackschewitz,1928
- 14101) Dicranomyia (s.str.) longipennis (Schummel,1829)** (Limoniidae) Synonym(s): *longipennis* Schummel,1829; *immemor* Osten Sacken,1861; *tiefii* Strobl,1900
- 14102) Dicranomyia (s.str.) lucida De Meijere,1918** (Limoniidae) Synonym(s): *lucida* De Meijere,1918
- 14103) Dicranomyia (s.str.) mitis (Meigen,1830)** (Limoniidae) Synonym(s): *mitis* Meigen,1830; *excisa* Walker,1848; *unicolor* Strobl,1898; *maculosa* Strobl,1900; *lutea* Lakschewitz,1928; *infusca* Lakschewitz,1928; *imbecilla* Lakschewitz,1941; *hygropetrica* Vaillant,1952.
- 14104) Dicranomyia (s.str.) modesta (Meigen,1818)** (Limoniidae) Synonym(s): *modesta* Meigen,1818; *simplex* Meigen,1830; *nova* Meigen,1830; *takahashii* Alexander,1920; *spinicauda* Alexander,1924
- 14105) Dicranomyia (s.str.) ornata (Meigen,1818)** (Limoniidae) Synonym(s): *ornata* Meigen,1818
- 14106) Dicranomyia (s.str.) sera (Walker,1848)** (Limoniidae) Synonym(s): *sera* Walker,1848; *disjuncta* Walker,1848; *globata* Walker,1848; *forcipula* De Meijere,1918; *discors* Kuntze,1919; *erostrata* Alexander,1930
- 14107) Dicranomyia (s.str.) signatella Stary & Freidberg,2007** (Limoniidae) Synonym(s): *modesta* Lackschewitz & Pagast,1941 *nec* Meig.,1818; *signata* Lackschewitz & Pagast,1941 (*praeocc.*); *signatella* Stary & Freidberg,2007
- 14108) Dicranomyia (s.str.) ventralis (Schummel,1829)** (Limoniidae) Synonym(s): *ventralis* Schummel,1829; *simplex* Brunetti,1912; *perserotina* Alexander,1945; *pristomera* Alexander,1968
- 14109) Dicranophragma (Brachylimnophila) adjunctum (Walker,1848)** (Limoniidae) Synonym(s): *adjunctum* Walker,1848; *axillare* Strobl,1906; *brevifurcatum* Strobl,1906; *dimidiatum* De Meijere,1918; *noscibile* Edwards,1921
- 14110) Dicranophragma (Brachylimnophila) nemorale (Meigen,1818)** (Limoniidae) Synonym(s): *nemorale* Meigen,1818; *leucophaeum* Meigen,1818; *plebeium* Meigen,1818; *inclusum* Walker,1848; *collinum* Edwards,1921; *quadratum* Edwards,1921; *minusculeum* Edwards,1921
- 14111) Dicranoptycha (s.str.) fuscescens (Schummel,1829)** (Limoniidae) Synonym(s): *fuscescens* Schummel,1829; *lundstroemi* Bergroth,1922
- 14112) Dicranoptycha (Ulugbekia) savtshenkoi Mendl,1976** (Limoniidae) Synonym(s): *savtshenkoi* Mendl,1976
- 14113) Ellipteroides (Protogonomyia) limbatus (Von Roser,1840)** (Limoniidae) Synonym(s): *limbatus* Von Roser,1840; *huguenini* Bangerter,1947
- 14114) Ellipteroides (Protogonomyia) quadridens (Savchenko,1972)** (Limoniidae) Synonym(s): *quadridens* Savchenko,1972
- 14115) Ellipteroides (s.str.) bifastigatus Mendl,1987** (Limoniidae) Synonym(s): *bifastigatus* Mendl,1987
- 14116) Ellipteroides (s.str.) friesei (Mannheims,1967)** (Limoniidae) Synonym(s): *friesei* Mannheims,1967
- 14117) Eloephila maculata (Meigen,1804)** (Limoniidae) Synonym(s): *maculata* Meigen,1804

- 14118) *Eloeophila miliaria* (Egger,1863)** (Limoniidae) Synonym(s): *miliaria* Egger,1863
- 14119) *Epiphragma* (*Epiphragma*) *ocellare* (Linnaeus,1761)** (Limoniidae) Synonym(s): *ocellare* Linnaeus,1761
- 14120) *Eriocnopa symplectoides* (Kuntze,1914)** (Limoniidae) Synonym(s): *symplectoides* Kuntze,1914
- 14121) *Eriocnopa trivialis* (Meigen,1818)** (Limoniidae) Synonym(s): *trivialis* Meigen,1818
- 14122) *Erioptera* (*Mesocyphona*) *bivittata* (Loew,1873)** (Limoniidae) Synonym(s): *bivittata* Loew,1873
- 14123) *Erioptera* (s.str.) *fusculeta* Edwards,1938** (Limoniidae) Synonym(s): *fusculeta* Edwards,1938
- 14124) *Erioptera* (s.str.) *lutea* Meigen,1804** (Limoniidae) Synonym(s): *lutea* Meigen,1804
- 14125) *Euphyllidorea dispar* (Meigen,1818)** (Limoniidae) Synonym(s): *dispar* Meigen,1818
- 14126) *Euphyllidorea lineola* (Meigen,1804)** (Limoniidae) Synonym(s): *lineola* Meigen,1804
- 14127) *Gonomyia* (s.str.) *conoviensis* Barnes,1924** (Limoniidae) Synonym(s): *conoviensis* Barnes,1924
- 14128) *Gonomyia* (s.str.) *copulata* (Becker,1908)** (Limoniidae) Synonym(s): *copulata* Becker,1908
- 14129) *Gonomyia* (s.str.) *sicula* Lackschewitz,1940** (Limoniidae) Synonym(s): *sicula* Lackschewitz,1940
- 14130) *Helius* (s.str.) *hispanicus* Lackschewitz,1928** (Limoniidae) Synonym(s): *hispanicus* Lackschewitz,1928
- 14131) *Hexatoma* (*Cladolipes*) *simplex* (Loew,1865)** (Limoniidae) Synonym(s): *simplex* Loew,1865
- 14132) *Hexatoma* (*Eriocera*) *chirothecata* (Scopoli,1763)** (Limoniidae) Synonym(s): *chirothecata* Scopoli,1763; *waterstoni* Edwards,1921
- 14133) *Hexatoma* (s.str.) *bicolor* (Meigen,1818)** (Limoniidae) Synonym(s): *bicolor* Meigen,1818
- 14134) *Hexatoma* (s.str.) *fuscipennis* (Curtis,1836)** (Limoniidae) Synonym(s): *fuscipennis* Curtis,1836
- 14135) *Hoplolabis* (*Parilisia*) *punctigera* (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940
- 14136) *Idiocera* (s.str.) *laterospina* (Alexander,1975)** (Limoniidae) Synonym(s): *laterospina* Alexander,1975
- 14137) *Idiocera* (s.str.) *pulchripennis* (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?flicina* Santos Abreu,1923; *similior* Alexander,1956
- 14138) *Ilisia maculata* (Meigen,1804)** (Limoniidae) Synonym(s): *maculata* Meigen,1804
- 14139) *Limonia eos* Stary & Savchenko,1976** (Limoniidae) Synonym(s): *eos* Stary & Savchenko,1976
- 14140) *Limonia hercegovinae* (Strobl,1898)** (Limoniidae) Synonym(s): *hercegovinae* Strobl,1898
- 14141) *Limonia macrostigma* (Schummel,1829)** (Limoniidae) Synonym(s): *macrostigma* Schummel,1829
- 14142) *Limonia nubeculosa* Meigen,1804** (Limoniidae) Synonym(s): *nubeculosa* Meigen,1804
- 14143) *Limonia nussbaumi* Stary & Freidberg,2007** (Limoniidae) Synonym(s): *nussbaumi* Stary & Freidberg,2007
- 14144) *Limonia pannonica* (Kowarz,1868)** (Limoniidae) Synonym(s): *pannonica* Kowarz,1868
- 14145) *Limonia phragmitidis* (Schränk,1781)** (Limoniidae) Synonym(s): *tripunctata* Fabricius,1781 *nec* Müll.,1764; *phragmitidis* Schränk,1781
- 14146) *Limonia subaequalis* Savchenko,1979** (Limoniidae) Synonym(s): *subaequalis* Savchenko,1979
- 14147) *Limonia taurica* (Strobl,1895)** (Limoniidae) Synonym(s): *taurica* Strobl,1895
- 14148) *Limonia trivittata* (Schummel,1829)** (Limoniidae) Synonym(s): *trivittata* Schummel,1829
- 14149) *Lipsothrix nobilis* Loew,1873** (Limoniidae) Synonym(s): *nobilis* Loew,1873
- 14150) *Metalimnobia* (s.str.) *bifasciata* (Schränk,1781)** (Limoniidae) Synonym(s): *bifasciata* Schränk,1781
- 14151) *Metalimnobia* (s.str.) *quadrifasciata* (Linnaeus,1761)** (Limoniidae) Synonym(s): *quadrifasciata* Linnaeus,1761
- 14152) *Molophilus* (s.str.) *aduncus* Stary,1978** (Limoniidae) Synonym(s): *aduncus* Stary,1978
- 14153) *Molophilus* (s.str.) *griseus* (Meigen,1804)** (Limoniidae) Synonym(s): *griseus* Meigen,1804; *biflatus* Meijere,1920
- 14154) *Molophilus* (s.str.) *obscurus* (Meigen,1818)** (Limoniidae) Synonym(s): *obscurus* Meigen,1818
- 14155) *Molophilus* (s.str.) *ochraceus* (Meigen,1818)** (Limoniidae) Synonym(s): *ochraceus* Meigen,1818
- 14156) *Molophilus* (s.str.) *pleuralis* De Meijere,1920** (Limoniidae) Synonym(s): *pleuralis* De Meijere,1920
- 14157) *Molophilus* (s.str.) *propinquus* (Egger,1863)** (Limoniidae) Synonym(s): *propinquus* Egger,1863
- 14158) *Ormosia* (s.str.) *hederae* (Curtis,1835)** (Limoniidae) Synonym(s): *hederae* Curtis,1835
- 14159) *Paradelphomyia* (*Oxyrhiza*) *senilis* (Haliday,1833)** (Limoniidae) Synonym(s): *senilis* Haliday,1833
- 14160) *Phyllidorea* (s.str.) *ferruginea* (Meigen,1818)** (Limoniidae) Synonym(s): *ferruginea* Meigen,1818
- 14161) *Phyllolabis kocmani* Koç,2004** (Limoniidae) Synonym(s): *kocmani* Koç,2004
- 14162) *Pilaria discicollis* (Meigen,1818)** (Limoniidae) Synonym(s): *discicollis* Meigen,1818

- 14163) Pseudolimnophila (s.str.) sepium (Verrall,1886)** (Limoniidae) Synonym(s): *sepium Verrall,1886*
- 14164) Rhabdomastix (s.str.) filata Stary,2004** (Limoniidae) Synonym(s): *filata Stary,2004*
- 14165) Scleroprocta balcanica Stary,1976** (Limoniidae) Synonym(s): *balcanica Stary,1976*
- 14166) Symplecta (Psiloconopa) stictica (Meigen,1818)** (Limoniidae) Synonym(s): *stictica Meigen,1818*
- 14167) Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida Meigen,1804; punctipennis De Meijere,1920*
- 14168) Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes Fabricius,1787*

LONCHOPTERIDAE

- 14169) Lonchoptera nerana Vaillant,1989** (Lonchopteridae) Synonym(s): *nerana Vaillant,1989*

LUCANIIDAE

- 14170) Dorcus parallelopipedus (Linnaeus,1758)** (Lucanidae) Synonym(s): *parallelopipedus Linnaeus,1758*
- 14171) Dorcus vavrai Nonfried,1905** (Lucanidae) Synonym(s): *vavrai Nonfried,1905; ? peyroni Petrovitz,1980*
- 14172) Lucanus (s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus Linnaeus,1758; capreolus Fuessly,1775 nec Linn.,1758; dorcas Müller,1776; capra Olivier,1789; hircus Herbst,1790; inermis Marsham,1802; grandis Haworth,1807; microcephalus Mulsant,1842; lusitanicus Hope & Westwood,1845*
- 14173) Lucanus (s.str.) ibericus Motschoulsky,1845** (Lucanidae) Synonym(s): *ibericus Motschoulsky,1845; curtulus Motschoulsky,1845; barbarossa Burmeister,1847 nec Fabr.,1801; minor Burmeister,1847; orientalis Kraatz,1860; piger Motschoulsky,1870; syriacus Motschoulsky,1870; tenebrosus Motschoulsky,1870; intermedius Motschoulsky,1870; caspica Semenov,1901; ravasinii Schatzmayr,1923; #hibericus Sabatinelli,1977*
- 14174) Platycerus caraboides (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides Linnaeus,1758; azurea Dalla Torre,1789; viridis Dalla Torre,1789; rufipes Herbst,1790; virescens Mulsant,1842; viridiaeneus Mulsant,1842; aeneus Weise,1883; viridicollis Depoli,1917; carniolicus Roubal,1919*
- 14175) Platycerus caucasicus Parry,1864** (Lucanidae) Synonym(s): *caucasicus Parry,1864*
- 14176) Platycerus delangrangei Fairmaire,1892** (Lucanidae) Synonym(s): *delangrangei Fairmaire,1892*
- 14177) Platycerus primigenius Weise,1960** (Lucanidae) Synonym(s): *primigenius Weise,1960*
- 14178) Platycerus senguni Schweiger,1966** (Lucanidae) Synonym(s): *senguni Schweiger,1966*
- 14179) Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum Linnaeus,1758; tenebroides Scopoli,1777; americanum Beauvois,1805; aspromontanum Müller,1938*

LYGAEIDAE

- 14180) Acompus pallipes (Herrich-Schäffer,1834)** (Lygaeidae) Synonym(s): *pallipes Herrich-Schäffer,1834; orientalis Horvath,1929*
- 14181) Acompus rufipes (Wolff,1804)** (Lygaeidae) Synonym(s): *rufipes Wolff,1804*
- 14182) Aellopus atratus (Goeze,1778)** (Lygaeidae) Synonym(s): *atratus Goeze,1778*
- 14183) Aoploscelis bivirgatus (Costa,1852)** (Lygaeidae) Synonym(s): *bivirgatus Costa,1852*
- 14184) Aphanus rolandri (Linnaeus,1758)** (Lygaeidae) Synonym(s): *rolandri Linnaeus,1758; aethiops Douglas & Scott,1868*
- 14185) Apterola (s.str.) kuenckeli Mulsant & Rey,1866** (Lygaeidae) Synonym(s): *kuenckeli Mulsant & Rey,1866; pedestris Stal,1866*
- 14186) Apterola (s.str.) lownii (Saunders,1876)** (Lygaeidae) Synonym(s): *lownii Saunders,1876*
- 14187) Arocatus longiceps Stal,1872** (Lygaeidae) Synonym(s): *longiceps Stal,1872; grassii Picco,1920; fuscipes Picco,1920; nigrirostris Picco,1920; sanguineus Picco,1920; thoracicus Picco,1920*
- 14188) Arocatus melanocephalus (Fabricius,1798)** (Lygaeidae) Synonym(s): *melanocephalus Fabricius,1798*
- 14189) Arocatus roeselii (Schilling,1829)** (Lygaeidae) Synonym(s): *roeselii Schilling,1829; #collaris Puton,1875; intermedius Puton,1878; barrosii Seabra,1930; royeri Seabra,1930; seabrai Stichel,1957*
- 14190) Artheneis alutacea Fieber,1861** (Lygaeidae) Synonym(s): *alutacea Fieber,1861*
- 14191) Artheneis balcanica (Kormilev,1938)** (Lygaeidae) Synonym(s): *balcanica Kormilev,1938*

- 14192) *Artheneis foveolata* Spinola,1837** (Lygaeidae) Synonym(s): *foveolata* Spinola,1837
14193) *Artheneis hircanica* (Kolenati,1845) (Lygaeidae) Synonym(s): *hircanica* Kolenati,1845
14194) *Auchenodes capito* Horvath,1891 (Lygaeidae) Synonym(s): *capito* Horvath,1891
14195) *Beosus maritimus* (Scopoli,1763) (Lygaeidae) Synonym(s): *maritimus* Scopoli,1763
14196) *Beosus quadripunctatus* (Müller,1766) (Lygaeidae) Synonym(s): *quadripunctatus* Müller,1766
14197) *Bledionotus systellonotoides* Reuter,1878 (Lygaeidae) Synonym(s): *systellonotoides* Reuter,1878
14198) *Brachyplax tenuis* (Mulsant & Rey,1852) (Lygaeidae) Synonym(s): *tenuis* Mulsant & Rey,1852; *palliatata* A.Costa,1853
14199) *Caenocoris nerii* (Germar,1817) (Lygaeidae) Synonym(s): *nerii* Germar,1817; *semiruber* Walker,1872
14200) *Callistonotus nigroruber* (Stal,1858) (Lygaeidae) Synonym(s): *nigroruber* Stal,1858
14201) *Camptocera glaberrima* (Walker,1872) (Lygaeidae) Synonym(s): *glaberrima* Walker,1872
14202) *Camptotelus lineolatus* (Schilling,1829) (Lygaeidae) Synonym(s): *lineolatus* Schilling,1829
14203) *Camptotelus parallelus* Horvath,1894 (Lygaeidae) Synonym(s): *parallelus* Horvath,1894
14204) *Cymophyes ochroleuca* Fieber,1870 (Lygaeidae) Synonym(s): *ochroleuca* Fieber,1870; *#ochrolenca* Önder et al.,2006
14205) *Cymus claviculus* (Fallén,1807) (Lygaeidae) Synonym(s): *claviculus* Fallén,1807
14206) *Cymus glandicolor* Hahn,1832 (Lygaeidae) Synonym(s): *glandicolor* Hahn,1832
14207) *Cymus melanocephalus* Fieber,1861 (Lygaeidae) Synonym(s): *melanocephalus* Fieber,1861
14208) *Dieuches syriacus* F.A.Dohrn,1860 (Lygaeidae) Synonym(s): *syriacus* F.A.Dohrn,1860
14209) *Dimorphopterus blissoides* (Bärensprung,1859) (Lygaeidae) Synonym(s): *blissoides* Bärensprung,1859
14210) *Dimorphopterus doriae* (Ferrari,1874) (Lygaeidae) Synonym(s): *doriae* Ferrari,1874
14211) *Dimorphopterus spinolae* (Signoret,1857) (Lygaeidae) Synonym(s): *spinolae* Signoret,1857
14212) *Drymus brunneus* (Sahlberg,1848) (Lygaeidae) Synonym(s): *brunneus* Sahlberg,1848
14213) *Drymus major* Lindberg,1948 (Lygaeidae) Synonym(s): *major* Lindberg,1948
14214) *Drymus silvaticus* (Fabricius,1775) (Lygaeidae) Synonym(s): *silvaticus* Fabricius,1775
14215) *Emblethis angustus* Montandon,1890 (Lygaeidae) Synonym(s): *angustus* Montandon,1890
14216) *Emblethis brachynotus* Horvath,1907 (Lygaeidae) Synonym(s): *brachynotus* Horvath,1907
14217) *Emblethis bullatus* Fieber,1861 (Lygaeidae) Synonym(s): *bullatus* Fieber,1861
14218) *Emblethis ciliatus* Horvath,1875 (Lygaeidae) Synonym(s): *ciliatus* Horvath,1875
14219) *Emblethis denticollis* Hovarth,1878 (Lygaeidae) Synonym(s): *denticollis* Hovarth,1878
14220) *Emblethis duplicatus* Seidenstücker,1963 (Lygaeidae) Synonym(s): *duplicatus* Seidenstücker,1963
14221) *Emblethis griseus* (Wolff,1802) (Lygaeidae) Synonym(s): *griseus* Wolff,1802
14222) *Emblethis karamanus* Seidenstücker,1963 (Lygaeidae) Synonym(s): *karamanus* Seidenstücker,1963
14223) *Emblethis kareli* Hoberlandt,1955 (Lygaeidae) Synonym(s): *kareli* Hoberlandt,1955
14224) *Emblethis major* Montandon,1890 (Lygaeidae) Synonym(s): *major* Montandon,1890
14225) *Emblethis osmanus* Seidenstücker,1962 (Lygaeidae) Synonym(s): *osmanus* Seidenstücker,1962
14226) *Emblethis sabulosus* Seidenstücker,1963 (Lygaeidae) Synonym(s): *sabulosus* Seidenstücker,1963
14227) *Emblethis setifer* Seidenstücker,1966 (Lygaeidae) Synonym(s): *setifer* Seidenstücker,1966
14228) *Emblethis verbasci* (Fabricius,1803) (Lygaeidae) Synonym(s): *verbasci* Fabricius,1803
14229) *Engistus salinus* Jakovlev,1874 (Lygaeidae) Synonym(s): *salinus* Jakovlev,1874; *marmoratus* Jakovlev,1902
14230) *Eremocoris fenestratus* (Herrich-Schäffer,1839) (Lygaeidae) Synonym(s): *fenestratus* Herrich-Schäffer,1839
14231) *Eremocoris pellitus* Seidenstücker,1965 (Lygaeidae) Synonym(s): *pellitus* Seidenstücker,1965
14232) *Eremocoris plebejus* (Fallén,1807) (Lygaeidae) Synonym(s): *plebejus* Fallén,1807; *caucasica* Horvath,1883
14233) *Eremocoris praenotatus* Seidenstücker,1965 (Lygaeidae) Synonym(s): *praenotatus* Seidenstücker,1965
14234) *Gastrodes grossipes* (De Geer,1773) (Lygaeidae) Synonym(s): *grossipes* De Geer,1773
14235) *Geocoris arenarius* (Jakovlev,1867) (Lygaeidae) Synonym(s): *arenarius* Jakovlev,1867
14236) *Geocoris atra* (Fabricius,1787) (Lygaeidae) Synonym(s): *atra* Fabricius,1787; *nigra* Walckenaer,1802; *unistria* Latreille,1804
14237) *Geocoris chloroticus* Puton,1888 (Lygaeidae) Synonym(s): *chloroticus* Puton,1888
14238) *Geocoris grylloides* (Linnaeus,1761) (Lygaeidae) Synonym(s): *grylloides* Linnaeus,1761
14239) *Geocoris lineolus* (Rambur,1839) (Lygaeidae) Synonym(s): *lineolus* Rambur,1839
14240) *Geocoris megacephalus* (Rossi,1790) (Lygaeidae) Synonym(s): *megacephalus* Rossi,1790; *phaeopterus* Germar,1837

- 14241) *Geocoris pallidipennis* (Costa,1843)** (Lygaeidae) Synonym(s): *pallidipennis* Costa,1843; *angularis* Fieber,1844; *colon* Fieber,1844
- 14242) *Gonianotus barbarus* Montandon,1890** (Lygaeidae) Synonym(s): *barbarus* Montandon,1890
- 14243) *Gonianotus marginepunctatus* (Wolff,1804)** (Lygaeidae) Synonym(s): *marginepunctatus* Wolff,1804
- 14244) *Graptostethus servus* (Fabricius,1787)** (Lygaeidae) Synonym(s): *servus* Fabricius,1787; *maculicollis* Germar,1847; *rubricosus* Stal,1854; *manillensis* Stal,1860; *ornatus* Uhler,1860; *#conjuncta* Srtichel,1957
- 14245) *Henestaris kareli* Hoberlandt,1956** (Lygaeidae) Synonym(s): *kareli* Hoberlandt,1956
- 14246) *Henestaris laticeps* (Curtis,1836)** (Lygaeidae) Synonym(s): *laticeps* Curtis,1836; *genei* Spinola,1837; *spinolae* A.Costa,1839; *hispanus* Rambur,1839; *oculatus* Motschulsky,1863; *curtulus* Horvath,1911; *cypriacus* E.Wagner,1949; *oboussierae* E.Wagner,1954
- 14247) *Heterogaster affinis* Herrich-Schäffer,1835** (Lygaeidae) Synonym(s): *affinis* Herrich-Schäffer,1835
- 14248) *Heterogaster artemisiae* Schilling,1829** (Lygaeidae) Synonym(s): *artemisiae* Schilling,1829
- 14249) *Heterogaster cathariae* (Geoffroy,1785)** (Lygaeidae) Synonym(s): *cathariae* Geoffroy,1785
- 14250) *Heterogaster urticae* (Fabricius,1775)** (Lygaeidae) Synonym(s): *urticae* Fabricius,1775
- 14251) *Horvathiolus superbus* (Pollach,1781)** (Lygaeidae) Synonym(s): *superbus* Pollach,1781
- 14252) *Horvathiolus syriacus* (Reuter,1885)** (Lygaeidae) Synonym(s): *syriacus* Reuter,1885
- 14253) *Ischnodemus caspius* Jakovlev,1871** (Lygaeidae) Synonym(s): *caspius* Jakovlev,1871
- 14254) *Ischnodemus genei* (Spinola,1837)** (Lygaeidae) Synonym(s): *genei* Spinola,1837
- 14255) *Ischnodemus quadratus* Fieber,1837** (Lygaeidae) Synonym(s): *quadratus* Fieber,1837
- 14256) *Ischnodemus sabuleti* (Fallén,1826)** (Lygaeidae) Synonym(s): *sabuleti* Fallén,1826
- 14257) *Ischnodemus suturalis* Horvath,1883** (Lygaeidae) Synonym(s): *suturalis* Horvath,1883
- 14258) *Ischnopeza hirticornis* (Herrich-Schäffer,1853)** (Lygaeidae) Synonym(s): *hirticornis* Herrich-Schäffer,1853
- 14259) *Ischnopeza pallipes* Puton,1892** (Lygaeidae) Synonym(s): *pallipes* Puton,1892
- 14260) *Ischnopeza taborskyi* Hoberlandt,1955** (Lygaeidae) Synonym(s): *taborskyi* Hoberlandt,1955
- 14261) *Lethaeus cribratissimus* (Stal,1858)** (Lygaeidae) Synonym(s): *cribratissimus* Stal,1858
- 14262) *Lethaeus lethierryi* (Puton,1869)** (Lygaeidae) Synonym(s): *lethierryi* Puton,1869
- 14263) *Lethaeus nitidus* (Douglas & Scott,1868)** (Lygaeidae) Synonym(s): *nitidus* Douglas & Scott,1868
- 14264) *Lethaeus picipes* (Herrich-Schäffer,1853)** (Lygaeidae) Synonym(s): *picipes* Herrich-Schäffer,1853
- 14265) *Lethaeus syriacus* Horvath,1883** (Lygaeidae) Synonym(s): *syriacus* Horvath,1883
- 14266) *Lygaeosoma anatolicum* Seidenstücker,1960** (Lygaeidae) Synonym(s): *anatolicum* Seidenstücker,1960
- 14267) *Lygaeosoma angulare* Reuter,1885** (Lygaeidae) Synonym(s): *angulare* Reuter,1885
- 14268) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatum* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 14269) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatus* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *erythropterum* Puton,1876 [ssp.]; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 14270) *Lygaeosoma sibiricum* Seidenstücker,1962** (Lygaeidae) Synonym(s): *sibiricum* Seidenstücker,1962; *rufa* Seidenstücker,1962
- 14271) *Lygaeus creticus* (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus* Lucas,1854; *bisbipunctatus* A.Costa,1864; *sexmaculatus* Garbiglietti,1869
- 14272) *Lygaeus equestris* (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758; *speciosus* Poda,1761; *punctumalbum* Pollich,1781; *lactans* Horvath,1899; *sicilianus* Wagner,1954
- 14273) *Megalonotus brevicornis* (Puton,1883)** (Lygaeidae) Synonym(s): *brevicornis* Puton,1883
- 14274) *Megalonotus chiragra* (Fabricius,1794)** (Lygaeidae) Synonym(s): *chiragra* Fabricius,1794; *tibialis* Hahn,1831; *nigricornis* Douglas,1875; *tenebrosa* Kiritchenko,1912
- 14275) *Megalonotus colon* Puton,1874** (Lygaeidae) Synonym(s): *colon* Puton,1874
- 14276) *Megalonotus concors* (Hovarth,1878)** (Lygaeidae) Synonym(s): *concors* Hovarth,1878
- 14277) *Megalonotus dilatatus* (Herrich-Schäffer,1840)** (Lygaeidae) Synonym(s): *dilatatus* Herrich-Schäffer,1840; *obscurus* Mulsant & Rey,1852
- 14278) *Megalonotus emarginatus* (Rey,1888)** (Lygaeidae) Synonym(s): *emarginatus* Rey,1888; *cyprius* Linnavuori,1953
- 14279) *Megalonotus hirsutus* Fieber,1861** (Lygaeidae) Synonym(s): *hirsutus* Fieber,1861; *villosus* Jakovlev,1874
- 14280) *Megalonotus longipilis* (Puton,1884)** (Lygaeidae) Synonym(s): *longipilis* Puton,1884
- 14281) *Megalonotus lynceus* (Fabricius,1775)** (Lygaeidae) Synonym(s): *lynceus* Fabricius,1775
- 14282) *Megalonotus maximus* (Puton,1895)** (Lygaeidae) Synonym(s): *maximus* Puton,1895
- 14283) *Megalonotus praetextatus* (Herrich-Schäffer,1835)** (Lygaeidae) Synonym(s): *praetextatus* Herrich-Schäffer,1835; *maculipennis* Curtis,1835; *femoralis* Boheman,1851; *obscuratus* Noualhier,1893

- 14284) *Megalonotus sabulicola* (Thomson,1870)** (Lygaeidae) Synonym(s): *sabulicola* Thomson,1870; *incertus* Rey,1888; *californicus* Van Duzee,1928
- 14285) *Megalonotus scaurus* Seidenstücker,1973** (Lygaeidae) Synonym(s): *scaurus* Seidenstücker,1973
- 14286) *Megalonotus seidenstueckeri* Péricart,1995** (Lygaeidae) Synonym(s): *seidenstueckeri* Péricart,1995
- 14287) *Megalonotus setosus* Puton,1874** (Lygaeidae) Synonym(s): *setosus* Puton,1874
- 14288) *Megalonotus sophenus* Seidenstücker,1973** (Lygaeidae) Synonym(s): *sophenus* Seidenstücker,1973
- 14289) *Megalonotus tricolor* (Horvath,1895)** (Lygaeidae) Synonym(s): *tricolor* Horvath,1895
- 14290) *Melanocoryphus albomaculatus* (Goeze,1778)** (Lygaeidae) Synonym(s): *albomaculatus* Goeze,1778; *ventralis* Kolenati,1845
- 14291) *Melanocoryphus sefrensis* (Reuter,1900)** (Lygaeidae) Synonym(s): *sefrensis* Reuter,1900
- 14292) *Melanocoryphus tristrami* (Douglas & Scott,1858)** (Lygaeidae) Synonym(s): *tristrami* Douglas & Scott,1858
- 14293) *Neurocladus brachiidens* (Dufour,1851)** (Lygaeidae) Synonym(s): *brachiidens* Dufour,1851
- 14294) *Nysius cymoides* (Spinola,1834)** (Lygaeidae) Synonym(s): *cymoides* Spinola,1834
- 14295) *Nysius ericae* (Schilling,1829)** (Lygaeidae) Synonym(s): *ericae* Schilling,1829
- 14296) *Oxycarenus (Euoxycarenus) pallens* (Herrich-Schäffer,1850)** (Lygaeidae) Synonym(s): *pallens* Herrich-Schäffer,1850
- 14297) *Oxycarenus* (s.str.) *hyalinipennis* (A.Costa,1843)** (Lygaeidae) Synonym(s): *hyalinipennis* A.Costa,1843
- 14298) *Oxycarenus* (s.str.) *modestus* (Fallén,1829)** (Lygaeidae) Synonym(s): *modestus* Fallén,1829
- 14299) *Oxycarenus longiceps* E.Wagner,1955** (Lygaeidae) Synonym(s): *longiceps* E.Wagner,1955
- 14300) *Piocoris erythrocephalus* (P. & S.,1825)** (Lygaeidae) Synonym(s): *erythrocephalus* P. & S.,1825
- 14301) *Piocoris luridus* (Fieber,1844)** (Lygaeidae) Synonym(s): *luridus* Fieber,1844; *erythropros* Fieber,1861; *obesus* Stal,1887
- 14302) *Pionosomus engizekicus* Kiyak,1995** (Lygaeidae) Synonym(s): *engizekicus* Kiyak,1995
- 14303) *Pionosomus engizekicus* Kiyak,1995** (Lygaeidae) Synonym(s): *engizekicus* Kiyak,1995
- 14304) *Pionosomus persimilis* Horvath,1895** (Lygaeidae) Synonym(s): *persimilis* Horvath,1895
- 14305) *Pionosomus varius* (Wolff,1804)** (Lygaeidae) Synonym(s): *varius* Wolff,1804
- 14306) *Pterotmetus staphyliniformis* (Schilling,1829)** (Lygaeidae) Synonym(s): *staphyliniformis* Schilling,1829
- 14307) *Pterotmetus staphylinoides* (Burmeister,1835)** (Lygaeidae) Synonym(s): *staphylinoides* Burmeister,1835
- 14308) *Rhyparochromus alboacuminatus* (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus* Goeze,1778
- 14309) *Rhyparochromus confusus* (Reuter,1886)** (Lygaeidae) Synonym(s): *confusus* Reuter,1886
- 14310) *Rhyparochromus consors* (Horvath,1878)** (Lygaeidae) Synonym(s): *consors* Horvath,1878
- 14311) *Rhyparochromus immaculatus* (Rey,1920)** (Lygaeidae) Synonym(s): *immaculatus* Rey,1920
- 14312) *Rhyparochromus inarimensis* (Costa,1860)** (Lygaeidae) Synonym(s): *inarimensis* Costa,1860
- 14313) *Rhyparochromus lynceus* (Fabricius,1775)** (Lygaeidae) Synonym(s): *lynceus* Fabricius,1775
- 14314) *Rhyparochromus minusculatus* (Reuter,1885)** (Lygaeidae) Synonym(s): *minusculatus* Reuter,1885
- 14315) *Rhyparochromus phoeniceus* (Rossi,1794)** (Lygaeidae) Synonym(s): *phoeniceus* Rossi,1794
- 14316) *Rhyparochromus pineti* (Herrich-Schäffer,1839)** (Lygaeidae) Synonym(s): *pineti* Herrich-Schäffer,1839
- 14317) *Rhyparochromus pini* (Linnaeus,1758)** (Lygaeidae) Synonym(s): *pini* Linnaeus,1758
- 14318) *Rhyparochromus quadratus* (Fabricius,1798)** (Lygaeidae) Synonym(s): *quadratus* Fabricius,1798
- 14319) *Rhyparochromus reuteri* (Horvath,1885)** (Lygaeidae) Synonym(s): *reuteri* Horvath,1885
- 14320) *Rhyparochromus saturnius* (Rossi,1790)** (Lygaeidae) Synonym(s): *saturnius* Rossi,1790
- 14321) *Rhyparochromus tristis* Fieber,1861** (Lygaeidae) Synonym(s): *tristis* Fieber,1861
- 14322) *Rhyparochromus validus* (Horvath,1875)** (Lygaeidae) Synonym(s): *validus* Horvath,1875
- 14323) *Rhyparochromus vulgaris* (Schilling,1829)** (Lygaeidae) Synonym(s): *vulgaris* Schilling,1829
- 14324) *Rhyparochromus zarudnyi* (Jakovlev,1905)** (Lygaeidae) Synonym(s): *zarudnyi* Jakovlev,1905
- 14325) *Spilostethus pandurus* (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus* Scopoli,1763
- 14326) *Spilostethus saxatilis* (Scopoli,1763)** (Lygaeidae) Synonym(s): *saxatilis* Scopoli,1763
- 14327) *Trapezonotus arenarius* (Linnaeus,1758)** (Lygaeidae) Synonym(s): *arenarius* Linnaeus,1758
- 14328) *Trapezonotus dispar* (Stal,1872)** (Lygaeidae) Synonym(s): *dispar* Stal,1872; *breviceps* Jakovlev,1882; *seductor* Horvath,1883
- 14329) *Trapezonotus quadratus* (Fabricius,1798)** (Lygaeidae) Synonym(s): *quadratus* Fabricius,1798
- 14330) *Trapezonotus ullrichi* (Fieber,1836)** (Lygaeidae) Synonym(s): *ullrichi* Fieber,1836
- 14331) *Tropistethus fasciatus* Ferrari,1874** (Lygaeidae) Synonym(s): *fasciatus* Ferrari,1874
- 14332) *Tropistethus majusculus* Horvath,1881** (Lygaeidae) Synonym(s): *majusculus* Horvath,1881

14333) Xanthochilus omissus (Horvath,1911) (Lygaeidae) Synonym(s): *omissus* Horvath,1911

MANTIDAE

- 14334) Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae) Synonym(s): *heldreichi* Brunner von Wattenwyl,1882
- 14335) Ameles syriensis Giglio-Tos,1915** (Mantidae) Synonym(s): *syriensis* Giglio-Tos,1915
- 14336) Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773
- 14337) Bolivaria kurda Ramme,1951** (Mantidae) Synonym(s): *kurda* Ramme,1951
- 14338) Eremiaphila burmeisteri Saussure,1838** (Mantidae) Synonym(s): *burmeisteri* Saussure,1838; *hauensteini* Werner,1905
- 14339) Eremiaphila dagi Doğanlar,2007** (Mantidae) Synonym(s): *dagi* Doğanlar,2007
- 14340) Eremiaphila genei Lefebvre,1835** (Mantidae) Synonym(s): *genei* Lefebvre,1835
- 14341) Geomantis larvoides Pantel,1896** (Mantidae) Synonym(s): *larvoides* Pantel,1896
- 14342) Hierodula transcaucasica Brunner von Wattenwyl,1878** (Mantidae) Synonym(s): *transcaucasica* Brunner von Wattenwyl,1878
- 14343) Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758
- 14344) Rivetina asiatica Mistchenko,1967** (Mantidae) Synonym(s): *asiatica* Mistchenko,1967; *kinzelbachi* Harz,1988
- 14345) Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 nec Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853
- 14346) Rivetina balcanica La Greca & Lombardo,1982** (Mantidae) Synonym(s): *#balcanica* Kaltenbach,1963; *balcanica* La Greca & Lombardo,1982
- 14347) Rivetina byblica La Greca & Lombardo,1982** (Mantidae) Synonym(s): *byblica* La Greca & Lombardo,1982
- 14348) Rivetina caucasica (Saussure,1871)** (Mantidae) Synonym(s): *caucasica* Saussure,1871; *ragnari* Harz,1988
- 14349) Rivetina syriaca (Saussure,1869)** (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916
- 14350) Sphodromantis viridis (Forskal,1775)** (Mantidae) Synonym(s): *viridis* Forskal,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933

MANTISPIDAE

- 14351) Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): *aphavexelte* U.Aspöck & H.Aspöck,1994; *#aphavexelte* Dobosz,2007
- 14352) Mantispa lobata Navas,1912** (Mantispidae) Synonym(s): *adelungi* Navas,1912; *mandrina* Navas,1914
- 14353) Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis* McLachlan,1875; *?minuta* Kozhantshikov,1949; *caucasica* Handschin,1959
- 14354) Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982
- 14355) Perlamantispa perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla* Pallas,1772; *christiana* Charpentier,1825; *victorii* Guérin-Ménéville,1845

MARGARODIDAE

- 14356) Gueriniella serratulae (Fabricius)** (Margarodidae) Synonym(s): *serratulae* Fabricius
- 14357) Icerya purchasi Hempel** (Margarodidae) Synonym(s):
- 14358) Neomargarodes festucae Archangelskaya** (Margarodidae) Synonym(s): *festucae* Archangelskaya
- 14359) Marchalina hellenica (Gennadius)** (Margarodidae) Synonym(s): *hellenica* Gennadius
- 14360) Matsucoccus josephi Bodenheimer & Harpaz** (Margarodidae) Synonym(s): *josephi* Bodenheimer & Harpaz
- 14361) Matsucoccus pini Green** (Margarodidae) Synonym(s): *pini* Green
- 14362) Palaeococcus fuscipennis (Burmeister)** (Margarodidae) Synonym(s): *fuscipennis* Burmeister
- 14363) Porphyrophora hamelii Brandt & Ratzeburg,1833** (Margarodidae) Synonym(s): *hamelii* Brandt
- 14364) Porphyrophora minuta Borchsenius** (Margarodidae) Synonym(s): *minuta* Borchsenius
- 14365) Porphyrophora tritici (Bodenheimer)** (Margarodidae) Synonym(s): *tritici* Bodenheimer

14366) *Porphyrophora polonica* (Linnaeus) (Margarodidae) Synonym(s): *polonica* Linnaeus

MEENOPLIDAE

14367) *Meenoplus albosignatus* Fieber, 1866 (Meenoplidae) Synonym(s): *albosignatus* Fieber, 1866

14368) *Nisia nervosa* (Motschulsky, 1863) (Meenoplidae) Synonym(s): *nervosa* Motschulsky, 1863; *atrovenosus* Lethierry, 1888

MEGACHILIDAE

14369) *Aglaoapis tridentata* (Nylander, 1848) (Megachilidae) Synonym(s): *tridentata* Nylander, 1848

14370) *Allodioxys schulthessi* (Popov, 1936) (Megachilidae) Synonym(s): *schulthessi* Popov, 1936

14371) *Anthidium (Anthidiellum) brevisculum* Pérez, 1890 (Megachilidae) Synonym(s): *breviusculum* Pérez, 1890; *troodicum* Mavromoustakis, 1949

14372) *Anthidium (Anthidiellum) clypeare* Morawitz, 1874 (Megachilidae) Synonym(s): *clypeare* Morawitz, 1874; *elongatum* Friese, 1897; *hoplostomum* Mavromoustakis, 1945

14373) *Anthidium (Anthidiellum) insulare* Morawitz, 1873 (Megachilidae) Synonym(s): *insulare* Morawitz, 1873; *persiculum* Mavromoustakis, 1937; *lemesium* Mavromoustakis, 1937

14374) *Anthidium (Anthidiellum) judaeense* (Mavromoustakis, 1945) (Megachilidae) Synonym(s): *judaense* Mavromoustakis, 1945; *anale* Pasteels, 1969

14375) *Anthidium (Anthidiellum) nasicum* Friese, 1917 (Megachilidae) Synonym(s): *nasicum* Friese, 1917; *nasiculum* Pasteels, 1969

14376) *Anthidium (Anthidiellum) strigatum* (Panzer, 1805) (Megachilidae) Synonym(s): *strigatum* Panzer, 1805; *contractum* Latreille, 1809; *frontale* Lepeletier, 1841; *minusculum* Nylander, 1852; *coronatum* Dufour, 1853; *decoratum* Chevrier, 1872; *luteum* Friese, 1897; *rubellum* Friese, 1917; *cyrenaicum* Gribodo, 1924; *pauperculum* Cockerell, 1928; *crassepunctatum* Popov, 1935; *palaestinense* Alfken, 1935; *ibericum* Alfken, 1936; *judaicum* Alfken, 1936; *humerales* Alfken, 1936

14377) *Anthidium (Archianthidium) forcipatum* Morawitz, 1875 (Megachilidae) Synonym(s): *forcipatum* Morawitz, 1875; *edentatum* Friese, 1931

14378) *Anthidium (Archianthidium) laticeps* Morawitz, 1873 (Megachilidae) Synonym(s): *laticeps* Morawitz, 1873; *fasciatellum* Friese, 1917; *anatolicum* Mavromoustakis, 1939

14379) *Anthidium (Archianthidium) pubescens* (Morawitz, 1872) (Megachilidae) Synonym(s): *pubescens* Morawitz, 1872; *maximum* Friese, 1931; *verhoeffi* Mavromoustakis, 1955

14380) *Anthidium (Exanthidium) eximium* Giraud, 1863 (Megachilidae) Synonym(s): *eximium* Giraud, 1863; *excisum* Mocsary, 1884

14381) *Anthidium (Icteranthidium) aequabile* Morawitz, 1896 (Megachilidae) Synonym(s): *aequabile* Morawitz, 1896

14382) *Anthidium (Icteranthidium) cimbiciforme* (Smith, 1854) (Megachilidae) Synonym(s): *cimbiciforme* Smith, 1854; *bartholomei* Radoszkowski, 1862

14383) *Anthidium (Icteranthidium) ferrugineum* (Fabricius, 1787) (Megachilidae) Synonym(s): *ferrugineum* Fabricius, 1787; *discoideale* Latreille, 1809

14384) *Anthidium (Icteranthidium) grohmanni* Spinola, 1838 (Megachilidae) Synonym(s): *grohmanni* Spinola, 1838; *latreillii* Lepeletier, 1841; *rubiginosum* Lepeletier, 1841; *provinciale* Lepeletier, 1841; *comptum* Lepeletier, 1841; *numidum* Lepeletier, 1841; *lepeletieri* Fonscolombe, 1846; *klugi* Lucas, 1849; *coronatum* Smith, 1854 (praeocc.); *obscurum* Dusmet, 1908 (praeocc.); *tergale* Pasteels, 1969.

14385) *Anthidium (Icteranthidium) laterale* Latreille, 1809 (Megachilidae) Synonym(s): *laterale* Latreille, 1809; *scutellare* Latreille, 1809; *quadrilobum* Lepeletier, 1841; *auripes* Eversmann, 1852; *annulare* Schenck, 1868; *sexmaculatum* Chevrier, 1872; *perrisii* Dours, 1873; *ifranicum* Cockerell, 1931; *confluens* Alfken, 1931

14386) *Anthidium (Icteranthidium) limbiferum* Morawitz, 1875 (Megachilidae) Synonym(s): *limbiferum* Morawitz, 1875

14387) *Anthidium (Icteranthidium) ovasi* Warncke, 1980 (Megachilidae) Synonym(s): *ovasi* Warncke, 1980

14388) *Anthidium (Icteranthidium) urfanum* Warncke, 1980 (Megachilidae) Synonym(s): *urfanum* Warncke, 1980

14389) *Anthidium (Mesanthidium) cardue* Morawitz, 1876 (Megachilidae) Synonym(s): *cardue* Morawitz, 1876; *controversum* Radoszkowski, 1886; *malacopygum* Gribodo, 1894; *konowi* Friese, 1897; *zonulum* Alfken, 1935

14390) *Anthidium (Mesanthidium) lebanense* Mavromoustakis, 1955 (Megachilidae) Synonym(s): *lebanense* Mavromoustakis, 1955; *nigratum* Pasteels, 1969

14391) *Anthidium (Mesanthidium) malacopygum* (Gribodo, 1894) (Megachilidae) Synonym(s): *malacopygum* Gribodo, 1894

14392) *Anthidium (Mesanthidium) pusillum* Morawitz, 1895 (Megachilidae) Synonym(s): *pusillum* Morawitz, 1895; *mochii* Mavromoustakis, 1956

- 14393) Anthidium (Oxyanthidium) aculeatum Klug,1832** (Megachilidae) Synonym(s): *aculeatum* Klug,1832; *uncatum* Mocsary,1887 nec Schr.,1802
- 14394) Anthidium (Paraanthidium) dumerlei Warncke,1980** (Megachilidae) Synonym(s): *dumerlei* Warncke,1980
- 14395) Anthidium (Paraanthidium) interruptum (Fabricius,1781)** (Megachilidae) Synonym(s): *interruptum* Fabricius,1781; *rufipes* Fabricius,1787 nec Fabr.,1781; *varia* Olivier,1789; *erythropus* Gmelin,1790; *flavilabre* Latreille,1809; *dufourii* Lepeletier,1841; *liteipes* Lepeletier,1841; *integrum* Eversmann,1852; *curvipes* Smith,1872; *melanostomum* Costa, 1884; *foliivolutor* Ferton,1921
- 14396) Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae) Synonym(s): *anguliventre* Morawitz,1888; *arabicum* Pasteels,1969; *intermedium* Pasteels,1969
- 14397) Anthidium (Proanthidium) oblongatum (Illiger,1806)** (Megachilidae) Synonym(s): *oblongatum* Illiger,1806; *oblongatum* Latreille,1809; *trochantericum* Morawitz,1894; *nigrum* Friese,1897; *luteum* Dusmet,1915 nec Fr.,1897; *xanthurum* Cockerell,1925; *australe* Alfken,1937; *flavens* Moczar,1956; *tornense* Tkalcu,1966; *berberum* Warncke,1980
- 14398) Anthidium (Proanthidium) rotundum Warncke,1980** (Megachilidae) Synonym(s): *rotundum* Warncke,1980
- 14399) Anthidium (Proanthidium) undulatifforme Friese,1917** (Megachilidae) Synonym(s): *undulatifforme* Friese,1917
- 14400) Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmanni* Mavromoustakis,1948
- 14401) Anthidium (Pseudoanthidium) alpinum Morawitz,1874** (Megachilidae) Synonym(s): *alpinum* Morawitz,1874
- 14402) Anthidium (Pseudoanthidium) cribratum Morawitz,1875** (Megachilidae) Synonym(s): *cribratum* Morawitz,1875; *palaesticum* Mavromoustakis,1938
- 14403) Anthidium (Pseudoanthidium) lituratum (Panzer,1801)** (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954
- 14404) Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917
- 14405) Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum* Mocsary,1884; *tegulare* Morawitz,1886; *mocsaryi* Friese,1897; *asiaticum* Friese,1917; *kindermannii* Mavromoustakis,1954
- 14406) Anthidium (Pseudoanthidium) rhombiferum Friese,1917** (Megachilidae) Synonym(s): *rhombiferum* Friese,1917
- 14407) Anthidium (Rhodanthidium) acuminatum Mocsary,1884** (Megachilidae) Synonym(s): *acuminatum* Mocsary,1884
- 14408) Anthidium (Rhodanthidium) buteum Warncke,1980** (Megachilidae) Synonym(s): *buteum* Warncke,1980
- 14409) Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae) Synonym(s): *caturigense* Giraud,1863; *ducale* Morawitz,1876; *moreense* Friese,1917; *pyrenaicum* Alfken,1927; *jerusalemicum* Mavromoustakis,1938
- 14410) Anthidium (Rhodanthidium) exsectum (Pasteels,1969)** (Megachilidae) Synonym(s): *exsectum* Pasteels,1969
- 14411) Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae) Synonym(s): *septemdentatum* Latreille,1809; *rufiventre* Brullé,1832; *quadridentatum* Lepeletier,1841; *fuscipenne* Lepeletier,1841; *binominatum* Smith,1854; *sexlineatum* Chevrier,1872; *fasciale* Friese,1917; *rufocinctum* Alfken,1930; *nigrosetosum* Stanek,1968
- 14412) Anthidium (Rhodanthidium) superbum Radoszkowski,1876** (Megachilidae) Synonym(s): *superbum* Radoszkowski,1876; *christophi* Morawitz,1884; *grande* Friese,1897
- 14413) Anthidium (s.str.) caspicum Morawitz,1880** (Megachilidae) Synonym(s): *caspicum* Morawitz,1880; *germabicum* Radoszkowski,1893; *labrosum* Pasteels,1969
- 14414) Anthidium (s.str.) cingulatum Latreille,1809** (Megachilidae) Synonym(s): *cingulatum* Latreille,1809
- 14415) Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s): *dalmaticum* Mocsary,1884; *syriacum* Dusmet,1915
- 14416) Anthidium (s.str.) diadema Latreille,1809** (Megachilidae) Synonym(s): *diadema* Latreille,1809; *ornatum* Lepeletier,1841; *albiventre* Lepeletier,1841; *radoszkowskyi* Mocsary,1887; *seraxense* Radoszkowski,1893; *terminale* Morawitz,1894; *caucasicum* Friese,1897
- 14417) Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae) Synonym(s): *florentinum* Fabricius,1775

- 14418) Anthidium (s.str.) gussakowskiji Mavromoustakis,1939** (Megachilidae) Synonym(s): *gussakowskiji Mavromoustakis,1939; neosyriacum Mavromoustakis,1956*
- 14419) Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata Fabricius,1781 (praeocc.); loti Perris,1852; regulare Eversmann,1852; meridionale Giraud,1863; mosaicum Costa,1863; quadriseriatum Kriechbaumer,1873; circumcinctum Kriechbaumer,1873; incisum Friese,1917*
- 14420) Anthidium (s.str.) manicatum (Linnaeus,1758)** (Megachilidae) Synonym(s): *manicatum Linnaeus,1758; undulatofasciatum Friese,1917*
- 14421) Anthidium (s.str.) neosyriacum Mavromoustakis,1956** (Megachilidae) Synonym(s): *neosyriacum Mavromoustakis,1956*
- 14422) Anthidium (s.str.) punctatum Latreille,1809** (Megachilidae) Synonym(s): *punctatum Latreille,1809; minus Nylander,1848; senile Eversmann,1852; greyi Radoszkowski,1862; albidulum Chevrier,1872; nigrinum Morawitz,1875; nitidulum Morawitz,1894; mayeti Pérez,1895; albofasciatum Friese,1897; fulvipes Friese,1897; kohlii Friese,1897; bequaerti Alfken,1914; amanusense Dusmet,1915; ariasi Dusmet,1915; nigritudum Friese,1917; suecicum Alfken,1927*
- 14423) Anthidium (s.str.) septemspinosum Lepeletier,1841** (Megachilidae) Synonym(s): *septemspinosum Lepeletier,1841*
- 14424) Anthidium (s.str.) spiniventre Friese,1899** (Megachilidae) Synonym(s): *spiniiventre Friese,1899; melanopygum Friese,1917*
- 14425) Anthidium (s.str.) syriacum Pérez,1911** (Megachilidae) Synonym(s): *syriacum Pérez,1911*
- 14426) Anthidium (s.str.) taeniatum Latreille,1809** (Megachilidae) Synonym(s): *taeniatum Latreille,1809; fasciatum Latreille,1809; sulphureum Lepeletier,1841; affine Morawitz,1873; monile Friese,1897; nostrum Radoszkowski,1893*
- 14427) Anthidium (s.str.) trispinosum Friese,1917** (Megachilidae) Synonym(s): *trispinosum Friese,1917*
- 14428) Anthidium (s.str.) waltlii Spinosa,1838** (Megachilidae) Synonym(s): *waltlii Spinosa,1838*
- 14429) Anthidium (s.str.) wuestnei Mocsary,1887** (Megachilidae) Synonym(s): *wuestnei Mocsary,1887*
- 14430) Anthidium (Trachusa) byssina (Panzer,1804)** (Megachilidae) Synonym(s): *byssina Panzer,1804; resinana Schilling,1829; pyrenaica Lepeletier,841; rotundiventris Perris,1852; zeitzi Cockerell,1925*
- 14431) Chalcidoma saussurei Radoszkowski,1874** (Megachilidae) Synonym(s): *saussurei Radoszkowski,1874*
- 14432) Chalicodoma (Pseudomegachile) ericetorum (Lepeletier,1841)** (Megachilidae) Synonym(s): *ericetorum Lepeletier,1841*
- 14433) Chalicodoma (Pseudomegachile) flavipes (Spinola,1838)** (Megachilidae) Synonym(s): *flavipes Spinola,1838; meridionalis Pasteels,1970*
- 14434) Chalicodoma (Pseudomegachile) transgrediens (Rebmann,1970)** (Megachilidae) Synonym(s): *transgrediens Rebmann,1970*
- 14435) Chalicodoma (s.str.) parietina (Geoffroy,1785)** (Megachilidae) Synonym(s): *parietina Geoffroy,1785*
- 14436) Chelostoma (Foveosmia) bytinskii (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *bytinskii Mavromoustakis,1948*
- 14437) Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum Kirby,1802*
- 14438) Chelostoma (Foveosmia) forcipatum (Benoist,1928)** (Megachilidae) Synonym(s): *forcipatum Benoist,1928*
- 14439) Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum Morawitz,1868*
- 14440) Chelostoma (Foveosmia) galeridum (Warncke,1991)** (Megachilidae) Synonym(s): *galeridum Warncke,1991*
- 14441) Chelostoma (Foveosmia) garrulum (Warncke,1991)** (Megachilidae) Synonym(s): *garrulum Warncke,1991*
- 14442) Chelostoma (Foveosmia) isabellinum (Warncke,1991)** (Megachilidae) Synonym(s): *isabellinum Warncke,1991*
- 14443) Chelostoma (Foveosmia) josefi Schwarz & Gusenleitner,2000** (Megachilidae) Synonym(s): *josefi Schwarz & Gusenleitner,2000*
- 14444) Chelostoma (Foveosmia) maidli (Benoist,1935)** (Megachilidae) Synonym(s): *maidli Benoist,1935; seidenstueckeri Mavromoustakis,1954*
- 14445) Chelostoma (Foveosmia) palaestina (Benoist,1935)** (Megachilidae) Synonym(s): *palaestina Benoist,1935*
- 14446) Chelostoma (Foveosmia) schlettereri (Friese,1899)** (Megachilidae) Synonym(s): *schlettereri Friese,1899; palaestina Benoist,1935; pici Benoist,1935*
- 14447) Chelostoma (Foveosmia) styriacum Schwarz & Gusenleitner,1999** (Megachilidae) Synonym(s): *styriacum Schwarz & Gusenleitner,1999*
- 14448) Chelostoma (Foveosmia) subnitidum (Benoist,1935)** (Megachilidae) Synonym(s): *subnitidum Benoist,1935*

- 14449) *Chelostoma (Foveosmia) torquillum* Warncke, 1991** (Megachilidae) Synonym(s): *torquillum* Warncke, 1991
- 14450) *Chelostoma (Foveosmia) ventrale* Schletterer, 1889** (Megachilidae) Synonym(s): *ventrale* Schletterer, 1889
- 14451) *Chelostoma (Gyrodromella) handlirschi* Schletterer, 1889** (Megachilidae) Synonym(s): *handlirschi* Schletterer, 1889
- 14452) *Chelostoma (Gyrodromella) hebraeum* (Benoist, 1935)** (Megachilidae) Synonym(s): *hebraeum* Benoist, 1935
- 14453) *Chelostoma (Gyrodromella) orientale* Schletterer, 1890** (Megachilidae) Synonym(s): *orientale* Schletterer, 1890
- 14454) *Chelostoma (Gyrodromella) proximum* Schletterer, 1889** (Megachilidae) Synonym(s): *proximum* Schletterer, 1889
- 14455) *Chelostoma (Gyrodromella) rapunculi* (Lepeletier, 1841)** (Megachilidae) Synonym(s): *rapunculi* Lepeletier, 1841; *nigricornis* Nylander, 1848; *inerme* Eversmann, 1852; *casularum* Chevrier, 1872; *archanensis* Cockerell, 1928; *platyodonta* Cockerell, 1928
- 14456) *Chelostoma* (s.str.) *diodon* Schletterer, 1889** (Megachilidae) Synonym(s): *diodon* Schletterer, 1889; *cypriacum* Mavromoustakis, 1951
- 14457) *Chelostoma* (s.str.) *dolosum* (Benoist, 1935)** (Megachilidae) Synonym(s): *dolosum* Benoist, 1935
- 14458) *Chelostoma* (s.str.) *emarginatum* (Nylander, 1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander, 1856; *appendiculata* Morawitz, 1871; *angustata* Chevrier, 1872; *intermedia* Chevrier, 1872; *quadridum* Kriechbaumer, 1879; *incertum* Pérez, 1890; *ursina* Benoist, 1935
- 14459) *Chelostoma* (s.str.) *florisomnis* (Linnaeus, 1758)** (Megachilidae) Synonym(s): *florisomnis* Linnaeus, 1758; *maxillosa* Linnaeus, 1767; *culmorum* Lepeletier, 1841; *parumerinitus* Alfken, 1932
- 14460) *Chelostoma* (s.str.) *grande* (Nylander, 1852)** (Megachilidae) Synonym(s): *grande* Nylander, 1852
- 14461) *Chelostoma* (s.str.) *lucens* (Benoist, 1928)** (Megachilidae) Synonym(s): *lucens* Benoist, 1928
- 14462) *Chelostoma* (s.str.) *mocsaryi* Schletterer, 1889** (Megachilidae) Synonym(s): *mocsaryi* Schletterer, 1889
- 14463) *Chelostoma* (s.str.) *transversum* (Friese, 1897)** (Megachilidae) Synonym(s): *transversum* Friese, 1897
- 14464) *Chelostoma* (subgen?) *ventrale* Schletterer, 1889** (Megachilidae) Synonym(s): *ventrale* Schletterer, 1889; *brevifurca* Benoist, 1935; *subnitida* Benoist, 1935
- 14465) *Coelioxys (Allocoelioxys) afra* Lepeletier, 1841** (Megachilidae) Synonym(s): *afra* Lepeletier, 1841; *erzurumensis* Tkalcu
- 14466) *Coelioxys* (s.str.) *aurolimbata* Förster, 1853** (Megachilidae) Synonym(s): *aurolimbata* Förster, 1853
- 14467) *Coelioxys* (s.str.) *brevis* Eversmann, 1842** (Megachilidae) Synonym(s): *brevis* Eversmann, 1842
- 14468) *Coelioxys* (s.str.) *quadridentata* (Linnaeus, 1758)** (Megachilidae) Synonym(s): *quadridentata* Linnaeus, 1758
- 14469) *Coelioxys* (s.str.) *rufescens* Lepeletier, 1841** (Megachilidae) Synonym(s): *rufescens* Lepeletier, 1841; *oltuensis* Tkalcu
- 14470) *Coelioxys alata* Förster, 1853** (Megachilidae) Synonym(s): *alata* Förster, 1853
- 14471) *Coelioxys caudata* Spinola, 1838** (Megachilidae) Synonym(s): *caudata* Spinola, 1838
- 14472) *Coelioxys elytrura* Spinola, 1838** (Megachilidae) Synonym(s): *elytrura* Spinola, 1838
- 14473) *Coelioxys pulchella* Morawitz, 1884** (Megachilidae) Synonym(s): *pulchella* Morawitz, 1884
- 14474) *Creightonella (Metamegachile) albisecta* (Klug, 1817)** (Megachilidae) Synonym(s): *albisecta* Klug, 1817
- 14475) *Dioxys cincta* (Jurine, 1807)** (Megachilidae) Synonym(s): *cincta* Jurine, 1807
- 14476) *Dioxys moesta* (Costa, 1883)** (Megachilidae) Synonym(s): *moesta* Costa, 1883
- 14477) *Dioxys montana* Heinrich, 1977** (Megachilidae) Synonym(s): *montana* Heinrich, 1977
- 14478) *Dioxys pumila* Gerstaecker, 1869** (Megachilidae) Synonym(s): *pumila* Gerstaecker, 1869
- 14479) *Ensliniana bidentata* (Friese, 1899)** (Megachilidae) Synonym(s): *bidentata* Friese, 1899; *anatolica* Heinrich, 1977
- 14480) *Haetosmia vechti* (Peters, 1974)** (Megachilidae) Synonym(s): *vechti* Peters, 1974
- 14481) *Heriades (Michenerella) dalmaticus* Maidl, 1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl, 1922; *troodicus* Mavromoustakis, 1951
- 14482) *Heriades (Michenerella) hissaricus* Popov, 1955** (Megachilidae) Synonym(s): *hissaricus* Popov, 1955
- 14483) *Heriades (Michenerella) punctuliferus* Schletterer, 1889** (Megachilidae) Synonym(s): *punctuliferus* Schletterer, 1889; *syriaca* Benoist, 1928
- 14484) *Heriades (Rhopaloheriades) clavicornis* Morawitz, 1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz, 1875; *armeniacus* Popov, 1956
- 14485) *Heriades* (s.str.) *crenulatus* Nylander, 1856** (Megachilidae) Synonym(s): *crenulatus* Nylander, 1856

- 14486) *Heriades (s.str.) rubicola* Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931
- 14487) *Heriades (s.str.) truncorum* (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastria* Schrank,1802; *mordax* Schletterer,1889
- 14488) *Hofferia schmiedeknechti* (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928
- 14489) *Hoplitis (Alcidamea) acanthophora* (Morawitz,1875)** (Megachilidae) Synonym(s): *acanthophora* Morawitz,1875
- 14490) *Hoplitis (Alcidamea) acuticornis* (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994
- 14491) *Hoplitis (Alcidamea) antennata* (Morawitz,1876)** (Megachilidae) Synonym(s): *antennata* Morawitz,1876
- 14492) *Hoplitis (Alcidamea) bicallosa* (Morawitz,1876)** (Megachilidae) Synonym(s): *bicallosa* Morawitz,1876
- 14493) *Hoplitis (Alcidamea) bispinosa* Zanden,1992** (Megachilidae) Synonym(s): *bispinosa* Zanden,1992
- 14494) *Hoplitis (Alcidamea) caucasica* (Friese,1920)** (Megachilidae) Synonym(s): *caucasica* Friese,1920
- 14495) *Hoplitis (Alcidamea) caularis* (Morawitz,1875)** (Megachilidae) Synonym(s): *caularis* Morawitz,1875; *proxima* Morawitz,1875 nec Cress.,1864; *turcestanica* Dalla Torre,1896
- 14496) *Hoplitis (Alcidamea) ciliaris* (Pérez,1902)** (Megachilidae) Synonym(s): *ciliaris* Pérez,1902
- 14497) *Hoplitis (Alcidamea) claviventris* (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 nec Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991
- 14498) *Hoplitis (Alcidamea) decaocta* (Warncke,1991)** (Megachilidae) Synonym(s): *decaocta* Warncke,1991
- 14499) *Hoplitis (Alcidamea) galbula* (Warncke,1991)** (Megachilidae) Synonym(s): *galbula* Warncke,1991
- 14500) *Hoplitis (Alcidamea) garzetta* (Warncke,1991)** (Megachilidae) Synonym(s): *garzetta* Warncke,1991
- 14501) *Hoplitis (Alcidamea) leucomelaena* (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelaena* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863
- 14502) *Hoplitis (Alcidamea) limassolica* (Mavromoustakis,1937)** (Megachilidae) Synonym(s): *limassolica* Mavromoustakis,1937
- 14503) *Hoplitis (Alcidamea) mollis* Tkalcu,2000** (Megachilidae) Synonym(s): *mollis* Tkalcu,2000
- 14504) *Hoplitis (Alcidamea) ozbeki* Tkalcu,2000** (Megachilidae) Synonym(s): *ozbeki* Tkalcu,2000
- 14505) *Hoplitis (Alcidamea) praestans* (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895
- 14506) *Hoplitis (Alcidamea) stellaris* (Warncke,1991)** (Megachilidae) Synonym(s): *stellaris* Warncke,1991
- 14507) *Hoplitis (Alcidamea) subbutea* (Warncke,1991)** (Megachilidae) Synonym(s): *subbutea* Warncke,1991
- 14508) *Hoplitis (Alcidamea) tridentata* (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975
- 14509) *Hoplitis (Alcidamea) verruciventris* (Morawitz,1886)** (Megachilidae) Synonym(s): *verruciventris* Morawitz,1886
- 14510) *Hoplitis (Alcidamea) xanthoprymna* (Warncke,1991)** (Megachilidae) Synonym(s): *xanthoprymna* Warncke,1991
- 14511) *Hoplitis (Annosmia) annulata* (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991
- 14512) *Hoplitis (Annosmia) chukar* (Warncke,1991)** (Megachilidae) Synonym(s): *chukar* Warncke,1991
- 14513) *Hoplitis (Annosmia) elaziga* (Warncke,1991)** (Megachilidae) Synonym(s): *elaziga* Warncke,1991
- 14514) *Hoplitis (Annosmia) eremophila* (Warncke,1991)** (Megachilidae) Synonym(s): *eremophila* Warncke,1991
- 14515) *Hoplitis (Annosmia) fulica* (Warncke,1991)** (Megachilidae) Synonym(s): *fulica* Warncke,1991
- 14516) *Hoplitis (Annosmia) gentilis* (Warncke,1991)** (Megachilidae) Synonym(s): *gentilis* Warncke,1991
- 14517) *Hoplitis (Annosmia) idaensis* (Warncke,1991)** (Megachilidae) Synonym(s): *idaensis* Warncke,1991
- 14518) *Hoplitis (Annosmia) mutica* (Warncke,1991)** (Megachilidae) Synonym(s): *mutica* Warncke,1991
- 14519) *Hoplitis (Annosmia) uncaticornis* (Stanek,1969)** (Megachilidae) Synonym(s): *uncaticornis* Stanek,1969; *cursoria* Warncke,1991
- 14520) *Hoplitis (Anthocopa) agis* (Benoist,1929)** (Megachilidae) Synonym(s): *agis* Benoist,1929

- 14521** *Hoplitis* (*Anthocopa*) *anipuncta* (Alfken,1935) (Megachilidae) Synonym(s): *anipuncta* Alfken,1935
- 14522** *Hoplitis* (*Anthocopa*) *bifoveolata* (Alfken,1935) (Megachilidae) Synonym(s): *bifoveolata* Alfken,1935
- 14523** *Hoplitis* (*Anthocopa*) *bipartita* (Friese,1899) (Megachilidae) Synonym(s): *bipartita* Friese,1899
- 14524** *Hoplitis* (*Anthocopa*) *bisulca* (Gerstaecker,1869) (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879
- 14525** *Hoplitis* (*Anthocopa*) *brevispina* (Tkalcu,2000) (Megachilidae) Synonym(s): *brevispina* Tkalcu,2000
- 14526** *Hoplitis* (*Anthocopa*) *cristatula* (Zanden,1990) (Megachilidae) Synonym(s): *cristata* Fonscolombe,1846 nec Duf.,1841; *cristatula* Zanden,1990
- 14527** *Hoplitis* (*Anthocopa*) *cypriaca* (Mavromoustakis,1938) (Megachilidae) Synonym(s): *cypriaca* Mavromoustakis,1938; *bayburtensis* Tkalcu,1980
- 14528** *Hoplitis* (*Anthocopa*) *dalmatica* (Morawitz,1871) (Megachilidae) Synonym(s): *dalmatica* Morawitz,1871
- 14529** *Hoplitis* (*Anthocopa*) *duckeana* (Kohl,1905) (Megachilidae) Synonym(s): *duckeana* Kohl,1905
- 14530** *Hoplitis* (*Anthocopa*) *furcula* (Morawitz,1875) (Megachilidae) Synonym(s): *furcula* Morawitz,1875
- 14531** *Hoplitis* (*Anthocopa*) *graeca* (Tkalcu,2000) (Megachilidae) Synonym(s): *graeca* Tkalcu,2000; *ionica* Tkalcu,2000
- 14532** *Hoplitis* (*Anthocopa*) *grumi* (Morawitz,1894) (Megachilidae) Synonym(s): *grumi* Morawitz,1894
- 14533** *Hoplitis* (*Anthocopa*) *idalia* (Mavromoustakis,1948) (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948
- 14534** *Hoplitis* (*Anthocopa*) *jakovlevi* (Radoszkowski,1874) (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879
- 14535** *Hoplitis* (*Anthocopa*) *mocsaryi* (Friese,1895) (Megachilidae) Synonym(s): *mocsaryi* Friese,1895; *linophila* Westrich,2006
- 14536** *Hoplitis* (*Anthocopa*) *obtusa* (Friese,1899) (Megachilidae) Synonym(s): *obtusa* Friese,1899
- 14537** *Hoplitis* (*Anthocopa*) *papaveris* (Latreille,1799) (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841
- 14538** *Hoplitis* (*Anthocopa*) *perezi* (Ferton,1895) (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Dücke,1899
- 14539** *Hoplitis* (*Anthocopa*) *pivicornis* (Morawitz,1895) (Megachilidae) Synonym(s): *pivicornis* Morawitz,1895
- 14540** *Hoplitis* (*Anthocopa*) *rugidorsis* (Pérez,1895) (Megachilidae) Synonym(s): *rugidorsis* Pérez,1895; *fasciculata* Alfken,1934
- 14541** *Hoplitis* (*Anthocopa*) *singularis* (Morawitz,1875) (Megachilidae) Synonym(s): *singularis* Morawitz,1875
- 14542** *Hoplitis* (*Anthocopa*) *unispina* (Alfken,1935) (Megachilidae) Synonym(s): *unispina* Alfken,1935
- 14543** *Hoplitis* (*Anthocopa*) *urfensis* (Zanden,1984) (Megachilidae) Synonym(s): *urfensis* Zanden,1984
- 14544** *Hoplitis* (*Anthocopa*) *villosa* (Schenck,1853) (Megachilidae) Synonym(s): *villosa* Schenck,1853; *platycera* Gerstaecker,1869
- 14545** *Hoplitis* (*Anthocopa*) *wadicola* (Alfken,1935) (Megachilidae) Synonym(s): *wadicola* Alfken,1935
- 14546** *Hoplitis* (*Anthocopa*) *yermasoyiae* (Mavromoustakis,1938) (Megachilidae) Synonym(s): *yermasoyiae* Mavromoustakis,1938; *asiae* Tkalcu,1979; *corcyrae* Tkalcu,1979
- 14547** *Hoplitis* (*Bytinskia*) *parasitica* (Warncke,1991) (Megachilidae) Synonym(s): *parasitica* Warncke,1991
- 14548** *Hoplitis* (*Chlidoplitis*) *heinrichi* Zanden,1980 (Megachilidae) Synonym(s): *heinrichi* Zanden,1980
- 14549** *Hoplitis* (*Chlidoplitis*) *illustris* Zanden,1992 (Megachilidae) Synonym(s): *illustris* Zanden,1992
- 14550** *Hoplitis* (*Chlidoplitis*) *lysholmi* (Friese,1899) (Megachilidae) Synonym(s): *lysholmi* Friese,1899
- 14551** *Hoplitis* (*Chlidoplitis*) *onychophora* (Mavromoustakis,1939) (Megachilidae) Synonym(s): *onychophora* Mavromoustakis,1939
- 14552** *Hoplitis* (*Megahoplitis*) *tigrina* (Morawitz,1871) (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934
- 14553** *Hoplitis* (*Megalosmia*) *fulva* (Eversmann,1852) (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872
- 14554** *Hoplitis* (*Micreriades*) *antalyae* Tkalcu,2000 (Megachilidae) Synonym(s): *antalyae* Tkalcu,2000
- 14555** *Hoplitis* (*Micreriades*) *lebanotica* (Mavromoustakis,1955) (Megachilidae) Synonym(s): *lebanotica* Mavromoustakis,1955

- 14556) *Hoplitis (Micreriades) mazzuccoi* (Schwarz & Gusenleitner,2005)** (Megachilidae)
Synonym(s): *mazzuccoi* Schwarz & Gusenleitner,2005
- 14557) *Hoplitis (Micreriades) pisidia* Tkalcu,2000** (Megachilidae) Synonym(s): *pisidia* Tkalcu,2000
- 14558) *Hoplitis (Pentadentoscia) gallinula* (Warncke,1991)** (Megachilidae) Synonym(s): *gallinula* Warncke,1991
- 14559) *Hoplitis (Pentadentoscia) laevifrons* (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872
- 14560) *Hoplitis (Pentadentoscia) pomarina* (Warncke,1991)** (Megachilidae) Synonym(s): *pomarina* Warncke,1991
- 14561) *Hoplitis (Pentadentoscia) ridibunda* (Warncke,1991)** (Megachilidae) Synonym(s): *ridibunda* Warncke,1991
- 14562) *Hoplitis (Pentadentoscia) rufopicta* (Morawitz,1875)** (Megachilidae) Synonym(s): *rufopicta* Morawitz,1875; *laeviscutum* Alfken,1935
- 14563) *Hoplitis (Pentadentoscia) tringa* (Warncke,1991)** (Megachilidae) Synonym(s): *tringa* Warncke,1991
- 14564) *Hoplitis (Platosmia) alchata* (Warncke,1990)** (Megachilidae) Synonym(s): *alchata* Warncke,1990
- 14565) *Hoplitis (Platosmia) recticauda* (Stanek,1969)** (Megachilidae) Synonym(s): *recticauda* Stanek,1969
- 14566) *Hoplitis (Prionohoplitis) brachypogon* (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Ducke,1899; *seyrigi* Benoist,1934
- 14567) *Hoplitis (Prionohoplitis) campanularis* (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947
- 14568) *Hoplitis (Prionohoplitis) curvipes* (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871
- 14569) *Hoplitis (Prionohoplitis) eburnea* (Warncke,1991)** (Megachilidae) Synonym(s): *eburnea* Warncke,1991
- 14570) *Hoplitis (Prionohoplitis) grossepunctata* (Kohl,1905)** (Megachilidae) Synonym(s): *grossepunctata* Kohl,1905
- 14571) *Hoplitis (s.str.) adunca* (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974
- 14572) *Hoplitis (s.str.) bombiformis* Zanden,1991** (Megachilidae) Synonym(s): *bombiformis* Zanden,1991
- 14573) *Hoplitis (s.str.) carinata* (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969
- 14574) *Hoplitis (s.str.) erzurumensis* Tkalcu,2000** (Megachilidae) Synonym(s): *erzurumensis* Tkalcu,2000
- 14575) *Hoplitis (s.str.) flabellifera* (Morice,1901)** (Megachilidae) Synonym(s): *flabellifera* Morice,1901; *conjuncta* Alfken,1935; *stichi* Alfken,1935
- 14576) *Hoplitis (s.str.) lapidaria* (Morawitz,1877)** (Megachilidae) Synonym(s): *lapidaria* Morawitz,1877
- 14577) *Hoplitis (s.str.) libanensis* (Morice,1901)** (Megachilidae) Synonym(s): *libanensis* Morice,1901
- 14578) *Hoplitis (s.str.) linguaria* (Morawitz,1876)** (Megachilidae) Synonym(s): *linguaria* Morawitz,1876
- 14579) *Hoplitis (s.str.) manicata* (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901
- 14580) *Hoplitis (s.str.) monstrabilis* Tkalcu,2000** (Megachilidae) Synonym(s): *monstrabilis* Tkalcu,2000
- 14581) *Hoplitis (s.str.) pallicornis* (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis* Friese,1895
- 14582) *Hoplitis (s.str.) pici* (Friese,1899)** (Megachilidae) Synonym(s): *pici* Friese,1899
- 14583) *Hoplitis (s.str.) strymonia* Tkalcu,1999** (Megachilidae) Synonym(s): *strymonia* Tkalcu,1999
- 14584) *Hoplitis (Stenosmia) kotschisa* (Warncke,1991)** (Megachilidae) Synonym(s): *kotschisa* Warncke,1991
- 14585) *Lithurgus chrysurus* Fonscolombe,1834** (Megachilidae) Synonym(s): *chrysurus* Fonscolombe,1834; *analisis* Lepeletier,1841; *haemorrhoidalis* Lepeletier,1841; *monocerus* Morawitz,1873
- 14586) *Lithurgus cornutus* (Fabricius,1787)** (Megachilidae) Synonym(s): *cornutus* Fabricius,1787; *fuscipennis* Lepeletier,1841; *umbraculatus* Lepeletier,1841; *nasutus* Dufour,1849; *monoceros* Eversmann,1852; *dohrni* Radoszkowski,1862; *maximus* Radoszkowski,1872
- 14587) *Lithurgus tibialis* Morawitz,1875** (Megachilidae) Synonym(s): *tibialis* Morawitz,1875
- 14588) *Megachile (Creightonella) albisepta* (Klug,1817)** (Megachilidae) Synonym(s): *albisepta* Klug,1817
- 14589) *Megachile (Eutricharaea) apicalis* Spinola,1808** (Megachilidae) Synonym(s): *apicalis* Spinola,1808
- 14590) *Megachile (Eutricharaea) deceptor* Pérez,1890** (Megachilidae) Synonym(s): *deceptor* Pérez,1890
- 14591) *Megachile (Eutricharaea) pilidens* Alfken,1924** (Megachilidae) Synonym(s): *pilidens* Alfken,1924

- 14592) Megachile (Neoeutricharaea) leucomella Gerstaecker, 1869** (Megachilidae) Synonym(s): *leucomella Gerstaecker, 1869*
- 14593) Megachile (s.str.) armenia Tkalcu, 1992** (Megachilidae) Synonym(s): *armenia Tkalcu, 1992*
- 14594) Megachile (s.str.) centuncularis (Linnaeus, 1758)** (Megachilidae) Synonym(s): *centuncularis Linnaeus, 1758*
- 14595) Megachile (s.str.) genalis Morawitz, 1880** (Megachilidae) Synonym(s): *genalis Morawitz, 1880; tortumensis Tkalcu, 1980*
- 14596) Megachile (s.str.) ligniseca (Kirby, 1802)** (Megachilidae) Synonym(s): *ligniseca Kirby, 1802*
- 14597) Megachile (s.str.) pilicrus Morawitz, 1878** (Megachilidae) Synonym(s): *pilicrus Morawitz, 1878*
- 14598) Megachile (s.str.) pyrenaea Pérez, 1890** (Megachilidae) Synonym(s): *pyrenaea Pérez, 1890*
- 14599) Megachile (Xanthosarus) giraudi Gerstaecker, 1869** (Megachilidae) Synonym(s): *giraudi Gerstaecker, 1869; erzurumensis Tkalcu, 1980*
- 14600) Megachile (Xanthosarus) lagopoda (Linnaeus, 1761)** (Megachilidae) Synonym(s): *lagopoda Linnaeus, 1761*
- 14601) Megachile (Xanthosarus) maritima (Kirby, 1802)** (Megachilidae) Synonym(s): *maritima Kirby, 1802*
- 14602) Megachile analis Nylander, 1852** (Megachilidae) Synonym(s): *analis Nylander, 1852*
- 14603) Megachile anatolica Rebmann, 1968** (Megachilidae) Synonym(s): *anatolica Rebmann, 1968*
- 14604) Megachile bicoloriventris Mocsary, 1878** (Megachilidae) Synonym(s): *bicoloriventris Mocsary, 1878*
- 14605) Megachile circumcincta (Kirby, 1802)** (Megachilidae) Synonym(s): *circumcincta Kirby, 1802; bryorum Schrank, 1781; ozbeki Tkalcu, 1977*
- 14606) Megachile pacifica Panzer, 1798** (Megachilidae) Synonym(s): *pacifica Panzer, 1798*
- 14607) Megachile sexmaculata Alfken, 1942** **homonym!** (Megachilidae) Synonym(s): *sexmaculata Alfken, 1942 nec Smith, 1868*
- 14608) Megachile willughbiella (Kirby, 1802)** (Megachilidae) Synonym(s): *willughbiella Kirby, 1802*
- 14609) Metadioxys graeca Mavromoustakis, 1963** (Megachilidae) Synonym(s): *graeca Mavromoustakis, 1963*
- 14610) Osmia (Allosmia) bischoffi Atanassov, 1938** (Megachilidae) Synonym(s): *bischoffi Atanassov, 1938*
- 14611) Osmia (Allosmia) melanura Morawitz, 1871** (Megachilidae) Synonym(s): *melanura Morawitz, 1871*
- 14612) Osmia (Allosmia) nuda Friese, 1899** (Megachilidae) Synonym(s): *nuda Friese, 1899*
- 14613) Osmia (Allosmia) rufohirta Latreille, 1811** (Megachilidae) Synonym(s): *rufohirta Latreille, 1811; spiniventris Giraud, 1857; soror Pérez, 1896*
- 14614) Osmia (Allosmia) sybarita Smith, 1853** (Megachilidae) Synonym(s): *sybarita Smith, 1853; ruficollis Sichel, 1873; fossoria Pérez, 1890; duckei Friese, 1899*
- 14615) Osmia (Erythrosmia) andrenoides Spinola, 1808** (Megachilidae) Synonym(s): *andrenoides Spinola, 1808*
- 14616) Osmia (Erythrosmia) erythrogastra Ferton, 1905** (Megachilidae) Synonym(s): *erythrogastra Ferton, 1905*
- 14617) Osmia (Helicosmia) aeruginosa Warncke, 1988** (Megachilidae) Synonym(s): *aeruginosa Warncke, 1988*
- 14618) Osmia (Helicosmia) aquila Warncke, 1988** (Megachilidae) Synonym(s): *aquila Warncke, 1988*
- 14619) Osmia (Helicosmia) aurulenta (Panzer, 1799)** (Megachilidae) Synonym(s): *aurulenta Panzer, 1799; haematoda Panzer, 1801*
- 14620) Osmia (Helicosmia) breviata Warncke, 1988** (Megachilidae) Synonym(s): *breviata Warncke, 1988*
- 14621) Osmia (Helicosmia) brevipes Zanden, 1994** (Megachilidae) Synonym(s): *brevipes Zanden, 1994*
- 14622) Osmia (Helicosmia) caerulea (Linnaeus, 1758)** (Megachilidae) Synonym(s): *caerulea Linnaeus, 1758; aenea Linnaeus, 1761; superbus Harris, 1776; muraria Retzius, 1783; cuprea Geoffroy, 1785; cyanea Fabricius, 1793; purpurea Cresson, 1864; rustica Cresson, 1864*
- 14623) Osmia (Helicosmia) carinoclypearis Wu, 1985** (Megachilidae) Synonym(s): *carinoclypearis Wu, 1985*
- 14624) Osmia (Helicosmia) chrysaetos Warncke, 1988** (Megachilidae) Synonym(s): *chrysaetos Warncke, 1988*
- 14625) Osmia (Helicosmia) cinerea Warncke, 1988** (Megachilidae) Synonym(s): *cinerea Warncke, 1988*
- 14626) Osmia (Helicosmia) clypearis Morawitz, 1871** (Megachilidae) Synonym(s): *clypearis Morawitz, 1871; macedonica Tkalcu, 1979; acuta Warncke, 1988*
- 14627) Osmia (Helicosmia) dimidiata Morawitz, 1870** (Megachilidae) Synonym(s): *dimidiata Morawitz, 1870; taurica Radoszkowski, 1874; rossica Friese, 1899*
- 14628) Osmia (Helicosmia) diomedia Warncke, 1988** (Megachilidae) Synonym(s): *diomedia Warncke, 1988*
- 14629) Osmia (Helicosmia) dives Mocsary, 1877** (Megachilidae) Synonym(s): *dives Mocsary, 1877; medanae Magreti, 1890; subintegra Pérez, 1902; hierosolomita Benoist, 1934*

- 14630) *Osmia (Helicosmia) dlabolae* Tkalcu, 1978** (Megachilidae) Synonym(s): *dlabolae* Tkalcu, 1978
- 14631) *Osmia (Helicosmia) fulviventris* (Panzer, 1798)** (Megachilidae) Synonym(s): *fulviventris* Panzer, 1798
- 14632) *Osmia (Helicosmia) gutturalis* Warncke, 1988** (Megachilidae) Synonym(s): *gutturalis* Warncke, 1988
- 14633) *Osmia (Helicosmia) heliaca* Warncke, 1988** (Megachilidae) Synonym(s): *heliaca* Warncke, 1988
- 14634) *Osmia (Helicosmia) latreillei* (Spinola, 1806)** (Megachilidae) Synonym(s): *latreillei* Spinola, 1806; *nasidens* Latreille, 1811; *quadricornis* Kriechbaumer, 1869; *friesei* Verhoeff, 1892; *iberoafricana* Peters, 1975
- 14635) *Osmia (Helicosmia) leaiana* (Kirby, 1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy, 1785 *nec* Schr., 1781; *leaiana* Kirby, 1802; *confusa* Morawitz, 1869; *solkji* Morawitz, 1870; *bidens* Pérez, 1879; *forsii* Alfken, 1924; *schachti* Warncke, 1988
- 14636) *Osmia (Helicosmia) livida* Tkalcu, 1978** (Megachilidae) Synonym(s): *livida* Tkalcu, 1978
- 14637) *Osmia (Helicosmia) melanogaster* Spinola, 1808** (Megachilidae) Synonym(s): *melanogaster* Spinola, 1808; *aterrima* Morawitz, 1872; *carniolica* Morawitz, 1872; *incerta* Radoszkowski, 1876; *subaenea* Pérez, 1895
- 14638) *Osmia (Helicosmia) milenae* Tkalcu, 1992** (Megachilidae) Synonym(s): *milenae* Tkalcu, 1992
- 14639) *Osmia (Helicosmia) niveata* (Fabricius, 1804)** (Megachilidae) Synonym(s): *niveata* Fabricius, 1804; *fulvicornis* Latreille, 1809; *minuta* Bramson, 1879; *sieversii* Morawitz, 1886; *carneiventris* Dours, 1887; *albiscopa* Alfken, 1914
- 14640) *Osmia (Helicosmia) ocularis* Warncke, 1988** (Megachilidae) Synonym(s): *ocularis* Warncke, 1988
- 14641) *Osmia (Helicosmia) onocrotala* Warncke, 1988** (Megachilidae) Synonym(s): *onocrotala* Warncke, 1988
- 14642) *Osmia (Helicosmia) pennata* Warncke, 1988** (Megachilidae) Synonym(s): *pennata* Warncke, 1988
- 14643) *Osmia (Helicosmia) peregrina* Warncke, 1988** (Megachilidae) Synonym(s): *peregrina* Warncke, 1988
- 14644) *Osmia (Helicosmia) saxatilis* Warncke, 1988** (Megachilidae) Synonym(s): *saxatilis* Warncke, 1988
- 14645) *Osmia (Helicosmia) signata* Erichson, 1835** (Megachilidae) Synonym(s): *signata* Erichson, 1835; *jucunda* Smith, 1853; *vidua* Gerstaecker, 1869; *cincta* Dours, 1873; *taurica* Radoszkowski, 1874; *laticincta* Pérez, 1879; *atriventris* Costa, 1883; *costaniana* Dalla Torre, 1895
- 14646) *Osmia (Helicosmia) sogdiana* Morawitz, 1875** (Megachilidae) Synonym(s): *sogdiana* Morawitz, 1875; *nassonowi* Pérez, 1902
- 14647) *Osmia (Helicosmia) subaenea* Pérez, 1895** (Megachilidae) Synonym(s): *subaenea* Pérez, 1895
- 14648) *Osmia (Helicosmia) subcornuta* Morawitz, 1875** (Megachilidae) Synonym(s): *subcornuta* Morawitz, 1875
- 14649) *Osmia (Helicosmia) torquata* Warncke, 1988** (Megachilidae) Synonym(s): *torquata* Warncke, 1988
- 14650) *Osmia (Helicosmia) ventralis* (Panzer, 1798)** (Megachilidae) Synonym(s): *ventralis* Panzer, 1798
- 14651) *Osmia (Hemiosmia) difficilis* Morawitz, 1875** (Megachilidae) Synonym(s): *difficilis* Morawitz, 1875; *falcata* Morawitz, 1875; *alborufa* Alfken, 1935
- 14652) *Osmia (Hoplosmia) algae* (Tkalcu, 1978)** (Megachilidae) Synonym(s): *algae* Tkalcu, 1978
- 14653) *Osmia (Hoplosmia) bidentata* Morawitz, 1876** (Megachilidae) Synonym(s): *bidentata* Morawitz, 1876; *affinis* Frivaldsky, 1877; *pallens* Tkalcu, 1979
- 14654) *Osmia (Hoplosmia) croatica* Friese, 1893** (Megachilidae) Synonym(s): *croatica* Friese, 1893
- 14655) *Osmia (Hoplosmia) distinguenda* (Tkalcu, 1974)** (Megachilidae) Synonym(s): *distinguenda* Tkalcu, 1974
- 14656) *Osmia (Hoplosmia) elegans* (Tkalcu, 1992)** (Megachilidae) Synonym(s): *elegans* Tkalcu, 1992
- 14657) *Osmia (Hoplosmia) ligurica* Morawitz, 1868** (Megachilidae) Synonym(s): *ligurica* Morawitz, 1868; *detrita* Pérez, 1879
- 14658) *Osmia (Hoplosmia) padri* (Tkalcu, 1974)** (Megachilidae) Synonym(s): *padri* Tkalcu, 1974
- 14659) *Osmia (Hoplosmia) scutellaris* Morawitz, 1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz, 1868
- 14660) *Osmia (Hoplosmia) spinigera* Latreille, 1811** (Megachilidae) Synonym(s): *spinigera* Latreille, 1811; *clavicula* Gerstaecker, 1869
- 14661) *Osmia (Hoplosmia) spinulosa* (Kirby, 1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby, 1802; *euchreiformis* Radoszkowski, 1882
- 14662) *Osmia (Hoplosmia) warnckeii* (Tkalcu, 1992)** (Megachilidae) Synonym(s): *warnckeii* Tkalcu, 1992
- 14663) *Osmia (Melanosmia) parietina* Curtis, 1828** (Megachilidae) Synonym(s): *parietina* Curtis, 1828; *angustula* Zetterstedt, 1838; *vankovitzii* Radoszkowski, 1887
- 14664) *Osmia (Melanosmia) thoracica* Radoszkowsky, 1874** (Megachilidae) Synonym(s): *thoracica* Radoszkowsky, 1874; *pentheri* Kohl, 1905

- 14665) *Osmia (Metallinella) brevicornis* (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935
- 14666) *Osmia (Monosmia) apicata* Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869
- 14667) *Osmia (Neosmia) bicolor* (Schrank,1781)** (Megachilidae) Synonym(s): *bicolor* Schrank,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917
- 14668) *Osmia (Orientosmia) maxillaris* Morawitz,1875** (Megachilidae) Synonym(s): *maxillaris* Morawitz,1875
- 14669) *Osmia (Ozbekosmia) avosetta* Warncke,1988** (Megachilidae) Synonym(s): *avosetta* Warncke,1988
- 14670) *Osmia (Pyrosmia) amathusica* Mavromoustakis,1937** (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937
- 14671) *Osmia (Pyrosmia) cephalotes* Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876
- 14672) *Osmia (Pyrosmia) cyanoxantha* Pérez,1879** (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992
- 14673) *Osmia (Pyrosmia) dilaticornis* Morawitz,1875** (Megachilidae) Synonym(s): *dilaticornis* Morawitz,1875
- 14674) *Osmia (Pyrosmia) forticornis* Zanden,1989** (Megachilidae) Synonym(s): *forticornis* Zanden,1989
- 14675) *Osmia (Pyrosmia) gallarum* Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Ferton,1920
- 14676) *Osmia (Pyrosmia) hellados* Zanden,1984** (Megachilidae) Synonym(s): *hellados* Zanden,1984
- 14677) *Osmia (Pyrosmia) hermona* Warncke,1992** (Megachilidae) Synonym(s): *hermona* Warncke,1992
- 14678) *Osmia (Pyrosmia) laticauda* Stanek,1969** (Megachilidae) Synonym(s): *laticauda* Stanek,1969; *tichodroma* Warncke,1992
- 14679) *Osmia (Pyrosmia) moreensis* Zanden,1984** (Megachilidae) Synonym(s): *moreensis* Zanden,1984
- 14680) *Osmia (Pyrosmia) nana* Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetradonta* Benoist,1934
- 14681) *Osmia (Pyrosmia) nigricollis* Warncke,1992** (Megachilidae) Synonym(s): *nigricollis* Warncke,1992
- 14682) *Osmia (Pyrosmia) oramara* Warncke,1992** (Megachilidae) Synonym(s): *oramara* Warncke,1992
- 14683) *Osmia (Pyrosmia) saxicola* Duche,1899** (Megachilidae) Synonym(s): *saxicola* Duche,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992
- 14684) *Osmia (Pyrosmia) submicans* Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996
- 14685) *Osmia (Pyrosmia) tawildara* Warncke,1992** (Megachilidae) Synonym(s): *tawildara* Warncke,1992
- 14686) *Osmia (Pyrosmia) teunissenii* Zanden,1981** (Megachilidae) Synonym(s): *teunissenii* Zanden,1981
- 14687) *Osmia (Pyrosmia) versicolor* Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992
- 14688) *Osmia (Pyrosmia) viridana* Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984
- 14689) *Osmia (s.str.) ariadne* Peters,1978** (Megachilidae) Synonym(s): *ariadne* Peters,1978
- 14690) *Osmia (s.str.) bicornis* (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Duche,1899
- 14691) *Osmia (s.str.) cerinthidis* Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876
- 14692) *Osmia (s.str.) cornuta* (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978
- 14693) *Osmia (s.str.) mustelina* Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978
- 14694) *Osmia (s.str.) mutensis* Peters,1978** (Megachilidae) Synonym(s): *mutensis* Peters,1978
- 14695) *Osmia (s.str.) nigrohirta* Friese,1899** (Megachilidae) Synonym(s): *nigrohirta* Friese,1899
- 14696) *Osmia (s.str.) rufa* (Linnaeus,1758)** (Megachilidae) Synonym(s): *rufa* Linnaeus,1758; *cornigera* Rossi,1790
- 14697) *Osmia (Tergosmia) glareola* Warncke,1988** (Megachilidae) Synonym(s): *glareola* Warncke,1988

- 14698) *Osmia* (Tergosmia) *pratincta* Warncke, 1988** (Megachilidae) Synonym(s): *pratincta* Warncke, 1988
- 14699) *Osmia* (Tergosmia) *pratincta* Warncke, 1988** (Megachilidae) Synonym(s): *pratincta* Warncke, 1988
- 14700) *Osmia* (Tergosmia) *rhodoensis* (Zanden, 1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden, 1983
- 14701) *Osmia* (Tergosmia) *rhodoensis* (Zanden, 1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden, 1983; *arcuata* Warncke, 1988; *ferina* Warncke, 1988
- 14702) *Osmia* (Tergosmia) *tergestensis* DUCKE, 1897** (Megachilidae) Synonym(s): *tergestensis* DUCKE, 1897; *ononidis* Ferton, 1897; *rondoui* Pérez, 1902; *wolhynica* Noskiewicz, 1922; *atlantica* Benoist, 1934; *remota* Tkalcu, 1979
- 14703) *Paradioxys* *pannonica* Mocsary, 1877** (Megachilidae) Synonym(s): *pannonica* Mocsary, 1877
- 14704) *Protosmia* (Chelostomopsis) *longiceps* (Friese, 1899)** (Megachilidae) Synonym(s): *longiceps* Friese, 1899; *depauperata* Benoist, 1928
- 14705) *Protosmia* (Nanosmia) *limbata* (Benoist, 1935)** (Megachilidae) Synonym(s): *limbata* Benoist, 1935
- 14706) *Protosmia* (s.str.) *exenterata* (Pérez, 1895)** (Megachilidae) Synonym(s): *exenterata* Pérez, 1895
- 14707) *Protosmia* (s.str.) *glutinosa* (Giraud, 1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud, 1871
- 14708) *Protosmia* (s.str.) *humeralis* (Pérez, 1895)** (Megachilidae) Synonym(s): *humeralis* Pérez, 1895
- 14709) *Protosmia* (s.str.) *magnicapitis* (Stanek, 1969)** (Megachilidae) Synonym(s): *magnicapitis* Stanek, 1969
- 14710) *Protosmia* (s.str.) *mirabilis* (Friese, 1899)** (Megachilidae) Synonym(s): *mirabilis* Friese, 1899
- 14711) *Protosmia* (s.str.) *monstrosa* (Pérez, 1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez, 1895; *mirabilis* Friese, 1899
- 14712) *Protosmia* (s.str.) *paradoxa* (Friese, 1899)** (Megachilidae) Synonym(s): *paradoxa* Friese, 1899
- 14713) *Protosmia* (s.str.) *sideritis* Tkalcu, 1978** (Megachilidae) Synonym(s): *sideritis* Tkalcu, 1978
- 14714) *Protosmia* (s.str.) *stigmatica* (Pérez, 1895)** (Megachilidae) Synonym(s): *stigmatica* Pérez, 1895
- 14715) *Protosmia* (s.str.) *tauricola* Popov, 1961** (Megachilidae) Synonym(s): *tauricola* Popov, 1961
- 14716) *Protosmia* (s.str.) *tiflensis* (Morawitz, 1876)** (Megachilidae) Synonym(s): *tiflensis* Morawitz, 1876; *graffei* Schmiedeknecht, 1890
- 14717) *Stelis* (s.str.) *aculeata* Morawitz, 1880** (Megachilidae) Synonym(s): *aculeata* Morawitz, 1880
- 14718) *Stelis* (s.str.) *annulata* (Lepeletier, 1841)** (Megachilidae) Synonym(s): *annulata* Lepeletier, 1841; *freygessneri* Friese, 1885; *hispanica* Dusmet, 1921; *hungarica* Noskiewicz, 1962
- 14719) *Stelis* (s.str.) *breviuscula* (Nylander, 1848)** (Megachilidae) Synonym(s): *breviuscula* Nylander, 1848; *pygmaea* Schenck, 1853; *paxillorum* Chevrier, 1872
- 14720) *Stelis* (s.str.) *denticulata* Friese, 1899** (Megachilidae) Synonym(s): *denticulata* Friese, 1899; *wahrmanni* Mavromoustakis, 1954
- 14721) *Stelis* (s.str.) *gigantea* Friese, 1921** (Megachilidae) Synonym(s): *gigantea* Friese, 1921
- 14722) *Stelis* (s.str.) *iugae* Noskiewicz, 1962** (Megachilidae) Synonym(s): *iugae* Noskiewicz, 1962
- 14723) *Stelis* (s.str.) *minuta* Lepeletier & Audinet-Serville, 1828** (Megachilidae) Synonym(s): *minuta* Lepeletier & Audinet-Serville, 1828; *nana* Schenck, 1853; *minima* Schenck, 1859; *#unicolor* Alfken, 1944
- 14724) *Stelis* (s.str.) *odontopyga* Noskiewicz, 1925** (Megachilidae) Synonym(s): *odontopyga* Noskiewicz, 1925
- 14725) *Stelis* (s.str.) *ornatula* (Klug, 1807)** (Megachilidae) Synonym(s): *ornatula* Klug, 1807; *sexpunctata* Stschegloff, 1826; *octomaculata* Smith, 1843; *sexsignata* Costa, 1858; *immaculata* Noskiewicz, 1925
- 14726) *Stelis* (s.str.) *punctulatissima* (Kirby, 1802)** (Megachilidae) Synonym(s): *punctulatissima* Kirby, 1802; *moravica* Tkalcu, 1970
- 14727) *Stelis* (s.str.) *rhodia* Mavromoustakis, 1959** (Megachilidae) Synonym(s): *rhodia* Mavromoustakis, 1959
- 14728) *Stelis* (s.str.) *ruficornis* Morawitz, 1872** (Megachilidae) Synonym(s): *ruficornis* Morawitz, 1872; *paradoxum* Mocsary, 1884; *lebanensis* Mavromoustakis, 1963
- 14729) *Stelis* (s.str.) *scutellaris* Morawitz, 1894** (Megachilidae) Synonym(s): *scutellaris* Morawitz, 1894; *inamoena* Popov, 1932
- 14730) *Stelis* (s.str.) *signata* (Latreille, 1809)** (Megachilidae) Synonym(s): *signata* Latreille, 1809
- 14731) *Stelis* (s.str.) *simillima* Morawitz, 1876** (Megachilidae) Synonym(s): *simillima* Morawitz, 1876; *cognata* Kohl, 1892; *genalis* Pasteels, 1969
- 14732) *Stelis* (Stelidomorpha) *nasuta* (Latreille, 1809)** (Megachilidae) Synonym(s): *nasuta* Latreille, 1809
- 14733) *Stelis* (Stelidomorpha) *pentelica* Mavromoustakis, 1963** (Megachilidae) Synonym(s): *pentelica* Mavromoustakis, 1963; *bicornuta* Pasteels, 1969
- 14734) *Stenoheriades* *asiaticus* (Friese, 1921)** (Megachilidae) Synonym(s): *asiaticus* Friese, 1921; *coelostoma* Benoist, 1935
- 14735) *Stenoheriades* *hofferi* (Tkalcu, 1984)** (Megachilidae) Synonym(s): *hofferi* Tkalcu, 1984

MEGALODONTESIDAE

- 14736) Megalodontes cephalotes (Fabricius,1781)** (Megalodontesidae) Synonym(s): *cephalotes Fabricius,1781; klugii Leach,1817; spissicornis Klug,1824; fuscipennis Herrich-Schäffer,1840*
- 14737) Megalodontes crassicornis Springate, Burckardt & Springate,2011** (Megalodontesidae) Synonym(s): *crassicornis Springate, Burckardt & Springate,2011*
- 14738) Megalodontes escalerae Konow,1899** (Megalodontesidae) Synonym(s): *escalerae Konow,1899*
- 14739) Megalodontes eversmanni (Freytmuth,1870)** (Megalodontesidae) Synonym(s): *eversmanni Freymuth,1870; loewii Stein,1876; multincta Mocsary,1891*
- 14740) Megalodontes fabricii (Leach,1817)** (Megalodontesidae) Synonym(s): *fabricii Leach,1817; megacephalus Klug,1824; redimita Klug,1824*
- 14741) Megalodontes flabellicornis Germar,1817** (Megalodontesidae) Synonym(s): *flabellicornis Germar,1817; exornatus Zaddach,1866; coronatus Zaddach,1866; albicincta Stein,1876; speciosus Mocsary,1877*
- 14742) Megalodontes flavicornis Klug,1824** (Megalodontesidae) Synonym(s): *flavicornis Klug,1824*
- 14743) Megalodontes jucundus (Mocsary,1891)** (Megalodontesidae) Synonym(s): *jucundus Mocsary,1891*
- 14744) Megalodontes judaicus (Lepeletier,1823)** (Megalodontesidae) Synonym(s): *judaicus Lepeletier,1823; caesariensis Lepeletier,1823; leucostictus Zaddach,1865; punctatus Konow,1898; candidatus Konow,1899*
- 14745) Megalodontes laticeps Konow,1897** (Megalodontesidae) Synonym(s): *laticeps Konow,1897*
- 14746) Megalodontes medius Konow,1897** (Megalodontesidae) Synonym(s): *medius Konow,1897*
- 14747) Megalodontes mocsaryi (André,1881)** (Megalodontesidae) Synonym(s): *mocsaryi André,1881; anatolicus Mocsary,1883*
- 14748) Megalodontes olivieri (Brullé,1846)** (Megalodontesidae) Synonym(s): *olivieri Brullé,1846*
- 14749) Megalodontes phaenicius (Lepeletier,1823)** (Megalodontesidae) Synonym(s): *phoenicius Lepeletier,1823; caucasicus André,1881; imperialis Konow,1897; kohli Konow,1897*
- 14750) Megalodontes quinlani Springate, Burckardt & Springate,2011** (Megalodontesidae) Synonym(s): *quinlani Springate, Burckardt & Springate,2011*
- 14751) Megalodontes reitteri (Konow,1894)** (Megalodontesidae) Synonym(s): *reitteri Konow,1894*
- 14752) Megalodontes turcicus (Mocsary,1881)** (Megalodontesidae) Synonym(s): *turcicus Mocsary,1881; orientalis Mocsary,1881*
- 14753) Megalodontes weiffenbachi Springate, Burckardt & Springate,2011** (Megalodontesidae) Synonym(s): *weiffenbachi Springate, Burckardt & Springate,2011*

MELITTIDAE

- 14754) Dasypoda (Heterodasypoda) pyrotrichia Förster,1855** (Melittidae) Synonym(s): *pyrotrichia Förster,1855*
- 14755) Dasypoda (Megadasypoda) argentata Panzer,1809** (Melittidae) Synonym(s): *argentata Panzer,1809*
- 14756) Dasypoda (Megadasypoda) braccata Eversmann,1852** (Melittidae) Synonym(s): *braccata Eversmann,1852; anatolica Warncke,1973*
- 14757) Dasypoda (Megadasypoda) frieseana Schletterer,1890** (Melittidae) Synonym(s): *frieseana Schletterer,1890*
- 14758) Dasypoda (Megadasypoda) longigena Schletterer,1890** (Melittidae) Synonym(s): *longigena Schletterer,1890*
- 14759) Dasypoda (Megadasypoda) patinyi Michez,2002** (Melittidae) Synonym(s): *patinyi Michez,2002*
- 14760) Dasypoda (Megadasypoda) spinigera Kohl,1905** (Melittidae) Synonym(s): *spinigera Kohl,1905*
- 14761) Dasypoda (Megadasypoda) suripes (Christ,1791)** (Melittidae) Synonym(s): *suripes Christ,1791*
- 14762) Dasypoda (Megadasypoda) visnaga Rossi,1790** (Melittidae) Synonym(s): *visnaga Rossi,1790*
- 14763) Dasypoda (s.str.) hirtipes (Fabricius,1793)** (Melittidae) Synonym(s): *hirtipes Fabricius,1793; graeca Lepeletier,1841*
- 14764) Dasypoda (s.str.) pyriformis Radoszkowski,1887** (Melittidae) Synonym(s): *pyriformis Radoszkowski,1887*
- 14765) Dasypoda (s.str.) tubera Warncke,1973** (Melittidae) Synonym(s): *tubera Warncke,1973*
- 14766) Dasypoda (s.str.) warnckei Michez,2004** (Melittidae) Synonym(s): *warnckei Michez,2004*
- 14767) Macropis europaea Warncke,1973** (Melittidae) Synonym(s): *europaea Warncke,1973*
- 14768) Macropis frivaldszkyi Mocsary,1878** (Melittidae) Synonym(s): *frivaldszkyi Mocsary,1878*
- 14769) Macropis fulvipes (Fabricius,1804)** (Melittidae) Synonym(s): *fulvipes Fabricius,1804*
- 14770) Melitta bicollaris Warncke,1973** (Melittidae) Synonym(s): *bicollaris Warncke,1973*
- 14771) Melitta budensis (Mocsary,1878)** (Melittidae) Synonym(s): *budensis Mocsary,1878*

- 14772) Melitta dimidiata Morawitz,1875** (Melittidae) Synonym(s): *dimidiata* Morawitz,1875; *robusta* Radoszkowski,1876; *hungaria* Mocsary,1883
- 14773) Melitta haemorrhoidalis (Fabricius,1775)** (Melittidae) Synonym(s): *haemorrhoidalis* Fabricius,1775; *dichroa* Gmelin,1790; *chrysura* Kirby,1802
- 14774) Melitta Kirby,1802** (Melittidae) Synonym(s): *Melitta* Kirby,1802; *Cilissa* Leach,1815; *Kirbya* Lepeletier,1841; *Pseudocilissa* Radoszkowski,1891; *Brachycephalapis* Viereck,1909; *Dolichochile* Viereck,1909
- 14775) Melitta leporina (Panzer,1799)** (Melittidae) Synonym(s): *leporina* Panzer,1799; *fortipes* Imhoff,1832; *ruthenica* Radoszkowski,1891; *centaureae* Torka,1922; *nigrinotum* Alfken,1927; *sinkiangensis* Wu,1978
- 14776) Melitta nigricans Alfken,1905** (Melittidae) Synonym(s): *nigricans* Alfken,1905
- 14777) Melitta rasmonti Michez,2007** (Melittidae) Synonym(s): *rasmonti* Michez,2007
- 14778) Melitta wankowiczi Radoszkowski,1891** (Melittidae) Synonym(s): *wankowiczi* Radoszkowski,1891

MELOIDAE

- 14779) Actenodia confluens (Reiche,1866)** (Meloidae) Synonym(s): *confluens* Reiche,1866; *picta* Baudi di Selve,1878; *caudanigra* Abeille de Perrin,1880; *ottomana* Escherich,1899; *mediopartita* Mader,1929; *mediodisjuncta* Pic,1930
- 14780) Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): *peyroni* Reiche,1866; *#peyronis* Reiche,1866
- 14781) Alosimus abeillei (Escherich,1896)** (Meloidae) Synonym(s): *abeillei* Escherich,1896
- 14782) Alosimus armeniacus (Faldermann,1837)** (Meloidae) Synonym(s): *armeniaceus* Faldermann,1837
- 14783) Alosimus castaneus (Escherich,1896)** (Meloidae) Synonym(s): *castaneus* Escherich,1896
- 14784) Alosimus chalybaeus (Tauscher,1812)** (Meloidae) Synonym(s): *chalybaeus* Tauscher,1812
- 14785) Alosimus decolor (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *decolor* Abeille de Perrin,1880
- 14786) Alosimus gracilis (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *gracilis* Abeille de Perrin,1880
- 14787) Alosimus luteus (Waltl,1838)** (Meloidae) Synonym(s): *luteus* Waltl,1838
- 14788) Alosimus marginicollis Haag-Rutenberg,1880** (Meloidae) Synonym(s): *marginicollis* Haag-Rutenberg,1880
- 14789) Alosimus pallidicollis (Gyllenhal,1806)** (Meloidae) Synonym(s): *pallidicollis* Gyllenhal,1806
- 14790) Alosimus reittedianus (Semenov,1990)** (Meloidae) Synonym(s): *reittedianus* Semenov,1990
- 14791) Alosimus smyrnensis (Maran,1942)** (Meloidae) Synonym(s): *smyrnensis* Maran,1942
- 14792) Alosimus syriacus (Linnaeus,1758)** (Meloidae) Synonym(s): *syriacus* Linnaeus,1758; *austriacus* Schrank,1781
- 14793) Apalus apicalis Latreille,1804** (Meloidae) Synonym(s): *apicalis* Latreille,1804
- 14794) Apalus bimaculatus (Linnaeus,1761)** (Meloidae) Synonym(s): *bimaculatus* Linnaeus,1761
- 14795) Apalus bipunctatus Germar,1817** (Meloidae) Synonym(s): *bipunctatus* Germar,1817; *#bipunctatus* Özbek & Szaloki,1998
- 14796) Apalus montanus Escherich,1897** (Meloidae) Synonym(s): *montanus* Escherich,1897
- 14797) Apalus mulsanti (Reiche,1878)** (Meloidae) Synonym(s): *mulsanti* Reiche,1878
- 14798) Apalus necydalaesus (Pallas,1782)** (Meloidae) Synonym(s): *necydalaesus* Pallas,1782
- 14799) Apalus spectabilis Schaum,1859** (Meloidae) Synonym(s): *spectabilis* Schaum,1859
- 14800) Calydus escherichi Reitter,1898** (Meloidae) Synonym(s): *escherichi* Reitter,1898
- 14801) Cerocoma (Meloides) gloriosa Mulsant,1857** (Meloidae) Synonym(s): *gloriosa* Mulsant,1857; *vasvarii* Kaszab,1941; *jodina* Kaszab,1951; *pseudogloriosa* Muehe,1963
- 14802) Cerocoma (Meloides) kunzei Frivaldsky,1835** (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835; *patelligera* Baudi,1878; *patkaii* Kaszab,1941; *kaszabi* Maran,1944; *#violacea* Kaszab,1951; *iranica* Muehe,1963; *palaestinensis* Muehe,1963
- 14803) Cerocoma (Meloides) macedonica Maran,1944** (Meloidae) Synonym(s): *macedonica* Maran,1944
- 14804) Cerocoma (Meloides) marginiventris Reitter,1889** (Meloidae) Synonym(s): *marginiventris* Reitter,1889; *pictiventris* Reitter,1899; *gloriosa* Reitter nec Muls.,1857
- 14805) Cerocoma (Mesocerosoma) scovitzii Faldermann,1837** (Meloidae) Synonym(s): *scovitzii* Faldermann,1837
- 14806) Cerocoma (Metacerocoma) ephesica Reitter,1885** (Meloidae) Synonym(s): *ephesica* Reitter,1885
- 14807) Cerocoma (Metacerocoma) festiva Faldermann,1837** (Meloidae) Synonym(s): *festiva* Faldermann,1837
- 14808) Cerocoma (Metacerocoma) marthae Turco & Bologna,2011** (Meloidae) Synonym(s): *marthae* Turco & Bologna,2011

- 14809) Cerocoma (Metacerocoma) schreberi Fabricius,1781** (Meloidae) Synonym(s): *schreberi Fabricius,1781*
- 14810) Cerocoma adamovichiana (Piller & Mitterpacher,1783)** (Meloidae) Synonym(s): *adamovichiana Piller & Mitterpacher,1783*
- 14811) Cerocoma albopilosa Dvorak,1993** (Meloidae) Synonym(s): *albopilosa Dvorak,1993*
- 14812) Cerocoma bodemeyeri Reitter,1913** (Meloidae) Synonym(s): *bodemeyeri Reitter,1913*
- 14813) Cerocoma dahli Kraatz,1863** (Meloidae) Synonym(s): *dahli Kraatz,1863*
- 14814) Cerocoma malatyensis Kaszab,1941** (Meloidae) Synonym(s): *malatyensis Kaszab,1941*
- 14815) Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi Gyllenhal,1817*
- 14816) Cerocoma schaefferi (Linnaeus,1758)** (Meloidae) Synonym(s): *schaefferi Linnaeus,1758*
- 14817) Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) Synonym(s): *syriaca Abeille de Perrin,1880*
- 14818) Cerocoma turcica Pardo Alcaide,1977** (Meloidae) Synonym(s): *turcica Pardo Alcaide,1977*
- 14819) Ctenopus sp.** (Meloidae) Synonym(s):
- 14820) Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala Pallas,1771*
- 14821) Euzonitis bifasciata Swarts,1808** (Meloidae) Synonym(s): *bifasciata Swarts,1808*
- 14822) Euzonitis fluvipennis (Fabricius,1792)** (Meloidae) Synonym(s): *fluvipennis Fabricius,1792*
- 14823) Euzonitis quadrimaculata (Pallas,1782)** (Meloidae) Synonym(s): *quadrimaculata Pallas,1782; quadripunctata Fabricius,1801; bifasciata Schwarz,1808*
- 14824) Euzonitis rubida (Ménétriés,1832)** (Meloidae) Synonym(s): *rubida Ménétriés,1832*
- 14825) Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata Olivier,1790*
- 14826) Euzonitis terminata (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *terminata Abeille de Perrin,1880; auricoma Escherich,1891; bombycna Escherich,1896; armeniaca Pic,1901*
- 14827) Hycleus birecurvus (Marseul,1870)** (Meloidae) Synonym(s): *birecurvus Marseul,1870; caudaluteus Pic,1930*
- 14828) Hycleus fuscus (Olivier,1811)** (Meloidae) Synonym(s): *fuscus Olivier,1811; deleta Marseul,1870; galatiensis Escherich,1899; alpha Sumakov,1913; beta Sumakov,1913; circascutellaris Pic,1914; iota Sumakov,1930; zeta Sumakov,1930*
- 14829) Hycleus humerosus (Escherich,1899)** (Meloidae) Synonym(s): *humerosus Escherich,1899*
- 14830) Hycleus novemdecimpunctatus (Olivier,1811)** (Meloidae) Synonym(s): *novemdecimpunctatus Olivier,1811*
- 14831) Hycleus polymorphus (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus Pallas,1771; floralis Pallas,1773*
- 14832) Hycleus posticatus (Fairmaire,1892)** (Meloidae) Synonym(s): *posticatus Fairmaire,1892*
- 14833) Hycleus quatuordecimpunctatus (Pallas,1781)** (Meloidae) Synonym(s): *quatuordecimpunctatus Pallas,1781; meliloti Olivier,1811; conbusta Tauscher,1812; confusa Fischer von Waldheim,1827*
- 14834) Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae Olivier,1811; euphratica Marseul,1870; marseuli Ballion,1878; alienigera Heyden,1883; maracadensis Dokhtouroff,1889; auliensis Pic,1901; sicheri Fleischer,1921; eichleri Mader,1927; transcaspensis Pic,1928; delta Sumakov,1930; epsilon Sumakov,1930*
- 14835) Hycleus sexmaculatus (Olivier,1811)** (Meloidae) Synonym(s): *sexmaculatus Olivier,1811; bimaculatus Klug,1845 nec Oliv.,1811; ledereri Marseul,1870*
- 14836) Hycleus tenuepictus (Fairmaire,1892)** (Meloidae) Synonym(s): *tenuepictus Fairmaire,1892; marsabensis Pic,1898*
- 14837) Hycleus zebraeus (Marseul,1870)** (Meloidae) Synonym(s): *zebraea Marseul,1870; tenenbaumi Pic,1928; kervillei Pic,1932*
- 14838) Lampromeloe cavensis (Petagna,1819)** (Meloidae) Synonym(s): *cavensis Petagna,1819; purpurascens Germar,1834; sardous Gené,1836; aeneus Laporte,1840; latreillei Marseul,1867*
- 14839) Lydus anaticus Muche,1962** (Meloidae) Synonym(s): *anaticus Muche,1962*
- 14840) Lydus europaeus Escherich,1897** (Meloidae) Synonym(s): *europaeus Escherich,1897*
- 14841) Lydus gibbifer Escherich,1896** (Meloidae) Synonym(s): *gibbifer Escherich,1896*
- 14842) Lydus humeralis Gyllenhal,1817** (Meloidae) Synonym(s): *humeralis Gyllenhal,1817*
- 14843) Lydus pilicollis Fairmaire,1892** (Meloidae) Synonym(s): *pilicollis Fairmaire,1892*
- 14844) Lydus tarsalis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tarsalis Abeille de Perrin,1880*
- 14845) Lydus tenuitarsis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tenuitarsis Abeille de Perrin,1880*
- 14846) Lydus trimaculatus (Fabricius,1775)** (Meloidae) Synonym(s): *trimaculatus Fabricius,1775*
- 14847) Lydus turcicus Kaszab,1952** (Meloidae) Synonym(s): *turcicus Kaszab,1952*
- 14848) Lydus unicolor Reitter,1887** (Meloidae) Synonym(s): *unicolor Reitter,1887; halbhuberi Escherich,1896*
- 14849) Lytta vesicatoria (Linnaeus,1758)** (Meloidae) Synonym(s): *vesicatoria Linnaeus,1758*
- 14850) Meloe (Anchomeloe) autumnalis (Olivier,1797)** (Meloidae) Synonym(s): *autumnalis Olivier,1797*
- 14851) Meloe (Coelomeloe) tucci Rossi,1792** (Meloidae) Synonym(s): *tucci Rossi,1792; ruficornis Balbi,1897*

- 14852) Meloe (Eurymeloe) brevicollis Panzer, 1793** (Meloidae) Synonym(s): *brevicollis* Panzer, 1793
- 14853) Meloe (Eurymeloe) escherichi Reitter, 1889** (Meloidae) Synonym(s): *escherichi* Reitter, 1889
- 14854) Meloe (Eurymeloe) ganglbaueri Apfelbeck, 1905** (Meloidae) Synonym(s): *ganglbaueri* Apfelbeck, 1905
- 14855) Meloe (Eurymeloe) glasunovi Pliginski, 1910** (Meloidae) Synonym(s): *glasunovi* Pliginski, 1910; *rufotarsalis* Pliginski, 1911
- 14856) Meloe (Eurymeloe) mediterraneus J. Müller, 1925** (Meloidae) Synonym(s): *mediterraneus* J. Müller, 1925
- 14857) Meloe (Eurymeloe) rugosus Marsham, 1802** (Meloidae) Synonym(s): *rugosus* Marsham, 1802; *autumnalis* Leach, 1815 nec Oliv., 1797; *abdominalis* Escherich, 1890
- 14858) Meloe (Eurymeloe) scabriusculus Brandt & Erichson, 1832** (Meloidae) Synonym(s): *scabriusculus* Brandt & Erichson, 1832; *pygmaeus* Baudi di Selve, 1878; *nigra* Pliginski, 1911; *pliginskyi* Kaszab, 1958
- 14859) Meloe (Lampromeloe) variegatus Donovan, 1793** (Meloidae) Synonym(s): *variegatus* Donovan, 1793; *#varigatus* Özbek & Szaloki, 1998
- 14860) Meloe (Lasiomeloe) olivieri (Chevrolat, 1833)** (Meloidae) Synonym(s): *olivieri* Chevrolat, 1833
- 14861) Meloe (Listromeloe) hungarus Schrank, 1776** (Meloidae) Synonym(s): *hungarus* Schrank, 1776; *limbatus* Fabricius, 1801; *marginatus* Tauscher, 1812
- 14862) Meloe (Meloegonius) cicatricosus (Leach, 1815)** (Meloidae) Synonym(s): *cicatricosus* Leach, 1815; *variolosus* Fischer von Waldheim, 1844
- 14863) Meloe (Meloegonius) rufiventris (Germar, 1817)** (Meloidae) Synonym(s): *rufiventris* Germar, 1817; *coriarius* Brandt & Erichson, 1832; *reticulatus* Brandt & Ratzeburg, 1833; *cyanicornis* Escherich, 1889
- 14864) Meloe (s.str.) bodemeyeri Ganglbauer, 1900** (Meloidae) Synonym(s): *bodemeyeri* Ganglbauer, 1900
- 14865) Meloe (s.str.) proscarabaeus Linnaeus, 1758** (Meloidae) Synonym(s): *proscarabaeus* Linnaeus, 1758
- 14866) Meloe (s.str.) violaceus Marsham, 1802** (Meloidae) Synonym(s): *violaceus* Marsham, 1802
- 14867) Meloe (Taphromeloe) erythrocnemus Pallas, 1782** (Meloidae) Synonym(s): *erythrocnemus* Pallas, 1782; *corallipes* Gebler, 1847
- 14868) Micromeloe decorus (Brandt & Erichson, 1832)** (Meloidae) Synonym(s): *decorus* Brandt & Erichson, 1832; *pygmaeus* Redtenbacher, 1849
- 14869) Muzimes bitlisiensis (Kaszab, 1958)** (Meloidae) Synonym(s): *bitlisiensis* Kaszab, 1958
- 14870) Muzimes caucasicus (Maran, 1940)** (Meloidae) Synonym(s): *caucasicus* Maran, 1940; *unicoloriceps* Kaszab, 1958
- 14871) Muzimes collaris (Fabricius, 1787)** (Meloidae) Synonym(s): *collaris* Fabricius, 1787
- 14872) Muzimes dersimensis (Kaszab, 1968)** (Meloidae) Synonym(s): *dersimensis* Kaszab, 1968; *#dersinensis* Özbek & Szaloki, 1998
- 14873) Muzimes erivanicus (Kaszab, 1958)** (Meloidae) Synonym(s): *erivanicus* Kaszab, 1958; *luteiceps* Kaszab, 1958; *nigriceps* Kaszab, 1958; *nigrilabris* Kaszab, 1958; *seminigriceps* Kaszab, 1958
- 14874) Muzimes obenbergeri (Kaszab, 1958)** (Meloidae) Synonym(s): *obenbergeri* Kaszab, 1958
- 14875) Muzimes resslis (Dvorak, 1993)** (Meloidae) Synonym(s): *ressli* Dvorak, 1993
- 14876) Muzimes semiobscurus (Pic, 1898)** (Meloidae) Synonym(s): *semiobscurus* Pic, 1898
- 14877) Muzimes strebai (Maran, 1940)** (Meloidae) Synonym(s): *strebai* Maran, 1940
- 14878) Muzimes tauricus (Maran, 1940)** (Meloidae) Synonym(s): *tauricus* Maran, 1940
- 14879) Mylabris (Argabris) klugi Redtenbacher, 1850** (Meloidae) Synonym(s): *klugi* Redtenbacher, 1850; *graffi* Pic, 1947
- 14880) Mylabris (Chalcabris) festiva (Pallas, 1773)** (Meloidae) Synonym(s): *festiva* Pallas, 1773; *sericea* Pallas, 1782
- 14881) Mylabris (Chalcabris) formosa Welman, 1910** (Meloidae) Synonym(s): *decora* Frivaldsky, 1835; *formosa* Welman, 1910
- 14882) Mylabris (Chrysabris) terraturcica Koçak & Kemal, 2010** (Meloidae) Synonym(s): *marginata* Fischer von Waldheim, 1844 nec Fabr., 1792; *terraturcica* Koçak & Kemal, 2010
- 14883) Mylabris (Eumylabris) breveapicalis (Pic, 1919)** (Meloidae) Synonym(s): *breveapicalis* Pic, 1919
- 14884) Mylabris (Eumylabris) calida (Pallas, 1782)** (Meloidae) Synonym(s): *calida* Pallas, 1782; *maculata* Olivier, 1795; *bimaculata* Olivier, 1811; *decora* Olivier, 1811; *maura* Chevrolat, 1837; *niligena* Reiche, 1865; *maroccana* Escherich, 1899; *bimaculaticeps* Pic, 1920; *tlemceni* Pic, 1930
- 14885) Mylabris (Eumylabris) cincta Olivier, 1811** (Meloidae) Synonym(s): *cincta* Olivier, 1811; *tiflensis* Billberg, 1813; *matthesi* Faldermann, 1837; *bicolor* Waltl, 1838; *taeniata* Waltl, 1838; *tricingulata* Redtenbacher, 1850; *jugatoria* Reiche, 1865; *soubironi* Pic, 1921; *#cincat* Kaszab, 1968
- 14886) Mylabris (Eumylabris) crocata (Pallas, 1782)** (Meloidae) Synonym(s): *crocata* Pallas, 1782; *duodecimpunctata* Tauscher, 1812
- 14887) Mylabris (Eumylabris) fabricii Sumakov, 1924** (Meloidae) Synonym(s): *decimpunctata* Petagna, 1787 nec Fabr., 1781; *forti* Mulsant, 1857; *fabricii* Sumakov, 1924
- 14888) Mylabris (Eumylabris) schrenki Gebler, 1841** (Meloidae) Synonym(s): *schrenki* Gebler, 1841; *reitteri* Dokhtourov, 1889

- 14889) Mylabris (Micrabris) furcimacula Shumakov,1915** (Meloidae) Synonym(s): *furcimacula Shumakov,1915*
- 14890) Mylabris (Micrabris) geminata Fabricius,1798** (Meloidae) Synonym(s): *geminata Fabricius,1798*
- 14891) Mylabris (Micrabris) inculta (Escherich,1899)** (Meloidae) Synonym(s): *inculta Escherich,1899; humeromaculata Mader,1929*
- 14892) Mylabris (Micrabris) laevicollis Marseul,1870** (Meloidae) Synonym(s): *laevicollis Marseul,1870*
- 14893) Mylabris (Micrabris) modesta (Escherich,1899)** (Meloidae) Synonym(s): *modesta Escherich,1899*
- 14894) Mylabris (Micrabris) pentheri Ganglbauer,1905** (Meloidae) Synonym(s): *pentheri Ganglbauer,1905*
- 14895) Mylabris (Micrabris) pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla Olivier,1811*
- 14896) Mylabris (Micrabris) serena (Escherich,1899)** (Meloidae) Synonym(s): *serena Escherich,1899*
- 14897) Mylabris (Micrabris) sexnotata Redtenbacher,1843** (Meloidae) Synonym(s): *sexnotata Redtenbacher,1843*
- 14898) Mylabris (Micrabris) sinuata Klug,1845** (Meloidae) Synonym(s): *sinuata Klug,1845*
- 14899) Mylabris (Micrabris) tomentosa (Escherich,1899)** (Meloidae) Synonym(s): *tomentosa Escherich,1899; externeundulata Pic,1919; kulpensis Pic,1919*
- 14900) Mylabris (s.str.) delagrangiei (Pic,1899)** (Meloidae) Synonym(s): *delagrangiei Pic,1899*
- 14901) Mylabris (s.str.) olivieri Billberg,1813** (Meloidae) Synonym(s): *olivieri Billberg,1813; caspia Ménétériés,1832; grisescens Reiche,1865; impar Baudi,1878; impexa Escherich,1899; kopetensis Pic,1930*
- 14902) Mylabris (s.str.) quadripunctata (Linnaeus,1767)** (Meloidae) Synonym(s): *quadripunctata Linnaeus,1767; melanura Pallas,1781; decimpunctata Fabricius,1781; octopunctata Olivier,1811; adamsi Fischer von Waldheim,1824; armeniaca Faldermann,1837; restricta Motschoulsky,1849; maldinesi Chevrolat,1865*
- 14903) Mylabris (s.str.) suturalis (Pic,1898)** (Meloidae) Synonym(s): *suturalis Pic,1898; morgani Pic,1920*
- 14904) Mylabris (s.str.) tauricola Marseul,1870** (Meloidae) Synonym(s): *tauricola Marseul,1870*
- 14905) Mylabris (s.str.) variabilis (Pallas,1781)** (Meloidae) Synonym(s): *cichorii Linnaeus,1767; variabilis Pallas,1781; lacera Fischer von Waldheim,1827; mutans Guérin de Ménéville,1834; hypocrita Mulsant,1857; similaris Mulsant,1857; disrupta Baudi,1878; erivanica Pic,1901*
- 14906) Mylabris (Zitunabris) syriaca Klug,1845** (Meloidae) Synonym(s): *gebleri Faldermann,1837; syriaca Klug,1845; intersecta Reiche,1857; smyrnensis Escherich,1899*
- 14907) Mylabris apicenigra Sumakov,1915** (Meloidae) Synonym(s): *apicenigra Sumakov,1915*
- 14908) Mylabris ciliciensis (Escherich,1899)** (Meloidae) Synonym(s): *ciliciensis Escherich,1899; alpha Sumakov,1913*
- 14909) Mylabris cingulata Faldermann,1837** (Meloidae) Synonym(s): *cingulata Faldermann,1837*
- 14910) Mylabris concolor Marseul,1870** (Meloidae) Synonym(s): *concolor Marseul,1870*
- 14911) Mylabris decempunctata Fabricius,1781** (Meloidae) Synonym(s): *decempunctata Fabricius,1781*
- 14912) Mylabris decore Frivaldsky,1835** (Meloidae) Synonym(s): *decore Frivaldsky,1835*
- 14913) Mylabris emiliae (Escherich,1899)** (Meloidae) Synonym(s): *emiliae Escherich,1899*
- 14914) Mylabris externepunctata Faldermann,1832** (Meloidae) Synonym(s): *externepunctata Faldermann,1832*
- 14915) Mylabris flavipennis Motschulsky,1872** (Meloidae) Synonym(s): *flavipennis Motschulsky,1872*
- 14916) Mylabris furcimacula Sumakov,1915** (Meloidae) Synonym(s): *furcimacula Sumakov,1915*
- 14917) Mylabris inculta Escherich,1899** (Meloidae) Synonym(s): *inculta Escherich,1899*
- 14918) Mylabris ledereri Marseul,1870** (Meloidae) Synonym(s): *ledereri Marseul,1870*
- 14919) Mylabris modesta (Escherich,1899)** (Meloidae) Synonym(s): *modesta Escherich,1899; elbursiensis Aksentjev,1985*
- 14920) Mylabris munda Escherich,1897** (Meloidae) Synonym(s): *munda Escherich,1897*
- 14921) Mylabris sericea Pallas,1782** (Meloidae) Synonym(s): *sericea Pallas,1782*
- 14922) Mylabris steppensis (Dokhtourov,1890)** (Meloidae) Synonym(s): *steppensis Dokhtourov,1890*
- 14923) Nemognatha (s.str.) chrysomelina (Fabricius,1775)** (Meloidae) Synonym(s): *chrysomelina Fabricius,1775; flavipes Ménétériés,1849; nigripes Suffrian,1853; asiatica Motschulsky,1872; maculicollis Fairmaire,1875; unipunctata Beauregard,1890; akbesiana Pic,1897; atripennis Chobaut,1898; #chrysomelira Özbek & Szaloki,1998*
- 14924) Oenas afer (Linnaeus,1767)** (Meloidae) Synonym(s): *afer Linnaeus,1767; atrata Fabricius,1775*
- 14925) Oenas armeniacus Kaszab,1951** (Meloidae) Synonym(s): *armeniaceus Kaszab,1951*
- 14926) Oenas crassicornis (Illiger,1800)** (Meloidae) Synonym(s): *crassicornis Illiger,1800*
- 14927) Oenas tarsensis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tarsensis Abeille de Perrin,1880*
- 14928) Oenas tenuicornis Abeille de Perrin,1880** (Meloidae) Synonym(s): *tenuicornis Abeille de Perrin,1880; #tenuitarsis Kaszab,1968*
- 14929) Oenas wilhelmsi Faldermann,1832** (Meloidae) Synonym(s): *wilhelmsi Faldermann,1832; armeniacus Kaszab,1951*
- 14930) Sitaris minutus Pic,1932** (Meloidae) Synonym(s): *minutus Pic,1932*
- 14931) Sitaris rufiventris Kraatz,1884** (Meloidae) Synonym(s): *rufiventris Kraatz,1884*

- 14932) Sitaris solieri Pecchioli, 1839** (Meloidae) Synonym(s): *solieri* Pecchioli, 1839; *longicornis* Kraatz, 1858; *lativentris* Schaufuss, 1861; *apicalis* Escherich, 1897; *tibialis* Ragusa, 1898; *corzoi* Pardo Alcaide, 1950
- 14933) Stenodera anatolica Frivaldsky, 1884** (Meloidae) Synonym(s): *anatolica* Frivaldsky, 1884
- 14934) Stenodera caucasica (Pallas, 1781)** (Meloidae) Synonym(s): *caucasica* Pallas, 1781
- 14935) Stenodera coeruleiceps Fairmaire, 1892** (Meloidae) Synonym(s): *coeruleiceps* Fairmaire, 1892
- 14936) Stenodera oculifera Abeille de Perrin, 1880** (Meloidae) Synonym(s): *oculifera* Abeille de Perrin, 1880
- 14937) Stenodera puncticollis (Chevrolat, 1829)** (Meloidae) Synonym(s): *puncticollis* Chevrolat, 1829
- 14938) Stenoria analis Schaum, 1859** (Meloidae) Synonym(s): *analis* Schaum, 1859; *adusta* Schaum, 1859; *colletis* Mayet, 1874
- 14939) Stenoria apicalis (Latreille, 1804)** (Meloidae) Synonym(s): *apicalis* Latreille, 1804
- 14940) Syriolytta vulneratus (Fairmaire, 1892)** (Meloidae) Synonym(s): *vulneratus* Fairmaire, 1892; *suturifera* Pic, 1899; *fairmairei* Borchmann, 1917
- 14941) Taphromeloe erythrocnemus (Pallas, 1782)** (Meloidae) Synonym(s): *erythrocnemus* Pallas, 1782; *corallipes* Gebler, 1847
- 14942) Teratolytta carlae Bologna, 2006** (Meloidae) Synonym(s): *carlae* Bologna, 2006
- 14943) Teratolytta dives (Brullé, 1832)** (Meloidae) Synonym(s): *dives* Brullé, 1832; *phalerata* Frivaldsky, 1837; *vittata* Kiesenwetter, 1861; *excellens* Escherich, 1894
- 14944) Teratolytta dvoraki Bologna, 2006** (Meloidae) Synonym(s): *dvoraki* Bologna, 2006
- 14945) Teratolytta flavipes (Mulsant & Rey, 1858)** (Meloidae) Synonym(s): *flavipes* Mulsant & Rey, 1858; *semividua* Abeille de Perrin, 1895; *saphirina* Abeille de Perrin, 1895
- 14946) Teratolytta gentilis (Frivaldsky, 1877)** (Meloidae) Synonym(s): *gentilis* Frivaldsky, 1877; *violaceipennis* Beauregard, 1890; *#coeruleipennis* Escherich, 1894; *coonensis* G. Müller, 1936
- 14947) Teratolytta kulzeri Kaszab, 1958** (Meloidae) Synonym(s): *kulzeri* Kaszab, 1958
- 14948) Teratolytta monticola Bologna, 2006** (Meloidae) Synonym(s): *monticola* Bologna, 2006
- 14949) Teratolytta senilis (Abeille de Perrin, 1895)** (Meloidae) Synonym(s): *senilis* Abeille de Perrin, 1895; *bytinskii* Kaszab, 1957
- 14950) Teratolytta taurica Bologna, 2006** (Meloidae) Synonym(s): *taurica* Bologna, 2006
- 14951) Teratolytta vanensis Kaszab, 1968** (Meloidae) Synonym(s): *vanensis* Kaszab, 1968
- 14952) Trichomeloe chrysocomus (Miller, 1861)** (Meloidae) Synonym(s): *chrysocomus* Miller, 1861
- 14953) Trichomeloe conicicollis (Reitter, 1907)** (Meloidae) Synonym(s): *conicicollis* Reitter, 1907
- 14954) Trichomeloe deflexus (Reitter, 1889)** (Meloidae) Synonym(s): *deflexus* Reitter, 1889
- 14955) Trichomeloe ottomanus (Pliginskij, 1914)** (Meloidae) Synonym(s): *ottomanus* Pliginskij, 1914
- 14956) Trichomeloe sericellus (Reiche & Saulcy, 1857)** (Meloidae) Synonym(s): *sericellus* Reiche & Saulcy, 1857
- 14957) Zonitis bellieri Reiche, 1860** (Meloidae) Synonym(s): *bellieri* Reiche, 1860; *turcica* Frivaldsky, 1877
- 14958) Zonitis escherichi Semenov, 1893** (Meloidae) Synonym(s): *escherichi* Semenov, 1893
- 14959) Zonitis flava Fabricius, 1775** (Meloidae) Synonym(s): *flava* Fabricius, 1775; *praeusta* Fabricius, 1792; *thoracica* Laporte, 1840
- 14960) Zonitis gibbicollis Abeille de Perrin, 1880** (Meloidae) Synonym(s): *gibbicollis* Abeille de Perrin, 1880
- 14961) Zonitis immaculata (Olivier, 1790)** (Meloidae) Synonym(s): *immaculata* Olivier, 1790; *mutica* Scriba, 1790; *gibbicollis* Abeille de Perrin, 1880
- 14962) Zonitis microcephala Escherich, 1897** (Meloidae) Synonym(s): *microcephala* Escherich, 1897
- 14963) Zonitis nana Ragusa, 1882** (Meloidae) Synonym(s): *nana* Ragusa, 1882; *laevicollis* Escherich, 1891
- 14964) Zonitis nigriventris Motschulsky, 1845** (Meloidae) Synonym(s): *nigriventris* Motschulsky, 1845
- 14965) Zonitis ruficollis Frivaldsky, 1877** (Meloidae) Synonym(s): *ruficollis* Frivaldsky, 1877; *rubricollis* Abeille de Perrin, 1880; *abeillei* Bedel, 1892; *thoracica* Escherich, 1892

MELYRIDAE

- 14966) Acromalachus clavicornis (Peyron, 1877)** (Melyridae) Synonym(s): *clavicornis* Peyron, 1877
- 14967) Acromalachus flexicornis (Baudi di Selve, 1873)** (Melyridae) Synonym(s): *flexicornis* Baudi di Selve, 1873
- 14968) Anthocomus equestris (Fabricius, 1781)** (Melyridae) Synonym(s): *equestris* Fabricius, 1781
- 14969) Anthocomus fasciatus (Linnaeus, 1758)** (Melyridae) Synonym(s): *fasciatus* Linnaeus, 1758
- 14970) Anthocomus humeralis Morawitz, 1861** (Melyridae) Synonym(s): *humeralis* Morawitz, 1861
- 14971) Anthocomus infasciatus Pic, 1901** (Melyridae) Synonym(s): *infasciatus* Pic, 1901
- 14972) Anthocomus miniatus (Kolenati, 1846)** (Melyridae) Synonym(s): *miniatus* Kolenati, 1846
- 14973) Anthocomus pupillatus Abeille de Perrin, 1890** (Melyridae) Synonym(s): *pupillatus* Abeille de Perrin, 1890
- 14974) Anthocomus smyrnensis Wittmer, 1971** (Melyridae) Synonym(s): *smyrnensis* Wittmer, 1971

- 14975) Anthocomus thalassinus (Abeille de Perrin,1883)** (Melyridae) Synonym(s): *thalassinus* Abeille de Perrin,1883
- 14976) Anthocomus tricoloripennis Evers,1949** (Melyridae) Synonym(s): *tricoloripennis* Evers,1949
- 14977) Anthomalachius pseudospinosus (Medvedev,1964)** (Melyridae) Synonym(s): *pseudospinosus* Medvedev,1964
- 14978) Anthomalachius strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885; *vulneratus* Abeille de Perrin,1891
- 14979) Aplocnemus pertusus (Kiesenwetter,1859)** (Melyridae) Synonym(s): *pertusus* Kiesenwetter,1859
- 14980) Aplocnemus reitteri (Schilsky,1894)** (Melyridae) Synonym(s): *reitteri* Schilsky,1894
- 14981) Aplocnemus syriacus (Schilsky,1894)** (Melyridae) Synonym(s): *syriacus* Schilsky,1894
- 14982) Attalus analis (Panzer,1796)** (Melyridae) Synonym(s): *analis* Panzer,1796
- 14983) Attalus sicanus Erichson,1840** (Melyridae) Synonym(s): *sicanus* Erichson,1840; *testaceipes* Pic,1903
- 14984) Axinotarsus anatolicus Evers,1961** (Melyridae) Synonym(s): *anatolicus* Evers,1961
- 14985) Brachemys brevipennis (Laporte de Castelnau,1836)** (Melyridae) Synonym(s): *brevipennis* Laporte de Castelnau,1836
- 14986) Brachemys heydeni Flach,1895** (Melyridae) Synonym(s): *heydeni* Flach,1895
- 14987) Cephaloncus albozonatus (Abeille de Perrin,1883)** (Melyridae) Synonym(s): *albozonatus* Abeille de Perrin,1883; *tauricus* Wittmer,1988
- 14988) Cephaloncus karsensis Wittmer,1995** (Melyridae) Synonym(s): *karsensis* Wittmer,1995
- 14989) Cephaloncus rhinocerus (Marseul,1868)** (Melyridae) Synonym(s): *rhinocerus* Marseul,1868
- 14990) Cerapheles terminatus (Ménétriés,1832)** (Melyridae) Synonym(s): *terminatus* Ménétriés,1832
- 14991) Cerapheles zoelleri Flach,1895** (Melyridae) Synonym(s): *zoelleri* Flach,1895
- 14992) Ceratistes dilaticornis (Germar,1824)** (Melyridae) Synonym(s): *dilaticornis* Germar,1824
- 14993) Chaetomalachius cyanellus (Kiesenwetter,1863)** (Melyridae) Synonym(s): *cyanellus* Kiesenwetter,1863
- 14994) Charopus crassicornis Wittmer,1975** (Melyridae) Synonym(s): *crassicornis* Wittmer,1975
- 14995) Charopus diversipennis Pic,1906** (Melyridae) Synonym(s): *diversipennis* Pic,1906
- 14996) Charopus madidus Kiesenwetter,1863** (Melyridae) Synonym(s): *madidus* Kiesenwetter,1863
- 14997) Charopus philoctetes Abeille de Perrin,1885** (Melyridae) Synonym(s): *philoctetes* Abeille de Perrin,1885
- 14998) Chionotopus humeralis (Reiche,1857)** (Melyridae) Synonym(s): *humeralis* Reiche,1857
- 14999) Clanoptilus (Hypoptilus) assimilis (Baudi di Selve,1873)** (Melyridae) Synonym(s): *assimilis* Baudi di Selve,1873
- 15000) Clanoptilus (Hypoptilus) erythroptilus (Erichson,1840)** (Melyridae) Synonym(s): *erythroptilus* Erichson,1840
- 15001) Clanoptilus (s.str.) affinis (Ménétriés,1832)** (Melyridae) Synonym(s): *affinis* Ménétriés,1832
- 15002) Clanoptilus (s.str.) amanicola (Abeille de Perrin,1900)** (Melyridae) Synonym(s): *amanicola* Abeille de Perrin,1900
- 15003) Clanoptilus (s.str.) ambiguus (Peyron,1877)** (Melyridae) Synonym(s): *ambiguus* Peyron,1877
- 15004) Clanoptilus (s.str.) anatolicus (Wittmer,1986)** (Melyridae) Synonym(s): *anatolicus* Wittmer,1986
- 15005) Clanoptilus (s.str.) colasi (Wittmer,1967)** (Melyridae) Synonym(s): *colasi* Wittmer,1967
- 15006) Clanoptilus (s.str.) danieli (Abeille de Perrin,1893)** (Melyridae) Synonym(s): *danieli* Abeille de Perrin,1893
- 15007) Clanoptilus (s.str.) durandi (Pardo,1970)** (Melyridae) Synonym(s): *durandi* Pardo,1970
- 15008) Clanoptilus (s.str.) elegans (Olivier,1790)** (Melyridae) Synonym(s): *elegans* Olivier,1790
- 15009) Clanoptilus (s.str.) geniculatus (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824
- 15010) Clanoptilus (s.str.) heliophilus (Peyron,1877)** (Melyridae) Synonym(s): *heliophilus* Peyron,1877
- 15011) Clanoptilus (s.str.) malatyensis Wittmer,1988** (Melyridae) Synonym(s): *malatyensis* Wittmer,1988
- 15012) Clanoptilus (s.str.) marginellus (Olivier,1790)** (Melyridae) Synonym(s): *marginellus* Olivier,1790
- 15013) Clanoptilus (s.str.) pherecles (Reitter,1898)** (Melyridae) Synonym(s): *pherecles* Reitter,1898
- 15014) Clanoptilus (s.str.) piceoterminalis (Pic,1911)** (Melyridae) Synonym(s): *piceoterminalis* Pic,1911
- 15015) Clanoptilus (s.str.) politus Wittmer,1988** (Melyridae) Synonym(s): *politus* Wittmer,1988
- 15016) Clanoptilus (s.str.) spinipennis (Erichson,1840)** (Melyridae) Synonym(s): *spinipennis* Erichson,1840
- 15017) Clanoptilus (s.str.) strangulatus (Abeille de Perrin,1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885
- 15018) Clanoptilus (s.str.) viridanus (Mulsant,1852)** (Melyridae) Synonym(s): *viridanus* Mulsant,1852

- 15019) *Clanoptilus maculiventris* (Chevrolat,1864)** (Melyridae) Synonym(s): *maculiventris* Chevrolat,1864
- 15020) *Colotes flavicinctus* Marseul,1868** (Melyridae) Synonym(s): *flavicinctus* Marseul,1868
- 15021) *Colotes maculatus* (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836
- 15022) *Colotes obsoletus* Erichson,1840** (Melyridae) Synonym(s): *obsoletus* Erichson,1840
- 15023) *Colotes punctatus* (Erichson,1840)** (Melyridae) Synonym(s): *punctatus* Erichson,1840
- 15024) *Cordylepherus koenigi* (Abeille de Perrin,1900)** (Melyridae) Synonym(s): *koenigi* Abeille de Perrin,1900
- 15025) *Cyrtosus anceyi* Abeille de Perrin,1869** (Melyridae) Synonym(s): *anceyi* Abeille de Perrin,1869
- 15026) *Cyrtosus corniculatus* (Kraatz & Kiesenwetter,1864)** (Melyridae) Synonym(s): *corniculatus* Kraatz & Kiesenwetter,1864
- 15027) *Cyrtosus nitidicollis* (Chevrolat,1873)** (Melyridae) Synonym(s): *nitidicollis* Chevrolat,1873
- 15028) *Danacaea marginata* (Küster,1851)** (Melyridae) Synonym(s): *marginata* Küster,1851
- 15029) *Danacaea taurica* Baudi di Selve,1873** (Melyridae) Synonym(s): *taurica* Baudi di Selve,1873
- 15030) *Dasytes akbesianus* Pic,1894** (Melyridae) Synonym(s): *akbesianus* Pic,1894
- 15031) *Dasytes laevicollis* Schilsky,1897** (Melyridae) Synonym(s): *laevicollis* Schilsky,1897
- 15032) *Dasytes moniliatus* Kiesenwetter,1863** (Melyridae) Synonym(s): *moniliatus* Kiesenwetter,1863
- 15033) *Dasytes murinus* Schilsky,1894** (Melyridae) Synonym(s): *murinus* Schilsky,1894
- 15034) *Dasytes orientalis* Schilsky,1894** (Melyridae) Synonym(s): *orientalis* Schilsky,1894
- 15035) *Dasytes plumbeus* (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus* O.F.Müller,1776
- 15036) *Dasytes tardus* Schaufuss,1876** (Melyridae) Synonym(s): *tardus* Schaufuss,1876
- 15037) *Dasytes torretassoi* Pic,1934** (Melyridae) Synonym(s): *torretassoi* Pic,1934
- 15038) *Dasytes virens* (Marshall,1802)** (Melyridae) Synonym(s): *virens* Marshall,1802
- 15039) *Dasytidius brevicornis* Majer,1996** (Melyridae) Synonym(s): *brevicornis* Majer,1996
- 15040) *Dasytidius congruens* Majer,1989** (Melyridae) Synonym(s): *congruens* Majer,1989
- 15041) *Dasytidius fulvipes* (Reitter,1885)** (Melyridae) Synonym(s): *fulvipes* Reitter,1885
- 15042) *Dasytidius funebris* Majer,1989** (Melyridae) Synonym(s): *funebris* Majer,1989
- 15043) *Dasytidius impar* Majer,1996** (Melyridae) Synonym(s): *impar* Majer,1996
- 15044) *Dasytidius indutus* Kiesenwetter,1859** (Melyridae) Synonym(s): *indutus* Kiesenwetter,1859
- 15045) *Dasytidius infinitus* Majer,1991** (Melyridae) Synonym(s): *infinitus* Majer,1991
- 15046) *Dasytidius kalalovae* Majer,1991** (Melyridae) Synonym(s): *kalalovae* Majer,1991
- 15047) *Dasytidius latissimus* Majer,1989** (Melyridae) Synonym(s): *latissimus* Majer,1989
- 15048) *Dasytidius malkini* Majer,1996** (Melyridae) Synonym(s): *malkini* Majer,1996
- 15049) *Dasytidius mantici* Majer** (Melyridae) Synonym(s):
- 15050) *Dasytidius nigripes* (Pic,1894)** (Melyridae) Synonym(s): *nigripes* Pic,1894
- 15051) *Dasytidius optivus* Majer,1989** (Melyridae) Synonym(s): *optivus* Majer,1989
- 15052) *Dasytidius prosperus* Majer,1989** (Melyridae) Synonym(s): *prosperus* Majer,1989
- 15053) *Dasytidius syriacus* (Reitter,1885)** (Melyridae) Synonym(s): *syriacus* Reitter,1885
- 15054) *Dasytiscus amasyanus* Majer,1996** (Melyridae) Synonym(s): *amasyanus* Majer,1996
- 15055) *Dasytiscus flaveolus* Reitter,1889** (Melyridae) Synonym(s): *flaveolus* Reitter,1889
- 15056) *Dasytiscus hladili* Majer,1988** (Melyridae) Synonym(s): *hladili* Majer,1988
- 15057) *Dasytiscus praecox* (Küster,1851)** (Melyridae) Synonym(s): *praecox* Küster,1851
- 15058) *Dasytiscus rufipennis* Majer,1996** (Melyridae) Synonym(s): *rufipennis* Majer,1996
- 15059) *Ebaeus anatolicus* Wittmer,1986** (Melyridae) Synonym(s): *anatolicus* Wittmer,1986
- 15060) *Ebaeus appendiculatus* Erichson,1840** (Melyridae) Synonym(s): *appendiculatus* Erichson,1840
- 15061) *Ebaeus baudueri* Peyron,1877** (Melyridae) Synonym(s): *baudueri* Peyron,1877
- 15062) *Ebaeus bleusei* Abeille de Perrin,1900** (Melyridae) Synonym(s): *bleusei* Abeille de Perrin,1900
- 15063) *Ebaeus caspius* Peyron,1877** (Melyridae) Synonym(s): *caspius* Peyron,1877
- 15064) *Ebaeus coerulescens* Erichson,1840** (Melyridae) Synonym(s): *coerulescens* Erichson,1840
- 15065) *Ebaeus flavicornis* Erichson,1840** (Melyridae) Synonym(s): *flavicornis* Erichson,1840
- 15066) *Ebaeus flavobullatus* Marseul,1868** (Melyridae) Synonym(s): *flavobullatus* Marseul,1868; *orientalis* Wittmer,1979
- 15067) *Ebaeus medvedevi* Wittmer,1970** (Melyridae) Synonym(s): *medvedevi* Wittmer,1970
- 15068) *Ebaeus rosinae* Pic,1902** (Melyridae) Synonym(s): *rosinae* Pic,1902
- 15069) *Ebaeus rubetorum* Peyron,1877** (Melyridae) Synonym(s): *rubetorum* Peyron,1877
- 15070) *Ebaeus turcicus* Wittmer,1968** (Melyridae) Synonym(s): *turcicus* Wittmer,1968
- 15071) *Ebaeus vesiculiger* (Marseul,1868)** (Melyridae) Synonym(s): *vesiculiger* Marseul,1868
- 15072) *Embrocus turcicus* (Wittmer,1964)** (Melyridae) Synonym(s): *turcicus* Wittmer,1964
- 15073) *Enicopus hirtus* (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787
- 15074) *Enicopus pilosus* (Scopoli,1763)** (Melyridae) Synonym(s): *pilosus* Scopoli,1763; *acutatus* Boieldieu,1859; *falculifer* Fairmaire,1859; *subvittatus* Fairmaire,1859

- 15075) Flabellomalachius flabellatus (Frivaldsky,1835)** (Melyridae) Synonym(s): *flabellatus Frivaldsky,1835*
- 15076) Haplomalachius akbesianus (Pic,1898)** (Melyridae) Synonym(s): *akbesianus Pic,1898*
- 15077) Haplomalachius flabellatus (Frivaldsky,1835)** (Melyridae) Synonym(s): *flabellatus Frivaldsky,1835*
- 15078) Haplomalachius karsensis Wittmer,1988** (Melyridae) Synonym(s): *karsensis Wittmer,1988*
- 15079) Haplothrix captiosa Majer,1989** (Melyridae) Synonym(s): *captiosa Majer,1989*
- 15080) Haplothrix mera Majer,1989** (Melyridae) Synonym(s): *mera Majer,1989*
- 15081) Haplothrix prudeki Majer,1996** (Melyridae) Synonym(s): *prudeki Majer,1996*
- 15082) Haplothrix pusilla (Schilsky,1896)** (Melyridae) Synonym(s): *pusilla Schilsky,1896*
- 15083) Haplothrix sp.** (Melyridae) Synonym(s):
- 15084) Hypebaeus flavicollis (Erichson,1840)** (Melyridae) Synonym(s): *flavicollis Erichson,1840*
- 15085) Malachiomimus laticeps (Pic,1910)** (Melyridae) Synonym(s): *laticeps Pic,1910*
- 15086) Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus Linnaeus,1758*
- 15087) Malachius anatolicus Wittmer,1974** (Melyridae) Synonym(s): *anatolicus Wittmer,1974*
- 15088) Malachius armeniacus Ménétériés,1832** (Melyridae) Synonym(s): *armeniaceus Ménétériés,1832*
- 15089) Malachius artvinensis Wittmer,1974** (Melyridae) Synonym(s): *artvinensis Wittmer,1974*
- 15090) Malachius bingoelensis Wittmer,1999** (Melyridae) Synonym(s): *bingoelensis Wittmer,1999*
- 15091) Malachius bipustulatus (Linnaeus,1758)** (Melyridae) Synonym(s): *bipustulatus Linnaeus,1758*
- 15092) Malachius caramanicus (Pic,1912)** (Melyridae) Synonym(s): *caramanicus Pic,1912*
- 15093) Malachius carnifex Erichson,1840** (Melyridae) Synonym(s): *carnifex Erichson,1840*
- 15094) Malachius coccineus Walth,1838** (Melyridae) Synonym(s): *coccineus Walth,1838*
- 15095) Malachius conformis Erichson,1840** (Melyridae) Synonym(s): *conformis Erichson,1840*
- 15096) Malachius dama Abeille,1888** (Melyridae) Synonym(s): *dama Abeille,1888*
- 15097) Malachius demaisonii Abeille de Perrin,1900** (Melyridae) Synonym(s): *demaisonii Abeille de Perrin,1900*
- 15098) Malachius ephippiger Redtenbacher,1843** (Melyridae) Synonym(s): *ephippiger Redtenbacher,1843*
- 15099) Malachius faldermanni Faldermann,1836** (Melyridae) Synonym(s): *faldermanni Faldermann,1836*
- 15100) Malachius fucatus Peyron,1877** (Melyridae) Synonym(s): *fucatus Peyron,1877*
- 15101) Malachius heydeni Abeille de Perrin,1882** (Melyridae) Synonym(s): *heydeni Abeille de Perrin,1882*
- 15102) Malachius kraussi Reitter,1902** (Melyridae) Synonym(s): *kraussi Reitter,1902*
- 15103) Malachius mariae Abeille de Perrin,1885** (Melyridae) Synonym(s): *mariae Abeille de Perrin,1885*
- 15104) Malachius rubidus Erichson,1840** (Melyridae) Synonym(s): *rubidus Erichson,1840; carnifex Erichson,1840; fallax Strübing,1854; sublateralis Pic,1912; valesiacus Pic,1929*
- 15105) Malachius scutellaris Erichson,1840** (Melyridae) Synonym(s): *scutellaris Erichson,1840*
- 15106) Malachius securiclatatus Baudi,1873** (Melyridae) Synonym(s): *securiclatatus Baudi,1873*
- 15107) Malachius semiaeneus Abeille de Perrin,1891** (Melyridae) Synonym(s): *semiaeneus Abeille de Perrin,1891*
- 15108) Malachius stolatus Mulsant & Godart,1855** (Melyridae) Synonym(s): *stolatus Mulsant & Godart,1855; suturellus Kiesenwetter,1859; fallaciosus Baudi di Selve,1871; latenotatus Pic,1914; naxosensis Pic,1923; bilyi Svihla,1987*
- 15109) Malachius suturalis Motschoulsky,1854** (Melyridae) Synonym(s): *suturalis Motschoulsky,1854*
- 15110) Malachius truncaticornis Abeille,1890** (Melyridae) Synonym(s): *truncaticornis Abeille,1890*
- 15111) Nepachys amoenus (Peyron,1877)** (Melyridae) Synonym(s): *amoenus Peyron,1877*
- 15112) Parathrix anatolicus (Reitter,1902)** (Melyridae) Synonym(s): *anatolicus Reitter,1902*
- 15113) Paratinus femoralis (Erichson,1840)** (Melyridae) Synonym(s): *femoralis Erichson,1840*
- 15114) Protapalochrus flavolimbatus (Mulsant & Rey,1853)** (Melyridae) Synonym(s): *flavolimbatus Mulsant & Rey,1853*
- 15115) Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea Geoffroy,1785*
- 15116) Troglops colasi Wittmer,1968** (Melyridae) Synonym(s): *colasi Wittmer,1968*
- 15117) Troglops hatayensis Wittmer,1974** (Melyridae) Synonym(s): *hatayensis Wittmer,1974*
- 15118) Troglops orientalis Abeille de Perrin,1881** (Melyridae) Synonym(s): *orientalis Abeille de Perrin,1881*
- 15119) Troglops semiinervis Wittmer,1970** (Melyridae) Synonym(s): *semiinervis Wittmer,1970*

MEMBRACIDAE

- 15120) Centrotus cornutus (Linnaeus,1758)** (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (praeocc.); *depressus* Fieber,1876; *obtusus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955
- 15121) Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus* Fabricius,1794
- 15122) Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775
- 15123) Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915
- 15124) Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 nec Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953
- 15125) Stictocephala alta (Walker,1851)** (Membracidae) Synonym(s): *alta* Walker,1851; *constans* Walker,1851; *bisonia* Kopp & Yonke,1977; *bubalus* auct. nec Fabricius,1794

MICROCOCCIDAE

- 15126) Micrococcus similis Leonardi** (Micrococcidae) Synonym(s): *similis* Leonardi

MICROPEZYDAE

- 15127) Micropeza corrigiolata (Linnaeus,1767)** (Micropezidae) Synonym(s): *corrigiolata* Linnaeus,1767
- 15128) Micropeza nigra (Loew,1873)** (Micropezidae) Synonym(s): *nigra* Loew,1873; *diversipes* Villeneuve,1913; *niger* Czerny,1930
- 15129) Neria octoannulata (Strobl,1899)** (Micropezidae) Synonym(s): *octoannulata* Strobl,1899

MILICHIIDAE

- 15130) Milichia speciosa Meigen,1830** (Milichiidae) Synonym(s): *speciosa* Meigen,1830
- 15131) Milichiella iberica Carles-Tolra,2001** (Milichiidae) Synonym(s): *iberica* Carles-Tolra,2001
- 15132) Milichiella sp.** (Milichiidae) Synonym(s):

MIRIDAE

- 15133) Acetropis carinata (Herrich-Schäffer,1841)** (Miridae) Synonym(s): *carinata* Herrich-Schäffer,1841
- 15134) Acetropis sinuata E.Wagner,1951** (Miridae) Synonym(s): *sinuata* E.Wagner,1951; *josifovi* E.Wagner,1974
- 15135) Acrorrhinium conspersum Noualhier,1895** (Miridae) Synonym(s): *conspersum* Noualhier,1895
- 15136) Acrotelus caspicus (Reuter,1879)** (Miridae) Synonym(s): *caspicus* Reuter,1879; *loewii* Reuter,1885; *montandoni* Reuter,1899; *discretus* Horvath & Reuter,1901
- 15137) Adelphocoris bimaculicollis Lindberg,1948** (Miridae) Synonym(s): *bimaculicollis* Lindberg,1948
- 15138) Adelphocoris detritus (Fieber,1861)** (Miridae) Synonym(s): *detritus* Fieber,1861; *cumulatus* Stichel,1957
- 15139) Adelphocoris insignis Horvath,1898** (Miridae) Synonym(s): *insignis* Horvath,1898
- 15140) Adelphocoris lineolatus (Goeze,1778)** (Miridae) Synonym(s): *lineolatus* Goeze,1778; *albinus* Geoffroy,1785; *chenopodii* Fallén,1807; *brevicollis* Meyer-Dür,1843; *implagiatus* Westhoff,1881; *bisbipunctatus* Reuter,1891; *baltrumensis* Schumacher,1911
- 15141) Adelphocoris quadripunctatus (Fabricius,1794)** (Miridae) Synonym(s): *quadripunctatus* Fabricius,1794; *annulicornis* Sahlberg,1848; *confluens* Reuter,1896; *innotatus* Reuter,1896; *scutellaris* Reuter,1906; *innotatus* Reuter,1906; *karafutonis* Matsumura,1911; *megapolitanus* E.Wagner,1938; *uniannulatus* E.Wagner,1938; *annulatus* Carvalho,1959
- 15142) Adelphocoris seticornis (Fabricius,1775)** (Miridae) Synonym(s): *seticornis* Fabricius,1775; *exoletus* Gmelin,1790; *hirtus* Schrank,1801; *tibialis* Wolff,1802; *lateralis* Fallén,1826; *apicalis* Hahn,1833; *jakovlevi* Reuter,1877; *niger* Reuter,1896; *pallidipennis* Reuter,1896; *plagifer* Reuter,1896; *femoralis* E.Wagner,1947
- 15143) Adelphocoris suturalis Jakovlev,1882** (Miridae) Synonym(s): *suturalis* Jakovlev,1882
- 15144) Adelphocoris ticinensis (Meyer-Dür,1843)** (Miridae) Synonym(s): *ticinensis* Meyer-Dür,1843; *haemorrhous* A.Costa,1853; *henkei* Jakovlev,1875; *capitatus* Jakovlev,1877; *testaceus* Stichel,1957; *virescens* Stichel,1957
- 15145) Adelphocoris vandalicus (Rossi,1790)** (Miridae) Synonym(s): *vandalicus* Rossi,1790; *fraxini* Fabricius,1794; *humuli* Schummel,1847; *taenioma* A.Costa,1853; *denigratus* Stichel,1930; *levis* Stichel,1930

- 15146) **Alloeomimus kurdus Hoberlandt, 1953** (Miridae) Synonym(s): *kurdus* Hoberlandt, 1953
- 15147) **Alloeomimus unifasciatus (Reuter, 1879)** (Miridae) Synonym(s): *unifasciatus* Reuter, 1879
- 15148) **Alloeotomus germanicus E. Wagner, 1939** (Miridae) Synonym(s): *germanicus* E. Wagner, 1939
- 15149) **Alloeotomus gothicus (Fallén, 1807)** (Miridae) Synonym(s): *gothicus* Fallén, 1807
- 15150) **Amblytylus concolor Jakovlev, 1877** (Miridae) Synonym(s): *concolor* Jakovlev, 1877
- 15151) **Amblytylus luridus Hoberlandt, 1961** (Miridae) Synonym(s): *luridus* Hoberlandt, 1961
- 15152) **Atomoscelis roubali Hoberlandt, 1961** (Miridae) Synonym(s): *roubali* Hoberlandt, 1961
- 15153) **Barbarosia decalvata (Seidenstücker, 1962)** (Miridae) Synonym(s): *decalvata* Seidenstücker, 1962
- 15154) **Barbarosia punctulata (Reuter, 1901)** (Miridae) Synonym(s): *punctulata* Reuter, 1901
- 15155) **Blepharidopterus angulatus (Fallén, 1807)** (Miridae) Synonym(s): *angulatus* Fallén, 1807
- 15156) **Brachycoleus bolivari Horvath, 1901** (Miridae) Synonym(s): *bolivari* Horvath, 1901
- 15157) **Brachycoleus decolor Reuter, 1887** (Miridae) Synonym(s): *scriptus* Fabricius, 1803 *nec* Fabr., 1794; *decolor* Reuter, 1887; *bipunctatus* Stichel, 1930; *flavus* Stichel, 1930; *marginatus* Stichel, 1930; *ornatus* Stichel, 1957
- 15158) **Brachycoleus lineellus Jakovlev, 1884** (Miridae) Synonym(s): *lineellus* Jakovlev, 1884
- 15159) **Brachycoleus scriptus (Fabricius, 1803)** (Miridae) Synonym(s): *scriptus* Fabricius, 1803
- 15160) **Brachycoleus steini Reuter, 1877** (Miridae) Synonym(s): *steini* Reuter, 1877
- 15161) **Brachycoleus thoracicus Puton, 1892** (Miridae) Synonym(s): *thoracicus* Puton, 1892; *nigricans* Puton, 1898; *coccineus* Horvath, 1901; *coccineus* Hoberlandt, 1956
- 15162) **Calocoris affinis (Herrich-Schäffer, 1835)** (Miridae) Synonym(s): *affinis* Herrich-Schäffer, 1835
- 15163) **Calocoris angularis (Fieber, 1864)** (Miridae) Synonym(s): *angularis* Fieber, 1864
- 15164) **Calocoris nemoralis (Fabricius, 1787)** (Miridae) Synonym(s): *nemoralis* Fabricius, 1787; *sempunctatus* Fabricius, 1787; *piceus* Cyrillo, 1787; *hispanicus* Gmelin, 1790; *ruficollis* Fabricius, 1794; *carcelii* Lepeletier, 1825; *coccineus* Dufour, 1833; *nankineus* Dufour, 1833; *aterrimus* Garbiglietti, 1869; *zelleri* Scott, 1876; *thoracicus* Puton, 1884; *punicus* Ferrari, 1884; *cuneatus* Puton, 1887; *bimaculatus* Reuter, 1894; *confluens* Reuter, 1896; *hexastigma* Reuter, 1896; *limbatus* Reuter, 1896; *pallidus* Reuter, 1896; *quadripunctatus* Reuter, 1902; *rufipes* Reuter, 1902; *bisignatus* Reuter, 1904; *connectens* Reuter, 1905; *rufifemus* Horvath, 1911; *griseus* Vidal, 1937; *erythrocephalus* Mancini, 1952; *oculatus* Stichel, 1957
- 15165) **Calocoris porphyropterus Reuter, 1904** (Miridae) Synonym(s): *porphyropterus* Reuter, 1904
- 15166) **Calocoris rubicundus Reuter, 1904** (Miridae) Synonym(s): *rubicundus* Reuter, 1904
- 15167) **Campylomma nicolasi Puton & Reuter, 1883** (Miridae) Synonym(s): *nicolasi* Puton & Reuter, 1883
- 15168) **Campyloneura virgula (Herrich-Schäffer, 1835)** (Miridae) Synonym(s): *virgula* Herrich-Schäffer, 1835; *pulchella* Guérin-Méneville, 1835 *nec* Hahn, 1834; *marita* E. Wagner, 1968
- 15169) **Capsodes (Horistus) turcomanus (Horvath, 1889)** (Miridae) Synonym(s): *turcomanus* Horvath, 1889
- 15170) **Closterotomus annulus (Brullé, 1832)** (Miridae) Synonym(s): *annulus* Brullé, 1832; *collaris* Fieber, 1870; *fuliginosus* Reuter, 1877; *fuscescens* Reuter, 1877; *nebulosus* Wagner, 1974
- 15171) **Closterotomus costae (Reuter, 1888)** (Miridae) Synonym(s): *costae* Reuter, 1888
- 15172) **Closterotomus fulvomaculatus (DeGeer, 1773)** (Miridae) Synonym(s): *fulvomaculatus* DeGeer, 1773; *femoralis* Lucas, 1849; *distinguendus* Garbiglietti, 1869; *isabellinus* Westhoff, 1881; *simplicicornis* Strobl, 1900; *#fulva* Stichel, 1930
- 15173) **Closterotomus hedenborgi (Fieber, 1870)** (Miridae) Synonym(s): *hedenborgi* Fieber, 1870; *colorata* Fieber, 1870; *albida* Fieber, 1870
- 15174) **Closterotomus histrio (Reuter, 1877)** (Miridae) Synonym(s): *histrio* Reuter, 1877; *obscurus* Wagner, 1968
- 15175) **Closterotomus kroesus (Seidenstücker, 1977)** (Miridae) Synonym(s): *kroesus* Seidenstücker, 1977
- 15176) **Closterotomus krueperi (Reuter, 1880)** (Miridae) Synonym(s): *krueperi* Reuter, 1880
- 15177) **Closterotomus norvegicus (Gmelin, 1790)** (Miridae) Synonym(s): *bipunctatus* Fabricius, 1779 *nec* Linn.; *norvegicus* Gmelin, 1790; *biguttatus* Schrank, 1801; *contiguus* Walker, 1873; *stramineus* Walker, 1873; *vittiger* Reuter, 1896; *atava* Reuter, 1896; *picticollis* Horvath, 1909
- 15178) **Closterotomus putoni (Horvath, 1888)** (Miridae) Synonym(s): *putoni* Horvath, 1888
- 15179) **Closterotomus reuteri (Horvath, 1882)** (Miridae) Synonym(s): *reuteri* Horvath, 1882
- 15180) **Closterotomus trivialis (A. Costa, 1853)** (Miridae) Synonym(s): *trivialis* A. Costa, 1853
- 15181) **Cranocapsus turcicus Kiyak, 1990** (Miridae) Synonym(s): *turcicus* Kiyak, 1990
- 15182) **Dasyscytus sordidus Fieber, 1864** (Miridae) Synonym(s): *sordidus* Fieber, 1864; *frontosum* Horvath, 1898; *aenescens* Reuter, 1899; *pilifera* Seidenstücker, 1956
- 15183) **Deraeocoris cyprius E. Wagner, 1953** (Miridae) Synonym(s): *cyprius* E. Wagner, 1953
- 15184) **Deraeocoris delangrangei (Puton, 1892)** (Miridae) Synonym(s): *delangrangei* Puton, 1892
- 15185) **Deraeocoris lutescens (Schilling, 1836)** (Miridae) Synonym(s): *lutescens* Schilling, 1836
- 15186) **Deraeocoris pallens (Reuter, 1904)** (Miridae) Synonym(s): *pallens* Reuter, 1904
- 15187) **Deraeocoris punctulatus (Fallén, 1807)** (Miridae) Synonym(s): *punctulatus* Fallén, 1807

- 15188) *Deraeocoris punctum* (Rambur,1842)** (Miridae) Synonym(s): *punctum* Rambur,1842; *episcopalis* A.Costa,1862; *corruscus* Garbiglietti,1869; *nigerrimus* Puton,1886; *mimus* Puton,1887; *niger* Ferrari,1888; *pseudoschach* Reuter,1894; *immaculatus* Stichel,1930; *berkanensis* Vidal,1936
- 15189) *Deraeocoris putoni* (Montandon,1885)** (Miridae) Synonym(s): *putoni* Montandon,1885
- 15190) *Deraeocoris ruber* (Linnaeus,1758)** (Miridae) Synonym(s): *ruber* Linnaeus,1758; *seguinus* Müller,1766; *lanarius* Linnaeus,1767; *capillaris* Fabricius,1775; *cimbricus* Müller,1776; *biguttatus* Goeze,1778; *croceus* Goeze,1778; *luteus* Goeze,1778; *rubroacuminatus* Goeze,1778; *melinus* Harris,1780; *rubens* Harris,1780; *flammeus* Geoffroy,1785; *tricolor* Fabricius,1787; *adustus* Gmelin,1790; *chrysocephalus* Gmelin,1790; *fuliginosus* Gmelin,1790; *haematocephalus* Gmelin,1790; *hamatostictos* Gmelin,1790; *rufescens* Gmelin,1790; *danicus* Fabricius,1794; *daniae* Turton,1802; *geniculas* Turton,1802; *concolor* Reuter,1896; *bicolor* Knight,1921; *feberi* Stichel,1930; *dobsiki* Stehlik,1948; *denigratus* Stichel,1956; *scopolii* Stichel,1958
- 15191) *Deraeocoris rutilus* (Herrich-Schäffer,1838)** (Miridae) Synonym(s): *rutilus* Herrich-Schäffer,1838; *bellicosus* Horvath,1885; *quadrimaculatus* Jakovlev,1889; *fasciatus* Reuter,1904
- 15192) *Deraeocoris schach* (Fabricius,1781)** (Miridae) Synonym(s): *schach* Fabricius,1781; *miniatus* Herrich-Schäffer,1838; *novaki* Horvath,1885; *cunealis* Reuter,1888; *nigritus* Reuter,1902; *nigritus* Reuter,1902; *rutiloides* Reuter,1905; *rufipennis* Reuter,1905; *subrutilus* Horvath,1914
- 15193) *Deraeocoris scutellaris* (Fabricius,1794)** (Miridae) Synonym(s): *scutellaris* Fabricius,1794; *deruber* E.Wagner & Weber,1955
- 15194) *Deraeocoris serenus* Douglas & Scott,1868** (Miridae) Synonym(s): *serenus* Douglas & Scott,1868
- 15195) *Deraeocoris trifasciatus* (Linnaeus,1767)** (Miridae) Synonym(s): *trifasciatus* Linnaeus,1767
- 15196) *Dicyphus albonasutus* E.Wagner,1951** (Miridae) Synonym(s): *albonasutus* E.Wagner,1951
- 15197) *Dicyphus alkannae* Seidenstücker,1956** (Miridae) Synonym(s): *alkannae* Seidenstücker,1956
- 15198) *Dicyphus annulatus* (Wolff,1804)** (Miridae) Synonym(s): *annulatus* Wolff,1804; *ononidis* E.Wagner,1951
- 15199) *Dicyphus bolivari* (Lindberg,1934)** (Miridae) Synonym(s): *bolivari* Lindberg,1934; *atlanticus* E.Wagner,1951
- 15200) *Dicyphus cerastii* E.Wagner,1951** (Miridae) Synonym(s): *cerastii* E.Wagner,1951
- 15201) *Dicyphus digitalidis* (Josifov,1958)** (Miridae) Synonym(s): *digitalidis* Josifov,1958
- 15202) *Dicyphus eckerleini* E.Wagner,1963** (Miridae) Synonym(s): *eckerleini* E.Wagner,1963
- 15203) *Dicyphus errans* (Wolff,1804)** (Miridae) Synonym(s): *errans* Wolff,1804; *collaris* Fallén,1807; *longicollis* Fallén,1829
- 15204) *Dicyphus geniculatus* (Fieber,1858)** (Miridae) Synonym(s): *geniculata* Fieber,1858; *disrupta* Reuter,1903; *obscurata* Reuter,1913
- 15205) *Dicyphus globulifer* (Fallén,1829)** (Miridae) Synonym(s): *globulifer* Fallén,1829; *alienus* Herrich-Schäffer,1836; *cyllocoroides* Scholtz,1847; *scabricollis* A.Costa,1862; *reuteri* Stichel,1933
- 15206) *Dicyphus hyalinipennis* (Burmeister,1835)** (Miridae) Synonym(s): *hyalinipennis* Burmeister,1835; *divisus* Stichel,1956; *fumatus* Stichel,1956
- 15207) *Dicyphus montandoni* Reuter,1888** (Miridae) Synonym(s): *montandoni* Reuter,1888
- 15208) *Dicyphus pallidicornis* (Fieber,1861)** (Miridae) Synonym(s): *pallidicornis* Fieber,1861; *stotti* China,1930; *fuscus* Stichel,1933; *virescens* Stichel,1933
- 15209) *Dicyphus seleucus* Seidenstücker,1969** (Miridae) Synonym(s): *seleucus* Seidenstücker,1969
- 15210) *Eumecotarsus milidius* Seidenstücker,1980** (Miridae) Synonym(s): *milidius* Seidenstücker,1980
- 15211) *Globiceps astragali* Seidenstücker,1964** (Miridae) Synonym(s): *astragali* Seidenstücker,1964
- 15212) *Globiceps caucasicus* Poppius,1912** (Miridae) Synonym(s): *caucasicus* Poppius,1912
- 15213) *Globiceps flavomaculatus* (Fabricius,1794)** (Miridae) Synonym(s): *flavomaculatus* Fabricius,1794; *selectus* Fieber,1858
- 15214) *Globiceps fulvicollis* Jakovlev,1877** (Miridae) Synonym(s): *fulvicollis* Jakovlev,1877; *cruciatus* Reuter,1879; *suturalis* Reuter,1879; *dubius* Reuter,1901
- 15215) *Globiceps genistae* Seidenstücker,1971** (Miridae) Synonym(s): *genistae* Seidenstücker,1971
- 15216) *Globiceps horvathi* Reuter,1912** (Miridae) Synonym(s): *horvathi* Reuter,1912
- 15217) *Globiceps sordidus* Reuter,1876** (Miridae) Synonym(s): *sordidus* Reuter,1876; *albipennis* Jakovlev,1877
- 15218) *Globiceps sphegiformis* (Rossi,1790)** (Miridae) Synonym(s): *sphegiformis* Rossi,1790; *capito* Lepeleteier & Audinet-Serville,1825; *decoratus* (Meyer-Dür,1843
- 15219) *Globiceps syriacus* Wagner,1969** (Miridae) Synonym(s): *horvathi* Wagner,1960 nec Reut.; *syriacus* Wagner,1969; *brevicornis* Linnavuori,1992
- 15220) *Globiceps thymi* Seidenstücker,1964** (Miridae) Synonym(s): *thymi* Seidenstücker,1964
- 15221) *Grypocoris amoenus* (Douglas & Scott,1868)** (Miridae) Synonym(s): *moenus* Douglas & Scott,1868; *elegans* Reuter,1877
- 15222) *Grypocoris fieberi* Douglas & Scott,1868** (Miridae) Synonym(s): *feberi* Douglas & Scott,1868; *blandus* Puton,1881
- 15223) *Grypocoris heinzi* Wagner,1966** (Miridae) Synonym(s): *heinzi* Wagner,1966
- 15224) *Grypocoris melanopygus* Horvath,1906** (Miridae) Synonym(s): *melanopygus* Horvath,1906; *#melonopygus* Önder et al.,2006
- 15225) *Grypocoris meyeri* (Kolenati,1845)** (Miridae) Synonym(s): *meyeri* Kolenati,1845

- 15226) *Grypocoris syriacus* Reuter, 1896** (Miridae) Synonym(s): *syriacus* Reuter, 1896
- 15227) *Lygus gemellatus* (Herrich-Schäffer, 1835)** (Miridae) Synonym(s): *gemellatus* Herrich-Schäffer, 1835
- 15228) *Macrolophus caliginosus* E. Wagner, 1950** (Miridae) Synonym(s): *caliginosus* E. Wagner, 1950
- 15229) *Macrolophus costalis* Fieber, 1858** (Miridae) Synonym(s): *costalis* Fieber, 1858; *rubi* Woodroffe, 1956
- 15230) *Macrolophus glaucescens* Fieber, 1858** (Miridae) Synonym(s): *glaucescens* Fieber, 1858
- 15231) *Macrolophus melanotoma* (Costa, 1852)** (Miridae) Synonym(s): *melanotoma* Costa, 1852
- 15232) *Macrolophus pygmaeus* (Rambur, 1839)** (Miridae) Synonym(s): *nubilus* Herrich-Schäffer, 1835; *nec nubilus* Say, 1832; *pygmaeus* Rambur, 1839; *brevicornis* E. Wagner, 1957; *balcanicus* E. Wagner, 1959; *geranii* Josifov, 1961; *insignis* Josifov, 1968
- 15233) *Macrostylus anatolicus* Hoberlandt, 1961** (Miridae) Synonym(s): *anatolicus* Hoberlandt, 1961
- 15234) *Macrotylus anahtarisi* Seidenstücker, 1959** (Miridae) Synonym(s): *anahtarisi* Seidenstücker, 1959
- 15235) *Macrotylus ancoratus* Seidenstücker, 1959** (Miridae) Synonym(s): *ancoratus* Seidenstücker, 1959
- 15236) *Macrotylus ancyranus* Seidenstücker, 1969** (Miridae) Synonym(s): *ancyranus* Seidenstücker, 1969
- 15237) *Macrotylus antennalis* Horvath, 1905** (Miridae) Synonym(s): *antennalis* Horvath, 1905
- 15238) *Macrotylus atricapillus* (Scott, 1872)** (Miridae) Synonym(s): *atricapillus* Scott, 1872
- 15239) *Macrotylus attenuatus* Jakovlev, 1882** (Miridae) Synonym(s): *attenuatus* Jakovlev, 1882
- 15240) *Macrotylus bipunctatus* Reuter, 1879** (Miridae) Synonym(s): *bipunctatus* Reuter, 1879
- 15241) *Macrotylus dentifer* Wagner, 1969** (Miridae) Synonym(s): *dentifer* Wagner, 1969
- 15242) *Macrotylus elevatus* Fieber, 1858** (Miridae) Synonym(s): *elevatus* Fieber, 1858
- 15243) *Macrotylus galatinus* Seidenstücker, 1968** (Miridae) Synonym(s): *galatinus* Seidenstücker, 1968
- 15244) *Macrotylus hamatus* Seidenstücker, 1963** (Miridae) Synonym(s): *hamatus* Seidenstücker, 1963
- 15245) *Macrotylus herrichi* (Reuter, 1873)** (Miridae) Synonym(s): *herrichi* Reuter, 1873
- 15246) *Macrotylus horvathi* (Reuter, 1876)** (Miridae) Synonym(s): *horvathi* Reuter, 1876
- 15247) *Macrotylus interpositus* Wagner, 1951** (Miridae) Synonym(s): *interpositus* Wagner, 1951
- 15248) *Macrotylus longulus* Poppius, 1912** (Miridae) Synonym(s): *longulus* Poppius, 1912
- 15249) *Macrotylus nasutus* Wagner, 1959** (Miridae) Synonym(s): *nasutus* Wagner, 1959
- 15250) *Macrotylus paykullii* (Fallén, 1807)** (Miridae) Synonym(s): *paykullii* Fallén, 1807
- 15251) *Macrotylus perdictus* Kritshenko, 1938** (Miridae) Synonym(s): *perdictus* Kritshenko, 1938
- 15252) *Macrotylus ponticus* Seidenstücker, 1966** (Miridae) Synonym(s): *ponticus* Seidenstücker, 1966
- 15253) *Macrotylus quadrilineatus* (Schränk, 1785)** (Miridae) Synonym(s): *quadrilineatus* Schränk, 1785
- 15254) *Macrotylus seidenstueckeri* Wagner, 1954** (Miridae) Synonym(s): *seidenstueckeri* Wagner, 1954
- 15255) *Macrotylus solitarius* (Meyer-Dür, 1843)** (Miridae) Synonym(s): *solitarius* Meyer-Dür, 1843; *pilosus* Douglas & Scott, 1865; *mayri* Reuter, 1904
- 15256) *Macrotylus weberi* Wagner, 1976** (Miridae) Synonym(s): *weberi* Wagner, 1976
- 15257) *Mecomma pervinius* Önder, 1974** (Miridae) Synonym(s): *pervinius* Önder, 1974; *lodosi* Önder, 1979
- 15258) *Megalocoleus dissimilis* (Reuter, 1876)** (Miridae) Synonym(s): *dissimilis* Reuter, 1876
- 15259) *Megalocoleus exsanguis* (Herrich-Schäffer, 1835)** (Miridae) Synonym(s): *exsanguis* Herrich-Schäffer, 1835
- 15260) *Nesidiocoris tenuis* (Reuter, 1895)** (Miridae) Synonym(s): *#tamaricis* Puton, 1886; *tenuis* Reuter, 1895; *crassicornis* Distant, 1904; *javanus* Poppius, 1914; *nocivus* Fulmek, 1925
- 15261) *Nicticoris wagneri* Hoberlandt, 1961** (Miridae) Synonym(s): *wagneri* Hoberlandt, 1961
- 15262) *Oncotylus setulosus* (Herrich-Schäffer, 1837)** (Miridae) Synonym(s): *setulosus* Herrich-Schäffer, 1837
- 15263) *Oncotylus viridiflavus* (Goeze, 1778)** (Miridae) Synonym(s): *viridiflavus* Goeze, 1778
- 15264) *Orthocephalus bivittatus* Fieber, 1864** (Miridae) Synonym(s): *bivittatus* Fieber, 1864; *bilineatus* Jakovlev, 1875; *niger* Reuter, 1879
- 15265) *Orthocephalus brevis* (Panzer, 1798)** (Miridae) Synonym(s): *brevis* Panzer, 1798; *panzeri* Fieber, 1861; *confinis* Reuter, 1879
- 15266) *Orthocephalus fulvipes* Reuter, 1904** (Miridae) Synonym(s): *tenuicornis* Mulsant & Rey, 1852; *nec* Say, 1852; *fulvipes* Reuter, 1904
- 15267) *Orthocephalus melas* Seidenstücker, 1962** (Miridae) Synonym(s): *melas* Seidenstücker, 1962
- 15268) *Orthocephalus proserpinae* (Mulsant & Rey, 1852)** (Miridae) Synonym(s): *proserpinae* Mulsant & Rey, 1852; *coracinus* Puton, 1874
- 15269) *Orthocephalus rhyaropus* Fieber, 1864** (Miridae) Synonym(s): *rhyaropus* Fieber, 1864
- 15270) *Orthocephalus saltator* (Hahn, 1835)** (Miridae) Synonym(s): *saltator* Hahn, 1835; *hirtus* Curtis, 1838; *nec* Müll., 1776; *major* Costa, 1853; *infuscatus* Garbiglietti, 1869; *ferrarii* Reuter, 1891; *parvulus* Reuter, 1891
- 15271) *Orthocephalus solidus* (Seidenstücker, 1971)** (Miridae) Synonym(s): *solidus* Seidenstücker, 1971
- 15272) *Orthocephalus vittipennis* (Herrich-Schäffer, 1835)** (Miridae) Synonym(s): *vittipennis* Herrich-Schäffer, 1835; *#decipiens* Wagner, 1942
- 15273) *Orthops basalis* (Costa, 1852)** (Miridae) Synonym(s): *basalis* Costa, 1852

- 15274) Orthotylus minutus Jakovlev, 1877** (Miridae) Synonym(s): *minutus Jakovlev, 1877*
- 15275) Orthotylus nassatus (Fabricius, 1787)** (Miridae) Synonym(s): *nassatus Fabricius, 1787*
- 15276) Orthotylus virescens (Douglas & Scott, 1865)** (Miridae) Synonym(s): *virescens Douglas & Scott, 1865*
- 15277) Plagiognathus albipennis (Fallén, 1829)** (Miridae) Synonym(s): *albipennis Fallén, 1829*
- 15278) Plagiognathus amygdali Linnavuori, 1965** (Miridae) Synonym(s): *amygdali Linnavuori, 1965*
- 15279) Plagiognathus arbustorum (Fabricius, 1794)** (Miridae) Synonym(s): *arbustorum Fabricius, 1794*
- 15280) Plagiognathus bipunctatus Reuter, 1883** (Miridae) Synonym(s): *bipunctatus Reuter, 1883*
- 15281) Plagiognathus chrysanthemi (Wolff, 1804)** (Miridae) Synonym(s): *chrysanthemi Wolff, 1804*
- 15282) Plagiognathus flavipes (Provancher, 1872)** (Miridae) Synonym(s): *flavipes Provancher, 1872; elongatus Knight, 1923; nigricornis elongatus Knight, 1923*
- 15283) Plagiognathus fulvipennis (Kirschbaum, 1856)** (Miridae) Synonym(s): *fulvipennis Kirschbaum, 1856*
- 15284) Plagiognathus pictus (Fieber, 1864)** (Miridae) Synonym(s): *pictus Fieber, 1864*
- 15285) Plagiognathus raphani Wagner, 1963** (Miridae) Synonym(s): *raphani Wagner, 1963*
- 15286) Plagiognathus vitellinus (Scholtz, 1847)** (Miridae) Synonym(s): *vitellinus Scholtz, 1847*
- 15287) Polymerus asperulae (Fieber, 1861)** (Miridae) Synonym(s): *asperulae Fieber, 1861; nigrocallosus Stichel, 1958; pervulgatus Stichel, 1958*
- 15288) Polymerus brevicornis (Reuter, 1879)** (Miridae) Synonym(s): *brevicornis Reuter, 1879; pallidonotus Kiritshenko, 1952; junctus Stichel, 1958*
- 15289) Polymerus cognatus (Fieber, 1858)** (Miridae) Synonym(s): *cognatus Fieber, 1858*
- 15290) Polymerus holosericeus Hahn, 1831** (Miridae) Synonym(s): *holosericeus Hahn, 1831*
- 15291) Polymerus microphthalmus (Wagner, 1951)** (Miridae) Synonym(s): *microphthalmus Wagner, 1951*
- 15292) Polymerus palustris (Reuter, 1905)** (Miridae) Synonym(s): *palustris Reuter, 1905; centralis Wagner, 1951*
- 15293) Polymerus unifasciatus (Fabricius, 1794)** (Miridae) Synonym(s): *unifasciatus Fabricius, 1794; semiflavus Wolff, 1804; lateralis Hahn, 1834; marginatus Hahn, 1834; galii Gistel, 1857; transitus Stichel, 1930; disjunctus Wagner, 1951*
- 15294) Polymerus vulneratus (Panzer, 1805)** (Miridae) Synonym(s): *vulneratus Panzer, 1805; dalmanni Fallén, 1826; intermedius Jakovlev, 1876; medius Stichel, 1930; unicolor Stichel, 1930*
- 15295) Psallus anaemicus Seidenstücker, 1966** (Miridae) Synonym(s): *anaemicus Seidenstücker, 1966*
- 15296) Psallus anatolicus Wagner, 1963** (Miridae) Synonym(s): *anatolicus Wagner, 1963*
- 15297) Psallus anticus Reuter, 1876** (Miridae) Synonym(s): *anticus Reuter, 1876; cognatus Jakovlev, 1877*
- 15298) Psallus apoplecticus Seidenstücker, 1966** (Miridae) Synonym(s): *apoplecticus Seidenstücker, 1966*
- 15299) Psallus asthenicus Seidenstücker, 1966** (Miridae) Synonym(s): *asthenicus Seidenstücker, 1966; amitinus Wagner, 1975*
- 15300) Psallus atomosus Reuter, 1878** (Miridae) Synonym(s): *atomosus Reuter, 1878*
- 15301) Psallus aurora (Mulsant & Rey, 1852)** (Miridae) Synonym(s): *aurora Mulsant & Rey, 1852; puncticollis Fieber, 1870; pulchellus Reuter, 1899; tenebricosus Stichel, 1958; theryi Wagner, 1958; vidali Wagner, 1958; maroccanus Wagner, 1960; morenus Wagner, 1972*
- 15302) Psallus brachycerus Reuter, 1904** (Miridae) Synonym(s): *brachycerus Reuter, 1904*
- 15303) Psallus carduelus Horvath, 1888** (Miridae) Synonym(s): *carduelus Horvath, 1888*
- 15304) Psallus cerridis Wagner, 1971** (Miridae) Synonym(s): *cerridis Wagner, 1971*
- 15305) Psallus collaris (Wagner, 1975)** (Miridae) Synonym(s): *collaris Wagner, 1975*
- 15306) Psallus henshii Reuter, 1888** (Miridae) Synonym(s): *henshii Reuter, 1888; femoralis Reuter, 1899*
- 15307) Psallus karakardes Seidenstücker, 1959** (Miridae) Synonym(s): *karakardes Seidenstücker, 1959*
- 15308) Psallus lentigo Seidenstücker, 1972** (Miridae) Synonym(s): *lentigo Seidenstücker, 1972*
- 15309) Psallus oenderi Wagner, 1976** (Miridae) Synonym(s): *oenderi Wagner, 1976*
- 15310) Psallus oleae Wagner, 1963** (Miridae) Synonym(s): *oleae Wagner, 1963*
- 15311) Psallus pardalis Seidenstücker, 1966** (Miridae) Synonym(s): *pardalis Seidenstücker, 1966*
- 15312) Psallus piceae Reuter, 1878** (Miridae) Synonym(s): *piceae Reuter, 1878; fasciata Stichel, 1956 nec Jakov., 1893*
- 15313) Psallus pumilus (Jakovlev, 1876)** (Miridae) Synonym(s): *pumilus Jakovlev, 1876*
- 15314) Psallus punctulatus Puton, 1874** (Miridae) Synonym(s): *punctulatus Puton, 1874; impustulata Stichel, 1956*
- 15315) Psallus quercicola Reuter, 1904** (Miridae) Synonym(s): *quercicola Reuter, 1904*
- 15316) Psallus rubinicterus Seidenstücker, 1966** (Miridae) Synonym(s): *rubinicterus Seidenstücker, 1966*
- 15317) Psallus turcicus Wagner, 1971** (Miridae) Synonym(s): *turcicus Wagner, 1971*
- 15318) Psallus varians (Herrich-Schäffer, 1841)** (Miridae) Synonym(s): *rufescens Hahn, 1831; varians Herrich-Schäffer, 1841; decoloratus Mulsant & Rey, 1852; distinctus Fieber, 1858; insignis Fieber, 1858; kirschbaumi Fieber, 1861; nigrescens Fieber, 1861; ochraceus Fieber, 1861; fieberi Stichel, 1933; cornutus Wagner, 1943; tunetanus Wagner, 1962*

- 15319) Reuterista caucasica (Poppius,1912)** (Miridae) Synonym(s): *caucasica* Poppius,1912; *poppiusi* Kerzhner & Schuh,1995
- 15320) Singhalesia turcica (Seidenstücker,1959)** (Miridae) Synonym(s): *turcica* Seidenstücker,1959
- 15321) Solenoxypus alkani Önder,1975** (Miridae) Synonym(s): *alkani* Önder,1975; *markevichi* Putshkov,1978
- 15322) Solenoxypus fuscovenosus (Fieber,1864)** (Miridae) Synonym(s): *fuscovenosus* Fieber,1864; *halimocnemis* Becker,1864; *crassipes* Reuter,1879; *reticulatus* Reuter,1900; *#cruenta* Stichel,1956
- 15323) Stenodema calcaratum (Fallén,1807)** (Miridae) Synonym(s): *calcaratum* Fallén,1807
- 15324) Stenodema holsatum (Fabricius,1787)** (Miridae) Synonym(s): *holsatum* Fabricius,1787
- 15325) Stenodema laevigatum (Linnaeus,1758)** (Miridae) Synonym(s): *laevigatum* Linnaeus,1758
- 15326) Stenodema trispinosum Reuter,1904** (Miridae) Synonym(s): *trispinosum* Reuter,1904
- 15327) Stenodema turanicum (Reuter,1904)** (Miridae) Synonym(s): *turanicum* Reuter,1904
- 15328) Stenodema virens (Linnaeus,1767)** (Miridae) Synonym(s): *virens* Linnaeus,1767
- 15329) Stethoconus pyri (Mella,1869)** (Miridae) Synonym(s): *pyri* Mella,1869
- 15330) Systellonotus thymi Signoret,1859** (Miridae) Synonym(s): *thymi* Signoret,1859; *putoni* Reuter,1890
- 15331) Thermocoris discolor Seidenstücker,1957** (Miridae) Synonym(s): *discolor* Seidenstücker,1957; *#discolor* Önder et al.,2006
- 15332) Thermocoris munieri Puton,1875** (Miridae) Synonym(s): *munieri* Puton,1875; *algiricus* Wagner,1943
- 15333) Thermocoris rivalis (Horvath,1894)** (Miridae) Synonym(s): *rivalis* Horvath,1894; *suctor* Seidenstücker,1957
- 15334) Trigonotylus pallidicornis Reuter,1899** (Miridae) Synonym(s): *pallidicornis* Reuter,1899
- 15335) Tuponia anatolica Linnavuori,1965** (Miridae) Synonym(s): *anatolica* Linnavuori,1965
- 15336) Tuponia arcufera Reuter,1879** (Miridae) Synonym(s): *arcufera* Reuter,1879; *eckerleini* Wagner,1955; *orientalis* Wagner,1955; *elegantulus* Zheng & H.Li,1992
- 15337) Tuponia ayasensis Wagner,1963** (Miridae) Synonym(s): *ayasensis* Wagner,1963
- 15338) Tuponia brevirostris Reuter,1883** (Miridae) Synonym(s): *brevirostris* Reuter,1883; *hartigi* Wagner,1955
- 15339) Tuponia concinna Reuter,1875** (Miridae) Synonym(s): *concinna* Reuter,1875; *conspersa* Reuter,1901; *fezzana* Wagner,1971; *amguele* Wagner,1975
- 15340) Tuponia coruhica Wagner,1976** (Miridae) Synonym(s): *coruhica* Wagner,1976
- 15341) Tuponia dalmatina Wagner,1955** (Miridae) Synonym(s): *dalmatina* Wagner,1955
- 15342) Tuponia elegans (Jakovlev,1867)** (Miridae) Synonym(s): *elegans* Jakovlev,1867; *bilobata* Benedek & Jaszai,1968
- 15343) Tuponia hippophaes (Fieber,1861)** (Miridae) Synonym(s): *hippophaes* Fieber,1861; *unicolor* Scott,1872; *myricariae* Cerutti,1939; *michalki* Wagner,1951; *seidenstueckeri* Wagner,1955; *mimeuri* Wagner,1958; *albomarginata* Linnavuori,1961; *cypria* Wagner,1962; *longitarsis* Wagner,1962; *pradassiensis* Tamanini,1964; *menorcana* Wagner,1971; *liparensis* Tamanini,1973; *rhodensis* Wagner,1974
- 15344) Tuponia macedonica Wagner,1957** (Miridae) Synonym(s): *macedonica* Wagner,1957; *dentifer* Wagner,1974
- 15345) Tuponia mixticolor (Costa,1862)** (Miridae) Synonym(s): *mixticolor* Costa,1862; *lethierryi* Reuter,1875; *colorata* Poppius,1914; *carayoni* Wagner,1955; *vulnerata* Linnavuori,1961; *hungarica* Benedek & Jaszai,1968; *annulata* Wagner,1974
- 15346) Tuponia prasina (Fieber,1864)** (Miridae) Synonym(s): *prasina* Fieber,1864; *affinis* Reuter,1878; *apicalis* Reuter,1894
- 15347) Tuponia punctipes Reuter,1879** (Miridae) Synonym(s): *punctipes* Reuter,1879
- 15348) Tuponia tamarisci (Perris,1857)** (Miridae) Synonym(s): *tamarisci* Perris,1857; *notatus* Fieber,1858; *cunealis* Reuter,1902

MOGOPLISTIDAE

- 15349) Arachnocephalus vestitus A.Costa,1855** (Mogoplistidae) Synonym(s): *vestitus* A.Costa,1855
- 15350) Mogoplistes brunneus Audinet-Serville,1839** (Mogoplistidae) Synonym(s): *brunneus* Audinet-Serville,1839
- 15351) Pseudomogoplistes squamiger (Fischer von Waldheim,1853)** (Mogoplistidae) Synonym(s): *squamiger* Fischer von Waldheim,1853
- 15352) Pseudomogoplistes turcicus Gorochoy,1995** (Mogoplistidae) Synonym(s): *turcicus* Gorochoy,1995

MUSCIDAE

- 15353) Atherigona alpha Pont,1981** (Muscidae) Synonym(s): *alpha* Pont,1981

- 15354) *Atherigona pulla* (Wiedemann,1830)** (Muscidae) Synonym(s): *pulla* Wiedemann,1830
- 15355) *Atherigona soccata* Rondani,1871** (Muscidae) Synonym(s): *soccata* Rondani,1871; *indica* Malloch,1923
- 15356) *Atherigona varia* (Meigen,1826)** (Muscidae) Synonym(s): *varia* Meigen,1826
- 15357) *Azelia gibbera* (Meigen,1826)** (Muscidae) Synonym(s): *gibbera* Meigen,1826
- 15358) *Azelia monodactyla* Loew,1874** (Muscidae) Synonym(s): *monodactyla* Loew,1874
- 15359) *Azelia parva* Rondani,1866** (Muscidae) Synonym(s): *parva* Rondani,1866
- 15360) *Brontaea eremophila* (Brauer & Bergenstamm,1894)** (Muscidae) Synonym(s): *eremophila* Brauer & Bergenstamm,1894; *impedita* Pandellé,1898
- 15361) *Coenosia agromyzina* (Fallén,1825)** (Muscidae) Synonym(s): *agromyzina* Fallén,1825
- 15362) *Coenosia albicornis* Meigen,1826** (Muscidae) Synonym(s): *albicornis* Meigen,1826; *lineatipes* Zetterstedt,1845
- 15363) *Coenosia atra* Meigen,1830** (Muscidae) Synonym(s): *atra* Meigen,1830
- 15364) *Coenosia femoralis* (R-D.,1830)** (Muscidae) Synonym(s): *femoralis* R-D.,1830; *geniculata* Fallén,1825
- 15365) *Coenosia humilis* Meigen,1826** (Muscidae) Synonym(s): *humilis* Meigen,1826; *litioralis* R-D.,1830; *limpidipennis* R-D.,1830; *riparia* R-D.,1830; *distincta* R-D.,1830; *nana* Zetterstedt,1845; *dziedickii* Schnabl,1911
- 15366) *Coenosia mollicula* (Fallén,1825)** (Muscidae) Synonym(s): *mollicula* Fallén,1825
- 15367) *Coenosia nigridigita* Rondani,1866** (Muscidae) Synonym(s): *nigridigita* Rondani,1866
- 15368) *Coenosia pumila* (Fallén,1825)** (Muscidae) Synonym(s): *pumila* Fallén,1825
- 15369) *Coenosia testacea* (R-D.,1830)** (Muscidae) Synonym(s): *testacea* R-D.,1830
- 15370) *Coenosia tigrina* (Fabricius,1775)** (Muscidae) Synonym(s): *tigrina* Fabricius,1775
- 15371) *Coenosia verralli* Collin,1953** (Muscidae) Synonym(s): *verralli* Collin,1953
- 15372) *Dasyphora albofasciata* (Macquart,1839)** (Muscidae) Synonym(s): *albofasciata* Macquart,1839; *hirsutoculata* Macquart,1849; *aeneomicans* Portschesky,1881
- 15373) *Dasyphora penicillata* (Egger,1865)** (Muscidae) Synonym(s): *penicillata* Egger,1865
- 15374) *Dasyphora pratorum* (Meigen,1826)** (Muscidae) Synonym(s): *pratorum* Meigen,1826
- 15375) *Drymeia alpicola* (Rondani,1871)** (Muscidae) Synonym(s): *alpicola* Rondani,1871; *tundrica* Schnabl,1915
- 15376) *Drymeia fasciculata* (Stein,1916)** (Muscidae) Synonym(s): *fasciculata* Stein,1916
- 15377) *Drymeia vicana* (Harris,1780)** (Muscidae) Synonym(s): *vicana* Harris,1780
- 15378) *Eudasyphora cyanella* (Meigen,1826)** (Muscidae) Synonym(s): *cyanella* Meigen,1826
- 15379) *Graphomya maculata* (Scopoli,1763)** (Muscidae) Synonym(s): *maculata* Scopoli,1763; *compuncta* Harris,1780
- 15380) *Haematobia irritans* (Linnaeus,1758)** (Muscidae) Synonym(s): *irritans* Linnaeus,1758
- 15381) *Haematobia titillans* (Bezzi,1907)** (Muscidae) Synonym(s): *titillans* Bezzi,1907
- 15382) *Haematobosca atripalpis* (Bezzi,1895)** (Muscidae) Synonym(s): *atripalpis* Bezzi,1895
- 15383) *Haematobosca stimulans* (Meigen,1824)** (Muscidae) Synonym(s): *stimulans* Meigen,1824
- 15384) *Hebecnema fumosa* (Meigen,1826)** (Muscidae) Synonym(s): *fumosa* Meigen,1826
- 15385) *Hebecnema umbratica* (Meigen,1826)** (Muscidae) Synonym(s): *umbratica* Meigen,1826
- 15386) *Helina almeriensis* (Strobl,1906)** (Muscidae) Synonym(s): *almeriensis* Strobl,1906
- 15387) *Helina atricolor* (Fallén,1825)** (Muscidae) Synonym(s): *atricolor* Fallén,1825; *denudata* Zetterstedt,1845
- 15388) *Helina decipiens* Mihalyi,1974** (Muscidae) Synonym(s): *decipiens* Mihalyi,1974
- 15389) *Helina edita* Pont,2012** (Muscidae) Synonym(s): *edita* Pont,2012
- 15390) *Helina lasiophthalma* (Macquart,1835)** (Muscidae) Synonym(s): *lasiophthalma* Macquart,1835
- 15391) *Helina latitarsis* Ringdahl,1924** (Muscidae) Synonym(s): *latitarsis* Ringdahl,1924
- 15392) *Helina obtusipennis* (Fallén,1823)** (Muscidae) Synonym(s): *obtusipennis* Fallén,1823
- 15393) *Helina parcepilosa* (Stein,1907)** (Muscidae) Synonym(s): *parcepilosa* Stein,1907; *calceataeformis* Schnabl,1911
- 15394) *Helina pubescens* (Stein,1893)** (Muscidae) Synonym(s): *pubescens* Stein,1893
- 15395) *Helina reversio* (Harris,1780)** (Muscidae) Synonym(s): *reversio* Harris,1780; *duplicata* Meigen,1826; *duplaris* Zetterstedt,1845
- 15396) *Helina setiventris* Ringdahl,1924** (Muscidae) Synonym(s): *setiventris* Ringdahl,1924
- 15397) *Helina tetrastigma* (Meigen,1826)** (Muscidae) Synonym(s): *tetrastigma* Meigen,1826; *flagripes* Rondani,1866
- 15398) *Hydrotaea albipuncta* (Zetterstedt,1845)** (Muscidae) Synonym(s): *albipuncta* Zetterstedt,1845
- 15399) *Hydrotaea capensis* (Wiedemann,1818)** (Muscidae) Synonym(s): *capensis* Wiedemann,1818; *anthrax* Meigen,1826
- 15400) *Hydrotaea cyrtoneurina* (Zetterstedt,1845)** (Muscidae) Synonym(s): *cyrtoneurina* Zetterstedt,1845; *sylvicola* Loew,1857
- 15401) *Hydrotaea dentipes* (Fabricius,1805)** (Muscidae) Synonym(s): *dentipes* Fabricius,1805
- 15402) *Hydrotaea floccosa* Macquart,1835** (Muscidae) Synonym(s): *floccosa* Macquart,1835

- 15403) *Hydrotaea ignava* (Harris,1780)** (Muscidae) Synonym(s): *ignava* Harris,1780; *leucostoma* Wiedemann,1817
- 15404) *Hydrotaea meridionalis* Portschinsky,1882** (Muscidae) Synonym(s): *curvipes* Fallén,1825 *nec* Gmel.,1790; *meridionalis* Portschinsky,1882
- 15405) *Hydrotaea meteorica* (Linnaeus,1758)** (Muscidae) Synonym(s): *meteorica* Linnaeus,1758
- 15406) *Hydrotaea pandellei* Stein,1899** (Muscidae) Synonym(s): *pandellei* Stein,1899
- 15407) *Hydrotaea pellucens* Portchinsky,1879** (Muscidae) Synonym(s): *pellucens* Portchinsky,1879
- 15408) *Hydrotaea penicillata* (Rondani,1866)** (Muscidae) Synonym(s): *penicillata* Rondani,1866
- 15409) *Hydrotaea velutina* R-D.,1830** (Muscidae) Synonym(s): *velutina* R-D.,1830
- 15410) *Limnophora femoriseta* Pont, Vihrev & Werner,2011** (Muscidae) Synonym(s): *femoriseta* Pont, Vihrev & Werner,2011
- 15411) *Limnophora obsignata* (Rondani,1866)** (Muscidae) Synonym(s): *obsignata* Rondani,1866; *ostensackenii* Jaennicke,1867
- 15412) *Limnophora pandellei* Ségué,1923** (Muscidae) Synonym(s): *pandellei* Ségué,1923
- 15413) *Limnophora patellifera* (Villeneuve,1911)** (Muscidae) Synonym(s): *patellifera* Villeneuve,1911
- 15414) *Limnophora pollinifera* Stein,1916** (Muscidae) Synonym(s): *pollinifera* Stein,1916
- 15415) *Limnophora pulchriceps* (Loew,1860)** (Muscidae) Synonym(s): *pulchriceps* Loew,1860
- 15416) *Limnophora quaterna* (Loew,1852)** (Muscidae) Synonym(s): *quaterna* Loew,1852; *notabilis* Stein,1903
- 15417) *Limnophora riparia* (Fallén,1824)** (Muscidae) Synonym(s): *riparia* Fallén,1824
- 15418) *Limnophora rufimana* (Strobl,1893)** (Muscidae) Synonym(s): *rufimana* Strobl,1893
- 15419) *Limnophora setinerva* Schnabl,1911** (Muscidae) Synonym(s): *setinerva* Schnabl,1911
- 15420) *Limnospila albifrons* (Zetterstedt,1849)** (Muscidae) Synonym(s): *albifrons* Zetterstedt,1849
- 15421) *Lispe apicalis* Mik,1869** (Muscidae) Synonym(s): *apicalis* Mik,1869
- 15422) *Lispe assimilis* Wiedemann,1824** (Muscidae) Synonym(s): *assimilis* Wiedemann,1824; *inexpectata* Canzoneri & Meneghini,1966
- 15423) *Lispe caesia* Meigen,1826** (Muscidae) Synonym(s): *caesia* Meigen,1826
- 15424) *Lispe consanguinea* Loew,1858** (Muscidae) Synonym(s): *consanguinea* Loew,1858
- 15425) *Lispe elkantarae* Becker,1907** (Muscidae) Synonym(s): *elkantarae* Becker,1907
- 15426) *Lispe loewi* Ringdahl,1922** (Muscidae) Synonym(s): *loewi* Ringdahl,1922
- 15427) *Lispe longicollis* Meigen,1826** (Muscidae) Synonym(s): *longicollis* Meigen,1826; *leucomelaena* Konow,1892
- 15428) *Lispe melaleuca* Loew,1847** (Muscidae) Synonym(s): *melaleuca* Loew,1847
- 15429) *Lispe nana* Macquart,1835** (Muscidae) Synonym(s): *nana* Macquart,1835; *pulchella* Loew,1847; *melitensis* Rondani,1866; *meridionalis* Rondani,1877
- 15430) *Lispe orientalis* Wiedemann,1824** (Muscidae) Synonym(s): *orientalis* Wiedemann,1824
- 15431) *Lispe pectinipes* Becker,1903** (Muscidae) Synonym(s): *leucopsila* sensu auct.; *pectinipes* Becker,1903; *cochlearia* Becker,1904; *mixticia* Ségué,1941
- 15432) *Lispe pygmaea* Fallén,1825** (Muscidae) Synonym(s): *pygmaea* Fallén,1825; *tenuipalpis* Zetterstedt,1846; *simplicissima* Loew,1847; *suturata* Rondani,1866; *longiuscula* Rondani,1877
- 15433) *Lispe quaerens* Villeneuve,1936** (Muscidae) Synonym(s): *quaerens* Villeneuve,1936
- 15434) *Lispe scalaris* Loew,1847** (Muscidae) Synonym(s): *scalaris* Loew,1847; *persica* Becker,1904
- 15435) *Lispe sericipalpis* Stein,1904** (Muscidae) Synonym(s): *sericipalpis* Stein,1904; *quaerens* Villeneuve,1936
- 15436) *Lispe superciliosa* Loew,1861** (Muscidae) Synonym(s): *superciliosa* Loew,1861; *monacha* Schiner,1862; *cancellata* Canzoneri & Meneghini,1966
- 15437) *Lispe tentaculata* (De Geer,1776)** (Muscidae) Synonym(s): *tentaculata* De Geer,1776; *fluviatilis* R-D.,1830; *tarsalis* R-D.,1830; *tibialis* Macquart,1839; *dissona* Villeneuve,1936
- 15438) *Lispocephala erythrocerata* (R-D.,1830)** (Muscidae) Synonym(s): *erythrocerata* R-D.,1830
- 15439) *Lispocephala miki* (Strobl,1893)** (Muscidae) Synonym(s): *miki* Strobl,1893
- 15440) *Lispocephala unguata* (Rondani,1866)** (Muscidae) Synonym(s): *unguata* Rondani,1866
- 15441) *Macrorchis meditata* (Fallén,1825)** (Muscidae) Synonym(s): *meditata* Fallén,1825
- 15442) *Mesembrina mystacea* (Linnaeus,1758)** (Muscidae) Synonym(s): *mystacea* Linnaeus,1758
- 15443) *Morellia hortorum* (Fallén,1817)** (Muscidae) Synonym(s): *hortorum* Fallén,1817
- 15444) *Morellia simplex* (Loew,1857)** (Muscidae) Synonym(s): *simplex* Loew,1857
- 15445) *Musca (Plaxemya) osiris* Wiedemann,1830** (Muscidae) Synonym(s): *osiris* Wiedemann,1830; *sugillatrix* R-D.,1830
- 15446) *Musca (Plaxemya) vitripennis* Meigen,1826** (Muscidae) Synonym(s): *vitripennis* Meigen,1826
- 15447) *Musca autumnalis* De Geer,1776** (Muscidae) Synonym(s): *autumnalis* De Geer,1776; *corvina* Fabricius,1781
- 15448) *Musca calleva* Walker,1849** (Muscidae) Synonym(s): *calleva* Walker,1849; *mimetica* Malloch,1941
- 15449) *Musca crassirostris* Stein,1903** (Muscidae) Synonym(s): *crassirostris* Stein,1903; *insignis* Austen,1909

- 15450) *Musca domestica* Linnaeus,1758** (Muscidae) Synonym(s): *domestica* Linnaeus,1758; *nebulo* Fabricius,1794; *vicina* Macquart,1851; *determinata* Walker,1853
- 15451) *Musca larvipara* Portschecksky,1910** (Muscidae) Synonym(s): *larvipara* Portschecksky,1910; *mesopotamiensis* Patton,1920
- 15452) *Musca sorbens* Wiedemann,1830** (Muscidae) Synonym(s): *sorbens* Wiedemann,1830; *humilis* Wiedemann,1830; *primitiva* Walker,1849
- 15453) *Muscina levida* (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780; *assimilis* Fallén,1823
- 15454) *Muscina stabulans* (Fallén,1817)** (Muscidae) Synonym(s): *stabulans* Fallén,1817
- 15455) *Mydaea corni* (Scopoli,1763)** (Muscidae) Synonym(s): *corni* Scopoli,1763; *pagana* Fabricius,1794
- 15456) *Mydaea urbana* (Meigen,1826)** (Muscidae) Synonym(s): *urbana* Meigen,1826
- 15457) *Myospila mediatubunda* (Fabricius,1781)** (Muscidae) Synonym(s): *mediatubunda* Fabricius,1781
- 15458) *Neomyia cornicina* (Fabricius,1781)** (Muscidae) Synonym(s): *cornicina* Fabricius,1781; *viridis* Wiedemann,1824; *caesarion* Meigen,1826 nec Bechstein & Scharfenberg,1805; *fennica* Frey,1909
- 15459) *Phaonia angelicae* (Scopoli,1763)** (Muscidae) Synonym(s): *angelicae* Scopoli,1763; *basalis* Zetterstedt,1838
- 15460) *Phaonia cincta* (Zetterstedt,1846)** (Muscidae) Synonym(s): *cincta* Zetterstedt,1846
- 15461) *Phaonia gracilis* Stein,1916** (Muscidae) Synonym(s): *gracilis* Stein,1916
- 15462) *Phaonia incana* (Wiedemann,1817)** (Muscidae) Synonym(s): *incana* Wiedemann,1817
- 15463) *Phaonia kobica* Schnabl,1911** (Muscidae) Synonym(s): *kobica* Schnabl,1911
- 15464) *Phaonia pallida* (Fabricius,1787)** (Muscidae) Synonym(s): *pallida* Fabricius,1787
- 15465) *Phaonia regalis* (Stein,1900)** (Muscidae) Synonym(s): *regalis* Stein,1900
- 15466) *Phaonia subventa* (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780; *variegata* Meigen,1826
- 15467) *Phaonia tersa* Villeneuve,1936** (Muscidae) Synonym(s): *tersa* Villeneuve,1936
- 15468) *Phaonia valida* (Harris,1780)** (Muscidae) Synonym(s): *valida* Harris,1780; *viarum* R-D.,1830
- 15469) *Polietes meridionalis* Peris & Llorente,1963** (Muscidae) Synonym(s): *meridionalis* Peris & Llorente,1963
- 15470) *Pyrellia vivida* R-D.,1830** (Muscidae) Synonym(s): *cadaverina* auct.; *vivida* R-D.,1830
- 15471) *Schoenomyza litorella* (Fallén,1823)** (Muscidae) Synonym(s): *litorella* Fallén,1823
- 15472) *Spilogona biseriata* (Stein,1916)** (Muscidae) Synonym(s): *biseriata* Stein,1916
- 15473) *Spilogona carbonella* (Zetterstedt,1845)** (Muscidae) Synonym(s): *carbonella* Zetterstedt,1845
- 15474) *Spilogona dispar* (Fallén,1823)** (Muscidae) Synonym(s): *dispar* Fallén,1823
- 15475) *Spilogona taeniata* (Stein,1916)** (Muscidae) Synonym(s): *taeniata* Stein,1916
- 15476) *Stomoxys calcitrans* (Linnaeus,1758)** (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758
- 15477) *Thricops aculeipes* (Zetterstedt,1838)** (Muscidae) Synonym(s): *aculeipes* Zetterstedt,1838; *pubicheta* Rondani,1871; *armipes* Rondani,1871; *tyrolensis* Meunier,1893
- 15478) *Thricops bukowskii* (Ringdahl,1934)** (Muscidae) Synonym(s): *bukowskii* Ringdahl,1934
- 15479) *Thricops diaphanus* (Wiedemann,1817)** (Muscidae) Synonym(s): *diaphanus* Wiedemann,1817; *flava* R-D.,1830; *lenis* Harris,1835; *varians* Zetterstedt,1838; *signia* Walker,1849; *geldria* Walker,1849; *futilis* Walker,1853; *aculeata* Loew,1873
- 15480) *Thricops nigrifrons* (R-D.,1830)** (Muscidae) Synonym(s): *variabilis* Fallén,1823 nec Gmel.,1790; *nigrifrons* R-D.,1830; *rubrifrons* R-D.,1830; *rupestris* Rondani,1866
- 15481) *Thricops nigrifrons* (Zetterstedt,1838)** (Muscidae) Synonym(s): *nigrifrons* Zetterstedt,1838; *mikii* Schnabl,1888
- 15482) *Thricops nigroabdominalis* Savage,2003** (Muscidae) Synonym(s): *nigroabdominalis* Savage,2003
- 15483) *Thricops semicinerus* (Wiedemann,1817)** (Muscidae) Synonym(s): *semicinerus* Wiedemann,1817; *hyalinata* Fallén,1823; *apicalis* Meigen,1830; *subhyalina* Rondani,1877
- 15484) *Thricops sudeticus* (Schnabl,1888)** (Muscidae) Synonym(s): *sudeticus* Schnabl,1888; *aurulans* Pandellé,1899
- 15485) *Thricops vaderi* Savage,2003** (Muscidae) Synonym(s): *vaderi* Savage,2003

MUTILLIDAE

- 15486) *Artiotilla biguttata* (Costa,1858)** (Mutillidae) Synonym(s): *biguttata* Costa,1858
- 15487) *Ctenotilla caeca* (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879; *pectinifera* André,1893; *obscura* Nonveiller,1959
- 15488) *Dasytilla* (Craspedopyga) *manderstiernii* (Radoszkowski,1865)** (Mutillidae) Synonym(s): *manderstiernii* Radoszkowski,1865; *cypria* Sichel & Radoszkowski,1870 [ssp.]
- 15489) *Dasytilla* (Inbaltila) *biblica* Invrea,1950** (Mutillidae) Synonym(s): *biblica* Invrea,1950
- 15490) *Dasytilla* (Inbaltila) *scutilla* Skorikov,1935** (Mutillidae) Synonym(s): *scutilla* Skorikov,1935
- 15491) *Dasytilla* (s.str.) *maura* (Linnaeus,1758)** (Mutillidae) Synonym(s): *maura* Linnaeus,1758
- 15492) *Dentilla curtiventris* (André,1901)** (Mutillidae) Synonym(s): *curtiventris* André,1901

- 15493) *Dentilla erronea* (André,1902) (Mutillidae) Synonym(s): *erronea* André,1902**
- 15494) *Dentilla persica* (Sichel & Radoszkowski,1869) (Mutillidae) Synonym(s): *persica* Sichel & Radoszkowski,1869**
- 15495) *Dentilla ursina* (Nagy,1972) (Mutillidae) Synonym(s): *ursina* Nagy,1972**
- 15496) *Krombeinella aramaea* (Suarez,1963) (Mutillidae) Synonym(s): *aramaea* Suarez,1963**
- 15497) *Krombeinella beaumonti* (Invrea,1953) (Mutillidae) Synonym(s): *beaumonti* Invrea,1953**
- 15498) *Krombeinella gaullei* (Invrea,1952) (Mutillidae) Synonym(s): *nigriceps* auct. nec Saunders,1850; *gaullei* Invrea,1952**
- 15499) *Krombeinella hebraea* (Suarez,1963) (Mutillidae) Synonym(s): *hebraea* Suarez,1963**
- 15500) *Krombeinella longicollis* (Tournier,1889) (Mutillidae) Synonym(s): *longicollis* Tournier,1889**
- 15501) *Krombeinella wolffi* (Invrea,1963) (Mutillidae) Synonym(s): *wolffi* Invrea,1963**
- 15502) *Macromyrme binotata* (Radoszkowski,1879) (Mutillidae) Synonym(s): *binotata* Radoszkowski,1879; *araratica* Radoszkowski,1890**
- 15503) *Macromyrme sinuata* (Olivier,1811) (Mutillidae) Synonym(s): *sinuata* Olivier,1811; *villosa* Klug,1829**
- 15504) *Mutilla europaea* Linnaeus,1758 (Mutillidae) Synonym(s): *europaea* Linnaeus,1758; *similis* Harris,1782; *scharfferi* Schrank,1802; *coerulans* Lepeletier,1845; *cyanea* Lepeletier,1845; *panzeri* Lepeletier,1845; *obscura* Nylander,1847; *kaschiriensis* Baer,1848; *laevigata* Sichel & Radoszkowski,1870; *notomelas* André,1902; *rufula* Hoffer,1938; *nigrescens* Hoffer,1938 nec Andr.,1901; *ruficeps* Hoffer,1938**
- 15505) *Mutilla marginata* BAer,1848 (Mutillidae) Synonym(s): *marginata* BAer,1848; *trifasciata* Radoszkowski,1865**
- 15506) *Mutilla quinquemaculata* Cyrillo,1787 (Mutillidae) Synonym(s): *quinquemaculata* Cyrillo,1787**
- 15507) *Mutilla richterae* Lelej,1984 (Mutillidae) Synonym(s): *richterae* Lelej,1984**
- 15508) *Myrmilla (Eurygnathilla) emiliae* (Dalla Torre,1897) (Mutillidae) Synonym(s): *laticeps* Radoszkowski,1888 nec Blake,1871; *emiliae* Dalla Torre,1897; *chusistana* Skorikov,1927**
- 15509) *Myrmilla (Pseudomutilla) atalanta* Nagy,1967 (Mutillidae) Synonym(s): *atalanta* Nagy,1967**
- 15510) *Myrmilla (Pseudomutilla) filippovi* Lelej,1985 (Mutillidae) Synonym(s): *filippovi* Lelej,1985**
- 15511) *Myrmilla (Pseudomutilla) glabrata* (Fabricius,1775) (Mutillidae) Synonym(s): *glabrata* Fabricius,1775; *ciliata* Fabricius,1775; *fraterna* Baer,1848; *cephalica* Sichel & Radoszkowski,1869; *sarmatica* Skorikov,1927; *beljovskii* Skorikov,1927**
- 15512) *Myrmilla (Pseudomutilla) vutshetitshi* Skorikov,1927 (Mutillidae) Synonym(s): *vutshetitshi* Skorikov,1927; *kusdasi* Invrea,1965**
- 15513) *Myrmilla (s.str.) anopla* Skorikov,1927 (Mutillidae) Synonym(s): *anopla* Skorikov,1927**
- 15514) *Myrmilla (s.str.) calva* (Villers,1789) (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845; *hastata* Costa,1858; *andalusiana* Skorikov,1927**
- 15515) *Myrmilla (s.str.) caucasica* (Kolenati,1846) (Mutillidae) Synonym(s): *caucasica* Kolenati,1846; *jasonia* Skorikov,1927; *kiritschenkoi* Skorikov,1927**
- 15516) *Myrmilla (s.str.) corniculata* (Sichel & Radoszkowski,1869) (Mutillidae) Synonym(s): *#corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszkowski,1869**
- 15517) *Myrmilla (s.str.) lezginica* (Radoszkowski,1885) (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885; *subcornuta* Morawitz,1893; *nigrifrons* André,1901 [ssp.]; *kokujevi* Skorikov,1927; *susiana* Skorikov,1927**
- 15518) *Myrmosa atra* Panzer,1801 (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (praeooc.); *atra* Panzer,1801; *nigra* Latreille,1809; *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954**
- 15519) *Nemka viduata* (Pallas,1773) (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865**
- 15520) *Paramyrmosa brunnipes* (Lepeletier,1845) (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858**
- 15521) *Paramyrmosa radoszkowskyi* (Saussure,1880) (Mutillidae) Synonym(s): *radoszkowskyi* Saussure,1880**
- 15522) *Physetopoda daghestanica* (Radoszkowski,1885) (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885**
- 15523) *Physetopoda punctata* (Latreille,1792) (Mutillidae) Synonym(s): *punctata* Latreille,1792**
- 15524) *Physetopoda scutellaris* (Latreille,1792) (Mutillidae) Synonym(s): *scutellaris* Latreille,1792**
- 15525) *Physetopoda similis* (Lelej,1984) (Mutillidae) Synonym(s): *similis* Lelej,1984**
- 15526) *Platymyrmillia quinquefasciata* (Olivier,1811) (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811**
- 15527) *Pseudophotopsis caucasica* (Radoszkowski,1885) (Mutillidae) Synonym(s): *caucasica* Radoszkowski,1885; *causicola* Dalla Torre,1897;**
- 15528) *Pseudophotopsis schachruda* (Skorikov,1935) (Mutillidae) Synonym(s): *schachruda* Skorikov,1935; *robusta* Skorikov,1935; *mavromoustakisi* Suarez,1959; *#schachrudii* Özbek et al.,1999; *caucasica* auct.**

- 15529) *Pseudophotopsis syriaca* (André,1900)** (Mutillidae) Synonym(s): *syriaca* André,1900; *caspica* sensu Özbek et al.,1999 nec Radoszkowski,1885
- 15530) *Ronisia brutia* (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *sexmaculata* Cyrillo,1787; *hungarica* Fabricius,1793; *confusa* Lepeletier,1845; *monspeliensis* Lepeletier,1845; *robusta* Smith,1855; *torosa* Costa,1858; *sericeiventris* Costa,1864; *duplex* Radoszkowski,1885; *discoidalis* Radoszkowski,1885 *morawitzii* Dalla Torre,1897
- 15531) *Ronisia marocana* (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811; *novemguttata* Klug,1835; *octomaculata* Spinola,1843; *algira* Lepeletier,1845; *rubricollis* Lucas,1849; *dorsalis* Lucas,1849; *humeralis* Stichel & Radoszkowski,1870; *bodenheimeri* Invrea,1950; *flavocornuta* Invrea,1965
- 15532) *Sigilla dorsata* (Fabricius,1798)** (Mutillidae) Synonym(s): *dorsata* Fabricius,1798; *excoriata* Lepeletier,1845; *spinolae* Lepeletier,1845; *punctum* Lepeletier,1845; *affinis* Lucas,1849; *cognata* F.Smith,1855; *calcariventris* Sichel & Radoszkowski,1870
- 15533) *Skorikovia anatolica* Lelej,2009** (Mutillidae) Synonym(s): *anatolica* Lelej,2009
- 15534) *Skorikovia radoszkowskii* (Skorikov,1935)** (Mutillidae) Synonym(s): *radoszkowskii* Skorikov,1935
- 15535) *Skorikovia transcaucasica* (Lelej,1985)** (Mutillidae) Synonym(s): *transcaucasica* Lelej,1985
- 15536) *Smicromyrme* (Astomyrme) *ausonius* Invrea,1950** (Mutillidae) Synonym(s): *ausonius* Invrea,1950
- 15537) *Smicromyrme* (Eremotilla) *novaki* Invrea,1954** (Mutillidae) Synonym(s): *novaki* Invrea,1954
- 15538) *Smicromyrme* (Eremotilla) *schwarzi* Suarez,1975** (Mutillidae) Synonym(s): *schwarzi* Suarez,1975
- 15539) *Smicromyrme* (Erimyrme) *azerbaidzhanicus* Lelej,1985** (Mutillidae) Synonym(s): *azerbaidzhanicus* Lelej,1985
- 15540) *Smicromyrme* (Erimyrme) *pulawskii* Suarez,1975** (Mutillidae) Synonym(s): *pulawskii* Suarez,1975
- 15541) *Smicromyrme* (Erimyrme) *sicanus* (De Stefani,1887)** (Mutillidae) Synonym(s): *sicanus* De Stefani,1887
- 15542) *Smicromyrme* (s.str.) *ruficollis* (Fabricius,1793)** (Mutillidae) Synonym(s): *ruficollis* Fabricius,1793
- 15543) *Smicromyrme* (s.str.) *rufipes* (Fabricius,1787)** (Mutillidae) Synonym(s): *rufipes* Fabricius,1787
- 15544) *Smicromyrme* (s.str.) *turanicus* (Morawitz,1893)** (Mutillidae) Synonym(s): *turanicus* Morawitz,1893
- 15545) *Stenomutilla* (s.str.) *acanthosterna* Nonveiller,1994** (Mutillidae) Synonym(s): *acanthosterna* Nonveiller,1994
- 15546) *Stenomutilla* (s.str.) *anatolica* Nonveiller,1994** (Mutillidae) Synonym(s): *anatolica* Nonveiller,1994
- 15547) *Stenomutilla* (s.str.) *bizonata* (Smith,1856)** (Mutillidae) Synonym(s): *bizonata* Smith,1856
- 15548) *Stenomutilla* (s.str.) *osellai* Nonveiller,1994** (Mutillidae) Synonym(s): *osellai* Nonveiller,1994
- 15549) *Trogaspidia catanensis* (Rossi,1794)** (Mutillidae) Synonym(s): *catanensis* Rossi,1794
- 15550) *Tropidotilla grisescens* (Lepeletier,1845)** (Mutillidae) Synonym(s): *grisescens* Lepeletier,1845; *litoralis* sensu Özbek et al.,1999 nec Petagna,1787
- 15551) *Tropidotilla litoralis* (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787
- 15552) *Tropidotilla sareptana* (André,1901)** (Mutillidae) Synonym(s): *sareptana* André,1901
- 15553) *Tropidotilla semirufa* (André,1893)** (Mutillidae) Synonym(s): *semirufa* André,1893

MYCETOPHILIDAE

- 15554) *Cordyla brevicornis* (Staeger,1840)** (Mycetophilidae) Synonym(s): *brevicornis* Staeger,1840
- 15555) *Cordyla fusca* Meigen,1804** (Mycetophilidae) Synonym(s): *fusca* Meigen,1804
- 15556) *Pseudexechia trisignata* (Edwards,1913)** (Mycetophilidae) Synonym(s): *trisignata* Edwards,1913
- 15557) *Rymosia pseudocretensis* Burghel-Balacesco,1967** (Mycetophilidae) Synonym(s): *pseudocretensis* Burghel-Balacesco,1967
- 15558) *Coelosia fusca* Bezzi,1892** (Mycetophilidae) Synonym(s): *fusca* Bezzi,1892
- 15559) *Allodiopsis rustica* (Edwards,1941)** (Mycetophilidae) Synonym(s): *rustica* Edwards,1941
- 15560) *Docosia gilvipes* (Haliday,1856)** (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856
- 15561) *Exechia fulva* Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva* Santos Abreu,1920; *exornata* Séguy,1941; *peyerimhoffi* Burghel-Balacesco,1966
- 15562) *Exechia separata* Lundström,1912** (Mycetophilidae) Synonym(s): *separata* Lundström,1912
- 15563) *Exechia fusca* (Meigen,1804)** (Mycetophilidae) Synonym(s): *fusca* Meigen,1804
- 15564) *Mycetophila alea* Laffoon,1965** (Mycetophilidae) Synonym(s): *alea* Laffoon,1965
- 15565) *Mycetophila blanda* Winnertz,1863** (Mycetophilidae) Synonym(s): *blanda* Winnertz,1863
- 15566) *Mycetophila fungorum* (DeGeer,1776)** (Mycetophilidae) Synonym(s): *fungorum* DeGeer,1776

- 15567) Rymosia cretensis Lundström,1911** (Mycetophilidae) Synonym(s): *cretensis* Lundström,1911
- 15568) Sciophila sp.** (Mycetophilidae) Synonym(s):
- 15569) Leia bimaculata (Meigen,1804)** (Mycetophilidae) Synonym(s): *bimaculata* Meigen,1804; *fasciola* Meigen,1818; *octomaculata* Curtis,1837
- 15570) Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s): *circumdata* Staeger,1840
- 15571) Sciophila muglolutea Bechev & Koç,2006** (Mycetophilidae) Synonym(s): *muglolutea* Bechev & Koç,2006
- 15572) Sciophila turcolutea Bechev & Koç,2006** (Mycetophilidae) Synonym(s): *turcolutea* Bechev & Koç,2006
- 15573) Sciophila delphis Chandler,2001** (Mycetophilidae) Synonym(s): *delphis* Chandler,2001
- 15574) Allodia (Brachycampta) pistillata (Lundström,1911)** (Mycetophilidae) Synonym(s): *pistillata* Lundström,1911
- 15575) Anatella concava Plassmann,1990** (Mycetophilidae) Synonym(s): *concava* Plassmann,1990; *longiflagellata* Caspers,1991
- 15576) Brevicornu griseicollae (Staeger,1840)** (Mycetophilidae) Synonym(s): *griseicollae* Staeger,1840
- 15577) Brevicornu verralli (Edwards,1925)** (Mycetophilidae) Synonym(s): *verralli* Edwards,1925
- 15578) Mycetophila ocellus Walker,1848** (Mycetophilidae) Synonym(s): *ocellus* Walker,1848
- 15579) Mycetophila pictula Meigen,1830** (Mycetophilidae) Synonym(s): *pictula* Meigen,1830
- 15580) Mycetophila spectabilis Winnertz,1863** (Mycetophilidae) Synonym(s): *spectabilis* Winnertz,1863
- 15581) Mycetophila strigatoides (Landrock,1927)** (Mycetophilidae) Synonym(s): *strigatoides* Landrock,1927; *pseudoquadra* Bukowski,1934; *pseudoquadroides* Matile,1967
- 15582) Mycetophila trinotata Staeger,1840** (Mycetophilidae) Synonym(s): *trinotata* Staeger,1840
- 15583) Mycetophila unicolor Stannius,1831** (Mycetophilidae) Synonym(s): *unicolor* Stannius,1831
- 15584) Phronia basalis Winnertz,1863** (Mycetophilidae) Synonym(s): *basalis* Winnertz,1863
- 15585) Phronia biarcuata (Becker,1908)** (Mycetophilidae) Synonym(s): *biarcuata* Becker,1908
- 15586) Phronia tenuis Winnertz,1863** (Mycetophilidae) Synonym(s): *tenuis* Winnertz,1863
- 15587) Phronia willistoni Dziedzicki,1889** (Mycetophilidae) Synonym(s): *willistoni* Dziedzicki,1889; *incisa* Caspers,1991
- 15588) Sceptonia flavipuncta Edwards,1925** (Mycetophilidae) Synonym(s): *flavipuncta* Edwards,1925
- 15589) Sceptonia intestata Plassmann & Schacht,1990** (Mycetophilidae) Synonym(s): *intestata* Plassmann & Schacht,1990
- 15590) Sceptonia cryptocauda Chandler,1991** (Mycetophilidae) Synonym(s): *cryptocauda* Chandler,1991
- 15591) Sceptonia membranacea Edwards,1925** (Mycetophilidae) Synonym(s): *membranacea* Edwards,1925
- 15592) Zygomyia valida Winnertz,1863** (Mycetophilidae) Synonym(s): *valida* Winnertz,1863

MYDIDAE

- 15593) Leptomydas turcicus Bowden,1983** (Mydidae) Synonym(s): *turcicus* Bowden,1983

MYMARIDAE

- 15594) Anagrus atomus (Linnaeus)** (Mymaridae) Synonym(s):
- 15595) Anaphes diana (Girault)** (Mymaridae) Synonym(s):
- 15596) Litus cynipseus Haliday** (Mymaridae) Synonym(s):
- 15597) Stephanodes similis (Förster)** (Mymaridae) Synonym(s):

MYMECOPHILIDAE

- 15598) Myrmecophilus (s.str.) acervorum (Panzer,1799)** (Myrmecophilidae) Synonym(s): *acervorum* Panzer,1799
- 15599) Myrmecophilus (s.str.) termitophilus Maran,1959** (Myrmecophilidae) Synonym(s): *termitophilus* Maran,1959
- 15600) Myrmecophilus (s.str.) ochraceus Fischer von Waldheim,1853** (Myrmecophilidae) Synonym(s): *ochraceus* Fischer von Waldheim,1853
- 15601) Myrmecophilus orientalis Stalling,2010** (Myrmecophilidae) Synonym(s): *orientalis* Stalling,2010

MYRMELEONIDAE

- 15602) *Acanthaclisis baetica* Rambur, 1842** (Myrmeleonidae) Synonym(s): *baetica* Rambur, 1842
- 15603) *Acanthaclisis occitanica* (Villers, 1789)** (Myrmeleonidae) Synonym(s): *occitanicum* Villers, 1789; *pisanus* Rossi, 1790; *georgianum* Fischer v. Waldheim, 1846.
- 15604) *Aspoeckina glaseri* Hölzel, 1972** (Myrmeleonidae) Synonym(s): *glaseri* Hölzel, 1972
- 15605) *Aspoeckina uralensis* (Hölzel, 1969)** (Myrmeleonidae) Synonym(s): *uralensis* Hölzel, 1969
- 15606) *Aspoeckina glaseri* Hölzel, 1972** (Myrmeleonidae) Synonym(s): *glaseri* Hölzel, 1972
- 15607) *Creoleon plumbeus* (Olivier, 1811)** (Myrmeleonidae) Synonym(s): *plumbeus* Olivier, 1811
- 15608) *Cueta beieri* Hölzel, 1969** (Myrmeleonidae) Synonym(s): *beieri* Hölzel, 1969
- 15609) *Cueta lineosus* (Rambur, 1842)** (Myrmeleonidae) Synonym(s): *lineosus* Rambur, 1842; *morosus* Walker, 1853; *ulianini* McLachlan, 1875; *trilineata* Navas, 1911; *grammaticus* Navas, 1912; *syriaca* Navas, 1914; *natti* Navas, 1914; *anomala* Navas, 1915
- 15610) *Delfimeus friedeli* (Hölzel, 1972)** (Myrmeleonidae) Synonym(s): *friedeli* Hölzel, 1972
- 15611) *Delfimeus irroratus* (Olivier, 1811)** (Myrmeleonidae) Synonym(s): *irroratus* Olivier, 1811; *imbecillus* Stein, 1863; *extorris* Navas, 1913; *clarus* Navas, 1914; *sobrius* Navas, 1914
- 15612) *Dendroleon pantherinus* (Fabricius, 1787)** (Myrmeleonidae) Synonym(s): *pantherinus* Fabricius, 1787
- 15613) *Dendroleon pantherinus* (Fabricius, 1787)** (Myrmeleonidae) Synonym(s): *pantherinus* Fabricius, 1787
- 15614) *Distoleon curdicus* Hölzel, 1972** (Myrmeleonidae) Synonym(s): *curdicus* Hölzel, 1972
- 15615) *Distoleon kabulensis* Hölzel, 1972** (Myrmeleonidae) Synonym(s): *kabulensis* Hölzel, 1972
- 15616) *Distoleon tetragrammicus* (Fabricius, 1798)** (Myrmeleonidae) Synonym(s): *tetragrammicus* Fabricius, 1798; *catta* Rossi, 1790; *rapax* Olivier, 1811; *flavomaculatus* Eversmann, 1841; *leuthneri* Navas, 1914; *mesmini* Navas, 1921
- 15617) *Echthromyrmex sehitlerolmez* Koçak & Kemal, 2008** (Myrmeleonidae) Synonym(s): *sehitlerolmez* Koçak & Kemal, 2008
- 15618) *Euroleon nostras* (Fourcroy, 1785)** (Myrmeleonidae) Synonym(s): *nostras* Fourcroy, 1785; *europaeus* MacLachlan, 1873
- 15619) *Gymnocnemia variegata* (Schneider, 1845)** (Myrmeleonidae) Synonym(s): *variegata* Schneider, 1845; *multipunctatus* Costa, 1855; *mocsaryi* Pongracz, 1910
- 15620) *Macronemurus appendiculatus* (Latreille, 1807)** (Myrmeleonidae) Synonym(s): *appendiculatus* Latreille, 1807; *insidiosus* Walker, 1853; *platycerus* Navas, 1919; *weissi* Navas, 1921; *surcoufi* Navas, 1928
- 15621) *Macronemurus bilineatus* Brauer, 1868** (Myrmeleonidae) Synonym(s): *bilineatus* Brauer, 1868
- 15622) *Megistopus flavicornis* (Rossi, 1807)** (Myrmeleonidae) Synonym(s): *flavicornis* Rossi, 1807; *bisignatus* Rambur, 1842
- 15623) *Mesonemurus steineri* Hölzel, 1972** (Myrmeleonidae) Synonym(s): *steineri* Hölzel, 1972
- 15624) *Myrmecaelurus acerbus* (Walker, 1853)** (Myrmeleonidae) Synonym(s): *acerbus* Walker, 1853; *atrox* Walker, 1853; *iners* Walker, 1853; *nigellus* Navas, 1930.
- 15625) *Myrmecaelurus maior* McLachlan, 1875** (Myrmeleonidae) Synonym(s): *maior* McLachlan, 1875
- 15626) *Myrmecaelurus spectabilis* Navas, 1912** (Myrmeleonidae) Synonym(s): *spectabilis* Navas, 1912
- 15627) *Myrmecaelurus trigrammus* (Pallas, 1781)** (Myrmeleonidae) Synonym(s): *trigrammus* Pallas, 1781; *pictum* Fabricius, 1798; *flavus* Rambur, 1842
- 15628) *Myrmeleon* (Mort.) *inconspicuus* (Rambur, 1842)** (Myrmeleonidae) Synonym(s): *inconspicuus* Rambur, 1842
- 15629) *Myrmeleon* (s.str.) *formicarius* Linnaeus, 1767** (Myrmeleonidae) Synonym(s): *formicarius* Linnaeus, 1767; *formicalynx* Linnaeus, 1767
- 15630) *Myrmeleon* (s.str.) *noacki* Ohm, 1965** (Myrmeleonidae) Synonym(s): *noacki* Ohm, 1965
- 15631) *Nedroledon anatolicus* Navas, 1914** (Myrmeleonidae) Synonym(s): *anatolicus* Navas, 1914; *longiventris* Navas, 1932; *lineatus* Kis, 1964
- 15632) *Neuroleon assimilis* (Navas, 1914)** (Myrmeleonidae) Synonym(s): *assimilis* Navas, 1914
- 15633) *Neuroleon egenus* (Navas, 1914)** (Myrmeleonidae) Synonym(s): *egenus* Navas, 1914; *cyprius* Navas, 1940
- 15634) *Neuroleon microstenus* (McLachlan, 1898)** (Myrmeleonidae) Synonym(s): *microstenus* McLachlan, 1898; *propinquus* Navas, 1911; *noxius* Navas, 1912; *hellenicus* Navas, 1912; *occultus* Navas, 1914; *vicinus* Navas, 1914
- 15635) *Neuroleon nemausiensis* (Borkhausen, 1791)** (Myrmeleonidae) Synonym(s): *nemausiensis* Borkhausen, 1791
- 15636) *Neuroleon occultus* (Navas, 1914)** (Myrmeleonidae) Synonym(s): *occultus* Navas, 1914
- 15637) *Neuroleon tenellus* (Klug, 1834)** (Myrmeleonidae) Synonym(s): *tenellus* Klug, 1834; *naxensis* Navas, 1915
- 15638) *Nicarinus poecilopterus* (Stein, 1863)** (Myrmeleonidae) Synonym(s): *poecilopterus* Stein, 1863; *basilicus* Navas, 1914

- 15639) Nohoveus armenicus (Krivokhatsky,1993)** (Myrmeleonidae) Synonym(s): *armenicus Krivokhatsky,1993*
- 15640) Nohoveus atrifrons Hölzel,1970** (Myrmeleonidae) Synonym(s): *atrifrons Hölzel,1970*
- 15641) Palpares assyriorum Abraham,2012** (Myrmeleonidae) Synonym(s): *assyriorum Abraham,2012*
- 15642) Palpares chrysopterus Navas,1910** (Myrmeleonidae) Synonym(s): *chrysopterus Navas,1910; turcicus Koçak,1976 nec Pet. & Emp.,1767*
- 15643) Palpares libelluloides (Linnaeus,1764)** (Myrmeleonidae) Synonym(s): *libelluloides Linnaeus,1764; turcica Petiver & Empson,1767; nordmanni Kolenati,1846*
- 15644) Parapalpares solidus (Gerstaecker,[1894])** (Myrmeleonidae) Synonym(s): *solidus Gerstaecker,[1894]; zugmayeri Navas,1912; klapaleki Navas,1912; validus Navas,1927*
- 15645) Solter ledereri Navas,1912** (Myrmeleonidae) Synonym(s): *ledereri Navas,1912*

MYTHICOMYIIDAE

- 15646) Cyrtisiopsis melleus (Loew,1856)** (Mythicomyiidae) Synonym(s): *melleus Loew,1856*
- 15647) Platypygus bellus Loew,1869** (Mythicomyiidae) Synonym(s): *bellus Loew,1869*
- 15648) Platypygus kurdorum Paramonov,1929** (Mythicomyiidae) Synonym(s): *kurdorum Paramonov,1929; persicus Paramonov,1934*
- 15649) Platypygus chrysanthemi Loew,1844** (Mythicomyiidae) Synonym(s): *chrysanthemi Loew,1844*
- 15650) Platypygus ridibundus (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus A.Costa,1863*
- 15651) Glabellula nobilis Kertész,1912** (Mythicomyiidae) Synonym(s): *nobilis Kertész,1912*
- 15652) Platypygus melinoproctus Loew,1873** (Mythicomyiidae) Synonym(s): *melinoproctus Loew,1873*
- 15653) Platypygus melleus Loew,1856** (Mythicomyiidae) Synonym(s): *melleus Loew,1856*

NABIDAE

- 15654) Alloerhynchus flavipes (Fieber,1836)** (Nabidae) Synonym(s): *flavipes Fieber,1836*
- 15655) Aptus mirmicoides Costa,1834** (Nabidae) Synonym(s): *mirmicoides Costa,1834*
- 15656) Aspilaspis viridis (Brullé,1835)** (Nabidae) Synonym(s): *viridis Brullé,1835*
- 15657) Himacerus apterus (Fabricius,1798)** (Nabidae) Synonym(s): *apterus Fabricius,1798*
- 15658) Himacerus dauricus (Kiritschenko,1911)** (Nabidae) Synonym(s): *dauricus Kiritschenko,1911*
- 15659) Himacerus maracandicus (Reuter,1890)** (Nabidae) Synonym(s): *maracandicus Reuter,1890*
- 15660) Nabis brevis Scholtz,1846** (Nabidae) Synonym(s): *brevis Scholtz,1846*
- 15661) Nabis capsiformis Germar,1837** (Nabidae) Synonym(s): *capsiformis Germar,1837*
- 15662) Nabis feroides Remane,1953** (Nabidae) Synonym(s): *feroides Remane,1953*
- 15663) Nabis ferus (Linnaeus,1758)** (Nabidae) Synonym(s): *ferus Linnaeus,1758*
- 15664) Nabis limbatus Duda,1851** (Nabidae) Synonym(s): *limbatus Duda,1851*
- 15665) Nabis meridionalis Kerzhner,1963** (Nabidae) Synonym(s): *meridionalis Kerzhner,1963*
- 15666) Nabis palifer Seidenstücker,1954** (Nabidae) Synonym(s): *palifer Seidenstücker,1954*
- 15667) Nabis provencalis Remane,1953** (Nabidae) Synonym(s): *provencalis Remane,1953*
- 15668) Nabis pseudoferus Remane,1949** (Nabidae) Synonym(s): *pseudoferus Remane,1949*
- 15669) Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus Costa,1847*
- 15670) Nabis rugosus (Linnaeus,1758)** (Nabidae) Synonym(s): *rugosus Linnaeus,1758*
- 15671) Nabis sareptanus Dohrn,1862** (Nabidae) Synonym(s): *sareptanus Dohrn,1862*
- 15672) Phorticus velutinus Puton,1895** (Nabidae) Synonym(s): *velutinus Puton,1895*
- 15673) Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle Stein,1857*
- 15674) Prostemma bicolor Rambur,1842** (Nabidae) Synonym(s): *bicolor Rambur,1842*
- 15675) Prostemma guttula (Fabricius,1787)** (Nabidae) Synonym(s): *guttula Fabricius,1787*
- 15676) Prostemma krueperi Stein,1878** (Nabidae) Synonym(s): *krueperi Stein,1878*
- 15677) Prostemma sanguineum Rossi,1790** (Nabidae) Synonym(s): *sanguineum Rossi,1790*
- 15678) Stalia major Costa,1840** (Nabidae) Synonym(s): *major Costa,1840*

NAUCORIDAE

- 15679) Ilyocoris cimicoides (Linnaeus,1758)** (Naucoridae) Synonym(s): *cimicoides Linnaeus,1758*
- 15680) Naucoris maculatus Fabricius,1798** (Naucoridae) Synonym(s): *maculatus Fabricius,1798*

NEMESTRINIDAE

- 15681) *Fallenia fasciata* (Fabricius,1805)** (Nemestrinidae) Synonym(s): *fasciata* Fabricius,1805
15682) *Hirmoneura kunchuy* Koçak & Kemal,2012 (Nemestrinidae) Synonym(s): *kunchuy* Koçak & Kemal,2012
15683) *Hirmoneura obscura* Wiedemann,1820 (Nemestrinidae) Synonym(s): *obscura* Wiedemann,1820
15684) *Nemestrinus caucasicus* (Fischer,1806) (Nemestrinidae) Synonym(s): *caucasicus* Fischer,1806; *analisis* Olivier,1811; *adamsii* Fischer,1812; *albofasciata* Wiedemann,1828; *anthophorina* Portschinsky,1881
15685) *Nemestrinus dedecor* (Loew,1873) (Nemestrinidae) Synonym(s): *dedecor* Loew,1873; *nivea* Lichtwardt,1907
15686) *Nemestrinus laetus* (Loew,1873) (Nemestrinidae) Synonym(s): *laetus* Loew,1873
15687) *Nemestrinus pubescens* Lichtwardt,1919 (Nemestrinidae) Synonym(s): *pubescens* Lichtwardt,1919
15688) *Nemestrinus reticulatus* Latreille,1802 (Nemestrinidae) Synonym(s): *reticulatus* Latreille,1802; *latreillei* Fischer,1812; *cinctus* Macquart,1840; *kindermanni* Bischoff,1905
15689) *Nemestrinus reticuloides* Bowden,1985 (Nemestrinidae) Synonym(s): *reticuloides* Bowden,1985
15690) *Neorhynchocephalus tauscheri* (Fischer,1812) (Nemestrinidae) Synonym(s): *tauscheri* Fischer,1812

NEMOPTERIDAE

- 15691) *Nemoptera coa* (Linnaeus,1758)** (Nemopteridae) Synonym(s): *coa* Linnaeus,1758; *petiveri* Westwood,1841
15692) *Nemoptera sinuata* Olivier,1811 (Nemopteridae) Synonym(s): *sinuata* Olivier,1811
15693) *Nemoptera aegyptiaca* Rambur,1842 (Nemopteridae) Synonym(s): *aegyptiaca* Rambur,1842; *hebraica* Westwood,1874
15694) *Lertha ledereri* (Selys-Longchamps,1866) (Nemopteridae) Synonym(s): *ledereri* Selys-Longchamps,1866
15695) *Lertha extensa* (Olivier,1811) (Nemopteridae) Synonym(s): *extensa* Olivier,1811
15696) *Lertha palmonii* Tjeder,1970 (Nemopteridae) Synonym(s): *palmonii* Tjeder,1970
15697) *Lertha schmidtii* (H.Aspöck, U.Aspöck & Hölzel,1984) (Nemopteridae) Synonym(s): *schmidtii* H.Aspöck, U.Aspöck & Hölzel,1984
15698) *Lertha sheppardi* (Kirby,1904) (Nemopteridae) Synonym(s): *sheppardi* Kirby,1904
15699) *Croce schmidtii* (Navas,1927) (Nemopteridae) Synonym(s): *schmidtii* Navas,1927
15700) *Dielocroce baudii* (Griffini,1895) (Nemopteridae) Synonym(s): *baudii* Griffini,1895
15701) *Dielocroce modesta* Hölzel,1975 (Nemopteridae) Synonym(s): *modesta* Hölzel,1975
15702) *Dielocroce ephemera* (Gersträcker,[1894]) (Nemopteridae) Synonym(s): *ephemera* Gersträcker,[1894]

NEMOURIDAE

- 15703) *Amphinemura mirabilis* (Martynov,1928)** (Nemouridae) Synonym(s): *mirabilis* Martynov,1928
15704) *Amphinemura standfussi* (Ris,1902) (Nemouridae) Synonym(s): *standfussi* Ris,1902; *palmeni* Kpopnen,1917; *osorioi* Navas,1929; *vicina* Navas,1932
15705) *Amphinemura trialetica* Zhiltzova,1957 (Nemouridae) Synonym(s): *trialetica* Zhiltzova,1957
15706) *Nemoura carpathica* Illies,1963 (Nemouridae) Synonym(s): *carpathica* Illies,1963
15707) *Nemoura brevipennis* Martynov,1928 (Nemouridae) Synonym(s): *brevipennis* Martynov,1928
15708) *Nemoura subtilis* Klapalek,1895 (Nemouridae) Synonym(s): *subtilis* Klapalek,1895; *carpathica* Illies,1963
15709) *Nemoura cinerea* (Retzius,1783) (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalmia* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *bureschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972
15710) *Nemoura flexuosa* Aubert,1949 (Nemouridae) Synonym(s): *flexuosa* Aubert,1949
15711) *Nemoura martynovia* Claassen,1936 (Nemouridae) Synonym(s): *martynovia* Claassen,1936
15712) *Nemoura taurica* Zhiltzova,1967 (Nemouridae) Synonym(s): *taurica* Zhiltzova,1967
15713) *Protonemura bacuriana* Zhiltzova,1957 (Nemouridae) Synonym(s): *bacuriana* Zhiltzova,1957
15714) *Protonemura besucheti* Zwick,1971 (Nemouridae) Synonym(s): *besucheti* Zwick,1971
15715) *Protonemura bithynica* Aubert,1964 (Nemouridae) Synonym(s): *bithynica* Aubert,1964
15716) *Protonemura capitata* Martynov,1928 (Nemouridae) Synonym(s): *capitata* Martynov,1928
15717) *Protonemura eumontana* Zhiltzova,1957 (Nemouridae) Synonym(s): *eumontana* Zhiltzova,1957

- 15718) *Protonemura mattheyi* (Aubert,1956)** (Nemouridae) Synonym(s): *mattheyi* Aubert,1956
15719) *Protonemura microstyla* Martynov,1928 (Nemouridae) Synonym(s): *microstyla* Martynov,1928
15720) *Protonemura ressl* Zwick,1971 (Nemouridae) Synonym(s): *ressli* Zwick,1971
15721) *Protonemura teberdensis* Zhiltzova,1958 (Nemouridae) Synonym(s): *teberdensis* Zhiltzova,1958
15722) *Protonemura bifida* Martynov,1928 (Nemouridae) Synonym(s): *bifida* Martynov,1928;
breviuscula Martynov,1928; *falciformis* Martynov,1928
15723) *Protonemura dilatata* Martynov,1928 (Nemouridae) Synonym(s): *dilatata* Martynov,1928
15724) *Protonemura gladifera* Balinsky,1950 (Nemouridae) Synonym(s): *gladifera* Balinsky,1950
15725) *Protonemura oreas* Martynov,1928 (Nemouridae) Synonym(s): *oreas* Martynov,1928;
longispinosa Martynov,1928
15726) *Protonemura praecox* (Morton,1894) (Nemouridae) Synonym(s): *praecox* Morton,1894
15727) *Protonemura intricata* (Ris,1902) (Nemouridae) Synonym(s): *intricata* Ris,1902
15728) *Protonemura triangulata* Martynov,1928 (Nemouridae) Synonym(s): *triangulata*
Martynov,1928; *karabagi* Kazanci,1982
15729) *Protonemura fusunae* Vinçon & Ravizza,1999 (Nemouridae) Synonym(s): *fusunae* Vinçon &
Ravizza,1999
15730) *Protonemura izmiriana* Vinçon & Zhiltzova,2004 (Nemouridae) Synonym(s): *izmiriana*
Vinçon & Zhiltzova,2004

NEPIDAE

- 15731) *Nepa cinerea* Linnaeus,1758** (Nepidae) Synonym(s): *cinerea* Linnaeus,1758
15732) *Nepa rubra* Linnaeus,1758 (Nepidae) Synonym(s): *rubra* Linnaeus,1758
15733) *Ranatra linearis* (Linnaeus,1758) (Nepidae) Synonym(s): *linearis* Linnaeus,1758

NITIDULIDAE

- 15734) *Eपुरaea sutcuimamun* Avgın, Magri, Antonini, Mancini, Jansson, Lason & Audisio,2012** (Nitidulidae) Synonym(s): *sutcuimamun* Avgın, Magri, Antonini, Mancini, Jansson, Lason & Audisio,2012
15735) *Meligethes ater* Brisout,1868 (Nitidulidae) Synonym(s): *ater* Brisout,1868
15736) *Meligethes devillei* Grouvelle,1912 (Nitidulidae) Synonym(s): *devillei* Grouvelle,1912
15737) *Meligethes holzschuhi* Jelinek & Spornraft,1979 (Nitidulidae) Synonym(s): *holzschuhi* Jelinek & Spornraft,1979
15738) *Meligethes incanus* Sturm,1845 (Nitidulidae) Synonym(s): *incanus* Sturm,1845
15739) *Meligethes interjectus* Jelinek & Spornraft,1979 (Nitidulidae) Synonym(s): *interjectus* Jelinek & Spornraft,1979
15740) *Meligethes maurus* Sturm,1845 (Nitidulidae) Synonym(s): *maurus* Sturm,1845
15741) *Meligethes tauricus* Jelinek & Spornraft,1979 (Nitidulidae) Synonym(s): *tauricus* Jelinek & Spornraft,1979
15742) *Meligethes umbrosus* Sturm,1845 (Nitidulidae) Synonym(s): *umbrosus* Sturm,1845
15743) *Meligethes vomer* Kirejtschuk,1978 (Nitidulidae) Synonym(s): *vomer* Kirejtschuk,1978

NOTERIDAE

- 15744) *Canthydrus diophthalmus* (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus*
Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925
15745) *Noterus clavicornis* (De Geer,1774) (Noteridae) Synonym(s): *clavicornis* De Geer,1774
15746) *Noterus crassicornis* (O.F.Müller,1776) (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776

NOTONECTIDAE

- 15747) *Anisops sardeus* Herrich-Schäffer,1849** (Notonectidae) Synonym(s): *sardeus* Herrich-Schäffer,1849
15748) *Notonecta glauca* Linnaeus,1758 (Notonectidae) Synonym(s): *glauca* Linnaeus,1758; *kervillei*
Poisson,1933; *poissoni* Hungerford,1934; *hybrida* Poisson,1953
15749) *Notonecta maculata* Fabricius,1794 (Notonectidae) Synonym(s): *maculata* Fabricius,1794

- 15750) Notonecta marmorea Fabricius, 1803** (Notonectidae) Synonym(s): *marmorea Fabricius, 1803*
15751) Notonecta meridionalis Poisson, 1926 (Notonectidae) Synonym(s): *meridionalis Poisson, 1926*
15752) Notonecta obliqua Gallen, 1787 (Notonectidae) Synonym(s): *obliqua Gallen, 1787*
15753) Notonecta viridis Delcourt, 1909 (Notonectidae) Synonym(s): *viridis Delcourt, 1909; mediterranea Hutchinson, 1928*

NYCTERIBIIDAE

- 15754) Basilia mongolensis Theodor, 1966** (Nycteribiidae) Synonym(s): *mongolensis Theodor, 1966*
15755) Basilia nana Theodor & Moscona, 1954 (Nycteribiidae) Synonym(s): *nana Theodor & Moscona, 1954*
15756) Eucampsipoda aegyptia (Macquart, 1851) (Nycteribiidae) Synonym(s): *aegyptia Macquart, 1851*
15757) Nycteribia (Acrocholidia) vexata Westwood, 1835 (Nycteribiidae) Synonym(s): *vexata Westwood, 1835*
15758) Nycteribia (s.str.) kolenatii Theodor & Moscona, 1954 (Nycteribiidae) Synonym(s): *kolenatii Theodor & Moscona, 1954*
15759) Nycteribia (s.str.) latreillii (Leach, 1817) (Nycteribiidae) Synonym(s): *latreillii Leach, 1817*
15760) Nycteribia (s.str.) pedicularia Latreille, 1805 (Nycteribiidae) Synonym(s): *pedicularia Latreille, 1805*
15761) Nycteribia (s.str.) schmidlii Schiner, 1853 (Nycteribiidae) Synonym(s): *schmidlii Schiner, 1853*
15762) Penicillidia conspicua Speiser, 1901 (Nycteribiidae) Synonym(s): *conspicua Speiser, 1901*
15763) Penicillidia dufourii (Westwood, 1835) (Nycteribiidae) Synonym(s): *dufourii Westwood, 1835*
15764) Phthiridium biarticulatum Hermann, 1804 (Nycteribiidae) Synonym(s): *biarticulatum Hermann, 1804*

OCHTERIDAE

- 15765) Ochterus marginatus (Latreille, 1804)** (Ochteridae) Synonym(s): *marginatus Latreille, 1804*

OEDEMERIDAE

- 15766) Anogcodes difformis (Marseul, 1857)** (Oedemeridae) Synonym(s): *difformis Marseul, 1857*
15767) Anogcodes ferrugineus (Schrank, 1776) (Oedemeridae) Synonym(s): *ferrugineus Schrank, 1776*
15768) Anogcodes fulvicollis (Scopoli, 1763) (Oedemeridae) Synonym(s): *fulvicollis Scopoli, 1763*
15769) Anogcodes geniculatus (W.Schmidt, 1846) (Oedemeridae) Synonym(s): *geniculatus W.Schmidt, 1846*
15770) Anogcodes paradoxus (Faldermann, 1837) (Oedemeridae) Synonym(s): *paradoxus Faldermann, 1837*
15771) Anogcodes ruficollis (Fabricius, 1781) (Oedemeridae) Synonym(s): *ruficollis Fabricius, 1781*
15772) Anogcodes rufiventris (Scopoli, 1763) (Oedemeridae) Synonym(s): *rufiventris Scopoli, 1763*
15773) Anogcodes seladonius (Fabricius, 1792) (Oedemeridae) Synonym(s): *seladonius Fabricius, 1792*
15774) Anogcodes ustulatus (Scopoli, 1763) (Oedemeridae) Synonym(s): *ustulatus Scopoli, 1763*
15775) Chitona cretica Fairmaire, 1863 (Oedemeridae) Synonym(s): *cretica Fairmaire, 1863; acuminata Reitter, 1890; balcanica Pic, 1913*
15776) Chitona fucata (Faldermann, 1837) (Oedemeridae) Synonym(s): *fucata Faldermann, 1837*
15777) Chitona incana (W.Schmidt, 1846) (Oedemeridae) Synonym(s): *incana W.Schmidt, 1846*
15778) Chrysanthia chalcocroa Fairmaire, 1892 (Oedemeridae) Synonym(s): *chalcocroa Fairmaire, 1892*
15779) Chrysanthia distinctithorax Pic, 1904 (Oedemeridae) Synonym(s): *distinctithorax Pic, 1904*
15780) Chrysanthia flavipes Reitter, 1889 (Oedemeridae) Synonym(s): *flavipes Reitter, 1889*
15781) Chrysanthia varipes Kiesenwetter, 1861 (Oedemeridae) Synonym(s): *varipes Kiesenwetter, 1861*
15782) Ischnomera auripennis (Reitter, 1903) (Oedemeridae) Synonym(s): *auripennis Reitter, 1903*
15783) Ischnomera caerulea (Linnaeus, 1758) (Oedemeridae) Synonym(s): *caerulea Linnaeus, 1758*
15784) Ischnomera cinerascens (Pandellé, 1867) (Oedemeridae) Synonym(s): *cinerascens Pandellé, 1867*
15785) Ischnomera cyanea (Fabricius, 1792) (Oedemeridae) Synonym(s): *cyanea Fabricius, 1792*
15786) Ischnomera erdemliensis Svihla, 1998 (Oedemeridae) Synonym(s): *erdemliensis Svihla, 1998*
15787) Ischnomera fulvicollis (Reitter, 1897) (Oedemeridae) Synonym(s): *fulvicollis Reitter, 1897*
15788) Ischnomera fuscipennis Svihla, 1988 (Oedemeridae) Synonym(s): *fuscipennis Svihla, 1988*

- 15789) Ischnomera haemorrhoidalis (W.Schmidt,1846)** (Oedemeridae) Synonym(s): *haemorrhoidalis* W.Schmidt,1846
- 15790) Ischnomera lutescens (Abeille de Perrin,1892)** (Oedemeridae) Synonym(s): *lutescens* Abeille de Perrin,1892
- 15791) Ischnomera maceki Svihla,1988** (Oedemeridae) Synonym(s): *maceki* Svihla,1988
- 15792) Ischnomera partitipennis (Fairmaire,1892)** (Oedemeridae) Synonym(s): *partitipennis* Fairmaire,1892
- 15793) Ischnomera sanguinicollis (Fabricius,1787)** (Oedemeridae) Synonym(s): *sanguinicollis* Fabricius,1787
- 15794) Ischnomera similis (Svihla,1982)** (Oedemeridae) Synonym(s): *similis* Svihla,1982
- 15795) Ischnomera sveci (Svihla,2004)** (Oedemeridae) Synonym(s): *sveci* Svihla,2004
- 15796) Nacerdes (s.str.) melanura (Linnaeus,1758)** (Oedemeridae) Synonym(s): *melanura* Linnaeus,1758
- 15797) Nacerdes (Xanthochroa) carniolica (Gistel,1832)** (Oedemeridae) Synonym(s): *carniolica* Gistel,1832
- 15798) Nacerdes (Xanthochroa) raymondi (Mulsant & Godart,1860)** (Oedemeridae) Synonym(s): *raymondi* Mulsant & Godart,1860
- 15799) Oedemera (Oncomera) femoralis (Fabricius,1792)** (Oedemeridae) Synonym(s): *femoralis* Fabricius,1792
- 15800) Oedemera (Oncomera) flavicans (Fairmaire,1860)** (Oedemeridae) Synonym(s): *flavicans* Fairmaire,1860
- 15801) Oedemera (Oncomera) natolica (Reiche,1862)** (Oedemeridae) Synonym(s): *natolica* Reiche,1862
- 15802) Oedemera (s.str.) artvinensis Svihla,1999** (Oedemeridae) Synonym(s): *artvinensis* Svihla,1999
- 15803) Oedemera (s.str.) atrata W.Schmidt,1846** (Oedemeridae) Synonym(s): *atrata* W.Schmidt,1846
- 15804) Oedemera (s.str.) barbara (Fabricius,1792)** (Oedemeridae) Synonym(s): *barbara* Fabricius,1792
- 15805) Oedemera (s.str.) brevipennis Ganglbauer,1881** (Oedemeridae) Synonym(s): *brevipennis* Ganglbauer,1881
- 15806) Oedemera (s.str.) crassipes Ganglbauer,1881** (Oedemeridae) Synonym(s): *crassipes* Ganglbauer,1881
- 15807) Oedemera (s.str.) femorata (Scopoli,1763)** (Oedemeridae) Synonym(s): *femorata* Scopoli,1763
- 15808) Oedemera (s.str.) flavipennis W.Schmidt,1846** (Oedemeridae) Synonym(s): *flavipennis* W.Schmidt,1846
- 15809) Oedemera (s.str.) flavipes (Fabricius,1792)** (Oedemeridae) Synonym(s): *flavipes* Fabricius,1792
- 15810) Oedemera (s.str.) lurida (Marsham,1802)** (Oedemeridae) Synonym(s): *lurida* Marsham,1802
- 15811) Oedemera (s.str.) merkli Seidlitz,1899** (Oedemeridae) Synonym(s): *merkli* Seidlitz,1899
- 15812) Oedemera (s.str.) penicillata W.Schmidt,1846** (Oedemeridae) Synonym(s): *penicillata* W.Schmidt,1846
- 15813) Oedemera (s.str.) podagrariae (Linnaeus,1767)** (Oedemeridae) Synonym(s): *podagrariae* Linnaeus,1767
- 15814) Oedemera (s.str.) pthysica (Scopoli,1763)** (Oedemeridae) Synonym(s): *pthysica* Scopoli,1763
- 15815) Oedemera (s.str.) rufofemorata Germar,1824** (Oedemeridae) Synonym(s): *rufofemorata* Germar,1824
- 15816) Oedemera (s.str.) subrobusta (Nakane,1954)** (Oedemeridae) Synonym(s): *subrobusta* Nakane,1954
- 15817) Oedemera (s.str.) vilis Roubal,1917** (Oedemeridae) Synonym(s): *vilis* Roubal,1917
- 15818) Oedemera (s.str.) virescens (Linnaeus,1767)** (Oedemeridae) Synonym(s): *virescens* Linnaeus,1767
- 15819) Opsimea ventralis Miller,1880** (Oedemeridae) Synonym(s): *ventralis* Miller,1880
- 15820) Sparedrus testaceus (Andersch,1797)** (Oedemeridae) Synonym(s): *testaceus* Andersch,1797
- 15821) Xanthochroina auberti (Abeille de Perrin,1876)** (Oedemeridae) Synonym(s): *auberti* Abeille de Perrin,1876

OPOMYZIDAE

- 15822) Geomyza tripunctata Fallén,1823** (Opomyzidae) Synonym(s): *tripunctata* Fallén,1823

ORMYRIDAE

- 15823) Ormyrus orientalis Walker,1871** (Ormyridae) Synonym(s): *orientalis* Walker,1871; *indicus* Ahmad,1946; *hungaricus* Erdős,1946; *peninsularis* Mani & Kaul,1972; *fredricki* Narendran & Samodan,1990

- 15824) Ormyrus ardahanensis (Doğanlar,1991)** (Ormyridae) Synonym(s): *ardahanensis* Doğanlar,1991
15825) Ormyrus bingoeliensis Doğanlar,1991 (Ormyridae) Synonym(s): *bingoeliensis* Doğanlar,1991
15826) Ormyrus diffinis (Fonscolombe,1832) (Ormyridae) Synonym(s): *diffinis* Fonscolombe,1832; *punctulatus* Ratzeburg,1848
15827) Ormyrus graciosus (Förster,1860) (Ormyridae) Synonym(s): *graciosus* Förster,1860
15828) Ormyrus kazovaensis (Doğanlar,1991) (Ormyridae) Synonym(s): *kazovaensis* Doğanlar,1991
15829) Ormyrus nitidulus (Fabricius,1804) (Ormyridae) Synonym(s): *nitidulus* Fabricius,1804; *tubulosa* Fonscolombe,1832; *cyanothehtus* Walker,1847; *gallaequercus* Dufour,1864; *chrysidiformis* De Stefani,1868
15830) Ormyrus tschami (Doğanlar,1991) (Ormyridae) Synonym(s): *tschami* Doğanlar,1991
15831) Ormyrus wachtli Mayr,1904 (Ormyridae) Synonym(s): *wachtli* Mayr,1904
15832) Ormyrus yeschilirmaka (Doğanlar,1991) (Ormyridae) Synonym(s): *yeschilirmaka* Doğanlar,1991

ORTHEZIIDAE

- 15833) Orthezia urticae (Linnaeus)** (Ortheziidae) Synonym(s): *urticae* Linnaeus

ORUSSIDAE

- 15834) Mocsarya syriaca Benson,1936** (Orussidae) Synonym(s): *syriaca* Benson,1936
15835) Orussus abietinus (Scopoli,1763) (Orussidae) Synonym(s): *abietinus* Scopoli,1763; *degener* Christ,1791; *vespertilio* Fabricius,1793; *coronatus* Fabricius,1798; *albopunctatus* Gimmerthal,1836
15836) Pseudoryssus henschii (Mocsary,1910) (Orussidae) Synonym(s): *henschii* Mocsary,1910; *emanuelis* Guiglia,1956

OSMYLIDAE

- 15837) Osmylus cilicicus Krüger,1913** (Osmylidae) Synonym(s): *cilicicus* Krüger,1913
15838) Osmylus elegantissimus Kozhantshikov,1951 (Osmylidae) Synonym(s): *elegantissimus* Kozhantshikov,1951
15839) Osmylus fulvicephalus (Scopoli,1763) (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763
15840) Osmylus multiguttatus McLachlan,1870 (Osmylidae) Synonym(s): *multiguttatus* McLachlan,1870

PAMPHAGIDAE

- 15841) Acinipe davisi (Uvarov,1949)** (Pamphagidae) Synonym(s): *davisi* Uvarov,1949
15842) Asiotmethis limbatus (Charpentier,1845) (Pamphagidae) Synonym(s): *limbatus* Charpentier,1845
15843) Asiotmethis turritus (Fischer von Waldheim,1833) (Pamphagidae) Synonym(s): *turritus* Fischer von Waldheim,1833
15844) Ebnerodes tolgi (Ebner,1919) (Pamphagidae) Synonym(s): *tolgi* Ebner,1919
15845) Eremopeza festiva (Saussure,1884) (Pamphagidae) Synonym(s): *festiva* Saussure,1884; *grandis* Portschinsky,1886
15846) Eremopeza gibbera (Stal,1874) (Pamphagidae) Synonym(s): *gibbera* Stal,1874
15847) Eremopeza saussurei (Uvarov,1918) (Pamphagidae) Synonym(s): *gibber* Uvarov,1916; *saussurei* Uvarov,1918
15848) Eunothrotes derjugini Adelung,1907 (Pamphagidae) Synonym(s): *derjugini* Adelung,1907
15849) Glyphotmethis adaliae (Uvarov,1928) (Pamphagidae) Synonym(s): *adaliae* Uvarov,1928
15850) Glyphotmethis dimorphus (Uvarov,1934) (Pamphagidae) Synonym(s): *dimorphus* Uvarov,1934
15851) Glyphotmethis efe Ünal,2007 (Pamphagidae) Synonym(s): *efe* Ünal,2007
15852) Glyphotmethis escherichi (Krauss,1896) (Pamphagidae) Synonym(s): *escherichi* Krauss,1896
15853) Glyphotmethis holtzi (Werner,1901) (Pamphagidae) Synonym(s): *holtzi* Werner,1901
15854) Glyphotmethis inermis (Uvarov,1934) (Pamphagidae) Synonym(s): *inermis* Uvarov,1934
15855) Glyphotmethis ovipennis (Uvarov,1934) (Pamphagidae) Synonym(s): *ovipennis* Uvarov,1934
15856) Glyphotmethis sevketi (Ramme,1951) (Pamphagidae) Synonym(s): *sevketi* Ramme,1951
15857) Nocaracris cyanipes (Fischer von Waldheim,1846) (Pamphagidae) Synonym(s): *cyanipes* Fischer von Waldheim,1846
15858) Nocaracris tecticollis Ramme,1951 (Pamphagidae) Synonym(s): *tecticollis* Ramme,1951

- 15859) Nocarodes aserbus Mistshenko,1951** (Pamphagidae) Synonym(s): *aserbus* Mistshenko,1951
15860) Nocarodes bicoloripes Uvarov,1949 (Pamphagidae) Synonym(s): *bicoloripes* Uvarov,1949;
#marani Demirsoy,1973
15861) Orchamus davisii (Uvarov,1949) (Pamphagidae) Synonym(s): *davisii* Uvarov,1949
15862) Orchamus yersini (Brunner von Wattenwyl,1882) (Pamphagidae) Synonym(s): *raulinii*
Yersin,1860 nec Lucas,1854; yersini Brunner von Wattenwyl,1882
15863) Oronothrotes furvus Mistshenko,1951 (Pamphagidae) Synonym(s): *furvus* Mistshenko,1951
15864) Paranocaracris bulgaricus (Ebner & Drenowsky,1930) (Pamphagidae) Synonym(s):
bulgaricus Ebner & Drenowsky,1930
15865) Paranocaracris citripes (Uvarov,1949) (Pamphagidae) Synonym(s): *citripes* Uvarov,1949;
flavivarsis Karabağ,1953
15866) Paranocaracris elegans Mistshenko,1951 (Pamphagidae) Synonym(s): *elegans* Mistshenko,1951;
tridentatus Shchelkanovtsev,1916
15867) Paranocaracris rimansonae (Uvarov,1918) (Pamphagidae) Synonym(s): *rimansonae*
Uvarov,1918
15868) Paranocaracris rubripes (Fischer von Waldheim,1846) (Pamphagidae) Synonym(s):
rubripes Fischer von Waldheim,1846; *#rupripes* Salman,1978
15869) Paranocarodes atympanicus Ramme,1951 (Pamphagidae) Synonym(s): *atympanicus*
Ramme,1951
15870) Paranocarodes beieri (Ramme,1951) (Pamphagidae) Synonym(s): *beieri* Ramme,1951
15871) Paranocarodes fieberi (Brunner von Wattenwyl,1882) (Pamphagidae) Synonym(s): *fieberi*
Brunner von Wattenwyl,1882
15872) Paranocarodes pahlagonicus Ramme,1951 (Pamphagidae) Synonym(s): *pahlagonicus*
Ramme,1951
15873) Paranocarodes straubei (Fieber,1853) (Pamphagidae) Synonym(s): *straubei* Fieber,1853
15874) Paranothrotes asulcatus Demirsoy,1973 (Pamphagidae) Synonym(s): *asulcatus* Demirsoy,1973
15875) Paranothrotes eximius Mistshenko,1951 (Pamphagidae) Synonym(s): *eximius* Mistshenko,1951
15876) Paranothrotes gotvendicus (Bolivar,1912) (Pamphagidae) Synonym(s): *gotvendicus*
Bolivar,1912
15877) Paranothrotes kosswigi Demirsoy,1973 (Pamphagidae) Synonym(s): *kosswigi* Demirsoy,1973
15878) Paranothrotes levis Mistshenko,1951 (Pamphagidae) Synonym(s): *levis* Mistshenko,1951
15879) Paranothrotes opacus (Brunner von Wattenwyl,1882) (Pamphagidae) Synonym(s): *opacus*
Brunner von Wattenwyl,1882
15880) Prionosthenus (s.str.) gueleni Karabağ,1956 (Pamphagidae) Synonym(s): *gueleni*
Karabağ,1956
15881) Prionotropis maculinervis (Stal,1878) (Pamphagidae) Synonym(s): *maculinervis* Stal,1878
15882) Tmethis pulchripennis (Audinet-Serville,1839) (Pamphagidae) Synonym(s): *pulchripennis*
Audinet-Serville,1839

PAMPHILIIDAE

- 15883) Acantholyda (Itycorsia) fumata (Enslin,1910)** (Pamphiliidae) Synonym(s): *fumata* Enslin,1910
15884) Acantholyda (Itycorsia) hieroglyphica (Christ,1791) (Pamphiliidae) Synonym(s):
hieroglyphica Christ,1791
15885) Caenolyda sp. n. (Pamphiliidae) Synonym(s):
15886) Kelidoptera maculipennis (J.P.E.F.Stein,1876) (Pamphiliidae) Synonym(s): *maculipennis*
J.P.E.F.Stein,1876
15887) Neurotoma fausta (Klug,1808) (Pamphiliidae) Synonym(s): *fausta* Klug,1808
15888) Neurotoma nemoralis (Linnaeus,1758) (Pamphiliidae) Synonym(s): *nemoralis* Linnaeus,1758;
punctata Fabricius,1798 *nec Geoffr.,1785; caprifolii* Schrank,1802; *lucorum* Fallén,1808; *drupacearum*
Nördlinger,1855; maculifrons Snellen van Vollenhoven,1858
15889) Neurotoma saltuum (Linnaeus,1758) (Pamphiliidae) Synonym(s): *saltuum* Linnaeus,1758
15890) Pamphilius betulae (Linnaeus,1758) (Pamphiliidae) Synonym(s): *betulae* Linnaeus,1758
15891) Pamphilius cilix Konow,1897 (Pamphiliidae) Synonym(s): *cilix* Konow,1897
15892) Pamphilius sylvaticus (Linnaeus,1758) (Pamphiliidae) Synonym(s): *sylvaticus* Linnaeus,1758

PANORPIDAE

- 15893) Panorpa aspoecki Willmann,1973** (Panorpidae) Synonym(s): *aspoecki* Willmann,1973
15894) Panorpa communis Linnaeus,1758 (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris*
Imhoff & Labram,1845
15895) Panorpa connexa McLachlan,1869 (Panorpidae) Synonym(s): *connexa* McLachlan,1869

- 15896) *Panorpa germanica* Linnaeus,1758** (Panorpidae) Synonym(s): *germanica* Linnaeus,1758; *affinis* Leach,1815; *apicalis* Stephens,1835; *montana* Brauer,1857; *gibberosa* McLachlan,1869; *ruizi* Navas,1926; *pirion*, Navas,1929
- 15897) *Panorpa hageniana* Willmann,1975** (Panorpidae) Synonym(s): *hageniana* Willmann,1975
- 15898) *Panorpa nigrirostris* McLachlan,1882** (Panorpidae) Synonym(s): *nigrirostris* McLachlan,1882; *selysi* Esben-Petersen,1915
- 15899) *Panorpa picta* Hagen,1863** (Panorpidae) Synonym(s): *picta* Hagen,1863
- 15900) *Panorpa pieperi* Willmann,1975** (Panorpidae) Synonym(s): *pieperi* Willmann,1975
- 15901) *Panorpa schweigeri* Willmann,1975** (Panorpidae) Synonym(s): *schweigeri* Willmann,1975
- 15902) *Panorpa tatvana* Willmann,1974** (Panorpidae) Synonym(s): *tatvana* Willmann,1974
- 15903) *Panorpa thrakica* Willmann,1976** (Panorpidae) Synonym(s): *thrakica* Willmann,1976
- 15904) *Panorpa turcica* Willmann,1975** (Panorpidae) Synonym(s): *turcica* Willmann,1975

PEDICIIDAE

- 15905) *Dicranota (Ludicia) lucidipennis* (Edwards,1921)** (Pedicidae) Synonym(s): *lucidipennis* Edwards,1921; *luteicolor* Alexander,1975
- 15906) *Dicranota (Ludicia) iranensis* (Alexander,1975)** (Pedicidae) Synonym(s): *iranensis* Alexander,1975; *meridiana* Mendl,1988
- 15907) *Dicranota (Paradicranota) robusta* Lundstrom,1912** (Pedicidae) Synonym(s): *robusta* Lundstrom,1912
- 15908) *Pedicia (Amalopsis) occulta* (Meigen,1830)** (Pedicidae) Synonym(s): *occulta* Meigen,1830
- 15909) *Pedicia (Crunobia) littoralis* (Meigen,1804)** (Pedicidae) Synonym(s): *littoralis* Meigen,1804
- 15910) *Pedicia (Crunobia) tjederi* Mendl,1974** (Pedicidae) Synonym(s): *tjederi* Mendl,1974
- 15911) *Pedicia (Crunobia) zernyi* (Lackschewitz,1940)** (Pedicidae) Synonym(s): *zernyi* Lackschewitz,1940
- 15912) *Tricyphona (s.str.) immaculata* (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata* Meigen,1804
- 15913) *Tricyphona (s.str.) zwicki* Mendl,1973** (Pedicidae) Synonym(s): *zwicki* Mendl,1973; *acuspica* Alexander,1975; *elburzensis* Alexander,1975
- 15914) *Ula (s.str.) mollissima* Haliday,1833** (Pedicidae) Synonym(s): *mollissima* Haliday,1833; *inconclusa* Walker,1856; *crassicauda* Agrell,1945

PENTATOMIDAE

- 15915) *Acrosternum breviceps* (Jakovlev,1890)** (Pentatomidae) Synonym(s): *breviceps* Jakovlev,1890; *sahlbergi* Reuter,1900; *satunini* Jakovlev,1903; *bactriana* Kiritschenko,1912
- 15916) *Acrosternum heegeri* Fieber,1861** (Pentatomidae) Synonym(s): *heegeri* Fieber,1861; *incerta* Signoret,1861; *submarginatus* Stal,1861
- 15917) *Acrosternum millieri* (Mulsant & Rey,1866)** (Pentatomidae) Synonym(s): *millieri* Mulsant & Rey,1866; *forbesi* Distant,1884; *putoni* Vidal,1949
- 15918) *Aelia acuminata* (Linnaeus,1758)** (Pentatomidae) Synonym(s): *acuminata* Linnaeus,1758; *rostratus* De Geer,1773; *tessarophthalmus* Schrank,1781; *neglecta* Dallas,1851; *burmeisteri* Küster,1852; *pallida* Küster,1852; *turanica* Horvath,1895; *punctiventris* Horvath,1911; *#nigripes* Wagner,1938; *baluchistanensis* Ahmad & Zaidi,1988
- 15919) *Aelia albovittata* Fieber,1868** (Pentatomidae) Synonym(s): *albovittata* Fieber,1868
- 15920) *Aelia alticola* Kiritschenko,1914** (Pentatomidae) Synonym(s): *alticola* Kiritschenko,1914; *satunini* Kiritschenko,1930
- 15921) *Aelia furcula* Fieber,1868** (Pentatomidae) Synonym(s): *furcula* Fieber,1868; *simillima* Reuter,1900
- 15922) *Aelia germari* Küster,1852** (Pentatomidae) Synonym(s): *germari* Küster,1852; *triticiperda* Pomel,1889
- 15923) *Aelia glebana* Horvath,1895** (Pentatomidae) Synonym(s): *glebana* Horvath,1895
- 15924) *Aelia klugii* Hahn,1833** (Pentatomidae) Synonym(s): *klugii* Hahn,1833; *granum* Jakovlev,1903; *demissa* Kiritschenko,1914; *angusta* Stehlik,1976; *bifida* Hsiao & Cheng,1977; *orientalis* Josifov,1984; *chinensis* Rider & Rolston,1995
- 15925) *Aelia melanota* Fieber,1868** (Pentatomidae) Synonym(s): *melanota* Fieber,1868; *#melonata* Havaskary et al.,2012; *#abtus* Havaskary,2012
- 15926) *Aelia obtusa* Fieber,1868** (Pentatomidae) Synonym(s): *obtusa* Fieber,1868
- 15927) *Aelia rostrata* Boheman,1852** (Pentatomidae) Synonym(s): *rostrata* Boheman,1852; *cognata* Fieber,1868; *glebana* Ferrari,1874; *syriaca* Horvath,1903; *eminealkanata* Lodos,1959; *confusa* Kirkaldy,1909; *brunnea* Halaszfy,1955

- 15928) *Aelia virgata* (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *virgata* Herrich-Schäffer,1841
- 15929) *Agatharchus* (s.str.) *escalerae* Horvath,1901** (Pentatomidae) Synonym(s): *escalerae* Horvath,1901
- 15930) *Agatharchus* (s.str.) *herrichi* (Kolenati,1846)** (Pentatomidae) Synonym(s): *herrichi* Kolenati,1846; *montanus* Jakovlev,1879; *jakovleffi* Reuter,1881; *aemulans* Horvath,1897; *sobrinus* Horvath,1897
- 15931) *Agatharchus* (s.str.) *lineus* (Klug,1845)** (Pentatomidae) Synonym(s): *lineus* Klug,1845; *furcus* Jakovlev,1877
- 15932) *Agatharchus* (s.str.) *ponticus* Belousova,1999** (Pentatomidae) Synonym(s): *ponticus* Belousova,1999
- 15933) *Agatharchus* (s.str.) *tritaenia* Horvath,1897** (Pentatomidae) Synonym(s): *tritaenia* Horvath,1897
- 15934) *Ancyrosoma leucogrammes* (Gmelin,1790)** (Pentatomidae) Synonym(s): *albolineatus* Fabricius,1781 nec Gz.,1778; *leucogrammes* Gmelin,1790; *nervosus* Cyrillus,1791 nec Sc.,1763; *affine* Westwood,1837; *tuberculatum* Bergevin,1908
- 15935) *Andrallus spinidens* (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917
- 15936) *Apodiphus amygdali* (Germar,1817)** (Pentatomidae) Synonym(s): *amygdali* Germar,1817; *hellenica* Lefebvre,1831; *exsculpta* Burmeister,1835
- 15937) *Arma custos* (Fabricius,1794)** (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinsperata* Ahmad & Önder,1990
- 15938) *Arma insperata* Horvath,1899** (Pentatomidae) Synonym(s): *insperata* Horvath,1899
- 15939) *Arma neocustos* Ahmad & Önder,1990** (Pentatomidae) Synonym(s): *neocustos* Ahmad & Önder,1990
- 15940) *Arma neoinsperata* Ahmad & Önder,1990** (Pentatomidae) Synonym(s): *neoinsperata* Ahmad & Önder,1990
- 15941) *Bagrada* (Nitilia) *abeillei* Puton,1881** (Pentatomidae) Synonym(s): *abeillei* Puton,1881; *persica* Horvath,1936; *lepida* Horvath,1936; *pallens* Kiritshenko,1966
- 15942) *Bagrada amoenula* (Walker,1870)** (Pentatomidae) Synonym(s): *amoenula* Walker,1870; *royeri* Horvath,1936; *picticollis* Horvath,1936; *algorica* Horvath,1936; *singularis* Horvath,1936; *deserticola* Horvath,1936; *lineata* Horvath,1936
- 15943) *Bagrada concinna* Horvath,1936** (Pentatomidae) Synonym(s): *concinna* Horvath,1936; *biramosa* Horvath,1936
- 15944) *Bagrada funerea* Horvath,1901** (Pentatomidae) Synonym(s): *funerea* Horvath,1901
- 15945) *Bagrada kauffmanni* (Oshanin,1870)** (Pentatomidae) Synonym(s): *kauffmanni* Oshanin,1870; *pallida* Kiritshenko,1914
- 15946) *Bagrada picta* (Fabricius,1775)** (Pentatomidae) Synonym(s): *picta* Fabricius,1775
- 15947) *Bagrada stolidula* (Herrich-Schäffer,1839)** (Pentatomidae) Synonym(s): *stolidula* Herrich-Schäffer,1839; *gibbicollis* Horvath,1936; *cicur* Horvath,1936; *scutellaris* Horvath,1936; *confusa* Horvath,1936; *stolata* Horvath,1936; *quadrinaculata* Horvath,1936
- 15948) *Bagrada turcica* Horvath,1936** (Pentatomidae) Synonym(s): *turcica* Horvath,1936
- 15949) *Brachynema cinctum* (Fabricius,1775)** (Pentatomidae) Synonym(s): *cinctus* Fabricius,1775; *forskahlui* Gmelin,1790; *tarsatus* Klug,1845; *roseipennis* Mulsant & Rey,1852; *flavatum* Horvath,1896; *simonyi* Horvath,1896; *exul* Horvath,1896; *splendidum* Montandon,1900; *miniatulum* Montandon,1900; *venustulum* Montandon,1900
- 15950) *Brachynema germarii* (Kolenati,1846)** (Pentatomidae) Synonym(s): *virens* Klug,1845 nec Linn.,1767; *germarii* Kolenati,1846; *anabasis* Becker,1867; *biplaga* Walker,1867; *flavomarginatus* Jakovlev,1871; *grisea* Jakovlev,1871; *melanota* Jakovlev,1874; *alternatum* Horvath,1899
- 15951) *Carenoplistus acutus* (Signoret,1880)** (Pentatomidae) Synonym(s): *acutus* Signoret,1880
- 15952) *Carenoplistus* Jakovlev,1882** (Pentatomidae) Synonym(s): *Carenoplistus* Jakovlev,1882
- 15953) *Carpocoris coreanus* Distant,1899** (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958
- 15954) *Carpocoris fuscispinus* (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus* Boheman,1851; *hahni* Flor,1856; *atlanticus* Tamanini,1958; *mediterraneus* Tamanini,1958
- 15955) *Carpocoris melanocerus* Mulsant,1852** (Pentatomidae) Synonym(s): *melanocerus* Mulsant,1852
- 15956) *Carpocoris pudicus* (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus* Poda,1761; *cinctus* Schrank,1776; *carnus* Gmelin,1790; *wilkinsonii* Westwood,1837; *pallida* Dallas,1851
- 15957) *Carpocoris purpureipennis* (DeGeer,1773)** (Pentatomidae) Synonym(s): *purpureipennis* DeGeer,1773; *nigricornis* Fabricius,1775; *porphyropterus* Gmelin,1790; *pyromosa* Westhoff,1884
- 15958) *Chroantha ornatula* (Herrich-Schäffer,1842)** (Pentatomidae) Synonym(s): *ornatula* Herrich-Schäffer,1842
- 15959) *Cnephosa flavomarginata* Jakovlev,1880** (Pentatomidae) Synonym(s): *flavomarginata* Jakovlev,1880
- 15960) *Codophila* (Antheminia) *absinthii* Wagner,1952** (Pentatomidae) Synonym(s): *absinthii* Wagner,1952; *orientalis* Hoberlandt,1955

- 15961) Codophila (Antheminia) lunulata (Goeze,1778)** (Pentatomidae) Synonym(s): *lunulata* Goeze,1778
- 15962) Codophila (Antheminia) Mulsant & Rey,1866** (Pentatomidae) Synonym(s): *Antheminia Mulsant & Rey,1866*
- 15963) Codophila (Antheminia) pusio (Kolenati,1846)** (Pentatomidae) Synonym(s): *pusio Kolenati,1846*
- 15964) Codophila (Antheminia) varicornis (Jakovlev,1876)** (Pentatomidae) Synonym(s): *varicornis Jakovlev,1876*
- 15965) Codophila (s.str.) varia (Fabricius,1787)** (Pentatomidae) Synonym(s): *varia Fabricius,1787; longicornis De la Fuente,1972*
- 15966) Derula delagrangei Puton,1892** (Pentatomidae) Synonym(s): *delagrangei Puton,1892*
- 15967) Derula flavoguttata Mulsant & Rey,1856** (Pentatomidae) Synonym(s): *flavoguttata Mulsant & Rey,1856; oculatum Baerensprung,1858*
- 15968) Dolycoris baccarum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *baccarum Linnaeus,1758; verbasci De Geer,1773; subater Harris,1780; albidus Gmelin,1790; depressa Westwood,1837; confusa Westwood,1837; inconcisa Walker,1867*
- 15969) Dolycoris variicornis (Jakovlev,1874)** (Pentatomidae) Synonym(s): *variicornis Jakovlev,1874*
- 15970) Dyroderes umbraculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *umbraculatus Fabricius,1775; marginatus Fabricius,1798 nec Linn.,1758; aparines Dufour,1833*
- 15971) Eurydema (Horvatheurydema) caligata Horvath,1901** (Pentatomidae) Synonym(s): *caligatum Horvath,1901*
- 15972) Eurydema (Horvatheurydema) fieberi Fieber,1837** (Pentatomidae) Synonym(s): *fieberi Fieber,1837; armeniacum Kolenati,1846; schaefferi Gorski,1852; meyeri Fieber,1861; caucasica Jakovlev,1873; scutellata Jakovlev,1883; melanogaster Horvath,1917; gussakovskii Kiritshenko,1952; bagradiformis Kiritshenko,1952*
- 15973) Eurydema (Horvatheurydema) rugulosa (Dohrn,1860)** (Pentatomidae) Synonym(s): *rugulosa Dohrn,1860; nigrorubra Reuter,1900; v-rubrum Horvath,1917; anaemica Horvath,1917*
- 15974) Eurydema (Rubrodorsalium) blanda Horvath,1803** (Pentatomidae) Synonym(s): *blanda Horvath,1803*
- 15975) Eurydema (Rubrodorsalium) dominula (Scopoli,1763)** (Pentatomidae) Synonym(s): *dominulus Scopoli,1763*
- 15976) Eurydema (Rubrodorsalium) spectabilis Horvath,1882** (Pentatomidae) Synonym(s): *spectabilis Horvath,1882; #intaminata Stichel,1961*
- 15977) Eurydema (Rubrodorsalium) ventralis Kolenati,1846** (Pentatomidae) Synonym(s): *ventralis Kolenati,1846; hoffmanseggii Gorski,1852; ornata Fieber,1861 nec Linn.,1758; ventralis Tamanini,1947 nec Kol.,1846*
- 15978) Eurydema (s.str.) oleracea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *oleracea Linnaeus,1758*
- 15979) Eurydema (s.str.) ornata (Linnaeus,1758)** (Pentatomidae) Synonym(s): *ornatum Linnaeus,1758; festivus Linnaeus,1767; pictum Herrich-Schäffer,1833; decoratum Herrich-Schäffer,1833; pustulata Fieber,1837; conjuncta Kolenati,1846; fallax Scholtz,1847; falleni Gorski,1852; umbralis Gistel,1857*
- 15980) Eurydema laticollis Horvath,1907** (Pentatomidae) Synonym(s): *laticollis Horvath,1907*
- 15981) Eurydema mrugowskyi Stichel,1944** (Pentatomidae) Synonym(s): *mrugowskyi Stichel,1944*
- 15982) Eurydema putoni Jakovlev,1877** (Pentatomidae) Synonym(s): *putoni Jakovlev,1877; adusta Jakovlev,1879; colorata Jakovlev,1882; formosum Puton,1895*
- 15983) Eysarcoris aeneus (Scopoli,1763)** (Pentatomidae) Synonym(s): *aeneus Scopoli,1763; venustissima Schrenk; melanocephala Fabricius*
- 15984) Eysarcoris fabricii Kirkaldy,1904** (Pentatomidae) Synonym(s): *fabricii Kirkaldy,1904*
- 15985) Eysarcoris inconspicuus (Herrich-Schäffer,1844)** (Pentatomidae) Synonym(s): *inconspicuus Herrich-Schäffer,1844*
- 15986) Eysarcoris ventralis (Westwood,1837)** (Pentatomidae) Synonym(s): *ventralis Westwood,1837; inconspicuum Herrich-Schäffer,1844; pusillus Costa,1847; distactus Dallas,1851; misellus Stal,1854; helferi Fieber,1861; rectipes Ellenrieder,1862; epistomalis Mulsant & Rey,1866; mayeti Mulsant & Rey,1866; pseudoaeneus Jakovlev,1869; simplex Puton,1881; scutellaris Jakovlev,1885; egenus Jakovlev,1900; sindellus Distant,1902; schmidtii Jakovlev,1902; tangens Stichel,1961; confuses Fuente,1972; uniformis Fuente,1972; hispalensis Fuente,1972; luisae Fuente,1972*
- 15987) Eysarcoris venutissimus (Schränk,1776)** (Pentatomidae) Synonym(s): *venutissimus Schränk,1776*
- 15988) Graphosoma (s.str.) consimile Horvath,1903** (Pentatomidae) Synonym(s): *consimile Horvath,1903; personatum Horvath,1903; rubrum Kiritshenko,1914*
- 15989) Graphosoma (s.str.) lineatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *lineatum Linnaeus,1758; italicus Müller,1766; nigrolineatus Fabricius,1781; shangini Gebler,1817; reductum Horvath,1901; ochraceum Royer,1925; obscurum Stepanek,1926; soosi Halaszfy,1953; nigriscutellatum Halaszfy,1955; flavolineatum Halaszfy,1955*
- 15990) Graphosoma (s.str.) melanoxanthum Horvath,1903** (Pentatomidae) Synonym(s): *melanoxanthum Horvath,1903*

- 15991) Graphosoma (s.str.) semipunctatum (Fabricius,1775)** (Pentatomidae) Synonym(s): *semipunctatum* Fabricius,1775; *interruptum* White,1839; *wilsoni* White,1839; *persica* Ferr.,1874; *creticum* Horvath,1909
- 15992) Graphosoma (s.str.) stali Horvath,1881** (Pentatomidae) Synonym(s): *stali* Horvath,1881; *alkani* Lodos,1959
- 15993) Holcogaster fibulata (Germar,1831)** (Pentatomidae) Synonym(s): *fibulata* Germar,1831; *exilis* Horvath,1903; *meridionalis* De Seabra,1924; *longicornis* E.Wagner,1955; *weberi* E.Wagner,1964
- 15994) Holcostethus fissiceps (Horvath,1905)** (Pentatomidae) Synonym(s): *fissiceps* Horvath,1905
- 15995) Holcostethus hoberlandti Lodos & Önder,1980** (Pentatomidae) Synonym(s): *hoberlandti* Lodos & Önder,1980
- 15996) Holcostethus inclusus (Dohrn,1860)** (Pentatomidae) Synonym(s): *inclusus* Dohrn,1860
- 15997) Holcostethus strictus (Fabricius,1803)** (Pentatomidae) Synonym(s): *strictus* Fabricius,1803; *vernalis* Wolff,1804
- 15998) Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917
- 15999) Jalla subcalcarata Jakovlev,1885** (Pentatomidae) Synonym(s): *subcalcarata* Jakovlev,1885
- 16000) Leprosoma inaequale Horvath,1911** (Pentatomidae) Synonym(s): *inaequale* Horvath,1911
- 16001) Leprosoma inconspicuum Bärensprung,1859** (Pentatomidae) Synonym(s): *inconspicuum* Bärensprung,1859; *carinatum* Montandon,1895
- 16002) Leprosoma stali Douglas & Scott,1868** (Pentatomidae) Synonym(s): *stali* Douglas & Scott,1868
- 16003) Leprosoma tuberculatum Jakovlev,1876** (Pentatomidae) Synonym(s): *tuberculatum* Jakovlev,1876; *turkestanicum* Zolotov,1928
- 16004) Menaccarus (Oploscelis) arenicola (Scholtz,1847)** (Pentatomidae) Synonym(s): *arenicola* Scholtz,1847; *ciliatus* Mulsant & Rey,1852; *pallidus* Perris,1857; *minor* Stichel,1936
- 16005) Menaccarus (Orocephalus) dohrnianus (Mulsant & Rey,1866)** (Pentatomidae) Synonym(s): *dohrnianus* Mulsant & Rey,1866; *ovalis* Puton,1873; *hirticornis* Puton,1873; *jakovleffi* Reuter,1902; *jakovlevi* Oshanin,1912; *rotundatus* Horvath,1923
- 16006) Mustha izmirensis Memon & Ahmad,2008** (Pentatomidae) Synonym(s): *izmirensis* Memon & Ahmad,2008
- 16007) Mustha longispinis Reuter,1890** (Pentatomidae) Synonym(s): *longispinis* Reuter,1890
- 16008) Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): *spinosula* Lefebvre,1831
- 16009) Mustha vicina Hoberlandt,1995** (Pentatomidae) Synonym(s): *vicina* Hoberlandt,1995
- 16010) Neottiglossa bifida (Costa,1847)** (Pentatomidae) Synonym(s): *bifida* Costa,1847
- 16011) Neottiglossa flavomarginata (Lucas,1849)** (Pentatomidae) Synonym(s): *flavomarginata* Lucas,1849
- 16012) Neottiglossa leporina (Herrich-Schäffer,1830)** (Pentatomidae) Synonym(s): *leporina* Herrich-Schäffer,1830; *calva* Jakovlev,1903; *irana* Wagner,1963
- 16013) Neottiglossa lineolata (Mulsant & Rey,1852)** (Pentatomidae) Synonym(s): *lineolata* Mulsant & Rey,1852
- 16014) Neottiglossa pusilla (Gmelin,1789)** (Pentatomidae) Synonym(s): *pusilla* Gmelin,1789
- 16015) Nezara viridula (Linnaeus,1758)** (Pentatomidae) Synonym(s): *viridula* Linnaeus,1758
- 16016) Palomena mursili Linnavuori,1984** (Pentatomidae) Synonym(s): *mursili* Linnavuori,1984
- 16017) Palomena prasina (Linnaeus,1761)** (Pentatomidae) Synonym(s): *prasina* Linnaeus,1761
- 16018) Palomena viridissima (Poda,1761)** (Pentatomidae) Synonym(s): *viridissima* Poda,1761
- 16019) Pausias martini (Puton,1890)** (Pentatomidae) Synonym(s): *martini* Puton,1890
- 16020) Pentatoma rufipes (Linnaeus,1758)** (Pentatomidae) Synonym(s): *rufipes* Linnaeus,1758
- 16021) Perillus bioculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *bioculatus* Fabricius,1775
- 16022) Phaeocoris ellipticus (Herrich-Schäffer,1840)** (Pentatomidae) Synonym(s): *ellipticus* Herrich-Schäffer,1840; *semenovi* Jakovlev,1887; *alpicola* Kiritschenko,1912 [ssp.]; *melancera* Horvath,1903; *breddini* Jensen-Haarup,1937; *gonocoxa* Ahmad & Önder,1996
- 16023) Picromerus bidens (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902
- 16024) Picromerus brachypterus Ahmad & Önder,1990** (Pentatomidae) Synonym(s): *brachypterus* Ahmad & Önder,1990
- 16025) Picromerus conformis (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *conformis* Herrich-Schäffer,1841
- 16026) Picromerus nigridentis (Fabricius,1803)** (Pentatomidae) Synonym(s): *nigridentis* Fabricius,1803; *maculicornis* Mulsant,1852
- 16027) Picromerus pseudobidens Ahmad & Önder,1990** (Pentatomidae) Synonym(s): *pseudobidens* Ahmad & Önder,1990
- 16028) Piezodorus lituratus (Fabricius,1794)** (Pentatomidae) Synonym(s): *lituratus* Fabricius,1794
- 16029) Pinthaeus sanguinipes (Fabricius,1781)** (Pentatomidae) Synonym(s): *sanguinipes* Fabricius,1781; *genei* Costa,1841
- 16030) Pitedia juniperina (Linnaeus,1758)** (Pentatomidae) Synonym(s): *juniperina* Linnaeus,1758
- 16031) Pitedia pinicola (Mulsant,1852)** (Pentatomidae) Synonym(s): *pinicola* Mulsant,1852

- 16032) *Raphigaster nebulosa* (Poda,1761) (Pentatomidae) Synonym(s):** *nebulosa* Poda,1761
- 16033) *Rhombocoris regularis* (Herrich-Schaeffer,1851) (Pentatomidae) Synonym(s):** *regularis* Herrich-Schaeffer,1851
- 16034) *Risibia christophi* (Jakovlev,1885) (Pentatomidae) Synonym(s):** *christophi* Jakovlev,1885; *geniculata* Horvath,1903
- 16035) *Risibia verbasci* Lodos & Önder,1980 (Pentatomidae) Synonym(s):** *verbasci* Lodos & Önder,1980
- 16036) *Schyzops aegyptiaca* (Lefebvre,1831) (Pentatomidae) Synonym(s):** *aegyptiaca* Lefebvre,1831
- 16037) *Sciocoris* (Aposciocoris) *atifi* Lodos & Önder,1982 (Pentatomidae) Synonym(s):** *atifi* Lodos & Önder,1982
- 16038) *Sciocoris* (Aposciocoris) *homalonotus* Fieber,1851 (Pentatomidae) Synonym(s):** *homalonotus* Fieber,1851; *nigropunctatus* Fuente,1971
- 16039) *Sciocoris* (Aposciocoris) *luteolus* Fieber,1861 (Pentatomidae) Synonym(s):** *luteolus* Fieber,1861
- 16040) *Sciocoris* (Aposciocoris) *macrocephalus* Fieber,1851 (Pentatomidae) Synonym(s):** *europaeus* Amyot & Serville,1843; *macrocephalus* Fieber,1851; *basalis* Fieber,1851
- 16041) *Sciocoris* (Aposciocoris) *microphthalmus* Flor,1860 (Pentatomidae) Synonym(s):** *griseus* Eversmann,1837; *microphthalmus* Flor,1860; *curtipennis* Mulsant & Rey,1866; *cerrutii* Wagner,1959; *poppiusi* Wagner,1965; *pirinaicus* Fuente,1971
- 16042) *Sciocoris* (Aposciocoris) *pictus* Wagner,1959 (Pentatomidae) Synonym(s):** *pictus* Wagner,1959
- 16043) *Sciocoris* (Aposciocoris) *umbrinus* (Wolff,1804) (Pentatomidae) Synonym(s):** *umbrinus* Wolff,1804; *brevicollis* Fieber,1851; *feberii* Flor,1860; *rotermundi* Schumacher,1911; *subglaber* Schumacher,1911
- 16044) *Sciocoris* (Neosciocoris) *maculatus* Fieber,1851 (Pentatomidae) Synonym(s):** *maculatus* Fieber,1851; *gravenhorstii* Fieber,1851; *auritus* Mulsant & Rey,1856; *obscurus* Ferrari,1874; *obscura* Kirkaldy,1909; *minorerostris* Fuente,1971
- 16045) *Sciocoris* (Neosciocoris) *orientalis* Linnavuori,1960 (Pentatomidae) Synonym(s):** *orientalis* Linnavuori,1960
- 16046) *Sciocoris* (Neosciocoris) *pallens* Klug,1855 (Pentatomidae) Synonym(s):** *pallens* Klug,1855; *fissus* Mulsant & Rey,1845; *curvocatatus* Fuente,1971
- 16047) *Sciocoris* (Neosciocoris) *persimilis* Wagner,1965 (Pentatomidae) Synonym(s):** *persimilis* Wagner,1965
- 16048) *Sciocoris* (Parasciocoris) *capitatus* Jakovlev,1881 (Pentatomidae) Synonym(s):** *capitatus* Jakovlev,1881; *denticeps* Wagner,1965
- 16049) *Sciocoris* (Parasciocoris) *convexiusculus* Puton,1874 (Pentatomidae) Synonym(s):** *convexiusculus* Puton,1874; *scutellaris* Schmidt,1939 nec Put.,1884; *sahlbergi* Wagner,1952; *chlypeatus* Stichel,1961; *schmidtii* Wagner,1965
- 16050) *Sciocoris* (s.str.) *cursitans* (Fabricius,1794) (Pentatomidae) Synonym(s):** *cursitans* Fabricius,1794; *terreus* Schrank,1801; *rubropunctatus* Fuente,1972
- 16051) *Sciocoris* (s.str.) *deltoccephalus* Fieber,1861 (Pentatomidae) Synonym(s):** *deltoccephalus* Fieber,1861
- 16052) *Sciocoris* (s.str.) *hoberlandti* Wagner,1954 (Pentatomidae) Synonym(s):** *hoberlandti* Wagner,1954
- 16053) *Sciocoris* (s.str.) *ochraceus* Fieber,1861 (Pentatomidae) Synonym(s):** *ochraceus* Fieber,1861; *#ochraseus* Önder et al.,2006
- 16054) *Sciocoris* (s.str.) *ogivus* Jakovlev,1894 (Pentatomidae) Synonym(s):** *ogivus* Jakovlev,1894
- 16055) *Sciocoris* (s.str.) *ressli* E.Wagner,1966 (Pentatomidae) Synonym(s):** *ressli* E.Wagner,1966
- 16056) *Sciocoris* (s.str.) *sulcatus* Fieber,1851 (Pentatomidae) Synonym(s):** *sulcatus* Fieber,1851; *angustipennis* Mulsant & Rey,1852; *lautus* Horvath,1903; *atticus* Horvath,1907; *cypria* Lindberg,1948
- 16057) *Sciocoris* *distinctus* Fieber,1861 (Pentatomidae) Synonym(s):** *distinctus* Fieber,1861; *hospes* Kiritschenko,1964; *ovatus* Wagner,1965
- 16058) *Sciocoris* *helferii* Fieber,1851 (Pentatomidae) Synonym(s):** *helferii* Fieber,1851
- 16059) *Stagonomus amoenus* (Brullé,1832) (Pentatomidae) Synonym(s):** *amoenus* Brullé,1832
- 16060) *Stagonomus bipunctatus* (Linnaeus,1758) (Pentatomidae) Synonym(s):** *bipunctatus* Linnaeus,1758
- 16061) *Stagonomus devius* Seidenstücker,1965 (Pentatomidae) Synonym(s):** *devius* Seidenstücker,1965
- 16062) *Stagonomus plataspis* (Horvath,1883) (Pentatomidae) Synonym(s):** *plataspis* Horvath,1883
- 16063) *Stagonomus pusillus* (Herrich-Schäffer,1830) (Pentatomidae) Synonym(s):** *pusillus* Herrich-Schäffer,1830
- 16064) *Staria lunata* (Hahn,1835) (Pentatomidae) Synonym(s):** *lunata* Hahn,1835; *lobulatus* Rambur,1839; *maroccana* Lindberg,1932; *levantinae* Fuente,1972
- 16065) *Stenozygum* (s.str.) *coloratum* (Klug,1845) (Pentatomidae) Synonym(s):** *coloratum* Klug,1845
- 16066) *Tarisa fraudatrix* Horvath,1891 (Pentatomidae) Synonym(s):** *fraudatrix* Horvath,1891; *chloris* Horvath,1904
- 16067) *Tarisa igdirensis* Lodos & Önder,1978 (Pentatomidae) Synonym(s):** *igdirensis* Lodos & Önder,1978; *#igdirensis* Lodos & Önder,1978
- 16068) *Tarisa osmanica* Hoberlandt,1955 (Pentatomidae) Synonym(s):** *osmanica* Hoberlandt,1955

- 16069) *Tarisa virescens* Herrich-Schäffer, 1851** (Pentatomidae) Synonym(s): *virescens* Herrich-Schäffer, 1851; *notoceras* Kolenati, 1857
- 16070) *Tholagnus flavolineatus* (Fabricius, 1798)** (Pentatomidae) Synonym(s): *flavolineatus* Fabricius, 1798
- 16071) *Trochiscocoris hemipterus* (Jakovlev, 1879)** (Pentatomidae) Synonym(s): *hemipterus* Jakovlev, 1879
- 16072) *Trochiscocoris rotundatus* Horvath, 1895** (Pentatomidae) Synonym(s): *rotundatus* Horvath, 1895
- 16073) *Trochiscocoris sanguinolentus* Horvath, 1895** (Pentatomidae) Synonym(s): *sanguinolentus* Horvath, 1895
- 16074) *Troilus luridus* (Fabricius, 1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius, 1775
- 16075) *Tshingisella bella* Kirkaldy, 1913** (Pentatomidae) Synonym(s): *bella* Kirkaldy, 1913
- 16076) *Ventocoris* (Astirocoris) *achivus* (Horvath, 1889)** (Pentatomidae) Synonym(s): *achivus* Horvath, 1889
- 16077) *Ventocoris* (Astirocoris) *armeniacus* (Kiritshenko, 1938)** (Pentatomidae) Synonym(s): *armeniacus* Kiritshenko, 1938
- 16078) *Ventocoris* (Astirocoris) *bulbifer* Seidenstücker, 1964** (Pentatomidae) Synonym(s): *bulbifer* Seidenstücker, 1964
- 16079) *Ventocoris* (Astirocoris) *fischeri* (Herrich-Schäffer, 1851)** (Pentatomidae) Synonym(s): *fischeri* Herrich-Schäffer, 1851; *baerensprungii* Stal, 1860; *lehmanni* Fieber, 1864; *umbrosum* Jakovlev, 1882; *confusum* Kirby, 1892
- 16080) *Ventocoris* (Astirocoris) *halophilus* (Jakovlev, 1874)** (Pentatomidae) Synonym(s): *halophilus* Jakovlev, 1874
- 16081) *Ventocoris* (s.str.) *horvathi* (Puton, 1896)** (Pentatomidae) Synonym(s): *horvathi* Puton, 1896
- 16082) *Ventocoris* (s.str.) *trigonus* (Krynicky, 1871)** (Pentatomidae) Synonym(s): *trigonus* Krynicky, 1871
- 16083) *Vilpianus galii* (Wolff, 1802)** (Pentatomidae) Synonym(s): *galii* Wolff, 1802
- 16084) *Zicrona caerulea* (Linnaeus, 1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus, 1758; *concinna* Westwood, 1837; *violacea* Westwood, 1837; *illustris* Amyot & Serville, 1843; *cuprea* Dallas, 1851

PERILAMPIDAE

- 16085) *Chrysolampus thenae* (Walker)** (Perilampidae) Synonym(s):
- 16086) *Chrysomalla roseri* Förster** (Perilampidae) Synonym(s):
- 16087) *Chrysomalla stigmatica* Boucek** (Perilampidae) Synonym(s):
- 16088) *Chrysomalla turcica* Boucek** (Perilampidae) Synonym(s):
- 16089) *Perilampus aeneus* (Rossius)** (Perilampidae) Synonym(s):
- 16090) *Perilampus catilus* (Argaman)** (Perilampidae) Synonym(s):

PERLIDAE

- 16091) *Agnetina werneri* (Kempny, 1908)** (Perlidae) Synonym(s): *werneri* Kempny, 1908
- 16092) *Eoperla ochracea* (Kolbe, 1885)** (Perlidae) Synonym(s): *ochracea* Kolbe, 1885; *pau* Navas, 1909; *latisulcata* Klapalek, 1921; *nigritarisis* Despax, 1931; *theryana* Navas, 1935
- 16093) *Marthamea vitripennis* (Burmeister, 1839)** (Perlidae) Synonym(s): *vitripennis* Burmeister, 1839; *bicolor* Burmeister, 1839; *angustata* Rambur, 1842; *terminalis* Walker, 1852; *beraudi* Navas, 1909
- 16094) *Paragnetina transoxanica* (Klapalek, 1921)** (Perlidae) Synonym(s): *transoxanica* Klapalek, 1921; *spinulifera* Zhiltzova, 1967
- 16095) *Perla illiesi* Braasch & Joost, 1971** (Perlidae) Synonym(s): *illiesi* Braasch & Joost, 1971
- 16096) *Perla kiritschenkoi* Zhiltzova, 1961** (Perlidae) Synonym(s): *kiritschenkoi* Zhiltzova, 1961
- 16097) *Perla marginata* (Panzer, 1799)** (Perlidae) Synonym(s): *maxima* Scopoli, 1763; *marginata* Panzer, 1799; *kheili* Navas, 1909; *fraterna* Navas, 1909; *asturica* Navas, 1917; *guitarti* Navas, 1921; *barcinonensis* Rambur, 1842; *madritensis* Rambur, 1842; *malaccensis* Rambur, 1842; *hagenii* Pictet, 1865; *luteipes* Klapalek, 1921
- 16098) *Perla pallida* Guérin-Ménéville, 1838** (Perlidae) Synonym(s): *pallida* Guérin-Ménéville, 1838; *dacica* Klapalek, 1907; *bureschi* Schoenemund, 1926

PERLOIDAE

- 16099) *Isoperla armeniaca* Zhiltzova, 1961** (Perlodidae) Synonym(s): *armeniaca* Zhiltzova, 1961
- 16100) *Isoperla bithynica* (Kempny, 1908)** (Perlodidae) Synonym(s): *bithynica* Kempny, 1908; *caucasica* Balinsky, 1950; *pulchra* Balinsky, 1950

- 16101) *Isoperla rhododendri* Zhiltzova, 1956** (Perlodidae) Synonym(s): *rhododendri* Zhiltzova, 1956
16102) *Perlodes microcephala* (Pictet, 1833) (Perlodidae) Synonym(s): *microcephala* Pictet, 1833; *cymodoce* Newman, 1839; *rectangula* Pictet, 1841; *hispanica* Rambur, 1842; *mortoni* Klapalek, 1906; *cadevalli* Navas, 1922; *festai* Navas, 1932

PHILOPOTAMIDAE

- 16103) *Philopotamus achemenus* Schmid, 1959** (Philopotamidae) Synonym(s): *achemenus* Schmid, 1959
16104) *Philopotamus tenuis* Martynov, 1913 (Philopotamidae) Synonym(s): *tenuis* Martynov, 1913
16105) *Philopotamus variegatus* (Scopoli, 1763) (Philopotamidae) Synonym(s): *variegatus* Scopoli, 1763; *pedemontanus* Navas, 1934
16106) *Wormaldia balcanica* Kumanski, 1979 (Philopotamidae) Synonym(s): *balcanica* Kumanski, 1979
16107) *Wormaldia khourmai* Schmid, 1959 (Philopotamidae) Synonym(s): *khourmai* Schmid, 1959
16108) *Wormaldia subnigra* McLachlan, 1865 (Philopotamidae) Synonym(s): *subnigra* McLachlan, 1865
16109) *Wormaldia triangulifera* McLachlan, 1878 (Philopotamidae) Synonym(s): *triangulifera* McLachlan, 1878

PHORIDAE

- 16110) *Megaselia berndseni* (Schmitz, 1919)** (Phoridae) Synonym(s): *berndseni* Schmitz, 1919
16111) *Megaselia coetanea* Schmitz, 1929 (Phoridae) Synonym(s): *coetanea* Schmitz, 1929
16112) *Megaselia flavicans* Schmitz, 1935 (Phoridae) Synonym(s): *flavicans* Schmitz, 1935
16113) *Megaselia onis* Mostovski & Disney, 2002 (Phoridae) Synonym(s): *onis* Mostovski & Disney, 2002
16114) *Megaselia plurispinulosa* (Zetterstedt, 1860) (Phoridae) Synonym(s): *plurispinulosa* Zetterstedt, 1860
16115) *Phalacrotophora fasciata* (Fallén, 1823) (Phoridae) Synonym(s): *fasciata* Fallén, 1823

PHRYGANEIDAE

- 16116) *Agrypnia pagetana* Curtis, 1835** (Phryganeidae) Synonym(s): *pagetana* Curtis, 1835
16117) *Agrypnia varia* Fabricius, 1793 (Phryganeidae) Synonym(s): *varia* Fabricius, 1793
16118) *Phryganea ochrida* Malicky, 1975 (Phryganeidae) Synonym(s): *ochrida* Malicky, 1975

PIESMATIDAE

- 16119) *Piesma* (s.str.) *capitatum* (Wolff, 1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff, 1804; *collaris* Zetterstedt, 1828; *pedicularis* Herrich-Schäffer, 1830; *stephensi* Fieber, 1844; *pallidum* Costa, 1862; *declivis* Rey, 1893; *divergens* Rey, 1893
16120) *Piesma* (s.str.) *maculatum* (Laporte, 1833) (Piesmatidae) Synonym(s): *antica* Stephens, 1829; *maculatum* Laporte, 1833; *laportei* Fieber, 1844; *viridis* Jakovlev, 1871
16121) *Piesma* (Parapiesma) *quadratum* (Fieber, 1844) (Piesmatidae) Synonym(s): *quadratum* Fieber, 1844; *dilatatus* Jakovlev, 1874; *convexicollis* Jakovlev, 1874; *rotundicollis* Rey, 1888; *nigroscutellata* Peneau, 1921; *chiniana* Drake & Maa, 1953; *spergulariae* Woodroffe, 1966
16122) *Piesma* (Parapiesma) *salsolae* (Becker, 1867) (Piesmatidae) Synonym(s): *salsolae* Becker, 1867
16123) *Piesma* (Parapiesma) *silenes* (Horvath, 1888) (Piesmatidae) Synonym(s): *silenes* Horvath, 1888
16124) *Piesma* (Parapiesma) *kolenatii* (Fieber, 1861) (Piesmatidae) Synonym(s): *laportei* Kolenati, 1857; *nec* Fieb., 1844; *kolenatii* Fieber, 1861; *caucasicum* Péricart, 1973

PIOPHILIDAE

- 16125) *Protophihila vikhrevi* Ozerov, 2008** (Piophilidae) Synonym(s): *vikhrevi* Ozerov, 2008

PIPINCULIDAE

- 16126) *Cephalops conjunctivus* Collin, 1958** (Pipunculidae) Synonym(s): *conjunctivus* Collin, 1958

- 16127) Clistoabdominalis trochanteratus (Becker,1900)** (Pipunculidae) Synonym(s): *trochanteratus* Becker,1900
16128) Eudorylas obliquus Coe,1966 (Pipunculidae) Synonym(s): *obliquus* Coe,1966
16129) Eudorylas fuscipes (Zetterstedt,1844) (Pipunculidae) Synonym(s): *fuscipes* Zetterstedt,1844
16130) Eudorylas gemellus Kehlmaier,2005 (Pipunculidae) Synonym(s): *gemellus* Kehlmaier,2005
16131) Eudorylas zermattensis (Becker,1897) (Pipunculidae) Synonym(s): *zermattensis* Becker,1897
16132) Tomosvaryella sp. (Pipunculidae) Synonym(s):

PLATASPIDAE

- 16133) Coptosoma scutellatum (Geoffroy,1785)** (Plataspidae) Synonym(s): *scutellatum* Geoffroy,1785

PLATYCNEMIDAE

- 16134) Platycnemis dealbata Selys,1863** (Platycnemidae) Synonym(s): *dealbata* Selys,1863
16135) Platycnemis kervillei (Martin,1909) (Platycnemidae) Synonym(s): *kervillei* Martin,1909
16136) Platycnemis pennipes (Pallas,1771) (Platycnemidae) Synonym(s): *pennipes* Pallas,1771

PLATYSTOMIDAE

- 16137) Platystoma aenescens Loew,1868** (Platystomidae) Synonym(s): *aenescens* Loew,1868
16138) Platystoma arcuatum Loew,1856 (Platystomidae) Synonym(s): *arcuatum* Loew,1856
16139) Platystoma bipilosum Portschiński,1875 (Platystomidae) Synonym(s): *bipilosa* Portschiński,1875; *#bispilosum* Hendel,1913
16140) Platystoma chrysotoxum Hendel,1913 (Platystomidae) Synonym(s): *chrysotoxum* Hendel,1913
16141) Platystoma elegans Hendel,1913 (Platystomidae) Synonym(s): *elegans* Hendel,1913
16142) Platystoma gilvipes Loew,1868 (Platystomidae) Synonym(s): *gilvipes* Loew,1868; *sororcula* Portschiński,1875
16143) Platystoma ilgüenensis Bischof,1905 (Platystomidae) Synonym(s): *#ilgüenensis* Bischof,1905; *ilgüenensis* Bischof,1905
16144) Platystoma lugubre (R-D.,1830) (Platystomidae) Synonym(s): *lugubre* R-D.,1830
16145) Platystoma malatiense Hennig,1945 (Platystomidae) Synonym(s): *malatiense* Hennig,1945
16146) Platystoma nitidiventris Hendel,1913 (Platystomidae) Synonym(s): *nitidiventris* Hendel,1913
16147) Platystoma pleuronitens Hendel,1913 (Platystomidae) Synonym(s): *pleuronitens* Hendel,1913
16148) Platystoma pubescens Loew,1845 (Platystomidae) Synonym(s): *pubescens* Loew,1845
16149) Platystoma rufipes Meigen,1826 (Platystomidae) Synonym(s): *rufipes* Meigen,1826; *pentheri* Bischof,1905
16150) Platystoma seminationis (Fabricius,1775) (Platystomidae) Synonym(s): *seminationis* Fabricius,1775; *fulviventre* Schrank,1781; *biseta* Loew,1868; *vegetationis* Rondani,1869
16151) Platystoma subfasciatum Loew,1862 (Platystomidae) Synonym(s): *subfasciatum* Loew,1862
16152) Platystoma valachiae Hendel,1913 (Platystomidae) Synonym(s): *valachiae* Hendel,1913

PLEIDAE

- 16153) Plea atomaria (Pallas,1771)** (Pleidae) Synonym(s): *atomaria* Pallas,1771
16154) Plea leachi Mc Gregor,1899 (Pleidae) Synonym(s): *leachi* Mc Gregor,1899
16155) Plea minutissima Leach,1817 (Pleidae) Synonym(s): *minutissima* Leach,1817

POLYCENTROPODIDAE

- 16156) Polycentropus flavomaculatus (Pictet,1834)** (Polycentropodidae) Synonym(s): *flavomaculatus* Pictet,1834
16157) Cynus trimaculatus Curtis,1834 (Polycentropodidae) Synonym(s): *trimaculatus* Curtis,1834
16158) Holocentropus picicornis Stephens,1836 (Polycentropodidae) Synonym(s): *picicornis* Stephens,1836
16159) Plectrocnemia abraracourcix Malicky,1979 (Polycentropodidae) Synonym(s): *abraracourcix* Malicky,1979
16160) Plectrocnemia brevis McLachlan,1871 (Polycentropodidae) Synonym(s): *brevis* McLachlan,1871

- 16161) *Plectrocnemia latissima* Martynov,1913** (Polycentropodidae) Synonym(s): *latissima* Martynov,1913
16162) *Polycentropus ierapetra* Malicky,1972 (Polycentropodidae) Synonym(s): *ierapetra* Malicky,1972
16163) *Polycentropus mazdacus* Schmid,1959 (Polycentropodidae) Synonym(s): *mazdacus* Schmid,1959
16164) *Pseudoneureclipsis gudulensis* Çakın,1983 (Polycentropodidae) Synonym(s): *gudulensis* Çakın,1983

POLYPHAGIDAE

- 16165) *Polyphaga aegyptiaca* (Linnaeus,1758)** (Polyphagidae) Synonym(s): *aegyptiaca* Linnaeus,1758
16166) *Arenivaga livida* (Brunner von Wattenwyl,1865) (Polyphagidae) Synonym(s): *livida* Brunner von Wattenwyl,1865
16167) *Arenivaga cerverae* (Bolivar,1886) (Polyphagidae) Synonym(s): *cerverae* Bolivar,1886
16168) *Arenivaga ebneri* (Chopard,1929) (Polyphagidae) Synonym(s): *ebneri* Chopard,1929

POMPILIDAE

- 16169) *Agenioideus apicalis* (Van der Linden,1827)** (Pompilidae) Synonym(s): *apicalis* Van der Linden,1827
16170) *Agenioideus ciliatus* (Lepeletier,1845) (Pompilidae) Synonym(s): *ciliatus* Lepeletier,1845; *acrobates* Ferton,1911
16171) *Agenioideus cinctellus* (Spinola,1808) (Pompilidae) Synonym(s): *cinctellus* Spinola,1808
16172) *Agenioideus dichrous* (Brullé,1840) (Pompilidae) Synonym(s): *dichrous* Brullé,1840
16173) *Agenioideus excisus* (Morawitz,1890) (Pompilidae) Synonym(s): *excisus* Morawitz,1890; *emarginatus* Haupt
16174) *Agenioideus nubecula* (Costa,1874) (Pompilidae) Synonym(s): *nubecula* Costa,1874; *tristis* Priesner,1965
16175) *Agenioideus oasis* (Haupt,1962) (Pompilidae) Synonym(s): *oasis* Haupt,1962
16176) *Agenioideus rhodosoma* (Kohl,1886) (Pompilidae) Synonym(s): *rhodosoma* Kohl,1886
16177) *Agenioideus ruficeps* (Eversmann,1849) (Pompilidae) Synonym(s): *ruficeps* Eversmann,1849
16178) *Agenioideus rytiphorus* (Kohl,1886) (Pompilidae) Synonym(s): *rytiphorus* Kohl,1886
16179) *Agenioideus sericeus* (Van der Linden,1827) (Pompilidae) Synonym(s): *sericeus* Van der Linden,1827
16180) *Agenioideus usurarius* (Tournier,1889) (Pompilidae) Synonym(s): *usurarius* Tournier,1889
16181) *Agenioideus vesanus* (Kohl,1907) (Pompilidae) Synonym(s): *vesanus* Kohl,1907
16182) *Amblyellus hasdrubal* (Kohl,1894) (Pompilidae) Synonym(s): *hasdrubal* Kohl,1894
16183) *Anoplius aeruginosus* (Tournier,1890) (Pompilidae) Synonym(s): *aeruginosus* Tournier,1890
16184) *Anoplius caviventris* (Aurivillius,1907) (Pompilidae) Synonym(s): *caviventris* Aurivillius,1907
16185) *Anoplius concinnus* (Dahlbom,1845) (Pompilidae) Synonym(s): *concinnus* Dahlbom,1845
16186) *Anoplius infuscatus* (Van der Linden,1827) (Pompilidae) Synonym(s): *infuscatus* Van der Linden,1827; *meticulosus* Costa,1882
16187) *Anoplius nigerrimus* (Scopoli,1763) (Pompilidae) Synonym(s): *nigerrimus* Scopoli,1763
16188) *Anoplius piliventris* (Morawitz,1889) (Pompilidae) Synonym(s): *piliventris* Morawitz,1889; *panonicus sensu* Priesner,1967
16189) *Anoplius samariensis* (Pallas,1771) (Pompilidae) Synonym(s): *samariensis* Pallas,1771
16190) *Anoplius schlettereri* (Radoszkowski,1888) (Pompilidae) Synonym(s): *schlettereri* Radoszkowski,1888; *niger* Priesner,1967
16191) *Anoplius viaticus* (Linnaeus,1758) (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* Swinhoe,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905
16192) *Anospilus orbitalis* (Costa,1863) (Pompilidae) Synonym(s): *orbitalis* Costa,1863
16193) *Aporinellus moestus* (Klug,1834) (Pompilidae) Synonym(s): *moestus* Klug,1834; *sericeomaculatus* Kohl,1888
16194) *Aporinellus sexmaculatus* (Spinola,1805) (Pompilidae) Synonym(s): *sexmaculatus* Spinola,1805; *asiaticus* Gussakovskii,1935
16195) *Aporus bicolor* Spinola,1808 (Pompilidae) Synonym(s): *bicolor* Spinola,1808
16196) *Aporus pollux* (Kohl,1888) (Pompilidae) Synonym(s): *pollux* Kohl,1888
16197) *Arachnospila anceps* (Wesmael,1851) (Pompilidae) Synonym(s): *anceps* Wesmael,1851; *peninsulana* Wolf,1966
16198) *Arachnospila angorana* (Wolf,1990) (Pompilidae) Synonym(s): *angorana* Wolf,1990

- 16199) Arachnospila ausa (Tournier,1890)** (Pompilidae) Synonym(s): *ausa* Tournier,1890
- 16200) Arachnospila clericalis (Morawitz,1889)** (Pompilidae) Synonym(s): *clericalis* Morawitz,1889
- 16201) Arachnospila colpostoma (Kohl,1886)** (Pompilidae) Synonym(s): *colpostoma* Kohl,1886
- 16202) Arachnospila conjungens (Kohl,1898)** (Pompilidae) Synonym(s): *conjungens* Kohl,1898
- 16203) Arachnospila consobrina (Dahlbom,1843)** (Pompilidae) Synonym(s): *consobrina* Dahlbom,1843; *continentalis* Wolf,1966
- 16204) Arachnospila esau (Kohl,1886)** (Pompilidae) Synonym(s): *esau* Kohl,1886; *vaucheri* Tournier,1890; *rufocincta* Haupt,1933
- 16205) Arachnospila fumipennis (Zetterstedt,1838)** (Pompilidae) Synonym(s): *fumipennis* Zetterstedt,1838
- 16206) Arachnospila fuscomarginata (Thomson,1870)** (Pompilidae) Synonym(s): *fuscomarginata* Thomson,1870
- 16207) Arachnospila gibbomima (Haupt,1929)** (Pompilidae) Synonym(s): *gibbomima* Haupt,1929
- 16208) Arachnospila hedickei (Haupt,1929)** (Pompilidae) Synonym(s): *hedickei* Haupt,1929
- 16209) Arachnospila holomelas (Costa,1882)** (Pompilidae) Synonym(s): *holomelas* Costa,1882; *gymnesiae* Dalla Torre,1897; *dissona* Wahis,1974
- 16210) Arachnospila ionica (Wolf,1964)** (Pompilidae) Synonym(s): *ionica* Wolf,1964
- 16211) Arachnospila minutula (Dahlbom,1843)** (Pompilidae) Synonym(s): *minutula* Dahlbom,1843; *appeninurata* Wolf,1970
- 16212) Arachnospila osmana (Wolf,1999)** (Pompilidae) Synonym(s): *osmana* Wolf,1999
- 16213) Arachnospila pamira (Haupt,1930)** (Pompilidae) Synonym(s): *pamira* Haupt,1930
- 16214) Arachnospila rufa (Haupt,1927)** (Pompilidae) Synonym(s): *rufa* Haupt,1927
- 16215) Arachnospila silvana (Kohl,1886)** (Pompilidae) Synonym(s): *silvana* Kohl,1886
- 16216) Arachnospila sogdiana (Morawitz,1893)** (Pompilidae) Synonym(s): *sogdiana* Morawitz,1893; *anatolica* Wolf,1966
- 16217) Arachnospila spissa (Schioedte,1837)** (Pompilidae) Synonym(s): *spissa* Schioedte,1837
- 16218) Arachnospila trivialis (Dahlbom,1843)** (Pompilidae) Synonym(s): *trivialis* Dahlbom,1843; *insubrica* Wolf,1965
- 16219) Arachnospila valesabnormis (Wolf,1965)** (Pompilidae) Synonym(s): *valesabnormis* Wolf,1965; *?anatolica* Wolf,1966
- 16220) Arachnotheutes leucurus (Morawitz,1891)** (Pompilidae) Synonym(s): *leucurus* Morawitz,1891
- 16221) Arachnotheutes minor (Priesner,1955)** (Pompilidae) Synonym(s): *minor* Priesner,1955
- 16222) Arachnotheutes rufithorax (Costa,1887)** (Pompilidae) Synonym(s): *rufithorax* Costa,1887
- 16223) Arachnotheutes signatipennis (Klug,1834)** (Pompilidae) Synonym(s): *signatipennis* Klug,1834
- 16224) Arachnotheutes squalidus (Haupt,1962)** (Pompilidae) Synonym(s): *squalidus* Haupt,1962
- 16225) Arctoclavelia soikai Wolf,1966** (Pompilidae) Synonym(s): *soikai* Wolf,1966
- 16226) Auplopus albifrons (Dalman,1823)** (Pompilidae) Synonym(s): *albifrons* Dalman,1823; *obscurus* Priesner,1967
- 16227) Auplopus carbonarius (Scopoli,1763)** (Pompilidae) Synonym(s): *carbonarius* Scopoli,1763
- 16228) Auplopus rectus (Haupt,1927)** (Pompilidae) Synonym(s): *rectus* Haupt,1927; *ater* Haupt,1930
- 16229) Batozonellus lacerticida (Pallas,1771)** (Pompilidae) Synonym(s): *lacerticida* Pallas,1771
- 16230) Caliadurgus fasciatellus (Spinola,1808)** (Pompilidae) Synonym(s): *fasciatellus* Spinola,1808
- 16231) Ceropales albicincta (Rossi,1790)** (Pompilidae) Synonym(s): *albicincta* Rossi,1790; *wolfi* Moczar,1978
- 16232) Ceropales bipartita Haupt,1962** (Pompilidae) Synonym(s): *bipartita* Haupt,1962; *flava* Moczar,1987
- 16233) Ceropales bogdanovi Radoszkowski,1877** (Pompilidae) Synonym(s): *bogdanovi* Radoszkowski,1877
- 16234) Ceropales cribrata Costa,1881** (Pompilidae) Synonym(s): *cribrata* Costa,1881
- 16235) Ceropales helvetica Tournier,1889** (Pompilidae) Synonym(s): *helvetica* Tournier,1889
- 16236) Ceropales maculata (Fabricius,1775)** (Pompilidae) Synonym(s): *maculata* Fabricius,1775
- 16237) Ceropales maroccana Beaumont,1947** (Pompilidae) Synonym(s): *maroccana* Beaumont,1947
- 16238) Ceropales ruficornis Gussakowskii,1931** (Pompilidae) Synonym(s): *ruficornis* Gussakowskii,1931
- 16239) Ceropales seraxensis Radoszkowski,1893** (Pompilidae) Synonym(s): *seraxensis* Radoszkowski,1893
- 16240) Ceropales tectigera Moczar,1987** (Pompilidae) Synonym(s): *tectigera* Moczar,1987
- 16241) Ceropales variegata (Fabricius,1798)** (Pompilidae) Synonym(s): *variegata* Fabricius,1798
- 16242) Cryptocheilus albosignatus Sustera,1924** (Pompilidae) Synonym(s): *albosignatus* Sustera,1924
- 16243) Cryptocheilus alternatus (Lepeletier,1845)** (Pompilidae) Synonym(s): *alternatus* Lepeletier,1845; *caspius* Gussakowskii,1952
- 16244) Cryptocheilus bequaerti Sustera,1924** (Pompilidae) Synonym(s): *bequaerti* Sustera,1924
- 16245) Cryptocheilus confinis Haupt,1926** (Pompilidae) Synonym(s): *confinis* Haupt,1926
- 16246) Cryptocheilus discolor (Fabricius,1793)** (Pompilidae) Synonym(s): *discolor* Fabricius,1793

- 16247) **Cryptocheilus egregius (Lepeletier,1845)** (Pompilidae) Synonym(s): *egregius* Lepeletier,1845
- 16248) **Cryptocheilus elegans (Spinola,1806)** (Pompilidae) Synonym(s): *elegans* Spinola,1806
- 16249) **Cryptocheilus exiguus Sustera,1924** (Pompilidae) Synonym(s): *exiguus* Sustera,1924
- 16250) **Cryptocheilus fabricii (Van der Linden,1827)** (Pompilidae) Synonym(s): *fabricii* Van der Linden,1827; *meridionalis* Junco,1943
- 16251) **Cryptocheilus fischeri (Spinola,1855)** (Pompilidae) Synonym(s): *fischeri* Spinola,1855
- 16252) **Cryptocheilus freygessneri (Kohl,1883)** (Pompilidae) Synonym(s): *freygessneri* Kohl,1883; *differens* Priesner,1967
- 16253) **Cryptocheilus gazella Haupt,1962** (Pompilidae) Synonym(s): *gazella* Haupt,1962
- 16254) **Cryptocheilus guttulatus (Costa,1887)** (Pompilidae) Synonym(s): *guttulatus* Costa,1887
- 16255) **Cryptocheilus hebraeus Sustera,1924** (Pompilidae) Synonym(s): *hebraeus* Sustera,1924
- 16256) **Cryptocheilus ichneumonoides (Costa,1874)** (Pompilidae) Synonym(s): *ichneumonoides* Costa,1874
- 16257) **Cryptocheilus infumatus (Palma,1869)** (Pompilidae) Synonym(s): *infumatus* Palma,1869
- 16258) **Cryptocheilus manchurianus Yasumatsu,1935** (Pompilidae) Synonym(s): *manchurianus* Yasumatsu,1935
- 16259) **Cryptocheilus nigroferrugineus (Sustera,1924)** (Pompilidae) Synonym(s): *nigroferrugineus* Sustera,1924
- 16260) **Cryptocheilus notatus (Rossi,1792)** (Pompilidae) Synonym(s): *notatus* Rossi,1792; *affinis* Van der Linden,1827; *melanius* Lepeletier,1845
- 16261) **Cryptocheilus octomaculatus (Rossi,1790)** (Pompilidae) Synonym(s): *octomaculatus* Rossi,1790; *eatoni* Saunders,1901
- 16262) **Cryptocheilus postscutellabus Wolf,1998** (Pompilidae) Synonym(s): *postscutellabus* Wolf,1998
- 16263) **Cryptocheilus propodeonitens Wolf,1998** (Pompilidae) Synonym(s): *propodeonitens* Wolf,1998
- 16264) **Cryptocheilus pseudonotatus Sustera,1913** (Pompilidae) Synonym(s): *pseudonotatus* Sustera,1913
- 16265) **Cryptocheilus richardsi Moczar,1953** (Pompilidae) Synonym(s): *richardsi* Moczar,1953
- 16266) **Cryptocheilus rubellus (Eversmann,1846)** (Pompilidae) Synonym(s): *rubellus* Eversmann,1846
- 16267) **Cryptocheilus rufatus Priesner,1967** (Pompilidae) Synonym(s): *rufatus* Priesner,1967
- 16268) **Cryptocheilus stygium Priesner,1967** (Pompilidae) Synonym(s): *stygium* Priesner,1967
- 16269) **Cryptocheilus susterae (Haupt,1930)** (Pompilidae) Synonym(s): *susterae* Haupt,1930
- 16270) **Cryptocheilus tredecimmaculatus Haupt,1962** (Pompilidae) Synonym(s): *tredecimmaculatus* Haupt,1962
- 16271) **Cryptocheilus variabilis (Rossi,1790)** (Pompilidae) Synonym(s): *variabilis* Rossi,1790; *nigripes* Priesner,1967
- 16272) **Cryptocheilus variipennis Sustera,1924** (Pompilidae) Synonym(s): *variipennis* Sustera,1924
- 16273) **Cryptocheilus versicolor (Scopoli,1763)** (Pompilidae) Synonym(s): *versicolor* Scopoli,1763
- 16274) **Ctenagenia ozbeki Wahis,2002** (Pompilidae) Synonym(s): *ozbeki* Wahis,2002
- 16275) **Ctenagenia vespiformis (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834
- 16276) **Cyphononyx flavicornis (Fabricius,1793)** (Pompilidae) Synonym(s): *flavicornis* Fabricius,1793; *bretonii* Guérin-Meneville,1843
- 16277) **Dicyrtomellus argenteus Wahis,1982** (Pompilidae) Synonym(s): *argenteus* Wahis,1982
- 16278) **Dicyrtomellus dubitabilis (Saunders,1901)** (Pompilidae) Synonym(s): *dubitabilis* Saunders,1901
- 16279) **Dicyrtomellus tomentosus (Priesner,1955)** (Pompilidae) Synonym(s): *tomentosus* Priesner,1955
- 16280) **Dipogon (Deutagenia) variegatus (Linnaeus,1758)** (Pompilidae) Synonym(s): *variegatus* Linnaeus,1758; *erythropus* Kohl,1888
- 16281) **Dipogon sinan Wolf,1998** (Pompilidae) Synonym(s): *sinan* Wolf,1998
- 16282) **Elaphrosyrus heinrichi Haupt,1930** (Pompilidae) Synonym(s): *heinrichi* Haupt,1930
- 16283) **Elaphrosyrus paglianoi Wolf,1999** (Pompilidae) Synonym(s): *paglianoi* Wolf,1999
- 16284) **Entomobora crassitarsis (Costa,1887)** (Pompilidae) Synonym(s): *crassitarsis* Costa,1887
- 16285) **Entomobora fuscipennis (Van der Linden,1827)** (Pompilidae) Synonym(s): *fuscipennis* Van der Linden,1827
- 16286) **Entomobora vomeriventrifera (Costa,1863)** (Pompilidae) Synonym(s): *vomeriventrifera* Costa,1863
- 16287) **Eoferreola anatolica Priesner,1973** (Pompilidae) Synonym(s): *anatolica* Priesner,1973
- 16288) **Eoferreola anomala (Priesner,1955)** (Pompilidae) Synonym(s): *anomala* Priesner,1955
- 16289) **Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855; *syransensis* Radoszkowski,1888; *schmidtii* Priesner,1973; *#cinerata* Priesner,1973
- 16290) **Eoferreola erythraea (Pallas,1773)** (Pompilidae) Synonym(s): *erythraea* Pallas,1773; *sirdariensis* Radoszkowski,1889
- 16291) **Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 *nec* Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;...

- 16292) Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica* Christ,1791; *coccineus* Fabricius,1804
- 16293) Eoferreola thoracica (Rossi,1794)** (Pompilidae) Synonym(s): *thoracica* Rossi,1794
- 16294) Episyron albonotatum (Van der Linden,1827)** (Pompilidae) Synonym(s): *albonotatum* Van der Linden,1827
- 16295) Episyron arrogans (Smith,1873)** (Pompilidae) Synonym(s): *arrogans* Smith,1873
- 16296) Episyron candiotum Wahis,1966** (Pompilidae) Synonym(s): *candiotum* Wahis,1966
- 16297) Episyron coccineipes (Saunders,1904)** (Pompilidae) Synonym(s): *coccineipes* Saunders,1904
- 16298) Episyron funerarium (Tournier,1889)** (Pompilidae) Synonym(s): *funerarium* Tournier,1889
- 16299) Episyron gallicum (Tournier,1889)** (Pompilidae) Synonym(s): *gallicum* Tournier,1889; *intermedium* Haupt,1930
- 16300) Episyron rufipes (Linnaeus,1758)** (Pompilidae) Synonym(s): *rufipes* Linnaeus,1758
- 16301) Evagetes dubius (Van der Linden,1827)** (Pompilidae) Synonym(s): *dubius* Van der Linden,1827; *obscurodubius* Wolf & Diniz,1970
- 16302) Evagetes elongatus Lepeletier,1845** (Pompilidae) Synonym(s): *elongatus* Lepeletier,1845; *infernalis* Wolf,1970
- 16303) Evagetes fabrei Van der Smissen,2003** (Pompilidae) Synonym(s): *fabrei* Smissen,2003
- 16304) Evagetes gibbulus Lepeletier,1845** (Pompilidae) Synonym(s): *gibbulus* Lepeletier,1845
- 16305) Evagetes gusenleitneri Wolf,1988** (Pompilidae) Synonym(s): *gusenleitneri* Wolf,1988
- 16306) Evagetes iconionus Wolf,1970** (Pompilidae) Synonym(s): *iconionus* Wolf,1970
- 16307) Evagetes pauli Haupt,1941** (Pompilidae) Synonym(s): *pauli* Haupt,1941
- 16308) Evagetes paulinus Wolf,1970** (Pompilidae) Synonym(s): *paulinus* Wolf,1970
- 16309) Evagetes pectinipes (Linnaeus,1758)** (Pompilidae) Synonym(s): *pectinipes* Linnaeus,1758; *trispinosus* Kohl,1886; *mediterraneus* Wolf,1970
- 16310) Evagetes pontomoravicus (Sustera,1938)** (Pompilidae) Synonym(s): *pontomoravicus* Sustera,1938; *schwarzi* Priesner,1965; *mavromoustakisi* Wolf,1970
- 16311) Evagetes proximus (Dahlbom,1843)** (Pompilidae) Synonym(s): *proximus* Dahlbom,1843
- 16312) Evagetes sculus (Lepeletier,1845)** (Pompilidae) Synonym(s): *sculus* Lepeletier,1845; *seitzii* Haupt,1927; *villicus* Tournier,1969
- 16313) Evagetes tumidosus (Tournier,1890)** (Pompilidae) Synonym(s): *tumidosus* Tournier,1890; *lusaticus* Bliithgen,1944; *sinuatus* Haupt,1969; *tumidinus* Wolf,1970
- 16314) Ferreola diffinis (Lepeletier,1845)** (Pompilidae) Synonym(s): *diffinis* Lepeletier,1845
- 16315) Ferreola dimidiata (Van der Linden,1827)** (Pompilidae) Synonym(s): *dimidiata* Van der Linden,1827
- 16316) Ferreola sagax (Kohl,1886)** (Pompilidae) Synonym(s): *sagax* Kohl,1886
- 16317) Hemipepsis brunnea (Klug,1834)** (Pompilidae) Synonym(s): *brunnea* Klug,1834
- 16318) Hemipepsis mauritanica (Linnaeus,1767)** (Pompilidae) Synonym(s): *mauritanica* Linnaeus,1767; *barbara* Lepeletier,1845
- 16319) Homonotus sanguinolentus (Fabricius,1793)** (Pompilidae) Synonym(s): *sanguinolentus* Fabricius,1793
- 16320) Microphadnus insperatus Priesner,1967** (Pompilidae) Synonym(s): *insperatus* Priesner,1967
- 16321) Microphadnus pumilus (Costa,1882)** (Pompilidae) Synonym(s): *pumilus* Costa,1882
- 16322) Nanoclavelia leucoptera (Dahlbom,1845)** (Pompilidae) Synonym(s): *leucoptera* Dahlbom,1845
- 16323) Pedinpompilus ataturki (Wolf,1960)** (Pompilidae) Synonym(s): *ataturki* Wolf,1960
- 16324) Pedinpompilus obscurus (Haupt,1962)** (Pompilidae) Synonym(s): *obscurus* Haupt,1962
- 16325) Pedinpompilus orbitalis (Haupt,1962)** (Pompilidae) Synonym(s): *orbitalis* Haupt,1962
- 16326) Pedinpompilus paulinus (Wolf,1960)** (Pompilidae) Synonym(s): *paulinus* Wolf,1960
- 16327) Pedinpompilus wolffi (Priesner,1965)** (Pompilidae) Synonym(s): *wolffi* Priesner,1965
- 16328) Podagenia crassipes Priesner,1973** (Pompilidae) Synonym(s): *crassipes* Priesner,1973
- 16329) Podagenia Priesner,1973** (Pompilidae) Synonym(s): *Podagenia* Priesner,1973
- 16330) Poecilagenia Haupt,1926** (Pompilidae) Synonym(s): *Poecilagenia* Haupt,1926
- 16331) Poecilagenia sculpturata (Kohl,1898)** (Pompilidae) Synonym(s): *sculpturata* Kohl,1898
- 16332) Pompilus cinereus (Fabricius,1787)** (Pompilidae) Synonym(s): *cinereus* Fabricius,1787
- 16333) Priocnemis agilis (Shuckard,1837)** (Pompilidae) Synonym(s): *agilis* Shuckard,1837
- 16334) Priocnemis coriacea Dahlbom,1843** (Pompilidae) Synonym(s): *coriacea* Dahlbom,1843
- 16335) Priocnemis costai Costa,1887** (Pompilidae) Synonym(s): *costai* Costa,1887
- 16336) Priocnemis diversa Junco,1946** (Pompilidae) Synonym(s): *iversa* Junco,1946
- 16337) Priocnemis enslini Haupt,1927** (Pompilidae) Synonym(s): *enslini* Haupt,1927; *anatolica* Wolf,1963
- 16338) Priocnemis exaltata (Fabricius,1775)** (Pompilidae) Synonym(s): *exaltata* Fabricius,1775
- 16339) Priocnemis fahringeri Wolf,1963** (Pompilidae) Synonym(s): *fahringeri* Wolf,1963
- 16340) Priocnemis fallax Verhoeff,1892** (Pompilidae) Synonym(s): *fallax* Verhoeff,1892
- 16341) Priocnemis fastigiata Haupt,1934** (Pompilidae) Synonym(s): *fastigiata* Haupt,1934
- 16342) Priocnemis fennica Haupt,1927** (Pompilidae) Synonym(s): *fennica* Haupt,1927
- 16343) Priocnemis gracilis Haupt,1927** (Pompilidae) Synonym(s): *gracilis* Haupt,1927

- 16344) *Priocnemis hankoi* Moczar, 1944 (Pompilidae) Synonym(s): *hankoi* Moczar, 1944
 16345) *Priocnemis hyalinata* Fabricius, 1793 (Pompilidae) Synonym(s): *hyalinata* Fabricius, 1793
 16346) *Priocnemis massaliensis* Soyer, 1945 (Pompilidae) Synonym(s): *massaliensis* Soyer, 1945
 16347) *Priocnemis minuta* (Van der Linden, 1827) (Pompilidae) Synonym(s): *minuta* Van der Linden, 1827; *italica* Haupt, 1934
 16348) *Priocnemis parvula* Dahlbom, 1845 (Pompilidae) Synonym(s): *parvula* Dahlbom, 1845
 16349) *Priocnemis perturbator* (Harris, 1776) (Pompilidae) Synonym(s): *perturbator* Harris, 1776; *galatica* Wolf, 1963
 16350) *Priocnemis pillichi* Priesner, 1960 (Pompilidae) Synonym(s): *pillichi* Priesner, 1960; *maura* Wolf & Diniz, 1970
 16351) *Priocnemis propinqua* (Lepeletier, 1847) (Pompilidae) Synonym(s): *propinqua* Lepeletier, 1847
 16352) *Priocnemis pusilla* (Schioedte, 1837) (Pompilidae) Synonym(s): *pusilla* Schioedte, 1837
 16353) *Priocnemis rugosa* Susterer, 1922 (Pompilidae) Synonym(s): *rugosa* Susterer, 1922
 16354) *Priocnemis schioedtei* Haupt, 1926 (Pompilidae) Synonym(s): *schioedtei* Haupt, 1926
 16355) *Priocnemis sulci* Balthasar, 1943 (Pompilidae) Synonym(s): *sulci* Balthasar, 1943; *cirrata* Haupt, 1962
 16356) *Priocnemis vulgaris* (Dufour, 1841) (Pompilidae) Synonym(s): *vulgaris* Dufour, 1841
 16357) *Pseudopompilus humboldti* (Dahlbom, 1845) (Pompilidae) Synonym(s): *humboldti* Dahlbom, 1845
 16358) *Schistonyx modestus* Priesner, 1967 (Pompilidae) Synonym(s): *modestus* Priesner, 1967
 16359) *Tachyagetes aegyptiacus* (Priesner, 1955) (Pompilidae) Synonym(s): *aegyptiacus* Priesner, 1955
 16360) *Tachyagetes alicantus* Wolf, 1987 (Pompilidae) Synonym(s): *alicantus* Wolf, 1987
 16361) *Tachyagetes bytinskii* Haupt, 1962 (Pompilidae) Synonym(s): *bytinskii* Haupt, 1962
 16362) *Tachyagetes exortivus* Wolf, 1987 (Pompilidae) Synonym(s): *exortivus* Wolf, 1987
 16363) *Tachyagetes filicornis* (Tornier, 1890) (Pompilidae) Synonym(s): *filicornis* Tornier, 1890; *rubescens* Haupt, 1929; *funbris* Priesner, 1965; *graecus* Priesner, 1965
 16364) *Tachyagetes furvescens* Wahis, 1970 (Pompilidae) Synonym(s): *furvescens* Wahis, 1970
 16365) *Tachyagetes gusenleitneri* (Priesner, 1973) (Pompilidae) Synonym(s): *gusenleitneri* Priesner, 1973
 16366) *Tachyagetes kebdanus* Wolf, 1987 (Pompilidae) Synonym(s): *kebdanus* Wolf, 1987
 16367) *Tachyagetes konyanus* Wolf, 1987 (Pompilidae) Synonym(s): *konyanus* Wolf, 1987
 16368) *Tachyagetes kurdasi* Priesner, 1965 (Pompilidae) Synonym(s): *kurdasi* Priesner, 1965
 16369) *Tachyagetes leucocnemis* Haupt, 1930 (Pompilidae) Synonym(s): *leucocnemis* Haupt, 1930
 16370) *Tachyagetes navalperalus* Wolf, 1987 (Pompilidae) Synonym(s): *navalperalus* Wolf, 1987
 16371) *Tachyagetes nomadaschwarzi* Wolf, 1987 (Pompilidae) Synonym(s): *nomadaschwarzi* Wolf, 1987
 16372) *Tachyagetes turcoturanicus* Wolf, 1986 (Pompilidae) Synonym(s): *turcoturanicus* Wolf, 1986
 16373) *Telostegus cretensis* Priesner, 1965 (Pompilidae) Synonym(s): *cretensis* Priesner, 1965
 16374) *Telostegus excisus* (Haupt, 1930) (Pompilidae) Synonym(s): *excisus* Haupt, 1930
 16375) *Telostegus fumigatus* (Klug, 1834) (Pompilidae) Synonym(s): *fumigatus* Klug, 1834
 16376) *Telostegus imitator* Priesner, 1955 (Pompilidae) Synonym(s): *imitator* Priesner, 1955
 16377) *Telostegus inermis* (Brullé, 1832) (Pompilidae) Synonym(s): *inermis* Brullé, 1832; *ater* Haupt, 1930
 16378) *Xenaporus schmidtii* Priesner, 1967 (Pompilidae) Synonym(s): *schmidtii* Priesner, 1967

PSEUDOCOCCIDAE

- 16379) *Antonina graminis* (Maskell) (Pseudococcidae) Synonym(s): *graminis* Maskell
 16380) *Atrococcus achilleae* (Kiritchenko) (Pseudococcidae) Synonym(s): *achilleae* Kiritchenko
 16381) *Atrococcus indigenus* (Borchsenius) (Pseudococcidae) Synonym(s): *indigenus* Borchsenius
 16382) *Atrococcus paludinus* (Green) (Pseudococcidae) Synonym(s): *paludinus* Green
 16383) *Atrococcus parvulus* (Borchsenius) (Pseudococcidae) Synonym(s): *parvulus* Borchsenius
 16384) *Atrococcus saxatilis* (Ter-Grigorian) (Pseudococcidae) Synonym(s): *saxatilis* Ter-Grigorian
 16385) *Chaetococcus bambusae* (Maskell) (Pseudococcidae) Synonym(s): *bambusae* Maskell
 16386) *Chaetococcus phragmitis* (Marchal) (Pseudococcidae) Synonym(s): *phragmitis* Marchal
 16387) *Coccidohystrix artemisiae* (Kiritchenko, 1937) (Pseudococcidae) Synonym(s): *artemisiae* Kiritchenko, 1937
 16388) *Euripersia amnicola* Borchsenius (Pseudococcidae) Synonym(s): *amnicola* Borchsenius
 16389) *Helicococcus bohemicus* Sulc (Pseudococcidae) Synonym(s): *bohemicus* Sulc
 16390) *Helicococcus radicola* Goux (Pseudococcidae) Synonym(s): *radicola* Goux
 16391) *Helicococcus saxatilis* Borchsenius (Pseudococcidae) Synonym(s): *saxatilis* Borchsenius
 16392) *Helicococcus sulcii* Goux (Pseudococcidae) Synonym(s): *sulcii* Goux
 16393) *Heterococcopsis opertus* Borchsenius (Pseudococcidae) Synonym(s): *opertus* Borchsenius
 16394) *Heterococcus mudus* (Green) (Pseudococcidae) Synonym(s): *mudus* Green

- 16395) **Heterococcus tritici (Kiritshenko)** (Pseudococcidae) Synonym(s): *tritici Kiritshenko*
 16396) **Longicoccus affinis (Ter-Grigorian)** (Pseudococcidae) Synonym(s): *affinis Ter-Grigorian*
 16397) **Longicoccus clarus (Borchsenius)** (Pseudococcidae) Synonym(s): *clarus Borchsenius*
 16398) **Longicoccus festucae (Koteja)** (Pseudococcidae) Synonym(s): *festucae Koteja*
 16399) **Longicoccus tongiventris (Borchsenius)** (Pseudococcidae) Synonym(s): *tongiventris Borchsenius*
 16400) **Longicoccus psammophilus (Koteja)** (Pseudococcidae) Synonym(s): *psammophilus Koteja*
 16401) **Metadenopus ankaranus (Bodenheimer)** (Pseudococcidae) Synonym(s): *ankaranus Bodenheimer*
 16402) **Micrococcopsis elongatus Borchsenius** (Pseudococcidae) Synonym(s): *elongatus Borchsenius*
 16403) **Micrococcopsis stipae Borchsenius** (Pseudococcidae) Synonym(s): *stipae Borchsenius*
 16404) **Micrococcus inermis (Hall)** (Pseudococcidae) Synonym(s): *inermis Hall*
 16405) **Neotrionymus monstatus Borchsenius** (Pseudococcidae) Synonym(s): *monstatus Borchsenius*
 16406) **Nipaecoccus filamentosus (Cockerell)** (Pseudococcidae) Synonym(s): *filamentosus Cockerell*
 16407) **Nipaecoccus nipae (Maskell)** (Pseudococcidae) Synonym(s): *nipae Maskell*
 16408) **Peliococcopsis priesneri (Laing)** (Pseudococcidae) Synonym(s): *priesneri Laing*
 16409) **Peliococcus kimmericus (Kiritshenko)** (Pseudococcidae) Synonym(s): *kimmericus Kiritshenko*
 16410) **Peliococcus chersonensis (Kiritshenko)** (Pseudococcidae) Synonym(s): *chersonensis Kiritshenko*
 16411) **Peliococcus manifestus Borchsenius** (Pseudococcidae) Synonym(s): *manifestus Borchsenius*
 16412) **Peliococcus salviae Hadzibejli** (Pseudococcidae) Synonym(s): *salviae Hadzibejli*
 16413) **Peliococcus tritubulatus (Kiritshenko)** (Pseudococcidae) Synonym(s): *tritubulatus Kiritshenko*
 16414) **Peliococcus turanicus (Kiritshenko)** (Pseudococcidae) Synonym(s): *turanicus Kiritshenko*
 16415) **Phenacoccus aceris (Signoret)** (Pseudococcidae) Synonym(s): *aceris Signoret*
 16416) **Phenacoccus avenae Borchsenius** (Pseudococcidae) Synonym(s): *avenae Borchsenius*
 16417) **Phenacoccus asphodeli Goux** (Pseudococcidae) Synonym(s): *asphodeli Goux*
 16418) **Phenacoccus bicerarius Borchsenius** (Pseudococcidae) Synonym(s): *bicerarius Borchsenius*
 16419) **Phenacoccus evelinae (Tereznikova)** (Pseudococcidae) Synonym(s): *evelinae Tereznikova*
 16420) **Phenacoccus ferulae Borchsenius** (Pseudococcidae) Synonym(s): *ferulae Borchsenius*
 16421) **Phenacoccus graminicola Leonardi** (Pseudococcidae) Synonym(s): *graminicola Leonardi*
 16422) **Phenacoccus hordei (Lindeman)** (Pseudococcidae) Synonym(s): *hordei Lindeman*
 16423) **Phenacoccus interruptus Green** (Pseudococcidae) Synonym(s): *interruptus Green*
 16424) **Phenacoccus karaberdi Borchsenius & Ter-Grigorian** (Pseudococcidae) Synonym(s): *karaberdi Borchsenius & Ter-Grigorian*
 16425) **Phenacoccus loiki Danzig** (Pseudococcidae) Synonym(s): *loiki Danzig*
 16426) **Phenacoccus phenacoccoides (Kiritshenko)** (Pseudococcidae) Synonym(s): *phenacoccoides Kiritshenko*
 16427) **Phenacoccus pumilus Kiritshenko** (Pseudococcidae) Synonym(s): *pumilus Kiritshenko*
 16428) **Phenacoccus tergrigorianae Borchsenius** (Pseudococcidae) Synonym(s): *tergrigorianae Borchsenius*
 16429) **Phenacoccus transcaasicus Hadzibejli** (Pseudococcidae) Synonym(s): *transcaasicus Hadzibejli*
 16430) **Phenacoccus yerushalmi Ben-Dov** (Pseudococcidae) Synonym(s): *yerushalmi Ben-Dov*
 16431) **Planococcus citri (Risso)** (Pseudococcidae) Synonym(s): *citri Risso*
 16432) **Planococcus ficus (Signoret)** (Pseudococcidae) Synonym(s): *ficus Signoret*
 16433) **Planococcus vovae (Nasonov)** (Pseudococcidae) Synonym(s): *vovae Nasonov*
 16434) **Pseudococcus laingi Bodenheimer** (Pseudococcidae) Synonym(s): *laingi Bodenheimer*
 16435) **Pseudococcus longispinus (Targioni Tozzetti)** (Pseudococcidae) Synonym(s): *longispinus Targioni Tozzetti*
 16436) **Pseudococcus viburni (Signoret)** (Pseudococcidae) Synonym(s): *viburni Signoret*
 16437) **Puto palinuri Marotta & Tranfaglia** (Pseudococcidae) Synonym(s): *palinuri Marotta & Tranfaglia*
 16438) **Puto pilosellae (Sulc)** (Pseudococcidae) Synonym(s): *pilosellae Sulc*
 16439) **Puto superbus (Leonardi)** (Pseudococcidae) Synonym(s): *superbus Leonardi*
 16440) **Ripersiella periolana Goux** (Pseudococcidae) Synonym(s): *periolana Goux*
 16441) **Ripersiella Kaydani Konczne Benedicty & Kozar** (Pseudococcidae) Synonym(s): *Kaydani Konczne Benedicty & Kozar*
 16442) **Spilococcus mamillariae (Bouche)** (Pseudococcidae) Synonym(s): *mamillariae Bouche*
 16443) **Spinococcus morrisoni (Kiritshenko)** (Pseudococcidae) Synonym(s): *morrisoni Kiritshenko*
 16444) **Trabutina crassispinosa Borchsenius** (Pseudococcidae) Synonym(s): *crassispinosa Borchsenius*
 16445) **Trabutina mannipara (Hemprich & Ehrenberg)** (Pseudococcidae) Synonym(s): *mannipara Hemprich & Ehrenberg*
 16446) **Trionymus aberrans Goux, 1938** (Pseudococcidae) Synonym(s): *aberrans Goux, 1938*
 16447) **Trionymus cressae (Hall)** (Pseudococcidae) Synonym(s): *cressae Hall*

- 16448) Trionymus multivorus (Kiritshenko)** (Pseudococcidae) Synonym(s): *multivorus Kiritshenko*
16449) Trionymus perrisii (Signoret) (Pseudococcidae) Synonym(s): *perrisii Signoret*

PSILIDAE

- 16450) Loxocera aristata (Panzer,1801)** (Psilidae) Synonym(s): *aristata Panzer,1801*
16451) Oxypsila abdominalis (Schummel,1844) (Psilidae) Synonym(s): *abdominalis Schummel,1844*
16452) Chamaepsila setalba Freidberg & Shatalkin,2008 (Psilidae) Synonym(s): *gracilis Loew,1854*
nec Meig.,1826; setalba Freidberg & Shatalkin,2008
16453) Chyliza extenuata (Rossi,1790) (Psilidae) Synonym(s): *extenuata Rossi,1790*

PSYCHODIDAE

- 16454) Bazarella subneglecta (Tonnoir,1922)** (Psychodidae) Synonym(s): *subneglecta Tonnoir,1922*
16455) Joostiella caucasica Vaillant,1983 (Psychodidae) Synonym(s): *caucasica Vaillant,1983*
16456) Mormia revisenda (Eaton,1896) (Psychodidae) Synonym(s): *revisenda Eaton,1896*
16457) Pericoma blandula Eaton,1893 (Psychodidae) Synonym(s): *blandula Eaton,1893*
16458) Pericoma hakkariae R.Wagner,1986 (Psychodidae) Synonym(s): *hakkariae R.Wagner,1986*
16459) Pericoma kariana Vaillant,1978 (Psychodidae) Synonym(s): *kariana Vaillant,1978*
16460) Pericoma orientalis R.Wagner,1986 (Psychodidae) Synonym(s): *orientalis R.Wagner,1986*
16461) Pericoma platystyla R.Wagner,1986 (Psychodidae) Synonym(s): *platystyla R.Wagner,1986*
16462) Pericoma tenuistylis Vaillant,1978 (Psychodidae) Synonym(s): *tenuistylis Vaillant,1978*
16463) Philosepedon symmetricus R.Wagner,1986 (Psychodidae) Synonym(s): *symmetricus R.Wagner,1986*
16464) Phlebotomus (Adlerius) balcanicus Theodor,1958 (Psychodidae) Synonym(s): *balcanicus Theodor,1958*
16465) Phlebotomus (Adlerius) brevis Theodor & Mesghali,1964 (Psychodidae) Synonym(s): *brevis Theodor & Mesghali,1964; ismailicus Perfilev,1966*
16466) Phlebotomus (Adlerius) halepensis Theodor,1958 (Psychodidae) Synonym(s): *halepensis Theodor,1958*
16467) Phlebotomus (Adlerius) kyreniae Theodor,1958 (Psychodidae) Synonym(s): *kyreniae Theodor,1958*
16468) Phlebotomus (Adlerius) simici Nitzulescu,1931 (Psychodidae) Synonym(s): *simici Nitzulescu,1931*
16469) Phlebotomus (Larroussius) kandelakii Shchurenkova,1929 (Psychodidae) Synonym(s): *kandelakii Shchurenkova,1929*
16470) Phlebotomus (Larroussius) neglectus Tonnoir,1921 (Psychodidae) Synonym(s): *neglectus Tonnoir,1921; krimensis Perfilev,1966*
16471) Phlebotomus (Larroussius) perfilievi Parrot,1930 (Psychodidae) Synonym(s): *perfilievi Parrot,1930; macedonicus Adler & Theodor,1931*
16472) Phlebotomus (Larroussius) perniciosus Newstead,1911 (Psychodidae) Synonym(s): *perniciosus Newstead,1911; nigerrimus Newstead,1911; legeriMansion,1913; lusitanicus França,1918; grassii Pierantoni,1925*
16473) Phlebotomus (Larroussius) syriacus Adler & Theodor,1930 (Psychodidae) Synonym(s): *syriacus Adler & Theodor,1930*
16474) Phlebotomus (Larroussius) tobbei Adler & Theodor,1930 (Psychodidae) Synonym(s): *tobbei Adler & Theodor,1930; pirumovi Burakova & Mirzayan,1934*
16475) Phlebotomus (Larroussius) transcaasicus Perfilev,1937 (Psychodidae) Synonym(s): *transcaasicus Perfilev,1937; ?galilaeus Theodor,1958*
16476) Phlebotomus (Larroussius) wenyoni Adler & Theodor,1930 (Psychodidae) Synonym(s): *wenyoni Adler & Theodor,1930*
16477) Phlebotomus (Paraphlebotomus) alexandri Sinton,1928 (Psychodidae) Synonym(s): *alexandri Sinton,1928; borovskii Khodukin & Sofiev,1931*
16478) Phlebotomus (Paraphlebotomus) jacusieli Theodor,1947 (Psychodidae) Synonym(s): *jacusieli Theodor,1947*
16479) Phlebotomus (Paraphlebotomus) sergenti Parrot,1917 (Psychodidae) Synonym(s): *sergenti Parrot,1917; similis Perfilev,1963*
16480) Phlebotomus (s.str.) papatasi (Scopoli,1786) (Psychodidae) Synonym(s): *papatasi Scopoli,1786; molesta Costa,1840; breviventris Ristorcelli,1943*
16481) Phlebotomus (Transphlebotomus) mascittii Grassi,1908 (Psychodidae) Synonym(s): *mascittii Grassi,1908; larroussei Langeron & Nitzulescu,1931; vesuvianus Adler & Theodor,1931*

- 16482) Phlebotomus (Transphlebotomus) nitzulescui Simic,1932** (Psychodidae) Synonym(s): *nitzulescui Simic,1932*
- 16483) Psychoda cinerea Banks,1834** (Psychodidae) Synonym(s): *cinerea Banks,1834*
- 16484) Satchelliella canescens (Meigen,1804)** (Psychodidae) Synonym(s): *canescens Meigen,1804*
- 16485) Satchelliella malickyi Vaillant,1981** (Psychodidae) Synonym(s): *malickyi Vaillant,1981*
- 16486) Satchelliella schachti R.Wagner,1986** (Psychodidae) Synonym(s): *schachti R.Wagner,1986*
- 16487) Sergentomyia (s.str.) theodori (Parrot,1942)** (Psychodidae) Synonym(s): *theodori Parrot,1942*
- 16488) Sergentomyia (Sintonius) adleri (Theodor,1933)** (Psychodidae) Synonym(s): *adleri Theodor,1933*
- 16489) Thornburghiella quezeli (Vaillant,1956)** (Psychodidae) Synonym(s): *quezeli Vaillant,1956*
- 16490) Tonnoiriella turcica R.Wagner,1986** (Psychodidae) Synonym(s): *turcica R.Wagner,1986*

PSYCHOMYIIDAE

- 16491) Lype reducta Hagen,1868** (Psychomyiidae) Synonym(s): *reducta Hagen,1868*
- 16492) Psychomyia pusilla Fabricius,1781** (Psychomyiidae) Synonym(s): *pusilla Fabricius,1781*
- 16493) Tinodes adjaricus Martynov,1913** (Psychomyiidae) Synonym(s): *adjaricus Martynov,1913*
- 16494) Tinodes conjunctus Martynov,1913** (Psychomyiidae) Synonym(s): *conjunctus Martynov,1913*
- 16495) Tinodes difficilis Martynov,1927** (Psychomyiidae) Synonym(s): *difficilis Martynov,1927*
- 16496) Tinodes kypselos Malicky,1977** (Psychomyiidae) Synonym(s): *kypselos Malicky,1977*
- 16497) Tinodes manni McLachlan,1878** (Psychomyiidae) Synonym(s): *manni McLachlan,1878*
- 16498) Tinodes petaludes Malicky,1975** (Psychomyiidae) Synonym(s): *petaludes Malicky,1975*
- 16499) Tinodes pluvialis Malicky,1987** (Psychomyiidae) Synonym(s): *pluvialis Malicky,1987*
- 16500) Tinodes polifurculatus Botosaneau,1956** (Psychomyiidae) Synonym(s): *polifurculatus Botosaneau,1956*
- 16501) Tinodes popovi Kumanski,1975** (Psychomyiidae) Synonym(s): *popovi Kumanski,1975*
- 16502) Tinodes rauschi Malicky,1975** (Psychomyiidae) Synonym(s): *rauschi Malicky,1975*
- 16503) Tinodes turbulentus Martynov,1913** (Psychomyiidae) Synonym(s): *turbulentus Martynov,1913*
- 16504) Tinodes unidentatus Klapalek,1894** (Psychomyiidae) Synonym(s): *unidentatus Klapalek,1894*
- 16505) Tinodes valvatus Martynov,1913** (Psychomyiidae) Synonym(s): *valvatus Martynov,1913*

PSYLLIDAE

- 16506) Aphalara maculipennis Loew,1886** (Psyllidae) Synonym(s): *maculipennis Loew,1886*
- 16507) Cacopsylla hippophaes (Förster,1848)** (Psyllidae) Synonym(s): *hippophaes Förster,1848*
- 16508) Cacopsylla mali (Schmidberger)** (Psyllidae) Synonym(s):
- 16509) Cacopsylla mariannae (Beava)** (Psyllidae) Synonym(s):
- 16510) Cacopsylla peregrina (Förster)** (Psyllidae) Synonym(s):
- 16511) Cacopsylla pyri (Linnaeus)** (Psyllidae) Synonym(s):
- 16512) Craspedolepta malachitica (Dahlbom)** (Psyllidae) Synonym(s):
- 16513) Craspedolepta nebulosa (Zetterstedt,1828)** (Psyllidae) Synonym(s): *nebulosa Zetterstedt,1828*
- 16514) Craspedolepta pontica (Dobreanu & Manolache)** (Psyllidae) Synonym(s):
- 16515) Crastina myricariae Loginova** (Psyllidae) Synonym(s):
- 16516) Cyamophila astragalicola (Gegechkori,1977)** (Psyllidae) Synonym(s): *astragalicola Gegechkori,1977*
- 16517) Cyamophila glycyrrhizae (Becker)** (Psyllidae) Synonym(s):
- 16518) Cyamophila stocklosai Klimaszewski & Lodos** (Psyllidae) Synonym(s):
- 16519) Euphyllura phillyreae Förster** (Psyllidae) Synonym(s):
- 16520) Livia juncorum (Latreille)** (Psyllidae) Synonym(s):
- 16521) Livia mediterranea Loginova,1974** (Psyllidae) Synonym(s): *mediterranea Loginova,1974*
- 16522) Livilla horvathi (Scott)** (Psyllidae) Synonym(s):
- 16523) Psyllopsis fraxinicola (Förster)** (Psyllidae) Synonym(s):

PTEROMALIDAE

- 16524) Anisopteromalus calandrae (Howard,1881)** (Pteromalidae) Synonym(s): *calandrae Howard,1881; oryzae Cameron,1891; vandinei Tucker,1910; mollis Ruschka,1912; pratti Crawford,1913; medius Masi,1917; mamezophagus Ishii & Nagasawa,1942; brasiliensis Domenichini,1951*

- 16525) *Arthrolytus discoideus* (Nees,1834)** (Pteromalidae) Synonym(s): *discoideus* Nees,1834; *artembares* Walker,1839; *punctatus* C.G.Thomson,1878
- 16526) *Asaphes suspensus* (Nees ab Esenbeck,1834)** (Pteromalidae) Synonym(s): *suspensus* Nees ab Esenbeck,1834; *altiventris* Nees ab Esenbeck,1834; *petioliventris* Zetterstedt,1838; *aphidicola* Rondani,1848; *lucens* Provancher,1887; *fletcheri* Crawford,1909; *rufipes* Brues,1909; *huebrichi* Brethes,1913; *americana* Girault,1914; *bonariensis* Brethes,1916; *sawraji* Sharma & Subba Rao,1959; *uniarticulata* Mani & Saraswat,1974
- 16527) *Asaphes vulgaris* Walker,1834** (Pteromalidae) Synonym(s): *vulgaris* Walker,1834; *aenea* Nees ab Esenbeck,1834; *aphidophila* Rondani,1848
- 16528) *Caenocrepis arenicola* (Thomson)** (Pteromalidae) Synonym(s):
- 16529) *Caenocrepis bothynoderi* Gromakov** (Pteromalidae) Synonym(s):
- 16530) *Catolaccus ater* (Ratzeburg)** (Pteromalidae) Synonym(s):
- 16531) *Cea pulicaris* Walker,1837** (Pteromalidae) Synonym(s): *pulicaris* Walker,1837
- 16532) *Cheiopachus quadrum* (Fabricius)** (Pteromalidae) Synonym(s):
- 16533) *Chlorocytus diversus* (Walker)** (Pteromalidae) Synonym(s):
- 16534) *Chlorocytus phalaridis* Graham** (Pteromalidae) Synonym(s):
- 16535) *Chlorocytus ultonicus* Graham** (Pteromalidae) Synonym(s):
- 16536) *Coelopisthia caledonica* Askew** (Pteromalidae) Synonym(s):
- 16537) *Colotrechnus viridis* (Masi)** (Pteromalidae) Synonym(s):
- 16538) *Conomorium patulum* (Walker)** (Pteromalidae) Synonym(s):
- 16539) *Conomorium pityocampae* Graham** (Pteromalidae) Synonym(s):
- 16540) *Cyrtogaster vulgaris* Walker,1833** (Pteromalidae) Synonym(s): *vulgaris* Walker,1833; *cingulipes* Walker,1833; *rufipes* Walker,1833; *tenuis* Walker,1833; *thoracica* Walker,1833; *viridiaeneus* Nees,1834; *aquisgranensis* Förster,1841; *acarnas* Walker,1848; *degener* Walker,1872
- 16541) *Cyrtoptyx latipes* (Rondani,1874)** (Pteromalidae) Synonym(s): *latipes* Rondani,1874; *dacicida* Masi,1907; *virescens* Masi,1908; *lesbiacus* Masi,1922; *albicus* Masi,1934
- 16542) *Cyrtoptyx robustus* (Masi,1907)** (Pteromalidae) Synonym(s): *robustus* Masi,1907
- 16543) *Dibrachoides dynastes* (Förster)** (Pteromalidae) Synonym(s):
- 16544) *Dibrachys affinis* Masi** (Pteromalidae) Synonym(s):
- 16545) *Dibrachys boarmiae* (Walker)** (Pteromalidae) Synonym(s):
- 16546) *Dibrachys cavus* (Walker)** (Pteromalidae) Synonym(s):
- 16547) *Dibrachys palandoekenus* Doğanlar,1987** (Pteromalidae) Synonym(s): *palandoekenus* Doğanlar,1987
- 16548) *Dinarmus acutus* (Thomson)** (Pteromalidae) Synonym(s):
- 16549) *Dinarmus italicus* (Masi,1922)** (Pteromalidae) Synonym(s): *italicus* Masi,1922
- 16550) *Dinocistus eupterus* (Walker,1836)** (Pteromalidae) Synonym(s): *eupterus* Walker,1836; *dimidiatus* Walker,1836; *capitatus* Förster,1841; *lanceolatus* Ratzeburg,1848; *clypealis* Thomson,1878; *acutus* Provancher,1887; *polygraphi* Ashmead,1894; *ashmeadi* Crawford,1912; *pityogenis* Ishii,1938
- 16551) *Dipara claviger* (Kieffer,1906)** (Pteromalidae) Synonym(s): *claviger* Kieffer,1906
- 16552) *Erdoesina albuannulata* (Ratzeburg)** (Pteromalidae) Synonym(s):
- 16553) *Eunotus arreolatus* (Ratzeburg)** (Pteromalidae) Synonym(s):
- 16554) *Gastrancistrus glabellus* (Nees)** (Pteromalidae) Synonym(s):
- 16555) *Gastrancistrus hirtulus* Graham** (Pteromalidae) Synonym(s):
- 16556) *Gastrancistrus latifrons* (Thomson)** (Pteromalidae) Synonym(s):
- 16557) *Goidanichium atrum* Boucek** (Pteromalidae) Synonym(s):
- 16558) *Gugolzia bademia* Doğanlar,2004** (Pteromalidae) Synonym(s): *bademia* Doğanlar,2004
- 16559) *Gugolzia harmolitae* Delucchi & Steffan,1956** (Pteromalidae) Synonym(s): *harmolitae* Delucchi & Steffan,1956
- 16560) *Gugolzia karadagae* M.Doğanlar & O.Doğanlar,2010** (Pteromalidae) Synonym(s): *karadagae* M.Doğanlar & O.Doğanlar,2010
- 16561) *Gugolzia melengicia* M.Doğanlar & O.Doğanlar,2010** (Pteromalidae) Synonym(s): *melengicia* M.Doğanlar & O.Doğanlar,2010
- 16562) *Halticoptera adanacus* Doğanlar,2006** (Pteromalidae) Synonym(s): *adanacus* Doğanlar,2006
- 16563) *Halticoptera aenea* (Walker)** (Pteromalidae) Synonym(s):
- 16564) *Halticoptera circulus* (Walker)** (Pteromalidae) Synonym(s):
- 16565) *Halticoptera crius* (Walker)** (Pteromalidae) Synonym(s):
- 16566) *Halticoptera dimidiata* (Förster)** (Pteromalidae) Synonym(s):
- 16567) *Halticoptera kemaliyensis* Doğanlar,2006** (Pteromalidae) Synonym(s): *kemaliyensis* Doğanlar,2006
- 16568) *Halticoptera laevigata* Thomson** (Pteromalidae) Synonym(s):
- 16569) *Halticoptera longipetiolus* Hedqvist** (Pteromalidae) Synonym(s):
- 16570) *Halticoptera patellana* (Dalman)** (Pteromalidae) Synonym(s):
- 16571) *Halticoptera polita* (Walker)** (Pteromalidae) Synonym(s):
- 16572) *Halticoptera poreia* (Walker)** (Pteromalidae) Synonym(s):
- 16573) *Halticoptera sakipagai* Doğanlar,2006** (Pteromalidae) Synonym(s): *sakipagai* Doğanlar,2006

- 16574) **Halticoptera yoncacus Doğanlar, 2006** (Pteromalidae) Synonym(s): *yoncacus Doğanlar, 2006*
- 16575) **Halticopterina moczari Erdős** (Pteromalidae) Synonym(s):
- 16576) **Halticopterina triannulata Erdős** (Pteromalidae) Synonym(s):
- 16577) **Hobbya stenonota (Ratzeburg)** (Pteromalidae) Synonym(s):
- 16578) **Homoporus arestor (Walker)** (Pteromalidae) Synonym(s):
- 16579) **Homoporus fulviventris (Walker)** (Pteromalidae) Synonym(s):
- 16580) **Homoporus subniger (Walker)** (Pteromalidae) Synonym(s):
- 16581) **Ksenoplata quadrata Boucek** (Pteromalidae) Synonym(s):
- 16582) **Lampoterna viride (Thomson, 1876)** (Pteromalidae) Synonym(s): *viride Thomson, 1876*
- 16583) **Lamprotatus truncatus (Fonscolombe)** (Pteromalidae) Synonym(s):
- 16584) **Lariophagus distinguendus (Förster)** (Pteromalidae) Synonym(s):
- 16585) **Macroglenes varicornis (Haliday)** (Pteromalidae) Synonym(s):
- 16586) **Merisus splendidus Walker** (Pteromalidae) Synonym(s):
- 16587) **Mesopolobus diffinis (Walker, 1834)** (Pteromalidae) Synonym(s): *diffinis Walker, 1834*
- 16588) **Mesopolobus graminum (Hardh, 1950)** (Pteromalidae) Synonym(s): *graminum Hardh, 1950*
- 16589) **Mesopolobus incultus (Walker, 1874)** (Pteromalidae) Synonym(s): *incultus Walker, 1874*
- 16590) **Mesopolobus laticornis (Walker, 1834)** (Pteromalidae) Synonym(s): *laticornis Walker, 1834*
- 16591) **Mesopolobus mediterraneus (Mayr, 1903)** (Pteromalidae) Synonym(s): *mediterraneus Mayr, 1903*
- 16592) **Mesopolobus morys (Walker, 1848)** (Pteromalidae) Synonym(s): *morys Walker, 1848*
- 16593) **Mesopolobus nobilis (Walker, 1834)** (Pteromalidae) Synonym(s): *nobilis Walker, 1834*
- 16594) **Mesopolobus sericeus (Forster, 1770)** (Pteromalidae) Synonym(s): *sericeus Forster, 1770*
- 16595) **Mesopolobus teliformis (Walker, 1834)** (Pteromalidae) Synonym(s): *teliformis Walker, 1834*
- 16596) **Miscogaster elegans Walker** (Pteromalidae) Synonym(s):
- 16597) **Miscogaster hortensis Walker** (Pteromalidae) Synonym(s):
- 16598) **Miscogaster rufipes Walker** (Pteromalidae) Synonym(s):
- 16599) **Muscidifurax adanacus Doğanlar, 2007** (Pteromalidae) Synonym(s): *adanacus Doğanlar, 2007*
- 16600) **Nasonia vitripennis (Walker)** (Pteromalidae) Synonym(s):
- 16601) **Norbanus calabrus (Masi)** (Pteromalidae) Synonym(s):
- 16602) **Norbanus cerasiops (Masi)** (Pteromalidae) Synonym(s):
- 16603) **Norbanus opscurus (Masi)** (Pteromalidae) Synonym(s):
- 16604) **Oxyglypta rugosa Ruschka** (Pteromalidae) Synonym(s):
- 16605) **Pachycrepoideus vindemmiae (Rondani)** (Pteromalidae) Synonym(s):
- 16606) **Pachyneuron ahlaense Mani & Saraswat** (Pteromalidae) Synonym(s):
- 16607) **Pachyneuron aphidis (Bouché)** (Pteromalidae) Synonym(s):
- 16608) **Pachyneuron erzurumicum Doğanlar, 1986** (Pteromalidae) Synonym(s): *erzurumicum Doğanlar, 1986*
- 16609) **Pachyneuron formosum (Walker)** (Pteromalidae) Synonym(s):
- 16610) **Pachyneuron gibbiscuta Thomson** (Pteromalidae) Synonym(s):
- 16611) **Pachyneuron groenlandicum (Holmgren)** (Pteromalidae) Synonym(s):
- 16612) **Pachyneuron leucopiscida Mani** (Pteromalidae) Synonym(s):
- 16613) **Pachyneuron muscarum (Linnaeus)** (Pteromalidae) Synonym(s):
- 16614) **Pachyneuron nelsoni Girault** (Pteromalidae) Synonym(s):
- 16615) **Platneptis laeta (Walker)** (Pteromalidae) Synonym(s):
- 16616) **Pseudocatolaccus nitescens (Walker)** (Pteromalidae) Synonym(s):
- 16617) **Psilocera obscura Walker** (Pteromalidae) Synonym(s):
- 16618) **Psilonotus achaeus Walker** (Pteromalidae) Synonym(s):
- 16619) **Psilonotus adamas Walker** (Pteromalidae) Synonym(s):
- 16620) **Psilonotus hortensia Walker** (Pteromalidae) Synonym(s):
- 16621) **Psychophagus omnivorus (Walker)** (Pteromalidae) Synonym(s):
- 16622) **Pteromalus albipennis Walker** (Pteromalidae) Synonym(s):
- 16623) **Pteromalus apum (Retzius)** (Pteromalidae) Synonym(s):
- 16624) **Pteromalus bedeguaris (Thomson)** (Pteromalidae) Synonym(s):
- 16625) **Pteromalus bifoveolatus Förster** (Pteromalidae) Synonym(s):
- 16626) **Pteromalus chrysos Walker** (Pteromalidae) Synonym(s):
- 16627) **Pteromalus cionobius (Erdős)** (Pteromalidae) Synonym(s):
- 16628) **Pteromalus elevatus (Walker)** (Pteromalidae) Synonym(s):
- 16629) **Pteromalus intermedius (Walker)** (Pteromalidae) Synonym(s):
- 16630) **Pteromalus platyphilus Walker** (Pteromalidae) Synonym(s):
- 16631) **Pteromalus puparum (Linnaeus)** (Pteromalidae) Synonym(s):
- 16632) **Pteromalus semotus (Walker)** (Pteromalidae) Synonym(s):
- 16633) **Pteromalus sequester Walker** (Pteromalidae) Synonym(s):
- 16634) **Rhaphitelus maculatus Walker** (Pteromalidae) Synonym(s):

- 16635) Rhopalicus guttatus (Ratzeburg)** (Pteromalidae) Synonym(s):
16636) Rhopalicus tutella (Walker) (Pteromalidae) Synonym(s):
16637) Roptrocercus xylophagorum (Ratzeburg) (Pteromalidae) Synonym(s):
16638) Schizonotus sieboldi (Ratzeburg) (Pteromalidae) Synonym(s):
16639) Scutellista caerulea (Fonscolombe) (Pteromalidae) Synonym(s):
16640) Spalangia fuscipes Nees ab Esenbeck,1834 (Pteromalidae) Synonym(s): *fuscipes Nees ab Esenbeck,1834*
16641) Spalangia subpunctata Förster,1850 (Pteromalidae) Synonym(s): *subpunctata Förster,1850*
16642) Sphegigaster aculeata (Walker,1833) (Pteromalidae) Synonym(s): *aculeata Walker,1833*
16643) Sphegigaster brevicornis (Walker,1833) (Pteromalidae) Synonym(s): *brevicornis Walker,1833*
16644) Sphegigaster pallicornis (Spinola,1808) (Pteromalidae) Synonym(s): *pallicornis Spinola,1808*
16645) Sphegigaster pedunculiventris (Spinola,1808) (Pteromalidae) Synonym(s): *pedunculiventris Spinola,1808*
16646) Spintherus dubius (Nees) (Pteromalidae) Synonym(s):
16647) Stenomalina communis (Nees) (Pteromalidae) Synonym(s):
16648) Stenomalina favorinus (Walker) (Pteromalidae) Synonym(s):
16649) Stenomalina laticeps (Walker) (Pteromalidae) Synonym(s):
16650) Syntomopus incisus Thomson (Pteromalidae) Synonym(s):
16651) Syntomopus incurvus Walker (Pteromalidae) Synonym(s):
16652) Systasis encyrtoides Walker (Pteromalidae) Synonym(s):
16653) Theocolax elegans (Westwood,1874) (Pteromalidae) Synonym(s): *elegans Westwood,1874*
16654) Thinodytes cyzicus (Walker) (Pteromalidae) Synonym(s):
16655) Tomicobia promulus (Walker) (Pteromalidae) Synonym(s):
16656) Trichomalopsis hemiptera (Walker) (Pteromalidae) Synonym(s):
16657) Trichomalopsis littoralis (Graham) (Pteromalidae) Synonym(s):
16658) Trichomalopsis peregrina (Graham) (Pteromalidae) Synonym(s):
16659) Trichomalus apertus (Walker) (Pteromalidae) Synonym(s):
16660) Trichomalus campestris (Walker) (Pteromalidae) Synonym(s):
16661) Trichomalus elongatus Delucchi & Graham (Pteromalidae) Synonym(s):
16662) Trichomalus fulvipes (Walker) (Pteromalidae) Synonym(s):
16663) Trichomalus helvipes (Walker) (Pteromalidae) Synonym(s):
16664) Trichomalus nanus (Walker) (Pteromalidae) Synonym(s):
16665) Trichomalus posticus (Walker) (Pteromalidae) Synonym(s):
16666) Trichomalus rufinus (Walker) (Pteromalidae) Synonym(s):
16667) Trjapitzinia leucomae Dzhanokmen (Pteromalidae) Synonym(s):

PYRGOMORPHIDAE

- 16668) Pyrgomorpha (s.str.) conica (Olivier,1791)** (Pyrgomorphidae) Synonym(s): *conica Olivier,1791; grylloides Latreille,1804; linearis Charpentier,1825; rosea Charpentier,1825; rhodoptila Herrich-Schäffer,1838; discrepans Fieber,1853; mideltica Werner,1931*
16669) Pyrgomorpha cognata Krauss,1877 (Pyrgomorphidae) Synonym(s): *cognata Krauss,1877*
16670) Pyrgomorpha guentheri Burr,1899 (Pyrgomorphidae) Synonym(s): *guentheri Burr,1899; brevipennis Bolivar,1904; predtetschenskii Bei-Bienko,1951; ozeki Karabağ,1953; turcica Karabağ,1961; #urfenensis Demirsoy,1977; #guentheri Demirsoy,1977; #predtetschenskii Demirsoy,1977*

PYROCHROIDAE

- 16671) Hemidendroides daglariensis (Young,2004)** (Pyrochroidae) Synonym(s): *cyanipennis; daglariensis Young,2004*

PYRRHOCORIDAE

- 16672) Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus Linnaeus,1758; clamariensis Fallén,1829*
16673) Pyrrhocoris marginatus (Kolenati,1845) (Pyrrhocoridae) Synonym(s): *marginatus Kolenati,1845*
16674) Pyrrhocoris niger Reuter,1888 (Pyrrhocoridae) Synonym(s): *niger Reuter,1888*
16675) Scantius aegyptius (Linnaeus,1758) (Pyrrhocoridae) Synonym(s): *aegyptius Linnaeus,1758*

RAPHIDIIDAE

- 16676) *Raphidia* (*Caucasoraphidia*) *caucasica* Esben-Petersen,1913** (Raphidiidae) Synonym(s): *caucasica* Esben-Petersen,1913
- 16677) *Raphidia* (*Magnoraphidia*) *robusta* Aspöck & Aspöck,1966** (Raphidiidae) Synonym(s): *robusta* Aspöck & Aspöck,1966
- 16678) *Raphidia* (*Parvoraphidia*) *microstigma* Stein,1863** (Raphidiidae) Synonym(s): *microstigma* Stein,1863
- 16679) *Raphidia* (*Phidiara*) *noane* H.Aspöck & U.Aspöck,1966** (Raphidiidae) Synonym(s): *noane* H.Aspöck & U.Aspöck,1966
- 16680) *Raphidia* (*Phidiara*) *prophetica* H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *prophetica* H.Aspöck & U.Aspöck,1964
- 16681) *Raphidia* (*Phidiara*) *raddai* U.Aspöck & H.Aspöck,1969** (Raphidiidae) Synonym(s): *raddai* U.Aspöck & H.Aspöck,1969
- 16682) *Raphidia* (*Phidiara*) *remane* H.Aspöck, U.Aspöck & Şengonca,1976** (Raphidiidae) Synonym(s): *remane* H.Aspöck, U.Aspöck & Şengonca,1976
- 16683) *Raphidia* (*Phidiara*) *ressli* H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *ressli* H.Aspöck & U.Aspöck,1964
- 16684) *Raphidia* (*Phidiara*) *vartianorum* H.Aspöck & U.Aspöck,1968** (Raphidiidae) Synonym(s): *vartianorum* H.Aspöck & U.Aspöck,1968
- 16685) *Raphidia* (*Pontoraphidia*) *pontica* Albarda,1891** (Raphidiidae) Synonym(s): *pontica* Albarda,1891
- 16686) *Raphidia* (s.str.) *beieri* H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *beieri* H.Aspöck & U.Aspöck,1964; *schizurotergalis* Bartos,1965
- 16687) *Raphidia* (*Turcoraphidia*) *acerba* H.Aspöck & U.Aspöck,1966** (Raphidiidae) Synonym(s): *acerba* H.Aspöck & U.Aspöck,1966
- 16688) *Raphidia* (*Turcoraphidia*) *amara* H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *amara* H.Aspöck & U.Aspöck,1964
- 16689) *Raphidia* (*Turcoraphidia*) *fuscinata* H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *fuscinata* H.Aspöck & U.Aspöck,1964
- 16690) *Raphidia* (*Turcoraphidia*) *hethitica* H.Aspöck, U.Aspöck & Rausch,1984** (Raphidiidae) Synonym(s): *hethitica* H.Aspöck, U.Aspöck & Rausch,1984
- 16691) *Raphidia* *adanana* Albarda,1891** (Raphidiidae) Synonym(s): *adanana* Albarda,1891; *anatolica* H.Aspöck & U.Aspöck,1964
- 16692) *Raphidia* *cypria* Navas,1931** (Raphidiidae) Synonym(s): *cypria* Navas,1931; *phoenicia* H.Aspöck & U.Aspöck,1964; *#cyparia* H.Aspöck & U.Aspöck,1967

RAPHIDOPHORIDAE

- 16693) *Dolichopoda* (s.str.) *aranaea* Bolivar,1899** (Raphidophoridae) Synonym(s): *aranaea* Bolivar,1899
- 16694) *Dolichopoda* (s.str.) *euxina* Semenov,1901** (Raphidophoridae) Synonym(s): *euxina* Semenov,1901
- 16695) *Dolichopoda* (s.str.) *lycia* (Galvagni,2006)** (Raphidophoridae) Synonym(s): *lycia* Galvagni,2006
- 16696) *Dolichopoda* (s.str.) *noctivaga* Di Russo & Rampini,2007** (Raphidophoridae) Synonym(s): *noctivaga* Di Russo & Rampini,2007
- 16697) *Dolichopoda* (s.str.) *pusilla* Bolivar,1899** (Raphidophoridae) Synonym(s): *pusilla* Bolivar,1899
- 16698) *Dolichopoda* (s.str.) *sbordonii* Di Russo & Rampini,2006** (Raphidophoridae) Synonym(s): *sbordonii* Di Russo & Rampini,2006
- 16699) *Troglophilus* (s.str.) *adamovici* Us,1974** (Raphidophoridae) Synonym(s): *adamovici* Us,1974
- 16700) *Troglophilus* (s.str.) *bicakcii* Rampini & Di Russo,2003** (Raphidophoridae) Synonym(s): *bicakcii* Rampini & Di Russo,2003; *#biçakçii* Di Russo et al.,2007; *#biçaçkii* Di Russo et al.,2007
- 16701) *Troglophilus* (s.str.) *escaleraei* Bolivar,1899** (Raphidophoridae) Synonym(s): *escaleraei* Bolivar,1899
- 16702) *Troglophilus* (s.str.) *gajaci* Us,1974** (Raphidophoridae) Synonym(s): *gajaci* Us,1974
- 16703) *Troglophilus* (s.str.) *tatyanae* Di Russo & Rampini,2007** (Raphidophoridae) Synonym(s): *tatyanae* Di Russo & Rampini,2007

REDUVIIDAE

- 16704) Callistodema fasciatum (Kolenati,1856)** (Reduviidae) Synonym(s): *fasciatum* Kolenati,1856
- 16705) Coranus angulatus Stal,1874** (Reduviidae) Synonym(s): *angulatus* Stal,1874; *pirzadae* Miller,1950; *filsi* Dispons,1954
- 16706) Coranus contrarius Reuter,1881** (Reduviidae) Synonym(s): *contrarius* Reuter,1881
- 16707) Coranus griseus (Rossi,1790)** (Reduviidae) Synonym(s): *griseus* Rossi,1790; *murinus* Rambur,1840; *persicus* Wagner,1952
- 16708) Coranus subapterus (De Geer,1775)** (Reduviidae) Synonym(s): *subapterus* De Geer,1775; *naevius* Gmelin,1790; *dimidiatus* Turton,1802; *pedestris* Wolff,1811; *griseus* Hahn,1833 *nec* Ross.,1790; *hahnii* Kolenati,1857
- 16709) Coranus tuberculifer Reuter,1881** (Reduviidae) Synonym(s): *tuberculifer* Reuter,1881
- 16710) Ectomocoris ululans (Rossi,1790)** (Reduviidae) Synonym(s): *ululans* Rossi,1790; *tidikelti* Dispons,1961
- 16711) Empicoris mediterraneus Hoberlandt,1955** (Reduviidae) Synonym(s): *mediterraneus* Hoberlandt,1955
- 16712) Holotrichius apterus Jakovlev,1879** (Reduviidae) Synonym(s): *apterus* Jakovlev,1879; *eroanumensis* Dispons,1964; *araxeus* Dispons,1964
- 16713) Holotrichius denutatus Costa,1841** (Reduviidae) Synonym(s): *denutatus* Costa,1841
- 16714) Holotrichius ochraceus Reuter,1891** (Reduviidae) Synonym(s): *ochraceus* Reuter,1891
- 16715) Holotrichius putoni Reuter,1909** (Reduviidae) Synonym(s): *putoni* Reuter,1909
- 16716) Holotrichius rotundatus Stal,1874** (Reduviidae) Synonym(s): *rotundatus* Stal,1874; *loricatus* Dispons,1962
- 16717) Holotrichius spinicollis Reuter,1891** (Reduviidae) Synonym(s): *spinicollis* Reuter,1891
- 16718) Metapterus linearis A.Costa,1863** (Reduviidae) Synonym(s): *linearis* A.Costa,1863
- 16719) Nagusta goedeli (Kolenati,1856)** (Reduviidae) Synonym(s): *goedeli* Kolenati,1856
- 16720) Oncocephalus acutangulus Reuter,1882** (Reduviidae) Synonym(s): *acutangulus* Reuter,1882; *brevipennis* Reuter,1882
- 16721) Oncocephalus arctipes Noualhier,1895** (Reduviidae) Synonym(s): *arctipes* Noualhier,1895
- 16722) Oncocephalus biguttata Horvath,1901** (Reduviidae) Synonym(s): *biguttata* Horvath,1901
- 16723) Oncocephalus notatus (Klug,1812)** (Reduviidae) Synonym(s): *notatus* Klug,1812
- 16724) Oncocephalus ocularis Horvath,1898** (Reduviidae) Synonym(s): *ocularis* Horvath,1898
- 16725) Oncocephalus paulioni Puton,1884** (Reduviidae) Synonym(s): *paulioni* Puton,1884
- 16726) Oncocephalus pilicornis (Herrich-Schäffer,1835)** (Reduviidae) Synonym(s): *pilicornis* Herrich-Schäffer,1835
- 16727) Oncocephalus plumicornis (Germar,1822)** (Reduviidae) Synonym(s): *plumicornis* Germar,1822
- 16728) Oncocephalus pugnax Horvath,1898** (Reduviidae) Synonym(s): *pugnax* Horvath,1898
- 16729) Oncocephalus reuteri Bergroth,1914** (Reduviidae) Synonym(s): *reuteri* Bergroth,1914
- 16730) Oncocephalus squalidus (Rossi,1790)** (Reduviidae) Synonym(s): *squalidus* Rossi,1790
- 16731) Oncocephalus thoracicus Fieber,1861** (Reduviidae) Synonym(s): *thoracicus* Fieber,1861
- 16732) Pasira basiptera Stal,1859** (Reduviidae) Synonym(s): *basiptera* Stal,1859
- 16733) Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans* Rambur,1839
- 16734) Phymata (s.str.) crassipes (Fabricius,1775)** (Reduviidae) Synonym(s): *crassipes* Fabricius,1775
- 16735) Ploiaria domestica Scopoli,1786** (Reduviidae) Synonym(s): *domestica* Scopoli,1786
- 16736) Pygolampis bidentata (Goeze,1778)** (Reduviidae) Synonym(s): *bidentata* Goeze,1778
- 16737) Reduvius ciliatus Jakovlev,1879** (Reduviidae) Synonym(s): *ciliatus* Jakovlev,1879
- 16738) Reduvius festai Giglio-Tos,1894** (Reduviidae) Synonym(s): *festai* Giglio-Tos,1894
- 16739) Reduvius jakovleffi Reuter,[1892]** (Reduviidae) Synonym(s): *jakovleffi* Reuter,[1892]
- 16740) Reduvius pallipes Klug,1830** (Reduviidae) Synonym(s): *pallipes* Klug,1830; *thoracicus* Stal,1855; *testaceus* Fieber
- 16741) Reduvius personatus (Linnaeus,1758)** (Reduviidae) Synonym(s): *personatus* Linnaeus,1758; *ater* Poda,1761
- 16742) Reduvius testaceus (Herrich-Schäffer,1845)** (Reduviidae) Synonym(s): *testaceus* Herrich-Schäffer,1845
- 16743) Rhynocoris annulatus (Linnaeus,1758)** (Reduviidae) Synonym(s): *annulatus* Linnaeus,1758
- 16744) Rhynocoris erythropus (Linnaeus,1767)** (Reduviidae) Synonym(s): *erythropus* Linnaeus,1767
- 16745) Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae) Synonym(s): *flavolimbatus* Jakovlev,1889; *#descampsi* Dispons & Villiers,1967
- 16746) Rhynocoris hierapolitanus (Dispons,1964)** (Reduviidae) Synonym(s): *hierapolitanus* Dispons,1964
- 16747) Rhynocoris ibericus (Kolenati,1856)** (Reduviidae) Synonym(s): *ibericus* Kolenati,1856
- 16748) Rhynocoris iracundus (Poda,1761)** (Reduviidae) Synonym(s): *iracundus* Poda,1761; *pictus* Kolenati,1856; *ocreatus* Dispons,1964; *#safavii* Dispons & Villiers,1967
- 16749) Rhynocoris monticola Oshanin,1870** (Reduviidae) Synonym(s): *monticola* Oshanin,1870

- 16750) *Rhynocoris niger* (Herrich-Schäffer,1842)** (Reduviidae) Synonym(s): *niger* Herrich-Schäffer,1842
- 16751) *Rhynocoris persicus* (Jakovlev,1877)** (Reduviidae) Synonym(s): *persicus* Jakovlev,1877; *christophi* Jakovlev,1877; *analisis* Jakovlev,1889; *pictipes* Horvath,1911
- 16752) *Rhynocoris punctiventris* Herrich-Schäffer,1846** (Reduviidae) Synonym(s): *punctiventris* Herrich-Schäffer,1846; *dimidiatus* Dispons,1964
- 16753) *Rhynocoris rubricoxa* (Bergroth,1890)** (Reduviidae) Synonym(s): *rubricoxa* Bergroth,1890
- 16754) *Rhynocoris rubrogularis* (Horvath,1880)** (Reduviidae) Synonym(s): *rubrogularis* Horvath,1880
- 16755) *Rhynocoris transitus* Hoberlandt,1951** (Reduviidae) Synonym(s): *transitus* Hoberlandt,1951
- 16756) *Sphedanolestes lividigaster* (Mulsant & Rey,1852)** (Reduviidae) Synonym(s): *lividigaster* Mulsant & Rey,1852
- 16757) *Sphedanolestes pulchellus* (Klug,1830)** (Reduviidae) Synonym(s): *pulchellus* Klug,1830
- 16758) *Stenolemus bogdanovii* Oshanin,1870** (Reduviidae) Synonym(s): *bogdanovii* Oshanin,1870
- 16759) *Vachiria deserta* (Becker,1867)** (Reduviidae) Synonym(s): *deserta* Becker,1867
- 16760) *Vachiria natolica* Stal,1859** (Reduviidae) Synonym(s): *natolica* Stal,1859

RHAGIONIDAE

- 16761) *Chrysopilus pallipes* (Loew,1869)** (Rhagionidae) Synonym(s): *pallipes* Loew,1869
- 16762) *Rhagio albipilosus* Becker,1921** (Rhagionidae) Synonym(s): *albipilosus* Becker,1921
- 16763) *Rhagio maculipennis* (Loew,1854)** (Rhagionidae) Synonym(s): *maculipennis* Loew,1854
- 16764) *Rhagio sordidus* (Loew,1862)** (Rhagionidae) Synonym(s): *sordidus* Loew,1862; *pilosus* Loew,1865
- 16765) *Rhagio notatus* Meigen,1820** (Rhagionidae) Synonym(s): *notatus* Meigen,1820
- 16766) *Rhagio turcicus* Lindler,1931** (Rhagionidae) Synonym(s): *turcicus* Lindler,1931

RHINOPHORIDAE

- 16767) *Oplisa (Anoplisa) hertingi* Zeegers,2011** (Rhinophoridae) Synonym(s): *hertingi* Zeegers,2011
- 16768) *Oplisa (Anoplisa) nudiseta* Zeegers,2011** (Rhinophoridae) Synonym(s): *nudiseta* Zeegers,2011
- 16769) *Oplisa (Anoplisa) oldenbergi* Herting,1961** (Rhinophoridae) Synonym(s): *oldenbergi* Herting,1961
- 16770) *Phyto anatolica* Zeegers,2011** (Rhinophoridae) Synonym(s): *anatolica* Zeegers,2011
- 16771) *Stevenia angustifrons* Villeneuve,1912** (Rhinophoridae) Synonym(s): *angustifrons* Villeneuve,1912
- 16772) *Stevenia kugleri* Herting,1961** (Rhinophoridae) Synonym(s): *kugleri* Herting,1961
- 16773) *Stevenia pallidicornis* (Loew,1847)** (Rhinophoridae) Synonym(s): *pallidicornis* Loew,1847
- 16774) *Stevenia signata* (Mik,1886)** (Rhinophoridae) Synonym(s): *signata* Mik,1886

RHOPALIDAE

- 16775) *Agraphopus lethierryi* Stal,1872** (Rhopalidae) Synonym(s): *lethierryi* Stal,1872
- 16776) *Agraphopus pallens* Schmidt,1939** (Rhopalidae) Synonym(s): *pallens* Schmidt,1939
- 16777) *Brachycarenum languidus* Horvath,1891** (Rhopalidae) Synonym(s): *languidus* Horvath,1891
- 16778) *Brachycarenum tigrinus* (Schilling,1829)** (Rhopalidae) Synonym(s): *tigrinus* Schilling,1829
- 16779) *Chorosoma schillingi* Schummel,1829** (Rhopalidae) Synonym(s): *schillingi* Schummel,1829
- 16780) *Corizomorpha janowskyi* Jakovlev,1883** (Rhopalidae) Synonym(s): *janowskyi* Jakovlev,1883
- 16781) *Corizus brevicornis* Horvath,1917** (Rhopalidae) Synonym(s): *brevicornis* Horvath,1917
- 16782) *Corizus fenestella* Horvath,1917** (Rhopalidae) Synonym(s): *limbatus* Reuter,1900 nec Rey,1877; *fenestella* Horvath,1917; *alternans* Horvath,1917; *subsimilis* Horvath,1917; *diluta* Distant,1918
- 16783) *Corizus hyoscyami* (Linnaeus,1758)** (Rhopalidae) Synonym(s): *hyoscyami* Linnaeus,1758; *#hyosciami* Kiyak et al.,2004
- 16784) *Leptoceraea viridis* Jakovlev,1873** (Rhopalidae) Synonym(s): *viridis* Jakovlev,1873
- 16785) *Limacocarenum curtulus* Kiritchenko,1914** (Rhopalidae) Synonym(s): *curtulus* Kiritchenko,1914
- 16786) *Liorhyssus hyalinus* (Fabricius,1794)** (Rhopalidae) Synonym(s): *hyalinus* Fabricius,1794
- 16787) *Maccevetus corsicus* Signoret,1862** (Rhopalidae) Synonym(s): *corsicus* Signoret,1862
- 16788) *Maccevetus errans* (Fabricius,1794)** (Rhopalidae) Synonym(s): *errans* Fabricius,1794
- 16789) *Maccevetus lineolus* (Fabricius,1787)** (Rhopalidae) Synonym(s): *lineolus* Fabricius,1787
- 16790) *Maccevetus lutheri* Wagner,1953** (Rhopalidae) Synonym(s): *lutheri* Wagner,1953
- 16791) *Maccevetus persicus* Jakovlev,1881** (Rhopalidae) Synonym(s): *persicus* Jakovlev,1881
- 16792) *Myrmus miriformis* (Fallén,1807)** (Rhopalidae) Synonym(s): *miriformis* Fallén,1807

- 16793) Rhopalus conspersus Fieber,1836** (Rhopalidae) Synonym(s): *conspersus Fieber,1836*
16794) Rhopalus lepidus Fieber,1861 (Rhopalidae) Synonym(s): *lepidus Fieber,1861*
16795) Rhopalus maculatus (Fieber,1836) (Rhopalidae) Synonym(s): *maculatus Fieber,1836*
16796) Rhopalus parumpunctatus Schilling,1829 (Rhopalidae) Synonym(s): *parumpunctatus Schilling,1829*
16797) Rhopalus rufus Schilling,1829 (Rhopalidae) Synonym(s): *rufus Schilling,1829*
16798) Rhopalus subrufus (Gmelin,1788) (Rhopalidae) Synonym(s): *subrufus Gmelin,1788*
16799) Stictopleurus abutilon (Rossi,1790) (Rhopalidae) Synonym(s): *abutilon Rossi,1790*
16800) Stictopleurus angustus Reuter,1900 (Rhopalidae) Synonym(s): *angustus Reuter,1900*
16801) Stictopleurus crassicornis (Linnaeus,1758) (Rhopalidae) Synonym(s): *crassicornis Linnaeus,1758*
16802) Stictopleurus pictus (Fieber,1861) (Rhopalidae) Synonym(s): *pictus Fieber,1861*
16803) Stictopleurus punctatonervosus (Goeze,1778) (Rhopalidae) Synonym(s): *punctatonervosus Goeze,1778*
16804) Stictopleurus riveti Royer,1923 (Rhopalidae) Synonym(s): *riveti Royer,1923*
16805) Stictopleurus unicolor (Jakovlev,1874) (Rhopalidae) Synonym(s): *unicolor Jakovlev,1874*

RHYACOPHILIDAE

- 16806) Rhyacophila aberrans Martynov,1913** (Rhyacophilidae) Synonym(s): *aberrans Martynov,1913*
16807) Rhyacophila aliena Martynov,1916 (Rhyacophilidae) Synonym(s): *aliena Martynov,1916*
16808) Rhyacophila armeniaca Guérin,1834 (Rhyacophilidae) Synonym(s): *armeniaca Guérin,1834*
16809) Rhyacophila clavalis Martynov,1913 (Rhyacophilidae) Synonym(s): *clavalis Martynov,1913*
16810) Rhyacophila fasciata Hagen,1859 (Rhyacophilidae) Synonym(s): *fasciata Hagen,1859*
16811) Rhyacophila forcipulata Martynov,1926 (Rhyacophilidae) Synonym(s): *forcipulata Martynov,1926*
16812) Rhyacophila nubila Zetterstedt,1840 (Rhyacophilidae) Synonym(s): *nubila Zetterstedt,1840*
16813) Rhyacophila osellai Malicky,1981 (Rhyacophilidae) Synonym(s): *osellai Malicky,1981*
16814) Rhyacophila spinulata Martynov,1913 (Rhyacophilidae) Synonym(s): *spinulata Martynov,1913*
16815) Rhyacophila subovata Martynov,1913 (Rhyacophilidae) Synonym(s): *subovata Martynov,1913*
16816) Rhyacophila tristis Pictet,1834 (Rhyacophilidae) Synonym(s): *tristis Pictet,1834*
16817) Rhyacophila zwickorum Malicky,1972 (Rhyacophilidae) Synonym(s): *zwickorum Malicky,1972*

RICANIIDAE

- 16818) Ricania aylae Dlabola,1983** (Ricaniidae) Synonym(s): *aylae Dlabola,1983*
16819) Ricania hedenborgi Stal,1865 (Ricaniidae) Synonym(s): *hedenborgi Stal,1865*
16820) Ricania japonica Melichar,1898 (Ricaniidae) Synonym(s): *japonica Melichar,1898*

SALDIDAE

- 16821) Salda littoralis (Linnaeus,1758)** (Saldidae) Synonym(s): *littoralis Linnaeus,1758*
16822) Saldula amplicollis (Reuter,1891) (Saldidae) Synonym(s): *amplicollis Reuter,1891*
16823) Saldula arenicola (Scholtz,1847) (Saldidae) Synonym(s): *arenicola Scholtz,1847*
16824) Saldula lindbergi Lindskog,1975 (Saldidae) Synonym(s): *lindbergi Lindskog,1975*
16825) Saldula melanoscela (Fieber,1859) (Saldidae) Synonym(s): *melanoscela Fieber,1859*
16826) Saldula misis Seidenstücker,1964 (Saldidae) Synonym(s): *misis Seidenstücker,1964*
16827) Saldula opacula (Zetterstedt,1838) (Saldidae) Synonym(s): *opacula Zetterstedt,1838*
16828) Saldula orthochila (Fieber,1859) (Saldidae) Synonym(s): *orthochila Fieber,1859*
16829) Saldula pallipes (Fabricius,1794) (Saldidae) Synonym(s): *pallipes Fabricius,1794*
16830) Saldula pilosella (Thomson,1871) (Saldidae) Synonym(s): *pilosella Thomson,1871; hirsuta Reuter,1888*
16831) Saldula saltatoria (Linnaeus,1758) (Saldidae) Synonym(s): *saltatoria Linnaeus,1758*
16832) Saldula xanthochila (Fieber,1859) (Saldidae) Synonym(s): *xanthochila Fieber,1859; #xsanthochila Onder et al.,2006*

SAPYGIDAE

- 16833) Asmisapyga warnckeii Kurzenko,1994** (Sapygidae) Synonym(s): *warnckeii* Kurzenko,1994
- 16834) Fedtschenkia grossa Saussure,1880** (Sapygidae) Synonym(s): *grossa* Saussure,1880
- 16835) Monosapyga clavicornis (Linnaeus,1758)** (Sapygidae) Synonym(s): *clavicornis* Linnaeus,1758; *prisma* Fabricius,1787; *ininterrupta* Pic,1920; *triinterrupta* Pic,1920; *theresae* Pic,1920
- 16836) Sapyga (Polosapyga) singla Kurzenko,1994** (Sapygidae) Synonym(s): *singla* Kurzenko,1994
- 16837) Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae) Synonym(s): *caucasica* Radoszkowski,1880
- 16838) Sapyga (s.str.) gusenleitneri Kurzenko,1994** (Sapygidae) Synonym(s): *gusenleitneri* Kurzenko,1994
- 16839) Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae) Synonym(s): *morawitzi* Turner,1911; *gussakovskii* Kurzenko,1986
- 16840) Sapyga (s.str.) mutica Kurzenko,1994** (Sapygidae) Synonym(s): *mutica* Kurzenko,1994
- 16841) Sapyga (s.str.) pulcherrima Morawitz,1894** (Sapygidae) Synonym(s): *pulcherrima* Morawitz,1894
- 16842) Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781
- 16843) Sapyga (s.str.) similis (Fabricius,1793)** (Sapygidae) Synonym(s): *similis* Fabricius,1793; *variegata* Dahlbom,1844; *exornata* Gerstraecker,1861; *pedestris* Gerstraecker,1861; *rufipes* A.Costa,1864
- 16844) Sapygina decemguttata (Jurine,1807)** (Sapygidae) Synonym(s): *decemguttata* Jurine,1807; *millefolii* Lepeletier,1825; *chelostomae* Robineau,1836; *panzeri* Guérin,1837; *cylindricum* Schenk,1857; *nigra* Tournier,1889
- 16845) Sapygina maloasiatica Kurzenko,1994** (Sapygidae) Synonym(s): *maloasiatica* Kurzenko,1994
- 16846) Sapygina schwarzi Kurzenko,1994** (Sapygidae) Synonym(s): *schwarzi* Kurzenko,1994

SARCOPHAGIDAE

- 16847) Agria affinis (Fallén,1817)** (Sarcophagidae) Synonym(s): *affinis* Fallén,1817
- 16848) Agria mamillata (Pandellé,1896)** (Sarcophagidae) Synonym(s): *mamillata* Pandellé,1896
- 16849) Agriella lindneri (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *lindneri* Rohdendorf,1937
- 16850) Amobia oculata (Zetterstedt,1844)** (Sarcophagidae) Synonym(s): *oculata* Zetterstedt,1844
- 16851) Amobia signata (Meigen,1824)** (Sarcophagidae) Synonym(s): *signata* Meigen,1824; *conica* R-D.,1830; *nigra* Macquart,1834; *odynieri* R-D.,1853; *anomalus* Zetterstedt,1859; *deprimata* Zetterstedt,1859; *maculosa* Rondani,1859; *cinerea* R-D.,1863; *ardeacea* R-D.,1863; *obliquata* R-D.,1863; *laeta* R-D.,1863; *cinereifrons* R-D.,1863; *fugitiva* R-D.,1863; *incana* R-D.,1863; *hortulana* R-D.,1863; *despecta* R-D.,1863; *flavicans* R-D.,1863; *vivida* R-D.,1863; *pervia* R-D.,1863; *biciliata* R-D.,1863; *aurifacies* R-D.,1863; *praecox* R-D.,1863
- 16852) Blaesoxipha ataturkia Lehrer,2008** (Sarcophagidae) Synonym(s): *ataturkia* Lehrer,2008
- 16853) Blaesoxipha calliste Pape,1994** (Sarcophagidae) Synonym(s): *calliste* Pape,1994
- 16854) Blaesoxipha campestris (R-D.,1863)** (Sarcophagidae) Synonym(s): *lineata* Fallén,1817 *nec* Harr.,1776; *campestris* R-D.,1863; *redempta* Pandellé,1895
- 16855) Blaesoxipha cochlearis (Pandellé,1894)** (Sarcophagidae) Synonym(s): *cochlearis* Pandellé,1894; *sinica* Rohdendorf,1928
- 16856) Blaesoxipha erythrura (Meigen,1826)** (Sarcophagidae) Synonym(s): *erythrura* Meigen,1826; *crocata* R-D.,1830; *agilis* R-D.,1830; *riparia* R-D.,1830; *clinalis* R-D.,1830; *erythroceras* R-D.,1863; *egena* R-D.,1863; *gagatea* R-D.,1863; *luteicauda* R-D.,1863; *aurea* R-D.,1863; *strenua* R-D.,1863; *silantjevi* Rohdendorf,1937
- 16857) Blaesoxipha gladiator (Pandellé,1896)** (Sarcophagidae) Synonym(s): *gladiator* Pandellé,1896; *krameri* Baranoff,1925
- 16858) Blaesoxipha lapidosa Pape,1994** (Sarcophagidae) Synonym(s): *lapidosa* Pape,1994
- 16859) Blaesoxipha laticornis (Meigen,1826)** (Sarcophagidae) Synonym(s): *laticornis* Meigen,1826
- 16860) Blaesoxipha lautaretensis (Villeneuve,1928)** (Sarcophagidae) Synonym(s): *lautaretensis* Villeneuve,1928; *benshiensis* Hsue,1978; *caspiaca* Rohdendorf & Verves,1979; *laticerca* Rohdendorf & Verves,1979
- 16861) Blaesoxipha litoralis (Villeneuve,1911)** (Sarcophagidae) Synonym(s): *litoralis* Villeneuve,1911
- 16862) Blaesoxipha plumicornis (Zetterstedt,1859)** (Sarcophagidae) Synonym(s): *plumicornis* Zetterstedt,1859
- 16863) Blaesoxipha pygmaea (Zetterstedt,1845)** (Sarcophagidae) Synonym(s): *pygmaea* Zetterstedt,1845
- 16864) Blaesoxipha rufipes (Macquart,1839)** (Sarcophagidae) Synonym(s): *rufipes* Macquart,1839; *rubripes* Villeneuve,1912; *tertia* Rohdendorf,1928; *aegyptiaca* Villeneuve,1932; *paolii* Villeneuve,1939; *povolnyi* Rohdendorf,1975
- 16865) Blaesoxipha unguolata (Pandellé,1896)** (Sarcophagidae) Synonym(s): *unguolata* Pandellé,1896; *talyshensis* Rohdendorf & Verves,1977
- 16866) Craticulina tabaniformis (Fabricius,1805)** (Sarcophagidae) Synonym(s): *tabaniformis* Fabricius,1805

- 16867) Ctenodasypygia graeca (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *graeca* Rohdendorf,1937; *mousseti* Lehrer,1976
- 16868) Macronychia (s.str.) lemariei Jacentkovsky,1941** (Sarcophagidae) Synonym(s): *lemariei* Jacentkovsky,1941; *vervesi* Mihalyi,1979; *sinerea* Chao & Zhang,1988
- 16869) Metopia argyrocephala (Meigen,1824)** (Sarcophagidae) Synonym(s): *argyrocephala* Meigen,1824
- 16870) Metopodia pilicornis (Pandellé,1895)** (Sarcophagidae) Synonym(s): *pilicornis* Pandellé,1895
- 16871) Miltogramma (Dichiracantha) germari Meigen,1824** (Sarcophagidae) Synonym(s): *germari* Meigen,1824; *fasciatum* R-D.,1830 nec Mg.,1824
- 16872) Miltogramma (Dichiracantha) oestraceum (Fallén,1820)** (Sarcophagidae) Synonym(s): *oestracea* Fallén,1820; *tessellatum* Meigen,1824; *basillans* Pandellé,1895
- 16873) Miltogrammidium (s.str.) taeniatum (Meigen,1824)** (Sarcophagidae) Synonym(s): *taeniatum* Meigen,1824; *pilimanum* Rondani,1859
- 16874) Nyctia halterata (Panzer,1798)** (Sarcophagidae) Synonym(s): *halterata* Panzer,1798
- 16875) Nyctia lugubris (Macquart,1843)** (Sarcophagidae) Synonym(s): *lugubris* Macquart,1843
- 16876) Phrosinella nasuta (Meigen,1824)** (Sarcophagidae) Synonym(s): *nasuta* Meigen,1824
- 16877) Phrosinella tadzhika (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *tadzhika* Rohdendorf,1935
- 16878) Phylloteles pictipennis Loew,1844** (Sarcophagidae) Synonym(s): *pictipennis* Loew,1844
- 16879) Protomiltogramma fasciatum (Meigen,1824)** (Sarcophagidae) Synonym(s): *fasciata* Meigen,1824; *erythrochaeta* Bezzi,1895
- 16880) Pterella grisea (Meigen,1824)** (Sarcophagidae) Synonym(s): *grisea* Meigen,1824; *intricata* Meigen,1824; *cerceridis* R-D.,1863; *incompta* R-D.,1863
- 16881) Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780
- 16882) Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819
- 16883) Sarcophaga (Bercaea) cruentata Meigen,1826** (Sarcophagidae) Synonym(s): *cruentata* Meigen,1826; *haemorrhoidalis* Fallén,1817; *squalida* R-D.,1830; *blondeli* R-D.,1830; *villiva* R-D.,1830; *ruficauda* Zetterstedt,1838; *consobrina* Rondani,1860; *nurus* Rondani,1860; *zetterstedti* R-D.,1863; *iners* R-D.,1863; *pabulorum* R-D.,1863; *meigeni* R-D.,1863; *inlyta* R-D.,1863; *praeceps* R-D.,1863; *fugax* R-D.,1863; *nitida* R-D.,1863; *albidula* R-D.,1863; *commendata* R-D.,1863; *fulvipalpis* R-D.,1863; *haematura* R-D.,1863; *agilis* R-D.,1863; *oralis* R-D.,1863; *agraria* R-D.,1863; *meditata* R-D.,1863; *#interrupta* Enderlein,1928; *#tiesleri* Enderlein,1928
- 16884) Sarcophaga (Discachaeta) cucullans Pandellé,1896** (Sarcophagidae) Synonym(s): *cucullans* Pandellé,1896
- 16885) Sarcophaga (Helicophagella) bellae Lehrer,2000** (Sarcophagidae) Synonym(s): *bellae* Lehrer,2000
- 16886) Sarcophaga (Helicophagella) crassimargo Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896
- 16887) Sarcophaga (Helicophagella) dreyfusi (Lehrer,1994)** (Sarcophagidae) Synonym(s): *dreyfusi* Lehrer,1994
- 16888) Sarcophaga (Helicophagella) melanura Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826; *edax* Walker,1849; *striata* R-D.,1863
- 16889) Sarcophaga (Helicophagella) novercoides Böttcher,1913** (Sarcophagidae) Synonym(s): *novercoides* Böttcher,1913
- 16890) Sarcophaga (Heteronychia) anatolica Whitmore,2011** (Sarcophagidae) Synonym(s): *anatolica* Whitmore,2011
- 16891) Sarcophaga (Heteronychia) bezziana Böttcher,1913** (Sarcophagidae) Synonym(s): *bezziana* Böttcher,1913; *cornogranda* Lehrer,2009
- 16892) Sarcophaga (Heteronychia) boettcheri Villeneuve,1912** (Sarcophagidae) Synonym(s): *boettcheri* Villeneuve,1912; *taurica* Rohdendorf,1937; *gaspari* Lehrer,1977; *bodediana* Lehrer,1998; *shakrana* Lehrer,1998; *caraormana* Lehrer,2008
- 16893) Sarcophaga (Heteronychia) consanguinea Rondani,1860** (Sarcophagidae) Synonym(s): *consanguinea* Rondani,1860; *schnabli* Villeneuve,1911; *portschinskyana* Rohdendorf,1937; *atanassovi* Lehrer,1977; *cullottorum* Povolny,2005
- 16894) Sarcophaga (Heteronychia) cucullans Pandellé,1896** (Sarcophagidae) Synonym(s): *cucullans* Pandellé,1896; *iacentkovskyi* Enderlein,1936
- 16895) Sarcophaga (Heteronychia) filia Rondani,1860** (Sarcophagidae) Synonym(s): *filia* Rondani,1860; *iuvensis* Rondani,1860; *lyneborgi* Rohdendorf,1975; *resnikae* Lehrer,1996
- 16896) Sarcophaga (Heteronychia) haemorrhhoa Meigen,1826** (Sarcophagidae) Synonym(s): *haemorrhhoa* Meigen,1826; *contempta* R-D.,1830; *aestivalis* R-D.,1830; *riparia* R-D.,1830; *albicans* R-D.,1830; *sanguinolenta* Macquart,1835; *valida* R-D.,1863; *pilosa* R-D.,1863; *campestris* R-D.,1863; *chetalis* R-D.,1863; *labialis* R-D.,1863; *oralis* R-D.,1863; *ambulatoria* R-D.,1863; *ardeacea* R-D.,1863; *fuliginosa* R-D.,1863; *musca* R-D.,1863; *rustica* R-D.,1863; *umbripennis* R-D.,1863; *procax* R-D.,1863; *claripennis* R-D.,1863; *varinervis* R-D.,1863; *arborea* R-D.,1863; *inconstans* R-D.,1863; *contigua* R-D.,1863; *flavinervis* R-D.,1863; *anxia* R-D.,1863; *helicivorax* Enderlein,1933; *fugitiva* Povolny,2001

- 16897) Sarcophaga (Heteronychia) haemorrhoides Böttcher,1913** (Sarcophagidae) Synonym(s): *haemorrhoides* Böttcher,1913; *wahisi* Lehrer,1976
- 16898) Sarcophaga (Heteronychia) helenae (Trofimov,1948)** (Sarcophagidae) Synonym(s): *helenae* Trofimov,1948; *fraterna* Lehrer,1977; *delicata* Lehrer,2000
- 16899) Sarcophaga (Heteronychia) infantilis Böttcher,1913** (Sarcophagidae) Synonym(s): *infantilis* Böttcher,1913; *ostensackeni* Rohdendorf,1937
- 16900) Sarcophaga (Heteronychia) kerteszi Villeneuve,1912** (Sarcophagidae) Synonym(s): *kerteszi* Villeneuve,1912; *dayani* Lehrer,1996; *sororia* Povolny,2004
- 16901) Sarcophaga (Heteronychia) lacrymans Villeneuve,1912** (Sarcophagidae) Synonym(s): *lacrymans* Villeneuve,1912; *thalhammeri* Böttcher,1913; *zhelochovtzevi* Rohdendorf,1925; *cepelaki* Povolny & Slameckova,1970; *markevitchi* Verves,1975; *histriops* Lehrer,2008
- 16902) Sarcophaga (Heteronychia) minima Rondani,1860** (Sarcophagidae) Synonym(s): *minima* Rondani,1860; *fertoni* Villeneuve,1916; *graeca* Rohdendorf,1937
- 16903) Sarcophaga (Heteronychia) mutila Villeneuve,1912** (Sarcophagidae) Synonym(s): *mutila* Villeneuve,1912; *nedelkoffi* Lehrer,1977; *galmuda* Lehrer,1998
- 16904) Sarcophaga (Heteronychia) rondaniana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937
- 16905) Sarcophaga (Heteronychia) schineri Bezzi,1891** (Sarcophagidae) Synonym(s): *schineri* Bezzi,1891
- 16906) Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860; *puerula* Rondani,1860; *efflatouni* Salem,1935; *seguyi* Lehrer,1977
- 16907) Sarcophaga (Heteronychia) siciliensis Böttcher,1913** (Sarcophagidae) Synonym(s): *siciliensis* Böttcher,1913
- 16908) Sarcophaga (Heteronychia) thirionae (Lehrer,1976)** (Sarcophagidae) Synonym(s): *thirionae* Lehrer,1976
- 16909) Sarcophaga (Heteronychia) turana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *turana* Rohdendorf,1937
- 16910) Sarcophaga (Heteronychia) vagans Meigen,1826** (Sarcophagidae) Synonym(s): *vagans* Meigen,1826; *nepos* Rondani,1860; *frenata* Pandellé,1896; *bajkalensis* Rohdendorf,1925; *anastrenua* Baranov,1942; *sachalinensis* Verves,1978
- 16911) Sarcophaga (Jantia) crassipalpis Macquart,1839** (Sarcophagidae) Synonym(s): *crassipalpis* Macquart,1839; *dalmatina* Schiner,1862; *securifera* Villeneuve,1908
- 16912) Sarcophaga (Krameromyia) anaces Walker,1849** (Sarcophagidae) Synonym(s): *anaces* Walker,1849
- 16913) Sarcophaga (Liopygia) argyrostoma (R-D.,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D.,1830
- 16914) Sarcophaga (Liopygia) crassipalpis Macquart,1839** (Sarcophagidae) Synonym(s): *crassipalpis* Macquart,1839
- 16915) Sarcophaga (Liosarcophaga) emdeni (Rohdendorf,1969)** (Sarcophagidae) Synonym(s): *emdeni* Rohdendorf,1969
- 16916) Sarcophaga (Liosarcophaga) portschinskyi (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *portschinskyi* Rohdendorf,1937; *verticina* Ringdahl,1945
- 16917) Sarcophaga (Mehria) sexpunctata (Fabricius,1794)** (Sarcophagidae) Synonym(s): *sexpunctata* Fabricius,1794
- 16918) Sarcophaga (Myorhina) nigriventris Meigen,1826** (Sarcophagidae) Synonym(s): *nigriventris* Meigen,1826
- 16919) Sarcophaga (Myorhina) soror Rondani,1860** (Sarcophagidae) Synonym(s): *soror* Rondani,1860
- 16920) Sarcophaga (Pandelleana) protuberans Pandellé,1896** (Sarcophagidae) Synonym(s): *protuberans* Pandellé,1896; *angustifrons* Baranov,1926; *dzhavachetica* Gudjabidze,1966
- 16921) Sarcophaga (Pandelleisca) similis Meade,1876** (Sarcophagidae) Synonym(s): *similis* Meade,1876; *appendiculata* Kramer,1905; *popovi* Trofimov,1948
- 16922) Sarcophaga (Parasarcophaga) albiceps Meigen,1826** (Sarcophagidae) Synonym(s): *albiceps* Meigen,1826; *privigna* Rondani,1860; *cyathisans* Pandellé,1896; *pauciseta* Kramer,1905; *colchica* Gudjabidze,1966
- 16923) Sarcophaga (Parasarcophaga) hirtipes Wiedemann,1830** (Sarcophagidae) Synonym(s): *hirtipes* Wiedemann,1830; *rufipes* Wiedemann,1830; *fulvipalpis* Macquart,1843
- 16924) Sarcophaga (Phytosarcophaga) destructor Malloch,1929** (Sarcophagidae) Synonym(s): *destructor* Malloch,1929; *flagellata* Villeneuve,1930; *margaretti* Salem,1935; *destructix* Rohdendorf,1937; *mezzadrii* Ségué,1951
- 16925) Sarcophaga (Pseudothyrsocnema) spinosa Villeneuve,1912** (Sarcophagidae) Synonym(s): *spinosa* Villeneuve,1912
- 16926) Sarcophaga (Rosellea) aratrix Pandellé,1896** (Sarcophagidae) Synonym(s): *aratrix* Pandellé,1896
- 16927) Sarcophaga (s.str.) bergi Rohdendorf,1937** (Sarcophagidae) Synonym(s): *bergi* Rohdendorf,1937; *jupalnica* Lehrer,1967

- 16928) Sarcophaga (s.str.) carnaria (Linnaeus,1758)** (Sarcophagidae) Synonym(s): *carnaria* Linnaeus,1758; *variegata* Scopoli,1763; *collosus* Scopoli,1763; *atropos* Meigen,1826; *soror* R-D.,1830; *brunnifacies* R-D.,1830; *fuliginosa* R-D.,1830; *intermedia* R-D.,1830; *nigra* R-D.,1830; *livida* R-D.,1830; *livens* R-D.,1830; *villana* R-D.,1830; *squamosa* R-D.,1830; *florea* R-D.,1830; *strata* R-D.,1830; *squamigera* R-D.,1830; *grisea* R-D.,1830; *agricola* R-D.,1830; *obscuricauda* R-D.,1830; *aurifacies* R-D.,1830; *compar* R-D.,1830; *aprilis* R-D.,1830; *conica* R-D.,1830; *vernalis* R-D.,1830; *specialis* R-D.,1830; *squalens* R-D.,1830; *affinis* R-D.,1830; *subnitens* R-D.,1830; *rubescens* R-D.,1830; *grisescens* R-D.,1830; *atrata* R-D.,1830; *laticrus* R-D.,1830; *arvensis* R-D.,1830; *florum* R-D.,1830; *squalida* R-D.,1830; *morio* R-D.,1830; *atrata* R-D.,1830; *limpida* R-D.,1863; *melanura* R-D.,1863; *aurata* R-D.,1863; *propinqua* R-D.,1863; *albida* R-D.,1863; *erratica* R-D.,1863; *pratensis* R-D.,1863; *tenebricosa* R-D.,1863; *caesia* R-D.,1863; *maeta* R-D.,1863; *florida* R-D.,1863; *ciliatula* R-D.,1863; *agilis* R-D.,1863; *claripennis* R-D.,1863; *auriflua* R-D.,1863; *geoffroyi* R-D.,1863; *cursoria* R-D.,1863; *myoidea* R-D.,1863; *herbaria* R-D.,1863; *velox* R-D.,1863; *vagans* R-D.,1863; *afra* R-D.,1863; *tristis* R-D.,1863; *praecox* R-D.,1863; *boisduvali* R-D.,1863; *ramburii* R-D.,1863; *mitis* R-D.,1863; *tessellata* R-D.,1863; *lusoria* R-D.,1863; *virgo* R-D.,1863; *ambulatoria* R-D.,1863; *hilaris* R-D.,1863; *modesta* R-D.,1863; *ruvicola* R-D.,1863; *humilis* R-D.,1863; *hyalipennis* R-D.,1863; *sordida* R-D.,1863; *nigrita* R-D.,1863; *fallax* R-D.,1863; *lugubris* R-D.,1863; *funebis* R-D.,1863; *paludosa* R-D.,1863; *praticola* R-D.,1863; *obscura* R-D.,1863; *vaga* R-D.,1863; *fulvescens* R-D.,1863; *misera* R-D.,1863; *pascuorum* R-D.,1863; *angustata* R-D.,1863; *chrysifacies* R-D.,1863; *frontalis* R-D.,1863; *pallidipes* R-D.,1863; *obscura* R-D.,1863; *dumonti* R-D.,1863; *herbaria* R-D.,1863; *pabulina* R-D.,1863; *nebulosa* R-D.,1863; *germana* R-D.,1863; *festiva* R-D.,1863; *tetrella* R-D.,1863; *macquarti* R-D.,1863; *errans* R-D.,1863; *agraria* R-D.,1863; *monticola* R-D.,1863; *montana* R-D.,1863
- 16929) Sarcophaga (s.str.) lasiostyla Macquart,1843** (Sarcophagidae) Synonym(s): *lasiostyla* Macquart,1843
- 16930) Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922; *clausa* Müller,1922; *meridionalis* Rohdendorf,1937
- 16931) Sarcophaga (s.str.) pachyura Rohdendorf,1937** (Sarcophagidae) Synonym(s): *pachyura* Rohdendorf,1937
- 16932) Sarcophaga (s.str.) variegata (Scopoli,1763)** (Sarcophagidae) Synonym(s): *variegata* Scopoli,1763
- 16933) Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826
- 16934) Sarcophaga (Thomsonea) argyrostoma (R-D.,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D.,1830; *barbata* Thomson,1869; *falculata* Pandellé,1896; *persicae* Senior-White,1924; *chivensis* Zimin,1928
- 16935) Sarcophaga (Thyrsocnema) incisilobata Pandellé,1896** (Sarcophagidae) Synonym(s): *incisilobata* Pandellé,1896
- 16936) Sarcophila latifrons (Fallén,1817)** (Sarcophagidae) Synonym(s): *latifrons* Fallén,1817
- 16937) Sarcophila meridionalis Verves,1982** (Sarcophagidae) Synonym(s): *meridionalis* Verves,1982
- 16938) Senotainia (s.str.) conica (Fallén,1810)** (Sarcophagidae) Synonym(s): *conica* Fallén,1810; *atrox* R-D.,1830; *crudelis* R-D.,1830; *inimica* R-D.,1830; *quadrinotata* Macquart,1835; *fasciolella* Zetterstedt,1844; *fulvipalpis* R-D.,1863; *cinerella* R-D.,1863
- 16939) Senotainia (s.str.) tricuspis (Meigen,1838)** (Sarcophagidae) Synonym(s): *tricuspis* Meigen,1838; *pucticornis* Zetterstedt,1859; *angellozi* Séguy,1929; *borealis* Rohdendorf,1935
- 16940) Senotainia (Sphixapata) albifrons (Rondani,1860)** (Sarcophagidae) Synonym(s): *albifrons* Rondani,1860
- 16941) Sphenometopa bifasciata (Brauer & Bergenstamm,1891)** (Sarcophagidae) Synonym(s): *bifasciata* Brauer & Bergenstamm,1891
- 16942) Sphenometopa claripennis Villeneuve,1933** (Sarcophagidae) Synonym(s): *claripennis* Villeneuve,1933
- 16943) Sphenometopa mannii (Brauer & Bergenstamm,1891)** (Sarcophagidae) Synonym(s): *mannii* Brauer & Bergenstamm,1891
- 16944) Sphenometopa steinii (Schiner,1862)** (Sarcophagidae) Synonym(s): *steinii* Schiner,1862
- 16945) Taxigramma elegantula (Zetterstedt,1844)** (Sarcophagidae) Synonym(s): *elegantula* Zetterstedt,1844
- 16946) Taxigramma heteroneura (Meigen,1830)** (Sarcophagidae) Synonym(s): *heteroneura* Meigen,1830
- 16947) Wohlfahrtia bella (Macquart,1839)** (Sarcophagidae) Synonym(s): *bella* Macquart,1839
- 16948) Wohlfahrtia magnifica (Schiner,1862)** (Sarcophagidae) Synonym(s): *magnifica* Schiner,1862
- 16949) Wohlfahrtia meigeni (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862
- 16950) Yerothama maculata (Meigen,1835)** (Sarcophagidae) Synonym(s): *maculata* Meigen,1835

SCARABAEIDAE

- 16951) Adoretus sterbae Reitter,1909** (Scarabaeidae) Synonym(s): *sterbae* Reitter,1909
- 16952) Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939

- 16953) Anisoplia (Autanisoplia) austriaca (Herbst,1783)** (Scarabaeidae) Synonym(s): *austriaca* Herbst,1783
- 16954) Anisoplia (Brancoplia) leucaspis Laporte,1840** (Scarabaeidae) Synonym(s): *leucaspis* Laporte,1840
- 16955) Anisoplia (Brancoplia) mesopotamica Pilleri,1954** (Scarabaeidae) Synonym(s): *mesopotamica* Pilleri,1954
- 16956) Anisoplia (Chaetopteropia) muelleri Pilleri,1954** (Scarabaeidae) Synonym(s): *muelleri* Pilleri,1954
- 16957) Anisoplia (Chaetopteropia) segetum (Herbst,1783)** (Scarabaeidae) Synonym(s): *segetum* Herbst,1783
- 16958) Anisoplia (Chaetopteropia) syriaca Burmeister,1844** (Scarabaeidae) Synonym(s): *syriaca* Burmeister,1844
- 16959) Anisoplia (s.str.) signata Faldermann,1835** (Scarabaeidae) Synonym(s): *signata* Faldermann,1835
- 16960) Anisoplia (s.str.) tenebralis Burmeister,1844** (Scarabaeidae) Synonym(s): *tenebralis* Burmeister,1844
- 16961) Anisoplia imitatrix Apfelbeck,1909** (Scarabaeidae) Synonym(s): *imitatrix* Apfelbeck,1909
- 16962) Anisoplia noahi Petrovitz,1973** (Scarabaeidae) Synonym(s): *noahi* Petrovitz,1973; *#nohai* Sabatinelli,1977
- 16963) Anomala (s.str.) dubia (Scopoli,1763)** (Scarabaeidae) Synonym(s): *dubia* Scopoli,1763
- 16964) Anomala osmanlis Blanchard,1851** (Scarabaeidae) Synonym(s): *osmanlis* Blanchard,1851
- 16965) Anoxia (Protanoxia) orientalis Krynicky,1832** (Scarabaeidae) Synonym(s): *orientalis* Krynicky,1832; *meridionalis* Reitter,1890
- 16966) Anoxia (s.str.) asiatica Desbrochers,1872** (Scarabaeidae) Synonym(s): *asiatica* Desbrochers,1872; *syriaca* Brenske,1894
- 16967) Aphodius (Pseudacrossus) zuercheri Reitter,1908** (Scarabaeidae) Synonym(s): *zuercheri* Reitter,1908
- 16968) Aplidia akbesiana Petrovitz,1971** (Scarabaeidae) Synonym(s): *akbesiana* Petrovitz,1971
- 16969) Aplidia caesarina Reitter,1902** (Scarabaeidae) Synonym(s): *caesarina* Reitter,1902
- 16970) Aplidia dilatata Reitter,1902** (Scarabaeidae) Synonym(s): *dilatata* Reitter,1902
- 16971) Aplidia fissa Burmeister,1855** (Scarabaeidae) Synonym(s): *fissa* Burmeister,1855
- 16972) Aplidia lizleri Keith,2000** (Scarabaeidae) Synonym(s): *lizleri* Keith,2000
- 16973) Aplidia nitidula Kraatz,1882** (Scarabaeidae) Synonym(s): *nitidula* Kraatz,1882
- 16974) Aplidia pilicollis Petrovitz,1967** (Scarabaeidae) Synonym(s): *pilicollis* Petrovitz,1967
- 16975) Aplidia tarsensis Kraatz,1882** (Scarabaeidae) Synonym(s): *tarsensis* Kraatz,1882
- 16976) Aplidia wernerii Keith,2000** (Scarabaeidae) Synonym(s): *wernerii* Keith,2000
- 16977) Aplidia wewalkai Petrovitz,1971** (Scarabaeidae) Synonym(s): *wewalkai* Petrovitz,1971
- 16978) Blitopertha (Asiopertha) arenicola Mulsant,1870** (Scarabaeidae) Synonym(s): *arenicola* Mulsant,1870
- 16979) Blitopertha (Asiopertha) fulvicornis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *fulvicornis* Burmeister,1855
- 16980) Blitopertha (Asiopertha) ganglbaueri (Reitter,1885)** (Scarabaeidae) Synonym(s): *ganglbaueri* Reitter,1885
- 16981) Blitopertha (Asiopertha) nazarena (Marseul,1878)** (Scarabaeidae) Synonym(s): *nazarena* Marseul,1878
- 16982) Blitopertha (s.str.) lineolata (Fischer von Waldheim,1824)** (Scarabaeidae) Synonym(s): *lineolata* Fischer von Waldheim,1824
- 16983) Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abditata* Petrovitz,1959; *majuscula* Medvedev
- 16984) Blitopertha (Trichopertha) hirtella (Brullé,1832)** (Scarabaeidae) Synonym(s): *hirtella* Brullé,1832
- 16985) Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens,1938
- 16986) Bubas bubalus (Olivier,1811)** (Scarabaeidae) Synonym(s): *bubalus* Olivier,1811; *brunipterus* Mulsant,1842; *inermifrons* Mulsant,1842; *integricornis* Mulsant,1842; *simplicifrons* Mulsant,1842
- 16987) Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides* Ménétriés,1832; *anthracinus* Faldermann,1835; *nigellus* Kiesewetter,1858
- 16988) Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus* Ménétriés,1838
- 16989) Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi* Linnaeus,1767
- 16990) Cetonia (s.str.) asiatica Gory & Percheron,1833** (Scarabaeidae) Synonym(s): *asiatica* Gory & Percheron,1833; *oertzeni* Reitter,1885
- 16991) Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicoriscus* Voet,1779; *maculata*

- Scriba*,1790; *variabilis* Preyss.,1790; *piliger* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948
- 16992) *Cetonia* (s.str.) *delangrei* Boucard,1893** (Scarabaeidae) Synonym(s): *delangrei* Boucard,1893; *syriaca* Boucard,1893; *chrysosoma* Reitter,1896
- 16993) *Cetonia* (s.str.) *kemali* Delpont,1995** (Scarabaeidae) Synonym(s): *kemali* Delpont,1995
- 16994) *Cheironitis* *furcifer* (Rossi,1792)** (Scarabaeidae) Synonym(s): *furcifer* Rossi,1792; *pugil* Costa,1853; *syphax* Fairmaire,1875; *metasternalis* Reitter,1894; *theryi* Tondu,1907
- 16995) *Cheironitis* *hungaricus* (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789; *clinias* Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842
- 16996) *Chromoalgus* *peyroni* (Mulsant & Wachanru,1852)** (Scarabaeidae) Synonym(s): *peyroni* Mulsant & Wachanru,1852
- 16997) *Copris* *felschei* Reitter,1893** (Scarabaeidae) Synonym(s): *felschei* Reitter,1893
- 16998) *Copris* *hispanus* (Linnaeus,1764)** (Scarabaeidae) Synonym(s): *hispanus* Linnaeus,1764; *cavolini* Petagna,1792; *retusus* Mulsant,1842; *sinuatus* Mulsant,1842; *tridens* Mulsant,1842; *persianus* Miksic,1958
- 16999) *Cryptotrogus* *niveus* (Hampe,1852)** (Scarabaeidae) Synonym(s): *niveus* Hampe,1852
- 17000) *Gnorimus* *armeniacus* Reitter,1887** (Scarabaeidae) Synonym(s): *armeniacus* Reitter,1887
- 17001) *Gnorimus* *variabilis* (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *variabilis* Linnaeus,1758; *octopunctatus* Fabricius,1775
- 17002) *Gymnopleurus* *flagellatus* (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus* Fabricius,1787; *coriarius* Herbst,1789; *serratus* Fischer von Waldheim,1821; *asperatus* Mulsant,1842; *caliginosus* Balthasar,1934
- 17003) *Gymnopleurus* *geoffroyi* Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi* Fuessly,1785; *cantharus* Illiger,1803
- 17004) *Gymnopleurus* *mopsus* (Pallas,1781)** (Scarabaeidae) Synonym(s): *mopsus* Pallas,1781
- 17005) *Holochelus* (Miltotrogus) *escherichi* Brenske,1897** (Scarabaeidae) Synonym(s): *escherichi* Brenske,1897
- 17006) *Holochelus* (Miltotrogus) *fallax* Marseul,1879** (Scarabaeidae) Synonym(s): *fallax* Marseul,1879
- 17007) *Holochelus* (Miltotrogus) *mimicus* (Reitter,1902)** (Scarabaeidae) Synonym(s): *mimicus* Reitter,1902
- 17008) *Holochelus* (s.str.) *pilicollis* (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): *pilicollis* Gyllenhal,1817
- 17009) *Hoplia* (Decamera) *corniculata* Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890
- 17010) *Hoplia* (s.str.) *pollinosa* Krynicky,1832** (Scarabaeidae) Synonym(s): *pollinosa* Krynicky,1832
- 17011) *Maladera* (Macroserica) *allemandi* Keith,1998** (Scarabaeidae) Synonym(s): *allemandi* Keith,1998
- 17012) *Maladera* (Macroserica) *angusta* Baraud,1990** (Scarabaeidae) Synonym(s): *angusta* Baraud,1990
- 17013) *Maladera* (Macroserica) *armeniaca* Reitter,1896** (Scarabaeidae) Synonym(s): *armeniaca* Reitter,1896
- 17014) *Maladera* (Macroserica) *attaliensis* Petrovitz,1969** (Scarabaeidae) Synonym(s): *attaliensis* Petrovitz,1969
- 17015) *Maladera* (Macroserica) *besucheti* Baraud,1990** (Scarabaeidae) Synonym(s): *besucheti* Baraud,1990
- 17016) *Maladera* (Macroserica) *bruschii* Sabatinelli,1977** (Scarabaeidae) Synonym(s): *bruschii* Sabatinelli,1977
- 17017) *Maladera* (Macroserica) *fusconitens* (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *fusconitens* Fairmaire,1892; *villiersi* Petrovitz,1969
- 17018) *Maladera* (Macroserica) *lodosi* Baraud,1975** (Scarabaeidae) Synonym(s): *lodosi* Baraud,1975
- 17019) *Maladera* (Macroserica) *loebli* Baraud,1990** (Scarabaeidae) Synonym(s): *loebli* Baraud,1990
- 17020) *Maladera* (Macroserica) *lyciensis* Petrovitz,1969** (Scarabaeidae) Synonym(s): *lyciensis* Petrovitz,1969
- 17021) *Maladera* (Macroserica) *olivieri* Keith,1998** (Scarabaeidae) Synonym(s): *olivieri* Keith,1998
- 17022) *Maladera* (Macroserica) *punctatissima* (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima* Faldermann,1835
- 17023) *Maladera* (Macroserica) *seleuciensis* Petrovitz,1969** (Scarabaeidae) Synonym(s): *seleuciensis* Petrovitz,1969
- 17024) *Maladera* (Macroserica) *taurica* Petrovitz,1969** (Scarabaeidae) Synonym(s): *taurica* Petrovitz,1969
- 17025) *Maladera* (Macroserica) *vignai* Sabatinelli,1977** (Scarabaeidae) Synonym(s): *vignai* Sabatinelli,1977
- 17026) *Maladera* (Macroserica) *wewalkai* Petrovitz,1969** (Scarabaeidae) Synonym(s): *wewalkai* Petrovitz,1969
- 17027) *Megatelus* *contractus* (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845
- 17028) *Megatelus* *contractus* (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845

- 17029) Melolontha (s.str.) albida Frivaldsky,1835** (Scarabaeidae) Synonym(s): *albida Frivaldsky,1835*
- 17030) Melolontha (s.str.) anita Reitter,1902** (Scarabaeidae) Synonym(s): *anita Reitter,1902*
- 17031) Melolontha (s.str.) melolontha Linnaeus,1758** (Scarabaeidae) Synonym(s): *melolontha Linnaeus,1758*
- 17032) Omaloplia (s.str.) baraudi (Galante,1985)** (Scarabaeidae) Synonym(s): *baraudi Galante,1985*
- 17033) Omaloplia (s.str.) cerrutii (Sabatinelli,1977)** (Scarabaeidae) Synonym(s): *cerrutii Sabatinelli,1977*
- 17034) Omaloplia (s.str.) diabolica (Reitter,1887)** (Scarabaeidae) Synonym(s): *diabolica Reitter,1887; ursina Fairmaire,1892*
- 17035) Omaloplia (s.str.) erebea (Baraud,1965)** (Scarabaeidae) Synonym(s): *erebea Baraud,1965*
- 17036) Omaloplia (s.str.) erythroptera (Frivaldsky,1835)** (Scarabaeidae) Synonym(s): *erythroptera Frivaldsky,1835; carbonaria Blanchard,1850; transsylvanica Bielz,1850*
- 17037) Omaloplia (s.str.) gibbosa (Baraud,1965)** (Scarabaeidae) Synonym(s): *gibbosa Baraud,1965; macedoniae Baraud,1965*
- 17038) Omaloplia (s.str.) hericus (Chobaut,1907)** (Scarabaeidae) Synonym(s): *hericus Chobaut,1907; majuscula Baraud,1965; rozneri Adam,1994*
- 17039) Omaloplia (s.str.) mutilata (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *mutilata Fairmaire,1892; corpulenta Sahlberg,1908*
- 17040) Onitis alexis Klug,1835** (Scarabaeidae) Synonym(s): *alexis Klug,1835*
- 17041) Onitis damoetas Steven,1806** (Scarabaeidae) Synonym(s): *damoetas Steven,1806; laevigatus Olivier,1811; steveni Brullé,1832*
- 17042) Onitis humerosus (Pallas,1771)** (Scarabaeidae) Synonym(s): *humerosus Pallas,1771*
- 17043) Onthophagus (Amphionthophagus) falzonii Goidanich,1926** (Scarabaeidae) Synonym(s): *falzonii Goidanich,1926*
- 17044) Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas Olivier,1789*
- 17045) Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces Fabricius,1792; hybneri Fabricius,1792*
- 17046) Onthophagus (Euonthophagus) atramentarius (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius Ménétriés,1832*
- 17047) Onthophagus (Euonthophagus) dorbignyi Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi Olsoufieff,1900; neutto Olsoufieff,1900*
- 17048) Onthophagus (Euonthophagus) gibbosus (Scriba,1790)** (Scarabaeidae) Synonym(s): *gibbosus Scriba,1790*
- 17049) Onthophagus (Euonthophagus) sulcicollis Reitter,1892** (Scarabaeidae) Synonym(s): *sulcicollis Reitter,1892*
- 17050) Onthophagus (Furconthophagus) furcatus (Fabricius,1781)** (Scarabaeidae) Synonym(s): *furcatus Fabricius,1781*
- 17051) Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis Redtenbacher,1843; hyrcanicus Kabakov,1982*
- 17052) Onthophagus (Palaeonthophagus) anaticus Petrovitz,1962** (Scarabaeidae) Synonym(s): *anaticus Petrovitz,1962*
- 17053) Onthophagus (Palaeonthophagus) angorensis Petrovitz,1963** (Scarabaeidae) Synonym(s): *angorensis Petrovitz,1963*
- 17054) Onthophagus (Palaeonthophagus) carpanetoi Pittino,1982** (Scarabaeidae) Synonym(s): *carpanetoi Pittino,1982*
- 17055) Onthophagus (Palaeonthophagus) coenobita (Herbst,1783)** (Scarabaeidae) Synonym(s): *coenobita Herbst,1783*
- 17056) Onthophagus (Palaeonthophagus) cruciatus (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *cruciatus Ménétriés,1832*
- 17057) Onthophagus (Palaeonthophagus) dacatrai Pittino,2004** (Scarabaeidae) Synonym(s): *dacatrai Pittino,2004*
- 17058) Onthophagus (Palaeonthophagus) dorsosignatus D'Orbigny,1898** (Scarabaeidae) Synonym(s): *dorsosignatus D'Orbigny,1898*
- 17059) Onthophagus (Palaeonthophagus) fissicornis Steven,1809** (Scarabaeidae) Synonym(s): *fissicornis Steven,1809*
- 17060) Onthophagus (Palaeonthophagus) fissinasus Fairmaire,1895** (Scarabaeidae) Synonym(s): *fissinasus Fairmaire,1895*
- 17061) Onthophagus (Palaeonthophagus) formaneki Reitter,1897** (Scarabaeidae) Synonym(s): *formaneki Reitter,1897*
- 17062) Onthophagus (Palaeonthophagus) fracticornis (Preyssler,1790)** (Scarabaeidae) Synonym(s): *fracticornis Preyssler,1790*
- 17063) Onthophagus (Palaeonthophagus) gibbulus (Pallas,1781)** (Scarabaeidae) Synonym(s): *gibbulus Pallas,1781*

- 17064) Onthophagus (Palaeonthophagus) isikdagghensis Pittino,2004** (Scarabaeidae) Synonym(s): *isikdagghensis* Pittino,2004
- 17065) Onthophagus (Palaeonthophagus) kindermanni Harold,1877** (Scarabaeidae) Synonym(s): *kindermanni* Harold,1877
- 17066) Onthophagus (Palaeonthophagus) lemur (Fabricius,1781)** (Scarabaeidae) Synonym(s): *lemur* Fabricius,1781
- 17067) Onthophagus (Palaeonthophagus) lemuroides D'Orbigny,1898** (Scarabaeidae) Synonym(s): *lemuroides* D'Orbigny,1898
- 17068) Onthophagus (Palaeonthophagus) lucidus (Sturm,1800)** (Scarabaeidae) Synonym(s): *lucidus* Sturm,1800
- 17069) Onthophagus (Palaeonthophagus) marginalis Gebler,1817** (Scarabaeidae) Synonym(s): *marginalis* Gebler,1817
- 17070) Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet,1927** (Scarabaeidae) Synonym(s): *muelleri* Novak,1921; *novaki* Boucomont & Gillet,1927
- 17071) Onthophagus (Palaeonthophagus) nuchicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nuchicornis* Linnaeus,1758
- 17072) Onthophagus (Palaeonthophagus) opacicollis Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis* Reitter,1893
- 17073) Onthophagus (Palaeonthophagus) osellai Pittino,1982** (Scarabaeidae) Synonym(s): *osellai* Pittino,1982
- 17074) Onthophagus (Palaeonthophagus) ovatus (Linnaeus,1762)** (Scarabaeidae) Synonym(s): *ovatus* Linnaeus,1762
- 17075) Onthophagus (Palaeonthophagus) parmatus Reitter,1892** (Scarabaeidae) Synonym(s): *parmatus* Reitter,1892
- 17076) Onthophagus (Palaeonthophagus) petrovitzianus Pittino,2006** (Scarabaeidae) Synonym(s): *petrovitzi* Pittino,2004; *petrovitzianus* Pittino,2006
- 17077) Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s): *ponticus* Harold,1883; *furcicornis* Reitter,1893; *granulifer* Reitter,1893; *granulosus* Kozhantschikov,1894; *gorhami* Shipp,1895; *krali* Balthasar,1963; *citellorum* Medvedev,1965
- 17078) Onthophagus (Palaeonthophagus) rakovici Pittino,2004** (Scarabaeidae) Synonym(s): *rakovici* Pittino,2004
- 17079) Onthophagus (Palaeonthophagus) ruficapillus Brullé,1832** (Scarabaeidae) Synonym(s): *ruficapillus* Brullé,1832
- 17080) Onthophagus (Palaeonthophagus) sacharovskii Olsoufieff,1918** (Scarabaeidae) Synonym(s): *sacharovskii* Olsoufieff,1918
- 17081) Onthophagus (Palaeonthophagus) semicornis (Panzer,1798)** (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798
- 17082) Onthophagus (Palaeonthophagus) sericatus Reitter,1893** (Scarabaeidae) Synonym(s): *sericatus* Reitter,1893
- 17083) Onthophagus (Palaeonthophagus) speculifer Solsky,1876** (Scarabaeidae) Synonym(s): *speculifer* Solsky,1876
- 17084) Onthophagus (Palaeonthophagus) strabo Reitter,1893** (Scarabaeidae) Synonym(s): *strabo* Reitter,1893
- 17085) Onthophagus (Palaeonthophagus) suermelii Petrovitz,1963** (Scarabaeidae) Synonym(s): *suermelii* Petrovitz,1963
- 17086) Onthophagus (Palaeonthophagus) suturellus Brullé,1832** (Scarabaeidae) Synonym(s): *suturellus* Brullé,1832; *trochiscobius* Kolenati,1846
- 17087) Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae) Synonym(s): *truchmenus* Kolenati,1846; *araxicola* Reitter,1893; *latiplage* Reitter,1897; *xerces* Petrovitz,1965
- 17088) Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *vacca* Linnaeus,1767
- 17089) Onthophagus (Palaeonthophagus) verticicornis (Laicharting,1781)** (Scarabaeidae) Synonym(s): *verticicornis* Laicharting,1781
- 17090) Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus* Scopoli,1763
- 17091) Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus* Schreber,1759
- 17092) Oryctes (Oryctes) nasicornis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *nasicornis* Linnaeus,1758
- 17093) Osmanius bathasari (Petrovitz,1963)** (Scarabaeidae) Synonym(s): *bathasari* Petrovitz,1963
- 17094) Osmoderma brevipennis Pic,1904** (Scarabaeidae) Synonym(s): *brevipennis* Pic,1904
- 17095) Oxythyrea albopicta (Motschulsky,1845)** (Scarabaeidae) Synonym(s): *albopicta* Motschulsky,1845
- 17096) Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917
- 17097) Oxythyrea funesta (Poda,1761)** (Scarabaeidae) Synonym(s): *funesta* Poda,1761
- 17098) Oxythyrea noemi Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *noemi* Reiche & Saulcy,1856

- 17099) Paroniticellus festivus (Steven,1809)** (Scarabaeidae) Synonym(s): *festivus* Steven,1809
- 17100) Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789
- 17101) Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771
- 17102) Pentodon caminarium Faldermann,1835** (Scarabaeidae) Synonym(s): *caminarium* Faldermann,1835
- 17103) Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst,1789
- 17104) Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845
- 17105) Pharaonus varicoloreus (Burmeister,1844)** (Scarabaeidae) Synonym(s): *varicoloreus* Burmeister,1844
- 17106) Pleurophorus caesus (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus* Creutzer,1796
- 17107) Polyphylla (s.str.) boryi Brullé,1832** (Scarabaeidae) Synonym(s): *boryi* Brullé,1832; *lessinae* Reitter,1890
- 17108) Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758; *luctuosa* Mulsant,1842; *marmorata* Mulsant,1847; *macrocera* Reitter,1891
- 17109) Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840; *abhasica* Motschoulsky,1845; *caucasica* Heyden,1864; *persica* Brenske,1902
- 17110) Polyphylla (s.str.) turkmenoglui Petrovitz,1965** (Scarabaeidae) Synonym(s): *turkmenoglui* Petrovitz,1965
- 17111) Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781
- 17112) Protaetia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) Synonym(s): *speciosa* Adams,1817; *psittacina* Ménéttriés,1832
- 17113) Protaetia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) Synonym(s): *affinis* Andersch,1797
- 17114) Protaetia (Eupotosia) miriffica (Mulsant & Rey,1840)** (Scarabaeidae) Synonym(s): *miriffica* Mulsant & Rey,1840
- 17115) Protaetia (Foveopotosia) judith (Reiche,1871)** (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898
- 17116) Protaetia (Liocola) lugubris (Herbst,1786)** (Scarabaeidae) Synonym(s): *lugubris* Herbst,1786; *aenea* Scriba,1790; *aeruginosa* Herbst,1790; *marmorata* Fabricius,1792; *punctatoundulata* Petagna,1819; *zoufali* Roubal,1929; *novaci* Miksic,1954
- 17117) Protaetia (Netocia) asiatica (Faldermann,1835)** (Scarabaeidae) Synonym(s): *asiatica* Faldermann,1835
- 17118) Protaetia (Netocia) hungarica (Herbst,1790)** (Scarabaeidae) Synonym(s): *hungarica* Herbst,1790
- 17119) Protaetia (Netocia) sibirica (Gebler,1829)** (Scarabaeidae) Synonym(s): *sibirica* Gebler,1829; *setulosa* Reitter,1891
- 17120) Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *trojana* Gory & Percheron,1833
- 17121) Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae) Synonym(s): *hungarica* Latreille,1807 (praeocc.); *angustata* Germar,1817; *muelleri* Reitter,1897; *angustula* Reitter,1898; *eibesensis* Reitter,1902; *orientalis* Alexis & Delpont,1996 nec Gory & Percheron,1833
- 17122) Protaetia (Potosia) besucheti Alexis & Delpont,1996** (Scarabaeidae) Synonym(s): *besucheti* Alexis & Delpont,1996
- 17123) Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775
- 17124) Protaetia (Potosia) cuprina (Motschulsky,1849)** (Scarabaeidae) Synonym(s): *rubrocuprea* Mulsant & Rey,1842; *cuprina* Motschulsky,1849
- 17125) Protaetia (Potosia) fausti Kraatz,1891** (Scarabaeidae) Synonym(s): *fausti* Kraatz,1891
- 17126) Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménéttriés,1836; *aethiessoides* Reitter,1898; *lambillionea* Alexis & Delphont,2000
- 17127) Protaetia (Potosia) jelineki Petrovitz,1981** (Scarabaeidae) Synonym(s): *jelineki* Petrovitz,1981
- 17128) Protaetia (Potosia) splendidula (Faldermann,1835)** (Scarabaeidae) Synonym(s): *splendidula* Faldermann,1835
- 17129) Protaetia (Potosia) vidua (Gory & Perchenson,1833)** (Scarabaeidae) Synonym(s): *vidua* Gory & Perchenson,1833
- 17130) Pseudotrematodes frivaldskyi (Ménéttriés,1836)** (Scarabaeidae) Synonym(s): *frivaldskyi* Ménéttriés,1836
- 17131) Rhizotrogus (Amphimallon) causicum (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): *causicum* Gyllenhal,1817
- 17132) Rhizotrogus (Amphimallon) leuthneri Reitter,1902** (Scarabaeidae) Synonym(s): *leuthneri* Reitter,1902
- 17133) Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *solstitialis* Linnaeus,1758
- 17134) Rhizotrogus (s.str.) aestivus (Olivier,1789)** (Scarabaeidae) Synonym(s): *aestivus* Olivier,1789

- 17135) Scarabaeus armeniacus Ménétériés, 1832** (Scarabaeidae) Synonym(s): *armeniacus Ménétériés, 1832; nigrociliatus Motschoulsky, 1849*
- 17136) Scarabaeus pius (Illiger, 1803)** (Scarabaeidae) Synonym(s): *pius Illiger, 1803*
- 17137) Scarabaeus puncticollis (Latreille, 1819)** (Scarabaeidae) Synonym(s): *puncticollis Latreille, 1819*
- 17138) Scarabaeus sacer Linnaeus, 1758** (Scarabaeidae) Synonym(s): *sacer Linnaeus, 1758; crenatus De Geer, 1778; impius Fabricius, 1801; platychilus Fischer von Waldheim, 1823; retusus Brullé, 1832; europaeus Motschoulsky, 1849; confluidens Fleisch., 1925*
- 17139) Scarabaeus semipunctatus Fabricius, 1792** (Scarabaeidae) Synonym(s): *semipunctatus Fabricius, 1792; substriatus Mulsant, 1842; subinermis Mulsant, 1842*
- 17140) Scarabaeus typhon (Fischer von Waldheim, 1822)** (Scarabaeidae) Synonym(s): *typhon Fischer von Waldheim, 1822*
- 17141) Scarabaeus variolosus Fabricius, 1787** (Scarabaeidae) Synonym(s): *variolosus Fabricius, 1787*
- 17142) Scarabaeus winkleri Stolf, 1938** (Scarabaeidae) Synonym(s): *winkleri Stolf, 1938*
- 17143) Sisyphus schaefferi (Linnaeus, 1758)** (Scarabaeidae) Synonym(s): *schaefferi Linnaeus, 1758*
- 17144) Tanyproctus carbonarius Faldermann, 1835** (Scarabaeidae) Synonym(s): *carbonarius Faldermann, 1835*
- 17145) Trichius fasciatus (Linnaeus, 1758)** (Scarabaeidae) Synonym(s): *fasciatus Linnaeus, 1758*
- 17146) Trichius orientalis Reitter, 1894** (Scarabaeidae) Synonym(s): *orientalis Reitter, 1894*
- 17147) Trichius sexualis Bedel, 1906** (Scarabaeidae) Synonym(s): *sexualis Bedel, 1906*
- 17148) Triodontella asiatica (Brenske, 1890)** (Scarabaeidae) Synonym(s): *asiatica Brenske, 1890*
- 17149) Triodontella brunneipennis (Sahlberg, 1908)** (Scarabaeidae) Synonym(s): *brunneipennis Sahlberg, 1908*
- 17150) Triodontella dalmatica (Baraud, 1962)** (Scarabaeidae) Synonym(s): *dalmatica Baraud, 1962; bulgarica Bunalski, 2001*
- 17151) Triodontella demelti Petrovitz, 1962** (Scarabaeidae) Synonym(s): *demelti Petrovitz, 1962*
- 17152) Triodontella difformipes (Fairmaire, 1892)** (Scarabaeidae) Synonym(s): *difformipes Fairmaire, 1892; brignolii Sabatinelli, 1977*
- 17153) Triodontella dispar (Fairmaire, 1892)** (Scarabaeidae) Synonym(s): *dispar Fairmaire, 1892; delagrangei Pic, 1898*
- 17154) Triodontella eggeri (Rey, 1999)** (Scarabaeidae) Synonym(s): *eggeri Rey, 1999*
- 17155) Triodontella flavimana (Burmeister, 1855)** (Scarabaeidae) Synonym(s): *flavimana Burmeister, 1855; sieversi Reitter, 1889*
- 17156) Triodontella lateristria (Reitter, 1889)** (Scarabaeidae) Synonym(s): *lateristria Reitter, 1889*
- 17157) Triodontella preissi Keith, 2001** (Scarabaeidae) Synonym(s): *preissi Keith, 2001*
- 17158) Tropinota (Epicometis) hirta (Poda, 1761)** (Scarabaeidae) Synonym(s): *hirta Poda, 1761; hirtellus Linnaeus, 1767*
- 17159) Tropinota (s.str.) hirtiformis Reitter, 1913** (Scarabaeidae) Synonym(s): *hirtiformis Reitter, 1913*
- 17160) Tropinota (s.str.) squalida (Scopoli, 1763)** (Scarabaeidae) Synonym(s): *squalida Scopoli, 1763; pilosa Brullé, 1832*
- 17161) Valgus hemipterus (Linnaeus, 1758)** (Scarabaeidae) Synonym(s): *hemipterus Linnaeus, 1758; variegatus Scopoli, 1763*

SCATHOPHAGIDAE

- 17162) Coniosternum moceki Sifner, 2004** (Scathophagidae) Synonym(s): *moceki Sifner, 2004*
- 17163) Scathophaga lutaria (Fabricius, 1794)** (Scathophagidae) Synonym(s): *lutaria Fabricius, 1794*
- 17164) Scathophaga stercoraria (Linnaeus, 1758)** (Scathophagidae) Synonym(s): *stercoraria Linnaeus, 1758; merdaria Fabricius, 1794; asticha Szilady, 1926*

SCELIONIDAE

- 17165) Trissolcus djadetshko (Rjachovsky, 1959)** (Scelionidae) Synonym(s): *djadetshko Rjachovsky, 1959*
- 17166) Trissolcus grandis (Thomson, 1860)** (Scelionidae) Synonym(s): *grandis Thomson, 1860; frontalis Thomson, 1860; nigripes Thomson, 1860; nigratus Thomson, 1860; nixomartini Javahery, 1968; silwoodensis Javahery, 1968*
- 17167) Trissolcus manteroi (Kieffer, 1909)** (Scelionidae) Synonym(s): *manteroi Kieffer, 1909*
- 17168) Trissolcus pseudoturesis (Rjachovsky, 1959)** (Scelionidae) Synonym(s): *pseudoturesis Rjachovsky, 1959; rossicus Rjachovsky, 1959*
- 17169) Trissolcus rufiventris (Mayr, 1908)** (Scelionidae) Synonym(s): *rufiventris Mayr, 1908; stshepetilnikova Pubstov, 1944; rubriventris Szabo, 1959*
- 17170) Trissolcus semistriatus (Nees ab Esenbeck, 1834)** (Scelionidae) Synonym(s): *semistriatus Nees ab Esenbeck, 1834; grandis sensu Mayr, 1897*

- 17171) Trissolcus simoni (Mayr,1897)** (Scelionidae) Synonym(s): *simoni* Mayr,1897; *scutellaris* Masner,1958; *vassilievi sensu Viktorov,1960*; *reticulatus Delucchi,1961*
17172) Trissolcus vassilievi (Mayr,1903) (Scelionidae) Synonym(s): *vassilievi* Mayr,1903; *rufiventris* Rubstov,1944; *scutellaris* Masner,1958

SCHIZODACTYLIDAE

- 17173) Schizodactylus inexpectatus (Werner,1901)** (Schizodactylidae) Synonym(s): *inexpectatus* Werner,1901

SCIARIDAE

- 17174) Bradysia Winnertz,1867** (Sciaridae) Synonym(s): *Bradysia* Winnertz,1867; *Dasysciara* Kieffer,1903; *Neosciara* Petzey,1918; *Fungivorides* Lengersdorf,1926; *Heterosciara* Lengersdorf,1930; *Lamprosciara* Frey,1948; *Paractenosciara* Sasakawa,1994
17175) Bradysia neoreflex Mohrig & Roschmann,1996 (Sciaridae) Synonym(s): *neoreflex* Mohrig & Roschmann,1996
17176) Lycoriella solani (Winnertz,1871) (Sciaridae) Synonym(s): *solani* Winnertz,1871

SCIOMYZIDAE

- 17177) Colobaea punctata (Lundbeck,1923)** (Sciomyzidae) Synonym(s): *punctata* Lundbeck,1923
17178) Coremacera amoena (Loew,1853) (Sciomyzidae) Synonym(s): *amoena* Loew,1853; *trivittata* Loew,1860; *manni* Schiner,1864
17179) Coremacera catenata (Loew,1847) (Sciomyzidae) Synonym(s): *catenata* Loew,1847
17180) Coremacera marginata (Fabricius,1781) (Sciomyzidae) Synonym(s): *marginata* Fabricius,1781; *pontica* Elberg,1968
17181) Coremacera obscuripennis (Loew,1845) (Sciomyzidae) Synonym(s): *obscuripennis* Loew,1845
17182) Dichetophora obliterated (Fabricius,1805) (Sciomyzidae) Synonym(s): *obliterated* Fabricius,1805; *ichneumonea* R-D.,1830; *gracilis* Loew,1845
17183) Euthycera chaerophylli (Fabricius,1798) (Sciomyzidae) Synonym(s): *variegata* DeGeer,1776 nec Sc.,1863; *chaerophylli* Fabricius,1798; *flavescens* R-D.,1830; *irrorata* Macquart,1835;
17184) Euthycera flavostriata (Villeneuve,1912) (Sciomyzidae) Synonym(s): *flavostriata* Villeneuve,1912; *hendeli* Mayer,1953
17185) Euthycera stictica (Fabricius,1805) (Sciomyzidae) Synonym(s): *stictica* Fabricius,1805; *prominens* Loew,1847; *mehadiensis* Oldenberg,1923
17186) Hydromya dorsalis (Fabricius,1775) (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775; *punctipennis* Fallén,1820; *caeruleipennis* R-D.,1830; *obscuriventris* Strobl,1899; *infusata* Villeneuve,1912
17187) Knutsonia (s.str.) truqui (Rondani,1868) (Sciomyzidae) Synonym(s): *truqui* Rondani,1868
17188) Knutsonia (s.str.) turcestanica (Hendel,1903) (Sciomyzidae) Synonym(s): *turcestanica* Hendel,1903
17189) Knutsonia (s.str.) unipunctata (Macquart,1849) (Sciomyzidae) Synonym(s): *unipunctata* Macquart,1849; *plumosula* Becker,1907
17190) Limnia unguicornis (Scopoli,1763) (Sciomyzidae) Synonym(s): *unguicornis* Scopoli,1763
17191) Pherbellia cinerella (Fallén,1820) (Sciomyzidae) Synonym(s): *cinerella* Fallén,1820
17192) Pherbellia dorsata (Zetterstedt,1846) (Sciomyzidae) Synonym(s): *dorsata* Zetterstedt,1846
17193) Pherbellia griseola (Fallén,1820) (Sciomyzidae) Synonym(s): *griseola* Fallén,1820
17194) Pherbellia grisescens (Meigen,1830) (Sciomyzidae) Synonym(s): *grisescens* Meigen,1830
17195) Pherbellia lutheri Rozkosny,1982 (Sciomyzidae) Synonym(s): *lutheri* Rozkosny,1982
17196) Pherbellia nana (Fallén,1820) (Sciomyzidae) Synonym(s): *nana* Fallén,1820
17197) Pherbellia schoenherri (Fallén,1826) (Sciomyzidae) Synonym(s): *schoenherri* Fallén,1826
17198) Pherbellia ventralis (Fallén,1820) (Sciomyzidae) Synonym(s): *ventralis* Fallén,1820
17199) Pherbina coryleti (Scopoli,1763) (Sciomyzidae) Synonym(s): *coryleti* Scopoli,1763
17200) Pherbina intermedia Verbeke,1948 (Sciomyzidae) Synonym(s): *intermedia* Verbeke,1948
17201) Pherbina mediterranea Mayer,1953 (Sciomyzidae) Synonym(s): *mediterranea* Mayer,1953
17202) Psacadina verbekei Rozkosny,1975 (Sciomyzidae) Synonym(s): *verbekei* Rozkosny,1975
17203) Salticella fasciata (Meigen,1830) (Sciomyzidae) Synonym(s): *fasciata* Meigen,1830
17204) Sciomyza testacea Macquart,1835 (Sciomyzidae) Synonym(s): *testacea* Macquart,1835
17205) Sepedon (s.str.) sphegea (Fabricius,1775) (Sciomyzidae) Synonym(s): *sphegea* Fabricius,1775; *ruficollis* Meigen,1818

- 17206) *Sepedon* (s.str.) *spinipes* (Scopoli,1763)** (Sciomyzidae) Synonym(s): *spinipes* Scopoli,1763
17207) *Tetanocera* *arrogans* Meigen,1830 (Sciomyzidae) Synonym(s): *arrogans* Meigen,1830
17208) *Tetanocera* *elata* (Fabricius,1781) (Sciomyzidae) Synonym(s): *elata* Fabricius,1781
17209) *Tetanocera* *ferruginea* Fallén,1820 (Sciomyzidae) Synonym(s): *ferruginea* Fallén,1820
17210) *Tetanocera* *montana* Day,1881 (Sciomyzidae) Synonym(s): *montana* Day,1881; *borealis* Frey,1924
17211) *Tetanocera* *punctifrons* Rondani,1868 (Sciomyzidae) Synonym(s): *punctifrons* Rondani,1868
17212) *Trypetoptera* *punctulata* (Scopoli,1763) (Sciomyzidae) Synonym(s): *punctulata* Scopoli,1763

SCIRTIDAE

- 17213) *Elodes* *akbesianus* Pic,1898** (Scirtidae) Synonym(s): *akbesianus* Pic,1898
17214) *Elodes* *eberti* Klausnitzer,1970 (Scirtidae) Synonym(s): *eberti* Klausnitzer,1970
17215) *Elodes* *flavoangularis* Klausnitzer,1990 (Scirtidae) Synonym(s): *flavoangularis* Klausnitzer,1990
17216) *Elodes* *luteata* Klausnitzer,1979 (Scirtidae) Synonym(s): *luteata* Klausnitzer,1979
17217) *Elodes* *megalopus* Klausnitzer,2002 (Scirtidae) Synonym(s): *megalopus* Klausnitzer,2002
17218) *Elodes* *microps* Klausnitzer,2002 (Scirtidae) Synonym(s): *microps* Klausnitzer,2002
17219) *Elodes* *minuta* (Linnaeus,1767) (Scirtidae) Synonym(s): *minuta* Linnaeus,1767
17220) *Elodes* *persimilis* Klausnitzer,2002 (Scirtidae) Synonym(s): *persimilis* Klausnitzer,2002
17221) *Elodes* *pseudominuta* Klausnitzer,1971 (Scirtidae) Synonym(s): *pseudominuta* Klausnitzer,1971
17222) *Elodes* *sieberi* Klausnitzer,1973 (Scirtidae) Synonym(s): *sieberi* Klausnitzer,1973
17223) *Elodes* *venustula* Klausnitzer,2002 (Scirtidae) Synonym(s): *venustula* Klausnitzer,2002
17224) *Odeles* *armilabris* (Nyholm,1974) (Scirtidae) Synonym(s): *armilabris* Nyholm,1974
17225) *Cyphon* *abeillei* Bourgeois,1884 (Scirtidae) Synonym(s): *abeillei* Bourgeois,1884
17226) *Cyphon* *arietizans* Nyholm,1970 (Scirtidae) Synonym(s): *arietizans* Nyholm,1970
17227) *Cyphon* *buceros* Nyholm,1949 (Scirtidae) Synonym(s): *buceros* Nyholm,1949
17228) *Cyphon* *dinolabis* Nyholm,1970 (Scirtidae) Synonym(s): *dinolabis* Nyholm,1970
17229) *Cyphon* *euoplus* Nyholm,1970 (Scirtidae) Synonym(s): *euoplus* Nyholm,1970
17230) *Cyphon* *laevipennis* Tournier,1868 (Scirtidae) Synonym(s): *laevipennis* Tournier,1868
17231) *Cyphon* *longispinus* Nyholm,1968 (Scirtidae) Synonym(s): *longispinus* Nyholm,1968
17232) *Cyphon* *longiusculus* Nyholm,1970 (Scirtidae) Synonym(s): *longiusculus* Nyholm,1970
17233) *Cyphon* *ochraceus* Stephens,1830 (Scirtidae) Synonym(s): *ochraceus* Stephens,1830
17234) *Cyphon* *osellai* Klausnitzer,1989 (Scirtidae) Synonym(s): *osellai* Klausnitzer,1989
17235) *Cyphon* *padi* (Linnaeus,1758) (Scirtidae) Synonym(s): *padi* Linnaeus,1758
17236) *Cyphon* *palustris* Thomson,1855 (Scirtidae) Synonym(s): *palustris* Thomson,1855
17237) *Cyphon* *ponticus* Nyholm,1976 (Scirtidae) Synonym(s): *ponticus* Nyholm,1976
17238) *Cyphon* *pubescens* Fabricius,1792 (Scirtidae) Synonym(s): *pubescens* Fabricius,1792
17239) *Cyphon* *scurrula* Nyholm,1970 (Scirtidae) Synonym(s): *scurrula* Nyholm,1970
17240) *Cyphon* *wittmeri* Nyholm,1970 (Scirtidae) Synonym(s): *wittmeri* Nyholm,1970
17241) *Hydrocyphon* Redtenbacher,[1857] (Scirtidae) Synonym(s): *Hydrocyphon* Redtenbacher,[1857]
17242) *Hydrocyphon* *australis* Linder,1864 (Scirtidae) Synonym(s): *australis* Linder,1864
17243) *Hydrocyphon* *deflexicollis* Müller,1821 (Scirtidae) Synonym(s): *deflexicollis* Müller,1821
17244) *Hydrocyphon* *finitimus* Nyholm,1977 (Scirtidae) Synonym(s): *finitimus* Nyholm,1977
17245) *Hydrocyphon* *rivulorum* Nyholm,1977 (Scirtidae) Synonym(s): *rivulorum* Nyholm,1977
17246) *Hydrocyphon* *segrex* Nyholm,1972 (Scirtidae) Synonym(s): *segrex* Nyholm,1972
17247) *Hydrocyphon* *vicinans* Nyholm,1972 (Scirtidae) Synonym(s): *vicinans* Nyholm,1972
17248) *Microcara* Thomson,1859 (Scirtidae) Synonym(s): *Microcara* Thomson,1859
17249) *Microcara* *casgica* Reitter,1889 (Scirtidae) Synonym(s): *casgica* Reitter,1889
17250) *Prionocyphon* Redtenbacher,1858 (Scirtidae) Synonym(s): *Prionocyphon* Redtenbacher,1858
17251) *Prionocyphon* *ornatus* Abeille,1881 (Scirtidae) Synonym(s): *ornatus* Abeille,1881
17252) *Scirtes* Illiger,1807 (Scirtidae) Synonym(s): *Scirtes* Illiger,1807
17253) *Scirtes* *haemisphaericus* (Linnaeus,1767) (Scirtidae) Synonym(s): *haemisphaericus* Linnaeus,1767
17254) *Scirtes* *orbicularis* (Panzer,1793) (Scirtidae) Synonym(s): *orbicularis* Panzer,1793

SCOLIIDAE

- 17255) *Campsomeriella* *thoracica* (Fabricius,1787)** (Scoliidae) Synonym(s): *thoracica* Fabricius,1787;
eriophora Khalof,1958
17256) *Colpa* (s.str.) *sexmaculata* (Fabricius,1782) (Scoliidae) Synonym(s): *sexmaculata* Fabricius,1782; *interrupta* Fabricius,1782; *sareptana* Eversmann,1849

- 17257) Colpa interrupta (Fabricius,1781)** (Scoliidae) Synonym(s): *interrupta* Fabricius,1781
17258) Colpa klugii (Van der Linden,1827) (Scoliidae) Synonym(s): *klugii* Van der Linden,1827
17259) Colpa quinquecincta (Fabricius,1775) (Scoliidae) Synonym(s): *villosa* Fabricius,1775; *quinquecincta* Fabricius,1775; *abdominalis* Spinola,1806; *continua* Leeletier,1845
17260) Dasyscolia ciliata (Fabricius,1787) (Scoliidae) Synonym(s): *ciliata* Fabricius,1787; *araratica* Radoskovsky,1890; *fastuosa* Gribodo,1893
17261) Megascolia (Regiscolia) maculata (Drury,1773) (Scoliidae) Synonym(s): *maculata* Drury,1773; *flavifrons* Fabricius,1775; *haemorrhoidalis* Fabricius,1787; *insignis* Saussure,1858; *versicolor* Saussure,1859
17262) Proscolia archaica Rasnitsyn,1977 (Scoliidae) Synonym(s): *archaica* Rasnitsyn,1977
17263) Proscolia spectator Day,1981 (Scoliidae) Synonym(s): *spectator* Day,1981
17264) Scolia (s.str.) anatoliae Osten,2004 (Scoliidae) Synonym(s): *anatoliae* Osten,2004
17265) Scolia (s.str.) fallax Eversmann,1849 (Scoliidae) Synonym(s): *fallax* Eversmann,1849; *syriacola* Betrem,1935; *moreana* Muche,1962; *tricolor* Bradley,1972
17266) Scolia (s.str.) flaviceps Eversmann,1846 (Scoliidae) Synonym(s): *flaviceps* Eversmann,1846; *mangichlakensis* Radoszkowski,1879
17267) Scolia (s.str.) fuciformis Scopoli,1786 (Scoliidae) Synonym(s): *fuciformis* Scopoli,1786; *insubrica* Scopoli,1786
17268) Scolia (s.str.) sexmaculata (Müller,1766) (Scoliidae) Synonym(s): *sexmaculata* Müller,1766; *biguttata* Fabricius,1804; *violacea* Panzer,1799; *syriaca* Klug,1832; *hispanica* Betrem,1935; *beirutii* Betrem,1935; *montana* Steinberg,1962; *orientalis* Steinberg,1962; *dionysopolis* Tkalcu,1988
17269) Scolia asiella Betrem,1935 (Scoliidae) Synonym(s): *asiella* Betrem,1935
17270) Scolia erivanensis (Radoszkowski,1876) (Scoliidae) Synonym(s): *erivanensis* Radoszkowski,1876
17271) Scolia galbula (Pallas,1771) (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadriceincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muche,1962
17272) Scolia hirta (Schränk,1781) (Scoliidae) Synonym(s): *hirta* Schränk,1781; *bicincta* Scopoli,1786; *unifasciata* Cyrillo,1787; *alutus* Nagy,1967; *mongolina* Nagy,1970
17273) Scolia insubrica (Scopoli,1786) (Scoliidae) Synonym(s): *insubrica* Scopoli,1786; *fuciformis* Scopoli,1786; *amabilis* Eversmann,1849
17274) Scolia turkestanica Betrem,1935 (Scoliidae) Synonym(s): *turkestanica* Betrem,1935

SCUTELLERIDAE

- 17275) Ellipsocoris trilineata Mayr,1864** (Scutelleridae) Synonym(s): *trilineata* Mayr,1864
17276) Eurygaster austriaca (Schränk,1776) (Scutelleridae) Synonym(s): *austriaca* Schränk,1776
17277) Eurygaster dilaticollis Dohrn,1860 (Scutelleridae) Synonym(s): *dilaticollis* Dohrn,1860
17278) Eurygaster hottentota (Fabricius,1775) (Scutelleridae) Synonym(s): *hottentota* Fabricius,1775
17279) Eurygaster integriceps Puton,1886 (Scutelleridae) Synonym(s): *integriceps* Puton,1886
17280) Eurygaster maura (Linnaeus,1758) (Scutelleridae) Synonym(s): *maura* Linnaeus,1758
17281) Eurygaster schreiberi Montandon,1885 (Scutelleridae) Synonym(s): *schreiberi* Montandon,1885; *flavescens* Horvath,1911
17282) Eurygaster testudinaria (Geoffroy,1785) (Scutelleridae) Synonym(s): *testudinaria* Geoffroy,1785
17283) Irochrotus caucasicus (Jakovlev,1875) (Scutelleridae) Synonym(s): *caucasicus* Jakovlev,1875; *mongolicus* Jakovlev,1902
17284) Irochrotus lanatus (Pallas,1773) (Scutelleridae) Synonym(s): *lanatus* Pallas,1773
17285) Irochrotus maculiventris (Germar,1839) (Scutelleridae) Synonym(s): *maculiventris* Germar,1839; *villosus* Herrich-Schäffer,1839; *hirtus* A.Costa,1842
17286) Irochrotus majusculus Kerzhner,1976 (Scutelleridae) Synonym(s): *majusculus* Kerzhner,1976
17287) Odontoscelis byrrhus Seidenstücker,1971 (Scutelleridae) Synonym(s): *byrrhus* Seidenstücker,1971
17288) Odontoscelis dorsalis (Fabricius,1803) (Scutelleridae) Synonym(s): *dorsalis* Fabricius,1803
17289) Odontoscelis dubius Wagner,1957 (Scutelleridae) Synonym(s): *dubius* Wagner,1957
17290) Odontoscelis fuliginosa (Linnaeus,1761) (Scutelleridae) Synonym(s): *fuliginosa* Linnaeus,1761
17291) Odontoscelis hispidula Jakovlev,1874 (Scutelleridae) Synonym(s): *hispidula* Jakovlev,1874
17292) Odontoscelis minutus Jakovlev,1881 (Scutelleridae) Synonym(s): *minutus* Jakovlev,1881
17293) Odontoscelis seminitens Wagner,1953 (Scutelleridae) Synonym(s): *seminitens* Wagner,1953
17294) Odontotarsus angustatus Jakovlev,1883 (Scutelleridae) Synonym(s): *angustatus* Jakovlev,1883
17295) Odontotarsus caudatus (Burmeister,1835) (Scutelleridae) Synonym(s): *caudatus* Burmeister,1835
17296) Odontotarsus confraginosus Hoberlandt,1955 (Scutelleridae) Synonym(s): *confraginosus* Hoberlandt,1955
17297) Odontotarsus freyi Puton,1882 (Scutelleridae) Synonym(s): *freyi* Puton,1882

- 17298) *Odontotarsus impictus* Jakovlev, 1886** (Scutelleridae) Synonym(s): *impictus* Jakovlev, 1886; *lautus* Horvath, 1891; *decolor* Horvath, 1906; *mendax* Horvath, 1906
- 17299) *Odontotarsus karatasensis* Hoberlandt, 1955** (Scutelleridae) Synonym(s): *karatasensis* Hoberlandt, 1955
- 17300) *Odontotarsus latissimus* Göllner-Scheiding, 1990** (Scutelleridae) Synonym(s): *latissimus* Göllner-Scheiding, 1990
- 17301) *Odontotarsus obsoletus* Horvath, 1906** (Scutelleridae) Synonym(s): *obsoletus* Horvath, 1906
- 17302) *Odontotarsus oculatus* Horvath, 1881** (Scutelleridae) Synonym(s): *oculatus* Horvath, 1881
- 17303) *Odontotarsus plicatulus* Hovarth, 1906** (Scutelleridae) Synonym(s): *plicatulus* Hovarth, 1906
- 17304) *Odontotarsus purpureolineatus* (Rossi, 1790)** (Scutelleridae) Synonym(s): *purpureolineatus* Rossi, 1790; *lutescens* Fieber, 1861; *rugicollis* Jakovlev, 1884; *insignis* Jakovlev, 1908; *#confluens* Hoberlandt, 1944
- 17305) *Odontotarsus robustus* Jakovlev, 1884** (Scutelleridae) Synonym(s): *robustus* Jakovlev, 1884; *flavus* Jakovlev, 1885; *dilutus* Horvath, 1917
- 17306) *Odontotarsus rufescens* Fieber, 1861** (Scutelleridae) Synonym(s): *rufescens* Fieber, 1861
- 17307) *Phimodera fumosa* Fieber, 1863** (Scutelleridae) Synonym(s): *fumosa* Fieber, 1863; *protracta* Jakovlev, 1879; *distincta* Jakovlev, 1880; *argillacea* Jakovlev, 1901; *infusata* Reuter, 1906; *plagigera* Reuter, 1906; *pollens* Reuter, 1906
- 17308) *Phimodera tuberculata* Jakovlev, 1874** (Scutelleridae) Synonym(s): *tuberculata* Jakovlev, 1874
- 17309) *Promecocoris* (Emphylocoris) *testaceus* Reuter, 1900** (Scutelleridae) Synonym(s): *testaceus* Reuter, 1900
- 17310) *Psacasta conspersa* Germar, 1839** (Scutelleridae) Synonym(s): *conspersa* Germar, 1839
- 17311) *Psacasta cypria* Puton, 1881** (Scutelleridae) Synonym(s): *cypria* Puton, 1881
- 17312) *Psacasta exanthematica* (Scopoli, 1763)** (Scutelleridae) Synonym(s): *exanthematica* Scopoli, 1763
- 17313) *Psacasta herculeana* Horvath, 1891** (Scutelleridae) Synonym(s): *herculeana* Horvath, 1891
- 17314) *Psacasta marmottani* Puton, 1887** (Scutelleridae) Synonym(s): *marmottani* Puton, 1887
- 17315) *Psacasta neglecta* (Herrich-Schäffer, 1837)** (Scutelleridae) Synonym(s): *neglecta* Herrich-Schäffer, 1837
- 17316) *Psacasta pallida* Reuter, 1902** (Scutelleridae) Synonym(s): *pallida* Reuter, 1902
- 17317) *Psacasta tuberculata* (Fabricius, 1781)** (Scutelleridae) Synonym(s): *tuberculata* Fabricius, 1781
- 17318) *Solenostethium bilunatum* (Lefebvre, 1827)** (Scutelleridae) Synonym(s): *bilunatum* Lefebvre, 1827
- 17319) *Solenostethium ledereri* (Fieber, 1861)** (Scutelleridae) Synonym(s): *ledereri* Fieber, 1861

SEPSIDAE

- 17320) *Nemopoda nitidula* (Fallén, 1820)** (Sepsidae) Synonym(s): *nitidula* Fallén, 1820
- 17321) *Saltella nigripes* R-D., 1830** (Sepsidae) Synonym(s): *nigripes* R-D., 1830
- 17322) *Saltella sphondylii* (Schränk, 1803)** (Sepsidae) Synonym(s): *sphondylii* Schränk, 1803; *scutellaris* Fallén, 1820; *melanocephala* Drapiez, 1820; *analisis* Meigen, 1826; *varia* Meigen, 1826; *hemorrhoidalis* Meigen, 1826; *longipes* R-D., 1830; *nana* R-D., 1830; *basalis* Haliday, 1833; *scutellata* Macquart, 1835; *ruficoxa* Macquart, 1835; *albipennis* Macquart, 1835; *sellata* Haliday, 1838; *distincta* Meigen, 1838; *analisis* Roser, 1840; *humeralis* Roser, 1840; *parmensis* Rondani, 1874; *nigerrima* Rondani, 1874;
- 17323) *Sepsis barbata* Becker, 1907** (Sepsidae) Synonym(s): *barbata* Becker, 1907; *chopardi* Ségué, 1932; *pamirensis* Enderlein, 1934
- 17324) *Sepsis biflexuosa* Strobl, 1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl, 1893; *flavipes* Goetghebuer & Bastin, 1925; *desultor* Ségué, 1932
- 17325) *Sepsis fissa* Becker, 1903** (Sepsidae) Synonym(s): *fissa* Becker, 1903
- 17326) *Sepsis flavimana* Meigen, 1826** (Sepsidae) Synonym(s): *flavimana* Meigen, 1826
- 17327) *Sepsis fulgens* Hoffmannsegg, 1826** (Sepsidae) Synonym(s): *fulgens* Hoffmannsegg, 1826
- 17328) *Sepsis lateralis* Wiedemann, 1830** (Sepsidae) Synonym(s): *lateralis* Wiedemann, 1830; *complicata* Wiedemann, 1830; *inpunctata* Macquart, 1839; *hyalipennis* Macquart, 1851; *melitensis* Rondani, 1874; *schembrii* Rondani, 1874; *fragilis* Becker, 1903
- 17329) *Sepsis neocynipsea* Melander & Spuler, 1917** (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler, 1917
- 17330) *Sepsis nigripes* Meigen, 1826** (Sepsidae) Synonym(s): *nigripes* Meigen, 1826; *minima* Strobl, 1893; *tonsa* Duda, 1925
- 17331) *Sepsis pseudomonostigma* Ursu, 1969** (Sepsidae) Synonym(s): *pseudomonostigma* Ursu, 1969
- 17332) *Sepsis punctum* (Fabricius, 1794)** (Sepsidae) Synonym(s): *punctum* Fabricius, 1794; *stigma* Panzer, 1798; *cornuta* Meigen, 1826; *ornata* Meigen, 1826; *pectoralis* Macquart, 1835; *rufocincta* Hoffmeister, 1844; *#zernyi* Duda, 1926; *quadrisetosa* Duda, 1926; *icaria* Ségué, 1932; *meridionalis* Ségué, 1932
- 17333) *Sepsis thoracica* (R-D., 1830)** (Sepsidae) Synonym(s): *thoracica* R-D., 1830; *tridens* Becker, 1903; *consanguinea* Villeneuve, 1920; *goetghebueri* Frey, 1925; *idmais* Ségué, 1932; *ino* Ségué, 1932
- 17334) *Sepsis violacea* Meigen, 1826** (Sepsidae) Synonym(s): *violacea* Meigen, 1826; *fuscipes* Roser, 1840; *uncta* Becker, 1913; *ciliforceps* Duda, 1926; *schineri* Duda, 1926

17335) Themira annulipes (Meigen,1826) (Sepsidae) Synonym(s): *annulipes* Meigen,1826

17336) Themira minor (Haliday,1833) (Sepsidae) Synonym(s): *minor* Haliday,1833

SERICOSTOMATIDAE

17337) Cerasma cairon Malicky,1986 (Sericostomatidae) Synonym(s): *cairon* Malicky,1986

17338) Notidobia demelti Malicky,1974 (Sericostomatidae) Synonym(s): *demelti* Malicky,1974

17339) Notidobia forsteri Malicky,1974 (Sericostomatidae) Synonym(s): *forsteri* Malicky,1974

17340) Notidobia melanoptera Stein,1863 (Sericostomatidae) Synonym(s): *melanoptera* Stein,1863

17341) Oecismus monedula (Hagen,1859) (Sericostomatidae) Synonym(s): *monedula* Hagen,1859

17342) Schizopelex anatolica Schmid,1964 (Sericostomatidae) Synonym(s): *anatolica* Schmid,1964

17343) Schizopelex rhamnes Malicky,1976 (Sericostomatidae) Synonym(s): *rhamnes* Malicky,1976

17344) Sericostoma flavicorne Schneider,1845 (Sericostomatidae) Synonym(s): *flavicorne* Schneider,1845

17345) Sericostoma grusiense Martynov,1913 (Sericostomatidae) Synonym(s): *grusiense* Martynov,1913

SIALIDAE

17346) Sialis morio Klingstedt,1932 (Sialidae) Synonym(s): *morio* Klingstedt,1932

17347) Sialis nigripes Pictet,1865 (Sialidae) Synonym(s): *nigripes* Pictet,1865

SIGNIPHORIDAE

17348) Chartocerus novitzkyi (Domenichini) (Signiphoridae) Synonym(s):

17349) Chartocerus subaeneus (Förster) (Signiphoridae) Synonym(s):

17350) Thysanus ater Walker (Signiphoridae) Synonym(s):

SILPHIDAE

17351) Ablattaria arenaria (Kraatz,1876) (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926

17352) Ablattaria laevigata (Fabricius,1775) (Silphidae) Synonym(s): *laevigata* Fabricius,1775

17353) Aclypea undata (O.F.Müller,1776) (Silphidae) Synonym(s): *undata* O.F.Müller,1776

17354) Dendroxena quadrimaculata (Scopoli,1772) (Silphidae) Synonym(s): *quadrimaculata* Scopoli,1772

17355) Necrodes littoralis (Linnaeus,1758) (Silphidae) Synonym(s): *littoralis* Linnaeus,1758

17356) Nicrophorus antennatus (Reitter,1885) (Silphidae) Synonym(s): *antennatus* Reitter,1885

17357) Nicrophorus confusus Portevin,1924 (Silphidae) Synonym(s): *confusus* Portevin,1924

17358) Nicrophorus fossor Erichson,1837 (Silphidae) Synonym(s): *fossor* Erichson,1837

17359) Nicrophorus germanicus (Linnaeus,1758) (Silphidae) Synonym(s): *germanicus* Linnaeus,1758

17360) Nicrophorus humator (Gleditsch,1767) (Silphidae) Synonym(s): *humator* Gleditsch,1767

17361) Nicrophorus investigator Zetterstedt,1824 (Silphidae) Synonym(s): *investigator* Zetterstedt,1824; *praedator* Reitter,1887

17362) Nicrophorus nigricornis Faldermann,1835 (Silphidae) Synonym(s): *nigricornis* Faldermann,1835

17363) Nicrophorus vespillo (Linnaeus,1758) (Silphidae) Synonym(s): *vespillo* Linnaeus,1758

17364) Nicrophorus vespilloides Herbst,1784 (Silphidae) Synonym(s): *vespilloides* Herbst,1784

17365) Nicrophorus vestigator Herschel,1807 (Silphidae) Synonym(s): *vestigator* Herschel,1807

17366) Oiceotoma thoracica (Linnaeus,1758) (Silphidae) Synonym(s): *thoracica* Linnaeus,1758

17367) Phosphuga atrata (Linnaeus,1758) (Silphidae) Synonym(s): *atrata* Linnaeus,1758

17368) Silpha obscura Linnaeus,1758 (Silphidae) Synonym(s): *obscura* Linnaeus,1758

17369) Silpha tristis Illiger,1798 (Silphidae) Synonym(s): *tristis* Illiger,1798

17370) Thanatophilus rugosus (Linnaeus,1758) (Silphidae) Synonym(s): *rugosus* Linnaeus,1758

17371) Thanatophilus sinuatus (Fabricius,1775) (Silphidae) Synonym(s): *sinuatus* Fabricius,1775

17372) Thanatophilus terminatus (Hummel,1825) (Silphidae) Synonym(s): *terminatus* Hummel,1825

SIMULIIDAE

- 17373) Metacnephia subalpina (Rubtsov,1956)** (Simuliidae) Synonym(s): *subalpina* Rubtsov,1956
- 17374) Metacnephia terterjani (Rubtsov,1955)** (Simuliidae) Synonym(s): *terterjani* Rubtsov,1955
- 17375) Prosimulium (s.str.) fulvipes Edwards,1921** (Simuliidae) Synonym(s): *fulvipes* Edwards,1921; *subrufipes* Knoz,1980
- 17376) Prosimulium (s.str.) rachiliense Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense* Djafarov,1954; *pronevitschae* Rubtsov,1955
- 17377) Prosimulium (s.str.) rufipes (Meigen,1830)** (Simuliidae) Synonym(s): *rufipes* Meigen,1830; *galli* Edwards,1921; *conistylum* Rubtsov,1956
- 17378) Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (praeocc.); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balkanicum* Enderlein,1929; *canbolicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfilium* Rubtsov,1955; *maruashvili* Machavariani,1966
- 17379) Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) Synonym(s): *erythrocephalum* De Geer,1776; *sericatum* Meigen,1830; *tenuifrons* Enderlein,1921; *sinense* Enderlein,1934; *mihalyii* Rubtsov,1967; *chelevini* Ivashchenko,1968
- 17380) Simulium (Eusimulium) angustipes Edwards,1915** (Simuliidae) Synonym(s): *angustipes* Edwards,1915; *horvathi* Enderlein,1922; *securiforme* Rubtsov,1956; *latizonum* Rubtsov,1956; *#paludicola* Rivoecchi,1963
- 17381) Simulium (Eusimulium) aureum Fries,1824** (Simuliidae) Synonym(s): *aureum* Fries,1824
- 17382) Simulium (Eusimulium) petricolum (Rivoecchi,1963)** (Simuliidae) Synonym(s): *petricolum* Rivoecchi,1963
- 17383) Simulium (Eusimulium) reginae Terteryan,1949** (Simuliidae) Synonym(s): *reginae* Terteryan,1949
- 17384) Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962
- 17385) Simulium (Montisimulium) alizadei (Djafarov,1954)** (Simuliidae) Synonym(s): *alizadei* Djafarov,1954; *gviletense* Rubtsov,1956; *lachense* Rubtsov,1962; *megrichaense* Rubtsov,1962
- 17386) Simulium (Nevermannia) angustitarse (Lundström,1911)** (Simuliidae) Synonym(s): *angustitarse* Lundström,1911; *melanobrachium* Enderlein,1924; *mazedonicum* Baranov,1926; *knochii* Enderlein,1929; *flavicornis* Enderlein,1929; *equitarse* Rubtsov,1962; *dispinum* Rubtsov & Carlsson,1965; *marrucinum* Rivoecchi,1966; *celticum* Davies,1966; *cambriense* Davies,1967; *brevipes* Rubtsov,1967; *hungaricum* Rubtsov,1967; *zaporojiae* Pavlichenko,1986
- 17387) Simulium (Nevermannia) codreanui Sherban,1958** (Simuliidae) Synonym(s): *codreanui* Sherban,1958
- 17388) Simulium (Nevermannia) costatum Friederichs,1920** (Simuliidae) Synonym(s): *costatum* Friederichs,1920; *incornutum* Enderlein,1929; *barbativentris* Enderlein,1929
- 17389) Simulium (Nevermannia) cryophilum (Rubtsov,1959)** (Simuliidae) Synonym(s): *cryophilum* Rubtsov,1959; *biankoi* Rubtsov,1964; *courverti* Rubtsov,1964; *vidanoi* Rubtsov,1964; *tricrenum* Rubtsov & Carlsson,1965
- 17390) Simulium (Nevermannia) djafarovi (Rubtsov,1962)** (Simuliidae) Synonym(s): *subcostatum* Djafarov,1953 (praeocc.); *djafarovi* Rubtsov,1962
- 17391) Simulium (Nevermannia) florum (Djafarov,1954)** (Simuliidae) Synonym(s): *florum* Djafarov,1954
- 17392) Simulium (Nevermannia) lundstromi (Enderlein,1921)** (Simuliidae) Synonym(s): *lundstromi* Enderlein,1921; *latigonium* Rubtsov,1956
- 17393) Simulium (Nevermannia) vernum Macquart,1826** (Simuliidae) Synonym(s): *vernum* Macquart,1826; *pubiventris* Zetterstedt,1838; *trabeatum* Enderlein,1921; *pritzkowi* Enderlein,1926; *albipilatum* Enderlein,1926; *schielei* Enderlein,1926; *wigandi* Enderlein,1928; *fluminale* Rubtsov,1956; *hatangense* Rubtsov,1956; *shutovae* Rubtsov,1956; *aestivale* Rubtsov,1962; *meridionale* Rivoecchi & Lipparoni,1965;
- 17394) Simulium (s.str.) alajense (Rubtsov,1938)** (Simuliidae) Synonym(s): *alajense* Rubtsov,1938; *sbergi* Rubtsov,1940
- 17395) Simulium (s.str.) argenteostriatum Strobl,1898** (Simuliidae) Synonym(s): *argenteostriatum* Strobl,1898; *schoenbaueri* Enderlein,1921; *alternans* Enderlein,1921; *rupicolum* Séguéy & Dornier,1936; *simici* Zivkovitch,1956
- 17396) Simulium (s.str.) argyreatum Meigen,1838** (Simuliidae) Synonym(s): *argyreatum* Meigen,1838; *montanum* Enderlein,1921; *mehelyi* Enderlein,1926; *polae* Smart,1944; *celticum* Doby & Rault,1960
- 17397) Simulium (s.str.) aureofulgens Terteryan,1949** (Simuliidae) Synonym(s): *aureofulgens* Terteryan,1949
- 17398) Simulium (s.str.) baracorne Smart,1944** (Simuliidae) Synonym(s): *ruficornis* Baranov,1926 (praeocc.); *baracorne* Smart,1944; *ponticum* Rubtsov,1956; *acutipallus* Rubtsov,1963
- 17399) Simulium (s.str.) bergi Rubtsov,1956** (Simuliidae) Synonym(s): *bergi* Rubtsov,1956

- 17400) Simulium (s.str.) bezzii (Corti,1914)** (Simuliidae) Synonym(s): *bezzii* Corti,1914; *delphinense* Villeneuve,1918; *tristrigatum* Enderlein,1921; *obscurum* Enderlein,1924; *kondici* Baranov,1926; *atlas* Séguay,1930; *crinitum* Rubtsov,1956; *gorjense* Dinulescu,1966; *graium* Courvert,1967
- 17401) Simulium (s.str.) bukovskii Rubtsov,1940** (Simuliidae) Synonym(s): *bukovskii* Rubtsov,1940
- 17402) Simulium (s.str.) debacii Terteryan,1952** (Simuliidae) Synonym(s): *debacii* Terteryan,1952
- 17403) Simulium (s.str.) degrangei Dorier & Grenier,1960** (Simuliidae) Synonym(s): *degrangei* Dorier & Grenier,1960; *sastcheri* Machavariani,1966
- 17404) Simulium (s.str.) fontanum Terteryan,1952** (Simuliidae) Synonym(s): *fontanum* Terteryan,1952
- 17405) Simulium (s.str.) hispaniola Grenier & Bertrand,1954** (Simuliidae) Synonym(s): *hispaniola* Grenier & Bertrand,1954; *parvifrons* Rivoecchi & Cardinali,1975
- 17406) Simulium (s.str.) kerisorum (Rubtsov,1956)** (Simuliidae) Synonym(s): *kerisorum* Rubtsov,1956
- 17407) Simulium (s.str.) kiritshenkoi Rubtsov,1940** (Simuliidae) Synonym(s): *kiritshenkoi* Rubtsov,1940; *caucasicum* Rubtsov,1940; *sevanense* Rubtsov & Terteryan,1952; *cisalpinum* Rubtsov,1956; *longicaulis* Rubtsov,1956
- 17408) Simulium (s.str.) monticoloides (Rubtsov,1956)** (Simuliidae) Synonym(s): *monticoloides* Rubtsov,1956
- 17409) Simulium (s.str.) morsitans Edwards,1915** (Simuliidae) Synonym(s): *morsitans* Edwards,1915; *gerstaecker* Enderlein,1916
- 17410) Simulium (s.str.) niha Guidicelli & Dia,1986** (Simuliidae) Synonym(s): *niha* Guidicelli & Dia,1986
- 17411) Simulium (s.str.) noelleri Friederichs,1920** (Simuliidae) Synonym(s): *noelleri* Friederichs,1920; *subornatum* Edwards,1920; *tenuimanus* Enderlein,1921; *septentrionale* Enderlein,1935; *lindneri* Enderlein,1943
- 17412) Simulium (s.str.) ornatum Meigen,1818** (Simuliidae) Synonym(s): *ornatum* Meigen,1818; *fasciatum* Meigen,1830; *crassitarse* Macquart,1834; *tibiale* Macquart,1834; *pratorum* Friederichs,1920; *konsuloffi* Enderlein,1924; *babici* Baranov,1937; *borcici* Baranov,1937; *bartulici* Baranov,1937; *guelminoi* Baranov,1937; *nikolici* Baranov,1937; *anderlickei* Baranov,1937; *zagrebiense* Baranov,1937; *barense* Baranov,1939; *arensae* Baranov,1940; *oblimatum* Odintsov,1961; *amnis* Rubtsov,1962; *albifrons* Rubtsov,1967; *curvifila* Rivoecchi,1978
- 17413) Simulium (s.str.) posticatum Meigen,1838** (Simuliidae) Synonym(s): *posticatum* Meigen,1838; *pseudoreptans* Enderlein,1935
- 17414) Simulium (s.str.) pulchripes Austen,1925** (Simuliidae) Synonym(s): *pulchripes* Austen,1925
- 17415) Simulium (s.str.) reptans (Linnaeus,1758)** (Simuliidae) Synonym(s): *reptans* Linnaeus,1758; *sericeum* Linnaeus,1767; *argyropezum* Meigen,1804; *elegans* Meigen,1818; *varipes* Meigen,1818; *cinctum* Meigen,1830; *pictum* Meigen,1838; *latimanus* Enderlein,1921; *heidenreichi* Enderlein,1921; *heringi* Enderlein,1925; *ornatoides* Baranov,1926; *pseudocolumbaczense* Baranov,1937; *tyumanicum* Baranov,1937; *vardaricum* Baranov,1937; *pukovacense* Baranov,1937; *glumovoense* Baranov,1937; *agnatum* Baranov,1937
- 17416) Simulium (s.str.) stenophallum Terteryan,1952** (Simuliidae) Synonym(s): *stenophallum* Terteryan,1952
- 17417) Simulium (s.str.) trifasciatum Curtis,1839** (Simuliidae) Synonym(s): *trifasciatum* Curtis,1839; *angustimanus* Enderlein,1921; *wilhelmianum* Enderlein,1921; *nigriperna* Enderlein,1922; *odagmiina* Enderlein,1922; *spinosum* Doby & Deblock,1957
- 17418) Simulium (s.str.) tuberosum (Lundström,1911)** (Simuliidae) Synonym(s): *tuberosum* Lundström,1911
- 17419) Simulium (s.str.) variegatum Meigen,1818** (Simuliidae) Synonym(s): *variegatum* Meigen,1818
- 17420) Simulium (Trichodagmia) auricoma Meigen,1818** (Simuliidae) Synonym(s): *auricoma* Meigen,1818; *syriacum* Roubaud,1909; *djerdapense* Baranov,1937
- 17421) Simulium (Trichodagmia) galloprovinciale Giudicelli,1963** (Simuliidae) Synonym(s): *galloprovinciale* Giudicelli,1963
- 17422) Simulium (Trichodagmia) margaritae (Rubtsov,1956)** (Simuliidae) Synonym(s): *margaritae* Rubtsov,1956
- 17423) Simulium (Trichodagmia) popowae Rubtsov,1940** (Simuliidae) Synonym(s): *popowae* Rubtsov,1940; *terminasjanae* Terteryan,1952; *atrofuscum* Rubtsov,1956
- 17424) Simulium (Trichodagmia) transcasicum Enderlein,1921** (Simuliidae) Synonym(s): *transcasicum* Enderlein,1921
- 17425) Simulium (Wilhelmia) balcanicum (Enderlein,1924)** (Simuliidae) Synonym(s): *balcanicum* Enderlein,1924; *secundum* Baranov,1926; *danubiense* Zivkovitch,1955; *severinense* Dinulescu,1966
- 17426) Simulium (Wilhelmia) equinum (Linnaeus,1758)** (Simuliidae) Synonym(s): *equinum* Linnaeus,1758; *marginatum* Meigen,1818; *cinereum* Macquart,1834; *pubescens* Macquart,1834; *canum* Meigen,1838; *dahlgrueni* Enderlein,1921; *orichalcea* Enderlein,1922; *annulitibia* Enderlein,1922; *begbunaricum* Baranov,1924; *varicolor* Séguay,1925; *tertium* Baranov,1926; *brunettii* Enderlein,1934; *bianchii* Rubtsov,1940; *ivanshentzovi* Rubtsov,1940; *avetjanae* Rubtsov & Terteryan,1952; *zelandense* Davies,1966; *sangrense* Rivoecchi,1967
- 17427) Simulium (Wilhelmia) lineatum (Meigen,1804)** (Simuliidae) Synonym(s): *lineatum* Meigen,1804; *falcula* Enderlein,1921; *salopiense* Edwards,1927; *turgaicum* Rubtsov,1940
- 17428) Simulium (Wilhelmia) paraequinum Puri,1933** (Simuliidae) Synonym(s): *paraequinum* Puri,1933; *transcaucasicum* Rubtsov,1956

- 17429) Simulium (Wilhelmia) pseudequinum Seguy, 1921** (Simuliidae) Synonym(s): *pseudequinum* Seguy, 1921; *canariense* Séguy, 1921; *brnizense* Baranov, 1924; *mediterraneum* Puri, 1925; *stylatum* Baranov, 1926; *quartum* Baranov, 1926; *barbaricum* Séguy, 1930; *sulfuricola* Rivosecchi, 1972; *fluminicola* Rivosecchi, 1972
- 17430) Simulium (Wilhelmia) veltistshevi Rubtsov, 1940** (Simuliidae) Synonym(s): *veltistshevi* Rubtsov, 1940
- 17431) Sulcicnephia znoikoi (Rubtsov, 1940)** (Simuliidae) Synonym(s): *znoikoi* Rubtsov, 1940

SPERCHEIDAE

- 17432) Spercheus senegalensis Castelnau** (Spercheidae) Synonym(s):

SPHAEROCERIDAE

- 17433) Coproica ferruginata (Stenhammar, 1855)** (Sphaeroceridae) Synonym(s): *ferruginata* Stenhammar, 1855
- 17434) Coproica vagans (Haliday, 1833)** (Sphaeroceridae) Synonym(s): *vagans* Haliday, 1833; *opacula* Stenhammar, 1854; *albipennis* Rondani, 1880; *flava* Duda, 1918
- 17435) Copromyza (Crumomyia) glabrifrons (Meigen, 1830)** (Sphaeroceridae) Synonym(s): *glabrifrons* Meigen, 1830; *limbinervis* Rondani, 1880
- 17436) Leptocera (s.str.) fontinalis (Fallén, 1826)** (Sphaeroceridae) Synonym(s): *fontinalis* Fallén, 1826
- 17437) Leptocera (s.str.) nigra Olivier, 1813** (Sphaeroceridae) Synonym(s): *nigra* Olivier, 1813; *curvinervis* Stenhammar, 1854; *roralis* Rondani, 1880
- 17438) Minilimosina (Allolimosina) albinervis (Duda, 1918)** (Sphaeroceridae) Synonym(s): *albinervis* Duda, 1918
- 17439) Norrbomia marginatis (Adams, 1905)** (Sphaeroceridae) Synonym(s): *marginatis* Adams, 1905
- 17440) Norrbomia niveipennis (Duda, 1923)** (Sphaeroceridae) Synonym(s): *niveipennis* Duda, 1923; *parallelinervis* Duda, 1938; *tenuicalcar* Duda, 1938
- 17441) Norrbomia sordida (Zetterstedt, 1847)** (Sphaeroceridae) Synonym(s): *sordida* Zetterstedt, 1847; *nigritella* Zetterstedt, 1847; *bilineatus* Grimshaw, 1901; *brevisetus* Malloch, 1913; *minutus* Johnson, 1913
- 17442) Opacifrons coxata (Stenhammar, 1855)** (Sphaeroceridae) Synonym(s): *coxata* Stenhammar, 1855
- 17443) Puncticorpus cribratum (Villeneuve, 1918)** (Sphaeroceridae) Synonym(s): *cribratum* Villeneuve, 1918; *brevipennis* Duda, 1918
- 17444) Rachispoda acrosticalis (Becker, 1903)** (Sphaeroceridae) Synonym(s): *acrosticalis* Becker, 1903; *zernyi* Duda, 1924
- 17445) Rachispoda fuscipennis (Haliday, 1833)** (Sphaeroceridae) Synonym(s): *fuscipennis* Haliday, 1833; *oelandica* Stenhammar, 1854; *plurisetosa* Strobl, 1900; *intermedia* Duda, 1918
- 17446) Rachispoda hostica (Villeneuve, 1917)** (Sphaeroceridae) Synonym(s): *hostica* Villeneuve, 1917; *fuscolimosa* Duda, 1918
- 17447) Rachispoda intermedia (Duda, 1918)** (Sphaeroceridae) Synonym(s): *intermedia* Duda, 1918
- 17448) Rachispoda lutosa (Stenhammar, 1855)** (Sphaeroceridae) Synonym(s): *lutosa* Stenhammar, 1855
- 17449) Rachispoda lutosoidea (Duda, 1938)** (Sphaeroceridae) Synonym(s): *lutosoidea* Duda, 1938
- 17450) Rachispoda modesta (Duda, 1924)** (Sphaeroceridae) Synonym(s): *modesta* Duda, 1924
- 17451) Rachispoda varicornis (Strobl, 1900)** (Sphaeroceridae) Synonym(s): *varicornis* Strobl, 1900; *halidayi* Collin, 1902
- 17452) Terrilimosina racovitzi (Bezzi, 1911)** (Sphaeroceridae) Synonym(s): *racovitzi* Bezzi, 1911
- 17453) Thoracochaeta zosteræ (Haliday, 1833)** (Sphaeroceridae) Synonym(s): *zosteræ* Haliday, 1833; *fulvipes* Meigen, 1838; *setulosa* Zetterstedt, 1847; *piligera* Stenhammar, 1854; *ciliosa* Rondani, 1880; *sanctipauli* Séguy, 1940

SPHECIDAE

- 17454) Ammophila assimilis Kohl, 1901** (Sphecidae) Synonym(s): *assimilis* Kohl, 1901
- 17455) Ammophila barbara Lepeletier, 1845** (Sphecidae) Synonym(s): *barbara* Lepeletier, 1845; *semota* De Beaumont, 1967 [ssp.]
- 17456) Ammophila campestris Latreille, 1809** (Sphecidae) Synonym(s): *campestris* Latreille, 1809; *retusus* Gistel, 1848; *noexenus* F. Smith, 1856; ? *striaticollis* Morawitz, 1889; ? *nigrina* Morawitz, 1889; *slovaca* Zavadil, 1937
- 17457) Ammophila heydeni Dahlbom, 1845** (Sphecidae) Synonym(s): *heydeni* Dahlbom, 1845; *iberica* André, 1886
- 17458) Ammophila hungarica Mocsary, 1883** (Sphecidae) Synonym(s): *hungarica* Mocsary, 1883; *turcica* Mocsary, 1883; *hispanica* Mocsary, 1883; *fallax* Kohl, 1884

- 17459) *Ammophila sabulosa* (Linnaeus,1758)** (Sphecidae) Synonym(s): *sabulosa* Linnaeus,1758
17460) *Podalonia affinis* (W.Kirby,1798) (Sphecidae) Synonym(s): *affinis* W.Kirby,1798
17461) *Podalonia hirsuta* (Scopoli,1763) (Sphecidae) Synonym(s): *hirsuta* Scopoli,1763
17462) *Sceliphron* (Hensenia) *funestum* Kohl,1918 (Sphecidae) Synonym(s): *funestum* Kohl,1918
17463) *Sceliphron* (s.str.) *arabs* (Lepeletier,1845) (Sphecidae) Synonym(s): *arabs* Lepeletier,1845;
caucasicus André,1888
17464) *Sceliphron* (s.str.) *destillatorium* (Illiger,1807) (Sphecidae) Synonym(s): *flavipes* Christ,1791
nec Fabr.,1781; destillatorium Illiger,1807; *pensilis* Illiger,1807; *sardonius* Lepeletier,1845; *sardous* Caruccio,1872;
trinacriensis De Stefani Perez,1889
17465) *Sceliphron* (s.str.) *madraspatanum* (Fabricius,1781) (Sphecidae) Synonym(s):
madraspatanum Fabricius,1781; *interruptus* Palisot de Beauvois,1806; *bilineatus* F.Smith,1852; *separatus*
F.Smith,1852
17466) *Sceliphron* (s.str.) *sprifex* (Linnaeus,1758) (Sphecidae) Synonym(s): *sprifex* Linnaeus,1758;
aegyptius Linnaeus,1758; *atra* Scopoli,1786; *aegyptiacum* Dalla Torrwé,1897
17467) *Spheg flavipennis* Fabricius,1793 (Sphecidae) Synonym(s): *flavipennis* Fabricius,1793; *rufocinctus*
Brullé,1833; *bicolor* Dahlbom,1845; *cinereorufocinctus* Dahlbom,1845; *sellae* Gribodo,1873; *rufodorsatus*
DeStefani,1887

SPONGIPHORIDAE

- 17468) *Labia minor* (Linnaeus,1758)** (Spongiphoridae) Synonym(s): *minor* Linnaeus,1758
17469) *Isolabella graeca* (Verhoeff,1901) (Spongiphoridae) Synonym(s): *graeca* Verhoeff,1901
17470) *Isolaboides kosswigi* (Burr,1947) (Spongiphoridae) Synonym(s): *kosswigi* Burr,1947

STAPHYLINIDAE

- 17471) *Acidota brevis* Assing,2004** (Staphylinidae) Synonym(s): *brevis* Assing,2004
17472) *Acidota crenata* (Fabricius,1793) (Staphylinidae) Synonym(s): *crenata* Fabricius,1793
17473) *Acrolocha amabilis* (Heer,1841) (Staphylinidae) Synonym(s): *amabilis* Heer,1841
17474) *Acrotona exigua* (Erichson,1837) (Staphylinidae) Synonym(s): *exigua* Erichson,1837
17475) *Acrotona muscorum* (Brisout,1860) (Staphylinidae) Synonym(s): *muscorum* Brisout,1860
17476) *Acrotona obfuscata* (Gravenhorst,1802) (Staphylinidae) Synonym(s): *obfuscata*
Gravenhorst,1802
17477) *Acrotona orbata* (Erichson,1837) (Staphylinidae) Synonym(s): *orbata* Erichson,1837
17478) *Acrotona parvula* (Mannerheim,1830) (Staphylinidae) Synonym(s): *parvula* Mannerheim,1830
17479) *Acrotona piceorufa* (Mulsant & Rey,1873) (Staphylinidae) Synonym(s): *piceorufa* Mulsant &
Rey,1873
17480) *Acrotona pygmaea* (Gravenhorst,1802) (Staphylinidae) Synonym(s): *pygmaea*
Gravenhorst,1802
17481) *Aleochara albopila* (Mulsant & Rey,1852) (Staphylinidae) Synonym(s): *albopila* Mulsant &
Rey,1852
17482) *Aleochara bellonata* Krasa,1922 (Staphylinidae) Synonym(s): *bellonata* Krasa,1922
17483) *Aleochara bilineata* Gyllenhal,1810 (Staphylinidae) Synonym(s): *bilineata* Gyllenhal,1810
17484) *Aleochara bipustulata* (Linnaeus,1761) (Staphylinidae) Synonym(s): *bipustulata* Linnaeus,1761
17485) *Aleochara bituberculata* Bernhauer,1900 (Staphylinidae) Synonym(s): *bituberculata*
Bernhauer,1900
17486) *Aleochara bodemeyeri* Bernhauer,1900 (Staphylinidae) Synonym(s): *bodemeyeri*
Bernhauer,1900
17487) *Aleochara brevipennis* Gravenhorst,1806 (Staphylinidae) Synonym(s): *brevipennis*
Gravenhorst,1806
17488) *Aleochara caloderoides* Assing,2007 (Staphylinidae) Synonym(s): *caloderoides* Assing,2007
17489) *Aleochara clavicornis* Redtenbacher,1849 (Staphylinidae) Synonym(s): *clavicornis*
Redtenbacher,1849
17490) *Aleochara cuniculorum* Kraatz,1864 (Staphylinidae) Synonym(s): *cuniculorum* Kraatz,1864
17491) *Aleochara curtula* (Goeze,1777) (Staphylinidae) Synonym(s): *curtula* Goeze,1777
17492) *Aleochara discipennis* Mulsant & Rey,1853 (Staphylinidae) Synonym(s): *discipennis* Mulsant &
Rey,1853
17493) *Aleochara egregia* Apfelbeck,1906 (Staphylinidae) Synonym(s): *egregia* Apfelbeck,1906
17494) *Aleochara erythroptera* Gravenhorst,1806 (Staphylinidae) Synonym(s): *erythroptera*
Gravenhorst,1806
17495) *Aleochara fumata* Gravenhorst,1802 (Staphylinidae) Synonym(s): *fumata* Gravenhorst,1802
17496) *Aleochara funebris* Wollaston,1864 (Staphylinidae) Synonym(s): *funebris* Wollaston,1864

- 17497) *Aleochara haematoptera* Kraatz,1858 (Staphylinidae) Synonym(s): *haematoptera* Kraatz,1858
 17498) *Aleochara heeri* Likovsky,1982 (Staphylinidae) Synonym(s): *heeri* Likovsky,1982
 17499) *Aleochara honesta* Likovsky,1973 (Staphylinidae) Synonym(s): *honesta* Likovsky,1973
 17500) *Aleochara ignipennis* Fauvel,1900 (Staphylinidae) Synonym(s): *ignipennis* Fauvel,1900
 17501) *Aleochara inconspicua* Aubé,1850 (Staphylinidae) Synonym(s): *inconspicua* Aubé,1850
 17502) *Aleochara intricata* Mannerheim,1830 (Staphylinidae) Synonym(s): *intricata* Mannerheim,1830
 17503) *Aleochara laevigata* Gyllenhal,1810 (Staphylinidae) Synonym(s): *laevigata* Gyllenhal,1810
 17504) *Aleochara lanuginosa* Gravenhorst,1802 (Staphylinidae) Synonym(s): *lanuginosa* Gravenhorst,1802
 17505) *Aleochara lata* Gravenhorst,1802 (Staphylinidae) Synonym(s): *lata* Gravenhorst,1802
 17506) *Aleochara laticornis* Kraatz,1856 (Staphylinidae) Synonym(s): *laticornis* Kraatz,1856
 17507) *Aleochara leptocera* Eppelsheim,1889 (Staphylinidae) Synonym(s): *leptocera* Eppelsheim,1889
 17508) *Aleochara lurida* Motschoulsky,1860 (Staphylinidae) Synonym(s): *lurida* Motschoulsky,1860
 17509) *Aleochara lygaea* Kraatz,1862 (Staphylinidae) Synonym(s): *lygaea* Kraatz,1862
 17510) *Aleochara maculata* Brisout,1863 (Staphylinidae) Synonym(s): *maculata* Brisout,1863
 17511) *Aleochara maculipennis* Baudi di Selve,1857 (Staphylinidae) Synonym(s): *maculipennis* Baudi di Selve,1857
 17512) *Aleochara membranosa* Assing,2007 (Staphylinidae) Synonym(s): *membranosa* Assing,2007
 17513) *Aleochara milleri* Kraatz,1862 (Staphylinidae) Synonym(s): *milleri* Kraatz,1862
 17514) *Aleochara moerens* Gyllenhal,1827 (Staphylinidae) Synonym(s): *moerens* Gyllenhal,1827
 17515) *Aleochara moesta* Gravenhorst,1802 (Staphylinidae) Synonym(s): *moesta* Gravenhorst,1802
 17516) *Aleochara ocaleoides* (Bernhauer,1902) (Staphylinidae) Synonym(s): *ocaleoides* Bernhauer,1902
 17517) *Aleochara plicata* Lokay,1907 (Staphylinidae) Synonym(s): *plicata* Lokay,1907
 17518) *Aleochara puberula* Klug,1832 (Staphylinidae) Synonym(s): *puberula* Klug,1832
 17519) *Aleochara spadicea* (Erichson,1837) (Staphylinidae) Synonym(s): *spadicea* Erichson,1837
 17520) *Aleochara sparsa* Heer,1839 (Staphylinidae) Synonym(s): *sparsa* Heer,1839
 17521) *Aleochara spissicornis* Erichson,1839 (Staphylinidae) Synonym(s): *spissicornis* Erichson,1839
 17522) *Aleochara stichai* Likovsky,1965 (Staphylinidae) Synonym(s): *Likovsky*,1965
 17523) *Aleochara subtumida* (Hochhuth,1849) (Staphylinidae) Synonym(s): *subtumida* Hochhuth,1849
 17524) *Aleochara tristis* Gravenhorst,1806 (Staphylinidae) Synonym(s): *tristis* Gravenhorst,1806
 17525) *Aleochara verna* Say,1833 (Staphylinidae) Synonym(s): *verna* Say,1833
 17526) *Alevonota egregia* (Rye,1876) (Staphylinidae) Synonym(s): *egregia* Rye,1876
 17527) *Alevonota gracilentia* (Erichson,1839) (Staphylinidae) Synonym(s): *gracilentia* Erichson,1839
 17528) *Alevonota libanotica* (Fagel,1965) (Staphylinidae) Synonym(s): *libanotica* Fagel,1965
 17529) *Alevonota rufotestacea* (Kraatz,1856) (Staphylinidae) Synonym(s): *rufotestacea* Kraatz,1856
 17530) *Aloconota cambrica* (Wollaston,1855) (Staphylinidae) Synonym(s): *cambrica* Wollaston,1855
 17531) *Aloconota debilicornis* (Erichson,1839) (Staphylinidae) Synonym(s): *debilicornis* Erichson,1839
 17532) *Aloconota gregaria* (Erichson,1839) (Staphylinidae) Synonym(s): *gregaria* Erichson,1839
 17533) *Aloconota hydrocephalica* Eppelsheim,1878 (Staphylinidae) Synonym(s): *hydrocephalica* Eppelsheim,1878
 17534) *Aloconota mediterranea* (Benick,1941) (Staphylinidae) Synonym(s): *mediterranea* Benick,1941
 17535) *Aloconota subgrandis* (Brudin,1954) (Staphylinidae) Synonym(s): *subgrandis* Brudin,1954
 17536) *Aloconota sulcifrons* (Stephens,1832) (Staphylinidae) Synonym(s): *sulcifrons* Stephens,1832
 17537) *Amarochara bonnairei* (Fauvel,1865) (Staphylinidae) Synonym(s): *bonnairei* Fauvel,1865
 17538) *Amarochara forticornis* (Lacordaire,1835) (Staphylinidae) Synonym(s): *forticornis* Lacordaire,1835
 17539) *Amarochara siculifera* Assing,2002 (Staphylinidae) Synonym(s): *siculifera* Assing,2002
 17540) *Amarochara wunderlei* Assing,2003 (Staphylinidae) Synonym(s): *wunderlei* Assing,2003
 17541) *Amischa analis* (Gravenhorst,1802) (Staphylinidae) Synonym(s): *analis* Gravenhorst,1802
 17542) *Amischa bifoveolata* (Mannerheim,1830) (Staphylinidae) Synonym(s): *bifoveolata* Mannerheim,1830
 17543) *Amischa decipiens* (Sharp,1869) (Staphylinidae) Synonym(s): *decipiens* Sharp,1869
 17544) *Amischa filum* (Mulsant & Rey,1870) (Staphylinidae) Synonym(s): *filum* Mulsant & Rey,1870
 17545) *Amischa forcipata* Mulsant & Rey,1873 (Staphylinidae) Synonym(s): *forcipata* Mulsant & Rey,1873
 17546) *Amischa nigrofusca* Stephens,1832 (Staphylinidae) Synonym(s): *nigrofusca* Stephens,1832
 17547) *Anaulacaspis anatolica* (Fagel,1969) (Staphylinidae) Synonym(s): *anatolica* Fagel,1969
 17548) *Anaulacaspis jonica* (Bernhauer,1910) (Staphylinidae) Synonym(s): *jonica* Bernhauer,1910
 17549) *Anaulacaspis nigra* (Gravenhorst,1802) (Staphylinidae) Synonym(s): *nigra* Gravenhorst,1802
 17550) *Anaulacaspis nigrina* Assing,2001 (Staphylinidae) Synonym(s): *nigrina* Assing,2001
 17551) *Anaulacaspis pamphylica* (Fagel,1989) (Staphylinidae) Synonym(s): *pamphylica* Fagel,1989

- 17552) *Anomognathus tricuspis* (Eppelsheim,1884)** (Staphylinidae) Synonym(s): *tricuspis* Eppelsheim,1884
- 17553) *Anthobium abantense* (Fagel,1968)** (Staphylinidae) Synonym(s): *abantense* Fagel,1968
- 17554) *Anthobium anatolicum* (Fagel,1968)** (Staphylinidae) Synonym(s): *anatolicum* Fagel,1968
- 17555) *Anthobium atrocephalum* (Gyllenhal,1827)** (Staphylinidae) Synonym(s): *atrocephalum* Gyllenhal,1827
- 17556) *Anthobium fuscum* (Erichson,1839)** (Staphylinidae) Synonym(s): *fuscum* Erichson,1839
- 17557) *Anthobium melanocephalum* (Illiger,1794)** (Staphylinidae) Synonym(s): *melanocephalum* Illiger,1794
- 17558) *Anthophagus ilgazicus* Coiffait,1981** (Staphylinidae) Synonym(s): *ilgazicus* Coiffait,1981
- 17559) *Anthophagus schatzmayri* Koch,1933** (Staphylinidae) Synonym(s): *schatzmayri* Koch,1933
- 17560) *Arrhenopeplus turcicus* (Coiffait,1958)** (Staphylinidae) Synonym(s): *turcicus* Coiffait,1958
- 17561) *Atheta aegra* (Heer,1841)** (Staphylinidae) Synonym(s): *aegra* Heer,1841
- 17562) *Atheta aeneicollis* (Sharp,1869)** (Staphylinidae) Synonym(s): *aeneicollis* Sharp,1869
- 17563) *Atheta aeneipennis* (Thomson,1856)** (Staphylinidae) Synonym(s): *aeneipennis* Thomson,1856
- 17564) *Atheta akiensis* Assing,2006** (Staphylinidae) Synonym(s): *akiensis* Assing,2006
- 17565) *Atheta atramentaria* (Gyllenhal,1810)** (Staphylinidae) Synonym(s): *atramentaria* Gyllenhal,1810
- 17566) *Atheta atricolor* (Sharp,1869)** (Staphylinidae) Synonym(s): *atricolor* Sharp,1869
- 17567) *Atheta attaleensis* Page,2004** (Staphylinidae) Synonym(s): *attaleensis* Page,2004
- 17568) *Atheta balcanicola* Scheerpeltz,1968** (Staphylinidae) Synonym(s): *balcanicola* Scheerpeltz,1968
- 17569) *Atheta benickiella* Brundin,1948** (Staphylinidae) Synonym(s): *benickiella* Brundin,1948
- 17570) *Atheta bifoveata* Benick,1981** (Staphylinidae) Synonym(s): *bifoveata* Benick,1981
- 17571) *Atheta britanniae* Bernhauer & Scheerpeltz,1926** (Staphylinidae) Synonym(s): *britanniae* Bernhauer & Scheerpeltz,1926
- 17572) *Atheta brunnicolor* Benick,1981** (Staphylinidae) Synonym(s): *brunnicolor* Benick,1981
- 17573) *Atheta cambrica* (Wollaston,1855)** (Staphylinidae) Synonym(s): *cambrica* Wollaston,1855
- 17574) *Atheta castanoptera* (Mannerheim,1840)** (Staphylinidae) Synonym(s): *castanoptera* Mannerheim,1840
- 17575) *Atheta celata* (Erichson,1837)** (Staphylinidae) Synonym(s): *celata* Erichson,1837
- 17576) *Atheta chefsurica* (Eppelsheim,1880)** (Staphylinidae) Synonym(s): *chefsurica* Eppelsheim,1880
- 17577) *Atheta cinnamoptera* (Thomson,1856)** (Staphylinidae) Synonym(s): *cinnamoptera* Thomson,1856
- 17578) *Atheta circassica* Bernhauer,1900** (Staphylinidae) Synonym(s): *circassica* Bernhauer,1900
- 17579) *Atheta crassicornis* (Fabricius,1793)** (Staphylinidae) Synonym(s): *crassicornis* Fabricius,1793
- 17580) *Atheta dadopora* Thomson,1867** (Staphylinidae) Synonym(s): *dadopora* Thomson,1867
- 17581) *Atheta dissimulans* Assing,2007** (Staphylinidae) Synonym(s): *dissimulans* Assing,2007
- 17582) *Atheta epirotica* Benick,1981** (Staphylinidae) Synonym(s): *epirotica* Benick,1981
- 17583) *Atheta episcopalis* Bernhauer,1910** (Staphylinidae) Synonym(s): *episcopalis* Bernhauer,1910
- 17584) *Atheta fimorum* (Brisout,1860)** (Staphylinidae) Synonym(s): *fimorum* Brisout,1860
- 17585) *Atheta flagellicornis* Bencik,1967** (Staphylinidae) Synonym(s): *flagellicornis* Bencik,1967
- 17586) *Atheta foveicollis* (Kraatz,1856)** (Staphylinidae) Synonym(s): *foveicollis* Kraatz,1856
- 17587) *Atheta fungi* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *fungi* Gravenhorst,1806
- 17588) *Atheta fungicola* (Thomson,1852)** (Staphylinidae) Synonym(s): *fungicola* Thomson,1852
- 17589) *Atheta fuscicolor* Benick,1943** (Staphylinidae) Synonym(s): *fuscicolor* Benick,1943
- 17590) *Atheta gagatina* (Baudi di Selve,1848)** (Staphylinidae) Synonym(s): *gagatina* Baudi di Selve,1848
- 17591) *Atheta harwoodi* Williams,1930** (Staphylinidae) Synonym(s): *harwoodi* Williams,1930
- 17592) *Atheta hypnorum* (Kiesenwetter,1850)** (Staphylinidae) Synonym(s): *hypnorum* Kiesenwetter,1850
- 17593) *Atheta incisicollis* Benick,1981** (Staphylinidae) Synonym(s): *incisicollis* Benick,1981
- 17594) *Atheta judith* (Saulcy,1865)** (Staphylinidae) Synonym(s): *judith* Saulcy,1865
- 17595) *Atheta laevana* (Mulsant & Rey,1852)** (Staphylinidae) Synonym(s): *laevana* Mulsant & Rey,1852
- 17596) *Atheta laevigata* (Hochhuth,1849)** (Staphylinidae) Synonym(s): *laevigata* Hochhuth,1849
- 17597) *Atheta laterotundata* Benick,1943** (Staphylinidae) Synonym(s): *laterotundata* Benick,1943
- 17598) *Atheta lindbergiana* Scheerpeltz,1958** (Staphylinidae) Synonym(s): *lindbergiana* Scheerpeltz,1958
- 17599) *Atheta longicornis* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *longicornis* Gravenhorst,1802
- 17600) *Atheta luctuosa* (Mulsant & Rey,1853)** (Staphylinidae) Synonym(s): *luctuosa* Mulsant & Rey,1853
- 17601) *Atheta luridipennis* Mannerheim,1830** (Staphylinidae) Synonym(s): *luridipennis* Mannerheim,1830
- 17602) *Atheta lyciana* Assing,2003** (Staphylinidae) Synonym(s): *lyciana* Assing,2003
- 17603) *Atheta mucronata* (Kraatz,1859)** (Staphylinidae) Synonym(s): *mucronata* Kraatz,1859
- 17604) *Atheta nigrifulva* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *nigrifulva* Gravenhorst,1802

- 17605) *Atheta oblita* (Erichson,1839) (Staphylinidae) Synonym(s): *oblita* Erichson,1839
- 17606) *Atheta occulta* (Erichson,1837) (Staphylinidae) Synonym(s): *occulta* Erichson,1837
- 17607) *Atheta oraria* (Kraatz,1856) (Staphylinidae) Synonym(s): *oraria* Kraatz,1856
- 17608) *Atheta ornata* Benick,1943 (Staphylinidae) Synonym(s): *ornata* Benick,1943
- 17609) *Atheta pannicula* Benick,1981 (Staphylinidae) Synonym(s): *pannicula* Benick,1981
- 17610) *Atheta pittionii* Scheerpeltz,1950 (Staphylinidae) Synonym(s): *pittionii* Scheerpeltz,1950
- 17611) *Atheta schneideri* (Eppelsheim,1889) (Staphylinidae) Synonym(s): *schneideri* Eppelsheim,1889
- 17612) *Atheta scrobicollis* (Kraatz,1859) (Staphylinidae) Synonym(s): *scrobicollis* Kraatz,1859
- 17613) *Atheta sequanica* (Brisout,1860) (Staphylinidae) Synonym(s): *sequanica* Brisout,1860
- 17614) *Atheta singularis* Bernhauer,1912 (Staphylinidae) Synonym(s): *singularis* Bernhauer,1912
- 17615) *Atheta sodalis* (Erichson,1837) (Staphylinidae) Synonym(s): *sodalis* Erichson,1837
- 17616) *Atheta sordidula* (Erichson,1837) (Staphylinidae) Synonym(s): *sordidula* Erichson,1837
- 17617) *Atheta speculum* (Kraatz,1856) (Staphylinidae) Synonym(s): *speculum* Kraatz,1856
- 17618) *Atheta subtilis* (Scriba,1866) (Staphylinidae) Synonym(s): *subtilis* Scriba,1866
- 17619) *Atheta surda* Likovsky,1984 (Staphylinidae) Synonym(s): *surda* Likovsky,1984
- 17620) *Atheta testaceipes* (Heer,1839) (Staphylinidae) Synonym(s): *testaceipes* Heer,1839
- 17621) *Atheta tmolosensis* Bernhauer,1940 (Staphylinidae) Synonym(s): *tmolosensis* Bernhauer,1940
- 17622) *Atheta triangulum* (Kraatz,1856) (Staphylinidae) Synonym(s): *triangulum* Kraatz,1856
- 17623) *Atheta turcica* Benick,1981 (Staphylinidae) Synonym(s): *turcica* Benick,1981
- 17624) *Atheta volans* (Scriba,1859) (Staphylinidae) Synonym(s): *volans* Scriba,1859
- 17625) *Autalia impressa* (Olivier,1795) (Staphylinidae) Synonym(s): *impressa* Olivier,1795
- 17626) *Autalia inopinata* Assing,2003 (Staphylinidae) Synonym(s): *inopinata* Assing,2003
- 17627) *Autalia longicornis* Scheerpeltz,1947 (Staphylinidae) Synonym(s): *longicornis* Scheerpeltz,1947
- 17628) *Autalia puncticollis* Sharp,1864 (Staphylinidae) Synonym(s): *puncticollis* Sharp,1864
- 17629) *Autalia rivularis* (Gravenhorst,1802) (Staphylinidae) Synonym(s): *rivularis* Gravenhorst,1802
- 17630) *Batrisodes buqueti* (Aubé,1833) (Staphylinidae) Synonym(s): *buqueti* Aubé,1833
- 17631) *Batrisodes clypeatus* Besuchet,1981 (Staphylinidae) Synonym(s): *clypeatus* Besuchet,1981
- 17632) *Batrisodes insularis* (Baudi di Selve,1870) (Staphylinidae) Synonym(s): *insularis* Baudi di Selve,1870
- 17633) *Batrisodes oculatus* (Aubé,1833) (Staphylinidae) Synonym(s): *oculatus* Aubé,1833
- 17634) *Batrisus taurus* Besuchet,1979 (Staphylinidae) Synonym(s): *tauricus* Besuchet,1979 (*praeocc.*); *taurus* Besuchet,1979
- 17635) *Bergrothia saulcyi* (Reitter,1877) (Staphylinidae) Synonym(s): *saulcyi* Reitter,1877; *tibialis* Hlavac,1999
- 17636) *Bergrothia solodovnikovi* Hlavac,2004 (Staphylinidae) Synonym(s): *solodovnikovi* Hlavac,2004
- 17637) *Biblopectus boveyi* Besuchet,1975 (Staphylinidae) Synonym(s): *boveyi* Besuchet,1975
- 17638) *Biblopectus delhermi* Guillebeau,1888 (Staphylinidae) Synonym(s): *delhermi* Guillebeau,1888
- 17639) *Biblopectus hellenicus* Besuchet,1955 (Staphylinidae) Synonym(s): *hellenicus* Besuchet,1955
- 17640) *Biblopectus hungaricus* Besuchet,1955 (Staphylinidae) Synonym(s): *hungaricus* Besuchet,1955
- 17641) *Biblopectus jeanneli* Besuchet,1955 (Staphylinidae) Synonym(s): *jeanneli* Besuchet,1955
- 17642) *Biblopectus limatus* Normand,1939 (Staphylinidae) Synonym(s): *limatus* Normand,1939
- 17643) *Biblopectus parvulus* Besuchet,1975 (Staphylinidae) Synonym(s): *parvulus* Besuchet,1975
- 17644) *Biblopectus pauxillus* Besuchet,1975 (Staphylinidae) Synonym(s): *pauxillus* Besuchet,1975
- 17645) *Biblopectus pusillus* (Denny,1825) (Staphylinidae) Synonym(s): *pusillus* Denny,1825
- 17646) *Biblopectus spinosus* Raffray,1914 (Staphylinidae) Synonym(s): *spinosus* Raffray,1914
- 17647) *Biblopectus subtilis* Besuchet,1975 (Staphylinidae) Synonym(s): *subtilis* Besuchet,1975
- 17648) *Biblopectus tantulus* Besuchet,1975 (Staphylinidae) Synonym(s): *tantulus* Besuchet,1975
- 17649) *Biblopectus tener* Besuchet,1975 (Staphylinidae) Synonym(s): *tener* Besuchet,1975
- 17650) *Bibloporus variicolor* Reitter,1882 (Staphylinidae) Synonym(s): *variicolor* Reitter,1882
- 17651) *Bolitobius castaneus* (Stephens,1832) (Staphylinidae) Synonym(s): *castaneus* Stephens,1832
- 17652) *Bolitobius insignis* Hochhuth,1849 (Staphylinidae) Synonym(s): *insignis* Hochhuth,1849
- 17653) *Bolitochara bella* Maerker,1844 (Staphylinidae) Synonym(s): *bella* Maerker,1844
- 17654) *Bolitochara laufferi* Bernhauer,1908 (Staphylinidae) Synonym(s): *laufferi* Bernhauer,1908
- 17655) *Bolitochara obliqua* Erichson,1837 (Staphylinidae) Synonym(s): *obliqua* Erichson,1837
- 17656) *Boreaphilus velox* (Heer,1839) (Staphylinidae) Synonym(s): *velox* Heer,1839
- 17657) *Brachygluta abrupta* Doderer,1919 (Staphylinidae) Synonym(s): *abrupta* Doderer,1919
- 17658) *Brachygluta antalyana* Brachat,2004 (Staphylinidae) Synonym(s): *antalyana* Brachat,2004
- 17659) *Brachygluta balcanica* (Saulcy,1878) (Staphylinidae) Synonym(s): *balcanica* Saulcy,1878
- 17660) *Brachygluta cavernosa* (Saulcy,1876) (Staphylinidae) Synonym(s): *cavernosa* Saulcy,1876
- 17661) *Brachygluta fossulata* (Reichenbach,1816) (Staphylinidae) Synonym(s): *fossulata* Reichenbach,1816
- 17662) *Brachygluta foveola* (Motschoulsky,1840) (Staphylinidae) Synonym(s): *foveola* Motschoulsky,1840; *symmetrica* Bückle & Brachat,2007

- 17663) *Brachygluta furcata* (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *furcata* Motschoulsky,1835
- 17664) *Brachygluta helferi* (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884
- 17665) *Brachygluta jessica* Brachat,2004** (Staphylinidae) Synonym(s): *jessica* Brachat,2004
- 17666) *Brachygluta kurdica* Besuchet,2004** (Staphylinidae) Synonym(s): *kurdica* Besuchet,2004
- 17667) *Brachygluta nodosa* (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *nodosa* Motschoulsky,1835
- 17668) *Brachygluta paludosa* (Peyron,1858)** (Staphylinidae) Synonym(s): *paludosa* Peyron,1858
- 17669) *Brachygluta pamphylica* Brachat,2004** (Staphylinidae) Synonym(s): *pamphylica* Brachat,2004
- 17670) *Brachygluta presli* (Schmidt-Göbl,1838)** (Staphylinidae) Synonym(s): *presli* Schmidt-Göbl,1838
- 17671) *Brachygluta retowskii* (Simon,1883)** (Staphylinidae) Synonym(s): *retowskii* Simon,1883
- 17672) *Brachygluta spinicoxis* (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *spinicoxis* Motschoulsky,1835; *fuchsi* Paganetti-Hummler,1899
- 17673) *Brachygluta sursicauda* (Ganglbauer,1900)** (Staphylinidae) Synonym(s): *sursicauda* Ganglbauer,1900
- 17674) *Brachygluta transversalis* (Schaum,1859)** (Staphylinidae) Synonym(s): *transversalis* Schaum,1859
- 17675) *Brachygluta xanthoptera* (Reichenbach,1816)** (Staphylinidae) Synonym(s): *xanthoptera* Reichenbach,1816
- 17676) *Brachygnathellus loebli* Zerche,1991** (Staphylinidae) Synonym(s): *loebli* Zerche,1991
- 17677) *Bryaxis abastumanus* (Reitter,1890)** (Staphylinidae) Synonym(s): *abastumanus* Reitter,1890
- 17678) *Bryaxis amasiae* (Reitter,1890)** (Staphylinidae) Synonym(s): *amasiae* Reitter,1890
- 17679) *Bryaxis anatolicus* (Saulcy,1878)** (Staphylinidae) Synonym(s): *anatolicus* Saulcy,1878
- 17680) *Bryaxis artvinensis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *artvinensis* Besuchet & Kurbatov,2007
- 17681) *Bryaxis assingi* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *assingi* Besuchet & Kurbatov,2007
- 17682) *Bryaxis balabanus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *balabanus* Besuchet & Kurbatov,2007
- 17683) *Bryaxis bodemeyeri* (Reitter,1903)** (Staphylinidae) Synonym(s): *bodemeyeri* Reitter,1903
- 17684) *Bryaxis borckensis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *borckensis* Besuchet & Kurbatov,2007
- 17685) *Bryaxis bulbifer* (Reichenbach,1816)** (Staphylinidae) Synonym(s): *bulbifer* Reichenbach,1816
- 17686) *Bryaxis curtisii* (Leach,1817)** (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952
- 17687) *Bryaxis emendatus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *emendatus* Besuchet & Kurbatov,2007
- 17688) *Bryaxis euryscapus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *euryscapus* Besuchet & Kurbatov,2007
- 17689) *Bryaxis immodicus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *immodicus* Besuchet & Kurbatov,2007
- 17690) *Bryaxis khnzoriani* Besuchet,1964** (Staphylinidae) Synonym(s): *khnzoriani* Besuchet,1964
- 17691) *Bryaxis lazistanicus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *lazistanicus* Besuchet & Kurbatov,2007
- 17692) *Bryaxis longipalpis* (Motschoulsky,1835)** (Staphylinidae) Synonym(s): *longipalpis* Motschoulsky,1835
- 17693) *Bryaxis meskischesianus* Meggiolaro,1966** (Staphylinidae) Synonym(s): *meskischesianus* Meggiolaro,1966
- 17694) *Bryaxis mohamedis* (Reitter,1903)** (Staphylinidae) Synonym(s): *mohamedis* Reitter,1903
- 17695) *Bryaxis multiplex* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *multiplex* Besuchet & Kurbatov,2007
- 17696) *Bryaxis nivarius* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *nivarius* Besuchet & Kurbatov,2007
- 17697) *Bryaxis orcinus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *orcinus* Besuchet & Kurbatov,2007
- 17698) *Bryaxis osellai* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *osellai* Besuchet & Kurbatov,2007
- 17699) *Bryaxis pachyscelis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *pachyscelis* Besuchet & Kurbatov,2007
- 17700) *Bryaxis polemon* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *polemon* Besuchet & Kurbatov,2007
- 17701) *Bryaxis ponticus* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *ponticus* Besuchet & Kurbatov,2007

- 17702) *Bryaxis pulchrotibialis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *pulchrotibialis* Besuchet & Kurbatov,2007
- 17703) *Bryaxis schuelkei* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *schuelkei* Besuchet & Kurbatov,2007
- 17704) *Bryaxis schusteri* Neuhäuser-Happe,1999** (Staphylinidae) Synonym(s): *schusteri* Neuhäuser-Happe,1999
- 17705) *Bryaxis silvicola* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *silvicola* Besuchet & Kurbatov,2007
- 17706) *Bryaxis steindachneri* (Reitter,1881)** (Staphylinidae) Synonym(s): *steindachneri* Reitter,1881
- 17707) *Bryaxis temporalis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *temporalis* Besuchet & Kurbatov,2007
- 17708) *Bryaxis tenuicornis* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *tenuicornis* Besuchet & Kurbatov,2007
- 17709) *Bryaxis theanus* (Reitter,1894)** (Staphylinidae) Synonym(s): *theanus* Reitter,1894
- 17710) *Bryaxis transitorius* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *transitorius* Besuchet & Kurbatov,2007
- 17711) *Bryaxis viti* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *viti* Besuchet & Kurbatov,2007
- 17712) *Bryaxis ypsilon* Besuchet & Kurbatov,2007** (Staphylinidae) Synonym(s): *ypsilon* Besuchet & Kurbatov,2007
- 17713) *Bryophacis rugipennis* (Pandellé,1869)** (Staphylinidae) Synonym(s): *rugipennis* Pandellé,1869
- 17714) *Bryoporus Kraatz,1858*** (Staphylinidae) Synonym(s): *Bryoporus* Kraatz,1858
- 17715) *Bryoporus multipunctus* Hampe,1867** (Staphylinidae) Synonym(s): *multipunctus* Hampe,1867
- 17716) *Bythinus balkanicus* Reitter,1885** (Staphylinidae) Synonym(s): *balkanicus* Reitter,1885
- 17717) *Bythinus gracilis* Motschoulsky,1851** (Staphylinidae) Synonym(s): *gracilis* Motschoulsky,1851
- 17718) *Bythinus parvipenis* Meggiolaro,1966** (Staphylinidae) Synonym(s): *parvipenis* Meggiolaro,1966
- 17719) *Bythinus securiger* (Reichenbach,1816)** (Staphylinidae) Synonym(s): *securiger* Reichenbach,1816
- 17720) *Bythinus vicinus* Besuchet,1960** (Staphylinidae) Synonym(s): *vicinus* Besuchet,1960
- 17721) *Callicerus ridigicornis* (Erichson,1839)** (Staphylinidae) Synonym(s): *ridigicornis* Erichson,1839
- 17722) *Calodera ligula* Assing,1996** (Staphylinidae) Synonym(s): *ligula* Assing,1996
- 17723) *Calodera meyhohmi* Assing,2004** (Staphylinidae) Synonym(s): *meyhohmi* Assing,2004
- 17724) *Caloderina hierosolymitana* (Saulcy,1865)** (Staphylinidae) Synonym(s): *hierosolymitana* Saulcy,1865
- 17725) *Chaetosogonocephus adventicius* Assing,2004** (Staphylinidae) Synonym(s): *adventicius* Assing,2004
- 17726) *Chennium prometheus* Saulcy,1875** (Staphylinidae) Synonym(s): *prometheus* Saulcy,1875
- 17727) *Cilea silphoides* (Linnaeus,1767)** (Staphylinidae) Synonym(s): *silphoides* Linnaeus,1767
- 17728) *Claviger caspicus* Reitter,1882** (Staphylinidae) Synonym(s): *caspicus* Reitter,1882
- 17729) *Claviger ciscaucasicus* Reitter,1910** (Staphylinidae) Synonym(s): *ciscaucasicus* Reitter,1910
- 17730) *Claviger colchicus* Motschoulsky,1837** (Staphylinidae) Synonym(s): *colchicus* Motschoulsky,1837
- 17731) *Claviger katharinae* Escherich,1897** (Staphylinidae) Synonym(s): *katharinae* Escherich,1897
- 17732) *Claviger lederi* Reitter,1877** (Staphylinidae) Synonym(s): *lederi* Reitter,1877
- 17733) *Claviger merkli* Reitter,1885** (Staphylinidae) Synonym(s): *merkli* Reitter,1885
- 17734) *Claviger olympicus* Escherich,1897** (Staphylinidae) Synonym(s): *olympicus* Escherich,1897
- 17735) *Claviger ottomanus* Escherich,1897** (Staphylinidae) Synonym(s): *ottomanus* Escherich,1897
- 17736) *Claviger testaceus* Preyssler,1790** (Staphylinidae) Synonym(s): *testaceus* Preyssler,1790
- 17737) *Coprophilus pennifer* (Motschulsky,1845)** (Staphylinidae) Synonym(s): *pennifer* Motschulsky,1845
- 17738) *Coproporus colchicus* Kraatz,1858** (Staphylinidae) Synonym(s): *colchicus* Kraatz,1858
- 17739) *Cordalia anatolica* Assing,2001** (Staphylinidae) Synonym(s): *anatolica* Assing,2001
- 17740) *Cordalia fortepunctata* Assing,2006** (Staphylinidae) Synonym(s): *fortepunctata* Assing,2006
- 17741) *Cordalia obscura* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *obscura* Gravenhorst,1802
- 17742) *Cordalia rosei* Assing,2006** (Staphylinidae) Synonym(s): *rosei* Assing,2006
- 17743) *Coryphiodes anaticum* (Fagel,1971)** (Staphylinidae) Synonym(s): *anaticum* Fagel,1971
- 17744) *Coryphium turcicum* Zerche,1993** (Staphylinidae) Synonym(s): *turcicum* Zerche,1993
- 17745) *Coryphium uludaghense* Fagel,1971** (Staphylinidae) Synonym(s): *uludaghense* Fagel,1971
- 17746) *Cousya bicolor* (Bernhauer,1900)** (Staphylinidae) Synonym(s): *bicolor* Bernhauer,1900
- 17747) *Cousya crocea* Assing,2004** (Staphylinidae) Synonym(s): *crocea* Assing,2004
- 17748) *Cousya nigrata* (Fairmaire & Laboulbene,1856)** (Staphylinidae) Synonym(s): *nigrata* Fairmaire & Laboulbene,1856
- 17749) *Cousya schuelkei* Assing,2007** (Staphylinidae) Synonym(s): *schuelkei* Assing,2007
- 17750) *Cryptobium chaudoiri* Hochhuth,1851** (Staphylinidae) Synonym(s): *chaudoiri* Hochhuth,1851; *adanense* Rambousek,1906

- 17751) *Cryptobium fracticorne* (Paykull,1800)** (Staphylinidae) Synonym(s): *fracticorne* Paykull,1800; *jaquelinei* Boildieu,1859; *brevipenne* Mulsant & Rey,1861; *collare* Reitter,1884
- 17752) *Ctenisomorphus major* (Raffray,1877)** (Staphylinidae) Synonym(s): *major* Raffray,1877
- 17753) *Ctenistes palpalis* Reichenbach,1816** (Staphylinidae) Synonym(s): *palpalis* Reichenbach,1816
- 17754) *Cypha laeviuscula* (Mannerheim,1830)** (Staphylinidae) Synonym(s): *laeviuscula* Mannerheim,1830
- 17755) *Cypha spathula* Assing,2007** (Staphylinidae) Synonym(s): *spathula* Assing,2007
- 17756) *Cypha squamipennis* (Fauvel,1902)** (Staphylinidae) Synonym(s): *squamipennis* Fauvel,1902
- 17757) *Cypha tenebricosa* Assing,2004** (Staphylinidae) Synonym(s): *tenebricosa* Assing,2004
- 17758) *Dasycerus crenatus* Motschoulsky,1839** (Staphylinidae) Synonym(s): *crenatus* Motschoulsky,1839
- 17759) *Deinopsis pulawskii* Klimaszewski,1979** (Staphylinidae) Synonym(s): *pulawskii* Klimaszewski,1979
- 17760) *Deleaster dichrous* (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *dichrous* Gravenhorst,1802
- 17761) *Delenda carthago* Croissandeau,1891** (Staphylinidae) Synonym(s): *carthago* Croissandeau,1891
- 17762) *Deliphrosoma freudeorum* Zerche,1996** (Staphylinidae) Synonym(s): *freudeorum* Zerche,1996
- 17763) *Deliphrosoma kopdagense* Bordoni,1999** (Staphylinidae) Synonym(s): *kopdagense* Bordoni,1999
- 17764) *Deliphrosoma lindbergi* (Scheerpeltz,1958)** (Staphylinidae) Synonym(s): *lindbergi* Scheerpeltz,1958
- 17765) *Deliphrosoma lothari* Bordoni,2000** (Staphylinidae) Synonym(s): *lothari* Bordoni,2000
- 17766) *Deliphrosoma mandli* (Scheerpeltz,1937)** (Staphylinidae) Synonym(s): *mandli* Scheerpeltz,1937
- 17767) *Deliphrosoma turcicum* Zerche,1997** (Staphylinidae) Synonym(s): *turcicum* Zerche,1997
- 17768) *Deliphrosoma weiratheri* (Scheerpeltz,1938)** (Staphylinidae) Synonym(s): *weiratheri* Scheerpeltz,1938
- 17769) *Deliphrosoma wunderlei* Zerche,1998** (Staphylinidae) Synonym(s): *wunderlei* Zerche,1998
- 17770) *Derocala brachati* Assing,2004** (Staphylinidae) Synonym(s): *brachati* Assing,2004
- 17771) *Derocala uludaghensis* (Fagel,1971)** (Staphylinidae) Synonym(s): *uludaghensis* Fagel,1971
- 17772) *Dialycera bimaculata* Luze,1906** (Staphylinidae) Synonym(s): *bimaculata* Luze,1906
- 17773) *Dinusa smyrnensis* Assing,2007** (Staphylinidae) Synonym(s): *smyrnensis* Assing,2007
- 17774) *Dinusa taurica* Assing,2001** (Staphylinidae) Synonym(s): *taurica* Assing,2001
- 17775) *Drusilla anceps* Assing,2005** (Staphylinidae) Synonym(s): *anceps* Assing,2005
- 17776) *Drusilla canaliculata* (Fabricius,1787)** (Staphylinidae) Synonym(s): *canaliculata* Fabricius,1787
- 17777) *Drusilla cernens* Assing,2005** (Staphylinidae) Synonym(s): *cernens* Assing,2005
- 17778) *Drusilla denigrata* Assing,2005** (Staphylinidae) Synonym(s): *denigrata* Assing,2005
- 17779) *Drusilla limata* Assing,2005** (Staphylinidae) Synonym(s): *limata* Assing,2005
- 17780) *Drusilla lydica* Assing,2007** (Staphylinidae) Synonym(s): *lydica* Assing,2007
- 17781) *Drusilla pallidicornis* Assing,2005** (Staphylinidae) Synonym(s): *pallidicornis* Assing,2005
- 17782) *Drusilla recta* Assing,2005** (Staphylinidae) Synonym(s): *recta* Assing,2005
- 17783) *Drusilla sinuosa* Assing,2005** (Staphylinidae) Synonym(s): *sinuosa* Assing,2005
- 17784) *Enoptostomus globulicornis* (Motschulsky,1851)** (Staphylinidae) Synonym(s): *globulicornis* Motschulsky,1851
- 17785) *Euplectus corcyreus* Meggiolaro,1966** (Staphylinidae) Synonym(s): *corcyreus* Meggiolaro,1966; *jonicus* Meggiolaro,1966
- 17786) *Euplectus frater* Besuchet,1964** (Staphylinidae) Synonym(s): *frater* Besuchet,1964
- 17787) *Euplectus karstenii* (Reichenbach,1816)** (Staphylinidae) Synonym(s): *karstenii* Reichenbach,1816
- 17788) *Euplectus kirbii* Denny,1825** (Staphylinidae) Synonym(s): *kirbii* Denny,1825; *revelierei* Reitter,1884
- 17789) *Euplectus piceus* Motschoulsky,1835** (Staphylinidae) Synonym(s): *piceus* Motschoulsky,1835
- 17790) *Euplectus sanguineus* Denny,1825** (Staphylinidae) Synonym(s): *sanguineus* Denny,1825
- 17791) *Euplectus verticalis* Reitter,1884** (Staphylinidae) Synonym(s): *verticalis* Reitter,1884; *tenenbaumi* Roubal,1926; *balcanicus* Karaman,1962
- 17792) *Euryalea jordanica* (Coiffait,1981)** (Staphylinidae) Synonym(s): *jordanica* Coiffait,1981
- 17793) *Euryusa anatolica* Assing,2002** (Staphylinidae) Synonym(s): *anatolica* Assing,2002
- 17794) *Eusphalerum amplipenne* Coiffait,1976** (Staphylinidae) Synonym(s): *amplipenne* Coiffait,1976
- 17795) *Eusphalerum anaticum* Coiffait,1976** (Staphylinidae) Synonym(s): *anaticum* Coiffait,1976
- 17796) *Eusphalerum causicum* (Bernhauer,1908)** (Staphylinidae) Synonym(s): *causicum* Bernhauer,1908; *loebli* Zanetti,1993
- 17797) *Eusphalerum celsum* (Luze,1910)** (Staphylinidae) Synonym(s): *celsum* Luze,1910
- 17798) *Eusphalerum densicolle* (Bernhauer,1915)** (Staphylinidae) Synonym(s): *densicolle* Bernhauer,1915
- 17799) *Eusphalerum densipenne* (Fauvel,1900)** (Staphylinidae) Synonym(s): *densipenne* Fauvel,1900

- 17800) *Eusphalerum foveolatum* (Luze,1910)** (Staphylinidae) Synonym(s): *foveolatum* Luze,1910;
paramerum Coiffait,1976
- 17801) *Eusphalerum korbi* (Bernhauer,1903)** (Staphylinidae) Synonym(s): *korbi* Bernhauer,1903;
anatolicum Coiffait,1978
- 17802) *Eusphalerum osellai* Zanetti,1993** (Staphylinidae) Synonym(s): *osellai* Zanetti,1993
- 17803) *Eusphalerum primulae* (Stephens,1834)** (Staphylinidae) Synonym(s): *primulae* Stephens,1834
- 17804) *Eusphalerum rectanguloides* (Smetana,1967)** (Staphylinidae) Synonym(s): *rectanguloides*
Smetana,1967
- 17805) *Eusphalerum rufotestaceum* (Motschoulsky,1860)** (Staphylinidae) Synonym(s):
rufotestaceum Motschoulsky,1860
- 17806) *Eusphalerum sareptanum* (Eppelsheim,1878)** (Staphylinidae) Synonym(s): *sareptanum*
Eppelsheim,1878
- 17807) *Eusphalerum sorbi* (Gyllenhal,1810)** (Staphylinidae) Synonym(s): *sorbi* Gyllenhal,1810
- 17808) *Eusphalerum transcaucasicum* (Bernhauer,1902)** (Staphylinidae) Synonym(s):
transcaucasicum Bernhauer,1902
- 17809) *Falagria caesa* Erichson,1837** (Staphylinidae) Synonym(s): *caesa* Erichson,1837
- 17810) *Falagria splendens* Kraatz,1858** (Staphylinidae) Synonym(s): *splendens* Kraatz,1858
- 17811) *Falagria sulcatula* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *sulcatula* Gravenhorst,1806
- 17812) *Falagrioma thoracica* (Stephens,1832)** (Staphylinidae) Synonym(s): *thoracica* Stephens,1832
- 17813) *Faronus depressus* Besuchet,1960** (Staphylinidae) Synonym(s): *depressus* Besuchet,1960
- 17814) *Faronus distinctus* Besuchet,1999** (Staphylinidae) Synonym(s): *distinctus* Besuchet,1999
- 17815) *Faronus parallelus* Besuchet,1958** (Staphylinidae) Synonym(s): *parallelus* Besuchet,1958
- 17816) *Geodromicus anaticus* Fagel,1976** (Staphylinidae) Synonym(s): *anaticus* Fagel,1976
- 17817) *Geodromicus asiaticus* Bernhauer,1902** (Staphylinidae) Synonym(s): *asiaticus* Bernhauer,1902
- 17818) *Geodromicus dubiosus* Fagel,1976** (Staphylinidae) Synonym(s): *dubiosus* Fagel,1976
- 17819) *Geodromicus jarrigeanus* Fagel,1976** (Staphylinidae) Synonym(s): *jarrigeanus* Fagel,1976
- 17820) *Geodromicus laticollis* Fagel,1976** (Staphylinidae) Synonym(s): *laticollis* Fagel,1976
- 17821) *Geodromicus major* (Motschoulsky,1860)** (Staphylinidae) Synonym(s): *major*
Motschoulsky,1860
- 17822) *Geodromicus ponticus* Fagel,1976** (Staphylinidae) Synonym(s): *ponticus* Fagel,1976
- 17823) *Geodromicus zwickianus* Fagel,1976** (Staphylinidae) Synonym(s): *zwickianus* Fagel,1976
- 17824) *Geomitopsis anatolica* Coiffait,1969** (Staphylinidae) Synonym(s): *anatolica* Coiffait,1969
- 17825) *Geostiba adunca* Assing,2004** (Staphylinidae) Synonym(s): *adunca* Assing,2004
- 17826) *Geostiba ahirana* Assing,2004** (Staphylinidae) Synonym(s): *ahirana* Assing,2004
- 17827) *Geostiba akceliensis* Assing,2001** (Staphylinidae) Synonym(s): *akceliensis* Assing,2001
- 17828) *Geostiba anlasi* Assing,2006** (Staphylinidae) Synonym(s): *anlasi* Assing,2006
- 17829) *Geostiba arganthonia* Pace,1983** (Staphylinidae) Synonym(s): *arganthonia* Pace,1983
- 17830) *Geostiba artvinensis* Assing,2001** (Staphylinidae) Synonym(s): *artvinensis* Assing,2001
- 17831) *Geostiba asperipennis* Assing,2007** (Staphylinidae) Synonym(s): *asperipennis* Assing,2007
- 17832) *Geostiba atrioculata* Assing,2007** (Staphylinidae) Synonym(s): *atrioculata* Assing,2007
- 17833) *Geostiba atromontis* Assing,2006** (Staphylinidae) Synonym(s): *atromontis* Assing,2006
- 17834) *Geostiba attaleensis* Pace,1983** (Staphylinidae) Synonym(s): *attaleensis* Pace,1983
- 17835) *Geostiba aucta* Assing,2006** (Staphylinidae) Synonym(s): *aucta* Assing,2006
- 17836) *Geostiba aydinica* Assing,2006** (Staphylinidae) Synonym(s): *aydinica* Assing,2006
- 17837) *Geostiba balkarensis* Assing,2001** (Staphylinidae) Synonym(s): *balkarensis* Assing,2001
- 17838) *Geostiba beydaghensis* Assing,2003** (Staphylinidae) Synonym(s): *beydaghensis* Assing,2003
- 17839) *Geostiba bififormis* Assing,2006** (Staphylinidae) Synonym(s): *bififormis* Assing,2006
- 17840) *Geostiba bigibbera* Assing,2005** (Staphylinidae) Synonym(s): *bigibbera* Assing,2005
- 17841) *Geostiba bitlisensis* Assing,2001** (Staphylinidae) Synonym(s): *bitlisensis* Assing,2001
- 17842) *Geostiba brachati* Assing,2000** (Staphylinidae) Synonym(s): *brachati* Assing,2000
- 17843) *Geostiba cingarae* Assing,2003** (Staphylinidae) Synonym(s): *cingarae* Assing,2003
- 17844) *Geostiba circellaris* (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *circellaris*
Gravenhorst,1806
- 17845) *Geostiba confusa* Assing,2001** (Staphylinidae) Synonym(s): *confusa* Assing,2001
- 17846) *Geostiba dibekiana* Assing,2005** (Staphylinidae) Synonym(s): *dibekiana* Assing,2005
- 17847) *Geostiba elmaica* Assing,2006** (Staphylinidae) Synonym(s): *elmaica* Assing,2006
- 17848) *Geostiba emirdaghensis* Assing,2001** (Staphylinidae) Synonym(s): *emirdaghensis* Assing,2001
- 17849) *Geostiba euboica* (Pace,1990)** (Staphylinidae) Synonym(s): *euboica* Pace,1990
- 17850) *Geostiba euxina* Pace,1983** (Staphylinidae) Synonym(s): *euxina* Pace,1983
- 17851) *Geostiba excepta* Assing,2005** (Staphylinidae) Synonym(s): *excepta* Assing,2005
- 17852) *Geostiba extorta* Assing,2005** (Staphylinidae) Synonym(s): *extorta* Assing,2005
- 17853) *Geostiba fabaeformis* Assing,2001** (Staphylinidae) Synonym(s): *fabaeformis* Assing,2001
- 17854) *Geostiba giaurica* Assing,2004** (Staphylinidae) Synonym(s): *giaurica* Assing,2004

- 17855) *Geostiba gibbera* Assing,2005 (Staphylinidae) Synonym(s): *gibbera* Assing,2005
- 17856) *Geostiba granulipennis* Assing,2001 (Staphylinidae) Synonym(s): *granulipennis* Assing,2001
- 17857) *Geostiba hamata* Assing,2003 (Staphylinidae) Synonym(s): *hamata* Assing,2003
- 17858) *Geostiba helvetiorum* Pace,1983 (Staphylinidae) Synonym(s): *helvetiorum* Pace,1983
- 17859) *Geostiba iconiensis* Pace,1983 (Staphylinidae) Synonym(s): *iconiensis* Pace,1983
- 17860) *Geostiba itschiliensis* Assing,2001 (Staphylinidae) Synonym(s): *itschiliensis* Assing,2001
- 17861) *Geostiba janbellini* Assing,2007 (Staphylinidae) Synonym(s): *janbellini* Assing,2007
- 17862) *Geostiba kartalana* Assing,2004 (Staphylinidae) Synonym(s): *kartalana* Assing,2004
- 17863) *Geostiba kastamonuensis* Pace,1983 (Staphylinidae) Synonym(s): *kastamonuensis* Pace,1983
- 17864) *Geostiba lucens* (Benick,1970) (Staphylinidae) Synonym(s): *lucens* Benick,1970
- 17865) *Geostiba lunata* Assing,2001 (Staphylinidae) Synonym(s): *lunata* Assing,2001
- 17866) *Geostiba lycaonica* Pace,2002 (Staphylinidae) Synonym(s): *lycaonica* Pace,2002
- 17867) *Geostiba macronorum* Pace,2002 (Staphylinidae) Synonym(s): *macronorum* Pace,2002
- 17868) *Geostiba marasica* Assing,2004 (Staphylinidae) Synonym(s): *marasica* Assing,2004
- 17869) *Geostiba medea* Pace,1996 (Staphylinidae) Synonym(s): *medea* Pace,1996
- 17870) *Geostiba nemrutica* Assing,2005 (Staphylinidae) Synonym(s): *nemrutica* Assing,2005
- 17871) *Geostiba nifica* Assing,2006 (Staphylinidae) Synonym(s): *nifica* Assing,2006
- 17872) *Geostiba occaecata* Assing,2004 (Staphylinidae) Synonym(s): *occaeata* Assing,2004
- 17873) *Geostiba oertzeni* (Eppelsheim,1888) (Staphylinidae) Synonym(s): *oertzeni* Eppelsheim,1888
- 17874) *Geostiba orduica* Assing,2006 (Staphylinidae) Synonym(s): *orduica* Assing,2006
- 17875) *Geostiba pontica* Pace,1996 (Staphylinidae) Synonym(s): *pontica* Pace,1996
- 17876) *Geostiba priva* Assing,2006 (Staphylinidae) Synonym(s): *priva* Assing,2006
- 17877) *Geostiba renneri* Assing,2006 (Staphylinidae) Synonym(s): *renneri* Assing,2006
- 17878) *Geostiba rhodiensis* Pace,1983 (Staphylinidae) Synonym(s): *rhodiensis* Pace,1983
- 17879) *Geostiba rizensis* Pace,1983 (Staphylinidae) Synonym(s): *rizensis* Pace,1983
- 17880) *Geostiba seleucica* Pace,1983 (Staphylinidae) Synonym(s): *seleucica* Pace,1983
- 17881) *Geostiba simulans* Pace,1983 (Staphylinidae) Synonym(s): *simulans* Pace,1983
- 17882) *Geostiba sinuosa* Assing,2004 (Staphylinidae) Synonym(s): *sinuosa* Assing,2004
- 17883) *Geostiba smyrnensis* Pace,1983 (Staphylinidae) Synonym(s): *smyrnensis* Pace,1983
- 17884) *Geostiba soganlica* Assing,2006 (Staphylinidae) Synonym(s): *soganlica* Assing,2006
- 17885) *Geostiba solodovnikovi* Assing,2006 (Staphylinidae) Synonym(s): *solodovnikovi* Assing,2006
- 17886) *Geostiba sororcula* Assing,2001 (Staphylinidae) Synonym(s): *sororcula* Assing,2001
- 17887) *Geostiba spinosula* Assing,2007 (Staphylinidae) Synonym(s): *spinosula* Assing,2007
- 17888) *Geostiba sultanica* Assing,2008 (Staphylinidae) Synonym(s): *sultanica* Assing,2008
- 17889) *Geostiba taseliensis* Assing,2000 (Staphylinidae) Synonym(s): *taseliensis* Assing,2000
- 17890) *Geostiba tuberosa* Assing,2004 (Staphylinidae) Synonym(s): *tuberosa* Assing,2004
- 17891) *Geostiba turcica* (Bernhauer,1900) (Staphylinidae) Synonym(s): *turcica* Bernhauer,1900
- 17892) *Geostiba uhligi* Pace,1983 (Staphylinidae) Synonym(s): *uhligi* Pace,1983
- 17893) *Gnypeta carbonaria* (Mannerheim,1830) (Staphylinidae) Synonym(s): *carbonaria* Mannerheim,1830
- 17894) *Gymnusa anatolica* Korge,1971 (Staphylinidae) Synonym(s): *anatolica* Korge,1971
- 17895) *Gyrophæna affinis* Mannerheim,1830 (Staphylinidae) Synonym(s): *affinis* Mannerheim,1830
- 17896) *Gyrophæna anatolica* Assing,2004 (Staphylinidae) Synonym(s): *anatolica* Assing,2004
- 17897) *Gyrophæna bihamata* Thomson,1867 (Staphylinidae) Synonym(s): *bihamata* Thomson,1867
- 17898) *Gyrophæna boleti* (Linnæus,1758) (Staphylinidae) Synonym(s): *boleti* Linnæus,1758
- 17899) *Gyrophæna fasciata* (Marsham,1802) (Staphylinidae) Synonym(s): *fasciata* Marsham,1802
- 17900) *Gyrophæna gentilis* Erichson,1839 (Staphylinidae) Synonym(s): *gentilis* Erichson,1839
- 17901) *Gyrophæna joyi* Wendeler,1924 (Staphylinidae) Synonym(s): *joyi* Wendeler,1924
- 17902) *Gyrophæna joyioides* Wüsthoff,1937 (Staphylinidae) Synonym(s): *joyioides* Wüsthoff,1937
- 17903) *Gyrophæna nana* (Paykull,1800) (Staphylinidae) Synonym(s): *nana* Paykull,1800
- 17904) *Gyrophæna nitidula* (Gyllenhal,1810) (Staphylinidae) Synonym(s): *nitidula* Gyllenhal,1810
- 17905) *Habrocerus capillaricornis* (Gravenhorst,1806) (Staphylinidae) Synonym(s): *capillaricornis* Gravenhorst,1806
- 17906) *Habrocerus cyprensis* Assing & Wunderle,1995 (Staphylinidae) Synonym(s): *cyprensis* Assing & Wunderle,1995
- 17907) *Habrocerus pisidicus* Korge,1971 (Staphylinidae) Synonym(s): *pisidicus* Korge,1971
- 17908) *Habrocerus simulans* Assing & Wunderle,1995 (Staphylinidae) Synonym(s): *simulans* Assing & Wunderle,1995
- 17909) *Halobrecta punctipes* (Thomson,1852) (Staphylinidae) Synonym(s): *punctipes* Thomson,1852
- 17910) *Haploglossa villosula* (Stephens,1832) (Staphylinidae) Synonym(s): *villosula* Stephens,1832
- 17911) *Heterota pamphylica* Fagel,1969 (Staphylinidae) Synonym(s): *pamphylica* Fagel,1969
- 17912) *Homoeusa acuminata* (Maerker,1842) (Staphylinidae) Synonym(s): *acuminata* Maerker,1842
- 17913) *Ilyobates benneti* Donisthorpe,1914 (Staphylinidae) Synonym(s): *benneti* Donisthorpe,1914

- 17914) *Ischnoglossa obscura* Wunderle, 1990 (Staphylinidae) Synonym(s): *obscura* Wunderle, 1990
- 17915) *Ischnoglossa prolixa* (Gravenhorst, 1802) (Staphylinidae) Synonym(s): *prolixa* Gravenhorst, 1802
- 17916) *Ischnoglossa turcica* Wunderle, 1992 (Staphylinidae) Synonym(s): *turcica* Wunderle, 1992
- 17917) *Ischnopoda ulbrichi* Lohse, 1994 (Staphylinidae) Synonym(s): *ulbrichi* Lohse, 1994
- 17918) *Ischnopoda umbratica* (Erichson, 1837) (Staphylinidae) Synonym(s): *umbratica* Erichson, 1837
- 17919) *Ischnosoma fastigatum* Schülke, 2007 (Staphylinidae) Synonym(s): *fastigatum* Schülke, 2007
- 17920) *Ischnosoma loebli* Kocian, 1997 (Staphylinidae) Synonym(s): *loebli* Kocian, 1997
- 17921) *Ischnosoma longicorne* (Maeklin, 1847) (Staphylinidae) Synonym(s): *longicorne* Maeklin, 1847
- 17922) *Ischnosoma meybohmi* Schülke, 2003 (Staphylinidae) Synonym(s): *meybohmi* Schülke, 2003
- 17923) *Ischnosoma myops* (Eppelsheim, 1880) (Staphylinidae) Synonym(s): *myops* Eppelsheim, 1880
- 17924) *Ischnosoma solodovnikovi* Schülke, 2001 (Staphylinidae) Synonym(s): *solodovnikovi* Schülke, 2001
- 17925) *Ischnosoma splendidum* (Gravenhorst, 1806) (Staphylinidae) Synonym(s): *splendidum* Gravenhorst, 1806
- 17926) *Ischnosoma Stephens*, 1829 (Staphylinidae) Synonym(s): *Ischnosoma Stephens*, 1829; *Ischnosomata Strand*, 1935
- 17927) *Ischnosoma turcicum* Kocian, 1997 (Staphylinidae) Synonym(s): *turcicum* Kocian, 1997
- 17928) *Lamprinodes fairmairei* (Leprieur, 1853) (Staphylinidae) Synonym(s): *fairmairei* Leprieur, 1853
- 17929) *Leptotyphlops besucheti* Coiffait, 1969 (Staphylinidae) Synonym(s): *besucheti* Coiffait, 1969
- 17930) *Leptotyphlops bidentata* Coiffait, 1969 (Staphylinidae) Synonym(s): *bidentata* Coiffait, 1969
- 17931) *Leptusa artvinensis* Pace, 1982 (Staphylinidae) Synonym(s): *artvinensis* Pace, 1982
- 17932) *Leptusa asiatica* Bernhauer, 1909 (Staphylinidae) Synonym(s): *asiatica* Bernhauer, 1909
- 17933) *Leptusa cimmeria* Pace, 1996 (Staphylinidae) Synonym(s): *cimmeria* Pace, 1996
- 17934) *Leptusa confinis* Pace, 1982 (Staphylinidae) Synonym(s): *confinis* Pace, 1982
- 17935) *Leptusa crinita* Assing, 2007 (Staphylinidae) Synonym(s): *crinita* Assing, 2007
- 17936) *Leptusa diecki* Pace, 1983 (Staphylinidae) Synonym(s): *diecki* Pace, 1983
- 17937) *Leptusa fibula* Assing, 2003 (Staphylinidae) Synonym(s): *fibula* Assing, 2003
- 17938) *Leptusa fuliginosa* (Aubé, 1850) (Staphylinidae) Synonym(s): *fuliginosa* Aubé, 1850
- 17939) *Leptusa ionopolitana* Pace, 1982 (Staphylinidae) Synonym(s): *ionopolitana* Pace, 1982
- 17940) *Leptusa janczyki* Pace, 1983 (Staphylinidae) Synonym(s): *janczyki* Pace, 1983
- 17941) *Leptusa korgei* Scheerpeltz, 1970 (Staphylinidae) Synonym(s): *korgei* Scheerpeltz, 1970
- 17942) *Leptusa longilobata* Assing, 2007 (Staphylinidae) Synonym(s): *longilobata* Assing, 2007
- 17943) *Leptusa marasica* Assing, 2006 (Staphylinidae) Synonym(s): *marasica* Assing, 2006
- 17944) *Leptusa merkli* Bernhauer, 1900 (Staphylinidae) Synonym(s): *merkli* Bernhauer, 1900
- 17945) *Leptusa nurdaghensis* Assing, 2003 (Staphylinidae) Synonym(s): *nurdaghensis* Assing, 2003
- 17946) *Leptusa pulchella* Mannerheim, 1830 (Staphylinidae) Synonym(s): *pulchella* Mannerheim, 1830
- 17947) *Leptusa rizensis* Pace, 1996 (Staphylinidae) Synonym(s): *rizensis* Pace, 1996
- 17948) *Leptusa samia* Assing, 2004 (Staphylinidae) Synonym(s): *samia* Assing, 2004
- 17949) *Leptusa sica* Assing, 2003 (Staphylinidae) Synonym(s): *sica* Assing, 2003
- 17950) *Leptusa soganlica* Assing, 2007 (Staphylinidae) Synonym(s): *soganlica* Assing, 2007
- 17951) *Leptusa spoliata* Assing, 2002 (Staphylinidae) Synonym(s): *spoliata* Assing, 2002
- 17952) *Leptusa taurica* Assing, 2004 (Staphylinidae) Synonym(s): *taurica* Assing, 2004
- 17953) *Leptusa trapezuntis* Pace, 1989 (Staphylinidae) Synonym(s): *trapezuntis* Pace, 1989
- 17954) *Leptusa venusta* (Hochhuth, 1849) (Staphylinidae) Synonym(s): *venusta* Hochhuth, 1849
- 17955) *Lesteva binotata* Reitter, 1901 (Staphylinidae) Synonym(s): *binotata* Reitter, 1901
- 17956) *Lesteva juno* Smetana, 1967 (Staphylinidae) Synonym(s): *juno* Smetana, 1967
- 17957) *Lesteva longoelytrata* (Goeze, 1777) (Staphylinidae) Synonym(s): *longoelytrata* Goeze, 1777
- 17958) *Lesteva maculipennis* Luze, 1903 (Staphylinidae) Synonym(s): *maculipennis* Luze, 1903
- 17959) *Lesteva monticola* Kiesenwetter, 1847 (Staphylinidae) Synonym(s): *monticola* Kiesenwetter, 1847; *nivicola* Fauvel, 1872
- 17960) *Lesteva punctata* Erichson, 1839 (Staphylinidae) Synonym(s): *punctata* Erichson, 1839
- 17961) *Lesteva soror* Smetana, 1967 (Staphylinidae) Synonym(s): *soror* Smetana, 1967
- 17962) *Lesteva turcica* Smetana, 1967 (Staphylinidae) Synonym(s): *turcica* Smetana, 1967
- 17963) *Liogluta akiana* Assing, 2004 (Staphylinidae) Synonym(s): *akiana* Assing, 2004
- 17964) *Liogluta alpestris* (Gravenhorst, 1802) (Staphylinidae) Synonym(s): *alpestris* Gravenhorst, 1802
- 17965) *Liogluta longiuscula* (Gravenhorst, 1802) (Staphylinidae) Synonym(s): *longiuscula* Gravenhorst, 1802
- 17966) *Liogluta microptera* Thomson, 1867 (Staphylinidae) Synonym(s): *microptera* Thomson, 1867
- 17967) *Liogluta wankai* (Bernhauer, 1908) (Staphylinidae) Synonym(s): *wankai* Bernhauer, 1908
- 17968) *Lordithon bimaculatus* (Schrank, 1798) (Staphylinidae) Synonym(s): *bimaculatus* Schrank, 1798
- 17969) *Lordithon exoletus* (Erichson, 1839) (Staphylinidae) Synonym(s): *exoletus* Erichson, 1839

- 17970) Lordithon rostratus (Motschulsky,1860)** (Staphylinidae) Synonym(s): *rostratus* Motschulsky,1860
- 17971) Lordithon trimaculatus (Fabricius,1775)** (Staphylinidae) Synonym(s): *trimaculatus* Fabricius,1775
- 17972) Lordithon trinotatus (Erichson,1839)** (Staphylinidae) Synonym(s): *trinotatus* Erichson,1839
- 17973) Lordithon variegatus (Bernhauer,1902)** (Staphylinidae) Synonym(s): *variegatus* Bernhauer,1902
- 17974) Mannerheimia brevipennis (Motschoulsky,1860)** (Staphylinidae) Synonym(s): *brevipennis* Motschoulsky,1860
- 17975) Megalogastrina alata Assing,2007** (Staphylinidae) Synonym(s): *alata* Assing,2007
- 17976) Megalogastrina cingulata (Eppelsheim,1889)** (Staphylinidae) Synonym(s): *cingulata* Eppelsheim,1889
- 17977) Megaloscapa punctipennis (Kraatz,1856)** (Staphylinidae) Synonym(s): *punctipennis* Kraatz,1856
- 17978) Megarthrus bellevoeyi Saulcy,1862** (Staphylinidae) Synonym(s): *affinis* Miller,1853 (*praeocc.*); *bellevoeyi* Saulcy,1862
- 17979) Megarthrus denticollis (Beck,1817)** (Staphylinidae) Synonym(s): *denticollis* Beck,1817
- 17980) Meotica decolor Assing,2004** (Staphylinidae) Synonym(s): *decolor* Assing,2004
- 17981) Meotica subnigra Assing,2006** (Staphylinidae) Synonym(s): *subnigra* Assing,2006
- 17982) Meotica truncata Assing,2004** (Staphylinidae) Synonym(s): *truncata* Assing,2004
- 17983) Metopsia assingi Zerche,1998** (Staphylinidae) Synonym(s): *assingi* Zerche,1998
- 17984) Metopsia similis Zerche,1998** (Staphylinidae) Synonym(s): *similis* Zerche,1998
- 17985) Micropeplus fulvus Erichson,1840** (Staphylinidae) Synonym(s): *fulvus* Erichson,1840
- 17986) Micropeplus tesserula Curtis,1828** (Staphylinidae) Synonym(s): *tesserula* Curtis,1828
- 17987) Mycetoporus brucki (Pandellé,1869)** (Staphylinidae) Synonym(s): *brucki* Pandellé,1869
- 17988) Mycetoporus chevrolati (Pandellé,1869)** (Staphylinidae) Synonym(s): *chevrolati* Pandellé,1869
- 17989) Mycetoporus corpulentus (Luze,1901)** (Staphylinidae) Synonym(s): *corpulentus* Luze,1901
- 17990) Mycetoporus dispersus Schülke & Kocian,2000** (Staphylinidae) Synonym(s): *dispersus* Schülke & Kocian,2000
- 17991) Mycetoporus eppelsheimianus Fagel,1968** (Staphylinidae) Synonym(s): *eppelsheimianus* Fagel,1968
- 17992) Mycetoporus forticornis Fauvel,1875** (Staphylinidae) Synonym(s): *forticornis* Fauvel,1875
- 17993) Mycetoporus glaber (Sperk,1835)** (Staphylinidae) Synonym(s): *glaber* Sperk,1835
- 17994) Mycetoporus lepidus (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *lepidus* Gravenhorst,1806
- 17995) Mycetoporus liliputanus Luze,1901** (Staphylinidae) Synonym(s): *liliputanus* Luze,1901
- 17996) Mycetoporus longulus Mannerheim,1830** (Staphylinidae) Synonym(s): *longulus* Mannerheim,1830
- 17997) Mycetoporus macrocephalus (Bernhauer,1917)** (Staphylinidae) Synonym(s): *macrocephalus* Bernhauer,1917
- 17998) Mycetoporus nigricollis Stephens,1835** (Staphylinidae) Synonym(s): *nigricollis* Stephens,1835
- 17999) Mycetoporus picipennis Eppelsheim,1881** (Staphylinidae) Synonym(s): *picipennis* Eppelsheim,1881
- 18000) Mycetoporus punctipennis Scriba,1868** (Staphylinidae) Synonym(s): *punctipennis* Scriba,1868
- 18001) Mycetoporus punctus (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *punctus* Gravenhorst,1806
- 18002) Mycetoporus reichei (Pandellé,1869)** (Staphylinidae) Synonym(s): *reichei* Pandellé,1869
- 18003) Mycetoporus subpronus Reitter,1909** (Staphylinidae) Synonym(s): *subpronus* Reitter,1909
- 18004) Myllaena caucasica Eppelsheim,1880** (Staphylinidae) Synonym(s): *caucasica* Eppelsheim,1880
- 18005) Myllaena infusca Kraatz,1853** (Staphylinidae) Synonym(s): *infusca* Kraatz,1853
- 18006) Myllaena intermedia Erichson,1837** (Staphylinidae) Synonym(s): *intermedia* Erichson,1837
- 18007) Myllaena masoni Matthews,1883** (Staphylinidae) Synonym(s): *masoni* Matthews,1883
- 18008) Myllaena nemorivaga Assing,2007** (Staphylinidae) Synonym(s): *nemorivaga* Assing,2007
- 18009) Myrmecopora anatolica (Fagel,1969)** (Staphylinidae) Synonym(s): *anatolica* Fagel,1969
- 18010) Myrmecopora ciliciana Assing,2001** (Staphylinidae) Synonym(s): *ciliciana* Assing,2001
- 18011) Myrmecopora convexula Assing,1997** (Staphylinidae) Synonym(s): *convexula* Assing,1997
- 18012) Myrmecopora effeminata Assing,2004** (Staphylinidae) Synonym(s): *effeminata* Assing,2004
- 18013) Myrmecopora fugax (Erichson,1839)** (Staphylinidae) Synonym(s): *fugax* Erichson,1839; *uludaghensis* Fagel,1969
- 18014) Myrmecopora hilfi Scheerpeltz,1972** (Staphylinidae) Synonym(s): *hilfi* Scheerpeltz,1972
- 18015) Myrmecopora minima Bernhauer,1900** (Staphylinidae) Synonym(s): *minima* Bernhauer,1900; *pamphylica* Fagel,1969
- 18016) Myrmecopora publicana Saulcy,1865** (Staphylinidae) Synonym(s): *publicana* Saulcy,1865

- 18017) Myrmecopora sulcata (Kiesenwetter,1850)** (Staphylinidae) Synonym(s): *sulcata* Kiesenwetter,1850; *carica* Fagel,1970
- 18018) Myrmecopora uvida (Erichson,1840)** (Staphylinidae) Synonym(s): *uvida* Erichson,1840
- 18019) Myrmecopora virilis Assing,2004** (Staphylinidae) Synonym(s): *virilis* Assing,2004
- 18020) Myrmecopora wunderlei Assing,1997** (Staphylinidae) Synonym(s): *wunderlei* Assing,1997
- 18021) Myrmoecia libanensis (Pic,1901)** (Staphylinidae) Synonym(s): *libanensis* Pic,1901
- 18022) Myrmoecia plicata (Erichson,1837)** (Staphylinidae) Synonym(s): *plicata* Erichson,1837
- 18023) Myrmoecia rigida (Erichson,1839)** (Staphylinidae) Synonym(s): *rigida* Erichson,1839
- 18024) Myrmoecia triangulum (Pérez-Arcas,1874)** (Staphylinidae) Synonym(s): *triangulum* Pérez-Arcas,1874
- 18025) Namunia lapidicola Besuchet,1978** (Staphylinidae) Synonym(s): *lapidicola* Besuchet,1978
- 18026) Namunia myrmecophila Reitter,1884** (Staphylinidae) Synonym(s): *myrmecophila* Reitter,1884
- 18027) Nehemitropia lividipennis (Mannerheim,1830)** (Staphylinidae) Synonym(s): *sordidus* Marsham,1802; *lividipennis* Mannerheim,1830
- 18028) Notothecta pisidica Assing,2004** (Staphylinidae) Synonym(s): *pisidica* Assing,2004
- 18029) Ocalea alutacea Eppelsheim,1878** (Staphylinidae) Synonym(s): *alutacea* Eppelsheim,1878
- 18030) Ocalea badia Erichson,1837** (Staphylinidae) Synonym(s): *badia* Erichson,1837
- 18031) Ocalea brachyptera Fagel,1971** (Staphylinidae) Synonym(s): *brachyptera* Fagel,1971
- 18032) Ocalea deuvei Coiffait,1978** (Staphylinidae) Synonym(s): *deuvei* Coiffait,1978
- 18033) Ocalea globulicollis Bernhauer,1936** (Staphylinidae) Synonym(s): *globulicollis* Bernhauer,1936
- 18034) Ocalea pontica Coiffait,1978** (Staphylinidae) Synonym(s): *pontica* Coiffait,1978
- 18035) Ocalea rivularis Miller,1852** (Staphylinidae) Synonym(s): *rivularis* Miller,1852
- 18036) Ocalea ruficollis Eppelsheim,1888** (Staphylinidae) Synonym(s): *ruficollis* Eppelsheim,1888
- 18037) Oligota anatolica Assing,2003** (Staphylinidae) Synonym(s): *anatolica* Assing,2003
- 18038) Oligota brachati Assing,2006** (Staphylinidae) Synonym(s): *brachati* Assing,2006
- 18039) Oligota inversa Assing,2002** (Staphylinidae) Synonym(s): *inversa* Assing,2002
- 18040) Oligota marasica Assing,2006** (Staphylinidae) Synonym(s): *marasica* Assing,2006
- 18041) Oligota meybohmi Assing,2003** (Staphylinidae) Synonym(s): *meybohmi* Assing,2003
- 18042) Oligota pumilio (Kiesenwetter,1858)** (Staphylinidae) Synonym(s): *pumilio* Kiesenwetter,1858
- 18043) Oligota pusillima (Gravenhorst,1806)** (Staphylinidae) Synonym(s): *pusillima* Gravenhorst,1806
- 18044) Olophrum paphlagonicum Coiffait,1978** (Staphylinidae) Synonym(s): *paphlagonicum* Coiffait,1978
- 18045) Olophrum puncticolle Eppelsheim,1880** (Staphylinidae) Synonym(s): *puncticolle* Eppelsheim,1880
- 18046) Omalium allardii Fairmaire & Bristout de Barneville,1859** (Staphylinidae) Synonym(s): *allardii* Fairmaire & Bristout de Barneville,1859; *antennarium* Reitter,1911
- 18047) Omalium assingi Zanetti,2002** (Staphylinidae) Synonym(s): *assingi* Zanetti,2002
- 18048) Omalium caesum Gravenhorst,1806** (Staphylinidae) Synonym(s): *caesum* Gravenhorst,1806
- 18049) Omalium cinnamomeum Kraatz,1857** (Staphylinidae) Synonym(s): *cinnamomeum* Kraatz,1857
- 18050) Omalium cribriceps Fauvel,1900** (Staphylinidae) Synonym(s): *cribriceps* Fauvel,1900
- 18051) Omalium falsum Eppelsheim,1889** (Staphylinidae) Synonym(s): *falsum* Eppelsheim,1889
- 18052) Omalium henroti Coiffait,1976** (Staphylinidae) Synonym(s): *henroti* Coiffait,1976
- 18053) Omalium littorale Kraatz,1857** (Staphylinidae) Synonym(s): *littorale* Kraatz,1857
- 18054) Omalium oxyacanthae Gravenhorst,1806** (Staphylinidae) Synonym(s): *oxyacanthae* Gravenhorst,1806
- 18055) Omalium rivulare (Paykull,1789)** (Staphylinidae) Synonym(s): *rivulare* Paykull,1789
- 18056) Omalium rugatum Mulsant & Rey,1880** (Staphylinidae) Synonym(s): *rugatum* Mulsant & Rey,1880
- 18057) Omalium saulcyi Fauvel,1875** (Staphylinidae) Synonym(s): *saulcyi* Fauvel,1875
- 18058) Omalium schuberti Zanetti,2002** (Staphylinidae) Synonym(s): *schuberti* Zanetti,2002
- 18059) Omalium turcicum Smetana,1967** (Staphylinidae) Synonym(s): *turcicum* Smetana,1967
- 18060) Omalium wunderlei Zanetti,2002** (Staphylinidae) Synonym(s): *wunderlei* Zanetti,2002
- 18061) Ousipalia caesula (Erichson,1839)** (Staphylinidae) Synonym(s): *caesula* Erichson,1839
- 18062) Oxypoda abdominalis (Mannerheim,1830)** (Staphylinidae) Synonym(s): *abdominalis* Mannerheim,1830
- 18063) Oxypoda acuminata (Stephens,1832)** (Staphylinidae) Synonym(s): *acuminata* Stephens,1832
- 18064) Oxypoda acutissima Assing,2006** (Staphylinidae) Synonym(s): *acutissima* Assing,2006
- 18065) Oxypoda ahirica Assing,2006** (Staphylinidae) Synonym(s): *ahirica* Assing,2006
- 18066) Oxypoda alternans (Gravenhorst,1802)** (Staphylinidae) Synonym(s): *alternans* Gravenhorst,1802
- 18067) Oxypoda antennata Bernhauer,1902** (Staphylinidae) Synonym(s): *antennata* Bernhauer,1902; *lindbergi* Scheerpeltz,1958; *mystica* Fagel,1971
- 18068) Oxypoda aydinica Assing,2007** (Staphylinidae) Synonym(s): *aydinica* Assing,2007
- 18069) Oxypoda biformis Assing,2006** (Staphylinidae) Synonym(s): *biformis* Assing,2006

- 18070) Oxypoda bimaculata Baudi di Selve, 1870** (Staphylinidae) Synonym(s): *bimaculata Baudi di Selve, 1870*
- 18071) Oxypoda brachati Assing, 2004** (Staphylinidae) Synonym(s): *brachati Assing, 2004*
- 18072) Oxypoda brevicornis (Stephens, 1832)** (Staphylinidae) Synonym(s): *brevicornis Stephens, 1832*
- 18073) Oxypoda carbonaria (Heer, 1841)** (Staphylinidae) Synonym(s): *carbonaria Heer, 1841*
- 18074) Oxypoda collaris Saulcy, 1865** (Staphylinidae) Synonym(s): *collaris Saulcy, 1865*
- 18075) Oxypoda cristata Assing, 2006** (Staphylinidae) Synonym(s): *cristata Assing, 2006*
- 18076) Oxypoda disjuncta Assing, 2006** (Staphylinidae) Synonym(s): *disjuncta Assing, 2006*
- 18077) Oxypoda doderoi Bernhauer, 1902** (Staphylinidae) Synonym(s): *doderoi Bernhauer, 1902*
- 18078) Oxypoda ferruginea Erichson, 1839** (Staphylinidae) Synonym(s): *ferruginea Erichson, 1839*
- 18079) Oxypoda filiformis Redtenbacher, 1849** (Staphylinidae) Synonym(s): *filiformis Redtenbacher, 1849*
- 18080) Oxypoda fissa Assing, 2006** (Staphylinidae) Synonym(s): *fissa Assing, 2006*
- 18081) Oxypoda flavicaudata Assing, 2006** (Staphylinidae) Synonym(s): *flavicaudata Assing, 2006*
- 18082) Oxypoda flavicornis Kraatz, 1856** (Staphylinidae) Synonym(s): *flavicornis Kraatz, 1856*
- 18083) Oxypoda formosa Kraatz, 1856** (Staphylinidae) Synonym(s): *formosa Kraatz, 1856*
- 18084) Oxypoda fusina Mulsant & Rey, 1875** (Staphylinidae) Synonym(s): *fusina Mulsant & Rey, 1875*
- 18085) Oxypoda gladiatoria Assing, 2006** (Staphylinidae) Synonym(s): *gladiatoria Assing, 2006*
- 18086) Oxypoda graciliformis Zerche, 1999** (Staphylinidae) Synonym(s): *graciliformis Zerche, 1999*
- 18087) Oxypoda haemorrhoea (Mannerheim, 1830)** (Staphylinidae) Synonym(s): *haemorrhoea Mannerheim, 1830*
- 18088) Oxypoda hatayana Assing, 2004** (Staphylinidae) Synonym(s): *hatayana Assing, 2004*
- 18089) Oxypoda ignorata Zerche, 1996** (Staphylinidae) Synonym(s): *ignorata Zerche, 1996*
- 18090) Oxypoda inermis Assing, 2006** (Staphylinidae) Synonym(s): *inermis Assing, 2006*
- 18091) Oxypoda judaea Saulcy, 1865** (Staphylinidae) Synonym(s): *judaea Saulcy, 1865*
- 18092) Oxypoda kartabensis Fagel, 1965** (Staphylinidae) Synonym(s): *kartabensis Fagel, 1965*
- 18093) Oxypoda lesbia Assing, 2005** (Staphylinidae) Synonym(s): *lesbia Assing, 2005*
- 18094) Oxypoda libanotica Fagel, 1965** (Staphylinidae) Synonym(s): *libanotica Fagel, 1965*
- 18095) Oxypoda longipes Mulsant & Rey, 1861** (Staphylinidae) Synonym(s): *longipes Mulsant & Rey, 1861*
- 18096) Oxypoda lurida Wollaston, 1857** (Staphylinidae) Synonym(s): *lurida Wollaston, 1857*
- 18097) Oxypoda micans Kraatz, 1855** (Staphylinidae) Synonym(s): *micans Kraatz, 1855*
- 18098) Oxypoda mutata Sharp, 1871** (Staphylinidae) Synonym(s): *mutata Sharp, 1871*
- 18099) Oxypoda nemrutica Assing, 2006** (Staphylinidae) Synonym(s): *nemrutica Assing, 2006*
- 18100) Oxypoda nova Bernhauer, 1902** (Staphylinidae) Synonym(s): *nova Bernhauer, 1902*
- 18101) Oxypoda obscuricollis Assing, 2007** (Staphylinidae) Synonym(s): *obscuricollis Assing, 2007*
- 18102) Oxypoda opaca (Gravenhorst, 1802)** (Staphylinidae) Synonym(s): *opaca Gravenhorst, 1802*
- 18103) Oxypoda ormana Fagel, 1971** (Staphylinidae) Synonym(s): *ormana Fagel, 1971*
- 18104) Oxypoda pontica Assing, 2007** (Staphylinidae) Synonym(s): *pontica Assing, 2007*
- 18105) Oxypoda recondita Kraatz, 1856** (Staphylinidae) Synonym(s): *recondita Kraatz, 1856*
- 18106) Oxypoda recta Assing, 2006** (Staphylinidae) Synonym(s): *recta Assing, 2006*
- 18107) Oxypoda scheerpeltziana (Fagel, 1968)** (Staphylinidae) Synonym(s): *scheerpeltziana Fagel, 1968*
- 18108) Oxypoda schminkei Assing, 2004** (Staphylinidae) Synonym(s): *schminkei Assing, 2004*
- 18109) Oxypoda schuelkei Assing, 2004** (Staphylinidae) Synonym(s): *schuelkei Assing, 2004*
- 18110) Oxypoda speculoclara Assing, 2004** (Staphylinidae) Synonym(s): *speculoclara Assing, 2004*
- 18111) Oxypoda subspectabilis Assing, 2007** (Staphylinidae) Synonym(s): *subspectabilis Assing, 2007*
- 18112) Oxypoda tenuilaminata Assing, 2006** (Staphylinidae) Synonym(s): *tenuilaminata Assing, 2006*
- 18113) Oxypoda turcica Zerche, 1999** (Staphylinidae) Synonym(s): *turcica Zerche, 1999*
- 18114) Oxypoda vicina Kraatz, 1858** (Staphylinidae) Synonym(s): *vicina Kraatz, 1858; nivalis Fagel, 1965*
- 18115) Oxypoda vittata Maerker, 1842** (Staphylinidae) Synonym(s): *vittata Maerker, 1842*
- 18116) Oxypoda wankai Bernhauer, 1936** (Staphylinidae) Synonym(s): *wankai Bernhauer, 1936*
- 18117) Oxypoda ziyaretica Assing, 2006** (Staphylinidae) Synonym(s): *ziyaretica Assing, 2006*
- 18118) Panaphantus atomus Kiesenwetter, 1858** (Staphylinidae) Synonym(s): *atomus Kiesenwetter, 1858*
- 18119) Parabolitobius inclinans (Gravenhorst, 1806)** (Staphylinidae) Synonym(s): *inclinans Gravenhorst, 1806*
- 18120) Parabolitobius ponticus (Fagel, 1968)** (Staphylinidae) Synonym(s): *ponticus Fagel, 1968*
- 18121) Paratychus mendax (Kiesenwetter, 1858)** (Staphylinidae) Synonym(s): *mendax Kiesenwetter, 1858*
- 18122) Parocyusa longitarsis (Erichson, 1839)** (Staphylinidae) Synonym(s): *longitarsis Erichson, 1839*
- 18123) Pella cinctipennis (Eppelsheim, 1884)** (Staphylinidae) Synonym(s): *cinctipennis Eppelsheim, 1884*
- 18124) Pella gibbera Assing, 2007** (Staphylinidae) Synonym(s): *gibbera Assing, 2007*
- 18125) Pella hampei (Kraatz, 1862)** (Staphylinidae) Synonym(s): *hampei Kraatz, 1862*
- 18126) Pella humeralis (Gravenhorst, 1802)** (Staphylinidae) Synonym(s): *humeralis Gravenhorst, 1802*

- 18127) Pella laeviceps (Eppelsheim,1880)** (Staphylinidae) Synonym(s): *laeviceps Eppelsheim,1880*
18128) Pella laticollis (Maerkel,1845) (Staphylinidae) Synonym(s): *laticollis Maerkel,1845*
18129) Pella lugens (Gravenhorst,1802) (Staphylinidae) Synonym(s): *lugens Gravenhorst,1802*
18130) Pella ruficollis (Grimm,1845) (Staphylinidae) Synonym(s): *ruficollis Grimm,1845*
18131) Pella similis (Maerkel,1844) (Staphylinidae) Synonym(s): *similis Maerkel,1844*
18132) Pella sultanica Assing,2008 (Staphylinidae) Synonym(s): *sultanica Assing,2008*
18133) Pellochromonia ruficollis (Grimm,1845) (Staphylinidae) Synonym(s): *ruficollis Grimm,1845*
18134) Peltodonia bodemeyeri Bernhauer,1936 (Staphylinidae) Synonym(s): *bodemeyeri Bernhauer,1936*
18135) Philorirum sordidum (Stephens,1834) (Staphylinidae) Synonym(s): *sordidum Stephens,1834*
18136) Phloeocharis longipennis Fauvel,1875 (Staphylinidae) Synonym(s): *longipennis Fauvel,1875*
18137) Phloeocharis parvispinosa Assing,2006 (Staphylinidae) Synonym(s): *parvispinosa Assing,2006*
18138) Phloeocharis spinosa Assing,2004 (Staphylinidae) Synonym(s): *spinosa Assing,2004*
18139) Phloeopora corticalis (Gravenhorst,1802) (Staphylinidae) Synonym(s): *corticalis Gravenhorst,1802*
18140) Phloeopora teres (Gravenhorst,1802) (Staphylinidae) Synonym(s): *teres Gravenhorst,1802*
18141) Phloeostiba lapponica (Zetterstedt,1838) (Staphylinidae) Synonym(s): *lapponica Zetterstedt,1838*
18142) Phyllodrepa caucasica (Kolenati,1846) (Staphylinidae) Synonym(s): *caucasica Kolenati,1846*
18143) Phyllodrepa floralis (Paykull,1789) (Staphylinidae) Synonym(s): *floralis Paykull,1789*
18144) Phyllodrepa vilis (Erichson,1840) (Staphylinidae) Synonym(s): *vilis Erichson,1840*
18145) Phytosus spinifer Curtis,1838 (Staphylinidae) Synonym(s): *spinifer Curtis,1838*
18146) Piochardia reitteri (Wasmann,1894) (Staphylinidae) Synonym(s): *reitteri Wasmann,1894*
18147) Plataraea dux (Peyron,1858) (Staphylinidae) Synonym(s): *dux Peyron,1858*
18148) Platyola caeca Assing,2006 (Staphylinidae) Synonym(s): *caeca Assing,2006*
18149) Plectophloeus erichsoni Machulka,1929 (Staphylinidae) Synonym(s): *erichsoni Machulka,1929; orientalis Besuchet,1969*
18150) Plectophloeus nitidus (Fairmaire,1858) (Staphylinidae) Synonym(s): *nitidus Fairmaire,1858*
18151) Plectophloeus nubigenus (Reitter,1877) (Staphylinidae) Synonym(s): *nubigenus Reitter,1877; bosnicus Besuchet,1964*
18152) Poromniusa crassa Eppelsheim,1883 (Staphylinidae) Synonym(s): *crassa Eppelsheim,1883*
18153) Poromniusa procidua (Erichson,1837) (Staphylinidae) Synonym(s): *procidua Erichson,1837*
18154) Potamaurops dentatithorax (Pic,1900) (Staphylinidae) Synonym(s): *dentatithorax Pic,1900; uludagensis Löbl,1967*
18155) Pronomaea anatolica Fagel,1969 (Staphylinidae) Synonym(s): *anatolica Fagel,1969*
18156) Pronomaea araxicola Reitter,1898 (Staphylinidae) Synonym(s): *araxicola Reitter,1898; orientalis Fagel,1969*
18157) Pronomaea khnzoriani Semenov,2003 (Staphylinidae) Synonym(s): *khnzoriani Semenov,2003*
18158) Proteinus atomarius Erichson,1840 (Staphylinidae) Synonym(s): *atomarius Erichson,1840*
18159) Proteinus brachypterus (Fabricius,1792) (Staphylinidae) Synonym(s): *brachypterus Fabricius,1792*
18160) Proteinus creticus Assing,2004 (Staphylinidae) Synonym(s): *creticus Assing,2004*
18161) Proteinus meuseli Dauphin,1999 (Staphylinidae) Synonym(s): *meuseli Dauphin,1999*
18162) Proteinus ovalis Stephens,1834 (Staphylinidae) Synonym(s): *ovalis Stephens,1834*
18163) Proteinus utrarius Assing,2004 (Staphylinidae) Synonym(s): *utrarius Assing,2004*
18164) Proteinus zanettii Dauphin,1999 (Staphylinidae) Synonym(s): *zanettii Dauphin,1999*
18165) Pselaphogenius mehadiensis (J.Frivaldsky,1877) (Staphylinidae) Synonym(s): *mehadiensis J.Frivaldsky,1877*
18166) Pselaphus acuminatus Motschulsky,1835 (Staphylinidae) Synonym(s): *acuminatus Motschulsky,1835*
18167) Pselaphus caucasicus Motschulsky,1845 (Staphylinidae) Synonym(s): *caucasicus Motschulsky,1845*
18168) Pselaphus mysius Besuchet,1960 (Staphylinidae) Synonym(s): *mysius Besuchet,1960*
18169) Pseudocalea angulata (Eppelsheim,1880) (Staphylinidae) Synonym(s): *angulata Eppelsheim,1880*
18170) Pseudocalea korbi (Bernhauer,1902) (Staphylinidae) Synonym(s): *korbi Bernhauer,1902*
18171) Pseudocalea messorphila Assing,2007 (Staphylinidae) Synonym(s): *messorphila Assing,2007*
18172) Pseudoplectus perplexus (Jacquelin du Val,1854) (Staphylinidae) Synonym(s): *perplexus Jacquelin du Val,1854*
18173) Pseudosemiris atavia Assing,2001 (Staphylinidae) Synonym(s): *atavia Assing,2001*
18174) Pseudosemiris fulgida Assing,2001 (Staphylinidae) Synonym(s): *fulgida Assing,2001*
18175) Pseudosemiris kaufmanni (Eppelsheim,1887) (Staphylinidae) Synonym(s): *kaufmanni Eppelsheim,1887*

- 18176) *Pycnota paradoxa* (Mulsant & Rey,1874) (Staphylinidae) Synonym(s): *paradoxa* Mulsant & Rey,1874**
- 18177) *Pyroglossa pontica* Assing,2007 (Staphylinidae) Synonym(s): *pontica* Assing,2007**
- 18178) *Reichenbachia chevrieri* (Aubé,1844) (Staphylinidae) Synonym(s): *chevrieri* Aubé,1844**
- 18179) *Rhopalocerina clavigera* (Scriba,1859) (Staphylinidae) Synonym(s): *clavigera* Scriba,1859**
- 18180) *Rybaxis diabolica* Reitter,1884 (Staphylinidae) Synonym(s): *diabolica* Reitter,1884**
- 18181) *Rybaxis gigas* (Baudi di Delve,1870) (Staphylinidae) Synonym(s): *gigas* Baudi di Delve,1870**
- 18182) *Rybaxis longicornis* (Leach,1817) (Staphylinidae) Synonym(s): *longicornis* Leach,1817**
- 18183) *Scotoplectus ponticus* Besuchet,1975 (Staphylinidae) Synonym(s): *ponticus* Besuchet,1975**
- 18184) *Sepedophilus binotatus* (Gravenhorst,1802) (Staphylinidae) Synonym(s): *binotatus* Gravenhorst,1802**
- 18185) *Sepedophilus bipunctatus* (Gravenhorst,1802) (Staphylinidae) Synonym(s): *bipunctatus* Gravenhorst,1802**
- 18186) *Sepedophilus bipustulatus* (Gravenhorst,1802) (Staphylinidae) Synonym(s): *bipustulatus* Gravenhorst,1802**
- 18187) *Sepedophilus erythrinus* (Hochhuth,1872) (Staphylinidae) Synonym(s): *erythrinus* Hochhuth,1872**
- 18188) *Sepedophilus immaculatus* (Stephens,1832) (Staphylinidae) Synonym(s): *immaculatus* Stephens,1832**
- 18189) *Sepedophilus littoreus* (Linnaeus,1758) (Staphylinidae) Synonym(s): *littoreus* Linnaeus,1758**
- 18190) *Sepedophilus marshami* (Stephens,1832) (Staphylinidae) Synonym(s): *marshami* Stephens,1832**
- 18191) *Sepedophilus obtusus* (Luze,1902) (Staphylinidae) Synonym(s): *obtus* Luze,1902**
- 18192) *Sepedophilus pedicularius* (Gravenhorst,1802) (Staphylinidae) Synonym(s): *pedicularius* Gravenhorst,1802**
- 18193) *Sepedophilus subparallelus* (Bernhauer,1935) (Staphylinidae) Synonym(s): *subparallelus* Bernhauer,1935**
- 18194) *Sepedophilus testaceus* (Fabricius,1793) (Staphylinidae) Synonym(s): *testaceus* Fabricius,1793**
- 18195) *Silusa areolata* Reitter,1888 (Staphylinidae) Synonym(s): *areolata* Reitter,1888**
- 18196) *Sognorus calcaratus* (Baudi di Selve,1870) (Staphylinidae) Synonym(s): *calcaratus* Baudi di Selve,1870**
- 18197) *Tachinus bonvouloiri* Pandellé,1869 (Staphylinidae) Synonym(s): *bonvouloiri* Pandellé,1869**
- 18198) *Tachinus caucasicus* Kolenati,1846 (Staphylinidae) Synonym(s): *caucasicus* Kolenati,1846**
- 18199) *Tachinus corticinus* Gravenhorst,1802 (Staphylinidae) Synonym(s): *corticinus* Gravenhorst,1802**
- 18200) *Tachinus discoideus* Erichson,1839 (Staphylinidae) Synonym(s): *discoideus* Erichson,1839**
- 18201) *Tachinus elongatus* Gyllenhal,1810 (Staphylinidae) Synonym(s): *elongatus* Gyllenhal,1810**
- 18202) *Tachinus fauveli* Pandellé,1869 (Staphylinidae) Synonym(s): *fauveli* Pandellé,1869**
- 18203) *Tachinus fimetarius* Gravenhorst,1802 (Staphylinidae) Synonym(s): *fimetarius* Gravenhorst,1802**
- 18204) *Tachinus humeralis* Gravenhorst,1802 (Staphylinidae) Synonym(s): *humeralis* Gravenhorst,1802**
- 18205) *Tachinus laticollis* Gravenhorst,1802 (Staphylinidae) Synonym(s): *laticollis* Gravenhorst,1802**
- 18206) *Tachinus nigerrimus* Solsky,1864 (Staphylinidae) Synonym(s): *nigerrimus* Solsky,1864**
- 18207) *Tachinus rufitarsis* Hochhuth,1849 (Staphylinidae) Synonym(s): *rufitarsis* Hochhuth,1849**
- 18208) *Tachinus scapularis* Stephens,1832 (Staphylinidae) Synonym(s): *scapularis* Stephens,1832**
- 18209) *Tachinus signatus* Gravenhorst,1802 (Staphylinidae) Synonym(s): *signatus* Gravenhorst,1802**
- 18210) *Tachinus subterraneus* (Linnaeus,1758) (Staphylinidae) Synonym(s): *subterraneus* Linnaeus,1758**
- 18211) *Tachyporus abner* Saulcy,1865 (Staphylinidae) Synonym(s): *abner* Saulcy,1865**
- 18212) *Tachyporus atriceps* Stephens,1832 (Staphylinidae) Synonym(s): *atrics* Stephens,1832**
- 18213) *Tachyporus caucasicus* Kolenati,1846 (Staphylinidae) Synonym(s): *caucasicus* Kolenati,1846**
- 18214) *Tachyporus chrysomelinus* (Linnaeus,1758) (Staphylinidae) Synonym(s): *chrysomelinus* Linnaeus,1758**
- 18215) *Tachyporus hypnorum* (Fabricius,1775) (Staphylinidae) Synonym(s): *hypnorum* Fabricius,1775**
- 18216) *Tachyporus nitidulus* (Fabricius,1781) (Staphylinidae) Synonym(s): *nitidulus* Fabricius,1781**
- 18217) *Tachyporus pusillus* Gravenhorst,1806 (Staphylinidae) Synonym(s): *pusillus* Gravenhorst,1806**
- 18218) *Tachyporus scitulus* Erichson,1839 (Staphylinidae) Synonym(s): *scitulus* Erichson,1839**
- 18219) *Tachyporus solutus* Erichson,1839 (Staphylinidae) Synonym(s): *solutus* Erichson,1839**
- 18220) *Tachyporus vafer* Schülke,1996 (Staphylinidae) Synonym(s): *vafer* Schülke,1996**
- 18221) *Tachyusa balteata* Erichson,1839 (Staphylinidae) Synonym(s): *balteata* Erichson,1839**
- 18222) *Tachyusa coarctata* Erichson,1837 (Staphylinidae) Synonym(s): *coarctata* Erichson,1837**
- 18223) *Tachyusa constricta* Erichson,1837 (Staphylinidae) Synonym(s): *constricta* Erichson,1837;
linearis Heer,1841**

- 18224) Tachyusa loebli Pasnik, 2006** (Staphylinidae) Synonym(s): *loebli Pasnik, 2006*
- 18225) Tachyusa nitella Fauvel, 1895** (Staphylinidae) Synonym(s): *nitella Fauvel, 1895*
- 18226) Tachyusa objecta Mulsant & Rey, 1870** (Staphylinidae) Synonym(s): *objecta Mulsant & Rey, 1870*
- 18227) Tachyusa turcica Pasnik, 2006** (Staphylinidae) Synonym(s): *turcica Pasnik, 2006*
- 18228) Taxicera deplanata (Gravenhorst, 1802)** (Staphylinidae) Synonym(s): *deplanata Gravenhorst, 1802*
- 18229) Tectusa taurica Assing, 2004** (Staphylinidae) Synonym(s): *taurica Assing, 2004*
- 18230) Tetartopeus adanensis Assing, 2004** (Staphylinidae) Synonym(s): *adanensis Assing, 2004*
- 18231) Tetartopeus czwalinai (Jakobson, 1909)** (Staphylinidae) Synonym(s): *czwalinai Jakobson, 1909*
- 18232) Tetartopeus persicus Coiffait** (Staphylinidae) Synonym(s):
- 18233) Tetartopeus rufonitidus (Reitter, 1909)** (Staphylinidae) Synonym(s): *rufonitidus Reitter, 1909*
- 18234) Tetartopeus styliifer (Reitter, 1909)** (Staphylinidae) Synonym(s): *styliifer Reitter, 1909*
- 18235) Tetartopeus tezceni Anlaş, 2009** (Staphylinidae) Synonym(s): *tezceni Anlaş, 2009*
- 18236) Thiasophila canaliculata Mulsant & Rey, 1874** (Staphylinidae) Synonym(s): *canaliculata Mulsant & Rey, 1874*
- 18237) Thiasophila angulata (Erichson, 1837)** (Staphylinidae) Synonym(s): *angulata Erichson, 1837*
- 18238) Tinotus morion (Gravenhorst, 1802)** (Staphylinidae) Synonym(s): *morion Gravenhorst, 1802*
- 18239) Tomoglossa laeta Eppelsheim, 1884** (Staphylinidae) Synonym(s): *laeta Eppelsheim, 1884*
- 18240) Tremissus Besuchet, 1981** (Staphylinidae) Synonym(s): *Tremissus Besuchet, 1981*
- 18241) Tribatus creticus Reitter, 1884** (Staphylinidae) Synonym(s): *creticus Reitter, 1884*
- 18242) Trichophya pilicornis (Gyllenhal, 1810)** (Staphylinidae) Synonym(s): *pilicornis Gyllenhal, 1810*
- 18243) Trichophya turcica Assing, 2006** (Staphylinidae) Synonym(s): *turcica Assing, 2006*
- 18244) Trimum caucasicum Kolenati, 1846** (Staphylinidae) Synonym(s): *caucasicum Kolenati, 1846; merkli Reitter, 1894; diana Sahlberg, 1908*
- 18245) Trimum libani Sahlberg, 1908** (Staphylinidae) Synonym(s): *libani Sahlberg, 1908*
- 18246) Trissemus antennatus (Aubé, 1833)** (Staphylinidae) Synonym(s): *antennatus Aubé, 1833; serricornis Schmidt-Göbel, 1838*
- 18247) Trissemus dentipes (Baudi di Selve, 1870)** (Staphylinidae) Synonym(s): *dentipes Baudi di Selve, 1870*
- 18248) Trissemus montanus (Saulcy, 1876)** (Staphylinidae) Synonym(s): *montanus Saulcy, 1876*
- 18249) Trissemus mundicornis (Pic, 1904)** (Staphylinidae) Synonym(s): *mundicornis Pic, 1904*
- 18250) Trissemus munganasti (Reitter, 1905)** (Staphylinidae) Synonym(s): *munganasti Reitter, 1905*
- 18251) Tropimenelytron tuberiventris (Eppelsheim, 1880)** (Staphylinidae) Synonym(s): *tuberiventris Eppelsheim, 1880*
- 18252) Turcizyras assingi Muramaya, 2006** (Staphylinidae) Synonym(s): *assingi Muramaya, 2006*
- 18253) Tychobythinus vignai Besuchet, 1978** (Staphylinidae) Synonym(s): *vignai Besuchet, 1978*
- 18254) Tychus anaticus Besuchet, 1964** (Staphylinidae) Synonym(s): *anaticus Besuchet, 1964*
- 18255) Tychus anser Sabella & Kurbaov, 2002** (Staphylinidae) Synonym(s): *anser Sabella & Kurbaov, 2002*
- 18256) Tychus antalyanus Besuchet & Sabella, 1999** (Staphylinidae) Synonym(s): *antalyanus Besuchet & Sabella, 1999*
- 18257) Tychus apfelbeki Karaman, 1955** (Staphylinidae) Synonym(s): *apfelbeki Karaman, 1955*
- 18258) Tychus balcanicus Reitter, 1902** (Staphylinidae) Synonym(s): *balcanicus Reitter, 1902*
- 18259) Tychus brevipennis J. Sahlberg, 1908** (Staphylinidae) Synonym(s): *brevipennis J. Sahlberg, 1908*
- 18260) Tychus bysantinicus Karaman, 1955** (Staphylinidae) Synonym(s): *bysantinicus Karaman, 1955*
- 18261) Tychus cilicicus Sabella, Brachat & Bückle, 1998** (Staphylinidae) Synonym(s): *cilicicus Sabella, Brachat & Bückle, 1998*
- 18262) Tychus cordiger Besuchet, 1969** (Staphylinidae) Synonym(s): *cordiger Besuchet, 1969*
- 18263) Tychus dalmatinus Reitter, 1880** (Staphylinidae) Synonym(s): *dalmatinus Reitter, 1880*
- 18264) Tychus dubius Sabella & Kurbatov, 2002** (Staphylinidae) Synonym(s): *dubius Sabella & Kurbatov, 2002*
- 18265) Tychus erythropterus Schmidt-Göbel, 1838** (Staphylinidae) Synonym(s): *erythropterus Schmidt-Göbel, 1838*
- 18266) Tychus guillebeui Raffray, 1904** (Staphylinidae) Synonym(s): *guillebeui Raffray, 1904*
- 18267) Tychus ibericus (Motschulsky, 1835)** (Staphylinidae) Synonym(s): *ibericus Motschulsky, 1835*
- 18268) Tychus laminiger Besuchet, 1969** (Staphylinidae) Synonym(s): *laminiger Besuchet, 1969*
- 18269) Tychus lederi Saulcy, 1878** (Staphylinidae) Synonym(s): *lederi Saulcy, 1878*
- 18270) Tychus meleagris Sabella & Kurbatov, 2002** (Staphylinidae) Synonym(s): *meleagris Sabella & Kurbatov, 2002*
- 18271) Tychus mundulus Besuchet, 1958** (Staphylinidae) Synonym(s): *mundulus Besuchet, 1958*
- 18272) Tychus niger (Paykull, 1800)** (Staphylinidae) Synonym(s): *niger Paykull, 1800*
- 18273) Tychus olor Sabella & Kurbatov, 2002** (Staphylinidae) Synonym(s): *olor Sabella & Kurbatov, 2002*

- 18274) Tychus pamphylicus Sabella, Brachat & Bückle,1998** (Staphylinidae) Synonym(s): *pamphylicus Sabella, Brachat & Bückle,1998*
- 18275) Tychus ponticus Besuchet & Sabella,1999** (Staphylinidae) Synonym(s): *ponticus Besuchet & Sabella,1999*
- 18276) Tychus pullus Kiesenwetter,1858** (Staphylinidae) Synonym(s): *pullus Kiesenwetter,1858*
- 18277) Tychus remaudierei Besuchet,1969** (Staphylinidae) Synonym(s): *remaudierei Besuchet,1969*
- 18278) Tychus rhodensis Sabella, Brachat & Bückle,1998** (Staphylinidae) Synonym(s): *rhodensis Sabella, Brachat & Bückle,1998*
- 18279) Tychus rufus Motschulky,1851** (Staphylinidae) Synonym(s): *rufus Motschulky,1851*
- 18280) Tyrus peyroni Sauley,1874** (Staphylinidae) Synonym(s): *peyroni Sauley,1874*
- 18281) Xylodromus testaceus (Erichson,1840)** (Staphylinidae) Synonym(s): *testaceus Erichson,1840*
- 18282) Zibus leicocephalus (Aubé,1833)** (Staphylinidae) Synonym(s): *leicocephalus Aubé,1833*
- 18283) Zoosetha mersina Assing,2004** (Staphylinidae) Synonym(s): *mersina Assing,2004*

STENOCEPHALIDAE

- 18284) Dicranocephalus albipes (Fabricius,1781)** (Stenocephalidae) Synonym(s): *albipes Fabricius,1781; leucopus Gmelin,1790; neglectus Herrich-Schäffer,1835*
- 18285) Dicranocephalus agilis (Scopoli,1763)** (Stenocephalidae) Synonym(s): *agilis Scopoli,1763; quinquepunctatus Goeze,1778; nugax Fabricius,1781; monilis Geoffroy,1785; geoffroy Petagna,1787; multicolor Gmelin,1790; nussax Gmelin,1790; celer Gmelin,1790; melanochros Gmelin,1790; mexicanus Ashmead,1886; crassicornis Horvath,1887; femoralis Noualhier,1893; femoratus Puton,1899; robustus Jakovlev,1901; moralesi Wagner,1950; africanus Stichel,1959; litoralis Linnavuori,1960*
- 18286) Dicranocephalus medius (Mulsant & Rey,1870)** (Stenocephalidae) Synonym(s): *medius Mulsant & Rey,1870; horvathi Reuter,1888; sibiricus Jakovlev,1889; brevis Horvath,1899; japonicus Lansbury,1966*
- 18287) Dicranocephalus putoni (Horvath,1897)** (Stenocephalidae) Synonym(s): *putoni Horvath,1897; dimidiatus Jakovlev,1901*
- 18288) Dicranocephalus setulosus (Ferrari,1874)** (Stenocephalidae) Synonym(s): *setulosus Ferrari,1874*

STRATIOMYIDAE

- 18289) Adoxomyia aureovittata (Bigot,1879)** (Stratiomyidae) Synonym(s): *aureovittata Bigot,1879*
- 18290) Adoxomyia cinerascens (Loew,1873)** (Stratiomyidae) Synonym(s): *cinerascens Loew,1873*
- 18291) Adoxomyia obscuripennis (Loew,1873)** (Stratiomyidae) Synonym(s): *obscuripennis Loew,1873; maschouk Pleske,1925*
- 18292) Adoxomyia ruficornis (Loew,1873)** (Stratiomyidae) Synonym(s): *ruficornis Loew,1873*
- 18293) Adoxomyia sarudnyi (Pleske,1903)** (Stratiomyidae) Synonym(s): *sarudnyi Pleske,1903*
- 18294) Beris clavipes (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus,1767; nigroptera Geoffroy,1785; nigritarsis Latreille,1805*
- 18295) Chloromyia formosa (Scopoli,1763)** (Stratiomyidae) Synonym(s): *formosa Scopoli,1763*
- 18296) Chloromyia speciosa (Macquart,1834)** (Stratiomyidae) Synonym(s): *speciosa Macquart,1834; melampogon Zeller,1842; subalpina Strobl,1910; nigripes Pleske,1926*
- 18297) Exochostoma nitidum Macquart,1842** (Stratiomyidae) Synonym(s): *nitidum Macquart,1842*
- 18298) Exochostoma osellai Mason,1995** (Stratiomyidae) Synonym(s): *osellai Mason,1995*
- 18299) Hermetia illucens (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *illucens Linnaeus,1758*
- 18300) Lasiopa balius (Walker,1849)** (Stratiomyidae) Synonym(s): *balius Walker,1849; tenuirostris Loew,1854; bertonii Seguy,1932*
- 18301) Lasiopa benoisti Séguy,1930** (Stratiomyidae) Synonym(s): *benoisti Séguy,1930*
- 18302) Lasiopa calva (Meigen,1822)** (Stratiomyidae) Synonym(s): *calva Meigen,1822*
- 18303) Lasiopa caucasica (Pleske,1901)** (Stratiomyidae) Synonym(s): *caucasica Pleske,1901; koenigi Lichtwardt,1901*
- 18304) Lasiopa mannii Mik,1882** (Stratiomyidae) Synonym(s): *mannii Mik,1882*
- 18305) Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa Fabricius,1794*
- 18306) Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer Loew,1846; limbatus Egger,1859*
- 18307) Nemotelus (s.str.) armeniacus Pleske,1937** (Stratiomyidae) Synonym(s): *armeniaceus Pleske,1937*
- 18308) Nemotelus (s.str.) atriceps Loew,1856** (Stratiomyidae) Synonym(s): *atricsps Loew,1856; longicornis Lindner,1937*
- 18309) Nemotelus (s.str.) bipunctatus Loew,1846** (Stratiomyidae) Synonym(s): *bipunctatus Loew,1846*

- 18310) Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969
- 18311) Nemotelus (s.str.) brevirostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris* Meigen,1822; *globuliceps* Loew,1846; *pseudoglobuliceps* Pleske,1937; *reichardti* Pleske,1937
- 18312) Nemotelus (s.str.) curdistanus Szilady,1941** (Stratiomyidae) Synonym(s): *curdistanus* Szilady,1941
- 18313) Nemotelus (s.str.) mersinae Becker,1915** (Stratiomyidae) Synonym(s): *mersinae* Becker,1915
- 18314) Nemotelus (s.str.) notatus Zetterstedt,1842** (Stratiomyidae) Synonym(s): *notatus* Zetterstedt,1842
- 18315) Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871
- 18316) Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigritus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974
- 18317) Nemotelus (s.str.) rudifraci (Berezovsky & Nartshuk,1993)** (Stratiomyidae) Synonym(s): *rudifraci* Berezovsky & Nartshuk,1993
- 18318) Nemotelus (s.str.) signatus Schiner,1855** (Stratiomyidae) Synonym(s): *signatus* Schiner,1855; *varius* Loew,1871
- 18319) Nemotelus (s.str.) syriacus Lindner,1933** (Stratiomyidae) Synonym(s): *syriacus* Lindner,1933; *aterrimus* Szilady,1941
- 18320) Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846
- 18321) Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922
- 18322) Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 nec Meig.,1822
- 18323) Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infusata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909
- 18324) Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *hydroleon* Linnaeus,1758; *felina* Panzer,[1798]; *alpina* Jaennicke,1866
- 18325) Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): *ornata* Meigen,1822; *signaticornis* Loew,1846
- 18326) Oplodontha viridula (Fabricius,1775)** (Stratiomyidae) Synonym(s): *viridula* Fabricius,1775; *canina* Panzer,[1798]; *jejuna* Schrank,1803; *dentata* Meigen,1804; *holosericea* Olivier,1812; *lunata* Olivier,1812; *subvittata* Meigen,1822; *bimaculata* Meigen,1835; *personata* Loew,1846; *interrupta* Loew,1846; *heydeni* Jaennicke,1866
- 18327) Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925
- 18328) Oxycera (Camptopelta) nigricornis Olivier,1812** (Stratiomyidae) Synonym(s): *nigricornis* Olivier,1812
- 18329) Oxycera (Camptopelta) nigrinus Fallén,1817** (Stratiomyidae) Synonym(s): *nigrinus* Fallén,1817; *carneus* Walker,1849; *unicolor* Loew,1863; *carbonarius* Loew,1869
- 18330) Oxycera fallenii Staeger,1844** (Stratiomyidae) Synonym(s): *fallenii* Staeger,1844; *octomaculata* Yaroshevski,1877
- 18331) Oxycera galeata (Lindner,1975)** (Stratiomyidae) Synonym(s): *galeata* Lindner,1975
- 18332) Oxycera grata Loew,1869** (Stratiomyidae) Synonym(s): *grata* Loew,1869
- 18333) Oxycera insolata Kühbandner,1984** (Stratiomyidae) Synonym(s): *insolata* Kühbandner,1984
- 18334) Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862
- 18335) Oxycera pardalina Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaennicke,1866; *calceata* Loew,1871; *sahunica* Séguy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohémica* Hrbáček,1945; *armata* Vaillant,1950
- 18336) Oxycera pygmaea (Fallén,1817)** (Stratiomyidae) Synonym(s): *pygmaea* Fallén,1817; *affinis* Curtis,1833; *nigripes* Verrall,1909; *hungarica* Kertész,1923
- 18337) Oxycera quadrilineata Üstüner & Hasbenli,2007** (Stratiomyidae) Synonym(s): *quadrilineata* Üstüner & Hasbenli,2007
- 18338) Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938
- 18339) Oxycera turcica Üstüner & Hasbenli,2004** (Stratiomyidae) Synonym(s): *turcica* Üstüner & Hasbenli,2004

- 18340) Pachygaster atra (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817
- 18341) Pachygaster emerita Krivosheina & Freidberg,2004** (Stratiomyidae) Synonym(s): *emerita* Krivosheina & Freidberg,2004
- 18342) Pachygaster maura Lindner,1939** (Stratiomyidae) Synonym(s): *maura* Lindner,1939
- 18343) Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974
- 18344) Sargus cuprarius (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849
- 18345) Stratiomys armeniaca Bigot,1879** (Stratiomyidae) Synonym(s): *armeniaca* Bigot,1879; *herzi* Pleske,1901; *potschinskii* Pleske,1901; *#armaniaca* Üstüner,2005
- 18346) Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941
- 18347) Stratiomys chamaeleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *chamaeleon* Linnaeus,1758; *sellata* Sulzer,1761; *spatula* Scopoli,1763; *nigrodentata* Meigen,1804; *rhaetica* Jaennicke,1866; *unguicornis* Becker,1887; *caucasica* Pleske,1899; *kosnakowi* Pleske,1901; *winogradowinikitini* Pleske,1922
- 18348) Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940
- 18349) Stratiomys nigerrima (Szilady,1941)** (Stratiomyidae) Synonym(s): *nigerrima* Szilady,1941
- 18350) Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868

STREBLIDAE

- 18351) Brachytarsina flavipennis Macquart,1851** (Streblidae) Synonym(s): *flavipennis* Macquart,1851

SYRPHIDAE

- 18352) Baccha elongata (Fabricius,1775)** (Syrphidae) Synonym(s): *elongata* Fabricius,1775
- 18353) Brachypalpoides lentus (Meigen,1822)** (Syrphidae) Synonym(s): *lentus* Meigen,1822; *lateralis* Szilady,1940
- 18354) Brachypalpus meigeni Schiner,1857** (Syrphidae) Synonym(s): *meigeni* Schiner,1857
- 18355) Caliprobola speciosa (Rossi,1790)** (Syrphidae) Synonym(s): *speciosa* Rossi,1790
- 18356) Ceriana conopsoides (Linnaeus,1758)** (Syrphidae) Synonym(s): *conopsoides* Linnaeus,1758; *adunata* Geoffroy,1785; *clavicornis* Fabricius,1794; *vaginicornis* Schrank,1803; *uralensis* Becker,1921
- 18357) Ceriana vespiformis (Latreille,1804)** (Syrphidae) Synonym(s): *vespiformis* Latreille,1804; *scutellata* Macquart,1842; *intricata* Saunders,1845
- 18358) Chalcosyrphus nemorum (Fabricius,1805)** (Syrphidae) Synonym(s): *nemorum* Fabricius,1805
- 18359) Cheilosia (Eucartosyrphus) rufipes (Preyssler,1793)** (Syrphidae) Synonym(s): *rufipes* Preyssler,1793
- 18360) Cheilosia (Eucartosyrphus) scutellata (Fallén,1817)** (Syrphidae) Synonym(s): *scutellata* Fallén,1817
- 18361) Cheilosia (Floccocheila) illustrata (Harris,1776)** (Syrphidae) Synonym(s): *illustrata* Harris,1776
- 18362) Cheilosia (Floccocheila) potschinskiana Stackelberg,1960** (Syrphidae) Synonym(s): *potschinskiana* Stackelberg,1960
- 18363) Cheilosia (s.str.) aerea Dufour,1848** (Syrphidae) Synonym(s): *aerea* Dufour,1848
- 18364) Cheilosia (s.str.) albitarsis (Meigen,1822)** (Syrphidae) Synonym(s): *albitarsis* Meigen,1822
- 18365) Cheilosia (s.str.) canicularis (Panzer,1801)** (Syrphidae) Synonym(s): *canicularis* Panzer,1801
- 18366) Cheilosia (s.str.) proxima (Zetterstedt,1843)** (Syrphidae) Synonym(s): *proxima* Zetterstedt,1843
- 18367) Cheilosia (s.str.) schnabli Becker,1894** (Syrphidae) Synonym(s): *schnabli* Becker,1894
- 18368) Cheilosia (s.str.) urbana (Meigen,1822)** (Syrphidae) Synonym(s): *urbana* Meigen,1822
- 18369) Cheilosia (s.str.) variabilis (Panzer,1798)** (Syrphidae) Synonym(s): *variabilis* Panzer,1798
- 18370) Cheilosia latifacies Loew,1857** (Syrphidae) Synonym(s): *latifacies* Loew,1857
- 18371) Cheilosia soror (Zetterstedt,1843)** (Syrphidae) Synonym(s): *soror* Zetterstedt,1843
- 18372) Chrysogaster chalybeata Meigen,1822** (Syrphidae) Synonym(s): *chalybeata* Meigen,1822

- 18373) Chrysogaster coemiteriora (Linnaeus,1758)** (Syrphidae) Synonym(s): *coemiteriorum* Linnaeus,1758
- 18374) Chrysogaster mediterranea Vujic,1999** (Syrphidae) Synonym(s): *mediterraneus* Vujic,1999
- 18375) Chrysogaster simplex Loew,1843** (Syrphidae) Synonym(s): *simplex* Loew,1843
- 18376) Chrysogaster tumescens (Loew,1854)** (Syrphidae) Synonym(s): *tumescens* Loew,1854
- 18377) Chrysotoxum bicinctum (Linnaeus,1758)** (Syrphidae) Synonym(s): *bicinctum* Linnaeus,1758
- 18378) Chrysotoxum cautum (Harris,1776)** (Syrphidae) Synonym(s): *cautum* Harris,1776
- 18379) Chrysotoxum elegans Loew,1841** (Syrphidae) Synonym(s): *elegans* Loew,1841
- 18380) Chrysotoxum festivum (Linnaeus,1758)** (Syrphidae) Synonym(s): *festivum* Linnaeus,1758; *bipunctatum* Müller,1776; *imbelle* Harris,[1776]; *geographicum* Geoffroy,1785; *annulatum* Loew,1840; *infuscatum* Loew,1840; *scutellare* Loew,1840; *tomentosum* Giglio-Tos,1890; *japonicum* Matsumura,1916
- 18381) Chrysotoxum intermedium Meigen,1822** (Syrphidae) Synonym(s): *intermedium* Meigen,1822; *lunulatum* Brullé,1832; *monticola* Schummel,1842; *italicum* Rondani,1845; *graecum* Walker,1852; *gymnophthalmum* Giglio-Tos,1890
- 18382) Chrysotoxum parmense Rondani,1845** (Syrphidae) Synonym(s): *parmense* Rondani,1845; *holzi* Becker,1913
- 18383) Dasysyrphus albostratus (Fallén,1817)** (Syrphidae) Synonym(s): *albostratus* Fallén,1817
- 18384) Dasysyrphus lunulatus (Meigen,1822)** (Syrphidae) Synonym(s): *lunulatus* Meigen,1822
- 18385) Dasysyrphus pinastri (De Geer,1776)** (Syrphidae) Synonym(s): *pinastri* De Geer,1776
- 18386) Epistrophe (s.str.) eligans (Harris,1776)** (Syrphidae) Synonym(s): *eligans* Harris,1776; *interrupta* Gmelin,1790; *bifasciata* Fabricius,1794; *fulvipes* Wiedemann,1822; *trifasciata* Strobl,1880; *nigra* Suster & Zilberman,1958
- 18387) Epistrophe (s.str.) grossulariae (Meigen,1822)** (Syrphidae) Synonym(s): *grossulariae* Meigen,1822
- 18388) Episyrphus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763; *balteatus* De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina* Wiedemann,1830; *alternans* Macquart,1842; *trigilatus* Walker,1856
- 18389) Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818; *pulchripes* Wiedemann,1822; *fasciatus* Germar,1845; *aegyptius* Walker,1849; *torridus* Walker,1849; *completus* Santos-Abreu,1924; *concinus* Santos-Abreu,1924
- 18390) Eristalinus (Lathyrrophthalmus) aeneus (Scopoli,1763)** (Syrphidae) Synonym(s): *aeneus* Scopoli,1763; *punctatus* Müller,1764; *macrophthalmus* Preysler,1791; *taphicus* Wiedemann,1830; *stygius* Newman,1835; *aenescens* Macquart,1842; *nigrolineatus* Hervé-Bazin,1923
- 18391) Eristalinus (Lathyrrophthalmus) megacephalus (Rossi,1792)** (Syrphidae) Synonym(s): *megacephalus* Rossi,1792
- 18392) Eristalinus (Lathyrrophthalmus) quinquestriatus (Fabricius,1794)** (Syrphidae) Synonym(s): *quinquestriatus* Fabricius,1794
- 18393) Eristalinus (s.str.) sepulchralis (Linnaeus,1758)** (Syrphidae) Synonym(s): *sepulchralis* Linnaeus,1758
- 18394) Eristalis (Eoseritalis) alpina (Panzer,[1798])** (Syrphidae) Synonym(s): *alpina* Panzer,[1798]; *caucasica* Portschinsky,1892
- 18395) Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *arbustorum* Linnaeus,1758; *lineole* Harris,1776
- 18396) Eristalis (Eoseritalis) jugorum Egger,1858** (Syrphidae) Synonym(s): *jugorum* Egger,1858; *pyrenaica* Becker,1921
- 18397) Eristalis (Eoseritalis) pertinax (Scopoli,1763)** (Syrphidae) Synonym(s): *pertinax* Scopoli,1763; *fossarum* Meigen,1822; *lucorum* Meigen,1838; *flavitaris* Malm,1863
- 18398) Eristalis (Eoseritalis) rupium Fabricius,1805** (Syrphidae) Synonym(s): *rupium* Fabricius,1805; *hybrida* Kanervo,1938; *infuscata* Kanervo,1938; *nigrofasciata* Kanervo,1938; *nigrotarsata* Kanervo,1938
- 18399) Eristalis (Eoseritalis) similis (Fallén,1817)** (Syrphidae) Synonym(s): *similis* Fallén,1817
- 18400) Eristalis (s.str.) tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax* Linnaeus,1758; *interrupta* Poda,1761; *vulgaris* Scopoli,1763; *fuscus* Scopoli,1763; *porcinus* De Geer,1776; *arbustorum* Schrank,1781; *silvaticus* Meigen,1822; *vulpinus* Meigen,1822; *sinensis* Wiedemann,1824; *ventralis* Thomson,1869; *alpina* Strobl,1909
- 18401) Eumerus angustifrons Loew,1848** (Syrphidae) Synonym(s): *angustifrons* Loew,1848
- 18402) Eumerus argyropus Loew,1848** (Syrphidae) Synonym(s): *argyropus* Loew,1848
- 18403) Eumerus funeralis Meigen,1822** (Syrphidae) Synonym(s): *funeralis* Meigen,1822
- 18404) Eumerus hissaricus (Stackelberg,1949)** (Syrphidae) Synonym(s): *hissaricus* Stackelberg,1949
- 18405) Eumerus sogdianus Stackelberg,1952** (Syrphidae) Synonym(s): *sogdianus* Stackelberg,1952
- 18406) Eumerus strigatus (Fallén,1817)** (Syrphidae) Synonym(s): *strigatus* Fallén,1817
- 18407) Eumerus tricolor (Fabricius,1798)** (Syrphidae) Synonym(s): *tricolor* Fabricius,1798
- 18408) Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *consisto* Harris,1776; *corollae* Fabricius,1794; *pyrorum* Schrank,1803; *olitoria* Fallén,1817; *lacerus* Meigen,1822; *fulvifrons* Macquart,1827; *crenatus* Macquart,1927; *annularis* Curtis,1837; *octomaculata* Curtis,1837; *propinquus* Macquart,1850; *topiarius* Walker,1851; *berber* Bigot,1884
- 18409) Eupeodes flaviceps (Rondani,1857)** (Syrphidae) Synonym(s): *flaviceps* Rondani,1857

- 18410) *Eupeodes latifasciatus* (Macquart,1829)** (Syrphidae) Synonym(s): *latifasciatus* Macquart,1829; *affinis* Loew,1840; *abbreviatus* Zetterstedt,1849; *flavipes* Rondani,1857; *submaculatus* Frey,1918
- 18411) *Eupeodes luniger* (Meigen,1822)** (Syrphidae) Synonym(s): *luniger* Meigen,1822; *nigrifemoratus* Macquart,1829; *bucculatus* Rondani,1857; *maricolor* Enderlein,1938; *azureus* Szilady,1940; *transcendens* Szilady,1940
- 18412) *Eupeodes nuba* (Wiedemann,1830)** (Syrphidae) Synonym(s): *nuba* Wiedemann,1830; *interrumpens* Walker,1871; *rufinasutus* Bigot,1884; *novigradensis* Coe,1960
- 18413) *Ferdinandea cuprea* (Scopoli,1763)** (Syrphidae) Synonym(s): *cuprea* Scopoli,1763
- 18414) *Helophilus (Anasimyia) transfugus* (Linnaeus,1758)** (Syrphidae) Synonym(s): *transfuga* Linnaeus,1758
- 18415) *Helophilus (s.str.) continuus* (Loew,1844)** (Syrphidae) Synonym(s): *continuus* Loew,1844
- 18416) *Helophilus (s.str.) hybridus* Loew,1846** (Syrphidae) Synonym(s): *hybridus* Loew,1846
- 18417) *Helophilus (s.str.) parallelus* (Harris,[1776])** (Syrphidae) Synonym(s): *parallelus* Harris,[1776]
- 18418) *Helophilus (s.str.) trivittatus* (Fabricius,1805)** (Syrphidae) Synonym(s): *trivittatus* Fabricius,1805
- 18419) *Heringia brevidens* (Egger,1865)** (Syrphidae) Synonym(s): *brevidens* Egger,1865
- 18420) *Ischiodon scutellaris* (Fabricius,1805)** (Syrphidae) Synonym(s): *scutellaris* Fabricius,1805; *trochantericus* Sack,1913; *ogasawarensis* Matsumura,1916; *boninensis* Matsumura,1919
- 18421) *Lapposyrphus lapponicus* (Zetterstedt,1838)** (Syrphidae) Synonym(s): *lapponicus* Zetterstedt,1838
- 18422) *Lejogaster tarsata* (Meigen,1822)** (Syrphidae) Synonym(s): *tarsata* Meigen,1822 [line priority]; *splendida* Meigen,1822; *bicolor* Macquart,1829; *amethystina* Macquart,1834; *rufitarsis* Loew,1840; *aurichalcea* Becker,1913; *longior* Becker,1921
- 18423) *Lejops vittatus* (Meigen,1822)** (Syrphidae) Synonym(s): *vittatus* Meigen,1822
- 18424) *Leucozona glaucia* (Linnaeus,1758)** (Syrphidae) Synonym(s): *glaucia* Linnaeus,1758
- 18425) *Mallota cimbiciformis* (Fallén,1817)** (Syrphidae) Synonym(s): *cimbiciformis* Fallén,1817; *eristaloides* Loew,1856
- 18426) *Mallota tricolor* Loew,1871** (Syrphidae) Synonym(s): *tricolor* Loew,1871
- 18427) *Melanogaster nuda* (Macquart,1829)** (Syrphidae) Synonym(s): *nuda* Macquart,1829
- 18428) *Melanostoma mellinum* (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum* Linnaeus,1758; *facultas* Harris,1776; *scalare* Panzer,1797; *mellarium* Meigen,1822; *melliturgus* Meigen,1822; *laevigatum* Meigen,1822; *minutum* Macquart,1827; *unicolor* Macquart,1827; *concolor* Walker,1851; *pruinsum* Bigot,1884; *nigricorne* Stroble,1893
- 18429) *Melanostoma scalare* (Fabricius,1794)** (Syrphidae) Synonym(s): *scalare* Fabricius,1794
- 18430) *Meliscaeva auricollis* (Meigen,1822)** (Syrphidae) Synonym(s): *auricollis* Meigen,1822
- 18431) *Merodon aberrans* Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883
- 18432) *Merodon alagoezicus* Paramonov,1925** (Syrphidae) Synonym(s): *alagoezicus* Paramonov,1925
- 18433) *Merodon altinosus* Hurkmans,1993** (Syrphidae) Synonym(s): *altinosus* Hurkmans,1993
- 18434) *Merodon armipes* Rondani,1843** (Syrphidae) Synonym(s): *armipes* Rondani,1843
- 18435) *Merodon auronitens* Hurkmans,1993** (Syrphidae) Synonym(s): *auronitens* Hurkmans,1993; *#auronites* Vujic et al.,2011
- 18436) *Merodon avidus* (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Lioy,1864
- 18437) *Merodon batumicus* Paramonov,1926** (Syrphidae) Synonym(s): *batumicus* Paramonov,1926
- 18438) *Merodon bessarabicus* Paramonov,1924** (Syrphidae) Synonym(s): *bessarabicus* Paramonov,1924
- 18439) *Merodon biarcuatus* Curran,1939** (Syrphidae) Synonym(s): *biarcuatus* Curran,1939
- 18440) *Merodon caudatus* Sack,1913** (Syrphidae) Synonym(s): *caudatus* Sack,1913
- 18441) *Merodon chalybeatus* Sack,1913** (Syrphidae) Synonym(s): *chalybeatus* Sack,1913; *albonigrum* Radenkovic & Simic,1996
- 18442) *Merodon clavipes* (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937
- 18443) *Merodon clunipes* Sack,1913** (Syrphidae) Synonym(s): *clunipes* Sack,1913
- 18444) *Merodon crassifemoris* Paramonov,1925** (Syrphidae) Synonym(s): *crassifemoris* Paramonov,1925
- 18445) *Merodon cupreus* Hurkmans,1993** (Syrphidae) Synonym(s): *cupreus* Hurkmans,1993
- 18446) *Merodon distinctus* Palma,1863** (Syrphidae) Synonym(s): *distinctus* Palma,1863; *dimorpha* Szilady,1940
- 18447) *Merodon erivanicus* Paramonov,1925** (Syrphidae) Synonym(s): *erivanicus* Paramonov,1925; *kaloceros* Hurkmans,1993
- 18448) *Merodon femoratoides* Paramonov,1925** (Syrphidae) Synonym(s): *femoratoides* Paramonov,1925
- 18449) *Merodon femoratus* Sack,1913** (Syrphidae) Synonym(s): *femoratus* Sack,1913

- 18450) Merodon funestus (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus Fabricius,1794*
- 18451) Merodon geniculatus Strobl,1909** (Syrphidae) Synonym(s): *geniculatus Strobl,1909*
- 18452) Merodon hamifer Sack,1913** (Syrphidae) Synonym(s): *hamifer Sack,1913*
- 18453) Merodon hayati Hurkmans,1997** (Syrphidae) Synonym(s): *hayati Hurkmans,1997*
- 18454) Merodon hikmeti Hurkmans & Hayat,1997** (Syrphidae) Synonym(s): *hikmeti Hurkmans & Hayat,1997*
- 18455) Merodon hypochrysos Hurkmans,1993** (Syrphidae) Synonym(s): *hypochrysos Hurkmans,1993*
- 18456) Merodon ilgazense Vujic et al.,2011** (Syrphidae) Synonym(s): *ilgazense Vujic et al.,2011*
- 18457) Merodon italicus Rondani,1845** (Syrphidae) Synonym(s): *italicus Rondani,1845; longicornis Sack,1913; affinis Gil Collado,1930*
- 18458) Merodon loewi Van der Gott,1964** (Syrphidae) Synonym(s): *loewi Van der Gott,1964*
- 18459) Merodon lucasi Hurkmans,1993** (Syrphidae) Synonym(s): *lucasi Hurkmans,1993*
- 18460) Merodon nanus (Sack,1913)** (Syrphidae) Synonym(s): *nanus Sack,1913*
- 18461) Merodon nigratarsis Rondani,1845** (Syrphidae) Synonym(s): *nigratarsis Rondani,1845*
- 18462) Merodon nitidifrons Hurkmans,1993** (Syrphidae) Synonym(s): *nitidifrons Hurkmans,1993*
- 18463) Merodon obscuratarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuratarsis Strobl,1909; fuerteventurensis Barkemeyer,2002*
- 18464) Merodon oidipous Hurkmans,1993** (Syrphidae) Synonym(s): *oidipous Hurkmans,1993*
- 18465) Merodon ottomanus Hurkmans,1993** (Syrphidae) Synonym(s): *ottomanus Hurkmans,1993*
- 18466) Merodon planiceps Loew,1862** (Syrphidae) Synonym(s): *planiceps Loew,1862*
- 18467) Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni Rossi,1790; fulvus Macquart,1834; pallidus Macquart,1842; sicanus Rondani,1845; fuscinervis Röder,1887; obscurus Gil Collado,1929*
- 18468) Merodon quadrinotatus (Sack,1931)** (Syrphidae) Synonym(s): *quadrinotatus Sack,1931*
- 18469) Merodon satdagensis Hurkmans,1993** (Syrphidae) Synonym(s): *satdagensis Hurkmans,1993*
- 18470) Merodon schahti Hurkmans,1993** (Syrphidae) Synonym(s): *schahti Hurkmans,1993*
- 18471) Merodon spinitarsis Paramonov,1929** (Syrphidae) Synonym(s): *spinitarsis Paramonov,1929*
- 18472) Merodon taniniensis Hurkmans,1993** (Syrphidae) Synonym(s): *taniniensis Hurkmans,1993*
- 18473) Merodon telmateia Hurkmans,1987** (Syrphidae) Synonym(s): *telmateia Hurkmans,1987*
- 18474) Merodon testaceus Sack,1913** (Syrphidae) Synonym(s): *testaceus Sack,1913*
- 18475) Merodon vandergooti Hurkmans,1993** (Syrphidae) Synonym(s): *vandergooti Hurkmans,1993; aureotibia Hurkmans,1993*
- 18476) Merodon velox Loew,1869** (Syrphidae) Synonym(s): *velox Loew,1869; anathema Paramonov,1925; armeniaca Paramonov,1925*
- 18477) Merodon warneckei Hurkmans,1993** (Syrphidae) Synonym(s): *warneckei Hurkmans,1993*
- 18478) Mesembrius peregrinus (Loew,1846)** (Syrphidae) Synonym(s): *peregrinus Loew,1846*
- 18479) Microdon analis (Macquart,1842)** (Syrphidae) Synonym(s): *analis Macquart,1842; brevicornis Egger; eggeri Mik,1897*
- 18480) Microdon devius (Linnaeus,1761)** (Syrphidae) Synonym(s): *devius Linnaeus,1761*
- 18481) Microdon mutabilis (Linnaeus,1758)** (Syrphidae) Synonym(s): *mutabilis Linnaeus,1758; auropubescens Latreille,1805*
- 18482) Milesia crabroniformis (Fabricius,1775)** (Syrphidae) Synonym(s): *crabroniformis Fabricius,1775; gigas Rossi,1790*
- 18483) Milesia semiluctifera (Villers,1789)** (Syrphidae) Synonym(s): *semiluctifera Villers,1789; splendida Rossi,1790; fulminans Fabricius,1805*
- 18484) Myathropa florea (Linnaeus,1758)** (Syrphidae) Synonym(s): *florea Linnaeus,1758; ablecta Harris,1776; atropos Schrank,1776; bigoti Macquart,1850; nigrotarsata Schiner,1862; flavofemorata Strobl,1902; nigrofasciata Becker,1907; auripila Becker,1907; nigrofemorata Santos Abreu,1924; pygmaea Santos Abreu,1924; varifemorata Santos Abreu,1924; nigrolanata Frey,1945*
- 18485) Myolepta nigratarsis Coe,1957** (Syrphidae) Synonym(s): *nigratarsis Coe,1957*
- 18486) Myolepta potens (Harris,1780)** (Syrphidae) Synonym(s): *potens Harris,1780*
- 18487) Myolepta trojana Reemer & Hauser,2005** (Syrphidae) Synonym(s): *trojana Reemer & Hauser,2005*
- 18488) Neoascia annexa (Müller,1776)** (Syrphidae) Synonym(s): *annexa Müller,1776*
- 18489) Neoascia interrupta (Meigen,1822)** (Syrphidae) Synonym(s): *interrupta Meigen,1822*
- 18490) Neoascia pavlovskii Stackelberg,1955** (Syrphidae) Synonym(s): *pavlovskii Stackelberg,1955*
- 18491) Neoascia podagrica (Fabricius,1775)** (Syrphidae) Synonym(s): *podagrica Fabricius,1775; molio Harris,[1780]; tenur Harris,[1780]; crassipes Schrank,1781; elephantopus Gmelin,1790; lanceolata Meigen,1822; maculata Macquart,1829; unifasciata Strobl,1898*
- 18492) Neoascia subannexa Claussen,1997** (Syrphidae) Synonym(s): *subannexa Claussen,1997*
- 18493) Orthonevra frontalis (Loew,1843)** (Syrphidae) Synonym(s): *frontalis Loew,1843; venusta Rondani,1856*
- 18494) Orthonevra fumipennis (Loew,1843)** (Syrphidae) Synonym(s): *fumipennis Loew,1843*
- 18495) Orthonevra longicornis (Loew,1843)** (Syrphidae) Synonym(s): *longicornis Loew,1843*

- 18496) Orthonevra nobilis (Fallén,1817)** (Syrphidae) Synonym(s): *nobilis* Fallén,1817; *nigricollis* Meigen,1822; *byzanthina* Strobl,1902; *anomala* Becker,1921
- 18497) Orthonevra splendens (Meigen,1822)** (Syrphidae) Synonym(s): *splendens* Meigen,1822
- 18498) Palumbia (s.str.) eristoloides (Portschinsky,1887)** (Syrphidae) Synonym(s): *eristoloides* Portschinsky,1887; *flavipes* Paramonov,1927
- 18499) Paragus (Pandasyophtalmus) abrogans Goeldlin,1971** (Syrphidae) Synonym(s): *abrogans* Goeldlin,1971
- 18500) Paragus (Pandasyophtalmus) coadunatus Rondani,1847** (Syrphidae) Synonym(s): *coadunatus* Rondani,1847
- 18501) Paragus (Pandasyophtalmus) constrictus Simic,1986** (Syrphidae) Synonym(s): *constrictus* Simic,1986
- 18502) Paragus (Pandasyophtalmus) tibialis (Fallén,1817)** (Syrphidae) Synonym(s): *tibialis* Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schummel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883
- 18503) Paragus (Pandasyophtalmus) haemorrhous Meigen,1922** (Syrphidae) Synonym(s): *haemorrhous* Meigen,1922
- 18504) Paragus (s.str.) absidatus Goeldlin,1971** (Syrphidae) Synonym(s): *absidatus* Goeldlin,1971
- 18505) Paragus (s.str.) albifrons (Fallén,1817)** (Syrphidae) Synonym(s): *albifrons* Fallén,1817
- 18506) Paragus (s.str.) altomontanus Weyer,2010** (Syrphidae) Synonym(s): *altomontanus* Weyer,2010
- 18507) Paragus (s.str.) azureus Hull,1949** (Syrphidae) Synonym(s): *azureus* Hull,1949
- 18508) Paragus (s.str.) bicolor (Fabricius,1794)** (Syrphidae) Synonym(s): *cruentata* Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *punctulatus* Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuatus* Bigot,1862; *angustifrons* Loew,1863
- 18509) Paragus (s.str.) bradescui Stanescu,1981** (Syrphidae) Synonym(s): *bradescui* Stanescu,1981; *antoinettae* Goeldlin & Lucas,1981
- 18510) Paragus (s.str.) cinctus Schiner & Egger,1853** (Syrphidae) Synonym(s): *cinctus* Schiner & Egger,1853
- 18511) Paragus (s.str.) compeditus Wiedemann,1830** (Syrphidae) Synonym(s): *compeditus* Wiedemann,1830; *aegyptius* Macquart,1857
- 18512) Paragus (s.str.) faesi De Weyer,2000** (Syrphidae) Synonym(s): *faesi* De Weyer,2000
- 18513) Paragus (s.str.) kopdagensis Hayat & Claussen,1997** (Syrphidae) Synonym(s): *kopdagensis* Hayat & Claussen,1997
- 18514) Paragus (s.str.) oltenicus Stanescu,1977** (Syrphidae) Synonym(s): *oltenicus* Stanescu,1977; *serratiparamerus* Li,1990
- 18515) Paragus (s.str.) pecciolii Rondani,1857** (Syrphidae) Synonym(s): *pecciolii* Rondani,1857; *majoranae* Rondani,1857
- 18516) Paragus (s.str.) quadrifasciatus Meigen,1822** (Syrphidae) Synonym(s): *quadrifasciatus* Meigen,1822
- 18517) Paragus (s.str.) romanicus Stanescu,1992** (Syrphidae) Synonym(s): *romanicus* Stanescu,1992
- 18518) Parasyrphus punctulatus (Verrall,1873)** (Syrphidae) Synonym(s): *punctulatus* Verrall,1873
- 18519) Parhelophilus versicolor (Fabricius,1794)** (Syrphidae) Synonym(s): *versicolor* Fabricius,1794
- 18520) Pelecocera scaevoides (Fallén,1817)** (Syrphidae) Synonym(s): *scaevoides* Fallén,1817
- 18521) Pipiza festiva Meigen,1822** (Syrphidae) Synonym(s): *festiva* Meigen,1822
- 18522) Pipiza noctiluca (Linnaeus,1758)** (Syrphidae) Synonym(s): *noctiluca* Linnaeus,1758; *tristor* Harris,1780; *vana* Zetterstedt,1843
- 18523) Pipizella annulata (Macquart,1829)** (Syrphidae) Synonym(s): *annulata* Macquart,1829
- 18524) Pipizella elegantissima Lucas,1976** (Syrphidae) Synonym(s): *elegantissima* Lucas,1976
- 18525) Platycheirus albimanus (Fabricius,1781)** (Syrphidae) Synonym(s): *albimanus* Fabricius,1781; *cyaneus* Walker,1851; *pulchellus* Palma,1863; *nigrofemoratus* Kanervo,1934
- 18526) Platycheirus ambiguus (Fallén,1817)** (Syrphidae) Synonym(s): *ambiguus* Fallén,1817; *monochaetus* Loew,1871
- 18527) Platycheirus angustatus (Zetterstedt,1843)** (Syrphidae) Synonym(s): *angustatus* Zetterstedt,1843; *major* Szilady,1940
- 18528) Platycheirus aurolateralis Stubbs,2002** (Syrphidae) Synonym(s): *aurolateralis* Stubbs,2002
- 18529) Platycheirus fulviventris (Macquart,1828)** (Syrphidae) Synonym(s): *fulviventris* Macquart,1828
- 18530) Platycheirus immaculatus Ohara,1980** (Syrphidae) Synonym(s): *immaculatus* Ohara,1980
- 18531) Platycheirus manicatus (Meigen,1822)** (Syrphidae) Synonym(s): *manicatus* Meigen,1822
- 18532) Platycheirus nielseni Vockeroth,1990** (Syrphidae) Synonym(s): *nielseni* Vockeroth,1990
- 18533) Platycheirus occultus Goeldlin, Maibach & Speight,1990** (Syrphidae) Synonym(s): *occultus* Goeldlin, Maibach & Speight,1990
- 18534) Platycheirus peltatus (Meigen,1822)** (Syrphidae) Synonym(s): *peltatus* Meigen,1822
- 18535) Platycheirus scutatus (Meigen,1822)** (Syrphidae) Synonym(s): *scutatus* Meigen,1822; *quadratus* Macquart,1829; *sexnotatus* Meigen,1838; *pygmaeus* Frey,1907
- 18536) Platycheirus tarsalis (Schummel,1836)** (Syrphidae) Synonym(s): *tarsalis* Schummel,1836
- 18537) Rhingia campestris Meigen,1822** (Syrphidae) Synonym(s): *campestris* Meigen,1822

- 18538) Riponnensia insignis (Loew,1843)** (Syrphidae) Synonym(s): *insignis* Loew,1843
- 18539) Riponnensia longicornis (Loew,1843)** (Syrphidae) Synonym(s): *longicornis* Loew,1843
- 18540) Scaeva albomaculata (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata* Macquart,1842
- 18541) Scaeva dignota (Rondani,1857)** (Syrphidae) Synonym(s): *dignota* Rondani,1857
- 18542) Scaeva pyrastris (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastris* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823
- 18543) Scaeva selenitica (Meigen,1822)** (Syrphidae) Synonym(s): *selenitica* Meigen,1822
- 18544) Sericomyia bequaerti (Herve-Bazin,1913)** (Syrphidae) Synonym(s): *bequaerti* Herve-Bazin,1913
- 18545) Sericomyia silentis (Harris,[1776])** (Syrphidae) Synonym(s): *silentis* Harris,[1776]; *tricincta* Preyssler,1793; *borealis* Fallén,1816; *ciscaucasica* Stackelberg,1927 [ssp.]
- 18546) Sericomyia volucellina Portschesky,1881** (Syrphidae) Synonym(s): *volucellina* Portschesky,1881; *guichardi* Coe,1966
- 18547) Spazigaster ambulans (Fabricius,1798)** (Syrphidae) Synonym(s): *ambulans* Fabricius,1798
- 18548) Sphaerophoria loewi Zetterstedt,1843** (Syrphidae) Synonym(s): *loewi* Zetterstedt,1843
- 18549) Sphaerophoria rueppelli Wiedemann,1830** (Syrphidae) Synonym(s): *rueppelli* Wiedemann,1830
- 18550) Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776
- 18551) Sphaerophoria turkmenica Bankowska,1964** (Syrphidae) Synonym(s): *turkmenica* Bankowska,1964; *#turkmenika* Hayat & Alaoğlu,1990
- 18552) Sphegina (Asiosphegina) sibirica Stackelberg,1953** (Syrphidae) Synonym(s): *sibirica* Stackelberg,1953
- 18553) Sphegina (s.str.) alaoglu Hayat,1997** (Syrphidae) Synonym(s): *alaoglu* Hayat,1997; *pontica* Mutin,1998
- 18554) Sphegina (s.str.) clavata (Scopoli,1763)** (Syrphidae) Synonym(s): *clavata* Scopoli,1763; *nigra* Meigen,1822
- 18555) Sphegina (s.str.) clunipes (Fallén,1816)** (Syrphidae) Synonym(s): *clunipes* Fallén,1816
- 18556) Sphegina (s.str.) elegans Schummel,1843** (Syrphidae) Synonym(s): *elegans* Schummel,1843; *kimakowiczi* Strobl,1897; *germanica* Becker,1921; *Szilady*,1939
- 18557) Sphiximorpha euprosopa (Loew,1869)** (Syrphidae) Synonym(s): *euprosopa* Loew,1869
- 18558) Sphiximorpha subsessilis (Illiger,1807)** (Syrphidae) Synonym(s): *subsessilis* Illiger,1807
- 18559) Syritta flaviventris Macquart,1842** (Syrphidae) Synonym(s): *flaviventris* Macquart,1842; *nigricornis* Macquart,1842; *spinigera* Loew,1848
- 18560) Syritta pipiens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pipiens* Linnaeus,1758; *proxima* Say,1824; *obscuripes* Strobl,1899; *albicincta* Santos Abreu,1924; *flavicans* Szilady,1940; *vicina* Szilady,1940; *tenofemora* Dzhaferova,1974
- 18561) Syrphus ribesii (Linnaeus,1758)** (Syrphidae) Synonym(s): *ribesii* Linnaeus,1758; *blanda* Harris,1780
- 18562) Syrphus vitripennis Meigen,1822** (Syrphidae) Synonym(s): *vitripennis* Meigen,1822
- 18563) Temnostoma vespiforme (Linnaeus,1758)** (Syrphidae) Synonym(s): *vespiforme* Linnaeus,1758
- 18564) Tropidia scita (Harris,1780)** (Syrphidae) Synonym(s): *scita* Harris,1780
- 18565) Volucella bombylans (Linnaeus,1758)** (Syrphidae) Synonym(s): *bombylans* Linnaeus,1758; *mystacea* Linnaeus,1758; *pocopyges* Poda,1761; *tricolor* Poda,1761; *pennata* Scopoli,1763; *melanopyrrha* Förster,1771; *plumata* DeGeer,1776; *sonora* Müller,1776; *plumosa* Gmelin,1790; *vulpina* Meigen,1830; *haemorrhoidalis* Zetterstedt,1838; *alpicola* Rondani,1857; *variabilis* Malm,1863; *adulterina* Rondani,1865; *hybrida* Rondani,1865; *incestuosa* Rondani,1865; *spuria* Rondani,1865; *caucasica* Portschesky,1877; *xantholeuca* Mik,1887; *terestriiformis* Drensky,1934; *pyrenaea* Doesburg,1951
- 18566) Volucella inanis (Linnaeus,1758)** (Syrphidae) Synonym(s): *inanis* Linnaeus,1758; *trifasciata* Scopoli,1763; *apivora* DeGeer,1776; *annulata* Harris,[1776]; *micans* Fabricius,1794
- 18567) Volucella pellucens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pellucens* Linnaeus,1758; *dryaphila* Scopoli,1763; *fera* Harris,[1776]; *putescens* Schellenberg,1803; *japonica* Bigot,1875; *japonica* Matsumura,1916
- 18568) Volucella zonaria (Poda,1761)** (Syrphidae) Synonym(s): *zonaria* Poda,1761; *bifasciata* Scopoli,1763; *valentina* Müller,1766; *inanis* Fabricius,1794 nec Linn.; *fasciata* Herrich-Schäffer,1829; *beckeri* Van der Goot,1961
- 18569) Xanthandrus comtus (Harris,1780)** (Syrphidae) Synonym(s): *comtus* Harris,1780
- 18570) Xanthogramma pedissequum (Harris,1776)** (Syrphidae) Synonym(s): *pedissequum* Harris,1776
- 18571) Xylota ignava (Panzer,1798)** (Syrphidae) Synonym(s): *ignava* Panzer,1798; *basalis* Matsumura,1911; *inermis* Becker,1921
- 18572) Xylota segnis (Linnaeus,1758)** (Syrphidae) Synonym(s): *segnis* Linnaeus,1758; *maritima* Scopoli,1763; *fucata* Harris,1780; *brassicaria* Donovan,1796
- 18573) Xylota sylvarum (Linnaeus,1758)** (Syrphidae) Synonym(s): *sylvarum* Linnaeus,1758; *longisco* Harris,1780; *impigra* Rossi,1790

- 18574) *Atylotus agricola* (Wiedemann,1826)** (Tabanidae) Synonym(s): *agricola* Wiedemann,1826; *grisesens* Szilady,1915
- 18575) *Atylotus austeni* (Szilady,1915)** (Tabanidae) Synonym(s): *austeni* Szilady,1915; *trifasciatus* Szilady,1915
- 18576) *Atylotus flavoguttatus* (Szilady,1915)** (Tabanidae) Synonym(s): *flavoguttatus* Szilady,1915
- 18577) *Atylotus fulvus* (Meigen,1820)** (Tabanidae) Synonym(s): *fulvus* Meigen,1804; *rufipes* Meigen,1820; *bituberculatus* Bigot,1892; *auriquammatus* Bigot,1892; *flavifemur* Enderlein,1925; *aureus* Hauser,1941; *transcaucasicus* Bogatchev & Samedov,1949
- 18578) *Atylotus hendrixi* Leclercq,1967** (Tabanidae) Synonym(s): *hendrixi* Leclercq,1967
- 18579) *Atylotus kerteszi* (Szilady,1915)** (Tabanidae) Synonym(s): *kerteszi* Szilady,1915
- 18580) *Atylotus latistriatus* Brauer,1879** (Tabanidae) Synonym(s): *latistriatus* Brauer,1879; *nigrifacies* Gobert,1880
- 18581) *Atylotus loewianus* (Villeneuve,1920)** (Tabanidae) Synonym(s): *loewianus* Villeneuve,1920; *znojko* Olsuffjev,1937
- 18582) *Atylotus plebeius* (Fallén,1817)** (Tabanidae) Synonym(s): *plebeius* Fallén,1817; *aetherius* Bigot,1892 *calvus* Szilady,1915
- 18583) *Atylotus protidor* (Bogatshev & Samedov,1949)** (Tabanidae) Synonym(s): *protidor* Bogatshev & Samedov,1949
- 18584) *Atylotus pulchellus* (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915
- 18585) *Atylotus quadrifarius* (Loew,1874)** (Tabanidae) Synonym(s): *quadrifarius* Loew,1874; *rufipes* Szilady,1915 *nec* Mg.,1820; *lattesica* Strand,1925; *afghanisticus* Moucha & Chvala,1959
- 18586) *Atylotus rusticus* (Linnaeus,1767)** (Tabanidae) Synonym(s): *rusticus* Linnaeus,1767; *ruralis* Zetterstedt,1838; *paralellifrons* Szilady,1923; *hungaricus* Kröber,1925; *strobli* Kröber,1925; *ochraceus* Olsuffjev & Melnikova,1962
- 18587) *Atylotus venturii* Leclercq,1966** (Tabanidae) Synonym(s): *venturii* Leclercq,1966
- 18588) *Chrysops* (Petersenichrysops) *buxtoni* Austen,1922** (Tabanidae) Synonym(s): *buxtoni* Austen,1922
- 18589) *Chrysops* (Petersenichrysops) *compactus* Austen,1924** (Tabanidae) Synonym(s): *compactus* Austen,1924
- 18590) *Chrysops* (Petersenichrysops) *hamatus* Loew,1858** (Tabanidae) Synonym(s): *hamatus* Loew,1858
- 18591) *Chrysops* (s.str.) *caecutiens* (Linnaeus,1758)** (Tabanidae) Synonym(s): *caecutiens* Linnaeus,1758; *ludens* Loew,1858
- 18592) *Chrysops* (s.str.) *flavipes* Meigen,1804** (Tabanidae) Synonym(s): *flavipes* Meigen,1804; *punctifer* Loew,1858; *#favipes* Kılıç,1999
- 18593) *Chrysops* (s.str.) *italicus* Meigen,1804** (Tabanidae) Synonym(s): *italicus* Meigen,1804; *nigriventris* Loew,1856
- 18594) *Chrysops* (s.str.) *relictus* Meigen,1820** (Tabanidae) Synonym(s): *relictus* Meigen,1820; *chlorosis* Goffe,1931; *clarus* Goffe,1931; *conspicuus* Goffe,1931; *inconspicuus* Goffe,1931
- 18595) *Chrysops* (s.str.) *sejunctus* Szilady,1917** (Tabanidae) Synonym(s): *sejunctus* Szilady,1917; *interruptus* Kröber,1920 *nec* Meger.,1803
- 18596) *Chrysops* (s.str.) *viduatus* (Fabricius,1794)** (Tabanidae) Synonym(s): *viduatus* Fabricius,1794; *pictus* Meigen,1820
- 18597) *Dasyrhamphis anthracinus* (Meigen,1820)** (Tabanidae) Synonym(s): *anthracinus* Meigen,1820; *obscurus* Loew,1858; *atropos* Jaennicke,1866
- 18598) *Dasyrhamphis ater* (Rossi,1790)** (Tabanidae) Synonym(s): *ater* Rossi,1790; *fuscatus* Macquart,1826; *transiens* Walker,1848
- 18599) *Dasyrhamphis carbonarius* (Meigen,1820)** (Tabanidae) Synonym(s): *carbonarius* Meigen,1820; *gagates* Loew,1858
- 18600) *Dasyrhamphis insecutor* (Austen,1920)** (Tabanidae) Synonym(s): *insecutor* Austen,1920; *dalei* Austen,1920
- 18601) *Dasyrhamphis nigrinus* (Fabricius,1794)** (Tabanidae) Synonym(s): *nigrinus* Fabricius,1794; *alexandrinus* Wiedemann,1830
- 18602) *Dasyrhamphis umbrinus* (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus* Meigen,1820; *istriensis* Meigen,1820; *maculipennis* Brullé,1832; *atavina* Enderlein,1925
- 18603) *Glaucops hakkariensis* Schacht,1983** (Tabanidae) Synonym(s): *hakkariensis* Schacht,1983
- 18604) *Haematopota bigoti* Gobert,1881** (Tabanidae) Synonym(s): *bigoti* Gobert,1881; *monspellensis* Villeneuve,1921
- 18605) *Haematopota caenofrons* Kröber,1922** (Tabanidae) Synonym(s): *caenofrons* Kröber,1922
- 18606) *Haematopota coolsi* Leclercq,1966** (Tabanidae) Synonym(s): *coolsi* Leclercq,1966
- 18607) *Haematopota crassicornis* Wahlberg,1848** (Tabanidae) Synonym(s): *crassicornis* Wahlberg,1848; *#grseopunctata* Olsuffjev,1977
- 18608) *Haematopota delozi* Leclercq,1966** (Tabanidae) Synonym(s): *delozi* Leclercq,1966

- 18609) *Haematopota gallica* Szilady, 1923** (Tabanidae) Synonym(s): *gallica* Szilady, 1923
- 18610) *Haematopota grandis* Macquart, 1834** (Tabanidae) Synonym(s): *grandis* Macquart, 1834; *fraseri* Austen, 1925
- 18611) *Haematopota hennauxi* Leclercq, 1967** (Tabanidae) Synonym(s): *hennauxi* Leclercq, 1967
- 18612) *Haematopota italica* Meigen, 1804** (Tabanidae) Synonym(s): *italica* Meigen, 1804; *elongata* Lepeletier & Audinet-Serville, 1828; *gymnonota* Brullé, 1832; *tenuicornis* Macquart, 1834; *longicornis* Macquart, 1834; *nigricornis* Gobert, 1880; *argyrophora* Kröber, 1922
- 18613) *Haematopota kemali* Szilady, 1923** (Tabanidae) Synonym(s): *kemali* Szilady, 1923
- 18614) *Haematopota lambi* Willeneuve, 1921** (Tabanidae) Synonym(s): *lambi* Willeneuve, 1921
- 18615) *Haematopota latebricola* Austen, 1925** (Tabanidae) Synonym(s): *latebricola* Austen, 1925
- 18616) *Haematopota longantennata* Olsufjev, 1937** (Tabanidae) Synonym(s): *longantennata* Olsufjev, 1937
- 18617) *Haematopota nubilis* Hauser, 1960** (Tabanidae) Synonym(s): *nubilis* Hauser, 1960
- 18618) *Haematopota ocelligera* Kröber, 1922** (Tabanidae) Synonym(s): *ocelligera* Kröber, 1922; *hispanica* Szilady, 1923; *belligera* Austen, 1925
- 18619) *Haematopota pallens* Loew, 1871** (Tabanidae) Synonym(s): *pallens* Loew, 1871; *obscura* Bigot, 1880; *obscura* Bigot, 1891; *caucasica* Kröber, 1922; *araxis* Szilady, 1923
- 18620) *Haematopota pandazisi* Kröber, 1936** (Tabanidae) Synonym(s): *variegata* auct.; *pandazisi* Kröber, 1936
- 18621) *Haematopota pavlovskii* Hauser, 1960** (Tabanidae) Synonym(s): *pavlovskii* Hauser, 1960
- 18622) *Haematopota pluvialis* (Linnaeus, 1761)** (Tabanidae) Synonym(s): *pluvialis* Linnaeus, 1761; *sakhalinensis* Shiraki, 1918; *ioffi* Olsufjev, 1972
- 18623) *Haematopota scutellata* (Olsufjev, Moucha & Chvala, 1964)** (Tabanidae) Synonym(s): *scutellata* Olsufjev, Moucha & Chvala, 1964; *pontica* Olsufjev, 1964; *rossica* Olsufjev & Ivanitschuk, 1975
- 18624) *Haematopota sewelli* Austen, 1920** (Tabanidae) Synonym(s): *sewelli* Austen, 1920
- 18625) *Haematopota sobrina* Kröber, 1922** (Tabanidae) Synonym(s): *sobrina* Kröber, 1922
- 18626) *Haematopota subcylindrica* Pandellé, 1883** (Tabanidae) Synonym(s): *subcylindrica* Pandellé, 1883; *elbrusensis* Abbassian-Lintzen, 1960
- 18627) *Haematopota sumelae* Timmer, 1984** (Tabanidae) Synonym(s): *sumelae* Timmer, 1984
- 18628) *Hybomitra acuminata* (Loew, 1858)** (Tabanidae) Synonym(s): *acuminata* Loew, 1858
- 18629) *Hybomitra bimaculata* (Macquart, 1826)** (Tabanidae) Synonym(s): *bimaculata* Macquart, 1826; *confinis* Zetterstedt, [1838]; *bisignata* Jaennicke, 1866; *subguttata* Enderlein, 1925; *manchurica* Takagi, 1941; *collini* Lyneborg, 1959
- 18630) *Hybomitra caucasi* (Szilady, 1923)** (Tabanidae) Synonym(s): *caucasi* Szilady, 1923
- 18631) *Hybomitra caucasica* (Enderlein, 1925)** (Tabanidae) Synonym(s): *tetrica* Szilady, 1914 nec Mart. 1883; *bimaculata* Enderlein, 1925 nec Macq., 1846; *caucasica* Enderlein, 1925; *palpalis* Kröber, 1939; *harettae* Muschamp, 1939; *olsoufievi* Philip, 1956; *olsoufievi* Philip, 1961
- 18632) *Hybomitra ciureai* (Séguy, 1937)** (Tabanidae) Synonym(s): *ciureai* Séguy, 1937; *shineri* Lyneborg, 1959
- 18633) *Hybomitra decora* (Loew, 1858)** (Tabanidae) Synonym(s): *decora* Loew, 1858; *defasciata* Szilady, 1923; *amani* Szilady, 1926
- 18634) *Hybomitra distinguenda* (Verrall, 1909)** (Tabanidae) Synonym(s): *distinguenda* Verrall, 1909; *rufa* Goffe, 1931; *parva* Goffe, 1931; *contigua* Olsufjev, 1972
- 18635) *Hybomitra erberi* (Brauer, 1880)** (Tabanidae) Synonym(s): *erberi* Brauer, 1880; *fuscipennis* Szilady, 1926
- 18636) *Hybomitra expollicata* (Pandellé, 1883)** (Tabanidae) Synonym(s): *expollicata* Pandellé, 1883; *andreae* Szilady, 1922; *nigrivitta* Olsufjev, 1936; *pseuderberi* Philip & Aitken, 1958; *orientalis* Olsufjev, 1970; *orientalis* Leclercq, 1970
- 18637) *Hybomitra mendica* (Villeneuve, 1912)** (Tabanidae) Synonym(s): *mendica* Villeneuve, 1912
- 18638) *Hybomitra micans* (Meigen, 1804)** (Tabanidae) Synonym(s): *micans* Meigen, 1804; *austriaca* Fabricius, 1805; *nigerrima* Gravenhorst, 1807; *nigra* Donovan, 1813
- 18639) *Hybomitra muehlfeldi* (Brauer, 1880)** (Tabanidae) Synonym(s): *muehlfeldi* Brauer, 1880; *sunorus* Surcouf, 1924
- 18640) *Hybomitra okayi* Leclercq, 1967** (Tabanidae) Synonym(s): *okayi* Leclercq, 1967
- 18641) *Hybomitra peculiaris* (Szilady, 1914)** (Tabanidae) Synonym(s): *peculiaris* Szilady, 1914; *inaequata* Austen, 1923; *kroeberi* Szilady, 1926; *kashmiriana* Szilady, 1926
- 18642) *Hybomitra pilosa* (Loew, 1858)** (Tabanidae) Synonym(s): *lateralis* Meigen, 1820 nec Fourc., 1785; *pilosa* Loew, 1858
- 18643) *Hybomitra popovi* (Olsufjev, 1937)** (Tabanidae) Synonym(s): *popovi* Olsufjev, 1937
- 18644) *Hybomitra tarandina* (Linnaeus, 1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus, 1758; *karafutonis* Matsumura, 1911
- 18645) *Hybomitra tropica* (Linnaeus, 1758)** (Tabanidae) Synonym(s): *tropica* Linnaeus, 1758; *lateralis* Geoffroy, 1785; *tuxeni* Lyneborg, 1959; *bryanensis* Leclercq & French, 1966
- 18646) *Hybomitra tuerkmendagensis* Kılıç & Schacht, 1995** (Tabanidae) Synonym(s): *tuerkmendagensis* Kılıç & Schacht, 1995

- 18647) Hybomitra ukrainica (Olsufjev,1952)** (Tabanidae) Synonym(s): *ukrainica* Olsufjev,1952
- 18648) Nemorius caucasicus (Olsufjev,1937)** (Tabanidae) Synonym(s): *caucasicus* Olsufjev,1937; *molitor* Bogatshev & Samedov,1949
- 18649) Nemorius irritans (Ricardo,1901)** (Tabanidae) Synonym(s): *irritans* Ricardo,1901; *unicolor* Becker,1913
- 18650) Nemorius oenderi (Jezek,1990)** (Tabanidae) Synonym(s): *oenderi* Jezek,1990
- 18651) Nemorius vitripennis (Meigen,1820)** (Tabanidae) Synonym(s): *vitripennis* Meigen,1820; *fallotii* Kriechbaumer,1873; *horvathi* Szilady,1925
- 18652) Pangonius (Melanopangonius) funebris Macquart,1845** (Tabanidae) Synonym(s): *funebris* Macquart,1845; *aterrimus* Dufour,1853
- 18653) Pangonius (Melanopangonius) haustellatus (Fabricius,1781)** (Tabanidae) Synonym(s): *haustellatus* Fabricius,1781; *mauritanicus* Meigen,1804; *marginata* Fabricius,1805; *cellulatus* Brullé,1832; *tenuipalpis* Kröber,1921; *medioargentatus* Szilady,1923; *basiaargentatus* Szilady,1923
- 18654) Pangonius (s. str.) obscuratus Loew,1859** (Tabanidae) Synonym(s): *obscuratus* Loew,1859
- 18655) Pangonius (s.str.) argentatus Szilady,1923** (Tabanidae) Synonym(s): *argentatus* Szilady,1923
- 18656) Pangonius (s.str.) flavocinctus Szilady,1923** (Tabanidae) Synonym(s): *flavocinctus* Szilady,1923
- 18657) Pangonius (s.str.) fulvipes Loew,1868** (Tabanidae) Synonym(s): *fulvipes* Loew,1868; *sulcata* Bezzi,1909; *palpalis* Kröber,1921
- 18658) Pangonius (s.str.) lucidus Szilady,1923** (Tabanidae) Synonym(s): *lucidus* Szilady,1923
- 18659) Pangonius (s.str.) pyritosus Loew,1859** (Tabanidae) Synonym(s): *pyritosus* Loew,1859; *decipiens* Kröber,1921; *hirsutipalpis* Kröber,1921
- 18660) Pangonius (s.str.) rhynchocephalus Kröber,1921** (Tabanidae) Synonym(s): *rhynchocephalus* Kröber,1921
- 18661) Pangonius (s.str.) variegatus (Fabricius,1805)** (Tabanidae) Synonym(s): *variegatus* Fabricius,1805; *acutipalpis* Kröber,1921; *brunneipes* Szilady,1923
- 18662) Philipomyia aprica (Meigen,1820)** (Tabanidae) Synonym(s): *aprica* Meigen,1820
- 18663) Philipomyia graeca (Fabricius,1794)** (Tabanidae) Synonym(s): *graeca* Fabricius,1794; *ferruginea* Meigen,1804; *fulvicornis* Meigen,1820; *segmentaria* Brullé,1832; *infusa* Walker,1850; *propinqua* Palm,1876
- 18664) Philipomyia rohdendorfi (Olsufjev,1937)** (Tabanidae) Synonym(s): *rohdendorfi* Olsufjev,1937
- 18665) Philipomyia zizaniae (Leclercq,1966)** (Tabanidae) Synonym(s): *zizaniae* Leclercq,1966
- 18666) Silvius (Heterosilvius) peculiaris Olsufjev,1971** (Tabanidae) Synonym(s): *peculiaris* Olsufjev,1971
- 18667) Silvius (s.str.) algirus Meigen,1930** (Tabanidae) Synonym(s): *algirus* Meigen,1930; *bicolor* Bigot,1892
- 18668) Silvius (s.str.) alpinus (Scopoli,1763)** (Tabanidae) Synonym(s): *alpinus* Scopoli,1763; *italicus* Fabricius,1781; *vituli* Fabricius,1805; *alpinus* Drapiez,1819; *decisus* Walker,1848; *hirtus* Loew,1858
- 18669) Silvius (s.str.) caucasicus (Kröber,1921)** (Tabanidae) Synonym(s): *caucasicus* Kröber,1921; *latifrons* Olsufjev,1937
- 18670) Silvius (s.str.) inflaticornis Austen,1925** (Tabanidae) Synonym(s): *inflaticornis* Austen,1925
- 18671) Silvius (s.str.) ochraceus Loew,1858** (Tabanidae) Synonym(s): *ochraceus* Loew,1858
- 18672) Silvius (s.str.) variegatus (Fabricius,1805)** (Tabanidae) Synonym(s): *variegatus* Fabricius,1805; *maroccanus* Bigot,1892
- 18673) Stonemyia caucasia (Kröber,1921)** (Tabanidae) Synonym(s): *caucasia* Kröber,1921
- 18674) Stonemyia tigris (Bigot,1880)** (Tabanidae) Synonym(s): *tigris* Bigot,1880
- 18675) Tabanus accensus Austen,1920** (Tabanidae) Synonym(s): *accensus* Austen,1920
- 18676) Tabanus aidini Kröber,1928** (Tabanidae) Synonym(s): *aidini* Kröber,1928
- 18677) Tabanus alvarengia Schacht,1987** (Tabanidae) Synonym(s): *alvarengia* Schacht,1987
- 18678) Tabanus anatolicus Olsufjev, Moucha & Chvala,1967** (Tabanidae) Synonym(s): *anatolicus* Olsufjev, Moucha & Chvala,1967
- 18679) Tabanus anthrax Olsufjev,1937** (Tabanidae) Synonym(s): *anthrax* Olsufjev,1937; *pfeifferi* Kröber,1939
- 18680) Tabanus arabicus Macquart,1839** (Tabanidae) Synonym(s): *arabicus* Macquart,1839; *tinnunculus* Szilady,1923
- 18681) Tabanus armeniacus (Kröber,1928)** (Tabanidae) Synonym(s): *armeniaceus* Kröber,1928
- 18682) Tabanus atropathenicus Olsufjev,1937** (Tabanidae) Synonym(s): *atropathenicus* Olsufjev,1937
- 18683) Tabanus autumnalis Linnaeus,1761** (Tabanidae) Synonym(s): *autumnalis* Linnaeus,1761; *bovinus* Harris,1776 nec L.,1758; *molestans* Becker,1914; *brunnescens* Szilady,1914; *guttiventris* Enderlein,1925
- 18684) Tabanus bifarius Loew,1858** (Tabanidae) Synonym(s): *bifarius* Loew,1858; *longicornis* Enderlein,1932; *tauricus* Enderlein,1932; *simovae* Leclercq,1959; *mesogaeus* Peus,1980
- 18685) Tabanus bovinus Linnaeus,1758** (Tabanidae) Synonym(s): *bovinus* Linnaeus,1758; *auratus* Ghidini,1935
- 18686) Tabanus brianii Leclercq,1962** (Tabanidae) Synonym(s): *brianii* Leclercq,1962
- 18687) Tabanus bromiolus Szilady,1923** (Tabanidae) Synonym(s): *bromiolus* Szilady,1923

- 18688) *Tabanus bromius* Linnaeus, 1758** (Tabanidae) Synonym(s): *bromius* Linnaeus, 1758; *maculatus* De Geer, 1776; *scalaris* Meigen, 1820; *glaucus* Meigen, 1820; *connexus* Walker, 1856; *antophilus* Loew, 1858; *glaucescens* Schiner, 1862; *flavofemoratus* Strobl, 1909; *nigricans* Szilady, 1914; *simplex* Muschamp, 1939
- 18689) *Tabanus brunnescens* Szilady, 1914 (!)** (Tabanidae) Synonym(s): *brunnescens* Szilady, 1914
- 18690) *Tabanus canipalpis* (Bigot, 1892)** (Tabanidae) Synonym(s): *canipalpis* Bigot, 1892
- 18691) *Tabanus caucasicus* Kröber, 1925** (Tabanidae) Synonym(s): *caucasicus* Kröber, 1925
- 18692) *Tabanus cordiger* Meigen, 1820** (Tabanidae) Synonym(s): *cordiger* Meigen, 1820; *atricornis* Meigen, 1838; *latifrons* Zetterstedt, 1842; *vicinus* Egger, 1849; *braueri* Jaennicke, 1866; *megacephalus* Jaennicke, 1866; *fortunatus* Frey, 1936
- 18693) *Tabanus cuculus* Szilady, 1923** (Tabanidae) Synonym(s): *cuculus* Szilady, 1923
- 18694) *Tabanus darimonti* Leclercq, 1964** (Tabanidae) Synonym(s): *darimonti* Leclercq, 1964
- 18695) *Tabanus decipiens* (Kröber, 1928)** (Tabanidae) Synonym(s): *decipiens* Kröber, 1928
- 18696) *Tabanus eggeri* Schiner, 1868** (Tabanidae) Synonym(s): *intermedius* Egger, 1859 *nec* Wlk., 1848; *eggeri* Schiner, 1868; *luizae* Dias, 1980
- 18697) *Tabanus exclusus* Pandellé, 1883** (Tabanidae) Synonym(s): *exclusus* Pandellé, 1883
- 18698) *Tabanus fraseri* Austen, 1925** (Tabanidae) Synonym(s): *fraseri* Austen, 1925
- 18699) *Tabanus glaucopis* Meigen, 1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen, 1804 *nec* Ström, 1768; *glaucopis* Meigen, 1820; *lunulatus* Meigen, 1820; *chlorophthalmus* Meigen, 1820; *flavicans* Zeller, 1842; *cognatus* Loew, 1858; *castellanus* Strobl, 1906; *rubra* Muschamp, 1939
- 18700) *Tabanus golovi* Olsufjev, 1936** (Tabanidae) Synonym(s): *golovi* Olsufjev, 1936; *pallidus* Olsufjev, 1936; *mediaasiaticus* Olsufjev, 1970
- 18701) *Tabanus grandis* Szilady, 1923** (Tabanidae) Synonym(s): *grandis* Szilady, 1923
- 18702) *Tabanus ilchanii* Jezek, 1981** (Tabanidae) Synonym(s): *ilchanii* Jezek, 1981
- 18703) *Tabanus indrae* Hauser, 1939** (Tabanidae) Synonym(s): *indrae* Hauser, 1939; *vappa* Bogatchev & Samedov, 1949; *montivagus* Olsufjev, 1970
- 18704) *Tabanus karaosus* Timmer, 1984** (Tabanidae) Synonym(s): *karaosus* Timmer, 1984
- 18705) *Tabanus laetetinctus* Becker, 1913** (Tabanidae) Synonym(s): *laetetinctus* Becker, 1913; *sordes* Bogatchev & Samedov, 1949; *assuetus* Hauser, 1960; *cinereus* Hauser, 1960
- 18706) *Tabanus leleani* Austen, 1920** (Tabanidae) Synonym(s): *leleani* Austen, 1920; *pallidus* Olsufjev, 1937 *nec* P.B., 1809; *turkestanicus* Olsufjev, 1970
- 18707) *Tabanus lunatus* Fabricius, 1794** (Tabanidae) Synonym(s): *lunatus* Fabricius, 1794; *algericus* Thunberg, 1827; *wideri* Jaennicke, 1866; *syriacus* Szilady, 1923; *rufus* Szilady, 1923; *politus* Szilady, 1923; *farinosus* Szilady, 1923; *algeriensis* Peus, 1980; *levantinus* Peus, 1980
- 18708) *Tabanus maculicornis* Zetterstedt, 1842** (Tabanidae) Synonym(s): *maculicornis* Zetterstedt, 1842
- 18709) *Tabanus martinii* Kröber, 1928** (Tabanidae) Synonym(s): *martinii* Kröber, 1928
- 18710) *Tabanus mianjangalensis* Jezek, 1981** (Tabanidae) Synonym(s): *mianjangalensis* Jezek, 1981
- 18711) *Tabanus miki* Brauer, 1880** (Tabanidae) Synonym(s): *miki* Brauer, 1880; *velutinus* Kröber, 1936; *australis* Hauser, 1960; *postvelutinus* Moucha, 1962
- 18712) *Tabanus mouchai* Leclercq, 1962** (Tabanidae) Synonym(s): *mouchai* Leclercq, 1962
- 18713) *Tabanus nemoralis* Meigen, 1820** (Tabanidae) Synonym(s): *nemoralis* Meigen, 1820; *barbarus* Thunberg, 1827 (*praeocc.*); *batnensis* Bigot, 1892; *calopis* Bigot, 1892; *ruficornis* Surcouf, 1920; *algericus* Enderlein, 1931
- 18714) *Tabanus obsolescens* Pandellé, 1883** (Tabanidae) Synonym(s): *obsolescens* Pandellé, 1883
- 18715) *Tabanus olsufjevi* Hauser, 1960** (Tabanidae) Synonym(s): *olsufjevi* Hauser, 1960
- 18716) *Tabanus oppugnator* Austen, 1925** (Tabanidae) Synonym(s): *oppugnator* Austen, 1925
- 18717) *Tabanus paradoxus* Jaennicke, 1866** (Tabanidae) Synonym(s): *paradoxus* Jaennicke, 1866; *macedonicus* Kröber, 1936
- 18718) *Tabanus polygonus* Walker, 1854** (Tabanidae) Synonym(s): *polygonus* Walker, 1854; *polyzonatus* Bigot, 1892; *strictus* Surcouf, 1912
- 18719) *Tabanus portschinskii* Olsufjev, 1937** (Tabanidae) Synonym(s): *portschinskii* Olsufjev, 1937
- 18720) *Tabanus prometheus* Szilady, 1923** (Tabanidae) Synonym(s): *prometheus* Szilady, 1923; *capito* Olsufjev, 1937
- 18721) *Tabanus quatuornatatus* Meigen, 1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen, 1820; *labaumeanus* Enderlein, 1925; *cherbottae* Muschamp, 1939; *araxis* Olsufjev, 1972
- 18722) *Tabanus rectus* Loew, 1858** (Tabanidae) Synonym(s): *rectus* Loew, 1858; *ornatus* Jaennicke, 1866
- 18723) *Tabanus regularis* Jaennicke, 1866** (Tabanidae) Synonym(s): *regularis* Jaennicke, 1866; *rufus* Szilady, 1923 *nec* Scop., 1763; *#regluaris* Kılıç, 1999
- 18724) *Tabanus rupium* Brauer, 1880** (Tabanidae) Synonym(s): *pusillus* Egger, 1859 *nec* Macq., 1839; *rupium* Brauer, 1880; *abazus* Bigot, 1880; *alazinus* Bigot, 1892; *lasios* Surcouf, 1924; *hadjinicolaoui* Kröber, 1936; *loewi* Muschamp, 1939
- 18725) *Tabanus semiargenteus* Olsufjev, 1937** (Tabanidae) Synonym(s): *semiargenteus* Olsufjev, 1937
- 18726) *Tabanus shannonellus* Kröber, 1936** (Tabanidae) Synonym(s): *shannonellus* Kröber, 1936
- 18727) *Tabanus shelkovnikovi* Paramanov, 1934** (Tabanidae) Synonym(s): *shelkovnikovi* Paramanov, 1934; *bouvieri* Philip, 1959

- 18728) *Tabanus spectabilis* Loew, 1858** (Tabanidae) Synonym(s): *lateralis* Brullé, 1832 (*praeocc.*); *spectabilis* Loew, 1858; *aspahanicus* Rondani, 1873
- 18729) *Tabanus spodopteroideus* Olsufjev, Moucha & Chvala, 1969** (Tabanidae) Synonym(s): *spodopteroideus* Olsufjev, Moucha & Chvala, 1969
- 18730) *Tabanus spodopterus* Meigen, 1820** (Tabanidae) Synonym(s): *spodopterus* Meigen, 1820; *ponticus* Olsufjev, Moucha & Chvala, 1967
- 18731) *Tabanus subparadoxus* Olsufjev, 1937** (Tabanidae) Synonym(s): *morio* Olsufjev, 1937 nec L., 1767; *subparadoxus* Olsufjev, 1937
- 18732) *Tabanus sudeticus* Zeller, 1842** (Tabanidae) Synonym(s): *sudeticus* Zeller, 1842
- 18733) *Tabanus swiridowi* Portschiński, 1882** (Tabanidae) Synonym(s): *swiridowi* Portschiński, 1882
- 18734) *Tabanus tergestinus* Egger, 1859** (Tabanidae) Synonym(s): *tergestinus* Egger, 1859
- 18735) *Tabanus terterjani* (Andreva & Zeynalova, 2002)** (Tabanidae) Synonym(s): *terterjani* Andreva & Zeynalova, 2002
- 18736) *Tabanus tinctus* Walker, 1850** (Tabanidae) Synonym(s): *tinctus* Walker, 1850; *mixtus* Szilady, 1914
- 18737) *Tabanus unifasciatus* Loew, 1858** (Tabanidae) Synonym(s): *unifasciatus* Loew, 1858; *albescens* Kröber, 1928
- 18738) *Tabanus yasujensis* Jezek, 1981** (Tabanidae) Synonym(s): *yasujensis* Jezek, 1981
- 18739) *Theriopterus carabaghensis* (Potschinsky, 1877)** (Tabanidae) Synonym(s): *carabaghensis* Potschinsky, 1877; *orientalis* Olsufjev, 1977
- 18740) *Theriopterus gigas* (Herbst, 1787)** (Tabanidae) Synonym(s): *gigas* Herbst, 1787; *ignotus* Rossi, 1790; *albipes* Fabricius, 1794; *grossus* Thunberg, 1827; *ursus* Costa, 1857
- 18741) *Theriopterus griseus* (Enderlein, 1925)** (Tabanidae) Synonym(s): *griseus* Enderlein, 1925
- 18742) *Theriopterus kuehlhorni* Moucha & Chvala, 1964** (Tabanidae) Synonym(s): *kuehlhorni* Moucha & Chvala, 1964
- 18743) *Theriopterus tricolor* Zeller, 1842** (Tabanidae) Synonym(s): *tricolor* Zeller, 1842; *ruficauda* Enderlein, 1925; *kirchbergi* Moucha & Chvala, 1959
- 18744) *Theriopterus tunicatus* Szilady, 1927** (Tabanidae) Synonym(s): *tunicatus* Szilady, 1927

TACHINIDAE

- 18745) *Acemya acuticornis* (Meigen, 1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen, 1824
- 18746) *Acemya fishelsoni* Kugler, 1968** (Tachinidae) Synonym(s): *fishelsoni* Kugler, 1968
- 18747) *Allophorocera ferruginea* (Meigen, 1824)** (Tachinidae) Synonym(s): *ferruginea* Meigen, 1824
- 18748) *Athrycia impressa* (van der Wulp, 1869)** (Tachinidae) Synonym(s): *impressa* van der Wulp, 1869
- 18749) *Besseria lateritia* (Meigen, 1824)** (Tachinidae) Synonym(s): *lateritia* Meigen, 1824
- 18750) *Bithia ancyrensis* (Villeneuve, 1942)** (Tachinidae) Synonym(s): *ancyrensis* Villeneuve, 1942
- 18751) *Bithia immaculata* (Herting, 1971)** (Tachinidae) Synonym(s): *immaculata* Herting, 1971
- 18752) *Bithia maculifacies* Tschorsnig & Kara, 2002** (Tachinidae) Synonym(s): *maculifacies* Tschorsnig & Kara, 2002
- 18753) *Bithia modesta* (Meigen, 1824)** (Tachinidae) Synonym(s): *modesta* Meigen, 1824; *invaria* Walker, 1849; *grisea* Perris, 1852; *vetula* Pandelle, 1896
- 18754) *Blepharipa scutellata* (R-D., 1830)** (Tachinidae) Synonym(s): *scutellata* R-D., 1830
- 18755) *Blondelia nigripes* (Fallén, 1810)** (Tachinidae) Synonym(s): *nigripes* Fallén, 1810; *agilis* Meigen, 1824; *machairopsis* Brauer & Bergenstamm, 1889
- 18756) *Cadurciella tritaeniata* (Rondani, 1859)** (Tachinidae) Synonym(s): *tritaeniata* Rondani, 1859
- 18757) *Carcelia laxifrons* Villeneuve, 1912** (Tachinidae) Synonym(s): *laxifrons* Villeneuve, 1912
- 18758) *Ceratochaetops trisetus* (Villeneuve, 1922)** (Tachinidae) Synonym(s): *trisetus* Villeneuve, 1922
- 18759) *Chetogena nigrofasciata* (Strobl, 1902)** (Tachinidae) Synonym(s): *nigrofasciata* Strobl, 1902; *repanda* Mesnil, 1939
- 18760) *Compsilura concinnata* (Meigen, 1824)** (Tachinidae) Synonym(s): *concinnata* Meigen, 1824
- 18761) *Conogaster pruinosa* (Meigen, 1824)** (Tachinidae) Synonym(s): *pruinosa* Meigen, 1824
- 18762) *Cylindromyia* (Calocyptera) *intermedia* (Meigen, 1824)** (Tachinidae) Synonym(s): *intermedia* Meigen, 1824
- 18763) *Cylindromyia* (Neocyptera) *interrupta* (Meigen, 1824)** (Tachinidae) Synonym(s): *interrupta* Meigen, 1824
- 18764) *Cylindromyia* (s.str.) *brassicaria* (Fabricius, 1775)** (Tachinidae) Synonym(s): *brassicaria* Fabricius, 1775; *boscii* R-D., 1830; *trinacrina* Bigot, 1878; *sapporensis* Matsumura, 1916
- 18765) *Cylindromyia montana* Kugler, 1974** (Tachinidae) Synonym(s): *montana* Kugler, 1974
- 18766) *Dinera carinifrons* (Fallén, 1817)** (Tachinidae) Synonym(s): *carinifrons* Fallén, 1817
- 18767) *Drino gilva* (Hartig, 1838)** (Tachinidae) Synonym(s): *gilva* Hartig, 1838
- 18768) *Drino imberbis* (Wiedemann, 1830)** (Tachinidae) Synonym(s): *imberbis* Wiedemann, 1830
- 18769) *Drino inconspicua* (Meigen, 1830)** (Tachinidae) Synonym(s): *inconspicua* Meigen, 1830
- 18770) *Drino vicina* (Zetterstedt, 1849)** (Tachinidae) Synonym(s): *vicina* Zetterstedt, 1849

- 18771) Ectophasia crassipennis (Fabricius,1794)** (Tachinidae) Synonym(s): *crassipennis* Fabricius,1794
- 18772) Ectophasia leucoptera (Rondani,1865)** (Tachinidae) Synonym(s): *leucoptera* Rondani,1865
- 18773) Eliozeta helluo (Fabricius,1805)** (Tachinidae) Synonym(s): *helluo* Fabricius,1805
- 18774) Epicampocera succinta (Meigen,1824)** (Tachinidae) Synonym(s): *succinta* Meigen,1824
- 18775) Eriothrix apenninus (Rondani,1862)** (Tachinidae) Synonym(s): *apenninus* Rondani,1862;
latifrons Brauer,1898
- 18776) Eriothrix rufomaculatus (De Geer,1776)** (Tachinidae) Synonym(s): *lateralis* Fabricius,1775;
rufomaculatus De Geer,1776; *demano* Harris,1780; *tachinaria* Fallén,1815
- 18777) Erycia fasciata Villeneuve,1924** (Tachinidae) Synonym(s): *fasciata* Villeneuve,1924;
hierosolymitana Kugler,1963
- 18778) Erythroceras nigripes (R-D.,1830)** (Tachinidae) Synonym(s): *nigripes* R-D.,1830; *bucentoidea* R-D.,1830; *cinerea* R-D.,1848; *rubrifrons* Perris,1852; *aberrans* Egger,1865; *induta* Pandellé,1896; *carinthiaca* Strobl,1901
- 18779) Estheria picta (Meigen,1826)** (Tachinidae) Synonym(s): *picta* Meigen,1826
- 18780) Exorista (Adenia) rustica (Fallén,1810)** (Tachinidae) Synonym(s): *rustica* Fallén,1810; *germana* R-D.,1830; *grisea* R-D.,1830; *lauta* R-D.,1863
- 18781) Exorista (s.str.) larvarum (Linnaeus,1758)** (Tachinidae) Synonym(s): *larvarum* Linnaeus,1758
- 18782) Exorista rossica Mesnil,1960** (Tachinidae) Synonym(s): *rossica* Mesnil,1960
- 18783) Exorista segregata (Rondani,1859)** (Tachinidae) Synonym(s): *segregata* Rondani,1859
- 18784) Germaria graeca (Brauer & Bergenstamm,1889)** (Tachinidae) Synonym(s): *graeca* Brauer & Bergenstamm,1889
- 18785) Germaria hermonensis Kugler,1980** (Tachinidae) Synonym(s): *hermonensis* Kugler,1980
- 18786) Germaria obscuripennis Tschorsnig,2000** (Tachinidae) Synonym(s): *obscuripennis* Tschorsnig,2000
- 18787) Gonias atrata Bischoff,1906** (Tachinidae) Synonym(s): *atrata* Bischoff,1906
- 18788) Gonias maculipennis Egger,1862** (Tachinidae) Synonym(s): *maculipennis* Egger,1862
- 18789) Gonias ornata Meigen,1826** (Tachinidae) Synonym(s): *ornata* Meigen,1826
- 18790) Graphogaster vestita Rondani,1868** (Tachinidae) Synonym(s): *vestita* Rondani,1868
- 18791) Gymnosoma clavatum (Rohdendorf,1947)** (Tachinidae) Synonym(s): *clavata* Rohdendorf,1947;
verbekei Mesnil,1952
- 18792) Hypovoria pilibasis (Villeneuve,1922)** (Tachinidae) Synonym(s): *pilibasis* Villeneuve,1922
- 18793) Leskia aurea (Fallén,1820)** (Tachinidae) Synonym(s): *aurea* Fallén,1820
- 18794) Leskia erevanica Richter,1974** (Tachinidae) Synonym(s): *erevanica* Richter,1974
- 18795) Leucostoma tetraptera (Meigen,1824)** (Tachinidae) Synonym(s): *tetraptera* Meigen,1824
- 18796) Linnaemya compta (Fallén,1810)** (Tachinidae) Synonym(s): *compta* Fallén,1810; *compta* Meigen,1824; *fulgeus* Meigen,1824; *heraclei* R-D.,1830; *aestivalis* R-D.,1830; *borealis* R-D.,1830; *longipes* R-D.,1830; *oenanthis* R-D.,1830; *humeralis* R-D.,1863; *#campta* Doğanlar,1982
- 18797) Linnaemya impudica (Rondani,1859)** (Tachinidae) Synonym(s): *impudica* Rondani,1859
- 18798) Linnaemya neavei Curran,1934** (Tachinidae) Synonym(s): *neavei* Curran,1934
- 18799) Loewia crassipes (Mesnil,1953)** (Tachinidae) Synonym(s): *crassipes* Mesnil,1953
- 18800) Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata* Meigen,1824
- 18801) Macquartia chalconota (Meigen,1824)** (Tachinidae) Synonym(s): *chalconota* Meigen,1824;
germanica R-D.,1830; *major* Schiner,1862
- 18802) Macquartia praefica (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824; *microcera* R-D.,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra* R-D.,1863; *spinicincta* Meade,1891; *echinalis* Pandelle,1895; *fuscularis* Pandelle,1895; *#praefica* Kara,1999
- 18803) Macquartia tenebricosa (Meigen,1824)** (Tachinidae) Synonym(s): *tenebricosa* Meigen,1824; *tristis* Meigen,1824; *nitida* R-D.,1830; *fumata* Zetterstedt,1844; *rufipalpis* Macquart,1854; *umbrosa* Zetterstedt,1859; *affinis* Schiner,1862; *carbonaria* R-D.,1863; *laeta* R-D.,1863; *villica* R-D.,1863; *clausicella* Rondani,1865
- 18804) Macquartia tessellum (Meigen,1824)** (Tachinidae) Synonym(s): *tessellum* Meigen,1824; *brevicornis* Macquart,1839; *occlusa* Rondani,1859; *brunusquamis* R-D.,1863; *microcera* R-D.,1863; *olivaceomaculata* Porthinsky,1881; *genistae* Pandelle,1895
- 18805) Masicera cuculliae (R-D.,1830)** (Tachinidae) Synonym(s): *cuculliae* R-D.,1830
- 18806) Medina melania (Meigen,1824)** (Tachinidae) Synonym(s): *melania* Meigen,1824
- 18807) Medina separata (Meigen,1824)** (Tachinidae) Synonym(s): *separata* Meigen,1824
- 18808) Meigenia mutabilis (Fallén,1810)** (Tachinidae) Synonym(s): *mutabilis* Fallén,1810
- 18809) Mintho rufiventris (Fallén,1817)** (Tachinidae) Synonym(s): *rufiventris* Fallén,1817
- 18810) Myxexoristops blondeli (R-D.,1830)** (Tachinidae) Synonym(s): *blondeli* R-D.,1830
- 18811) Nemoraea pellucida (Meigen,1824)** (Tachinidae) Synonym(s): *pellucida* Meigen,1824; *neglecta* Meigen,1824; *rubrica* Meigen,1824; *affinis* R-D.,1830; *bombylans* R-D.,1830; *fulva* R-D.,1830; *conjuncta* Macquart,1848; *vicina* Macquart,1848; *vulnerata* Zetterstedt,1849; *nupta* Rondani,1859; *discreta* R-D.,1863; *sponsa* Rondani,1865
- 18812) Nemorilla maculosa (Meigen,1824)** (Tachinidae) Synonym(s): *maculosa* Meigen,1824
- 18813) Nilea anatolica Mesnil,1954** (Tachinidae) Synonym(s): *anatolica* Mesnil,1954

- 18814) Nowickia atripalpis (R-D.,1863)** (Tachinidae) Synonym(s): *atripalpis* R-D.,1863
- 18815) Pales pavidus (Meigen,1824)** (Tachinidae) Synonym(s): *pavida* Meigen,1824
- 18816) Palesisa nudioculata Villeneuve,1929** (Tachinidae) Synonym(s): *nudioculata* Villeneuve,1929
- 18817) Pandelleia sp.** (Tachinidae) Synonym(s):
- 18818) Peleteria rubescens R-D.,1830** (Tachinidae) Synonym(s): *rubescens* R-D.,1830; *nigricornis* Meigen,1838; *pulverulanata* R-D.,1863
- 18819) Phasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei* Dupuis,1957
- 18820) Phryno vetula (Meigen,1824)** (Tachinidae) Synonym(s): *vetula* Meigen,1824
- 18821) Phryxe caudata (Rondani,1859)** (Tachinidae) Synonym(s): *caudata* Rondani,1859
- 18822) Phryxe magnicornis (Zetterstedt,1838)** (Tachinidae) Synonym(s): *magnicornis* Zetterstedt,1838
- 18823) Pseudogonia rufifrons (Wiedemann,1830)** (Tachinidae) Synonym(s): *rufifrons* Wiedemann,1830
- 18824) Rondania cucullata R-D.,1850** (Tachinidae) Synonym(s): *cucullata* R-D.,1850; *notata* R-D.,1863; *rufitibia* Strobl,1894; *notiventris* Pandelle,1896
- 18825) Senometopia separata (Rondani,1859)** (Tachinidae) Synonym(s): *separata* Rondani,1859
- 18826) Simoma grahami Aldrich,1926** (Tachinidae) Synonym(s): *grahami* Aldrich,1926
- 18827) Spallanzania hebes (Fallén,1820)** (Tachinidae) Synonym(s): *hebes* Fallén,1820; *pansa* Snow,1895
- 18828) Stomina iners (Meigen,1838)** (Tachinidae) Synonym(s): *iners* Meigen,1838
- 18829) Tachina (Echinogaster) praeceps Meigen,1824** (Tachinidae) Synonym(s): *praeceps* Meigen,1824; *argentifrons* Macquart,1835; *pusilla* Macquart,1845; *fuscipennis* Macquart,1845; *alpicola* Rondani,1861; *tricondyla* Rondani,1868; *roederi* Giglio-Tos,1891; *similis* Giglio-Tos,1891
- 18830) Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera* Linnaeus,1761
- 18831) Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata* Fabricius,1794; *magnicornis* Zetterstedt,1844; *conjugata* Rondani,1859; *dispersa* Giglio-Tos,1891; *friedrichi* Wachtl,1894; *vernalis* R-D.; *satanas* Zimin,1935
- 18832) Tachina (Eudoromyia) nupta (Rondani,1859)** (Tachinidae) Synonym(s): *nupta* Rondani,1859; *micado* Kirby,1884; *orientalis* Zimin,1935; *trigonata* Villeneuve,1936; *nigriventris* Zimin,1967; *mesnili* Zimin,1967; *turanica* Zimin,1980
- 18833) Tachina (s.str.) grossa (Linnaeus,1758)** (Tachinidae) Synonym(s): *grossa* Linnaeus,1758
- 18834) Tachina (Servillia) lurida (Fabricius,1781)** (Tachinidae) Synonym(s): *lurida* Fabricius,1781
- 18835) Thelomorpha marmorata (Fabricius,1805)** (Tachinidae) Synonym(s): *marmorata* Fabricius,1805
- 18836) Townsendiellomyia nidicola (Townsend,1908)** (Tachinidae) Synonym(s): *nidicola* Townsend,1908
- 18837) Voria ruralis (Fallén,1810)** (Tachinidae) Synonym(s): *ruralis* Fallén,1810
- 18838) Wagneria micropyga Herting,1987** (Tachinidae) Synonym(s): *micropyga* Herting,1987
- 18839) Wardarina melancholica Mesnil,1956** (Tachinidae) Synonym(s): *melancholica* Mesnil,1956
- 18840) Xysta holocericea (Fabricius,1805)** (Tachinidae) Synonym(s): *holocericea* Fabricius,1805
- 18841) Zaira cinerea (Fallén,1810)** (Tachinidae) Synonym(s): *cinerea* Fallén,1810; *pacta* Meigen,1824; *agrestis* R-D.,1830; *#cinerae* Doğanlar,1982
- 18842) Zeuxia erythraea (Egger,1856)** (Tachinidae) Synonym(s): *erythraea* Egger,1856
- 18843) Zeuxia zejana Kolomiets,1971** (Tachinidae) Synonym(s): *zejana* Kolomiets,1971
- 18844) Zophomyia temula (Scopoli,1763)** (Tachinidae) Synonym(s): *temula* Scopoli,1763

TAENIOPTERYGIDAE

- 18845) Brachyptera ankara Kazancı,2000** (Taeniopterygidae) Synonym(s): *ankara* Kazancı,2000
- 18846) Brachyptera berkii Kazancı,2000** (Taeniopterygidae) Synonym(s): *berkii* Kazancı,2000
- 18847) Brachyptera demirsoyi Kazancı,1983** (Taeniopterygidae) Synonym(s): *demirsoyi* Kazancı,1983
- 18848) Brachyptera sislii Kazancı,1983** (Taeniopterygidae) Synonym(s): *sislii* Kazancı,1983
- 18849) Brachyptera transcaucasica Zhiltzova,1956** (Taeniopterygidae) Synonym(s): *transcaucasica* Zhiltzova,1956
- 18850) Brachyptera zwicki Braasch & Joost,1971** (Taeniopterygidae) Synonym(s): *zwicki* Braasch & Joost,1971
- 18851) Rhabdiopteryx doiranensis Ikonomov,1983** (Taeniopterygidae) Synonym(s): *doiranensis* Ikonomov,1983
- 18852) Taeniopteryx nebulosa (Linnaeus,1758)** (Taeniopterygidae) Synonym(s): *nebulosa* Linnaeus,1758; *praetexta* Burmeister,1839; *nigripes* Zetterstedt,1840; *minuta* Rambur,1842; *socia* Rambur,1842

TENEBRIONIDAE

- 18853) Accanthopus velikensis (Piller & Mitterpacher, 1783)** (Tenebrionidae) Synonym(s): *velikensis* Piller & Mitterpacher, 1783; *dentipes* Rossi, 1790
- 18854) Adelina turcica (Reitter, 1877)** (Tenebrionidae) Synonym(s): *turcica* Reitter, 1877
- 18855) Adelostoma (s.str.) ovalipenne Chevrolat, 1877** (Tenebrionidae) Synonym(s): *ovalipenne* Chevrolat, 1877
- 18856) Adelostoma (s.str.) subtilis Reitter, 1900** (Tenebrionidae) Synonym(s): *subtilis* Reitter, 1900
- 18857) Adelostoma (s.str.) sulcatum Duponchel, 1827** (Tenebrionidae) Synonym(s): *sulcatum* Duponchel, 1827
- 18858) Adesmia (Macradesmia) servillei Solier, 1835** (Tenebrionidae) Synonym(s): *servillei* Solier, 1835
- 18859) Adesmia (Oteroscelis) audouini Solier, 1835** (Tenebrionidae) Synonym(s): *audouini* Solier, 1835
- 18860) Adesmia (Oteroscelis) carinata Miller, 1861** (Tenebrionidae) Synonym(s): *carinata* Miller, 1861
- 18861) Adesmia (s.str.) anatolica Ganglbauer, 1906** (Tenebrionidae) Synonym(s): *anatolica* Ganglbauer, 1906
- 18862) Adesmia (s.str.) anthracina Klug, 1830** (Tenebrionidae) Synonym(s): *anthracina* Klug, 1830; *olivieri* Reiche & Saulcy, 1857
- 18863) Adesmia (s.str.) fischeri Faldermann, 1837** (Tenebrionidae) Synonym(s): *fischeri* Faldermann, 1837
- 18864) Adesmia (s.str.) gibbula Reitter, 1916** (Tenebrionidae) Synonym(s): *gibbula* Reitter, 1916
- 18865) Adesmia (s.str.) procera Miller, 1861** (Tenebrionidae) Synonym(s): *procera* Miller, 1861
- 18866) Akis elongata Brullé, 1832** (Tenebrionidae) Synonym(s): *elongata* Brullé, 1832; *deplanata* Waltl, 1838
- 18867) Akis latreillei Solier, 1836** (Tenebrionidae) Synonym(s): *latreillei* Solier, 1836
- 18868) Akis opaca Heyden, 1897** (Tenebrionidae) Synonym(s): *opaca* Heyden, 1897; *anatolica* Reitter, 1904
- 18869) Akis otores Fischer von Waldheim, 1837** (Tenebrionidae) Synonym(s): *ototes* Fischer von Waldheim, 1837
- 18870) Akis spinosa (Linnaeus, 1764)** (Tenebrionidae) Synonym(s): *spinosa* Linnaeus, 1764
- 18871) Alphitobius diaperinus (Panzer, 1797)** (Tenebrionidae) Synonym(s): *diaperinus* Panzer, 1797
- 18872) Alphitobius laevigatus (Fabricius, 1781)** (Tenebrionidae) Synonym(s): *laevigatus* Fabricius, 1781
- 18873) Alphitophagus bifasciatus (Say, 1823)** (Tenebrionidae) Synonym(s): *bifasciatus* Say, 1823
- 18874) Alphitophagus convexicollis Reitter, 1911** (Tenebrionidae) Synonym(s): *convexicollis* Reitter, 1911
- 18875) Ammobius rufus Lucas, 1849** (Tenebrionidae) Synonym(s): *rufus* Lucas, 1849
- 18876) Annobeis asiaticus Miller, 1858** (Tenebrionidae) Synonym(s): *asiaticus* Miller, 1858; *wagneri* Chevrolat, 1877
- 18877) Annobeis grandis Miller, 1858** (Tenebrionidae) Synonym(s): *grandis* Miller, 1858
- 18878) Annobeis intermedius Reitter, 1914** (Tenebrionidae) Synonym(s): *intermedius* Reitter, 1914
- 18879) Annobeis milleri Reitter, 1914** (Tenebrionidae) Synonym(s): *milleri* Reitter, 1914
- 18880) Belopus (Centorus) procerus Mulsant, 1854** (Tenebrionidae) Synonym(s): *procerus* Mulsant, 1854
- 18881) Belopus (Centorus) turcicus (Kaszab, 1959)** (Tenebrionidae) Synonym(s): *turcicus* Kaszab, 1959
- 18882) Blaps abbreviata Ménétériés, 1836** (Tenebrionidae) Synonym(s): *abbreviata* Ménétériés, 1836
- 18883) Blaps adalae Soldati & Soldati, 1999** (Tenebrionidae) Synonym(s): *adalae* Soldati & Soldati, 1999
- 18884) Blaps ecaudata Seidlitz, 1893** (Tenebrionidae) Synonym(s): *ecaudata* Seidlitz, 1893
- 18885) Blaps femoralis Fischer, 1844** (Tenebrionidae) Synonym(s): *femoralis* Fischer, 1844
- 18886) Blaps gigas (Linnaeus, 1767)** (Tenebrionidae) Synonym(s): *gigas* Linnaeus, 1767
- 18887) Blaps graeca Solier, 1848** (Tenebrionidae) Synonym(s): *graeca* Solier, 1848
- 18888) Blaps jeanneli Ferrer & Soldati, 1999** (Tenebrionidae) Synonym(s): *jeanneli* Ferrer & Soldati, 1999
- 18889) Blaps koenigi Seidlitz, 1893** (Tenebrionidae) Synonym(s): *koenigi* Seidlitz, 1893
- 18890) Blaps lata Seidlitz, 1893** (Tenebrionidae) Synonym(s): *miliaria* Allard, 1882 *nec* Fisch.; *lata* Seidlitz, 1893; *miliaria* Allard, 1882
- 18891) Blaps lethifera Marsham, 1802** (Tenebrionidae) Synonym(s): *lethifera* Marsham, 1802
- 18892) Blaps lindbergi Kaszab, 1959** (Tenebrionidae) Synonym(s): *lindbergi* Kaszab, 1959
- 18893) Blaps mortisaga (Linnaeus, 1758)** (Tenebrionidae) Synonym(s): *mortisaga* Linnaeus, 1758
- 18894) Blaps mucronata Latreille, 1804** (Tenebrionidae) Synonym(s): *mucronata* Latreille, 1804
- 18895) Blaps ocreata Allard, 1880** (Tenebrionidae) Synonym(s): *ocreata* Allard, 1880
- 18896) Blaps pterostapha Ménétériés, 1832** (Tenebrionidae) Synonym(s): *pterostapha* Ménétériés, 1832
- 18897) Blaps rotundata Solier, 1848** (Tenebrionidae) Synonym(s): *rotundata* Solier, 1848; *sodalis* Reiche & Saulcy, 1857; *laticollis* Allard, 1880 (*praeocc.*)
- 18898) Blaps splichali Gebien, 1913** (Tenebrionidae) Synonym(s): *splichali* Gebien, 1913
- 18899) Blaps taeniolata Ménétériés, 1832** (Tenebrionidae) Synonym(s): *taeniolata* Ménétériés, 1832
- 18900) Blaps tenuicollis Solier, 1848** (Tenebrionidae) Synonym(s): *tenuicollis* Solier, 1848
- 18901) Blaps tibialis Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *tibialis* Reiche & Saulcy, 1857
- 18902) Blaps tibiella Seidlitz, 1893** (Tenebrionidae) Synonym(s): *tibiella* Seidlitz, 1893
- 18903) Bolitophagus reticulatus (Linnaeus, 1767)** (Tenebrionidae) Synonym(s): *reticulatus* Linnaeus, 1767

- 18904) *Brachyesthes chrysomelina* Costa, 1875** (Tenebrionidae) Synonym(s): *chrysomelina* Costa, 1875
- 18905) *Cabirutus cavimanus* (Sahlberg, 1907)** (Tenebrionidae) Synonym(s): *cavimanus* Sahlberg, 1907
- 18906) *Cabirutus cilicicus* (Sahlberg, 1907)** (Tenebrionidae) Synonym(s): *cilicicus* Sahlberg, 1907
- 18907) *Cabirutus cribricollis* (Baudi, 1875)** (Tenebrionidae) Synonym(s): *cribricollis* Baudi, 1875
- 18908) *Cabirutus gracilis* (Reitter, 1904)** (Tenebrionidae) Synonym(s): *gracilis* Reitter, 1904
- 18909) *Caenoblaps kulzeri* Schuster, 1928** (Tenebrionidae) Synonym(s): *kulzeri* Schuster, 1928
- 18910) *Caenoblaps nitida* Schuster, 1920** (Tenebrionidae) Synonym(s): *nitida* Schuster, 1920
- 18911) *Calyptopsis capnisiformis* Reitter, 1903** (Tenebrionidae) Synonym(s): *capnisiformis* Reitter, 1903
- 18912) *Calyptopsis capnisiformis* Reitter, 1903** (Tenebrionidae) Synonym(s): *capnisiformis* Reitter, 1903
- 18913) *Calyptopsis capnisioides* Reitter, 1896** (Tenebrionidae) Synonym(s): *capnisioides* Reitter, 1896
- 18914) *Calyptopsis deplanata* Faust, 1875** (Tenebrionidae) Synonym(s): *deplanata* Faust, 1875
- 18915) *Calyptopsis emarginata* Reitter, 1889** (Tenebrionidae) Synonym(s): *emarginata* Reitter, 1889
- 18916) *Calyptopsis escherichi* Reitter, 1896** (Tenebrionidae) Synonym(s): *escherichi* Reitter, 1896
- 18917) *Calyptopsis pandaroides* Reitter, 1896** (Tenebrionidae) Synonym(s): *pandaroides* Reitter, 1896
- 18918) *Calyptopsis solieri* Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *solieri* Reiche & Saulcy, 1857
- 18919) *Cataphronetis reitteri* Seidlitz, 1893** (Tenebrionidae) Synonym(s): *reitteri* Seidlitz, 1893
- 18920) *Catomus* (s.str.) *consentaneus* (Küster, 1851)** (Tenebrionidae) Synonym(s): *consentaneus* Küster, 1851
- 18921) *Catomus* (s.str.) *frivaldszkyi* (Seidlitz, 1893)** (Tenebrionidae) Synonym(s): *frivaldszkyi* Seidlitz, 1893
- 18922) *Catomus* (*Stenomacidius*) *anatolicus* Kaszab, 1961** (Tenebrionidae) Synonym(s): *anatolicus* Kaszab, 1961
- 18923) *Cephalostenus demaisoni* Reitter, 1903** (Tenebrionidae) Synonym(s): *demaisoni* Reitter, 1903
- 18924) *Cephalostenus elegans* Brullé, 1832** (Tenebrionidae) Synonym(s): *elegans* Brullé, 1832; *dejeani* Solier, 1838
- 18925) *Cephalostenus orbicollis* Ménétériés, 1836** (Tenebrionidae) Synonym(s): *orbicollis* Ménétériés, 1836; *elegans* Solier, 1838; *dejeani* Reiche & Saulcy, 1857 nec Sol., 1838
- 18926) *Ceratanisus funebris* (Reitter, 1898)** (Tenebrionidae) Synonym(s): *funebris* Reitter, 1898
- 18927) *Ceratanisus tristis* (Faldermann, 1837)** (Tenebrionidae) Synonym(s): *tristis* Faldermann, 1837
- 18928) *Cheirodes* (*Anemia*) *sardous* Génée, 1839** (Tenebrionidae) Synonym(s): *sardous* Génée, 1839
- 18929) *Clitobius ovatus* (Erichson, 1843)** (Tenebrionidae) Synonym(s): *ovatus* Erichson, 1843
- 18930) *Cnemeplatia atropos* Costa, 1847** (Tenebrionidae) Synonym(s): *atropos* Costa, 1847
- 18931) *Colpotus byzantinicus* (Waltl, 1838)** (Tenebrionidae) Synonym(s): *byzantinicus* Waltl, 1838
- 18932) *Colpotus dentatus* Grimm & Schawaller, 2000** (Tenebrionidae) Synonym(s): *dentatus* Grimm & Schawaller, 2000
- 18933) *Colpotus lassallei* Ferrer & Soldati, 1999** (Tenebrionidae) Synonym(s): *lassallei* Ferrer & Soldati, 1999
- 18934) *Colpotus punctipleuris* Reitter, 1904** (Tenebrionidae) Synonym(s): *punctipleuris* Reitter, 1904
- 18935) *Colpotus reitteri* Zürcher, 1911** (Tenebrionidae) Synonym(s): *reitteri* Zürcher, 1911
- 18936) *Colpotus sulcatus* Ménétériés, 1838** (Tenebrionidae) Synonym(s): *sulcatus* Ménétériés, 1838
- 18937) *Colpotus vogti* Koch, 1944** (Tenebrionidae) Synonym(s): *vogti* Koch, 1944
- 18938) *Cossyphus tauricus* Steven, 1882** (Tenebrionidae) Synonym(s): *tauricus* Steven, 1882
- 18939) *Cryphaeus cornutus* Fischer von Waldheim, 1823** (Tenebrionidae) Synonym(s): *cornutus* Fischer von Waldheim, 1823
- 18940) *Crypticus* (*Platycrypticus*) *castaneus* Baudi, 1876** (Tenebrionidae) Synonym(s): *castaneus* Baudi, 1876
- 18941) *Crypticus* (s.str.) *gibbulus* (Quensel, 1806)** (Tenebrionidae) Synonym(s): *gibbulus* Quensel, 1806
- 18942) *Crypticus* (s.str.) *pentheri* Reitter, 1906** (Tenebrionidae) Synonym(s): *pentheri* Reitter, 1906
- 18943) *Crypticus* (s.str.) *pettersoni* Ferrer & Soldati, 1999** (Tenebrionidae) Synonym(s): *pettersoni* Ferrer & Soldati, 1999
- 18944) *Crypticus* (s.str.) *quisquilius* (Linnaeus, 1761)** (Tenebrionidae) Synonym(s): *quisquilius* Linnaeus, 1761
- 18945) *Crypticus* (s.str.) *tauri* Pic, 1907** (Tenebrionidae) Synonym(s): *tauri* Pic, 1907
- 18946) *Cylindronotus* (*Helopelius*) *aeneipennis* (Allard, 1876)** (Tenebrionidae) Synonym(s): *aeneipennis* Allard, 1876
- 18947) *Cylindronotus* (*Odocnemis*) *anatolicus* Pic, 1899** (Tenebrionidae) Synonym(s): *anatolicus* Pic, 1899
- 18948) *Cylindronotus* (*Odocnemis*) *caudatus* Allard, 1876** (Tenebrionidae) Synonym(s): *caudatus* Allard, 1876
- 18949) *Cylindronotus* (*Odocnemis*) *dasypus* Seidlitz, 1893** (Tenebrionidae) Synonym(s): *dasypus* Seidlitz, 1893
- 18950) *Cylindronotus* (*Odocnemis*) *exararatus* (Germar, 1817)** (Tenebrionidae) Synonym(s): *exararatus* Germar, 1817

- 18951) *Cylindronotus (Odocnemis) incultus* Allard,1877** (Tenebrionidae) Synonym(s): *incultus* Allard,1877
- 18952) *Cylindronotus (Odocnemis) korbi* Reitter,1901** (Tenebrionidae) Synonym(s): *korbi* Reitter,1901
- 18953) *Cylindronotus (Odocnemis) nitidus* Seidlitz,1893** (Tenebrionidae) Synonym(s): *nitidus* Seidlitz,1893
- 18954) *Cylindronotus (Odocnemis) opertus* Reitter,1922** (Tenebrionidae) Synonym(s): *opertus* Reitter,1922
- 18955) *Cylindronotus (Odocnemis) protinus* Reitter,1900** (Tenebrionidae) Synonym(s): *protinus* Reitter,1900
- 18956) *Cylindronotus (Odocnemis) seriegranatus* Seidlitz,1893** (Tenebrionidae) Synonym(s): *seriegranatus* Seidlitz,1893
- 18957) *Cylindronotus (Odocnemis) tuberculiger* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *tuberculiger* Reiche & Saulcy,1857
- 18958) *Cylindronotus (Omaleis) amasiae* Seidlitz,1896** (Tenebrionidae) Synonym(s): *amasiae* Seidlitz,1896
- 18959) *Cylindronotus (Omaleis) crenatriatus* Allard,1877** (Tenebrionidae) Synonym(s): *crenatriatus* Allard,1877
- 18960) *Cylindronotus (Omaleis) fundator* Reitter,1908** (Tenebrionidae) Synonym(s): *fundator* Reitter,1908
- 18961) *Cylindronotus (Omaleis) kurdistanus* Reitter,1901** (Tenebrionidae) Synonym(s): *kurdistanus* Reitter,1901
- 18962) *Cylindronotus (Omaleis) scutellatus* Reitter,1901** (Tenebrionidae) Synonym(s): *scutellatus* Reitter,1901
- 18963) *Cylindronotus (s.str.) funestoides* Reitter,1900** (Tenebrionidae) Synonym(s): *funestoides* Reitter,1900
- 18964) *Cylindronotus (s.str.) hoberlandti* Kaszab,1960** (Tenebrionidae) Synonym(s): *hoberlandti* Kaszab,1960
- 18965) *Cylindronotus (Stenomax) aeneus* (Scopoli,1763)** (Tenebrionidae) Synonym(s): *aeneus* Scopoli,1763
- 18966) *Cylindronotus tchorokhicus* Nabozhenko,2011** (Tenebrionidae) Synonym(s): *tchorokhicus* Nabozhenko,2011
- 18967) *Cyphogenia (Lechriomus) lucifuga* (Adams,1817)** (Tenebrionidae) Synonym(s): *lucifuga* Adams,1817
- 18968) *Dailognatha caraboides* Solier,1835** (Tenebrionidae) Synonym(s): *caraboides* Solier,1835; *audouini* Solier,1835; *caucasica* Desbrochers,1881
- 18969) *Dailognatha carceli* Solier,1835** (Tenebrionidae) Synonym(s): *carceli* Solier,1835
- 18970) *Dailognatha crenata* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *crenata* Reiche & Saulcy,1857
- 18971) *Dailognatha impressicollis* Solier,1835** (Tenebrionidae) Synonym(s): *impressicollis* Solier,1835
- 18972) *Dailognatha minuscula* Desbrochers,1881** (Tenebrionidae) Synonym(s): *minuscula* Desbrochers,1881
- 18973) *Dailognatha planata* Miller,1861** (Tenebrionidae) Synonym(s): *planata* Miller,1861
- 18974) *Dailognatha pumila* Baudi,1874** (Tenebrionidae) Synonym(s): *pumila* Baudi,1874; *humeralis* Desbrochers,1881
- 18975) *Dailognatha quadricollis* Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832
- 18976) *Dailognatha rugipleuris* Reitter,1896** (Tenebrionidae) Synonym(s): *rugipleuris* Reitter,1896
- 18977) *Dallognatha crenata* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *crenata* Reiche & Saulcy,1857
- 18978) *Dallognatha pumila* Baudi,1874** (Tenebrionidae) Synonym(s): *pumila* Baudi,1874
- 18979) *Dallognatha quadricollis* Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832
- 18980) *Dallognatha rugipleuris* Reitter,1896** (Tenebrionidae) Synonym(s): *rugipleuris* Reitter,1896
- 18981) *Dendarus (Pandarinus) alleonis* Seidlitz,1893** (Tenebrionidae) Synonym(s): *alleonis* Seidlitz,1893
- 18982) *Dendarus (Pandarinus) armeniacus* Baudi,1876** (Tenebrionidae) Synonym(s): *armeniacus* Baudi,1876
- 18983) *Dendarus (Pandarinus) caelatus* Brullé,1832** (Tenebrionidae) Synonym(s): *caelatus* Brullé,1832
- 18984) *Dendarus (Pandarinus) crenulatus* (Ménétriés,1832)** (Tenebrionidae) Synonym(s): *crenulatus* Ménétriés,1832; *dardanus* Faldermann,1837; *cribratus* Waltl,1838
- 18985) *Dendarus (Pandarinus) dalmatinus* Germar,1824** (Tenebrionidae) Synonym(s): *dalmatinus* Germar,1824
- 18986) *Dendarus (Pandarinus) foveolatus* Seidlitz,1893** (Tenebrionidae) Synonym(s): *foveolatus* Seidlitz,1893

- 18987) Dendarus (Pandarinus) messenius Brullé, 1832** (Tenebrionidae) Synonym(s): *messenius Brullé, 1832; gravidus Brullé, 1832; tentyrioides Brullé, 1832; ottomanus Mulsant, 1854*
- 18988) Dendarus (Pandarinus) moesiacus Mulsant & Rey, 1854** (Tenebrionidae) Synonym(s): *moesiacus Mulsant & Rey, 1854*
- 18989) Dendarus (Pandarinus) punctatus Audinet-Serville, 1825** (Tenebrionidae) Synonym(s): *punctatus Audinet-Serville, 1825*
- 18990) Dendarus (Pandarinus) scrobiculatus Seidlitz, 1893** (Tenebrionidae) Synonym(s): *scrobiculatus Seidlitz, 1893*
- 18991) Dendarus (Pandarinus) tenellus Mulsant & Rey, 1854** (Tenebrionidae) Synonym(s): *tenellus Mulsant & Rey, 1854*
- 18992) Dendarus (Pandarinus) tibialis Seidlitz, 1893** (Tenebrionidae) Synonym(s): *tibialis Seidlitz, 1893*
- 18993) Dendarus (Pandarinus) torpidus Mulsant, 1854** (Tenebrionidae) Synonym(s): *torpidus Mulsant, 1854*
- 18994) Dendarus (Pandarinus) sinuatus Mulsant, 1854** (Tenebrionidae) Synonym(s): *sinuatus Mulsant, 1854*
- 18995) Dendarus (Pandarinus) stygius Waltl, 1838** (Tenebrionidae) Synonym(s): *stygius Waltl, 1838*
- 18996) Diacina fagi (Panzer, 1799)** (Tenebrionidae) Synonym(s): *fagi Panzer, 1799*
- 18997) Diaperis boleti (Linnaeus, 1758)** (Tenebrionidae) Synonym(s): *boleti Linnaeus, 1758*
- 18998) Dichillus (Dichillinus) cylindricus Baudi, 1874** (Tenebrionidae) Synonym(s): *cylindricus Baudi, 1874*
- 18999) Dichillus (Dichillinus) duricornis Reitter, 1886** (Tenebrionidae) Synonym(s): *duricornis Reitter, 1886*
- 19000) Dichillus (Dichillocerus) araxidis Reitter, 1916** (Tenebrionidae) Synonym(s): *araxidis Reitter, 1916*
- 19001) Dichillus (Dichillocerus) crassicornis Allard, 1869** (Tenebrionidae) Synonym(s): *crassicornis Allard, 1869*
- 19002) Dichillus (Dichillocerus) pertusus Kiesenwetter, 1861** (Tenebrionidae) Synonym(s): *pertusus Kiesenwetter, 1861*
- 19003) Dichillus (s.str.) carinatus Küster, 1848** (Tenebrionidae) Synonym(s): *carinatus Küster, 1848*
- 19004) Dichillus (s.str.) iranicus Kaszab, 1963** (Tenebrionidae) Synonym(s): *iranicus Kaszab, 1963*
- 19005) Dichillus (s.str.) subsetulosus Reitter, 1886** (Tenebrionidae) Synonym(s): *subsetulosus Reitter, 1886*
- 19006) Dichomma dardanum (Steven, 1829)** (Tenebrionidae) Synonym(s): *dardanum Steven, 1829*
- 19007) Dissonomus politus Koch, 1968** (Tenebrionidae) Synonym(s): *politus Koch, 1968*
- 19008) Dissonomus substriatus Reitter, 1898** (Tenebrionidae) Synonym(s): *substriatus Reitter, 1898*
- 19009) Eledona agaricola (Herbst, 1784)** (Tenebrionidae) Synonym(s): *agaricola Herbst, 1784*
- 19010) Entomogonus (Delonurops) duchoni Reitter, 1903** (Tenebrionidae) Synonym(s): *duchoni Reitter, 1903*
- 19011) Entomogonus (Delonurops) egregius Seidlitz, 1893** (Tenebrionidae) Synonym(s): *egregius Seidlitz, 1893*
- 19012) Entomogonus (Delonurops) obtusus Seidlitz, 1893** (Tenebrionidae) Synonym(s): *obtusum Seidlitz, 1893*
- 19013) Entomogonus (Delonurops) peyroni (Reiche, 1861)** (Tenebrionidae) Synonym(s): *peyroni Reiche, 1861*
- 19014) Entomogonus (Delonurops) saphyrinus Allard, 1876** (Tenebrionidae) Synonym(s): *saphyrinus Allard, 1876*
- 19015) Entomogonus (Eutelogonus) davidis (Fairmaire, 1884)** (Tenebrionidae) Synonym(s): *davidis Fairmaire, 1884*
- 19016) Entomogonus (Eutelogonus) nylanderi Ferrer & Soldati, 1999** (Tenebrionidae) Synonym(s): *nylanderi Ferrer & Soldati, 1999*
- 19017) Entomogonus (s.str.) angulicollis Mulsant & Wacherau, 1852** (Tenebrionidae) Synonym(s): *angulicollis Mulsant & Wacherau, 1852*
- 19018) Erodus fabricii Solier, 1834** (Tenebrionidae) Synonym(s): *fabricii Solier, 1834*
- 19019) Erodus orientalis Brullé, 1832** (Tenebrionidae) Synonym(s): *orientalis Brullé, 1832*
- 19020) Euboeus mimonti (Boieldieu, 1865)** (Tenebrionidae) Synonym(s): *mimonti Boieldieu, 1865*
- 19021) Eutagenia smyrnensis Solier, 1838** (Tenebrionidae) Synonym(s): *smyrnensis Solier, 1838*
- 19022) Gnaptor prolixus Fairmaire, 1866** (Tenebrionidae) Synonym(s): *prolixus Fairmaire, 1866*
- 19023) Gnaptor spinimanus (Pallas, 1781)** (Tenebrionidae) Synonym(s): *spinimanus Pallas, 1781; glabratus Fabricius, 1792; laevigatus Fabricius, 1792; graecus Küster, 1848*
- 19024) Gnathocerus cornutus (Fabricius, 1798)** (Tenebrionidae) Synonym(s): *cornutus Fabricius, 1798*
- 19025) Gonocephalum costatum Brullé, 1832** (Tenebrionidae) Synonym(s): *costatum Brullé, 1832*
- 19026) Gonocephalum granulatum (Fabricius, 1791)** (Tenebrionidae) Synonym(s): *granulatum Fabricius, 1791*
- 19027) Gonocephalum rusticum (Olivier, 1811)** (Tenebrionidae) Synonym(s): *rusticum Olivier, 1811*

- 19028) *Gonocephalum setulosum* (Faldermann,1837)** (Tenebrionidae) Synonym(s): *setulosum* Faldermann,1837
- 19029) *Graecopachys quadricollis* (Brullé,1832)** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832
- 19030) *Gunarus lapidicola* Küster,1850** (Tenebrionidae) Synonym(s): *lapidicola* Küster,1850
- 19031) *Gunarus nodicornis* Reitter,1922** (Tenebrionidae) Synonym(s): *nodicornis* Reitter,1922
- 19032) *Hedyphanes elongatus* Allard,1876** (Tenebrionidae) Synonym(s): *elongatus* Allard,1876
- 19033) *Hedyphanes upioides* (Faldermann,1837)** (Tenebrionidae) Synonym(s): *upioides* Faldermann,1837
- 19034) *Helops* (Mesohelops) *cyanipes* Allard,1877** (Tenebrionidae) Synonym(s): *cyanipes* Allard,1877
- 19035) *Helops* (s.str.) *coeruleus* (Linnaeus,1758)** (Tenebrionidae) Synonym(s): *coeruleus* Linnaeus,1758
- 19036) *Helops* (s.str.) *glabriventris* Reitter,1885** (Tenebrionidae) Synonym(s): *glabriventris* Reitter,1885
- 19037) *Helops* (s.str.) *rossii* Germar,1817** (Tenebrionidae) Synonym(s): *rossii* Germar,1817
- 19038) *Hymenalia brignolii* (Muche,1974)** (Tenebrionidae) Synonym(s): *brignolii* Muche,1974
- 19039) *Idastrandiella mucoreus* (Waltl,1838)** (Tenebrionidae) Synonym(s): *mucoreus* Waltl,1838
- 19040) *Iphthimulus truquii* (Marseul,1869)** (Tenebrionidae) Synonym(s): *truquii* Marseul,1869
- 19041) *Laena angorensis* Reitter,1899** (Tenebrionidae) Synonym(s): *angorensis* Reitter,1899
- 19042) *Laena appfelbecki* Schuster,1915** (Tenebrionidae) Synonym(s): *appfelbecki* Schuster,1915
- 19043) *Laena byzantina* Apfelbeck,1901** (Tenebrionidae) Synonym(s): *byzantina* Apfelbeck,1901
- 19044) *Laena deplanata* Weise,1878** (Tenebrionidae) Synonym(s): *deplanata* Weise,1878
- 19045) *Laena ferruginea* Küster,1846** (Tenebrionidae) Synonym(s): *ferruginea* Küster,1846
- 19046) *Laena ganglbaueri* Reitter,1906** (Tenebrionidae) Synonym(s): *ganglbaueri* Reitter,1906
- 19047) *Laena graeca* Weise,1878** (Tenebrionidae) Synonym(s): *graeca* Weise,1878
- 19048) *Laena hopffgarteni* Weise,1878** (Tenebrionidae) Synonym(s): *hopffgarteni* Weise,1878
- 19049) *Laena kaufmanni* Reitter,1881** (Tenebrionidae) Synonym(s): *kaufmanni* Reitter,1881
- 19050) *Laena korbi* Heyden,1890** (Tenebrionidae) Synonym(s): *korbi* Heyden,1890
- 19051) *Laena kraatzi* Weise,1878** (Tenebrionidae) Synonym(s): *kraatzi* Weise,1878
- 19052) *Laena liliputana* Kaszab,1968** (Tenebrionidae) Synonym(s): *liliputana* Kaszab,1968
- 19053) *Laena lindbergi* Kaszab,1959** (Tenebrionidae) Synonym(s): *lindbergi* Kaszab,1959
- 19054) *Laena merkli* Weise,1883** (Tenebrionidae) Synonym(s): *merkli* Weise,1883
- 19055) *Laena obscuricornis* Reitter,1899** (Tenebrionidae) Synonym(s): *obscuricornis* Reitter,1899
- 19056) *Laena osmanlis* Reitter,1906** (Tenebrionidae) Synonym(s): *osmanlis* Reitter,1906
- 19057) *Laena parvidens* Reitter,1899** (Tenebrionidae) Synonym(s): *parvidens* Reitter,1899
- 19058) *Laena pulchella* (Fischer,1824)** (Tenebrionidae) Synonym(s): *pulchella* Fischer,1824
- 19059) *Laena striolata* Reitter,1899** (Tenebrionidae) Synonym(s): *striolata* Reitter,1899
- 19060) *Laena syriaca* Baudi,1876** (Tenebrionidae) Synonym(s): *syriaca* Baudi,1876
- 19061) *Laena theana* Reitter,1906** (Tenebrionidae) Synonym(s): *theana* Reitter,1906
- 19062) *Laena weisei* Reitter,1878** (Tenebrionidae) Synonym(s): *weisei* Reitter,1878
- 19063) *Latheticus oryzae* Waterhouse,1880** (Tenebrionidae) Synonym(s): *oryzae* Waterhouse,1880
- 19064) *Leichenium mucronatum* Küster,1849** (Tenebrionidae) Synonym(s): *mucronatum* Küster,1849
- 19065) *Leptodes* (s.str.) *lederi* Reitter** (Tenebrionidae) Synonym(s):
- 19066) *Leptodes* (s.str.) *semenowi* Reitter** (Tenebrionidae) Synonym(s):
- 19067) *Lobodera* (Penthomagus) *iners* Ménétériés,1832** (Tenebrionidae) Synonym(s): *iners* Ménétériés,1832
- 19068) *Lyphia tetraphylla* Fairmaire,1856** (Tenebrionidae) Synonym(s): *tetraphylla* Fairmaire,1856
- 19069) *Megischina adeliae* (Reitter,1890)** (Tenebrionidae) Synonym(s): *adeliae* Reitter,1890
- 19070) *Megischina armillata* (Brullé,1832)** (Tenebrionidae) Synonym(s): *armillata* Brullé,1832
- 19071) *Megischina bozdaglariensis* Novak,2006** (Tenebrionidae) Synonym(s): *bozdaglariensis* Novak,2006
- 19072) *Melanimon kiritshenkoi* Reichart,1936** (Tenebrionidae) Synonym(s): *kiritshenkoi* Reichart,1936
- 19073) *Menephilus cylindricus* (Herbst,1784)** (Tenebrionidae) Synonym(s): *cylindricus* Herbst,1784
- 19074) *Mesomorphus longulus* (Reiche,1847)** (Tenebrionidae) Synonym(s): *longulus* Reiche,1847
- 19075) *Mesostena puncticollis* Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1835
- 19076) *Metaclisa azurea* (Waltl,1838)** (Tenebrionidae) Synonym(s): *azurea* Waltl,1838
- 19077) *Micrositus opacus* Reitter,1904** (Tenebrionidae) Synonym(s): *opacus* Reitter,1904
- 19078) *Nalassus* (Helopondrus) *adzharcus* Nabozhenko & Dzhambazishvili,2001** (Tenebrionidae) Synonym(s): *adzharcus* Nabozhenko & Dzhambazishvili,2001
- 19079) *Nalassus* (Helopondrus) *clavicornis* Allard,1876** (Tenebrionidae) Synonym(s): *clavicornis* Allard,1876
- 19080) *Nalassus* (Helopondrus) *gloriosus* (Faldermann,1837)** (Tenebrionidae) Synonym(s): *gloriosus* Faldermann,1837

- 19081) *Nalassus (Helopondrus) planivittis* (Allard,1876) (Tenebrionidae) Synonym(s): *planivittis* Allard,1876**
- 19082) *Nalassus (Helopondrus) schmalfussi* Nabozhenko,2011 (Tenebrionidae) Synonym(s): *schmalfussi* Nabozhenko,2011**
- 19083) *Nalassus (Helopondrus) szalokii* Nabozhenko,2011 (Tenebrionidae) Synonym(s): *szalokii* Nabozhenko,2011**
- 19084) *Nalassus dryadophilus* (Mustant,1854) (Tenebrionidae) Synonym(s): *dryadophilus* Mustant,1854**
- 19085) *Nalassus plebejus* (Küster,1850) (Tenebrionidae) Synonym(s): *plebejus* Küster,1850**
- 19086) *Neatus subaequalis* Reitter,1920 (Tenebrionidae) Synonym(s): *subaequalis* Reitter,1920**
- 19087) *Omophlus (Odontomophlus) lepturoides* (Fabricius,1787) (Tenebrionidae) Synonym(s): *lepturoides* Fabricius,1787**
- 19088) *Omophlus (Odontomophlus) syriacus* Mulsant,1856 (Tenebrionidae) Synonym(s): *syriacus* Mulsant,1856**
- 19089) *Omophlus (Odontomophlus) turcicus* Kirsch,1869 (Tenebrionidae) Synonym(s): *turcicus* Kirsch,1869**
- 19090) *Omophlus (s.str.) caucasicus* Kirsch,1869 (Tenebrionidae) Synonym(s): *caucasicus* Kirsch,1869**
- 19091) *Omophlus (s.str.) nasreddini* Reitter,1890 (Tenebrionidae) Synonym(s): *nasreddini* Reitter,1890**
- 19092) *Oochrotus glaber* Demaison,1904 (Tenebrionidae) Synonym(s): *glaber* Demaison,1904**
- 19093) *Opatroides curtulus* Fairmaire,1892 (Tenebrionidae) Synonym(s): *curtulus* Fairmaire,1892; *?asiaticus* Desbrochers,1881**
- 19094) *Opatroides punctulatus* Brullé,1832 (Tenebrionidae) Synonym(s): *punctulatus* Brullé,1832; *parvulus* Faldermann,1837**
- 19095) *Opatrum alternatum* Küster,1849 (Tenebrionidae) Synonym(s): *alternatum* Küster,1849**
- 19096) *Opatrum geminatum* Brullé,1832 (Tenebrionidae) Synonym(s): *geminatum* Brullé,1832**
- 19097) *Opatrum obesum* Olivier,1811 (Tenebrionidae) Synonym(s): *obesum* Olivier,1811**
- 19098) *Opatrum sabulosum* (Linnaeus,1761) (Tenebrionidae) Synonym(s): *sabulosum* Linnaeus,1761**
- 19099) *Opatrum verrucosum* Germar,1817 (Tenebrionidae) Synonym(s): *verrucosum* Germar,1817**
- 19100) *Pachyscelis musiva* (Ménétriés,1832) (Tenebrionidae) Synonym(s): *musiva* Ménétriés,1832; *depressa* Solier,1836; *ordinata* Solier,1836; *gastridula* Faldermann,1837; *mammillata* Faldermann,1837; *euphratica* Kraatz,1865; *divisa* Reitter,1893**
- 19101) *Pachyscelis quadricollis* Brullé,1832 (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832**
- 19102) *Pachyscelis villosa* (Drapiez,1820) (Tenebrionidae) Synonym(s): *villosa* Drapiez,1820; *granulosa* Solier,1836**
- 19103) *Palorus (Circomus) subdepressus* Wollaston,1864 (Tenebrionidae) Synonym(s): *subdepressus* Wollaston,1864**
- 19104) *Palorus (s.str.) depressus* (Fabricius,1790) (Tenebrionidae) Synonym(s): *depressus* Fabricius,1790**
- 19105) *Pedinus (s.str.) anatolicus* Mulsant & Rey,1853 (Tenebrionidae) Synonym(s): *anatolicus* Mulsant & Rey,1853**
- 19106) *Pedinus (s.str.) bodemeyeri* Reitter,1904 (Tenebrionidae) Synonym(s): *bodemeyeri* Reitter,1904**
- 19107) *Pedinus (s.str.) curvipes* Mulsant & Rey,1853 (Tenebrionidae) Synonym(s): *curvipes* Mulsant & Rey,1853**
- 19108) *Pedinus (s.str.) fallax* Mulsant & Rey,1853 (Tenebrionidae) Synonym(s): *fallax* Mulsant & Rey,1853**
- 19109) *Pedinus (s.str.) femoralis* (Linnaeus,1767) (Tenebrionidae) Synonym(s): *femoralis* Linnaeus,1767**
- 19110) *Pedinus (s.str.) helopoides* Ahrens,1814 (Tenebrionidae) Synonym(s): *helopoides* Ahrens,1814**
- 19111) *Pedinus (s.str.) kiesenwetteri* Seidlitz,1893 (Tenebrionidae) Synonym(s): *kiesenwetteri* Seidlitz,1893**
- 19112) *Pedinus (s.str.) marani* Kaszab,1960 (Tenebrionidae) Synonym(s): *marani* Kaszab,1960**
- 19113) *Pedinus (s.str.) podager* Seidlitz,1893 (Tenebrionidae) Synonym(s): *podager* Seidlitz,1893**
- 19114) *Pedinus (s.str.) quadratus* Brullé,1832 (Tenebrionidae) Synonym(s): *quadratus* Brullé,1832**
- 19115) *Pedinus (s.str.) reitteri* Seidlitz,1893 (Tenebrionidae) Synonym(s): *reitteri* Seidlitz,1893**
- 19116) *Pedinus (s.str.) schaumii* Mulsant & Rey,1853 (Tenebrionidae) Synonym(s): *schaumii* Mulsant & Rey,1853**
- 19117) *Pedinus (s.str.) strabonis* Seidlitz,1893 (Tenebrionidae) Synonym(s): *strabonis* Seidlitz,1893**
- 19118) *Pedinus (s.str.) subdepressus* Brullé,1832 (Tenebrionidae) Synonym(s): *subdepressus* Brullé,1832**
- 19119) *Pedinus (s.str.) tauricus* Mulsant & Rey,1853 (Tenebrionidae) Synonym(s): *tauricus* Mulsant & Rey,1853**
- 19120) *Pedinus (Vadulus) punctulatus* Mulsant & Rey,1853 (Tenebrionidae) Synonym(s): *punctulatus* Mulsant & Rey,1853**

- 19121) *Pentaphyllus chrysomeloides* (Rossi,1792)** (Tenebrionidae) Synonym(s): *chrysomeloides* Rossi,1792
- 19122) *Phaleria acuminata* Küster,1852** (Tenebrionidae) Synonym(s): *acuminata* Küster,1852; *tunisia* Reitter,1916
- 19123) *Phaleria bimaculata* (Linnaeus,1767)** (Tenebrionidae) Synonym(s): *bimaculata* Linnaeus,1767
- 19124) *Phtora reitteri* (Seidlitz,1894)** (Tenebrionidae) Synonym(s): *reitteri* Seidlitz,1894
- 19125) *Pimelia* (Camphonota) *repleta* Reitter,1915** (Tenebrionidae) Synonym(s): *repleta* Reitter,1915
- 19126) *Pimelia* (Eurypimelia) *akbesiana* Fairmaire,1884** (Tenebrionidae) Synonym(s): *akbesiana* Fairmaire,1884
- 19127) *Pimelia* (Eurypimelia) *anatolica* Reitter,1915** (Tenebrionidae) Synonym(s): *anatolica* Reitter,1915
- 19128) *Pimelia* (Eurypimelia) *lendli* Kaszab,1938** (Tenebrionidae) Synonym(s): *lendli* Kaszab,1938
- 19129) *Pimelia* (Eurypimelia) *subglobosa* (Pallas,1781)** (Tenebrionidae) Synonym(s): *subglobosa* Pallas,1781
- 19130) *Pimelia* (Eurypimelia) *subglobosa polita* Solier,1836** (Tenebrionidae) Synonym(s): *polita* Solier,1836; *euboica* Boield.,1865
- 19131) *Pimelia* (Eurypimelia) *subglobosa salaria* Reitter,1915** (Tenebrionidae) Synonym(s): *salaria* Reitter,1915
- 19132) *Pimelia* (Eurypimelia) *subglobosa verruculifera* Solier,1836** (Tenebrionidae) Synonym(s): *verruculifera* Solier,1836
- 19133) *Pimelia* (Eurypimelia) *testudo* Kraatz,1865** (Tenebrionidae) Synonym(s): *testudo* Kraatz,1865
- 19134) *Pimelia* (Eurypimelia) *timarchoides* Ménétériés,1836** (Tenebrionidae) Synonym(s): *timarchoides* Ménétériés,1836; *interstincta* Fischer von Waldheim,1837; *testudo* Kraatz,1865
- 19135) *Pimelia* (Gedeon) *weneri* Ganglbauer,1905** (Tenebrionidae) Synonym(s): *weneri* Ganglbauer,1905
- 19136) *Pimelia* (Melanostola) *bajula* Klug,1830** (Tenebrionidae) Synonym(s): *bajula* Klug,1830
- 19137) *Pimelia* (s.str.) *robusta* Kraatz,1865** (Tenebrionidae) Synonym(s): *robusta* Kraatz,1865
- 19138) *Pimelia hierichontica* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *hierichontica* Reiche & Saulcy,1857; *arabica* Solier,1836
- 19139) *Pimelia sericella* Solier,1836** (Tenebrionidae) Synonym(s): *sericella* Solier,1836
- 19140) *Platydemus europaeum* Laporte & Brullé,1831** (Tenebrionidae) Synonym(s): *europaeum* Laporte & Brullé,1831
- 19141) *Podonta nigrita* (Fabricius,1794)** (Tenebrionidae) Synonym(s): *nigrita* Fabricius,1794
- 19142) *Polycoelogastrion sexcostatum* (Motschoulsky,1858)** (Tenebrionidae) Synonym(s): *sexcostatum* Motschoulsky,1858
- 19143) *Probatiscus* (Pelorinus) *adimonius* (Allard,1876)** (Tenebrionidae) Synonym(s): *adimonius* Allard,1876
- 19144) *Probatiscus* (Pelorinus) *bodemeyeri* Reitter,1900** (Tenebrionidae) Synonym(s): *bodemeyeri* Reitter,1900
- 19145) *Probatiscus* (Pelorinus) *corrugatus* Seidlitz,1893** (Tenebrionidae) Synonym(s): *corrugatus* Seidlitz,1893
- 19146) *Probatiscus* (Pelorinus) *corrugosus* Seidlitz,1896** (Tenebrionidae) Synonym(s): *corrugosus* Seidlitz,1896
- 19147) *Probatiscus* (Pelorinus) *dorsalis* (Allard,1877)** (Tenebrionidae) Synonym(s): *dorsalis* Allard,1877
- 19148) *Probatiscus* (Pelorinus) *granicollis* Seidlitz,1896** (Tenebrionidae) Synonym(s): *granicollis* Seidlitz,1896
- 19149) *Probatiscus* (Pelorinus) *granipennis* (Allard,1876)** (Tenebrionidae) Synonym(s): *granipennis* Allard,1876
- 19150) *Probatiscus* (Pelorinus) *granosus* Seidlitz,1896** (Tenebrionidae) Synonym(s): *granosus* Seidlitz,1896
- 19151) *Probatiscus* (Pelorinus) *maurus* (Waltl,1838)** (Tenebrionidae) Synonym(s): *maurus* Waltl,1838
- 19152) *Probatiscus* (Pelorinus) *pentheri* Reitter,1905** (Tenebrionidae) Synonym(s): *pentheri* Reitter,1905
- 19153) *Probatiscus* (Pelorinus) *peropacus* Reitter,1901** (Tenebrionidae) Synonym(s): *peropacus* Reitter,1901
- 19154) *Probatiscus* (Pelorinus) *picianus* Reitter,1907** (Tenebrionidae) Synonym(s): *picianus* Reitter,1907
- 19155) *Probatiscus* (Pelorinus) *priapus* Seidlitz,1896** (Tenebrionidae) Synonym(s): *priapus* Seidlitz,1896
- 19156) *Probatiscus* (Pelorinus) *tarsatus* (Küster,1850)** (Tenebrionidae) Synonym(s): *tarsatus* Küster,1850
- 19157) *Probatiscus* (Pelorinus) *tenebricosus* (Brullé,1832)** (Tenebrionidae) Synonym(s): *tenebricosus* Brullé,1832

- 19158) Probaticus (Pelorinus) theanus Reitter,1901** (Tenebrionidae) Synonym(s): *theanus Reitter,1901*
- 19159) Probaticus (s.str.) tentyrioides (Küster,1851)** (Tenebrionidae) Synonym(s): *tentyrioides Küster,1851*
- 19160) Probaticus banaszkieviczae Nobozhenko,2011** (Tenebrionidae) Synonym(s): *banaszkieviczae Nobozhenko,2011*
- 19161) Prosodes (Meropersina) amica G.Medvedev,2001** (Tenebrionidae) Synonym(s): *amica G.Medvedev,2001*
- 19162) Raiboscelis azureus (Brullé,1832)** (Tenebrionidae) Synonym(s): *azureus Brullé,1832*
- 19163) Raiboscelis coelestinus (Waltl,1838)** (Tenebrionidae) Synonym(s): *coelestinus Waltl,1838*
- 19164) Raiboscelis eleodinus (Reiche,1861)** (Tenebrionidae) Synonym(s): *eleodinus Reiche,1861*
- 19165) Raiboscelis latimargo Seidlitz,1896** (Tenebrionidae) Synonym(s): *latimargo Seidlitz,1896*
- 19166) Raiboscelis syriacus (Reiche,1861)** (Tenebrionidae) Synonym(s): *syriacus Reiche,1861*
- 19167) Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis Solier,1838*
- 19168) Scleron carinatum Baudi,1875** (Tenebrionidae) Synonym(s): *carinatum Baudi,1875*
- 19169) Scleron fossulatum Mulsant & Wachenrau,1852** (Tenebrionidae) Synonym(s): *fossulatum Mulsant & Wachenrau,1852*
- 19170) Scleron multistriatum (Forskall,1775)** (Tenebrionidae) Synonym(s): *multistriatum Forskall,1775*
- 19171) Sitophagus hololeptoides Laporte,1840** (Tenebrionidae) Synonym(s): *hololeptoides Laporte,1840*
- 19172) Stegastopsis microderoides Reitter,1898** (Tenebrionidae) Synonym(s): *microderoides Reitter,1898*
- 19173) Stenosis comata Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *comata Reiche & Saulcy,1857*
- 19174) Stenosis diana Sahlberg,1908** (Tenebrionidae) Synonym(s): *diana Sahlberg,1908*
- 19175) Stenosis dilutipes Reitter,1887** (Tenebrionidae) Synonym(s): *dilutipes Reitter,1887; reitteri Mars,1887*
- 19176) Stenosis esau Sahlberg,1908** (Tenebrionidae) Synonym(s): *esau Sahlberg,1908*
- 19177) Stenosis intermedia (Solier,1838)** (Tenebrionidae) Synonym(s): *intermedia Solier,1838*
- 19178) Stenosis orientalis Brullé,1832** (Tenebrionidae) Synonym(s): *orientalis Brullé,1832; graeca Solier,1838*
- 19179) Stenosis punctiventris Eschscholtz,1831** (Tenebrionidae) Synonym(s): *punctiventris Eschscholtz,1831*
- 19180) Stenosis quadraticollis Desbrochers,1881** (Tenebrionidae) Synonym(s): *quadraticollis Desbrochers,1881*
- 19181) Stenosis sardoa (Küster,1848)** (Tenebrionidae) Synonym(s): *sardoa Küster,1848*
- 19182) Stenosis silvestrii Koch,1935** (Tenebrionidae) Synonym(s): *silvestrii Koch,1935*
- 19183) Stenosis sulcata Miller,1861** (Tenebrionidae) Synonym(s): *sulcata Miller,1861*
- 19184) Sternoplax (Pachysternoplax) nicomedia (Reitter,1832)** (Tenebrionidae) Synonym(s): *nicomedia Reitter,1832*
- 19185) Teles eutymi Mulsant & Godart,1876** (Tenebrionidae) Synonym(s): *eutymi Mulsant & Godart,1876*
- 19186) Tenebrio molitor Linnaeus,1758** (Tenebrionidae) Synonym(s): *molitor Linnaeus,1758*
- 19187) Tenebrio obscurus Fabricius,1792** (Tenebrionidae) Synonym(s): *obscurus Fabricius,1792*
- 19188) Tenebrio syriacus Zoufal,1892** (Tenebrionidae) Synonym(s): *syriacus Zoufal,1892*
- 19189) Tentyria cylindrica Solier,1835** (Tenebrionidae) Synonym(s): *cylindrica Solier,1835; acuminata Reiche & Saulcy,1857; lata Baudi,1874*
- 19190) Tentyria cypria Kraatz,1865** (Tenebrionidae) Synonym(s): *cypria Kraatz,1865*
- 19191) Tentyria rotundata Brullé,1832** (Tenebrionidae) Synonym(s): *rotundata Brullé,1832; angulata Brullé,1832; mittrei Solier,1835; winkleri Koch,1936; jonica Koch,1944; dahestris Koch,1944*
- 19192) Tentyria taurica Tauscher,1812** (Tenebrionidae) Synonym(s): *taurica Tauscher,1812; fischeri Solier,1835*
- 19193) Tentyria tessulata Tauscher,1812** (Tenebrionidae) Synonym(s): *tessulata Tauscher,1812*
- 19194) Tentyria wiedemanni Ménétériés,1838** (Tenebrionidae) Synonym(s): *wiedemanni Ménétériés,1838; #wiedemanni Ferrer & Soldati,1999*
- 19195) Trachyderma lima (Petagna,1819)** (Tenebrionidae) Synonym(s): *lima Petagna,1819; angustata Solier,1836*
- 19196) Trachyderma philistina Reich & Saulcy,1857** (Tenebrionidae) Synonym(s): *philistina Reich & Saulcy,1857; gomorrhana Reiche & Saulcy,1857; perseia Baudi,1875; ovalipennis Baudi,1875*
- 19197) Trachyderma setosa (Fischer,1819)** (Tenebrionidae) Synonym(s): *setosa Fischer,1819*
- 19198) Trachyscelis aphodioides Latreille,1809** (Tenebrionidae) Synonym(s): *aphodioides Latreille,1809*
- 19199) Tribolium castaneum (Herbst,1797)** (Tenebrionidae) Synonym(s): *castaneum Herbst,1797*
- 19200) Tribolium confusum Jacquelin du Val,1868** (Tenebrionidae) Synonym(s): *confusum Jacquelin du Val,1868*

- 19201) *Tribolium destructor* Uyttenboogaart, 1933** (Tenebrionidae) Synonym(s): *destructor* Uyttenboogaart, 1933
- 19202) *Tribolium madens* Charpentier, 1825** (Tenebrionidae) Synonym(s): *madens* Charpentier, 1825
- 19203) *Uloma cypreaea* Kraatz, 1873** (Tenebrionidae) Synonym(s): *cypreaea* Kraatz, 1873
- 19204) *Zophosis (Oculosis) dilatata* Deyrolle, 1867** (Tenebrionidae) Synonym(s): *dilatata* Deyrolle, 1867
- 19205) *Zophosis (Oculosis) punctata* Brullé, 1832** (Tenebrionidae) Synonym(s): *punctata* Brullé, 1832
- 19206) *Zophosis (Septentriophosis) oblonga* Solier, 1834** (Tenebrionidae) Synonym(s): *oblonga* Solier, 1834
- 19207) *Zophosis (Septentriophosis) rugosa* Faldermann, 1837** (Tenebrionidae) Synonym(s): *rugosa* Faldermann, 1837
- 19208) *Zophosis asiatica* Miller, 1861** (Tenebrionidae) Synonym(s): *asiatica* Miller, 1861
- 19209) *Zophosis hydrobiiformis* Reitter, 1916** (Tenebrionidae) Synonym(s): *hydrobiiformis* Reitter, 1916
- 19210) *Zophosis osmanlis* Deyrolle, 1872** (Tenebrionidae) Synonym(s): *osmanlis* Deyrolle, 1872

TENTHREDINIDAE

- 19211) *Aglaostigma aucupariae* (Klug, 1817)** (Tenthredinidae) Synonym(s): *aucupariae* Klug, 1817; *lacteore* Benson, 1968
- 19212) *Allantus balteatus* (Klug, 1818)** (Tenthredinidae) Synonym(s): *balteatus* Klug, 1818; *bucculentus* Tischbein, 1846; *fulvocinctus* Rudow, 1872
- 19213) *Allantus basalis* (Klug, 1818)** (Tenthredinidae) Synonym(s): *basalis* Klug, 1818; *togatus* Stephens, 1835 nec Panz., 1801; *caledonicus* Benson, 1945
- 19214) *Allantus cinctus* (Linnaeus, 1758)** (Tenthredinidae) Synonym(s): *cinctus* Linnaeus, 1758; *cordigera* Geoffroy, 1785; *togata* Zetterstedt, 1840; *varipes* Audinet-Serville, 1840; *neglectus* Zaddach, 1859
- 19215) *Allantus cingulatus* (Scopoli, 1763)** (Tenthredinidae) Synonym(s): *cingulatus* Scopoli, 1763; *tenuis* Audinet-Serville, 1823; *elegans* Costa, 1859
- 19216) *Allantus didymus* (Klug, 1818)** (Tenthredinidae) Synonym(s): *didymus* Klug, 1818; *testaceipes* Audinet-Serville, 1823; *nigritarsis* Brullé, 1832; *proximus* Costa, 1859; *ruficrus* Mocsary, 1880; *fumatus* André, 1880
- 19217) *Allantus togatus* (Panzer, 1801)** (Tenthredinidae) Synonym(s): *togatus* Panzer, 1801; *succincta* Klug, 1817; *steini* Schmiedeknecht, 1881
- 19218) *Allantus viennensis* (Schränk, 1781)** (Tenthredinidae) Synonym(s): *viennensis* Schrank, 1781; *uberius* Enslin, 1914; *nigricoxis* De Stefani, 1883; *medinae* Konow, 1894
- 19219) *Ametastegia carpini* (Hartig, 1837)** (Tenthredinidae) Synonym(s): *carpini* Hartig, 1837
- 19220) *Ametastegia glabrata* (Fallén, 1808)** (Tenthredinidae) Synonym(s): *glabrata* Fallén, 1808; *fulvipes* Costa, 1882; *agilis* Klug, 1817; *rufipes* Audinet-Serville, 1823; *nigrisoma* Norton, 1862; *abnormis* Provancher, 1885; *potulenta* MacGillivray, 1923
- 19221) *Ametastegia pallipes* (Spinola, 1808)** (Tenthredinidae) Synonym(s): *pallipes* Spinola, 1808; *grossulariae* Klug, 1818; *lapponica* Zetterstedt, 1838; *pallipes* Provancher, 1878 nec Spin., 1808; *leucopodus* Audinet-Serville, 1823; *canadense* Kirby, 1882; *pallidipes* Dalla Torre, 1894; *cavata* MacGillivray, 1911; *cetaria* MacGillivray, 1921
- 19222) *Apethymus apicalis* (Klug, 1818)** (Tenthredinidae) Synonym(s): *apicalis* Klug, 1818; *serotinus* Müller, 1776; *filiformis* Klug, 1818
- 19223) *Athalia ahngerii* Kokujev, 1909** (Tenthredinidae) Synonym(s): *ahngerii* Kokujev, 1909
- 19224) *Athalia bicolor* Audinet-Serville, 1823** (Tenthredinidae) Synonym(s): *bicolor* Audinet-Serville, 1823
- 19225) *Athalia circularis* (Klug, 1815)** (Tenthredinidae) Synonym(s): *circularis* Klug, 1815; *lineolata* Audinet-Serville, 1823; *bolivari* Dusmet, 1896; *libertoides* Priesner, 1928; *longifoliae* Kontuniemi, 1951; *alpina* Chevin, 1969
- 19226) *Athalia cordata* Audinet-Serville, 1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville, 1823; *suessionensis* Audinet-Serville, 1823; *blanchardi* Brullé, 1846
- 19227) *Athalia cornubiae* Benson, 1931** (Tenthredinidae) Synonym(s): *cornubiae* Benson, 1931
- 19228) *Athalia dimidiata* Konow, 1891** (Tenthredinidae) Synonym(s): *dimidiata* Konow, 1891
- 19229) *Athalia liberta* (Klug, 1815)** (Tenthredinidae) Synonym(s): *liberta* Klug, 1815; *immaculata* Konow, 1884
- 19230) *Athalia maculata* Mocsary, 1879** (Tenthredinidae) Synonym(s): *maculata* Mocsary, 1879
- 19231) *Athalia paradoxa* Konow, 1886** (Tenthredinidae) Synonym(s): *paradoxa* Konow, 1886
- 19232) *Athalia paveli* Mocsary, 1879** (Tenthredinidae) Synonym(s): *paveli* Mocsary, 1879
- 19233) *Athalia rosae* (Linnaeus, 1758)** (Tenthredinidae) Synonym(s): *rosae* Linnaeus, 1758; *spinarum* Fabricius, 1775; *salicis* Schrank, 1781 nec Linn., 1758; *colibri* Christ, 1791; *centifoliae* Panzer, 1798
- 19234) *Athalia rufoscutellata* Mocsary, 1879** (Tenthredinidae) Synonym(s): *rufoscutellata* Mocsary, 1879; *maculata* Mocsary, 1879; *maritima* Kirby, 1884; *mocsaryi* Konow, 1892; *nigroscutellata* Konow, 1892; *pleuralis* Konow, 1898; *obscurata* Konow, 1904
- 19235) *Caliroa cerasi* (Linnaeus, 1758)** (Tenthredinidae) Synonym(s): *cerasi* Linnaeus, 1758
- 19236) *Cladius pectinicornis* (Geoffroy, 1785)** (Tenthredinidae) Synonym(s): *pectinicornis* Geoffroy, 1785

- 19237) *Cuneala amasiensis* (Kriechbaumer,1869)** (Tenthredinidae) **Synonym(s):** *amasiensis* Kriechbaumer,1869
- 19238) *Cuneala confinis* (Konow,1886)** (Tenthredinidae) **Synonym(s):** *confinis* Konow,1886; *koehleri* sensu Puls,1870 nec Klug,1817; *atratus* André,1883; *confinis* Konow,1886; *parviceps* Konow,1898.
- 19239) *Cuneala koehleri* Klug,1817** (Tenthredinidae) **Synonym(s):** *koehleri* Klug,1817
- 19240) *Elinora asiatica* Enslin,1910** (Tenthredinidae) **Synonym(s):** *asiatica* Enslin,1910
- 19241) *Elinora baetica* Spinola,1843** (Tenthredinidae) **Synonym(s):** *baetica* Spinola,1843; *fulviventris* Mocsary,1880; *dusmeti* Konow,1894; *antigae* Zirngiebl,1937
- 19242) *Elinora ornata* André,1881** (Tenthredinidae) **Synonym(s):** *ornata* André,1881; *discolor* Konow,1890; *ornatus* André,1881; *mocsaryi* Enslin,1910; *baja* Enslin,1912; *camilla* Enslin,1912
- 19243) *Eriocampa ovata* (Linnaeus,1761)** (Tenthredinidae) **Synonym(s):** *ovata* Linnaeus,1761
- 19244) *Eriocampa umbratica* (Klug,1816)** (Tenthredinidae) **Synonym(s):** *umbratica* Klug,1816; *nigrita* Fallén,1829
- 19245) *Eutomostethus ephippium* (Panzer,1798)** (Tenthredinidae) **Synonym(s):** *ephippium* Panzer,1798
- 19246) *Fenusa pusilla* Lepeletier,1823** (Tenthredinidae) **Synonym(s):** *pusilla* Lepeletier,1823
- 19247) *Macrophya albicincta* (Schrank,1776)** (Tenthredinidae) **Synonym(s):** *albicincta* Schrank,1776; *leucopoda* Palma,1861; *melasoma* Rudow,1871; *albipes* Geoffroy,1785; *fera* Fallen,1808 nec Scop.,1786; *lugubris* Audinet-Serville,1823; *luctuosa* Audinet-Serville,1823 nec Schr.,1802
- 19248) *Macrophya annulata* Geoffroy,1785** (Tenthredinidae) **Synonym(s):** *annulata* Geoffroy,1785; *ligata* Müller,1776; *similis* Spinola,1808; *neglecta* Klug,1817; *abietis* Audinet-Serville,1823 nec Linn.,1758
- 19249) *Macrophya blanda* Fabricius,1775** (Tenthredinidae) **Synonym(s):** *blanda* Fabricius,1775; *solitaria* Schrank,1781 nec Scop.,1763; *ligustrina* Geoffroy,1785; *cylindrica* Fabricius,1804; *lacrymosa* Audinet-Serville,1823; *cognata* Fallén,1829; *nyctea* Fischer de Waldheim,1843
- 19250) *Macrophya crassula* (Klug,1817)** (Tenthredinidae) **Synonym(s):** *crassula* Klug,1817; *maculosa* Audinet-Serville,1823; *klugii* Snellen van Vollenhoven,1869; *cora* Kirby,1886
- 19251) *Macrophya cyrus* Benson,1954** (Tenthredinidae) **Synonym(s):** *cyrus* Benson,1954
- 19252) *Macrophya diversipes* (Schrank,1782)** (Tenthredinidae) **Synonym(s):** *diversipes* Schrank,1782; *flavipes* Tischbein,1852; *haematopus* Costa,1866; *eximia* Moscardy,1877; *caucasica* André,1881; *rubripes* André,1881; *saundersi* Kirby,1886; *sanguinipes* Moscardy,1891; *dalmatina* Gasparini,1891; *haematopus* Villers,1789; *ochreatea* Panzer,
- 19253) *Macrophya duodecimpunctata* (Linnaeus,1758)** (Tenthredinidae) **Synonym(s):** *duodecimpunctata* Linnaeus,1758; *signata* Scopoli,1763; *fera* Scopoli,1786; *melanoleuca* Gmelin,1789; *albamacula* Audinet-Serville,1823; *idriensis* Lepeletier,1823; *dolens* Eversmann,1847; *curvipes* Gimmerthal,184 novemguttata Costa,1859; *luridicarpa* Costa,1894;
- 19254) *Macrophya erythrocnema* A.Costa,1859** (Tenthredinidae) **Synonym(s):** *erythrocnema* A.Costa,1859; *femoralis* Kawall,1864 nec Stephens,1835
- 19255) *Macrophya militaris* Klug,1817** (Tenthredinidae) **Synonym(s):** *militaris* Klug,1817; *lepeletieri* Costa,1859; *analis* Spinola,1808 nec Fabr.,1793; *schaefferi* Audinet-Serville,1823 nec Klug,1817
- 19256) *Macrophya montana* (Scopoli,1763)** (Tenthredinidae) **Synonym(s):** *montana* Scopoli,1763
- 19257) *Macrophya ottomana* Mocsary,1881** (Tenthredinidae) **Synonym(s):** *ottomana* Mocsary,1881
- 19258) *Macrophya postica* Brullé,1832** (Tenthredinidae) **Synonym(s):** *postica* Brullé,1832; *ratzeburgii* Tischbein,1852; *histrionica* Snellen,1878
- 19259) *Macrophya rufipes* Linnaeus,1758** (Tenthredinidae) **Synonym(s):** *rufipes* Linnaeus,1758; *pavida* Fabricius,1775; *dumetorum* Geoffroy,1785; *strigosa* Fabricius,1798; *citripes* Audinet-Serville,1823
- 19260) *Macrophya suberba* Tischbein,1852** (Tenthredinidae) **Synonym(s):** *erythropus* Brullé,1832; *suberba* Tischbein,1852; *flavipennis* Kriechbaumer,1891
- 19261) *Macrophya teutonia* Panzer,1799** (Tenthredinidae) **Synonym(s):** *teutonia* Panzer,1799; *marginata* Mocsary,1881; *aureatensis* Schrank,1802
- 19262) *Messa hortulana* (Klug,1818)** (Tenthredinidae) **Synonym(s):** *hortulana* Klug,1818; *doederleini* De Stefani,1883; *ticinensis* Magretti,1886
- 19263) *Monophadnoides punctipes* (Konow,1886)** (Tenthredinidae) **Synonym(s):** *punctipes* Konow,1886
- 19264) *Monophadnus pallescens* (Gmelin,1790)** (Tenthredinidae) **Synonym(s):** *pallescens* Gmelin,1790
- 19265) *Pachyprotasis rapae* Linne,1767** (Tenthredinidae) **Synonym(s):** *rapae* Linne,1767; *scripta* Gmelin,1790; *luctuosa* Schrank,1802; *floricola* Gravenhorst,1807; *nigrofasciata* Eschscholtz,1822; *ornega* Norton,1867; *sayi* Rohwer,1908
- 19266) *Rhogogaster auctor* Weiffenbach,1967** (Tenthredinidae) **Synonym(s):** *auctor* Weiffenbach,1967
- 19267) *Rhogogaster chambersi* Benson,1947** (Tenthredinidae) **Synonym(s):** *chambersi* Benson,1947
- 19268) *Rhogogaster dryas* (Benson,1943)** (Tenthredinidae) **Synonym(s):** *dryas* Benson,1943
- 19269) *Rhogogaster naias* Benson,1965** (Tenthredinidae) **Synonym(s):** *naias* Benson,1965
- 19270) *Rhogogaster picta* (Klug,1817)** (Tenthredinidae) **Synonym(s):** *picta* Klug,1817
- 19271) *Rhogogaster punctulata* (Klug,1817)** (Tenthredinidae) **Synonym(s):** *punctulata* Klug,1817
- 19272) *Rhogogaster scalaris* (Klug,1817)** (Tenthredinidae) **Synonym(s):** *scalaris* Klug,1817

- 19273) *Sciapteryx circassica* Dönnar-Zapolski, 1930** (Tenthredinidae) Synonym(s): *circassica* Dönnar-Zapolski, 1930
- 19274) *Sciapteryx laeta* Konow, 1891** (Tenthredinidae) Synonym(s): *laeta* Konow, 1891; *laeta* Muche, 1973
- 19275) *Selandria serva* (Fabricius, 1793)** (Tenthredinidae) Synonym(s): *serva* Fabricius, 1793
- 19276) *Seljukia tenebrosa* Benson, 1966** (Tenthredinidae) Synonym(s): *tenebrosa* Benson, 1966
- 19277) *Stethomostus fuliginosus* (Schränk, 1781)** (Tenthredinidae) Synonym(s): *fuliginosus* Schränk, 1781
- 19278) *Tenthredo (Cephaledo) bifasciata* O. Müller, 1766** (Tenthredinidae) Synonym(s): *bifasciata* O. Müller, 1766; *vidua* Spinola, 1806; *palestina* Pic, 1948
- 19279) *Tenthredo (Cephaledo) caucasica* Eversmann, 1847** (Tenthredinidae) Synonym(s): *caucasica* Eversmann, 1847; *moestus* Mocsary, 1883
- 19280) *Tenthredo (Cephaledo) costata* Klug, 1817** (Tenthredinidae) Synonym(s): *costata* Klug, 1817; *sareptana* Eversmann, 1847; *subcostatus* Jakovlev, 1888; *graecus* Konow, 1888; *parnasius* Konow, 1888; *violaceipennis* Costa, 1890
- 19281) *Tenthredo (Cephaledo) excellens* Konow, 1886** (Tenthredinidae) Synonym(s): *annulata* Klug, 1817 nec Geoffr., 1785; *excellens* Konow, 1888; *mandibularis* Enslin, 1910; *caja* Enslin, 1912
- 19282) *Tenthredo (Elinora) amasiensis* (Kriechbaumer, 1869)** (Tenthredinidae) Synonym(s): *amasiensis* Kriechbaumer, 1869
- 19283) *Tenthredo (Elinora) parvula* (Kriechbaumer, 1869)** (Tenthredinidae) Synonym(s): *parvula* Kriechbaumer, 1869
- 19284) *Tenthredo (Zonuledo) flavipennis* (Brullé, 1832)** (Tenthredinidae) Synonym(s): *flavipennis* Brullé, 1832; *frivaldszkyi* Mocsary, 1879; *lautus* Konow, 1891
- 19285) *Tenthredo (Zonuledo) zonula* Klug, 1817** (Tenthredinidae) Synonym(s): *fasciata* Scopoli, 1763 nec Linn., 1758; *bifasciata* Geoffroy, 1785 nec Müll., 1766; *biciclaflava* Christ, 1791; *zonula* Klug, 1817; *similis* Mocsary, 1880; *nazarensis* André; *serena* Konow; *calcaratus* André, 1881; *scutellaris* Konow, 1898
- 19286) *Tenthredo acerrima* Benson, 1952** (Tenthredinidae) Synonym(s): *acerrima* Benson, 1952; *nitidior* (Konow, 1888); *marginella* Panzer, 1804, nec Fabricius, 1793; *aegra* Enslin, 1912; *sulphuripes* (Kriechbaumer, 1869); *arcuatus* Zirniglebl, 1937
- 19287) *Tenthredo albiventris* Mocsary, 1880** (Tenthredinidae) Synonym(s): *albiventris* Mocsary, 1880; *trivittata* André, 1881; *lederi* Konow, 1890; *albiventris* Enslin, 1912; *pallidula* Benson, 1930; *kerketa* Dönnar-Zapolskij, 1930
- 19288) *Tenthredo albopicta* Puls, 1870** (Tenthredinidae) Synonym(s): *albopicta* Puls, 1870; *nigroclypeata* Mocsary, 1909
- 19289) *Tenthredo arcuata* Forster, 1771** (Tenthredinidae) Synonym(s): *arcuata* Forster, 1771; *labiata* Geoffroy, 1785; *virgata* Geoffroy, 1785; *viminalis* Schränk, 1796; *marginella* Panzer, 1804, nec Fabricius, 1793, p.p.; *melanotus* Rudow, 1872; *dispar* Rudow, 1872, nec Klug, 1817; *clpealis* Konow, 1888
- 19290) *Tenthredo caligator* Eversmann, 1847** (Tenthredinidae) Synonym(s): *caligator* Eversmann, 1847; *nigritarsis* Puls, 1870; *morawitzi* Jakovlev, 1888
- 19291) *Tenthredo colon* Klug, 1817** (Tenthredinidae) Synonym(s): *colon* Klug, 1817; *obscura* Panzer, 1805 nec Gmel., 1790; *rudowi* André, 1881; *nigricollis* Kirby, 1882; *jocosa* Provancher, 1882; *punctulata* Konow, 1887; *nigriventris* Enslin, 1912
- 19292) *Tenthredo discophora* Konow, 1896** (Tenthredinidae) Synonym(s): *discophora* Konow, 1896; *pullata* Konow, 1898; *bigemmis* Konow, 1903
- 19293) *Tenthredo frauenfeldii* Giraud, 1857** (Tenthredinidae) Synonym(s): *frauenfeldii* Giraud, 1857; *helveticus* Konow, 1898; *merceti* Konow; *montanus* Enslin; *dilleri* Taeger, 1991
- 19294) *Tenthredo hyrcana* Benson, 1968** (Tenthredinidae) Synonym(s): *hyrcana* Benson, 1968
- 19295) *Tenthredo liturata* (Mocsary, 1886)** (Tenthredinidae) Synonym(s): *liturata* Mocsary, 1886; *egregia* Enslin, 1914; *reitteri* Konow, 1886
- 19296) *Tenthredo livida* Linnaeus, 1758** (Tenthredinidae) Synonym(s): *livida* Linnaeus, 1758; *dubia* Ström, 1768; *lurida* Müller, 1775; *pellucida* Müller, 1776; *bipunctata* Müller, 1776; *annularis* Schränk, 1776; *albicornis* Geoffroy, 1785; *maura* Fabricius, 1793; *carpini* Panzer, 1799; *aterrimus* Stephens, 1835
- 19297) *Tenthredo luteipennis* Eversmann, 1847** (Tenthredinidae) Synonym(s): *luteipennis* Eversmann, 1847; *fallax* Mocsary, 1880 nec Smith, 1878 nec Audinet-Serville, 1823; *mocsaryi* André, 1882; *menetriesi* Kirby, 1882; *obscuraria* Enslin, 1913
- 19298) *Tenthredo maculata* Geoffroy, 1785** (Tenthredinidae) Synonym(s): *maculata* Geoffroy, 1785; *unifasciata* Geoffroy, 1785; *zonta* Christ, 1791; *equestris* Panzer, 1809; *latizona* Audinet-Serville, 1823; *andréi* Mocsary, 1883; *maculata* Enslin, 1912
- 19299) *Tenthredo marginella* Fabricius, 1793** (Tenthredinidae) Synonym(s): *marginella* Fabricius, 1793; *fuscipennis* Konow, 1886; *hakkariensis* Blank, 1991
- 19300) *Tenthredo mesomelas* Linnaeus, 1758** (Tenthredinidae) Synonym(s): *mesomelas* Linnaeus, 1758; *viridis* Klug, 1817 nec Linn., 1758; *bernardi* Konow, 1888; *mesomelaena* Konow, 1905; *montana* Pasteels, 1946; *mesopleuralis* Enslin, 1912; *atramentaria* Enslin, 1912
- 19301) *Tenthredo notha* Klug, 1817** (Tenthredinidae) Synonym(s): *notha* Klug, 1817; *perkinsi* Morice, 1919; *niger* Zirniglebl, 1937
- 19302) *Tenthredo omissa* Förster, 1844** (Tenthredinidae) Synonym(s): *omissa* Förster, 1844; *vienensis* sensu Panzer, 1799; *marginella* sensu Thomson, 1871; *melanoceraea* Enslin, 1912

- 19303) Tenthredo propinqua Klug,1817** (Tenthredinidae) Synonym(s): *propinqua Klug,1817*
- 19304) Tenthredo scrophulariae Linnaeus,1758** (Tenthredinidae) Synonym(s): *scrophulariae Linnaeus,1758*
- 19305) Tenthredo thompsoni Curtis,1839** (Tenthredinidae) Synonym(s): *thompsoni Curtis,1839; basanalis Enslin,1912; marginella sensu Chevin,1983; semifasciatus Rudow,1872*
- 19306) Tenthredo vespa Retzius,1783** (Tenthredinidae) Synonym(s): *vespa Retzius,1783; multifasciata Geoffroy,1785; sexannulata Schrank,1802; tricineta Fabricius,1804 nec Christ,1791; quadricincta Fallén,1808; vespiformis Audinet-Serville,1823; multicinctus Rudow,1872; nigrilabris Frivaldszky,1877*
- 19307) Tenthredo vespiformis Schrank,1781** (Tenthredinidae) Synonym(s): *vespiformis Schrank,1781*
- 19308) Tenthredopsis albonotata (Brullé,1832)** (Tenthredinidae) Synonym(s): *albonotata Brullé,1832; propinqua Mocsary,1880 nec Klug,1817*
- 19309) Tenthredopsis festiva Konow,1890** (Tenthredinidae) Synonym(s): *festiva Konow,1890*
- 19310) Tenthredopsis harveyi Benson,1968** (Tenthredinidae) Synonym(s): *harveyi Benson,1968*
- 19311) Tenthredopsis nassata Linnaeus,1767** (Tenthredinidae) Synonym(s): *nassata Linnaeus,1767; albomaculatus Cameron,1881; dorsivittatus Cameron,1881; lividiventris Cameron,1881; alneti Schrank,1781; palmata Geoffroy,1785; perlata Geoffroy,1785; apicaris Geoffroy,1785; subulata Gmelin,1790; melanorrhoea Gmelin,1790;*
- 19312) Tenthredopsis nigella Konow,1891** (Tenthredinidae) Synonym(s): *nigella Konow,1891*
- 19313) Tenthredopsis sordida Klug,1817** (Tenthredinidae) Synonym(s): *sordida Klug,1817*
- 19314) Tenthredopsis tessellata Klug,1817** (Tenthredinidae) Synonym(s): *tessellata Klug,1817; alboplagiata Konow,1890; ischiadica Eversmann,1847; cylindrica Rudow,1871*
- 19315) Tomostethus nigrinus (Fabricius,1804)** (Tenthredinidae) Synonym(s): *nigrinus Fabricius,1804; brevicornis Klug,1816; nigerrima Klug,1816; fraxini Audinet-Serville,1823*

TEPHRITIDAE

- 19316) Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi Rossi,1790; eluta Meigen,1826*
- 19317) Acanthiophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus Loew,1844*
- 19318) Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli Rossi,1790; rotundiventris Meigen,1826; femoralis R-D.,1830; powelli Seguy,1930*
- 19319) Actinoptera discoidea (Fallén,1814)** (Tephritidae) Synonym(s): *discoidea Fallén,1814; aestiva Meigen,1826; gnaphalii Loew,1844*
- 19320) Bactrocera (Dacus) oleae (Rossi,1790)** (Tephritidae) Synonym(s): *oleae Rossi,1790; flaviventris Guercio,1900; funesta Guercio,1900*
- 19321) Campiglossa absinthii (Fabricius,1805)** (Tephritidae) Synonym(s): *absinthii Fabricius,1805; maculata R-D.,1830; elongatula Loew,1862; parvula Loew,1862; cilicornis M.Hering,1941*
- 19322) Campiglossa difficilis (Hendel,1927)** (Tephritidae) Synonym(s): *tessellata Zetterstedt,1847 nec Lw.,1844; difficilis Hendel,1927;*
- 19323) Campiglossa lederi (Hendel,1927)** (Tephritidae) Synonym(s): *lederi Hendel,1927*
- 19324) Campiglossa producta (Loew,1844)** (Tephritidae) Synonym(s): *producta Loew,1844; insularis Wollaston,1858*
- 19325) Campiglossa tesellata (Loew,1844)** (Tephritidae) Synonym(s): *tesellata Loew,1844*
- 19326) Capitetes ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa Loew,1844; radiata Macquart,1849*
- 19327) Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri Loew,1856*
- 19328) Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata Wiedemann,1824; citriperda Mac Leay,1829; asparagi Bezzi,1924*
- 19329) Chaetorellia carthami Stackelberg,1929** (Tephritidae) Synonym(s): *carthami Stackelberg,1929*
- 19330) Chaetorellia conjuncta (Becker,1913)** (Tephritidae) Synonym(s): *conjuncta Becker,1913*
- 19331) Chaetorellia jaceae (R-D.,1830)** (Tephritidae) Synonym(s): *jaceae R-D.,1830*
- 19332) Chaetorellia loricata (Rondani,1870)** (Tephritidae) Synonym(s): *loricata Rondani,1870*
- 19333) Chaetorellia succinea (Costa,1844)** (Tephritidae) Synonym(s): *succinea Costa,1844*
- 19334) Chaetostomella cylindrica (R-D.,1830)** (Tephritidae) Synonym(s): *cylindrica R-D.,1830*
- 19335) Dioxya bidentis (R-D.,1830)** (Tephritidae) Synonym(s): *bidentis R-D.,1830*
- 19336) Ensina sonchi (Linnaeus,1767)** (Tephritidae) Synonym(s): *sonchi Linnaeus,1767; obsoloeta Meigen,1826; chrysanthemi R-D.,1830; doronici R-D.,1830; herbarum R-D.,1830; linariae R-D.,1830; pratensis R-D.,1830; scorzonerae R-D.,1830*
- 19337) Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans Wiedemann,1830; tenera Loew,1850*
- 19338) Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei Linnaeus,1758; onopordinis Fabricius,1775; centauriae Fabricius,1794; onopordi Schrank,1803; berberidis Schrank,1803*
- 19339) Goniurellia longicauda Freidberg,1980** (Tephritidae) Synonym(s): *longicauda Freidberg,1980*

- 19340) *Hendrella winnertzi* (Frauenfeld,1864)** (Tephritidae) Synonym(s): *winnertzi* Frauenfeld,1864
- 19341) *Heringina guttata* (Fallén,1814)** (Tephritidae) Synonym(s): *guttata* Fallén,1814; *gemma* Meigen,1826
- 19342) *Hypenidium* sp.** (Tephritidae) Synonym(s):
- 19343) *Myoleja korneyevi* Han & Kütük,2006** (Tephritidae) Synonym(s): *korneyevi* Han & Kütük,2006
- 19344) *Myopites apicatus* Freidberg,1979** (Tephritidae) Synonym(s): *apicatus* Freidberg,1979
- 19345) *Myopites cypriacus* M.Hering,1938** (Tephritidae) Synonym(s): *cypriacus* M.Hering,1938; *shiakidesi* Dirlbek,1974
- 19346) *Noeeta bisetosa* Merz,1992** (Tephritidae) Synonym(s): *bisetosa* Merz,1992
- 19347) *Noeeta crepidis* (Hering,1936)** (Tephritidae) Synonym(s): *crepidis* Hering,1936
- 19348) *Noeeta pupillata* (Fallén,1814)** (Tephritidae) Synonym(s): *pupillata* Fallén,1814; *reticula* Schrank,1803; *brunicea* R-D.,1830; *lineata* Macquart,1835
- 19349) *Orellia colon* (Meigen,1826)** (Tephritidae) Synonym(s): *colon* Meigen,1826
- 19350) *Orellia distans* (Loew,1847)** (Tephritidae) Synonym(s): *distans* Loew,1847; *lappae* Zetterstedt,1847
- 19351) *Orellia falcata* (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata* Scopoli,1763; *abdominalis* R-D.,1830; *octopunctata* Macquart,1835
- 19352) *Orellia punctata* (Schrank,1781)** (Tephritidae) Synonym(s): *punctata* Schrank,1781; *flavicans* R-D.,1830; *intermedia* Frauenfeld,1857
- 19353) *Orellia steropea* (Rondani,1870)** (Tephritidae) Synonym(s): *steropea* Rondani,1870
- 19354) *Orellia stictica* (Gmelin,1790)** (Tephritidae) Synonym(s): *punctata* Schrank,1781 nec Poda,1761; *stictica* Gmelin,1790; *flavicans* R-D.,1830; *intermedia* Frauenfeld,1857
- 19355) *Oxyaciura tibialis* R-D.,1830** (Tephritidae) Synonym(s): *tibialis* R-D.,1830; *gagates* Loew,1846
- 19356) *Oxyna flavipennis* (Loew,1844)** (Tephritidae) Synonym(s): *flavipennis* Loew,1844; *flavescens* R-D.,1830; *laticauda* Walker,1836; *parietina* Zetterstedt,1847
- 19357) *Oxyna guttatofasciata* (Loew,1850)** (Tephritidae) Synonym(s): *guttatofasciata* Loew,1850
- 19358) *Oxyna lutulenta* Loew,1869** (Tephritidae) Synonym(s): *lutulenta* Loew,1869
- 19359) *Oxyna nebulosa* (Wiedemann,1817)** (Tephritidae) Synonym(s): *nebulosa* Wiedemann,1817; *femoralis* R-D.,1830; *nigrofemorata* Meigen,1838; *proboscidea* Loew,1844; *parietina* Zetterstedt,1855; *cinarae* Rondani,1870
- 19360) *Rhagoletis berberidis* Jermy,1961** (Tephritidae) Synonym(s): *berberidis* Jermy,1961
- 19361) *Rhagoletis cerasi* (Linnaeus,1758)** (Tephritidae) Synonym(s): *cerasi* Linnaeus,1758
- 19362) *Rhagoletis flavigenualis* M.Hering,1958** (Tephritidae) Synonym(s): *flavigenualis* M.Hering,1958
- 19363) *Spathulina sicula* Rondani,1856** (Tephritidae) Synonym(s): *sicula* Rondani,1856; *tristis* Loew,1869; *luisieri* Tavares,1901; *sepia* Becker,1908
- 19364) *Sphenella marginata* (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814
- 19365) *Tephritis acanthiophilopsis* M.Hering,1938** (Tephritidae) Synonym(s): *acanthiophilopsis* M.Hering,1938
- 19366) *Tephritis brachyura* Loew,1869** (Tephritidae) Synonym(s): *brachyura* Loew,1869
- 19367) *Tephritis carmen* M.Hering,1937** (Tephritidae) Synonym(s): *carmen* M.Hering,1937
- 19368) *Tephritis cometa* (Loew,1840)** (Tephritidae) Synonym(s): *cometa* Loew,1840; *israelis* Freidberg,1974
- 19369) *Tephritis conjuncta* (Loew,1844)** (Tephritidae) Synonym(s): *conjuncta* Loew,1844
- 19370) *Tephritis dioscurea* (Loew,1856)** (Tephritidae) Synonym(s): *dioscurea* Loew,1856
- 19371) *Tephritis divisa* Rondani,1871** (Tephritidae) Synonym(s): *divisa* Rondani,1871
- 19372) *Tephritis erdemlii* Kütük,2008** (Tephritidae) Synonym(s): *erdemlii* Kütük,2008
- 19373) *Tephritis fallax* (Loew,1844)** (Tephritidae) Synonym(s): *fallax* Loew,1844
- 19374) *Tephritis formosa* (Loew,1844)** (Tephritidae) Synonym(s): *formosa* Loew,1844
- 19375) *Tephritis frauenfeldi* Hendel,1927** (Tephritidae) Synonym(s): *frauenfeldi* Hendel,1927
- 19376) *Tephritis hurvitzii* Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981
- 19377) *Tephritis hyoscyami* (Linnaeus,1758)** (Tephritidae) Synonym(s): *hyoscyami* Linnaeus,1758
- 19378) *Tephritis mariannae* Merz,1992** (Tephritidae) Synonym(s): *mariannae* Merz,1992
- 19379) *Tephritis matricariae* (Loew,1844)** (Tephritidae) Synonym(s): *matricariae* Loew,1844
- 19380) *Tephritis merzi* Freidberg & Kütük,2002** (Tephritidae) Synonym(s): *merzi* Freidberg & Kütük,2002
- 19381) *Tephritis nigricauda* (Loew,1856)** (Tephritidae) Synonym(s): *nigricauda* Loew,1856
- 19382) *Tephritis ozarlani* Kütük, Bayrak & Hayat,2012** (Tephritidae) Synonym(s): *ozarlani* Kütük, Bayrak & Hayat,2012
- 19383) *Tephritis poecilura* Loew,1869** (Tephritidae) Synonym(s): *poecilura* Loew,1869
- 19384) *Tephritis postica* (Loew,1844)** (Tephritidae) Synonym(s): *postica* Loew,1844
- 19385) *Tephritis praecox* (Loew,1844)** (Tephritidae) Synonym(s): *praecox* Loew,1844
- 19386) *Tephritis pulchra* (Loew,1844)** (Tephritidae) Synonym(s): *pulchra* Loew,1844
- 19387) *Tephritis recurrens* Loew,1869** (Tephritidae) Synonym(s): *recurrens* Loew,1869
- 19388) *Tephritis sauteri* Merz,1992** (Tephritidae) Synonym(s): *sauteri* Merz,1992
- 19389) *Tephritis separata* Rondani,1871** (Tephritidae) Synonym(s): *separata* Rondani,1871

- 19390** *Tephritis simplex* (Loew,1844) (Tephritidae) Synonym(s): *simplex* Loew,1844
- 19391** *Tephritis valida* (Loew,1844) (Tephritidae) Synonym(s): *valida* Loew,1844
- 19392** *Tephritis vespertina* (Loew,1844) (Tephritidae) Synonym(s): *vespertina* Loew,1844; *apicalis* Becker,1907
- 19393** *Tephritomyia lauta* (Loew,1869) (Tephritidae) Synonym(s): *lauta* Loew,1869
- 19394** *Terellia* (Cerajocera) *yukseli* Kütük,2009 (Tephritidae) Synonym(s): *yukseli* Kütük,2009
- 19395** *Terellia ceratocera* Hendel,1913 (Tephritidae) Synonym(s): *ceratocera* Hendel,1913
- 19396** *Terellia fuscicornis* (Loew,1844) (Tephritidae) Synonym(s): *fuscicornis* Loew,1844; *#fuscicornis* Giray,1979
- 19397** *Terellia gynaecochroma* (M.Hering,1936) (Tephritidae) Synonym(s): *gynaecochroma* M.Hering,1936
- 19398** *Terellia luteola* (Wiedemann,1830) (Tephritidae) Synonym(s): *luteola* Wiedemann,1830
- 19399** *Terellia nigripalpis* Hendel,1927 (Tephritidae) Synonym(s): *nigripalpis* Hendel,1927
- 19400** *Terellia quadratula* (Loew,1869) (Tephritidae) Synonym(s): *quadratula* Loew,1869
- 19401** *Terellia ruficauda* (Fabricius,1794) (Tephritidae) Synonym(s): *ruficauda* Fabricius,1794
- 19402** *Terellia serratulae* (Linnaeus,1758) (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758
- 19403** *Terellia uncinata* White,1989 (Tephritidae) Synonym(s): *uncinata* White,1989
- 19404** *Terellia virens* (Loew,1846) (Tephritidae) Synonym(s): *virens* Loew,1846
- 19405** *Terellia zerovae* Korneyev,1985 (Tephritidae) Synonym(s): *zerovae* Korneyev,1985
- 19406** *Trupanea amoena* (Frauenfeld,1857) (Tephritidae) Synonym(s): *amoena* Frauenfeld,1857; *#amonea* Giray,1979
- 19407** *Trupanea stellata* (Fuesslin,1775) (Tephritidae) Synonym(s): *stellata* Fuesslin,1775
- 19408** *Urophora affinis* (Frauenfeld,1857) (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857
- 19409** *Urophora aprica* (Fallén,1820) (Tephritidae) Synonym(s): *aprica* Fallén,1820; *centauriae* R-D.,1830; *scutellata* Rondani,1870
- 19410** *Urophora cuspidata* (Meigen,1826) (Tephritidae) Synonym(s): *cuspidata* Meigen,1826; *solstitialis* Zetterstedt,1847 nec Linn.,1758
- 19411** *Urophora doganlari* Kütük,2006 (Tephritidae) Synonym(s): *doganlari* Kütük,2006
- 19412** *Urophora dzieduszyckii* Frauenfeld,1867 (Tephritidae) Synonym(s): *dzieduszyckii* Frauenfeld,1867; *wodzickii* Frauenfeld,1867; *syriaca* Hendel,1927; *pontica* M.Hering,1937; *erichschmidtii* M.Hering,1953; *#dzieduszyckiipontica* White & Korneyev,1989
- 19413** *Urophora eriolepidis* (Loew,1856) (Tephritidae) Synonym(s): *eriolepidis* Loew,1856; *terebrans* Frauenfeld,1857
- 19414** *Urophora hani* Kütük,2009 (Tephritidae) Synonym(s): *hani* Kütük,2009
- 19415** *Urophora jaceana* (M.Hering,1935) (Tephritidae) Synonym(s): *jaceana* M.Hering,1935
- 19416** *Urophora jaculata* Rondani,1870 (Tephritidae) Synonym(s): *jaculata* Rondani,1870
- 19417** *Urophora macrura* (Loew,1855) (Tephritidae) Synonym(s): *macrura* Loew,1855; *lejura* Rondani,1870
- 19418** *Urophora maura* (Frauenfeld,1857) (Tephritidae) Synonym(s): *maura* Frauenfeld,1857
- 19419** *Urophora mauritanica* Macquart,1851 (Tephritidae) Synonym(s): *mauritanica* Macquart,1851
- 19420** *Urophora neuenschwanderi* Freidberg,1982 (Tephritidae) Synonym(s): *neuenschwanderi* Freidberg,1982
- 19421** *Urophora pauperata* (Zaitzev,1945) (Tephritidae) Synonym(s): *pauperata* Zaitzev,1945
- 19422** *Urophora phaeocera* (M.Hering,1961) (Tephritidae) Synonym(s): *phaeocera* M.Hering,1961
- 19423** *Urophora quadrifasciata* (Meigen,1826) (Tephritidae) Synonym(s): *quadrifasciata* Meigen,1826; *sjumorum* Rohdendorf,1934
- 19424** *Urophora satunini* (F.A.Zaitzev,1945) (Tephritidae) Synonym(s): *satunini* F.A.Zaitzev,1945
- 19425** *Urophora sirunaseva* (M.Hering,1938) (Tephritidae) Synonym(s): *sirunaseva* M.Hering,1938
- 19426** *Urophora solstitialis* (Linnaeus,1758) (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* R-D.,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907
- 19427** *Urophora* spp. (Tephritidae) Synonym(s):
- 19428** *Urophora stylata* (Fabricius,1775) (Tephritidae) Synonym(s): *stylata* Fabricius,1775; *ciesii* Schrank,1803; *jacobaeae* Panzer,1805; *venerabulata* Rondani,1870; *vulcanica* Rondani,1870; *pia* M.Hering,1938
- 19429** *Urophora tenuior* Hendel,1910 (Tephritidae) Synonym(s): *tenuior* Hendel,1910; *tenuis* Hendel,1910
- 19430** *Urophora terebrans* (Loew,1850) (Tephritidae) Synonym(s): *terebrans* Loew,1850; *eriolepidis* Loew,1856; *manni* Hendel,1927; *approximata* M.Hering,1938
- 19431** *Xyphosia conspicua* (Loew,1869) (Tephritidae) Synonym(s): *conspicua* Loew,1869
- 19432** *Xyphosia miliaria* (Schrank,1781) (Tephritidae) Synonym(s): *miliaria* Schrank,1781; *punctipennis* Hendel,1927; *orientalis* M.Hering,1936; *balcanica* Drensky,1943

TETHINIDAE

- 19433) Tethina canzonerii Munari,1981** (Tethinidae) Synonym(s): *canzonerii* Munari,1981
19434) Tethina czernyi (Hendel,1934) (Tethinidae) Synonym(s): *czernyi* Hendel,1934
19435) Tethina grisea (Fallén,1823) (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907
19436) Tethina karatasensis Munari,1981 (Tethinidae) Synonym(s): *karatasensis* Munari,1981
19437) Tethina ochracea (Hendel,1913) (Tethinidae) Synonym(s): *ochracea* Hendel,1913; *canzonerii* Munari,1981

TETRACAMPIDAE

- 19438) Epiclerus alahanensis Doğanlar,2003** (Tetracampidae) Synonym(s): *alahanensis* Doğanlar,2003
19439) Epiclerus guemenekus Doğanlar,2003 (Tetracampidae) Synonym(s): *guemenekus* Doğanlar,2003
19440) Epiclerus panyas (Walker) (Tetracampidae) Synonym(s):
19441) Epiclerus tokatus Doğanlar,2003 (Tetracampidae) Synonym(s): *tokatus* Doğanlar,2003
19442) Eremocampe choresmiana Sugonjaev (Tetracampidae) Synonym(s):
19443) Foersterella seyhanensis Doğanlar,2003 (Tetracampidae) Synonym(s): *seyhanensis* Doğanlar,2003
19444) Platynocheilus cuprifrons (Nees ab Esenbeck) (Tetracampidae) Synonym(s):
19445) Platynocheilus karsensis Doğanlar,2003 (Tetracampidae) Synonym(s): *karsensis* Doğanlar,2003

TETRIGIDAE

- 19446) Depressotetrix depressa (Brisout,1848)** (Tetrigidae) Synonym(s): *depressa* Brisout,1848; *acuminata* Brisout,1850; *charpentieri* Fieber,1853; *elevata* Fieber,1853; *rudis* Walker,1971; *turcicus* Demirsoy,1977
19447) Mistshenkotetrix brachyptera (Lucas,1849) (Tetrigidae) Synonym(s): *brachyptera* Lucas,1849
19448) Paratettix iranica Uvarov,1952 (Tetrigidae) Synonym(s): *iranica* Uvarov,1952
19449) Paratettix meridionalis (Rambur,1838) (Tetrigidae) Synonym(s): *meridionalis* Rambur,1838
19450) Tetratetrix tenuicornis (Sahlberg,1891) (Tetrigidae) Synonym(s): *#nutans* Hagenbach,1822; *tenuicornis* Sahlberg,1891; *pisarskii* Bazyluk,1963; *antennata* Steinmann,1964; *australis* Bei-Bienko,1964
19451) Tetrix bolivari (Saulcy,1901) (Tetrigidae) Synonym(s): *bolivari* Saulcy,1901
19452) Tetrix ceperoi (Bolivar,1887) (Tetrigidae) Synonym(s): *ceperoi* Bolivar,1887
19453) Tetrix subulata (Linnaeus,1758) (Tetrigidae) Synonym(s): *subulata* Linnaeus,1758
19454) Tetrix tuerki (Krauss,1876) (Tetrigidae) Synonym(s): *tuerki* Krauss,1876

TETTIGOMETRIDAE

- 19455) Brachycephala exigua (Horvath,1901)** (Tettigometridae) Synonym(s): *exigua* Horvath,1901
19456) Tettigometra (Hystriogonia) hexaspina Kolenati,1857 (Tettigometridae) Synonym(s): *hexaspina* Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866
19457) Tettigometra (Metrolaca) baranii Signoret,1866 (Tettigometridae) Synonym(s): *baranii* Signoret,1866
19458) Tettigometra (Metrolaca) longicornis (Signoret,1866) (Tettigometridae) Synonym(s): *longicornis* Signoret,1866
19459) Tettigometra (Mitricephalus) eremi Lindberg,1948 (Tettigometridae) Synonym(s): *eremi* Lindberg,1948
19460) Tettigometra (Mitricephalus) leucophaea (Preyssler,1792) (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980
19461) Tettigometra (Mitricephalus) macrocephalus (Fieber,1865) (Tettigometridae) Synonym(s): *macrocephalus* Fieber,1865; *longiceps* Signoret,1866; *concolor* Fieber,1876 (*praeocc.*); *contaminatus* Metcalf,1932
19462) Tettigometra (s.str.) impressopunctata Dufour,1846 (Tettigometridae) Synonym(s): *impressopunctata* Dufour,1846; *frontalis* Fieber,1865; *concolor* Fieber,1865; *fasciata* Fieber,1865; *nitidula* Kirschbaum,1868; *plagiata* Rey,1894; *viridula* Melichar,1899; *clara* Metcalf,1932; *fasciolata* Metcalf,1932
19463) Tettigometra (s.str.) sulphurea Mulsant-Rey,1855 (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903
19464) Tettigometra (s.str.) virescens (Panzer,1799) (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804

- 19465) Tettigometra (Stirometra) costulata Fieber, 1865** (Tettigometridae) Synonym(s): *costulata* Fieber, 1865; *parviceps* Signoret, 1866; *heydenii* Kirschbaum, 1868; *abrupta* Fieber, 1876; *albofasciata* Fieber, 1876; *unifasciata* Fieber, 1876
- 19466) Tettigometra angulata Lindberg, 1948** (Tettigometridae) Synonym(s): *angulata* Lindberg, 1948
- 19467) Tettigometra atra Hagenbach, 1825** (Tettigometridae) Synonym(s): *atra* Hagenbach, 1825
- 19468) Tettigometra atrata Fieber, 1872** (Tettigometridae) Synonym(s): *atrata* Fieber, 1872
- 19469) Tettigometra beckeri Horváth, 1909** (Tettigometridae) Synonym(s): *beckeri* Horvath, 1909
- 19470) Tettigometra depressa Fieber, 1865** (Tettigometridae) Synonym(s): *depressa* Fieber, 1865
- 19471) Tettigometra impressifrons Mulsant-Rey, 1855** (Tettigometridae) Synonym(s): *impressifrons* Mulsant-Rey, 1855; *marginata* Fieber, 1876
- 19472) Tettigometra lyncea Horvath, 1903** (Tettigometridae) Synonym(s): *lyncea* Horvath, 1903
- 19473) Tettigometra sordida Fieber, 1865** (Tettigometridae) Synonym(s): *sordida* Fieber, 1865
- 19474) Tettigometra vitellina Fieber, 1865** (Tettigometridae) Synonym(s): *vitellina* Fieber, 1865

TETTIGONIIDAE

- 19475) Acrometopa servillea (Brullé, 1832)** (Tettigoniidae) Synonym(s): *servillea* Brullé, 1832
- 19476) Acrometopa syriaca Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl, 1878; *festae* Giglio-Tos, 1893; *elsae* Werner, 1937
- 19477) Anadolua burri Karabağ, 1952** (Tettigoniidae) Synonym(s): *burri* Karabağ, 1952
- 19478) Anadolua davisii Karabağ, 1952** (Tettigoniidae) Synonym(s): *davisii* Karabağ, 1952
- 19479) Anadolua rammei Karabağ, 1952** (Tettigoniidae) Synonym(s): *rammei* Karabağ, 1952
- 19480) Anadolua schwarzi Ramme, 1939** (Tettigoniidae) Synonym(s): *schwarzi* Ramme, 1939
- 19481) Anadrymadusa (s.str.) adzharica (Uvarov, 1934)** (Tettigoniidae) Synonym(s): *adzharica* Uvarov, 1934
- 19482) Anadrymadusa (s.str.) albomaculata (Karabağ, 1956)** (Tettigoniidae) Synonym(s): *albomaculata* Karabağ, 1956
- 19483) Anadrymadusa (s.str.) brevipennis (Brunner von Wattenwyl, 1882)** (Tettigoniidae) Synonym(s): *brevipennis* Brunner von Wattenwyl, 1882
- 19484) Anadrymadusa (s.str.) kosswigi Koçak & Kemal, 2010** (Tettigoniidae) Synonym(s): *#kosswigi* Karabağ, 1975; *kosswigi* Koçak & Kemal, 2010
- 19485) Anadrymadusa (s.str.) modestalis Koçak & Kemal, 2010** (Tettigoniidae) Synonym(s): *modestalis* Koçak & Kemal, 2010
- 19486) Anadrymadusa (s.str.) ornatipennis (Ramme, 1926)** (Tettigoniidae) Synonym(s): *ornatipennis* Ramme, 1926
- 19487) Anadrymadusa (s.str.) recticauda (Werner, 1903)** (Tettigoniidae) Synonym(s): *recticauda* Werner, 1903
- 19488) Anadrymadusa (s.str.) spinicercis (Karabağ, 1956)** (Tettigoniidae) Synonym(s): *spinicercis* Karabağ, 1956
- 19489) Ancistrura nigrovittata (Brunner von Wattenwyl, 1878)** (Tettigoniidae) Synonym(s): *nigrovittata* Brunner von Wattenwyl, 1878; *truncata* Uvarov, 1921; *kinzelbachii* Harz, 1975
- 19490) Anterastes akdaghensis Ramme, 1951** (Tettigoniidae) Synonym(s): *akdaghensis* Ramme, 1951
- 19491) Anterastes anatolicus Uvarov, 1934** (Tettigoniidae) Synonym(s): *anatolicus* Uvarov, 1934
- 19492) Anterastes antitauricus Çıplak, 2004** (Tettigoniidae) Synonym(s): *antitauricus* Çıplak, 2004
- 19493) Anterastes babadaghi Uvarov, 1939** (Tettigoniidae) Synonym(s): *babadaghi* Uvarov, 1939
- 19494) Anterastes burri Karabağ, 1951** (Tettigoniidae) Synonym(s): *burri* Karabağ, 1951
- 19495) Anterastes niger Ünal, 2000** (Tettigoniidae) Synonym(s): *niger* Ünal, 2000
- 19496) Anterastes serbicus Brunner von Wattenwyl, 1882** (Tettigoniidae) Synonym(s): *serbicus* Brunner von Wattenwyl, 1882
- 19497) Anterastes tolunayi Karabağ, 1951** (Tettigoniidae) Synonym(s): *tolunayi* Karabağ, 1951
- 19498) Anterastes turcicus Karabağ, 1951** (Tettigoniidae) Synonym(s): *turcicus* Karabağ, 1951
- 19499) Anterastes ucari Çıplak, 2004** (Tettigoniidae) Synonym(s): *ucari* Çıplak, 2004
- 19500) Anterastes uludaghensis Karabağ, 1950** (Tettigoniidae) Synonym(s): *uludaghensis* Karabağ, 1950
- 19501) Apholidoptera kurda (Uvarov, 1916)** (Tettigoniidae) Synonym(s): *kurda* Uvarov, 1916
- 19502) Apholidoptera pietschmanni (Ebner, 1912)** (Tettigoniidae) Synonym(s): *pietschmanni* Ebner, 1912
- 19503) Barbitistes sp.n.** (Tettigoniidae) Synonym(s):
- 19504) Bolua turkiyae Ünal, 1999** (Tettigoniidae) Synonym(s): *turkiyae* Ünal, 1999
- 19505) Bradyporus (Callimenus) avanos Ünal, 2011** (Tettigoniidae) Synonym(s): *avanos* Ünal, 2011
- 19506) Bradyporus (Callimenus) conophallus Ünal, 2011** (Tettigoniidae) Synonym(s): *conophallus* Ünal, 2011
- 19507) Bradyporus (Callimenus) dilatatus Stal, 1875** (Tettigoniidae) Synonym(s): *dilatatus* Stal, 1875; *inflatus* Brunner von Wattenwyl, 1882

- 19508) Bradyporus (Callimenus) karabagi Ünal, 2011** (Tettigoniidae) Synonym(s): *karabagi Ünal, 2011*
- 19509) Bradyporus (Callimenus) latipes Stal, 1875** (Tettigoniidae) Synonym(s): *latipes Stal, 1875*
- 19510) Bradyporus (Callimenus) macrogaster (Lefebvre, 1831)** (Tettigoniidae) Synonym(s): *macrogaster Lefebvre, 1831; brachynotus Fieber, 1853; longicollis Fieber, 1853; intermedius Werner, 1901; dobrogensis Müller, 1933; skopjensis Karaman, 1961*
- 19511) Bradyporus (Callimenus) sureyai Ünal, 2011** (Tettigoniidae) Synonym(s): *sureyai Ünal, 2011*
- 19512) Bradyporus (Callimenus) toros Ünal, 2011** (Tettigoniidae) Synonym(s): *toros Ünal, 2011*
- 19513) Bradyporus (s.str.) dasypus (Illiger, 1800)** (Tettigoniidae) Synonym(s): *dasypus Illiger, 1800; rex Illiger, 1801; armadillo Thunberg, 1815; mocsaryi Kuthy, 1910*
- 19514) Bucephaloptera bolivari Karabağ, 1950** (Tettigoniidae) Synonym(s): *bolivari Karabağ, 1950*
- 19515) Bucephaloptera bucephala (Brunner von Wattenwyl, 1882)** (Tettigoniidae) Synonym(s): *bucephala Brunner von Wattenwyl, 1882; riveti Berland & Chopard, 1922; jannonei Ramme, 1939*
- 19516) Bucephaloptera convergens Karabağ, 1950** (Tettigoniidae) Synonym(s): *convergens Karabağ, 1950*
- 19517) Bucephaloptera robusta Karabağ, 1956** (Tettigoniidae) Synonym(s): *robusta Karabağ, 1956*
- 19518) Conocephalus (Anisoptera) concolor (Burmeister, 1838)** (Tettigoniidae) Synonym(s): *concolor Burmeister, 1838*
- 19519) Conocephalus (Anisoptera) dorsalis (Latreille, 1804)** (Tettigoniidae) Synonym(s): *dorsalis Latreille, 1804; brevicaudatum Uvarov, 1910; hungaricus Cziki, 1923*
- 19520) Conocephalus (s.str.) conocephalus (Linnaeus, 1767)** (Tettigoniidae) Synonym(s): *conocephalus Linnaeus, 1767; aethiopicus Thunberg, 1789; hemipterus Thunberg, 1815*
- 19521) Conocephalus (s.str.) hastatus (Charpentier, 1825)** (Tettigoniidae) Synonym(s): *hastatus Charpentier, 1825*
- 19522) Conocephalus (s.str.) kisi Harz, 1967** (Tettigoniidae) Synonym(s): *kisi Harz, 1967; harzi Willemse, 1971*
- 19523) Conocephalus (Xiphidion) fuscus (Fabricius, 1793)** (Tettigoniidae) Synonym(s): *fuscus Fabricius, 1793; discolor Thunberg, 1815; thoracicus Fischer von Waldheim, 1846; concolor Bolivar, 1878; ponticus Nedelkov, 1907; turanicus Semenov, 1916; dilatatus Ramme, 1951*
- 19524) Decticus albifrons (Fabricius, 1793)** (Tettigoniidae) Synonym(s): *albifrons Fabricius, 1793; aeolicus Guarino, 1935*
- 19525) Decticus mithati Ramme, 1939** (Tettigoniidae) Synonym(s): *mithati Ramme, 1939*
- 19526) Decticus verrucivorus (Linnaeus, 1758)** (Tettigoniidae) Synonym(s): *verrucivorus Linnaeus, 1758; rubicundus De Geer, 1778; hastatus Fischer von Waldheim, 1839; radiata Fischer von Waldheim, 1846*
- 19527) Drymadusa dorsalis (Brullé, 1832)** (Tettigoniidae) Synonym(s): *dorsalis Brullé, 1832*
- 19528) Drymadusa limbata Brunner von Wattenwyl, 1882** (Tettigoniidae) Synonym(s): *limbata Brunner von Wattenwyl, 1882*
- 19529) Ehippiger ehippiger (Fiebig, 1784)** (Tettigoniidae) Synonym(s): *ehippiger Fiebig, 1784; vitium Serville, 1831; rossii Fieber, 1853; fibigii Fieber, 1853; fabricii Fieber, 1853; moguntiacus Schuster, 1906*
- 19530) Eupholidoptera akdeniz Ünal & Naskrecki, 2002** (Tettigoniidae) Synonym(s): *akdeniz Ünal & Naskrecki, 2002*
- 19531) Eupholidoptera anatolica (Ramme, 1930)** (Tettigoniidae) Synonym(s): *anatolica Ramme, 1930*
- 19532) Eupholidoptera annulipes (Brunner von Wattenwyl, 1882)** (Tettigoniidae) Synonym(s): *annulipes Brunner von Wattenwyl, 1882*
- 19533) Eupholidoptera cypria Ramme, 1951** (Tettigoniidae) Synonym(s): *cypria Ramme, 1951*
- 19534) Eupholidoptera demirsoyi Salman, 1983** (Tettigoniidae) Synonym(s): *demirsoyi Salman, 1983*
- 19535) Eupholidoptera excisa (Karabağ, 1952)** (Tettigoniidae) Synonym(s): *excisa Karabağ, 1952*
- 19536) Eupholidoptera femorata Çıplak, 1999** (Tettigoniidae) Synonym(s): *femorata Çıplak, 1999*
- 19537) Eupholidoptera helina Çıplak, 2009** (Tettigoniidae) Synonym(s): *helina Çıplak, 2009*
- 19538) Eupholidoptera karabagi Salman, 1983** (Tettigoniidae) Synonym(s): *karabagi Salman, 1983*
- 19539) Eupholidoptera krueperi (Ramme, 1930)** (Tettigoniidae) Synonym(s): *krueperi Ramme, 1930*
- 19540) Eupholidoptera maraschensis Salman, 1983** (Tettigoniidae) Synonym(s): *maraschensis Salman, 1983*
- 19541) Eupholidoptera mersinensis Salman, 1983** (Tettigoniidae) Synonym(s): *mersinensis Salman, 1983*
- 19542) Eupholidoptera prasina (Brunner von Wattenwyl, 1882)** (Tettigoniidae) Synonym(s): *prasina Brunner von Wattenwyl, 1882*
- 19543) Eupholidoptera raggei Salman, 1983** (Tettigoniidae) Synonym(s): *raggei Salman, 1983*
- 19544) Eupholidoptera sevketi (Ramme, 1933)** (Tettigoniidae) Synonym(s): *sevketi Ramme, 1933*
- 19545) Eupholidoptera smyrnensis (Brunner von Wattenwyl, 1882)** (Tettigoniidae) Synonym(s): *smyrnensis Brunner-Wattenwyl, 1882; festae Giglio-Tos, 1914; chabrieri sensu Karabağ nec Charpentier, 1825*
- 19546) Eupholidoptera tahtalica (Uvarov, 1949)** (Tettigoniidae) Synonym(s): *tahtalica Uvarov, 1949*
- 19547) Eupholidoptera tasheliensis Çıplak, 1999** (Tettigoniidae) Synonym(s): *tasheliensis Çıplak, 1999*
- 19548) Eupholidoptera tauricola (Ramme, 1930)** (Tettigoniidae) Synonym(s): *tauricola Ramme, 1930*
- 19549) Eupholidoptera tucherti Harz, 1988** (Tettigoniidae) Synonym(s): *tucherti Harz, 1988*

- 19550) Eupholidoptera unimacula Karabağ, 1956** (Tettigoniidae) Synonym(s): *unimacula Karabağ, 1956*; #*unimaculata Mofidi-Neyestanak & Quicke, 2007*
- 19551) Eupholidoptera wernerii Ramme, 1951** (Tettigoniidae) Synonym(s): *wernerii Ramme, 1951*
- 19552) Exopholidoptera brevifemora Ünal, 1998** (Tettigoniidae) Synonym(s): *brevifemora Ünal, 1998*
- 19553) Festella rammei Çıplak, 2000** (Tettigoniidae) Synonym(s): *rammei Çıplak, 2000*
- 19554) Gampsocleis acutipennis Karabağ, 1956** (Tettigoniidae) Synonym(s): *acutipennis Karabağ, 1956*
- 19555) Gampsocleis recticauda Werner, 1901** (Tettigoniidae) Synonym(s): *recticauda Werner, 1901*
- 19556) Gampsocleis schelkovnikovae Adelung, 1916** (Tettigoniidae) Synonym(s): *schelkovnikovae Adelung, 1916*
- 19557) Homorocoryphus nitidulus (Scopoli, 1786)** (Tettigoniidae) Synonym(s): *nitidulus Scopoli, 1786*
- 19558) Isophya acuminata Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *acuminata Brunner von Wattenwyl, 1878*
- 19559) Isophya amplipennis Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *amplipennis Brunner von Wattenwyl, 1878*
- 19560) Isophya anatolica Ramme, 1951** (Tettigoniidae) Synonym(s): *anatolica Ramme, 1951*
- 19561) Isophya artvin Ünal, 2010** (Tettigoniidae) Synonym(s): *artvin Ünal, 2010*
- 19562) Isophya autumnalis Karabağ, 1962** (Tettigoniidae) Synonym(s): *autumnalis Karabağ, 1962*
- 19563) Isophya bicarinata Karabağ, 1957** (Tettigoniidae) Synonym(s): *bicarinata Karabağ, 1957*; #*bicarianata Karabağ, 1957*
- 19564) Isophya bumerangoides Sevgili, Demirsoy & Çıplak, 2012** (Tettigoniidae) Synonym(s): *bumerangoides Sevgili, Demirsoy & Çıplak, 2012*
- 19565) Isophya cania Karabağ, 1975** (Tettigoniidae) Synonym(s): *cania Karabağ, 1975*
- 19566) Isophya hakkarica Karabağ, 1962** (Tettigoniidae) Synonym(s): *hakkarica Karabağ, 1962*
- 19567) Isophya hemiptera Bei-Bienko, 1954** (Tettigoniidae) Synonym(s): *hemiptera Bei-Bienko, 1954*
- 19568) Isophya hitit Ünal, 2010** (Tettigoniidae) Synonym(s): *hitit Ünal, 2010*
- 19569) Isophya hospodar (Saussure & Pictet, 1898)** (Tettigoniidae) Synonym(s): *hospodar Saussure & Pictet, 1898*; *burmevi Nedelkov, 1907*; *tschirpanensis Nedelkov, 1907*
- 19570) Isophya ilkazi Ramme, 1951** (Tettigoniidae) Synonym(s): *ilkazi Ramme, 1951*
- 19571) Isophya karabagi Uvarov, 1940** (Tettigoniidae) Synonym(s): *karabagi Uvarov, 1940*; #*karabaghi Ünal, 2005*
- 19572) Isophya karadenizensis Ünal, 2005** (Tettigoniidae) Synonym(s): *karadenizensis Ünal, 2005*
- 19573) Isophya kosswigi Demirsoy, 1974** (Tettigoniidae) Synonym(s): *kosswigi Demirsoy, 1974*
- 19574) Isophya major Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *major Brunner von Wattenwyl, 1878*
- 19575) Isophya mersinensis Sevgili & Çıplak, 2006** (Tettigoniidae) Synonym(s): *mersinensis Sevgili & Çıplak, 2006*
- 19576) Isophya nervosa Ramme, 1951** (Tettigoniidae) Synonym(s): *nervosa Ramme, 1951*; *obtusidens Ramme, 1951*
- 19577) Isophya obenbergeri Maran, 1958** (Tettigoniidae) Synonym(s): *obenbergeri Maran, 1958*
- 19578) Isophya pavelii Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *pavelii Brunner von Wattenwyl, 1878*
- 19579) Isophya pantheri Ramme, 1951** (Tettigoniidae) Synonym(s): *pantheri Ramme, 1951*
- 19580) Isophya rectipennis Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *rectipennis Brunner von Wattenwyl, 1878*
- 19581) Isophya redtenbacheri Adelung, 1907** (Tettigoniidae) Synonym(s): *redtenbacheri Adelung, 1907*; *nigrosignata Miram, 1938*
- 19582) Isophya reticulata Ramme, 1951** (Tettigoniidae) Synonym(s): *reticulata Ramme, 1951*
- 19583) Isophya rizeensis Sevgili, 2003** (Tettigoniidae) Synonym(s): *rizeensis Sevgili, 2003*
- 19584) Isophya rodsjankoi Bolivar, 1899** (Tettigoniidae) Synonym(s): *rodsjankoi Bolivar, 1899*
- 19585) Isophya salmani Sevgili & Heller, 2006** (Tettigoniidae) Synonym(s): *salmani Sevgili & Heller, 2006*
- 19586) Isophya savignyi Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *savignyi Brunner von Wattenwyl, 1878*; *festae Griffini, 1893*
- 19587) Isophya schneideri Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *schneideri Brunner von Wattenwyl, 1878*; *caucasica Uvarov, 1921*
- 19588) Isophya sikorai Ramme, 1951** (Tettigoniidae) Synonym(s): *sikorai Ramme, 1951*
- 19589) Isophya speciosa (Fivaldsky, 1867)** (Tettigoniidae) Synonym(s): *speciosa Fivaldsky, 1867*; *tenuicerca Ramme, 1951*
- 19590) Isophya splendida Naskrecki & Ünal, 1995** (Tettigoniidae) Synonym(s): *splendida Naskrecki & Ünal, 1995*
- 19591) Isophya staneki Maran, 1958** (Tettigoniidae) Synonym(s): *staneki Maran, 1958*
- 19592) Isophya stenocauda Ramme, 1951** (Tettigoniidae) Synonym(s): *stenocauda Ramme, 1951*
- 19593) Isophya straubei (Fieber, 1853)** (Tettigoniidae) Synonym(s): *straubei Fieber, 1853*
- 19594) Isophya sureyai Ramme, 1951** (Tettigoniidae) Synonym(s): *sureyai Ramme, 1951*

- 19595) *Isophya thracica* Karabağ, 1962** (Tettigoniidae) Synonym(s): *thracica* Karabağ, 1962
- 19596) *Isophya triangularis* Brunner von Wattenwyl, 1891** (Tettigoniidae) Synonym(s): *triangularis* Brunner von Wattenwyl, 1891
- 19597) *Isophya uludaghensis* Sevgili & Heller, 2003** (Tettigoniidae) Synonym(s): *uludaghensis* Sevgili & Heller, 2003
- 19598) *Isophya yaraligozi* Ünal, 2003** (Tettigoniidae) Synonym(s): *yaraligozi* Ünal, 2003
- 19599) *Isophya zernovi* Miram, 1938** (Tettigoniidae) Synonym(s): *zernovi* Miram, 1938
- 19600) *Koroglus disparalatus* Ünal, 2002** (Tettigoniidae) Synonym(s): *disparalatus* Ünal, 2002
- 19601) *Kurdia uvarovi* Karabağ, 1975** (Tettigoniidae) Synonym(s): *uvarovi* Karabağ, 1975
- 19602) *Leptodusa demirsoyi* (Karabağ, 1975)** (Tettigoniidae) Synonym(s): *demirsoyi* Karabağ, 1975
- 19603) *Leptodusa expugnata* (Uvarov, 1917)** (Tettigoniidae) Synonym(s): *expugnata* Uvarov, 1917
- 19604) *Leptodusa harzi* (Karabağ, 1975)** (Tettigoniidae) Synonym(s): *harzi* Karabağ, 1975
- 19605) *Leptophyes albovittata* (Kollar, 1833)** (Tettigoniidae) Synonym(s): *albovittata* Kollar, 1833; *folicauda* Fischer von Waldheim, 1846; *vittata* Fischer, 1853; *pontica* Bei-Bienko, 1941
- 19606) *Leptophyes bolivari* (Kirby, 1906)** (Tettigoniidae) Synonym(s): *bolivari* Kirby, 1906
- 19607) *Leptophyes helleri* Sevgili, 2004** (Tettigoniidae) Synonym(s): *helleri* Sevgili, 2004
- 19608) *Leptophyes karanae* Naskrecki & Ünal, 1995** (Tettigoniidae) Synonym(s): *karanae* Naskrecki & Ünal, 1995
- 19609) *Lithodusa helverseni* Heller, 2009** (Tettigoniidae) Synonym(s): *helverseni* Heller, 2009
- 19610) *Meconema thalassinum* (De Geer, 1773)** (Tettigoniidae) Synonym(s): *thalassinum* De Geer, 1773
- 19611) *Meedecticus assimilis* (Fieber, 1853)** (Tettigoniidae) Synonym(s): *assimilis* Fieber, 1853; *syriacus* Fieber, 1853; *#minutus* Kaltenbach, 1974
- 19612) *Metrioptera (Bicolorana) bicolor* (Philippi, 1830)** (Tettigoniidae) Synonym(s): *bicolor* Philippi, 1830
- 19613) *Metrioptera (Bicolorana) burri* (Uvarov, 1921)** (Tettigoniidae) Synonym(s): *burri* Uvarov, 1921
- 19614) *Metrioptera (Broughtonia) arnoldi* Ramme, 1933** (Tettigoniidae) Synonym(s): *arnoldi* Ramme, 1933
- 19615) *Metrioptera (Roeseliana) bispina* (Bolivar, 1899)** (Tettigoniidae) Synonym(s): *bispina* Bolivar, 1899
- 19616) *Metrioptera (Roeseliana) fedtschenkoi* (Saussure, 1874)** (Tettigoniidae) Synonym(s): *fedtschenkoi* Saussure, 1874
- 19617) *Metrioptera (Roeseliana) pylnovi* Uvarov, 1924** (Tettigoniidae) Synonym(s): *pylnovi* Uvarov, 1924
- 19618) *Metrioptera (Vichetia) oblongicollis* (Brunner von Wattenwyl, 1882)** (Tettigoniidae) Synonym(s): *oblongicollis* Brunner von Wattenwyl, 1882
- 19619) *Novadrymadusa karabagi* Demirsoy, Salman & Sevgili, 2002** (Tettigoniidae) Synonym(s): *karabagi* Demirsoy, Salman & Sevgili, 2002
- 19620) *Pachytrachis gracilis* (Brunner von Wattenwyl, 1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl, 1861
- 19621) *Paradrymadusa aksirayi* Karabağ, 1952** (Tettigoniidae) Synonym(s): *aksirayi* Karabağ, 1952; *#aksirayi* Salman, 1978
- 19622) *Paradrymadusa brevicerca* Karabağ, 1956** (Tettigoniidae) Synonym(s): *brevicerca* Karabağ, 1956
- 19623) *Paradrymadusa sordida* Herman, 1874** (Tettigoniidae) Synonym(s): *sordida* Herman, 1874; *gracilis* Uvarov, 1929
- 19624) *Parapholidoptera antaliae* Nadig, 1991** (Tettigoniidae) Synonym(s): *#antalaee* Nadig, 1991; *antalyae* Nadig, 1991; *antaliae* Nadig, 1991
- 19625) *Parapholidoptera belen* Ünal, 2006** (Tettigoniidae) Synonym(s): *belen* Ünal, 2006
- 19626) *Parapholidoptera bolkarensis* Çıplak, 2000** (Tettigoniidae) Synonym(s): *bolkarensis* Çıplak, 2000
- 19627) *Parapholidoptera castaneoviridis* (Brunner von Wattenwyl, 1882)** (Tettigoniidae) Synonym(s): *castaneoviridis* Brunner von Wattenwyl, 1882; *ornata* Nedelkov, 1907
- 19628) *Parapholidoptera flexuosa* Karabağ, 1961** (Tettigoniidae) Synonym(s): *flexuosa* Karabağ, 1961
- 19629) *Parapholidoptera grandis* (Karabağ, 1952)** (Tettigoniidae) Synonym(s): *grandis* (Karabağ, 1952
- 19630) *Parapholidoptera intermixta* Karabağ, 1961** (Tettigoniidae) Synonym(s): *intermixta* Karabağ, 1961
- 19631) *Parapholidoptera karabagi* Demirsoy, 1974** (Tettigoniidae) Synonym(s): *karabagi* Demirsoy, 1974
- 19632) *Parapholidoptera kosswigi* (Karabağ, 1950)** (Tettigoniidae) Synonym(s): *kosswigi* Karabağ, 1950
- 19633) *Parapholidoptera noxia* (Ramme, 1930)** (Tettigoniidae) Synonym(s): *noxia* Ramme, 1930
- 19634) *Parapholidoptera punctifrons* (Burmeister, 1839)** (Tettigoniidae) Synonym(s): *punctifrons* Burmeister, 1839; *ehrenbergii* Fieber, 1853
- 19635) *Parapholidoptera salmani* Çıplak, 2000** (Tettigoniidae) Synonym(s): *salmani* Çıplak, 2000
- 19636) *Parapholidoptera signata* (Brunner von Wattenwyl, 1861)** (Tettigoniidae) Synonym(s): *signata* Brunner von Wattenwyl, 1861; *indistincta* Bolivar, 1899

- 19637) Parapholidoptera spinulosa Karabağ,1956** (Tettigoniidae) Synonym(s): *spinulosa Karabağ,1956*
- 19638) Parapholidoptera syriaca (Ramme,1930)** (Tettigoniidae) Synonym(s): *syriaca Ramme,1930*
- 19639) Parapholidoptera yoruka Çıplak,2000** (Tettigoniidae) Synonym(s): *yoruka Çıplak,2000*
- 19640) Parapholidoptera ziganensis Karabağ,1964** (Tettigoniidae) Synonym(s): *ziganensis Karabağ,1964; delineata Stolyarov,1983*
- 19641) Parapoecilimon antalyaensis Karabağ,1975** (Tettigoniidae) Synonym(s): *antalyaensis Karabağ,1975*
- 19642) Pezodrymadusa affinis (Bolivar,1899)** (Tettigoniidae) Synonym(s): *affinis Bolivar,1899*
- 19643) Pezodrymadusa angorensis (Uvarov,1930)** (Tettigoniidae) Synonym(s): *angorensis Uvarov,1930*
- 19644) Pezodrymadusa diffusa (Ramme,1951)** (Tettigoniidae) Synonym(s): *diffusa Ramme,1951*
- 19645) Pezodrymadusa indivisa Karabağ,1961** (Tettigoniidae) Synonym(s): *kurmana sensu Karabağ,1958 nec Rme.,1939; indivisa Karabağ,1961*
- 19646) Pezodrymadusa konowi (Bolivar,1899)** (Tettigoniidae) Synonym(s): *konowi Bolivar,1899*
- 19647) Pezodrymadusa kurmana (Ramme,1939)** (Tettigoniidae) Synonym(s): *kurmana Ramme,1939*
- 19648) Pezodrymadusa lata Karabağ,1961** (Tettigoniidae) Synonym(s): *lata Karabağ,1961*
- 19649) Pezodrymadusa magnifica (Werner,1901)** (Tettigoniidae) Synonym(s): *magnifica Werner,1901*
- 19650) Pezodrymadusa sinuata (Ramme,1951)** (Tettigoniidae) Synonym(s): *sinuata Ramme,1951*
- 19651) Pezodrymadusa striolata (Ramme,1951)** (Tettigoniidae) Synonym(s): *striolata Ramme,1951*
- 19652) Pezodrymadusa subinermis Karabağ,1961** (Tettigoniidae) Synonym(s): *subinermis Karabağ,1961*
- 19653) Pezodrymadusa uvarovi Karabağ,1961** (Tettigoniidae) Synonym(s): *uvarovi Karabağ,1961*
- 19654) Phaneroptera (Erdemia) erdemi Koçak & Kemal,2009** (Tettigoniidae) Synonym(s): *erdemi Koçak & Kemal,2009*
- 19655) Phaneroptera (Erdemia) hackeri Harz,1988** (Tettigoniidae) Synonym(s): *hackeri Harz,1988*
- 19656) Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata Poda,1761; libellula Stoll,1787; lilifolia Audinet-Serville,1831; phyllopteroides Fischer von Waldheim,1846; sinensis Uvarov,1933*
- 19657) Phaneroptera (s.str.) nana Fieber,1853** (Tettigoniidae) Synonym(s): *nana Fieber,1853; quadripunctata Brunner von Wattenwyl,1878*
- 19658) Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa Stal,1857; tetrasticta Gerstaecker,1869; lurida Walker,1869; conspersa Stal,1874; punctulata Burr,1900; nana Stöstedt,1901 nec Fieb.,1853; sexpunctata Navas,1928; tenuicerca Ramme,1951; bivittata Bei-Bienko,1954; africana Steinmann,1966*
- 19659) Pholidoptera aptera (Fabricius,1793)** (Tettigoniidae) Synonym(s): *aptera Fabricius,1793*
- 19660) Pholidoptera brevipes Ramme,1939** (Tettigoniidae) Synonym(s): *brevipes Ramme,1939*
- 19661) Pholidoptera fallax (Fischer,1853)** (Tettigoniidae) Synonym(s): *fallax Fischer,1853*
- 19662) Pholidoptera femorata (Fieber,1853)** (Tettigoniidae) Synonym(s): *femorata Fieber,1853*
- 19663) Pholidoptera grandis Karabağ,1952** (Tettigoniidae) Synonym(s): *grandis Karabağ,1952*
- 19664) Pholidoptera griseoaptera (De Geer,1773)** (Tettigoniidae) Synonym(s): *griseoaptera De Geer,1773; cinereus Gmelin,1789; aptera Charpentier,1825*
- 19665) Pholidoptera guichardi Karabağ,1961** (Tettigoniidae) Synonym(s): *guichardi Karabağ,1961*
- 19666) Pholidoptera kosswigi Karabağ,1950** (Tettigoniidae) Synonym(s): *kosswigi Karabağ,1950*
- 19667) Phonochorion artvinensis Bei-Bienko,1954** (Tettigoniidae) Synonym(s): *artvinensis Bei-Bienko,1954*
- 19668) Phonochorion satunini Uvarov,1916** (Tettigoniidae) Synonym(s): *satunini Uvarov,1916*
- 19669) Phonochorion uvarovi Karabağ,1956** (Tettigoniidae) Synonym(s): *uvarovi Karabağ,1956*
- 19670) Phytodrymadusa hakkarica Karabağ,1956** (Tettigoniidae) Synonym(s): *hakkarica Karabağ,1956*
- 19671) Phytodrymadusa longipes (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *longipes Brunner von Wattenwyl,1882*
- 19672) Phytodrymadusa miramae (Uvarov,1929)** (Tettigoniidae) Synonym(s): *miramae Uvarov,1929; armeniaca Ramme,1939; #mirimae Garai,2002*
- 19673) Platycleis (Incertana) incerta Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *incerta Brunner von Wattenwyl,1882*
- 19674) Platycleis (Incertana) persica Uvarov,1917** (Tettigoniidae) Synonym(s): *persica Uvarov,1917*
- 19675) Platycleis (Montana) ankarensis (Karabağ,1950)** (Tettigoniidae) Synonym(s): *ankarensis Karabağ,1950*
- 19676) Platycleis (Montana) armeniaca (Ramme,1930)** (Tettigoniidae) Synonym(s): *armeniaca Ramme,1930*
- 19677) Platycleis (Montana) bifoveolata (Karabağ,1950)** (Tettigoniidae) Synonym(s): *bifoveolata Karabağ,1950*
- 19678) Platycleis (Montana) elegans (Uvarov,1934)** (Tettigoniidae) Synonym(s): *elegans Uvarov,1934*
- 19679) Platycleis (Montana) helleri Çıplak & Taylan,2006** (Tettigoniidae) Synonym(s): *helleri Çıplak & Taylan,2006*

- 19680) Platycleis (Montana) kure Ünal,2006** (Tettigoniidae) Synonym(s): *kure Ünal,2006*
- 19681) Platycleis (Montana) schereri Werner,1905** (Tettigoniidae) Synonym(s): *schereri Werner,1905; bifoveolata Karabağ,1950*
- 19682) Platycleis (Montana) taurica Bolivar,1899** (Tettigoniidae) Synonym(s): *taurica Bolivar,1899*
- 19683) Platycleis (Montana) uvarovi (Karabağ,1950)** (Tettigoniidae) Synonym(s): *uvarovi Karabağ,1950*
- 19684) Platycleis (s.str.) affinis Fieber,1853** (Tettigoniidae) Synonym(s): *affinis Fieber,1853; boscae Bolivar,1873*
- 19685) Platycleis (s.str.) albopunctata (Goeze,1778)** (Tettigoniidae) Synonym(s): *albopunctata Goeze,1778; denticulata Panzer,1796; falcata Zetterstedt,1821; biedermanni Wolff,1911; occidentalis Zeuner,1930; jerseyana Zeuner,1940*
- 19686) Platycleis (s.str.) escalerae Bolivar,1899** (Tettigoniidae) Synonym(s): *escalerae Bolivar,1899; iphigeniae Adelung,1907; iranica Ramme,1929; graeca Harz,1966; #escaleraia Salman,1978*
- 19687) Platycleis (s.str.) grisea (Fabricius,1781)** (Tettigoniidae) Synonym(s): *grisea Fabricius,1781*
- 19688) Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia Audinet-Serville,[1839]; tessellatus Fischer von Waldheim,1846; krinicki Fischer von Waldheim,1846; transiens Ramme,1951*
- 19689) Platycleis (Sepiana) sepium (Yersin,1854)** (Tettigoniidae) Synonym(s): *sepium Yersin,1854*
- 19690) Platycleis (Sporadiana) sporadarum Werner,1933** (Tettigoniidae) Synonym(s): *sporadarum Werner,1933; brevipes Uvarov,1934*
- 19691) Platycleis (Squamiana) irritans Ramme,1951** (Tettigoniidae) Synonym(s): *irritans Ramme,1951*
- 19692) Platycleis (Squamiana) kurmana (Ramme,1951)** (Tettigoniidae) Synonym(s): *kurmana Ramme,1951*
- 19693) Platycleis (Squamiana) melendisensis Çıplak,2002** (Tettigoniidae) Synonym(s): *melendisensis Çıplak,2002*
- 19694) Platycleis (Squamiana) salmani Çıplak,2002** (Tettigoniidae) Synonym(s): *salmani Çıplak,2002*
- 19695) Platycleis (Squamiana) sinuata Ramme,1951** (Tettigoniidae) Synonym(s): *sinuata Ramme,1951*
- 19696) Platycleis (Squamiana) weidneri Demirsoy,1974** (Tettigoniidae) Synonym(s): *weidneri Demirsoy,1974*
- 19697) Platycleis (Tessellana) nigrosignata (Costa,1863)** (Tettigoniidae) Synonym(s): *nigrosignata Costa,1863*
- 19698) Platycleis (Tessellana) tessellata (Charpentier,1825)** (Tettigoniidae) Synonym(s): *tessellata Charpentier,1825; emrahi Koçak,1984*
- 19699) Platycleis (Tessellana) veyseli Koçak,1984** (Tettigoniidae) Synonym(s): *vittata Charpentier,1825 (praeocc.); veyseli Koçak,1984*
- 19700) Platycleis (Yalvaciana) yalvacı (Demirsoy,1974)** (Tettigoniidae) Synonym(s): *yalvacı Demirsoy,1974*
- 19701) Poecilimon adentatus Ramme,1933** (Tettigoniidae) Synonym(s): *adentatus Ramme,1933*
- 19702) Poecilimon amissus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *amissus Brunner von Wattenwyl,1878*
- 19703) Poecilimon anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus Ramme,1933; rufonitens Ingrisch & Pavicevic,1985*
- 19704) Poecilimon angulatus Uvarov,1939** (Tettigoniidae) Synonym(s): *angulatus Uvarov,1939*
- 19705) Poecilimon armeniaca (Uvarov,1921)** (Tettigoniidae) Synonym(s): *armeniaca Uvarov,1921*
- 19706) Poecilimon ataturki Ünal,1999** (Tettigoniidae) Synonym(s): *ataturki Ünal,1999*
- 19707) Poecilimon azdavayi Ünal,2003** (Tettigoniidae) Synonym(s): *azdavayi Ünal,2003*
- 19708) Poecilimon bidens Retowski,1889** (Tettigoniidae) Synonym(s): *bidens Retowski,1889*
- 19709) Poecilimon bilgeri Karabağ,1953** (Tettigoniidae) Synonym(s): *bilgeri Karabağ,1953*
- 19710) Poecilimon birandi Karabağ,1950** (Tettigoniidae) Synonym(s): *birandi Karabağ,1950*
- 19711) Poecilimon bischoffi Ramme,1933** (Tettigoniidae) Synonym(s): *bischoffi Ramme,1933*
- 19712) Poecilimon bosphoricus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *bosphoricus Brunner von Wattenwyl,1878*
- 19713) Poecilimon brunneri (Frivaldsky,1867)** (Tettigoniidae) Synonym(s): *brunneri Frivaldsky,1867*
- 19714) Poecilimon celebi Karabağ,1953** (Tettigoniidae) Synonym(s): *celebi Karabağ,1953*
- 19715) Poecilimon cervoides Karabağ,1964** (Tettigoniidae) Synonym(s): *cervoides Karabağ,1964*
- 19716) Poecilimon cervus Karabağ,1950** (Tettigoniidae) Synonym(s): *cervus Karabağ,1950*
- 19717) Poecilimon concinnus Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *concinnus Brunner von Wattenwyl,1878*
- 19718) Poecilimon davisı Karabağ,1953** (Tettigoniidae) Synonym(s): *davisı Karabağ,1953*
- 19719) Poecilimon demirsoyi Sevgili,2001** (Tettigoniidae) Synonym(s): *demirsoyi Sevgili,2001*
- 19720) Poecilimon diversus Ünal,2010** (Tettigoniidae) Synonym(s): *diversus Ünal,2010*
- 19721) Poecilimon djakonovi Miram,1938** (Tettigoniidae) Synonym(s): *djakonovi Miram,1938*
- 19722) Poecilimon doga Ünal,2004** (Tettigoniidae) Synonym(s): *doga Ünal,2004*
- 19723) Poecilimon ege Ünal,2005** (Tettigoniidae) Synonym(s): *ege Ünal,2005*

- 19724) **Poecilimon ersisi Salman, 1978** (Tettigoniidae) Synonym(s): *ersisi Salman, 1978*
- 19725) **Poecilimon eskishehirensis Ünal, 2003** (Tettigoniidae) Synonym(s): *eskishehirensis Ünal, 2003*
- 19726) **Poecilimon excisus Karabağ, 1950** (Tettigoniidae) Synonym(s): *excisus Karabağ, 1950*
- 19727) **Poecilimon ferwillemsei Ünal, 2010** (Tettigoniidae) Synonym(s): *ferwillemsei Ünal, 2010*
- 19728) **Poecilimon glandifer Karabağ, 1950** (Tettigoniidae) Synonym(s): *glandifer Karabağ, 1950*
- 19729) **Poecilimon guichardi Karabağ, 1964** (Tettigoniidae) Synonym(s): *guichardi Karabağ, 1964*
- 19730) **Poecilimon hamatus Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *hamatus Brunner von Wattenwyl, 1878*
- 19731) **Poecilimon harveyi Karabağ, 1964** (Tettigoniidae) Synonym(s): *harveyi Karabağ, 1964*
- 19732) **Poecilimon hatti Ünal, 2004** (Tettigoniidae) Synonym(s): *hatti Ünal, 2004*
- 19733) **Poecilimon haydari Ramme, 1951** (Tettigoniidae) Synonym(s): *haydari Ramme, 1951*
- 19734) **Poecilimon heinrichi Ramme, 1951** (Tettigoniidae) Synonym(s): *heinrichi Ramme, 1951*
- 19735) **Poecilimon inflatus Brunner von Wattenwyl, 1891** (Tettigoniidae) Synonym(s): *inflatus Brunner von Wattenwyl, 1891*
- 19736) **Poecilimon inopinatus Ünal, 2010** (Tettigoniidae) Synonym(s): *inopinatus Ünal, 2010*
- 19737) **Poecilimon istanbul Ünal, 2010** (Tettigoniidae) Synonym(s): *istanbul Ünal, 2010*
- 19738) **Poecilimon iucundus Ünal, 2003** (Tettigoniidae) Synonym(s): *iucundus Ünal, 2003*
- 19739) **Poecilimon izmirnensis Ramme, 1933** (Tettigoniidae) Synonym(s): *izmirnensis Ramme, 1933*
- 19740) **Poecilimon karabagi (Ramme, 1942)** (Tettigoniidae) Synonym(s): *karabagi Ramme, 1942*
- 19741) **Poecilimon karabukensis Ünal, 2003** (Tettigoniidae) Synonym(s): *karabukensis Ünal, 2003*
- 19742) **Poecilimon karakushi Ünal, 2003** (Tettigoniidae) Synonym(s): *karakushi Ünal, 2003*
- 19743) **Poecilimon kocaki Ünal, 1999** (Tettigoniidae) Synonym(s): *kocaki Ünal, 1999*
- 19744) **Poecilimon kutahiensis Werner, 1901** (Tettigoniidae) Synonym(s): *kutahiensis Werner, 1901; rammeanus Karabağ, 1953*
- 19745) **Poecilimon ledereri Ramme, 1933** (Tettigoniidae) Synonym(s): *ledereri Ramme, 1933; tuncayi Karabağ, 1953*
- 19746) **Poecilimon lodosi Harz, 1975** (Tettigoniidae) Synonym(s): *lodosi Harz, 1975*
- 19747) **Poecilimon longicercus Ünal, 2010** (Tettigoniidae) Synonym(s): *longicercus Ünal, 2010*
- 19748) **Poecilimon luschani Ramme, 1933** (Tettigoniidae) Synonym(s): *luschani Ramme, 1931*
- 19749) **Poecilimon marmaraensis Naskrecki, 1992** (Tettigoniidae) Synonym(s): *marmaraensis Naskrecki, 1992*
- 19750) **Poecilimon martinae Heller, 2004** (Tettigoniidae) Synonym(s): *martinae Heller, 2004*
- 19751) **Poecilimon minutus Karabağ, 1975** (Tettigoniidae) Synonym(s): *minutus Karabağ, 1975*
- 19752) **Poecilimon miramae Ramme, 1933** (Tettigoniidae) Synonym(s): *miramae Ramme, 1933*
- 19753) **Poecilimon mytilenensis Werner, 1932** (Tettigoniidae) Synonym(s): *mytilenensis Werner, 1932; brevicauda Werner, 1932*
- 19754) **Poecilimon naskrecki Ünal, 2001** (Tettigoniidae) Synonym(s): *naskrecki Ünal, 2001*
- 19755) **Poecilimon neglectus Ramme, 1931** (Tettigoniidae) Synonym(s): *neglectus Ramme, 1931*
- 19756) **Poecilimon obtusicercus Heller, Sevgili & Reinhold, 2008** (Tettigoniidae) Synonym(s): *obtusercus Heller, Sevgili & Reinhold, 2008*
- 19757) **Poecilimon pergamicus Brunner von Wattenwyl, 1891** (Tettigoniidae) Synonym(s): *pergamicus Brunner von Wattenwyl, 1891*
- 19758) **Poecilimon pulcher Brunner von Wattenwyl, 1891** (Tettigoniidae) Synonym(s): *pulcher Brunner von Wattenwyl, 1891*
- 19759) **Poecilimon rammei Miram, 1938** (Tettigoniidae) Synonym(s): *rammei Miram, 1938*
- 19760) **Poecilimon sanctipauli Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *sanctipauli Brunner von Wattenwyl, 1878*
- 19761) **Poecilimon schmidtii (Fieber, 1853)** (Tettigoniidae) Synonym(s): *schmidtii Fieber, 1853; zolotarewi Stshelkanovtzev, 1910*
- 19762) **Poecilimon serratus Karabağ, 1962** (Tettigoniidae) Synonym(s): *serratus Karabağ, 1962*
- 19763) **Poecilimon similis Retowski, 1889** (Tettigoniidae) Synonym(s): *similis Retowski, 1889; caucasicus Adelung, 1907; richteri Ramme, 1933*
- 19764) **Poecilimon solus Ünal, 2010** (Tettigoniidae) Synonym(s): *solus Ünal, 2010*
- 19765) **Poecilimon sureyanus Uvarov, 1930** (Tettigoniidae) Synonym(s): *sureyanus Uvarov, 1930*
- 19766) **Poecilimon syriacus Brunner von Wattenwyl, 1891** (Tettigoniidae) Synonym(s): *syriacus Brunner von Wattenwyl, 1891; raggei Karabağ, 1975*
- 19767) **Poecilimon tauricola Ramme, 1951** (Tettigoniidae) Synonym(s): *tauricola Ramme, 1951*
- 19768) **Poecilimon tevfikarabagi Ünal, 2005** (Tettigoniidae) Synonym(s): *karabagi Ünal, 2003 nec Rme., 1942; tevfikarabagi Ünal, 2005*
- 19769) **Poecilimon thoracicus (Fieber, 1853)** (Tettigoniidae) Synonym(s): *thoracicus Fieber, 1853*
- 19770) **Poecilimon toros Ünal, 2003** (Tettigoniidae) Synonym(s): *toros Ünal, 2003*
- 19771) **Poecilimon tricuspid Miram, 1926** (Tettigoniidae) Synonym(s): *tricuspid Miram, 1926*
- 19772) **Poecilimon tschorochensis Adelung, 1907** (Tettigoniidae) Synonym(s): *tschorochensis Adelung, 1907*

- 19773) **Poecilimon turciae** (Ramme,1951) (Tettigoniidae) Synonym(s): *turciae* Ramme,1951
- 19774) **Poecilimon turcicus** Karabağ,1950 (Tettigoniidae) Synonym(s): *turcicus* Karabağ,1950
- 19775) **Poecilimon unispinosus** Brunner von Wattenwyl,1878 (Tettigoniidae) Synonym(s): *unispinosus* Brunner von Wattenwyl,1878
- 19776) **Poecilimon uvarovi** Ramme,1933 (Tettigoniidae) Synonym(s): *uvarovi* Ramme,1933
- 19777) **Poecilimon variicercis** Miram,1938 (Tettigoniidae) Synonym(s): *variicercis* Miram,1938
- 19778) **Poecilimon xenocercus** Karabağ,1956 (Tettigoniidae) Synonym(s): *xenocercus* Karabağ,1956
- 19779) **Poecilimon zimmeri** Ramme,1933 (Tettigoniidae) Synonym(s): *zimmeri* Ramme,1933
- 19780) **Poecilimon zonatus** Bolivar,1899 (Tettigoniidae) Synonym(s): *zonatus* Bolivar,1899; *poltoratskyi* Uvarov,1917
- 19781) **Polysarcus denticaudus** (Charpentier,1825) (Tettigoniidae) Synonym(s): *denticaudus* Charpentier,1825; *lixoniensis* Saulcy,1887
- 19782) **Polysarcus zacharovi** (Stshelkanovtsev,1909) (Tettigoniidae) Synonym(s): *zacharovi* Stshelkanovtsev,1909
- 19783) **Psorodonotus anatolicus** Karabağ,1952 (Tettigoniidae) Synonym(s): *anatolicus* Karabağ,1952
- 19784) **Psorodonotus caucasicus** (Fischer von Waldheim,1846) (Tettigoniidae) Synonym(s): *caucasicus* Fischer von Waldheim,1846; *uvarovi* Ebner,1923
- 19785) **Psorodonotus davisi** Karabağ,1956 (Tettigoniidae) Synonym(s): *davisi* Karabağ,1956
- 19786) **Psorodonotus ebneri** Karabağ,1952 (Tettigoniidae) Synonym(s): *ebneri* Karabağ,1952
- 19787) **Psorodonotus rugulosus** Karabağ,1952 (Tettigoniidae) Synonym(s): *rugulosus* Karabağ,1952
- 19788) **Psorodonotus specularis** (Fischer von Waldheim,1839) (Tettigoniidae) Synonym(s): *specularis* Fischer von Waldheim,1839; *inermis* Ramme,1951
- 19789) **Psorodonotus venosus** (Fischer von Waldheim,1839) (Tettigoniidae) Synonym(s): *venosus* Fischer von Waldheim,1839
- 19790) **Rammeola anatolica** Uvarov,1934 (Tettigoniidae) Synonym(s): *anatolica* Uvarov,1934
- 19791) **Rhacocleis acutangula** Karabağ,1957 (Tettigoniidae) Synonym(s): *acutangula* Karabağ,1957
- 19792) **Rhacocleis anatolica** Werner,1933 (Tettigoniidae) Synonym(s): *anatolica* Werner,1933
- 19793) **Rhacocleis germanica** (Herrich-Schäffer,1840) (Tettigoniidae) Synonym(s): *germanica* Herrich-Schäffer,1840
- 19794) **Rhacocleis tuberculata** Karabağ,1978 (Tettigoniidae) Synonym(s): *tuberculata* Karabağ,1978
- 19795) **Rhacocleis turcica** (Uvarov,1930) (Tettigoniidae) Synonym(s): *turcica* Uvarov,1930
- 19796) **Ruspolia nitidula** (Scopoli,1786) (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterrcus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936
- 19797) **Saga beieri** Kaltenbach,1967 (Tettigoniidae) Synonym(s): *lucasi* Ramme,1951 *nec* Sauss.,1888; *beieri* Kaltenbach,1967
- 19798) **Saga campbelli** Uvarov,1921 (Tettigoniidae) Synonym(s): *campbelli* Uvarov,1921
- 19799) **Saga cappadocica** Werner,1903 (Tettigoniidae) Synonym(s): *cappadocica* Werner,1903
- 19800) **Saga ephippigera** Fischer von Waldheim,1846 (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846
- 19801) **Saga ledereri** Saussure,1888 (Tettigoniidae) Synonym(s): *ornata* Krauss,1879 *nec* Burm.,1838; *ledereri* Saussure,1888; *kraussi* Kirby,1906
- 19802) **Saga longicaudata** Krauss,1879 (Tettigoniidae) Synonym(s): *longicaudata* Krauss,1879
- 19803) **Saga natoliae** Audinet-Serville,1839 (Tettigoniidae) Synonym(s): *onos* Stoll,1787 *nec* Pall.,1772; *synophrys* Charpentier,1841; *natoliae* Audinet-Serville,1839; *brunneri* Saussure,1888
- 19804) **Saga ornata** Burmeister,1838 (Tettigoniidae) Synonym(s): *ornata* Burmeister,1838; *lucasi* Saussure,1888; *savignyi* Saussure,1888; *gracilipes* Uvarov,1923
- 19805) **Saga puella** Werner,1901 (Tettigoniidae) Synonym(s): *puella* Werner,1901
- 19806) **Saga rhodiensis** Salfi,1929 (Tettigoniidae) Synonym(s): *rhodiensis* Salfi,1929
- 19807) **Scotodrymadusa maculata** (Ebner,1912) (Tettigoniidae) Synonym(s): *maculata* Ebner,1912
- 19808) **Scotodrymadusa ozkani** Erman & Salman,1990 (Tettigoniidae) Synonym(s): *ozkani* Erman & Salman,1990
- 19809) **Scotodrymadusa philbyi** (Uvarov,1927) (Tettigoniidae) Synonym(s): *philbyi* Uvarov,1927; *palaestina* Uvarov,1939
- 19810) **Scotodrymadusa syriaca** (Pictet,1888) (Tettigoniidae) Synonym(s): *syriaca* Pictet,1888; *anatolica* Werner,1901; *rammei* Uvarov,1929; *turcica* Ramme,1939; *kozana* Ramme,1951; *amani* Ramme,1951
- 19811) **Sepiana sepia** (Yersin,1854) (Tettigoniidae) Synonym(s): *sepia* Yersin,1854
- 19812) **Sureyaella bella** Uvarov,1934 (Tettigoniidae) Synonym(s): *bella* Uvarov,1934
- 19813) **Tettigonia acutipennis** Ebner,1946 (Tettigoniidae) Synonym(s): *acutipennis* Ebner,1946
- 19814) **Tettigonia caudata** (Charpentier,1845) (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940
- 19815) **Tettigonia turcica** Ramme,1951 (Tettigoniidae) Synonym(s): *turcica* Ramme,1951

- 19816) *Tettigonia viridissima* (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937
- 19817) *Trigonocorypha sirvani* Koçak, Kemal & Seven,2010** (Tettigoniidae) Synonym(s): *sirvani* Koçak, Seven & Kemal,2010
- 19818) *Tylopsis lilifolia* (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia* Fabricius,1793; *thymifolia* Petagna,1792; *gracilis* Germar,1817; *marginipunctata* Audinet-Serville,1838; *praeusta* Fischer von Waldheim,1846; *spinosus* Fischer von Waldheim,1846; *#lilifolia* Bolivar,1877
- 19819) *Uvarovistia* (s.str.) *satunini* (Uvarov,1916)** (Tettigoniidae) Synonym(s): *satunini* Uvarov,1916
- 19820) *Uvarovistia* (s.str.) *zebra* (Uvarov,1916)** (Tettigoniidae) Synonym(s): *zebra* Uvarov,1916

THEREVIDAE

- 19821) *Ammothereva splendida* (Kröber,1912)** (Therevidae) Synonym(s): *splendida* Kröber,1912; *caucasica* Zaitzev,1973
- 19822) *Baryphora speciosa* Loew,1844** (Therevidae) Synonym(s): *speciosa* Loew,1844
- 19823) *Phycus insignis* (Loew,1874)** (Therevidae) Synonym(s): *insignis* Loew,1874
- 19824) *Salentia fuscipennis* A.Costa,1857** (Therevidae) Synonym(s): *fuscipennis* A.Costa,1857; *pomeroyi* Alexander,1921
- 19825) *Salentia nigripes* (Kröber,1912)** (Therevidae) Synonym(s): *nigripes* Kröber,1912
- 19826) *Schoutedenomyia superba* (Kröber,1912)** (Therevidae) Synonym(s): *superba* Kröber,1912
- 19827) *Thereva affinis* Kröber,1913** (Therevidae) Synonym(s): *affinis* Kröber,1913
- 19828) *Thereva albohirta* Kröber,1912** (Therevidae) Synonym(s): *albohirta* Kröber,1912; *helvetica* Kröber,1937
- 19829) *Thereva apicalis* Wiedemann,1821** (Therevidae) Synonym(s): *apicalis* Wiedemann,1821; *bivittata* Loew,1840
- 19830) *Thereva aurata* (Loew,1854)** (Therevidae) Synonym(s): *aurata* Loew,1854; *auricincta* Egger,1859; *corrinea* Gosseries,1991
- 19831) *Thereva binotata* (Loew,1847)** (Therevidae) Synonym(s): *binotata* Loew,1847
- 19832) *Thereva brevicornis* (Loew,1847)** (Therevidae) Synonym(s): *brevicornis* Loew,1847; *alpina* Egger,1859
- 19833) *Thereva cincta* Meigen,1820** (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita* Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847
- 19834) *Thereva cinifera* Meigen,1830** (Therevidae) Synonym(s): *cinifera* Meigen,1830; *subfasciata* Schummel,1839; *modesta* Becker,1922
- 19835) *Thereva claripennis* (Loew,1847)** (Therevidae) Synonym(s): *claripennis* Loew,1847
- 19836) *Thereva flavescens* (Loew,1847)** (Therevidae) Synonym(s): *flavescens* Loew,1847
- 19837) *Thereva fulva* (Meigen,1804)** (Therevidae) Synonym(s): *fulva* Meigen,1804; *flavilabris* Meigen,1820
- 19838) *Thereva fulvibarba* Kröber,1912** (Therevidae) Synonym(s): *fulvibarba* Kröber,1912
- 19839) *Thereva glauca* Kröber,1913** (Therevidae) Synonym(s): *glauca* Kröber,1913; *formosana* Enderlein,1921
- 19840) *Thereva glaucescens* Kröber,1912** (Therevidae) Synonym(s): *glaucescens* Kröber,1912
- 19841) *Thereva handlirschi* Kröber,1912** (Therevidae) Synonym(s): *handlirschi* Kröber,1912; *zonata* Kröber,1912; *angustifrons* Kröber,1912; *praestans* Collin,1948
- 19842) *Thereva hirta* Kröber,1913** (Therevidae) Synonym(s): *hirta* Kröber,1913
- 19843) *Thereva lanata* Zetterstedt,1838** (Therevidae) Synonym(s): *lanata* Zetterstedt,1838; *vetula* Zetterstedt,1838; *amoena* Kowarz,1883
- 19844) *Thereva neglecta* Kröber,1912** (Therevidae) Synonym(s): *neglecta* Kröber,1912
- 19845) *Thereva nitidifrons* Kröber,1913** (Therevidae) Synonym(s): *nitidifrons* Kröber,1913
- 19846) *Thereva pilifrons* Kröber,1912** (Therevidae) Synonym(s): *pilifrons* Kröber,1912
- 19847) *Thereva plebeja* (Linnaeus,1758)** (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913
- 19848) *Thereva strigata* (Fabricius,1794)** (Therevidae) Synonym(s): *strigata* Fabricius,1794; *latistrigata* Kröber,1913; *thermophila* Trojan,1970
- 19849) *Thereva tristis* (Loew,1847)** (Therevidae) Synonym(s): *tristis* Loew,1847
- 19850) *Thereva tuberculata* (Loew,1847)** (Therevidae) Synonym(s): *tuberculata* Loew,1847; *subtilis* Loew,1847; *algerica* Kröber,1913
- 19851) *Thereva unica* (Harris,1780)** (Therevidae) Synonym(s): *unica* Harris,1780; *lugubris* Fabricius,1787; *albipennis* Meigen,1820; *bipunctata* Meigen,1820; *albilabris* Meigen,1820; *canescens* Zetterstedt,1859; *frontata* Kröber,1912; *vulpina* Kröber,1912; *hermaphrodita* Becker,1922
- 19852) *Thereva valida* (Loew,1847)** (Therevidae) Synonym(s): *valida* Loew,1847; *frontalis* Schummel,1839; *ursina* Wahlberg,1854

TINGIDAE

- 19853) Agramma (s.str.) atricapillum (Spinola,1837)** (Tingidae) Synonym(s): *atricapillum Spinola,1837*
- 19854) Agramma (s.str.) blandulum (Horvath,1905)** (Tingidae) Synonym(s): *blandulum Horvath,1905*
- 19855) Agramma (s.str.) confusum (Puton,1879)** (Tingidae) Synonym(s): *confusum Puton,1879*
- 19856) Agramma (s.str.) intermedium (Wagner,1941)** (Tingidae) Synonym(s): *intermedium Wagner,1941*
- 19857) Campylosteira bosnica Horvath,1892** (Tingidae) Synonym(s): *bosnica Horvath,1892*
- 19858) Campylosteira ciliata Fieber,1844** (Tingidae) Synonym(s): *ciliata Fieber,1844*
- 19859) Cantacader quadricornis (Le Peletier & Serville,1828)** (Tingidae) Synonym(s): *quadricornis Le Peletier & Serville,1828; nubilus Horvath,1906*
- 19860) Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): *anticus Reuter,1880*
- 19861) Catoplatus brevicornis Akramovskaya & Golub,1973** (Tingidae) Synonym(s): *brevicornis Akramovskaya & Golub,1973*
- 19862) Catoplatus carthusianus (Goeze,1778)** (Tingidae) Synonym(s): *carthusianus Goeze,1778*
- 19863) Catoplatus citrinus Horvath,1897** (Tingidae) Synonym(s): *citrinus Horvath,1897*
- 19864) Catoplatus crassipes (Fieber,1861)** (Tingidae) Synonym(s): *crassipes Fieber,1861*
- 19865) Catoplatus distinctus Montandon,1895** (Tingidae) Synonym(s): *distinctus Montandon,1895*
- 19866) Catoplatus fulvicornis (Jakovlev,1890)** (Tingidae) Synonym(s): *fulvicornis Jakovlev,1890*
- 19867) Catoplatus hilaris (Horvath,1906)** (Tingidae) Synonym(s): *hilaris Horvath,1906*
- 19868) Catoplatus horvathi (Puton,1879)** (Tingidae) Synonym(s): *horvathi Puton,1879*
- 19869) Catoplatus nigriceps Horvath,1905** (Tingidae) Synonym(s): *nigriceps Horvath,1905*
- 19870) Copium adumbratum (Horvath,1891)** (Tingidae) Synonym(s): *adumbratum Horvath,1891*
- 19871) Copium brevicorne (Jakovlev,1880)** (Tingidae) Synonym(s): *brevicorne Jakovlev,1880*
- 19872) Copium clavicorne (Linnaeus,1758)** (Tingidae) Synonym(s): *clavicorne Linnaeus,1758; punctata Lamarck,1816; cornutum Thunberg,1822*
- 19873) Copium horvathi E.Wagner,1957** (Tingidae) Synonym(s): *horvathi E.Wagner,1957*
- 19874) Copium teucarii (Host,1788)** (Tingidae) Synonym(s): *teucarii Host,1788; lusitanicum de Seabra,1924*
- 19875) Corythucha arcuata (Say,1832)** (Tingidae) Synonym(s): *arcuata Say,1832*
- 19876) Corythucha ciliata (Say,1832)** (Tingidae) Synonym(s): *ciliata Say,1832*
- 19877) Derephysia foliacea (Fallén,1807)** (Tingidae) Synonym(s): *foliacea Fallén,1807*
- 19878) Dictyla echii (Schränk,1782)** (Tingidae) Synonym(s): *echii Schränk,1782*
- 19879) Dictyla lupuli (Herrich-Schäffer,1837)** (Tingidae) Synonym(s): *lupuli Herrich-Schäffer,1837*
- 19880) Dictyla nassata (Puton,1874)** (Tingidae) Synonym(s): *nassata Puton,1874*
- 19881) Dictyla platyoma (Fieber,1861)** (Tingidae) Synonym(s): *platyoma Fieber,1861*
- 19882) Dictyla putoni (Montandon,1895)** (Tingidae) Synonym(s): *putoni Montandon,1895*
- 19883) Dictyla rotundata (Herrich-Schäffer,1835)** (Tingidae) Synonym(s): *rotundata Herrich-Schäffer,1835*
- 19884) Dictyla sima Seidenstücker,1975** (Tingidae) Synonym(s): *sima Seidenstücker,1975*
- 19885) Dictyla triconula (Seidenstücker,1954)** (Tingidae) Synonym(s): *triconula Seidenstücker,1954*
- 19886) Dictyonota aridula (Jakovlev,1902)** (Tingidae) Synonym(s): *aridula Jakovlev,1902*
- 19887) Dictyonota astragali Stusak & Önder,1982** (Tingidae) Synonym(s): *astragali Stusak & Önder,1982*
- 19888) Dictyonota lugubris (Fieber,1861)** (Tingidae) Synonym(s): *lugubris Fieber,1861*
- 19889) Dictyonota phoenicea Seidenstücker,1963** (Tingidae) Synonym(s): *phoenicea Seidenstücker,1963*
- 19890) Dictyonota strichnocera Fieber,1844** (Tingidae) Synonym(s): *strichnocera Fieber,1844*
- 19891) Dictyonota tricornis (Schränk,1801)** (Tingidae) Synonym(s): *tricornis Schränk,1801*
- 19892) Elasmotropis testacea (Herrich-Schäffer,1830)** (Tingidae) Synonym(s): *testacea Herrich-Schäffer,1830*
- 19893) Galeatus cellularis Jakovlev,1884** (Tingidae) Synonym(s): *cellularis Jakovlev,1884*
- 19894) Galeatus scrophicus Saunders,1876** (Tingidae) Synonym(s): *scrophicus Saunders,1876; helianthi Önder & Lodos,1977*
- 19895) Hyalochiton komaroffii (Jakovlev,1880)** (Tingidae) Synonym(s): *komaroffii Jakovlev,1880*
- 19896) Hyalochiton multiseriatus (Reuter,1888)** (Tingidae) Synonym(s): *multiseriatus Reuter,1888*
- 19897) Lasiacantha capucina (Germar,1836)** (Tingidae) Synonym(s): *capucina Germar,1836*
- 19898) Lasiacantha gracilis (Herrich-Schäffer,1830)** (Tingidae) Synonym(s): *gracilis Herrich-Schäffer,1830*
- 19899) Lasiacantha hedenborgi (Stal,1873)** (Tingidae) Synonym(s): *hedenborgi Stal,1873; #hedenbergii Önder et al.,2006*

- 19900) **Monosteira lobulifera** Reuter,1888 (Tingidae) Synonym(s): *lobulifera* Reuter,1888
 19901) **Monosteira pardoi** E.Wagner,1961 (Tingidae) Synonym(s): *pardoi* E.Wagner,1961
 19902) **Monosteira unicostata** (Mulsant & Rey,1852) (Tingidae) Synonym(s): *unicostata* Mulsant & Rey,1852
 19903) **Physatocheila confinis** Horvath,1905 (Tingidae) Synonym(s): *confinis* Horvath,1905
 19904) **Physatocheila dumetorum** (Herrich-Schäffer,1838) (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838
 19905) **Physatocheila municeps** Horvath,1903 (Tingidae) Synonym(s): *municeps* Horvath,1903
 19906) **Stephanitis caucasica** Kiritschenko,1939 (Tingidae) Synonym(s): *caucasica* Kiritschenko,1939
 19907) **Stephanitis oschanini** Vasiliev,1935 (Tingidae) Synonym(s): *oschanini* Vasiliev,1935; *hoberlandti* Lis,2002
 19908) **Stephanitis pyri** (Fabricius,1775) (Tingidae) Synonym(s): *pyri* Fabricius,1775
 19909) **Stephanitis Stal**,1873 (Tingidae) Synonym(s): *Stephanitis* Stal,1873
 19910) **Tingis angustata** (Herrich-Schäffer,1838) (Tingidae) Synonym(s): *angustata* Herrich-Schäffer,1838
 19911) **Tingis auriculata** (Costa,1847) (Tingidae) Synonym(s): *auriculata* Costa,1847
 19912) **Tingis ballotae** Seidenstücker,1970 (Tingidae) Synonym(s): *ballotae* Seidenstücker,1970
 19913) **Tingis cappadocica** Horvath,1905 (Tingidae) Synonym(s): *cappadocica* Horvath,1905
 19914) **Tingis cardui** (Linnaeus,1758) (Tingidae) Synonym(s): *cardui* Linnaeus,1758
 19915) **Tingis caucasica** (Jakovlev,1880) (Tingidae) Synonym(s): *caucasica* Jakovlev,1880
 19916) **Tingis ciliaris** (Puton,1879) (Tingidae) Synonym(s): *ciliaris* Puton,1879
 19917) **Tingis demissa** Horvath,1905 (Tingidae) Synonym(s): *demissa* Horvath,1905
 19918) **Tingis elongata** (Fieber,1861) (Tingidae) Synonym(s): *elongata* Fieber,1861
 19919) **Tingis geniculata** (Fieber,1844) (Tingidae) Synonym(s): *geniculata* Fieber,1844
 19920) **Tingis grisea** Germar,1835 (Tingidae) Synonym(s): *grisea* Germar,1835
 19921) **Tingis griseola** (Puton,1879) (Tingidae) Synonym(s): *griseola* Puton,1879
 19922) **Tingis hellenica** (Puton,1877) (Tingidae) Synonym(s): *hellenica* Puton,1877
 19923) **Tingis ottomana** Péricart & Önder,1982 (Tingidae) Synonym(s): *ottomana* Péricart & Önder,1982
 19924) **Tingis pauperata** (Puton,1879) (Tingidae) Synonym(s): *pauperata* Puton,1879
 19925) **Tingis pilosa** Hummel,1825 (Tingidae) Synonym(s): *pilosa* Hummel,1825
 19926) **Tingis pusilla** (Jakovlev,1874) (Tingidae) Synonym(s): *pusilla* Jakovlev,1874
 19927) **Tingis ragusana** (Fieber,1861) (Tingidae) Synonym(s): *ragusana* Fieber,1861
 19928) **Tingis reticulata** Herrich-Schäffer,1835 (Tingidae) Synonym(s): *reticulata* Herrich-Schäffer,1835
 19929) **Tingis reuteri** Horvath,1906 (Tingidae) Synonym(s): *reuteri* Horvath,1906
 19930) **Tingis rotundicollis** (Jakovlev,1883) (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883
 19931) **Tingis sideritis** Stusak,1973 (Tingidae) Synonym(s): *sideritis* Stusak,1973
 19932) **Tingis stepposa** Golub,1977 (Tingidae) Synonym(s): *stepposa* Golub,1977
 19933) **Tingis stupidula** Horvath,1906 (Tingidae) Synonym(s): *stupidula* Horvath,1906
 19934) **Tingis torpida** (Horvath,1906) (Tingidae) Synonym(s): *torpida* Horvath,1906
 19935) **Tingis valida** (Puton,1878) (Tingidae) Synonym(s): *valida* Puton,1878
 19936) **Urentius chobauti** Horvath,1907 (Tingidae) Synonym(s): *chobauti* Horvath,1907

TIPHIIDAE

- 19937) **Icronatha caucasica** (Mocsary,1883) (Tiphiiidae) Synonym(s): *caucasica* Mocsary,1883
 19938) **Ludita fulvipennis** (Smith,1879) (Tiphiiidae) Synonym(s): *fulvipennis* Smith,1879
 19939) **Ludita villosa** (Fabricius,1793) (Tiphiiidae) Synonym(s): *villosa* Fabricius,1793
 19940) **Meria anatolica** Bartalucci,2004 (Tiphiiidae) Synonym(s): *anatolica* Bartalucci,2004
 19941) **Meria askhabadensis** Radoszkowski,1886 (Tiphiiidae) Synonym(s): *askhabadensis* Radoszkowski,1886
 19942) **Meria aurantiaca** Guérin-Ménéville,1837 (Tiphiiidae) Synonym(s): *aurantiaca* Guérin-Ménéville,1837; *paradisiaca* Boni Bartalucci,1992
 19943) **Meria dorsalis** (Fabricius,1804) (Tiphiiidae) Synonym(s): *dorsalis* Fabricius,1804
 19944) **Meria geniculata** (Brullé,1832) (Tiphiiidae) Synonym(s): *geniculata* Brullé,1832; *graeca* Saunders,1850; *swanetiae* Radoszkowski,1861; *nigriceps* Mocsary,1883; *picta* Schulthess,1893; *nigrigena* Guiglia,1966
 19945) **Meria nitidula** Klug,1810 (Tiphiiidae) Synonym(s): *nitidula* Klug,1810
 19946) **Meria tripunctata** (Rossi,1790) (Tiphiiidae) Synonym(s): *tripunctata* Rossi,1790; *sexfasciata* Rossi,1792; *verhoeffi* Guiglia,1961
 19947) **Mesa palestinella** Guiglia,1963 (Tiphiiidae) Synonym(s): *palestinella* Guiglia,1963

- 19948) **Poecilotiphia parvula (Smith,1855)** (Tiphidae) Synonym(s): *parvula* Smith,1855
 19949) **Silifka fatima Argaman & Özbek,1992** (Tiphidae) Synonym(s): *fatima* Argaman & Özbek,1992
 19950) **Tiphia bahattini Yıldırım,2009** (Tiphidae) Synonym(s): *bahattini* Yıldırım,2009
 19951) **Tiphia bituberculata Yıldırım,2009** (Tiphidae) Synonym(s): *bituberculata* Yıldırım,2009
 19952) **Tiphia femorata Fabricius,1775** (Tiphidae) Synonym(s): *femorata* Fabricius,1775
 19953) **Tiphia minuta Van der Linden,1827** (Tiphidae) Synonym(s): *minuta* Van der Linden,1827
 19954) **Tiphia persica Turner,1908** (Tiphidae) Synonym(s): *persica* Turner,1908
 19955) **Tiphia ruficornis Klug,1810** (Tiphidae) Synonym(s): *ruficornis* Klug,1810

TIPULIDAE

- 19956) **Ctenophora (s.str.) guttata Meigen,1818** (Tipulidae) Synonym(s): *guttata* Meigen,1818
 19957) **Dictenidia bimaculata (Linnaeus,1760)** (Tipulidae) Synonym(s): *maculata* Linnaeus,1758; *bimaculata* Linnaeus,1760; *idriensis* Scopoli,1763; *pectinata* Gmelin,1790; *paludosa* Fabricius,1794; *fulvida* Bigot,1861
 19958) **Dolichopeza (s.str.) hirsuticauda Savchenko,1968** (Tipulidae) Synonym(s): *hirsuticauda* Savchenko,1968; *schahriari* Theowald,1978
 19959) **Dolichopeza (s.str.) nitida Mik,1874** (Tipulidae) Synonym(s): *nitida* Mik,1874; *graeca* Mannheims,1954
 19960) **Methocha articulata (Latreille,1792)** (Tiphidae) Synonym(s): *articulata* Latreille,1792; *formicaria* Latreille,1792; *ichneumonides* Latreille,1805; *mutillaria* Latreille,1806; *sanvitali* Latreille,1809; *italica* Costa,1858 *articulata* Latreille,1792
 19961) **Nephrotoma aculeata (Loew,1871)** (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924
 19962) **Nephrotoma analis (Schummel,1833)** (Tipulidae) Synonym(s): *analis* Schummel,1833
 19963) **Nephrotoma appendiculata (Pierre,1919)** (Tipulidae) Synonym(s): *maculata* Meigen,1804; *maculosa* Meigen,1818; *appendiculata* Pierre,1919
 19964) **Nephrotoma beckeri (Mannheims,1951)** (Tipulidae) Synonym(s): *beckeri* Mannheims,1951
 19965) **Nephrotoma cornicina (Linnaeus,1758)** (Tipulidae) Synonym(s): *cornicina* Linnaeus,1758; *flavomaculata* De Geer,1776; *iridicolor* Schummel,1833; *sannio* Meigen,1838; *petiolata* Zetterstedt,1838; *nigrina* Savchenko,1973
 19966) **Nephrotoma croceiventris (Strobl,1909)** (Tipulidae) Synonym(s): *croceiventris* Strobl,1909
 19967) **Nephrotoma guestfalica (Westhoff,1879)** (Tipulidae) Synonym(s): *guestfalica* Westhoff,1879
 19968) **Nephrotoma minuscula (Mannheims,1951)** (Tipulidae) Synonym(s): *minuscula* Mannheims,1951
 19969) **Nephrotoma nasuta Oosterbroek,1975** (Tipulidae) Synonym(s): *nasuta* Oosterbroek,1975
 19970) **Nephrotoma nox (Riedel,1910)** (Tipulidae) Synonym(s): *nox* Riedel,1910; *rossica* Riedel,1920; *kozhevnikovi* Dodonov,1925
 19971) **Nephrotoma pratensis (Linnaeus,1758)** (Tipulidae) Synonym(s): *pratensis* Linnaeus,1758
 19972) **Nephrotoma quadrifaria (Meigen,1804)** (Tipulidae) Synonym(s): *quadrifaria* Meigen,1804
 19973) **Nephrotoma scalaris (Meigen,1818)** (Tipulidae) Synonym(s): *scalaris* Meigen,1818; *imperialis* Meigen,1818
 19974) **Nephrotoma theowaldi Oosterbroek,1978** (Tipulidae) Synonym(s): *theowaldi* Oosterbroek,1978
 19975) **Nigrotipula nigra (Linnaeus,1758)** (Tipulidae) Synonym(s): *nigra* Linnaeus,1758
 19976) **Tipula (Acutipula) aktashi Koç, Hasbenli & De Jong,1998** (Tipulidae) Synonym(s): *aktashi* Koç, Hasbenli & De Jong,1998
 19977) **Tipula (Acutipula) fulvipennis De Geer,1776** (Tipulidae) Synonym(s): *fulvipennis* De Geer,1776; *lutescens* Fabricius,1805
 19978) **Tipula (Acutipula) isparta Vermoolen,1983** (Tipulidae) Synonym(s): *isparta* Vermoolen,1983
 19979) **Tipula (Acutipula) latifurca Vermoolen,1983** (Tipulidae) Synonym(s): *latifurca* Vermoolen,1983
 19980) **Tipula (Acutipula) nigroantennata Savchenko,1961** (Tipulidae) Synonym(s): *nigroantennata* Savchenko,1961
 19981) **Tipula (Beringotipula) unca Wiedemann,1817** (Tipulidae) Synonym(s): *unca* Wiedemann,1817
 19982) **Tipula (Dendrotipula) flavolineata Meigen,1804** (Tipulidae) Synonym(s): *flavolineata* Meigen,1804
 19983) **Tipula (Emdotipula) obscuriventris Strobl,1900** (Tipulidae) Synonym(s): *obscuriventris* Strobl,1900
 19984) **Tipula (Lunatipula) acudens Theischinger,1977** (Tipulidae) Synonym(s): *acudens* Theischinger,1977
 19985) **Tipula (Lunatipula) adapazariensis Theischinger,1987** (Tipulidae) Synonym(s): *adapazariensis* Theischinger,1987
 19986) **Tipula (Lunatipula) adusta Savchenko,1954** (Tipulidae) Synonym(s): *adusta* Savchenko,1954

- 19987) Tipula (Lunatipula) anthe Mannheims,1968** (Tipulidae) Synonym(s): *anthe Mannheims,1968*
- 19988) Tipula (Lunatipula) antilope Theischinger,1977** (Tipulidae) Synonym(s): *antilope Theischinger,1977*
- 19989) Tipula (Lunatipula) arnoldii Savchenko,1957** (Tipulidae) Synonym(s): *arnoldii Savchenko,1957*
- 19990) Tipula (Lunatipula) artemis Theischinger,1977** (Tipulidae) Synonym(s): *artemis Theischinger,1977*
- 19991) Tipula (Lunatipula) astigma Savchenko,1968** (Tipulidae) Synonym(s): *astigma Savchenko,1968*
- 19992) Tipula (Lunatipula) auriculata Mannheims,1963** (Tipulidae) Synonym(s): *auriculata Mannheims,1963*
- 19993) Tipula (Lunatipula) bimacula Theowald,1980** (Tipulidae) Synonym(s): *bimaculata Riedel,1913; bimacula Theowald,1980*
- 19994) Tipula (Lunatipula) borysthenica Savchenko,1954** (Tipulidae) Synonym(s): *borysthenica Savchenko,1954*
- 19995) Tipula (Lunatipula) brinki Theischinger,1987** (Tipulidae) Synonym(s): *brinki Theischinger,1987*
- 19996) Tipula (Lunatipula) canakkalensis Theischinger,1987** (Tipulidae) Synonym(s): *canakkalensis Theischinger,1987*
- 19997) Tipula (Lunatipula) carens Theischinger,1987** (Tipulidae) Synonym(s): *carens Theischinger,1987*
- 19998) Tipula (Lunatipula) cedrophila Mannheims,1963** (Tipulidae) Synonym(s): *cedrophila Mannheims,1963*
- 19999) Tipula (Lunatipula) chelifera Savchenko,1964** (Tipulidae) Synonym(s): *chelifera Savchenko,1964*
- 20000) Tipula (Lunatipula) christophi Theischinger,1982** (Tipulidae) Synonym(s): *christophi Theischinger,1982*
- 20001) Tipula (Lunatipula) cillibema Koç,2004** (Tipulidae) Synonym(s): *cillibema Koç,2004*
- 20002) Tipula (Lunatipula) cinerella Pierre,1919** (Tipulidae) Synonym(s): *cinerella Pierre,1919*
- 20003) Tipula (Lunatipula) cirratula Oosterbroek,1997** (Tipulidae) Synonym(s): *cirratula Oosterbroek,1997*
- 20004) Tipula (Lunatipula) curvata Theischinger,1977** (Tipulidae) Synonym(s): *curvata Theischinger,1977*
- 20005) Tipula (Lunatipula) decolor Mannheims,1963** (Tipulidae) Synonym(s): *decolor Mannheims,1963*
- 20006) Tipula (Lunatipula) dedecor Loew,1873** (Tipulidae) Synonym(s): *dedecor Loew,1873*
- 20007) Tipula (Lunatipula) didymotes Theischinger,1977** (Tipulidae) Synonym(s): *didymotes Theischinger,1977*
- 20008) Tipula (Lunatipula) dracula Theischinger,1977** (Tipulidae) Synonym(s): *dracula Theischinger,1977*
- 20009) Tipula (Lunatipula) emmahelene Theischinger,1980** (Tipulidae) Synonym(s): *emmahelene Theischinger,1980*
- 20010) Tipula (Lunatipula) franzressli Theischinger,1982** (Tipulidae) Synonym(s): *franzressli Theischinger,1982*
- 20011) Tipula (Lunatipula) furcula Mannheims,1954** (Tipulidae) Synonym(s): *furcula Mannheims,1954*
- 20012) Tipula (Lunatipula) gebze Koç, Hasbenli & Vogtenhuber,2007** (Tipulidae) Synonym(s): *gebze Koç, Hasbenli & Vogtenhuber,2007*
- 20013) Tipula (Lunatipula) helvola Loew,1873** (Tipulidae) Synonym(s): *helvola Loew,1873*
- 20014) Tipula (Lunatipula) horsti Theischinger,1982** (Tipulidae) Synonym(s): *horsti Theischinger,1982*
- 20015) Tipula (Lunatipula) huberti Theischinger,1982** (Tipulidae) Synonym(s): *huberti Theischinger,1982*
- 20016) Tipula (Lunatipula) iliensis Mannheims,1965** (Tipulidae) Synonym(s): *iliensis Mannheims,1965*
- 20017) Tipula (Lunatipula) istriana Erhan & Theowald,1961** (Tipulidae) Synonym(s): *istriana Erhan & Theowald,1961*
- 20018) Tipula (Lunatipula) jaroslavi Koç,2007** (Tipulidae) Synonym(s): *jaroslavi Koç,2007*
- 20019) Tipula (Lunatipula) kerkis Theischinger,1977** (Tipulidae) Synonym(s): *kerkis Theischinger,1977*
- 20020) Tipula (Lunatipula) kreissli Theischinger,1987** (Tipulidae) Synonym(s): *kreissli Theischinger,1987*
- 20021) Tipula (Lunatipula) kumerloevei Mannheims,1968** (Tipulidae) Synonym(s): *kumerloevei Mannheims,1968*
- 20022) Tipula (Lunatipula) kybele Mannheims,1968** (Tipulidae) Synonym(s): *kybele Mannheims,1968*
- 20023) Tipula (Lunatipula) lucasi Theischinger,1987** (Tipulidae) Synonym(s): *lucasi Theischinger,1987*
- 20024) Tipula (Lunatipula) mendli Martinovsky,1976** (Tipulidae) Synonym(s): *mendli Martinovsky,1976*

- 20025) Tipula (Lunatipula) micropeliostigma Mannheims,1965** (Tipulidae) Synonym(s): *micropeliostigma Mannheims,1965*
- 20026) Tipula (Lunatipula) montifer Theischinger,1977** (Tipulidae) Synonym(s): *montifer Theischinger,1977*
- 20027) Tipula (Lunatipula) murati Koç,2004** (Tipulidae) Synonym(s): *murati Koç,2004*
- 20028) Tipula (Lunatipula) musensis Theischinger,1987** (Tipulidae) Synonym(s): *musensis Theischinger,1987*
- 20029) Tipula (Lunatipula) neutra Theischinger,1982** (Tipulidae) Synonym(s): *neutra Theischinger,1982*
- 20030) Tipula (Lunatipula) nigdeensis Bischof,1905** (Tipulidae) Synonym(s): *nigdeensis Bischof,1905*
- 20031) Tipula (Lunatipula) oorschotorum Theischinger,1987** (Tipulidae) Synonym(s): *oorschotorum Theischinger,1987*
- 20032) Tipula (Lunatipula) oosterbroeki Koç,2007** (Tipulidae) Synonym(s): *oosterbroeki Koç,2007*
- 20033) Tipula (Lunatipula) ornithogona Theischinger,1982** (Tipulidae) Synonym(s): *ornithogona Theischinger,1982*
- 20034) Tipula (Lunatipula) osmana Mannheims,1963** (Tipulidae) Synonym(s): *osmana Mannheims,1963*
- 20035) Tipula (Lunatipula) palifera Mannheims,1965** (Tipulidae) Synonym(s): *palifera Mannheims,1965*
- 20036) Tipula (Lunatipula) paravelox Theischinger,1987** (Tipulidae) Synonym(s): *paravelox Theischinger,1987*
- 20037) Tipula (Lunatipula) peliostigma Schummel,1833** (Tipulidae) Synonym(s): *peliostigma Schummel,1833*
- 20038) Tipula (Lunatipula) peteri Theischinger,1979** (Tipulidae) Synonym(s): *peteri Theischinger,1979*
- 20039) Tipula (Lunatipula) pseudolunata Theischinger,1980** (Tipulidae) Synonym(s): *pseudolunata Theischinger,1980*
- 20040) Tipula (Lunatipula) pseudopeliostigma Mannheims,1965** (Tipulidae) Synonym(s): *pseudopeliostigma Mannheims,1965*
- 20041) Tipula (Lunatipula) pseudowolfi Theischinger,1979** (Tipulidae) Synonym(s): *pseudowolfi Theischinger,1979*
- 20042) Tipula (Lunatipula) quinquespinis Theischinger,1980** (Tipulidae) Synonym(s): *quinquespinis Theischinger,1980*
- 20043) Tipula (Lunatipula) renate Theischinger,1982** (Tipulidae) Synonym(s): *renate Theischinger,1982*
- 20044) Tipula (Lunatipula) rhodolivida Theowald,1972** (Tipulidae) Synonym(s): *rhodolivida Theowald,1972*
- 20045) Tipula (Lunatipula) rhynchos Theischinger,1977** (Tipulidae) Synonym(s): *rhynchos Theischinger,1977*
- 20046) Tipula (Lunatipula) russula Theischinger,1977** (Tipulidae) Synonym(s): *russula Theischinger,1977*
- 20047) Tipula (Lunatipula) rutila Savchenko,1952** (Tipulidae) Synonym(s): *rutila Savchenko,1952*
- 20048) Tipula (Lunatipula) sciurus Theischinger,1977** (Tipulidae) Synonym(s): *sciurus Theischinger,1977*
- 20049) Tipula (Lunatipula) selenis Loew,1873** (Tipulidae) Synonym(s): *selenis Loew,1873*
- 20050) Tipula (Lunatipula) semipeliostigma Mannheims,1965** (Tipulidae) Synonym(s): *semipeliostigma Mannheims,1965*
- 20051) Tipula (Lunatipula) sepiaformis Vogtenhuber,2002** (Tipulidae) Synonym(s): *sepiaformis Vogtenhuber,2002*
- 20052) Tipula (Lunatipula) soosi Mannheims,1954** (Tipulidae) Synonym(s): *soosi Mannheims,1954*
- 20053) Tipula (Lunatipula) sternalis Theischinger,1977** (Tipulidae) Synonym(s): *sternalis Theischinger,1977*
- 20054) Tipula (Lunatipula) strigosa Savchenko,1952** (Tipulidae) Synonym(s): *strigosa Savchenko,1952*
- 20055) Tipula (Lunatipula) subacuminata Mannheims,1963** (Tipulidae) Synonym(s): *subacuminata Mannheims,1963*
- 20056) Tipula (Lunatipula) substernalis Oosterbroek,1997** (Tipulidae) Synonym(s): *substernalis Oosterbroek,1997*
- 20057) Tipula (Lunatipula) subvelox Savchenko,1968** (Tipulidae) Synonym(s): *subvelox Savchenko,1968*
- 20058) Tipula (Lunatipula) teunissenii Theischinger,1979** (Tipulidae) Synonym(s): *teunissenii Theischinger,1979*
- 20059) Tipula (Lunatipula) theia Mannheims,1963** (Tipulidae) Synonym(s): *theia Mannheims,1963*
- 20060) Tipula (Lunatipula) tibonella Theischinger,1977** (Tipulidae) Synonym(s): *tibonella Theischinger,1977*
- 20061) Tipula (Lunatipula) transmarmarensis Koç, Aktaş & Oosterbroek,1996** (Tipulidae) Synonym(s): *transmarmarensis Koç, Aktaş & Oosterbroek,1996*

- 20062) Tipula (Lunatipula) trapeza Theischinger, 1982** (Tipulidae) Synonym(s): *trapeza Theischinger, 1982*
- 20063) Tipula (Lunatipula) truncata Loew, 1873** (Tipulidae) Synonym(s): *truncata Loew, 1873*
- 20064) Tipula (Lunatipula) turca Mannheims, 1963** (Tipulidae) Synonym(s): *turca Mannheims, 1963*
- 20065) Tipula (Lunatipula) turcolivida Mannheims, 1968** (Tipulidae) Synonym(s): *turcolivida Mannheims, 1968*
- 20066) Tipula (Lunatipula) turgida Oosterbroek, 1997** (Tipulidae) Synonym(s): *turgida Oosterbroek, 1997*
- 20067) Tipula (Lunatipula) ulrike Theischinger, 1982** (Tipulidae) Synonym(s): *ulrike Theischinger, 1982*
- 20068) Tipula (Lunatipula) unicornis Theischinger, 1977** (Tipulidae) Synonym(s): *unicornis Theischinger, 1977*
- 20069) Tipula (Lunatipula) ursulae Mannheims, 1965** (Tipulidae) Synonym(s): *ursulae Mannheims, 1965*
- 20070) Tipula (Lunatipula) vermooleni Theischinger, 1987** (Tipulidae) Synonym(s): *vermooleni Theischinger, 1987*
- 20071) Tipula (Lunatipula) verrucosa Pierre, 1919** (Tipulidae) Synonym(s): *verrucosa Pierre, 1919*
- 20072) Tipula (Lunatipula) vogtenhuberi Theischinger, 1979** (Tipulidae) Synonym(s): *vogtenhuberi Theischinger, 1979*
- 20073) Tipula (Lunatipula) vulpecula Theischinger, 1979** (Tipulidae) Synonym(s): *vulpecula Theischinger, 1979*
- 20074) Tipula (Lunatipula) zaitzevi Savchenko, 1952** (Tipulidae) Synonym(s): *zaitzevi Savchenko, 1952*
- 20075) Tipula (Mediotipula) anatoliensis Theowald, 1978** (Tipulidae) Synonym(s): *anatoliensis Theowald, 1978*
- 20076) Tipula (Mediotipula) stigmatella Schummel, 1833** (Tipulidae) Synonym(s): *stigmatella Schummel, 1833*
- 20077) Tipula (Pterelachisus) aspoeki Vogtenhuber, 2004** (Tipulidae) Synonym(s): *aspoeki Vogtenhuber, 2004*
- 20078) Tipula (Pterelachisus) luteobasalis Savchenko, 1964** (Tipulidae) Synonym(s): *luteobasalis Savchenko, 1964*
- 20079) Tipula (Pterelachisus) varipennis Meigen, 1818** (Tipulidae) Synonym(s): *varipennis Meigen, 1818*
- 20080) Tipula (s.str.) italica Lackschewitz, 1930** (Tipulidae) Synonym(s): *italica Lackschewitz, 1930*
- 20081) Tipula (s.str.) orientalis Lackschewitz, 1930** (Tipulidae) Synonym(s): *orientalis Lackschewitz, 1930*
- 20082) Tipula (Savtshenkia) obsoleta Meigen, 1818** (Tipulidae) Synonym(s): *obsoleta Meigen, 1818*
- 20083) Tipula (Savtshenkia) rufina Meigen, 1818** (Tipulidae) Synonym(s): *rufina Meigen, 1818; guttipennis Meigen, 1818; consanguinea Macquart, 1838; parvicauda Hansen, 1881*
- 20084) Tipula (Savtshenkia) serrulifera Alexander, 1942** (Tipulidae) Synonym(s): *serrulifera Alexander, 1942*
- 20085) Tipula (Schummelia) ahrensi Savchenko, 1957** (Tipulidae) Synonym(s): *ahrensi Savchenko, 1957*
- 20086) Tipula (Schummelia) variicornis Schummel, 1833** (Tipulidae) Synonym(s): *variicornis Schummel, 1833*
- 20087) Tipula (Vestiplex) kosswigi Mannheims, 1953** (Tipulidae) Synonym(s): *kosswigi Mannheims, 1953*
- 20088) Tipula (Vestiplex) pallidicosta Pierre, 1924** (Tipulidae) Synonym(s): *pallidicosta Pierre, 1924*
- 20089) Tipula (Vestiplex) semivittata Savchenko, 1960** (Tipulidae) Synonym(s): *semivittata Savchenko, 1960*
- 20090) Tipula (Yamatotipula) caesia Schummel, 1833** (Tipulidae) Synonym(s): *caesia Schummel, 1833*
- 20091) Tipula (Yamatotipula) caucasimontana Savchenko, 1955** (Tipulidae) Synonym(s): *caucasimontana Savchenko, 1955*
- 20092) Tipula (Yamatotipula) guentheri Oosterbroek, 1994** (Tipulidae) Synonym(s): *guentheri Oosterbroek, 1994*
- 20093) Tipula (Yamatotipula) iranensis Theowald, 1978** (Tipulidae) Synonym(s): *iranensis Theowald, 1978; subsoltaria Theowald, 1978*
- 20094) Tipula (Yamatotipula) lateralis Meigen, 1804** (Tipulidae) Synonym(s): *lateralis Meigen, 1804; itermedia Eiroa, 1990*
- 20095) Tipula (Yamatotipula) submontium Theowald & Oosterbroek, 1981** (Tipulidae) Synonym(s): *submontium Theowald & Oosterbroek, 1981*

TORYMIDAE

- 20096) Adontomerus amygdali (Boucek, 1958)** (Torymidae) Synonym(s): *amygdali Boucek, 1958*

- 20097) *Adontomerus impolitus* (Askew & Nieves-Aldrey, 1988)** (Torymidae) Synonym(s): *impolitus* Askew & Nieves-Aldrey, 1988
- 20098) *Exopristoides dentatus* Boucek, 1982** (Torymidae) Synonym(s): *dentatus* Boucek, 1982
- 20099) *Exopristus trigonomerus* (Masi, 1916)** (Torymidae) Synonym(s): *trigonomerus* Masi, 1916
- 20100) *Glyphomerus stigma* (Fabricius, 1793)** (Torymidae) Synonym(s): *stigma* Fabricius, 1793
- 20101) *Glyphomerus tibialis* Förster, 1856** (Torymidae) Synonym(s): *tibialis* Förster, 1856
- 20102) *Idiomacromerus pannonicus* (Ruschka, 1923)** (Torymidae) Synonym(s): *pannonicus* Ruschka, 1923
- 20103) *Idiomacromerus papaveris* (Förster, 1856)** (Torymidae) Synonym(s): *papaveris* Förster, 1856; *akdenizeus* Doğanlar, 1989
- 20104) *Megastigmus almusiensis* Doğanlar, 1989** (Torymidae) Synonym(s): *almusiensis* Doğanlar, 1989
- 20105) *Megastigmus dorsalis* (Fabricius, 1798)** (Torymidae) Synonym(s): *dorsalis* Fabricius, 1798; *bohemanii* Ratzeburg, 1848; *xanthopygus* Förster, 1859
- 20106) *Megastigmus juniperi* Nikol'skaya, 1952** (Torymidae) Synonym(s): *juniperi* Nikol'skaya, 1952
- 20107) *Megastigmus pistaciae* Walker, 1871** (Torymidae) Synonym(s): *pistaciae* Walker, 1871; *ballestrerii* Rondani, 1877
- 20108) *Megastigmus rosae* Boucek, 1971** (Torymidae) Synonym(s): *rosae* Boucek, 1971; *kondaricus* Zerova & Seregina, 1994
- 20109) *Megastigmus schimitscheki* Novicky, 1954** (Torymidae) Synonym(s): *schimitscheki* Novicky, 1954
- 20110) *Megastigmus suspectus* Borries, 1895** (Torymidae) Synonym(s): *suspectus* Borries, 1895; *piceae* Seitner, 1916; *bornmuelleriana* Hussey, 1957
- 20111) *Megastigmus wachtli* Seitner, 1916** (Torymidae) Synonym(s): *wachtli* Seitner, 1916
- 20112) *Microdontomerus annulatus* (Spinola, 1808)** (Torymidae) Synonym(s): *annulatus* Spinola, 1808
- 20113) *Monodontomerus aereus* Walker, 1834** (Torymidae) Synonym(s): *aereus* Walker, 1834
- 20114) *Monodontomerus obscurus* Westwood, 1833** (Torymidae) Synonym(s): *obscurus* Westwood, 1833
- 20115) *Oopristus turkestanicus* (Skriptshinsky, 1929)** (Torymidae) Synonym(s): *turkestanicus* Skriptshinsky, 1929; *safavii* Steffan, 1968
- 20116) *Podagrion splendens* Spinola, 1811** (Torymidae) Synonym(s): *splendens* Spinola, 1811
- 20117) *Podagrionella eremiaphilae* O.Doğanlar & M.Doğanlar, 2009** (Torymidae) Synonym(s): *eremiaphilae* O.Doğanlar & M.Doğanlar, 2009
- 20118) *Podagrionella konyaensis* O.Doğanlar & M.Doğanlar, 2009** (Torymidae) Synonym(s): *konyaensis* O.Doğanlar & M.Doğanlar, 2009
- 20119) *Pseudotorymus militaris* (Boheman, 1834)** (Torymidae) Synonym(s): *militaris* Boheman, 1834; *parellinus* Boheman, 1834
- 20120) *Pseudotorymus pannonicus* (Mayr, 1874)** (Torymidae) Synonym(s): *pannonicus* Mayr, 1874
- 20121) *Pseudotorymus sapphyrinus* (Fonscolombe, 1832)** (Torymidae) Synonym(s): *sapphyrinus* Fonscolombe, 1832; *mongolicus* Szelenyi, 1973
- 20122) *Torymoides dispar* (Masi, 1916)** (Torymidae) Synonym(s): *dispar* Masi, 1916
- 20123) *Torymoides kiesenwetteri* (Mayr, 1874)** (Torymidae) Synonym(s): *kiesenwetteri* Mayr, 1874; *longicauda* Masi, 1916
- 20124) *Torymoides yumurtalikiensis* (Doğanlar, 1989)** (Torymidae) Synonym(s): *#yumurtalikiensis* Doğanlar, 1989; *yumurtalikiensis* Doğanlar, 1989; *#yamurtalikiensis* Noyes, 2010
- 20125) *Torymus arcella* Graham & Gijswijt, 1998** (Torymidae) Synonym(s): *arcella* Graham & Gijswijt, 1998
- 20126) *Torymus bedeguaris* (Linnaeus, 1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus, 1758; *viridis* Geoffroy, 1785; *aurata* Christ, 1791; *elegans* Boheman, 1834; *forsteri* Ratzeburg, 1844; *divisus* Walker, 1871; *rosarum* Hoffmeyer, 1929
- 20127) *Torymus cultratus* Graham & Gijswijt, 1998** (Torymidae) Synonym(s): *cultratus* Graham & Gijswijt, 1998
- 20128) *Torymus cultriventris* Ratzeburg, 1844** (Torymidae) Synonym(s): *cultriventris* Ratzeburg, 1844
- 20129) *Torymus nitidulus* (Walker, 1833)** (Torymidae) Synonym(s): *nitidulus* Walker, 1833; *pallidicornis* Boheman, 1834; *nanulus* Walker, 1874
- 20130) *Torymus rubi* (Schränk, 1781)** (Torymidae) Synonym(s): *rubi* Schränk, 1781; *macropterum* Walker, 1833; *splendidus* Förster, 1841

TRICHO CERIDAE

- 20131) *Trichocera* (Saltrichocera) *saltator* (Harris, 1776)** (Trichoceridae) Synonym(s): *saltator* Harris, 1776; *fuscata* Meigen, 1818
- 20132) *Trichocera* (Saltrichocera) *annulata* Meigen, 1818** (Trichoceridae) Synonym(s): *annulata* Meigen, 1818; *multicincta* Santos Abreu, 1923

TRICHOGRAMMATIDAE

- 20133) Aphelinoidea anatolica Novicki,1936** (Trichogrammatidae) Synonym(s): *anatolica* Novicki,1936
20134) Bloodiella andalusica Nowicki (Trichogrammatidae) Synonym(s):
20135) Chaetostricha steineri (Nowicki) (Trichogrammatidae) Synonym(s):
20136) Monorthochaeta adanaensis Doğanlar,2002 (Trichogrammatidae) Synonym(s): *adanaensis* Doğanlar,2002
20137) Monorthochaeta galatica Nowicki,1935 (Trichogrammatidae) Synonym(s): *galatica* Nowicki,1935
20138) Oligosita collina Walker (Trichogrammatidae) Synonym(s):
20139) Oligosita foersteri Girault (Trichogrammatidae) Synonym(s):
20140) Oligosita pallida Kryger (Trichogrammatidae) Synonym(s):
20141) Pseudoligosita gracilior (Nowicki,1935) (Trichogrammatidae) Synonym(s): *gracilior* Nowicki,1935
20142) Pseudoligosita paphlagonica (Nowicki,1935) (Trichogrammatidae) Synonym(s): *paphlagonica* Nowicki,1935
20143) Pterandrophysalis levantina Nowicki,1935 (Trichogrammatidae) Synonym(s): *levantina* Nowicki,1935
20144) Trichogramma brassicae Bezdenko (Trichogrammatidae) Synonym(s):
20145) Trichogramma buluti Bulut & Kılınçer,1991 (Trichogrammatidae) Synonym(s): *buluti* Bulut & Kılınçer,1991
20146) Trichogramma cacaeciae Marchal,1927 (Trichogrammatidae) Synonym(s): *cacaeciae* Marchal,1927
20147) Trichogramma dendrolimi Matsumura,1926 (Trichogrammatidae) Synonym(s): *dendrolimi* Matsumura,1926
20148) Trichogramma embryophagum (Hartig,1838) (Trichogrammatidae) Synonym(s): *embryophagum* Hartig,1838
20149) Trichogramma evanescens Westwood,1833 (Trichogrammatidae) Synonym(s): *evanescens* Westwood,1833
20150) Trichogramma kilinceri Bulut & Kılınçer,1991 (Trichogrammatidae) Synonym(s): *kilinceri* Bulut & Kılınçer,1991
20151) Trichogramma pinto Voegelé,1982 (Trichogrammatidae) Synonym(s): *pinto* Voegelé,1982
20152) Trichogramma turkeiensis Bulut & Kılınçer,1991 (Trichogrammatidae) Synonym(s): *turkeiensis* Bulut & Kılınçer,1991
20153) Trichogramma turkestanicum Meyer,1940 (Trichogrammatidae) Synonym(s): *turkestanicum* Meyer,1940
20154) Ufens similis (Kryger) (Trichogrammatidae) Synonym(s):
20155) Ufensia foersteri (Kryger) (Trichogrammatidae) Synonym(s):
20156) Uscana johnstoni (Waterston) (Trichogrammatidae) Synonym(s):

TRIDACTYLIDAE

- 20157) Bruntridactylus irremipes (Uvarov,1934)** (Tridactylidae) Synonym(s): *irremipes* Uvarov,1934
20158) Tridactylus fasciatus Guérin,1829 (Tridactylidae) Synonym(s): *fasciatus* Guérin,1829
20159) Xya pfaendleri (Harz,1970) (Tridactylidae) Synonym(s): *pfaendleri* Harz,1970; *indisticta* Harz,1979; *musicus* Harz,1979
20160) Xya variegata (Latreille,1809) (Tridactylidae) Synonym(s): *variegata* Latreille,1809

TRIOZIDAE

- 20161) Bactericera albiventris (Förster)** (Triozidae) Synonym(s):
20162) Bactericera femoralis (Förster,1848) (Triozidae) Synonym(s): *femoralis* Förster,1848
20163) Bactericera nigricornis (Förster) (Triozidae) Synonym(s):
20164) Trioza urticae (Linnaeus) (Triozidae) Synonym(s):

TRIXSOCELIDAE

- 20165) Trixoscelis vikhrevi Woznica,2007** (Trixoscelidae) Synonym(s): *vikhrevi* Woznica,2007

- 20166) Trixoscelis approximata (Loew,1865)** (Trixoscelidae) Synonym(s): *approximata* Loew,1865
20167) Trixoscelis frontalis (Fallén,1830) (Trixoscelidae) Synonym(s): *frontalis* Fallén,1830
20168) Trixoscelis obscurella (Meigen,1830) (Trixoscelidae) Synonym(s): *obscurella* Meigen,1830
20169) Trixoscelis pedestris (Loew,1865) (Trixoscelidae) Synonym(s): *pedestris* Loew,1865

TROPIDUCHIDAE

- 20170) Trypetimorpha occidentalis Huang & Bourgoin,1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoin,1993

UENOIDAE

- 20171) Threrma anomalum McLachlan,1876** (Uenoidae) Synonym(s): *anomalum* McLachlan,1876
20172) Threrma martynovi Malicky,1976 (Uenoidae) Synonym(s): *martynovi* Malicky,1976

ULIDIIDAE

- 20173) Ceroxys hortulana (Rossi,1790)** (Ulidiidae) Synonym(s): *hortulana* Rossi,1790; *amurensis* Hennig,1939
20174) Ceroxys robusta (Loew,1873) (Ulidiidae) Synonym(s): *robusta* Loew,1873
20175) Ceroxys urticae (Linnaeus,1758) (Ulidiidae) Synonym(s): *urticae* Linnaeus,1758; *?baneai* Gheorghiu,1994
20176) Dorycera caucasica Hendel,1910 (Ulidiidae) Synonym(s): *caucasica* Hendel,1910
20177) Dorycera graminum (Fabricius,1794) (Ulidiidae) Synonym(s): *graminum* Fabricius,1794; *thamnicola* R-D.,1830
20178) Dorycera hybrida Loew,1862 (Ulidiidae) Synonym(s): *hybrida* Loew,1862
20179) Dorycera judaea (Hendel,1908) (Ulidiidae) Synonym(s): *judaea* Hendel,1908; *subasiatica* Becker,1910; *limpidipennis* Becker,1910
20180) Dorycera maculipennis Macquart,1843 (Ulidiidae) Synonym(s): *maculipennis* Macquart,1843
20181) Dorycera mesopotamica Hennig,1939 (Ulidiidae) Synonym(s): *mesopotamica* Hennig,1939; *longiceps* Hennig,1939
20182) Dorycera nitida Hendel,1910 (Ulidiidae) Synonym(s): *nitida* Hendel,1910
20183) Dorycera persica Hennig,1939 (Ulidiidae) Synonym(s): *persica* Hennig,1939
20184) Dorycera pictipennis Hennig,1939 (Ulidiidae) Synonym(s): *pictipennis* Hennig,1939
20185) Herina aartseni Merz,2002 (Ulidiidae) Synonym(s): *aartseni* Merz,2002
20186) Herina lazi Kameneva & Korneyev,2012 (Ulidiidae) Synonym(s): *lazi* Kameneva & Korneyev,2012
20187) Melieria picta (Meigen,1826) (Ulidiidae) Synonym(s): *picta* Meigen,1826; *quinquemaculata* Macquart,1835; *quinenotata* Macquart,1838
20188) Myennis octopunctata (Coquebert,1798) (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798
20189) Otites caph (Loew,1854) (Ulidiidae) Synonym(s): *caph* Loew,1854
20190) Otites formosa (Panzer,1798) (Ulidiidae) Synonym(s): *formosa* Panzer,1798; *?porca* Latreille,1804; *elegans* Latreille,1805; *?gangraenosa* Fabricius,1805; *ruficeps* Fabricius,1805; *ornata* Meigen,1826; *genualis* Loew,1868
20191) Otites grata (Loew,1856) (Ulidiidae) Synonym(s): *grata* Loew,1856
20192) Physiphora alceae (Preyssler,1791) (Ulidiidae) Synonym(s): *alceae* Preyssler,1791
20193) Physiphora demandata (Fabricius,1798) (Ulidiidae) Synonym(s): *demandata* Fabricius,1798; *splendida* Fallén,1817; *bicolor* Macquart,1835; *smaragdi* Walker,1849
20194) Scioptera vibrans (Linnaeus,1758) (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758; *urticae* R-D.,1830
20195) Timia (Empyelocera) abstersa (Loew,1873) (Ulidiidae) Synonym(s): *abstersa* Loew,1873
20196) Timia (Empyelocera) sp. (Ulidiidae) Synonym(s):
20197) Ulidia albidipennis Loew,1845 (Ulidiidae) Synonym(s): *albidipennis* Loew,1845; *atrovirens* Loew,1845
20198) Ulidia megacephala Loew,1845 (Ulidiidae) Synonym(s): *megacephala* Loew,1845
20199) Ulidiopsis mirabilis Hennig,1939 (Ulidiidae) Synonym(s): *mirabilis* Hennig,1939

VELIIDAE

- 20200) Microvelia hozari (Hoberlandt,1948)** (Veliidae) Synonym(s): *hozari Hoberlandt,1948*
20201) Microvelia reticulata (Burmeister,1835) (Veliidae) Synonym(s): *reticulata Burmeister,1835*
20202) Microvelia pygmaea (Dufour,1833) (Veliidae) Synonym(s): *pygmaea Dufour,1833*
20203) Velia (s.str.) rivulorum (Fabricius,1775) (Veliidae) Synonym(s): *rivulorum Fabricius,1775*
20204) Velia (Plesiovelia) affinis Kolenati,1856 (Veliidae) Synonym(s): *affinis Kolenati,1856*
20205) Velia (Plesiovelia) kitishenkoi Tamanini,1958 (Veliidae) Synonym(s): *kitishenkoi Tamanini,1958*
20206) Velia (Plesiovelia) mancinii Tamanini,1947 (Veliidae) Synonym(s): *mancinii Tamanini,1947*
20207) Velia mariae Tamanini,1971 (Veliidae) Synonym(s): *helenae Tamanini,1970 (praeoc.); mariae Tamanini,1971*
20208) Velia nervosa Horvath,1896 (Veliidae) Synonym(s): *nervosa Horvath,1896*

VESPIDAE

- 20209) Acanthodynerus giordanii Gusenleitner,1969** (Vespidae) Synonym(s): *giordanii Gusenleitner,1969*
20210) Alastor (Megalastor) esfandiarrii Giordani Soika,1970 (Vespidae) Synonym(s): *esfandiarrii Giordani Soika,1970*
20211) Alastor (Megalastor) mediomaculatus Giordani Soika,1952 (Vespidae) Synonym(s): *mediomaculatus Giordani Soika,1952; iconius Blüthgen,1955; graecus Gusenleitner,1970*
20212) Alastor (s.str.) mocsaryi (André,1884) (Vespidae) Synonym(s): *mocsaryi André,1884; bieglebeni Giordani Soika,1942; pannonicus Blüthgen,1956*
20213) Alastor (s.str.) pentheri Kohl,1905 (Vespidae) Synonym(s): *pentheri Kohl,1905*
20214) Alastor ardens Kostylev,1935 (Vespidae) Synonym(s): *ardens Kostylev,1935*
20215) Alastor ruficornis Gusenleitner,2001 (Vespidae) Synonym(s): *ruficornis Gusenleitner,2001*
20216) Alastor schwarzi Gusenleitner,1967 (Vespidae) Synonym(s): *schwarzi Gusenleitner,1967*
20217) Alastor thymbrinus Blüthgen,1956 (Vespidae) Synonym(s): *thymbrinus Blüthgen,1956*
20218) Allodynerus delphinalis (Giraud,1866) (Vespidae) Synonym(s): *delphinalis Giraud,1866*
20219) Allodynerus floricola (Saussure,1853) (Vespidae) Synonym(s): *floricola Saussure,1853*
20220) Allodynerus nigricornis (Morawitz,1885) (Vespidae) Synonym(s): *nigricornis Morawitz,1885*
20221) Allodynerus rossii (Lepeletier,1841) (Vespidae) Synonym(s): *rossii Lepeletier,1841*
20222) Ancistrocerus antelope (Panzer,1789) (Vespidae) Synonym(s): *antelope Panzer,1789*
20223) Ancistrocerus auctus (Fabricius,1793) (Vespidae) Synonym(s): *auctus Fabricius,1793*
20224) Ancistrocerus claripennis Thomson,1874 (Vespidae) Synonym(s): *claripennis Thomson,1874; ponticus Giordani Soika,1970*
20225) Ancistrocerus dusmetiolus (Strand,1914) (Vespidae) Synonym(s): *dusmetiolus Strand,1914*
20226) Ancistrocerus gazella (Panzer,1798) (Vespidae) Synonym(s): *gazella Panzer,1798*
20227) Ancistrocerus nigricornis (Curtis,1826) (Vespidae) Synonym(s): *nigricornis Curtis,1826*
20228) Ancistrocerus oviventris (Wesmael,1836) (Vespidae) Synonym(s): *oviventris Wesmael,1836*
20229) Ancistrocerus parietinus (Linnaeus,1761) (Vespidae) Synonym(s): *parietinus Linnaeus,1761*
20230) Ancistrocerus parietum (Linnaeus,1758) (Vespidae) Synonym(s): *parietum Linnaeus,1758*
20231) Ancistrocerus scoticus (Curtis,1826) (Vespidae) Synonym(s): *scoticus Curtis,1826*
20232) Antepipona albosignata Gusenleitner,1986 (Vespidae) Synonym(s): *albosignata Gusenleitner,1986*
20233) Antepipona cribrata (Morawitz,1885) (Vespidae) Synonym(s): *cribrata Morawitz,1885*
20234) Antepipona deflenda (Saunders,1853) (Vespidae) Synonym(s): *deflenda Saunders,1853*
20235) Antepipona iconia (Blüthgen,1951) (Vespidae) Synonym(s): *iconia Blüthgen,1951*
20236) Antepipona insana (Giordani Soika,1943) (Vespidae) Synonym(s): *insana Giordani Soika,1943; calva Gusenleitner,1988*
20237) Antepipona laevigata (Blüthgen,1951) (Vespidae) Synonym(s): *laevigata Blüthgen,1951*
20238) Antepipona orbitalis (Herrich-Schäffer,1839) (Vespidae) Synonym(s): *orbitalis Herrich-Schäffer,1839; ballioni Morawitz,1867*
20239) Antepipona osmania Gusenleitner,1986 (Vespidae) Synonym(s): *osmania Gusenleitner,1986*
20240) Antepipona tenuis Gusenleitner,1988 (Vespidae) Synonym(s): *tenuis Gusenleitner,1988*
20241) Antodynerus incomparabilis Giordani Soika,1970 (Vespidae) Synonym(s): *incomparabilis Giordani Soika,1970*
20242) Brachyodynerus chloroticus Gusenleitner,2004 (Vespidae) Synonym(s): *chloroticus Gusenleitner,2004*
20243) Brachyodynerus kopetdagicus (Kostylev,1940) (Vespidae) Synonym(s): *kopetdagicus Kostylev,1940*
20244) Brachyodynerus kurdasi Gusenleitner,1967 (Vespidae) Synonym(s): *kurdasi Gusenleitner,1967*
20245) Brachyodynerus quadrimaculatus (André,1884) (Vespidae) Synonym(s): *quadrimaculatus André,1884*

- 20246) Brachypipona orientalis Gusenleitner,2004** (Vespidae) Synonym(s): *orientalis Gusenleitner,2004*
- 20247) Brachypipona schmidtii (Gusenleitner,1967)** (Vespidae) Synonym(s): *schmidtii Gusenleitner,1967*
- 20248) Celonites abbreviatus (Villers,1789)** (Vespidae) Synonym(s): *abbreviatus Villers,1789; dubia Rossi,1790; vespiformis Olivier,1790; apiformis Fabricius,1793; hungaricus Mocsary,1877; engadinensis Schulthess,1923; tauricus Kostylev,1935*
- 20249) Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius Saussure,1854*
- 20250) Celonites foveolatus Kostylev,1935** (Vespidae) Synonym(s): *foveolatus Kostylev,1935*
- 20251) Celonites hamanni Gusenleitner,1973** (Vespidae) Synonym(s): *hamanni Gusenleitner,1973; #hammani Yıldırım & Özbek,1997*
- 20252) Celonites phlomis Gusenleitner,1973** (Vespidae) Synonym(s): *phlomis Gusenleitner,1973; #phleomis Gusenleitner,1973*
- 20253) Celonites rugiceps Bischoff,1928** (Vespidae) Synonym(s): *rugiceps Bischoff,1928*
- 20254) Celonites spinosus Gusenleitner,1966** (Vespidae) Synonym(s): *spinosus Gusenleitner,1966; invitus Gusenleitner,1973*
- 20255) Cephalochilus draco Giordani Soika,1970** (Vespidae) Synonym(s): *draco Giordani Soika,1970*
- 20256) Ceramius bureschi Atanassov,1938** (Vespidae) Synonym(s): *bureschi Atanassov,1938; lycaonius Blüthgen,1952*
- 20257) Ceramius caucasicus André,1884** (Vespidae) Synonym(s): *caucasicus André,1884*
- 20258) Ceramius palaestinensis Giordani Soika,1957** (Vespidae) Synonym(s): *palaestinensis Giordani Soika,1957; #palaestinensis Yıldırım & Özbek,1997*
- 20259) Chlorodynerus ypsilon (Kostylev,1929)** (Vespidae) Synonym(s): *ypsilon Kostylev,1929; rhodius Blüthgen,1954*
- 20260) Cyrtolabulus iranensis (Giordani Soika,1968)** (Vespidae) Synonym(s): *iranensis Giordani Soika,1968*
- 20261) Cyrtolabulus zarudnyi (Kostylev,1939)** (Vespidae) Synonym(s): *zarudnyi Kostylev,1939*
- 20262) Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne Saussure,1852*
- 20263) Delta unguiculatum (Villers,1789)** (Vespidae) Synonym(s): *unguiculatum Villers,1789; coangustata Rossi,1790; cursor Christ,1791; lapidica Christ,1791; infundibuliformis Olivier,1791; dumetorum Panzer,1799; olivieri Lepeletier,1841; huberti Saussure,1852; sporadense Schulthess,1929*
- 20264) Delta viatrix (Nurse,1903)** (Vespidae) Synonym(s): *viatrix Nurse,1903*
- 20265) Discoelius dufourii Lepeletier,1841** (Vespidae) Synonym(s): *dufourii Lepeletier,1841*
- 20266) Dolichovespula adulterina (Du Buysson,1905)** (Vespidae) Synonym(s): *borealis Lewis,1897 nec Kby.,1837; adulterina Du Buysson,1905; arctica Rohwer,1916; colchica Birula,1930; montivaga Yamane,1982*
- 20267) Dolichovespula media (Retzius,1783)** (Vespidae) Synonym(s): *media Retzius,1783; geerii Lepeletier,1836; crassa Herrich-Schaeffer,1841; similis Schenck,1853; rufoscutellata Schenck,1853; flavicincta Schenck,1853; lineolata Pérez,1910; #lugubris Birula,1927; conjugens Paul,1943; sugare Ishikawa,1969; borealis Lee,1986*
- 20268) Dolichovespula norvegica (Fabricius,1781)** (Vespidae) Synonym(s): *norvegica Fabricius,1781; norvegica Olivier,1792; britannica Leach,1814; marginata Kirby,1837; borealis Zetterstedt,1838 nec Kby.,1837; albida Sladen,1918; arctica Friese,1919; zetterstedti Blüthgen,1937*
- 20269) Dolichovespula omissa (Bischoff,1931)** (Vespidae) Synonym(s): *tripunctata Schenk,1861 nec Fabr.,1787; #ingrica Birula,1930; omissa Bischoff,1931*
- 20270) Dolichovespula saxonica (Fabricius,1793)** (Vespidae) Synonym(s): *saxonica Fabricius,1793; bavarica Schrank,1802; tridens Schenck,1853; #monticola Birula,1930; nipponica Yamane,1975; kamtschatkensis Eck,1983; nigrescens Eck,1983*
- 20271) Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris Scopoli,1763; parietum Harris,1776 nec Linn.,1758; holsatica Fabricius,1793; frontalis Latreille,1802; campanaria Fowler,1833; pilosella Costa,1858; sumptuosa Du Buysson,1905; xinjiangensis Lee,1986*
- 20272) Eumenes coarctatus (Linnaeus,1758)** (Vespidae) Synonym(s): *coarctatus Linnaeus,1758; lunulatus Fabricius,1804*
- 20273) Eumenes coronatus (Panzer,1799)** (Vespidae) Synonym(s): *coronatus Panzer,1799; detonsus Blüthgen,1943*
- 20274) Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius Saussure,1852*
- 20275) Eumenes jarkandensis Blüthgen,1938** (Vespidae) Synonym(s): *jarkandensis Blüthgen,1938; turanicus Blüthgen,1943*
- 20276) Eumenes lunulatus (Fabricius,1804)** (Vespidae) Synonym(s): *lunulatus Fabricius,1804*
- 20277) Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *mediterraneus Kriechbaumer,1879; housaki Giordani Soika,1952; anatolicus Giordani Soika,1952*
- 20278) Eumenes papillarius (Christ,1791)** (Vespidae) Synonym(s): *papillarius Christ,1791*
- 20279) Eumenes pedunculatus (Panzer,1799)** (Vespidae) Synonym(s): *pedunculatus Panzer,1799*
- 20280) Eumenes pomiformis (Fabricius,1781)** (Vespidae) Synonym(s): *pomiformis Fabricius,1781; turcicus Giordani Soika,1952*
- 20281) Eumenes punctaticlypeus Giordani Soika,1943** (Vespidae) Synonym(s): *punctaticlypeus Giordani Soika,1943; kostylevi Kurzenko,1976*

- 20282) Eumenes sareptanus André,1884** (Vespidae) Synonym(s): *sareptanus André,1884; insolanus Müller,1923*
- 20283) Eumenes subpomiformis Blüthgen,1938** (Vespidae) Synonym(s): *subpomiformis Blüthgen,1938*
- 20284) Euodynerus (Pareuodynerus) notatus (Jurine,1807)** (Vespidae) Synonym(s): *notatus Jurine,1807*
- 20285) Euodynerus (Pareuodynerus) posticus (Herrich-Schäffer,1841)** (Vespidae) Synonym(s): *posticus Herrich-Schäffer,1841*
- 20286) Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius,1793)** (Vespidae) Synonym(s): *quadrifasciatus Fabricius,1793; rufipes Gusenleitner,1984; rubrosignatus Gusenleitner,1984*
- 20287) Euodynerus (s.str.) clathratus Blüthgen,1951** (Vespidae) Synonym(s): *clathratus Blüthgen,1951*
- 20288) Euodynerus (s.str.) curictensis Blüthgen,1940** (Vespidae) Synonym(s): *curictensis Blüthgen,1940; comosellus Gusenleitner,1971*
- 20289) Euodynerus (s.str.) dantici (Rossi,1790)** (Vespidae) Synonym(s): *dantici Rossi,1790*
- 20290) Euodynerus (s.str.) disconotatus (Lichtenstein,1884)** (Vespidae) Synonym(s): *disconotatus Lichtenstein,1884*
- 20291) Euodynerus (s.str.) fastidiosus (Saussure,1853)** (Vespidae) Synonym(s): *fastidiosus Saussure,1853*
- 20292) Euodynerus (s.str.) maxmillianus Gusenleitner,1998** (Vespidae) Synonym(s): *maxmillianus Gusenleitner,1998*
- 20293) Euodynerus (s.str.) semisaecularis Dalla Torre,1889** (Vespidae) Synonym(s): *semisaecularis Dalla Torre,1889*
- 20294) Euodynerus (s.str.) velutinus Blüthgen,1951** (Vespidae) Synonym(s): *velutinus Blüthgen,1951*
- 20295) Euodynerus hellenicus Blüthgen,1942** (Vespidae) Synonym(s): *hellenicus Blüthgen,1942*
- 20296) Eustenancistrocerus (Parastenancistrocerus) amadanensis (Saussure,1855)** (Vespidae) Synonym(s): *amadanensis Saussure,1855; turca Saussure,1863; transitorius Morawitz,1867; lobatus André,1883; iranensis Giordani Soika,1943; flavellus Giordani Soika,1952; hoberlandti Giordani Soika,1952*
- 20297) Eustenancistrocerus (s.str.) israelensis Giordani Soika,1938** (Vespidae) Synonym(s): *israelensis Giordani Soika,1938; #israilensis Bağrıaçık & Tüzün,2005*
- 20298) Eustenancistrocerus jerichoensis Bytinski-Salz,1956** (Vespidae) Synonym(s): *jerichoensis Bytinski-Salz,1956; iconius Blüthgen,1957*
- 20299) Gymnomerus laevipes (Shuckard,1837)** (Vespidae) Synonym(s): *laevipes Shuckard,1837; cognatus Dufour,1839; rubicola Dufour,1839; simplicipes Herrich-Schäffer,1839*
- 20300) Hemipterochilus aberrans (Morawitz,1885)** (Vespidae) Synonym(s): *aberrans Morawitz,1885*
- 20301) Hemipterochilus bembeciformis (Morawitz,1867)** (Vespidae) Synonym(s): *bembeciformis Morawitz,1867; terricola Mocsary,1883; sinuatofascius Costa,1888; rubromaculatus Bialynicki-Birula,1926; circensis Giordani Soika,1942*
- 20302) Hemipterochilus bicoloricornis (Giordani Soika,1952)** (Vespidae) Synonym(s): *bicoloricornis Giordani Soika,1952*
- 20303) Ischnogasteroides picteti (Saussure,1852)** (Vespidae) Synonym(s): *picteti Saussure,1852; tenuis Morawitz,1888*
- 20304) Ischnogasteroides zarudnyi (Kostylev,1939)** (Vespidae) Synonym(s): *zarudnyi Kostylev,1939*
- 20305) Jucancistrocerus citreodecoratus Giordani Soika,1970** (Vespidae) Synonym(s): *citreodecoratus Giordani Soika,1970*
- 20306) Jucancistrocerus jucundus (Mocsary,1883)** (Vespidae) Synonym(s): *jucundus Mocsary,1883*
- 20307) Jugurtia escalerae Meade-Waldo,1910** (Vespidae) Synonym(s): *escalerae Meade-Waldo,1910*
- 20308) Jugurtia eurycara Kostylev,1935** (Vespidae) Synonym(s): *eurycara Kostylev,1935*
- 20309) Katamenes dimidiatus (Brullé,1832)** (Vespidae) Synonym(s): *dimidiatus Brullé,1832*
- 20310) Katamenes flavigularis (Blüthgen,1951)** (Vespidae) Synonym(s): *flavigularis Blüthgen,1951*
- 20311) Katamenes sichelii (Saussure,1852)** (Vespidae) Synonym(s): *sichelii Saussure,1852; tauriae Giordani-Soika,1960*
- 20312) Knemodynerus euodyneroides Gusenleitner,1997** (Vespidae) Synonym(s): *euodyneroides Gusenleitner,1997*
- 20313) Leptochilus (Euleptochilus) limbiferus (Morawitz,1867)** (Vespidae) Synonym(s): *limbiferus Morawitz,1867; anatolicus Blüthgen,1955; achaeus Gusenleitner,1970*
- 20314) Leptochilus (Lionotulus) aegineticus Gusenleitner,1970** (Vespidae) Synonym(s): *aegineticus Gusenleitner,1970; globosus Gusenleitner,1997*
- 20315) Leptochilus (Lionotulus) alpestris (Saussure,1855)** (Vespidae) Synonym(s): *minutus Herrich-Schäffer,1839; alpestris Saussure,1855; grandii Giordani Soika,1947; bulsanensis Blüthgen,1953*
- 20316) Leptochilus (Lionotulus) hethiticus Gusenleitner,1985** (Vespidae) Synonym(s): *hethiticus Gusenleitner,1985*
- 20317) Leptochilus (Lionotulus) membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus Morawitz,1867*
- 20318) Leptochilus (Lionotulus) mimulus Gusenleitner,1970** (Vespidae) Synonym(s): *mimulus Gusenleitner,1970; turcicus Gusenleitner,1971*

- 20319) *Leptochilus (Lionotulus) osmanicus* Gusenleitner, 1988** (Vespidae) Synonym(s): *osmanicus* Gusenleitner, 1988
- 20320) *Leptochilus (Neoleptochilus) regulus* Saussure, 1855** (Vespidae) Synonym(s): *regulus* Saussure, 1855; *gallicus* Saussure, 1855; *calabricus* Gribodo, 1881; *siculus* De Stefani, 1883; *costae* Costa, 1884; *buyssoni* Medina, 1891; *pauli* Medina, 1892; *perforatus* Dusmet, 1903; *obtusidentatus* Maidl, 1922; *wuczeticzi* Kostylev, 1928
- 20321) *Leptochilus fuscipes* Gusenleitner, 1985** (Vespidae) Synonym(s): *fuscipes* Gusenleitner, 1985
- 20322) *Leptochilus gusenleitneri* Yıldırım & Özbek, 1995** (Vespidae) Synonym(s): *gusenleitneri* Yıldırım & Özbek, 1995
- 20323) *Leptochilus kemali* Gusenleitner, 1977** (Vespidae) Synonym(s): *kemali* Gusenleitner, 1977
- 20324) *Leptochilus neutraliformis* Gusenleitner, 1977** (Vespidae) Synonym(s): *neutraliformis* Gusenleitner, 1977
- 20325) *Leptochilus neutralis* (Giordani Soika, 1943)** (Vespidae) Synonym(s): *neutralis* Giordani Soika, 1943
- 20326) *Leptochilus nigroclypeus* Gusenleitner, 1985** (Vespidae) Synonym(s): *nigroclypeus* Gusenleitner, 1985
- 20327) *Leptochilus ornatulus* Gusenleitner, 1977** (Vespidae) Synonym(s): *ornatulus* Gusenleitner, 1977
- 20328) *Leptochilus palandokenicus* Yıldırım & Özbek, 1995** (Vespidae) Synonym(s): *palandokenicus* Yıldırım & Özbek, 1995
- 20329) *Leptochilus resslis* Gusenleitner, 1985** (Vespidae) Synonym(s): *ressli* Gusenleitner, 1985
- 20330) *Leptochilus tarsatellus* Giordani Soika, 1970** (Vespidae) Synonym(s): *tarsatellus* Giordani Soika, 1970
- 20331) *Leptochilus tarsatiformis* (Giordani Soika, 1943)** (Vespidae) Synonym(s): *tarsatiformis* Giordani Soika, 1943
- 20332) *Microdynerus (Alastoryneus) microdynerus* (Dalla Torre, 1889)** (Vespidae) Synonym(s): *alastoroides* Morawitz, 1885 (praeocc.); *microdynerus* Dalla Torre, 1889; *tridentatus* Kostylev, 1935
- 20333) *Microdynerus (Pseudomicrodynerus) eurasius* Blüthgen, 1938** (Vespidae) Synonym(s): *eurasius* Blüthgen, 1938
- 20334) *Microdynerus (Pseudomicrodynerus) parvulus* (Herrich-Schäffer, 1838)** (Vespidae) Synonym(s): *parvulus* Herrich-Schäffer, 1838; *helveticus* Saussure, 1855; *bifidus* Morawitz, 1885
- 20335) *Microdynerus (s.str.) abdelkader* Saussure, 1856** (Vespidae) Synonym(s): *abdelkader* Saussure, 1856; *leopoldi* Dusmet, 1917; *pharaonum* Giordani Soika, 1960
- 20336) *Microdynerus (s.str.) appenninicus* Giordani Soika, 1960** (Vespidae) Synonym(s): *appenninicus* Giordani Soika, 1960
- 20337) *Microdynerus (s.str.) atriceps* Morawitz, 1895** (Vespidae) Synonym(s): *atriceps* Morawitz, 1895
- 20338) *Microdynerus (s.str.) confinis* Gusenleitner, 1979** (Vespidae) Synonym(s): *confinis* Gusenleitner, 1979
- 20339) *Microdynerus (s.str.) longicollis* Morawitz, 1895** (Vespidae) Synonym(s): *longicollis* Morawitz, 1895; *patagiatus* Schulthess, 1897
- 20340) *Microdynerus (s.str.) mirandus* (Giordani Soika, 1947)** (Vespidae) Synonym(s): *mirandus* Giordani Soika, 1947
- 20341) *Microdynerus (s.str.) nugundensis* (Saussure, 1855)** (Vespidae) Synonym(s): *nugundensis* Saussure, 1855
- 20342) *Microdynerus anatolicus* (Blüthgen, 1938)** (Vespidae) Synonym(s): *anatolicus* Blüthgen, 1938
- 20343) *Microdynerus curdistanicus* Gusenleitner, 1988** (Vespidae) Synonym(s): *curdistanicus* Gusenleitner, 1988
- 20344) *Microdynerus erzincanensis* Yıldırım & Özbek, 1995** (Vespidae) Synonym(s): *erzincanensis* Yıldırım & Özbek, 1995
- 20345) *Odynerus (s.str.) femoratus* Saussure, 1856** (Vespidae) Synonym(s): *femoratus* Saussure, 1856; *duskei* Morawitz, 1895
- 20346) *Odynerus (s.str.) melanocephalus* (Gmelin, 1790)** (Vespidae) Synonym(s): *melanocephalus* Gmelin, 1790; *dentipes* Herrich-Schäffer, 1839; *serripes* Taschenberg, 1866; *sareptanus* André, 1884; *armeniacus* Morawitz, 1885; *combinata* Blüthgen, 1940; *luxuriosa* Blüthgen, 1955; *cypriacus* Eck, 1971
- 20347) *Odynerus (s.str.) poecilus* Saussure, 1856** (Vespidae) Synonym(s): *poecilus* Saussure, 1856; *ruficornis* Rudow, 1876
- 20348) *Odynerus (s.str.) spinipes* (Linnaeus, 1758)** (Vespidae) Synonym(s): *spinipes* Linnaeus, 1758; *quinquefasciata* Fabricius, 1793; *muticus* Zetterstedt, 1838; *#flaviscapus* Mader, 1936; *scutellaris* Blüthgen, 1940
- 20349) *Odynerus (Spinicoxa) albopictus* Saussure, 1856** (Vespidae) Synonym(s): *albopictus* Saussure, 1856; *calcaratus* Morawitz, 1885; *rufospinosus* Morawitz, 1895; *argivus* Schulthess, 1924
- 20350) *Odynerus (Spinicoxa) simillimus* Morawitz, 1967** (Vespidae) Synonym(s): *simillimus* Morawitz, 1967; *dentifer* Drogoszewski, 1934
- 20351) *Onychopterocheilus hellenicus* (Morawitz, 1885)** (Vespidae) Synonym(s): *hellenicus* Morawitz, 1885; *syriacus* Blüthgen, 1952
- 20352) *Paragymnomerus amitinorum* Blüthgen, 1938** (Vespidae) Synonym(s): *amitinorum* Blüthgen, 1938

- 20353) Parapolybia escalarae Meade-Waldo,1911** (Vespidae) Synonym(s): *escalarae* Meade-Waldo,1911
- 20354) Paravespa mimetica (Schulthess,1924)** (Vespidae) Synonym(s): *mimetica* Schulthess,1924
- 20355) Pareumenes laminatus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *laminatus* Kriechbaumer,1879
- 20356) Parodontodynerus ephippium (Klug,1817)** (Vespidae) Synonym(s): *ephippium* Klug,1817
- 20357) Polistes (s.str.) associus Kohl,1898** (Vespidae) Synonym(s): *associus* Kohl,1898
- 20358) Polistes (s.str.) atrimandibularis (Zimmermann,1930)** (Vespidae) Synonym(s): *atrimandibularis* Zimmermann,1930; *albidus* Blüthgen,1957
- 20359) Polistes (s.str.) biglumis (Linnaeus,1758)** (Vespidae) Synonym(s): *biglumis* Linnaeus,1758; *alpium* Blüthgen,1957
- 20360) Polistes (s.str.) bischoffi (Weyrauch,1937)** (Vespidae) Synonym(s): *bischoffi* Weyrauch,1937
- 20361) Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchei* Gusenleitner,1976
- 20362) Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foederatus* Kohl,1898; *omissus* Weyrauch,1939
- 20363) Polistes (s.str.) nimphus (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791; *opinabilis* Kohl,1898; *moltonii* Guiglia,1944; *irakensis* Gusenleitner,1976
- 20364) Polistes (s.str.) semenowi Morawitz,1889** (Vespidae) Synonym(s): *semenowi* Morawitz,1889
- 20365) Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae) Synonym(s): *sulcifer* Zimmermann,1930; *simulator* Zirngiebl,1955
- 20366) Pseudepipona (Deuterepipona) ankarensis Giordani Soika,1970** (Vespidae) Synonym(s): *ankarensis* Giordani Soika,1970
- 20367) Pseudepipona (Deuterepipona) ionia (Saussure,1855)** (Vespidae) Synonym(s): *ionia* Saussure,1855
- 20368) Pseudepipona (s.str.) lativentris (Saussure,1855)** (Vespidae) Synonym(s): *lativentris* Saussure,1855
- 20369) Pseudepipona (s.str.) pseudominuta Gusenleitner,1972** (Vespidae) Synonym(s): *pseudominuta* Gusenleitner,1972
- 20370) Pseudepipona herrichii (Saussure,[1856])** (Vespidae) Synonym(s): *herrichii* Saussure,[1856]
- 20371) Pseudosymmorphus adnexus (Gusenleitner,1969)** (Vespidae) Synonym(s): *adnexus* Gusenleitner,1969
- 20372) Pseudosymmorphus prophetus (Giordani Soika,1952)** (Vespidae) Synonym(s): *prophetus* Giordani Soika,1952; *asiaticus* Giordani Soika,1970
- 20373) Psiliglossa anatolica Giordani Soika,1979** (Vespidae) Synonym(s): *anatolica* Giordani Soika,1979
- 20374) Psiliglossa odyneroides (Saunders,1872)** (Vespidae) Synonym(s): *odyneroides* Saunders,1872
- 20375) Pterocheilus atrohirtus Morawitz,1885** (Vespidae) Synonym(s): *atrohirtus* Morawitz,1885
- 20376) Pterocheilus fausti Morawitz,1873** (Vespidae) Synonym(s): *fausti* Morawitz,1873; *aurantiopicus* Giordani Soika,1970
- 20377) Pterocheilus mavromoustakisi Giordani Soika,1979** (Vespidae) Synonym(s): *mavromoustakisi* Giordani Soika,1979
- 20378) Pterocheilus multimaculatus Gusenleitner,2004** (Vespidae) Synonym(s): *multimaculatus* Gusenleitner,2004
- 20379) Quartinia araxana Giordani Soika,1960** (Vespidae) Synonym(s): *araxana* Giordani Soika,1960; *soika* Richards,1962
- 20380) Quartinia popovi Gussakovskii,1936** (Vespidae) Synonym(s): *popovi* Gussakovskii,1936
- 20381) Quartinia separata Gusenleitner,1997** (Vespidae) Synonym(s): *separata* Gusenleitner,1997
- 20382) Raphiglossa eumenoides Saunders,1850** (Vespidae) Synonym(s): *eumenoides* Saunders,1850; *caucasica* Giordani Soika,1970
- 20383) Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *lefebri* Lepeletier,1841; *leviscutis* Cameron,1908; *distinguendum* Buysson,1913; *hebraeum* Giordani Soika,1952; *adenense* Giordani Soika,1952; *ibericum* Giordani Soika,1966
- 20384) Stenodynerus aequisculptus (Kostylev,1940)** (Vespidae) Synonym(s): *aequisculptus* Kostylev,1940
- 20385) Stenodynerus bluethgeni Van der Vecht,1971** (Vespidae) Synonym(s): *bluethgeni* Van der Vecht,1971
- 20386) Stenodynerus chevrieranus (Saussure,1855)** (Vespidae) Synonym(s): *chevrieranus* Saussure,1855
- 20387) Stenodynerus chitgarensis Giordani Soika,1970** (Vespidae) Synonym(s): *chitgarensis* Giordani Soika,1970
- 20388) Stenodynerus claviger Gusenleitner,1981** (Vespidae) Synonym(s): *claviger* Gusenleitner,1981
- 20389) Stenodynerus fastidiosissimus (Saussure,1855)** (Vespidae) Synonym(s): *fastidiosissimus* Saussure,1855; *difficilis* Morawitz,1867
- 20390) Stenodynerus orenburgensis (André,1884)** (Vespidae) Synonym(s): *orenburgensis* André,1884

- 20391) Stenodynerus pannosus Gusenleitner,1985** (Vespidae) Synonym(s): *pannosus Gusenleitner,1985*
- 20392) Stenodynerus simulatus Gusenleitner,1981** (Vespidae) Synonym(s): *simulatus Gusenleitner,1981*
- 20393) Symmorphus bifasciatus (Linnaeus,1761)** (Vespidae) Synonym(s): *bifasciatus Linnaeus,1761*
- 20394) Symmorphus connexus (Curtis,1826)** (Vespidae) Synonym(s): *connexus Curtis,1826*
- 20395) Symmorphus crassicornis (Panzer,1798)** (Vespidae) Synonym(s): *crassicornis Panzer,1798*
- 20396) Symmorphus gracilis (Brullé,1832)** (Vespidae) Synonym(s): *gracilis Brullé,1832*
- 20397) Symmorphus murarius (Linnaeus,1758)** (Vespidae) Synonym(s): *murarius Linnaeus,1758; nidulator Saussure,1856*
- 20398) Syneuodynerus egregius (Herrich-Schäffer,1839)** (Vespidae) Synonym(s): *egregius Herrich-Schäffer,1839*
- 20399) Syneuodynerus erichi Gusenleitner,1967** (Vespidae) Synonym(s): *erichi Gusenleitner,1967*
- 20400) Syneuodynerus sigberti (Gusenleitner,1967)** (Vespidae) Synonym(s): *sigberti Gusenleitner,1967*
- 20401) Tachyancistrocerus komarowi (Morawitz,1885)** (Vespidae) Synonym(s): *komarowi Morawitz,1885*
- 20402) Tachyancistrocerus rhodensis (Saussure,1855)** (Vespidae) Synonym(s): *rhodensis Saussure,1855; sulcatus André,1883*
- 20403) Tachyancistrocerus schmidtii (Kokujev,1912)** (Vespidae) Synonym(s): *schmidtii Kokujev,1912*
- 20404) Tachyancistrocerus syriacus Giordani Soika,1970** (Vespidae) Synonym(s): *syriacus Giordani Soika,1970*
- 20405) Tropidodynerus interruptus (Brullé,1832)** (Vespidae) Synonym(s): *interruptus Brullé,1832*
- 20406) Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro Linnaeus,1758; germana Christ,1791*
- 20407) Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis Linnaeus,1771; turcica Drury,1773; quadripunctata Forskal,1775; fusca Christ,1791; aegyptiaca Vallot,1802; nilotica Vallot,1802; jurinei Saussure,1854; zavattarii Guiglia & Capra,1933; somalica Giordani Soika,1934; arabica Giordani Soika,1957*
- 20408) Vespula austriaca (Panzer,1799)** (Vespidae) Synonym(s): *austriaca Panzer,1799; borealis Smith,1843 nec Kby.,1837; arborea Smith,1849; biloba Schilling,1850; infernalis Saussure,1854; tripunctata Packard,1870*
- 20409) Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica Fabricius,1793*
- 20410) Vespula rufa (Linnaeus,1758)** (Vespidae) Synonym(s): *rufa Linnaeus,1758; schrenckii Radoszkowski,1861; sibirica André,1884; intermedia Buysson,1905; grahami Archer,1981; obscura Lee,1986; yichunensis Lee,1986*
- 20411) Vespula vulgaris (Linnaeus,1758)** (Vespidae) Synonym(s): *vulgaris Linnaeus,1758; sexcincta Panzer,1799; communis Saussure,1857 nec Schr.,1785; alascensis Packard,1870; westwoodii Shipp,1893; pseudogermanica Stolf,1932*

XYELIDAE

- 20412) Xyela curva Benson,1938** (Xyelidae) Synonym(s): *curva Benson,1938*
- 20413) Xyela graeca Stein,1876** (Xyelidae) Synonym(s): *graeca Stein,1876*
- 20414) Xyela julii (Brébisson,1818)** (Xyelidae) Synonym(s): *julii Brébisson,1818*
- 20415) Xyela menelaus Benson,1960** (Xyelidae) Synonym(s): *menelaus Benson,1960*

XYLOMYIDAE

- 20416) Solva marginata (Meigen,1820)** (Xylomyidae) Synonym(s): *marginata Meigen,1820*
- 20417) Xylomya maculata (Meigen,1804)** (Xylomyidae) Synonym(s): *maculata Meigen,1804*

Selected References

- 1) **Aarvik, L. & O. Karsholt**, 1993, New and little known Grapholitini (Lepidoptera, Tortricidae) from the Mediterranean area. *Nota lepid.* 15 (3/4): 164-178, figs.
- 2) **Abadjiev, S. & J. Ganev**, 1990, *Anthocharis gruneri macedonica* (Buresch, 1921) syn. nov. of *Anthocharis gruneri gruneri* (Herrich-Schäffer, 1851) (Lepidoptera, Pieridae). *Phegea* 18 (2): 65-66.
- 3) **Abbasian-Lintzen, R.**, 1968, Bombyliidae (Diptera) of Iran IV. Species of the subfamily Cythereinae. *J. nat. Hist.* 2: 231-238.
- 4) **Abe, M. & D. R. Smith**, 1991, The genus-group names of Symphyta (Hymenoptera) and their type-species. *Esakia* 31 (1): 1-115.
- 5) **Abeille de Perrin, E.**, 1890, Malachides d'Europe et pays voisins. *Annls Soc. ent. Fr.* 59: 181-260, 311-420, 567-680, pl. 4.
- 6) **Abeille de Perrin, E.**, 1891, Malachides d'Europe et pays voisins. *Annls Soc. ent. Fr.* 60: 115-230, 405-446, pls. 6 & 7.
- 7) **Abeille de Perrin, E.**, 1892, Decrit deux nouvelles especes de Clerides méditerranéens. *Bull. Soc. ent. Fr.* 1892: ccxxxvi-ccxxxvii.
- 8) **Abraham, L.**, 2012, "On the other hand, what is this Eastern aeschnoides?" (Morton, 1926) - an undescribed Palpaes species from the Eastern Mediterranean (Neuroptera, Myrmeleontidae). *Natura Somogyiensis* 22: 65-102, figs.
- 9) **Acatay, A.**, 1953, Çam kese böceği (*Thaumetopoea pityocampa* Schiff., *Thaumetopoea wilkinsoni* Tams) hakkında araştırmalar ve adalardaki mücadelesi. *Ist. Univ. Orman Fak. Dergisi* 3(1/2): 29-47, 9 şekil
- 10) **Acatay, A.**, 1972, *Thaumetopoea* Hbst. (Lep., Thaumetopoeidae) Arten in der Türkei. 13 Int. Congr. Ent. Moscow, Proceedings 3: 8-9.
- 11) **Achterberg, C. van & B. v. Aartsen**, 1986, The European Pamphiliidae (Hymenoptera, Symphyta) with special reference to the Netherlands. *Zool. Verh.* 234: 1-98, 366 figs. 2 tab.
- 12) **Achterberg, C. van**, 1976, A revision of the tribus Blacini (Hymenoptera, Braconidae, Helconinae). *Tijdschr. Ent.* 118 (7) (1975): 159-322, 476 figs.
- 13) **Achterberg, C. van**, 1988, Revision of the subfamily Blacinae Foerster (Hymenoptera, Braconidae). *Zool. Verh.* 249: 1-324, 1250 figs.
- 14) **Achterberg, C. van**, 1990, Revision of the western Palaearctic Phanerotomini (Hymenoptera, Braconidae). *Zool. Verh.* 255: 1-106, 360 figs.
- 15) **Achterberg, C. van**, 1990, Revision of the genera Foersteria Szepliget and Polydegmon Foerster (Hymenoptera, Braconidae). *Zool. Verh.* 257: 1-32, figs.
- 16) **Achterberg, C. van**, 1979, A revision of the subfamily Zelinae auct. (Hymenoptera, Braconidae). *Tijdschr. Ent.* 122: 241-479, 900 figs.
- 17) **Ackery, P. R.**, 1973, A list of the type-specimens of Parnassius in the British Museum (Natural History). *Bull. Br. Mus. (Nat. Hist.) Ent.* 29: 1-35.
- 18) **Ackery, P. R.**, 1975, A Guide to the genera and species of Parnassiinae (Lepidoptera, Papilionidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 31 (4): 71-105, 32 figs., 16 pls.
- 19) **Adamczewski, S.**, 1951, On the systematics and origin of the generic group Oxyptilus Zeller (Lepidoptera, Alucitidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 1 (5): 301-388, pls.
- 20) **Adlbauer, K.**, 1982, Eine neue Dorcadion-Art aus Kleinasien (Coleoptera, Cerambycidae). *NachrBl. bayer. Ent.* 31 (6): 104-107, 2 Abb.
- 21) **Adler, P. H. & R. W. Crosskey**, 2012, World Blackflies (Diptera, Simuliidae): A comprehensive revision of the taxonomic and geographical inventory [2012], 119 pp. <http://www.clemson.edu/cafls/departments/esps/biomia/pdfs/blackflyinventory.pdf> [accessed on 11 June, 2012].
- 22) **Agassiz, J. L. R.**, 1846-1847, Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium quam fossilium [Lepidoptera: fascicle 9-10 (1846), index universalis (1847)]. Soloduri, Jent and Grassman.
- 23) **Agassiz, R. D. & B. Skinner**, 1980, The apparent absence from Britain of *Thera variata* (Denis & Schiffermueller) and related changes in the nomenclature. *Entomologist's Rec. J. Var.* 92(7/8): 162-166, pls.
- 24) **Agenjo, R.**, 1941, Monografía de la Familia Thaumetopoeidae (Lepidoptera). *Eos* 17: 69-130, 5 pls.
- 25) **Agenjo, R.**, 1956, Monografía del genero Narraga Wlk. (Lepidoptera, Geometridae). *Eos* 32: 7-56, pls.
- 26) **Agenjo, R.**, 1958, Tribus y Subtribus de la Subfamilia Phycitinae Cotes, 1899 (Lepidoptera, Phycitidae). *Eos* 34: 205-208.

- 27) **Agnoli, G.L.**, 2005, The genus *Methocha* in Europe: a discussion on taxonomy, distribution and likely origin of its known species and subspecies (Hymenoptera, Tiphidae Methochinae). *Bull. Insectology* 58 (1): 35-47, figs.
- 28) **Ahmad, I. & F.Önder**, 1990, Revision of the genus *Arma* Hahn (Hemiptera, Pentatomidae, Pentatominae, Asopini) with description of two new species from Turkey. *Türk. ent. derg.* 14 (1): 3-12, figs.
- 29) **Ahmad, I. & F.Önder**, 1990, A revision of the genus *Picromerus* Amyot and Serville (Hemiptera, Pentatomidae, Pentatominae, Asopini) from the western palaearctic with description of two new species from Turkey. *Türk. ent. derg.* 14 (2): 75-84, figs.
- 30) **Ahola, M.**, 1986, Larvae of European *Polia Ochsenheimer* (Lepidoptera, Noctuidae), with proposals on a subgeneric division and phylogeny. *Ent. scand.* 17: 55-74, figs.
- 31) **Ahrens, D.**, 2008, Catalogue Palaearctic Sericini (updated March 2008). <http://www.serica.gmxhome.de/layout05/thema1b.htm>
- 32) **Akbulut, S., Yüksel, B. & A.Keten**, 2003, The Lepidoptera (Insecta) Fauna of Düzce Province, Turkey. *Türk J. Zool.* 27: 257-268 [with some nomenclatural errors!].
- 33) **Akın, Ç.**, 2000, Edirne kelekleri hakkında notlar (Lepidoptera). *Centr. ent. Stud., Misc. Pap.* 63: 5-8.
- 34) **Akın, K.**, 2011, On the distribution and biology of *Orthosia rubricosa* (Esper, [1786]) in Turkey (Lepidoptera, Noctuidae). *Cesa News* 70: 3-5, 2 figs. 1 map.
- 35) **Akın, K.**, 2012, Mutki (Bitlis) Lepidoptera faunasına katkılar I. Sphingidae. *B.E.U. Fen Bilimleri Derg.* 1 (1): 45-49.
- 36) **Akkuzu, E., Ayberk, H. & S.Inac**, 2007, Hawk moths (Lepidoptera, Sphingidae) of Turkey and their zoogeographical distribution. *J. env. biol.* 28 (4): 723-730.
- 37) **Aktaş, M. & A.Hasbenli**, 1994, Bat Flies of Eastern Turkey (Diptera, Nycteribiidae). *J. Inst. Sci. Techn. Gazi Univ.* 7: 48-51.
- 38) **Aktaş, M. & S.Kiyak**, 1990, A new record of *Cacodmus vicinus* Horvath to the fauna of Turkey (Hemiptera, Cimicidae). *Cent. ent. Stud., Misc. Pap.* 7: 1-2.
- 39) **Aktaş, M. & S.Sarıbiyik**, 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) 2. Milesiinae. *Gazi Univ. Fen Bil. Derg.* 9 (1): 15-27, figs.
- 40) **Albarda, H.**, 1891, Révision des Raphidides. *Tijdschr. Ent.* 34: 65-184, 11 pls.
- 41) **Albers, T. & F.Diehl**, 1938, Beitrag zur Verbreitung von *Chloridea dipsacea* L. und *maritima* Grasl. *Ent. Rdsch.* 55: 461-465.
- 42) **Albers, T.**, 1940, Beiträge zur Kenntnis der Gattung *Boarmia* Tr. (Geom., pal.) I. *Boarmia correptaria* Z. und ihre Stellung im System. *Z. Wien. ent. Ver.* 25: 65-69, Taf. xii-xiii.
- 43) **Albers, T.**, 1941, Beiträge zur Kenntnis der Gattung *Boarmia* Tr. (Geom., pal.) II. Die männlichen Genitalarmaturen der europäischen und nordafrikanischen Boarmien. *Mitt. münch. ent. Ges.* 31: 948-982, 25 Abb.
- 44) **Alberti, B. & K.Fritsch**, 1983, Über einige bemerkenswerte Funde von Lepidoptera aus dem Grossen Kaukasus. *Nota lepid.* 6 (4): 192-202, figs.
- 45) **Alberti, B.**, 1928, Über *Lycaena thersites* Cant. *Dt. ent. Z.* 1928: 211-217.
- 46) **Alberti, B.**, 1937-1938, Revision und Neubeschreibungen asiatischer *Procris*-Arten. *Mitt. münch. ent. Ges.* 27(2): 67-101; 27(3): 116-126, 3 Taf.
- 47) **Alberti, B.**, 1938, Nachtrag zur Revision asiatischer *Procris*-Arten. *Mitt. münch. ent. Ges.* 28(2): 92-96, figs.
- 48) **Alberti, B.**, 1954, Über die stammesgeschichtliche Gliederung der Zygaenidae, nebst Revision einiger Gruppen (Insecta, Lepidoptera). *Mitt. zool. Mus. Berl.* 30: 115-480, 33 figs., 63 pls.
- 49) **Alberti, B.**, 1955, Zur Stammesgeschichte und Systematik der Zygaenini (Lepidoptera, Zygaenidae). *Dt. ent. Z. (N.F.)* 2: 301-321, 5 figs., 5 Pls.
- 50) **Alberti, B.**, 1955, Zur Kenntnis der Gattung *Carcharodus* Hbn., mit einer Betrachtung zum Art-, und Gattungsbegriff. *Z. Lepid.* 3: 105-142, figs.
- 51) **Alberti, B.**, 1955, Eine neue Vikariante der *Pyrgus malvae* L.-Gruppe (Lep., Hesperidae). *Z. Wien. ent. Ges.* 40: 43-46, figs.
- 52) **Alberti, B.**, 1956, Zur Umgrenzung und Gliederung von *Zygaena* F. *Ent. Z., Frankf. a. M.* 66: 200-206.
- 53) **Alberti, B.**, 1964, Über Verbreitungsbild und systematische Wertung von *Carcharodus orientalis* Rev. and *altheae* Hbn. (Lepidoptera, Hesperidae). *Z. wien. ent. Ges.* 49: 99-103, figs.
- 54) **Alberti, B.**, 1965, Zur Kenntnis der *Plusia modesta* Hb.-Gruppe (Lepidoptera, Noctuidae). *Dt. ent. Z. (N.F.)* 12(4/5): 365-369, figs.
- 55) **Alberti, B.**, 1965, Westasiatische und nordkaukasische *Procris* Funde (Lepidoptera, Zygaenidae). *Opusc. zool.* 88: 1-7, figs.
- 56) **Alberti, B.**, 1971, Über *Zygaena dorycnii* O. und forma *araratica* Stgr. (Lepidoptera, Zygaenidae). *NachrBl. bayer. Ent.* 20: 1-4.

- 57) **Alberti, B.**, 1973, Zweite Mitteilung ueber einige neue oder bemerkenswerte Lepidopteren-Formen aus dem Grossen Kaukasus und Transkaukasien (Lepidoptera). *Atalanta* 4(6): 380-393, 2 pls.
- 58) **Alberti, B.**, 1973, Ergänzende Bemerkungen zu Higgins & Riley "A field guide to the butterflies of Britain and Europe", nebst Beschreibung der *Lycaena pyrenaica latedisjuncta* n.subsp. *Ent. Z., Frankf. a. M.* 83: 217-223.
- 59) **Alberti, B.**, 1974, Ergebnisse der tschechoslovakisch- iranischen entomologischen Expedition nach der Iran 1970 (mit Angaben ueber einige Sammelresultate in Anatolien). Nr.5 Lepidoptera: Hesperidae, Syntomidae, Zygaenidae. *Acta ent. Mus. natn. Pragae (suppl.)* 6: 79-85.
- 60) **Alberti, B.**, 1974, Zur Kenntnis der Artgruppe um *Melitaea athalia* im Kaukasus (Lepidoptera, Nymphalidae). *Ent. Z., Frankf. a. M.* 84: 157-164, figs.
- 61) **Alberti, B.**, 1974, Über die Identität von *Procris staudingeri* Alberti, mit *Procris hector* Jordan, nebst Beschreibung einer neuen Unterart von *Procris volgensis* (Lepidoptera, Zygaenidae). *Ent. Z., Frankf. a. M.* 84: 48-51, 6 figs.
- 62) **Alberti, B.**, 1975, Über eine neue Form von *Endromis versicolora* (Lep., Endromidae). *Ent. Z., Frankf. a. M.* 85(8): 85-89, Abb.
- 63) **Alberti, B.**, 1975, Über einige Artprobleme in der Gattung *Zygaena* (Lepidoptera, Zygaenidae). *NachrBl. bayer. Ent.* 22: 8-15.
- 64) **Alberti, B.**, 1981, Über Wesen und Aussagegrenzen der "Phylogenetischen Systematik" von Hennig, untersucht am Beispiel der Zygaenidae. *Mitt. münch. ent. Ges.* 71: 1-31, 7 figs.
- 65) **Alberti, B.**, 1984, Zur Taxonomie der *Pyrgus alveus* Hb.- Gruppe (Lepidoptera, Hesperidae). *Nota lepid.* 7 (1): 2-6.
- 66) **Albrecht, M., Goldschalt, M. & R.Treiber**, 1999, Der Heilziest-Dickkopffalter *Carcharodus floccifera* (Zeller, 1847) (Lepidoptera, Hesperidae). *Nachr. ent. Ver. Apollo, Suppl.* 18: 1-256, 76 Abb. Tab.
- 67) **Alexandrov-Martynova, M.**, 1926, Die Ascalaphiden von Turkestan, Persien und West-Himalaya. *Ent. Obozr.* 20: 197-203, fig.
- 68) **Alexandrov-Martynova, M.**, 1930, Zur Kenntnis der Nemopteren Persiens und einiger Mittelmeerländer. *Zool. Anz.* 90: 235-250.
- 69) **Alfken, J.D.**, 1930, Apidae [in] Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). *Sitz. Akad. Wiss. Wien* 139: 25-26.
- 70) **Alfken, J.D.**, 1935, Beitrag zur Kenntnis der Bienenfauna von Kleinasien. *Ent. Rdsch.* 52: 110-111, 129-132, 148-152, 153-162
- 71) **Alkan, B.**, 1946, Kızılcahamam, Bolu (Abant) ve Düzce ormanlarında entomolojik araştırmalar. 28pp. 26 figs. Hüsniatabiat Basımevi, İstanbul [in Turkish].
- 72) **Alpay, N., Aktaş, M. & A.Hasbenli**, 2007, Contributions to the Leptogastrinae fauna of Turkey (Diptera, Asilidae). *Int. J. Dipt. Res.* 18 (1): 7-13.
- 73) **Alpheraky, S.N.**, 1876, Die Schmetterlinge der Umgegend von Taganrog. *Trudy russk. ent. Obshch.* 8: 150-226.
- 74) **Alpheraky, S.N.**, 1877, Lepidoptera Caucasi Septentrionalis. *Trudy russk. ent. Obshch.* 10: 3-34.
- 75) **Alpheraky, S.N.**, 1880, *Hypenodes balneorum* sp.n. *Horae Soc. ent. ross.* 15: 137-138.
- 76) **Alpheraky, S.N.**, 1880, Die Lepidopteren der Umgegend von Taganrog. *Trudy russk. ent. Obshch.* 11: 45-50.
- 77) **Alpheraky, S.N.**, 1881, Lépidoptères du district de Kouldja et des montagnes environnantes. I. *Partie. Rhopalocera. Horae Soc. ent. ross.* 16: 334-435, pls.
- 78) **Alpheraky, S.N.**, 1882, Lépidoptères du district de Kouldja et des montagnes environnantes II. *Partie. Horae Soc. ent. ross.* 17: 15-103, pls.
- 79) **Alpheraky, S.N.**, 1883, Ueber die Gattung *Colias* F. *Stettin ent. Ztg.* 44: 488-495.
- 80) **Alpheraky, S.N.**, 1889, Le Pamir et sa faune lépidoptérologique. *Noctuelites*. [In] Romanoff, N.M., *Mém. Lépid.* 5: 124-191.
- 81) **Alpheraky, S.N.**, 1893, *Metopoplus* gen.n., [in] Christoph, A., *Lepidoptera nova faunae palaearcticae*. *Dt. ent. Z., Iris* 6: 92.
- 82) **Alpheraky, S.N.**, 1908, Schmetterlinge der Umgebung von Taganrog. *Horae Soc. ent. ross.* 38: 558-627.
- 83) **Alpheraky, S.N.**, 1913, Quelques données sur les races de la Zegris euphème Esper. *Etud. Lépid. comp.* 7: 221-234.
- 84) **Alqarni, A.S.i Hannan, M.A., Gonzalez, V.H. & M.S.Engel**, 2012, A new species of *Chalicodoma* from Saudi Arabia with modified facial setae (Hymenoptera, Megachilidae). *Zookeys* 204: 71-83, figs.
- 85) **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. *Bitki Koruma Bült.* 21 (2): 53-88 [80-81].
- 86) **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. *Bitki kor. bült.* 21 (2): 53-88.

- 87) Altunsoy, F. & A.Y.Kılıç, 2010, New faunistic record of Horse Flies (Diptera, Tabanidae) in Turkey. J. Ent. Res. Soc. 12 (2): 109-112.
- 88) Altunsoy, F. & A.Y.Kılıç, 2011, Orta Karadeniz Bölgesi Tabanidae (Diptera, Insecta) faunasına katkılar. Gümüşhane Üniv. Fen Bil. Enst. Derg. 1 (1): 15-23 [serious copy/paste errors exist; see also other continuing publication of the same authors].
- 89) Altunsoy, F. & A.Y.Kılıç, 2011, Doğu Karadeniz Bölgesi Tabanidae (Diptera, Insecta) faunası. Gümüşhane Üniv. Fen Bil. Enst. Derg. 1 (1): 24-36 [serious copy/paste errors exist; see also previous publication of the same authors].
- 90) Amsel, H.G., 1935, Zur Kenntnis der Microlepidopterenfauna des südlichen Toten-Meer-Gebietes, nebst Beschreibung neuer palästinensischer Macro- und Microlepidoptera. Veröff. dt. Kolon. Übers.-Mus. 1(2): 203-221, 2 Taf.
- 91) Amsel, H.G., 1935, Weitere Mitteilungen ueber palaestinensische Lepidopteren. Veröff. dt. Kolon. Übers.-Mus. 1(2): 223-277.
- 92) Amsel, H.G., 1936, Die palaearktischen Isophrictis- Arten (Lepidoptera, Gelechiidae). Veröff. dt. Kolon. Übers.-Mus. Bremen. 1(3): 369-376.
- 93) Amsel, H.G., 1938, Beiträge zur Kleinschmetterlingsfauna der Balkanländer und Kleinasien. Dt. ent. Z., Iris 52: 152-159, pl.
- 94) Amsel, H.G., 1942, Revision der Gattung Holcopogon Stgr. (Lepidoptera, Scythrididae). Veröff. dt. Kolon. Übers.-Mus. Bremen 3(3): 224-237, pls.
- 95) Amsel, H.G., 1949, Die Microlepidopteren der Brandt'schen Iran Ausbeute I. Bull. Soc. Fouad I Ent. 33: 227-269, figs.
- 96) Amsel, H.G., 1949, On the Microlepidoptera collected by E.P.Wiltshire in Iraq and Iran. Bull. Soc. Fouad I Ent. 33: 271-351, figs.
- 97) Amsel, H.G., 1950, Die Lepidopteren der Brandt'schen Iran Ausbeute II. Ark. Zool. 1(17): 223-257, figs.
- 98) Amsel, H.G., 1951, Die Microlepidopteren der Brandt'schen Iran Ausbeute III. Ark. Zool. 1(36): 525-563, figs.
- 99) Amsel, H.G., 1952, Über einige von Hampson beschriebene palaearktische Pyraliden (Lepidoptera, Pyralidae). Mitt. münch. ent. Ges. 42: 40-70, figs.
- 100) Amsel, H.G., 1953, Die Microlepidopteren der Brandt'schen Iran Ausbeute IV. Ark. Zool. 6 (16): 255-326, figs.
- 101) Amsel, H.G., 1953, Über einen tiergeographisch interessanten Kleinschmetterlingen Süddeutschlands. Die Unterart- Bildung bei *Pristophora florella* Mn. (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 12: 12-16, pl.
- 102) Amsel, H.G., 1953, Wissenschaftliche Ergebnisse der zoologischen Expedition des National Museum in Prag nach der Türkei. Sb. ent. Odd. nar. Mus. Praha 28: 411-429, figs.
- 103) Amsel, H.G., 1953, Ueber einige von Ragonot und Dumont beschriebene palaearktische Microlepidopteren des Pariser Museums. Revue fr. Ent. 20 (3): 223-230, 11 figs.
- 104) Amsel, H.G., 1954, Neue oder bemerkenswerte Kleinschmetterlinge aus Syrien. Bull. Soc. Fouad Ier Ent. 38: 47-50, figs.
- 105) Amsel, H.G., 1955, Irakische Kleinschmetterlinge. Beitr. naturk. Forsch. SWDtl. 14 (2): 119-129, pl.
- 106) Amsel, H.G., 1955, Über mediterrane Microlepidopteren und einige transcaspische Arten. Bull. Inst. R. Sci. nat. Belg. 31: 1-64.
- 107) Amsel, H.G., 1955, Berichtigung *Postsalebria* nom.nov. für *Praesalebria* Amsel, 1954. Z. Wien. ent. Ges. 40: 357.
- 108) Amsel, H.G., 1958, Cyprische Kleinschmetterlinge. Z. wien. ent. Ges. 43: 51-58, 69-75, 135, pl.
- 109) Amsel, H.G., 1959, Microlepidopteren aus dem Kaukasus und der Ukraine. Acta ent. Mus. natn. Pragae 33: 419-422.
- 110) Amsel, H.G., 1959, Irakische Kleinschmetterlinge II. Bull. Soc. ent. Egypte 43: 41-83, Taf.
- 111) Amsel, H.G., 1959, Microlepidoptera aus Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr.25). Stuttg. Beitr. Naturk. 28: 1-47, Abb., 5 Taf.
- 112) Amsel, H.G., 1961, Die Microlepidopteren der Brandt'schen Iran Ausbeute V. Ark. Zool. 13 (17): 323-445, figs.
- 113) Amsel, H.G., 1961, Zwei neue Evippe- Arten aus Afghanistan, Iran und Nordsyrien (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SWDtl. 20: 99-103, figs.
- 114) Amsel, H.G., 1966, Neue Synonymien und Bemerkungen zu paläarktischen Pyraliden (Lepidoptera, Pyralidae). Z. Wien. ent. Ges. 51: 53-55.
- 115) Amsel, H.G., 1967, Die afghanischen Arten des *Anarsia*- Komplexes. Zugleich eine vorläufige Revision der sonstigen palaearktischen Arten (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SWDtl. 26(3): 17-31, figs.
- 116) Amsel, H.G., 1970, Afghanische Pyraustinae (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 29: 25-66, 27 textfigs., 4 pls.

- 117) **Amsel, H.G.**, 1979, Zur Unterartbildung bei *Axia theresiae* (Korb, 1900) (Lepidoptera, Axiidae). *Atalanta* 10 (1): 70-77, pl.
- 118) **Andersson, H.**, 1984, Anthomyzidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 50-53, Akademiai Kiado, Budapest.
- 119) **Andrade, G.S.**, 1997, *Stictocephala alta* (Walker, 1851) sp. rev., comb. nov., the correct name for the "buffalo treehopper", with *S. bisonia* Kopp & Yonke, 1977 as a new synonym, and notes on *Hadrophallus bubalus* (Fabricius, 1794) comb. nov. (Homoptera, Membracidae). *Trans. am. ent. Soc.* 123 (4): 289-295.
- 120) **Andreeva, V.R., Kılıç, A.Y. & F. Altunsoy**, 2009, New contribution to information about Tabanidae (Diptera) adult and larvae from West Anatolia. *J. Ent. Res. Soc.* 11 (3): 19-30, figs.
- 121) **Anker, L.**, 1870, Ein neues Microlepidopteron aus Ungarn. *Butalis emichi*. *Stettin ent. Ztg.* 31: 143-144.
- 122) **Anlaş, S.**, 2009, Distributional checklist of the Staphylinidae (Coleoptera) of Turkey with new and additional records. *Linzer biol. Beitr.* 41 (1): 215-342.
- 123) **Anlaş, S., Tezcan, S. & E. Yıldırım**, 2009, Bozdağlarda (Batı Anadolu) çukur tuzaklarda yakalanan Hymenoptera (Insecta) türleri üzerinde bir değerlendirme. *YYÜ Tarım Bil. Derg.* 19 (1): 23-32.
- 124) **Anlaş, S., Wahis, R. & S. Tezcan**, 2005, Some additional notes on Pompilidae (Hymenoptera) fauna of Turkey. *Türk. ent. derg.* 29 (4): 255-258.
- 125) **Anonymous**, 2008, Catalogue of Life: 2008 annual checklist.- <http://www.catalogueoflife.org/annual-checklist/2008/> [last accessed: 10.xi.2008].
- 126) **Anonymous**, 2006-2008, HymIS Hymenoptera Information System. <http://www.hymis.info/topical/topical.php?nav1=topical>
- 127) **Anonymous**, 2007-2009, Universal Chalcidoidea Database. Natural History Museum. <http://www.nhm.ac.uk/jdsml/research-curation/research/projects/chalcidoids/>
- 128) **Anonymous**, 2009, Family Glaphyridae, [in] Synopsis of the described Coleoptera of the World. <http://insects.tamu.edu/research/collection/hallan/test/> ...
- 129) **Anton, K.-W. & A. Delobel**, 2004, Description of five new species in the genus *Caryedon* Schoenherr with a taxonomical note on *C. angeri* (Semenov) (Coleoptera, Bruchidae, Pachymerinae). *Genus* 15 (1): 65-90, figs.
- 130) **Anton, K.-W.**, 1999, Two new species of the *Bruchus brachialis* group from the Mediterranean region (Coleoptera, Bruchidae, Bruchinae). *Linzer biol. Beitr.* 31 (2): 655-660, figs.
- 131) **Anton, K.-W., Halperin, J. & M. Calderon**, 1997, An annotated list of the Bruchidae (Coleoptera) of Israel and adjacent areas. *Israel J. Ent.* 31: 59-96.
- 132) **Arenberger, E.**, 1972, Eine neue Agdistis-Art aus Kleinasien (Lepidoptera, Pterophoridae). *Beitr. naturk. Forsch. SWDtl.* 31: 151-152.
- 133) **Arenberger, E.**, 1975, Eine neue Agdistis-Art aus der Caradja-Sammlung (Lepidoptera, Pterophoridae). *Trav. Mus. Hist. nat. "Gr. Antipa"* 16: 205-206, 2 figs.
- 134) **Arenberger, E.**, 1977, Die palaarktischen Agdistis-Arten (Lepidoptera, Pterophoridae). *Beitr. naturk. Forsch. SWDtl.* 36: 185-226, 1 Abb. 15 Taf.
- 135) **Arenberger, E.**, 1981, Die Pterophorus-Arten West- und Zentralasiens. 2. Beitrag (Lepidoptera, Pterophoridae). *Z. ArbGem. öst. Ent.* 33(1/2): 17-29, figs.
- 136) **Arenberger, E.**, 1981, Die Pterophorus-Arten West- und Zentralasiens. 1. Beitrag (Lepidoptera, Pterophoridae). *Z. ArbGem. öst. Ent.* 32(3/4): 97-110, figs.
- 137) **Arenberger, E.**, 1985, Zur Synonymie einiger Pterophoridae (Lepidoptera). *Ent. Z., Frankf. a. M.* 95: 244-250, 4 figs.
- 138) **Arenberger, E.**, 1988, Taxonomische Klarstellungen bei den Pterophoridae (Lepidoptera). *Staphia* 16: 1-12, 18 figs.
- 139) **Arenberger, E.**, 1995, Pterophoridae Teilband I, [In] Amsel, H.G., Reisser, H. & F. Gregor: *Microlepidoptera Palaearctica* 9: xxv + 258 pp. 153 Taf. Karlsruhe.
- 140) **Arenberger, E.**, 2002, Pterophoridae aus Zentralasien und angrenzenden Territorien (5. Teil) (Lepidoptera). *Z. ArbGem. Öst. Ent.* 54: 133-143, figs.
- 141) **Arenberger, E.**, 2002, Pterophoridae Teilband II, [In] Gaedike, R., *Microlepidoptera Palaearctica* 11: 287 pp. 96 Taf. Goecke & Evers, Keltern.
- 142) **Arenberger, E.**, 2005, Pterophoridae Teilband III, [In] Gaedike, R., *Microlepidoptera Palaearctica* 12: 191 pp. 50 Taf. Goecke & Evers, Keltern.
- 143) **Arenberger, E.**, [1987], Pterophoridae aus dem östlichen Mittelmeerraum (Lepidoptera). *Z. ArbGem. öst. Ent.* 38(3/4): 103-106, figs.
- 144) **Ari, İ. & S. Kiyak**, 2000, New and additional distributional and faunistic data of Turkish Planipennia. *J. ent. Res. Soc.* 2 (1): 9-15 [with serious editorial errors]
- 145) **Ariana, A., Scheuchl, E., Tadauchi, O. & F. Gusenleitner**, 2009, A taxonomic revision of the subgenus *Andrena* (Brachyandrena) (Hymenoptera, Andrenidae). *Zootaxa* 2281: 21-39, figs.
- 146) **Arutyunyan, R.G.**, 1989, New data on Phycitinae (Lepidoptera) of Armenia. *Ent. Obozr.* 69 (3): 642-656, figs.

- 147) **Asahina, S.**, 1973, The Odonata of Iraq. Jap. J. Zool. 17: 17-36, figs.
- 148) **Asanova, R.B.**, 1964, Genus *Canthophorus* Mus. & Rey (Heteroptera, Cydnidae) in the fauna of the USSR. Ent. Obozr. 43: 138-144, figs.
- 149) **Ascher, J.S. & J. Pickering**, 2010, Discover Life bee species guide and world checklist (Hymenoptera, Apoidea). http://www.discoverlife.org/mp/20q?guide=Apoidea_species (draft 23 Dec., 2010) [access 19 1 2011].
- 150) **Askew, R.R., Gomez, J.F. & J.L. Nieves-Aldrey**, 2004, Species of Microdontomerini (Hymenoptera, Chalcidoidea, Torymidae) associated with galls of Cynipidae (Hymenoptera) in Europe. J. Hym. Res. 13 (2): 214-222.
- 151) **Aslan, E.G. & A. Gök**, 2006, Host-plant relationships of 65 Flea Beetles species from Turkey with new associations (Coleoptera, Chrysomelidae, Alticinae). Ent. News 117 (3): 297-308.
- 152) **Aslan, I. & A. Warchalowski**, 2005, *Longitarsus ozbeki* sp.n., a new species from Asia Minor (Coleoptera, Chrysomelidae, Alticinae). Ent. fenn. 16: 221-224.
- 153) **Aslan, I. & A. Warchalowski**, 2005, New records of leaf beetles from Turkey (Coleoptera, Chrysomelidae). Ent. Z., Stuttg. 115 (5): 217-218.
- 154) **Aslan, I. & H. Özbek**, 1997, The checklist of the subfamily Cryptocephalinae (Coleoptera, Chrysomelidae) in Turkey. Atatürk Univ. Zir. Fak. Der. 28 (2): 235-255.
- 155) **Aslan, I. & H. Özbek**, 1999, Erzurum Erzincan ve Artvin illeri Chrysomelinae (Coleoptera, Chrysomelidae) altfamilyası üzerinde faunistik ve sistematik bir araştırma. Tr. J. Zool. 23 (3): 751-767 [with serious errors!]
- 156) **Aslan, I., Gruev, B. & H. Özbek**, 1996, Eumolpinae (Coleoptera, Chrysomelidae) of Turkey along with two new records. Turk. ent. Derg. 20 (1): 19-26.
- 157) **Aslan, I., Gruev, B. & H. Özbek**, 1999, A preliminary review of the subfamily Alticinae (Coleoptera, Chrysomelidae) in Turkey. Turk. J. Zool. 23: 373-414.
- 158) **Aslan, I., Gruev, B. & H. Özbek**, 2003, A preliminary review of the subfamily [sic!] Chrysomelinae (Coleoptera, Chrysomelidae) of Turkey. Linzer biol. Beitr. 35 (1): 581-605 [publication on Chrysolina by Bienkowski (2001) was omitted!].
- 159) **Aslan, I., Özbek, H. & A. Warchalowski**, 2004, Five new records for the Turkish flea beetles fauna (Coleoptera, Chrysomelidae, Alticinae). Ent. fenn. 15: 138-141.
- 160) **Aslan, M. & N. Uygün**, 2005, Aphids (Homoptera, Aphididae) of Kahramanmaraş Province, Turkey. Turk. J. Zool. 29: 201-209.
- 161) **Aslan, M. & N. Uygün**, 2007, Kahramanmaraş ili afidophag syrphidleri (Diptera, Syrphidae). KSU J. Sci. Eng. 10 (2): 76-81.
- 162) **Aspöck, H. & U. Aspöck**, 1964, Neue Arten des Genus *Raphidia* L. aus Südosteuropa und Kleinasien (Vorläufigen Beschreibung). Ent. Nachrbl. 11: 37-40.
- 163) **Aspöck, H. & U. Aspöck**, 1966, Studien an europäischen und kleinasiatischen Arten des Genus *Raphidia* L. (Insecta, Raphidioidea). Mitt. schweiz. ent. Ges. 39: 33-48, figs.
- 164) **Aspöck, H. & U. Aspöck**, 1967, *Raphidia friederikae* nov. spec. und *Raphidia walteri* nov. spec. aus Anatolien (Ins., Neuropt., Raphid.). Ent. Nachrbl. 14: 87-94, figs.
- 165) **Aspöck, H.**, 1965, Zur Kenntnis der Raphidiiden von Südosteuropa und Kleinasien. Annln. naturh. Mus. Wien 68: 309-364, figs.
- 166) **Aspöck, H., Aspöck, U. & Ç. Şengonca**, 1976, *Raphidia* (*Phidiara*) *remane* n.sp. - eine neue Kamelhalsfliege aus Vorderasien (Neur., Raphidioptera, Raphidiidae). Z. ArbGem. Öst. Ent. 28 (1/3): 14-16, figs.
- 167) **Aspöck, H., Aspöck, U. & H. Rausch**, 1984, *Turcoraphidia hethitica* n.sp. - eine neue Raphidiiden-Spezies aus Anatolien. NachrBl. bayer. Ent. 33 (4): 97-106, figs.
- 168) **Aspöck, H., Aspöck, U. & O.M. Martynova**, 1969, Untersuchungen ueber die Raphidiiden-fauna der Sowjet-Union (Insecta, Raphidioptera). Tijdschr. Ent. 112: 123-164, 99 figs.
- 169) **Aspöck, U. & H. Aspöck**, 1969, Das Subgenus *Phidiara* Aspöck et Aspöck 1968 (Raphidioptera, Raphidiidae, *Raphidia*). Z. ArbGem. Öst. Ent. 21: 109-120, 6 Abb.
- 170) **Aspöck, U. & H. Aspöck**, 1979, *Nyrma kervillea* Navas - Wiederentdeckung einer systematisch isolierten Hemerobiiden-Soezies in Kleinasien (Neuropteroidea, Planipennia). Z. ArbGem. Öst. Ent. 31: 92-96, figs.
- 171) **Asselbergs, J.E.F.**, 1994, *Sefidia clasperella* sp.n. from Turkey (Lepidoptera, Pyralidae, Phycitinae). Nota lepid. 16(3/4): 171-178, 5 figs.
- 172) **Asselbergs, J.E.F.**, 1997, *Merulempista wolschrijni* spec. nov. from The Netherlands and *Merulempista bruceella* (Staudinger) stat.nov. from Turkey (Lepidoptera, Pyralidae, Phycitinae). Ent. Ber., Amst. 57 (1): 8-13, 20 figs.
- 173) **Asselbergs, J.E.F.**, 1997, A new Euzophera species from Turkey (Pyralidae, Phycitinae). Nota lepid. 20 (3/4): 305-309, figs.
- 174) **Asselbergs, J.E.F.**, 2009, Descriptions of new Pyraloidea from the Palaearctic Region (Lepidoptera, Pyraloidea, Pyralidae, Pyralinae, Phycitinae, Crambinae). Phegea 37 (2): 55-68, figs.

- 175) **Assing, V.**, 2004, A revision of the medon species of the Eastern Mediterranean and adjacent regions (Insecta, Coleoptera, Staphylinidae, Paederinae). *Bonner zool. Beitr.* 52 (1/2): 33-82, figs.
- 176) **Assing, V.**, 2000, A revision of the species of *Geostiba* Thomson, 1858 and *Paraleptusa* Peyerimhoff 1901 of Greece: Supplement I, including some species from Albania, Macedonia, Bulgaria and Turkey (Coleoptera, Staphylinidae, Aleocharinae). *Linzer biol. Beitr.* 32 (2): 1007-1031.
- 177) **Assing, V.**, 2000, The Turkish species of *Geostiba* s.str. Thomson 1858 (Coleoptera, Staphylinidae, Aleocharinae). *Linzer biol. Beitr.* 32 (2): 1033-1042.
- 178) **Assing, V.**, 2001, A new species of *Nazeris* Fauvel, 1873 from Turkey (Coleoptera, Staphylinidae, Paederinae). *Reichenbachia* 34: 123-126.
- 179) **Assing, V.**, 2001, Two new species and a new name of *Cordalia* Jacobs, 1925 from Turkey and China (Coleoptera, Staphylinidae, Aleocharinae). *Reichenbachia* 34: 113-118.
- 180) **Assing, V.**, 2001, A revision of *Pseudosemiris* Machulka, 1935 II: New species from Turkey (Coleoptera, Staphylinidae, Aleocharinae). *Ent. Blätter* 97: 79-82.
- 181) **Assing, V.**, 2001, A revision of the Turkish species of *Geostiba* Thomson, 1858 and *Tropimenelytron* Pace, 1983 (Coleoptera, Staphylinidae, Aleocharinae). *Linzer biol. Beitr.* 33 (1): 137-185.
- 182) **Assing, V.**, 2001, The first record of *Dinusa* Saulcy, 1864 from Turkey (Coleoptera, Staphylinidae, Aleocharinae). *Linzer biol. Beitr.* 33 (1): 187-190.
- 183) **Assing, V.**, 2001, On the Turkish species of *Sunius* Curtis, 1829 (Coleoptera, Staphylinidae, Paederinae). *Linzer biol. Beitr.* 33 (1): 195-210.
- 184) **Assing, V.**, 2001, A revision of the species of *Geostiba* Thomson of the Balkans and Turkey V. New species, a new synonym, new combinations, and additional records (Coleoptera, Staphylinidae, Aleocharinae). *Linzer biol. Beitr.* 33 (2): 686-707.
- 185) **Assing, V.**, 2001, A revision of the microphthalmous *Lathrobium* Gravenhorst of Turkey, with descriptions of two new *Lathrobium* species from Italy and Albania (Insecta, Coleoptera, Staphylinidae, Paederinae). *Annln naturh. Mus. Wien* 103B: 375-389.
- 186) **Assing, V.**, 2001, A revision of the Palaearctic species of *Myrmecopora* Saulcy, 1864. IV. A new species from Turkey and additional records (Coleoptera, Staphylinidae, Falagriini). *Beitr. Ent., Berlin* 51: 335-340.
- 187) **Assing, V.**, 2002, A new species of *Euryusa* Erichson from Turkey, with notes on *Silusa areolata* Reitter (Coleoptera, Staphylinidae, Aleocharinae). *Reichenbachia* 34: 271-276.
- 188) **Assing, V.**, 2002, On the Turkish and Caucasian species of *Eurysunius*, subgenus of *Astenus* Dejean with an appendix on *A. breuili* Jarrige (Coleoptera, Staphylinidae, Paederinae). *Linzer biol. Beitr.* 34 (1): 265-274.
- 189) **Assing, V.**, 2003, New species and records of Staphylinidae from Turkey (Insecta, Coleoptera, Staphylinidae). *Ent. Blätter* 98 (2002): 153-177.
- 190) **Assing, V.**, 2003, A revision of the species of *Geostiba* Thomson of the Eastern Mediterranean VI. (Coleoptera, Staphylinidae, Aleocharinae). *Linzer biol. Beitr.* 35 (1): 103-129.
- 191) **Assing, V.**, 2004, New species and records of Staphylinidae from Turkey II (Insecta, Coleoptera, Staphylinidae). *Beitr. Ent., Kelttern* 54: 53-73.
- 192) **Assing, V.**, 2004, A revision of the Turkish species of *Geostiba* Thomson, V. New species and additional records (Coleoptera, Staphylinidae, Aleocharinae). *Linzer biol. Beitr.* 36 (2): 615-638.
- 193) **Assing, V.**, 2004, New species and records of Staphylinidae from Turkey III (Coleoptera, Staphylinidae). *Linzer biol. Beitr.* 36 (2): 669-733.
- 194) **Assing, V.**, 2005, A revision of the species of *Geostiba* Thomson and *Tropimenelytron* Pace of the Eastern Mediterranean, the Caucasus, and adjacent regions (Coleoptera, Staphylinidae, Aleocharinae). *Linzer biol. Beitr.* 37 (2): 903-1006.
- 195) **Assing, V.**, 2005, On the Turkish species of *Sunius*, VI. New micropterous species from central southern Anatolia and additional records (Coleoptera, Staphylinidae, Paederinae). *Beitr. Ent., Kelttern* 55: 289-298.
- 196) **Assing, V.**, 2006, On some species of *Oxypoda* Mannerheim from Turkey and adjacent regions (Insecta, Coleoptera, Staphylinidae, Aleocharinae). *Linzer biol. Beitr.* 38 (1): 277-331.
- 197) **Atahan, A., Bozacı, V., Çelikkaya, D., Gül, O., Hançer, M. & K. Şimşek**, 2009, Illustrated list of the butterflies of İzmir Province (Turkey). *Cesa News* 45: 1-132, 239 figs.
- 198) **Atay, E.**, 2004, *Herpetogramma licarsialis* (Walker, 1859) (Lepidoptera, Crambidae): the Grass Webworm new for Turkey. *Zool. Middle East* 31: 117-118.
- 199) **Atay, E.**, 2005, Adana Mersin ve Osmaniye illerinde bulunan *Pyraloidea* (Lepidoptera) faunası üzerine taksonomik-sistemik çalışmalar [Doktora tezi, 284 s., no.170563. <http://tez2.yok.gov.tr> access: 1.2.2012] [some nomenclatural, faunal and spelling in the text, as well as, conceptual error among fauna, taxonomy and systematics in the title, with an extremely bad presentation by YÖK].
- 200) **Atay, E.**, 2000, Hatay ilinde bulunan *Pyraloidea* (Lepidoptera) faunası üzerine taksonomik-sistemik çalışmalar [Master thesis, 165 pp., no.98227. <http://tez2.yok.gov.tr> access: 1.2.2012] [a weak thesis from various aspects, with conceptual error among fauna, taxonomy and systematics in the title].

- 201) Atlıhan,R., Yardım,E.N., Özgökçe,M.S. & M.B.Kaydan,** 2003, Van ili ve çevresinde papates ekiliş alanlarındaki zararlı böcek türleri ve doğal düşmanları. Tarım bilimleri dergisi 9 (3): 291-295.
- 202) Aubert,J.-F.,** 1959, Les Geometrides palaearctiques du genre *Entephria* Hb. Description d'un genre nouveau pour *argenti-plumbea* Hamps. Z. wien. ent. Ges. 44 (11/12): 177-209, 6 pls., figs.
- 203) Audinet-Serville,J.G.,** 1839, Histoire naturelle des insectes. Orthopteres. 776pp. Paris.
- 204) Audioso,P.,** 1975, Note su alcune specie di Cleridae del Libano e della Turchia, comprendenti la descrizione di *Trichodes sbordonii* n.sp. (Coleoptera). Fragn. Ent. 11 (3): 235-240, figs.
- 205) Aukema,B. & C.Rieger (eds.),** 1995-2006, Catalogue of the Heteroptera of the Palaearctic Region 5 vols. The Netherlands Entomological Society, Wageningen, The Netherlands.
- 206) Aurivillius,C.,** 1894, Die palaearktischen Gattungen der Lasiocampiden, Striphropterygiden und Megalopygiden. Dt. ent. Z., Iris 7: 121-192.
- 207) Aussem,B.,** 1978, Beitrag zur systematischen Stellung von *Pseudochazara graeca* und Beschreibung einer neuen Subspecies (Lep., Satyridae). Ent. Z., Frankf. a. M. 88 (3): 13-22, 21 Abb.
- 208) Aussem,B.,** 1980, Ein Freiland-Hybrid der Gattung *Pseudochazara* (Lepidoptera, Satyridae). Satyriden-Studie 2. Ent. Z., Frankf. a. M. 90 (15): 161-165, Abb.
- 209) Aussem,B.,** 1980, Satyriden-Studie I. Zur Kenntnis der Androkonienfelder von *Pseudochazara telephassa* (Geyer,1827) und *Pseudochazara anthelea* (Hübner,1824). Entomofauna 1: 354-356.
- 210) Aussem,B., Freina,J.J.de & T.Witt,** 1985, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Zur Situation der Gattung *Paidia* Hbn. [1819] 1816 in Europa und Nordwestafrika (Lepidoptera, Arctiidae) VII. Atalanta 16: 109-113.
- 211) Austaut,J.L.,** 1889, Les Parnassiens de la faune Palearctique. 222pp., 32 Pls., Leipzig.
- 212) Austaut,J.L.,** 1905, Notice sur quelques Lepidopteres nouveaux. Ent. Z., Stuttgart 18: 143.
- 213) Austen,E.E.,** 1925, A contribution to knowledge of the blood-sucking Diptera of the Dardanelles. Bull. ent. Res. 16: 1-23.
- 214) Avcı,M.,** 1997, Marmara Bölgesi Ormanlarının Tortricidae (Lep.) Faunası. Ist Univ. Orman Fak. Derg. (A) 47 (1): 111-138.
- 215) Avcı,Ü. & H.Özbek,** 1989, Erzurum'da Lahana Sineği *Delia radicum* (L.) (Diptera, Anthomyiidae)'un morfolojisi ve biyolojisi üzerinde çalışmalar. Türk. ent. derg. 13 (3): 153-162, figs.
- 216) Avgın,S.S. & I.Emri,** 2009, Contribution to the taxonomy of the Harpalinae (Coleoptera, Carabidae) from Kahramanmaraş and the surrounding towns, in Turkey. Trans. am. ent. Soc. 133 (3/4): 413-432.
- 217) Avgın,S.S.,** 2006, General information and tiger beetles *Cicindela herbacea*, *Calomera fischeri fischeri* and *Homodela ismenia kilikiensis* collected from Southeast of Turkey (Coleoptera, Cicindelidae). BAÜ Fen Bil. Enst. Derg. 8 (2): 23-28, figs.
- 218) Avgın,S.S., Magri,D., Antonini,G., Mancini,E.,Jansson,N., Lason,A., Cline,A.R. & P.Audisio,** 2012, Review of the cedar and oak forest-associated *Epuraea latipes* species group (Coleoptera, Nitidulidae, Epuraeinae), with description of a new species from southern Turkey. Ent. fenn. 23: 49-62, figs.
- 219) Awad,T.I. & E.Pehlivan,** 2001, Systematic and faunistic study of the species of the tribe Carpororini (Heteroptera, Pentatomidae, Pentatominae) in Turkey Part 1. Holcogaster Fb., Staria D. & Cnephosa Jak. Türk. ent. Derg. 25 (3): 163-174, figs.
- 220) Awad,T.I. & F.Önder,** 1997, Contribution to the study of Turkish Pyrrhocoridae (Heteroptera). Türk. ent. Derg. 21 (3): 163-171.
- 221) Ayberk,H., Hakyemez,A. & H.Cebeci,** 2010, Light trap surveys for moths in Sile [sic!] region of Istanbul [sic!] Turkey. African J. Biotech. 9 (29): 4624-4630.
- 222) Aydın,E. & Ş.Kısmalı,** 1990, Ege Bölgesi Clytrinae (Coleoptera, Chrysomelidae) altfamilyası türleri üzerinde faunistik çalışmalar. Türk. ent. Derg. 14 (1): 23-35.
- 223) Aydoğdu,M. & A.Beyarslan,** 2009, A review of the tribe Phanerotomini (Hymenoptera, Braconidae, Cheloninae) in Turkey, with a new host record of *Phanerotoma* (*Bracotritoma*) *permixtella*. Biologia 64 (4): 748-756, figs.
- 224) Aydoğdu,M.,** 2008, A new species of the genus *Chelonus* Panzer,1806 (Hymenoptera, Braconidae, Cheloninae) from western Anatolia (Turkey). Biologia 63 (2): 245-248, figs.; ibid. 63 (3): 455.
- 225) Aytekin,A.M. & N.Çağatay,** 1999, Systematic studies on the family Apidae (Hymenoptera) in Ankara Province Part I.Bombinae. Turk J. Zool. 23: 231-241, figs.
- 226) Aytekin,A.M. & N.Çağatay,** 2003, Systematic studies on *Megabombus* (Apidae, Hymenoptera) species in Central Anatolia. Turk J. Zool. 27: 195-204, figs.
- 227) Ayten,Y. & M.S.Özgökçe,** 2009, Van ve çevresinde bulunan Odonata türleri yayılışları ve habitatları. YYÜ Tarım Bil. Derg. 19 (1): 1-9.
- 228) Ayvalı,C.,** 1989, Metamorfoz sırasında *Agrotis ipsilon* (Hufn.) (Lepidoptera, Noctuidae) hemositleri üzerine araştırmalar Ankara Univ. Ziraat Fak. Yay. no.1149, 20 s., 21 şek.
- 229) Bächli,G. & M.T.Rocha Pité,** 1984, Drosophilidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 10: 186-220, Akademiai Kiado, Budapest.

- 230) Bachmaier, F. & E. Diller**, 1985, Zur Taxonomie der Gattung *Magwengiella* Heinrich, 1938 (Hymenoptera, Ichneumonidae, Ctenocalini). *Entomofauna* 6 (27): 489-498, Abb.
- 231) Back, H.E.**, 1973, Untersuchungen über die Systematik und Zoogeographie der Gattung *Pleurota* (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken.
- 232) Back, W. & R. Leestmans**, 2001, Une nouvelle sous-espèce d'*Euchloe penia* (Freyer, 1852) du Nord-Ouest de l'Iran: *taleschicus* ssp. nova (Lepidoptera, Pieridae). *Linneana Belg.* 18 (4): 193-198, figs.
- 233) Back, W. & U. Eitschberger**, 1976, Die Unterarten von *Euchloe charlonia* Donzel, 1842. *Atalanta* 7 (3): 142-160, pls.
- 234) Back, W.**, 1991, Taxonomische Untersuchungen innerhalb der Artengruppe um *Euchloe ausonia* (Hübner, 1804) (Lepidoptera, Pieridae). *Atalanta* 21 (3/4) (1990): 187-206, Taf. ii, iii.
- 235) Back, W.**, 1991, Die Präimaginalstadien von *Euchloe charlonia* (Donzel, 1842) im Vergleich zu *Euchloe penia* (Freyer, 1852) und *Euchloe transcaspica* ssp. *amseli* (Gross & Ebert, 1975) (Lepidoptera, Pieridae). *Atalanta* 22 (2/4): 357-366, Pls.
- 236) Bacot, A.W.**, 1895, The genus *Smerinthus*. *Entomologist's Rec. J. Var.* 6(8): 173-181.
- 237) Baer, J.v.**, 1848, De Mutillis nonnullis Rossicis. *Bull. Soc. imp. Nat. Moscou* 21 (1): 228-232, Tab. II.
- 238) Bağrıaçık, N. & A. Tüzün**, 2005, A faunistic study and some ecological observations on Eumenidae (Insecta, Hymenoptera) species of Ankara. *C.Ü. Fen Bil. Derg.* 25 (1) (2004): 21-31.
- 239) Baisch, G., Beshkov, S.V., Gelbrecht, J., Hacker, H., Huber, K., Kallies, A. et al.**, 1998, Bausteine zur Fauna der Noctuoidea der Türkei mit einer Übersicht aller in der Türkei bisher beobachteten Noctuoidea (Lepidoptera). *Esperiana* 6: 213-373.
- 240) Baixeras, J. & O. Karsholt**, 2011, The Tortricidae described by J.C. Fabricius (Lepidoptera). *Zootaxa* 3127: 1-37, figs.
- 241) Baker, D.B.**, 2002, A provisional annotated list of the nominal taxa assigned to the genus *Dasypoda* Latreille, 1802 with the description of an additional species (Hymenoptera, Apoidea, Melittidae). *Dt. ent. Z.* 49 (1): 89-103, figs.
- 242) Bakowski, M. & R. Dobosz**, 2005, A contribution to the knowledge of the clearwing moths of Turkey (Lepidoptera, Sesiidae), Part II. *Ann. Upp. Sil. Mus. (Ent.)* 13: 77-79.
- 243) Bakowski, M.**, 1998, A contribution to the knowledge of the clearwing moths of Turkey (Lepidoptera, Sesiidae). *Phegea* 26 (3): 85-86.
- 244) Bakowski, M.**, 2007, New records of *Paranthrene insolita* Le Cerf, 1914 (Lepidoptera, Sesiidae) in south-eastern Turkey. *Annls Upp. Sil. Mus.* 14-15: 131-134, figs.
- 245) Baldizzone, G. & J. Tabell**, 1999, *Coleophora conspersa* Baldizzone & Tabell, sp.n., *C. daglarica* Baldizzone & Tabell, sp.n., and some further notes on the coleophorids from Turkey (Lepidoptera, Coleophoridae). *Revta lepid.* 27 (108): 525-537, figs.
- 246) Baldizzone, G. & J. Tabell**, 2006, Three new species of the genus *Coleophora* Hübner from Bulgaria and adjacent countries (Lepidoptera, Coleophoridae). *Shilap Revta lepid.* 34 (133): 93-102, figs.
- 247) Baldizzone, G.**, 1982, Contributions a la connaissance des Coleophoridae xxv. Les taxa décrits par H. Rebel (2e partie). *Linneana Belgica* (8) 10: 425-438, 48 figs.
- 248) Baldizzone, G.**, 1987, Sue quelques Coleophoridae de la collection von Heyden (Lepidoptera). *Alexanor* 15 (1): Suppl.: [17]-[28], 2 figs.
- 249) Baldizzone, G.**, 1989, Contributions a la connaissance des Coleophoridae LIV. Deux nouvelles especes du genre *Coleophora* Hübner: *C. aporiella* sp.n. et *C. longiductella* sp.n. (Lepidoptera). *Nota lepid.* 12 (2): 103-112, 18 figs.
- 250) Baldizzone, G.**, 1994, Contribuzioni alla conoscenza dei Coleophoridae LXXV. Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe (Lepidoptera). *Assoc. natur. Piemont. Memorie* 3: 1-423, 699 figs.
- 251) Baldizzone, G.**, 2001, Contribuzioni alla conoscenza del Coleophoridae XCV. Nuove specie di Coleophoridae della collezione Klimesch (Lepidoptera, Coleophoridae). *Revta lepid.* 29 (114): 131-144, figs.
- 252) Baldizzone, G.**, 2007, Contribuzioni alla conoscenza dei Coleophoridae CXV. Su alcune interessanti specie di Coleophoridae della Turchia e regioni limitrofe (Lepidoptera, Coleophoridae). *Shilap Revta. lepid.* 35 (139): 355-367, figs.
- 253) Baldock, D.W. & R.F. Brentherton**, 1988, Some butterflies from Turkish Asia Minor. *Entomologist's Rec. J. Var.* 100: 133-134.
- 254) Balint, Z. & A. Kertész**, 1990, A survey of the subgenus *Plebejides* (Sauter, 1968) - preliminary revision. *Linneana Belgica* 12 (5): 190-224, figs.
- 255) Balint, Z. & K. Johnson**, 1997, Reformation of the *Polyommatus* section with a taxonomic and biogeographic overview (Lepidoptera, Lycaenidae, Polyommadini). *Neue ent. Nachr.* 40: 1-68, Pls., figs.
- 256) Balint, Z.**, 1999, Annotated list of the type specimens of *Polyommatus* sensu Eliot of the Natural History Museum London (Lepidoptera, Lycaenidae). *Neue ent. Nachr.* 46: 1-89, 4 Pls.
- 257) Balint, Z., Kertész, A. & V.A. Lukhtanov**, 1992, A survey of the subgenus *Plebejides* Sauter, 1968 (Lepidoptera, Lycaenidae). *Ent. Obozr.* 71 (4): 863-886, 74 figs.

- 258) Ball, G.E. & D. Shpeley**, 2005, Taxonomic review of the tribe Melaenini (Coleoptera, Carabidae) with observations on morphological, ecological and chorological evolution. *Zootaxa* 1099: 1-120, figs. [with some incorrect distributional information and maps!]
- 259) Balletto, E. & G.G. Toso**, 1980, Electrophoretic techniques as a systematic research on Lepidoptera. *Nota lepid.* 3(1/2): 25-31.
- 260) Balletto, E. & G.G. Toso**, 1980, Valeur taxonomique de la conformation des tegulae dans le genre *Agrodiaetus* Hübner (Lycaenidae). *Nota lepid.* 3(1/2): 33-38, figs.
- 261) Balthasar, V.**, 1952, Wissenschaftliche Ergebnisse der zoologischen Expedition des national-Museum in Prag nach der Türkei. 11. Hymenoptera III. Chrysididae. *Acta ent. Mus. nat. Pragae* 28: 71-76.
- 262) Bang-Haas, A.**, 1906, Neue oder wenig bekannte palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 19: 127-129.
- 263) Bang-Haas, A.**, 1907, Neue oder wenig bekannte palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 20: 69-88, Taf.
- 264) Bang-Haas, A.**, 1910, Neue oder wenig bekannte palaearctische Macrolepidopteren. *Dt. ent. Z., Iris* 24: 27-51, 2 Taf.
- 265) Bang-Haas, A.**, 1913, Neue oder wenig bekannte palaearctische Macrolepidopteren VII. *Dt. ent. Z., Iris* 27: 108.
- 266) Bang-Haas, O.**, 1926, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 1. Bis zum Jahre 1920. *Novit. macrolepid.* 1: xx+ 238pp.
- 267) Bang-Haas, O.**, 1927, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 2. Vom Jahre 1921 bis 1926. *Novit. macrolepid.* 2: xxii+ 301pp.
- 268) Bang-Haas, O.**, 1927, Horae Macrolepidopterologicae regionis palaearcticae Vol. 1. Neubeschreibungen und Berichtigungen der Palaearktischen Lepidopterenfauna. xxviii+ 128S. 11 Taf. Dresden-Blasewitz.
- 269) Bang-Haas, O.**, 1928, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 3. Neubeschreibungen des Jahres 1927. *Novit. macrolepid.* 3: xvi+ 104pp.
- 270) Bang-Haas, O.**, 1929, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 4. Neubeschreibungen des Jahres 1928. *Novit. macrolepid.* 4: xvi+ 80pp.
- 271) Bang-Haas, O.**, 1930, Novitates Macrolepidopterologicae Band vi. Neubeschreibungen des Jahres 1929. Faunenverzeichnisse der Jahre 1758 bis 1930. Dresden-Blasewitz.
- 272) Bang-Haas, O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Faunenverzeichnisse der Jahre 1758 bis 1930. *Novit. macrolepid.* 5: xvi+ 1-152.
- 273) Bang-Haas, O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Neubeschreibungen des Jahres 1929. *Novit. macrolepid.* 5: 153-207.
- 274) Bang-Haas, O.**, 1937, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXVII. *Ent. Z., Frankf. a. M.* 50: 562-564, 4 Abb.
- 275) Bang-Haas, O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxix. *Ent. Z., Frankf. a. M.* 51: 120.
- 276) Baraniak, E., Bakowski, M. & J. Nowacki**, 1994, A Contribution to the Knowledge of the Lepidoptera of European Turkey Part I. Macrolepidoptera. *Cent. ent. Stud., Misc. Pap.* 9: 1-5.
- 277) Barkalov, A.V.**, 2002, Subgeneric classification of the genus *Cheilosia* Meigen, 1822 (Diptera, Syrphidae). *Ent. Obozr.* 81 (1): 218-234 [Ent. rev. 82 (5): 518-531, figs.]
- 278) Baron, T.**, 2007, *Araschnia levana* (Lepidoptera, Nymphalidae), a new species for the Turkish fauna. *Phegea* 35 (2): 65-68, fig. [see also Göbekçioğlu, Z. & N. Aktaç, 1990]
- 279) Baron, T.**, 2008, The moths fauna (Lepidoptera) of Şile in the Asian part of Istanbul Province, Turkey. *Esperiana* 14: 545-558, pl. 39.
- 280) Bartak, M. & K. Stepan**, 2009, *Rhamphomyia* (Diptera, Empididae) from Israel. *Annls ent. Soc. Am.* 102 (3): 396-405, figs.
- 281) Bartak, M. & S. Kubik**, 2008, Four new West Palaearctic species of *Rhamphomyia* (s.str.) Meigen (Diptera, Empididae). *Revue Suisse zool.* 115 (1).
- 282) Bartak, M.**, 2006, Three new West Palaearctic species of *Rhamphomyia* subgenus *Lundstroemiella* (Diptera, Empididae). *Biologia* 61 (5): 503-508, figs.
- 283) Bartak, M.**, 2007, Catalogue of the Palaearctic species of the *Rhamphomyia* Subgenus *Lundstroemiella* (Diptera, Empididae) with new distribution records. *Acta Zool. Univ. Comenianae* 47 (2): 101-104.
- 284) Bartak, M., Çiftçi, M.C. & A. Hasbenli**, 2007, A new species of *Rhamphomyia* (sensu stricto) Meigen (Diptera, Empididae) from Southern Anatolia, Turkey. *Ent. News* 118 (2): 143-147, figs.
- 285) Bartalucci, M.B.**, 2004, Tribe-groups of the Myzininae with special regard to the palaearctic taxa of the tribe Meriini (Hymenoptera, Tiphidae). *Linzer biol. Beitr.* 36 (2): 1205-1308, 290 figs.

- 286) Bartalucci, M.B.**, 2004, 3rd contribution to the knowledge of the world Myzininae (Hymenoptera, Tiphidae). Ann. Mus. civ. Stor. Nat. Genova 96: 363-428.
- 287) Bartel, M.**, 1899-1902, Nachtfalter. [In] Rühl, F., Die Palaearktischen Gross-Schmetterlinge und ihre Naturgeschichte. Vol.2. (Lief.17-23). 336 pp. Leipzig.
- 288) Bartel, M.**, 1904, *Eriogaster philippsi* n.sp. Dt. ent. Z., Iris 17: 10-11.
- 289) Bartel, M.**, 1912, Aegeriidae (Sesiidae). [In] Seitz, A., Die Gross-Schmetterlinge der Erde 2: 375-416, pls. Stuttgart.
- 290) Bartsch, D. & A.Lingenhöle**, 2011, *Chamaesphecia cilicia* sp.nov. aus dem Taurus Gebirge, Türkei (Lepidoptera, Sesiidae). Ent. Z., Stuttg. 121 (2): 89-91, 7 Abb.
- 291) Baselga, A. & F.Novoa**, 2005, The western Palaearctic Neocrepidodera (Coleoptera, Chrysomelidae) of the *N. impressa* and *N. ferruginea* species groups. Ann. ent. Soc. Am. 98 (6): 896-907, figs.
- 292) Bastelberger, [M.]** 1900, Ueber Genitalanhänge der Männchen unserer europäischen Zonosoma- (Ephyra-) Formen. Dt. ent. Z., Iris 13: 73-94, Taf.
- 293) Başaran, A.**, 1974, Gündoğdu köyü (İzmit) gündüz kelekleri. Diyarbakır Univ. Tıp Fak. Derg. 3 (1): 117-128, şekil.
- 294) Başaran, A.**, 1975, Diyarbakır ve Çevresi Gündüz Kelebeklerinin Sistematik Araştırılması. Diyarbakır Üniv. Tıp Fak. Derg. 3 (3): 529-547.
- 295) Başoğlu, M. & N.Öztürk**, 1955, İstanbul civarındaki gündüz kelekleri için familyalara kadar bir tayin anahtarı. Biyoloji 5: 74-81.
- 296) Bates, H.W.**, 1874, Notes on Cicindelidae and Carabidae and descriptions of new species (no.17). Entomologist's mon. Mag. 11: 22-28.
- 297) Bates, H.W.**, 1874, Notes on Cicindelidae and Carabidae and descriptions of new species (no.18). Entomologist's mon. Mag. 11: 95-101.
- 298) Battenfeld, P.**, 1978, Sammelergebnisse von Ankara (08.07-4.07.197). Nachr. ent. Ver. Apollo 3: 44-47, 54-58.
- 299) Battiston, R. & P.Fontana**, 2005, A contribution to the knowledge of the genus *Ameles* Burmeister, 1838 with the description of a new species from Jordan (Insecta Mantodea). Atti Acc. Rov. Agiati a.255 Ser. viii (V,B): 173-197, figs.
- 300) Baumann, R.W.**, 1975, Revision of the stonefly family Nemouridae (Plecoptera): A study of the world fauna at generic level. Smithsonian Contr. Zool. 211: 1-74, 186 figs. 1 tab.
- 301) Bayhan, S.Ö., Ulusoy, M.R. & S.Toros**, 2003, Determination of Aphididae (Homoptera) fauna of Diyarbakır Province of Turkey. Türk. ent. derg. 27 (4): 253-268.
- 302) Bayle, B.G.**, 1809, Saggio intorno agli Insetti nocivi ai vege-tabili oeconomici, agli animali utili, all'agricoltura ed ai prodotti dell'oeconomia rurale. 180pp., 2pls. Milano.
- 303) Bayrakdar, F. & A.Hasbenli**, 2009, Contribution to the geographic distribution of *Dioctria* Meigen, 1803 Genus [sic!] (Diptera, Asilidae). Turk. J. Zool. 33: 23-26.
- 304) Bayram, Ş. & K.Kara**, 1998, Türkiye Tachinidae (Diptera) faunası için yeni bir kayıt *Erycia fasciata* Villeneuve 1924. Türk. ent. derg. 22 (3): 217-224, figs.
- 305) Bayram, Ş. & M.Skuhrava**, 2004, New records of Cecidomyiidae (Diptera) from Turkey. J. Ent. Res. Soc. 6 (3): 9-13.
- 306) Bayram, Ş.**, 2001, Ankara ilinde orman alanlarındaki mantarlar üzerinde bulunan Diptera türleri. Türk. ent. Derg. 25 (2): 115-126.
- 307) Beaumont, J.de**, 1967, Hymenoptera of Turkey Sphecidae I. Bull. Br. Mus. (Nat. Hist.) Ent. 19: 253-382, figs.
- 308) Bechev, D. & H.Koç**, 2006, Two new species of *Sciaphila* Meigen (Diptera, Mycetophilidae) from Turkey with a key to the western palaearctic species of the *S. lutea* Macquart group. Zootaxa 1253: 61-68, figs.
- 309) Bechev, D. & H.Koç**, 2006, The Fungus Gnats (Diptera, Bolitophilidae, Keroplatidae and Mycetophilidae) of Turkey: published data and new records. Animalia 41: 85-89.
- 310) Bechev, D. & H.Koç**, 2008, *Urytalpa chandleri* sp.n. (Diptera, keroplatidae) from Turkey with a key to the western palaearctic species of the genus. Zootaxa 1676: 29-36, figs.
- 311) Bechev, D.**, 1995, The Palaearctic species of the genus *Sceptonia* Winnertz (Diptera, Mycetophilidae). Trav. Sci. Univ. Plovdiv, Animalia 31 (6): 7-.
- 312) Bechev, D.**, 1995, The palaearctic species of the genus *Sceptonia* Winnertz (Diptera, Mycetophilidae). Trav. Sci. Univ. Plovdiv, Animalia 31 (6): 7-20, figs.
- 313) Beck, H.**, 1989, Verantwortungsvolles Taxieren, Appell an den "Internationalen Trust for Zoological Nomenclature". Beschreibung einer neuen Unterart von *Cucullia blattariae* (Esper, 1790): *Cucullia blattariae eugeniae* subsp.n. Synonymien im Genus *Cucullia* (Lep., Noctuidae). Atalanta 19: 189-217, figs.
- 314) Beck, H.**, 1991, Taxonomische Aenderungen bei den Noctuidae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae). Atalanta 22 (2/4): 175-232.

- 315) Beck, H.**, 1992, New view of higher classification of the Noctuidae (Lepidoptera). *Nota lepid.* 15(1): 3-28, 7 figs.
- 316) Beck, H.**, 1993, III. Corrigenda and Addenda zu Beck (1991): "Taxonomische Aenderungen bei den Noctuinae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae)". Beschreibung der Raupe von *Perplexhadena syriaca* (Osthelder, 1933) comb. nov. *Atalanta* 23 (3/4): 605-611, pls.
- 317) Beck, H.**, 1996, Systematische Liste der Noctuidae Europas (Lepidoptera, Noctuidae). *Neue ent. Nachr.* 36: 1-122.
- 318) Beck, H.**, 1999-2000, Die Larven der europäischen Noctuidae. 4 Bde. *Herbipoliana* vol.5. Markt Leuthen.
- 319) Beck, H., Kobes, L. & M. Ahola**, 1993, Die generische Aufgliederung von *Noctua* Linnaeus, 1758 (Lepidoptera, Noctuidae, Noctuinae). *Atalanta* 24 (1/2): 207-264, 16 Pls.
- 320) Becker, T. & P. Stein**, 1913, Persische Dipteren von den Expeditionen des Herrn N. Zarudny 1898 und 1901. *Ezheg. Zool. Muz.* 17: 503-654, Pls.
- 321) Becker, T.**, 1894, Dipterologische Studien I. Scatomyzidae. *Berl. ent. Z.* 39: 77-196, Taf. iv-ix.
- 322) Becker, T.**, 1894, Revision der Gattung *Chilosia* Meigen. *Nova Acta Leop.-Carol. Dt. Akad. Naturf.* 62 (3): 194-521, 13 Taf.
- 323) Becker, T.**, 1895, Dipterologische Studien II. Sapromyzidae. *Berl. ent. Z.* 40: 171-264, Taf. i, ii.
- 324) Becker, T.**, 1895, Dipterologische Studien III. Lonchaeidae. *Berl. ent. Z.* 40: 313-344, 3 Taf.
- 325) Becker, T.**, 1896, Dipterologische Studien IV. Ephydriidae. *Berl. ent. Z.* 41 (2): 91-276, Taf.
- 326) Becker, T.**, 1897, Dipterologische Studien V. Pipunculidae. *Berl. ent. Z.* 42: 25-100, Taf. ii.
- 327) Becker, T.**, 1900, Dipterologische Studien V. Pipunculidae. *Berl. ent. Z.* 45: 215-252.
- 328) Becker, T.**, 1903, Die paläarktischen Formen der Gattung *Mulia* Latreille (Dipt.). *Z. Syst. Hymen. Dipt.* 3: 17-32, 89-96, 193-198.
- 329) Becker, T.**, 1905, *Usia* Latr. *Berl. ent. Z.* 50: 193-228, Taf. vii.
- 330) Becker, T.**, 1910, Chloropidae Eine monographische Studie. I. Teil Palaearktische Region. *Arch. Zool.* 1 (10): 34-199, Tab. ii, iii.
- 331) Becker, T.**, 1910, Drei neue Ortaliden des Mittelmeergebietes. *Wien. ent. Ztg.* 29: 321-326.
- 332) Becker, T.**, 1904, Die palaarktischen Formen der Dipterengattung *Lispa* Latr. *Z. ent. (n.F.)* 29: 1-70.
- 333) Behounek, G. & H. Hacker**, 1986, *Lygephila schachti* n.sp., eine neue Noctuidenart aus der Ost-Türkei, nebst faunistischen Angaben für neunundzwanzig weitere Noctuiden Arten aus der Ost-Türkei (Lepidoptera, Noctuidae). *Entomofauna* 7 (3): 41-53, 8 Abb.
- 334) Behounek, G.**, 1983, Kleiner Beitrag zur Noctuidae-Fauna Kleinasiens. *Entomofauna* 4 (25): 401-404.
- 335) Behounek, G.**, 1984, Ergebnisse einer Sammelreise durch Nordgriechenland und Anatolien (Lepidoptera, Noctuidae). *Nachr. ent. Ver. Apollo (N.F.)* 4(3): 71-80.
- 336) Behounek, G.**, 1986, Beitrag zur Noctuiden-Fauna der Türkei und des Irans. Neue Erkenntnisse zur Verbreitung von *heliophobus reticulata* (Goeze, 1780) (Lep., Noctuidae). *Nachr. bayer. Ent.* 36: 115-122, 3 figs.
- 337) Behounek, G.**, 1992, Die holarktischen Arten der Gattung *Lacanobia* Billberg, 1820 (Lepidoptera, Noctuidae, Hadeninae). *Esperiana* 3: 33-65, Abb.
- 338) Beirne, B. P.**, 1954, *British Pyralid & Plume Moths*. 208 pp. 405 figs. 16 Pls. Frederick Warne, London & New York.
- 339) Belfiore, C., Tanatmış, M. & N. Kazancı**, 2000, Taxonomy of *Electrogena antalyensis* (Kazancı & Braasch, 1986) (Ephemeroptera, Heptageniidae). *Aquatic Insects* 22 (4): 261-270, 14 figs.
- 340) Beljaev, E. A.**, 2008, A new concept of the generic composition of the Geometrid moth tribe Ennomini (Lepidoptera, Geometridae) based on functional morphology of the male genitalia. *Ent. Obozr.* 87(1): 152-165, figs. [*Ent. Rev.* 88 (1): 50-60, figs.]
- 341) Bell, E. L. & W. P. Comstock**, 1941, The synonymy of *Papilio coridon* Poda, *Papilio phocion* Fabricius and others. *Jl. N. Y. ent. Soc.* 49: 371-374.
- 342) Belter, G.**, 1934, Neues aus der Melitaea didyma Esp.- Gruppe, mit Berücksichtigung des Materials des Deutschen Entomologischen Instituts. *Arb. morph. taxon. Ent. Berl.* 1: 105-115, figs.
- 343) Belter, G.**, 1935, Zwei neue Brenthis-Rassen aus Kleinasien. *Ent. Z., Frankf. a. M.* 49: 71-72.
- 344) Bengtsson, B. A. & R. Sutter**, 1992, Die fallacella-Gruppe (Lepidoptera, Scythrididae). *Nota lepid.* 15: 90-101, figs.
- 345) Bengtsson, B. A.**, 1989, Two new scythridis species from South Europe - *Scythris jaeckhi* n.sp. and *S. nieukerkeni* n.sp. (Lepidoptera, Scythrididae). *Phegea* 17: 75-81, figs.
- 346) Bengtsson, B. A.**, 1991, Review of the fuscoaenea species-group of *Scythris* (Lepidoptera, Scythrididae). *Ent. scand.* 21: 405-414, 25 figs.
- 347) Bengtsson, B. A.**, 1996, Scythridids found by H. Hacker in Pakistan 1988 and India 1992. *Esperiana* 4: 467-481, Abb.
- 348) Bengtsson, B. A.**, 1997, Scythrididae, [in] Huemer, P. Karsholt, O. & L. Lyneborg, *Microlepidoptera of Europe* 2: 1-301, Pls.

- 349) Bengtsson, B.A.**, 2005, Notes on Palaearctic scythridids, with descriptions of nine new species (Lepidoptera, Scythrididae). *Ent. fennica* 16 (4): 207-220, figs.
- 350) Benson, R.B.**, 1936, A new species of *Mocsarya* Konow in Syria (Hymenoptera, Symphyta). *Proc. R. ent. Soc. London* B5 (1): 2-3.
- 351) Benson, R.B.**, 1962, Holarctic Sawflies (Hymenoptera, Symphyta). *Bull. Br. Mus. (Nat. Hist.) Ent.* 12 (1): 379-409, figs.
- 352) Benson, R.B.**, 1962, A revision of the *Athaliini* (Hymenoptera, Tenthredinidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 11 (7): 333-382, 58 figs.
- 353) Benson, R.B.**, 1965, The classification of *Rhogogaster* Konow (Hymenoptera, Tenthredinidae). *Proc. R. ent. Soc. London* (B) 34 (9-10): 105-112, figs.
- 354) Benson, R.B.**, 1966, A new genus of the *Lycaotini* (Blennocampinae) in Turkey (Hymenoptera, Tenthredinidae). *Proc. R. ent. Soc. Lond. (B)* 35: 75-77.
- 355) Benson, R.B.**, 1968, Hymenoptera from Turkey Symphyta. *Bull. Br. Mus. Nat. Hist. (Ent.)* 22 (4): 109-207, 42 figs.
- 356) Benyamini, D. & M. Avni**, 2001, *Muschampia proteides stepporum* subsp. nov. from the steppe belts of eastern Israel and western Jordan (Lepidoptera, Hesperidae). *Linneana Belgica* 18 (1): 45-54, figs.
- 357) Benyamini, D.**, 1988, The zoogeography of the butterflies (Lepidoptera, Rhopalocera) of Israel and nearby areas. *Monogr. biol.* 62: 309-324, 6 figs.
- 358) Bequaert, J.**, 1938, Sur quelques némestrinides paléarctiques, particulièrement de l'Iran. *Bull. Ann. Soc. ent. Belg.* 78: 292-310, figs.
- 359) Bergsträßer, J.A.B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 2: 1-79, Pls. 15-48. Hanau.
- 360) Bergsträßer, J.A.B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 3: 1-48, Pls. 49-72. Hanau.
- 361) Bergsträßer, J.A.B.**, 1780, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 4: 1-47, Pls. 73-96. Hanau.
- 362) Berio, E.**, 1936, Contributo alla conoscenza della variazione di *Agrotis puta* (Hb., 1802) Ochs., 1816 *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 69-117, 4 Tav.
- 363) Berio, E.**, 1950, Terzo Contributo alla conoscenza del gen. *Ozarba* Wlk. (Lep., Noctuidae) sulla sistematica di alcune specie ascritte a questo genere. *Annali Mus. civ. Stor. nat. Giacomo Doria* 64: 131-157, 98 figs.
- 364) Berio, E.**, 1955, Sulla distribuzione geografica della *Noctua algira* L. e sulle specie affini (Lep., Noctuidae). *Boll. Soc. ent. ital.* 85(9/10): 140-148, 24 figs.
- 365) Berio, E.**, 1982, *Egira servadeii* n.sp. del Pamir (Lepidoptera, Noctuidae, Hadeninae). *Memorie Soc. ent. ital.* 60: 61-62, 3 figs.
- 366) Berland, L.**, 1947, Faune de France, Hymenopteres, Tenthredinoides. vol. 47. 496pp. Paris.
- 367) Bernardi, G. & M. Lagnel**, 1966, Une espèce jumelle méconnue du genre *Maniola* Schrank (Lep., Nymphalidae, Satyrinae). *Bull. Soc. ent. Fr.* 71: 35-40, 11 figs.
- 368) Bernardi, G.**, 1945, Etudes sur le genre *Euchloe* Hb. (Lep., Pieridae). *Misc. Ent.* 42: 65-103, Pls.
- 369) Bernardi, G.**, 1957, Contribution a l'étude des pseudodualspecies: une nouvelle espece iranienne d'*Euchloe* Hb. (Lep., Pieridae). *Bull. Soc. ent. Fr.* 62: 38-41, 4 figs.
- 370) Bernardi, G.**, 1970, Note sur la Variation géographique d'*Allancastris cerisyi* Godart (Papilionidae). *Lambillionea* 70: 55-64.
- 371) Bernardi, G.**, 1970, La Variation géographique de l'*Anthocharis grüneri* H.S. *Lambillionea* 70: 1-13, figs.
- 372) Bernardi, N.**, 1973, The genera of the family Nemestrinidae (Diptera, Brachycera). *Agr. Zool. S. Paulo* 24 (4): 211-318, figs.
- 373) Beshkov, S.**, 1996, *Yigoga flavina flavina* (Herrich-Schäffer, 1852) = *Yigoga flavina pretiosa* (Caradja, 1931) syn. n., stat. rev. (Lepidoptera, Noctuidae, Noctuinae). *Phegea* 24(2): 69-80, 13 figs., 2 Pls.
- 374) Beshkov, S.**, 2006, *Nola ronkayorum* sp. n., a new species from Bulgaria and Turkey (Lepidoptera, Nolidae). *Phegea* 34 (1): 17-32, figs.
- 375) Besuchet, C. & S. Kurbatov**, 2007, Les Bryaxis du Caucase et du secteur oriental des chaînes Pontiques (Coleoptera, Staphylinidae, Pselaphinae). *Russ. ent. J.* 16 (2): 155-206, figs.
- 376) Bethrem, J.G.**, 1935, Beitrag zur Kenntnis der paläarktischen Arten des Genus *Scolia*. *Tijdschr. Ent.* 78: 1-78, figs.
- 377) Bethune-Baker, G.T.**, 1913, Notes on the specific distinction of certain species in the orbitulus and pheretiades section of the genus *Plebeius*. *Trans. ent. Soc. London* 1913: 205-212, pls. vi-viii.

- 378) Bethune-Baker, G.T.**, 1918, A Revision of the genus *Tarucus*. Trans. ent. Soc. London (1917) 65(2/4): 269-296, pls.xiv-xx.
- 379) Betrem, J.G. & C.J. Bradley**, 1964, Annotations on the genera *Triscolia*, *Megascolia* and *Scolia* (Hymenoptera, Scoliididae). Zool. Meded. 39 (43): 433-444.
- 380) Betrem, J.G.**, 1935, Beiträage zur Kenntnis der paläarktischen Arten des Genus *Scolia*. Tijdschr. Ent. 78: 1-78, figs.
- 381) Betti, G.**, 1977, Nouvelles sous-especes des *Lycaenidae* paléarctiques. Alexanor 10 (2): 87-95, Tab.i-iv.
- 382) Betti, G.**, 1989, Contribution a la connaissance des *Parnassius* d'Anatolie (Lepidoptera, Papilionidae). Linneana Belg. 12 (2): 67-76, 3 figs.
- 383) Betts, E.B.C.**, 1922, *Rhopalocera* from Rhodes, Samos, Gallipoli etc. Entomologist 55: 137-138.
- 384) Beuk, P.**, 2004-2011, *Diptera.info* <http://www.diptera.info/news.php> - images in *Diptera Gallery* and Forum of their respective owners.
- 385) Beuret, H.**, 1951, Eine interessante Form von *Aricia agestis* Schiff. Mitt. ent. Ges. Basel 1: 53-55, fig.
- 386) Beuret, H.**, 1952, *Palaeochrysophanus candens* H.S., eine bisher verkannte Art (*Lycaenidae*). Mitt. ent. Ges. Basel 2: 57-64, figs.
- 387) Beuret, H.**, 1958, Zur systematischen Stellung einiger wenig bekannten *Glaucopsyche* (Lep., *Lycaenidae*). Mitt. ent. Ges. Basel 8: 61-79, 81-100, pls.
- 388) Beyarslan, A. & F. İnanç**, 2001, Eine neuer Beitrag zur Kenntnis der türkischen *Dacnusiini* Foerster 1862 (Hymenoptera, Braconidae, Alysini). Linzer biol. Beitr. 33 (1): 263-268.
- 389) Beyarslan, A. & M. Fischer**, 2011, Contributions to the Opiinae fauna of Turkey (Hymenoptera, Braconidae). Turk. J. Zool. 35: 293-305.
- 390) Beyarslan, A. & Ö.Ç. Erdoğan**, 2012, The Braconinae (Hymenoptera, Braconidae) of Turkey, with new locality records and descriptions of two new species of Bracon Fabricius, 1804. Zootaxa 3343: 45-56, figs.
- 391) Beyarslan, A. & V.I. Tobias**, 2008, *Bracon* (*Lucobracon*) *iskilipus* sp.n. (Hymenoptera, Braconidae, Braconinae) from the Central Black Sea Region of Turkey. Biologia 63 (4): 550-552, 6 figs.
- 392) Beyarslan, A.**, 1988, Zwei neue Arten der Familie Braconidae (Hymenoptera) aus der Türkei. Z. ArbGem. Öst. Ent. 39 (3/4): 71-76, figs.
- 393) Beyarslan, A.**, 2009, A survey of the Turkish Miracinae, with the description of a new species, *Mirax striacus* (Hymenoptera, Braconidae). Ent. News 120 (3): 291-296, figs.
- 394) Beyarslan, A.**, 1991, Die Arten der Tribus *Vipionini* Telenga aus der Türkei (Hym., Braconidae, Braconinae). Linzer Biol. Beitr. 23 (2): 495-519.
- 395) Beyarslan, A., Aydoğdu, M. & F. İnanç**, 2004, A survey of *Meteorus Haliday*, 1835 of Turkey (Hymenoptera, Braconidae, Euphorinae). Entomofauna 25 (1): 1-20, figs. [with remnant Turkish text].
- 396) Beyarslan, A., Aydoğdu, M. & Ö.Ç. Erdoğan**, 2006, A survey of Turkish fauna with redescription of *G. baetica* from a new host. Biologia 61 (2): 139-143, figs.
- 397) Beyarslan, A., Çetin Erdoğan, Ö. & M. Aydoğdu**, 2008, Phytogeographical distribution of *Vipio* Latreille, 1804 (Hymenoptera, Braconidae, Braconinae) in Turkey, with a key to the species in Turkey and adjacent regions. Biologia 63 (6): 1161-1168, figs.
- 398) Beyarslan, A., Çetin Erdoğan, Ö. & M. Aydoğdu**, 2008, *Diospilus belokobylskiji* Beyarslan sp.nov., with new records of *Diospilini* (Hymenoptera, Braconidae, Helconinae) from Turkey. Ent. News 119 (4): 403-410, 8 figs.
- 399) Bezdek, J.**, 2002, *Phyllobrotica aslani* Warchalowski, 1998, a new synonym of *P. binotata* Ogloblin, 1936 (Coleoptera, Chrysomelidae, Galerucinae). Genus 13 (3): 351-352.
- 400) Bezzi, M.**, 1909, Einige neue paläarktische *Empis*-Arten. Dt. ent. Z. 1909 (Beiheft): 85-103.
- 401) Bezzi, M.**, 1915, The Syrphidae of the Ethiopian Region. based on material in the collection of the British Museum (Natural History) with descriptions of new genera and species. 146 pp., 28 figs. London.
- 402) Bialooki, P.**, 2005, New genus and species and a new species of *Aomus* Schoenherr, 1834 (Coleoptera, Curculionidae, Entiminae) from Turkey. Annls. Upp. Sil. Mus. (Ent.) 13: 135-144, figs.
- 403) Bialooki, P.**, 2006, A new species of *Neotournieria* Apfelbeck, 1932 from Turkey (Coleoptera, Curculionidae, Entiminae). Genus 17 (2): 263-267, figs.
- 404) Bialooki, P.**, 2006, Two new species of *Cionus* Clairville, 1798 (Coleoptera, Curculionidae, Cioniini) from Turkey. Polskie pismo ent. 75: 55-64, figs.
- 405) Bidzilya, O. & O. Karsholt**, 2008, New data on *Anomologini* from Palaeartic Asia (Gelechiidae). Nota lepid. 31 (1): 199-213, figs.
- 406) Bidzilya, O.**, 1996, A new species of the genus *Bryotropha* (Lepidoptera, Gelechiidae) from the South Ukraine. Vestn. zool. 1996: 83.
- 407) Bidzilya, O.**, 2005, A review of the genus *Athrips* (Lepidoptera, Gelechiidae) in the Palaeartic Region. Dt. ent. Z. 52 (1): 3-72, figs.
- 408) Bidzilya, O.**, 2005, A review of the genus *Metanarsia* Staudinger, 1871 (Gelechiidae). Nota lepid. 27 (4): 273-297, figs.

- 409) Bienkowski, A.O.**, 2001, A study on the genus *Chrysolina* Motschulsky, 1860, with a checklist of all the described subgenera, species, subspecies, and synonyms (Coleoptera, Chrysomelidae, Chrysomelinae). *Genus* 12 (2): 105-235, figs.
- 410) Bigot, J.M.F.**, 1879, *Dipteres nouveaux ou peu connus* 11. partie - xvi. *Curiae Xylophagidarum et Stratiomyidarum* (Bigot). *Annls Soc. ent. Fr.* (5) 9: 183-234.
- 411) Billberg, G.J.**, 1820, *Enumeratio insectorum in Museo Billberg*, 138pp., Holmiae.
- 412) Bily, S.**, 1997, *Polycetes johanidesi* sp.n. from Turkey and notes on the genus *Polycetes* (Coleoptera, Buprestidae). *Folia Heyrovskyana* 5 (1): 15-18.
- 413) Bily, S.**, 2006, Two new species in the *Anthaxia* (Anthaxia) *candens* (Panzer, 1793) species-group from Iran and Turkey with taxonomic notes on the group (Coleoptera, Buprestidae). *Zootaxa* 1309: 25-25, figs.
- 414) Biondi, M.**, 1992, Note sui Crisomelidi Alticini della fauna di Turchia, con descrizione di tre nuove specie (Coleoptera, Chrysomelidae, Alticinae). *Fragm. Ent. Roma* 23 (2): 341-354.
- 415) Biondi, M.**, 1997, *Longitarsus aubozaorum* and *Psylliodes littoralis*, two new flea beetle species from Turkey (Coleoptera, Chrysomelidae). *Fragm. Ent. Roma* 29 (2): 383-390.
- 416) Bischoff, M.J.**, 1928, *Blepharoceriden aus Bulgarien nebst einigen Bemerkungen zu der armenischen Blepharocera*. *Zool. Jb., Syst.* 54: 449-466.
- 417) Blank, S.M.**, 1991, *Tenthredo marginella hakkariensis* ssp. nov. aus der Türkei (Hymenoptera, Symphyta, Tenthredinidae). *Entomofauna* 12 (19): 321-327, figs.
- 418) Blank, S.M.**, 1993, A contribution to the sawfly fauna of northern Greece (Hymenoptera, Symphyta). *Beitr. Ent.* 43 (2): 431-439.
- 419) Blaschke, P.**, 1914, *Die Raupen Europas mit ihren Futterpflanzen*. 29+264+75S. 28 Taf. Grasers Verlag, Annaberg.
- 420) Bleszynski, S. & R.J. Collins**, 1962, A short catalogue of the world species of the family Crambidae (Lepidoptera). *Acta zool. cracov.* 7: 197-389.
- 421) Bleszynski, S.**, 1955, Materialien zur Kenntnis der Crambinae X. Über die systematische Stellung der *Crambus delicatellus* Zeller-Gruppe. *Z. wien. ent. Ges.* 40: 266-269, 3 figs.
- 422) Bleszynski, S.**, 1957, Studies on the Crambidae (Lepidoptera). Part XIV. Revision of the European species of the generic group *Crambus* (s.l.). *Acta zool. cracov.* 1: 161-622, pls. 27-92.
- 423) Bleszynski, S.**, 1960, Studies on the Crambidae (Lepidoptera). Part XXIII. New species of the generic group *Crambus* F. *Polski Pismo Ent.* 30 (2): 11-22, 10 figs.
- 424) Bleszynski, S.**, 1961, Studies on the Crambinae (Lepidoptera). part xxvi. Preliminary study on the genus *Euchromius* Gn. *Acta ent. Mus. natn. Pragae* 34: 451-
- 425) Bleszynski, S.**, 1965, Crambinae, [In] Amsel, H.G., Reisser, H. & F. Gregor: *Microlepidoptera Palaearctica* 1: xlvii + 533pp. 133 pls., Wien
- 426) Bleszynski, S.**, 1969, Crambinae aus der Türkei und aus Griechenland (Lepidoptera, Pyralidae). *Ent. Z., Frankf. a. M.* 79: 25-27.
- 427) Bleszynski, S.**, 1970, A revision of the world species of *Chilo Zincken* (Lepidoptera, Pyralidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 25: 101-195, 5 pls.
- 428) Blüthgen, P.**, 1923, Beiträge zur Kenntnis der Bienengattung *Halictus* Latr. *Arch. Naturg.* 87(A): 232-332, 38 Abb.
- 429) Blüthgen, P.**, 1923-1924, Beiträge zur Systematik der Bienengattung *Sphecodes* Latr. I, II. *Dt. ent. Z.* 1923 (5): 441-; 1924 (6): 457-516.
- 430) Blüthgen, P.A.V.**, 1923-1924, Beiträge zur Systematik der Bienengattung *Halictus* Latr. (Hym.). *Konowia* 2: 65-81, 123-142; 3: 53-64, 76-95, 253-284.
- 431) Blüthgen, P.A.V.**, 1929, Neue turkestanische *Halictus*-Arten (Hym., Apidae). *Konowia* 8: 51-86, figs.
- 432) Bodemeyer, E. von**, 1906, Beiträge zur Käferfauna von Klein-Asien. *Dt. ent. Z.* 1906: 417-434.
- 433) Bodenheimer, F.S.**, 1941, Türkiye Entomolojisi II. Türkiye Haşerat Familyalarının Resimli Teşhis Anahtarı. 103 S., xxxiii Tablo. T.C. Ziraat Vekaleti Neşriyatı, Sayı 531, Nebat Hastalıkları 7, Çankaya Matbaası, Ankara.
- 434) Bodenheimer, F.S.**, 1951, *Citrus Entomology in the Middle East with special references to Egypt, Iran, Irak, Palestine, Syria, Turkey*. xii+663pp. s'Gravenhage.
- 435) Bohatsch, O.**, 1883, Eine neue *Boarmia* aus Ungarn. *Wien. ent. Ztg.* 2: 111-114, fig.
- 436) Bohatsch, O.**, 1886, Beitrag zur Lepidopterenfauna Transkaukasiens. *Wien. ent. Ztg.* 5: 123-128, 200-203.
- 437) Bohatsch, O.**, 1893, Mittheilungen über *Eupitheci*en. *Dt. ent. Z., Iris* 6: 1-35.
- 438) Bohatsch, O.**, 1910, Neue palaearktische *Macrolepidopteren*. *Jber. wien. ent. Ver.* 19: 163-164.
- 439) Boisdual, J.B.A.**, 1828, *Europaeorum Lepidopterorum index methodicus*. 103pp., Paris. [issued Nov. 1828; vide *Bibl. Franç.* 1828: 845]

- 440) Boisduval, J.B.A.**, 1828, Essai sur une Monographie des Zygénides, suivie d'un tableau méthodique de classification des Lépidoptères. xxvi+132 pp. 8 pls. Paris. [issued Nov.1828; vide Bibl. Franç. 1828: 836]
- 441) Boisduval, J.B.A.**, 1832-[1834], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.1, 252 pp., 47 pls. Paris.
- 442) Boisduval, J.B.A.**, 1834-[1841], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.2, 208 pp., 37 pls. Paris.
- 443) Boisduval, J.B.A.**, 1836, Histoire naturelle des Insectes. Spécies général des Lépidoptères vol.1, [4]+ xii + 690 + 6pp., 24 pls. Paris.
- 444) Boisduval, J.B.A.**, 1840, Genera et Index Methodicus Europaeorum Lepidopterorum, 238 pp. Paris. [out by 9 May; vide Bibl. Franç].
- 445) Boisduval, J.B.A.**, 1848, Note relative aux Lépidoptères recueillis par Kindermann aux environs d'Odessa et au pied du Caucase. Annls Soc. ent. Fr. 2(6): xxviii- xxx.
- 446) Boisduval, J.B.A.**, 1852, Trois nouvelles espèces de Psyche. Annls Soc. ent. Fr. 2(10): xxii.
- 447) Bollino, M. & G.Sala**, 1992, *Papilio alexanor eitschbergeri*, a new subspecies from Samos Island (Greece) and Western Turkey (Lepidoptera, Papilionidae). *Atalanta* 23(1/2): 127-131, pl.vii.
- 448) Bollino, M. & G.Sala**, 1995, Considerations about proposed synonymy of some *Papilio alexanor* subspecies (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo (N.F.)* 16(2/3): 253-258.
- 449) Bollow, C.**, 1929, Gattung *Parnassius* Latr. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 20-91, pls. Stuttgart.
- 450) Bollow, C.**, 1929-1930, Gattung *Parnassius* Latr. [In] Seitz, A., *Gross-Schmett. Erde, Suppl.* 1: 20-83. Stuttgart.
- 451) Bollow, C.**, 1930, Familie Pieridae. [In] Seitz, A., *Die Gross-Schmett. Erde, Suppl.* 1: 96-125. Stuttgart.
- 452) Bollow, C.**, 1930, Familie Nymphalidae. Gruppe: Apaturidi. [In] Seitz, A., *Die Gross-Schmett. Erde, Suppl.* 1: 191-196. Stuttgart.
- 453) Bollow, C.**, 1930, Subfam. Nymphalinae. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 191-198, pl. Stuttgart.
- 454) Bollow, C.**, 1930, Fam. Lycaenidae (Gattung *Virachola-Taraca*). [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 251-306, pls. Stuttgart
- 455) Bollow, C.**, 1930, Fam. Pieridae. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 93-125, pls. Stuttgart.
- 456) Bollow, C.**, 1930-1931, Familie Lycaenidae. [In] Seitz, A., *Die Gross-Schmett. Erde (Suppl.)* 1: 249-296. Stuttgart.
- 457) Bollow, C.**, 1931, Nachträge zur Familie Papilionidae, Pieridae, Satyridae (*Lethe-Erebia*). [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 327-339, pl. Stuttgart.
- 458) Bollow, C.**, 1931, Nachträge zu den Lycaenidae (Gruppe der Lycaenini), Hesperidae. [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 353-354. Stuttgart.
- 459) Bollow, C.**, 1931, Nachträge zur Fam. Nymphalidae (Nymphalinae). [In] Seitz, A., *Die Gross-Schmett. Erde (suppl.)* 1: 341-342. Stuttgart.
- 460) Bollow, C.**, 1932, Familie Saturniidae. In Seitz, A., *Gross-Schmett. Erde, Suppl.* 2: 129-135. Stuttgart.
- 461) Bologna, M.A. & A.Di Giulio**, 2008, Revision of the genus *Trichomeloe* Reitter, with the description of new species and first instar larvae (Coleoptera, Meloidae). *Contr. Zool.* 77 (4): 227-248, figs.
- 462) Bologna, M.A. & J.D.Pinto**, 2002, The Old World genera of Meloidae (Coleoptera): a key and synopsis. *J. nat. Hist.* 36 (17): 2013-2102.
- 463) Bologna, M.A.**, 1979, Meloidae di Turchia I. Contributo (Coleoptera). *Fragm. ent.* 15: 143-199.
- 464) Bologna, M.A.**, 1994, Meloidae della Grecia (Coleoptera). *Fragm. ent.* 25 (Suppl.): 1-119, figs.
- 465) Bologna, M.A.**, 2009, The Meloidae (Coleoptera) of Libya: an annotated catalogue and description of three new species. *Annls Soc. ent. Fr. (n.s.)* 45 (3): 345-364, figs.
- 466) Bologna, M.A., Di Giulio, A. & M.Pitzalis**, 2008, Systematics and biogeography of the genus *Actenodia* (Coleoptera, Meloidae, Mylabrini). *Syst. Ent.* 33: 319-360, figs.
- 467) Bolu, H. & A.A. Legalov**, 2008, On the Curculionoidea (Coleoptera) fauna of Almond (*Amygdalus communis* L.) Orchards in South-eastern and Eastern Anatolia in Turkey. *Baltic J. Coleopt.* 8 (1): 75-86.
- 468) Bolu, H. & I.Özgen**, 2007, Badem içkurdunun (*Eurytoma amygdali* Enderlein) (Hymenoptera, Eurytomidae) yayılış alanları, bulaşma oranları ve parazitoidleri. *Harran Univ. Ziraat Fak. Derg.* 11 (3/4): 59-65, figs.
- 469) Bolu, H., Özgen, I. & M.Fent**, 2006, Diyarbakır, Elazığ ve Mardin illeri Badem ağaçlarında bulunan Pentatomidae (Heteroptera) türleri. *Tarım Bilim. Derg.* 16 (1): 25-28.

- 470) **Bordoni, A.**, 1999, Una nuova specie di *Deliphrosoma* della Turchia (Coleoptera, Staphylinidae). *Fragm. ent.* 31 (2): 195-202, figs.
- 471) **Borkent, A.**, 2009, World species of Biting Midges (Diptera, Ceratopogonidae), 236pp. <http://www.inhs.uiuc.edu/cee/FLYTREE/CeratopogonidaeCatalog.pdf> [last updated July 9, 2009] (access 9 August, 2009).
- 472) **Borkhausen, M.B.**, 1788, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 1. 288pp. Frankfurt.
- 473) **Borkhausen, M.B.**, 1789, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 2. 239pp. pl., Frankfurt.
- 474) **Borkhausen, M.B.**, 1790, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 3. 476pp. Frankfurt.
- 475) **Borkhausen, M.B.**, 1792, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 4. 809pp. Frankfurt.
- 476) **Borkhausen, M.B.**, 1794, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 5. 572pp. Frankfurt.
- 477) **Borowiec, L.**, 2005, *Macrocoma doboszi*, a new species from Turkey (Coleoptera, Chrysomelidae, Eumolpinae). *Genus* 16 (3): 373-377, figs.
- 478) **Borowiec, L.**, 2007, Cassidinae (Coleoptera, Chrysomelidae) collected in Turkey during expeditions of Upper Silesian Museum Bytom, Poland. *Annls Upper Sil. Mus. (Ent.)* 14-15: 7-12.
- 479) **Bosak, J. & M. Hradsky**, 2001, Some remarks on distribution of robber flies (Diptera, Asilidae) in Turkey. *J. ent. Res. Soc.* 3 (3): 1-28.
- 480) **Boucek, Z.**, 1956, A contribution to the knowledge of the Chalcididae, Leucospidae and Eucharitidae (Hymenoptera, Chalcidoidea) of the Near East. *Bull. Res. Coun. Israel* 5B: 227-259.
- 481) **Boucek, Z.**, 1982, Four new mediterranean Torymidae (Hymenoptera). *Entomologist's Gaz.* 33: 183-191, figs.
- 482) **Boucek, Z.**, 2001, Palearctic species of *Ammoplanus* (Hymenoptera, Sphecidae). *J. Nat. Hist.* 35: 849-929.
- 483) **Boucek, Z.**, 1974, A revision of the Leucospidae (Hymenoptera, Chalcidoidea) of the World. *Bull. Br. Mus. (Nat. Hist.) Ent. Suppl.* 23: 1-241, figs.
- 484) **Boudinot, J.**, 1986, Observations sur le cycle biologiques d'*Azuritis reducta* (Stgr.) (Lepidoptera, Nymphalidae) *Alexanor* 14 (7): 315-322, 12 figs.
- 485) **Boudinot, J.**, 1986, Description d'un genre nouveau parmi les Limenitini paléarctiques (Lepidoptera, Nymphalidae) *Nouv. Rev. Ent. (n.s.)* 2 (4): 403-409.
- 486) **Boulard, M.**, 1988, Les Lyristes d'Asie mineure (Hom., Cicadidae). I. Sur deux formes éthospécifiques syntopiques et description de deux especes nouvelles. *l'Entomologiques* 44 (4): 153-167.
- 487) **Boulard, M.**, 1992, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premières informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae). *Nouv. Revue d'Ent. (N.S.)* 9 (4): 365-374.
- 488) **Boulard, M.**, 1993, *Pagiphora yanni*, Cigale anatolienne inédite. Description et premières informations biologiques (cartes d'identité et éthologie sonores) (Homoptera, Cicadoidea, Tibicenidae). *Turk. Ent. Derg.* 17 (1): 1-9, figs. [second unnecessary publication!]
- 489) **Bourgogne, J.**, 1951, Ordre des Lépidoptères, [in] Grassé, P.P., *Traité de Zoologie*. 10(1): 174-448, figs. 192-437, pls. Masson et C. Paris.
- 490) **Boursin, C.**, 1932, Zwei neue *Athetis* us dem Libanon. *Int. ent. Z.* 26: 245-248, Pl.
- 491) **Boursin, C.**, 1933, Neue *Cucullia* und *Athetis* von Marasch in türkisch Nordsyrien, von der Expedition L.Osthelder und E.Pfeiffer. *Mitt. münch. ent. Ges.* 23(1): 8-26, 6 pls.
- 492) **Boursin, C.**, 1940, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. *Mitt. münch. ent. Ges.* 30: 474-543, Taf.viii-xii.
- 493) **Boursin, C.**, 1945, Un nouveau *Chersotis* d'Arménie: *Chersotis elegantula* n.sp. (Lepidoptera, Agrotinae). *Revue fr. lépid.* 10: 64-69, pl.
- 494) **Boursin, C.**, 1946, Trois nouveaux genres paléarctiques de la sous-famille des Agrotinae. *Revue fr. lépid.* 10: 186-192.
- 495) **Boursin, C.**, 1947, Über zwei *Autophila*-Arten aus den Brandtschen Ausbeuten in Süd- und Ost-Iran. *Z. wien. ent. Ges.* 32: 142-148, pls.8-10.
- 496) **Boursin, C.**, 1951, Eine neue *Agrochola* Hb.(*Orthosia* auct.) aus Kleinasien. *Z. wien. ent. Ges.* 36: 158-161.
- 497) **Boursin, C.**, 1952, Beiträge zur Kenntnis der Agrotidae-Trifinae, XLIX. Synonymie Notizen nebst verschiedenen Bemerkungen, III. *Z. f. Lepidopt.* 2 (1): 49-68.
- 498) **Boursin, C.**, 1953, Über die Gattung "Allophytes" Tams nebst Beschreibung einer neuen Art aus Klein-Asien Lep. Phalaenidae (Noctuidae) (Beiträge zur Kenntnis der "Agrotidae-Trifinae", LIX). *Mitt. münch. ent. Ges.* 43: 239-247, Taf. ii-v.

- 499) Boursin,C.**, 1954, Zwei neue Cryphia Hb. (Bryophila)-Arten aus dem vorderasiatisch-mediterranen Faunenkreis (Beiträge zur Kenntnis der "Agrotidae-Trifinae" LXVI (66)). Z. wien. ent. Ges. 39: 85-89, 2 Taf.
- 500) Boursin,C.**, 1954, Zwei neue Cryphia Hb. (Bryophila)-Arten aus Französisch- Nordafrika. Z. wien. ent. Ges. 39: 123-126, 7 Abb.
- 501) Boursin,C.**, 1957, Description de huit nouvelles Caradrina O. d'Afghanistan, de l'expédition Klapperich, et de deux Oedibrya Hps. (Perse et Afghanistan) (Lep., Phalaenidae) (Diagnoses préliminaires) (Contribution a l'étude des Agrotidae-Trifinae xc/90). Bull. mens. Soc. linn. Lyon 26(6): 158-163.
- 502) Boursin,C.**, 1957, Eine neue Allophytes Tams aus Mittelchina (Aus Dr.Höne's China-Ausbeuten) (Beiträge zur Kenntnis der Agrotidae-Trifinae xciii(93)). Z. wien. ent. Ges. 42: 103-106, 1 Taf.
- 503) Boursin,C.**, 1959, Über zwei für Europa neue Hadenä-Arten (=Dianthoecia B.) Hadenä clara Stgr. (1901), bona sp.! und Hadenä urumovi Dren. (1931), bona sp.! Z. wien. ent. Ges. 44: 113-131, pls.5-11.
- 504) Boursin,C.**, 1962, Eine neue Cosmia Hb. (Calymnia auct.) aus dem Balkan und Kleinasien. Z. wien. ent. Ges. 47: 65-69, pls.
- 505) Boursin,C.**, 1962, Eine neue Aegle Hb. aus Anatolien. Z. wien. ent. Ges. 47: 183-186, pl.
- 506) Boursin,C.**, 1962, Lithophane semibrunnea Haw. Eine vorderasiatisch-mediterrane Art mit Beschreibung einer neuen Subspecies. Z. wien. ent. Ges. 47: 92-94, Taf.11.
- 507) Boursin,C.**, 1964, Eine neue Anamecia Brsn. aus Westpakistan. Z. wien. ent. Ges. 49: 34-35, Taf.3.
- 508) Boursin,C.**, 1966, Eine neue Conisania Hps. aus Sining nebst Synonymie-Notizen. Z. wien. ent. Ges. 51: 154-159, Tab.13-17, 17 figs.
- 509) Boursin,C.**, 1967, Eine neue Mythimna O. aus Ostanatolien. Z. wien. ent. Ges. 52: 90-91, pl.
- 510) Boursin,C.**, 1970, Description de 40 especes nouvelles de Noctuidae Trifinae paléarctiques et de deux genres nouveaux des sous-familles Noctuinae et Amphipyrrinae 2e série. Contributions a l'étude des Noctuidae Trifinae, 166. Entomops 18: 45-79, figs.52-122.
- 511) Bowden,J.**, 1967, Species of the genus Conophorus Meigen (Dipt., Bombyliidae) from Turkey. Entomologist's mon. Mag. 102: 131-134.
- 512) Bowden,J.**, 1967, Two new species of Heterotropus Loew (Diptera, Bombyliidae) from Turkey. Entomologist's mon. Mag. 103: 36-39, 8 figs.
- 513) Bowden,J.**, 1983, Two new species of Leptomydas Gerst. (Dipt., Mydidae) from Turkey and Saudi Arabia. Entomologist's mon. Mag. 119: 141-145, figs.
- 514) Bowden,J.**, 1985, A new species of Nemestrinus Latr. (Diptera, Nemestrinidae) from Turkey. Entomologist's mon. Mag. 121: 185-188, 5 figs.
- 515) Bowden,J.**, 1974, Studies in African Bombyliidae VIII. On the Geroninae. J. ent. Soc. sth. Afr. 37 (1): 87-108, figs.
- 516) Bowden,J.**, 1964, The Bombyliidae of Ghana. Mem. ent. Soc. sth. Afr. 8: 1-159, figs.
- 517) Börzsöny,L.**, 1996, Erstnachweis von Amorphogomphus kiritshenkoi für die Türkei (Anisoptera, Gomphidae). Libellula 15: 185-190.
- 518) Brake,I.**, 2009, Revision of Milichiella Giglio-Tos (Diptera, Milichiidae). Zootaxa 2188: 1-166, figs.
- 519) Brake,I.**, 2010, Milichiidae online <http://milichiidae.info/> [access 19.12.2010].
- 520) Bramson,K.L.**, 1910, Analytische Uebersicht der Formen von Melitaea didyma O. Horae Soc. ent. ross. 39: 391-410.
- 521) Brauer,F.**, 1883, Ergänzende Bemerkungen zu A.Handlirsch's Mittheilungen über Hirmoneura obscura Mg. Wien. ent. Ztg. 2: 25-26.
- 522) Braun,W.**, 1979, Beitrag zur Kenntnis der Gattung Dorcadion (Col., Cerambycidae). NachrBl. bayer. Ent. 28 (5): 81-86, 3 Abb.
- 523) Bridges,C.A.**, 1988, Catalogue of the family-group genus-group and species-group names of the Hesperioidea (Lepidoptera) of the World. Urbana Illinois (Sebstverlag).
- 524) Bridges,C.A.**, 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A.Bridges, Urbana, Illinois.
- 525) Brink,H.v.d. & H.v.Oorschot**, 1996, Additions and corrections to "Die Tagfalter der Türkei". I.Interesting observations of butterflies in Turkey during the 37th expedition of the "Werkgroep Grieks-Turkse dagvlinders" (Lepidoptera: Hesperidae, Pieridae, Lycaenidae). Phegea 24(1): 19-23, 1 fig. Pl.1.
- 526) Brock,J.P.**, [1968], The systematic position of the Choreutinae (Lepidoptera, Glyphipterygidae). Entomologist's mon. Mag. 103: 245-246.
- 527) Brock,J.P.**, 1982, A systematic study of the genus Ophion in Britain (Hymenoptera, Ichneumonidae). Tijdschr. Ent. 125 (4): 57-97, figs.
- 528) Brooks,S.E.**, 2005, Systematics and phylogeny of the Dolichopodinae (Diptera, Dolichopodidae). Zootaxa 857: 1-158.
- 529) Broomfield,P.S.**, 1971, A catalogue of the Membracid types (Homoptera, Membracidae) in the British Museum (Natural History). Bull. Br. Mus. Nat. Hist. (Ent.) 25 (8): 325-386.

- 530) Bros,E.de**, 1991, Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei. Mitt. ent. Ges. Basel 41(4): 112-135, 6 Abb.
- 531) Bros,E.de**, 1994, Corrigenda zum "Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei" (Mitt. ent. Ges. Basel 41(4), 112-135,1991). Mitt. ent. Ges. Basel 44(2): 74-75.
- 532) Brown,J.**, 1976, A Review of the genus *Pseudochazara* de Lesse 1951 (Lep., Satyridae) in Greece. Entomologist's Gaz. 27: 85-90, 13 figs.
- 533) Brown,J.W.**, 2005, World Catalogue of Insects. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
- 534) Brunner von Wattenwyl,C.**, 1878, Monographie der Phaneropteriden. 401pp. 8 Tab., Wien.
- 535) Brunner von Wattenwyl,C.**, 1882, Prodromus der europäischen Orthopteren. 466 pp. 11 Taf. Engelmann, Leipzig.
- 536) Brunner von Wattenwyl,C.**, 1891, Additamenta zur Monographie der Phaneropteriden. Verh. zool. bot. Ges. Wien 41: 1-196 2 Tab.
- 537) Brännlich,M.T.**, 1863, Insecta Lepidoptera [in] Pontoppidan,E., Den Danske Atlas I: 684-689, pl.30, figs. Kiøbenhavn.
- 538) Bryk,F. & C.Eisner**, 1930, *Parnassius apollo* L. in Klein-Asien. Parnassiana 1 (4): 1-3, figs.
- 539) Bryk,F. & C.Eisner**, 1931, *Parnassius mnemosyne* L. in Klein-Asien. Parnassiana 1 (7/8): 1-3 figs.
- 540) Bryk,F. & C.Eisner**, 1934, Zwei neue Rassen von *P. mnemosyne* L. aus Armenien. Parnassiana 3: 38-39, figs. 3-4.
- 541) Bryk,F. & C.Eisner**, 1935, Zur Prazisierung des Fundortes von *P. apollo* ssp. *graslini* Oberth. Parnassiana 3: 67-68, 3 figs.
- 542) Bryk,F.**, 1912, Syntomidae. [in] Wagner,H., Lepidopterorum Catalogus Pars 7. 179pp. Dr.W.Junk Berlin.
- 543) Bryk,F.**, 1912-1914, Parnassiana v. Zur Synopsis der asiatischen *Mnemosyne*. Societas Ent. 27 (1912): 24-25, 38-40, 48-50, 52-53, 61-62, 87-89, 99-101, 106-107, 25 figs.; ibid. 28 (1913): 14-16; 29 (1914): 42-44, 66-71, figs.
- 544) Bryk,F.**, 1914, Randbemerkungen zu Dr. Pagenstechers *Parnassius apollo* in Kaukasien. Mitt. münch. ent. Ges. 4: 70-74, figs.
- 545) Bryk,F.**, 1914-1915, Über das Abändern von *Parnassius apollo* L. Untersuchungen über Biologie und Zeichnungsverhältnisse des Formenkreis *Parnassius apollo* L. Arch. Naturgesch. 80 A (5): 131-160, figs. 1-9, pl. 1-3 [1914]; (6): 149-180, figs. 10-29, pl.4-8 [1914]; (7): 153-184, figs. 30-36, pl.9-13 [1915]; (8): 143-174, pl.14-21 [1915]; (9): 133-164, pl.22-29 [1915]; (10): 147-167, pl.30-35 [1915].
- 546) Bryk,F.**, 1923, Baroniidae, Teinopalpidae, Parnassiidae. [in] Strand,E. Lepidopterorum Catalogus 24 (27): 1-247.
- 547) Bryk,F.**, 1932, Neue Zerynthiinae. Parnassiana 2: 102-104.
- 548) Bryk,F.**, 1934, Lymantriidae, [in] E.Strand, Lepidopterorum Catalogus. Pars 62: 1-441 pp. W.Junk, Berlin.
- 549) Bryk,F.**, 1934, Lepidoptera Baroniidae, Teinopalpidae, Parnassiidae Pt.1 Tierreich 64: xxiii + 129 pp., 87 figs.
- 550) Bryk,F.**, 1935, Lepidoptera Parnassiidae Pt.II (Subfam. Parnassiinae). Tierreich 65: li + 788 pp., 698 figs.
- 551) Bryk,F.**, 1936, Zygaenidae II. [in] Bryk,F., Lepidopterorum Catalogus Pars 71. 95-332 pp. Dr.W.Junk 's-Gravenhage.
- 552) Bryk,F.**, 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk,F., Lepidopterorum Catalogus Pars 82. 105 pp. Dr.W.Junk 's-Gravenhage.
- 553) Bryk,F.**, 1940, Geographische Variabilität von *Melitaea didyma* (Esper). Folia zool. hydrobiol. 10: 293-353, 6 pls.
- 554) Bulut,H. & N.Kılıçer**, 1989, Ankara İlinde meyve ağaçlarında zarar yapan önemli lepidopterlerin yumurta parazitlerinden *Trichogramma* türleri (Hym., Trichogrammatidae) ve bunların yayılışı üzerine araştırmalar. Bitki koruma Bült. 29 (1/2): 19-46, şekil.
- 555) Buntebarth,G.**, 1979, Zur Biologie der *Zygaena formosa* und der *Zygaena carniolica kappadokiae* (Lep., Zygaenidae). Ent. Z., Frankf. a. M. 89 (9): 100-104, 2 figs.
- 556) Burckhardt,D. & A.Önuçar**, 1993, A review of Turkish jumping plant-lice (Homoptera, Psylloidea). Revue suisse Zool. 100: 547-575.
- 557) Burckhardt,D.**, 1988, Angaben zur Psyllidenfauna der Nordosttürkei (Homoptera, Psylloidea). Mitt. ent. Ges. Basel 38: 31-44.
- 558) Buresch,I.**, 1915, Biology of *Doritis apollinus* Hbst. and its distribution in the Balkan Peninsula. Spis. bulg. Akad. Nauk. 12: 15-36.
- 559) Burgeff,H.**, 1914, Kommentar zum paläarktischen Teil der Gattung *Zygaena* des von Chr. Aurivillius und H. Wagner herausgegebenen Catalogue Lepidopterorum. Mitt. münch. ent. Ges. 5 (5/8): 35-70; (9/12): 77-78, Taf.ii-vi.

- 560) Burger, J.F. & L.L. Pechuman**, 1989, The identity of *Corizoneura caucasica* Kröber and consequent change of name for some Palearctic species of *Silvius* (Diptera, Tabanidae). *Entomofauna* 10 (28): 445-452, figs.
- 561) Burr, M.**, 1944, *Parnassius apollo*, race *kosswigi*, de Lattin. *Entomologist's Rec. J. Var.* 56: 41, 57-58.
- 562) Burr, M.**, 1944, Bithynian Mt. Olympus. *Entomologist's Rec. J. Var.* 56: 100-104.
- 563) Burr, M.**, 1949, *Catocala fraxini* commits suicide. *Entomologist's Rec. J. Var.* 61: 119.
- 564) Butler, A.G.**, 1865, Description of six species of diurnal Lepidoptera in the British Museum Collection. *Proc. zool. Soc. London* 1865: 430-434, Pl 25.
- 565) Butler, A.G.**, 1868, An Essay towards an arrangement of the genera of the family Satyridae. *Entomologist's mon. Mag.* 4: 193-197.
- 566) Butler, A.G.**, 1868, Catalogue of Diurnal Lepidoptera of the family Satyridae in the Collection of the British Museum. 211 pp. 5 Pls. London.
- 567) Butler, A.G.**, 1870, Catalogue of diurnal lepidoptera described by Fabricius in the collection of the British Museum. 303 pp. 2 pls. London.
- 568) Butler, A.G.**, 1875, Revision of the genus *Spilosoma* and allied groups of the family Arctiidae. *Cist. ent.* 2: 21-44.
- 569) Butler, A.G.**, 1876, Revision of the lepidopterous genus *Teracolus* with descriptions of the new species. *Proc. zool. Soc. Lond.* 1876: 126-165, pls.vi,vii.
- 570) Butler, A.G.**, 1891, Revision of the noctuid moths in the Natural History Museum hitherto referred to *Eriopus* and *Callopietria*. *Ann. Mag. nat. Hist.* (6) 8: 70-78, plate ix.
- 571) Buxton, D.A.J.**, 1916, Lepidoptera at the Dardanelles. *Entomologist's Rec. J. Var.* 28 (10): 213-217.
- 572) Buxton, P.A.**, 1920, A Liparid moth, *Ocnogryia amanda* Staud., destructive to figs in Mesopotamia. *Bull. ent. Res.* 11: 181-186.
- 573) Bystrowski, C.**, 2011, New record of *Loewia crassipes* (Mesnil) from Turkey. *Tachinid Times* 24: 1-3, 6 figs.
- 574) Bytinski-Salz, H. & W. Brandt**, 1937, New Lepidoptera from Iran. *Entomologist's Rec. J. Var.* 49: 1-15.
- 575) Bytinski-Salz, H.**, 1936, New Lepidoptera from Asia Minor. *Entomologist's Rec. J. Var.* 48: 1-6.
- 576) Bytinski-Salz, H.**, 1939, New Amatidae from Asia. *Entomologist's Rec. J. Var.* 51: 149-153, pl.x.
- 577) Can, F. & V. Mironov**, 2006, *Perizoma onurcani* sp.n. from Turkey (Geometridae, Larentiinae). *Nota lepid.* 28 (3/4): 163-166, figs.
- 578) Can, F.**, 2008, Geometrid moths (Lepidoptera) from the middle and eastern Black Sea Regions of Turkey. *Turk J. Zool.* 32: 1-8. [new record reports unknown].
- 579) Can, F.**, 2009, DNA barcoding confirms species rank for a cryptic geometrid species from Turkey and Bulgaria (Lepidoptera, Geometridae, Sterrhinae). *Zootaxa* 2314: 63-68, figs.
- 580) Can, F.**, 2010, Evaluation of morphological characters and male genitalia features of emerald moths (Lepidoptera, Geometridae, Geometrinae) from Turkey. *Afr. J. Agr. Res.* 5 (9): 867-873, figs.
- 581) Can, F., Garrevoet, T. & A.I. Sağiroğlu**, 2010, *Synanthedon syriaca*, a new species to the Turkish fauna (Lepidoptera, Sesiidae). *Phegea* 38 (1): 8-10.
- 582) Canbulat, S. & S. Kiyak**, 2002, *Nineta pallida* (Schneider, 1846) new to Turkey (Neuroptera, Chrysopidae). *J. Ent. Res. Soc.* 4 (1): 11-14, 1 map.
- 583) Canbulat, S. & S. Kiyak**, 2003, A new record of antlions for the Turkish fauna (Insecta, Neuroptera, Myrmeleontidae). *J. Ent. Res. Soc.* 5 (1): 17-20, fig. [with some editorial errors]
- 584) Canbulat, S. & S. Kiyak**, 2005, A new species of the genus *Dichochrysa* from Turkey (Neuroptera, Chrysopidae). *Dt. ent. Z. (N.F.)* 52 (2): 225-228, figs.
- 585) Canbulat, S. & S. Kiyak**, 2005, Contribution to the fauna of Neuroptera (Insecta) of South-Western Anatolia. *Ann. Upp. Sil. Mus. (Ent.)* 13: 9-60.
- 586) Canbulat, S.**, 2007, Contributions to the knowledge of the Lacewing fauna of Turkey (Neuroptera, Coniopterygidae, Myrmeleontidae), with some ecological remarks. *Ent. News* 118 (3): 303-310, figs.
- 587) Canbulat, S.**, 2007, A checklist of Turkish Neuroptera with annotating on provincial distributions. *Zootaxa* 1552: 35-52 [with serious editorial errors]
- 588) Canpolat, D., Lillig, M. & A. Hasbenli**, 2007, *Accanthopus velikensis* (Piller & Mitterpacher, 1783) - new to the Turkish fauna (Coleoptera, Tenebrionidae). *Zool. Middle East* 42: 104-105, fig.
- 589) Canterer, L.P.**, 1834-[1835], Histoire naturelle des Lepidopteres Rhopaloceres ou Papillons diurnes, des Départements des Haut et Bas-Rhin, de la Moselle, de la Meurthe et des Vosges. 166 pp., 39 pls. Paris.
- 590) Capdeville, P.**, 1978-1980, Les races géographiques de *Parnassius apollo*. 6 parts. 191 pp. 24 col. pls.
- 591) Capuse, I. & D. Dogof**, 1969, Contribution a l'étude de *Janthinea frivaldszkyi* (Dup) de Bulgarie (Lepidoptera, Noctuidae). *Bull. Soc. ent. Mulhouse* 1969: 81-84, 3 figs.
- 592) Capuse, I.**, 1958, *Ancata* n.g. (*Taeniocampa* Gn., partim, Lepidoptera). *Polski Pismo Ent.* 28: 167-171.

- 593) Capuse, I.**, 1966, New and rare palaearctic Tineidae (Lepidoptera). Tijdschr. Ent. 109 (5): 103-124, 49 figs.
- 594) Capuse, I.**, 1971, Recherches Morphologiques et Systematiques sur la famille des Coleophoridae (Lepidoptera). 66 pp., pls. Bucharest.
- 595) Capuse, I.**, 1973, Zur Systematik und Morphologie der Typen der Sesiidae (Lepidoptera) in der R. Puengeler- Sammlung des Zoologischen Museums zu Berlin. Mitt. münch. ent. Ges. 63: 134-171, figs.
- 596) Caradja, A.v.**, 1910, Beitrag zur Kenntnis über die geographische Verbreitung der Pyraliden des europäischen Faunengebietes nebst Beschreibung einiger neuer Formen. Dt. ent. Z., Iris 24: 105-147.
- 597) Caradja, A.v.**, 1916, Beitrag zur Kenntnis der geographischen Verbreitung der Pyraliden und Tortriciden des europäischen Faunengebietes. Dt. ent. Z., Iris 30: 1-88.
- 598) Caradja, A.v.**, 1920, Beitrag zur Kenntnis der geographischen Verbreitung der Microlepidopteren des palaarktischen Faunengebietes nebst Beschreibung neuer Formen. Dt. ent. Z., Iris 34: 75-179.
- 599) Caradja, A.v.**, 1935, Beitrag zur Kleinfalterfauna Inneranatoliens. Dt. ent. Z., Iris 48: 183-184.
- 600) Carapezza, A. & Z.Jindra**, 2008, Graphosoma (Graphosomella subgen.nov.) inexpectatum sp.nov. from Syria (Hemiptera Heteroptera Pentatomidae). Natural. sicil. 32 (3/4): 471-478, figs.
- 601) Carbonell, F. & A.Naderi**, 2007, Melanargia grumi lorestanensis n. ssp. dans le sud-ouest de l'Iran (Lep., Nymphalidae). Bull. Soc. ent. Fr. 112 (4): 454, figs.
- 602) Carbonell, F. & C.Brevignon**, 1982, Une nouvelle sous-espèce d'Archon apollinus de Turquie (Lepidoptera, Papilionidae). Alexanor 12 (8): 339-343, figs.
- 603) Carbonell, F. & C.Brevignon**, 1983, Notes sur les Lépidoptères de la Turquie du sud a Paques. Alexanor 13 (2): 50-53.
- 604) Carbonell, F.**, 1991, Une espèce jumelle méconnue du genre Polyommatus (Neolysandra) Koçak, 1977. Linneana Belgica 13 (1): 35-45, figs.
- 605) Carbonell, F.**, 1991, Contribution a la connaissance du genre Archon Hübner, 1822. Découverte de zones de sympatrie pour Archon apollinus (Herbst) et A.apollinaris Staudinger (Lepidoptera, Papilionidae). Linneana Belgica 13 (1): 3-12, figs.
- 606) Carbonell, F.**, 1991, Contribution a la connaissance du genre Polyommatus en Turquie orientale (Lepidoptera, Lycaenidae). Linneana Belgica 13 (4): 221-235, figs.
- 607) Carbonell, F.**, 1993, Contribution a la connaissance du genre Agrodiaetus Hübner (1822): le complexe ultraspécifique d'A. transcaspica Staudinger (1899) (Lepidoptera, Lycaenidae). Linneana Belgica 14 (2): 89-116, 12 figs. Tab.
- 608) Carbonell, F.**, 1994, Contribution à la connaissance du genre Polyommatus Latreille (1804): le complexe ultraspécifique de Polyommatus eros-eroides au Moyen-Orient et en Transcaucasie (Lepidoptera, Lycaenidae) (1re partie: descriptions de nouveaux taxa). Linneana Belgica 14 (4): 227-234, figs.
- 609) Carbonell, F.**, 1994, Le complexe d'Agrodiaetus poseidon Herrich-Schäffer (1851) en Turquie et au Liban. Description d'une nouvelle sous-espece d'A.theresia (Lepidoptera, Lycaenidae). Linneana Belgica 14 (6): 291-302, Pls.
- 610) Carbonell, F.**, 1995, Contribution a la connaissance du genre Polyommatus Latreille (1804): le complexe ultraspécifique de Polyommatus eors- eroides au Moyen-Orient et en Transcaucasie (2ème partie). Linneana Belgica 14 (8): 439-454, figs.
- 611) Carbonell, F.**, 1996, Contribution a la connaissance du genre Agrodiaetus Hübner (1822): A. lycius nouvelle espece en Turquie méridionale. Linneana Belgica 15 (7): 89-116, figs.
- 612) Carbonell, F.**, 1996, Contribution a la connaissance des genres Agrodiaetus Hübner, (1822) Agrodiaetus lycius n.sp. en Turquie méridionale (Lepidoptera, Lycaenidae). Linneana Belgica 15 (7): 281-285, figs.
- 613) Carbonell, F.**, 1997, Hyponephele shirazica n.sp. en Iran méridionale (Lepidoptera, Nymphalidae, Satyridae). Linneana Belgica 16 (3): 99-104, 9 col. figs., 1 text-figs.
- 614) Carbonell, F.**, 1997, Contribution a la connaissance du genre Agrodiaetus Hübner (1822): A.actis artvinensis nouvelle sous-espèce en Turquie orientale. Linneana Belgica 15 (11): 139-142, figs.
- 615) Carbonell, F.**, 1998, Contribution a la connaissance du genre Agrodiaetus Hübner (1822), position taxinomique d'Agrodiaetus anticarmon Koçak, 1983 (Lepidoptera, Lycaenidae). Linneana Belgica 16 (7): 263-265, 6 figs.; 16(8): 349.
- 616) Carbonell, F.**, 1998, Contribution a la connaissance du genre Agrodiaetus Hübner, 1822 Agrodiaetus cilicius n.sp. en Turquie méridionale (Lepidoptera, Lycaenidae). Linneana Belgica 16 (8): 343-349, maps, pl.
- 617) Carbonell, F.**, 2000, Contribution a la connaissance du genre Chazara Moore, 1893 Chazara egina mortezai n.ssp. en Iran (Lepidoptera: Nymphalidae, Satyrinae). Linneana Belgica 17 (6): 247-254, figs. map.
- 618) Carbonell, F.**, 2002, Agrodiaetus erzindjanensis n.sp. de Turquie (Lep., Lycaenidae). Bull. Soc. ent. Fr. 107: 524.

- 619) Carles-Tolra, M.**, 1993, New and interesting records of Diptera Acalyptrata from Spain, Part.iii. Lauxaniidae, Chamaemyiidae, Coelopidae, Dryomyzidae, Sciomyzidae and Sepsidae. *Fragm. ent.* 25 (1): 21-41.
- 620) Carles-Tolra, M.**, 2001, A new species of *Milichiella* Giglio-Tos from Spain (Diptera, Milichiidae). *Stud. dipterol.* 8: 521-523.
- 621) Carpenter, J.M. & J.Kojima**, 1997, Checklist of the species in the subfamily Vespinae (Insecta, Hymenoptera, Vespidae). *Nat. Hist. Bull. Ibaraki Univ.* 1: 51-92.
- 622) Carpenter, J.M.**, 1982, The phylogenetic relationships and natural classification of the Vespoidea (Hymenoptera). *Syst. Ent.* 7: 11-38.
- 623) Carpenter, J.M.**, 1986, A synonymic generic checklist of the Eumeninae (Hymenoptera, Vespidae). *Psyche* 93: 61-90.
- 624) Carpenter, J.M.**, 1996, Distributional checklist of species of the genus *Polistes* (Hymenoptera, Vespidae, Polistinae, Polistini). *Amer. Mus. Novit.* 3188: 1-39.
- 625) Carpenter, J.M.**, 2001, Checklist of species of the subfamily Masarinae (Hymenoptera, Vespidae). *Amer. Mus. Novit.* 3325: 1-40.
- 626) Carter, D.**, 1992, *Butterflies and Moths*. 304pp., figs. Dorling Kindersley, London
- 627) Carvalho, C.J.B.de & A.C.Pont**, 1997, A revision of New World *Brontaea* Kowarz (Diptera, Muscidae). *Revta bras. Zool.* 14 (3): 723-749, figs.
- 628) Casale, A. & A.V.Taglianti**, 1999, Caraboid beetles (excl. Cicindelidae) of Anatolia, and their biogeographical significance (Coleoptera, Carabidae). *Biogeographia* (n.s.) 20: 277-400.
- 629) Casale, A. & S.A.Cecchin**, 1990, Further data on *Parnassius apollo* Linné, 1758 in the Peloponnesos (Lepidoptera, Papilionidae). *Nota lepid.* 13(1): 8-11, 4 figs.
- 630) Caspers, N. & F.Reiss**, 1989, Die Chironomidae der Türkei Teil I. Podonominae, Diamesinae, Prodiamesinae, Orthoclaadiinae (Diptera, Nematocera, Chironomidae). *Entomofauna* 10 (8-1): 105-160, 27 figs.
- 631) Caspers, N.**, 1991, New and remarkable species of Mycetophiloidea (Diptera, Nematocera) from Mediterranean Region. *Spixiana* 14 (3): 143-155, figs.
- 632) Cassola, F.**, 1999, Studies on Tiger Beetles. CVII. The cicindelid fauna of Anatolia: faunistics and biogeography (Coleoptera, Cicindelidae). *Biogeographia* 20: 229-276, figs.
- 633) Cebeci, Z. & M.Çelik**, 2012, Sultan'ın günlüğü. Sultan (*Danaus chrysippus* L.) kelebeğinin biyolojisi ve ekolojisi. 26s. [http://www.adameros.org/contents/download/Sultan_20\(Danaus_20chrysippus\)_20Turkey.pdf](http://www.adameros.org/contents/download/Sultan_20(Danaus_20chrysippus)_20Turkey.pdf) [access 29 11 2012].
- 634) Cerf, F.le**, 1914, Description d'une espèce nouvelle du genre *Zenodoxus* Gr. et Rob. (Lep., Aegeriidae). *Bull. Soc. ent. Fr.* 1914: 272-275, 1 figs.
- 635) Cerf, F.le**, 1918, Description d'une *Triphosa* nouvelle de Corse et observations sur les formes apparentes à *Triphosa sabaudiata* Dup. *Bull. Mus. natn. Hist. nat. Paris* 24: 403-417, pl.9.
- 636) Cerf, F.le**, 1937, Aegeriade [sic!] nouvelles d'Asie Mineure. *Bull. ent. Soc. Fr.* 42: 172-176.
- 637) Cerf, F.le**, 1937, Aegeriidae nouvelles ou peu connues d'Asie Antérieure. *Z. öst. EntVer.* 22: 81-89, 96-99, 103-109, 1 pl. 6 figs.
- 638) Cerf, F.le**, [1910], Collections recueillies en Perse par M.J. de Morgan. Lépidoptères. Description d'espèces nouvelles des genres *Lycaena* et *Phlyctaenodes*. *Bull. Mus. natn. Hist. nat. Paris* 3: 535-536.
- 639) Cerny, M. & B.Merz**, 2006, New records of Agromyzidae (Diptera) from the Palaearctic Region. *Mitt. schweiz. ent. Ges.* 79: 77-106.
- 640) Cerny, M. & B.Merz**, 2007, New records of Agromyzidae (Diptera) from the West Palaearctic Region with an updated checklist of Switzerland. *Mitt. schweiz. ent. Ges.* 80: 107-121.
- 641) Chainey, J.E.**, 2005, The species of Papilionidae and Pieridae (Lepidoptera) described by Cramer and Stoll and their putative type material in the Natural History Museum in London. *Zool. J. Linn. Soc.* 145: 283-337, 43 figs.
- 642) Champion, G.C.**, 1921, Some Indian Coleoptera. *Entomologist's mon. Mag.* 57: 70-78, 104-110, 145-146.
- 643) Chandler, P.**, 1994, The fungus gnats of Israel (Diptera, Sciaroidea, excluding Sciaridae). *Israel J. Ent.* 28: 1-100, figs.
- 644) Chapman, T.A.**, 1897, Notes on *Charaxes jasius*: its life-history, protective resemblance, etc, with some observations on moulting and pupation. *Entomologist's Rec. J. Var.* 9: 192-194, 217-220.
- 645) Chapman, T.A.**, 1908, *Erebia lefebvrei* and *Lycaena pyrenaica*. *Trans. ent. Soc. London* 1908 (2): 307-316, pls. viii-xiii.
- 646) Chapman, T.A.**, 1908, Are *Everes argiades* and *coretas* distinct species? *Trans. ent. Soc. London* 1908 (2): 371-374, pls. xix-xx.
- 647) Chapman, T.A.**, 1910, On *Zizeeria* Chapman, *Zizera* Moore. A Group of Lycaenid Butterflies. *Trans. ent. Soc. Lond.* 1910 (4): 479-497, pl.51-60, 4 text figs.
- 648) Chapman, T.A.**, 1912, An unrecognised European *Lycaena* identified as *Agriades thersites* (Boisd.MSS), *Canterer. Trans. ent. Soc. London* 1912 (2): 662-677, figs.

- 649) **Chapman, T.A.**, 1914, A contribution to the life history of *Agriades thersites*, Canterer. Trans. ent. Soc. London 1914: 285-308, pls.
- 650) **Chapman, T.A.**, 1917, *Micropteryx* entitled to ordinal rank. Order Zeugloptera. Trans. ent. Soc. London 1916: 310-314, 12 figs.
- 651) **Chen, H.-W. & M.J.Toda**, 2001, A revision of the Asian and European species in the subgenus *Amiota* Loew (Diptera, Drosophilidae) and the establishment of species-groups based on phylogenetic analysis. J. nat. Hist. 35: 1517-1563, figs.
- 652) **Cheng, X.-Y. & F.C.Thompson**, 2008, A generic conspectus of the Microdontinae (Diptera, Syrphidae) with the description of two new genera from Africa and China. Zootaxa 1879: 21-48, figs.
- 653) **Choi, S.-W.**, 1998, Systematics of the genus *Cidaria* Treitschke (Lepidoptera, Geometridae, Larentiinae). Zool. J.linn. Soc. 122: 555-580, 29 figs.
- 654) **Choi, S.-W.**, 2000, A cladistic analysis of the Therini: A new synonym of the *Cidariini* (Lepidoptera, Geometridae, Larentiinae). Amer. Mus. Novit. 3295: 1-25, 61 figs., 3 tab.
- 655) **Choi, S.-W.**, 2001, Phylogeny of *Eulithis* Hübner and related genera (Lepidoptera, Geometridae) with an implication of wing pattern evolution. Amer. Mus. Novit. 3318: 1-37, 24 figs., 2 Tab.
- 656) **Chopard, L.**, 1951, Orthopteroides, [in] Faune de France 56: 1-356, 531 figs.
- 657) **Chopra, N.P.**, 1967, The higher classification of the family Rhopalidae (Hemiptera). Trans. R. ent. Soc. London 119 (12): 363-399, 75 figs.
- 658) **Christoph, H.**, 1881, Eine Reise im westlichen Caucasus. Stettin ent. Ztg. 42(4/6): 157-166.
- 659) **Christoph, H.**, 1882, Einige neue Lepidoptera aus Russisch-Armenien. Horae Soc. ent. ross. 17: 104-122.
- 660) **Christoph, H.**, 1885, Lepidoptera aus dem Achal-Tekke Gebiete 2.Theil. [in] Romanoff, Mém. Lépid. 2: 119-171, Pls. vi-viii, xv.
- 661) **Christoph, H.**, 1888, Diagnosen zu einigen neuen Lepidopteren des palaearctischen Faunengebietes. Horae Soc. ent. ross. 22: 308-314.
- 662) **Christoph, H.**, 1892, *Pellonia tabidaria* Z. und *Pellonia sieversi* Chr. Stettin ent. Ztg. 53: 245-247.
- 663) **Christoph, H.**, 1893, Lepidoptera nova faunae palaearcticae. Dt. ent. Z., Iris 6: 86-96.
- 664) **Chvala, M.**, 1988, Family Tabanidae [in] Soos, A. & L.Papp (eds.), Catalogue of palaearctic Diptera 5: 97-171. Akademiai Kiado, Budapest.
- 665) **Chvala, M.**, 2008, Monograph of the genus *Hilara* Meigen (Diptera, Empididae) of the Mediterranean region. Studia dipterol. (suppl.) 15: 1-138, figs.
- 666) **Chvala, M., Lyneborg, L. & J.Moucha**, 1972, The Horse Flies of Europe (Diptera, Tabanidae). 499pp. Copenhagen.
- 667) **Cilbircioğlu, C. & S.Ünal**, 2008, Gall Midges (Diptera, Cecidomyiidae) in forest trees of Turkey. J. Agric. Urban ent. 25 (1): 13-23 [published later than 20 Dec. 2008].
- 668) **Civelek, H.S. & S.Tezcan**, 2005, Some new records for Diptera fauna of Turkey and additional notes on the dipterous fauna of cherry orchards. Türk. ent. derg. 29 (1): 11-16.
- 669) **Civelek, H.S.**, 2002, Two new records for the Turkish Diptera fauna from Izmir Province, Western Turkey. Türk. ent. derg. 26 (4): 295-299, figs.
- 670) **Civelek, H.S., Çikman, E. & O.Dursun**, 2009, Revised checklist of Turkish Agromyzidae (Diptera) fauna of Turkey. Turk. J. Zool. 33 (3): 349-358.
- 671) **Clarke, C.A. & T.B.Larsen**, 1986, Speciation problem in the *Papilio machaon* group of butterflies (Lepidoptera, Papilionidae). Syst. Ent. 11: 175-181, 3 figs. 2 Tab.
- 672) **Clarke, J.F.G.**, 1958, Catalogue of the type specimens of Microlepidoptera in the British Museum (Natural History) described by Edward Meyrick. Vol. III. Tortricidae, Olethreutidae, Noctuidae. 600 pp., 298 Pls. London.
- 673) **Claussen, C. & R.Hayat**, 1997, A new species of the genus *Neoascia* Williston, 1886 (Diptera, Syrphidae) from North-East Turkey. Stud. dipterol. 4: 215-218.
- 674) **Clavareau, H.**, 1913, Chrysomelidae, [in] Schenkling, S., Coleopterorum Catalogus Pars. 53: 1-278. W.Junk, Berlin.
- 675) **Clerck, C.**, 1759-[1764], Icones Insectorum Rarioum cum Nominibus eorum Trivialibus, Locisque e C.Linnae. Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae.
- 676) **Coe, R.L.**, 1966, A new *Sericomyia* from Turkey (Diptera, Syrphidae). Ent. Tidskr. 87: 118-120.
- 677) **Coenen, F.**, 1990, Révision du statut taxonomique de quelques populations de *Pieris napi* (Linnaeus, 1758) du sud-est de l'Europe et du Proche-Orient (Lepidoptera, Pieridae). Phegea 18 (2): 89-124, 38 figs.
- 678) **Cogan, B.H.**, 1984, Canacidae [in] Soos, A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 10: 124-126, Akademiai Kiado, Budapest.
- 679) **Cogan, B.H.**, 1984, Ephydriidae [in] Soos, A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 10: 126-176, Akademiai Kiado, Budapest.
- 680) **Collin, J.E.**, 1937, Some Empididae (Diptera) from Syria and Asia Minor Part 1. Proc. R. ent. Soc. London (B) 6 (7): 134-144, figs.

- 681) Collin, J.E.**, 1937, Some Empididae (Diptera) from Syria and Asia Minor Part 2. Proc. R. ent. Soc. London (B) 6 (8): 145-148, figs.
- 682) Collin, J.E.**, 1937, Some Empididae (Diptera) from Syria and Asia Minor Parts 1,2. Proc. R. Ent. Soc. Lond. (B) 6 (7): 135-144; (8): 145-148, figs.
- 683) Collin, J.E.**, 1960, Some Empididae from Palestine. Ann. Mag. nat. Hist. (13) 2 (1959): 385-420.
- 684) Collins, N.M. & M.G. Morris**, 1985, Threatened Swallowtail Butterflies of the World. 401pp. 8 Pls. IUCN, Gland & Cambridge.
- 685) Coquillett, D.W.**, 1901, Types of anthomyid genera. J. New York Ent. Soc. 9: 134-146.
- 686) Corley, M.F.V.**, 2001, Pseudosophronia, a new genus of Gelechiidae (Lepidoptera). Entomologist's Gaz. 52: 213-225, figs.
- 687) Cormier, A.C. du, Guérin, P. & H. de Lesse**, 1957, Une nouvelle forme de Boloria aux Alpes Pontiques. Lambillionea 57(5/6): 34-37.
- 688) Costa, O.G.**, 1832-[1836], Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque le bagnano, contenente la descrizione de nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinti al naturale. A Lepidotteri. 321 pp. 23 Pls. Napoli.
- 689) Couri, M.S. & A.C. Pont**, 2000, Cladistic analysis of Coenosini (Diptera, Muscidae, Coenosinae). Syst. Ent. 25: 373-392, figs.
- 690) Courvoisier, L.G.**, 1911, Einige neue oder wenig bekannte Lycaeniden Formen. Dt. ent. Z., Iris 25: 103-109, pl.2.
- 691) Courvoisier, L.G.**, 1913, Zur Nomenklatur und Diagnose der europäischen Theclinen. Int. ent. Z. 7: 231-233, 239-240, 243-244, 251-253.
- 692) Coutsis, J.G. & Borie, J.-P.**, 2007, Turanana dushak new to Iran, a re-description of its valva and of the valva of Turanana panaegides, and new sampling locality data for Turanana endymion endymion and Turanana endymion ahasveros (Lepidoptera, Lycaenidae). Phegea 35 (2): 57-63, figs.
- 693) Coutsis, J.G.**, 1986, Notes concerning the taxonomic status of Turanana panagea taygetica Rebel (Lep. Lycaenidae). Nota lepid. 9 (1/2): 35-38, 2 figs.
- 694) Coutsis, J.G.**, 2001, The male genitalia of the butterflies placed in the subgenus Neolysandra of the genus Polyommatus (Lycaenidae). Nota lepid. 24 (1/2): 65-72, figs.
- 695) Coutsis, J.G.**, 2004, Revision of the Turanana endymion species-group (Lycaenidae). Nota lepid. 27 (4): 251-272.
- 696) Coutsis, J.G.**, 2006, Revision of the Turanana endymion species-group (Lycaenidae) - a correction. Nota lepid. 28 (3/4) (2005): 202.
- 697) Coutsis, J.G.**, 2006, Additional revisionary actions and corrections in the Turanana endymion species-group (Lepidoptera). Nota lepid. 29 (1/2): 17-25.
- 698) Coutsis, J.G.**, 2008, Pseudophilotes bavius casimiri, the most differentiated subspecies of the P. bavius species-group. Pseudophilotes fatma, a distinct species (Lepidoptera, Lycaenidae, Scolitantiditi). Phegea 36 (4): 121-125, 24 figs.
- 699) Coutsis, J.G., Prins, W. de & D.v.d. Poorten**, 1997, Turanana laspura Evans separated from T. cytis (Christoph) as a distinct species (Lepidoptera, Lycaenidae). Phegea 25 (3): 135-140, 9 figs.
- 700) Cowan, C.F.**, 1985, The type-species of Hipparchia Fabricius, 1807 (Lepidoptera, Satyridae). Entomologist's Gaz. 36: 284.
- 701) Cramer, P.**, [1775], Die Uitlandsche Kapellen voorkomende in de drie werelddeelen Asia, Africa en America 1: parts (1)-(7): xxx, 16 pp. 1-132, pls. 1-84, "1779". Amsterdam & Utrecht.
- 702) Cramer, P.**, [1776], Die Uitlandsche Kapellen voorkomende in de drie werelddeelen Asia, Africa en America 1: part (8): pp. 133-156, pls. 85-96, Amsterdam & Utrecht.
- 703) Cramer, P.**, [1777], Die Uitlandsche Kapellen voorkomende in de drie werelddeelen Asia, Africa en America 2: parts (9)-(16): pp. 1-152, pls. 97-192, Amsterdam & Utrecht.
- 704) Cramer, P.**, [1779], Die Uitlandsche Kapellen voorkomende in de drie werelddeelen Asia, Africa en America 3: parts (17)-(21): pp. 1-104, pls. 193-252, Amsterdam & Utrecht.
- 705) Cramer, P.**, [1780], Die Uitlandsche Kapellen voorkomende in de drie werelddeelen Asia, Africa en America 3: parts (22)-(24): pp. 105-176, pls. 253-288, Amsterdam & Utrecht.
- 706) Cramer, P.**, [1780], Die Uitlandsche Kapellen voorkomende in de drie werelddeelen Asia, Africa en America 4: parts (25)-(26a): pp. 1-28, pls. 289-304, Amsterdam & Utrecht.
- 707) Crosskey, R.W. & H. Zwick**, 2007, New faunal records, with taxonomic annotations for the blackflies of Turkey (Diptera, Simuliidae). Aquatic Insects 29 (1): 21-48, figs.
- 708) Crosskey, R.W.**, 2002, A taxonomic account of the blackfly fauna of Iraq and Iran, including keys for species identification (Diptera, Simuliidae). J. Nat. Hist. 36: 1841-1886, figs.
- 709) Crosskey, R.W.**, 1967, A preliminary revision of the black-flies (Diptera, Simuliidae) of the Middle East. Trans. R. ent. Soc. Lond. 119 (1): 1-45, 47 figs., 1 map.
- 710) Culot, J.**, 1917-[1918], Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iii). 268 pp., 1-37 pls. Genève.

- 711) Culot,J.**, 1919-1920, Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iv). 167 pp., 38-69 pls. Genève.
- 712) Curtis,J.**, 1823-1840, British Entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland; containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. 16 vols. 770 pls. London.
- 713) Czerny,L.**, 1924, Monographie der Helomyziden (Dipteren). Abh. zool.- bot. Ges. Wien 15 (1): 1-166, 1 Taf.
- 714) Çağatay,N.**, 1985, Türkiye Oxycareninae (Heteroptera, Lygaeidae) altfamilyasının taksonomisi ve erkek genital organının önemi üzerine çalışmalar. Bitki kor. Bült. 25 (1/2): 18-29, şekil.
- 715) Çağatay,N.**, 1988, Some Artheneinae from Turkey (Hemiptera, Lygaeidae). Türk. ent. derg. 12 (4): 201-208, figs.
- 716) Çağatay,N.**, 1989, Systematical studies on the Heterogasterinae of Turkey (Hemiptera, Lygaeidae). Türk. ent. derg. 13 (1): 5-14, figs.
- 717) Çağatay,N.**, 1989, Geocorinae of Turkey (Insecta, Heteroptera, Lygaeidae). Ent. Abh. 53 (2): 27-36, figs.
- 718) Çalışkan,H.**, 2010, A new record for Turkish Asilidae (Insecta, Diptera) fauna: Pamponerus germanicus (Linnaeus,1758). J. Eng. Arch. Fac. Eskişehir Osmangazi Univ. 23 (1): 83-90, figs.
- 719) Çalmaşur,Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part II. Subfamilies Blennocampinae, Dolerinae, Nematinae and Selandrinae. Turk J. Zool. 28: 55-71.
- 720) Çalmaşur,Ö. & H.Özbek**, 2004, A contribution to the knowledge of Tenthredinidae (Symphita, Hymenoptera) fauna of Turkey Part I. Subfamily Tenthredininae. Turk J. Zool. 28: 37-54.
- 721) Çalmaşur,Ö. & H.Özbek**, 2004, Heterarthrus ochropoda (Klug) (Hymenoptera, Tenthredinidae), a new record and a new pest of Populus spp. (Salicaceae) in Turkey. Proc. ent. Soc. Wash. 106 (3): 717-721.
- 722) Çalmaşur,Ö. & H.Özbek**, 2006, A willow sawfly Nematus salicis (Linnaeus) (Hymenoptera, Tenthredinidae), a new record and a new pest of Salix spp. in Turkey. Proc. ent. Soc. Wash. 108 (1): 139-144.
- 723) Çalmaşur,Ö. & H.Özbek**, 2006, Check-list of the Argidae fauna (Hymenoptera, Symphyta) of Turkey. Zool. Middle East 39: 89-96 [the author couldnot be accessed; this unfair attitude is consider as non-ethical].
- 724) Çalmaşur,Ö.**, 2006, Four new records for the Turkish Tenthredinidae (Hymenoptera) fauna. Türk. ent. derg. 30 (3): 201-207.
- 725) Çam,H. & T.Atay**, 2008, The faunistic studies on the subfamily Alticinae (Coleoptera, Chrysomelidae) species in Tokat Province. Int. J. nat. eng. Sci. 2 (3): 21-26.
- 726) Çelikkaya,D.**, 2009, 19 yıl sonra 19 Temmuz... Cesa News 48: 1-60, 111 figs.
- 727) Çelikkaya,D.**, 2009, 19 yıl sonra 19 Temmuz... Cesa News 48: 1-60, 111 figs.
- 728) Çetin Erdoğan,Ö. & A.Beyarslan**, 2006, New records of endoparasitoid Bassus Fabricius,1804 (Hymenoptera, Braconidae, Agathidinae) species from Turkey. Phytoparasitica 34 (4): 353-356.
- 729) Çetin Erdoğan,Ö.**, 2005, Bassus beyarslani sp.n. (Hymenoptera, Braconidae, Agathidinae) from Turkey. Biologia 60: 129-132.
- 730) Çetin,Ö. & A.Beyarslan**, 2005, Contributions to the Blacinae fauna of Turkey (Hymenoptera, Braconidae). Entomofauna 26 (1): 1-8.
- 731) Çetin,Ö. & A.Beyarslan**, 2001, The Agathidinae (Hymenoptera, Braconidae) fauna of the Marmara Region. Doğa Tr J. Zool. 25: 257-268.
- 732) Çıkman,E.**, 2006, Parasitoids of the leafminers (Diptera, Agromyzidae) from Adıyaman Province. Türk. ent. derg. 30 (2): 99-111.
- 733) Cıplak,B.**, 1994, A new species and a new subspecies of Stenobothrus Fischer,1853 (Orthoptera, Acrididae) from Turkey. Türk. ent. Derg. 18 (1): 7-14, figs.
- 734) Cıplak,B.**, 2000, Systematics and phylogeny of Parapholidoptera (Orthoptera, Tettigoniidae, Tettigoniinae). Syst. Ent. 25 (4): 411-436, figs.
- 735) Cıplak,B.**, 2000, Genus Festella (Orthoptera, Tettigoniidae) with description of F.rammei sp.n. Ent. News 111 (4): 299-306, figs.
- 736) Cıplak,B., Heller,K.-G. & A.Demirsoy**, 2002, Review and key to species of Platycleis from Turkey (Orthoptera, Tettigoniidae) with descriptions of Yalvaciana subgen.n. and two new species. J. Nat. Hist. 36: 197-236, figs.
- 737) Çiftçi,M.C. & A.Hasbenli**, 2007, Contribution to Empis (subgenera Euempis, Pachymeria, Polyblepharis) (Empididae, Diptera) fauna of Turkey. J. ent. Res. Soc. 9 (3): 7-14.
- 738) Çiftçi,M.C. & A.Hasbenli**, 2008, Contribution to the Empis (subgenus Empis) (Empididae, Diptera) fauna of Turkey. Turk. J. Zool. 32: 433-435.

- 739) Çiftçi,M.C. & A.Hasbenli**, 2011, Two new species of *Hilara* (Diptera, Empididae) from northwestern Turkey. *Zootaxa* 2928: 49-56, figs.
- 740) Çiftçi,M.C. & A.Hasbenli**, 2007, Contribution to *Empis* (subgenera *Leptempis*, *Xanthempis* and *Lissempis*) (Empididae, Diptera) fauna of Turkey. *Int. J. dipterol. Res.* 18 (3): 155-157.
- 741) Çiftçi,M.C., Hasbenli,A. & D.Canbolat**, 2012, Two new species of *Empis* (Diptera, Empididae) from Turkey. *Zootaxa* 3408: 47-53, figs.
- 742) Çiftçi,M.C., Parvu,C. & A.Hasbenli**, 2008, A new *Hilara* Meigen (Diptera, Empididae) species from the Eastern Mediterranean Region of Turkey. *Ent. News* 119 (1): 96-101, figs.
- 743) Çiftçi,M.K., Hasbenli,A. & H.Koç**, 2012, Three new species of *Hilara* Meigen (Diptera, Empididae) from Turkey. *Turk. J. Zool.* 36: 729-738.
- 744) Çoruh,I. & S.Çoruh**, 2008, Ichneumonidae (Hymenoptera) species associated with some Umbelliferae plants occurring in Palandöken Mountains of Erzurum Turkey. *Turk. J. zool.* 32: 121-124.
- 745) Çoruh,S. & H.Özbek**, 2005, New records of Cryptinae (Hymenoptera, Ichneumonidae) from Turkey with some hosts. *Türk. ent. derg.* 29 (3): 183-186.
- 746) Çoruh,S. & H.Özbek**, 2011, New and little known some Ichneumonidae (Hymenoptera) species from Turkey with some ecological notes. *Türk. ent. derg.* 35 (1): 119-131.
- 747) Çoruh,S. & K.Kara**, 2011, *Medina separata* (Meigen,1824) a new record for Turkish Tachinidae (Diptera). *Turk J Zool.* 35 (3): 445-446, fig.
- 748) Çoruh,S., Özbek,H. & J.Kolarov**, 2002, New and rare taxa of Ichneumonidae (Hymenoptera) from Turkey. *J. Ent. Res. Soc.* 4 (1): 1-4.
- 749) Çoruh,S., Özbek,H. & J.Kolarov**, 2004, New and little known Anomaloninae (Hymenoptera, Ichneumonidae) from Turkey. *Linzer biol. Beitr.* 36 (2): 1199-1204.
- 750) D'Abbrera,B.**, 1980, Butterflies on the Afrotropical Region. 593 pp., Pls. Lansdowne Ed., Melbourne.
- 751) D'Abbrera,B.**, [1987], *Sphingidae Mundi: Hawk Moths of the World*. x+226pp., Faringdon.
- 752) Dahlbom,A.G.**, 1845, *Dispositio methodica speciarum Hymenopterorum, secundum familias Insectorum naturales. Particula secunda*. 20pp. Lund.
- 753) Dahlbom,A.G.**, 1854, *Hymenoptera europaea praecipue borealia, formis typicis nonnullis specierum generumve exoticorum propter nexum systematicum associatis, per familias, genera, species et varietates disposita atque descripta. Tomus Secundus*. 412pp., Pls. Berolini.
- 754) Dalla Torre,C.G.v.**, 1894, *Catalogus Hymenopterorum hucusque descriptorum systematicus et synonymicus. Volumen IX Vespidae (Diploptera)*. 181 pp. Lipsiae.
- 755) Dalla Torre,K.W.v.**, 1914, *Thyrididae*. [in] Wagner,H., *Lepidopterorum Catalogus Pars* 20. 55pp. Dr. W. Junk Berlin.
- 756) Dalla Torre,K.W.v.**, 1923, *Cossidae*. [in] Strand,E., *Lepidopterorum Catalogus Pars* 29. 63pp. Dr.W.Junk Berlin.
- 757) Dalla Torre,K.W.von & J.J.Kieffer**, 1910, *Cynipidae* [in] Schulze,F.E., *Das Tierreich* 24. Lieferung, Hymenoptera. xxxv + 891pp., 422pp. Berlin.
- 758) Dalman,J.W.**, 1816, *Försök till systematik Upptällning af Sveriges Fjarilar*. K. svenska VetenskAkad. Handl. 37: 48-105, 199-225, 2 Taf.
- 759) Daniel,F.**, 1932, *Neue Schmetterlingsformen und -Arten aus Marasch in Nordsyrien*. *Mitt. münch. ent. Ges.* 22: 15-16.
- 760) Daniel,F.**, 1932, *Zygaenidae-Cymatophoridae*. [in] Osthelder,L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 22 (2): 52-73, pls.
- 761) Daniel,F.**, 1932, *Cossus osthelderi spec.nov.* *Mitt. münch. ent. Ges.* 22: 95.
- 762) Daniel,F.**, 1932, *Thyrididae-Hepialidae*. [In] Osthelder,L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 22(2):74-82.
- 763) Daniel,F.**, 1935, *Beiträge zur Verbreitung und Rassebildung von Chelis maculosa Gerning*. *Mitt. münch. ent. Ges.* 25(2): 45-55, pl.
- 764) Daniel,F.**, 1935, *Roeselia taurica sp. nova*. *Mitt. münch. ent. Ges.* 25(2): 42.
- 765) Daniel,F.**, 1935, *Beiträge zur Verbreitung und Rassebildung von Chelis maculosa Gerning*. *Mitt. münch. ent. Ges.* 25(2): 45-55, pl.
- 766) Daniel,F.**, 1938, *Neuheiten aus Vorderasien (Lepidoptera)*. *Mitt. münch. ent. Ges.* 28(1): 2-6, pl.
- 767) Daniel,F.**, 1939, *Gedanken zu einigen Arctiiden Formen (Lepidoptera)*. *Mitt. münch. ent. Ges.* 29: 354-368, Taf. xi (25 figs).
- 768) Daniel,F.**, 1939, *Zygaenidae-Hepialidae*. [in] Osthelder,L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 29: 84-103, pl.
- 769) Daniel,F.**, 1953, *Neue Heterocera-Arten und -Formen*. *Mitt. münch. ent. Ges.* 43: 252-261, Taf.vii.
- 770) Daniel,F.**, 1955, *Monographie der Cossidae-I. Kritische Beurteilung der bisher dem Genus Stygia Latr. zugeteilten Arten*. *Mitt. münch. ent. Ges.* 44/45: 159-181, pl.
- 771) Daniel,F.**, 1956, *Monographie der palaearktischen Cossidae II. Die Genera Cossus Fabr. und Lamellacossus gen.n. (Lep.)*. *Mitt. münch. ent. Ges.* 46: 243-288, Taf.viii-x, 4 Abb.

- 772) **Daniel,F.**, 1956, Die Formen von *Trichiura crataegi* L. (Lep., Lasiocampidae). NachrBl. bayer. Ent. 5: 67-71, 78-80, 87-94.
- 773) **Daniel,F.**, 1956, Monographie der palaearktischen Cossidae II. Die Genera *Cossus* Fabr. und *Lamellacossus* gen. n. (Lep.). Mitt. münch. ent. Ges. 46: 243-288, pls.
- 774) **Daniel,F.**, 1959, Die Südformen der *Dendrolimus pini* L. (Lepidoptera, Lasiocampidae). Fragm. balcan. 2(13): 97-105, 2Taf.
- 775) **Daniel,F.**, 1959, Monographie der palaearktischen Cossidae III. Das Genus *Holcocerus* Stgr. Mitt. münch. ent. Ges. 49: 102-160, Taf.ii-v.
- 776) **Daniel,F.**, 1960, Monographie der palaearktischen Cossidae IV. Die Genera *Cossulinus* Kby., *Dyspessacossus* Dan. und *Isoceras* Tti. (Lep.). Mitt. münch. ent. Ges. 50: 93-118, Taf. xiv, xv.
- 777) **Daniel,F.**, 1961, Monographie der palaearktischen Cossidae V. Die Genera *Parahypopta* g.n., *Sinicossus* Clench und *Catopta* Stgr. Mitt. münch. ent. Ges. 51: 160-212, 10 Abb., Taf. xvi, xvii.
- 778) **Daniel,F.**, 1962, Monographie der palaearktischen Cossidae VI. Genus *Dyspessa* Hbn. Erster Teil. Mitt. münch. ent. Ges. 52: 1-38, Taf.I,II.
- 779) **Daniel,F.**, 1963, Ein Beitrag zur Spinner- und Schwärmerfauna des Iran und Afghanistans. Z. wien. ent. Ges. 48 (9): 145-155, 26-28.Taf.
- 780) **Daniel,F.**, 1964, Monographie der palaearktischen Cossidae VII. Genus *Dyspessa* Hbn. Zweiter Teil. Genus *Paropta* Stgr. Mitt. münch. ent. Ges. 54: 181-236, 4 Abb., Taf. iii-vi.
- 781) **Daniel,F.**, 1965, Monographie der palaearktischen Cossidae VIII. Nachträge und Register zur Subfamilie Cossinae. Mitt. münch. ent. Ges. 55: 77-114, Taf.II,III.
- 782) **Daniel,F.**, 1965, Das Genus *Harpyia* O. (=Cerura auct.) im palaearktischen Raum unter Einschluß der naheverwandten nordamerikanischen Formen Z. wien. ent. Ges. 50: 5-47, 23 figs., 6 Taf.
- 783) **Daniel,F.**, 1967, Beitrag zur Kenntnis südosteuropäischer und vorderasiatischer Hepialidae (Lep.). Mitt. münch. ent. Ges. 57: 91-97, Taf.II-IV, 3 Abb.
- 784) **Daniel,F.**, 1970, Rassenanalytische Untersuchungen bei *Phragmatobia fluginosa* L. und *Phragmatobia amurensis* Seitz (Lep., Arctiidae). Z. ArbGem. öst. Ent. 22: 2-17, figs.
- 785) **Danilevsky,M.L.**, 2010, Four new Phytoecia (Coleoptera, Cerambycidae) from Turkey. Stud. Rep. Tax. Ser. 6 (1-2): 19-30, figs.
- 786) **Dantchenko,A.V.**, 1997, Notes on the biology and distribution of the damone and damocles species-complexes of of [sic!] the subgenus *Polyommatus* (*Agrodiaetus*) (Lep., Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) Nachr. Ent. Ver. Apollo, Suppl. 16: 23-42, figs.
- 787) **Darilmaz,M. & S.Kiyak**, 2006, A contribution to the knowledge of the Turkish water beetles fauna (Coleoptera). Mun. Ent. Zool. 1(1): 129-144.
- 788) **Darilmaz,M.C. & S.Kiyak**, 2008, An annotated checklist and key to the Turkish Elongated Water Scavenger Beetles (Coleoptera, Hydrochidae). Baltic J. Coleopt. 8 (2): 149-154, 3 figs.
- 789) **Darilmaz,M.C. & S.Kiyak**, 2009, Checklist of Gyrinidae, Halipilidae, Noteridae and Dytiscidae of Turkey (Coleoptera, Adephaga). J. nat. Hist. 43 (25-26): 1585-1636.
- 790) **Dathe,H.H.**, 2000, Studien zur Systematik und Taxonomie der Gattung *Hylaeus* F. (3) Revision der *Hylaeus* -nivalis- Gruppe in Europa und Klärung weiterer Westpalaarktischer Arten (Apidae, Colletinae). Beitr. Ent. 50 (1): 151-174, figs.
- 791) **Davenport,D.**, 1941, The butterflies of satyrid genus *Coenonympha*. Bull. Mus. comp. Zool. Harv. 87 (4): 214-349, 10 Tab.
- 792) **Davidian,G.E. & L.Gültekin**, 2006, Contribution to the knowledge of the Qeevil genus *Otiorhynchus* (Coleoptera, Curculionidae) from northeastern Turkey and Transcaucasia. Ent. rev. 86: 310-323 [Zool. Zh. 85 (4): 479-492]
- 793) **Davidian,G.E. & Y.G.Arzanov**, 2006, New species of the Weevil subgenus *Eunihus* Rtt., genus *Otiorhynchus* Germ. (Coleoptera, Curculionidae) from the Caucasus and Turkey. Ent. rev. 89 (7): 805-814, figs. [Ent. Obozr. 85 (2): 389-394]
- 794) **Davis,D.R. & G.Deschka**, 2001, Biology and systematics of the North American *Phyllonorycter* Leafminers on Salicaceae, with a synoptic catalog of the Palaearctic species (Lepidoptera, Gracillariidae). Smithsonian Contr. Zool. 614: iv+1-89 pp., Pls.
- 795) **Dawah,H.A. & M.A.Abdullah**, 2006, New records of Chloropidae (Diptera) from Southwest Saudi Arabia with some biological information, world-wide geographical distribution and taxonomic features. Saudi Arabia Biol. Sci. 13 (1): 24-34.
- 796) **Day,M.C.**, 1981, A revision of *Pompilus* Fabricius (Hymenoptera, Pompilidae), with further nomenclatural and biological considerations. Bull. Br. Mus. (Nat. Hist.) Ent. 42 (1): 1-42, 38 figs., 2 maps.
- 797) **Decelle,J. & N.Lodos**, 1989, Contribution to the study of Legume Weevils of Turkey (Coleoptera, Bruchidae). Bull. Annls. Soc. R. Belge Ent. 125: 163-212.
- 798) **Deckert,J.**, 1995, Die Arten der Lygaeinae-Gattung *Apterola* Mulsant & Rey (Heteroptera, Lygaeidae). Dt. ent. Z. 42 (1): 1-16, figs.

- 799) Deeming, J.C.**, 2006, A new species of *Scoliophthalmus* Becker (Diptera, Chloropidae) from Turkey. *Türk. ent. derg.* 30 (2): 83-88, figs.
- 800) Değer, S. & M.Yaman**, 2005, Van yöresi Phlebotominae (Diptera, Psychodidae) türleri. *YYÜ Vet. Fak. Derg.* 16 (1): 55-59.
- 801) Dely-Draskovitz, A.**, 1981, Revision der palaearktischen Arten der Gattung *Aphanotrigonum* Duda, 1932 und *Aphanotrigonella* Nartshuk, 1964 (Diptera, Chloropidae). *Acta zool. hung.* 28 (1): 115-138, figs.
- 802) Demir, E.**, 1998, Türkiye Homoptera faunası için yeni kayıtlar (Homoptera, Auchenorrhyncha, Tropiduchidae). *Cent. ent. Stud., Misc. Pap.* 55/56: 1-3, 1 fig.
- 803) Demir, E.**, 2006, *Bobacella* (Homoptera, Auchenorrhyncha, Cicadellidae): A new genus record for Turkey. *Ent. News* 117: 455-456.
- 804) Demir, E.**, 2006, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera) with a new record, *Pentastridius nanus* (Ivanoff, 1885). *Mun. Ent. Zool.* 1 (1): 97-122, figs.
- 805) Demir, E.**, 2006, Contributions to the knowledge of Turkish Auchenorrhyncha with twelve new records (Homoptera, Cicadellidae). *Mun. Ent. Zool.* 1 (2): 215-236.
- 806) Demir, E.**, 2006, A new species of *Thamnotettix* Zetterstedt, 1840 (Homoptera, Auchenorrhyncha, Cicadellidae) from Turkey. *J. Kansas ent. Soc.* 79 (3): 383-387, figs.
- 807) Demir, E.**, 2006, Preliminary report on the Auchenorrhyncha (Hemiptera) fauna of Kazdağı National Park with two new records for Turkey. *Acta ent. slov.* 14 (1): 89-102.
- 808) Demir, E.**, 2007, Auchenorrhyncha (Homoptera) data from Ankara with two new records to Turkey. *Mun. Ent. Zool.* 2 (2): 481-492.
- 809) Demir, E.**, 2007, Contributions to the knowledge of Turkish Auchenorrhyncha (Homoptera, Fulgoromorpha and Cicadomorpha, excl. Cicadellidae) with a new record *Setapius klapperichianus* Dlabola, 1988. *Mun. Ent. Zool.* 2 (1): 39-58.
- 810) Demir, E.**, 2007, Known species of Turkish *Tachycixius* Wagner, 1939 (Homoptera, Auchenorrhyncha, Cixiidae, Cixiinae). *Mun. Ent. Zool.* 2 (1): 171-172.
- 811) Demir, E.**, 2008, The Fulgoromorpha and Cicadomorpha of Turkey Part I Mediterranean Region (Hemiptera). *Mun. Ent. Zool.* 3 (1): 447-522.
- 812) Demir, E.**, 2009, *Ricania Germar*, 1818 species of western Palaearctic Region (Hemiptera, Fulgoromorpha, Ricaniidae). *Munis Ent. Zool.* 4 (1): 271-275, figs.
- 813) Demir, M.**, 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin sistematik ve faunistik değerlendirilmesi. Yüksek lisans tezi. 91s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 216668] <http://tez2.yok.gov.tr/>
- 814) Demirsoy, A.**, 1977, Türkiye Faunası Mantodea. 53 s., 68 şek. Atatürk Üniversitesi yay. 499. Erzurum.
- 815) Demirsoy, A.**, 1979, Die Fangheuschreckenfauna Anatoliens. *Ent. Mitt. Zool. Mus. Hamburg* 6 (106): 253-265, 32 Abb.
- 816) Demirsoy, A.**, 1982, Türkiye Faunası Odonata 155s. Tübitak Yayınları, Ankara.
- 817) Demirsoy, A., Salman, S. & H. Sevgili**, 2002, *Novadrymadusa*, a new genus of bushcricket with a new species and notes on related genera (Orthoptera, Tettigoniidae). *J. Orth. Res.* 11 (2): 175-183, figs.
- 818) Denis, M. & I. Schiffermüller**, 1775, Ankündigung eines systematischen Werkes von den Schmetterlingen der Wiener Gegend. 322 pp. 2 Pls. Wien.
- 819) Denizhan, E. & B. Yaşar**, 2005, Van ilinde beş farklı şeftali çeşidi üzerindeki *Hyalopterus pruni* (Geoffroy) (Homoptera, Aphididae)'nin populasyon yoğunluğunun saptanması. *YYÜ J. Agric. Sci.* 15 (2): 159-166.
- 820) Denso, P.**, 1913, *Celerio zygophylli* O.I. *Dt. ent. Z.*, *Iris* 27: 145-146, Taf. V.
- 821) Denso, P.**, 1913, *Celerio hippophaes* Esp. *Dt. ent. Z.*, *Iris* 27: 22-45, Taf. I, II.
- 822) Derra, G. & H.P. Schreier**, 1990, Beitrag zur Noctuidae-Fauna der Türkei (Lepidoptera). *Esperiana* 1: 393-403, 19 figs.
- 823) Derra, G.**, 1985, *Euchromius gartheellus* n.sp., eine neue Crambidae aus der Türkei (Lepidoptera). *Ent. Z., Frankf. a. M.* 95: 237-240.
- 824) Derra, G.**, 1990, Neue Tortricidae aus der Türkei (Lepidoptera, Tortricidae). *Atalanta* 21 (3/4): 295-300, Taf.
- 825) Derzhavets, Y.A.**, 1984, Review of the classification of the Sphingidae (Lepidoptera), with a list of the species of the USSR. *Ent. Obozr.* 63(4): 604-620.
- 826) Deschka, G.**, 1970, *Lithocolletis* (Phyllonorycter) *anatolica* spec. nov. *Polski Pismo ent.* 40: 739-743.
- 827) Deschka, G.**, 1972, Eine neue Bucculatrix-Art: *Bucculatrix anthemidella* n.sp. (Lep., Bucculatricidae). *Ent. Z., Frankf. a. M.* 82(9): 81-86, 6 figs.
- 828) Deschka, G.**, 1986, Blattminierende Lepidopteren aus dem Nahen und Mittleren Osten V. Teil. *Z. ArbGem. öst. Ent.* 37(3/4): 65-75, 20 Abb.
- 829) Desmarest, E.**, 1857, Papillons, Nocturnes. [In] Chenu, J.C., *Encyclopédie d'Histoire naturelle*. iv+312pp., 40 pls. Paris.

- 830) Diakonoff, A. & B.V. Lefebvre**, 1980, Rediscovery of *Eratophyes aleatrix* Diakonoff (Lepidoptera, Oecophoridae). Ent. Ber., Amst. 40(3): 38-40, figs.
- 831) Diakonoff, A. & E.J. van Nieukerken**, 1987, *Eratophyes amasiella* (Herrich-Schäffer) comb.nov., a senior synonym of *E. aleatrix* Diakonoff (Lepidoptera, Oecophoridae). Ent. Ber. (Amst.) 47(7): 103-104, figs.
- 832) Diakonoff, A.**, 1962, Preliminary survey of the Palaearctic species of the subgenus *Bactra* Stephens (*Bactra*, Tortricidae, Lepidoptera). Zool. Verh. 59: 1-48, 37 figs., 13 Pls.
- 833) Diakonoff, A.**, 1964, Further records and descriptions of the species of *Bactra* Stephens (Tortricidae, Lepidoptera). Zool. Verh. 70: 1-81, 59 figs.
- 834) Diakonoff, A.**, 1975, A surprising new addition to the Dutch fauna of Microlepidoptera (Oecophoridae). Ent. Ber., Amst. 35: 187-189, figs.
- 835) Diakonoff, A.**, 1986, Glyptopterigidae auctorum sensu lato, [in] Amsel, H.G. et al., Microlepidoptera Palaearctica vol. 7. Text & Taf. G. Braun Druckerei, Karlsruhe.
- 836) Diakonoff, A.**, 1989, Remarks on *Bactra* Stephens, with the description of two new species from Bahrain and Nepal (Lepidoptera, Tortricidae, Olethreutinae). Nota lepid. 11(4): 242-250, 5 figs.
- 837) Diakonoff, A.**, 1989, Revision of the palaearctic Carposinidae with description of a new genus and new species (Lepidoptera, Pyraloidea). Zool. Verh. 251: 1-155, 50 figs.
- 838) Dierl, W.**, 1996, Der Familienstatus von *Lypusa maurella* Denis & Schiffermüller, 1775 (Insecta, Lepidoptera). Spixiana 19 (1): 39-42.
- 839) Dietrich, C.H.**, 2005, Keys to the families of Cicadomorpha and subfamilies and tribes of Cicadellidae (Hemiptera, Auchenorrhyncha). Florida Ent. 88 (4): 502-517, figs.
- 840) Dietrich, K.**, 1862, Zur Systematik der Schmetterlinge. Stettin ent. Ztg. 23: 466-479.
- 841) Dietze, C.**, 1910-1913, Biologie der Eupitheciiden (Tafeln & Text). 1. Teil (Abbildungen): 82 Tafeln und Erklärungen der Tafeln, 1910; 2. Teil (Text): 172 pp. Pls. 83-86, 1913. Berlin.
- 842) Dik, B., Karatepe, M., Karatepe, B. & Ş. Yağcı**, 2006, Niğde yöresi *Culicoides* Latr., 1809 (Diptera, Ceratopogonidae) türleri. Türk. Parazit. Derg. 30 (2): 121-124.
- 843) Dik, B., Yağcı, Ş. & Y.-M. Linton**, 2006, A review of species diversity and distribution of *Culicoides* Latreille, 1809 (Diptera, Ceratopogonidae) in Turkey. J. nat. Hist. 40 (32-34): 1947-1967.
- 844) Dik, B., Yaman, M. & U. Uslu**, 2010, Hatay yöresinde bulunan *Culicoides* (Latreille, 1809) (Diptera, Ceratopogonidae) türleri. Kafkas Univ. Vet. Fak. Derg. 16 (Suppl.B): 255-258.
- 845) Dikmen, F. & A.M. Aytakin**, 2011, Notes on the *Halictus* Latreille (Hymenoptera, Halictidae) fauna of Turkey. Turk J. Zool. 35 (4): 537-550, 7 figs.
- 846) Dikow, T.**, 2003, Revision of the genus *Euscelidia* Westwood, 1850 (Diptera, Asilidae, Leptogastrinae). African Inverteb. 44 (2): 1-131, figs.
- 847) Dils, J. & H. Özbek**, 2006, A new species of the genus *Conophorus* (Diptera, Bombyliidae) from Turkey. Phegea 34 (3): 107-110, figs.
- 848) Dils, J. & H. Özbek**, 2006, A new species of the genus *Callostoma* (Diptera, Bombyliidae) from Turkey. Phegea 34 (4): 157-159, figs.
- 849) Dils, J. & H. Özbek**, 2006, Contribution to the knowledge of the Bombyliidae of Turkey (Diptera). Linzer biol. Beitr. 38 (1): 455-504 [with some spelling errors].
- 850) Dils, J. & H. Özbek**, 2007, A new species of the genus *Exoprosopa* (Diptera, Bombyliidae) from Turkey. Phegea 35 (3): 81-84, 5 figs.
- 851) Dils, J. & H. Özbek**, 2009, Notes on *Cytherea pallidipennis* (Diptera, Bombyliidae). Phegea 37 (3): 103-106, figs.
- 852) Dils, J.**, 2009, A new species of the genus *Thevenetimyia* (Diptera, Bombyliidae, Ecliminae) from Iran with notes about the male of *Thevenetimyia hirta*. Phegea 37 (4): 121-125, figs. [some bibliographical information incorrect!].
- 853) Dirickx, H.G.**, 1994, Atlas des Diptères syrphides de la région méditerranéenne. Documents de travail de l'Institut royal des Sciences naturelles de Belgique. 75: 1-317, 489 maps.
- 854) Disney, R.H.L. & P.L. Beuk**, 1997, European Phalacrotophora (Diptera, Phoridae). Entomologist's Gaz. 48: 185-192, figs.
- 855) Disney, R.H.L. & Ş. Bayram**, 1999, Recognition biology and first Turkish record of *Megaselia coetanea* Schmitz (Dipt. Phoridae). Entomologist's mon. Mag. 135: 245-248.
- 856) Distant, W.L.**, 1899, Rhynchotal Notes III. Heteroptera: Discocephalinae and Pentatominae (part.). Ann. Mag. nat. Hist. (7) 4: 421-445.
- 857) Djakonoff, A.M.**, 1935, Un nouveau représentant du genre *Synopsisia* Ld. (Lepidoptera, Geometridae) de la Transcaucasie. Lambillionea 35 (7): 142-147, 3 figs.
- 858) Dlabola, J.**, 1985, Zwei neue Fieberiella-Arten aus der Türkei und Spanien (Hom., Cicadellidae). Türk. bitki kor. derg. 9: 75-78, figs.
- 859) Dobosz, R. & L. Abraham**, 2007, New data to the Turkish ascalaphid fauna (Neuroptera, Ascalaphidae). Annls Upper Sil. Mus. (Ent.) 14-15: 13-27, figs.

- 860) Dobosz,R. & L.Abraham**, 2009, Contribution to the knowledge of the Turkish tail-wings (Neuroptera, Nemopteridae). *Natura Somog*. 15: 113-126, figs.
- 861) Dobosz,R.**, 2007, New faunistics data on Mantispidae (Neuroptera) from Turkey. *Annls Upper Sil. Mus. (Ent.)* 14-15: 29-34, figs.
- 862) Dobosz,R.**, 2007, New faunistics data on Osmylidae (Neuroptera) from Turkey. *Annls Upper Sil. Mus. (Ent.)* 14-15: 35-37.
- 863) Doğanlar,F. & S.Kornoşor**, 2003, Doğu Akdeniz Bölgesi Ennominae (Lepidoptera, Geometridae) faunası. *Ç.Ü. Zir. Fak. Derg.* 18 (3): 79-88 [extracted from doctoral thesis].
- 864) Doğanlar,F.**, 2003, Doğu Akdeniz Bölgesi Geometridae (Lepidoptera) familyası üzerinde faunistik ve sistematik araştırmalar. Doktora tezi no.135727. YÖK Ulusal Tez Merkezi, 275s., <http://tez2.yok.gov.tr/> [access 25 2 2011]
- 865) Doğanlar,M. & H.Bolu**, 2004, A new species of *Gugolzia* Delucchi & Stephan (Hym. Pteromalidae) from Turkey, a parasitoid of *Eurytoma amygdali* Enderlein (Hym. Eurytomidae). *Zool. Middle East*. 32: 75-78.
- 866) Doğanlar,M. & H.Çam**, 2005, Morphology and systematics of Turkish species of *Euxytoma* Burks,1971 (Hymenoptera, Chalcidoidea, Eurytomidae) with description of a new species from eastern Anatolia. *Türk. J. Zool.* 29: 243-248, 3 figs.
- 867) Doğanlar,M. & O.Doğanlar**, 2005, Türkiye Thaumetopeidae [sic!] türleri tanımları dağılışı alanları doğal düşmanları vemücadele yöntemleri. 56s. Kültür Ofset, Antakya.
- 868) Doğanlar,M. & O.Doğanlar**, 2010, Review of the species of *Gugolzia* Delucchi and Steffan (Hymenoptera, Pteromalidae) in Europe and Turkey with descriptions of new species. *Türk. J. Zool.* 34: 23-34, figs.
- 869) Doğanlar,M. & S.V.Triapitsyn**, 2007, Review of *Ceraninus* (Hymenoptera, Eulophidae) of Turkey, with description of a new species. *Eur. J. Ent.* 104: 105-110, figs.
- 870) Doğanlar,M.**, 1982, Doğu Anadolu'da saptanan bazı parazit sinekler II. Echinomyiinae, Dexiinae, Phasiinae (Diptera, Tachinidae). *Türk. bitki kor. derg.* 6: 209-220.
- 871) Doğanlar,M.**, 1982, Doğu Anadolu'da saptanan bazı parazit sinekler I. Exoristinae (Diptera, Tachinidae). *Türk. bitki kor. derg.* 6: 161-173.
- 872) Doğanlar,M.**, 1982, A new species *Diglyphus* Walker (Hymenoptera, Eulophidae) from Eastern Anatolia. *Türk. bitki kor. derg.* 6: 75-79, figs.
- 873) Doğanlar,M.**, 1984, Notes on Chalcidoidea of Turkey I. Chalcididae, Eurytomidae, Torymidae, Ormyridae, Perilampidae, Eucharitidae. *Türk. Bitki kor. derg.* 8: 151-158.
- 874) Doğanlar,M.**, 2003, A new genus and a new species of Entodontinae (Hymenoptera, Eulophidae) from Southeastern Anatolia, Turkey. *Türk. J. Zool.* 27: 181-185, figs.
- 875) Doğanlar,M., et al.**, 2005, Morphology and systematics of European species of *Traumatocampa* Wallengren,1871 with descriptions of two new species from the Mediterranean region of Turkey (Lepidoptera, Thaumetopoeidae). *Entomofauna* 26 (13): 229-240, figs.
- 876) Doğanlar,M., Lasalle,J., Sertkaya,E. & O.Doğanlar**, 2009, A new species of *Quadrastichus* Girault,1913 (Hymenoptera, Eulophidae, Tetrastichinae) from Hatay, Turkey. *Türk. J. Zool.* 33: 309-314, figs.
- 877) Doğanlar,M., Özbek,H., Ecevit,O. & H.Yüksel**, 1982, Doğu Anadolu Bölgesinin Bazı Lepidopterleri. *Bitki Koruma Bül.* 21 (3): 155-172.
- 878) Doğanlar,O. & M.Doğanlar**, 2008, A new species of *Idarnotorymus* Masi,1916 (Hymenoptera, Torymidae) from Turkey. *Türk. J. Zool.* 32: 85-90, figs. [new species and new records to Turkey].
- 879) Doğanlar,O. & M.Doğanlar**, 2008, First record of *Eucalyptus* Seed Gall Wasp, *Quadrastichodella* nova Girault,1922 (Eulophidae, Tetrastichinae) from Turkey. *Türk. J. Zool.* 32: 457-459, figs. [new record to Turkey].
- 880) Doğanlar,O., Yıldırım,A.E. & M.Doğanlar**, 2006, Natural enemy complex of *Eurytoma amgdali* Enderlein,1907 (Hymenoptera, Eurytomidae) in eastern Mediterranean Region of Turkey; notes on their interaction and effectiveness. *Res. J. Agr. Biol. Sci.* 2 (6): 282-286.
- 881) Dohrn,A.**, 1860, Hemipterologische Miscellaneen. *Stettin ent. Ztg.* 21: 99-109, 158-162, 1 Taf.
- 882) Dohrn,F.A.**, 1860, Hemipterologische Miscellaneen. *Stettin ent. Ztg.* 21: 99-109, 158-162, tab.1.
- 883) Doland,Q.**, 1987, The old world genera of braconine wasps (Hymenoptera, Braconidae). *J. Nat. Hist.* 21 (1): 43-157.
- 884) Dollfuss,H.**, 1995, A worldwide revision of *Pemphredon* Latreille,1796 (Hymenoptera, Sphecidae). *Linzer biol. Beitr.* 27: 905-1019, 322 figs.
- 885) Dollfuss,H.**, 1995, A worldwide revision of *Pemphredon* Latreille,1796 (Hymenoptera, Sphecidae). *Linzer biol. Beitr.* 27 (2): 905-1019, 322 Abb.
- 886) Dollfuss,H.**, 2004, The Crabroninae Wasps of "Biologiezentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae), Part I. *Linzer biol. Beitr.* 36 (2): 761-784.
- 887) Dollfuss,H.**, 2004, The Pemphredoninae Wasps of "Biologiezentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae) *Linzer biol. Beitr.* 36 (1): 105-129.

- 888) Dollfuss, H.**, 2006, The Crabronidae Wasps of "Biologiezentrum Linz" - Collection in Linz, Austria (Hymenoptera, Apoidea, Crabronidae), Part 2. Linzer biol. Beitr. 38 (1): 505-532.
- 889) Dorp, K.van**, 2004, Molecular systematics of *Lycaena* F., 1807 (Lepidoptera, Lycaenidae) - some preliminary results. Proc. neth. ent. Soc. 15: 65-70, 2 figs.
- 890) Drake, C.J. & F.A. Ruhoff**, 1960, Lace-bug genera of the World (Hemiptera, Tingidae). Proc. U. S. nat. Mus. 112 (3431): 1-105, 9 Pls.
- 891) Drake, C.J. & F.A. Ruhoff**, 1965, Lacebugs of the World. A Catalog (Hemiptera, Tingidae). Bull. U.S. nat. Mus. 243: 1-634, 56 Pls.
- 892) Draudt, M.**, 1931, Familie Arctiidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 61-94. Stuttgart.
- 893) Draudt, M.**, 1931, Familie Syntomidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 53-60. Stuttgart.
- 894) Draudt, M.**, 1933, Neue Heteroceren des paläarktischen Faunengebietes. Ent. Rdsch. 50(12): 157-160, 167-169, 186-188, 2 Taf.
- 895) Draudt, M.**, 1933-1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Syntomidae, Arctiidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 278-281. Stuttgart.
- 896) Draudt, M.**, 1935, Beiträge zur Biologie einiger kleinasiatischer Heteroceren. I. Beschreibung eines neuen Spanners. Ent. Rdsch. 52: 174-175.
- 897) Draudt, M.**, 1935, Beiträge zur Biologie einiger kleinasiatischer Heteroceren. Ent. Rdsch. 52 (17): 225-230, 1 fig.
- 898) Draudt, M.**, 1936, Neue Arten und Formen von Noctuiden. Ent. Rdsch. 53: 457-462, 465-471, 491-493, 1 Taf.
- 899) Draudt, M.**, 1937, Zur Frage der Larentia (*Euphyia*) *noacki* Drt. Ent. Rdsch. 54: 154-156, 4 figs.
- 900) Draudt, M.**, 1938, Einiges über *Chloridea maritima* Grasl. und *dipsacea* L. Ent. Rdsch. 55: 306-309, Abb.
- 901) Draudt, M.**, 1938, Zusätzliche Berichtigung zum Aufsatz über *Chloridea maritima* und *dipsacea*. Ent. Rdsch. 55: 371-372.
- 902) Drury, D.**, 1773-1782], Illustrations of Natural History. 3 vols. London.
- 903) Dubatolov, V.V. & J.P. Korshunov**, 1984, New data on taxonomy of the butterflies of the USSR. Chlenistonogie i gel'minty, Sibir. Otdel. Ak. Nauk USSR, Novosibirsk: 51-57.
- 904) Dubatolov, V.V. & V.V. Zolotuhin**, 2011, Does *Eilema* Hübner, [1819] (Lepidoptera, Arctiidae, Lithosiinae) present one or several genera? Euroasian Ent. J. 10 (3): 367-380, pl.vii.
- 905) Dubatolov, V.V.**, 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. A list of the Arctiinae of the territory of the former U.S.S.R. (Lepidoptera, Arctiidae). Neue ent. Nachr. 37: 39-89, figs.
- 906) Dubatolov, V.V.**, 2007, New tiger moth taxa from Eurasia (Lepidoptera, Arctiidae). Atalanta 38 (3/4): 351-359, figs.
- 907) Dubatolov, V.V.**, 2008, Analysis of Insect distribution in the northern Hemisphere by the example of the subfamily Arctiinae (Lepidoptera, Arctiidae) I. Genus level. Contemporary Problems of Ecology 1 (2): 183-193, figs.
- 908) Dubitzky, A.**, 2007, Phylogeny of the World Anthophorini (Hymenoptera, Apoidea, Apidae). Syst. Ent. 32: 585-600, figs.
- 909) Duda, O.**, 1918, Revision der europäischen Arten der Gattung *Limosina* Macquart (Dipteren). Abhandl. zool.- bot. Ges. Wien 10 (1): 1-240, viii Taf.
- 910) Duda, O.**, 1920, Revision der altweltlichen Arten der Gattung *Sphaerocera* Latreille (Dipteren). Tijdschr. Ent. 63: 1-39.
- 911) Duda, O.**, 1925, Monographie der Sepsiden (Dipt.). I. Annln naturh. Mus. Wien 39: 1-153, figs.
- 912) Duda, O.**, 1926, Monographie der Sepsiden (Dipt.). II. Annln naturh. Mus. Wien 40: 1-110, figs.
- 913) Dufay, C.**, 1958, Révision des *Nycteola* Hübner (*Sarrothripus* Curtis) Paléarctiques (Lepidoptera, Noctuidae, Nycteolinae). Annls Soc. ent. Fr. 27: 107-132, Pl.ii,iii,A,B.
- 914) Dufay, C.**, 1958, Mise au point de la synonymie des *Nycteola* Hb. (*Sarrothripus* Curt.) européennes. Bull. mens. Soc. linn. Lyon 27: 108-120.
- 915) Dufay, C.**, 1961, Les *Nycteola* Hübner (*Sarrothripus* Curtis) de la Staudinger description d'une espèce nouvelle d'Asie centrale et antérieure. Dt. ent. Z. (N.F.) 8 (5): 431-440, 4 figs.
- 916) Dufay, C.**, 1963, Descriptions de trois nouvelles espèces d'*Euchalcia* Hb. d'Asie Antérieure (Lepidoptera, Noctuidae, Plusiinae). Bull. mens. Soc. linn. Lyon 32(3): 68-72.
- 917) Dufay, C.**, 1975, *Dryobotodes carbonis* Wgn., bona species, espèce nouvelle en Europa, et en France (Lepidoptera, Noctuidae, Cuculliinae). Bull. Soc. linn. Lyon 44: 24-27.
- 918) Dufay, C.**, 1978, *Cryphia vandalusia* (Duponchel) espèce française méconnue (Lep., Noctuidae, Acronictinae). Entomops 45: 149-158, 18 figs.
- 919) Dufay, C.**, 1982, Découverte en Grèce de *Lophoterges hoerhammeri* (F.Wagner), bona sp., espèce nouvelle pour l'Europe (Noctuidae, Cuculliinae). Nota lepid. 5 (2/3): 77-80, 6 figs.
- 920) Dufay, C.**, 1983, *Ochropleura gracilis* (F.Wagner), bona sp., espèce nouvelle pour l'Europe: description de sa sous- espèce hellénique (Noctuidae, Noctuinae). Nota lepid. 6 (1): 41-48, 10 figs.

- 921) Dufay,C.**, 1984, Révision du statut taxonomique de quelques Noctuidae européens (1re note préliminaire). *Nota lepid.* 7 (2): 113-116.
- 922) Dufay,C.**, 1986, Révision de la nomenclature de deux Chersotis Boisduval distingués récemment (Noctuidae, Noctuinae). *Nota lepid.* 9(1/2): 51-54.
- 923) Dumont,D.**, 1998, Une nouvelle espèce de Lycaenidae du sud de la Turquie: *Polyommatus bollandi* n.sp. *Linneana Belg.* 16 (8): 335-338, 7 figs. map.
- 924) Dumont,D.**, 2000, Découverte et description de la femelle de *Polyommatus bollandi* Dumont,1998 et considérations nouvelles sur le male (Lepidoptera, Lycaenidae). *Linneana Belg.* 17 (7): 273-275, figs.
- 925) Dumont,D.**, 2004, Révision du genre *Iolana* Bethune-Baker,1914 (Lepidoptera, Lycaenidae). Description d'une nouvelle espèce: *kermani* n.sp. *Linneana Belg.* 19 (8).
- 926) Dumont,H.J.**, 1972, The taxonomic status of *Calopteryx xanthosoma* (Charpentier,1825) (Zygoptera, Calopterygidae). *Odonatologica* 1 (1): 21-29, figs.
- 927) Dumont,H.J.**, 1977, A review of the Dragonfly fauna of Turkey and adjacent Mediterranean Islands (Insecta, Odonata). *Bull. Ann. Soc. r. belge Ent.* 113: 119-171.
- 928) Duponchel,P.A.J.**, 1821-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.1 Diurnes. 12+303+7 pp., tab. 1-12, Paris.
- 929) Duponchel,P.A.J.**, 1821-1828, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.3 Crepusculaires. 200 pp., tab. 13-22, Paris.
- 930) Duponchel,P.A.J.**, 1822-1823, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.4 Bombycites. 424 pp., tab. 1-40, Paris.
- 931) Duponchel,P.A.J.**, 1822-1830, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.2 Diurnes. 246 pp., tab. 1-28, Paris.
- 932) Duponchel,P.A.J.**, 1824-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.5 Tineites & Noctuelites. 524 pp., tab. 41-71, Paris.
- 933) Duponchel,P.A.J.**, 1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.6. Noctuelites. 475 pp., tab. 72-100, Paris.
- 934) Duponchel,P.A.J.**, 1827, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (1). Noctuelites. 524 pp., tab. 101-132, Paris.
- 935) Duponchel,P.A.J.**, 1829, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (2). Phalenites. 507 pp., tab. 133-170, Paris.
- 936) Duponchel,P.A.J.**, 1830-1832, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (1). Phalenites. 597 pp., tab. 171-210, Paris.
- 937) Duponchel,P.A.J.**, 1833, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (2). Pyralites. 402 pp., tab. 211-236, Paris.
- 938) Duponchel,P.A.J.**, 1834-1835, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.9 Platyomides. 626 pp., tab. 237-266, Paris.
- 939) Duponchel,P.A.J.**, 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.10. Crambites & Yponomeutides. 384 pp., tab. 267-286, Paris.
- 940) Duponchel,P.A.J.**, 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.11. Tineites & Pterophorites. 720 pp., tab. 287-314, Paris.
- 941) Duponchel,P.A.J.**, 1844-1846, Catalogue méthodique des Lépidoptères d'Europe. 523 pp. Paris.
- 942) Dursun,A. & M.Fent**, 2009, A study on the Coreidae (Insecta, Heteroptera) of the Kelkit Valley, Turkey. *Acta ent. serb.* 14 (1): 13-25.
- 943) Dursun,A. & M.Fent**, 2011, Additional records on the Halyini, Carpocorini, Aeliini and Eysarcorini (Hemiptera, Pentatomidae, Pentatominae) of the Kelkit Valley, Turkey. *Bihar. Biol.* 5 (2): 151-156.
- 944) Dursun,A. & V.Kartal**, 2008, Orta Karadeniz Bölgesi Strachiini Mulsant & Rey,1866, Pentatomini Leach,1815 ve Piezodorini Atkinson,1888 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. *Türk. ent. Derg.* 32 (3): 225-239.
- 945) Dursun,A. & V.Kartal**, 2008, Orta Karadeniz Bölgesi Halyini Amyot & Serville,1843, Sciocorini Amyot & Serville,1843, Aeliini Douglas & Scott,1865 ve Eysarcorini Mulsant & Rey,1866 (Heteroptera, Pentatomidae, Pentatominae) türleri üzerine faunistik bir araştırma. *Türk. ent. Derg.* 32 (3): 303-315.
- 946) Dvorak,L. & L.Castro**, 2007, New and noteworthy records of vespid wasps (Hymenoptera, Vespidae) from the Palaearctic Region. *Acta ent. Mus. nat. Pragae* 47: 229-236, figs.
- 947) Dyar,H.G.**, 1894, A classification of lepidopterous larvae. *Ann. N.Y. Acad. Sci.* 8: 194-232, 5 figs.
- 948) Dyar,H.G.**, 1899, The phylogeny of the lasiocampids. *Entomologist's Rec. J. Var.* 11: 141-142, Pl.ii.
- 949) Ebert,G. & H.Hacker**, 2002, Beitrag zur Fauna der Noctuidae des Iran: Verzeichnis der Bestände im Staatlichen Museum für Naturkunde Karlsruhe, taxonomische Bemerkungen und Beschreibung neuer Taxa (Noctuidae, Lepidoptera). *Esperiana* 9: 237-409, figs.
- 950) Ebert,G.**, 1971, Drei neue Macrolepidoptera-Arten aus Iran. *Beitr. naturk. Forsch. SWDtl.* 30: 65-71, 1 Taf., 9 Abb.

- 951) Ebert, G.**, 1978, Neue Taxa paläarktischer Noctuidae aus dem wissenschaftlichen Nachlaß von Charles Boursin (Lep. Noct. Trifin.). 1. Die Arten der Gattung *Oncocnemis* Lederer, 1853. Beitr. naturk. Forsch. SüdwDtl. 37: 193-207, figs.
- 952) Ebmer, P.A.W.**, 1999, Die westpaläarktischen Arten der Gattung *Dufourea* Lepeletier, 1841 (Insecta, Hymenoptera, Apoidea, Halictidae, Rophitinae). Linzer biol. Beitr. 31 (1): 183-228, 64 Abb.
- 953) Ebmer, P.A.W.**, 1975, Neue westpaläarktische Halictidae (Halictinae, Apoidea) Teil III. Linzer biol. Beitr. 7 (1): 41-118, 56 Abb.
- 954) Ebmer, P.A.W.**, 1987, Die westpaläarktischen Arten der Gattung *Dufourea* Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae). Linzer biol. Beitr. 19 (1): 43-56, figs.
- 955) Ebmer, P.A.W.**, 1989, Die westpaläarktischen Arten der Gattung *Dufourea* Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae) Zweiter Nachtrag. Linzer biol. Beitr. 21 (1): 193-210, figs.
- 956) Ebmer, P.A.W.**, 1993, Die Bienengattung *Rophites* Spinola 1808 (Insecta, Hymenoptera, Apoidea, Halictidae, Rophitinae). Erster Nachtrag. Linzer biol. Beitr. 25 (1): 3-14.
- 957) Ebmer, P.A.W.**, 1993, Die westpaläarktischen Arten der Gattung *Dufourea* Lepeletier 1841 mit illustrierten Bestimmungstabellen (Insecta, Hymenoptera, Apoidea, Halictidae, Dufoureaeinae) Dritter Nachtrag. Linzer biol. Beitr. 25 (1): 15-42, 38 Abb. 2 Karten.
- 958) Ebner, R.**, 1946, Einige seltenere palaearktische Tettigoniidae und Gryllidae (Orthoptera). Eos 22: 17-30, figs.
- 959) Eckweiler, W. & C.L.Häuser**, 1997, An illustrated checklist of *Agrodiaetus* Hübner, 1822, a subgenus of *Polyommatus* Latreille, 1804 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.), Suppl. 16: 113-168, figs.
- 960) Eckweiler, W. & E.Görgner**, 1981, Eine neue Art der Gattung *Zygaena* F. aus Türkisch- Kurdistan. Atalanta 12 (2): 139-146, figs.
- 961) Eckweiler, W. & E.Görgner**, 1981, Rhopaloceren- Fauna des Palandöken-Gebirges in Ostanatolien. Nachr. ent. Ver. Apollo 2: 80-96, 97-116, figs.
- 962) Eckweiler, W. & G.Hesselbarth**, 1978, Eine neue Unterart von *Agriades pyrenaicus* Boisduval aus Ostanatolien. NachrBl. bayer. Ent. 27: 64-68, figs.
- 963) Eckweiler, W. & K.G.Schurian**, 1980, Verbreitung und subspezifische Gliederung von *Neolysandra coelestina* (Eversmann, 1843) (Lep., Lycaenidae). Atalanta 11 (1): 69-78, 8 figs.
- 964) Eckweiler, W. & K.Rose**, 1988, Identität, Verbreitung und subspezifische Gliederung von *Pseudochazara lydia* (Staudinger, 1878) (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 9(4): 213-223, figs.
- 965) Eckweiler, W. & K.Rose**, 1993, Zwei neue Lycaeniden aus der Südwesttürkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 13(3a): 355-364, figs.
- 966) Eckweiler, W.**, 1978, Eine neue Art der Gattung *Hyponephele* Muschamp aus der Südosttürkei (Lepidoptera, Satyridae). Atalanta 9 (4a): 375-379, 9 figs.
- 967) Eckweiler, W.**, 1978, Zwei Lycaeniden-Neufunde aus Nordostanatolien. Nota lepid. 1(3): 115-118, 8 Abb.
- 968) Eckweiler, W.**, 1984, Eine neue Unterart von *Turanana cytis* (Christoph, 1877) aus Türkisch-Kurdisten (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 5(2/3): 63-70, figs.
- 969) Eckweiler, W.**, 1989, Drei neue Lycaeniden aus der Türkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 10(2): 81-102, 50 figs.
- 970) Eckweiler, W.**, 1997, Neue Taxa von *Polyommatus* (*Agrodiaetus*) (Lepidoptera, Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-group (Lep., Lycaenidae). Nachr. Ent. Ver. Apollo, Suppl. 16: 7-22, figs.
- 971) Eecke, v.R.**, 1925, Cochlidionidae (Limacodidae), [in] Strand, E., Lepidopterorum Catalogus 32: 1-79. W.Junk, Berlin.
- 972) Efetov, K.A. & G.M.Tarmann**, 1994, A revision of *Zygaenoprocris* Hampson, 1900, a subgenus of *Adscita* Retzius, 1783 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 45: 81-105, 62 figs.
- 973) Efetov, K.A. & G.M.Tarmann**, 1995, An annotated check-list of the Palaearctic Procrinae (Lepidoptera, Zygaenidae), with description of new taxa. Entomologist's Gaz. 46: 63-103, 23 figs.
- 974) Efetov, K.A. & G.M.Tarmann**, 1999, Forester Moths. 192 pp., Apollo Books. [see review: Koçak, A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7-8].
- 975) Efetov, K.A.**, 2001, An annotated check-list of Forester moths (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 153-162, figs.
- 976) Efetov, K.A., Mollet, B. & G.M.Tarmann**, 2010, The biology and early stages of *Adscita* (*Adscita*) *capitalis* (Staudinger, 1879) (Lepidoptera, Zygaenidae, Procrinae). Nachr. ent. Ver. Apollo (N.F.) 31 (3): 119-125, figs.
- 977) Egger, J.**, 1862, Dipterologische Beiträge. Verh. zool.-bot. Ges. Wien 12: 777-784.

- 978) Ehrlich, P.R.**, 1958, The comparative morphology, philogeny and higher classification of the butterflies (Lepidoptera, Papilionoidea). Univ. Kans. Sci. Bull. 39(8): 305-370.
- 979) Ehrmann, R.**, 2002, Mantodea Gottesanbeterinnen der Welt. Natur & Tier Verlag GmbH
- 980) Ehrmann, R.**, 2011, Mantodea from Turkey and Cyprus (Dictyoptera, Mantodea). Articulata 26 (1): 1-42.
- 981) Eimer, G. H. T.**, 1889-1895, Die Artbildung der Verwandtschaft bei den Schmetterlingen. Jena.
- 982) Eisner, C. & S. Wagnen**, 1974, Zwei neue Unterarten von *Allancastris cerisyi* Godart aus Anatolien (Lepidoptera, Parnassidae). Zool. Meded. 48(10): 81-83, figs.
- 983) Eisner, C.**, 1954, *Parnassiana nova* ii. *Archon apollinus* Herbst. Zool. Meded. 33 (7): 49-53, Leiden.
- 984) Eisner, C.**, 1966, Parnassiidae-Typen in der Sammlung J.C.Eisner. Zool. Verh., Leiden 81: 1-190, 84 Pls.
- 985) Eisner, C.**, 1968, *Parnassiana nova* XLIII. Nachträgliche Betrachtungen zu der Revision der Subfamilie Parnassiinae (Fortsetzung 16). Zool. Meded 43 (2): 9-17, 2 Taf.
- 986) Eisner, C.**, 1974, *Parnassiana nova* xlix. Die Arten und Unterarten der Baroniidae, Teinopalpidae und Parnassiidae (Erster Teil) (Lepidoptera). Zool. Verh., Leiden 135: 3-96.
- 987) Eisner, C.**, 1976, *Parnassiana nova* xlix. Die Arten und Unterarten der Parnassiidae (Lepidoptera) (Zweiter Teil). Zool. Verh., Leiden 146: 99-266, 2 Taf.
- 988) Eisner, C.**, 1978, *Parnassiana nova* LIII. Vier neue *Parnassius* Unterarten. Zool. Meded. 53 (11): 107-109, Taf.2.
- 989) Eitschberger, U. & H. Steiniger**, 1975, Die geographische Variation von *Eumedonia eumedon* (Esper, 1780) in der westlichen Palaearktis (Lep., Lycaenidae). Atalanta 6(2): 84-125, 3 Abb., Taf.
- 990) Eitschberger, U. & M. Ströhle**, 1987, Eine neue Art der Gattung *Isoceras* Turati, 1924 aus der Türkei (Lepidoptera, Cossidae). Atalanta 18: 93-95, 21 figs.
- 991) Eitschberger, U. & P. Hofmann**, 2002, Morphologische Untersuchungen an einigen *Aporia crataegi*-Populationen aus dem Iran (Lepidoptera, Pieridae). Atalanta 33 (3/4): 373-387.
- 992) Eitschberger, U. & V. Zolotuhin**, 1997, Die Gattung *Dolbina* Staudinger, 1877 mit der Beschreibung eines neuen Subgenus *Elegodolba* subgen. nov. (Lepidoptera, Sphingidae). Atalanta 28(1/2): 135-144, 5 Abb.
- 993) Eitschberger, U.**, 1990, Die Taxa der *Pieris napi*-Gruppe in Südeuropa dem Balkan, der Türkei und Persien (Lepidoptera, Pieridae). Atalanta 21(3/4): 269-271.
- 994) Eitschberger, U.**, 1993, *Phlogophora lamii* Schadewald, 1992- Zur Verbreitung dieser Art (Lepidoptera, Noctuidae). Atalanta (1992) 23(3/4): 593-597, pls.
- 995) Eitschberger, U.**, 1993, *Autographa messmeri* Schadewald, 1992 und *Autographa voelkeri* Schadewald, 1992- Anmerkungen zur Verbreitung beider Arten (Lepidoptera, Noctuidae). Atalanta (1992) 23(3/4): 581-587, pls.
- 996) Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Amorpha* Hübner, [1819], *Laothoe* Fabricius, 1807, *Pachysphinx* Rothschild & Jordan, 1903 und *Phyllosphinxia* Swinhoe, 1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). Neue ent Nachr. 23: 151-195, figs.
- 997) Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Paonias* Hübner, [1819], sowie *Smerinthus* Latreille, [1802], mit der Beschreibung neuer *Paonias*-Arten (Lepidoptera, Sphingidae). Neue ent Nachr. 23: 85-149, figs.
- 998) Eitschberger, U.**, [1984], Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.) (Lepidoptera, Pieridae). Herbiopoliana 1 (1): xxii+504pp., 1(2): 601pp. Markt Leuthen.
- 999) Eitschberger, U., Danner, F. & B. Surholt**, 1992, Zweiter Beitrag zu "Taxonomische Veränderungen bei den Sphingiden Europas" und die Beschreibung einer neuen *Sphinx*-Unterart aus der Türkei (Lepidoptera, Sphingidae). Atalanta 23 (1/2): 245-247, pl. iv.
- 1000) Ekiz, A.N., Gök, A., Borowiec, L. & S. Bilginturan**, 2009, Redescription of *Donacia kraatzi* Weise, 1881, a poorly known aquatic leaf beetle (Coleoptera, Chrysomelidae, Donaciinae) with notes on its taxonomic status and geographical distribution. Dt. ent. Z. 56 (2): 299-302, figs.
- 1001) Ekrem, T. & E. Stur**, 2009, A review of the genus *Zavrelia* (Diptera, Chironomidae). Eur. J. Ent. 106: 119-144, figs.
- 1002) Elekçioğlu, N.Z. & N. Uygun**, 2006, The Parasitoid complex of the Citrus Leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in the East Mediterranean region of Turkey and their role in biological control. Turk. J. Zool. 30: 155-160.
- 1003) Eliot, J.N. & A. Kawazoe**, 1984, Blue butterflies of the *Lycaenopsis* group. 306 pp., 6 Pls., figs. British Museum (Natural History), London.
- 1004) Eliot, J.N.**, 1969, An analysis of the Eurasian and Australian Neptini (Lepidoptera, Nymphalidae). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 15: 1-150, Pls.
- 1005) Eliot, J.N.**, 1973, The higher classification of the Lycaenidae (Lepidoptera): A tentative arrangement. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (6): 373-505, figs., 6 Pls.
- 1006) Eller, K.**, 1936, Die Rassen von *Papilio machaon* L. Abh. Bayer. Acad. Wiss. (N.F.) 36: xiv+96 pp.

- 1007) Eller, K.**, 1938, Zur Rassen- und Artfrage, untersucht an dem Formenkreis von *Papilio machaon* L. (Lep., Rhopalocera). Z. angew. Ent. 24: 145-149, 2 Abb.
- 1008) Eller, K.**, 1939, Fragen und Probleme zur Zoogeographie und zur Rassen- und Artbildung in der *Papilio machaon*-Gruppe. Verh. VII. Int. Kongr. Ent. 1938 (1): 74-101, Pls.
- 1009) Elwes, H.J. & J. Edwards**, 1893, A Revision of the Genus *Ypthima*, with especial reference to the characters afforded by the male genitalia. Trans. ent. Soc. London 1893: 1-54, Pl.3.
- 1010) Elwes, H.J. & J. Edwards**, 1897, A Revision of the oriental Hesperidae. Trans. zool. Soc. Lond. 14 (4) 101-324, pls.18-27.
- 1011) Elwes, H.J.**, 1889, A revision of the genus *Argynnis*. Trans. ent. soc. London 1889 (4): 535-575, [3 figs].
- 1012) Emden, F.I.v.**, 1965, Diptera vol.7, Muscidae Part 1, [in] Sewell & Roonwal, The Fauna of India and the adjacent countries. xiv+ 647pp. 156 figs. Calcutta.
- 1013) Engel, E.O.**, 1925-1930, 24. Asilidae [in] E.Lindner, Die Fliegen der palaearktischen Region, IV(2), 491 pp., 284 figs. E.Schweizerbart. Stuttgart.
- 1014) Engel, M.S.**, 2005, Three replacement names in the bee genus *Andrena* (Hymenoptera, Andrenidae). J. Kansas Ent. Soc. 78 (2): 179-180.
- 1015) Engel, M.S.**, 2005, Family-group names for Bees (Hymenoptera, Apoidea). Amer. Mus. Novit. 3476: 1-33.
- 1016) Englert, W.D.**, 1974, Revision der Gattung *Metzneria* Zeller (Lepid., Gelechiidae) mit Beiträgen zur Biologie der Arten. Z. angew. Ent. 75 (4): 381-421, 27 Abb.
- 1017) Enslin, E.**, 1914, Über einige Tenthrediniden aus Kleinasien und Kaukasien. Arch. Naturg. 79 (A) (8): 55-59.
- 1018) Erdoğan, S.Z.**, 2006, Tabanidae species (Diptera), in the Elazığ Province of Turkey. Fırat Univ. Sağlık Bilim. Derg. 20 (1): 65-68.
- 1019) Eren, H., Yağcı, Ş. & Ş. Dinçer**, 1995, Ankara'da bulunan Culicoides (Diptera, Ceratopogonidae) türleri. Ankara Univ. Vet. Fak. Derg. 42: 179-182.
- 1020) Erlacher, S. & R. Trusch**, 1999, Phylogenie und Verbreitung der Arten der *Dyscia conspersaria*-Gruppe (= *Dyscia* s.str.) (Lepidoptera, Geometridae). Cour. Forsch.-Inst. Senckenb. 215: 67-81, figs.
- 1021) Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar I (Rhynchitinae, Deporaini, Auletini, Bytiscini). Türk. ent. derg. 18 (1): 41-50, figs.
- 1022) Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar II (Rhynchitinae, Rhynchitini). Türk. ent. derg. 18 (2): 89-102, figs.
- 1023) Erol, T.**, 1994, Türkiye Attelabidae (Coleoptera) familyası türleri üzerinde faunistik ve sistematik çalışmalar III (Rhynchitinae, Attelabrinae, Apoderinae). Türk. ent. derg. 18 (3): 175-192, figs.
- 1024) Esben-Petersen, P.**, 1932, Notizen zur Neuropteren- und Mecopterefauna Kleinasien. Konowia 11: 163-167, 1 fig.
- 1025) Esben-Petersen, P.**, 1935, Two new species of Neuroptera. Konowia 14: 151-153, 2 figs.
- 1026) Escherich, K.**, 1897, Bilder aus der Asiatischen Türkei. Allg. Ztg. 156/157: 1-36 (Sonderabdruck aus der Beilage).
- 1027) Escherich, K.**, 1891, Die paläarktische Vertreter der Coleopteren-Gattung "Zonitis" Fab. Versuch einer Monographie I. Dt. ent. Z. 1891 (2): 225-250, Taf.iv.
- 1028) Escherich, K.**, 1892, Studien über die Cleriden-Gattung *Trichodes* Hbst. Wien. ent. Ztg. 11: 226-230.
- 1029) Escherich, K.**, 1893, Zur Kenntnis der Coleopterengattung *Trichodes* Herbst. Verh. zool. bot. Ges. Wien 43: 149-203, 2 Taf.
- 1030) Escherich, K.**, 1896, Meloiden-Studien. Wien. ent. Ztg. 15: 27-30.
- 1031) Escherich, K.**, 1897, Meloidae [in] Zoologische Ergebnisse einer von Dr.K.Escherich und Dr. L.Kathariner nach Central-Kleinasien unternommenen Reise IV.Theil Coleopteren. Stettin Ent. Ztg. 58: 34-48.
- 1032) Escherich, K.**, 1899, Zur Kenntnis der Coleopteren-Gattung *Zonabris* Harold. Wien. ent. Ztg. 18: 84-92, 97-110, Taf.ii.
- 1033) Esper, E.J.C.**, [1776-1830], Die europäischen Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen. Teil 1 Tagvögel 2 Bde: Bd.1 (1777), p.1-388, Pls. 1-50; Bd.2 (1780), pl.1-190, Pls.51-93; Suppl. 1 (1805), p.1-120, Pls. 94-116; Suppl.2 (1805), p.1-48, Pls. 117-123; Teil 2 Nachtvögel (1779), p.1-234, Pls.1-36; Suppl. (1807), p.1-52, Pls.37-47. Teil.3 (1782), p.1-396, Pls.1-79; Suppl. (1807) 1-104, Pls.80-94. Teil 4 2Bde Bd.1 & 2 (1786); Teil 5 (1794) p.1-276, Pls.1-52 Erlangen.
- 1034) Essayan, R. & C.Cintré**, 1980, Notes sur les Rhopaloceres de la Peninsule Balkanique et de la Turquie occidentale. Alexanor 11 (6): 261-271.
- 1035) Evans, W.H.**, 1912, A list of Indian Butterflies. J. Bombay nat. Hist. Soc. 21 (2): 553-584; (3): 969-1008.
- 1036) Evans, W.H.**, 1937, A Catalogue of the African Hesperidae indicating the classification and nomenclature adopted in the British Museum. xii+212 pp., 30pls. London.

- 1037) Evans, W.H.**, 1949, A Catalogue of the Hesperidae from Europe, Asia and Australia in the British Museum (Natural History). London.
- 1038) Evans, W.H.**, 1955, A revision of the genus *Tarucus* (Lep., Lycaenidae) of Europe, North Africa and Asia. *Entomologist* 88: 179-187.
- 1039) Evenhuis, N.L.** 2002, Catalog of the Mythicomyiidae of the World (Insecta, Diptera). *Bull. Bishop Mus. Ent.* 10: 1-85.
- 1040) Evenhuis, N.L. & D.J. Greathead**, 1999, World catalog of bee flies (Diptera, Bombyliidae). xlviii+756pp. Backhuys Publishers, Leiden [last updated online version as pdf in 2008].
- 1041) Eversmann, E.**, 1848, Beschreibung einiger neuen Falter Russlands. *Bull. Soc. imp. nat. Moscou* 21 (2): 205-232.
- 1042) Fabre, J.-P.**, 1997, Geographical distribution of the tortricid moth *Epinotia cedricida* (Lepidoptera, Tortricidae) within the natural and artificial ranges of the cedar trees *Cedrus atlantica* and *C. libani*. *Eur. J. Ent.* 94: 485-494, figs.
- 1043) Fabricius, J.C.**, 1775, *Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus*. 832 pp. Flensburgi et Lipsiae.
- 1044) Fabricius, J.C.**, 1777, *Genera Insectorum*. Chilonii.
- 1045) Fabricius, J.C.**, 1781, *Species Insectorum* vol. 1, viii+ 552 pp., vol. 2, 494 pp. Hamburgi et Kilonii.
- 1046) Fabricius, J.C.**, 1787, *Mantissa Insectorum*. vol. 1 xx+348 pp., vol.2, 382pp. Hafniae.
- 1047) Fabricius, J.C.**, 1793, *Entomologia systematica*. vol.2, viii+519 pp. Hafniae.
- 1048) Fabricius, J.C.**, 1794, *Entomologia systematica*. vol.3, pars 2, 349 pp. Hafniae.
- 1049) Fabricius, J.C.**, 1798, *Supplementum Entomologiae systematicae*. 572 pp., Hafniae.
- 1050) Fabricius, J.C.**, 1775, *Systema entomologiae sistens Insectorum classes ordines genera species adjectis synonymis locis descriptionibus observationibus*. 832 pp. Flensburgi et Lipsiae, Korte.
- 1051) Fabricius, J.C.**, 1781, *Species Insectorum exhibentes eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosin adjectis observationibus, descriptionibus*. Tome I, viii+552 pp. Hamburgi & Kilonii, Bohn.
- 1052) Fabricius, J.C.**, 1787, *Mantissa Insectorum...* Tom I, xvi+348 pp. Hafniae.
- 1053) Fabricius, J.C.**, 1787, *Mantissa Insectorum...* Tom II, 382 pp. Hafniae.
- 1054) Fabricius, J.C.**, 1793, *Entomologia systematica emendata et aucta...* Tomus 2. xx+ 519pp., Hafniae.
- 1055) Fabricius, J.C.**, 1803, *Systema Rhyngotorum secundum ordines genera species adjectis synonymis locis observationibus descriptionibus*. 314 pp. Brunsvigae, Reichard.
- 1056) Fabricius, J.C.**, 1804, *Systema Piezatorum...* 439+30 pp. Hafniae.
- 1057) Fabricius, J.C.**, 1805, *Systema antliatorum...* xiv+15-373, 1-30 pp. Carolum Reichard, Brunsvigae.
- 1058) Fahringer, J.**, 1922, Eine Rhynchotenausbeute aus der Türkei, Kleinasien und benachbarten Gebieten. *Konowia* 1: 137-144, 296-307.
- 1059) Fahringer, J.**, 1930, Ichneumonidae, Braconidae, Evaniidae, Cynipidae, Chalcididae, Serphidae, Psammodromidae in Ebner, R., Hymenopteren aus Palaestina und Syrien (Zoologische Studienreise von R. Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). *Sitz. Akad. Wiss. Wien* 139: 19-22.
- 1060) Fairmaire, L.**, 1895, Coleopteres nouveaux d'Akbes, des derniers chasses de M. Charles Delangrange (*Ipelates*, *Onthophagus*, *Capnodis*, *Malacogaster*, *Lampyrus* et *Ctenopus*). *Annls Soc. ent. Fr. (Bull.)* 64: 109-111.
- 1061) Faldermann, F.**, 1835, *Fauna Entomologica Trans-Caucasica I*. *Nouv. Mém. Soc. imp. Moscou* 4: 1-310, 10 pls.
- 1062) Faldermann, F.**, 1837, *Fauna Entomologica Trans-Caucasica II*. *Nouv. Mém. Soc. imp. Moscou* 5: 1-433, 15 pls.
- 1063) Falkovitsh, M.I.**, 1988, A new genus and four new species of Casebearers (Lepidoptera, Coleophoridae) from Turkmenia. *Ent. Obozr.* 1988 (4): 811-820, 10 figs.
- 1064) Farren, W.**, 1893, On the variation of *Papilio machaon*. *Entomologist's Rec. J. Var.* 4: 100-108.
- 1065) Fazekas, I. & T. Balazs**, 1979, Taxonomische, ökologische und faunistische Überprüfung des *Palaeochrysophanus hippothoe sumadiensis* Szabo 1956 (Lep., Lycaenidae). *Ent. Z., Frankf. a. M.* 89 (20): 230-236, 4 Abb.
- 1066) Fazekas, I.**, 1984, *Oligia latruncula erewani* ssp. nova (Noctuidae, Amphipyridae). *Nota lepid.* 7 (2): 117-120, 2 Abb.
- 1067) Fazekas, I.**, 1987, *Poecilocampa populi grisea* Daniel 1963, neue Synonymie und neuer Status als Forma (Lepidoptera, Lasiocampidae). *Ent. Z., Frankf. a. M.* 97: 298-301, 3 Abb.
- 1068) Fazekas, I.**, 1990, *Catoptria aetnella* (Zerny, 1943) und *C. wolffi* Ganév & Hacker, 1984 neue Synonyme von *C. dimorphella* (Staudinger 1882) (Lepidoptera, Crambidae). *Nachr. ent. Ver. Apollo (N.F.)* 11(2): 105-111, 11 figs.
- 1069) Fazekas, I.**, 1993, Eine Revision der westpaläarktischen Unterarten von *Crambus perlellus* Scopoli, 1763 (Lepidoptera, Crambinae). *Annln naturh. Mus. Wien* 94/95B: 595-502, figs.

- 1070) Fazekas, I.**, 2002, Die taxonomische und tiergeographische Revision des Artenpaares *Catoptria confusella* (Staudinger, 1882) und *Catoptria incertella* (Herrich-Schäffer, 1852) (Lepidoptera, Crambidae). *Quadrifina* 5: 1-16, figs.
- 1071) Fazekas, I.**, 2003, Federmotten aus der Mongolei, Russland, der Türkei, der Balkanhalbinsel und Afrika mit Beschreibung neuer Arten (Microlepidoptera, Pterophoridae). *Folia comloensis* 12: 5-24, figs.
- 1072) Fazekas, I.**, 2009, *Stenoptilia mariae* Bigot & Picard, 2002 and *Crombrugghia reichli* Arenberger, 1998 in Turkey (Lepidoptera, Pterophoridae). *Acta natur. pannon.* 4 (2): 131-136, figs.
- 1073) Fazekas, I.**, 2009, Contribution to the Microlepidoptera fauna of Balkans Nr.1 (Lepidoptera). *Natura Somogyensis* 15: 181-194, figs.
- 1074) Felder, C. & R. Felder**, 1865-[1867], Reise der Österreichischen Fregatte Novara um die Erde. vi+549 pp., 137 Pls. Wien.
- 1075) Felder, C., Felder, R. & A.F. Rogenhofer**, 1864-[1875], Reise der Österreichischen Fregatte Novara um die Erde. (2) (Atlas) 20 pp.+ 140 Pls. Wien.
- 1076) Fent, M. & N. Aktaş**, 1999, Edirne yöresi Pentatomidae (Heteroptera) faunası üzerine taksonomik ve faunistik araştırmalar. *Türk. J. Zool.* 23 (ek 2): 377-395, 15 şekil.
- 1077) Fent, M.**, 2010, Contributions to Pentatomoidea (Heteroptera) fauna of western Black Sea Region with a new record for Anatolian fauna: *Neottiglossa lineolata* (Mulsant & Rey, 1852). *J. ent. Res. Soc.* 12 (1): 53-65.
- 1078) Fent, M., Dursun, A., Karsavuran, Y., Tezcan, S. & O. Demirözer**, 2010, A review of the tribe Halyini in Turkey (Hemiptera, Heteroptera, Pentatomidae) with two new records *Apodiphus integriceps* and *Mustha vicina*. *J. ent. Res. Soc.* 12 (2): 1-13, figs.
- 1079) Fent, M., Gözüaçık, C. & A. Yiğit**, 2010, Türkiye Bagra da Stal, 1862 (Pentatomidae, Strachiini) cinsi türlerinin gözden geçirilmesi ve yeni bir kayıt: *Bagra da amoenula* (Walker, 1870). *Türk. ent. derg.* 34 (1): 75-87, şekil.
- 1080) Fent, M., Kment, P., Çamur-Elipek, B. & T. Kırgız**, 2011, Annotated catalogue of Enicocephalomorpha, Dipsocoromorpha, Nepomorpha, Gerromorpha, and Leptopodomorpha (Hemiptera, Heteroptera) of Turkey, with new records. *Zootaxa* 2856: 1-84, figs.
- 1081) Fernald, C.H.**, 1908, The genera of the Tortricidae and their types. 6pp. Amerst, Mass.
- 1082) Ferrer, J. & L. Soldati**, 1999, Contribution a l'étude des Tenebrionidae de Turquie (Insecta, Coleoptera). *Entomofauna* 20 (4): 53-92, figs.
- 1083) Fery, H., Erman, Ö.K.**, 2009, Five new species of the longulus-group of *Hydroporus* Clairville, 1806 from north-eastern Turkey (Coleoptera, Dytiscidae). *Zootaxa* 2033: 1-12, figs.
- 1084) Fibiger, M. & H. Hacker**, 1992, Systematic List of the Noctuidae of Europe Corrigenda and Addenda I. [Title in english, text in german!] *Esperiana* 3: 507-511, 2 Abb.
- 1085) Fibiger, M. & H. Hacker**, 1998, Systematic List of the Noctuidae of Europe Corrigenda et Addenda II. *Esperiana* 6: 9-40.
- 1086) Fibiger, M. & J.D. Lafontaine**, 2005, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. *Esperiana* 11: 7-92.
- 1087) Fibiger, M. & L. Ronkay**, 1992, New *Autophila* taxa from Sicily and Turkey (Lepidoptera, Noctuidae). *Ann. Hist. Nat. Mus. nat. Hung.* 83: 135-137, figs.
- 1088) Fibiger, M.**, 1990, Noctuidae Europaeae vol.1 Noctuinae I. 208 pp., 16 Pls., text-figs. Entomological Press, Soro.
- 1089) Fibiger, M.**, 1992, Contribution to the knowledge of the Lepidoptera fauna of Turkey 1. Description of a new species in the subfamily Noctuinae: *Yigoga hackeri* Fibiger, sp.n. *Esperiana* 3: 447-449, figs
- 1090) Fibiger, M.**, 1993, Noctuidae Europaeae vol.2 Noctuinae II. 230 pp., 11 Pls., text-figs. Entomological Press, Soro.
- 1091) Fibiger, M.**, 1995, *Anumeta arax* sp.n. from Turkish Armenia (Lepidoptera, Noctuidae, Catocalinae). *Nota lepid.* 17 (3/4): 107-112, 4 figs.
- 1092) Fibiger, M.**, 1997, *Micronoctua karsholti* gen. et sp.n.: an astonishing small noctuid moth (Noctuidae). *Nota lepid.* 20: 23-30, figs.
- 1093) Fibiger, M.**, 2002, A new species in the genus *Dichagyris* Lederer, 1857 hitherto regarded as the Turkish form of *D. eremicola* (Standfuss, 1888); *Dichagyris wilsoni* sp.n. (Lepidoptera, Noctuidae). *Esperiana* 9: 511-515, pl.9.
- 1094) Fibiger, M.**, 2007, Revision of the Micronoctuidae (Lepidoptera, Noctuoidea) Part 1. Taxonomy of the Pollexinae. *Zootaxa* 1567: 1-116, 27 pls.
- 1095) Fieber, F.X.**, 1875-1879, Les Cicadines d'Europe d'après les originaux et les publications les plus récentes. *Revue Mag. Zool.* 3 (3) (1875): 288-416; 3 (4) (1876): 11-268; 3 (5) (1877): 1-45; 3 (6) (1878): 270-308; 3 (7) (1879): 65-160, 13 Pls.
- 1096) Fieber, F.X.**, 1868, Die europäischen Aelia-Arten. *Verh. zool.- bot. Ges. Wien* 18: 465-478, 2 Pls.
- 1097) Fiedler, K. & K.G. Schurian**, 1994, Oviposition behaviour in *Lycaena thetis* Klug (Lepidoptera, Lycaenidae). *Nota lepid.* 17(1/2): 25-29, 1 fig.

- 1098) Fiedler, K.**, 1995, Associations of Lycaenid Butterflies with Ants in Turkey. [In] Hesselbarth, et al., Die Tagfalter der Türkei, unter Berücksichtigung der angrenzenden Länder 1: 437-450. Bocholt.
- 1099) Fiedler, K., Schurian, K.G. & M.Hahn**, 1994, The life-history and myrmecophily of *Polyommatus candalus* (Herrich-Schäffer) from Turkey (Lep., Lycaenidae). *Linneana Belgica* 14(6): 315-332, figs.
- 1100) Fischer von Waldheim, G.**, 1829, Denops nouveau genre de Coléoptères de la famille des Clériens ou Térédiles; description de trois espèces nouvelles de Trichodes. *Bull. Soc. imp. Nat. Moscou* 1: 65-68, pl.2.
- 1101) Fischer von Waldheim, G.**, 1844, Spicilegium Entomographiae Rossicae. *Bull. Soc. imp. Nat. Moscou* 17: 3-144, 3 Pls.
- 1102) Fischer, M.**, 1992, Neue Opius-Arten aus der Türkei (Hymenoptera, Braconidae, Opiinae). *Z. ArbGem. Öst. Ent.* 44: 84-86.
- 1103) Fischer, M.**, 1968, Eine neue Phanerotoma-Art aus Syrien (Hymenoptera, Braconidae). *Entomophaga* 13 (4): 331-334, 3 Abb.
- 1104) Fletcher, D.S. & I.W.B.Nye**, 1982, Bombycoidea, Castnioidea, Cossoidea, Mimallonoidea, Sesiioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World* vol.4. xiv+192 pp., 1 frontispiece, London.
- 1105) Fletcher, D.S. & I.W.B.Nye**, 1984, Pyraloidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World*. vol.5. xv+185pp., London.
- 1106) Fletcher, D.S.**, 1979, Geometridae. [In] Nye, I.W.B. *The Generic Names of Moths of the World*. vol. 3, xx+243 pp. 2 frontispieces, London.
- 1107) Fletcher, T.B.**, 1929, A list of the generic names used for Microlepidoptera. *Mem. Dep. Agric. India ent. Ser.* 11: ix + 244pp. Calcutta.
- 1108) Ford, E.B.**, 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 3. The red pigments of Papilionidae. *Proc. R. ent. Soc. Lond. (A)* 19: 92-106.
- 1109) Forster, W.**, 1936, Beitrag zur Systematik des Tribus Lycaenini unter besonderer Berücksichtigung der argyrognomon- und der argus-Gruppe. *Mitt. münch. ent. Ges.* 26(2): 41-140.
- 1110) Forster, W.**, 1938, Die Lycaena pylaon-Gruppe. *Ent. Rdsch.* 55: 213-219, 236-239, 334-337, 361-364, 417-420, 485-490, 4 Pls.
- 1111) Forster, W.**, 1938, Das System der palaearktischen Polyommata (Lep., Lycaen.). *Mitt. münch. ent. Ges.* 28: 97-118, 395.
- 1112) Forster, W.**, 1956, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) I. *Z. wien. ent. Ges.* 41: 42-61, 70-89, 118-127, Taf. 8-13.
- 1113) Forster, W.**, 1960, Einige neue Formen der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.). *Ent. Z., Frankf. a. M.* 70 (3): 17-22.
- 1114) Forster, W.**, 1960-1961, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) II. *Z. wien. ent. Ges.* 45: 105-142; 46: 8-13, 38-47, 74-79, 88-94, 110-116, Taf. 10-15.
- 1115) Fountaine, M.**, 1904, A "butterfly summer" in Asia Minor. *Entomologist* 37: 79-84, 105-108, 135-137, 157-159, 184-186.
- 1116) Fourcroy, A.F.**, 1785, *Entomologia Parisiens.* vol.2. Paris.
- 1117) Förster, A.**, 1841, Beiträge zur Monographie der Pteromaliden. *Nees* (1): 47 pp. Aachen.
- 1118) Förster, A.**, 1868, Synopsis der Familien und Gattungen der Ichneumoniden. *Verh. naturh. Ver. preuss. Rheinl.* 25: 135-221 [see Perkins, J.F., 1961].
- 1119) Fracker, S.B.**, 1915, The Classification of lepidopterous larvae. *Illinois biol. Monogr.* 2: 1-169, 112 figs.
- 1120) Franke, G. & I.Franke**, 1993, 15 Jahre Zucht: Beobachtungen an *Parnassius apollo* L. (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo (N.F.)* 13: 457-505, Pls.
- 1121) Franzen, M. & J.Gebert**, 2003, Distribution of the tiger beetle *Lophyrus caucasicus* (Adam, 1817) in Iran (Coleoptera, Cicindelidae). *Zool. Middle East* 23: 79-82, figs.
- 1122) Freidberg, A. & A.I.Shatalkin**, 2008, The Psilidae (Diptera) of Israel, with emphasis on the *Chamaespila hebraica*-group. *Israel J. Ent.* 38: 35-60, figs.
- 1123) Freidberg, A. & M.Kütük**, 2002, A new species of *Tephritis* from Turkey with a key to the species of *Tephritis pulchra* group. *Israel J. Zool.* 48 (4): 295-311.
- 1124) Freina, J.J.de & A.R.Naderi**, 2003, Beschreibung einer neuen Unterart von *Archon apollinaris* (Staudinger, [1892]) aus dem südwestlichen Zentral-Zagros, *bostanchii* subsp. nov. mit ergänzenden Angaben zur Gesamtverbreitung der Art (Papilionidae, Parnassiini). *Atalanta* 34 (3/4): 429-434, pl. xxvi.
- 1125) Freina, J.J.de & B.Aussem**, 1987, *Chazara bischoffi* (Herrich-Schäffer, 1846) und ihre nächstverwandten Arten (Lepidoptera, Satyridae). *NachrBl. bayer. Ent.* 36 (1): 1-10, figs.
- 1126) Freina, J.J.de & B.Aussem**, 1987, *Hyponphele urartua* sp.n., eine neue Satyriden-Art aus Anatolien (Lep., Satyridae). *Nota lepid.* 9 (3/4): 200-212, 29 Abb.
- 1127) Freina, J.J.de & H.Hacker**, 1985, Neue Arten und Unterarten der Familie Noctuidae aus Anatolien und Türkisch-Kurdistan (Lepidoptera, Noctuidae). *Entomofauna* 6: 241-261, 27 figs.

- 1128) Freina, J.J.de & M.Geck**, 2003, Studien zur Ökologie, Biologie, Verbreitung und geographischen Variabilität von *Akbesia davidi* (Oberthür, 1884) (Lepidoptera, Sphingidae). *Nachr. ent. Ver. Apollo* (N.F.) 23 (4): 167-180, figs.
- 1129) Freina, J.J.de & R.Leestmans**, 2003, Une nouvelle sous-espèce mélanisante d'*Archon apollinus* (Herbst, 1789) dans le Sud syrien et données sur la répartition générale des taxa du genre *Archon* Hübner, 1822 (Lepidoptera, Papilionidae, Parnassini). *Linneana Belg.* 19 (1): 21-34, figs.
- 1130) Freina, J.J.de & T.J.Witt**, 1983, Zwei neue Lycaenidae-Arten aus Türkisch-Kurdistan: *Lysandra dezina* sp.n. und *Polyommatus ciloicus* sp.n. (Lep., Lycaenidae). *Entomofauna* 4 (14): 181-197, figs.
- 1131) Freina, J.J.de & T.J.Witt**, 1984, Zwei neue Arctiidae Gattungen für den westpaläarktischen Faunenbereich: *Watsonarctia* gen.n. und *Maurica* gen.n. (Lep., Arctiidae). *Entomofauna* 5(28): 323-334, figs.
- 1132) Freina, J.J.de & T.J.Witt**, 1984, *Antennola* gen.n.; *Antennola impura* (Mann, 1862) comb.n. neu für Europa (Lep., Nolidae). *Entomofauna* 5(23): 267-272, figs.
- 1133) Freina, J.J.de & T.J.Witt**, 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Über die Berechtigung von Unterarten bei *Spris striata* (Linnaeus, 1758) und *Coscinia cribraria* (Linnaeus, 1758). *Ergebnisse einer Teilrevision. Nota lepid.* 7 (3): 223-236,
- 1134) Freina, J.J.de & T.J.Witt**, 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Über *Taleporia improvisella* (Staudinger, 1859) und *Taleporia pseudoimprovisella* sp.n. (Lepidoptera, Psychidae). *Entomofauna* 5 (13): 153-163, 3 Abb.
- 1135) Freina, J.J.de & T.J.Witt**, 1984, *Setina pontica* stat. nov., die Flechtenbaeren aus dem Nordostanatolisch-kaukasischen Raum (Lepidoptera, Lithosiidae). *NachrBl. bayer. Ent.* 33 (2): 50-57, 6 Abb.
- 1136) Freina, J.J.de & T.J.Witt**, 1986, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München.
- 1137) Freina, J.J.de & T.J.Witt**, 1987, Über Trennungsmerkmale und die Verbreitung von *Cilix glaucata* (Scopoli, 1763) und *Cilix asiatica* Bang-Haas, 1907 (Lepidoptera, Drepanidae). *NachrBl. bayer. Ent.* 36 (1): 10-14, Abb. 5.
- 1138) Freina, J.J.de & T.J.Witt**, 1990, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 2. 142 S., 10 Pls. München.
- 1139) Freina, J.J.de & T.J.Witt**, 1997, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 4. 432 S., 32 Pls. München.
- 1140) Freina, J.J.de & T.J.Witt**, 1999, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 3. München.
- 1141) Freina, J.J.de & W.Ten Hagen**, 2003, Contribution a la connaissance des Syntominiæ d'Iran: les taxons du complexe *Amata wiltshirei* Bytinski-Salz, 1939 et description d'*Amata wiltshirei kordestana* ssp.n. (Lepidoptera, Arctiidae, Syntominiæ, Syntomini). *Linneana Belg.* 19 (1): 51-60, figs. map.
- 1142) Freina, J.J.de**, 1976, *Callistege mi elzei* n.subsp., eine neue Noctuidenrasse von der Schwarzmeerküste (Lepidoptera, Noctuidae). *Atalanta* 7(2): 99-101, 12 figs.
- 1143) Freina, J.J.de**, 1979, Eine beobachtete Massenwanderung von *Colias crocea* Fourcroy, 1785 in Südost-Anatolien. *Atalanta* 10: 94-96, 1 fig.
- 1144) Freina, J.J.de**, 1979, Zur Kenntnis der Gattung *Allancastris* unter Berücksichtigung der Arten *A.cerisyi* und *A.deyrollei* (Lepidoptera, Papilionidae). *Ent. Z., Frankf. a. M.* 89: 129-142, 5 figs.
- 1145) Freina, J.J.de**, 1980, Eine neue Unterart von *Parnassius nordmanni* Nordmann aus Kleinasien (Lepidoptera, Papilionidae). *NachrBl. bayer. Ent.* 29: 50-62, figs.
- 1146) Freina, J.J.de**, 1980, Hinweis auf die Typusart des Genus *Wittia* de Freina, 1980 (Lepidoptera, Arctiidae). *NachrBl. bayer. Ent.* 29(6): 125.
- 1147) Freina, J.J.de**, 1980, *Wittia* nom.nov. (Lepidoptera, Arctiidae). *NachrBl. bayer. Ent.* 29(4): 80.
- 1148) Freina, J.J.de**, 1981, Über die Berechtigung von Unterarten des Wiener Nachtpfauenauges, *Saturnia pyri* (Denis & Schiffermüller) in Kleinasien. *Ent. Z., Frankf. a. M.* 91: 17.
- 1149) Freina, J.J.de**, 1982, Eine neue Population von *Brahmaea ledereri* Rogenhofer, 1873 (*Brahmaea ledereri zaba* ssp.n.) in türkisch-Kurdistan, sowie Nachweis der Konspezifität von *Brahmaea ledereri* Rogenhofer, 1873 und *Brahmaea christophi* Staudinger, 1873 (Lep., Brahmaeidae). *Entomofauna* 3 (9): 129-139, figs.
- 1150) Freina, J.J.de**, 1982, 4. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Neue Kenntnisse über Artenspektrum, Systematik und Nomenklatur sowie Beschreibungen neuer Taxa (Lepidoptera). *Mitt. münch. ent. Ges.* 72: 57-127, figs.
- 1151) Freina, J.J.de**, 1983, *Papilio alexanor orientalis* Romanoff, 1885. Angaben zur Biologie, Verbreitung und zur Frage der Berechtigung dieses Taxons (Lepidoptera, Papilionidae). *Atalanta* 14: 23-30, figs.
- 1152) Freina, J.J.de**, 1985, Zur Verbreitung von *Eupatúra mirza* Ebert, 1971 in Kleinasien (Lepidoptera, Nymphalidae). *NachrBl. bayer. Ent.* 34(2): 49-51, figs.

- 1153) Freina, J.J.de**, 1985, Neuere Kenntnisse über die Biologie und Systematik von *Brahmaea ledereri* Rogenhofer, 1873 und deren Verbreitung in Kleinasien (Lepidoptera, Brahmaeidae). Mitt. münch. ent. Ges. 74: 77-90, figs.
- 1154) Freina, J.J.de**, 1985, Revision der Gattung *Archon* Hübner, 1822 mit Angaben zur Biologie, Verbreitung, Morphologie und Systematik von *Archon apollinus* (Herbst, 1798) und *Archon apollinaris* Staudinger, 1892 (stat.nov.) (Lepidoptera, Papilionidae). Nota lepid. 8 (2): 97-128, figs.
- 1155) Freina, J.J.de**, 1986, Über die Verbreitung von *Trichiura verenae* Witt, 1981 (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 36 (4): 113-114, 1 Abb.
- 1156) Freina, J.J.de**, 1988, 5. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleasiens. Eine neue *Eriogaster nippei* spec.n. aus dem Taurus (Lep., Lasiocampidae). Atalanta 18: 379-383, 3 figs.
- 1157) Freina, J.J.de**, 1989, *Gonepteryx rhamni* (Linnaeus, 1758) in Kleinasien. Bemerkungen zur Bionomie und geographischen Variabilität mit Beschreibung einer neuen Unterart (Lepidoptera, Pieridae). Mitt. münch. ent. Ges. 79: 111-117, 7 Abb.
- 1158) Freina, J.J.de**, 1992, Beschreibung des Weibchens von *Eriogaster nippei* de Freina, 1988 i Vergleich mit vorderasiatischen *Eriogaster*-Arten und Angaben zur Verbreitung der Art (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 41(3): 90-95, 7 Abb.
- 1159) Freina, J.J.de**, 1992, Beitrag zur Kenntnis der Gattung *Neoris* Moore, 1862 mit Beschreibung ihrer kleinasiatischen Vertreter (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 102 (13): 233-252, 14 Abb.
- 1160) Freina, J.J.de**, 1994, 9. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung von Cossidae, Psychidae, Cochlididae, Syntomidae, Brahmaeidae, Drepanidae, Axiidae, Hepialidae Atalanta 25 (1/2): 317-349, Taf. xiv, xv.
- 1161) Freina, J.J.de**, 1994, Untersuchungen zur Eimorphologie bei *Parnassius mnemosyne* (Linnaeus, 1758) und ihrer infraspezifischen Variabilität an Hand von REM-Darstellungen (Lepidoptera, Papilionidae). Nota lepid. 16 (3/4): 179-194, 20 figs.
- 1162) Freina, J.J.de**, 1999, 10. Beitrag zur systematischen Erfassung der Bombyces und Sphinges-Fauna Kleasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung der Lasiocampidae, Lemoniidae, Notodontidae, Thaumetopoeidae, Lymantriidae, Arctiidae... Atalanta 30 (1/4): 187-257, Taf. xi, xia.
- 1163) Freina, J.J.de**, 2000, Zur Verbreitung von drei Procrinae-Arten im Nahen Osten (Lepidoptera, Zygaenidae, Procrinae). Atalanta 31 (1/2): 223-224.
- 1164) Freina, J.J.de**, 2010, Eine Revision der Syntomini Irans (Lepidoptera, Arctiidae, Syntomini). Nachr. ent. Ver. Apollo (N.F.) 31 (3): 97-118, figs.
- 1165) Freina, J.J.de**, [1987], Bemerkungen zur Biologie Verbreitung und Systematik kleinasiatischen Papilioniden (Lepidoptera, Papilionidae). Atalanta 17 (1/4) (1986): 205-208, Taf.
- 1166) Fremuth, J. & N.Lodos**, 1987, Taxonomic position of the genera *Aomus* Schoenherr and *Chilodrosus* Reitter (Col., Curculionidae). with the description of the two new species from Turkey. Turk. ent. derg. 11 (2): 73-84, figs.
- 1167) Freyer, C.F.**, 1828-1830, Beiträge zur Geschichte europäischer Schmetterlinge mit Abbildungen nach der Natur. 3 vols. 1 (1828): 164pp., 48 Tab.; 2 (1829): 166pp., 48 Tab.; 3 (1830): 168pp., 48 Tab. Nürnberg.
- 1168) Freyer, C.F.**, 1831-1858, Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur. 7 vols. 700 pls. Augsburg.
- 1169) Fric, Z., Wahlberg, N., Pech, P. & J.Zrzavy**, 2007, Phylogeny and classification of the Phengaris-Maculinea clade (Lepidoptera, Lycaenidae): total evidence and phylogenetic species concepts. Syst. Ent. 32: 558-567.
- 1170) Friedel, G.**, 1968, *Thera juniperata* ssp.n. *loeberbaueri* Friedel (Lep., Geometridae). Z. wien. ent. Ges. 53: 17-18.
- 1171) Friedel, G.**, 1968, *Perisomena caecigena* ssp. *parviocellata* Friedel (Lepidoptera, Saturniidae). Z. wien. ent. Ges. 53: 18-19.
- 1172) Friedel, G.**, 1968, *Rhegmaphila alpina* ssp.n. *osmana* Friedel. Z. wien. ent. Ges. 52: 52-54.
- 1173) Friedel, G.**, 1977, Eine neue Rasse von *Cossus cossus* L. aus Ost- Anatolien (Lepidoptera, Cossidae). Z. ArbGem. öst. Ent. 29(1/2): 29-30.
- 1174) Friese, G.**, 1959, *Dysauxes punctata* (F.) und *famula* (FRR.) und ihre Rassenkreise (Lep., Syntomidae). Dt. ent. Z. (N.F.) 6(1/3): 251-259, 2 Abb.
- 1175) Friese, H.**, 1895, Species aliquot novae vel minus cognitae generum *Eucera* Scop. et *Meliturga* Latr. Termes Füzetek 18: 202-209.
- 1176) Friese, H.**, 1922, Neue Arten der Anthophorinae (Hym.). Konowia 1: 59-66.
- 1177) Friese, H.**, 1917, Neue Arten der Bienengattung *Anthidium* (Paläarktische Region und von Formosa). Dt. ent. Z. 1917: 49-60.

- 1178) Frieser, R.**, 1980, Neue Scymnini aus der Türkei (Coleoptera, Anthribidae). NachrBl. bayer. Ent. 29 (4): 75-79.
- 1179) Frieser, R.**, 1981, Die Anthribiden der Westpalaearktis einschließlich der Arten der UdSSR (Coleoptera, Anthribidae). Mitt. münch. ent. Ges. 71: 33-107, figs.
- 1180) Frisch, J.**, 2006, *Scopaeus korgei* sp.n. from Southwest Anatolia (Coleoptera, Staphylinidae, Paederinae). Dt. ent. Z. (N.F.) 53 (2): 271-274, figs.
- 1181) Frisch, J.**, 2009, A revision of the *Scopaeus mutatus* species group (Staphylinidae, Paederinae) with description of new species from Anatolia and the Caucasus. Dt. ent. Z. (N.F.) 56 (2): 271-287, figs.
- 1182) Fritzlar, F.**, 2001, *Aphthona warchalowski* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise, 1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 97: 1999-224.
- 1183) Fritzlar, F.**, 2001, *Aphthona warchalowskii* n.sp., *Aphthona bergeali* n.sp., *Longitarsus angelikae* n.sp. und *Longitarsus meridionalis* Weise, 1888 n.stat. 4 Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 97: 199-224.
- 1184) Fritzlar, F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 100: 105-126.
- 1185) Fritzlar, F.**, 2004, *Aphthona alanyensis* n.sp., *Aphthona bergealoides* n.sp. und *Longitarsus manfredi* n.sp. - drei Blattkäfer (Coleoptera, Chrysomelidae, Alticinae) aus der südwestlichen Türkei. Ent. Bl. 100: 105-126, figs.
- 1186) Fröhlich, F.**, 1828, Enumeratio Tortricum Würtembergiae. Dissert. Inaug. 102pp. Tübingae.
- 1187) Fruhstorfer, H.**, 1910, Neues über *Eumenis fagi* und *alcyone*. Ent. Z., Stuttgart 24: 71-73, 75-77, 82-83, 86-88, 22 Abb.
- 1188) Fruhstorfer, H.**, 1911, *Satyrus geyeri aristochinus*. [In] Seitz, A., Die Gross-Schmetterlinge der Erde 9: 307-308.
- 1189) Fruhstorfer, H.**, 1916, Neue Rhopaloceren aus der Sammlung Leonhard. Arch. Naturg. (A) 82 (2): 1-28, 1 Taf.
- 1190) Fruhstorfer, H.**, 1918, Neue palaearktische Rhopaloceren. Ent. Z., Stuttgart 31 (21): 77-78, 81-82.
- 1191) Fruhstorfer, H.**, 1920, Altes und Neues über *Erebien*. Arch. Naturg. (A) 84 (7): 83-108.
- 1192) Fuchs, F.**, 1908, *Sesia spuleri* nov.spec. Int. ent. Z. 2(5): 33.
- 1193) Fuessly, J.C.**, 1781-1786, Archiv der Insektengeschichte. Heft 1-8, 50 Tafeln. Zürich u. Winterthur.
- 1194) Fürsch, H. & N.Uygun**, 1980, Neue Scymnini aus der Türkei (Coleoptera, Coccinellidae). NachrBl. bayer. Ent. 29 (6): 109-118, 30 figs.
- 1195) Fürsch, H.**, 1987, *Cynegetis syriaca* (Mader) neu für die Türkei (Coleoptera, Coccinellidae). NachrBl. bayer. Ent. 36 (2): 47.
- 1196) Fürsch, H.**, 1987, Eine neue *Hyperaspis*-Art für die Türkei (Coleoptera, Coccinellidae). NachrBl. bayer. Ent. 36 (2): 53-54, 4 Abb.
- 1197) Gaede, M.**, 1930, Familie Satyridae. Gattungen: *Melanargia* Meigen- *Triphysa* Z. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 153-179. Stuttgart.
- 1198) Gaede, M.**, 1930, Familie Nymphalidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 196-227. Stuttgart.
- 1199) Gaede, M.**, 1930, Familie Lycaenidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 239-249. Stuttgart.
- 1200) Gaede, M.**, 1931, Drepanidae. [in] Strand, E., Lepidopterorum Catalogus Pars 49. 60pp. Dr.W.Junk Berlin.
- 1201) Gaede, M.**, 1932, Familie Lemoniidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 127-128. Stuttgart.
- 1202) Gaede, M.**, 1932, Familie Lymantriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 95-106. Stuttgart.
- 1203) Gaede, M.**, 1932, Familie Thaumetopoeidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 107-108. Stuttgart.
- 1204) Gaede, M.**, 1932, Familie Lasiocampidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 109-125. Stuttgart.
- 1205) Gaede, M.**, 1933, Familie Hepialidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 247-248. Stuttgart.
- 1206) Gaede, M.**, 1933, Familie Aegeriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 229-240. Stuttgart.
- 1207) Gaede, M.**, 1933, Familie Drepanidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 167-170. Stuttgart.
- 1208) Gaede, M.**, 1933, Familie Notodontidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 173-186. Stuttgart.
- 1209) Gaede, M.**, 1933, Familie Thyrididae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 227-228. Stuttgart.
- 1210) Gaede, M.**, 1933, Familie Cossidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 241-245. Stuttgart.
- 1211) Gaede, M.**, 1937, Gelechiidae [in] Bryk, F., Lepidopterorum Catalogus. Pars 79, 630pp.
- 1212) Gaede, M.**, 1938-1939, Oecophoridae [in] Bryk, F., Lepidopterorum Catalogus. Pars 92, 209-476pp.

- 1213) Gaedike, R.,** 1966, Die Genitalien der europäischen Epermeniidae. Beitr. Ent. Berlin 16 (5/6): 633-692, 12 Taf.
- 1214) Gaedike, R.,** 1967, Zur systematische Stellung einiger Gattungen der Heliodinidae/Schreckensteiniidae sowie Revision der paläarktischen Arten der Gattung *Pancalia* Curtis, 1830 (Lepidoptera). Beitr. Ent. 17(3/4): 363-374, 23 figs.
- 1215) Gaedike, R.,** 1967, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil V. Epermeniidae. Z. wien. ent. Ges. 52: 85-87.
- 1216) Gaedike, R.,** 1970, Revision der paläarktischen Acrolepiidae (Lepidoptera). Ent. Abh. 38: 1-54, 101 figs.
- 1217) Gaedike, R.,** 1971, Die Epermeniidae und Acrolepiidae des Vorderen und Mittleren Orients. Beitr. Ent. Berlin 21 (1/2): 43-54, 13 figs.
- 1218) Gaedike, R.,** 1972, Errata- Nomenklatorische Bemerkungen zu paläarktischen Epermeniidae und Acrolepiidae (Lepidoptera). Dt. ent. Z. (N.F.) 19 (4/5): 301-302.
- 1219) Gaedike, R.,** 1974, Revision der paläarktischen Douglassiidae (Lepidoptera). Acta faun. ent. Mus. Nat. Pragae 15 (176): 79-102, 69 figs.
- 1220) Gaedike, R.,** 1975, Zur Kenntnis der Mikrolepidopterenfauna der Vorderen und Mittleren Orient (Epermeniidae, Acrolepiidae, Douglassiidae). Beitr. Ent. Berlin 25 (2): 213 - 219, 5 figs.
- 1221) Gaedike, R.,** 1997, 3. Nachtrag zur Revision der Gattung *Infurcitinea* Spuler, 1910 (Lepidoptera, Tineidae). Beitr. Ent. 47 (1): 35-53, 13 figs.
- 1222) Gaedike, R.,** 2007, New and poorly known Lepidoptera from the West Palaearctic (Tineidae, Acrolepiidae, Douglassiidae, Epermeniidae). Nota lepid. 29 (3/4): 159-176, figs.
- 1223) Gaedike, R.,** 2010, New and poorly known Palaearctic Microlepidoptera (Tineidae, Acrolepiidae, Douglassiidae, Epermeniidae). Nota lepid. 33 (1): 9-24, figs.
- 1224) Gaedike, R.,** 2011, New and poorly known Tineidae from the Western Palaearctic (Lepidoptera). Beitr. Ent. 61 (2): 357-370, figs.
- 1225) Ganev, J. & H. Hacker,** 1984, *Agrochola osthelderi* Boursin, 1951 eine neue Art für Europa (Lepidoptera, Noctuidae, Cuculliinae). Articulata 2(5): 104-105, fig.
- 1226) Ganev, J. & H. Hacker,** 1984, Beitrag zur Kenntnis der Mikrolepidopteren der Türkei. Die Crambidae (Lepidoptera, Pyraloidea) der Ausbeute H. Hacker aus dem Jahr 1983 nebst Beschreibung neuer Taxa. Nota lepid. 7 (3): 237-250, 8 Abb.
- 1227) Ganev, J. & H. Hacker,** 1985, Weiterer Beitrag zur Kenntnis der Crambidae Griechenlands und der Türkei. Nota lepid. 8(4): 329-330.
- 1228) Ganev, J. & H. Hacker,** 1986, Beitrag zur Kenntnis der Crambidae (Lepidoptera, Pyraloidea) von Griechenland und der Türkei mit Beschreibung einer neuen Art *Euchromius siuxellus* n.sp. Z. ArbGem. öst. Ent. 37(3/4): 81-83.
- 1229) Ganev, J.,** 1984, Die von Josef de Freina gesammelten Mikrolepidoptera aus der Türkei, Afghanistan und Pakistan. Eine faunistische und taxonomische Studie (Lepidoptera, Ethmiidae und Crambidae). Articulata 2 (4): 80-84.
- 1230) Ganev, J.,** 1985, *Agriphila beieri josifovi* n.ssp. aus der Türkei (Lepidoptera, Crambidae). NachrBl. bayer. Ent. 34(4): 139-141, figs.
- 1231) Ganev, J.,** 1987, On Crambidae in the collection of the Copenhagen Museum (Lepidoptera, Pyraloidea). Entomofauna 8 (4): 41-52, figs.
- 1232) Ganglbauer, L.,** 1905, Coleoptera, [in] A. Penther & E. Zederbauer, Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20: 99-290.
- 1233) Gapon, D. A.,** 2007, *Graphosoma creticum* Horv. is a synonym of *G. semipunctatum* (F.) (Heteroptera, Pentatomidae). Zoosyst. ross. 16 (1): 78.
- 1234) Garrevoet, T. & W. Garrevoet,** 2002, *Synanthedon rubiana*, a new species to the European fauna (Lepidoptera, Sesiidae). Phegea 30 (3): 103.
- 1235) Garrevoet, T., Garrevoet, W. & H. Özbek,** 2005, A contribution to the knowledge of the Sesiidae of Turkey (Lepidoptera). Turk J. Zool. 29: 27-38.
- 1236) Gatt, P.,** [2007], New records of Sphaeroceridae (Diptera) from the Mediterranean with distributional notes. Stud. dipterol. 13 (2) (2006): 297-308 [date of publication 12 July 2007].
- 1237) Gayubo, S. F. & H. Özbek,** 2005, A contribution to the knowledge of Spheciformes from Turkey Part II. Ampulicidae, Sphecidae and Crabronidae (Bembicinae and Crabroninae) (Hymenoptera, Apoidea). J. ent. Res. Soc. 7: 1-39.
- 1238) Gayubo, S. F., Özbek, H. & E. Yıldırım,** 2003, A contribution to the knowledge of Spheciformes from Turkey: tribes Astatini, Dinetini, Larrini, Palarini and Trypoxylini (Hymenoptera, Apoidea, Crabronidae). Zool. Middle East 29: 83-92.
- 1239) Gehlen, B.,** 1932, Familie Sphingidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 137-166. Stuttgart.
- 1240) Geiger, H., Descimon, H. & A. Scholl,** 1988, Evidence for speciation within nominal *Pontia daplidice* (Linnaeus, 1758) in southern Europe (Lepidoptera, Pieridae). Nota lepid. 11(1): 7-20, 5 figs. 2 Tab.

- 1241) Geiger, H.-J. & A. Scholl**, 1982, *Pontia daplidice* (Lepidoptera, Pieridae) in Südeuropa- eine Gruppe von zwei Arten. Mitt. schweiz. ent. Ges. 55: 107-114.
- 1242) Geisthardt, M.**, 1983, Beitrag zur Revision der Gattung *Lampyris* Müller, 1764 I. Zur Kenntnis einiger nordafrikanischer und mediterraner Arten (Coleoptera, Lampyridae). Mitt. münch. ent. Ges. 73: 23-44, figs.
- 1243) Geller-Grimm, F. & M. Hradsky**, 2003, The genus *Oligopogon* Loew, 1847 (Diptera, Asilidae) in the Palearctic Region including the description of new species and comments on the placement of this genus. Studia Dipterol. 10 (1): 165-179, figs.
- 1244) Gençer, L. & S. Seven**, 2005, Chalcidoid parasitoids of *Micrurapteryx sophorivora* (Lepidoptera, Gracillariidae) in Kuluncak, Turkey Phytoprotection 86 (2): 133-134.
- 1245) Gençer, L. & S. Seven**, 2005, Chalcidoid parasitoids of *Micrurapteryx sophorivora* (Lepidoptera, Gracillariidae) in Kuluncak, Turkey Phytoprotection 86: 133-134.
- 1246) Gençer, L.**, 2004, A study on the Chalcidoid (Hymenoptera, Chalcidoidea) parasitoids of leafminers (Diptera, Agromyzidae) in Ankara Province. Turk. J. Zool. 28: 119-122.
- 1247) Gençer, L.**, 2004, Contribution to the knowledge of the family Eulophidae (Hymenoptera, Chalcidoidea) from Turkey, with some new records. Phytoparasitica 32 (3): 264-273.
- 1248) Geoffroy, E. L.**, 1785, Lepidoptera. [In] Fourcroy, A. F., Entomologia parisiensis, sive catalogus Insectorum, quae in agro parisiensi reperiuntur; secundum methodum Geoffraeanam in sectiones, genera et species distributus; cui addita sunt nomina trivialia et fere trecentae novae species. I: 1-231; 2: 233-544. Paris.
- 1249) Gepp, J.**, 1969, Eine neue Coniopterygidenart aus Anatolien: *Aleuropteryx perpusilla* n.sp. (Neuroptera, Planipennia). Z. ArbGem. öst. Ent. 21: 12-15, figs.
- 1250) Gepp, J.**, 1974, Beitrag zur Kenntnis der Neuropteren der Türkei. Ent. Ber. 34: 102-104.
- 1251) Gerasimov, A. M.**, 1937, Hepialidenraupen (Lepid.) Ent. Z., Frankf. a. M. 51(9): 81-84.
- 1252) Gerhard, B.**, 1882, Lepidopterologisches. Berl. ent. Z. 26 (1): 125-128.
- 1253) Gerhard, B.**, [1850]-[1853], Versuch einer Monographie der europäischen Schmetterlingsarten: Thecla, Polyommatus [sic!], Lycaena, Nemeobius. 21pp., 39 Taf. Hamburg.
- 1254) Gershenson, Z. S. & S. A. Ulenberg**, 1998, The Yponomeutinae (Lepidoptera) of the World exclusive of the Americas. Kon. Ned. Akad. Wet. Verh. Afd. Naturk. 1998: 1-202.
- 1255) Gerstaecker, A.**, 1869, Beiträge zur näheren Kenntniss einiger Bienen-Gattungen. Stettin ent. Ztg. 30 (4/6): 139-184.
- 1256) Gerstaecker, A.**, [1894], Ueber neue und weniger gekannte Neuropteren aus der familie Megaloptera Burm. Mitt. Naturw. Ver. Neu-Pomm. Rugen 25 (1893): 93-173.
- 1257) Gerstberger, M.**, 1981, *Glyptoteles leucacrinella* Z. und *Euzophora bigella* Z. Zwei verwechselte Arten (Pyralidae, Phycitinae). Nota lepid. 4(4): 151-154, figs.
- 1258) Gerwien, E.**, 1911, Deskriptives und biologisches über *Taeniocampa rorida* H.-S. (Friv?). Berl. ent. Z. 55 (1910): 174-178, Taf. iii figs. 1-6.
- 1259) Geyer, C. [in] Hübner, J.**, [1819]-[1832], Sammlung exotischer Schmetterlinge 2: [5] pp., [225] Pls. Augsburg.
- 1260) Geyer, C.**, [1832], Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. Viertes Hundert: 1-48, figs. 401-600. Augsburg.
- 1261) Geyer, C. [in] Hübner, J.**, 1832, Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. 4: 1-48, figs. 601-800. Augsburg.
- 1262) Ghahari, H., Lehr, P. A., Lavigne, R. J., Hayat, R. & H. Ostovan**, 2007, New records of Robber Flies (Diptera, Asilidae) for the Iranian fauna with their prey records. Far east. Ent. 179: 1-9.
- 1263) Gharali, B. & M. Reemer**, 2008, The first record of the genus *Myolepta* Newman, 1838 (Diptera, Syrphidae) from Iran. NW. J. Zool. 4 (2): 331-334, figs.
- 1264) Ghauri, M. S. K.**, 1969, Notes on the genus *Schyzops* Spinola, 1837 (Phyllocephalinae, Pentatomoidea, Heteroptera). J. nat. Hist. 3: 597-602, figs.
- 1265) Ghauri, M. S. K.**, 1977, A revision of *Apodiphus* Spinola (Heteroptera, Pentatomidae). Bull. ent. Res. 67: 97-106, figs.
- 1266) Gibbs, D.**, 2011, A world revision of the bee fly tribe Usiini (Diptera, Bonbyliidae) - Part 1: *Usia* subgenus *Micrusia*, *U. versicolor* (Fabricius) (=black haired species) and *Usia martini* François. Zootaxa 2960: 1-77, figs.
- 1267) Gielis, C.**, 1988, Synonyms in the European genus complex *Stenoptilia*-*Platyptilia* and reestablishment of *Stenoptilia arvenicus* (de Peyerimhoff, 1875) (Lepidoptera, Pterophoridae). Phegea 16(2): 51-58, 7 figs.
- 1268) Gielis, C.**, 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). Zool. Verh. 290: 1-139, 239 figs.

- 1269) Gielis,C.**, 1996, Pterophoridae, [in] Huemer,P., Karsholt,O. & L.Lyneborg (eds.), Microlepidoptera of Europe 1: 1-222, 16 pls. 288 figs. Apollo Books, Stenstrup.
- 1270) Gielis,C.**, 2003, Pterophoroidea and Alucitoidea (Lepidoptera). World Catalogue of Insects 4, 198pp. Apollo Books, Stenstrup.
- 1271) Gilbert,P.**, 1978, A compendium of the biographical literature on deceased entomologists. xiv + 455pp., 27 figs. British Museum (Natural History) London.
- 1272) Gillmer,M.**, 1904, *Lycaena icarus* Rott., ab. *persica* Bien. Ent. Z., Stuttgart 17(20): 76.
- 1273) Gillmer,M.**, 1904, Nochmals *Lycaena icarus*, Rott., var. *persica*, Bien. Ent. Z., Stuttgart 17 (22): 84-85.
- 1274) Giraud,J.**, 1859, Signalements de quelques especes nouvelles de Cynipides et de leurs Galles. Verh. zool.- bot. Ges. Wien 9: 337-374, Pls.
- 1275) Giray,H.**, 1979, Türkiye Trypetidae (Diptera) faunasına ait ilk liste. Türk. Bitki Kor. Derg. 3 (1): 35-46.
- 1276) Giray,H.**, 1981, Türkiye Asilidae (Diptera) faunasına ait ilk liste. Türk. bitki kor. derg. 5 (3): 171-183.
- 1277) Girgin,S.**, 1990, Bazı Satyrinae türlerinin erginlerinde ikinci abdomen sternit yapısı üzerine araştırmalar (Satyridae, Lepidoptera). Doğa J. Zool. 14: 127-138, 14 figs.
- 1278) Giustina,W. della**, 1989, Homopteres Cicadellidae vol.3 compléments, [in] Faune de France 73: 1-362, 143 pls.
- 1279) Glaser,W.**, 1981, Beitrag zur Kenntnis der Coleophoridae xii (Lepidoptera, Coleophoridae). Z. ArbGem. öst. Ent. 32(3/4): 133-135, 6 Abb.
- 1280) Glassl,H.**, 1993, *Parnassius apollo*. Seine Unterarten. 214pp. pls. maps. H.Glassl Verlag. Möhrendorf.
- 1281) Gnezdilov,V.M. & I. Malenovsky**, 2008, New synonymy and homonymy replacement for *Conosimus caucasicus* Melichar,1914 (Hemiptera, Fulgoroidea, Issidae). Acta ent. Mus. nat. Pragae 48 (1): 23-26.
- 1282) Gnezdilov,V.M. & S. Drosopoulos**, 2004, Reviews of the subgenus *Semirotus* *Dlabola* of the genus *Mycterodus* Spinola (Homoptera, Issidae). Annls Soc. ent. Fr. (n.s.) 40 (3/4): 235-241, figs.
- 1283) Gnezdilov,V.M.**, 2002, New species of the genus *Tshurtshurnella* Kusnezov,1927 (Homoptera, Cicadina, Issidae) from Turkey and Lebanon. Russ. ent. J. 11 (3): 233-240, figs.
- 1284) Gnezdilov,V.M.**, 2008, New and little known species of Planthopper Genus *Mycterodus* Spinola (Homoptera, Issidae) from the East Mediterranean. Ent. Review 88 (7): 808-814, figs.
- 1285) Godart,J.B.**, 1819-[1824], Papillons [in] Encyclopédie méthodique. vol.9. pp. 1-318 (1819), pp.329-828 [1824]. Paris.
- 1286) Goeldlin,T.P.**, 1976, Revision du genre *Paragus* (Diptera, Syrphidae) de la region Palearctique occidentale. Mitt. schweiz. ent. Ges. 49: 79-108, figs.
- 1287) Goetghebuer,M.**, 1932, Dipteres Nematoceres Chironomidae IV, [in] Faune de France 23: 1-196, 315 figs.
- 1288) Goeze,J.A.E.**, 1777-1783, Entomologische Beyträge zu des Ritter Linné zwölften Ausgabe des Natursystems. Bd. 1 [1777], xvi+ 736 pp.; Bd. 2 [1778], lxxii+ 352 pp., Bd. 3 (1) [1779], xi+390pp.; Bd. 3 (2) [1780], xxiv+ 350 pp.; Bd. 3 (3) [1781] xlviii+439pp.; Bd.4 [1783], xx+178pp. Leipzig.
- 1289) Goeze,J.A.E.**, 1781, Entomologische Beytraege zu des Ritter Linné zwölften Ausgabe des Natursystems 3: 1-439.
- 1290) Goltz,H.F.v.d.**, 1930, Familie Satyridae. Gattung: *Erebia* Dalm. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 132-152. Stuttgart.
- 1291) Gonzalez,V.H., Griswold,T. Praz,C.J. & B.N.Danforth**, 2012, Phylogeny of the bee family Megachilidae (Apoidea) based on adult morphology. Syst. Ent. 37: 261-286, figs.
- 1292) Gorbunov,O.G.**, 1991, Review of the genus *Dipchasphecia* Capuse,1973 (Lep., Sesiidae). Atalanta 22 (2/4): 145-167, pl.xxiii.
- 1293) Gorodkov,K.B.**, 1984, Heleomyzidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 10: 15-45, Akademiai Kiado, Budapest.
- 1294) Goulet,H. & J.T.Huber (Ed.)**, 1993, Hymenoptera of the world: An identification guide to families. Centre for Land and Biological Resources Research, Ottawa, Ontario. 668pp. 231 figs.
- 1295) Gozmany,L. & W.Mey**, 2005, Eine neue Art der Familie Lecithoceridae aus der Türkei (Lep., Gelechioidea). Ent. Nachr. Ber. 49 (2): 127-128, fig.
- 1296) Gozmany,L.A.**, 1960, Records on Microlepidoptera. Ann. hist.-nat. Mus. natn. hung. 52: 423-428, 2 figs.
- 1297) Gozmany,L.A.**, 1962, New and interesting Symmocoid species in the Zoological Collection of the Bavarian State, Munich, Germany (Lep., Gelechiidae). Opusc. zool. 64: 1-6, 5 figs.
- 1298) Gozmany,L.A.**, 1968, Die von E.Arenberger in Kleinasien gesammelten Symmociden (Lepidoptera). Z. wien. ent. Ges. 53: 20-28, 6 figs.
- 1299) Gozmany,L.A.**, 1986, New Symmocid and Holcopogonid species from Eastern Mediterranean (Lepidoptera, Symmocidae, Holcopogonidae). Entomofauna 7 (14): 201-214, 8 figs.

- 1300) Göbekçioğlu, Z. & N. Aktaş,** 1990, Trakya Bölgesi (Istranca Dağları) Gündüz Kelebekleri (Lepidoptera, Papilionoidea, Hesperioidea). X. Ulusal Biyoloji Kongresi 18-20 Temmuz 1990, Erzurum: 193-202.
- 1301) Gök, A. & E. G. Çilbıroğlu,** 2004, Some smaller genera of Flea Beetles (Coleoptera, Chrysomelidae) from western Turkey with a new record. *Phytoparasitica* 32 (5): 444-450.
- 1302) Gök, A.,** 2002, Faunistic studies on the species *Pachybrachis* Chevrolat and *Cryptocephalus* Geoffroy (Coleoptera, Chrysomelidae, Cryptocephalinae) of Dedegöl Mountains (Isparta). *Türk. J. Zool.* 26: 31-42, figs. [with some incorrect distributional information]
- 1303) Gök, A.,** 2003, Faunistic studies on the species of the subfamily Clytrinae (Coleoptera, Chrysomelidae) of Dedegöl Mountains (Isparta). *Türk. J. Zool.* 27: 187-194.
- 1304) Gömürgen, A. N.,** 1991, Bazı Hesperiidler üzerinde morfolojik araştırmalar (HesperIIDae, Lepidoptera). *Doğa J. Zool.* 15: 1-15, 18 figs.
- 1305) Gömürgen, A. N.,** 1992, Bazı Hesperiidlerin erkek dış genital organları üzerine araştırmalar (HesperIIDae, Lepidoptera). *Doğa* 16: 209-228, 19 şekil.
- 1306) Gömürgen, A. N.,** 1993, Bazı Hesperiidlerin dişi dış genital organları üzerine araştırmalar (HesperIIDae, Lepidoptera). *Doğa J. Zool.* 17: 379-403, 17 şekil.
- 1307) Görgner, E.,** 1984, Beitrag zur Biologie von *Eupatúra mirza* Ebert, 1971 (Lep., Nymphalidae). *Nachr. ent. Ver. Apollo (N.F.)* 5(1): 7-17, figs. [Corrigendum: *ibid.*, 5 (2/3): 42].
- 1308) Görgner, E.,** 1985, Beiträge zur Kenntnis der Lepidopteren der südosttürkischen Provinz Hakkari, I. Allgemeines, Papilionidae. *Nachr. ent. Ver. Apollo (N.F.)* 5 (4): 77-94, figs.
- 1309) Gözüaçık, C., Fent, M. & İ. Özgen,** 2011, Güneydoğu Anadolu Bölgesi Pentatomidae (Hemiptera, Heteroptera) faunasına katkılar. *Türk. ent. bült.* 1 (4): 235-252.
- 1310) Grace, A.,** 2010, Introductory biogeography to Bees of the Eastern Mediterranean and Near East. 285pp. Bexhill Museum, Sussex, U.K. [ISBN 978-0-9537091-9-9] [online] [access 31 December 2010] [some taxa repeated at specific and subspecific categories].
- 1311) Graham, M. W. R. de Vere & M. J. Gijswijt,** 1998, Revision of the European species of *Torymus* Dalman (Hymenoptera, Torymidae). *Zool. Verh.* 317: 1-202, 266 figs.
- 1312) Graham, M. W. R. de Vere,** 1969, The Pteromalidae of North-Western Europe (Hymenoptera, Chalcidoidea). *Bull. Br. Mus. (Nat. Hist.) Ent. (Suppl.)* 16: 1-908, 686 figs.
- 1313) Graham, M. W. R. de Vere,** 1987, A reclassification of the European Tetrastichinae (Hymenoptera, Eulophidae), with a revision of certain genera. *Bull. Br. Mus. (Nat. Hist.) Ent.* 55: 1-392, figs.
- 1314) Gravenhorst, J. L. C.,** 1829, *Ichneumonologia Europaea*. Pars I-III. xxxxi+830+989+1097 pp. Vratislaviae.
- 1315) Graves, P. P.,** 1910, A day's lepidopterology near Scutari. *Entomologist's Rec. J. Var.* 22: 215.
- 1316) Graves, P. P.,** 1911-1912, A season's collecting at Constantinople in 1911. *Entomologist's Rec. J. Var.* 23: 315-318; *ibid.* 24: 10-12; 74.
- 1317) Graves, P. P.,** 1912, Notes of the season 1912 at Constantinople. *Entomologist's Rec. J. Var.* 24: 293-294.
- 1318) Graves, P. P.,** 1913, *Lycaena arion* at Constantinople. *Entomologist's Rec. J. Var.* 25: 118.
- 1319) Graves, P. P.,** 1913, Constantinople and Syrian Butterflies. Corrections and additions. *Entomologist's Rec. J. Var.* 25: 139-140.
- 1320) Graves, P. P.,** 1914, Near eastern Urbicolids. *Entomologist's Rec. J. Var.* 26: 193-194.
- 1321) Graves, P. P.,** 1914, Collecting in Turkey, mainly near Constantinople in 1913. *Entomologist's Rec. J. Var.* 26: 17-21.
- 1322) Graves, P. P.,** 1915, Collecting at Constantinople in 1914. *Entomologist's Rec. J. Var.* 27: 35-40.
- 1323) Graves, P. P.,** 1918, Collecting in various places (1914-1917). *Entomologist's Rec. J. Var.* 30: 62-65.
- 1324) Graves, P. P.,** 1919, *Agriades thetis* race *vectae*, Verity. *Entomologist's Rec. J. Var.* 31: 90.
- 1325) Graves, P. P.,** 1919, *Hamearis lucina* at Constantinople. *Entomologist's Rec. J. Var.* 31: 111.
- 1326) Graves, P. P.,** 1919, Collecting in various places in 1916-1918. *Entomologist's Rec. J. Var.* 31: 5-8, 61-66, 156-158.
- 1327) Graves, P. P.,** 1920, Collecting in Turkey in 1919. *Entomologist's Rec. J. Var.* 32: 105-107.
- 1328) Graves, P. P.,** 1921, Some new records for the Constantinople district and Bithynia. *Entomologist's Rec. J. Var.* 33: 165-166.
- 1329) Graves, P. P.,** 1921, Review: Lepidoptera of the Amanus. *Entomologist's Rec. J. Var.* 33: 141-142.
- 1330) Graves, P. P.,** 1921, Collecting in Asia Minor in 1920. *Entomologist's Rec. J. Var.* 33: 41-48.
- 1331) Graves, P. P.,** 1921, A note from Constantinople - A third brood of *P. chloridice*. *Entomologist's Rec. J. Var.* 33: 199.
- 1332) Graves, P. P.,** 1923, Notes on the Lepidoptera of the Constantinople district (Asia) and Brusa. *Entomologist's Rec. J. Var.* 35: 95-96.
- 1333) Graves, P. P.,** 1925, The Lepidoptera of Constantinople. *Entomologist* 58: 191-194, 242-245, 260-262, 291-294.

- 1334) Graves,P.P.**, 1926, Heterocera from Macedonia, Gallipoli and Central Greece. Entomologist's Rec. J. Var. 38: 152-158, 165-170.
- 1335) Graves,P.P.**, 1926, Additions to the Lepidoptera of the Constantinople district. Entomologist 59: 249-253.
- 1336) Graves,P.P.**, 1928, The seasonal variation of *Spilothyrus* (*Carcharodus*) *orientalis* Rev. Entomologist's Rec. J. Var. 40: 77.
- 1337) Graves,P.P.**, 1938, A New Subspecies of *Leptidea duponcheli* Stgr. Entomologist 71: 154-155.
- 1338) Greca,M.la & F.Lombardo**, 1982, Le specie Mediterranee e dell'Asia occidentale del Gen. *Rivetina* Berl. e Chop. (Insecta, Mantodea). *Animalia* 9 (1/3): 345-393, figs.
- 1339) Grichanov,I. & A.Tonguç**, 2010, New contribution to the Turkish Dolichopodidae fauna (Diptera). *Acta zool. bulg.* 62 (3): 355-357.
- 1340) Grichanov,I.Y.**, 2007, A checklist and keys to Dolichopodidae (Diptera) of the Caucasus and East Mediterranean. *Plant Protection News (Suppl.)*, 160 pp. St. Petersburg.
- 1341) Grichanov,I.Y.**, 2007, New records of Dolichopodidae (Diptera) from the Middle East. *Int. J. dipterol. Res.* 18 (3): 141-153.
- 1342) Grichanov,I.Y., Negrobov,O.P. & O.V.Selivanova**, 2011, Keys to Palaearctic subfamilies and genera of the family Dolichopodidae (Diptera). *Cesa News* 62: 13-46, 195 figs.
- 1343) Grichanov,I.Y., Tonguç,A., Civelek,H.S., Vikhrev,N.E., Özgül,O. & O.Dursun**, 2007, Review of the Turkish Dolichopodidae (Diptera) with first description of male *Hercostomus phoebus* Parent, 1927, new synonyms and new records. *Caucasian ent Bull.* 3 (2): 261-268, figs.
- 1344) Grootaert,P. & Chvala,M.**, 1992, Monograph of the genus *Platypalpus* (Diptera, Empioidea, Hybotidae) of the Mediterranean Region and the Canary Islands. *Acta Univ. Carolinae (Biologia)* 36: 226pp. 262 figs.
- 1345) Gross,F.J.**, 1977, Über *Hyponephele narica* und *H. naricina* und deren Verbreitung in der Türkei (Lep., Satyridae). *Atalanta* 8 (2): 123-125.
- 1346) Gross,F.J.**, 1978, Beitrag zur Systematik von *Pseudochazara*-Arten (Lep., Satyridae). *Atalanta* 9(1): 41-103, figs.
- 1347) Grote,A.R.**, 1902, Die Gattungsnamen der europäischen Noctuiden. *Allg. Z. Ent.* 7: 395-400.
- 1348) Grote,A.R.**, 1902, Die Gattungsnamen der europäischen Geometriden. *Allg. Z. Ent.* 7: 470-472.
- 1349) Grund,A.**, 1905, *Leptidea sinapis* in der Umgebung Agrams (Kroatien) mit drei neuen Formen. *Int. ent. Z.* 19(26): 145-148, 20 figs.
- 1350) Grünwaldt,R.W., Osytshnjuk,A.Z. & E.Scheuchl**, 2005, Neue *Andrena*-Arten aus der Paläarkt (Hymenoptera, Apidae, Andreninae). *Entomofauna* 26 (19): 349-366.
- 1351) Guenée,A.**, 1845, Essai sur une nouvelle classification des Microlépidoptères et catalogue des espèces européennes connues jusqu'à jour. *Annls Soc. ent. Fr.* (2) 3: 105-192, 207-344
- 1352) Guenée,A.**, 1846, *Europaeorum Microlepidopterorum Index Methodicus*.
- 1353) Guenée,A.**, 1852, Noctuérites II. [In] Boisduval, J.A. & A.Guenée, *Histoire naturelle des Insectes. Species général des Lépidopteres* 6. xcvi + 407 pp. Paris.
- 1354) Guenée,A.**, 1852, Noctuérites III. [In] Boisduval, J.A. & A.Guenée, *Histoire naturelle des Insectes. Species général des Lépidopteres* 7. 442 pp. Paris.
- 1355) Guenée,A.**, 1852, Noctuérites I. [In] Boisduval, J.A. & A.Guenée, *Histoire naturelle des Insectes. Species général des Lépidopteres* 5. xcvi + 407 pp. Paris.
- 1356) Guenée,A.**, 1854, Deltoides et Pyralites. [In] Boisduval, J.A. & A.Guenée, *Histoire naturelle des Insectes. Species général des Lépidopteres* 8. 448 + 6 pp., 10 Pls. Paris.
- 1357) Guglielmi,A. & G.Platia**, 1985, Contributo alla conoscenza degli elateridi di Grecia e Turchia (Coleoptera). *Fragm. ent., Roma* 18 (1): 169-224, figs.
- 1358) Guichard,K.M. & D.H.Harvey**, 1967, Collecting in Turkey 1959, 1960 and 1962. *Bull. Br. Mus. nat. Hist. (Ent.)* 19 (4): 223-250, 1 map.
- 1359) Gusenleitner,F. & E.Scheuchl**, 2000, Zwei neue *Andrena*-Arten aus dem nahen Osten sowie Beschreibung des Mannchens von *Andrena isabellina* Warncke (Hymenoptera, Apidae, Andreninae). *Entomofauna* 21 (11): 117-132.
- 1360) Gusenleitner,F. & M.Schwarz**, 2000, Nomenklatorische Aktualisierungen in der Bienengattung *Andrena* sowie Beschreibung einer neuen Art (Hymenoptera, Apidae, Andreninae). *Entomofauna* 21 (10): 105-116, Abb.
- 1361) Gusenleitner,F. & M.Schwarz**, 2001, Zur Morphologie verschiedenen von F.Morawitz beschriebener *Andrena*-Arten (Hymenoptera, Apidae, Andreninae). *Entomofauna* 22 (7): 93-196, Abb.
- 1362) Gusenleitner,F.**, 1985, Bemerkenswertes über Faltenwespen VIII (Hymenoptera, Vespoidea). *NachrBl. bayer. Ent.* 34 (4): 105-110.
- 1363) Gusenleitner,F.**, 1998, Neue westpalaarktische *Andrena*-Arten (Hymenoptera, Apidae, Andreninae). *Entomofauna* 19 (6): 109-144.
- 1364) Gusenleitner,J.**, 1967, Vespidae, Eumenidae und Masaridae aus der Türkei II. *Polskie pismo Ent.* 37: 663-676.

- 1365) Gusenleitner, J.,** 1973, Über Masaridae aus dem nahen Osten (Vespoidea, Hymenoptera). Boll. Mus. Civic. Stor. Nat. Venezia 24: 55-69.
- 1366) Gusenleitner, J.,** 1977, Neue Leptochilus-Arten aus Anatolien und Nordafrika. Linzer biol. Beitr. 9 (1): 163-178, figs.
- 1367) Gusenleitner, J.,** 1979, Die Microdynerus- und Pseudomicrodynerus-Arten des Balkans und der Türkei (Eumenidae, Hym.). Linzer biol. Beitr. 11: 75-94, figs.
- 1368) Gusenleitner, J.,** 1984, Zwei neue Subspezies der Art Euodynerus (Pareuodynerus) quadrifasciatus (Fabricius, 1793) (Hymenoptera, Eumenidae). Entomofauna 5 (14): 165-169.
- 1369) Gusenleitner, J.,** 1985, Neue Leptochilus-Arten aus dem Mittelmeergebiet und dem Iran (Hymenoptera, Eumenidae). Entomofauna 6 (9): 81-101.
- 1370) Gusenleitner, J.,** 1986, Zwei neue Antepipona-Arten aus der Türkei (Hym., Eumenidae). Linzer biol. Beitr. 18 (2): 361-371, 2 figs.
- 1371) Gusenleitner, J.,** 1986, Beitrag zur Kenntnis der paläarktischen Antepipona-Arten (Hymenoptera, Eumenidae). Annln naturh. Mus. Wien 88/89B: 565-577, 7 Abb.
- 1372) Gusenleitner, J.,** 1988, Neue und bemerkenswerte Faltenwespen aus der Türkei (Hymenoptera, Vespoidea). Linzer biol. Beitr. 20 (2): 713-737, 5 Abb.
- 1373) Gusenleitner, J.,** 1992, Bemerkenswerte Funde von Masaridae in Griechenland und im Nahen Osten (Vespoidea, Hymenoptera). Linzer biol. Beitr. 24 (1): 59-63.
- 1374) Gusenleitner, J.,** 1993, Drei neue paläarktische Eumeniden-Arten (Hymenoptera, Vespoidea). Linzer biol. Beitr. 25 (1): 43-50, Abb.
- 1375) Gusenleitner, J.,** 1993, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 1: Die Gattung Leptochilus Saussure, 1852. Linzer biol. Beitr. 25 (2): 745-769, 14 Abb.
- 1376) Gusenleitner, J.,** 1994, Über Eumeniden aus dem Nahen Osten und Arabien sowie Beschreibung einer neuen Subspecies aus Zanzibar (Vespoidea, Hymenoptera). Linzer biol. Beitr. 26 (1): 307-324, 14 Abb.
- 1377) Gusenleitner, J.,** 1994, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 2: Die Gattung Pterocheilus Klug, 1805, Onychopterocheilus Blüthgen, 1955, Hemipterocheilus Fertö, 1909 und Cephalochilus Blüthgen, 1939. Linzer biol. Beitr. 26 (2): 823-839, 17 Abb.
- 1378) Gusenleitner, J.,** 1995, Bemerkungen über die Gattung Leptochilus Saussure, 1852 und Beschreibung neuer Arten dieser Gattung (Hymenoptera, Vespoidea, Eumenidae). Linzer biol. Beitr. 27 (1): 169-181, 7 Abb.
- 1379) Gusenleitner, J.,** 1995, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 4: Die Gattung Ancistrocerus Wesm., 1836 mit einem Nachtrag zum Teil 1: Die Gattung Leptochilus Saussure. Linzer biol. Beitr. 27 (2): 753-775.
- 1380) Gusenleitner, J.,** 1995, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 3: Die Gattung Antepipona Saussure, 1855. Linzer biol. Beitr. 27 (1): 183-189, 7 Abb.
- 1381) Gusenleitner, J.,** 1996, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 5: Die Gattung Alastor Lepeletier, 1841. Linzer biol. Beitr. 28 (2): 801-808.
- 1382) Gusenleitner, J.,** 1996, Beitrag zur Kenntnis paläarktischer Sapyginae (Hymenoptera, Sapygidae). Linzer biol. Beitr. 28 (1): 23-38, figs.
- 1383) Gusenleitner, J.,** 1997, Über Funde von Sapygidae aus dem östlichen Mittelmeergebiet (Sapygidae, Hymenoptera). Linzer biol. Beitr. 29 (1): 105-108, figs.
- 1384) Gusenleitner, J.,** 1997, Über einige Vespoidea des Nahen Ostens (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 29 (1): 137-150.
- 1385) Gusenleitner, J.,** 1997, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 7: Die Gattungen Microdynerus Thomson, 1874 und Eumicrodynerus Gusenleitner, 1972. Linzer biol. Beitr. 29 (2): 779-797, figs.
- 1386) Gusenleitner, J.,** 1997, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 6: Die Gattung Euodynerus Dalla Torre, 1904, Syneuodynerus Blüthgen, 1951 und Chlorodynerus Blüthgen, 1951. Linzer biol. Beitr. 29 (1): 117-135, 33 Abb.
- 1387) Gusenleitner, J.,** 1997, Die europäische Arten der Gattung Celonites Latreille, 1802 (Hymenoptera, Masaridae). Linzer biol. Beitr. 29 (1): 109-115, 3 Abb.
- 1388) Gusenleitner, J.,** 1997, Die Gattungen Syneuodynerus Blüthgen, 1951 und Intereuodynerus gen. nov. im Nahen Osten (Hymenoptera, Eumenidae). Linzer biol. Beitr. 29 (2): 763-769, 4 Abb.
- 1389) Gusenleitner, J.,** 1998, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 8: Die Gattungen Odynerus Latreille, 1802, Gymnomerus Blüthgen, 1938, Paragymnomerus Blüthgen, 1938 und Tropicodynerus Blüthgen, 1939. Linzer biol. Beitr. 30 (1): 163-181, 25 Abb.
- 1390) Gusenleitner, J.,** 1998, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 9: Die Gattung Pseudopipona Saussure. Linzer biol. Beitr. 30 (2): 487-495, 14 Abb.

- 1391) Gusenleitner, J.,** 1998, Über Faltenwespen aus dem asiatischen Raum (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 30 (2): 503-513, figs.
- 1392) Gusenleitner, J.,** 1999, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 10: Die Gattung *Allodynerus* Blüthgen, 1938 mit Nachträgen zum Teil 1: Die Gattung *Leptochilus* Saussure und Teil 4: Die Gattung *Ancistrocerus* Wesm. Linzer biol. Beitr. 31 (1): 93-101, 13 Abb.
- 1393) Gusenleitner, J.,** 1999, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 11: Die Gattung *Discoelius* Latreille, 1809, *Eumenes* Latreille, 1802, *Katamenes* Meade-Waldo, 1910, *Delta* Saussure, 1855, *Ischnogasteroides* Magretti, 1884 und *Pareumen...* Linzer biol. Beitr. 31 (2): 561-584, 35 Abb.
- 1394) Gusenleitner, J.,** 1999, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 12: Die Gattung *Symmorphus* Wesm., 1836. Linzer biol. Beitr. 31 (2): 585-592, 8 Abb.
- 1395) Gusenleitner, J.,** 2000, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 13 Die Gattung *Stenodynerus* Saussure, 1863. Linzer biol. Beitr. 32 (1): 29-41, 12 Abb.
- 1396) Gusenleitner, J.,** 2000, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera). Teil 14 Der Gattungsschlüssel und die bisher in dieser Reihe nicht behandelten Gattungen und Arten. Linzer biol. Beitr. 32 (1): 43-65, 12 Abb.
- 1397) Gusenleitner, J.,** 2000, Neue Eumenidae aus Syrien, der Türkei und dem Iran (Hymenoptera, Vespoidea). Linzer biol. Beitr. 32 (2): 927-938, Abb.
- 1398) Gusenleitner, J.,** 2001, Über Eumeniden aus dem Mittelmeerraum (Vespoidea, Hymenoptera). Linzer biol. Beitr. 33 (2): 663-669.
- 1399) Gusenleitner, J.,** 2001, Stellungnahme zur Veröffentlichung "Studies on Eumenidae of Aegean Region" von Ayla Tüzün et al. in Entomofauna Bd. 21, 2000, 197-212 (Insecta, Hymenoptera, Eumenidae). Linzer biol. Beitr. 33 (1): 227-231.
- 1400) Gusenleitner, J.,** 2001, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 1. Nachtrag. Linzer biol. Beitr. 33 (1): 223-226.
- 1401) Gusenleitner, J.,** 2002, Neue oder bemerkenswerte Vespoidea aus dem Nahen Osten (Hymenoptera, Eumenidae, Masaridae). Linzer biol. Beitr. 34 (1): 335-343.
- 1402) Gusenleitner, J.,** 2003, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 2. Nachtrag. Linzer biol. Beitr. 35 (1): 155-166.
- 1403) Gusenleitner, J.,** 2004, Ein Beitrag zur Kenntnis und Verbreitung palaearktischer Eumenidae (Hymenoptera, Vespoidea). Linzer biol. Beitr. 36 (2): 1093-1105.
- 1404) Gusenleitner, J.,** 2007, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 3. Nachtrag. Linzer biol. Beitr. 39 (1): 129-131.
- 1405) Gusenleitner, J.,** 2007, Bestimmungstabellen mittel- und südeuropäischer Eumeniden (Vespoidea, Hymenoptera) 4. Nachtrag. Linzer biol. Beitr. 39 (2): 955-956.
- 1406) Güçlü, C.,** 2011, A contribution to the knowledge of Blacinae (Hymenoptera, Braconidae) from Turkey. Sci. Res. Essays 6 (3): 575-579.
- 1407) Güçlü, Ş. & D. Burckhardt,** 1996, New records of jumping plant-lice from Turkey (Hemiptera, Psyllodea). Entomofauna 17 (24): 381-384.
- 1408) Güçlü, Ş. & H. Özbek,** 1994, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar VI. Deltocephalinae (Athysanini, Kısım I). Atatürk Univ. Zir. Fak. Der. 25 (3): 367-379, 32 şekil
- 1409) Güçlü, Ş. & H. Özbek,** 1994, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar V. Deltocephalinae (Macrostelini). Atatürk Univ. Zir. Fak. Der. 25 (3): 354-366, 24 şekil
- 1410) Güçlü, Ş. & H. Özbek,** 1994, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar III. Typhlocybinae. Atatürk Univ. Zir. Fak. Der. 25 (1): 78-93, 37 şekil
- 1411) Güçlü, Ş. & H. Özbek,** 1994, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar IV. Deltocephalinae. Atatürk Univ. Zir. Fak. Der. 25 (2): 167-179, 34 şekil
- 1412) Güçlü, Ş. & H. Özbek,** 1995, Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerinde faunistik ve sistematik çalışmalar VIII. Deltocephalinae (Paralimnini). Atatürk Univ. Zir. Fak. Der. 26 (3): 336-354, 49 şekil
- 1413) Güçlü, Ş.,** 1996, Studies on Delphacidae (Homoptera, Auchenorrhyncha) from Turkey. Tr. J. Zool. 20: 407-411.
- 1414) Güler, Y. & N. Çağatay,** 2006, Faunistic study on Megachilini, Osmiini and Anthidiini tribes (Hymenoptera, Megachilidae) in Central Anatolia. J. ent. Res. Soc. 8 (2): 15-34.

- 1415) Güler,Y. & N.Çağatay**, 2007, A study on the genus *Bracon* Fabricius,1804 (Hymenoptera, Braconidae, Braconinae) in Ankara Province in Turkey. *Munis Ent. Zool.* 2 (2): 517-524.
- 1416) Güler,Y., A.M.Aytekin, N.Çağatay**, 2006, Systematical studies on Anthidiini (Hymenoptera, Megachilidae): A geometric morphometric approach. *Acta Ent. Sinica* 49 (3): 474-483, figs.
- 1417) Güler,Y., Aytekin,A.M. & F.Dikmen**, 2011, Bombini and Halictidae (Hymenoptera, Apoidea) fauna of Afyonkarahisar province of Turkey. *J. Ent. Res. Soc.* 13 (1): 1-22.
- 1418) Gülmez,Y. & A.Tüzün**, 2005, Spheciformes (Hymenoptera) from Ankara Province. Subfamilies Sphecinae, Pemphredoninae and Astatinae. *J. ent. Res. Soc.* 7 (1): 41-57.
- 1419) Gürbüz,M.F. & J.Kolarov**, 2008, A study of the Turkish Cryptini IV (Cryptinae, Ichneumonidae, Hymenoptera). *Turk. J. zool.* 32: 373-377.
- 1420) Gürbüz,M.F. & M.Y.Aksoylar**, 2005, New records of Ichneumonidae (Hymenoptera) species from Turkey. *Phytoparasitica* 33 (2): 121-122.
- 1421) Gyulai,P. & L.Ronkay**, 1995, New Noctuidae (Lepidoptera) species from West and Central Asia. *Folia ent. hung.* 56: 27-35, figs.
- 1422) Gyulai,P. & L.Ronkay**, 2006, New Noctuidae taxa from Iran and Turkey (Lepidoptera). *Esperiana* 12: 253-264, figs.
- 1423) Gyulai,P., Hreblay,M. & L.Ronkay**, 1992, New taxa and synonyms in the *Oncocnemis exacta* Christoph,1887 Group (Lepidoptera, Noctuidae). *Acta zool. Hung.* 38: 33-46, figs.
- 1424) Haas,F. & H.Henderckx**, 2002, Dermaptera from Cyprus and Turkey. *Beitr. Ent.* 52 (1): 235-239.
- 1425) Habeler,H.**, 1974, Zum Problem Horisme tersata Schiff./ testacea Hbn. *Mitt. münch. ent. Ges.* 64: 1-12.
- 1426) Habisch,O.**, 1905, [Beschreibung einer neuen Noctuidae aus Haifa]. *Verh. zool.- bot. Ges. Wien* 55: 20-21.
- 1427) Hacker,H. & A.Moberg**, 1988, Zwei neue *Dasypolia* Guenée,1852 Arten aus der östlichen Türkei (Lepidoptera, Noctuidae, Cuculliinae). *Mitt. münch. ent. Ges.* 78: 179-185, figs.
- 1428) Hacker,H. & A.Moberg**, 1989, Zwei neue *Agrochola* Hübner,[1821]-Arten (Lepidoptera, Noctuidae, Cuculliinae) aus der Türkei und aus Griechenland. *Nota lepid.* 12 (2): 121-132, 4 figs.
- 1429) Hacker,H. & L.Ronkay**, 1988, *Cucullia behouneki* sp.nov., *Cucullia armena* Ronkay & Ronkay, 1986 und *Cucullia prenanthis* Boisduval, 1840, in der Türkei (Lepidoptera, Cuculliinae). *Nota lepid.* 11 (1): 39-44, figs.
- 1430) Hacker,H. & L.Ronkay**, 1992, Taxonomic news in the genus *Euchalcia* Hübner,1821 (Lepidoptera, Noctuidae, Plusiinae) Part 1. *Esperiana* 3: 457-471, figs.
- 1431) Hacker,H. & L.Ronkay**, 1992, Das Genus *Polymixis* Hübner,[1820] mit Beschreibung neuer Taxa und Festlegung neuer Stati (Lepidoptera, Noctuidae). *Esperiana* 3: 473-496, figs.
- 1432) Hacker,H. & M.Lödl**, 1989, Taxonomisch und faunistisch bemerkenswerte Funde aus der Sammlung Pinker im Naturhistorischen Museum Wien. Neunter Beitrag zur systematischen Erfassung der Noctuidae (Lepidoptera) der Türkei. *Z. ArbGem. Öst. Ent.* 40 (1/2): 65-82.
- 1433) Hacker,H. & P.Kuhna**, 1986, Drei neue Noctuidae-Arten aus der Türkei (Lepidoptera). *Nota lepid.* 9 (3/4): 179-188, Taf.1, 3 Abb.
- 1434) Hacker,H. & R.Pinker**, 1987, *Cucullia mixta* ronkayi n.ssp. aus der Osttürkei (Lep., Noctuidae). *Z. ArbGem. öst. Ent.* 38 (3/4): 107-109, 1 Abb.
- 1435) Hacker,H.**, 1983, Faunistische und taxonomische Beiträge zur Noctuidenfauna des Mittelmeergebietes (Lepidoptera). *Neue ent. Nachr.* 6: 43-57, 18 figs.
- 1436) Hacker,H.**, 1985, Dritter Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Hacker und Wolf aus dem Jahr 1984 (Lepidoptera). *Neue Ent. Nachr.* 15: 1-65, Taf.
- 1437) Hacker,H.**, 1986, 2. Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von de Freina aus den Jahren 1976-1983 (Lepidoptera). *Spixiana* 9 (1): 25-81, figs.
- 1438) Hacker,H.**, 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. *Herbipoliana* 2: 1-590, Taf.
- 1439) Hacker,H.**, 1990, Die Noctuidae Vorderasiens (Lepidoptera). *Neue ent. Nachr.* 27: 1-707, 16 Taf.
- 1440) Hacker,H.**, 1990, Das Noctuidae - Typenmaterial der Sammlung Peks (Lepidoptera). *Esperiana* 1: 421-426.
- 1441) Hacker,H.**, 1992, Revision der Gattung *Hadena* Schrank,1802 (Lepidoptera) Teil 1. *Esperiana* 3: 243-361, 65 Abb.
- 1442) Hacker,H.**, 1992, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei (Lepidoptera). *Esperiana* 3: 409-446, Abb.
- 1443) Hacker,H.**, 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera). *Esperiana* 4: 273-330, Abb.

- 1444) Hacker,H.**, 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera) Nachtrag zu S.273-330. Esperiana 4: 453-458, Abb.
- 1445) Hacker,H.**, 1998, Revision der Gattungen *Hadula* Stgr.,1889 (=Discestra Hmps.,1905;Aglossestra Hmps.,1905;Cardiestra Brsn.,1963), *Anartomorpha* Alph.,1892, *Trichanarta* Hmps.,1895, *Anarta* Ochs.,1816 und *Cardepi* Hmps.,1905 mit Beschreibung einer neuen Gattung *Hadumorpha* g.n. Esperiana 6: 577-843, Taf., figs.
- 1446) Hacker,H.**, 1998, Ergänzungen zu "Die Noctuidae Vorderasiens" III (Lepidoptera). Esperiana 6: 185-212, figs.
- 1447) Hacker,H.**, 2004, Revision of the genus *Caradrina* Ochenheimer,1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls.
- 1448) Hacker,H.**, [1987], Erster Beitrag zur systematischen Erfassung der Noctuidae der Türkei (Lepidoptera). Atalanta 17 (1/4) (1986): 1-26, 2 Taf.
- 1449) Hacker,H.**, [1987], Fünfter Beitrag zur systematischen Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa und faunistisch bemerkenswerte Funde aus der Aufsammlungen von Wolf und Hacker aus dem Jahr 1985 sowie Ergänzungen zu früheren Arbeiten (Lepidoptera). Atalanta 17 (1/4) (1986): 27-83, 13 Taf.
- 1450) Hacker,H., Legrain,A. & M.Fibiger**, 2008, Revision of the genus *Acontia* Ochenheimer,1816 and the tribus Acontiini Guenée,1841 (Old World) (Lepidoptera, Noctuidae, Acontiinae). Esperiana 14: 7-533, figs.
- 1451) Hacker,H.H.**, 2001, Fauna of the Nolidae and Noctuidae of the Levante with descriptions and taxonomica notes. Appendix: Revision Genus *Clytie* Hübner,1823. Esperiana 8: 7-398, figs.
- 1452) Hackman,W., Lastovka,P., Matile,L. & R.Vaisanen**, 1988, Mycetophilidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 3: 220-327, Akademiai Kiado, Budapest.
- 1453) Haeselbarth,E.**, 1992, *Blacus* (*Ganychorus*) *madli* sp.n., eine neue Braconide aus der Türkei (Insecta, Hymenoptera, Braconidae). NachrBl. bayer. Ent. 41 (3): 95-98, 6 Abb.
- 1454) Hagen,H.**, 1863, Die Odonaten- und Neuropteren-Fauna Syriens und Klein-Asiens. Wiener ent. Monatschr. 7: 193-199.
- 1455) Hagen,H.T.**, 1862, Bibliotheca Entomologica 2 Vols. Leipzig.
- 1456) Hagen,W.Ten & K.G.Schurian**, 1998, Observations on the biology of *Polyommatus* (*Aricia*) *bassoni* Larsen,1974 (Lepidoptera, Lycaenidae). Linneana Belgica 16(7): 285-289, 9 figs.
- 1457) Hagen,W.Ten & M.A.Miller**, 2010, Molekulargenetische Untersuchungen der paläarktischen Arten des Genus *Callophrys* Billberg,1820 mit Hilfe von MtDNA-COI-Barcodes und taxonomische Überlegungen (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 30 (4): 177-197, figs.
- 1458) Hagen,W.Ten**, 1995, Tagfalterbeobachtungen in Syrien und Jordanien im Frühling (Lepidoptera, Papilionoidea, Hesperioidea). Nachr. ent. Ver. Apollo (N.F.) 16 (2/3): 195-212.
- 1459) Hagen,W.Ten**, 1996, Massenvermehrung und Wanderungen von *Vanessa cardui* (Linnaeus,1758) in Syrien (Lepidoptera, Nymphalidae). Atalanta 27 (1/2): 101-106 4 figs.
- 1460) Hagen,W.Ten**, 1996, Tagfalterbeobachtungen in Syrien und Jordanien (2.Beitrag) (Lepidoptera, Papilionoidea, Hesperioidea). Nachr. ent. Ver. Apollo (N.F.) 17(2): 123-142, Abb.
- 1461) Hagen,W.Ten**, 1998, Tagfalterbeobachtungen in Syrien und Jordanien (3.Beitrag) (Lepidoptera, Hesperioidea, Papilionoidea). Nachr. ent. Ver. Apollo (N.F.) 19 (3/4): 247-268, 2 Abb.
- 1462) Hagen,W.Ten**, 2009, Mit *Onobrychis cornuta* (Fabaceae) assoziierte *Callophrys*-Arten: *Callophrys paulae* Pfeiffer,1932 und *C. farsica* sp.n. (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 30 (3): 131-142, figs.
- 1463) Hahn,C.W.**, 1831-1836, Die Wanzenartigen Insekten. 1-3 vols. Text & Plates. C.H. Zeh'schen Buchhandlung, Nürnberg [date of publications, Sherborn (1914)]. Fortsetzung: Herrich-Schäffer,G.A.W., 1836-1853.
- 1464) Haliday,A.H.**, 1833, Essay on classification of the palaearctic Hymenoptera of Britain which correspond with the *Ichneumon*es minuti of Linnaeus. Ent. Mag. 1: 259-276, 333-350.
- 1465) Haliday,A.H.**, 1833-1838, Essay on parasitic Hymenoptera. Ent. Mag. 1 (1833): 259-276, 333-350, 480-491; 2 (1834): 93-106, 225-259; 2 (1835): 458-468; 3 (1835): 20-45, 121-147; 4 (1836): 38-59, 92-106, 203-221; 5 (1838): 209-248.
- 1466) Halstead,D.G.H.**, 1967, A revision of the genus *Palorus* (s.l.) (Coleoptera, Tenebrionidae). Bull. Br. Mus. (Nat. Hist.) Ent. 19: 59-
- 1467) Hampson,G.F.**, 1894, Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 2: xxii+ 609pp., 287 figs. Taylor & Francis, London.
- 1468) Hampson,G.F.**, 1895, Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 3. Taylor & Francis, London.
- 1469) Hampson,G.F.**, 1896, Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 4: xxviii+ 449pp., 239 figs. Taylor & Francis, London.
- 1470) Hampson,G.F.**, 1896, On the classification of three subfamilies of moths of the family Pyralidae: the *Epipaschiinae*, *Endotrichinae*, and *Pyralinae*. Trans. ent. Soc. London 1896 (4): 451-550, figs.

- 1471) Hampson, G.F.**, 1897, On the classification of the Thyrididae- a family of the Lepidoptera Phalaenae. Proc. zool. Soc. Lond. 1897: 603-633, figs.
- 1472) Hampson, G.F.**, 1897, On the classification of two subfamilies of moths of the family Pyralidae: the Hydrocampinae and Scoparianae. Trans. ent. Soc. London 1897 (2): 127-240, figs.
- 1473) Hampson, G.F.**, 1898, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. i. Syntomidae. xxi+559 pp., Pls. i-xvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1474) Hampson, G.F.**, 1898, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 1. Proc. zool. Soc. London 1898: 590-761, Pls. 49,50.
- 1475) Hampson, G.F.**, 1899, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 2. Proc. zool. Soc. London 1899: 172-291, pls. 16-19.
- 1476) Hampson, G.F.**, 1900, New Palaearctic Pyralidae. Trans. ent. Soc. Lond. 1900: 369-401, Pl.
- 1477) Hampson, G.F.**, 1900, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ii. Arctiidae (Nolinae, Lithosianae). 589 pp., Pls. xviii-xxxv. Printed by the order of the Trustees British Museum (Natural History), London.
- 1478) Hampson, G.F.**, 1901, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iii. Arctiidae & Agaristidae. xix+ 690 pp., Pls. xxxvi-liv. Printed by the order of the Trustees British Museum (Natural History), London.
- 1479) Hampson, G.F.**, 1901, A classification of a new family of the Lepidoptera. Trans. ent. Soc. London 1901 (2): 187-192, figs.
- 1480) Hampson, G.F.**, 1903, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iv. Noctuidae (Agrotinae). Pls. lv-lxxvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1481) Hampson, G.F.**, 1905, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. v. Noctuidae (Hadeninae). Pls. lxxviii-xcv. Printed by the order of the Trustees British Museum (Natural History), London.
- 1482) Hampson, G.F.**, 1906, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vi. Family Noctuidae (Cucullianae). Pls. xcvi-cvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1483) Hampson, G.F.**, 1908, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vii. Noctuidae (Acronictinae). Pls. cviii-cxxii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1484) Hampson, G.F.**, 1909, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. viii. Noctuidae (Acronictinae). Pls. cxxiii-cxxxvi. Printed by the order of the Trustees British Museum (Natural History), London.
- 1485) Hampson, G.F.**, 1910, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ix. Noctuidae (Acronictinae). Pls. cxxxvii-cxlvi. Printed by the order of the Trustees British Museum (Natural History), London.
- 1486) Hampson, G.F.**, 1911, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. x. Noctuidae (Erastrinae). Pls. cxlviii-clxxiii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1487) Hampson, G.F.**, 1912, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xi. Noctuidae (Euteliaenae to Acontianae). xvii+689 pp., Pls. clxxiv-cxci. Printed by the order of the Trustees British Museum (Natural History), London.
- 1488) Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xii. Noctuidae. Pls. cxcii-cxxxi. Printed by the order of the Trustees British Museum (Natural History), London.
- 1489) Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xiii. Noctuidae. Pls. cxxxii-cxxxxix. Printed by the order of the Trustees British Museum (Natural History), London.
- 1490) Hampson, G.F.**, 1916, Descriptions of New Pyralidae of the Subfamilies Epipaschianae, Chrysauginae, Endotrichinae, and Pyralinae. Ann. Mag. nat. Hist. (8) 18: 126-160, 349-373.
- 1491) Hampson, G.F.**, 1917, A Classification of the Pyralidae, subfamily Gallerianae. Novit. zool. 24: 17-58.
- 1492) Hampson, G.F.**, 1919, A classification of the Aegeriidae of the Oriental and Ethiopian Regions. Novit. zool. 26: 46-119.
- 1493) Hampson, G.F.**, 1920, On new genera and species of Lepidoptera Phalaenae, with the characters of two new families. Novit. zool. 26(2): 253-282.
- 1494) Hampson, G.F.**, [1893], Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 1: xxiii+ 527pp., 333 figs. Taylor & Francis, London.
- 1495) Handlirsch, A.**, 1924, Ordnung Lepidoptera (Schmetterlinge), [in] Schröder, Handb. Ent. 3: 852-941, figs. 747-840.

- 1496) Handlirsch,A.**, 1882-1883, Die Metamorphose und Lebensweise von *Hirmoneura obscura* Meig., einem Vertreter der Dipteren- Familie Nemestrinidae. I, II. Wien. ent. Ztg. 1 (1882): 224-228; 2 (1883): 11-15, Taf.i.
- 1497) Hannemann,H.J.**, 1953, Natürliche Gruppierung der europäischen Arten der Gattung *Depressaria* s.l.(Lep., Oecoph.). Mitt. zool. Mus. Berlin 29 (2): 269-373, Abb.
- 1498) Hannemann,H.J.**, 1959, Neue *Depressaria* aus der Sammlung S.Toll (Lepidoptera, Oecophoridae). Dt. ent. Z. (N.F.) 6 (1/3): 34-43, 15 Abb.
- 1499) Hannemann,H.J.**, 1964, Kleinschmetterlinge oder Microlepidoptera II. Die Wickler (s.l.) (Cochylidae, Carposinidae). Die Zünslerartigen (Pyraloidea). [in] Dahl,F., Die Tierwelt Deutschlands und der angrenzenden Meeresteile. 50 Teil, viii + 401 pp. 22 Taf. Jena.
- 1500) Hanot,S.**, 2012, *Anthaxia* d'Europe et du pourtour Méditerranéen. <http://www.anthaxia.eu/index.htm> [access 6 5 2012].
- 1501) Hanus,J. & D.Hoareau**, 1998, *Polyommatus* (*Agrodiaetus*) *dama* (Staudinger,1892) on the Nemrut Dağı in Turkey (Lepidoptera, Lycaenidae). Neue ent. Ver. Apollo (N.F.) 18(4): 416.
- 1502) Hartig,F.G.**, 1963, Beitrag zur Kenntnis der Gattung *Ocneria* Hbn. II. Die Genitalapparaturen einiger *Ocneria*-Arten und Versuch einer Revision der Arten (Lepidoptera, Lymantriidae). Mitt. münch. ent. Ges. 53: 57-69, 12 Abb.
- 1503) Hartig,T.**, 1840, Ueber die Familie der Gallwespen. [in] Germar, Z. Ent. 2 (1): 176-210.
- 1504) Hartig,T.**, 1841, Erster Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 3: 322-358, 1 Tab.
- 1505) Hartig,T.**, 1843, Zweiter Nachtrag zur Naturgeschichte der Gallwespen. [in] Germar, Z. Ent. 4: 395-422.
- 1506) Harz,K.**, 1970, Distelfalterzüge in Ostanatolien und im Iran. Atalanta 3(1): 16.
- 1507) Hasbenli,A. & F.Geller-Grimm**, 1999, Two new species of *Dysmachus* Loew,1860 (Asilidae, Diptera) from Turkey. J. ent. Res. Soc. 1 (1): 13-19.
- 1508) Hasbenli,A. & M.Aktaş**, 1995, Two new *Platypygus* Loew,1844 (Diptera, Bombyliidae) species for Turkey. Türk. ent. derg. 19 (2): 147-150, figs.
- 1509) Hasbenli,A. & M.Aktaş**, 1995, Türkiye Conophorus Meigen,1803 türlerine katkılar (Diptera, Bombyliidae). Gazi Univ. Fen-Ed. Fak. Fen Biliml. Derg. C5: 1-10, figs.
- 1510) Hasbenli,A. & N.L.Evenhuis**, 2000, Checklist of Turkish Bombyliidae (Diptera) with new records [a simple list of the species of Turkey, with an extracted bibliography]. J. ent. Res. Soc. 2 (1): 25-43.
- 1511) Hasbenli,A. & Ü.Çağlar**, 2009, A new species of *Mesoleptogaster* Frey,1937 (Diptera, Asilidae) from Turkey with a key to palaearctic species. Ent. News 120 (2): 201-205, figs.
- 1512) Hasbenli,A. & V.F.Zaitzev**, 2000, Two new species of *Bombylius* Linnaeus,1758 (Diptera, Bombyliidae) from Turkey. Dt. ent. Z. (N.F.) 47 (1): 105-108, figs.
- 1513) Hasbenli,A.**, 1997, Türkiye Hemipenthes Loew,1869 türlerine katkılar (Diptera, Bombyliidae). Gazi Uni. Fen Bil. Derg. 10 (4): 545-552, figs.
- 1514) Hasbenli,A.**, 2005, A new species of *Thevenetimyia* Bigot,1892 (Diptera, Bombyliidae, Ecliminae) from Turkey. J. am. Ent. Soc. 116 (1): 11-14.
- 1515) Hasbenli,A., Bayrakdar,F. & N.Alpay**, 2006, First record of *Erax nigrosetosus* Theodor,1980 (Diptera, Asilidae) from Turkey. Acta ent. sloven. 14: 103-106, 2 figs.
- 1516) Hasbenli,A., Candan,S. & N.Alpay**, 2006, A new species of *Leptogaster* Meigen (Diptera, Asilidae) from Turkey with egg and spermatheca structure. Zootaxa 1267: 49-57.
- 1517) Haupt,H.**, 1917, Neue palaearktische Homoptera nebst Bemerkungen über einige schon bekannte. Wien. ent. Ztg. 36: 229-262, 12 Abb.
- 1518) Haupt,H.**, 1921, Eine neue Singicade aus Mesopotamien. Dt. ent. Z. 1920: 409-412.
- 1519) Häuser,C. & K.G.Schurian**, 1980, Zur Kenntnis des Areals von *Colias chlorocoma* Christoph,1888 (Pieridae). Nota lepid. 3(1/2): 41-50, figs.
- 1520) Häuser,C.**, 1993, An Annotated checklist of the species of the Parnassiinae (Lepidoptera, Papilionidae). Tijdschr. Ent. 136: 137-146.
- 1521) Häuser,C.**, 2004, Clas Michael Naumann zu Königsbrück 26.06.1939 - 15.02.2004. Nota lepid. 27 (1): 3-10.
- 1522) Häuser,C.L. & W.Eckweiler**, 1997, A catalogue of the species-group taxa in *Agrodiaetus* Hübner,1822, a subgenus of *Polyommatus* Latreille,1804 (Lep., Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-group (Lep.). Nachr. Ent. Ver. Apollo, Suppl. 16: 53-112.
- 1523) Häuser,C.L.**, 1993, Critical comments on the phylogenetic relationships within the family Papilionidae (Lepidoptera). Nota lepid. 16 (1): 34-43.
- 1524) Hausmann,A. & G.M.Laszlo**, 1999, Taxonomic and faunistic studies on Turkmenian *Sterrhinae* (Lepidoptera, Geometridae). Folia ent. hung. 60: 317-324, figs.

- 1525) Hausmann,A. & S.Dötterl**, 2004, Nectar plants and larval plants of the genus *Glossotrophia* (Geometridae, Sterrhinae) studies on pollen grains attached to museum specimens. *Nota lepid.* 26 (3/4): 127-136.
- 1526) Hausmann,A.**, 1993, Zweiter Beitrag zur Taxonomie und Systematik der Gattung *Glossotrophia* Prout,1913 (Lepidoptera, Geometridae, Sterrhinae). *Mitt. münch. ent. Ges.* 83: 77-107, 68 Abb.
- 1527) Hausmann,A.**, 1993, Beitrag zur Taxonomie und Systematik des *Gnophos poggearia* Lederer,1855 Verwandtschaftskreises (Lepidoptera, Geometridae, Ennominae). *Bonn. zool. Beitr.* 44 (3/4): 225-240, Abb.
- 1528) Hausmann,A.**, 1994, Notes on the morphology of some little known species of the genus *Idaea* Treitschke,1825 in the Middle East (Lepidoptera, Geometridae, Sterrhinae). *Bonner zool. Beitr.* 45 (1): 67-78, figs. [wrong citation by Hausmann (2001: 569) as "Bonner Zool. Nachr."]
- 1529) Hausmann,A.**, 1994, Morphology and taxonomy of the species belonging to the genus *Myinodes* Meyrick,1892 (Lepidoptera, Geometridae). *Nota lepid.* 17 (1/2): 31-43, 17 figs.
- 1530) Hausmann,A.**, 1995, Zur Systematik einiger ostmediterraner Geometridenarten (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 85: 73-78, figs.
- 1531) Hausmann,A.**, 1996, The morphology of the geometrid moths of the Levant and the neighbouring countries. *Nota lepid.* 19 (1/2): 3-90, 148 figs.
- 1532) Hausmann,A.**, 1996, Systematic list of the geometrid moths of the Levant and neighbouring countries. Part I. Orthostixinae and Geometrinae. *Nota lepid.* 19 (1/2): 91-106.
- 1533) Hausmann,A.**, 1996, Zwei neue Geometridenarten aus Vorderasien (Insecta, Lepidoptera, Geometridae). *Spixiana Suppl.* 22: 3-10, figs.
- 1534) Hausmann,A.**, 1997, The Geometrid Moths of various entomological collections in Israel (Lepidoptera, Geometridae). *Entomofauna* 18 (1): 1-19, 7 figs.
- 1535) Hausmann,A.**, 2001, The Geometrid Moths of Europe Vol. 1 282 pp., 8 Pls. Apollo Books.
- 1536) Hausmann,A.**, 2004, The Geometrid Moths of Europe Vol. 2 Sterrhinae. 600 pp., figs. Pls. Apollo Books.
- 1537) Hausmann,A.**, 2006, Revision of the *Idaea inquinata* (Scopoli,1763) species-group s.str. from the Middle East (Lepidoptera, Geometridae, Sterrhinae). *Mitt. münch. ent. Ges.* 95: 37-47, figs.
- 1538) Hava,J.**, 2006, Notes on the genus *Phradonoma* from the Middle East with description of nine new species (Coleoptera, Dermestidae, Megatominae). *Genus* 17 (1): 79-94, figs.
- 1539) Hava,J., Ruzicka,J. & J.Schneider**, 1998, Faunistic records of Silphidae (Coleoptera) from Turkey. *Klapalekiana* 34: 173-181, figs.
- 1540) Haworth,A.H.**, 1803-1828, *Lepidoptera Britannica*, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiunter...Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London.
- 1541) Hayat,R. & Alaoğlu,Ö.**, 1990, Erzurum yöresi Syrphidae (Diptera) faunası II. Milesiinae. *Türk. ent. derg.* 14 (4): 227-234.
- 1542) Hayat,R. & Alaoğlu,Ö.**, 1990, Erzurum yöresi Syrphidae (Diptera) faunası I. Syrphinae. *Türk. ent. derg.* 14 (3): 173-182.
- 1543) Hayat,R. & C.Claussen**, 1997, A new species and new records of the genus *Paragus* Latreille,1804 from Turkey (Diptera, Syrphidae). *Zool. Middle East* 14: 99-108,figs.
- 1544) Hayat,R. & H.Özbek**, 1994, New records of robber flies (Diptera, Asilidae) for Turkish fauna. *Türk. ent. derg.* 18 (4): 241-244.
- 1545) Hayat,R. & H.Özbek**, 1999, The genus *Dasypogon* Meigen,1803 (Diptera, Asilidae) in Turkey along with new records. *Acta ent. bulg.* 5 (1): 42-47.
- 1546) Hayat,R. & W.Schacht**, 2000, Distributional data of Horse-flies from Turkey with new records (Diptera, Tabanidae). *Entomofauna* 21 (23): 265-284.
- 1547) Hayat,R.**, 1997, Prey of some robber flies (Diptera, Asilidae) in Turkey. *Zool. Middle East* 15: 87-94.
- 1548) Hayat,R.**, 1997, *Sphegina* (Sphegina) *alaoğlu*, a new hover-fly from north-eastern Turkey (Diptera, Syrphidae). *Zool. Middle East* 14: 109-113.
- 1549) Hayat,R., Ghahari,H., Lavigne R. & H.Ostovan**, 2008, Iranian Asilidae (Insecta, Diptera). *Türk. J. Zool.* 32: 175-195.
- 1550) Hayat,R., Richet,R. Bayrak,N. & G.Pekbey**, 2008, Contributions to the knowledge of Flesh Flies (Diptera, Sarcophagidae) from Turkey, with a new record. *Türk. J. Zool.* 32: 385-390.
- 1551) Hayes,A.H.**, 1980, A revision of the Pantropical genus *Tathorhynchus* Hampson (Lep., Noctuidae, Ophiderinae). *Proc. Br. ent. nat. Hist. Soc.* 1980: 25-30, 5 Pls.
- 1552) Heath,J.**, 1965, Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institutes 33.Beitrag Lepidoptera-Micropterigidae. *Dt. ent. Z. (N.F.)* 15(5/6): 641-647.
- 1553) Heath,J.**, 1981, Threatened Rhopalocera (butterflies) in Europe. *Nature Environ. Ser.* 23: 1-157.
- 1554) Heath,J.**, 1987, A Check List of the genus *Micropterix* Hübner,[1825] (Lepidoptera, Micropterigidae). *Entomologist's Gaz.* 38: 205-207.

- 1555) Heberdey, R.F.**, 1936, Revision der palaearktischen Arten der Gattung *Notoxus* Geoffr. I. Die Verwandten des *Notoxus monoceros* L. Koleopt. Rdsch. 22 (3/4): 125-180, 7 Abb. 3 Verbreitungskarten.
- 1556) Hedicke, H.**, 1938, Über einige Apiden von Hindukusch (Hym.). Dt. ent. Z. 1938: 186-196, 3 figs.
- 1557) Heeger, E.**, 1838, Beiträge zur Schmetterlingskunde oder Abbildungen und Beschreibungen neuer sicilianischen Schmetterlinge. 7pp. 3 pls. Wien.
- 1558) Heikkilä, M. & L. Kaila**, 2010, Reassessment of the enigmatic Lepidopteran family Lypusidae (Lepidoptera, Tineoidea, Gelechioidea). Syst. Ent. 35 (1): 71-89, figs.
- 1559) Heiss, E. & F. Önder**, 1991, On the Aradidae fauna of Turkey (Heteroptera). Türk. ent. Derg. 15 (2): 65-70, figs.
- 1560) Heiss, E. & J. Péricart**, 1983, Revision of Palaearctic Piesmatidae (Heteroptera). Mitt. münch. ent. Ges. 73: 61-171, figs.
- 1561) Heiss, E.**, 1974, Ein neuer *Aradus* (Insecta, Heteroptera, Aradidae) aus der Türkei. Ber. nat.- med. Ver. Innsbruck 61: 101-105.
- 1562) Heiss, E.**, 1978, Über Berytidae von den Kanarischen Inseln (Insecta, Heteroptera). Ber. nat.-med. Ver. Innsbruck 65: 85-92, figs.
- 1563) Heiss, E.**, 1989, Studien zur Revision der palaearktischen Aradidae (Heteroptera). I. Zur Kenntnis der Gattung *Qulinus* (Stal). Ber. nat.- med. Ver. Innsbruck 76: 127-139.
- 1564) Heiss, E.**, 1989, Studien zur Revision der palaearktischen Aradidae (Heteroptera). 2. Ein neuer *Aradus* aus der *betulae*-Gruppe. NachrBl. bayer. Ent. 38 (2): 33-36.
- 1565) Heiss, E.**, 1990, Studien zur Revision der paläarktischen Aradidae (Heteroptera). 3. Ein neuer *Aradus* aus Ostanatolien. NachrBl. bayer. Ent. 39 (4): 110-113, figs.
- 1566) Heiss, E.**, 2004, Beitrag zur Kenntnis der Wanzenfauna Irans, III. Familie Aradidae Brullé, 1836 (Heteroptera). Carinthia II 114: 395-412, figs.
- 1567) Hejkal, J.**, 2002, *Amara* (*Amara*) *lukasi* sp.n. (Coleoptera, Catabidae) from Turkey. Klapalekiana 38: 27-35, figs.
- 1568) Heller, K.-G. & O. Korshunovskaya**, 2009, Systematics and bioacoustics of the genus *Lithodusa* (Orthoptera, Tettigoniidae) including the description of a new species from Turkey and comments on the classification of the *Drymadusini*. J. Orth. Res. 18 (1): 5-13, figs.
- 1569) Heller, K.-G. & H. Sevgili**, 2005, Systematics and bioacoustics of *Poecilimon sanctipauli*-group (Orthoptera, Tettigoniidae, Phaneropteridae). Eur. J. Ent. 102: 265-277, figs.
- 1570) Heller, K.-G.**, 2004, *Poecilimon martinae* n.sp. and *P. inflatus* Brunner von Wattenwyl, 1891 (Orthoptera, Tettigoniidae, Phaneropteridae), two bush-cricket species endemic to Southwest Anatolia: morphology, bioacoustics and systematics. Articulata 19 (1): 1-17, figs.
- 1571) Hellmich, W.**, 1969, Bemerkungen zur Tiergeographie und Ökologie des Vansee-Beckens in Ostanatolien. Veröff. Zool. Staatssamml. München 13: 143-154.
- 1572) Hemming, A.F.**, 1929, *Carcharodus dravira* Moore, a good species. Proc. ent. Soc. London 4: 1-3, pl.i.
- 1573) Hemming, A.F.**, 1929, Two new subspecies of *Polyommatus loewii* Zell. Proc. ent. Soc. London 4:
- 1574) Hemming, A.F.**, 1929, Notes on the generic names of the Holarctic *Lycaenidae* (Lep., Rhop.). Ann. Mag. nat. Hist. (10) 3: 217-245.
- 1575) Hemming, A.F.**, 1931, Revision of the genus *Iolana* Bethune-Baker (Lepidoptera, *Lycaenidae*). Trans. ent. Soc. London 79(2): 323-333, Pl.
- 1576) Hemming, A.F.**, 1932, Revisional notes on certain generic and specific names proposed for species of the genus *Agapetes* Billberg (Lepidoptera, *Satyridae*). Ann. Mag. nat. Hist. (10) 10: 571-574.
- 1577) Hemming, A.F.**, 1932, Supplementary notes on the collections of butterflies made in Greece, T. vicrama *astabene* nom. nov. Entomologist 65: 179-183.
- 1578) Hemming, A.F.**, 1934, The generic names of the Holarctic butterflies. vol.1: 1758-1863. 184pp.
- 1579) Hemming, A.F.**, 1934, Revisional notes on certain species of *Rhopalocera* (Lepidoptera) *Stylops* 3(9): 193-200.
- 1580) Hemming, A.F.**, 1967, The Generic names of the butterflies and their type-species (Lepidoptera, *Rhopalocera*). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509.
- 1581) Hendel, F.**, 1903, Synopsis der paläarktischen *Tetanocera*-Arten (Dipt.). Z. Syst. Hym.- Dipt. 3: 35-37.
- 1582) Hendel, F.**, 1908, Synopsis der bisher bekannten *Timia*-Arten (Dipt.). Z. syst. hymenopt. dipt. 8 (1): 1-11.
- 1583) Hendel, F.**, 1908, Ueber die bisher bekannten *Dorycera*-Arten (Dipt.). Z. syst. hymenopt. dipt. 8: 104-108.
- 1584) Hendel, F.**, 1910, Über acalyptrate Musciden. Wien. ent. Ztg. 29: 101-127, 1 Taf.
- 1585) Hendel, F.**, 1913, Die Gattung *Platystoma* Meigen (Dipt.) Eine monographische Übersicht über die Arten. Zool. Jb. (Syst.) 35: 55-126, 2 Taf.
- 1586) Hendel, F.**, 1927, Trypetidae, [in] Lindner, E., Die Fliegen der Palaearktischen Region. 49: 1-221, Taf. i-xvii. Stuttgart.

- 1587) Hendel, F.**, 1934, Revision der Tethiniden (Dipt., Muscid. acal.). Tijdschr. Ent. 77: 37-54.
- 1588) Hennig, W.**, 1939, Otitidae (46. Ortalidae und 47. Pterocallidae) [in] E. Lindner, Die Fliegen der palaearktischen Region, 5 (126-128). 79+xiii pp., 13 Taf. E. Schweizerbart. Stuttgart.
- 1589) Hensle, J.**, 1993, Beobachtungen bei westanatolischen Osterluzeifaltern (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 14(3): 289-299, 13 Abb.
- 1590) Heppner, J.B. & W.D. Duckworth**, 1981, Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia). Smiths. Contr. Zool. 314: 1-144, figs.
- 1591) Heppner, J.B.**, 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. J. Lepid. Soc. 31(2): 124-134.
- 1592) Heppner, J.B.**, 1979, Brachodidae, a new family name for Atychidae (Lep., Sesiioidea). Ent. Ber., Amst. 39 (8): 127-128.
- 1593) Heppner, J.B.**, 1982, Millieriinae, a new subfamily of Choreutidae, with new taxa from Chile and United States (Lepidoptera, Sesiioidea). Smiths. Contr. Zool. 370: 1-27, 63 figs.
- 1594) Heppner, J.B.**, 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). N.Y. ent. Soc. 89(4): 220-294.
- 1595) Hering, E.**, 1889, Mémoires sur les Lépidoptères rédigés par N.M. Romanoff. Tome III. St. Petersburg 1887. Stettin ent. Ztg. 50: 257-278.
- 1596) Hering, E.**, 1891, Nachwort. Stettin ent. Ztg. 52(4/6): 116-128.
- 1597) Hering, E.M.**, 1950, Die Oligophagie phytophager Insekten als Hinweis auf eine Verwandtschaft der Rosaceae mit den Familien der Amentiferae. Verh. 8. Int. ent. Kongr., Stockholm: 74-79.
- 1598) Hering, E.M.**, 1950, Monophagie und Xenophagie. Naturwissenschaft. 37: 531-536.
- 1599) Hering, M.**, 1933, Lepidoptera Sureyana. Weitere Noctuiden und Geometriden von Ankara. Int. ent. Z. 26: 411-415.
- 1600) Hering, M.**, 1933, Familie Limacodidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 201-209. Stuttgart.
- 1601) Hering, M.**, 1964, Die Lebensweise von Procris graeca Jord. (Lepidoptera, Zygaenidae). Z. wien. ent. Ges. 49: 75-81, 4 Abb.
- 1602) Herman, L.H.**, 2001, Catalog of the Staphylinidae (Insecta, Coleoptera). 1758 to the end of the second millennium. 7 vols. Bull. amer. Mus. Nat. Hist. 265: 1-4218.
- 1603) Hermann, F.**, 1905, Beitrag zur Kenntnis der Asiliden (Dipt.). I. Neue und wenig bekannte Asiliden der palaearktischen Fauna. Berl. ent. Z. 50: 14-42, 29 Abb.
- 1604) Hermann, F.**, 1907, Einige neue Bombyliden der palaearktischen Fauna (Dipt.). Z. syst. hymenopt. dipt. 7: 193-202, 3 figs.
- 1605) Herrich-Schäffer, G.A.W.**, 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg.
- 1606) Herrich-Schäffer, G.A.W.**, 1836-1853, Die Wanzenartigen Insekten. 3-9 vols. Text & Plates. C.H. Zeh'schen Buchhandlung, Nürnberg [date of publications, Sherborn (1914)]. See also Hahn, C.W., 1831-1836.
- 1607) Herting, B.**, 1984, Catalogue of Palearctic Tachinidae (Diptera). Stuttg. Beitr. Naturk. (A) 369: 1-228.
- 1608) Herting, B.**, 1985, Description of a new species of Tachinidae (Diptera) from Israel and remarks on three little known species. Israel J. Ent. 19: 85-88.
- 1609) Hesselbarth, G. & K.G. Schurian**, 1984, Beitrag zur Taxonomie, Verbreitung und Biologie von Tomares nogelii (Herrich-Schäffer, 1851) in der Türkei (Lep., Lycaenidae). Entomofauna 5(20): 243-250.
- 1610) Hesselbarth, G. & W. Siepe**, 1993, Polyommatus (Aricia) torulensis - eine bisher nicht bekannte Lycaenide aus Anatolien (Lepidoptera, Lycaenidae). Phegea 21(2): 47-53, Pls.
- 1611) Hesselbarth, G.**, 1974, Anmerkungen zu den ersten Ständen von Hipparchia fatua. NachrBl. bayer. Ent. 23(2): 23-28, Abb.
- 1612) Hesselbarth, G.**, 1977, Anmerkungen zur Biologie von Chazara bischoffi (Herrich-Schäffer) (Satyridae). Nota lepid. 1(1): 39-41.
- 1613) Hesselbarth, G.**, 1983, Beitrag zur Biologie von Ypthima asterope Klug (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 4 (1): 7-14, 5 figs.
- 1614) Hesselbarth, G.**, 1983, Anmerkungen zur Biologie und Verbreitung von Coenonympha saadi Kollar (Lepidoptera, Satyridae). Nota lepid. 6 (2/3): 111-120, 5 figs.
- 1615) Hesselbarth, G.**, 1987, Beitrag zur Kenntnis der ersten Stände und zum Biotopverhalten von Pseudochazara mnisechii (Herrich-Schäffer, 1851) und P. mamurra (Herrich-Schäffer, 1846) (Lep., Nymphalidae, Satyrinae). Phegea 15(3): 121-129, figs.
- 1616) Hesselbarth, G., Oorschot, H.v. & S. Wagener**, 1995, Die Tagfalter der Türkei unter Berücksichtigung der angrenzenden Länder. Bde. 1 & 2: 1354 S. 75 Abb., 21 Tab., 2 fb. Karte, 36 fb. Tab. Bd. 3: 847 S., 128 fb. Tab., 13 sw Tab., vi+342 Karte. Selbstverlag S. Wagener, Bocholt.
- 1617) Heydemann, F.**, 1938, Zu Chloridea maritima Graslin. Ent. Rdsch. 55: 368-371, Abb.

- 1618) Heyden, T.v.d.**, 2009, Bemerkungen zur Biologie, zur Ökologie und zur Verbreitung von *Danaus chrysippus* Linnaeus, 1758 im Mittelmeerraum, insbesondere in der Türkei (Lepidoptera, Nymphalidae, Danainae). Nachr. ent. Ver. Apollo (N.F.) 30 (3): 173-176, figs.
- 1619) Heylaerts, F.J.M.**, 1881, Essai d'une Monographie des Psychides de la faune européenne précédé de considérations générales sur la famille des Psychides. Annls Soc. ent. Belg. 25: 29-73.
- 1620) Heyne, A.**, 1893-1895, [in] Rühl, F., Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 385-857 S. Leipzig.
- 1621) Heyne, A.**, 1897, *Polyommatus virgaureae* L. nov. var. *aureomicans* Heyne. Societas ent. 12: 9.
- 1622) Higgins, L.G. & N.D. Riley**, 1970, A Field Guide to the Butterflies of Britain and Europe. 380 pp. 60 Pls., 371 maps. Collins St James's Place, London.
- 1623) Higgins, L.G. & N.D. Riley**, 1976, *Satyrus sintenisi* Staudinger, 1895. A Synonym of *Satyrus mamurra* Herrich-Schäffer, 1845 (Lep., Satyridae). Entomologist's Gaz. 27: 213-214, pl.
- 1624) Higgins, L.G.**, 1941, An illustrated catalogue of the Palaearctic Melitaea (Lep., Rhopalocera). Trans. R. ent. Soc. Lond. 91 (7): 175-354, 16 Pls, 214 figs., 7 maps.
- 1625) Higgins, L.G.**, 1950, A descriptive catalogue of the Palaearctic Euphydryas (Lepidoptera, Rhopalocera). Trans. R. ent. Soc. Lond. 101 (2): 435-489, 7 maps, 44 figs.
- 1626) Higgins, L.G.**, 1955, A descriptive catalogue of the genus *Mellicta* Billberg (Lepidoptera, Nymphalidae) and its species, with supplementary notes on the genera *Melitaea* and *Euphydryas*. Trans. R. ent. Soc. Lond. 106 (1): 1-131, 2 Pls., 4 maps, 88 figs.
- 1627) Higgins, L.G.**, 1964, Butterflies of Lebanon. Entomologist 97: 193-200, Pl.viii.
- 1628) Higgins, L.G.**, 1965, Five new butterflies. Entomologist 98: 10-12.
- 1629) Higgins, L.G.**, 1965, Boisduval, *Europaeorum Lepidopterorum index methodicus*. Entomologist 98: 241-242.
- 1630) Higgins, L.G.**, 1966, Check-List of Turkish Butterflies. Entomologist 99: 209-222, 1 map.
- 1631) Higgins, L.G.**, 1969, A New Genus of European Butterflies (Lycaenidae). Entomologist 102: 67.
- 1632) Higgins, L.G.**, 1975, The classification of European butterflies. 320 pp., 402 text-figs. Collins, London.
- 1633) Higgins, L.G.**, 1978, A Revision of the genus *Euphydryas* Scudder (Lep., Nymphalidae). Entomologist's Gaz. 29: 109-115, 19 figs.
- 1634) Hoberlandt, L.**, 1956, Results of the zoological scientific expedition of the National Museum in Praha to Turkey 18. Hemiptera IV. Terrestrial Hemiptera-Heteroptera of Turkey. Acta ent. Mus. nat. Pragae (Suppl.) 3: 1-264.
- 1635) Hoberlandt, L.**, 1961, Heteroptera collected in Ankara (Turkey) by light trap. Acta ent. Mus. nat. Pragae 34: 393-416, 49 figs.
- 1636) Hoffmann, O.**, [1898], Verzeichniss d. von K. Escherich und Prof. Dr. L. Kathariner bei Angora in Zentral Kleinasien gesammelten Schmetterlinge. Dt. ent. Z., Iris 10: 231-240, figs.
- 1637) Hofmann, A. & W.G. Tremewan**, 1996, A systematic catalogue of the Zygaeninae (Lepidoptera, Zygaenidae). 251 pp. Colchester.
- 1638) Hofmann, A. & W.G. Tremewan**, 2010, A revised check-list of the genus *Zygaena* Fabricius, 1775 (Lepidoptera, Zygaenidae, Zygaeninae), based on the biospecies concept. Entomologist's Gaz. 61: 119-131.
- 1639) Hofmann, A.**, 1983, Beitrag zur Zygaenenfauna Südost-Anatoliens: *Zygaena* (*Mesembrynus*) *manlia* *pjotri* n. subsp.- ein Erstnachweis für die Türkei (Lepidoptera, Zygaenidae). Ent. Z., Frankf. a. M. 93 (9): 113-119, 10 Abb.
- 1640) Hofmann, A.**, 2005, Neue *Zygaena*-Taxa aus Südosteuropa, Vorder- und Zentralasien (Lepidoptera, Zygaenidae). Bonn. zool. Beitr. 53 (1/2) (2004): 81-97, 63 figs.
- 1641) Holik, O. & L. Sheljuzhko**, 1955, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 44/45: 26-158.
- 1642) Holik, O. & L. Sheljuzhko**, 1956, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 46: 93-239.
- 1643) Holik, O. & L. Sheljuzhko**, 1957, Über die Zygaenen-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 47: 143-185.
- 1644) Holik, O.**, 1937, *Zygaena lonicerae* ssp. *kindermanni* Obth. und andere kaukasische und asiatische *Zygaena lonicerae*-Rassen. Festschr. Prof. Dr. Embrik Strand 3: 420-430, Taf. xvii.
- 1645) Holik, O.**, 1938, Biologische Notizen über einige vorderasiatische Zygaenenarten. Mitt. münch. ent. Ges. 28: 388-394, Taf. viii-ix.
- 1646) Holik, O.**, 1938, "Lavanduloide" Zygaenen. Ent. Rdsch. 55: 320-323, 331-333.
- 1647) Holik, O.**, 1939, *Zyg. araratensis* Reiss und *Zyg. mana* Kirby. Ent. Rdsch. 56(8): 70-72, (12): 113-116, (15): 150-153.
- 1648) Holik, O.**, 1949, Über die Gattung *Satyrus* I. Z. wien. ent. Ges. 34: 98-105.
- 1649) Holtz, M.**, 1897, Die Macrolepidopteren-Fauna Ciliciens. Ein Beitrag zur Insektenfauna Kleinasiens. Illte Wschr. Ent. 2: 42-47, 60-63, 77-79, 88-93.

- 1650) Homberg,R.**, 1909, Description d'une nouvelle *Acidalia* (Lep., Geometridae). Bull. Soc. ent. Fr. 1909: 229-230.
- 1651) Honrath,E.G.**, 1891, Eine neue *Notodonta*. Berl. ent. Z. 36 (2): 445, Taf.xv fig.8.
- 1652) Hopffer,C.**, 1865, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 26: 382-398.
- 1653) Hopffer,C.**, 1869, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 30: 427-453.
- 1654) Horstmann,K.**, 1990, Die westpaläarktischen Arten der Gattung *Pristomerus* Curts,1836 (Hymenoptera, Ichneumonidae). Entomofauna 11 (2): 9-44, figs.
- 1655) Horvath,G.v.**, 1894, Hémiptères recueillis dans la Russie méridionale et en Transcaucasie. Revue Ent. 13: 169-189.
- 1656) Horvath,G.v.**, 1894, Hémiptères recueillis dans la Russie meridionale et en Transcaucasie. Revue d'Ent. 13: 169-189, 2 figs.
- 1657) Horvath,G.v.**, 1911, Hemiptera nova vel minus cognita e regione Palaearctica. Ann. Mus. Nat. Hung. 9: 573-610, figs.
- 1658) Horvath,G.v.**, 1875, Monographia Lygaeidarum Hungariae. 109 pp. Budapest.
- 1659) Horvath,G.v.**, 1878, Beitrag zur Hemipteren-Fauna Transkaukasiens. [in] Schneider, Naturwissenschaftliche Beiträe zur Kenntnis der Kaukasusländer auf Grund seiner Sammelbeute Dresden. Jb. naturw. Ges. "Isis" Dresden 1878: 72-76, 85-86.
- 1660) Horvath,G.v.**, 1880, Hemipterologisches aus Transkaukasien. Sber. naturw. Ges. Isis Dresden 1879: 93-97.
- 1661) Horvath,G.v.**, 1881, Hemiptera nova vel minus cognita. Térmes. Füzetek 5: 39-42.
- 1662) Horvath,G.v.**, 1883, Heteroptera anatolica in regione Brussae collecta. Termés. Füzetek 7: 21-30.
- 1663) Horvath,G.v.**, 1889, Beitrag zur Hemipteren-Fauna von Turkmenien. Wien. ent. Ztg. 8: 169-174.
- 1664) Horvath,G.v.**, 1901, Hémiptères du voyage de M. Martinez Escalera dans l'Asie Mineure. Termés. Füzetek 24: 469-485.
- 1665) Horvath,G.v.**, 1903, Conspectus specierum generis *Graphosoma*. Ann. Mus. nat. hung. 1: 345-354.
- 1666) Horvath,G.v.**, 1906, Hemipteren, [in] Penther & Zederbauer, Naturwissenschaftliche Reise zum Erdschias-Dagh. Annln naturh. Mus. Wien 20 (2/3): 179-189.
- 1667) Horvath,G.v.**, 1909, Les *Graphosoma* d'Europe. Ann. Mus. nat. hung. 7: 143-150, figs.
- 1668) Horvath,G.v.**, 1891, Eine neue Hemipterengattung aus der Familie der Lygaeiden. Wien. ent. Ztg. 10 (4): 129-131.
- 1669) Hoskovec,M. & M.Rejzek**, 2009, Cerambycidae of the West Palaearctic Region. <http://www.cerambyx.uochb.cz/cerambyx.htm>
- 1670) Houard,C.**, 1908, Les Zoocécidies des plantes d'Europe et du Bassin de la Méditerranée,Tom 1 Cryptogames, Gymnospermes, Monocotylédones, Dicotylédones. 570pp., 1365 figs. Librairie Scientifique A Hermann, Paris.
- 1671) Ho-Yeon Han & M.Kütük**, 2006, A new species of *Myoleja* Rondani (Diptera, Tephritidae) from Turkey with a key to the known species of the genus. Zootaxa 1155: 25-33, figs.
- 1672) Hölzel,H.**, 1967, Zwei neue *Chrysopa*-Arten aus Anatolien (Neuroptera, Chrysopidae). NachrBl. bayer. Ent. 16 (9/10): 92-95, figs.
- 1673) Hölzel,H.**, 1967, Die Neuropteren Vorderasiens II. Chrysopidae. Beitr. naturk. Forsch. SW-Dtl. 26 (1): 19-45, figs.
- 1674) Hölzel,H.**, 1968, Die Neuropteren Vorderasiens III. Nemopteridae. Beitr. naturk. Forsch. SW-Dtl. 27 (1): 37-47, figs.
- 1675) Hölzel,H.**, 1972, Die Neuropteren Vorderasiens IV Myrmeleonidae. Beitr. naturk. Forsch. SWDtl. (Beiheft 1): 3-103, Abb.
- 1676) Hradsky,M. & F.Geller-Grimm**, 1997, Eine neue Art aus der Gattung *Stiphrolamyra* (Diptera, Asilidae, Laphriinae). Studia dipterol. 4 (1): 193-196, figs.
- 1677) Hreblay,M.**, 1992, Revision der Gattung *Valerietta* Draudt,1938. Esperiana 3: 235-241, 14 Abb.
- 1678) Hreblay,M.**, 1992, Paläarktische Taxa der *Mythimna* (*Aletia*) *pallens* L.- *impura* Hb.- Artengruppe (Lepidoptera, Noctuidae). Esperiana 3: 513-529, Taf., figs.
- 1679) Hreblay,M.**, 1992, Neue Taxa und Synonyme der Gattung *Conistra* Hübner,[1821] (Lepidoptera, Noctuidae). Esperiana 3: 531-544, figs.
- 1680) Hreblay,M.**, 1996, Neue paläarktische Taxa aus der Gattung *Perigrappa* Lederer,1857 (Lepidoptera, Noctuidae). Esperiana 4: 65-94, 90 Abb., Taf.
- 1681) Huber,K. & D.Stengel**, [1990], Eine neue Subspezies von *Chelis maculosa* (Gerning,1780) aus Griechenland Lepidoptera, Arctiidae). Atalanta 20 (1989): 191-196, figs.
- 1682) Huddleston,T.**, 1980, A revision of the Western Palaearctic species of the genus *Meteorus* (Hymenoptera, Braconidae). Bull. Br. Mus. nat. Hist. (Ent.) 41 (1): 1-58, figs.
- 1683) Huemer,P. & O.Karsholt**, 1999, Gelechiidae I (Gelechiinae: Teleiodini, Gelechiini), [in] Huemer,P. Karsholt,O. & L. Lyneborg, Microlepidoptera of Europe vol.3., 356pp., Pls., Stenstrup.

- 1684) Huemer,P.**, 1988, Kleinschmetterlinge an Rosaceae unter besonderer Berücksichtigung ihrer Vertikalverbreitung (excl. Hepialidae, Cossidae, Zygaenidae, Psychidae und Sesiidae). Neue ent. Nachr. 20: 1-376, 81 Abb.
- 1685) Huemer,P.**, 1989, Neue und wenig bekannte Arten der Gattung *Caryocolum* Gregor & Povolny, 1954 aus Südwestasien (Lepidoptera, Gelechiidae). Mitt. münch. ent. Ges. 79: 127-142, 46 Abb.
- 1686) Huemer,P.**, 1992, Der *Teleiodes vulgella*-Artenkomplex in Europa (Lepidoptera, Gelechiidae). Z. ArbGem. öst. Ent. 44(1/2): 1-14, 33 Abb.
- 1687) Huemer,P., Karsholt,O. & W.Sauter**, 1996, The genus *Epiparasia* Rebel, 1914 in Spain (Lepidoptera, Gelechiidae). Shilap 24(96): 341-345, 9 figs.
- 1688) Hufnagel**, 1766, Tabelle von den Tagvögeln der Gegend um Berlin. Berl. Mag. 2: 54-90.
- 1689) Hufnagel**, 1766, Dritte Tabelle von den Nachtvögeln (*Bombyx*) der Gegend um Berlin. Berl. Mag. 2: 391-437.
- 1690) Hufnagel**, 1767, Vierte Tabelle von den Nachtvögeln (*Noctua*) der Gegend um Berlin. Berl. Mag. 3: 202-215, 279-309, 393-426.
- 1691) Hufnagel**, 1768, Fortsetzung der Tabelle von den Nachtvögeln (*Geometra*). Berl. Mag. 4: 504-527, 599-626.
- 1692) Hull,F.M.**, 1973, Bee Flies of the World, the genera of the family Bombyliidae. xiv+687 pp. Smithsonian Institution Press, City of Washington.
- 1693) Hundsdoerfer, A.K., Kitching,I. & M.Wink**, 2005, A molecular phylogeny of the Hawkmoth genus *Hyles* (Lepidoptera, Sphingidae, Macroglossinae). Mol. Phylog. Evol. 35: 442-458, figs.
- 1694) Hurkmans,W. & R.Hayat**, 1997, Ethology and ecology of *Merodon* (Diptera, Syrphidae) in Turkey II. Descriptions of new species and notes on other syrphid flies. Dipterist Digest 3: 62-79.
- 1695) Hurkmans,W.**, 1987, *Merodon telmateia*, a new hoverfly from Turkey (Diptera, Syrphidae). Ent. Ber., Amst. 45: 69-70.
- 1696) Hurkmans,W.**, 1988, Ethology and ecology of *Merodon* in Turkey (Diptera, Syrphidae). Ent. Ber., Amst. 48: 107-114.
- 1697) Hurkmans,W.**, 1993, A monograph of *Merodon* (Diptera, Syrphidae) Part 1. Tijdschr. Ent. 136: 147-234, 106 figs.
- 1698) Hurkmans,W., Hayat,R. & H.Özbek**, 1997, Insect and plants of a marsh at Küçükgeçit, Aşkale, Erzurum, Turkey: A preview on preservation. Turk Ent. Derg. 21 (2): 95-108.
- 1699) Hübner,J.**, 1790, Beiträge zur Geschichte der Schmetterlinge [134 pp.], 16 pls. Augsburg.
- 1700) Hübner,J.**, 1793, Sammlung auserlesener Vögel und Schmetterlinge. 16pp., 100 Pls., Augsburg.
- 1701) Hübner,J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortrices: 53 Pls., Augsburg.
- 1702) Hübner,J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralides: 32 Pls., Augsburg.
- 1703) Hübner,J.**, 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineae: 71 Pls., Augsburg.
- 1704) Hübner,J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Sphinges: 38 Pls., Augsburg.
- 1705) Hübner,J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg.
- 1706) Hübner,J.**, 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg.
- 1707) Hübner,J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg.
- 1708) Hübner,J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 9, Alucitae: 7 Pls., Augsburg.
- 1709) Hübner,J.**, 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg.
- 1710) Hübner,J.**, 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg.
- 1711) Hübner,J.**, 1822, Systematisch -alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburscher Gattungen. 81 pp. Augsburg.
- 1712) Hüseyinoğlu,Y.**, 1999, Sincanlı (Afyon) Papilionoidea ve Hesperioidea faunası üzerine araştırmalar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 60: 1-8.
- 1713) I.Özdemir, Remaudière,G., Toros,S. & N.Kılınçer**, 2005, New Aphid records from Turkey including the description of a new *Lachnus* species (Hemiptera, Aphididae). Revue fr. Ent. (N.S.) 27 (3): 97-102, figs.
- 1714) Igarashi,S.**, 1971, *Protapatura iwasei*; a new Nymphalid butterfly from Kurdistan, the Northern Iraq (Nymphalidae). Tyo to Ga 22 (1/2): 14-17, 6 figs.
- 1715) Igarashi,S.**, 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34 (29): 41-96.

- 1716) Ignatyev, N.N. & T.J. Witt**, 2007, A review of *Eilema* Hübner, 1819 of Russia and adjacent territories, Part 1. The *Eilema griseola* (Hübner, 1803) species group (Arctiidae, Lithosiinae). *Nota lepid.* 30 (1): 25-43, figs.
- 1717) Ignatyev, N.N. & V.V. Zolotuhin**, 2005, A review of syntomids (Lepidoptera, Syntomidae) of Russia and adjacent territories. Part 1. Genus *Syntomis* Ochsenheimer, 1808. *Eversmannia* 2005 (3/4): 28-54, figs.
- 1718) Insom, E. & S. Carfi**, 1988, Taxonomic studies on Palparini (sensu Markl, 1954) I. The genus *Palpares* Rambur, 1842 partim (Neuroptera, Myrmeleontidae) with the proposal of its division and description of new genera. *Neur. Int.* 5 (2): 57-78.
- 1719) Insom, E. & S. Carfi**, 1988, *Parapalpares somalicus* (Neuroptera, Myrmeleontidae) new genus and new species from Somalia. *Neur. Int.* 5 (2): 83-88, figs.
- 1720) İnanç, F. & A. Beyarslan**, 1997, Gaziantep ve Şanlıurfa illerinin bazı yörelerinden toplanan Microgastrinae (Hymenoptera, Braconidae) türleri. *Türk. ent. derg.* 21 (3): 213-223, 3 şekil.
- 1721) İnanç, F. & A. Beyarslan**, 2001, Die Microgastrinae-Fauna der Ost-Marmara Region der Türkei (Hymenoptera, Braconidae). *Entomofauna* 22 (11): 221-243.
- 1722) İnanç, F.**, 2002, *Cotesia pappi* sp.n. (Hymenoptera, Braconidae, Microgastrinae) from Turkey. *Acta zool. hung.* 48 (2): 157-160, figs.
- 1723) İncekara, Ü., Mart, A. & O. Erman**, 2003, Check list of the Hydrophilidae (Coleoptera) species of Turkey and a new record for the Turkish fauna [with numerous incorrect spellings]. *Türk. J. Zool.* 27: 47-53.
- 1724) İncekara, Ü., Mart, A. & O. Erman**, 2005, *Helophorus erzurumicus* sp.n., a new species from Turkey and some notes on *H. ponticus* Angus, 1888 (Coleoptera, Hydrophilidae). *Aquatic Insects* 27 (1): 43-46, figs.
- 1725) Jäch, M.A.**, 1989, Revision of the palaearctic species of the genus *Ochthebius* Leach II. The subgenus *Cobalius* Rey (Hydraenidae, Coleoptera). *Z. ArbGem. öst. Ent.* 41 (1/2): 41-50, figs.
- 1726) Jäch, M.A., Kasapoğlu, A. & O. Erman**, 2003, Revision of the Palaearctic species of the genus *Ochthebius* Leach (Coleoptera, Hydraenidae) XX. Description of two species of the subgenus *Asiobates* Thomson from Northeastern Turkey. *Aquatic Insects* 25 (1): 71-74, figs.
- 1727) Jachontov, A.A.**, 1935, Our Butterflies. Moscow.
- 1728) Jäckh, E.**, 1977, Bearbeitung der Gattung *Scythris* Hübner (Lepidoptera, Scythrididae) 1. Die "grandipennis-Gruppe". *Dt. ent. Z. (N.F.)* 24(1/3): 261-271, 11 Taf.
- 1729) Jäckh, E.**, 1978, Bearbeitung der Gattung *Scythris* Hübner (Lepidoptera, Scythrididae) (Fortsetzung). *Dt. ent. Z. (N.F.)* 25: 71-89, 21 Taf.
- 1730) Jacobs, H.-J.**, 2005, *Lindenius anatolicus* Beaumont 1967 - erstnachweis in Europa und weitere Angaben zur Grabwespenfauna Bulgariens (Hymenoptera, Sphecidae, Crabronidae). *Linzer biol. Beitr.* 37 (1): 435-456, 1 Abb.
- 1731) Jaennicke, F.**, 1866, Beiträge zur Kenntniss der europäischen Stratiomyden, Xylophagiden u. Coenomyiden sowie Nachtrag zu den Tabaniden. *Berl. ent. Z.* 10: 217-236.
- 1732) Jago, N.D.**, 1963, A revision of the genus *Calliptamus* Serville (Orthoptera, Acrididae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 13 (9): 287-350, 26 text-figs.
- 1733) Janssens, E.**, 1968, Asilidae (Diptera) de Turquie. *Bull. Inst. R. Sci. nat. Belg.* 44 (2): 1-13; *ibid.* 44 (33): 1-8.
- 1734) Jansson, A.**, 1983, Three new palaearctic species of *Sigara* (Subsigara) (Heteroptera, Corixidae). *Ann. ent. fenn.* 49: 65-70, figs.
- 1735) Jansson, A.**, 1986, The Corixidae (Heteroptera) of Europe and some adjacent regions. *Acta ent. fenn.* 47: 1-94, figs.
- 1736) Japoshvili, G.O. & I. Karaca**, 2003, New records of encyrtid parasitoids of *Kermes palestiniensis* Balachowsky (Hemiptera, Kermesidae) with the description of a new species of *Blastothrix* Mayr (Hymenoptera, Encyrtidae) from Turkey. *Ent. News* 114 (4): 187-191, figs.
- 1737) Japoshvili, G.O. & I. Karaca**, 2010, List of Vespidae, Scoliidae and Tiphidae (Hymenoptera) of Gölcük Natural Park in Isparta Province, Turkey. *SDU J. Sci.* 5 (2): 194-199.
- 1738) Japoshvili, G.O. & J.S. Noyes**, 2006, The Western Palaearctic species of *Psilophrys* Mayr (Hymenoptera, Chalcidoidea, Encyrtidae), parasitoids of kermesids (Hemiptera, Coccoidea, Kermesidae) attacking oaks (*Quercus* spp.). *J. Nat. Hist.* 40 (29-31): 1793-1800, figs.
- 1739) Jaworski, T.**, 2009, *Caloptilia robustella* Jäckh, 1972 and *Caloptilia* (Povolnya) *leucapennella* (Stephens, 1835) in Turkey (Lepidoptera, Gracillariidae). *Cesa News* 49: 42-44, 3 figs.
- 1740) Jedlicka, A.**, 1963, Neue Carabiden Anatolien und vom Balkan. *Koleopt. Rdsch.* 40/41: 16-22, figs.
- 1741) Jelinek, J. & K. Spornraft**, 1979, Die westpalaearktischen Arten der umbrosus-Gruppe der Gattung *Meligethes* Steph. (Coleoptera, Nitidulidae). *Mitt. münch. ent. Ges.* 68: 1-11, figs.
- 1742) Johansson, R.**, 1971, Notes on the Nepticulidae (Lepidoptera) I. A revision of the *Nepticula ruficapitella* group. *Ent. scand.* 2: 241-262, figs.

- 1743) John, O.**, 1910, Eine Revision der Gattung *Leucanitis* Gn. Horae Soc. ent. ross. 39: 585-633, Taf. xvi-xxiii, 5 textfigs.
- 1744) Johnson, G.**, 1967, Butterfly Expedition to Iran, 1966. Entomologist's Rec. J. Var. 79: 35-42.
- 1745) Jong, R.de**, 1972, Systematics and geographic history of the genus *Pyrgus* in the Palaearctic Region (Lepidoptera, HesperIIDae). Tijdschr. Ent. 115 (1): 1-121, 60 textfigs., 6 Pls.
- 1746) Jong, R.de**, 1974, Notes on the genus *Carcharodus* (Lepidoptera, HesperIIDae). Zool. Meded. 48: 1-9, figs.
- 1747) Jong, R.de**, 1976, Affinities between the West palaearctic and Ethiopian butterfly faunas. Tijdschr. Ent. 119: 165-215, maps.
- 1748) Jong, R.de**, 1978, Monograph of the genus *Spialia* Swinhoe (Lepidoptera, HesperIIDae). Tijdschr. Ent. 121: 23-146.
- 1749) Jong, R.de**, 1984, Notes on the genus *Thymelicus* Hübner (Lepidoptera, HesperIIDae). Nota lepid. 7 (2): 148-163, 31 figs.
- 1750) Jordan, K.**, 1907, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-17, pls. 1-3.
- 1751) Jordan, K.**, 1907, Familie: Papilionidae, Segelfalter. [in] Seitz, A., Die Gross-Schmett. Erde 5: 11-45, pls. 1-17.
- 1752) Jordan, K.**, 1909, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart.
- 1753) Jordan, K.**, 1923, On *Anaitis efformata* Guen. (1858), a species distinct from *A. plagiata* L. (1758). Novit. zool. 30: 243-246, 9 figs.
- 1754) Jordan, K.**, 1939, On the constancy and variability of the differences between the Old World species of *Utetheisa* (Lepid., ArctIIDae). Novit. zool. 41: 251-291, 30 figs.
- 1755) Junge, G., Naumann, C.M. & K. Rose**, 1977, Ein weiterer Beitrag zur Zygaenen-Fauna Kappadokiens (Lep., Zygaenidae). Atalanta 8 (4): 282-289, 8 figs.
- 1756) Junnilainen, J.**, 2002, Three new species of Scythrididae from Central Turkey (Lepidoptera, Scythrididae). Ent. fenn. 13: 146-152, figs.
- 1757) Junnilainen, J., Karsholt, O., Nupponen, K., Kaitila, J.-P., Nupponen, T. & V. Olschwang**, 2010, The gelechiid fauna of the southern Ural Mountains, part II: list of recorded species with taxonomic notes (Lepidoptera, Gelechiidae). Zootaxa 2367: 1-68, figs.
- 1758) Kaçar, G. & M.R. Ulusoy**, 2008, Doğu Akdeniz Bölgesi'nde yeni bir zeytin zararlısı karanfil yaprakbükenei, *Cacoecimorpha pronubana* (Hübner) 1796-1799 (Lepidoptera, Tortricidae). Türk. ent. Derg. 32 (3): 211-223, figs.
- 1759) Kaila, L. & A. Albrecht**, 1994, The classification of the *Timandra griseata* group (Lepidoptera, Geometridae, Sterrhinae). Ent. scand. 25: 461-479, figs.
- 1760) Kaila, L.**, 2009, Notes on the genus *Perittia* of the West Palaearctic region with descriptions of three new species (Lepidoptera, Elachistidae). Zootaxa 2230: 16-28, figs.
- 1761) Kalchberg, A.F.**, [1897], Ueber die Lepidopteren-Fauna von Haifa in Syrien. Dt. ent. Z., Iris 10: 161-190.
- 1762) Kalkandelen, A.**, 1985, Four new species of genus *Zyginidia* (Zyginidia) Haupt (Homoptera, Cicadellidae) and with notes on the taxonomy and distributions of the species of this genus in Turkey. Türk. bitki kor. derg. 9: 13-25, figs.
- 1763) Kalkandelen, A.**, 1987, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar I. Familyaların morfolojik özellikleri ve cins teşhis anahtarı. Bitki Kor. Bül. 27 (3/4): 119-146, 10 şekil.
- 1764) Kalkandelen, A.**, 1988, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar II. Cixiini; Cixius ve Tachycixius. Bitki Kor. Bül. 28 (3/4): 113-140, 10 şekil.
- 1765) Kalkandelen, A.**, 1989, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar III. Cixiini: Myndus, Hemitropis ve Bitropis. Bitki Kor. Bül. 29 (1/2): 1-17, 4 şekil.
- 1766) Kalkandelen, A.**, 1989, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar IV. Pentastrini: Pseudoliarus ve Eumecurus. Bitki Kor. Bül. 29 (3/4): 117-132, 8 şekil.
- 1767) Kalkandelen, A.**, 1990, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar V. Pentastrini: Pentastridius ve Setapius. Bitki Kor. Bül. 30 (1/4): 1-27, 15 şekil.
- 1768) Kalkandelen, A.**, 1993, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar VI. Pentastrini: Pentastira Kirschbaum. Bitki Kor. Bül. 33 (3/4): 65-82, 8 şekil.
- 1769) Kalkandelen, A.**, 2000, Türkiye Cixiidae (Homoptera) türleri üzerinde taksonomik çalışmalar VII. Pentastrini: Hyalesthes Signoret. Bitki Kor. Bül. 40 (3/4): 91-123, 13 şekil.
- 1770) Kalkman, V.J., Wasscher, M. & G.J. van Pelt**, 2003, An annotated checklist of the Odonata of Turkey. Odonatologica 32 (3): 215-236.
- 1771) Kallies, A. & K. Spatenka**, 2003, The Clearwing Moths of Iran (Lepidoptera, Sesiidae). Linneana Belg. 19 (2): 81-94; 19 (3): 119-126, 22 figs.
- 1772) Kallies, A. & M. Petersen**, 1995, *Chamaesphecia tahira* sp.n. - eine neue Glasflüglerart aus Ostanatolien (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo N.F. 16(1): 75-80, figs.

- 1773) Kallies,A.**, 2001, Revision of the *Brachodes pumila* (Ochsenheimer,1808) species-group (Sesiioidea, Brachodidae). *Nota lepid.* 24 (1/2): 7-19, figs.
- 1774) Kallies,A.**, 2003, *Synanthedon pamphyli* sp.n. from Southern Turkey with a comparative analysis of mitochondrial DNA of related species (Sesiidae). *Nota lepid.* 26 (1/2): 27-34, figs.
- 1775) Kallies,A., Petersen,M. & H.G.Riefenstahl**, 1998, Drei neue Glasflüglerarten aus Anatolien (Lepidoptera, Sesiidae). *Esperiana* 6: 56-62, Taf.
- 1776) Kaltenbach,A.**, 1967, Unterlagen für eine Monographie der Saginae I. Superrevision der Gattung *Saga* Charpentier (Saltatoria, Tettigoniidae). *Beitr. Ent.* 17 (1/2): 3-107, figs.
- 1777) Kameneva,E.P.**, 2008, New and little-known Ulidiidae (Diptera, Tephritoidea) from Europe. *Vestn. zool.* 42 (5): 45-72, figs.
- 1778) Kandul,N.P. & V.A.Lukhtanov**, 1997, Karyotype variability and systematics of the blue butterflies of the species groups *Polyommatus* (*Agrodiaetus*) *poseidon* and *P. (A.) dama* (Lepidoptera, Lycaenidae). *Zool. Zh.* 76 (1): 63-69.
- 1779) Kandul,N.P., et al.**, 2004, Phylogeny of *Agrodiaetus* Hübner,1822 (Lepidoptera, Lycaenidae) inferred from mtDNA sequences of COI and COII and nuclear sequences of EF1- α : Karyotype diversification and species radiation. *Syst. Biol.* 53 (2): 278-298.
- 1780) Kansu,İ.A.**, 1955, Orta Anadolu Meyva Ağaçlarına Zarar Veren Bazı Makrolepidoptera Türlerinin Evsafı ve Kısa Biyolojileri Üzerine Araştırmalar. Ziraat Vekaleti Neşriyatı ve Haberleşme Müdürlüğü, yayın no.704, Ankara.
- 1781) Kansu,İ.A.**, 1961, Lepidoptera pest of fruit trees in Ankara and its vicinity. *Yb. Fac. Agric. Univ. Ankara* 1961: 57-68.
- 1782) Kansu,İ.A.**, 1961, Türkiye Lepidoptera faunası için ilkel liste - I. Bitki Koruma Bült. 2 (10): 3-6, şekil.
- 1783) Kansu,İ.A.**, 1962, Meyva ağaçlarına zarar veren bir tür *Amorphogynia necessaria* Z. *Yb. Fac. Agric. Univ. Ankara* 1962 (3/4): 300-310.
- 1784) Kansu,İ.A.**, 1963, Türkiye Lepidoptera faunası için ilkel liste - V. Bitki Koruma Bült. 3 (3): 208-223, 65-94 şekil.
- 1785) Kansu,İ.A.**, 1963, Türkiye'de tespit edilen *Arctia* türlerinin yapı özellikleri üzerine bir inceleme. *Türk. Biol. Derg.* 13 (4): 125-135, şekil.
- 1786) Kansu,İ.A.**, 1963, Murgul'da tespit edilen Lepidoptera türleri üzerine araştırmalar. *Ank. Üniv. Zir. Fak., Yay. No.212*, 91 S.
- 1787) Kansu,İ.A.**, 1963, Türkiye Lepidoptera faunası için ilkel liste - II. Bitki Koruma Bült. 3 (1): 3-7.
- 1788) Kansu,İ.A.**, 1963, Türkiye Lepidoptera faunası için ilkel liste - III. Bitki Koruma Bült. 3 (2): 83-99, 40 şekil.
- 1789) Kansu,İ.A.**, 1963, Türkiye Lepidoptera faunası için ilkel liste - IV. Bitki Koruma Bült. 3 (3): 195-207, 64 şekil.
- 1790) Kansu,İ.A.**, 1964, Biological notes on Microlepidoptera from Ankara. *Univ. Ankara Yb. Fac. Agric.* 1963: 157-165.
- 1791) Kansu,İ.A.**, 1964, Türkiye Pyralidae (Lepidoptera) faunasının tespiti için yapılan toplamalara ait bazı notlar. *Türk Biol. Derg.* 14 (3): 13-19.
- 1792) Kansu,İ.A.**, 1965, Short notes on some Pyralids from Turkey. *Yb. Fac. Agric. Univ. Ankara* 1965: 32-40.
- 1793) Kansu,İ.A.**, 1966, Türkiye Lepidoptera faunası için ilkel liste - VI. Bitki Koruma Bült. 6 (2): 73-75.
- 1794) Kara,K. & H.-P.Tschorsnig**, 2003, Host catalogue for the Turkish Tachinidae (Diptera). *J. Appl. Ent.* 127: 465-476.
- 1795) Kara,K. & S.Aksu**, 2008, Contributions to the Turkish Tachinidae (Diptera) fauna. *Turk. J. Zool.* 32: 227-228.
- 1796) Kara,K. & T.Pape**, 2002, Check list of Turkish Sarcophagidae (Insecta, Diptera) with new records. *Mitt. Mus. Nat. kd. Berl., Dt. ent. Z.* 49 (2): 291-295.
- 1797) Kara,K.**, 2001, Additions to the fauna of Turkish Tachinidae (Insecta, Diptera). *Zool. Middle East* 23: 85-88.
- 1798) Kara,K.**, 2002, Contributions to the Turkish Tachinidae (Insecta, Diptera). *Zool. Middle East* 27: 118-119.
- 1799) Kara,K., Gözüaık,C. & C.Mart**, 2007, Tachinid parasitoids (Diptera, Tachinidae) of *Mythimna* (*Acantholeucania*) *lorei* in Southeast Anatolian Region of Turkey. *Phytoparasitica* 35: 136-139.
- 1800) Kara,K., Korkmaz,Y. & S.Kırkoğlu**, 2010, New records for Turkish Tachinidae (Diptera) fauna. *Turk. J. Zool.* 34: 275-277.
- 1801) Karabağ,T.**, 1950, Five new species of *Poecilimon* Fischer (Orthoptera, Tettigoniidae) from Turkey. *Proc. R. ent. Soc. London (B)* 19: 157-161, figs.
- 1802) Karabağ,T.**, 1953, Some new Orthoptera from Turkey. *Eos* 29: 177-200, figs.
- 1803) Karabağ,T.**, 1956, The genus *Phonochorion* Uvarov (Orthoptera, Tettigoniidae). *Proc. R. ent. Soc. London (B)* 25 (3/4): 49-52, figs.

- 1804) Karabağ,T.**, 1956, Some new and less known Tettigoniidae (Orthoptera) from Turkey. *Communs Fac. Sci. Univ. Ankara (C)* 5: 1-19, figs.
- 1805) Karabağ,T.**, 1957, Some new Orthoptera from Turkey. *Communs Fac. Sci. Univ. Ankara (C)* 8: 13-18, figs.
- 1806) Karabağ,T.**, 1958, Türkiye'nin Orthoptera faunası. T.C. Ankara Üniversitesi Fen Fakültesi Yayınları Um.81, Zooloji 4. 198 s., 1 harita. İstanbul.
- 1807) Karabağ,T.**, 1961, Revision of Drymadusa Stein and related genera (Orthoptera, Tettigoniidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 11 (1): 1-41, figs.
- 1808) Karabağ,T.**, 1962, Some new and little known Phaneropterinae (Orthoptera, Tettigoniidae) from Turkey. *Proc. R. ent. Soc. London (B)* 31: 4-10, figs.
- 1809) Karabağ,T.**, 1964, Some new species and new records of Tettigoniidae (Orthoptera) from Turkey. *Communs Fac. Sci. Univ. Ankara (C)* 13: 36-55, figs.
- 1810) Karabağ,T.**, 1975, Studies in the Turkish Orthoptera (Insecta) I. New species and less known Tettigoniidae. *J. Nat. Hist.* 9 (3): 337-350, figs.
- 1811) Karabağ,T., Balamir,S., Gümüşsuyu,I. & E.Tutkun**, 1971, Türkiye Orthoptera faunasının tespiti üzerinde araştırmalar (I). *Bitki Kor. Bült.* 11: 73-98.
- 1812) Karabağ,T., Balamir,S., Gümüşsuyu,I. & E.Tutkun**, 1974, Türkiye Orthoptera faunasının tespiti üzerinde araştırmalar (II). *Bitki Kor. Bült.* 14 (1): 3-18.
- 1813) Karabağ,T., Gümüşsuyu,I. & E.Tutkun**, 1980, Türkiye Orthoptera faunasının tespiti üzerinde araştırmalar. *Bitki Kor. Bült.* 20: 1-25.
- 1814) Karaca,U.**, 2008, List of the butterflies of the Kırklareli Province (N.W.Turkey). *Cesa News* 29: 11-14.
- 1815) Karaçetin,E. & H.J.Welch**, 2011, Türkiye'deki kelebeklerin kırmızı kitabı. Doğa Koruma Merkezi, Ankara. [Seemingly popular book written untimely by inexperienced authors. Its bibliography has a value to some degree. Misleading and non-scientific sides will be dealt with by us later].
- 1816) Karaman,Ş. & S.Tezcan**, 1998, Contribution to the study of the genus *Anthaxia* (subgenus *Anthaxia* s.str.) Eschscholtz,1829 (Coleoptera, Buprestidae) of Turkey. *Türk. ent. derg.* 22 (1): 19-35.
- 1817) Karatepe,Y.**, 2003, Gelibolu Yarımadası Tarihi Milli Parkının Lepidoptera türleri. Süleyman Demirel Univ. Ankara Fak. Derg. (A) 1: 167-180.
- 1818) Karisch,T. & M.Stanescu**, 2005, On the presence of *Acleris boscanoides* Razowski,1959 and *Dichrorampha baixerana* Trematerra,1991 (Lepidoptera, Tortricidae) in Romania. *Trav. Mus. Nat. Hist. Nat. "Grigore Antipa"* 48: 203-211, figs.
- 1819) Karisch,T.**, 2003, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau VII. Die *Cochylini* (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas (Nachtrag) mit Beschreibung von zwei neuen Arten. *Naturw. Beitr. Mus. Dessau* 15: 121-129, Taf.8.
- 1820) Karisch,T.**, 2004, On the identity of *Epinotia berolinensis* (Amsel,1932) (Tortricidae, Olethreutinae). *Nota lepid.* 27 (2/3): 193-194, 2 figs.
- 1821) Karisch,T.**, 2005, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau X. Die *Cnephasiini* (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas (Teil 1). *Naturw. Beitr. Mus. Dessau* 17: 91-94.
- 1822) Karisch,T.**, 2005, Zur Kenntnis von *Aethes cremonana* (Ragonot,1894) und ähnlicher Arten der Gattung *Aethes* Billberg,1825 [sic] (Lepidoptera, Tortricidae, *Cochylini*). *Entomofauna* 26 (5): 45-56, figs.
- 1823) Karsavuran,Y. & Ş.Güçlü**, 2004, Türkiye faunası için yeni bir zararlı tür, *Metcalfa pruinosa* (Say,1830) (Homoptera, Flatidae). *Türk. ent. derg.* 28 (3): 209-212.
- 1824) Karsavuran,Y., Pehlivan,E., Tezcan,S. & A.Y.Kılıç**, 2005, Notes on Tabanidae (Diptera) fauna of Turkey. *Türk. ent. derg.* 29 (3): 187-195.
- 1825) Karsholt,O. & J.Razowski (eds)**, 1996, The Lepidoptera of Europe, A Distributional Checklist. 380 pp., Apollo Books, Stenstrup.
- 1826) Karsholt,O. & T.Rutten**, 2005, The genus *Bryotropha* Heinemann in the Western Palaearctic (Lepidoptera, Gelechiidae). *Tijdschr. Ent.* 148: 77-207, 422 figs.
- 1827) Kartal,V. & Ü.Zeybekoğlu**, 1994, A new species *Allygidius nihati* n.sp. (Hom. Auch., Cicadellidae) from Turkey. *Turk. J. Zool.* 18: 259-261.
- 1828) Kartal,V. & Ü.Zeybekoğlu**, 1999, *Cicadatra hyalina* (Fabricius,1798) (Homoptera, Cicadidae) türü üzerine taksonomik bir araştırma. *Tr. J. Zool.* 23 (1): 63-66, şekil.
- 1829) Kartal,V. Zeybekoğlu,Ü. & A.Dursun**, 2001, A faunistic study on *Deltoccephalinae* (Homoptera, Auchenorrhyncha, Cicadellidae) in Yüksekova (Hakkari). *Türk. ent. Derg.* 25 (2): 83-92.
- 1830) Kartal,V.**, 1980, Neue und wenig bekannte Arten den Gattungen *Cicadetta* und *Cicadatra* aus dem Irak und der Türkei (Homoptera, Auchenorrhyncha, Cicadidae). *Ent. Z., Frankf. a.M.* 90 (17): 185-192, 4 Abb.
- 1831) Kartal,V.**, 1983, Neue Homopteren aus der Türkei II (Homptera, Auchenorrhyncha). *Marb. ent. Publ.* 1 (8): 235-248, figs.

- 1832) Kartal,V.**, 1987, Eine neue und wenig bekannte Arten der Gattung *Ranissus* aus der Türkei (Homoptera, Auchenorrhyncha, Dictyopharidae). *Türk. ent. derg.* 11 (3): 145-150, figs.
- 1833) Karz,K.**, 1988, Eine neue Sichelschrecke (Phaneroptera) aus der Türkei (Saltatoptera, Ensifera, Tettigoniidae [sic!], Phaneropterinae). *Articulata* 3 (4): 137-138, 5 figs.
- 1834) Kasatkin,D.G.**, 2011, A new species of the genus *Phytoecia* Dejean,1835 (Coleoptera, Cerambycidae) from Eastern Turkey. *Cauc. ent. Bull.* 7 (2): 143-144, 2 pls.
- 1835) Kasperek,M.**, 1993, A record of the plain tiger, *Danaus chrysippus* in Western Anatolia. *Zool. Middle East* 9: 81-82.
- 1836) Kasparyan,D.R. & L.Gültekin**, 2002, First records of two ichneumonid wasps from Northeastern Turkey (Hymenoptera, Ichneumonidae). *Zoosyst. ross.* 11 (1): 218.
- 1837) Kasy,F.**, 1969, Vorläufige Revision der Gattung *Ascalenia* Wocke (Lepidoptera, Walshidae). *Annln naturh. Mus. Wien* 73: 339-375, figs.
- 1838) Kasy,F.**, 1979, Beitrag zur Kenntnis der Gattung *Tortilia* Chrétien (Lepidoptera, Oecophoridae). *Annln naturh. Mus. Wien* 82: 533-539,figs.
- 1839) Kaszab,Z.**, 1968, Ergebnisse zoologische Sammelreisen in der Türkei. Coleoptera: Meloidae. *Annln. naturh. Mus. Wien* 72: 443-450.
- 1840) Kataev,B.M. & D.W.Wrase**, 1997, New taxa of the genus *Harpalus* Latr. from China and Turkey (Coleoptera, Carabidae). *Linzer biol. Beitr.* 29 (2): 991-1014, 74 figs.
- 1841) Katılmış,Y. & S.Kiyak**, 2008, Checklist of Cynipidae of Turkey with a new genus record. *J. Nat. Hist.* 42: 2161-2167.
- 1842) Katılmış,Y. & S.Kiyak**, 2009, *Aphelonyx persica*: a new record from Turkey, with some new host records. *Phytoparasitica* 37 (1): 95-97.
- 1843) Kayci,L. & M.Fidan**, 2010, *Chazaria incarnata* (Freyer,1838) türünün biyolojisi ve yayılış hakkında notlar (Lepidoptera, Noctuidae). *Cesa News* 59: 55-59, 6 şekil.
- 1844) Kayci,L.**, 2007, Studies on the fauna and ecology of Papilionoidea and Hesperioidea in Ereğli Mountain (Van). *Cent. ent. Stud., Priamus (suppl.)* 6: 1-47.
- 1845) Kaygin,A.T., Görür,G. & F.Cota**, 2010, New records of aphid fauna in Turkey. *J. Ins. Sci.* 10 (5) 1-4, 1 fig. <online: <http://www.insectscience.org/10.5> >
- 1846) Kazancı,N. & Ö.Ertunç**, 2008, Checklist of the Simuliidae (Insecta, Diptera) of Turkey. *Review Hydrobiol.* 2: 129-144.
- 1847) Kazancı,N. & Ö.Ertunç**, 2008, On the Simuliidae (Insecta, Diptera) fauna of Turkey. *Rev. Hydrobiol.* 1: 27-36.
- 1848) Kazancı,N. & S.Girgin**, 2008, Ankara Çayı'nın Ephemeroptera, Plecoptera ve Odonata (Insecta) faunası. *Rev. Hydrobiol.* 1: 37-44.
- 1849) Kazancı,N.**, 1983, Plecoptera (Insecta) from Anatolia. *Aquatic Insects* 5 (3): 141-146, figs.
- 1850) Kazancı,N.**, 1985, *Leuctra brachyptera*, a new stonefly from Turkey (Plecoptera, Leuctridae). *Aquatic Insects* 7 (1): 49-52, figs.
- 1851) Kazancı,N.**, 1999, A new apterous *Leuctra* (Plecoptera) species from Turkey. *Aquatic Insects* 21 (4): 267-271, 2 figs.
- 1852) Kazancı,N.**, 2000, On the Taeniopterygidae (Plecoptera) fauna of Turkey. *Aquatic Insects* 22 (3): 171-176, 10 figs.
- 1853) Kazancı,N.**, 2000, *Brachyptera berkii*, a new Plecoptera (Taeniopterygidae) species from Turkey. *Aquatic Insects* 23 (4): 283-287, figs.
- 1854) Kazancı,N.**, 2009, Contribution to the knowledge of Plecoptera (Insecta) fauna of Turkey. *Rev. Hydrobiol.* 1: 11-22.
- 1855) Kazancı,N.**, 2009, Ephemeroptera (Insecta) fauna of Turkey: Records from eastern Anatolia (Turkey). *Review Hydrobiol.* 2: 187-195.
- 1856) Kehlmaier,C. & T.Assmann**, 2008, The European species of *Chalarus* Walker,1834 revisited (Diptera, Pipunculidae). *Zootaxa* 1936: 1-39, figs.
- 1857) Kehlmaier,C.**, 2005, Taxonomic revision of European Eudorylini (Insecta, Diptera, Pipunculidae). *Verh. naturw. Ver. Hamburg (N.F.)* 41: 45-353, 77 figs., 3 Tabl.
- 1858) Kehlmaier,C.**, 2010, Syrphoidea (Diptera, Pipunculidae and Syrphidae) previously unrecorded from Sardinia (Italy), with the description of a new species of the genus *Pipunculus* (Latreille). *Studia dipterolog.* 16 (2009): 155-167, figs. [date of publication: 29 December 2010].
- 1859) Keith,D.**, 2001, Contribution a la connaissance des Scarabaeoidea du Moyen Orient (3 note) sur le genre *Triodontella* Reitter,1919 (Coleoptera, Melolonthidae, Sericinae). *Lambillionea ci*: 153-160, 4 figs.
- 1860) Kemal,M. & A.Ö.Koçak**, 2004, Pyralidae Araştırmaları Hakkında (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 88/89: 14-15.
- 1861) Kemal,M. & A.Ö.Koçak**, 2004, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) -III. *Cent. ent. Stud., Misc. Pap.* 90: 1-5.
- 1862) Kemal,M. & A.Ö.Koçak**, 2005, Annotated Checklist of the Lepidoptera of Çatak Valley (Van Province, Turkey), Part I. *Cent. ent. Stud., Priamus* 11 (3): 29-58.

- 1863) Kemal,M. & A.Ö.Koçak**, 2006, List of the butterflies of Urfa Province (South Turkey) (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Misc. Pap. 94: 3-8.
- 1864) Kemal,M. & A.Ö.Koçak**, 2006, List of the butterflies of Mardin Province (South Turkey) (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Misc. Pap. 96: 1-7.
- 1865) Kemal,M. & A.Ö.Koçak**, 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, 2 figs.
- 1866) Kemal,M. & A.Ö.Koçak**, 2006, Diurnal Lepidoptera in the Nemrut Crater (East Turkey). Cent. ent. Stud., Misc. Pap. 101: 1-8, 10 figs.
- 1867) Kemal,M. & A.Ö.Koçak**, 2006, Nemophora eretna n.sp. from Turkey (Adelidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 100: 1-4, 3 figs.
- 1868) Kemal,M. & A.Ö.Koçak**, 2007, South African Noctuidae species in the fauna of Turkey (Lepidoptera). http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view
- 1869) Kemal,M. & A.Ö.Koçak**, 2007, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) - V. Cent. ent. Stud., Misc. Pap. 136: 1-2.
- 1870) Kemal,M. & A.Ö.Koçak**, 2007, Revised and expanded list of the vernacular names of the Lepidoptera in Turkish language. Cent. ent. Stud., Priamus 12 (4): 95-125.
- 1871) Kemal,M. & A.Ö.Koçak**, 2008, First scientific trip to the South West Van lake Region (6-8 March,2008). Cesa News 7: 1-15, 25 figs.
- 1872) Kemal,M. & A.Ö.Koçak**, 2008, Further record of pre-imaginal stages of *Esperarge* (s.str.) *clymene* ssp. *valentinae* (Miller) from Van Province (East Turkey). Cesa News 19: 1-5, 5 figs. 1 map.
- 1873) Kemal,M. & A.Ö.Koçak**, 2008, Second attempt for determining the Lepidoptera fauna of Kozluk with notes on some other insects of the district (Batman Prov., East Turkey)-I. Cesa News 20: 1-15, 26 figs.; ibid. 21: 1-15, 28 figs.; ibid. 22: 1-13, 25 figs.
- 1874) Kemal,M. & A.Ö.Koçak**, 2008, Second attempt for determining the Lepidoptera fauna of Kozluk with notes on some other insects of the district (Batman Prov., East Turkey)-II. Cesa News 23: 1-4.
- 1875) Kemal,M. & A.Ö.Koçak**, 2008, Illustrated notes on the entomological trips to various provinces of East Turkey-I. Tahir Pass (Ağrı Province). Cesa News 24: 1-12, 1 map, 20 figs.
- 1876) Kemal,M. & A.Ö.Koçak**, 2008, Illustrated notes on the entomological trips to various provinces of East Turkey-II. Kop Dağı and Vauk Dağı (Erzurum and Gümüşhane Provinces). Cesa News 25: 1-19, 3 maps 31 figs.
- 1877) Kemal,M. & A.Ö.Koçak**, 2008, Announcement [about Biological Station and Research Laboratory (BSRL) of the Cesa]. Cesa News 26: 1-11, 20 figs.
- 1878) Kemal,M. & A.Ö.Koçak**, 2008, *Orthosia rubricosa* (Esper) in Oak Woodland of Buğlan Pass (Muş Province) (Lepidoptera, Noctuidae). Cesa News 12 : 1-5, figs.
- 1879) Kemal,M. & A.Ö.Koçak**, 2008, Brief field notes on the Insecta observed in South and East Turkey in late August 2008. Cesa News 30: 1-17, 27 figs.
- 1880) Kemal,M. & A.Ö.Koçak**, 2010, Miscellaneous notes on the pterygot insects of Kato Mountains with illustrations their spring aspects (South East Turkey). Cesa News 57: 1-67, 107 figs. 1 map.
- 1881) Kemal,M. & A.Ö.Koçak**, 2010, Winter trips to South Van Lake and the cynipid galls on oaks (Hymenoptera, Cynipidae). Cesa News 56: 1-66, 90 figs.
- 1882) Kemal,M. & A.Ö.Koçak**, 2010, Illustrated list of the *Zygaena* Fabr. species in Turkey based upon the Info-system of the Cesa (Lepidoptera, Zygaenidae, Zygaeninae). Cesa News 54: 1-35, 53 figs.
- 1883) Kemal,M. & A.Ö.Koçak**, 2011, A synonymical and distributional checklist of the Papilionoidea and Hesperioidea of East Mediterranean countries, including Turkey (Lepidoptera). Cent. ent. Stud., Priamus (Suppl.) 25: 1-162, 42 pls.
- 1884) Kemal,M. & A.Ö.Koçak**, 2012, Insect life in Turkey at night I- Upper Dez Valley, Hakkari Province, SE Turkey (Lepidoptera). Cesa News 72: 1-12, 45 figs.
- 1885) Kemal,M. & A.Ö.Koçak**, 2012, List of the species and subspecies illustrated in the Cesa publications on the Old World Lepidoptera. Cesa News 73: 3-44.
- 1886) Kemal,M. & A.Ö.Koçak**, 2012, On the occurrence of *Syncopacma polychromella* (Rbl.) in Turkey (Lepidoptera, Gelechiidae). Cesa News 82: 19-21, 3 figs. 1 map.
- 1887) Kemal,M. & A.Ö.Koçak**, 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, figs.
- 1888) Kemal,M. & A.Ö.Koçak**, 2008, *Conops flavicaudus* Bigot in South East Turkey (Conopidae, Diptera). Cesa News 36: 7-9, figs. 9-12.
- 1889) Kemal,M. & A.Ö.Koçak**, 2008, Occurrence of Soldier Bug (*Spilostethus pandurus*) in Van Province (Turkey) (Hemiptera, Lygaeidae). Cesa News 33: 1-3, 3 figs. 1 map.
- 1890) Kemal,M. & A.Ö.Koçak**, 2008, First scientific trip to the South West Van Lake Region (6-8 March,2008). Cesa News 7: 1-14, figs.
- 1891) Kemal,M. & A.Ö.Koçak**, 2009, *Cicindela asiatica* Audouin & Brullé in South East Turkey (Coleoptera, Cicindelidae). Cesa News 41: 1-4, 5 figs.

- 1892) Kemal,M. & A.Ö.Koçak**, 2010, Cicadidae of Turkey and some ecological notes on *Tibicina serhadensis* Koçak & Kemal from Van Province (East Turkey) (Homoptera). Cesa News 55: 1-19, 1 map, 26 figs.
- 1893) Kemal,M. & A.Ö.Koçak**, 2010, Winter trips to south Van Lake and the cynipid galls on oaks (Hymenoptera, Cynipidae). Cesa News 56: 1-66, 90 figs. 1 table, 22 maps.
- 1894) Kemal,M. & A.Ö.Koçak**, 2010, Miscellaneous notes on the pterygot insects of Kato Mountains with illustrations their spring aspects (South East Turkey). Cesa News 57: 1-67, 107 figs. 1 map.
- 1895) Kemal,M. & A.Ö.Koçak**, 2010, Observation on a klepto-parasitic species at Posof (NE Turkey) (Diptera, Milichiidae; Hymenoptera, Apidae; Aranea, Thomiscidae). Cesa News 61: 1-2, 1 fig.
- 1896) Kemal,M. & A.Ö.Koçak**, 2010, Two Andricus species new to Bitlis Province (SE Turkey). Cesa News 61: 9-13, 10 figs. 1 map.
- 1897) Kemal,M. & A.Ö.Koçak**, 2011, *Teratolytta kulzeri*, a little known Blister Beetle from East Turkey (Coleoptera, Meloidae). Cesa News 64: 7-11, 6 figs. 1 map.
- 1898) Kemal,M. & A.Ö.Koçak**, 2012, On the first record of the genus *Bittacus* and the family Bittacidae in Turkey and its specific identity (Mecoptera). Cesa News 74: 1-3, 2 figs.
- 1899) Kemal,M. & A.Ö.Koçak**, 2012, A new *Mylabris* species and subgenus for the fauna of Turkey (Coleoptera, Meloidae). Cesa News 84: 12-14, 4 figs.
- 1900) Kemal,M. & B.Bakan**, 2011, *Oxycarenus pallens* (H.-S.) in Van Province (East Turkey) (Hemiptera, Lygaeidae). Cesa News 71: 1-5, 6 figs. 1 map.
- 1901) Kemal,M. & E.Seven**, 2008, Spring aspect of the diurnal Lepidoptera fauna of Şirvan District (Siirt Province) (South East Turkey). Cesa News 10: 1-14, 21 figs.
- 1902) Kemal,M. & E.Seven**, 2009, *Stiphrolamyra pleskei* (Becker) an interesting and rare Robber Fly from South East Turkey (Diptera, Asilidae) (Project of the Cesa: Asilidae of East Turkey -1). Cesa News 51: 1-2, 2 figs.
- 1903) Kemal,M. & E.Seven**, 2011, *Iranoidricerus iranensis*, little known ascalaphid species in South East Turkey (Planipennia). Cesa News 70: 1-2, 1 fig. 1 map.
- 1904) Kemal,M. & I.Akdeniz**, 2008, Scientific note: On the Early Stages of *Princeps demoleus* (Linnaeus,1758) in South East Turkey (Lepidoptera, Papilionidae). Cesa News 2: 9-13, 17 figs.
- 1905) Kemal,M. & K.Akın**, 2011, *Choreutis muhabbet*: New provincial record in Turkey and its early stages (Lepidoptera, Choreutidae). Cesa News 62: 6-12, 12 şekil.
- 1906) Kemal,M. & M.Aydın**, 2008, List of the Lepidoptera of Diyarbakır Province (East Turkey). Cesa News 15: 1-6.
- 1907) Kemal,M. & M.Aydın**, 2008, Spring aspects of the diurnal Lepidoptera of Kulp District with new faunal records (Diyarbakır Province, East Turkey). Cesa News 14: 1-12, 15 figs.
- 1908) Kemal,M. & M.Aydın**, 2009, Second record of *Echthromyrmex sehitlerolmez* Koçak & Kemal from East Turkey (Planipennia, Myrmeleonidae). Cesa News 39: 2-4, 3 figs.
- 1909) Kemal,M. & M.Mükemre**, 2011, New larval food-plant and pupa of the species *Satyrrium abdominalis* in East Turkey (Lepidoptera, Lycaenidae). Cesa News 64: 1-3, 3 figs.; corrigendum: ibid. 66: 37.
- 1910) Kemal,M. & O.Karabacak**, 2008, *Ephelis cruentalis*'in Biyolojisi Hakkında (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 139-140: 6-10, 9 şekil.
- 1911) Kemal,M. & Özkol,H. & L.Kayci**, 2008, *Xylena Ochsenheimer* in East Turkey with new provincial records and larval food-plants (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 139-140: 10-14, 12 figs.
- 1912) Kemal,M. Seven,S. & A.Ö.Koçak**, 2007, List of the Irano-Anatolian Noctuidae with some faunal and zoogeographical remarks based upon the Info-System of the Cesa (Lepidoptera). Priamus Suppl. 9: 1-88, 1 map, 1 table.
- 1913) Kemal,M.**, 2000, *Tomares (nogelii) dobrogensis* ssp. *uighurica* (ssp.n.) [in] Koçak,A., Enkhère vilayitidiki kepineklirining sinonumik tizimliği (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14.
- 1914) Kemal,M.**, 2000, *Tomares (nogelii) nogelii* ssp. *cesa* (ssp.n.) [in] Koçak,A., Enkhère vilayitidiki kepineklirining sinonumik tizimliği (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14.
- 1915) Kemal,M.**, 2006, Bilimsel gezilerimden anılar I-Norduz Yaylası. Cent. ent. Stud., Priamus Suppl.4: 1-25, 52 figs.
- 1916) Kemal,M.**, 2006, Bir Dünya Mirası - A World Inheritance. A Documentary film on DVD format. Narrated in Turkish by Muhabbet Kemal, subtitle in English. 28 minutes, 10 seconds. A Cesa Production.
- 1917) Kemal,M.**, 2008, Van Gölü havzasında kelebek çeşitliliği (Diversity of the butterflies in Van Lake Basin East Turkey). Cesa News 9: 1-6, 5 figs.
- 1918) Kemal,M.**, 2008, *Pieris ergane* [in] Butterflies at Artos Mountain, Van Province, East Turkey. Icon. Insect. (A), <http://www.archive.org/details/PierisErganeInButterfliesAtArtosMountVanProvinceEastTurkey>
- 1919) Kemal,M.**, 2009, Biodiversity in Erek Mountain and its rarest butterfly *Callophrys mystaphia* (Lepidoptera, Lycaenidae).

<http://www.archive.org/details/BiodiversityInErekMountainAndItsRarestButterflyCalophrysMystaphiaeg>

- 1920) Kemal,M.**, 2010, Behaviour of the adult wasp *Andricus megalucidus* from Bitlis Province (SE Turkey) (Hymenoptera, Cynipidae). Cent. ent. Stud. Icon. Ins. (Ser.A). Mpeg2 file. duration 4 min.24 sec. <http://www.archive.org/details/IconographiaInsectorumSeriesABByTheCesaAndricusMegalucidus>
- 1921) Kemal,M.**, 2010, Oriental Hornet (*Vespa orientalis*) in South East Turkey and its dangerous flight (Hymenoptera, Vespidae). Cent. ent. Stud. Icon. Ins. (Ser.A). Mpeg2 file. duration 1 min.40 sec. <http://www.archive.org/details/IconographiaInsectorumSeriesABByTheCesaVespaOrientalis>
- 1922) Kemal,M., Çelikkaya,D., Bozacı,V. & A.Ö.Koçak**, 2009, Stray notes on the insects of the vicinity İzmir (West Turkey). Cesa News 47: 1-42, 71 figs.
- 1923) Kemal,M., Koçak,A.Ö. & E.Seven**, 2008, Spring aspect of the nocturnal Lepidoptera fauna of Şirvan District (Siirt Province) (South East Turkey). Cesa News 11: 1-6, 6 figs.
- 1924) Kemal,M., Koçak,A.Ö. & E.Seven**, 2010, Occurrence of *Colotis fausta* in South East Turkey (Lepidoptera, Pieridae). Cesa News 61: 2-8, 10 figs.
- 1925) Kemal,M., Koçak,A.Ö. & E.Seven**, 2011, *Calophasia lunula* in South East Turkey (Lepidoptera, Noctuidae). Cesa News 64: 4-6, 5 figs.
- 1926) Kemal,M., Koçak,A.Ö. & E.Seven**, 2010, On the genera *Baizongia* Rond. and *Slavum* Mord. in SE Turkey (Hemiptera, Aphididae). Cesa News 61: 14-16, 4 figs. 1 map.
- 1927) Kemal,M., Koçak,A.Ö. & E.Seven**, 2011, *Caryedon angeri* (Semenov), new to Siirt Province (S.E.Turkey) feeding on Mesquit, *Prosopis farcta* (B.& S.) Macbride (Coleoptera, Bruchidae). Cesa News 63: 20-25, 9 figs.
- 1928) Kemal,M., Koçak,A.Ö. & K.Akın**, 2008, List of the Lepidoptera of Mardin Province (South East Turkey) with some faunistical remarks. Cesa News 16: 1-10, 8 figs.
- 1929) Kemal,M., Koçak,A.Ö. & K.Akın**, 2008, Butterflies of Batman Province (East Turkey) (Lepidoptera). Cesa News 17: 1-6, 7 figs.
- 1930) Kemal,M., Koçak,A.Ö. & M.Aydın**, 2011, On the nocturnal spring moths of Kulp district (Diyarbakır Prov., SE Turkey) (Lepidoptera). Cesa News 63: 10-20, 1 tab., 2 graphs, 13 figs.
- 1931) Kemal,M., Koçak,A.Ö., Akın,K., Yalçın,M., Bakan,B. & D.Çelikkaya**, 2010, Spring aspect of the pterygot insects of Mutki (Bitlis Prov., South East Turkey). Cesa News 58: 1-78, 150 figs. 1 graph.
- 1932) Kemal,M., Koçak,A.Ö., Akın,K., Yalçın,M., Bakan,B. & D.Çelikkaya**, 2010, Spring aspect of the pterygot insect fauna of Mutki (Bitlis Prov., South East Turkey). Cesa News 58: 1-78, 150 figs. 1 graph.
- 1933) Kemal,M., Özkol,H. & L.Kayci**, 2008, Diurnal Lepidoptera of Sarmaç village Erek Mountain (Van Province, East Turkey). Cesa News 19: 5-17, 20 figs.
- 1934) Kennel,J.**, 1899, Neue Tortriciden. Dt. ent. Z., Iris 12: 1-42, Taf.1
- 1935) Kennel,J.**, 1900, Neue Palaearktische Tortriciden, nebst Bemerkungen über einige bereits beschriebene Arten. Dt. ent. Z., Iris 13: 124-159, Taf.
- 1936) Kennel,J.**, 1901, Neue Wickler des palaearktischen Gebietes. Dt. ent. Z., Iris 13: 205-305.
- 1937) Kennel,J.**, 1908-1921, Die Palaearktische Tortriciden. Zoologica 21 (54) (1908): 1-100; Taf.1-6; (1910): 101-232, Taf.7-12; (1913): 233-397, Taf.13-16; (1916): 398-546, Taf. 17-20; (1921): 545-742, Taf.21-24.
- 1938) Kennel,J.**, 1919, Mittelasiatische und andere neue Tortriciden. Mitt. münch. ent. Ges. 8: 50-95.
- 1939) Kerzhner,I.M. & A.Matocq**, 1997, On some Mediterranean Miridae (Heteroptera). Zoosyst. Ross. 6 (1/2): 191-192.
- 1940) Kerzhner,I.M. & R.T.Schuh**, 2001, Corrections to the Catalog "Plant bugs of the World" by Randall T.Schuh (Heteroptera, Miridae). J. New. York Ent. Soc. 109 (2): 263-299.
- 1941) Kesdek,M. & E.Yıldırım**, 2003, Contribution to the knowledge of the Carabidae fauna of Turkey Part 1. Harpalini (Coleoptera, Carabidae, Harpalinae). Linzer biol. Beitr. 35 (2): 185-?
- 1942) Kesdek,M. & E.Yıldırım**, 2004, Contribution to the knowledge of the Carabidae fauna of Turkey Part 4. Platynini (Coleoptera, Carabidae). Linzer biol. Beitr. 36 (1): 527-533.
- 1943) Kesdek,M. & E.Yıldırım**, 2007, Contribution to the knowledge of the Carabidae fauna of Turkey Part 4. Dryptini, Lebiini and Zuphiini (Coleoptera, Carabidae, Lebiinae). Entomofauna 28 (22): 277-284.
- 1944) Kesdek,M. & E.Yıldırım**, 2007, Contribution to the knowledge of the Carabidae fauna of Turkey Part 3. Bembidiini (Coleoptera, Carabidae, Bembidiinae). Entomofauna 28: 117-124.
- 1945) Kesdek,M., Yıldırım,E., Anlaş,S. & S.Tezcan**, 2009, Contribution to the knowledge of Staphylinidae fauna of Turkey (Coleoptera). Mun. Ent. Zool. 4 (2): 392-401.
- 1946) Keskin,B.**, 2003, Erstnachweis von *Tentyria cypria* Kraatz,1865 (Coleoptera, Tenebrionidae) für die Türkei. Zool. Middle East 29: 116-117, 1 Abb.
- 1947) Keskin,B.**, 2005, A new record for the Tenebrionidae (Coleoptera) fauna of Turkey: *Mesostena puncticollis* Solier,1835 (Pimeliinae, Tentyriini). Zool. Middle East 34: 119-120, fig.1.
- 1948) Khalaf,K.T.**, 1957, Heleids from Iraq with descriptions of new species (Diptera, Heleidae = Ceratopogonidae). Bull. Soc. ent. Egypte 41: 335-350.

- 1949) Kheil,N.M.**, 1911, Parnassius nordmanni, nebst einer Einleitung über die "Parnassiiden als Handelsartikel". Int. ent. Z. 5: 83-86.
- 1950) Kılıç,A.Y. & R.Öztürk**, 2002, Sultandağı çevresinin Tabanidae (Diptera) faunası üzerine çalışmalar. Anadolu Univ. Bilim Tekn. Derg. 3: 307-316.
- 1951) Kılıç,A.Y.**, 1999, Checklist of Tabanidae (Diptera) from Turkey. Tr. J. Zool. 23: 123-132.
- 1952) Kılıç,A.Y.**, 2001, The Tabanidae (Diptera) fauna of Çanakkale Province. Turk. J. Zool. 25: 403-411.
- 1953) Kılıç,A.Y.**, 2001, The Tabanidae (Diptera) fauna of Kütahya Province. J. Ent. Res. Soc. 3: 29-41.
- 1954) Kılıç,A.Y.**, 2001, The Tabanidae (Diptera) fauna of Balıkesir Province. Turk. J. Zool. 25: 395-402.
- 1955) Kılıç,A.Y.**, 2003, Bursa ve Yalova illeri Tabanidae (Diptera) faunası üzerinde araştırmalar. Türk. ent. derg. 27: 207-221.
- 1956) Kılıç,A.Y.**, 2004, Bolu ili Tabanidae (Insecta, Diptera) faunası. Türk. ent. derg. 28: 57-68.
- 1957) Kılıç,A.Y.**, 2005, Sinop ili Tabanidae (Insecta, Diptera) faunası. Anadolu Univ. Bilim Tekn. Derg. 5: 269-277.
- 1958) Kılıç,A.Y.**, 2005, Bartın, Karabük ve Zonguldak illeri Tabanidae (Diptera) faunası üzerine araştırmalar. Türk. ent. derg. 29 (2): 151-160.
- 1959) Kılıç,A.Y.**, 2006, New additions and errata to the Checklist of Tabanidae (Insecta, Diptera) fauna of Turkey. Turk. J. Zool. 30: 335-343.
- 1960) Kılıç,T.**, 2010, First record of Tuta absoluta in Turkey. Phytoparasitica 38 (3): 243-244.
- 1961) Kılıç,Y.**, 1987, The Lepidoptera fauna of Gökçeada. Anadolu Univ. Fen Ed. Fak. Derg. 1: 5-13.
- 1962) Kismalı,Ş. & D.Sassi**, 1994, Preliminary list of Chrysomelidae with notes on distribution and importance of species in Turkey II. Subfamily Cassidinae Spaeth. Turk. ent. Derg. 18 (3): 141-156.
- 1963) Kıyak,S. & A.Salur**, 2000, Rhynocoris rubrogularis (Horvath,1880) (Heteroptera, Reduviidae) new faunistic record for Turkey. J. ent. Res. Soc. 2 (1): 45-47, fig.
- 1964) Kıyak,S. & H.Özdikmen**, 1993, Über einige Neuropterenarten von Soğuksu Nationalpark (Kızılcahamam,Ankara). Priamus 6 (3/4): 156-160, 1 Abb.
- 1965) Kıyak,S. & Y.Katılmış**, 2010, Oak Gallwasp Dryocosmus mayri (Hymenoptera, Cynipidae) - new record from Turkey. J. ent. Res. Soc. 12 (1): 67-70.
- 1966) Kıyak,S.**, 1990, Cranocapsus turcicus (sp.nov.), yeni bir heteropter türünün tanımı (Insecta, Heteroptera, Miridae). Cent. ent. Stud., Misc. Pap. 5: 1-3, 1 şekil.
- 1967) Kıyak,S.**, 1993, Erstnachweisen für die Fauna Heteroptera der Türkei. Priamus 6 (3/4): 160-164, 3 Abb.
- 1968) Kıyak,S.**, 1993, Über terrestrische Wanzenarten von Soğuksu Nationalpark. Priamus 6 (3/4): 131-156, Abb.
- 1969) Kıyak,S.**, 1995, List of the genera of Turkish Heteroptera 1. Miridae. Gazi Univ. Fen-Ed. Fak. Fen Biliml. Derg. C5: 11-41.
- 1970) Kıyak,S., Kılıç,T. & Y.Katılmış**, 2008, A contribution to the knowledge of the Cynipini fauna of Turkey (Hymenoptera, Cynipidae). Mun. Ent. Zool. 3 (1): 523-535, figs.
- 1971) Kıyak,S., Salur,A. & Canbulat**, 2008, Gerromorpha and Leptopodomorpha (Insecta, Heteroptera) fauna of Southwest Anatolia. Turk. J. Zool. 32: 309-326.
- 1972) Kıyak,S., Salur,A., Canbulat,S. & M.Darılmaz**, 2006, Additional notes on Gyrinidae fauna of Turkey (Coleoptera). Mun. Ent. Zool. 1(1): 57-62.
- 1973) Kiesenwetter,H.v.**, 1861, Beitrag zur Käferfauna Griechenlands. Siebentes Stück: Tenebrionidae, Cistelidae, Lagriariae, Pedilidae, Anthricidae, Mordellonae, Meloidae, Oedemeridae. Berl. ent. Z. 5: 221-252.
- 1974) Kiesenwetter,H.v.**, 1872, Revision der europäischen Arten der Gattung Malthodes (Erstes Stück). Berl. ent. Z. 16: 369-392, Taf. iv,v.
- 1975) Kiesenwetter,H.v.**, 1874, Revision der europäischen Arten der Gattung Malthodes (Zweites Stück). Berl. ent. Z. 18: 45-70.
- 1976) Kirby,W.F.**, 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London.
- 1977) Kirby,W.F.**, 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London.
- 1978) Kirby,W.F.**, 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii + 951 pp., London.
- 1979) Kirby,W.F.G.**, 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London.
- 1980) Kiriakoff,S.G.**, 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. Biol. Jb. 15: [118]-143.
- 1981) Kiritshenko,A.N.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. Wien. ent. Ztg. 41 (1/3): 1-5.
- 1982) Kiritshenko,A.N.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. Wien. ent. Ztg. 41: 1-5.

- 1983) Kiritschenko, A.N.**, 1924, Beitrag zur Hemipterenfauna des südlichen Armenien. Wien. ent. Ztg. 41: 1-5.
- 1984) Kiritschenko, A.N.**, 1929, Beiträge zur Kenntnis palaearktischer Hemipteren. II. Neue Aelia-Arten (Hemiptera, Pentatomidae). Konowia 8 (4): 451-456, 6 figs.
- 1985) Kirkaldy, G.W.**, 1909, Hemiptera, old and new, nr.2. Canad. ent. 41: 388-392.
- 1986) Kitching, I.J. & J-M.Cadiou**, 2000, Hawkmoths of the World. An annotated and illustrated revisionary checklist (Lepidoptera, Sphingidae). x+226pp., 8 Pls. Natural History Museum, London.
- 1987) Kitching, I.J. & J.E.Rawlins**, 1999, The Noctuoidea, [in] N.P.Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M.Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York.
- 1988) Kitching, I.J. & R.Zahiri**, 2007, Taxonomic notes and new records of the genus *Sphingonaepiopsis* Wallengren, 1858 (Lepidoptera, Sphingidae) in Iran. Zootaxa 1610: 41-52, 10 pls.
- 1989) Kitching, I.J.**, 1984, An historical review of the higher classification of Noctuidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 49 (3): 153-234.
- 1990) Klapalek, F.**, 1921, Plécoptères nouveaux I. Sous famille des Perlinae et Neoperlinae. Annls Soc. ent. belg. 61: 57-67.
- 1991) Klemstein, J.**, 1966, Gefriertrocknung - eine neue Methode zur Praeparation der Raupen. Ent. Z., Frankf. a.M. 76: 17-21.
- 1992) Klima, A.**, 1937, Pyralidae: Subfam. Scopariinae et Nymphulinae. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.84. 226pp. W.Junk, Berlin & The Hague
- 1993) Klima, A.**, 1939, Pyralidae: Subfam. Pyraustinae I. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.89. 1-224pp. W.Junk, Berlin & The Hague
- 1994) Klima, A.**, 1939, Pyralidae: Subfam. Pyraustinae II. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.94. 225-384pp. W.Junk, Berlin & The Hague
- 1995) Klimaszewski, S.M. & N.Lodos**, 1980, Three new species of jumping plant-lice (Homoptera, Psylloidea) from Turkey. Türk. Bitki Kor. Derg. 4: 219-227.
- 1996) Klimesch, J.**, 1975, Über neue mediterrane und kanarische Nepticuliden (Lepidoptera, Nepticulidae). Mitt. münch. ent. Ges. 65: 1-28, 41 Abb.
- 1997) Klimesch, J.**, 1978, *Fomoria luisae* n.sp. (Lep., Nepticulidae). Z. ArbGem. öst. Ent. 29(3/4): 89-91, 6 Abb.
- 1998) Klimesch, J.**, 1978, Beitrag zur Kenntnis der Nepticulidenfauna von Anatolien und der Insel Rhodos (Lepidoptera, Nepticulidae). Tijdschr. Ent. 121 (5): 239-278, 82 figs.
- 1999) Klots, A.B.**, 1930, A generic revision of the Euchloini. Bull. Brooklyn ent. Soc. 25: 80-95, 1 pl.
- 2000) Klots, A.B.**, 1933, A generic revision of the Pieridae. Entomologica am. (N.S.) 12: 139-242.
- 2001) Klots, A.B.**, 1970, Lepidoptera. [in] Tuxen, S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2).
- 2002) Klug, F.**, 1829-1845, Insecta [in] Ehrenberg, C.G., Symbole Physicae, seu icones et descriptiones corporum naturalium novarum aut minus cognitorum [183] pp., 50 Pls. Berolini.
- 2003) Klug, J.**, 1830, Symbolae physicae seu icones & descriptiones insectorum 2: Taf.9. Berlin.
- 2004) Kment, P. & J.Bryja**, 2007, Description of *Nasocoris lautereri* sp.nov. from the Balkan Peninsula, with a review of the genus *Nasocoris* (Hemiptera, Heteroptera, Miridae, Phyllinae). Zootaxa 1633: 39-61, figs.
- 2005) Kment, P. & Z.Jindra**, 2005, New and interesting records of true bugs (Heteroptera) from Turkey, southeastern Europe, Near and Middle East. Acta ent. Mus. nat. Pragae 45: 3-16, figs.
- 2006) Kment, P.**, 2005, A new synonym of *Phyllomorpha laciniata* (Villers, 1789) (Heteroptera, Coreidae). Acta ent. Mus. nat. Pragae 45: 19-20.
- 2007) Knutson, L. & Orth, R.E.**, 1984, The *Sepedon spegea* complex in the Palaearctic and Oriental Regions: identity, variation, and distribution (Diptera, Sciomyzidae). Ann. ent. Soc. Amer. 77 (6): 687-701.
- 2008) Kobes, L.W.R. & M.Fibiger**, 2003, A new species of the genus *Griposia* Tams, 1939 from the Ponto-Mediterranean area (Lepidoptera, Noctuidae, Hadeninae). Nachr. ent. Ver. Apollo (N.F.) 24 (4): 211-214, figs.
- 2009) Kobes, L.W.R.**, 1980, *Saturnia pyri* in der Türkei, mit Beschreibung einer neuen Subspecies (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 90 (19): 209-214, Abb.
- 2010) Kocatepe, N. & O.Mergen**, 2004, Ankara ili Carabidae (Coleoptera) faunası türleri üzerinde faunistik araştırmalar. Türk. ent. Derg. 28 (4): 295-309.
- 2011) Koch, M.**, 1934, Eine neue *Zygaena purpuralis*-Rasse aus dem armenischen Bergland. Dt. ent. Z., Iris 48: 191-194.
- 2012) Koch, M.**, 1937, *Zygaena* Fabr. I. Ent. Z., Frankf. a. M. 51: 19-20, 36-39, 46, 61-63, 71-72, 47 figs.
- 2013) Koch, M.**, 1937, *Zygaena* Fabr. II. Ent. Z., Frankf. a. M. 51: 345-347.
- 2014) Koch, M.**, 1939, *Zygaena* Fab.V. Eine *Zygaenenausbeute* aus Georgien. Mitt. münch. ent. Ges. 29: 397-415.

- 2015) Kocourek,M.**, 1998, Beiträge zur Kenntnis der Gattung Ceratina in der Westpaläarktis und dem turkestanischen Becken (Hymenoptera, Apidae). Entomofauna 19: 533-548, 17 Abb.
- 2016) Koç,H. & P.Zwick**, 2006, New species and records of Net-winged Midges (Diptera, Blephariceridae) from Asia Minor. Stud. dipterol. 13 (1): 61-66, 6 figs.
- 2017) Koç,H.**, 2004, Muğla ili Tipulidae ve Limoniidae familyalarının faunistik ve ekolojik yönden incelenmesi. 154s. Muğla Univ. Yayınları.
- 2018) Koç,H.**, 2008, Additions to the Limoniidae species in Turkey (Insecta, Diptera) III. Int. J. dipterol. Res. 19 (1): 3-5.
- 2019) Koç,H., Oosterbroek,P. & O.Özgül**, 2005, A new Turkish Tipula (Lunatitipula) species in the acuminata group (Diptera, Tipulidae). Ent. fenn. 16: 251-253, figs.
- 2020) Koç,H.,Akta[ş],M. & H.S.Civelek, [sic!]** 2008, New records of Tipula (Savtshenkia) (Diptera, Tipulidae) from Turkey. Int. J. Dipt. Res. 19 (1): 7-10, figs. [text with numerous font errors!]
- 2021) Koçak,A.Ö. & K.Akın**, 2011, Clytie haifae (Habisch), new to the fauna of Turkey (Lepidoptera, Noctuidae). Cesa News 63: 6-7, 1 fig.
- 2022) Koçak,A.Ö. & M.Kemal**, 2000, Nomenclatural notes on some taxa (Papilionoidea, Lepidoptera). Cent. ent. Stud., Misc. Pap. 65/66: 10-12.
- 2023) Koçak,A.Ö. & M.Kemal**, 2000, Chazara briseis (Linnaeus) üzerine revizyon notları (Satyridae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 65/66: 1-5.
- 2024) Koçak,A.Ö. & M.Kemal**, 2000, Euphydryas Scudder cinsi içinde "sareptana Staudinger"in taksonomik durumu hakkında (Argynnidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 70: 5-6.
- 2025) Koçak,A.Ö. & M.Kemal**, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. Cent. ent. Stud., Stud., Misc. Pap. 74: 1-3.
- 2026) Koçak,A.Ö. & M.Kemal**, 2001, Lepidoptera coğrafyası üzerine araştırmalar 1. Ankara vilayeti kelebeklerinin zoocoğrafik analizi. Cent. ent. Stud., Priamus 10 (3/4): 105-111.
- 2027) Koçak,A.Ö. & M.Kemal**, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. Cent. ent. Stud., Misc. Pap. 75: 1-3.
- 2028) Koçak,A.Ö. & M.Kemal**, 2001, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) I. Cent. ent. Stud., Misc. Pap. 77: 1-8.
- 2029) Koçak,A.Ö. & M.Kemal**, 2001, Türkiye kelebeklerinin anadillerdeki isimlerinin listesi. Cent. ent. Stud., Misc. Pap. 72/73: 1-15.
- 2030) Koçak,A.Ö. & M.Kemal**, 2002, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) II. Cent. ent. Stud., Misc. Pap. 86: 1-2.
- 2031) Koçak,A.Ö. & M.Kemal**, 2002, Türkiye'de bir Karakuşaklı Güzel Colobochyla platyzona (Lederer,1870) (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 86: 2-5, figs.
- 2032) Koçak,A.Ö. & M.Kemal**, 2002, Euapatura mirza'nın besin bitkisi hakkında (Lepidoptera, Argynnidae). Cent. ent. Stud., Misc. Pap. 86: 5-7, figs.
- 2033) Koçak,A.Ö. & M.Kemal**, 2002, Bazı taksonomik ve zoocoğrafik notlarla birlikte Hyponephele Muschamp cinsinin kataloğu (Lepidoptera, Satyridae). Cent. ent. Stud., Misc. Pap. 80/81: 1-15, 1 Tab.
- 2034) Koçak,A.Ö. & M.Kemal**, 2002, Aethria Hübner,[1821] cins isminin geçerliliği hakkında (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 80/81: 15-16.
- 2035) Koçak,A.Ö. & M.Kemal**, 2002, Faunistik taksonomik ve zoocoğrafik notlarla Çatak kelekleri (Papilionoidea, Hesperioidea, Lepidoptera). Cent. ent. Stud., Misc. Pap. 82/85: 1-32, figs.
- 2036) Koçak,A.Ö. & M.Kemal**, 2002, Van'da üç nadir Sinirkanatlı türü hakkında (Planipennia, Ascalaphidae, Nemopteridae). Cent. ent. Stud., Misc. Pap. 87: 5-8, 6 figs.
- 2037) Koçak,A.Ö. & M.Kemal**, 2006, Checklist of Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 1: 1-196.
- 2038) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Şırnak Province (South East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 127: 1-8.
- 2039) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Ardahan Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 128: 1-8.
- 2040) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Iğdır Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 129/130: 1-12.
- 2041) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of İçel Province (South Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 131-133: 1-20.
- 2042) Koçak,A.Ö. & M.Kemal**, 2007, Preliminary checklist of Loxostege Hbn., with some taxonomical and geographical notes (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 136: 2-8.
- 2043) Koçak,A.Ö. & M.Kemal**, 2007, Revised and annotated checklist of the Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 8: 1-150, 2 Tables.
- 2044) Koçak,A.Ö. & M.Kemal**, 2007, Annotated List of the Lycaena Fabr. (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 135: 1-8.

- 2045) Koçak,A.Ö. & M.Kemal**, 2007, Chapter 16: Lepidoptera fauna of Eretna Sultanate in Asia Minor (LER), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1919-1989, 49 Pls. [for all chapters of Memoirs 3-4]
- 2046) Koçak,A.Ö. & M.Kemal**, 2007, Chapter 4: Bibliography of the Lepidoptera (BL), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1117-1267.
- 2047) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Bursa Province (North West Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 11 (5): 81-111.
- 2048) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Kars Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 11 (6): 113-131.
- 2049) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Kahramanmaraş Province (South Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 11 (7): 133-171.
- 2050) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Ankara Province (Central Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 12 (1): 1-32.
- 2051) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Konya Province (Central Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 12 (2): 33-62.
- 2052) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Adıyaman Province (South East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 106: 3-8.
- 2053) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Ağrı Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 107/108: 1-12.
- 2054) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Artvin Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 109/110: 1-16.
- 2055) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Elazığ Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 113/114: 1-12.
- 2056) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Bitlis Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 111/112: 1-12.
- 2057) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Erzincan Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 115/116: 1-16.
- 2058) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Erzurum Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 117/119: 1-20.
- 2059) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Hatay Province (South Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 120/121: 1-16.
- 2060) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Malatya Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 122/123: 1-12.
- 2061) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Tunceli Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 124/125: 1-12.
- 2062) Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Bayburt Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 126: 1-8.
- 2063) Koçak,A.Ö. & M.Kemal**, 2008, Synonymical and distributional list of the Lepidoptera of Turkey - I.Tortricidae. Cent. ent. Stud., Priamus Suppl. 13: 1-39.
- 2064) Koçak,A.Ö. & M.Kemal**, 2008, Patronymic names in Lepidoptera I- A list of the scientific names referring to the persons based upon the Info-System of the Cesa. 212 pp. 32 figs. Cesa & YYU Publication.
- 2065) Koçak,A.Ö. & M.Kemal**, 2008, Announcement with illustrations: "Studies on the Lepidoptera Fauna of Artos Mountain (Van Province, East Turkey)". Cesa News 27: 1-10, 18 figs.
- 2066) Koçak,A.Ö. & M.Kemal**, 2008, On the late summer butterflies of Artos Mountain (Van Province, East Turkey). Cesa News 29: 1-11, 17 figs.
- 2067) Koçak,A.Ö. & M.Kemal**, 2008, First attempt for a list of the patronyms in the Lepidopterology based upon the Info-System of the Cesa. Priamus Suppl. 12: 1-89.
- 2068) Koçak,A.Ö. & M.Kemal**, 2008, Synonymical and distributional list of the species of Muş Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 142: 1-6.
- 2069) Koçak,A.Ö. & M.Kemal**, 2008, Checklist of the diurnal Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 15: 1-41.
- 2070) Koçak,A.Ö. & M.Kemal**, 2009, Revised checklist of the Lepidoptera of Turkey. Cent. ent. Stud., Priamus (suppl.) 17: 1-253.
- 2071) Koçak,A.Ö. & M.Kemal**, 2010, Stray notes of a life devoted to Entomology. Cesa News 59: 1-54, 101 figs.
- 2072) Koçak,A.Ö. & M.Kemal**, 2010, Evaluation of the lepidopterological bibliography based upon the info-system of the Cesa. Cent. ent. Stud., Priamus (Suppl.) 21: 1-1185, 39 figs. 3 graphs.
- 2073) Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Middle East (Results of the Entomofauna of the World based upon info-system of the Cesa) - 88, Part 2: List of the valid names of the order Lepidoptera. Cent. ent. Stud., Priamus (Suppl.) 18: 3077-3186.

- 2074) Koçak,A.Ö. & M.Kemal**, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey III. Cesa News 68: 1-17, 21 figs.
- 2075) Koçak,A.Ö. & M.Kemal**, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey II. Cesa News 67: 1-26.
- 2076) Koçak,A.Ö. & M.Kemal**, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey I. Cesa News 66: 1-37.
- 2077) Koçak,A.Ö. & M.Kemal**, 2012, Number of the species of the Lepidoptera fauna of the selected countries with sample lists of some classical localities in the Old World. Cesa News 83: 8-55.
- 2078) Koçak,A.Ö. & M.Kemal**, 2002, Van'da üç nadir sinirkanatlı türü hakkında (Planipennia, Ascalaphidae, Nemopteridae). Cent. ent. Stud., Misc. Pap. 87: 5-8, figs.
- 2079) Koçak,A.Ö. & M.Kemal**, 2008, Notes on some rare Planipennia species in East Turkey (Neuroptera, Planipennia, Myrmeleonidae, Ascalaphidae, Nemopteridae). Cesa News 18: 1-5, 5 figs. 2 maps.
- 2080) Koçak,A.Ö. & M.Kemal**, 2008, Nomenclatural notes on some species group names in the family Asilidae (Diptera). Cent. ent. Stud., Misc. Pap. 145: 9-12.
- 2081) Koçak,A.Ö. & M.Kemal**, 2009, List of the dipteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. Cesa News 51: 3-106, 40 figs.
- 2082) Koçak,A.Ö. & M.Kemal**, 2009, List of the hymenopteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. Cesa News 52: 1-63, 14 figs.
- 2083) Koçak,A.Ö. & M.Kemal**, 2009, List of the coleopteran genera and species recorded in Turkey based upon the Infosystem of the Cesa. Cesa News 53: 1-212, 145 figs.
- 2084) Koçak,A.Ö. & M.Kemal**, 2009, Description of taxa in the family Tettigoniidae from South East Turkey (Orthoptera). Cent. ent. Stud., Misc. Pap. 149: 5-6, 2 figs.
- 2085) Koçak,A.Ö. & M.Kemal**, 2009, Report on the "Entomofauna of Turkey" 4- Revised and expanded index of the species of the Pterygot Insects of Turkey. Cesa News 41: 4-46, 2 figs.
- 2086) Koçak,A.Ö. & M.Kemal**, 2009, Description of a new subgenus in the family Tettigoniidae from South East Turkey (Orthoptera). Cent. ent. Stud., Misc. Pap. 149: 7-8.
- 2087) Koçak,A.Ö. & M.Kemal**, 2009, List of the dipteran genera and species recorded in Turkey based upon the Info-system of the Cesa (Report of the temporary results of the Entomofauna of Turkey-7). Cesa News 51: 3-106, 40 figs.
- 2088) Koçak,A.Ö. & M.Kemal**, 2010, List of the species of some pterygot orders recorded in the province Van (East Turkey) and a description of a new species in the family Cicadidae (Insecta). Priamus 12 (5): 130-149.
- 2089) Koçak,A.Ö. & M.Kemal**, 2010, A list of the species of the family Meloidae recorded in Turkey with a nomenclatural note (Coleoptera). Cent. ent. Stud., Misc. Pap. 152: 1-7.
- 2090) Koçak,A.Ö. & M.Kemal**, 2010, Palaeocesa nom.nov., A replacement name for a subgenus of Ramburiella Bolivar (Acrididae, Orthoptera). Cent. ent. Stud., Misc. Pap. 153: 3-4.
- 2091) Koçak,A.Ö. & M.Kemal**, 2010, Descriptions of three new species of the genus Anadrymadusa Karabağ from Middle East (Tettigoniidae, Orthoptera). Cent. ent. Stud., Misc. Pap. 154: 1-6, 4 figs.
- 2092) Koçak,A.Ö. & M.Kemal**, 2010, Description of *Pezodrymadusa striolata* ssp. *ziyaretensis* ssp.n. from East Turkey (Tettigoniidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 154: 6.
- 2093) Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Middle East (Results of the Entomofauna of the World based upon info-system of the Cesa) - 88. Cent. ent. Stud., Priamus (Suppl.) 18: 2888-3186.
- 2094) Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Turkey (Results of the Entomofauna of the World based upon info-system of the Cesa) - 26. Cent. ent. Stud., Priamus (Suppl.) 18: 1004-1724.
- 2095) Koçak,A.Ö. & M.Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Caucasus (Results of the Entomofauna of the World based upon info-system of the Cesa) - 2. Cent. ent. Stud., Priamus (Suppl.) 18: 261-361.
- 2096) Koçak,A.Ö. & M.Kemal**, 2012, Two replacement names in the superfamily Pentatomoidea Leach (Hemiptera). Cent. ent. Stud., Misc. Pap. 157: 2-3.
- 2097) Koçak,A.Ö. & M.Kemal**, 2012, List of the two thousand species of pterygot insects in Van Province (East Turkey) (Results of the entomofauna project of Turkey-7). Cesa News 81: 2-86, 37 figs.
- 2098) Koçak,A.Ö. & M.Vural**, 1998, Türkiye'deki bazı Lepidopter'lerin biyonomisi hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 51: 6-7.
- 2099) Koçak,A.Ö. & M.Yalçın**, 2012, *Bembix oleracea* (F.) in Van Province of East Turkey (Crabronidae, Hymenoptera). Cesa News 83: 1-3, 4 figs.
- 2100) Koçak,A.Ö. & S.Seven**, 1990, *Anthocharis cardamines* (Linnaeus) türünün erken gelişme safhaları üzerine bir çalışma (Lepidoptera, Pieridae). Cent. ent. Stud., Misc. Pap. 8: 5-7, şek.1.
- 2101) Koçak,A.Ö. & S.Seven**, 1991, Faunistische Notizen über Türkisch-Thrazien Lepidopteren. Cent. ent. Stud., Misc. Pap. 10: 4-12, 4 Abb.

- 2102) Koçak,A.Ö. & S.Seven,** 1991, Lepidopterlerin erken gelişme safhaları ve beslenme biyolojisine katkılar-I. Cent. ent. Stud., Priamus 5 (4): 149-156, 9 şekil.
- 2103) Koçak,A.Ö. & S.Seven,** 1991, Faunistisch- ökologische Notizen über Tagfalterfauna von Kızılcahamam (Prov. Ankara, Türkei) (Lepidoptera). Cent. ent. Stud., Priamus 5 (4): 105-122, 3 Abb.
- 2104) Koçak,A.Ö. & S.Seven,** 1993, Türkiye Kod Listesi İle İlgili Taksonomik Notlar-I (Lepidoptera). Cent. ent. Stud., Misc. Pap. 18: 1-4.
- 2105) Koçak,A.Ö. & S.Seven,** 1993, Über die Tagfalterfauna des Gebirges Hodulca bei Kızılcahamam (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 97-113.
- 2106) Koçak,A.Ö. & S.Seven,** 1994, Türkiye Lepidoptera Bibliyografyası. Cent. ent. Stud., Memoirs 2: 1-141.
- 2107) Koçak,A.Ö. & S.Seven,** 1994, "Türkiye Kod Listesi" ile ilgili taksonomik notlar-II (Lepidoptera). Cent. ent. Stud., Misc. Pap. 19: 5-8.
- 2108) Koçak,A.Ö. & S.Seven,** 1994, Türkiye Lepidoptera faunasına katkılar-II. Cent. ent. Stud., Misc. Pap. 21: 1-8.
- 2109) Koçak,A.Ö. & S.Seven,** 1994, Türkiye Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 20: 1-8.
- 2110) Koçak,A.Ö. & S.Seven,** 1995, Türkiye'den Yeni Bir Lycaenidae Taksonu Hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 25: 1-5, 1 harita.
- 2111) Koçak,A.Ö. & S.Seven,** 1995, Yeni Bir Pyralidae Cinsi ve Türü Hakkında (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 23/24: 13-16, 2 şekil.
- 2112) Koçak,A.Ö. & S.Seven,** 1995, Tokat Papilionoidea ve Hesperioidea Faunası ve Ekolojisi Hakkında (Lepidoptera). Cent. ent. Stud., Priamus 7 (3): 93-116.
- 2113) Koçak,A.Ö. & S.Seven,** 1996, Anadolu'nun Diurnal Lepidoptera Birlikleri ve Ekolojisi. Cent. ent. Stud., Priamus 8 (3/4): 53-167.
- 2114) Koçak,A.Ö. & S.Seven,** 1997, Türkiye Crambinae Faunası Üzerine Araştırmalar (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 39/40: 1-16.
- 2115) Koçak,A.Ö. & S.Seven,** 1997, Palaearktik Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8.
- 2116) Koçak,A.Ö. & S.Seven,** 1997, Lacydes spectabilis sheljuzhkoii Dubatolov'un Türkiye'de bulunuşu hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 1-2, 1 harita.
- 2117) Koçak,A.Ö. & S.Seven,** 1998, Eski Dünya Polyommata alttribusuna ait taksonların nomenklatürü ve sınıflandırması hakkında (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 49: 1-5, 1 grafik.
- 2118) Koçak,A.Ö. & S.Seven,** 1998, A tentative list of the threatened butterflies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 3-8.
- 2119) Koçak,A.Ö. & S.Seven,** 1998, On the Papilionoidea and Hesperioidea fauna of the Mount Kayağı (Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 53/54: 1-12.
- 2120) Koçak,A.Ö. & Seven,S. & M.Kemal,** 2007, Chapter 3: Valid species group names (species, and subspecies) recorded in the Databank of the CESA, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 143-1116.
- 2121) Koçak,A.Ö.,** 1975, New Lepidoptera from Turkey-I. Atalanta 6 (1): 24-30, figs.
- 2122) Koçak,A.Ö.,** 1975, A new species of genus Lysandra from Turkey (Lepidoptera, Lycaenidae). Atalanta 6 (1): 31-34, 6 figs.
- 2123) Koçak,A.Ö.,** 1975, New Lepidoptera from Turkey-II. Atalanta 6 (1): 50-55, 10 figs.
- 2124) Koçak,A.Ö.,** 1976, A new subspecies of Melanargia larissa from Turkey (Lepidoptera, Satyridae). Atalanta 7 (1): 40-41, 2 figs.
- 2125) Koçak,A.Ö.,** 1977, Studies on the family Lycaenidae (Lep.) I. New taxa and records from East Turkey. Atalanta 8 (1): 41-62, 24 figs.
- 2126) Koçak,A.Ö.,** 1977, New Lepidoptera from Turkey V. Atalanta 7 (2): 126-146, 47 Abb, 1 map.
- 2127) Koçak,A.Ö.,** 1977, New Lepidoptera from Turkey IV. Description of a new subspecies of Archon apollinus (Herbst,1789) (Parnasiidae). NachrBl. bayer. Ent. 26 (3): 54-60, 7 figs.
- 2128) Koçak,A.Ö.,** 1979, Studies on the family Lycaenidae II. New Taxa and Records from Turkey. Atalanta 10 (4a): 309-325, 37 figs.
- 2129) Koçak,A.Ö.,** 1980, Studies on the family Lycaenidae III. A review of the subspecies of Agrodiaetus (Sublysandria) myrrhus (H.-S.,1852). Atalanta 11 (4): 262-272, 14 figs.
- 2130) Koçak,A.Ö.,** 1980, Some notes on the nomenclature of Lepidoptera. Commun. Fac. Sci. Univ. Ankara, (Ser C3, Zool.) 24: 7-25.
- 2131) Koçak,A.Ö.,** 1980, On the nomenclature of some genus- and species-group names of Lepidoptera. Nota lepid. 2 (4): 139-146.

- 2132) Koçak, A.Ö.**, 1981, Buszkoiana nom.nov. A Replacement name in the family Pterophoridae (Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 10.
- 2133) Koçak, A.Ö.**, 1981, On the nomenclature of some genera of the family Psychidae (Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 7-10; 1(3): 122-123.
- 2134) Koçak, A.Ö.**, 1981, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. Cent. ent. Stud., Priamus 1 (2): 93-96.
- 2135) Koçak, A.Ö.**, 1981, Nomenclatural note on the genus Petersenia Gozmany, 1960 (Tineidae). Cent. ent. Stud., Priamus 1 (2): 45.
- 2136) Koçak, A.Ö.**, 1981, On the type-species of the genus Proterebia Roos & Arnscheid, 1980 (Satyridae, Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 6-7.
- 2137) Koçak, A.Ö.**, 1981, On the nomenclature of some genera of Lepidoptera. Cent. ent. Stud., Priamus 1(1): 18-23; 1(3): 97-109, 112-122.
- 2138) Koçak, A.Ö.**, 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). Cent. ent. Stud., Priamus 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37.
- 2139) Koçak, A.Ö.**, 1982, Notes on Archon apollinus (Herbst, 1798) (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 2 (1): 44-63, figs., map.
- 2140) Koçak, A.Ö.**, 1982, On the date of publication of "Nachtrag" of Heydenreich's Lepidopterorum Europaeorum Catalogus Methodicus (3.ed.), 130pp. 1851. Cent. ent. Stud., Priamus 2 (2): 92-95.
- 2141) Koçak, A.Ö.**, 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller, 1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". Cent. ent. Stud., Priamus 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
- 2142) Koçak, A.Ö.**, 1983, Some notes on "Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia)" by J. P. Heppner & W. D. Duckworth, 1981. Cent. ent. Stud., Priamus 2 (4): 169-170.
- 2143) Koçak, A.Ö.**, 1983, On the nomenclature of the genus Hipparchia Fabricius, 1807 (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 2 (4): 166-169.
- 2144) Koçak, A.Ö.**, 1983, Foodplants of the adults of Turkish Butterflies -I. Cent. ent. Stud., Priamus 3 (2): 86-92.
- 2145) Koçak, A.Ö.**, 1983, On the nomenclature of Thersamonia thersamon (Esper, 1784) from the West Palaearctic Region (Lycaenidae, Lepidoptera). Cent. ent. Stud., Priamus 3 (1): 3-5.
- 2146) Koçak, A.Ö.**, 1983, Ecological Notes. Cent. ent. Stud., Priamus 3 (1): 6.
- 2147) Koçak, A.Ö.**, 1983-1986, More notes on the homonymy of the specific names of Lepidoptera. Cent. ent. Stud., Priamus 2 (1983) (4): 164-166; 3 (1983) (2): 41-42; 4 (1986) (1/2): 55-60.
- 2148) Koçak, A.Ö.**, 1986, On the paper "Lepidoptera names of Denis & Schiffermüller - A case for stability" by K. Sattler & W. G. Tremewan in 1984. Cent. ent. Stud., Priamus 4 (1): 3-12.
- 2149) Koçak, A.Ö.**, 1986, A New Species of the genus Ethmia Hübner from Turkey (Lep., Azinidae). Cent. ent. Stud., Priamus 4 (1/2): 62-64, figs.
- 2150) Koçak, A.Ö.**, 1986, Türkiye Lepidopter'lerinin Dağılışı Haritaları Hakkında. Cent. ent. Stud., Priamus 4 (1/2): 48-51, harita.
- 2151) Koçak, A.Ö.**, 1986, Ayaş Dağları Lepidopterleri Hakkında. Cent. ent. Stud., Priamus 4 (1/2): 66-77.
- 2152) Koçak, A.Ö.**, 1986, Charaxes jasius Linn.'un gece uçuşu ve Anadoludaki yayılışı. Cent. ent. Stud., Priamus 4 (1/2): 45-46.
- 2153) Koçak, A.Ö.**, 1986, On the foodplants of Turkish Lepidoptera-I. Cent. ent. Stud., Priamus 4 (1/2): 13-18.
- 2154) Koçak, A.Ö.**, 1986, Pseudozarba bipartita H.-Sch. Türkiye'den yeni bir Noctuidae Türü (Lepidoptera). Cent. ent. Stud., Priamus 4 (1/2): 19-20.
- 2155) Koçak, A.Ö.**, 1986, Eratophyes aleatrix Diakonoff. Türkiye'den yeni bir Epigraphiidae (=Oecophoridae) cins ve türünün ilk kaydı hakkında (Lepidoptera). Cent. ent. Stud., Priamus 4 (1/2): 52-54.
- 2156) Koçak, A.Ö.**, 1987, Diurnal Lepidoptera of Çal Dağı (Central Anatolia) 1. Remarks on the Ecology of the species. Cent. ent. Stud., Priamus 4 (3): 87-114.
- 2157) Koçak, A.Ö.**, 1987, Chersotis (Cyrebia) adili sp.n. Description of a new species from N.E. Turkey, with some notes on other closely related species (Lepidoptera, Noctuidae). Cent. ent. Stud., Priamus 4 (3): 121-125, figs.
- 2158) Koçak, A.Ö.**, 1987, Panstegia meciti sp.n. Description of a new species in the family Pyralidae (Lepidoptera). Cent. ent. Stud., Priamus 4 (3): 115-116, figs.
- 2159) Koçak, A.Ö.**, 1987, Sultania lophotalis (Hampson) Koçak in Turkey, with a description of a new genus (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 4 (3): 117-120, figs.
- 2160) Koçak, A.Ö.**, 1989, Geometra purissima Wiltshire in North Pakistan (Lepidoptera, Geometridae). Cent. ent. Stud., Priamus 5 (3): 100-102, 2 figs. 1 map.
- 2161) Koçak, A.Ö.**, 1989, Autobiography of Prof. Dr. Ahmet Ö. Koçak. Cent. ent. Stud., Misc. Pap. 1: 1-4.

- 2162) Koçak,A.Ö.**, 1989, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera)-I. Cent. ent. Stud., Priamus 5 (3): 103-104.
- 2163) Koçak,A.Ö.**, 1989, On the Lepidoptera taken from Elmadağ (Central Anatolia). Cent. ent. Stud., Priamus 5 (1/2): 23-25.
- 2164) Koçak,A.Ö.**, 1989, Croesia bergmanniana (Linn.). New to the fauna of Turkey (Lepidoptera, Tortricidae). Cent. ent. Stud., Priamus 4 (4): 161.
- 2165) Koçak,A.Ö.**, 1989, Provision of a valid name for the type-species of the genus Sideridis Hübner, 1821 (Noctuidae, Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 1-2.
- 2166) Koçak,A.Ö.**, 1989, On the authorship of the family name Lemoniidae with some nomenclatural notes on other related groups (Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 147-149.
- 2167) Koçak,A.Ö.**, 1989, Pseudochazara lydia nesrin (ssp.n.). A new subspecies from Turkey (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 5 (1/2): 69-71, figs.
- 2168) Koçak,A.Ö.**, 1989, On the Lepidoptera of Ayaş District (C.Anatolia). Cent. ent. Stud., Priamus 4 (4): 150-161, figs.
- 2169) Koçak,A.Ö.**, 1989, Hyponephela lycaonoides Weiss in Turkey, with descriptions of new subspecies (Lep., Satyridae). Cent. ent. Stud., Priamus 4 (4): 142-146, 6 figs.
- 2170) Koçak,A.Ö.**, 1989, Migration of Ephesia nymphaea Esp.,1788 (Noctuidae). Cent. ent. Stud., Priamus 4 (4): 149.
- 2171) Koçak,A.Ö.**, 1989, On the butterflies of Taurus Mountains in the provinces Antalya and Konya (S.Turkey), with some taxonomic descriptions and remarks (Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 33-68, 1 fig.
- 2172) Koçak,A.Ö.**, 1989, Description of the genus Adoritis (gen.n.) with notes on other closely related groups in Parnassiinae (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 163-170, figs.
- 2173) Koçak,A.Ö.**, 1989, Discoloxia blomeri (Curtis) in Turkey (Lepidoptera, Geometridae). Cent. ent. Stud., Priamus 5 (3): 92-94, 1 fig.
- 2174) Koçak,A.Ö.**, 1989, Notes on the Lepidoptera of Erzurum Province (East Turkey). Cent. ent. Stud., Priamus 5 (3): 73-91, 6 figs.
- 2175) Koçak,A.Ö.**, 1989, On the early stages of Parnassius apollo L. from North Turkey. Cent. ent. Stud., Priamus 5 (1/2): 31-32.
- 2176) Koçak,A.Ö.**, 1989, Migration of Parahipparchia algerica Obth.,1876 (Satyridae). Cent. ent. Stud., Priamus 4 (4): 149.
- 2177) Koçak,A.Ö.**, 1989, On the early stages of Cynaeda gigantea (Stgr.) in Central Turkey (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 5 (3): 95-97, 2 figs.
- 2178) Koçak,A.Ö.**, 1990, Kızılcahamam Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 8: 1-4.
- 2179) Koçak,A.Ö.**, 1990, Additional faunistical and ecological notes to the Lepidoptera of Ayaş district (Central Turkey). Cent. ent. Stud., Misc. Pap. 4: 3-7.
- 2180) Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -II. Cent. ent. Stud., Misc. Pap. 5: 4.
- 2181) Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -IV. Cent. ent. Stud., Misc. Pap. 8: 4-5.
- 2182) Koçak,A.Ö.**, 1990, Seyahat Defterimden. Cent. ent. Stud., Misc. Pap. 2: 2-3; 6: 11-12.
- 2183) Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 7: 7.
- 2184) Koçak,A.Ö.**, 1990, On the full grown caterpillar of Hyles euphorbiae L. from SW. Turkey (Lepidoptera, Sphingidae). Cent. ent. Stud., Misc. Pap. 2: 1.
- 2185) Koçak,A.Ö.**, 1990, A new species to the fauna of Turkey Archiearis notha (Hübner,1803) (Lep., Geometridae). Cent. ent. Stud., Misc. Pap. 8: 7-8, fig.
- 2186) Koçak,A.Ö.**, 1990, On the butterflies of Bilecik province (NW. Turkey). Cent. ent. Stud., Misc. Pap. 2: 6-7.
- 2187) Koçak,A.Ö.**, 1990, An annotated list of the Lepidoptera of Karadere and Bolu district (Prov. Bolu, N.Turkey). Cent. ent. Stud., Misc. Pap. 6: 1-11.
- 2188) Koçak,A.Ö.**, 1990, An annotated list of the Lepidoptera collected from Işık Dağı (N.Turkey) in 1988. Cent. ent. Stud., Misc. Pap. 3: 1-7.
- 2189) Koçak,A.Ö.**, 1990, Ecological notes on the Turkish Lepidoptera. Cent. ent. Stud., Misc. Pap. 4: 1.
- 2190) Koçak,A.Ö.**, 1990, Additional notes to the Lepidoptera fauna of Işık Dağı (N.Turkey). Cent. ent. Stud., Misc. Pap. 5: 4-8.
- 2191) Koçak,A.Ö.**, 1990, Additional notes to the butterfly fauna of Taurus Mountains in the provinces Antalya and Konya (S.Turkey). Cent. ent. Stud., Misc. Pap. 2: 4-5.
- 2192) Koçak,A.Ö.**, 1991, Introductions and Remarks, [in] Seven,S. & S.Bulguer, A Bibliographical list of the homonymous generic names in Zoology based on S.A. Neave's Nomenclator Zoologicus (Vols. I-VII). Cent. ent. Stud., Memoirs 1: v-x, 82-83. Ankara.

- 2193) Koçak,A.Ö.**, 1991, Notes on the taxonomy and nomenclature of the palaearctic Noctuidae (Lepidoptera)-V. Cent. ent. Stud., Misc. Pap. 10: 1-3.
- 2194) Koçak,A.Ö.**, 1991, Über Lepidopterenfauna von Kızılcahamam mit taxonomischen Notizen (Lepidoptera). Cent. ent. Stud., Misc. Pap. 9: 1-10, 3 figs.
- 2195) Koçak,A.Ö.**, 1991, On the Arctiidae of Turkey in the collection of CES with some taxonomical and ecological notes (Lepidoptera). Cent. ent. Stud., Priamus 5 (4): 122-149, 7 figs.
- 2196) Koçak,A.Ö.**, 1992 Further notes on the Lepidoptera of Bilecik Province (NW.Turkey). Cent. ent. Stud., Misc. Pap. 13: 4-8.
- 2197) Koçak,A.Ö.**, 1992, M. ve W. Glaser tarafından Kızılcahamam'dan toplanan Lepidopterlerin listesi-I. Cent. ent. Stud., Misc. Pap. 14: 6-8; 15: 1-8.
- 2198) Koçak,A.Ö.**, 1992, *Lysandra syriaca* ssp. *burak* (n.ssp.), Güney Anadolu'dan yeni bir Lycaenidae alttürü (Lepidoptera). Cent. ent. Stud., Misc. Pap. 16: 6-8.
- 2199) Koçak,A.Ö.**, 1992, Lycaenidae familyasında yeni bir altcins *Alciphronia*'nın tanımı ve Türkiye'de ki taksonlarına ait bazı taksonomik notlar (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 16: 1-5.
- 2200) Koçak,A.Ö.**, 1993, Trakyanın ilkbahar lepidopterleri hakkında faunistik notlar. Cent. ent. Stud., Misc. Pap. 17: 1-8.
- 2201) Koçak,A.Ö.**, 1993, Über die Schmetterlinge von Beypazarı (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 113-131.
- 2202) Koçak,A.Ö.**, 1995, Lepidoptera palaeo-tropica araştırma programı hakkında (LPT). Cent. ent. Stud., Misc. Pap. 22: 1-5.
- 2203) Koçak,A.Ö.**, 1995, 1994 yılında Kuzey İran ve Türkmenistan'a yapılan Entomolojik ve Botanik Ekspedisyununun Sonuçları 1.Giriş. Cent. ent. Stud., Misc. Pap. 22: 6-8, 1 harita.
- 2204) Koçak,A.Ö.**, 1996, Güney Batı Asya Polyommatae taksonlarının listesi ve bazı nomenklatür notları (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 30/33: 1-32.
- 2205) Koçak,A.Ö.**, 1998, On the nomenclature of a taxon in the family Pieridae (Lepidoptera) with remarks on the taxonomical studies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 1-3.
- 2206) Koçak,A.Ö.**, 1998, Doğu Anadolu'dan yeni bir lycaenid alttürü *Rubrapterus bavius* masal (subsp.n.) (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 57: 7-8.
- 2207) Koçak,A.Ö.**, 1999, Orta Anadolu'da yeni bir *Agrodiaetus* Hbn. türünün tanımı (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 59: 3-7, 4 figs.
- 2208) Koçak,A.Ö.**, 2000, Enkhore vilayitidiki kepineklirining sinonimik tizimligi (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 1-22 [in Uighur language].
- 2209) Koçak,A.Ö.**, 2000, Revisional notes on the taxonomy of 'eurypilos Gerhard' and 'surakovi Dantchenko & Lukhtanov' in the genus *Latreille* (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 65/66: 8-10.
- 2210) Koçak,A.Ö.**, 2008, Illustration of *Choreutis muhabbet* Koçak,2008 described in Miscellaneous Papers Nr. 142 pages 6-7 of the Cesa. Cesa News 30: 17, fig.1.
- 2211) Koçak,A.Ö.**, 2008, Description of *Choreutis muhabbet* sp.n. (Choreutidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 142: 6-7.
- 2212) Koçak,A.Ö.**, 1981, On the nomenclature of some genera of Orthoptera. Priamus 1: 126-128.
- 2213) Koçak,A.Ö.**, 1981-1983, List of the genera of Turkish Auchenorrhyncha (Homoptera) with some replacement names for the genera existing in other countries. Priamus 1(1): 30-40; 1(3): 128-138; 1(4): 141-154; 3(2): 43-85.
- 2214) Koçak,A.Ö.**, 1984, On the nomenclatural status of two species group names in Orthoptera. Priamus 3 (4): 169-170.
- 2215) Koçak,A.Ö., Kemal,M. & A.Güngen**, 2011, Report of an interesting *Caenolyda* species from South-East Turkey (Hymenoptera, Pamphiliidae). Cesa News 63: 1-6, 1 map, 7 figs.
- 2216) Koçak,A.Ö., Kemal,M. & E.Seven**, 2010, Description of *Trigonocorypha sirvani* n.sp. from Turkey with new faunistic records of the genus and the tribe (Orthoptera, Tettigoniidae, Phaneropterinae, Trigonocoryphini). Cent. ent. Stud., Misc. Pap. 153: 1-3, 4 figs.
- 2217) Koçak,A.Ö., Kemal,M. & E.Seven**, 2011, *Amorphoscelis pantherina* Roy (Amorphoscelidae, Mantodea): New family, genus and species to the fauna of Turkey. Cesa News 63: 8-9, 2 figs.
- 2218) Koçak,A.Ö., Kemal,M. & I.Akdeniz**, 2006, A new genus and species to the Lepidoptera fauna of Turkey and Syria (Papilionidae). Cent. ent. Stud., Misc. Pap. 97: 1-6, 2 figs.
- 2219) Koçak,A.Ö., Kemal,M. & L.Kayci**, 2011, List of the species of the Lepidoptera of Van Province (East Turkey). Cent. ent. Stud., Priamus (Suppl.) 23: 1-43, 9 figs.
- 2220) Koçak,A.Ö., Kemal,M. & Yalçın,M. & B.Bakan**, 2012, *Cerocoma festiva* in Van Province of East Turkey (Meloidae, Coleoptera). Cesa News 83: 4-7, 7 figs.
- 2221) Koçak,A.Ö., Kemal,M. Seven,S. Özkol,H. & L.Kayci**, 2007, Selected bibliography on the Lepidoptera of Caucasus Region. Cent. ent. Stud., Priamus Suppl. 10: 1-44, 1 map.
- 2222) Koçak,A.Ö., Kemal,M. Seven,S. Özkol,H. & L.Kayci**, 2008, Noctuidae fauna of the Caucasus Region (Lepidoptera). Cent. ent. Stud., Priamus Suppl. 11: 1-128, 7 tables, 10 maps, 11 figs.

- 2223) Koçak,A.Ö., Kemal,M., Aydın,M. & Güngen,A.,** 2008, Two days in an oak woodland in Bingöl Province (East Turkey). Cesa News 28: 1-16, 29 figs.
- 2224) Koçak,A.Ö., Kemal,M., Özdemir,M. & I.Özdemir,** 2008, Report on the "Entomofauna of Turkey" 2- Index of the recorded species of the Pterygot Insects of Turkey. Cesa News 37: 2-41, 1 fig.
- 2225) Koçak,A.Ö., Kemal,M., Özkol,H. & Kayci,L.,** 2009, Report on the "Entomofauna of Turkey" 3- Revised and expanded index of the recorded genera and species of the Pterygot Insects of Turkey. Cesa News 40: 12-83, 1 fig.
- 2226) Koçak,A.Ö., Seven,S. & Y.Hüseyinoğlu,** 1997, *Eucharia festiva* ssp. *nivea* (Bang-Haas,1927)'nın taksonomisi ve dağılışı Hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 5-8, 2 harita.
- 2227) Koçak,A.Ö., Seven,S. & Y.Hüseyinoğlu,** 1997, Kuzey İran'da *Epicallia villica* (Linnaeus)'nın varlığı hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 3-5, 1 harita.
- 2228) Koçak,E. & M.Özdemir,** 2004, A new record for the cereal pests in Turkey: *Phorbia securis* Tiensuu,1935 (Diptera, Anthomyiidae). Turk. J. Zool. 28: 83-85, figs.
- 2229) Koçak,E. & N.Kılınçer,** 2003, Taxonomic studies on *Trissolcus* sp. (Hymenoptera, Scelionidae), egg parasitoids of the Sunn Pest (Hemiptera, Scutelleridae, *Eurygaster* sp.) in Turkey. Turk. J. zool. 27: 301-307, figs.
- 2230) Koçak,E., Özdemir,M. & V.V.Zlobin,** 2009, Insects associated with the endemic species *Heracleum platytaenium* Boiss. (Apiaceae) with new records for the Turkish fauna. Turk. J. Zool. 33: 245-247.
- 2231) Koçak,E., Özdemir,M. & V.V.Zlobin,** 2009, Insects associated with the endemic species *Heracleum platytaenium* Boiss. (Apiaceae) with new records for the Turkish fauna. Turk. J. Zool. 33: 245-247.
- 2232) Koçak,Ö.,** 2009, Karaman Kelebekleri. Cesa News 50: 1-18, 39 resim 37 harita.
- 2233) Koda,N.,** 1987, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 1. Tyo to Ga 38 (3): 153-237, figs.
- 2234) Koda,N.,** 1988, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 2. Tyo to Ga 39 (1): 1-79, figs.
- 2235) Kodandaramaiah,U. & N.Wahlberg,** 2009, Phylogeny and biogeography of *Coenonympha* butterflies (Nymphalidae, Satyrinae)- patterns of colonization in the Holarctic. Syst. Ent. 34: 315-323.
- 2236) Kohl,F.F.,** 1883, Ueber neue Grabwespen des Mediterrangebietes. Dt. ent. Z. 27 (1): 161-186.
- 2237) Kohl,F.F.,** 1884, Beitrag zur Kenntniss der Hymenopteren-Gattung *Oxybelus* Latr. Termés. Füzetek 8: 101-116.
- 2238) Kohl,F.F.,** 1888, Neue Hymenopteren in der Sammlungen des k.k. naturhistorischen Hofmuseums III. Verh. zool.- bot. Ges. Wien 38: 133-156, Taf.iii,iv.
- 2239) Kohl,F.F.,** 1898, Zur Kenntniss der europäischen *Polistes*-Arten. Annln naturh. Mus. Wien 13: 87-90, Taf.iii.
- 2240) Kohl,F.F.,** 1901, Zur Kenntnis der Sandwespen (Gen. *Ammophila* Kirby). Annln naturh. Mus. Wien 16: 142-164, Taf.vii,viii.
- 2241) Kohl,F.F.,** 1905, Hymenopteren, [in] Penther,A. & Zederbauer,E., Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20: 220-246, Taf. ix,x.
- 2242) Kohl,F.F.,** 1906, Die Hymenopterengruppe der Sphecinen III. Monographie der Gattung *Ammophila* W.Kirby (sens.lat. = *Ammophilinae* Ashmead). Abteilung A. Die *Ammophilinen* der paläarktischen Region. Annln naturh. Mus. Wien 21: 228-382, Taf. vii-xi.
- 2243) Kohl,F.F.,** 1915, Die Crabronen (Hymenopt.) der paläarktischen Region. Annln naturh. Mus. Wien 29: 1-453, 14 Taf.
- 2244) Kohl,F.F.,** 1918, Die Hautflüglergruppe "Sphecinae". IV. Teil. Die natürliche Gattung *Sceliphron* Klug (*Pelopeus* Latr.). Annln naturh. Mus. Wien 32: 1-171, 81 Abb.
- 2245) Kolarov,J. & M.F.Gürbüz,** 2004, A study of the Turkish Ichneumonidae (Hymenoptera) I. Pimplinae. Linzer biol. Beitr. 36 (2): 841-845.
- 2246) Kolarov,J. & M.F.Gürbüz,** 2006, A study of the Turkish Ichneumonidae (Hymenoptera) III. Anomaloninae, Banchinae, Ophioninae and Xoridinae. Acta ent. serb. 11 (1/2): 91-94.
- 2247) Kolarov,J. & M.Yurtcan,** 2008, A study of the Ichneumonidae (Hymenoptera) of the North Anatolia (Turkey) I. Brachycyrtinae, Cryptinae and Xoridinae. Acta ent. serb. 13 (1/2): 89-91.
- 2248) Kolarov,J. & M.Yurtcan,** 2008, A new species of *Cymodusa* Holmgren,1859 (Hymenoptera, Ichneumonidae, Campopleginae) from Turkey. Biologia 63 (4): 548-549, 4 figs.
- 2249) Kolarov,J. & M.Yurtcan,** 2009, A study of the Cremastinae (Hymenoptera, Ichneumonidae) from Turkey. Turk. J. zool. 33: 371-374.
- 2250) Kolarov,J.,** 1989, Ichneumonidae (Hymenoptera) from Balkan peninsula and some adjacent regions. III. Ophioninae, Anomaloninae, Metopiinae, Mesochorinae, Acaenitinae, Oxytorinae,

- Orthopelmatinae, Collyriinae, Orthocentrinae, Diplazontinae and Ichneumoninae. *Türk. ent. derg.* 13 (3): 131-140.
- 2251) Kolarov, J.**, 1993, Über die Taxonomie einiger Ichneumoniden (Hymenoptera, Ichneumonidae). *Linzer biol. Beitr.* 25 (2): 1093-1097, 2 Abb.
- 2252) Kolarov, J.**, 1994, Nocturnal Ichneumonidae from Bulgaria and Turkey with description of a new species (Hymenoptera, Ichneumonidae). *Entomofauna* 15 (9): 93-100, 2 figs.
- 2253) Kolarov, J.**, 1995, A catalogue of the Turkish Ichneumonidae (Hymenoptera) *Entomofauna* 16 (7): 137-188.
- 2254) Kolarov, J.**, 2007, A catalogue of the Ichneumonidae from Greece (Hymenoptera). *Entomofauna* 28 (30): 405-452.
- 2255) Kolarov, J., Çoruh, S., Yurtcan, M. & M.F.Gürbüz**, 2009, A study of Metopiinae from Turkey with description of a new species (Hymenoptera, Ichneumonidae). *Zool. Middle East* 46: 75-82.
- 2256) Kolenati, F.A.**, 1846, Meletemata Entomologica Insecta Caucasi: Coleoptera, Dermaptera, Lepidoptera, Neuroptera, Mutiliidae, Aphaniptera, Anoplura. Petropoli, Typis Imp. Acad. Sci., Fasc. 5, 3+170pp., 3 Pls.
- 2257) Kolenati, F.A.**, 1845, Hemiptera Caucasi Tesseratomidae monographice dispositae. Meletemata Entomologica, fasc.ii, 132 pp., 11 Tab. Petropoli.
- 2258) Kollar, V. & L.Redtenbacher**, [1849], Über den Charakter der Insecten-Fauna von Süd-Persien. *Denkschr. Akad. Wiss. Wien* 1 (1): 42-53.
- 2259) Kononenko, V.S. & A.Y.Matov**, 2009, A review of Palaearctic Metachrostis Hübner, [1820] with description of three new species (Lepidoptera, Noctuidae, Eublemminae). *Zootaxa* 2026: 1-17, figs.
- 2260) Konow, W.**, 1894, Neue Tenthrediniden. *Wien. ent. Ztg.* 13: 129-139.
- 2261) Konow, W.**, 1897, Systematische und kritische Bearbeitung der Blattwespen-Tribus Lydini. *Annln naturh. Mus. Wien* 12: 1-32, 231-255.
- 2262) Konow, W.**, 1899, Chalastogastrorum novae species et varietates, quas D. Escalera ex Asia minor reportavit. *Actas Soc. esp. Hist. nat.* (2) 8: 203-207.
- 2263) Konstantinov, F.V.**, 1997, A revision of the genus Psallopsis (Heteroptera, Miridae). *Zoosyst. ross.* 6 (1/2): 171-190, figs.
- 2264) Konstantinov, F.V.**, 2008, Review of Solenoxyphus Reuter, 1875 (Heteroptera, Miridae, Phylinae). *Amer. Mus. Novit.* 3607: 1-42, figs.
- 2265) Korb, M.**, 1900, *Epicimelia theresiae* nov. spec. *Dt. ent. Z.*, *Iris* 12: 300-302, Taf.7.
- 2266) Korb, M.**, 1903, Eine neue Zygaena. *Dt. ent. Z.*, *Iris* 15: 326-327.
- 2267) Korb, M.**, 1910-1924, Über die von mir beobachteten palaearktischen Lepidopteren (Vorkommen, Lebensweise etc.). *Mitt. münch. ent. Ges.* 1 (1910): 2-5; (2): 15-16; (3-4): 17-19; (9-10): 66-70; 2 (1911): 17-22, 55-59, 88-91; 3 (1912): 17-20; 4 (1913): 5-8, 49-54; 6 (1915): 35-42; 7 (1916): 25-30, 91-99; 9 (1919): 57-64; 11 (1921): 4-14; 14 (1924): 18-24.
- 2268) Korb, M.**, 1934, Eine neue Zygaena purpuralis-Rasse aus dem armenischen Bergland. *Dt. ent. Z.*, *Iris* 48: 191-194.
- 2269) Korb, M.**, 1936, Neues über asiatische Zygaenen. *Ent. Z.*, *Frankf. a. M.* 50: 398-401.
- 2270) Korb, S.K. & L.V.Bolshakov**, 2010, Taxonomical notes to the publication: Lastukhin, A.A. 2008. Taxonomic notes of the tribe Euphydryini Higgins, 1978 (Melitaeinae, Nymphalidae, Lepidoptera) // [Scientific papers of the "Prisursky" State Nat. Res.] T.19. P.47-63. *Eversmannia* 21-22: 30-36.
- 2271) Korkmaz, E.M., Budak, M., Örgen, S.H., Bağda, E., Gencer, L., Ülgentürk, S. & H.H.Başıbüyük**, 2010, New records and a checklist of Cephidae (Hymenoptera), Insecta) of Turkey with a short biogeographical consideration. *Turk J. Zool.* 34: 203-211.
- 2272) Korneyev, V.A. & E.P.Kameneva**, 2012, A new species of Herina Robineau-Desvoidy, 1830 (Diptera, Ulidiidae) from Turkey, with the key to species of oscillans group. *Zootaxa* 3548: 69-74, figs.
- 2273) Korneyev, V.A.**, 1996, The status of Urophora dzieduszyckii Frauenfeld (Insecta, Diptera, Tephritidae). *Annln naturh. Mus. Wien* 98B: 525-528.
- 2274) Korneyev, V.A.**, 2006, A revision of the quadratula group of the genus Terellia Robineau-Desvoidy (Diptera, Tephritidae). *Israel J. Ent.* 35-36: 341-366, figs.
- 2275) Korneyev, V.A., Gharali, B. & H.Rakhshani**, 2011, A review of the genus Hypenidium Loew, 1862 (Diptera, Tephritidae). *Ukr. Entomofaun.* 2 (4): 39-46, figs.
- 2276) Kornoşor, S. & M.Lödl**, 1990, New records of Noctuidae (Lepidoptera) from Turkey. *Z. ArbGem. Öst. Ent.* 42 (1/2): 58-60, 10 figs.
- 2277) Kornoşor, S. & M.Lödl**, 1990, Two new species of the genera Orthosia Ochsenheimer, 1816 and Simyra Ochsenheimer, 1816 from Turkey (Noctuidae, Lepidoptera). *Z. ArbGem. Öst. Ent.* 42 (3/4): 68-72.
- 2278) Kornoşor, S.**, 1982, Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste ?? Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): ??-94.
- 2279) Kornoşor, S.**, 1982, Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste II. Quadrifinae grubu. Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): 95-102.

- 2280) Kornošor, S.**, 1989, Three new *Euxoa* Hübner, 1821 (Lepidoptera, Noctuidae) species from Turkey. *Türk ent. derg.* 13 (4): 205-216.
- 2281) Koster, J.C., Özbek, H., Aslan, I. & T. Rutten**, 2004, *Blastodacna libanotica* Diakonoff, 1939 - a pest on Pear in Turkey (Agonoxenidae). *Nota lepid.* 27 (1): 33-40, figs.
- 2282) Kostrowicki, A.S.**, 1961, Studies on the Palearctic species of the subfamily Plusiinae (Lepidoptera). *Acta zool. cracov.* 6: 367-472, pls.
- 2283) Kostrowicki, A.S.**, 1969, Geography of the Palearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. *Panstowe Wyd. Nauk., Warszaw.*
- 2284) Kothe, T., Blazi, G. & K. Schönitzer**, 2004, Katalog der Wanzen-Typen von Gustav Seidenstücker (1912-1989) in der Zoologischen Staatssammlung München (Heteroptera). *Ber. naturf. Ges. Augsburg* 61: 1-90.
- 2285) Kotsch, H.**, 1935, *Colias* Studien meiner Armenien Reise 1934. *Ent. Z., Frankf. a. M.* 49: 97-101.
- 2286) Kotsch, H.**, 1936, Ein Sommer unter den Kurden. *Ent. Rdsch.* 53: 313-317, 352-359, 372-376, 393-396, 414-418, 9 Abb.
- 2287) Kotsch, H.**, 1940, Eine neue Noctuide aus Iran. *Eustrotia* Hb. (*Erastria* O.) *iranica* sp. nov. *Ent. Z., Frankf. a. M.* 54: 73-74, figs.
- 2288) Kotsch, H.**, 1934, Neues über *Colias chlorocoma*. *Ent. Rdsch.* 51 (29): 228.
- 2289) Kovancı, B. & S. Canbulat**, 2007, A new species of the genus *Nothochrysa* McLachlan, 1868 from northwestern Turkey (Neuroptera, Chrysopidae) with a key to western palaeartic species. *Annls Soc. ent. Fr. (n.s.)* 43 (2): 165-168, figs.
- 2290) Kovar, I. & M. Hradsky**, 1995, A new species of genus *Acrochordomerus* Hermann from Turkey (Insecta, Diptera, Asilidae). *Reichenbachia* 31 (19): 97-102.
- 2291) Kozhantschikov, I.V.**, 1928, Beitrag zur Kenntnis der Agrotiden. Übersicht der Gattung *Triphaena* Hb. *Encycl. ent. (B3)* 3: 67-87, 7 figs.
- 2292) Kozlov, M.V. & E.L. Zvereva**, 2006, Aggregation of *Micropterix maschukella* moths on inflorescences of common elder: mating at foraging sites (Lepidoptera Micropterigidae). *Ethology Ecology & Evolution* 18: 147-158, figs.
- 2293) Kozlov, M.V.**, 1994, Geographical variation in wing pattern of *Micropterix maschukella* Alpheraky, 1876 (Lepidoptera, Micropterigidae). *Nota lepid.* 17 (1/2): 45-52, figs.
- 2294) Kozlov, M.V.**, 2003, Annotated checklist of the European species of *Nemophora* (Adelidae). *Nota lepid.* 26 (3/4): 115-126.
- 2295) Kozlov, M.V.**, 2004, Records of the genus *Nemophora* Hoffmannsegg, 1798 from Spain: critical re-examination of the collections of the Museo Nacional de Ciencias Naturales (Madrid) (Lepidoptera, Adelidae). *Shilap Revta. lepid.* 32 (126): 95-98.
- 2296) Kraatz, G.**, 1863, Revision der Cerocomiden-Gruppe. *Berl. ent. Z.* 7: 109-115, 1 Tab.
- 2297) Kraatz, G.**, 1872, Eine neue russische Clythra-Art. *Horae Soc. ent. ross.* 8: 29-31.
- 2298) Krauss, H.**, 1890, Erklärung der Orthopteren-Tafeln J.C. Savigny's in der "Description de l'Egypte". *Verh. zool.-bot. Ges. Wien* 40: 227-272.
- 2299) Krejčík, S.**, 2012, Meloidae. <http://www.meloidae.com/en/category/meloidae/> [last access 7 March 2012].
- 2300) Kristal, P.M. & W.A. Nässig**, 1996, Korrektur zur Meldung über das Vorkommen von *Leptidea reali* Reissinger 1989 in Deutschland und einigen anderen Ländern (Lepidoptera, Pieridae). *Nachr. ent. Ver. Apollo (N.F.)* 17(3): 259-261.
- 2301) Krivokhatsky, V.A.**, 1993, Review of the *Myrmecaelurus* (Nohoveus) *zigan* Group (Neuroptera, Myrmeleontidae), with description of a new species from Armenia. *Ent. Obozr.* 72: 626-630, figs.
- 2302) Krivosheina, N.P. & B.M. Mamaev**, 1988, Family Xylophagidae [in] Soos, A. & L. Papp (eds.), Catalogue of palaeartic Diptera 5: 35-38. *Akademiai Kiado, Budapest.*
- 2303) Krivosheina, N.P.**, 1988, Family Xylomyidae [in] Soos, A. & L. Papp (eds.), Catalogue of palaeartic Diptera 5: 38-42. *Akademiai Kiado, Budapest.*
- 2304) Krivosheina, N.P.**, 1986, Family Bibionidae [in] Soos, A. & L. Papp (eds.), Catalogue of palaeartic Diptera 4: 319-330. *Akademiai Kiado, Budapest.*
- 2305) Krodell, E.**, 1904, *Lycaena icarus* Rott., ab. *persica* Bien. *Ent. Z., Stuttgart* 17(21): 80-81.
- 2306) Krolík, R. & M. Niehuis**, 2003, *Agrilus rhoos*, a new species from Turkey (Coleoptera, Buprestidae). *Genus* 14 (3): 357-362, figs.
- 2307) Krolík, R.**, 2002, *Agrilus kutahyanus* n.sp. from Turkey (Coleoptera, Buprestidae). *Genus* 13 (1): 25-31, figs.
- 2308) Kröber, O.**, 1914, Die Gattung *Melanosoma* Rob.-Desv. *Arch. Naturg.* 80 (10): 77-87.
- 2309) Kröber, O.**, 1914, Die palaearktischen Arten der Gattung *Physocephala* Schin. *Arch. Naturg.* 80 (10): 43-77.
- 2310) Kröber, O.**, 1914, Die Gattung *Dalmanina* Rob.-Desv. *Arch. Naturg.* 80 (10): 87-94.
- 2311) Kröber, O.**, 1915, Die Gattung *Zodion* Latr. *Arch. Naturg. (A)* 81: 84-117.

- 2312) Kröber, O.**, 1923, Beiträge zur Kenntnis palaearktischer Tabaniden II. Die Untergattung *Theriopectes* Zell. nebst Bemerkungen zu den mir bekannt gewordenen Bigot'schen Tabaniden-Typen der Kollektionen Mr. Collin's in Newmarket. Arch. Naturg. 89 A (12): 55-118.
- 2313) Kröber, O.**, 1927, Beiträge zur Kenntnis der Conopidae. Konowia 6: 122-143, 12 figs.
- 2314) Krulikowsky, L.**, 1904, *Sarrothrips revayana* var. *asiatica*. Rev. russk. Ent. 4:91-92.
- 2315) Krüger, M.**, 2001, A revision of the tribe Macariini (Lepidoptera: Geometridae: Ennominae) of Africa, Madagascar and Arabia. Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 1-502, 1040 figs., 14 Tab. & App.
- 2316) Kubisz, D., Krolík, R., Dobosz, R. & R.B. Pettersson**, 2007, Oedemeridae (Coleoptera, Tenebrionoidea) in Turkey - preliminary check-list and materials to the distribution. Annls Upper Sil. Mus. (Ent.) 14-15: 111-130, figs.
- 2317) Kudrna, O. & E. Balletto**, 1984, An Annotated Catalogue of the Skippers (Lepidoptera: Hesperidae) named by Roger Verity. J. Res. Lepid. 23(1): 35-49.
- 2318) Kudrna, O.**, 1974, On the taxonomy of some asiatic forms of the genus *Brenthis* Hbn. (Lep., Nymphalidae). Entomologist's Gaz. 25:93-96.
- 2319) Kudrna, O.**, 1974, *Artogeia* Verity, 1947, gen.rev. for *Papilio napi* Linnaeus (Lepidoptera, Pieridae). Entomologist's Gaz. 25: 9-12, 7 figs.
- 2320) Kudrna, O.**, 1975, A revision of the genus *Gonepteryx* Leach (Lep., Pieridae). Entomologist's Gaz. 26: 3-37, 50 figs.
- 2321) Kudrna, O.**, 1975, On a hitherto undescribed European species of the genus *Hipparchia* Fabricius (Lep., Satyridae). Entomologist's Gaz. 26: 197-207, 15 figs.
- 2322) Kudrna, O.**, 1977, On the nomenclature of some taxa of the genus *Artogeia* Verity (Lep., Pieridae). Z. ArbGem. Öst. Ent. 29(1/2): 63-64.
- 2323) Kudrna, O.**, 1982, On the nomenclature of *Colias alfacariensis* Berger, 1948 (Lepidoptera, Pieridae). J. Res. Lepid. 20: 103-110.
- 2324) Kudrna, O.**, 1983, An Annotated Catalogue of the Butterflies (Lepidoptera, Papilionoidea) named by Roger Verity. J. Res. Lepid. 21: 1-106.
- 2325) Kudrna, O.**, 1985, Concise bibliography of European butterflies. [in] Kudrna, O., Butterflies of Europe 1: 1-448.
- 2326) Kudrna, O.**, 1986, Aspects of the conservation of butterflies in Europe. [in] Kudrna, O., Butterflies of Europe 8: 1-323.
- 2327) Kudrna, O.**, 1989, An annotated checklist of taxa referable to the genus *Arethusana* Lesse, 1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 40: 23-30.
- 2328) Kuhlmann, M. H. Özbek**, 2007, Checklist of the Bees of the genus *Colletes* Latrille, 1802 of Turkey (Hymenoptera, Apoidea, Colletidae). J. ent. Res. Soc. 9 (1): 7-31.
- 2329) Kuhlmann, M.**, 2000, Katalog der palaearktischen Arten der Bienengattung *Colletes* Latr., mit Lectotypenfestlegungen, neuer Synonymie und der Beschreibung von zwei neuen Arten (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 32 (1): 155-193.
- 2330) Kuhlmann, M.**, 2002, Neue palaearktische Arten der Bienengattung *Colletes* Latr. mit Anmerkungen zu weiteren Arten der Alten Welt (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 34 (1): 743-770.
- 2331) Kuhlmann, M.**, 2003, Zur Kenntnis palaearktischer Bienen der Gattung *Colletes* Latr. mit Beschreibung neuer Arten (Hymenoptera, Apidae, Colletinae). Linzer biol. Beitr. 35 (1): 723-746.
- 2332) Kuhna, P. & B. Schmitz**, 1997, Eine neue Art der Gattung *Valeria* aus der Süd-Türkei (Lepidoptera, Noctuidae). Jb. Naturw. Ver. Wuppertal 5: 94-99.
- 2333) Kuhna, P.**, 1977, Über *Allancastris* in Kleinasien (Lepidoptera, Papilionidae). Atalanta 8(2): 99-107, 11 figs.
- 2334) Kumata, T.**, 1956, A revision of the Japanese species of the genus *Leucoma* Stephens (Lepidoptera, Lymantriidae). Insecta Matsumurana (N.S.) 20 (3/4): 107-113, figs.
- 2335) Kun, A.**, 2007, Studies on Palaearctic *Ethmia* Hübner, 1819 (Lepidoptera, Elachistidae). Annls hist.-nat. Mus. natn. hung. 99: 101-114, figs. [incomplete references!]
- 2336) Kupido, F. J.**, 1825, Neuentdecktes europäisches Nacht-Pfauen-Auge. *Saturnia caecigena* Nro.4. 11 pp., 1 pl. Brünn.
- 2337) Kurzenko, N. V. & J. Gusenleitner**, 1994, Sapygidae from Turkey, with a key to palaearctic species of Sapyginae (Hymenoptera). Linzer biol. Beitr. 26 (2): 583-632, figs.
- 2338) Kuznetsov, V. I. & S. V. Baryshnikova**, 2001, Review of the Palaearctic genera of the family Gracillariidae (Lepidoptera) with description of a new subfamily Ornixolinae Kuznetsov & Baryshnikova, subfam.n. Ent. Obozr. 80 (1): 96-120, figs.
- 2339) Kuznetsov, V. I.**, 1962, *Bucculatrix ulmicola* Kuzn. sp.n. Akad. Wiss. armSSR. 35: 81-83, figs.
- 2340) Kuznetsov, V. I.**, 1986, New Palaearctic species of the leaf roller tribes Eucosmini and Laspeyresiinae (Lepidoptera, Tortricidae). Vestn. Zool. 1986(4): 11-52, figs.
- 2341) Kühbandner, M.**, 1984, Eine neue Oxycera -Art aus der Südosttürkei (Diptera, Stratiomyidae). Entomofauna 5 (34): 471-479, figs.

- 2342) Kühne, L. & W. Speidel**, 2004, The system of the Catocaline - a historical survey (Lepidoptera, Noctuidae). Beitr. Ent. 54 (1): 147-184.
- 2343) Kütük, M. & A.F. Özgür**, 2003, Faunistical and systematical studies on the genus *Tephritis* Latreille, 1804 (Diptera, Tephritidae) in the South West of Turkey along with new records. Türk. ent. derg. 27 (4): 243-252, 11 figs.
- 2344) Kütük, M. & M.S. Varol**, 2006, Records of two species of *Terellia* Robineau-Desvoidy, 1830 (Diptera, Tephritidae) new to Turkish fauna. Turk. J. Zool. 30: 99-102, figs.
- 2345) Kütük, M.**, 2003, Güney Batı Anadolu Bölgesi Meyve Sinekleri (Diptera, Tephritidae) faunası ve sistematigi üzerine araştırmalar. Çukurova Univ. 217 s., Adana (doktora tezi).
- 2346) Kütük, M.**, 2003, Doğu Akdeniz Bölgesi *Urophora* Robineau-Desvoidy, 1830 (Diptera, Tephritidae) faunası ve sistematigi üzerine araştırmalar. Türk. ent. derg. 27 (2): 149-160, figs.
- 2347) Kütük, M.**, 2005, Two new records of *Tephritis* Latreille, 1804 (Diptera, Tephritidae) from Turkey. Turk. J. Zool. 29: 167-170, figs.
- 2348) Kütük, M.**, 2006, A new species of *Urophora* Robineau-Desvoidy, 1830 (Diptera, Tephritidae) from Turkey with a key to the species of the *Urophora* *guadrifasciata* [sic!] group. Türk. J. Zool. 30: 147-153, figs.
- 2349) Kütük, M.**, 2006, The fauna and systematics of the genus *Tephritis* Latreille, 1804 (Diptera, Tephritidae) with a key to the species of *Tephritis* in Turkey. Turk. J. Ent. 30: 345-356, figs.
- 2350) Kütük, M.**, 2008, A new species of *Tephritis* Latreille (Diptera, Tephritidae) from Turkey. Belg. J. Zool. 138 (2): 132-134, figs.
- 2351) Kütük, M.**, 2009, A new species of *Urophora* Robineau-Desvoidy, 1830 (Diptera, Tephritidae) from Turkey. Ent. News 120 (1): 101-105, figs.
- 2352) Kyrki, J.**, 1990, Tentative reclassification of holarctic Yponomeutoidea (Lepidoptera). Nota lepid. 13(1): 28-42.
- 2353) Lackner, T. & P. Hlavac**, 2002, A new record of *Notodoma lewisi* from Turkey (Coleoptera, Histeridae). Ent. Probl. 32 (2): 165-166, figs. [this species was already recorded in Turkey by Reitter (1910) in his original description. See Ent. Bl. 6: 164-165].
- 2354) Lackschewitz, P.**, 1928, Die palaearktischen Limnobiinen (Diptera) des Wiener Naturhistorischen Museums. Annln. naturh. Mus. Wien 42: 195-244, Taf.v-vi.
- 2355) Lackschewitz, P.**, 1940, Die palaearktischen Rhamphidiinen und Eriopterinen (Diptera) des Wiener Naturhistorischen Museums. Annln. naturh. Mus. Wien 50: 1-67, figs.
- 2356) Lackschewitz, P.**, 1940, Die palaearktischen Limnophilinen, Anisomerinen und Pediciinen (Diptera) des Wiener Naturhistorischen Museums. Annln. naturh. Mus. Wien 50: 68-122, figs.
- 2357) Laicharting, J.N.v.**, 1782, *Papilio celtis*, der Zürgel-Falter [in] Fuessly, Arch. Insectengesch. 1782 (2): 1-3.
- 2358) Lajonquière, Y.de**, 1972, 11. Contribution a l'etude des Lasiocampidae. Especies et formes asiatiques du Genre *Malacosoma* Hübner (Lep.). Bull. Soc. ent. Fr. 77: 297-307, 8 figs., 1 Pl.
- 2359) Lajonquière, Y.de**, 1973, Genres *Dendrolimus* Germar, *Hoenimnema*, n.gen., *Cyclophragma* Turner. 10. Contribution a l'etude des Lasiocampides. Annls Soc. ent. Fr. (N.S.) 9(3): 509-592, 69 figs., 3 Pls.
- 2360) Lajonquière, Y.de**, 1975, 14. Contribution a l'etude des Lasiocampides un *Dendrolimus* et un *Eriogaster* nouveaux. Alexanor 9: 17-22, 9 figs., 4 Pl.
- 2361) Lamas, G.**, 2005, A bibliography of the zoological publications of Hans Fruhstorfer (1866-1922). Entomofauna 26 (6): 57-100.
- 2362) Lambert, B. & C.M. Naumann**, 1992, *Zygaena* (*Zygaena*) *nevadensis* Rambur, 1844 - new for Turkey (Zygaenidae, Lepidoptera). In Dutreix, C. et al. (eds): Recent advances in burnet moth research (Lep., Zygaenidae). Proc. of the 4th Symposium on Zygaenidae, Nantes 11-13 Sept. 1987. pp.184-186.
- 2363) Lantsov, V.I.**, 2009, New records for Limoniidae and Pediciidae (Diptera) from the Caucasus, Russia. Zoosymposia 3: 111-114.
- 2364) Larsen, K.**, 2010, The distribution of *Cydia pyrivora* (Lepidoptera, Tortricidae). Phegea 38 (1): 1-4, figs.
- 2365) Larsen, K.**, 2010, The genus *Clavigesta* (Lepidoptera, Tortricidae) with description of two new species. Phegea 38 (2): 41-54, figs.
- 2366) Larsen, T.B. & A.R. Pittaway**, 1982, Notes on the ecology, biology and taxonomy of *Apharitis acamas* (Klug) (Lepidoptera, Lycaenidae). Entomologist's Gaz. 33: 163-168, 2 figs.
- 2367) Larsen, T.B.**, 1982, *Gegenes pumilio* Hoffmannsegg, 1804; a review with cytological evidence that two species are involved (Hesperiidae). Nota lepid. 5 (2/3): 103-110, 1 fig.
- 2368) Larsen, T.B.**, 1986, Tropical Butterflies of the Mediterranean. Nota lepid. 9(1/2): 63-77.
- 2369) Larsen, T.B.**, 1995, *Aricia crassipuncta bassoni* Larsen, 1974 from Lebanon raised to species rank (Lepidoptera, Lycaenidae). Nota lepid. 17(3/4): 121-123, 1 fig.

- 2370) Lastovka,P. & J.Sevcik**, 2006, A review of the Czech and Slovak species of *Docosia* Winnertz (Diptera, Mycetophilidae), with atlas of the male and female terminalia. Cas. Slez. Muz. Opava (A) 55: 1-37, figs.
- 2371) Lastuvka,Z. & A.Lastuvka**, 1998, Beitrag zur Kenntniss der Nepticulidenfauna Griechenlands (Lepidoptera, Nepticulidae). Stapfia 55: 313-326, figs.
- 2372) Lastuvka,Z., Malicky,H., Hüttinger,E., Rausch,H. & F.Ressler**, 1990, Sesien-Funde aus Europa und dem Mediterrangebiet (Lepidoptera, Sesiidae). Z. ArbGem. öst. Ent. 41(3/4): 105-110.
- 2373) Latreille,P.A.**, 1809, Genera Crustaceorum et Insectorum vol. 4, 1-399, pls. 13-16. Amand Koenig, Paris.
- 2374) Latreille,P.A.**, 1810, Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides et des Insectes avec un tableau methodique de leurs genres disposés en familles. 444 pp. Paris.
- 2375) Latreille,P.A.**, 1796, Précis des caractères générique des insectes, disposés dans un ordre naturel. xiv + 201 [+7] pp. Prévot, Paris, Brive, Bourdeaux.
- 2376) Lattin,G.de**, 1941, Eine neue *Parnassius apollo* L. Rasse aus Anatolien. Z. Wien. entVer. 26: 145-148.
- 2377) Lattin,G.de**, 1944, Einige bemerkenswerte Lepidopterenfunde aus der Türkei. Z. wien. ent. Ges. 29: 74-78.
- 2378) Lattin,G.de**, 1949, Über die Artfrage in der *Hipparchia semele* L.-Gruppe. Ent. Z., Frankf. a. M. 59: 113-118, 124-126, 131-132.
- 2379) Lattin,G.de**, 1950, Türkische Lepidopteren -I. Ist. Univ. Fen Fak. Mec. (Ser B) 15 (4): 301-328, Taf. I,II.
- 2380) Lattin,G.de**, 1951, Türkische Lepidopteren -II. Ist. Univ. Fen Fak. Mec. (Ser B) 16 (1): 45-73, Taf.III.
- 2381) Lattin,G.de**, 1951, Über die Arten der Gattung *Cynaeda* Hb. (Pylalidae). Z. Lepidopt. 1 (2): 65-84, pl.3 [erratum. ibid. 2 (1): 23].
- 2382) Lattin,G.de**, 1952, Zur Evolution der westpaläarktischen Lepidopterenfauna. Decheniana 105/106: 115-164.
- 2383) Lattin,G.de**, 1959, Beiträge zur Kenntniss der Gattung *Cynaeda* Hb. (Lepid., Pylalidae). Beitr. naturk. Forsch. SwDtl. 18 (1): 106-111.
- 2384) Lattin,G.de**, 1963, Über die Arten der *Ethmia pusiella* L.- Gruppe (Lepidoptera, Ethmiidae). Beitr. naturk. Forsch. SüdwDtl. 22: 45-64, Tab.2-5.
- 2385) Lattin,G.de**, 1967, Grundriss der Zoogeographie. [In] Borriß,H. & Gersch,M., Hochschullehrbücher für Biologie, Band 12. 602 S. 170 Abb. 25 Tab. VEB Gustav Fischer Verlag, Jena.
- 2386) Lauterbach,K.E.**, 1972, Zur Kenntniss der Skorpionsfliegen des Balkans (Mecoptera, Panorpidae). Dt. ent. Z. (N.F.) 19 (1/3): 109-140, figs.
- 2387) Leach,W.E.**, 1817, The zoological Miscellany. 3.vol. 151 pp., 5 Pls. London.
- 2388) Leach,W.E.**, [1815], Entomology [In] Brewster,D., Edinburgh Encyclopaedia 9.vol., pt.1. 57-172 pp., Edinburgh.
- 2389) Leclercq,M. & W.Schacht**, 1986, The Sciomyzidae of Turkey (Diptera, Sciomyzidae). Entomofauna 7 (4): 57-61.
- 2390) Leclercq,M. & W.Schacht**, 1987, Additions to the Sciomyzidae of Turkey. Entomofauna 8 (17): 269-270.
- 2391) Lederer,J.**, 1853, Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool. bot. Ver. 2 (1852): 14-34, 65-126.
- 2392) Lederer,J.**, 1853, Die Spanner. Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool.- bot. Ver. Wien 3: 165-269, pls.
- 2393) Lederer,J.**, 1855, Beitrag zur Schmetterlings-Fauna von Cypern, Beirut und einem Theile Klein-Asiens. Verh. zool.- bot. Ver. Wien 5: 177-254, 5 Taf.
- 2394) Lederer,J.**, 1857, Die Noctuiden Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasien, Syriens und Labradors. 16+252pp., 4 Pls. Wien.
- 2395) Lederer,J.**, 1857, Die körperlichen Auszeichnungen der europäischen Hesperiden. Wien. ent. Monatschr. 1: 75-80.
- 2396) Lederer,J.**, 1857, Über die Lycaeniden-Gattungen der europäischen Fauna. Wien. ent. Monatschr. 1: 25-32.
- 2397) Lederer,J.**, 1858, Noch einige syrische Schmetterlinge. Wien. ent. Monatschr. 2 (5): 135-152, 3 Taf.
- 2398) Lederer,J.**, 1859, Classification der europäischen Tortriciden. Wien. ent. Monatschr. 3: 118-126, 141-155, 241-255, 273-288, 328-346, 366-389, 2 Pls.
- 2399) Lederer,J.**, 1861, Ueber Alb. Kindermanns letzte lepidopterologische Ausbeute. Wien. ent. Monatschr. 5: 144-155, 2 Taf.
- 2400) Lederer,J.**, 1863, Beitrag zur Kenntniss der Pylaliden. Wien. ent. Monatschr. 7(8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18.

- 2401) Lederer, J.**, 1864, Zur Lepidopterenfauna von Imeritien und Grusien. Wien. ent. Monatschr. 8: 165-172, Taf.3.
- 2402) Lederer, J.**, 1865, Excursion Lépidoptérologique en Anatolie. Annls Soc. ent. Belg. 9: 49-81, Pl.3.
- 2403) Lederer, J.**, 1869, Verzeichnis der von Herrn Jos. Haberhauer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 6: 73-93, pls.
- 2404) Lederer, J.**, 1870, Contributions a la Faune des Lépidoptères de la Transcaucasie. Annls. Soc. ent. Belg. 13: 17-54, 2 Taf.
- 2405) Lederer, J.**, 1871, Nachtrag zum Verzeichnisse der von Herrn Jos. Haberhauer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 8: 3-28, 2 Taf.
- 2406) Lee, S. & R.L. Brown**, 2008, Revision of Holarctic Teleiodini (Lepidoptera, Gelechiidae). Zootaxa 1818: 1-55, figs.
- 2407) Leestmans, R. & R. Mazel**, 1996, Sur la répartition géographique et l'écologie de *Leptidea morsei* (Fenton, 1882) espece nouvelle pour la faune de Turquie (Lepidoptera, Pieridae). Linneana Belgica 15(7): 293-300, figs.
- 2408) Leestmans, R., Mottet, P., Verhulst, J. & F. Carbonell**, 1986, Contributions a la connaissance de la faune printanière des Lépidoptères du Sud de l'Asie Mineure (Insecta, Lepidoptera). Linn. Belg. 10 (8): 334-381, figs.
- 2409) Lefèbvre, M.A.**, 1927, Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl.5.
- 2410) Legalov, A.A.**, 2002, Neue Arten der Familie Rhynchitidae (Coleoptera) aus der Türkei. Russian Ent. J. 11 (2): 215-219, figs.
- 2411) Lehmann, L.**, 1998, Eine neue Subspezies von *Archanara dissoluta* (Treitschke, 1825) aus der Türkei (Lepidoptera, Noctuidae). Esperiana 6: 374-375, fig.
- 2412) Lehr, P.A.**, 1988, Family Asilidae [in] Soos, A. & L. Papp (eds.), Catalogue of palaearctic Diptera 5: 197-326. Akademiai Kiado, Budapest.
- 2413) Lehr, P.A.**, 2001, Robber flies of the subfamily Dioctriinae stat.n. (Diptera, Asilidae) of Asia: 1. Taxonomy, Ecology and Phylogeny. Ent. Obozr. 80 (1): 194-208 [Ent. rev. 81 (1): 59-70, figs.]
- 2414) Lehr, P.A.**, 2002, Robber flies of the subfamily Dioctriinae stat.n. (Diptera, Asilidae) of Asia: 2. Taxonomy and Ecology. Ent. Obozr. 81 (2): 445-459 [Ent. rev. 82 (7): 797-808, figs.]
- 2415) Lehr, P.A., Ghahari, H. & H. Ostovan**, 2007, A contribution to the Robber Flies of Subfamilies Stenopogoninae and Asilinae (Diptera, Asilidae) from Iran. Far east. Ent. 173: 1-14.
- 2416) Lehrer, A.Z.**, 2006, Liste des Sarcophaginae et Paramacronychiinae du Proche Orient, identifiés dans les collections de TAU (Diptera, Sarcophagidae). Fragm. dipt. 3: 14-22.
- 2417) Lehrer, A.Z.**, 2007, Stomorhiniinae [sic!] n.sfam. une nouvelle sous-famille de Calliphoridae (Diptera) et révision de ses taxons. Fragm. dipt. 12: 4-16, figs.
- 2418) Lehrer, A.Z.**, 2008, *Blaesoxipha ataturkia* n.sp. Une espece nouvelle du genre *Blaesoxipha* Loew. Fragm. Dipt. 2008 (14): 25-28, 1 fig.
- 2419) Lehrer, A.Z.**, 2006, Sarcophaginae et Paramacronychiinae du Proche Orient (Insecta, Diptera, Sarcophagidae). 264 pp. Pensoft Publishers.
- 2420) Lelej, A.S. & E. Yildirim**, 2009, A review of the Mutillidae (Hymenoptera) from Turkey. Zootaxa 2160: 1-28, figs.
- 2421) Lelej, A.S.**, 2002, Catalogue of the Mutillidae (Hymenoptera) of the Palaearctic Region. 171pp. Dalnauka, Vladivostok. [access 10.10.2012]
- 2422) Lének, O.**, 1969, Eine Zucht von *Harpyia leucotera* Stichel (bona species). Z. wien. ent. Ges. 54: 48-50.
- 2423) Leraut, P.**, 1984, Contribution a l'etude des Scopariinae 4. Revision des types decrits de la region palearctique occidentale, description de dix nouveaux taxa et ebauche d'une liste des especes de cette region (Lep., Crambidae). Alexanor 13 (4): 157-192, 37 figs.
- 2424) Leraut, P.J.A.**, 1980, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse. 334pp. Paris.
- 2425) Leraut, P.J.A.**, 1997, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse (deuxième édition). 526pp. Paris.
- 2426) Lesse, H.de**, 1951, Divisions génériques et subgénériques des anciens genres *Satyrus* et *Eumenis* (sensu lato). Revue fr. lépid. 13 (3/4): 39-43.
- 2427) Lesse, H.de**, 1952, Revision de l'ancien genre *Satyrus* (s.l.). Annls Soc. ent. Fr. 120 (1951): 77-101, 28 figs.
- 2428) Lesse, H.de**, 1952, Note sur le genre *Kanetisa* (Satyridae) Revue fr. Lépidopt. 13 (15/17): 257-259, Taf.13.
- 2429) Lesse, H.de**, 1952, Revision des anciens genres *Pararge* (s.l.) et *Maniola* (= *Epinephele* auct.). Annls Soc. ent. Fr. 121 (1952): 61-76, 24 figs.
- 2430) Lesse, H.de**, 1957, Description deux nouvelles especes d'*Agrodiaetus* (Lep., Lycaenidae) séparées a la suite découverte de leurs formules chromosomiques. Lambillionea 57 (6): 65-71.

- 2431) Lesse,H.de**, 1959, Note sur deux especes d'*Agrodiaetus* (Lep., Lycaenidae) récemment séparées d'après leurs formules chromosomiques. Bull. Soc. ent. Mulhouse 1959 (1/2): 5-10, 9 figs.
- 2432) Lesse,H.de**, 1959, Description d'une nouvelle sous-espece d'*Agrodiaetus hopfferi* H.S. (Lep., Lycaenidae) et de sa formule chromosomique particuliere. Bull. mens. Soc. linn. Lyon 28 (5): 149-151.
- 2433) Lesse,H.de**, 1959, Nouvelle étude chorologique et cytologique conduisant a changer l'application du nom d'*Agrodiaetus iphigenia* H.S. (Lep., Lycaenidae). Lambillionea 59 (7/8): 56-61.
- 2434) Lesse,H.de**, 1959, Sur la valeur spécifique de deux sous-especes d'*Agrodiaetus* (Lep., Lycaenidae) récemment décrites. Bull. mens. Soc. linn. Lyon 28 (10): 312-315, 5 figs., 1 tab.
- 2435) Lesse,H.de**, 1959, Caractères externes et formule chromosomique d'*Agrodiaetus baytopi* n.sp. (Lep., Lycaenidae). Bull. Soc. ent. Mulhouse 1959: 44-48, 6 figs.
- 2436) Lesse,H.de**, 1960, *Agrodiaetus iphigenia* H.S. et son espece jumelle *Agrodiaetus tankeri* n.sp. (Lep., Lycaenidae). Bull. Soc. ent. Mulhouse 1960: 75-78.
- 2437) Lesse,H.de**, 1960, Spéciation et variation chromosomique chez le Lépidoptères Rhopalocères. Annls. Sci. nat. (2.ser) Zool. 2: 1-223, 222 figs.
- 2438) Lesse,H.de**, 1960, Les nombres de chromosomes dans la classification du groupe d'*Agrodiaetus ripartii* Freyer (Lepidoptera, Lycaenidae). Revue fr. Ent. 27 (3): 240-264, 10 figs. 6 tab. Taf.1-2.
- 2439) Lesse,H.de**, 1961, Les nombres de chromosomes chez *Agrodiaetus dolus* Hübner et les especes voisines (Lycaenidae). Alexanor 2 (2): 57-63; 2 (3): 72; Tab. 3, figs.1-6.
- 2440) Lesse,H.de**, 1961, Variations géographiques des caractères externes chez les espèces autrefois réunies sous le nom d'*Agrodiaetus ripartii* Freyer (Lep., Lycaenidae). Revue fr. Ent. 28 (2): 93-100.
- 2441) Lesse,H.de**, 1962, Variation chromosomique chez *Agrodiaetus actis* H.S. et *A. altivagans* Forst. (Lep., Lycaenidae). Revue fr. Ent. 29 (1): 66-76, 6 figs.
- 2442) Lesse,H.de**, 1963, Variation chromosomique chez *Agrodiaetus carmon* H.S. et *A. cyanea* Stgr. (Lep., Lycaenidae). Revue fr. Ent. 30 (3): 177-181, 2 figs. 2 tab.
- 2443) Lesse,H.de**, 1963, Variation chromosomique chez les *Agrodiaetus* (Lep., Lycaenidae). Revue fr. Ent. 30 (3): 182-189, 4 figs.
- 2444) Lesse,H.de**, 1969, Les nombres de chromosomes dans le groupe de *Lysandra coridon* (Lep., Lycaenidae). Annls Soc. ent. Fr. (n.s.) 5 (2): 469-522, 18 figs., 6 tab.
- 2445) Lesse,H.de**, 1970, Les nombres de chromosomes dans le groupe de *Lysandra argester* et leur incidence sur sa taxonomie (Lep., Lycaenidae). Bull. Soc. ent. Fr. 75: 64-68, 2 figs.
- 2446) Lewvanich,A.**, 1981, A revision of the Old World species of *Scirpophaga* (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 42: 185-298, 188 figs.
- 2447) Li,H. & K.Sattler**, 2012, A taxonomic revision of the genus *Mesophleps* Hübner,1825 (Lepidoptera, Gelechiidae). Zootaxa 3373: 1-82, figs.
- 2448) Lichtwardt,B.**, 1907, Ueber die Dipterengattung *Nemestrina* Latr. Z. syst. Hymenopt. Dipt. 7: 433-451.
- 2449) Lichtwardt,B.**, 1901, *Lasiopa Königi* n.sp. (Dipt.) Z. syst. Hymenopt. Dipt. 1: 68-69.
- 2450) Lichtwardt,B.**, 1901, Dipterologische Bemerkungen. Z. syst. Hymenopt. Dipt. 1: 272.
- 2451) Liefstinck,M.A.**, 1966, Notes on some Anthophorine bees mainly from the Old World (Apoidea). Tijdschr. Ent. 109 (6): 125-161, 92 figs.
- 2452) Liefstinck,M.A.**, 1968, A review of Old World species of *Thyreus* Panzer (=Crocisa Jurine) (Hym., Apoidea, Anthophoridae) Part 4. Palearctic species. Zool. Verh. 98: 3-139, 38 figs., 4 pls.
- 2453) Liefstinck,M.A.**, 1969, The melectine genus *Eupavlovskia* Popov,1955, with notes on its distribution and host relations (Hymenoptera, Apoidea, Anthophoridae). Tijdschr. Ent. 112 (4): 101-122, 8 figs.
- 2454) Liefstinck,M.A.**, 1980, Prodrôme a monograph of the Palaearctic species of the genus *Melecta* Latreille,1802 (Hymenoptera, Anthophoridae). Tijdschr. Ent. 123: 129-349, 359 figs. 8 pls.
- 2455) Lienig,F. & P.C.Zeller**, 1846, Anmerkungen, [in] Lienig,F., Lepidopterologische Fauna von Livland und Kurland. Isis 1846 (3): 175-302.
- 2456) Lindler,E.**, 1934, Anatolienfahrt. Ent. Rdsch. 51: 221-225, 231-237.
- 2457) Lindner,E.**, 1931, Dipterologische Studien IV. Beiträge zur Kenntnis einiger asiatischer Rhagioniden (Dipt.). Konowia 10: 85-88. [this reference wrongly given in the Catalogue Palaearctic Diptera vol.5 (1988: 358) edited by Soos & Papp].
- 2458) Linnaeus,C.**, 1758, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1, 823 pp. Holmiae.
- 2459) Linnaeus,C.**, 1761, Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ... 578pp. Stockholmiae.
- 2460) Linnaeus,C.**, 1764, Museum S.R.M. Ludovicae Ulrica Reginae etc. in quo animalia rariora, exotica, inprimis insecta et conchilia describuntur et determinantur, prodromi instar editum. 720pp., Holmiae.
- 2461) Linnaeus,C.**, 1767, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata. Tom. 1, P.2: 553-1327 pp. Holmiae.

- 2462) Linnaeus, C.**, 1758, *Systema naturae*...Ed. 10, vol.1, 824 pp. Holmiae [Stockholm].
- 2463) Linnavuori, R.E. & M.M.Al-Safadi**, 1993, *Acrorrhinium Noualhier and Compsonannus Reuter* (Heteroptera, Miridae) in the Middle East. *Ent. fenn.* 4: 169-177, figs.
- 2464) Linnavuori, R.E.**, 1961, Hemiptera of Israel II. *Ann. Zool. Soc.* 22 (7): 1-51, 22 figs.
- 2465) Linnavuori, R.E.**, 1965, Studies on the South- and Eastmediterranean Hemipterous Fauna. *Acta ent. fenn.* 21: 1-67, 24 figs.
- 2466) Linnavuori, R.E.**, 1984, New species of Hemiptera Heteroptera from Iraq and the adjacent countries. *Acta ent. fenn.* 44: 1-59, 104 figs.
- 2467) Linnavuori, R.E.**, 1995, On the Miridae fauna of the Middle East (Heteroptera, Miridae). *Ent. fenn.* 5: 205-212, figs.
- 2468) Linsenmaier, W.**, 1951, Die europäischen Chrysididen (Hymenoptera). *Mitt. Schweiz. Ent. Ges.* 24 (1): 1-110.
- 2469) Linsenmaier, W.**, 1956, [in] Bytinski-Salz, Coleoptera and Hymenoptera from a journey through Asia Minor I. *Revue Fac. Sci. Univ. Istanbul (B)* 21 (4): 211-229.
- 2470) Linsenmaier, W.**, 1959, Revision der Familie Chrysididae. *Mitt. Schweiz. Ent. Ges.* 32: 1-232.
- 2471) Linsenmaier, W.**, 1994, Beiträge zu *Cleptes Latreille, 1802* (Hymenoptera, Chrysididae). *Entomofauna* 15 (45): 513-520.
- 2472) Lis, J.A.**, 1999, Burrower bugs of the Old World (Hemiptera, Heteroptera, Cydnidae). *Genus* 10 (2): 165-249.
- 2473) Ljubomirov, T. & E.Yıldırım**, 2008, Annotated catalogue of the Ampulicidae, Sphecidae and Crabronidae (Insecta, Hymenoptera) of Turkey. 316pp. Pensoft, Sofia & Moscow.
- 2474) Lodos, N. & A.Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey I. Family Cixiidae Spinola. *Türk. bitki kor. derg.* 4 (1): 15-27.
- 2475) Lodos, N. & A.Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey II. Family Delphacidae Leach. *Türk. bitki kor. derg.* 4 (2): 103-117.
- 2476) Lodos, N. & A.Kalkandelen**, 1980, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey III. Families Meenoplidae, Derbidae, Achilidae, Dictyopharidae and Tettigoniidae. *Türk. bitki kor. derg.* 4 (3): 161-176.
- 2477) Lodos, N. & A.Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IV. Family Issidae Spinola. *Türk. bitki kor. derg.* 5 (1): 5-21.
- 2478) Lodos, N. & A.Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey V. Families Flatidae, Ricaniidae and Cicadidae. *Türk. bitki kor. derg.* 5 (2): 67-82.
- 2479) Lodos, N. & A.Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VI. Families Cercopidae and Membracidae. *Türk. bitki kor. derg.* 5 (3): 133-149.
- 2480) Lodos, N. & A.Kalkandelen**, 1981, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VII. Family Cicadellidae, Ulopinae, Megophthalminae, Ledrinae, Macropsinae and Agallinae. *Türk. bitki kor. derg.* 5 (4): 215-230.
- 2481) Lodos, N. & A.Kalkandelen**, 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey VIII. Family Cicadellidae, Idiocerinae. *Türk. bitki kor. derg.* 6 (1): 15-28.
- 2482) Lodos, N. & A.Kalkandelen**, 1982, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey IX. Family Cicadellidae, Jassinae, Penthiminae, Dorycephalinae, Hecalinae and Aphrodinae. *Türk. bitki kor. derg.* 6: 147-159.
- 2483) Lodos, N. & A.Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey X. Family Cicadellidae, Xestocephalinae, Stegelytrinae and Cicadellinae. *Türk. bitki kor. derg.* 7 (1): 23-28.
- 2484) Lodos, N. & A.Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XI. Family Cicadellidae, Typhlocybinae: Alebrini and Dikraneurini. *Türk. bitki kor. derg.* 7: 107-115.
- 2485) Lodos, N. & A.Kalkandelen**, 1983, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XII. Family Cicadellidae, Typhlocybinae: Empoascini. *Türk. bitki kor. derg.* 7: 153-165.
- 2486) Lodos, N. & A.Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIII. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 1). *Türk. bitki kor. derg.* 8 (1): 33-44.
- 2487) Lodos, N. & A.Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIV. Family Cicadellidae, Typhlocybinae: Typhlocybini (Part 2). *Türk. bitki kor. derg.* 8: 87-97.

- 2488) Lodos,N. & A.Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XV. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 1). Türk. bitki kor. derg. 8: 159-168.
- 2489) Lodos,N. & A.Kalkandelen**, 1984, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVI. Family Cicadellidae, Typhlocybinae: Erythroneurini (Part 2). Türk. bitki kor. derg. 8: 201-210.
- 2490) Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVII. Family Cicadellidae, Deltocephalinae: Grypotini, Goniagnathini and Opsiini (Part 1). Türk. bitki kor. derg. 9: 79-90.
- 2491) Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XVIII. Family Cicadellidae, Deltocephalinae: Macrostelini (Part 2). Türk. bitki kor. derg. 9 (3): 147-161.
- 2492) Lodos,N. & A.Kalkandelen**, 1985, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XIX. Family Cicadellidae, Deltocephalinae: Deltocephalini, Scaphytopiini, Doraturini. Türk. bitki kor. derg. 9: 207-215.
- 2493) Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XX. Family Cicadellidae, Deltocephalinae: Fieberiellini, Stirellini and Tetartostyliini. Türk. bitki kor. derg. 10 (1): 25-32.
- 2494) Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXI. Family Cicadellidae, Deltocephalinae: Athysanini (Part 1). Türk. bitki kor. derg. 10 (3): 131-139.
- 2495) Lodos,N. & A.Kalkandelen**, 1986, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXII. Family Cicadellidae, Deltocephalinae: Athysanini (Part 2). Türk. bitki kor. derg. 10 (4): 203-211.
- 2496) Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIII. Family Cicadellidae, Deltocephalinae: Athysanini (Part 3). Türk. ent. derg. 11 (1): 29-40.
- 2497) Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXIV. Family Cicadellidae, Deltocephalinae: Athysanini (Part 4). Türk. ent. derg. 11 (2): 97-109.
- 2498) Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXV. Family Cicadellidae, Deltocephalinae: Paralimnini Distans (Part 1). Türk. ent. derg. 11 (3): 151-162.
- 2499) Lodos,N. & A.Kalkandelen**, 1987, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVI. Family Cicadellidae, Deltocephalinae: Paralimnini Distant (Part 2). Türk. ent. derg. 11 (4): 195-202.
- 2500) Lodos,N. & A.Kalkandelen**, 1988, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey XXVII. (Addenda and Corrigenda). Türk. ent. derg. 12 (1): 11-22.
- 2501) Lodos,N. & F.Önder**, 1978, Contribution to the study of Turkish Pentatomoidea (Heteroptera). Türk. Bitki kor. derg. 2 (1): 15-29, figs.
- 2502) Lodos,N. & F.Önder**, 1978, Türkiye Pentatomoidea (Heteroptera) üst familyası üzerinde araştırmalar II.Familya Plataspidae Dall. Türk. Bitki kor. derg. 2 (4): 195-209, figs.
- 2503) Lodos,N. & F.Önder**, 1979, Contribution to the study on the Turkish Pentatomoidea (Heteroptera) IV. Family Acanthostomatidae Stal 1864. Türk. Bitki kor. derg. 3 (3): 139-160, 9 figs.
- 2504) Lodos,N. & F.Önder**, 1980, Two new species of Pentatomidae from Turkey (Heteroptera). Türk. Bitki kor. derg. 4 (1): 7-13, figs.
- 2505) Lodos,N. & F.Önder**, 1982, Contribution to the study on the Turkish Pentatomoidea (Heteroptera) V.Sciocorini Bergroth (Pentatomidae). Türk. Bitki kor. derg. 6: 133-146, figs.
- 2506) Lodos,N. & F.Önder**, 1983, Contribution to the study on the Turkish Pentatomoidea (Heteroptera) VI. Asopinae (Amyot & Serville) 1843. Türk. Bitki kor. derg. 7: 221-230.
- 2507) Lodos,N.**, 1959, A new species of Graphosoma from Turkey (Heteroptera, Pentatomidae). Ann. Mag. nat. Hist. (13) 1: 711-713 [synonymized with Graphosoma stali Horv. by Carapezza & Jindra (2008)].
- 2508) Lodos,N.**, 1963, A new species of Eurygaster and notes on some little known of Turkish Pentatomidae (Hemiptera, Heteroptera). Psyche 70: 144-150, 2 pls.
- 2509) Lodos,N.**, 1977, Preliminary list of Curculionidae (Coleoptera) with notes on distribution abundance and biology of species in Turkey III. Brachycerus Ol. Türk. bitki kor. Derg. 1 (2): 29-38, figs.
- 2510) Loew,H.**, 1855, Einige Bemerkungen über die Gattung Sargus. Verh. zool.- bot. Ver. Wien 5: 131-148, figs.
- 2511) Loew,H.**, 1847-1849, Über die europäischen Raubfliegen (Diptera asilica). Linn. ent. 2: 384-568; 3: 386-495; 4: 1-155.
- 2512) Loew,H.**, 1855, Einige Bemerkungen über die Gattung Sargus. Verh. zool.- bot. Ver. Wien 5: 131-148.

- 2513) Loew,H.**, 1862, Ueber griechische Dipteren. Berl. ent. Z. 6: 69-89.
- 2514) Loew,H.**, 1865, Ueber einige bei Kutais in Imeretien gefangene Dipteren. Berl. ent. Z. 9: 234-242.
- 2515) Loew,H.**, 1866, Empylocera, eine neue Ortaliden-Gattung. Berl. ent. Z. 10: 238-240.
- 2516) Loew,H.**, 1868, Cilicische Dipteren und einige mit ihnen concurrirende Arten. Berl. ent. Z. 12: 368-386.
- 2517) Loew,H.**, 1868, Die europäischen Arten der Gattung Micropeza. Berl. ent. Z. 12: 161-167.
- 2518) Londt,J.G.H.**, 2010, A review of Afrotropical *Acnephalum* Macquart,1838 including the reinstatement of *Sporadothrix* Hermann,1907 and descriptions of two new genera (Diptera, Asilidae, Stenopogoninae). African Invertebr. 51 (2): 431-482, figs.
- 2519) Lorkovic,Z.**, 1927, Leptidea sinapis ab.major Grund zasebna vrsta Rhopalocera iz Hroatske. Acta Soc. ent. jugosl. 2(1): 11-16.
- 2520) Lorkovic,Z.**, 1972, Karyological identification of the Caucasian species of the *Erebia tyndarus* Group (Lepidopt., Satyridae). Acta ent. Jugosl. 8 (1/2): 111-121, 19 figs.
- 2521) Lovtrup,S.**, 1975, On the Phylogenetic Classification. Acta zool. cracov. 20 (14): 499-524, 2 text-figs.
- 2522) Löbel,H. & T.Drechsel**, 1996, Zur Lebensweise der Raupe von *Euchalcia emichi* (Rogenhofer,1873) in Zentralanatolien (Türkei) (Lepidoptera, Noctuidae, Plusiinae). Nota lepid. 18 (2): 179-180.
- 2523) Lödl,M. & B.Mayerl**, 1998, Revision der Gattung *Zekelita* Walker,1863 (=Rhynchodontodes Warren,1913) (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 1: 115-230, figs.
- 2524) Lödl,M. & R.Imb**, 1988, Die Noctuiden-Sammlung von Dipl. Ing. Rudolf Pinker im Naturhistorischen Museum Wien. Z. ArbGem. öst. Ent. 40(1/2): 53-59.
- 2525) Lödl,M.**, 1987, *Noctua warreni* sp.n., a new sibling species of *Noctua comes* Hbn.,1813 from Cyprus (Lepidoptera, Noctuidae). Nota lepid. 10(2): 163-174, 12 figs.
- 2526) Lödl,M.**, 1993, Die Flügelzeichnung der Gattungsgruppe *Hypena* Schrank,1802 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 103 (4): 453-459.
- 2527) Lödl,M.**, 1993, Notes on the synonymy of the genera *Hypena* Schrank,1802, *Dichromia* Guenée,1854 and *Harita* Moore,1882 (Lepidoptera, Noctuidae). Z. ArbGem. Öst. Ent. 45 (1/2): 11-14.
- 2528) Lödl,M.**, 1994, Revision der Gattung *Hypena* Schrank,1802 s.l., der äthiopischen und madagassischen Region, Teil 1 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 96B: 373-590, 400 Abb.
- 2529) Lödl,M.**, 1994, Remarks on the classification of the genera *Hypena* Schrank,1802, *Dichromia* Guenée,1854, und *Harita* Moore,1882 (Lepidoptera, Noctuidae). Nota lepid. 16(3/4): 241-250, figs.
- 2530) Lödl,M.**, 1995, Revision der Gattung *Hypena* Schrank,1802 s.l., der äthiopischen und madagassischen Region, Teil 2 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 97B: 255-393, 533 Abb.
- 2531) Lödl,M.**, 1996, A note on the Vartian collection at the Museum of Natural History in Vienna - a milestone on Lepidoptera of the Near and Middle East (Insecta). J. Nat. Hist. 30 (9): 1421-1422.
- 2532) Lödl,M., Kerbaci,R. & S.Gaal**, 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta: Lepidoptera). Ent. Nachrbl. 3 (2-3)(N.F.): 1-5.
- 2533) Lödl,M., Kerbaci,R. & S.Gaal**, 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta, Lepidoptera). Ent. NachrBl. 3 (2/3) (N.F.): 1-5, 3 Abb.
- 2534) Lukhtanov,V.A. & A.V.Dantchenko**, 2003, Two new chromosome races of *Agrodiaetus altivagans-wagneri* complex (Lepidoptera, Lycaenidae) Atalanta 34 (3/4): 421-428, pl. xxviii.
- 2535) Lukhtanov,V.A.**, 1989, Karyotypes of some blue butterflies of the *Agrodiaetus* species groups (Lepidoptera, Lycaenidae). Ann. ent. fenn. 55: 137-144, 6 figs.
- 2536) Lukhtanov,V.A.**, 1991, Karyotype evolution and systematics of higher taxa of Pieridae (Lepidoptera) of the World. Ent. Obozr. 70(3): 619-636, 3 figs.
- 2537) Lukhtanov,V.A., Kandul,N.P., Prins,W.O.de & D.v.d.Poorten**, 1998, Karyology of species of *Polyommatus* (*Agrodiaetus*) from Turkey: new data and their taxonomic consequences (Lepidoptera, Lycaenidae). Holarct. Lepid. 5 (1): 1-8, 15 figs.
- 2538) Lukhtanov,V.A., Wiemers,M. & K.Meusemann**, 2003, Description of a new species of the "brown" *Agrodiaetus* complex from south-east Turkey (Lycaenidae). Nota lepid. 26 (1/2): 65-71, figs.
- 2539) Lvovsky,A.L.**, 1992, New species and subspecies of Oecophorid moths of the genus *Pleurota* Hübner,1825 (Lepidoptera, Oecophoridae). Ent. Obozr. 71(3): 630-639 [engl. transl. Ent. rev. 72(6): 67-76, 14 figs.,1993]
- 2540) Lvovsky,A.L.**, 1995, New and little known genera and species of the broad-winged moths (Lepidoptera, Oecophoridae, Depressariidae) of the Palearctic fauna. Ent. Obozr. 74(1): 138-152, figs. [engl. text: Ent. Rev. 75(3): 41-55, 25 figs., 1996].

- 2541) Lvovsky,A.L.**, 1996, New and little known species of *Depressaria* Haworth,1811 (Lepidoptera, Oecophoridae). *Atalanta* 27 (1/2): 421-425, 11 figs.
- 2542) Lvovsky,A.L.**, 1996, Composition of the genus *Odites* Wlsm. and status of the genus in the taxonomic system of Gelechioidea s.l. (Lepidoptera). *Ent. Obozr.* 75 (3): 650-659, figs. [engl. text: *Ent. Rev.* 76(4): 529-536, 21 figs., 1996].
- 2543) Lvovsky,A.L.**, 1997, Two new subspecies of *Anchinia laureolella* Herrich-Schäffer,1854 from South-Western Asia (Lepidoptera, Amphisbatidae). *Atalanta* 28(1/2): 173-176, 4 figs.
- 2544) Lvovsky,A.L.**, 2001, A review of Flat Moths of the genus *Depressaria* Haworth,1811 (Lepidoptera, Depressariidae) of the fauna of Russia and neighboring countries I. *Ent. Obozr.* 80 (3): 680-705, figs.
- 2545) Mabile,M.P.**, 1876, Sur la classification des Hespériens avec la description de plusieurs especes nouvelles. *Annls Soc. ent. Fr.* (5)6: 251-274.
- 2546) Mabile,M.P.**, 1909, Hesperiiidae, [in] Seitz,A., *Die Gross-Schmetterlinge der Erde*, vol. 1: 330-354S., Taf. 84-89. Alfred Kerner Verlag. Stuttgart.
- 2547) Mabile,P.**, 1904, Lepidoptera. [in] Wytsman,P., *Genera Insectorum Fasc.* 17. Hesperiiidae. Bruxelles.
- 2548) Maca,J.**, 1987, *Amiota* (Phortica) *goetzi* sp.n. (Diptera, Drosophilidae) with faunistic notes to Drosophilidae Odiniidae and Periscelididae from Southeastern Europe and Turkey. *Acta ent. Mus. natn. Pragae* 42: 311-320, figs.
- 2549) Macquart,J.M.**, 1835, *Histoire naturelle des Insectes, Diptères Tome deuxieme*, 703 pp. Pls. xiii-xiv.
- 2550) Madl,M.**, 1997, Über Vespiden, Pompiliden, Scoliiden und Tiphiiden der Türkei (Hymenoptera). *Linzer biol. Beitr.* 29 (2): 823-827.
- 2551) Maes,K.**, 1984, Some remarks on the genus *Euproctis* Hübner,[1819] 1816 (Lepidoptera, Lymantriidae). *Nota lepid.* 7: 55-58, figs.
- 2552) Maes,K.**, 1986, Pyralidae from Turkey. *Nota lepid.* 9 (1/2): 78-80.
- 2553) Maes,K.V.N.**, 2002, On the systematic position of some Palaearctic Pyraustinae (Pyraloidea, Crambidae). *Nota lepid.* 24 (4) (2001): 51-58.
- 2554) Maican,S. & R.Serafim**, 2009, Data about Cerambycidae and Chrysomelidae (Coleoptera, Chrysomeloidea) collected from Mediterranean expeditions [results of the "Taurus" 2005, "Focida" 2006, "Punia" 2006, "Atlas" 2007 and "Euphrates" expeditions]. *Trav. Mus. Nat. Hist. Nat. "Grigore Antipa"* 52: 415-428.
- 2555) Maican,S.**, 2007, Some mediterranean Chrysomelid species (Coleoptera, Chrysomelidae) newly entered in the collections of "Grigore Antipa" National Museum of Natural History [results of the expeditions from Turkey and Tunisia, 2005-2006]. *Trav. Mus. Nat. Hist. Nat. "Grigore Antipa"* 50: 421-429.
- 2556) Maican,S.**, 2007, Some mediterranean Chrysomelid species (Coleoptera, Chrysomelidae) newly entered in the collections of "Grigore Antipa" National Museum of Natural History [Results of the expeditions from Turkey and Tunisia, 2005-2006]. *Trav. Mus. nat. Hist. Nat. "Grigore Antipa"* 50: 421-429.
- 2557) Maidl,F.**, 1930, Sphegidae [sic!] [in] Ebner,R., *Hymenopteren aus Palaestina und Syrien* (Zoologische Studienreise von R.Ebner 1928 mit Unterstützung der Akademie der Wissenschaften in Wien). *Sitz. Akad. Wiss. Wien* 139: 25.
- 2558) Mairiaux,J. & J.Hustebaut**, 1997, The identification of *Apatura metis* and *Apatura ilia* and their distribution in Greece and Turkey (Lepidoptera, Nymphalidae). *Phegea* 25(2): 65-79, figs., Pls.
- 2559) Majer,J.**, 1988, Family Rhagionidae [in] Soos,A. & L.Papp (eds.), *Catalogue of palaearctic Diptera* 5: 14-29. Akademiai Kiado, Budapest.
- 2560) Majer,J.**, 1988, Family Vermileonidae [in] Soos,A. & L.Papp (eds.), *Catalogue of palaearctic Diptera* 5: 34-35. Akademiai Kiado, Budapest.
- 2561) Majer,K.**, 1989, The genus *Dasytidius* Schilsky,1896: species from Turkey and the Balkans (Coleoptera, Melyridae). *Acta ent. bohemoslov.* 86: 137-155, figs.
- 2562) Majer,K.**, 1996, Complementary generic revision of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae). *Annln naturh. Mus. Wien* 98 (B): 435-500, figs.
- 2563) Majer,K.**, 1996, Internal classification of the *Dasytidius* Schilsky with descriptions of new species of the subfamily Chaetomalachiinae (Insecta, Coleoptera, Dasytidae). *Spixiana* 19 (2): 155-182, figs.
- 2564) Malloch,J.R.**, 1923, Some new genera and species of Lonchaeidae and Sapromyzidae (Diptera). *Proc. ent. Soc. Wash.* 25 (2): 45-53.
- 2565) Mann,J.**, 1859, Zur Lepidopterenfauna von Amasia. *Wien. ent. Monatschr.* 3: 78-106, 161-178.
- 2566) Mann,J.**, 1861, Zur Lepidopterenfauna von Amasia. *Wien. ent. Monatschr.* 5: 155-162, 183-193.
- 2567) Mann,J.**, 1862, Verzeichniss der im Jahre 1851 bei Brussa in Kleinasien gesammelten Schmetterlinge. *Wien. ent. Monatschr.* 6: 356-409, Taf.
- 2568) Mann,J.**, 1864, Nachtrag zur Schmetterlings-Fauna von Brussa. *Wien. ent. Monatschr.* 8: 173-190, Taf.4-5.

- 2569) Mansell, M.W.**, 1990, The Myrmeleontidae (Neuroptera) of Southern Africa: tribe Palparini. Introduction and description of *Pamares* gen.nov., with four new species (Insecta, Neuroptera). J. ent. Soc. sth. Afr. 53 (2): 165-189, figs.
- 2570) Maran, J.**, 1958, Beitrag zur Kenntnis der geographischen Variabilität von *Acrotylus insubricus* (Scop.) (Orthoptera, Acrididae) Acta ent. Mus. Nat. Pragae 32: 171-179.
- 2571) Marcos-Garcia, M.A., Vujic, A. & X.Mengual**, 2007, Revision of Iberian species of the genus *Merodon* (Diptera, Syrphidae). Eur. J. Ent. 104: 531-572, figs.
- 2572) Marion, H.**, 1952, Ebauche d'une classification nouvelle des Pyraustidae. Revue fr. Lépidopt. 13: 260-270, 5 figs.
- 2573) Marion, H.**, 1953-1958, Révision des Pyraustidae de France. Revue fr. Lépidopt. 14 (1953-54): 123-128, 221-227; 15 (1955-56): 41-58, 181-188; 16 (1957-58): 60-63, pl.
- 2574) Marion, H.**, 1957, Complément à la classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 129-130.
- 2575) Marion, H.**, 1957, Classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 75-87.
- 2576) Marion, H.**, 1959-1976, Révision des Pyraustidae de France. Alexanor 1 (1959/60): 15-22, 103-110, 175-182; 2 (1961/62): 11-18, 83-90, 173-180, 224-226, 297-304; 4 (1965/66): 329-372; 8 (1973/74): 71-78, 129-136, 177-184; 9 (1975/76): 209-219, 338-344, Pls. 2-8. Paris.
- 2577) Marion, H.**, 1977, *Staudingeria morbosella* Stgr., 1879 (= *Euzophera lafauryella* Rag., 1880) Synonyme nouvelle (Phycitidae). Alexanor 10 (2): 65-68, 5 figs.
- 2578) Marjanian, M.A.**, 2009, On the Armenian fauna of the hydrophilid genus *Berosus* Leach (Coleoptera, Hydrophilidae). Ent. rev. 89 (7): 805-814 [Ent. Obozr. 88 (3): 542-552]
- 2579) Marseul, S.A.de**, 1872, Monographie des Mylabridés. Mém. Soc. R. Sci. Liege (2) 3: 363-662, 6 Pls.
- 2580) Marshall, S.A., Rohacek, J., Dong, H. & M.Buck**, 2011, The state of Sphaeroceridae (Diptera, Acalyptratae): a world catalog update covering the years 2000-2010, with new generic synonymy, new combinations, and new distributions. Acta ent. Mus. natn. Pragae 51 (1): 217-298.
- 2581) Marshall, T.A.**, 1885, Monograph of British Braconidae I. Trans. ent. Soc. London 1885 (1): 1-280, 6 pls.
- 2582) Marshall, T.A.**, 1887, Monograph of British Braconidae II. Trans. ent. Soc. London 1887 (2): 51-131, pl.v.
- 2583) Mart, A. & O.Erman**, 2001, A study on *Helophorus* Fabricius, 1775 (Coleoptera, Hydrophilidae) species. Turk. J. Zool. 25: 35-40 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey].
- 2584) Marten, W.**, 1937, Zur Kenntnis der Axiidae. Ent. Rdsch. 55: 15-17, 21-23, 45-48, 61-66, 25 Abb.
- 2585) Martinez-Navarro, E.M., Serrano, J. & J.Galian**, 2004, Chromosome evolution in ground beetles: localization of the rDNA loci in the tribe Harpalini (Coleoptera, Carabidae). J. Zool. Syst. Evol. Res. 42: 38-43, figs.
- 2586) Mason, F. & R.Rozkosny**, 2003, Interesting records of European Stratiomyidae including description of the female of *Nemotelus danielssoni* (Diptera, Stratiomyidae). Boll. Soc. ent. ital. 134 (3): 253-264.
- 2587) Massa, B. & P.Fontana**, 2009, On some Drymadusini from the Middle East. Zool. Middle East 48: 81-88.
- 2588) Mathew, G.F.**, 1881, List of Lepidoptera observed in the neighbourhood of Gallipoli, Turkey in 1878. Entomologist's mon. Mag. 17: 10-13.
- 2589) Mathis, W.N. & L.Munari**, 1996, World Catalog of the family Tethinidae (Diptera). Smiths. Contr. Zool. 584: 1-20.
- 2590) Mathis, W.N., Zatwarnicki, T. & M.G.Krivosheina**, 1993, Studies of Gymnomyzinae (Diptera, Ephydriidae), V: A Revision of the Shore-Fly Genus *Mosillus* Latreille. Smiths. Contr. Zool. 548: 48pp., figs., maps.
- 2591) Matocq, A. & I.Özgen**, 2010, A preliminary list of Heteroptera collected in Mardin and Siirt provinces from South-Eastern Anatolia of Turkey (Hemiptera). Mun. Ent. Zool. 5 (suppl.): 1011-1019.
- 2592) Matthews, M.**, 1991, Classification of the Heliethinae. Nat. Res. Inst. Bull. 44: 198 pp.
- 2593) Mattoni, R.H.T.**, 1981, The Scolitantidini II. The World's smallest butterfly? Notes on *Turanana*, and a new genus and species from Afghanistan (Lycaenidae). J. Res. Lepid. 18 (4): 256-264, figs.
- 2594) Mauss, V.**, 1996, Morphological characters of *Ceramius palaestinensis* (Giordani Soika, 1957) Gusenleitner, 1992 (Hymenoptera, Vespidae, Masarinae) and considerations about its phylogenetic position. Linzer biol. Beitr. 28 (2): 953-966, figs.
- 2595) Mauss, V., Müller, A. & E.Yıldırım**, 2005, First contribution to the bionomics of the Pollen Wasp *Ceramius caucasicus* André, 1884 (Hymenoptera, Vespidae, Masarinae) in Turkey. J. Kansas ent. Soc. 78 (3): 201-220, figs.

- 2596) Mauss,V., Müller,A. & E.Yıldırım**, 2010, First contribution to the bionomics of the pollen wasp *Ceramius palaestinis* (Giordani Soika,1957) (Hymenoptera, Vespidae, Masarinae) in Turkey. Ent. Sci. 13: 42-59, figs.
- 2597) Mayer,H.**, 1953, Beitrage zur Kenntnis der Sciomyzidae (Dipt., Musc. acalyptr.). Annln naturh. Mus. Wien 59: 202-219, figs.
- 2598) Mayer,J.**, 1851, Pont[ia] Mannii n.sp. Stettin ent. Ztg. 12: 151.
- 2599) Mayerl,B. & M.Lödl**, 1999, Revision der Gattung *Rhynchina* Guenée,1854 (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 2: 1-124, figs.
- 2600) Mayor,A.J.**, 2003, Nomenclatural corrections for Dasytidae and Malachiidae (Coleoptera). Insecta Mundi 17 (1/2): 85-96.
- 2601) Mazel,R. & R.Leestmans**, 1999, Séparataion biométriques des *Leptidea sinapis* L., *morsei* Fenton et *reali* Reissinger. Linneana Belgica 17(1): 46-52, figs.
- 2602) Mazel,R. & R.Leestmans**, 1999, Seconde contribution a l'etude des relations entre *Leptidea sinapis* Linné et *L. reali* Reissinger en France, Belgique et quelques autre contrées européennes (Lepidoptera, Pieridae). Linneana Belg. 17 (4): 155-168, map.
- 2603) Medvedev,L.N.**, 1970, A list of the Chrysomelidae collected by Dr. W. Wittmer in Turkey (Coleoptera). Revue suisse. Zool. 77 (2): 309-319.
- 2604) Medvedev,L.N.**, 1975, Chrysomelidae collected by W.Wittmer in Turkey and Iran. Mitt. ent. Ges. Basel 25 (1): 12-19.
- 2605) Mei,M. & J.-H.Stuke**, 2008, Remarks on *Zodion nigritarsis* (Strobl,1902) and other European species of *Zodion* Latreille,1796, with a revised key (Diptera, Conopidae). Tijdschr. Ent. 151: 3-10, 14 figs.
- 2606) Meigen,J.W.**, 1829-1832, Systematische Bearbeitung der europäischen Schmetterlinge.
- 2607) Meigen,J.W.**, 1830, Systematische Beschreibung der bekannten zweiflügeligen Insekten. Sechster Theil, 401 pp., 12 Taf.
- 2608) Meinander,M.**, 1972, A revision of the family Coniopterygidae (Planipennia). Acta zool. fenn. 136: 1-357, figs.
- 2609) Melika,G. & G.N.Stone**, 2001, A new species of cynipid gall wasp from Turkey (Hymenoptera, Cynipidae). Folia ent. hung. 62: 127-131, 6 figs.
- 2610) Melika,G., Stone,G.N., Sadeghi,S.E. & Pujade-Villar,J.**, 2004, New species of cynipid gall wasps from Iran and Turkey (Hymenoptera, Cynipidae, Cynipini). Acta zool. hung. 50 (2): 139-151, figs.
- 2611) Memon,N. & I.Ahmad**, 2008, Description of *Mustha izmirensis*, new species (Heteroptera, Pentatomidae, Halyini) from Bornova, Izmir, Turkey with a key to its world species. Pakistan J. Zool. 40 (6): 435-439, figs.
- 2612) Mendl,H.**, 1976, Neue Limoniiden aus dem Allgäu und von Rhodos (Diptera, Limoniidae). NachrBl. bayer. Ent. 25 (3): 33-40, Abb.
- 2613) Menke,A.S. & W.J.Pulawski**, 2000, A review of the *Sphex flavipennis* species group (Hymenoptera, Apoidea, Sphecidae, Sphecini). J. Hym. Res. 9: 324-346, figs.
- 2614) Mentzer,E.v.**, 1981, The group *Aplocera lythoxylata* (Hübner) with *A.dervendaria* n.sp. and *A. palumbata* n.sp. (Lepidoptera, Geometridae). Ent. scand. 12: 49-56, figs.
- 2615) Merkl,O.**, 2006, Redescription of *Lagria* (Apteronympha) *tenenbaumi* Pic,1929, with a checklist of the western Palaearctic species of the *Lagria* F. (Coleoptera, Tenebrionidae, Lagriini). Proc. Russ. ent. Soc., St. Petersburg 77: 219-225, figs.
- 2616) Mertlik,J. & G.Platia**, 2008, Catalogue of the family Cebrionidae, Elateridae, Lissomidae, Melasidae, and Throscidae (Coleoptera) from Turkey. Elateridarum 2: 1-40.
- 2617) Merz,B. & A.Freidberg**, 1994, Nomenclatural changes in the Tephritidae (Diptera). Israel J. Ent. 28: 171-172.
- 2618) Merz,B.**, 2004, Revision of the *Minettia fasciata* species-group (Diptera, Lauxaniidae). Revue suisse Zool. 111 (1): 183-211, figs.
- 2619) Merz,B.**, 2007, Two new mediterranean species of the *Sapromyza intonsa* group (Diptera, Lauxaniidae). Tijdschr. Ent. 150: 65-76, figs.
- 2620) Merz,B.**, 2003, The Lauxaniidae (Diptera) described by C.F.Fallen with description of a misidentified species of *Homoneura* van der Wulp. Ins. Syst. Ev ol. 34: 345-360.
- 2621) Meszaros,Z. & L.Abraham**, 2005, Ascalaphid studies iv. A new ascalaphid species from Asia (Neuroptera, Ascalaphidae). Acta phyt. ent. Hung. 40 (1/2): 103-110, 10 figs.
- 2622) Mete,Ö. & A.Demirsoy**, 2010 [26 June], A preliminary study on the gallwasp fauna of Kemaliye (Turkey), with a new record for Turkey (Hymenoptera, Cynipidae). Seventh Int. Congress Hymenopterists 20-26 June 2010: 99-100. Köszeg [not a new record of *A. moreae*! See Cesa News 56: 1-66, figs.].
- 2623) Mey,W. & W.Speidel**, 2008, Global diversity of butterflies (Lepidoptera) in freshwater. Hydrobiologia 595: 521-528, figs.
- 2624) Mey,W.**, 1994, Taxonomische Bearbeitung der westpaläarktischen Arten der Gattung *Leucoptera* Hübner,[1825], s.l. (Lepidoptera, Lyonetidae). Dt. ent. Z. (N.F.) 41: 173-234, 125 Abb.

- 2625) Meyer, M. de**, 1989, The West-Palaeartic species of the pipunculid genera *Cephalops* and *Beckerias* (Diptera): classification phylogeny and geographical distribution. *J. nat. Hist.* 23: 725-765, figs.
- 2626) Meyrick, E.**, 1890, On the classification of the Pyralidina of the European fauna. *Trans. ent. Soc. London* 1890: 429-492, Pl.xv
- 2627) Meyrick, E.**, 1892, On the classification of the Geometrina of the European fauna. *Trans. ent. Soc. London* 1892: 53-140, Tab.iii.
- 2628) Meyrick, E.**, 1892, Classification by structure of imago. *Entomologist's Rec. J. Var.* 3: 104-106.
- 2629) Meyrick, E.**, 1912, Adelidae, Micropterygidae, Gracilariidae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 6*. 68pp. Dr.W.Junk Berlin.
- 2630) Meyrick, E.**, 1912-1916, Exotic Microlepidoptera, vol.1. 640pp.
- 2631) Meyrick, E.**, 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 13*. 53pp. Dr.W.Junk Berlin.
- 2632) Meyrick, E.**, 1916-1923, Exotic Microlepidoptera, vol.2. 640pp.
- 2633) Meyrick, E.**, 1923-1930, Exotic Microlepidoptera, vol.3. 640 pp.
- 2634) Meyrick, E.**, 1930-1936, Exotic Microlepidoptera, vol.4. 642pp.
- 2635) Michelsen, V.**, 2009, Revision of the willow catkin flies genus *Egle* Robineau-Desvoidy (Diptera, Anthomyiidae) in Europe and neighbouring areas. *Zootaxa* 2043: 1-76, figs.
- 2636) Michelsen, V.**, 2008, The Palaeartic species of the *Pegomya terminalis* species group (Diptera, Anthomyiidae) with descriptions of two new species. *Zootaxa* 1781: 31-46, figs.
- 2637) Michelsen, V.**, 2007, Taxonomic review of Eurasian *Paradelia* Ringdahl (Diptera, Anthomyiidae) with descriptions of two new species. *Zootaxa* 1592: 1-44, figs.
- 2638) Michelsen, V.**, 2012, Revision of the European *Delia pruinosa* species group (Diptera, Anthomyiidae) feeding as larvae in seed capsules of *Silene* L. (Caryophyllaceae). *Zootaxa* 3434: 31-48, figs.
- 2639) Michener, C.D.**, 1952, The Saturniidae (Lepidoptera) of the Western Hemisphere: morphology, phylogeny, and classification. *Bull. Am. Mus. Nat. Hist.* 98: 335-502, 5 Pls.
- 2640) Michener, C.D.**, 1948, The generic classification of the Anthidiine Bees (Hymenoptera, Megachilidae). *Amer. Mus. Novit.* 1381: 1-29, figs.
- 2641) Michez, D., Patiny, S. & B.Danforth**, 2009, Phylogeny of the bee family Melittidae (Hymenoptera, Anthophila) based on combined molecular and morphological data. *Syst. Ent.* 34: 574-597, figs.
- 2642) Michez, D., Terzo, M. & P.Rasmont**, 2004, Révision des espèces ouest-paléarctiques du genre *Dasypoda* Latreille 1802 (Hymenoptera, Apoidea, Melittidae). *Linzer biol. Beitr.* 36 (2): 847-900, figs.
- 2643) Mik, J.**, 1887, Diagnosen neuer Dipteren. *Wien. ent. Ztg.* 6: 161-164.
- 2644) Mik, J.**, 1897, Einige Bemerkungen zur Dipteren-Familie der Syrphiden. *Wien. ent. Ztg.* 16: 61-66, 113-119.
- 2645) Mikkola, K.**, 1981, Notes on some Geometrid and Noctuid species described by J. F. Fabricius (Lepidoptera). *Ent. scand.* 12: 433-436.
- 2646) Mikkola, K.**, 1985, The Geometroidea and Noctuoidea described by Carl Clerck (Lepidoptera). *Ent. scand.* 16: 121-129.
- 2647) Mikkola, K.**, 1998, Revision of the genus *Xylomoia* Staudinger (Lepidoptera, Noctuidae) with descriptions of two new species *Syst. Ent.* 23: 173-186, 2 Tab., 28 figs.
- 2648) Mikkola, K., Lafontaine, J.D. & P.Grotenfelt**, 1987, A revision of the Holarctic *Chersotis andereggii* complex (Lepidoptera, Noctuidae). *Nota lepid.* 10 (3): 140-157, 6 figs.
- 2649) Miller, E.**, 1923, Lépidoptères, rapports des environs de Kagysman dans le district de Cars. *Bull. Soc. ent. Moscou* 2: 81-118.
- 2650) Miller, E.**, 1913, Neue Rhopalocera aus Transkaukasien. *Dt. ent. Z., Iris* 26 (1912) (4): 220-223.
- 2651) Miller, J.S.**, 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). *Bull. Am. Mus. Nat. Hist.* 186 (4): 365-512.
- 2652) Millière, M.P.**, 1859-1864, Iconographie et description de Chénilles et Lépidoptères inédits. Tome I. Lyon.
- 2653) Millière, M.P.**, 1864-1868, Iconographie et description de Chénilles et Lépidoptères inédits. Tome II. Lyon.
- 2654) Millière, M.P.**, 1869-1874, Iconographie et description de Chénilles et Lépidoptères inédits. Tome III. Lyon.
- 2655) Minet, J.**, 1986, Ebauche d'une classification moderne de l'ordre des Lépidoptères. *Alexanor* 14: 291-313.
- 2656) Minet, J.**, 1990, Remaniement partiel de la classification des Gelechioidea, essentiellement en fonction de caractères pré-imaginaux (Lepidoptera, Ditrysia). *Alexanor* 16 (4) (1989): 239-255, figs.
- 2657) Minet, J.**, 1991, Tentative reconstruction of the ditrysian phylogeny (Lepidoptera: Glossata). *Ent. scand.* 22: 69-95.
- 2658) Mironov, V.G.**, 2003, The Geometrid Moths of Europe Vol. 4 Larentiinae II. 462 pp., figs. Pls. Apollo Books.

- 2659) Mitter,C. & E.Silverfine**, 1987, On the systematic position of *Catocala* Schrank (Noctuidae). Syst. Ent. 13: 67-84, figs.
- 2660) Mitter,H.**, 1992, Faunistische und taxonomische Notizen über südostanatolische Glaphyrinae (Scarabaeidae). Koleopt. Rdsch. 62: 169-171.
- 2661) Mitter,H.**, 2001, Notizen über wenig bekannte Arten der Familie Glaphyridae aus dem Nahen und Mittleren Osten und Beschreibung von *Pygopleurus anahitae* n.sp. (Coleoptera, Scarabaeoidea, Glaphyridae). Linzer biol. Beitr. 33 (2): 1041-1045.
- 2662) Mocsary,A.**, 1884, Species generis *Anthidium* Fabr. regionis palaearticae. Termes. Füzetek 8: 241-278.
- 2663) Moczar,L.**, 1997, Revision of the *Cleptes nitidulus* group of the world (Hymenoptera, Chrysididae, Cleptinae). Entomofauna 18 (3): 24-44, figs.
- 2664) Moczar,L.**, 1998, Revision of the Cleptinae of the World. Genus *Cleptes* subgenera and species groups (Hymenoptera, Chrysididae). Entomofauna 19 (31): 501-516, figs.
- 2665) Moczar,L.**, 2001, World revision of the *Cleptes semiauratus* group (Hymenoptera, Chrysididae, Cleptinae). Linzer biol. Beitr. 33 (1): 905-931, figs.
- 2666) Mohamadzade Namin,S. & G.R.Rasoulia**, 2009, A review of fruit flies of the genus *Rhagoletis* (Diptera, Tephritidae) of Iran and bordering countries with the key to species. Vestn. zool. 43 (1): 25-30, figs.
- 2667) Morawitz,F.**, 1876, Zur Bienenfauna der Caucasusländer. Horae Soc. ent. ross. 12: 3-69.
- 2668) Morawitz,F.**, 1878, Nachtrag zur Bienenfauna Caucasiens. Horae Soc. ent. ross. 14: 3-112.
- 2669) Morawitz,F.**, 1889, Hymenopterologische Mittheilungen. Horae Soc. ent. ross. 23: 540-554.
- 2670) Morice,R.F.D.**, 1900, An excursion to Egypt, Palestine, Asia Minor &c., in search of Aculeate Hymenoptera. Entomologist's mon. Mag. 36: 164-172.
- 2671) Morton,K.J.**, 1894, Palaearctic Nemourae. Trans. ent. Soc. London 1894: 557-574, Pls.xiii,xiv.
- 2672) Morton,K.J.**, 1914, Notes on a collection of Odonata from Van, Turkey in Asia. Entomologist's mon. Mag. 50: 56-59, pl.viii.
- 2673) Mosher,E.**, 1916, A Classification of the Lepidoptera based on characters of the pupa. Bull. Ill. St. Lab. nat. Hist. 12: 1-158, figs.
- 2674) Mostovski,M.B. & R.H.L.Disney**, 2002, A new species of *Megaselia* (Dipt., Phoridae) from donkey dung in Turkey. Entomologist's mon. Mag. 138: 135-137, 6 figs.
- 2675) Moucha,J.**, 1953, La distribution géographique de la *Leptidea morsei* Fent. en Europe (Lep., Pieridae). Bull. Soc. ent. Mulhouse 1953: 1-5.
- 2676) Möschler,H.B.**, 1862, Neue südrussische Schmetterlinge. Wien. ent. Monatschr. 6: 139-143, Taf.1.
- 2677) Mucho,W.H.**, 1960, Eindrücke einer Sammelreise nach der Türkei. Ent. Z., Frankf. a. M. 70: 176-180, 181-188, 199-201, 207-210, 7 Abb.
- 2678) Mucho,W.H.**, 1962, Die *Alosimus* meiner Anatolienausbeute (Col., Meloidae). Reichenbachia 1: 57-59.
- 2679) Mucho,W.H.**, 1962, *Lydus anatolicus* spec. nov. (Col., Meloidae). Reichenbachia 1: 51-53.
- 2680) Munari,L.**, 2005, Species of *Tethina* Haliday from the Sahara and inland biotops of the Mediterranean subregion (Diptera, Tethinidae). Stuttgarter Beitr. Naturk. (A) 683: 1-11, 3 figs.
- 2681) Munroe,E.**, 1961, The classification of the Papilionidae (Lepidoptera). Can. Ent. Suppl. 17: 1-51.
- 2682) Munroe,E.**, 1970, Types of Nymphulinae, Scopariinae, Cybalomiinae, Odontiinae, Evergestinae, and Pyraustinae (Lepidoptera, Pyralidae) in the Zoological Institute, Academy of Sciences of the USSR, Leningrad, with selections of lectotypes. Can. ent. 102: 1025-1035.
- 2683) Mustu,M. & N.Kılınçer**, 2005, Türkiye faunası için yeni kayıt *Phalacrotophora fasciata* (Fallen) (Dip., Phoridae). Bitki kor. bült. 45 (1/4): 1-7, figs.
- 2684) Mutin,V.A.**, 1998, Four new species of the genus *Sphegina* Meigen, 1822 (Diptera, Syrphidae) from Russia and India. Int. J. Dipt. Res. 9 (3): 237-241.
- 2685) Mutin,V.A.**, 2001, New data on the taxonomy of the palaearctic Hover-Flies (Diptera, Syrphidae). Far East. Ent. 99: 19-20, figs.
- 2686) Mutun,S. Ceyhan,Z. & C.Sözen**, 2009, Invasion by the oak lace bug, *Corytheucha arcuata* (Say) (Heteroptera, Tingidae). Turk J. Zool. 33: 263-268, figs.
- 2687) Mutuura,A. & E.Munroe**, 1970, Taxonomy and distribution of the European Corn Borer and allied species: Genus *Ostrinia* (Lepidoptera, Pyralidae). Mem. ent. Soc. Can. 71: 1-112, 661 figs.
- 2688) Mückstein,P., Tschorsnig,H.-P. & J.Vanhara**, 2004, Some new host record of west palaearctic Tachinidae (Diptera). Dipt. bohemosl. 12: 111-113.
- 2689) Müller,A.**, 2008, A taxonomic catalogue of the Palaearctic bees of the tribe Osmiini (Hymenoptera, Apoidea, Megachilidae). Zootaxa 1865: 1-253.
- 2690) Müller,A.**, 2009, Palaearctic Osmiine Bees. ETH Zürich <http://blogs.ethz.ch/Osmiini>
- 2691) Müller,A.**, 2012, New European bee species of the tribe Osmiini (Hymenoptera, Apoidea, Megachilidae). Zootaxa 3355: 29-50, figs.

- 2692) Müller, G.**, 1931, Neue und wenig bekannte Carabiden von Leo Weirather auf der Balkanhalbinsel und in Kleinasien gesammelt. Koeopt. Rdsch. 17 (6): 209-223.
- 2693) Müller, G.C., et al.**, 2012, An annotated checklist of the horse flies (Diptera, Tabanidae) of Lebanon with remarks on ecology and zoogeography: Pangoniinae and Chrysopinae. J. Vector Ecol. 37 (1): 216-220.
- 2694) Müller, G.C., Kravchenko, V.D., Witt, T.J., Junnila, A., Mooser, J., Saldaitis, A., Reshöft, K., Ivinskis, P., Zahiri, R. & W. Speidel**, 2008, New underwing taxa of the section of *Catocala lesbia* Christoph, 1887 (Lepidoptera, Noctuidae). Acta zool. Lituanica 18 (1): 30-49, figs.
- 2695) Müller, G.C., Laszlo, G.M., Ronkay, G., Ronkay, L. Speidel, W., Kravchenko, V.D., Mooser, J. & T.J. Witt**, 2006, The Drepanoidea of Israel: Distribution, phenology and ecology (Lepidoptera, Thyatiridae and Drepanidae), with description of a new species. Entomofauna 27 (4): 57-76, figs.
- 2696) Nabozhenko, M.V.**, 2011, Two new species of the tribe Helopini (Coleoptera, Tenebrionidae) from Artvin Province, Turkey. Ann. Zool. 61 (2): 335-338, figs.
- 2697) Nadein, K.S.**, 2009, Revision of the genus *Mniophila* Stephens, 1831 (Coleoptera, Chrysomelidae). Beitr. Ent. 59 (1): 103-131, 7 figs, 3 maps.
- 2698) Nagatomi, A.**, 1984, Male genitalia of the lower Brachycera (Diptera). Beitr. Ent. 34: 99-157, 151 figs.
- 2699) Naglis, S.**, 2009, New records of Sympycninae (Diptera, Dolichopodidae) from Turkey, with the description of a new species of *Teuchophorus*. Mitt. schweiz. ent. Ges. 82: 173-180, figs.
- 2700) Narchuk, E.P.**, 1984, Chloropidae [in] Soos, A. & L. Papp (eds.), Catalogue of Palaearctic Diptera 10: 222-298, Akademiai Kiado, Budapest.
- 2701) Narchuk, E.P.**, 1988, Family Acroceridae [in] Soos, A. & L. Papp (eds.), Catalogue of palaearctic Diptera 5: 186-196. Akademiai Kiado, Budapest.
- 2702) Narolsky, N.B.**, 2001, A review of the world of the genus *Eucremastus* (Hymenoptera, Ichneumonidae, Cremastinae). Vestn. zool. 35 (3): 23-29, figs.
- 2703) Nartshuk, E.P.**, 2007, Nemestrinid flies (Diptera, Nemestrinidae) in the fauna of Eastern Europe and the Caucasus. Zool. Zh. 86: 1327-1335, figs. [Ent. Rev. 87: 1076-1085, 6 figs.]
- 2704) Nartshuk, E.P.**, 1997, A revision of the Chloropidae (Insecta, Diptera) described by J.W. Meigen from the Winthem's Collection. Annls naturh. Mus. Wien 99 (B): 387-406.
- 2705) Naskrecki, P. & M. Ünal**, 1995, The Orthoptera of Hatay Province, S. Turkey. Beitr. Ent. 45: 393-419, figs.
- 2706) Naskrecki, P.**, 1991, Contribution to the knowledge of Orthoptera of European Turkey with description of *Poecilimon marmaraensis* sp. nov. (Orthoptera, Phaneropterinae). Priamus 5: 157-171, figs.
- 2707) Nässig, W.A.**, 1980, Ein Beitrag zur Kenntnis der Saturniidae und Brahmaeidae des Irans und der Türkei (Lepidoptera) I. Brahmaeidae. Nachr. ent. Ver. Apollo (N.F.) 1 (3/4): 77-91, figs.
- 2708) Nässig, W.A.**, 1981, Ein Beitrag zur Kenntnis der Saturniidae und Brahmaeidae des Irans und der Türkei (Lepidoptera) 2. Saturniidae. Nachr. ent. Ver. Apollo (N.F.) 2 (1): 1-39, figs.
- 2709) Nässig, W.A.**, 1994, Vorschlag für ein neues Konzept der Gattung *Saturnia* Schrank, 1802 (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15(3): 253-266.
- 2710) Nässig, W.A.**, 2002, Anmerkungen über *Saturnia* (Perisomena) caecigena mit Beschreibung einer neuen Unterart von Zypern (Lepidoptera, Saturniidae, Saturniinae). Nachr. ent. Ver. Apollo (N.F.) 23 (1/2): 43-48, figs.
- 2711) Naufock, A.**, 1929, *Procris anatolica* sp. n. Mitt. münch. ent. Ges. 19: 94-96, 2 figs.
- 2712) Naufock, A.**, 1935, *Procris pfeifferi* sp. n. Mitt. münch. ent. Ges. 25(1): 7-8.
- 2713) Naumann, C.**, 1970, Bemerkungen zur Biologie und zur systematischen Stellung von *Zygaena graslini* Lederer, 1855 (Lep., Zygaenidae). Bonn. zool. Beitr. 21 (1/2): 133-136, 1 Abb.
- 2714) Naumann, C.M. & S. Naumann**, 1985, Zur morphologischen Differenzierung asiatischer Populationen des *Zygaena purpuralis* -Komplexes (Lepidoptera, Zygaenidae). Entomofauna 6 (20): 265-358, 286 figs.
- 2715) Naumann, C.M. & W.G. Tremewan**, 1984, Das Biospecies-Konzept in seiner Anwendung auf die Gattung *Zygaena* Fabricius, 1775 (Insecta, Lepidoptera, Zygaenidae). Spixiana 7 (2): 161-193, 24 figs.
- 2716) Naumann, C.M.**, 1966, *Zygaena* (Subg. *Zygaena* F.) problematica nov. sp. Z. wien. ent. Ges. 51: 10-19, Pls., fig.
- 2717) Naumann, C.M., Schurian, K.G. & J.-C. Weiss**, 1993, Notes on the ecology and early stages of *Zygaena* (Mesembrynus) *lydia* Staudinger, 1887 (Lepidoptera, Zygaenidae). Entomologist's Gaz. 44: 225-229, 2 figs.
- 2718) Naumann, C.M., Tarmann, G.M. & W.G. Tremewan**, 1999, The western Palaearctic Zygaenidae. 304pp., 12 pls. Apollo Books. [see review: Koçak, A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7].
- 2719) Naumann, S. & C.M. Naumann**, 1978, Eine neue ostanatolische Unterart der *Zygaena* (*Zygaena*) *loti* (Denis & Schiffermüller, 1775) (Lep., Zygaenidae). Ent. Z., Frankf. a.M. 88: 37-40, figs.

- 2720) Naumann, S. & C.M. Naumann**, 1980, Ein Beitrag zur Kenntnis der Zygaenen-Fauna Nord- und Ost-Anatoliens (Lep., Zygaenidae). Entomofauna 1: 302-353, figs.
- 2721) Navas, L.**, 1912, Crisopidos y Hemerobidos (Ins. Neur.) nuevos o criticos. Broteria (Zool.) 10: 98-113, 8 figs.
- 2722) Navas, L.**, 1914, Neuroptera asiatica, III series. Revue Russ. Ent. 14 (1): 6-13, 4 figs.
- 2723) Nazari, V.**, 2003, Butterflies of Iran. 598pp., 74 Pls., maps. National Museum of Natural History, Department of Environment I.R.Iran [in Persian].
- 2724) Nees ab Esenbeck, C.G.**, 1811-1816, Ichneumonides adsciti in genera et familias divisi. Magaz. Gesellsch. naturf. Berlin 5 (1811): 3-37; 6 (1814): 183-221; 7 (1816): 243-277, Tab.
- 2725) Nees ab Esenbeck, C.G.**, 1834, Hymenopterorum Ichneumonibus affinium monographiae, genera Europaea et species illustratae. Tom. I, II. Stuttgart & Tübingen.
- 2726) Neimorovets, V.V.**, 2006, On the synonymy and distribution of the Heteropterans, Trapezonotus dispar Stal and T. desertus Seidenstücker (Heteroptera, Lygaeidae). Ent. Obozr. 85 (1): 162-166, figs.
- 2727) Nekrutenko, Y.P. & R.M.E. Effendi**, 1983, A review of *Lycaena phoenicurus* - group (Lepidoptera, Lycaenidae) with description of a new species from Azerbaidjan. Vestn. zool. 1983 (4): 8-15.
- 2728) Nekrutenko, Y.P.**, 1973, On the taxonomic position of the Caucasian form of *Callophrys rubi* L. (Lycaenidae). Dopov. Akad. Nauk. ukr. RSR. (B) (10): 949-952
- 2729) Nekrutenko, Y.P.**, 1974, Comparative notes on certain West-Palaeartic species of *Agriades*, with description of a new subspecies *Agriades pyrenaicus* from Turkey. J. Lepid. Soc. 28: 278-288, figs.
- 2730) Nekrutenko, Y.P.**, 1975, A new species of *Melitaea* (Nymphalidae) from Armenia. J. Lepid. Soc. 29 (2): 102-105, 7 figs.
- 2731) Nekrutenko, Y.P.**, 1980, Revisional notes on lycaenid butterfly species assigned to *Ultraaricia Beuret* (Lycaenidae). Nota lepid. 2(4): 55-68, 16 figs.
- 2732) Nekrutenko, Y.P.**, 1983, *Neolysandra alticola* (Christoph, 1893) comb. et stat.n. = *Albulina alexander* Higgins, 1981, syn.n. Vestn. Zool. 1: 52.
- 2733) Nekrutenko, Y.P.**, 1987, A new genus of the subfamily Lethinae (Lepidoptera, Satyridae). Vestn. Zool. 1987 (2): 83-85.
- 2734) Nekrutenko, Y.P.**, 1987, *Esperella* Nekrutenko, nom. n. pro *Esperia* Nekrutenko. Vestn. Zool. 3: 62.
- 2735) Nekrutenko, Y.P.**, 1988, *Esperarge* Nekrutenko (Lepidoptera, Satyridae), nom.n. pro *Esperella* Nekrutenko 1987. Vestn. Zool. 1988(1): 50.
- 2736) Nekrutenko, Y.P.**, 1990, Kafkasya Kelebekleri-I. 213 pp., 32 pls., 106 figs.
- 2737) Nekrutenko, Y.P.**, 2000, A catalogue of the type specimens of Palaeartic Riodinidae and Lycaenidae (Lepidoptera) deposited in the collection of the Museum für Naturkunde der Humboldt Universität zu Berlin. Nota lepid. 23 (3/4): 192-352.
- 2738) Nel, J.**, 1995, Découverte d'authentiques *Stenoptilia mannii* (Zeller, 1852) en France (Lepidoptera, Pterophoridae). Alexanor 18 (7) (1994): 433-439, 6 figs.
- 2739) Neuburger, W.**, 1900, *Lycaena menalcas* ab. *amasina*. Illte. Z. Ent. (23): 370.
- 2740) Niculescu, E.V.**, 1981, Sur la position du genre *Archon* Hübner dans la classification. Bull. Soc. ent. Mulhouse 1981: 59-60.
- 2741) Nielsen, E.S., Robinson, G.S. & D.L. Wagner**, 2000, Ghost-moths of the world: a global inventory and bibliography of the Exoporia (Mnesarchaeoidea and Hepialoidea) (Lepidoptera). J. nat. Hist. 34: 823-878.
- 2742) Nielsen, S.E.**, 1981, A taxonomic revision of the species of *Alloclemensia* n.gen. (Lepidoptera: Incurvariidae s.str.). Ent. scand. 12: 271-294, 66 figs.
- 2743) Nieser, N. & Z. Moubayed**, 1985, Les Hétéroptères aquatiques du Liban I. Inventaire faunistique. Annls Limnol. 21 (3): 247-252.
- 2744) Nieto Nafria, J.M., Hidalgo, N.P. & M.P.M. Durante**, 2007, New synonyms and several nomenclatural clarifications on family-group names in the Aphididae (Hemiptera, Sternorrhyncha). Zootaxa 1629: 51-55.
- 2745) Nieukerken, E.J.v. & R. Johansson**, 1987, Identity of hitherto doubtful species names in European Nepticulidae (Lepidoptera). Zool. Meded. 61 (32): 459-474.
- 2746) Nieukerken, E.J.v. & R. Johansson**, 2003, The *Quercus* feeding *Stigmella* species of West Palaeartic: New species, key and distribution (Lepidoptera, Nepticulidae). Tijdschr. Ent. 146: 307-370, 3 Tab., 179 figs.
- 2747) Nieukerken, E.J.v.**, 1986, A provisional phylogenetic check-list of the western palaeartic Nepticulidae, with data on hostplants (Lepidoptera). Ent. scand. 17: 1-27.
- 2748) Nieukerken, E.J.v.**, 1986, Systematics and phylogeny of Holarctic genera of Nepticulidae (Lepidoptera, Heteroneura, Monotrysiina). Zool. Verh. 236: 1-93, figs.
- 2749) Nieukerken, E.J.v.**, 2007, *Acalyptris* Meyrick: revision of the platani and staticis groups in Europe and the Mediterranean (Lepidoptera, Nepticulidae). Zootaxa 1436: 1-48, figs.
- 2750) Nieukerken, E.J.v.**, 2007, Review of the subgenus *Trifurca* (Levarchama), with two new species (Lepidoptera, Nepticulidae). Acta zool. hung. 53 (Suppl.1) 101-140, figs.

- 2751) Nieves-Aldrey, J.L. & G.Melika**, 2005, *Aylax hypecoi* Trotter (Hymenoptera, Cynipidae) in Europe: Redescription with taxonomic and biological notes. *J. Nat. Hist.* 39 (27): 2525-2535, figs.
- 2752) Nihei, S.S. & C.J.B. de Carvalho**, 2009, The Muscini flies of the world (Diptera, Muscidae): identification key and generic diagnoses. *Zootaxa* 1976: 1-24, 18 figs.
- 2753) Nikolskaya, M.N.**, 1952, The Chalcid fauna of the USSR (Chalcidoidea). 574 pp., 592 figs. Moscou & Leningrad.
- 2754) Noreyka, R.V.**, 1991, Review of the fauna of Leafblotch Miners (Lepidoptera, Gracillariidae) of Turkmenia. *Ent. Obozr.* 1991 (2): 429-443, 10 figs. [transl. *Ent. Rev.* 1993: 17-34, 10 figs.]
- 2755) Novak, V.**, 2006, *Megischina bozdaglariensis* sp.n. (Coleoptera, Tenebrionidae, Alleculinae) from Turkey. *Stud. rep. Distr. Mus. Prague-East (Tax. Series)* 2 (1/2): 99-104, figs.
- 2756) Novak, V.**, 2007, New species of the genus *Hymenalia* Mulsant, 1856 (Coleoptera, Tenebrionidae, Alleculinae) from Palaearctic Region. *Stud. rep. Distr. Mus. Prague-East (Tax. Series)* 3 (1/2): 149-170, figs.
- 2757) Noyes, J.S.**, 2010, Universal Chalcidoidea Database. <http://www.nhm.ac.uk/entomology/chalcidoids/index.html> [accessed 1.3.2010].
- 2758) Nupponen, K.**, 2005, Notes on Palaearctic Scythrididae, with description of two new species (Lepidoptera, Scythrididae). *Ent. fennica* 16 (3): 165-174, figs.
- 2759) Nuss, M. & A.Kallies**, 2001, *Titanio caradjae* (Rebel, 1902) comb.n., transferred from Brachodidae (Sesioidea) to Crambidae (Pyraloidea). *Nota lepid.* 24 (3): 33-39, figs.
- 2760) Nuss, M. & W.Speidel**, 1999, A new crambid moth species from the north-eastern part of Turkey (Crambidae, Crambinae). *Nota lepid.* 22 (2): 155-159, figs.
- 2761) Nuss, M., Sobczyk, T. & R.Bläsius**, 2006, The taxonomy and life history of *Epimetasia monotona* (Amsel, 1953) (comb.n.) from Northwest Africa (Pyraloidea, Crambidae, Odontiinae, Odontiini). *Nota lepid.* 29 (1/2): 37-47, figs.
- 2762) Nye, I.W.B.**, 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London.
- 2763) Oberthür, C.**, 1869, *Thais deyrollei*. *Petites Nouv. Ent.* 1869: 7.
- 2764) Oberthür, C.**, 1872, Catalogue raisonné des Lépidoptères rapportés par M. Théophile Deyrolle de son exploration scientifique en Asie Mineure. *Revue Mag. zool.* 23: 480-488.
- 2765) Oberthür, C.**, 1878, Catalogue raisonné des Papilionidae de la collection de Ch. Oberthür. *Etud. ent.* 4: 1-117, Pls.
- 2766) Oberthür, C.**, 1884, *Smerinthus davidi* sp.n. *Annls Soc. ent. Fr.* 1884: xi-xii.
- 2767) Oberthür, C.**, 1884, *Sphingide* de nouveau d'Asie Mineure. *Etud. ent.* 9: 29-30.
- 2768) Oberthür, C.**, 1891, Lépidoptères du genre *Parnassius*. *Etüd. Ent.* 14: 1-18, Pls.
- 2769) Oberthür, C.**, 1893, Lépidoptères d'Asie. *Etüd. Ent.* 18: 11-49, Pls.
- 2770) Oberthür, C.**, 1894, Lépidoptères d'Europe, d'Algérie, d'Asie et d'Océanie. *Etüd. Ent.* 19: 1-38, Pls.
- 2771) Oberthür, C.**, 1909, Notes pour servir à établir la Faune Française et Algérienne des Lépidoptères. *Etüd. lepid. comp.* 3: 101-404, Pls. xi-xxvi.
- 2772) Oberthür, C.**, 1919, *Xylocampa lithorhiza mustapha*. *Etud. lepid. comp.* 16: 164, pl.xdvi, fig. 4124. Rennes.
- 2773) Obratzov, N.S.**, 1936, Nouvelles races de *Lycaena* (*Lysandra*) *thersites* Cant. *Lambillionea* 36: 11-18.
- 2774) Obratzov, N.S.**, 1937, Studien über die paläarktischen Amatiden V. Zur geographischen Variabilität von *Amata nigricornis* Alph. *Ent. Rdsch.* 54: 449-452, 462-466, 14 figs.
- 2775) Obratzov, N.S.**, 1952, Zur Revision der *Synaphe*-Arten der moldavica- und *bombycalis*-Gruppe (Lepidoptera, Pyralidae). *Mitt. münch. ent. Ges.* 42: 87-109, 10 Abb. Taf.1.
- 2776) Obratzov, N.S.**, 1952, Neue palaearktische *Eucosmini*-Arten (Lepidoptera, Tortricidae). *Z. wien. ent. Ges.* 37: 122-129, 5 Abb.
- 2777) Obratzov, N.S.**, 1953, Systematische Aufstellung und Bemerkungen über die palaearktischen Arten der Gattung *Dichrorampha* Gn. (Lepidoptera, Tortricidae). *Mitt. münch. ent. Ges.* 43: 10-100, 50 Abb.
- 2778) Obratzov, N.S.**, 1961, Zwei neue und zwei wenig bekannte palaearktische *Argyroploce*-Arten (Lepidoptera, Tortricidae). *Mitt. münch. ent. Ges.* 51: 154-158, Taf.xii-xv.
- 2779) Obratzov, N.S.**, 1966, Die palaearktischen *Amata*-Arten (Lepidoptera, Ctenuchidae). *Veröff. zool. Stsamml. München* 10: 1-383, Taf.
- 2780) Ochsenheimer, F.**, 1808, Die Schmetterlinge von Europa. Bd.1, Abth.2. Falter oder Tagschmetterlinge. 240+30 pp. Leipzig.
- 2781) Oehlke, J.**, 1983, Revision der europäischen Aulacidae (Hymenoptera, Evanioidea). *Beitr. Ent.* 33 (2): 439-447.
- 2782) O'Hara, J., Shima, H. & C.Zhang**, 2009, Annotated catalogue of the Tachinidae (Insecta, Diptera) of China. *Zootaxa* 2190: 1-236, figs.

- 2783) Ohl, M.,** 1999, A revision of *Stizoides* Guérin-Méneville, 1844: Taxonomy, phylogenetic relationships, biogeography, and evolution (Hymenoptera, Apoidea, "Sphecidae"). Mitt. Mus. Naturk. Berl., Zool. 75 (1): 63-169, 165 figs.
- 2784) Okyar, Z. & M.Yurtcan,** 2007, Phytophagous Noctuidae (Lepidoptera) of the western Black Sea Region and their ichneumonid parasitoids. Entomofauna 28 (28): 377-388.
- 2785) Okyar, Z. & N.Aktaş,** 1999, Trakya Bölgesi Geometridae Türlerinin Taksonomik ve Faunistik Yönden Araştırılması Tr. J. Zoology 23 (Ek 1) (1996): 99-132, figs. [A study with numerous nomenclatural errors!]
- 2786) Okyar, Z. & N.Aktaş,** 2006, Identification of butterfly (Lepidoptera, Rhopalocera) fauna of Gökçeada and Bozcaada, Turkey. Pak. J. Biol. Sci. 9 (1): 76-79.
- 2787) Okyar, Z. & V.Mironov,** 2008, Checklist of the Geometridae of European Turkey with new records (Lepidoptera). Zootaxa 1789: 1-56.
- 2788) Okyar, Z.,** 2010, A study on geometrid moths (Lepidoptera) of the Eastern Black Sea Region (Ayder plateau-Kaçkar mountain, Turkey) with three new records. J. Kansas ent. Soc. 83 (3): 193-200.
- 2789) Olivares, J., Jutzeler, D. & R.Leestmans,** 1999, *Arethusana boabdil* (Rambur, 1840) de la prov. de Grenade, Andalousie: une bonne espece ! (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belg. 17 (4): 135-154, pls., figs.
- 2790) Olivier, A. & J.G.Coutsis,** 1995, Rhopalocera of Turkey 13. Sympatry and supposed gene exchange between *Maniola telmessia* (Zeller, 1847) and *Maniola halicarnassus* Thomson, 1990 on the Bodrum Peninsula (SW. Turkey) vs. evidence for their specific distinctness: two sides of the same coin (Lep.) Entomobrochure 7: 1-60, figs.
- 2791) Olivier, A. & J.G.Coutsis,** 1997, A revision of the superspecies *Hipparchia azorina* and of the *Hipparchia aristaeus* group (Nymphalidae, Satyrinae). Nota lepid. 20 (3/4): 150-292.
- 2792) Olivier, A. & W.de Prins,** 1989, Taxonomy and geographical variation of *Hipparchia mersina* (Staudinger, 1871) with notes on its ecology and phenology (Lepidoptera, Nymphalidae, Satyrinae). Phegea 17(4): 169-221, 69 figs.
- 2793) Olivier, A. & Y.P.Nekrutenko,** 2000, The butterflies described by Johann Christoph Friedrich Klug (1775-1856) in his *Symbolae Physicae, Insecta* (Lep., Pieridae, Lycaenidae, Nymphalidae): An annotated review, with catalogue of the existing types. Dt. ent. Z. 47: 95-104.
- 2794) Olivier, A.,** 1993, The Butterflies of the Greek Island of Rodos: taxonomy, faunistics, ecology and phenology with a tentative synthesis on the biogeography of the butterflies of Kriti, Karpathos, Rodos, the Eastern Aegean islands and Kypros...Antwerpen.
- 2795) Olivier, A.,** 1996, Notes on the taxonomic status and supposed biogeographic affinity of the *Pseudochazara anthele* (Hübner, [1824]) populations from Kipros (Cyprus) and from the Greek island of Kos (Lepidoptera, Nymphalidae Satyrinae). Phegea 24 (1): 5-12, 2 Pls.
- 2796) Olivier, A.,** 1998, The Butterflies of the Bodrum Peninsula (Province of Muğla, Turkey): a review. Entomologist's Gaz. 49 (1): 21-34.
- 2797) Olivier, A.,** 2000, Discovery of the types of *Polyommatus (Agrodiaetus) actis* and its taxonomic consequences (Lycaenidae). Nota lepid. 23 (2): 86-118, figs.
- 2798) Olivier, A., Poorten, D.v.d. & W.de Prins,** 1998, Rhopalocera and Gypocera of Turkey 16. Taxonomic notes on *Plebeius christophi* and *Plebeius idas* in northeastern Turkey (Lepidoptera, Lycaenidae). Phegea 26 (3): 87-102, 2 Pls.
- 2799) Olivier, A., Poorten, D.v.d., & W.de Prins,** 1994, Conspicuous aberrations and gynandromorphs of some Greek and Turkish butterflies (Lepidoptera, Pieridae, Lycaenidae). Phegea 22(3): 102-104, pl.
- 2800) Olivier, A., Prins de W., Poorten, D.v.d. & J.Puplesiene,** 1999, On the identity of *Polyommatus (Agrodiaetus) dama*, with lectotype designation and redescription of its karyotype (Lycaenidae). Nota lepid. 22 (3): 197-211, figs.
- 2801) Olivier, A., Puplesiene, J., Poorten, D.v.d., Prins de W. & Wiemer, M.,** 1999, Revision of some taxa of the *Polyommatus (Agrodiaetus) transcaspicus* group with description of a new species from Central Anatolia (Lepidoptera, Lycaenidae). Phegea 27 (1): 1-24, 2 Pls.
- 2802) Olivier, A., Puplesiene, J., Poorten, D.v.d., Prins de W. & Wiemer, M.,** 1999, Additions and corrections to "Revision of some taxa of the *Polyommatus (Agrodiaetus) transcaspicus* group with description of a new species from Central Anatolia (Lepidoptera, Lycaenidae)". Phegea 27 (2): 79.
- 2803) Olsufjev, N.G.,** 1971, *Sylvius peculiaris* sp.n. aus der Türkei. Angew. Parasit. 12: 55-56.
- 2804) Oorschot, H.v. & H.v.d.Brink,** 1989, Rhopalocera of Turkey 4. The specific problem of *Melitaea didyma* (Esper, 1779) and *M. transcaucasica* (Turati, 1919) (Lepidoptera, Nymphalidae). Nota lepid. 12 (3): 183-186.
- 2805) Oorschot, H.v. & H.v.d.Brink,** 1994, Rhopalocera of Turkey 12. On the geographical variation of *Melitaea collina* Lederer, 1861 with description of *Melitaea collina lokmani* n.ssp. from South East Turkey (Lepidoptera, Nymphalidae). Phegea 22(2): 53-60, 2 pls., 5 figs.
- 2806) Oorschot, H.v. & S.Wagener,** 1990, Rhopalocera of Turkey 5. *Boloria caucasica* and *Boloria graeca* in Turkey (Lepidoptera, Nymphalidae). Ent. Ber., Amst. 50 (9): 113-121, 18 figs. 2 Tab.

- 2807) Oorschot,H.v., Brink,H.v.d. & B.v.Oorschot**, 1984, Rhopalocera of Turkey. 1.Records of *Cupido minimus* (Fuessly, 1775) and description of *C.minimus albocilia* n.ssp. (Lepidoptera, Lycaenidae). Ent. Ber., Amst. 44 (9): 140-144,figs.
- 2808) Oorschot,H.v., Brink,H.v.d. & B.v.Oorschot**, 1985, Rhopalocera of Turkey. 2.Records *Satyrimum marcidus* (Riley, 1921) and description of *S.marcidus mardinus* n.ssp. (Lepidoptera, Lycaenidae). Ent. Ber., Amst. 45(10): 45-149, figs.
- 2809) Oorschot,H.v., Brink,H.v.d. & B.v.Oorschot**, 1987, Rhopalocera of Turkey. 3. Geographical variation of *Pseudochazara anthelea* (Hübner) and description of *P.anthelea selcuki* n.ssp. (Lepidoptera, Satyridae). Ent. Ber., Amst. 47 (6): 91-95, figs.
- 2810) Oorschot,H.v., Brink,H.v.d.**, 1991, Rhopalocera of Turkey. 6. On the geographical variation of *Satyrimum ilicis* (Esper) with description of *S.ilicis zabni* n. ssp. from South East Turkey (Lepidoptera, Lycaenidae). Ent. Ber., Amst. 51(3): 38-43, figs.
- 2811) Oosterbroek,P.**, 1978-1979, The western Palaearctic species of *Nephrotoma* Meigen,1803 (Diptera, Tipulidae) Parts 1-4. Beaufortia 27: 1-137; *ibid.* 28: 57-111, 157-203; *ibid.* 29: 129-197.
- 2812) Oosterbroek,P.**, 1994, Notes on western Palaearctic species of the *Tipula* (Yamatotipula) *lateralis* group, with the description of a new species from Turkey (Diptera, Tipulidae). Eur. J. Ent. 91: 429-435, figs.
- 2813) Oosterbroek,P.**, 2009, New distributional records for Palaearctic Limoniidae and Tipulidae (Diptera, Craneflies), mainly from the collection of the Zoological Museum, Amsterdam. Zoosymposia 3: 179-197.
- 2814) Oosterbroek,P.**, 2009, Catalogue of the Craneflies of the World (CCW). Available from <http://ip30.eti.uva.nl/ccw/> [access 3 November,2010]
- 2815) Opheim,M.**, 1953, Notes on the genus *Pyrgus* Hb. (Lepidoptera, Grypocera). Astarte 4:1-13, 6 figs.
- 2816) Opheim,M.**, 1956, Notes on the subgenus *Ateleomorpha* Warren (Lepidoptera, Hesperidae). Astarte 14: 1-14, 29 figs.
- 2817) Osten,T. & H.Özbek**, 1999, Beitrag zur Kenntnis der Scoliiden-Fauna der Türkei (ohne Zypern) mit Anmerkungen zur Systematik und Taxonomie (Hymenoptera, Scoliidae). Entomofauna 20 (28): 429-442.
- 2818) Osten,T.**, 1999, Kritische Liste der palaearktischen Scoliiden (Hymenoptera, Scoliidae). Entomofauna 20 (27): 422-426.
- 2819) Osten,T.**, 1999, Beobachtungen an Scoliiden (Hymenoptera) in der Türkei. Linzer biol. Beitr. 31 (1): 449-457, figs.
- 2820) Osten,T.**, 2000, Die Scoliiden des Mittelmeer-Gebietes and angrenzender Regionen (Hymenoptera). Ein Bestimmungsschlüssel. Linzer Biol. Beitr. 32 (2): 537-593, figs.
- 2821) Osten,T.**, 2004, Zur Taxonomie von *Scolia boeberi* Klug,1805, *Scolia kasakhstanica* (Steinberg,1962) und *Scolia anatoliae* spec.nov. Ent. Z. 114 (5): 204-208, figs.
- 2822) Osten,T., Ebrahimi,E. & Chahartaghi,A.M.**, 2003, Die Scoliiden des Iran und angrenzender Regionen mit Anmerkungen zu ihrer Lebensweise (Hymenoptera, Scoliidae). Entomofauna 24 (26): 353-377.
- 2823) Osthelder,L.**, 1931, *Hepialus adriaticus* nova species. Eine verkannte europäische Hepialide. Mitt. münch. ent. Ges. 21 (2): 47-51.
- 2824) Osthelder,L.**, 1932, Noctuidae Acronyctinae. [in] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 22 (2): 83-87.
- 2825) Osthelder,L.**, 1933, Noctuidae (Fortsetzung und Schluß). [in] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 23 (2): 45-102.
- 2826) Osthelder,L.**, 1935, Microlepidopteren (Fortsetzung). [in] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 25(2): 56-58; 25(3): 67-90.
- 2827) Osthelder,L.**, 1935, Pyralidae. [in] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 24 (3): 73-104.
- 2828) Osthelder,L.**, 1940, Microlepidopteren. [In] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 30 (1): 112-116.
- 2829) Osthelder,L.**, 1940, Nachtrag Noctuidae. [in] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 30(1):107-111.
- 2830) Osthelder,L.**, 1941, Beitrag zur Kleinschmetterlingsfauna Kretas. Mitt. münch. ent. Ges. 31 (2): 365-370, Taf.v.
- 2831) Ounap,E., Viidalepp,J. & U.Saarma**, 2008, Systematic position of *Lythriini* revised: transferred from *Larentiinae* to *Sterrhinae* (Lepidoptera, Geometridae). Zool. Scripta 37 (4): 405-413, 1 fig. 4 Table.
- 2832) Ozbek,H., Güçlü,Ş., R.Hayat**, 1996, Kuzeydoğu tarım bölgesinde taş çekirdekli meyve ağaçlarında bulunan fitofag ve predatör böcek türleri. Tr. J. Agric. Forestry 20: 267-282.
- 2833) Ozerov,A.L.**, 2008, Three new species of Carnidae and Piophilidae (Diptera) from Turkey and Russia. Russian ent. J. 16: 491-493, figs.

- 2834) Ozerov,A.L.**, 2009, Contributions to the knowledge of European species of the genus *Meromyza* (Diptera, Chloropidae). *Zool. Zh.* 83 (1): 127-128 [Ent. rev. 88 (1): 125-126, figs.]
- 2835) Ozerov,A.L.**, 2011, Three new species of the genus *Meoneura* Rondani,1856 (Diptera, Carnidae) from Asia. *Far east. Ent.* 221: 1-4, 6 figs.
- 2836) Öncül,T.**, 2006, Edremit (Balıkesir) yöresi zeytin bahçelerindeki Heteroptera faunasının kışlak tuzaklarla belirlenmesi üzerinde araştırmalar. *Yükseklisans Tezi* 85s. Balıkesir Üniv., Fen Bil. Enst. Balıkesir.
- 2837) Önder,F. & N.Lodos**, 1980, A short note about *Galeatus helianthi* Önder & Lodos (Heteroptera, Tingidae). *Türk. Bitki kor. derg.* 4 (4): 231-232 [synonym of *Galeatus scrophicus* Saunders].
- 2838) Önder,F.**, 1974, A new species of *Mecomma* Fieber (Heteroptera, Miridae) from Turkey. *J. Ent. (B)* 43 (1): 115-119.
- 2839) Önder,F.**, 1979, Some Heteroptera collected by light trap in Diyarbakır (Turkey). *Türk. Bitki kor. derg.* 3 (1): 25-34.
- 2840) Önder,F.**, 1979, *Mecomma lodosi* n.sp. from Turkey (Heteroptera, Miridae). *Türk. Bitki kor. derg.* 3 (1): 59-62, figs. [synonymized by Kerzhner & Konstantinov,1997].
- 2841) Önder,F., Karsavuran,Y., Tezcan,S. & M.Fent**, 2006, Türkiye Heteroptera (Insecta) Kataloğu. 164 s. İzmir.
- 2842) Önder,F., Pehlivan,E., Karsavuran,Y., Tezcan,S. & Ş.Kısmalı**, 1999, Catalogue of the collection of Pamphagidae, Pyrgomorphidae, Catantopidae and Acrididae (Orthoptera, Acridoidea) preserved in the Prof. Dr. Niyazi Lodos Museum, İzmir, Turkey. *Türk. ent. derg.* 23 (3): 163-178.
- 2843) Önder,F., Pehlivan,E., Karsavuran,Y., Tezcan,S. & Ş.Kısmalı**, 1999, Catalogue of the collection of Tettigoniidae (Orthoptera) preserved in the Prof. Dr. Niyazi Lodos Museum, İzmir, Turkey. *Türk. ent. derg.* 23 (4): 243-250.
- 2844) Önder,F., Pehlivan,E., Karsavuran,Y., Tezcan,S. & Ş.Kısmalı**, 1999, Catalogue of the collection of Gryllidae and Gryllotalpidae (Orthoptera) preserved in the Prof. Dr. Niyazi Lodos Museum, İzmir, Turkey. *Türk. ent. derg.* 23 (2): 83-90.
- 2845) Önder,F., Texcan,S. Karsavuran,Y. & Ü.Zeybekoğlu**, 2011, Türkiye Cicadomorpha Fulgoromorpha ve Sternorrhyncha (Insecta, Hemiptera) Kataloğu. viii+168+33s. İzmir [access 27 5 2011] <http://entomoloji.ege.edu.tr/files/e-library/onder-et-al-2011.pdf>
- 2846) Önder,F., Ünal,A. & E.Ünal**, 1981, Heteroptera fauna collected by light trap in some districts of northwestern part of Anatolia. *Türk. Bitki kor. derg.* 5 (3): 151-169.
- 2847) Özbek,H. & D.Szaloki**, 1998, A contribution to the knowledge of the Meloidae (Coleoptera) fauna of Turkey along with new records. *Turk J. Zool.* 22: 23-40.
- 2848) Özbek,H. & G.Çetin**, 1991, Contribution to the fauna of Coccinellidae (Coleoptera) from eastern Anatolia along with some new records from Turkey. *Türk. ent. derg.* 15 (4): 193-202.
- 2849) Özbek,H. & van der G.Zanden**, 1992, A preliminary review of the Megachilidae of Turkey Part II Heriadini (Hymenoptera, Apoidea). *Türk. ent. derg.* 16 (3): 129-134.
- 2850) Özbek,H. & van der G.Zanden**, 1993, A preliminary review of the Megachilidae of Turkey Part III Anthidiini (Hymenoptera, Apoidea). *Türk. ent. derg.* 17 (4): 193-207.
- 2851) Özbek,H. & van der G.Zanden**, 1994, A preliminary review of the Megachilidae of Turkey Part IV Megachilini and Lithurgini (Hymenoptera, Apoidea). *Türk. ent. derg.* 18 (4): 157-174.
- 2852) Özbek,H. & van der G.Zanden**, 1996, A preliminary review of the Megachilidae of Turkey Part V. Supplement to parts 1-IV (Hymenoptera, Apoidea). *Türk. ent. derg.* 20 (1): 3-17.
- 2853) Özbek,H. Pekel,S. & J.Kolarov**, 2000, New distributional data of the Turkish Ichneumonidae (Hymenoptera) II. Ctenopelmatinae and Campopleginae. *J. ent. Res. Soc.* 2 (1): 17-24.
- 2854) Özbek,H.**, 1976, Doğu Anadolu Bölgesi Andrenidae (Hymenoptera Apoidea) Familyası Arıları, Kısım I. *Bitki Koruma Bült.* 16 (3): 123-145.
- 2855) Özbek,H.**, 1979, Doğu Anadolu Bölgesi Halictidae (Hymenoptera, Apoidea) faunası ve bunların ekolojisi. *Atatürk Univ. Zir. Fak. Derg.* 10 (3/4): 27-41.
- 2856) Özbek,H.**, 1979, *Micromerus erivanicus* Maran (Col. Meloidae) Erzurum yöresi için yeni bir korunga zararlısı. *Türk. Bitki Kor. Derg.* 3 (3): 131-138.
- 2857) Özbek,H.**, 1979, Bees of the genera *Osmia*, *Lithurga* and *Coelioxys* in some parts of eastern Anatolia. *Türk. Bitki Kor. Derg.* 3: 47-58.
- 2858) Özbek,H.**, 1979, Bees of the genera *Anthidium*, *Anthocopa*, *Hoplitis* and *Megachile* in some parts of eastern Anatolia. *Türk. Bitki Kor. Derg.* 3: 95-107.
- 2859) Özbek,H.**, 1983, Doğu Anadolu'nun bazı yörelerindeki *Eucera* Scop. ve *Tetralonia* Spin. (Anthophoridae, Hymenoptera) cinslerine mensup arılar. *Atatürk Univ. Zir. Fak. Derg.* 14 (3-4): 35-40.
- 2860) Özbek,H.**, 1990, A new Bumblebee species of *Pyrobombus* Dalla Torre (Hymenoptera, Apidae, Bombinae) in Eastern Anatolia, Turkey. *Türk. ent. Derg.* 14 (4): 207-214, 4 figs.
- 2861) Özbek,H.**, 2011, *Chelostoma* Latreille (Hymenoptera, Megachilidae) *Osmiinii* [sic!] species occurring in Turkey with their zoogeographic characterization. *Türk. ent. Bull.* 1 (3): 151-168.

- 2862) Özbek,H., Yıldırım,E. & T.Osten**, 1999, A contribution to the knowledge of the fauna of the families Myrmosidae and Mutillidae (Hymenoptera, Aculeate) in Türkiye [sic]. *Türk. ent. derg.* 23 (1): 15-26.
- 2863) Özbek,H., Yıldırım,E., Wolf,H. & R.Wahis**, 1999, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part I Ceropalinae and Pepsinae. *Zool. Middle East* 18: 91-105.
- 2864) Özbek,H., Yıldırım,E., Wolf,H. & R.Wahis**, 2000, The Pompilidae (Hymenoptera, Aculeata) fauna of Turkey, Part II. Pompilinae. *Zool. Middle East* 21: 109-128.
- 2865) Özdemir,I. & S.Toros**, 1997, Ankara parklarında mevsimlik süs btkilerinde zararlı Aphidoidea (Homoptera) türleri. *Türk. ent. derg.* 21 (4): 283-298.
- 2866) Özdemir,I., Remaudière,G., Toros,S. & A.N.Kılınçer**, 2005, New aphid records from Turkey including the description of a new Lachnus species (Hemiptera, Aphididae). *Revue fr. Ent. (N.S.)*. 27 (3): 97-102.
- 2867) Özdemir,I., Toros,S., Kılınçer,A.N. & M.O.Gürkan**, 2006, A survey of Aphididae (Homoptera) on wild plants in Ankara, Turkey. *Çev. Kor., Ekoloji* 15 (58): 1-6.
- 2868) Özdemir,M. & A.Özdem**, 2012, A new genus and species for Turkish fauna: Zeiraphera isertana (Fabricius,1794) (Lep. Tortricidae). *Turk J. Zool.* 36 (1):
- 2869) Özdemir,M. & S.Seven**, 2007, Interrelation between some butterflies and plant associations (Turkey). *Pak. J. Biol. Sci.* 10 (1): 112-116, Tab.
- 2870) Özdemir,M.**, 2007, Studies on the Geometridae fauna of the provinces Bolu and Düzce in North - West Turkey (Lepidoptera). *Cent. ent. Stud., Priamus (suppl.)* 7: 1-154, figs.
- 2871) Özdemir,M., Özdemir,Y., Seven,S. & V.Bozkurt**, 2005, Orta Anadolu Bölgesinde kültür bitkilerine zararlı Tortricidae (Lepidoptera) faunası üzerine araştırmalar. *Bitki kor. bült.* 45 (1/4): 17-44.
- 2872) Özdemir,S. & O.Sert**, 2009, Determination of Coleoptera fauna on carcasses in Ankara Province, Turkey. *Forensic Sci. Int.* 183: 24-32, figs.
- 2873) Özdikmen,H. & S.Turgut**, 2008, The subfamily Criocerinae of Turkey (Coleoptera, Chrysomelidae) with two new records and zoogeographical remarks. *Mun. ent. Zool.* 3 (1): 239-250, maps.
- 2874) Özdikmen,H. & S.Turgut**, 2008, A new species and a new subspecies of the subgenus Phytoecia (Blepisanis) Pascoe,1866 from Turkey (Coleoptera, Cerambycidae, Lamiinae). *Mun. ent. Zool.* 3 (2): 568-581, figs.
- 2875) Özdikmen,H. & S.Turgut**, 2008, The genus Tetrops Stephens,1829 with a new subspecies Tetrops praeustus anatolicus ssp.n. from Turkey (Coleoptera, Cerambycidae, Lamiinae). *Mun. Ent. Zool.* 3 (2): 621-635, figs.
- 2876) Özdikmen,H.**, 2005, Three interesting records of longhorn beetles in Turkish fauna (Coleoptera, Cerambycidae). *Russian Ent. J.* 14 (1): 59-60.
- 2877) Özdikmen,H.**, 2008, Turka nom. nov. for the preoccupied Palaearctic Robber Flies genus Turkiella Lehr,1996 (Diptera, Asilidae). *Mun. Ent. Zool.* 3 (2): 554-555.
- 2878) Özdikmen,H., Turgut,S. & S.Güzel**, 2009, Longhorned beetles of Ankara Region in Turkey (Coleoptera, Cerambycidae). *Munis Ent. & Zool.* 4: 301-309.
- 2879) Özdikmen,H., Turgut,S., Özbek,H. & S.Çalamak**, 2010, A synopsis on Turkish Clytra Laicharting,1781 (Coleoptera, Chrysomelidae). *Mun. ent. Zool.* 5 (1): 73-84, fig.
- 2880) Özgen,İ., Gözüaıcık,C., Karsavuran,Y. & M.Fent**, 2005, Doğu ve Güneydoğu Anadolu Bölgesi'nde Antepfıstığı, Kayısı, Kiraz ve Zeytin Ağaçlarında bulunan Pentatomidae (Heteroptera) familyasına ait türlerin saptanması üzerine çalışmalar. *Ege Üniv. Ziraat Derg.* 42 (2): 35-43.
- 2881) Özgül,O. & H.Koç**, 2012, Contributions to the Limoniidae (Insecta, Diptera) fauna from inner western Anatolia. *Turk. J. Zool.* 36: 745-751.
- 2882) Özgür,A.F. & S.Sarıbıyık**, 2002, New records of Microdontinae (Diptera, Syrphidae) from Turkey. *J. ent. Res. Soc.* 4: 15-17.
- 2883) Özkan,M. & H.Çalışkan**, 2011, An investigation on Syrphinae fauna in Eskisehir (Diptera, Syrphidae). *Kastamonu Educ. J.* 19 (2): 601-608, 25 figs.
- 2884) Özkan,N.**, 2002, Five new Chironomidae (Diptera) species for the Turkish fauna. *Turk. J. Zool.* 26: 183-188, figs.
- 2885) Özkol,H. & A.Sefalı**, 2009, New data on the biology of Pieris (Artogeia) persis Verity (Pieridae, Lepidoptera). *Cesa News* 42: 38-44, 7 figs.
- 2886) Özkol,H. & Kayci,L. & S.M.Pınar**, 2009, Notes on the biology of Zygaena (Mesembrynus) tamara placida A.Bang-Haas (Lepidoptera, Zygaenidae). *Cesa News* 41: 47-50, 5 figs.
- 2887) Özkol,H. & L.Kayci**, 2009, Some diurnal Lepidoptera species attracted to the light trap in East Anatolia (Papilionoidea, Zygaenoidea). *Cesa News* 40: 1-4, 6 figs.
- 2888) Özkol,H.**, 2007, Studies on the fauna and ecology of Papilionoidea and Hesperioidea of Gevaş district (Van). *Cent. ent. Stud., Priamus (suppl.)* 5: 1-55.
- 2889) Pagenstecher,A.**, 1911, Libytheidae. [in] Aurivillius,C. & H.Wagner, *Lepidopterorum Catalogus* Pars 3. 12pp. Dr.W.Junk Berlin.

- 2890) Pages, J. & J.-F. Charmeux**, 1997, *Apatura ilia*, "nouvelle" espece pour la faune turquie (Lepidoptera, Nymphalidae). *Alexanor* 19(7): 454.
- 2891) Pages, J.**, 1994, Description d'un Lycène nouveau de Turquie: *Agrodiaetus charmeuxi* sp.n. (Lepidoptera, Lycaenidae). *Alexanor* 18(4): 194-196, 8 figs.
- 2892) Pakyürek, B.**, 2006, Gazi Üniversitesi Zooloji Müzesindeki Tephritidae (Diptera) familyası örneklerinin değerlendirilmesi. Yüksek lisans tezi. 432s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 184776] <http://tez2.yok.gov.tr/>
- 2893) Pallas, P.S.**, 1781-1798, *Icones Insectorum praesertim Rossiae Sibiriaeque peculiarum quae collegit et descriptionibus illustravit*. 1-56 pp. Pls. A-C (1781); 57-96 pp. Pls. D-F (1782); 97-104 pp. Pls. G-H (1798). Wolfgangi Waltheri, Erlangae.
- 2894) Pape, T. & F.C. Thompson (eds.)**, 2010, *Systema Dipteriorum* (1.0). <http://.diptera.org> [access on 14.9.2012].
- 2895) Papp, J.**, 2003, Braconidae (Hymenoptera) from Greece, 5. Notes faun. *Gembloux* 53: 21-54.
- 2896) Papp, J.**, 2007, Braconidae (Hymenoptera) from Greece, 6. Notes faun. *Gembloux* 60 (3): 99-127.
- 2897) Papp, L.**, 1984, Sphaeroceridae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 68-107, Akademiai Kiado, Budapest.
- 2898) Papp, L.**, 1984, Milichiidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 110-118, Akademiai Kiado, Budapest.
- 2899) Papp, L.**, 1984, Carnidae [in] Soos, A. & L. Papp (eds.), *Catalogue of Palaearctic Diptera* 10: 118-124, Akademiai Kiado, Budapest.
- 2900) Parenti, U.**, 2000, *A Guide to the Microlepidoptera of Europe*. 426pp. 156 Pls. 43 figs. Museo Regionale di Scienze Naturali, Torino.
- 2901) Parenti, U.**, 2001, The Elachistid moths of the Löbbecke Museum of Düsseldorf (Lepidoptera, Elachistidae). *Revta lepid.* 29 (115): 249-254, figs.
- 2902) Parenti, U.**, 2002, Corrections and additions to the Checklist of European Elachistidae (Lepidoptera, Elachistidae). *Revta lepid.* 30 (118): 149-153, figs.
- 2903) Parvu, C., R. Popescu-Mirceni**, 2006, Faunistic data on some Dipteran families (Insecta, Diptera) from West Turkey. *Trav. Mus. Nat. Hist. Nat. "Grigore Antipa"* 49: 283-295, 5 figs.
- 2904) Passerin d'Entrèves, P. & A. Roggero**, 2007, Fascicle 44 Scythrididae [in] Heppner, J.B., *Lepidopterorum Catalogus (New Series)*, 85pp. Scientific Publishers, Gainesville &c.
- 2905) Passerin d'Entrèves, P. & A. Roggero**, 2011, Four new species of Scythrididae (Lepidoptera, Gelechioidea) from Irano-Turanian area, with notes on taxonomy and distribution. *Ent. Sci.* 14 (2): 203-209, figs.
- 2906) Passerin d'Entrèves, P.**, 1976, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici II. - I tipi di Scythris del Muséum National Histoire Naturelle di Parigi. *Boll. Mus. Zool. Univ. Torino* 3: 27-70, figs.
- 2907) Passerin d'Entrèves, P.**, 1980, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici V. - I tipi di Scythris del Naturhistorisches Museum di Vienna. *Boll. Mus. Zool. Univ. Torino* 5: 41-60, figs.
- 2908) Pasteels, J.J.**, 1969, New Anthidiinae from Mediterranean area and from the Near East. *Israel J. Ent.* 4: 409-434.
- 2909) Patiny, S. & D. Michez**, 2006, Phylogenetic analysis of the Systropha Illiger, 1806 (Hymenoptera, Apoidea, Halictidae) and description of a new subgenus. *Annls Soc. ent. Fr. (n.s.)* 42 (1): 27-44, figs.
- 2910) Patiny, S.**, 1998, Description d'une nouvelle espece turque de Simandrena Pérez, 1890 (Hymenoptera, Apoidea, Andrenidae, Andreninae). *Bembix* 10: 34-36.
- 2911) Pauly, A.**, 2011, Atlas of the European Bees: genus Ceylalictus. STEP Project, Atlas Hymenoptera, Mons, Gembloux. <http://www.zoologie.umh.ac.be/hymenoptera/page.asp?ID=203>
- 2912) Pauly, A.**, 2011, Atlas of the European Bees: genus Halictus, subgenus Halictus. STEP Project, Atlas Hymenoptera, Mons, Gembloux. <http://www.zoologie.umh.ac.be/hymenoptera/page.asp?ID=199>
- 2913) Pehlivan, E.**, 1988, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar I. Scarabaeus L., Gymnopleurus Ill., Sisyphus Latr. *Türk. ent. Derg.* 12 (4): 221-230, 12 figs.
- 2914) Pehlivan, E.**, 1989, Türkiye Scarabaeidae (Coleoptera) familyası üzerine taksonomik çalışmalar II. Onthophagus Latr. *Türk. ent. Derg.* 13 (1): 25-42, figs.
- 2915) Pehlivan, E., Karsavuran, Y. & S. Tezcan**, 2005, Contributions to the knowledge of the Curculioninae and Phytonominae (Coleoptera, Curculionidae) from Turkey. *Türk. ent. derg.* 29 (3): 173-182.
- 2916) Pehlivan, E., Karsavuran, Y. & S. Tezcan**, 2005, Contributions to the knowledge of the Lixinae (Coleoptera, Curculionidae) from Turkey. *Türk. ent. derg.* 29 (4): 259-272.
- 2917) Peile, H.D.**, 1921, The Butterflies of Mesopotamia. *J. Bomb. nat. Hist. Soc.* 28: 50-70, 345-369, Pl.
- 2918) Pekbey, G. & R. Hayat**, 2009, Erzurum ili Sarcophagidae (Diptera) türleri üzerinde faunistik çalışmalar. Türkiye III. Bitki Koruma Kongresi, 15-18 Temmuz 2009, Van [özet] [ulaşım 10.9.2011]

- 2919) Pekbey,G., Hayat,R. & R.Richet,** 2011, *Sarcophaga* (Heteronychia) *turana* (Rohdendorf,1937), Türkiye et sinekleri (Diptera, Sarcophagidae) faunası için yeni bir kayıt. Türkiye IV.Bitki Koruma Kongresi Bildirimleri. 28-30 Haziran 2011, Kahramanmaraş [özet] [ulaşım 10.9.2011].
- 2920) Pekel,S. & H.Özbek,** 2000, Erzurum ili Cremastinae (Hymenoptera, Ichneumonidae) altfamilyası üzerinde faunistik ve sistematik bir çalışma. Türk. ent. derg. 24 (3): 215-228.
- 2921) Peks,H.,** 1990, Das Noctuidae-Typenmaterial der Sammlung Peks (Lepidoptera). Esperiana 1: 421-426.
- 2922) Peletier,A.le,** 1823, Monographia Tenthredinetarum synonymia extricata. Parisiis.
- 2923) Pelzer,A.,** 1982, Zur Kenntnis der frühen Stände von *Hyles centralasiae siehei* (Püngeler) (Sphingidae). Nota lepid. 5 (2/3): 134-140, 10 figs.
- 2924) Perkins,J.F.,** 1961, On the type species of Foerster's genera (Hymenoptera, Ichneumonidae). Br. Mus. (Nat. Hist.) Ent. 11: 383-483.
- 2925) Pesenko,Y.A.** 2005, New data on the taxonomy and distribution of the palaearctic halictids: genus *Halictus* Latreille (Hymenoptera, Halictidae). Entomofauna 26 (18): 313-348, 23 figs.
- 2926) Peters,D.S.,** 1974, Über die Untergattung *Haetosmia* Popov,1952 (Insecta, Hymenoptera, Megachilidae, Osmia). Senckenberg. biol. 55 (4/6): 293-309, figs.
- 2927) Peters,D.S.,** 1978, Systematik und Zoogeographie der west-palaarktischen Arten von *Osmia* Panzer,1806 s.str., *Monosmia* Tkalcu,1974 und *Orientosmia* n.subgen. (Insecta, Hymenoptera, Megachilidae). Senckenberg. biol. 58 (4/6): 287-346, figs.
- 2928) Petersen,G.,** 1959, Ergebnisse der Untersuchung indeterminierter paläarktischer Tineiden aus dem Zoologischen Museum Berlin und der Sammlung H.G.Amsel/Karlsruhe (Lep.). Dt. ent. Z. (N.F.) 6(1/3): 152-159, 3 Abb.
- 2929) Petersen,G.,** 1962, Beitrag zur Kenntnis der südeuropäischen Tineiden (Lepidoptera, Tineidae). Beitr. naturk. Forsch. SWDtl. 21(2): 205-220, 15 Abb.
- 2930) Petersen,G.,** 1964, Tineiden von Karatschi (Pakistan), Fars (SW-Iran) und den Bahrein-Inseln (Lepidoptera, Tineidae). Beitr. naturk. Forsch. SWDtl. 23(2): 111-122, 11Abb.
- 2931) Petersen,G.,** 1965, Revision der Gattungen *Rhodobates* Ragonot und *Pachyarthra* Amsel (Lepidoptera, Tineidae). Beitr. Ent. 15(1/2): 87-100, 23 figs.
- 2932) Petersen,G.,** 1968, Beitrag zur Kenntnis der ostmediterranen Tineiden (Lepidoptera, Tineidae, exclus. *Nemapogoninae*). Acta ent. bohemoslov. 65: 52-66, 15 figs.
- 2933) Petersen,G.,** 1971, Beitrag zur Kenntnis der Tineiden von Iran und Pakistan (Lepidoptera, Tineidae). Beitr. Ent. 21(3/6): 267-271, 2 figs.
- 2934) Petersen,G.,** 1991, Zur Taxonomie und Verbreitung der Hapsiferinae (Lepidoptera, Tineidae). Dt. ent. Z. (n.f.) 38 (1/3): 27-33, figs.
- 2935) Petrovitz,R.,** 1967, Ergebnisse zoologischer Sammelreisen in der Türkei: *Lamellicornia*, Coleoptera. Annln naturh. Mus. Wien 70: 325-343, Abb.
- 2936) Petrovitz,R.,** 1968, Ergebnisse zoologischer Sammelreisen in der Türkei: *Lamellicornia*, Coleoptera (Zweite Folge). Annln naturh. Mus. Wien 72: 465-491, Abb.
- 2937) Petrovitz,R.,** 1969, Ergebnisse zoologischer Sammelreisen in der Türkei: *Lamellicornia*, Coleoptera (Dritte Folge). Annln naturh. Mus. Wien 73: 383-400, figs.
- 2938) Petrovitz,R.,** 1971, Ergebnisse zoologischer Sammelreisen in der Türkei: *Lamellicornia*, Coleoptera (Vierte Folge). Annln naturh. Mus. Wien 75: 565-589, Abb.
- 2939) Peyron,E.,** 1858, Catalogue des Coléoptères des environs de Tarsous (Caramanie), avec la description des espèces nouvelles. Annls Soc. ent. Fr. 3 (6): 353-434, pl.
- 2940) Pfeiffer,E.,** 1926-1927, Ein Beitrag zur Insektenfauna von Kleinasien (Anatolien). Mitt. münch. ent. Ges. 16: 99-110; 17: 35-55, 76-91.
- 2941) Pfeiffer,E.,** 1931, Einleitung. [in] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 21 (2): 68-81.
- 2942) Pfeiffer,E.,** 1931-1932, Diurnae. [in] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 21 (2): 81-86; 22 (1): 17-32, 22(2): 38-51 Taf.ii-iv.
- 2943) Pic,M.,** 1904, Description du male de *Malachius akbesianus* Oic (Col.). Bull. ent. Soc. Fr. 1904: 216.
- 2944) Pinker,R.,** 1958, Beobachtungen in der Treska Schlucht in Macedonien; Beschreibung einer neuen *Eupithecia* Curt. Fragm. balcan. 2 (12): 91-96, 9 figs.
- 2945) Pinker,R.,** 1976, Über kleinasiatische *Eupithecia* und deren Zusammenhänge mit jenen aus Macedonien (Lepidoptera, Geometridae). Z. ArbGem. öst. Ent. 28 (1/3): 1-6, 23 figs.
- 2946) Pitkin,B. & P.Jenkins (compilers),** 2008, Butterflies and moths of the world. Generic names and their type species. - <http://www.nhm.ac.uk/jdsml/research-curation/projects/butmoth/index.dsml> [last accessed: 22.xi.2008].
- 2947) Pitkin,L.M.,** 1984, Gelechiid moths of the genus *Mirificarma*. Bull. Br. Mus. (Nat. Hist.) 48: 1-70, figs.
- 2948) Pitkin,L.M., Han,H. & S.James,** 2007, Moths of the tribe Pseudoterpnini (Geometridae, Geometrinae): a review of the genera. Zool. J. Linn. Soc. 150: 343-412, figs.

- 2949) Pittaway, A.R.**, 1983, An Annotated Checklist of the Western Palaearctic Sphingidae (Lepidoptera). Entomologist's Gaz. 34: 67-85, 39 maps, figs.
- 2950) Pittaway, A.R.**, 1993, The Hawkmoths of the Western Palaearctic. 240 pp. 20 pls. 60 figs., 58 maps. Harley Books, London.
- 2951) Pittaway, A.R.**, 1995, Sphingidae of the western Palaearctic; their ecology and biogeography. London, UK; PhD Thesis, Imperial College of Science, Technology & Medicine.
- 2952) Pittino, R.**, 2004, New or nothworthy taxa of the genus *Onthophagus* (Subg. *Palaeonthophagus*) from South-eastern [sic!] Europe and the Near East (Coleoptera, Scarabaeidae). *Fragm. ent. Roma* 36 (2): 145-214, figs.
- 2953) Platia, G. & D.Tarnawski**, 1998, Description of two new species of click-beetles from Turkey (Coleoptera, Elateridae). *Genus* 9 (3): 269-274, figs.
- 2954) Platia, G., Kabalak, M. & O.Sert**, 2007, Descriptions of two new species of click-beetle (Coleoptera, Elateridae). *Zootaxa* 1415: 43-47, figs.
- 2955) Plötz, C.**, 1879, *Hesperina* Herr.-Sch. *Stettin ent. Ztg.* 40: 175-180.
- 2956) Plötz, C.**, 1882-1883, Die *Hesperinen*-Gattung *Hesperia* Aut. und ihre Arten. *Stettin ent. Ztg.* 43: 314-344, 436-456: 44: 26-64, 195-233.
- 2957) Plötz, C.**, 1884, Die *Hesperinen*-Gattung *Telesto* Bsd. und ihre Arten. *Stettin ent. Ztg.* 44: 376-384.
- 2958) Plötz, C.**, 1884, Die Gattung *Cyclopides* Hübn. und ihre Arten. *Stettin ent. Ztg.* 44: 389.
- 2959) Plötz, C.**, 1884, Die *Hesperinen*-Gattung *Thymelicus* Hüb. und ihre Arten. *Stettin ent. Ztg.* 44: 284-290.
- 2960) Plötz, C.**, 1884, Die *Hesperinen*-Gattung *Carterocephalus* Led. und ihre Arten. *Stettin ent. Ztg.* 44: 386-388.
- 2961) Poda, N.**, 1761, *Insecta Musei Graecensis*. 139 pp., 2 pls. Graz.
- 2962) Poltavsky, A.N. & B.V.Stradomsky**, 2004, *Hemaris croatica* (Lepidoptera, Sphingidae) in the Rostov-on-Don Region (South Russia). *Phegea* 32 (2): 59-62, figs.
- 2963) Ponomarenko, M.G.**, 1989, Review of moths of the genus *Anarsia* Z. (Lepidoptera, Gelechiidae) of the USSR. *Ent. Obozr.* 1989 (3): 628-641, 22 figs.
- 2964) Ponomarenko, M.G.**, 1997, Catalogue of the subfamily *Dichomeridinae* (Lepidoptera, Gelechiidae) of the Asia. *Far Eastern Ent.* 50: 1-67.
- 2965) Pont, A.C.**, 1986, A revision of the *Fanniidae* and *Muscidae* described by J.W.Meigen (Insecta, Diptera). *Annln naturh. Mus. Wien* 87: 197-253.
- 2966) Pont, A.C.**, 1991, A preliminary list of the *Fanniidae* and *Muscidae* (Insecta, Diptera) from Turkey. *Zool. Middle East* 5: 63-112.
- 2967) Pont, A.C.**, 2012, Distribution records of *Helina Robineau-Desvoidy*, 1830 (Diptera, Muscidae) from the Caucasus Mountains, with the descriptions of three new species. *Zootaxa* 3409: 30-46, figs.
- 2968) Pont, A.C.**, 2012, Muscoidea (*Fanniidae*, *Anthomyiidae*, *Muscidae*) described by P.J.M.Macquart (Insecta, Diptera). *Zoosystema* 34 (1): 39-111.
- 2969) Pont, A.C., Vikhrev, N. & D.Werner**, 2011, The hunter-flies of Armenia I. Some species of the genus *Limnophora* Robineau-Desvoidy, with the description of a new species (Insecta, Diptera, Muscidae). *Zool. Middle East* 52: 89-103, figs.
- 2970) Pont, A.C., Werner, D. & E.A.Kachvoryan**, 2005, A preliminary list of the *Fanniidae* and *Muscidae* (Diptera) of Armenia. *Zool. Middle East* 36: 73-86, figs.
- 2971) Poole, R.W.**, 1989, Noctuidae (Parts 1-3) [in] Heppner, J.B., *Lepidopterorum Catalogus* (New Series). Fascicle 118. xii + 1314 pp. E.J.Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln.
- 2972) Popescu-Gorj, A. & A.Constantinescu**, 1977, Revision of the Genus *Euclasta* Lederer (Lepidoptera, Pyraustinae) A Taxonomic and Zoogeographic Study. *Trav. Mus. Hist. nat. "Gr.Antipa"* 18: 157-245, 97 figs.
- 2973) Popescu-Gorj, A. & I.Capuse**, 1964, *Microsphecia myrmosaeformis* Herrich-Schäffer en Roumanie (Lepidoptera-Aegeriidae). *Bull. Annls. Soc. r. ent. Belg.* 100(26): 331-345, 10 figs.
- 2974) Popescu-Gorj, A.**, 1984, *Crossotocera wagnerella* Zerny a less known species new to Romania's fauna. *Trav. Mus. Hist. nat. "Gr.Antipa"* 26: 107-109, figs.
- 2975) Popescu-Mirceni, R. & C.Parvu**, 2009, Distributional data on some East-Mediterranean Brachycera (Diptera) [results of the "Euphrates" Expedition - 2008 in Turkey and Syria]. *Trav. Mus. Nat. Hist. Nat. "Grigore Antipa"* 52: 429-436.
- 2976) Por, F.D.**, 1975, An outline of the zoogeography of the Levant. *Zool. script.* 4: 5-20.
- 2977) Portchinsky, J.**, 1876, Matériaux pour servir a une faune diptérologique de la Russie. *Horae Soc. ent. ross.* 11: 29-36, Pl.ii.
- 2978) Portschinsky, J.**, 1875, Matériaux pour servir a une faune diptérologique de la Russie. *Horae Soc. ent. ross.* 11: 27-36, Pl.ii.
- 2979) Portschinsky, J.**, 1881, *Diptera europaea et asiatica nova aut minus cognita Pars I.* *Horae Soc. ent. ross.* 16: 136-145.

- 2980) Povolny,D. & Z.Sustek**, 1988, Versuch einer numerisch-taxonomischen Lösung der phylogenetischen Beziehungen im Rahmen des Gelechioiden Tribus Gnorimoschemini (Lepidoptera). *Staphia* 16: 209-247.
- 2981) Povolny,D.**, 1956, Die äusseren Genitalien der Lepidopteren und ihre taxonomische Bedeutung. *Pr. brn. Zakl. cs. Akad. Ved.* 28: 315-345, 4 figs.
- 2982) Povolny,D.**, 1967, Ein kritischer Beitrag zur taxonomischen Klärung einiger palaearktischer Arten der Gattung *Scrobipalpa* (Lepidoptera, Gelechiidae). *Acta Sci. nat. Brno (n.s.)* 1: 209-250, figs.
- 2983) Povolny,D.**, 1967, Die Stammgeschichtlichen Beziehungen der Tribus Gnorimoschemini im Weltraumen (Lepidoptera, Gelechiidae). *Acta ent. Mus. Nat. Pragae* 37: 161-232, figs.
- 2984) Povolny,D.**, 1972, Zur Fauna der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae) im Iran *Acta ent. bohemoslov.* 69(3): 186-206, 22 Abb.
- 2985) Povolny,D.**, 1976, Zur Synonymie einiger Arten der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). *Acta zool. Acad. Sci. Hung.* 22: 145-154, figs.
- 2986) Povolny,D.**, 1984, Drei neue Arten der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae) aus Asien. *Nota lepid.* 7 (3): 264-270, 3 Abb.
- 2987) Povolny,D.**, 1991, Zur heutigen Kenntnis von Nahrungspflanzen der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). *Acta Univ. Agric. (Brno)* 38: 191-204.
- 2988) Povolny,D.**, 1991, Morphologie, Systematik und Phylogenie der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). *Acta Sci. Natur. Acad. Sci. Bohemoslov. Brno (N.S.)* 25: 1-61.
- 2989) Pratt,H.D.**, 2003, The Winter Crane Flies of North America North of Mexico (Diptera, Trichoceridae). *Proc. ent. Soc. Wash.* 105 (4): 901-914, 34 figs.
- 2990) Priesner,H.**, 1973, Neue Pompiliden aus der Türkei (Hym.). *NachrBl. bayer. Ent.* 22 (6): 106-110.
- 2991) Prins W.de & D.v.d.Poorten**, 1996, Additions and corrections to "Die Tagfalter der Türkei". 2. Interesting observations of butterflies in Turkey during the 38th expedition of the "Werkgroep Grieks-Turkse dagvlinders" (Lepidoptera: Lycaenidae). *Phegea* 24(1): 25-32, 4 figs. Pl.2.
- 2992) Prins,W.de & D.v.d.Poorten**, 1995, Rhopalocera and Grypocera of Turkey 14. Taxonomic Revision of the *Pyrgus alveus* (Hübner,[1803]) complex from Greece to West China, with description of two new species from southern Turkey (Lepidoptera, Hesperidae). *Phegea* 23 (1): 1-44, pls., figs.
- 2993) Prins,W.de & J. de Prins**, 2005, World Catalogue of Insects. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark.
- 2994) Prins,W.de, Poorten,D.v.d. & A.Riemis**, 1994, *Nymphalis vaualbum* ([Denis & Schiffermüller],1775) confirmed for the fauna of Turkey (Lepidoptera, Nymphalidae). *Phegea* 22(3): 99-100, pl.
- 2995) Prins,W.de, Poorten,D.v.d., et al.**, 1991, Rhopalocera of Turkey. 7. On a new species of *Polyommatus* Latreille,1804 subgenus *Agrodiaetus* Hübner,[1822] from north-eastern Turkey (Lepidoptera, Lycaenidae). *Phegea* 19 (4): 141-148, 18 figs.
- 2996) Prout,L.B.**, 1912-1916, Die Spannerartigen Nachtfalter [in] Seitz,A., Die Gross-Schmetterlinge der Erde Bd.4: 1-479, 25 Taf. Alfred Kernen Verlag. Stuttgart.
- 2997) Prout,L.B.**, 1931, A new palaearctic *Chesias* (Lepidoptera, Geometridae). *Ann. Mag. nat. Hist.* (10) 8: 554.
- 2998) Prout,L.B.**, 1934-1939, Die Spannerartigen Nachtfalter [in] Seitz,A., Die Gross-Schmetterlinge der Erde Bd.4 (suppl.): 1-253, Taf. Alfred Kernen Verlag. Stuttgart.
- 2999) Przegendza,[A.]**, 1936, Beschreibung der Raupe von *Zyg. dorycnii* O. subsp.wagneriana Reiss. *Ent. Rdsch.* 53: 351-352.
- 3000) Pugaev,S.N. & V.V.Zolotuhin**, 2006, Geometrid moths of the genus *Dyscia* Hübner,[1825] (Lepidoptera, Geometridae) from the Lower and Middle Volga. *Eversmannia* 6: 3-12, figs.
- 3001) Puissant,S. & Sueur,J.**, 2002, Description of a new Cicada species from Turkey (Hemiptera, Cicadoidea). *Revue fr. Ent. (N.S.)* 24 (4): 197-200, figs.
- 3002) Pulawski,W.J.**, 1967, Hymenoptera from Turkey Sphecidae II. (Genera *Astata* Latreille and *Tachysphex* Kohl). *Bull. Br. Mus. (Nat. Hist.) Ent.* 19: 383-410, figs.
- 3003) Pulawski,W.J.**, 2012, Catalog of Sphecidae sensu lato (=Apoidea excluding Apidae). http://research.calacademy.org/ent/catalog_sphecidae/1621 [access 2 October,2012]
- 3004) Puplesiene,J. & A.Olivier**, 2000, The karyotype and chromosome number of *Polyommatus buzulmavi* (Lycaenidae). *Nota lepid.* 23 (1): 71-77, figs.
- 3005) Puplesis,R. & A.Diskus**, 2005, Checklist of African Tischeriidae (Insecta, Lepidoptera) with a redescription of the formerly neglected *Tischeria urticicolella* from Equatorial Africa. *Zool. Sci.* 22 (9): 1051-1055, figs.
- 3006) Puplesis,R.K., Diskus,A. & E.J. van Nieuwerkerken**, 1997, *Stigmella divina* sp.n., a remarkable species from Turkmenistan and Turkey (Lepidoptera, Nepticulidae). *Tijdschr. Ent.* 140: 55-58, figs.
- 3007) Puri,I.M.**, 1925, A note on the early stages of a species of *Simulium* from Tunis - *S. equinum* var. *mediterraneum*, nov. (Diptera, Simuliidae). *Ann. Mag. nat. Hist.* (9) 16: 253-255.

- 3008) Puton,A. & M.Noualhier**, 1895, Supplement a la liste des Hémiptères d'Akbès. Revue d'Ent. 14: 170-177.
- 3009) Puton,A.**, 1892, Hémiptères nouveaux ou peu connues et notes diverses. Revue d'Ent. 11: 34-36.
- 3010) Puton,D.A.**, 1899, Catalogue des Hémiptères (Hétéroptères, Cicadines et Psyllides) de la faune Palaearctique (4e Ed.). Revue d'Ent. 18 (3/4): 3-121.
- 3011) Putshkov,P.V. & D.Pluot-Sigwalt**, 2008, Les hétéroptères (Insecta, Hemiptera) décrits par Paul Dispons. Inventaire commenté des spécimens types conservés au Museum national d'Histoire naturelle, Paris. Zoosystema 30 (1): 149-201, figs.
- 3012) Pühringer,F. & A.Kallies**, 2004, Provisional checklist of the Sesiidae of the world (Lepidoptera, Ditrysia). Mitt. Ent. ArbGem. Salzkammergut 4: 1-85 [Among valid specific names, numerous contradictions with updated results of the Global Lepidoptera Names Index by Natural History Museum, London]. See for updated list: <http://www.sesiidae.net/Checklst.htm>
- 3013) Püngeler,R.**, 1903, *Deilephila siehei* n.sp. Berl. ent. Z. 47 (1902): 235-238, Taf.iii.
- 3014) Püngeler,R.**, 1925, *Chondrostega osthelderi* Püng. n.sp. Mitt. münch. ent. Ges. 15: 96.
- 3015) Püngeler,R.**, 1925, Neue palaearktische Makrolepidopteren. Dt. ent. Z., Iris 39: 231-233, Taf.III.
- 3016) Racheli,T.**, 1990, Una nuova sottospecie di *Zygaena sedi* (Fabricius,1787) di Turchia (Lepidoptera, Zygaenidae). Fragn. ent., Roma 22 (2): 289-293, figs.
- 3017) Radoszkowsky,O.**, 1874-1876, Matériaux pour servir a une faune hymenoptérologique de la Russie. Horae Soc. ent. ross. 10: 190-195; 12: 82-110. [author O.Radoszkowsky, Général d'Artillerie]
- 3018) Radoszkowsky,O.**, 1890, Hyménoptères recoltés sur le mont Ararat. Horae Soc. ent. ross. 24: 502-510, figs. [author O.Radoszkowsky, Général d'Artillerie]
- 3019) Radoszkowsky,O.**, 1885, Revision des armures copulatrices des males de la famille de Mutillides. Horae Soc. ent. ross. 19: 3-49, 9 pls.
- 3020) Raffone,G.**, 2007, On some specimens of Diptera Hybotidae and Empididae from Turkey and Iran (Insecta, Diptera, Brachycera). Quad. Studi Nat. Romagna 25: 87-91.
- 3021) Ragge,D.R.**, 1980, A review of the African Phaneropterinae with open tympana (Orthoptera, Tettigoniidae). Bull. Br. Mus. (Nat. Hist.) Ent. 40 (2): 67-192, figs.
- 3022) Ragonot,E.L. & G.F.Hampson**, 1901, Monographie des Phycitinae et Galleriinae II. [in] Romanoff,N.M., Mém. lépid. 8: xiv + 602 pp. 31 Taf. St. Petersburg.
- 3023) Ragonot,E.L.**, 1887, Diagnoses d'espèces nouvelles de Phycitidae d'Europe et des pays limitrophes. Annls Soc. ent. Fr. 7 (6): 224-260.
- 3024) Ragonot,E.L.**, 1888, Nouveaux genres et espèces de Phycitidae et des Galleriidae. 52pp. Paris.
- 3025) Ragonot,E.L.**, 1890, Essai sur la classification des Pyralites. Annls Soc. ent. Fr. (6) 10: 435-546, Taf. 5-8.
- 3026) Ragonot,E.L.**, 1891, Essai sur la classification des Pyralites. Note supplémentaire et rectificative. Annls Soc. ent. Fr. (6) 11: 599-662.
- 3027) Ragonot,E.L.**, 1893, Monographie des Phycitinae et Galleriinae I. [in] Romanoff,N.M., Mém. lépid. 7: lvi + 658 pp. 26 Taf. St. Petersburg.
- 3028) Ragonot,E.L.**, 1894, Notes synonymiques sur les Microlépidoptères et descriptions d'espèces peu connues ou inédites. Annls Soc. ent. Fr. 1894: 161-226, 1 Pl.
- 3029) Ragonot,E.L.**, 1896, Microlépidoptères de la Haute-Syrie récoltés par M. Ch. Delagrange, et descriptions des espèces nouvelles. Bull. Soc. ent. Fr. 1895: xciv-cix.
- 3030) Raineri,V.**, 1994, Some considerations on the genus *Thetidia* and description oof a new genus *Antonechloris* gen.nov. (Lepidoptera, Geometridae). Atalanta 25 (1/2): 365-372, 13 figs.
- 3031) Rajaei,H. & D.Stüning**, 2012, *Scotopteryx kuznetzovi* (Wardikkian,1957) (Lepidoptera, Geometridae, Larentiinae), a new species for the fauna of Iran and Turkey. Bonn zool. Bull. 61 (1): 135-139, figs.
- 3032) Rajaei,H.**, 2010, Life-history of *Gnopharmia kasrunensis* Wehrli,1939 and *G. colchidaria* Lederer,1870 (Geometridae, Ennominae) and their distribution in Iran, with first host-plant records for the genus. Bonn zool. Bull. 57 (1): 65-73, figs.
- 3033) Rajaei,H., Stüning,D. & J.Viidalepp**, 2011, A review of the species of *Lithostege* Hübner,[1825] 1816 (Lepidoptera, Geometridae, Larentiinae), occurring in Iran and adjacent countries, with description of two new spesces from Iran and Pakistan. Zootaxa 3105: 1-46, figs.
- 3034) Rajaei,H., Stüning,D. & R.Trusch**, 2012, Taxonomic revision and zoogeographical patterns of the species of *Gnopharmia* Staudinger,1892 (Geometridae, Ennominae). Zootaxa 3360: 1-52, figs.
- 3035) Rakosy,L.**, 1997, Die Noctuiden Rumäniens (Lepidoptera, Noctuidae). 648 pp., 821 Abb., 651 Karte, 30 Taf.
- 3036) Ramme,W.**, 1930, Neue Orthopteren aus Westasien (Acrid. et Tett.). Mitt. zool. Mus. Berl. 16: 394-396.
- 3037) Ramme,W.**, 1931, Beitrage zur palaearktischen Orthopterenfauna (Tettigon. et Acrid.). Mitt. zool. Mus. Berl. 17: 165-200, figs.

- 3038) Ramme, W.**, 1933, Revision der Phaneropterinen Gattung *Poecilimon* Fisch. Mitt. zool. Mus. Berl. 19: 497-575, figs.
- 3039) Ramme, W.**, 1951, Zur Systematik, Faunistik und Biologie der Orthopteren von Südost Europa und Vorderasien. Mitt. zool. Mus. Berl. 27: 1-421, figs.
- 3040) Raspi, A. & M.J.Ebejer**, 2008, New records of Diptera Chamaemyiidae from the Mediterranean and Oman with a description of a new species: *Parochthiphila* (*Euestelia*) *argentseta* from Turkey and a redescription of *Parochthiphila* (*Parochthiphila*) *inconstans* (Becker). Ent. fenn. 19: 55-64, figs.
- 3041) Razowski, J.**, 1959, European species of *Cnephasiini* (Lepidoptera, Tortricidae). Acta zool. cracov. 4: 179-423, pls. 27-67.
- 3042) Razowski, J.**, 1959, Some remarks on *Phaloniidae* (Lepidoptera). Polski Pismo ent. 29: 437-446, figs.
- 3043) Razowski, J.**, 1960, Studies on the *Cochylidae* (Lepidoptera) Part II. The genera of the Palaearctic *Cochylidae*. Polski Pismo ent. 30: 281-356, figs.
- 3044) Razowski, J.**, 1960, Studies on the *Cochylidae* (Lepidoptera) Part III. On some species from the collection of Dr. S.Toll. Polski Pismo ent. 30: 397-402, figs.
- 3045) Razowski, J.**, 1961, Studies on *Cochylidae* (Lepidoptera) Part VI. Remarks on types of some *Cochylidae*. Polski Pismo ent. 31: 301-319, figs.
- 3046) Razowski, J.**, 1961, Studien über die *Cochylidae* (Lepidoptera) Teil V. *Cochylidae* Typen im Naturhistorischen Museum in Wien. Z. wien. ent. Ges. 46: 23-28, 14 Abb.
- 3047) Razowski, J.**, 1965, The Palaearctic *Cnephasiini* (Lepidoptera, Tortricidae). Acta zool. cracov. 10 (3): 199-343, pls. 12-26.
- 3048) Razowski, J.**, 1966, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil IV. *Tortricicoidea*. Z. wien. ent. Ges. 51: 72-79, 9 Abb.
- 3049) Razowski, J.**, 1966, World fauna of the *Tortricini* (Lepidoptera, Tortricidae). Panstwowe Wydawnictwo Naukowe, Krakowie.
- 3050) Razowski, J.**, 1968, Revision of the generic group *Agapeta* Hübner (Lepidoptera, *Cochylidae*). Acta zool. cracov. 13: 73-102, figs.
- 3051) Razowski, J.**, 1968, Revision of the generic group *Eupoecilia* Stephens (Lepidoptera, *Cochylidae*). Acta zool. cracov. 13: 103-130, figs.
- 3052) Razowski, J.**, 1968, Revision of the generic group *Cochylis* Treitschke (Lepidoptera, *Cochylidae*). Acta zool. cracov. 13: 131-148, figs.
- 3053) Razowski, J.**, 1968, Revision of the generic group *Cochylidia* Obraztsov (Lepidoptera, *Cochylidae*). Polski Pismo ent. 38: 3-8, figs.
- 3054) Razowski, J.**, 1970, *Cochylidae*, [in] Amsel, H.E. et al., *Microlepidoptera Palaearctica* 3: xiv + 529 pp., 161 Taf., Wien.
- 3055) Razowski, J.**, 1970, A short catalogue of the Palaearctic *Cochylidae* (Lepidoptera). Acta zool. cracov. 15: 341-400.
- 3056) Razowski, J.**, 1974, Phylogeny and classification of Lepidoptera. Acta zool. cracov. 19(1): 1-18, 1 fig.
- 3057) Razowski, J.**, 1977, Monograph of the genus *Archips* Hübner (Lepidoptera, Tortricidae). Acta zool. cracov. 22 (5): 55-206, 223 text-figs.
- 3058) Razowski, J.**, 1977, Catalogue of the generic names used in Tortricidae (Lepidoptera). Acta zool. cracov. 22 (6): 207-296.
- 3059) Razowski, J.**, 1984, *Tortricini*, [in] Amsel, H.E. et al., *Microlepidoptera Palaearctica* 6: xvi + 376 pp., 101 Taf., Wien.
- 3060) Razowski, J.**, 1987, The genera of Tortricidae (Lepidoptera), Part I. Palaearctic *Chlidanotinae* and *Tortricinae*. Acta zool. cracov. 30 (11): 141-355.
- 3061) Razowski, J.**, 1989, Miscellaneous notes on Tortricidae. Nota lepid. 11 (4): 285-289, 6 figs.
- 3062) Razowski, J.**, 1989, The genera of Tortricidae Part II. Palaearctic *Olethreutinae*. Acta zool. cracov. 32 (7): 107-328.
- 3063) Razowski, J.**, 1991, The catalogue of the species of Tortricidae (Lepidoptera), Part I. Palaearctic *Chlidanotinae* and *Tortricinae*: *Cochylini*, *Tortricini*, *Ceracini*, *Cnephasiini*. Acta zool. cracov. 34 (1): 99-162.
- 3064) Razowski, J.**, 1991, Notes on cochyline genus *Phtheochroa* Stephens (Lepidoptera, Tortricidae) with descriptions of new American species. Acta zool. cracov. 34 (1): 163-187, figs.
- 3065) Razowski, J.**, 1993, The catalogue of the species of Tortricidae (Lepidoptera), Part II. Palaearctic *Sparganothini* *Euliini* *Ramapesiini* and *Archipini*. Acta zool. cracov. 35 (3): 665-703.
- 3066) Razowski, J.**, 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part IV. Palaearctic *Olethreutinae*: *Microcorsini*, *Bactrini*, *Endotheniini* and *Olethreutini*. Acta zool. cracov. 38 (2): 285-324.
- 3067) Razowski, J.**, 1999, Catalogue of the species of Tortricidae Part V. Palaearctic *Eucosmina* and *Enarmoniina* (Insecta, Lepidoptera). Shilap Revta lepid. 27 (108): 437-506.
- 3068) Razowski, J.**, 2001, Die Tortriciden (Lepidoptera, Tortricidae) Mitteleuropas. Bestimmung Verbreitung Flugstandort Lebensweise der Raupen. 319 S., 151 Taf., 24 Farbtaf. Bratislava

- 3069) Rebel,H.**, 1891, Meyrick's Pyralidinen Classification. Stettin ent. Ztg. 52 (4/6): 103-116.
- 3070) Rebel,H.**, 1892, Zwei Geometriden Classificationen. Stettin ent. Ztg. 53: 247-268.
- 3071) Rebel,H.**, 1893, Neue oder wenig gekannte Microlepidopteren des palaearktischen Faunengebietes. Stettin ent. Ztg. 54 (1/3): 37-59.
- 3072) Rebel,H.**, 1900, Zur Auffassung der Lemoniiden als selbständige Lepidopteren-familie. Ent. Nachr. 26 (4): 49-51.
- 3073) Rebel,H.**, 1900, *Acidalia metohiensis* nov. spec. Verh. zool.- bot. Ges. Wien 50: 451-452.
- 3074) Rebel,H.**, 1901, Über eine neue von Herrn Max Korb in Westasien gesammelte Lepidopterenformen. Annln naturh. Mus. Wien 16: 165-169.
- 3075) Rebel,H.**, 1901, Neue palaearctische Tineen. Dt. ent. Z., Iris 13(2): 161-188.
- 3076) Rebel,H.**, 1901, *Colias aurorina taurica*. Verh. zool.- bot. Ges. Wien 51: 310-311.
- 3077) Rebel,H.**, 1901, II.Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearktischen Faunengebietes. 368S. Berlin.
- 3078) Rebel,H.**, 1901, Neue palaearktische Tineen. Dt. ent. Z., Iris 13: 169-174.
- 3079) Rebel,H.**, 1902, Neue Pyraliden, Pterophoriden und Tineen des palaearktischen Faunengebietes. Dt. ent. Z., Iris 15 (1): 100-126, Taf. iv [Plate published on May 1st 1903].
- 3080) Rebel,H.**, 1903, Neue Pyraliden aus Algerien und Westasien. Dt. ent. Z., Iris 16: 1-8, figs.
- 3081) Rebel,H.**, 1903, Studien über die Lepidopterenfauna der Balkanländer I.Teil. Bulgarien und Ostrumelien. Annln naturh. Mus. Wien 18: 117-346.
- 3082) Rebel,H.**, 1905, Lepidopteren, [in] Penther,A. & Zedebauer,E., Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20 (2/3): 189-219.
- 3083) Rebel,H.**, 1908, Eine Lepidopterenausbeute welche vom Herrn Karl Ritter v. Blumencron im Hochsommer des verflossenen Jahres im nordöstlichen Kleinasien (Pontus) namentlich in der Umgebung Trapezunts gemacht wurde. Verh. zool.- bot. Ges. Wien 58:(82)- (85).
- 3084) Rebel,H.**, 1909, Bericht über eine kleine Lepidopterenausbeute, welche Herr Karl Ritter v. Blumencron im Juni 1908 in Fol. Maden bei Trapezunt gemacht. Verh. zool.- bot. Ges. Wien 59:(235)-(236).
- 3085) Rebel,H.**, 1911, *Parnassius apollo auerspergi* nov. subspec. Verh. zool.- bot. Ges. Wien 61:(44)-(46).
- 3086) Rebel,H.**, 1913, Studien über die Lepidopterenfauna der Balkanländer III.Teil. Sammelergebnisse aus Montenegro, Albanien, Mazedonien und Thrazien. Annln naturh. Mus. Wien 28: 281-334.
- 3087) Rebel,H.**, 1914, Über eine Mikrolepidopterenausbeute aus dem westlichen Thian-Shan-Gebiet. Dt. ent. Z., Iris 28: 271-278.
- 3088) Rebel,H.**, 1917, Eine Lepidopterenausbeute aus dem Amanusgebirge (Alman Dagh). Sb. Akad. Wiss. Wien Abt.I: 126 (4/5): 243-282.
- 3089) Rebel,H.**, 1919, *Axia (Cimelia) margarita* Hb. und eine neue Lepidopterenfamilie Axiidae. Verh. zool.- bot. Ges. Wien 69: (111)-(114).
- 3090) Rebel,H.**, 1932, Pyralidae-Gelechiidae, [in] Wagner,F., Vierter (V.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 26 (18): 187-191.
- 3091) Rebel,H.**, 1933, Lepidopteren aus der Umgebung Ankaras. 1.Teil Annln naturh. Mus. Wien 46: 1-13, 1 pl., 2 figs.
- 3092) Rebel,H.**, 1933, Neue Lepidopteren aus Ankara. Z. öst. EntVer. 18: 23-24.
- 3093) Rebel,H.**, 1935, Neue Microlepidopteren aus Kleinasien. Mitt. münch. ent. Ges. 25: 39-41.
- 3094) Rebel,H.**, 1936, Lepidopteren aus der Umgebung Ankaras. 2.Teil Annln naturh. Mus. Wien 47: 43-58.
- 3095) Rebel,H.**, 1940, Zur Kenntnis einiger Subfamilien der Psychiden. Z. wien. entVer. 25: 59-65, 73-76, Taf.xi.
- 3096) Rebmann,O.**, 1967, Beitrag zur Kenntnis der Gattung *Megachile* Latr. (Hym., Apidae): Subgenus *Eutricharaea* Thomas und *Neoeutricharaea* nov. subg. Ent. Z., Frankf. a. M. 77: 33-38.
- 3097) Rebmann,O.**, 1968, 3.Beitrag zur Kenntnis der Gattung *Megachile* Latr. (Hym., Apidae): Subgenus *Eutricharaea* und seine bisher bekanntgewordenen Arten. Dt. ent. Z. 15 (1/3): 21-48.
- 3098) Reemer,M. & J.T.Smit**, 2007, Some hoverfly records from Turkey (Diptera, Syrphidae). Volucella 8: 135-146.
- 3099) Reemer,M., Hauser,M. & M.C.D.Speight**, 2005, The genus *Myolepta* Newman in the West Palaearctic Region (Diptera, Syrphidae). Stud. dipterol. 11: 553-580, figs.
- 3100) Reh,L.**, 1925, Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin.
- 3101) Reiche,L. & F. de Saulcy**, 1855-1858, *Especies nouvelles ou peu connues de Coléoptères*, recueillies par M. F. de Saulcy membre de l'Institut, dans son Voyage en Orient. Annls Soc. ent. Fr. 3 (3) (1855): 561-645; 3 (4) (1856): 353-422; 3 (5) (1857): 169-276, 649-695; 3 (6) (1858): 5-60; 4 pls.
- 3102) Reinhardt,R.**, 2001, Kleine Ergänzungen zur Tagfalterfauna der Türkei (Lepidoptera, Rhopalocera). Atalanta 32 (3/4): 399-400.

- 3103) Reinig, W.F.**, 1973, Faunistische und zoogeographische Studien in Kleinasien 4. Beitrag zur Kenntnis der anatolischen Hummeln (*Bombus* Latr., 1802) und Schmarotzerhummeln (*Psithyrus* Lep., 1832) (Hym., Apidae). Mitt. münch. ent. Ges. 63: 112-133.
- 3104) Reinig, W.F.**, 1974, Faunistische und zoogeographische Studien in Kleinasien 5. Auf Hummelfang im Taurus. NachrBl. bayer. Ent. 23 (4): 67-80.
- 3105) Reiss, G.**, 1976, A New Subspecies of *Zygaena* (*Zygaena*) *osterodensis* Reiss (Lep., Zygaenidae) from the Region of Lake Van, Turkey. Entomologist's Gaz. 27: 31-32, pl.2, figs.3-4.
- 3106) Reiss, H. & G. Reiss**, 1969, Beitrag zur Verbreitung der *Zygaena* (*Agrumenia*) *ganymedes* H.-S., und der *Zygaena* (A.) *laetifica* H.-S. der *olivieri* Gruppe (Lep.). Stuttg. Beitr. Naturk. 205: 1-7, Pls.
- 3107) Reiss, H. & G. Reiss**, 1973, On the *Zygaena* Fauna of the Neighbourhood of Lake Van in Asia Minor (Lep., Zygaenidae). Entomologist's Rec. J. Var. 85: 191-196, pls.14-15.
- 3108) Reiss, H. & W.G. Tremewan**, 1967, A Systematic Catalogue of the genus *Zygaena* Fabricius (Lepidoptera, Zygaenidae). [In] Schimitschek, E., Series Entomologica vol. 2, xvi+329 pp. Dr. W. Junk-Den Haag.
- 3109) Reiss, H. & W.G. Tremewan**, 1960, On the synonymy of some *Zygaena* species, with descriptions of a new species and subspecies from Morocco, Lep., Zygaenidae. Bull. Br. Mus. nat. Hist. (Ent.) 9 (10): 459-468, pl.22.
- 3110) Reiss, H.**, 1929, Neue Zygaenen Rassen von Kleinasien. Int. ent. Z. 23: 148, 151-152.
- 3111) Reiss, H.**, 1930-1931, Familie Zygaenidae. [in] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 1-50. Stuttgart.
- 3112) Reiss, H.**, 1932, Altes und neues über *Zygaena corycia*, *Z. graslini*, *Z. cambysea* und *Z. cuvieri*. Int. ent. Z. 26: 269-280, Pl.
- 3113) Reiss, H.**, 1935, Neues über asiatische Zygaenen, im besonderen die Zygaenen-Fauna von Ak-Schehir in Kleinasien. Int. ent. Z. 29: 121-124, 139-142, 149-151, 159-161, 186-192, 207-209, 221-223, 229-232, 1 Pl.
- 3114) Reiss, H.**, 1935, *Zygaena formosa* H.-S., *kotzschii* nov. subsp. Int. ent. Z. 28: 489-491.
- 3115) Reiss, H.**, 1937-1938, Neues über die Zygaenenfauna des Elbursgebirges und ihre Beziehungen zu den Faunen Nordafrikas und der Pyrenäen-Halbinsel- Nachtrag. Ent. Rdsch. 55: 18-19, 30-32, 40-42, figs.
- 3116) Reiss, H.**, 1953, Über drei Zygaenen die als regressive Endemiten bezeichnet werden können, deren Entstehung vermutlich in der Pliozänzeit erfolgte. Z. wien. ent. Ges. 38: 131-141, Taf. 8-10.
- 3117) Reiss, H.**, 1961, Über *Zygaena araratensis* Reiss im besonderen Festlegung des Lectotypus. Ent. Z., Frankf. a. M. 71: 205-208, 242-245.
- 3118) Reisser, H.**, 1954, G. de Lattin: Türkiye Kelebekleri Hakkında I. (Türkische Lepidopteren I.), Ist. Üniv. Fen Fak. Mecmuası (Rev. de la faculté des sciences de l'Univ. d'Istanbul 1950, p.301-331, 2 Taf. 9 Abb. (Sep.) und dto., II., ibid., Tome xvi, Fasc. I, 1951, p.45-73, 1 Taf., 8 Ab Z. wien. ent. Ges. 39: 44-45.
- 3119) Reisser, H.**, 1957, Beiträge zur Kenntnis der Sterrhinae (Lepidoptera, Geometridae) III. Über *Problepsis ocellata* Friv. und ihre ersten Stände. Z. wien. ent. Ges. 42: 161-172.
- 3120) Reisser, H.**, 1971, Beiträge zur Kenntnis der Sterrhinae (Lep., Geometridae), VIII. Liste der von Dr. U. Roesler in Nordgriechenland und im westlichen Kleinasien gesammelten Arten. Ent. Z., Frankf. a. M. 81(3): 21-24.
- 3121) Reissinger, E.**, [1990], Checkliste Pieridae Duponchel, 1835 (Lepidoptera) der Westpalaearktis (Europa, Nordwestafrika, Kaukasus, Kleinasien). Atalanta 20 (1989): 149-185.
- 3122) Reitter, E.**, 1885, Übersicht der Arten der Gattung *Cerocoma* Geoffr. Dt. ent. Z. 29: 12-14.
- 3123) Reitter, E.**, 1910, Eine neuer palaearktischer Vertreter der ostindisch-japanischen Histeridengattung *Notodoma* Mars. aus Hochsyrien. Ent. Bl. 6: 164-165.
- 3124) Reitter, E.**, 1914, Bestimmungs-Tabelle für die Unterfamilie Erodini der Tenebrionidae, aus Europa und den angrenzenden Ländern. Dt. ent. Z. 58: 43-85.
- 3125) Reitter, E.**, 1889, Zwei neue Meloe-Arten aus Syrien und Armenien. Wien. ent. Ztg. 8: 106-107.
- 3126) Remaudière, G., Toros, S. & I. Özdemir**, 2006, New contribution to the Aphid fauna of Turkey (Hemiptera, Aphidoidea). Revue fr. Ent. (N.S.) 28 (2): 75-96.
- 3127) Remm, H.**, 1988, Ceratopogonidae [in] Soos, A. & L. Papp (eds.), Catalogue of Palaearctic Diptera 3: 11-109, Akademiai Kiado, Budapest.
- 3128) Ren, Y., Liu, S. & H. Li**, 2011, Review of the genus *Merulempista* Roesler, 1967 (Lepidoptera, Pyralidae) from China, with description of two new species. Zookeys 77: 65-75, figs.
- 3129) Retzlaff, H.**, 1991, Zur Verbreitung von *Cerocala sana* Staudinger, 1901, in der Türkei (Lep., Noctuidae). Mitt. Arb. Gem. Ostwestf. - Lipp. Ent. 7 (2): 75-76.
- 3130) Reuter, O.M.**, 1875, Genera Cimicidarum Europae. Bihang K. VetenskAkad. Handl. 3 (1): 1-66.
- 3131) Reuter, O.M.**, 1880, Diagnoses Hemipterorum novorum II. Öfv. Finska Vetensk-Soc. Förhandl. 22: 9-24.
- 3132) Reuter, O.M.**, 1883, Ad cognitionem Reduviidarum mundi antiqui. Acta Soc. sci. fenn. 12: 269-339.
- 3133) Reuter, O.M.**, 1884, Hemiptera Gymnocerata Europae. Acta Soc. sci. fenn. 8: 1-568, 18 Pls.

- 3134) Reuter, O.M.**, 1890, Conspectus specierum generis *Mustha* (Hemiptera, Pentatomidae). *Revue d'Ent.* 9: 262-264.
- 3135) Reuter, O.M.**, 1892, Monographia generis *Reduvius* Fabr., Lam. *Acta Soc. sci. fenn.* 19 (15): 1-36.
- 3136) Reuter, O.M.**, 1900, Capsidae novae mediterraneae I, II. *Öfv. Finska Vetensk-Soc. Förhandl.* 42: 131-162, 258-267.
- 3137) Reuter, O.M.**, 1900, Heteroptera palaeartica nova et minus cognita I, II. *Öfv. Finska Vetensk-Soc. Förhandl.* 42: 209-239, 268-281.
- 3138) Reuter, O.M.**, 1901, Capsidae novae mediterraneae III. *Öfv. Finska Vetensk-Soc. Förhandl.* 43: 195-213.
- 3139) Reuter, O.M.**, 1901, Monographia generis *Tarisa* Am. et Serv. *Öfv. Finska Vetensk-Soc. Förhandl.* 43: 25-48, 2 Tab.
- 3140) Reuter, O.M.**, 1902, Miscellanea Hemipterologica. *Öfv. Finska Vetensk-Soc. Förhandl.* 44: 141-188.
- 3141) Reuter, O.M.**, 1904, Capsidae palaearticae novae et minus cognitae descriptae. *Öfv. Finska Vetensk-Soc. Förhandl.* 45 (14): 1-18.
- 3142) Reuter, O.M.**, 1904, Bemerkungen über einige Phimodera-Arten. *Öfv. Finska Vetensk-Soc. Förhandl.* 45 (17): 1-15.
- 3143) Reuter, O.M.**, 1904, Uebersicht der paläarktischen *Stenodema*-Arten. *Öfv. Finska Vetensk-Soc. Förhandl.* 45 (15): 1-21.
- 3144) Reuter, O.M.**, 1905, Capsidae novae mediterraneae descriptae V. Species a dominis J. et U. Sahlberg in itinere a. 1903-1904 collectae. *Öfv. Finska Vetensk-Soc. Förhandl.* 47 (4): 1-26.
- 3145) Reuter, O.M.**, 1891, Monographia generis *Holotrichius* Burm. *Acta Soc. sci. fenn.* 19 (3): 1-40, 2 Tab.
- 3146) Reverdin, J.L.**, 1909, *Pieris rapae*, L., and *P. manni*, Mayer. *Entomologist's Rec. J. Var.* 21: 149-150, Pl.xiii.
- 3147) Reverdin, J.L.**, 1913, Notes sur les genres *Hesperia* et *Carcharodus*. *Bull. Soc. lépid. Genève* 2: 212-237.
- 3148) Reverdin, J.L.**, 1916, *Adopea nova*, mihi, species nov. *Bull. Soc. lépid. Genève* 3: 122-128, pl.7,8.
- 3149) Rezbanyai, L.**, 1980, Die Genitalien von *Scotopteryx bipunctaria* und *S.octodurensis*, sowie allerlei Wissenswertes über die letztgenannte Art (Lepidoptera, Geometridae). *Ent. Z., Frankf. a. M.* 90(4): 33-46, 6 Abb.
- 3150) Rezbanyai, L.**, 1981, Zur Verbreitung der *Horisme*-Arten *tersata* Denis & Schiffermüller 1775 und *laurinata* Schawerda 1919 in Europa (Geometridae). *Nota lepid.* 4(4): 159-166, 1 Foto, 4 Karte.
- 3151) Rezbanyai-Reser, L.**, 1997, Vier neue *Oligia*-Arten, *pseudodubia* (NW-Kaukasus) und *turcia* (Türkei), sowie *suleiman* und *vandarban* (Nord-Iran) (Lepidoptera, Noctuidae). *Ent. Ber., Luzern* 37: 149-169, Abb.
- 3152) Ribbe, C.**, 1905, Einige neue Formen von Schmetterlingen aus Andalusien. *Soc. Ent.* 20 (18): 137-138.
- 3153) Ribes, J. & D.Gapon**, 2006, Taxonomic review of the genus *Holcogaster* Fieber, 1860 (Heteroptera, Pentatomidae) with the description of the male and female genitalia. *Russian Ent. J.* 15 (2): 189-195, figs.
- 3154) Ribes, J., Pagola-Carte, S. & I.Zabalegui**, 2008, On some palaeartic Carporocorini (Hemiptera, Pentatomidae, Pentatominae). *Heteropterus Rev. Ent.* 8 (2): 155-169, figs.
- 3155) Richards, O.W.**, 1962, A revisional study of the masarid wasps (Hymenoptera, Vespoidea). *Brit. Mus. (Nat. Hist.)*, London.
- 3156) Richter, V.A. & V.F.Zaitzev**, 1988, Mydidae [in] Soos, A. & L.Papp (eds.), *Catalogue of Palaeartic Diptera* 5: 181-186, Akademiai Kiado, Budapest.
- 3157) Richter, V.A.**, 1988, Nemestrinidae [in] Soos, A. & L.Papp (eds.), *Catalogue of Palaeartic Diptera* 5: 171-181, Akademiai Kiado, Budapest.
- 3158) Richter, V.A.**, 1988, Family Nemestrinidae [in] Soos, A. & L.Papp (eds.), *Catalogue of palaeartic Diptera* 5: 171-181. Akademiai Kiado, Budapest.
- 3159) Rider, D.A.**, 2012, Pentatomoidea Home page. <http://www.ndsu.edu/ndsu/rider/Pentatomoidea/index.htm> access: 1.8.2012.
- 3160) Rider, D.A.**, 2006, Family Pentatomidae Leach, 1815 [in] Aukema, B. & C.Rieger (ed.), *Catalogue of the Heteroptera of the Palaeartic Region* 5: 233-402. The Netherlands Entomological Society, Wageningen, The Netherlands.
- 3161) Riedel, M.**, 2008, Revision der westpalaearktischen *Platylabini* 1. Die Gattung *Platylabus* Wesm., 1845 (Hymenoptera, Ichneumonidae, Ichneumoninae). *Spixiana* 31 (1): 105-172, figs.
- 3162) Riedel, M., Çoruh, S. & H.Özbek**, 2010, Contribution to the Ichneumoninae (Hymenoptera, Ichneumonidae) fauna of Turkey, with description three new species. *Türk. ent. Derg.* 34 (2): 133-156.
- 3163) Riedl, T.**, 1978, Sur la repartition de certains Mompidae s.l. dans la region Méditerranéenne (Lepidoptera). *Mitt. ent. Ges. Basel* 28: 72-75.
- 3164) Rieger, C.**, 1980, *Capsodes* (*Horistus*) *turcomanus* (Horvath), 1889 eine bisher verkannte Miridenart (Insecta, Heteroptera). *NachrBl. bayer. Ent.* 29 (5): 94-96, figs.

- 3165) Riemis,A.**, 1992 Geometridae of Turkey 2. *Lomaspilis opis bithynica* ssp.n. a new for Turkey (Lepidoptera, Geometridae). *Phegea* 20 (4): 131-135,figs.
- 3166) Riemis,A.**, 1992, Geometridae of Turkey 1. Description of a new species from Eastern Turkey in the genus *Aplocera* Fletcher [sic!] (Lepidoptera, Geometridae). *Phegea* 20(2): 75-78, 3 figs.
- 3167) Riemis,A.**, 1994, Geometridae of Turkey 3. A provisional list of the Geometridae of Turkey (Lepidoptera). *Phegea* 22(1): 15-22.
- 3168) Riemis,A.**, 1995, Geometridae of Turkey 4. *Menophra trypanaria* (Wiltshire,1948), a new species for the Turkish fauna, with description of the male (Lepidoptera). *Phegea* 23(3): 137-140, 10 figs.
- 3169) Riemis,A.**, 1996, Geometridae of Turkey, 5. Data on 38 new Turkish Geometridae species (Lepidoptera). *Phegea* 24(2): 83-87.
- 3170) Riemis,A.**, 1997, Geometridae of Turkey 6. Description of a new species from eastern Turkey in the genus *Scotopteryx* Hübner (Lepidoptera, Geometridae). *Phegea* 25(1): 31-34, 3 figs.
- 3171) Riesen,A.**, 1891, Zur systematische Stellung der Gattung *Namangana* Stgr. *Stettin ent.Ztg.* 52 (1/3): 14-15.
- 3172) Riley,N.D.**, 1925, The species usually referred to the genus *Cigaritis* Boisd. *Novit. zool.* 32: 70-95, figs.
- 3173) Risch,S.**, 1997, Die Arten der Gattung *Eucera* Scopoli,1770 (Hymenoptera, Apidae) Die Untergattung *Pteneucera* Tkalcu 1984. *Linzer biol. Beitr.* 29 (1): 555-580, 8 Taf. 2 Karte.
- 3174) Risch,S.**, 1999, Neue und wenig bekannte Arten der Gattung *Eucera* Scopoli,1770 (Hymenoptera, Apidae). *Linzer biol. Beitr.* 31 (1): 115-145, figs.
- 3175) Rittner,O. & G.Sabatinelli**, 2010, The genus *Oxythyrea* Mulsant in Israel (Coleoptera, Scarabaeidae, Cetoniinae, Cetoniini). *Israel J. Ent.* 40: 11-19, figs.
- 3176) Robineau-Desvoidy,J.B.**, 1830, Essai sur les Myodaires. *Mém. Présentés Acad. roy. Sci. Inst. France* (2) 2: 1-813.
- 3177) Robinson,G.S. & E.S.Nielsen**, 1983, The Microlepidoptera described by Linnaeus and Clerck. *Syst. Ent.* 8: 191-242.
- 3178) Robinson,G.S. & K.R.Tuck**, 1997, Phylogeny and composition of the Hieroxestinae (Lepidoptera, Tineidae). *Syst. Ent.* 22: 363-396, figs.
- 3179) Robinson,G.S.**, 1979, Clothes moths of the *Tinea pellionella* complex: a revision of the world's species (Lepidoptera, Tineidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 38 (3): 57-128, figs.
- 3180) Robinson,G.S.**, 1982, The Palaearctic Tineidae (Lepidoptera) described by Daniel Lucas. *Entomologist's Gaz.* 33: 175-180.
- 3181) Robinson,G.S.**, 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 52 (2): 37-181, figs.
- 3182) Robinson,G.S., Ackery,P.R., Kitching,I.J., Beccaloni,G.W. & L.M.Hernandez**, 2005, Hosts - a database of hostplants of the World's Lepidoptera (<http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsm>) Natural History Museum, London.
- 3183) Roeber,J.**, 1896, Ein neuer Trypanus aus dem paläarktischen Gebiete. *Ent. Nachr.* 22: 3-4.
- 3184) Roesler,R.-U.**, 1973, Trifine *Acrobasiina* (1. Teilband der Phycitinae). [in] Amsel,H.G. et al., *Microlepidoptera Palaearctica* vol.4. Textband, xvi + 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien.
- 3185) Roesler,R.-U.**, 1987, Die bisher als *Rhodophaea* geläufige Gattung *Trachycera* Ragonot,1893 (Lepidoptera, Pyraloidea, Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung neuer Taxa. *Ent. Z., Frankf. a. M.* 97 (21): 305-319, 10 Abb.
- 3186) Roesler,R.-U.**, 1988, Die Gattung *Eurhodope* Hübner,[1825] 1816 (Lepidoptera, Pyraloidea, Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung einer neuen Art. *Ent. Z., Frankf. a. M.* 98 (1/2): 1-11, 8 Abb.
- 3187) Roesler,R.-U.**, 1988, Die Gattung *Acrobasis* Zeller,1839 in der Palaearktis (Lepidoptera, Pyraloidea, Phycitinae) Taxonomische Neuorientierung und Beschreibung neuer Taxa. *Entomofauna* 9 (8): 201-223, 10 Abb.
- 3188) Roesler,R.-U.**, 1988, Die bisher als *Pristophorodes* gelaufenen Genera *Asalebria* Amsel,1953, *Ocrisiodes* Amsel,1950 in der Palaearktis. Taxonomische Neuorientierung und Beschreibung neuer Taxa (Lepidoptera, Pyraloidea, Phycitinae). *Entomofauna* 9 (24): 461-492, 22 Abb.
- 3189) Roesler,R.-U.**, 1988, Untersuchungen zur Taxonomie paläarktischer Phycitinae (Lepidoptera, Pyraloidea). *Beitr. Ent.* 38: 65-73, figs.
- 3190) Roesler,R.-U.**, 1993, Quadrifine *Acrobasiina* Erster Teil (2. Teilband der Phycitinae). [in] Amsel,H.G., *Microlepidoptera Palaearctica* vol.8 (Text & Tafeln). Verlag G.Braun, Karlsruhe.
- 3191) Roesler,R.-U.**, 1967, Phycitinen-Studien (Lepidoptera) II. *Ent. Z., Frankf. a. M.* 77: 273-282, Abb.
- 3192) Rogenhofer,A.F. & J.Mann**, 1873, Neue Lepidopteren gesammelt von Herrn J. Haberhauer. *Verh. zool.-bot. Ges. Wien* 23: 569-574.
- 3193) Rognes,K.**, 1987, The taxonomy of the *Pollenia rudis* species-group in the Holarctic Region (Diptera, Calliphoridae). *Syst. Ent.* 12 (4): 475-502, figs.

- 3194) Rognes, K.**, 1988, The taxonomy and phylogenetic relationships of the *Pollenia semicinerea* species-group (Diptera, Calliphoridae). *Syst. Ent.* 13: 315-345, figs.
- 3195) Rohacek, J.**, 1982-1985, A monograph and re-classification of the previous genus *Limosina* Macquart (Diptera, Sphaeroceridae) of Europe, Parts I, II, III, IV. *Beitr. Ent.* 32: 195-282; 33: 3-195, 203-255; 35: 101-179, 1098 figs.
- 3196) Rohacek, J.**, 1996, Revision of Palaearctic *Stiphrosoma* including the *Anthomyza laeta*-group (Diptera, Anthomyzidae). *Eur. J. Ent.* 93: 89-120, figs.
- 3197) Rohacek, J.**, 1998, Taxonomic limits phylogeny and higher classification of Anthomyzidae (Diptera) with special regard to fossil record. *Eur. J. Ent.* 95: 141-177, figs.
- 3198) Rohacek, J.**, 1999, A revision and re-classification of the genus *Paranthomyza* Czerny with description of a new genus Anthomyzidae (Diptera). *Stud. dipterol.* 6 (2): 373-404, figs.
- 3199) Rohacek, J.**, 2006, A monograph of Palaearctic Anthomyzidae (Diptera) Part 1. *Casopis Slezs. zems. Muz. Opava (A)* 55 (Suppl.1): 1-328, 661 figs.
- 3200) Rohacek, J.**, 2009, A monograph of Palaearctic Anthomyzidae (Diptera) Part 2. *Casopis Slezs. zems. Muz. Opava (A)* 58 (Suppl.1): 1-180, 232 figs.
- 3201) Rohacek, J., Marshall, S.A., Norrbom, A.L., Buck, M. Quiros, D.I. & I. Smith**, 2001, World catalog of Sphaeroceridae (Diptera). 414pp. Slezske zemske muzeum, Opava. online at <http://www.uoguelph.ca/debu/catalog.htm>
- 3202) Roine, A.**, 2000, Butterflies of Europe 2.0. CD-ROM.
- 3203) Romanoff, N.M.**, 1879, Quelques observations sur les Lépidoptères de la partie du Haut-Plateau Armenien, comprise entre Alexandropol, Kars et Erzeroum. *Horae Soc. ent. ross.* 14: 483-495, Taf.iii.
- 3204) Romanoff, N.M.**, 1884-1887, Les Lépidoptères de la Transcaucasie I-III. [in] Romanoff, *Mém. lépid.* 1: 1-92, Pls.; 2: 1-118, Pls.; 3: 1-49, Pls.
- 3205) Rondani, C.**, 1856-1871, *Dipterologiae Italicae Prodrum* vols. 1-7. Parmae.
- 3206) Ronkay, L. & Z. Varga**, 1985, Neue Noctuiden aus Armenien bzw. aus dem Kaukasus-Raum (Lepidoptera, Noctuidae). *Z. ArbGem. öst. Ent.* 36 (3/4): 86-94, 1 Taf., 5 Abb.
- 3207) Ronkay, L. & Z. Varga**, 1985, *Luperina diversa* (Staudinger, 1891) bona species, mit der Beschreibung zwei neuer subspecies (Lepidoptera, Noctuidae). *Annls hist.-nat. Mus. natn. hung.* 77: 207-216, 27 Abb., 1 Pl.
- 3208) Ronkay, L. & Z. Varga**, 1989, Studies on the Palaearctic Noctuidae. Sect. Amphipyrrinae, I. The genus *Pseudohadena* Alpheraky, 1889. The *laciniosa* group. *Acta zool. hung.* 35(3/4): 339-353, 19 figs. Pl.
- 3209) Ronkay, L. & Z. Varga**, 1994, On the taxonomy of the genus *Ostheldera* Nye, 1975 (Lepidoptera, Noctuidae, Cuculliinae). *Acta zool. hung.* 40 (2): 157-170, figs.
- 3210) Ronkay, L.**, 1984, Notes on the genus *Agrochola* Hübner, 1821 (Lepidoptera, Noctuidae). Part II. *Acta zool. hung.* 30 (1/2): 179-187, 9 figs.
- 3211) Ronkay, L.**, 1986, Taxonomic Studies on the genus *Autophila* Hübner, 1823. I. *Acta zool. hung.* 32(1/2): 141-159, 38 figs.
- 3212) Ronkay, L.**, 1989, Taxonomic Studies on the genus *Autophila* Hübner, 1823 (Lepidoptera, Noctuidae), II. *Acta zool. hung.* 35(1/2): 111-141, 74 figs.
- 3213) Ronkay, L.**, 1990, New Noctuidae taxa from Asia Minor and the Caucasus (Lepidoptera, Noctuidae). *Annls hist.-nat. Mus. natn. hung.* 82: 155-162, 17 figs.
- 3214) Ronkay, L.**, 1990, Taxonomic and zoogeographical studies on the subfamily Cuculliinae (Lepidoptera, Noctuidae). Part II. *Esperiana* 1: 471-497, 69 figs., pls.
- 3215) Ronkay, L.**, 1990, New taxa of the genus *Metalopha* Staudinger, 1892 (Lepidoptera, Noctuidae). *Esperiana* 1: 199-212, 26 figs., pl. 8.
- 3216) Ronkay, L.**, 2005, Revision of the genus *Lophoterges* Hampson, 1906 (s.l.) (Lepidoptera, Noctuidae, Cuculliinae) Part II. The Genus *Lophoterges* s.str. *Acta zool. hung.* 51 (1): 1-57, figs.
- 3217) Ronkay, L., Fabian, G., Herczig, B. & C. Szaboky**, 1990, Contributions to the Noctuidae fauna of Turkey (Lepidoptera). *Annls hist.-nat. Mus. natn. hung.* (1989) 81: 115-123, figs.
- 3218) Rose, K.**, 1977, *Vacciniina alcedo* in Zentralanatolien, nebst Beschreibung einer neuen Unterart (Lep., Lycaenidae). *Ent. Z., Frankf. a. M.* 87: 62-65, figs.
- 3219) Rose, K.**, 1978, Zwei neue Unterarten von *Agrodiaetus carmon* aus der Türkei (Lep., Lycaenidae). *Ent. Z., Frankf. a. M.* 88 (22): 245-251, 3 Abb.
- 3220) Rose, K.**, 1991, Bemerkungen zu "*Agrodiaetus* (Sublysandra) *eberti*" Koçak, 1979 (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 11(4): 185-188.
- 3221) Rose, K., Schurian, K.G. & W. Eckweiler**, 1992, A further new subspecies of *Polyommatus* (*Aricia*) *hyacinthus* (Herrich-Schäffer, 1847) (Lepidoptera, Lycaenidae). *Linneana Belgica* 13 (6): 341-346, figs.
- 3222) Rosen, K. von**, 1929, Familie Papilio[nidae]. [In] Seitz, A., *Gross-Schmett. Erde*, Suppl. 1: 7-20. Stuttgart.
- 3223) Rossi, P.**, 1807, *Sistens Insecta quae in provinciis Florentina et Pisana. Tomus Secundus.* Helmstadii.

- 3224) Rothschild, N.C.**, 1921, Moths of Mesopotamia and N. W. Persia Part I. Noctuidae, Lemoniidae and Pyralidae. J. Bomb. nat. Hist. Soc. 28: 170-183.
- 3225) Rothschild, W. & K. Jordan**, 1903, A revision of the lepidopterous family Sphingidae. Novit. zool. 9, suppl.: cxxv + 972 pp., 67 pls.
- 3226) Rothschild, W. & K. Jordan**, 1916, Corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 115-123, 3 figs.
- 3227) Rothschild, W. & K. Jordan**, 1916, Further corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 247-263, 14 figs.
- 3228) Rothschild, W.**, 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463.
- 3229) Rothschild, W.**, 1908, New Subspecies of *Parnassius apollo*. Novit. zool. 15: 390.
- 3230) Rothschild, W.**, 1909, Catalogue of the collection of Parnassiinae in the Tring Museum, with systematic notes. Novit. zool. 16 (1): 1-20.
- 3231) Rothschild, W.**, 1910, Catalogue of the Arctianae in the Tring Museum, with notes and descriptions of new species. Novit. zool. 17 (1): 1-85; 17 (2): 113-171.
- 3232) Rothschild, W.**, 1912, Verbesserungen und Zusätze zu den Cossiden. [in] Seitz, A., Die Gross-Schmetterlinge der Erde, Band 2. pp.450-452. Stuttgart.
- 3233) Rottemburg, S.A. von**, 1775, Anmerkungen zu den Hufnagelschen Tabellen der Schmetterlinge (Diurna). Naturforscher 6: 1-34.
- 3234) Rougeot, P.-C.**, 1971, Les Bombycoïdes (Lepidoptera-Bombycoidea) de l'Europe et du Bassin Méditerranéen. Tome 1. Lemoniidae, Bombycidae, Brahmaeidae, Attacidae, Endromididae. Faune de l'Europe et du Bassin Méditerranéen 5: 1-159, 197 figs., 2 pls. Paris.
- 3235) Rowland-Brown, H.R.**, 1917, Some remarks on the distribution and development of species and subspecies of the Satyrine genus *Melanargia* Meigen in Italy, France, Spain and Algeria. Entomologist 50: 123-127, 157-160.
- 3236) Roy, R.**, 1966, A new species of *Amorphoscelis* from Iraq (Mantodea, Amorphoscelidae). Ent. News 77: 267-270, 3 figs.
- 3237) Rozen, J.G., Özbek, H., Asher, J.S., Claudio, S., Praz, C., Alireza, M. & M. Andreas**, 2010, Nests, petal usage, floral preferences, and immatures of *Osmia* (*Ozbekosmia*) *avosetta* (Megachilidae, Megachilinae, Osmiini), including biological comparisons with other osmiine bees. Am. Mus. Novit. 3680: 1-22, figs.
- 3238) Rozkosny, R. & E.P. Narshuk**, 1988, Family Stratiomyidae [in] Soos, A. & L. Papp (eds.), Catalogue of palaearctic Diptera 5: 42-96. Akademiai Kiado, Budapest.
- 3239) Rozkosny, R.**, 1991, A key to the Palaearctic species of *Pherbellia* Robineau-Desvoidy, with descriptions of three new species (Diptera, Sciomyzidae). Acta ent. bohemosl. 88: 391-406, 52 figs., 1 pl.
- 3240) Rozkosny, R.**, 1995, World distribution of Sciomyzidae based on the list of species (Diptera). Stud. dipterol. 2 (2): 221-238.
- 3241) Rozkosny, R., Gregor, F. & A.C. Pont**, 1997, The European Fanniidae (Diptera). Acta Sci. nat. Brno 31 (2): 1-80, 18 figs.
- 3242) Röber, J.**, 1896, Neue Schmetterlinge aus dem cilicischen Taurus. Ent. Nachr. 22: 81-84.
- 3243) Röber, J.**, 1907, 2. Familie Pieridae Weisslinge, [in] Seitz, A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf.
- 3244) Röder, V.v.**, 1881, Dipterologische Notizen. Berl. ent. Z. 25 (2): 209-216.
- 3245) Rubtsov, I.A. & A.V. Yankovsky**, 1988, Simuliidae [in] Soos, A. & L. Papp (eds.), Catalogue of Palaearctic Diptera 3: 114-185, Akademiai Kiado, Budapest.
- 3246) Rubtsov, I.A.**, 1940, Fauna of U.S.S.R., no.23, Diptera 6 (6) (Simuliidae), 532pp.
- 3247) Ruggiero, M. (ed.)**, 2008, World Bee Checklist <http://www.itis.gov/beechecklist.html> [access 4.01.2011] [some species are missing; see Grace (2010)].
- 3248) Rung, A., Halbert, S.E., Ziesk, D.C. & R.J. Gill**, 2009, A leafhopper pest of plants in the mint family *Eupteryx decemnotata* Rey (Hemiptera, Auchenorrhyncha, Cicadellidae), Ligurian Leafhopper, new to North America. Insecta Mundi 88: 1-4, 8 figs.
- 3249) Ruschka, F.**, 1924, Die europaisch-mediterranen Eucharidinae und Perilampinae (Hym., Chalc.) Der Chalcididenstudien IV und V. Teil. Dt. ent. Z. 1924: 92-96.
- 3250) Russo, C. di, Rampini, M. & I. Landeck**, 2007, The cave crickets of northeast Turkey and transCaucasian [sic!] regions, with descriptions of two new species of the genera *Dolichopoda* and *Trogiophilus* (Orthoptera, Rhaphidophoridae). J. Orth. Res. 16 (1): 67-76, figs.
- 3251) Ruthe, J.F.**, 1862, Deutsche Braconiden. Berl. Ent. Z. 6: 1-58.
- 3252) Ruzicka, J.**, 1993, Three new species of *Choleva* (Coleoptera, Leioididae, Cholevinae) from the Caucasus and Turkey with a key to species of the *cisteloides* group. Eur. J. Ent. 90: 337-348, figs.
- 3253) Ruzicka, J.**, 1994, A new species of *Catopomorphus* from Turkey (Coleoptera, Leioididae, Chovelinae). Fragm. ent. Roma 26 (1): 133-139, figs.

- 3254) Ruzicka,J.**, 1997, A new species of *Attaepphilus* from Turkey (Coleoptera, Leiodidae, Chovelinae). Ent. Probl. 28 (1): 57-59, figs.
- 3255) Rühl,F.**, 1892-[1893], Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 1-384S. Leipzig.
- 3256) Rydon,A.H.B.**, 1971, The systematics of the Charaxidae (Lepidoptera, Nymphaloidea). Entomologist's Rec. J. Var. 83: 219-233, 283-287, 310-316, 336-341, 384-388, 3 Pls.
- 3257) Sabatinelli,G.**, 1977, Note su alcuni Lucanidae e Scarabaeoidea floricoli di Turchia con descrizione di due nuove specie (Coleoptera). Fragm. ent. 13 (2): 71-96, figs.
- 3258) Sabatinelli,G.**, 2008, The Scarabs of the Levant Syria, Lebanon, Jordan, Palestine, Israel, Sinai. <http://www.glaphyridae.com/index.html>
- 3259) Sabbadini,A. & C.Pesarini**, 1992, Note su *Purpuricen* budensis (Goeze) e specie affini (Coleoptera, Cerambycidae). Boll. Soc. Ent. Ital. 124 (1): 55-63.
- 3260) Sabrosky,C.W.**, 1941, An annotated list of the genotypes of the Chloropidae of the World (Diptera). Annls ent. Soc. America 34 (4): 735-765.
- 3261) Sabrosky,C.W.**, 1999, Family-group names in Diptera, an annotated catalog. Myia 10: 1-576.
- 3262) Sack,P.**, 1936, Cyrtidae (Acroceridae), [in] Lindner,E. (ed.), Die Fliegen der palaarktischen Region, Band iv/1, 36 S. 3 Taf. E.Schweizerbart'sche Verlag. Stuttgart.
- 3263) Saether,O.A. & T.Andersen**, 1993, Lobosmittia, a new genus of Orthoclads from Tanzania and Turkey (Diptera, Chironomidae). Tijdschr. Ent. 136: 283-287, 6 figs.
- 3264) Sala,G. & M.Bollino**, 1997, A contribution to the knowledge of the Papilionidae of Rhodes Island (Lepidoptera, Papilionidae). Atalanta 28(1/2): 43-47.
- 3265) Salman,S.**, 1978, Ağrı Kars ve Artvin illerinin Orthoptera (Insecta) faunası üzerine taksonomik araştırmalar. 184 sayfa, şekil, Atatürk Üniv. Yay. no.490. Erzurum.
- 3266) Salur,A. & Ö. Özsarac**, 2004, Additional notes on the Odonata fauna of Çiçekdağı (Kırşehir) Turkey G.Ü. J. Sci. 17 (1): 11-19.
- 3267) Salur,A. & S.Kiyak**, 2006, Additional records for the Odonata fauna of East Mediterranean Region of Turkey. Munis Ent. Zool. 1 (2): 239-252.
- 3268) Salur,A. & S.Kiyak**, 2007, Additional records for the Odonata fauna of South-Western Anatolia, Part 1 Anisoptera Munis Ent. Zool. 2 (1): 63-78.
- 3269) Sama,G., Rapuzzi,P. & H.Özdikmen**, 2012, Preliminary report of the entomological surveys (2010,2011) of G.Sama and P.Rapuzzi to Turkey (Coleoptera, Cerambycidae). Munis Ent. Zool. 7 (1): 22-45.
- 3270) Samodurov,G.D., Korolev,V.A. & W.W.Tshikolovez**, 2001, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp,1915 VII.Die Arten Hyponephele lycaon (Rott.,1775), H. pasimelas (Stgr.,1886), H. lycaonoides D.Weiss,1978, H. przhewalskyi Dub. Sergeev & Zhdanko,1994... (Lepidoptera, Satyridae). Atalanta 32 (1/2): 111-186, pls.
- 3271) Samodurov,G.D., Korolev,W.A. & W.W.Tshikolovez**, 1997, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp,1915 III. Die Arten Hyponephele cadusia (Lederer,1869), H.cadusina (Stgr.,1881), H.laeta (Stgr.,1886), H.pamira Lukh.,1990, H.kirghisa (Alph.,1881), H.sheljuzhkoii Sam.& Tsh.,1996... Atalanta 28(1/2): 49-96, Taf., figs.
- 3272) Samodurov,G.D., Korolev,W.A. & W.W.Tschikolowez**, 2000, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp,1915 VI.Die Arten Hyponephele capella (Christoph,1877), H.narica (Hübner,[1808-1813]), H.naricina (Staudinger,1870), H.fusca (Stsh.,1960) und H.naricoides Gross,1977 (Lep., Satyridae). Atalanta 31 (1/2): 135-170, figs., pls. x-xii.
- 3273) Sanetra,M. & C.David**, 1995, Rejoinder to Bollino's & Sala's considerations about proposed synonymy of some Papilio alexanor subspecies. Nachr. ent. Ver. Apollo (N.F.) 16(2/3): 259-262.
- 3274) Sanetra,M. & K.Fiedler**, 1996, Behaviour and morphology of an aphytophagous lycaenid caterpillar Cigaritis (Apharitis) acamas Klug,1834 (Lepidoptera, Lycaenidae). Nota lepid. 18 (1) (1995) 57-76.
- 3275) Santos,C.M.D.**, 2008, Geographical distribution of Tabanomorpha (Diptera, Brachycera): Athericidae, Austroleptidae, Oreoleptidae, Rhagionidae, and Vermileonidae. EntomoBrasilis 1 (3): 43-50. www.periodice.ebras.bio.br/ojs [access 15 Sept.,2011].
- 3276) Sarıbiyık,S. & M.Aktaş**, 1996, Türkiye Syrphidae faunasına katkılar (Diptera, Syrphidae) I. Syrphinae. Gazi Univ. Fen Bil. Derg. 9 (1): 1-13, figs.
- 3277) Sarıbiyık,S.**, 2000, Türkiye Milesiinae (Diptera, Syrphidae) faunası için iki yeni kayıt. Bitki Kor. Bült. 40 (3/4): 179-181.
- 3278) Sarıbiyık,S.**, 2008, Contributions to the Syrphidae fauna of Turkey (Diptera, Syrphidae). Ent. News 119 (5): 501-508.
- 3279) Sarıbiyık,S.**, 2009, Ballıdağ Syrphidae faunası (Diptera). Kastamonu Eğit. Derg. 17 (2): 707-714.
- 3280) Sarıbiyık,S.**, 2011, An investigation on Turkish Sphegina Meigen,1822 (Diptera, Syrphidae). Munis Ent. Zool. 6 (1): 433-435.

- 3281) Sarigül, T. et al.**, 2008, List of the butterflies observed around Dereköy (Kırklareli Province, Turkey). Cesa News 28: 17-19.
- 3282) Sarıkaya, O. & M. Avcı**, 2006, The occurrence of *Choristoneura murinana* in *Abies cilicica* forests in Asia Minor. Munis Ent. Zool. 1 (2): 289-296, figs.
- 3283) Satar, A. & C. Özbay**, 2002, *Bubopsis zarudnyi* Alexandrov-Martynova, 1926 new to Turkey (Neuroptera, Ascalaphidae). Bol. Soc. Ent. Arag. 30: 192, 1 fig.
- 3284) Satar, A. & C. Özbay**, 2004, Remarks on Neuroptera of southeastern Turkey. Ent. fenn. 15: 219-224.
- 3285) Satar, A.**, 2005, *Dielocroce baudii* (Griffini, 1895), a new nemopterid for Anatolia (Neuroptera, Nemopteridae). Ent. slovenica 13: 65-69.
- 3286) Sattler, K. & W. G. Tremewan**, 1984, The Lepidoptera names of Denis & Schiffermüller - a case for stability. Nota lepid. 7 (3): 282-285.
- 3287) Sattler, K.**, 1967, Ethmiidae, [in] Amsel, H. G., Gregor, F. H. Reisser (Ed.), *Microlepidoptera Palaearctica* vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien.
- 3288) Sattler, K.**, 1972, Anmerkungen zu Razowski, 1970, *Cochylidae*, *Microlepidoptera Palaearctica*, Band 3. Dt. ent. Z. N.F. 19 (4/5): 287-299.
- 3289) Sattler, K.**, 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, *Holcopogonidae*, *Lecithoceridae* and *Symmocidae* (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) 28 (4): 155-282.
- 3290) Sattler, K.**, 1979, A taxonomic revision of the genus *Deltophora* Janxse, 1950 (Lepidoptera, Gelechiidae). Bull. Br. Mus. nat. Hist. (Ent.) 38 (6): 263-322, figs.
- 3291) Sattler, K.**, 1982, A review of the western palaearctic Gelechiidae (Lepidoptera) associated with *Pistacia*, *Rhus* and *Cotinus* (Anacardiaceae). Entomologist's Gaz. 33: 13-32, 3 figs.
- 3292) Saussure, H. de**, 1852, Monographie des Guepes Solitaires ou de la tribu des Euméniens. L+286 pp., 22 Pls. Geneve & Paris.
- 3293) Saussure, M. H. de**, 1888, Synopsis de la tribu des Sagiens. Annls Soc. ent. Fr. 1888: 127-155, 5 pls.
- 3294) Sauter, W. & P. Hättenschwiler**, 1991, Zum System der palaearktischen Psychiden (Lep., Psychidae). I. Teil. Liste der palaearktischen Arten. Nota lepid. 14(1): 69-89.
- 3295) Sauter, W.**, 1968, Hilfstabellen zur Bestimmung europäischer *Lycaeniden* (Lep., *Lycaenidae*). Mitt. ent. Ges. Basel (N.F.) 18: 1-18, figs.
- 3296) Sauter, W.**, 1987, Zum System der westpalaearktischen *Gracillariidae*. Mitt. schweiz. ent. Ges. 60: 307-314.
- 3297) Savage, J.**, 2003, Revision of the genus *Thricops* Rondani (Diptera, Muscidae). Insect Syst. Evol. Suppl. 61: 1-143, figs.
- 3298) Schacht, W.**, 1983, Eine neue Bremsenart aus der Türkei (Diptera, *Tabanidae*). Entomofauna 4 (27): 483-492, 10 Abb.
- 3299) Schacht, W.**, 1984, Beitrag zu einigen palaearktischen Bremsenarten vornehmlich aus der Türkei (Diptera, *Tabanidae*). Entomofauna 5 (35): 483-498.
- 3300) Schacht, W.**, 1985, Kleiner Beitrag zur Bremsenarten der Türkei (Diptera, *Tabanidae*). Entomofauna 6 (21): 501-506, 8 Abb.
- 3301) Schacht, W.**, 1987, Ein weiterer Beitrag zur Bremsenfauna der Türkei (Diptera, *Tabanidae*). Entomofauna 8 (33): 485-494, 1 Taf.
- 3302) Schadewald, G.**, 1992, Beitrag zur Klärung der *Melitaea britomartis*-Gruppe (Lep., *Nymphalidae*). Esperiana 3: 545-551, Abb.
- 3303) Schaffer, J. C.**, 1974, A synonymic catalogue of the genera of *Anerastiinae* (auctorum) and *Peoriinae* of the world (Lepidoptera, *Pyralidae*). Proc. ent. Soc. Wash. 76: 467-475.
- 3304) Schaidter, P. & P. Jaksic**, 1989, Die Tagfalter von jugoslawisch Mazedonien *Diurna* (*Rhopalocera* und *Hesperiidae*). 82 S., 46 Taf., 199 Karte. Ljubljana.
- 3305) Schawerda, K.**, 1932, *Phlyctaenodes osthelderi* species nova. Mitt. münch. ent. Ges. 22: 12-13; Z. öst. EntVer. 17: Taf. III fig. 16 [recte 15].
- 3306) Schawerda, K.**, 1937, Zwei neue Mikroheteroceren aus Mazedonien. Z. öst. EntVer. 22: 55-56.
- 3307) Schedl, W.**, 1999, Contribution to the singing cicadas of Israel and adjacent countries (Homoptera, *Auchenorrhyncha*, *Cicadidae* et *Tibicinidae*). Linzer biol. Beitr. 31 (2): 823-837, figs.
- 3308) Schedl, W.**, 2001, Eine neue Singzikade aus der Türkei, *Tettigetta turcica* nov. spec. (*Cicadoidea*, *Tibicinidae*). Linzer biol. Beitr. 33 (2): 1287-1290, figs.
- 3309) Schedl, W.**, 2003, Zur Morphologie Taxonomie und Verbreitung westpalaearktischer Klapperichchen-Arten (*Hemiptera*, *Cicadoidea*, *Tibicinidae*). Linzer biol. Beitr. 35 (1): 423-432, Abb.
- 3310) Scheerpeltz, O.**, 1979, Studien an den palaarktischen Arten der Gattung *Cryptobium* Mannerheim (*Col. Staphylinidae*, Subfam. *Paederinae*), mit einer Bestimmungstabelle dieser Arten und den Beschreibungen zweier neuer Arten. Mitt. münch. ent. Ges. 68: 121-143.
- 3311) Scheuchl, E. & C. Hazır**, 2008, Description of a new *Andrena* species from Turkey, *Andrena* (*Notandrena*) *selcuki* n.sp. (*Hymenoptera*, *Apoidea*, *Andrenidae*). Zootaxa 1763: 63-66, figs.

- 3312) Schiner, J.R.**, 1855, *Nemotelus signatus*, J.v.Frivaldsky. Eine neues Dipteron aus Ungarn. Verh. zool.- bot. Ver. Wien 5: 81-82, figs.9-10 [correct author of the article is Schiner not Frivaldsky sensu auct. The latter is the collector and name proposer, only. A.Ö.K].
- 3313) Schintlmeister, A.**, 1982, Verzeichnis der Notodontidae Europas und einiger angrenzender Gebiete. Nota lepid. 5 (4): 194-206.
- 3314) Schintlmeister, A.**, 1989, Zoogeographie der palaearktischen Notodontidae (Lepidoptera). Neue ent Nachr. 25: 1-117, 20 Abb.
- 3315) Schintlmeister, A.**, 1998, Notes on some asiatic *Furcula* Lamarck, 1816 (Lepidoptera, Notodontidae). Entomofauna 19 (2): 77-108, 4 Pls., textfigs., 4 maps.
- 3316) Schintlmeister, A.**, 2004, The Taxonomy of the genus *Lymantria* Hübner, [1819] (Lepidoptera, Lymantriidae). Quadriana 7: 1-248, figs.
- 3317) Schletterer, A.**, 1890, Die Bienen Gattung *Dasypoda* Latr. Berl. ent. Z. 35 (1): 11-56, 1 Taf.
- 3318) Schmid-Egger, C.**, 2002, Key and new records for the western palaearctic species of *Gorytes* Latreille 1804 with description of a new species (Hymenoptera, Sphecidae, Bembicinae). Linzer biol. Beitr. 34 (1): 167-190, figs.
- 3319) Schmid-Egger, C.**, 2004, Revision of *Bembecinus* (Hymenoptera, Crabronidae) of the Palaearctic region. Notes faun. Gembloux 54: 3-69, figs.
- 3320) Schmid-Egger, C.**, 2005, *Proxiandrena* subgen. nov. und Revision der west- und zentralpalaarktischen Arten der *Andrena proxima*-Gruppe (Hymenoptera, Apidae). Revue suisse. Zool. 112 (4): 1029-1044.
- 3321) Schmid-Egger, C.**, 2005, *Sceliphron curvatum* (F.Smith, 1870) in Europa mit einem Bestimmungsschlüssel für die europäischen und mediterranen *Sceliphron*-Arten (Hymenoptera, Sphecidae). Bembix 19: 7-28, Abb.
- 3322) Schmidlin, A.**, 1964, Übersicht über die europäischen Arten der Familie Geometridae (Lep.) Mitt. ent. Ges. Basel 14: 77-137.
- 3323) Schmidt, E.**, 1953, Zwei neue Libellen aus dem Nahen Osten. Mitt. münch. ent. Ges. 43: 1-9, figs.
- 3324) Schmidt, J.**, 1977, Die Chrysididen der Türkei, insbesondere Anatoliens (Hymenoptera, Chrysididae). Linzer biol. Beitr. 9 (1): 91-129.
- 3325) Schmidt, J.**, 1994, Revision der mit *Agonum* (s.str.) *viduum* (Panzer, 1797) verwandten Arten (Coleoptera, Carabidae). Beitr. Ent. 44 (1): 3-51, figs.
- 3326) Schmidt-Koehl, W.**, 1969, Geographisch-faunistische u. systematisch-nomenklatorische Studien zur Macrolepidopteren-Fauna des Libanon sowie einzelner Gebiete der nordwestlichen und mittleren Türkei unter Berücksichtigung einer vergl. Betrachtung der Frühjahrsfauna von Ostsizilien. Abh. ArbGem. tier.-pflanz. geogr. Heimatf. Saarland 1: 32-88, 9 Abb.
- 3327) Schmidt-Koehl, W.**, 1984, Kurzbericht zu einigen Tagfalterarten des nordwestlichen Teiles der Türkei Mitte August 1983 (Insecta, Lepidoptera). Atalanta 15 (1/2): 104-108.
- 3328) Schmitschek, E.**, 1938, Beitrage zur Forstentomologie der Türkei I. Z. angew. Ent. 25 (2): 291-310, figs.
- 3329) Schnaider, J.**, 1939, *Paranthrene polonica* sp.n. Polskie pismo Ent. 16/17: 140-143.
- 3330) Schneider, D., Legal, L., Dierl, W. & M.Wink**, 1999, *Androconia haribushes* of the *Syntomis* (*Amata*) *phegea* (L.) group (Lepidoptera, Ctenuchidae): A synapomorphic character supported by sequence data of the mitochondrial 16S rRNA Gene. Z. Naturforsch 54C: 1119-1139.
- 3331) Schneider, W.**, 1984, Description of *Calopteryx watsoni* spec. nov. from northeastern Turkey (Zygoptera, Calopterygidae). Odonatologica 13: 281-286, fig.
- 3332) Schneider, W.**, 1985, Dragonfly records from South East Turkey (Insecta, Odonata). Senckenberg. biol. 66: 67-78.
- 3333) Schneider, W.**, 1985, Die Gattung *Crocothemis* Brauer, 1868 in Nahen Osten (Insecta, Odonata, Libellulidae). Senckenberg. biol. 66: 79-88.
- 3334) Schneider, W.**, 1986, Erstnachweis von *Cordulia aenea* (Linnaeus, 1758) für die Türkei (Odonata, Anisoptera, Libellulidae). Ent. Z., Frankf. a. M. 96 (7): 92-93.
- 3335) Schneider, W.**, 1995, Die Verbreitung von *Pseudagrion syriacum* Selys 1887 und Erstnachweis der Art für die Türkei (Odonata, Zygoptera, Coenagrionidae). Ent. Z., Frankf. a. M. 105: 161-166.
- 3336) Schneider, W.G.**, 1845, Verzeichnis der von Herrn Prof. Dr. Loew in Sommer 1842 in der Türkei und Kleinasien gesammelten Neuropteren, nebst kurzer Beschreibung der neuen Arten. Stettin ent. Ztg. 6: 110-116, 133-135.
- 3337) Scholz, A. & E.Jäckh**, 1994, Taxonomie und Verbreitung der westpalaarktischen *Alucita*-Arten (Lepidoptera, Alucitidae). Alexanor 18(4): [3]-[63], 65 figs.
- 3338) Scholz, A.**, 1997, Zwei neue, palaarktische *Alucita*-Arten (Lepidoptera, Alucitidae). Alexanor 20(1): 51-58, 13 figs.
- 3339) Schoorl, J.W.**, 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditrysia) based on external adult morphology. Zool. Verh. 263: 1-295, 138 figs., 1 pl., 33 tab.
- 3340) Schubert, F.**, 1963, *Apion tauricum* n.sp. Koleopt. Rdsch. 40/41: 81-82.

- 3341) Schuh, R.T.**, 2008, Online Systematic Catalog of Plant Bugs (Insecta, Heteroptera, Miridae). <http://research.amnh.org/pbi/catalog/> [access 26 Dec., 2010].
- 3342) Schurian, K.G. & C. Häuser**, 1981, Zoogeographie und subspezifische Gliederung der zentral- und ostanatolischen, sowie der iranischen *Meleageria*-Formen (Lepidoptera, Lycaenidae). *Atalanta* 12 (2): 101-111, 4 Abb.
- 3343) Schurian, K.G. & K. Fiedler**, 1994, Zur Biologie von *Polyommatus* (*Lysandra*) *dezinus* (de Freina & Witt) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 14(4): 339-353, 9 figs., pl.
- 3344) Schurian, K.G. & K. Fiedler**, 1996, Adult behaviour and early stages of *Lycaena ochimus* (Herrich-Schäffer [1851]) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 16(4): 329-343, 18 figs.
- 3345) Schurian, K.G. & K. Rose**, 1991, Contribution to the knowledge of *Polyommatus* (*Aricia*) *hyacinthus* (Herrich-Schäffer, 1847) and the description of a new subspecies (Lepidoptera, Lycaenidae). *Linneana Belg.* 13 (2): 80-93, Pls.
- 3346) Schurian, K.G. & P. Hofmann**, 1982, Die *Thersamonia*-Gruppe (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo*, Suppl. 2: 1-59, 8 Abb. 2 Taf.
- 3347) Schurian, K.G. & P. Hofmann**, 1983, Entomologische Aufsammlungen und Beobachtungen bei Kızılcahamam (Türkei). *Nachr. ent. Ver. Apollo* (n.f.) 3(4): 111-127, 4 Abb.
- 3348) Schurian, K.G. & W. Eckweiler**, 1997, Wiederfund von *Polyommatus* (*Agrodiaetus*) *dama* Staudinger, 1892 in der Türkei (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.), Suppl. 16: 49-52.
- 3349) Schurian, K.G. et al.**, 1991, Ergänzungen zur Tagfalterfauna von Kızılcahamam (Türkei). *Nachr. ent. Ver. Apollo* N.F. 12 (1): 57-67.
- 3350) Schurian, K.G.**, 1978, Zur Biologie von *Lysandra caucasica* (Lep., Lycaenidae). *Ent. Z., Frankf. a. M.* 88(22): 254-257.
- 3351) Schurian, K.G.**, 1988, Neueinteilung des Subgenus *Lysandra* der Gattung *Polyommatus* Latreille (Lepidoptera, Lycaenidae). *Ent. Z., Frankf. a. M.* 98 (10): 129-144.
- 3352) Schurian, K.G.**, 1989, Revision der *Lysandra*-Gruppe des Genus *Polyommatus* Latr. (Lepidoptera, Lycaenidae). *Neue ent. Nachr.* 24: 1-181, 29 Taf.
- 3353) Schurian, K.G.**, 1996, A contribution to the biology of *Brenthis mofidii* (Wyatt, 1968). *Linneana Belgica* 15(8): 311-314, 8 figs.
- 3354) Schurian, K.G.**, 1996, Beobachtungen zum Eiablageverhalten von *Cigaritis cilissa* (Lederer, 1861) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 17 (1): 111-112.
- 3355) Schurian, K.G.**, 1999, Eiablagestrategien bei Bläulingen (Lepidoptera, Lycaenidae) 2. Das Eiablageverhalten von *Polyommatus* (*Agrodiaetus*) *admetus* (Esper, [1783]). *Nachr. ent. Ver. Apollo* (N.F.) 20 (2): 189-194, figs.
- 3356) Schurian, K.G.**, 2001, Reisen in die Türkei *Neue ent. Nachr.* 51: 3-63, figs.
- 3357) Schurian, K.G.**, 2002, Beobachtungen bei der Zucht von *Polyommatus* (*Aricia*) *torulensis* (Lepidoptera, Lycaenidae). *Phegea* 30 (2): 55-60, figs.
- 3358) Schurian, K.G., Hagen, W. Ten & H.-G. Mark**, 1999, Beitrag zur Biologie sowie Versuch einer taxonomischen Einordnung von *Plebeius* (*Vacciniina*) *loewii* (Zeller, 1847) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 20(1): 1-16, figs.
- 3359) Schurian, K.G., Hofmann, P. & A. Reif, A.**, 1991, Ergänzungen zur Tagfalterfauna von Kızılcahamam (Türkei). *Nachr. ent. Ver. Apollo* (n.f.) 12(1): 57-67, 4 Abb.
- 3360) Schurian, K.G., Oorschot, H.v. & H.v.d. Brink**, 1992, *Polyommatus* (*Agrodiaetus*) *poseidon* (H.-S.) und *Polyommatus* (*Agrodiaetus*) *theresia* sp. nov. aus der Türkei (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 12 (4): 217-232, Pl. 1, Abb. 9-10.
- 3361) Schüssler, H.**, 1933, Saturniidae: 1. Subfam. Attacinae. [in] Strand, E., *Lepidopterorum Catalogus* Pars 55. 81pp. Dr. W. Junk Berlin.
- 3362) Schütze, E.**, 1956, Eupitheciiden Studien VIII. Über Eupithecia mesogrammata Dietze und einige andere Eupitheciiden aus Nordiran (Lepidoptera, Geometridae). *Z. wien. ent. Ges.* 41: 324-339.
- 3363) Schütze, E.**, 1956, Eupitheciiden Studien VII. Die semigraphata-Gruppe (Lepidoptera, Geometridae). *Z. wien. ent. Ges.* 41: 306-320, 328-334, Abb.
- 3364) Schütze, E.**, 1958, Eupitheciiden Studien X. Die graphata-Gruppe (Lepidoptera, Geometridae). *Ent. Z., Frankf. a. M.* 68: 49-64, 71-72, 82-88, 27 figs.
- 3365) Schütze, E.**, 1961, Weitere Eupitheciiden aus Iran und Arabien (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 51: 58-71, 8 Taf.
- 3366) Schwammberger, K.H.**, 1975, Die bisher bekanntgewordenen Arten der Bienengattung *Rhopitoides* Schenck (Hymenoptera, Apoidea, Halictidae). *Senckenb. biol.* 56 (1/3): 57-63, Abb.
- 3367) Schwarz, M. & F. Gusenleitner**, 2001, Beitrag zur Kenntnis paläarktischer Anthophorini und Habropodini (Hymenoptera, Apidae). *Entomofauna* 22 (6): 53-92, Abb.
- 3368) Schwarz, M.**, 1979, Zur Kenntnis der aus Syrien beschriebenen *Nomada kervilleana* Pér. (Hymenoptera, Apoidea). *Nachr. Bl. Bayer. Ent.* 28 (5): 90-94.
- 3369) Schwarz, M.**, 1981, 1. Beitrag zur *Nomada*-Fauna der Türkei (Hymenoptera, Apoidea). *Entomofauna* 2 (28): 357-414, 63 Abb.

- 3370) Schwarz,M.**, 1999, Anmerkungen zu einigen westpalaearktischen Arten der Gattung *Listrognathus* Tschek (Hymenoptera, Ichneumonidae, Cryptinae). *Linzer biol. Beitr.* 31 (1): 459-463.
- 3371) Schwingenschuss,L.**, 1938-1939, Sechster Beitrag zur Lepidopterenfauna Inner- Anatoliens. *Ent. Rdsch.* 55: 141-147, 157-164, 173-177, 181-184, 199-202, 223-226, 299-300, 337-340, 411-412, 454-457, 532, 700; 56: 133-135, 250-252.
- 3372) Schwingenschuss,L.**, 1939, Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolu). *Ent. Rdsch.* 56 (29): 325-328, (32): 358-360, (34): 383-384.
- 3373) Schwingenschuss,L.**, 1939, Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolu). *Ent. Z., Frankf. a. M.* 49: 273-274, 281-283.
- 3374) Schwingenschuss,L.**, 1939, Kleiner Beitrag zur Fauna der Umgebung Erzerums in Kleinasien. *Z. öst. EntVer.* 24 (7): 97-100.
- 3375) Scoble,M.J., Pitkin,L.M., Parsons,M., Honey,M.R. & B.R.Pitkin**, 1999, *Geometrid Moths of the World*. 1400pp. CSIRO Publishing, Collingwood & Apollo Books, Stenstrup.
- 3376) Scopoli,J.A.**, 1763, *Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn.* xxxvi+420 pp., 37 pls., Vindobonae, Trattner.
- 3377) Scopoli,J.A.**, 1772, *Observationes zoologicae.* *Ann. hist. nat.* 5: 75-125.
- 3378) Scopoli,J.A.**, 1786, *Deliciae faunae et florae insubricae.* 3 vols. Monast. St. Salvaoris.
- 3379) Scopoli,J.A.**, 1763, *Entomologia Carniolica...*420 pp. Vindobonae.
- 3380) Scudder,S.H.**, 1875, Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. *Proc. am. Acad. Arts Sci., Boston* 10: 91-293.
- 3381) Seccombe,A.K., Ready,P.D. & L.M.Huddleston**, 1993, A Catalogue of Old World Phlebotomine Sandflies (Diptera, Psychodidae, Phlebotominae). *Occ. Pap. syst. Ent.* 8: 1-57.
- 3382) Seebolds,T.**, 1898, Beiträge zur Microlepidopterenfauna des Kaukasus, Taurus und Syriens. *Dt. ent. Z., Iris* 11: 20-32.
- 3383) Séguy,E.**, 1927, *Dipteres (Brachyceres) (Asilidae). Faune de France* 17: 193 pp. 384 figs. Paris.
- 3384) Séguy,E.**, 1927, *Dipteres (Brachyceres) (Asilidae), [in] Faune de France* 17: 1-193, 384 figs.
- 3385) Séguy,E.**, 1934, *Dipteres (Brachyceres) (Muscidae Acalypterae et Scatophagidae), [in] Faune de France* 28: 1-832, 27 pls. 903 figs.
- 3386) Seidenstücker,G.**, 1975, Über anatolische Schildwanzen (Heteroptera, Pentatomidae). *Reichenbachia* 15 (30): 259-268.
- 3387) Seidenstücker,G.**, 1980, *Eumecotarsus milidius* n. sp. von Ostanatolien (Heteroptera, Miridae). *Reichenbachia* 18 (19): 117-122.
- 3388) Seidenstücker,G.**, 1959, Heteroptera aus Anatolien II. *Revue Fac. Sci. Univ. Istanbul (B)* 23 (1/2): 119-129, figs.
- 3389) Seidenstücker,G.**, 1973, Zwei neue Landwanzen aus der Türkei (Hemiptera, Heteroptera, Lygaeidae). *Mitt. münch. ent. Ges.* 63: 185-193, 6 Abb.
- 3390) Seitz,A.**, 1909, Familie: Syntomidae, [in] Seitz,A., *Die Gross-Schmett. Erde* 2: 37-42, pls., Stuttgart.
- 3391) Seitz,A.**, 1910, Familie: Arctiidae, [in] Seitz,A., *Die Gross-Schmett. Erde* 2: 43-108, pls., Stuttgart.
- 3392) Seitz,A.**, 1912, Berichtigungen und Zusätze zu Band 2. [In] Seitz,A., *Die Gross-Schmetterlinge der Erde. Band 2.* pp.444-447. Stuttgart.
- 3393) Seitz,A.**, 1933, Familie Cymatophoridae. In Seitz,A., *Gross-Schmett. Erde, Suppl.* 2: 187-195. Stuttgart.
- 3394) Seitz,A.**, 1936, Über Zygänenvorkommen. *Ent. Rdsch.* 53 (21):291-294, (22):302-304, (27):384-387; (28): 397-400.
- 3395) Seitz,A.**, 1936, Über Syntomidenvorkommen. *Ent. Rdsch.* 53: 523-528, 548-552.
- 3396) Selfa,J. & E.Diller**, 1994, Illustrated key to the Western Palearctic genera of Phaeogenini (Hymenoptera, Ichneumonidae, Ichneumoninae). *Entomofauna* 15 (20): 237-252, figs.
- 3397) Selys-Longchamps,E.de**, 1887, Odonates de l'Asie Mineure etc. *Ann. Soc. ent. Belg.* 31: 1-85.
- 3398) Serçe,Ö. & H.Koç**, 2005, Contributions to Tipulidae of Turkey (Insecta, Diptera). *Gazi Univ. Fen Bilim. Derg.* 18 (1): 39-50.
- 3399) Sert,O.**, 2004, Türkiye Tychius (Coleoptera, Curculionidae) faunası için yeni kayıtlar *Türk. ent. Derg.* 28 (4): 311-313.
- 3400) Sert,O.**, 2005, Akdeniz ve İç Anadolu Bölgesi'nde Ceutorhynchus Germar,1824 ve Tychius Germar,1817 (Coleoptera, Curculionidae) cinselerine bağlı türler üzerine faunistik çalışmalar. *Türk. ent. derg.* 29 (2): 135-149.
- 3401) Sertkaya,E., Üremiş,I. & A.Yiğit**, 2005, Natural efficiency of *Caryedon palaestinus* Southgate (Coleoptera, Bruchidae, Pachymerinae) feeding on the seeds of Mesquit, *Prosopis farcta* (Banks and Sol.) Mecbride. *Pakistan J. Biol. Sci.* 8 (1): 85-88.
- 3402) Seven,E.**, 2010, Studies on the fauna and ecology of Papilionoidea and Hesperioidea (Lepidoptera) in Şirvan district (Siirt Prov., SE Turkey) [in Turkish]. *Cent. ent. Stud., Priamus (suppl.)* 20: 1-118, figs.
- 3403) Seven,S. & M.Bakowski**, 1996, Söğüksu Milli Parkı (Ankara) Lepidoptera faunasına katkılar. *Cent. ent. Stud., Priamus* 7 (4): 156-170.

- 3404) Seven,S. & M.Kemal**, 2000, Additions to the local faunas of the diurnal Lepidoptera in the Province of Ankara (North Turkey). Cent. ent. Stud., Misc. Pap. 62: 1-7.
- 3405) Seven,S. & M.Kemal**, 2000, Additions to the diurnal lepidoptera fauna of the districts Çubuk and Kalecik (Ankara Prov., North Turkey). Cent. ent. Stud., Misc. Pap. 63: 1-5.
- 3406) Seven,S. & M.Özdemir**, 2007, *Acleris lacordairana* (Duponchel,1836) (Lepidoptera, Tortricidae). Zoology in the Middle East 40: 113-114, 1 fig.
- 3407) Seven,S. & M.Özdemir**, 2007, Review of the genus *Celypha* Hübner,[1825] in Turkey with a new record (Lepidoptera, Tortricidae). J. Kansas ent. Soc. 80 (1): 65-71, figs.
- 3408) Seven,S. & M.Özdemir**, 2007, The genus *Dichelia* Guenee,1845 (Lepidoptera, Tortricidae) in Turkey. Acta ent. slovenica 15 (2): 185-188, 2 figs.
- 3409) Seven,S. & S.Bulguer**, 1991, A Bibliographical List of the homonymous generic names in Zoology based on S. A. Neave's Nomenclator Zoologicus (Vols.I-VII). Memoirs of the Centre for Entomological Studies 1:x+ 114pp. Ankara.
- 3410) Seven,S.**, 1991, Trakya Lepidoptera faunası üzerine bibliyografik araştırmalar. Cent. ent. Stud., Priamus 6(1/2): 1-95.
- 3411) Seven,S.**, 1993, Trakya Lepidoptera'sı Üzerine faunistik notlar. Cent. ent. Stud., Misc. Pap. 18: 4-8.
- 3412) Seven,S.**, 1994, Kızılcahamam Kocaçay vadisi'nin diurnal Lepidopterlerinin ekolojisi ve faunası. Cent. ent. Stud., Priamus 7 (1/2): 3-62.
- 3413) Seven,S.**, 1995, Trakya Lepidoptera faunasına katkılar. Cent. ent. Stud., Misc. Pap. 23/24: 1-13, 3 figs.
- 3414) Seven,S.**, 1996, Türkiye Lepidoptera faunası ve ekolojisi Üzerine araştırmalar-I. Cent. ent. Stud., Priamus 8 (1/2): 1-52.
- 3415) Seven,S.**, 1997, *Papilio machaon* Linnaeus,1758 türüyle ilgili bazı nomenklatür sorunları hakkında (Lepidoptera, Papilionidae). Cent. ent. Stud., Misc. Pap. 37: 1-3.
- 3416) Seven,S.**, 1997, Batı Asya'da bulunan bazı *Lycaenid* taksonlarındaki sinonimler hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 43: 1-3.
- 3417) Seven,S.**, 2000, *Tomares (nogelii) nogelii* ssp. cesa (ssp.n.) [in] Koçak,A., Enkhere vilayitidiki kepineklirining sinonumik tizimliği (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14.
- 3418) Seven,S.**, 2000, *Tomares (nogelii) dobrogensis* ssp. *uighurica* (ssp.n.) [in] Koçak,A., Enkhere vilayitidiki kepineklirining sinonumik tizimliği (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14.
- 3419) Seven,S.**, 2000, Kırıkkale Lepidoptera faunası ekolojisi ve taksonomisi üzerine araştırmalar. Cent. ent. Stud., Priamus 10 (1/2): 1-101, 1 harita.
- 3420) Seven,S.**, 2006, Preliminary survey on the butterfly fauna of Kazdağı National Park (Turkey). Bull. lépidopteristes Paris. 15 (34): 74-80, 8 figs.
- 3421) Seven,S.**, 2007, Preliminary work on the moth fauna (Lepidoptera, Heterocera) of Kazdağı National Park -II (Turkey). Phegea 35 (3): 85-91.
- 3422) Seven,S., Hüseyinoğlu,Y., Kemal,M. & M.Özdemir**, 2000, Recent collections of the diurnal Lepidoptera of the Soğuksu N.P. Işık Dağı (Kızılcahamam, Ankara Prov., N.Turkey). Cent. ent. Stud., Misc. Pap. 64: 1-6.
- 3423) Seven,S., Özdemir,M., Özdemir,Y. & V.Bozkurt**, 2005, On the species of *Rhyacionia* Hübner,[1825] (Lepidoptera, Tortricidae) in Turkey. Phytoparasitica 33 (2): 123-128, 2 Pls.
- 3424) Sevgili,H. & B.Çıplak**, 2000, The Orthoptera of Şanlıurfa province from the Mesopotamian part of Turkey. Ital. J. Zool. 67: 229-240.
- 3425) Sevgili,H. & K.-G.Heller**, 2003, A new species of the genus *Isophya* Brunner von Wattenwyl from Turkey (Orthoptera, Tettigoniidae, Phaneropterinae). Tijdschr. Ent. 146: 39-44, 12 figs.
- 3426) Sevgili,H.**, 2001, A new bushcricket species and notes on some less known species of the genus *Poecilimon* Fischer,1853 from Turkey (Orthoptera, Phaneropterinae). J. Orth. Res. 10 (1): 15-24, figs.
- 3427) Sevgili,H.**, 2003, A new species of Bushcricket (Orthoptera, Tettigoniidae) of the palaearctic genus *Isophya* (Phaneropterinae) from Turkey. Ent. News 114 (3): 129-137, figs.
- 3428) Sevgili,H.**, 2004, Review of the genus *Leptophyes* of Turkey with the description of a new species (Orthoptera, Phaneropterinae). Trans. am. Ent. Soc. 130 (1): 95-112, figs.
- 3429) Sevgili,H., Demirsoy,A. & B.Çıplak**, 2012, Description and bioacoustics of a new species of the genus *Isophya* (Orthoptera, Tettigoniidae [sic!], Phaneropterinae) from Turkey. Zootaxa 3361: 33-44.
- 3430) Seyer,H.**, 1984, Der Rassenkreis von *Anthocharis damone* im Mittelmeerraum und eine neue Subspezies aus der Türkei (Lep., Pieridae). Ent. Z., Frankf. a. M. 94: 233-237, Abb. 2.
- 3431) Seyer,H.**, 1985, Der Rassenkreis von *Anthocharis damone* im Vorderen Orient und eine neue Subspezies von dort (Lep., Pieridae). Ent. Z., Frankf. a. M. 95: 20-23, 2 Abb.
- 3432) Seyer,H.**, 1988, *Euchloe belemia moslemi* ssp.n. de l'Iraq (Lepidoptera, Pieridae). Linneana Belgica 11: 329-332, figs.
- 3433) Shatalkin,A.I.**, 2000, Keys to the palaearctic flies of the family Lauxaniidae (Diptera). Zool. Issledovania 5: 1-101, figs.

- 3434) Sheljuzhko, L.**, 1908, Quelques formes nouvelles des Lépidoptères. Russk. ent. Obozr. 7 (1907): 232-233.
- 3435) Sheljuzhko, L.**, 1924, Uebersicht der kaukasischen Rassen von *Parnassius apollo* L. Mitt. münch. ent. Ges. 14: 42-54.
- 3436) Sheljuzhko, L.**, 1925, Neue Pieriden-Formen. Mitt. münch. ent. Ges. 15: 96-101.
- 3437) Sheljuzhko, L.**, 1926, Neue palaearktische Heteroceren. Dt. ent. Z., Iris 40: 1-10, 4 Abb.
- 3438) Sheljuzhko, L.**, 1931, Einige Randbemerkungen zum "Supplement" zu den "Gross-Schmetterlingen der Erde" herausgegeben von Dr. A. Seitz. Papilionidae und Pieridae. Int. ent. Z. 25: 69-74.
- 3439) Sheljuzhko, L.**, 1937, Lepidopterologische Ergebnisse meiner Reise nach dem Teberda-Gebiete (Nordwest-Kaukasus). Folia zool. Hydrobiol. 8: 117-140, Taf. 6.
- 3440) Shields, O.**, 1996, Geographic isolation in southwestern North American Butterflies (Lepidoptera, Rhopalocera). Nachr. ent. Ver. Apollo N.F. 17(1): 71-92.
- 3441) Shirozu, T. & H. Yamamoto**, 1956, A generic revision and philogeny of the tribe Theclini (Lepidoptera, Lycaenidae). Sieboldia 4: 329-421, 35-85 Pls.
- 3442) Shirozu, T. & T. Saigusa**, 1971, A New Genus of the Subfamily Apaturinae (Nymphalidae). Butterfl. Moths 22 (1/2): 7-13, 4 figs.
- 3443) Sibatani, A.**, 1974, A new genus for two species of Lycaeninae (s.str.) (Lepidoptera, Lycaenidae). from Papua New Guinea. J. Aust. ent. Soc. 13: 95-110, 23 figs.
- 3444) Sichel, J. & O. Radoszkowski**, 1869-1870, Essai d'une monographie des Mutilles de l'ancien continent. Horae Soc. ent. ross. 6 (3) [1869]: 139-172; 6 (4) [1870]: 173-309, pls. 6-11.
- 3445) Sieder, L.**, 1975, Eine neue Psychide auf der Insel Büyük-Ada (Türkei) (Lepidoptera, Psychidae), *Massonia rassei* spec. nov. Ent. Ber., Amst. 35: 150-153, figs.
- 3446) Siegler, K.**, 1958, Sammelfahrt auf dem Balkan und in Kleinasien. Ent. Z., Frankf. a. M. 68: 65-71.
- 3447) Sieglinde & K. Rehne**, 1972, Ein Fund von *Colias erate* in Griechenland (Lep., Pieridae). Societas ent. 82(14): 159-160.
- 3448) Siepe, W.**, 1995, Die Praeimaginalstadien und die Aufzucht von *Polyommatus (Aricia) torulensis* Hesselbarth & Siepe, 1993 (Lepidoptera, Lycaenidae). Phegea 23 (3): 167-172, figs.
- 3449) Sifner, F.**, 2004, Three new species of scatophagid flies from the Palaearctic region with a description of male *Hexamitocera martineki* (Diptera, Scathophagidae). J. Nat. Mus. (Nat. Hist. Ser.) 73: 105-110.
- 3450) Sifner, F.**, 2008, A catalogue of the Scathophagidae (Diptera) of the Palaearctic region, with notes on their taxonomy and faunistics. Acta ent. Mus. natn. Pragae 48 (1): 111-196.
- 3451) Sihvonen, P. & K. Nupponen**, 2005, Taxonomy of *Rhodostrophia jacularia* (Hübner, 1813) - a Sterrhinae moth with variable female wing shape (Lepidoptera, Geometridae). Nota lepid. 28 (2): 113-122, figs.
- 3452) Sikes, D.S., Madge, R.B. & A.F. Newton**, 2002, A catalog of the Nicrophorinae (Coleoptera, Silphidae) of the world. Zootaxa 65: 1-304.
- 3453) Silkin, N.**, 2008, Gazi Üniversitesi Zooloji Müzesinde bulunan Cantharidae (Coleoptera) örneklerinin değerlendirilmesi. Yüksek lisans tezi. 159s. Publisher: Yükseköğretim Kurulu Ulusal Tez Merkezi [tez no: 234041] <http://tez2.yok.gov.tr/>
- 3454) Simonyi, S.**, 1996, A new species of the genus *Rusina* Stephens, 1829 from Turkey (Lepidoptera, Noctuidae). Folia ent. hung. 57: 271-275, 12 figs.
- 3455) Sinclair, B.J. & J.M. Cumming**, 2006, The morphology higher level phylogeny and classification of the Empididae (Diptera). Zootaxa 1180: 1-172, figs.
- 3456) Sinev, S.Y.**, 2002, World Catalogue of cosmopterigid moths (Lepidoptera, Cosmopterigidae). Proc. zool. Inst., St. Petersburg 293: 1-182.
- 3457) Sipahi, R.**, 1959, Antep Fistiklarında *Pachypasa otus* Drury. Bitki Koruma Bül. 1(2): 46-49, 6 figs.
- 3458) Sipahiler, F.**, 2010, Two new species of Trichoptera from northeastern Turkey (Rhyacophilidae, Sericostomatidae). Aquatic Insects 32 (1): 61-66, figs.
- 3459) Sişli, M.N.**, 1968, Ankarada *Aporia crataegi* L.'nin (Lepidoptera, Pieridae) göçü. Bitki Koruma Bülteni 8(1): 74-76, sek.
- 3460) Sjaak, J.C. et al.**, 2004, *Blastodacna libanotica* Diakonoff, 1939 - a pest on Pear in Turkey (Agonoxenidae). Nota lepid. 27 (1): 33-40.
- 3461) Skala, P.**, 2003, A new species of the genus *Satyrus* Latreille, 1810 from Iran (Lepidoptera, Nymphalidae). Linneana Belg. 19 (1): 35-40, figs.
- 3462) Skala, P.**, 2003, New taxa of the genus *Hyponephele* Muschamp, 1915 from Iran and Turkey (Lepidoptera, Nymphalidae). Linneana Belg. 19 (1): 41-50, figs.
- 3463) Skartveit, J. & A. Nel**, 2012, Fossil Bibionidae (Diptera, Bibionomorpha) from the late Oligocene of Bes-Konak, Anatolia, Turkey. Zootaxa 3329: 51-63, 7 pls.
- 3464) Skartveit, J. & H. Koç**, 2007, New records of Bibionidae (Diptera) from Turkey. J. ent. Res. Soc. 9 (1): 49-52, 1 map.

- 3465) Skuhrava,M.,Mayram,Ş., Çam,H., Tezcan,S. & P.Can,** 2005, Gall midges (Cecidomyiidae, Diptera) of Turkey. Türk. Ent. Derg. 29 (1): 17-34.
- 3466) Smissen,J.v.d.,** 2003, Revision der europäischen und türkischen Arten der Gattung *Evagetes* Lepeletier,1845 unter Berücksichtigung der Geaderabweichungen (Hymenoptera, Pompilidae). Verh. Ver. Naturw. Heimatforsch. Hamburg 42: 1-253, figs.
- 3467) Smith,F.,** 1874, Monograph of the genus *Xylocopa* Latr. Trans. ent. Soc. London 1874: 247-302.
- 3468) Sodoffsky,W.,** 1849, *Heliothis victorina*. Stettin ent. Ztg. 10: 130-131.
- 3469) Soffner,J.,** 1965, *Lasiocampa eversmanni* in Bulgarien (Lepidoptera, Lasiocampidae). Ent. Z., Frankf. a. M. 75: 70.
- 3470) Soffner,J.,** 1967, Kleinschmetterlinge aus Bulgarien (Lep.). Mitt. münch. ent. Ges. 57: 102-122, Taf.V-VI.
- 3471) Solis,M.A.,** 1992, Checklist of the old world *Epipaschiinae* and related new world genera *Macalla* and *Epipaschia* (Pyrilidae). J. Lep. Soc. 46 (4): 280-297.
- 3472) Soltani,A.A.,** 1978, Preliminary synonymy and description of new species in the genus *Dociostaurus* Fieber,1853 (Orthoptera, Acrididae, Gomphocerinae) with a key to the species in the genus. J. Ent. Soc. Iran, Suppl. 2: 1-93, 158 figs.
- 3473) Soos,A.,** 1984, Clusiidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 10: 11-14, Akademiai Kiado, Budapest.
- 3474) Soos,A.,** 1984, Opomyzidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 10: 53-56, Akademiai Kiado, Budapest.
- 3475) Soos,A.,** 1984, Family Platystomidae Soos,A. & L.Papp (eds.), Catalogue of palaearctic Diptera vol.9, 490pp. Akademiai Kiado, Budapest.
- 3476) Sorokina,V.S.,** 2009, Hover flies of the genus *Paragus* Latr. (Diptera, Syrphidae) of Russia and adjacent countries. Ent. Obozr. 88 (2): 466-487; Ent. Rev. 89 (3): 351-366, figs. [in English]
- 3477) Sovinsky,V.,** 1905, *Callophrys rubi chalybeitincta* n.ssp. Russk. ent. Obozr. 5: 109.
- 3478) Sovinsky,V.,** 1915, Notice sur les races caucasiens de *Lycaena damon* Schiff. Russk. ent. Obozr. 15: 383-391.
- 3479) Spatenka,K. & Z.Lastuvka,** 1997, Zur Verbreitung und Variabilität von *Paranthrene insolita* Le Cerf,1914 (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo (N.F.) 18 (1): 13-21, 6 figs.
- 3480) Spatenka,K.,** 1987, Fünf neue paläarktische Glasflügler (Lepidoptera, Sesiidae). Z. ArbGem. öst. Ent. 39(1-2): 12-26, 4 Abb, 2 Tab.
- 3481) Spatenka,K.,** 1992, Weitere neue palaearktische Sesiiden (Lepidoptera, Sesiidae). Alexanor 17 (7): 427-446, 19 figs.
D
- 3482) Spatenka,K.,** 1997, Neue Glasflügler-Arten und Unterarten aus Europa und der Türkei (Sesiidae, Lepidoptera). Bonn. zool. Beitr. 47 (1/2): 43-57, figs.
- 3483) Spatenka,K.,** 2001, Some new Palaearctic clearwing moths (Lepidoptera, Sesiidae). Ent. Z. 111 (3): 75-80, figs.
- 3484) Spatenka,K., Gorbunov,O., Lastuvka,Z., Tosevki,I. & Y.Arita,** 1996, Die Futterpflanzen der paläarktischen Glasflügler (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 17 (1): 1-20.
- 3485) Speidel,W. & L.Aarvik,** 2002, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. Nota lepid. 25 (1): 17-22.
- 3486) Speidel,W.,** 1984, Revision der Acentropinae des palaearktischen Faunengebietes (Lepidoptera, Crambidae). Neue ent Nachr. 12: 1-157, figs.
- 3487) Speidel,W.,** 1989, Die Synonymie von *Pyrausta aerealis* (Hübner) (Lepidoptera, Crambidae). Nachr. ent. Ver. Apollo (N.F.) 10(2): 175-177.
- 3488) Speyer,A.,** 1879, Die Hesperiden-Gattungen des europäischen Faunengebiets II.Nachträge Das Flügelgeäder. Stettin ent. Ztg. 40: 477-500.
- 3489) Springate,N.D., Burckhardt,D. & L.S.Springate,** 2011, New species of Megalodontesidae (Hym., Symphyta, Pamphiloidea) from North Africa and the Middle East. Entomologist's Rec. J. Var. 123 (3): 131-144.
- 3490) St.Quentin,D.,** 1964, Odonaten aus Anatolien und dem Irak. Ent. Mitt. Z. Mus. Hamb. 3: 49-51.
- 3491) St.Quentin,D.,** 1964, Die Odonaten der Sammelreise R.Petrowitz und F.Ressl aus Kleinasien. Beitr. Ent. 14: 421-426.
- 3492) St.Quentin,D.,** 1965, Zur Odonatenfauna Anatoliens und angrenzenden Gebiete. Annln naturh. Mus. Wien 68: 531-552.
- 3493) St.Quentin,D.,** 1965, Zur Odonatenfauna Anatoliens und der angrenzenden Gebiete. Annln naturh. Mus. Wien 68: 531-552, figs.
- 3494) Stainton,H.T.,** 1856, Descriptions of three species of Indian Microlepidoptera. Trans. ent. Soc. Lond. (n.s.) (2) 3 (8): 301-304.
- 3495) Stalling,T.,** 2010, A new species of ant-loving cricket, *Myrmecophilus* Berthold,1827 and comments on *M. nigricornis* (Chopard,1963) from the Middle East. Zool. Middle East 49: 89-94.

- 3496) Standfuss, M.**, 1892, Lepidopterologisches [in] Romanoff, N.M., Mém. Lépid. 6: 659-669, Pl.
- 3497) Stary, J. & A. Freidberg**, 2007, The Limoniidae of Israel (Diptera). Israel J. Ent. 37: 301-357, figs.
- 3498) Stary, J. & P. Oosterbroek**, 2008, New records of West Palaearctic Limoniidae Pediciidae and Cylindrotomidae (Diptera) from the collections of the Zoological Museum, Amsterdam. Zootaxa 1922: 1-20.
- 3499) Stauder, H.**, 1924, Neue Palaearktenformen II. Mitt. münch. ent. Ges. 14: 59-66.
- 3500) Staudinger, O. & H. Rebel**, 1901, I. Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger, O. & H. Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. xxxii+411 S. Berlin.
- 3501) Staudinger, O.**, 1860, *Pieris krueperi*. Ein neuer europäischer Tagfalter. Wien. ent. Monatschr. 4: 19-20.
- 3502) Staudinger, O.**, 1861, Macrolepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. xvi+84 S. Dresden.
- 3503) Staudinger, O.**, 1862, Die Arten der Lepidopteren-Gattung "*Ino* Leach" nebst einigen Vorbemerkungen über Localvarietäten. Stettin ent. Ztg. 23: 341-359.
- 3504) Staudinger, O.**, 1870, Beitrag zur Lepidopterenfauna Griechenlands. Horae Soc. ent. ross. 7: 3-304, 3 Taf.
- 3505) Staudinger, O.**, 1871, Macrolepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. xxxviii+200 S. Dresden.
- 3506) Staudinger, O.**, 1878-1881, Lepidopteren-Fauna Kleinasien's. Horae Soc. ent. ross. 14: 176-482; 15: 159-435; 16: 65-135.
- 3507) Staudinger, O.**, 1879, Ueber die Lepidopteren südöstlichen europäischen Russlands. Stettin ent. Ztg. 40: 315-328.
- 3508) Staudinger, O.**, 1887, Einige neue Arten und Varietäten der Gattungen *Sesia* und *Zygaena*. Berl. ent. Z. 31(1): 29-42.
- 3509) Staudinger, O.**, 1892, Neue Arten und Varietäten von palaarktischen Geometriden aus meiner Sammlung. Dt. ent. Z., Iris 5 (1): 141-260.
- 3510) Staudinger, O.**, 1892, Neue Arten und Varietäten von Lepidopteren des palaarktischen Faunengebietes. Dt. ent. Z., Iris 4: 224-339, Taf.
- 3511) Staudinger, O.**, 1893, Beschreibung neuer palaarktischer Pyraliden. Dt. ent. Z., Iris 6: 71-82; ibid. 5: Taf. III.
- 3512) Staudinger, O.**, 1895, Neue Lepidopteren-Arten und Varietäten dem palaarktischen Faunengebiet. Dt. ent. Z., Iris 7 (1894): 241-296, Taf. [publication date 5 Jan., 1895]
- 3513) Staudinger, O.**, 1896, Neue palaarktische Lepidopteren. Dt. ent. Z., Iris 8 (1895): 288-299, Taf. v. [publication date 2 Jan. 1896]
- 3514) Staudinger, O.**, 1900, Zwei neue Palaarktische Heterocera. Dt. ent. Z., Iris 13: 112-114.
- 3515) Staudinger, O.**, 1900, Neue Lepidopteren des palaarktischen Faunengebiets. Dt. ent. Z., Iris 12: 352-403, Taf. [wrong citation by Hausmann (1994: 78) as "palaarktischen Faunengebietes"]
- 3516) Stein, J. P. E. F.**, 1876, Einige neue dalmatinische griechische und kleinasiatische Tenthrediniden. Stettin ent. Ztg. 37: 53-61.
- 3517) Stein, P.**, 1916, Die Anthomyiden Europas. Tabellen zur Bestimmung der Gattungen und aller mir bekannten Arten, nebst mehr oder weniger ausführlichen Beschreibungen. Arch. Naturg. 81 A (10) [1915]: 1-224.
- 3518) Stempffer, H.**, 1931, Contribution a l'etude de quelques especes du genre *Lycaeides* Hübner. Annls Soc. ent. Fr. 1931: 121-132, 3 Pls.
- 3519) Stephens, J. F.**, 1827-1835, Illustrations of British entomology; or, a synopsis of indigenous insects...Haustellata. 1 (1827-1828): 152pp., pls. 1-12; 2 (1828-1829): 203pp., pls. 13-24; 3 (1829-1831): 337pp., pls. 25-32; 4 (1831-1835): 436pp., pls. 33-41. Baldwin & Cradock, London.
- 3520) Sterneck, J.**, 1932, Studien über Acidaliinae (Geometr.) I. Z. öst. EntVer. 17: 82-84.
- 3521) Sterneck, J.**, 1940, Versuch einer Darstellung der systematischen Beziehungen bei den palaarktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VII, I. Teil: Der Gattung Sterrha und deren nächste Verwandte. Z. Wien. Ent.-Ver. 25: 6-17, 25-36, 56-59, 77-79, 98-107, 126-128, 136-142, 152-159, 161-176, pl. 1-10.
- 3522) Sterneck, J.**, 1940-1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaarktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VIII, II. Teil: Der Gattung Scopula und deren nahe Verwandte. Z. Wien. Ent.-Ver. 25 (1940): 200-208, 214-218, pl. 23-28; ibid. 26 (1941): 17-31, 41-55, 88-96, 105-116.
- 3523) Sterneck, J.**, 1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaarktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) IX, III-VI. Teil. Z. Wien. Ent.-Ver. 26: 150-159, 176-183, 191-198, 211-216, 217-222, 222-230, 248-262, pls. 12-25.
- 3524) Stichel, H.**, 1907, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 59. Zerynthiinae. Bruxelles.

- 3525) Stichel,H.**, 1907, Lepidoptera. [in] Wytsman,P., Genera Insectorum Fasc. 58. Parnassiinae. Bruxelles.
- 3526) Stichel,H.**, 1908, Die Lepidopteren-Gattung Parnassius Latreille mit besonderer Berücksichtigung der historischen, morphologischen und biologischen Verhältnisse. Berl. ent. Z. (Sitzb. 1906) 52: (15)-(26).
- 3527) Stichel,H.**, 1910-1911, Lepidoptera. [in] Wytsman,P., Genera Insectorum Fasc. 112. Riodinidae. Bruxelles.
- 3528) Stigenberg,J. & F.Ronquist**, 2011, Revision of the Western Palearctic Meteorini (Hymenoptera, Braconidae, with a molecular characterization of hidden Fennoscandian species diversity. Zootaxa 3084: 1-95, figs.
- 3529) Stoll,C.**, 1780-[1782], [in] Cramer,P., Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4 (part): 29-252 pp., 305-400 Pls. Amsterdam & Utrecht.
- 3530) Stoll,C.**, 1787-[1790] Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America [supplement] viii+ [184] pp., 4 Pls. Amsterdam.
- 3531) Stradomsky,B.V.**, 2006, Polyommatus shchurovi sp.n. (Lepidoptera, Lycaenidae) from the altitude areas of Western Caucasus. Caucasian Ent. Bull. 2 (2): 215-216, figs.
- 3532) Straka,J.**, 2005, A review of the genus Tachysphex (Hymenoptera, Apoidea) of Turkey, with description of four new species. Acta Soc. zool. Bohemosl. 69: 247-276, figs.
- 3533) Strand,E.**, 1909, Lepidoptera von Eregli und Taurus in Kleinasien, gesammelt von Herrn J.Niedieck. Int. ent. Z. 3: 78-81.
- 3534) Strand,E.**, 1910, Familie: Lymantriidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 109-141, pls., Stuttgart.
- 3535) Strand,E.**, 1911, Familie: Thaumetopoeidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 143-145, pls., Stuttgart.
- 3536) Strand,E.**, 1919, Arctiidae: Subfam. Arctiinae, [in] Wagner,F., Lepidopterorum Catalogus Pars 22. 1-416 s. W.Junk, Berlin.
- 3537) Strand,E.**, 1922, Arctiidae: Subfam. Lithosiinae, [in] Wagner,F., Lepidopterorum Catalogus Pars 26. 501-899 s. W.Junk, Berlin.
- 3538) Strumia,F.**, 2006, Contribution to the knowledge of Chrysididae fauna of Turkey (Hymenoptera, Aculeata). Frust. Ent. 30 (43): 55-92.
- 3539) Stuke,J.-H. & C.Kehlmaier**, 2008, Westpaläarktische Conopidae (Insecta, Diptera) in der Sammlung des Museums für Tierkunde der Staatlichen Naturhistorischen Sammlungen Dresden. Faun. Abh. (Dresden) 26: 137-147.
- 3540) Stuke,J.-H. & D.K.Clements**, 2008, Revision of the Myopa testacea species-group in the palaearctic region (Diptera, Conopidae). Zootaxa 1713: 1-26, figs.
- 3541) Stuke,J.-H.**, 2006, Thecophora pusilla auct.- ein Artenkomplex (Diptera, Conopidae). Beitr. Ent. 56 (2): 269-279, figs.
- 3542) Stuke,J.-H.**, 2006, Erste Nachweise von Lonchoptera nerana Vaillant, 1989 aus der Türkei (Diptera, Lonchopteridae). Stud. dipterol. 13(2): 331.
- 3543) Stuke,J.-H.**, 2007, Sepsidenfunde aus Ostanatolien (Diptera, Sepsidae). Stud. dipterol. 13(2): 391-395.
- 3544) Stuke,J.-H.**, 2007, Bestimmung und Taxonomie der paläarktischen Conopiden (Diptera). Beitr. Ent. 57 (1): 1-8, figs.
- 3545) Stuke,J.-H.**, 2010, Psilidae und Micropezidae (Diptera) aus der Osttürkei. Stud. dipterolog. (2009) 16 (1/2): 106-108.
- 3546) Stuke,J.-H.**, 2002, A new species of Sicus from Central Europe (Diptera, Conopidae). Mitt. Schweiz. ent. Ges. 75: 245-252, 17 figs.
- 3547) Stuke,J.-H., Hayat,R. & H.Özbek**, 2008, Records of notable Conopidae (Diptera) from Turkey. Faun. Abh. (Dresden) 26: 109-117, Abb.
- 3548) Stusak,J.M. & F.Önder**, 1982, A new species of Dictyonota Curtis, 1827 from Turkey (Heteroptera, Tingidae). Türk. Bitki kor. derg. 6: 67-74, figs.
- 3549) Stüning,D. & S.Wagener**, 1989, Eine neue Unterart von Archon apollinus (Herbst, 1798) aus der europäischen Türkei (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 10(2): 133-142, 2 Taf.
- 3550) Sueur,J., Puissant,S. & J.-M.Pillet**, 2003, An eastern Mediterranean Cicada in the West: First record of Tibicina steveni (Krynicky, 1837) in Switzerland and France (Hemiptera, Cicadidae, Tibicininae). Revue fr. Ent. (N.S.) 25 (3): 105-111, figs.
- 3551) Sueyoshi,M.**, 2006, Comparative morphology of the male genitalia of Tephritidae and other Cyclorrhapha. Israel J. Ent. 35: 477-496, figs.
- 3552) Sumakov,G.**, 1915, Les especes paléarctiques du genre Mylabris Fabr. Horae Soc. ent. ross. 42: 1-71.
- 3553) Sutter,R. & T.Karisch**, 2006, Zur Identität von Aethes scabidulana (Lederer, 1855) und A. capnospila (Meyrick, 1912) (Lepidoptera, Tortricidae, Cochylini). Ent. Nachr. Ber. 50 (3): 113-117, figs.
- 3554) Sutter,R.**, 1997, Beiträge zur Insektenfauna Ostdeutschlands: Lepidoptera- Ochsenheimeriidae. Beitr. Ent. 47 (1): 3-12, 27 figs.

- 3555) Suwa, M.** 1987, The genus *Anthomyia* in Palaearctic Asia (Diptera, Anthomyiidae). *Ins. matsum.* (n.s.) 36: 1-37, figs.
- 3556) Svihla, V. & J. Hajek,** 2009, Taxonomic changes in Eastern Mediterranean *Malachius* (Coleoptera, Malachiidae). *Acta ent. Mus. natn. Pragae* 49 (1): 217-224, figs.
- 3557) Svihla, V.,** 1998, New species of the family Malachiidae (Coleoptera) for the fauna of Turkey. *Klapalekiana* 34: 233-237.
- 3558) Svihla, V.,** 1999, Contribution to the knowledge of the genus *Cantharis* L. and related genera from Turkey and adjacent regions (Coleoptera, Cantharidae). *Ent. Basil.* 21: 135-170.
- 3559) Svihla, V.,** 2009, New species of the subfamily Malthininae (Coleoptera, Cantharidae) from the western Palaearctic Region. *Acta ent. Mus. natn. Pragae* 49 (1): 191-216, figs.
- 3560) Svinski, J., Marshall, S. & E. Petersson,** 1999, Kleptoparasitism and phoresy in the Diptera. *Florida ent.* 82 (2): 179-197, figs.
- 3561) Swainson, W.,** 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. *Phil. Mag.* (n.s.) 1(1): 180-188.
- 3562) Swinhoe, C.,** 1903, A revision of the Old World Lymantriidae in the National Collection. *Trans. ent. Soc. London* 1903: 375-498.
- 3563) Swinhoe, C.,** 1922-1923, A revision of the genera of the family Liparidae. *Ann. Mag. nat. Hist.* (9) 10: 449-484; (9) 11: 47-97, 289-304, 400-442.
- 3564) Syrovatka, O.,** 1995, Revision of *Empis* s.str. species (Diptera, Empididae) described by G. Strobl, Part I. *Eur. J. Ent.* 92: 497-511, figs.
- 3565) Szadziewski, R., Dominiak, P. & A. Tothova,** 2007, European *Atrichopogon* biting midges of the subgenus *Meloehalea* (Diptera, Ceratopogonidae). *Polski pismo Ent.* 76: 267-284.
- 3566) Szadziewski, R., Gwizdalska-Kentzer, M. & E. Sontag,** 2007, Predatory biting midges of the genus *Sphaeromias* (Diptera, Ceratopogonidae) in Europe. *Polski pismo Ent.* 76: 293-302, figs.
- 3567) Szent-Ivany, J.,** 1940, Zoologische Ergebnisse der Forschungsreise N. Vasvari's in Kleinasien, III. Lepidoptera. Sitzung III. Klasse Ungar. Akad. Wiss. 1940: 356-359.
- 3568) Szépligeti, G. V.,** 1904, Hymenoptera, Fam. Braconidae. *Genera Ins.* 22: 1-253, 3 pls.
- 3569) Szilady, Z.,** 1915, Subgenus *Ochrops*, eine neue Untergattung der Gattung *Tabanus* L. 1761 (Dipt.). *Ent. Mitt.* 4 (4-6): 93-107, Taf. III, IV.
- 3570) Szilady, Z.,** 1923, New or little known Horseflies (Tabanidae). *Biol. hung.* 1 (1): 1-39.
- 3571) Szilady, Z.,** 1941, Paläarktische Stratiomyiden. *Annls hist. nat. Mus. natn. hung.* 34: 88-101.
- 3572) Şahin, Y.,** 1984, Doğu ve Güney Doğu Anadolu Bölgeleri Akarsu ve Göllerindeki Chironomidae (Diptera) larvalarının teşhisi ve dağılımları. *Anadolu Üniversitesi Yayınları* no 57. 145s., 359 şek.
- 3573) Şengonca, Ç.,** 1981, Die Neuropteren Anatoliens I. Chrysopidae. *Mitt. münch. ent. Ges.* 71: 121-137.
- 3574) Şengonca, Ç.,** 1981, Türkiye Neuropteridae (Insecta, Neuroptera) faunası üzerinde taksonomik araştırmalar II. Faunistik. *Türk. bitki kor. derg.* 5 (2): 101-114, figs.
- 3575) Taeger, A. & S. M. Blank,** 2008, ECatSym - Electronic World Catalog of Symphyta (Insecta, Hymenoptera) program version 3.9. data version 34 - Digital Entomological Information, Müncheberg [access 27 1 2011].
- 3576) Taeger, A.,** 1998, Kommentare zur Biologie Verbreitung und Gefährdung der Pflanzenwespen Deutschlands (Hymenoptera, Symphyta), [in] Taeger, A. & Blank, S. M. (ed.), *Pflanzenwespen Deutschlands* (Hym. Symphyta). Kommentierte Bestandsaufnahme. 364+3 S., 8 Taf. Goecke & Evers.
- 3577) Taeger, A., Blank, S. M. & A. D. Liston,** 2010, World catalog of Symphyta (Hymenoptera). *Zootaxa* 2580: 1-1064, figs.
- 3578) Talbot, G.,** 1939, Revisional notes on the genus *Colotis* Hübn. (Lepid., Pieridae) with a systematic list. *Trans. R. ent. Soc. Lond.* 88: 173-233.
- 3579) Talbot, G.,** 1943, Revisional notes on *Anaphaeis* Hübn. and *Belenois* Hübn., with descriptions of some new forms (Lep., Rhop., Pieridae). *Ann. Mag. nat. Hist.* (11) 10: 305-336.
- 3580) Tams, W. H. T. & J. Bowden,** 1953, A revision of the African species of *Sesamia* Guenée and related genera (Agrotidae, Lepidoptera). *Bull. ent. Res.* 43: 645-678, 6 Pls.
- 3581) Tams, W. H. T.,** 1926, A New species of *Lycophotia* (Noctuidae, Agrotinae) from Cyprus. *Entomologist's Rec. J. Var.* 38: 129-130, 1 Pl.
- 3582) Tarla, Ş., Doğanlar, M. & C. Gözüaıcık,** 2010, The species of *Oopristus* Steffan, 1968 (Hymenoptera, Torymidae, Toryminae, Monodontomerini) of Turkey, with descriptions of two new species. *Türk. J. Zool.* 34: 487-495, figs. [new species & new records].
- 3583) Tarmann, G.,** 1977, Beschreibung einer neuen Grünzygaene, *Procris* (*Procris*) *storaiae* n.sp., aus der südöstlichen Türkei, nebst einiger kurzer Bemerkungen zur Systematik und Biologie der statices-Gruppe des Genus *Procris* (Lepidoptera, Zygaenidae). *NachrBl. bayer. Ent.* 26 (2): 97-108, figs.
- 3584) Tarmann, G.,** 1977, Neue Funde von *Procris* (*Lucasiterna*) *horni* Alberti, 1937 (Lepidoptera, Zygaenidae). *Mitt. münch. ent. Ges.* 67: 91-94, 5 Abb.
- 3585) Tarmann, G.,** 1979, Die statices-Gruppe des Genus *Procris* F. (Lepidoptera, Zygaenidae). *Mitt. münch. ent. Ges.* 68: 45-108, figs.

- 3586) Tatarnic, N.J. & G. Cassis**, 2012, The Halticini of the world (Insecta, Heteroptera, Miridae, Orthotylinae): generic reclassification, phylogeny, and host plant associations. *Zool. J. Linn. Soc.* 164 (3): 558-658, figs.
- 3587) Tauber, A.F.**, 1970, Glaziale Reliktformen der Gattung *Maniola* (Lep. Satyridae) in Vorderasien. *Z. ArbGem. öst. Ent.* 22(4): 101-119, 13 Abb.
- 3588) Tavakoli, M., Melika, G. et al.**, 2008, New species of oak gallwaps [sic!] from Iran (Hymenoptera, Cynipidae Cynipini). *Zootaxa* 1699: 1-64, figs.
- 3589) Taylor, B.**, 2010, The Ants of Egypt. http://www.nottingham.ac.uk/~plzfg/ants/ants_of_egypt_2007/cover.htm [access on 27 October 2010].
- 3590) Ten Hagen, W. & K.G. Schurian**, 2009, *Polyommatus* (*Aricia*) *crassipunctus* *varicolor* ssp.n., eine neue Unterart aus Iran (Lepidoptera, Lycaenidae). *Nchr. ent. Ver. Apollo* (N.F.) 30 (1/2): 9-17, figs.
- 3591) Ten Hagen, W. & W. Eckweiler**, 2000, Zur Taxonomie von *Lycaena* (*Thersamonina*) *lampon* (Lederer, 1870) und *L. (T.) lamponides* (Staudinger, 1901) stat. nov. (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 21 (2): 49-54, 19 Abb.
- 3592) Ten Hagen, W.**, 2003, Freilandhybriden bei Bläulingen aus Ostanatolien und Iran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 23 (4): 199-203, figs.
- 3593) Ten Hagen, W.**, 2008, Taxonomie von *Cupido* *staudingeri* (Christoph, 1873) in Iran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 28 (3/4): 165-171, figs.
- 3594) Tengström, J.M.J. von**, 1848, Bidrag till Finnlands Fjäril-Fauna. *Notis. Sällsk. Faun. Fl. fenn. Förh.* 1: 69-164.
- 3595) Tengström, J.M.J. von**, 1859, Geometridae, Crambidae et Pyralidae Faunae Fenninae. *Notis. Sällsk. Faun. Fl. fenn. Förh.* 4: 145-154.
- 3596) Tengström, J.M.J. von**, 1859, Anmaerkningar och Tilläg til Finnlands Smafjäril-Fauna. *Notis. Sällsk. Faun. Fl. fenn. Förh.* 4: 155-226.
- 3597) Tennent, W.J.**, 2008, A checklist of the satyrine genus *Erebia* (Lepidoptera) (1758-2006). *Zootaxa* 1990: 1-109, figs.
- 3598) Tereshkin, A.M.**, 2004, Illustrated key to the Western Palaearctic genera of the subtribe *Cratichneumonina* (sensu Heinrich) and taxonomic notes on European species of *Rugosculpta* Heinrich, 1967 (Hymenoptera, Ichneumonidae, Ichneumoninae, Ichneumonini). *Russ. ent. J.* 13 (4): 277-293, figs.
- 3599) Tereshkin, A.M.**, 2009 [19.12.], Illustrated key to the tribes of subfamilia *Ichneumoninae* and genera of the tribe *Platylabini* of world fauna (Hymenoptera, Ichneumonidae). *Linzer biol. Beitr.* 41 (2): 1317-1608, figs.
- 3600) Tereshkin, A.M.**, 2011, Illustrated key to the tribes of subfamilia *Ichneumoninae* and genera of the subtribe *Amblytelina* of Palaearctic (Hymenoptera, Ichneumonidae, Ichneumoninae, Ichneumonini). *Linzer biol. Beitr.* 43 (1): 597-711, figs.
- 3601) Terzo, M. & P. Rasmont**, 1997, *Ceratina* *zwakhalsi* et *Ceratina* *verhoeffi*, deux nouvelles especes de la région ouest-paléarctique (Hymenoptera, Apoidea, Xylocopinae). *Tijdschr. Ent.* 140: 221-236, 58 figs. 6 Tab.
- 3602) Terzo, M.**, 1998, Annotated list of the species of the genus *Ceratina* (Latreille) occurring in the Near East, with descriptions of new species (Hymenoptera, Apoidea, Xylocopinae). *Linzer biol. Beitr.* 30 (2): 719-743, 46 figs.
- 3603) Terzo, M.**, 1999, Revision du genre *Exoneuridia* Cockerell, 1911. *Belg. J. Ent.* 1: 137-152.
- 3604) Tezcan, S. & S. Bily**, 1998, Contribution to the study of the genus *Anthaxia* Eschscholtz, 1829 (subgenus *Cratomerus* Solier, 1833 and *Melanthaxia* Richter, 1944) (Coleoptera, Buprestidae) of Turkey. *Türk. ent. Derg.* 22 (3): 171-186.
- 3605) Tezcan, S., Karsavuran, Y., Pehlivan, E. & J. Hava**, 2004, Contribution to the Dermestidae (Coleoptera) fauna of Turkey along with new records. *Türk. ent. Derg.* 28 (1): 27-37.
- 3606) Tezcan, S., Karsavuran, Y., Pehlivan, E. & S. Anlaş**, 2004, Contribution to the knowledge of Scoliididae (Hymenoptera) fauna of Turkey. *Türk. ent. Derg.* 28 (4): 247-252.
- 3607) Tezcan, S., Karsavuran, Y., Pehlivan, E., Anlaş, S. & E. Yıldırım**, 2005, Contribution to the knowledge of Vespidae (Hymenoptera, Aculeata) fauna of Turkey. *Türk. ent. Derg.* 29 (2): 101-110.
- 3608) Tezcan, S., Karsavuran, Y., Pehlivan, E., Keskin, B. & J. Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 1. Lagriinae, Pimeliinae, Bolitophaginae, Diaperinae. *Türk. ent. Derg.* 28 (2): 99-114.
- 3609) Tezcan, S., Karsavuran, Y., Pehlivan, E., Keskin, B. & J. Ferrer**, 2004, Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part 2. Opatrinae, Tenebrioninae, Adeliinae. *Türk. ent. Derg.* 28 (3): 163-180.
- 3610) Tezcan, S., Uhmman, G. & B. Keskin**, 2002, Notes on the Ant-like flower beetles (Coleoptera, Anthicidae, Anthicinae) of the ecologically managed Cherry orchards of western Turkey. *Baltic J. Coleopt.* 2 (1): 77-82.

- 3611) Theischinger, G.**, Weitere Steinfliegen (Plecoptera) aus Anatolien und Iran. Z. ArbGem. Öst. Ent. 28: 49-54, figs.
- 3612) Theischinger, G.**, 1976, Steinfliegen (Plecoptera) aus Anatolien und Iran. Z. ArbGem. Öst. Ent. 27: 105-114, figs.
- 3613) Thierry-Mieg, P.**, 1911, Descriptions de Lépidoptères nouveaux. Annls Soc. ent. Belg. 54 (1910): 465-469.
- 3614) Thomas, D.B.**, 1994, Taxonomic synopsis of the Old World asopine genera (Heteroptera, Pentatomidae). Insecta mundi 8 (3/4): 145-212, figs.
- 3615) Thomas, W.**, 1983, Eine neue Callimorpha dominula Unterart aus der Osttürkei (Lep., Arctiidae). Ent. Z., Frankf. a. M. 93 (8): 107-110, Abb.
- 3616) Thomas, W.**, 1988, Callimorpha splendidior Tams eine eigene Art (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 9(3): 177-186, 4 Abb.
- 3617) Thompson, F.C. & A.C. Pont**, 1993, Systematic database of Musca names (Diptera). Theses Zool. 20, ii+219 pp. Koeltz Scientific Books, Koenigstein [date of publication 12.15.1993].
- 3618) Thompson, F.C. & E. Torp**, 1986, Synopsis of the European species of Sphegina Meigen (Diptera, Syrphidae). Ent. scand. 17: 235-269, figs.
- 3619) Thompson, F.C.**, 1975, The genus Palumbia Rondani (Diptera, Syrphidae). Proc. Ent. Soc. Wash. 77 (2): 194-211, figs.
- 3620) Thompson, F.C.**, 1997, Linnaean species of Conops (Diptera, Conopidae, Muscidae, Sciomyzidae, Syrphidae, & Tachinidae), with designations of lectotypes. Ent. News 108 (4): 265-272.
- 3621) Thomson, C.G.**, 1885, Notes hyménoptérologiques (Première partie Cryptidae). Annls Soc. ent. Fr. (6) 5: 17-32.
- 3622) Thomson, G.**, 1959, Maniola (Epinephele) jurtina (L.) (Lep. Satyridae) and its forms. Entomologist's Rec. J. Var. 81: 7-14, 51-58, 83-90, Pl.
- 3623) Thomson, G.**, 1973, Geographical variation of Maniola jurtina (L.) (Lepidoptera, Satyridae). Tijdschr. Ent. 116 (12): 185-227, 2 Pl.
- 3624) Thomson, G.**, 1992, Egg surface morphology of Manioline butterflies (Lepidoptera, Nymphalidae, Satyrinae). Atalanta 23(1/2): 195-214, 42 figs.
- 3625) Timmer, J.**, 1984, Two new horse flies from Turkey (Diptera, Tabanidae). Ent. Ber. 44: 74-79, 11 figs.
- 3626) Tjeder, B.**, 1970, A new Lertha from Israel (Neur., Nemopteridae). Ent. scand. 1: 219-222.
- 3627) Tkalcu, B.**, 1994, Anthophora (Paramegilla) lydia sp.nov. aus der Türkei (Hymenoptera, Apoidea). Entomofauna 15 (44): 509-512, Abb.
- 3628) Tkalcu, B.**, 1992, Quatre taxa paléarctique nouveaux de la famille des Megachilidae. Bull. Soc. ent. Mulhouse 1992: 47-53.
- 3629) Tkalcu, B.**, 1992, New species of palaeartic Osminiini. Acta Soc. zool. bohemosl. 56: 211-227.
- 3630) Tkalcu, B.**, 1994, Trois nouveaux taxa d'abelles de Turquie (Hymenoptera, Apoidea). Bull. Soc. ent. Mulhouse 1994: 87-89.
- 3631) Tkalcu, B.**, 1980, Quatre sous-especes nouvelles de Megachilidae de Turquie orientale (Hymenoptera, Apoidea). Bull. Soc. ent. Mulhouse 1980: 38-40.
- 3632) Tkalcu, B.**, 1977, Taxonomisches zu einigen palaearktischen Bienenarten (Hymenoptera, Apoidea). Vestn. Cesl. Spol. Zool. 41 (3): 223-239.
- 3633) Tokar, Z. & L. Gozmany**, 2004, Review of the palaeartic species of Dirhinosisia Rebel, 1905 (Lepidoptera, Gelechiidae). Acta zool. hung. 50 (1): 63-74, figs.
- 3634) Toledano, L. & K. Rébl**, 2006, A new species of Bembidion Latreille from Nemrut Dağ, Turkey (Coleoptera, Carabidae). Koleopt. Rdsch. 76: 7-13, figs.
- 3635) Toll, S.**, 1962, Materialien zur Kenntnis der palaearktischen Arten der Familie Coleophoridae. Acta zool. cracov. 7 (16): 577-720, 133 figs.
- 3636) Tolman, T. & R. Lewington**, 1997, Butterflies of Britain and Europe. 320pp., 104 pls., 429 maps. Harper Collins Publ. London.
- 3637) Tomasovic, G.**, 1999, Notes sur les Asilidae paléarctiques (Diptera, Brachycera) (10 et 11). Description et répartition géographique de 2 especes nouvelles de Dasypogon du groupe "diadema (Fabricius, 1781)". Bull. Soc. r. belge Ent. 135: 216-221, figs.
- 3638) Tomasovic, G., Weyer, G. van der & J. Dils**, 2009, A new species of the genus Holopogon from Turkey (Diptera, Asilidae). Phegea 37 (1): 22-26, figs.
- 3639) Tomov, V. & B. Gruev**, 1975, Chrysomelidae (Col.) collected by K.M. Guichard in Turkey, Greece and Yugoslavia. Trav. Sci. Univ. Plovdiv Bulgarica 13 (4): 133-151.
- 3640) Tomov, V.**, 1976, Eine neue Cryptocephalus Art (Coleoptera, Chrysomelidae) aus der Türkei. Acta zool. Bulgarica 5: 83-85.
- 3641) Tomov, V.**, 1984, Cryptocephalinae and Galerucinae from Turkey (Coleoptera, Chrysomelidae). Fragm. ent. Roma 17 (2): 373-378.

- 3642) Tonguç,A., Grichanov,I. & M.Kechev,** 2009, New records of the family Dolichopodidae (Diptera) from Turkey. *Acta zool. bulg.* 61 (2): 213-216, figs.
- 3643) Tonguç,A., Grichanov,I., Koç,H. Özgül,O. & M.Barlas,** 2010, Contributions to the Dolichopodidae (Diptera) fauna of Turkey. *J.ent. Res. Soc.* 12 (2): 103-107.
- 3644) Topkara,E.T. & S.Balık,** 2008, First record of the family Hygrobiidae (Coleoptera, Adephaga) from Turkey *Annls Soc. ent. Fr. (n.s.)* 44 (3): 315-316, figs.
- 3645) Toros,S.,** 1986, Some notes on *Hyadaphis tataricae* (Aizenberg) (Hom., Aphididae), new to Turkey. *Türk. Bitki Kor. Derg.* 10 (3): 141-148.
- 3646) Toros,S., Özdemir,I. & H.Çanakcıoğlu,** 2003, The *Betula* aphids of Turkey. *Anz. Schädlingssk.* 76: 173-175.
- 3647) Townes,H. & M.Townes,** 1959, Ichneumon-Flies of America North of Mexico: I. Subfamily Metopiinae. *Bull. U. S. natn. Mus.* 216: ix+1-318, figs.
- 3648) Tozlu,G. & H.Özbek,** 2000, The tropical fig borer, *Batocera rufomaculata* (Coleoptera, Cerambycidae), new for Turkey. *Zool. Middle East* 20: 121-124.
- 3649) Tozlu,G. & H.Özbek,** 2000, Erzurum, Erzincan, Artvin ve Kars illeri Buprestidae (Coleoptera) familyası türleri üzerinde faunistik ve taksonomik çalışmalar I. Acmaeoderinae, Polycestinae ve Buprestinae. *Turk J. Zool.* 24 (ek sayı): 51-78 [most of the pages stained unprincipledly on purpose, in order to prevent reading. The same case is also recorded on pages of several articles of Tubitak - a so-called most prominent scientific foundation of Turkey].
- 3650) Tozlu,G. & K.Kara,** 2007, The first host record for *Zeuxia zejana* Kolomiets,1971 (Diptera, Tachinidae) from Turkey. *Turk. J. Zool.* 31: 357-358.
- 3651) Tracy,J.L. & T.O.Robbins,** 2009, Taxonomic revision and biogeography of the *Tamarix*-feeding *Diorhabda elongata* (Brullé,1832) species group (Coleoptera, Chrysomelidae, Galerucinae, Galerucini) and analysis of their potential in biological control of *Tamarix*. *Zootaxa* 2101: 1-152, figs.
- 3652) Trankner,A., Li,H. & M.Nuss,** 2009, On the systematics of *Anania Hübner,1823* (Pyraloidea, Crambidae, Pyraustinae). *Nota lepid.* 32 (1): 63-60, figs.
- 3653) Traugott-Olsen,E.,** 1990, Descriptions of four new species of Elachistidae (Lepidoptera) and diagnoses of *Elachista pollutella* Duponchel,1843 and *E. constitella* Frey,1859. *Shilap Revta lepid.* 18 (71): 273-285, figs.
- 3654) Traugott-Olsen,E.,** 1992, The *Elachista dispunctella* (Duponchel,1843) complex with descriptions of new taxa (Lepidoptera, Elachistidae). *Shilap Revta lepid.* 20 (79): 197-316, figs.
- 3655) Trautmann,W.,** 1927, *Die Goldwespen Europas.* 194 pp. Uschman, Weimar.
- 3656) Treitschke,F.,** 1825, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom V (1), 414 pp. Leipzig.
- 3657) Treitschke,F.,** 1826, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom V (2), 417 pp. Leipzig.
- 3658) Treitschke,F.,** 1826, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom V (3), 419 pp. Leipzig.
- 3659) Treitschke,F.,** 1827, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom VI (1), 444 pp. Leipzig.
- 3660) Treitschke,F.,** 1828, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom VI (2), 319 pp. Leipzig.
- 3661) Treitschke,F.,** 1829, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom VII, 257 pp. Leipzig.
- 3662) Treitschke,F.,** 1830, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom VII, 312 pp. Leipzig.
- 3663) Treitschke,F.,** 1832, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom IX (1), 272 pp. Leipzig.
- 3664) Treitschke,F.,** 1833, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom IX (2), 294 pp. Leipzig.
- 3665) Treitschke,F.,** 1834, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom X (1), 286 pp. Leipzig.
- 3666) Treitschke,F.,** 1835, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom X (2), 340 pp. Leipzig.
- 3667) Treitschke,F.,** 1835, *Die Schmetterlinge von Europa* (Fortsetzung von Ochsenheimers Werk). Tom X (3), 302 pp. Leipzig.
- 3668) Tremewan,W.G.,** 1961, The subgenera of the genus *Zygaena* Fabricius, Lepidoptera: Zygaenidae. *Entomologist's Rec. J. Var.* 73: 200-203.
- 3669) Tremewan,W.G.,** 1961, A Catalogue of the types and other specimens in the British Museum (Natural History) of the genus *Zygaena* Fabricius, Lepidoptera: Zygaenidae. *Bull. Brit. Mus. (Nat. Hist.) Ent.* 10 (7): 239-314, Pls. 50-64.

- 3670) Tremewan, W.G.**, 1966, On some type specimens of the genus *Zygaena* Fabricius (Lepidoptera: Zygaenidae) in the British Museum (Natural History). *Entomologist's Rec. J. Var.* 78: 28-37, Pl.1, 18 figs.
- 3671) Tremewan, W.G.**, 1969, Further records of *Zygaena* Fabricius (Lep. Zygaenidae) from Turkey. *Proc. Br. ent. Nat. Hist. Soc.* 1969: 103-106.
- 3672) Tremewan, W.G.**, 1988, A bibliography of the Zygaeninae (Lepidoptera, Zygaenidae). 188pp. Colchester.
- 3673) Triberti, P.**, 1984, Notes on some species of *Caloptilia* Hb. described by O. Staudinger (Lep., Gracillariidae). *Dt. ent. Z. (N.F.)* 31 (1/3): 9-14, 5 figs.
- 3674) Triberti, P.**, 1985, A revision of the genus *Aspilapteryx* Spuler (Lepidoptera, Gracillariidae). *Z. ArbGem. öst. Ent.* 37 (1/2): 1-16, 8 Pls.
- 3675) Trusch, R. & S.Erlacher**, 2001, Zur Morphologie, Verbreitung, Bionomie und Identifikation der *Dyscia*-Arten. *Bonner zool. Monogr.* 49: 1-116, 12 Pls.
- 3676) Trusch, R. & S.Erlacher**, [2003], Taxonomic changes in the geometrid moths taxon *Dyscia* Hübner, [1825] (Lepidoptera, Geometridae, Ennominae). *Eur. J. Ent.* 99 (4): 529-541.
- 3677) Tschorsnig, H.-P. & K.Kara**, 2002, A new species of *Bithia* (Diptera, Tachinidae) from Turkey. *Stuttg. Beitr. Naturk. (A)* 644: 1-4.
- 3678) Tschorsnig, H.-P.**, 2000, Three new species of Palearctic Tachinidae (Diptera). *Stuttg. Beitr. Naturk. (A)* 603: 1-9, figs.
- 3679) Tshikolovets, V.V.**, 2011, Butterflies of Europe and the Mediterranean area. 544pp. Pardubice, Czech Republik.
- 3680) Tuatay, N.**, 1988, Türkiye Yaprakbitleri (Homoptera, Aphididae) I.Aphidinae, Macropsophini [sic!] (I.Kısım). *Bitki Kor. Bült.* 28 (1/2): 1-28.
- 3681) Tuatay, N.**, 1990, Türkiye Yaprakbitleri (Homoptera, Aphididae) II.Aphidinae, Macropsophini [sic!] (II.Kısım). *Bitki Kor. Bült.* 30 (1/4): 29-44.
- 3682) Tuatay, N.**, 1991, Türkiye Yaprakbitleri (Homoptera, Aphididae) III.Aphidinae, Macropsophini [sic!] (III.Kısım). *Bitki Kor. Bült.* 31 (1/4): 3-18.
- 3683) Tuatay, N.**, 1993, Türkiye Yaprakbitleri (Homoptera, Aphididae) IV.Aphidinae, Aphidini (I.Kısım). *Bitki Kor. Bült.* 33 (3/4): 83-106.
- 3684) Tuatay, N.**, 1999, Türkiye Yaprakbitleri (Homoptera, Aphididae) V.Chaitophinae, Lachninae ve Thelaxinae. *Bitki Kor. Bült.* 39 (1/2): 1-21.
- 3685) Tunç, I.**, 1985, On some Thysanoptera from the Middle Black Sea Region of Turkey. *Türk. bitki kor. derg.* 9: 217-224.
- 3686) Turco, F. & M.A.Bologna**, 2011, Systematic revision of the genus *Cerocoma* Geoffroy, 1762 (Coleoptera, Meloidae, Cerocomini). *Zootaxa* 2853: 1-71, figs.
- 3687) Turner, H.J.**, 1925, A new form of *Sarrothrips revayana* race *columbana* nova. *Entomologist's Rec. J. Var.* 37: 77-78.
- 3688) Turner, R.E.**, 1911, Notes on fossorial Hymenoptera.-III. *Ann. Mag. nat. Hist.* (8) 7: 297-310.
- 3689) Turner, R.E.**, 1908, Remarks on the hymenopterous genus *Tiphia*. *Ann. Mag. nat. Hist.* (8) 2: 116-131.
- 3690) Tusov, V.K. [ed.]**, 2000, Families Libytheidae - Lycaenidae. Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 2. 579pp., Pls. Pensoft Publ., Sofia.
- 3691) Tutt, J.W.**, 1892, Classification by neuration. *Entomologist's Rec. J. Var.* 3: 50-51.
- 3692) Tutt, J.W.**, 1892, [Reply to "Classification by structure of imago by E.Meyrick"]. *Entomologist's Rec. J. Var.* 3: 106-111.
- 3693) Tutt, J.W.**, 1893, The genus *Xanthia*: with notes on variation, habits and affinities. *Entomologist's Rec. J. Var.* 4: 25-28, 69-71, 93-96.
- 3694) Tutt, J.W.**, 1894, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology. I. Classification. *Entomologist's Rec. J. Var.* 5: 65-68, 89-92.
- 3695) Tutt, J.W.**, 1896, The Large Copper Butterfly (*Chrysophanus dispar*). *Entomologist's Rec. J. Var.* 8: 57-65.
- 3696) Tutt, J.W.**, 1908, *Everes alcetas* (coretas) as a distinct species from *Everes argiades*. *Entomologist's Rec. J. Var.* 20(10): 231-237, 264-266.
- 3697) Tutt, J.W.**, 1908, Notes on *Everes argiades*, and its ab.*alcetas* Hb. (=coretas Ochs.). *Entomologist's Rec. J. Var.* 18: 129-132.
- 3698) Tüzün, A. & S.Yüksel**, 2010, Hymenoptera of Niğde province: Studies on Sphecidae fauna. *Afr. J. Biotechn.* 9 (28): 4466-4477 [with serious errors in text].
- 3699) Tüzün, A.**, 2004, Studies on Scoliidae (Insecta, Hymenoptera) fauna of Ankara Province. *F.Ü. Fen Mühend. Bilim. Derg.* 16 (1): 25-29.
- 3700) Tüzün, A., Bağrıaçık, N., Gülmez, Y. & M.A.Kırpık**, 2000, Studies on Eumenidae of Aegean Region (Insecta, Hymenoptera). *Entomofauna* 21: 197-212 [some new records are incorrect (see Gusenleitner, 2001)].

- 3701) Tüzün,A., Gülmez,Y. & N.Bağrıaçık**, 1999, Studies on Sphecidae of Aegean Region (Insecta, Hymenoptera). Entomofauna 20 (23): 381-388.
- 3702) Ulay,S.M. & S.Tezcan**, 1998, Contribution to the study of the genus Anthaxia Eschscholtz, 1829 (subgenus Haplanthaxia Reitter, 1911) (Coleoptera, Buprestidae) of Turkey. Türk. ent. derg. 22 (2): 109-121.
- 3703) Unwin,D.M.**, 1981, A key to the families of British Diptera. Field stud. 5: 513-533, figs.
- 3704) Urbahn,E.**, 1971, Eine neue Anaitis-Art aus Transkaukasien: Anaitis uniformata n.sp. Ent. Z., Frankf. a. M. 81 (21): 244-247, Abb.
- 3705) Urbahn,E.**, 1974, Neues über Anaitis uniformata Urbahn und A.praeformata Hbn. (Lep., Geometridae). Ent. Z., Frankf. a. M. 84 (6): 53-58, 3 Abb.
- 3706) Usmani,M.K.**, 2008, A new species of the genus Aiolopus Fieber (Oedipodinae, Acrididae) from Libya. Insecta Mundi 41: 1-14, figs.
- 3707) Ustaoglu,M.R., Balık,S. & A.Taşdemir**, 2005, Chironomidae fauna (Diptera, Insecta) of Gümlü Stream (İzmir). Turk. J. Zool. 29: 269-274, figs.
- 3708) Ustjuzhanin,P.Y.**, 2001, New species, distribution records and synonymies of Plume Moths (Lepidoptera, Pterophoridae) from the Palearctic Region. Nota lepid. 24 (3): 11-32.
- 3709) Uvarov,B.P.**, 1921, Some new Orthoptera from the Caucasus. Entomologist's mon. Mag. (3) 7: 44-50.
- 3710) Uvarov,B.P.**, 1921, Notes on the Orthoptera in the British Museum I. The group of Euprepocnemini. Trans. ent. Soc. London 1921: 106-144.
- 3711) Uvarov,B.P.**, 1926, Orthoptera palaeartica critica II. Genus Tropidopola St. (Acrid). Eos 2: 149-177, figs.
- 3712) Uvarov,B.P.**, 1930, Orthoptera collected by M.Sureya Bey in Turkey. Eos 6: 349-373, figs.
- 3713) Uvarov,B.P.**, 1934, Studies in the Orthoptera of Turkey, Iraq and Syria. Eos 10: 21-119, figs.
- 3714) Uvarov,B.P.**, 1939, New and less known Palearctic Tettigoniidae (Orthoptera). Ann.Mag. nat. Hist. 4 (11): 132-138.
- 3715) Uvarov,B.P.**, 1940, Two new Orthoptera from Turkey. Ann.Mag. nat. Hist. 6: 522-527.
- 3716) Uygun,N. & H.Fürsch**, 1981, Die Hyperaspis-Arten der Türkei. NachrBl. bayer. Ent. 30 (1): 12-15.
- 3717) Uygun,N., et al.**, 1995, A serious citrus pest: Citrus leafminer, Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae). Turk. J. Ent. 19: 247-252.
- 3718) Uygun,N., et al.**, 1997, Studies on biological control of Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae) in Turkey. Integrated Control in Citrus Fruit Crops, IOBC wprs Bulletin 20: 96-101.
- 3719) Uysal,M., Şahbaz,A. & I.Özdemir**, 2006, The aphid species (Homoptera, Aphididae) on poplars in Konya province of Turkey. Selçuk Univ., J. Fac. Agric. 20 (38): 143-149.
- 3720) Uzun,S.**, 1987, Parasites of Pieris brassicae (L.) (Lepidoptera, Pieridae) which is harmful on cabbage and cauliflower around İzmir. Türk Bitki Koruma Derg. 11(4): 237-245, figs.
- 3721) Ülgentürk,S. & M.R.Ulusoy**, 1999, Ankara İlinde bulunan beyazsinek türleri (Homoptera, Aleyrodidae). Türk. ent. Derg. 23 (4): 259-268.
- 3722) Ülgentürk,S.**, 1999, Türkiye [sic!] faydalı faunası için yeni bir kayıt; Leucopis silesiaca Egger (Diptera, Chamaemyiidae). Türk. ent. derg. 23 (1): 75-80, figs.
- 3723) Ünal,M.**, 1997, Nevşehir ili Avanos çevresinin Orthopter'lerinin eko-faunası üzerine araştırmalar. Priamus 9 (1): 1-64.
- 3724) Ünal,M.**, 1999, Notes on the Orthoptera of western Turkey with description of a new genus and four new species. J. Orth. Res. 8: 243-255, figs.
- 3725) Ünal,M.**, 1999, Notes on Orthoptera of western Turkey with description of a new genus and four new species. J. Orth. Res. 8: 243-255, figs.
- 3726) Ünal,M.**, 2001, Description of a new species in the genus Poecilimon Fischer, 1853 (Orthoptera, Phaneropterinae) from North West Turkey. Cent. ent. Stud., Misc. Pap. 74: 1-4, figs.
- 3727) Ünal,M.**, 2002, First data on Orthoptera of Mount Köroğlu, N.W. Anatolia with description of three new taxa. Ent. News 113 (4): 275-288, figs.
- 3728) Ünal,M.**, 2003, Checklist of the Turkish Orthoptera. <http://www.members.tripod.com/Cesa88/orthtr.htm> (last accessed on 6th Sept., 2009).
- 3729) Ünal,M.**, 2003, New species of the genus Poecilimon Fischer (Orthoptera, Tettigoniidae, Phaneropterinae) from Turkey. Trans. am. Ent. Soc. 129 (3/4): 389-398, figs.
- 3730) Ünal,M.**, 2004, Distribution of forty-six species of the genera Isophya Brunner von Wattenwyl, Poecilimon Fischer and Poecilimonella Uvarov (Orthoptera, Tettigoniidae, Phaneropterinae) in Turkey with description of two new species. Priamus 11 (1/2): 1-16, figs.
- 3731) Ünal,M.**, 2005, Three short-winged species of Chorthippus Fieber from Turkey (Orthoptera, Acrididae, Gomphocerinae). Ent. News 116 (5): 283-290, 13 figs.
- 3732) Ünal,M.**, 2005, A new species of Isophya Brunner von Wattenwyl (Orthoptera, Tettigoniidae, Phaneropterinae) from Turkey. Ent. News 116 (4): 209-216, figs.

- 3733) Ünal,M.**, 2005, Phanaeropterinae (Orthoptera, Tettigoniidae) from Turkey and the Middle East. Trans. am. ent. Soc. 131 (3/4): 425-448, figs.
- 3734) Ünal,M.**, 2006, Kırıkkale Orthopter'lerinin fauna ekoloji ve taksonomisi üzerine araştırmalar. Priamus (suppl.) 3: 1-50.
- 3735) Ünal,M.**, 2006, Tettigoniidae (Orthoptera) from Turkey and the Middle East. Trans. am. Ent. Soc. 132 (1/2): 157-203, figs.
- 3736) Ünal,M.**, 2007, Genus Asiotmethis Uvarov (Orthoptera, Pamphagidae) from Turkey, with a checklist of known taxa. J. Orthopt. Res. 16 (2): 191-197, figs.
- 3737) Ünal,M.**, 2010, Phaneropterinae (Orthoptera, Tettigoniidae) from Turkey and the Middle East II. Trans. am. Ent. Soc. 136 (1/2): 125-183, figs. [citation of some references are incorrect!]
- 3738) Ünal,M.**, 2010, To the knowledge of the genus Chorthippus Fieber,1853 (Orthoptera, Acrididae, Gomphocerinae) from Turkey with description of a new species. Far east. Ent. 215: 1-8, figs.
- 3739) Ünal,M.**, 2011, Taxonomic review of the subfamily Bradyporinae (Orthoptera, Tettigoniidae, Bradyporini, Ephippigerini) of Turkey, with description of new species and the relationship of the taxa. Zootaxa 2899: 1-42, figs.
- 3740) Ünal,S. & E.Akkuzu**, 2009, Forest gall midge fauna (Diptera, Cecidomyiidae) of Turkey. Res. J. Agr. Biol. Sci. 5 (6): 915-922.
- 3741) Ünal,S. & E.Özcan**, 2005, Kastamonu yöresi Aphididae (Homoptera) türleri. Süleyman Demirel Üniv. Orman Fak. Derg. (A) 1: 76-83, figs.
- 3742) Ünlü,L. & S.Kornoşor**, 2003, Şanlıurfa ilinde saptanan Noctuidae (Lepidoptera) familyası türleri ve morfolojik özellikleri. J. Agric. Fac. HR U. 7 (3/4): 19-28.
- 3743) Üstüner,T. & A.Hasbenli**, 2003, First record of the subfamily Beridinae (Diptera, Stratiomyidae) from Turkey. Stud. dipterol. 10 (1): 186-188.
- 3744) Üstüner,T. & A.Hasbenli**, 2004, A new species of Oxycera Meigen (Diptera, Stratiomyidae) from Turkey. Ent. News 115 (3): 163-167, figs.
- 3745) Üstüner,T. & A.Hasbenli**, 2007, A new species and some new records of the genus Oxycera (Diptera, Stratiomyidae) from Turkey. Ent. News 118 (2): 179-183, figs.
- 3746) Üstüner,T. & A.Hasbenli**, 2011, First record of the genus Adoxomyia (Diptera, Stratiomyidae) with four species from Turkey. Florida Ent. 94 (1): 64-70, 29 figs.
- 3747) Üstüner,T. & Hasbenli,A. & R.Rozkosny**, 2003, First record of Hermetia illucens (Linnaeus,1758) (Diptera, Stratiomyidae) from the Near East. Stud. dipterol. 10 (1): 181-185.
- 3748) Üstüner,T., Hasbenli,A. & A.Aktümsek**, 2002, Contribution to subfamily Clitelliariinae (Diptera, Stratiomyidae) fauna of Turkey. J. ent. Res. Soc. 4 (1): 19-24.
- 3749) Vaisanen,R.**, 1984, A monograph of the genus Mycomya Rondani in the Holarctic Region (Diptera, Mycetophilidae). Acta zool. fenn. 177: 1-346, figs.
- 3750) Vallantin,H.**, 1894, Lépidoptère nouveau d'Algerie. Epinephele Ida, var. Cecilia. Naturaliste, Paris 16(2) 8(185): 260.
- 3751) Vane-Wright,R.I. & P.R.Ackery**, 1984, The Biology of Butterflies. 429pp. 34 figs. Princeton University Press, New Jersey.
- 3752) Vardikyan,S.A.**, 1985, Atlas of the genital apparatus of geometrid Moths (Geometridae, Lepidoptera) of the Armenian SSR. Akad. Nauk. Arm. Inst. Zool., 136pp., 99 Pls. Erevan [in Russian].
- 3753) Varga,Z. & L.Ronkay**, 1989, Taxonomical notes on the genus Victrix Staudinger,1879 (Lepidoptera, Noctuidae) I. The description of a new subgenus two new species and a new subspecies. Nota lepid. 12 (1):
- 3754) Varga,Z. & L.Ronkay**, 1991, Taxonomic Studies on the palaearctic Noctuidae (Lepidoptera) I.New taxa from Asia. Acta zool. hung. 37(3/4): 263-312, 113 figs. Pls.1-3.
- 3755) Varga,Z. & L.Ronkay**, 1991, Taxonomical notes on the genus Victrix Staudinger,1879 (Lepidoptera, Noctuidae), II. The subgenus Rasihia Kocak. Nota lepid. 14 (2): 144-170, figs.
- 3756) Varga,Z. & L.Ronkay**, 1996, New and revised taxa of the genera Chersotis Boisduval,1840 and Dichagyris Lederer,1857 from Central Asia (Lepidoptera, Noctuidae, Noctuinae). Esperiana 4: 103-132, 83 figs., 2 Pls.
- 3757) Varga,Z. & L.Ronkay**, 2007, On the taxonomy of the genus Diarsia Hübner,[1821] 1816 (Lepidoptera, Noctuidae): The Holarctic species group of the genus. Acta zool. hung. 53 (Suppl.1): 141-209, figs.
- 3758) Varga,Z.**, 1967, Contribution to the taxonomy of Melitaea phoebe Schiff. in Southeastern Europe, with description two new subspecies. Acta univ. debrecen (Ser.2) Biologica 5: 119-137, 31 figs.
- 3759) Varga,Z.**, 1975, Eine Noctuiden-Ausbeute aus Ost-Anatolien (Lep.). Ent. Z., Frankf. a. M. 85: 172-174.
- 3760) Varga,Z.**, 1975, Zoogeographische Gliederung der palaearktischen Orealfauna. Verh. des Sechsten Int. Symp. über Entomofaunistik in Mitteleuropa: pp. 263-284, 6 Abb. Junk & The Hague.

- 3761) Varga,Z.**, 1977, Das Prinzip der areal-analytischen Methode in der Zoogeographie und die Faunenelemente-Einleitung der europäischen TagSchmetterlinge (Lepidoptera, Diurna). Acta univ. debrecen (Ser.2) Biologica 14: 223-285, 33 Abb.
- 3762) Varga,Z.**, 1979, Neue Noctuiden aus der Sammlung Vartian (Wien), II. Z. ArbGem. öst. Ent. 31 (1/2): 1-12, 7 Abb. 1 Taf.
- 3763) Varga,Z.**, 1989, Zweiter Beitrag zur Kenntnis der Gattung *Xenophysa* Boursin, 1969 (Lepidoptera, Noctuidae), mit der Beschreibung fünf neuer Arten. Z. ArbGem. öst. Ent. 41 (1/2): 1-18, figs.
- 3764) Varga,Z.**, 1993, Beiträge zur Kenntnis der Gattung *Dichagyris* Lederer, 1857 (Lepidoptera, Noctuidae) I. Acta zool. hung. 39(1/4): 289-300, figs.
- 3765) Varga,Z.**, 1995, Geographical patterns of the biological diversity in the Palaearctic Region and the Carpathian Basin. Acta zool. hung. 41 (2): 71-92, 3 figs., 2 Tab.
- 3766) Varga,Z.**, 1996, Biogeography and evolution of oreale Lepidoptera in the Palaearctic. Acta zool. hung. 42 (4): 289-330, 12 figs.
- 3767) Varga,Z.**, 1996, New species and subspecies of *Dichagyris*, *Chersotis* and *Rhyacia* (Lepidoptera, Noctuidae) from Central Asia. Acta zool. hung. 42 (3): 195-230, figs.
- 3768) Vecht,J.van der & F.M.A.van Breugel**, 1968, Revision of the nominate subgenus *Sceliphron* Latreille (Hym., Sphecidae) (Studies on the *Sceliphronini*, Part I). Tijdschr. Ent. 111: 185-255, figs.
- 3769) Vereecken,N.J., Schwenninger,H., Gogala,A. & S.P.M.Roberts**, 2009, Mise a jour de la distribution de l'abeille du lierre, *Colletes hederæ* Schmidt & Westrich (Hymenoptera, Colletidae) en Europe. Osmia 3: 2-3, figs.
- 3770) Verhulst,J.**, 1993, Fiches spécifiques des *Colias* F. (*Colias* Data sheets) (Lepidoptera, Pieridae). Dixieme fiche. *Colias chlorocoma*. Lambillionea 93: 39-50, 11 figs. 2 Pls. 1 map.
- 3771) Verhulst,J.**, 1994, Expedition entomologique au nord-est de la Turquie, du 3 au 26 Juillet 1991. Bull. Cerc. Lépid. Belg. 23(24): 71-94, 1 Map, 20 figs.
- 3772) Verity,R.**, 1905-1911, *Rhopalocera palaeartica*. Papilionidae et Pieridae. 86+368 pp. 2+12+72 pls. Firenze.
- 3773) Verity,R.**, 1913, Revision of the Linnean types of palaeartctic *Rhopalocera*. J. Linn. Soc. (Zool.) 32: 173-191.
- 3774) Verity,R.**, 1914, Dates of Publication of "*Rhopalocera Palaeartica*". Novit. zool. 21: 426.
- 3775) Verity,R.**, 1919-1922, Seasonal polymorphism and races of some European *Grypocera* and *Rhopalocera*. Entomologist's Rec. J. Var. 31 (1919): 26-33, 43-48, 87-89, 121-129, 178, 184, 193-201; 32 (1920): 3-8, 140-152; 33 (1921): 170-176, 190-193, 210-214; 34 (1922): 12-15, 68-73, 89-93, 124-142.
- 3776) Verity,R.**, 1925, New races and forms of Palaearctic *Grypocera*. Entomologist's Rec. J. Var. 37: 41-44, 54-57, 72-76.
- 3777) Verity,R.**, 1929, The asiatic origins of the Western palaeartctic *Rhopalocera* exemplified by *Melitaea didyma* Esp. Entomologist's Rec. J. Var. 41: 31-34, 39-43, 63-67, 72-76, 89-91, 111-118, 127-132.
- 3778) Verity,R.**, 1931, On the geographical variations and evolution of *Lycaeides argus* L. (Lycaenidae). Dt. ent. Z., Iris 45: 30-69.
- 3779) Verity,R.**, 1932, The geographical Variations of *Boloria euphrosyne* L. Entomologist's Rec. J. Var. 44: 110-115, 119-121.
- 3780) Verity,R.**, 1934-1936, The lowland races of butterflies of the Upper Rhone Valley. Entomologist's Rec. J. Var. 46 (suppl.): 1-40; 47 (suppl.): 41-76; 48 (suppl.): 77-90.
- 3781) Verity,R.**, 1935, Races de *Lysandra thersites* (Lep., Cant.) Champ. et de *Plebeius sephyrus* Friv. de l'Asie Mineure. Bull. Soc. ent. Fr. 40: 243-245.
- 3782) Verity,R.**, 1937, Variation of *Eumenis allionii* G.H.: *fatua* Freyer. Entomologist's Rec. J. Var. 49: 99-101.
- 3783) Verity,R.**, 1937, Des variations géographiques de l'*Eumenis briseis* L. Lambillionea 37: 4-14, 50-63.
- 3784) Verity,R.**, 1937-1938, Variation of some butterflies in Anterior Asia and in Morocco. Entomologist's Rec. J. Var. 49 (11) (suppl.): (1)-(4); (12) (suppl.): (5)-(8); 50 (5) (suppl.): (9)-(12); (6) (suppl.): (13)-(15).
- 3785) Verity,R.**, 1939, Race persane du *Palaeoloweia tityrus* Poda, 1761 = *dorilas* Hufnagel, 1766 = *dorilis* (par lapsus) Stdgr., 1861. Lambillionea 39: 183-186.
- 3786) Verity,R.**, 1939, Essai sur la distinction des especes du groupe de *Lysandra coridon* Poda. Lambillionea 39: 210-222.
- 3787) Verves,Y.G. & L.A.Khrokalo**, 2006, Review of *Macronychiinae* (Diptera, Sarcophagidae) of the World. Vestn. zool. 40 (3): 219-239, figs.
- 3788) Vicent,J.**, 1913, Description d'une nouvelle *Catocala* de Syrie. Bull. Soc. ent. Fr. (1913): 431-432.
- 3789) Viidalepp,J.**, 1990, On the geographical distribution of the tribe *Chesiadini* (Lepidoptera, Geometridae) with the description of a new genus. Uch. Zap. Tartu Gos. Univ. 875: 25-37, figs.
- 3790) Viidalepp,J.**, 2011, A morphological review of tribes in *Larentiinae* (Lepidoptera, Geometridae). Zootaxa 3136: 1-44, figs.
- 3791) Vikhrev,N. & V.S.Sorokina**, 2009, Faunistic records of *Thricops Rondani* (Diptera, Muscidae) from Russia with description of two new species. Eur. Ent. J. 8 (3): 341-350, figs.

- 3792) Vihhrev,N.,** 2010, Revision of the key characters for the *Thricops nigrifrons* species-group (Diptera, Muscidae). *ZooKeys* 71: 15-22, figs.
- 3793) Vihhrev,N.,** 2011, Review of the Palaearctic members of the *Lispe tentaculata* species-group (Diptera, Muscidae): revised key, synonymy and notes on ecology. *Zookeys* 84: 59-70, figs.
- 3794) Vihhrev,N.,** 2011, Taxonomic notes on the *Lispe leucopsila* species-group (Diptera, Muscidae). *Russian Ent. J.* 20 (2): 215-218, figs.
- 3795) Vihhrev,N.,** 2012, Review of the Oriental *Azelia Robineau-Desvoidy,1830* (Diptera, Muscidae). *Russian Ent. J.* 21 (1): 97-100, figs.
- 3796) Vihhrev,N.,** 2012, Notes on taxonomy of *Lispe Latreille* (Diptera, Muscidae). *Russian Ent. J.* 21 (1): 107-112, figs.
- 3797) Vilhelmsen,L.,** 2003, Phylogeny and classification of the Orussidae (Insecta, Hymenoptera), a basal parasitic wasp taxon. *Zool. J. Linn. Soc.* 139: 337-418, figs.
- 3798) Villeneuve,J.,** 1936, Myodaires supérieurs peu connus ou inédits de la Palestine et de l'Anatolie. *Konowia* 15: 40-55.
- 3799) Vinokurov,N.N.,** 2010, Species of the genus *Salda* F. (Heteroptera, Saldidae) of the fauna of Russia and adjacent territories. *Ent. Obozr.* 89 (2): 423-437.
- 3800) Viskens,G.,** 1995, Check List of the Heteroptera of Europe. <http://www.earthlife.net/insects/heteropt.html> [accessed on 16 Jan.,2010].
- 3801) Vives Moreno,A.,** 1988, Catalogo Mundial Sistemático y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). *Bol. San. Veg.* 12: 1-196.
- 3802) Vondracek,K.,** 1953, Results of the zoological scientific expedition of the National Museum in Praha to Turkey. 14. Hemiptera III. Homoptera-Psyllinae. *Acta ent. Mus. natn. Pragae* 27: 435-450.
- 3803) Voss,E.,** 1932, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe Rhynchitina V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. *Koleopt. Rdsch.* 18 (3/4): 153-189, figs.
- 3804) Voss,E.,** 1933, Monographie der Rhynchitiden-Tribus Rhynchitini 2. Gattungsgruppe Rhynchitina V.1. Teil der Monographie der Rhynchitinae-Pterocolinae. *Koleopt. Rdsch.* 19 (1/2): 25-56, figs.
- 3805) Voss,E.,** 1933, Nachträgliches über paläarktische Arten der Subfamilie Rhynchitinae (Col., Curc.). *Koleopt. Rdsch.* 19 (3/4): 134-138.
- 3806) Vujic,A., Marcos-Garcia,M.A., Sarıbiyik,S. & A.Ricarte,** 2011, New data on the *Merodon* Meigen,1803 fauna (Diptera, Syrphidae) of Turkey including description of a new species and changes in the nomenclatural status of several taxa. *Annls Soc. ent. Fr. (n.s.)* 47 (1/2): 78-88, figs.
- 3807) Wagener,S. & F.J.Gross,** 1976, Eine neue Unterart von *Melitaea arduinna* aus Ostanatolien (Lep., Nymphalidae). *Ent. Z., Frankf. a. M.* 86 (20): 229-232, 1 Abb.
- 3808) Wagener,S.,** 1974, Ergebnisse der tschechoslowakisch-iranischen entomologischen Expedition nach dem Iran 1970 (mit Angaben über einige Sammelresultate in Anatolien) Nr. 9. Lepidoptera, Satyridae: Genus *Melanargia* Meigen,1828. *Acta ent. Mus. natn. Pragae (suppl.)* 6: 99-104, 2 Abb.
- 3809) Wagener,S.,** 1975, 4. Beitrag. Die vorderasiatischen Formen der *Melanargia russiae* (Esper,1784), [in] Ebert,G. et al., Beiträge zur Kenntnis der Rhopaloceren Irans. *J. ent. Soc. Iran, Suppl.* 1: 47-62, figs.
- 3810) Wagener,S.,** 1976, *Melanargia larissa lesbina* subspecies nova (Lepidoptera, Satyridae). *NachrBl. bayer. Ent.* 25(3): 40-43, fig.
- 3811) Wagener,S.,** 1983, Zwei neue *Melanargia*-Formen aus Anatolien. *Atalanta* 14 (3): 247-299, Abb.
- 3812) Wagener,S.,** 1983, *Brenthis ino schmitzi* ssp.n. aus Nordost-Anatolien (Lepidoptera, Nymphalidae). *Entomofauna* 4(7):109-117,figs.
- 3813) Wagener,S.,** 1983, Zur Taxonomie, Nomenklatur und Verbreitung von *Melanargia titea* (Klug,1832) (Lepidoptera, Satyridae). *Nota lepid.* 6 (2/3): 175-188, 32 figs.
- 3814) Wagener,S.,** 1984, Struktur und Skulptur der Eihüllen einiger *Melanargia*-Arten (Lepidoptera, Satyridae). *Andrias* 3: 73-96, Abb.
- 3815) Wagener,S.,** 1988, Wer hat als Autor des Gattungsnamens *Parnassius* (Lepidoptera, Papilionidae) zu gelten ? *Nota lepid.* 11(3): 237-238.
- 3816) Wagener,S.,** 2006, Butterfly diversity and protection in Turkey. *Bonn. zool. Beitr.* 54 (1) (2005): 2-23, 4 maps.
- 3817) Wagener,S.,** [1990], 10 Thesen zum Arten- und Biotopschutz der Schmetterlinge. *Atalanta* 20 (1989): 131-133.
- 3818) Wagner,E.,** 1957, Beitrag zur Systematik der Gattung *Anthocoris* Fallén (Hem. Het. Anthocoridae). *NachrBl. bayer. Ent.* 6 (10): 101-104, (11): 109-112, 32 figs.
- 3819) Wagner,E.,** 1966, Ergebnisse zoologischer Sammelreisen in der Türkei: *Sciocoris resilli* nov. spec. , eine neue Pentatomidenart (Hem. Het.) aus der Türkei. *Annln naturh. Mus. Wien* 69: 447-449.
- 3820) Wagner,E.,** 1960, Die paläarktischen Arten der Gattung *Aelia* Fabricius 1803 (Hem. Het. Pentatomidae). *Z. angew. Ent.* 47: 149-195.
- 3821) Wagner,E.,** 1959, Beitrag zur Heteropterenfauna Anatoliens. *Z. angew. Ent.* 44: 102-113.
- 3822) Wagner,F.,** 1929, Weiterer Beitrag zur Lepidopteren-Fauna Inner Anatoliens. *Mitt. münch. ent. Ges.* 19: 1-28, 57-80, 175-206, 2 Taf.

- 3823) Wagner, F.**, 1930, Zweiter (III.) Beitrag zur Lepidopterenfauna Inner-Anatoliens. Int. ent. Z. 23: 545-555, Taf.
- 3824) Wagner, F.**, 1931, Dritter (IV.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 24(45): 467-474; (46): 475-485; (47): 487-492, Taf.
- 3825) Wagner, F.**, 1931, Neue Heteroceren aus Kleinasien. Int. ent. Z. 25: 367-371, 388.
- 3826) Wagner, F.**, 1932, Vierter (V.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 26: 178-183, 185-187, figs. Taf.
- 3827) Wagner, F.**, 1933, Die ersten Stände zweier kleinasiatischer Lepidopteren und Beschreibung einer neuen Form. Z. öst. EntVer. 18: 88-90.
- 3828) Wagner, H. & R. Pfitzner**, 1911, Hepialidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 4. 26pp. Dr. W. Junk Berlin.
- 3829) Wagner, H.**, 1913-1919, Sphingidae, [in] Wagner, H., Lepid. Cat., Pars 12 (1913), Pars 18 (1914), Pars 21 (1915), Pars 23 (1919). 440 pp., Berlin.
- 3830) Wagner, M.**, 1848, Reise nach dem Ararat und dem Hochland Armenien. Mit einem Anhang: Beiträge zur Naturgeschichte des Hochlandes Armenien. 12+331 Seiten Stuttgart & Tübingen.
- 3831) Wagner, R.**, 1986, Einige Psychodiden aus der Türkei (Diptera, Psychodidae). Entomofauna 7 (6): 81-92, figs.
- 3832) Wagner, R.**, 1993, Einige neue europäische Psychodiden (Diptera, Nematocera, Psychodidae). Entomofauna 14 (24): 410-415, Abb.
- 3833) Wahis, R. & C. Schmid-Egger**, 2002, The genus *Eoferreola* Arnold, 1935 in the Palaearctis with description of a new species (Hymenoptera, Pompilidae). Notes faun. Gembloux 46: 39-73.
- 3834) Wahis, R.**, 2002, *Ctenagenia ozbeki* sp.n., Pompilide nouveau de Turquie et d'Asie mineure (Hymenoptera, Pompilidae, Pompilinae). Notes faun. Gembloux 49: 115-123, figs.
- 3835) Wahl, D.**, 1999, Classification and systematics of the Ichneumonidae (Hymenoptera). American Entomological Institute. <http://iris.biosci.ohio-state.edu/catalogs/ichneumonids/index.html>
- 3836) Wakeham-Dawson, A.**, 1996, How useful are male genitalia as taxonomic characters in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae)? Entomologist's Gaz. 47: 227-237, 9 figs. 3 Tab.
- 3837) Wakeham-Dawson, A.**, 1997, Discriminant analysis of androconia in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 48: 37-46.
- 3838) Wakeham-Dawson, A., Parker, R., John, E. & R. L. H. Dennis**, 2003, Comparison of the male genitalia and androconia of *Pseudochazara anthelea acamanthis* (Rebel, 1916) from Cyprus *Pseudochazara anthelea anthelea* (Hübner, 1824) from mainland Turkey and *Pseudochazara anthelea amalthea* (Friv., 1845) from mainland Greece... Nota lepid. 25 (4): 251-263, 4 Tab., 6 figs.
- 3839) Walker, F.**, 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 1: 1-278. London.
- 3840) Walker, F.**, 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 2: 279-582. London.
- 3841) Walker, F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 3: 583-775. London.
- 3842) Walker, F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 4: 776-976. London.
- 3843) Walker, F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 5/6: 977-1508. London.
- 3844) Walker, F.**, 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 7: 1509-1808. London.
- 3845) Walker, F.**, 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 8: 1-271. London.
- 3846) Walker, F.**, 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 9: 1-257. London.
- 3847) Walker, F.**, 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 11: 493-764. London.
- 3848) Walker, F.**, 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 12: 765-982. London.
- 3849) Walker, F.**, 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 13: 983-1236. London.
- 3850) Walker, F.**, 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 14: 1237-1520. London.
- 3851) Walker, F.**, 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 15: 1521-1888. London.
- 3852) Walker, F.**, 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 17: 255-508. London.

- 3853) Walker, F.**, 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 18: 509-798. London.
- 3854) Walker, F.**, 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 19: 799-1036. London.
- 3855) Walker, F.**, 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 20: 1-276. London.
- 3856) Walker, F.**, 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 21: 277-498. London.
- 3857) Walker, F.**, 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 22: 499-755. London.
- 3858) Walker, F.**, 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 23: 757-1020. London.
- 3859) Walker, F.**, 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 24: 1021-1280. London.
- 3860) Walker, F.**, 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 25: 1281-1478. London.
- 3861) Walker, F.**, 1863, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 27: 1-286. London.
- 3862) Walker, F.**, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 28: 287-561. London.
- 3863) Walker, F.**, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Tineites 29: iv+563-835. London.
- 3864) Walker, F.**, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum Tineites 30: iv+837-1096. London.
- 3865) Walker, F.**, 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 31: 1-322. London.
- 3866) Walker, F.**, 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 32: 323-706. London.
- 3867) Walker, F.**, 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 33: 707-1120. London.
- 3868) Walker, F.**, 1866, List of the specimens of lepidopterous insects in the collection of the British Museum 35: 1535-2040. London.
- 3869) Walker, F.**, [1857], List of the specimens of lepidopterous insects in the collection of the British Museum 10: 258-491. London.
- 3870) Walker, F.**, [1859], List of the specimens of lepidopterous insects in the collection of the British Museum. Deltoides 16: 1-253. London.
- 3871) Walker, F.**, [1863], List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 26: 1479-1796. London.
- 3872) Walker, F.**, [1866], List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 34: 1121-1534. London.
- 3873) Walker, F.**, 1850-1856, Insecta Saundersiana or characters of undescribed insects in the collection of William Wilson Saunders, Esq. Vol. 1 Diptera (5 pts.) 474 pp. 8 Pls. London.
- 3874) Walker, F.**, 1858, List of the specimens of Homopterous Insects in the collection of the British Museum, Supplement. 380pp. London.
- 3875) Walker, F.**, 1873, Catalogue of the specimens of Hemiptera Heteroptera in the collections of the British Museum. Part vii. 213 pp. London.
- 3876) Walker, F.A.**, 1885, Oriental Entomology. Entomologist 18: 6-9, 39-41, 91-94.
- 3877) Walker, J.J.**, 1879, Notes on the butterflies of Port Balkar, Turkey. Entomologist's mon. Mag. 15: 193-196.
- 3878) Walker, J.J.**, 1879, Notes on the butterflies of Port Baklar, Turkey. Entomologist's mon. Mag. 15: 193-196.
- 3879) Walsingham, M.A.**, 1898, Descriptions of a new Micropterygid genus and species, and a new Eriocraniad species from N.America. Entomologist's Rec. J. Var. 10(7): 162-163, Pl.2.
- 3880) Walsingham, M.A.**, 1900, Asiatic Tortricidae. Ann. Mag. nat. Hist. 7 (5): 368-386, 451-490; 7 (6): 121-137, 234-243, 333-341, 401-409, 429-448.
- 3881) Walsingham, R.H. & J.H.Durrant**, 1898, Note on Goeze's Beiträge. Entomologist's mon. Mag. 34: 180.
- 3882) Warchalowski, A.**, 1985, Revision der Gattung Labidostomis Germar, 1824 (Coleoptera, Chrysomelidae, Clytrinae). Polskie pismo Ent. 55: 621-765, figs.
- 3883) Warchalowski, A.**, 1993, Smaragdina uyguni n.sp., eine neue Art aus Südanatolien (Coleoptera, Chrysomelidae). Genus 4 (2): 129-132.

- 3884) Warchalowski, A.**, 1993, *Psylliodes dogueti* n.sp., eine neue Erdflöhe aus der Türkei (Coleoptera, Chrysomelidae, Halticinae). Genus 4 (4): 359-361.
- 3885) Warchalowski, A.**, 1998, Beschreibung der neuen Art *Derocrepis* (*Aeschrocnemis*) *whiteheadi* sp.n. und ihres Standortes in Kleinasien (Coleoptera, Chrysomelidae, Halticinae). Genus 9 (3): 361-365, figs.
- 3886) Warchalowski, A.**, 2008, A review of the subgenus *Pachybrachys* Chevrolat, 1837 s.str. of Palaearctic Region (Coleoptera, Chrysomelidae, Cryptocephalinae). Genus 19 (2): 213-283, figs.
- 3887) Warncke, K.**, 1965, Beitrag zur Kenntnis der Bienengattung *Andrena* F. in der Türkei (Hymenoptera, Apoidea). Mitt. münch. ent. Ges. 55: 244-273, 6 Abb.
- 3888) Warncke, K.**, 1974, Die Sandbienen der Türkei (Hymenoptera, Apoidea, *Andrena*) Teil A. Mitt. münch. ent. Ges. 64: 81-116.
- 3889) Warncke, K.**, 1975, Die Sandbienen der Türkei (Hymenoptera, Apoidea, *Andrena*), Teil B. Mitt. münch. ent. Ges. 65: 29-102, 30 Abb.
- 3890) Warncke, K.**, 1978, Über die westpaläarktischen Arten der Bienengattung *Colletes* Latr. (Hymenoptera, Apoidea). Polskie pismo Ent. 48: 329-370.
- 3891) Warncke, K.**, 1980, Die Bienengattung *Anthidium* Fabricius, 1804 in der Westpaläarktis und im turkestanischen Becken. Entomofauna 1 (10): 119-209, figs.
- 3892) Warncke, K.**, 1980, Die Bienengattungen *Nomia* and *Systropha* im Iran mit Ergänzungen zu den *Nomia*-Arten der Westpaläarktis. Linzer biol. Beitr. 12 (2): 363-384.
- 3893) Warncke, K.**, 1982, Die Holzbienen des Vorderen Orients (Hym., Apidae). Linzer biol. Beitr. 14 (1): 23-37.
- 3894) Warncke, K.**, 1982, Zur Systematik der Bienen- Die Unterfamilie *Nomadinae* (Hymenoptera, Apidae). Entomofauna 3 (8): 97-126, figs.
- 3895) Warncke, K.**, 1983, Über die einzige *Allodape*-Art in der Westpaläarktis, einem Vertreter einer sonst rein tropischen Bienengattung (Hymenoptera, Apidae). NachrBl. bayer. Ent. 32: 77-80, Abb.
- 3896) Warncke, K.**, 1983, Zur Kenntnis der Bienengattung *Pasites* Jurine, 1807 in der Westpaläarktis (Hymenoptera, Apidae, *Nomadinae*). Entomofauna 4 (21): 26-347, 98 figs.
- 3897) Warncke, K.**, 1984, Ergänzungen zur Verbreitung der Bienengattung *Halictus* Latr. in der Türkei (Hymenoptera, Apidae). Linzer biol. Beitr. 16 (2): 277-318.
- 3898) Warncke, K.**, 1988, Die Bienengattung *Osmia* Panzer, 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei, 2. und 3. Die Untergattungen *Tergosmia* und *Exosmia*. Entomofauna 9 (20): 389-403, 21 figs.
- 3899) Warncke, K.**, 1988, Die Bienengattung *Osmia* Panzer, 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei, 1. Untergattung *Helicosmia* Thomson, 1872 (Hymenoptera, Apidae). Entomofauna 9 (1): 1-45, 17 figs.
- 3900) Warncke, K.**, 1990, Die Bienengattung *Osmia* Panzer, 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei. 4. Die Untergattung *Platosmia* subgen.nov. Entomofauna 11 (28): 481-493, figs.
- 3901) Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer, 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei. 5. Die Untergattung *Pentadentosmia* subgen.nov. Entomofauna 12 (2): 13-28, figs.
- 3902) Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei 10. Die Untergattung *Alidamea* Cress. Linzer biol. Beitr. 23 (2): 701-751, 46 Abb.
- 3903) Warncke, K.**, 1991, Die Bienengattung *Bytinskia* Mavr. (Hym., Apidae, *Megachilinae*). Linzer biol. Beitr. 23 (2): 483-489, Abb.
- 3904) Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei 8. Die Untergattung *Cephalosmia* Sladen, 1916. Linzer biol. Beitr. 23 (1): 283-287, 4 Abb.
- 3905) Warncke, K.**, 1991, Die Bienengattung *Osmia* Panzer 1806, ihre Systematik in der Westpaläarktis und ihre Verbreitung in der Türkei 7. Die Untergattung *Foveosmia* nov. Linzer biol. Beitr. 23 (1): 267-281, 24 Abb.
- 3906) Warncke, K.**, 1992, Die westpaläarktischen Arten der Bienengattung *Sphecodes* Latr. (Hymenoptera, Apidae, *Halictinae*). Ber. Naturf. Ges. Augsburg 52: 9-64, figs. maps.
- 3907) Warncke, K.**, 1992, 2. Beitrag zur Systematik und Verbreitung der Bienengattung *Prosopis* F. in der Westpaläarktis (Hym., Apidae). Linzer biol. Beitr. 24 (2): 747-801, figs.
- 3908) Warncke, K.**, 1992, Die westpaläarktischen Arten der Bienengattung *Stelis* Panzer, 1806 (Hymenoptera, Apidae, *Megachilinae*). Entomofauna 13 (22): 341-376, figs.
- 3909) Warncke, G.**, 1938, Bemerkungen zu einigen Arten der *Nolinae* (Lepidoptera, *Arctiidae*). Ent. Rdsch. 55: 293-297, Abb.
- 3910) Warncke, G.**, 1940-1941, Zur Kenntnis der Gattung *Dyscia* Hb. (Lep., *Geometridae*). Mitt. münch. ent. Ges. 30: 1047-1051; *ibid.* 31 (1941): pl.4.

- 3911) Warnecke,G.**, 1941, Ein weiterer Beitrag zur Kenntnis der *Dyscia conspersaria* F.-Gruppe (Lep., Geometr.). Z. Wien. EntVer. 26: 208-211, 231-235, 241-246, pls.27,28.
- 3912) Warnecke,G.**, 1941, Über *Calamia* (Luceria) *virens* (Lep., Noctuidae) und ihre "Form" *immaculata* Stgr. Z. wien. entVer. 26: 99-104.
- 3913) Warnecke,G.**, 1943, Über die Lepidopterologische Literatur des Kaukasus. Z. wien. ent. Ges. 28: 169-176.
- 3914) Warren,B.C.S.**, 1913, Notes on *Pieris manni* and other entomological subjects. Entomologist's Rec. J. Var. 25: 305-306.
- 3915) Warren,B.C.S.**, 1926, Monograph of the tribe Hesperii (European species) with revised classification of the subfamily Hesperinae (Palearctic species) based on the genital armatures of the males. Trans. ent. Soc. Lond. 74: 1-170, Pls.
- 3916) Warren,B.C.S.**, 1930, A definition of the satyrid genera *Erebia*, *Callerebia*, *Paralasa* and *Erebomorpha*. Entomologist's Rec. J. Var. 42: 103-107.
- 3917) Warren,B.C.S.**, 1936, Monograph of the genus *Erebia*. vii+407 pp. 104 Pls. British Museum (Nat. Hist.), London.
- 3918) Warren,B.C.S.**, 1938, On the racial variability of *Erebia melancholica* H.-S. Entomologist 71: 246-250.
- 3919) Warren,B.C.S.**, 1942, Genus *Pandoriana* gen. nov. A preliminary description. Entomologist 75: 245-246.
- 3920) Warren,B.C.S.**, 1944, Review of the classification of the Argynnini: with a systematic revision of the genus *Boloria*. Trans. R. ent. Soc. Lond. 94: 1-101, Pls.
- 3921) Warren,B.C.S.**, 1949, A note on *Erebia dromulus* Stgr. Entomologist 82: 190.
- 3922) Warren,B.C.S.**, 1951, Speciation in the genus *Colias*: with special reference to *C. hyale* and *C. australis*. Lambillionea 50 (1950): 90-98, pls.v-vi.
- 3923) Warren,B.C.S.**, 1961, The androconial scales and their bearing on the question of speciation in the genus *Pieris*. Ent. Tidskr. 82: 121-148, pls.1-3.
- 3924) Warren,B.C.S.**, 1963, *Pieris bryoniae* *dubiosa* Röber and notes on the variation in the androconia of *Pieris* species. Entomologist's Rec. J. Var. 75: 125-129, pl.3.
- 3925) Warren,W.**, 1891, Descriptions of new genera and species of Pyralidae contained in the British Museum Collection. Ann. Mag. nat. Hist. (6) 7: 423-438, 494-501; (6) 8: 61-70.
- 3926) Warren,W.**, 1909-1913, Familia Noctuidae, [in] Seitz,A., Die Gross-Schmett. Erde 3: pp. 9-444, Taf., Stuttgart.
- 3927) Watkins,H.T.G.**, 1921, Moths of Mesopotamia and N. W. Persia Part II. Sphinges & Bombyces. J. Bomb. nat. Hist. Soc. 28: 184-186.
- 3928) Watson,E.Y.**, 1893, A proposed classification of the Hesperidae, with a revision of the genera. Proc. zool. Soc. Lond. 1893: 3-132, 3 Pls.
- 3929) Watson,L. & M.J.Dallwitz**, 2007, British insects the genera of Lepidoptera Noctuidae. <http://delta-intkey.com/>
- 3930) Watson,L. & M.J.Dallwitz**, 2007, British insects the genera of Lepidoptera Geometridae. <http://delta-intkey.com/>
- 3931) Weber,F.**, 1801, Observationes Entomologicae. xii + 116 pp. Kiliae.
- 3932) Weele,H.W.v.d.**, 1908, Ascalaphiden collections zoologiques du baron Edm. de Selys Longchamps Catalogue systématique et descriptif. Fasc. viii, 326 pp., 254 figs., 2 Pls., Bruxelles.
- 3933) Wehrli,E.**, 1926, Eine neue Gnophosart aus Anatolien. Mitt. münch. ent. Ges. 16: 95-98.
- 3934) Wehrli,E.**, 1929, Zwei neue Nychiodes-Arten (Lepid., Geometridae). Int. ent. Z. 22 (42): 385-387.
- 3935) Wehrli,E.**, 1929, Über die Arten und Formen der Gattung *Nychiodes* Led. Mitt. münch. ent. Ges. 19: 29-35, 38-56, 96, 171-172, Taf.III,IV.
- 3936) Wehrli,E.**, 1929, Ueber die paläarktischen Arten der Gattung *Ellopiia* Tr. (Lepidopt., Geometr.). Mitt. münch. ent. Ges. 19: 311-323, 2 Taf.
- 3937) Wehrli,E.**, 1929, Zwei neue Eupitheciiden aus der Ausbeute des Herrn E. Pfeiffer, München, aus dem Taurus (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 19: 324-328, Taf.xxiv, xxv, 4 figs.
- 3938) Wehrli,E.**, 1931, Einige neue paläarktische Geometriden aus Syrien, Algerien und Sicilien (Lepid., Het.). Mitt. münch. ent. Ges. 21 (2): 41-46. [wrong page citation by Hausmann (1994: 78) as "41-51"; see Osthelder,L.,1931]
- 3939) Wehrli,E.**, 1932, Neue Geometriden-Arten und -Rassen (Lepid. Het.) von der Maras-Expedition L. Osthelder u. E.Pfeiffer, München. Mitt. münch. ent. Ges. 22: 3-11.
- 3940) Wehrli,E.**, 1932, Psychidae. [In] Osthelder,L. & E.Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 22(2): 74.
- 3941) Wehrli,E.**, 1933, Familie Psychidae. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 2: 211-226. Stuttgart.
- 3942) Wehrli,E.**, 1934, Über neue paläarktische Geometrinae und ein neues Subgenus. Int. ent. Z. 27: 533-536, pl.

- 3943) Wehrli, E.**, 1934, Die Geometriden der Ausbeute des Herrn Ernst Pfeiffer und Herrn L. Osthelder München aus Marasch und Bertiz Jaila, Achyr Dag, Südost Taurus. [In] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 24 (1): 1-18, 2 Pls.
- 3944) Wehrli, E.**, 1936, Einige neue Arten und Rassen aus den Ausbeuten des Herrn Ernst Pfeiffer, München. Mitt. münch. ent. Ges. 26: 33-37, Taf. ii.
- 3945) Wehrli, E.**, 1936, Nouvelles especes et races de Geometridae peuvénant des monts Elburs, du Caucase et de l'Asie Mineure. Amat. Papillons 1936: 151-155.
- 3946) Wehrli, E.**, 1938, Nachtrag zu meiner Arbeit in Nr. 31 d. J. Seite 354. Ent. Rdsch. 55: 433-435.
- 3947) Wehrli, E.**, 1939, Einige neue Arten und Rassen aus dem südwestlichen Iran und aus dem Irak, sowie ein neues Subgenus aus dem letzteren (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 29 (1): 69-77.
- 3948) Wehrli, E.**, 1939-1954, Subfamilie: Geometrinae. [In] Seitz, A., Die Gross-Schmetterlinge der Erde (Suppl.) 4: 254-685, Pls. Stuttgart.
- 3949) Wehrli, E.**, 1950, Die Einteilung der Gattung *Dyscia* Hbn. Ent. Ber., Amst. 13: 77-80, 6 figs.
- 3950) Wei, C.-H., Kun, A. & S.-H. Yen**, 2007, A preliminary analyses [sic!] of the phylogeny of the Ethmiinae moths (Lepidoptera, Gelechioidea) with special reference to the evolutionary patterns of host use. Acta zool. hung. 53 (Suppl.1): 61-100, figs.
- 3951) Wei, C.-H., Kun, A. & Yen, S.-H.**, 2007, A preliminary analyses [sic!] of the phylogeny of the Ethmiinae moths (Lepidoptera, Gelechioidea) with special reference to the evolutionary patterns of host use. Acta zool. hung. 53 (suppl.1): 61-100, figs.
- 3952) Weidemann, H. J.**, 1986, 1988, Tagfalter. Entwicklung, Lebensweise, Biologie, Ökologie, Biotopschutz. Band 1 (1986). Papilionidae, Pieridae, Lycaenidae. 286S. 240 Farbfotos. Band 2 (1988). Lycaenidae, Riodinidae, Nymphalidae, Satyridae, Hesperidae. 372S. 360 Farbfotos. JNN-Naturführer
- 3953) Weidenhoffer, Z. & J. Klir**, 2000, A new species of *Plebejus* Kluk, 1780 from Iran (Lepidoptera, Lycaenidae). Linneana Belg. 17 (7): 289-292, figs.
- 3954) Weidenhoffer, Z. & W. Eckweiler**, 1988, Notes on the status of *Armenia hyrcanica* (Riley, 1939) (Lepidoptera, Lycaenidae). Nota lepid. 10 (4): 241-246, 3 figs.
- 3955) Weigel, K.-H.**, 1984, *Zygaena* (*Mesembrynus*) *lydia* (Staudinger, 1887), mit Beschreibung einer neuen Unterart (Lepidoptera, Zygaenidae). Entomofauna 5: 53-67, 26 figs. 1 map.
- 3956) Weinberg, M. & R. Hayat**, 1997, Asilidae (Diptera) recorded in Turkey. Trav. Mus. Hist. Nat. "Grigore Antipa" 39: 161-168.
- 3957) Weise, J.**, 1884, Beitrag zur Chrysomeliden-Fauna von Amasia. Dt. ent. Z. 28 (1): 157-160.
- 3958) Weise, J.**, 1897, Neue Chrysomeliden aus Angora. Stettin ent. Ztg. 58 (1): 63-68.
- 3959) Weise, J.**, 1898, Über neue und bekannte Chrysomeliden. Ark. Naturg. 64 (1/2): 177-224.
- 3960) Weise, J.**, 1900, Neue Coleopteren aus Kleinasien. Dt. ent. Z. 1900 (1): 132-140.
- 3961) Weisert, F.**, 1998, *Catocala catei* sp. nov., eine neue Noctuide aus der Türkei (Lepidoptera, Noctuidae). Z. ArbGem. öst. Ent. 50 (3/4): 125-126, figs.
- 3962) Weiss, D. & P. Skala**, 2000, A new subspecies of *Hyponephele* Muschamp, 1915 from western Turkey (Lepidoptera, Satyridae). Atalanta 31 (1/2): 129-133, pls. viii-ix.
- 3963) Weiss, D. & V. Major**, 2000, A new species of the genus *Melitaea* Fabricius, 1807 from Iran (Lepidoptera, Nymphalidae). Atalanta 31 (1/2): 123-128, pls. v-vii.
- 3964) Weiss, D.**, 1978, A new species of the genus *Hyponephele* Muschamp 1915 from West Iran (Lepidoptera, Satyridae). Atalanta 9(3): 230-233, figs.
- 3965) Weiss, D.**, 1990, Results of the Czechoslovak-Iranian entomological expeditions to Iran 1970, 1973 and 1977. Together with results of collection made in Anatolia (Lepidoptera, Rhopalocera). Acta ent. Mus. natn. Pragae 43: 215-236.
- 3966) Weiss, D.**, 1990, Results of Czechoslovak-Iranian Entomological Expeditions to 1970, 1973 and 1977 (together with results of collections made in Anatolia). Lepidoptera Rhopalocera. Acta ent. Mus. natn. Pragae 43: 215-235, 4 Taf.
- 3967) Weiss, J.-C.**, 1980, Le genre *Pseudochazara* de Lesse en Europe et en Afrique du Nord Description d'une sous-espèce nouvelle de *Ps. hippolyte* Esper (Lepidoptera Satyridae). Linneana Belgica 8(3): 98-108, 3 Pls.
- 3968) Weiss, J.-C.**, 1991-1992, The Parnassiinae of the World. 2 pts. 48pp + 87pp. Pls.
- 3969) Wenzel, J. W.**, 1998, A generic key to the nests of hornets, yellowjackets, and paper wasps worldwide (Vespidae, Vespinae, Polistinae). Amer. Mus. Novit. 3224: 26 figs.
- 3970) Werneburg, A.**, 1865, Über das Lepidopteren-Genus *Colias*, wie es in Staudinger's Catalog aufgestellt ist. Stettin ent. Ztg. 26: 272-288.
- 3971) Werner, F.**, 1901, Die Dermapteren- und Orthopterenfauna Kleinasien. Sitz. Akad. Wiss. Wien 110: 259-306, 2 Taf.
- 3972) Werny, K.**, [1967], Untersuchungen über die Systematik der Tribus Thyatirini, Macrothyatirini, Habrosynini und Tetheini (Lepidoptera, Thyatiridae). Inaugural-Dissertation, Universität des Saarlandes.

- 3973) Westwood, J.O.**, 1838-1840, An Introduction to the modern classification of Insects; founded on natural habits and corresponding organization of different families. 2 vols. Logman. London.
- 3974) Westwood, J.O.**, 1889, Revisio Insectorum Familie Mantidarum, speciebus novis aut minus cognitis descriptis et delineatis. 72 pp., Pls., Gurney & Jackson, London.
- 3975) Weyer, G. van de**, 2000, A new syrphid fly species of the *Paragus serratus* complex from Turkey (Diptera, Syrphidae). *Phegea* 28 (4): 149-152, figs.
- 3976) Weyer, G. van de**, 2010, A new species of *Paragus* Latreille, 1804 from Turkey (Diptera, Syrphidae). *Phegea* 38 (1): 16-20, figs.
- 3977) Whalley, P.E.S.**, 1963, A Revision of the World species of the genus *Endotricha* Zeller (Lepidoptera, Pyralidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 13 (11): 395-454, 37 Pls., 314 figs.
- 3978) Whalley, P.E.S.**, 1964, Catalogue of the Gallerinae (Lepidoptera, Pyralidae) with descriptions of new genera and species. *Acta zool. cracov.* 9(10): 561-618, figs.
- 3979) Whalley, P.E.S.**, 1970, A synonymic catalogue of the genera of Phycitinae (Lepidoptera, Pyralidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 25: 31-72. London.
- 3980) Whalley, P.E.S.**, 1973, The genus *Etiella* Zeller (Lepidoptera, Pyralidae): A zoogeographic and taxonomic study. *Bull. Br. Mus. (Nat. Hist.) Ent.* 28 (1): 1-21, 1 textfig., 7 maps, 15 Pls.
- 3981) White, I.M. & V.A. Korneyev**, 1989, A revision of the western Palaearctic species of *Urophora* Robineau-Desvoidy (Diptera, Tephritidae). *Syst. Ent.* 14: 327-374, figs.
- 3982) Whitmore, D.**, 2010, Systematics and phylogeny of Sarcophaga (Heteronychia) (Diptera, Sarcophagidae). [published online <http://hdl.handle.net/10805/941> [access 10 Sept. 2011] [nomenclatural acts of this thesis published by the author in 2011, but no citation is given!]. [a basic study on the Sarcophaga; highly recommended!]
- 3983) Whitmore, D.**, 2011, New taxonomic and nomenclatural data on Sarcophaga (Heteronychia) (Diptera, Sarcophagidae), with description of six new species [this is nomenclatural part of author's thesis, accessible online; however, no info or citation is given on this matter]. *Zootaxa* 2778: 1-57, figs.
- 3984) Wieczorek, K.**, 2009, A revision of the genus *Atheroides* Haliday, 1839 (Hemiptera, Aphididae, Chaitophorinae). *Zool. Studies* 48 (5): 693-708, figs.
- 3985) Wiedemann, C.R.W.**, 1821, *Diptera exotica*. Pars I, 244 pp. Tab. 2, Kiliae.
- 3986) Wiedemann, C.R.W.**, 1828, *Aussereuropäische zweiflügelige Insecten* vol. 1, xxxii + 608 pp., 7 Taf., Hamm.
- 3987) Wiedemann, C.R.W.**, 1830, *Aussereuropäische zweiflügelige Insecten* vol. 2, xii + 684 pp., Taf., Hamm.
- 3988) Wiegel, K.-H.**, 1984, *Zygaena* (*Mesembrynus*) *lydia* (Staudinger, 1887) mit Beschreibung einer neuen Unterart (Lepidoptera, Zygaenidae). *Entomofauna* 5(5): 53-67, 26 figs.
- 3989) Wiemers, M.**, 2003, Chromosome differentiation and the radiation of the butterfly subgenus *Agrodiaetus* (Lepidoptera, Lycaenidae, *Polyommatus*) - a molecular phylogenetic approach. Dissertation. Bonn.
- 3990) Wiemers, M., Stradomsky, B.V. & D.I. Vodolazhky**, 2010, A molecular phylogeny of *Polyommatus* s.str. and *Plebicula* based on mitochondrial COI and nuclear ITS2 sequences (Lepidoptera, Lycaenidae). *Eur. J. Ent.* 107: 325-336, figs. [important references are missing! Obviously non ethical approach.].
- 3991) Willemse, F.**, 1980, Classification and distribution of the species of Eupholidoptera Ramme of Greece (Orthoptera, Tettigoniidae, Decticinae). *Tijdschr. Ent.* 123 (2): 39-69, 190 figs 2 pls.
- 3992) Willmann, R.**, 1973, Eine neue *Panorpa*-Art aus Kleinasien: *P. aspoecki* n.sp. (Mecoptera, Panorpidae). *Ent. Z., Frankf. a. M.* 83: 97-101, figs.
- 3993) Willmann, R.**, 1974, *Panorpa tatvana* n.sp. (Mecoptera). *Ent. Mitt. Zool. Mus. Hamburg* 4: 465-469, fig.
- 3994) Willmann, R.**, 1975, Die Gattung *Panorpa* (Insecta, Mecoptera) in der Türkei. *Annln naturh. Mus. Wien* 79: 543-564, figs.
- 3995) Willmann, R.**, 1976, Eine neue europäische *Panorpa* (Mecoptera, Panorpidae). *Ent. Z., Frankf. a. M.* 86: 60-64, figs.
- 3996) Willmott, K.R.**, 2003, Cladistic analysis of the Neotropical butterfly genus *Adelpha* (Lepidoptera, Nymphalidae), with comments on the subtribal classification of *Limenitini*. *Syst. Ent.* 28: 279-322, figs.
- 3997) Wilson, S.W.**, 2005, Keys to the families of Fulgoromorpha with emphasis on planthoppers of potential economic importance in the southeastern United States (Hemiptera, Auchenorrhyncha). *Florida Ent.* 88 (4): 464-481, figs.
- 3998) Wiltshire, E.P.**, 1938, Notes on the winter flight; in mild climates, of vernal and autumnal moths. *Entomologist's Rec. J. Var.* 50: 144-146.
- 3999) Wiltshire, E.P.**, 1941, The summer flight; in cold climates of vernal and autumnal Lepidoptera. *Entomologist's Rec. J. Var.* 53: 4-7.
- 4000) Wiltshire, E.P.**, 1941, The phenological classification of Palaearctic Lepidoptera. A preliminary essay. *Entomologist's Rec. J. Var.* 53: 101-106.

- 4001) Wiltshire, E.P.**, 1964, Geometridae new for Turkey discovered in 1939-1942 by J. Romieux (Middle East Lepidoptera xvii). Mitt. ent. Ges. Basel 14: 151-153.
- 4002) Wiltshire, E.P.**, 1966, Österreichische entomologische Iran-Afghanistan Expeditionen. Beiträge zur Lepidopterenfauna, Teil 9. Subfamilien Larentiinae und Ennomiinae (s.l.) (Lep., Geometridae). Middle East Lepidoptera XXII. Z. wien. ent. Ges. 51: 113-138, 4 Taf., 32 figs.
- 4003) Wiltshire, E.P.**, 1966, Österreichische entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna 6. Subfamilien Alsophilinae und Geometrinae (Lepidoptera, Geometridae) Middle East Lepidoptera xxi. Z. wien. ent. Ges. 51: 27-32, Taf. 2.
- 4004) Wiltshire, E.P.**, 1970, A review of the genus *Pericyma* Herrich-Schäffer and neighbouring genera (Noctuidae). Veröff. zool. St. Samml. München 14: 92-111, figs.
- 4005) Wiltshire, E.P.**, 1976, Middle East Lepidoptera, xxxiii. Some new Lasiocampidae, Noctuidae, Geometridae and Limacodidae. Z. ArbGem. öst. Ent. (1975) 27 (3/4): 73-84, 7 figs. 2 Pls.
- 4006) Wiltshire, E.P.**, 1993, Middle East Lepidoptera 50: Notes on some hitherto misunderstood forms near *Polymixis bischoffii* (Herrich-Schäffer, 1850) (Noctuidae). Nota lepid. 15 (3/4): 257-267, 13 figs.
- 4007) Wingelmüller, A.**, 1938, Monographie der palaearktischen Arten der Tribus Cionini. Koleopt. Rundsch. 23: 143-221.
- 4008) Winnertz, J.**, 1863, Beitrag zu einer Monographie der Pilzmücken. Verh. zool.-bot. Ges. Wien 13: 637-964, Taf.
- 4009) Winnertz, J.**, 1867, Beitrag zu einer Monographie der Sciarinen. Verh. zool.-bot. Ges. Wien 17: 1-187, 1 Taf.
- 4010) Witt, T.**, 1974, *Peridea korbi* Rebel, bona species, und ihre Rassen (Lep., Notodontidae). Z. ArbGem. öst. Ent. 24(3): 89-102, 2 Taf.
- 4011) Witt, T.**, 1979, *Lemonia pia friedeli* n.ssp. (Lepidoptera, Lemoniidae). Z. ArbGem. öst. Ent. 31(1/2): 17-20, figs.
- 4012) Witt, T.**, 1980, Melanismus und geographische Variabilität bei *Notodonta dromedarius* (Linné, 1767) (Lepidoptera, Notodontidae). Entomofauna 1(7): 73-91, Abb.
- 4013) Witt, T.**, 1980, Die Verbreitung und Rassenbildung von *Ocnogyna parasita* (Hübner, 1790) (Lepidoptera, Arctiidae). Mitt. münch. ent. Ges. 69: 133-165, 59 figs.
- 4014) Witt, T.**, 1981, *Trichiura verena* sp.n. (Lepidoptera, Lasiocampidae). Entomofauna 2(23): 263-284, figs.
- 4015) Witt, T.**, 1982, Die Verbreitung von *Lasiocampa grandis* (Rogenhofer, 1891) in Europa (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 31(2): 27-31, map.
- 4016) Wittmer, W.**, 1970, Zur Kenntnis der Gattung *Malthodes* (Coleoptera, Cantharidae). Ent. Arb. Mus. Frey 21: 13-107, figs.
- 4017) Wittmer, W.**, 1974, 57. Beitrag zur Kenntnis der palaearktischen Cantharidae und Malachiidae (Coleoptera). Fragm. ent. 10 (1): 1-20, figs.
- 4018) Wnukowsky, W.**, 1929, Einige Nomenklatur-Notizen über die paläarktischen Lepidopteren. Zool. Anz. 83: 221-224.
- 4019) Wocke, M.**, 1861, Microlepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. 85-192S. Dresden.
- 4020) Wocke, M.**, 1871, Microlepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. 201-426S. Dresden.
- 4021) Wolf, H.**, 1997, Wegwespen (Hymenoptera, Pompilidae) des Oberösterreichischen Landesmuseums Linz (Austria) aus Jordanien und Syrien I. Linzer biol. Beitr. 29 (2): 831-843, 29 figs.
- 4022) Woznica, A.J. & A.Ö. Koçak**, 2009, New records of Turkish Heleomyzid flies (Diptera, Heleomyzidae). Dipteron 25: 77-81, 1 fig.
- 4023) Woznica, A.J.**, 2007, New records of the Turkish Sunflies (Diptera, Trixoscelididae) with description of a new *Trixoscelis* species. Ann. Upper Sil. Mus. (Ent.) 14-15: 59-64, figs.
- 4024) Wyatt, C.W.**, 1968, Eine neue Rasse von *Brenthis hecate* W.V. aus Iran. Z. wien. ent. Ges. 53: 29-30, 4 figs.
- 4025) Wytsman, P.**, 1902, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 4. Leptocircinae. Bruxelles.
- 4026) Xue, W.-Q. & Y.-F. Tong**, 2003, A taxonomic study on *Coenosia tigrina* species group (Diptera, Muscidae) in China. Ent. sinica 10 (4): 281-290, figs.
- 4027) Yağcı, Ş. & Dinçer, Ş.**, 1996, Türkiye Tabanidae (Diptera) faunası için yeni bir tür *Tabanus caucasicus* Kröber, 1925. Ankara Univ. Veter. Fak. Derg. 43: 357-359.
- 4028) Yağcı, Ş.**, 1997, Edremit (Balıkesir) yöresi Tabanidae (Diptera) türleri. Türk. Parazit. Derg. 21: 405-408.
- 4029) Yakovlev, R.V.**, 2006, A revision of carpenter moths of the genus *Holcocerus* Staudinger, 1884 (s.l.). Eversmannia Suppl. 1: 1-104, figs. Tula.
- 4030) Yalın, F.B., Şirin, D., Taylan, M.S. & B. Çıplak**, 2004, *Demirsoyus* n.gen. (Orthoptera, Acrididae, Oedipodinae) and *D. salmani* n.sp. from the Mediterranean Anatolia with remarks on

biogeography of the related genera. Trans. am. Ent. Soc. 130 (4): 425-437, figs. [with numerous misspellings in the literature cited!]

- 4031) Yaman,M. & Ş.Yağcı,** 2004, Hatay yöresindeki Tabanidae (Diptera) türleri üzerine araştırmalar. Türk. parazit. derg. 28 (2): 113-117.
- 4032) Yen,S.-H. & J.Minet,** 2007, Cimelioidea: A new superfamily name for the Gold Moths (Lepidoptera, Glossata). Zoological Studies 46 (3): 262-271, figs.
- 4033) Yıldırım,E. & F.Strumia,** 2000, Contribution to the knowledge of Chrysididae fauna of Turkey. Part 1. Cleptinae (Hymenoptera, Chrysididae). Frust. Ent. 23 (36): 161-166.
- 4034) Yıldırım,E. & F.Strumia,** 2006, Contribution to the knowledge of Chrysididae fauna of Turkey. Part 3. Chrysidinae (Hymenoptera, Chrysididae). Linzer biol. Beitr. 38 (1): 973-984 [date of publication of 2.contribution of this paper was cited erroneously as "2005" by the authors].
- 4035) Yıldırım,E. & F.Strumia,** 2006, Contribution to the knowledge of Chrysididae fauna of Turkey. Part 2. Elampinae (Hymenoptera, Chrysididae). Linzer biol. Beitr. 38 (1): 961-972
- 4036) Yıldırım,E. & H.Özbek,** 1993, Polistinae (Hymenoptera, Vespidae) of Turkey. Türk. ent. derg. 17 (3): 141-156.
- 4037) Yıldırım,E. & H.Özbek,** 1995, New species of Eumenidae (Hymenoptera, Vespoidea). Türk. ent. derg. 19 (4): 241-246, figs.
- 4038) Yıldırım,E. & H.Özbek,** 1996, Erzurum ve çevre ile diğer bazı yörelerdeki Eumenidae (Hymenoptera, Vespoidea) türleri üzerinde faunistik ve sistematik çalışmalar. Türk. J. Zool. 20 (1): 113-147.
- 4039) Yıldırım,E. & H.Özbek,** 1996, Eumenidae of Turkey (Hymenoptera, Vespoidea). Türk. J. Zool. 20 (2): 189-209.
- 4040) Yıldırım,E. & H.Özbek,** 1997, Masaridae (Hymenoptera, Vespoidea) of Turkey. Atatürk Univ. Zir. Fak. Der. 28 (2): 222-226.
- 4041) Yıldırım,E. & H.Özbek,** 1999, Türkiye'nin Vespoidea (Hymenoptera, Aculeata) faunası üzerine bir değerlendirme (yeni kayıtlar ve bazı türler için yeni lokaliteler). Tr. J. Zool. 23 (Ek 2): 591-604.
- 4042) Yıldırım,E. & J.Gusenleitner,** 2001, Sapygidae (Hymenoptera, Aculeata) of Turkey. Linzer biol. Beitr. 33 (2): 671-675.
- 4043) Yıldırım,E. & J.Gusenleitner,** 2001, The present situation of the Vespidae-fauna (Hymenoptera, Aculeata) of Turkey. Linzer biol. Beitr. 33 (1): 217-221.
- 4044) Yıldırım,E. & J.Gusenleitner,** 2012, Contribution to the knowledge of the Vespidae (Hymenoptera, Aculeata) of Turkey, with a checklist of the Turkish species. Turk J Zool. 36 (3): 361-374.
- 4045) Yıldırım,E. & M.B.Bartalucci,** 2009, Tiphidae (Hymenoptera, Aculeata) of Turkey. Linzer Biol. Beitr. 41 (2): 2051-2065.
- 4046) Yıldırım,E. & R.Wahis,** 2010, The distribution and biogeography of Pompilidae in Turkey (Hymenoptera, Aculeata). Ent. faun. 63 (1): 23-34.
- 4047) Yıldırım,E. & T.Ljubomirov,** 2005, Contribution to the knowledge of Sphecidae and Crabronidae (Hymenoptera, Aculeata) fauna of Turkey. Linzer biol. Beitr. 37 (2): 1785-1808.
- 4048) Yıldırım,E., Çalmaşur,Ö. & M.Madl,** 2002, Leucospidae of Turkey (Hymenoptera, Chalcidoidea). Linzer biol. Beitr. 34 (2): 1185-1189.
- 4049) Yıldırım,E.M., Civelek,H.S., Çıkman,E., Dursun,O. & A.Eskin,** 2010, Contributions to the Turkish Braconidae (Hymenoptera) fauna with seven new records. Türk. ent. Derg. 34 (1): 29-35.
- 4050) Yılmaz,E., Karsavuran,Y. & Ü.Zeybekoğlu,** 2009, Aydın, İzmir ve Manisa illeri mısır alanlarında belirlenen Cixiidae ve Delphacidae (Homoptera) familyalarına bağlı türler üzerine araştırmalar. Türk. ent. Derg. 33 (1): 63-71.
- 4051) Yılmaz,T. & A.Beyarslan,** 2009, A new species of Chelostes Van Achterberg,1990 (Hymenoptera, Braconidae, Brachistinae) from Turkey. Biologia 64 (2): 340-342, 8 figs.
- 4052) Yu Dicky,S. & K.Horstmann,** 1997, A catalogue of world Ichneumonidae. Mem. Amer. Ent. Inst. 58 (1/2): 1-1558.
- 4053) Yu Feng, H. & J.A.Powell,** 2004, Phylogenetic relationships within Heliodinidae and Systematics of Moths formerly assigned to Heliodines Stainton (Lepidoptera, Yponomeutoidea). Publisher Univ of California Press.
- 4054) Yurtcan,M. & A.Beyarslan,** 2002, The species of Tryphoninae (Hymenoptera, Ichneumonidae) in Turkish Thrace. Turk. J. Zool. 26: 77-95, 32 figs. [an important work for Turkish Ichneumonidae].
- 4055) Yurtcan,M. & A.Beyarslan,** 2007, Six new Ichneumonidae species from Turkey; with special reference to the rare species Zabrachypus tenuiabdominalis (Uchida,1941) (Hymenoptera, Ichneumonidae). Ent. News 117 (5): 540-544.
- 4056) Yurtcan,M. & Z.Okuyar,** 2008, Nothris verbascella (Denis & Schiffermüller,1775) (Lepidoptera, Gelechiidae) from Turkey and its two new ichneumonid parasitoids. Ent. News 119 (3): 318-321.
- 4057) Yurtsever,S.,** 2001, A preliminary study on the Ladybirds (Coleoptera, Coccinellidae) of Edirne in North-Western Turkey. Turk. J. Zool. 25: 71-75.

- 4058) Yücel,A.**, 1994, Türkiye faunası için yeni bir tür: *Caryedon palestinicus* [sic!] Southgate (Coleoptera, Bruchidae, Pachymerinae). Türk. ent. derg. 18 (1): 35-39, 2 şekil.
- 4059) Zachvatkin,A.A.**, 1946, Studies on the Homoptera of Turkey. Trans. R. ent. Soc. London 97 (6): 149-176, figs.
- 4060) Zagulyaev,A.K.**, 1975, Fauna of the U.S.S.R. Nasekomye Cheshuekrylye, vol.4 no 5 Nastoyashchie Moli (Tineidae). 547pp., figs. Nauka Publishers, Leningrad.
- 4061) Zagulyaev,A.K.**, 1982, New and little known species of moths (Lepidoptera, Tineidae, Micropterigidae, Pterophoridae) of the USSR and adjacent territories. Ent. Obozr. 1982: [engl. transl. Ent. Rev. 1983 (1): 93-109, 20 figs.
- 4062) Zagulyaev,A.K.**, 1999, New and little known moths (Lepidoptera, Thyrididae, Brachodidae) of the fauna of Russia and neighboring territories XI. Ent. Obozr. 78 (4): 896-909, figs.
- 4063) Zaitzev,F.A.**, 1945, New species of fruit flies from Transcaucasia (Diptera, Tephritidae). Soobshcheniya Akad. Nauk. Gruz.SSR 6: 377-380.
- 4064) Zaitzev,V.F.**, 1984, Ulidiidae [in] Soos,A. & L.Papp (eds.), Catalogue of Palaearctic Diptera 9: 59-66, Akademiai Kiado, Budapest.
- 4065) Zaitzev,V.F.**, 2007, Contributions to the palaearctic fauna of the Dipteran families Bombyliidae and Mythicomyiidae (Diptera) I. Ent. rev. 87 (2): 159-173, figs. [Ent. Obozr. 86 (1): 83-99, figs.]
- 4066) Zaitzev,V.F.**, 1966, Parasitic flies of the family Bombyliidae (Diptera) in the fauna of Transcaucasia. 375 pp. Publ. Nauka, Moscow.
- 4067) Zakharenko,A.V.**, 1987, Neuroptera of the USSR I.Mantispidae. Ent. Obozr. 1987 (3): 621-626, figs.
- 4068) Zanden,G.van der**, 1989, Neue oder wenig bekannte Arten und Unterarten der palaearktischen Megachiliden (Insecta, Hymenoptera, Apoidea, Megachilinae). Ent. Abh. 53 (6): 71-86, 12 figs.
- 4069) Zanden,G.van der**, 1992, Neue Arten der paläarktischen Osmiini (Insecta, Hymenoptera, Apoidea, Megachilidae). Linzer biol. Beitr. 24 (2): 817-827.
- 4070) Zarazaga,M.A.A.**, 1983, A new synonymy in Turkish Apion. Türk. Bitki kor. derg. 7: 105.
- 4071) Zaspel,J.M. & M.A.Branham**, 2008, World checklist of Tribe Calpini (Lepidoptera, Noctuidae, Calpinae). Insecta Mundi 47: 1-15.
- 4072) Zeegers,T.**, 2005, Taxonomy and distribution of the horsefly-genus *Therioplectes* Zeller (Diptera, Tabanidae). Stud. dipterol. 12: 337-355, figs.
- 4073) Zeegers,T.**, 2011, New and little known Rhinophoridae (Diptera) from Turkey. Stuttg. Beitr. Naturk. (A) (n.s.) 4: 313-320, figs.
- 4074) Zeller,P.C.**, 1839, Kritische Bestimmung der in DeGeers Memoiren enthaltenen Schmetterlinge Isis 1839 (3): 243-349.
- 4075) Zeller,P.C.**, 1839, Versuch einer naturgemässen Eintheilung der Schaben. Tinea. Isis 32 (2): 167-222.
- 4076) Zeller,P.C.**, 1841, Vorläufer einer vollständigen Naturgeschichte der Pterophoriden. Isis 1841: 755-795, 827-893.
- 4077) Zeller,P.C.**, 1844, Monographie des Genus *Hyponomeuta*. Isis 1844 (3): 198-238, 2 Pls.
- 4078) Zeller,P.C.**, 1846, Die knotenhornigen Phyciden. Isis 1846 (10): 175-302.
- 4079) Zeller,P.C.**, 1847, Verzeichniss der vom Professor Dr. Loew in der Türkei und Asien gesammelten Lepidoptera. Isis, Leipzig 1847: 3-39.
- 4080) Zeller,P.C.**, 1847, Bemerkungen über die auf einer Reise nach Italien und Sicilien gesammelten Schmetterlingsarten. Isis 1847: 121-159, 213-233, 284-308, 401-457, 483-522, 561-594, 639-673, 721-771, 800-859, 880-914.
- 4081) Zeller,P.C.**, 1848, Die Gallerien und nachthornigen Phycideen. Isis 1848: 569-618, 641-691, 721-754. Leipzig.
- 4082) Zeller,P.C.**, 1849, Verzeichniss der von Herrn Jos. Mann beobachteten Toscanischen Microlepidopteren. Stettin ent. Ztg. 10: 200-223, 231-256, 275-287, 312-317.
- 4083) Zeller,P.C.**, 1850, Verzeichniss der von Herrn Jos. Mann beobachteten Toscanischen Microlepidopteren. Stettin ent. Ztg. 11: 59-64, 134-136, 139-162, 195-212.
- 4084) Zeller,P.C.**, 1851, Drei Schabengattungen: *Incurvaria*, *Micropteryx* und *Nemophora*. Linn. Ent. 5: 301-362.
- 4085) Zeller,P.C.**, 1852, Lepidoptera Microptera quae J.A.Wahlberg in Caffrorum terra collegit. K. svenska Vetensk. Akad. Handl. 1852: 1-120.
- 4086) Zeller,P.C.**, 1854, Die Depressarien und einige ihnen nahe stehenden Gattungen. Linn. Ent. 9: 189-403, Tab.2.
- 4087) Zeller,P.C.**, 1867, Einige von Herrn Pickard Cambridge, besonders in Aegypten und Palaestina gesammelte Mikrolepidopteren. Stettin ent. Ztg. 28: 365-387.
- 4088) Zeller-Lukashort,H.C., Kurz,M.E., Lees,D.C. & M.A.Kurz**, 2007, A review of *Micropteryx* Hübner, 1825 from northern and central Europe (Micropterigidae). Nota lepid. 30 (2): 235-298, figs.

- 4089) Zerche, L.**, 1996, *Deliphrosoma freudeorum* spec. nov. aus der Osttürkei (Insecta, Coleoptera, Staphylinidae, Omaliinae). *Reichenbachia* 31: 175-177.
- 4090) Zerny, H.**, 1914, Über paläarktische Pyraliden des k. k. naturhistorischen Hofmuseums in Wien. *Annln. naturh. Mus. Wien* 28: 295-348, 2 Taf.
- 4091) Zerny, H.**, 1927, *Pammene cupressana* nov. spec. *Verh. zool.- bot. Ges. Wien* 77: (4)-(5).
- 4092) Zerny, H.**, 1930, Pyralidae-Tineidae. [In] *Wagner, F., Zweiter (III.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z.* 25 (2): 16-22.
- 4093) Zerova, M.D. & L.Y. Seryogina**, 2009, A review of *Eurytoma pistaciae* species group (Hymenoptera, Eurytomidae) with description of two new species. *Vestn. zool.* 43 (1): 31-38, figs.
- 4094) Zerova, M.D. & L.Y. Seryogina**, 2009, A review of Palaearctic species of the *Eurytoma cynipsea* Group (Hymenoptera, Eurytomidae) with a description of a new species from Iran. *Ent. rev.* 89 (6): 721-729 [*Zool. Zh.* 88 (8): 951-959]
- 4095) Zettel, H. & A. Beyarslan**, 1992, Über Agathidinae aus der Türkei (Hymenoptera, Braconidae). *Entomofauna* 13 (5): 121-131.
- 4096) Zetterstedt, J.W.**, 1842-1860, *Diptera Scandinaviae Disposita et descripta*. 14 vols. (6609pp.) Lund.
- 4097) Zeuner, F.E.**, 1941, The classification of the Decticinae hitherto included in *Platycleis* Fieb. or *Metrioptera* Wesm. (Orthoptera, Saltatoria). *Trans. R. ent. Soc. London* 91: 1-50, figs.
- 4098) Zhang, X., Li, H.H. & S.C. Yan**, 2008, Review of the genus *Ancylis* Hübner from China (Lepidoptera, Tortricidae, Olethreutinae). *J. Nat. Hist.* 42 (27/28): 1805-1839, figs.
- 4099) Zhdanko, A.B.**, 1993, Systematics and distribution of *Thersamonolycaena* Vrt. (Lepidoptera, Lycaenidae). *Ent. Obozr.* 72(1): 134-142, 18 figs. [in Russian].
- 4100) Zhdanko, A.B.**, 1994, Systematics and distribution of Lycaenidae of the genus *Thersamonia* (Lepidoptera) [sic]. *Ent. Obozr.* 73(1): 144-152, 21 figs. [in Russian].
- 4101) Zhdanko, A.B.**, 1994, *Farsia* subgen.n.- A new subgenus of the genus *Vacciniina* (Lycaenidae, Lepidoptera) from the Middle Asia. *Ent. Obozr.* 73: 151-154, figs. [in Russian].
- 4102) Ziegler, J.**, 2010, Revision of the genus *Germaria* Robineau-Desvoidy (Diptera, Tachinidae) from Greece, with description of two new species. *Dt. ent. Z.* 57 (1): 43-57, figs.
- 4103) Zimina, L.V.**, 1975, Te Conopid flies (Diptera, Conopidae) of the USSR. The genus *Sicus* Scop., 1763. *Ent. Rev.* 54 (1): 129-132 [in Russian]
- 4104) Zimina, L.V.**, 1979, A new Conopidae species from Turkmenistan (Diptera). *Trudy Vses. Ent. Obshch.* 61: 196-197.
- 4105) Zimmermann, V.S.**, 1971, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung *Trichodes* Herbst (Cleridae, Coleoptera). *Annln naturhn. Mus. Wien* 75: 591-625.
- 4106) Zimmermann, V.S.**, 1973, Ergebnisse zoologischer Sammelreisen in der Türkei Gattung *Trichodes* Herbst (Cleridae, Coleoptera). *Annln naturhn. Mus. Wien* 77: 409-419.
- 4107) Zlobin, V.V.**, 2005, A new species of *Melanagromyza* feeding on giant hogweed in the Caucasus (Diptera, Agromyzidae). *Zoosyst. ross.* 14 (1): 173-177, figs.
- 4108) Zolotuhin, V.V. & R. Zahiri**, 2008, The Lasiocampidae of Iran (Lepidoptera). *Zootaxa* 1791: 1-52, figs.
- 4109) Zolotuhin, V.V.**, 1993, *Lemoniidae* (Lepidoptera) of the Caucasus. *Ent. Obozr.* 73 (2): 94-101 [engl. transl. *Ent. rev.* 73 (5): 148-155, 3 figs., 1994]
- 4110) Zolotuhin, V.V.**, 1998, Further synonymic notes in the Lasiocampidae with the description of a new *Euthrix*-species (Lepidoptera, Lasiocampidae). *Entomofauna* 19 (2): 53-74, 23 figs.
- 4111) Zolotuhin, V.V.**, 2007, On the identity of the Turkish species of *Eriogaster rimicola*-group (Lasiocampidae). *Nota lepid.* 30: 45-50, figs.
- 4112) Zonstein, I.**, 2007, A review of the species of *Microphadnus* Cameron in Israel with a description of a new species (Hymenoptera, Pompilidae). *Israel J. Ent.* 37: 245-259, figs.
- 4113) Zukowsky, B.**, 1936, Neue Arten und Formen der paläarktischen Familien Aegeriidae und Cossidae (Lep.). *Ent. Rdsch.* 53: 534-537, Abb.
- 4114) Zukowsky, B.**, 1937, Reisebericht über entomologische Aufsammlungen im nordöstlichen Anatolien (westliches Armenien) 1934 (Lep.). *Ent. Rdsch.* 55: 1-6, 13-14, 27-30, 37-40.
- 4115) Zukowsky, B.**, 1938, Herbstreise nach Kleinasien, Nordost-Anatolien und zilizischer Taurus (Lep.). *Ent. Rdsch.* 55: 529-531, 623-627, 648-651, 657-659, 708.
- 4116) Zukowsky, B.**, 1941, Siwas und Akschehir 1937 (Lep.). *Ent. Z., Frankf. a. M.* 54: 266-272.
- 4117) Zwick, P.**, 1971, Plecoptera aus Anatolien und benachbarten Gebieten. *Mitt. schweiz. ent. Ges.* 44 (3/4): 233-264, 11 Abb.
- 4118) Zwick, P.**, 1972, *Blephariceridae* (Dipt.) aus der asiatischen Türkei. *Nouv. Revue Ent.* 2: 21-42, figs.
- 4119) Zwick, P.**, 1978, Beitrag zur Kenntnis europäischer *Blepharoceridae* (Diptera). *Bonn. zool. Beitr.* 29 (1/3): 242-266, 17 Abb.
- 4120) Zwick, P.**, 1988, Contribution to the Turkish *Blephariceridae* and *Ptychopteridae* (Diptera). *Mitt. schweiz. ent. Ges.* 61: 123-129, figs.

Appendix

LIST OF THE PTERYGOT INSECTS OF THE ADJACENT COUNTRIES

IRAN (7475 SPECIES)

- 1) "**Argyroploce**" **vandarbana** **Osthelder,1938** (Tortricidae) Synonym(s): *vandarbana* **Osthelder,1938**
- 2) "**Chloroclystis**" **palaeartica** **Brandt,1938** (Geometridae) Synonym(s): *palaeartica* **Brandt,1938**
- 3) "**Megamelus**" **ornatipennis** **Haupt,1927** (Delphacidae) Synonym(s): *ornatipennis* **Haupt,1927**
- 4) **Ablattaria** **arenaria** (**Kraatz,1876**) (Silphidae) Synonym(s): *arenaria* **Kraatz,1876**; *punctigera* **Reitter,1885**; *alleoni* **Portevin,1926**
- 5) **Ablattaria** **laevigata** (**Fabricius,1775**) (Silphidae) Synonym(s): *laevigata* **Fabricius,1775**
- 6) **Ablerus** **atomon** (**Walker,1847**) (Aphelinidae) Synonym(s): *atomon* **Walker,1847**
- 7) **Abraxas** **wehrlii** **Bytinski-Salz & Brandt,1937** (Geometridae) Synonym(s): *wehrlii* **Bytinski-Salz & Brandt,1937**; *#assignata* **Bytinski-Salz & Brandt,1937**
- 8) **Abrostola** **agnorista** **Dufay,1956** (Noctuidae) Synonym(s): *agnorista* **Dufay,1956**
- 9) **Abrostola** **asclepiadis** (**Lang,1789**) (Noctuidae) Synonym(s): *#asclepiadis* [**Denis & Schiffermüller**],1775; *asclepiadis* **Lang,1789**.
- 10) **Abrostola** **clarissa** (**Staudinger,1900**) (Noctuidae) Synonym(s): *clarissa* **Staudinger,1900**
- 11) **Abrostola** **hyrcanica** **Hacker,2002** (Noctuidae) Synonym(s): *hyrcanica* **Hacker,2002**
- 12) **Abrostola** **triplasia** (**Linnaeus,1758**) (Noctuidae) Synonym(s): *triplasia* **Linnaeus,1758**; *trigemina* **Werneburg,1864**.
- 13) **Acalyptis** **platani** (**Müller-Rutz,1934**) (Nepticulidae) Synonym(s): *platani* **Müller-Rutz,1934**
- 14) **Acanthaclisis** **baetica** **Rambur,1842** (Myrmeleonidae) Synonym(s): *baetica* **Rambur,1842**
- 15) **Acanthaclisis** **occitanica** (**Villers,1789**) (Myrmeleonidae) Synonym(s): *occitanicum* **Villers,1789**; *pisanus* **Rossi,1790**; *georgianum* **Fischer v. Waldheim,1846**.
- 16) **Acanthaclisis** **pallida** **McLachlan,1887** (Myrmeleonidae) Synonym(s): *pallida* **McLachlan,1887**
- 17) **Acanthiophilus** **helianthi** (**Rossi,1790**) (Tephritidae) Synonym(s): *helianthi* **Rossi,1790**; *eluta* **Meigen,1826**
- 18) **Acantholipes** **circumdata** (**Walker,1858**) (Noctuidae) Synonym(s): *circumdata* **Walker,1858**; *vetustalis* **Walker**,[1866]; *flavisigna* **Moore,1881**
- 19) **Acantholipes** **regularis** (**Hübner**,[1813]) (Noctuidae) Synonym(s): *regularis* **Hübner**,[1813]
- 20) **Acantholipes** **regulatrix** **Wiltshire,1961** (Noctuidae) Synonym(s): *regulatrix* **Wiltshire,1961**
- 21) **Acanthophila** **alacella** (**Zeller,1839**) (Gelechiidae) Synonym(s): *alacella* **Zeller,1839**
- 22) **Acanthovalva** **inconspicuaria** (**Hübner**,[1819]) (Geometridae) Synonym(s): *inconspicuaria* **Hübner**,[1819]; *pumicaria* **Lederer,1855**; *osyraria* **Guenée**,[1858]; *cinerascens* **Butler,1875**; *perturbata* **Bastelberger,1908**; *cinnamomaria* **Rothschild,1914**.
- 23) **Acaudinum** (**Protacaudinum**) **beheni** **Remaudière & Davatchi,1959** (Aphididae) Synonym(s): *beheni* **Remaudière & Davatchi,1959**
- 24) **Acherontia** **atropos** (**Linnaeus,1758**) (Sphingidae) Synonym(s): *atropos* **Linnaeus,1758**; *solani* **Oken,1815**; *sculda* **Kirby,1877**.
- 25) **Acherontia** **styx** (**Westwood,1847**) (Sphingidae) Synonym(s): *styx* **Westwood,1847**; *ariel* **Boisduval**,[1875]; *#stax* **Lewvanich,2001**
- 26) **Achyra** **coelatalis** (**Walker,1859**) (Pyrilidae) Synonym(s): *coelatalis* **Walker,1859**; *massalis* **Walker,1859**; *nodiferalis* **Gaede,1917**; *aurantiaca* **Rothschild,1921**; *fredi* **Amsel,1961**
- 27) **Achyra** **nudalis** (**Hübner,1796**) (Pyrilidae) Synonym(s): *nudalis* **Hübner,1796**; *interpunctalis* **Hübner,1796**; *unipunctalis* **Duponchel,1831**; *bipunctalis* **Duponchel,1831**; *pauciferalis* **Walker,1865**; *nodalis* **Gundlach,1891**; *ochromorpha* **Lower,1901**
- 28) **Achyra** **ochrofascialis** (**Christoph,1882**) (Pyrilidae) Synonym(s): *ochrofascialis* **Christoph,1882**; *#ochrifascialis* **Wiltshire,1957**.
- 29) **Achyra** **ustrinalis** (**Christoph,1877**) (Pyrilidae) Synonym(s): *ustrinalis* **Christoph,1877**
- 30) **Achyrolimonia** **decemmaculata** (**Loew,1873**) (Limoniidae) Synonym(s): *decemmaculata* **Loew,1873**
- 31) **Achyrolimonia** **neonebulosa** (**Alexander,1924**) (Limoniidae) Synonym(s): *nebulosa* **Alexander,1913**; *neonebulosa* **Alexander,1924**; *delicatula* **Lackschewitz,1964**
- 32) **Acinopus** **ammophilus** **Dejean,1829** (Carabidae) Synonym(s): *ammophilus* **Dejean,1829**
- 33) **Acinopus** **megacephalus** (**P.Rossi,1794**) (Carabidae) Synonym(s): *megacephalus* **P.Rossi,1794**
- 34) **Aciura** **coryli** (**Rossi,1790**) (Tephritidae) Synonym(s): *coryli* **Rossi,1790**; *rotundiventris* **Meigen,1826**; *femoralis* **R-D**,1830; *powelli* **Seguy,1930**
- 35) **Acleris** **napaea** (**Meyrick,1912**) (Tortricidae) Synonym(s): *napaea* **Meyrick,1912**; *sheljuzhkoii* **Obraztsov,1943**; *heringi* **Razowski,1958**
- 36) **Acleris** **variegana** ([**Denis & Schiffermüller**],1775) (Tortricidae) Synonym(s): *variegana* [**Denis & Schiffermüller**],1775; *asperana* **Fabricius,1777**; *osbeckiana* **Thunberg,1784**; *nyctemerana* **Hübner**,[1817]; *blandiana* **Charpentier,1821**; *blandana* **Hübner**,[1825]; *cirrana* **Curtis,1835**; *albana* **Humpreys & Westwood,1845**; *insignana* **Herrich-Schäffer**, 1851.
- 37) **Acnephalum** **fasciculatus** (**Loew,1847**) (Asilidae) Synonym(s): *fasciculatus* **Loew,1847**
- 38) **Acnephalum** **hirsutus** (**Becker,1913**) (Asilidae) Synonym(s): *hirsutus* **Becker,1913**
- 39) **Acnephalum** **leucostomus** (**Engel,1930**) (Asilidae) Synonym(s): *leucostomus* **Engel,1930**
- 40) **Acnephalum** **melanostomus** (**Loew,1874**) (Asilidae) Synonym(s): *melanostomus* **Loew,1874**
- 41) **Acnephalum** **mixtus** (**Loew,1847**) (Asilidae) Synonym(s): *mixtus* **Loew,1847**; *anthophorinus* **Loew,1847**
- 42) **Acontia** (**Emmelia**) **binominata** (**Butler,1892**) (Noctuidae) Synonym(s): *costalis* **Walker,1865** nec **Wlk.**,[1858]; *binominata* **Butler,1892**; *inquinata* **W. Warren,1913**
- 43) **Acontia** (**Emmelia**) **trabealis** (**Scopoli,1763**) (Noctuidae) Synonym(s): *trabealis* **Scopoli,1763**; *arabica* **Hufnagel,1766**; *sulphuralis* **Linnaeus,1767**; *sulphurea* [**Denis & Schiffermüller**],1775; *lugubris* **Fabricius,1777**; *histrionella* **Goeze,1783**; *arlequinetta* **Fourcroy,1785**; *trabeata* **Borkhausen,1790**; *pardalina* **Walker,1865**; *deleta* **Staudinger,1877**; *flavonitens* **Austaut,1880**; *algira* **Oberthür,1881**

- 44) *Acontia* (s.str.) **binominata** (Butler,1892) (Noctuidae) Synonym(s): *costalis* Walker,1865 nec Wlk.,[1858]; *binominata* Butler,1892; *inquinata* W.Warren,1913
- 45) *Acontia* (s.str.) **biskrensis** (Oberthür,1887) (Noctuidae) Synonym(s): *biskrensis* Oberthür,1887; *orientalis* Brandt,1939; *agacinoi* Rungs,1945; *griseus* Rebel,1948
- 46) *Acontia* (s.str.) **catenula** (Walker,1865) (Noctuidae) Synonym(s): *catenula* Walker,1865
- 47) *Acontia* (s.str.) **chiaromonte** (Berio,1936) (Noctuidae) Synonym(s): *chiaromonte* Berio,1936; *esmeralda* Brandt,1939
- 48) *Acontia* (s.str.) **esmeralda** (Brandt,1939) (Noctuidae) Synonym(s): *esmeralda* Brandt,1939
- 49) *Acontia* (s.str.) **hortensis** Swinhoe,1884 (Noctuidae) Synonym(s): *hortensis* Swinhoe,1884; *audeoudi* Brandt,1939; *#audeoudi* Ebert & Hacker,2002
- 50) *Acontia* (s.str.) **lucida** (Hufnagel,1766) (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliodora* Schawerda,1923
- 51) *Acontia* (s.str.) **opalinoidea** Guenée,1852 (Noctuidae) Synonym(s): *opalinoidea* Guenée,1852
- 52) *Acontia* (s.str.) **sordescens** (Staudinger,1895) (Noctuidae) Synonym(s): *sordescens* Staudinger,1895
- 53) *Acontia* (s.str.) **umbriger** (R.Felder & Rogenhofer,[1875]) (Noctuidae) Synonym(s): *umbriger* R.Felder & Rogenhofer,[1875]; *trimaculata* Aurivillius,1879
- 54) *Acontia* (Uracontia) **titania** (Esper,[1798]) (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
- 55) *Acontiola* **sancta** Staudinger,[1900] (Noctuidae) Synonym(s): *sancta* Staudinger,[1900]
- 56) *Aconura* **amitina** (Melichar,1902) (Cicadellidae) Synonym(s): *amitina* Melichar,1902; *inustus* Haupt,1927
- 57) *Aconura* **jakowlefi** Lethierry,1876 (Cicadellidae) Synonym(s): *jakowlefi* Lethierry,1876
- 58) *Aconura* **volgensis** Lethierry,1876 (Cicadellidae) Synonym(s): *volgensis* Lethierry,1876
- 59) *Aconurella* **prolixa** (Lethierry,1885) (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (praeocc.); *sanguisuga* Lindberg,1927; *obtus* Metcalf,1955
- 60) *Acrida* **oxycephala** (Pallas,1771) (Acrididae) Synonym(s): *oxycephala* Pallas,1771; *deserti* Uvarov,1916; *caspica* Dirsh,1949; *persa* Dirsh,1949; *turca* Dirsh,1949
- 61) *Acrobasis* **atrisquamella** Ragonot,1887 (Pyralidae) Synonym(s): *atrisquamella* Ragonot,1887; *nigrisquamella* Amsel,1953
- 62) *Acrobasis* **glaucella** Staudinger,1859 (Pyralidae) Synonym(s): *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910.
- 63) *Acrobasis* **nigribasalis** Amsel,1953 (Pyralidae) Synonym(s): *nigribasalis* Amsel,1953
- 64) *Acrobasis* **maibilleella** (Lucas) (Pyralidae) Synonym(s): *maibilleella* Lucas
- 65) *Acrobyla* **draudti** (Brandt,1939) (Noctuidae) Synonym(s): *draudti* Brandt,1939
- 66) *Acrobyla* **kneuckeri** (Rebel,1903) (Noctuidae) Synonym(s): *kneuckeri* Rebel,1903; *turcorum* C.G.Krüger,1939 nec Zny.; *gloriosa* Rungs,1945
- 67) *Acrocera* (Acrocera) **trifasciata** Pleske,1930 (Acrocera) Synonym(s): *trifasciata* Pleske,1930
- 68) *Acrocercops* **iraniana** Triberti,1990 (Gracillariidae) Synonym(s): *iraniana* Triberti,1990
- 69) *Acronicta* (Subacronicta) **megacephala** (Fabricius,1787) (Noctuidae) Synonym(s): *megacephala* Fabricius,1787; *ankarensis* Hering,1933.
- 70) *Acronicta* (Triaena) **aceris** (Linnaeus,1758) (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 71) *Acronicta* (Triaena) **pasiphae** Draudt,1936 (Noctuidae) Synonym(s): *pasiphae* Draudt,1936
- 72) *Acronicta* (Triaena) **psi** (Linnaeus,1758) (Noctuidae) Synonym(s): *psi* Linnaeus,1758
- 73) *Acronicta* (Triaena) **solimana** Draudt,1938 (Noctuidae) Synonym(s): *solimana* Draudt,1938
- 74) *Acronicta* (Viminia) **euphorbiae** (Denis,1785) (Noctuidae) Synonym(s): *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusiak & Niesiolowski,1946.
- 75) *Acronicta* (Viminia) **orientalis** Mann,1862 (Noctuidae) Synonym(s): *orientalis* Mann,1862
- 76) *Acronicta* (Viminia) **rumicis** (Linnaeus,1758) (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 77) *Acronicta* (Viminia) **saadi** Brandt,1938 (Noctuidae) Synonym(s): *saadi* Brandt,1938
- 78) *Acrosternum* **arabicum** Wagner,1959 (Pentatomidae) Synonym(s): *arabicum* Wagner,1959
- 79) *Acrosternum* **breviceps** (Jakovlev,1890) (Pentatomidae) Synonym(s): *breviceps* Jakovlev,1890; *sahlbergi* Reuter,1900; *satunini* Jakovlev,1903; *bactriana* Kiritshenko,1912
- 80) *Acrosternum* **heegeri** Fieber,1861 (Pentatomidae) Synonym(s): *heegeri* Fieber,1861; *incerta* Signoret,1861; *submarginatus* Stål,1861
- 81) *Acrosternum* **millieri** (Mulsant & Rey,1866) (Pentatomidae) Synonym(s): *millieri* Mulsant & Rey,1866; *forbesi* Distant,1884; *putoni* Vidal,1949
- 82) *Acrotylus* **insubricus** (Scopoli,1786) (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958
- 83) *Acrotylus* **longipes** (Charpentier,1845) (Acrididae) Synonym(s): *longipes* Charpentier,1845; *aurifera* Walker,1870; *collecta* Walker,1870
- 84) *Actenia* **honestalis** (Treitschke,1829) (Pyralidae) Synonym(s): *honestalis* Treitschke,1829
- 85) *Actenia* **persica** Amsel,1949 (Pyralidae) Synonym(s): *persica* Amsel,1949
- 86) *Acteniopsis* **kurdistanella** Amsel,1959 (Pyralidae) Synonym(s): *kurdistanella* Amsel,1959; *#unicolorella* Amsel,1961.
- 87) *Acyrthosiphon* (Xanthomyzus) **lambersi** Leclant & Remaudière,1974 (Aphididae) Synonym(s): *lambersi* Leclant & Remaudière,1974
- 88) *Adaina* **microdactyla** (Hübner,[1813]) (Pterophoridae) Synonym(s): *microdactyla* Hübner,[1813]; *carphodactylus* Stephens,1834; *subflavescens* Meyrick,1930; *montivola* Meyrick,1937.
- 89) *Adelostoma* (Zarudnyomus) **grande** Haag-Rutenberg,1879 (Tenebrionidae) Synonym(s): *grande* Haag-Rutenberg,1879; *persis* Semenov & Bogatshev,1947; *perissinottoi* Canzoneri,1965
- 90) *Adelphocoris* **bimaculicollis** Lindberg,1948 (Miridae) Synonym(s): *bimaculicollis* Lindberg,1948
- 91) *Adelphocoris* **lineolatus** (Goeze,1778) (Miridae) Synonym(s): *lineolatus* Goeze,1778; *albinus* Geoffroy,1785; *chenopodii* Fallén,1807; *brevicollis* Meyer-Dür,1843; *implagiatus* Westhoff,1881; *bisbipunctatus* Reuter,1891; *baltrumensis* Schumacher,1911
- 92) *Adelphocoris* **ticinensis** (Meyer-Dür,1843) (Miridae) Synonym(s): *ticinensis* Meyer-Dür,1843; *haemorrhous* A.Costa,1853; *henkei* Jakovlev,1875; *capitatus* Jakovlev,1877; *testaceus* Stichel,1957; *virescens* Stichel,1957
- 93) *Adelungia* **elegans** Melichar,1902 (Cicadellidae) Synonym(s): *elegans* Melichar,1902
- 94) *Adeniana* **longiceps** (Puton,1887) (Cicadidae) Synonym(s): *longiceps* Puton,1887; *tabida* Horvath,1911; *planiceps* Horvath,1917
- 95) *Adenissus* **zahedanicus** Dlabola,1980 (Caliscelidae) Synonym(s): *zahedanicus* Dlabola,1980

- 96) *Adesmia (Oteroscelis) bicarinata* Klug, 1830 (Tenebrionidae) Synonym(s): *bicarinata* Klug, 1830; *villae Osculati*, 1844
- 97) *Adesmia (Oteroscelis) carinata* Miller, 1861 (Tenebrionidae) Synonym(s): *carinata* Miller, 1861
- 98) *Adesmia (Oteroscelis) lacunosa* Klug, 1830 (Tenebrionidae) Synonym(s): *lacunosa* Klug, 1830
- 99) *Adesmia (s.str.) clathrata* Solier, 1835 (Tenebrionidae) Synonym(s): *clathrata* Solier, 1835
- 100) *Adesmia (s.str.) devechii Osculati*, 1844 (Tenebrionidae) Synonym(s): *devecchii Osculati*, 1844
- 101) *Adesmia (s.str.) fagergreeni Baudi*, 1874 (Tenebrionidae) Synonym(s): *fagergreeni Baudi*, 1874
- 102) *Adesmia (s.str.) maillei Solier*, 1835 (Tenebrionidae) Synonym(s): *maillei Solier*, 1835
- 103) *Adesmia (s.str.) metallica* Klug, 1830 (Tenebrionidae) Synonym(s): *metallica* Klug, 1830; *syriaca Baudi*, 1874
- 104) *Adesmia (s.str.) montana* Klug, 1830 (Tenebrionidae) Synonym(s): *montana* Klug, 1830; *parallela Miller*, 1861
- 105) *Adesmia (s.str.) tenebrosa* Solier, 1835 (Tenebrionidae) Synonym(s): *tenebrosa* Solier, 1835
- 106) *Adontomerus confusus* Askew, 2000 (Torymidae) Synonym(s): *confusus* Askew, 2000
- 107) *Adontomerus crassipes* (Boucek, 1982) (Torymidae) Synonym(s): *crassipes* Boucek, 1982
- 108) *Adontomerus impolitus* (Askew & Nieves-Aldrey, 1988) (Torymidae) Synonym(s): *impolitus* Askew & Nieves-Aldrey, 1988
- 109) *Adoxomyia cinerascens* (Loew, 1873) (Stratiomyidae) Synonym(s): *cinerascens* Loew, 1873
- 110) *Adoxomyia ruficornis* (Loew, 1873) (Stratiomyidae) Synonym(s): *ruficornis* Loew, 1873
- 111) *Adoxomyia sarudnyi* (Pleske, 1903) (Stratiomyidae) Synonym(s): *sarudnyi* Pleske, 1903
- 112) *Adrastus samedovi Dolin & Agajev*, 1974 (Elateridae) Synonym(s): *samedovi Dolin & Agajev*, 1974
- 113) *Adscita (s.str.) obscura* (Zeller, 1847) (Zygaenidae) Synonym(s): *obscura* Zeller, 1847; *anceps Staudinger*, 1862.
- 114) *Aedes (Aedimorphus) vexans* (Meigen, 1830) (Culicidae) Synonym(s): *vexans* Meigen, 1830; *parvus Macquart*, 1834; *articulatus Rondani*, 1872; *malariae Grassi*, 1898; *sylvestris Theobald*, 1901; *montcalmi Blanchard*, 1905; *minuta Theobald*, 1907; *eruthrosops Theobald*, 1910; *sudanensis Theobald*, 1911; *euochrus Howard*, Dyar & Knab, 1917
- 115) *Aedes (Finlaya) echinus Edwards*, 1920 (Culicidae) Synonym(s): *echinus Edwards*, 1920
- 116) *Aedes (Finlaya) versicolor* (Barraud, 1924) (Culicidae) Synonym(s): *versicolor* Barraud, 1924
- 117) *Aedes (Ochlerotatus) caspius* (Pallas, 1771) (Culicidae) Synonym(s): *caspius Pallas*, 1771; *punctatus Meigen*, 1804; *siculus R-D.*, 1827; *maculiventris Macquart*, 1844; *penicillaris Rondani*, 1872; *curriei Coquillett*, 1901; *onodagensis Felt*, 1904; *longisquamosa Theobald*, 1905; *subtilis Sergent & Sergent*, 1905; *quaylei Dyar & Knab*, 1906; *lativittatus Coquillett*, 1906; *arabica Giles*, 1906; *africanus Neveu-Lemaire*, 1906; *willcocksii Theobald*, 1907; *arabicus Becker*, 1910; *broquetii Theobald*, 1913; *grahami Ludlow*, 1919; *epsilon Séguy*, 1924
- 118) *Aedes (Ochlerotatus) detritus Haliday*, 1833 (Culicidae) Synonym(s): *detritus Haliday*, 1833; *salinus Ficalbi*, 1896; *terriei Theobald*, 1903; *maculosa Theobald*, 1905
- 119) *Aedes (Ochlerotatus) flavescens* (Müller, 1764) (Culicidae) Synonym(s): *flavescens Müller*, 1764; *lutescens Fabricius*, 1775; *variegatus Schrank*, 1781; *bipunctatus R-D.*, 1827; *flavus Motschoulsky*, 1859; *fletcheri Coquillett*, 1902
- 120) *Aedes (Ochlerotatus) pulcritarsis* (Rondani, 1872) (Culicidae) Synonym(s): *pulcritarsis Rondani*, 1872; *leucacanthus Loew*, 1873; *stegomyia Stackelberg & Monchadskii*, 1926; *asiatica Edwards*, 1926; *simici Baranoff*, 1927
- 121) *Aedes (Stegomyia) aegypti* (Linnaeus, 1762) (Culicidae) Synonym(s): *aegypti Linnaeus*, 1762; *argenteus Poirer*, 1787; *fasciatus Fabricius*, 1805; *sugens Wiedemann*, 1828; *annulitarsis Macquart*, 1846; *inexorabilis Walker*, 1848; *insatiabilis Bigot*, 1859; *nigeria Theobald*, 1901; *atrirtarsis Edwards*, 1920
- 122) *Aedia cana* (Brandt, 1939) (Noctuidae) Synonym(s): *cana Brandt*, 1939
- 123) *Aedia funesta* (Esper, [1786]) (Noctuidae) Synonym(s): *funesta Esper*, [1786]; *quadrimaculata Scopoli*, 1786
- 124) *Aedia leucomelas* (Linnaeus, 1758) (Noctuidae) Synonym(s): *leucomelas Linnaeus*, 1758; *ramburii Boisduval*, 1829; *adepta Geyer*, 1832; *olivascens Guenée*, 1852; *limitaris Walker*, [1863]; *shisa Strand*, 1920; *thomae A.E. Prout*, 1927; *albodiscalis Roepke*, 1932; *ermanniae Berio*, 1989
- 125) *Aedophron phlebotoma Lederer*, 1858 (Noctuidae) Synonym(s): *phlebotoma Lederer*, 1858
- 126) *Aedophron rhodites* (Eversmann, 1851) (Noctuidae) Synonym(s): *rhodites Eversmann*, 1851; *aurorina Herrich-Schäffer*, [1852].
- 127) *Aedophron sumorita Ronkay*, 2002 (Noctuidae) Synonym(s): *sumorita Ronkay*, 2002
- 128) *Aegle exquisita Boursin*, 1969 (Noctuidae) Synonym(s): *exquisita Boursin*, 1969
- 129) *Aegle gratiosa* (Staudinger, 1892) (Noctuidae) Synonym(s): *gratiosa Staudinger*, 1892; *iranica Bytinski-Salz & Brandt*, 1937.
- 130) *Aegle kaekeritziana* (Hübner, [1799]) (Noctuidae) Synonym(s): *kaekeritziana Hübner*, [1799]; *flava Hübner*, [1809]; *flavida Ochsenheimer*, 1816.
- 131) *Aegle otto* (Schawerda, 1923) (Noctuidae) Synonym(s): *otto Schawerda*, 1923
- 132) *Aegle semicana* (Esper, [1798]) (Noctuidae) Synonym(s): *semicana Esper*, [1798]; *vespertalis Hübner*, [1813]; *mimetes Brandt*, 1938; *#vespertalis Hacker*, 1986.
- 133) *Aegle subflava* (Erschoff, 1874) (Noctuidae) Synonym(s): *subflava Erschoff*, 1874
- 134) *Aeglotis argentalis* (Christoph, 1887) (Pyralidae) Synonym(s): *argentalis Christoph*, 1887
- 135) *Aelia acuminata* (Linnaeus, 1758) (Pentatomidae) Synonym(s): *acuminata Linnaeus*, 1758; *rostratus De Geer*, 1773; *tessarophthalmus Schrank*, 1781; *neglecta Dallas*, 1851; *burmeisteri Küster*, 1852; *pallida Küster*, 1852; *turanica Horvath*, 1895; *punctiventris Horvath*, 1911; *#nigripes Wagner*, 1938; *baluchistanensis Ahmad & Zaidi*, 1988
- 136) *Aelia alticola Kiritshenko*, 1914 (Pentatomidae) Synonym(s): *alticola Kiritshenko*, 1914; *satunini Kiritshenko*, 1930
- 137) *Aelia furcula Fieber*, 1868 (Pentatomidae) Synonym(s): *furcula Fieber*, 1868; *simillima Reuter*, 1900
- 138) *Aelia melanota Fieber*, 1868 (Pentatomidae) Synonym(s): *melanota Fieber*, 1868; *#melonata Havaskary et al.*, 2012; *#abtusua Havaskary*, 2012
- 139) *Aelia rostrata Boheman*, 1852 (Pentatomidae) Synonym(s): *rostrata Boheman*, 1852; *cognata Fieber*, 1868; *glebana Ferrari*, 1874; *syriaca Horvath*, 1903; *eminealkanata Lodos*, 1959; *confusa Kirkaldy*, 1909; *brunnea Halaszfy*, 1955
- 140) *Aelia sibirica Reuter*, 1884 (Pentatomidae) Synonym(s): *sibirica Reuter*, 1884; *henschi Montandon*, 1886; *aspera Jakovlev*, 1903
- 141) *Aelia virgata* (Herrich-Schäffer, 1841) (Pentatomidae) Synonym(s): *virgata Herrich-Schäffer*, 1841
- 142) *Aeolesthes sarta* (Solsky, 1871) (Cerambycidae) Synonym(s): *sarta Solsky*, 1871
- 143) *Aeoloides figuratus* (Germar, 1844) (Elateridae) Synonym(s): *figuratus Germar*, 1844; *turcomanus Candeze*, 1889
- 144) *Aeoloides griseus* (Germar, 1844) (Elateridae) Synonym(s): *griseus Germar*, 1844; *bicarinatus Reitter*, 1891
- 145) *Aeolosomus rossi* (Germar, 1844) (Elateridae) Synonym(s): *rossi Germar*, 1844
- 146) *Aeschremon belutschistanalis Amsel*, 1959 (Pyralidae) Synonym(s): *belutschistanalis Amsel*, 1959
- 147) *Aeschremon disparalis Herrich-Schäffer*, [1855] (Pyralidae) Synonym(s): *disparalis Herrich-Schäffer*, [1855]; *#indistinctalis Amsel*, 1961
- 148) *Aeschremon tenalis Amsel*, 1961 (Pyralidae) Synonym(s): *tenalis Amsel*, 1961
- 149) *Aeshna affinis* Van Der Linden, 1820 (Aeshnidae) Synonym(s): *affinis* Van Der Linden, 1820

- 150) *Aeshna isosceles* (O.F.Müller,1764) (Aeshnidae) Synonym(s): *isosceles* O.F.Müller,1764
- 151) *Aeshna mixta* Latreille,1805 (Aeshnidae) Synonym(s): *mixta* Latreille,1805
- 152) *Aethes argyrosila* Karisch,2005 (Tortricidae) Synonym(s): *argyrosila* Karisch,2005
- 153) *Aethes bilbaensis* (Rössler,1877) (Tortricidae) Synonym(s): *bilbaensis* Rössler,1877; *loxoapteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923.
- 154) *Aethes cremonana* (Ragonot,1894) (Tortricidae) Synonym(s): *cremonana* Ragonot,1894
- 155) *Aethes destituta* Razowski,1983 (Tortricidae) Synonym(s): *destituta* Razowski,1983
- 156) *Aethes eberti* Sutter & Karisch,2004 (Tortricidae) Synonym(s): *eberti* Sutter & Karisch,2004
- 157) *Aethes eryngiella* (Vallot,1829) (Tortricidae) Synonym(s): *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helvticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952.
- 158) *Aethes iranica* Razowski,1963 (Tortricidae) Synonym(s): *iranica* Razowski,1963
- 159) *Aethes kandovana* Alipanah,2009 (Tortricidae) Synonym(s): *kandovana* Alipanah,2009
- 160) *Aethes kasyi* Razowski,1962 (Tortricidae) Synonym(s): *kasyi* Razowski,1962
- 161) *Aethes lateritia* Razowski,1970 (Tortricidae) Synonym(s): *lateritia* Razowski,1970
- 162) *Aethes luteopictana* (Kennel,1900) (Tortricidae) Synonym(s): *luteopictana* Kennel,1900
- 163) *Aethes moribundana* (Staudinger,1859) (Tortricidae) Synonym(s): *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.
- 164) *Aethes pardaliana* (Kennel,1899) (Tortricidae) Synonym(s): *pardaliana* Kennel,1899
- 165) *Aethes persica* Razowski,1963 (Tortricidae) Synonym(s): *persica* Razowski,1963
- 166) *Aethes prangana* (Kennel,1900) (Tortricidae) Synonym(s): *prangana* Kennel,1900.
- 167) *Aethes shakibai* Huemer & Wieser,2004 (Tortricidae) Synonym(s): *shakibai* Huemer & Wieser,2004
- 168) *Aethes spirana* (Kennel,1899) (Tortricidae) Synonym(s): *spirana* Kennel,1899
- 169) *Aethes tessera* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *tessera* [Denis & Schiffermüller],1775; *aleella* Sulzer,1776; *heiserana* Fabricius,1787; *groendaliana* Thunberg,1791.
- 170) *Aethes xanthina* Falkovitsh,1963 (Tortricidae) Synonym(s): *xanthina* Falkovitsh,1963
- 171) *Aethiessa mesopotamica* Burmeister,1842 (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939
- 172) *Aethiessa zarudnyi* Kiseritzkij,1939 (Scarabaeidae) Synonym(s): *zarudnyi* Kiseritzkij,1939; *bagdadensis* Arrow,1910
- 173) *Afghanoleon flavomaculatus* Hölzel,1972 (Myrmeleonidae) Synonym(s): *flavomaculatus* Hölzel,1972
- 174) *Africalpe falkneri* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *falkneri* Hacker & Ebert,2002
- 175) *Africalpe intrusa* C.G.Krüger,1939 (Noctuidae) Synonym(s): *intrusa* C.G.Krüger,1939
- 176) *Africalpe vagabunda* (Swinhoe,1884) (Noctuidae) Synonym(s): *vagabunda* Swinhoe,1884; *anubis* Rebel,1947; *#anubia* Poole,1989
- 177) *Agabus* (Gaurodytes) *caraboides* Sharp,1882 (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884
- 178) *Agabus* (Gaurodytes) *faldermanni* Zaitzev,1927 (Dytiscidae) Synonym(s): *faldermanni* Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975
- 179) *Agabus* (Gaurodytes) *glacialis* Hochhuth,1846 (Dytiscidae) Synonym(s): *glacialis* Hochhuth,1846; *armeniacus* Sharp,1882; *inguttatus* Reitter,1908
- 180) *Agallia harrarensis* Melichar,1911 (Cicadellidae) Synonym(s): *harrarensis* Melichar,1911
- 181) *Agallia venosa* (Fourcroy,1785) (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785; *elongatus* Vismara,1878; *aspera* Ribaut,1935
- 182) *Agapanthia amitina* Holzschuh,1989 (Cerambycidae) Synonym(s): *amitina* Holzschuh,1989
- 183) *Agapanthia angelicae* Reitter,1898 (Cerambycidae) Synonym(s): *angelicae* Reitter,1898
- 184) *Agapanthia coeruleipennis* Frivaldsky,1878 (Cerambycidae) Synonym(s): *coeruleipennis* Frivaldsky,1878
- 185) *Agapanthia persica* Semenov,1893 (Cerambycidae) Synonym(s): *persica* Semenov,1893
- 186) *Agapanthia persicola* Reitter,1894 (Cerambycidae) Synonym(s): *persicola* Reitter,1894
- 187) *Agapeta hamana* (Linnaeus,1758) (Tortricidae) Synonym(s): *hamana* Linnaeus,1758; *trigonana* [Denis & Schiffermüller],1775; *citrinella* Fourcroy,1785; *cruciana* Fabricius,1787; *diversana* Hübner,1793
- 188) *Agatharchus* (s.str.) *herrichi* (Kolenati,1846) (Pentatomidae) Synonym(s): *herrichi* Kolenati,1846; *montanus* Jakovlev,1879; *jakovleffi* Reuter,1881; *aemulans* Horvath,1897; *sobrinus* Horvath,1897
- 189) *Agatharchus* (s.str.) *hirsutus* Belousova,1999 (Pentatomidae) Synonym(s): *hirsutus* Belousova,1999
- 190) *Agatharchus* (s.str.) *jalloides* Stal,1876 (Pentatomidae) Synonym(s): *jalloides* Stal,1876; *saundersi* Jakovlev,1877
- 191) *Agatharchus* (s.str.) *lineus* (Klug,1845) (Pentatomidae) Synonym(s): *lineus* Klug,1845; *furcus* Jakovlev,1877
- 192) *Agatharchus* (s.str.) *persicus* (Jakovlev,1880) (Pentatomidae) Synonym(s): *persicus* Jakovlev,1880
- 193) *Agatharchus* (s.str.) *tritaenia* Horvath,1897 (Pentatomidae) Synonym(s): *tritaenia* Horvath,1897
- 194) *Agdistis adactyla* (Hübner,[1819]) (Pterophoridae) Synonym(s): *adactyla* Hübner,[1819]; *huebneri* Curtis,1834; *delphinensella* Bruand,1858; *shaanxisis* Qin & Zheng,1997.
- 195) *Agdistis adenensis* Amsel,1961 (Pterophoridae) Synonym(s): *adenensis* Amsel,1961
- 196) *Agdistis arabica* Amsel,1958 (Pterophoridae) Synonym(s): *arabica* Amsel,1958
- 197) *Agdistis frankeniae* (Zeller,1847) (Pterophoridae) Synonym(s): *frankeniae* Zeller,1847; *lerinsis* Millière,1876; *bahrutia* Amsel,1955; *tondeuri* Bigot,1963; *rupestris* Bigot,1974; *rjabovi* Zagulyaev & Filippova,1976; *kulunda* Ustjuzhanin,1991.
- 198) *Agdistis insidiatrix* Meyrick,1936 (Pterophoridae) Synonym(s): *insidiatrix* Meyrick,1936
- 199) *Agdistis nanodes* Meyrick,1906 (Pterophoridae) Synonym(s): *nanodes* Meyrick,1906; *sindicola* Amsel,1968; *debilis* Bigot,1968.
- 200) *Agdistis olei* Arenberger,1976 (Pterophoridae) Synonym(s): *olei* Arenberger,1976
- 201) *Agdistis parvella* Amsel,1958 (Pterophoridae) Synonym(s): *parvella* Amsel,1958
- 202) *Agdistis tamaricis* (Zeller,1847) (Pterophoridae) Synonym(s): *tamaricis* Zeller,1847; *bagdadiensis* Amsel,1949; *xinjiangsis* Qin & Zheng,1997.
- 203) *Agdistis tenera* Arenberger,1976 (Pterophoridae) Synonym(s): *tenera* Arenberger,1976
- 204) *Agdistis urmijensis* Zagulyaev,1995 (Pterophoridae) Synonym(s): *urmijensis* Zagulyaev,1995
- 205) *Ageniaspis fuscicollis* (Dalman,1820) (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cianocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957
- 206) *Agenioideus excisus* (Morawitz,1890) (Pompilidae) Synonym(s): *excisus* Morawitz,1890; *emarginatus* Haupt
- 207) *Aglais urticae* (Linnaeus,1758) (Argynnidae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936.
- 208) *Aglena ornata* (Herrich-Schäffer,1838) (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer,1838; *pallida* Walker,1851 (*praeocc.*); *ornatula* Kirkaldy,1906

- 209) **Aglia tau (Linnaeus,1758)** (Saturniidae) Synonym(s): *tau* Linnaeus,1758; *cerretanica* Rougeot,1965; *spaniolissima* Gomez-Bustillo & Gomez de Aizpurua,1980; *eumense* Gomez-Bustillo & Fernandez Vidal,1980
- 210) **Aglossa asiatica Erschoff,1871** (Pyralidae) Synonym(s): *asiatica* Erschoff,1871
- 211) **Aglossa caprealis (Hübner,[1809])** (Pyralidae) Synonym(s): *caprealis* Hübner,[1809]; *capreolatus* Haworth,1809; *aenalis* Costa,1836; *domalis* Guenée,1854; *incultella* Walker,1866; *enthealis* Hulst,1886; *#cuprealis* Kalchberg,1897
- 212) **Aglossa pinguinalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *asiatica* Erschoff,1871; *rubralis* Hampson,1900; *guicciardii* Constantino,1922; *sanaensis* Rebel,1930; *maroccana* Schmidt,1934
- 213) **Agnippe haberlandi (Amsel,1961)** (Gelechiidae) Synonym(s): *haberlandi* Amsel,1961
- 214) **Agonopterix adpersella (Kollar,1832)** (Oecophoridae) Synonym(s): *adpersella* Kollar,1832; *athamanticella* Heinemann,1870; *amanthicella* Staudinger,1901; *sabulata* Turati,1919; *karmeliella* Amsel,1933
- 215) **Agonopterix dideganella Amsel,1972** (Oecophoridae) Synonym(s): *dideganella* Amsel,1972
- 216) **Agonopterix miyanella Amsel,1972** (Oecophoridae) Synonym(s): *miyanella* Amsel,1972
- 217) **Agonopterix purpurea (Haworth,[1811])** (Oecophoridae) Synonym(s): *purpurea* Haworth,[1811]
- 218) **Agonopterix subpropinquella (Stainton,1849)** (Oecophoridae) Synonym(s): *subpropinquella* Stainton,1849; *rhodochrella* Herrich-Schäffer,[1854]; *thoracica* Lederer,1855; *sublutella* Staudinger,1859; *variabilis* Heinemann,1870; *crispella* Lhomme,1929; *amilcarella* Lucas,1951.
- 219) **Agonopterix vendettella (Chrétien,1908)** (Oecophoridae) Synonym(s): *vendettella* Chrétien,1908; *kotalella* Amsel,1972
- 220) **Agonum angustatum Dejean,1828** (Carabidae) Synonym(s): *angustatum* Dejean,1828
- 221) **Agonum gisellae Csiki,1931** (Carabidae) Synonym(s): *gisellae* Csiki,1931
- 222) **Agonum lugens (Duftschmid,1812)** (Carabidae) Synonym(s): *lugens* Duftschmid,1812; *longipenne* Mannerheim,1844
- 223) **Agonum rugicollae Chaudoir,1846** (Carabidae) Synonym(s): *rugicollae* Chaudoir,1846
- 224) **Agrophop pallens Schmidt,1939** (Rhopalidae) Synonym(s): *pallens* Schmidt,1939
- 225) **Agriella transcaspia (Rohdendorf,1928)** (Sarcophagidae) Synonym(s): *transcaspia* Rohdendorf,1928; *heptneri* Rohdendorf,1937
- 226) **Agrilus (Anambus) derasofasciatus Lacordaire,1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835
- 227) **Agrilus (Anambus) roscidus Kiesenwetter,1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857
- 228) **Agrilus (s.str.) lineolus Redtenbacher,1849** (Buprestidae) Synonym(s): *lineolus* Redtenbacher,1849
- 229) **Agriotes (s.str.) brevis Candèze,1863** (Elateridae) Synonym(s): *brevis* Candèze,1863
- 230) **Agriotes (s.str.) lapicida (Faldermann,1835)** (Elateridae) Synonym(s): *lapicida* Faldermann,1835
- 231) **Agriotes (s.str.) meticulosus Candèze,1863** (Elateridae) Synonym(s): *meticulosus* Candèze,1863
- 232) **Agriphila bleszynskiella Amsel,1961** (Pyralidae) Synonym(s): *bleszynskiella* Amsel,1961
- 233) **Agriphila cyrenaicella (Ragonot,1887)** (Pyralidae) Synonym(s): *cyrenaicella* Ragonot,1887; *alexandriensis* Bethune-Baker,1894; *permixtella* Kalchberg,1897.
- 234) **Agriphila inquinatella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller],1775; *? arbustella* Schrank,1802; *nevadensis* Caradja,1910.
- 235) **Agriphila microselasella Bleszynski,1959** (Pyralidae) Synonym(s): *microselasella* Bleszynski,1959
- 236) **Agriphila tersella (Lederer,1855)** (Pyralidae) Synonym(s): *tersella* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942.
- 237) **Agriphila tolli (Bleszynski,1952)** (Pyralidae) Synonym(s): *tollii* Bleszynski,1952
- 238) **Agrius convolvuli (Linnaeus,1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schauffuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
- 239) **Agrochola (Alpichola) elbursica L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *elbursica* L.Ronkay & Gyulai,2006
- 240) **Agrochola (Anchoscelis) fuscomixta L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *fuscomixta* L.Ronkay & Gyulai,2006
- 241) **Agrochola (Anchoscelis) kindermannii (Fischer v. Röslerstamm,[1841])** (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermannii* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953.
- 242) **Agrochola (Anchoscelis) luteogrisea (W.Warren,1911)** (Noctuidae) Synonym(s): *luteogrisea* W.Warren,1911
- 243) **Agrochola (Anchoscelis) oropotamica (Wiltshire,1941)** (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941.
- 244) **Agrochola (Anchoscelis) plumbea (Wiltshire,1941)** (Noctuidae) Synonym(s): *plumbea* Wiltshire,1941
- 245) **Agrochola (Anchoscelis) schreieri Hacker & Weigert,1986** (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert,1986
- 246) **Agrochola (s.str.) pistacina (Goeze,1781)** (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 nec Panzer,1785; *sphaerulatina* Haworth,1809; *venosa* Haworth,1809 nec Hw.1809.
- 247) **Agrochola (Sunira) circellaris (Hufnagel,1766)** (Noctuidae) Synonym(s): *circellaris* Hufnagel,1766
- 248) **Agrotis nemoralis (Scopoli,1763)** (Pyralidae) Synonym(s): *nemoralis* Scopoli,1763
- 249) **Agrotis (Crassagrotis) bigramma (Esper,[1790])** (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 250) **Agrotis (Crassagrotis) obesa (Boisduval,1829)** (Noctuidae) Synonym(s): *obesa* Boisduval,1840
- 251) **Agrotis (Putagrotis) herzogii (Rebel,1911)** (Noctuidae) Synonym(s): *herzogii* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenica* Tams,1925; *leroyi* Lucas,1940
- 252) **Agrotis (Putagrotis) puta (Hübner,[1803])** (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
- 253) **Agrotis (s.str.) biconicus Kollar,[1844]** (Noctuidae) Synonym(s): *spinifera* Hübner,[1808] nec Vill.,1789; *biconica* Kollar,[1844]; *aristifera* Guenée,1852; *spiculifera* Guenée,1852; *ferina* Felder & Rogenhofer,1874; *hodnae* Oberthür,1878
- 254) **Agrotis (s.str.) bifurca Staudinger,1881** (Noctuidae) Synonym(s): *bifurca* Staudinger,1881; *stabilita* Corti,1928.
- 255) **Agrotis (s.str.) cinerea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephрина* Staudinger,1901; *eximia* Culot,1910.

- 256)** *Agrotis (s.str.) exclamationis (Linnaeus,1758)* (Noctuidae) *Synonym(s):* *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goetze,1781 *nec* Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 257)** *Agrotis (s.str.) ipsilon (Hufnagel,1766)* (Noctuidae) *Synonym(s):* *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 258)** *Agrotis (s.str.) lupinus Brandt,1941* (Noctuidae) *Synonym(s):* *lupinus* Brandt,1941
- 259)** *Agrotis (s.str.) psammocharis Boursin,1950* (Noctuidae) *Synonym(s):* *psammocharis* Boursin,1950
- 260)** *Agrotis (s.str.) sardzeana Brandt,1941* (Noctuidae) *Synonym(s):* *sardzeana* Brandt,1941
- 261)** *Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)* (Noctuidae) *Synonym(s):* *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goetze,1781 (*praeocc.*); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversa* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificata* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 262)** *Agrotis (s.str.) trux (Hübner,[1824])* (Noctuidae) *Synonym(s):* *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 263)** *Aiolopus simulatrix (Walker,1870)* (Acrididae) *Synonym(s):* *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922
- 264)** *Aiolopus strepens (Latreille,[1802])* (Acrididae) *Synonym(s):* *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatus* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913
- 265)** *Aiolopus thalassinus (Fabricius,1781)* (Acrididae) *Synonym(s):* *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953
- 266)** *Akbesia davidi (Oberthür,1884)* (Sphingidae) *Synonym(s):* *davidi* Oberthür,1884
- 267)** *Akis subtricotata Redtenbacher,1850* (Tenebrionidae) *Synonym(s):* *subtricotata* Redtenbacher,1850
- 268)** *Alastor (Megalastor) esfandiarrii Giordani Soika,1970* (Vespidae) *Synonym(s):* *esfandiarrii* Giordani Soika,1970
- 269)** *Alcis fredii (Wehrli,1941)* (Geometridae) *Synonym(s):* *fredii* Wehrli,1941; *astragali* Wiltshire,1949
- 270)** *Allantus balteatus (Klug,1818)* (Tenthredinidae) *Synonym(s):* *balteatus* Klug,1818; *bucculentus* Tischbein,1846; *fulvocinctus* Rudow,1872
- 271)** *Allantus cinctus (Linnaeus,1758)* (Tenthredinidae) *Synonym(s):* *cinctus* Linnaeus,1758; *cordigera* Geoffroy,1785; *togata* Zetterstedt,1840; *varipes* Audinet-Serville,1840; *neglectus* Zaddach,1859
- 272)** *Allantus didymus (Klug,1818)* (Tenthredinidae) *Synonym(s):* *didymus* Klug,1818; *testaceipes* Audinet-Seville,1823; *nigritarsis* Brullé,1832; *proximus* Costa,1859; *ruficus* Mocsary,1880; *fumatus* André,1880
- 273)** *Alloeoglypta pretiosa Kiritshenko,1952* (Pentatomidae) *Synonym(s):* *pretiosa* Kiritshenko,1952
- 274)** *Allophyes renalis (Wiltshire,1941)* (Noctuidae) *Synonym(s):* *renalis* Wiltshire,1941; *crassicornis* Brandt,1941.
- 275)** *Allygidius ectabanicus Logvinenko,1979* (Cicadellidae) *Synonym(s):* *ectabanicus* Logvinenko,1979
- 276)** *Allygidius furcatus (Ferrari,1882)* (Cicadellidae) *Synonym(s):* *furcatus* Ferrari,1882
- 277)** *Allygus mixtus (Fabricius,1794)* (Cicadellidae) *Synonym(s):* *mixtus* Fabricius,1794; *marmorata* Hardy,1850; *communis* Ferrari,1882; *corisipennis* Ferrari,1882; *juvenis* Ferrari,1882; *margaritinus* Ferrari,1882; *gracilis* Rey,1894; *immunis* Rey,1894
- 278)** *Alophia combustella (Herrich-Schäffer,[1855])* (Pyralidae) *Synonym(s):* *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910.
- 279)** *Alosimus gracilis (Abeille de Perrin,1880)* (Meloidae) *Synonym(s):* *gracilis* Abeille de Perrin,1880
- 280)** *Alosimus luteus (Waltl,1838)* (Meloidae) *Synonym(s):* *luteus* Waltl,1838
- 281)** *Alosimus reittedianus (Semenov,1990)* (Meloidae) *Synonym(s):* *reittedianus* Semenov,1990
- 282)** *Alosimus smyrnensis (Maran,1942)* (Meloidae) *Synonym(s):* *smyrnensis* Maran,1942
- 283)** *Alosterna scapularis (Heyden,1878)* (Cerambycidae) *Synonym(s):* *scapularis* Heyden,1878
- 284)** *Alosterna tabacicolor (De Geer,1775)* (Cerambycidae) *Synonym(s):* *tabacicolor* De Geer,1775
- 285)** *Altenia wagneriella (Rebel,1926)* (Gelechiidae) *Synonym(s):* *wagneriella* Rebel,1926; *danilevskiyi* Piskunov,1973.
- 286)** *Altica bicarinata (Kutschera,1860)* (Chrysomelidae) *Synonym(s):* *bicarinata* Kutschera,1860; *ciliciensis* Weise,1897
- 287)** *Altica brevicollis Foudras,1860* (Chrysomelidae) *Synonym(s):* *brevicollis* Foudras,1860
- 288)** *Altica globicollis (Weise,1889)* (Chrysomelidae) *Synonym(s):* *globicollis* Weise,1889
- 289)** *Altica palustris (Weise,1888)* (Chrysomelidae) *Synonym(s):* *palustris* Weise,1888
- 290)** *Alucita cancellata (Meyrick,1908)* (Alucitidae) *Synonym(s):* *cancellata* Meyrick,1908
- 291)** *Alucita cinerethella Amsel,1935* (Alucitidae) *Synonym(s):* *cinerethella* Amsel,1935
- 292)** *Alucita cymatodactyla Zeller,1852* (Alucitidae) *Synonym(s):* *cymatodactyla* Zeller,1852.
- 293)** *Alucita desmodactyla Zeller,1847* (Alucitidae) *Synonym(s):* *desmodactyla* Zeller,1847
- 294)** *Alucita iranensis Scholz & Jäckh,1994* (Alucitidae) *Synonym(s):* *iranensis* Scholz & Jäckh,1994
- 295)** *Alucita palodactyla Zeller,1847* (Alucitidae) *Synonym(s):* *palodactyla* Zeller,1847; *perittodactyla* Staudinger,1859; *parthenodactyla* Chrétien,1915
- 296)** *Alucita pseudohuebneri Scholz,1997* (Alucitidae) *Synonym(s):* *pseudohuebneri* Scholz,1997
- 297)** *Alydus calcaratus (Linnaeus,1758)* (Alydidae) *Synonym(s):* *calcaratus* Linnaeus,1758
- 298)** *Amara (Curtonotus) propinqua Ménétriés,1832* (Carabidae) *Synonym(s):* *propinqua* Ménétriés,1832; *bistriata* Putzeys,1866
- 299)** *Amara (Amathitis) abdominalis (Motschoulsky,1844)* (Carabidae) *Synonym(s):* *abdominalis* Motschoulsky,1844; *badiola* Bates,1878; *latiuscula* Poppius,1908; *nigriventris* Lutshnik,1927; *chivensis* Lutshnik,1928; *tratnikovi* Lutshnik,1928; *pamiricola* Lutshnik,1930; *gisellae* Csiki,1929
- 300)** *Amara (Bradytus) majuscula (Chaudoir,1850)* (Carabidae) *Synonym(s):* *majuscula* Chaudoir,1850
- 301)** *Amara (Celia) aberrans Baudi di Selva,1864* (Carabidae) *Synonym(s):* *aberrans* Baudi di Selva,1864; *syriaca* Putzeys,1866; *palaestina* Putzeys,1870; *gridellii* Baliani,1928
- 302)** *Amara (Celia) bifrons (Gyllenhal,1810)* (Carabidae) *Synonym(s):* *oralcica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964
- 303)** *Amara (radytus) crenata Dejean,1828* (Carabidae) *Synonym(s):* *crenata* Dejean,1828; *crenatostriata* Chaudoir,1846
- 304)** *Amara (s.str.) aenea (De Geer,1774)* (Carabidae) *Synonym(s):* *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devinata* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951

- 305) *Amara* (s.str.) *familiaris* (Duftschmid,1812) (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918
- 306) *Amara* (s.str.) *lucida* (Duftschmid,1812) (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythroa* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924
- 307) *Amara* (Xenocelia) *ambulans* C.Zimmermann,1832 (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *indieriensis* Motschoulsky,1850; *dagestana* Jedlicka,1962
- 308) *Amara* (Xenocelia) *fusca* Dejean,1828 (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853
- 309) *Amara* (Xenocelia) *fusgenua* Hieke,1999 (Carabidae) Synonym(s): *fusgenua* Hieke,1999
- 310) *Amata* *aserbeidjana* (De Freina,1982) (Ctenuchidae) Synonym(s): *aserbeidjana* De Freina,1982
- 311) *Amata* *harandii* De Freina & Naderi,2008 (Ctenuchidae) Synonym(s): *harandii* De Freina & Naderi,2008
- 312) *Amata* *persica* (Kollar,[1849]) (Ctenuchidae) Synonym(s): *persica* Kollar,[1849]; *hyrcana* A.Bang-Haas,1912.
- 313) *Amata* *rossica* (Turati,1917) (Ctenuchidae) Synonym(s): *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (praeocc.); *rossica* Turati,1917; *tanaica* Obratzsov,1941
- 314) *Amata* *wiltshirei* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *wiltshirei* Bytinski-Salz,1939
- 315) *Amathomyia* *persiana* Hermann,1912 (Asilidae) Synonym(s): *persiana* Hermann,1912; *persiana* Becker,1913
- 316) *Ambluncus* *nervosellus* Amsel,1953 (Pyralidae) Synonym(s): *nervosellus* Amsel,1953
- 317) *Amblyptilia* *acanthadactyla* (Hübner,[1813]) (Pterophoridae) Synonym(s): *acanthadactyla* Hübner,[1813]; *odontodactyla* Charpentier,1821; *calaminthae* Frey,1886; *tetralicella* Hofmann,1895.
- 318) *Amechedia* *herlina* Roesler,1989 (Pyralidae) Synonym(s): *herlina* Roesler,1989
- 319) *Ameles* *crassinervis* Dirsch,1927 (Mantidae) Synonym(s): *crassinervis* Dirsch,1927
- 320) *Ameles* *persa* Bolivar,1911 (Mantidae) Synonym(s): *persa* Bolivar,1911
- 321) *Ametastegia* *pallipes* (Spinola,1808) (Tenthredinidae) Synonym(s): *pallipes* Spinola,1808; *grossulariae* Klug,1818; *lapponica* Zetterstedt,1838; *pallipes* Provancher,1878 nec Spin.,1808; *leucopodus* Audinet-Serville,1823; *canadense* Kirby,1882; *pallidipes* Dalla Torre,1894; *cavata* MacGillivray,1911; *cetaria* MacGillivray,1921
- 322) *Amicta* *quadrangularis* (Christoph,1873) (Psychidae) Synonym(s): *quadrangularis* Christoph,1873; *nigrescens* Staudinger,1899
- 323) *Amicta* *sericata* Hättenschwiler & Alemansoor,2006 (Psychidae) Synonym(s): *sericata* Hättenschwiler & Alemansoor,2006
- 324) *Amictus* *iranicus* Lindner,1975 (Bombyliidae) Synonym(s): *iranicus* Lindner,1975
- 325) *Amictus* *scutellaris* Loew,1869 (Bombyliidae) Synonym(s): *scutellaris* Loew,1869
- 326) *Amictus* *validus* Loew,1869 (Bombyliidae) Synonym(s): *validus* Loew,1869
- 327) *Ammoconia* *anonyma* Ronkay & Varga,1984 (Noctuidae) Synonym(s): *anonyma* Ronkay & Varga,1984
- 328) *Ammoconia* *senex* (Geyer,[1828]) (Noctuidae) Synonym(s): *senex* Geyer,[1828].
- 329) *Ammophila* *gracillima* Taschenberg,1869 (Sphecidae) Synonym(s): *gracillima* Taschenberg,1869
- 330) *Ammophila* *haimatosoma* Kohl,1884 (Sphecidae) Synonym(s): *haimatosoma* Kohl,1884
- 331) *Ammophila* *heydeni* Dahlbom,1845 (Sphecidae) Synonym(s): *heydeni* Dahlbom,1845; *iberica* André,1886
- 332) *Ammophila* *hungarica* Mocsary,1883 (Sphecidae) Synonym(s): *hungarica* Mocsary,1883; *turcica* Mocsary,1883; *hispanica* Mocsary,1883; *fallax* Kohl,1884
- 333) *Ammophila* *occipitalis* Morawitz,1890 (Sphecidae) Synonym(s): *occipitalis* Morawitz,1890
- 334) *Amorphoscelis* *pantherina* Roy,1966 (Amorphoscelidae) Synonym(s): *pantherina* Roy,1966
- 335) *Amphicoma* (Eulasia) *aurantiaca* (Reitter,1890) (Glaphyridae) Synonym(s): *aurantiaca* Reitter,1890
- 336) *Amphicoma* (Eulasia) *azarbaijanica* (Petrovitz,1980) (Glaphyridae) Synonym(s): *azarbaijanica* Petrovitz,1980
- 337) *Amphicoma* (Eulasia) *bodemeyeri* Petrovitz,1965 (Glaphyridae) Synonym(s): *bodemeyeri* Petrovitz,1965
- 338) *Amphicoma* (Eulasia) *diadema* Reitter,1890 (Glaphyridae) Synonym(s): *diadema* Reitter,1890; *diademata* Reitter,1903; *cuprea* Petrovitz,1962; *coerulea* Petrovitz,1967; *nigripilis* Petrovitz,1967
- 339) *Amphicoma* (Eulasia) *kordestana* (Mitter,2004) (Glaphyridae) Synonym(s): *kordestana* Mitter,2004
- 340) *Amphicoma* (Eulasia) *naviauxi* (Baraud,1971) (Glaphyridae) Synonym(s): *naviauxi* Baraud,1971
- 341) *Amphicoma* (Eulasia) *nitidinatis* (Baraud,1990) (Glaphyridae) Synonym(s): *nitidinatis* Baraud,1990
- 342) *Amphicoma* (Eulasia) *persidis* (Baraud,1990) (Glaphyridae) Synonym(s): *persidis* Baraud,1990
- 343) *Amphicoma* (Eulasia) *praeusta* (Champenois,1896) (Glaphyridae) Synonym(s): *praeusta* Champenois,1896; *clypealis* Petrovitz,1972
- 344) *Amphicoma* (Eulasia) *zaitzevi* (Bogatchev,1947) (Glaphyridae) Synonym(s): *zaitzevi* Bogatchev,1947
- 345) *Amphicoma* (Pygopleurus) *anahitae* Mitter,2001 (Glaphyridae) Synonym(s): *anahitae* Mitter,2001
- 346) *Amphicoma* (Pygopleurus) *banghaasi* Reitter,1895 (Glaphyridae) Synonym(s): *banghaasi* Reitter,1895; *mita* Brancsik,1899; *coeruleipennis* Petrovitz,1957
- 347) *Amphicoma* (Pygopleurus) *basalis* Reitter,1890 (Glaphyridae) Synonym(s): *basalis* Reitter,1890; *purpurea* Petrovitz,1957
- 348) *Amphicoma* (Pygopleurus) *deuvei* (Montrueil & Serri,2007) (Glaphyridae) Synonym(s): *deuvei* Montrueil & Serri,2007
- 349) *Amphicoma* (Pygopleurus) *distinctus* Faldermann,1835 (Glaphyridae) Synonym(s): *distinctus* Faldermann,1835; *persica* Ganglbauer,1905
- 350) *Amphicoma* (Pygopleurus) *immundus* (Reitter,1903) (Glaphyridae) Synonym(s): *immundus* Reitter,1903; *distinguenda* Mucha,1963
- 351) *Amphicoma* (Pygopleurus) *mardiensis* Baraud,1989 (Glaphyridae) Synonym(s): *mardiensis* Baraud,1989
- 352) *Amphicoma* (Pygopleurus) *psilotrichius* Faldermann,1835 (Glaphyridae) Synonym(s): *psilotrichius* Faldermann,1835; *aurigaster* Reitter,1895; *nigripennis* Champenois,1896; *maculipennis* Petrovitz,1957; *albopilosa* Petrovitz,1968; *annamariae* Mitter,1992
- 353) *Amphicoma* (Pygopleurus) *rapuzzii* (Keith & Uliana,2008) (Glaphyridae) Synonym(s): *rapuzzii* Keith & Uliana,2008
- 354) *Amphicoma* (Pygopleurus) *tristis* Petrovitz,1968 (Glaphyridae) Synonym(s): *tristis* Petrovitz,1968
- 355) *Amphicoma* (Pygopleurus) *zagrosensis* (Nikodym & Kral,1998) (Glaphyridae) Synonym(s): *zagrosensis* Nikodym & Kral,1998
- 356) *Amphicoma* (Rudeulasia) *carinata* (Baraud,1990) (Glaphyridae) Synonym(s): *carinata* Baraud,1990
- 357) *Amphicoma* (Rudeulasia) *chalybaea* Faldermann,1835 (Glaphyridae) Synonym(s): *chalybaea* Faldermann,1835; *adusta* Ganglbauer,1905; *brenskaei* Reitter,1890; *apicipennis* Petrovitz,1968; *brunneipennis* Petrovitz,1968; *coeruleipennis* Petrovitz,1968

- 358) *Amphicoma (Rudeulasia) genei* Truqui, 1848 (Glaphyridae) Synonym(s): *genei* Truqui, 1848; *pretiosa* Truqui, 1848; *chaifensis* Reitter, 1890; *nobilissima* Balthasar, 1929
- 359) *Amphicoma (Rudeulasia) pulchra* (Reitter, 1890) (Glaphyridae) Synonym(s): *pulchra* Reitter, 1890; *kurdistan* Petrovitz, 1968
- 360) *Amphicoma (Rudeulasia) speciosa* Champenois, 1900 (Glaphyridae) Synonym(s): *speciosa* Champenois, 1900
- 361) *Amphicoma (Rudeulasia) straussi* Ganglbauer, 1905 (Glaphyridae) Synonym(s): *straussi* Ganglbauer, 1905; *#viridis* Petrovitz, 1968
- 362) *Amphicoma (s.str.) persica* Ganglbauer, 1905 (Glaphyridae) Synonym(s): *persica* Ganglbauer, 1905
- 363) *Amphicoma (s.str.) purpureus* (Pic, 1947) (Glaphyridae) Synonym(s): *purpureus* Pic, 1947
- 364) *Amphicoma (Vittateulasia) vittata* (Fabricius, 1775) (Glaphyridae) Synonym(s): *vittata* Fabricius, 1775; *lineata* Faldermann, 1835; *strigata* Waltl, 1838; *smyrnensis* Castelnau, 1840; *syriaca* Kollar & Redtenbacher, 1843; *africana* Reitter, 1890; *chrysura* Reitter, 1890; *decorata* Reitter, 1890; *semifulva* Reitter, 1890; *lateritia* Reitter, 1903; *pseudochrysura* Miksic, 1960; *persica* Petrovitz, 1963
- 365) *Amphinemura mirabilis* (Martynov, 1928) (Nemouridae) Synonym(s): *mirabilis* Martynov, 1928
- 366) *Amphipoea maryamae* Zahiri & Fibiger, 2006 (Noctuidae) Synonym(s): *maryamae* Zahiri & Fibiger, 2006
- 367) *Amphipyra anophthalma* Boursin, 1963 (Noctuidae) Synonym(s): *anophthalma* Boursin, 1963
- 368) *Amphipyra herbera* Rungs, 1949 (Noctuidae) Synonym(s): *#variegata* W. Warren, 1911; *herbera* Rungs, 1949
- 369) *Amphipyra boursini* Hacker, 1998 (Noctuidae) Synonym(s): *boursini* Hacker, 1998
- 370) *Amphipyra micans* Lederer, 1857 (Noctuidae) Synonym(s): *micans* Lederer, 1857; *frivaldskyi* Mocsary, 1896
- 371) *Amphipyra molybdea* Christoph, 1867 (Noctuidae) Synonym(s): *molybdea* Christoph, 1867
- 372) *Amphipyra pyramidea* (Linnaeus, 1758) (Noctuidae) Synonym(s): *pyramidea* Linnaeus, 1758
- 373) *Amphipyra stix* Herrich-Schäffer, [1850] (Noctuidae) Synonym(s): *stix* Herrich-Schäffer, [1850]; *#styx* Staudinger, 1879.
- 374) *Amphipyra tetra* (Fabricius, 1787) (Noctuidae) Synonym(s): *tetra* Fabricius, 1787
- 375) *Amphipyra tragopoginis* (Clerck, 1759) (Noctuidae) Synonym(s): *#tragopoginis* Clerck, 1759; *luciola* Hufnagel, 1766.
- 376) *Amphisbetetus dorsatus* Becker, 1913 (Asilidae) Synonym(s): *dorsatus* Becker, 1913; *rufipes* Engel, 1930
- 377) *Amphisbetetus favillaceus* (Loew, 1856) (Asilidae) Synonym(s): *favillaceus* Loew, 1856
- 378) *Amselia heringi* (Amsel, 1935) (Pyralidae) Synonym(s): *heringi* Amsel, 1935
- 379) *Anaceratagallia sinuata* (Mulsant & Rey, 1855) (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey, 1855; *quadrisignata* Flor, 1861; *feberi* Vismara, 1878; *laevis* Berg., 1934 (praeocc.); *zachvatkini* Vilbaste, 1961; *nasti* Dlabola, 1964; *deserticola* Dlabola, 1964
- 380) *Anaceratagallia tianshanica* (Dubovsky, 1970) (Cicadellidae) Synonym(s): *tianshanica* Dubovsky, 1970
- 381) *Anacridium aegyptium* (Linnaeus, 1764) (Acrididae) Synonym(s): *aegyptium* Linnaeus, 1764; *lineola* Fabricius, 1781; *nubecula* Thunberg, 1815; *campanum* Costa, 1836; *tataricum* Burmeister, 1838; *albidiferum* Walker, 1870; *indecisum* Walker, 1870; *stuardoi* Liebermann, 1943
- 382) *Anadrymadusa (s.str.) curviceris* (Uvarov, 1916) (Tettigoniidae) Synonym(s): *curviceris* Uvarov, 1916
- 383) *Anaglyptus arabicus* (Küster, 1847) (Cerambycidae) Synonym(s): *arabicus* Küster, 1847
- 384) *Anaglyptus ganglbaueri* Reitter, 1886 (Cerambycidae) Synonym(s): *ganglbaueri* Reitter, 1886
- 385) *Anagyrus aligarhensis* Agarwal & Alam, 1959 (Encyrtidae) Synonym(s): *diversicornis* Mercet, 1921; *opacus* Mercet, 1921; *aligarhensis* Agarwal & Alam, 1959; *punctulatus* Agarwal, 1965; *micans* Noyes, 2000
- 386) *Anagyrus fusciventris* (Girault, 1915) (Encyrtidae) Synonym(s): *fusciventris* Girault, 1915
- 387) *Anagyrus pseudococci* (Girault, 1915) (Encyrtidae) Synonym(s): *pseudococci* Girault, 1915
- 388) *Anagyrus schoenherri* (Westwood, 1837) (Encyrtidae) Synonym(s): *schoenherri* Westwood, 1837; *flavus* Ishii, 1928; *albobclavatus* Ishii, 1928
- 389) *Anania (s.str.) crocealis* (Hübner, 1796) (Pyralidae) Synonym(s): *crocealis* Hübner, 1796
- 390) *Anania verbascata* (Fabricius, 1787) (Pyralidae) Synonym(s): *#verbascalis* [Denis & Schiffermüller], 1775; *verbascata* Fabricius, 1787; *parvalis* Osthelder, 1934.
- 391) *Anaplectoides prasina* (Goeze, 1781) (Noctuidae) Synonym(s): *#prasina* [Denis & Schiffermüller], 1775; *#hebrida* [Denis & Schiffermüller], 1775; *prasina* Goeze, 1781; *egregia* Esper, [1787]; *jaspea* Borkhausen, 1792 *nec* De Vill., 1789; *mixta* Haworth, 1809 *nec* Fabr., 1787; *herbacea* Guenée, 1852; *albimacula* Hormuzaki, 1894
- 392) *Anarolius jamshidi* Abbassian-Lintzen, 1964 (Asilidae) Synonym(s): *jamshidi* Abbassian-Lintzen, 1964
- 393) *Anarolius jubatus* Loew, 1844 (Asilidae) Synonym(s): *jubatus* Loew, 1844
- 394) *Anarpia incertalis* (Duponchel, 1832) (Pyralidae) Synonym(s): *incertalis* Duponchel, 1832; *pyrenaealis* Duponchel, 1842; *incertella* Duponchel, [1845]; *pyrenaeella* Duponchel, [1845]; *pyrenaealis* Guenée, 1846
- 395) *Anarpia iranella* (Zerny, 1939) (Pyralidae) Synonym(s): *iranella* Zerny, 1939; *alvandella* Amsel, 1961
- 396) *Anarsia (Ananarsia) belutschistanella* (Amsel, 1959) (Gelechiidae) Synonym(s): *belutschistanella* Amsel, 1959
- 397) *Anarsia (Ananarsia) lineatella* Zeller, 1839 (Gelechiidae) Synonym(s): *lineatella* Zeller, 1839; *heratella* Amsel, 1967; *tauricella* Amsel, 1967.
- 398) *Anarsia (s.str.) eburnella* (Christoph, 1887) (Gelechiidae) Synonym(s): *eburnella* Christoph, 1887
- 399) *Anarsia (s.str.) halimodendri* (Christoph, 1877) (Gelechiidae) Synonym(s): *halimodendri* Christoph, 1877
- 400) *Anastoechus araxis* Paramonov, 1926 (Bombyliidae) Synonym(s): *araxis* Paramonov, 1926; *nigrisetosus* Paramonov, 1926
- 401) *Anastoechus aurifrons* Efflatoun, 1945 (Bombyliidae) Synonym(s): *aurifrons* Efflatoun, 1945
- 402) *Anastoechus fulvescens* Becker, 1913 (Bombyliidae) Synonym(s): *fulvescens* Becker, 1913; *intermedius* Becker, 1916
- 403) *Anastoechus hyrcanus* (Wiedemann, 1818) (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann, 1818; *viduus* Becker, 1916
- 404) *Anastoechus nigricirrat* Becker, 1913 (Bombyliidae) Synonym(s): *nigricirrat* Becker, 1913
- 405) *Anastoechus nitidulus* (Fabricius, 1794) (Bombyliidae) Synonym(s): *nitidulus* Fabricius, 1794; *caudatus* Meigen, 1804; *diadema* Meigen, 1804; *cephalotes* Walker, 1849; *olivaceus* Paramonov, 1930; *corsicanus* Paramonov, 1930; *hummeli* Paramonov, 1933; *aberrans* Paramonov, 1940; *corsicanus* Zaitzev, 1989
- 406) *Anastoechus nivifrons* (Walker, 1871) (Bombyliidae) Synonym(s): *nivifrons* Walker, 1871; *niveus* Hermann, 1909 *nec* Macq., 1855; *albopectinatus* Becker, 1913
- 407) *Anastoechus pulcher* Paramonov, 1930 (Bombyliidae) Synonym(s): *pulcher* Paramonov, 1930
- 408) *Anastoechus retardatus* Bezzi, 1924 (Bombyliidae) Synonym(s): *retardatus* Bezzi, 1924
- 409) *Anastoechus turanicus* Paramonov, 1926 (Bombyliidae) Synonym(s): *turanicus* Paramonov, 1926
- 410) *Anastoechus turkmenorum* Paramonov, 1930 (Bombyliidae) Synonym(s): *turkmenorum* Paramonov, 1930
- 411) *Anastoechus zimini* Paramonov, 1940 (Bombyliidae) Synonym(s): *zimini* Paramonov, 1940
- 412) *Anastrangalia dubia* (Scopoli, 1763) (Cerambycidae) Synonym(s): *dubia* Scopoli, 1763

- 413) *Anchesmus rubiplaga* (Walker,1867) (Pentatomidae) Synonym(s): *rubi-plaga* Walker,1867
- 414) *Anchinia laureolella* Herrich-Schäffer,1854 (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer,1854
- 415) *Ancylis transientana* Filipjev,1926 (Tortricidae) Synonym(s): *transientana* Filipjev,1926
- 416) *Ancylis uncella* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *uncella* [Denis & Schiffermüller],1775; *uncana* Hübner,[1799]; *subuncana* Krulikowsky,1907
- 417) *Ancylis unculana* (Haworth,[1811]) (Tortricidae) Synonym(s): *unculana* Haworth,[1811]; *derasana* Hübner,[1813].
- 418) *Ancylodes pallens* Ragonot,1887 (Pyralidae) Synonym(s): *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958.
- 419) *Ancylodes staminella* (Christoph,1877) (Pyralidae) Synonym(s): *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949
- 420) *Ancylolomia bituberosella* Amsel,1959 (Pyralidae) Synonym(s): *bituberosella* Amsel,1959; *#bituberosella* Bleszynki,1965
- 421) *Ancylolomia indica* R.Felder & Rogenhofer,1875 (Pyralidae) Synonym(s): *indica* R.Felder & Rogenhofer,1875
- 422) *Ancylolomia micropalpella* Amsel,1951 (Pyralidae) Synonym(s): *micropalpella* Amsel,1951
- 423) *Ancylolomia palpella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikowsky,1909
- 424) *Ancylolomia pectinatella* (Zeller,1847) (Pyralidae) Synonym(s): *pectinatellus* Zeller,1847
- 425) *Ancylolomia tentaculella* (Hübner,1796) (Pyralidae) Synonym(s): *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 426) *Ancylolomia westwoodi* Zeller,1863 (Pyralidae) Synonym(s): *westwoodi* Zeller,1863
- 427) *Ancylorhynchus argyrogaster* (Séguy,1932) (Asilidae) Synonym(s): *argyrogaster* Séguy,1932
- 428) *Ancylorhynchus bicolor* (Becker,1913) (Asilidae) Synonym(s): *bicolor* Becker,1913
- 429) *Ancylorhynchus farinosus* Becker,1913 (Asilidae) Synonym(s): *farinosus* Becker,1913
- 430) *Ancylus* (Cabotia) *lactecostella* (Ragonot,1887) (Pyralidae) Synonym(s): *lactecostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915.
- 431) *Ancylus* (Cabotia) *leucocephala* (Staudinger,1879) (Pyralidae) Synonym(s): *leucocephala* Staudinger,1879
- 432) *Ancylus* (Cabotia) *oblitella* (Zeller,1848) (Pyralidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955.
- 433) *Ancylus* (Heterographis) *acrobasella* (Rebel,1927) (Pyralidae) Synonym(s): *acrobasella* Rebel,1927; *talhouki* Amsel,1958.
- 434) *Ancylus* (Heterographis) *albicosta* (Staudinger,1870) (Pyralidae) Synonym(s): *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901.
- 435) *Ancylus* (Heterographis) *candidateella* (Lederer,1858) (Pyralidae) Synonym(s): *candidateella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890.
- 436) *Ancylus* (Heterographis) *canella* Roesler,1973 (Pyralidae) Synonym(s): *canella* Roesler,1973
- 437) *Ancylus* (Heterographis) *convexella* (Lederer,1855) (Pyralidae) Synonym(s): *convexella* Lederer,1855; *albiciliella* Staudinger,1859; *favorinella* Zeller,1867
- 438) *Ancylus* (Heterographis) *costistrigella* (Ragonot,1890) (Pyralidae) Synonym(s): *costistrigella* Ragonot,1890
- 439) *Ancylus* (Heterographis) *dideganella* Roesler,1973 (Pyralidae) Synonym(s): *dideganella* Roesler,1973
- 440) *Ancylus* (Heterographis) *externella* Roesler,1971 (Pyralidae) Synonym(s): *externella* Roesler,1971
- 441) *Ancylus* (Heterographis) *faustinella* (Zeller,1867) (Pyralidae) Synonym(s): *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilbe,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
- 442) *Ancylus* (Heterographis) *geminella* (Amsel,1961) (Pyralidae) Synonym(s): *geminella* Amsel,1961
- 443) *Ancylus* (Heterographis) *gracilella* Ragonot,1887 (Pyralidae) Synonym(s): *gracilella* Ragonot,1887; *subcandidateella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932.
- 444) *Ancylus* (Heterographis) *harmonella* (Ragonot,1887) (Pyralidae) Synonym(s): *harmonella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosabella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930.
- 445) *Ancylus* (Heterographis) *hellenica* (Staudinger,1870) (Pyralidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 446) *Ancylus* (Heterographis) *kazerunella* Roesler,1973 (Pyralidae) Synonym(s): *kazerunella* Roesler,1973
- 447) *Ancylus* (Heterographis) *muliebris* (Meyrick,1937) (Pyralidae) Synonym(s): *muliebris* Meyrick,1937; *macedonica* Schawerda,1937.
- 448) *Ancylus* (Heterographis) *nigripunctella* (Staudinger,1879) (Pyralidae) Synonym(s): *nigripunctella* Staudinger,1879; *wockeella* Ragonot,1887; *carnibasalis* Hampson,1896.
- 449) *Ancylus* (Heterographis) *nubeculella* (Ragonot,1887) (Pyralidae) Synonym(s): *nubeculella* Ragonot,1887
- 450) *Ancylus* (Heterographis) *pallida* (Staudinger,1870) (Pyralidae) Synonym(s): *pallida* Staudinger,1870
- 451) *Ancylus* (Heterographis) *pyrethrella* (Herrich-Schäffer,1860) (Pyralidae) Synonym(s): *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammata* Ragonot,1901; *trilineata* Amsel,1961.
- 452) *Ancylus* (Heterographis) *rhodochrella* (Herrich-Schäffer,1855) (Pyralidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 453) *Ancylus* (Heterographis) *roscidella* (Eversmann,1844) (Pyralidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W.Warren,1888; *barteella* Caradja,1910; *benderella* Amsel,1961.
- 454) *Ancylus* (Heterographis) *sabulosella* (Staudinger,1879) (Pyralidae) Synonym(s): *sabulosella* Staudinger,1879; *decolorella* Ragonot,1901.
- 455) *Ancylus* (Heterographis) *samaritanella* (Zeller,1867) (Pyralidae) Synonym(s): *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954.
- 456) *Ancylus* (Heterographis) *smeczella* Roesler,1973 (Pyralidae) Synonym(s): *smeczella* Roesler,1973
- 457) *Ancylus* (Heterographis) *syrtella* (Ragonot,1887) (Pyralidae) Synonym(s): *syrtella* Ragonot,1887; *costalbella* Amsel,1954.
- 458) *Ancylus* (Heterographis) *umbrilimbella* (Ragonot,1901) (Pyralidae) Synonym(s): *umbrilimbella* Ragonot,1901; *holella* Lucas,1909; *thirietii* Lucas,1937; *sfaxella* Lucas,1949; *concavella* Amsel,1949.
- 459) *Ancylus* (Heterographis) *xylina* (Staudinger,1870) (Pyralidae) Synonym(s): *xylina* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929.

- 460) *Ancylosis* (s.str.) *cinnamomella* (Duponchel,1836) (Pyralidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryaella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 461) *Ancylosis* (s.str.) *dryadella* (Ragonot,1887) (Pyralidae) Synonym(s): *dryadella* Ragonot,1887; *sefidella* Amsel,1951.
- 462) *Ancylosis* (s.str.) *dumetella* (Ragonot,1887) (Pyralidae) Synonym(s): *dumetella* Ragonot,1887; *albinotella* Ragonot,1887; *alvandella* Amsel,1961.
- 463) *Ancylosis* (s.str.) *iranella* Ragonot,1887 (Pyralidae) Synonym(s): *iranella* Ragonot,1887; *turaniella* Ragonot,1887.
- 464) *Ancylosis* (s.str.) *maculifera* Staudinger,1870 (Pyralidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 465) *Ancylosis* (Syria) *biflexella* (Lederer,1855) (Pyralidae) Synonym(s): *biflexella* Lederer,1855; *pilosella* Zeller,1867; *brabantella* Lucas,1907; *similis* Rothschild,1915; *medialba* Rothschild,1921; *latakiella* Amsel,1952; *fuscella* Amsel,1961.
- 466) *Ancylosis* (Syria) *limoniella* (Chrétien,1911) (Pyralidae) Synonym(s): *limoniella* Chrétien,1911; *eremita* Gozmany,1951.
- 467) *Ancylosis* (Syria) *obscuripunctella* Roesler,1973 (Pyralidae) Synonym(s): *nigripunctella* Amsel,1949 nec Stgr.,1879; *obscuripunctella* Roesler,1973.
- 468) *Ancylosis* *albicostella* Amsel,1951 (Pyralidae) Synonym(s): *albicostella* Amsel,1951
- 469) *Ancylosoma* *substratellum* (Christoph,1877) (Pyralidae) Synonym(s): *substratella* Christoph,1877
- 470) *Ancyrosoma* *leucogrammes* (Gmelin,1790) (Pentatomidae) Synonym(s): *albolineatus* Fabricius,1781 nec Gz.,1778; *leucogrammes* Gmelin,1790; *nervosus* Cyrillus,1791 nec Sc.,1763; *affine* Westwood,1837; *tuberculatum* Bergevin,1908
- 471) *Andala* *semiramis* (Staudinger,1892) (Arctiidae) Synonym(s): *semiramis* Staudinger,1892
- 472) *Andrallus* *spinidens* (Fabricius,1787) (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzier,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917
- 473) *Andrena* (Aenandrena) *aeneiventris* Morawitz,1872 (Andrenidae) Synonym(s): *aeneiventris* Morawitz,1872
- 474) *Andrena* (Brachyandrena) *alisadra* Ariana, Scheuchl, Tadauchi & Gusenleitner,2009 (Andrenidae) Synonym(s): *alisadra* Ariana, Scheuchl, Tadauchi & Gusenleitner,2009
- 475) *Andrena* (Campylogaster) *iranella* Popov,1940 (Andrenidae) Synonym(s): *iranella* Popov,1940
- 476) *Andrena* (Campylogaster) *lateralis* Morawitz,1876 (Andrenidae) Synonym(s): *lateralis* Morawitz,1876
- 477) *Andrena* (Campylogaster) *skorikovi* Popov,1940 (Andrenidae) Synonym(s): *skorikovi* Popov,1940
- 478) *Andrena* (Holandrena) *labialis* (Kirby,1802) (Andrenidae) Synonym(s): *labialis* Kirby,1802; *megala* Warncke,1975
- 479) *Andrena* (Leucandrena) *christineae* Dubitzky,2006 (Andrenidae) Synonym(s): *christineae* Dubitzky,2006
- 480) *Andrena* (Nobandrena) *comptaeformis* Gusenleitner & Schwarz,2000 (Andrenidae) Synonym(s): *comptaeformis* Gusenleitner & Schwarz,2000
- 481) *Andrena* (Opandrena) *schencki* Morawitz,1866 (Andrenidae) Synonym(s): *schencki* Morawitz,1866
- 482) *Andrena* (Plastandrena) *mongolica* Morawitz,1880 (Andrenidae) Synonym(s): *mongolica* Morawitz,1880
- 483) *Andrena* (Scitandrena) *scita* Eversmann,1852 (Andrenidae) Synonym(s): *scita* Eversmann,1852
- 484) *Andrena* (Truncandrena) *albopicta* Radoszkowski,1874 (Andrenidae) Synonym(s): *albopicta* Radoszkowski,1874
- 485) *Andrenosoma* *atrum* (Linnaeus,1758) (Asilidae) Synonym(s): *atrum* Linnaeus,1758; *prostratum* Scopoli,1763
- 486) *Andrenosoma* *serratum* Hermann,1906 (Asilidae) Synonym(s): *serratum* Hermann,1906
- 487) *Andricus* *cecconii* Kieffer,1901 (Cynipidae) Synonym(s): *cecconii* Kieffer,1901
- 488) *Andricus* *conificus* (Hartig,1843) (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901
- 489) *Andricus* *coriarius* (Hartig,1843) (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900
- 490) *Andricus* *curtisii* (Müller,1870) (Cynipidae) Synonym(s): *curtisii* Müller,1870; *mediterraneae* Trotter,1901
- 491) *Andricus* *insanus* (Westwood,1837) (Cynipidae) Synonym(s): *insanus* Westwood,1837
- 492) *Andricus* *lucidus* (Hartig,1843) (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901
- 493) *Andricus* *megalucidus* Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae) Synonym(s): *megalucidus* Melika, Stone, Sadeghi & Pujade-Villar,2004
- 494) *Andricus* *megatruncicolus* Melika,2008 (Cynipidae) Synonym(s): *megatruncicolus* Melika,2008
- 495) *Andricus* *moreae* (Graeffe,1905) (Cynipidae) Synonym(s): *moreae* Graeffe,1905
- 496) *Andricus* *pseudoaries* Melika, Stone, Sadeghi,2008 (Cynipidae) Synonym(s): *pseudoaries* Melika, Stone, Sadeghi,2008
- 497) *Andricus* *seckendorffi* (Wachtl,1879) (Cynipidae) Synonym(s): *seckendorffi* Wachtl,1879; *magretti* Kieffer,1897
- 498) *Andricus* *solitarius* (Fonscolombe,1832) (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930
- 499) *Anemopogon* *quercicolella* (Zeller,1852) (Tineidae) Synonym(s): *quercicolellus* Zeller,1852
- 500) *Aneomochtherus* *atripes* (Oldroyd,1958) (Asilidae) Synonym(s): *atripes* Oldroyd,1958
- 501) *Aneomochtherus* *hungaricus* (Engel,1927) (Asilidae) Synonym(s): *hungaricus* Engel,1927
- 502) *Aneomochtherus* *mesopotamicus* (Janssens,1961) (Asilidae) Synonym(s): *mesopotamicus* Janssens,1961
- 503) *Aneomochtherus* *mundus* (Loew,1849) (Asilidae) Synonym(s): *mundus* Loew,1849; *rhodius* Tsacas,1963
- 504) *Aneomochtherus* *perplexus* (Becker,1923) (Asilidae) Synonym(s): *perplexus* Becker,1923; *repentinus* Richter,1963
- 505) *Aneomochtherus* *petrishtshevae* (Stackelberg,1937) (Asilidae) Synonym(s): *petrishtshevae* Stackelberg,1937
- 506) *Anerastia* *lotella* (Hübner,[1813]) (Pyralidae) Synonym(s): *lotella* Hübner,[1813]
- 507) *Angustalius* *malacellus* (Duponchel,1836) (Pyralidae) Synonym(s): *malacellus* Duponchel,1836
- 508) *Anisobas* *cingulatellus* Horstmann,1997 (Ichneumonidae) Synonym(s): *cingulatorius* Gravenhorst,1820 (praeocc.); *cingulatellus* Horstmann,1997
- 509) *Anisochrysa* (Chrysoperla) *iranica* (Hölzel,1967) (Chrysopidae) Synonym(s): *iranica* Hölzel,1967
- 510) *Anisochrysa* (Chrysoperla) *sillemi* (Esben-Petersen,1935) (Chrysopidae) Synonym(s): *sillemi* Esben-Petersen,1935
- 511) *Anisochrysa* (s.str.) *flavifrons* (Brauer,1850) (Chrysopidae) Synonym(s): *flavifrons* Brauer,1850
- 512) *Anisopogon* *hermanni* (Engel,1930) (Asilidae) Synonym(s): *hermanni* Engel,1930; *modestus* Lehr,1964
- 513) *Anisopteromalus* *calandrae* (Howard,1881) (Pteromalidae) Synonym(s): *calandrae* Howard,1881; *oryzae* Cameron,1891; *vandinei* Tucker,1910; *mollis* Ruschka,1912; *pratti* Crawford,1913; *medius* Masi,1917; *mamezophagus* Ishii & Nagasawa,1942; *brasiliensis* Domenichini,1951
- 514) *Anomalon* *cruentatum* (Geoffroy,1785) (Ichneumonidae) Synonym(s): *cruentatum* Geoffroy,1785
- 515) *Anopheles* (Cellia) *dthali* Patton,1905 (Culicidae) Synonym(s): *dthali* Patton,1905; *wardi* Leeson & Theodor,1948
- 516) *Anopheles* (Cellia) *pulcherrimus* Theobald,1902 (Culicidae) Synonym(s): *pulcherrimus* Theobald,1902; *atropotenae* Lindtrop,1924
- 517) *Anopheles* (Cellia) *turkhudi* Liston,1901 (Culicidae) Synonym(s): *turkhudi* Liston,1901; *azriki* Patton,1905; *flaviceps* Edwards,1921; *persicus* Edwards,1921, *amutis* De Burca,1943

- 518) *Anopheles (s.str.) algeriensis* Theobald,1903 (Culicidae) Synonym(s): *algeriensis* Theobald,1903; *lukisi* Christophers,1916
- 519) *Anopheles (s.str.) claviger* (Meigen,1804) (Culicidae) Synonym(s): *claviger* Meigen,1804; *villosus* R-D.,1827; *griscens* Stephens,1828; *turkestan* Shingarev,1926; *amaurus* Martini,1929; *habibi* Mulligan & Puri,1936; *missiroli* Del Vecchio,1939; *pullutus* Canamares,1945
- 520) *Anopheles (s.str.) hyrcanus* (Pallas,1771) (Culicidae) Synonym(s): *hyrcanus* Pallas,1771
- 521) *Anopheles (s.str.) maculipennis* Meigen,1818 (Culicidae) Synonym(s): *maculipennis* Meigen,1818
- 522) *Anopheles (s.str.) marteri* Senetev & Prunelle,1927 (Culicidae) Synonym(s): *marteri* Senetev & Prunelle,1927; *sogdianus* Keshishian,1938; *conquensis* Torres Canamares,1946
- 523) *Anopheles (s.str.) plumbeus* Stephens,1828 (Culicidae) Synonym(s): *plumbeus* Stephens,1828; *nigripes* Staeger,1839; *corsicanus* Edwards,1928; *intermedius* Shingarev,1928
- 524) *Anopheles (s.str.) sacharovi* Favre,1903 (Culicidae) Synonym(s): *sacharovi* Favre,1903; *elutus* Edwards,1921
- 525) *Anoplistes chodjii* (Holzschuh,1974) (Cerambycidae) Synonym(s): *chodjii* Holzschuh,1974
- 526) *Anoplodera rufipes* (Schaller,1783) (Cerambycidae) Synonym(s): *rufipes* Schaller,1783
- 527) *Antarchaea conicephala* (Staudinger,1870) (Noctuidae) Synonym(s): *conicephala* Staudinger,1870 [April]; *conicephala* Staudinger,1870 [Oct.]; *barcinonensis* Milli  r  ,1872; *fumicollis* Rogenhofer,1873.
- 528) *Antarchaea sapor* (Swinhoe,1884) (Noctuidae) Synonym(s): *sapor* Swinhoe,1884; *amseli* Brandt,1941.
- 529) *Anthaxia (Haplanthaxia) armeniaca* Obenberger,1929 (Buprestidae) Synonym(s): *armeniaca* Obenberger,1929
- 530) *Anthaxia (Haplanthaxia) flavicomis* Abeille,1900 (Buprestidae) Synonym(s): *flavicomis* Abeille,1900; *erivana* Obenberger,1913; *#flavicomis* Ulay & Tezcan,1998
- 531) *Anthaxia (Haplanthaxia) ursulae* Niehuis,1989 (Buprestidae) Synonym(s): *ursulae* Niehuis,1989
- 532) *Anthaxia (s.str.) amasina* Daniel,1903 (Buprestidae) Synonym(s): *amasina* Daniel,1903
- 533) *Anthaxia (s.str.) bicolor* Faldermann,1835 (Buprestidae) Synonym(s): *bicolor* Faldermann,1835
- 534) *Anthaxia (s.str.) muliebris* Obenberger,1918 (Buprestidae) Synonym(s): *muliebris* Obenberger,1918
- 535) *Anthaxia (s.str.) shirasensis* Obenberger,1940 (Buprestidae) Synonym(s): *shirasensis* Obenberger,1940
- 536) *Anthene amarah* (Gu  rin-M  neville,1849) (Lycaenidae) Synonym(s): *amarah* Gu  rin-M  neville,1849; *olympusa* Walker,1870.
- 537) *Anthidium (Anthidiellum) insulare* Morawitz,1873 (Megachilidae) Synonym(s): *insulare* Morawitz,1873; *persicolum* Mavromoustakis,1937; *lemesium* Mavromoustakis,1937
- 538) *Anthidium (Exanthidium) eximium* Giraud,1863 (Megachilidae) Synonym(s): *eximium* Giraud,1863; *excisum* Mocsary,1884
- 539) *Anthidium (Icteranthidium) abbasi* Warncke,1981 (Megachilidae) Synonym(s): *abbasi* Warncke,1981
- 540) *Anthidium (Icteranthidium) angulosum* Warncke,1981 (Megachilidae) Synonym(s): *angulosum* Warncke,1981
- 541) *Anthidium (Icteranthidium) capitum* Warncke,1981 (Megachilidae) Synonym(s): *capitum* Warncke,1981
- 542) *Anthidium (Icteranthidium) cimbiciforme* (Smith,1854) (Megachilidae) Synonym(s): *cimbiciforme* Smith,1854; *bartholomei* Radoszkowski,1862
- 543) *Anthidium (Icteranthidium) decoloratum* Alfken,1932 (Megachilidae) Synonym(s): *decoloratum* Alfken,1932; *paraequabile* Popov,1967
- 544) *Anthidium (Icteranthidium) fedtschenkoi* Morawitz,1875 (Megachilidae) Synonym(s): *fedtschenkoi* Morawitz,1875; *transcaspicum* Lebedev,1923; *reinigi* Alfken,1931; *tadzhicum* Popov,1935
- 545) *Anthidium (Icteranthidium) ferrugineum* (Fabricius,1787) (Megachilidae) Synonym(s): *ferrugineum* Fabricius,1787; *discoideale* Latreille,1809
- 546) *Anthidium (Icteranthidium) laterale* Latreille,1809 (Megachilidae) Synonym(s): *laterale* Latreille,1809; *scutellare* Latreille,1809; *quadrilobum* Lepeletier,1841; *auripes* Eversmann,1852; *annulare* Schenck,1868; *sexmaculatum* Chevrier,1872; *perrisii* Dours,1873; *ifranicum* Cockerell,1931; *confluens* Alfken,1931
- 547) *Anthidium (Icteranthidium) obsoletum* Warncke,1981 (Megachilidae) Synonym(s): *obsoletum* Warncke,1981
- 548) *Anthidium (Icteranthidium) subangulosum* Warncke,1981 (Megachilidae) Synonym(s): *subangulosum* Warncke,1981
- 549) *Anthidium (Icteranthidium) urfanum* Warncke,1980 (Megachilidae) Synonym(s): *urfanum* Warncke,1980
- 550) *Anthidium (Mesanthidium) pusillum* Morawitz,1895 (Megachilidae) Synonym(s): *pusillum* Morawitz,1895; *mochii* Mavromoustakis,1956
- 551) *Anthidium (Oxyanthidium) aculeatum* Klug,1832 (Megachilidae) Synonym(s): *aculeatum* Klug,1832; *uncatum* Mocsary,1887 nec Schr.,1802
- 552) *Anthidium (Proanthidium) anguliventre* Morawitz,1888 (Megachilidae) Synonym(s): *anguliventre* Morawitz,1888; *arabicum* Pasteels,1969; *intermedium* Pasteels,1969
- 553) *Anthidium (Proanthidium) oblongatum* (Illiger,1806) (Megachilidae) Synonym(s): *oblongatum* Illiger,1806; *oblongatum* Latreille,1809; *trochantericum* Morawitz,1894; *nigrum* Friese,1897; *luteum* Dusmet,1915 nec Fr.,1897; *xanthurum* Cockerell,1925; *australe* Alfken,1937; *flavens* Moczar,1956; *tornense* Tkalcu,1966; *berberum* Warncke,1980
- 554) *Anthidium (Proanthidium) rotundum* Warncke,1980 (Megachilidae) Synonym(s): *rotundum* Warncke,1980
- 555) *Anthidium (Proanthidium) undulatum* Dours,1873 (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmanni* Mavromoustakis,1948
- 556) *Anthidium (Pseudoanthidium) arenosum* Warncke,1981 (Megachilidae) Synonym(s): *arenosum* Warncke,1981
- 557) *Anthidium (Pseudoanthidium) cribratum* Morawitz,1875 (Megachilidae) Synonym(s): *cribratum* Morawitz,1875; *palaestnicum* Mavromoustakis,1938
- 558) *Anthidium (Pseudoanthidium) lituratum* (Panzer,1801) (Megachilidae) Synonym(s): *lituratum* Panzer,1801; *scapulare* Latreille,1809; *sinuatum* Lepeletier,1841; *reptans* Eversmann,1852; *floripetum* Eversmann,1852; *stigmaticorne* Dours,1873; *cribratum* Morawitz,1875; *petechiale* Morawitz,1875; *nanum* Mocsary,1879; *leucostoma* Costa,1883; *peregrinum* Costa,1884; *eversmanni* Radoszkowski,1886; *fraternum* Perez,1895; *astilleroi* Dusmet,1915; *grandi* Alfken,1937; *karakalense* Popov,1952; *canariense* Mavromoustakis,1954
- 559) *Anthidium (Pseudoanthidium) puncticolle* Morawitz,1888 (Megachilidae) Synonym(s): *puncticolle* Morawitz,1888
- 560) *Anthidium (Pseudoanthidium) reticulatum* Mocsary,1884 (Megachilidae) Synonym(s): *reticulatum* Mocsary,1884; *tegulare* Morawitz,1886; *mocsaryi* Friese,1897; *asiaticum* Friese,1917; *kindermanni* Mavromoustakis,1954
- 561) *Anthidium (Rhodanthidium) exsectum* (Pasteels,1969) (Megachilidae) Synonym(s): *exsectum* Pasteels,1969
- 562) *Anthidium (Rhodanthidium) septemdentatum* (Latreille,1809) (Megachilidae) Synonym(s): *septemdentatum* Latreille,1809; *rufiventre* Brull  ,1832; *quadridentatum* Lepeletier,1841; *fuscipenne* Lepeletier,1841; *binominatum* Smith,1854; *sexlineatum* Chevrier,1872; *fasciale* Friese,1917; *rufocinctum* Alfken,1930; *nigrosetosum* Stanek,1968
- 563) *Anthidium (Rhodanthidium) superbum* Radoszkowski,1876 (Megachilidae) Synonym(s): *superbum* Radoszkowski,1876; *christophi* Morawitz,1884; *grande* Friese,1897

- 564) *Anthidium* (s.str.) *caspicum* Morawitz,1880 (Megachilidae) Synonym(s): *caspicum* Morawitz,1880; *germabicum* Radoszkowski,1893; *labrosum* Pasteels,1969
- 565) *Anthidium* (s.str.) *christianseni* Mavromoustakis,1956 (Megachilidae) Synonym(s): *christianseni* Mavromoustakis,1956
- 566) *Anthidium* (s.str.) *neosyriacum* Mavromoustakis,1956 (Megachilidae) Synonym(s): *neosyriacum* Mavromoustakis,1956
- 567) *Anthidium* (s.str.) *soikai* Mavromoustakis,1968 (Megachilidae) Synonym(s): *soikai* Mavromoustakis,1968
- 568) *Anthidium* (s.str.) *sublustre* Warncke,1981 (Megachilidae) Synonym(s): *sublustre* Warncke,1981
- 569) *Anthidium* (s.str.) *syriacum* Pérez,1911 (Megachilidae) Synonym(s): *syriacum* Pérez,1911
- 570) *Anthidium* (s.str.) *taschenbergii* Morawitz,1894 (Megachilidae) Synonym(s): *taschenbergii* Morawitz,1894; *shirazense* Mavromoustakis,1968
- 571) *Anthidium* (s.str.) *waltlii* Spinosa,1838 (Megachilidae) Synonym(s): *waltlii* Spinosa,1838
- 572) *Anthidium* (s.str.) *wuestneii* Mocsary,1887 (Megachilidae) Synonym(s): *wuestneii* Mocsary,1887
- 573) *Anthocharis* *cardamines* (Linnaeus,1758) (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911
- 574) *Anthocharis* *carolinae* Back,[2006] (Pieridae) Synonym(s): *carolinae* Back,[2006]
- 575) *Anthocharis* *damone* Boisduval,1836 (Pieridae) Synonym(s): *damone* Boisduval,1836
- 576) *Anthocharis* *grueneri* Herrich-Schäffer,[1851] (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907
- 577) *Anthocoris* *angularis* Reuter,1884 (Anthocoridae) Synonym(s): *angularis* Reuter,1884
- 578) *Anthocoris* *butleri* Le Quense,1954 (Anthocoridae) Synonym(s): *butleri* Le Quense,1954
- 579) *Anthocoris* *confusus* Reuter,1884 (Anthocoridae) Synonym(s): *confusus* Reuter,1884
- 580) *Anthocoris* *flavipes* Reuter,1884 (Anthocoridae) Synonym(s): *flavipes* Reuter,1884
- 581) *Anthocoris* *gallarumulmi* (DeGeer,1773) (Anthocoridae) Synonym(s): *gallarumulmi* DeGeer,1773
- 582) *Anthocoris* *guentheri* Péricart,2007 (Anthocoridae) Synonym(s): *guentheri* Péricart,2007
- 583) *Anthocoris* *limbatus* Fieber,1836 (Anthocoridae) Synonym(s): *limbatus* Fieber,1836
- 584) *Anthocoris* *minki* (Dohrn,1860) (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *rubicundulus* Garbiglietti,1869; *pistaciae* E.Wagner,1957
- 585) *Anthocoris* *nemoralis* (Fabricius,1794) (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794
- 586) *Anthocoris* *nemorum* (Linnaeus,1761) (Anthocoridae) Synonym(s): *nemorum* Linnaeus,1761
- 587) *Anthocoris* *persicus* E.Wagner,1957 (Anthocoridae) Synonym(s): *persicus* E.Wagner,1957
- 588) *Anthocoris* *pilosus* (Jakovlev,1877) (Anthocoridae) Synonym(s): *pilosus* Jakovlev,1877
- 589) *Anthocoris* *poissoni* Kiritshenko,1952 (Anthocoridae) Synonym(s): *poissoni* Kiritshenko,1952
- 590) *Anthocoris* *simillimus* Poppius,1909 (Anthocoridae) Synonym(s): *simillimus* Poppius,1909
- 591) *Anthocoris* *visci* Douglas,1889 (Anthocoridae) Synonym(s): *visci* Douglas,1889
- 592) *Anthomalachius* *strangulatus* (Abeille de Perrin,1885) (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin,1885; *vulneratus* Abeille de Perrin,1891
- 593) *Anthophilopsis* *baphialis* (Staudinger,1870) (Pyralidae) Synonym(s): *baphialis* Staudinger,1870; *#baphiale* Caradja,1917.
- 594) *Anthophilopsis* *moeschleri* (Christoph,1862) (Pyralidae) Synonym(s): *moeschleri* Christoph,1862
- 595) *Anthophora* *trochanterica* Morawitz,1888 (Apidae) Synonym(s): *trochanterica* Morawitz,1888
- 596) *Anthrax* *aethiops* (Fabricius,1781) (Bombyliidae) Synonym(s): *aethiops* Fabricius,1781; *punctata* Meigen,1820; *mendax* Austen,1937
- 597) *Anthrax* *anthrax* (Schränk,1781) (Bombyliidae) Synonym(s): *anthrax* Schränk,1781; *sinuata* Meigen,1804
- 598) *Anthrax* *binotatus* Wiedemann,1820 (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820; *subnotata* Wiedemann,1820
- 599) *Anthrax* *brevis* Becker & Stein,1913 (Bombyliidae) Synonym(s): *brevis* Becker & Stein,1913
- 600) *Anthrax* *desertorum* Paramonov,1935 (Bombyliidae) Synonym(s): *desertorum* Paramonov,1935
- 601) *Anthrax* *flavipes* (Röder,1896) (Bombyliidae) Synonym(s): *flavipes* Röder,1896
- 602) *Anthrax* *flavus* (Sack,1909) (Bombyliidae) Synonym(s): *flavus* Sack,1909
- 603) *Anthrax* *kiritshenkoi* Paramonov,1935 (Bombyliidae) Synonym(s): *kiritshenkoi* Paramonov,1935
- 604) *Anthrax* *leucogaster* Wiedemann,1820 (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820
- 605) *Anthrax* *monachus* (Sack,1909) (Bombyliidae) Synonym(s): *monachus* Sack,1909
- 606) *Anthrax* *sticticus* Klug,1832 (Bombyliidae) Synonym(s): *sticticus* Klug, 1832
- 607) *Anthrax* *varius* Fabricius,1794 (Bombyliidae) Synonym(s): *varius* Fabricius,1794
- 608) *Anthrenus* (Anthrenodes) *jordanicus* Pic,1934 (Dermestidae) Synonym(s): *jordanicus* Pic,1934
- 609) *Anthrenus* (Florilinus) *caucasicus* Reitter,1881 (Dermestidae) Synonym(s): *caucasicus* Reitter,1881
- 610) *Anthrenus* (Nathrenus) *pubifer* Reitter,1899 (Dermestidae) Synonym(s): *pubifer* Reitter,1899
- 611) *Anthrenus* (s.str.) *delicatus* Kiesenwetter,1851 (Dermestidae) Synonym(s): *delicatus* Kiesenwetter,1851
- 612) *Anthrenus* (s.str.) *mesopotamicus* Hava,2001 (Dermestidae) Synonym(s): *mesopotamicus* Hava,2001
- 613) *Anthrenus* (s.str.) *picturatus* Solsky,1876 (Dermestidae) Synonym(s): *picturatus* Solsky,1876
- 614) *Anthrenus* (s.str.) *rotundulus* Reitter,1889 (Dermestidae) Synonym(s): *rotundulus* Reitter,1889
- 615) *Anthrenus* (s.str.) *simonis* Reitter,1881 (Dermestidae) Synonym(s): *simonis* Reitter,1881
- 616) *Anthrenus* *zagrosensis* Hava,2004 (Dermestidae) Synonym(s): *zagrosensis* Hava,2004
- 617) *Antigastra* *catalaunalis* (Duponchel,1833) (Pyralidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929
- 618) *Antipalus* *truncatus* (Loew,1849) (Asilidae) Synonym(s): *truncatus* Loew,1849
- 619) *Antiphrisson* *adpressus* (Loew,1849) (Asilidae) Synonym(s): *adpressus* Loew,1849
- 620) *Antiphrisson* *trifarius* (Loew,1849) (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thallhammeri* Lichtwardt,1903
- 621) *Antitype* *jonis* (Lederer,1865) (Noctuidae) Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901.
- 622) *Antocha* (s.str.) *libanotica* Lackschewitz,1940 (Limoniidae) Synonym(s): *libanotica* Lackschewitz,1940
- 623) *Antodynerus* *incomparabilis* Giordani Soika,1970 (Vespidae) Synonym(s): *incomparabilis* Giordani Soika,1970
- 624) *Anumeta* *asiatica* Wiltshire,1961 (Noctuidae) Synonym(s): *spatzi* auct.; *asiatica* Wiltshire,1961
- 625) *Anumeta* *atrosignata* Walker,1858 (Noctuidae) Synonym(s): *atrosignata* Walker,1858; *arenosa* Brandt,1939
- 626) *Anumeta* *cestis* (Ménétriés,1848) (Noctuidae) Synonym(s): *cestis* Ménétriés,1848; *punctata* Ménétriés,1848.
- 627) *Anumeta* *spilota* (Erschoff,1874) (Noctuidae) Synonym(s): *spilota* Erschoff,1874
- 628) *Anydrophila* *banghaasi* Brandt,1939 (Noctuidae) Synonym(s): *banghaasi* Brandt,1939

- 629) *Anydrophila distincta* Brandt, 1939 (Noctuidae) Synonym(s): *distincta* Brandt, 1939
- 630) *Anydrophila fouadi* Wiltshire, 1947 (Noctuidae) Synonym(s): *fouadi* Wiltshire, 1947
- 631) *Anydrophila hoerhammeri* Brandt, 1939 (Noctuidae) Synonym(s): *hoerhammeri* Brandt, 1939
- 632) *Anydrophila sirdar* Brandt, 1939 (Noctuidae) Synonym(s): *sirdar* Brandt, 1939
- 633) *Aomus pubescens* Boheman, 1834 (Curculionidae) Synonym(s): *pubescens* Boheman, 1834; *phyllobiiformis* Reitter, 1895
- 634) *Apamea* (s.str.) *crenata* (Hufnagel, 1766) (Noctuidae) Synonym(s): *crenata* Hufnagel, 1766; *rurea* Fabricius, 1775; *alopocurus* Esper, [1788]; *combusta* Hübner, [1808]; *hirticornus* Haworth, 1812.
- 635) *Apamea* (s.str.) *ferrago* (Eversmann, 1837) (Noctuidae) Synonym(s): *ferrago* Eversmann, 1837
- 636) *Apamea* (s.str.) *furva* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller], 1775
- 637) *Apamea* (s.str.) *lateritia* (Hufnagel, 1766) (Noctuidae) Synonym(s): *lateritia* Hufnagel, 1766; *molochina* Hübner, [1803].
- 638) *Apamea* (s.str.) *leucodon* (Eversmann, 1837) (Noctuidae) Synonym(s): *leucodon* Eversmann, 1837
- 639) *Apamea* (s.str.) *monoglypha* (Hufnagel, 1766) (Noctuidae) Synonym(s): *polyodon* Linnaeus, 1761 nec Cl., 1759; *monoglypha* Hufnagel, 1766.
- 640) *Apamea* (s.str.) *oblonga* (Haworth, [1809]) (Noctuidae) Synonym(s): *oblonga* Haworth, [1809]; *abjecta* Hübner, [1813].
- 641) *Apamea* (s.str.) *platinea* (Treitschke, 1825) (Noctuidae) Synonym(s): *platinea* Treitschke, 1825; *grisescens* Touleschkov, 1951 nec Stgr., 1889; *touleschkoffi* Koçak, 1980.
- 642) *Apamea* (s.str.) *polyglypha* (Staudinger, 1892) (Noctuidae) Synonym(s): *polyglypha* Staudinger, 1892
- 643) *Apamea* (s.str.) *sordens* (Hufnagel, 1766) (Noctuidae) Synonym(s): *sordens* Hufnagel, 1766; *basilinea* [Denis & Schiffermüller], 1775; *marmorosa* Esper, [1788]; *nebulosa* Vieweg, 1790; *cinefacta* Graeser, 1889 nec Gte., 1881; *grisescens* Staudinger, 1889; *basistriga* Staudinger, 1892; *alacra* Dannehl, 1933
- 644) *Apamea* (s.str.) *syriaca* (Osthelder, 1933) (Noctuidae) Synonym(s): *syriaca* Osthelder, 1933; *#albida* Osthelder, 1933; *tallosi* Kovacs & Varga, 1969.
- 645) *Aphanotrigonum cinctellum* (Zetterstedt, 1848) (Chloropidae) Synonym(s): *cinctellum* Zetterstedt, 1848; *brevirostris* Loew, 1858; *pallidinerve* Duda, 1933
- 646) *Aphanus rolandri* (Linnaeus, 1758) (Lygaeidae) Synonym(s): *rolandri* Linnaeus, 1758; *aethiops* Douglas & Scott, 1868
- 647) *Aphelia* (Zelothereses) *christophi* Obratzsov, 1955 (Tortricidae) Synonym(s): *verbascana* Christoph, 1877 (homonym); *christophi* Obratzsov, 1955
- 648) *Aphelia* (Zelothereses) *conscia* Razowski, 1981 (Tortricidae) Synonym(s): *conscia* Razowski, 1981
- 649) *Aphelonyx persica* Melika, Stone, Sadeghi & Pujade-Villar, 2004 (Cynipidae) Synonym(s): *persica* Melika, Stone, Sadeghi & Pujade-Villar, 2004
- 650) *Aphis* (Bursaphis) *epilobiaria* Theobald, 1927 (Aphididae) Synonym(s): *epilobiaria* Theobald, 1927
- 651) *Aphis confusa* Walker, 1849 (Aphididae) Synonym(s): *confusa* Walker, 1849
- 652) *Aphodius* (Erytus) *persicus* Petrovitz, 1961 (Scarabaeidae) Synonym(s): *persicus* Petrovitz, 1961
- 653) *Aphoebantus persicus* Becker, 1913 (Bombyliidae) Synonym(s): *persicus* Becker, 1913
- 654) *Aphomia sabella* (Hampson, 1901) (Pyralidae) Synonym(s): *sabella* Hampson, 1901
- 655) *Aphomia sociella* (Linnaeus, 1758) (Pyralidae) Synonym(s): *sociella* Linnaeus, 1758; *colonella* Linnaeus, 1758; *tribunella* [Denis & Schiffermüller], 1775; *viridella* Goeze, 1783; *inaequalis* Villers, 1789; *socia* Fabricius, 1798; *bipunctana* Curtis, 1828; *asiatica* Caradja, 1916; *pedemontana*, *eritrella* Della Beffa, 1941.
- 656) *Aphthona abdominalis* (Duftschmid, 1825) (Chrysomelidae) Synonym(s): *abdominalis* Duftschmid, 1825; *finitima* Ogloblin, 1927
- 657) *Aphthona bonvouloiri* Allard, 1861 (Chrysomelidae) Synonym(s): *bonvouloiri* Allard, 1861; *tauricola* Pic, 1910
- 658) *Aphthona fuentei* Reitter, 1901 (Chrysomelidae) Synonym(s): *fuentei* Reitter, 1901
- 659) *Aphthona nigriscutis* Foudras, 1860 (Chrysomelidae) Synonym(s): *nigriscutis* Foudras, 1860
- 660) *Aphthona nonstriata* (Goeze, 1777) (Chrysomelidae) Synonym(s): *nonstriata* Goeze, 1777
- 661) *Aphytis chrysomphali* (Mercet, 1912) (Aphelinidae) Synonym(s): *chrysomphali* Mercet, 1912; *silvestrii* De Gregorio, 1914; *quaylei* Rust, 1915; *mazandarania* Kiriukhin, 1946
- 662) *Apiletria* (Aretascetis) *endopercna* (Meyrick, 1936) (Autostichidae) Synonym(s): *endopercna* Meyrick, 1936
- 663) *Apiletria* (Aretascetis) *murcidella* (Christoph, 1876) (Autostichidae) Synonym(s): *murcidella* Christoph, 1876
- 664) *Apiletria* (Aretascetis) *purulentella* Stainton, 1867 (Autostichidae) Synonym(s): *purulentella* Stainton, 1867
- 665) *Apiletria* (Xystoceros) *artaxerxes* Gozmany, 1965 (Autostichidae) Synonym(s): *artaxerxes* Gozmany, 1965
- 666) *Apis* (Micrapis) *florea* Fabricius, 1787 (Apidae) Synonym(s): *florea* Fabricius, 1787; *semirufa* Hoffmannsegg, 1818; *lobata* Smith, 1854; *rufiventris* Friese, 1906; *#fuscata* Enderlein, 1906; *nursei* Cockerell, 1911; *nasicana* Cockerell, 1911
- 667) *Apis* (s.str.) *mellifera* Linnaeus, 1758 (Apidae) Synonym(s): *mellifera* Linnaeus, 1758; *mellifica* Linnaeus, 1761
- 668) *Aplasta ononaria* (Fuessly, 1783) (Geometridae) Synonym(s): *ononaria* Fuessly, 1783; *rubellata* Villers, 1789; *rubicaparia* Hübner, 1793; *sudataria* Hübner, [1817]; *ononata* Bellier, 1861
- 669) *Aplocera annexata* (Freyer, [1830]) (Geometridae) Synonym(s): *annexata* Freyer, [1830]; *boisduvaliata* Duponchel, 1831
- 670) *Aplocera obsitaria* (Lederer, 1853) (Geometridae) Synonym(s): *obsitaria* Lederer, 1853; *pseudopallidata* Bytinski-Salz & Brandt, 1937
- 671) *Aplocera plagiata* (Linnaeus, 1758) (Geometridae) Synonym(s): *plagiata* Linnaeus, 1758; *pallidata* Staudinger, 1879.
- 672) *Apochima diaphanaria* (Püngeler, 1904) (Geometridae) Synonym(s): *diaphanaria* Püngeler, 1904
- 673) *Apoclea albipila* Becker, 1913 (Asilidae) Synonym(s): *albipila* Becker, 1913
- 674) *Apoclea algira* (Linnaeus, 1767) (Asilidae) Synonym(s): *algira* Linnaeus, 1767; *alginis* Fabricius, 1787; *vegeta* Wiedemann, 1828; *pallida* Macquart, 1838; *fuscana* Macquart, 1838; *aberrans* Schiner, 1867; *deformis* Walker, 1871
- 675) *Apoclea continuata* Becker, 1909 (Asilidae) Synonym(s): *continuata* Becker, 1909
- 676) *Apoclea femoralis* (Wiedemann, 1828) (Asilidae) Synonym(s): *femoralis* Wiedemann, 1828; *helva* Wiedemann, 1828; *illustris* Schiner, 1867; *aperta* Becker, 1909
- 677) *Apoclea helvipes* Loew, 1873 (Asilidae) Synonym(s): *helvipes* Loew, 1873
- 678) *Apoclea micracantha* Loew, 1856 (Asilidae) Synonym(s): *micracantha* Loew, 1856; *arabica* Becker, 1910
- 679) *Apoclea plurisetosa* Becker, 1909 (Asilidae) Synonym(s): *plurisetosa* Becker, 1909
- 680) *Apoclea trivialis* Loew, 1873 (Asilidae) Synonym(s): *trivialis* Loew, 1873
- 681) *Apodiphus amygdali* (Germar, 1817) (Pentatomidae) Synonym(s): *amygdali* Germar, 1817; *hellenica* Lefebvre, 1831; *exsculpta* Burmeister, 1835
- 682) *Apodiphus pallidus* (Hoberlandt, 1959) (Pentatomidae) Synonym(s): *pallidus* Hoberlandt, 1959; *siazovi* Kiritchenko, 1966
- 683) *Apolysis eremophila* Loew, 1873 (Bombyliidae) Synonym(s): *eremophila* Loew, 1873
- 684) *Apolysis superba* (Engel, 1933) (Bombyliidae) Synonym(s): *superba* Engel, 1933
- 685) *Apolysis superba* (Engel, 1933) (Bombyliidae) Synonym(s): *superba* Engel, 1933

- 686) *Apomyelois ceratoniae* (Zeller,1839) (Pyalidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilinella* Hampson,1896; *psarella* Hampson,1903; *rivularis* W.Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950
- 687) *Apomyelois demawendella* (Zerny,1939) (Pyalidae) Synonym(s): *demawendella* Zerny,1939
- 688) *Apomyelois schaeuffelella* Amsel,1959 (Pyalidae) Synonym(s): *schaeuffelella* Amsel,1959
- 689) *Apopestes noe* L.Ronkay,1990 (Noctuidae) Synonym(s): *noe* Ronkay,1990
- 690) *Apopestes phantasma* (Eversmann,1843) (Noctuidae) Synonym(s): *phantasma* Eversmann,1843; *centralasiae* W.Warren,1913.
- 691) *Apopestes spectrum* (Esper,[1787]) (Noctuidae) Synonym(s): *spectrum* Esper,[1787]; *innotata* W.Warren,1913; *maura* W.Warren,1913
- 692) *Aporia* (*Metaporis* (*Turanoporia*)) *leucodice* (Eversmann,1843) (Pieridae) Synonym(s): *leucodice* Eversmann,1843; *altensis* Heyne,1895; *morosevitshae* Sheljuzhko,1907.
- 693) *Aporia* (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanias* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 694) *Aporodes ? pygmaealis* Amsel,1961 (Pyalidae) Synonym(s): *pygmaealis* Amsel,1961
- 695) *Aporodes floralis* (Hübner,[1809]) (Pyalidae) Synonym(s): *floralis* Hübner,[1809]; *stygalis* Treitschke,1829; *siculalis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 696) *Apotomus rufithorax* Pecchioli,1837 (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837
- 697) *Aproceratia rhexogramma* (Meyrick,1937) (Pyalidae) Synonym(s): *rhexogramma* Meyrick,1937
- 698) *Aprosthemella melanurum* (Klug,1814) (Argidae) Synonym(s): *melanurum* Klug,1814; *cylindricornis* Thomson,1871; *friesei* Konow,1892; *alkeni* Konow,1895;
- 699) *Aprosthemella tardum* (Klug,1814) (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902
- 700) *Aprostocetus beyazus* Doğanlar,1992 (Eulophidae) Synonym(s): *beyazus* Doğanlar,1992
- 701) *Aprostocetus bucculentus* (Kostjukov,1978) (Eulophidae) Synonym(s): *bucculentus* Kostjukov,1978
- 702) *Apterona crenulella* (Bruand,1853) (Psychidae) Synonym(s): *crenulella* Bruand,1853
- 703) *Apyrausta persicalis* Amsel,1951 (Pyalidae) Synonym(s): *persicalis* Amsel,1951
- 704) *Arboridia kermanshah* (Dlabola,1963) (Cicadellidae) Synonym(s): *kermanshah* Dlabola,1963
- 705) *Archanara dissoluta* (Treitschke,1825) (Noctuidae) Synonym(s): *dissoluta* Treitschke,1825; *hessii* Boisduval,1840; *arundineta* Schmidt,1858
- 706) *Archanara sparganii* (Esper,[1790]) (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892.
- 707) *Archiphestia adpiscinella* (Chrétien,1911) (Pyalidae) Synonym(s): *adpiscinella* Chrétien,1911; *pholeacola* Dumont,1932; *menonoma* Schmidt,1934; *murciella* Amsel,1955
- 708) *Archon apollinaris* (Staudinger,[1892]) (Papilionidae) Synonym(s): *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907
- 709) *Archon bostanchii* De Freina & Naderi,2003 (Papilionidae) Synonym(s): *bostanchii* De Freina & Naderi,2003
- 710) *Arctia* (*Epicallia*) *confluens* (Romanoff,1884) (Arctiidae) Synonym(s): *confluens* Romanoff,1884.
- 711) *Arctia* (*Epicallia*) *marchandi* De Freina,1983 (Arctiidae) Synonym(s): *marchandi* De Freina,1983.
- 712) *Arctia* (*Epicallia*) *villica* (Linnaeus,1758) (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
- 713) *Arctia* (*Eucharia*) *festiva* (Hufnagel,1766) (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétériés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
- 714) *Arctia* (s.str.) *caja* (Linnaeus,1758) (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 nec Rom.,1884; *rebeli* Wnukowsky,1929.
- 715) *Ardekania farsella* Amsel,1951 (Pyalidae) Synonym(s): *farsella* Amsel,1951
- 716) *Arenostola delattini* Wiltshire,1953 (Noctuidae) Synonym(s): *delattini* Wiltshire,1953
- 717) *Arenostola phragmitidis* (Hübner,[1803]) (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803]
- 718) *Arenostola unicolor* W.Warren,1914 (Noctuidae) Synonym(s): *unicolor* W.Warren,1914
- 719) *Arethusana arethusana* ([Denis & Schiffermüller],1775) (Satyridae) Synonym(s): *arethusana* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (sensu Hesselbarth et al.,1995: 917).
- 720) *Arge cingulata* Jakovlev,1891 (Argidae) Synonym(s): *cingulata* Jakovlev,1891; *turanica* Kuznetsov-Ugamskii,1927
- 721) *Arge cyanocrocea* (Forster,1771) (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880
- 722) *Arge gracilicornis* (Klug,1814) (Argidae) Synonym(s): *gracilicornis* Klug,1814
- 723) *Arge melanocheira* (Gmelin,1790) (Argidae) Synonym(s): *melanocheira* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907
- 724) *Arge ochropus* (Gmelin,1790) (Argidae) Synonym(s): *ochropus* Gmelin,1790
- 725) *Arge persica* Gussakovskii,1935 (Argidae) Synonym(s): *persica* Gussakovskii,1935
- 726) *Arge scita* (Mocsary,1880) (Argidae) Synonym(s): *scita* Mocsary,1880; *zarudnyi* Gussakovskii,1935
- 727) *Argina astrea* (Drury,[1773]) (Arctiidae) Synonym(s): *cribraria* Clerck,1764 nec Linn.,1758; *astrea* Drury,[1773]; *pylotis* Fabricius,1775; *dulcis* Walker,1854; *guttata* Rambur,1866; *notata* Butler,1877; *pylotes* Butler,1877; *multiguttatus* Swinhoe,1892; *#perforata* Seitz,1914; *#detersa* Hulstaert,1923.
- 728) *Argynnis* (*Fabriciana*) *adippe* (Rottemburg,1775) (Argynnididae) Synonym(s): *cydippe* Linnaeus,1761 (rejected); *berecynthia* Poda,1761 (rejected); *adippe* Rottemburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc.
- 729) *Argynnis* (*Fabriciana*) *niobe* (Linnaeus,1758) (Argynnididae) Synonym(s): *niobe* Linnaeus,1758.
- 730) *Argynnis* (*Pandoriana*) *pandora* ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
- 731) *Argynnis* (s.str.) *paphia* (Linnaeus,1758) (Argynnididae) Synonym(s): *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950.
- 732) *Argynnis* (*Speyeria*) *alexandra* Ménétériés,1832 (Argynnididae) Synonym(s): *alexandra* Ménétériés,1832
- 733) *Argyra argentina* (Meigen,1824) (Dolichopodidae) Synonym(s): *diaphana* Fallén,1823 nec Fabr.,1775; *argentina* Meigen,1824; *geniculata* Schummel,1837
- 734) *Argyra diaphana* (Fabricius,1775) (Dolichopodidae) Synonym(s): *diaphana* Fabricius,1775; *ludea* Harris,1776; *pellucens* Fallén,1823; *versicolor* Meigen,1824; *hirtipes* Curtis,1835
- 735) *Argyresthia* (s.str.) *mirabiella* Toll,1947 (Yponomeutidae) Synonym(s): *mirabiella* Toll,1947

- 736) *Argyrospila succinea* (Esper,[1798]) (Noctuidae) Synonym(s): *succinea* Esper,[1798]
 737) *Arimania komaroffi* (Ragonot,1888) (Pyralidae) Synonym(s): *komaroffi* Ragonot,1888; *amanella* Zerny,1934; *diplocapna* Meyrick,1937
 738) *Aristotelia decurtella* (Hübner,[1813]) (Gelechiidae) Synonym(s): *decurtella* Hübner,[1813]; *turbatella* Treitschke,1835; *amoenella* Joannis,1891
 739) *Arma custos* (Fabricius,1794) (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinsperata* Ahmad & Önder,1990
 740) *Armada clio* (Staudinger,1884) (Noctuidae) Synonym(s): *clio* Staudinger,1884
 741) *Armada dentata* (Staudinger,1884) (Noctuidae) Synonym(s): *dentata* Staudinger,1884; *afghana* Hampson,1926.
 742) *Armada fletcheri* Wiltshire,1961 (Noctuidae) Synonym(s): *fletcheri* Wiltshire,1961
 743) *Armada heliothidia* (Hampson,1896) (Noctuidae) Synonym(s): *heliothidia* Hampson,1896; *roseifemur* Brandt,1939.
 744) *Armada maritima* Brandt,1939 (Noctuidae) Synonym(s): *maritima* Brandt,1939
 745) *Armada panaceorum* (Ménétriés,1849) (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
 746) *Arocatus melanocephalus* (Fabricius,1798) (Lygaeidae) Synonym(s): *melanocephalus* Fabricius,1798
 747) *Aroga aristotelis* (Millière,1875) (Gelechiidae) Synonym(s): *aristotelis* Millière,1875; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacertella* Walsingham; *hyrcanella* Toll,1948.
 748) *Aromia moschata* (Linnaeus,1758) (Cerambycidae) Synonym(s): *moschata* Linnaeus,1758
 749) *Arsissa aksuella* (Caradja,1910) (Pyralidae) Synonym(s): *aksuella* Caradja,1910
 750) *Arsissa divaricella* (Ragonot,1887) (Pyralidae) Synonym(s): *divaricella* Ragonot,1887; *#aurantiacella* Caradja,1910; *velocella* Toll,1948; *firusella* Amsel,1961.
 751) *Arsissa leucomixtella* (Ragonot,1887) (Pyralidae) Synonym(s): *leucomixtella* Ragonot,1887; *bicornutella* Amsel,1961.
 752) *Arsissa milka* Roesler,1990 (Pyralidae) Synonym(s): *milka* Roesler,1990
 753) *Arsissa miridella* (Ragonot,1893) (Pyralidae) Synonym(s): *miridella* Ragonot,1893; *pallorella* Amsel,1961; *#incertella* Amsel,1970.
 754) *Arsissa ramosella* (Herrich-Schäffer,[1855]) (Pyralidae) Synonym(s): *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939.
 755) *Artiotilla biguttata* (Costa,1858) (Mutillidae) Synonym(s): *biguttata* Costa,1858
 756) *Asalebria (Exophora) alida* Roesler,1988 (Pyralidae) Synonym(s): *alida* Roesler,1988
 757) *Asalebria (Exophora) exasperata* (Staudinger,1879) (Pyralidae) Synonym(s): *exasperata* Staudinger,1879; *#exaspersata* Roesler,1993
 758) *Asalebria (s.str.) venustella* (Ragonot,1887) (Pyralidae) Synonym(s): *venustella* Ragonot,1887; *hilarella* Caradja,1916; *palella* Caradja,1916
 759) *Asaphes suspensus* (Nees ab Esenbeck,1834) (Pteromalidae) Synonym(s): *suspensus* Nees ab Esenbeck,1834; *altiventris* Nees ab Esenbeck,1834; *petioliventris* Zetterstedt,1838; *aphidicola* Rondani,1848; *lucens* Provancher,1887; *fletcheri* Crawford,1909; *rufipes* Brues,1909; *huebrichi* Brethes,1913; *americana* Girault,1914; *bonariensis* Brethes,1916; *sawraji* Sharma & Subba Rao,1959; *uniarticulata* Mani & Saraswat,1974
 760) *Asaphidion (Asaphidion) flavicorne* (Solsky,1874) (Carabidae) Synonym(s): *flavicorne* Solsky,1874
 761) *Asarta firusella* Amsel,1961 (Pyralidae) Synonym(s): *firusella* Amsel,1961
 762) *Ascalenia acaciella* Chrétien,1915 (Cosmopterigidae) Synonym(s): *acaciella* Chrétien,1915; *tergipunctella* Turati,1924; *maculatella* Lucas,1937 nec Chrétien,1915; *noviciata* Gozmany,1960.
 763) *Ascalenia callynella* Kasy,1968 (Cosmopterigidae) Synonym(s): *callynella* Kasy,1968
 764) *Ascalenia echidnias* (Meyrick,1891) (Cosmopterigidae) Synonym(s): *echidnias* Meyrick,1891; *signatella* Chrétien,1915; *oranella* Lucas,1939; *satellita* Gozmany,1960.
 765) *Ascalenia imbella* Kasy,1974 (Cosmopterigidae) Synonym(s): *imbella* Kasy,1974
 766) *Ascalenia kairaella* Kasy,1969 (Cosmopterigidae) Synonym(s): *kairaella* Kasy,1969
 767) *Ascalenia pachnodes* (Meyrick,1917) (Cosmopterigidae) Synonym(s): *pachnodes* Meyrick,1917
 768) *Ascalenia signatella* Chrétien,1915 (Cosmopterigidae) Synonym(s): *signatella* Chrétien,1915; *oranella* Lucas,1939; *satellita* Gozmany,1960.
 769) *Ascalenia sirjanella* Kasy,1975 (Cosmopterigidae) Synonym(s): *sirjanella* Kasy,1975
 770) *Ascalenia vanelloides* Gerasimov,1930 (Cosmopterigidae) Synonym(s): *vanelloides* Gerasimov,1930; *#eremella* Amsel,1933; *eremella* Amsel,1935.
 771) *Ascalenia viviparella* Kasy,1969 (Cosmopterigidae) Synonym(s): *viviparella* Kasy,1969
 772) *Asiloephesus excisus* (Loew,1848) (Asilidae) Synonym(s): *excisus* Loew,1848
 773) *Asilus barbarus* Linnaeus,1758 (Asilidae) Synonym(s): *barbarus* Linnaeus,1758; *sinis* Séguy,1930; *flavipes* Esipenko,1970
 774) *Asilus crabroniformis* Linnaeus,1758 (Asilidae) Synonym(s): *crabroniformis* Linnaeus,1758
 775) *Asilus lucidus* Pallas,1818 (Asilidae) Synonym(s): *lucidus* Pallas,1818
 776) *Asiometopia (Casiomyia) persa* (Rohdendorf,1935) (Sarcophagidae) Synonym(s): *persa* Rohdendorf,1935
 777) *Asiometopia (s.str.) beludzha* Rohdendorf,1961 (Sarcophagidae) Synonym(s): *beludzha* Rohdendorf,1961
 778) *Asphingoderus uvarovites* (Mishtshenko,1936) (Acrididae) Synonym(s): *uvarovites* Mishtshenko,1936
 779) *Aspilapteryx (s.str.) magna* Triberti,1985 (Gracillariidae) Synonym(s): *magna* Triberti,1985
 780) *Aspilapteryx (s.str.) tringipennella* (Zeller,1839) (Gracillariidae) Synonym(s): *tringipennella* Zeller,1839; *fringilella* Duponchel,1843.
 781) *Aspoeckina uralensis* (Hölzel,1969) (Myrmeleonidae) Synonym(s): *uralensis* Hölzel,1969
 782) *Aspongopus viduatus* (Fabricius,1794) (Dinidoridae) Synonym(s): *viduatus* Fabricius,1794
 783) *Asthena chionata* (Lederer,1870) (Geometridae) Synonym(s): *chionata* Lederer,1870; *quadripunctata* Bienert,[1871]
 784) *Astochia caspica* Hermann,1917 (Asilidae) Synonym(s): *caspica* Hermann,1917; *sareptana* Becker,1923
 785) *Astochia metatarsata* Becker,1913 (Asilidae) Synonym(s): *metatarsata* Becker,1913
 786) *Astochia sodalis* (Wulp,1899) (Asilidae) Synonym(s): *sodalis* Wulp,1899
 787) *Asymmetrasca decedens* (Paoli,1932) (Cicadellidae) Synonym(s): *decedens* Paoli,1932
 788) *Asyndetus connexus* (Becker,1902) (Dolichopodidae) Synonym(s): *connexus* Becker,1902
 789) *Ateliotum arabicum* G.Petersen,1961 (Tineidae) Synonym(s): *arabicum* G.Petersen,1961
 790) *Ateliotum confusum* G.Petersen,1966 (Tineidae) Synonym(s): *confusum* G.Petersen,1966
 791) *Atethmia centrigo* (Haworth,[1809]) (Noctuidae) Synonym(s): *centrigo* Haworth,[1809].
 792) *Atethmia sinuata* L.Ronkay & Gyulai,2006 (Noctuidae) Synonym(s): *sinuata* L.Ronkay & Gyulai,2006
 793) *Athalia cornubiae* Benson,1931 (Tenthredinidae) Synonym(s): *cornubiae* Benson,1931
 794) *Athalia liberta* (Klug,1815) (Tenthredinidae) Synonym(s): *liberta* Klug,1815; *immaculata* Konow,1884

- 795) **Athalia rosae (Linnaeus,1758)** (Tenthredinidae) Synonym(s): *rosae* Linnaeus,1758; *spinorum* Fabricius,1775; *salicis* Schrank,1781 nec Linn.,1758; *colibri* Christ,1791; *centifoliae* Panzer,1798
- 796) **Atherigona varia (Meigen,1826)** (Muscidae) Synonym(s): *varia* Meigen,1826
- 797) **Atheroides persianus Wieczorek,2009** (Aphididae) Synonym(s): *persianus* Wieczorek,2009
- 798) **Atheroides serrulatus Haliday,1839** (Aphididae) Synonym(s): *serrulatus* Haliday,1839; *aculeata* Dahl,1912; *paradoxa* Theobald,1918; *festucae* Mordvilko,1934; *suwonensis* Paik,1971
- 799) **Athrips rancidella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rancidella* Herrich-Schäffer,[1854]; *triatomaea* Mühlhig,1864; *vepretella* Zeller,1870; *superfetella* Peyerimhoff,1877; *cotoneastri* Busck,1934; *cerasivorella* Kuznetsov,1960.
- 800) **Atomophora astraia Linnavuori,1997** (Miridae) Synonym(s): *astraia* Linnavuori,1997
- 801) **Atomophora atripes Linnavuori,1997** (Miridae) Synonym(s): *atripes* Linnavuori,1997
- 802) **Atomophora maculosa Reuter,1903** (Miridae) Synonym(s): *maculosa* Reuter,1903; *erato* Linnavuori,1971
- 803) **Atomophora pantherina Reuter,1879** (Miridae) Synonym(s): *pantherina* Reuter,1879
- 804) **Atomophora pentheus Linnavuori,1971** (Miridae) Synonym(s): *pentheus* Linnavuori,1971
- 805) **Atomorpha hedemanni (Christoph,1885)** (Geometridae) Synonym(s): *hedemanni* Christoph,1885; *baloutschistana* Wehrli,1953
- 806) **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790
- 807) **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae) Synonym(s): *orientalis* Reitter,1878
- 808) **Attelabus nitens (Scopoli,1763)** (Attelabidae) Synonym(s): *nitens* Scopoli,1763; *curculionoides* Linnaeus,1767; *coryli* Müller,1776; *maculipes* Rondani,1833
- 809) **Atylotus basicallus (Szilady,1926)** (Tabanidae) Synonym(s): *basicallus* Szilady,1926
- 810) **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915
- 811) **Atylotus quadrifarius (Loew,1874)** (Tabanidae) Synonym(s): *quadrifarius* Loew,1874; *rufipes* Szilady,1915 nec Mg.,1820; *lattesica* Strand,1925; *afghanistanicus* Moucha & Chvala,1959
- 812) **Atylotus theodori Abbassian-Lintzen,1964** (Tabanidae) Synonym(s): *theodori* Abbassian-Lintzen,1964
- 813) **Auchmis (s.str.) detersa (Esper,[1791])** (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller],1775; *detersa* Esper,[1791]
- 814) **Auchmis (s.str.) indica (Walker,1865)** (Noctuidae) Synonym(s): *indica* Walker,1865
- 815) **Auchmis (s.str.) peterseni (Christoph,1887)** (Noctuidae) Synonym(s): *peterseni* Christoph,1887
- 816) **Aulacidea acroptilonica Tyurebaev,1979** (Cynipidae) Synonym(s): *acroptilonica* Tyurebaev,1979
- 817) **Aulacidea irani Melika & Gharaei,2006** (Cynipidae) Synonym(s): *irani* Melika & Gharaei,2006
- 818) **Austroagallia avicula (Ribaut,1935)** (Cicadellidae) Synonym(s): *avicula* Ribaut,1935
- 819) **Autographa gamma (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992.
- 820) **Autographa jota (Linnaeus,1758)** (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaaurina* Haworth,1809; *percontationis* Oechsenheimer,1816; *aurigutta* Hübner,[1821]; *ancora* Freyer,1832; *bartholomaeii* Ménétériés,1859; *anatolica* Schwingenschuss,1938
- 821) **Autophila (Cheiropheanes) gracilis (Staudinger,1874)** (Noctuidae) Synonym(s): *gracilis* Staudinger,1874; *coruscantis* Swinhoe,1885
- 822) **Autophila (Cheiropheanes) ligaminosa (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 823) **Autophila (Cheiropheanes) plattneri Boursin,1955** (Noctuidae) Synonym(s): *plattneri* Boursin,1955
- 824) **Autophila (s.str.) asiatica (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1888
- 825) **Autophila (s.str.) banghaasi Boursin,1940** (Noctuidae) Synonym(s): *banghaasi* Boursin,1940
- 826) **Autophila (s.str.) cerealis (Staudinger,1871)** (Noctuidae) Synonym(s): *cerealis* Staudinger,1871
- 827) **Autophila (s.str.) cinnamomea L.Ronkay,1989** (Noctuidae) Synonym(s): *cinnamomea* L.Ronkay,1989
- 828) **Autophila (s.str.) depressa (Püngeler,1914)** (Noctuidae) Synonym(s): *depressa* Püngeler,1914
- 829) **Autophila (s.str.) einsleri Amsel,1935** (Noctuidae) Synonym(s): *luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
- 830) **Autophila (s.str.) eurytaenia Boursin,1963** (Noctuidae) Synonym(s): *eurytaenia* Boursin,1963
- 831) **Autophila (s.str.) hirsuta (Staudinger,1870)** (Noctuidae) Synonym(s): *hirsuta* Staudinger,1870
- 832) **Autophila (s.str.) iranica L.Ronkay,1989** (Noctuidae) Synonym(s): *iranica* L.Ronkay,1989
- 833) **Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
- 834) **Autophila (s.str.) limbata (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871
- 835) **Autophila (s.str.) sinesafida Wiltshire,1952** (Noctuidae) Synonym(s): *sinesafida* Wiltshire,1952
- 836) **Autophila (s.str.) subfusca (Christoph,1893)** (Noctuidae) Synonym(s): *subfusca* Christoph,1893
- 837) **Autophila (s.str.) vespertalis (Staudinger,1896)** (Noctuidae) Synonym(s): *vespertalis* Staudinger,1896
- 838) **Auxacia bilineella (Ragonot,1887)** (Pyralidae) Synonym(s): *bilineella* Ragonot,1887
- 839) **Axia (Epicimelia) theresiae (Korb,1900)** (Cimeliidae) Synonym(s): *theresiae* Korb,1900
- 840) **Axiopoea karelini Ménétériés,1863** (Arctiidae) Synonym(s): *karelini* Ménétériés,1863; *transcaucasia* Sheljuzhko,1926; *manissadjani* O.Bang-Haas,1927.
- 841) **Axiopoea maura (Eichwald,1830)** (Arctiidae) Synonym(s): *maura* Eichwald,1830; *fluviatilis* Swinhoe,1885.
- 842) **Axylia putris (Linnaeus,1761)** (Noctuidae) Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *pallium* Villers,1789; *lignosa* Hübner,[1803]; *mundipennis* W.Warren,1912
- 843) **Azanus (s.str.) jesous (Guérin-Méneville,1849)** (Lycaenidae) Synonym(s): *jesous* Guérin-Méneville,1849; *agave* Walker,1870; *sigillata* Butler,1876.
- 844) **Azanus (s.str.) ubaldus (Stoll,[1782])** (Lycaenidae) Synonym(s): *ubaldus* Stoll,[1782]; *zena* Moore,1865; *ethoda* Walker,1870; *itea* Walker,1870; *macalenga* Trimen,1870; *thebana* Staudinger,1894.
- 845) **Azygophleps regia (Staudinger,1892)** (Cossidae) Synonym(s): *regia* Staudinger,1892
- 846) **Bactra (s.str.) bactrana (Kennel,1901)** (Tortricidae) Synonym(s): *bactrana* Kennel,1901; *cyperana* Amsel,1951; *mediterraneana* Agenjo,1952.
- 847) **Bactra (s.str.) fumosana Kennel,1900** (Tortricidae) Synonym(s): *fumosana* Kennel,1900
- 848) **Bactra (s.str.) graminivora Meyrick,1922** (Tortricidae) Synonym(s): *graminivora* Meyrick,1922; *cyperana* Amsel,1951; *mediterraneana* Agenjo,1952

- 849) **Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852
- 850) **Bactra (s.str.) longiqua Diakonoff,1959** (Tortricidae) Synonym(s): *longiqua* Diakonoff,1959
- 851) **Bactra (s.str.) robustana (Christoph,1872)** (Tortricidae) Synonym(s): *robustana* Christoph,1872; *griseana* A.M.Djakonov,1929; *grisea* A.M.Djakonov,1929; *scirpicolana* Pierce,1935
- 852) **Bactrianoscythris satyrella (Staudinger,1880)** (Scythridae) Synonym(s): *satyrella* Staudinger,1880; *matronella* Staudinger,1880; *vitilella* Christoph,1885
- 853) **Badister bullatus (Schränk,1798)** (Carabidae) Synonym(s): *bullatus* Schränk,1798
- 854) **Bagrada (Nitilia) abeillei Puton,1881** (Pentatomidae) Synonym(s): *abeillei* Puton,1881; *persica* Horvath,1936; *lepida* Horvath,1936; *pallens* Kiritschenko,1966
- 855) **Bagrada concinna Horvath,1936** (Pentatomidae) Synonym(s): *concinna* Horvath,1936; *biramosa* Horvath,1936
- 856) **Bagrada kauffmanni (Oshanin,1870)** (Pentatomidae) Synonym(s): *kauffmanni* Oshanin,1870; *pallida* Kiritschenko,1914
- 857) **Bagrada stolidia (Herrich-Schäffer,1839)** (Pentatomidae) Synonym(s): *stolidia* Herrich-Schäffer,1839; *gibbicollis* Horvath,1936; *cicur* Horvath,1936; *scutellaris* Horvath,1936; *confusa* Horvath,1936; *stolata* Horvath,1936; *quadrinaculata* Horvath,1936
- 858) **Balcanocerus alkani (Wagner,1958)** (Cicadellidae) Synonym(s): *alkani* Wagner,1958
- 859) **Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae* Horvath,1891
- 860) **Balclutha flavella Linnavuori,1962** (Cicadellidae) Synonym(s): *flavella* Linnavuori,1962
- 861) **Baldratia aelleni Möhn,1969** (Cecidomyiidae) Synonym(s): *aelleni* Möhn,1969
- 862) **Baldratia anabasis Möhn,1969** (Cecidomyiidae) Synonym(s): *anabasis* Möhn,1969
- 863) **Baldratia kermanensis Möhn,1969** (Cecidomyiidae) Synonym(s): *kermanensis* Möhn,1969
- 864) **Baldratia przewalskii Marikovskii,1955** (Cecidomyiidae) Synonym(s): *przewalskii* Marikovskii,1955
- 865) **Baldratia similis Möhn,1969** (Cecidomyiidae) Synonym(s): *similis* Möhn,1969
- 866) **Barylypa uniguttata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttata* Gravenhorst,1829
- 867) **Basistriga flammatrix ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammatrix* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 868) **Batophila dogueti Doeberl,1994** (Chrysomelidae) Synonym(s): *dogueti* Doeberl,1994
- 869) **Batophila fallax Weise,1888** (Chrysomelidae) Synonym(s): *fallax* Weise,1888
- 870) **Batracomorphus signatus Lindberg,1923** (Cicadellidae) Synonym(s): *signatus* Lindberg,1923; *nigrum* Lindberg,1923
- 871) **Baumhaueria goniaeformis (Meigen,1824)** (Tachinidae) Synonym(s): *goniaeformis* Meigen,1824
- 872) **Bazaria kuranella (Amsel,1970)** (Pyralidae) Synonym(s): *kuranella* Amsel,1970
- 873) **Bazaria leucochrella (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *leucochrella* Herrich-Schäffer,[1855].
- 874) **Bazaria pempeliella Ragonot,1893** (Pyralidae) Synonym(s): *pempeliella* Ragonot,1893; *ochriplaga* Rebel,1909; *djiroftella* Amsel,1959; *afghanella* Amsel,1970
- 875) **Bazaria sieversi (Christoph,1877)** (Pyralidae) Synonym(s): *sieversi* Christoph,1877
- 876) **Bazaria turensis Ragonot,1887** (Pyralidae) Synonym(s): *turensis* Ragonot,1887
- 877) **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855
- 878) **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951
- 879) **Belenois aurota (Fabricius,1793)** (Pieridae) Synonym(s): *mesentina* Cramer,[1780] nec Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 880) **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853
- 881) **Beludzhia phylloteliptera Rohdendorf,1935** (Sarcophagidae) Synonym(s): *phylloteliptera* Rohdendorf,1935
- 882) **Belutchistania squamalis Amsel,1951** (Pyralidae) Synonym(s): *squamalis* Amsel,1951
- 883) **Bembecia (Ductispina) transcaucasica (Staudinger,1891)** (Sesiidae) Synonym(s): *transcaucasica* Staudinger,1891
- 884) **Bembecia (Pseudosphecia) stiziformis (Herrich-Schäffer,1851)** (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer,1851; *kara* De Freina,1983; *tubercula* De Freina,1983; *barbarossa* De Freina,1983.
- 885) **Bembecia apyra (Le Cerf,1937)** (Sesiidae) Synonym(s): *apyra* Le Cerf,1937
- 886) **Bembecia buxea Gorbunov,1989** (Sesiidae) Synonym(s): *buxea* Gorbunov,1989
- 887) **Bembecia hofmanni Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *hofmanni* Kallies & K.Spatenka,2003
- 888) **Bembecia ichneumoniformis ([Denis & Schiffermüller],1775)** (Sesiidae) Synonym(s): *#ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *systrophaeformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910
- 889) **Bembecia molleti Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *molleti* Kallies & K.Spatenka,2003
- 890) **Bembecia peterseni K.Spatenka,1997** (Sesiidae) Synonym(s): *peterseni* K.Spatenka,1997
- 891) **Bembecia syzejovi Gorbunov,1990** (Sesiidae) Synonym(s): *syzejovi* Gorbunov,1990
- 892) **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus* Morice,1911
- 893) **Bembecinus asiaticus (Gussakowski,1935)** (Crabronidae) Synonym(s): *asiaticus* Gussakowski,1935
- 894) **Bembecinus asiaticus iranica Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranica* Schmid-Egger,2004
- 895) **Bembecinus gracilicornis (Handlirsch,1892)** (Crabronidae) Synonym(s): *gracilicornis* Handlirsch,1892
- 896) **Bembecinus guichardi Schmid-Egger,2004** (Crabronidae) Synonym(s): *guichardi* Schmid-Egger,2004
- 897) **Bembecinus khuzestani Schmid-Egger,2004** (Crabronidae) Synonym(s): *khuzestani* Schmid-Egger,2004
- 898) **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950
- 899) **Bembidion (Euperyphus) combustum Ménétriés,1832** (Carabidae) Synonym(s): *combustum* Ménétriés,1832
- 900) **Bembidion (Euperyphus) parallelipenne Chaudoir,1850** (Carabidae) Synonym(s): *parallelipenne* Chaudoir,1850
- 901) **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans* Stephens,1828
- 902) **Bembidion (Microserrullula) apicale Ménétriés,1832** (Carabidae) Synonym(s): *apicale* Ménétriés,1832
- 903) **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle* Motschoulsky,1844
- 904) **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis* Chaudoir,1850
- 905) **Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum* Netolitzky,1918
- 906) **Bembidion (Nepha) menetriesii (Kolenati,1845)** (Carabidae) Synonym(s): *menetriesii* Kolenati,1845
- 907) **Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne* J.Müller,1918
- 908) **Bembidion (Nepha) rufimacula J.Müller,1918** (Carabidae) Synonym(s): *rufimacula* J.Müller,1918
- 909) **Bembidion (Nepha) tetragrammum Chaudoir,1846** (Carabidae) Synonym(s): *tetragrammum* Chaudoir,1846
- 910) **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum* Dejean,1831

- 911) **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795
- 912) **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum* Wollaston,1854
- 913) **Bembidion (Ocydromus) ispartanum Netolitzky,1930** (Carabidae) Synonym(s): *ispartanum* Netolitzky,1930
- 914) **Bembidion (Ocyturanus) balcanicum Apfelbeck,1899** (Carabidae) Synonym(s): *balcanicum* Apfelbeck,1899
- 915) **Bembidion (Ocyturanus) porsorum Netolitzky,1934** (Carabidae) Synonym(s): *porsorum* Netolitzky,1934
- 916) **Bembidion (Ocyturanus) viduum Netolitzky,1910** (Carabidae) Synonym(s): *viduum* Netolitzky,1910
- 917) **Bembidion (Peryphanes) dalmatinum Gejean,1831** (Carabidae) Synonym(s): *dalmatinum* Gejean,1831
- 918) **Bembidion (Peryphanes) grandipenne Schaum,1862** (Carabidae) Synonym(s): *grandipenne* Schaum,1862
- 919) **Bembidion (Peryphanes) lacrimans Netolitzky,1935** (Carabidae) Synonym(s): *lacrimans* Netolitzky,1935
- 920) **Bembidion (Peryphus) abbreviatum Solsky,1874** (Carabidae) Synonym(s): *abbreviatum* Solsky,1874
- 921) **Bembidion (Peryphus) distinguendum Jacquelin du Val,1852** (Carabidae) Synonym(s): *distinguendum* Jacquelin du Val,1852
- 922) **Bembidion (Peryphus) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum* Sturm,1825
- 923) **Bembidion (Peryphus) persicum Ménétériés,1832** (Carabidae) Synonym(s): *persicum* Ménétériés,1832
- 924) **Bembidion (Peryphanes) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum* Geoffroy,1785
- 925) **Bembidion (Principidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum* Drapiez,1820
- 926) **Bembidion (Testedion) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum* Chaudoir,1846; *glabricolle* Motschoulsky,1846; *olympicum* De Monte,1946; *coiffaiti* De Wailly,1954; *colasi* Schuler,1961; *davatchii* Morvan,1971; *damavandense* Marggi & Huber,1999
- 927) **Bembidion (Testedion) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum* Linnaeus,1761
- 928) **Bembix arlettae De Beaumont,1970** (Crabronidae) Synonym(s): *arlettae* De Beaumont,1970
- 929) **Bembix bicolor (Radoszkowski,1877)** (Crabronidae) Synonym(s): *bicolor* Radoszkowski,1877; *femoralis* Radoszkowski,1877; *bipunctata* Radoszkowski,1877; *barbiventris* Morawitz,1889
- 930) **Bembix zarudnyi Gussakowski,1933** (Crabronidae) Synonym(s): *zarudnyi* Gussakowski,1933
- 931) **Bena bicolorana (Fuessly,1775)** (Noctuidae) Synonym(s): *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspecta* W. Warren,1913.
- 932) **Benderia talhouki Amsel,1949** (Pyralidae) Synonym(s): *talhouki* Amsel,1949
- 933) **Benshirachia paradoxa Gyulai, Varga & L.Ronkay,2002** (Noctuidae) Synonym(s): *paradoxa* Gyulai, Varga & L.Ronkay,2002
- 934) **Beosus maritimus (Scopoli,1763)** (Lygaeidae) Synonym(s): *maritimus* Scopoli,1763
- 935) **Beosus quadripunctatus (Müller,1766)** (Lygaeidae) Synonym(s): *quadripunctatus* Müller,1766
- 936) **Bergiola persica Uvarov,1928** (Tettigoniidae) Synonym(s): *persica* Uvarov,1928
- 937) **Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus* Linnaeus,1758; *citrius* Harris,1776; *hirtipes* Loew,1846; *hispanicus* Duda,1930; *major* Duda,1930
- 938) **Bifascia nigrallbella (Chrétien,1915)** (Morphidae) Synonym(s): *nigrallbella* Chrétien,1915; *asteroleuca* Meyrick,1917
- 939) **Bifascioides leucomelanellus (Rebel,1917)** (Morphidae) Synonym(s): *leucomelanellus* Rebel,1917; *pirastica* Meyrick,1936
- 940) **Bifascioides yemenellus (Amsel,1961)** (Morphidae) Synonym(s): *yemenellus* Amsel,1961
- 941) **Billaea biserialis (Portschinsky,1881)** (Tachinidae) Synonym(s): *biserialis* Portschinsky,1881
- 942) **Billaea zimini Kolomiets,1966** (Tachinidae) Synonym(s): *zimini* Kolomiets,1966
- 943) **Blaesoxipha campestris (R-D.,1863)** (Sarcophagidae) Synonym(s): *lineata* Fallén,1817 nec Harr.,1776; *campestris* R-D.,1863; *redempta* Pandellé,1895
- 944) **Blaesoxipha gladiatrix (Pandellé,1896)** (Sarcophagidae) Synonym(s): *gladiatrix* Pandellé,1896; *krameri* Baranoff,1925
- 945) **Blaesoxipha rufipes (Macquart,1839)** (Sarcophagidae) Synonym(s): *rufipes* Macquart,1839; *rubripes* Villeneuve,1912; *tertia* Rohdendorf,1928; *aegyptiaca* Villeneuve,1932; *paolii* Villeneuve,1939; *povolnyi* Rohdendorf,1975
- 946) **Blaps platythorax Gemminger,1870** (Tenebrionidae) Synonym(s): *laticollis* Redtenbacher,1850; *platythorax* Gemminger,1870
- 947) **Blaps punctostriata Solier,1848** (Tenebrionidae) Synonym(s): *punctostriata* Solier,1848
- 948) **Blaps scabiosa Baudi,1874** (Tenebrionidae) Synonym(s): *scabiosa* Baudi,1874; *coriacea* Allard,1880
- 949) **Blaps seriata Fischer von Waldheim,1822** (Tenebrionidae) Synonym(s): *seriata* Fischer von Waldheim,1822
- 950) **Blastothrix turanica Sugonjaev,1964** (Encyrtidae) Synonym(s): *turanica* Sugonjaev,1964
- 951) **Blepharicera fasciata (Westwood,1842)** (Blephariceridae) Synonym(s): *fasciata* Westwood,1842
- 952) **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775
- 953) **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdit* Petrovitz,1959; *majuscola* Medvedev
- 954) **Bocchoris bleusei (Oberthür,1887)** (Pyralidae) Synonym(s): *bleusei* Oberthür,1887
- 955) **Bodenheimeria rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): *rachelae* Bodenheimer,1924
- 956) **Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773
- 957) **Boloria (Clossiana) euphrosyne (Linnaeus,1758)** (Argynnis) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *tingal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc.
- 958) **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *anal* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *anal* Thunberg,1827; *trichromus* Paramonov,1955
- 959) **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849
- 960) **Bombus (Megabombus) argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus* Scopoli,1763; *sichelii* Radoszkowski,1859
- 961) **Bombus (Megabombus) armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniaceus* Radoszkowski,1877; *scythes* Skorikov,1925
- 962) **Bombus (Megabombus) mesomelas (Gerstaecker,1869)** (Apidae) Synonym(s): *mesomelas* Gerstaecker,1869; *elegans* Seidl,1837
- 963) **Bombus (Pyrobombus) niveatus (Kriechbaumer,1870)** (Apidae) Synonym(s): *niveatus* Kriechbaumer,1870
- 964) **Bombus (Sibiricobombus) niveatus Kriechbaumer,1870** (Apidae) Synonym(s): *niveatus* Kriechbaumer,1870
- 965) **Bombus (Thoracobombus) persicus Radoszkowski,1881** (Apidae) Synonym(s): *persicus* Radoszkowski,1881
- 966) **Bombyllia atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855
- 967) **Bombyllia firjuzana (Paramonov,1929)** (Bombyliidae) Synonym(s): *firjuzana* Paramonov,1929

- 968) **Bombylisoma breviusculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum* Loew,1855
- 969) **Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 *nec* Pall.,1818; *croaticum* Kertész,1901
- 970) **Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937
- 971) **Bombylisoma imitator (Loew,1855)** (Bombyliidae) Synonym(s): *imitator* Loew,1855
- 972) **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804
- 973) **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Séguy,1926
- 974) **Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator* Loew,1855
- 975) **Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): *tripunctatum* Macquart,1840; *trigonus* Bezzi,1925; *pulchellus* Austen,1937
- 976) **Bombylisoma turkmenicum (Paramonov,1926)** (Bombyliidae) Synonym(s): *turkmenicum* Paramonov,1926; *flavisetis* Paramonov,1940
- 977) **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855
- 978) **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796
- 979) **Bombylius (s.str.) callopterus Loew,1855** (Bombyliidae) Synonym(s): *callopterus* Loew,1855
- 980) **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855
- 981) **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820
- 982) **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855
- 983) **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855
- 984) **Bombylius (s.str.) flavicalcaratus Lindner,1975** (Bombyliidae) Synonym(s): *flavicalcaratus* Lindner,1975
- 985) **Bombylius (s.str.) flavipes Wiedemann,1828** (Bombyliidae) Synonym(s): *flavipes* Wiedemann,1828
- 986) **Bombylius (s.str.) flavisetosus Abbasian-Lintzen,1965** (Bombyliidae) Synonym(s): *flavisetosus* Abbasian-Lintzen,1965
- 987) **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892
- 988) **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820
- 989) **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781
- 990) **Bombylius (s.str.) iranicus Paramonov,1940** (Bombyliidae) Synonym(s): *iranicus* Paramonov,1940
- 991) **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 *nec* Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978
- 992) **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 *nec* Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978
- 993) **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873
- 994) **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873
- 995) **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804
- 996) **Bombylius (s.str.) nubilus Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932
- 997) **Bombylius (s.str.) pallidus Abbasian-Lintzen,1965** (Bombyliidae) Synonym(s): *pallidus* Abbasian-Lintzen,1965
- 998) **Bombylius (s.str.) pericaustus Loew,1873** (Bombyliidae) Synonym(s): *pericaustus* Loew,1873
- 999) **Bombylius (s.str.) persicus Paramonov,1926** (Bombyliidae) Synonym(s): *persicus* Paramonov,1926
- 1000) **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 *nec* Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926
- 1001) **Bombylius (s.str.) proximocruciatus Abbasian-Lintzen,1965** (Bombyliidae) Synonym(s): *proximocruciatus* Abbasian-Lintzen,1965
- 1002) **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820
- 1003) **Bombylius (s.str.) punctipennis Loew,1855** (Bombyliidae) Synonym(s): *punctipennis* Loew,1855
- 1004) **Bombylius (s.str.) rhodius Loew,1855** (Bombyliidae) Synonym(s): *rhodius* Loew,1855
- 1005) **Bombylius (s.str.) schaeuffelei Lindner,1975** (Bombyliidae) Synonym(s): *schaeuffelei* Lindner,1975
- 1006) **Bombylius (s.str.) shah Paramonov,1940** (Bombyliidae) Synonym(s): *shah* Paramonov,1940
- 1007) **Bombylius (s.str.) susianae Abbasian-Lintzen,1965** (Bombyliidae) Synonym(s): *susianae* Abbasian-Lintzen,1965
- 1008) **Bombylius (s.str.) tephroleucus Loew,1855** (Bombyliidae) Synonym(s): *tephroleucus* Loew,1855
- 1009) **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 *nec* Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926
- 1010) **Bombylius (s.str.) zarudnyi Paramonov,1940** (Bombyliidae) Synonym(s): *zarudnyi* Paramonov,1940
- 1011) **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926
- 1012) **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus* Fabricius,1798; *leucopogon* Meigen,1804
- 1013) **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855
- 1014) **Bostra atomalis Amsel,1949** (Pyralidae) Synonym(s): *atomalis* Amsel,1949
- 1015) **Bostra bifascialis Amsel,1950** (Pyralidae) Synonym(s): *bifascialis* Amsel,1950
- 1016) **Bostra comealis Amsel,1951** (Pyralidae) Synonym(s): *comealis* Amsel,1951
- 1017) **Bostra farsalis Amsel,1950** (Pyralidae) Synonym(s): *farsalis* Amsel,1950
- 1018) **Bostra fuscella Amsel,1959** (Pyralidae) Synonym(s): *fuscella* Amsel,1959
- 1019) **Bostra kirmanialis Amsel,1961** (Pyralidae) Synonym(s): *kirmanialis* Amsel,1961
- 1020) **Bostra laristanalis Amsel,1961** (Pyralidae) Synonym(s): *laristanalis* Amsel,1961
- 1021) **Bostra luteocostalis Amsel,1950** (Pyralidae) Synonym(s): *luteocostalis* Amsel,1950
- 1022) **Bostra pseudospaniella Amsel,1951** (Pyralidae) Synonym(s): *pseudospaniella* Amsel,1951
- 1023) **Bostra shirazalis Amsel,1961** (Pyralidae) Synonym(s): *shirazalis* Amsel,1961
- 1024) **Bostra tacapealis (Ragonot,1891)** (Pyralidae) Synonym(s): *tacapealis* Ragonot,1891

- 1025) *Boursinia decepatrix* (Staudinger,1900) (Noctuidae) Synonym(s): *decepatrix* Staudinger,1900
- 1026) *Boursinia ferdovski* (Brandt,1941) (Noctuidae) Synonym(s): *ferdovski* Brandt,1941
- 1027) *Boursinia oxygramma* Brandt,1938 (Noctuidae) Synonym(s): *oxygramma* Brandt,1938
- 1028) *Boursinia symmicta* Brandt,1938 (Noctuidae) Synonym(s): *symmicta* Brandt,1938
- 1029) *Brachinus* (*Brachynidius*) *bodemeyeri* Apfelbeck,1904 (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 nec Mtsch.,1864
- 1030) *Brachinus* (*Brachynidius*) *explorens* (Duftschmid,1812) (Carabidae) Synonym(s): *explorens* Duftschmid,1812
- 1031) *Brachinus* (s.str.) *crepitans* (Linnaeus,1758) (Carabidae) Synonym(s): *crepitans* Linnaeus,1758
- 1032) *Brachinus* (s.str.) *ejaculans* Fischer von Waldheim,1828 (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828
- 1033) *Brachinus* (s.str.) *psophia* Audinet-Serville,1821 (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842
- 1034) *Brachinus immaculicornis* Dejean,1826 (Carabidae) Synonym(s): *immaculicornis* Dejean,1826
- 1035) *Brachodes candefacta* (Lederer,1858) (Brachodidae) Synonym(s): *candefacta* Lederer,1858; *diacona* Lederer,1858
- 1036) *Brachodes compar* (Staudinger,1879) (Brachodidae) Synonym(s): *compar* Staudinger,1879
- 1037) *Brachodes elbursiensis* Zagulyaev,1999 (Brachodidae) Synonym(s): *elbursiensis* Zagulyaev,1999
- 1038) *Brachodes formosus* (Amsel,1953) (Brachodidae) Synonym(s): *formosus* Amsel,1953
- 1039) *Brachodes keredjella* (Amsel,1953) (Brachodidae) Synonym(s): *keredjella* Amsel,1953
- 1040) *Brachodes monotonus* (Amsel,1953) (Brachodidae) Synonym(s): *monotonus* Amsel,1953
- 1041) *Brachodes radiatus* (Christoph,1873) (Brachodidae) Synonym(s): *radiatus* Christoph,1873; *rasa* Christoph,1877; *rasata* Staudinger,1900]
- 1042) *Brachodes rhagensis* (Lederer,1869) (Brachodidae) Synonym(s): *rhagensis* Lederer,1869
- 1043) *Brachycaudus* (*Acaudus*) *iranicus* Davatchi & Remaudière,1953 (Aphididae) Synonym(s): *iranicus* Davatchi & Remaudière,1953
- 1044) *Brachycaudus* (*Appelia*) *tragopogonis* (Kaltenbach,1843) (Aphididae) Synonym(s): *tragopogonis* Kaltenbach,1843; *setosus* Hille Ris Lambers,1948
- 1045) *Brachyceraea brevicornis* (Loew,1847) (Conopidae) Synonym(s): *brevicornis* Loew,1847
- 1046) *Brachycoleus lineellus* Jakovlev,1884 (Miridae) Synonym(s): *lineellus* Jakovlev,1884
- 1047) *Brachygalea albolineata* (Blachier,1905) (Noctuidae) Synonym(s): *albolineata* Blachier,1905; *leucorhabda* Hampson,1906; *albolineata* Hampson,1906
- 1048) *Brachygalea kamalii* Shirvani, L.Ronkay & Talebi,2008 (Noctuidae) Synonym(s): *kamalii* Shirvani, L.Ronkay & Talebi,2008
- 1049) *Brachygalea miskoi* Ronkay,1997 (Noctuidae) Synonym(s): *miskoi* Ronkay,1997
- 1050) *Brachyglossina chaspia* Brandt,1938 (Geometridae) Synonym(s): *chaspia* Brandt,1938
- 1051) *Brachyglossina sciasmatica* Brandt,1941 (Geometridae) Synonym(s): *sciasmatica* Brandt,1941
- 1052) *Brachymeria tibialis* (Walker,1834) (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951;
- 1053) *Brachynema cinctus* (Fabricius,1775) (Pentatomidae) Synonym(s): *cinctus* Fabricius,1775; *forskahlii* Gmelin,1790; *tarsatus* Klug,1845; *roseipennis* Mulsant & Rey,1852; *flavatum* Horvath,1896; *simonyi* Horvath,1896; *exul* Horvath,1896; *splendidum* Montandon,1900; *miniaturum* Montandon,1900; *venustulum* Montandon,1900
- 1054) *Brachynema germarii* (Kolenati,1846) (Pentatomidae) Synonym(s): *virens* Klug,1845 nec Linn.,1767; *germarii* Kolenati,1846; *anabasis* Becker,1867; *biplaga* Walker,1867; *flavomarginatus* Jakovlev,1871; *grisea* Jakovlev,1871; *melanota* Jakovlev,1874; *alternatum* Horvath,1899
- 1055) *Brachynema purpureomarginatum* (Rambur,1839) (Pentatomidae) Synonym(s): *purpureomarginatum* Rambur,1839; *baerensprungi* Mulsant & Rey,1863; *triguttatum* Fieber,1870 [ssp.]; *hypocrita* Puton,1887 [ssp.]; *rungsii* Vidal,1936; *maroccana* Vidal,1949; *espagnoli* Ribes,1965
- 1056) *Brachynema signatum* Jakovlev,1879 (Pentatomidae) Synonym(s): *signatum* Jakovlev,1879; *turanicum* Horvath,1889; *immaculiscutum* Kiritshenko,1922
- 1057) *Brachypipona orientalis* Gusenleitner,2004 (Vespidae) Synonym(s): *orientalis* Gusenleitner,2004
- 1058) *Brachytarsina flavipennis* Macquart,1851 (Strebliidae) Synonym(s): *flavipennis* Macquart,1851
- 1059) *Brachyunguis skafi* Remaudière & Talhouk,2001 (Aphididae) Synonym(s): *skafi* Remaudière & Talhouk,2001
- 1060) *Brachyunguis zygophylli* (Nevsky,1928) (Aphididae) Synonym(s): *zygophylli* Nevsky,1928
- 1061) *Bracon* (*Glabrobracon*) *variator* (Nees ab Esenbeck,1812) (Braconidae) Synonym(s): *variator* Nees ab Esenbeck,1812
- 1062) *Bracon* (*Rostrobracon*) *urinator* (Fabricius,1798) (Braconidae) Synonym(s): *urinator* Fabricius,1798
- 1063) *Bradyporus* (*Callimenus*) *latipes* Stal,1875 (Tettigoniidae) Synonym(s): *latipes* Stal,1875
- 1064) *Bradyrrhoa gilveolella* (Treitschke,1833) (Pyralidae) Synonym(s): *gilveolella* Treitschke,1833
- 1065) *Brahmaea* (s.str.) *christophi* Staudinger,1879 (Brahmaeidae) Synonym(s): *christophi* Staudinger,1879
- 1066) *Brandtaxia discalis* (Brandt,1941) (Noctuidae) Synonym(s): *discalis* Brandt,1941
- 1067) *Brandtina albonigra* Bytinski-Salz & Brandt,1937 (Noctuidae) Synonym(s): *albonigra* Bytinski-Salz & Brandt,1937; *noacki* Boursin,1967
- 1068) *Brenthis daphne* (Bergsträsser,1780) (Argynnididae) Synonym(s): *daphne* Bergsträsser,1780; *chloris* Esper,1778 nec Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935.
- 1069) *Brenthis hecate* ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933.
- 1070) *Brenthis mofidii* Wyatt,1968 (Argynnididae) Synonym(s): *mofidii* Wyatt,1968
- 1071) *Brevicoryne crambinistataricae* Bozhko,1953 (Aphididae) Synonym(s): *crambinistataricae* Bozhko,1953
- 1072) *Brintesia circe* (Fabricius,1775) (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettiae* Varin,1962.
- 1073) *Brodskyana juncta* Majer,1996 (Melyridae) Synonym(s): *juncta* Majer,1996
- 1074) *Brodskyana lubrica* Majer,1996 (Melyridae) Synonym(s): *lubrica* Majer,1996
- 1075) *Brontaea eremophila* (Brauer & Bergenstamm,1894) (Muscidae) Synonym(s): *eremophila* Brauer & Bergenstamm,1894; *impedita* Pandellé,1898
- 1076) *Brontaea tonitru* (Wiedemann,1824) (Muscidae) Synonym(s): *tonitru* Wiedemann,1824; *canace* Walker,1849; *variegata* Stein,1903
- 1077) *Bruchophagus astragali* Fedoseeva,1954 (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954

- 1078) *Bruchophagus gibbus* (Boheman, 1836) (Eurytomidae) Synonym(s): *gibbus* Boheman, 1836
- 1079) *Bruchophagus glycyrrhizae* Nikolskaya, 1952 (Eurytomidae) Synonym(s): *glycyrrhizae* Nikolskaya, 1952
- 1080) *Bruchophagus mutabilis* Nikolskaya, 1952 (Eurytomidae) Synonym(s): *mutabilis* Nikolskaya, 1952
- 1081) *Bruchophagus nikolskayae* Zerova, 1975 (Eurytomidae) Synonym(s): *nikolskayae* Zerova, 1975
- 1082) *Bruchophagus robiniae* Zerova, 1970 (Eurytomidae) Synonym(s): *robiniae* Zerova, 1970
- 1083) *Bruchophagus roddi* Gussakovskiy, 1933 (Eurytomidae) Synonym(s): *roddi* Gussakovskiy, 1933
- 1084) *Bruchophagus trjapitzini* Zerova, 2008 (Eurytomidae) Synonym(s): *trjapitzini* Zerova, 2008
- 1085) *Brunnerella mirabilis* Saussure, 1888 (Acrididae) Synonym(s): *mirabilis* Saussure, 1888
- 1086) *Bryomima carducha* Staudinger, 1900 (Noctuidae) Synonym(s): *carducha* Staudinger, 1900
- 1087) *Bryomima dilutior* Schwingenschuss, 1937 (Noctuidae) Synonym(s): *dilutior* Schwingenschuss, 1937
- 1088) *Bryomima luteosordida* Osthelder, 1933 (Noctuidae) Synonym(s): *luteosordida* Osthelder, 1933
- 1089) *Bryophilopsis roederi* (Standfuss, 1892) (Noctuidae) Synonym(s): *roederi* Standfuss, 1892
- 1090) *Bryotropha arabica* Amsel, 1952 (Gelechiidae) Synonym(s): *arabica* Amsel, 1952
- 1091) *Bryotropha domestica* (Haworth, 1828) (Gelechiidae) Synonym(s): *domestica* Haworth, 1828; *domesticella* Doubleday, 1859; *domesticella* Bruand, 1859; *salmonis* Walsingham, 1908; *algiricella* Chrétien, 1917
- 1092) *Bryotropha horribilis* Karsholt & Rutten, 2005 (Gelechiidae) Synonym(s): *horribilis* Karsholt & Rutten, 2005
- 1093) *Bryotropha sabulosella* (Rebel, 1905) (Gelechiidae) Synonym(s): *sabulosella* Rebel, 1905
- 1094) *Bubas bubaloides* Janssens, 1938 (Scarabaeidae) Synonym(s): *bubaloides* Janssens, 1938
- 1095) *Bubopsis hamata* (Klug, 1834) (Ascalaphidae) Synonym(s): *hamatus* Klug, 1834
- 1096) *Bubopsis zarudnyi* Alexandrov-Martynov, 1926 (Ascalaphidae) Synonym(s): *zarudnyi* Alexandrov-Martynov, 1926
- 1097) *Bucculatrix endospiralis* Deschka, 1981 (Bucculatricidae) Synonym(s): *endospiralis* Deschka, 1981
- 1098) *Bucculatrix iranica* Deschka, 1981 (Bucculatricidae) Synonym(s): *iranica* Deschka, 1981
- 1099) *Bufonocarodes intricatus* Mishchenko, 1951 (Pamphagidae) Synonym(s): *intricatus* Mishchenko, 1951
- 1100) *Bufonocarodes mistshenkoi* Descamps, 1967 (Pamphagidae) Synonym(s): *mistshenkoi* Descamps, 1967
- 1101) *Bufonocarodes robustus* Mishchenko, 1951 (Pamphagidae) Synonym(s): *robustus* Mishchenko, 1951
- 1102) *Bufonocarodes sabalanicus* Descamps, 1967 (Pamphagidae) Synonym(s): *sabalanicus* Descamps, 1967
- 1103) *Caccobius* (s.str.) *schreberi* (Linnaeus, 1767) (Scarabaeidae) Synonym(s): *schreberi* Linnaeus, 1767
- 1104) *Cadra cautella* (Walker, 1863) (Pyralidae) Synonym(s): *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman & South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959
- 1105) *Cadra delattinella* Roesler, 1965 (Pyralidae) Synonym(s): *delattinella* Roesler, 1965
- 1106) *Cadra figulilella* (Gregson, 1871) (Pyralidae) Synonym(s): *figulilella* Gregson, 1871; *milleri* Zeller, 1876; *gypsella* Ragonot, 1887; *venosella* Turati, 1926; *ernestinella* Turati, 1927; *#halfaella* Roesler, 1965.
- 1107) *Cadra furcatella* (Herrich-Schäffer, [1849]) (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer, [1849]
- 1108) *Caecanthrax arabicus* (Macquart, 1840) (Bombyliidae) Synonym(s): *arabicus* Macquart, 1840; *punctum* Loew, 1854; *dimidiatus* Greathead, 1980
- 1109) *Caenocoris nerii* (Germar, 1847) (Lygaeidae) Synonym(s): *nerii* Germar, 1847; *semiruber* Walker, 1872
- 1110) *Caina inanitella* (Ragonot, 1888) (Pyralidae) Synonym(s): *inanitella* Ragonot, 1888
- 1111) *Calais parreysi* (Steven, 1830) (Elateridae) Synonym(s): *parreysi* Steven, 1830
- 1112) *Calameuta* (s.str.) *filiformis* (Eversmann, 1847) (Cepheidae) Synonym(s): *filiformis* Eversmann, 1847; *infernalis* Dvornar-Zapolski, 1926; *amurensis* Gussakovskiy, 1935
- 1113) *Calameuta* (s.str.) *idolon* (Rossi, 1794) (Cepheidae) Synonym(s): *idolon* Rossi, 1794; *mittrei* Guérin, 1844; *bellieri* Sichel, 1860; *variegatus* Stein, 1876; *apicicornis* Pic, 1916
- 1114) *Calamia metamorpha* (Boursin, 1960) (Noctuidae) Synonym(s): *metamorpha* Boursin, 1960
- 1115) *Calamia staudingeri* Warnecke, 1941 (Noctuidae) Synonym(s): *staudingeri* Warnecke, 1941
- 1116) *Calamochrous acutellus* (Eversmann, 1842) (Pyralidae) Synonym(s): *acutellus* Eversmann, 1842; *acutalis* Guenée, 1854
- 1117) *Calamotropha paludella* (Hübner, [1824]) (Pyralidae) Synonym(s): *paludella* Hübner, [1824]; *obtusellus* Stainton, 1856; *paramattellus* Meyrick, 1879; *carphorus* Hampson, 1898; *niuellus* Rebel, 1914; *calamosus* Hampson, 1919; *durandi* Lucas, 1931; *typhivorus* Meyrick, 1932; *#digitatus* Osthelder, 1937; *afghanistanica* Bleszynski, 1959.
- 1118) *Caliaeschna microstigma* (Schneider, 1845) (Aeshnidae) Synonym(s): *microstigma* Schneider, 1845
- 1119) *Callierges ramosa* (Esper, [1786]) (Noctuidae) Synonym(s): *ramosa* Esper, [1786]
- 1120) *Callimorpha dominula* (Linnaeus, 1758) (Arctiidae) Synonym(s): *dominula* Linnaeus, 1758; *insubrica* Wackerzapp, 1890; *rhodanica* Kettlewell, 1943.
- 1121) *Callimoxys gracilis* (Brullé, 1832) (Cerambycidae) Synonym(s): *gracilis* Brullé, 1832
- 1122) *Callimus (Lampropterus) femoratus* (Germar, 1824) (Cerambycidae) Synonym(s): *femoratus* Germar, 1824
- 1123) *Callimus (Procallimus) khorasanii* Holzschuh, 2006 (Cerambycidae) Synonym(s): *khorasanii* Holzschuh, 2006
- 1124) *Callimus (Procallimus) rapillyi* Villiers, 1973 (Cerambycidae) Synonym(s): *rapillyi* Villiers, 1973
- 1125) *Callimus* (s.str.) *angulatus* (Schrank, 1789) (Cerambycidae) Synonym(s): *angulatus* Schrank, 1789
- 1126) *Calliptamus barbarus* (Costa, 1836) (Acrididae) Synonym(s): *barbarus* Costa, 1836; *ictericus* Audinet-Serville, 1838; *siculus* Burmeister, 1838; *cephalotes* Fischer von Waldheim, 1846; *discoidealis* Walker, 1870; *minimus* Ivanov, 1888; *deserticola* Vosseler, 1902; *punctata* Kirby, 1914; *montanus* Chopard, 1937; *pallidipes* Chopard, 1943; *monspelliensis* Grassé & Hollande, 1945; *nanus* Mishchenko, 1951; *parvus* Maran, 1952; *salina* Maran, 1954
- 1127) *Calliptamus coelesyriensis* (Giglio-Tos, 1893) (Acrididae) Synonym(s): *coelesyriensis* Giglio-Tos, 1893; *carbonaria* Uvarov, 1914; *angustus* Uvarov, 1934; *anatolicus* Maran, 1951; *hissaricus* Mishtchenko, 1951; *intricatus* Mishtchenko, 1951; *#nigra* Bei-Bienko & Richter, 1960
- 1128) *Calliptamus tenuicercis* Tarbinsky, 1930 (Acrididae) Synonym(s): *tenuicercis* Tarbinsky, 1930; *aurantiacus* Ramme, 1930; *iranicus* Ramme, 1930; *persa* Uvarov, 1938; *aurantipes* Ramme, 1951; *syriacus* Ramme, 1951; *#tanuicercis* Salman, 1978
- 1129) *Calliptamus turanicus* Tarbinsky, 1930 (Acrididae) Synonym(s): *turanicus* Tarbinsky, 1930
- 1130) *Callisthenes* (s.str.) *persicus* (Géhin, 1885) (Carabidae) Synonym(s): *persicus* Géhin, 1885; *adehinotus* Lassale, 1992
- 1131) *Callophrys danchenkoi* Zhdanko, 1998 (Lycaenidae) Synonym(s): *danchenkoi* Zhdanko, 1998
- 1132) *Callophrys farsica* Ten Hagen, 2009 (Lycaenidae) Synonym(s): *farsica* Ten Hagen, 2009
- 1133) *Callophrys mystaphia* Miller, 1913 (Lycaenidae) Synonym(s): *mystaphia* Miller, 1913
- 1134) *Callophrys naderii* Ten Hagen, 2008 (Lycaenidae) Synonym(s): *naderii* Ten Hagen, 2008
- 1135) *Callophrys paulae* Pfeiffer, 1932 (Lycaenidae) Synonym(s): *paulae* Pfeiffer, 1932; *?alpicola* Koçak, 1989
- 1136) *Callophrys rubi* (Linnaeus, 1758) (Lycaenidae) Synonym(s): *rubi* Linnaeus, 1758; *caecus* Fourcroy, 1785; *virgatus* Verity, 1913; *herculeana* Pfeiffer, 1927

- 1137) Callopietria juvenina (Stoll,[1782])** (Noctuidae) **Synonym(s):** *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878
- 1138) Callopietria latreillei (Duponchel,1827)** (Noctuidae) **Synonym(s):** *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973.
- 1139) Callostoma desertorum Loew,1873** (Bombyliidae) **Synonym(s):** *desertorum* Loew,1873
- 1140) Callostoma fascipenne Macquart,1840** (Bombyliidae) **Synonym(s):** *fascipenne* Macquart,1840; *palaestinae* Paramonov,1931
- 1141) Callostoma persicum Paramonov,1929** (Bombyliidae) **Synonym(s):** *persicum* Paramonov,1929
- 1142) Callostoma soror Loew,1873** (Bombyliidae) **Synonym(s):** *soror* Loew,1873
- 1143) Calocucullia celsiae (Herrich-Schäffer,1850)** (Noctuidae) **Synonym(s):** *celsiae* Herrich-Schäffer,[1850]
- 1144) Calopertha truncatula (Ancey,1881)** (Bostrichidae) **Synonym(s):** *truncatula* Ancey,1881
- 1145) Calophasia angularis Chrétien,1911** (Noctuidae) **Synonym(s):** *angularis* Chrétien,1911; *stigmatica* Rothschild,1913; *liberatii* Turati,1924; *danieli* Le Cerf,1924; *pintori* Turati,1924; *volmeri* Hering,1930
- 1146) Calophasia lunula (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775.
- 1147) Calophasia opalina (Esper,[1796])** (Noctuidae) **Synonym(s):** *casta* Borkhausen,1793 *nec* Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923.
- 1148) Calophasia platyptera (Esper,[1788])** (Noctuidae) **Synonym(s):** *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901; *signata* Constantini,1916
- 1149) Calopterusa werneri (Adelung,1910)** (Tettigoniidae) **Synonym(s):** *werneri* Adelung,1910
- 1150) Calopteryx intermedia Selys,1887** (Calopterygidae) **Synonym(s):** *intermedia* Selys,1887
- 1151) Calopteryx orientalis Selys,1887** (Calopterygidae) **Synonym(s):** *orientalis* Selys,1887
- 1152) Caloptilia (s.str.) roscipennella (Hübner,1796)** (Gracillariidae) **Synonym(s):** *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867
- 1153) Calosoma inquisitor (Linnaeus,1758)** (Carabidae) **Synonym(s):** *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922
- 1154) Calosoma maderae Fabricius,1775** (Carabidae) **Synonym(s):** *maderae* Fabricius,1775
- 1155) Calosoma sycophanta (Linnaeus,1758)** (Carabidae) **Synonym(s):** *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850
- 1156) Calybitis phasianipennella (Hübner,[1813])** (Gracillariidae) **Synonym(s):** *phasianipennella* Hübner,[1813]; *quadruplela* Zeller,1839; *isograptia* Meyrick,1928
- 1157) Calyciphora golestanica Alipanah & Ustjuzhanin,2005** (Pterophoridae) **Synonym(s):** *golestanica* Alipanah & Ustjuzhanin,2005
- 1158) Calycobathra sahidanella Kasy,1968** (Cosmopterigidae) **Synonym(s):** *sahidanella* Kasy,1968
- 1159) Calymma communimacula ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *communimacula* [Denis & Schiffermüller],1775
- 1160) Calyptopsis amaroides Baudi,1874** (Tenebrionidae) **Synonym(s):** *amaroides* Baudi,1874
- 1161) Calyptopsis clypeata Faust,1875** (Tenebrionidae) **Synonym(s):** *clypeata* Faust,1875
- 1162) Calyptopsis harpaloides Baudi,1874** (Tenebrionidae) **Synonym(s):** *harpaloides* Baudi,1874; *armeniaca* Baudi,1874
- 1163) Calyptopsis punctiventris Baudi,1874** (Tenebrionidae) **Synonym(s):** *punctiventris* Baudi,1874
- 1164) Calyptopsis rosti Reitter,1896** (Tenebrionidae) **Synonym(s):** *rosti* Reitter,1896
- 1165) Calyptopsis suleimargo Reitter,1896** (Tenebrionidae) **Synonym(s):** *suleimargo* Reitter,1896
- 1166) Calyptra thalictri (Borkhausen,1790)** (Noctuidae) **Synonym(s):** *capucina* Esper,1789 *nec* Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938
- 1167) Campiglossa difficilis (Hendel,1927)** (Tephritidae) **Synonym(s):** *tessellata* Zetterstedt,1847 *nec* Lw.,1844; *difficilis* Hendel,1927;
- 1168) Campiglossa grandinata Rondani,1870** (Tephritidae) **Synonym(s):** *grandinata* Rondani,1870; *argyrocephala* Zetterstedt,1847; *borealis* Portschinsky,1875; *beckeri* Rübsaamen,1910; *effingendea* Dirlbek & Dirlbek,1971; *hebea* Dirlbek & Dirlbekova,1971;
- 1169) Campiglossa producta (Loew,1844)** (Tephritidae) **Synonym(s):** *producta* Loew,1844; *insularis* Wollaston,1858
- 1170) Campsomeriella thoracica (Fabricius,1787)** (Scoliidae) **Synonym(s):** *thoracica* Fabricius,1787; *eriophora* Khalof,1958
- 1171) Campptogramma bilineatum (Linnaeus,1758)** (Geometridae) **Synonym(s):** *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
- 1172) Camptopoeum (Epimethea) warneckei (Patiny,1999)** (Andrenidae) **Synonym(s):** *warneckei* Patiny,1999
- 1173) Camptopus bifasciatus Fieber,1864** (Alydidae) **Synonym(s):** *bifasciatus* Fieber,1864
- 1174) Camptopus illustris Horvath,1899** (Alydidae) **Synonym(s):** *illustris* Horvath,1899
- 1175) Camptopus lateralis (Germar,1817)** (Alydidae) **Synonym(s):** *lateralis* Germar,1817
- 1176) Camptopus tragacanthae (Kolenati,1845)** (Alydidae) **Synonym(s):** *tragacanthae* Kolenati,1845
- 1177) Camptotylidea fuscomaculata (Reuter,1879)** (Miridae) **Synonym(s):** *fuscomaculata* Reuter,1879; *punctulata* Nonnaizab & Yang,1994
- 1178) Camptotylidea persica E.Wagner,1957** (Miridae) **Synonym(s):** *persica* E.Wagner,1957
- 1179) Camptotylidea rubropicta Linnavuori,1998** (Miridae) **Synonym(s):** *rubropicta* Linnavuori,1998
- 1180) Camptotylidea sinaitica (Linnavuori,1964)** (Miridae) **Synonym(s):** *sinaitica* Linnavuori,1964
- 1181) Camptotylidea suturalis (Reuter,1903)** (Miridae) **Synonym(s):** *suturalis* Reuter,1903
- 1182) Camptotylidea vitticollis (Reuter,1901)** (Miridae) **Synonym(s):** *vitticollis* Reuter,1901
- 1183) Canephora caucasica (A.Bang-Haas,1912)** (Psychidae) **Synonym(s):** *caucasica* A.Bang-Haas,1912; *subgrisea* Kozhanchikov,1956.
- 1184) Canephora shahkuhensis (Heylaerts,1885)** (Psychidae) **Synonym(s):** *shahkuhensis* Heylaerts,1885
- 1185) Canephora villosa (Brandt,1938)** (Psychidae) **Synonym(s):** *villosa* Brandt,1938
- 1186) Cantharis annularis Ménétériés,1836** (Cantharidae) **Synonym(s):** *annularis* Ménétériés,1836
- 1187) Canthophorus dubius (Scopoli,1763)** (Cydnidae) **Synonym(s):** *dubius* Scopoli,1763; *albomarginatus* Schrank,1776; *histriolus* Goeze,1778; *viennensis* Gmelin,1790; *albomarginellus* Fabricius,1794
- 1188) Canthophorus melanopterus (Herrich-Schäffer,1835)** (Cydnidae) **Synonym(s):** *melanopterus* Herrich-Schäffer,1835
- 1189) Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) **Synonym(s):** *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925
- 1190) Capnodis carbonaria (Klug,1829)** (Buprestidae) **Synonym(s):** *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cricbricollis* Abeille,1904; *abeillei* Obenberger,1926

- 1191) Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787
- 1192) Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934
- 1193) Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855
- 1194) Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945
- 1195) Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917
- 1196) Capperia celeusi (Frey,1886)** (Pterophoridae) Synonym(s): *celeusi* Frey,1886; *intercisus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997.
- 1197) Capperia marginella (Zeller,1847)** (Pterophoridae) Synonym(s): *marginella* Zeller,1847
- 1198) Capperia salanga Arenberger,1995** (Pterophoridae) Synonym(s): *salanga* Arenberger,1995
- 1199) Capperia washbourni Adamczewski,1951** (Pterophoridae) Synonym(s): *washbourni* Adamczewski,1951
- 1200) Carabus (Lamprostus) calleyi Fischer von Waldheim,1823** (Carabidae) Synonym(s): *calleyi* Fischer von Waldheim,1823
- 1201) Carabus (Procrustes) clypeatus Adams,1817** (Carabidae) Synonym(s): *clypeatus* Adams,1817
- 1202) Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus* Adams,1817
- 1203) Caradrina (Boursinidrina) brandti (Boursin,1939)** (Noctuidae) Synonym(s): *brandti* Boursin,1939
- 1204) Caradrina (Boursinidrina) hemipentha (Boursin,1939)** (Noctuidae) Synonym(s): *hemipentha* Boursin,1939
- 1205) Caradrina (Boursinidrina) oberthueri (Rothschild,1913)** (Noctuidae) Synonym(s): *oberthueri* Rothschild,1913; *apicimaculata* Rebel,[1948]
- 1206) Caradrina (Boursinidrina) panurgia (Boursin,1939)** (Noctuidae) Synonym(s): *panurgia* Boursin,1939
- 1207) Caradrina (Boursinidrina) parvaspersa (Boursin,1936)** (Noctuidae) Synonym(s): *parvaspersa* Boursin,1936
- 1208) Caradrina (Boursinidrina) pseudadelpha (Boursin,1939)** (Noctuidae) Synonym(s): *pseudadelpha* Boursin,1939
- 1209) Caradrina (Boursinidrina) pulvis (Boursin,1939)** (Noctuidae) Synonym(s): *pulvis* Boursin,1939
- 1210) Caradrina (Boursinidrina) rjabovi (Boursin,1936)** (Noctuidae) Synonym(s): *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939
- 1211) Caradrina (Boursinidrina) soudanensis (Hampson,1918)** (Noctuidae) Synonym(s): *soudanensis* Hampson,1918
- 1212) Caradrina (Boursinidrina) stenoptera (Boursin,1939)** (Noctuidae) Synonym(s): *stenoptera* Boursin,1939; *agrapha* Boursin,1939
- 1213) Caradrina (Boursinidrina) surchica (Boursin,1937)** (Noctuidae) Synonym(s): *surchica* Boursin,1937
- 1214) Caradrina (Boursinidrina) wiltshirei (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936
- 1215) Caradrina (Eremodrina) adriennea Hacker & Gyulai,2004** (Noctuidae) Synonym(s): *adriennea* Hacker & Gyulai,2004
- 1216) Caradrina (Eremodrina) alfieri (Boursin,1937)** (Noctuidae) Synonym(s): *alfieri* Boursin,1937
- 1217) Caradrina (Eremodrina) altissima Hacker,2004** (Noctuidae) Synonym(s): *altissima* Hacker,2004
- 1218) Caradrina (Eremodrina) armeniaca (Boursin,1936)** (Noctuidae) Synonym(s): *armeniaca* Boursin,1936
- 1219) Caradrina (Eremodrina) asymmetrica (Boursin,1936)** (Noctuidae) Synonym(s): *perspicua* Filipjev,1928 *nec* Warr.,1911; *asymmetrica* Boursin,1936.
- 1220) Caradrina (Eremodrina) belucha Swinhoe,1885** (Noctuidae) Synonym(s): *belucha* Swinhoe,1885; *conditorana* Pinker,1980
- 1221) Caradrina (Eremodrina) didyma (Boursin,1939)** (Noctuidae) Synonym(s): *didyma* Boursin,1939; *hemipenthoides* Boursin,1942
- 1222) Caradrina (Eremodrina) draudti (Boursin,1936)** (Noctuidae) Synonym(s): *draudti* Boursin,1936; *pseudopertinax* Boursin,1939; *pseudopertinax* Boursin,1940
- 1223) Caradrina (Eremodrina) eremocosma (Boursin,1937)** (Noctuidae) Synonym(s): *eremocosma* Boursin,1937
- 1224) Caradrina (Eremodrina) eucrinospila (Boursin,1936)** (Noctuidae) Synonym(s): *eucrinospila* Boursin,1936; *prospera* Kuznetsov,1958
- 1225) Caradrina (Eremodrina) ferghana (Staudinger,1892)** (Noctuidae) Synonym(s): *ferghana* Staudinger,1892
- 1226) Caradrina (Eremodrina) filipjevi (Boursin,1936)** (Noctuidae) Synonym(s): *filipjevi* Boursin,1936
- 1227) Caradrina (Eremodrina) flava (Oberthür,1876)** (Noctuidae) Synonym(s): *flava* Oberthür,1876; *approximans* Rothschild,1914
- 1228) Caradrina (Eremodrina) gilva (Donzel,1837)** (Noctuidae) Synonym(s): *gilva* Donzel,1837; *molisana* Dannehl,1929
- 1229) Caradrina (Eremodrina) hypocnephias (Boursin,1968)** (Noctuidae) Synonym(s): *hypocnephias* Boursin,1968
- 1230) Caradrina (Eremodrina) inopinata Hacker,2004** (Noctuidae) Synonym(s): *inopinata* Hacker,2004
- 1231) Caradrina (Eremodrina) inumbrata (Staudinger,1900)** (Noctuidae) Synonym(s): *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980
- 1232) Caradrina (Eremodrina) isfahana Hacker,2004** (Noctuidae) Synonym(s): *isfahana* Hacker,2004
- 1233) Caradrina (Eremodrina) melanura Alpheraky,1897** (Noctuidae) Synonym(s): *melanura* Alpheraky,1897; *samurana* Boursin,1939; *samurana* Boursin,1940
- 1234) Caradrina (Eremodrina) melanurina (Staudinger,1901)** (Noctuidae) Synonym(s): *melanurina* Staudinger,1901
- 1235) Caradrina (Eremodrina) nadir (Boursin,1957)** (Noctuidae) Synonym(s): *nadir* Boursin,1957
- 1236) Caradrina (Eremodrina) oberthueri (Rothschild,1913)** (Noctuidae) Synonym(s): *vermeja* Ribbe,1912; *oberthuri* Rothschild,1913; *ibeasi* Fernandez,[1918]; *iberica* Hampson,1918.
- 1237) Caradrina (Eremodrina) parthica Hacker,2004** (Noctuidae) Synonym(s): *parthica* Hacker,2004
- 1238) Caradrina (Eremodrina) pertinax (Staudinger,1879)** (Noctuidae) Synonym(s): *pertinax* Staudinger,1879; *argentea* Caradja,1930.
- 1239) Caradrina (Eremodrina) phanosciera (Boursin,1939)** (Noctuidae) Synonym(s): *phanosciara* Boursin,1939
- 1240) Caradrina (Eremodrina) pseudalbina (Boursin,1942)** (Noctuidae) Synonym(s): *pseudalbina* Boursin,1942
- 1241) Caradrina (Eremodrina) salzi (Boursin,1936)** (Noctuidae) Synonym(s): *salzi* Boursin,1936
- 1242) Caradrina (Eremodrina) sarhadica (Boursin,1942)** (Noctuidae) Synonym(s): *sarhadica* Boursin,1942
- 1243) Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W. Warren,1911
- 1244) Caradrina (Eremodrina) xanthorhoda Boursin,1937** (Noctuidae) Synonym(s): *xanthorhoda* Boursin,1937; *tenebrosa* Boursin,1942
- 1245) Caradrina (Eremodrina) zagrobia Hacker,2004** (Noctuidae) Synonym(s): *zagrobia* Hacker,2004

- 1246) *Caradrina* (*Eremodrina*) *zernyi* (Boursin,1936) (Noctuidae) Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936
- 1247) *Caradrina* (*Levantrina*) *bodenheimeri* (Draudt,1934) (Noctuidae) Synonym(s): *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *pleiarchia* Boursin,1937
- 1248) *Caradrina* (*Paradrina*) *abruzzensis* (Draudt,1933) (Noctuidae) Synonym(s): *abruzzensis* Draudt,1933
- 1249) *Caradrina* (*Paradrina*) *atriluna* Guenée,1852 (Noctuidae) Synonym(s): *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935
- 1250) *Caradrina* (*Paradrina*) *boursini* (F.Wagner,1936) (Noctuidae) Synonym(s): *boursini* F.Wagner,1936
- 1251) *Caradrina* (*Paradrina*) *clavipalpis* (Scopoli,1763) (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovskiy,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975
- 1252) *Caradrina* (*Paradrina*) *flava* (Oberthür,1876) (Noctuidae) Synonym(s): *flava* Oberthür,1876; *approximans* Rothschild,1914.
- 1253) *Caradrina* (*Paradrina*) *flavirena* (Guenée,1852) (Noctuidae) Synonym(s): *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980
- 1254) *Caradrina* (*Paradrina*) *poecila* (Boursin,1939) (Noctuidae) Synonym(s): *poecila* Boursin,1939
- 1255) *Caradrina* (*Paradrina*) *scotoptera* (Püngeler,1914) (Noctuidae) Synonym(s): *scotoptera* Püngeler,1914
- 1256) *Caradrina* (*Paradrina*) *selini* (Boisduval,1840) (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rigenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,1935]
- 1257) *Caradrina* (*Paradrina*) *zandi* (Wiltshire,1952) (Noctuidae) Synonym(s): *zandi* Wiltshire,1952
- 1258) *Caradrina* (*Platyperigea*) *albina* (Eversmann,1848) (Noctuidae) Synonym(s): *albina* Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912
- 1259) *Caradrina* (*Platyperigea*) *aspersa* (Rambur,1834) (Noctuidae) Synonym(s): *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913.
- 1260) *Caradrina* (*Platyperigea*) *kadenii* (Freyer,1836) (Noctuidae) Synonym(s): *kadenii* Freyer,1836
- 1261) *Caradrina* (*Platyperigea*) *chorassana* (Boursin,1942) (Noctuidae) Synonym(s): *chorassana* Boursin,1942
- 1262) *Caradrina* (*Platyperigea*) *terrea* (Freyer,1840)] (Noctuidae) Synonym(s): *terrea* Freyer,1840]; *ustirena* Boisduval,1840
- 1263) *Caradrina* (*Platyperigea*) *warneckei* (Boursin,1936) (Noctuidae) Synonym(s): *warneckei* Boursin,1936
- 1264) *Caradrina* (*Weigertrina*) *diabolica* (Boursin,1942) (Noctuidae) Synonym(s): *diabolica* Boursin,1942
- 1265) *Carcharodus* (*Lavatheria*) *lavatherae* (Esper,1783)] (Hesperiidae) Synonym(s): *lavatherae* Esper,1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948.
- 1266) *Carcharodus* (*Lavatheria*) *stauderi* Reverdin,1913 (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913.
- 1267) *Carcharodus* (*Reverdinus*) *dravira* (Moore,1874) (Hesperiidae) Synonym(s): *dravira* Moore,1874; *balucha* Evans,1932; *dentatus* Alberti,1940.
- 1268) *Carcharodus* (*Reverdinus*) *flocciferus* (Zeller,1847) (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *altheae* Hübner,1803] *nec* Esp.,1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.
- 1269) *Carcharodus* (*Reverdinus*) *orientalis* Reverdin,1913 (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *#aestatis* Graves,1928; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
- 1270) *Carcharodus* (s.str.) *alceae* (Esper,1780)] (Hesperiidae) Synonym(s): *alceae* Esper,1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
- 1271) *Carcharodus* (s.str.) *swinhoei* E.Y.Watson,1893 (Hesperiidae) Synonym(s): *swinhoei* E.Y.Watson,1893
- 1272) *Cardeia* *affinis* Rothschild,1913 (Noctuidae) Synonym(s): *affinis* Rothschild,1913; *ghiglii* Turati,1921; *strobilacei* Dumont,1925.
- 1273) *Cardeia* *arenaria* (Hampson,1905) (Noctuidae) Synonym(s): *arenaria* Hampson,1905
- 1274) *Cardeia* *deserticola* Hampson,1905 (Noctuidae) Synonym(s): *deserticola* Hampson,1905
- 1275) *Cardeia* *fixseni* (Christoph,1882) (Noctuidae) Synonym(s): *fixseni* Christoph,1882
- 1276) *Cardeia* *halophila* Hacker,1998 (Noctuidae) Synonym(s): *halophila* Hacker,1998
- 1277) *Cardeia* *irrisor* (Erschoff,1874) (Noctuidae) Synonym(s): *irrisor* Erschoff,1874; *irrisoria* Erschoff,1874; *albipicta* Christoph,1884
- 1278) *Cardeia* *oleagina* Hacker,1998 (Noctuidae) Synonym(s): *oleagina* Hacker,1998
- 1279) *Cardeia* *sociabilis* (Graslin,1850) (Noctuidae) Synonym(s): *sociabilis* Graslin,1850; *ghiglii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
- 1280) *Cardiastethus fasciventris* (Garbiglietti,1869) (Anthocoridae) Synonym(s): *fasciventris* Garbiglietti,1869
- 1281) *Cardiastethus pseudococci* (E.Wagner,1951) (Anthocoridae) Synonym(s): *pseudococci* E.Wagner,1951
- 1282) *Cardiophorus* (s.str.) *carnosus* Platia & Gundezi,2002 (Elateridae) Synonym(s): *carnosus* Platia & Gundezi,2002
- 1283) *Cardiophorus* (s.str.) *miniaticollis* Candeze,1860 (Elateridae) Synonym(s): *miniaticollis* Candeze,1860
- 1284) *Cardiophorus* (s.str.) *sacratu* Erichson,1840 (Elateridae) Synonym(s): *sacratu* Erichson,1840; *tokatensis* Pic,1913
- 1285) *Cardiophorus* (s.str.) *syriacoides* (Platia & Cate,2001) (Elateridae) Synonym(s): *syriacoides* Platia & Cate,2001
- 1286) *Cardiophorus* (s.str.) *syriacus* (Linnaeus,1758) (Elateridae) Synonym(s): *syriacus* Linnaeus,1758
- 1287) *Cardiophorus* (s.str.) *varius* Cate, Platia & Schimmel,2002 (Elateridae) Synonym(s): *varius* Cate, Platia & Schimmel,2002
- 1288) *Carenoplistus acutus* (Signoret,1880) (Pentatomidae) Synonym(s): *acutus* Signoret,1880
- 1289) *Carpocoris coreanus* Distant,1899 (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958
- 1290) *Carpocoris fuscispinus* (Boheman,1851) (Pentatomidae) Synonym(s): *fuscispinus* Boheman,1851; *hahni* Flor,1856; *atlanticus* Tamanini,1958; *mediterraneus* Tamanini,1958
- 1291) *Carpocoris pudicus* (Poda,1761) (Pentatomidae) Synonym(s): *pudicus* Poda,1761; *cinctus* Schrank,1776; *carnus* Gmelin,1790; *wilkinsonii* Westwood,1837; *pallida* Dallas,1851
- 1292) *Carpocoris purpureipennis* (DeGeer,1773) (Pentatomidae) Synonym(s): *purpureipennis* DeGeer,1773; *nigricornis* Fabricius,1775; *porphyropterus* Gmelin,1790; *pyromosa* Westhoff,1884
- 1293) *Carposina ekbatana* Amsel,1978 (Carposinidae) Synonym(s): *ekbatana* Amsel,1978
- 1294) *Carposina roesleri* Amsel,1977 (Carposinidae) Synonym(s): *roesleri* Amsel,1977
- 1295) *Caryedon angeri* (Semenov,1896) (Bruchidae) Synonym(s): *angeri* Semenov,1896; *palaestinus* Southgate,1976; *#palaestinus* Yücel,1994
- 1296) *Caryocolum iranicum* Huemer,1989 (Gelechiidae) Synonym(s): *iranicum* Huemer,1989
- 1297) *Casama vilis* (Walker,1865) (Lymantriidae) Synonym(s): *vilis* Walker,1865; *indeterminata* Walker,1865; *richteri* Daniel,1960

- 1298) Casilda antophilaria (Hübner,[1813])** (Geometridae) **Synonym(s):** *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911.
- 1299) Casilda consecraria (Staudinger,1871)** (Geometridae) **Synonym(s):** *consecraria* Staudinger,1871; *intermediaria* Turati,1930
- 1300) Cassida saucia Weise,1889** (Chrysomelidae) **Synonym(s):** *saucia* Weise,1889
- 1301) Cataclyme riguata (Hübner,[1813])** (Geometridae) **Synonym(s):** *riguata* Hübner,[1813]; *subtilisparsata* Wehrli,1932.
- 1302) Cataclysta lemnata (Linnaeus,1758)** (Pyralidae) **Synonym(s):** *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935.
- 1303) Catamecia jordana Staudinger,1898** (Noctuidae) **Synonym(s):** *jordana* Staudinger,1898; *bacheri* Staudinger,1901
- 1304) Cataonia erubescens (Christoph,1877)** (Pyralidae) **Synonym(s):** *erubescens* Christoph,1877; *monocerialis* Ragonot,1891.
- 1305) Catarhoe arachne Wiltshire,1967** (Geometridae) **Synonym(s):** *arachne* Wiltshire,1967
- 1306) Catarhoe putridaria (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millière,1868
- 1307) Catarhoe rubidata ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *rubidata* [Denis & Schiffermüller],1775
- 1308) Catarhoe semnana Wiltshire,1970** (Geometridae) **Synonym(s):** *semnana* Wiltshire,1970
- 1309) Catarhoe tangaba (Wiltshire,1952)** (Geometridae) **Synonym(s):** *tangaba* Wiltshire,1952
- 1310) Catarhoe turkmenaria Shchetkin,1956** (Geometridae) **Synonym(s):** *turkmenaria* Shchetkin,1956
- 1311) Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *alchymista* [Denis & Schiffermüller],1775
- 1312) Catephia cana (Brandt,1939)** (Noctuidae) **Synonym(s):** *cana* Brandt,1939
- 1313) Catocala (Ephesia) nymphaea (Esper,[1787])** (Noctuidae) **Synonym(s):** *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
- 1314) Catocala (s.str.) abacta Staudinger,1900** (Noctuidae) **Synonym(s):** *abacta* Staudinger,1900; *irana* Brandt,1938; *#iranica* Hacker,1986.
- 1315) Catocala (s.str.) brandti Hacker & Kautt,1999** (Noctuidae) **Synonym(s):** *brandti* Hacker & Kautt,1999
- 1316) Catocala (s.str.) deducta Eversmann,1843** (Noctuidae) **Synonym(s):** *deducta* Eversmann,1843
- 1317) Catocala (s.str.) diversa (Geyer,[1828])** (Noctuidae) **Synonym(s):** *diversa* Geyer,[1828]; *callinympha* Boisduval,[1828]; *#divera* Hacker,1988
- 1318) Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) **Synonym(s):** *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 1319) Catocala (s.str.) fredii Bytinski-Salz & Brandt,1937** (Noctuidae) **Synonym(s):** *fredii* Bytinski-Salz & Brandt,1937
- 1320) Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *#hymenaea* [Denis & Schiffermüller],1775
- 1321) Catocala (s.str.) lesbia Christoph,1887** (Noctuidae) **Synonym(s):** *lesbia* Christoph,1887
- 1322) Catocala (s.str.) lupina Herrich-Schäffer,[1851]** (Noctuidae) **Synonym(s):** *lupina* Herrich-Schäffer,[1851]; *detrita* W.Warren,1913
- 1323) Catocala (s.str.) luscina Brandt,1938** (Noctuidae) **Synonym(s):** *luscina* Brandt,1938.
- 1324) Catocala (s.str.) mesopotamica Kuznesov,1903** (Noctuidae) **Synonym(s):** *hetaera* Staudinger,1895 *nec* Stgr.,1892; *aspasia* Staudinger,1897 *nec* Streck.,1874; *mesopotamica* Kuznesov,1903
- 1325) Catocala (s.str.) neonympha (Esper,[1805])** (Noctuidae) **Synonym(s):** *neonympha* Esper,[1805]
- 1326) Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) **Synonym(s):** *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 1327) Catocala (s.str.) optima Staudinger,1888** (Noctuidae) **Synonym(s):** *optima* Staudinger,1888
- 1328) Catocala (s.str.) persimilis W.Warren,1888** (Noctuidae) **Synonym(s):** *persimilis* W.Warren,1888
- 1329) Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) **Synonym(s):** *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pelle* Hübner,[1809]; *romana* Schultz,1909
- 1330) Catocala (s.str.) puerperoides Zahiri et al.,2008** (Noctuidae) **Synonym(s):** *puerperoides* Zahiri et al.,2008
- 1331) Catocala (s.str.) timur A.Bang-Haas,1907** (Noctuidae) **Synonym(s):** *timur* A.Bang-Haas,1907
- 1332) Catocala (s.str.) wolff Hacker,1999** (Noctuidae) **Synonym(s):** *wolff* Hacker,1999
- 1333) Catoplatys carthusianus (Goeze,1778)** (Tingidae) **Synonym(s):** *carthusianus* Goeze,1778
- 1334) Catopsilia florella (Fabricius,1775)** (Pieridae) **Synonym(s):** *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 1335) Catopta brandti Bryk,1947** (Cossidae) **Synonym(s):** *brandti* Bryk,1947
- 1336) Catopta kendeavanensis Daniel,1937** (Cossidae) **Synonym(s):** *kendeavanensis* Daniel,1937
- 1337) Catopta zoroastres (Groum-Grshimailo,1902)** (Cossidae) **Synonym(s):** *zoroastres* Groum-Grshimailo,1902
- 1338) Catoptria incertella (Herrich-Schäffer,[1852])** (Pyralidae) **Synonym(s):** *incertellus* Herrich-Schäffer,[1852]
- 1339) Catoptria lithargyrella (Hübner,1796)** (Pyralidae) **Synonym(s):** *lithargyrella* Hübner,1796
- 1340) Catoptria pfeifferi (Osthelder,1938)** (Pyralidae) **Synonym(s):** *pfeifferi* Osthelder,1938
- 1341) Catoptria pinella (Linnaeus,1758)** (Pyralidae) **Synonym(s):** *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
- 1342) Cavariella (Cavariella) aquatica (Gillette & Bragg,1916)** (Aphididae) **Synonym(s):** *aquatica* Gillette & Bragg,1916
- 1343) Cavariella (s.str.) aspidaphoides Hille Ris Lambers,1969** (Aphididae) **Synonym(s):** *aspidaphoides* Hille Ris Lambers,1969
- 1344) Cecryphalus nubila (Staudinger,1895)** (Cossidae) **Synonym(s):** *nubila* Staudinger,1895; *strix* Grum-Grshimailo,1897; *speyeri* Austaut,1897
- 1345) Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) **Synonym(s):** *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 1346) Celonites clarus Gusenleitner,1973** (Vespidae) **Synonym(s):** *clarus* Gusenleitner,1973
- 1347) Celonites crenulatus Morawitz,1888** (Vespidae) **Synonym(s):** *crenulatus* Morawitz,1888
- 1348) Celonites cyprius Saussure,1854** (Vespidae) **Synonym(s):** *cyprius* Saussure,1854
- 1349) Celonites discretus Gusenleitner,1973** (Vespidae) **Synonym(s):** *discretus* Gusenleitner,1973
- 1350) Celonites longipilis Gusenleitner,1973** (Vespidae) **Synonym(s):** *longipilis* Gusenleitner,1973
- 1351) Celonites persicus Richards,1962** (Vespidae) **Synonym(s):** *persicus* Richards,1962
- 1352) Celonites pictus Richards,1962** (Vespidae) **Synonym(s):** *pictus* Richards,1962
- 1353) Celonites rothschildi Du Buysson,1906** (Vespidae) **Synonym(s):** *rothschildi* Du Buysson,1906
- 1354) Celonites semenovi Kostylev,1935** (Vespidae) **Synonym(s):** *semenovi* Kostylev,1935

- 1355) Celypha cespitana (Hübner,[1817])** (Tortricidae) Synonym(s): ? *umbriana* Scopoli,1763; *cespitana* Hübner,[1817]; *gramineana* Curtis,1831; *poana* Zeller,1875
- 1356) Centrocoris degener (Puton,1874)** (Coreidae) Synonym(s): *degener* Puton,1874
- 1357) Centrocoris spiniger (Fabricius,1781)** (Coreidae) Synonym(s): *branderi* Linnaeus,1767; *spiniger* Fabricius,1781; *pallascens* Kolenati,1845; *subinermis* Rey,1887; *bampurensis* Linnavuori,1968
- 1358) Centrocoris variegatus Kolenati,1845** (Coreidae) Synonym(s): *variegatus* Kolenati,1845; *nigricans* Fieber,1861; *convergens* Sienkiewicz,1959
- 1359) Centrocoris volxemi (Puton,1878)** (Coreidae) Synonym(s): *volxemi* Puton,1878; *coroniceps* Jakovlev,1879; *balassogloi* Jakovlev,1883; *ruficeps* Jakovlev,1908; *scutellaris* Linnavuori,1968
- 1360) Cephalota (Taenidia) deserticola (Faldermann,1836)** (Carabidae) Synonym(s): *deserticola* Faldermann,1836
- 1361) Cephus pygmaeus (Linnaeus,1767)** (Cephidae) Synonym(s): *pygmaeus* Linnaeus,1767; *saluum* Fabricius,1775; *abdominalis* Latreille,1816; *flaviventris* Guérin,1834; *nigripennis* Sichel,1860; *notatus* Kokujev,1910; *nigromaculatus* Pic,1917; *aegyptiacum* Pic,1918; *delagrangei* Pic,1920; *tanaiticus* Dovnar-Zapolski,1926
- 1362) Ceraecocercus fuscipennis Uvarov,1910** (Tettigoniidae) Synonym(s): *fuscipennis* Uvarov,1910
- 1363) Ceraleptus gracilicornis (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *gracilicornis* Herrich-Schäffer,1835
- 1364) Cerambyx (s.str.) dux (Faldermann,1837)** (Cerambycidae) Synonym(s): *dux* Faldermann,1837
- 1365) Cerambyx (s.str.) elbursi Jurecek,1924** (Cerambycidae) Synonym(s): *elbursi* Jurecek,1924
- 1366) Cerambyx (s.str.) multiplicatus Motschulsky,1857** (Cerambycidae) Synonym(s): *multiplicatus* Motschulsky,1857
- 1367) Ceramius caucasicus André,1884** (Vespidae) Synonym(s): *caucasicus* André,1884
- 1368) Ceratapion gibbifrons (Hustache,1932)** (Brentidae) Synonym(s): *gibbifrons* Hustache,1932; *cystocephalus* Bajtenov & Lodos,1978
- 1369) Ceratina chalcites Germar,1839** (Apidae) Synonym(s): *aenea* Brullé,1832; *chalcites* Germar,1839; *egregia* Gerstaecker,1896
- 1370) Ceratina christellae Terzo,1998** (Apidae) Synonym(s): *christellae* Terzo,1998
- 1371) Ceratina dalyi Terzo,1998** (Apidae) Synonym(s): *dalyi* Terzo,1998
- 1372) Ceratina sakagamii Terzo,1998** (Apidae) Synonym(s): *sakagamii* Terzo,1998
- 1373) Ceratina schwarzi Kocourek,1998** (Apidae) Synonym(s): *schwarzi* Kocourek,1998
- 1374) Ceratina tibialis Morawitz,1895** (Apidae) Synonym(s): *tibialis* Morawitz,1895; *ahngeri* Kokujev,1905; ?*corinna* Nurse,1904
- 1375) Ceratuncus affinitellus (Rebel,1901)** (Tineidae) Synonym(s): *affinitellus* Rebel,1901; ?*extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951.
- 1376) Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923
- 1377) Cerdistus denticulatus Loew,1849** (Asilidae) Synonym(s): *denticulatus* Loew,1849
- 1378) Cerdistus manii Schiner,1867** (Asilidae) Synonym(s): *manii* Schiner,1867
- 1379) Ceriana caucasica (Paramonov,1927)** (Syrphidae) Synonym(s): *caucasica* Paramonov,1927
- 1380) Ceriana conopsoidea (Linnaeus,1758)** (Syrphidae) Synonym(s): *conopsoidea* Linnaeus,1758; *adunata* Geoffroy,1785; *clavicornis* Fabricius,1794; *vaginicornis* Schrank,1803; *uralensis* Becker,1921
- 1381) Cerocala sana Staudinger,1901** (Noctuidae) Synonym(s): *insana* Staudinger,1871 nec H-S.,1858; *sana* Staudinger,1901; *albifusa* de Joannis,1910.
- 1382) Cerocoma (Meloides) kunzei Frivaldsky,1835** (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835; *patelligera* Baudi,1878; *patkaai* Kaszab,1941; *kaszabi* Maran,1944; ?*violacea* Kaszab,1951; *iranica* Muche,1963; *palaestinis* Muche,1963
- 1383) Cerocoma (Meloides) marginiventris Reitter,1889** (Meloidae) Synonym(s): *marginiventris* Reitter,1889; *pictiventris* Reitter,1899; *gloriosa* Reitter nec Muls.,1857
- 1384) Cerocoma (Meloides) rapillyi Alcaide,1977** (Meloidae) Synonym(s): *rapillyi* Alcaide,1977
- 1385) Cerocoma (Mesocerosoma) latreillei Baudi,1878** (Meloidae) Synonym(s): *latreillei* Baudi,1878; *sterbai* Maran,1944; *schah* Kaszab,1968
- 1386) Cerocoma (Mesocerosoma) scovitzii Faldermann,1837** (Meloidae) Synonym(s): *scovitzii* Faldermann,1837
- 1387) Cerocoma (Metacerocoma) ephesica Reitter,1885** (Meloidae) Synonym(s): *ephesica* Reitter,1885
- 1388) Cerocoma (Metacerocoma) festiva Faldermann,1837** (Meloidae) Synonym(s): *festiva* Faldermann,1837
- 1389) Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi* Gyllenhal,1817
- 1390) Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) Synonym(s): *syriaca* Abeille de Perrin,1880
- 1391) Cerocoma turcica Pardo Alcaide,1977** (Meloidae) Synonym(s): *turcica* Pardo Alcaide,1977
- 1392) Cerotelion lineatus (Fabricius,1775)** (Keroplastidae) Synonym(s): *lineatus* Fabricius,1775; *striata* Gmelin,1792; *laticornis* Meigen,1818
- 1393) Cerotelion racovitzae Matile & Burgehele-Balancesco,1969** (Keroplastidae) Synonym(s): *racovitzae* Matile & Burgehele-Balancesco,1969
- 1394) Ceroxys confusa (Becker,1912)** (Ulidiidae) Synonym(s): *confusa* Becker,1912
- 1395) Ceroxys urticae (Linnaeus,1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus,1758; ?*baneai* Gheorghiu,1994
- 1396) Certallum thoracicum Sharp,1880** (Cerambycidae) Synonym(s): *thoracicum* Sharp,1880
- 1397) Cerura (s.str.) himalayana Moore,1888** (Notodontidae) Synonym(s): *himalayana* Moore,1888
- 1398) Cerura (s.str.) intermedia (Teich,1896)** (Notodontidae) Synonym(s): *intermedia* Teich,1896
- 1399) Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939
- 1400) Cetonia (s.str.) aeratula Reitter,1891** (Scarabaeidae) Synonym(s): *aeratula* Reitter,1891
- 1401) Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicoruscus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preyss.,1790; *piliger* Mulsant & Rey,1842; *praecleara* Mulsant & Rey,1842; *clermonti* Bourgin,1948
- 1402) Cetonia (s.str.) sexguttata Olsufiev,1916** (Scarabaeidae) Synonym(s): *sexguttata* Olsufiev,1916
- 1403) Ceutholopha isidis (Zeller,1867)** (Pyralidae) Synonym(s): *isidis* Zeller,1867; *aequalisella* Lucas,1948; *parallelolineata* Lucas,1950.
- 1404) Ceuthomadarus chthoniopa (Meyrick,1936)** (Lecithoceridae) Synonym(s): *chthoniopa* Meyrick,1936
- 1405) Ceuthomadarus croesus Gozmany,** (Lecithoceridae) Synonym(s):
- 1406) Ceuthomadarus tenebrionellus Mann,1864** (Lecithoceridae) Synonym(s): *tenebrionellus* Mann,1864; *monochromella* Rebel,1902; *crepusculellus* Caradja,1920.
- 1407) Ceutorhynchus aenescens Schultze,1895** (Curculionidae) Synonym(s): *aenescens* Schultze,1895
- 1408) Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792
- 1409) Ceutorhynchus difficilis Schultze,1898** (Curculionidae) Synonym(s): *difficilis* Schultze,1898

- 1410) **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787
 1411) **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis* Faust,1887
 1412) **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800
 1413) **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903
 1414) **Ceulalictus (s.str.) punjabensis (Cameron,1907)** (Halictidae) Synonym(s): *punjabensis* Cameron,1907
 1415) **Ceulalictus (s.str.) variegatus (Olivier,1789)** (Halictidae) Synonym(s): *variegatus* Olivier,1789; *pulchella* Jurine,1807; *?syrphoides* Walker,1871; *flavopicta* Dours,1873; *jucunda* Morawitz,1874; *fasciatus* Friese,1898; *intermedius* Alfken,1924; *simplex* Blüthgen,1925; *labiatarum* Cockerell,1931; *nigrita* Blüthgen,1934; *pseudocerea* Blüthgen,1934; *nigriventris* Blüthgen,1934
 1416) **Chaetocnema coyei (Allard,1863)** (Chrysomelidae) Synonym(s): *coyei* Allard,1863
 1417) **Chaetocnema laevicollis (Thomson,1866)** (Chrysomelidae) Synonym(s): *laevicollis* Thomson,1866
 1418) **Chaetocnema major (Jaquelin du Val,1852)** (Chrysomelidae) Synonym(s): *major* Jaquelin du Val,1852
 1419) **Chaetocnema montenegrina Heikertinger,1912** (Chrysomelidae) Synonym(s): *montenegrina* Heikertinger,1912
 1420) **Chaetocnema orientalis (Bauduer,1874)** (Chrysomelidae) Synonym(s): *orientalis* Bauduer,1874
 1421) **Chaetocnema scheffleri (Kutschera,1864)** (Chrysomelidae) Synonym(s): *scheffleri* Kutschera,1864
 1422) **Chaetocnema tibialis (Illiger,1807)** (Chrysomelidae) Synonym(s): *tibialis* Illiger,1807
 1423) **Chaetomalachius aeneolus Majer,1989** (Melyridae) Synonym(s): *aeneolus* Majer,1989
 1424) **Chaetomalachius dispar Schilsky,1896** (Melyridae) Synonym(s): *dispar* Schilsky,1896; *bodemeyeri* Majer,1988
 1425) **Chaetomalachius jelineki Majer,1989** (Melyridae) Synonym(s): *jelineki* Majer,1989
 1426) **Chaetomalachius kotschyi Schilsky,1896** (Melyridae) Synonym(s): *kotschyi* Schilsky,1896
 1427) **Chaetomalachius wittmeri Majer,1989** (Melyridae) Synonym(s): *wittmeri* Majer,1989
 1428) **Chaetorellia conjuncta (Becker,1913)** (Tephritidae) Synonym(s): *conjuncta* Becker,1913
 1429) **Chaetorellia jaceae (R-D.,1830)** (Tephritidae) Synonym(s): *jaceae* R-D.,1830
 1430) **Chaetorellia succinea (Costa,1844)** (Tephritidae) Synonym(s): *succinea* Costa,1844
 1431) **Chaetostomella cylindrica (R-D.,1830)** (Tephritidae) Synonym(s): *cylindrica* R-D.,1830
 1432) **Chalcociton holosericea (Fabricius,1794)** (Bombyliidae) Synonym(s): *holosericea* Fabricius,1794; *albiwillus* Pallas,1818; *semiargentea* Macquart,1840; *aberrans* Walker,1849
 1433) **Chalcociton pallasii (Loew,1856)** (Bombyliidae) Synonym(s): *pallasii* Loew,1856; *schineri* Nowicki,1868
 1434) **Chalcociton speciosus Loew,1844** (Bombyliidae) Synonym(s): *speciosus* Loew,1844
 1435) **Chamaesphacia adelpha Le Cerf,1938** (Sesiidae) Synonym(s): *adelpha* Le Cerf,1938
 1436) **Chamaesphacia anthracias Le Cerf,1937** (Sesiidae) Synonym(s): *anthracias* Le Cerf,1937
 1437) **Chamaesphacia bibioniformis (Esper,[1800])** (Sesiidae) Synonym(s): *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954.
 1438) **Chamaesphacia chalciformis (Esper,[1804])** (Sesiidae) Synonym(s): *chalciformis* Esper,[1804]
 1439) **Chamaesphacia diabarensis Gorbunov,1987** (Sesiidae) Synonym(s): *diabarensis* Gorbunov,1987
 1440) **Chamaesphacia doryceraeformis (Lederer,1853)** (Sesiidae) Synonym(s): *doryceraeformis* Lederer,1853
 1441) **Chamaesphacia elampiformis (Herrich-Schäffer,1851)** (Sesiidae) Synonym(s): *elampiformis* Herrich-Schäffer,1851
 1442) **Chamaesphacia fredii Le Cerf,1938** (Sesiidae) Synonym(s): *fredii* Le Cerf,1938
 1443) **Chamaesphacia inexpectata (Le Cerf,1938)** (Sesiidae) Synonym(s): *inexpectata* Le Cerf,1938
 1444) **Chamaesphacia iranica Le Cerf,1937** (Sesiidae) Synonym(s): *iranica* Le Cerf,1937; *bagandara* Gorbunov,1995
 1445) **Chamaesphacia keili Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *keili* Kallies & K.Spatenka,2003
 1446) **Chamaesphacia leucocnemis Le Cerf,1938** (Sesiidae) Synonym(s): *leucocnemis* Le Cerf,1938
 1447) **Chamaesphacia leucoparea (Lederer,1871)** (Sesiidae) Synonym(s): *leucoparea* Lederer,1871
 1448) **Chamaesphacia masariformis (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 nec Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966
 1449) **Chamaesphacia mezentzevi Gorbunov,1989** (Sesiidae) Synonym(s): *mezentzevi* Gorbunov,1989
 1450) **Chamaesphacia mirza Le Cerf,1938** (Sesiidae) Synonym(s): *mirza* Le Cerf,1938
 1451) **Chamaesphacia morosa Le Cerf,1937** (Sesiidae) Synonym(s): *morosa* Le Cerf,1937
 1452) **Chamaesphacia ophimontana Gorbunov,1991** (Sesiidae) Synonym(s): *ophimontana* Gorbunov,1991
 1453) **Chamaesphacia oxybeliformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *oxybeliformis* Herrich-Schäffer,1846
 1454) **Chamaesphacia proximata (Staudinger,1871)** (Sesiidae) Synonym(s): *proximata* Staudinger,1871; *moreaui* Le Cerf,1911; *gravesi* Rebel,1927
 1455) **Chamaesphacia schizoceriformis (Kolenati,1846)** (Sesiidae) Synonym(s): *schizoceriformis* Kolenati,1846
 1456) **Chamaesphacia schmidtiformis (Freyer,1836)** (Sesiidae) Synonym(s): *schmidtiformis* Freyer,1836
 1457) **Chamaesphacia schwingenschussi (Le Cerf,1937)** (Sesiidae) Synonym(s): *schwingenschussi* Le Cerf,1937
 1458) **Chamaesphacia sefid Le Cerf,1938** (Sesiidae) Synonym(s): *sefid* Le Cerf,1938; *modica* Le Cerf,1938; *vanensis* Gorbunov,2001
 1459) **Chamaesphacia thomyris Le Cerf,1938** (Sesiidae) Synonym(s): *thomyris* Le Cerf,1938
 1460) **Chamaesphacia turbida Le Cerf,1937** (Sesiidae) Synonym(s): *turbida* Le Cerf,1937
 1461) **Chamaesphacia xantho Le Cerf,1937** (Sesiidae) Synonym(s): *xantho* Le Cerf,1937
 1462) **Chamaesphacia zarathustra Gorbunov & K.Spatenka,1992** (Sesiidae) Synonym(s): *zarathustra* Gorbunov & K.Spatenka,1992
 1463) **Chamaesphacia zimmermanni (Lederer,1872)** (Sesiidae) Synonym(s): *zimmermanni* Lederer,1872
 1464) **Characoma nilotica (Rogenhofer,1882)** (Noctuidae) Synonym(s): *nilotica* Rogenhofer,1882; *chamaeleon* Möschler,1890; *littora* Bethune-Baker,1894; *laurea* Druce,1898; *proteella* Dyar,1898; *#albifascia* Draudt,1939
 1465) **Charopus philoctetes Abeille de Perrin,1885** (Melyridae) Synonym(s): *philoctetes* Abeille de Perrin,1885
 1466) **Charora kurda Uvarov,1933** (Acrididae) Synonym(s): *kurda* Uvarov,1933
 1467) **Charora persa Uvarov,1933** (Acrididae) Synonym(s): *persa* Uvarov,1933; *rugosa* Bei-Bienko,1951
 1468) **Charora similis Bei-Bienko,1951** (Acrididae) Synonym(s): *similis* Bei-Bienko,1951
 1469) **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807.
 1470) **Chazara (Neochazara) enervata (Staudinger,1881)** (Satyridae) Synonym(s): *enervata* Staudinger,1881; *analogia* Alpheraky,1881; *ochracea* Heyne,[1894].
 1471) **Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *bischoffi* Herrich-Schäffer,[1846]
 1472) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
 1473) **Chazara (s.str.) egina (Staudinger,[1892])** (Satyridae) Synonym(s): *egina* Staudinger,[1892]; *aisha* Rose,1986.

- 1474) **Chazara (s.str.) kaufmanni (Erschoff,1874)** (Satyridae) Synonym(s): *kaufmanni* Erschoff,1874
 1475) **Chazara (s.str.) sieversi (Christoph,1885)** (Satyridae) Synonym(s): *sieversi* Christoph,1885
 1476) **Chazaria incarnata (Freyer,1838)** (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840.
 1477) **Cheilusia (Eucartosyrphus) scutellata (Fallén,1817)** (Syrphidae) Synonym(s): *scutellata* Fallén,1817
 1478) **Cheilusia (s.str.) proxima (Zetterstedt,1843)** (Syrphidae) Synonym(s): *proxima* Zetterstedt,1843
 1479) **Cheilusia latifacies Loew,1857** (Syrphidae) Synonym(s): *latifacies* Loew,1857
 1480) **Cheilusia sahlbergi (Becker,1894)** (Syrphidae) Synonym(s): *sahlbergi* Becker,1894
 1481) **Cheilotrichia (Empeda) cinerascens (Meigen,1804)** (Limoniidae) Synonym(s): *cinerascens* Meigen,1804; *nubila* Schummel,1829; *ditula* Zetterstedt,1851; *tenella* Walker,1856
 1482) **Cheironitis klapperichi Ballion,1870** (Scarabaeidae) Synonym(s): *klapperichi* Ballion,1870
 1483) **Chelis reticulata (Christoph,1887)** (Arctiidae) Synonym(s): *reticulata* Christoph,1887
 1484) **Chelostoma (Foveosmia) distinctum (Stöckert,1929)** (Megachilidae) Synonym(s): *distinctum* Stöckert,1929
 1485) **Chelostoma (Gyrodromella) proximum Schletterer,1889** (Megachilidae) Synonym(s): *proximum* Schletterer,1889
 1486) **Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935
 1487) **Chersotis (Cyrebia) anachoreta (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987
 1488) **Chersotis (s.str.) alpestris (Boisduval,[1837])** (Noctuidae) Synonym(s): *alpestris* Boisduval,[1837]
 1489) **Chersotis (s.str.) anatolica (Draudt,1936)** (Noctuidae) Synonym(s): *anatolica* Draudt,1936; *elegantula* Boursin,1945.
 1490) **Chersotis (s.str.) andereggii (Boisduval,[1837])** (Noctuidae) Synonym(s): *andereggii* Boisduval,[1837]
 1491) **Chersotis (s.str.) binaloudi Brandt,1941** (Noctuidae) Synonym(s): *binaloudi* Brandt,1941
 1492) **Chersotis (s.str.) capnistis (Lederer,1872)** (Noctuidae) Synonym(s): *capnistis* Lederer,1872; *neara* Püngeler,1902.
 1493) **Chersotis (s.str.) cryptographa Varga & Gyulai,2002** (Noctuidae) Synonym(s): *cryptographa* Varga & Gyulai,2002
 1494) **Chersotis (s.str.) eberti Dufay & Varga,1995** (Noctuidae) Synonym(s): *eberti* Dufay & Varga,1995
 1495) **Chersotis (s.str.) ebertorum Koçak,1980** (Noctuidae) Synonym(s): *maraschi* Corti & Draudt,1933 (p.61) *nec* Corti & Draudt,1933 (p.58); *ebertorum* Koçak,1980.
 1496) **Chersotis (s.str.) elegans (Eversmann,1837)** (Noctuidae) Synonym(s): *elegans* Eversmann,1837; *grammiptera* Rambur,[1839].
 1497) **Chersotis (s.str.) fimbriola (Esper,[1798])** (Noctuidae) Synonym(s): *fimbriola* Esper,[1798]
 1498) **Chersotis (s.str.) firdussi Schwingenschuss,1937** (Noctuidae) Synonym(s): *firdussi* Schwingenschuss,1937
 1499) **Chersotis (s.str.) glebosa (Staudinger,1900)** (Noctuidae) Synonym(s): *glebosa* Staudinger,1900
 1500) **Chersotis (s.str.) gratissima (Corti,1932)** (Noctuidae) Synonym(s): *gratissima* Corti,1932
 1501) **Chersotis (s.str.) hahni (Christoph,1885)** (Noctuidae) Synonym(s): *hahni* Christoph,1885
 1502) **Chersotis (s.str.) illauta (Draudt,1936)** (Noctuidae) Synonym(s): *illauta* Draudt,1936
 1503) **Chersotis (s.str.) juvenis (Staudinger,1901)** (Noctuidae) Synonym(s): *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936.
 1504) **Chersotis (s.str.) laeta (Rebel,1904)** (Noctuidae) Synonym(s): *laeta* Rebel,1904
 1505) **Chersotis (s.str.) larixia (Guenée,1852)** (Noctuidae) Synonym(s): *larixia* Guenée,1852.
 1506) **Chersotis (s.str.) margaritacea (Villers,1789)** (Noctuidae) Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espunensis* Calle,1982
 1507) **Chersotis (s.str.) multangula (Hübner,[1803])** (Noctuidae) Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Toulenschkov,1951.
 1508) **Chersotis (s.str.) nitens Brandt,1941** (Noctuidae) Synonym(s): *nitens* Brandt,1941
 1509) **Chersotis (s.str.) rectangula (Fabricius,1787)** (Noctuidae) Synonym(s): *rectangula* Fabricius,1787.
 1510) **Chersotis (s.str.) sarhada Brandt,1941** (Noctuidae) Synonym(s): *sarhada* Brandt,1941
 1511) **Chersotis (s.str.) semna (Püngeler,1906)** (Noctuidae) Synonym(s): *semna* Püngeler,1906
 1512) **Chersotis (s.str.) sterilis (Brandt,1938)** (Noctuidae) Synonym(s): *sterilis* Brandt,1938
 1513) **Chetogena nigrofasciata (Strobl,1902)** (Tachinidae) Synonym(s): *nigrofasciata* Strobl,1902; *repanda* Mesnil,1939
 1514) **Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
 1515) **Chiasmia (Godonela) syriacaria (Staudinger,1871)** (Geometridae) Synonym(s): *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934.
 1516) **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886
 1517) **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
 1518) **Chilades (Lachides) galba (Lederer,1855)** (Lycaenidae) Synonym(s): *galba* Lederer,1855
 1519) **Chilades (s.str.) parrhasius (Fabricius,1793)** (Lycaenidae) Synonym(s): *parrhasius* Fabricius,1793; *contracta* Butler,1880; *ella* Butler,1881; *lempkei* Blom,1979.
 1520) **Chilaspis israeli Sternlicht,1968** (Cynipidae) Synonym(s): *israeli* Sternlicht,1968
 1521) **Chilena laristana Daniel,1949** (Lasiocampidae) Synonym(s): *laristana* Daniel,1949
 1522) **Chilena sordida Erschoff,1874** (Lasiocampidae) Synonym(s): *sordida* Erschoff,1874
 1523) **Chilo luteellus (Motschulsky,1866)** (Pyralidae) Synonym(s): *lutellus* Motschulsky,1860 *nec* [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941.
 1524) **Chilo phragmitellus (Hübner,[1810])** (Pyralidae) Synonym(s): *phragmitellus* Hübner,[1810]; *rhombea* Haworth,[1811].
 1525) **Chilo suppressalis Walker,1863** (Pyralidae) Synonym(s): *suppressalis* Walker,1863; *oryzae* T.B.Fletcher,1928.
 1526) **Chionodes distinctella (Zeller,1839)** (Gelechiidae) Synonym(s): *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979.
 1527) **Chionoxantha margarita Brandt,1938** (Noctuidae) Synonym(s): *margarita* Brandt,1938
 1528) **Chionoxantha minutissima Hacker & Ebert,2002** (Noctuidae) Synonym(s): *minutissima* Hacker & Ebert,2002
 1529) **Chionoxantha nobilis Hacker & Ebert,2002** (Noctuidae) Synonym(s): *nobilis* Hacker & Ebert,2002
 1530) **Chirotica ruficeps Horstmann,1983** (Ichneumonidae) Synonym(s): *ruficeps* Horstmann,1983
 1531) **Chirotica terebrator Horstmann,1983** (Ichneumonidae) Synonym(s): *terebrator* Horstmann,1983
 1532) **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus* Paykull,1790
 1533) **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792
 1534) **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus* Dejean,1826

- 1535) **Chlaenius cruralis Fischer von Waldheim, 1829** (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim, 1829
- 1536) **Chlaenius festivus (Panzer, 1796)** (Carabidae) Synonym(s): *festivus* Panzer, 1796
- 1537) **Chlaenius viridis Ménétériés, 1832** (Carabidae) Synonym(s): *viridis* Ménétériés, 1832
- 1538) **Chloantha elbursica (Boursin, 1968)** (Noctuidae) Synonym(s): *elbursica* Boursin, 1968
- 1539) **Chloantha hypericii (Fabricius, 1787)** (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller], 1775; *hypericii* Fabricius, 1787
- 1540) **Chloriona unicolor (Herrich-Schäffer, 1835)** (Delphacidae) Synonym(s): *unicolor* Herrich-Schäffer, 1835; *canariensis* Lindberg, 1954; *edwardsi* Le Quesne, 1960
- 1541) **Chlorissa asphaleia Wiltshire, 1966** (Geometridae) Synonym(s): *asphaleia* Wiltshire, 1966; *#esphaleia* Scoble, 1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world].
- 1542) **Chlorissa pretiosaria Staudinger, 1877** (Geometridae) Synonym(s): *pretiosaria* Staudinger, 1877
- 1543) **Chlorita vana Dlabola, 1971** (Cicadellidae) Synonym(s): *vana* Dlabola, 1971
- 1544) **Chloroclysta miata (Linnaeus, 1758)** (Geometridae) Synonym(s): *miata* Linnaeus, 1758; *miaria* [Denis & Schiffermüller], 1775; *viridifasciaria* Goeze, 1781; *virgata* Fourcroy, 1785 nec Hufn., 1767; *coraciata* Hübner, [1799]; *viridulata* Zetterstedt, 1839; *coraciaria* La Harpe, 1853
- 1545) **Chlorophorus adelii Holzschuh, 1974** (Cerambycidae) Synonym(s): *adelii* Holzschuh, 1974
- 1546) **Chlorophorus sartor (O.F.Müller, 1766)** (Cerambycidae) Synonym(s): *sartor* O.F.Müller, 1766
- 1547) **Chlorophorus varius (O.F.Müller, 1766)** (Cerambycidae) Synonym(s): *varius* O.F.Müller, 1766; *damascenus* Chevrolat, 1854 [ssp.]
- 1548) **Chlorops pannonicus Strobl, 1893** (Chloropidae) Synonym(s): *pannonicus* Strobl, 1893; *hecyniae* Duda, 1933
- 1549) **Chlorops persicus (Duda, 1933)** (Chloropidae) Synonym(s): *persicus* Duda, 1933
- 1550) **Chlorops persicus Duda, 1933** (Chloropidae) Synonym(s): *persicus* Duda, 1933
- 1551) **Chlorops pumilionis (Bjerkander, 1778)** (Chloropidae) Synonym(s): *pumilionis* Bjerkander, 1778; *lineatus* Fabricius, 1781; *nasutus* Schrank, 1781; *taeniopus* Meigen, 1830; *annulipes* Brullé, 1833; *lineolus* Brullé, 1833; *pumilio* Zetterstedt, 1848
- 1552) **Choerades fimbriata (Meigen, 1820)** (Asilidae) Synonym(s): *fimbriata* Meigen, 1820; *marginata* sensu Meigen, 1820
- 1553) **Choerades gilva (Linnaeus, 1758)** (Asilidae) Synonym(s): *gilva* Linnaeus, 1758; *rufa* De Geer, 1776; *bilineata* Walker, 1849
- 1554) **Choerades loewi Lehr, 1991** (Asilidae) Synonym(s): *loewi* Lehr, 1991
- 1555) **Choerades marginata (Linnaeus, 1758)** (Asilidae) Synonym(s): *marginata* Linnaeus, 1758; *nigra* Scopoli, 1763; *media* Müller, 1765; *aurea* Olivier, 1789; *anthrax* Meigen, 1804; *nigrifrons* Megerle, 1820; *fulgida* Meigen, 1820; *podagrica* Meigen, 1820; *chrysocephala* Meigen, 1820; *strandi* Duda, 1940
- 1556) **Choerades ursula (Loew, 1851)** (Asilidae) Synonym(s): *ursula* Loew, 1851
- 1557) **Chondrostega darius Wiltshire, 1952** (Lasiocampidae) Synonym(s): *darius* Wiltshire, 1952
- 1558) **Chondrostega fascianum Staudinger, 1892** (Lasiocampidae) Synonym(s): *fascianum* Staudinger, 1892
- 1559) **Chondrostega pastranum Lederer, 1858** (Lasiocampidae) Synonym(s): *pastranum* Lederer, 1858; *hyrcanum* Staudinger, 1871
- 1560) **Choreia maculata (Hoffer, 1954)** (Encyrtidae) Synonym(s): *maculata* Hoffer, 1954
- 1561) **Choreutis nemorana (Hübner, [1799])** (Choreutidae) Synonym(s): *nemorana* Hübner, [1799]; *incisalis* Treitschke, 1828; *nemoranal* Treitschke, 1829; *nemorella* Herrich-Schäffer, 1862
- 1562) **Choristoneura jecorana (Kennel, 1899)** (Tortricidae) Synonym(s): *jecorana* Kennel, 1899
- 1563) **Chorthippus (Glyptobothrus) brunneus (Thunberg, 1815)** (Acrididae) Synonym(s): *brunneus* Thunberg, 1815; *bicolor* Charpentier, 1825; *biguttula* Stephens, 1835; *rhomboida* Stephens, 1835; *varipes* Stephens, 1835; *venusa* Stephens, 1835; *vittata* Stephens, 1835; *brunneri* Werner, 1902
- 1564) **Chorthippus (s.str.) albomarginatus (De Geer, 1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer, 1773; *elegans* Charpentier, 1825; *tricarinata* Stephens, 1835; *blandus* Fischer von Waldheim, 1846; *hyalosuperficies* Voroncovsky, 1928; *nigrofasciatus* Voroncovsky, 1928; *porphyricus* Voroncovsky, 1928
- 1565) **Chorthippus (s.str.) dichrous (Eversmann, 1859)** (Acrididae) Synonym(s): *dichrous* Eversmann, 1859; *australia* Predtechenskii, 1928
- 1566) **Chorthippus (s.str.) loratus (Fischer von Waldheim, 1846)** (Acrididae) Synonym(s): *loratus* Fischer von Waldheim, 1846; *dorsatus* Giglio-Tos, 1894; *brauneri* Znojko, 1928; *dessyi* Jannone, 1936
- 1567) **Chortodes morrisii (Dale, 1837)** (Noctuidae) Synonym(s): *morrisii* Dale, 1837; *bondii* Knaggs, 1861
- 1568) **Chroantha ornatula (Herrich-Schäffer, 1842)** (Pentatomidae) Synonym(s): *ornatula* Herrich-Schäffer, 1842
- 1569) **Chrysis viridissima Klug, 1845** (Chrysididae) Synonym(s): *viridissima* Klug, 1845; *fasciolata* Klug, 1845
- 1570) **Chrysobothris affinis (Fabricius, 1794)** (Buprestidae) Synonym(s): *affinis* Fabricius, 1794; *congener* Paykull, 1799; *tetragramma* Ménétériés, 1832; *hexastigma* Mannerheim, 1837; *assimulans* Schreiber, 1843; *aeruginosa* Fügner, 1891; *heliophila* Abeille, 1893; *inaqualis* Reitter, 1895; *reitteri* Kerremans, 1900; *tristis* Abeille, 1900; *adusta* Abeille, 1901; *carinithorax* Oberberger, 1916; *heterochroa* Oberberger, 1916; *laticollis* Oberberger, 1916; *leonhardi* Oberberger, 1916; *sibirica* Oberberger, 1916; *reinecki* Schirmer, 1918; *eurythorax* Oberberger, 1934; *nevstyi* Richter, 1944
- 1571) **Chrysocrambus craterellus (Scopoli, 1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli, 1763; *rorella* Linnaeus, 1767; *klimeschi* Toll, 1938; *alpinus* Bleszynski, 1958; *abruzzellus* Bleszynski, 1958.
- 1572) **Chrysocrambus linetellus (Fabricius, 1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius, 1781; *cassentiniellus* Herrich-Schäffer, [1848]; *distinctus* Müller-Rutz, 1920; *chrysocrossis* Meyrick, 1936; *#marioni* Dufrane, 1960.
- 1573) **Chrysodeixis chalcites (Esper, [1789])** (Noctuidae) Synonym(s): *chalcites* Esper, [1789]; *chalsytis* Hübner, 1790; *bengalensis* Rossi, 1794; *quaestionis* Fabricius, 1794; *verticillata* Guenée, 1852; *integra* Walker, 1858; *adjuncta* Walker, 1865
- 1574) **Chrysolina armeniaca (Faldermann, 1837)** (Chrysomelidae) Synonym(s): *armeniaca* Faldermann, 1837; *persica* Jakob, 1960 nec Jolivet, 1951; *iranica* Medvedev, 1975 nec Jacob, 1954
- 1575) **Chrysolina bodemeyeri (Weise, 1910)** (Chrysomelidae) Synonym(s): *bodemeyeri* Weise, 1910
- 1576) **Chrysolina chalcites (Germar, 1824)** (Chrysomelidae) Synonym(s): *chalcites* Germar, 1824; *festiva* Ménétériés, 1832
- 1577) **Chrysolina coerulans (Scriba, 1791)** (Chrysomelidae) Synonym(s): *coerulans* Scriba, 1791; *angelica* Reiche & Saulcy, 1858; *splendorifera* Motschoulsky, 1860; *subfastuosa* Motschoulsky, 1860; *bella* Jacoby, 1890; *uzbekorum* Bechyne, 1950; *iranica* Jakob, 1954; *pyffli* Lopatin, 1967
- 1578) **Chrysolina didymata (Scriba, 1791)** (Chrysomelidae) Synonym(s): *didymata* Scriba, 1791; *syriaca* Weise, 1884
- 1579) **Chrysolina gypsophilae (Küster, 1845)** (Chrysomelidae) Synonym(s): *gypsophilae* Küster, 1845; *lucidicollis* Küster, 1845
- 1580) **Chrysolina haemoptera (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *haemoptera* Linnaeus, 1758
- 1581) **Chrysolina halysa Bechyne, 1950** (Chrysomelidae) Synonym(s): *porphyrea* Fairmaire, 1865 nec Falderm., 1837; *halysa* Bechyne, 1950; *ayrica* Bechyne, 1950; *intercalaria* Bechyne, 1950
- 1582) **Chrysolina hyperici (Forster, 1771)** (Chrysomelidae) Synonym(s): *hyperici* Forster, 1771

- 1583) *Chrysolina hyrcana* (Weise,1884) (Chrysomelidae) Synonym(s): *hyrcana* Weise,1884
 1584) *Chrysolina imperfecta* (Breit,1920) (Chrysomelidae) Synonym(s): *imperfecta* Breit,1920; *kaltenbachi* Jakob,1954
 1585) *Chrysolina marginata* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *marginata* Linnaeus,1758; *unificans* Bechyne,1950
 1586) *Chrysolina orientalis* (Olivier,1807) (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950
 1587) *Chrysolina palmyrensis* Bechyne,1955 (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955
 1588) *Chrysolina sahlbergi* (Ménétriés,1832) (Chrysomelidae) Synonym(s): *sahlbergi* Ménétriés,1832; *cupreopunctata* Reiche,1858; *venefica* Weise,1884
 1589) *Chrysolina vernalis* (Brullé,1836) (Chrysomelidae) Synonym(s): *vernalis* Brullé,1836; *ottomana* Weise,1906
 1590) *Chrysomela saliceti* (Weise,1884) (Chrysomelidae) Synonym(s): *saliceti* Weise,1884; *#salceti* Arslan & Özbek,1999
 1591) *Chrysopilus pallipes* (Loew,1869) (Rhagionidae) Synonym(s): *pallipes* Loew,1869
 1592) *Chrysops* (s.str.) *flavipes* Meigen,1804 (Tabanidae) Synonym(s): *flavipes* Meigen,1804; *punctifer* Loew,1858; *#favipes* Kılıç,1999
 1593) *Chrysops* (s.str.) *mlokosiewiczzi* Bigot,1880 (Tabanidae) Synonym(s): *mlokosiewiczzi* Bigot,1880; *iranensis* Bigot,1892; *obscura* Kröder,1923
 1594) *Chrysoteuchia culmella* (Linnaeus,1758) (Pyralidae) Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,1825; *#hortellus* Zerny,1914; *#brunnea* Dufrane,1942.
 1595) *Chrysotoxum arcuatum* (Linnaeus,1758) (Syrphidae) Synonym(s): *arcuatum* Linnaeus,1758; *intersectum* Geoffroy,1785; *vespiforme* Geoffroy,1785; *hortense* Meigen,1822; *scoticum* Curtis,1837; *alpinum* Rondani,1865; *nigropilosum* Giglio-Tos,1890; *angustifasciatum* Mik,1897
 1596) *Chrysotoxum elegans* Loew,1841 (Syrphidae) Synonym(s): *elegans* Loew,1841
 1597) *Chrysotoxum parmense* Rondani,1845 (Syrphidae) Synonym(s): *parmense* Rondani,1845; *holzi* Becker,1913
 1598) *Chrysotoxum robustum* Portschinsky,1886 (Syrphidae) Synonym(s): *robustum* Portschinsky,1886
 1599) *Chrysotoxum veralli* Collin,1940 (Syrphidae) Synonym(s): *veralli* Collin,1940
 1600) *Chrysotoxum vernale* Loew,1841 (Syrphidae) Synonym(s): *vernale* Loew,1841; *collinum* Rondani,1857; *flavipenne* Palma,1863; *fusum* Giglio-Tos,1890; *vernaloideus* Giglio-Tos,1890 q
 1601) *Chrysotus angulicornis* Kowarz,1874 (Dolichopodidae) Synonym(s): *angulicornis* Kowarz,1874
 1602) *Cicada orni* Linnaeus,1758 (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877
 1603) *Cicadatra atra* (Oliver,1790) (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (praeocc.); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954
 1604) *Cicadatra bistunensis* Mozaffarian & Sanborn,2010 (Cicadidae) Synonym(s): *bistunensis* Mozaffarian & Sanborn,2010
 1605) *Cicadatra flava* (Dlabola,1970) (Cicadidae) Synonym(s): *flava* Dlabola,1970
 1606) *Cicadatra hyalina* (Fabricius,1798) (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923
 1607) *Cicadatra kermanica* Dlabola,1970 (Cicadidae) Synonym(s): *kermanica* Dlabola,1970
 1608) *Cicadatra lorestanica* Mozaffarian, Sanborn & Phillips,2010 (Cicadidae) Synonym(s): *lorestanica* Mozaffarian, Sanborn & Phillips,2010
 1609) *Cicadatra persica* Kirkaldy,1909 (Cicadidae) Synonym(s): *lineola* Hagen,1856 (praeocc.); *persica* Kirkaldy,1909
 1610) *Cicadatra plagifera* Schumacher,1923 (Cicadidae) Synonym(s): *plagifera* Schumacher,1923
 1611) *Cicadatra ramanensis* Linnavuori,1962 (Cicadidae) Synonym(s): *ramanensis* Linnavuori,1962
 1612) *Cicadatra vulcania* Dlabola & Heller,1962 (Cicadidae) Synonym(s): *vulcania* Dlabola & Heller,1962
 1613) *Cicadatra zahedanica* Dlabola,1970 (Cicadidae) Synonym(s): *zahedanica* Dlabola,1970
 1614) *Cicadella spectra* (Distant,1908) (Cicadellidae) Synonym(s): *spectra* Distant,1908
 1615) *Cicadetta dlabolai* (Mozaffarian & Sanborn,2010) (Cicadidae) Synonym(s): *dlabolai* Mozaffarian & Sanborn,2010
 1616) *Cicadetta musiva* (Germar,1830) (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913
 1617) *Cicadula divaricata* Ribaut,1952 (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut*,1952
 1618) *Cicadula mesasiatica* (Dubovsky,1966) (Cicadellidae) Synonym(s): *mesasiatica* Dubovsky,1966
 1619) *Cicindela asiatica* Audouin & Brullé,1839 (Carabidae) Synonym(s): *asiatica* Audouin & Brullé,1839
 1620) *Cicindela turkestanicoides* W.Horn,1938 (Carabidae) Synonym(s): *turkestanicoides* W.Horn,1938
 1621) *Cigaritis acamas* (Klug,1834) (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932
 1622) *Cigaritis cilissa* Lederer,1861 (Lycaenidae) Synonym(s): *cilissa* Lederer,1861; *minima* Staudinger,1901
 1623) *Cigaritis epargyros* (Eversmann,1854) (Lycaenidae) Synonym(s): *epargyros* Eversmann,1854
 1624) *Cigaritis myrmecophila* Dumont,1922 (Lycaenidae) Synonym(s): *myrmecophila* Dumont,1922
 1625) *Cigaritis uighurica* Kemal & Koçak,2005 (Lycaenidae) Synonym(s): *maxima* Staudinger,1901 nec Elw.,1892; *uighurica* Kemal & Koçak,2005
 1626) *Ciliocera leucosarca* (Meyrick,1937) (Pyralidae) Synonym(s): *leucosarca* Meyrick,1937
 1627) *Cilix asiatica* A.Bang-Haas,1907 (Drepanidae) Synonym(s): *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913
 1628) *Cinnerethica optodes* (Meyrick,1922) (Tineidae) Synonym(s): *optodes* Meyrick,1922; *tabghaella* Amsel,1935; *judaica* Amsel,1935
 1629) *Circulifer haematoceps* (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948
 1630) *Cirrospilus lyncus* Walker,1838 (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878
 1631) *Cirrospilus staryi* Boucek,1959 (Eulophidae) Synonym(s): *staryi* Boucek,1959
 1632) *Cixius persicus* Distant,1907 (Cixiidae) Synonym(s): *longipennis* Melichar,1902 (praeocc.); *persicus* Distant,1907
 1633) *Clanoptilus hypoptilus* (Erichson,1840) (Melyridae) Synonym(s): *erythroptilus* Erichson,1840
 1634) *Clarina kotschyi* (Kollar,1849) (Sphingidae) Synonym(s): *kotschyi* Kollar,1849; *mardina* Staudinger,1901.
 1635) *Clarina syriaca* (Lederer,1855) (Sphingidae) Synonym(s): *syriaca* Lederer,1855; *#grisesceus* Ebert,1976.
 1636) *Cleonymia* (s.str.) *baetica* (Rambur,1837) (Noctuidae) Synonym(s): *baetica* Rambur,1837

- 1637) *Cleonymia* (s.str.) *chabordis* (Oberthür,1876) (Noctuidae) Synonym(s): *chabordis* Oberthür,1876; #*charbordis* Brandt,1939.**
- 1638) *Cleonymia* (Serryvania) *opposita* (Lederer,1870) (Noctuidae) Synonym(s): *opposita* Lederer,1870; #*obscurior* Osthelder,1933.**
- 1639) *Cleonymia* (Serryvania) *pectinicornis* (Staudinger,1859) (Noctuidae) Synonym(s): *pectinicornis* Staudinger,1859; *youngi* Rothschild,1925**
- 1640) *Cleonymia* *jubata* (Oberthür,1890) (Noctuidae) Synonym(s): *jubata* Oberthür,1890**
- 1641) *Clepsis* *pallidana* (Fabricius,1776) (Tortricidae) Synonym(s): *pallidana* Fabricius,1776; *strigana* Hübner,[1799]; *stramineana* Herrich-Schäffer,[1851]; *quinquemaculana* Bremer,1864; *cesareana* Joannis,1891; *districta* Meyrick,1920.**
- 1642) *Clepsis* *ruinana* (Linnaeus,1758) (Tortricidae) Synonym(s): *ruinana* Linnaeus,1758; *modeerinana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935.**
- 1643) *Cleptes* *caucasicus* Semenov,1920 (Chrysididae) Synonym(s): *caucasicus* Semenov,1920; *hyrcanus* Semenov,1920**
- 1644) *cliens* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *cliens* R.Felder & Rogenhofer,1874; *orientalis* Hampson,1894; *aethiopica* Sheljuzhko,1960; *tanit* Rungs,1972**
- 1645) *Closterocerus* *formosus* Westwood,1833 (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917**
- 1646) *Closterotomus* *histrion* (Reuter,1877) (Miridae) Synonym(s): *histrion* Reuter,1877; *obscurus* Wagner,1968**
- 1647) *Closterotomus* *putoni* (Horvath,1888) (Miridae) Synonym(s): *putoni* Horvath,1888**
- 1648) *Clytie* (Hypoglaucitis) *distincta* (A.Bang-Haas,1907) (Noctuidae) Synonym(s): *distincta* A.Bang-Haas,1907**
- 1649) *Clytie* (Hypoglaucitis) *infrequens* (Swinhoe,1884) (Noctuidae) Synonym(s): *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888.**
- 1650) *Clytie* (s.str.) *delunaris* (Staudinger,1889) (Noctuidae) Synonym(s): *delunaris* Staudinger,1889; *luteonigra* W.Warren,1913.**
- 1651) *Clytie* (s.str.) *devia* (Swinhoe,1884) (Noctuidae) Synonym(s): *devia* Swinhoe,1884**
- 1652) *Clytie* (s.str.) *gracilis* (A.Bang-Haas,1907) (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913.**
- 1653) *Clytie* (s.str.) *sancta* (Staudinger,1898) (Noctuidae) Synonym(s): *sancta* Staudinger,1898**
- 1654) *Clytie* (s.str.) *syriaca* (Bugnion,1837) (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.**
- 1655) *Clytie* (s.str.) *terrulenta* (Christoph,1893) (Noctuidae) Synonym(s): *terrulenta* Christoph,1893**
- 1656) *Clytra* *atraxoides* (Pallas,1773) (Chrysomelidae) Synonym(s): *atraxoides* Pallas,1773; *deficiens* Weise,1900**
- 1657) *Clytra* *nigrocincta* (Lacordaire,1848) (Chrysomelidae) Synonym(s): *nigrocincta* Lacordaire,1848**
- 1658) *Clytra* *novempunctata* Olivier,1808 (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920**
- 1659) *Clytra* *valeriana* Ménétériés,1832 (Chrysomelidae) Synonym(s): *valeriana* Ménétériés,1832; *tetrastigma* Schmidt,1841; #*valeriana* Aydın & Kismali,1990**
- 1660) *Clytus* *arietis* (Linnaeus,1758) (Cerambycidae) Synonym(s): *arietis* Linnaeus,1758**
- 1661) *Clytus* *arietis* *lederi* Ganglbauer,1881 (Cerambycidae) Synonym(s): *lederi* Ganglbauer,1881**
- 1662) *Clytus* *ramni* Germar,1817 (Cerambycidae) Synonym(s): *ramni* Germar,1817**
- 1663) *Cnephasia* (Cnephasiella) *abrasana* (Duponchel,1843) (Tortricidae) Synonym(s): *abrasana* Duponchel,1843**
- 1664) *Cnephasia* (s.str.) *chrysanthæana* (Duponchel,1843) (Tortricidae) Synonym(s): *chrysanthæana* Duponchel,1843; *cinareana* Chrétien,1892; #*cinareana* Meyrick,1912**
- 1665) *Cnephasia* (s.str.) *grandis* (Osthelder,1938) (Tortricidae) Synonym(s): *grandis* Osthelder,1938**
- 1666) *Cnephasia* (s.str.) *orientana* (Alpheraky,1877) (Tortricidae) Synonym(s): *orientana* Alpheraky,1877**
- 1667) *Cnephasia* (s.str.) *pirizanica* Razowski,1965 (Tortricidae) Synonym(s): *amseli* Razowski,1957 nec Luc.,1942; *pirizanica* Razowski,1965**
- 1668) *Cnephasia* (s.str.) *regifica* Razowski,1971 (Tortricidae) Synonym(s): *regifica* Razowski,1971**
- 1669) *Cnephasia* (s.str.) *sabulosa definita* Filipjev (Tortricidae) Synonym(s):**
- 1670) *Cnephasia* (s.str.) *sedana* (Constant,1884) (Tortricidae) Synonym(s): *sedana* Constant,1884; *marcidana* Kennel,1901; *valderiana* Turati & Verity,1912; *alaicana* Caradja,1916; *agathana* Kennel,1919; *obscurana* Osthelder,1938; *oricasis* Meyrick,1932; *amseli* Razowski,1957; *pirizanica* Razowski,1965**
- 1671) *Cnephasia* (s.str.) *transcaspica* Filipjev (Tortricidae) Synonym(s):**
- 1672) *Cnephasia* (s.str.) *venusta* Razowski,1971 (Tortricidae) Synonym(s): *venusta* Razowski,1971**
- 1673) *Cnephasia* *flavomarginata* Jakovlev,1880 (Pentatomidae) Synonym(s): *flavomarginata* Jakovlev,1880**
- 1674) *Coccophagus* *scutellaris* (Dalman,1826) (Aphelinidae) Synonym(s): *scutellaris* Dalman,1826; *australiensis* Girault,1917**
- 1675) *Coccophagus* *semicircularis* (Förster,1841) (Aphelinidae) Synonym(s): *semicircularis* Förster,1841; *xanthostictus* Ratzeburg,1852; *nigrifrons* Wollaston,1858; *lunulatus* Howard,1894**
- 1676) *Cochylimorpha* *asiana* (Kennel,1899) (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934.**
- 1677) *Cochylimorpha* *brandti* Razowski,1963 (Tortricidae) Synonym(s): *brandti* Razowski,1963**
- 1678) *Cochylimorpha* *cultana* (Lederer,1855) (Tortricidae) Synonym(s): *cultana* Lederer,1855; *pontana* Staudinger,1859; *extensana* Staudinger,1859; *lambessana* Baker,1888; *oedemana* Constant,1893; *bigenerana* Kennel,1900; *assalana* Chrétien,1915; *albidana* Caradja,1916; *symmerista* Meyrick,1935.**
- 1679) *Cochylimorpha* *diana* (Kennel,1899) (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.**
- 1680) *Cochylimorpha* *discolorana* Kennel,1899 (Tortricidae) Synonym(s): *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; #*sarobica* Razowski,1964**
- 1681) *Cochylimorpha* *elegans* (Razowski,1963) (Tortricidae) Synonym(s): *elegans* Razowski,1963**
- 1682) *Cochylimorpha* *fluens* (Razowski,1970) (Tortricidae) Synonym(s): *fluens* Razowski,1970**
- 1683) *Cochylimorpha* *fucosa* (Razowski,1970) (Tortricidae) Synonym(s): *fucosa* Razowski,1970**
- 1684) *Cochylimorpha* *halophilana* (Christoph,1882) (Tortricidae) Synonym(s): *halophilana* Christoph,1882**
- 1685) *Cochylimorpha* *meridiolana* (Ragonot,1894) (Tortricidae) Synonym(s): *meridiolana* Ragonot,1894; *ochrostriana* Kennel,1899; *meridiolana* Kennel,1900 nec Ragonot,1894; *kenneli* Razowski,1967.**
- 1686) *Cochylimorpha* *nomadana* (Erschoff,1874) (Tortricidae) Synonym(s): *nomadana* Erschoff,1874**
- 1687) *Cochylimorpha* *pirizanica* (Razowski,1963) (Tortricidae) Synonym(s): *pirizanica* Razowski,1963**
- 1688) *Cochylimorpha* *scrophulana* (Razowski,1963) (Tortricidae) Synonym(s): *scrophulana* Razowski,1963**
- 1689) *Cochylimorpha* *simulata* (Razowski,1970) (Tortricidae) Synonym(s): *simulata* Razowski,1970**

- 1690) *Cochylimorpha straminea* (Haworth,[1811])** (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosana* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pollens* Lucas,1954.
- 1691) *Cochylimorpha wiltshirei* Razowski,1963** (Tortricidae) Synonym(s): *wiltshirei* Razowski,1963
- 1692) *Cochylis apricana* Kennel,1899** (Tortricidae) Synonym(s): *amoenana* Kennel,1899 nec Wlk.,1863; *apricana* Kennel,1899
- 1693) *Cochylis defessana* Mann,1861** (Tortricidae) Synonym(s): *defessana* Mann,1861; *centaureana* Staudinger,1879.
- 1694) *Cochylis maestana* (Kennel,1899)** (Tortricidae) Synonym(s): *maestana* Kennel,1899; *suleimana* Osthelder,1938.
- 1695) *Cochylis piana* (Kennel,1899)** (Tortricidae) Synonym(s): *piana* Kennel,1899; *pamira* Obraztsov,1943; *subposterana* Toll,1947; *pseudefessana* Razowski,1963
- 1696) *Cochylis posterana* Zeller,1847** (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935
- 1697) *Cochylis roseana* (Haworth,[1811])** (Tortricidae) Synonym(s): *roseana* Haworth,[1811]; *rubellana* Hübner,[1823]; *dipsaceana* Duponchel,1843; *undulatana* Kennel,1899.
- 1698) *Cochylis similana* Razowski,1963** (Tortricidae) Synonym(s): *similana* Razowski,1963
- 1699) *Codophila* (Antheminia) *lunulata* Goeze,1778** (Pentatomidae) Synonym(s): *lunulata* Goeze,1778
- 1700) *Codophila* (Antheminia) *pusio* (Kolenati,1846)** (Pentatomidae) Synonym(s): *pusio* Kolenati,1846
- 1701) *Codophila* (s.str.) *maculicollis* (Dallas,1851)** (Pentatomidae) Synonym(s): *maculicollis* Dallas,1851
- 1702) *Codophila* (s.str.) *varia* (Fabricius,1787)** (Pentatomidae) Synonym(s): *varia* Fabricius,1787; *longicornis* De la Fuente,1972
- 1703) *Coelioxys* (Allocoelioxys) *afra* Lepeletier,1841** (Megachilidae) Synonym(s): *afra* Lepeletier,1841; *erzurumensis* Tkalcu
- 1704) *Coelioxys* (s.str.) *aurolimbata* Förster,1853** (Megachilidae) Synonym(s): *aurolimbata* Förster,1853
- 1705) *Coelioxys iranica* Warnecke,1992** (Megachilidae) Synonym(s): *iranica* Warnecke,1992
- 1706) *Coenagrion persicum* Lohmann,1993** (Coenagrionidae) Synonym(s): *persicum* Lohmann,1993
- 1707) *Coenagrion puellum* (Linnaeus,1758)** (Coenagrionidae) Synonym(s): *puellum* Linnaeus,1758
- 1708) *Coenina collenettei* L.B.Prout,1931** (Geometridae) Synonym(s): *collenettei* L.B.Prout,1931
- 1709) *Coenina paulusi* (Rebel,1906)** (Geometridae) Synonym(s): *paulusi* Rebel,1906
- 1710) *Coenonympha* (Lyela) *myops* (Staudinger,1881)** (Satyridae) Synonym(s): *myops* Staudinger,1881
- 1711) *Coenonympha* (s.str.) *glycerion* (Borkhausen,1788)** (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 nec Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 nec Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.
- 1712) *Coenonympha* (s.str.) *leander* (Fabricius,1787)** (Satyridae) Synonym(s): *#leander* Esper,[1784]; *leander* Fabricius,1787
- 1713) *Coenonympha* (s.str.) *pamphilus* (Linnaeus,1758)** (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 1714) *Coenonympha* (s.str.) *saadi* (Kollar,[1849])** (Satyridae) Synonym(s): *saadi* Kollar,[1849]; *iphias* Eversmann,1851.
- 1715) *Coenorhinus aequatus* (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903
- 1716) *Coenorhinus paucillus* (Germar,1824)** (Attelabidae) Synonym(s): *paucillus* Germar,1824; *persicus* Gyllenhal,1839; *pauculus* Voss,1933
- 1717) *Coenosia tigrina* (Fabricius,1775)** (Muscidae) Synonym(s): *tigrina* Fabricius,1775
- 1718) *Colaphus apicalis* (Ménétriés,1849)** (Chrysomelidae) Synonym(s): *apicalis* Ménétriés,1849
- 1719) *Coleophora abbasella* Baldizzone,1994** (Coleophoridae) Synonym(s): *abbasella* Baldizzone,1994
- 1720) *Coleophora acanthophyllii* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *acanthophyllii* Falkovitsh,1989
- 1721) *Coleophora accadica* Baldizzone,1994** (Coleophoridae) Synonym(s): *accadica* Baldizzone,1994
- 1722) *Coleophora aculeata* Baldizzone,1994** (Coleophoridae) Synonym(s): *aculeata* Baldizzone,1994
- 1723) *Coleophora adelogrammella* Zeller,1849** (Coleophoridae) Synonym(s): *adelogrammella* Zeller,1849; *collina* Frey,1880; *separatella* Benander,1939.
- 1724) *Coleophora adjunctella* Hodgkinson,1882** (Coleophoridae) Synonym(s): *adjunctella* Hodgkinson,1882; *paludicola* Stainton,1885; *aratorensis* Barasch,1934
- 1725) *Coleophora adlecta* Baldizzone,1994** (Coleophoridae) Synonym(s): *adlecta* Baldizzone,1994
- 1726) *Coleophora aegyptiaca* Walsingham,1907** (Coleophoridae) Synonym(s): *aegyptiaca* Walsingham,1907
- 1727) *Coleophora aequalella* Christoph,1872** (Coleophoridae) Synonym(s): *aequalella* Christoph,1872
- 1728) *Coleophora aervae* Baldizzone,1994** (Coleophoridae) Synonym(s): *aervae* Baldizzone,1994
- 1729) *Coleophora alabardata* Baldizzone,1994** (Coleophoridae) Synonym(s): *alabardata* Baldizzone,1994
- 1730) *Coleophora albella* (Thunberg,1788)** (Coleophoridae) Synonym(s): *albella* Thunberg,1788; *leucapennella* Hübner,1796.
- 1731) *Coleophora albicostella* (Duponchel,1842)** (Coleophoridae) Synonym(s): *albicostella* Duponchel,1842; *albimarginella* Herrich-Schäffer,1855
- 1732) *Coleophora albidorsella* Toll,1942** (Coleophoridae) Synonym(s): *albidorsella* Toll,1942
- 1733) *Coleophora albiochrella* Toll & Amsel,1967** (Coleophoridae) Synonym(s): *albiochrella* Toll & Amsel,1967
- 1734) *Coleophora alcyonipennella* (Kollar,1832)** (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962
- 1735) *Coleophora alticolella* Zeller,1849** (Coleophoridae) Synonym(s): *alticolella* Zeller,1849
- 1736) *Coleophora amasiella* Stainton,1867** (Coleophoridae) Synonym(s): *amasiella* Stainton,1867
- 1737) *Coleophora ammophora* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *ammophora* Falkovitsh,1989
- 1738) *Coleophora amphorella* Baldizzone,1994** (Coleophoridae) Synonym(s): *amphorella* Baldizzone,1994
- 1739) *Coleophora amseliella* Toll & Amsel,1967** (Coleophoridae) Synonym(s): *amseliella* Toll & Amsel,1967
- 1740) *Coleophora aporiella* Baldizzone,1989** (Coleophoridae) Synonym(s): *aporiella* Baldizzone,1989
- 1741) *Coleophora arachnias* Meyrick,1922** (Coleophoridae) Synonym(s): *arachnias* Meyrick,1922; *hederella* Toll,1942; *shadeganensis* Toll,1959.
- 1742) *Coleophora arachosiae* Baldizzone,1994** (Coleophoridae) Synonym(s): *arachosiae* Baldizzone,1994
- 1743) *Coleophora badiipennella* (Duponchel,1843)** (Coleophoridae) Synonym(s): *badiipennella* Duponchel,1843
- 1744) *Coleophora bedella* Falkovitsh,1976** (Coleophoridae) Synonym(s): *bedella* Falkovitsh,1976
- 1745) *Coleophora beduina* Baldizzone,1987** (Coleophoridae) Synonym(s): *beduina* Baldizzone,1987
- 1746) *Coleophora bernoulliella* (Goeze,1783)** (Coleophoridae) Synonym(s): *bernoulliella* Goeze,1783; *anatipennella* Hübner,1796
- 1747) *Coleophora bitlisella* Baldizzone,1994** (Coleophoridae) Synonym(s): *bitlisella* Baldizzone,1994
- 1748) *Coleophora bivittella* Staudinger,1879** (Coleophoridae) Synonym(s): *bivittella* Staudinger,1879

- 1749) *Coleophora botaurella* Herrich-Schäffer, 1861 (Coleophoridae) Synonym(s): *botaurella* Herrich-Schäffer, 1861
- 1750) *Coleophora botauripennella* Toll, 1959 (Coleophoridae) Synonym(s): *botauripennella* Toll, 1959
- 1751) *Coleophora caespitiella* Zeller, 1839 (Coleophoridae) Synonym(s): *caespitiella* Zeller, 1839; *scirpicolella* Zeller, 1849; *lacunicolella* Zeller, 1849; *agrammella* Wood, 1892
- 1752) *Coleophora capella* Baldizzone, 1990 (Coleophoridae) Synonym(s): *capella* Baldizzone, 1990
- 1753) *Coleophora carmaniae* Baldizzone, 1994 (Coleophoridae) Synonym(s): *carmaniae* Baldizzone, 1994
- 1754) *Coleophora cartilaginella* Christoph, 1872 (Coleophoridae) Synonym(s): *cartilaginella* Christoph, 1872; *dubiosa* Toll, 1952; *paraspumosella* Toll, 1957; *medicagivora* Toll, 1961.
- 1755) *Coleophora celsa* Baldizzone, 1994 (Coleophoridae) Synonym(s): *celsa* Baldizzone, 1994
- 1756) *Coleophora coronata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *coronata* Baldizzone, 1994
- 1757) *Coleophora coronillae* Zeller, 1849 (Coleophoridae) Synonym(s): *coronillae* Zeller, 1849
- 1758) *Coleophora daeva* Baldizzone, 1994 (Coleophoridae) Synonym(s): *daeva* Baldizzone, 1994
- 1759) *Coleophora darica* Baldizzone, 1994 (Coleophoridae) Synonym(s): *darica* Baldizzone, 1994
- 1760) *Coleophora delicatella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *delicatella* Toll & Amsel, 1967
- 1761) *Coleophora dentatella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *dentatella* Toll & Amsel, 1967
- 1762) *Coleophora derbendella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *derbendella* Baldizzone, 1994
- 1763) *Coleophora dianthi* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer, 1855; *dianthella* Herrich-Schäffer, 1861; *amseli* Toll, 1942
- 1764) *Coleophora discomaculella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *discomaculella* Toll & Amsel, 1967
- 1765) *Coleophora ditella* Zeller, 1849 (Coleophoridae) Synonym(s): *ditella* Zeller, 1849; *tanaceti* Roesler, 1866 nec Mühl., 1865; *roesleri* Wocke, [1876]; *anatolica* Toll, 1952.
- 1766) *Coleophora dracontea* Baldizzone, 1994 (Coleophoridae) Synonym(s): *dracontea* Baldizzone, 1994
- 1767) *Coleophora dubiella* Baker, 1888 (Coleophoridae) Synonym(s): *dubiella* Baker, 1888; *reisseri* Rebel, 1926; *eucera* Toll, 1952; *microeucera* Toll, 1960; *leucostrigella* Toll, 1960
- 1768) *Coleophora eilatica* Baldizzone, 1994 (Coleophoridae) Synonym(s): *eilatica* Baldizzone, 1994
- 1769) *Coleophora elamita* Baldizzone, 1994 (Coleophoridae) Synonym(s): *elamita* Baldizzone, 1994
- 1770) *Coleophora elbursella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *elbursella* Baldizzone, 1994
- 1771) *Coleophora erratella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *erratella* Toll & Amsel, 1967
- 1772) *Coleophora eumorphella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *eumorphella* Baldizzone, 1994
- 1773) *Coleophora eupreta* Walsingham, 1907 (Coleophoridae) Synonym(s): *eupreta* Walsingham, 1907; *nageli* Rebel, 1910; *circumdatella* Turati, 1934; *argentiella* Klimesch, 1952; *africana* Toll, 1957; *gozmanyi* Toll, 1960; *betica* Glaser, 1981
- 1774) *Coleophora ferruginea* Baldizzone, 1994 (Coleophoridae) Synonym(s): *ferruginea* Baldizzone, 1994
- 1775) *Coleophora flammea* Baldizzone, 1994 (Coleophoridae) Synonym(s): *flammea* Baldizzone, 1994
- 1776) *Coleophora flaviella* Mann, 1857 (Coleophoridae) Synonym(s): *flaviella* Mann, 1857
- 1777) *Coleophora fulgidella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *fulgidella* Toll & Amsel, 1967
- 1778) *Coleophora fuscicornis* Zeller, 1847 (Coleophoridae) Synonym(s): *fuscicornis* Zeller, 1847
- 1779) *Coleophora fuscinervella* Toll, 1956 (Coleophoridae) Synonym(s): *fuscinervella* Toll, 1956
- 1780) *Coleophora galbulipennella* Zeller, 1838 (Coleophoridae) Synonym(s): *galbulipennella* Zeller, 1838; *otitae* Zeller, 1839.
- 1781) *Coleophora ganglionella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *ganglionella* Baldizzone, 1994
- 1782) *Coleophora gazella* Toll, 1952 (Coleophoridae) Synonym(s): *gazella* Toll, 1952
- 1783) *Coleophora gedrosiae* Baldizzone, 1994 (Coleophoridae) Synonym(s): *gedrosiae* Baldizzone, 1994
- 1784) *Coleophora glaucicolella* Wood, 1892 (Coleophoridae) Synonym(s): *glaucicolella* Wood, 1892
- 1785) *Coleophora griseicornella* Toll, 1959 (Coleophoridae) Synonym(s): *griseicornella* Toll, 1959
- 1786) *Coleophora gymnocarpella* Walsingham, 1907 (Coleophoridae) Synonym(s): *gymnocarpella* Walsingham, 1907
- 1787) *Coleophora haoma* Baldizzone, 1994 (Coleophoridae) Synonym(s): *haoma* Baldizzone, 1994
- 1788) *Coleophora helvolella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *helvolella* Baldizzone, 1994
- 1789) *Coleophora hieratica* Baldizzone, 1994 (Coleophoridae) Synonym(s): *hieratica* Baldizzone, 1994
- 1790) *Coleophora hieronella* Zeller, 1849 (Coleophoridae) Synonym(s): *hieronella* Zeller, 1849
- 1791) *Coleophora hospitiella* Chrétien, 1915 (Coleophoridae) Synonym(s): *hospitiella* Chrétien, 1915; *euepla* Gozmany, 1954; *fuscostraminella* Toll, 1956; *richteri* Toll, 1959
- 1792) *Coleophora iljiniae* (Falkovitsh, 1989) (Coleophoridae) Synonym(s): *iljiniae* Falkovitsh, 1989
- 1793) *Coleophora inclita* Baldizzone, 1994 (Coleophoridae) Synonym(s): *inclita* Baldizzone, 1994
- 1794) *Coleophora inequidentella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *inequidentella* Toll & Amsel, 1967
- 1795) *Coleophora inopinata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *inopinata* Baldizzone, 1994
- 1796) *Coleophora iranella* Toll, 1959 (Coleophoridae) Synonym(s): *iranella* Toll, 1959
- 1797) *Coleophora jerusalemella* Toll, 1942 (Coleophoridae) Synonym(s): *jerusalemella* Toll, 1942
- 1798) *Coleophora kandymella* Falkovitsh, 1988 (Coleophoridae) Synonym(s): *kandymella* Falkovitsh, 1988
- 1799) *Coleophora kautzi* Rebel, 1933 (Coleophoridae) Synonym(s): *kautzi* Rebel, 1933
- 1800) *Coleophora kitella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *kitella* Baldizzone, 1994
- 1801) *Coleophora klimeschiella* Toll, 1952 (Coleophoridae) Synonym(s): *klimeschiella* Toll, 1952
- 1802) *Coleophora kotalensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *kotalensis* Baldizzone, 1994
- 1803) *Coleophora kroneella* Fuchs, 1899 (Coleophoridae) Synonym(s): *kroneella* Fuchs, 1899
- 1804) *Coleophora lasiocharis* Meyrick, 1931 (Coleophoridae) Synonym(s): *lasiocharis* Meyrick, 1931; *shirazella* Toll, 1959.
- 1805) *Coleophora lasloella* Baldizzone, 1982 (Coleophoridae) Synonym(s): *lasloella* Baldizzone, 1982
- 1806) *Coleophora lebedella* (Falkovitsh, 1982) (Coleophoridae) Synonym(s): *lebedella* Falkovitsh, 1982
- 1807) *Coleophora longiductella* Baldizzone, 1989 (Coleophoridae) Synonym(s): *longiductella* Baldizzone, 1989
- 1808) *Coleophora luteolella* Staudinger, 1880 (Coleophoridae) Synonym(s): *luteolella* Staudinger, 1880; *mendosella* Toll, 1960
- 1809) *Coleophora machinopsis* Meyrick, 1936 (Coleophoridae) Synonym(s): *machinopsis* Meyrick, 1936
- 1810) *Coleophora macilenta* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *macilenta* Falkovitsh, 1972
- 1811) *Coleophora magnatella* Toll, 1959 (Coleophoridae) Synonym(s): *magnatella* Toll, 1959
- 1812) *Coleophora makuensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *makuensis* Baldizzone, 1994
- 1813) *Coleophora malatiella* Toll, 1952 (Coleophoridae) Synonym(s): *malatiella* Toll, 1952
- 1814) *Coleophora maritimella* Newman, 1863 (Coleophoridae) Synonym(s): *maritimella* Newman, 1863
- 1815) *Coleophora mediae* Baldizzone, 1990 (Coleophoridae) Synonym(s): *mediae* Baldizzone, 1990
- 1816) *Coleophora micronotella* Toll, 1956 (Coleophoridae) Synonym(s): *micronotella* Toll, 1956
- 1817) *Coleophora monstrosa* Baldizzone, 1994 (Coleophoridae) Synonym(s): *monstrosa* Baldizzone, 1994
- 1818) *Coleophora mucronata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *mucronata* Baldizzone, 1994
- 1819) *Coleophora namakella* Amsel, 1977 (Coleophoridae) Synonym(s): *namakella* Amsel, 1977

- 1820)** *Coleophora niphomesta* Meyrick, 1917 (Coleophoridae) Synonym(s): *niphomesta* Meyrick, 1917; *sarobiensis* Toll & Amsel, 1967
- 1821)** *Coleophora nitidipennella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *nitidipennella* Toll & Amsel, 1967
- 1822)** *Coleophora niveopictella* Toll, 1952 (Coleophoridae) Synonym(s): *niveopictella* Toll, 1952
- 1823)** *Coleophora noeae* (Falkovitsh, 1989) (Coleophoridae) Synonym(s): *noeae* Falkovitsh, 1989
- 1824)** *Coleophora nurmahal* Toll, 1957 (Coleophoridae) Synonym(s): *nurmahal* Toll, 1957
- 1825)** *Coleophora nutantella* Mühlig & Frey, 1857 (Coleophoridae) Synonym(s): *nutantella* Mühlig & Frey, 1857
- 1826)** *Coleophora ochrea* (Haworth, [1828]) (Coleophoridae) Synonym(s): *ochrea* Haworth, [1828]
- 1827)** *Coleophora ochripennella* Zeller, 1849 (Coleophoridae) Synonym(s): *ochripennella* Zeller, 1849
- 1828)** *Coleophora onobrychiella* Zeller, 1849 (Coleophoridae) Synonym(s): *onobrychiella* Zeller, 1849; *arenariella* Zeller, 1865
- 1829)** *Coleophora onopordiella* Zeller, 1849 (Coleophoridae) Synonym(s): *onopordiella* Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *pseudophlomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemes, 2003
- 1830)** *Coleophora ovata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *ovata* Baldizzone, 1994
- 1831)** *Coleophora pachyderma* Baldizzone, 1994 (Coleophoridae) Synonym(s): *pachyderma* Baldizzone, 1994
- 1832)** *Coleophora pallidata* Toll, 1959 (Coleophoridae) Synonym(s): *pallidata* Toll, 1959
- 1833)** *Coleophora paragiraudi* Toll, 1959 (Coleophoridae) Synonym(s): *paragiraudi* Toll, 1959
- 1834)** *Coleophora paraptarmica* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *paraptarmica* Toll & Amsel, 1967
- 1835)** *Coleophora parcella* Toll, 1952 (Coleophoridae) Synonym(s): *parcella* Toll, 1952
- 1836)** *Coleophora parthenica* Meyrick, 1891 (Coleophoridae) Synonym(s): *parthenica* Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *lashkarella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968.
- 1837)** *Coleophora parthica* Baldizzone, 1994 (Coleophoridae) Synonym(s): *parthica* Baldizzone, 1994
- 1838)** *Coleophora pauperculella* Toll, 1956 (Coleophoridae) Synonym(s): *pauperculella* Toll, 1956
- 1839)** *Coleophora pennella* ([Denis & Schiffermüller], 1775) (Coleophoridae) Synonym(s): *pennella* [Denis & Schiffermüller], 1775; *borowskiella* Goeze, 1783; *mucosa* Fourcroy, 1785; *mucosella* Villers, 1789; *onosmella* Brahm, 1791; *struthionipennella* Hübner, 1796; *cornuum* Vallot, 1818; *hispanicella* Möschler, 1866; *diffinis* Staudinger, 1880; *nervosella* Müller-Rutz, 1927; *flavilineella* Toll, 1952; *gogovi* Capuse, 1971
- 1840)** *Coleophora persana* Baldizzone, 1990 (Coleophoridae) Synonym(s): *persana* Baldizzone, 1990
- 1841)** *Coleophora petraea* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *petraea* Falkovitsh, 1972
- 1842)** *Coleophora phlomidis* Stainton, 1867 (Coleophoridae) Synonym(s): *phlomidis* Stainton, 1867
- 1843)** *Coleophora pirizanela* Toll, 1959 (Coleophoridae) Synonym(s): *pirizanela* Toll, 1959
- 1844)** *Coleophora poecilella* Walsingham, 1907 (Coleophoridae) Synonym(s): *poecilella* Walsingham, 1907
- 1845)** *Coleophora praecipua* Walsingham, 1907 (Coleophoridae) Synonym(s): *praecipua* Walsingham, 1907
- 1846)** *Coleophora propinqua* Staudinger, 1880 (Coleophoridae) Synonym(s): *propinqua* Staudinger, 1880
- 1847)** *Coleophora propinquoides* Baldizzone, 1994 (Coleophoridae) Synonym(s): *propinquoides* Baldizzone, 1994
- 1848)** *Coleophora protecta* Walsingham, 1907 (Coleophoridae) Synonym(s): *protecta* Walsingham, 1907
- 1849)** *Coleophora qulikushella* Toll, 1959 (Coleophoridae) Synonym(s): *qulikushella* Toll, 1959
- 1850)** *Coleophora riffelensis* Rebel, 1913 (Coleophoridae) Synonym(s): *riffelensis* Rebel, 1913; *fischeri* Toll, 1950; *klemensiewiczzi* Toll, 1950
- 1851)** *Coleophora rostrata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *rostrata* Baldizzone, 1994
- 1852)** *Coleophora salicorniae* Heinemann & Wocke, 1877 (Coleophoridae) Synonym(s): *salicorniae* Heinemann & Wocke, 1877; *cypricella* Rebel, 1928.
- 1853)** *Coleophora sarehma* Toll, 1956 (Coleophoridae) Synonym(s): *sarehma* Toll, 1956; *exasperatella* Toll, 1957
- 1854)** *Coleophora schahkuhensis* Toll, 1952 (Coleophoridae) Synonym(s): *schahkuhensis* Toll, 1952
- 1855)** *Coleophora schaufferella* Toll, 1959 (Coleophoridae) Synonym(s): *schaufferella* Toll, 1959
- 1856)** *Coleophora silenella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *silenella* Herrich-Schäffer, 1855; *dragusanii* Nemes, 2004
- 1857)** *Coleophora simplex* Baldizzone, 1994 (Coleophoridae) Synonym(s): *simplex* Baldizzone, 1994
- 1858)** *Coleophora sobria* Baldizzone, 1994 (Coleophoridae) Synonym(s): *sobria* Baldizzone, 1994
- 1859)** *Coleophora sogdianae* Baldizzone, 1994 (Coleophoridae) Synonym(s): *sogdianae* Baldizzone, 1994
- 1860)** *Coleophora strophingella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *strophingella* Baldizzone, 1994
- 1861)** *Coleophora subparcella* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *subparcella* Toll & Amsel, 1967
- 1862)** *Coleophora swatensis* Baldizzone, 1994 (Coleophoridae) Synonym(s): *swatensis* Baldizzone, 1994
- 1863)** *Coleophora symphistropa* Reznik, 1976 (Coleophoridae) Synonym(s): *symphistropa* Reznik, 1976
- 1864)** *Coleophora synchrona* Falkovitsh, 1988 (Coleophoridae) Synonym(s): *synchrona* Falkovitsh, 1988
- 1865)** *Coleophora taeniipennella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *taeniipennella* Herrich-Schäffer, 1855; *galactaula* Meyrick, 1928
- 1866)** *Coleophora teheranella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *teheranella* Baldizzone, 1994
- 1867)** *Coleophora testudo* Falkovitsh, 1973 (Coleophoridae) Synonym(s): *testudo* Falkovitsh, 1973
- 1868)** *Coleophora tetraciliata* Baldizzone, 2007 (Coleophoridae) Synonym(s): *tetraciliata* Baldizzone, 2007
- 1869)** *Coleophora tollamseliella* Oudejans, 1971 (Coleophoridae) Synonym(s): *tollamseliella* Oudejans, 1971
- 1870)** *Coleophora treskaensis* Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *treskaensis* Toll & Amsel, 1967; *sciurella* Baldizzone, 1987
- 1871)** *Coleophora trifissella* Rebel, 1910 (Coleophoridae) Synonym(s): *trifissella* Rebel, 1910
- 1872)** *Coleophora trifolii* (Curtis, 1832) (Coleophoridae) Synonym(s): *trifolii* Curtis, 1832; *chalybaella* Costa, [1836]; *melilotella* Scott, 1861.
- 1873)** *Coleophora tripeniella* Baldizzone, 1994 (Coleophoridae) Synonym(s): *tripeniella* Baldizzone, 1994
- 1874)** *Coleophora tristraminata* Toll, 1959 (Coleophoridae) Synonym(s): *tristraminata* Toll, 1959
- 1875)** *Coleophora tsherkesi* Falkovitsh, 1970 (Coleophoridae) Synonym(s): *tsherkesi* Falkovitsh, 1970
- 1876)** *Coleophora univittella* Staudinger, 1880 (Coleophoridae) Synonym(s): *univittella* Staudinger, 1880
- 1877)** *Coleophora valesianella* Zeller, 1849 (Coleophoridae) Synonym(s): *valesianella* Zeller, 1849; *giraudi* Ragonot, 1874; *simillima* Staudinger, 1880; *predotaella* Rebel, 1914
- 1878)** *Coleophora versurella* Zeller, 1849 (Coleophoridae) Synonym(s): *versurella* Zeller, 1849; *tardipennella* Zeller, 1849; *miserella* Staudinger, 1880; *agricolella* Fuchs, 1886; *atlanticella* Rebel, 1896; *enchorda* Meyrick, 1931; *pallorella* Benander, 1939; *thalassella* McDunnough, 1940; *constanti* Hering, 1942; *pisella* Amsel, 1953; *saccharella* Amsel, 1953; *amaranthivora* Oku, 1965
- 1879)** *Coleophora vestianella* (Linnaeus, 1758) (Coleophoridae) Synonym(s): *vestianella* Linnaeus, 1758; *laripennella* Zetterstedt, 1839; *galbulipennella* Duponchel, 1843; *annulatella* Tengström, 1848; *tengstroemella* Doubleday, 1859; *subtractella* Caradja, 1920

- 1880)** *Coleophora vibicigerella* Zeller, 1839 (Coleophoridae) Synonym(s): *vibicigerella* Zeller, 1839; *mandschuriae* Toll, 1942; *didyma* Toll, 1957.
- 1881)** *Coleophora vicinella* Zeller, 1849 (Coleophoridae) Synonym(s): *vicinella* Zeller, 1849; *gypsophilae* Christoph, 1862.
- 1882)** *Coleophora vulpecula* Zeller, 1849 (Coleophoridae) Synonym(s): *vulpecula* Zeller, 1849; *vulpeculoides* Toll, 1952
- 1883)** *Coleophora wiltshirei* Toll, 1959 (Coleophoridae) Synonym(s): *wiltshirei* Toll, 1959
- 1884)** *Coleophora xanthoargentea* Toll, 1959 (Coleophoridae) Synonym(s): *xanthoargentea* Toll, 1959
- 1885)** *Coleophora zagrosella* Baldizzzone, 1994 (Coleophoridae) Synonym(s): *zagrosella* Baldizzzone, 1994
- 1886)** *Coleophora zelleriella* Heinemann, 1854 (Coleophoridae) Synonym(s): *zelleriella* Heinemann, 1854
- 1887)** *Coleophora zernyi* Toll, 1944 (Coleophoridae) Synonym(s): *zernyi* Toll, 1944
- 1888)** *Coleophora zhusani* Falkovitsh, 1972 (Coleophoridae) Synonym(s): *zhusani* Falkovitsh, 1972
- 1889)** *Colias* (Eriocolias) *chrysotheme* (Esper, [1781]) (Pieridae) Synonym(s): *chrysotheme* Esper, [1781]
- 1890)** *Colias* (Eriocolias) *crocea* (Fourcroy, 1785) (Pieridae) Synonym(s): *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893.
- 1891)** *Colias* (Eriocolias) *thisoa* Ménétriés, 1832 (Pieridae) Synonym(s): *thisoa* Ménétriés, 1832; *helena* Herrich-Schäffer, [1844]; *eos* Herrich-Schäffer, [1848]; *#ludmilla* Schulte, 1989.
- 1892)** *Colias* (Eriocolias) *wiskotti* Staudinger, 1882 (Pieridae) Synonym(s): *wiskotti* Staudinger, 1882
- 1893)** *Colias* (Neocolias) *aurorina* Herrich-Schäffer, [1850] (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer, [1850]
- 1894)** *Colias* (Neocolias) *chlorocoma* Christoph, 1888 (Pieridae) Synonym(s): *chlorocoma* Christoph, 1888
- 1895)** *Colias* (Neocolias) *erate* (Esper, [1805]) (Pieridae) Synonym(s): *erate* Esper, [1805]; *afghana* O.Bang-Haas, 1927
- 1896)** *Colias* (Neocolias) *libanotica* Lederer, 1858 (Pieridae) Synonym(s): *libanotica* Lederer, 1858
- 1897)** *Colias* (Neocolias) *sagartia* Lederer, 1869 (Pieridae) Synonym(s): *sagartia* Lederer, 1869
- 1898)** *Colias* (s.str.) *alfacariensis* Ribbe, 1905 (Pieridae) Synonym(s): *alfacariensis* Ribbe, 1905
- 1899)** *Colletes* (*albomaculatus* gr.) *albomaculatus* (Lucas, 1849) (Colletidae) Synonym(s): *albomaculatus* Lucas, 1849
- 1900)** *Colletes* (*albomaculatus* gr.) *dorsalis* Morawitz, 1888 (Colletidae) Synonym(s): *dorsalis* Morawitz, 1888
- 1901)** *Colletes* (*albomaculatus* gr.) *punctatus* Mocsary, 1877 (Colletidae) Synonym(s): *punctatus* Mocsary, 1877
- 1902)** *Colletes* (*caspicus* gr.) *anceps* Radoszkowski, 1891 (Colletidae) Synonym(s): *anceps* Radoszkowski, 1891
- 1903)** *Colletes* (*caspicus* gr.) *idoneus* Cockerell, 1922 (Colletidae) Synonym(s): *idoneus* Cockerell, 1922
- 1904)** *Colletes* (*caspicus* gr.) *maidli* Noskiewicz, 1936 (Colletidae) Synonym(s): *maidli* Noskiewicz, 1936
- 1905)** *Colletes* (*clypearis* gr.) *asiaticus* Kuhlmann, 1999 (Colletidae) Synonym(s): *grisescens* Noskiewicz, 1936 *nec* Cock., 1930; *asiaticus* Kuhlmann, 1999
- 1906)** *Colletes* (*clypearis* gr.) *floralis* Eversmann, 1852 (Colletidae) Synonym(s): *floralis* Eversmann, 1852
- 1907)** *Colletes* (*clypearis* gr.) *radoszkowskii* Noskiewicz, 1936 (Colletidae) Synonym(s): *radoszkowskii* Noskiewicz, 1936
- 1908)** *Colletes* (*clypearis* gr.) *warncke* Kuhlmann, 2002 (Colletidae) Synonym(s): *warncke* Kuhlmann, 2002
- 1909)** *Colletes* (*cunicularius* gr.) *caskanus* (Strand, 1919) (Colletidae) Synonym(s): *caskanus* Strand, 1919
- 1910)** *Colletes* (*fodiens* gr.) *fodiens* (Fourcroy, 1785) (Colletidae) Synonym(s): *fodiens* Fourcroy, 1785
- 1911)** *Colletes* (*fodiens* gr.) *similis* Schenck, 1853 (Colletidae) Synonym(s): *similis* Schenck, 1853
- 1912)** *Colletes* (*fodiens* gr.) *tuberculatus* Morawitz, 1894 (Colletidae) Synonym(s): *tuberculatus* Morawitz, 1894
- 1913)** *Colletes* (*marginatus* gr.) *chengtehensis* Yasumatsu, 1935 (Colletidae) Synonym(s): *chengtehensis* Yasumatsu, 1935; *pallascens* Noskiewicz, 1936; *tsunekii* Yasumatsu, 1948
- 1914)** *Colletes* (*marginatus* gr.) *hethiticus* Warncke, 1978 (Colletidae) Synonym(s): *hethiticus* Warncke, 1978
- 1915)** *Colletes* (*nanus* gr.) *persicus* Warncke, 1979 (Colletidae) Synonym(s): *persicus* Warncke, 1979
- 1916)** *Colletes* (*nasutus* gr.) *nasutus* Smith, 1853 (Colletidae) Synonym(s): *nasutus* Smith, 1853
- 1917)** *Colletes* (*nigricans* gr.) *bidentulus* Noskiewicz, 1936 (Colletidae) Synonym(s): *bidentulus* Noskiewicz, 1936
- 1918)** *Colletes* (*nigricans* gr.) *eous* Morice, 1904 (Colletidae) Synonym(s): *eous* Morice, 1904
- 1919)** *Colletes* (*roborovskyi* gr.) *roborovskyi* Friese, 1913 (Colletidae) Synonym(s): *roborovskyi* Friese, 1913
- 1920)** *Colletes* (*senilis* gr.) *hakkari* Kuhlmann, 2002 (Colletidae) Synonym(s): *hakkari* Kuhlmann, 2002
- 1921)** *Colletes* (*senilis* gr.) *laevifrons* Morawitz, 1894 (Colletidae) Synonym(s): *laevifrons* Morawitz, 1894
- 1922)** *Colletes* (*senilis* gr.) *senilis* (Eversmann, 1852) (Colletidae) Synonym(s): *senilis* Eversmann, 1852
- 1923)** *Colletes* (*senilis* gr.) *subnitens* Noskiewicz, 1936 (Colletidae) Synonym(s): *subnitens* Noskiewicz, 1936
- 1924)** *Colletes* (*squamosus* gr.) *alfredjohni* Kuhlmann, 2002 (Colletidae) Synonym(s): *alfredjohni* Kuhlmann, 2002
- 1925)** *Colletes* (*squamosus* gr.) *cretaceus* Morawitz, 1876 (Colletidae) Synonym(s): *cretaceus* Morawitz, 1876
- 1926)** *Colletes* (*squamosus* gr.) *squamosus* Morawitz, 1877 (Colletidae) Synonym(s): *squamosus* Morawitz, 1877
- 1927)** *Colletes* (*squamosus* gr.) *squamulosus* Noskiewicz, 1936 (Colletidae) Synonym(s): *squamulosus* Noskiewicz, 1936
- 1928)** *Colletes* (*succintus* gr.) *iranicus* Noskiewicz, 1962 (Colletidae) Synonym(s): *iranicus* Noskiewicz, 1962
- 1929)** *Colobochyla* (*Caspicastra*) *platyzona* (Lederer, 1870) (Noctuidae) Synonym(s): *platyzona* Lederer, 1870; *#platyzona* Hacker, 1990.
- 1930)** *Colobochyla* (s.str.) *salicalis* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller], 1775; *salicatus* Haworth, 1809; *cinerea* Butler, 1879.
- 1931)** *Colotes* *iranicus* Wittmer, 1981 (Melyridae) Synonym(s): *iranicus* Wittmer, 1981
- 1932)** *Colotis* (s.str.) *amatus* (Fabricius, 1775) (Pieridae) Synonym(s): *amatus* Fabricius, 1775
- 1933)** *Colotis* (s.str.) *aurora* (Cramer, [1780]) (Pieridae) Synonym(s): *eucharis* Fabricius, 1775; *nec* Dru., [1773]; *aurora* Cramer, [1780].
- 1934)** *Colotis* (s.str.) *eborea* (Stoll, [1781]) (Pieridae) Synonym(s): *danae* Fabricius, 1775 *nec* Hufn., 1766; *eborea* Stoll, [1781].
- 1935)** *Colotis* (s.str.) *etrida* (Boisduval, 1836) (Pieridae) Synonym(s): *etrida* Boisduval, 1836; *bimbura* Butler, 1876; *casimirus* Butler, 1876; *farrinus* Butler, 1876; *pernotatus* Butler; *purus* Butler, 1876.
- 1936)** *Colotis* (s.str.) *evagore* (Klug, 1829) (Pieridae) Synonym(s): *evagore* Klug, 1829; *saxeus* Swinhoe, 1884
- 1937)** *Colotis* (s.str.) *fausta* (Olivier, [1804]) (Pieridae) Synonym(s): *fausta* Olivier, [1804]
- 1938)** *Colotis* (s.str.) *liagore* (Klug, 1829) (Pieridae) Synonym(s): *liagore* Klug, 1829; *#liagoroides* Rothschild, 1921; *#desertorum* Talbot, 1939.
- 1939)** *Colotis* (s.str.) *phisadia* (Godart, [1819]) (Pieridae) Synonym(s): *phisadia* Godart, [1819]; *arne* Klug, 1829; *philumene* Mabille, 1880.
- 1940)** *Colotis* (s.str.) *protractus* (Butler, 1876) (Pieridae) Synonym(s): *protractus* Butler, 1876; *semiramis* Groum-Grshimailo, 1902
- 1941)** *Colotis* (s.str.) *vestalis* (Butler, 1876) (Pieridae) Synonym(s): *vestalis* Butler, 1876; *puellaris* Butler, 1876; *ochreipennis* Butler, 1876; *intermissus* Butler, 1883; *rosus* Swinhoe, 1884; *peelus* Swinhoe, 1884; *dubius* Swinhoe, 1884.
- 1942)** *Concibaena serrulata* D.S.Fletcher, 1963 (Geometridae) Synonym(s): *serrulata* D.S.Fletcher, 1963
- 1943)** *Concavifer marmoratus* Dlabola, 1960 (Cicadellidae) Synonym(s): *marmoratus* Dlabola, 1960
- 1944)** *Concordaxis convergens* Gozmany, 2008 (Lecithoceridae) Synonym(s): *convergens* Gozmany, 2008

- 1945) **Condica conducta** (Walker, 1857) (Noctuidae) Synonym(s): *conducta* Walker, 1857; *inexacta* Walker, 1865.
 1946) **Condica palaestinensis** (Staudinger, 1895) (Noctuidae) Synonym(s): *palaestinensis* Staudinger, 1895; *persicola* Draudt, 1934; *persicola* Wiltshire, 1952
 1947) **Condica viscosa** (Freyer, 1831) (Noctuidae) Synonym(s): *viscosa* Freyer, 1831; *indelicata* Turati, 1934; *europaea* Parenzan, 1980.
 1948) **Coniopteryx (Xeroconiopteryx) furcata** Meinander, 1998 (Coniopterygidae) Synonym(s): *furcata* Meinander, 1998
 1949) **Coniopteryx (Xeroconiopteryx) manka** H. Aspöck & U. Aspöck, 1965 (Coniopterygidae) Synonym(s): *manka* H. Aspöck & U. Aspöck, 1965
 1950) **Coniopteryx (Xeroconiopteryx) resslia** Rausch & H. Aspöck, 1978 (Coniopterygidae) Synonym(s): *ressli* Rausch & H. Aspöck, 1978
 1951) **Coniopteryx (Xeroconiopteryx) venustula** Rausch & H. Aspöck, 1978 (Coniopterygidae) Synonym(s): *venustula* Rausch & H. Aspöck, 1978
 1952) **Coniopteryx (Xeroconiopteryx?) orba** Rausch & H. Aspöck, 1978 (Coniopterygidae) Synonym(s): *orba* Rausch & H. Aspöck, 1978
 1953) **Conistra (s.str.) chajjami** Hacker & Weigert, 1986 (Noctuidae) Synonym(s): *chajjami* Hacker & Weigert, 1986
 1954) **Conistra (s.str.) ligula** (Esper, 1791) (Noctuidae) Synonym(s): *ligula* Esper, [1791]
 1955) **Conistra (s.str.) vaccinii** (Linnaeus, 1761) (Noctuidae) Synonym(s): *vaccinii* Linnaeus, 1761; *polita* [Denis & Schiffermüller], 1775; *spadicea* [Denis & Schiffermüller], 1775
 1956) **Conobathra tumidana** ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *tumidana* [Denis & Schiffermüller], 1775; *tumidalis* Hübner, [1825]; *rubrotibiella* Fischer v. Roeslerstamm, 1839.
 1957) **Conobathra xanthogramma** (Staudinger, 1870) (Pyralidae) Synonym(s): *xanthogramma* Staudinger, 1870; *zizyphella* Rebel, 1914; *pumilella* Rebel, 1926; *arenella* Dufrane, 1955.
 1958) **Cononedys stenura** (Loew, 1871) (Bombyliidae) Synonym(s): *stenura* Loew, 1871
 1959) **Conophorus asiaticus** Paramonov, 1929 (Bombyliidae) Synonym(s): *asiaticus* Paramonov, 1929
 1960) **Conophorus monticola** Paramonov, 1929 (Bombyliidae) Synonym(s): *monticola* Paramonov, 1929
 1961) **Conophorus nobilis** (Loew, 1873) (Bombyliidae) Synonym(s): *nobilis* Loew, 1873
 1962) **Conophorus rossicus** Paramonov, 1929 (Bombyliidae) Synonym(s): *rossicus* Paramonov, 1929
 1963) **Conophorus syriacus** Paramonov, 1929 (Bombyliidae) Synonym(s): *syriacus* Paramonov, 1929
 1964) **Conophorus virescens** (Fabricius, 1787) (Bombyliidae) Synonym(s): *virescens* Fabricius, 1787; *maurus* Mikan, 1796; *hirticornis* Latreille, 1805; *semitrostris* Pallas, 1818; *lurida* Wiedemann, 1820
 1965) **Conophyma pazukii** Mirzayans, 1991 (Dericorythidae) Synonym(s): *pazukii* Mirzayans, 1991
 1966) **Conops flavicaudus** (Bigot, 1880) (Conopidae) Synonym(s): *flavicaudus* Bigot, 1880; *euzonatus* Bigot, 1887; *superbus* Röder, 1899; *cyprius* Janssens, 1955; *#falvicaudus* Stucke, Hayat & Özbek, 2008
 1967) **Conops flavifrons** Meigen, 1824 (Conopidae) Synonym(s): *flavifrons* Meigen, 1824; *pugioniformis* Becker, 1913; *minor* Becker, 1922; *kroeberii* Paramonov, 1927; *immaculata* Paramonov, 1927
 1968) **Conops insignis** Loew, 1848 (Conopidae) Synonym(s): *insignis* Loew, 1848; *laeta* Becker, 1922
 1969) **Conops vesicularis** Linnaeus, 1761 (Conopidae) Synonym(s): *vesicularis* Linnaeus, 1761
 1970) **Conosanus obsoletus** (Kirschbaum, 1858) (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum, 1858; *sejungendus* Kirschbaum, 1868; *covexus* Kirschbaum, 1868; *sempunctatus* Sahlberg, 1871; *piceus* Scott, 1875
 1971) **Conosimus oshanini** Puton, 1890 (Issidae) Synonym(s): *oshanini* Puton, 1890
 1972) **Copidosoma varicorne** (Nees ab Esenbeck, 1834) (Encyrtidae) Synonym(s): *varicorne* Nees ab Esenbeck, 1834; *sylliptae* Risbec, 1951; *gallaephila* Risbec, 1951; *annulata* Nikolskaya, 1952; *clavellatus* Erdős, 1960; *batorligetensis* Erdős, 1960
 1973) **Copium teucirii** (Host, 1788) (Tingidae) Synonym(s): *teucirii* Host, 1788; *lusitanicum* de Seabra, 1924
 1974) **Copris hispanus** (Linnaeus, 1764) (Scarabaeidae) Synonym(s): *hispanus* Linnaeus, 1764; *cavolini* Petagna, 1792; *retusus* Mulsant, 1842; *sinuatus* Mulsant, 1842; *tridens* Mulsant, 1842; *persianus* Miksic, 1958
 1975) **Copromyza (Borborillus) vitripennis** (Meigen, 1830) (Sphaeroceridae) Synonym(s): *saniosa* Westring, 1814; *vitripennis* Meigen, 1830; *longipennis* Haliday, 1836; *pilosiventris* Zetterstedt, 1860
 1976) **Copromyza (s.str.) pseudostercoraria** Papp, 1976 (Sphaeroceridae) Synonym(s): *pseudostercoraria* Papp, 1976
 1977) **Coptocephala crassipes** Lefevre, 1876 (Chrysomelidae) Synonym(s): *crassipes* Lefevre, 1876; *leprieuri* Pic, 1897; *rungsii* Pic, 1953; *kocheri* Pic, 1953; *vavilovi* Lopatin, 1966; *iranica* Medvedev, 1971
 1978) **Coranus aegyptius** (Fabricius, 1775) (Reduviidae) Synonym(s): *aegyptius* Fabricius, 1775; *linnavuorii* Dispons, 1963; *aegypticus* auct.
 1979) **Coranus angulatus** Stal, 1874 (Reduviidae) Synonym(s): *angulatus* Stal, 1874; *pirzadae* Miller, 1950; *filii* Dispons, 1954
 1980) **Coranus griseus** (Rossi, 1790) (Reduviidae) Synonym(s): *griseus* Rossi, 1790; *murinus* Rambur, 1840; *persicus* Wagner, 1952
 1981) **Cordulegaster insignis** Schneider, 1845 (Cordulegasteridae) Synonym(s): *insignis* Schneider, 1845; *amasina* Morton, 1916
 1982) **Coreus marginatus** (Linnaeus, 1758) (Coreidae) Synonym(s): *marginatus* Linnaeus, 1758
 1983) **Coridioides viduatus** (Fabricius, 1794) (Dinidoridae) Synonym(s): *viduatus* Fabricius, 1794
 1984) **Coriomeris pallidus** (Reuter, 1900) (Coreidae) Synonym(s): *pallidus* Reuter, 1900
 1985) **Corixa affinis** Leach, 1818 (Corixidae) Synonym(s): *affinis* Leach, 1818
 1986) **Corixa dentipes** Thomson, 1869 (Corixidae) Synonym(s): *dentipes* Thomson, 1869
 1987) **Corixa jakowleffi** Horvath, 1879 (Corixidae) Synonym(s): *jakowleffi* Horvath, 1879
 1988) **Corixa punctata** (Illiger, 1807) (Corixidae) Synonym(s): *punctata* Illiger, 1807
 1989) **Corizus fenestella** Horvath, 1917 (Rhopalidae) Synonym(s): *limbatus* Reuter, 1900 *nec* Rey, 1877; *fenestella* Horvath, 1917; *alternans* Horvath, 1917; *subsimilis* Horvath, 1917; *diluta* Distant, 1918
 1990) **Corizus hyoscyami** (Linnaeus, 1758) (Rhopalidae) Synonym(s): *hyoscyami* Linnaeus, 1758; *#hyoscyami* Kiyak et al., 2004
 1991) **Cornifrons ulceratalis** Lederer, 1858 (Pyralidae) Synonym(s): *ulceratalis* Lederer, 1858; *seriziatialis* Oberthür, 1876
 1992) **Cornutiplusia circumflexa** (Linnaeus, 1767) (Noctuidae) Synonym(s): *circumflexa* Linnaeus, 1767; *lunata* Fabricius, 1787; *flexuosa* Donovan, 1807; *daubii* Freyer, 1838; *graphica* Herrich-Schäffer, 1851; *patefacta* Walker, [1858]; *reticulata* Moore, 1882; *clarescens* Pinker & Bacallado, 1975; *#unata* Kononenko & Pinratana, 2005
 1993) **Corynis caucasica** (Mocsary, 1886) (Cimicidae) Synonym(s): *caucasica* Mocsary, 1886
 1994) **Cosmia (Calymnia) trapezina** (Linnaeus, 1758) (Noctuidae) Synonym(s): *trapezina* Linnaeus, 1758
 1995) **Cosmopleurus fulvipes** (Dallas, 1852) (Lygaeidae) Synonym(s): *fulvipes* Dallas, 1852; *obscura* Bergevin, 1936
 1996) **Cosmopterix attenuatella** (Walker, 1864) (Cosmopterigidae) Synonym(s): *attenuatella* Walker, 1864; *flavofasciata* Wollaston, 1879; *lepidaeae* Walsingham, 1882; *mimetis* Meyrick, 1897; *apiculata* Meyrick, 1922; *antillia* Forbes, 1930; *luteoapicalis* Ghesquière, 1942; *superba* Gozmany, 1960

- 1997) *Cosmopterix salahinella* Chrétien, 1907 (Cosmopterigidae) Synonym(s): *salahinella* Chrétien, 1907; *rufella* Turati, 1927; *phragmitidis* Amsel, 1935
- 1998) *Cosmopterix schmidiella* (Frey, 1856) (Cosmopterigidae) Synonym(s): *schmidiella* Frey, 1856
- 1999) *Cossulus argentatus* (Staudinger, 1887) (Cossidae) Synonym(s): *argentatus* Staudinger, 1887; *araxes* De Freina, 1982
- 2000) *Cossulus herzi* (Alpheraky, 1893) (Cossidae) Synonym(s): *herzi* Alpheraky, 1893
- 2001) *Cossulus irani* (Daniel, 1937) (Cossidae) Synonym(s): *irani* Daniel, 1937
- 2002) *Cossulus lignosus* (Brandt, 1938) (Cossidae) Synonym(s): *lignosus* Brandt, 1938
- 2003) *Cossulus mucosus* (Christoph, 1884) (Cossidae) Synonym(s): *mucosus* Christoph, 1884
- 2004) *Cossulus putridus* (Christoph, 1887) (Cossidae) Synonym(s): *putridus* Christoph, 1887
- 2005) *Cossulus strioliger* (Alpheraky, 1893) (Cossidae) Synonym(s): *strioliger* Alpheraky, 1893; *confusa* Rothschild, 1912.
- 2006) *Cossulus turcomanicus* (Christoph, 1893) (Cossidae) Synonym(s): *turcomanicus* Christoph, 1893
- 2007) *Cossus cossus* (Linnaeus, 1758) (Cossidae) Synonym(s): *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794
- 2008) *Cossus hyrcanus* Christoph, 1888 (Cossidae) Synonym(s): *hyrcanus* Christoph, 1888
- 2009) *Costaconvexa polygrammata* (Borkhausen, 1794) (Geometridae) Synonym(s): *polygrammata* Borkhausen, 1794; *polygrammaria* Haworth, 1809; *conjunctaria* Lederer, 1853; *#rosea* Wiltshire, 1946
- 2010) *Cotesia telengai* (Tobias, 1972) (Braconidae) Synonym(s): *telengai* Tobias, 1972; *amabilis* Nixon, 1974
- 2011) *Crambus heringiellus* Herrich-Schäffer, [1848] (Pyralidae) Synonym(s): *heringiellus* Herrich-Schäffer, [1848]; *#hemigiellus* Hampson, 1896.
- 2012) *Crambus perlellus* (Scopoli, 1763) (Pyralidae) Synonym(s): *perlellus* Scopoli, 1763; *dealbellus* Thunberg, 1788; *warringtonellus* Stainton, 1849.
- 2013) *Craniophora fasciata* (Moore, [1884]) (Noctuidae) Synonym(s): *fasciata* Moore, [1884]; *nigrostriata* Pagenstecher, 1888; *divisa* Moore, 1888
- 2014) *Craniophora ligustri* (Fabricius, 1787) (Noctuidae) Synonym(s): *#ligustri* [Denis & Schiffermüller], 1775; *ligustri* Fabricius, 1787.
- 2015) *Craniophora pontica* (Staudinger, 1879) (Noctuidae) Synonym(s): *pontica* Staudinger, 1879
- 2016) *Cratichneumon coruscator* (Linnaeus, 1758) (Ichneumonidae) Synonym(s): *coruscator* Linnaeus, 1758; *luridus* Gravenhorst, 1829
- 2017) *Creataloum arabicum* (Hampson, 1896) (Arctiidae) Synonym(s): *arabicum* Hampson, 1896; *gracilis* Staudinger, 1899
- 2018) *Cretonotos gangis* (Linnaeus, 1763) (Arctiidae) Synonym(s): *gangis* Linnaeus, 1763; *interrupta* Linnaeus, 1767; *francisca* Fabricius, 1787; *continuatus* Moore, 1877; *#pallida* Rothschild, 1914; *#nigrescens* Rothschild, 1914; *#feminatus* Strand, 1919.
- 2019) *Creoleon aegyptiacus* (Rambur, 1842) (Myrmeleonidae) Synonym(s): *aegyptiacus* Rambur, 1842
- 2020) *Creoleon elegans* Hölzel, 1968 (Myrmeleonidae) Synonym(s): *elegans* Hölzel, 1968
- 2021) *Creoleon griseus* (Klug, 1834) (Myrmeleonidae) Synonym(s): *griseus* Klug, 1834; *perfidus* Walker, 1853; *sedulus* Walker, 1853; *adversus* Walker, 1853
- 2022) *Creoleon persicus* Hölzel, 1972 (Myrmeleonidae) Synonym(s): *persicus* Hölzel, 1972
- 2023) *Creoleon plumbeus* (Olivier, 1811) (Myrmeleonidae) Synonym(s): *plumbeus* Olivier, 1811
- 2024) *Crepidodera fulvicornis* (Fabricius, 1792) (Chrysomelidae) Synonym(s): *fulvicornis* Fabricius, 1792; *smaragdina* Foudras, 1860; *plicicornis* Weise, 1886; *jucunda* Weise, 1886; *lapponica* Heikertinger, 1950
- 2025) *Crobilocerus megilliformis* (Loew, 1847) (Asilidae) Synonym(s): *megilliformis* Loew, 1847
- 2026) *Crobilocerus spinosus* Theodor, 1980 (Asilidae) Synonym(s): *spinosus* Theodor, 1980
- 2027) *Crocalia aglossalis* Ragonot, 1892 (Pyralidae) Synonym(s): *aglossalis* Ragonot, 1892; *latidorsalis* Turati, 1929; *exsculpta* Meyrick, 1937
- 2028) *Croce zarudnyi* Alexandrov-Martynov, 1930 (Nemopteridae) Synonym(s): *zarudnyi* Alexandrov-Martynov, 1930
- 2029) *Crociodolomia pavonana* (Fabricius, 1794) (Pyralidae) Synonym(s): *pavonana* Fabricius, 1794; *binotalis* Zeller, 1852; *comalis* Guenée, 1854; *incomalis* Guenée, 1854; *quadripunctata* Shiraki, 1913; *dentalis* Amsel, 1951
- 2030) *Crociodosema plebejana* Zeller, 1847 (Tortricidae) Synonym(s): *plebejana* Zeller, 1847; *altheana* Mann, 1855; *lavaterana* Millière, 1863; *peregrinana* Möschler, 1866; *obscura* Wollaston, 1879; *blackburnii* Butler, 1881; *signatana* Walsingham, 1894; *ptiladelpha* Meyrick, 1917; *insulana* Aurivillius, 1922; *synneurota* Meyrick, 1926; *tornocycla* Turner, 1946; *charmera* Turner, 1946.
- 2031) *Crombrugghia distans* (Zeller, 1847) (Pterophoridae) Synonym(s): *distans* Zeller, 1847; *distantidactyla* Bruand, 1858; *geodactylus* Fuchs, 1903; *lactuca* Fletcher, 1920; *clarisignis* Myerick, 1924; *buvati* Bigot & Picard, 1988; *pravieli* Bigot & Picard, 1989; *gibeauxi* Bigot et al., 1990; *supplementum* Gibeaux, 1997.
- 2032) *Crombrugghia kollari* (Stainton, 1851) (Pterophoridae) Synonym(s): *kollari* Stainton, 1851
- 2033) *Crombrugghia laeta* (Zeller, 1847) (Pterophoridae) Synonym(s): *laetus* Zeller, 1847; *loetidactyla* Bruand, 1858; *andryalae* Millière, 1863; *andryaladactylus* Millière, 1863; *lantoscanus* Millière, 1882.
- 2034) *Cryphia (Bryoleuca) argentacea* (Bytinsky-Salz & Brandt, 1937) (Noctuidae) Synonym(s): *argentacea* Bytinsky-Salz & Brandt, 1937
- 2035) *Cryphia (Bryoleuca) eucta* (Hampson, 1908) (Noctuidae) Synonym(s): *eucta* Hampson, 1908
- 2036) *Cryphia (Bryoleuca) petrea* (Guenée, 1852) (Noctuidae) Synonym(s): *petrea* Guenée, 1852
- 2037) *Cryphia (Bryoleuca) petricolor* (Lederer, 1870) (Noctuidae) Synonym(s): *petricolor* Lederer, 1870; *iranica* Schwingenschuss, 1937; *#solimana* Draudt, 1937.
- 2038) *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller], 1775; *divisa* Esper, [1791]; *palliola* Borkhausen, 1792; *pomula* Borkhausen, 1792; *deceptricula* Hübner, [1803]; *carbonis* Freyer, 1849; *felina* Eversmann, 1852; *#striata* Staudinger, 1879; *#persica* Strand, 1915; *cretica* Reisser, 1962
- 2039) *Cryphia (Bryoleuca) rectilinea* (W. Warren, 1909) (Noctuidae) Synonym(s): *rectilinea* W. Warren, 1909; *mediochracea* Bytinski-Salz, 1936; *insulicola* Reisser, 1962.
- 2040) *Cryphia (Bryoleuca) tephrocharis* Boursin, 1954 (Noctuidae) Synonym(s): *tephrocharis* Boursin, 1954
- 2041) *Cryphia (Bryoleuca) thamanaea* (Hampson, 1908) (Noctuidae) Synonym(s): *thamanaea* Hampson, 1908
- 2042) *Cryphia (Bryophila) centralis* (Draudt, 1931) (Noctuidae) Synonym(s): *centralis* Draudt, 1931
- 2043) *Cryphia (Bryophila) eucharista* Boursin, 1960 (Noctuidae) Synonym(s): *iranica* Brandt, 1941 *nec* Schwing., 1937; *eucharista* Boursin, 1960.
- 2044) *Cryphia (Bryophila) idonea* (Christoph, 1893) (Noctuidae) Synonym(s): *idonea* Christoph, 1893; *taftana* Brandt, 1939.
- 2045) *Cryphia (Bryophila) klapperichi* Boursin, 1960 (Noctuidae) Synonym(s): *klapperichi* Boursin, 1960
- 2046) *Cryphia (Bryophila) maeonis* (Lederer, 1865) (Noctuidae) Synonym(s): *maeonis* Lederer, 1865; *praecana* Christoph, 1893; *rubellina* Staudinger, 1900; *sordida* Staudinger, 1900; *sabulosa* W. Warren, 1909.
- 2047) *Cryphia (Bryophila) occidentalis* (Osthelder, 1933) (Noctuidae) Synonym(s): *occidentalis* Osthelder, 1933.
- 2048) *Cryphia (Bryophila) salomonis* Boursin, 1954 (Noctuidae) Synonym(s): *salomonis* Boursin, 1954

- 2049)** *Cryphia (Bryopsis) amasina (Draudt,1931)* (Noctuidae) Synonym(s): *amasina* Draudt,1931
- 2050)** *Cryphia (Euthales) ochsi (Boursin,1941)* (Noctuidae) Synonym(s): *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952
- 2051)** *Cryphia (s.str.) receptricula (Hübner,[1803])* (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 nec Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétriés,1859.
- 2052)** *Cryptobium iranoturkestanicum Scheerpeltz,1956* (Staphylinidae) Synonym(s): *iranoturkestanicum* Scheerpeltz,1956
- 2053)** *Cryptocephalus bicolor Eschscholtz,1818* (Chrysomelidae) Synonym(s): *bicolor* Eschscholtz,1818; *concinus* Suffrian,1853
- 2054)** *Cryptocephalus concolor Suffrian,1847* (Chrysomelidae) Synonym(s): *concolor* Suffrian,1847
- 2055)** *Cryptocephalus connexus Olivier,1808* (Chrysomelidae) Synonym(s): *connexus* Olivier,1808
- 2056)** *Cryptocephalus flavipes Fabricius,1781* (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781
- 2057)** *Cryptocephalus imperialis Laicharting,1781* (Chrysomelidae) Synonym(s): *imperialis* Laicharting,1781
- 2058)** *Cryptocephalus janthinus Germar,1824* (Chrysomelidae) Synonym(s): *janthinus* Germar,1824
- 2059)** *Cryptocephalus moraei (Linnaeus,1758)* (Chrysomelidae) Synonym(s): *moraei* Linnaeus,1758
- 2060)** *Cryptocephalus ocellatus Drapiez,1819* (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819
- 2061)** *Cryptocephalus parvulus Müller,1776* (Chrysomelidae) Synonym(s): *parvulus* Müller,1776
- 2062)** *Cryptopristus salviae Zerova,2008* (Torymidae) Synonym(s): *salviae* Zerova,2008
- 2063)** *Cryptotrogus niveus (Hampe,1852)* (Scarabaeidae) Synonym(s): *niveus* Hampe,1852
- 2064)** *Ctenophora (Cnemoncosis) magnifica Loew,1869* (Tipulidae) Synonym(s): *magnifica* Loew,1869
- 2065)** *Ctenota coerulea (Becker,1913)* (Asilidae) Synonym(s): *coerulea* Becker,1913
- 2066)** *Ctenota molitrix Loew,1873* (Asilidae) Synonym(s): *molitrix* Loew,1873
- 2067)** *Ctenotilla caeca (Radoszkowski,1879)* (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879; *pectinifera* André,1893; *obscura* Nonveiller,1959
- 2068)** *Cucullia (s.str.) absinthii (Linnaeus,1761)* (Noctuidae) Synonym(s): *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857
- 2069)** *Cucullia (s.str.) argentina (Fabricius,1787)* (Noctuidae) Synonym(s): *argentina* Fabricius,1787; *achalina* Püngeler,1900; *griseocens* F.Wagner,1931 nec Lch.,1900; *anatoliensis* Koçak,1980.
- 2070)** *Cucullia (s.str.) behouneki Hacker & Ronkay,1988* (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay,1988
- 2071)** *Cucullia (s.str.) boryphora Fischer v. Waldheim,1840* (Noctuidae) Synonym(s): *boryphora* Fischer & Waldheim,1840; *lignata* Guenée,1841; *rimula* Freyer,1842
- 2072)** *Cucullia (s.str.) calendulae Treitschke,1835* (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980.
- 2073)** *Cucullia (s.str.) dracunculi (Hübner,[1813])* (Noctuidae) Synonym(s): *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guenée,1852; *linosyridis* Fuchs,1903.
- 2074)** *Cucullia (s.str.) faucicola Wiltshire,1943* (Noctuidae) Synonym(s): *faucicola* Wiltshire,1943
- 2075)** *Cucullia (s.str.) hemidiaphana Graeser,1892* (Noctuidae) Synonym(s): *hemidiaphana* Graeser,1892
- 2076)** *Cucullia (s.str.) improba Christoph,1885* (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958
- 2077)** *Cucullia (s.str.) kasyi Wiltshire,1976* (Noctuidae) Synonym(s): *kasyi* Wiltshire,1976
- 2078)** *Cucullia (s.str.) khorassana Brandt,1941* (Noctuidae) Synonym(s): *chorassana* Brandt,1941
- 2079)** *Cucullia (s.str.) leptographa Reisser,1958* (Noctuidae) Synonym(s): *leptographa* Reisser,1958
- 2080)** *Cucullia (s.str.) maracandica Staudinger,1888* (Noctuidae) Synonym(s): *maracandica* Staudinger,1888; *herzi* Alpheraky,1894.
- 2081)** *Cucullia (s.str.) mixta Freyer,1841* (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846
- 2082)** *Cucullia (s.str.) petrophila G.Ronkay & L.Ronkay,1998* (Noctuidae) Synonym(s): *petrophila* G.Ronkay & L.Ronkay,1998
- 2083)** *Cucullia (s.str.) santolinae Rambur,1834* (Noctuidae) Synonym(s): *santolinae* Rambur,1834
- 2084)** *Cucullia (s.str.) santonici (Hübner,[1813])* (Noctuidae) Synonym(s): *santonici* Hübner,[1813]; *yuennanensis* Boursin,1941
- 2085)** *Cucullia (s.str.) tanaceti (Goeze,1781)* (Noctuidae) Synonym(s): *tanaceti* Goeze,1781
- 2086)** *Cucullia (s.str.) tecca Püngeler,1906* (Noctuidae) Synonym(s): *tecca* Püngeler,1906
- 2087)** *Cucullia (s.str.) umbratica (Linnaeus,1758)* (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
- 2088)** *Cucullia (Shargacucullia) barthae Boursin,1933* (Noctuidae) Synonym(s): *barthae* Boursin,1933
- 2089)** *Cucullia (Shargacucullia) lanceolata (Villers,1789)* (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
- 2090)** *Cucullia (Shargacucullia) strigicosta Boursin,1940* (Noctuidae) Synonym(s): *strigicosta* Boursin,1940
- 2091)** *Cucullia (Shargacucullia) verbasci (Linnaeus,1758)* (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 2092)** *Cueta lineosus (Rambur,1842)* (Myrmeleonidae) Synonym(s): *lineosus* Rambur,1842; *morosus* Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915
- 2093)** *Cueta luteola Hölzel,1972* (Myrmeleonidae) Synonym(s): *luteola* Hölzel,1972
- 2094)** *Cueta modesta Hölzel,1972* (Myrmeleonidae) Synonym(s): *modesta* Hölzel,1972
- 2095)** *Cueta parvula Hölzel,1968* (Myrmeleonidae) Synonym(s): *parvula* Hölzel,1968
- 2096)** *Cueta striata Kimmins,1943* (Myrmeleonidae) Synonym(s): *striata* Kimmins,1943
- 2097)** *Culex (Barradius) modestus Ficalbi,1889* (Culicidae) Synonym(s): *modestus* Ficalbi,1889; *eadithae* Barraud,1924; *tanajcus* Stschelkanovzev,1926; *nudipalpis* Shingarev,1927
- 2098)** *Culex (Barradius) pusillus Macquart,1850* (Culicidae) Synonym(s): *pusillus* Macquart,1850
- 2099)** *Culex (Maillotia) deserticola Kirkpatrick,1924* (Culicidae) Synonym(s): *deserticola* Kirkpatrick,1924
- 2100)** *Culex (Maillotia) hortensis Ficalbi,1889* (Culicidae) Synonym(s): *hortensis* Ficalbi,1889; *pilifera* Theobald,1907; *lavierei* Larrousse,1925
- 2101)** *Culex (Neoculex) territans Walker,1856* (Culicidae) Synonym(s): *territans* Walker,1856; *saxatilis* Grossbeck,1905; *frickii* Ludlow,1906; *pyrenaicus* Brolemann,1919; *nematoides* Dyar & Shannon,1925
- 2102)** *Culex (s.str.) laticinctus Edwards,1913* (Culicidae) Synonym(s): *laticinctus* Edwards,1913
- 2103)** *Culex (s.str.) mimeticus Noe,1899* (Culicidae) Synonym(s): *mimeticus* Noe,1899; *pseudomimeticus* Sargent,1909
- 2104)** *Culex (s.str.) perexiguus Theobald,1903* (Culicidae) Synonym(s): *perexiguus* Theobald,1903
- 2105)** *Culex (s.str.) pipiens Linnaeus,1758* (Culicidae) Synonym(s): *pipiens* Linnaeus,1758; *bifurcatus* Linnaeus,1758; *fasciatus* Müller,1764; *molestus* Forskal,1775; *trifurcatus* Fabricius,1794; *luteus* Meigen,1804; *domesticus* Germar,1817; *bicolor* Meigen,1818; *marginalis* Stephens,1825; *meridionalis* Leach,1825; *thoracicus* R-D.,1827; *calcitrans* R-

- D.*,1827; *consobrinus* R-D.,1827; *unistriatus* Curtis,1837; *pallipes* Macquart,1838; *rufinus* Bigot,1888; *phytophagus* Ficalbi,1889; *agilis* Bigot,1889; *haematophagus* Ficalbi,1893; *melanorhinus* Giles,1900; *longefurcatus* Becker,1903; *varioannulatus* Theobald,1903; *azorensis* Theobald,1903; *quasimodestus* Theobald,1905; *osakensis* Theobald,1907; *comitatus* Dyar & Knab,1909; *dipseticus* Dyar & Knab,1909; *doliorum* Edwards,1912; *autogenicus* Roubaud,1935; *berbericus* Roubaud,1935; *sternopallidus* Roubaud,1945; *sternopunctatus* Roubaud,1945; *disjunctus* Roubaud,1957; *calloti* Rioux & Pech,1959; *erectus* Iglish,1977; *torridus* Iglish,1977
- 2106) *Culex* (s.str.) *theileri* Theobald,1903** (Culicidae) Synonym(s): *theileri* Theobald,1903
- 2107) *Culex* (s.str.) *torrentium* Martini,1925** (Culicidae) Synonym(s): *torrentium* Martini,1925; *pavlovsky* Shingarev,1928
- 2108) *Culex* (s.str.) *tritaeniorhynchus* Giles,1901** (Culicidae) Synonym(s): *tritaeniorhynchus* Giles,1901; *summosus* Dyar,1920; *biroi* Theobald,1905; *siamensis* Barraud & Christophers,1931
- 2109) *Culicoides* *bulbostylus* Khalaf,1961** (Ceratopogonidae) Synonym(s): *bulbostylus* Khalaf,1961
- 2110) *Culicoides* *circumscripatus* Kieffer,1918** (Ceratopogonidae) Synonym(s): *circumscripatus* Kieffer,1918; *nadayanus* Kieffer,1918; *edwardsi* Goetghebuer,1921; *algarum* Kieffer,1924; *salicola* Kieffer,1924; *pictidorsum* Kieffer,1924; *albonotatus* Vimmer,1932 nec Kieff.,1918; *albosignatus* Vimmer,1932; *polymaculatus* Vimmer,1932; *kirovabadicus* Dzhabarov,1964
- 2111) *Culicoides* *faghihi* Navai,1971** (Ceratopogonidae) Synonym(s): *faghihi* Navai,1971
- 2112) *Culicoides* *flavidus* Dzhabarov,1959** (Ceratopogonidae) Synonym(s): *flavidus* Dzhabarov,1959
- 2113) *Culicoides* *grisescens* Edwards,1921** (Ceratopogonidae) Synonym(s): *grisescens* Edwards,1921
- 2114) *Culicoides* *heliophilus* Edwards,1921** (Ceratopogonidae) Synonym(s): *heliophilus* Edwards,1921; *latifrontis* Shakirjanova,1962; *kobachidzei* Dzhabarov,1964
- 2115) *Culicoides* *ibericus* Dzhabarov,1963** (Ceratopogonidae) Synonym(s): *ibericus* Dzhabarov,1963
- 2116) *Culicoides* *imicola* Kieffer,1913** (Ceratopogonidae) Synonym(s): *imicola* Kieffer,1913; *pallidipennis* Carter,Ingram & Macfie,1920; *iraqensis* Khalaf,1957; *minutus* Sen & Das Gupta,1959; *pseudoturgidus* Das Gupta,1962
- 2117) *Culicoides* *iranicus* Navai,1971** (Ceratopogonidae) Synonym(s): *iranicus* Navai,1971
- 2118) *Culicoides* *koreensis* Arnaud,1956** (Ceratopogonidae) Synonym(s): *koreensis* Arnaud,1956; *palustris* Amosova,1957
- 2119) *Culicoides* *kurensis* Dzhabarov,1960** (Ceratopogonidae) Synonym(s): *kurensis* Dzhabarov,1960
- 2120) *Culicoides* *longipennis* Khalaf,1957** (Ceratopogonidae) Synonym(s): *longipennis* Khalaf,1957; *flavisimilis* Dzhabarov,1964
- 2121) *Culicoides* *mesghalii* Navai,1973** (Ceratopogonidae) Synonym(s): *mesghalii* Navai,1973
- 2122) *Culicoides* *nagahanai* Tokunaga,1956** (Ceratopogonidae) Synonym(s): *nagahanai* Tokunaga,1956
- 2123) *Culicoides* *odibilis* Austen,1921** (Ceratopogonidae) Synonym(s): *odibilis* Austen,1921
- 2124) *Culicoides* *pallidicornis* Kieffer,1919** (Ceratopogonidae) Synonym(s): *pallidicornis* Kieffer,1919; *susae* Kieffer,1919; *dileucus* Kieffer,1921; *brunneiscutellatus* Zilahi-Sebess,1933; *bruneoscutellatus* Zilahi-Sebess,1934; *niger* Root & Hoffman,1937
- 2125) *Culicoides* *pallidipennis* Carter, Ingram & Macfie,1920** (Ceratopogonidae) Synonym(s): *pallidipennis* Carter, Ingram & Macfie,1920
- 2126) *Culicoides* *pictimargo* Tokonaga & Shogaki,1954** (Ceratopogonidae) Synonym(s): *pictimargo* Tokonaga & Shogaki,1954
- 2127) *Culicoides* *pictipennis* Staeger,1839** (Ceratopogonidae) Synonym(s): *pictipennis* Staeger,1839
- 2128) *Culicoides* *pulicaris* (Linnaeus,1758)** (Ceratopogonidae) Synonym(s): *pulicaris* Linnaeus,1758; *setosinervis* Kieffer,1913; *pullatus* Kieffer,1915; *stephensi* Carter,1916; *cinerellus* Kieffer,1919; *quinquepunctatus* Goetghebuer,1921; *flavipilum* Kieffer,1924; *sawamotoi* Kono & Takahasi,1940
- 2129) *Culicoides* *punctatus* (Meigen,1804)** (Ceratopogonidae) Synonym(s): *punctatus* Meigen,1804; *punctatus* Latreille,1809; *impressus* Kieffer,1918; *kasachstanicus* Shakirjanova,1963; *#punctatus* Navai & Mesghali,1968
- 2130) *Culicoides* *puncticollis* (Becker,1903)** (Ceratopogonidae) Synonym(s): *puncticollis* Becker,1903; *impressus* Kieffer,1918; *distigma* Kieffer,1922; *donatieni* Kieffer,1922; *sciniphes* Kieffer,1925; *bipunctatus* Vimmer,1932; *tripunctatus* Vimmer,1932; *wenigi* Vimmer,1932; *flavitorsis* Vimmer,1932; *flavitorsis* Vimmer,1932; *griseovittatus* Vimmer,1932; *luteosignatus* Vimmer,1932; *vavrai* Vimmer,1932
- 2131) *Culicoides* *riethi* Kieffer,1914** (Ceratopogonidae) Synonym(s): *riethi* Kieffer,1914; *cordatus* Kieffer,1921; *crassiforceps* Kieffer,1924
- 2132) *Culicoides* *saevus* Kieffer,1922** (Ceratopogonidae) Synonym(s): *saevus* Kieffer,1922; *dremskii* Zilahi-Sebess,1934; *puncticeps* Goetghebuer,1934; *micromaculithorax* Khalaf,1957
- 2133) *Culicoides* *schultzei* (Enderlein,1908)** (Ceratopogonidae) Synonym(s): *schultzei* Enderlein,1908; *irroratus* Goetghebuer,1948
- 2134) *Culicoides* *sejfadinei* Dzhabarov,1958** (Ceratopogonidae) Synonym(s): *sejfadinei* Dzhabarov,1958; *flavidus* Dzhabarov,1959
- 2135) *Culicoides* *shahgudiani* Navai,1973** (Ceratopogonidae) Synonym(s): *shahgudiani* Navai,1973
- 2136) *Culicoides* *similisbaghdadensis* Khalaf,1957** (Ceratopogonidae) Synonym(s): *similisbaghdadensis* Khalaf,1957
- 2137) *Culicoides* *subfasciipennis* Kieffer,1919** (Ceratopogonidae) Synonym(s): *subfasciipennis* Kieffer,1919; *analisis* Kieffer,1925
- 2138) *Culicoides* *turkmenicus* Gutzevich,1959** (Ceratopogonidae) Synonym(s): *turkmenicus* Gutzevich,1959
- 2139) *Culiseta* (Allothobaldia) *longiareolata* (Macquart,1838)** (Culicidae) Synonym(s): *longiareolata* Macquart,1838; *spathipalpis* Rondani,1872; *leucogrammus* Loew,1874; *serratipes* Becker,1908; *marocanus* D'Anfreville,1916
- 2140) *Culiseta* (Culicella) *fumipennis* (Stephens,1825)** (Culicidae) Synonym(s): *fumipennis* Stephens,1825; *ficalbi* Noe,1899; *theobaldi* Meijere,1911; *setivalva* Monchadskii,1936
- 2141) *Culiseta* (s.str.) *annulata* (Schränk,1776)** (Culicidae) Synonym(s): *annulata* Schränk,1776; *annulatus* Fabricius,1787; *affinis* Stephens,1825; *nicaensis* Leach,1825; *ferruginata* Martini,1924
- 2142) *Cupedia* *cupediella* (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *cupediella* Herrich-Schäffer,1855
- 2143) *Cupido* (s.str.) *osiris* (Meigen,[1829])** (Lycaenidae) Synonym(s): *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]
- 2144) *Cupido* (s.str.) *staudingeri* (Christoph,1873)** (Lycaenidae) Synonym(s): *staudingeri* Christoph,1873
- 2145) *Cyamophila* *astragalicola* (Gegechkori,1977)** (Psyllidae) Synonym(s): *astragalicola* Gegechkori,1977
- 2146) *Cybalomia* *fractilinealis* (Christoph,1873)** (Pyralidae) Synonym(s): *fractilinealis* Christoph,1873
- 2147) *Cybalomia* *pentadalis* (Lederer,1855)** (Pyralidae) Synonym(s): *pentadalis* Lederer,1855
- 2148) *Cybalomia* *triplacogramma* Meyrick,1937** (Pyralidae) Synonym(s): *triplacogramma* Meyrick,1937
- 2149) *Cyclophora* *albiocellaria* (Hübner,1789)** (Geometridae) Synonym(s): *albiocellaria* Hübner,1789; *ocellaria* Hübner,1799; *argusaria* Boisduval,1840
- 2150) *Cyclophora* *linearia* (Hübner,[1799])** (Geometridae) Synonym(s): *zonata* Fourcroy,1785; *luteolaria* Villers,1789; *linearia* Hübner,[1799]; *strabonaria* Zeller,1851

- 2151)** *Cyclophora porata* (Linnaeus,1767) (Geometridae) Synonym(s): *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825
- 2152)** *Cyclophora punctaria* (Linnaeus,1758) (Geometridae) Synonym(s): *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
- 2153)** *Cyclophora puppillaria* (Hübner,[1799]) (Geometridae) Synonym(s): *puppillaria* Hübner,[1799].
- 2154)** *Cyclophora quercimontaria* (Bastelberger,1897) (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrosparsaria* Scoble,1999; *privataria* Scoble,1999
- 2155)** *Cyclophora suppunctaria* (Zeller,1847) (Geometridae) Synonym(s): *suppunctaria* Zeller,1847
- 2156)** *Cydia adjunctana* (Kennel,1901) (Tortricidae) Synonym(s): *adjunctana* Kennel,1901
- 2157)** *Cydia delineana* (Walker,1863) (Tortricidae) Synonym(s): *delineana* Walker,1863; *apicatana* Walker,1863; *sinana* Felder,1874; *tetragrammana* Staudinger,1879; *mundana* Christoph,1881; *terstrigana* Ragonot,1894; *quadristrana* Walsingham,1900.
- 2158)** *Cydia farsica* (Danilevski & Kuznetsov,1968) (Tortricidae) Synonym(s): *farsica* Danilevski & Kuznetsov,1968
- 2159)** *Cydia leucogrammana* (Hofmann,1898) (Tortricidae) Synonym(s): *leucogrammana* Hofmann,1898
- 2160)** *Cydia persica* (Danilevskii & Kuznetsov,1968) (Tortricidae) Synonym(s): *persica* Danilevskii & Kuznetsov,1968
- 2161)** *Cydia pomonella* (Linnaeus,1758) (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859
- 2162)** *Cydia succedana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] nec [Den. & Schiff.],1775; *griseana* Osthelder,1938
- 2163)** *Cydnus aterrimus* (Forster,1771) (Cydnidae) Synonym(s): *aterrimus* Forster,1771
- 2164)** *Cylindera (Cicindina) pygmaea* (Dejean,1825) (Carabidae) Synonym(s): *pygmaea* Dejean,1825
- 2165)** *Cylindera (Cicindina) sublacerata* (Solsky,1874) (Carabidae) Synonym(s): *sublacerata* Solsky,1874
- 2166)** *Cylindera (s.str.) germanica* (Linnaeus,1758) (Carabidae) Synonym(s): *germanica* Linnaeus,1758
- 2167)** *Cylindromyia persica* Tschorsnig,2000 (Tachinidae) Synonym(s): *persica* Tschorsnig,2000
- 2168)** *Cyllaraxis cambyes* Gozmany,2000 (Autostichidae) Synonym(s): *cambyes* Gozmany,2000
- 2169)** *Cyllaraxis cyrus* Gozmany,2000 (Autostichidae) Synonym(s): *cyrus* Gozmany,2000
- 2170)** *Cyllenina marginata* Loew,1846 (Bombyliidae) Synonym(s): *marginata* Loew,1846
- 2171)** *Cyllenina obsoleta* Loew,1846 (Bombyliidae) Synonym(s): *obsoleta* Loew,1846
- 2172)** *Cymbalophora oetzeni* (Lederer,1855) (Arctiidae) Synonym(s): *oetzeni* Lederer,1855
- 2173)** *Cymbionotum (s.str.) mandli* (Jedlicka,1963) (Carabidae) Synonym(s): *mandli* Jedlicka,1963
- 2174)** *Cymbionotum (s.str.) pictulum* (Bates,1874) (Carabidae) Synonym(s): *pictulum* Bates,1874; *transcaucasica* Chaudoir,1874; *signata* Semenov,1889
- 2175)** *Cymbionotum (s.str.) semelederi* (Chaudoir,1861) (Carabidae) Synonym(s): *semelederi* Chaudoir,1861; *alginus* Chaudoir,1876; *funerula* Fairmaire,1885; *luniferum* Andrewes,1935; *houskai* Jedlicka,1951
- 2176)** *Cynaeda dentalis* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
- 2177)** *Cynaeda furiosa* Hampson,1900 (Pyrilidae) Synonym(s): *furiosa* Hampson,1900
- 2178)** *Cynaeda gigantea* (Wocke,1871) (Pyrilidae) Synonym(s): *gigantea* Wocke,1871
- 2179)** *Cyanegetis syriaca* (Mader) (Coccinellidae) Synonym(s): *syriaca* Mader; *rapillyi*
- 2180)** *Cyphon arietizans* Nyholm,1970 (Scirtidae) Synonym(s): *arietizans* Nyholm,1970
- 2181)** *Cyphon longiusculus* Nyholm,1970 (Scirtidae) Synonym(s): *longiusculus* Nyholm,1970
- 2182)** *Cyphonoxia praestabilis* Reitter,1889 (Scarabaeidae) Synonym(s): *praestabilis* Reitter,1889
- 2183)** *Cyphostethus tristriatus* (Fabricius,1787) (Acanthosomatidae) Synonym(s): *tristriatus* Fabricius,1787
- 2184)** *Cyrtisiopsis maculiventris* (Loew,1874) (Mythicomyiidae) Synonym(s): *maculiventris* Loew,1874
- 2185)** *Cyrtisiopsis melleus* (Loew,1856) (Mythicomyiidae) Synonym(s): *melleus* Loew,1856
- 2186)** *Cyrtogaster vulgaris* Walker,1833 (Pteromalidae) Synonym(s): *vulgaris* Walker,1833; *cingulipes* Walker,1833; *rufipes* Walker,1833; *tenuis* Walker,1833; *thoracica* Walker,1833; *viridiaeneus* Nees,1834; *aquisgranensis* Förster,1841; *acarnas* Walker,1848; *degener* Walker,1872
- 2187)** *Cyrtolabulus iranus* (Giordani Soika,1968) (Vespidae) Synonym(s): *iranus* Giordani Soika,1968
- 2188)** *Cyrtolabulus zarudnyi* (Kostylev,1939) (Vespidae) Synonym(s): *zarudnyi* Kostylev,1939
- 2189)** *Cyrtosia meridionalis* Rondani,1863 (Mythicomyiidae) Synonym(s): *meridionalis* Rondani,1863
- 2190)** *Cyrtosia pusilla* Loew,1873 (Mythicomyiidae) Synonym(s): *pusilla* Loew,1873
- 2191)** *Cytherea albolineata* (Bezzi,1925) (Bombyliidae) Synonym(s): *albolineata* Bezzi,1925
- 2192)** *Cytherea alexandrina* (Becker,1902) (Bombyliidae) Synonym(s): *alexandrina* Becker,1902
- 2193)** *Cytherea dispar* (Loew,1873) (Bombyliidae) Synonym(s): *dispar* Loew,1873
- 2194)** *Cytherea esfandiarii* Lindner,1975 (Bombyliidae) Synonym(s): *esfandiarii* Lindner,1975
- 2195)** *Cytherea fenestrata* (Loew,1873) (Bombyliidae) Synonym(s): *fenestrata* Loew,1873
- 2196)** *Cytherea innitidifrons* Abbassian-Lintzen,1968 (Bombyliidae) Synonym(s): *innitidifrons* Abbassian-Lintzen,1968
- 2197)** *Cytherea iranica* Abbassian-Lintzen,1968 (Bombyliidae) Synonym(s): *iranica* Abbassian-Lintzen,1968
- 2198)** *Cytherea mervensis* Paramonov,1927 (Bombyliidae) Synonym(s): *mervensis* Paramonov,1927
- 2199)** *Cytherea obscura* Fabricius,1794 (Bombyliidae) Synonym(s): *obscura* Fabricius,1794; *tauriacus* Becker,1903
- 2200)** *Cytherea pallidipennis* Abbassian-Lintzen,1968 (Bombyliidae) Synonym(s): *pallidipennis* Abbassian-Lintzen,1968
- 2201)** *Cytherea persicana* (Becker,1903) (Bombyliidae) Synonym(s): *persicana* Becker,1903
- 2202)** *Cytherea thyridophora* Bezzi,1925 (Bombyliidae) Synonym(s): *thyridophora* Bezzi,1925
- 2203)** *Cytherea transcaspia* (Becker,1903) (Bombyliidae) Synonym(s): *transcaspia* Becker,1903
- 2204)** *Dacus (Leptoxyda) persicus* Hendel,1927 (Tephritidae) Synonym(s): *persicus* Hendel,1927
- 2205)** *Dailognatha caraboides* Solier,1835 (Tenebrionidae) Synonym(s): *caraboides* Solier,1835; *audouini* Solier,1835; *caucasica* Desbrochers,1881
- 2206)** *Dalmannia aculeata* (Linnaeus,1761) (Conopidae) Synonym(s): *aculeata* Linnaeus,1761; *gemina* Weidemann,1824; *meridionalis* R-D.,1830; *australis* Macquart,1835; *desponsata* Rondani,1857; *nigrifemorata* Paramonov,1927
- 2207)** *Danaus (Anosia) chrysippus* (Linnaeus,1758) (Danaiidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759
- 2208)** *Danaus (Anosia) dorippus* (Klug,1845) (Danaiidae) Synonym(s): *dorippus* Klug,1845
- 2209)** *Daphnis nerii* (Linnaeus,1758) (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
- 2210)** *Daria coenosella* Ragonot,1888 (Pyrilidae) Synonym(s): *coenosella* Ragonot,1888; *tshetverikovi* Kusnesov,1908.
- 2211)** *Dasycorsa modesta* (Staudinger,1879) (Geometridae) Synonym(s): *modesta* Staudinger,1879

- 2212) Dasylabris (Craspedopyga) mandersternii (Radoszkowski,1865)** (Mutillidae) Synonym(s): *mandersternii* Radoszkowski,1865; *cypria Sichel & Radoszkowski,1870 [ssp.]*
- 2213) Dasypoda (Megadasypoda) argentata Panzer,1809** (Melittidae) Synonym(s): *argentata* Panzer,1809
- 2214) Dasypoda (Megadasypoda) intermedia Michez,2005** (Melittidae) Synonym(s): *intermedia* Michez,2005
- 2215) Dasypoda (s.str.) hirtipes (Fabricius,1793)** (Melittidae) Synonym(s): *hirtipes* Fabricius,1793; *graeca* Lepeletier,1841
- 2216) Dasypoda (s.str.) litigator Baker,2002** (Melittidae) Synonym(s): *litigator* Baker,2002
- 2217) Dasypogon diadema (Fabricius,1781)** (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preyssl,1790; *analys* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906
- 2218) Dasypogon irinelae Weinberg,1986** (Asilidae) Synonym(s): *irinelae* Weinberg,1986
- 2219) Dasypogon magisi Tomasovic,1999** (Asilidae) Synonym(s): *magisi* Tomasovic,1999
- 2220) Dasypogon octonotatus Loew,1869** (Asilidae) Synonym(s): *octonotatus* Loew,1869; *melanopterus* Loew,1869
- 2221) Dasypolia (Dasymixis) diva L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *diva* L.Ronkay & Varga,1990
- 2222) Dasypolia (s.str.) altissima Hacker & Moberg,1988** (Noctuidae) Synonym(s): *altissima* Hacker & Moberg,1988
- 2223) Dasypolia (s.str.) ferdinandi Rühl,1892** (Noctuidae) Synonym(s): *ferdinandi* Rühl,1892
- 2224) Dasypolia (s.str.) ipaykala L.Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *ipaykala* L.Ronkay, Varga & Hreblay,1998
- 2225) Dasypolia (s.str.) templi (Thunberg,1792)** (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
- 2226) Dasyrhamphis kuhedenaensis Jezek,1981** (Tabanidae) Synonym(s): *kuhedenaensis* Jezek,1981
- 2227) Dasyscolia ciliata (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata* Fabricius,1787; *araratica* Radoszkowsky,1890; *fastuosa* Gribodo,1893
- 2228) Dasysyrphus albostratus (Fallén,1817)** (Syrphidae) Synonym(s): *albostratus* Fallén,1817
- 2229) Dasytidius kalalovae Majer,1991** (Melyridae) Synonym(s): *kalalovae* Majer,1991
- 2230) Dasytidius longiventris Majer,1991** (Melyridae) Synonym(s): *longiventris* Majer,1991
- 2231) Dasytidius nigripes (Pic,1894)** (Melyridae) Synonym(s): *nigripes* Pic,1894
- 2232) Dasytidius opertus Majer,1991** (Melyridae) Synonym(s): *opertus* Majer,1991
- 2233) Dasytidius persicus (Pic,1926)** (Melyridae) Synonym(s): *persicus* Pic,1926
- 2234) Dasytidius princeps Majer,1991** (Melyridae) Synonym(s): *princeps* Majer,1991
- 2235) Dasytidius quadricollis (Schilsky,1896)** (Melyridae) Synonym(s): *quadricollis* Schilsky,1896
- 2236) Dasytidius quaesitus Majer,1991** (Melyridae) Synonym(s): *quaesitus* Majer,1991
- 2237) Dasytidius robustus Majer,1991** (Melyridae) Synonym(s): *robustus* Majer,1991
- 2238) Dasytidius transversus Majer,1991** (Melyridae) Synonym(s): *transversus* Majer,1991
- 2239) Dasytiscus minimus (J.Sahlberg,1903)** (Melyridae) Synonym(s): *minimus* J.Sahlberg,1903; *bicoloripes* Pic,1926
- 2240) Dasytiscus pallens Majer,1988** (Melyridae) Synonym(s): *pallens* Majer,1988
- 2241) Decticus verrucivorus (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846
- 2242) Deilephila elpenor (Linnaeus,1758)** (Sphingidae) Synonym(s): *elpenor* Linnaeus,1758
- 2243) Deilephila suellus Staudinger,1878** (Sphingidae) Synonym(s): *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938.
- 2244) Delfimeus intricatus (Hölzel,1972)** (Myrmeleonidae) Synonym(s): *intricatus* Hölzel,1972
- 2245) Delfimeus iranensis (Hölzel,1972)** (Myrmeleonidae) Synonym(s): *iranensis* Hölzel,1972
- 2246) Delfimeus laetus (Hölzel,1968)** (Myrmeleonidae) Synonym(s): *laetus* Hölzel,1968
- 2247) Delfimeus morgani (Navas,1913)** (Myrmeleonidae) Synonym(s): *morgani* Navas,1913
- 2248) Delia persica Hennig,1974** (Anthomyiidae) Synonym(s): *persica* Hennig,1974
- 2249) Delodusa humeralis (Uvarov,1929)** (Tettigoniidae) Synonym(s): *humeralis* Uvarov,1929
- 2250) Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne* Saussure,1852
- 2251) Delta esuriens (Fabricius,1787)** (Vespidae) Synonym(s): *esuriens* Fabricius,1787
- 2252) Delta hottentottus (Saussure,1852)** (Vespidae) Synonym(s): *hottentottus* Saussure,1852; *elegans* Saussure,1852
- 2253) Deltophora beatrix Sattler,1979** (Gelechiidae) Synonym(s): *beatrix* Sattler,1979
- 2254) Deltophora fasciella Sattler,1979** (Gelechiidae) Synonym(s): *fasciella* Sattler,1979
- 2255) Deltophora maculata (Staudinger,1879)** (Gelechiidae) Synonym(s): *maculata* Staudinger,1879
- 2256) Deltote bankiana (Fabricius,1775)** (Noctuidae) Synonym(s): *bankiana* Fabricius,1775; *olivana* [Denis & Schiffermüller],1775; *olivea* Hübner,[1813]; *amurula* Staudinger,1892; *albescens* Draudt,1935; *uniformis* Draudt,1935.
- 2257) Deltote iranica (Kotzsch,1940)** (Noctuidae) Synonym(s): *iranica* Kotzsch,1940
- 2258) Dendarus (Pandarinus) armeniacus Baudi,1876** (Tenebrionidae) Synonym(s): *armeniaceus* Baudi,1876
- 2259) Dentilla dichroa (Sichel & Radoszkowski,1870)** (Mutillidae) Synonym(s): *dichroa* Sichel & Radoszkowski,1870
- 2260) Dentilla irana Lelej,1985** (Mutillidae) Synonym(s): *irana* Lelej,1985
- 2261) Dentilla osteni Lelej,2004** (Mutillidae) Synonym(s): *osteni* Lelej,2004
- 2262) Dentilla persica (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *persica* Sichel & Radoszkowski,1869
- 2263) Dentilla zarudnyi Lelej,1985** (Mutillidae) Synonym(s): *zarudnyi* Lelej,1985
- 2264) Dentitegumia afghanella Amsel,1970** (Pyralidae) Synonym(s): *afghanella* Amsel,1970
- 2265) Dentitegumia dhana Roesler,1989** (Pyralidae) Synonym(s): *dhana* Roesler,1989
- 2266) Dentitegumia nigrigranella (Ragonot,1890)** (Pyralidae) Synonym(s): *nigrigranella* Ragonot,1890; *comeella* Amsel,1961.
- 2267) Dentitegumia sirjana Roesler,1989** (Pyralidae) Synonym(s): *sirjana* Roesler,1989
- 2268) Depressaria cervicella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *cervicella* Herrich-Schäffer,1854
- 2269) Depressaria coenosella Zerny,1939** (Oecophoridae) Synonym(s): *coenosella* Zerny,1939
- 2270) Depressaria daucivorella Ragonot,1889** (Oecophoridae) Synonym(s): *daucivorella* Ragonot,1889; *mesopotamica* Amsel,1949
- 2271) Depressaria depressana (Fabricius,1775)** (Oecophoridae) Synonym(s): *depressana* Fabricius,1775; *anethana* Brahm,1791; *depressella* Fabricius,1798; *bluntii* Curtis,1828; *collarella* Zetterstedt,1839.
- 2272) Depressaria discipunctella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer,1854
- 2273) Depressaria eryngiella Millière,1881** (Oecophoridae) Synonym(s): *eryngiella* Millière,1881; *campestrella* Chrétien,1896; *deliciosella* Turati,1924; *obolucha* Meyrick,1936
- 2274) Depressaria fuscovirgatella Heinemann,1967** (Oecophoridae) Synonym(s): *fuscovirgatella* Heinemann,1967; *pagmanella* Amsel,1972
- 2275) Depressaria hirtipalpis Zeller,1854** (Oecophoridae) Synonym(s): *hirtipalpis* Zeller,1854

- 2276) *Depressaria ivinskisi* Lvovsky, 1990 (Oecophoridae) Synonym(s): *ivinskisi* Lvovsky, 1990
- 2277) *Depressaria macrotrichella* Rebel, 1917 (Oecophoridae) Synonym(s): *macrotrichella* Rebel, 1917
- 2278) *Depressaria marcella* Rebel, 1901 (Oecophoridae) Synonym(s): *marcella* Rebel, 1901; *cuprinella* Walsingham, 1907; *marcidella* Walsingham, 1907; *cruenta* Meyrick, 1920; *chneuriella* Lucas, 1940
- 2279) *Depressaria peregrinella* Hannemann, 1967 (Oecophoridae) Synonym(s): *peregrinella* Hannemann, 1967
- 2280) *Depressaria rutilicola* Christoph, 1873 (Oecophoridae) Synonym(s): *rutilicola* Christoph, 1873
- 2281) *Depressaria sordidatella* Tengström, 1848 (Oecophoridae) Synonym(s): *sordidatella* Tengström, 1848; *weirella* Stainton, 1849.
- 2282) *Depressaria velox* Staudinger, 1859 (Oecophoridae) Synonym(s): *velox* Staudinger, 1859; *tortuosella* Chrétien, 1908
- 2283) *Depressotetrix depressa* (Brisout, 1848) (Tetrigidae) Synonym(s): *depressa* Brisout, 1848; *acuminata* Brisout, 1850; *charpentieri* Fieber, 1853; *elevata* Fieber, 1853; *rudis* Walker, 1971; *turcicus* Demirsoy, 1977
- 2284) *Deraeocoris pallens* (Reuter, 1904) (Miridae) Synonym(s): *pallens* Reuter, 1904
- 2285) *Dericorys albidula* Audinet-Serville, [1838] (Dericorythidae) Synonym(s): *albidula* Audinet-Serville, [1838]; *tibialis* Fieber, 1853 nec Pall., 1773; *acutispina* Stal, 1875; *curvipes* Redtenbacher, 1889
- 2286) *Dericorys annulata* (Fieber, 1853) (Dericorythidae) Synonym(s): *annulata* Fieber, 1853; *roseipennis* Redtenbacher, 1889; *lazurens* Uvarov, 1914
- 2287) *Dericorys cyrtosterna* Uvarov, 1933 (Dericorythidae) Synonym(s): *cyrtosterna* Uvarov, 1933
- 2288) *Dericorys tibialis* (Pallas, 1773) (Dericorythidae) Synonym(s): *tibialis* Pallas, 1773; *gibbosa* Fischer von Waldheim, 1839; *maculata* Fischer von Waldheim, 1846; *fumipennis* Adelung, 1906
- 2289) *Dericorys uvarovi* Ramme, 1930 (Dericorythidae) Synonym(s): *uvarovi* Ramme, 1930
- 2290) *Dericorys vitrea* Bei-Bienko, 1958 (Dericorythidae) Synonym(s): *vitrea* Bei-Bienko, 1958
- 2291) *Dericorys xenosterna* Uvarov, 1933 (Dericorythidae) Synonym(s): *xenosterna* Uvarov, 1933
- 2292) *Derisa atratula* Melichar, 1902 (Flatidae) Synonym(s): *atratula* Melichar, 1902
- 2293) *Dermestes (Dermestinus) coronatus* Steven, 1808 (Dermestidae) Synonym(s): *coronatus* Steven, 1808
- 2294) *Dermestes (Dermestinus) gyllenhali* Castelnau, 1840 (Dermestidae) Synonym(s): *tessellatus* Gyllenhal, 1808 nec Fabr., 1775; *gyllenhali* Castelnau, 1840
- 2295) *Dermestes (Dermestinus) kaszabi* Kalik, 1950 (Dermestidae) Synonym(s): *kaszabi* Kalik, 1950
- 2296) *Dermestes (Dermestinus) sardous* Küster, 1846 (Dermestidae) Synonym(s): *sardous* Küster, 1846; *asiatica* Hava, 2002
- 2297) *Dermestes (Montandonia) fuliginosus* Rossi, 1792 (Dermestidae) Synonym(s): *fuliginosus* Rossi, 1792
- 2298) *Dermestes (Montandonia) olivieri* Lepesme, 1939 (Dermestidae) Synonym(s): *olivieri* Lepesme, 1939
- 2299) *Derolus iranensis* Pic, 1956 (Cerambycidae) Synonym(s): *iranensis* Pic, 1956; *iranensis* Lepesme & Breuning, 1958
- 2300) *Deronectes elburs* Fery, Köksal & Hosseinie, 2001 (Dytiscidae) Synonym(s): *elburs* Fery, Köksal & Hosseinie, 2001
- 2301) *Deronectes elmii* Fery & Hosseinie, 1998 (Dytiscidae) Synonym(s): *elmii* Fery & Hosseinie, 1998
- 2302) *Deronectes hendrichi* Fery & Hosseinie, 1998 (Dytiscidae) Synonym(s): *hendrichi* Fery & Hosseinie, 1998
- 2303) *Deronectes longipes* Sharp, 1882 (Dytiscidae) Synonym(s): *longipes* Sharp, 1882
- 2304) *Deronectes parvicollis* (Schaum, 1864) (Dytiscidae) Synonym(s): *parvicollis* Schaum, 1864
- 2305) *Deronectes persicus* Peschet, 1914 (Dytiscidae) Synonym(s): *persicus* Peschet, 1914
- 2306) *Deronectes youngi* Fery & Hosseinie, 1998 (Dytiscidae) Synonym(s): *youngi* Fery & Hosseinie, 1998
- 2307) *Derula delagrangei* Puton, 1892 (Pentatomidae) Synonym(s): *delagrangei* Puton, 1892
- 2308) *Deserticossus arenicola* (Staudinger, 1879) (Cossidae) Synonym(s): *arenicola* Staudinger, 1879
- 2309) *Desertomenida albula* Kiritshenko, 1914 (Pentatomidae) Synonym(s): *albula* Kiritshenko, 1914
- 2310) *Desertoplusia bella* (Christoph, 1887) (Noctuidae) Synonym(s): *bella* Christoph, 1887
- 2311) *Desertoplusia colornata* Varga & L.Ronkay, 1991 (Noctuidae) Synonym(s): *bella* auct. nec Chr., 1887; *colornata* Varga & L.Ronkay, 1991; *#colornata* Hacker, 1992
- 2312) *Desmatoneura erythrostoma* (Rondani, 1873) (Bombyliidae) Synonym(s): *frenatus* Holmgren, 1872; *erythrostoma* Rondani, 1873
- 2313) *Deudorix (Virachola) livia* (Klug, 1834) (Lycaenidae) Synonym(s): *livia* Klug, 1834; *pallescent* Rothschild, 1921
- 2314) *Diachrysis chrysis* (Linnaeus, 1758) (Noctuidae) Synonym(s): *chrysis* Linnaeus, 1758
- 2315) *Diachrysis chryson* (Esper, [1789]) (Noctuidae) Synonym(s): *chryson* Esper, [1789]; *aerifera* Sowerby, 1805
- 2316) *Diaphania indica* (Saunders, 1851) (Pyralidae) Synonym(s): *indica* Saunders, 1851; *capensis* Zeller, 1852; *gazoralis* Guenée, 1854; *zygaenalis* Guenée, 1854; *curcubitalis* Guenée, 1862; *intermedialis* Dognin, 1904.
- 2317) *Diaphora mendica* (Linnaeus, 1761) (Arctiidae) Synonym(s): *#mendica* Clerck, 1759; *mendica* Linnaeus, 1761; *rustica* Hübner, [1791]
- 2318) *Diarsia mendica* (Fabricius, 1775) (Noctuidae) Synonym(s): *mendica* Fabricius, 1775; *festiva* [Denis & Schiffermüller], 1775; *primulae* Esper, [1788]; *subrufa* Haworth, 1809; *conflua* Treitschke, 1827; *dannehli* Corti & Draudt, 1933.
- 2319) *Dibolia kralii* Mohr, 1981 (Chrysomelidae) Synonym(s): *kralii* Mohr, 1981
- 2320) *Dibolia occultans* (Koch, 1803) (Chrysomelidae) Synonym(s): *occultans* Koch, 1803; *menthae* Hering, 1924
- 2321) *Dibolia zangezura* Khnzorian, 1968 (Chrysomelidae) Synonym(s): *zangezura* Khnzorian, 1968
- 2322) *Diceratura porrectana* Djakonov, 1929 (Tortricidae) Synonym(s): *porrectana* Djakonov, 1929
- 2323) *Diceratura roseofasciana* (Mann, 1855) (Tortricidae) Synonym(s): *roseofasciana* Mann, 1855; *aequana* Caradja, 1916; *keredjana* Razowski, 1963.
- 2324) *Diceratura teheranica* Razowski, 1970 (Tortricidae) Synonym(s): *teheranica* Razowski, 1970
- 2325) *Dichagyris (Grisyigoga) candelisequa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller], 1775; *sagittifera* Hübner, [1813]; *piemonticola* Schwingenschuss, 1954; *zapateri* Schwingenschuss, 1962.
- 2326) *Dichagyris (s.str.) amoena* (Staudinger, 1892) (Noctuidae) Synonym(s): *amoena* Staudinger, 1892; *flavida* Corti & Draudt, 1933.
- 2327) *Dichagyris (s.str.) anastasia* (Draudt, 1936) (Noctuidae) Synonym(s): *anastasia* Draudt, 1936
- 2328) *Dichagyris (s.str.) argentea* (Kozhantshikov, 1929) (Noctuidae) Synonym(s): *argentea* Kozhantshikov, 1929
- 2329) *Dichagyris (s.str.) armeniaca* Kozhantshikov, 1929 (Noctuidae) Synonym(s): *armeniaca* Kozhantshikov, 1929; *assimilata* Kozhantshikov, 1929; *striatus* Kozhantshikov, 1929.
- 2330) *Dichagyris (s.str.) boursini* Brandt, 1941 (Noctuidae) Synonym(s): *boursini* Brandt, 1941
- 2331) *Dichagyris (s.str.) celebrata* (Alpheraky, 1897) (Noctuidae) Synonym(s): *celebrata* Alpheraky, 1897
- 2332) *Dichagyris (s.str.) devota* (Christoph, 1884) (Noctuidae) Synonym(s): *devota* Christoph, 1884; *turana* Staudinger, 1892
- 2333) *Dichagyris (s.str.) elbursica* (Draudt, 1937) (Noctuidae) Synonym(s): *elbursica* Draudt, 1937
- 2334) *Dichagyris (s.str.) erubescens* (Staudinger, 1892) (Noctuidae) Synonym(s): *erubescens* Staudinger, 1892
- 2335) *Dichagyris (s.str.) forficula* (Eversmann, 1851) (Noctuidae) Synonym(s): *forficula* Eversmann, 1851
- 2336) *Dichagyris (s.str.) fredii* (Brandt, 1938) (Noctuidae) Synonym(s): *fredii* Brandt, 1938

- 2337) Dichagyris (s.str.) grisescens Staudinger,1879** (Noctuidae) Synonym(s): *grisescens* Staudinger,1879; *fasciata* Vorbrod,1930; *euryloma* Corti,1933
- 2338) Dichagyris (s.str.) gyulaii Gyulai & Varga,2002** (Noctuidae) Synonym(s): *gyulaii* Gyulai & Varga,2002
- 2339) Dichagyris (s.str.) humilis (Boursin,1940)** (Noctuidae) Synonym(s): *humilis* Boursin,1940
- 2340) Dichagyris (s.str.) ilseae Stangelmaier & Wieser & Fibiger,2003** (Noctuidae) Synonym(s): *ilseae* Stangelmaier & Wieser & Fibiger,2003
- 2341) Dichagyris (s.str.) jacobsoni Kozhantshikov,1929** (Noctuidae) Synonym(s): *jacobsoni* Kozhantshikov,1929; *boursini* Brandt,1941.
- 2342) Dichagyris (s.str.) leucomelas Brandt,1941** (Noctuidae) Synonym(s): *leucomelas* Brandt,1941
- 2343) Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
- 2344) Dichagyris (s.str.) melanuroides Kozhantshikov,1930** (Noctuidae) Synonym(s): *melanuroides* Kozhantshikov,1930
- 2345) Dichagyris (s.str.) multicuspis (Eversmann,1852)** (Noctuidae) Synonym(s): *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *issykula* Staudinger,1889; *aequicuspis* Staudinger,1895; *issycula* Hampson,1903
- 2346) Dichagyris (s.str.) paisa (Brandt,1938)** (Noctuidae) Synonym(s): *paisa* Brandt,1938
- 2347) Dichagyris (s.str.) pfeifferi (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt,1933
- 2348) Dichagyris (s.str.) poecilopetala (Varga,1979)** (Noctuidae) Synonym(s): *poecilopetala* Varga,1979
- 2349) Dichagyris (s.str.) psammochroa (Boursin,1940)** (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; *#dichroa* Boursin,1940.
- 2350) Dichagyris (s.str.) singularis (Staudinger,1877)** (Noctuidae) Synonym(s): *singularis* Staudinger,1877
- 2351) Dichagyris (s.str.) squalidior (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901
- 2352) Dichagyris (s.str.) squalorum (Eversmann,1856)** (Noctuidae) Synonym(s): *squalorum* Eversmann,1856
- 2353) Dichagyris (s.str.) taftana Brandt,1941** (Noctuidae) Synonym(s): *taftana* Brandt,1941
- 2354) Dichagyris (s.str.) terminicincta (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
- 2355) Dichagyris (s.str.) tyrannus (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *tyrannus* A.Bang-Haas,1912
- 2356) Dichagyris (s.str.) vallesiaca (Boisduval,[1837])** (Noctuidae) Synonym(s): *vallesiaca* Boisduval,[1837]
- 2357) Dichagyris (Yigoga) acutijuxta (Boursin,1957)** (Noctuidae) Synonym(s): *acutijuxta* Boursin,1957
- 2358) Dichagyris (Yigoga) celsicola (Bellier,1858)** (Noctuidae) Synonym(s): *celsicola* Bellier,1858
- 2359) Dichagyris (Yigoga) danilevskiy (Stshetkin,1965)** (Noctuidae) Synonym(s): *danilevskiy* Stshetkin,1965
- 2360) Dichagyris (Yigoga) disturbans (Püngeler,1914)** (Noctuidae) Synonym(s): *turbans* Hampson,1903 *nec* Stgr.,1888; *disturbans* Püngeler,1914; *mirabica* Brandt,1941.
- 2361) Dichagyris (Yigoga) eureteocles (Boursin,1940)** (Noctuidae) Synonym(s): *eureteocles* Boursin,1940
- 2362) Dichagyris (Yigoga) flavina (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
- 2363) Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
- 2364) Dichagyris (Yigoga) gracilis (F.Wagner,1929)** (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929
- 2365) Dichagyris (Yigoga) iranicola (Koçak,1980)** (Noctuidae) Synonym(s): *hyrcana* Corti & Draudt,1933 *nec* Stgr.,1900; *iranicola* Koçak,1980.
- 2366) Dichagyris (Yigoga) latipennis (Püngeler,1909)** (Noctuidae) Synonym(s): *latipennis* Püngeler,1909
- 2367) Dichagyris (Yigoga) lupinus (Brandt,1941)** (Noctuidae) Synonym(s): *lupinus* Brandt,1941
- 2368) Dichagyris (Yigoga) nachadira (Brandt,1941)** (Noctuidae) Synonym(s): *nachadira* Brandt,1941
- 2369) Dichagyris (Yigoga) nigrescens (Hofner,1888)** (Noctuidae) Synonym(s): *nigrescens* Hofner,1888
- 2370) Dichagyris (Yigoga) orientis (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
- 2371) Dichagyris (Yigoga) romanovi (Christoph,1885)** (Noctuidae) Synonym(s): *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990.
- 2372) Dichagyris (Yigoga) serraticornis (Staudinger,1898)** (Noctuidae) Synonym(s): *serraticornis* Staudinger,1898
- 2373) Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775
- 2374) Dichagyris (Yigoga) sincera (De Freina & Hacker,1985)** (Noctuidae) Synonym(s): *sincera* De Freina & Hacker,1985.
- 2375) Dichagyris (Yigoga) strenua (Corti,1926)** (Noctuidae) Synonym(s): *strenua* Corti,1926
- 2376) Dichagyris (Yigoga) truculenta (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853
- 2377) Dichagyris (Yigoga) unifica (Kozhantshikov,1937)** (Noctuidae) Synonym(s): *unifica* Kozhantshikov,1937
- 2378) Dichagyris (Yigoga) weigerti Hacker & Varga,1990** (Noctuidae) Synonym(s): *weigerti* Hacker & Varga,1990
- 2379) Dichagyris (Yigoga) wiltshirei (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936; *#wiltshirei* Ebert & Hacker,2002
- 2380) Dichagyris (Yigoga) zagroica Hacker & Ebert,2002** (Noctuidae) Synonym(s): *zagroica* Hacker & Ebert,2002
- 2381) Dichillus (s.str.) iranicus Kaszab,1963** (Tenebrionidae) Synonym(s): *iranicus* Kaszab,1963
- 2382) Dichomeris apludella (Lederer,1869)** (Gelechiidae) Synonym(s): *apludella* Lederer,1869
- 2383) Dichomeris centracma Meyrick,1923** (Gelechiidae) Synonym(s): *centracma* Meyrick,1923; *richteri* Amsel,1959
- 2384) Dichonia (Gripesia) aprilina (Linnaeus,1758)** (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 2385) Dichonia (Gripesia) jahannamah Fibiger, Stangelmaier, Wieser & Zahiri,2008** (Noctuidae) Synonym(s): *jahannamah* Fibiger, Stangelmaier, Wieser & Zahiri,2008; *#jahannamah* Fibiger, Stangelmaier, Wieser & Zahiri,2008
- 2386) Dichonia (s.str.) convergens ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791]
- 2387) Dichrorampha iranica Danilevskii & Kuznetsov,1968** (Tortricidae) Synonym(s): *iranica* Danilevskii & Kuznetsov,1968
- 2388) Dichrorampha simpliciana (Haworth,1811)** (Tortricidae) Synonym(s): *simpliciana* Haworth,1811; *caliginosana* Treitschke,1835; *artemisiae* Bentley,1844; *heuseriana* Obraztsov,1953
- 2389) Dicranoecephalus albipes (Fabricius,1781)** (Stenocephalidae) Synonym(s): *albipes* Fabricius,1781; *leucopus* Gmelin,1790; *neglectus* Herrich-Schäffer,1835
- 2390) Dicranoecephalus ferganensis (Horvath,1887)** (Stenocephalidae) Synonym(s): *ferganensis* Horvath,1887
- 2391) Dicranoecephalus hirsutus Moullet,1993** (Stenocephalidae) Synonym(s): *hirsutus* Moullet,1993
- 2392) Dicranoecephalus lateralis (Signoret,1879)** (Stenocephalidae) Synonym(s): *lateralis* Signoret,1879

- 2393) *Dicranocephalus marginatus* (Ferrari,1874)** (Stenocephalidae) Synonym(s): *marginatus* Ferrari,1874; *albomarginatus* Jakovlev,1877; *orientalis* Distant,1880
- 2394) *Dicranocephalus putoni* (Horvath,1897)** (Stenocephalidae) Synonym(s): *putoni* Horvath,1897; *dimidiatus* Jakovlev,1901
- 2395) *Dicranocephalus setulosus* (Ferrari,1874)** (Stenocephalidae) Synonym(s): *setulosus* Ferrari,1874
- 2396) *Dicranomyia* (Melanolimonia) *morio* (Fabricius,1787)** (Limoniidae) Synonym(s): *morio* Fabricius,1787; *leucocephala* Meigen,1818; *reperta* Walker,1848; *pauliani* Séguin,1941
- 2397) *Dicranomyia* (Numantia) *fusca* (Meigen,1804)** (Limoniidae) Synonym(s): *fusca* Meigen,1804; *atra* Macquart,1826; *laevigata* Macquart,1826; *turpis* Walker,1856; *pubipennis* Osten Sacken,1860; *pilipennis* Egger,1863
- 2398) *Dicranomyia* (s.str.) *chorea* (Meigen,1818)** (Limoniidae) Synonym(s): *#lutea* Meigen,1804; *chorea* Meigen,1818; *quadra* Meigen,1838; *flavicollis* Becker,1908; *longipes* Santos Abreu,1923; *vidua* Santos Abreu,1923; *griseus* Lackschewitz,1928; *lutescens* Lackschewitz,1928
- 2399) *Dicranomyia* (s.str.) *longipennis* (Schummel,1829)** (Limoniidae) Synonym(s): *longipennis* Schummel,1829; *immemor* Osten Sacken,1861; *tiefii* Strobl,1900
- 2400) *Dicranomyia* (s.str.) *modesta* (Meigen,1818)** (Limoniidae) Synonym(s): *modesta* Meigen,1818; *simplex* Meigen,1830; *nova* Meigen,1830; *takahashii* Alexander,1920; *spinicauda* Alexander,1924
- 2401) *Dicranomyia* (s.str.) *ventralis* (Schummel,1829)** (Limoniidae) Synonym(s): *ventralis* Schummel,1829; *simplex* Brunetti,1912; *perserotina* Alexander,1945; *pristomera* Alexander,1968
- 2402) *Dicranoptycha* (s.str.) *fuscescens* (Schummel,1829)** (Limoniidae) Synonym(s): *fuscescens* Schummel,1829; *lundstroemi* Bergroth,1922
- 2403) *Dicranota* (Ludicia) *iranensis* (Alexander,1975)** (Pediidae) Synonym(s): *iranensis* Alexander,1975; *meridiana* Mendl,1988
- 2404) *Dicthenidia bimaculata* (Linnaeus,1760)** (Tipulidae) Synonym(s): *maculata* Linnaeus,1758; *bimaculata* Linnaeus,1760; *idriensis* Scopoli,1763; *pectinata* Gmelin,1790; *paludosa* Fabricius,1794; *fulvida* Bigot,1861
- 2405) *Dictyonota tricornis* (Schränk,1801)** (Tingidae) Synonym(s): *tricornis* Schränk,1801
- 2406) *Dictyophara albata* Dlabola & Heller,1962** (Dictyopharidae) Synonym(s): *albata* Dlabola & Heller,1962
- 2407) *Dictyophara avocetta* Oshanin,1879** (Dictyopharidae) Synonym(s): *avocetta* Oshanin,1879
- 2408) *Dictyophara exoptata* Dlabola & Heller,1962** (Dictyopharidae) Synonym(s): *exoptata* Dlabola & Heller,1962
- 2409) *Dictyophara iranica* Linnavuori,1962** (Dictyopharidae) Synonym(s): *iranica* Linnavuori,1962
- 2410) *Dictyophara kazeruna* Dlabola,1986** (Dictyopharidae) Synonym(s): *kazeruna* Dlabola,1986
- 2411) *Dictyophara pazukii* (Dlabola,1984)** (Dictyopharidae) Synonym(s): *pazukii* Dlabola,1984
- 2412) *Dicycla oo* (Linnaeus,1758)** (Noctuidae) Synonym(s): *oo* Linnaeus,1758; *ferruginago* Hübner,[1803]
- 2413) *Dicyphus azadicus* Linnavuori & Hosseini,1999** (Miridae) Synonym(s): *azadicus* Linnavuori & Hosseini,1999
- 2414) *Dicyphus deylamanus* Linnavuori & Hosseini,1999** (Miridae) Synonym(s): *deylamanus* Linnavuori & Hosseini,1999
- 2415) *Dicyphus eckerleini* E.Wagner,1963** (Miridae) Synonym(s): *eckerleini* E.Wagner,1963
- 2416) *Dicyphus orientalis* Reuter,1879** (Miridae) Synonym(s): *orientalis* Reuter,1879; *physochlaenae* Hutchinson,1934; *sibiricus* Kerzhner,1973
- 2417) *Dideoides annandalei* (Brunetti,1919)** (Syrphidae) Synonym(s): *annandalei* Brunetti,1919
- 2418) *Didymachus picipes* (Meigen,1820)** (Asilidae) Synonym(s): *picipes* Meigen,1820
- 2419) *Dieida ledereri* Staudinger,1871** (Cossidae) Synonym(s): *ledereri* Staudinger,1871 o
- 2420) *Dielocroce baudii* (Griffini,1895)** (Nemopteridae) Synonym(s): *baudii* Griffini,1895
- 2421) *Dielocroce elegans* (Alexandrov-Martynov,1930)** (Nemopteridae) Synonym(s): *elegans* Alexandrov-Martynov,1930
- 2422) *Dielocroce ephemera* (Gersträcker,[1894])** (Nemopteridae) Synonym(s): *ephemera* Gersträcker,[1894]
- 2423) *Dielocroce maxima* Hölzel,1975** (Nemopteridae) Synonym(s): *maxima* Hölzel,1975
- 2424) *Dielocroce modesta* Hölzel,1975** (Nemopteridae) Synonym(s): *modesta* Hölzel,1975
- 2425) *Dielocroce persica* (Alexandrov-Martynov,1930)** (Nemopteridae) Synonym(s): *persica* Alexandrov-Martynov,1930
- 2426) *Dielocroce vartianae* Hölzel,1975** (Nemopteridae) Synonym(s): *vartianae* Hölzel,1975
- 2427) *Dielocroce withycombei* (Navas,1926)** (Nemopteridae) Synonym(s): *withycombei* Navas,1926
- 2428) *Diexis varentzovi* Zubovski,1899** (Acrididae) Synonym(s): *varentzovi* Zubovski,1899
- 2429) *Digitivalva* (s.str.) *excussella* (Erschoff,1874)** (Yponomeutidae) Synonym(s): *excussella* Erschoff,1874
- 2430) *Digitivalva falkneri* Amsel,1974** (Yponomeutidae) Synonym(s): *falkneri* Amsel,1974
- 2431) *Diglyphus chabrias* (Walker,1838)** (Eulophidae) Synonym(s): *chabrias* Walker,1838
- 2432) *Diglyphus crassinervis* Erdős,1958** (Eulophidae) Synonym(s): *crassinervis* Erdős,1958
- 2433) *Diglyphus isaea* (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureaux,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomysae* Rondani,1877
- 2434) *Dilacinia badialis* Amsel,1961** (Pyralidae) Synonym(s): *badialis* Amsel,1961
- 2435) *Dilar kirgisus* H.Aspöck & U.Aspöck,1967** (Dilariidae) Synonym(s): *kirgisus* H.Aspöck & U.Aspöck,1967
- 2436) *Diloba caeruleocephala* (Linnaeus,1758)** (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
- 2437) *Dinarthrum iranicum* Schmid,1959** (Lepidostomatidae) Synonym(s): *iranicum* Schmid,1959
- 2438) *Dioctria abdominalis* Becker,1923** (Asilidae) Synonym(s): *abdominalis* Becker,1923
- 2439) *Dioctria atricapilla* Meigen,1804** (Asilidae) Synonym(s): *atricapilla* Meigen,1804; *falleni* Meigen,1820; *atrata* Meigen,1820; *geniculata* Meigen,1820
- 2440) *Dioctria dispar* Loew,1870** (Asilidae) Synonym(s): *dispar* Loew,1870
- 2441) *Dioctria flavipennis* Meigen,1820** (Asilidae) Synonym(s): *flavipennis* Meigen,1820; *aurifrons* Meigen,1820
- 2442) *Dioctria gracilis* Meigen,1820** (Asilidae) Synonym(s): *gracilis* Meigen,1820; *hyalipennis* sensu Meigen,1830; *concinna* Costa,1883
- 2443) *Dioctria hyalipennis* (Fabricius,1794)** (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794; *anomala* Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri* Meigen,1820; *strandii* Duda,1940
- 2444) *Dioctria linearis* (Fabricius,1787)** (Asilidae) Synonym(s): *linearis* Fabricius,1787; *cingulata* Zetterstedt,1849
- 2445) *Dioctria lugens* Loew,1873** (Asilidae) Synonym(s): *lugens* Loew,1873
- 2446) *Dioctria rufonigra* Theodor,1980** (Asilidae) Synonym(s): *rufonigra* Theodor,1980
- 2447) *Dioctria striata* Theodor,1980** (Asilidae) Synonym(s): *striata* Theodor,1980
- 2448) *Dioctria valida* Loew,1856** (Asilidae) Synonym(s): *valida* Loew,1856
- 2449) *Diorhabda carinata* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837
- 2450) *Diorhabda carinulata* (Desbrochers,1870)** (Chrysomelidae) Synonym(s): *carinulata* Desbrochers,1870
- 2451) *Diorhabda meridionalis* Berti & Rapilly,1973** (Chrysomelidae) Synonym(s): *meridionalis* Berti & Rapilly,1973
- 2452) *Diorhabda persica* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *persica* Faldermann,1837

- 2453) *Diorthus cinereus* (Fabricius,1792) (Cerambycidae) Synonym(s): *cinereus* Fabricius,1792
- 2454) *Dioxyna bidentis* (R-D.,1830) (Tephritidae) Synonym(s): *bidentis* R-D.,1830
- 2455) *Dioxys pumila* Gerstaecker,1869 (Megachilidae) Synonym(s): *pumila* Gerstaecker,1869
- 2456) *Diphaspasia consobrina* (Le Cerf,1938) (Sesiidae) Synonym(s): *consobrina* Le Cerf,1938
- 2457) *Diphaspasia intermedia* K.Spatenka,1997 (Sesiidae) Synonym(s): *intermedia* K.Spatenka,1997
- 2458) *Diphaspasia naumanni* Gorbunov,1991 (Sesiidae) Synonym(s): *naumanni* Gorbunov,1991
- 2459) *Diphaspasia turkmena* Gorbunov,1994 (Sesiidae) Synonym(s): *turkmena* Gorbunov,1994
- 2460) *Diphyus mercatorius* (Fabricius,1793) (Ichneumonidae) Synonym(s): *mercatorius* Fabricius,1793; *ponticus* Heinrich,1978
- 2461) *Dipleurina lacustrata* (Panzer,1804) (Pyralidae) Synonym(s): *crataegella* sensu Hübner,1796 nec Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845.
- 2462) *Discoelius dufourii* Lepeletier,1841 (Vespidae) Synonym(s): *dufourii* Lepeletier,1841
- 2463) *Dissopachys pulvinata* Reitter,1886 (Cerambycidae) Synonym(s): *pulvinata* Reitter,1886
- 2464) *Distoleon annulatus* (Klug,1834) (Myrmeleonidae) Synonym(s): *annulatus* Klug,1834
- 2465) *Distoleon formosus* Hölzel,1972 (Myrmeleonidae) Synonym(s): *formosus* Hölzel,1972
- 2466) *Distoleon kabulensis* Hölzel,1972 (Myrmeleonidae) Synonym(s): *kabulensis* Hölzel,1972
- 2467) *Distoleon tetragrammicus* (Fabricius,1798) (Myrmeleonidae) Synonym(s): *tetragrammicus* Fabricius,1798; *catta* Rossi,1790; *rapax* Olivier,1811; *flavomaculatus* Eversmann,1841; *leuthneri* Navas,1914; *mesmini* Navas,1921
- 2468) *Ditomyia fasciata* (Meigen,1818) (Ditomyiidae) Synonym(s): *fasciata* Meigen,1818; *trifasciata* Winnertz,1846
- 2469) *Dociostaurus* (Kazakia) *brevicollis* (Eversmann,1848) (Acrididae) Synonym(s): *brevicollis* Eversmann,1848; *annulipes* Türk,1862; *#brevicollis* Salman,1978
- 2470) *Dociostaurus* (Kazakia) *jagoi* Soltani,1978 (Acrididae) Synonym(s): *jagoi* Soltani,1978
- 2471) *Dociostaurus* (Notostaurus) *albicornis* (Eversmann,1848) (Acrididae) Synonym(s): *albicornis* Eversmann,1848
- 2472) *Dociostaurus* (Notostaurus) *anatolicus* Krauss,1896 (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905
- 2473) *Dociostaurus* (Notostaurus) *diamesus* Bei-Bienko,1948 (Acrididae) Synonym(s): *diamesus* Bei-Bienko,1948
- 2474) *Dociostaurus* (Notostaurus) *larenis* Soltani,1978 (Acrididae) Synonym(s): *larenis* Soltani,1978
- 2475) *Dociostaurus* (Notostaurus) *plotnikovi* Uvarov,1921 (Acrididae) Synonym(s): *plotnikovi* Uvarov,1921
- 2476) *Dociostaurus* (s.str.) *maroccanus* (Thunberg,1815) (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciat* Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965
- 2477) *Dociostaurus* (s.str.) *tartarus* Stshelkanovtzev,1921 (Acrididae) Synonym(s): *tartarus* Stshelkanovtzev,1921
- 2478) *Dociostaurus* (Stauronotulus) *cappadocicus* (Azam,1913) (Acrididae) Synonym(s): *cappadocicus* Azam,1913; *iranicus* Ramme,1951
- 2479) *Dociostaurus* (Stauronotulus) *crassiusculus* (Pantel,1886) (Acrididae) Synonym(s): *crassiusculus* Pantel,1886
- 2480) *Dociostaurus* (Stauronotulus) *hauensteini* (Bolivar,1893) (Acrididae) Synonym(s): *hauensteini* Bolivar,1893
- 2481) *Docirava erubescens* (Staudinger,1892) (Geometridae) Synonym(s): *erubescens* Staudinger,1892; *palumbata* Metzner,1981
- 2482) *Dolbina elegans* (A.Bang-Haas,1912) (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,1912; *steffensi* Popescu-Gorj,1971.
- 2483) *Dolicharthria bruguieralis* (Duponchel,1833) (Pyralidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915
- 2484) *Dolicharthria punctalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *punctalis* [Denis & Schiffermüller],1775
- 2485) *Dolichopeza* (s.str.) *hirsuticauda* Savchenko,1968 (Tipulidae) Synonym(s): *hirsuticauda* Savchenko,1968; *schahriari* Theowald,1978
- 2486) *Dolichovespula omissa* (Bischoff,1931) (Vespidae) Synonym(s): *tripunctata* Schenk,1861 nec Fabr.,1787; *#ingrica* Birula,1930; *omissa* Bischoff,1931
- 2487) *Dolichovespula sylvestris* (Scopoli,1763) (Vespidae) Synonym(s): *sylvestris* Scopoli,1763; *parietum* Harris,1776 nec Linn.,1758; *holsatica* Fabricius,1793; *frontalis* Latreille,1802; *campanaria* Fowler,1833; *pilosella* Costa,1858; *sumptuosa* Du Buysson,1905; *xinjiangensis* Lee,1986
- 2488) *Dolycoris baccarum* (Linnaeus,1758) (Pentatomidae) Synonym(s): *baccarum* Linnaeus,1758; *verbasci* De Geer,1773; *subater* Harris,1780; *albidus* Gmelin,1790; *depressa* Westwood,1837; *confusa* Westwood,1837; *inconcisa* Walker,1867
- 2489) *Dolycoris penicillatus* Horvath,1904 (Pentatomidae) Synonym(s): *penicillatus* Horvath,1904
- 2490) *Doratulina acuticeps* (Ribaut,1948) (Cicadellidae) Synonym(s): *acuticeps* Ribaut,1948
- 2491) *Doratuopsis heros* (Melichar,1902) (Cicadellidae) Synonym(s): *heros* Melichar,1902
- 2492) *Dorcadion* (Cribridorcadion) *discodivisum* Pic,1939 (Cerambycidae) Synonym(s): *discodivisum* Pic,1939
- 2493) *Dorcadion* (Cribridorcadion) *glaucum* Faldermann,1837 (Cerambycidae) Synonym(s): *glaucum* Faldermann,1837
- 2494) *Dorcadion* (Cribridorcadion) *marandense* Holzschuh,2007 (Cerambycidae) Synonym(s): *marandense* Holzschuh,2007
- 2495) *Dorcadion* (Cribridorcadion) *nurense* Danilevsky & Murzin,2009 (Cerambycidae) Synonym(s): *nurense* Danilevsky & Murzin,2009
- 2496) *Dorcadion* (Cribridorcadion) *ressli* Holzschuh,2007 (Cerambycidae) Synonym(s): *ressli* Holzschuh,2007
- 2497) *Dorcadion* (Cribridorcadion) *serouensis* Kadlec,2006 (Cerambycidae) Synonym(s): *serouensis* Kadlec,2006
- 2498) *Dorcadion* (Cribridorcadion) *talyschense* Ganglbauer,1883 (Cerambycidae) Synonym(s): *talyschense* Ganglbauer,1883; *posticeinterruptum* Pic,1900; *morgani* Pic,1905
- 2499) *Dorcadion* (Cribridorcadion) *tebriscum* Plavilstshikov,1951 (Cerambycidae) Synonym(s): *tebriscum* Plavilstshikov,1951
- 2500) *Dorcadion* (s.str.) *faldermanni* Ganglbauer,1884 (Cerambycidae) Synonym(s): *faldermanni* Ganglbauer,1884
- 2501) *Dorcus parallelipipedus* (Linnaeus,1758) (Lucanidae) Synonym(s): *parallelipipedus* Linnaeus,1758
- 2502) *Dorcus vavrai* Nonfried,1905 (Lucanidae) Synonym(s): *vavrai* Nonfried,1905; *?peyroni* Petrovitz,1980
- 2503) *Dorycera melanotica* Hennig,1939 (Ulidiidae) Synonym(s): *melanotica* Hennig,1939
- 2504) *Dorycera mesopotamica* Hennig,1939 (Ulidiidae) Synonym(s): *mesopotamica* Hennig,1939; *longiceps* Hennig,1939
- 2505) *Dorycera persica* Hennig,1939 (Ulidiidae) Synonym(s): *persica* Hennig,1939
- 2506) *Dorysarthrus sumakovi* Oshanin,1908 (Dictyopharidae) Synonym(s): *sumakovi* Oshanin,1908
- 2507) *Drapetis pictitarsis* Engel,1939 (Hymenoptera) Synonym(s): *pictitarsis* Engel,1939
- 2508) *Drasteria austera* (John,1921) (Noctuidae) Synonym(s): *austera* John,1921
- 2509) *Drasteria cailino* (Lefebvre,1827) (Noctuidae) Synonym(s): *cailino* Lefebvre,1827; *caylino* Lederer,1857

- 2510) Drasteria caucasica (Kolenati,1846)** (Noctuidae) Synonym(s): *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903.
- 2511) Drasteria flexuosa (Ménétriés,1848)** (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
- 2512) Drasteria herzi (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi* Alpheraky,1895
- 2513) Drasteria kabyalaria (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): *kabyalaria* A.Bang-Haas,1906
- 2514) Drasteria picta (Christoph,1877)** (Noctuidae) Synonym(s): *picta* Christoph,1877; *radapicta* Staudinger,1901.
- 2515) Drasteria rada (Boisduval,1848)** (Noctuidae) Synonym(s): *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851.
- 2516) Drasteria saisani (Staudinger,1882)** (Noctuidae) Synonym(s): *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910.
- 2517) Drasteria sinuosa (Staudinger,1884)** (Noctuidae) Synonym(s): *sinuosa* Staudinger,1884
- 2518) Drasteria yerburyi (Butler,1892)** (Noctuidae) Synonym(s): *yerburyi* Butler,1892; *albofasciata* John,1917; *pica* Brandt,1939
- 2519) Drasteroides leprosa (Brandt,1938)** (Noctuidae) Synonym(s): *leprosa* Brandt,1938
- 2520) Drasteroides limata (Christoph,1884)** (Noctuidae) Synonym(s): *limata* Christoph,1884
- 2521) Drasteroides medialis (Hampson,1908)** (Noctuidae) Synonym(s): *medialis* Hampson,1908
- 2522) Drosophila (Hirtodrosophila) cameraria Haliday,1833** (Drosophilidae) Synonym(s): *cameraria* Haliday,1833; *unistriata* Strobl,1898; *latestriata* Becker,1908; *fungicola* Villeneuve,1921
- 2523) Drosophila (s.str.) littoralis Meigen,1830** (Drosophilidae) Synonym(s): *littoralis* Meigen,1830; *parenti* Villeneuve,1921; *lugubrina* Duda,1914; *imeretensis* Sokolov,1948
- 2524) Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae) Synonym(s): *phalerata* Meigen,1830
- 2525) Drosophila (s.str.) testacea Roser,1840** (Drosophilidae) Synonym(s): *testacea* Roser,1840; *nigrithorax* Strobl,1894; *setosa* Villeneuve,1921
- 2526) Drosophila (Sophophora) ambigua Pomini,1940** (Drosophilidae) Synonym(s): *ambigua* Pomini,1940
- 2527) Drosophila (Sophophora) melanogaster Meigen,1830** (Drosophilidae) Synonym(s): *melanogaster* Meigen,1830; *fasciata* Meigen,1830; *approximata* Zetterstedt,1847; *uvarum* Rondani,1875; *pilosula* Becker,1908
- 2528) Drosophila (Sophophora) obscura Fallén,1823** (Drosophilidae) Synonym(s): *obscura* Fallén,1823; *meigeni* Duda,1935; *obscuroides* Pomini,1940
- 2529) Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae) Synonym(s): *subobscura* Collin,1936
- 2530) Drosophila (Sophophora) tristis Fallén,1823** (Drosophilidae) Synonym(s): *tristis* Fallén,1823; *spurca* Zetterstedt,1847; *tinctipennis* Strobl,1901
- 2531) Drymonia moyaei (Ebert,1971)** (Notodontidae) Synonym(s): *moyaei* Ebert,1971
- 2532) Dryobotodes (s.str.) eremita (Fabricius,1775)** (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911
- 2533) Dryobotodes (s.str.) glaucus L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *glaucus* L.Ronkay & Gyulai,2006
- 2534) Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834
- 2535) Durgula lycii Emeljanov,1964** (Cicadellidae) Synonym(s): *lycii* Emeljanov,1964
- 2536) Duroniella iranica Bei-Bienko,1948** (Acrididae) Synonym(s): *iranica* Bei-Bienko,1948
- 2537) Duroniella kalmyka (Adelung,1906)** (Acrididae) Synonym(s): *kalmyka* Adelung,1906
- 2538) Duroniella kostylevi Bei-Bienko,1948** (Acrididae) Synonym(s): *kostylevi* Bei-Bienko,1948
- 2539) Duroniella laeviceps Uvarov,1938** (Acrididae) Synonym(s): *laeviceps* Uvarov,1938
- 2540) Duroniella volucris Uvarov,1938** (Acrididae) Synonym(s): *volucris* Uvarov,1938
- 2541) Duzulla subhyalinalis (Hampson,1900)** (Pyralidae) Synonym(s): *subhyalinalis* Hampson,1900
- 2542) Dypterygia scabriuscula (Linnaeus,1758)** (Noctuidae) Synonym(s): *scabriuscula* Linnaeus,1758; *pinastri* Linnaeus,1761.
- 2543) Dysaphis (Cotoneaseria) microsiphon (Nevsky,1929)** (Aphididae) Synonym(s): *microsiphon* Nevsky,1929
- 2544) Dysaphis inulae Rezwani,2008** (Aphididae) Synonym(s): *inulae* Rezwani,2008
- 2545) Dysaphis lappae (Koch,1854)** (Aphididae) Synonym(s): *lappae* Koch,1854
- 2546) Dysauxes (s.str.) famula (Freyer,1836)** (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983.
- 2547) Dysauxes (s.str.) parvigutta (Christoph,1889)** (Ctenuchidae) Synonym(s): *parvigutta* Christoph,1889
- 2548) Dyscia (Calodyscia) innocentaria (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentana* Pugaev & Zolotuhin,2006
- 2549) Dyscia (Warneckeella) malatyana (Wehrli,1934)** (Geometridae) Synonym(s): *malatyana* Wehrli,1934
- 2550) Dymachus bifurcus (Loew,1848)** (Asilidae) Synonym(s): *bifurcus* Loew,1848
- 2551) Dymachus bilobus Loew,1871** (Asilidae) Synonym(s): *bilobus* Loew,1871
- 2552) Dymachus bimucronatus (Loew,1854)** (Asilidae) Synonym(s): *bimucronatus* Loew,1854
- 2553) Dymachus cephalenus Loew,1871** (Asilidae) Synonym(s): *cephalenus* Loew,1871
- 2554) Dymachus dasyproctus Loew,1871** (Asilidae) Synonym(s): *dasyproctus* Loew,1871
- 2555) Dymachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis* Meigen,1820
- 2556) Dymachus praemorsus (Loew,1854)** (Asilidae) Synonym(s): *praemorsus* Loew,1854
- 2557) Dymachus setipyga Becker,1923** (Asilidae) Synonym(s): *setipyga* Becker,1923
- 2558) Dymachus stylifer (Loew,1854)** (Asilidae) Synonym(s): *stylifer* Loew,1854
- 2559) Dymachus tricusps (Loew,1848)** (Asilidae) Synonym(s): *tricusps* Loew,1848
- 2560) Dysmilichia bicolor (Chrétien,1913)** (Noctuidae) Synonym(s): *bicolor* Chrétien,1913
- 2561) Dysmilichia bicyclia (Staudinger,1888)** (Noctuidae) Synonym(s): *bicyclia* Staudinger,1888
- 2562) Dysmilichia erastrioides Brandt,1938** (Noctuidae) Synonym(s): *erastrioides* Brandt,1938
- 2563) Dysmilichia flavonigra (Swinhoe,1884)** (Noctuidae) Synonym(s): *flavonigra* Swinhoe,1884
- 2564) Dysmilichia gigantea Brandt,1941** (Noctuidae) Synonym(s): *gigantea* Brandt,1941
- 2565) Dysmilichia mira (Brandt,1938)** (Noctuidae) Synonym(s): *mira* Brandt,1938
- 2566) Dysmilichia phaulopsis Brandt,1938** (Noctuidae) Synonym(s): *phaulopsis* Brandt,1938
- 2567) Dyspessa alipanahae Yakovlev,2008** (Cossidae) Synonym(s): *alipanahae* Yakovlev,2008
- 2568) Dyspessa ariadne Yakovlev,2008** (Cossidae) Synonym(s): *ariadne* Yakovlev,2008
- 2569) Dyspessa elbursensis Daniel,1964** (Cossidae) Synonym(s): *elbursensis* Daniel,1964
- 2570) Dyspessa kabyalaria A.Bang-Haas,1906** (Cossidae) Synonym(s): *kabyalaria* A.Bang-Haas,1906; *turbinans* Turati,1926.
- 2571) Dyspessa pallidata Staudinger,1901** (Cossidae) Synonym(s): *#pallidata* Staudinger,1892; *pallidata* Staudinger,1901; *nigrita* Wagner,1931; *dueldueli* Daniel,1939.

- 2572) *Dyspessa salicicola* (Eversmann,1848) (Cossidae) Synonym(s): *salicicola* Eversmann,1848
 2573) *Dyspessa serica* Brandt,1938 (Cossidae) Synonym(s): *serica* Brandt,1938
 2574) *Dyspessa ulula* (Borkhausen,1790) (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912.
 2575) *Dyspessa wagneri* Schwingenschuss,1939 (Cossidae) Synonym(s): *wagneri* Schwingenschuss,1939
 2576) *Dyspessa zurvan* Yakovlev,2008 (Cossidae) Synonym(s): *zurvan* Yakovlev,2008
 2577) *Dyspessacossus fereidun* Groum-Grshimailo,1895 (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo,1895; *firdusi* Wagner,1937.
 2578) *Eana (Eutrachia) goiiana* (Linnaeus,1761) (Tortricidae) Synonym(s): *#argentana* Clerck,1759; *goiiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *gerningiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887
 2579) *Earias chlorophyllana* Staudinger,1892 (Noctuidae) Synonym(s): *chlorophyllana* Staudinger,1892; *syrticola* Turati,1926; *waterstoni* Wiltshire,1947.
 2580) *Earias clorana* (Linnaeus,1761) (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
 2581) *Earias insulana* (Boisduval,1833) (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
 2582) *Earias irakana* Wiltshire,1936 (Noctuidae) Synonym(s): *irakana* Wiltshire,1936
 2583) *Earias vitella* (Fabricius,1794) (Noctuidae) Synonym(s): *vitella* Fabricius,1794; *speiplena* Walker,1857; *partita* Walker,1865; *huegeli* Rogenhofer,1870
 2584) *Ebaeus medvedevi* Wittmer,1970 (Melyridae) Synonym(s): *medvedevi* Wittmer,1970
 2585) *Ebertarticia nordstroemi* (Brandt,1947) (Arctiidae) Synonym(s): *nordstroemi* Brandt,1947
 2586) *Ecbatania alvandella* Amsel,1961 (Pyralidae) Synonym(s): *alvandella* Amsel,1961
 2587) *Ecbatania holopyrrhella* (Ragonot,1888) (Pyralidae) Synonym(s): *holopyrrhella* Ragonot,1888
 2588) *Eccopsis effractella* Zeller,1848 (Pyralidae) Synonym(s): *effractella* Zeller,1848
 2589) *Eccoptomera brandti* Collart,1948 (Heleomyzidae) Synonym(s): *brandti* Collart,1948
 2590) *Eccoptopus longitarsis* (Macquart,1838) (Asilidae) Synonym(s): *longitarsis* Macquart,1838; *erythrogastrus* Loew,1871; *lucidus* Becker,1907
 2591) *Echthistus rufinervis* (Meigen,1820) (Asilidae) Synonym(s): *rufinervis* Meigen,1820
 2592) *Ecpyrrhorhoe diffusalis* (Guenée,1854) (Pyralidae) Synonym(s): *carnealis* Dup.,1831 nec Treit.1829; *diffusalis* Guenée,1854; *affusalis* Guenée,1854; *tenuialis* Mann,1862.
 2593) *Ecpyrrhorhoe rubiginalis* (Hübner,1796) (Pyralidae) Synonym(s): *rubiginalis* Hübner,1796
 2594) *Ecpyrrhorhoe rubiginalis microlimbis* Amsel,1959 (Pyralidae) Synonym(s): *microlimbis* Amsel,1959
 2595) *Ectomocoris basra* Linnavuori,1972 (Reduviidae) Synonym(s): *basra* Linnavuori,1972
 2596) *Ectomocoris cordiger* Stal,1866 (Reduviidae) Synonym(s): *cordiger* Stal,1866; *adjunctus* Walker,1873
 2597) *Ectomocoris quadrimaculatus* (Audinet-Serville,1831) (Reduviidae) Synonym(s): *quadrimaculatus* Audinet-Serville,1831
 2598) *Ectomocoris ululans* (Rossi,1790) (Reduviidae) Synonym(s): *ululans* Rossi,1790; *tidikelti* Dispons,1961
 2599) *Edosa caerulipennis* (Erschoff,1874) (Tineidae) Synonym(s): *caerulipennis* Erschoff,1874; *violaceus* Christoph,1888; *iritis* Meyrick,1911; *indiella* Caradja,1920; *hindostanica* Zagulyaev,1966; *glossoptera* Rose & Pathania,2003
 2600) *Edosa exhausta* (Meyrick,1917) (Tineidae) Synonym(s): *exhausta* Meyrick,1917; *similis* Gozmany,1959; *gracilis* Gozmany,1959; *luteola* Petersen,1959
 2601) *Edosa xerxes* (Petersen & Gaedike,1984) (Tineidae) Synonym(s): *xerxes* Petersen & Gaedike,1984
 2602) *Edwardsiana iranica* Zachvatkin,1947 (Cicadellidae) Synonym(s): *iranica* Zachvatkin,1947
 2603) *Edwardsiana salicicola* (Edwards,1885) (Cicadellidae) Synonym(s): *salicicola* Edwards,1885
 2604) *Egira anatolica* (Hering,1933) (Noctuidae) Synonym(s): *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966
 2605) *Egira tabori* Hreblay,1994 (Noctuidae) Synonym(s): *tabori* Hreblay,1994
 2606) *Egnatioides farsistanicus* Uvarov,1933 (Acrididae) Synonym(s): *farsistanicus* Uvarov,1933
 2607) *Egnatioides kiritshenkoi* Uvarov,1933 (Acrididae) Synonym(s): *kiritshenkoi* Uvarov,1933
 2608) *Egnatioides sphaerifer* Bei-Bienko,1951 (Acrididae) Synonym(s): *sphaerifer* Bei-Bienko,1951
 2609) *Eicomorpha antiqua* Staudinger,1888 (Noctuidae) Synonym(s): *antiqua* Staudinger,1888.
 2610) *Eicomorpha kurdestanica* De Freina & Hacker,1985 (Noctuidae) Synonym(s): *kurdestanica* De Freina & Hacker,1985
 2611) *Ellicrinia cordiaria* (Hübner,1790) (Geometridae) Synonym(s): *cordiaria* Hübner,1790
 2612) *Ellicrinia subcordaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *tritomata* Fischer de Waldheim,1840; *subcordaria* Herrich-Schäffer,[1852]; *anicularia* Eversmann,1852; *freitagaria* Möschler,1854; *subcordata* Herrich-Schäffer,1861.
 2613) *Elaea richteri* Beier,1956 (Mantidae) Synonym(s): *richteri* Beier,1956
 2614) *Elaphria venustula* (Hübner,1790) (Noctuidae) Synonym(s): *venustula* Hübner,1790
 2615) *Elatobia fuliginosella* (Lienig & Zeller,1846) (Tineidae) Synonym(s): *fuliginosella* Lienig & Zeller,1846
 2616) *Ellipsocoris trilineata* Mayr,1864 (Scutelleridae) Synonym(s): *trilineata* Mayr,1864
 2617) *Elodes eberti* Klausnitzer,1970 (Scirtidae) Synonym(s): *eberti* Klausnitzer,1970
 2618) *Elophila hederalis* Amsel,1935 (Pyralidae) Synonym(s): *hederalis* Amsel,1935; *auralis* Osthelder,1935
 2619) *Elophila nymphaeata* (Linnaeus,1758) (Pyralidae) Synonym(s): *nymphaeata* Linnaeus,1758; *potamogata* Linnaeus,1758; *rivulata* Scopoli,1763; *nymphaealis* [Denis & Schiffermüller],1775; *potamogalis* [Denis & Schiffermüller],1775; *obscuralis* Selys-Longchamps,1845; *potamogetalis* Reutti,1898
 2620) *Ematheudes persicellus* (Amsel,1961) (Pyralidae) Synonym(s): *persicella* Amsel,1961
 2621) *Ematheudes punctellus* (Treitschke,1833) (Pyralidae) Synonym(s): *punctellus* Treitschke,1833
 2622) *Ematheudes varicellus* Ragonot,1887 (Pyralidae) Synonym(s): *varicellus* Ragonot,1887
 2623) *Ematheudes vitellinellus* Ragonot,1887 (Pyralidae) Synonym(s): *vitellinella* Ragonot,1887; *#vittelinella* Amsel,1949.
 2624) *Emmalocera monochromella* Ragonot,1888 (Pyralidae) Synonym(s): *monochromella* Ragonot,1888
 2625) *Emmelina argoteles* (Meyrick,1922) (Pterophoridae) Synonym(s): *argoteles* Meyrick,1922; *jezonicus* Matsumura,1931; *komabensis* Matsumura,1931; *menoko* Matsumura,1931; *yanagawanus* Matsumura,1931.
 2626) *Emmelina monodactyla* (Linnaeus,1758) (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
 2627) *Empidideicus amicus* Gharali & Evenhuis,2010 (Mythicomyiidae) Synonym(s): *amicus* Gharali & Evenhuis,2010
 2628) *Empidideicus ebellicus* Gharali & Evenhuis,2010 (Mythicomyiidae) Synonym(s): *ebellicus* Gharali & Evenhuis,2010

- 2629) Empidideicus greatheadi Gharali & Evenhuis, 2010** (Mythicomyiidae) Synonym(s): *greatheadi* Gharali & Evenhuis, 2010
- 2630) Empidideicus legulicoxa Gharali & Evenhuis, 2010** (Mythicomyiidae) Synonym(s): *legulicoxa* Gharali & Evenhuis, 2010
- 2631) Empidideicus matricarius Gharali & Evenhuis, 2010** (Mythicomyiidae) Synonym(s): *matricarius* Gharali & Evenhuis, 2010
- 2632) Empidideicus persicus Gharali & Evenhuis, 2010** (Mythicomyiidae) Synonym(s): *persicus* Gharali & Evenhuis, 2010
- 2633) Empoasca decipiens Paoli, 1930** (Cicadellidae) Synonym(s): *decipiens* Paoli, 1930; *bifurcata* Cerutti, 1939; *meridiana* Zachvatkin, 1946; *minutissima* Vilbaste, 1961
- 2634) Emprepes belutschistanalis Amsel, 1961** (Pyralidae) Synonym(s): *belutschistanalis* Amsel, 1961
- 2635) Emprepes chirazalis Amsel, 1949** (Pyralidae) Synonym(s): *chirazalis* Amsel, 1949
- 2636) Emprepes eoa (Meyrick, 1936)** (Pyralidae) Synonym(s): *eo*a Meyrick, 1936
- 2637) Emprepes flavomarginalis (Amsel, 1951)** (Pyralidae) Synonym(s): *flavomarginalis* Amsel, 1951
- 2638) Emprepes mirabilis Amsel, 1959** (Pyralidae) Synonym(s): *mirabilis* Amsel, 1959
- 2639) Emprepes palealis Amsel, 1949** (Pyralidae) Synonym(s): *palealis* Amsel, 1949; *comealis* Amsel, 1951
- 2640) Emprepes russulalis (Christoph, 1877)** (Pyralidae) Synonym(s): *russulalis* Christoph, 1877; *baryscia* Meyrick, 1937
- 2641) Empusa fasciata Brullé, 1836** (Empusidae) Synonym(s): *fasciata* Brullé, 1836
- 2642) Empusa hedenborgii Stal, 1877** (Empusidae) Synonym(s): *hedenborgii* Stal, 1877
- 2643) Empusa pauperata (Fabricius, 1781)** (Empusidae) Synonym(s): *pauperata* Fabricius, 1781; *humbertiana* Saussure, 1869; *servillei* Saussure, 1871
- 2644) Empusa pennicornis (Pallas, 1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus, 1763; *pennicornis* Pallas, 1773; *pallasiana* Olivier, 1792; *marginatus* Thunberg, 1815; *orientalis* Burmeister, 1838; *stolli* Saussure, 1871; *attenuata* Ramme, 1951; *mujuncumica* Lindt, 1976; *hodshamumina* Lindt, 1976; *brevidorsa* Lindt, 1977; *buharica* Lindt, 1977; *condarinica* Lindt, 1977; *copetdagica* Lindt, 1977; *iliense* Lindt, 1977; *longidorsa* Lindt, 1977; *angulata* Lindt, 1978; *baysunica* Lindt, 1978; *similis* Lindt, 1978; *longoapicale* Lindt, 1979; *luppovae* Lindt, 1979; *orientalis* Lindt, 1979 nec Burm., 1838; *lindti* Otte, 2004
- 2645) Enargia abluta (Hübner, [1808])** (Noctuidae) Synonym(s): *abluta* Hübner, [1808]; *imbuta* Boisduval, 1840.
- 2646) Encyrtus aurantii (Geoffroy, 1785)** (Encyrtidae) Synonym(s): *aurantii* Geoffroy, 1785; *lecaniorum* Mayr, 1876; *bicolor* Howard, 1881; *albicoxa* Ashmead, 1885; *hibisci* Girault, 1915; *argenticoxa* Girault, 1915; *argentiscapus* Girault, 1915; *aurantifasciata* Girault, 1915; *mirabilis* Brethes, 1916; *albiscapus* Masi, 1917; *barbatus* Timerlake, 1919; *cocci* Risbec, 1951; *ceroplastis* Agarwal, 1965
- 2647) Endomia concolor (Desbrochers, 1875)** (Anthicidae) Synonym(s): *concolor* Desbrochers, 1875
- 2648) Endotricha flammealis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller], 1775; *carnealis* De Lattin, 1951.
- 2649) Engelepogon antiochienenensis (Tsacas, 1964)** (Asilidae) Synonym(s): *antiochienenensis* Tsacas, 1964
- 2650) Engelepogon brunnipes (Fabricius, 1794)** (Asilidae) Synonym(s): *brunnipes* Fabricius, 1794; *castanipes* Meigen, 1820; *rufipes* Meigen, 1820; *goliath* Schiner, 1867
- 2651) Engelepogon cingulifer (Becker, 1913)** (Asilidae) Synonym(s): *cingulifer* Becker, 1913
- 2652) Engistus exsanguis Stal, 1872** (Lygaeidae) Synonym(s): *exsanguis* Stal, 1872; *unicolor* Jakovlev, 1877; *conspurcatus* Horvath, 1911; *fasciatus* Horvath, 1911; *#crocea* Priesner & Alfieri, 1953; *#viridis* Priesner & Alfieri, 1953; *punctulatus* Linnavuori, 1953 [ssp.]
- 2653) Engistus salinus Jakovlev, 1874** (Lygaeidae) Synonym(s): *salinus* Jakovlev, 1874; *marmoratus* Jakovlev, 1902
- 2654) Enicospilus cruciator Victorov, 1957** (Ichneumonidae) Synonym(s): *cruciator* Victorov, 1957
- 2655) Ennomos (Deuteronomos) fraxineti Wiltshire, 1947** (Geometridae) Synonym(s): *fraxineti* Wiltshire, 1947; *#effuscaria* Wiltshire, 1947
- 2656) Ennomos (s.str.) zandi Wiltshire, 1947** (Geometridae) Synonym(s): *zandi* Wiltshire, 1947
- 2657) Enochrus (Lumetus) fuscipennis (Thomson, 1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson, 1884
- 2658) Enoplops disciger (Kolenati, 1845)** (Coreidae) Synonym(s): *disciger* Kolenati, 1845
- 2659) Enoplops hashemii Hoberlandt, 1989** (Coreidae) Synonym(s): *hashemii* Hoberlandt, 1989
- 2660) Ensina sonchi (Linnaeus, 1767)** (Tephritidae) Synonym(s): *sonchi* Linnaeus, 1767; *obsoloeta* Meigen, 1826; *chrysanthemi* R-D., 1830; *doronici* R-D., 1830; *herbarum* R-D., 1830; *linariae* R-D., 1830; *pratensis* R-D., 1830; *scorzonerae* R-D., 1830
- 2661) Entedon biroi Erdős, 1944** (Eulophidae) Synonym(s): *biroi* Erdős, 1944
- 2662) Entephria catochra (L.B. Prout, 1939)** (Geometridae) Synonym(s): *catochra* L.B. Prout, 1939
- 2663) Entephria ignorata (Staudinger, 1892)** (Geometridae) Synonym(s): *ignorata* Staudinger, 1892
- 2664) Entomoscelis adonidis (Pallas, 1771)** (Chrysomelidae) Synonym(s): *adonidis* Pallas, 1771; *abdominalis* Netolitzki, 1912
- 2665) Entomoscelis suturalis Weise, 1882** (Chrysomelidae) Synonym(s): *suturalis* Weise, 1882
- 2666) Eoferreola distincta (Smith, 1855)** (Pompilidae) Synonym(s): *distincta* Smith, 1855; *syransensis* Radoszkowski, 1888; *schmidti* Priesner, 1973; *#cinerata* Priesner, 1973
- 2667) Eoferreola erythraea (Pallas, 1773)** (Pompilidae) Synonym(s): *erythraea* Pallas, 1773; *sirdariensis* Radoszkowski, 1889
- 2668) Eoferreola manticata (Pallas, 1771)** (Pompilidae) Synonym(s): *manticata* Pallas, 1771; *fasciatus* Eversmann, 1849; *variabilis* Eversmann, 1849 nec Ross.; *hellmanni* Eversmann, 1849; *micans* Radoszkowski, 1877; *caucasica* Radoszkowski, 1889; *rossica* Radoszkowski, 1889; *lichtensteini* Tournier, 1895; *claripennis* Priesner, 1966; ...
- 2669) Eogenes alcides Herrich-Schäffer, [1852]** (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer, [1852]
- 2670) Eogenes lesliei Evans, 1926** (Hesperiidae) Synonym(s): *#lesliei* Evans, 1912; *lesliei* Evans, 1926.
- 2671) Eohardya fraudulentus (Horvath, 1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath, 1903; *imitatus* Haupt, 1924; *byzantina* Zachvatkin, 1946; *mira* Zachvatkin, 1946; *insularis* Lindberg, 1948
- 2672) Eorhipidius jelineki Batelka & Hajek, 2009** (Ripiphoridae) Synonym(s): *jelineki* Batelka & Hajek, 2009
- 2673) Eotrogaspidia dives (Smith, 1855)** (Mutillidae) Synonym(s): *dives* Smith, 1855; *fumipennis* Bingham, 1898; *adscripta* Nurse, 1903
- 2674) Epactoctena octogenalis (Lederer, 1863)** (Pyralidae) Synonym(s): *octogenalis* Lederer, 1863.
- 2675) Epallage fatime (Charpentier, 1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier, 1840
- 2676) Epascestria pustulalis (Hübner, [1823])** (Pyralidae) Synonym(s): *pustulalis* Hübner, [1823]; *orientalis* Caradja, 1917.
- 2677) Epermenia (Calotripis) aequidentella (Hofmann, 1867)** (Epermeniidae) Synonym(s): *aequidentella* Hofmann, 1867; *daucellus* Peyerimhoff, 1870.
- 2678) Epermenia (Calotripis) insecurella (Stainton, 1849)** (Epermeniidae) Synonym(s): *insecurella* Stainton, 1849; *dentosella* Stainton, 1851; *iniquellus* Wocke, 1867; *plumbeella* Rebel, 1915; *kruegerella* Schawerda, 1921.
- 2679) Epermenia (Calotripis) strictella (Wocke, 1867)** (Epermeniidae) Synonym(s): *strictella* Wocke, 1867; *anthracoptila* Meyrick, 1931.

- 2680)** *Epermenia (Cataplectica) iniquella (Wocke,1867)* (Epermeniidae) Synonym(s): *dentosella* auct. nec Stt.,1851; *iniquella* Wocke,1867; *kruegerella* Schawerda,1921; *ochrodesma* Meyrick,1913
- 2681)** *Epermenia (s.str.) orientalis Gaedike,1966* (Epermeniidae) Synonym(s): *orientalis* Gaedike,1966.
- 2682)** *Epharmottomena gelida (Brandt,1939)* (Noctuidae) Synonym(s): *gelida* Brandt,1939
- 2683)** *Epharmottomena leucodonta (Hampson,1926)* (Noctuidae) Synonym(s): *leucodonta* Hampson,1926; *funesta* Brandt,1939.
- 2684)** *Epharmottomena nana (Staudinger,1884)* (Noctuidae) Synonym(s): *nana* Staudinger,1884
- 2685)** *Epharmottomena tenera (Brandt,1939)* (Noctuidae) Synonym(s): *tenera* Brandt,1939
- 2686)** *Ephelis cruentalis (Geyer,[1832])* (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835
- 2687)** *Ephestia (Anagasta) abnormalella (Ragonot,1887)* (Pyralidae) Synonym(s): *abnormalella* Ragonot,1887; *alphetopis* Meyrick,1937.
- 2688)** *Ephestia (Anagasta) gilvella Roesler,1970* (Pyralidae) Synonym(s): *gilvella* Roesler,1970
- 2689)** *Ephestia (Anagasta) kuehniella Zeller,1879* (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscifasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern & Tubtim,1995
- 2690)** *Ephestia (Anagasta) welseriella (Zeller,1848)* (Pyralidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927.
- 2691)** *Ephestia (s.str.) elutella (Hübner,1796)* (Pyralidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965
- 2692)** *Ephestia (s.str.) parasitella Staudinger,1859* (Pyralidae) Synonym(s): *parasitella* Staudinger,1859; *bimaculella* Lucas,1955.
- 2693)** *Ephutomma angustata (Skorikov,1935)* (Mutillidae) Synonym(s): *angustata* Skorikov,1935
- 2694)** *Ephydra murina Wirth,1975* (Ephydriidae) Synonym(s): *murina* Wirth,1975
- 2695)** *Ephysteris (Microcraspedus) deserticolella (Staudinger,1871)* (Gelechiidae) Synonym(s): *deserticolella* Staudinger,1871.
- 2696)** *Ephysteris (Ochrodia) subdiminutella (Stainton,1967)* (Gelechiidae) Synonym(s): *subdiminutella* Stainton,1967
- 2697)** *Ephysteris (Opacopsis) atalopis (Meyrick,1918)* (Gelechiidae) Synonym(s): *atalopis* Meyrick,1918
- 2698)** *Ephysteris (Opacopsis) flavida Povolny,1969* (Gelechiidae) Synonym(s): *flavida* Povolny,1969
- 2699)** *Ephysteris (Opacopsis) ruth Povolny,1977* (Gelechiidae) Synonym(s): *ruth* Povolny,1977
- 2700)** *Ephysteris (Opacopsis) speciosa Povolny,1977* (Gelechiidae) Synonym(s): *speciosa* Povolny,1977
- 2701)** *Ephysteris (s.str.) promptella (Staudinger,1859)* (Gelechiidae) Synonym(s): *promptella* Staudinger,1859; *despectella* Walker,1863; *petiginella* Mann,1867; *parvula* Staudinger,1879; *cacomica* Walsingham,1907; *chersaea* Meyrick,1908; *oschophora* Meyrick,1910; *fanatica* Meyrick,1921; *dispensata* Meyrick,1921; *xanthorhabda* Gozmany,1951 *australiae* Povolny,1977; *#promptella* Sattler,1978.
- 2702)** *Epiblema graphana (Treitschke,1835)* (Tortricidae) Synonym(s): *graphana* Treitschke,1835; *pierretana* Duponchel,1836
- 2703)** *Epiblema junctana (Herrich-Schäffer,1856)* (Tortricidae) Synonym(s): *junctana* Herrich-Schäffer,1856; *jaspidana* Christoph,1872; *maculiferana* Kennel,1900
- 2704)** *Epiblema scutulana ([Denis & Schiffermüller],1775)* (Tortricidae) Synonym(s): *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872
- 2705)** *Epiblema sticticana (Fabricius,1794)* (Tortricidae) Synonym(s): *sticticana* Fabricius,1794; *farfarae* Fletcher,1938.
- 2706)** *Epidauria discella Ragonot,1901* (Pyralidae) Synonym(s): *discella* Ragonot,1901
- 2707)** *Epidauria strigosa (Staudinger,1879)* (Pyralidae) Synonym(s): *strigosa* Staudinger,1879
- 2708)** *Epiepischnia keredjella Amsel,1953* (Pyralidae) Synonym(s): *keredjella* Amsel,1953
- 2709)** *Epiepischnia pseudolydella Amsel,1953* (Pyralidae) Synonym(s): *pseudolydella* Amsel,1953
- 2710)** *Epilecta linogrisea ([Denis & Schiffermüller],1775)* (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosana* Staudinger,1901.
- 2711)** *Epimetasia abbasalis Amsel,1974* (Pyralidae) Synonym(s): *abbasalis* Amsel,1974
- 2712)** *Epimetasia vestalis (Ragonot,1894)* (Pyralidae) Synonym(s): *vestalis* Ragonot,1894; *rubrilinealis* Zerny,1939.
- 2713)** *Epinotia dalmatana (Rebel,1891)* (Tortricidae) Synonym(s): *dalmatana* Rebel,1891; *psychrodora* Meyrick,1936; *mesopotamica* Obraztsov,1952; *obraztsovi* Agenjo,1967
- 2714)** *Epinotia festivana (Hübner,[1799])* (Tortricidae) Synonym(s): *festivana* Hübner,[1799]
- 2715)** *Epinotia thapsiana (Zeller,1847)* (Tortricidae) Synonym(s): *thapsiana* Zeller,1847
- 2716)** *Epiparthia constituta Roesler,1989* (Pyralidae) Synonym(s): *constituta* Roesler,1989.
- 2717)** *Epiparthia simplicialis (Rothschild,1921)* (Pyralidae) Synonym(s): *simplicialis* Rothschild,1921; *pallens* Amsel,1935.
- 2718)** *Epipsammia accurata (Christoph,1882)* (Noctuidae) Synonym(s): *accurata* Christoph,1882 o
- 2719)** *Epipsammia cretacea (Staudinger,1888)* (Noctuidae) Synonym(s): *cretacea* Staudinger,1888.
- 2720)** *Epipsammia fixseni (Christoph,1893)* (Noctuidae) Synonym(s): *fixseni* Christoph,1893
- 2721)** *Episcardia (Bilobatana) violacea (Christoph,1888)* (Tineidae) Synonym(s): *violacea* Christoph,1888
- 2722)** *Epischnia adultella (Zeller,1848)* (Pyralidae) Synonym(s): *adultella* Zeller,1848
- 2723)** *Epischnia christophori Ragonot,1887* (Pyralidae) Synonym(s): *christophori* Ragonot,1887; *#chrystophori* Noack,1960.
- 2724)** *Epischnia cretaciella Mann,1869* (Pyralidae) Synonym(s): *cretaciella* Mann,1869; *demartinella* Turati,1922.
- 2725)** *Epischnia cuculliella Ragonot,1887* (Pyralidae) Synonym(s): *cuculliella* Ragonot,1887
- 2726)** *Epischnia masticella Ragonot,1887* (Pyralidae) Synonym(s): *masticella* Ragonot,1887
- 2727)** *Epischnia prodromella (Hübner,[1799])* (Pyralidae) Synonym(s): *prodromella* Hübner,[1799]; *#prodromella* Rebel,1939
- 2728)** *Epischnopsis nervosella (Ragonot,1887)* (Pyralidae) Synonym(s): *nervosella* Ragonot,1887
- 2729)** *Epischnopsis oculatella (Ragonot,1887)* (Pyralidae) Synonym(s): *oculatella* Ragonot,1887
- 2730)** *Episcythrastis tabidella (Mann,1864)* (Pyralidae) Synonym(s): *tabidella* Mann,1864; *griseella* Ragonot,1887; *constanti* Ragonot,1893; *heringi* Hartig,1938; *demavendella* Zerny,1939
- 2731)** *Episema glaucina (Esper,[1789])* (Noctuidae) Synonym(s): *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929.
- 2732)** *Episema korsakovi (Christoph,1885)* (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
- 2733)** *Episema lederi Christoph,1885* (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#ledereri* Wiltshire,1937.

- 2734)** *Episema tersa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956.
- 2735)** *Epistrophe (Epistrophella) euchroma* (Kowarz,1885) (Syrphidae) Synonym(s): *euchroma* Kowarz,1885
- 2736)** *Episyrphus balteatus* (De Geer,1776) (Syrphidae) Synonym(s): *cannabina* Scopoli,1763; *balteatus* De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina* Wiedemann,1830; *alternans* Macquart,1842; *trigilatus* Walker,1856
- 2737)** *Epitherina bahmana* (Wiltshire,1943) (Geometridae) Synonym(s): *bahmana* Wiltshire,1943
- 2738)** *Epitherina ghirshimani* (Wiltshire,1944) (Geometridae) Synonym(s): *ghirshimani* Wiltshire,1944
- 2739)** *Epitherina rhodopoleos* Wehrli,1938 (Geometridae) Synonym(s): *rhodopoleos* Wehrli,1938
- 2740)** *Epitrix abeillei* (Bauduer,1874) (Chrysomelidae) Synonym(s): *abeillei* Bauduer,1874
- 2741)** *Epitrix caucasica* (Heiteringer,1950) (Chrysomelidae) Synonym(s): *caucasica* Heiteringer,1950
- 2742)** *Epitrix dieckmanni* (Mohr,1968) (Chrysomelidae) Synonym(s): *dieckmanni* Mohr,1968
- 2743)** *Epitrix priesneri* (Heikertinger,1950) (Chrysomelidae) Synonym(s): *priesneri* Heikertinger,1950
- 2744)** *Epitrix pubescens* (Koch,1803) (Chrysomelidae) Synonym(s): *pubescens* Koch,1803; *ferruginea* Weise,1886; *suturalis* Bedel,1897; *lenkorana* Pic,1903
- 2745)** *Erannis caspica* Laszlo,2003 (Geometridae) Synonym(s): *caspica* Laszlo,2003
- 2746)** *Erax grootaerti* Tomasovic,2002 (Asilidae) Synonym(s): *grootaerti* Tomasovic,2002
- 2747)** *Erebica graucasica* Jachontov,1909 (Satyridae) Synonym(s): *graucasica* Jachontov,1909; *caucasica* Korshunov, Antonova & Kotshetova,1984.
- 2748)** *Erebica iranica* Groum-Grshimailo,1895 (Satyridae) Synonym(s): *iranica* Groum-Grshimailo,1895
- 2749)** *Erebunus farinosus* (Becker,1913) (Asilidae) Synonym(s): *farinosus* Becker,1913; *transcaspica* Lehr,1964; *pilosa* Lehr,1964
- 2750)** *Eremaphanta (s.str.) iranica* Schwammberger,1971 (Melittidae) Synonym(s): *iranica* Schwammberger,1971
- 2751)** *Eremica effendi* Gozmany,1963 (Autostichidae) Synonym(s): *effendi* Gozmany,1963
- 2752)** *Eremica eremita* Gozmany,1963 (Autostichidae) Synonym(s): *eremita* Gozmany,1963
- 2753)** *Eremica wiltshirei* Gozmany,1963 (Autostichidae) Synonym(s): *wiltshirei* Gozmany,1963
- 2754)** *Eremippus haghghii* Descamps,1967 (Acrididae) Synonym(s): *haghghii* Descamps,1967
- 2755)** *Eremippus kermanicus* Mishtchenko,1976 (Acrididae) Synonym(s): *kermanicus* Mishtchenko,1976
- 2756)** *Eremippus persicus* Uvarov,1929 (Acrididae) Synonym(s): *#uvarovi* Moritz,1928; *persicus* Uvarov,1929
- 2757)** *Eremisca heleni* (Efflatoun,1934) (Asilidae) Synonym(s): *heleni* Efflatoun,1934
- 2758)** *Eremisca shahgudiani* Abbasian-Lintzen,1964 (Asilidae) Synonym(s): *shahgudiani* Abbasian-Lintzen,1964; *araratica* Richter,1966
- 2759)** *Eremobia asiatica* Draudt,1936 (Noctuidae) Synonym(s): *asiatica* Draudt,1936
- 2760)** *Eremocharis granulosa* (Walker,1871) (Pamphagidae) Synonym(s): *granulosa* Walker,1871
- 2761)** *Eremocharis subsulcata* (Stal,1875) (Pamphagidae) Synonym(s): *subsulcata* Stal,1875
- 2762)** *Eremocossus vaulogeri* (Staudinger,1897) (Cossidae) Synonym(s): *vaulogeri* Staudinger,1897; *suavis* Staudinger,1899; *saharae* Lucas,1907; *hartigi* Rebel,1935.
- 2763)** *Eremohadena arvicola* (Christoph,1887) (Noctuidae) Synonym(s): *arvicola* Christoph,1887; *banghaasi* Bytinski-Salz & Brandt,1937
- 2764)** *Eremohadena toerpexa* L.Ronkay & Gyulai,2006 (Noctuidae) Synonym(s): *toerpexa* L.Ronkay & Gyulai,2006
- 2765)** *Eremopeza bicoloripes* (Moritz,1928) (Pamphagidae) Synonym(s): *bicoloripes* Moritz,1928; *paludani* Ramme,1952
- 2766)** *Eremopeza cinerascens* (Stal,1875) (Pamphagidae) Synonym(s): *cinerascens* Stal,1875
- 2767)** *Eremopeza gibbera* (Stal,1874) (Pamphagidae) Synonym(s): *gibbera* Stal,1874
- 2768)** *Eremopeza saussurei* (Uvarov,1918) (Pamphagidae) Synonym(s): *gibber* Uvarov,1916; *saussurei* Uvarov,1918
- 2769)** *Eremotmethis carinatus* (Fabricius,1775) (Pamphagidae) Synonym(s): *carinatus* Fabricius,1775; *continuata* Audinet-Serville,1838; *aegyptius* Uvarov,1924; *moritzi* Uvarov,1929
- 2770)** *Eremyia mofidii* (Abbassian-Lintzen,1966) (Bombyliidae) Synonym(s): *mofidii* Abbassian-Lintzen,1966
- 2771)** *Eremyia transcaspica* (Paramonov,1924) (Bombyliidae) Synonym(s): *transcaspica* Paramonov,1924
- 2772)** *Eretes sticticus* (Linnaeus,1767) (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus* Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus* Wollaston,1861; *subdiaphanus* Wollaston,1861
- 2773)** *Eretmocera medinella* (Staudinger,1859) (Scythridae) Synonym(s): *medinella* Staudinger,1859; *#decolorata* Turati,1924
- 2774)** *Eriogaster (Autosphylla) henkei* (Staudinger,1879) (Lasiocampidae) Synonym(s): *henkei* Staudinger,1879
- 2775)** *Eriogaster (Autosphylla) neogena* (Fischer de Waldheim,1824) (Lasiocampidae) Synonym(s): *neogena* Fischer de Waldheim,1824
- 2776)** *Eriogaster (s.str.) pfeifferi* Daniel,1932 (Lasiocampidae) Synonym(s): *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941
- 2777)** *Eriogaster acanthophylli* Christoph,1882 (Lasiocampidae) Synonym(s): *acanthophylli* Christoph,1882
- 2778)** *Eriopogon laniger* (Meigen,1804) (Asilidae) Synonym(s): *laniger* Meigen,1804; *flavescens* Jaennicke,1867
- 2779)** *Erioptera (Mesocyphona) bivittata* (Loew,1873) (Limoniidae) Synonym(s): *bivittata* Loew,1873
- 2780)** *Erioptera (s.str.) lutea* Meigen,1804 (Limoniidae) Synonym(s): *lutea* Meigen,1804
- 2781)** *Eriopygodes discalis* Brandt,1938 (Noctuidae) Synonym(s): *discalis* Brandt,1938
- 2782)** *Eristalinus (Eristalodes) taeniops* (Wiedemann,1818) (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818; *pulchripes* Wiedemann,1822; *fasciatus* Germar,1845; *aegyptius* Walker,1849; *torridus* Walker,1849; *completus* Santos-Abreu,1924; *concinus* Santos-Abreu,1924
- 2783)** *Eristalinus (Lathyrrophthalmus) aeneus* (Scopoli,1763) (Syrphidae) Synonym(s): *aeneus* Scopoli,1763; *punctatus* Müller,1764; *macrophthalmus* Preysler,1791; *taphicus* Wiedemann,1830; *stygius* Newman,1835; *aenescens* Macquart,1842; *nigrolineatus* Hervé-Bazin,1923
- 2784)** *Eristalinus (Lathyrrophthalmus) megacephalus* (Rossi,1792) (Syrphidae) Synonym(s): *megacephalus* Rossi,1792
- 2785)** *Eristalinus (s.str.) sepulchralis* (Linnaeus,1758) (Syrphidae) Synonym(s): *sepulchralis* Linnaeus,1758
- 2786)** *Eristalis (Eoseritalis) arbustorum* (Linnaeus,1758) (Syrphidae) Synonym(s): *arbustorum* Linnaeus,1758; *lineole* Harris,1776
- 2787)** *Eristalis (s.str.) tenax* (Linnaeus,1758) (Syrphidae) Synonym(s): *tenax* Linnaeus,1758; *interrupta* Poda,1761; *vulgaris* Scopoli,1763; *fuscus* Scopoli,1763; *porcinus* De Geer,1776; *arbustorum* Schrank,1781; *silvaticus* Meigen,1822; *vulpinus* Meigen,1822; *sinensis* Wiedemann,1824; *ventralis* Thomson,1869; *alpina* Strobl,1909
- 2788)** *Erynnis (Hesperopegasus) marloyi* (Boisduval,[1834]) (Hesperiidae) Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849].

- 2789) Erynnis (s.str.) elbursina (Bytinski-Salz & Brandt,1937)** (Hesperiidae) Synonym(s): *elbursina* Bytinski-Salz & Brandt,1937
- 2790) Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921.
- 2791) Erythria (s.str.) aureola (Fallén,1806)** (Cicadellidae) Synonym(s): *aureola* Fallén,1806; *chlorophana* Herrich-Schäffer,1843; *luteipes* Prohaska,1923
- 2792) Erythromma viridulum (Charpentier,1840)** (Coenagrionidae) Synonym(s): *viridulum* Charpentier,1840
- 2793) Esatanas shah (Rondani,1873)** (Asilidae) Synonym(s): *shah* Rondani,1873
- 2794) Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) Synonym(s): *#climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819].
- 2795) Estimata cacumena (Brandt,1938)** (Noctuidae) Synonym(s): *cacumena* Brandt,1938
- 2796) Eteobalea intermediella (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966
- 2797) Eteobalea thaumatella (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *thaumatella* Walsingham,1907; *lactipunctella* Turati,1924.
- 2798) Ethmia alba (Amsel,1949)** (Ethmiidae) Synonym(s): *alba* Amsel,1949
- 2799) Ethmia amasina (Staudinger,1879)** (Ethmiidae) Synonym(s): *amasina* Staudinger,1879
- 2800) Ethmia aurifluella (Hübner,[1810])** (Ethmiidae) Synonym(s): *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882.
- 2801) Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenuartiella* Rossi,1790; *griseicostella* Wiltshire,1947.
- 2802) Ethmia candidella (Alpheraky,1908)** (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931.
- 2803) Ethmia caradjae (Rebel,1907)** (Ethmiidae) Synonym(s): *caradjae* Rebel,1907; *chosroes* Wiltshire,1947
- 2804) Ethmia cirrhocnemis (Lederer,1870)** (Ethmiidae) Synonym(s): *cirrhocnemis* Lederer,1870
- 2805) Ethmia derbendella Sattler,1967** (Ethmiidae) Synonym(s): *derbendella* Sattler,1967
- 2806) Ethmia distigmatella (Erschoff,1874)** (Ethmiidae) Synonym(s): *distigmatella* Erschoff,1874; *bipunctella* Rebel,1936; *distichella* Rebel,1940.
- 2807) Ethmia dodecea (Haworth,[1828])** (Ethmiidae) Synonym(s): *decemguttella* Hübner,[1810] *nec* Fabr.,1794; *dodecea* Haworth,[1828].
- 2808) Ethmia fumidella (Wocke,1850)** (Ethmiidae) Synonym(s): *fumidella* Wocke,1850; *ardosiella* Caradja,1931.
- 2809) Ethmia iranella Zerny,1940** (Ethmiidae) Synonym(s): *iranella* Zerny,1940
- 2810) Ethmia lecmima Sattler,1967** (Ethmiidae) Synonym(s): *lecmima* Sattler,1967
- 2811) Ethmia persica Kun,2007** (Ethmiidae) Synonym(s): *persica* Kun,2007; *#percisa* Kun,2007
- 2812) Ethmia pusiella (Linnaeus,1758)** (Ethmiidae) Synonym(s): *pusiella* Linnaeus,1758; *scalella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796.
- 2813) Ethmia quadrinotella (Mann,1861)** (Ethmiidae) Synonym(s): *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922.
- 2814) Ethmia sattleri Kun,2007** (Ethmiidae) Synonym(s): *sattleri* Kun,2007
- 2815) Ethmia similis Sattler,1967** (Ethmiidae) Synonym(s): *similis* Sattler,1967
- 2816) Ethmia tripunctella (Staudinger,1879)** (Ethmiidae) Synonym(s): *tripunctella* Staudinger,1879
- 2817) Ethmia vittalbella (Christoph,1877)** (Ethmiidae) Synonym(s): *vittalbella* Christoph,1877; *radiatella* Chrétien,1907; *tripolitanella* Turati,1929.
- 2818) Etiella zinckenella (Treitschke,1832)** (Pyralidae) Synonym(s): *marginella* Fabricius,1781 *nec* Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975.
- 2819) Euapatura mirza Ebert,1971** (Argynniidae) Synonym(s): *mirza* Ebert,1971; *iwasei* Igarashi,1971.
- 2820) Eublemma (albida-gr.) argentiferum Hacker & Fibiger,2002** (Noctuidae) Synonym(s): *argentifera* Hacker & Fibiger,2002
- 2821) Eublemma (albida-gr.) compunctum (Lederer,1872)** (Noctuidae) Synonym(s): *compuncta* Lederer,1872; *aftob* Brandt,1938.
- 2822) Eublemma (albida-gr.) draudti (Bytinski-Salz & Brandt,1937)** (Noctuidae) Synonym(s): *draudti* Bytinski-Salz & Brandt,1937
- 2823) Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): *albida* auct.; *gratissima* Staudinger,1892; *infuscatella* Staudinger,1892; *peralba* Schawerda,1923.
- 2824) Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,[1851]
- 2825) Eublemma (albida-gr.) jocularis (Christoph,1877)** (Noctuidae) Synonym(s): *jocularis* Christoph,1877
- 2826) Eublemma (albida-gr.) munda (Christoph,1884)** (Noctuidae) Synonym(s): *munda* Christoph,1884
- 2827) Eublemma (albida-gr.) stramineum (Staudinger,1892)** (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933.
- 2828) Eublemma (bifasciata-gr.) bifasciatum (Moore,1881)** (Noctuidae) Synonym(s): *bifasciata* Moore,1881
- 2829) Eublemma (bulla-gr.) bullum (Swinhoe,1884)** (Noctuidae) Synonym(s): *bulla* Swinhoe,1884; *tomentalis* Rebel,1948.
- 2830) Eublemma (bulla-gr.) conistrotum Hampson,1910** (Noctuidae) Synonym(s): *conistrotum* Hampson,1910
- 2831) Eublemma (bulla-gr.) lutosum Staudinger,1892** (Noctuidae) Synonym(s): *lutosum* Staudinger,1892; *substrigula* Staudinger,1892
- 2832) Eublemma (candidana-gr.) aureolum Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *aureola* Fibiger & Hacker,2002
- 2833) Eublemma (candidana-gr.) candidanum (Fabricius,1794)** (Noctuidae) Synonym(s): *candidana* Fabricius,1794; *minuta* Hübner,[1809]; *perlana* Geyer,[1830]; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871.
- 2834) Eublemma (candidana-gr.) ochreolum (Staudinger,1900)** (Noctuidae) Synonym(s): *ochreola* Staudinger,1900; *thurneri* Zerny,1936.
- 2835) Eublemma (candidana-gr.) taftanum (Brandt,1941)** (Noctuidae) Synonym(s): *taftana* Brandt,1941
- 2836) Eublemma (candidana-gr.) wagneri (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *wagneri* Herrich-Schäffer,1851
- 2837) Eublemma (chlorotica-gr.) chloroticum (Lederer,1858)** (Noctuidae) Synonym(s): *chlorotica* Lederer,1858
- 2838) Eublemma (chlorotica-gr.) pseudoviridis (Brandt,1939)** (Noctuidae) Synonym(s): *pseudoviridis* Brandt,1939
- 2839) Eublemma (cochylionides-gr.) cochylionides (Guenée,1852)** (Noctuidae) Synonym(s): *cochylionides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confuscatella* W. Warren,1913.

- 2840) *Eublemma (debilis-gr.) deserti* (Rothschild,1909) (Noctuidae) Synonym(s): *deserti* Rothschild,1909
- 2841) *Eublemma (debilis-gr.) micropterum* (Brandt,1939) (Noctuidae) Synonym(s): *microptera* Brandt,1939
- 2842) *Eublemma (debilis-gr.) murati* (Brandt,1939) (Noctuidae) Synonym(s): *murati* Brandt,1939
- 2843) *Eublemma (gayneri-gr.) fredii* Fibiger & Hacker,2002 (Noctuidae) Synonym(s): *fredii* Fibiger & Hacker,2002
- 2844) *Eublemma (Glossodice) agnellum* (Brandt,1938) (Noctuidae) Synonym(s): *agnella* Brandt,1938
- 2845) *Eublemma (Glossodice) apicipunctalis* (Brandt,1939) (Noctuidae) Synonym(s): *apicipunctalis* Brandt,1939; ? *popovi* Wiltshire,1953; *guichardi* Wiltshire,1977.
- 2846) *Eublemma (Glossodice) polygrammum* (Duponchel,[1842]) (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *violetta* Staudinger,1889.
- 2847) *Eublemma (Glossodice) pseudopistrotum* (Brandt,1938) (Noctuidae) Synonym(s): *pseudopistrotum* Brandt,1938
- 2848) *Eublemma (ostrina-gr.) illotum* (Christoph,1887) (Noctuidae) Synonym(s): *illota* Christoph,1887
- 2849) *Eublemma (ostrina-gr.) ostrinum* (Hübner,[1808]) (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973.
- 2850) *Eublemma (pallidula-gr.) boursini* (Bytinski-Salz & Brandt,1937) (Noctuidae) Synonym(s): *boursini* Bytinski-Salz & Brandt,1937
- 2851) *Eublemma (pallidula-gr.) pallidulum* (Herrich-Schäffer,1856) (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856
- 2852) *Eublemma (pallidula-gr.) uniformis* (Staudinger,1879) (Noctuidae) Synonym(s): *uniformis* Staudinger,1879
- 2853) *Eublemma (parva-gr.) parvodes* (Brandt,1939) (Noctuidae) Synonym(s): *parvodes* Brandt,1939
- 2854) *Eublemma (parva-gr.) parvum* (Hübner,[1808]) (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabilbe,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
- 2855) *Eublemma (rosina-gr.) caelestis* (Brandt,1938) (Noctuidae) Synonym(s): *caelestis* Brandt,1938
- 2856) *Eublemma (rosina-gr.) panonicum* (Freyer,1840) (Noctuidae) Synonym(s): *panonica* Freyer,1840; *kindermannii* Boisduval,1840; *lenis* Eversmann,1844
- 2857) *Eublemma (rosina-gr.) parallelum* (Freyer,1842) (Noctuidae) Synonym(s): *parallela* Freyer,1842; *concinula* Herrich-Schäffer,1851; #*densata* W. Warren,1912.
- 2858) *Eublemma (rosina-gr.) purpurinum* (Denis & Schiffermüller,[1775]) (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901.
- 2859) *Eublemma (rosina-gr.) rosinum* (Hübner,[1803]) (Noctuidae) Synonym(s): *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
- 2860) *Eublemma (siticulosa-gr.) albinum* (Staudinger,1898) (Noctuidae) Synonym(s): *albina* Staudinger,1898
- 2861) *Eublemma (siticulosa-gr.) leucotum* Hampson,1910 (Noctuidae) Synonym(s): *leucota* Hampson,1910
- 2862) *Eublemma (siticulosa-gr.) nives* (Brandt,1938) (Noctuidae) Synonym(s): *nives* Brandt,1938
- 2863) *Eublemma fugitiva* (Christoph,1877) (Noctuidae) Synonym(s): *fugitiva* Christoph,1877
- 2864) *Eublemma suppuncta* (Staudinger,1892) (Noctuidae) Synonym(s): *suppuncta* Staudinger,1892; #*suppuncta* Hacker,1988
- 2865) *Eucampsipoda aegyptia* (Macquart,1851) (Nycteribiidae) Synonym(s): *aegyptia* Macquart,1851
- 2866) *Eucampyla dealbatella* (Erschoff,1874) (Pylalidae) Synonym(s): *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulata* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965.
- 2867) *Euchalcia (s.str.) chalcophanes* Dufay,1963 (Noctuidae) Synonym(s): *chalcophanes* Dufay,1963
- 2868) *Euchalcia (s.str.) emichi* (Rogenhofer,1873) (Noctuidae) Synonym(s): *emichi* Rogenhofer,1873
- 2869) *Euchalcia (s.str.) hedeia* Dufay,1978 (Noctuidae) Synonym(s): *hedeia* Dufay,1978; #*hedeja* Hacker,1990; *aureolineata* Ronkay & Gyulai,1997.
- 2870) *Euchalcia (s.str.) hyrcaniae* Dufay,1963 (Noctuidae) Synonym(s): *hyrcaniae* Dufay,1963
- 2871) *Euchalcia (s.str.) incredibilis* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *incredibilis* Hacker & Ebert,2002
- 2872) *Euchalcia (s.str.) siderifera* (Eversmann,1846) (Noctuidae) Synonym(s): *siderifera* Eversmann,1846
- 2873) *Euchalcia (s.str.) stilpna* Dufay,1969 (Noctuidae) Synonym(s): *stilpna* Dufay,1969
- 2874) *Euchalcia (s.str.) taurica* (Osthelder,1933) (Noctuidae) Synonym(s): *taurica* Osthelder,1933
- 2875) *Euchalcia (s.str.) viridis* (Staudinger,1901) (Noctuidae) Synonym(s): *viridis* Staudinger,1901
- 2876) *Eucharis (s.str.) adscendens* (Fabricius,1787) (Eucharidae) Synonym(s): *adscendens* Fabricius,1787; *kollari* Föster,1859
- 2877) *Eucharis (s.str.) carnifera* Gussakovsky,1940 (Eucharidae) Synonym(s): *carnifera* Gussakovsky,1940
- 2878) *Eucharis (s.str.) rugulosa* Gussakovsky,1940 (Eucharidae) Synonym(s): *rugulosa* Gussakovsky,1940
- 2879) *Euchloe (Elphinstonia) lessei* Bernardi,1957 (Pieridae) Synonym(s): *lessei* Bernardi,1957
- 2880) *Euchloe (Elphinstonia) penia* (Freyer,[1852]) (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
- 2881) *Euchloe (Elphinstonia) tomyris* Christoph,1884 (Pieridae) Synonym(s): *tomyris* Christoph,1884
- 2882) *Euchloe (Elphinstonia) transcaspica* (Staudinger,[1892]) (Pieridae) Synonym(s): *transcaspica* Staudinger,[1892]
- 2883) *Euchloe (Elphinstonia) ziyani* Leestmans & Back,2001 (Pieridae) Synonym(s): *ziyani* Leestmans & Back,2001
- 2884) *Euchloe (s.str.) ausonia* (Hübner,[1804]) (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
- 2885) *Euchloe (s.str.) belemia* (Esper,[1800]) (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glauce* Freyer,[1848]
- 2886) *Euchromius bella* (Hübner,1796) (Pylalidae) Synonym(s): *bella* Hübner,1796; *bellalis* Hübner,[1825].
- 2887) *Euchromius cambridgei* (Zeller,1867) (Pylalidae) Synonym(s): *cambridgei* Zeller,1867; *luciella* Chrétien,1907; *prototypa* Meyrick,1935; *congruentella* Amsel,1958; *szijartoi* Gozmany,1959; *ilkui* Gozmany,1959.
- 2888) *Euchromius cochlearellus* (Amsel,1949) (Pylalidae) Synonym(s): *cochlearella* Amsel,1949
- 2889) *Euchromius gratiosellus* (Caradja,1910) (Pylalidae) Synonym(s): *gratiosella* Caradja,1910
- 2890) *Euchromius jaxartellus* (Erschoff,1874) (Pylalidae) Synonym(s): *jaxartella* Erschoff,1874
- 2891) *Euchromius keredjellus* (Amsel,1949) (Pylalidae) Synonym(s): *keredjella* Amsel,1949
- 2892) *Euchromius malekalis* Amsel,1961 (Pylalidae) Synonym(s): *malekalis* Amsel,1961
- 2893) *Euchromius ocellus* (Haworth,[1811]) (Pylalidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 2894) *Euchromius pulverosus* (Christoph,1887) (Pylalidae) Synonym(s): *pulverosa* Christoph,1887
- 2895) *Euchromius ramburiellus* (Duponchel,1836) (Pylalidae) Synonym(s): *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; #*ramburellus* Rothschild,1924; *islamella* Amsel,1949.
- 2896) *Euchromius superbullus* (Zeller,1849) (Pylalidae) Synonym(s): *superbullus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958.
- 2897) *Euchromius vinculellus* (Zeller,1847) (Pylalidae) Synonym(s): *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrlutella* Amsel,1949.

- 2898) *Euclasta* (*Proteuclasta*) *mirabilis* Amsel, 1949 (Pyrilidae) Synonym(s): *mirabilis* Amsel, 1949
- 2899) *Eucosma albidulana* (Herrich-Schäffer, [1851]) (Tortricidae) Synonym(s): *albidulana* Herrich-Schäffer, [1851]
- 2900) *Eucosma coagulana* (Kennel, 1901) (Tortricidae) Synonym(s): *coagulana* Kennel, 1901
- 2901) *Eucosma conterminana* (Guenée, 1845) (Tortricidae) Synonym(s): *conterminana* Guenée, 1845
- 2902) *Eucosma ephedrana* Christoph, 1877 (Tortricidae) Synonym(s): *ephedrana* Christoph, 1877
- 2903) *Eucosma jerusalemiana* (Amsel, 1935) (Tortricidae) Synonym(s): *jerusalemiana* Amsel, 1935
- 2904) *Eucosma metzneriana* (Treitschke, 1830) (Tortricidae) Synonym(s): *metzneriana* Treitschke, 1830
- 2905) *Eucosma persiae* Razowski, 1963 (Tortricidae) Synonym(s): *persiae* Razowski, 1963
- 2906) *Eucosma pupillana* (Clerck, 1759) (Tortricidae) Synonym(s): *pupillana* Clerck, 1759
- 2907) *Eucosma tetraplana* (Möschler, 1866) (Tortricidae) Synonym(s): *tetraplana* Möschler, 1866
- 2908) *Eudasyphora cyanella* (Meigen, 1826) (Muscidae) Synonym(s): *cyanella* Meigen, 1826
- 2909) *Eudiaphora turensis* (Erschoff, 1874) (Arctiidae) Synonym(s): *turensis* Erschoff, 1874; *maracandica* Seitz, 1910; *afghanistanensis* Daniel, 1966.
- 2910) *Eudioxys schwarzi* Mavromoustakis, 1968 (Megachilidae) Synonym(s): *schwarzi* Mavromoustakis, 1968
- 2911) *Eudonia mercurella* (Linnaeus, 1758) (Pyrilidae) Synonym(s): *mercurella* Linnaeus, 1758; *mercurii* Fabricius, 1798; *mercurea* Haworth, 1811; *mercurealis* Hübner, [1825]; *portlandica* Westwood, 1845; *frequentella* Stainton, 1849; *concinella* Curtis, 1850; *frequentalis* Herrich-Schäffer, 1862
- 2912) *Eugnorisma* (*Metagnorisma*) *heuristica* Varga & Ronkay, 1987 (Noctuidae) Synonym(s): *heuristica* Varga & Ronkay, 1987
- 2913) *Eugnorisma* (*Metagnorisma*) *pontica* (Staudinger, 1892) (Noctuidae) Synonym(s): *pontica* Staudinger, 1892
- 2914) *Eugnorisma* (s.str.) *chaldaica* (Boisduval, 1840) (Noctuidae) Synonym(s): *chaldaica* Boisduval, 1840
- 2915) *Eugnorisma* (s.str.) *eminens* (Lederer, 1855) (Noctuidae) Synonym(s): *eminens* Lederer, 1855; *excellens* Staudinger, 1867
- 2916) *Eugnorisma* (s.str.) *insignata* (Lederer, 1853) (Noctuidae) Synonym(s): *insignata* Lederer, 1853; *intermedia* Eversmann, 1855.
- 2917) *Eugnorisma* (s.str.) *kurdistanica* Hacker, Kuhna & Gross, 1986 (Noctuidae) Synonym(s): *kurdistanica* Hacker, Kuhna & Gross, 1986
- 2918) *Eugnorisma* (s.str.) *leuconeura* (Hampson, 1918) (Noctuidae) Synonym(s): *leuconeura* Hampson, 1918; *fuliginosa* Draudt, 1936.
- 2919) *Eugnorisma* (s.str.) *persago* Gyulai & L. Ronkay, 2006 (Noctuidae) Synonym(s): *persago* Gyulai & L. Ronkay, 2006
- 2920) *Eugnorisma* (s.str.) *semiramis* (Boursin, 1940) (Noctuidae) Synonym(s): *semiramis* Boursin, 1940
- 2921) *Eugnorisma* (s.str.) *spodia* (Püngeler, 1900) (Noctuidae) Synonym(s): *spodia* Püngeler, 1900
- 2922) *Eugnota magnificana* (Rebel, 1914) (Tortricidae) Synonym(s): *margaritana* Hübner, [1813] *nec* Haw., [1811]; ? *norvichiana* Hübner, [1817] [nomina dubia!]; *magnificana* Rebel, 1914.
- 2923) *Euhagena palariiformis* (Lederer, 1858) (Sesiidae) Synonym(s): *palariformis* Lederer, 1858; *diocetriiformis* Romanoff, 1884; *rubescens* Staudinger, 1887; *almana* Rebel, 1917
- 2924) *Euleia heraclei* (Linnaeus, 1758) (Tephritidae) Synonym(s): *heraclei* Linnaeus, 1758; *onopordinis* Fabricius, 1775; *centauriae* Fabricius, 1794; *onopordi* Schrank, 1803; *berberidis* Schrank, 1803
- 2925) *Eulocastra bryophiloides* Brandt, 1938 (Noctuidae) Synonym(s): *bryophiloides* Brandt, 1938
- 2926) *Eulocastra diaphora* (Staudinger, 1879) (Noctuidae) Synonym(s): *diaphora* Staudinger, 1879; *triangularis* W. Warren, 1888; *atribasalis* Hampson, 1896; *laticincta* Staudinger, 1898.
- 2927) *Eulocastra tamsina* Wiltshire, 1948 (Noctuidae) Synonym(s): *tamsi* Brandt, 1941 *nec* Ber., 1938; *tamsina* Wiltshire, 1948.
- 2928) *Eumecotarsus milidius* Seidenstücker, 1980 (Miridae) Synonym(s): *milidius* Seidenstücker, 1980
- 2929) *Eumenes dubius* Saussure, 1852 (Vespidae) Synonym(s): *dubius* Saussure, 1852
- 2930) *Eumera hoeferi* Wehrli, 1934 (Geometridae) Synonym(s): *#hoeferi* Wehrli, 1934; *hoeferi* Wehrli, 1934; *#hoeferi* Wiltshire, 1937.
- 2931) *Eumerus ahmadii* Barkolov & Gharaei, 2004 (Syrphidae) Synonym(s): *ahmadii* Barkolov & Gharaei, 2004
- 2932) *Eumerus ahmadii* Barkolov & Gharaei, 2004 (Syrphidae) Synonym(s): *ahmadii* Barkolov & Gharaei, 2004
- 2933) *Eumerus amoenus* Loew, 1848 (Syrphidae) Synonym(s): *amoenus* Loew, 1848
- 2934) *Eumerus basalis* Loew, 1848 (Syrphidae) Synonym(s): *basalis* Loew, 1848
- 2935) *Eumerus coeruleus* (Becker, 1913) (Syrphidae) Synonym(s): *coeruleus* Becker, 1913
- 2936) *Eumerus falsus* Becker, 1922 (Syrphidae) Synonym(s): *falsus* Becker, 1922
- 2937) *Eumerus jacobsoni* Becker, 1913 (Syrphidae) Synonym(s): *jacobsoni* Becker, 1913
- 2938) *Eumerus persarum* Stackelberg, 1961 (Syrphidae) Synonym(s): *persarum* Stackelberg, 1961
- 2939) *Eumerus persarum* Stackelberg, 1961 (Syrphidae) Synonym(s): *persarum* Stackelberg, 1961
- 2940) *Eumerus persicus* Stackelberg, 1949 (Syrphidae) Synonym(s): *persicus* Stackelberg, 1949
- 2941) *Eumerus persicus* Stackelberg, 1949 (Syrphidae) Synonym(s): *persicus* Stackelberg, 1949
- 2942) *Eumerus sogdianus* Stackelberg, 1952 (Syrphidae) Synonym(s): *sogdianus* Stackelberg, 1952
- 2943) *Eumerus tadzhicorum* Stackelberg, 1949 (Syrphidae) Synonym(s): *tadzhicorum* Stackelberg, 1949
- 2944) *Eumerus tricolor* (Fabricius, 1798) (Syrphidae) Synonym(s): *tricolor* Fabricius, 1798
- 2945) *Eumerus tuberculatus* Rondani, 1843 (Syrphidae) Synonym(s): *tuberculatus* Rondani, 1843
- 2946) *Euodynerus* (s.str.) *curictensis* Blüthgen, 1940 (Vespidae) Synonym(s): *curictensis* Blüthgen, 1940; *comosellus* Gusenleitner, 1971
- 2947) *Euoniticellus pallens* (Olivier, 1789) (Scarabaeidae) Synonym(s): *pallens* Olivier, 1789
- 2948) *Eupelix cuspidata* (Fabricius, 1775) (Cicadellidae) Synonym(s): *cuspidata* Fabricius, 1775; *porrecta* Fourcroy, 1785; *depressa* Fabricius, 1803; *fuliginosa* Peletier & Serville, 1825; *spathulata* Germar, 1838; *producta* Germar, 1838; *zelleri* Kirschbaum, 1868; *marginata* Signoret, 1879; *sinuata* Lindberg, 1948
- 2949) *Eupeodes corollae* (Fabricius, 1794) (Syrphidae) Synonym(s): *consisto* Harris, 1776; *corollae* Fabricius, 1794; *pyrorum* Schrank, 1803; *olitoria* Fallén, 1817; *lacerus* Meigen, 1822; *fulvifrons* Macquart, 1827; *crenatus* Macquart, 1927; *annularis* Curtis, 1837; *octomaculata* Curtis, 1837; *propinquus* Macquart, 1850; *topiarius* Walker, 1851; *berber* Bigot, 1884
- 2950) *Eupeodes luniger* (Meigen, 1822) (Syrphidae) Synonym(s): *luniger* Meigen, 1822; *nigrifemoratus* Macquart, 1829; *bucculatus* Rondani, 1857; *maricolor* Enderlein, 1938; *azureus* Szilady, 1940; *transcendens* Szilady, 1940
- 2951) *Eupeodes nuba* (Wiedemann, 1830) (Syrphidae) Synonym(s): *nuba* Wiedemann, 1830; *interrumpens* Walker, 1871; *rufinasutus* Bigot, 1884; *novigradensis* Coe, 1960
- 2952) *Eupholidoptera mirzayani* Mofidi-Neyestanak & Quicke, 2007 (Tettigoniidae) Synonym(s): *mirzayani* Mofidi-Neyestanak & Quicke, 2007

- 2953) Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnidae) Synonym(s): *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye Bergsträßer*,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917; *pychanpar* Lastukhin,2007
- 2954) Euphyia chalusata Wiltshire,1970** (Geometridae) Synonym(s): *chalusata* Wiltshire,1970
- 2955) Euphyia farsica Brandt,1941** (Geometridae) Synonym(s): *farsica* Brandt,1941
- 2956) Euphyia obvallata (Lederer,1870)** (Geometridae) Synonym(s): *obvallata* Lederer,1870
- 2957) Euphyia scopulata (Brandt,1938)** (Geometridae) Synonym(s): *scopulata* Brandt,1938
- 2958) Euphyia sintenisi (Staudinger,1892)** (Geometridae) Synonym(s): *sintenisi* Staudinger,1892; *sultania* Wehrli,1938.
- 2959) Eupithecia accurata Staudinger,1892** (Geometridae) Synonym(s): *accurata* Staudinger,1892; *subscalptata* Schütze,1961
- 2960) Eupithecia adjemica Brandt,1941** (Geometridae) Synonym(s): *adjemica* Brandt,1941
- 2961) Eupithecia aduncata Brandt,1938** (Geometridae) Synonym(s): *aduncata* Brandt,1938
- 2962) Eupithecia aequabila Brandt,1938** (Geometridae) Synonym(s): *aequabila* Brandt,1938
- 2963) Eupithecia albertiata Schütze,1961** (Geometridae) Synonym(s): *albertiata* Schütze,1961
- 2964) Eupithecia aradjouna Brandt,1938** (Geometridae) Synonym(s): *aradjouna* Brandt,1938
- 2965) Eupithecia asperata Brandt,1938** (Geometridae) Synonym(s): *asperata* Brandt,1938
- 2966) Eupithecia bastelbergeri Dietze,1913** (Geometridae) Synonym(s): *bastelbergeri* Dietze,1913
- 2967) Eupithecia breviculata (Donzel,1837)** (Geometridae) Synonym(s): *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977.
- 2968) Eupithecia bytinskii L.B.Prout,1938** (Geometridae) Synonym(s): *prouti* Bytinski-Salz & Brandt,1937 nec Zny.,1933; *bytinskii* L.B.Prout,1938
- 2969) Eupithecia cheituna Brandt,1938** (Geometridae) Synonym(s): *cheituna* Brandt,1938
- 2970) Eupithecia convallata Brandt,1938** (Geometridae) Synonym(s): *convallata* Brandt,1938
- 2971) Eupithecia decipiens W.Petersen,1910** (Geometridae) Synonym(s): *decipiens* W.Petersen,1910
- 2972) Eupithecia demetata Christoph,1885** (Geometridae) Synonym(s): *demetata* Christoph,1885; *draudti* Dietze,1910
- 2973) Eupithecia eberti Vojnits,1978** (Geometridae) Synonym(s): *eberti* Vojnits,1978
- 2974) Eupithecia edaphopteryx Vojnits,1988** (Geometridae) Synonym(s): *edaphopteryx* Vojnits,1988
- 2975) Eupithecia elbursi Vojnits,1988** (Geometridae) Synonym(s): *elbursi* Vojnits,1988
- 2976) Eupithecia elbursiata Schütze,1960** (Geometridae) Synonym(s): *elbursiata* Schütze,1960
- 2977) Eupithecia exactata Staudinger,1882** (Geometridae) Synonym(s): *exactata* Staudinger,1882; *modesta* Dietze,1910 nec Tayl.,1906; *opulenta* Vojnits,1982; *subolivacea* Inoue,1996.
- 2978) Eupithecia extensaria (Freyer,1844)** (Geometridae) Synonym(s): *extensaria* Freyer,1844; *prolongata* Lienig,1846; *sydyi* Staudinger,1885; *leuca* Dietze,1910; *prolongata* Dietze,1910 nec Lien.,1846; *occidua* L.B.Prout,1914
- 2979) Eupithecia extraversaria Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *extraversaria* Herrich-Schäffer,[1852]; *libanotidana* Guenée,[1858]
- 2980) Eupithecia extremata (Fabricius,1787)** (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
- 2981) Eupithecia forsterata Schütze,1960** (Geometridae) Synonym(s): *forsterata* Schütze,1960
- 2982) Eupithecia frontosa Brandt,1941** (Geometridae) Synonym(s): *frontosa* Brandt,1941
- 2983) Eupithecia fuscicostata Christoph,1887** (Geometridae) Synonym(s): *fuscicostata* Christoph,1887; *fuscostigma* Alpheraky,1892; *salami* Brandt,1938; *domogledana* Vojnits & Szabo,1988
- 2984) Eupithecia fuscopunctata Brandt,1938** (Geometridae) Synonym(s): *fuscopunctata* Brandt,1938
- 2985) Eupithecia gratiosata Herrich-Schäffer,1861** (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885
- 2986) Eupithecia gueneata Millière,1862** (Geometridae) Synonym(s): *gueneata* Millière,1862; *busambraria* Ragusa,1889
- 2987) Eupithecia hannemanni Vojnits & Laever,1973** (Geometridae) Synonym(s): *hannemanni* Vojnits & Laever,1973; *manca* Vojnits,1979
- 2988) Eupithecia harenosa Brandt,1938** (Geometridae) Synonym(s): *harenosa* Brandt,1938
- 2989) Eupithecia husseini Brandt,1938** (Geometridae) Synonym(s): *husseini* Brandt,1938
- 2990) Eupithecia icterata (Villers,1789)** (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
- 2991) Eupithecia inexcercita Vojnits,1982** (Geometridae) Synonym(s): *inexcercita* Vojnits,1982
- 2992) Eupithecia iranica Koçak & Kemal,2001** (Geometridae) Synonym(s): *inquinata* Schütze,1961 nec Flet.,1950; *iranica* Koçak & Kemal,2001
- 2993) Eupithecia keredjana Brandt,1938** (Geometridae) Synonym(s): *keredjana* Brandt,1938
- 2994) Eupithecia laquaearia Herrich-Schäffer,[1848]** (Geometridae) Synonym(s): *laquaearia* Herrich-Schäffer,[1848]; *merinata* Guenée,[1858]
- 2995) Eupithecia laterata Dietze,1904** (Geometridae) Synonym(s): *laterata* Dietze,1904
- 2996) Eupithecia mahomedana Brandt,1938** (Geometridae) Synonym(s): *mahomedana* Brandt,1938
- 2997) Eupithecia mekrana Brandt,1941** (Geometridae) Synonym(s): *mekrana* Brandt,1941; *commenticia* Vojnits,1982; *idonea* Vojnits,1982; *stulta* Vojnits,1982.
- 2998) Eupithecia mesogrammata Dietze,1908** (Geometridae) Synonym(s): *mesogrammata* Dietze,1908; *#nesogrammata* L.B.Prout,1914.
- 2999) Eupithecia mirificata Brandt,1938** (Geometridae) Synonym(s): *mirificata* Brandt,1938
- 3000) Eupithecia montanata Brandt,1938** (Geometridae) Synonym(s): *montanata* Brandt,1938
- 3001) Eupithecia nachadira Brandt,1941** (Geometridae) Synonym(s): *nachadira* Brandt,1941; *mandarinca* Mironov,2001
- 3002) Eupithecia obtinens Brandt,1941** (Geometridae) Synonym(s): *obtinens* Brandt,1941
- 3003) Eupithecia opistographata Dietze,1906** (Geometridae) Synonym(s): *opistographata* Dietze,1906; *arenicola* Rothschild,1913; *#opisthographata* Schütze,1961
- 3004) Eupithecia pfeifferata Schütze,1960** (Geometridae) Synonym(s): *pfeifferata* Schütze,1960
- 3005) Eupithecia problematicata Schütze,1960** (Geometridae) Synonym(s): *problematicata* Schütze,1960
- 3006) Eupithecia pseudoicterata Schütze,1960** (Geometridae) Synonym(s): *pseudoicterata* Schütze,1960
- 3007) Eupithecia relativa Vojnits,1982** (Geometridae) Synonym(s): *relativa* Vojnits,1982
- 3008) Eupithecia relaxata Dietze,1904** (Geometridae) Synonym(s): *relaxata* Dietze,1904; *vicariata* Dietze,1904; *adjunctata* Dietze,1904; *costisignata* Dietze,1904; *pamiri* Vojnits,1988
- 3009) Eupithecia ridiculata Brandt,1938** (Geometridae) Synonym(s): *ridiculata* Brandt,1938
- 3010) Eupithecia sectila Brandt,1938** (Geometridae) Synonym(s): *sectila* Brandt,1938
- 3011) Eupithecia semigraphata Bruand,[1847]** (Geometridae) Synonym(s): *semigraphata* Bruand,[1847]

- 3012) *Eupithecia siata* Brandt, 1938 (Geometridae) Synonym(s): *siata* Brandt, 1938
- 3013) *Eupithecia silenicolata* Mabille, 1867 (Geometridae) Synonym(s): *silenicolata* Mabille, 1867
- 3014) *Eupithecia simpliciatata* Haworth, [1809] (Geometridae) Synonym(s): *simpliciatata* Haworth, [1809]; *subnotata* Hübner, [1813]; *subnotaria* Boisduval, 1840; *subnotataria* Herrich-Schäffer, 1848.
- 3015) *Eupithecia spadiceata* Zerny, 1933 (Geometridae) Synonym(s): *spadiceata* Zerny, 1933
- 3016) *Eupithecia subtilis* Dietze, 1910 (Geometridae) Synonym(s): *subtilis* Dietze, 1910; *tonu* Viidalepp, 1988
- 3017) *Eupithecia subvaticina* Vojnits, 1982 (Geometridae) Synonym(s): *subvaticina* Vojnits, 1982
- 3018) *Eupithecia subvulgata* Vojnits, 1982 (Geometridae) Synonym(s): *subvulgata* Vojnits, 1982
- 3019) *Eupithecia sutiata* Christoph, 1877 (Geometridae) Synonym(s): *sutiata* Christoph, 1877; *aequata* Staudinger, 1892; *orientata* Staudinger, 1901; *diffisata* Dietze, 1903; *ryabovi* Vojnits, 1975; *kasachstanica* Viidalepp, 1988.
- 3020) *Eupithecia tarenensis* Schwingenschuss, 1939 (Geometridae) Synonym(s): *tarenensis* Schwingenschuss, 1939
- 3021) *Eupithecia tenuiata* (Hübner, [1813]) (Geometridae) Synonym(s): *tenuiata* Hübner, [1813]; *macellata* Fischer v. Roeslerstamm, 1827
- 3022) *Eupithecia tesserata* Brandt, 1938 (Geometridae) Synonym(s): *tesserata* Brandt, 1938
- 3023) *Eupithecia ultimaria* Boisduval, 1840 (Geometridae) Synonym(s): *ultimaria* Boisduval, 1840; *tornifascia* Rothschild, 1913
- 3024) *Eupithecia undulifera* Schwingenschuss, 1939 (Geometridae) Synonym(s): *undulifera* Schwingenschuss, 1939
- 3025) *Eupithecia variostrigata* Alpheraky, 1876 (Geometridae) Synonym(s): *variostrigata* Alpheraky, 1876; *littorata* Constant, 1884; *artemesiata* Constant, 1884
- 3026) *Eupithecia xanthomixta* Vojnits, 1988 (Geometridae) Synonym(s): *xanthomixta* Vojnits, 1988
- 3027) *Euplagia quadripunctaria* (Poda, 1761) (Arctiidae) Synonym(s): *quadripunctaria* Poda, 1761; *hera* Linnaeus, 1767; *magna* Spuler, 1910 nec Hol., 1897; *latefasciata* Bubacek, 1915.
- 3028) *Euplagia splendidior* (Tams, 1922) (Arctiidae) Synonym(s): *splendidior* Tams, 1922; *tkatshukovi* Sheljuzhko, 1935.
- 3029) *Euplexia lucipara* (Linnaeus, 1758) (Noctuidae) Synonym(s): *lucipara* Linnaeus, 1758; *dubia* Hufnagel, 1766; *leonhardi* Rebel, 1909; *britannica* Turner, 1943
- 3030) *Euplocamus bienerti* Staudinger, 1870 (Tineidae) Synonym(s): *bienerti* Staudinger, 1870
- 3031) *Euplocamus schaeferi* Amsel, 1959 (Tineidae) Synonym(s): *schaeferi* Amsel, 1959
- 3032) *Euproctis boulifa* Dumont, 1922 (Lymantriidae) Synonym(s): *boulifa* Dumont, 1922
- 3033) *Euproctis karghalica* Moore, 1878 (Lymantriidae) Synonym(s): *karghalica* Moore, 1878; *#kargalika* Grum-Grshimailo, 1886; *flavosulphurea* Grum-Grshimailo, 1886; *#karghalika* Strand, 1910; *#deornata* Ebert, 1968
- 3034) *Euproctis melania* (Staudinger, 1892) (Lymantriidae) Synonym(s): *melania* Staudinger, 1892; *melaniodes* Strand, 1910; *#melaina* De Freina, 1999.
- 3035) *Euproctis similis* (Fuessly, 1775) (Lymantriidae) Synonym(s): *similis* Fuessly, 1775; *auriflua* [Denis & Schiffermüller], 1775; *cygnea* Thunberg, 1788; *rebeli* Haberhauer, 1902.
- 3036) *Eupsilia transversa* (Hufnagel, 1766) (Noctuidae) Synonym(s): *transversa* Hufnagel, 1766; *satellitica* Linnaeus, 1767
- 3037) *Eupteryx aurata* (Linnaeus, 1758) (Cicadellidae) Synonym(s): *aurata* Linnaeus, 1758; *festiva* Fabricius, 1794; *fulva* Herrich-Schäffer, 1836; *interpuncta* Cerutti, 1939; *nigerrima* Cerutti, 1939
- 3038) *Eupteryx cypria* (Ribaut, 1948) (Cicadellidae) Synonym(s): *cypria* Ribaut, 1948
- 3039) *Eupteryx iranica* Linnavuori, 1953 (Cicadellidae) Synonym(s): *iranica* Linnavuori, 1953
- 3040) *Eupteryx pavlovskii* Zachvatkin, 1947 (Cicadellidae) Synonym(s): *pavlovskii* Zachvatkin, 1947; *tochalica* Dlabola, 1974
- 3041) *Eupteryx taborskyi* Dlabola, 1957 (Cicadellidae) Synonym(s): *taborskyi* Dlabola, 1957
- 3042) *Eupteryx zelleri* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *zelleri* Kirschbaum, 1868; *putoni* Lethierry, 1876; *hipposideros* Horvath, 1892; *deccussata* Ribaut, 1936
- 3043) *Eurhodope* (Eurhobasis) cinerea (Staudinger, 1879) (Pyrilidae) Synonym(s): *cinerea* Staudinger, 1879
- 3044) *Eurhodope* (s.str.) concinnalis (Christoph, 1882) (Pyrilidae) Synonym(s): *concinnalis* Christoph, 1882; *fulgidella* Predota, 1934; *bella* Amsel, 1954
- 3045) *Eurhodope* (s.str.) hyrcanella (Amsel, 1953) (Pyrilidae) Synonym(s): *hyrcanella* Amsel, 1953
- 3046) *Eurhodope* (s.str.) incensella (Staudinger, 1859) (Pyrilidae) Synonym(s): *incensella* Staudinger, 1859; *flavella* Amsel, 1954
- 3047) *Eurhodope* (s.str.) mira Amsel, 1953 (Pyrilidae) Synonym(s): *mira* Amsel, 1953
- 3048) *Eurhodope* (s.str.) monogrammos (Zeller, 1867) (Pyrilidae) Synonym(s): *monogrammos* Zeller, 1867; *buxtoni* Rothschild, 1921; *homochromella* Amsel, 1961; *melanella* Roesler, 1969
- 3049) *Eurima astuta* Melichar, 1902 (Flatidae) Synonym(s): *astuta* Melichar, 1902
- 3050) *Eurina lurida* Meigen, 1830 (Chloropidae) Synonym(s): *lurida* Meigen, 1830; *clypeata* Meigen, 1830; *nuda* Loew, 1858
- 3051) *Eurrhysis elbursana* (Amsel, 1961) (Pyrilidae) Synonym(s): *elbursana* Amsel, 1961
- 3052) *Eurydema* (Horvath) fieberi (Fieber, 1837) (Pentatomidae) Synonym(s): *feberi* Fieber, 1837; *armeniaceum* Kolenati, 1846; *schaefferi* Gorski, 1852; *meyeri* Fieber, 1861; *caucasica* Jalkovlev, 1873; *scutellata* Jakovlev, 1883; *melanogaster* Horvath, 1917; *gussakovskii* Kiritshenko, 1952; *bagradiformis* Kiritshenko, 1952
- 3053) *Eurydema* (Horvath) rugulosa (Dohrn, 1860) (Pentatomidae) Synonym(s): *rugulosa* Dohrn, 1860; *nigrorubra* Reuter, 1900; *v-rubrum* Horvath, 1917; *anaemica* Horvath, 1917
- 3054) *Eurydema* (Rubrodorsalium) ventralis Kolenati, 1846 (Pentatomidae) Synonym(s): *ventralis* Kolenati, 1846; *hoffmanseggii* Gorski, 1852; *ornata* Fieber, 1861 nec Linn., 1758; *ventralis* Tamanini, 1947 nec Kol., 1846
- 3055) *Eurydema* (s.str.) ornata (Linnaeus, 1758) (Pentatomidae) Synonym(s): *ornatum* Linnaeus, 1758; *festivus* Linnaeus, 1767; *pictum* Herrich-Schäffer, 1833; *decoratum* Herrich-Schäffer, 1833; *pustulata* Fieber, 1837; *conjuncta* Kolenati, 1846; *fallax* Scholtz, 1847; *falleni* Gorski, 1852; *umbralis* Gistel, 1857
- 3056) *Eurydema laticollis* Horvath, 1907 (Pentatomidae) Synonym(s): *laticollis* Horvath, 1907
- 3057) *Eurydema putoni* Jakovlev, 1877 (Pentatomidae) Synonym(s): *putoni* Jakovlev, 1877; *adusta* Jakovlev, 1879; *colorata* Jakovlev, 1882; *formosum* Puton, 1895
- 3058) *Eurygaster integriceps* Puton, 1886 (Scutelleridae) Synonym(s): *integriceps* Puton, 1886
- 3059) *Eurygaster maura* (Linnaeus, 1758) (Scutelleridae) Synonym(s): *maura* Linnaeus, 1758
- 3060) *Euryostola minor* Baudi, 1875 (Tenebrionidae) Synonym(s): *minor* Baudi, 1875
- 3061) *Eurytoma abdita* Zerova, 1995 (Eurytomidae) Synonym(s): *abdita* Zerova, 1995
- 3062) *Eurytoma acroptilae* Zerova, 1986 (Eurytomidae) Synonym(s): *acroptilae* Zerova, 1986
- 3063) *Eurytoma amygdali* Enderlein, 1907 (Eurytomidae) Synonym(s): *amygdali* Enderlein, 1907
- 3064) *Eurytoma arctica* Thomson, 1875 (Eurytomidae) Synonym(s): *arctica* Thomson, 1875
- 3065) *Eurytoma blastophagi* Hedqvist, 1963 (Eurytomidae) Synonym(s): *blastophagi* Hedqvist, 1963
- 3066) *Eurytoma brunniventris* Ratzeburg, 1852 (Eurytomidae) Synonym(s): *brunniventris* Ratzeburg, 1852
- 3067) *Eurytoma calicotomae* Zerova, 2005 (Eurytomidae) Synonym(s): *calicotomae* Zerova, 2005

- 3068) *Eurytoma caninae* Lotfalizadeh & Delvare, 2007 (Eurytomidae) Synonym(s): *caninae* Lotfalizadeh & Delvare, 2007
- 3069) *Eurytoma collina* Zerova, 1984 (Eurytomidae) Synonym(s): *collina* Zerova, 1984
- 3070) *Eurytoma curculionum* Mayr, 1878 (Eurytomidae) Synonym(s): *curculionum* Mayr, 1878
- 3071) *Eurytoma ghazvini* Zerova, 2004 (Eurytomidae) Synonym(s): *ghazvini* Zerova, 2004
- 3072) *Eurytoma goidanichi* Boucek, 1970 (Eurytomidae) Synonym(s): *goidanichi* Boucek, 1970
- 3073) *Eurytoma iranica* Narendran & Lotfalizadeh, 1999 (Eurytomidae) Synonym(s): *iranica* Narendran & Lotfalizadeh, 1999
- 3074) *Eurytoma iranica* Zerova, 2007 (Eurytomidae) Synonym(s): *iranica* Zerova, 2004 nec Narend. & Lotf., 1999; *iranica* Zerova, 2007
- 3075) *Eurytoma lactucae* Zerova, 2008 (Eurytomidae) Synonym(s): *lactucae* Zerova, 2008
- 3076) *Eurytoma melikai* Zerova & Seryogina, 2009 (Eurytomidae) Synonym(s): *melikai* Zerova & Seryogina, 2009
- 3077) *Eurytoma morio* Boheman, 1836 (Eurytomidae) Synonym(s): *morio* Boheman, 1836
- 3078) *Eurytoma pistaciae* Rondani, 1877 (Eurytomidae) Synonym(s): *pistaciae* Rondani, 1877; *setigera* Mayr, 1878
- 3079) *Eurytoma plotnikovi* Nikolskaya, 1934 (Eurytomidae) Synonym(s): *plotnikovi* Nikolskaya, 1934
- 3080) *Eurytoma robusta* Mayr, 1878 (Eurytomidae) Synonym(s): *robusta* Mayr, 1878
- 3081) *Eurytoma rosae* Nees ab Esenbeck, 1834 (Eurytomidae) Synonym(s): *rosae* Nees ab Esenbeck, 1834; *pubicornis* Boheman, 1836
- 3082) *Eurytoma scrophulariae* Zerova, 1981 (Eurytomidae) Synonym(s): *scrophulariae* Zerova, 1981
- 3083) *Eusapromyza martineki* (Shatalkin, 1999) (Lauxaniidae) Synonym(s): *martineki* Shatalkin, 1999
- 3084) *Eusapromyza multipunctata* (Fallén, 1820) (Lauxaniidae) Synonym(s): *multipunctata* Fallén, 1820
- 3085) *Euscelidia pallasii* (Wiedemann, 1818) (Asilidae) Synonym(s): *conopsoides* Pallas, 1818; *pallasii* Wiedemann, 1818; *pubiceps* Loew, 1871
- 3086) *Euscelidius mundus* (Haupt, 1927) (Cicadellidae) Synonym(s): *mundus* Haupt, 1927; *orientalis* Dlabola, 1957
- 3087) *Euscelis alsoides* Remane, 1967 (Cicadellidae) Synonym(s): *alsoides* Remane, 1967
- 3088) *Euscelis alsius* Ribaut, 1952 (Cicadellidae) Synonym(s): *alsius* Ribaut, 1952
- 3089) *Euscelis incisus* (Kirschbaum, 1858) (Cicadellidae) Synonym(s): *plebeja* Fallén, 1806; *incisus* Kirschbaum, 1858; *obscurus* Kirschbaum, 1858; *pallidior* Kirschbaum, 1868; *communis* Edwards, 1868; *tessellatus* Rey, 1891; *fusciventris* Rey, 1894; *paradoxus* Rey, 1894; *ochreate* Haupt, 1927; *albingensis* Wagner, 1939; *galiberti* Ribaut, 1952; *subplebejus* H. Müller, 1954; *superplebejus* H. Müller, 1954; *aestivalis* H. Müller, 1954; *vernalis* H. Müller, 1954
- 3090) *Eustenancistrocerus* (Parastenancistrocerus) *amadanensis* (Saussure, 1855) (Vespidae) Synonym(s): *amadanensis* Saussure, 1855; *turca* Saussure, 1863; *transitorius* Morawitz, 1867; *lobatus* André, 1883; *iranensis* Giordani Soika, 1943; *flavellus* Giordani Soika, 1952; *hoberlandti* Giordani Soika, 1952
- 3091) *Eutelia adoratrix* (Staudinger, 1892) (Noctuidae) Synonym(s): *adoratrix* Staudinger, 1892
- 3092) *Eutelia adalatrix* (Hübner, [1813]) (Noctuidae) Synonym(s): *adalatrix* Hübner, [1813]
- 3093) *Euthetus humilis* Horvath, 1907 (Alydidae) Synonym(s): *humilis* Horvath, 1907
- 3094) *Euthetus pallescens* Distant, 1902 (Alydidae) Synonym(s): *pallesens* Distant, 1902
- 3095) *Euthetus pulchellus* Dallas, 1852 (Alydidae) Synonym(s): *pulchellus* Dallas, 1852
- 3096) *Eutolmus facialis* (Loew, 1848) (Asilidae) Synonym(s): *facialis* Loew, 1848
- 3097) *Eutolmus mordax* (Loew, 1848) (Asilidae) Synonym(s): *mordax* Loew, 1848
- 3098) *Eutolmus parricida* (Loew, 1848) (Asilidae) Synonym(s): *parricida* Loew, 1848
- 3099) *Euxoa* (Chorisagrotis) *adumbrata* (Eversmann, 1842) (Noctuidae) Synonym(s): *adumbrata* Eversmann, 1842; *polygonides* Staudinger, 1874; *variegata* Wagner, 1913; *pamiricola* Kozhantshikov, 1937.
- 3100) *Euxoa* (Orosagrotis) *difficillima* (Draudt, 1937) (Noctuidae) Synonym(s): *difficillima* Draudt, 1937
- 3101) *Euxoa* (Orosagrotis) *foeda* (Lederer, 1855) (Noctuidae) Synonym(s): *foeda* Lederer, 1855; *enitens* Corti, 1926; *marmorosa* Corti, 1927; *vanensis* Draudt, 1937.
- 3102) *Euxoa* (Orosagrotis) *nomas* (Erschoff, 1874) (Noctuidae) Synonym(s): *nomas* Erschoff, 1874
- 3103) *Euxoa* (Pleonectopoda) *hilaris* (Freyer, 1838) (Noctuidae) Synonym(s): *hilaris* Freyer, 1838
- 3104) *Euxoa* (Pleonectopoda) *inclusa* Corti, 1931 (Noctuidae) Synonym(s): *inclusa* Corti, 1931
- 3105) *Euxoa* (Pleonectopoda) *rjabovi* Kozhantshikov, 1929 (Noctuidae) Synonym(s): *rjabovi* Kozhantshikov, 1929; *inclusa* Corti, 1931
- 3106) *Euxoa* (s.str.) *abualisinai* Varga & Gyulai, 2002 (Noctuidae) Synonym(s): *abualisinai* Varga & Gyulai, 2002
- 3107) *Euxoa* (s.str.) *adjemi* Brandt, 1941 (Noctuidae) Synonym(s): *adjemi* Brandt, 1941.
- 3108) *Euxoa* (s.str.) *anaemica* Draudt, 1936 (Noctuidae) Synonym(s): *anaemica* Draudt, 1936
- 3109) *Euxoa* (s.str.) *aneucta* Brandt, 1938 (Noctuidae) Synonym(s): *aneucta* Brandt, 1938
- 3110) *Euxoa* (s.str.) *aquilina* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller], 1775; *fitilis* Hübner, [1813]; *unicolor* Hübner, [1813]; *petrina* Mayer, 1937.
- 3111) *Euxoa* (s.str.) *armena* (Eversmann, 1856) (Noctuidae) Synonym(s): *armena* Eversmann, 1856; *deserta* Staudinger, 1870
- 3112) *Euxoa* (s.str.) *basigramma* (Staudinger, 1870) (Noctuidae) Synonym(s): *basigramma* Staudinger, 1870
- 3113) *Euxoa* (s.str.) *birivia* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *birivia* [Denis & Schiffermüller], 1775; *honoratina* Donzel, 1837; *cuprina* Staudinger, 1900; *sudetica* Skala, 1929; *caucasica* Spuler, 1908; *flavisignata* Corti, 1932.
- 3114) *Euxoa* (s.str.) *canariensis* Rebel, 1902 (Noctuidae) Synonym(s): *canariensis* Rebel, 1902
- 3115) *Euxoa* (s.str.) *cespitis* (Swinhoe, 1885) (Noctuidae) Synonym(s): *cespitis* Swinhoe, 1885; *praestigiosa* Brandt, 1941
- 3116) *Euxoa* (s.str.) *christophi* (Staudinger, 1870) (Noctuidae) Synonym(s): *christophi* Staudinger, 1870
- 3117) *Euxoa* (s.str.) *conspicua* (Hübner, [1824]) (Noctuidae) Synonym(s): *conspicua* Hübner, [1824]; *agricola* Boisduval, 1829; *lycarum* Herrich-Schäffer, 1846; *abdita* De Joannis, 1891; *#indistincta* Strand, 1915; *osthelderi* Corti, 1931; *complicata* Corti, 1931.
- 3118) *Euxoa* (s.str.) *cos* (Hübner, [1824]) (Noctuidae) Synonym(s): *cos* Hübner, [1824]; *tephra* Boisduval, 1840; *nagyagensis* Freyer, 1845; *vacillans* Herrich-Schäffer, [1850]; *millierei* Staudinger, 1870; *cycladum* Staudinger, 1871; *aphe* Mabilie, 1885; *crimaea* A. Bang-Haas, 1906; *mesopotamica* A. Bang-Haas, 1912; *rubra* Corti, 1933.
- 3119) *Euxoa* (s.str.) *decora* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller], 1775
- 3120) *Euxoa* (s.str.) *designata* Brandt, 1941 (Noctuidae) Synonym(s): *designata* Brandt, 1941
- 3121) *Euxoa* (s.str.) *distinguenda* (Lederer, 1857) (Noctuidae) Synonym(s): *distinguenda* Lederer, 1857.
- 3122) *Euxoa* (s.str.) *dsheiron* Brandt, 1938 (Noctuidae) Synonym(s): *dsheiron* Brandt, 1938.
- 3123) *Euxoa* (s.str.) *ebadhadiani* Gyulai & Varga, 2002 (Noctuidae) Synonym(s): *ebadhadiani* Gyulai & Varga, 2002
- 3124) *Euxoa* (s.str.) *emamrezai* Varga & Gyulai, 2002 (Noctuidae) Synonym(s): *emamrezai* Varga & Gyulai, 2002
- 3125) *Euxoa* (s.str.) *eremopersa* Gyulai & Varga, 2006 (Noctuidae) Synonym(s): *eremopersa* Gyulai & Varga, 2006

- 3126) Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
- 3127) Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Christoph,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 3128) Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
- 3129) Euxoa (s.str.) mustelina (Christoph,1877)** (Noctuidae) Synonym(s): *mustelina* Christoph,1877
- 3130) Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
- 3131) Euxoa (s.str.) obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* W.Warren,1909; *stephensis* Heyd.,1933; *salioclitana* Boursin,1934.
- 3132) Euxoa (s.str.) ochrogaster (Guenée,1852)** (Noctuidae) Synonym(s): *ochrogaster* Guenée,1852
- 3133) Euxoa (s.str.) perierga Brandt,1938** (Noctuidae) Synonym(s): *perierga* Brandt,1938
- 3134) Euxoa (s.str.) robiginosa (Staudinger,[1895])** (Noctuidae) Synonym(s): *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensior* Draudt,1936; *vinirufa* Draudt,1936.
- 3135) Euxoa (s.str.) scurrilis Draudt,1937** (Noctuidae) Synonym(s): *scurrilis* Draudt,1937
- 3136) Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 3137) Euxoa (s.str.) shahabbasi Gyulai & Varga,2002** (Noctuidae) Synonym(s): *shahabbasi* Gyulai & Varga,2002; *#abbassahi* Varga & Gyulai,2002
- 3138) Euxoa (s.str.) sigmata Kozhantshikov,1928** (Noctuidae) Synonym(s): *sigmata* Kozhantshikov,1928
- 3139) Euxoa (s.str.) subdecora Hampson,1903** (Noctuidae) Synonym(s): *subdecora* Hampson,1903; *clauda* Püngeler,1906.
- 3140) Euxoa (s.str.) sulcifera (Christoph,1893)** (Noctuidae) Synonym(s): *sulfifera* Christoph,1893
- 3141) Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 3142) Euxoa (s.str.) triaena Kozhantshikov,1929** (Noctuidae) Synonym(s): *triaena* Kozhantshikov,1929
- 3143) Euxoa (s.str.) waltharii (Corti,1931)** (Noctuidae) Synonym(s): *waltharii* Corti,1931
- 3144) Euzonitis quadrimaculata (Pallas,1782)** (Meloidea) Synonym(s): *quadrimaculata* Pallas,1782; *quadripunctata* Fabricius,1801; *bifasciata* Schwarz,1808
- 3145) Euzonitis rubida (Ménétriés,1832)** (Meloidea) Synonym(s): *rubida* Ménétriés,1832
- 3146) Euzonitis terminata (Abeille de Perrin,1880)** (Meloidea) Synonym(s): *terminata* Abeille de Perrin,1880; *auricoma* Escherich,1891; *bombycna* Escherich,1896; *armeniaca* Pic,1901
- 3147) Euzophera (Cymbalorissa) fuliginosella (Heinemann,1865)** (Pyralidae) Synonym(s): *fuliginosella* Heinemann,1865; *polyxenella* Millière,1872.
- 3148) Euzophera (s.str.) albicostalis Hampson,1903** (Pyralidae) Synonym(s): *albicostalis* Hampson,1903; *albicostalis* Amsel,1949; *#albocostalis* Wiltshire,1957
- 3149) Euzophera (s.str.) alpherakyella Ragonot,1887** (Pyralidae) Synonym(s): *alpherakyella* Ragonot,1887
- 3150) Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 3151) Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyralidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimeleella* Zerny,1934.
- 3152) Euzophera (s.str.) comeella Roesler,1973** (Pyralidae) Synonym(s): *comeella* Roesler,1973
- 3153) Euzophera (s.str.) costivittella Ragonot,1887** (Pyralidae) Synonym(s): *costivittella* Ragonot,1887
- 3154) Euzophera (s.str.) derbendicola Roesler,1973** (Pyralidae) Synonym(s): *derbendicola* Roesler,1973
- 3155) Euzophera (s.str.) eburnella Amsel,1954** (Pyralidae) Synonym(s): *eburnella* Amsel,1954
- 3156) Euzophera (s.str.) flagella (Lederer,1869)** (Pyralidae) Synonym(s): *flagella* Lederer,1869
- 3157) Euzophera (s.str.) formosella (Rebel,1910)** (Pyralidae) Synonym(s): *formosella* Rebel,1910
- 3158) Euzophera (s.str.) imperfectella Ragonot,1895** (Pyralidae) Synonym(s): *imperfectella* Ragonot,1895; *xylomorpha* Meyrick,1937.
- 3159) Euzophera (s.str.) luculentella Ragonot,1888** (Pyralidae) Synonym(s): *luculentella* Ragonot,1888
- 3160) Euzophera (s.str.) lunulella (Costa,1836)** (Pyralidae) Synonym(s): *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851.
- 3161) Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
- 3162) Euzophera (s.str.) pinguis (Haworth,[1811])** (Pyralidae) Synonym(s): *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848.
- 3163) Euzophera (s.str.) rubricetella (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *rubricetella* Herrich-Schäffer,[1856]
- 3164) Euzophera (s.str.) subcribrella Ragonot,1887** (Pyralidae) Synonym(s): *subcribrella* Ragonot,1887; *mercatrrix* Meyrick,1937; *marginepunctella* Amsel,1959.
- 3165) Euzophera (s.str.) subnitidella Ragonot,1887** (Pyralidae) Synonym(s): *subnitidella* Ragonot,1887; *striatella* Ragonot,1901.
- 3166) Euzopherodes lutisignella (Mann,1869)** (Pyralidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 3167) Euzopherodes vapidella (Mann,1857)** (Pyralidae) Synonym(s): *vapidella* Mann,1857; *tenebrosa* Zeller,1867; *lutescentella* Chrétien,1911; *xylobrunnea* Amsel,1951.
- 3168) Evagetus fabrei Van der Smissen,2003** (Pompilidae) Synonym(s): *fabrei* Smissen,2003
- 3169) Evagetus proximus (Dahlbom,1843)** (Pompilidae) Synonym(s): *proximus* Dahlbom,1843
- 3170) Evergestis aenealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *aenealis* [Denis & Schiffermüller],1775; *furvalis* Hübner,1796; *rufimitralis* Hübner,1796; *nigralis* Schrank,1802; *mitralis* Hübner,[1825]
- 3171) Evergestis affinis Amsel,1951** (Pyralidae) Synonym(s): *affinis* Amsel,1951
- 3172) Evergestis africalis (Guenée,1854)** (Pyralidae) Synonym(s): *africalis* Guenée,1854; *zonalis* La Harpe,1860; *vicarialis* Walker,1866; *concisalis* Walker,1866; *orbitalis* Felder & Rogenhofer,1875
- 3173) Evergestis boursini Amsel,1938** (Pyralidae) Synonym(s): *boursini* Amsel,1938

- 3174) *Evergestis caesialis* Herrich-Schäffer, [1855] (Pyralidae) Synonym(s): *caesialis* Herrich-Schäffer, [1855]
 3175) *Evergestis desertalis* (Hübner, [1813]) (Pyralidae) Synonym(s): *desertalis* Hübner, [1813]; *avicennae* Tams, 1925.
 3176) *Evergestis elbursalis* Amsel, 1961 (Pyralidae) Synonym(s): *elbursalis* Amsel, 1961
 3177) *Evergestis forficalis* (Linnaeus, 1758) (Pyralidae) Synonym(s): *forficalis* Linnaeus, 1758; *trivialis* Scopoli, 1763; *forficatus* Fabricius, 1798; *sodalis* Butler, 1878
 3178) *Evergestis frumentalis* (Linnaeus, 1761) (Pyralidae) Synonym(s): *frumentalis* Linnaeus, 1761
 3179) *Evergestis grummi* (Christoph, 1885) (Pyralidae) Synonym(s): *grummi* Christoph, 1885; *paragrammi* Amsel, 1951
 3180) *Evergestis hyrcanalis* Amsel, 1961 (Pyralidae) Synonym(s): *hyrcanalis* Amsel, 1961
 3181) *Evergestis infirmalis* (Staudinger, 1870) (Pyralidae) Synonym(s): *infirmalis* Staudinger, 1870; *helenalis* Staudinger, 1870
 3182) *Evergestis isatidalis* (Duponchel, 1833) (Pyralidae) Synonym(s): *isatidalis* Duponchel, 1833
 3183) *Evergestis laristanalis* Amsel, 1961 (Pyralidae) Synonym(s): *laristanalis* Amsel, 1961
 3184) *Evergestis manglisalis* Erschoff, 1877 (Pyralidae) Synonym(s): *manglisalis* Erschoff, 1877
 3185) *Evergestis nomadalis* (Lederer, 1871) (Pyralidae) Synonym(s): *nomadalis* Lederer, 1871
 3186) *Evergestis petasalis* Zerny, 1939 (Pyralidae) Synonym(s): *petasalis* Zerny, 1939
 3187) *Evergestis russulatalis* (Hampson, 1900) (Pyralidae) Synonym(s): *russulatalis* Hampson, 1900
 3188) *Evergestis segetalis* (Herrich-Schäffer, 1851) (Pyralidae) Synonym(s): *segetalis* Herrich-Schäffer, 1851
 3189) *Evergestis shirazalis* Amsel, 1953 (Pyralidae) Synonym(s): *shirazalis* Amsel, 1953
 3190) *Evergestis subfuscalis* (Staudinger, 1870) (Pyralidae) Synonym(s): *subfuscalis* Staudinger, 1870
 3191) *Evergestis tenuiscriptalis* Rebel, 1903 (Pyralidae) Synonym(s): *tenuiscriptalis* Rebel, 1903
 3192) *Evergestis umbrosalis* (Fischer v. Röslerstamm, [1842]) (Pyralidae) Synonym(s): *umbrosalis* Fischer v. Röslerstamm, [1842]
 3193) *Evergestis vagabundalis* (Christoph, 1887) (Pyralidae) Synonym(s): *vagabundalis* Christoph, 1887
 3194) *Evisa schawerdae* Reisser, 1930 (Noctuidae) Synonym(s): *schawerdae* Reisser, 1930
 3195) *Exaeretia ledereri* (Zeller, 1854) (Oecophoridae) Synonym(s): *ledereri* Zeller, 1854.
 3196) *Exeurytoma caraganae* Burks, 1971 (Eurytomidae) Synonym(s): *caraganae* Burks, 1971
 3197) *Exhyalanthrax afer* (Fabricius, 1794) (Bombyliidae) Synonym(s): *afer* Fabricius, 1794; *fimbriata* Meigen, 1804; *marginalis* Wiedemann, 1820; *tangerinus* Bigot, 1892; *burtti* Hesse, 1956; *aequisexus* Bowden, 1964; *decipiens* Bowden, 1964
 3198) *Exhyalanthrax albicingulus* (Austen, 1936) (Bombyliidae) Synonym(s): *albicingulus* Austen, 1936
 3199) *Exhyalanthrax argentifer* (Becker, 1916) (Bombyliidae) Synonym(s): *argentifer* Becker, 1916
 3200) *Exhyalanthrax autumnalis* (Becker, 1916) (Bombyliidae) Synonym(s): *autumnalis* Becker, 1916
 3201) *Exhyalanthrax macrops* (Portschinsky, 1887) (Bombyliidae) Synonym(s): *macrops* Portschinsky, 1887
 3202) *Exhyalanthrax muscarius* (Pallas, 1818) (Bombyliidae) Synonym(s): *muscarius* Pallas, 1818; *vagans* Loew, 1862; *squamifera* Jaennicke, 1867; *marginalis* Bezzi, 1903; *beckeri* Paramonov, 1927; *unistriata* Engel, 1936
 3203) *Exhyalanthrax stimulus* (Klug, 1832) (Bombyliidae) Synonym(s): *stimulus* Klug, 1832
 3204) *Exhyalanthrax vitripennis* (Lindner, 1975) (Bombyliidae) Synonym(s): *vitripennis* Lindner, 1975
 3205) *Exitianus capicola* (Stål, 1855) (Cicadellidae) Synonym(s): *capicola* Stål, 1855; *taeniaticeps* Kirschbaum, 1868; *ragusai* Haupt, 1924; *albipennis* Haupt, 1927
 3206) *Exitianus fasciolatus* (Melichar, 1911) (Cicadellidae) Synonym(s): *fasciolatus* Melichar, 1911; *vulneratus* Bergevin, 1925; *unifasciatus* Haupt, 1930
 3207) *Exoneuridia (Alboneuridia) oriola* (Warncke, 1979) (Apidae) Synonym(s): *oriola* Warncke, 1979
 3208) *Exopristoides hypecoi* Zerova & Stojanova, 2004 (Torymidae) Synonym(s): *hypecoi* Zerova & Stojanova, 2004
 3209) *Exopristus trigonomerus* (Masi, 1916) (Torymidae) Synonym(s): *trigonomerus* Masi, 1916
 3210) *Exoprosopa baccha* Loew, 1869 (Bombyliidae) Synonym(s): *baccha* Loew, 1869
 3211) *Exoprosopa cleomene* Egger, 1859 (Bombyliidae) Synonym(s): *cleomene* Egger, 1859
 3212) *Exoprosopa dedecor* Loew, 1871 (Bombyliidae) Synonym(s): *dedecor* Loew, 1871
 3213) *Exoprosopa dispar* (Loew, 1869) (Bombyliidae) Synonym(s): *dispar* Loew, 1869; *interrupta* Paramonov, 1928 *nec* Wied., 1828; *paramonovi* Evenhuis, 1978
 3214) *Exoprosopa efflatouni* Bezzi, 1925 (Bombyliidae) Synonym(s): *efflatouni* Bezzi, 1925
 3215) *Exoprosopa empidiformis* Lindner, 1975 (Bombyliidae) Synonym(s): *empidiformis* Lindner, 1975
 3216) *Exoprosopa grandis* (Wiedemann, 1820) (Bombyliidae) Synonym(s): *grandis* Wiedemann, 1820; *fasciata* Dufour, 1850 *nec* Meig., 1804; *turcomana* Portschinsky, 1887
 3217) *Exoprosopa jacchus* (Fabricius, 1805) (Bombyliidae) Synonym(s): *jacchus* Fabricius, 1805; *picta* Wiedemann, 1820; *quadripunctata* Paramonov, 1926
 3218) *Exoprosopa khuzistanica* Lindner, 1975 (Bombyliidae) Synonym(s): *khuzistanica* Lindner, 1975
 3219) *Exoprosopa lucidifrons* Becker, 1913 (Bombyliidae) Synonym(s): *lucidifrons* Becker, 1913
 3220) *Exoprosopa lugens* Paramonov, 1928 (Bombyliidae) Synonym(s): *lugens* Paramonov, 1928
 3221) *Exoprosopa melaena* Loew, 1874 (Bombyliidae) Synonym(s): *melaena* Loew, 1874; *abbreviata* Paramonov, 1928
 3222) *Exoprosopa minoides* Paramonov, 1928 (Bombyliidae) Synonym(s): *minoides* Paramonov, 1928
 3223) *Exoprosopa minois* Loew, 1869 (Bombyliidae) Synonym(s): *minois* Loew, 1869; *semiflavida* Becker, 1906
 3224) *Exoprosopa minos* (Meigen, 1804) (Bombyliidae) Synonym(s): *minos* Meigen, 1804; *semialba* Pallas & Wiedemann, 1818; *germari* Wiedemann, 1818; *senilis* Klug, 1832; *albiventris* Macquart, 1840
 3225) *Exoprosopa nonna* Becker, 1913 (Bombyliidae) Synonym(s): *nonna* Becker, 1913
 3226) *Exoprosopa pectoralis* Loew, 1862 (Bombyliidae) Synonym(s): *pectoralis* Loew, 1862
 3227) *Exoprosopa pleskei* Paramonov, 1928 (Bombyliidae) Synonym(s): *pleskei* Paramonov, 1928; *transcaucasica* Paramonov, 1928
 3228) *Exoprosopa pulcherrima* Paramonov, 1928 (Bombyliidae) Synonym(s): *pulcherrima* Paramonov, 1928
 3229) *Exoprosopa retrorsa* Brunetti, 1909 (Bombyliidae) Synonym(s): *retrorsa* Brunetti, 1909
 3230) *Exoprosopa richteri* Lindner, 1975 (Bombyliidae) Synonym(s): *richteri* Lindner, 1975
 3231) *Exoprosopa rivularis* (Meigen, 1820) (Bombyliidae) Synonym(s): *rivularis* Meigen, 1820; *argyrocephala* Macquart, 1840; *undans* Walker, 1849
 3232) *Exoprosopa rutila* (Wiedemann, 1818) (Bombyliidae) Synonym(s): *rutila* Wiedemann, 1818; *daubei* Guérin-Méneville, 1844; *miegii* Dufour, 1850; *interrupta* Mulsant, 1852; *hilaris* Eversmann, 1855; *kruegeri* Bezzi, 1926
 3233) *Exoprosopa subfasciata* Engel, 1936 (Bombyliidae) Synonym(s): *subfasciata* Engel, 1936
 3234) *Exoprosopa tamerlan* Portshinsky, 1887 (Bombyliidae) Synonym(s): *tamerlan* Portshinsky, 1887; *flavipennis* Brunetti, 1909
 3235) *Exoprosopa turkestanica* Paramonov, 1925 (Bombyliidae) Synonym(s): *turkestanica* Paramonov, 1925
 3236) *Exoprosopa zarudnyi* Paramonov, 1928 (Bombyliidae) Synonym(s): *zarudnyi* Paramonov, 1928

- 3237) *Exorista (Podotachina) longicercus* Kugler, 1980 (Tachinidae) Synonym(s): *longicercus* Kugler, 1980
- 3238) *Exorista (Ptilotachina) deligata* Pandellé, 1896 (Tachinidae) Synonym(s): *deligata* Pandellé, 1896
- 3239) *Eyprepocnemis alacris* (Audinet-Serville, 1838) (Acrididae) Synonym(s): *alacris* Audinet-Serville, 1838; *deponens* Walker, 1859; *reductus* Walker, 1870; *rudis* Walker, 1870; *scitulum* Walker, 1871; *intermedia* Bolivar, 1902
- 3240) *Eyprepocnemis plorans* (Charpentier, 1825) (Acrididae) Synonym(s): *plorans* Charpentier, 1825; *reticulatus* Fischer von Waldheim, 1839; *tarsius* Fischer von Waldheim, 1846; *consobrina* Walker, 1870; *senegalensis* Bolivar, 1914; *pallida* Uvarov, 1921; *#polarans* Salman, 1978
- 3241) *Eysarcoris ventralis* (Westwood, 1837) (Pentatomidae) Synonym(s): *ventralis* Westwood, 1837; *inconspicuum* Herrich-Schaffer, 1844; *pusillus* Costa, 1847; *distactus* Dallas, 1851; *misellus* Stal, 1854; *helferi* Fieber, 1861; *rectipes* Ellenrieder, 1862; *epistomalis* Mulsant & Rey, 1866; *mayeti* Mulsant & Rey, 1866; *pseudoaeneus* Jakovlev, 1869; *simplex* Puton, 1881; *scutellaris* Jakovlev, 1885; *egenus* Jakovlev, 1900; *sindellus* Distant, 1902; *schmidtii* Jakovlev, 1902; *tangens* Stichel, 1961; *confuses* Fuente, 1972; *uniformis* Fuente, 1972; *hispalensis* Fuente, 1972; *luisae* Fuente, 1972
- 3242) *Falcotoya minuscula* (Horvath, 1897) (Delphacidae) Synonym(s): *minuscula* Horvath, 1897
- 3243) *Fallacia elegans* (Faldermann, 1837) (Cerambycidae) Synonym(s): *elegans* Faldermann, 1837
- 3244) *Fallenia fasciata* (Fabricius, 1805) (Nemestrinidae) Synonym(s): *fasciata* Fabricius, 1805
- 3245) *Fallenia semenovi* Paramonov, 1924 (Nemestrinidae) Synonym(s): *semenovi* Paramonov, 1924
- 3246) *Fannia canicularis* (Linnaeus, 1761) (Fanniidae) Synonym(s): *canicularis* Linnaeus, 1761; *rivularis* R-D., 1830; *chilensis* Macquart, 1843; *constantina* Macquart, 1843; *hilaris* Zetterstedt, 1845; *introducia* Walker, 1853; *muscoideus* Walker, 1871
- 3247) *Farsinella predtetschskii* Bei-Bienko, 1948 (Dericorythidae) Synonym(s): *predtetschskii* Bei-Bienko, 1948
- 3248) *Farsinella uvarovi* Bei-Bienko, 1948 (Dericorythidae) Synonym(s): *uvarovi* Bei-Bienko, 1948
- 3249) *Farsodectus abaicus* Mirzayans, 1991 (Tettigoniidae) Synonym(s): *abaicus* Mirzayans, 1991
- 3250) *Faveria dionysia* (Zeller, 1846) (Pyralidae) Synonym(s): *dionysia* Zeller, 1846; *terrella* Ragonot, 1888; *isoxyla* Meyrick, 1937
- 3251) *Faveria pseudovasta* (Amsel, 1961) (Pyralidae) Synonym(s): *pseudovasta* Amsel, 1961
- 3252) *Faveria tchahabarella* (Amsel, 1950) (Pyralidae) Synonym(s): *tchahabarella* Amsel, 1950
- 3253) *Faveria tchourouma* (Amsel, 1961) (Pyralidae) Synonym(s): *tchourouma* Amsel, 1961
- 3254) *Faveria tephrosella* (Amsel, 1959) (Pyralidae) Synonym(s): *tephrosella* Amsel, 1959
- 3255) *Fedtschenkia grossa* Saussure, 1880 (Sapygidae) Synonym(s): *grossa* Saussure, 1880
- 3256) *Fermocelina iranica* G. Petersen & Gaedike, 1984 (Tineidae) Synonym(s): *iranica* G. Petersen & Gaedike, 1984
- 3257) *Fieberiella florii* (Stal, 1864) (Cicadellidae) Synonym(s): *florii* Stal, 1864
- 3258) *Fischeria bicolor* R-D., 1830 (Tachinidae) Synonym(s): *bicolor* R-D., 1830
- 3259) *Forficula lurida* Fischer, 1853 (Forficulidae) Synonym(s): *lurida* Fischer, 1853; *orientalis* Burr, 1900
- 3260) *Forficula smyrnensis* Audinet-Serville, 1839 (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville, 1839
- 3261) *Formicomus ionicus* LaFerté & Sénectere, 1847 (Anthicidae) Synonym(s): *ionicus* LaFerté & Sénectere, 1847
- 3262) *Frutiodia* (s.str.) *bisignata* (Mulsant & Rey, 1855) (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey, 1855; *bactriana* Zachvatkin, 1947
- 3263) *Frutiodia* (s.str.) *sanguinosa* (Rey, 1891) (Cicadellidae) Synonym(s): *sanguinosa* Rey, 1891; *picta* Melichar, 1896
- 3264) *Fulvoclysia forsteri* (Osthelder, 1938) (Tortricidae) Synonym(s): *forsteri* Osthelder, 1938
- 3265) *Furcula danieli* Schintlmeister, 1998 (Notodontidae) Synonym(s): *danieli* Schintlmeister, 1998
- 3266) *Furcula furcula* (Linnaeus, 1761) (Notodontidae) Synonym(s): *#furcula* Clerck, 1759; *furcula* Linnaeus, 1761; *salicis* Lamarck, 1816; *nordlandica* Daniel, 1965; *atlantica* Daniel, 1965.
- 3267) *Furcula interrupta* Christoph, 1867 (Notodontidae) Synonym(s): *interrupta* Christoph, 1867; *leucotera* Stichel, 1911; *sureyae* Rebel, 1933; *hoeferi* Bytinski-Salz, 1936; *leucotera* Lenek, 1969; *#sureyae* Schintlmeister, 1989.
- 3268) *Furcula turbida* (Brandt, 1938) (Notodontidae) Synonym(s): *turbida* Brandt, 1938
- 3269) *Galactopogon hispidus* Engel, 1929 (Asilidae) Synonym(s): *hispidus* Engel, 1929
- 3270) *Galleria mellonella* (Linnaeus, 1758) (Pyralidae) Synonym(s): *mellonella* Linnaeus, 1758; *cereana* Blom, 1764; *cerella* Fabricius, 1775; *cerea* Haworth, 1811; *cerealis* Hübner, [1825]; *obliquella* Walker, 1866; *austrina* R. Felder & Rogenhofer, 1875; *#crombrugheella* Dufrene, 1930.
- 3271) *Ganguilus pallescens* Navas, 1912 (Myrmeleonidae) Synonym(s): *pallescens* Navas, 1912
- 3272) *Gargara genistae* (Fabricius, 1775) (Membracidae) Synonym(s): *genistae* Fabricius, 1775; *okinawanus* Matsumura, 1775
- 3273) *Gasparinahla megapalpa* Patiny, 2001 (Andrenidae) Synonym(s): *megapalpa* Patiny, 2001
- 3274) *Gastropacha* (s.str.) *populifolia* (Esper, [1782]) (Lasiocampidae) Synonym(s): *#populifolia* [Denis & Schiffermüller], 1775; *populifolia* Esper, [1782]
- 3275) *Gastropacha* (s.str.) *quercifolia* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus, 1758; *alnifolia* Oechsenheimer, 1810; *salicifolia* Staudinger, 1892; *meridionalis* Hormuzaki, 1897; *sibirica* Krulikowsky, 1909
- 3276) *Gastrophysa polygona* (Linnaeus, 1758) (Chrysomelidae) Synonym(s): *polygona* Linnaeus, 1758
- 3277) *Gegenes pumilio* (Hoffmannsegg, 1804) (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg, 1804; *pygmaeus* Cyrilli, 1787 nec Fabr., 1775; *aetna* Boisduval, 1840; *lefebrieri* Rambur, 1842; *monochroa* Rebel, 1907.
- 3278) *Gelechia pistaciae* Filipjev, 1934 (Gelechiidae) Synonym(s): *pistaciae* Filipjev, 1934
- 3279) *Gelechia senticetella* (Staudinger, 1859) (Gelechiidae) Synonym(s): *senticetella* Staudinger, 1859; *obscuripennis* Frey, 1880; *limitanella* Rebel, 1904; *#senticella* Rebel, 1932; *nigrostriatella* Zerny, 1936.
- 3280) *Gelechia stramentella* (Rebel, 1935) (Gelechiidae) Synonym(s): *stramentella* Rebel, 1935
- 3281) *Georissus* (Neogeorissus) *persicus* Fikacek & Falamarzi, 2010 (Georissidae) Synonym(s): *persicus* Fikacek & Falamarzi, 2010
- 3282) *Geotrupes spiniger* (Marshall, 1802) (Geotrupidae) Synonym(s): *spiniger* Marshall, 1802
- 3283) *Gepella modesta* Hölzel, 1968 (Myrmeleonidae) Synonym(s): *modesta* Hölzel, 1968
- 3284) *Gepus curvatus* Navas, 1914 (Myrmeleonidae) Synonym(s): *curvatus* Navas, 1914
- 3285) *Gepus gibbosus* Hölzel, 1968 (Myrmeleonidae) Synonym(s): *gibbosus* Hölzel, 1968
- 3286) *Gepus invisus* Navas, 1912 (Myrmeleonidae) Synonym(s): *invisus* Navas, 1912; *scutellatus* Klapalek, 1914; *tersus* Navas, 1936.
- 3287) *Germaria graeca* (Brauer & Bergenstamm, 1889) (Tachinidae) Synonym(s): *graeca* Brauer & Bergenstamm, 1889
- 3288) *Geron* (s.str.) *kozlovi* Zaitzev, 1972 (Bombyliidae) Synonym(s): *kozlovi* Zaitzev, 1972
- 3289) *Geron* (s.str.) *krymensis* Paramonov, 1929 (Bombyliidae) Synonym(s): *krymensis* Paramonov, 1929
- 3290) *Geron* (s.str.) *michaili* Zaitzev, 1972 (Bombyliidae) Synonym(s): *michaili* Zaitzev, 1972
- 3291) *Geron* (s.str.) *olivieri* Macquart, 1840 (Bombyliidae) Synonym(s): *olivieri* Macquart, 1840
- 3292) *Gerris caucasicus* Kanyukova, 1982 (Gerridae) Synonym(s): *caucasicus* Kanyukova, 1982
- 3293) *Gerris maculatus* Tamanini, 1946 (Gerridae) Synonym(s): *maculatus* Tamanini, 1946
- 3294) *Geyria belutschistana* Hölzel, 1968 (Myrmeleonidae) Synonym(s): *belutschistana* Hölzel, 1968

- 3295) *Geyria lepidula* (Navas,1912) (Myrmeleonidae) Synonym(s): *lepidula* Navas,1912
- 3296) *Gisilia stereodoxa* (Meyrick,1925) (Cosmopterigidae) Synonym(s): *stereodoxa* Meyrick,1925; *evitans* Meyrick,1925; *alfieriella* Rebel,1926.
- 3297) *Glaphyrocoris iranicus* Linnavuori,1965 (Miridae) Synonym(s): *unifasciatus* Reuter,1904 nec Reut.,1903; *iranicus* Linnavuori,1965
- 3298) *Glaphyrocoris puncticollis* (Linnavuori,1965) (Miridae) Synonym(s): *puncticollis* Linnavuori,1965
- 3299) *Glaphyrus festivus* Ménétériés,1836 (Glaphyridae) Synonym(s): *festivus* Ménétériés,1836; *rufipennis* Gory,1844; *equestris* Champenois,1898
- 3300) *Glaphyrus luristanus* Reitter,1903 (Glaphyridae) Synonym(s): *luristanus* Reitter,1903
- 3301) *Glaphyrus micans* Faldermann,1835 (Glaphyridae) Synonym(s): *micans* Faldermann,1835; *persicus* Pic,1947; *purpureus* Pic,1947; *euphraticus* Mitter,1990
- 3302) *Glaphyrus muticus* Reitter,1903 (Glaphyridae) Synonym(s): *muticus* Reitter,1903
- 3303) *Glaphyrus onopordi* Reitter,1903 (Glaphyridae) Synonym(s): *onopordi* Reitter,1903
- 3304) *Glaphyrus superbus* Champenois,1898 (Glaphyridae) Synonym(s): *superbus* Champenois,1898; *straussi* Reitter,1903
- 3305) *Glaucopsyche* (Apelles) hazeri Karbalaye & Harandi,2007 (Lycaenidae) Synonym(s): *hazeri* Karbalaye & Harandi,2007
- 3306) *Glaucopsyche* (Iolana) andreasi (Sheljuzhko,1919) (Lycaenidae) Synonym(s): *andreasi* Sheljuzhko,1919
- 3307) *Glaucopsyche* (Iolana) arjanica Rose,1979 (Lycaenidae) Synonym(s): *arjanica* Rose,1979
- 3308) *Glaucopsyche* (Iolana) kermani (Dumont,2004) (Lycaenidae) Synonym(s): *kermani* Dumont,2004
- 3309) *Glaucopsyche* (s.str.) aeruginosa (Staudinger,1881) (Lycaenidae) Synonym(s): *aeruginosa* Staudinger,1881; *subalexis* Obraztsov,1936.
- 3310) *Glaucopsyche* (s.str.) seminigra Howarth & Povolny,1976 (Lycaenidae) Synonym(s): *seminigra* Howarth & Povolny,1976
- 3311) *Globiceps monticolus* Linnavuori,2006 (Miridae) Synonym(s): *monticolus* Linnavuori,2006
- 3312) *Glossotrophia* (Bicalcarella) terminata Wiltshire,1966 (Geometridae) Synonym(s): *terminata* Wiltshire,1966
- 3313) *Glossotrophia* (Libanonia) sacraria (A.Bang-Haas,1910) (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910
- 3314) *Glossotrophia* (s.str.) asiatica Brandt,1938 (Geometridae) Synonym(s): *asiatica* Brandt,1938
- 3315) *Glossotrophia* (s.str.) bullata Vojnits,1986 (Geometridae) Synonym(s): *bullata* Vojnits,1986
- 3316) *Glossotrophia* (s.str.) chalcographata Brandt,1938 (Geometridae) Synonym(s): *chalcographata* Brandt,1938
- 3317) *Glossotrophia* (s.str.) eurata L.B.Prout,1913 (Geometridae) Synonym(s): *eurata* L.B.Prout,1913
- 3318) *Glossotrophia* (s.str.) gracilis Brandt,1941 (Geometridae) Synonym(s): *gracilis* Brandt,1941
- 3319) *Glossotrophia* (s.str.) orbeorum Hausmann,1996 (Geometridae) Synonym(s): *orbeorum* Hausmann,1996
- 3320) *Glossotrophia* (s.str.) origalis Brandt,1941 (Geometridae) Synonym(s): *origalis* Brandt,1941
- 3321) *Glyphipterix persica* Diakonoff,1979 (Glyphipterygidae) Synonym(s): *persica* Diakonoff,1979
- 3322) *Glyphomerus aylax* Stojanova,2008 (Torymidae) Synonym(s): *aylax* Stojanova,2008
- 3323) *Glyphomerus flavabdomen* Zerova,2008 (Torymidae) Synonym(s): *flavabdomen* Zerova,2008
- 3324) *Glyphomerus stigma* (Fabricius,1793) (Torymidae) Synonym(s): *stigma* Fabricius,1793
- 3325) *Glyphotriclis impulsinatus* Oldroyd,1958 (Asilidae) Synonym(s): *impulsinatus* Oldroyd,1958
- 3326) *Gnamptonyx innexa* (Walker,1858) (Noctuidae) Synonym(s): *innexa* Walker,1858; *vilis* Walker,1865.
- 3327) *Gnopharmia colchidaria* (Lederer,1870) (Geometridae) Synonym(s): *colchidaria* Lederer,1870; *melanotaenia* Wehrli,1938
- 3328) *Gnopharmia kasrunensis* Wehrli,1939 (Geometridae) Synonym(s): *kasrunensis* Wehrli,1939; *#musandamensis* Wiltshire & Legrain,1998
- 3329) *Gnophos* (Cnestrognophos) ali Brandt,1938 (Geometridae) Synonym(s): *ali* Brandt,1938
- 3330) *Gnophos* (Cnestrognophos) rjabovi Wehrli,1929 (Geometridae) Synonym(s): *rjabovi* Wehrli,1929
- 3331) *Gnophos* (Cnestrognophos) stachyphorus Wehrli,1936 (Geometridae) Synonym(s): *stachyphorus* Wehrli,1936
- 3332) *Gnophos* (Cnestrognophos) subtilus Brandt,1938 (Geometridae) Synonym(s): *subtila* Brandt,1938
- 3333) *Gnophos* (Cnestrognophos) taftanus Brandt,1941 (Geometridae) Synonym(s): *taftana* Brandt,1941
- 3334) *Gnophos* (Dicrognophos) anophaeus Wehrli,1939 (Geometridae) Synonym(s): *anophaea* Wehrli,1939
- 3335) *Gnophos* (Dicrognophos) brandtorum Wehrli,1941 (Geometridae) Synonym(s): *brandtorum* Wehrli,1941
- 3336) *Gnophos* (Dicrognophos) choristus Wehrli,1939 (Geometridae) Synonym(s): *chorista* Wehrli,1939
- 3337) *Gnophos* (Dicrognophos) culminatus Brandt,1938 (Geometridae) Synonym(s): *culminata* Brandt,1938
- 3338) *Gnophos* (Dicrognophos) elahi Brandt,1938 (Geometridae) Synonym(s): *elahi* Brandt,1938
- 3339) *Gnophos* (Dicrognophos) eurytiches Brandt,1941 (Geometridae) Synonym(s): *eurytiches* Brandt,1941
- 3340) *Gnophos* (Dicrognophos) gorgatus Brandt,1938 (Geometridae) Synonym(s): *gorgata* Brandt,1938
- 3341) *Gnophos* (Dicrognophos) orthogonius Wehrli,1939 (Geometridae) Synonym(s): *orthogonia* Wehrli,1939
- 3342) *Gnophos* (Dicrognophos) sartatus (Treitschke,1827) (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.
- 3343) *Gnophos* (Dicrognophos) snelleni Christoph,1887 (Geometridae) Synonym(s): *snelleni* Christoph,1887
- 3344) *Gnophos* (Organognophos) asymmetrus Wehrli,1936 (Geometridae) Synonym(s): *asymmetrus* Wehrli,1936
- 3345) *Gnophos* (s.str.) argillatus Brandt,1938 (Geometridae) Synonym(s): *argillata* Brandt,1938
- 3346) *Gnophos* (s.str.) ciscaucasius Rjabov,1964 (Geometridae) Synonym(s): *ciscaucasius* Rjabov,1964
- 3347) *Gnophos* (Trilobignophos) pollinarius Christoph,1887 (Geometridae) Synonym(s): *pollinaria* Christoph,1887
- 3348) *Gnophos* pelengi Brandt,1938 (Geometridae) Synonym(s): *pelengi* Brandt,1938
- 3349) *Gnophosema isometra* (W.Warren,1888) (Geometridae) Synonym(s): *isometra* W.Warren,1888
- 3350) *Gnophosema palumba* Brandt,1938 (Geometridae) Synonym(s): *palumba* Brandt,1938
- 3351) *Gnorimoschema antiquum* Povolny,1966 (Gelechiidae) Synonym(s): *antiquum* Povolny,1966
- 3352) *Gnorimoschema elbursicum* Povolny,1984 (Gelechiidae) Synonym(s): *elbursicum* Povolny,1984
- 3353) *Gnorimus subcostatus* Ménétériés,1832 (Scarabaeidae) Synonym(s): *subcostatus* Ménétériés,1832; *cupreus* Kraatz,1895
- 3354) *Gomphocranum christophi* Jakovlev,1877 (Pentatomidae) Synonym(s): *christophi* Jakovlev,1877
- 3355) *Gomphus flavipes* (Charpentier,1825) (Gomphidae) Synonym(s): *flavipes* Charpentier,1825
- 3356) *Gomphus kinzelbachi* Schneider,1984 (Gomphidae) Synonym(s): *kinzelbachi* Schneider,1984
- 3357) *Gonepteryx* (s.str.) farinosa (Zeller,1847) (Pieridae) Synonym(s): *farinosa* Zeller,1847
- 3358) *Gonepteryx* (s.str.) rhamni (Linnaeus,1758) (Pieridae) Synonym(s): *rhamni* Linnaeus,1758; *gravesi* Huggins,1956.
- 3359) *Goniagnathus bolivari* (Melichar,1907) (Cicadellidae) Synonym(s): *bolivari* Melichar,1907; *hoberlandti* Dlabola,1957
- 3360) *Goniagnathus brevis* (Herrich-Schäffer,1835) (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849

- 3361) Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929
- 3362) Goniagnathus maculatus Emeljanov,1962** (Cicadellidae) Synonym(s): *maculatus* Emeljanov,1962
- 3363) Gonianotus marginepunctatus (Wolff,1804)** (Lygaeidae) Synonym(s): *marginepunctatus* Wolff,1804
- 3364) Goniurellia lacerata (Becker,1913)** (Tephritidae) Synonym(s): *lacerata* Becker,1913
- 3365) Goniurellia longicauda Freidberg,1980** (Tephritidae) Synonym(s): *longicauda* Freidberg,1980
- 3366) Goniurellia tridens (Hendel,1910)** (Tephritidae) Synonym(s): *tridens* Hendel,1910
- 3367) Gonocerus acuteangulatus (Goeze,1778)** (Coreidae) Synonym(s): *acuteangulatus* Goeze,1778
- 3368) Gonomyia (s.str.) basilobata Alexander,1975** (Limoniidae) Synonym(s): *basilobata* Alexander,1975
- 3369) Gortyna cervago Eversmann,1844** (Noctuidae) Synonym(s): *cervago* Eversmann,1844; *#argillago* Draudt,1936.
- 3370) Gortyna flavago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller],1775
- 3371) Gortyna golestanensis Fibiger & Zahiri,2007** (Noctuidae) Synonym(s): *golestanensis* Fibiger & Zahiri,2007
- 3372) Gortyna osmana Hacker & Kuhna,1986** (Noctuidae) Synonym(s): *osmana* Hacker & Kuhna,1986
- 3373) Grammacephalus pugio (Noualhier,1895)** (Cicadellidae) Synonym(s): *pugio* Noualhier,1895; *turneri* Evans,1947; *djirofticus* Dlabola,1960
- 3374) Grammodes paerambar Brandt,1939** (Noctuidae) Synonym(s): *paerambar* Brandt,1939
- 3375) Grammodes stolidus (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidus* Fabricius,1775; *cingularis* Hübner,[1808]; *stupida* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
- 3376) Graphantha (Dysgraphhadenia) commoda (Staudinger,1889)** (Noctuidae) Synonym(s): *indigna* auct. nec Chr.,1887; *commoda* Staudinger,1889; *manifesta* Christoph,1893; *idumaea* Püngeler,1902; *schlumbergeri* Püngeler,1905
- 3377) Graphosoma (s.str.) consimile Horvath,1903** (Pentatomidae) Synonym(s): *consimile* Horvath,1903; *personatum* Horvath,1903; *rubrum* Kiritschenko,1914
- 3378) Graphosoma (s.str.) lineatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *lineatum* Linnaeus,1758; *italicus* Müller,1766; *nigrolineatus* Fabricius,1781; *shangini* Gebler,1817; *reductum* Horvath,1901; *ochraceum* Royer,1925; *obscurum* Stepanek,1926; *soosi* Halaszfy,1953; *nigriscutellatum* Halaszfy,1955; *flavolineatum* Halaszfy,1955
- 3379) Graphosoma (s.str.) melanoxanthum Horvath,1903** (Pentatomidae) Synonym(s): *melanoxanthum* Horvath,1903
- 3380) Graphosoma (s.str.) semipunctatum (Fabricius,1775)** (Pentatomidae) Synonym(s): *semipunctatum* Fabricius,1775; *interruptum* White,1839; *wilsoni* White,1839; *persica* Ferr.,1874; *creticum* Horvath,1909
- 3381) Graphosoma (s.str.) stali Horvath,1881** (Pentatomidae) Synonym(s): *stali* Horvath,1881; *alkani* Lodos,1959
- 3382) Gryllodinus kerkennensis (Finot,1893)** (Gryllidae) Synonym(s): *kerkennensis* Finot,1893; *macropterus* Fuente,1894; *finoti* Krauss,1902; *dulcisonans* Semenov,1915
- 3383) Gryllomorpha (s.str.) gestroana Bolivar,1914** (Gryllidae) Synonym(s): *gestroana* Bolivar,1914
- 3384) Gryllotalpa africana Beauvois,1805** (Gryllotalpidae) Synonym(s): *africana* Beauvois,1805; *oryctes* Scudder,1869; *fossor* Scudder,1869; *colini* Rochebrune,1884; *formosana* Chopard,1931 nec Shiraki,1930; *microphthalmia* Chopard,1936; *confusa* Chopard,1939
- 3385) Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804
- 3386) Gryllotalpa isfahan Ingrich, Nikouei & Hatami,2006** (Gryllotalpidae) Synonym(s): *isfahan* Ingrich, Nikouei & Hatami,2006
- 3387) Gryllotalpa unispina Saussure,1884** (Gryllotalpidae) Synonym(s): *unispina* Saussure,1884; *manshurei* Shiraki,1930
- 3388) Gryllus (s.str.) bimaculatus (De Geer,1773)** (Gryllidae) Synonym(s): *bimaculatus* De Geer,1773; *capensis* Fabricius,1775; *rubricollis* Stoll,1813; *lugubris* Stal,1855; *interruptus* Walker,1869; *marginalis* Walker,1869; *ater* Saussure,1877
- 3389) Gryllus (s.str.) campestris Linnaeus,1758** (Gryllidae) Synonym(s): *campestris* Linnaeus,1758; *hybrida* Rambur,1838; *caudata* Krauss,1886; *cephalotes* Ramme,1921
- 3390) Grypocoris nigriceps Rosenzweig,2000** (Miridae) Synonym(s): *nigriceps* Rosenzweig,2000
- 3391) Gymnancyla (Dentinodia) craticulella (Ragonot,1887)** (Pyralidae) Synonym(s): *craticulella* Ragonot,1887; *erschoffi* Ragonot,1887.
- 3392) Gymnopleurus flagellatus (Fabricius,1787)** (Scarabaeidae) Synonym(s): *flagellatus* Fabricius,1787; *coriarius* Herbst,1789; *serratus* Fischer von Waldheim,1821; *asperatus* Mulsant,1842; *caliginosus* Balthasar,1934
- 3393) Gymnopleurus geoffroyi Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi* Fuessly,1785; *cantharus* Illiger,1803
- 3394) Gymnoscelis rufifasciata (Haworth,[1809])** (Geometridae) Synonym(s): *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813].
- 3395) Gymnosoma iranica (Zimin,1966)** (Tachinidae) Synonym(s): *iranica* Zimin,1966
- 3396) Gymnosoma persicum (Mesnil,1952)** (Tachinidae) Synonym(s): *persica* Mesnil,1952; *pulchra* Zimin,1966
- 3397) Gynnidomorpha permixtana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *permixtana* [Denis & Schiffermüller],1775; *antennana* Frölich,1828; *mussehlana* Treitschke,1835; *dymotana* Treitschke,1835.
- 3398) Gypsonoma euphratica (Amsel,1935)** (Tortricidae) Synonym(s): *euphratica* Amsel,1935
- 3399) Gypsonoma minutana (Hübner,[1799])** (Tortricidae) Synonym(s): *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836
- 3400) Gypsonoma obratzsovi Amsel,1959** (Tortricidae) Synonym(s): *obratzsovi* Amsel,1959
- 3401) Gypsonoma ochrotona Razowski,1963** (Tortricidae) Synonym(s): *ochrotona* Razowski,1963
- 3402) Gyranusoidea indica Shafee, Alam & Agarwal,1975** (Encyrtidae) Synonym(s): *indica* Shafee, Alam & Agarwal,1975
- 3403) Gyrocraepedus pleskei Becker,1913** (Bombyliidae) Synonym(s): *pleskei* Becker,1913
- 3404) Habrobracon iranica M.Fischer,1972** (Braconidae) Synonym(s): *iranica* M.Fischer,1972
- 3405) Habropogon decipiens Theodor,1980** (Asilidae) Synonym(s): *decipiens* Theodor,1980
- 3406) Habropogon doriae Rondani,1873** (Asilidae) Synonym(s): *doriae* Rondani,1873
- 3407) Habropogon lineatus Lehr,1960** (Asilidae) Synonym(s): *lineatus* Lehr,1960
- 3408) Habropogon longiventris Loew,1847** (Asilidae) Synonym(s): *longiventris* Loew,1847
- 3409) Habropogon montanus Lehr,1960** (Asilidae) Synonym(s): *montanus* Lehr,1960
- 3410) Habropogon similimus Theodor,1980** (Asilidae) Synonym(s): *similimus* Theodor,1980
- 3411) Habropogon verticalis Becker,1913** (Asilidae) Synonym(s): *verticalis* Becker,1913
- 3412) Hada persa (Alpheraky,1897)** (Noctuidae) Synonym(s): *persa* Alpheraky,1897
- 3413) Hadenia (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nissus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
- 3414) Hadenia (Anepia) silenes (Hübner,[1822])** (Noctuidae) Synonym(s): *silenes* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850].
- 3415) Hadenia (Anepia) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.

- 3416) *Hadena* (*Enterpia*) *laudeti* (Boisduval,1840) (Noctuidae) Synonym(s): *laudeti* Boisduval,1840
- 3417) *Hadena* (*Enterpia*) *picturata* (Alpheraky,1882) (Noctuidae) Synonym(s): *picturata* Alpheraky,1882
- 3418) *Hadena* (*Enterpia*) *roseocandida* Hacker,1996 (Noctuidae) Synonym(s): *roseocandida* Hacker,1996
- 3419) *Hadena* (*Maschukia*) *lypra* (Püngeler,1904) (Noctuidae) Synonym(s): *lypra* Püngeler,1904
- 3420) *Hadena* (*Maschukia*) *pumila* (Staudinger,1879) (Noctuidae) Synonym(s): *pumila* Staudinger,1879
- 3421) *Hadena* (*Pinkericola*) *inexpectata* Varga,1979 (Noctuidae) Synonym(s): *inexpectata* Varga,1979
- 3422) *Hadena* (*Pinkericola*) *tephroleuca* (Boisduval,1833) (Noctuidae) Synonym(s): *tephroleuca* Boisduval,1833
- 3423) *Hadena* (*Pinkericola*) *vulpecula* (Brandt,1938) (Noctuidae) Synonym(s): *vulpecula* Brandt,1938
- 3424) *Hadena* (*Pronotestra*) *silenides* (Staudinger,1895) (Noctuidae) Synonym(s): *silenides* Staudinger,1895; *cinochrea* Chrétien,1911; *pampaninii* C.G.Krüger,1933.
- 3425) *Hadena* (s.str.(*Albimaculia*)) *albimacula* (Borkhausen,1792) (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820].
- 3426) *Hadena* (s.str.(*Albimaculia*)) *gueneei* (Staudinger,1901) (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905
- 3427) *Hadena* (s.str.(*Albimaculia*)) *humilis* (Christoph,1893) (Noctuidae) Synonym(s): *humilis* Christoph,1893; *stenoptera* Rebel,1933.
- 3428) *Hadena* (s.str.(*Anatolidena*)) *draudti* (Brandt,1938) (Noctuidae) Synonym(s): *draudti* Brandt,1938
- 3429) *Hadena* (s.str.(*Anatolidena*)) *elbursica* Hacker,1996 (Noctuidae) Synonym(s): *elbursica* Hacker,1996
- 3430) *Hadena* (s.str.(*Anatolidena*)) *mesolampra* (Brandt,1938) (Noctuidae) Synonym(s): *mesolampra* Brandt,1938
- 3431) *Hadena* (s.str.(*Anatolidena*)) *pfeifferi* (Draudt,1934) (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934
- 3432) *Hadena* (s.str.(*Anatolidena*)) *staudingeri* (F.Wagner,1931) (Noctuidae) Synonym(s): *staudingeri* F.Wagner,1931
- 3433) *Hadena* (s.str.(*Clarhadena*)) *cimelia* (Brandt,1938) (Noctuidae) Synonym(s): *cimelia* Brandt,1938
- 3434) *Hadena* (s.str.(*Clarhadena*)) *clara* (Staudinger,1901) (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938.
- 3435) *Hadena* (s.str.(*Clarhadena*)) *drenowski* (Rebel,1930) (Noctuidae) Synonym(s): *drenowski* Rebel,1930.
- 3436) *Hadena* (s.str.(*Clarhadena*)) *hyrcanoides* Hacker,1996 (Noctuidae) Synonym(s): *hyrcanoides* Hacker,1996
- 3437) *Hadena* (s.str.(*Clarhadena*)) *pseudoclara* Hacker,1996 (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996
- 3438) *Hadena* (s.str.(*Clarhadena*)) *subhyrcana* Hacker,1996 (Noctuidae) Synonym(s): *subhyrcana* Hacker,1996
- 3439) *Hadena* (s.str.(*Dianthocia*)) *impressa* (Esper,[1790]) (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790].
- 3440) *Hadena* (s.str.(*Hadenobilis*)) *melanochroa* (Staudinger,1892) (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892
- 3441) *Hadena* (s.str.(*Hadenobilis*)) *nobilis* Hacker,1996 (Noctuidae) Synonym(s): *nobilis* Hacker,1996
- 3442) *Hadena* (s.str.(*Hadenobilis*)) *tristis* (Draudt,1934) (Noctuidae) Synonym(s): *tristis* Draudt,1934
- 3443) *Hadena* (s.str.(*Hadenobilis*)) *vulcanica* (Turati,1907) (Noctuidae) Synonym(s): *vulcanica* Turati,1907
- 3444) *Hadena* (s.str.(*Luteocincta*)) *femina* Hacker,1996 (Noctuidae) Synonym(s): *femina* Hacker,1996
- 3445) *Hadena* (s.str.(*Luteocincta*)) *lucida* (Brandt,1938) (Noctuidae) Synonym(s): *lucida* Brandt,1938
- 3446) *Hadena* (s.str.(*Luteocincta*)) *persimilis* Hacker,1996 (Noctuidae) Synonym(s): *persimilis* Hacker,1996
- 3447) *Hadena* (s.str.(*Luteocincta*)) *thecaphaga* (Draudt,1937) (Noctuidae) Synonym(s): *thecaphaga* Draudt,1937
- 3448) *Hadena* (s.str.(*Luteocincta*)) *wehrlii* (Draudt,1934) (Noctuidae) Synonym(s): *wehrlii* Draudt,1934
- 3449) *Hadena* (s.str.(*Magnifica*)) *magnifica* Hacker,1996 (Noctuidae) Synonym(s): *magnifica* Hacker,1996
- 3450) *Hadena* (s.str.(*Magnoliadadena*)) *magnolii* (Boisduval,1828) (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844.
- 3451) *Hadena* (s.str.(*Miselia*)) *compta* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
- 3452) *Hadena* (s.str.(*Montanohadena*)) *montana* (Brandt,1941) (Noctuidae) Synonym(s): *montana* Brandt,1941
- 3453) *Hadena* (s.str.(*Montanohadena*)) *praetermissa* Hacker,1996 (Noctuidae) Synonym(s): *praetermissa* Hacker,1996
- 3454) *Hadena* (s.str.(*Montanohadena*)) *pseudohyrcana* De Freina & Hacker,1985 (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker,1985.
- 3455) *Hadena* (s.str.(*Montanohadena*)) *purpurea* Hacker,1996 (Noctuidae) Synonym(s): *purpurea* Hacker,1996
- 3456) *Hadena* (s.str.(*Turkihadena*)) *bactriana* Hacker,1996 (Noctuidae) Synonym(s): *bactriana* Hacker,1996
- 3457) *Hadena* (s.str.(*Turkihadena*)) *rjabovi* (Idrisov,1961) (Noctuidae) Synonym(s): *rjabovi* Idrisov,1961; *occidentalis* De Freina & Hacker,1985
- 3458) *Hadena* (s.str.(*Zeteolyga*)) *confusa* (Hufnagel,1766) (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902.
- 3459) *Haderonia* *lupa* (Christoph,1893) (Noctuidae) Synonym(s): *lupa* Christoph,1893; *contempta* Püngeler,1914.
- 3460) *Hadjina* *cinerea* Hampson,1909 (Noctuidae) Synonym(s): *cinerea* Hampson,1909
- 3461) *Hadjina* *lutosa* Staudinger,1892 (Noctuidae) Synonym(s): *lutosa* Staudinger,1892
- 3462) *Hadula* (*Calocestra* (*Dianthus*)) *dianthi* (Tauscher,1809) (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930.
- 3463) *Hadula* (*Calocestra* (*Hadufurca*)) *colletti* (Schneider,1876) (Noctuidae) Synonym(s): *colletti* Schneider,1876
- 3464) *Hadula* (*Calocestra* (*Hadumendax*)) *hoplites* (Staudinger,1901) (Noctuidae) Synonym(s): *hoplites* Staudinger,1901
- 3465) *Hadula* (*Calocestra* (*Hadumendax*)) *mendax* (Staudinger,1879) (Noctuidae) Synonym(s): *mendax* Staudinger,1879
- 3466) *Hadula* (*Calocestra* (*Hadumendax*)) *mendica* (Staudinger,[1895]) (Noctuidae) Synonym(s): *mendica* Staudinger,[1895].
- 3467) *Hadula* (*Calocestra* (*Hadupugnax*)) *pugnax* (Hübner,[1824]) (Noctuidae) Synonym(s): *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942
- 3468) *Hadula* (*Calocestra* (*Hadutrifolium*)) *trifolii* (Hufnagel,1766) (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 3469) *Hadula* (*Calocestra* (*Stigma*)) *stigma* (Christoph,1887) (Noctuidae) Synonym(s): *stigma* Christoph,1887.
- 3470) *Hadula* (*Cardiestra*) *eremistis* (Püngeler,1904) (Noctuidae) Synonym(s): *eremistis* Püngeler,1904
- 3471) *Hadula* (*Ptochicestra*) *osmana* Hacker,1998 (Noctuidae) Synonym(s): *osmana* Hacker,1998
- 3472) *Hadula* (*Ptochicestra*) *ptochica* (Püngeler,1900) (Noctuidae) Synonym(s): *ptochica* Püngeler,1900
- 3473) *Hadula* (s.str.(*Habulorum*)) *sabulorum* (Alpheraky,1882) (Noctuidae) Synonym(s): *sabulorum* Alpheraky,1882

- 3474) *Haematopota atropathenica* Abbassian-Lintzen, 1964 (Tabanidae) Synonym(s): *atropathenica* Abbassian-Lintzen, 1964
- 3475) *Haematopota caspica* Abbassian-Lintzen, 1960 (Tabanidae) Synonym(s): *caspica* Abbassian-Lintzen, 1960; *transcaucasica* Olsufjev, 1970
- 3476) *Haematopota coronata* Austen, 1908 (Tabanidae) Synonym(s): *coronata* Austen, 1908
- 3477) *Haematopota grandis* Macquart, 1834 (Tabanidae) Synonym(s): *grandis* Macquart, 1834; *fraseri* Austen, 1925
- 3478) *Haematopota minuscula* Austen, 1920 (Tabanidae) Synonym(s): *minuscula* Austen, 1920; *siwaynensis* Kröber, 1929
- 3479) *Haematopota pallens* Loew, 1871 (Tabanidae) Synonym(s): *pallens* Loew, 1871; *obscura* Bigot, 1880; *obscurata* Bigot, 1891; *caucasica* Kröber, 1922; *araxis* Szilady, 1923
- 3480) *Haematopota pavlovskii* Hauser, 1960 (Tabanidae) Synonym(s): *pavlovskii* Hauser, 1960
- 3481) *Haematopota sewelli* Austen, 1920 (Tabanidae) Synonym(s): *sewelli* Austen, 1920
- 3482) *Haematopota subcylindrica* Pandellé, 1883 (Tabanidae) Synonym(s): *subcylindrica* Pandellé, 1883; *elbrusensis* Abbassian-Lintzen, 1960
- 3483) *Haemerosia ionochlora* Ronkay, Varga & Hreblay, 1998 (Noctuidae) Synonym(s): *ionochlora* Ronkay, Varga & Hreblay, 1998
- 3484) *Haemerosia renalis* (Hübner, [1813]) (Noctuidae) Synonym(s): *renalis* Hübner, [1813]
- 3485) *Haetosmia vechti* (Peters, 1974) (Megachilidae) Synonym(s): *vechti* Peters, 1974
- 3486) *Hafisia lundbladi* Amsel, 1950 (Pyralidae) Synonym(s): *lundbladi* Amsel, 1950
- 3487) *Halictus (Hexataenites) sexcinctus* (Fabricius, 1775) (Halictidae) Synonym(s): *sexcinctus* Fabricius, 1775
- 3488) *Halictus (s.str.) alfenellus* Strand, 1909 (Halictidae) Synonym(s): *alfenellus* Strand, 1909; *cedens* Strand, 1925
- 3489) *Halictus (s.str.) asperulus* Pérez, 1895 (Halictidae) Synonym(s): *asperulus* Pérez, 1895
- 3490) *Halictus (s.str.) bagirensis* Blüthgen, 1936 (Halictidae) Synonym(s): *bagirensis* Blüthgen, 1936
- 3491) *Halictus (s.str.) brunescens* (Eversmann, 1852) (Halictidae) Synonym(s): *brunescens* Eversmann, 1852; *maximus* Friese, 1916; *aegyptiacus* Friese, 1916
- 3492) *Halictus (s.str.) dschulfensis* Blüthgen, 1936 (Halictidae) Synonym(s): *dschulfensis* Blüthgen, 1936
- 3493) *Halictus (s.str.) duplocinctus* Vachal, 1902 (Halictidae) Synonym(s): *duplocinctus* Vachal, 1902
- 3494) *Halictus (s.str.) falcinellus* Warncke, 1982 (Halictidae) Synonym(s): *falcinellus* Warncke, 1982
- 3495) *Halictus (s.str.) funerarius* Morawitz, 1876 (Halictidae) Synonym(s): *funerarius* Morawitz, 1876
- 3496) *Halictus (s.str.) humkalensis* Blüthgen, 1936 (Halictidae) Synonym(s): *humkalensis* Blüthgen, 1936
- 3497) *Halictus (s.str.) icarus* Ebmer, 1978 (Halictidae) Synonym(s): *icarus* Ebmer, 1978
- 3498) *Halictus (s.str.) lobatus* Ebmer, 1978 (Halictidae) Synonym(s): *lobatus* Ebmer, 1978
- 3499) *Halictus (s.str.) lunatus* Warncke, 1975 (Halictidae) Synonym(s): *lunatus* Warncke, 1975
- 3500) *Halictus (s.str.) maculatus* Smith, 1848 (Halictidae) Synonym(s): *maculatus* Smith, 1848; *priesneri* Ebmer, 1975
- 3501) *Halictus (s.str.) minor* Morawitz, 1876 (Halictidae) Synonym(s): *minor* Morawitz, 1876; *altaicus* Pérez, 1903; *jarkandensis* Strand, 1909
- 3502) *Halictus (s.str.) patellatus* Morawitz, 1873 (Halictidae) Synonym(s): *patellatus* Morawitz, 1873; *wagneri* Blüthgen, 1937; *ifranicola* Cockerell, 1937
- 3503) *Halictus (s.str.) quadricinctus* (Fabricius, 1776) (Halictidae) Synonym(s): *quadricinctus* Fabricius, 1776; *hortensis* Geoffroy, 1785; *quadristrigatus* Latreille, 1805; *grandis* Illiger, 1806
- 3504) *Halictus (s.str.) resurgens* Nurse, 1903 (Halictidae) Synonym(s): *resurgens* Nurse, 1903
- 3505) *Halictus (s.str.) sajo* Blüthgen, 1923 (Halictidae) Synonym(s): *sajo* Blüthgen, 1923; *bifidus* Warncke, 1975
- 3506) *Halictus (s.str.) sefidicus* Blüthgen, 1936 (Halictidae) Synonym(s): *sefidicus* Blüthgen, 1936
- 3507) *Halictus (s.str.) senilis* (Eversmann, 1852) (Halictidae) Synonym(s): *senilis* Eversmann, 1852; *fucosus* Morawitz, 1876; *albarius* Pérez, 1895; *bivinctus* Vachal, 1902
- 3508) *Halictus (s.str.) squamosus* Lebedev, 1910 (Halictidae) Synonym(s): *squamosus* Lebedev, 1910
- 3509) *Halictus (s.str.) submodernus* Blüthgen, 1936 (Halictidae) Synonym(s): *submodernus* Blüthgen, 1936
- 3510) *Halictus (s.str.) tetrazonianellus* Strand, 1909 (Halictidae) Synonym(s): *tetrazonianellus* Strand, 1909
- 3511) *Halictus (s.str.) tetrazonius* (Klug, 1817) (Halictidae) Synonym(s): *tetrazonius* Klug, 1817; *furcatus* Blüthgen, 1925
- 3512) *Halictus (Seladonia) cephalicus* (Morawitz, 1873) (Halictidae) Synonym(s): *cephalicus* Morawitz, 1873
- 3513) *Halictus (Seladonia) seladonius* (Fabricius, 1794) (Halictidae) Synonym(s): *seladonius* Fabricius, 1794
- 3514) *Halictus (Seladonia) smaragdulus* Vachal, 1895 (Halictidae) Synonym(s): *smaragdulus* Vachal, 1895
- 3515) *Halictus (Seladonia) subauratus* (Rossi, 1792) (Halictidae) Synonym(s): *subauratus* Rossi, 1792
- 3516) *Halictus (Vestitohalictus) aestuans* Ebmer, 1978 (Halictidae) Synonym(s): *aestuans* Ebmer, 1978
- 3517) *Halictus (Vestitohalictus) cupidus* Vachal, 1902 (Halictidae) Synonym(s): *cupidus* Vachal, 1902
- 3518) *Halictus (Vestitohalictus) cypricus* Blüthgen, 1937 (Halictidae) Synonym(s): *cypricus* Blüthgen, 1937
- 3519) *Halictus (Vestitohalictus) morawitzi* Vachal, 1902 (Halictidae) Synonym(s): *morawitzi* Vachal, 1902
- 3520) *Halictus (Vestitohalictus) nasica* Morawitz, 1876 (Halictidae) Synonym(s): *nasica* Morawitz, 1876
- 3521) *Halictus (Vestitohalictus) nigricutis* Warncke, 1975 (Halictidae) Synonym(s): *nigricutis* Warncke, 1975
- 3522) *Halictus (Vestitohalictus) pollinosus* Sichel, 1860 (Halictidae) Synonym(s): *pollinosus* Sichel, 1860
- 3523) *Halictus (Vestitohalictus) pseudomucoreus* Ebmer, 1975 (Halictidae) Synonym(s): *pseudomucoreus* Ebmer, 1975
- 3524) *Halictus (Vestitohalictus) pulvereus* Morawitz, 1874 (Halictidae) Synonym(s): *pulvereus* Morawitz, 1874
- 3525) *Halictus (Vestitohalictus) radoszkowskii* Vachal, 1902 (Halictidae) Synonym(s): *radoszkowskii* Vachal, 1902
- 3526) *Halictus (Vestitohalictus) semiticus* Blüthgen, 1955 (Halictidae) Synonym(s): *semiticus* Blüthgen, 1955
- 3527) *Halictus (Vestitohalictus) surabadensis* Ebmer, 1975 (Halictidae) Synonym(s): *surabadensis* Ebmer, 1975
- 3528) *Halictus (Vestitohalictus) tuberculatus* Blüthgen, 1925 (Halictidae) Synonym(s): *tuberculatus* Blüthgen, 1925
- 3529) *Halmopota mediterranea* Loew, 1860 (Ephydriidae) Synonym(s): *mediterranea* Loew, 1860; *anatolica* Canzoneri & Meneghini, 1974; *septentrionalis* Canzoneri & Meneghini, 1974
- 3530) *Halmopota viridescens* Brunetti, 1919 (Ephydriidae) Synonym(s): *viridescens* Brunetti, 1919
- 3531) *Halter halterata* (Forsk., 1775) (Nemopteridae) Synonym(s): *halterata* Forsk., 1775; *nutans* Navas, 1910.
- 3532) *Handianus procerus* (Herrich-Schäffer, 1835) (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer, 1835; *palaestinensis* Linnavuori, 1962
- 3533) *Hannemanneia tacapella* (Ragonot, 1887) (Pyralidae) Synonym(s): *tacapella* Ragonot, 1887
- 3534) *Haplochrois sinevi* (Baldizzzone, 1993) (Agonoxenidae) Synonym(s): *sinevi* Baldizzzone, 1993
- 3535) *Haplothrix chalif* Majer, 1989 (Melyridae) Synonym(s): *chalif* Majer, 1989
- 3536) *Haplothrix effusa* Majer, 1989 (Melyridae) Synonym(s): *effusa* Majer, 1989
- 3537) *Haplothrix soluta* Majer, 1989 (Melyridae) Synonym(s): *soluta* Majer, 1989
- 3538) *Hapsifera luridella* Zeller, 1847 (Tineidae) Synonym(s): *luridella* Zeller, 1847; *baliopsamma* Meyrick, 1921; *pustulatella* Lucas, 1942 nec Zell., 1852; *eburnea* Butler, 1881; *palaestinensis* Rebel, 1901; *kerbelella* Amsel, 1949

- 3539) **Hardya anatolica** Zachvatkin, 1946 (Cicadellidae) Synonym(s): *anatolica* Zachvatkin, 1946
- 3540) **Hardya iranica** Zachvatkin, 1946 (Cicadellidae) Synonym(s): *iranica* Zachvatkin, 1946
- 3541) **Harpagidia magnetella** (Staudinger, 1871) (Gelechiidae) Synonym(s): *magnetella* Staudinger, 1871; *pallidibassella* Ragonot, 1895
- 3542) **Hauptidia (s.str.) cretacea** (Moravskaja, 1948) (Cicadellidae) Synonym(s): *cretacea* Moravskaja, 1948; *furcata* Dlabola, 1957
- 3543) **Hebecnema nigra** (R-D., 1830) (Muscidae) Synonym(s): *nigra* R-D., 1830
- 3544) **Hecalus eximius** (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *eximius* Kirschbaum, 1868; *reticulatus* Linnavuori, 1962
- 3545) **Hecalus glaucescens** (Fieber, 1866) (Cicadellidae) Synonym(s): *glaucescens* Fieber, 1866; *sulcatus* Fieber, 1866; *aegyptiacus* Signoret, 1879; *arenarius* Horvath, 1897
- 3546) **Hecatera bicolorata** (Hufnagel, 1766) (Noctuidae) Synonym(s): *bicolorata* Hufnagel, 1766; *serena* [Denis & Schiffermüller], 1775; *placida* Esper, 1791; *hieracii* Bkh., 1793; *par* Donovan, 1801; *monticola* Dup., 1826; *leuconota* Eversmann, 1837; *intermedia* Walker, 1858; *obscura* Staudinger, 1861.
- 3547) **Hecatera cappa** (Hübner, 1809) (Noctuidae) Synonym(s): *cappa* Hübner, 1809
- 3548) **Hecatera rhodocharis** (Brandt, 1938) (Noctuidae) Synonym(s): *rhodocharis* Brandt, 1938
- 3549) **Hecatera spinaciae** (Vieweg, 1790) (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller], 1775; *spinaciae* Vieweg, 1790; *ornata* De Villiers, 1789; *chrysozona* Borkhausen, 1792; *ranunculina* Haworth, 1809; *caduca* Herrich-Schäffer, 1851; *innocens* Staudinger, 1871; *subflava* W. Warren, 1910.
- 3550) **Hedma iranica** (Povolny, 1976) (Gelechiidae) Synonym(s): *iranica* Povolny, 1976
- 3551) **Hedma micradelpha** (Walsingham, 1900) (Gelechiidae) Synonym(s): *micradelpha* Walsingham, 1900
- 3552) **Hedma microcasis** (Meyrick, 1929) (Gelechiidae) Synonym(s): *microdelpha* Walsingham, 1900 *nec* Low., 1897; *microcasis* Meyrick, 1929; *abzacella* Dumont, 1932; *hyocyami* Amsel, 1935; *polioptera* Janse, 1960.
- 3553) **Hedya pruniana** (Hübner, 1799) (Tortricidae) Synonym(s): *pruniana* Hübner, 1799; *pruneticolana* Zeller, 1849
- 3554) **Heegeria tangirica** (Saunders, 1877) (Alydidae) Synonym(s): *tangirica* Saunders, 1877; *adpersa* Rueter, 1881; *ferrugineus* Carlini, 1895; *robustus* Distant, 1904; *venosus* Bergroth, 1908; *sjostedti* Schouteden, 1912
- 3555) **Helicoverpa armigera** (Hübner, 1808) (Noctuidae) Synonym(s): *obsolata* auct. *nec* Fabr., 1775; *barbara* Fabricius, 1794 [rejected]; *armigera* Hübner, 1808; *pulverosa* Walker, 1857; *uniformis* Wallengren, 1860; *rama* Bhattacharjee & Gupta, 1972.
- 3556) **Heliocheilus confertissima** (Walker, 1865) (Noctuidae) Synonym(s): *confertissima* Walker, 1865; *hyalosticta* Hampson, 1894; *perdentata* Hampson, 1903; *mekrana* Brandt, 1941; *designata* Brandt, 1941; *ennedica* Herbulot & Viette, 1952.
- 3557) **Helicorisa vermiculata** (Puton, 1874) (Corixidae) Synonym(s): *vermiculata* Puton, 1874
- 3558) **Helionidia himyarita** Zachvatkin, 1946 (Cicadellidae) Synonym(s): *himonyarita* Zachvatkin, 1946; *acutistyla* Dlabola, 1952; *desmanthi* Lindberg, 1958
- 3559) **Heliophobus reticulata** (Goeze, 1781) (Noctuidae) Synonym(s): *calcatrippae* Vieweg, 1790; *saponariae* Borkhausen, 1792; *marginosa* Haworth, 1809; *hibernica* Cockayne, 1944.
- 3560) **Heliophobus unicolor** (Alpheraky, 1889) (Noctuidae) Synonym(s): *unicolor* Alpheraky, 1889
- 3561) **Heliothela ophideresana** (Walker, 1863) (Pyralidae) Synonym(s): *ophideresana* Walker, 1863; *pusilla* Butler, 1889; *kruegeri* Turati, 1926
- 3562) **Heliothela wulfeniana** (Scopoli, 1763) (Pyralidae) Synonym(s): *wulfeniana* Scopoli, 1763; *atralis* Hübner, 1788 *nec* Fabr., 1775; *coerulealis* Caradja, 1917; *huebneri* Koçak, 1980.
- 3563) **Heliothis (Masalia) albida** (Hampson, 1905) (Noctuidae) Synonym(s): *albida* Hampson, 1905; *chitinipygga* Dumont, 1920
- 3564) **Heliothis (Masalia) perstriata** (Hampson, 1903) (Noctuidae) Synonym(s): *perstriata* Hampson, 1903
- 3565) **Heliothis (Masalia) philbyi** (Brandt, 1941) (Noctuidae) Synonym(s): *philbyi* Brandt, 1941; *nuristana* Boursin, 1960; *arabica* Boursin, 1960.
- 3566) **Heliothis nubigera** Herrich-Schäffer, 1851 (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer, 1851; *perigeoides* Moore, 1881; *deserta* Sohn-Rethel, 1929; *minutier* Thurner, 1938.
- 3567) **Heliothis peltigera** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller], 1775; *alpheia* Cramer, 1780; *florentina* Esper, 1788; *charmione* Stoll, 1790; *straminea* Donovan, 1793; *insulata* Navas, 1924.
- 3568) **Heliothis viriplaca** (Hufnagel, 1766) (Noctuidae) Synonym(s): *viriplaca* Hufnagel, 1766; *dipsacea* Linnaeus, 1767; *spergulariae* Lederer, 1857; *#dispaceus* Alpheraky, 1882; *salamantina* Fernald, 1928.
- 3569) **Helius (s.str.) hispanicus** Lackschewitz, 1928 (Limoniidae) Synonym(s): *hispanicus* Lackschewitz, 1928
- 3570) **Helladia armeniaca** Frivaldsky, 1878 (Cerambycidae) Synonym(s): *armeniaca* Frivaldsky, 1878; *testaceovittata* Pic, 1934; *iranica* Villers, 1960; *natali* Lobanov, 1994; *holzschuchi* Özdikmen, 2008.
- 3571) **Helladia diademata** (Faldermann, 1837) (Cerambycidae) Synonym(s): *diademata* Faldermann, 1837
- 3572) **Helladia humeralis** (Waltl, 1828) (Cerambycidae) Synonym(s): *humeralis* Waltl, 1828
- 3573) **Helladia imperialis** Sama & Rejzek, 2001 (Cerambycidae) Synonym(s): *imperialis* Sama & Rejzek, 2001
- 3574) **Helladia millefolii** (Adams, 1817) (Cerambycidae) Synonym(s): *millefolii* Adams, 1817
- 3575) **Helladia plasoni** Ganglbauer, 1884 (Cerambycidae) Synonym(s): *plasoni* Ganglbauer, 1884
- 3576) **Helladia pretiosa** (Faldermann, 1837) (Cerambycidae) Synonym(s): *pretiosa* Faldermann, 1837
- 3577) **Hellinsia lienigiana** (Zeller, 1852) (Pterophoridae) Synonym(s): *lienigianus* Zeller, 1852; *melinodactylus* Herrich-Schäffer, 1855; *scarodactylus* Becker, 1861; *serindibanus* Moore, 1886; *victorianus* Strand, 1913; *catharodactylus* Caradja, 1920; *hirosakianus* Matsumura, 1931; *mutuurai* Yano, 1963.
- 3578) **Hellinsia pectodactyla** (Staudinger, 1859) (Pterophoridae) Synonym(s): *pectodactylus* Staudinger, 1859; *angustus* Walsingham, 1880; *stramineus* Walsingham, 1880; *melanoschisma* Walsingham, 1908.
- 3579) **Hellula khorassanalis** (Amsel, 1950) (Pyralidae) Synonym(s): *chorassanalis* Amsel, 1950
- 3580) **Hellula undalis** (Fabricius, 1781) (Pyralidae) Synonym(s): *undalis* Fabricius, 1781; *lunulalis* Costa, 1836; *alconalis* Walker, 1859; *exemptalis* Walker, 1866; *geyri* Rothschild, 1915; *occidentalis* De Joannis, 1930; *reniculus* Pajni & Rose, 1977
- 3581) **Helophilus (s.str.) trivittatus** (Fabricius, 1805) (Syrphidae) Synonym(s): *trivittatus* Fabricius, 1805
- 3582) **Helophorus abeillei** Guillebeau, 1896 (Helophoridae) Synonym(s): *abeillei* Guillebeau, 1896
- 3583) **Helophorus aquaticus** (Linnaeus, 1758) (Helophoridae) Synonym(s): *aquaticus* Linnaeus, 1758
- 3584) **Helophorus brevipalpis** Bedel, 1881 (Helophoridae) Synonym(s): *brevipalpis* Bedel, 1881
- 3585) **Helophorus daedalus** Orchymont, 1932 (Helophoridae) Synonym(s): *daedalus* Orchymont, 1932
- 3586) **Helophorus discrepans** Rey, 1885 (Helophoridae) Synonym(s): *discrepans* Rey, 1885
- 3587) **Helophorus frater** Orchymont, 1926 (Helophoridae) Synonym(s): *frater* Orchymont, 1926
- 3588) **Helophorus hilaris** Sharp, 1916 (Helophoridae) Synonym(s): *hilaris* Sharp, 1916
- 3589) **Helophorus kirgisicus** Knisch, 1914 (Helophoridae) Synonym(s): *kirgisicus* Knisch, 1914

- 3590) *Helophorus lapponicus* Thomson, 1854 (Helophoridae) Synonym(s): *lapponicus* Thomson, 1854
 3591) *Helophorus maculatus* Motschoulsky, 1860 (Helophoridae) Synonym(s): *maculatus* Motschoulsky, 1860
 3592) *Helophorus mervensis* Semenov, 1900 (Helophoridae) Synonym(s): *mervensis* Semenov, 1900
 3593) *Helophorus nubilus* Fabricius, 1776 (Helophoridae) Synonym(s): *nubilus* Fabricius, 1776
 3594) *Helophorus syriacus* Kuwert, 1885 (Helophoridae) Synonym(s): *syriacus* Kuwert, 1885
 3595) *Helophorus zagrosicus* Angus, 1988 (Helophoridae) Synonym(s): *zagrosicus* Angus, 1988
 3596) *Hemaris (Cochrania) croatica* (Esper, [1779]) (Sphingidae) Synonym(s): *croatica* Esper, [1779]; *sesia* Hübner, [1806]; *#obscurata* Closs, 1911; *#rangnowi* Closs, 1911.
 3597) *Hemaris (Cochrania) ducalis* (Staudinger, 1887) (Sphingidae) Synonym(s): *ducalis* Staudinger, 1887
 3598) *Hemaris (Eitschbergera) tityus* (Linnaeus, 1758) (Sphingidae) Synonym(s): *tityus* Linnaeus, 1758; *bombylifformis* Linnaeus, 1758; *knautiae* Zeller, 1869; *scabiosae* Zeller, 1869; *alaiana* Rothschild & Jordan, 1903; *karaugomica* Wojtusiak & Niesiolowski, 1946; *#tityrus* De Freina, 1983; *saldaitisi* Eitschberger, Danner & Surholt, 1998
 3599) *Hemaris (s.str.) fuciformis* (Linnaeus, 1758) (Sphingidae) Synonym(s): *fuciformis* Linnaeus, 1758; *variegata* Allioni, 1766; *musca* Retzius, 1783; *bombylifformis* sensu Ochsenheimer, 1808; *milesiformis* Treitschke, 1834; *caprifolii* Zeller, 1869; *loniceriae* Zeller, 1869; *robusta* Alpheraky, 1882; *simillima* Moore, 1888; *ganssuensis* Grun-Grshimailo, 1891; *heynei* Bartel, 1898;
 3600) *Hemiexarnis berezskii* (Kozhantshikov, 1937) (Noctuidae) Synonym(s): *berezskii* Kozhantshikov, 1937
 3601) *Hemipenthes caucasicus* Zaitzev, 1966 (Bombyliidae) Synonym(s): *caucasica* Zaitzev, 1966
 3602) *Hemipenthes exoprosopoides* Paramonov, 1928 (Bombyliidae) Synonym(s): *exoprosopoides* Paramonov, 1928
 3603) *Hemipenthes gaudanicus* Paramonov, 1927 (Bombyliidae) Synonym(s): *gaudanicus* Paramonov, 1927
 3604) *Hemipenthes hamiferus* (Loew, 1854) (Bombyliidae) Synonym(s): *hamifera* Loew, 1854
 3605) *Hemipenthes maurus* (Linnaeus, 1758) (Bombyliidae) Synonym(s): *maurus* Linnaeus, 1758; *denigrata* Linnaeus, 1767; *hirsuta* Villers, 1789; *daemon* Panzer, 1797; *bifasciata* Meigen, 1804; *relata* Walker, 1852; *uncinus* Loew, 1869; *flavotomentosa* Paramonov, 1927
 3606) *Hemipenthes morio* (Linnaeus, 1758) (Bombyliidae) Synonym(s): *morio* Linnaeus, 1758; *semitra* Meigen, 1820; *morioides* Say, 1823
 3607) *Hemipenthes robustus* Zaitzev, 1966 (Bombyliidae) Synonym(s): *robustus* Zaitzev, 1966
 3608) *Hemipenthes subvelutinus* Zaitzev, 1966 (Bombyliidae) Synonym(s): *subvelutinus* Zaitzev, 1966
 3609) *Hemipenthes tusheticus* Zaitzev, 1966 (Bombyliidae) Synonym(s): *tusheticus* Zaitzev, 1966
 3610) *Hemipenthes velutinus* (Meigen, 1820) (Bombyliidae) Synonym(s): *velutinus* Meigen, 1820; *bicincta* Wiedemann, 1820; *nycthemera* Wiedemann, 1820
 3611) *Hemisemidalis pallida* (Withycombe, 1924) (Coniopterygidae) Synonym(s): *pallida* Withycombe, 1924
 3612) *Hemithea aestivaria* (Hübner, 1789) (Geometridae) Synonym(s): *strigata* Müller, 1764 nec Sc., 1763; *herbacea* Fourcroy, 1785; *aestivaria* Hübner, [1799]; *alboundulata* Hedemann, 1879
 3613) *Henestaris halophilus* (Burmeister, 1835) (Lygaeidae) Synonym(s): *halophilus* Burmeister, 1835; *geocoripes* D'Antessant, 1885; *cremeus* Kiritchenko, 1924
 3614) *Hephathus freyi* (Fieber, 1868) (Cicadellidae) Synonym(s): *freyi* Fieber, 1868
 3615) *Hercostomus leptocercus* Stackelberg, 1949 (Dolichopodidae) Synonym(s): *leptocercus* Stackelberg, 1949
 3616) *Heringina guttata* (Fallén, 1814) (Tephritidae) Synonym(s): *guttata* Fallén, 1814; *gemmata* Meigen, 1826
 3617) *Heringita amselina* (Gozmany, 1967) (Autostichidae) Synonym(s): *amseli* Gozmany, 1963 nec Gozm., 1954; *amselina* Gozmany, 1967.
 3618) *Herminia proxima* Christoph, 1893 (Noctuidae) Synonym(s): *proxima* Christoph, 1893
 3619) *Herminia tarsicrinialis* (Knoch, 1782) (Noctuidae) Synonym(s): *tarsicrinialis* Knoch, 1782; *tarsicrinatus* Haworth, 1809
 3620) *Herpetogramma fascinalis* (Amsel, 1950) (Pyralidae) Synonym(s): *fascinalis* Amsel, 1950
 3621) *Herpetogramma licarsialis* (Walker, 1859) (Pyralidae) Synonym(s): *licarsialis* Walker, 1859; *pharaxalis* Walker, 1859; *immundalis* Walker, [1866]; *fumidalis* Walker, [1866]; *serotinalis* De Joannis, 1889; *#licarsialis* Rebel, 1939
 3622) *Heteracris iranica* (Bei-Bienko, 1960) (Acrididae) Synonym(s): *iranica* Bei-Bienko, 1960
 3623) *Heteracris littoralis* (Rambur, 1838) (Acrididae) Synonym(s): *littoralis* Rambur, 1838; *similis* Brunner von Wattenwyl, 1861; *notata* Walker, 1870; *aethiopica* Carl, 1916; *asiaticus* Uvarov, 1933; *bituberculatus* Bei-Bienko, 1948
 3624) *Heteracris persa* (Uvarov, 1933) (Acrididae) Synonym(s): *persa* Uvarov, 1933; *charpentieri* Uvarov, 1933 nec St., 1873
 3625) *Heteracris pterostichus* (Fischer von Waldheim, 1833) (Acrididae) Synonym(s): *pterostichus* Fischer von Waldheim, 1833; *dorsatus* Fischer von Waldheim, 1839; *fischeri* Fieber, 1853
 3626) *Heteracris theodori* (Uvarov, 1929) (Acrididae) Synonym(s): *theodori* Uvarov, 1929; *delicatus* Mishchenko, 1951
 3627) *Heteralonia (Acrodisca) suffusa* (Klug, 1832) (Bombyliidae) Synonym(s): *suffusa* Klug, 1832; *conturbata* Loew, 1869
 3628) *Heteralonia (Homolonia) megerlei* (Meigen, 1820) (Bombyliidae) Synonym(s): *megerlei* Meigen, 1820; *consanguinea* Macquart, 1840; *egyptiaca* Macquart, 1840; *campicola* Eversmann, 1855; *mayeti* Bigot, 1888; *aegyptiacus* Bezzi, 1903; *compar* Bezzi, 1924; *deserticola* Paramonov, 1928; *turanica* Paramonov, 1928; *conspicienda* Austen, 1937
 3629) *Heteralonia (subgen?) araxana* (Paramonov, 1928) (Bombyliidae) Synonym(s): *araxana* Paramonov, 1928; *meridionalis* Paramonov, 1928
 3630) *Heteralonia (Zygodiola) aeaca* (Meigen, 1804) (Bombyliidae) Synonym(s): *aeaca* Meigen, 1804; *livida* Pallas, 1818; *bombycifformis* Dufour, 1833; *lutea* Macquart, 1840
 3631) *Heteralonia (Zygodiola) algira* (Fabricius, 1794) (Bombyliidae) Synonym(s): *algira* Fabricius, 1794; *sicula* Macquart, 1834; *archimedeia* Bigot, 1861
 3632) *Heteralonia (Zygodiola) bagdadensis* (Macquart, 1840) (Bombyliidae) Synonym(s): *bagdadensis* Macquart, 1840; *clausa* Becker, 1913
 3633) *Heteralonia (Zygodiola) fallaciosa* (Loew, 1873) (Bombyliidae) Synonym(s): *fallaciosa* Loew, 1873; *evanescens* Becker, 1913
 3634) *Heteralonia (Zygodiola) fusconotata* (Becker, 1913) (Bombyliidae) Synonym(s): *fusconotata* Becker, 1913
 3635) *Heteralonia (Zygodiola) latiuscula* (Loew, 1873) (Bombyliidae) Synonym(s): *latiuscula* Loew, 1873; *farinosa* Becker, 1913
 3636) *Heteralonia (Zygodiola) melanoptera* (Pallas & Wiedemann, 1818) (Bombyliidae) Synonym(s): *melanoptera* Pallas & Wiedemann, 1818
 3637) *Heteralonia (Zygodiola) mucorea* (Klug, 1832) (Bombyliidae) Synonym(s): *mucorea* Klug, 1832
 3638) *Heteralonia (Zygodiola) occlusa* (Loew, 1873) (Bombyliidae) Synonym(s): *occlusa* Loew, 1873
 3639) *Heteralonia (Zygodiola) rivulosa* (Becker, 1902) (Bombyliidae) Synonym(s): *rivulosa* Becker, 1902
 3640) *Heteralonia (Zygodiola) sabulina* (Becker, 1913) (Bombyliidae) Synonym(s): *sabulina* Becker, 1913
 3641) *Heteralonia (Zygodiola) subfasciata* (Engel, 1936) (Bombyliidae) Synonym(s): *subfasciata* Engel, 1936
 3642) *Heterobapta plumellata* Wiltshire, 1943 (Geometridae) Synonym(s): *plumellata* Wiltshire, 1943
 3643) *Heterocnemis (Celidotella) matthiesseni* Reitter, 1909 (Scarabaeidae) Synonym(s): *matthiesseni* Reitter, 1909

- 3644) *Heteroculpinia pasargades* (Brandt,1938) (Geometridae) Synonym(s): *pasargades* Brandt,1938
 3645) *Heteroculpinia prouti* (Brandt,1938) (Geometridae) Synonym(s): *prouti* Brandt,1938
 3646) *Heterographa puengeleri* Bartel,1904 (Noctuidae) Synonym(s): *puengeleri* Bartel,1904
 3647) *Heterographa tetrastigma* Brandt,1941 (Noctuidae) Synonym(s): *tetrastigma* Brandt,1941
 3648) *Heterographa zelleri* (Christoph,1877) (Noctuidae) Synonym(s): *zelleri* Christoph,1877
 3649) *Heterolocha laminaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *laminaria* Herrich-Schäffer,[1852]
 3650) *Heteropalpia acrosticta* (Püngeler,1904) (Noctuidae) Synonym(s): *acrosticta* Püngeler,1904; *rosacea* Rebel,1907
 3651) *Heteropalpia vetusta* (Walker,1865) (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
 3652) *Heteropalpia witshirei* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *witshirei* Hacker & Ebert,2002
 3653) *Heterophysa dumetorum* (Geyer,1834) (Noctuidae) Synonym(s): *dumetorum* Geyer,1834; *rhadama* Milliére,1883
 3654) *Heteropogon lehri* Richter,1968 (Asilidae) Synonym(s): *lehri* Richter,1968
 3655) *Heteropogon lugubris* Hermann,1906 (Asilidae) Synonym(s): *lugubris* Hermann,1906; *mesasiaticus* Lehr,1970
 3656) *Heteropogon nubilus* (Wiedemann,1820) (Asilidae) Synonym(s): *nubilus* Wiedemann,1820
 3657) *Heteropogon pyrinus* Hermann,1906 (Asilidae) Synonym(s): *pyrinus* Hermann,1906; *pyrrhinus* Engel,1925
 3658) *Heteropogon scoparius* Loew,1847 (Asilidae) Synonym(s): *scoparius* Loew,1847
 3659) *Heteropogon succinctus* Loew,1847 (Asilidae) Synonym(s): *succinctus* Loew,1847
 3660) *Heterotropus zarudnyi* Paramonov,1947 (Bombyliidae) Synonym(s): *zarudnyi* Paramonov,1947
 3661) *Hierodula macrostigmata* Deelmann & Reinhold,1957 (Mantidae) Synonym(s): *macrostigmata* Deelmann & Reinhold,1957
 3662) *Hierodula transcaucasica* Brunner von Wattenwyl,1878 (Mantidae) Synonym(s): *transcaucasica* Brunner von Wattenwyl,1878
 3663) *Hieroglyphus perpolita* (Uvarov,1933) (Acrididae) Synonym(s): *perpolita* Uvarov,1933
 3664) *Hilethera turanica* Uvarov,1925 (Acrididae) Synonym(s): *turanica* Uvarov,1925
 3665) *Hipparchia* (Neohipparchia) *fatua* (Freyer,1844) (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kossuigi* De Lattin,1950.
 3666) *Hipparchia* (Neohipparchia) *parisatis* (Kollar,[1849]) (Satyridae) Synonym(s): *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000.
 3667) *Hipparchia* (Parahipparchia) *pellucida* (Stauder,1924) (Satyridae) Synonym(s): *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976.
 3668) *Hipparchia* (Parahipparchia) *turcmenica* (Heydemann,1942) (Satyridae) Synonym(s): *turcmenica* Heydemann,1942
 3669) *Hipparchia* (s.str.) *syriaca* (Staudinger,1871) (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
 3670) *Hippomachus iranensis* Londt,1985 (Asilidae) Synonym(s): *iranensis* Londt,1985
 3671) *Hippotion celerio* (Linnaeus,1758) (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrousier,1864
 3672) *Hirmonura brandti* Bequaert,1938 (Nemestrinidae) Synonym(s): *brandti* Bequaert,1938
 3673) *Holcocus drangianicus* Groum-Grshimailo,1902 (Cossidae) Synonym(s): *drangianicus* Groum-Grshimailo,1902
 3674) *Holcocus gloriosus* (Erschoff,1874) (Cossidae) Synonym(s): *gloriosus* Erschoff,1874
 3675) *Holcocus holosericeus* (Staudinger,1884) (Cossidae) Synonym(s): *holosericeus* Staudinger,1884; *persicus* Austaut,1897.
 3676) *Holcocus iranicus* Austaut,1897 (Cossidae) Synonym(s): *iranicus* Austaut,1897
 3677) *Holcocus marmoratus* Austaut,1897 (Cossidae) Synonym(s): *marmoratus* Austaut,1897; *puengeleri* Rothschild,1912.
 3678) *Holcocus mus* Groum-Grshimailo,1902 (Cossidae) Synonym(s): *mus* Groum-Grshimailo,1902
 3679) *Holcocus nobilis* (Staudinger,1884) (Cossidae) Synonym(s): *nobilis* Staudinger,1884; *strigatus* Austaut,1897.
 3680) *Holcocus tancrei* Püngeler,1898 (Cossidae) Synonym(s): *tancrei* Püngeler,1898
 3681) *Holcocus witti* Yakovlev, Saidaitis & Ivinkis,2007 (Cossidae) Synonym(s): *witti* Yakovlev, Saidaitis & Ivinkis,2007
 3682) *Holcocus zarudnyi* Groum-Grshimailo,1902 (Cossidae) Synonym(s): *zarudnyi* Groum-Grshimailo,1902
 3683) *Holcostethus strictus* (Fabricius,1803) (Pentatomidae) Synonym(s): *strictus* Fabricius,1803; *vernalis* Wolff,1804
 3684) *Holopogon dimidiatus* (Meigen,1820) (Asilidae) Synonym(s): *dimidiatus* Meigen,1820; *dimidipennis* Megerle,1820; *fuscipennis* Meigen,1820; *timidus* Loew,1847
 3685) *Holopogon imbecillus* Loew,1871 (Asilidae) Synonym(s): *imbecillus* Loew,1871
 3686) *Holopogon nigripennis* (Meigen,1820) (Asilidae) Synonym(s): *nigripennis* Meigen,1820
 3687) *Holopogon nigropilosus* Theodor,1980 (Asilidae) Synonym(s): *nigropilosus* Theodor,1980
 3688) *Holoterpna diagrapharia* Püngeler,1900 (Geometridae) Synonym(s): *diagrapharia* Püngeler,1900
 3689) *Holotrichius apterus* Jakovlev,1879 (Reduviidae) Synonym(s): *apterus* Jakovlev,1879; *eroanumensis* Dispons,1964; *araxeus* Dispons,1964
 3690) *Holotrichius dezfuliani* Dispons & Villers,1967 (Reduviidae) Synonym(s): *dezfuliani* Dispons & Villers,1967
 3691) *Holotrichius eghbali* Dispons & Villers,1967 (Reduviidae) Synonym(s): *eghbali* Dispons & Villers,1967
 3692) *Homalura sarudnyi* Becker,1910 (Chloropidae) Synonym(s): *sarudnyi* Becker,1910
 3693) *Homoeosoma* (Anhomoeosoma) *nimbella* (Duponchel,1837) (Pyrilidae) Synonym(s): *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Benthick,1930.
 3694) *Homoeosoma* (s.str.) *achroeella* Ragonot,1887 (Pyrilidae) Synonym(s): *achroeella* Ragonot,1887; *microsignella* Amsel,1961.
 3695) *Homoeosoma* (s.str.) *candefactum* Ragonot,1887 (Pyrilidae) Synonym(s): *candefactum* Ragonot,1887
 3696) *Homoeosoma* (s.str.) *capsitanellum* Chrétien,1911 (Pyrilidae) Synonym(s): *capsitanellum* Chrétien,1911; *eminentella* Turati,1924; *litorella* Amsel,1935
 3697) *Homoeosoma* (s.str.) *inustellum* Ragonot,1884 (Pyrilidae) Synonym(s): *inustella* Ragonot,1884; *compsitella* Rebel,1914.
 3698) *Homoeosoma* (s.str.) *nebulellum* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *nebulella* [Denis & Schiffermüller],1775; *nebulea* Haworth,1811; *muscerdalis* Hübner,[1813].
 3699) *Homoeosoma* (s.str.) *obatricostellum* Ragonot,1887 (Pyrilidae) Synonym(s): *obatricostellum* Ragonot,1887
 3700) *Homoeosoma* (s.str.) *sinuellum* (Fabricius,1794) (Pyrilidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
 3701) *Homoeosoma* (s.str.) *subalbatellum* (Mann,1864) (Pyrilidae) Synonym(s): *subalbatella* Mann,1864
 3702) *Hoplitis* (Alcidamea) *acuticornis* (Dufour & Perris,1840) (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994

- 3703) *Hoplitis (Alcidamea) fossulata* (Mocsary,1883) (Megachilidae) Synonym(s): *fossulata* Mocsary,1883
 3704) *Hoplitis (Alcidamea) iranica* (Warncke,1991) (Megachilidae) Synonym(s): *iranica* Warncke,1991
 3705) *Hoplitis (Alcidamea) tridentata* (Dufour & Perris,1840) (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975
 3706) *Hoplitis (Annosmia) israelica* (Warncke,1991) (Megachilidae) Synonym(s): *israelica* Warncke,1991
 3707) *Hoplitis (Anthocopa) agis* (Benoist,1929) (Megachilidae) Synonym(s): *agis* Benoist,1929
 3708) *Hoplitis (Anthocopa) jakovlevi* (Radoszkowski,1874) (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879
 3709) *Hoplitis (Anthocopa) picicornis* (Morawitz,1895) (Megachilidae) Synonym(s): *picicornis* Morawitz,1895
 3710) *Hoplitis (Chlidoplitis) heinrichi* Zanden,1980 (Megachilidae) Synonym(s): *heinrichi* Zanden,1980
 3711) *Hoplitis (Coloplitis) persica* (Warncke,1991) (Megachilidae) Synonym(s): *persica* Warncke,1991
 3712) *Hoplitis (Megahoplitis) tigrina* (Morawitz,1871) (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934
 3713) *Hoplitis (Pentadentostmia) jejuna* Popov,1952 (Megachilidae) Synonym(s): *jejuna* Popov,1952; *argentea* Zanden,1998
 3714) *Hoplitis (Pentadentostmia) karakalensis* (Popov,1936) (Megachilidae) Synonym(s): *karakalensis* Popov,1936
 3715) *Hoplitis (Pentadentostmia) nitidula* (Morawitz,1877) (Megachilidae) Synonym(s): *nitidula* Morawitz,1877; *transcaspica* Morawitz,1888
 3716) *Hoplitis (Pentadentostmia) pomarina* (Warncke,1991) (Megachilidae) Synonym(s): *pomarina* Warncke,1991
 3717) *Hoplitis (Pentadentostmia) rufopicta* (Morawitz,1875) (Megachilidae) Synonym(s): *rufopicta* Morawitz,1875; *laeviscutum* Alfken,1935
 3718) *Hoplitis (s.str.) semilinguaria* Tkalcu,1992 (Megachilidae) Synonym(s): *semilinguaria* Tkalcu,1992
 3719) *Hoplodrina ambigua* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
 3720) *Hoplodrina blanda* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
 3721) *Hoplodrina levis* (Staudinger,1888) (Noctuidae) Synonym(s): *levis* Staudinger,1888
 3722) *Hoplodrina octogenaria* (Goeze,1781) (Noctuidae) Synonym(s): *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 nec Hübner,[1803]
 3723) *Hoplodrina pfeifferi* (Boursin,1932) (Noctuidae) Synonym(s): *pfeifferi* Boursin,1932.
 3724) *Horridopalpus moranella* (Chrétien,1907) (Oecophoridae) Synonym(s): *moranella* Chrétien,1907
 3725) *Horvathiolus superbus* (Pollach,1781) (Lygaeidae) Synonym(s): *superbus* Pollach,1781
 3726) *Hyadina giordanii* Canzoneri & Meneghini,1975 (Ephydriidae) Synonym(s): *giordanii* Canzoneri & Meneghini,1975
 3727) *Hyadina meggiolaroi* Canzoneri & Meneghini,1975 (Ephydriidae) Synonym(s): *meggiolaroi* Canzoneri & Meneghini,1975
 3728) *Hyalesthes mlokosiewiczzi* Signoret,1879 (Cixiidae) Synonym(s): *mlokosiewiczzi* Signoret,1879
 3729) *Hybomitra acuminata* (Loew,1858) (Tabanidae) Synonym(s): *acuminata* Loew,1858
 3730) *Hybomitra caucasica* (Enderlein,1925) (Tabanidae) Synonym(s): *tetrica* Szilady,1914 nec Mart.1883; *bimaculata* Enderlein,1925 nec Macq.,1846; *caucasica* Enderlein,1925; *palpalis* Kröber,1939; *harettae* Muschamp,1939; *olsoufievi* Philip,1956; *olsoufievi* Philip,1961
 3731) *Hybomitra erberi* (Brauer,1880) (Tabanidae) Synonym(s): *erberi* Brauer,1880; *fuscipennis* Szilady,1926
 3732) *Hybomitra morgani* (Surcouf,1912) (Tabanidae) Synonym(s): *morgani* Surcouf,1912; *sibirica* Enderlein,1925; *staegeri* Lyneborg,1959
 3733) *Hybomitra peculiaris* (Szilady,1914) (Tabanidae) Synonym(s): *peculiaris* Szilady,1914; *inaequata* Austen,1923; *kroeberti* Szilady,1926; *kashmiriana* Szilady,1926
 3734) *Hybomitra shnitnikovi* (Olsufjev,1937) (Tabanidae) Synonym(s): *shnitnikovi* Olsufjev,1937; *bouvieri* Philip,1959
 3735) *Hycleus atratus* (Pallas,1773) (Meloidae) Synonym(s): *atratus* Pallas,1773; *minuta* Fabricius,1798; *karelini* Fischer von Waldheim,1842; *metatarsalis* Marseul,1870; *alpha* Sumakov,1915; *beta* Sumakov,1915; *mediomaculatus* Sumakov,1929
 3736) *Hycleus biguttatus* (Gebler,1841) (Meloidae) Synonym(s): *biguttatus* Gebler,1841; *pullata* Heyden,1883; *sexmaculata* Dokhtouroff,1889; *fasciculata* Dokhtouroff,1889; *similis* Voigts,1902; *karateginensis* Sumakov,1915
 3737) *Hycleus bipunctatus* (A.G.Olivier,1811) (Meloidae) Synonym(s): *bipunctatus* A.G.Olivier,1811
 3738) *Hycleus colligatus* Redtenbacher,1850 (Meloidae) Synonym(s): *colligatus* Redtenbacher,1850; *succinctus* Baudi di Selve,1878
 3739) *Hycleus fuscus* (Olivier,1811) (Meloidae) Synonym(s): *fuscus* Olivier,1811; *deleta* Marseul,1870; *galatiensis* Escherich,1899; *alpha* Sumakov,1913; *beta* Sumakov,1913; *circascutellaris* Pic,1914; *iota* Sumakov,1930; *zeta* Sumakov,1930
 3740) *Hycleus humerosus* (Escherich,1899) (Meloidae) Synonym(s): *humerosus* Escherich,1899
 3741) *Hycleus javeti* (Marseul,1870) (Meloidae) Synonym(s): *javeti* Marseul,1870; *umbilicatus* Kaszab,1958 [ssp.]
 3742) *Hycleus quatuordecimpunctatus* (Pallas,1781) (Meloidae) Synonym(s): *quatuordecimpunctatus* Pallas,1781; *meliloti* Olivier,1811; *conbusta* Tauscher,1812; *confusa* Fischer von Waldheim,1827
 3743) *Hycleus scabiosae* (Olivier,1811) (Meloidae) Synonym(s): *scabiosae* Olivier,1811; *euphratica* Marseul,1870; *marseuli* Ballion,1878; *alienigera* Heyden,1883; *maracadensis* Dokhtouroff,1889; *auliensis* Pic,1901; *sicheri* Fleischer,1921; *eichleri* Mader,1927; *transcaspensis* Pic,1928; *delta* Sumakov,1930; *epsilon* Sumakov,1930
 3744) *Hycleus sexmaculatus* (Olivier,1811) (Meloidae) Synonym(s): *sexmaculatus* Olivier,1811; *bimaculatus* Klug,1845 nec Oliv.,1811; *ledereri* Marseul,1870
 3745) *Hycleus zebraeus* (Marseul,1870) (Meloidae) Synonym(s): *zebraea* Marseul,1870; *tenenbaumi* Pic,1928; *kervillei* Pic,1932
 3746) *Hydrellia argyrogenis* Becker,1896 (Ephydriidae) Synonym(s): *argyrogenis* Becker,1896
 3747) *Hydrellia bucciarelli* Canzoneri & Meneghini,1975 (Ephydriidae) Synonym(s): *bucciarelli* Canzoneri & Meneghini,1975
 3748) *Hydrellia concii* Canzoneri & Meneghini,1975 (Ephydriidae) Synonym(s): *concii* Canzoneri & Meneghini,1975
 3749) *Hydriomena coerulata* (Fabricius,1777) (Geometridae) Synonym(s): *#impluviata* [Denis & Schiffermüller],1775; *coerulata* Fabricius,1777; *autumnalis* Ström,1783; *trifasciata* Borkhausen,1794; *bicommatata* Schrank,1802; *literata* Donovan,1810; *relictata* Zetterstedt,1839; *impluviaria* Boisduval,1840; *insulicolata* Schawerda,1933
 3750) *Hydrochara dichorama* (Fairmaire,1829) (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829
 3751) *Hydrochara flavipes* (Steven,1808) (Hydrophilidae) Synonym(s): *flavipes* Steven,1808
 3752) *Hydrocyphon segrex* Nyholm,1972 (Scirtidae) Synonym(s): *segrex* Nyholm,1972
 3753) *Hydromyza dorsalis* (Fabricius,1775) (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775; *punctipennis* Fallén,1820; *caeruleipennis* R-D.,1830; *obscuriventris* Strobl,1899; *infuscata* Villeneuve,1912
 3754) *Hydrophilus aculeatus* (Solier) (Hydrophilidae) Synonym(s):

- 3755) *Hydrotaea armipes* (Fallén,1825) (Muscidae) Synonym(s): *armipes* Fallén,1825; *occulta* Meigen,1826
- 3756) *Hydrotaea floccosa* Macquart,1835 (Muscidae) Synonym(s): *floccosa* Macquart,1835
- 3757) *Hydrotaea ignava* (Harris,1780) (Muscidae) Synonym(s): *ignava* Harris,1780; *leucostoma* Wiedemann,1817
- 3758) *Hydrotaea meteorica* (Linnaeus,1758) (Muscidae) Synonym(s): *meteorica* Linnaeus,1758
- 3759) *Hylaeus alticolus* (Warncke,1981) (Colletidae) Synonym(s): *alticolus* Warncke,1981
- 3760) *Hylaeus annularis* (Kirby,1802) (Colletidae) Synonym(s): *annularis* Kirby,1802; *elbursus* Warncke,1981
- 3761) *Hylaeus araxanus* (Warncke,1981) (Colletidae) Synonym(s): *araxanus* Warncke,1981
- 3762) *Hylaeus armeniacus* (Warncke,1981) (Colletidae) Synonym(s): *armeniaceus* Warncke,1981
- 3763) *Hylaeus bisinuatus* Förster,1871 (Colletidae) Synonym(s): *bisinuatus* Förster,1871
- 3764) *Hylaeus brevicornis* (Nylander,1852) (Colletidae) Synonym(s): *brevicornis* Nylander,1852
- 3765) *Hylaeus cervinus* (Warncke,1992) (Colletidae) Synonym(s): *cervinus* Warncke,1992
- 3766) *Hylaeus clusium* (Warncke,1981) (Colletidae) Synonym(s): *clusium* Warncke,1981
- 3767) *Hylaeus communis* Nylander,1852 (Colletidae) Synonym(s): *communis* Nylander,1852
- 3768) *Hylaeus cornutus* Curtis,1831 (Colletidae) Synonym(s): *cornutus* Curtis,1831
- 3769) *Hylaeus crispulus* Dathe,1980 (Colletidae) Synonym(s): *crispulus* Dathe,1980
- 3770) *Hylaeus damascenus* (Magretti,1890) (Colletidae) Synonym(s): *damascenus* Magretti,1890
- 3771) *Hylaeus difformis* (Eversmann,1852) (Colletidae) Synonym(s): *difformis* Eversmann,1852
- 3772) *Hylaeus dolichocephalus* Morawitz,1876 (Colletidae) Synonym(s): *dolichocephalus* Morawitz,1876
- 3773) *Hylaeus excelsus* (Alfken,1931) (Colletidae) Synonym(s): *excelsus* Alfken,1931
- 3774) *Hylaeus gibbus* Saunders,1850 (Colletidae) Synonym(s): *gibbus* Saunders,1850
- 3775) *Hylaeus hungaricus* (Alfken,1905) (Colletidae) Synonym(s): *hungaricus* Alfken,1905
- 3776) *Hylaeus iranicus* Dathe,1980 (Colletidae) Synonym(s): *iranicus* Dathe,1980
- 3777) *Hylaeus irritans* Dathe,1980 (Colletidae) Synonym(s): *irritans* Dathe,1980
- 3778) *Hylaeus klugii* (Friese,1898) (Colletidae) Synonym(s): *klugii* Friese,1898
- 3779) *Hylaeus kotschisus* (Warncke,1981) (Colletidae) Synonym(s): *kotschisus* Warncke,1981
- 3780) *Hylaeus laevithorax* (Alfken,1924) (Colletidae) Synonym(s): *laevithorax* Alfken,1924
- 3781) *Hylaeus leptcephalus* (Morawitz,1870) (Colletidae) Synonym(s): *leptocephalus* Morawitz,1870
- 3782) *Hylaeus lineolatus* (Schenck,1861) (Colletidae) Synonym(s): *lineolatus* Schenck,1861
- 3783) *Hylaeus longimaculus* (Alfken,1936) (Colletidae) Synonym(s): *longimaculus* Alfken,1936
- 3784) *Hylaeus maculatus* (Alfken,1904) (Colletidae) Synonym(s): *maculatus* Alfken,1904
- 3785) *Hylaeus meridionalis* Förster,1871 (Colletidae) Synonym(s): *meridionalis* Förster,1871
- 3786) *Hylaeus moricei* (Friese,1898) (Colletidae) Synonym(s): *moricei* Friese,1898
- 3787) *Hylaeus oriolus* (Warncke,1981) (Colletidae) Synonym(s): *oriolus* Warncke,1981
- 3788) *Hylaeus punctulatissimus* Smith,1842 (Colletidae) Synonym(s): *punctulatissimus* Smith,1842
- 3789) *Hylaeus querquedulus* (Warncke,1981) (Colletidae) Synonym(s): *querquedulus* Warncke,1981
- 3790) *Hylaeus rubosus* (Warncke,1981) (Colletidae) Synonym(s): *rubosus* Warncke,1981
- 3791) *Hylaeus rugicollis* Morawitz,1874 (Colletidae) Synonym(s): *rugicollis* Morawitz,1874
- 3792) *Hylaeus scutellaris* Morawitz,1873 (Colletidae) Synonym(s): *scutellaris* Morawitz,1873
- 3793) *Hylaeus scutellatus* (Spinola,1838) (Colletidae) Synonym(s): *scutellatus* Spinola,1838
- 3794) *Hylaeus signatus* (Panzer,1798) (Colletidae) Synonym(s): *signatus* Panzer,1798
- 3795) *Hylaeus sinuatus* (Schenck,1853) (Colletidae) Synonym(s): *sinuatus* Schenck,1853
- 3796) *Hylaeus tardus* (Warncke,1981) (Colletidae) Synonym(s): *tardus* Warncke,1981
- 3797) *Hylaeus variegatus* (Fabricius,1798) (Colletidae) Synonym(s): *variegatus* Fabricius,1798
- 3798) *Hylaeus vulgaris* Morawitz,1876 (Colletidae) Synonym(s): *vulgaris* Morawitz,1876
- 3799) *Hyles centralasiae* Staudinger,1887 (Sphingidae) Synonym(s): *centralasiae* Staudinger,1887; *transcaspica* O.Bang-Haas,1936.
- 3800) *Hyles conspicua* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan,1903.
- 3801) *Hyles euphorbiae* (Linnaeus,1758) (Sphingidae) Synonym(s): *euphorbiae* Linnaeus,1758; *esulae* Hufnagel,1766; *vandalusica* Ribbe,1910; *etrusca* Verity,1911; *sinensis* Closs,1917; *rothschildi* Stauder,1928; *dolomiticola* Stauder,1930; *filipjevi* O.Bang-Haas,1936; *lucida* Derzhavets,1980.
- 3802) *Hyles hippophaes* (Esper,[1789]) (Sphingidae) Synonym(s): *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsafikis,1974; *#hippophaes* De Freina,1981
- 3803) *Hyles livornica* (Esper,[1780]) (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 3804) *Hyles robertsi* (Butler,1880) (Sphingidae) Synonym(s): *robertsi* Butler,1880; *peplidis* Christoph,1894
- 3805) *Hyles zygophylli* (Ochsenheimer,1808) (Sphingidae) Synonym(s): *zygophylli* Ochsenheimer,1808; *jaxartis* Frorreich,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996.
- 3806) *Hymenalia genuensis* Novak,2007 (Tenebrionidae) Synonym(s): *genuensis* Novak,2007
- 3807) *Hymenalia iranica* Novak,2007 (Tenebrionidae) Synonym(s): *iranica* Novak,2007
- 3808) *Hymenalia lalai* Novak,2007 (Tenebrionidae) Synonym(s): *lalai* Novak,2007
- 3809) *Hypena* (s.str.) *obsitalis* (Hübner,[1813]) (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813]
- 3810) *Hypena obesalis* Treitschke,1829 (Noctuidae) Synonym(s): *obesalis* Treitschke,1829
- 3811) *Hypena opulenta* (Christoph,1877) (Noctuidae) Synonym(s): *opulenta* Christoph,1877
- 3812) *Hypena palpalis* (Hübner,1796) (Noctuidae) Synonym(s): *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901.
- 3813) *Hypena proboscidalis* (Linnaeus,1758) (Noctuidae) Synonym(s): *proboscidalis* Linnaeus,1758; *tatorhina* Butler,1879
- 3814) *Hypena rostralis* (Linnaeus,1758) (Noctuidae) Synonym(s): *rostralis* Linnaeus,1758.
- 3815) *Hypenidium graecum* Loew,1862 (Tephritidae) Synonym(s): *graecum* Loew,1862; *novakii* Strobl,1893; *pulchella* Tavares,1902; *bipartita* Séguay,1930
- 3816) *Hypenidium oculatum* (Becker,1913) (Tephritidae) Synonym(s): *oculatum* Becker,1913
- 3817) *Hypenidium roborowskii* (Becker,1908) (Tephritidae) Synonym(s): *roborowskii* Becker,1908
- 3818) *Hypenodes orientis* Brandt,1938 (Noctuidae) Synonym(s): *orientis* Brandt,1938
- 3819) *Hyperlais benderalis* Amsel,1960 (Pyralidae) Synonym(s): *benderalis* Amsel,1960
- 3820) *Hyperlais dulcinalis* (Treitschke,1835) (Pyralidae) Synonym(s): *dulcinalis* Treitschke,1835
- 3821) *Hypermnestra helios* (Nickerl,1846) (Papilionidae) Synonym(s): *helios* Nickerl,1846; *maxima* Lang,1884; *persica* Neuburger,1900; *hyrcana* Sheljuzhko,1956.
- 3822) *Hypersynpoides submarginata* (Walker,1865) (Noctuidae) Synonym(s): *submarginata* Walker,1865

- 3823) *Hyperythra swinhoei* Butler,1880** (Geometridae) Synonym(s): *swinhoei* Butler,1880; *phantasma* Butler,1881; *muselmana* Brandt,1938
- 3824) *Hypeuthina fulgurita* Lederer,1855** (Noctuidae) Synonym(s): *fulgurita* Lederer,1855
- 3825) *Hyphantria cunea* (Drury,[1773])** (Arctiidae) Synonym(s): *cunea* Drury,[1773]; *punctatissima* Smith,1797; *budea* Hübner,[1823]; *textor* Harris,1828; *mutans* Walker,1856; *collaris* Fitch,1857; *punctata* Fitch,1857; *pallida* Packard,1864; *candida* Walker,1865; *suffusa* Strecker,1900; *brunnea* Strecker,1900
- 3826) *Hypochoalcia ahenella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924
- 3827) *Hypochoalcia fasciatella* Staudinger,1881** (Pyrilidae) Synonym(s): *fasciatella* Staudinger,1881
- 3828) *Hypodaria myeloisiformis* (Hartig,1937)** (Pyrilidae) Synonym(s): *myeloisiformis* Hartig,1937; *makranella* Amsel,1959.
- 3829) *Hypolimnias misippus* (Linnaeus,1764)** (Argynnididae) Synonym(s): *misippus* Linnaeus,1764 *inaria* Cramer,[1779]; *alcippoides* Butler,1883.
- 3830) *Hypomecis momaria* (Guenée,[1858])** (Geometridae) Synonym(s): *momaria* Guenée,[1858]
- 3831) *Hyponephele* (s.str. (Caspinephele)) *dysdora* (Lederer,1869)** (Satyridae) Synonym(s): *dysdora* Lederer,1869; # *dystora* Eckweiler & Hofmann,1980.
- 3832) *Hyponephele* (s.str. (Ereminephele)) *capella* (Christoph,1877)** (Satyridae) Synonym(s): *capella* Christoph,1877
- 3833) *Hyponephele* (s.str. (Ereminephele)) *fusca* (Stshetkin,1960)** (Satyridae) Synonym(s): *fusca* Stshetkin,1960
- 3834) *Hyponephele* (s.str. (Ereminephele)) *huebneri* Koçak,1980** (Satyridae) Synonym(s): *narica* Hübner,[1813] *nec* Fabr.,1793; *huebneri* Koçak,1980
- 3835) *Hyponephele* (s.str. (Ereminephele)) *naricina* (Staudinger,1870)** (Satyridae) Synonym(s): *naricina* Staudinger,1870
- 3836) *Hyponephele* (s.str. (Ereminephele)) *naricoides* Gross,1977** (Satyridae) Synonym(s): *naricoides* Gross,1977
- 3837) *Hyponephele* (s.str. (Iranonephele)) *amardaea* (Lederer,1869)** (Satyridae) Synonym(s): *amardaea* Lederer,1869
- 3838) *Hyponephele* (s.str. (Tengrinephele)) *cadusia* (Lederer,1869)** (Satyridae) Synonym(s): *cadusia* Lederer,1869
- 3839) *Hyponephele* (s.str. (Turaninephele)) *comara* (Lederer,1871)** (Satyridae) Synonym(s): *comara* Lederer,1871
- 3840) *Hyponephele* (s.str. (Turaninephele)) *davendra* (Moore,1865)** (Satyridae) Synonym(s): *davendra* Moore,1865; *roxane* Felder & Felder,1867.
- 3841) *Hyponephele* (s.str. (Turaninephele)) *shirazica* Carbonell,1997** (Satyridae) Synonym(s): *shirazica* Carbonell,1997
- 3842) *Hyponephele* (s.str. (Turaninephele)) *wagneri* (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *wagneri* Herrich-Schäffer,[1846]; *schmidtii* Bang-Haas,1927.
- 3843) *Hyponephele* (s.str.) *interposita* (Erschoff,1874)** (Satyridae) Synonym(s): *interposita* Erschoff,1874; *margelanica* Turati,1909 (cf. Samodurov et al.,1995, *Atalanta* 26 (1/2): 182).
- 3844) *Hyponephele* (s.str.) *lupina* (Costa,[1836])** (Satyridae) Synonym(s): *lupina* Costa,[1836]
- 3845) *Hyponephele* (s.str.) *lycaonoides* Weiss,1978** (Satyridae) Synonym(s): *lycaonoides* Weiss,1978
- 3846) *Hyponephele* (s.str.) *zuvandica* Samodurov & Koroljev,1996** (Satyridae) Synonym(s): *zuvandica* Samodurov & Koroljev,1996; # *zuvandi* Korb,2000
- 3847) *Hypopta murati* Brandt [MS]** (Cossidae) Synonym(s): *murati* Brandt [MS] (unpublished!)
- 3848) *Hyporatasia allotriella* (Herrich-Schäffer,1855)** (Pyrilidae) Synonym(s): *allotriella* Herrich-Schäffer,1855
- 3849) *Hyposcotis* (Euchrognophos) *annubilata* Christoph,1885** (Geometridae) Synonym(s): *annubilata* Christoph,1885.
- 3850) *Hyposcotis* (Euchrognophos) *dubitaria* (Staudinger,1892)** (Geometridae) Synonym(s): *dubitaria* Staudinger,1892
- 3851) *Hyposcotis* (Kemtrognophos) *mardinaria* Staudinger,1901** (Geometridae) Synonym(s): *mardinaria* Staudinger,1901
- 3852) *Hypotia affinis* (Rothschild,1921)** (Pyrilidae) Synonym(s): *affinis* Rothschild,1921
- 3853) *Hypotia balutchistanalis* (Amsel,1951)** (Pyrilidae) Synonym(s): *balutchistanalis* Amsel,1951
- 3854) *Hypotia benderalis* (Amsel,1949)** (Pyrilidae) Synonym(s): *benderalis* Amsel,1949
- 3855) *Hypotia brandti* (Amsel,1949)** (Pyrilidae) Synonym(s): *brandti* Amsel,1949
- 3856) *Hypotia canifusalis* (Hampson,1900)** (Pyrilidae) Synonym(s): *canifusalis* Hampson,1900
- 3857) *Hypotia colchicalis* (Herrich-Schäffer,[1855])** (Pyrilidae) Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900.
- 3858) *Hypotia colchicaloides* (Amsel,1949)** (Pyrilidae) Synonym(s): *colchicaloides* Amsel,1949
- 3859) *Hypotia concatenalis* Lederer,1858** (Pyrilidae) Synonym(s): *concatenalis* Lederer,1858
- 3860) *Hypotia conformalis* (Amsel,1949)** (Pyrilidae) Synonym(s): *conformalis* Amsel,1949
- 3861) *Hypotia hyrcanalis* (Amsel,1951)** (Pyrilidae) Synonym(s): *hyrcanalis* Amsel,1951
- 3862) *Hypotia indistinctalis* (Amsel,1949)** (Pyrilidae) Synonym(s): *indistinctalis* Amsel,1949
- 3863) *Hypotia infascialis* (Amsel,1949)** (Pyrilidae) Synonym(s): *infascialis* Amsel,1949; *balouchistanalis* Amsel,1951
- 3864) *Hypotia ingrata* (Butler,1881)** (Pyrilidae) Synonym(s): *ingrata* Butler,1881; *proximalis* Christoph,1882
- 3865) *Hypotia iranalis* (Amsel,1949)** (Pyrilidae) Synonym(s): *iranalis* Amsel,1949
- 3866) *Hypotia lobalis* (Chrétien,1915)** (Pyrilidae) Synonym(s): *lobalis* Chrétien,1915
- 3867) *Hypotia lobalis fredii* (Amsel,1949)** (Pyrilidae) Synonym(s): *fredii* Amsel,1949
- 3868) *Hypotia mesopotamica* (Amsel,1955)** (Pyrilidae) Synonym(s): *mesopotamica* Amsel,1955
- 3869) *Hypotia metasialis* (Amsel,1953)** (Pyrilidae) Synonym(s): *metasialis* Amsel,1953
- 3870) *Hypotia mimicalis* (Amsel,1951)** (Pyrilidae) Synonym(s): *mimicalis* Amsel,1951
- 3871) *Hypotia povolnyi* (Amsel,1975)** (Pyrilidae) Synonym(s): *povolnyi* Amsel,1975
- 3872) *Hypotia rectangula* (Amsel,1949)** (Pyrilidae) Synonym(s): *rectangula* Amsel,1949
- 3873) *Hypotia sardzealis* (Amsel,1951)** (Pyrilidae) Synonym(s): *sardzealis* Amsel,1951
- 3874) *Hypotia strictalis* (Amsel,1949)** (Pyrilidae) Synonym(s): *strictalis* Amsel,1949
- 3875) *Hypotia subargentalis* (Amsel,1949)** (Pyrilidae) Synonym(s): *subargentalis* Amsel,1949
- 3876) *Hypotia wiltshirei* (Amsel,1949)** (Pyrilidae) Synonym(s): *wiltshirei* Amsel,1949
- 3877) *Hypsopygia costalis* (Fabricius,1775)** (Pyrilidae) Synonym(s): *costalis* Fabricius,1775; # *lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
- 3878) *Hypsopygia mauritalis* (Boisduval,1833)** (Pyrilidae) Synonym(s): *mauritalis* Boisduval,1833; *lucillalis* Walker,1859; *regalis* Walker,1866 *nec* Denis & Schiff.,1775; *ducalis* Walker,1866; *crobulus* Lucas,1891; *laticillialis* Ragonot,1891; # *atralis* Caradja,1932; *pfeifferi* Amsel,1954
- 3879) *Ichneumon proletarius* Wesmael,1848** (Ichneumonidae) Synonym(s): *proletarius* Wesmael,1848

- 3880) *Ichneumon sarcitorius* Linnaeus, 1758** (Ichneumonidae) Synonym(s): *sarcitorius* Linnaeus, 1758; *caucasicus* Meyer, 1926
- 3881) *Idaea allongata* (Staudinger, 1898)** (Geometridae) Synonym(s): *allongata* Staudinger, 1898; *allongaria* Staudinger, 1900; *paulusi* L.B. Prout, 1935.
- 3882) *Idaea camparia* (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer, [1851]; *camparia* Herrich-Schäffer, [1852]; *europaea* Wehrli, 1934.
- 3883) *Idaea consanguinaria* (Lederer, 1853)** (Geometridae) Synonym(s): *consanguinaria* Lederer, 1853; *consanguinata* Bellier, 1861; *faillata* Fuchs, 1901; *taurica* A. Bang-Haas, 1906; *turatii* Sohn-Rethel, 1929
- 3884) *Idaea consolidata* (Lederer, 1853)** (Geometridae) Synonym(s): *consolidata* Lederer, 1853
- 3885) *Idaea degeneraria* (Hübner, [1799])** (Geometridae) Synonym(s): *degeneraria* Hübner, [1799]; *degenerata* Treitschke, 1828; *floridaria* Turati, 1913
- 3886) *Idaea dimidiata* (Hufnagel, 1767)** (Geometridae) Synonym(s): *dimidiata* Hufnagel, 1767; *scutulata* [Denis & Schiffermüller], 1775; *antitaurica* Wehrli, 1931 *nec* Wehrli, 1931; *tauricola* Wehrli, 1934.
- 3887) *Idaea eremica* (Brandt, 1941)** (Geometridae) Synonym(s): *eremica* Brandt, 1941
- 3888) *Idaea filicata* (Hübner, [1799])** (Geometridae) Synonym(s): *filicata* Hübner, [1799]; *filicaria* Duponchel, 1830; *levequei* Leraut, 2003
- 3889) *Idaea illustris* (Brandt, 1941)** (Geometridae) Synonym(s): *illustris* Brandt, 1941
- 3890) *Idaea improbata* (Staudinger, 1898)** (Geometridae) Synonym(s): *improbata* Staudinger, 1898
- 3891) *Idaea inquinata* (Scopoli, 1763)** (Geometridae) Synonym(s): *inquinata* Scopoli, 1763; *herbariata* Fabricius, 1798; *pusillaria* Hübner, [1799]; *microsaria* Boisduval, 1840; *incomptaria* Boisduval, 1840
- 3892) *Idaea laevigata* (Scopoli, 1763)** (Geometridae) Synonym(s): *laevigata* Scopoli, 1763; *laevigaria* Hübner, [1799]; *renularia* Hübner, [1809]; *lividellaria* Peyerimhoff, 1863; *renulata* Rambur, 1866; *couloniata* Balestre, 1907; *storiae* Andreas, 1928
- 3893) *Idaea Mancipata* (Staudinger, 1871)** (Geometridae) Synonym(s): *mancipata* Staudinger, 1871; *bustilloi* Agenjo, 1967
- 3894) *Idaea mimetes* (Brandt, 1941)** (Geometridae) Synonym(s): *mimetes* Brandt, 1941
- 3895) *Idaea moniliata* (Denis & Schiffermüller, 1775)** (Geometridae) Synonym(s): *moniliata* [Denis & Schiffermüller], 1775; *?pentalineata* De Villers, 1789; *omicata* Fabricius, 1794; *#moniliaria* Hübner, [1799]; *pluripunctata* Scharfenberg, 1805
- 3896) *Idaea obsoletaria* (Rambur, 1833)** (Geometridae) Synonym(s): *obsoletaria* Rambur, 1833; *violacearia* Staudinger, 1901; *distans* Hausmann, 1991; *violacearia* Hausmann, 1991 *nec* Wlk., 1861
- 3897) *Idaea ochrata* (Scopoli, 1763)** (Geometridae) Synonym(s): *ochrata* Scopoli, 1763; *#ochreatea* [Denis & Schiffermüller], 1775; *corrugata* Fabricius, 1781; *ochrearia* Schrank, 1802 *nec* Ross., 1794; *sicula* Zeller, 1847; *accretata* Fuchs, 1901
- 3898) *Idaea ossiculata* (Lederer, 1871)** (Geometridae) Synonym(s): *ossiculata* Lederer, 1871
- 3899) *Idaea palaestinensis* (Sterneck, 1933)** (Geometridae) Synonym(s): *antitaurica* Wehrli, 1932 *nec* Wehrli, 1931; *palaestinensis* Sterneck, 1933; *seitunensis* L.B. Prout, 1934.
- 3900) *Idaea peluraria* (Reisser, 1939)** (Geometridae) Synonym(s): *peluraria* Reisser, 1939
- 3901) *Idaea persica* (Brandt, 1941)** (Geometridae) Synonym(s): *persica* Brandt, 1941
- 3902) *Idaea persidis* (Wiltshire, 1966)** (Geometridae) Synonym(s): *persidis* Wiltshire, 1966
- 3903) *Idaea politaria* (Hübner, [1799])** (Geometridae) Synonym(s): *politata* Hübner, 1793 *nec* Fabr., 1781; *politaria* Hübner, [1799]; *#abmarginata* Bohatsch, 1885; *mundipennis* W. Warren, 1898; *abmarginata* Staudinger, 1901
- 3904) *Idaea proclivata* (Fuchs, 1902)** (Geometridae) Synonym(s): *proclivata* Fuchs, 1902; *osthelderi* Wehrli, 1932.
- 3905) *Idaea ronkayi* (Vojnits, 1986)** (Geometridae) Synonym(s): *ronkayi* Vojnits, 1986
- 3906) *Idaea rufaria* (Hübner, [1799])** (Geometridae) Synonym(s): *rufaria* Hübner, [1799]; *ochridana* Silbernagel, 1944
- 3907) *Idaea rusticata* (Denis & Schiffermüller, 1775)** (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller], 1775; *mustelata* Rambur, 1866.
- 3908) *Idaea sordida* (Rothschild, 1913)** (Geometridae) Synonym(s): *sordida* Rothschild, 1913
- 3909) *Idaea straminata* (Borkhausen, 1794)** (Geometridae) Synonym(s): *straminata* Borkhausen, 1794; *inornata* Haworth, 1809; *suffusaria* Boisduval, 1840; *inornaria* Doubleday, 1849; *agrostemmata* Guenée, [1858]
- 3910) *Idaea subsericeata* (Haworth, [1809])** (Geometridae) Synonym(s): *subsericeata* Haworth, [1809]; *perfluaria* Boisduval, 1840; *pinguedinata* Zeller, 1847; *asbestaria* Zeller, 1849; *puraria* Heydenreich, 1851; *pinguedinaria* Herrich-Schäffer, 1852; *oloraria* Rössler, 1857; *mancuniata* Knaggs, 1865; *veterata* Gregson, 1866; *diaphanaria* A. Bang-Haas, 1910; *zernyi* D. Lucas, 1934
- 3911) *Idaea wiltshirei* (Brandt, 1938)** (Geometridae) Synonym(s): *wiltshirei* Brandt, 1938
- 3912) *Idiocera* (s.str.) *laterospina* (Alexander, 1975)** (Limoniidae) Synonym(s): *laterospina* Alexander, 1975
- 3913) *Idiocera* (s.str.) *pulchripennis* (Loew, 1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew, 1856; *?flicina* Santos Abreu, 1923; *similior* Alexander, 1956
- 3914) *Idiocerus herrichii* Kirschbaum, 1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum, 1868
- 3915) *Idiocerus vicinus* Melichar, 1898** (Cicadellidae) Synonym(s): *vicinus* Melichar, 1898
- 3916) *Idiomacromerus papaveris* (Förster, 1856)** (Torymidae) Synonym(s): *papaveris* Förster, 1856; *akdenizeus* Doğanlar, 1989
- 3917) *Idiomacromerus perplexus* (Gahan, 1914)** (Torymidae) Synonym(s): *perplexus* Gahan, 1914
- 3918) *Idiomacromerus terebrator* (Masi, 1916)** (Torymidae) Synonym(s): *terebrator* Masi, 1916
- 3919) *Inachis io* (Linnaeus, 1758)** (Argynniidae) Synonym(s): *io* Linnaeus, 1758; *ioides* Ochsenheimer, 1808; *caucasica* Jachontov, 1911.
- 3920) *Infurcitinea amseli* G. Petersen, 1957** (Tineidae) Synonym(s): *amseli* G. Petersen, 1957
- 3921) *Infurcitinea brunneopterella* G. Petersen, 1964** (Tineidae) Synonym(s): *brunneopterella* G. Petersen, 1964
- 3922) *Infurcitinea fasciella* Gaedike, 1983** (Tineidae) Synonym(s): *fasciella* Gaedike, 1983; *fasciella* G. Petersen, 1984.
- 3923) *Infurcitinea iranensis* G. Petersen, 1964** (Tineidae) Synonym(s): *iranensis* G. Petersen, 1964
- 3924) *Infurcitinea megalopterella* G. Petersen, 1964** (Tineidae) Synonym(s): *megalopterella* G. Petersen, 1964
- 3925) *Infurcitinea nigropluviella* (Walsingham, 1907)** (Tineidae) Synonym(s): *nigropluviella* Walsingham, 1907; *maraschensis* G. Petersen, 1968.
- 3926) *Infurcitinea obscuroides* Gaedike, 1983** (Tineidae) Synonym(s): *obscuroides* Gaedike, 1983; *obscuroides* G. Petersen & Gaedike, 1983.
- 3927) *Infurcitinea teheranensis* G. Petersen, 1971** (Tineidae) Synonym(s): *teheranensis* G. Petersen, 1971
- 3928) *Inotica gaesata* Meyrick, 1913** (Gelechiidae) Synonym(s): *gaesata* Meyrick, 1913
- 3929) *Iphiclides podalirius* (Linnaeus, 1758)** (Papilionidae) Synonym(s): *podalirius* Linnaeus, 1758; *sinon* Poda, 1761; *flammeus* Fourcroy, 1785; *brassicae* Fabricius, 1807; *inalpinus* Verity, 1911; *valesiaca* Verity, 1911; *zanclaeides* Verity, 1911; *pseudopersica* Rocci, 1926.
- 3930) *Iranada ornata* (Brandt, 1938)** (Noctuidae) Synonym(s): *ornata* Brandt, 1938

- 3931) *Iranada tarachoides* (Bytinski-Salz & Brandt, 1937) (Noctuidae) Synonym(s): *tarachoides* Bytinski-Salz & Brandt, 1937
- 3932) *Iranada turcorum* (Zerny, 1915) (Noctuidae) Synonym(s): *turcorum* Zerny, 1915
- 3933) *Iranada venusta* (Brandt, 1939) (Noctuidae) Synonym(s): *venusta* Brandt, 1939
- 3934) *Iranada versicolor* (Brandt, 1939) (Noctuidae) Synonym(s): *versicolor* Brandt, 1939
- 3935) *Iranarpia albalis* (Amsel, 1961) (Pyralidae) Synonym(s): *albalis* Amsel, 1961
- 3936) *Iranarpia silacealis* (Amsel, 1951) (Pyralidae) Synonym(s): *silacealis* Amsel, 1951
- 3937) *Iranella eremiaphila* Uvarov, 1922 (Dericorythidae) Synonym(s): *eremiaphila* Uvarov, 1922
- 3938) *Iranella rogosa* Shumakov, 1956 (Dericorythidae) Synonym(s): *rogosa* Shumakov, 1956
- 3939) *Iranihindia persica* Rohdendorf, 1961 (Sarcophagidae) Synonym(s): *persica* Rohdendorf, 1961
- 3940) *Iraniobia mesopsera* Bei-Bienko, 1954 (Dericorythidae) Synonym(s): *mesopsera* Bei-Bienko, 1954
- 3941) *Iraniobia mirzayani* Descamps, 1967 (Dericorythidae) Synonym(s): *mirzayani* Descamps, 1967
- 3942) *Iraniobia pavlovskii* Bei-Bienko, 1954 (Dericorythidae) Synonym(s): *pavlovskii* Bei-Bienko, 1954
- 3943) *Iraniobia salavatiani* Bei-Bienko, 1957 (Dericorythidae) Synonym(s): *salavatiani* Bei-Bienko, 1957
- 3944) *Iraniobia zarudnyi* (Uvarov, 1933) (Dericorythidae) Synonym(s): *zarudnyi* Uvarov, 1933
- 3945) *Iraniodes bilinealis* Amsel, 1961 (Pyralidae) Synonym(s): *bilinealis* Amsel, 1961
- 3946) *Iraniola elbursiana* (Ramme, 1929) (Dericorythidae) Synonym(s): *elbursiana* Ramme, 1929
- 3947) *Iranoidricerus iranensis* (Kimmins, 1938) (Ascalaphidae) Synonym(s): *iranensis* Kimmins, 1938
- 3948) *Iranoleon darius* Hölzel, 1972 (Myrmeleonidae) Synonym(s): *darius* Hölzel, 1972
- 3949) *Iranoleon electus* Hölzel, 1968 (Myrmeleonidae) Synonym(s): *electus* Hölzel, 1968
- 3950) *Iranoleon septimus* Hölzel, 1972 (Myrmeleonidae) Synonym(s): *septimus* Hölzel, 1972
- 3951) *Iranoleon solus* Hölzel, 1968 (Myrmeleonidae) Synonym(s): *solus* Hölzel, 1968
- 3952) *Iranoleon vartianae* Hölzel, 1968 (Myrmeleonidae) Synonym(s): *vartianae* Hölzel, 1968
- 3953) *Iranopogon brandti* Timon-David, 1955 (Asilidae) Synonym(s): *brandti* Timon-David, 1955
- 3954) *Iranotmethis cyanipennis* (Saussure, 1884) (Pamphagidae) Synonym(s): *cyanipennis* Saussure, 1884
- 3955) *Iranotmethis luteipes* Bei-Bienko, 1951 (Pamphagidae) Synonym(s): *luteipes* Bei-Bienko, 1951
- 3956) *Iranotmethis persa* (Saussure, 1888) (Pamphagidae) Synonym(s): *persa* Saussure, 1888
- 3957) *Iranotrichia insolita* Winterton & Gharali, 2011 (Scenopinidae) Synonym(s): *insolita* Winterton & Gharali, 2011
- 3958) *Iranotrichia nigra* Winterton & Gharali, 2011 (Scenopinidae) Synonym(s): *nigra* Winterton & Gharali, 2011
- 3959) *Iranusa bampura* Uvarov, 1942 (Tettigoniidae) Synonym(s): *bampura* Uvarov, 1942
- 3960) *Iranusa khorassana* Uvarov, 1942 (Tettigoniidae) Synonym(s): *khorassana* Uvarov, 1942
- 3961) *Iranusa uvarovi* Ünal, 2006 (Tettigoniidae) Synonym(s): *uvarovi* Ünal, 2006
- 3962) *Iris nana* Uvarov, 1930 (Irididae) Synonym(s): *nana* Uvarov, 1930; *radians* Uvarov, 1931
- 3963) *Iris oratoria* (Linnaeus, 1758) (Irididae) Synonym(s): *oratoria* Linnaeus, 1758; *dentata* Goeze, 1778; *bella* Germar, 1817; *minima* Charpentier, 1825; *fenestrata* Brullé, 1832
- 3964) *Iris persa* Uvarov, 1922 (Irididae) Synonym(s): *persa* Uvarov, 1922
- 3965) *Iris persiminima* Otte, 2005 (Irididae) Synonym(s): *minima* Ramme, 1951 nec Charp., 1825; *persiminima* Otte, 2005
- 3966) *Iris polystictica* Fischer v. Waldheim, 1846 (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim, 1846; *tiflisina* Giglio-Tos, 1915; *caucasica* Lindt, 1983
- 3967) *Irochrotus lanatus* (Pallas, 1773) (Scutelleridae) Synonym(s): *lanatus* Pallas, 1773
- 3968) *Irochrotus majusculus* Kerzhner, 1976 (Scutelleridae) Synonym(s): *majusculus* Kerzhner, 1976
- 3969) *Irochrotus turanicus* Kerzhner, 1976 (Scutelleridae) Synonym(s): *turanicus* Kerzhner, 1976
- 3970) *Isauria dilucidella* (Duponchel, 1836) (Pyralidae) Synonym(s): *dilucidella* Duponchel, 1836; *ilignella* Zeller, 1839; *laternella* Eversmann, 1844; *crepusculella* Lederer, 1870; *incredibilis* Staudinger, 1879; *subsortitella* Ragonot, 1887; *satanella* Ragonot, 1887; *odontella* Ragonot, 1893; *ledereri* Ragonot, 1893; *cuencella* Caradja, 1916; *gabalitella* Chrétien, 1931; *grisescens* Lucas, 1950; *parvella* Amsel, 1951; *shahidanella* Amsel, 1970
- 3971) *Ischiodon aegyptius* (Wiedemann, 1830) (Syrphidae) Synonym(s): *aegyptius* Wiedemann, 1830; *annulipes* Macquart, 1830; *felix* Walker, 1852; *brachypterus* Thomson, 1869
- 3972) *Ischiodon scutellaris* (Fabricius, 1805) (Syrphidae) Synonym(s): *scutellaris* Fabricius, 1805; *trochantericus* Sack, 1913; *ogasawarensis* Matsumura, 1916; *boninensis* Matsumura, 1919
- 3973) *Ischnodes sanguinicollis* (Panzer, 1793) (Elateridae) Synonym(s): *sanguinicollis* Panzer, 1793
- 3974) *Ischnogasteroides zarudnyi* (Kostylev, 1939) (Vespidae) Synonym(s): *zarudnyi* Kostylev, 1939
- 3975) *Ischnophanes bifurcata* Baldizzone, 1994 (Coleophoridae) Synonym(s): *bifurcata* Baldizzone, 1994
- 3976) *Ischnura elegans* (Van Der Linden, 1820) (Coenagrionidae) Synonym(s): *elegans* Van Der Linden, 1820
- 3977) *Ischnura pumilio* (Charpentier, 1825) (Coenagrionidae) Synonym(s): *pumilio* Charpentier, 1825
- 3978) *Ischyronota desertorum* (Gebler, 1833) (Chrysomelidae) Synonym(s): *desertorum* Gebler, 1833
- 3979) *Islamocantharis* (s.str.) *diffusa* Wittmer & Magis, 1978 (Cantharidae) Synonym(s): *diffusa* Wittmer & Magis, 1978
- 3980) *Isoceras bipunctatum* (Staudinger, 1887) (Cossidae) Synonym(s): *bipunctatum* Staudinger, 1887
- 3981) *Isocolus beheni* Melika & Karimpour, 2008 (Cynipidae) Synonym(s): *beheni* Melika & Karimpour, 2008
- 3982) *Isocolus cirsii* Diakontshuk, 1987 (Cynipidae) Synonym(s): *cirsii* Diakontshuk, 1987
- 3983) *Isocolus karimpouri* Melika & Tavakoli, 2008 (Cynipidae) Synonym(s): *karimpouri* Melika & Tavakoli, 2008
- 3984) *Isoimon riabovi* (Uvarov, 1927) (Tettigoniidae) Synonym(s): *riabovi* Uvarov, 1927; *caspicus* Ramme, 1929
- 3985) *Isotomus comptus* (Mannerheim, 1825) (Cerambycidae) Synonym(s): *comptus* Mannerheim, 1825
- 3986) *Issoria lathonia* (Linnaeus, 1758) (Argynniidae) Synonym(s): *lathonia* Linnaeus, 1758; *saturata* Röber, 1897; *hungarica* Aigner-Abafi, 1906; *florens* Verity, 1916; *emiflorens* Verity, 1919; *attenuata* Sagarra, 1926; *nigroprivata* Verity, 1933.
- 3987) *Isturgia tengistanica* (Brandt, 1938) (Geometridae) Synonym(s): *tengistanica* Brandt, 1938
- 3988) *Italochrysa vartianorum* Hölzel, 1967 (Chrysopidae) Synonym(s): *vartianorum* Hölzel, 1967
- 3989) *Itoplectis tunetana* (Schmiedeknecht, 1914) (Ichneumonidae) Synonym(s): *tunetana* Schmiedeknecht, 1914
- 3990) *Jalla dumosa* (Linnaeus, 1758) (Pentatomidae) Synonym(s): *dumosa* Linnaeus, 1758; *nigriventris* Fieber, 1861; *anthracina* Jakovlev, 1885; *vidua* Horvath, 1917
- 3991) *Jebusaea hammerschmidtii* Reiche, 1877 (Cerambycidae) Synonym(s): *hammerschmidtii* Reiche, 1877
- 3992) *Jordanita* (Praviela) *anatolica* (Naufock, 1929) (Zygaenidae) Synonym(s): *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; *? christinae* Keil, 1998.
- 3993) *Jordanita* (Rjabovia) *horni* (Alberti, 1937) (Zygaenidae) Synonym(s): *horni* Alberti, 1937; *#armena* Alberti, 1970.
- 3994) *Jordanita* (Roccia) *kurdica* (Tarmann, 1987) (Zygaenidae) Synonym(s): *kurdica* Tarmann, 1987
- 3995) *Jordanita* (Roccia) *paupera* (Christoph, 1887) (Zygaenidae) Synonym(s): *paupera* Christoph, 1887; *mollis* Grun-Grshmailo, 1893; *hamifera* Jordan, 1909; *tamerlana* Alberti, 1937; *minor* Alberti, 1937
- 3996) *Jordanita* (s.str.) *chloros* (Hübner, [1813]) (Zygaenidae) Synonym(s): *chloros* Hübner, [1813]; *sepium* Boisduval, 1834.

- 3997) *Jordanita* (s.str.) *graeca* (Jordan,1907) (Zygaenidae) Synonym(s): *graeca* Jordan,1907
- 3998) *Jordanita* (Tremewanina) *notata* (Zeller,1847) (Zygaenidae) Synonym(s): *notata* Zeller,1847
- 3999) *Jothopogon leucomallus* (Loew,1871) (Asilidae) Synonym(s): *leucomallus* Loew,1871
- 4000) *Jucancistrocerus citreodecoratus* Giordani Soika,1970 (Vespidae) Synonym(s): *citreodecoratus* Giordani Soika,1970
- 4001) *Jugurtia escalerae* Meade-Waldo,1910 (Vespidae) Synonym(s): *escalerae* Meade-Waldo,1910
- 4002) *Jugurtia eurycara* Kostylev,1935 (Vespidae) Synonym(s): *eurycara* Kostylev,1935
- 4003) *Jugurtia irana* Kostylev,1935 (Vespidae) Synonym(s): *irana* Kostylev,1935
- 4004) *Jugurtia zarudnyi* Kostylev,1935 (Vespidae) Synonym(s): *zarudnyi* Kostylev,1935
- 4005) *Julodis andreae* (Olivier,1790) (Buprestidae) Synonym(s): *andreae* Olivier,1790
- 4006) *Julodis armeniaca* Marseul,1865 (Buprestidae) Synonym(s): *armeniaca* Marseul,1865
- 4007) *Julodis euphratica* (Laporte & Gory,1835) (Buprestidae) Synonym(s): *euphratica* Laporte & Gory,1835; *beludjistana* Obenberger,1924
- 4008) *Julodis laevicostata* Gory,1840 (Buprestidae) Synonym(s): *laevicostata* Gory,1840
- 4009) *Julodis mathiesseni* Reitter,1905 (Buprestidae) Synonym(s): *mathiesseni* Reitter,1905
- 4010) *Julodis variolaris* (Pallas,1773) (Buprestidae) Synonym(s): *variolaris* Pallas,1773
- 4011) *Kalliesia irana* Sobczyk,2004 (Psychidae) Synonym(s): *irana* Sobczyk,2004
- 4012) *Karmanica bandarabasa* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *bandarabasa* Hacker & Ebert,2002
- 4013) *Karmanica chosroes* (Brandt,1938) (Noctuidae) Synonym(s): *chosroes* Brandt,1938
- 4014) *Karmanica cyros* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *cyros* Hacker & Ebert,2002
- 4015) *Karmanica magnifica* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *magnifica* Hacker & Ebert,2002
- 4016) *Karwandania chimabacchella* Amsel,1959 (Oecophoridae) Synonym(s): *chimabacchella* Amsel,1959
- 4017) *Katha depressa* (Esper,[1787]) (Arctiidae) Synonym(s): *deplana* Esper,[1787] *nec* Linn.,1771; *depressa* Esper,[1787]; *helvola* Hübner,[1803]; *ochreola* Hübner,[1803]; *helvola* Ochsenheimer,1810.
- 4018) *Katja mira* Amsel,1951 (Pyralidae) Synonym(s): *mira* Amsel,1951
- 4019) *Keradere lepidella* (Ragonot,1887) (Pyralidae) Synonym(s): *lepidella* Ragonot,1887
- 4020) *Keradere tengstroemiella* (Erschoff,1874) (Pyralidae) Synonym(s): *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879.
- 4021) *Kerbela turcomanica* (Christoph,1877) (Pyralidae) Synonym(s): *turcomanica* Christoph,1877
- 4022) *Kermania pistaciella* Amsel,1964 (Tineidae) Synonym(s): *pistaciella* Amsel,1964
- 4023) *Keroplatus testaceus* (Dalman,1818) (Keroplastidae) Synonym(s): *testaceus* Dalman,1818; *dispar* Dufour,1839; *biformis* Okada,1938
- 4024) *Keroplatus tipuloides* Bosc,1792 (Keroplastidae) Synonym(s): *tipuloides* Bosc,1792
- 4025) *Khayyamia mirzayani* (Popov,1951) (Acrididae) Synonym(s): *mirzayani* Popov,1951
- 4026) *Khayyamia subaptera* (Bei-Bienko,1960) (Acrididae) Synonym(s): *subaptera* Bei-Bienko,1960
- 4027) *Khorassania hartigi* Amsel,1951 (Pyralidae) Synonym(s): *hartigi* Amsel,1951
- 4028) *Khuzistania richteri* Amsel,1959 (Pyralidae) Synonym(s): *richteri* Amsel,1959
- 4029) *Kirinia (Melike) roxelana* (Cramer,[1777]) (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989
- 4030) *Klapperichicen acoloratus* Dlabola,1960 (Cicadidae) Synonym(s): *acoloratus* Dlabola,1960
- 4031) *Klapperichicen turbatus* (Melichar,1902) (Cicadidae) Synonym(s): *turbatus* Melichar,1902
- 4032) *Klapperichicen viridissimus* (Walker,1858) (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreatea* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920
- 4033) *Klimeschia afghanica* Gaedike,1974 (Douglassiidae) Synonym(s): *afghanica* Gaedike,1974
- 4034) *Klimeschia transversella* (Zeller,1839) (Douglassiidae) Synonym(s): *transversella* Zeller,1839
- 4035) *Knutsonia* (s.str.) *albiseta* (Scopoli,1763) (Sciomyzidae) Synonym(s): *albiseta* Scopoli,1763; *crocus* Harris,[1780]; *aratoria* Fabricius,1794; *interstincta* Fallén,1820; *sepedonoidea* R-D.,1830; *communis* R-D.,1830
- 4036) *Kokujewia ectrapela* Konow,1902 (Argidae) Synonym(s): *ectrapela* Konow,1902; *palestina* Benson,1954
- 4037) *Kotchevnik modestus* (Staudinger,1887) (Cossidae) Synonym(s): *modestus* Staudinger,1887
- 4038) *Kotchevnik tapinus* (Püngeler,1898) (Cossidae) Synonym(s): *tapinus* Püngeler,1898
- 4039) *Krombeinella aramaea* (Suarez,1963) (Mutillidae) Synonym(s): *aramaea* Suarez,1963
- 4040) *Krombia belutschistanalis* Amsel,1961 (Pyralidae) Synonym(s): *belutschistanalis* Amsel,1961
- 4041) *Krombia minimella* Amsel,1961 (Pyralidae) Synonym(s): *minimella* Amsel,1961
- 4042) *Krombia pulchella* Amsel,1949 (Pyralidae) Synonym(s): *pulchella* Amsel,1949
- 4043) *Kropka unipunctata* (Dlabola,1957) (Cicadellidae) Synonym(s): *unipunctata* Dlabola,1957; *vidanoi* Dworakowska,1970
- 4044) *Kurdia nesterovi* Uvarov,1916 (Tettigoniidae) Synonym(s): *nesterovi* Uvarov,1916
- 4045) *Kyboasca kiritshenkoi* (Zachvatkin,1953) (Cicadellidae) Synonym(s): *kiritshenkoi* Zachvatkin,1953
- 4046) *Labidostomis* (s.str.) *asiatica* Faldermann,1837 (Chrysomelidae) Synonym(s): *asiatica* Faldermann,1837
- 4047) *Labidostomis* (s.str.) *brevipennis* Faldermann,1837 (Chrysomelidae) Synonym(s): *brevipennis* Faldermann,1837; *armeniaca* Lacordaire,1848; *taurica* Lacordaire,1848
- 4048) *Labidostomis* (s.str.) *damavendenis* Rapilly,1984 (Chrysomelidae) Synonym(s): *damavendenis* Rapilly,1984
- 4049) *Labidostomis* (s.str.) *decipiens* Faldermann,1837 (Chrysomelidae) Synonym(s): *decipiens* Faldermann,1837; *lineola* Redtenbacher,1843
- 4050) *Labidostomis* (s.str.) *diversifrons* Lefebvre,1876 (Chrysomelidae) Synonym(s): *diversifrons* Lefebvre,1876; *speculifrons* Kraatz,1872; *attenuata* Pic,1897
- 4051) *Labidostomis* (s.str.) *elegans* Lefebvre,1876 (Chrysomelidae) Synonym(s): *elegans* Lefebvre,1876; *reitteri* Weise,1885
- 4052) *Labidostomis* (s.str.) *harazensis* Rapilly,1984 (Chrysomelidae) Synonym(s): *harazensis* Rapilly,1984
- 4053) *Labidostomis* (s.str.) *maculipennis* Lefebvre,1870 (Chrysomelidae) Synonym(s): *maculipennis* Lefebvre,1870; *kindermanni* Kraatz,1872
- 4054) *Labidostomis* (s.str.) *martensi* Medvedev,1983 (Chrysomelidae) Synonym(s): *martensi* Medvedev,1983
- 4055) *Labidostomis* (s.str.) *medvedevi* Warchalowski,1985 (Chrysomelidae) Synonym(s): *montana* Medvedev,1970 *nec* Cobos,1954; *medvedevi* Warchalowski,1985
- 4056) *Labidostomis* (s.str.) *metallica* Lefebvre,1872 (Chrysomelidae) Synonym(s): *metallica* Lefebvre,1872
- 4057) *Labidostomis* (s.str.) *propinqua* Faldermann,1837 (Chrysomelidae) Synonym(s): *propinqua* Faldermann,1837; *binotata* Wtl,1838; *steveni* Wtl,1848; *arnoldii* Medvedev,1962
- 4058) *Labidostomis* (s.str.) *shirazica* Lopatin,1979 (Chrysomelidae) Synonym(s): *shirazica* Lopatin,1979
- 4059) *Labidostomis* (s.str.) *subfasciata* Weise,1885 (Chrysomelidae) Synonym(s): *subfasciata* Weise,1885; *trigemina* Weise,1898
- 4060) *Labidostomis kantneri* Warchalowski,2004 (Chrysomelidae) Synonym(s): *kantneri* Warchalowski,2004

- 4061** *Lacanobia (Dianobia) thalassina* (Hufnagel,1766) (Noctuidae) Synonym(s): *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813].
- 4062** *Lacanobia (Diataraxia) oleracea* (Linnaeus,1758) (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
- 4063** *Lacanobia (Diataraxia) splendens* (Hübner,[1808]) (Noctuidae) Synonym(s): *splendens* Hübner,[1808]
- 4064** *Lacanobia (s.str.) w-latinum* (Hufnagel,1766) (Noctuidae) Synonym(s): *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962.
- 4065** *Laccobius (Dimorpholaccobius) hoberlandti* Gentili,1982 (Hydrophilidae) Synonym(s): *hoberlandti* Gentili,1982
- 4066** *Lacon unicolor* (Candeze,1874) (Elateridae) Synonym(s): *unicolor* Candeze,1874
- 4067** *Lacydes spectabilis* (Tauscher,1806) (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
- 4068** *Laemocoris farsianus* Linnavuori,2004 (Miridae) Synonym(s): *farsianus* Linnavuori,2004
- 4069** *Laemocoris zarudnyi* Reuter,1904 (Miridae) Synonym(s): *zarudnyi* Reuter,1904
- 4070** *Laemostenus (Pristonychus) elburzensis* Morvan,1981 (Carabidae) Synonym(s): *elburzensis* Morvan,1981
- 4071** *Lambaesia fumosella* (Ragonot,1887) (Pyralidae) Synonym(s): *fumosella* Ragonot,1887; *noctileucella* Ragonot,1887.
- 4072** *Lambaesia straminella* (Zerny,1914) (Pyralidae) Synonym(s): *straminella* Zerny,1914; *alphetopis* Meyrick,1937.
- 4073** *Lamoria anella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller],1775
- 4074** *Lampides boeticus* (Linnaeus,1767) (Lycanidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
- 4075** *Lampyrus caspica* (Motschoulsky,1854) (Lampyridae) Synonym(s): *caspica* Motschoulsky,1854
- 4076** *Lampyroidea antennalis* Gesthardt,1988 (Lampyridae) Synonym(s): *antennalis* Gesthardt,1988
- 4077** *Lampyroidea maculata* Geisthardt,2004 (Lampyridae) Synonym(s): *maculata* Geisthardt,2004
- 4078** *Lampyroidea persica* E.Olivier,1907 (Lampyridae) Synonym(s): *persica* E.Olivier,1907
- 4079** *Lanelater persicus* (Candeze,1874) (Elateridae) Synonym(s): *persicus* Candeze,1874
- 4080** *Laodelphax striatellus* (Fallén,1826) (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943
- 4081** *Laothoe populeti* (Bienert,[1870]) (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 4082** *Laphria dizonias* Loew,1847 (Asilidae) Synonym(s): *dizonias* Loew,1847; *integra* Becker,1912
- 4083** *Laphria flava* (Linnaeus,1761) (Asilidae) Synonym(s): *flava* Linnaeus,1761; *conopsoides* Scopoli,1763; *ferox* Scopoli,1763; *fulva* Geoffroy,1785; *pedemontana* Fabricius,1794; *escorialensis* Strobl,1906
- 4084** *Laphria gibbosa* (Linnaeus,1758) (Asilidae) Synonym(s): *gibbosa* Linnaeus,1758
- 4085** *Laphystia dimidiata* Oldroyd,1958 (Asilidae) Synonym(s): *dimidiata* Oldroyd,1958
- 4086** *Laphystia erberi* (Schiner,1865) (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930
- 4087** *Laphystia latiuscula* Loew,1871 (Asilidae) Synonym(s): *latiuscula* Loew,1871; *metallescens* Hermann,1906
- 4088** *Laphystia lehri* Abbassian-Lintzen,1964 (Asilidae) Synonym(s): *lehri* Abbassian-Lintzen,1964
- 4089** *Laphystia sabulicola* Loew,1847 (Asilidae) Synonym(s): *sabulicola* Loew,1847
- 4090** *Laristania sardzella* Amsel,1951 (Pyralidae) Synonym(s): *sardzella* Amsel,1951
- 4091** *Lasiocampa concolor* (Christoph,1893) (Lasiocampidae) Synonym(s): *concolor* Christoph,1893
- 4092** *Lasiocampa eversmanni* (Kindermann,1843) (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
- 4093** *Lasiocampa grandis* (Rogenhofer,1891) (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891
- 4094** *Lasiocampa nana* (Staudinger,1887) (Lasiocampidae) Synonym(s): *nana* Staudinger,1887; *herzi* Christoph,1888
- 4095** *Lasioglossum (Ctenonomia) cavernifrons* (Blüthgen,1926) (Halictidae) Synonym(s): *cavernifrons* Blüthgen,1926
- 4096** *Lasioglossum (Evylaeus) aeratum* (Kirby,1802) (Halictidae) Synonym(s): *aeratum* Kirby,1802; *caudatum* Warncke,1982
- 4097** *Lasioglossum (Evylaeus) aglyphum* (Pérez,1895) (Halictidae) Synonym(s): *aglyphum* Pérez,1895
- 4098** *Lasioglossum (Evylaeus) albipes* (Fabricius,1781) (Halictidae) Synonym(s): *albipes* Fabricius,1781
- 4099** *Lasioglossum (Evylaeus) alectore* (Warncke,1984) (Halictidae) Synonym(s): *alectore* Warncke,1984
- 4100** *Lasioglossum (Evylaeus) algirum* (Blüthgen,1923) (Halictidae) Synonym(s): *algirum* Blüthgen,1923
- 4101** *Lasioglossum (Evylaeus) andromeda* Ebmer,1978 (Halictidae) Synonym(s): *andromeda* Ebmer,1978
- 4102** *Lasioglossum (Evylaeus) anellum* (Vachal,1905) (Halictidae) Synonym(s): *anellum* Vachal,1905
- 4103** *Lasioglossum (Evylaeus) angusticeps* (Perkins,1895) (Halictidae) Synonym(s): *angusticeps* Perkins,1895
- 4104** *Lasioglossum (Evylaeus) annulipes* (Morawitz,1876) (Halictidae) Synonym(s): *annulipes* Morawitz,1876
- 4105** *Lasioglossum (Evylaeus) asterium* Ebmer,1978 (Halictidae) Synonym(s): *asterium* Ebmer,1978
- 4106** *Lasioglossum (Evylaeus) atrovirens* (Pérez,1903) (Halictidae) Synonym(s): *atrovirens* Pérez,1903
- 4107** *Lasioglossum (Evylaeus) betomarium* (Blüthgen,1925) (Halictidae) Synonym(s): *betomarium* Blüthgen,1925
- 4108** *Lasioglossum (Evylaeus) bicallosum* (Morawitz,1873) (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmirijewi* Morawitz,1892
- 4109** *Lasioglossum (Evylaeus) clypeare* (Schenck,1853) (Halictidae) Synonym(s): *clypeare* Schenck,1853
- 4110** *Lasioglossum (Evylaeus) clypeiferellum* (Strand,1909) (Halictidae) Synonym(s): *clypeiferellum* Strand,1909
- 4111** *Lasioglossum (Evylaeus) convexiusculum* (Schenck,1853) (Halictidae) Synonym(s): *convexiusculum* Schenck,1853
- 4112** *Lasioglossum (Evylaeus) crassepunctatum* (Blüthgen,1923) (Halictidae) Synonym(s): *crassepunctatum* Blüthgen,1923
- 4113** *Lasioglossum (Evylaeus) croceipes* (Morawitz,1876) (Halictidae) Synonym(s): *croceipes* Morawitz,1876; *semicroceipes* Ebmer,1972
- 4114** *Lasioglossum (Evylaeus) damascenum* (Pérez,1910) (Halictidae) Synonym(s): *damascenum* Pérez,1910
- 4115** *Lasioglossum (Evylaeus) daphne* Ebmer,1978 (Halictidae) Synonym(s): *daphne* Ebmer,1978
- 4116** *Lasioglossum (Evylaeus) edessae* Ebmer,1974 (Halictidae) Synonym(s): *edessae* Ebmer,1974
- 4117** *Lasioglossum (Evylaeus) elegans* (Lepeletier,1841) (Halictidae) Synonym(s): *elegans* Lepeletier,1841
- 4118** *Lasioglossum (Evylaeus) epipygiale* (Blüthgen,1924) (Halictidae) Synonym(s): *epipygiale* Blüthgen,1924
- 4119** *Lasioglossum (Evylaeus) euboense* (Strand,1909) (Halictidae) Synonym(s): *euboense* Strand,1909
- 4120** *Lasioglossum (Evylaeus) eurydikae* Ebmer,1974 (Halictidae) Synonym(s): *eurydikae* Ebmer,1974
- 4121** *Lasioglossum (Evylaeus) faustum* Ebmer,1978 (Halictidae) Synonym(s): *faustum* Ebmer,1978

- 4122) *Lasioglossum* (Evylaeus) *fulvicorne* (Kirby,1802) (Halictidae) Synonym(s): *fulvicorne* Kirby,1802
 4123) *Lasioglossum* (Evylaeus) *gilanum* (Blüthgen,1931) (Halictidae) Synonym(s): *gilanum* Blüthgen,1931
 4124) *Lasioglossum* (Evylaeus) *glabriusculum* (Morawitz,1872) (Halictidae) Synonym(s): *glabriusculum* Morawitz,1872
 4125) *Lasioglossum* (Evylaeus) *griseolum* (Morawitz,1872) (Halictidae) Synonym(s): *griseolum* Morawitz,1872
 4126) *Lasioglossum* (Evylaeus) *harputicum* Ebmer,1972 (Halictidae) Synonym(s): *harputicum* Ebmer,1972
 4127) *Lasioglossum* (Evylaeus) *hilare* Ebmer,1972 (Halictidae) Synonym(s): *hilare* Ebmer,1972
 4128) *Lasioglossum* (Evylaeus) *hyalinipenne* (Morawitz,1876) (Halictidae) Synonym(s): *hyalinipenne* Morawitz,1876
 4129) *Lasioglossum* (Evylaeus) *hyrkanium* Ebmer,1978 (Halictidae) Synonym(s): *hyrkanium* Ebmer,1978
 4130) *Lasioglossum* (Evylaeus) *intermedium* (Schenck,1869) (Halictidae) Synonym(s): *intermedium* Schenck,1869
 4131) *Lasioglossum* (Evylaeus) *interruptum* (Panzer,1798) (Halictidae) Synonym(s): *interruptum* Panzer,1798;
trispinosum Alfken,1907
 4132) *Lasioglossum* (Evylaeus) *ituraeum* Ebmer,1972 (Halictidae) Synonym(s): *ituraeum* Ebmer,1972
 4133) *Lasioglossum* (Evylaeus) *laeve* (Kirby,1802) (Halictidae) Synonym(s): *laeve* Kirby,1802
 4134) *Lasioglossum* (Evylaeus) *laticeps* Schenck,1870 (Halictidae) Synonym(s): *laticeps* Schenck,1870; *hellenicum*
Blüthgen,1937
 4135) *Lasioglossum* (Evylaeus) *limbelloides* (Blüthgen,1931) (Halictidae) Synonym(s): *limbelloides* Blüthgen,1931
 4136) *Lasioglossum* (Evylaeus) *limbellum* (Morawitz,1876) (Halictidae) Synonym(s): *limbellum* Morawitz,1876
 4137) *Lasioglossum* (Evylaeus) *lineare* (Schenck,1869) (Halictidae) Synonym(s): *lineare* Schenck,1869
 4138) *Lasioglossum* (Evylaeus) *longirostre* (Morawitz,1876) (Halictidae) Synonym(s): *longirostre* Morawitz,1876
 4139) *Lasioglossum* (Evylaeus) *maculipes* (Morawitz,1876) (Halictidae) Synonym(s): *maculipes* Morawitz,1876
 4140) *Lasioglossum* (Evylaeus) *malachurum* (Kirby,1802) (Halictidae) Synonym(s): *malachurum* Kirby,1802
 4141) *Lasioglossum* (Evylaeus) *marginatum* (Brullé,1832) (Halictidae) Synonym(s): *marginatum* Brullé,1832
 4142) *Lasioglossum* (Evylaeus) *masculum* (Pérez,1895) (Halictidae) Synonym(s): *masculum* Pérez,1895
 4143) *Lasioglossum* (Evylaeus) *mesosclerum* (Pérez,1903) (Halictidae) Synonym(s): *mesosclerum* Pérez,1903;
rhodosianus Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982
 4144) *Lasioglossum* (Evylaeus) *mesosclerum* (Pérez,1903) (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *balneorum*
Ebmer,1974
 4145) *Lasioglossum* (Evylaeus) *montivolans* Ebmer,1975 (Halictidae) Synonym(s): *montivolans* Ebmer,1975
 4146) *Lasioglossum* (Evylaeus) *morio* (Fabricius,1793) (Halictidae) Synonym(s): *morio* Fabricius,1793
 4147) *Lasioglossum* (Evylaeus) *muganicum* Ebmer,1972 (Halictidae) Synonym(s): *muganicum* Ebmer,1972
 4148) *Lasioglossum* (Evylaeus) *nigrilabre* (Morawitz,1876) (Halictidae) Synonym(s): *nigrilabre* Morawitz,1876
 4149) *Lasioglossum* (Evylaeus) *nigripes* (Lepeletier,1841) (Halictidae) Synonym(s): *nigripes* Lepeletier,1841
 4150) *Lasioglossum* (Evylaeus) *nitidiusculum* (Kirby,1802) (Halictidae) Synonym(s): *nitidiusculum* Kirby,1802
 4151) *Lasioglossum* (Evylaeus) *obscuratum* (Morawitz,1875) (Halictidae) Synonym(s): *obscuratum* Morawitz,1875
 4152) *Lasioglossum* (Evylaeus) *opaconitens* (Blüthgen,1931) (Halictidae) Synonym(s): *opaconitens* Blüthgen,1931
 4153) *Lasioglossum* (Evylaeus) *ordubadense* (Friese,1916) (Halictidae) Synonym(s): *ordubadense* Friese,1916
 4154) *Lasioglossum* (Evylaeus) *orpheopse* (Blüthgen,1931) (Halictidae) Synonym(s): *orpheopse* Blüthgen,1931
 4155) *Lasioglossum* (Evylaeus) *osiris* Ebmer,1986 (Halictidae) Synonym(s): *osiris* Ebmer,1986
 4156) *Lasioglossum* (Evylaeus) *panagaum* Ebmer,1978 (Halictidae) Synonym(s): *panagaum* Ebmer,1978
 4157) *Lasioglossum* (Evylaeus) *parvulum* (Schenck,1853) (Halictidae) Synonym(s): *parvulum* Schenck,1853
 4158) *Lasioglossum* (Evylaeus) *pauxillum* (Schenck,1853) (Halictidae) Synonym(s): *pauxillum* Schenck,1853
 4159) *Lasioglossum* (Evylaeus) *peregrinum* (Blüthgen,1923) (Halictidae) Synonym(s): *peregrinum* Blüthgen,1923
 4160) *Lasioglossum* (Evylaeus) *persicum* (Cockerell,1919) (Halictidae) Synonym(s): *persicum* Cockerell,1919
 4161) *Lasioglossum* (Evylaeus) *persicum* (Cockerell,1919) (Halictidae) Synonym(s): *persicum* Cockerell,1919
 4162) *Lasioglossum* (Evylaeus) *pistorium* (Vachal,1902) (Halictidae) Synonym(s): *pistorium* Vachal,1902
 4163) *Lasioglossum* (Evylaeus) *podolicum* (Noskiewicz,1924) (Halictidae) Synonym(s): *podolicum* Noskiewicz,1924
 4164) *Lasioglossum* (Evylaeus) *politum* Schenck,1853 (Halictidae) Synonym(s): *politum* Schenck,1853
 4165) *Lasioglossum* (Evylaeus) *pseudoleptorhynchum* (Blüthgen,1931) (Halictidae) Synonym(s): *pseudoleptorhynchum*
Blüthgen,1931
 4166) *Lasioglossum* (Evylaeus) *pseudonigripes* (Blüthgen,1934) (Halictidae) Synonym(s): *pseudonigripes* Blüthgen,1934;
bassanum Warncke,1982
 4167) *Lasioglossum* (Evylaeus) *punctatissimum* (Schenck,1853) (Halictidae) Synonym(s): *punctatissimum* Schenck,1853
 4168) *Lasioglossum* (Evylaeus) *puncticolle* (Morawitz,1872) (Halictidae) Synonym(s): *puncticolle* Morawitz,1872
 4169) *Lasioglossum* (Evylaeus) *pygmaeum* Schenck,1853 (Halictidae) Synonym(s): *pygmaeum* Schenck,1853; *patulum*
Vachal,1905
 4170) *Lasioglossum* (Evylaeus) *quadrisignatus* (Schenck,1853) (Halictidae) Synonym(s): *quadrisignatus* Schenck,1853
 4171) *Lasioglossum* (Evylaeus) *reinigi* Ebmer,1978 (Halictidae) Synonym(s): *reinigi* Ebmer,1978
 4172) *Lasioglossum* (Evylaeus) *rufitarse* (Zetterstedt,1838) (Halictidae) Synonym(s): *rufitarse* Zetterstedt,1838
 4173) *Lasioglossum* (Evylaeus) *rusticolum* (Warncke,1982) (Halictidae) Synonym(s): *rusticolum* Warncke,1982
 4174) *Lasioglossum* (Evylaeus) *salinum* (Morawitz,1875) (Halictidae) Synonym(s): *salinum* Morawitz,1875
 4175) *Lasioglossum* (Evylaeus) *setulellum* (Strand,1909) (Halictidae) Synonym(s): *setulellum* Strand,1909
 4176) *Lasioglossum* (Evylaeus) *siirtense* (Warncke,1984) (Halictidae) Synonym(s): *siirtense* Warncke,1984; *#siistense*
Grace,2010
 4177) *Lasioglossum* (Evylaeus) *sobrinum* (Warncke,1982) (Halictidae) Synonym(s): *sobrinum* Warncke,1982
 4178) *Lasioglossum* (Evylaeus) *sociorum* (Blüthgen,1924) (Halictidae) Synonym(s): *sociorum* Blüthgen,1924
 4179) *Lasioglossum* (Evylaeus) *subaenescens* (Pérez,1896) (Halictidae) Synonym(s): *subaenescens* Pérez,1896; *asiaticum*
Dalla Torre,1896
 4180) *Lasioglossum* (Evylaeus) *talyschense* (Blüthgen,1925) (Halictidae) Synonym(s): *talyschense* Blüthgen,1925
 4181) *Lasioglossum* (Evylaeus) *tricinctum* (Schenck,1874) (Halictidae) Synonym(s): *tricinctum* Schenck,1874; *muganicum*
Ebmer,1972
 4182) *Lasioglossum* (Evylaeus) *truncaticolle* (Morawitz,1877) (Halictidae) Synonym(s): *truncaticolle* Morawitz,1877
 4183) *Lasioglossum* (Evylaeus) *tschibuklinum* (Blüthgen,1931) (Halictidae) Synonym(s): *tschibuklinum* Blüthgen,1931
 4184) *Lasioglossum* (Evylaeus) *villosulum* (Kirby,1802) (Halictidae) Synonym(s): *villosulum* Kirby,1802
 4185) *Lasioglossum* (s.str.) *aegyptiellum* (Strand,1909) (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis*
Cockerell,1918; dalmaticum Ebmer,1970
 4186) *Lasioglossum* (s.str.) *caspicum* (Morawitz,1873) (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus*
Pérez,1911

- 4187) *Lasioglossum* (s.str.) *chloropus* (Morawitz,1893) (Halictidae) Synonym(s): *chloropus* Morawitz,1893; *tungusicum* Ebmer,1978
- 4188) *Lasioglossum* (s.str.) *cilicium* Ebmer,1972 (Halictidae) Synonym(s): *cilicium* Ebmer,1972
- 4189) *Lasioglossum* (s.str.) *costulatum* (Kriechbaumer,1873) (Halictidae) Synonym(s): *costulatum* Kriechbaumer,1873; *alpestris* Morawitz,1877
- 4190) *Lasioglossum* (s.str.) *cristulum* (Pérez,1895) (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975; *#cristulam* Grace,2010
- 4191) *Lasioglossum* (s.str.) *discum* (Smith,1853) (Halictidae) Synonym(s): *discum* Smith,1853; *morbillosus* Kriechbaumer,1873; *glasunovi* Cockrell,1924;
- 4192) *Lasioglossum* (s.str.) *equinum* Ebmer,1978 (Halictidae) Synonym(s): *equinum* Ebmer,1978
- 4193) *Lasioglossum* (s.str.) *euxanthopus* Pesenko,1986 (Halictidae) Synonym(s): *euxanthopus* Pesenko,1986
- 4194) *Lasioglossum* (s.str.) *euxinicum* Ebmer,1972 (Halictidae) Synonym(s): *euxinicum* Ebmer,1972
- 4195) *Lasioglossum* (s.str.) *fahringeri* Friese,1921 (Halictidae) Synonym(s): *fahringeri* Friese,1921
- 4196) *Lasioglossum* (s.str.) *fallax* (Morawitz,1873) (Halictidae) Synonym(s): *fallax* Morawitz,1873; *rhadiourgan* Ebner,1980
- 4197) *Lasioglossum* (s.str.) *glaciegenitum* (Ebmer,1972) (Halictidae) Synonym(s): *glaciegenitum* Ebmer,1972
- 4198) *Lasioglossum* (s.str.) *iranicum* Ebmer,1975 (Halictidae) Synonym(s): *iranicum* Ebmer,1975
- 4199) *Lasioglossum* (s.str.) *josefi* Ebmer,2009 (Halictidae) Synonym(s): *josefi* Ebmer,2009
- 4200) *Lasioglossum* (s.str.) *korbi* (Blüthgen,1929) (Halictidae) Synonym(s): *korbi* Blüthgen,1929
- 4201) *Lasioglossum* (s.str.) *laevigatum* (Kirby,1802) (Halictidae) Synonym(s): *laevigatum* Kirby,1802; *lugubris* Kirby,1802; *semicinctus* Förster,1860
- 4202) *Lasioglossum* (s.str.) *lativentre* (Schenck,1853) (Halictidae) Synonym(s): *lativentre* Schenck,1853; *bisbistrigatus* Schenck,1853; *bicinctus* Schenck,1874; *decipiens* Perkins,1913; *sotschica* Blüthgen,1931
- 4203) *Lasioglossum* (s.str.) *lativentre* (Schenck,1853) (Halictidae) Synonym(s): *lativentre* Schenck,1853
- 4204) *Lasioglossum* (s.str.) *leucozonium* (Schränk,1781) (Halictidae) Synonym(s): *leucozonium* Schränk,1781; *leucostoma* Schränk,1781; *similis* Smith,1853; *bifasciatellus* Schenck,1875; *nigrotibialis* Dalla Torre,1877; *deiphobus* Bingham,1908; *clusium* Warncke,1975; *cedri* Ebmer,1976
- 4205) *Lasioglossum* (s.str.) *pallens* (Brullé,1832) (Halictidae) Synonym(s): *pallens* Brullé,1832
- 4206) *Lasioglossum* (s.str.) *picipes* (Morawitz,1876) (Halictidae) Synonym(s): *picipes* Morawitz,1876
- 4207) *Lasioglossum* (s.str.) *quadrinotatum* (Kirby,1802) (Halictidae) Synonym(s): *quadrinotatum* Kirby,1802
- 4208) *Lasioglossum* (s.str.) *sexnotatum* (Kirby,1802) (Halictidae) Synonym(s): *sexnotatum* Kirby,1802
- 4209) *Lasioglossum* (s.str.) *sinistrum* (Blüthgen,1934) (Halictidae) Synonym(s): *sinistrum* Blüthgen,1934
- 4210) *Lasioglossum* (s.str.) *subquestre* (Blüthgen,1931) (Halictidae) Synonym(s): *subquestre* Blüthgen,1931
- 4211) *Lasioglossum* (s.str.) *subfasciatum* (Imhoff,1832) (Halictidae) Synonym(s): *subfasciatum* Imhoff,1832
- 4212) *Lasioglossum* (s.str.) *tadschicum* (Blüthgen,1929) (Halictidae) Synonym(s): *tadschicum* Blüthgen,1929
- 4213) *Lasioglossum* (s.str.) *xanthopum* (Kirby,1802) (Halictidae) Synonym(s): *xanthopum* Kirby,1802; *lativalve* Warncke,1984
- 4214) *Lasioglossum* (s.str.) *zonulum* (Smith,1848) (Halictidae) Synonym(s): *zonulum* Smith,1848
- 4215) *Lasiommata* *adrasoides* (Bienert,1870) (Satyridae) Synonym(s): *adrasoides* Bienert,1870
- 4216) *Lasiommata* *megera* (Linnaeus,1767) (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 4217) *Lasiommata* *menava* Moore,1865 (Satyridae) Synonym(s): *menava* Moore,1865.
- 4218) *Lasiommata* *zagrossica* Lukhtanov & Dantchenko,2005 (Satyridae) Synonym(s): *zagrossica* Lukhtanov & Dantchenko,2005
- 4219) *Lasionycta* *draudti* (F.Wagner,1936) (Noctuidae) Synonym(s): *draudti* F.Wagner,1936
- 4220) *Lasiopa* *villosa* (Fabricius,1794) (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794
- 4221) *Lasioptera* *umbelliferarum* Kieffer,1909 (Cecidomyiidae) Synonym(s): *umbelliferarum* Kieffer,1909
- 4222) *Lasiosina* *cinctipes* (Meigen,1830) (Chloropidae) Synonym(s): *cinctipes* Meigen,1830; *limbata* Meigen,1830; *herpini* Guérin-Méneville,1843; *obscurata* Duda,1933; *nigripes* Dely-Draskovits,1977
- 4223) *Laspeyria* *flexula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *flexula* [Denis & Schiffermüller],1775
- 4224) *Latoia* *inexpectata* (Staudinger,1895) (Limacodidae) Synonym(s): *inexpectata* Staudinger,1895
- 4225) *Lecithocera* *persica* Gozmany,1978 (Lecithoceridae) Synonym(s): *persica* Gozmany,1978
- 4226) *Legnotomyia* *persica* Paramonov,1933 (Bombyliidae) Synonym(s): *persica* Paramonov,1933
- 4227) *Legnotomyia* *singularis* (Macquart,1846) (Bombyliidae) Synonym(s): *singularis* Macquart,1846; *bombylifomis* Becker,1906
- 4228) *Legnotomyia* *trichorhoea* (Loew,1855) (Bombyliidae) Synonym(s): *trichorhoea* Loew,1855
- 4229) *Lejogaster* *tarsata* (Meigen,1822) (Syrphidae) Synonym(s): *tarsata* Meigen,1822 [line priority]; *splendida* Meigen,1822; *bicolor* Macquart,1829; *amethystina* Macquart,1834; *rufitarsis* Loew,1840; *aurichalcea* Becker,1913; *longior* Becker,1921
- 4230) *Lemonia* *peilei* Rothschild,1921 (Lemoniidae) Synonym(s): *peilei* Rothschild,1921
- 4231) *Lemonia* *pia* Püngeler,1902 (Lemoniidae) Synonym(s): *pia* Püngeler,1902
- 4232) *Leopoldius* *pontifex* Hüttinger,1978 (Conopidae) Synonym(s): *pontifex* Hüttinger,1978
- 4233) *Lepidogma* *tamaricalis* (Mann,1873) (Pyralidae) Synonym(s): *tamaricalis* Mann,1873; *obatralis* Christoph,1876; *vafera* Swinhoe,1884
- 4234) *Leprosoma* *inaequale* Horvath,1911 (Pentatomidae) Synonym(s): *inaequale* Horvath,1911
- 4235) *Leprosoma* *inconspicuum* Bärensprung,1859 (Pentatomidae) Synonym(s): *inconspicuum* Bärensprung,1859; *carinatum* Montandon,1895
- 4236) *Leprosoma* *reticulatum* (Herrich-Schäffer,1851) (Pentatomidae) Synonym(s): *reticulatum* Herrich-Schäffer,1851
- 4237) *Leprosoma* *stali* Douglas & Scott,1868 (Pentatomidae) Synonym(s): *stali* Douglas & Scott,1868
- 4238) *Leprosoma* *tuberculatum* Jakovlev,1876 (Pentatomidae) Synonym(s): *tuberculatum* Jakovlev,1876; *turkestanicum* Zolotov,1928
- 4239) *Leptarchis* *intervacatalis* (Christoph,1877) (Pyralidae) Synonym(s): *intervacatalis* Christoph,1877; *psologramma* Meyrick,1937
- 4240) *Leptarthus* *brevirostris* (Meigen,1804) (Asilidae) Synonym(s): *brevirostris* Meigen,1804
- 4241) *Leptidea* *duponcheli* (Staudinger,1871) (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003
- 4242) *Leptocera* (s.str.) *nigra* Olivier,1813 (Sphaeroceridae) Synonym(s): *nigra* Olivier,1813; *curvinervis* Stenhammar,1854; *roralis* Rondani,1880
- 4243) *Leptochilus* (Lionotulus) *membranaceus* (Morawitz,1867) (Vespidae) Synonym(s): *membranaceus* Morawitz,1867

- 4244) **Leptochilus fuscipes Gusenleitner, 1985** (Vespidae) Synonym(s): *fuscipes* Gusenleitner, 1985
 4245) **Leptochilus gemma Giordani Soika, 1970** (Vespidae) Synonym(s): *gemma* Giordani Soika, 1970
 4246) **Leptochilus resslī Gusenleitner, 1985** (Vespidae) Synonym(s): *resslī* Gusenleitner, 1985
 4247) **Leptocoris oratoria (Fabricius, 1794)** (Alydidae) Synonym(s): *oratoria* Fabricius, 1794
 4248) **Leptocybe invasa Fisher & La Salle, 2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle, 2004
 4249) **Leptodes (s.str.) tschitscherini Semenov** (Tenebrionidae) Synonym(s):
 4250) **Leptogaster calceata Engel, 1925** (Asilidae) Synonym(s): *calceata* Engel, 1925
 4251) **Leptogaster cylindrica (De Geer, 1776)** (Asilidae) Synonym(s): *cylindrica* De Geer, 1776; *tipuloides* Fabricius, 1775; *livida* Geoffroy, 1785; *fusca* Meigen, 1804; *hispanica* Meigen, 1838; *nigricornis* Loew, 1847; *dorsalis* Dahlbom, 1851
 4252) **Leptogaster gracilis Loew, 1847** (Asilidae) Synonym(s): *gracilis* Loew, 1847
 4253) **Leptogaster guttiventris Zetterstedt, 1842** (Asilidae) Synonym(s): *guttiventris* Zetterstedt, 1842; *cylindrica* sensu Meigen, 1820
 4254) **Leptogaster nartshukae Lehr, 1961** (Asilidae) Synonym(s): *nartshukae* Lehr, 1961
 4255) **Leptogaster pubicornis Loew, 1847** (Asilidae) Synonym(s): *pubicornis* Loew, 1847; *pusillus* Jaennicke, 1867
 4256) **Leptogaster abnormis (Girault, 1915)** (Encyrtidae) Synonym(s): *abnormis* Girault, 1915
 4257) **Leptomys shach Semenov, 1922** (Mydidae) Synonym(s): *shach* Semenov, 1922
 4258) **Leptophyes boliviari (Kirby, 1906)** (Tettigoniidae) Synonym(s): *boliviari* Kirby, 1906
 4259) **Leptophyes iranica (Ramme, 1939)** (Tettigoniidae) Synonym(s): *iranica* Ramme, 1939
 4260) **Leptogaster gracilis (Eversmann, 1848)** (Acrididae) Synonym(s): *gracilis* Eversmann, 1848; *angustipennis* Saussure, 1884; *grobbeni* Werner, 1905; *maculipennis* Chopard, 1949
 4261) **Leptura quadrifasciata Linnaeus, 1758** (Cerambycidae) Synonym(s): *quadrifasciata* Linnaeus, 1758
 4262) **Lertha extensa (Olivier, 1811)** (Nemopteridae) Synonym(s): *extensa* Olivier, 1811
 4263) **Lertha ledereri (Selys-Longchamps, 1866)** (Nemopteridae) Synonym(s): *ledereri* Selys-Longchamps, 1866
 4264) **Lertha palmonii Tjeder, 1970** (Nemopteridae) Synonym(s): *palmonii* Tjeder, 1970
 4265) **Lethaeus lethierryi (Puton, 1869)** (Lygaeidae) Synonym(s): *lethierryi* Puton, 1869
 4266) **Lethaeus picipes (Herrich-Schäffer, 1853)** (Lygaeidae) Synonym(s): *picipes* Herrich-Schäffer, 1853
 4267) **Leucania comma (Linnaeus, 1761)** (Noctuidae) Synonym(s): *comma* Linnaeus, 1761; *turbida* Hübner, [1803]; *congener* Hübner, [1817]; *rhodocomma* Püngeler, 1900; *engadinensis* Wagner, 1909
 4268) **Leucania joannisi Boursin & Rungs, 1952** (Noctuidae) Synonym(s): *joannisi* Boursin & Rungs, 1952
 4269) **Leucania loreyi (Duponchel, 1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel, 1827; *caricis* Walker, 1856; *collecta* Walker, 1856; *curcula* Walker, 1856; *denotata* Walker, 1856; *designata* Walker, 1856; *exterior* Walker, 1856; *thoracica* Walker, 1856
 4270) **Leucania palaestinae Staudinger, 1897** (Noctuidae) Synonym(s): *palaestinae* Staudinger, 1897; *languida* Staudinger, 1897 *nec* Wlk., 1858; *#obscura* Heydemann et al., 1963; *#plastinae* Konošor & Lödl, 1990
 4271) **Leucania punctosa (Treitschke, 1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke, 1825
 4272) **Leucania putrescens (Hübner, [1824])** (Noctuidae) Synonym(s): *putrescens* Hübner, [1824]; *boisduvalii* Duponchel, 1827; *valletai* Boursin, 1952
 4273) **Leucania zae (Duponchel, 1827)** (Noctuidae) Synonym(s): *zae* Duponchel, 1827; *indistincta* Christoph, 1887; *putrida* Staudinger, 1889; *cinerea* Lucas, 1948
 4274) **Leucochlaena muscosa (Staudinger, 1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger, 1892; *hirsutus* Staudinger, 1892
 4275) **Leucoma wiltshirei Collenette, 1938** (Lymantriidae) Synonym(s): *wiltshirei* Collenette, 1938
 4276) **Leucophaea malifoliella (Costa, [1836])** (Lyonetiidae) Synonym(s): *malifoliella* Costa, [1836]; *scitella* Zeller, 1839
 4277) **Leucospis gigas (Fabricius, 1793)** (Leucospidae) Synonym(s): *gigas* Fabricius, 1793; *grandis* Klug, 1814; *varia* Klug, 1814; *shuckardi* Westwood, 1834; *rufonotata* Westwood, 1839; *quaettaensis* Cameron, 1906; *nursei* Cameron, 1906
 4278) **Leuctra klapperichi Muranyi, 2005** (Leuctridae) Synonym(s): *klapperichi* Muranyi, 2005
 4279) **Libelloides macaronius (Scopoli, 1763)** (Ascalaphidae) Synonym(s): *macaronius* Scopoli, 1763
 4280) **Libelloides ustulatus (Eversmann, 1850)** (Ascalaphidae) Synonym(s): *ustulatus* Eversmann, 1850
 4281) **Libythea (s.str.) celtis (Laicharting, 1782)** (Libytheidae) Synonym(s): *celtis* Laicharting, 1782
 4282) **Limacocarenum curtulus Kiritchenko, 1914** (Rhopalidae) Synonym(s): *curtulus* Kiritchenko, 1914
 4283) **Limnitis (Azuritis) reducta Staudinger, 1901** (Argynniidae) Synonym(s): *reducta* Staudinger, 1901
 4284) **Limnophora bipunctata (Stein, 1908)** (Muscidae) Synonym(s): *bipunctata* Stein, 1908
 4285) **Limnophora obsignata (Rondani, 1866)** (Muscidae) Synonym(s): *obsignata* Rondani, 1866; *ostensackeni* Jaennicke, 1867
 4286) **Limnophora persica Hennig, 1959** (Muscidae) Synonym(s): *persica* Hennig, 1959
 4287) **Limosina flavipes (Meigen, 1830)** (Sphaeroceridae) Synonym(s): *flavipes* Meigen, 1830; *minutissima* Zetterstedt, 1847; *retracta* Rondani, 1880; *ventruosella* Venturi, 1965
 4288) **Limosina mirabilis Collin, 1902** (Sphaeroceridae) Synonym(s): *mirabilis* Collin, 1902
 4289) **Limotettix striola (Fallén, 1806)** (Cicadellidae) Synonym(s): *striola* Fallén, 1806; *frenatus* Germar, 1821; *ferganensis* Dubovsky, 1966
 4290) **Linnaemya neavei Curran, 1934** (Tachinidae) Synonym(s): *neavei* Curran, 1934
 4291) **Linnaemya vulpina (Fallén, 1810)** (Tachinidae) Synonym(s): *vulpina* Fallén, 1810
 4292) **Lispe apicalis Mik, 1869** (Muscidae) Synonym(s): *apicalis* Mik, 1869
 4293) **Lispe kowarzi Becker, 1903** (Muscidae) Synonym(s): *kowarzi* Becker, 1903
 4294) **Lispe longicollis Meigen, 1826** (Muscidae) Synonym(s): *longicollis* Meigen, 1826; *leucomelaena* Konow, 1892
 4295) **Lispe nana Macquart, 1835** (Muscidae) Synonym(s): *nana* Macquart, 1835; *pulchella* Loew, 1847; *melitensis* Rondani, 1866; *meridionalis* Rondani, 1877
 4296) **Lispe quaerens Villeneuve, 1936** (Muscidae) Synonym(s): *quaerens* Villeneuve, 1936
 4297) **Lispe scalaris Loew, 1847** (Muscidae) Synonym(s): *scalaris* Loew, 1847; *persica* Becker, 1904
 4298) **Lispe tentaculata (De Geer, 1776)** (Muscidae) Synonym(s): *tentaculata* De Geer, 1776; *fluviatilis* R-D., 1830; *tarsalis* R-D., 1830; *tibialis* Macquart, 1839; *dissona* Villeneuve, 1936
 4299) **Lissonota (Lxonota) flavovariegata (Lucas, 1849)** (Ichneumonidae) Synonym(s): *flavovariegata* Lucas, 1849; *lineolator* Aubert, 1972
 4300) **Listrognathus (s.str.) furax (Tschek, 1871)** (Ichneumonidae) Synonym(s): *furax* Tschek, 1871
 4301) **Listrognathus mactator (Thunberg, 1824)** (Ichneumonidae) Synonym(s): *mactator* Thunberg, 1824
 4302) **Lithophane lapidea (Hübner, [1808])** (Noctuidae) Synonym(s): *lapidea* Hübner, [1808]
 4303) **Lithostege buxtoni L.B.Prout, 1920** (Geometridae) Synonym(s): *buxtoni* L.B.Prout, 1920

- 4304) Lithostege coassata (Hübner,[1825])** (Geometridae) Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840.
- 4305) Lithostege dissocyma L.B.Prout,1938** (Geometridae) Synonym(s): *dissocyma* L.B.Prout,1938
- 4306) Lithostege fissurata Mabille,1888** (Geometridae) Synonym(s): *fissurata* Mabille,1888; *inanis* L.B.Prout,1941; *fitzgeraldi* Wiltshire,1947
- 4307) Lithostege flavicornata (Zeller,1847)** (Geometridae) Synonym(s): *flavicornata* Zeller,1847
- 4308) Lithostege griseata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkiata* Stephens,1850; *gigantea* Bytinski-Salz & Brandt,1937; *#transversaria* Bytinski-Salz & Brandt,1937
- 4309) Lithostege infusata Eversmann,1837** (Geometridae) Synonym(s): *infusata* Eversmann,1837
- 4310) Lithostege notata A.Bang-Haas,1906** (Geometridae) Synonym(s): *notata* A.Bang-Haas,1906; *bifissana* Rebel,1911
- 4311) Lithostege palaestinensis Amsel,1935** (Geometridae) Synonym(s): *palaestinensis* Amsel,1935; *ali* Wiltshire,1941.
- 4312) Lithostege samandooki Rajaei,2011** (Geometridae) Synonym(s): *samandooki* Rajaei,2011
- 4313) Lithostege stadiei Lehmann,2011** (Geometridae) Synonym(s): *stadiei* Lehmann,2011
- 4314) Lithostege witzenmanni Standfuss,1892** (Geometridae) Synonym(s): *witzenmanni* Standfuss,1892
- 4315) Lithurgus chrysurus Fonscolombe,1834** (Megachilidae) Synonym(s): *chrysurus* Fonscolombe,1834; *analisis* Lepeletier,1841; *haemorrhoidalis* Lepeletier,1841; *monocerus* Morawitz,1873
- 4316) Lithurgus cornutus (Fabricius,1787)** (Megachilidae) Synonym(s): *cornutus* Fabricius,1787; *fuscipennis* Lepeletier,1841; *umbraculatus* Lepeletier,1841; *nasutus* Dufour,1849; *monoceros* Eversmann,1852; *dohrni* Radoszkowski,1862; *maximus* Radoszkowski,1872
- 4317) Lithurgus tibialis Morawitz,1875** (Megachilidae) Synonym(s): *tibialis* Morawitz,1875
- 4318) Lobesia (s.str.) artemisiana (Zeller,1847)** (Tortricidae) Synonym(s): *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1876
- 4319) Lobesia (s.str.) vitisana (Jacquin,1788)** (Tortricidae) Synonym(s): *#botrana* [Denis & Schiffermüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Millière,1865.
- 4320) Lobotespis vignai La Greca & Lombardo,1987** (Mantidae) Synonym(s): *vignai* La Greca & Lombardo,1987
- 4321) Locusta migratoria (Linnaeus,1758)** (Acrididae) Synonym(s): *migratoria* Linnaeus,1758; *danica* Linnaeus,1767; *australis* Saussure,1884; *rossica* Uvarov & Zolotarevsky,1929; *gallica* Remaudière,1947; *solitaria* Carthy,1955
- 4322) Loewinella virescens (Loew,1871)** (Asilidae) Synonym(s): *virescens* Loew,1871
- 4323) Lomatia armeniaca Paramonov,1924** (Bombyliidae) Synonym(s): *armeniaca* Paramonov,1924
- 4324) Lomatia belzebul (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul* Fabricius,1794
- 4325) Lomatia lachesis Egger,1859** (Bombyliidae) Synonym(s): *lachesis* Egger,1859
- 4326) Lomatia persica Paramonov,1924** (Bombyliidae) Synonym(s): *persica* Paramonov,1924
- 4327) Lomatia shelkovnikovi Paramonov,1924** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1924
- 4328) Lomatia superba Loew,1869** (Bombyliidae) Synonym(s): *superba* Loew,1869
- 4329) Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis* Marsham,1802 *nec Fabr.*,1775; *aeneicollis* Faldermann,1837; *nigricollis* Foudras,1860; *rubenticollis* Allard,1860; *similis* Weise,1893; *cribripennis* Abeille,1909
- 4330) Longitarsus albineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *albineus* Foudras,1860
- 4331) Longitarsus alfieri (Pic,1923)** (Chrysomelidae) Synonym(s): *alfieri* Pic,1923; *antinea* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruév,1982
- 4332) Longitarsus anchusae (Paykull,1799)** (Chrysomelidae) Synonym(s): *anchusae* Paykull,1799; *punctatissimus* Weise,1888
- 4333) Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus* Linnaeus,1761; *declivis* Weise,1893
- 4334) Longitarsus ballotae (Marsham,1802)** (Chrysomelidae) Synonym(s): *ballotae* Marsham,1802; *canescens* Foudras,1860; *septorum* Buysson,1908; *#caligans* Kral,1945
- 4335) Longitarsus bertii Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii* Leonhardi,1973
- 4336) Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus* Warchalowski,1967
- 4337) Longitarsus eminus Warchalowski,1967** (Chrysomelidae) Synonym(s): *eminus* Warchalowski,1967
- 4338) Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata* Allard,1866 *nec Stph.*,1834; *fallax* Weise,1888; *nitens* Khnzorian,1968; *cynoglossi* Palij,1970 *nec Marshm.*,1802
- 4339) Longitarsus karlheini Warchalowski,1972** (Chrysomelidae) Synonym(s): *karlheini* Warchalowski,1972
- 4340) Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii* Baly,1874
- 4341) Longitarsus linnaei (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *linnaei* Duftschmid,1825
- 4342) Longitarsus lycopi (Foudras,1860)** (Chrysomelidae) Synonym(s): *lycopi* Foudras,1860
- 4343) Longitarsus melanocephalus (De Geer,1775)** (Chrysomelidae) Synonym(s): *melanocephalus* De Geer,1775
- 4344) Longitarsus membranaceus (Foudras,1860)** (Chrysomelidae) Synonym(s): *membranaceus* Foudras,1860
- 4345) Longitarsus nigrofasciatus (Goeze,1777)** (Chrysomelidae) Synonym(s): *nigrofasciatus* Goeze,1777
- 4346) Longitarsus obliteratus (Rosenhauer,1847)** (Chrysomelidae) Synonym(s): *obliteratus* Rosenhauer,1847; *meridionalis* Cziki & Heikertinger,1940
- 4347) Longitarsus pellucidus (Foudras,1860)** (Chrysomelidae) Synonym(s): *pellucidus* Foudras,1860
- 4348) Longitarsus picicollis Weise,1900** (Chrysomelidae) Synonym(s): *picicollis* Weise,1900
- 4349) Longitarsus pratensis (Panzer,1794)** (Chrysomelidae) Synonym(s): *pratensis* Panzer,1794
- 4350) Longitarsus rectilineatus (Foudras,1860)** (Chrysomelidae) Synonym(s): *rectilineatus* Foudras,1860
- 4351) Longitarsus reichei (Allard,1860)** (Chrysomelidae) Synonym(s): *reichei* Allard,1860
- 4352) Longitarsus tabidus (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tabidus* Fabricius,1775
- 4353) Longitarsus trepidus Warchalowski,1973** (Chrysomelidae) Synonym(s): *trepidus* Warchalowski,1973
- 4354) Longitarsus violentus Weise,1893** (Chrysomelidae) Synonym(s): *violentus* Weise,1893
- 4355) Lopezus fedtschenkoi (McLachlan,1875)** (Myrmeleonidae) Synonym(s): *fedtschenkoi* McLachlan,1875
- 4356) Lophops pallida Melichar,1902** (Lophopidae) Synonym(s): *pallida* Melichar,1902
- 4357) Lophoterges (Fibiger) hoerhammeri (Wagner,1931)** (Noctuidae) Synonym(s): *hoerhammeri* Wagner,1931
- 4358) Lophoterges (Fibiger) mariannae Fibiger,2001** (Noctuidae) Synonym(s): *mariannae* Fibiger,2001
- 4359) Lophyridia caucasica (Adams,1817)** (Carabidae) Synonym(s): *caucasica* Adams,1817
- 4360) Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817
- 4361) Lophyridia hilariola (Bates,1874)** (Carabidae) Synonym(s): *hilariola* Bates,1874
- 4362) Loxostege clathralis (Hübner,[1813])** (Pyralidae) Synonym(s): *clathralis* (Hübner,[1813]); *comptalis* Lederer,1855 *nec Frr.*,[1848]; *#nivalis* Caradja,1916
- 4363) Loxostege delibatica Szent-Ivány & Uhrík-Meszáros,1942** (Pyralidae) Synonym(s): *sulphuralis* Hübner,[1813] *nec Thunb.*,1784; *delibatica* Szent-Ivány & Uhrík-Meszáros,1942; *huebneri* Koçak,1980

- 4364) *Loxostege emiralis* (Oberthür,1888) (Pyralidae) Synonym(s): *emiralis* Oberthür,1888
- 4365) *Loxostege farsalis* Amsel,1950 (Pyralidae) Synonym(s): *farsalis* Amsel,1950
- 4366) *Loxostege foviferalis* (Hampson,1900) (Pyralidae) Synonym(s): *foviferalis* Hampson,1900
- 4367) *Loxostege malekalis* Amsel,1950 (Pyralidae) Synonym(s): *malekalis* Amsel,1950
- 4368) *Loxostege mira* Amsel,1951 (Pyralidae) Synonym(s): *mira* Amsel,1951
- 4369) *Loxostege scalaris* (Christoph,1877) (Pyralidae) Synonym(s): *scalaris* Christoph,1877
- 4370) *Loxostege sticticalis* (Linnaeus,1761) (Pyralidae) Synonym(s): *lupulina* Clerk,1759 nec Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811
- 4371) *Loxostege straminealis* (Hampson,1900) (Pyralidae) Synonym(s): *straminealis* Hampson,1900
- 4372) *Lucanus* (Pseudolucanus) *xerxes* Kral,2004 (Lucanidae) Synonym(s): *xerxes* Kral,2004
- 4373) *Lucanus* (s.str.) *ibericus* Motschoulsky,1845 (Lucanidae) Synonym(s): *ibericus* Motschoulsky,1845; *curtulus* Motschoulsky,1845; *barbarossa* Burmeister,1847 nec Fabr.,1801; *minor* Burmeister,1847; *orientalis* Kraatz,1860; *piger* Motschoulsky,1870; *syriacus* Motschoulsky,1870; *tenebrosus* Motschoulsky,1870; *intermedius* Motschoulsky,1870; *caspica* Semenov,1901; *ravasinii* Schatzmayr,1923; *#ibericus* Sabatinelli,1977
- 4374) *Luperina diversa* (Staudinger,1892) (Noctuidae) Synonym(s): *diversa* Staudinger,1892; *indistincta* Rebel,1933
- 4375) *Luperina rubella* (Duponchel,1835) (Noctuidae) Synonym(s): *mediosignata* Turati,1930; *sericea* Caradja,1932; *thurneri* Schawerda,1938.
- 4376) *Lycaena* (Alciphronia) *alciphron* (Rottemburg,1775) (Lycaenidae) Synonym(s): *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787.
- 4377) *Lycaena* (Hyrceanana) *caspicus* (Lederer,1869) (Lycaenidae) Synonym(s): *caspicus* Lederer,1869
- 4378) *Lycaena* (Loweia) *tityrus* (Poda,1761) (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acirion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.
- 4379) *Lycaena* (Palaeochrysophanus) *candens* (Herrich-Schäffer,[1845]) (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer,[1845]
- 4380) *Lycaena* (Phoenicurusia) *phoenicurus* (Lederer,1870) (Lycaenidae) Synonym(s): *phoenicurus* Lederer,1870; *transcaucasica* Miller,1923
- 4381) *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761) (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
- 4382) *Lycaena* (Thersamolycaena) *dispar* ([Haworth],1802) (Lycaenidae) Synonym(s): *dispar* [Haworth],1802; *hippotoe* Rottemburg,1775 nec Linnaeus,1761.
- 4383) *Lycaena* (Thersamonia) *asabinus* (Gerhard,[1850]) (Lycaenidae) Synonym(s): *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852].
- 4384) *Lycaena* (Thersamonia) *kefersteinii* (Gerhard,[1850]) (Lycaenidae) Synonym(s): *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852].
- 4385) *Lycaena* (Thersamonia) *kurdistanica* (Riley,1921) (Lycaenidae) Synonym(s): *kurdistanica* Riley,1921
- 4386) *Lycaena* (Thersamonia) *lampon* (Lederer,1870) (Lycaenidae) Synonym(s): *lampon* Lederer,1870
- 4387) *Lycaena* (Thersamonia) *lamponides* (Staudinger,1901) (Lycaenidae) Synonym(s): *lamponides* Staudinger,1901; *peanus* Zhdanko,1990
- 4388) *Lycaena* (Thersamonia) *thersamon* (Esper,[1784]) (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.
- 4389) *Lycaena* (Thersamonia) *thetis* (Klug,1834) (Lycaenidae) Synonym(s): *thetis* Klug,1834.
- 4390) *Lycia graecarius* (Staudinger,1861) (Geometridae) Synonym(s): *graecarius* Staudinger,1861
- 4391) *Lycophorus villosus* (Alpheraky,1887) (Noctuidae) Synonym(s): *villosus* Alpheraky,1887; *benigna* Corti,1926
- 4392) *Lydus unicolor* Reitter,1887 (Meloidae) Synonym(s): *unicolor* Reitter,1887; *halbhuberi* Escherich,1896
- 4393) *Lygaeosoma sardeum* Spinola,1837 (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatum* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 4394) *Lygaeosoma sardeum* Spinola,1837 (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatus* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *erythropterus* Puton,1876 [ssp.]; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 4395) *Lygaeosoma sibiricum* Seidenstücker,1962 (Lygaeidae) Synonym(s): *sibiricum* Seidenstücker,1962; *rufa* Seidenstücker,1962
- 4396) *Lygaeus creticus* (Lucas,1854) (Lygaeidae) Synonym(s): *creticus* Lucas,1854; *bisbipunctatus* A.Costa,1864; *sexmaculatus* Garbiglietti,1869
- 4397) *Lygaeus equestris* (Linnaeus,1758) (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758; *speciosus* Poda,1761; *punctumalbum* Pollich,1781; *lactans* Horvath,1899; *sicilianus* Wagner,1954
- 4398) *Lygaeus melanostolus* (Kiritshenko,1931) (Lygaeidae) Synonym(s): *melanostolus* Kiritshenko,1931; *alaicus* Kiritshenko,1931
- 4399) *Lygaeus simulans* Deckert,1985 (Lygaeidae) Synonym(s): *simulans* Deckert,1985
- 4400) *Lygephila* (s.str.) *craccae* (Fabricius,1787) (Noctuidae) Synonym(s): *#craccae* [Denis & Schiffermüller],1775; *craccae* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#craccae* Hacker & Kautt,1999.
- 4401) *Lygephila* (s.str.) *fereidun* Wiltshire,1961 (Noctuidae) Synonym(s): *fereidun* Wiltshire,1961
- 4402) *Lygephila* (s.str.) *lubrica* (Freyer,1842) (Noctuidae) Synonym(s): *lubrica* Freyer,1842
- 4403) *Lygephila* (s.str.) *lusoria* (Linnaeus,1758) (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758; *orobi* Duponchel,1821; *lathyri* Boisduval,[1828]
- 4404) *Lygephila* (s.str.) *procax* (Hübner,[1813]) (Noctuidae) Synonym(s): *procax* Hübner,[1813]; *limosa* Treitschke,1826; *nigricostata* Graeser,1890
- 4405) *Lygephila* (s.str.) *schachti* Behounek & Hacker,1986 (Noctuidae) Synonym(s): *schachti* Behounek & Hacker,1986
- 4406) *Lygephila* (s.str.) *subpicata* Wiltshire,1971 (Noctuidae) Synonym(s): *subpicata* Wiltshire,1971
- 4407) *Lygus pratensis* (Linnaeus,1758) (Miridae) Synonym(s): *pratensis* Linnaeus,1758
- 4408) *Lygus rugulipennis* Poppius,1911 (Miridae) Synonym(s): *rugulipennis* Poppius,1911
- 4409) *Lymantria dispar* (Linnaeus,1758) (Lymantriidae) Synonym(s): *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschoulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926
- 4410) *Lyristes esfandiarii* Dlabola,1970 (Cicadidae) Synonym(s): *esfandiarii* Dlabola,1970
- 4411) *Lyristes plebejus* (Scopoli,1763) (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955
- 4412) *Macaria alternata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *alternata* [Denis & Schiffermüller],1775; *alternaria* Hübner,[1805]; *praenotata* Haworth,1809
- 4413) *Maccevetus errans* (Fabricius,1794) (Rhopalidae) Synonym(s): *errans* Fabricius,1794

- 4414) **Maccevetus persicus** Jakovlev, 1881 (Rhopalidae) Synonym(s): *persicus* Jakovlev, 1881
- 4415) **Macdunnoughia confusa** (Stephens, 1850) (Noctuidae) Synonym(s): *confusa* Stephens, 1850; *gutta* Guenée, 1852.
- 4416) **Machimus annulipes** (Brullé, 1832) (Asilidae) Synonym(s): *annulipes* Brullé, 1832; *basalis* Loew, 1849; *cerdo* Gerstaecker, 1861
- 4417) **Machimus aradensis** Theodor, 1980 (Asilidae) Synonym(s): *aradensis* Theodor, 1980
- 4418) **Machimus armipes** Becker, 1913 (Asilidae) Synonym(s): *armipes* Becker, 1913
- 4419) **Machimus elegans** (Loew, 1849) (Asilidae) Synonym(s): *elegans* Loew, 1849
- 4420) **Machimus graciosus** Loew, 1871 (Asilidae) Synonym(s): *graciosus* Loew, 1871
- 4421) **Machimus idiorrhymicus** Janssens, 1960 (Asilidae) Synonym(s): *idiorrhymicus* Janssens, 1960
- 4422) **Machimus modestus** (Loew, 1849) (Asilidae) Synonym(s): *modestus* Loew, 1849
- 4423) **Machimus nahalelensis** Theodor, 1980 (Asilidae) Synonym(s): *nahalelensis* Theodor, 1980
- 4424) **Machimus nevadensis** (Strobl, 1909) (Asilidae) Synonym(s): *nevadensis* Strobl, 1909
- 4425) **Machimus rudis** Becker, 1923 (Asilidae) Synonym(s): *rudis* Becker, 1923
- 4426) **Machimus rusticus** (Meigen, 1820) (Asilidae) Synonym(s): *rusticus* Meigen, 1820; *obscurus* Meigen, 1820; *genualis* Zeller, 1840
- 4427) **Machimus setibarbus** (Loew, 1849) (Asilidae) Synonym(s): *setibarbus* Loew, 1849
- 4428) **Machimus thoracius** (Loew, 1849) (Asilidae) Synonym(s): *thoracius* Loew, 1849
- 4429) **Machiremisca decipiens** (Wiedemann, 1820) (Asilidae) Synonym(s): *decipiens* Wiedemann, 1820; *variegatus* Meigen, 1820; *multicolor* Schiner, 1854; *varispinus* Strobl, 1909
- 4430) **Macroglossum stellatarum** (Linnaeus, 1758) (Sphingidae) Synonym(s): *stellatarum* Linnaeus, 1758; *nigra* Cosmovici, 1892.
- 4431) **Macromyrme binotata** (Radoszkowski, 1879) (Mutillidae) Synonym(s): *binotata* Radoszkowski, 1879; *araratica* Radoszkowski, 1890
- 4432) **Macromyrme sinuata** (Olivier, 1811) (Mutillidae) Synonym(s): *sinuata* Olivier, 1811; *villosa* Klug, 1829
- 4433) **Macronemurus amoenus** (Hölzel, 1972) (Myrmeleonidae) Synonym(s): *amoenus* Hölzel, 1972
- 4434) **Macronemurus persicus** (Navas, 1915) (Myrmeleonidae) Synonym(s): *persicus* Navas, 1915
- 4435) **Macropsia ottomana** Mocsary, 1881 (Tenthredinidae) Synonym(s): *ottomana* Mocsary, 1881
- 4436) **Macropsis graminea** (Fabricius, 1798) (Cicadellidae) Synonym(s): *graminea* Fabricius, 1798; *populi* Edwards, 1919
- 4437) **Macropsis scutellata** (Boheman, 1845) (Cicadellidae) Synonym(s): *scutellata* Boheman, 1845; *tibialis* Scott, 1874
- 4438) **Macrocytus brunneus** (Fabricius, 1803) (Cydnidae) Synonym(s): *brunneus* Fabricius, 1803; *proximus* Rambur, 1839; *opacus* Stål, 1854; *scutellaris* Horvath, 1919; *exiguus* Horvath, 1919
- 4439) **Macrosiphoniella (Papillomyzus) papillata** Holman, 1962 (Aphididae) Synonym(s): *papillata* Holman, 1962
- 4440) **Macrosiphoniella aktashica** (Nevsky, 1928) (Aphididae) Synonym(s): *aktashica* Nevsky, 1928
- 4441) **Macrosteles oculatus** Dlabola, 1952 (Cicadellidae) Synonym(s): *oculatus* Dlabola, 1952; *angorensis* Dubovsky, 1970
- 4442) **Macrosteles ossiannilssoni** Lindberg, 1954 (Cicadellidae) Synonym(s): *ossiannilssoni* Lindberg, 1954; *ossiannilssoni* Le Quense, 1968
- 4443) **Macrosteles quadripunctulatus** (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum, 1868; *ramigera* Zachvatkin, 1933
- 4444) **Macrosteles sexnotatus** (Fallén, 1806) (Cicadellidae) Synonym(s): *sexnotatus* Fallén, 1806; *devastans* Guérin-Méneville, 1852; *didymus* Mulsant & Rey, 1855; *diminuta* Lethierry, 1876; *binotata* Rey, 1894; *submaculata* Rey, 1894
- 4445) **Macrotylus perdictus** Kritshenko, 1938 (Miridae) Synonym(s): *perdictus* Kritshenko, 1938
- 4446) **Makrania belutschistanella** Amsel, 1959 (Pyralidae) Synonym(s): *belutschistanella* Amsel, 1959
- 4447) **Malachius ephippiger** Redtenbacher, 1843 (Melyridae) Synonym(s): *ephippiger* Redtenbacher, 1843
- 4448) **Malachius faldermanni** Faldermann, 1836 (Melyridae) Synonym(s): *faldermanni* Faldermann, 1836
- 4449) **Malachius heliophilus** Peyron, 1877 (Melyridae) Synonym(s): *heliophilus* Peyron, 1877
- 4450) **Malachius pulcherrimus** (Pic, 1909) (Melyridae) Synonym(s): *pulcherrimus* Pic, 1909
- 4451) **Malachohelca tianshanica** Remm, 1980 (Ceratopogonidae) Synonym(s): *tianshanica* Remm, 1980
- 4452) **Malacosoma castrensis** (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *castrensis* Linnaeus, 1758; *ksiezopolskii* Sheljuzhko, 1943
- 4453) **Malacosoma neustrium** (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *neustria* Linnaeus, 1758; *annularis* Fourcroy, 1785; *unicolor* Cyrilli, 1787; *bilineatus* Haworth, 1803
- 4454) **Malacosoma paralellum** Staudinger, 1887 (Lasiocampidae) Synonym(s): *paralellum* Staudinger, 1887
- 4455) **Maladera (Cephaloserica) insanabilis** Brenske, 1894 (Scarabaeidae) Synonym(s): *insanabilis* Brenske, 1894
- 4456) **Maladera (Macroserica) punctatissima** (Faldermann, 1835) (Scarabaeidae) Synonym(s): *punctatissima* Faldermann, 1835
- 4457) **Mallota cimbiciformis** (Fallén, 1817) (Syrphidae) Synonym(s): *cimbiciformis* Fallén, 1817; *eristoloides* Loew, 1856
- 4458) **Mallota fuciformis** (Fabricius, 1794) (Syrphidae) Synonym(s): *fuciformis* Fabricius, 1794
- 4459) **Mallota zarudniana** Stackelberg, 1950 (Syrphidae) Synonym(s): *zarudniana* Stackelberg, 1950
- 4460) **Malthinus conspicuus** Kiesenwetter, 1852 (Cantharidae) Synonym(s): *conspicuus* Kiesenwetter, 1852
- 4461) **Malthinus elbursensis** Wittmer, 1978 (Cantharidae) Synonym(s): *elbursensis* Wittmer, 1978
- 4462) **Malthinus rauschi** Wittmer, 1978 (Cantharidae) Synonym(s): *rauschi* Wittmer, 1978
- 4463) **Malthodes paveli** Svihla, 2009 (Cantharidae) Synonym(s): *paveli* Svihla, 2009
- 4464) **Mamestra brassicae** (Linnaeus, 1758) (Noctuidae) Synonym(s): *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889.
- 4465) **Maniola (s.str.) jurtina** (Linnaeus, 1758) (Satyridae) Synonym(s): *jurtina* Linnaeus, 1758; *janira* Linnaeus, 1758; *lemur* Schrank, 1801.
- 4466) **Maniola (Telmessiola) telmessia** (Zeller, 1847) (Satyridae) Synonym(s): *telmessia* Zeller, 1847; *pallescent* Butler, 1868; *kurdistan* Heyne, 1894; *oreas* Le Cerf, 1912; *manioides* Le Cerf, 1912; *ornata* Turati & Fiori, 1930; *marenigrans* Verity, 1938; *pelekassii* Kattulas & Koutsaftikis, 1978.
- 4467) **Mantis religiosa** (Linnaeus, 1758) (Mantidae) Synonym(s): *religiosa* Linnaeus, 1758
- 4468) **Mantispa aphavexelte** U. Aspöck & H. Aspöck, 1994 (Mantispidae) Synonym(s): *aphavexelte* U. Aspöck & H. Aspöck, 1994; *aphavexelte* Dobosz, 2007
- 4469) **Mantispa scabricollis** McLachlan, 1875 (Mantispidae) Synonym(s): *scabricollis* McLachlan, 1875; *?minuta* Kozhantshikov, 1949; *caucasica* Handschin, 1959
- 4470) **Mantispa styriaca** (Poda, 1761) (Mantispidae) Synonym(s): *styriaca* Poda, 1761; *pagana* Fabricius, 1775; *hauseri* Poivre, 1982
- 4471) **Manulea (s.str.) palliatella** (Scopoli, 1763) (Arctiidae) Synonym(s): *palliatella* Scopoli, 1763; *unita* [Denis & Schifferrmüller], 1775; *palleola* Hübner, [1808]; *gilveola* Ochsenheimer, 1810; *vitellina* Treitschke, 1834; *flaveola* Rambur, 1866.

- 4472) *Maracanda iranica* Hölzel, 1968 (Myrmeleonidae) Synonym(s): *iranica* Hölzel, 1968
- 4473) *Maraschia grisea* Osthelder, 1933 (Noctuidae) Synonym(s): *grisea* Osthelder, 1933
- 4474) *Marasmarcha ehrenbergiana* Zeller, 1841 (Pterophoridae) Synonym(s): *ehrenbergiana* Zeller, 1841; *decolorum* Caradja, 1920.
- 4475) *Marasmarcha iranica* Arenberger, 1999 (Pterophoridae) Synonym(s): *iranica* Arenberger, 1999
- 4476) *Marasmarcha pulchra* (Christoph, 1885) (Pterophoridae) Synonym(s): *pulchra* Christoph, 1885
- 4477) *Marasmarcha rhypodactyla* (Staudinger, 1871) (Pterophoridae) Synonym(s): *rhypodactyla* Staudinger, 1871; *urali* Caradja, 1920.
- 4478) *Margaretania superba* Amsel, 1961 (Pyralidae) Synonym(s): *superba* Amsel, 1961
- 4479) *Margelana brunnea* Fibiger, Zahiri & Kononenko, 2007 (Noctuidae) Synonym(s): *brunnea* Fibiger, Zahiri & Kononenko, 2007
- 4480) *Margelana flavidior* Wagner, 1831 (Noctuidae) Synonym(s): *flavidior* Wagner, 1831
- 4481) *Margelana ochrea* Brandt, 1941 (Noctuidae) Synonym(s): *ochrea* Brandt, 1941; *ochracea* Lehmann, Hacker et al., 1998
- 4482) *Margelana versicolor* Staudinger, 1888 (Noctuidae) Synonym(s): *versicolor* Staudinger, 1888
- 4483) *Mariobezzia lichtwardti* Becker, 1913 (Bombyliidae) Synonym(s): *lichtwardti* Becker, 1913; *zarudnyi* Becker, 1913; *griseohirta* Nurse, 1922; *pellucida* Paramonov, 1929; *aegyptiacat* Engel, 1933
- 4484) *Marsipophora christophi* (Erschoff, 1874) (Noctuidae) Synonym(s): *christophi* Erschoff, 1874
- 4485) *Marumba quercus* ([Denis & Schiffermüller], 1775) (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller], 1775; *denisii* Fuessly, 1779; *#brunneus* Rebel, 1910; *#canescens*, *pallidus* Closs, 1922; *mesopotamica* O.Bang-Haas, 1938; *schirasi* O.Bang-Haas, 1938; *#pallida* Vilarrubia, 1973.
- 4486) *Masaris carli* Schulthess, 1921 (Vespidae) Synonym(s): *carli* Schulthess, 1921; *smirnovi* Kostylev, 1925
- 4487) *Mecyna albalis* Amsel, 1961 (Pyralidae) Synonym(s): *albalis* Amsel, 1961
- 4488) *Mecyna amasialis* (Staudinger, 1879) (Pyralidae) Synonym(s): *amasialis* Staudinger, 1879
- 4489) *Mecyna flavalis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *flavalis* [Denis & Schiffermüller], 1775; *paludalis* Rougemont, 1906; *flavicularis* Caradja, 1916
- 4490) *Mecyna grisealis* Amsel, 1961 (Pyralidae) Synonym(s): *grisealis* Amsel, 1961
- 4491) *Mecyna indistinctalis* Amsel, 1961 (Pyralidae) Synonym(s): *indistinctalis* Amsel, 1961
- 4492) *Mecyna pontica* (Staudinger, 1879) (Pyralidae) Synonym(s): *pontica* Staudinger, 1879; *levilinealis* Amsel, 1935
- 4493) *Mecyna sefidalis* (Amsel, 1950) (Pyralidae) Synonym(s): *sefidalis* Amsel, 1950
- 4494) *Mecyna subequalis* (Herrich-Schäffer, 1851) (Pyralidae) Synonym(s): *subequalis* Herrich-Schäffer, 1851; *consequens* Meyrick, 1932.
- 4495) *Mecyna trinalis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *trinalis* [Denis & Schiffermüller], 1775
- 4496) *Medecticus assimilis* (Fieber, 1853) (Tettigoniidae) Synonym(s): *assimilis* Fieber, 1853; *syriacus* Fieber, 1853; *#minutus* Kaltenbach, 1974
- 4497) *Medetera pavlovskii* Negrobov, 1972 (Dolichopodidae) Synonym(s): *pavlovskii* Negrobov, 1972
- 4498) *Megacephala euphratica* Dejean, 1822 (Carabidae) Synonym(s): *euphratica* Dejean, 1822
- 4499) *Megachile (Metamegachile) aurantiaca* Rebmann, 1972 (Megachilidae) Synonym(s): *aurantiaca* Rebmann, 1972
- 4500) *Megachile (Neoeutricharaca) auripubens* Rebmann, 1970 (Megachilidae) Synonym(s): *auripubens* Rebmann, 1970
- 4501) *Megachile (Neoeutricharaca) iranica* Rebmann, 1970 (Megachilidae) Synonym(s): *iranica* Rebmann, 1970
- 4502) *Megachile (Pseudomegachile) persica* Rebmann, 1972 (Megachilidae) Synonym(s): *persica* Rebmann, 1972
- 4503) *Megachile (Xanthosarus) lagopoda* (Linnaeus, 1761) (Megachilidae) Synonym(s): *lagopoda* Linnaeus, 1761
- 4504) *Megachile (Xanthosarus) nigriventris* Schenck, 1870 (Megachilidae) Synonym(s): *ursula* Gerstaecker, 1869; *nigriventris* Schenck, 1870; *curvicrus* Thomson, 1872; *hasticornis* Cockerell, 1924
- 4505) *Megacraspedus argyreneurellus* Staudinger, 1876 (Gelechiidae) Synonym(s): *argyreneurellus* Staudinger, 1876
- 4506) *Megalodes eximia* (Freyer, 1845) (Noctuidae) Synonym(s): *eximia* Freyer, 1845
- 4507) *Megalodontes escalerae* Konow, 1899 (Megalodontesidae) Synonym(s): *escalerae* Konow, 1899
- 4508) *Megalodontes flavicornis* Klug, 1824 (Megalodontesidae) Synonym(s): *flavicornis* Klug, 1824
- 4509) *Megalodontes olivieri* (Brullé, 1846) (Megalodontesidae) Synonym(s): *olivieri* Brullé, 1846
- 4510) *Megalodontes phaenicius* (Lepeletier, 1823) (Megalodontesidae) Synonym(s): *phaenicius* Lepeletier, 1823; *caucasicus* André, 1881; *imperialis* Konow, 1897; *kohli* Konow, 1897
- 4511) *Megalonotus colon* Puton, 1874 (Lygaeidae) Synonym(s): *colon* Puton, 1874
- 4512) *Megalorhipida leucodactyla* (Fabricius, 1794) (Pterophoridae) Synonym(s): *leucodactylus* Fabricius, 1794; *defectalis* Walker, 1864; *congrualis* Walker, 1864; *oxydactyla* Walker, 1864; *hawaiiensis* Butler, 1881; *ochrodactyla* Fish, 1881; *centetes* Meyrick, 1886; *composchores* Meyrick, 1886; *ralumensis* Pagenstecher, 1900; *derelictus* Meyrick, 1926; *palaestinensis* Amsel, 1935
- 4513) *Megalotomus obtusus* Ghauri, 1972 (Alydidae) Synonym(s): *obtus* Ghauri, 1972
- 4514) *Megalotomus ornaticeps* (Stål, 1858) (Alydidae) Synonym(s): *ornaticeps* Stål, 1858
- 4515) *Meganola nanula* (Wiltshire, 1961) (Noctuidae) Synonym(s): *nanula* Wiltshire, 1961
- 4516) *Meganola strigula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *#strigula* [Denis & Schiffermüller], 1775
- 4517) *Megascolia (Regiscolia) maculata* (Drury, 1773) (Scoliidae) Synonym(s): *maculata* Drury, 1773; *flavifrons* Fabricius, 1775; *haemorrhoidalis* Fabricius, 1787; *insignis* Saussure, 1858; *versicolor* Saussure, 1859
- 4518) *Megasia hyrcanella* Ragonot, 1893 (Pyralidae) Synonym(s): *hyrcanella* Ragonot, 1893
- 4519) *Megasia libanoticella* Zerny, 1934 (Pyralidae) Synonym(s): *libanoticella* Zerny, 1934; *#libanotidella* Osthelder, 1934.
- 4520) *Megasia mimeticella* (Staudinger, 1879) (Pyralidae) Synonym(s): *mimeticella* Staudinger, 1879; *tolli* Amsel, 1953.
- 4521) *Megasia rippertella* (Zeller, 1839) (Pyralidae) Synonym(s): *rippertella* Zeller, 1839
- 4522) *Megastigmus aculeatus* (Swederus, 1795) (Torymidae) Synonym(s): *aculeatus* Swederus, 1795
- 4523) *Megastigmus almusiensis* Doğanlar, 1989 (Torymidae) Synonym(s): *almusiensis* Doğanlar, 1989
- 4524) *Megastigmus bipunctatus* (Swederus, 1795) (Torymidae) Synonym(s): *bipunctatus* Swederus, 1795
- 4525) *Megastigmus dorsalis* (Fabricius, 1798) (Torymidae) Synonym(s): *dorsalis* Fabricius, 1798; *bohemani* Ratzeburg, 1848; *xanthopygus* Förster, 1859
- 4526) *Megastigmus dunicola* Boucek, 1982 (Torymidae) Synonym(s): *dunicola* Boucek, 1982
- 4527) *Megastigmus pistaciae* Walker, 1871 (Torymidae) Synonym(s): *pistaciae* Walker, 1871; *ballestrerii* Rondani, 1877
- 4528) *Megastigmus rosae* Boucek, 1971 (Torymidae) Synonym(s): *rosae* Boucek, 1971; *kondaricus* Zerova & Seregina, 1994
- 4529) *Megastigmus stigmatizans* (Fabricius, 1798) (Torymidae) Synonym(s): *stigmatizans* Fabricius, 1798
- 4530) *Megasymmoca forsteri* Gozmany, 1963 (Autostichidae) Synonym(s): *forsteri* Gozmany, 1963
- 4531) *Megasymmoca maga* Gozmany, 1963 (Autostichidae) Synonym(s): *maga* Gozmany, 1963
- 4532) *Megasymmoca mithra* Gozmany, 1963 (Autostichidae) Synonym(s): *mithra* Gozmany, 1963
- 4533) *Megasymmoca mithridates* Gozmany, 1963 (Autostichidae) Synonym(s): *mithridates* Gozmany, 1963
- 4534) *Megasymmoca persica* Gozmany, 1963 (Autostichidae) Synonym(s): *persica* Gozmany, 1963

- 4535) *Megasymmoca sahname* Gozmany, 1963 (Autostichidae) Synonym(s): *sahname* Gozmany, 1963
 4536) *Megasymmoca satrapa* Gozmany, 1963 (Autostichidae) Synonym(s): *satrapa* Gozmany, 1963
 4537) *Megasymmoca sheherezade* Gozmany, 1963 (Autostichidae) Synonym(s): *sheherezade* Gozmany, 1963
 4538) *Megasymmoca sindbad* Gozmany, 1963 (?) (Autostichidae) Synonym(s): *sindbad* Gozmany, 1963
 4539) *Megatelus contractus* (Klug, 1845) (Scarabaeidae) Synonym(s): *contractus* Klug, 1845
 4540) *Megatelus contractus* (Klug, 1845) (Scarabaeidae) Synonym(s): *contractus* Klug, 1845
 4541) *Megistopus flavicornis* (Rossi, 1807) (Myrmeleonidae) Synonym(s): *flavicornis* Rossi, 1807; *bisignatus* Rambur, 1842
 4542) *Megophthalmus scabripennis* Edwards, 1915 (Cicadellidae) Synonym(s): *scabripennis* Edwards, 1915
 4543) *Meharia semilactea* (W. Warren & Rothschild, 1905) (Cossidae) Synonym(s): *semilactea* W. Warren & Rothschild, 1905; *incurvariella* Chrétien, 1915; *vittata* Rungs, 1942; *persica* Wiltshire, 1946
 4544) *Melania punctalis* Brandt, 1941 (Noctuidae) Synonym(s): *punctalis* Brandt, 1941
 4545) *Melanargia* (Parce) *rusciae* (Esper, [1784]) (Satyridae) Synonym(s): *rusciae* Esper, [1784]; *suwarovius* Herbst, 1796; *clotho* Hübner, [1800]; *varalauko* Korb, 2005
 4546) *Melanargia* (s.str.) *evartianae* Wägener, 1976 (Satyridae) Synonym(s): *evartianae* Wägener, 1976; *origo* Higgins, 1977
 4547) *Melanargia* (s.str.) *galathea* (Linnaeus, 1758) (Satyridae) Synonym(s): *galathea* Linnaeus, 1758; *leucomelas* Esper, 1783; *leucomelanos* Fourcroy, 1785; *galene* Ochsenheimer, 1807; *bitorensis* Guillemot, 1858; *pygmaea* Fruhstorfer, 1916; *malmediensis* Derenne, 1926; *xanthonica* Varin, 1948.
 4548) *Melanargia* (s.str.) *sadjadii* Carbonell & Naderi, 2006 (Satyridae) Synonym(s): *sadjadii* Carbonell & Naderi, 2006
 4549) *Melanargia* (Turcargia) *grumi* Standfuss, 1892 (Satyridae) Synonym(s): *grumi* Standfuss, 1892
 4550) *Melanargia* (Turcargia) *hylata* (Ménétriés, 1832) (Satyridae) Synonym(s): *hylata* Ménétriés, 1832
 4551) *Melanargia* (Turcargia) *larissa* (Geyer, [1828]) (Satyridae) Synonym(s): *larissa* Geyer, [1828].
 4552) *Melanargia* (Turcargia) *meda* Groum-Grshimailo, 1895 (Satyridae) Synonym(s): *meda* Groum-Grshimailo, 1895
 4553) *Melanargia* (Turcargia) *syriaca* (Oberthür, 1894) (Satyridae) Synonym(s): *syriaca* Oberthür, 1894
 4554) *Melanargia* (Turcargia) *teneates* (Ménétriés, 1832) (Satyridae) Synonym(s): *teneates* Ménétriés, 1832
 4555) *Melanchra persicariae* (Linnaeus, 1761) (Noctuidae) Synonym(s): *persicariae* Linnaeus, 1761; *sambuci* Hufnagel, 1766; *graphica* Geoffroy, 1785; *accipitrina* Esper, [1788].
 4556) *Melanochaeta pubescens* (Thalhammer, 1898) (Chloropidae) Synonym(s): *pubescens* Thalhammer, 1898; *rufithorax* Duda, 1932
 4557) *Melanogryllus desertus* (Pallas, 1771) (Gryllidae) Synonym(s): *desertus* Pallas, 1771; *melas* Charpentier, 1825; *tristis* Audinet-Serville, 1838; *agricola* Rambur, 1838; *alata* Ramme, 1921
 4558) *Melanosoma bellum* Kröber, 1927 (Conopidae) Synonym(s): *bellum* Kröber, 1927
 4559) *Melanosoma bicolor* (Meigen, 1824) (Conopidae) Synonym(s): *bicolor* Meigen, 1824; *nigrum* Meigen, 1824; *nupta* Rondani, 1857; *fraternum* Kröber, 1915; *flaviventris* Belanovsky, 1954
 4560) *Melanostoma mellinum* (Linnaeus, 1758) (Syrphidae) Synonym(s): *mellinum* Linnaeus, 1758; *facultas* Harris, 1776; *scalare* Panzer, 1797; *mellarium* Meigen, 1822; *melliturgum* Meigen, 1822; *laevigatum* Meigen, 1822; *minutum* Macquart, 1827; *unicolor* Macquart, 1827; *concolor* Walker, 1851; *pruinusum* Bigot, 1884; *nigricorne* Stroble, 1893
 4561) *Melanotus* (s.str.) *fulvus* Reitter, 1891 (Elateridae) Synonym(s): *fulvus* Reitter, 1891
 4562) *Melanotus* (s.str.) *monticola* (Ménétriés, 1832) (Elateridae) Synonym(s): *monticola* Ménétriés, 1832
 4563) *Melanotus* (s.str.) *mutatus* Harold, 1869 (Elateridae) Synonym(s): *mutatus* Harold, 1869
 4564) *Melanotus* (s.str.) *sobrinus* (Ménétriés, 1832) (Elateridae) Synonym(s): *sobrinus* Ménétriés, 1832
 4565) *Melathrix praetextella* (Christoph, 1877) (Pyralidae) Synonym(s): *praetextella* Christoph, 1877
 4566) *Melicharella proxima* Dlabola, 1960 (Cicadellidae) Synonym(s): *proxima* Dlabola, 1960
 4567) *Melieria limpidipennis* Becker, 1907 (Ulidiidae) Synonym(s): *limpidipennis* Becker, 1907
 4568) *Melieria nigritarsis* Becker, 1903 (Ulidiidae) Synonym(s): *nigritarsis* Becker, 1903
 4569) *Meligethes incanus* Sturm, 1845 (Nitidulidae) Synonym(s): *incanus* Sturm, 1845
 4570) *Meligethes perceptus* Jelinek & Spornraft, 1979 (Nitidulidae) Synonym(s): *perceptus* Jelinek & Spornraft, 1979
 4571) *Meligethes pheretra* Easton, 1956 (Nitidulidae) Synonym(s): *phetra* Easton, 1956
 4572) *Meligethes tauricus* Jelinek & Spornraft, 1979 (Nitidulidae) Synonym(s): *tauricus* Jelinek & Spornraft, 1979
 4573) *Melitaea* (Cinclidia) *phoebe* punica Oberthür, 1876 (Argynnididae) Synonym(s): *punica* Oberthür, 1876
 4574) *Melitaea* (Cinclidia) *collina* Lederer, 1861 (Argynnididae) Synonym(s): *collina* Lederer, 1861
 4575) *Melitaea* (Cinclidia) *consulis* Wiltshire, 1941 (Argynnididae) Synonym(s): *consulis* Wiltshire, 1941; # *proconsulis* Wiltshire, 1946
 4576) *Melitaea* (Cinclidia) *turkmanica* Higgins, 1940 (Argynnididae) Synonym(s): *turkmanica* Higgins, 1940
 4577) *Melitaea* (Didymaeformis) *casta* Kollar, [1849] (Argynnididae) Synonym(s): *casta* Kollar, [1849]
 4578) *Melitaea* (Didymaeformis) *didyma* (Esper, [1779]) (Argynnididae) Synonym(s): *didyma* Esper, [1779]; *armoricana* Oberthür, 1909.
 4579) *Melitaea* (Didymaeformis) *fascelis* (Fabricius, 1787) (Argynnididae) Synonym(s): # *trivia* Denis & Schiffermüller, 1775; *iphigenia* Esper, 1782 (praeoc.); # *fascelis* Esper, 1783; *fascelis* Fabricius, 1787; *cleo* Latreille, 1803
 4580) *Melitaea* (Didymaeformis) *fergana* Staudinger, 1882 (Argynnididae) Synonym(s): *fergana* Staudinger, 1882
 4581) *Melitaea* (Didymaeformis) *interrupta* Kolenati, 1846 (Argynnididae) Synonym(s): *interrupta* Kolenati, 1846; # *transcaucasica* Turati, 1919; *caucasi* Verity, 1922; *venosata* Niesiolowsky, 1937; *distinctissima* Bryk, 1940; *musatscherii* Alberti, 1969; *itkolensis* Alberti, 1969.
 4582) *Melitaea* (Didymaeformis) *jitka* D. Weiss & Major, 2000 (Argynnididae) Synonym(s): *jitka* D. Weiss & Major, 2000
 4583) *Melitaea* (Didymaeformis) *perseae* Kollar, [1849] (Argynnididae) Synonym(s): *perseae* Kollar, [1849]; *caucasica* Staudinger, 1861; *magnacasta* Verity, 1929; *araratica* Verity, 1929; *sargon* Hemming, 1932; *tauricus* Belter, 1934; *caucasica* Bryk, 1940; *hafiz* Higgins, 1941; *gina* Higgins, 1941; *darius* Gross & Ebert, 1975; *pfeifferi* Gross & Ebert, 1975 (praeoc.); *wernickei* Gross & Ebert, 1975; *elbursicola* Gross & Ebert, 1975; *safawides* Gross & Ebert, 1975.
 4584) *Melitaea* (Didymaeformis) *saxatilis* Christoph, 1873 (Argynnididae) Synonym(s): *saxatilis* Christoph, 1873
 4585) *Melitaea* (s.str.) *arduinna* (Fabricius, 1787) (Argynnididae) Synonym(s): *arduinna* Fabricius, 1787; *rhodopensis* Freyer, [1836]; *uralensis* Eversmann, 1844.
 4586) *Melitaea* (s.str.) *cinxia* (Linnaeus, 1758) (Argynnididae) Synonym(s): *cinxia* Linnaeus, 1758; *abacus* Retzius, 1783; *fulla* Quensel, 1791.
 4587) *Melitaea sarvistana* Wiltshire, 1941 (Argynnididae) Synonym(s): *sarvistana* Wiltshire, 1941
 4588) *Melitta leporina* (Panzer, 1799) (Melittidae) Synonym(s): *leporina* Panzer, 1799; *fortipes* Imhoff, 1832; *ruthenica* Radoszkowski, 1891; *centaureae* Torka, 1922; *nigrinotum* Alfken, 1927; *sinkiensis* Wu, 1978
 4589) *Melitturga caucasica* Morawitz, 1878 (Andrenidae) Synonym(s): *caucasica* Morawitz, 1878
 4590) *Melitturga clavicornis* (Latreille, 1806) (Andrenidae) Synonym(s): *clavicornis* Latreille, 1806
 4591) *Melitturga praestans* Giraud, 1861 (Andrenidae) Synonym(s): *praestans* Giraud, 1861; *syriaca* Friese, 1896

- 4592) **Melitturga taurica** Friese, 1922 (Andrenidae) Synonym(s): *taurica* Friese, 1922
- 4593) **Meloe (Anchomeloe) autumnalis** (Olivier, 1797) (Meloidae) Synonym(s): *autumnalis* Olivier, 1797
- 4594) **Meloe (Eurymeloe) glasunovi** Pliginski, 1910 (Meloidae) Synonym(s): *glasunovi* Pliginski, 1910; *rufotarsalis* Pliginski, 1911
- 4595) **Meloe (Lampromeloe) variegatus** Donovan, 1793 (Meloidae) Synonym(s): *variegatus* Donovan, 1793; *#variegatus* Özbek & Szaloki, 1998
- 4596) **Meloe (Lasiomeloe) olivieri** (Chevrolat, 1833) (Meloidae) Synonym(s): *olivieri* Chevrolat, 1833
- 4597) **Meloe (Meloegonius) cicatricosus** (Leach, 1815) (Meloidae) Synonym(s): *cicatricosus* Leach, 1815; *variolosus* Fischer von Waldheim, 1844
- 4598) **Meloe (Taphromeloe) erythrocnemus** Pallas, 1782 (Meloidae) Synonym(s): *erythrocnemus* Pallas, 1782; *corallipes* Gebler, 1847
- 4599) **Menaccarus (Oploscelis) arenicola** (Scholtz, 1847) (Pentatomidae) Synonym(s): *arenicola* Scholtz, 1847; *ciliatus* Mulsant & Rey, 1852; *pallidus* Perris, 1857; *minor* Stichel, 1936
- 4600) **Menaccarus (Orocephalus) deserticola** Jakovlev, 1900 (Pentatomidae) Synonym(s): *deserticola* Jakovlev, 1900; *transparens* Jakovlev, 1900; *eremita* Jakovlev, 1903
- 4601) **Menaccarus (Orocephalus) divaricatus** Jakovlev, 1877 (Pentatomidae) Synonym(s): *divaricatus* Jakovlev, 1877
- 4602) **Menaccarus (Orocephalus) dohrnianus** (Mulsant & Rey, 1866) (Pentatomidae) Synonym(s): *dohrnianus* Mulsant & Rey, 1866; *ovalis* Puton, 1873; *hirticornis* Puton, 1873; *jakovlevi* Reuter, 1902; *jakovlevi* Oshanin, 1912; *rotundatus* Horvath, 1923
- 4603) **Meria arabica** Guérin-Ménéville, 1837 (Tiphidae) Synonym(s): *arabica* Guérin-Ménéville, 1837
- 4604) **Meringopus calescens** (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *calescens* Gravenhorst, 1829
- 4605) **Meringopus titilator** (Linnaeus, 1758) (Ichneumonidae) Synonym(s): *titilator* Linnaeus, 1758; *orientalis* Szepligeti, 1916
- 4606) **Merodon ankylogaster** Hurkmans, 1993 (Syrphidae) Synonym(s): *ankylogaster* Hurkmans, 1993
- 4607) **Merodon armipes** Rondani, 1843 (Syrphidae) Synonym(s): *armipes* Rondani, 1843
- 4608) **Merodon avidus** (Rossi, 1790) (Syrphidae) Synonym(s): *avidus* Rossi, 1790; *spinipes* Fabricius, 1794; *rufitibius* Rondani, 1845; *gracius* Walker, 1852; *aurifer* Loew, 1862; *quadrilineatus* Lioy, 1864
- 4609) **Merodon caucasicus** Portschinsky, 1877 (Syrphidae) Synonym(s): *caucasicus* Portschinsky, 1877
- 4610) **Merodon marginicornis** Hurkmans, 1993 (Syrphidae) Synonym(s): *marginicornis* Hurkmans, 1993
- 4611) **Merodon nanus** (Sack, 1913) (Syrphidae) Synonym(s): *nanus* Sack, 1913
- 4612) **Merodon persicus** Hurkmans, 1993 (Syrphidae) Synonym(s): *persicus* Hurkmans, 1993
- 4613) **Merodon pruni** (Rossi, 1790) (Syrphidae) Synonym(s): *pruni* Rossi, 1790; *fulvus* Macquart, 1834; *pallidus* Macquart, 1842; *sicanus* Rondani, 1845; *fuscineris* Röder, 1887; *obscurus* Gil Collado, 1929
- 4614) **Merodon taniniensis** Hurkmans, 1993 (Syrphidae) Synonym(s): *taniniensis* Hurkmans, 1993
- 4615) **Merodon turkestanicus** Paramonov, 1926 (Syrphidae) Synonym(s): *turkestanicus* Paramonov, 1926
- 4616) **Merodon warnecki** Hurkmans, 1993 (Syrphidae) Synonym(s): *warnecki* Hurkmans, 1993
- 4617) **Merodon xanthipous** Hurkmans, 1993 (Syrphidae) Synonym(s): *xanthipous* Hurkmans, 1993
- 4618) **Meromyza nigriventris** Macquart, 1835 (Chloropidae) Synonym(s): *nigriventris* Macquart, 1835; *basalis* Von Roser, 1840
- 4619) **Merrifieldia brandti** (Arenberger, 1981) (Pterophoridae) Synonym(s): *brandti* Arenberger, 1981
- 4620) **Merrifieldia calcaria** (Lederer, 1870) (Pterophoridae) Synonym(s): *calcaria* Lederer, 1870
- 4621) **Merrifieldia caspia** (Lederer, 1870) (Pterophoridae) Synonym(s): *caspia* Lederer, 1870
- 4622) **Merrifieldia diwani** (Arenberger, 1981) (Pterophoridae) Synonym(s): *diwani* Arenberger, 1981
- 4623) **Merrifieldia farsi** (Arenberger, 1981) (Pterophoridae) Synonym(s): *farsi* Arenberger, 1981
- 4624) **Merrifieldia malacodactyla** (Zeller, 1847) (Pterophoridae) Synonym(s): *malacodactyla* Zeller, 1847; *meridionalis* Staudinger, 1880; *indocta* Meyrick, 1913; *subtilis* Caradja, 1920; *parca* Meyrick, 1921; *subcretosa* Meyrick, 1922; *phaeoschista* Meyrick, 1923; *luteodactyla* Turati, 1926; *rayatella* Amsel, 1959; *insularis* Bigot, 1961; *livadiensis* Zagulyaev & Filippova, 1976; *transdanubinus* Fazekas, 1986; *garrigae* Bigot & Picard, 1989; *moulinieri* Nel, 1991; *inopinata* Bigot, Nel & Picard, 1993
- 4625) **Merrifieldia tridactyla** (Linnaeus, 1758) (Pterophoridae) Synonym(s): *tridactyla* Linnaeus, 1758; *tetradactyla* Linnaeus, 1758; *niveidactylus* Stephens, 1829; *fuscolimbatus* Duponchel, 1844; *icterodactyla* Mann, 1855; *exilidactyla* Buszko, 1975
- 4626) **Merulempista cingillella** (Zeller, 1846) (Pyralidae) Synonym(s): *cingillella* Zeller, 1846; *verruculella* Ragonot, 1887
- 4627) **Mesapamea (s.str.) secalis** (Linnaeus, 1758) (Noctuidae) Synonym(s): *secalis* Linnaeus, 1758
- 4628) **Mesolia furuncula** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller], 1775; *spoliaticula* [Denis & Schiffermüller], 1775; *bicoloria* Villers, 1789; *vinctuncula* Hübner, [1803]; *humeralis* Haworth, 1809; *terminalis* Haworth, 1809; *rufuncula* Haworth, 1809
- 4629) **Mesolia literosa** (Haworth, [1809]) (Noctuidae) Synonym(s): *literosa* Haworth, [1809]; *erraticula* Hübner, [1813]; *faroulti* Rothschild, 1914; *powelli* Oberthür, 1918
- 4630) **Mesonemurus harterti** Navas, 1919 (Myrmeleonidae) Synonym(s): *harterti* Navas, 1919; *clavata* Navas, 1926; *tunetana* Navas, 1930
- 4631) **Mesonemurus paulus** (McLachlan, 1875) (Myrmeleonidae) Synonym(s): *paulus* McLachlan, 1875
- 4632) **Mesophantia pallens** Melichar, 1902 (Flatidae) Synonym(s): *pallens* Melichar, 1902
- 4633) **Mesoplus contrita** (Christoph, 1884) (Noctuidae) Synonym(s): *contrita* Christoph, 1884
- 4634) **Mesostena puncticollis** Solier, 1835 (Tenebrionidae) Synonym(s): *puncticollis* Solier, 1835
- 4635) **Metacantharis araxicola** Reitter, 1891 (Cantharidae) Synonym(s): *araxicola* Reitter, 1891
- 4636) **Metacantharis clypeata** (Illiger, 1798) (Cantharidae) Synonym(s): *clypeata* Illiger, 1798
- 4637) **Metachrostis dardouini** (Boisduval, 1840) (Noctuidae) Synonym(s): *dardouini* Boisduval, 1840; *velox* Treitschke nec Hbn., [1813]; *mendacula* Freyer, 1841; *dilutior* Schwingenschuss, 1926
- 4638) **Metachrostis sefidi** (Brandt, 1938) (Noctuidae) Synonym(s): *sefidi* Brandt, 1938
- 4639) **Metachrostis velox** (Hübner, [1813]) (Noctuidae) Synonym(s): *velox* Hübner, [1813]; *griseimargo* W. Warren, 1912; *mendacularis* Treitschke, 1829; *tarda* Turati, 1926; *velocissima* Turati, 1926; *rubescent* Schwingenschuss, 1930
- 4640) **Metacnephia persica** (Rubtsov, 1940) (Simuliidae) Synonym(s): *persica* Rubtsov, 1940; *hirta* Rubtsov & Terteryan, 1954
- 4641) **Metacnephia persica** (Rubtsov, 1940) (Simuliidae) Synonym(s): *persicum* Rubtsov, 1940; *hirta* Rubtsov & Terteryan, 1954
- 4642) **Metacrambus caretellus** (Zeller, 1847) (Pyralidae) Synonym(s): *caretellus* Zeller, 1847; *lugdunellus* Millière, 1868; *truncatellus* Caradja, 1916
- 4643) **Metacrambus jugaraicae** Bleszynski, 1965 (Pyralidae) Synonym(s): *jugaraicae* Bleszynski, 1965
- 4644) **Metacrambus kurdistanellus** (Amsel, 1959) (Pyralidae) Synonym(s): *kurdistanellus* Amsel, 1959
- 4645) **Metadioxys formosa** (Morawitz, 1875) (Megachilidae) Synonym(s): *formosa* Morawitz, 1875
- 4646) **Metaegle gratiosa** (Staudinger, 1892) (Noctuidae) Synonym(s): *gratiosa* Staudinger, 1892; *iranica* Bytinski-Salz & Brandt, 1937

- 4647) *Metallosticha argyrogrammos* (Zeller,1847) (Pyralidae) Synonym(s): *argyrogrammos* Zeller,1847
 4648) *Metalopha* (s.str.) *ionodoxa* Ronkay,1990 (Noctuidae) Synonym(s): *ionodoxa* Ronkay,1990
 4649) *Metalopha* (s.str.) *litrata* (Christoph,1887) (Noctuidae) Synonym(s): *litrata* Christoph,1887; *plusina* Staudinger,1892.
 4650) *Metanarsia* (s.str.) *modesta* Staudinger,1871 (Gelechiidae) Synonym(s): *modesta* Staudinger,1871
 4651) *Metasia* (s.str.) *alvandalis* Amsel,1961 (Pyralidae) Synonym(s): *alvandalis* Amsel,1961
 4652) *Metasia* (s.str.) *belutschistanalis* Amsel,1961 (Pyralidae) Synonym(s): *belutschistanalis* Amsel,1961
 4653) *Metasia* (s.str.) *continualis* Amsel,1961 (Pyralidae) Synonym(s): *continualis* Amsel,1961
 4654) *Metasia* (s.str.) *farsalis* Amsel,1961 (Pyralidae) Synonym(s): *#farsalis* Amsel,1961
 4655) *Metasia* (s.str.) *laristanalis* Amsel,1961 (Pyralidae) Synonym(s): *laristanalis* Amsel,1961
 4656) *Metasia* (s.str.) *sefidalis* Amsel,1961 (Pyralidae) Synonym(s): *sefidalis* Amsel,1961
 4657) *Metasia* (s.str.) *subtilialis* Caradja,1917 (Pyralidae) Synonym(s): *subtilialis* Caradja,1917
 4658) *Metasia* (s.str.) *suppandalis* (Hübner,[1823]) (Pyralidae) Synonym(s): *suppandalis* Hübner,[1823]
 4659) *Metasia* (s.str.) *virginalis* Ragonot,1894 (Pyralidae) Synonym(s): *virginalis* Ragonot,1894; *fulvilinealis* Hampson,1900; *#virginalis* Rebel,1901; *phthoneropsis* Meyrick,1937
 4660) *Metasphenisca negeviana* (Freidberg,1974) (Tephritidae) Synonym(s): *negeviana* Freidberg,1974
 4661) *Metopistis erschoffi* (Christoph,1884) (Noctuidae) Synonym(s): *erschoffi* Christoph,1884
 4662) *Metopistis picturata* (Rothschild,1909) (Noctuidae) Synonym(s): *picturata* Rothschild,1909
 4663) *Metopius* (*Peltocarus*) *croceicornis* Thomson,1887 (Ichneumonidae) Synonym(s): *croceicornis* Thomson,1887
 4664) *Metopoceras* (s.str.) *eutychina* Rebel,1948 (Noctuidae) Synonym(s): *eutychina* Rebel,1948
 4665) *Metopoceras* (s.str.) *omar* (Oberthür,1887) (Noctuidae) Synonym(s): *omar* Oberthür,1887
 4666) *Metopoceras* (s.str.) *solitudo* (Brandt,1938) (Noctuidae) Synonym(s): *solitudo* Brandt,1938
 4667) *Metopodicha antherici* (Christoph,1884) (Noctuidae) Synonym(s): *antherici* Christoph,1884
 4668) *Metopodicha ernesti* Draudt,1936 (Noctuidae) Synonym(s): *ernesti* Draudt,1936; *achaemenica* Wiltshire,1941
 4669) *Metoponrhis albirena* (Christoph,1887) (Noctuidae) Synonym(s): *albirena* Christoph,1887
 4670) *Metoponrhis karakumensis* (Gerasimov,1931) (Noctuidae) Synonym(s): *karakumensis* Gerasimov,1931
 4671) *Metopoplus boursini* Brandt,1938 (Noctuidae) Synonym(s): *boursini* Brandt,1938
 4672) *Metopoplus excelsa* (Christoph,1885) (Noctuidae) Synonym(s): *excelsa* Christoph,1885
 4673) *Metopostigma pleskei* Becker,1910 (Chloropidae) Synonym(s): *pleskei* Becker,1910
 4674) *Metzneria aprilella* (Herrich-Schäffer,[1854]) (Gelechiidae) Synonym(s): *aprilella* Herrich-Schäffer,[1854]
 4675) *Metzneria artificella* (Herrich-Schäffer,1861) (Gelechiidae) Synonym(s): *artificella* Herrich-Schäffer,1861; *litigiosella* Milliere,1879.
 4676) *Metzneria aspretella* (Lederer,1869) (Gelechiidae) Synonym(s): *aspretella* Lederer,1869
 4677) *Metzneria castiliella* (Möschler,1866) (Gelechiidae) Synonym(s): *castiliella* Möschler,1866; *eatoni* Walsingham,1899.
 4678) *Metzneria diamondi* Amsel,1949 (Gelechiidae) Synonym(s): *diamondi* Amsel,1949
 4679) *Metzneria neuropterella* Zeller,1839 (Gelechiidae) Synonym(s): *neuropterella* Zeller,1839; *#gigantella* Krulikowsky,1909.
 4680) *Metzneria subflavella* Englert,1974 (Gelechiidae) Synonym(s): *subflavella* Englert,1974
 4681) *Micantulina* (*Mulsantina*) *acuticeps* (Linnavuori,1962) (Cicadellidae) Synonym(s): *acuticeps* Linnavuori,1962
 4682) *Micomitra iris* (Loew,1869) (Bombyliidae) Synonym(s): *iris* Loew,1869
 4683) *Micomitra stupida* (Rossi,1790) (Bombyliidae) Synonym(s): *stupida* Rossi,1790; *rhadamanthus* Meigen,1804; *chalcoides* Pallas,1818; *vitricosta* Walker,1849; *vitricosta* Walker,1849; *squamea* Mulsant,1852
 4684) *Microchelonus basalis* (Curtis,1837) (Braconidae) Synonym(s): *basalis* Curtis,1837
 4685) *Microdontomerus annulatus* (Spinola,1808) (Torymidae) Synonym(s): *annulatus* Spinola,1808
 4686) *Microdynerus* (*Alastoryneus*) *microdynerus* (Dalla Torre,1889) (Vespidae) Synonym(s): *alastoroides* Morawitz,1885 (praecoc.); *microdynerus* Dalla Torre,1889; *tridentatus* Kostylev,1935
 4687) *Microdynerus* (s.str.) *atriceps* Morawitz,1895 (Vespidae) Synonym(s): *atriceps* Morawitz,1895
 4688) *Microloxia herbaria* (Hübner,[1813]) (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Milliere,1860.
 4689) *Micronecta anatolica* Lindberg,1922 (Corixidae) Synonym(s): *anatolica* Lindberg,1922
 4690) *Micronecta wui* Lundblad,1933 (Corixidae) Synonym(s): *wui* Lundblad,1933; *alkani* Hoberlandt,1948
 4691) *Microptilis deprimator* (Fabricius,1798) (Braconidae) Synonym(s): *deprimator* Fabricius,1798
 4692) *Microsphecia brosisformis* (Hübner,[1813]) (Sesiidae) Synonym(s): *brosisformis* Hübner,[1813]; *dorsalis* Le Cerf,1914; *#obscura* Le Cerf,1914
 4693) *Microsphecia tineiformis* (Esper,[1789]) (Sesiidae) Synonym(s): *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794.
 4694) *Microstega praepetalis* (Lederer,1869) (Pyralidae) Synonym(s): *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937
 4695) *Microtelus persis* Baudi (Tenebrionidae) Synonym(s):
 4696) *Microthespis dmitriewi* Werner,1908 (Mantidae) Synonym(s): *dmitriewi* Werner,1908
 4697) *Miltogramma* (*Dichiracantha*) *beludzhistanense* Rohdendorf,1930 (Sarcophagidae) Synonym(s): *beludzhistanense* Rohdendorf,1930
 4698) *Miltogramma* (*Dichiracantha*) *taeniatorufum* Rohdendorf,1930 (Sarcophagidae) Synonym(s): *taeniatorufum* Rohdendorf,1930
 4699) *Miltogramma* (*Dichiracantha*) *zarudnyi* Rohdendorf,1930 (Sarcophagidae) Synonym(s): *zarudnyi* Rohdendorf,1930
 4700) *Miltogramma* (s.str.) *punctatum* Meigen,1824 (Sarcophagidae) Synonym(s): *punctatum* Meigen,1824; *arcuata* Zetterstedt,1844; *sexpunctatum* Meigen,1838; *laterale* R-D.,1863; *macquarti* R-D.,1863; *punctatellum* R-D.,1863
 4701) *Miltogrammidium* (s.str.) *auriceps* (Rohdendorf,1935)R (Sarcophagidae) Synonym(s): *auriceps* Rohdendorf,1935
 4702) *Miltogrammidium* (s.str.) *taeniatum* (Meigen,1824) (Sarcophagidae) Synonym(s): *taeniatum* Meigen,1824; *pilimanum* Rondani,1859
 4703) *Miltogrammoides iranicus* Rohdendorf,1961 (Sarcophagidae) Synonym(s): *iranicus* Rohdendorf,1961
 4704) *Mimudea confinalis* (Lederer,1858) (Pyralidae) Synonym(s): *confinalis* Lederer,1858; *graecalis* Staudinger,1870
 4705) *Mimudea institalis* (Hübner,[1819]) (Pyralidae) Synonym(s): ? *focorum* Fourcroy,1785; *institalis* Hübner,[1819]; *rutana* Vallot,1829; *ferreralis* Duponchel,1833
 4706) *Mimudea languidalis* (Eversmann,1842) (Pyralidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *veneralis* Staudinger,1871
 4707) *Mimudea pyraustiformis* (Toll,1947) (Pyralidae) Synonym(s): *pyraustiformis* Toll,1947

- 4708) **Minois dryas (Scopoli,1763)** (Satyridae) Synonym(s): *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsoftikis,1988.
- 4709) **Mintho rufiventris (Fallén,1817)** (Tachinidae) Synonym(s): *rufiventris* Fallén,1817
- 4710) **Minucia bimaculata Osthelder,1933** (Noctuidae) Synonym(s): *bimaculata* Osthelder,1933
- 4711) **Mioscirtus wagneri (Kittary,1849)** (Acrididae) Synonym(s): *wagneri* Kittary,1849
- 4712) **Mirperus demetrii (Kiritshenko,1966)** (Alydidae) Synonym(s): *demetrii* Kiritshenko,1966
- 4713) **Mirperus torridus (Westwood,1842)** (Alydidae) Synonym(s): *torridus* Westwood,1842
- 4714) **Mixodusa bocquilloni (Uvarov,1917)** (Tettigoniidae) Synonym(s): *bocquilloni* Uvarov,1917
- 4715) **Mixodusa siazovi (Uvarov,1929)** (Tettigoniidae) Synonym(s): *siazovi* Uvarov,1929
- 4716) **Mniotype buxtoni (Rothschild,1921)** (Noctuidae) Synonym(s): *buxtoni* Rothschild,1921
- 4717) **Mniotype fabulosa Benedek & L.Ronkay,2002** (Noctuidae) Synonym(s): *fabulosa* Benedek & L.Ronkay,2002
- 4718) **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868
- 4719) **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927
- 4720) **Modicogryllus (s.str.) frontalis (Fieber,1844)** (Gryllidae) Synonym(s): *frontalis* Fieber,1844; *hemsdorfensis* Zeller,1856; *pubescens* Eversmann,1859; *caudatus* Singer,1869; *fasciatus* Walker,1871; *alata* Jacobson,1904; *turanicus* Bei-Bienko,1933
- 4721) **Mogangella secundaria Dlabola,1958** (Cicadellidae) Synonym(s): *secundaria* Dlabola,1958
- 4722) **Molobratia egregia (Loew,1869)** (Asilidae) Synonym(s): *egregia* Loew,1869
- 4723) **Molobratia teutonius (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius* Linnaeus,1767; *marmoratus* Geoffroy,1785; *teuton* Macquart,1834
- 4724) **Molophilus (s.str.) pleuralis De Meijere,1920** (Limoniidae) Synonym(s): *pleuralis* De Meijere,1920
- 4725) **Moma alpium (Osbeck,1778)** (Noctuidae) Synonym(s): *alpium* Osbeck,1778; *orion* Esper,1791; *murrhina* Graeser,1889; *designata* Turati,1923; *kolthoffi* Bryk,1949
- 4726) **Mompha (s.str.) ochraceella (Curtis,1839)** (Mompidae) Synonym(s): *ochraceella* Curtis,1839
- 4727) **Monodontomerus aeneus (Fonscolombe,1832)** (Torymidae) Synonym(s): *aeneus* Fonscolombe,1832
- 4728) **Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus* Walker,1834
- 4729) **Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833
- 4730) **Monodontomerus vicicellae (Walker,1847)** (Torymidae) Synonym(s): *vicicellae* Walker,1847
- 4731) **Monopis imella (Hübner,[1813])** (Tineidae) Synonym(s): *imella* Hübner,[1813]; *nitidella* Zagulyaev,1960.
- 4732) **Monopis longella (Walker,1863)** (Tineidae) Synonym(s): *longella* Walker,1863
- 4733) **Monopis monachella (Hübner,1796)** (Tineidae) Synonym(s): *monachella* Hübner,1796
- 4734) **Monopis obviella ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *obviella* [Denis & Schiffermüller],1775; *ferruginella* Hübner,[1813] *nec* Thunberg,1788; *splendella* Hübner,[1813] *nec* [Denis & Schiffermüller],1775.
- 4735) **Monopis pavlovskii (Zagulyaev,1955)** (Tineidae) Synonym(s): *pavlovskii* Zagulyaev,1955
- 4736) **Monosteira lobulifera Reuter,1888** (Tingidae) Synonym(s): *lobulifera* Reuter,1888
- 4737) **Morimus verecundus (Faldermann,1836)** (Cerambycidae) Synonym(s): *verecundus* Faldermann,1836
- 4738) **Mormo maura (Linnaeus,1758)** (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996
- 4739) **Morophagoides iranensis G.Petersen,1960** (Tineidae) Synonym(s): *iranensis* G.Petersen,1960
- 4740) **Morsina persica Melichar,1902** (Nogodinidae) Synonym(s): *persica* Melichar,1902
- 4741) **Mulsanteus guillebeaudi (Mulsant & Godart,1853)** (Elateridae) Synonym(s): *guillebeaudi* Mulsant & Godart,1853; *guillebelli* Mulsant & Godart,1853
- 4742) **Musaria kurdistanica (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *kurdistanica* Ganglbauer,1884
- 4743) **Musaria puncticollis (Faldermann,1837)** (Cerambycidae) Synonym(s): *puncticollis* Faldermann,1837
- 4744) **Musca (Plaxemya) osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris* Wiedemann,1830; *sugillatrix* R-D,1830
- 4745) **Musca (Plaxemya) vitripennis Meigen,1826** (Muscidae) Synonym(s): *vitripennis* Meigen,1826
- 4746) **Musca crassirostris Stein,1903** (Muscidae) Synonym(s): *crassirostris* Stein,1903; *insignis* Austen,1909
- 4747) **Musca lucidula (Loew,1856)** (Muscidae) Synonym(s): *lucidula* Loew,1856
- 4748) **Musca tempestiva Fallén,1817** (Muscidae) Synonym(s): *tempestiva* Fallén,1817
- 4749) **Muschampia plurimacula (Christoph,1893)** (Hesperiidae) Synonym(s): *plurimacula* Christoph,1893
- 4750) **Muschampia poggei (Lederer,1858)** (Hesperiidae) Synonym(s): *poggei* Lederer,1858
- 4751) **Muschampia proteides (F.Wagner,1929)** (Hesperiidae) Synonym(s): *proteides* F.Wagner,1929; *lycaonius* F.Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [*misident.*]; *#lycaonius* Benjamini & Avni,2001
- 4752) **Muschampia proteus (Staudinger,1886)** (Hesperiidae) Synonym(s): *proteus* Staudinger,1886
- 4753) **Muschampia proto (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *proto* Ochsenheimer,1808
- 4754) **Muschampia tersa Evans,1949** (Hesperiidae) Synonym(s): *tersa* Evans,1949
- 4755) **Muschampia tessellum (Hübner,[1802])** (Hesperiidae) Synonym(s): *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816
- 4756) **Mustha gigantea Horvath,1906** (Pentatomidae) Synonym(s): *gigantea* Horvath,1906
- 4757) **Mustha incana Stal,1876** (Pentatomidae) Synonym(s): *incana* Stal,1876
- 4758) **Mustha morgani Horvath,1906** (Pentatomidae) Synonym(s): *morgani* Horvath,1906
- 4759) **Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): *spinosula* Lefebvre,1831
- 4760) **Mustha vicina Hoberlandt,1995** (Pentatomidae) Synonym(s): *vicina* Hoberlandt,1995
- 4761) **Mutilla erschoffii Sichel & Radoszkowski,1870** (Mutillidae) Synonym(s): *erschoffii* Sichel & Radoszkowski,1870; *rugiceps* Morawitz,1890; *bareyi* Radoszkowski,1893; *schulthessi* André,1893
- 4762) **Mutilla saltensis Radoszkowski,1885** (Mutillidae) Synonym(s): *saltensis* Radoszkowski,1885
- 4763) **Muzimes iranicus (Maran,1942)** (Meloidae) Synonym(s): *iranicus* Maran,1942
- 4764) **Muzimes luristanicus (Maran,1940)** (Meloidae) Synonym(s): *luristanicus* Maran,1940
- 4765) **Myathropa florea (Linnaeus,1758)** (Syrphidae) Synonym(s): *florea* Linnaeus,1758; *ablecta* Harris,1776; *atropos* Schrank,1776; *bigoti* Macquart,1850; *nigrotarsata* Schiner,1862; *flavofemorata* Strobl,1902; *nigrofasciata* Becker,1907; *auripila* Becker,1907; *nigrofemorata* Santos Abreu,1924; *pygmaea* Santos Abreu,1924; *varifemorata* Santos Abreu,1924; *nigrolanata* Frey,1945
- 4766) **Mycetophila alea Laffoon,1965** (Mycetophilidae) Synonym(s): *alea* Laffoon,1965

- 4767) *Myelois* (*Gnathogutta*) *circumdatella* Lederer, 1858 (Pyrilidae) Synonym(s): *circumdatella* Lederer, 1858; *ottoella* Schawerda, 1924
- 4768) *Myelois* (*Gnathogutta*) *pluripunctella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *pluripunctella* Ragonot, 1887
- 4769) *Myelois* (*Gnathogutta*) *umbratella* (Treitschke, 1832) (Pyrilidae) Synonym(s): *umbratella* Treitschke, 1832; *ossicolor* Ragonot, 1893; *unipunctella* Chrétien, 1911
- 4770) *Myelois* (s.str.) ? *marginipunctella* Amsel, 1959 (Pyrilidae) Synonym(s): *marginipunctella* Amsel, 1959
- 4771) *Myelois* (s.str.) *conformella* Amsel, 1951 (Pyrilidae) Synonym(s): *conformella* Amsel, 1951
- 4772) *Myelois* (s.str.) *constans* Amsel, 1951 (Pyrilidae) Synonym(s): *constans* Amsel, 1951
- 4773) *Myelois* (s.str.) *micropunctella* Amsel, 1951 (Pyrilidae) Synonym(s): *micropunctella* Amsel, 1951
- 4774) *Myelois* (s.str.) *multiflorella* Ragonot, 1887 (Pyrilidae) Synonym(s): *multiflorella* Ragonot, 1887; *#multiflorella* Zerny, 1939.
- 4775) *Myinodes* *shohami* Hausmann, 1994 (Geometridae) Synonym(s): *shohami* Hausmann, 1994
- 4776) *Mylabris* (*Argabris*) *audouini* Marseul, 1870 (Meloidae) Synonym(s): *audouini* Marseul, 1870; *bangi* Heyden, 1886
- 4777) *Mylabris* (*Argabris*) *klugi* Redtenbacher, 1850 (Meloidae) Synonym(s): *klugi* Redtenbacher, 1850; *graffi* Pic, 1947
- 4778) *Mylabris* (*Argabris*) *sedecimpunctata* Gebler, 1825 (Meloidae) Synonym(s): *sedecimpunctata* Gebler, 1825; *wilkinsi* Dokhtoureff, 1889; *teuepunctata* Dokhtoureff, 1889; *quindecimpunctata* Sumakov, 1909; *alpha* Sumakov, 1913; *beta* Semenov, 1913; *gilana* Pic, 1924
- 4779) *Mylabris* (*Chrysabris*) *doriai* Marseul, 1870 (Meloidae) Synonym(s): *doriai* Marseul, 1870; *boetcheri* Pic, 1909; *persicola* Pic, 1909; *magnificia* Bodemeyer, 1916; *unifasciata* Bodemeyer, 1916; *luristanica* Pic, 1920; *viridifasciata* Pic, 1920; *viridifasciata* Pic, 1920; *daligrandi* Pic, 1947; *centropunctatella* Kaszab, 1958
- 4780) *Mylabris* (*Chrysabris*) *gemmula* Dohrn, 1873 (Meloidae) Synonym(s): *gemmula* Dohrn, 1873
- 4781) *Mylabris* (*Chrysabris*) *hemprichi* Klug, 1845 (Meloidae) Synonym(s): *hemprichi* Klug, 1845; *kocheri* Pardo Alcaide, 1945
- 4782) *Mylabris* (*Chrysabris*) *kraatzii* (Heyden, 1881) (Meloidae) Synonym(s): *kraatzii* Heyden, 1881
- 4783) *Mylabris* (*Chrysabris*) *trifascis* (Pallas, 1773) (Meloidae) Synonym(s): *trifascis* Pallas, 1773
- 4784) *Mylabris* (*Eumylabris*) *calida* (Pallas, 1782) (Meloidae) Synonym(s): *calida* Pallas, 1782; *maculata* Olivier, 1795; *bimaculata* Olivier, 1811; *decora* Olivier, 1811; *maura* Chevrolat, 1837; *niligena* Reiche, 1865; *maroccana* Escherich, 1899; *bimaculaticeps* Pic, 1920; *tlemceni* Pic, 1930
- 4785) *Mylabris* (*Eumylabris*) *cincta* Olivier, 1811 (Meloidae) Synonym(s): *cincta* Olivier, 1811; *tiflensis* Billberg, 1813; *matthesi* Faldermann, 1837; *bicolor* Waltl, 1838; *taeniata* Waltl, 1838; *tringulata* Redtenbacher, 1850; *jugatoria* Reiche, 1865; *soubironi* Pic, 1921; *#cincta* Kaszab, 1968
- 4786) *Mylabris* (*Eumylabris*) *crocata* (Pallas, 1782) (Meloidae) Synonym(s): *crocata* Pallas, 1782; *duodecimpunctata* Tauscher, 1812
- 4787) *Mylabris* (*Eumylabris*) *fabricii* Sumakov, 1924 (Meloidae) Synonym(s): *decimpunctata* Petagna, 1787 nec Fabr., 1781; *forti* Mulsant, 1857; *fabricii* Sumakov, 1924
- 4788) *Mylabris* (*Eumylabris*) *groschkei* Kaszab, 1957 (Meloidae) Synonym(s): *groschkei* Kaszab, 1957
- 4789) *Mylabris* (*Eumylabris*) *magnoguttata* (Heyden, 1881) (Meloidae) Synonym(s): *magnoguttata* Heyden, 1881
- 4790) *Mylabris* (*Eumylabris*) *posticalis* (Dokhtoureff, 1889) (Meloidae) Synonym(s): *posticalis* Dokhtoureff, 1889
- 4791) *Mylabris* (*Eumylabris*) *schrenki* Gebler, 1841 (Meloidae) Synonym(s): *schrenki* Gebler, 1841; *reitteri* Dokhtoureff, 1889
- 4792) *Mylabris* (*Micrabris*) *dokhtoureffii* Escherich, 1899 (Meloidae) Synonym(s): *dokhtoureffii* Escherich, 1899; *afghana* Kaszab, 1958
- 4793) *Mylabris* (*Micrabris*) *excisofasciata* (Heyden, 1883) (Meloidae) Synonym(s): *excisofasciata* Heyden, 1883
- 4794) *Mylabris* (*Micrabris*) *frolovi* Fischer von Waldheim, 1823 (Meloidae) Synonym(s): *frolovi* Fischer von Waldheim, 1823
- 4795) *Mylabris* (*Micrabris*) *furcimakula* Shumakov, 1915 (Meloidae) Synonym(s): *furcimakula* Shumakov, 1915
- 4796) *Mylabris* (*Micrabris*) *geminata* Fabricius, 1798 (Meloidae) Synonym(s): *geminata* Fabricius, 1798
- 4797) *Mylabris* (*Micrabris*) *laevicollis* Marseul, 1870 (Meloidae) Synonym(s): *laevicollis* Marseul, 1870
- 4798) *Mylabris* (*Micrabris*) *modesta* (Escherich, 1899) (Meloidae) Synonym(s): *modesta* Escherich, 1899
- 4799) *Mylabris* (*Micrabris*) *pusilla* Olivier, 1811 (Meloidae) Synonym(s): *pusilla* Olivier, 1811
- 4800) *Mylabris* (*Micrabris*) *tomentosa* (Escherich, 1899) (Meloidae) Synonym(s): *tomentosa* Escherich, 1899; *externeundulata* Pic, 1919; *kulpensis* Pic, 1919
- 4801) *Mylabris* (s.str.) *atrofasciata* (Pic, 1921) (Meloidae) Synonym(s): *atrofasciata* Pic, 1921
- 4802) *Mylabris* (s.str.) *interrupta* Olivier, 1801 (Meloidae) Synonym(s): *interrupta* Olivier, 1801; *excellens* Redtenbacher, 1850; *mediounifasciata* Pic, 1920; *subunifasciata* Pic, 1920
- 4803) *Mylabris* (s.str.) *olivieri* Billberg, 1813 (Meloidae) Synonym(s): *olivieri* Billberg, 1813; *caspia* Ménétériés, 1832; *grisescens* Reiche, 1865; *impar* Baudi, 1878; *impexa* Escherich, 1899; *kopetensis* Pic, 1930
- 4804) *Mylabris* (s.str.) *parumpicta* (Heyden, 1883) (Meloidae) Synonym(s): *parumpicta* Heyden, 1883
- 4805) *Mylabris* (s.str.) *quadripunctata* (Linnaeus, 1767) (Meloidae) Synonym(s): *quadripunctata* Linnaeus, 1767; *melanura* Pallas, 1781; *decimpunctata* Fabricius, 1781; *octopunctata* Olivier, 1811; *adamsi* Fischer von Waldheim, 1824; *armeniaca* Faldermann, 1837; *restricta* Motschoulsky, 1849; *maldinesi* Chevrolat, 1865
- 4806) *Mylabris* (s.str.) *sanguinosa* Marseul, 1872 (Meloidae) Synonym(s): *sanguinosa* Marseul, 1872
- 4807) *Mylabris* (s.str.) *suturalis* (Pic, 1898) (Meloidae) Synonym(s): *suturalis* Pic, 1898; *morgani* Pic, 1920
- 4808) *Mylabris* (*Zitunabris*) *syriaca* Klug, 1845 (Meloidae) Synonym(s): *gebleri* Faldermann, 1837; *syriaca* Klug, 1845; *intersecta* Reiche, 1857; *smyrnensis* Escherich, 1899
- 4809) *Mylabris* *apicenigra* Sumakov, 1915 (Meloidae) Synonym(s): *apicenigra* Sumakov, 1915
- 4810) *Mylabris* *cingulata* Faldermann, 1837 (Meloidae) Synonym(s): *cingulata* Faldermann, 1837
- 4811) *Mylabris* *concolor* Marseul, 1870 (Meloidae) Synonym(s): *concolor* Marseul, 1870
- 4812) *Mylabris* *externepunctata* Faldermann, 1832 (Meloidae) Synonym(s): *externepunctata* Faldermann, 1832
- 4813) *Mylabris* *guerini* Chevrolat, 1840 (Meloidae) Synonym(s): *guerini* Chevrolat, 1840; *rubripennis* Chevrolat, 1840; *normandi* Pic, 1953; *lambdaesis* Pic, 1953
- 4814) *Mylabris* *modesta* (Escherich, 1899) (Meloidae) Synonym(s): *modesta* Escherich, 1899; *elbursiensis* Aksentjev, 1985
- 4815) *Mylothra* *christophi* Gozmany, 1967 (Autostichidae) Synonym(s): *christophi* Gozmany, 1967
- 4816) *Mylothra* *megalomera* Gozmany (Autostichidae) Synonym(s):
- 4817) *Myolepta* *trojana* Reemer & Hauser, 2005 (Syrphidae) Synonym(s): *trojana* Reemer & Hauser, 2005
- 4818) *Myopa* *dorsalis* Fabricius, 1794 (Conopidae) Synonym(s): *testacea* Gmelin, 1793 nec Linn., 1767; *dorsalis* Fabricius, 1794; *ferruginea* Panzer, [1794]; *grandis* Meigen, 1804; *grifacies* Becker, 1922
- 4819) *Myopa* *morio* Meigen, 1804 (Conopidae) Synonym(s): *morio* Meigen, 1804; *puella* Rondani, 1857
- 4820) *Myopa* *occulta* Wiedemann, 1824 (Conopidae) Synonym(s): *occulta* Wiedemann, 1824; *dispar* Rondani, 1857

- 4821) **Myopa picta** Panzer,1798 (Conopidae) Synonym(s): *picta* Panzer,1798; *varia* Wiedemann,1830; *meridionalis* Macquart,1835; *chusanensis* Ouchi,1939
- 4822) **Myospila mediatubunda** (Fabricius,1781) (Muscidae) Synonym(s): *mediatubunda* Fabricius,1781
- 4823) **Myriocheile (Monelica) orientalis** (Dejean,1825) (Carabidae) Synonym(s): *orientalis* Dejean,1825
- 4824) **Myriocheile (s.str.) melancholica** (Fabricius,1798) (Carabidae) Synonym(s): *melancholica* Fabricius,1798
- 4825) **Myrlaea albistrigata** (Staudinger,1881) (Pyralidae) Synonym(s): *albistrigata* Staudinger,1881
- 4826) **Myrlaea mimicalis** (Amsel,1950) (Pyralidae) Synonym(s): *mimicalis* Amsel,1950
- 4827) **Myrlaea nigrosquamalis** (Amsel,1950) (Pyralidae) Synonym(s): *nigrosquamalis* Amsel,1950
- 4828) **Myrlaea pittonii** (Amsel,1950) (Pyralidae) Synonym(s): *pittonii* Amsel,1950
- 4829) **Myrmecaelurus laetus** (Klug,1834) (Myrmeleonidae) Synonym(s): *laetus* Klug,1834
- 4830) **Myrmecaelurus paghmanus** Hölzel,1969 (Myrmeleonidae) Synonym(s): *paghmanus* Hölzel,1969
- 4831) **Myrmecaelurus trigrammus** (Pallas,1781) (Myrmeleonidae) Synonym(s): *trigrammus* Pallas,1781; *pictum* Fabricius,1798; *flavus* Rambur,1842
- 4832) **Myrmecaelurus varians** Navas,1913 (Myrmeleonidae) Synonym(s): *variens* Navas,1913; *aequans* Navas,1913; *nematicus* Navas,1932.
- 4833) **Myrmecozela (Flavida) lutosella** (Eversmann,1844) (Tineidae) Synonym(s): *lutosella* Eversmann,1844; *gigantea* Christoph,1873; *centrogramma* Meyrick,1921; *insignis* Amsel,1935; *stichograptus* Meyrick,1936
- 4834) **Myrmeleon (Morter) hyalinus** (Olivier,1811) (Myrmeleonidae) Synonym(s): *hyalinus* Olivier,1811
- 4835) **Myrmeleon (Morter) inconspicuus** (Rambur,1842) (Myrmeleonidae) Synonym(s): *inconspicuus* Rambur,1842
- 4836) **Myrmeleon (Morter) pseudohyalinus** Hölzel,1972 (Myrmeleonidae) Synonym(s): *pseudohyalinus* Hölzel,1972
- 4837) **Myrmeleon (s.str.) formicarius** Linnaeus,1767 (Myrmeleonidae) Synonym(s): *formicarius* Linnaeus,1767; *formicalynx* Linnaeus,1767
- 4838) **Myrmilla (Eurygnathilla) emiliae** (Dalla Torre,1897) (Mutillidae) Synonym(s): *laticeps* Radoszowski,1888 *nec* Blake,1871; *emiliae* Dalla Torre,1897; *chusistana* Skorikov,1927
- 4839) **Myrmilla (Pseudomutilla) meda** Skorikov,1927 (Mutillidae) Synonym(s): *meda* Skorikov,1927; *appropinqua* Skorikov,1927
- 4840) **Myrmilla (s.str.) astrabada** Skorikov,1927 (Mutillidae) Synonym(s): *astrabada* Skorikov,1927
- 4841) **Myrmilla (s.str.) bilobicornis** Skorikov,1927 (Mutillidae) Synonym(s): *bilobicornis* Skorikov,1927
- 4842) **Myrmilla (s.str.) caucasica** (Kolenati,1846) (Mutillidae) Synonym(s): *caucasica* Kolenati,1846; *jasonia* Skorikov,1927; *kiritschenkoi* Skorikov,1927
- 4843) **Myrmilla (s.str.) corniculata** (Sichel & Radoszowski,1869) (Mutillidae) Synonym(s): *#corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszowski,1869
- 4844) **Myrmilla (s.str.) lezginica** (Radoszkowski,1885) (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885; *subcornuta* Morawitz,1893; *nigrifrons* André,1901 [ssp.]; *kokujevi* Skorikov,1927; *susiana* Skorikov,1927
- 4845) **Myrmilla (s.str.) zarundyi** Skorikov,1927 (Mutillidae) Synonym(s): *zarundyi* Skorikov,1927
- 4846) **Myrmosa atra** Panzer,1801 (Mutillidae) Synonym(s): *melanocephala* Fabricius,1793 (praeooc.); *atra* Panzer,1801; *nigra* Latreille,1809; *bicolor* Baer,1848; *melanaria* Blanchard,1849; *#rufomaculata* Hoffer,1938; *erythrocephala* Yarrow,1954
- 4847) **Mythimna (Aletia) citrinotata** (Hampson,1905) (Noctuidae) Synonym(s): *citrinotata* Hampson,1905; *brandti* Boursin,1963
- 4848) **Mythimna (Aletia) congrua** (Hübner,[1817]) (Noctuidae) Synonym(s): *congrua* Hübner,[1817]; *amnicola* Rambur,1829.
- 4849) **Mythimna (Aletia) conigera** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788].
- 4850) **Mythimna (Aletia) impura** (Hübner,[1808]) (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892; *transbaikalis* Staudinger,1892; *fuscipennis* W.Warren,1910
- 4851) **Mythimna (Aletia) l-album** (Linnaeus,1767) (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881
- 4852) **Mythimna (Aletia) prominens** Walker,1856 (Noctuidae) Synonym(s): *prominens* Walker,1856; *hispanica* Bellier,1863.
- 4853) **Mythimna (Aletia) sassanidica** (Hacker,1986) (Noctuidae) Synonym(s): *sassanidica* Hacker,1986
- 4854) **Mythimna (Aletia) straminea** (Treitschke,1825) (Noctuidae) Synonym(s): *straminea* Treitschke,1825
- 4855) **Mythimna (Aletia) vitellina** (Hübner,[1808]) (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellina* Lederer,1870; *decolorata* Dannehl,1929; *saturator* Dannehl,1929; *griseus* Dannehl,1929.
- 4856) **Mythimna (Hyphile) albipuncta** (Fabricius,1787) (Noctuidae) Synonym(s): *#albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921.
- 4857) **Mythimna (Hyphile) ferrago** (Fabricius,1787) (Noctuidae) Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926
- 4858) **Mythimna (Morphopoliana) languida** (Walker,1858) (Noctuidae) Synonym(s): *consanguis* auct. *nec* Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952.
- 4859) **Mythimna (Pseudaletia) unipuncta** (Haworth,[1809]) (Noctuidae) Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsafikis,1974.
- 4860) **Mythimna joannisi** Boursin & Rungs,1952 (Noctuidae) Synonym(s): *joannisi* Boursin & Rungs,1952
- 4861) **Nabis pseudoferus** Remane,1949 (Nabidae) Synonym(s): *pseudoferus* Remane,1949
- 4862) **Nabis sareptanus** Dohrn,1862 (Nabidae) Synonym(s): *sareptanus* Dohrn,1862
- 4863) **Naenia typica** (Linnaeus,1758) (Noctuidae) Synonym(s): *typica* Linnaeus,1758; *filicis* Goeze,1781; *venosa* Hübner,[1803]; *excusa* Esper,[1805]; *claricolor* Schawerda,1928.
- 4864) **Nagusta simonis** Puton,1890 (Reduviidae) Synonym(s): *simonis* Puton,1890
- 4865) **Nariscus conspurcatus** Mancini,1946 (Alydidae) Synonym(s): *conspurcatus* Mancini,1946
- 4866) **Nariscus spinosus** (Burmeister,1839) (Alydidae) Synonym(s): *spinosus* Burmeister,1839
- 4867) **Nascia ciliaris** (Hübner,1796) (Pyralidae) Synonym(s): *ciliaris* Hübner,1796
- 4868) **Nasocoris albipennis** Lindberg,1939 (Miridae) Synonym(s): *albipennis* Lindberg,1939
- 4869) **Nasocoris argyrotichus** Reuter,1879 (Miridae) Synonym(s): *argyrotichus* Reuter,1879; *badia* Stichel,1956; *brevicornis* Linnavuori,1968
- 4870) **Nasocoris argyrotichus** Reuter,1879 (Miridae) Synonym(s): *argyrotichus* Reuter,1879
- 4871) **Nasocoris desertorum** Kerzhner,1970 (Miridae) Synonym(s): *desertorum* Kerzhner,1970
- 4872) **Nasocoris serratus** Linnavuori,1984 (Miridae) Synonym(s): *serratus* Linnavuori,1984
- 4873) **Nebria (Eunebria) nigerrima** Chaudoir,1846 (Carabidae) Synonym(s): *nigerrima* Chaudoir,1846
- 4874) **Nebria (Eunebria) picicornis** (Fabricius,1801) (Carabidae) Synonym(s): *picicornis* Fabricius,1801
- 4875) **Nebria (Eunebria) complanata** (Linnaeus,1767) (Carabidae) Synonym(s): *complanata* Linnaeus,1767

- 4876) *Nebria* (s.str.) *hemprichi* Klug, 1832 (Carabidae) Synonym(s): *hemprichi* Klug, 1832
- 4877) *Nebula apiciata* (Staudinger, 1892) (Geometridae) Synonym(s): *apiciata* Staudinger, 1892
- 4878) *Nebula khorassana* (Brandt, 1941) (Geometridae) Synonym(s): *chorassana* Brandt, 1941
- 4879) *Nebula longipennis* (Brandt, 1941) (Geometridae) Synonym(s): *longipennis* Brandt, 1941
- 4880) *Nebula reclamata* (L.B. Prout, 1914) (Geometridae) Synonym(s): *reclamata* L.B. Prout, 1914
- 4881) *Nebula saidabadi* (Brandt, 1941) (Geometridae) Synonym(s): *saidabadi* Brandt, 1941
- 4882) *Nebula salicata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller], 1775
- 4883) *Nebula vartianata* (Wiltshire, 1970) (Geometridae) Synonym(s): *vartianata* Wiltshire, 1970
- 4884) *Negotinthia hoplisiformis* (Mann, 1864) (Sesiidae) Synonym(s): *hoplisiformis* Mann, 1864
- 4885) *Nemapogon brandti* Gaedike, 1986 (Tineidae) Synonym(s): *brandti* Gaedike, 1986
- 4886) *Nemapogon signatella* G. Petersen, 1957 (Tineidae) Synonym(s): *signatellus* G. Petersen, 1957
- 4887) *Nemausus sordidatus* (Stal, 1858) (Alydidae) Synonym(s): *sordidatus* Stal, 1858; *simplex* Horvath, 1911
- 4888) *Nemestrinus bombiformis* (Portschinsky, 1892) (Nemestrinidae) Synonym(s): *bombiformis* Portschinsky, 1892
- 4889) *Nemestrinus brandti* Bequaert, 1938 (Nemestrinidae) Synonym(s): *brandti* Bequaert, 1938
- 4890) *Nemestrinus caucasicus* (Fischer, 1806) (Nemestrinidae) Synonym(s): *caucasicus* Fischer, 1806; *analisis* Olivier, 1811; *adamsii* Fischer, 1812; *albofasciata* Wiedemann, 1828; *anthophorina* Portschinsky, 1881
- 4891) *Nemestrinus exalbidus* Lichtwardt, 1907 (Nemestrinidae) Synonym(s): *exalbidus* Lichtwardt, 1907
- 4892) *Nemestrinus iranicus* Bequaert, 1938 (Nemestrinidae) Synonym(s): *iranicus* Bequaert, 1938
- 4893) *Nemestrinus kiritshenkoi* Paramonov, 1945 (Nemestrinidae) Synonym(s): *kiritshenkoi* Paramonov, 1945
- 4894) *Nemestrinus laetus* (Loew, 1873) (Nemestrinidae) Synonym(s): *laetus* Loew, 1873
- 4895) *Nemestrinus persicus* Lichtwardt, 1909 (Nemestrinidae) Synonym(s): *persicus* Lichtwardt, 1909
- 4896) *Nemka pondicherensis* (Sichel & Radoszkowski, 1870) (Mutillidae) Synonym(s): *pondicherensis* Sichel & Radoszkowski, 1870
- 4897) *Nemka viduata* (Pallas, 1773) (Mutillidae) Synonym(s): *viduata* Pallas, 1773; *bartholomaei* Radoszkowski, 1865
- 4898) *Nemognatha* (s.str.) *chrysomelina* (Fabricius, 1775) (Meloidea) Synonym(s): *chrysomelina* Fabricius, 1775; *flavipes* Ménétries, 1849; *nigripes* Suffrian, 1853; *asiatica* Motschulsky, 1872; *maculicollis* Fairmaire, 1875; *unipunctata* Bequaert, 1890; *akbesiana* Pic, 1897; *atripennis* Chobaut, 1898; *#chrysomelina* Özbeke & Szaloki, 1998
- 4899) *Nemoptera rachelii* U. Aspöck, Letardi & H. Aspöck, 2006 (Nemopteridae) Synonym(s): *rachelii* U. Aspöck, Letardi & H. Aspöck, 2006
- 4900) *Nemoptera sinuata* Olivier, 1811 (Nemopteridae) Synonym(s): *sinuata* Olivier, 1811
- 4901) *Nemorius caucasicus* (Olsufjev, 1937) (Tabanidae) Synonym(s): *caucasicus* Olsufjev, 1937; *molitor* Bogatshev & Samedov, 1949
- 4902) *Nemorius irritans* (Ricardo, 1901) (Tabanidae) Synonym(s): *irritans* Ricardo, 1901; *unicolor* Becker, 1913
- 4903) *Nemorius shapuricus* (Abbassian-Lintzen, 1960) (Tabanidae) Synonym(s): *shapuricus* Abbassian-Lintzen, 1960
- 4904) *Nemorius vitripennis* (Meigen, 1820) (Tabanidae) Synonym(s): *vitripennis* Meigen, 1820; *fallotii* Kriechbaumer, 1873; *horvathi* Szilady, 1925
- 4905) *Nemotelus* (s.str.) *anchora* Loew, 1846 (Stratiomyidae) Synonym(s): *anchora* Loew, 1846; *siculus* Jaennicke, 1866; *persicus* Pleske, 1937
- 4906) *Nemotelus* (s.str.) *argentifer* Loew, 1846 (Stratiomyidae) Synonym(s): *argentifer* Loew, 1846; *limbatus* Egger, 1859
- 4907) *Nemotelus* (s.str.) *obscuripes* Loew, 1871 (Stratiomyidae) Synonym(s): *obscuripes* Loew, 1871; *modestus* Loew, 1871
- 4908) *Nemotelus* (s.str.) *signatus* Schiner, 1855 (Stratiomyidae) Synonym(s): *signatus* Schiner, 1855; *varius* Loew, 1871
- 4909) *Neoliturus alboflavovittatus* (Lindberg, 1954) (Cicadellidae) Synonym(s): *alboflavovittatus* Lindberg, 1954
- 4910) *Neoliturus pulcher* (Haupt, 1927) (Cicadellidae) Synonym(s): *pulcher* Haupt, 1927
- 4911) *Neoliturus tenellus* (Baker, 1896) (Cicadellidae) Synonym(s): *tenellus* Baker, 1896; *ignavus* Matsumura, 1908; *egyptiacus* Matsumura, 1908; *indivisus* Haupt, 1927; *ambiguus* Young & Frazier, 1954; *zygophylli* Lindberg, 1954
- 4912) *Neoascia podagrica* (Fabricius, 1775) (Syrphidae) Synonym(s): *podagrica* Fabricius, 1775; *molio* Harris, [1780]; *tenur* Harris, [1780]; *crassipes* Schrank, 1781; *elephantopus* Gmelin, 1790; *lanceolata* Meigen, 1822; *maculata* Macquart, 1829; *unifasciata* Strobl, 1898
- 4913) *Neocrepidodera ferruginea* (Scopoli, 1763) (Chrysomelidae) Synonym(s): *ferruginea* Scopoli, 1763
- 4914) *Neocrepidodera transversa* (Marsham, 1802) (Chrysomelidae) Synonym(s): *transversa* Marsham, 1802
- 4915) *Neognopharmia hoerhammeri* (Brandt, 1938) (Geometridae) Synonym(s): *hoerhammeri* Brandt, 1938; *#horhammeri* Scoble, 1999
- 4916) *Neognopharmia stevenaria* (Boisduval, 1840) (Geometridae) Synonym(s): *stevenaria* Boisduval, 1840; *lapidisaria* Freyer, 1841
- 4917) *Neoharpyia pulcherrima* (Brandt, 1938) (Notodontidae) Synonym(s): *pulcherrima* Brandt, 1938
- 4918) *Neoitamus cyanurus* (Loew, 1849) (Asilidae) Synonym(s): *tipuloides* Harris, 1776; *niger* De Geer, 1776; *aestivus* Schrank, 1781; *tabidus* Meigen, 1820; *cyanurus* Loew, 1849
- 4919) *Neoitamus senectus* Richter, 1963 (Asilidae) Synonym(s): *senectus* Richter, 1963; *lehri* Moucha & Hradski, 1963
- 4920) *Neolimnus eberti* Dlabola, 1964 (Cicadellidae) Synonym(s): *eberti* Dlabola, 1964
- 4921) *Neolimnus egyptiacus* (Matsumura, 1908) (Cicadellidae) Synonym(s): *egyptiacus* Matsumura, 1908
- 4922) *Neolophonotus pegasus* (Loew, 1858) (Asilidae) Synonym(s): *pegasus* Loew, 1858
- 4923) *Neomyia cornicina* (Fabricius, 1781) (Muscidae) Synonym(s): *cornicina* Fabricius, 1781; *viridis* Wiedemann, 1824; *caesarina* Meigen, 1826; *nec* Bechstein & Scharfenberg, 1805; *fennica* Frey, 1909
- 4924) *Neoplagonotus bobelayei* (Brullé, 1832) (Cerambycidae) Synonym(s): *speciosus* Adams, 1817; *bobelayei* Brullé, 1832
- 4925) *Neoplocaederus scapularis* (Fischer von Waldheim, 1821) (Cerambycidae) Synonym(s): *scapularis* Fischer von Waldheim, 1821
- 4926) *Neorhynchocephalus tauscheri* (Fischer, 1812) (Nemestrinidae) Synonym(s): *tauscheri* Fischer, 1812
- 4927) *Neotrogaspidia hammeri* (Suarez, 1959) (Mutillidae) Synonym(s): *hammeri* Suarez, 1959
- 4928) *Neottiglossa leporina* (Herrich-Schäffer, 1830) (Pentatomidae) Synonym(s): *leporina* Herrich-Schäffer, 1830; *calva* Jakovlev, 1903; *irana* Wagner, 1963
- 4929) *Nephoptera bienkoi* Ragge, 1959 (Tettigoniidae) Synonym(s): *bienkoi* Ragge, 1959
- 4930) *Nephoptera dezfoulani* Mirzayans & Morales-Agacino, 1972 (Tettigoniidae) Synonym(s): *dezfoulani* Mirzayans & Morales-Agacino, 1972
- 4931) *Nephoptera dlabolai* Cejchan, 1974 (Tettigoniidae) Synonym(s): *dlabolai* Cejchan, 1974
- 4932) *Nephoptera persica* (Uvarov, 1929) (Tettigoniidae) Synonym(s): *persica* Uvarov, 1929
- 4933) *Nephoptera richteri* (Bei-Bienko, 1958) (Tettigoniidae) Synonym(s): *richteri* Bei-Bienko, 1958
- 4934) *Nephoptera robusta* (Bei-Bienko, 1951) (Tettigoniidae) Synonym(s): *robusta* Bei-Bienko, 1951
- 4935) *Nephoptera tibialis* Uvarov, 1929 (Tettigoniidae) Synonym(s): *tibialis* Uvarov, 1929

- 4936) *Nephoterix ardekanella* Amsel, 1951 (Pyralidae) Synonym(s): *ardekanella* Amsel, 1951
- 4937) *Nephoterix cornutella* Amsel, 1951 (Pyralidae) Synonym(s): *cornutella* Amsel, 1951
- 4938) *Nephoterix divisella* (Duponchel, 1842) (Pyralidae) Synonym(s): *divisella* Duponchel, 1842; *albiricella* Herrich-Schäffer, 1849; *euphorbiella* Zeller, 1846; *sardzeella* Amsel, 1961.
- 4939) *Nephoterix macrocirtensis* Amsel, 1953 (Pyralidae) Synonym(s): *macrocirtensis* Amsel, 1953
- 4940) *Nephoterix minimella* Amsel, 1953 (Pyralidae) Synonym(s): *minimella* Amsel, 1953
- 4941) *Nephoterix oxybiella* Amsel, 1950 (Pyralidae) Synonym(s): *oxybiella* Amsel, 1950
- 4942) *Nephoterix rectangulella* Amsel, 1950 (Pyralidae) Synonym(s): *rectangulella* Amsel, 1950
- 4943) *Nephrotoma analis* (Schummel, 1833) (Tipulidae) Synonym(s): *analis* Schummel, 1833
- 4944) *Nephrotoma appendiculata* (Pierre, 1919) (Tipulidae) Synonym(s): *maculata* Meigen, 1804; *maculosa* Meigen, 1818; *appendiculata* Pierre, 1919
- 4945) *Nephrotoma cornicina* (Linnaeus, 1758) (Tipulidae) Synonym(s): *cornicina* Linnaeus, 1758; *flavomaculata* De Geer, 1776; *iridicolor* Schummel, 1833; *sannio* Meigen, 1838; *petiolata* Zetterstedt, 1838; *nigrina* Savchenko, 1973
- 4946) *Nephrotoma nox* (Riedel, 1910) (Tipulidae) Synonym(s): *nox* Riedel, 1910; *rossica* Riedel, 1920; *kozhevnikovii* Dodonov, 1925
- 4947) *Nephrotoma quadrifaria* (Meigen, 1804) (Tipulidae) Synonym(s): *quadrifaria* Meigen, 1804
- 4948) *Nephrotoma scalaris* (Meigen, 1818) (Tipulidae) Synonym(s): *scalaris* Meigen, 1818; *imperialis* Meigen, 1818
- 4949) *Nephrotoma schaeuffelei* (Mannheims, 1964) (Tipulidae) Synonym(s): *schaeuffelei* Mannheims, 1964
- 4950) *Nephus caneparii* Fürsch & Uygun, 1980 (Coccinellidae) Synonym(s): *caneparii* Fürsch & Uygun, 1980
- 4951) *Neptis* (s.str.) *rivularis* (Scopoli, 1763) (Argynnis) Synonym(s): *rivularis* Scopoli, 1763; *lucilla* Denis & Schiffermüller, 1775; *coenobita* Cramer, 1780; *#tolunay* Koçak & Kemal, 2006.
- 4952) *Neromia pulvereisparsa* Hampson, 1896 (Geometridae) Synonym(s): *pulvereisparsa* Hampson, 1896; *jodisata* Staudinger, 1898; *draudti* Andres & Seitz, 1923
- 4953) *Neromia simplex* Brandt, 1938 (Geometridae) Synonym(s): *simplex* Brandt, 1938
- 4954) *Nesidiocoris tenuis* (Reuter, 1895) (Miridae) Synonym(s): *#tamaricis* Puton, 1886; *tenuis* Reuter, 1895; *crassicornis* Distant, 1904; *javanus* Poppius, 1914; *nocivus* Fulmek, 1925
- 4955) *Nesoclytus erythrocephala* (Ferrari, 1882) (Cicadellidae) Synonym(s): *erythrocephala* Ferrari, 1882; *flaveolus* Matsumura, 1908; *wagneri* Lindberg, 1954
- 4956) *Netelia* (Toxochiloides) *krishtali* Tolkantiz, 1971 (Ichneumonidae) Synonym(s): *krishtali* Tolkantiz, 1971
- 4957) *Neurigona erichsoni* (Zetterstedt, 1843) (Dolichopodidae) Synonym(s): *erichsoni* Zetterstedt, 1843
- 4958) *Neurocladus brachioides* (Dufour, 1851) (Lygaeidae) Synonym(s): *brachioides* Dufour, 1851
- 4959) *Neuroleon alienus* Hölzel, 1972 (Myrmeleonidae) Synonym(s): *alienus* Hölzel, 1972
- 4960) *Neuroleon daphne* Hölzel, 1968 (Myrmeleonidae) Synonym(s): *daphne* Hölzel, 1968
- 4961) *Neuroleon diana* Hölzel, 1972 (Myrmeleonidae) Synonym(s): *diana* Hölzel, 1972
- 4962) *Neuroleon erato* Hölzel, 1972 (Myrmeleonidae) Synonym(s): *erato* Hölzel, 1972
- 4963) *Neuroleon leptaleus* (Navas, 1912) (Myrmeleonidae) Synonym(s): *leptaleus* Navas, 1912; *algericus* Navas, 1913
- 4964) *Neuroleon microstenus* (McLachlan, 1898) (Myrmeleonidae) Synonym(s): *microstenus* McLachlan, 1898; *propinquus* Navas, 1911; *noxius* Navas, 1912; *hellenicus* Navas, 1912; *occultus* Navas, 1914; *vicinus* Navas, 1914
- 4965) *Neuroleon occultus* (Navas, 1914) (Myrmeleonidae) Synonym(s): *occultus* Navas, 1914
- 4966) *Neuroleon tenellus* (Klug, 1834) (Myrmeleonidae) Synonym(s): *tenellus* Klug, 1834; *naxensis* Navas, 1915
- 4967) *Neuroterus lanuginosus* Giraud, 1859 (Cynipidae) Synonym(s): *lanuginosus* Giraud, 1859
- 4968) *Neurothaumasia ankerella* (Mann, 1867) (Tineidae) Synonym(s): *ankerella* Mann, 1867; *geratocoma* Walsingham, 1907; *nigratella* Chrétien, 1917; *burdigalensis* Le Marchand, 1934; *tirsella* Amsel, 1952;
- 4969) *Neurothaumasia fasciata* G.Petersen, 1959 (Tineidae) Synonym(s): *fasciata* G.Petersen, 1959
- 4970) *Neurothaumasia macedonica* G.Petersen, 1962 (Tineidae) Synonym(s): *macedonica* G.Petersen, 1962; *inornata* G.Petersen, 1966
- 4971) *Nevruzia flavoniger* (Majer, 1991) (Melyridae) Synonym(s): *flavoniger* Majer, 1991
- 4972) *Nezara viridula* (Linnaeus, 1758) (Pentatomidae) Synonym(s): *viridula* Linnaeus, 1758
- 4973) *Nezomyza obtusa* Varga & Ronkay, 1991 (Noctuidae) Synonym(s): *obtusa* Varga & Ronkay, 1991
- 4974) *Nezomyza pusilla* (Püngeler, 1900) (Noctuidae) Synonym(s): *pusilla* Püngeler, 1900
- 4975) *Nicrophorus humator* (Gleditsch, 1767) (Silphidae) Synonym(s): *humator* Gleditsch, 1767
- 4976) *Nicrophorus morio* Gebler, 1817 (Silphidae) Synonym(s): *morio* Gebler, 1817
- 4977) *Nicrophorus satanas* Reitter, 1893 (Silphidae) Synonym(s): *satanas* Reitter, 1893
- 4978) *Niditinea striolella* (Matsumura, 1931) (Tineidae) Synonym(s): *striolella* Matsumura, 1931; *semidivisa* Meyrick, 1934; *piercella* Benthinck, 1935; *ignotella* Zagulyaev, 1956; *distinguenda* G.Petersen, 1957; *pacifella* Zagulyaev, 1960
- 4979) *Niditinea turgialis* (Meyrick, 1932) (Tineidae) Synonym(s): *turgialis* Meyrick, 1932; *unipunctella* Zagulyaev, 1960
- 4980) *Nikanoria shohadae* Zerova, 2008 (Eurytomidae) Synonym(s): *shohadae* Zerova, 2008
- 4981) *Nilomantis floweri* Werner, 1907 (Iridopterygidae) Synonym(s): *floweri* Werner, 1907; *tenella* Giglio-Tos, 1915; *arabica* Beier, 1930
- 4982) *Nimboa asadeva* Rausch & H.Aspöck, 1978 (Coniopterygidae) Synonym(s): *asadeva* Rausch & H.Aspöck, 1978
- 4983) *Noaleon limbatellus* (Navas, 1913) (Myrmeleonidae) Synonym(s): *limbatellus* Navas, 1913
- 4984) *Nocarodes armenus* Ramme, 1951 (Pamphagidae) Synonym(s): *armenus* Ramme, 1951; *fragosus* Mishchenko, 1951
- 4985) *Nocarodes balachowskyi* Descamps, 1967 (Pamphagidae) Synonym(s): *balachowskyi* Descamps, 1967
- 4986) *Nocarodes corrugatus* Mishchenko, 1951 (Pamphagidae) Synonym(s): *corrugatus* Mishchenko, 1951
- 4987) *Nocarodes crispus* Mishchenko, 1951 (Pamphagidae) Synonym(s): *crispus* Mishchenko, 1951
- 4988) *Nocarodes ebneri* Ramme, 1951 (Pamphagidae) Synonym(s): *ebneri* Ramme, 1951
- 4989) *Nocarodes gibbosus* Mishchenko, 1951 (Pamphagidae) Synonym(s): *gibbosus* Mishchenko, 1951
- 4990) *Nocarodes humerosus* Mishchenko, 1951 (Pamphagidae) Synonym(s): *humerosus* Mishchenko, 1951
- 4991) *Nocarodes keredjensis* (Werner, 1939) (Pamphagidae) Synonym(s): *keredjensis* Werner, 1939
- 4992) *Nocarodes scabiosus* Mishchenko, 1951 (Pamphagidae) Synonym(s): *scabiosus* Mishchenko, 1951
- 4993) *Nocarodes schelkovnikovii* Uvarov, 1917 (Pamphagidae) Synonym(s): *schelkovnikovii* Uvarov, 1917
- 4994) *Nocarodes specialis* Mishchenko, 1951 (Pamphagidae) Synonym(s): *specialis* Mishchenko, 1951
- 4995) *Nocarodes urmianus* Ramme, 1939 (Pamphagidae) Synonym(s): *urmianus* Ramme, 1939
- 4996) *Noctua* (Euschesis) *janthina* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller], 1775; *latimarginata* Röber, 1900.
- 4997) *Noctua* (Latanotua) *orbona* (Hufnagel, 1766) (Noctuidae) Synonym(s): *orbona* Hufnagel, 1766; *subsequa* [Denis & Schiffermüller], 1775; *caroni* Lempke, 1964.

- 4998** *Noctua (Paranoctua) comes* (Hübner,[1813]) (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 4999** *Noctua (s.str.) pronuba* (Linnaeus,1758) (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piesz.,1908; *decolorata* Turati,1923.
- 5000** *Noctua (s.str.) tertia* Mentzer, Moberg & Fibiger,1991 (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991
- 5001** *Noctuella superba* (Freyer,[1844]) (Pyralidae) Synonym(s): *superba* Freyer,[1844]
- 5002** *Noctuella vespertalis* Herrich-Schäffer,[1855] (Pyralidae) Synonym(s): *vespertalis* Herrich-Schäffer,[1855]; *#gilvalis* Zerny,1914.
- 5003** *Nohoveus armenicus* (Krivokhatsky,1993) (Myrmeleonidae) Synonym(s): *armenicus* Krivokhatsky,1993
- 5004** *Nohoveus atrifrons* Hölzel,1970 (Myrmeleonidae) Synonym(s): *atrifrons* Hölzel,1970
- 5005** *Nohoveus fidelis* Hölzel,1968 (Myrmeleonidae) Synonym(s): *fidelis* Hölzel,1968
- 5006** *Nohoveus palpalis* (Klapalek,1914) (Myrmeleonidae) Synonym(s): *palpalis* Klapalek,1914
- 5007** *Nohoveus persicus* Navas,1929 (Myrmeleonidae) Synonym(s): *persicus* Navas,1929
- 5008** *Nola harouni* (Wiltshire,1951) (Noctuidae) Synonym(s): *harouni* Wiltshire,1951; *dilmuna* Wiltshire,1961.
- 5009** *Nola squalida* Staudinger,1871 (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henriotti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947
- 5010** *Nola subchlamydula* Staudinger,1870 (Noctuidae) Synonym(s): *subchlamydula* Staudinger,1870
- 5011** *Nomada lateritia* Mocsary,1883 (Apidae) Synonym(s): *lateritia* Mocsary,1883
- 5012** *Nomada nobilis* Herrich-Schäffer,1839 (Apidae) Synonym(s): *nobilis* Herrich-Schäffer,1839; *aberrans* Eversmann,1852; *calabra* Morawitz,1872; *magrettiana* Schmiedeknecht,1882
- 5013** *Nomia (Austronomia) clavicornis* Warncke,1980 (Halictidae) Synonym(s): *clavicornis* Warncke,1980
- 5014** *Nomia (Hoplonomia) callichlora* (Cockerell,1911) (Halictidae) Synonym(s): *callichlora* Cockerell,1911
- 5015** *Nomia (Lobonomia) armata* Olivier,1811 (Halictidae) Synonym(s): *armata* Olivier,1811; *latipes* Morawitz,1880
- 5016** *Nomia (Lobonomia) flavolobata* Cockerell,1911 (Halictidae) Synonym(s): *flavolobata* Cockerell,1911; *iranica* Warncke,1979
- 5017** *Nomioides (Paranomioides) steinbergi* Pesenko,1983 (Halictidae) Synonym(s): *steinbergi* Pesenko,1983
- 5018** *Nomioides (s.str.) chalybeatus* (Blüthgen,1934) (Halictidae) Synonym(s): *chalybeatus* Blüthgen,1934
- 5019** *Nomioides (s.str.) facilis* (Smith,1853) (Halictidae) Synonym(s): *facilis* Smith,1853
- 5020** *Nomioides (s.str.) ino* (Nurse,1904) (Halictidae) Synonym(s): *ino* Nurse,1904
- 5021** *Nomioides (s.str.) klausii* Pesenko,1983 (Halictidae) Synonym(s): *klausii* Pesenko,1983
- 5022** *Nomioides (s.str.) minutissimus* (Rossi,1790) (Halictidae) Synonym(s): *minutissimus* Rossi,1790; *modestus* Pesenko,1977
- 5023** *Nomioides (s.str.) nigriceps* Blüthgen,1933 (Halictidae) Synonym(s): *nigriceps* Blüthgen,1933
- 5024** *Nomioides (s.str.) rotundiceps* Handlirsch,1888 (Halictidae) Synonym(s): *rotundiceps* Handlirsch,1888
- 5025** *Nomioides (s.str.) similis* Pesenko,1983 (Halictidae) Synonym(s): *similis* Pesenko,1983; *rugosus* Pesenko,1983
- 5026** *Nomioides (s.str.) turanicus* Morawitz,1876 (Halictidae) Synonym(s): *turanicus* Morawitz,1876
- 5027** *Nomophila noctuella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859
- 5028** *Nonagria typhae* (Thunberg,1784) (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787.
- 5029** *Norrbonia niveipennis* (Duda,1923) (Sphaeroceridae) Synonym(s): *niveipennis* Duda,1923; *parallelinervis* Duda,1938; *tenuicalcar* Duda,1938
- 5030** *Noterus clavicornis* (De Geer,1774) (Noteridae) Synonym(s): *clavicornis* De Geer,1774
- 5031** *Noterus crassicornis* (O.F.Müller,1776) (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776
- 5032** *Nothris verbascella* (Brahm,1791) (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828; *clarella* Amsel,1935
- 5033** *Notiophilus aestuans* Dejean,1826 (Carabidae) Synonym(s): *aestuans* Dejean,1826
- 5034** *Notiophilus danieli* Reitter,1897 (Carabidae) Synonym(s): *danieli* Reitter,1897
- 5035** *Notiphila iranica* Canzoneri & Meneghini,1979 (Ephydriidae) Synonym(s): *iranica* Canzoneri & Meneghini,1979
- 5036** *Notocelia aquana* (Hübner,[1799]) (Tortricidae) Synonym(s): *#roborana* [Denis & Schiffermüller],1775; *aquana* Hübner,[1799].
- 5037** *Notocelia cynosbatella* (Linnaeus,1758) (Tortricidae) Synonym(s): *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775; *#cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967.
- 5038** *Notocelia puniceana* Kuznetsov,1956 (Tortricidae) Synonym(s): *punicana* Kuznetsov,1956
- 5039** *Notocelia trimaculana* (Haworth,[1811]) (Tortricidae) Synonym(s): *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843.
- 5040** *Notocelia uddmanniana* (Linnaeus,1758) (Tortricidae) Synonym(s): *uddmanniana* Linnaeus,1758; *rubiana* Scopoli,1763; *achata* Hübner,[1799]
- 5041** *Notodonta ziczac* (Linnaeus,1758) (Notodontidae) Synonym(s): *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956
- 5042** *Notonecta glauca* Linnaeus,1758 (Notonectidae) Synonym(s): *glauca* Linnaeus,1758; *kervillei* Poisson,1933; *poissoni* Hungerford,1934; *hybrida* Poisson,1953
- 5043** *Notonecta marmorea* Fabricius,1803 (Notonectidae) Synonym(s): *marmorea* Fabricius,1803
- 5044** *Notoxus angustulus* Krekich & Strassoldo,1919 (Anthicidae) Synonym(s): *angustulus* Krekich & Strassoldo,1919
- 5045** *Notoxus appendicinus* Desbr.,1875 (Anthicidae) Synonym(s): *appendicinus* Desbr.,1875
- 5046** *Nusa infumata* (Loew,1851) (Asilidae) Synonym(s): *infumata* Loew,1851; *brachyptera* Loew,1851; *stenura* Loew,1858; *ruficornis* Wulp,1899
- 5047** *Nusa puella* (Rondani,1873) (Asilidae) Synonym(s): *puella* Rondani,1873
- 5048** *Nusa ramifica* (Loew,1871) (Asilidae) Synonym(s): *ramifica* Loew,1871
- 5049** *Nychiodes (Comeesia) admirabilia* Brandt,1938 (Geometridae) Synonym(s): *admirabilia* Brandt,1938
- 5050** *Nychiodes (Eunychiodes) agatcha* Brandt,1938 (Geometridae) Synonym(s): *agatcha* Brandt,1938
- 5051** *Nychiodes (Eunychiodes) divergaria* (Staudinger,1892) (Geometridae) Synonym(s): *divergaria* Staudinger,1892
- 5052** *Nychiodes (Eunychiodes) farinosa* Brandt,1938 (Geometridae) Synonym(s): *farinosa* Brandt,1938
- 5053** *Nychiodes (Eunychiodes) leviata* Brandt,1938 (Geometridae) Synonym(s): *leviata* Brandt,1938
- 5054** *Nychiodes (Eunychiodes) subfusca* Brandt,1938 (Geometridae) Synonym(s): *subfusca* Brandt,1938
- 5055** *Nychiodes (Eunychiodes) subvirida* Brandt,1938 (Geometridae) Synonym(s): *subvirida* Brandt,1938

- 5056) *Nychiodes (Eunychiodes) variabila* Brandt, 1938 (Geometridae) Synonym(s): *variabila* Brandt, 1938; *#variabilis* auct.
- 5057) *Nychiodes (Fritzwagneria) rayatica* Wiltshire, 1957 (Geometridae) Synonym(s): *rayatica* Wiltshire, 1957
- 5058) *Nychiodes (Fritzwagneria) waltheri* F. Wagner, 1919 (Geometridae) Synonym(s): *waltheri* F. Wagner, 1919.
- 5059) *Nyctegretis lineana* (Scopoli, 1786) (Pyralidae) Synonym(s): *lineana* Scopoli, 1786; *achatinella* Hübner, [1824].
- 5060) *Nyctella zimini* Rohdendorf, 1961 (Sarcophagidae) Synonym(s): *zimini* Rohdendorf, 1961
- 5061) *Nycteola asiatica* (Krulikovskiy, 1904) (Noctuidae) Synonym(s): *asiatica* Krulikovskiy, 1904; *populana* Patočka, 1953; *hungarica* Kovacs, 1954.
- 5062) *Nycteola revayana* (Scopoli, 1772) (Noctuidae) Synonym(s): *revayana* Scopoli, 1772; *duplana* Fabricius, 1777; *ilicana* Fabricius, 1781; *fasciatum* Retzius, 1783; *punctana* Thunberg, 1784; *anglica* Fourcroy, 1785; *rivagana* Fabricius, 1787; *ramosana* Hübner, 1793; *undulana* Hübner, [1799]; *bifasciana* Donovan, 1801 nec Hbn., 1787
- 5063) *Nycteribia (Acrocholidia) vexata* Westwood, 1835 (Nycteribiidae) Synonym(s): *vexata* Westwood, 1835
- 5064) *Nycteribia (s.str.) pedicularia* Latreille, 1805 (Nycteribiidae) Synonym(s): *pedicularia* Latreille, 1805
- 5065) *Nycteribia (s.str.) schmidlii* Schiner, 1853 (Nycteribiidae) Synonym(s): *schmidlii* Schiner, 1853
- 5066) *Nyctophila caucasica* (Motschoulsky, 1854) (Lampyridae) Synonym(s): *caucasica* Motschoulsky, 1854
- 5067) *Nyctophila maculicollis* (Fairmaire, 1866) (Lampyridae) Synonym(s): *maculicollis* Fairmaire, 1866
- 5068) *Nyctophila pseudocaucasica* Geisthardt, 1982 (Lampyridae) Synonym(s): *pseudocaucasica* Geisthardt, 1982
- 5069) *Nymphalis polychloros* (Linnaeus, 1758) (Argynniidae) Synonym(s): *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896.
- 5070) *Nymphalis xanthomelas* (Esper, [1781]) (Argynniidae) Synonym(s): *#xanthomelas* [Denis & Schiffermüller], 1775; *xanthomelas* Esper, [1781]
- 5071) *Nymphula nigrolinealis* Pryer, 1877 (Pyralidae) Synonym(s): *nigrolinealis* Pryer, 1877
- 5072) *Nysius senecionis* (Shilling, 1829) (Lygaeidae) Synonym(s): *senecionis* Shilling, 1829
- 5073) *Nyssiodes rhodopolitis* Wehrli, 1939 (Geometridae) Synonym(s): *rhodopolitis* Wehrli, 1939
- 5074) *Obtusodonta equitatoria* (Panzer, 1786) (Ichneumonidae) Synonym(s): *equitatoria* Panzer, 1786
- 5075) *Ochlodes hyrcanus* (Christoph, 1893) (Hesperiidae) Synonym(s): *hyrcanus* Christoph, 1893
- 5076) *Ochlodes venatus* (Bremer & Grey, [1852]) (Hesperiidae) Synonym(s): *venatus* Bremer & Grey, [1852]
- 5077) *Ochodontia adustaria* Fischer de Waldheim, 1840 (Geometridae) Synonym(s): *adustaria* Fischer de Waldheim, 1840; *sareptanaria* Freyer, 1841; *#sareptaria* Eversmann, 1844
- 5078) *Ochrilidia acuta* (Bolivar, 1905) (Acrididae) Synonym(s): *acuta* Bolivar, 1905
- 5079) *Ochrilidia gracilis* (Krauss, 1902) (Acrididae) Synonym(s): *gracilis* Krauss, 1902; *acuta* Bolivar, 1908; *curvifrons* Bolivar, 1908; *aegyptia* Uvarov, 1924; *aethiopica* Salfi, 1931; *obtusa* Salfi, 1931; *uvarovi* Salfi, 1931; *#gracillius* Abashidze, 2002
- 5080) *Ochrilidia obtusa* (Salfi, 1931) (Acrididae) Synonym(s): *obtusa* Salfi, 1931
- 5081) *Ochrilidia orientalis* Salfi, 1931 (Acrididae) Synonym(s): *orientalis* Salfi, 1931
- 5082) *Ochrilidia persica* (Salfi, 1931) (Acrididae) Synonym(s): *persica* Salfi, 1931
- 5083) *Ochrilidia richteri* Bei-Bienko, 1960 (Acrididae) Synonym(s): *richteri* Bei-Bienko, 1960
- 5084) *Ochromolopis ictella* (Hübner, [1813]) (Epermeniidae) Synonym(s): *ictella* Hübner, [1813]; *ictipennella* Treitschke, 1833.
- 5085) *Ochroleptura plecta* (Linnaeus, 1761) (Noctuidae) Synonym(s): *pecta* Linnaeus, 1761; *unimacula* Staudinger, 1859; *anderssoni* Lampa, 1885; *glaucomaculata* Graeser, [1889]; *unuplecta* Bryk, 1942.
- 5086) *Ochrosia ventralis* (Illiger, 1807) (Chrysomelidae) Synonym(s): *ventralis* Illiger, 1807
- 5087) *Ochsenheimeria taurella* ([Denis & Schiffermüller], 1775) (Yponomeutidae) Synonym(s): *taurella* [Denis & Schiffermüller], 1775; *mediopectinellus* Haworth, 1828; *birdella* Curtis, 1831; *trifasciata* Wocke, 1871; *hederarum* Millière, 1874; *talhouki* Amsel, 1947; *baurella* Zagulyaev, 1966
- 5088) *Ochthebius (Asiabates) limbicollis* Reitter, 1885 (Hydraenidae) Synonym(s): *limbicollis* Reitter, 1885
- 5089) *Ochthebius (s.str.) minabensis* Ferro, 1983 (Hydraenidae) Synonym(s): *minabensis* Ferro, 1983
- 5090) *Ochthera schembrii* Rondani, 1847 (Ephydriidae) Synonym(s): *schembrii* Rondani, 1847; *mantispa* Loew, 1847; *setigera* Czerny, 1909
- 5091) *Ochyrotylus helvinus* Jakovlev, 1885 (Pentatomidae) Synonym(s): *helvinus* Jakovlev, 1885
- 5092) *Ocnogryia amanda* Staudinger, [1892] (Lymantriidae) Synonym(s): *amanda* Staudinger, [1892]
- 5093) *Ocnogryia (s.str.) armena* Staudinger, 1871 (Arctiidae) Synonym(s): *armena* Staudinger, 1871
- 5094) *Ocnogryia (s.str.) loewii* (Zeller, 1846) (Arctiidae) Synonym(s): *loewii* Zeller, 1846; *clathrata* Lederer, 1855; *andresi* Draudt, 1931.
- 5095) *Ocrisiodes antiopa* Roesler, 1988 (Pyralidae) Synonym(s): *antiopa* Roesler, 1988
- 5096) *Ocrisiodes bamella* (Amsel, 1958) (Pyralidae) Synonym(s): *bamella* Amsel, 1958
- 5097) *Ocrisiodes dispergella* (Ragonot, 1887) (Pyralidae) Synonym(s): *dispergella* Ragonot, 1887
- 5098) *Ocrisiodes minimella* (Amsel, 1970) (Pyralidae) Synonym(s): *minimella* Amsel, 1970
- 5099) *Ocrisiodes occulta* Roesler, 1990 (Pyralidae) Synonym(s): *occulta* Roesler, 1990
- 5100) *Ocrisiodes polptychella* (Ragonot, 1887) (Pyralidae) Synonym(s): *polptychella* Ragonot, 1887; *pristophorella* Amsel, 1951.
- 5101) *Ocrisiodes ruptifasciella* (Ragonot, 1887) (Pyralidae) Synonym(s): *ruptifasciella* Ragonot, 1887; *chirazalis* Amsel, 1950
- 5102) *Ocrisiodes senganella* (Amsel, 1961) (Pyralidae) Synonym(s): *senganella* Amsel, 1961; *arghandabella* Amsel, 1970.
- 5103) *Ocrisiodes sesamella* Roesler, 1988 (Pyralidae) Synonym(s): *sesamella* Roesler, 1988
- 5104) *Ocrisiodes taftanella* (Amsel, 1950) (Pyralidae) Synonym(s): *taftanella* Amsel, 1950
- 5105) *Odice arcuinna* (Hübner, 1790) (Noctuidae) Synonym(s): *arcuinna* Hübner, 1790; *inamoena* Hübner, [1803].
- 5106) *Odice keyserlingi* (Bienert, 1870) (Noctuidae) Synonym(s): *keyserlingi* Bienert, 1870
- 5107) *Odontestis ? dubiosa* (Brandt, 1941) (Noctuidae) Synonym(s): *dubiosa* Brandt, 1941
- 5108) *Odontomyia angulata* (Panzer, [1798]) (Stratiomyidae) Synonym(s): *angulata* Panzer, [1798]; *vulpina* Panzer, [1798]; *hydroptia* Meigen, 1822; *latifasciata* Macquart, 1834; *brevicornis* Loew, 1840; *ruficornis* Zetterstedt, 1842; *hydrophila* Loew, 1846
- 5109) *Odontomyia cephalonica* Strobl, 1898 (Stratiomyidae) Synonym(s): *cephalonica* Strobl, 1898; *byzantina* Strobl, 1902; *persica* Pleske, 1922
- 5110) *Odontoscelis fuliginosa* (Linnaeus, 1761) (Scutelleridae) Synonym(s): *fuliginosa* Linnaeus, 1761
- 5111) *Odontotarsus angustatus* Jakovlev, 1883 (Scutelleridae) Synonym(s): *angustatus* Jakovlev, 1883
- 5112) *Odontotarsus impictus* Jakovlev, 1886 (Scutelleridae) Synonym(s): *impictus* Jakovlev, 1886; *lautus* Horvath, 1891; *decolor* Horvath, 1906; *mendax* Horvath, 1906
- 5113) *Odontotarsus latissimus* Göllner-Scheiding, 1990 (Scutelleridae) Synonym(s): *latissimus* Göllner-Scheiding, 1990
- 5114) *Odontotarsus obsoletus* Horvath, 1906 (Scutelleridae) Synonym(s): *obsoletus* Horvath, 1906
- 5115) *Odontotarsus oculatus* Horvath, 1881 (Scutelleridae) Synonym(s): *oculatus* Horvath, 1881
- 5116) *Odontotarsus plicatulus* Horvath, 1906 (Scutelleridae) Synonym(s): *plicatulus* Horvath, 1906

- 5117) *Odontotarsus purpureolineatus* (Rossi,1790)** (Scutelleridae) Synonym(s): *purpureolineatus* Rossi,1790; *lutescens* Fieber,1861; *rugicollis* Jakovlev,1884; *insignis* Jakovlev,1908; *#confluens* Hoberlandt,1944
- 5118) *Odontotarsus robustus* Jakovlev,1884** (Scutelleridae) Synonym(s): *robustus* Jakovlev,1884; *flavus* Jakovlev,1885; *dilutus* Horvath,1917
- 5119) *Oedaleus senegalensis* (Krauss,1877)** (Acrididae) Synonym(s): *senegalensis* Krauss,1877; *arenivolans* Butler,1881; *mlokoziewitzcki* Bolivar,1884; *mlokozewitchi* Bolivar,1887; *dimidiatus* Bolivar,1899
- 5120) *Oedipoda caerulea* (Linnaeus,1758)** (Acrididae) Synonym(s): *caerulea* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873
- 5121) *Oedipoda kurda* Deschamps,1967** (Acrididae) Synonym(s): *kurda* Deschamps,1967
- 5122) *Oedipoda schochi* Saussure,1884** (Acrididae) Synonym(s): *schochi* Saussure,1884; *caucasica* Saussure,1884
- 5123) *Oegoconia caradjai* Popescu-Gorj & Capuse,1965** (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse,1965
- 5124) *Oenas wilhelmsi* Faldermann,1832** (Meloidae) Synonym(s): *wilhelmsi* Faldermann,1832; *armeniacus* Kaszab,1951
- 5125) *Ogcodes asiaticus* Nartshuk,1975** (Acroceridae) Synonym(s): *asiaticus* Nartshuk,1975
- 5126) *Ogcodes formosus* Loew,1873** (Acroceridae) Synonym(s): *formosus* Loew,1873
- 5127) *Ogcodes guttatus* A.Costa,1854** (Acroceridae) Synonym(s): *guttatus* A.Costa,1854; *benacensis* Pokorný,1887
- 5128) *Ogcodes hirtus* (Sack,1936)** (Acroceridae) Synonym(s): *hirtus* Sack,1936
- 5129) *Ogcodes reginae* (Trojan,1956)** (Acroceridae) Synonym(s): *reginae* Trojan,1956
- 5130) *Ogcodes zonatus* Erichson,1840** (Acroceridae) Synonym(s): *zonatus* Erichson,1840
- 5131) *Oleodydiana calceatus* (Oldroyd,1958)** (Asilidae) Synonym(s): *calceatus* Oldroyd,1958
- 5132) *Olethreutes* (Argyroploce) ? *plumbiferana* Kennel,1916** (Tortricidae) Synonym(s): *plumbiferana* Kennel,1916
- 5133) *Olethreutes* (Argyroploce) *rhethorica* (Meyrick,1920)** (Tortricidae) Synonym(s): *rhethorica* Meyrick,1920
- 5134) *Olethreutes* (s.str.) *arcuana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *#arcuella* Clerck,1759; *arcuana* Linnaeus,1761; *lambergiana* Scopoli,1763.
- 5135) *Olethreutes* (s.str.) *doubledayana* (Barrett,1872)** (Tortricidae) Synonym(s): *doubledayana* Barrett,1872
- 5136) *Oliarus convergens* Melichar,1902** (Cixiidae) Synonym(s): *convergens* Melichar,1902
- 5137) *Oliarus nigrofurcatus* Signoret,1884** (Cixiidae) Synonym(s): *nigrofurcatus* Signoret,1884; *fumatus* Melichar,1902
- 5138) *Oliarus pallens* (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927
- 5139) *Oligia latruncula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775
- 5140) *Oligia strigilis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775.
- 5141) *Oligia suleiman* Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *suleiman* Rezbanyai-Reser,1997
- 5142) *Oligia vandarbani* Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *vandarban* Rezbanyai-Reser,1997
- 5143) *Oligodranes obscuripennis* Loew,1844** (Bombyliidae) Synonym(s): *obscuripennis* Loew,1844
- 5144) *Oligoneura murina* (Loew,1844)** (Acroceridae) Synonym(s): *murina* Loew,1844
- 5145) *Olivenbula subsericata* (Herrich-Schäffer,1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
- 5146) *Ommatidiotus iranicus* Horvath,1905** (Caliscelidae) Synonym(s): *iranicus* Horvath,1905
- 5147) *Ommatius stackelbergi* (Richter,1960)** (Asilidae) Synonym(s): *stackelbergi* Richter,1960
- 5148) *Ommatius tenellus* Wulp,1899** (Asilidae) Synonym(s): *tenellus* Wulp,1899
- 5149) *Omphalophana anatolica* (Lederer,1857)** (Noctuidae) Synonym(s): *anatolica* Lederer,1857
- 5150) *Omphalophana antirrhinii* (Hübner,1803)** (Noctuidae) Synonym(s): *antirrhinii* Hübner,1803
- 5151) *Omphalophana serrulata* L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *serrulata* L.Ronkay & Gyulai,2006
- 5152) *Oncocephalus plumicornis* (Germar,1822)** (Reduviidae) Synonym(s): *plumicornis* Germar,1822
- 5153) *Oncocera semirubella* (Scopoli,1763)** (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 *nec* Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
- 5154) *Oncocnemis confusa* (Freyer,1839)** (Noctuidae) Synonym(s): *confusa* Freyer,1839.
- 5155) *Oncocnemis erythropsis* Brandt,1938** (Noctuidae) Synonym(s): *erythropsis* Brandt,1938
- 5156) *Oncocnemis exacta* Christoph,1887** (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937
- 5157) *Oncocnemis idioglypha* Brandt,1938** (Noctuidae) Synonym(s): *idioglypha* Brandt,1938
- 5158) *Oncocnemis strioligera* Lederer,1853** (Noctuidae) Synonym(s): *strioligera* Lederer,1853
- 5159) *Oncopsis flavicollis* (Linnaeus,1761)** (Cicadellidae) Synonym(s): *flavicollis* Linnaeus,1761; *diadema* Fabricius,1794; *triangularis* Fabricius,1794; *fruticola* Fallén,1806; *fuscata* Gravenhorst,1807; *nigritulus* Zetterstedt,1828; *obscurus* Zetterstedt,1828; *pallens* Zetterstedt,1828; *personatus* Curtis,1837; *pulchellus* Curtis,1837; *reticulatus* Curtis,1837; *frontalis* Curtis,1837; *capucinus* Zetterstedt,1840; *dubius* Fieber,1868; *ochraceus* Rey,1894; *transitus* Rey,1894; *hyalina* Wagner,1944; *luteomarginata* Wagner,1944
- 5160) *Onitis damoetas* Steven,1806** (Scarabaeidae) Synonym(s): *damoetas* Steven,1806; *laevigatus* Olivier,1811; *steveni* Brullé,1832
- 5161) *Onthophagus* (Amphionthophagus) *fazonii* Goidanich,1926** (Scarabaeidae) Synonym(s): *fazonii* Goidanich,1926
- 5162) *Onthophagus* (Euonthophagus) *atramentarius* (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius* Ménétriés,1832
- 5163) *Onthophagus* (Euonthophagus) *bedeli* (Reitter,1891)** (Scarabaeidae) Synonym(s): *bedeli* Reitter,1891
- 5164) *Onthophagus* (Euonthophagus) *dorbignyi* Olsoufieff,1900** (Scarabaeidae) Synonym(s): *dorbignyi* Olsoufieff,1900; *neutto* Olsoufieff,1900
- 5165) *Onthophagus* (Euonthophagus) *sulcicollis* Reitter,1892** (Scarabaeidae) Synonym(s): *sulcicollis* Reitter,1892
- 5166) *Onthophagus* (Palaeonthophagus) *aleppensis* Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis* Redtenbacher,1843; *hyrcanicus* Kabakov,1982
- 5167) *Onthophagus* (Palaeonthophagus) *angorensis* Petrovitz,1963** (Scarabaeidae) Synonym(s): *angorensis* Petrovitz,1963
- 5168) *Onthophagus* (Palaeonthophagus) *dorsosignatus* D'Orbigny,1898** (Scarabaeidae) Synonym(s): *dorsosignatus* D'Orbigny,1898
- 5169) *Onthophagus* (Palaeonthophagus) *fissicornis* Steven,1809** (Scarabaeidae) Synonym(s): *fissicornis* Steven,1809
- 5170) *Onthophagus* (Palaeonthophagus) *fissinasus* Fairmaire,1895** (Scarabaeidae) Synonym(s): *fissinasus* Fairmaire,1895
- 5171) *Onthophagus* (Palaeonthophagus) *fracticornis* (Preyssler,1790)** (Scarabaeidae) Synonym(s): *fracticornis* Preyssler,1790
- 5172) *Onthophagus* (Palaeonthophagus) *lemuroides* D'Orbigny,1898** (Scarabaeidae) Synonym(s): *lemuroides* D'Orbigny,1898

- 5173) **Onthophagus (Palaeonthophagus) osellai Pittino, 1982** (Scarabaeidae) Synonym(s): *osellai* Pittino, 1982
 5174) **Onthophagus (Palaeonthophagus) parmatas Reitter, 1892** (Scarabaeidae) Synonym(s): *parmatas* Reitter, 1892
 5175) **Onthophagus (Palaeonthophagus) ponticus Harold, 1883** (Scarabaeidae) Synonym(s): *ponticus* Harold, 1883; *furcicornis* Reitter, 1893; *granulifer* Reitter, 1893; *granulosus* Kozhantschikov, 1894; *gorhami* Shipp, 1895; *krali* Balthasar, 1963; *citellorum* Medvedev, 1965
 5176) **Onthophagus (Palaeonthophagus) sericatus Reitter, 1893** (Scarabaeidae) Synonym(s): *sericatus* Reitter, 1893
 5177) **Onthophagus (Palaeonthophagus) speculifer Solsky, 1876** (Scarabaeidae) Synonym(s): *speculifer* Solsky, 1876
 5178) **Onthophagus (Palaeonthophagus) suturellus Brullé, 1832** (Scarabaeidae) Synonym(s): *suturellus* Brullé, 1832; *trochiscobius* Kolenati, 1846
 5179) **Onthophagus (Palaeonthophagus) truchmenus Kolenati, 1846** (Scarabaeidae) Synonym(s): *truchmenus* Kolenati, 1846; *araxicola* Reitter, 1893; *latiplage* Reitter, 1897; *xerces* Petrovitz, 1965
 5180) **Onthophagus (Palaeonthophagus) vacca (Linnaeus, 1767)** (Scarabaeidae) Synonym(s): *vacca* Linnaeus, 1767
 5181) **Onthophagus (s.str.) illyricus (Scopoli, 1763)** (Scarabaeidae) Synonym(s): *illyricus* Scopoli, 1763
 5182) **Onthophagus (s.str.) taurus (Schreber, 1759)** (Scarabaeidae) Synonym(s): *taurus* Schreber, 1759
 5183) **Onychogomphus flexuosus (Schneider, 1845)** (Gomphidae) Synonym(s): *flexuosus* Schneider, 1845
 5184) **Oopristus turkestanicus (Skriptshinsky, 1929)** (Torymidae) Synonym(s): *turkestanicus* Skriptshinsky, 1929; *safavii* Steffan, 1968
 5185) **Opacifrons coxata (Stenhammar, 1855)** (Sphaeroceridae) Synonym(s): *coxata* Stenhammar, 1855
 5186) **Opatroides angulatus Baudi, 1875** (Tenebrionidae) Synonym(s): *angulatus* Baudi, 1875
 5187) **Ophion mocsaryi Brauns, 1889** (Ichneumonidae) Synonym(s): *mocsaryi* Brauns, 1889
 5188) **Ophiusa lunaris (Goeze, 1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller], 1775; *lunaris* Goeze, 1781; *undosa* Goeze, 1781; *ventrilabris* Fabricius, 1787; *tarsioplumalis* Hübner, 1796; *chosensis* Bryk, 1949.
 5189) **Ophiusa tirhaca (Cramer, [1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer, [1777]; *#tirrhaca* Fabricius, 1781; *vesta* Esper, 1789; *olivacea* Villers, 1789; *auricularis* Hübner, [1803]; *separans* Walker, 1858; *hottentota* Guenée, 1852; *clementi* Swinhoe, 1918; *#demarginata* Heydemann et al., 1963; *obscura* Pinker & Bacallado, 1978
 5190) **Opigena huberi Hacker, 1999** (Noctuidae) Synonym(s): *huberi* Hacker, 1999
 5191) **Opigena polygona (Fabricius, 1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller], 1775; *polygona* Fabricius, 1787; *nigrofulva* Esper, [1788]; *pyramis* Borkhausen, 1792.
 5192) **Opius (Cryptognathopus) uttoisimilis Fischer, 1999** (Braconidae) Synonym(s): *uttoisimilis* Fischer, 1999
 5193) **Opogona tamsi Gerasimov, 1930** (Tineidae) Synonym(s): *tamsi* Gerasimov, 1930
 5194) **Opsius cypriacus Lindberg, 1958** (Cicadellidae) Synonym(s): *cypriacus* Lindberg, 1958
 5195) **Opsius dagestanicus Dlabola, 1960** (Cicadellidae) Synonym(s): *dagestanicus* Dlabola, 1960
 5196) **Opsius discessus (Horvath, 1911)** (Cicadellidae) Synonym(s): *discessus* Horvath, 1911
 5197) **Opsius jucundus (Lethierry, 1871)** (Cicadellidae) Synonym(s): *jucundus* Lethierry, 1871
 5198) **Opsius richteri Dlabola, 1960** (Cicadellidae) Synonym(s): *richteri* Dlabola, 1960
 5199) **Opsius tigripes (Lethierry, 1876)** (Cicadellidae) Synonym(s): *tigripes* Lethierry, 1876
 5200) **Orellia falcata (Scopoli, 1763)** (Tephritidae) Synonym(s): *falcata* Scopoli, 1763; *abdominalis* R-D., 1830; *octopunctata* Macquart, 1835
 5201) **Orellia steropea (Rondani, 1870)** (Tephritidae) Synonym(s): *steropea* Rondani, 1870
 5202) **Orellia stictica (Gmelin, 1790)** (Tephritidae) Synonym(s): *punctata* Schrank, 1781 *nec* Poda, 1761; *stictica* Gmelin, 1790; *flavicans* R-D., 1830; *intermedia* Frauenfeld, 1857
 5203) **Orgyia dubia (Tauscher, 1806)** (Lymantriidae) Synonym(s): *dubia* Tauscher, 1806
 5204) **Oria musculosa (Hübner, [1808])** (Noctuidae) Synonym(s): *musculosa* Hübner, [1808]; *laeta* Alpheraky, 1889.
 5205) **Orius niger (Wolff, 1811)** (Anthocoridae) Synonym(s): *niger* Wolff, 1811
 5206) **Ormyrus orientalis Walker, 1871** (Ormyridae) Synonym(s): *orientalis* Walker, 1871; *indicus* Ahmad, 1946; *hungaricus* Erdős, 1946; *peninsularis* Mani & Kaul, 1972; *fredricki* Narendran & Samodan, 1990
 5207) **Ornathalva antipyraxis (Meyrick, 1925)** (Gelechiidae) Synonym(s): *antipyraxis* Meyrick, 1925
 5208) **Ornathalva caecigena (Meyrick, 1918)** (Gelechiidae) Synonym(s): *caecigena* Meyrick, 1918
 5209) **Ornathalva erubescens (Walsingham, 1904)** (Gelechiidae) Synonym(s): *erubescens* Walsingham, 1904
 5210) **Ornathalva heluanensis (Debski, 1913)** (Gelechiidae) Synonym(s): *heluanensis* Debski, 1913; *frankeniivorella* Chrétien, 1917; *oasicolella* Turati, 1924; *siculella* Mariani, 1937.
 5211) **Ornathalva macrosignella Sattler, 1967** (Gelechiidae) Synonym(s): *macrosignella* Sattler, 1967
 5212) **Ornathalva mixolitha (Meyrick, 1918)** (Gelechiidae) Synonym(s): *mixolitha* Meyrick, 1918
 5213) **Ornathalva ornatella Sattler, 1967** (Gelechiidae) Synonym(s): *ornatella* Sattler, 1967
 5214) **Ornathalva plutelliformis (Staudinger, 1859)** (Gelechiidae) Synonym(s): *plutelliformis* Staudinger, 1859; *sinuatella* Walsingham, 1904
 5215) **Ornathalva pseudotamaricella Sattler, 1967** (Gelechiidae) Synonym(s): *tamariciella* auct.; *pseudotamaricella* Sattler, 1967.
 5216) **Ornathalva roseosuffusella Sattler, 1967** (Gelechiidae) Synonym(s): *roseosuffusella* Sattler, 1967
 5217) **Ornathalva serratisignella Sattler, 1967** (Gelechiidae) Synonym(s): *serratisignella* Sattler, 1967
 5218) **Ornathalva sieversi (Staudinger, 1871)** (Gelechiidae) Synonym(s): *sieversi* Staudinger, 1871
 5219) **Ornathalva triangulella Sattler, 1967** (Gelechiidae) Synonym(s): *triangulella* Sattler, 1967
 5220) **Ornathalva zonella (Chrétien, 1917)** (Gelechiidae) Synonym(s): *zonella* Chrétien, 1917; *cimelion* Amsel, 1935; *iranella* Sattler, 1967
 5221) **Orosius orientalis (Matsumura, 1914)** (Cicadellidae) Synonym(s): *orientalis* Matsumura, 1914; *albicinctus* Distant, 1918; *filigranus* Haupt, 1927
 5222) **Orphnephilina atropatenica (Schmid, 1958)** (Thaumaleidae) Synonym(s): *atropatenica* Schmid, 1958
 5223) **Orphnephilina hyrcanica (Schmid, 1958)** (Thaumaleidae) Synonym(s): *hyrcanica* Schmid, 1958
 5224) **Orthocephalus bivittatus Fieber, 1864** (Miridae) Synonym(s): *bivittatus* Fieber, 1864; *bilineatus* Jakovlev, 1875; *niger* Reuter, 1879
 5225) **Orthocephalus fulvipes Reuter, 1904** (Miridae) Synonym(s): *tenuicornis* Mulsant & Rey, 1852 *nec* Say, 1852; *fulvipes* Reuter, 1904
 5226) **Orthocephalus modarresi Linnavuori, 1997** (Miridae) Synonym(s): *modarresi* Linnavuori, 1997
 5227) **Orthocephalus saltator (Hahn, 1835)** (Miridae) Synonym(s): *saltator* Hahn, 1835; *hirtus* Curtis, 1838 *nec* Müll., 1776; *major* Costa, 1853; *infuscatus* Garbiglietti, 1869; *ferrarii* Reuter, 1891; *parvulus* Reuter, 1891
 5228) **Orthocephalus turkmenicus Namyatova & Konstantinov, 2009** (Miridae) Synonym(s): *turkmenicus* Namyatova & Konstantinov, 2009

- 5229) Orthocephalus vittipennis (Herrich-Schäffer, 1835)** (Miridae) Synonym(s): *vittipennis* Herrich-Schäffer, 1835; *#decipiens* Wagner, 1942
- 5230) Orthonama obstipata (Fabricius, 1794)** (Geometridae) Synonym(s): *obstipata* Fabricius, 1794; *fluviata* Hübner, [1799]; *gemmata* Hübner, 1799; *albicinctata* Haworth, 1809; *angustata* Haworth, 1809; *quaerendaria* Costa, 1850; *baccata* Guenée, [1858]; *lapillata* Guenée, [1858]; *contrariata* Walker, 1862; *exagitata* Walker, 1862; *intrusata* Walker, 1862; *peracutata* Walker, 1862; *signataria* Walker, 1863; *obruptata* Walker, 1863; *pigrata* Walker, 1866; *plemyrata* R. Felder & Rogenhofer, 1875; *inconspicua* Warren, 1896; *brunneipennis* Hulst, 1896; *discata* Warren, 1905
- 5231) Orthonevra frontalis (Loew, 1843)** (Syrphidae) Synonym(s): *frontalis* Loew, 1843; *venusta* Rondani, 1856
- 5232) Orthonevra longicornis (Loew, 1843)** (Syrphidae) Synonym(s): *longicornis* Loew, 1843
- 5233) Orthopygia glaucinalis (Linnaeus, 1758)** (Pylalidae) Synonym(s): *glaucinalis* Linnaeus, 1758
- 5234) Orthosia (Monima) cerasi (Fabricius, 1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius, 1775; *stabilis* [Denis & Schiffermüller], 1775; *obliqua* de Villers, 1789; *junctus* Haworth, 1803; *pallida* Haworth, 1809; *rufannulata* Haworth, 1809.
- 5235) Orthosia (Monima) imitabilis Hreblay, 1993** (Noctuidae) Synonym(s): *imitabilis* Hreblay, 1993
- 5236) Orthosia (s.str.) incerta (Hufnagel, 1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel, 1766; *instabilis* [Denis & Schiffermüller], 1775; *collinita* Esper, [1790]; *contracta* Esper, [1790]; *trigutta* Esper, [1790]; *nebulosus* Haworth, 1803; *subsetaceus* Haworth, 1803; *angustus* Haworth, 1803; *fuscatus* Haworth, 1803; *pallida* Lampa, 1885 nec Hw., 1809; *pallidior* Staudinger, 1901 nec Stgr., 1888
- 5237) Orthostixis cribraria (Hübner, [1799])** (Geometridae) Synonym(s): *cribraria* Hübner, [1799].
- 5238) Oscinella (s.str.) frit (Linnaeus, 1758)** (Chloropidae) Synonym(s): *frit* Linnaeus, 1758; *nigra* Linnaeus, 1764; *fumipennis* Meigen, 1830; *brunnitarsis* Macquart, 1835; *viridescens* Macquart, 1835; *rufitarsis* Meigen, 1838; *nigrita* Meigen, 1838; *aenea* von Roser, 1840; *distincta* von Roser, 1840; *nigrimana* von Roser, 1840; *granarius* Curtis, 1846; *nigripes* Strobl, 1894; *plumisetia* Duda, 1933; *sziladyi* Duda, 1933
- 5239) Oscinella (s.str.) pusilla (Meigen, 1830)** (Chloropidae) Synonym(s): *pusilla* Meigen, 1830
- 5240) Osmanius persicus Branco & Baraud, 1988** (Scarabaeidae) Synonym(s): *persicus* Branco & Baraud, 1988
- 5241) Osmia (Helicosmia) aurulenta (Panzer, 1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer, 1799; *haematoda* Panzer, 1801
- 5242) Osmia (Helicosmia) caerulescens (Linnaeus, 1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus, 1758; *aenea* Linnaeus, 1761; *superbus* Harris, 1776; *muraria* Retzius, 1783; *cuprea* Geoffroy, 1785; *cyanea* Fabricius, 1793; *purpurea* Cresson, 1864; *rustica* Cresson, 1864
- 5243) Osmia (Helicosmia) dimidiata Morawitz, 1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz, 1870; *taurica* Radoszkowski, 1874; *rossica* Friese, 1899
- 5244) Osmia (Helicosmia) gutturalis Warncke, 1988** (Megachilidae) Synonym(s): *gutturalis* Warncke, 1988
- 5245) Osmia (Helicosmia) leaiana (Kirby, 1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy, 1785 nec Schr., 1781; *leaiana* Kirby, 1802; *confusa* Morawitz, 1869; *solkji* Morawitz, 1870; *bidens* Pérez, 1879; *forsii* Alfken, 1924; *schachtli* Warncke, 1988
- 5246) Osmia (Helicosmia) mediana Engel, 2006** (Megachilidae) Synonym(s): *mediana* Engel, 2006
- 5247) Osmia (Helicosmia) melanogaster Spinola, 1808** (Megachilidae) Synonym(s): *melanogaster* Spinola, 1808; *aterrima* Morawitz, 1872; *carniolica* Morawitz, 1872; *incerta* Radoszkowski, 1876; *subaenea* Pérez, 1895
- 5248) Osmia (Helicosmia) niveata (Fabricius, 1804)** (Megachilidae) Synonym(s): *niveata* Fabricius, 1804; *fulvicornis* Latreille, 1809; *minuta* Branson, 1879; *sieversii* Morawitz, 1886; *carneiventris* Dours, 1887; *albiscopa* Alfken, 1914
- 5249) Osmia (Helicosmia) signata Erichson, 1835** (Megachilidae) Synonym(s): *signata* Erichson, 1835; *jucunda* Smith, 1853; *vidua* Gerstaecker, 1869; *cincta* Dours, 1873; *taurica* Radoszkowski, 1874; *laticincta* Pérez, 1879; *atriventris* Costa, 1883; *costaniana* Dalla Torre, 1895
- 5250) Osmia (Hemiosmia) difficilis Morawitz, 1875** (Megachilidae) Synonym(s): *difficilis* Morawitz, 1875; *falcata* Morawitz, 1875; *alborufa* Alfken, 1935
- 5251) Osmia (Hoplosmia) ligurica Morawitz, 1868** (Megachilidae) Synonym(s): *ligurica* Morawitz, 1868; *detrita* Pérez, 1879
- 5252) Osmia (Hoplosmia) warnckeii (Tkalcu, 1992)** (Megachilidae) Synonym(s): *warnckeii* Tkalcu, 1992
- 5253) Osmia (Metallinella) brevicornis (Fabricius, 1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius, 1798; *atrocaerulea* Schilling, 1849; *panzeri* Morawitz, 1869; *leucogastra* Morawitz, 1875; *subcyanea* Alfken, 1935
- 5254) Osmia (Monosmia) apicata Smith, 1853** (Megachilidae) Synonym(s): *apicata* Smith, 1853; *macroglossa* Gerstaecker, 1869
- 5255) Osmia (Orientosmia) maxillaris Morawitz, 1875** (Megachilidae) Synonym(s): *maxillaris* Morawitz, 1875
- 5256) Osmia (Ozbekosmia) avosetta Warncke, 1988** (Megachilidae) Synonym(s): *avosetta* Warncke, 1988
- 5257) Osmia (Pyrosomia) oramara Warncke, 1992** (Megachilidae) Synonym(s): *oramara* Warncke, 1992
- 5258) Osmia (s.str.) bicornis (Linnaeus, 1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus, 1758; *rufa* Linnaeus, 1758; *globosa* Scopoli, 1763; *agino* Harris, 1776; *cornigera* Rossi, 1790; *fronticornis* Panzer, 1799; *hedera* Smith, 1844; *fracticornis* Pérez, 1895; *borealis* Ducke, 1899
- 5259) Osmia (s.str.) cerinthidis Morawitz, 1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz, 1876
- 5260) Osmia (s.str.) cornuta (Latreille, 1805)** (Megachilidae) Synonym(s): *cornuta* Latreille, 1805; *divergens* Friese, 1920; *neoregaena* Mavromoustakis, 1938; *quasirufa* Peters, 1978
- 5261) Osmia (s.str.) mustelina Gerstaecker, 1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker, 1869; *nigrohirta* Friese, 1899; *griseohirta* Alfken, 1935; *umbrosa* Peters, 1978
- 5262) Osmia (s.str.) nigrohirta Friese, 1899** (Megachilidae) Synonym(s): *nigrohirta* Friese, 1899
- 5263) Osphrantheria coerulescens Redtenbacher, [1849]** (Cerambycidae) Synonym(s): *coerulescens* Redtenbacher, [1849]
- 5264) Osphrantheria lata Pic, 1956** (Cerambycidae) Synonym(s): *lata* Pic, 1956; *richteri* Heyrovsky, 1959
- 5265) Ostheldera gracilis (Osthelder, 1933)** (Noctuidae) Synonym(s): *gracilis* Osthelder, 1933
- 5266) Ostheldera persa L. Ronkay & Varga, 1994** (Noctuidae) Synonym(s): *persa* L. Ronkay & Varga, 1994
- 5267) Osthelderiella amardiana Obratsov, 1961** (Tortricidae) Synonym(s): *amardiana* Obratsov, 1961
- 5268) Ostrinia nubilalis (Hübner, 1796)** (Pyralidae) Synonym(s): *nubilalis* Hübner, 1796; *silacealis* Hübner, 1796.
- 5269) Ostrinia persica Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *persica* Mutuura & Munroe, 1970
- 5270) Oulobophora externata Freyer, 1846** (Geometridae) Synonym(s): *#externata* Herrich-Schäffer, 1843; *externata* Freyer, 1846; *turcosyrica* Wehrli, 1934.
- 5271) Ourapteryx falciformis Inoue, 1993** (Geometridae) Synonym(s): *falciformis* Inoue, 1993
- 5272) Ourapteryx persica Ménétériés, 1832** (Geometridae) Synonym(s): *persica* Ménétériés, 1832
- 5273) Oxya fuscovittata (Marschall, 1836)** (Acrididae) Synonym(s): *fuscovittata* Marschall, 1836; *turanica* Uvarov, 1912; *oryzivora* Willemse, 1925; *uvarovi* Willemse, 1925
- 5274) Oxya nitidula (Walker, 1870)** (Acrididae) Synonym(s): *nitidula* Walker, 1870
- 5275) Oxyaciura tibialis R.-D., 1830** (Tephritidae) Synonym(s): *tibialis* R.-D., 1830; *gagates* Loew, 1846
- 5276) Oxcara mandli Kaszab, 1963** (Tenebrionidae) Synonym(s): *mandli* Kaszab, 1963

- 5277) *Oxycarenus (Euoxycarenus) pallens* (Herrich-Schäffer, 1850) (Lygaeidae) Synonym(s): *pallens* Herrich-Schäffer, 1850
- 5278) *Oxycera (Camptopelta) meigenii* Staeger, 1844 (Stratiomyidae) Synonym(s): *meigenii* Staeger, 1844; *fraterna* Loew, 1873; *caucasica* Kertész, 1916; *turkestanica* Kertész, 1916; *sinica* Pleske, 1925; *transcaspia* Pleske, 1925; *pallidipes* Pleske, 1925
- 5279) *Oxythopsis persica* (Bolivar, 1913) (Mantidae) Synonym(s): *persica* Bolivar, 1913
- 5280) *Oxythopsis wagneri* (Kittary, 1849) (Mantidae) Synonym(s): *wagneri* Kittary, 1849; *tadzhicus* Lindt, 1967
- 5281) *Oxypteron palmioni* (Amsel, 1940) (Tortricidae) Synonym(s): *palmioni* Amsel, 1940
- 5282) *Oxyptilus parvidactylus* (Haworth, [1811]) (Pterophoridae) Synonym(s): *parvidactylus* Haworth, [1811]; *microdactylus* Samouelle, 1819; *obscurus* Zeller, 1841; *hemididactylus* Selys-Longchamps, 1845; *dentellus* Zeller, 1852; *obscuridactyla* Bruand, 1859; *hofmannseggii* Möschler, 1866; *maroocanensis* Amsel, 1956.
- 5283) *Oxyptilus pilosellae* (Zeller, 1841) (Pterophoridae) Synonym(s): *pilosellae* Zeller, 1841; *pilosellidactyla* Bruand, 1859; *bohemanii* Wallengren, 1862.
- 5284) *Oxythyrea cinctella* (Schaum, 1841) (Scarabaeidae) Synonym(s): *albella* Illiger, 1802 (praeocc.); *cinctella* Schaum, 1841; *natalia* Olsufiev, 1917
- 5285) *Oxytripia stephania* Sutton, [1964] (Noctuidae) Synonym(s): *stephania* Sutton, [1964]; *danilevskyi* Miljanovsky, 1973.
- 5286) *Pachyanthrax telamon* (Loew, 1869) (Bombyliidae) Synonym(s): *telamon* Loew, 1869; *loevi* Paramonov, 1928; *loewi* Zaitzev, 1989
- 5287) *Pachyarthra brandti* G. Petersen, 1966 (Tineidae) Synonym(s): *brandti* G. Petersen, 1966
- 5288) *Pachyarthra iranica* G. Petersen & Gaedike, 1984 (Tineidae) Synonym(s): *iranica* G. Petersen & Gaedike, 1984
- 5289) *Pachybrachis* (s.str.) *boreopersicus* Lopatin, 1991 (Chrysomelidae) Synonym(s): *boreopersicus* Lopatin, 1991
- 5290) *Pachybrachis* (s.str.) *glycirrhizae* (Olivier, 1808) (Chrysomelidae) Synonym(s): *glycirrhizae* Olivier, 1808; *transcaspicus* Breit, 1921
- 5291) *Pachybrachis* (s.str.) *laticollis* Suffrian, 1860 (Chrysomelidae) Synonym(s): *laticollis* Suffrian, 1860; *callosus* Sahlberg, 1860; *misellus* Weise, 1900
- 5292) *Pachybrachis* (s.str.) *nigropunctatus* Suffrian, 1854 (Chrysomelidae) Synonym(s): *nigropunctatus* Suffrian, 1854; *paulonotatus* Pic, 1908
- 5293) *Pachybrachis* (s.str.) *pudicus* Lopatin, 1984 (Chrysomelidae) Synonym(s): *pudicus* Lopatin, 1984
- 5294) *Pachybrachis* (s.str.) *rapillyi* Lopatin, 1984 (Chrysomelidae) Synonym(s): *rapillyi* Lopatin, 1984
- 5295) *Pachybrachis* (s.str.) *vermicularis* Suffrian, 1854 (Chrysomelidae) Synonym(s): *vermicularis* Suffrian, 1854; *astragali* Stierlin, 1863; *pallidiventris* Jacobson, 1894
- 5296) *Pachypasa otus* (Drury, [1773]) (Lasiocampidae) Synonym(s): *otus* Drury, [1773]
- 5297) *Pachyscelis metopotapha* (Fischer von Waldheim, 1832) (Tenebrionidae) Synonym(s): *metopotapha* Fischer von Waldheim, 1832; *gemmans* Baudi, 1876
- 5298) *Pachyscelis musiva* (Ménétriés, 1832) (Tenebrionidae) Synonym(s): *musiva* Ménétriés, 1832; *depressa* Solier, 1836; *ordinata* Solier, 1836; *gastridula* Faldermann, 1837; *mammillata* Faldermann, 1837; *euphratica* Kraatz, 1865; *divisa* Reitter, 1893
- 5299) *Pachyscelis pauxilla* Hampe, 1852 (Tenebrionidae) Synonym(s): *pauxilla* Hampe, 1852
- 5300) *Pachyscelis persica* Redtenbacher, 1850 (Tenebrionidae) Synonym(s): *persica* Redtenbacher, 1850
- 5301) *Pachyscelis zophosioides* Baudi, 1875 (Tenebrionidae) Synonym(s): *zophosioides* Baudi, 1875
- 5302) *Pachytodes erraticus* (Dalman, 1817) (Cerambycidae) Synonym(s): *erraticus* Dalman, 1817
- 5303) *Paharia putoni* (Distant, 1892) (Cicadidae) Synonym(s): *lacteipennis* Puton, 1883 nec Wlk., 1850; *putoni* Distant, 1892
- 5304) *Paidia (Conjuncta) conjuncta* (Staudinger, 1892) (Arctiidae) Synonym(s): *conjuncta* Staudinger, 1892
- 5305) *Paidia* (s.str.) *elegantia* De Freina & Witt, 2004 (Arctiidae) Synonym(s): *elegantia* De Freina & Witt, 2004
- 5306) *Palomena mursili* Linnavuori, 1984 (Pentatomidae) Synonym(s): *mursili* Linnavuori, 1984
- 5307) *Palomena prasina* (Linnaeus, 1761) (Pentatomidae) Synonym(s): *prasina* Linnaeus, 1761
- 5308) *Palorus orientalis* Fleischer, 1900 (Tenebrionidae) Synonym(s): *orientalis* Fleischer, 1900
- 5309) *Palpares assyriorum* Abraham, 2012 (Myrmeleonidae) Synonym(s): *assyriorum* Abraham, 2012
- 5310) *Palpares cephalotes* (Klug, 1834) (Myrmeleonidae) Synonym(s): *cephalotes* Klug, 1834; *subducens* Walker, 1853; *solicitus* Walker, 1853.
- 5311) *Palpares chrysopterus* Navas, 1910 (Myrmeleonidae) Synonym(s): *chrysopterus* Navas, 1910; *turcicus* Koçak, 1976 nec Pet. & Emp., 1767
- 5312) *Palpares libelluloides* (Linnaeus, 1764) (Myrmeleonidae) Synonym(s): *libelluloides* Linnaeus, 1764; *turcica* Petiver & Empson, 1767; *nordmanni* Kolenati, 1846
- 5313) *Palpomyia (Gluhhovia) miki* Goetghebuer, 1934 (Ceratopogonidae) Synonym(s): *miki* Goetghebuer, 1934
- 5314) *Palpusopsis roseella* Amsel, 1959 (Pyralidae) Synonym(s): *roseella* Amsel, 1959
- 5315) *Palumbina guerinii* (Stainton, [1857]) (Gelechiidae) Synonym(s): *guerini* Stainton, [1857]; *tereintella* Rondani, 1876; *pistaciae* Anagnostopoulos, 1935.
- 5316) *Pammene caliginosa* Kuznetsov, 1972 (Tortricidae) Synonym(s): *caliginosa* Kuznetsov, 1972
- 5317) *Pammene festiva* Kuznetsov, 1972 (Tortricidae) Synonym(s): *festiva* Kuznetsov, 1972
- 5318) *Pamparoma acuta* (Freyer, [1837]) (Noctuidae) Synonym(s): *acuta* Freyer, [1837]; *producta* Lederer, 1857; *pygmaea* Staudinger, 1871.
- 5319) *Pandemis cerasana* (Hübner, 1786) (Tortricidae) Synonym(s): *cerasana* Hübner, 1786; *ribeana* Hübner, [1799]; *grossulariana* Stephens, 1834
- 5320) *Pandemis chondrillana* (Herrich-Schäffer, 1860) (Tortricidae) Synonym(s): *chondrillana* Herrich-Schäffer, 1860; *praeefloratana* Kennel, 1901; *laurana* Kennel, 1919; *elsana* Kennel, 1919; *eulogiana* Kennel, 1919; *#unicolor* Obratzsov, 1943.
- 5321) *Panorpa caucasica* McLachlan, 1869 (Panorpidae) Synonym(s): *caucasica* McLachlan, 1869
- 5322) *Panorpa nigrirostris* McLachlan, 1882 (Panorpidae) Synonym(s): *nigrirostris* McLachlan, 1882; *selysi* Esben-Petersen, 1915
- 5323) *Panstegia aerealis* (Hübner, 1793) (Pyralidae) Synonym(s): *aerealis* Hübner, 1793; *unicolor* Rebel, 1917.
- 5324) *Panstegia limbopunctalis* (Herrich-Schäffer, [1849]) (Pyralidae) Synonym(s): *limbopunctalis* Herrich-Schäffer, [1849]
- 5325) *Papilio* (s.str. (Alexanoria)) *alexanor* Esper, [1800] (Papilionidae) Synonym(s): *polidamas* De Prunner, 1787 nec Linn., 1758; *alexanor* Esper, [1800]; *polychaon* Loche, 1801; *destelensis* Nel & Chauliac, 1983.
- 5326) *Papilio* (s.str.) *machaon* Linnaeus, 1758 (Papilionidae) Synonym(s): *machaon* Linnaeus, 1758; *reginae* Retzius, 1783; *umbellatarum* Fabricius, 1807; *aurantiaca* Speyer, 1858.
- 5327) *Paracapperia anatolica* (Caradja, 1920) (Pterophoridae) Synonym(s): *anatolica* Caradja, 1920.
- 5328) *Paracentropus cyrus* (Brandt, 1938) (Noctuidae) Synonym(s): *cyrus* Brandt, 1938
- 5329) *Paraclytus raddei* (Ganglbauer, 1881) (Cerambycidae) Synonym(s): *raddei* Ganglbauer, 1881
- 5330) *Paraclytus reitteri* (Ganglbauer, 1881) (Cerambycidae) Synonym(s): *reitteri* Ganglbauer, 1881

- 5331) *Paraclytus sexguttatus* (Adams,1817) (Cerambycidae) Synonym(s): *sexguttatus* Adams,1817
5332) *Paracolax tristalis* (Fabricius,1794) (Noctuidae) Synonym(s): *tristalis* Fabricius,1794; *derivalis* Hübner,1796.
5333) *Paraconophyma nana* Popov,1951 (Acrididae) Synonym(s): *nana* Popov,1951
5334) *Paraconophyma pusilla* Bei-Bienko,1958 (Acrididae) Synonym(s): *pusilla* Bei-Bienko,1958
5335) *Paracorsia ? rudalis* (Zerny,1939) (Pyralidae) Synonym(s): *rudalis* Zerny,1939
5336) *Paracorsia repandalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *repandalis* [Denis & Schiffermüller],1775
5337) *Paracorymbia tonsa* (K.Daniel & J.Daniel,1891) (Cerambycidae) Synonym(s): *tonsa* K.Daniel & J.Daniel,1891
5338) *Paradorydium breviceps* (Melichar,1902) (Cicadellidae) Synonym(s): *breviceps* Melichar,1902
5339) *Paradrymadusa fridae* Werner,1939 (Tettigoniidae) Synonym(s): *fridae* Werner,1939
5340) *Paraegle ochracea* (Erschoff,1874) (Noctuidae) Synonym(s): *ochracea* Erschoff,1874
5341) *Paraegle subochracea* (Staudinger,1892) (Noctuidae) Synonym(s): *subochracea* Staudinger,1892
5342) *Paraemporia monotona* Amsel,1951 (Pyralidae) Synonym(s): *monotona* Amsel,1951
5343) *Paragomphus lineatus* (Selys & Hagen,1850) (Gomphidae) Synonym(s): *lineatus* Selys & Hagen,1850
5344) *Paragus* (*Pandasyopthalmus*) *tibialis* (Fallén,1817) (Syrphidae) Synonym(s): *tibialis* Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schummel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883
5345) *Paragus* (s.str.) *albifrons* (Fallén,1817) (Syrphidae) Synonym(s): *albifrons* Fallén,1817
5346) *Paragus* (s.str.) *bicolor* (Fabricius,1794) (Syrphidae) Synonym(s): *cruentata* Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *punctulatus* Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuatus* Bigot,1862; *angustifrons* Loew,1863
5347) *Paragus* (s.str.) *compeditus* Wiedemann,1830 (Syrphidae) Synonym(s): *compeditus* Wiedemann,1830; *aegyptius* Macquart,1857
5348) *Paragus* (s.str.) *quadrifasciatus* Meigen,1822 (Syrphidae) Synonym(s): *quadrifasciatus* Meigen,1822
5349) *Paralimnells cingulatus* (Dlabola,1960) (Cicadellidae) Synonym(s): *cingulatus* Dlabola,1960
5350) *Paralimnuss phragmitis* (Boheman,1847) (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897
5351) *Paralimnossina macedonica* (Rohacek,1977) (Sphaeroceridae) Synonym(s): *macedonica* Rohacek,1977
5352) *Parallelia algira* (Linnaeus,1767) (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europa* Schauverda,1912
5353) *Parallelia rogenhoferi* (Bohatsch,1880) (Noctuidae) Synonym(s): *rogenhoferi* Bohatsch,1880; *mirabilis* Romanoff,1885; *triangulata* Swinhoe,1889.
5354) *Parallelia torrida* (Guenée,1852) (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987]
5355) *Paramecyna dimorphalis* Amsel,1961 (Pyralidae) Synonym(s): *dimorphalis* Amsel,1961
5356) *Paramesia gnomana* (Clerck,1759) (Tortricidae) Synonym(s): *#gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829; *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943.
5357) *Paramesodes lineaticollis* (Distant,1908) (Cicadellidae) Synonym(s): *lineaticollis* Distant,1908; *lucaniae* Dlabola,1959
5358) *Paranocarodes sulcatus* (Bolivar,1912) (Pamphagidae) Synonym(s): *sulcatus* Bolivar,1912
5359) *Paranothrotres gotvendicus* (Bolivar,1912) (Pamphagidae) Synonym(s): *gotvendicus* Bolivar,1912
5360) *Paranothrotres opacus* (Brunner von Wattenwyl,1882) (Pamphagidae) Synonym(s): *opacus* Brunner von Wattenwyl,1882
5361) *Paranothrotres tenuicornis* Mishchenko,1951 (Pamphagidae) Synonym(s): *tenuicornis* Mishchenko,1951
5362) *Paranthrene diaphana* Dalla-Torre & Strand,1925 (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand,1925
5363) *Paranthrene insolita* Le Cerf,1914 (Sesiidae) Synonym(s): *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917.
5364) *Paranthrene tabaniformis* (Rottentburg,1775) (Sesiidae) Synonym(s): *tabaniformis* Rottentburg,1775; *asiliformis* [Denis & Schiffermüller],1775 *nec* Rott.,1775; *sesia* Gmelin,1789; *rhingiaeformis* Hübner,1790; *crabroniformis* Laspeyres,1801 *nec* Fabr.,1793; *tricincta* Harris,1839; *serratiformis* Freyer,1842; *rhingiiiformis* Staudinger,1856; *denotata* Edwards,1882; *flammans* Hampson,1893
5365) *Parapalpaes solidus* (Gerstaecker,[1894]) (Myrmeleonidae) Synonym(s): *solidus* Gerstaecker,[1894]; *zugmayeri* Navas,1912; *klapaleki* Navas,1912; *validus* Navas,1927
5366) *Paraphamartania syriaca* (Schiner,1867) (Asilidae) Synonym(s): *syriaca* Schiner,1867
5367) *Paraplagionotus floralis* (Pallas,1773) (Cerambycidae) Synonym(s): *floralis* Pallas,1773
5368) *Parapodia sinaica* (Frauenfeld,1859) (Gelechiidae) Synonym(s): *sinaica* Frauenfeld,1859; *tamaricicola* Joannis,1912; *tamariciella* Amsel,1958
5369) *Parapolybia escalarae* Meade-Waldo,1911 (Vespidae) Synonym(s): *escalarae* Meade-Waldo,1911
5370) *Parapoynx affinalis* (Guenée,1854) (Pyralidae) Synonym(s): *affinalis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *#alaicalis* Caradja,1916
5371) *Parapoynx stratiotatum* (Linnaeus,1758) (Pyralidae) Synonym(s): *stratiotata* Linnaeus,1758; *paludata* Fabricius,1794; *amanica* Osthelder,1935
5372) *Pararge aegeria* (Linnaeus,1758) (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
5373) *Pararhophites orobinus* (Morawitz,1876) (Megachilidae) Synonym(s): *orobinus* Morawitz,1876
5374) *Parascotia detersa* (Staudinger,1892) (Noctuidae) Synonym(s): *detersa* Staudinger,1892
5375) *Parasefidia benderella* Amsel,1950 (Pyralidae) Synonym(s): *benderella* Amsel,1950
5376) *Parasefidia comeella* (Amsel,1951) (Pyralidae) Synonym(s): *comeella* Amsel,1951
5377) *Parasefidia khorassanella* (Amsel,1950) (Pyralidae) Synonym(s): *chorassanella* Amsel,1950
5378) *Parasemia plantaginis* (Linnaeus,1758) (Arctiidae) Synonym(s): *plantaginis* Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775.
5379) *Parastichtis corticea* (Esper,[1800]) (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 *nec* Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
5380) *Paraswammerdamia iranella* Friese,1960 (Yponomeutidae) Synonym(s): *iranella* Friese,1960
5381) *Paratalanta pandalis* (Hübner,[1825]) (Pyralidae) Synonym(s): *pandalis* Hübner,[1825]
5382) *Paratettix iranica* Uvarov,1952 (Tetrigidae) Synonym(s): *iranica* Uvarov,1952
5383) *Paratettix uvarovi* Semenov,1915 (Tetrigidae) Synonym(s): *uvarovi* Semenov,1915
5384) *Parathrix attonita* Majer,1990 (Melyridae) Synonym(s): *attonita* Majer,1990
5385) *Parathrix tristis* Majer,1996 (Melyridae) Synonym(s): *tristis* Majer,1996

- 5386) *Paraxylogenes pistaciae* Damoiseau, 1968 (Bostrichidae) Synonym(s): *pistaciae* Damoiseau, 1968
 5387) *Parexarnis damnata* (Draudt, 1937) (Noctuidae) Synonym(s): *damnata* Draudt, 1937
 5388) *Parexarnis sollers* (Christoph, 1877) (Noctuidae) Synonym(s): *sollers* Christoph, 1877
 5389) *Parexarnis squalida* (Guenée, 1852) (Noctuidae) Synonym(s): *squalida* Guenée, 1852
 5390) *Parexarnis taurica* (Staudinger, 1879) (Noctuidae) Synonym(s): *taurica* Staudinger, 1879; *pseudosollers* Boursin, 1940.
 5391) *Parnassius (Driopa) mnemosyne* (Linnaeus, 1758) (Papilionidae) Synonym(s): *mnemosyne* Linnaeus, 1758
 5392) *Parnassius (s.str.) apollo* (Linnaeus, 1758) (Papilionidae) Synonym(s): *apollo* Linnaeus, 1758
 5393) *Parocneria audeoudi* (Brandt, 1938) (Lymantriidae) Synonym(s): *audeoudi* Brandt, 1938; *#unicoloris* Brandt, 1938
 5394) *Parocneria iranica* (Brandt, 1938) (Lymantriidae) Synonym(s): *iranica* Brandt, 1938
 5395) *Parocneria raddei* (Christoph, 1885) (Lymantriidae) Synonym(s): *raddei* Christoph, 1885
 5396) *Parocneria terebynthina* (Staudinger, [1895]) (Lymantriidae) Synonym(s): *terebynthina* Staudinger, [1895]; *insolita* Brandt, 1938
 5397) *Parornix persicella* Danilevsky, 1955 (Gracillariidae) Synonym(s): *persicella* Danilevsky, 1955
 5398) *Pasiphila hyrcanica* Viidalepp & Mironov, 2006 (Geometridae) Synonym(s): *hyrcanica* Viidalepp & Mironov, 2006
 5399) *Pasira basiptera* Stal, 1859 (Reduviidae) Synonym(s): *basiptera* Stal, 1859
 5400) *Pausias martini* (Puton, 1890) (Pentatomidae) Synonym(s): *martini* Puton, 1890
 5401) *Paussus (Cochliopaussus) turcicus* Frivaldszky, 1835 (Carabidae) Synonym(s): *turcicus* Frivaldszky, 1835
 5402) *Pecteneremus albella* (Amsel, 1959) (Autostichidae) Synonym(s): *albella* Amsel, 1959; *griseella* Amsel, 1959.
 5403) *Pecteneremus brandti* Gozmany (Autostichidae) Synonym(s): *brandti* Gozmany
 5404) *Pecteneremus pilatus* Gozmany, 1963 (Autostichidae) Synonym(s): *pilatus* Gozmany, 1963
 5405) *Pedestredorcadion biforme* (Kraatz, 1873) (Cerambycidae) Synonym(s): *biforme* Kraatz, 1873; *dorsomaculatum* Breuning, 1946; *subnudum* Breuning, 1946
 5406) *Pedestredorcadion blanchardi* (Mulsant & Rey, 1863) (Cerambycidae) Synonym(s): *blanchardi* Mulsant & Rey, 1863
 5407) *Pedestredorcadion bruneicollae* (Kraatz, 1873) (Cerambycidae) Synonym(s): *bruneicollae* Kraatz, 1873; *jakovlei* Semenov, 1905; ...
 5408) *Pedestredorcadion chopardi* (Breuning, 1948) (Cerambycidae) Synonym(s): *chopardi* Breuning, 1948
 5409) *Pedestredorcadion cinerarium* (Fabricius, 1787) (Cerambycidae) Synonym(s): *cinerarium* Fabricius, 1787; *tricolor* Fischer von Waldheim, 1806; *caucasicum* Küster, 1847; *micans* Thomson, 1867; *sericatum* Kraatz, 1873; *amasinum* Pic, 1898; *corallicorne* Pic, 1904; *macropoides* Plavilstshikov, 1932; *perroudi* Pic, 1942; *paracinerarium* Breuning, 1974
 5410) *Pedestredorcadion cingulatoides* (Breuning, 1946) (Cerambycidae) Synonym(s): *cingulatoides* Breuning, 1946
 5411) *Pedestredorcadion cingulatum* (Ganglbauer, 1883) (Cerambycidae) Synonym(s): *cingulatum* Ganglbauer, 1883; *invicinum* Pic, 1902; *persianum* Breuning, 1943
 5412) *Pedestredorcadion complanatum* (Ganglbauer, 1883) (Cerambycidae) Synonym(s): *complanatum* Ganglbauer, 1883
 5413) *Pedestredorcadion discomaculatum* (Pic, 1905) (Cerambycidae) Synonym(s): *discomaculatum* Pic, 1905
 5414) *Pedestredorcadion elbursense* (Breuning, 1943) (Cerambycidae) Synonym(s): *elbursense* Breuning, 1943
 5415) *Pedestredorcadion hellmanni* (Ganglbauer, 1883) (Cerambycidae) Synonym(s): *hellmanni* Ganglbauer, 1883
 5416) *Pedestredorcadion iranicum* (Breuning, 1947) (Cerambycidae) Synonym(s): *iranicum* Breuning, 1947
 5417) *Pedestredorcadion lineatopunctatum* (Breuning, 1944) (Cerambycidae) Synonym(s): *lineatopunctatum* Breuning, 1944
 5418) *Pedestredorcadion niveiparsum* (Thomson, 1865) (Cerambycidae) Synonym(s): *niveiparsum* Thomson, 1865
 5419) *Pedestredorcadion parcepunctatum* (Breuning, 1948) (Cerambycidae) Synonym(s): *parcepunctatum* Breuning, 1948
 5420) *Pedestredorcadion pasquieri* (Breuning, 1974) (Cerambycidae) Synonym(s): *pasquieri* Breuning, 1974
 5421) *Pedestredorcadion pseudonobile* (Breuning, 1946) (Cerambycidae) Synonym(s): *pseudonobile* Breuning, 1946; *tabrisense* Breuning, 1946
 5422) *Pedestredorcadion spectabile* (Kraatz, 1873) (Cerambycidae) Synonym(s): *spectabile* Kraatz, 1873
 5423) *Pedestredorcadion subcorpulentum* (Breuning, 1946) (Cerambycidae) Synonym(s): *subcorpulentum* Breuning, 1946
 5424) *Pedestredorcadion urmianum* (Plavilstshikov, 1937) (Cerambycidae) Synonym(s): *urmianum* Plavilstshikov, 1937
 5425) *Pediasia alcmena* Bleszynski, 1965 (Pyralidae) Synonym(s): *alcmena* Bleszynski, 1965
 5426) *Pediasia contaminella* (Hübner, 1796) (Pyralidae) Synonym(s): *contaminella* Hübner, 1796; *squalidalis* Hübner, [1825]; *cantiellus* Tutt, 1886.
 5427) *Pediasia desertella* (Lederer, 1855) (Pyralidae) Synonym(s): *desertella* Lederer, 1855
 5428) *Pediasia fascinelina* (Hübner, [1813]) (Pyralidae) Synonym(s): *fascinelina* Hübner, [1813]; *treitschkeella* Sodoffsky, 1830
 5429) *Pediasia luteella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *luteella* [Denis & Schiffermüller], 1775; *exoletella* [Denis & Schiffermüller], 1775; *exoletella* Hübner, 1796; *ochrella* Hübner, 1796; *kindermannii* Zeller, 1863; *uhryki* Rothschild, 1911.
 5430) *Pediasia matricella* (Treitschke, 1832) (Pyralidae) Synonym(s): *matricella* Treitschke, 1832; *obscura* Caradja, 1931
 5431) *Pediasia numidella* (Rebel, 1903) (Pyralidae) Synonym(s): *numidella* Rebel, 1903
 5432) *Pediasia persella* (Toll, 1947) (Pyralidae) Synonym(s): *persella* Toll, 1947
 5433) *Pediasia pseudopersella* Bleszynski, 1959 (Pyralidae) Synonym(s): *pseudopersella* Bleszynski, 1959
 5434) *Pedicia (Crunobia) persica* Alexander, 1975 (Pediidae) Synonym(s): *persica* Alexander, 1975; *elegantula* Savchenko, 1978
 5435) *Pellonia vibicaria* (Linnaeus, 1761) (Geometridae) Synonym(s): *#vibicaria* Clerck, 1759; *vibicaria* Linnaeus, 1761; *cruentata* Scopoli, 1763; *rubrofasciata* Hufnagel, 1767; *artriosa* Fourcroy, 1785; *cruentaria* Villers, 1789.
 5436) *Pelopidas mathias* (Fabricius, 1798) (Hesperiidae) Synonym(s): *mathias* Fabricius, 1798; *elegans* Mabille, 1877; *umbrata* Butler, 1879; *octofenestrata* Saalmüller, 1884; *albirostris* Mabille, [1887].
 5437) *Pelopidas thrax* (Hübner, [1821]) (Hesperiidae) Synonym(s): *thrax* Hübner, [1821]; *midea* Walker, 1870
 5438) *Pempelia acrobassella* (Amsel, 1950) (Pyralidae) Synonym(s): *acrobassella* Amsel, 1950
 5439) *Pempelia alpigenella* (Duponchel, 1836) (Pyralidae) Synonym(s): *alpigenella* Duponchel, 1836; *wagnerella* Freyer, 1845
 5440) *Pempelia arimanella* (Amsel, 1951) ? (Pyralidae) Synonym(s): *arimanella* Amsel, 1951
 5441) *Pempelia caspiella* (Amsel, 1959) (Pyralidae) Synonym(s): *caspiella* Amsel, 1959
 5442) *Pempelia cirtensis* Ragonot, 1890 (Pyralidae) Synonym(s): *cirtensis* Ragonot, 1890
 5443) *Pempelia coremetella* (Amsel, 1949) (Pyralidae) Synonym(s): *coremetella* Amsel, 1949
 5444) *Pempelia decentella* (Ragonot, 1887) (Pyralidae) Synonym(s): *decentella* Ragonot, 1887
 5445) *Pempelia gracilis* Rothschild (Pyralidae) Synonym(s): *gracilis* Rothschild
 5446) *Pempelia intricatella* Ragonot, 1887 (Pyralidae) Synonym(s): *intricatella* Ragonot, 1887
 5447) *Pempelia obductella* Zeller, 1839 (Pyralidae) Synonym(s): *obductella* Zeller, 1839
 5448) *Pempelia orcella* Ragonot, 1887 (Pyralidae) Synonym(s): *orcella* Ragonot, 1887

- 5449) *Pempelia semiusta* Hampson (Pyrilidae) Synonym(s): *semiusta* Hampson; *semiflava* Rebel
- 5450) *Pempelia tshahabarella* (Amsel,1950) (Pyrilidae) Synonym(s): *tshahabarella* Amsel,1950
- 5451) *Pempeliella dilutella* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *dilutella* [Denis & Schiffermüller],1775; *magna* Amsel,1953
- 5452) *Pempeliella sororiella* (Zeller,1839) (Pyrilidae) Synonym(s): *sororiella* Zeller,1839
- 5453) *Penicillidia conspicua* Speiser,1901 (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901
- 5454) *Penicillidia dufourii* (Westwood,1835) (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835
- 5455) *Pentatoma rufipes* (Linnaeus,1758) (Pentatomidae) Synonym(s): *rufipes* Linnaeus,1758
- 5456) *Penthimia scutellata* Melichar,1902 (Cicadellidae) Synonym(s):
- 5457) *Pentodon algerinum* Herbst,1789 (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789
- 5458) *Pentodon bidens* (Pallas,1771) (Scarabaeidae) Synonym(s): *bidens* Pallas,1771
- 5459) *Pentodon caminarium* Faldermann,1835 (Scarabaeidae) Synonym(s): *caminarium* Faldermann,1835
- 5460) *Pentodon idiota* (Herbst,1789) (Scarabaeidae) Synonym(s): *idiota* Herbst,1789
- 5461) *Pentodon quadridens* (Gebler,1845) (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845
- 5462) *Perasis sussianae* Abbassian-Lintzen,1964 (Asilidae) Synonym(s): *sussianae* Abbassian-Lintzen,1964
- 5463) *Peribalus strictus* (Fabricius,1803) (Pentatomidae) Synonym(s): *strictus* Fabricius,1803; *vernalis* Wolff,1804; *capitatus* Jakovlev,1889
- 5464) *Peribatodes rhomboidarius* [Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943
- 5465) *Peribatodes umbrarius* (Hübner,[1809]) (Geometridae) Synonym(s): *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
- 5466) *Pericyma signata* Brandt,1939 (Noctuidae) Synonym(s): *signata* Brandt,1939
- 5467) *Pericyma squalens* Lederer,1855 (Noctuidae) Synonym(s): *squalens* Lederer,1855
- 5468) *Peridea korbi* (Rebel,1918) (Notodontidae) Synonym(s): *korbi* Rebel,1918
- 5469) *Peridea murina* Kiriakoff,1974 (Notodontidae) Synonym(s): *murina* Kiriakoff,1974
- 5470) *Peridroma saucia* (Hübner,[1808]) (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 5471) *Perigrapha* (*Opacographa* (s.str.)) *mithras* (Wiltshire,1941) (Noctuidae) Synonym(s): *mithras* Wiltshire,1941
- 5472) *Perigrapha* (s.str.) *benedeki* G.Ronkay, L.Ronkay & Hacker,2010 (Noctuidae) Synonym(s): *benedeki* G.Ronkay, L.Ronkay & Hacker,2010
- 5473) *Perigrapha gyuriani* Benedek & L.Ronkay,2001 (Noctuidae) Synonym(s): *gyuriani* Benedek & L.Ronkay,2001
- 5474) *Perileptus areolatus* (Creutzer,1799) (Carabidae) Synonym(s): *areolatus* Creutzer,1799
- 5475) *Periphanes delphinii* (Linnaeus,1758) (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 5476) *Perissana jakowleffi* (Puton,1890) (Issidae) Synonym(s): *jakowleffi* Puton,1890
- 5477) *Perissomastix* (*Aphrodoxa*) *falcata* G.Petersen,1988 (Tineidae) Synonym(s): *falcata* G.Petersen,1988
- 5478) *Perissomastix* (*Aphrodoxa*) *flava* (G.Petersen,1960) (Tineidae) Synonym(s): *flava* G.Petersen,1960
- 5479) *Perissomastix* (*Aphrodoxa*) *peterseni* (Amsel,1959) (Tineidae) Synonym(s): *peterseni* Amsel,1959; *astarte* Gozmany,1959.
- 5480) *Perissomastix* (*Aphrodoxa*) *wiltshirella* (G.Petersen,1964) (Tineidae) Synonym(s): *wiltshirella* G.Petersen,1964
- 5481) *Perittia mucronata* (Parenti,2001) (Elachistidae) Synonym(s): *mucronata* Parenti,2001
- 5482) *Perla caucasica* Guérin-Ménéville,1838 (Perlidae) Synonym(s): *caucasica* Guérin-Ménéville,1838; *abbreviata* Klapalek,1921; *persica* Zwick,1975
- 5483) *Perla kiritschenkoi* Zhiltzova,1961 (Perlidae) Synonym(s): *kiritschenkoi* Zhiltzova,1961
- 5484) *Perlamantispa perla* (Pallas,1772) (Mantispidae) Synonym(s): *perla* Pallas,1772; *christiana* Charpentier,1825; *victorii* Guérin-Ménéville,1845
- 5485) *Petalographis orientalis* (G.Petersen,1961) (Tineidae) Synonym(s): *orientalis* G.Petersen,1961
- 5486) *Petrorossia letho* (Wiedemann,1828) (Bombyliidae) Synonym(s): *letho* Wiedemann,1828; *longitarsis* Becker,1902
- 5487) *Pezodrymadusa sinuata* (Ramme,1951) (Tettigoniidae) Synonym(s): *sinuata* Ramme,1951
- 5488) *Phaioграмма etruscaria* (Zeller,1849) (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903.
- 5489) *Phalonidia contractana* (Zeller,1847) (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 5490) *Phaneroptera* (s.str.) *albida* Walker,1869 (Tettigoniidae) Synonym(s): *albida* Walker,1869
- 5491) *Phaneroptera* (s.str.) *cretacea* (Uvarov,1929) (Tettigoniidae) Synonym(s): *cretacea* Uvarov,1929
- 5492) *Phaneroptera* (s.str.) *gracilis* Burmeister,1838 (Tettigoniidae) Synonym(s): *gracilis* Burmeister,1838; *roseata* Walker,1869; *elongata* Brunner von Wattenwyl,1878; *indica* Brunner von Wattenwyl,1878; *marginalis* Brunner von Wattenwyl,1878; *subcarinata* Bolivar,1900
- 5493) *Phanerotoma fracta* Kokujev,1903 (Braconidae) Synonym(s): *fracta* Kokujev,1903
- 5494) *Phanerotoma ocularia* Kohl,1906 (Braconidae) Synonym(s): *ocularia* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959
- 5495) *Phantia christophii* Rusiecka,1902 (Flatidae) Synonym(s): *christophii* Rusiecka,1902
- 5496) *Phantia cylindricornis* Melichar,1902 (Flatidae) Synonym(s): *cylindricornis* Melichar,1902
- 5497) *Phantia flavida* Rusiecka,1902 (Flatidae) Synonym(s): *flavida* Rusiecka,1902
- 5498) *Phantia helleri* Linnavuori,1962 (Flatidae) Synonym(s): *helleri* Linnavuori,1962
- 5499) *Phantia lactea* Rusiecka,1902 (Flatidae) Synonym(s): *lactea* Rusiecka,1902
- 5500) *Phantia putoni* Rusiecka,1902 (Flatidae) Synonym(s): *putoni* Rusiecka,1902
- 5501) *Phantia rubromarginata* Rusiecka,1902 (Flatidae) Synonym(s): *rubromarginata* Rusiecka,1902
- 5502) *Phantia viridula* Puton,1890 (Flatidae) Synonym(s): *viridula* Puton,1890
- 5503) *Phaonia pallida* (Fabricius,1787) (Muscidae) Synonym(s): *pallida* Fabricius,1787
- 5504) *Pharaonus varicolorous* (Burmeister,1844) (Scarabaeidae) Synonym(s): *varicolorous* Burmeister,1844
- 5505) *Phaselia deliciosaria* (Lederer,1855) (Geometridae) Synonym(s): *deliciosaria* Lederer,1855
- 5506) *Phaselia serrularia* (Eversmann,1847) (Geometridae) Synonym(s): *serrularia* Eversmann,1847; *phaeoleucaria* Lederer,1855.

- 5507) *Phasmena nasuta* Melichar, 1902 (Issidae) Synonym(s): *nasuta* Melichar, 1902
- 5508) *Phasmena telifera* Melichar, 1902 (Issidae) Synonym(s): *telifera* Melichar, 1902
- 5509) *Pheidole providens* (Sykes, 1835) (Formicidae) Synonym(s): *providens* Sykes, 1835; *indica* Mayr, 1879; *himalayana* Forel, 1902
- 5510) *Phengaris arion* (Linnaeus, 1758) (Lycaenidae) Synonym(s): *arion* Linnaeus, 1758; *telegone* Bergsträßer, 1779; *telegones* Bergsträßer, 1779; *mamers* Bergsträßer, 1779; *arctophoni* Bergsträßer, 1779; *arcina* Fruhstorfer, 1910; *eutyphron* Fruhstorfer, 1915; *microchroa* Verity, 1948; *gebriae* Lempke, 1956
- 5511) *Pheosia grummi* (Christoph, 1885) (Notodontidae) Synonym(s): *grummi* Christoph, 1885; *brandti* O. Bang-Haas, 1936; *#murina* O. Bang-Haas, 1936
- 5512) *Pheosia teheranica* Daniel, 1965 (Notodontidae) Synonym(s): *teheranica* Daniel, 1965
- 5513) *Pherbina coryleti* (Scopoli, 1763) (Sciomyzidae) Synonym(s): *coryleti* Scopoli, 1763
- 5514) *Philbyella glarea* Dlabola & Heller, 1962 (Nogodinidae) Synonym(s): *glarea* Dlabola & Heller, 1962
- 5515) *Philereme senescens* (Staudinger, 1892) (Geometridae) Synonym(s): *senescens* Staudinger, 1892
- 5516) *Philipomyia aprica* (Meigen, 1820) (Tabanidae) Synonym(s): *aprica* Meigen, 1820
- 5517) *Philodicus ponticus* (Bigot, 1880) (Asilidae) Synonym(s): *ponticus* Bigot, 1880; *bimaculatus* Becker, 1913
- 5518) *Philodicus spectabilis* Loew, 1871 (Asilidae) Synonym(s): *spectabilis* Loew, 1871
- 5519) *Philonicus albiceps* (Meigen, 1820) (Asilidae) Synonym(s): *albiceps* Meigen, 1820; *canescens* Wiedemann, 1820; *nudus* Loew, 1840; *eletus* Loew, 1871; *domesticus* Ricardo, 1920; *pulcher* Becker, 1923; *marinus* Becker, 1923; *orientalis* Esipenko, 1969
- 5520) *Philopotamus achemenus* Schmid, 1959 (Philopotamidae) Synonym(s): *achemenus* Schmid, 1959
- 5521) *Phleboeis sureyae* (Rebel, 1931) (Noctuidae) Synonym(s): *sureyae* Rebel, 1931.
- 5522) *Phlebotomus (Adlerius) balcanicus* Theodor, 1958 (Psychodidae) Synonym(s): *balcanicus* Theodor, 1958
- 5523) *Phlebotomus (Adlerius) brevis* Theodor & Mesghali, 1964 (Psychodidae) Synonym(s): *brevis* Theodor & Mesghali, 1964; *ismailicus* Perfiliev, 1966
- 5524) *Phlebotomus (Adlerius) halepensis* Theodor, 1958 (Psychodidae) Synonym(s): *halepensis* Theodor, 1958
- 5525) *Phlebotomus (Adlerius) kabulensis* Artemiev, 1978 (Psychodidae) Synonym(s): *kabulensis* Artemiev, 1978
- 5526) *Phlebotomus (Adlerius) longiductus* Parrot, 1928 (Psychodidae) Synonym(s): *longiductus* Parrot, 1928; *tauriae* Perfiliev, 1966
- 5527) *Phlebotomus (Adlerius) salangensis* Artemiev, 1978 (Psychodidae) Synonym(s): *salangensis* Artemiev, 1978
- 5528) *Phlebotomus (Adlerius) simici* Nitzulescu, 1931 (Psychodidae) Synonym(s): *simici* Nitzulescu, 1931
- 5529) *Phlebotomus (Adlerius) zulfagarensis* Artemiev, 1978 (Psychodidae) Synonym(s): *zulfagarensis* Artemiev, 1978
- 5530) *Phlebotomus (Euphlebotomus) mesghali* Seyed-Rashti & Nadim, 1970 (Psychodidae) Synonym(s): *mesghali* Seyed-Rashti & Nadim, 1970
- 5531) *Phlebotomus (Euphlebotomus) nadimi* Javadian, 1997 (Psychodidae) Synonym(s): *nadimi* Javadian, 1997
- 5532) *Phlebotomus (Larroussius) ilami* Javadian, 1997 (Psychodidae) Synonym(s): *ilami* Javadian, 1997
- 5533) *Phlebotomus (Larroussius) kandelakii* Shchurenkova, 1929 (Psychodidae) Synonym(s): *kandelakii* Shchurenkova, 1929
- 5534) *Phlebotomus (Larroussius) keshishiani* Shchurenkova, 1936 (Psychodidae) Synonym(s): *keshishiani* Shchurenkova, 1936
- 5535) *Phlebotomus (Larroussius) langeroni* Nitzulescu, 1930 (Psychodidae) Synonym(s): *langeroni* Nitzulescu, 1930
- 5536) *Phlebotomus (Larroussius) major* Annandale, 1910 (Psychodidae) Synonym(s): *major* Annandale, 1910; *grisea* Annandale, 1911; *crimicus* Shtefko & Minkevich, 1923
- 5537) *Phlebotomus (Larroussius) perfilievi* Parrot, 1930 (Psychodidae) Synonym(s): *perfilievi* Parrot, 1930; *macedonicus* Adler & Theodor, 1931
- 5538) *Phlebotomus (Larroussius) smirnovi* Perfiliev, 1941 (Psychodidae) Synonym(s): *smirnovi* Perfiliev, 1941; *wui* Yang & Xiong, 1965
- 5539) *Phlebotomus (Larroussius) tobbsi* Adler & Theodor, 1930 (Psychodidae) Synonym(s): *tobbsi* Adler & Theodor, 1930; *pirumovi* Burakova & Mirzayan, 1934
- 5540) *Phlebotomus (Larroussius) transcaasicus* Perfiliev, 1937 (Psychodidae) Synonym(s): *transcaasicus* Perfiliev, 1937; *?galilaeus* Theodor, 1958
- 5541) *Phlebotomus (Larroussius) wenyoni* Adler & Theodor, 1930 (Psychodidae) Synonym(s): *wenyoni* Adler & Theodor, 1930
- 5542) *Phlebotomus (Paraphlebotomus) alexandri* Sinton, 1928 (Psychodidae) Synonym(s): *alexandri* Sinton, 1928; *borovskii* Khodukin & Sofiev, 1931
- 5543) *Phlebotomus (Paraphlebotomus) andrejevi* Shakirzyanova, 1953 (Psychodidae) Synonym(s): *andrejevi* Shakirzyanova, 1953; *mofidii* Theodor & Mesghali, 1964
- 5544) *Phlebotomus (Paraphlebotomus) bergeroti* Parrot, 1934 (Psychodidae) Synonym(s): *bergeroti* Parrot, 1934
- 5545) *Phlebotomus (Paraphlebotomus) caucasicus* Marzinowsky, 1917 (Psychodidae) Synonym(s): *caucasicus* Marzinowsky, 1917; *grimmii* Porchinski, 1876; *li* Popov, 1926; *selectus* Khodukin, 1929
- 5546) *Phlebotomus (Paraphlebotomus) jacusieli* Theodor, 1947 (Psychodidae) Synonym(s): *jacusieli* Theodor, 1947
- 5547) *Phlebotomus (Paraphlebotomus) kazeruni* Theodor & Mesghali, 1964 (Psychodidae) Synonym(s): *kazeruni* Theodor & Mesghali, 1964
- 5548) *Phlebotomus (Paraphlebotomus) mongolensis* Sinton, 1928 (Psychodidae) Synonym(s): *mongolensis* Sinton, 1928; *imitabilis* Artemiev, 1974
- 5549) *Phlebotomus (Paraphlebotomus) nuri* Lewis, 1967 (Psychodidae) Synonym(s): *nuri* Lewis, 1967
- 5550) *Phlebotomus (Paraphlebotomus) sergenti* Parrot, 1917 (Psychodidae) Synonym(s): *sergenti* Parrot, 1917; *similis* Perfiliev, 1963
- 5551) *Phlebotomus (s.str.) bergeroti* Parrot, 1934 (Psychodidae) Synonym(s): *bergeroti* Parrot, 1934; *viduus* Parrot, 1936
- 5552) *Phlebotomus (s.str.) papatasi* (Scopoli, 1786) (Psychodidae) Synonym(s): *papatasi* Scopoli, 1786; *molesta* Costa, 1840; *breviventris* Ristorcelli, 1943
- 5553) *Phlebotomus (s.str.) salehi* Mesghali, 1965 (Psychodidae) Synonym(s): *salehi* Mesghali, 1965
- 5554) *Phlebotomus (Synphlebotomus) ansarii* Lewis, 1958 (Psychodidae) Synonym(s): *ansarii* Lewis, 1958
- 5555) *Phlebotomus (Synphlebotomus) eleanorae* Sinton, 1931 (Psychodidae) Synonym(s): *eleanorae* Sinton, 1931
- 5556) *Phlebotomus (Transphlebotomus) mascittii* Grassi, 1908 (Psychodidae) Synonym(s): *mascittii* Grassi, 1908; *larroussiei* Langeron & Nitzulescu, 1931; *vesuvianus* Adler & Theodor, 1931
- 5557) *Phlepsioides intricatus* (Herrich-Schäffer, 1838) (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer, 1838; *octopunctatus* Burmeister, 1838
- 5558) *Phlepsioides ornatus* (Perris, 1857) (Cicadellidae) Synonym(s): *ornatus* Perris, 1857; *maculatus* Fieber, 1866; *asiaticus* Zachvatkin, 1945; *angorensis* Zachvatkin, 1945

- 5559) **Phlepsius spinulosus Wagner, 1963** (Cicadellidae) Synonym(s): *spinulosus* Wagner, 1963
- 5560) **Phlogophora meticulosa (Linnaeus, 1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus, 1758; *lamii* Schadewald, 1993
- 5561) **Phlogophora scita (Hübner, 1790)** (Noctuidae) Synonym(s): *scita* Hübner, 1790
- 5562) **Phlogotettix cyclops (Mulsant & Rey, 1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey, 1855
- 5563) **Phlyctaenomorpha sinuosalis (Le Cerf, 1910)** (Pyralidae) Synonym(s): *sinuosalis* le Cerf, 1909; *platyphaea* Meyrick, 1937.
- 5564) **Phoebophilus veteriosa (Püngeler, 1907)** (Noctuidae) Synonym(s): *veteriosa* Püngeler, 1907
- 5565) **Phonapate nitidipennis (Waterhouse, 1881)** (Bostrichidae) Synonym(s): *uncinata* Karsch, 1881 *nec* Germ., 1824; *nitidipennis* Waterhouse, 1881; *ganglbaueri* Zoufal, 1894; *arabs* Lesne, 1909; *moghrebica* Lesne, 1934; *africana* Vrydagh, 1961
- 5566) **Photedes delattini (Wiltshire, 1953)** (Noctuidae) Synonym(s): *delattini* Wiltshire, 1953
- 5567) **Photoscotia antitypa Brandt, 1941** (Geometridae) Synonym(s): *antitypa* Brandt, 1941
- 5568) **Phradonoma incognitum Hava, 2006** (Dermestidae) Synonym(s): *incognitum* Hava, 2006
- 5569) **Phradonoma jelineki Hava, 2006** (Dermestidae) Synonym(s): *jelineki* Hava, 2006
- 5570) **Phradonoma monarchus Hava, 2006** (Dermestidae) Synonym(s): *monarchus* Hava, 2006
- 5571) **Phradonoma nebulosum Hava, 2006** (Dermestidae) Synonym(s): *nebulosum* Hava, 2006
- 5572) **Phradonoma nobile (Reitter, 1881)** (Dermestidae) Synonym(s): *nobile* Reitter, 1881
- 5573) **Phradonoma simile Hava, 2006** (Dermestidae) Synonym(s): *simile* Hava, 2006
- 5574) **Phragmataecia castaneae (Hübner, 1790)** (Cossidae) Synonym(s): *castaneae* Hübner, 1790; *arundinis* Hübner, [1808]; *minor* Moore, 1879; *pygmaea* Graeser, 1888; *minima* Hampson, 1891
- 5575) **Phragmataecia territa Staudinger, 1878** (Cossidae) Synonym(s): *territa* Staudinger, 1878
- 5576) **Phragmatobia fuliginosa (Linnaeus, 1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus, 1758; *fervida* Staudinger, 1871 *nec* Walk., 1855; *lurida* Rothschild, 1910; *monticola* Daniel, 1970 *nec* Reiss., 1934
- 5577) **Phragmatobia placida (Fernaldsky, 1835)** (Arctiidae) Synonym(s): *placida* Fernaldsky, 1835
- 5578) **Phtheochroa jerichoana (Amsel, 1935)** (Tortricidae) Synonym(s): *jerichoana* Amsel, 1935
- 5579) **Phtheochroa purissima (Osthelder, 1938)** (Tortricidae) Synonym(s): *purissima* Osthelder, 1938
- 5580) **Phtheochroa variolosana (Christoph, 1887)** (Tortricidae) Synonym(s): *variolosana* Christoph, 1887
- 5581) **Phthiria canescens Loew, 1846** (Bombyliidae) Synonym(s): *canescens* Loew, 1846; *convergens* Loew, 1846
- 5582) **Phthiria conspicua Loew, 1846** (Bombyliidae) Synonym(s): *conspicua* Loew, 1846
- 5583) **Phthiria gaedii Wiedemann, 1820** (Bombyliidae) Synonym(s): *gaedei* Wiedemann, 1820; *maculata* Wiedemann, 1820; *punctata* Meigen, 1835; *zimmermanni* Nowicki, 1868; *gaedei* Engel, 1933
- 5584) **Phthiria inconspicua Becker, 1913** (Bombyliidae) Synonym(s): *inconspicua* Becker, 1913
- 5585) **Phthiria pulicaria (Mikan, 1796)** (Bombyliidae) Synonym(s): *pulicaria* Mikan, 1796; *nigra* Meigen, 1804; *pygmaea* Fabricius, 1805; *campestris* Fallén, 1815; *major* Strobl, 1909
- 5586) **Phthiria subnitens Loew, 1846** (Bombyliidae) Synonym(s): *subnitens* Loew, 1846; *rustica* Loew, 1846
- 5587) **Phthiria vagans Loew, 1846** (Bombyliidae) Synonym(s): *vagans* Loew, 1846; *pallascens* Engel, 1933
- 5588) **Phthiridium biarticulatum Hermann, 1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann, 1804
- 5589) **Phycita ardekanella Amsel, 1950** (Pyralidae) Synonym(s): *ardekanella* Amsel, 1950
- 5590) **Phycita balutschistanella Amsel, 1950** (Pyralidae) Synonym(s): *balutschistanella* Amsel, 1950
- 5591) **Phycita comeella Amsel, 1950** (Pyralidae) Synonym(s): *comeella* Amsel, 1950
- 5592) **Phycita diaphana (Staudinger, 1870)** (Pyralidae) Synonym(s): *diaphana* Staudinger, 1870
- 5593) **Phycita eremica Amsel, 1935** (Pyralidae) Synonym(s): *eremica* Amsel, 1935; *aciculata* Meyrick
- 5594) **Phycita macrodontella (Ragonot, 1887)** (Pyralidae) Synonym(s): *macrodontella* Ragonot, 1887; *burkhunella* Ragonot, 1888; *pallidisignata* Toll, 1948.
- 5595) **Phycita mianella Amsel, 1950** (Pyralidae) Synonym(s): *mianella* Amsel, 1950
- 5596) **Phycita strigata (Staudinger, 1879)** (Pyralidae) Synonym(s): *strigata* Staudinger, 1879
- 5597) **Phycita taftanella Amsel, 1950** (Pyralidae) Synonym(s): *taftanella* Amsel, 1950
- 5598) **Phycitodes albatella (Ragonot, 1887)** (Pyralidae) Synonym(s): *albatella* Ragonot, 1887
- 5599) **Phycitodes binaevella (Hübner, [1813])** (Pyralidae) Synonym(s): *binaevella* Hübner, [1813].
- 5600) **Phycitodes binaloudella (Amsel, 1961)** (Pyralidae) Synonym(s): *binaloudella* Amsel, 1961
- 5601) **Phycitodes carlinella (Heinemann, 1865)** (Pyralidae) Synonym(s): *carlinella* Heinemann, 1865; *cretacella* Rössler, 1866; *maritima* Tengström, 1870; *senecionis* Vaughan, 1870; *caniusella* Ragonot, 1901
- 5602) **Phycitodes inquinatella (Ragonot, 1887)** (Pyralidae) Synonym(s): *inquinatella* Ragonot, 1887
- 5603) **Phycitodes lacteella (Rothschild, 1915)** (Pyralidae) Synonym(s): *lacteella* Rothschild, 1915; *viattella* Roesler, 1965.
- 5604) **Phycitodes nigrilimbella (Ragonot, 1887)** (Pyralidae) Synonym(s): *nigrilimbella* Ragonot, 1887
- 5605) **Phycitodes saxicola (Vaughan, 1870)** (Pyralidae) Synonym(s): *saxicola* Vaughan, 1870
- 5606) **Phycus insignis (Loew, 1874)** (Therevidae) Synonym(s): *insignis* Loew, 1874
- 5607) **Phylapora canescens (Duponchel, 1826)** (Noctuidae) Synonym(s): *canescens* Duponchel, 1826; *pumicosa* Geyer, [1832]; *asphodeli* Rambur, 1832; *plumbea* Staudinger, 1895; *plumbina* Osthelder, 1933.
- 5608) **Phyllobrostis (s.str.) farsensis Mey, 2006** (Lyonetiidae) Synonym(s): *farsensis* Mey, 2006
- 5609) **Phyllocnistis citrella Stainton, 1856** (Gracillariidae) Synonym(s): *citrella* Stainton, 1856; *minutella* Van Deventer, 1904; *citricola* Shiraki, 1913
- 5610) **Phylloidesma (s.str.) farahae Lajonquière, 1963** (Lasiocampidae) Synonym(s): *farahae* Lajonquière, 1963
- 5611) **Phylloidesma (s.str.) glasunowi Groum-Grshimailo, 1895** (Lasiocampidae) Synonym(s): *glasunowi* Groum-Grshimailo, 1895
- 5612) **Phyllognathus excavatus (Forster, 1771)** (Scarabaeidae) Synonym(s): *excavatus* Forster, 1771; *hauseri* Reitter, 1894
- 5613) **Phylломорфус laceratus (Herrich-Schäffer, 1835)** (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer, 1835
- 5614) **Phylломорфус laceratus (Herrich-Schäffer, 1835)** (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer, 1835; *persica* Westwood, 1841
- 5615) **Phylломорфус laciniatus (Villers, 1789)** (Coreidae) Synonym(s): *laciniatus* Villers, 1789; *hystrix* Latreille, 1817; *gallicus* Germar, 1822; *muricatus* Hummel, 1827; *algorica* Guérin-Méneville, 1839; *erinaceus* Herrich-Schäffer, 1842; *brevispina* Wagner, 1955; *montandon* Zange, 2005
- 5616) **Phyllonorycter blancardella (Fabricius, 1781)** (Gracillariidae) Synonym(s): *blancardella* Fabricius, 1781; *pyrariella* Tutt, 1898; *concomitella* Banks, 1899
- 5617) **Phyllonorycter corylifoliella (Hübner, 1796)** (Gracillariidae) Synonym(s): *corylifoliella* Hübner, 1796; *betulae* Zeller, 1839; *betulifoliella* Duponchel, [1845]; *caledoniella* Stainton, 1851; *betulella* Herrich-Schäffer, 1855
- 5618) **Phyllonorycter iranica Deschka, 1979** (Gracillariidae) Synonym(s): *iranica* Deschka, 1979
- 5619) **Phyllonorycter platani (Staudinger, 1870)** (Gracillariidae) Synonym(s): *platani* Staudinger, 1870; *felinella* Heinrich, 1920

- 5620) *Phyllonorycter turanica* (Gerasimov, 1931) (Gracillariidae) Synonym(s): *turanica* Gerasimov, 1931
- 5621) *Phyllophila oblitterata* (Rambur, 1833) (Noctuidae) Synonym(s): *oblitterata* Rambur, 1833; *wimmerii* Treitschke, 1835; *recta* Eversmann, 1844; *cretacea* Butler, 1879; *venerica* Bryk, 1949.
- 5622) *Phyllotreta corrugata* Reiche, 1858 (Chrysomelidae) Synonym(s): *corrugata* Reiche, 1858
- 5623) *Phyllotreta cruciferae* (Goeze, 1777) (Chrysomelidae) Synonym(s): *cruciferae* Goeze, 1777
- 5624) *Phyllotreta diademata* Foudras, 1860 (Chrysomelidae) Synonym(s): *diademata* Foudras, 1860
- 5625) *Phyllotreta egridirensis* Gruev & Kasap, 1985 (Chrysomelidae) Synonym(s): *egridirensis* Gruev & Kasap, 1985
- 5626) *Phyllotreta erysimi* Weise, 1900 (Chrysomelidae) Synonym(s): *erysimi* Weise, 1900
- 5627) *Phyllotreta judaea* Pic, 1901 (Chrysomelidae) Synonym(s): *judaea* Pic, 1901
- 5628) *Phyllotreta latevittata* Kutschera, 1860 (Chrysomelidae) Synonym(s): *latevittata* Kutschera, 1860
- 5629) *Phyllotreta nigripes* (Fabricius, 1775) (Chrysomelidae) Synonym(s): *nigripes* Fabricius, 1775
- 5630) *Phyllotreta ochripes* (Curtis, 1837) (Chrysomelidae) Synonym(s): *ochripes* Curtis, 1837
- 5631) *Phyllotreta pallidipennis* Reitter, 1891 (Chrysomelidae) Synonym(s): *pallidipennis* Reitter, 1891
- 5632) *Phyllotreta praticola* Weise, 1887 (Chrysomelidae) Synonym(s): *praticola* Weise, 1887
- 5633) *Phyllotreta procera* (Redtenbacher, 1849) (Chrysomelidae) Synonym(s): *procera* Redtenbacher, 1849
- 5634) *Phyllotreta sisymbrii* Weise, 1888 (Chrysomelidae) Synonym(s): *sisymbrii* Weise, 1888
- 5635) *Phyllotreta variipennis* (Boieldieu, 1859) (Chrysomelidae) Synonym(s): *variipennis* Boieldieu, 1859
- 5636) *Phyllotreta weiseana* Jacobson, 1901 (Chrysomelidae) Synonym(s): *weiseana* Jacobson, 1901
- 5637) *Physotropa portschinskii* (Radoszkowski, 1888) (Mutillidae) Synonym(s): *portschinskii* Radoszkowski, 1888
- 5638) *Physiphora alceae* (Preyssler, 1791) (Ulidiidae) Synonym(s): *alceae* Preyssler, 1791
- 5639) *Physocephala antiqua* (Wiedemann, 1830) (Conopidae) Synonym(s): *antiqua* Wiedemann, 1830; *arabica* Macquart, 1850; *syriaca* Kröber, 1915
- 5640) *Physocephala laeta* Becker, 1913 (Conopidae) Synonym(s): *laeta* Becker, 1913
- 5641) *Physocephala pusilla* (Meigen, 1824) (Conopidae) Synonym(s): *pusilla* Meigen, 1824; *tener* Loew, 1847; *persica* Becker, 1913; *punctithorax* Becker, 1913
- 5642) *Physocephala variegata* (Meigen, 1824) (Conopidae) Synonym(s): *variegata* Meigen, 1824; *furax* Becker, 1913
- 5643) *Physocephala vittata* (Fabricius, 1794) (Conopidae) Synonym(s): *vittata* Fabricius, 1794; *dorsalis* Wiedemann, 1824; *solaeformis* Gimmerthal, 1842; *fraterna* Loew, 1847; *semitrata* Costa, 1844; *detecta* Becker, 1913; *abdominalis* Kröber, 1915; *semirufa* Kröber, 1915; *immaculata* Kröber, 1939
- 5644) *Physocephala zaitsevi* Zimina, 1979 (Conopidae) Synonym(s): *zaitsevi* Zimina, 1979
- 5645) *Phytocoris* (Compscerochoris) *stysi* Linnavuori, 2008 (Miridae) Synonym(s): *stysi* Linnavuori, 2008
- 5646) *Phytodryadusa miramae* (Uvarov, 1929) (Tettigoniidae) Synonym(s): *miramae* Uvarov, 1929; *armeniaca* Ramme, 1939; *#mirimae* Garai, 2002
- 5647) *Phytodryadusa quazvinensis* (Chopard, 1921) (Tettigoniidae) Synonym(s): *quazvinensis* Chopard, 1921
- 5648) *Phytoecia* (Blepsianis) *magnanii* (Sama, 2007) (Cerambycidae) Synonym(s): *magnanii* Sama, 2007
- 5649) *Phytoecia* (Pilemia) *hirsutula* (Frölich, 1793) (Cerambycidae) Synonym(s): *hirsutula* Frölich, 1793
- 5650) *Phytoecia caerulea* (Scopoli, 1772) (Cerambycidae) Synonym(s): *caerulea* Scopoli, 1772
- 5651) *Pieris* (Artogeia) *bowdeni* Eitschberger, [1984] (Pieridae) Synonym(s): *bowdeni* Eitschberger, [1984]
- 5652) *Pieris* (Artogeia) *bryoniae* (Hübner, [1804]) (Pieridae) Synonym(s): *bryoniae* Hübner, [1804]; *neobryoniae* Miller, 1933; *wolfsbergeri* Eitschberger, [1984]; *debrosi* Eitschberger, [1984] (cf. Leraut, 1997).
- 5653) *Pieris* (Artogeia) *ergane* (Geyer, [1828]) (Pieridae) Synonym(s): *ergane* Geyer, [1828]; *narcaea* Freyer, [1828].
- 5654) *Pieris* (Artogeia) *krueperi* Staudinger, 1860 (Pieridae) Synonym(s): *krueperi* Staudinger, 1860
- 5655) *Pieris* (Artogeia) *mannii* (Mayer, 1851) (Pieridae) Synonym(s): *mannii* Mayer, 1851; *manni* Verity, 1908; *alpigena* Verity, 1911; *roberti* Eitschberger & Steiniger, 1973.
- 5656) *Pieris* (Artogeia) *persis* Verity, 1922 (Pieridae) Synonym(s): *persis* Verity, 1922; *higginsii* Bowden, 1961.
- 5657) *Pieris* (Artogeia) *pseudorapae* Verity, 1908 (Pieridae) Synonym(s): *pseudorapae* Verity, 1908
- 5658) *Pieris* (Artogeia) *rapae* (Linnaeus, 1758) (Pieridae) Synonym(s): *rapae* Linnaeus, 1758; *nelo* Bergsträßer, 1780; *metra* Stephens, 1827; *alpica* Rossi, 1929.
- 5659) *Pieris* (s.str.) *brassicae* (Linnaeus, 1758) (Pieridae) Synonym(s): *brassicae* Linnaeus, 1758; *chariclea* Stephens, 1827; *#venata* Verity, 1908; *cyniphia* Turati, 1924.
- 5660) *Piezodorus lituratus* (Fabricius, 1794) (Pentatomidae) Synonym(s): *lituratus* Fabricius, 1794
- 5661) *Pimelia atarnites* Baudi, 1875 (Tenebrionidae) Synonym(s): *atarnites* Baudi, 1875
- 5662) *Pimelia cursor* Ménétériés, 1832 (Tenebrionidae) Synonym(s): *cursor* Ménétériés, 1832
- 5663) *Pimelia dubia* Faldermann, 1837 (Tenebrionidae) Synonym(s): *dubia* Faldermann, 1837
- 5664) *Pimelia gestroi* Sénac, 1884 (Tenebrionidae) Synonym(s): *gestroi* Sénac, 1884
- 5665) *Pimelia gracilipes* Sénac, 1886 (Tenebrionidae) Synonym(s): *gracilipes* Sénac, 1886
- 5666) *Pimelia persica* Baudi, 1875 (Tenebrionidae) Synonym(s): *persica* Baudi, 1875
- 5667) *Pimelia tuberculata* Fischer von Waldheim, 1832 (Tenebrionidae) Synonym(s): *tuberculata* Fischer von Waldheim, 1832
- 5668) *Pimpla spuria* Gravenhorst, 1829 (Ichneumonidae) Synonym(s): *spuria* Gravenhorst, 1829
- 5669) *Pingasa lahaye* (Oberthür, 1887) (Geometridae) Synonym(s): *lahaye* Oberthür, 1887
- 5670) *Pinthaeus sanguinipes* (Fabricius, 1781) (Pentatomidae) Synonym(s): *sanguinipes* Fabricius, 1781; *genei* Costa, 1841
- 5671) *Pionosomus persimilis* Horvath, 1895 (Lygaeidae) Synonym(s): *persimilis* Horvath, 1895
- 5672) *Plagionotus arcuatus* (Linnaeus, 1758) (Cerambycidae) Synonym(s): *arcuatus* Linnaeus, 1758
- 5673) *Plagionotus bartholomaei* (Motschoulsky, 1859) (Cerambycidae) Synonym(s): *bartholomaei* Motschoulsky, 1859
- 5674) *Plagionotus detritus* (Linnaeus, 1758) (Cerambycidae) Synonym(s): *detritus* Linnaeus, 1758
- 5675) *Plagionotus lugubris* (Ménétériés, 1832) (Cerambycidae) Synonym(s): *lugubris* Ménétériés, 1832
- 5676) *Plagiotrochus kiefferianus* Tavares, 1901 (Cynipidae) Synonym(s): *kiefferianus* Tavares, 1901
- 5677) *Platycephala isinensis* Kubik & Bartak, 2008 (Chloropidae) Synonym(s): *isinensis* Kubik & Bartak, 2008
- 5678) *Platycephala scapularum* (Becker, 1907) (Chloropidae) Synonym(s): *scapularum* Becker, 1907; *algerica* Duda, 1933; *luteola* Collin, 1949
- 5679) *Platycerus caraboides* (Linnaeus, 1758) (Lucanidae) Synonym(s): *caraboides* Linnaeus, 1758; *azurea* Dalla Torre, 1789; *viridis* Dalla Torre, 1789; *rufipes* Herbst, 1790; *virescens* Mulsant, 1842; *viridiaeneus* Mulsant, 1842; *aeneus* Weise, 1883; *viridicollis* Depoli, 1917; *carniolicus* Roubal, 1919
- 5680) *Platycerus primigenius* Weise, 1960 (Lucanidae) Synonym(s): *primigenius* Weise, 1960
- 5681) *Platycleis* (Decorana) *capitata* Uvarov, 1917 (Tettigoniidae) Synonym(s): *capitata* Uvarov, 1917
- 5682) *Platycleis* (Incertana) *persica* Uvarov, 1917 (Tettigoniidae) Synonym(s): *persica* Uvarov, 1917
- 5683) *Platycleis* (Montana) *richter* Bei-Bienko, 1958 (Tettigoniidae) Synonym(s): *richter* Bei-Bienko, 1958

- 5684) Platycleis (s.str.) escalerae Bolivar,1899** (Tettigoniidae) Synonym(s): *escalerae* Bolivar,1899; *iphigeniae* Adelung,1907; *iranica* Ramme,1929; *graeca* Harz,1966; *#escaleraia* Salman,1978
- 5685) Platycleis (Tessellana) veysseli Koçak,1984** (Tettigoniidae) Synonym(s): *vittata* Charpentier,1825 (*praeocc.*); *veysseli* Koçak,1984
- 5686) Platynemis dealbata Selys,1863** (Platynemidae) Synonym(s): *dealbata* Selys,1863
- 5687) Platymetopius (Quernus) quercinus Dlabola,1974** (Cicadellidae) Synonym(s): *quercinus* Dlabola,1974
- 5688) Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus* Signoret,1880
- 5689) Platymetopius centralasiae Dlabola,1960** (Cicadellidae) Synonym(s): *centralasiae* Dlabola,1960
- 5690) Platymetopius cruentatus Haupt,1927** (Cicadellidae) Synonym(s): *cruentatus* Haupt,1927
- 5691) Platymetopius distinctus Melichar,1902** (Cicadellidae) Synonym(s): *distinctus* Melichar,1902
- 5692) Platymetopius exhereditus Dlabola & Heller,1962** (Cicadellidae) Synonym(s): *exhereditus* Dlabola & Heller,1962
- 5693) Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 5694) Platymetopius quercinus Dlabola,1974** (Cicadellidae) Synonym(s): *quercinus* Dlabola,1974
- 5695) Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894
- 5696) Platymetopius safavii Dlabola,1971** (Cicadellidae) Synonym(s): *safavii* Dlabola,1971
- 5697) Platymetopius shirazicus Dlabola,1974** (Cicadellidae) Synonym(s): *shirazicus* Dlabola,1974
- 5698) Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811
- 5699) Platyleura testacea (Walker,1858)** (Cicadidae) Synonym(s): *testacea* Walker,1858
- 5700) Platypsectus roseovittatus Dlabola,1960** (Cicadellidae) Synonym(s): *roseovittatus* Dlabola,1960
- 5701) Platypygus kurdorum Paramonov,1929** (Mythicomylidae) Synonym(s): *kurdorum* Paramonov,1929; *persicus* Paramonov,1934
- 5702) Platypygus melinoproctus Loew,1873** (Mythicomylidae) Synonym(s): *melinoproctus* Loew,1873
- 5703) Platypygus melinoproctus Loew,1873** (Mythicomylidae) Synonym(s): *melinoproctus* Loew,1873
- 5704) Platypygus titanomedeae Gharali et al.,2011** (Mythicomylidae) Synonym(s): *titanomedeae* Gharali et al.,2011
- 5705) Platystoma canum Portschinsky,1875** (Platystomidae) Synonym(s): *cana* Portschinsky,1875
- 5706) Platyura subdiscoloria Matile,1969** (Keroplastidae) Synonym(s): *subdiscoloria* Matile,1969
- 5707) Plea minutissima Leach,1817** (Pleidae) Synonym(s): *minutissima* Leach,1817
- 5708) Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) Synonym(s): *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December].
- 5709) Plebejus (Kretania) iranicus (Forster,1938)** (Lycaenidae) Synonym(s): *iranicus* Forster,1938
- 5710) Plebejus (Lycacides) christophi (Staudinger,1874)** (Lycaenidae) Synonym(s): *christophi* Staudinger,1874; *argivus* Staudinger,1886.
- 5711) Plebejus (Lycacides) idas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793.
- 5712) Plebejus (Plebejides) zephyrinus (Christoph,1884)** (Lycaenidae) Synonym(s): *zephyrinus* Christoph,1884
- 5713) Plebejus (s.str.) argus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931.
- 5714) Plecoptera inquinata (Lederer,1857)** (Noctuidae) Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
- 5715) Plecoptera reflexa Guenée,1852** (Noctuidae) Synonym(s): *reflexa* Guenée,1852; *gammoides* Walker,1858; *simplex* Walker,1858; *hamifera* Walker,1865
- 5716) Plesiopanurgus cinerarius Cameron,1907** (Andrenidae) Synonym(s): *cinerarius* Cameron,1907
- 5717) Plesiopanurgus richteri (Schwammberger,1971)** (Andrenidae) Synonym(s): *richteri* Schwammberger,1971
- 5718) Pleuroptya ruralis (Scopoli,1763)** (Pyralidae) Synonym(s): *ruralis* Scopoli,1763; *iridialis* Hübner,[1825]; *perpendicularis* Duponchel,1833; *conchalis* Werneburg,1864; *dubia* Hampson,1891
- 5719) Pleurota bicostella (Clerck,1759)** (Oecophoridae) Synonym(s): *bicostella* Clerck,1759; *bipunctella* Hübner,1793; *bicostatus* Fabricius,1798
- 5720) Pleurota delatinnia H.Back,1973** (Oecophoridae) Synonym(s): *delatinnia* H.Back,1973
- 5721) Pleurota generosella Rebel,1900** (Oecophoridae) Synonym(s): *generosella* Rebel,1900; *alexandrina* Meyrick,1935
- 5722) Pleurota gnathella H.Back,1973** (Oecophoridae) Synonym(s): *gnathella* H.Back,1973
- 5723) Pleurota lineata Toll,1947** (Oecophoridae) Synonym(s): *lineata* Toll,1947
- 5724) Pleurota media H.Back,1973** (Oecophoridae) Synonym(s): *media* H.Back,1973
- 5725) Pleurota metricella (Zeller,1847)** (Oecophoridae) Synonym(s): *metricella* Zeller,1847
- 5726) Pleurota persica H.Back,1973** (Oecophoridae) Synonym(s): *persica* H.Back,1973
- 5727) Pleurota wiltshirei Amsel,1949** (Oecophoridae) Synonym(s): *wiltshirei* Amsel,1949
- 5728) Plodia interpunctella (Hübner,[1813])** (Pyralidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 5729) Ploiaria matilei Dispos & Villiers,1967** (Reduviidae) Synonym(s): *matilei* Dispos & Villiers,1967
- 5730) Plusia festucae (Linnaeus,1758)** (Noctuidae) Synonym(s): *festucae* Linnaeus,1758; *aureoargentea* Retzius,1783; *yokohamensis* Bryk,1949; *japonibia* Bryk,1949
- 5731) Plutella (s.str.) xylostella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 nec Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Bentineck,1943
- 5732) Pochazia umbrata Melichar,1896** (Ricaniidae) Synonym(s): *umbrata* Melichar,1896
- 5733) Podagricus malvae (Illiger,1807)** (Chrysomelidae) Synonym(s): *malvae* Illiger,1807
- 5734) Podagrion bouceki Delvare,2005** (Torymidae) Synonym(s): *bouceki* Delvare,2005
- 5735) Podagrion pachymerum (Walker,1833)** (Torymidae) Synonym(s): *pachymerum* Walker,1833
- 5736) Podagrionella caudata Narendran,1994** (Torymidae) Synonym(s): *caudata* Narendran,1994
- 5737) Podagrionella lichtensteini (Picard,1933)** (Torymidae) Synonym(s): *lichtensteini* Picard,1933
- 5738) Poecilimon anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985
- 5739) Poecilobothrus regalis (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis* Meigen,1824
- 5740) Pogochaetia ocymoidella Walsingham,1900** (Gelechiidae) Synonym(s): *ocymoidella* Walsingham,1900
- 5741) Pogonosoma maroccanum (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794

- 5742) *Polia serratilinea* Ochsenheimer, 1816 (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer, 1816; *helvetica* Schawerda, 1925; *kowatschevi* Drenowski, 1931; *pinker* Varga, 1974.
- 5743) *Polistes* (*Gyrostoma*) *olivaceus* (DeGeer, 1773) (Vespidae) Synonym(s): *olivaceus* DeGeer, 1773; *hebraea* Fabricius, 1787; *undata* Olivier, 1792; *macaensis* Fabricius, 1793; *?flavipennis* Saussure, 1853
- 5744) *Polistes* (*Gyrostoma*) *wattii* Cameron, 1900 (Vespidae) Synonym(s): *wattii* Cameron, 1900
- 5745) *Polistes* (s.str.) *atrimandibularis* (Zimmermann, 1930) (Vespidae) Synonym(s): *atrimandibularis* Zimmermann, 1930; *albidus* Blüthgen, 1957
- 5746) *Polistes* (s.str.) *biglumis* (Linnaeus, 1758) (Vespidae) Synonym(s): *biglumis* Linnaeus, 1758; *alpium* Blüthgen, 1957
- 5747) *Polistes* (s.str.) *dominulus* (Christ, 1791) (Vespidae) Synonym(s): *dominulus* Christ, 1791; *bucharensis* Erichson, 1949; *muchei* Gusenleitner, 1976
- 5748) *Polistes* (s.str.) *gallicus* (Linnaeus, 1767) (Vespidae) Synonym(s): *gallicus* Linnaeus, 1767; *foederatus* Kohl, 1898; *omissus* Weyrauch, 1939
- 5749) *Polistes* (s.str.) *indicus* Stofla, 1934 (Vespidae) Synonym(s): *indicus* Stofla, 1934
- 5750) *Polistes* (s.str.) *iranus* Guiglia, 1977 (Vespidae) Synonym(s): *iranus* Guiglia, 1977
- 5751) *Polistes* (s.str.) *semenowi* Morawitz, 1889 (Vespidae) Synonym(s): *semenowi* Morawitz, 1889
- 5752) *Polistes* (s.str.) *sulcifer* (Zimmermann, 1930) (Vespidae) Synonym(s): *sulcifer* Zimmermann, 1930; *simulator* Zirnigle, 1955
- 5753) *Pollenia dasypoda* Portschinsky, 1881 (Calliphoridae) Synonym(s): *dasypoda* Portschinsky, 1881
- 5754) *Polygonia* (Camma) *c-album* (Linnaeus, 1758) (Argynnididae) Synonym(s): *c-album* Linnaeus, 1758; *g-album* Fourcroy, 1785.
- 5755) *Polygonia* (Camma) *egea* (Cramer, [1775]) (Argynnididae) Synonym(s): *egea* Cramer, [1775] (junior homonym); *vaualbum* Esper, 1780; *l-album* Esper, 1789; *triangulum* Fabricius, 1793; *autumnalis* Stefanelli, 1873; *#balucha* Evans, 1932; *#pallida* Evans, 1932.
- 5756) *Polyhymno abaiella* Amsel, 1974 (Gelechiidae) Synonym(s): *abaiella* Amsel, 1974
- 5757) *Polymerus brevicornis* (Reuter, 1879) (Miridae) Synonym(s): *brevicornis* Reuter, 1879; *pallidonotus* Kiritshenko, 1952; *junctus* Stichel, 1958
- 5758) *Polymerus brevirostris* Knight, 1925 (Miridae) Synonym(s): *brevirostris* Knight, 1925
- 5759) *Polymerus cognatus* (Fieber, 1858) (Miridae) Synonym(s): *cognatus* Fieber, 1858
- 5760) *Polymerus forughae* Linnavuori & Hosseini, 2000 (Miridae) Synonym(s): *forughae* Linnavuori & Hosseini, 2000
- 5761) *Polymerus vulneratus* (Panzer, 1805) (Miridae) Synonym(s): *vulneratus* Panzer, 1805; *dalmanni* Fallén, 1826; *intermedius* Jakovlev, 1876; *medius* Stichel, 1930; *unicolor* Stichel, 1930
- 5762) *Polymitia eximipalpella* (Gerasimov, 1930) (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov, 1930; *telaviviella* Amsel, 1935
- 5763) *Polymitia laristana* Triberti, 1986 (Gracillariidae) Synonym(s): *laristana* Triberti, 1986
- 5764) *Polymixis* (*Brandticola*) *dubiosa* (Brandt, 1938) (Noctuidae) Synonym(s): *dubiosa* Brandt, 1938
- 5765) *Polymixis* (*Eremophysa*) *apothaina* (Brandt, 1938) (Noctuidae) Synonym(s): *apothaina* Brandt, 1938
- 5766) *Polymixis* (*Eremophysa*) *gracilis* (Brandt, 1941) (Noctuidae) Synonym(s): *gracilis* Brandt, 1941
- 5767) *Polymixis* (*Eremophysa*) *hedygramma* (Brandt, 1941) (Noctuidae) Synonym(s): *hedygramma* Brandt, 1941
- 5768) *Polymixis* (*Eremophysa*) *scrophulariae* (Wiltshire, 1952) (Noctuidae) Synonym(s): *scrophulariae* Wiltshire, 1952
- 5769) *Polymixis* (*Eumichtis*) *pirkadatka* L.Ronkay & Gyulai, 2006 (Noctuidae) Synonym(s): *pirkadatka* L.Ronkay & Gyulai, 2006
- 5770) *Polymixis* (*Myxinia*) *philippsi* (Püngeler, 1911) (Noctuidae) Synonym(s): *philippsi* Püngeler, 1911
- 5771) *Polymixis* (*Myxinia*) *rufocincta* (Geyer, 1828) (Noctuidae) Synonym(s): *rufocincta* Geyer, [1828]; *farinosa* Freyer, 1848; *mucida* Guenée, 1852.
- 5772) *Polymixis* (*Parabrachionycha*) *atossa* (Wiltshire, 1941) (Noctuidae) Synonym(s): *atossa* Wiltshire, 1941
- 5773) *Polymixis* (*Parabrachionycha*) *tresignata* (Ménétriés, 1847) (Noctuidae) Synonym(s): *tresignata* Ménétriés, 1847; *leuconota* Herrich-Schäffer, [1850]; *nasamonius* Turati, 1924
- 5774) *Polymixis* (s.str.) *rosinae* (Bohatsch, 1910) (Noctuidae) Synonym(s): *rosinae* Bohatsch, 1910; *paradisiaca* Boursin, 1944
- 5775) *Polymixis* (s.str.) *zagrobia* (Wiltshire, 1941) (Noctuidae) Synonym(s): *zagrobia* Wiltshire, 1941
- 5776) *Polymixis* *crinomima* (Wiltshire, 1946) (Noctuidae) Synonym(s): *crinomima* Wiltshire, 1946
- 5777) *Polymixis* *fibrillata* L.Ronkay & Gyulai, 2006 (Noctuidae) Synonym(s): *fibrillata* L.Ronkay & Gyulai, 2006
- 5778) *Polymona amabilis* (Christoph, 1887) (Lymantriidae) Synonym(s): *amabilis* Christoph, 1887
- 5779) *Polymona daraba* (Wiltshire, 1952) (Lymantriidae) Synonym(s): *daraba* Wiltshire, 1952
- 5780) *Polymona destituta* (Staudinger, 1892) (Lymantriidae) Synonym(s): *destituta* Staudinger, 1892; *maraschi* Daniel, 1932.
- 5781) *Polymona komarovi* (Christoph, 1882) (Lymantriidae) Synonym(s): *komarovi* Christoph, 1882
- 5782) *Polyodaspis laevicola* (Becker, 1913) (Chloropidae) Synonym(s): *laevicola* Becker, 1913
- 5783) *Polyodaspis sulcicornis* (Meigen, 1838) (Chloropidae) Synonym(s): *sulcicornis* Meigen, 1838; *atra* Meigen, 1838; *dasyprocta* Loew, 1858; *amicalis* Becker, 1912; *pokorny* Becker, 1912; *hispanica* Duda, 1933; *helvetica* Duda, 1933; *lacteipennis* Duda, 1933; *anglicus* Collin, 1946
- 5784) *Polyommatus* (*Agriades* (s.str.)) *aegagrus* (Christoph, 1873) (Lycaenidae) Synonym(s): *aegagrus* Christoph, 1873
- 5785) *Polyommatus* (*Agriades* (s.str.)) *pyrenaicus* (Boisduval, 1840) (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval, 1840; *#pyrenicus* Naderi, 2003
- 5786) *Polyommatus* (*Albulina* (Plebejidea)) *afshar* (Eckweiler, 1998) (Lycaenidae) Synonym(s): *afshar* Eckweiler, 1998
- 5787) *Polyommatus* (*Albulina* (Plebejidea)) *callaghani* (Carbonell & Naderi, 2007) (Lycaenidae) Synonym(s): *callaghani* Carbonell & Naderi, 2007
- 5788) *Polyommatus* (*Albulina* (Plebejidea)) *ferganus* (Staudinger, 1881) (Lycaenidae) Synonym(s): *fergana* Staudinger, 1881; *torgouta* Alpheraky, 1881
- 5789) *Polyommatus* (*Albulina* (Plebejidea)) *loewii* (Zeller, 1847) (Lycaenidae) Synonym(s): *loewii* Zeller, 1847; *empyrea* Gerhard, [1851]; *gigas* Staudinger, 1871; *#robusta* Turati & Fiori, 1930; *germanicae* Pfeiffer, 1932; *dzhegamati* Sheljuzhko, 1934.
- 5790) *Polyommatus* (*Albulina* (Plebejidea)) *miris* (Staudinger, 1881) (Lycaenidae) Synonym(s): *miris* Staudinger, 1881; *#oblitescens* Schultz, 1906
- 5791) *Polyommatus* (*Albulina* (Plebejidea)) *rosei* (Eckweiler, 1989) (Lycaenidae) Synonym(s): *rosei* Eckweiler, 1989
- 5792) *Polyommatus* (*Albulina* (Vacciniina)) *alcedo* (Christoph, 1877) (Lycaenidae) Synonym(s): *alcedo* Christoph, 1877
- 5793) *Polyommatus* (*Albulina* (Vacciniina)) *morgianus* (Kirby, 1871) (Lycaenidae) Synonym(s): *hyrcana* Lederer, 1869 nec Feld., 1860; *morgiana* Kirby, 1871.
- 5794) *Polyommatus* (*Albulina* (Vacciniina)) *sieversii* (Christoph, 1873) (Lycaenidae) Synonym(s): *sieversii* Christoph, 1873

- 5795) Polyommatus (Albulina (Vacciniina)) vaneki (Weidenhoffer & Klir,2000)** (Lycaenidae) Synonym(s): *vaneki* Weidenhoffer & Klir,2000
- 5796) Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 nec Fabr.,1775; *eumedon* Esper,[1780]; *osiris* O.Bang-Haas,1927 nec Hopff.,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
- 5797) Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 5798) Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) Synonym(s): *artaxerxes* Fabricius,1793.
- 5799) Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) Synonym(s): *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Frivaldsky,1835; *orpheus* Nekrutenko,1980.
- 5800) Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) Synonym(s): *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909.
- 5801) Polyommatus (Aricia (Ultraaricia)) vandarbani (Pfeiffer,1937)** (Lycaenidae) Synonym(s): *vandarbani* Pfeiffer,1937
- 5802) Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae) Synonym(s): *firdussii* Forster,1956
- 5803) Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960)** (Lycaenidae) Synonym(s): *pseudactis* Forster,1960; *vaspurakani* Lukhtanov & Dantchenko,2003
- 5804) Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) Synonym(s): *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 5805) Polyommatus (s.str. (Agrodiaetus (Admetusia))) ardschirus (Brandt,1938)** (Lycaenidae) Synonym(s): *ardschira* Brandt,1938
- 5806) Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *demavendi* Pfeiffer,1938; *#demaventi de Lesse*,1960
- 5807) Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) Synonym(s): *eriwanensis* Forster,1960
- 5808) Polyommatus (s.str. (Agrodiaetus (Admetusia))) khorasanensis (Carbonell,2001)** (Lycaenidae) Synonym(s): *khorasanensis* Carbonell,2001
- 5809) Polyommatus (s.str. (Agrodiaetus (Admetusia))) paulae Wiemers & De Prins,2004** (Lycaenidae) Synonym(s): *paulae* Wiemers & De Prins,2004
- 5810) Polyommatus (s.str. (Agrodiaetus (Admetusia))) urmiaensis Schurian & Ten Hagen,2003** (Lycaenidae) Synonym(s): *urmiaensis* Schurian & Ten Hagen,2003
- 5811) Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi (Rose & Schurian,[1978])** (Lycaenidae) Synonym(s): *valiabadi* Rose & Schurian,[1978]
- 5812) Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycaenidae) Synonym(s): *antidolus* Rebel,1901
- 5813) Polyommatus (s.str. (Agrodiaetus (Antidolus))) morgani (Le Cerf,[1910])** (Lycaenidae) Synonym(s): *morgani* Le Cerf,[1910]
- 5814) Polyommatus (s.str. (Agrodiaetus (Damaia))) dama (Staudinger,[1892])** (Lycaenidae) Synonym(s): *dama* Staudinger,[1892]
- 5815) Polyommatus (s.str. (Agrodiaetus (Damaia))) hamadanensis (De Lesse,1959)** (Lycaenidae) Synonym(s): *hamadanensis* De Lesse,1959
- 5816) Polyommatus (s.str. (Agrodiaetus (Damaia))) sennanensis (De Lesse,1959)** (Lycaenidae) Synonym(s): *sennanensis* De Lesse,1959
- 5817) Polyommatus (s.str. (Agrodiaetus (Juldus))) faramarzii Skala,2001** (Lycaenidae) Synonym(s): *faramarzii* Skala,2001
- 5818) Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides (Staudinger,1886)** (Lycaenidae) Synonym(s): *phyllides* Staudinger,1886
- 5819) Polyommatus (s.str. (Agrodiaetus (Juldus))) shahrami Skala,2001** (Lycaenidae) Synonym(s): *shahrami* Skala,2001
- 5820) Polyommatus (s.str. (Agrodiaetus (Musa))) ectabanensis (De Lesse,1963)** (Lycaenidae) Synonym(s): *ectabanensis* De Lesse,1963; *avajicus* Blom,1979; *#ecbatanensis* Nazari,2003
- 5821) Polyommatus (s.str. (Agrodiaetus (Musa))) musa Koçak & Hosseinpour,1996** (Lycaenidae) Synonym(s): *brandti* Forster,1956 nec Pff.,1938; *musa* Koçak & Hosseinpour,1996; *fredi* Eckweiler,1997.
- 5822) Polyommatus (s.str. (Agrodiaetus (Musa))) pfeifferi (Brandt,1938)** (Lycaenidae) Synonym(s): *pfeifferi* Brandt,1938
- 5823) Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) Synonym(s): *wagneri* Forster,1956
- 5824) Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) baltazardi (De Lesse,1962)** (Lycaenidae) Synonym(s): *baltazardi* De Lesse,1962
- 5825) Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra Evans,1932** (Lycaenidae) Synonym(s): *bogra* Evans,1932
- 5826) Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) eckweileri Ten Hagen,1998** (Lycaenidae) Synonym(s): *eckweileri* Hagen,1998
- 5827) Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii (Lederer,1869)** (Lycaenidae) Synonym(s): *erschoffii* Lederer,1869
- 5828) Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) glaucias (Lederer,1871)** (Lycaenidae) Synonym(s): *glaucias* Lederer,1871
- 5829) Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) klausschuriani Ten Hagen,1999** (Lycaenidae) Synonym(s): *klausschuriani* Ten Hagen,1999
- 5830) Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) sephidarensis Karbalaye,2008** (Lycaenidae) Synonym(s): *sephidarensis* Karbalaye,2008
- 5831) Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) shirkuhensis Ten Hagen & Eckweiler,2001** (Lycaenidae) Synonym(s): *shirkuhensis* Ten Hagen & Eckweiler,2001
- 5832) Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) tenhageni Schurian & Eckweiler,1999** (Lycaenidae) Synonym(s): *tenhageni* Schurian & Eckweiler,1999
- 5833) Polyommatus (s.str. (Agrodiaetus (Peileia))) peilei (Bethune-Baker,1921)** (Lycaenidae) Synonym(s): *peilei* Bethune-Baker,1921

- 5834) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959)** (Lycaenidae) Synonym(s): *baytopi De Lesse,1959*
- 5835) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) darius Eckweiler & Ten Hagen,1998** (Lycaenidae) Synonym(s): *darius Eckweiler & Ten Hagen,1998*
- 5836) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphidamon (Staudinger,1899)** (Lycaenidae) Synonym(s): *iphidamon Staudinger,1899*
- 5837) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) mofidii (De Lesse,1963)** (Lycaenidae) Synonym(s): *mofidii De Lesse,1963*
- 5838) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph,1877)** (Lycaenidae) Synonym(s): *phyllis Christoph,1877*
- 5839) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) posthumus (Christoph,1877)** (Lycaenidae) Synonym(s): *posthumus Christoph,1877*
- 5840) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) rovshani Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *rovshani Dantchenko & Lukhtanov,1994*
- 5841) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae) Synonym(s): *vanensis De Lesse,1957*
- 5842) Polyommatus (s.str. (Agrodiaetus (s.str.?))) stempfferi (Brandt,1938)** (Lycaenidae) Synonym(s): *stempfferi Brandt,1938*
- 5843) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) altivagans (Forster,1956)** (Lycaenidae) Synonym(s): *altivagans Forster,1956*
- 5844) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) arasbarani (Carbonell & Naderi,2000)** (Lycaenidae) Synonym(s): *arasbarani Carbonell & Naderi,2000*
- 5845) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) aserbeidschanus (Forster,1956)** (Lycaenidae) Synonym(s): *aserbeidschana Forster,1956*
- 5846) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) caeruleus (Staudinger,1871)** (Lycaenidae) Synonym(s): *caeruleus Staudinger,1871*
- 5847) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) dizinensis (Schurian,1982)** (Lycaenidae) Synonym(s): *dizinensis Schurian,1982*
- 5848) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) elbursicus (Forster,1956)** (Lycaenidae) Synonym(s): *elbursica Forster,1956*
- 5849) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) kendevari (Forster,1956)** (Lycaenidae) Synonym(s): *kendevari Forster,1956*
- 5850) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) ninae (Forster,1956)** (Lycaenidae) Synonym(s): *ninae Forster,1956*
- 5851) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) transcaspicus (Heyne,[1895])** (Lycaenidae) Synonym(s): *transcaspicus Heyne,[1895]; transcaspicus Staudinger,1899*
- 5852) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicus (Koçak,1977)** (Lycaenidae) Synonym(s): *turcicus Koçak,1977*
- 5853) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zarathustra Eckweiler,1997** (Lycaenidae) Synonym(s): *zarathustra Eckweiler,1997*
- 5854) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zardensis Schurian & Ten Hagen,2001** (Lycaenidae) Synonym(s): *zardensis Schurian & Ten Hagen,2001*
- 5855) Polyommatus (s.str. (Agrodiaetus (Xerxesia))) barmifiruze (Carbonell,2000)** (Lycaenidae) Synonym(s): *barmifiruze Carbonell,2000*
- 5856) Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae) Synonym(s): *cyaneus Staudinger,1899; pseudocyaneus Forster,1956*
- 5857) Polyommatus (s.str. (Agrodiaetus (Xerxesia))) shahkuhensis V.Lukhtanov, Shapoval & Dantchenko,2008** (Lycaenidae) Synonym(s): *shahkuhensis V.Lukhtanov, Shapoval & Dantchenko,2008*
- 5858) Polyommatus (s.str. (Agrodiaetus (Xerxesia))) xerxes (Staudinger,1899)** (Lycaenidae) Synonym(s): *xerxes Staudinger,1899*
- 5859) Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) Synonym(s): *bellis Freyer,[1842]*
- 5860) Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *bellargus Rottemburg,1775; thetis Rottemburg,1775 nec Dru.,1773; adonis Denis & Schiffermüller,[1775]; salacia Bergsträßer,1779; venilia Bergsträßer,1779; hyacinthus Lewin,1795; urania Gerhard,[1851]; persemagna Verity,1937; arentissima Verity,1937; arens Verity,1937; arentior Verity,1937; antearentior Verity,1937; parabellargus Verity,1939; shakla Higgins,1958*
- 5861) Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *corydonius Herrich-Schäffer,[1852]*
- 5862) Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909*
- 5863) Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) Synonym(s): *coelestinus Eversmann,1843*
- 5864) Polyommatus (s.str. (Neolysandra)) coronus (Verity,1936)** (Lycaenidae) Synonym(s): *coronus Verity,1936*
- 5865) Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) Synonym(s): *diana Miller,[1913]*
- 5866) Polyommatus (s.str. (Neolysandra)) fatima Eckweiler & Schurian,1980** (Lycaenidae) Synonym(s): *fatima Eckweiler & Schurian,1980*
- 5867) Polyommatus (s.str. (Neolysandra)) fereiduna Skala,2002** (Lycaenidae) Synonym(s): *fereiduna Skala,2002*
- 5868) Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius Esper,1789 nec Rottemburg,1775; amandus Schneider,1792*
- 5869) Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) Synonym(s): *aedon Christoph,1877*
- 5870) Polyommatus (s.str. (Sublysandra)) myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *myrrhus Herrich-Schäffer,[1852]*
- 5871) Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) Synonym(s): *thersites Canterer,[1835]; chapmani Ball,1914; meridiana Verity,1919*
- 5872) Polyommatus (s.str.) ciloicus De Freina & Witt,1983** (Lycaenidae) Synonym(s): *ciloicus De Freina & Witt,1983*
- 5873) Polyommatus (s.str.) eros (Ochsenheimer,1808)** (Lycaenidae) Synonym(s): *tithonus Hübner,[1804] nec Linn.,1771; eros Ochsenheimer,1808*

- 5874) Polyommatus (s.str.) erotulus Nekrutenko,1985** (Lycaenidae) Synonym(s): *erotulus* Nekrutenko,1985; *delessei* Carbonell,1994.
- 5875) Polyommatus (s.str.) forsteri (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *forsteri* Pfeiffer,1938
- 5876) Polyommatus (s.str.) icarus (Rottentburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda.,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottentburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 5877) Polyommatus (s.str.) persicus (Bienert,1870)** (Lycaenidae) Synonym(s): *persica* Bienert,1870; *bienerti* Balint,[1993].
- 5878) Polyphaenis monophaenis Brandt,1938** (Noctuidae) Synonym(s): *monophaenis* Brandt,1938; *#unicoloris* Brandt,1938.
- 5879) Polyphoniis laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus* Loew,1848
- 5880) Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840; *abhasica* Motschoulsky,1845; *caucasica* Heyden,1864; *persica* Brenske,1902
- 5881) Polyplocia korbi Rebel,1901** (Thyatiridae) Synonym(s): *korbi* Rebel,1901
- 5882) Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 5883) Polypogon schwingenschussi (Wagner,1937)** (Noctuidae) Synonym(s): *schwingenschussi* Wagner,1937; *elbursalis* Draudt,1937.
- 5884) Polysarcus elbursianus (Uvarov,1929)** (Tettigoniidae) Synonym(s): *elbursianus* Uvarov,1929; *rechingeri* Werner,1939
- 5885) Pontia callidice (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803].
- 5886) Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] nec *russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881.
- 5887) Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.
- 5888) Pontia edusa (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
- 5889) Pontia glauconome Klug,1829** (Pieridae) Synonym(s): *glauconome* Klug,1829
- 5890) Poophilus costalis (Walker,1851)** (Cercopidae) Synonym(s): *costalis* Walker,1851
- 5891) Poophilus nebulosus (Lethierry,1876)** (Cercopidae) Synonym(s): *nebulosus* Lethierry,1876
- 5892) Populicerus sharifi Dlabola,1977** (Cicadellidae) Synonym(s): *sharifi* Dlabola,1977
- 5893) Porphyrophora hamelii Brandt & Ratzeburg,1833** (Margarodidae) Synonym(s): *hamelii* Brandt
- 5894) Powellinia boetica (Rambur,1837)** (Noctuidae) Synonym(s): *boetica* Rambur,1837
- 5895) Powellinia lasserei (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924
- 5896) Powellinia pierreti (Bugnion,1837)** (Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894
- 5897) Praeepischnia iranella Amsel,1953** (Pyralidae) Synonym(s): *iranella* Amsel,1953
- 5898) Praeepischnia lydella (Lederer,1865)** (Pyralidae) Synonym(s): *lydella* Lederer,1865; *gypsocrates* Meyrick,1937
- 5899) Praeepischnia taftanella Amsel,1953** (Pyralidae) Synonym(s): *taftanella* Amsel,1953
- 5900) Praelongicera palaestinella (Amsel,1956)** (Tineidae) Synonym(s): *palaestinella* Amsel,1956
- 5901) Praezygaena afghana (Moore,[1860])** (Zygaenidae) Synonym(s): *afghana* Moore,[1860]
- 5902) Precis (Junonia) almana (Linnaeus,1758)** (Argynnididae) Synonym(s): *almana* Linnaeus,1758
- 5903) Precis (Junonia) hierta (Fabricius,1798)** (Argynnididae) Synonym(s): *lintingensis* Osbeck,1765 [rejected name, Op.842, 1968]; *hierta* Fabricius,1798
- 5904) Precis (Junonia) orithya (Linnaeus,1758)** (Argynnididae) Synonym(s): *orithya* Linnaeus,1758
- 5905) Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758)** (Papilionidae) Synonym(s): *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *#chryseis* Boullet & Le Cerf,1912; *flavosignatus* Heydemann,1954
- 5906) Prionapteryx soudanensis (Hampson,1919)** (Pyralidae) Synonym(s): *soudanensis* Hampson,1919
- 5907) Prionapteryx strioliger (Rothschild,1913)** (Pyralidae) Synonym(s): *strioliger* Rothschild,1913; *stroblei* Amsel,1953
- 5908) Prionosthenus (Lativertex) iranicus Werner,1939** (Pamphagidae) Synonym(s): *iranicus* Werner,1939
- 5909) Pristocerella solskyi (Christoph,1877)** (Pyralidae) Synonym(s): *solskyi* Christoph,1877; *ochroleucella* Staudinger,1879; *bivitella* Christoph,1887.
- 5910) Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868
- 5911) Prochoristis capparidis (Christoph,1876)** (Pyralidae) Synonym(s): *capparidis* Christoph,1876
- 5912) Prochoristis malekalis Amsel,1961** (Pyralidae) Synonym(s): *malekalis* Amsel,1961
- 5913) Prochoristis rupicapralis (Lederer,1855)** (Pyralidae) Synonym(s): *rupicapralis* Lederer,1855
- 5914) Proconura nigripes (Fonscolombe,1832)** (Chalcididae) Synonym(s): *nigripes* Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929
- 5915) Prodotos boisdeffrii (Oberthür,1867)** (Noctuidae) Synonym(s): *boisdeffrii* Oberthür,1867
- 5916) Prolais elbursalis Amsel,1961** (Pyralidae) Synonym(s): *elbursalis* Amsel,1961
- 5917) Promachus canus (Wiedemann,1818)** (Asilidae) Synonym(s): *canus* Wiedemann,1818
- 5918) Promachus griseiventris Becker,1913** (Asilidae) Synonym(s): *griseiventris* Becker,1913; *aegyptiacus* Eflatoun,1929
- 5919) Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus* Loew,1848
- 5920) Promachus microlabis Loew,1857** (Asilidae) Synonym(s): *microlabis* Loew,1857
- 5921) Promachus rectangularis Loew,1854** (Asilidae) Synonym(s): *rectangularis* Loew,1854; *cinctipes* Walker,1871
- 5922) Promecocoris (Emphylocoris) stschurovskii (Oshanin,1871)** (Scutelleridae) Synonym(s): *stschurovskii* Oshanin,1871
- 5923) Pronomaea araxicola Reitter,1898** (Staphylinidae) Synonym(s): *araxicola* Reitter,1898; *orientalis* Fagel,1969
- 5924) Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781
- 5925) Prorachthes pleskei Paramonov,1927** (Bombyliidae) Synonym(s): *pleskei* Paramonov,1927
- 5926) Prorachthes portschinskyi Paramonov,1927** (Bombyliidae) Synonym(s): *portschinskyi* Paramonov,1927
- 5927) Prorophora (Aproceratia) afghanella Roesler,1973** (Pyralidae) Synonym(s): *afghanella* Roesler,1973
- 5928) Prorophora (Aproceratia) albunculella (Staudinger,1879)** (Pyralidae) Synonym(s): *albunculella* Staudinger,1879; *rhectogramma* Meyrick,1937.
- 5929) Prorophora (Aproceratia) senganella (Amsel,1951)** (Pyralidae) Synonym(s): *senganella* Amsel,1951; *richteri* Amsel,1959.

- 5930) Prorophora (s.str.) curvibasella Ragonot,1887** (Pyralidae) Synonym(s): *curvibasella* Ragonot,1887
- 5931) Proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermülleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
- 5932) Prosodes (Dilopersina) chorassanica G.Medvedev,1996** (Tenebrionidae) Synonym(s): *chorassanica* G.Medvedev,1996
- 5933) Prosodes (Dilopersina) cribrella (Baudi,1874)** (Tenebrionidae) Synonym(s): *cribrella* Baudi,1874
- 5934) Prosodes (Dilopersina) exilis G.Medvedev,1996** (Tenebrionidae) Synonym(s): *exilis* G.Medvedev,1996
- 5935) Prosodes (Dilopersina) jakowlewi Semenov,1894** (Tenebrionidae) Synonym(s): *jakowlewi* Semenov,1894
- 5936) Prosodes (Dilopersina) mithras Reitter,1904** (Tenebrionidae) Synonym(s): *mithras* Reitter,1904
- 5937) Prosodes (Dilopersina) parthenica G.Medvedev,1996** (Tenebrionidae) Synonym(s): *parthenica* G.Medvedev,1996
- 5938) Prosodes (Meropersina) fabiani G.Medvedev & Merkl,2005** (Tenebrionidae) Synonym(s): *fabiani* G.Medvedev & Merkl,2005
- 5939) Prosodes (Meropersina) laevigata (Baudi,1874)** (Tenebrionidae) Synonym(s): *laevigata* Baudi,1874
- 5940) Prosodes (Meropersina) vermiculosa Reitter,1909** (Tenebrionidae) Synonym(s): *vermiculosa* Reitter,1909
- 5941) Prosodes (Meropersina) vigi G.Medvedev & Merkl,2005** (Tenebrionidae) Synonym(s): *vigi* G.Medvedev & Merkl,2005
- 5942) Prosodes (Prosodoscelis) solskyi Faust,1875** (Tenebrionidae) Synonym(s): *solskyi* Faust,1875
- 5943) Protaetia (Calopotia) ignisternum Reitter,1891** (Scarabaeidae) Synonym(s): *ignisternum* Reitter,1891
- 5944) Protaetia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) Synonym(s): *speciosa* Adams,1817; *psittacina* Ménétriés,1832
- 5945) Protaetia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) Synonym(s): *affinis* Andersch,1797
- 5946) Protaetia (Netocia) persica (Kraatz,1886)** (Scarabaeidae) Synonym(s): *persica* Kraatz,1886
- 5947) Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *trojana* Gory & Percheron,1833
- 5948) Protaetia (Netocia) zagrosica (Alexis & Delpont,2001)** (Scarabaeidae) Synonym(s): *zagrosica* Alexis & Delpont,2001
- 5949) Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae) Synonym(s): *hungarica* Latreille,1807 (praeocc.); *angustata* Germar,1817; *muelleri* Reitter,1897; *angustula* Reitter,1898; *eibesensis* Reitter,1902; *orientalis* Alexis & Delpont,1996 nec Gory & Percheron,1833
- 5950) Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménétriés,1836; *aethioides* Reitter,1898; *lambillionea* Alexis & Delpont,2000
- 5951) Protaetia (Potosia) hieroglyphica (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *hieroglyphica* Ménétriés,1832; *pulverulenta* Motschoulsky,1845; *ganglbaueri* Reitter,1891; *depressiuncula* Reitter,1891
- 5952) Protorebia afra (Fabricius,1787)** (Satyridae) Synonym(s): *afra* Fabricius,1787
- 5953) Protexarnis opisoleuca (Staudinger,1881)** (Noctuidae) Synonym(s): *opisoleuca* Staudinger,1881; *inermis* Corti & Draudt,1933.
- 5954) Protexarnis persica (Staudinger,1897)** (Noctuidae) Synonym(s): *persica* Staudinger,1897
- 5955) Protichneumon coqueberti (Wesmael,1848)** (Ichneumonidae) Synonym(s): *coqueberti* Wesmael,1848
- 5956) Protichneumon fusorius (Linnaeus,1761)** (Ichneumonidae) Synonym(s): *fusorius* Linnaeus,1761; *fuscus* Linnaeus,1767; *italicus* Rudow,1888; *persicus* Morley,1915; *obscuratus* Habermehl,1916
- 5957) Protichneumon similatorius (Fabricius,1798)** (Ichneumonidae) Synonym(s): *similatorius* Fabricius,1798
- 5958) Protodeltote pygarga (Hufnagel,1766)** (Noctuidae) Synonym(s): *pygarga* Hufnagel,1766
- 5959) Protomiltogramma fasciatum (Meigen,1824)** (Sarcophagidae) Synonym(s): *fasciata* Meigen,1824; *erythrochaeta* Bezzi,1895
- 5960) Protomiltogramma iranicum (Rohdendorf,1961)** (Sarcophagidae) Synonym(s): *iranicum* Rohdendorf,1961
- 5961) Protonemura elbourzi Aubert,1964** (Nemouridae) Synonym(s): *elbourzi* Aubert,1964
- 5962) Protonemura waliabadi Aubert,1964** (Nemouridae) Synonym(s): *waliabadi* Aubert,1964
- 5963) Protorhoe crebrolineata (Kuznetsov,1960)** (Geometridae) Synonym(s): *crebrolineata* Kuznetsov,1960
- 5964) Protorhoe renodata (Püngeler,1909)** (Geometridae) Synonym(s): *renodata* Püngeler,1909
- 5965) Protorhoe unicata (Guenée,[1858])** (Geometridae) Synonym(s): *unicata* Guenée,[1858]
- 5966) Protoschinia scutosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
- 5967) Proutictis artesiaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller],1775
- 5968) Proxenus hospes (Freyer,[1831])** (Noctuidae) Synonym(s): *hospes* Freyer,[1831]
- 5969) Proxenus lepigone (Möschler,1860)** (Noctuidae) Synonym(s): *lepigone* Möschler,1860
- 5970) Psacasta exanthematica (Scopoli,1763)** (Scutelleridae) Synonym(s): *exanthematica* Scopoli,1763
- 5971) Psallus amygdali Linnavuori,1998** (Miridae) Synonym(s): *amygdali* Linnavuori,1998
- 5972) Psalmocharias querula (Pallas,1773)** (Cicadidae) Synonym(s): *querula* Pallas,1773; *steveni* Stal,1854 (praeocc.)
- 5973) Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914
- 5974) Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925
- 5975) Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (praeocc.); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908
- 5976) Psammotis pulveralis (Hübner,1796)** (Pyralidae) Synonym(s): *pulveralis* Hübner,1796
- 5977) Psammotisia gracilis (Hoberlandt,1993)** (Pentatomidae) Synonym(s): *gracilis* Hoberlandt,1993
- 5978) Psara pallidalis (Hampson,1913)** (Pyralidae) Synonym(s): *pallidalis* Hampson,1913; *aethiopica* Strand,1916
- 5979) Pselnophorus poggei (Mann,1862)** (Pterophoridae) Synonym(s): *poggei* Mann,1862; *minutus* Alpheraky,1876; *borzhomei* Zagulyaev,1987.
- 5980) Pseudapis (Crociaspidia) muscatensis Cockerell,1910** (Halictidae) Synonym(s): *muscatensis* Cockerell,1910
- 5981) Pseudapis (Nomiapis) diversipes (Latreille,1802)** (Halictidae) Synonym(s): *diversipes* Latreille,1802
- 5982) Pseudapis (Nomiapis) diversipes (Latreille,1806)** (Halictidae) Synonym(s): *diversipes* Latreille,1806
- 5983) Pseudapis (Nomiapis) equestris Gerstaecker,1872** (Halictidae) Synonym(s): *equestris* Gerstaecker,1872
- 5984) Pseudapis (Nomiapis) femoralis (Pallas,1773)** (Halictidae) Synonym(s): *femoralis* Pallas,1773; *valga* Gerstaecker,1872
- 5985) Pseudapis (Nomiapis) fugax (Morawitz,1878)** (Halictidae) Synonym(s): *fugax* Morawitz,1878
- 5986) Pseudapis (Nomiapis) squamata (Morawitz,1894)** (Halictidae) Synonym(s): *squamata* Morawitz,1894
- 5987) Pseudapis (Nomiapis) unidentata (Olivier,1811)** (Halictidae) Synonym(s): *unidentata* Olivier,1811

- 5988) *Pseudapis (Nomiapis) valga* (Gerstaecker,1872) (Halictidae) Synonym(s): *valga* Gerstaecker,1872
5989) *Pseudapis (s.str.) bytinski* (Warncke,1976) (Halictidae) Synonym(s): *bytinski* Warncke,1976
5990) *Pseudapis (s.str.) edentata* (Morawitz,1876) (Halictidae) Synonym(s): *edentata* Morawitz,1876
5991) *Pseudapis (s.str.) elegantissima* (Popov,1949) (Halictidae) Synonym(s): *elegantissima* Popov,1949
5992) *Pseudapis (s.str.) lobata* (Olivier,1811) (Halictidae) Synonym(s): *lobata* Olivier,1811
5993) *Pseudapis (s.str.) patellata* Magretti,1884 (Halictidae) Synonym(s): *patellata* Magretti,1884; *abbassa* Warncke,1980
5994) *Pseudapis (s.str.) platula* (Warncke,1976) (Halictidae) Synonym(s): *platula* Warncke,1976
5995) *Pseudaraeopus bolivari* (Melichar,1901) (Delphacidae) Synonym(s): *bolivari* Melichar,1901
5996) *Pseudaraeopus curtulus* Dlabola,1960 (Delphacidae) Synonym(s): *curtulus* Dlabola,1960
5997) *Pseudaraeopus iranicus* Dlabola,1960 (Delphacidae) Synonym(s): *iranicus* Dlabola,1960
5998) *Pseudascalenia abbasella* Kasy,1974 (Cosmopterigidae) Synonym(s): *abbasella* Kasy,1974
5999) *Pseudenargia deleta* (Osthelder,1933) (Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
6000) *Pseuderimerus irani* Zerova & Seryogina,2008 (Torymidae) Synonym(s): *irani* Zerova & Seryogina,2008
6001) *Pseuderimares iris* Kimmins,1933 (Myrmeleontidae) Synonym(s): *iris* Kimmins,1933
6002) *Pseudobissetia terrestrella* (Christoph,1885) (Pyralidae) Synonym(s): *terrestrella* Christoph,1885; *hypenalis* Rebel,1910; *tozeurellus* Lucas,1911
6003) *Pseudoceles dirshi* Popov,1951 (Acrididae) Synonym(s): *dirshi* Popov,1951
6004) *Pseudoceles inornatus* Bei-Bienko,1951 (Acrididae) Synonym(s): *inornatus* Bei-Bienko,1951
6005) *Pseudoceles persa* (Saussure,1884) (Acrididae) Synonym(s): *persa* Saussure,1884; *violaceus* Moritz,1928; *demavendi* Dirsh,1949; *elbursi* Dirsh,1949; *popovi* Dirsh,1949; *tari* Dirsh,1949
6006) *Pseudoceles zangezuri* Dirsh,1949 (Acrididae) Synonym(s): *zangezuri* Dirsh,1949
6007) *Pseudochazara (Achazara) anthelea* (Hübner,[1824]) (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
6008) *Pseudochazara (Achazara) telephassa* (Geyer,[1827]) (Satyridae) Synonym(s): *telephassa* Geyer,[1827]
6009) *Pseudochazara (s.str.) aurantiaca* (Staudinger,1871) (Satyridae) Synonym(s): *aurantiaca* Staudinger,1871
6010) *Pseudochazara (s.str.) beroe* (Freyer,[1843]) (Satyridae) Synonym(s): *beroe* Freyer,[1843]
6011) *Pseudochazara (s.str.) daghestana* (Holik,1955) (Satyridae) Synonym(s): *daghestana* Holik,1955
6012) *Pseudochazara (s.str.) geyeri* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978
6013) *Pseudochazara (s.str.) kopetdaghi* Dubatolov,1989 (Satyridae) Synonym(s): *kopetdaghi* Dubatolov,1989
6014) *Pseudochazara (s.str.) mamurra* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,1895
6015) *Pseudochazara (s.str.) mniszechii* (Herrich-Schäffer,[1851]) (Satyridae) Synonym(s): *mniszechii* Herrich-Schäffer,[1851]
6016) *Pseudochazara (s.str.) pelopea* (Klug,1832) (Satyridae) Synonym(s): *pelopea* Klug,1832
6017) *Pseudochazara (s.str.) schakuhensis* (Staudinger,1881) (Satyridae) Synonym(s): *schakuhensis* Staudinger,1881; *brandti* Holik,1949.
6018) *Pseudochazara (s.str.) tekkensis* (Heyne,[1895]) (Satyridae) Synonym(s): *tekkensis* Heyne,[1895]
6019) *Pseudochazara (s.str.) xerxes* (Gross & Ebert,1975) (Satyridae) Synonym(s): *xerxes* Gross & Ebert,1975
6020) *Pseudocinglis benigna* (Brandt,1941) (Geometridae) Synonym(s): *benigna* Brandt,1941
6021) *Pseudocinglis benigna benigna* (Brandt,1941) (Geometridae) Synonym(s): *benigna* Brandt,1941
6022) *Pseudocinglis benigna nigromaculata* Hausmann,1994 (Geometridae) Synonym(s): *nigromaculata* Hausmann,1994
6023) *Pseudocopicucullia syrtana* (Mabille,1888) (Noctuidae) Synonym(s): *syrtana* Mabille,1888
6024) *Pseudohadena (Jaxartia) magnitudinis* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *magnitudinis* Hacker & Ebert,2002
6025) *Pseudohadena (Jaxartia) zahedana* Shirvani, L.Ronkay,2008 (Noctuidae) Synonym(s): *zahedana* Shirvani, L.Ronkay,2008
6026) *Pseudohadena (s.str.) chenopodiphaga* (Rambur,1832) (Noctuidae) Synonym(s): *chenopodiphaga* Rambur,1832
6027) *Pseudohadena (s.str.) coluteae* (Bienert,1870) (Noctuidae) Synonym(s): *coluteae* Bienert,1870
6028) *Pseudohadena (s.str.) impedita* (Christoph,1887) (Noctuidae) Synonym(s): *impedita* Christoph,1887
6029) *Pseudohadena (s.str.) laciniosa* (Christoph,1887) (Noctuidae) Synonym(s): *laciniosa* Christoph,1887
6030) *Pseudohadena (s.str.) megaptera* Boursin,1970 (Noctuidae) Synonym(s): *megaptera* Boursin,1970
6031) *Pseudohadena (s.str.) minuta* Püngeler,1900 (Noctuidae) Synonym(s): *minuta* Püngeler,1900; *sengana* Brandt,1941; *pseudocommoda* Boursin,1963
6032) *Pseudohadena (s.str.) rjabovi* Boursin,1970 (Noctuidae) Synonym(s): *rjabovi* Boursin,1970
6033) *Pseudohadena (s.str.) roseotinctoides* Poole,1989 (Noctuidae) Synonym(s): *roseotincta* Brandt,1941 *nec* Tur.,1929; *roseotinctoides* Poole,1989.
6034) *Pseudoliarus fuscifasciatus* (Melichar,1902) (Cixiidae) Synonym(s): *fuscifasciatus* Melichar,1902; *obliteratus* Kusnezov,1937; *aegyptiacus* Wagner,1954
6035) *Pseudologia lucifer* L.Ronkay & Gyulai,2006 (Noctuidae) Synonym(s): *lucifer* L.Ronkay & Gyulai,2006
6036) *Pseudophilotes vicrama* (Moore,1865) (Lycaenidae) Synonym(s): *vicrama* Moore,1865
6037) *Pseudophotopsis binghami* (Bischoff,1920) (Mutillidae) Synonym(s): *binghami* Bischoff,1920; *zarudnyi* Skorikov,1935
6038) *Pseudophotopsis brachythorax* (Skorikov,1935) (Mutillidae) Synonym(s): *brachythorax* Skorikov,1935
6039) *Pseudophotopsis caspica* (Radoszkowski,1885) (Mutillidae) Synonym(s): *caspica* Radoszkowski,1885; *radoszkowskyi* Morawitz,1890; *selevkida* Skorikov,1935
6040) *Pseudophotopsis caucasica* (Radoszkowski,1885) (Mutillidae) Synonym(s): *caucasica* Radoszkowski,1885; *caucasicola* Dalla Torre,1897;
6041) *Pseudophotopsis irana* (Skorikov,1935) (Mutillidae) Synonym(s): *irana* Skorikov,1935; *cithara* Skorikov,1935
6042) *Pseudophotopsis kermana* (Skorikov,1935) (Mutillidae) Synonym(s): *kermana* Skorikov,1935
6043) *Pseudophotopsis komarovii* (Radoszkowski,1885) (Mutillidae) Synonym(s): *komarovii* Radoszkowski,1885; *askhabadensis* Radoszkowski,1885; *oculosa* Skorikov,1935; *inductrix* Skorikov,1935; *asiatica* Suarez,1965
6044) *Pseudophotopsis pavlovskyi* (Skorikov,1935) (Mutillidae) Synonym(s): *pavlovskyi* Skorikov,1935; *melanocephala* Skorikov,1935
6045) *Pseudophotopsis schachruda* (Skorikov,1935) (Mutillidae) Synonym(s): *schachruda* Skorikov,1935; *robusta* Skorikov,1935; *mauromoustakisi* Suarez,1959; *#schachrudii* Özбек et al.,1999; *caucasica* auct.

- 6046) Pseudosterrha paulula (Swinhoe,1886)** (Geometridae) Synonym(s): *paulula* Swinhoe,1886; *ochrea* W.Warren,1888; *gayneri* Rothschild,1901
- 6047) Pseudosterrha rufistrigata (Hampson,1896)** (Geometridae) Synonym(s): *rufistrigata* Hampson,1896; *xerophilaria* Püngeler,1902; *marcida* W.Warren & Rothschild,1905; *elbaensis* Rebel,1948.
- 6048) Pseudoteleia nigrosquamella Amsel,1959** (Gelechiidae) Synonym(s): *nigrosquamella* Amsel,1959
- 6049) Pseudotelphusa paripunctella (Thunberg,1794)** (Gelechiidae) Synonym(s): *paripunctella* Thunberg,1794; *triparella* Zeller,1839; *trijugella* Erschoff,1877; *sultanella* Caradja,1920; *arenicolella* Caradja,1920.
- 6050) Pseudotorymus euphorbiae Zerova & Seryogina,1999** (Torymidae) Synonym(s): *euphorbiae* Zerova & Seryogina,1999
- 6051) Pseudotorymus medicaginis (Mayr,1874)** (Torymidae) Synonym(s): *medicaginis* Mayr,1874
- 6052) Pseudotorymus militaris (Boheman,1834)** (Torymidae) Synonym(s): *militaris* Boheman,1834; *parellinus* Boheman,1834
- 6053) Pseudotorymus regalis Askew,2006** (Torymidae) Synonym(s): *regalis* Askew,2006
- 6054) Pseudotorymus stachidis (Mayr,1874)** (Torymidae) Synonym(s): *stachidis* Mayr,1874
- 6055) Pseudovadonia livida (Fabricius,1777)** (Cerambycidae) Synonym(s): *livida* Fabricius,1777; *pecta* K.Daniel & J.Daniel,1891
- 6056) Pseudozarba bipartita (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bipartita* Herrich-Schäffer,1850
- 6057) Pseudozarba mesozona (Hampson,1896)** (Noctuidae) Synonym(s): *mesozona* Hampson,1896; *mediana* Staudinger,1898
- 6058) Psilocurus hypopygialis (Paramonov,1930)** (Asilidae) Synonym(s): *hypopygialis* Paramonov,1930; *?ltranslatus* Oldroyd,1958
- 6059) Psilopa nilotica (Becker,1903)** (Ephydriidae) Synonym(s): *nilotica* Becker,1903; *flavipalpis* Becker,1913
- 6060) Psilopa rufithorax (Becker,1903)** (Ephydriidae) Synonym(s): *rufithorax* Becker,1903
- 6061) Psorosa dahliaella (Treitschke,1832)** (Pyralidae) Synonym(s): *dahliaella* Treitschke,1832; *bivittella* Duponchel,1836.
- 6062) Psorosa maraschella Caradja,1910** (Pyralidae) Synonym(s): *maraschella* Caradja,1910
- 6063) Psorosa mechedella Amsel,1953** (Pyralidae) Synonym(s): *mechedella* Amsel,1953
- 6064) Psorosa nucleolella (Möschler,1866)** (Pyralidae) Synonym(s): *nucleolella* Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterranea* Amsel,1953.
- 6065) Psorosodes dalakiella Amsel,1953** (Pyralidae) Synonym(s): *dalakiella* Amsel,1953
- 6066) Psylliodes aristus Jablonskoff-Khznorian,1962** (Chrysomelidae) Synonym(s): *aristus* Jablonskoff-Khznorian,1962
- 6067) Psylliodes chalcomerus (Illiger,1807)** (Chrysomelidae) Synonym(s): *chalcomerus* Illiger,1807
- 6068) Psylliodes chrysocephalus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *chrysocephalus* Linnaeus,1758
- 6069) Psylliodes circumdatus (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *circumdatus* Redtenbacher,1842
- 6070) Psylliodes cupreus (Koch,1803)** (Chrysomelidae) Synonym(s): *cupreus* Koch,1803
- 6071) Psylliodes inflatus Reiche,1856** (Chrysomelidae) Synonym(s): *inflatus* Reiche,1856
- 6072) Psylliodes isatidis Heikertinger,1912** (Chrysomelidae) Synonym(s): *isatidis* Heikertinger,1912
- 6073) Psylliodes luteolus (O.F.Müller,1776)** (Chrysomelidae) Synonym(s): *luteolus* O.F.Müller,1776
- 6074) Pteraulax oldroydi Abbasian-Lintzen,1966** (Bombyliidae) Synonym(s): *oldroydi* Abbasian-Lintzen,1966
- 6075) Pterobates pennatus (Nurse,1922)** (Bombyliidae) Synonym(s): *pennatus* Nurse,1922
- 6076) Pterochilus tenebriosus Gusenleitner,1998** (Vespidae) Synonym(s): *tenebriosus* Gusenleitner,1998
- 6077) Pterophorus caspius Lederer,1870** (Pterophoridae) Synonym(s): *caspius* Lederer,1870
- 6078) Pterophorus djebeli Arenberger,1981** (Pterophoridae) Synonym(s): *djebeli* Arenberger,1981
- 6079) Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880.
- 6080) Pterophorus subalternans (Lederer,1869)** (Pterophoridae) Synonym(s): *subalternans* Lederer,1869
- 6081) Pterothrixidia connectella (Zeller,1848)** (Pyralidae) Synonym(s): *connectella* Zeller,1848
- 6082) Pterothrixidia osmanella Amsel,1953** (Pyralidae) Synonym(s): *osmanella* Amsel,1953
- 6083) Ptilodontella saerdabensis Daniel,1938** (Notodontidae) Synonym(s): *saerdabensis* Daniel,1938
- 6084) Ptycholoma erschoffi (Christoph,1877)** (Tortricidae) Synonym(s): *erschoffi* Christoph,1877
- 6085) Ptyngidricerus albardanus (McLachlan,1891)** (Ascalaphidae) Synonym(s): *albardanus* McLachlan,1891
- 6086) Ptyngidricerus albardanus pterostigmatus Alexandrov-Martynov,1926** (Ascalaphidae) Synonym(s): *pterostigmatus* Alexandrov-Martynov,1926
- 6087) Ptyngidricerus venustus (Tjeder & Waterson,1977)** (Ascalaphidae) Synonym(s): *venustus* Tjeder & Waterson,1977
- 6088) Purpuricenus apicalis Pic,1905** (Cerambycidae) Synonym(s): *apicalis* Pic,1905; *tommasoi* Sama,2001
- 6089) Purpuricenus budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis* Götz,1783
- 6090) Purpuricenus deyrollei Thomson,1867** (Cerambycidae) Synonym(s): *deyrollei* Thomson,1867
- 6091) Purpuricenus kaehleri (Linnaeus,1758)** (Cerambycidae) Synonym(s): *kaehleri* Linnaeus,1758
- 6092) Purpuricenus sasanus Kadlec,2006** (Cerambycidae) Synonym(s): *sasanus* Kadlec,2006
- 6093) Purpuricenus talyshensis Reitter,1914** (Cerambycidae) Synonym(s): *talyshensis* Reitter,1914
- 6094) Purpuricenus wachanrui Levrat,1858** (Cerambycidae) Synonym(s): *wachanrui* Levrat,1858; *aleppensis* Witte,1872; *haussknechti* Witte,1872; *atricolor* Pic,1912; *diversipennis* Pic,1915
- 6095) Putonia asiatica Jakovlev,1885** (Pentatomidae) Synonym(s): *asiatica* Jakovlev,1885
- 6096) Pydna badiaria (Freyer,[1841])** (Geometridae) Synonym(s): *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854.
- 6097) Pydna bahara (Brandt,1938)** (Geometridae) Synonym(s): *bahara* Brandt,1938
- 6098) Pydna iranica (Schwingenschuss,1939)** (Geometridae) Synonym(s): *iranica* Schwingenschuss,1939
- 6099) Pyralis farinalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
- 6100) Pyralis juengeri Amsel,1953** (Pyralidae) Synonym(s): *juengeri* Amsel,1953
- 6101) Pyralis kacheticalis (Christoph,1893)** (Pyralidae) Synonym(s): *kacheticalis* Christoph,1893
- 6102) Pyralis narynensis Zerny,1914** (Pyralidae) Synonym(s): *perversalis* sensu auct. nec Herr.-Schäff.,1849; *narynensis* Zerny,1914; *#naryssensis* Amsel,1961
- 6103) Pyrasia gutturalis (Staudinger,1879)** (Pyralidae) Synonym(s): *gutturalis* Staudinger,1879
- 6104) Pyrausta (Haematia) castalis Treitschke,1829** (Pyralidae) Synonym(s): *castalis* Treitschke,1829
- 6105) Pyrausta (Haematia) despicata (Scopoli,1763)** (Pyralidae) Synonym(s): *despicata* Scopoli,1763; *cespitalis* [Denis & Schiffermüller],1775.
- 6106) Pyrausta (Haematia) perkeo Amsel,1970** (Pyralidae) Synonym(s): *perkeo* Amsel,1970

- 6107) *Pyrausta (Haematia) sanguinalis* (Linnaeus,1767)** (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
- 6108) *Pyrausta (Haematia) taftanalis* Amsel,1961** (Pyralidae) Synonym(s): *taftanalis* Amsel,1961
- 6109) *Pyrausta (Haematia) virginalis* Duponchel,1832** (Pyralidae) Synonym(s): *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916
- 6110) *Pyrausta (s.str.) aurata* (Scopoli,1763)** (Pyralidae) Synonym(s): *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *niepoldalis* Lederer,1863
- 6111) *Pyrausta (s.str.) inciae* Koçak,1982** (Pyralidae) Synonym(s): *meridionalis* Staudinger,1880 *nec* Wcke,1871; *inciae* Koçak,1982.
- 6112) *Pyrausta (s.str.) purpuralis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916
- 6113) *Pyrausta laristanalis* Amsel,1961** (Pyralidae) Synonym(s): *laristanalis* Amsel,1961
- 6114) *Pyrausta shirazalis* Amsel,1961** (Pyralidae) Synonym(s): *shirazalis* Amsel,1961
- 6115) *Pyrellia vivida* R-D.,1830** (Muscidae) Synonym(s): *cadaverina* auct.; *vivida* R-D.,1830
- 6116) *Pyrgodera armata* (Fischer von Waldheim,1820)** (Acrididae) Synonym(s): *armata* Fischer von Waldheim,1820
- 6117) *Pyrgomorpha (s.str.) bispinosa* Walker,1870** (Pyrgomorphidae) Synonym(s): *bispinosa* Walker,1870; *cingulata* Walker,1870; *indica* Bolivar,1902
- 6118) *Pyrgomorpha cognata* Krauss,1877** (Pyrgomorphidae) Synonym(s): *cognata* Krauss,1877
- 6119) *Pyrgomorpha guentheri* Burr,1899** (Pyrgomorphidae) Synonym(s): *guentheri* Burr,1899; *brevipennis* Bolivar,1904; *predtshenskii* Bei-Bienko,1951; *ozeki* Karabağ,1953; *turcica* Karabağ,1961; *#urfenensis* Demirsoy,1977; *#guantneri* Demirsoy,1977; *#predtshenskii* Demirsoy,1977
- 6120) *Pyrgus alveus* (Hübner,[1803])** (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ruffelensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
- 6121) *Pyrgus armoricanus* (Oberthür,1910)** (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
- 6122) *Pyrgus carlinae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *carlinae* Rambur,[1839]; *olivacea* Oberthür,1910; *caecus* Turati & Verity,1911; *atrata* Verity,1925; *cottiana* Kaufman,1954.
- 6123) *Pyrgus carthami* (Hübner,[1813])** (Hesperiidae) Synonym(s): *carthami* Hübner,[1813]
- 6124) *Pyrgus cinarae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840
- 6125) *Pyrgus jupei* (Alberti,1967)** (Hesperiidae) Synonym(s): *jupei* Alberti,1967; *centralasiae* Renner,1991.
- 6126) *Pyrgus melotis* (Duponchel,[1834])** (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.
- 6127) *Pyrgus serratulae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 6128) *Pyroderces argyrogrammos* (Zeller,1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggiella* Herrich-Schäffer,[1853]
- 6129) *Pyropteron atypica* Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *atypica* Kallies & K.Spatenka,2003
- 6130) *Pyropteron minianiformis* (Freyer,1843)** (Sesiidae) Synonym(s): *minianiformis* Freyer,1843
- 6131) *Pyropteron triannuliformis* (Freyer,1845)** (Sesiidae) Synonym(s): *meriaeformis* Assmann,1845 *nec* Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 *nec* Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *ljiljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987
- 6132) *Pyrrhia treitschkii* (Frivaldszky,1835)** (Noctuidae) Synonym(s): *treitschkii* Frivaldszky,1835.
- 6133) *Pyrrhia umbra* (Hufnagel,1766)** (Noctuidae) Synonym(s): *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölztermann,1902.
- 6134) *Pyrrhocoris apterus* (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829
- 6135) *Quartania araxana* Giordani Soika,1960** (Vespidae) Synonym(s): *araxana* Giordani Soika,1960; *soika* Richards,1962
- 6136) *Quartania atrata* Gusenleitner,1998** (Vespidae) Synonym(s): *atrata* Gusenleitner,1998
- 6137) *Quasimus minutissimus* (Germar,1817)** (Elateridae) Synonym(s): *minutissimus* Germar,1817
- 6138) *Quercusia quercus* (Linnaeus,1758)** (Lycanidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 6139) *Quinemurus cinereus* Kimmins,1943** (Myrmeleonidae) Synonym(s): *cinereus* Kimmins,1943
- 6140) *Rachispoda hostica* (Villeneuve,1917)** (Sphaeroceridae) Synonym(s): *hostica* Villeneuve,1917; *fuscolumosa* Duda,1918
- 6141) *Rachispoda intermedia* (Duda,1918)** (Sphaeroceridae) Synonym(s): *intermedia* Duda,1918
- 6142) *Rachispoda lutosoidea* (Duda,1938)** (Sphaeroceridae) Synonym(s): *lutosoidea* Duda,1938
- 6143) *Rachispoda modesta* (Duda,1924)** (Sphaeroceridae) Synonym(s): *modesta* Duda,1924
- 6144) *Rachispoda varicornis* (Strobl,1900)** (Sphaeroceridae) Synonym(s): *varicornis* Strobl,1900; *halidayi* Collin,1902
- 6145) *Ramburiella (Palaeocesa) bolivari* (Kuthy,1907)** (Acrididae) Synonym(s): *bolivari* Kuthy,1907; *elegans* Uvarov,1910
- 6146) *Ramburiella (Palaeocesa) foveolata* Tarbinsky,1931** (Acrididae) Synonym(s): *foveolata* Tarbinsky,1931
- 6147) *Raparna erubescens* (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *erubescens* A.Bang-Haas,1910
- 6148) *Raphidia (Caucasoraphidia) ressliana* H.Aspöck & U.Aspöck,1970** (Raphidiidae) Synonym(s): *ressliana* H.Aspöck & U.Aspöck,1970
- 6149) *Raphidia (s.str.) ophiopsis* Linnaeus,1758** (Raphidiidae) Synonym(s): *ophiopsis* Linnaeus,1758
- 6150) *Raphidia wittmeri* H.Aspöck & U.Aspöck,1970** (Raphidiidae) Synonym(s): *wittmeri* H.Aspöck & U.Aspöck,1970
- 6151) *Raphigaster nebulosa* (Poda,1761)** (Pentatomidae) Synonym(s): *nebulosa* Poda,1761
- 6152) *Raphimetopus ablutellus* (Zeller,1839)** (Pyralidae) Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 6153) *Ravinia striata* (Fabricius,1794)** (Sarcophagidae) Synonym(s): *striata* Fabricius,1794; *haematodes* Meigen,1826; *haemisphaerica* R-D.,1830; *limpidipennis* R-D.,1830; *horticola* R-D.,1830; *campestris* R-D.,1830; *parva* R-D.,1863; *sulcata* R-D.,1863; *hebes* R-D.,1863; *nova* Siebke,1877; *aozia* Séguy,1935; *disjuncta* Séguy,1938
- 6154) *Recilia schmidtgeni* (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
- 6155) *Recophora beata* (Staudinger,1892)** (Noctuidae) Synonym(s): *beata* Staudinger,1892
- 6156) *Recophora hreblyayi* Hacker & L.Ronkay,2002** (Noctuidae) Synonym(s): *hreblyayi* Hacker & L.Ronkay,2002
- 6157) *Reduvius ales* Kiritshenko,1966** (Reduviidae) Synonym(s): *ales* Kiritshenko,1966
- 6158) *Reduvius ciliatus* Jakovlev,1879** (Reduviidae) Synonym(s): *ciliatus* Jakovlev,1879
- 6159) *Reduvius disciger* Horvath,1896** (Reduviidae) Synonym(s): *disciger* Horvath,1896
- 6160) *Reduvius fedtschenkianus* Oshanin,1870** (Reduviidae) Synonym(s): *fedtschenkianus* Oshanin,1870; *fuscescens* Reuter,1892
- 6161) *Reduvius gharibi* Dispons & Villiers,1967** (Reduviidae) Synonym(s): *gharibi* Dispons & Villiers,1967

- 6162) *Reduvius inermis* (Jakovlev,1885) (Reduviidae) Synonym(s): *inermis* Jakovlev,1885
 6163) *Reduvius jakovleffi* Reuter,[1892] (Reduviidae) Synonym(s): *jakovleffi* Reuter,[1892]
 6164) *Reduvius pallipes* Klug,1830 (Reduviidae) Synonym(s): *pallipes* Klug,1830; *thoracicus* Stal,1855; *testaceus* Fieber
 6165) *Reduvius testaceus* (Herrich-Schäffer,1845) (Reduviidae) Synonym(s): *testaceus* Herrich-Schäffer,1845
 6166) *Reminasus ephippium* (Macquart,1855) (Asilidae) Synonym(s): *ephippium* Macquart,1855; *pulcher* Ricardo,1922
 6167) *Repetekiodes acervella* (Erschoff,1874) (Pyralidae) Synonym(s): *acervella* Erschoff,1874; *kuschella* Zerny,1914; *senganella* Amsel,1954.
 6168) *Rethera brandti* O.Bang-Haas,1937 (Sphingidae) Synonym(s): *brandti* O.Bang-Haas,1937
 6169) *Rethera komarovi* (Christoph,1885) (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
 6170) *Reuterista iranusi* (E.Wagner,1968) (Miridae) Synonym(s): *iranusi* E.Wagner,1968
 6171) *Reuterista villiersi* Wagner,1968 (Miridae) Synonym(s): *villiersi* Wagner,1968
 6172) *Rhabdogaster cinerascens* (Wulp,1899) (Asilidae) Synonym(s): *cinerascens* Wulp,1899
 6173) *Rhabdophera arefacta* (Swinhoe,1884) (Noctuidae) Synonym(s): *arefacta* Swinhoe,1884; *messrae* Staudinger,1898.
 6174) *Rhabinopteryx subtilis* (Mabille,1888) (Noctuidae) Synonym(s): *subtilis* Mabille,1888; *renatalis* Rebel,1909 nec Obth.; *luridalis* Rebel,1911.
 6175) *Rhadinus megalonix* Loew,1856 (Asilidae) Synonym(s): *megalonix* Loew,1856
 6176) *Rhagades (Naufockia) brandti* (Alberti,1938) (Zygaenidae) Synonym(s): *brandti* Alberti,1938
 6177) *Rhagades (Wiegelia) tarmanni* Keil,1999 (Zygaenidae) Synonym(s): *tarmanni* Keil,1999
 6178) *Rhagoletis cerasi* (Linnaeus,1758) (Tephritidae) Synonym(s): *cerasi* Linnaeus,1758
 6179) *Rhagoletis flavicincta* Enderlein,1934 (Tephritidae) Synonym(s): *flavicincta* Enderlein,1934
 6180) *Rhagoletis flavigenualis* M.Hering,1958 (Tephritidae) Synonym(s): *flavigenualis* M.Hering,1958
 6181) *Rhagonycha fulva* (Scopoli,1763) (Cantharidae) Synonym(s): *fulva* Scopoli,1763
 6182) *Rhagonycha ghilanensis* Dahlgren,1985 (Cantharidae) Synonym(s): *ghilanensis* Dahlgren,1985
 6183) *Rhagonycha hyrcana* Svihla,2002 (Cantharidae) Synonym(s): *hyrcana* Svihla,2002
 6184) *Rhagonycha iranica* Wittmer,1972 (Cantharidae) Synonym(s): *iranica* Wittmer,1972
 6185) *Rhagonycha morvani* Wittmer,1974 (Cantharidae) Synonym(s): *morvani* Wittmer,1974
 6186) *Rhamphomyia (s.str.) iranica* Bartak & Kubik,2008 (Empididae) Synonym(s): *iranica* Bartak & Kubik,2008
 6187) *Rhaphium appendiculatum* Zetterstedt,1849 (Dolichopodidae) Synonym(s): *appendiculatum* Zetterstedt,1849; *anale* Becker,1918; *macrocerum* Parent,1925
 6188) *Rheumaptera montivagata* Duponchel,1830 (Geometridae) Synonym(s): *montivagata* Duponchel,1830; *montivagaria* Boisduval,1840; *andalusica* Ribbe,1912
 6189) *Rhigognostis annulatella* (Curtis,1832) (Yponomeutidae) Synonym(s): *annulatella* Curtis,1832; *immaculicornella* Guenée,1845
 6190) *Rhodobates pallipallus* Rebel,1901 (Tineidae) Synonym(s): *pallipallus* Rebel,1901; *atactopis* Meyrick,1937.
 6191) *Rhodometra sacraria* (Linnaeus,1767) (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858];
 6192) *Rhodophaea (?) taftanella* Amsel,1950 (Pyralidae) Synonym(s): *taftanella* Amsel,1950
 6193) *Rhodostrophia abscisaria* Brandt,1941 (Geometridae) Synonym(s): *abscisaria* Brandt,1941
 6194) *Rhodostrophia auctata* (Staudinger,1879) (Geometridae) Synonym(s): *auctata* Staudinger,1879
 6195) *Rhodostrophia cuprinaria* (Christoph,1876) (Geometridae) Synonym(s): *cuprinaria* Christoph,1876; *phaenicearia* Hampson,1907.
 6196) *Rhodostrophia furialis* Brandt,1941 (Geometridae) Synonym(s): *furialis* Brandt,1941
 6197) *Rhodostrophia nesam* Brandt,1938 (Geometridae) Synonym(s): *nesam* Brandt,1938
 6198) *Rhodostrophia nubifera* Brandt,1941 (Geometridae) Synonym(s): *nubifera* Brandt,1941
 6199) *Rhodostrophia peripheres* L.B.Prout,1938 (Geometridae) Synonym(s): *peripheres* L.B.Prout,1938
 6200) *Rhodostrophia sieversi* (Christoph,1882) (Geometridae) Synonym(s): *sieversi* Christoph,1882
 6201) *Rhodostrophia tabestana* Trusch & Hausmann,2007 (Geometridae) Synonym(s): *tabestana* Trusch & Hausmann,2007
 6202) *Rhodostrophia terrestraria* (Lederer,1869) (Geometridae) Synonym(s): *terrestraria* Lederer,1869
 6203) *Rhodostrophia tumulosa* Brandt,1938 (Geometridae) Synonym(s): *tumulosa* Brandt,1938
 6204) *Rhombocoris regularis* (Herrich-Schaeffer,1851) (Pentatomidae) Synonym(s): *regularis* Herrich-Schaeffer,1851
 6205) *Rhopalia iranensis* Bequaert,1961 (Mydidae) Synonym(s): *iranensis* Bequaert,1961
 6206) *Rhopalus conspersus* Fieber,1836 (Rhopalidae) Synonym(s): *conspersus* Fieber,1836
 6207) *Rhopitoides canus* (Eversmann,1852) (Halictidae) Synonym(s): *canus* Eversmann,1852; *bifoveolatus* Sichel,1854; *distinguendus* Schenck,1861
 6208) *Rhopobota safidana* (Razowski,1963) (Tortricidae) Synonym(s): *safidana* Razowski,1963
 6209) *Rhoptria mardinata* (Staudinger,1900) (Geometridae) Synonym(s): *mardinata* Staudinger,1900; *pistaciae* Wiltshire,1943
 6210) *Rhyacia (Epipsilia) cervantes* (Reisser,1935) (Noctuidae) Synonym(s): *cervantes* Reisser,1935; *#gyulaipetri* Varga,1975
 6211) *Rhyacia (Epipsilia) latens* (Hübner,[1809]) (Noctuidae) Synonym(s): *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929.
 6212) *Rhyacia (s.str.) arenacea* (Hampson,1907) (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
 6213) *Rhyacia (s.str.) gabori* Varga,1996 (Noctuidae) Synonym(s): *gabori* Varga,1996
 6214) *Rhyacia (s.str.) helvetina* (Boisduval,1833) (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836
 6215) *Rhyacia (s.str.) lucipeta* ([Denis & Schiffermüller],[1775]) (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],[1775].
 6216) *Rhyacia (s.str.) nyctimerina* (Staudinger,1888) (Noctuidae) Synonym(s): *nyctimerina* Staudinger,1888; *rehnensis* Wagner,1937.
 6217) *Rhyacia (s.str.) nyctimerides* (O.Bang-Haas,1922) (Noctuidae) Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschhoff,1951; *alagesica* Boursin,1962; *#nyctomerides* Hacker,[1987]
 6218) *Rhyacia (s.str.) oxytheca* Boursin,1957 (Noctuidae) Synonym(s): *oxytheca* Boursin,1957
 6219) *Rhyacia (s.str.) subdecora* (Staudinger,1888) (Noctuidae) Synonym(s): *subdecora* Staudinger,1888; *psammia* Püngeler,1906; *xanthopasta* Boursin,1957.
 6220) *Rhynchites auratus* (Scopoli,1763) (Atteblidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937

- 6221) Rhynchites bacchus (Linnaeus,1758)** (Atelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938
- 6222) Rhynchites coeruleus (De Geer,1775)** (Atelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliararia* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930
- 6223) Rhynchites giganteus Krynicky,1832** (Atelabidae) Synonym(s): *giganteus* Krynicky,1832
- 6224) Rhynchites hungaricus (Herbst,1784)** (Atelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916
- 6225) Rhynchites smyrnensis Desbrochers,1869** (Atelabidae) Synonym(s): *smyrnensis* Desbrochers,1869
- 6226) Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *lefebrii* Lepeletier,1841; *leviscutis* Cameron,1908; *distinguendum* Buysson,1913; *hebraeum* Giordani Soika,1952; *adenense* Giordani Soika,1952; *ibericum* Giordani Soika,1966
- 6227) Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae) Synonym(s): *flavolimbatus* Jakovlev,1889; *#descampsi* Dispons & Villiers,1967
- 6228) Rhynocoris ibericus (Kolenati,1856)** (Reduviidae) Synonym(s): *ibericus* Kolenati,1856
- 6229) Rhynocoris iracundus (Poda,1761)** (Reduviidae) Synonym(s): *iracundus* Poda,1761; *pictus* Kolenati,1856; *ocreatus* Dispons,1964; *#safavii* Dispons & Villiers,1967
- 6230) Rhynocoris monticola Oshanin,1870** (Reduviidae) Synonym(s): *monticola* Oshanin,1870
- 6231) Rhynocoris persicus (Jakovlev,1877)** (Reduviidae) Synonym(s): *persicus* Jakovlev,1877; *christophi* Jakovlev,1877; *analisis* Jakovlev,1889; *pictipes* Horvath,1911
- 6232) Rhynocoris rubricoxa (Bergroth,1890)** (Reduviidae) Synonym(s): *rubricoxa* Bergroth,1890
- 6233) Rhyphaga lacernaria (Hübner,[1813])** (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 6234) Rhyparochromus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus* Goeze,1778
- 6235) Rhyparochromus consors (Horvath,1878)** (Lygaeidae) Synonym(s): *consors* Horvath,1878
- 6236) Rhyparochromus pini (Linnaeus,1758)** (Lygaeidae) Synonym(s): *pini* Linnaeus,1758
- 6237) Rhyparochromus zarudnyi (Jakovlev,1905)** (Lygaeidae) Synonym(s): *zarudnyi* Jakovlev,1905
- 6238) Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947
- 6239) Ricania soraya Dlabola,1983** (Ricaniidae) Synonym(s): *soraya* Dlabola,1983
- 6240) Riptortus aegyptiacus Lindberg,1939** (Alydidae) Synonym(s): *aegyptiacus* Lindberg,1939
- 6241) Riptortus linearis (Fabricius,1775)** (Alydidae) Synonym(s): *linearis* Fabricius,1775
- 6242) Rivetina caucasica (Saussure,1871)** (Mantidae) Synonym(s): *caucasica* Saussure,1871; *ragnari* Harz,1988
- 6243) Rivetina dolichoptera (Schulthess-Rechberg,1894)** (Mantidae) Synonym(s): *dolichoptera* Schulthess-Rechberg,1894
- 6244) Rivetina excellens Beier,1956** (Mantidae) Synonym(s): *excellens* Beier,1956
- 6245) Rivetina inermis (Uvarov,1923)** (Mantidae) Synonym(s): *inermis* Uvarov,1923
- 6246) Rivetina rhombicollis La Greca & Lombardo,1982** (Mantidae) Synonym(s): *rhombicollis* La Greca & Lombardo,1982
- 6247) Rivula sericealis (Scopoli,1763)** (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789.
- 6248) Rivula tanitalis Rebel,1912** (Noctuidae) Synonym(s): *tanitalis* Rebel,1912
- 6249) Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *sexmaculata* Cyrillo,1787; *hungarica* Fabricius,1793; *confusa* Lepeletier,1845; *monspeliensis* Lepeletier,1845; *robusta* Smith,1855; *torosa* Costa,1858; *sericeiventris* Costa,1864; *duplex* Radoszkowski,1885; *discoidalis* Radoszkowski,1885; *morawitzii* Dalla Torre,1897
- 6250) Rophites mandibularis Morawitz,1891** (Halictidae) Synonym(s): *mandibularis* Morawitz,1891
- 6251) Rophites montanus Ebmer,1978** (Halictidae) Synonym(s): *montanus* Ebmer,1978
- 6252) Rubrapterus bavius (Eversmann,1832)** (Lycaenidae) Synonym(s): *bavius* Eversmann,1832
- 6253) Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936
- 6254) Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846
- 6255) Saldula arenicola (Scholtz,1847)** (Saldidae) Synonym(s): *arenicola* Scholtz,1847
- 6256) Saldula misis Seidenstücker,1964** (Saldidae) Synonym(s): *misis* Seidenstücker,1964
- 6257) Saldula pallipes (Fabricius,1794)** (Saldidae) Synonym(s): *pallipes* Fabricius,1794
- 6258) Salentia fuscipennis A.Costa,1857** (Therevidae) Synonym(s): *fuscipennis* A.Costa,1857; *pomeroyi* Alexander,1921
- 6259) Salentia nigrescens (Becker,1912)** (Therevidae) Synonym(s): *nigrescens* Becker,1912
- 6260) Saltella sphondylii (Schrank,1803)** (Sepsidae) Synonym(s): *sphondylii* Schrank,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analisis* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* R-D.,1830; *nana* R-D.,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analisis* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874;
- 6261) Saluria maculivittella Ragonot,1887** (Pyralidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888.
- 6262) Saperda maculosa Ménétériés,1832** (Cerambycidae) Synonym(s): *maculosa* Ménétériés,1832
- 6263) Sapromyza persica Shtatalkin,1995** (Lauxaniidae) Synonym(s): *persica* Shtatalkin,1995
- 6264) Sapyga (s.str.) caucasica Radoszkowski,1880** (Sapygidae) Synonym(s): *caucasica* Radoszkowski,1880
- 6265) Sapyga (s.str.) morawitzi Turner,1911** (Sapygidae) Synonym(s): *morawitzi* Turner,1911; *gussakovskii* Kurzenko,1986
- 6266) Saragossa siccanorum (Staudinger,1870)** (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870
- 6267) Sarcophaga (Bercaea) cruentata Meigen,1826** (Sarcophagidae) Synonym(s): *cruentata* Meigen,1826; *haemorrhoidalis* Fallén,1817; *squalida* R-D.,1830; *blondeli* R-D.,1830; *villiva* R-D.,1830; *ruficauda* Zetterstedt,1838; *consobrina* Rondani,1860; *nurus* Rondani,1860; *zetterstedti* R-D.,1863; *iners* R-D.,1863; *pabulorum* R-D.,1863; *meigeni* R-D.,1863; *inlyta* R-D.,1863; *praeceps* R-D.,1863; *fugax* R-D.,1863; *nitida* R-D.,1863; *albidula* R-D.,1863; *commendata* R-D.,1863; *fulvipalpis* R-D.,1863; *haematura* R-D.,1863; *agilis* R-D.,1863; *oralis* R-D.,1863; *agraria* R-D.,1863; *meditata* R-D.,1863; *#interrupta* Enderlein,1928; *#tiesleri* Enderlein,1928
- 6268) Sarcophaga (Heteronychia) boettcheri Villeneuve,1912** (Sarcophagidae) Synonym(s): *boettcheri* Villeneuve,1912; *taurica* Rohdendorf,1937; *gaspari* Lehrer,1977; *bodediana* Lehrer,1998; *shakrana* Lehrer,1998; *caraormana* Lehrer,2008
- 6269) Sarcophaga (Heteronychia) haemorrhoides Böttcher,1913** (Sarcophagidae) Synonym(s): *haemorrhoides* Böttcher,1913; *wahisi* Lehrer,1976
- 6270) Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860; *puerula* Rondani,1860; *efflatouni* Salem,1935; *seguyi* Lehrer,1977
- 6271) Sarcophaga (Heteronychia) turana (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *turana* Rohdendorf,1937

- 6272) Sarcophaga (Jantia) crassipalpis Macquart, 1839** (Sarcophagidae) Synonym(s): *crassipalpis* Macquart, 1839; *dalmatina* Schiner, 1862; *securifera* Villeneuve, 1908
- 6273) Sarcophaga (Liosarcophaga) aegyptica (Salem, 1935)** (Sarcophagidae) Synonym(s): *aegyptica* Salem, 1935
- 6274) Sarcophaga (Liosarcophaga) jacobsoni (Rohdendorf, 1937)** (Sarcophagidae) Synonym(s): *jacobsoni* Rohdendorf, 1937; *sachtlebeni* Lehrer, 1959
- 6275) Sarcophaga (Pandelleisca) similis Meade, 1876** (Sarcophagidae) Synonym(s): *similis* Meade, 1876; *appendiculata* Kramer, 1905; *popovi* Trofimov, 1948
- 6276) Sarcophaga (Parasarcophaga) hirtipes Wiedemann, 1830** (Sarcophagidae) Synonym(s): *hirtipes* Wiedemann, 1830; *rufipes* Wiedemann, 1830; *fulvipalpis* Macquart, 1843
- 6277) Sarcophaga (s.str.) lehmanni Müller, 1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller, 1922; *clausa* Müller, 1922; *meridionalis* Rohdendorf, 1937
- 6278) Sarcophaga (Thomsonaea) argyrostoma (R-D., 1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D., 1830; *barbata* Thomson, 1869; *falculata* Pandellé, 1896; *persicae* Senior-White, 1924; *chivensis* Zimin, 1928
- 6279) Saropogon alternatus Loew, 1873** (Asilidae) Synonym(s): *alternatus* Loew, 1873; *alternans* Loew, 1873
- 6280) Saropogon bijani Abbassian-Lintzen, 1964** (Asilidae) Synonym(s): *bijani* Abbassian-Lintzen, 1964
- 6281) Saropogon clausus Becker, 1906** (Asilidae) Synonym(s): *clausus* Becker, 1906; *vosseleri* Becker, 1906
- 6282) Saropogon distinctus Becker, 1906** (Asilidae) Synonym(s): *distinctus* Becker, 1906
- 6283) Saropogon fucatus Loew, 1869** (Asilidae) Synonym(s): *fucatus* Loew, 1869
- 6284) Saropogon gigas Becker, 1913** (Asilidae) Synonym(s): *gigas* Becker, 1913
- 6285) Saropogon jugulum (Loew, 1847)** (Asilidae) Synonym(s): *jugulum* Loew, 1847; *brachyterus* Loew, 1869; *micropterus* Loew, 1869
- 6286) Saropogon longicornis (Macquart, 1838)** (Asilidae) Synonym(s): *longicornis* Macquart, 1838
- 6287) Saropogon luctuosus (Wiedemann, 1820)** (Asilidae) Synonym(s): *luctuosus* Wiedemann, 1820; *nigripennis* Costa, 1844
- 6288) Saropogon mofidii Abbassian-Lintzen, 1964** (Asilidae) Synonym(s): *mofidii* Abbassian-Lintzen, 1964
- 6289) Saropogon platynotus (Loew, 1847)** (Asilidae) Synonym(s): *platynotus* Loew, 1847
- 6290) Saropogon pollinosus Loew, 1869** (Asilidae) Synonym(s): *pollinosus* Loew, 1869
- 6291) Saropogon verticalis Oldroyd, 1958** (Asilidae) Synonym(s): *verticalis* Oldroyd, 1958
- 6292) Saropogon vestitus (Wiedemann, 1828)** (Asilidae) Synonym(s): *vestitus* Wiedemann, 1828; *aegypticus* Macquart, 1838; *confluens* Loew, 1851
- 6293) Satanas gigas (Eversmann, 1855)** (Asilidae) Synonym(s): *gigas* Eversmann, 1855
- 6294) Saturnia (Neoris) shadulla (Moore, 1872)** (Saturniidae) Synonym(s): *shadulla* Moore, 1872; *svenihedini* M.Hering, 1936; *alatauica* O.Bang-Haas, 1937
- 6295) Saturnia (s.str.) pyri ([Denis & Schiffermüller], 1775)** (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller], 1775; *teherana* Lenek, 1970; *pinkerae* Kobes, 1980.
- 6296) Satyramoeba hetrusca (Fabricius, 1794)** (Bombyliidae) Synonym(s): *hetrusca* Fabricius, 1794; *rubiginipennis* Macquart, 1840; *formosa* Dufour, 1852; *etrusca* Bezzi, 1903
- 6297) Satyrium (Nordmannia) abdominalis (Gerhard, [1850])** (Lycaenidae) Synonym(s): *abdominalis* Gerhard, [1850]; *gerhardi* Staudinger, [1895]; *alboabdominalis* Pfeiffer, 1938; *persica* Riley, 1939; *gerhardti* Wiltshire, 1943; *elta* Higgins, 1964.
- 6298) Satyrium (Nordmannia) ilicis (Esper, [1779])** (Lycaenidae) Synonym(s): *ilicis* Esper, [1779]
- 6299) Satyrium (Nordmannia) marcidum (Riley, 1921)** (Lycaenidae) Synonym(s): *marcidum* Riley, 1921
- 6300) Satyrium (Nordmannia) zabni Oorschot & Brink, 1991** (Lycaenidae) Synonym(s): *#zabni* Higgins, 1964; *zabni* Oorschot & Brink, 1991.
- 6301) Satyrium (Strymonidia) spini (Fabricius, 1787)** (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller], 1775; *lynceus* Esper, [1779] nec Drury, 1773; *spini* Fabricius, 1787; *cerasi* Herbst, 1804 nec Fabricius, 1787; *#albosparsa* Oberthür, 1910; *anatolicus* De Lattin, 1950.
- 6302) Satyrium (Strymonidia) w-album (Knoch, 1782)** (Lycaenidae) Synonym(s): *w-album* Knoch, 1782; *cerasi* Fabricius, 1787; *majuscula* Jachontov, 1911.
- 6303) Satyrium (Superflua) hyrcanicum (Riley, 1939)** (Lycaenidae) Synonym(s): *hyrcanicum* Riley, 1939
- 6304) Satyrium (Superflua) lunulatum (Erschoff, 1874)** (Lycaenidae) Synonym(s): *lunulatum* Erschoff, 1874
- 6305) Satyrium (Superflua) persepolis (Eckweiler & Ten Hagen, 2003)** (Lycaenidae) Synonym(s): *persepolis* Eckweiler & Ten Hagen, 2003
- 6306) Satyrium (Superflua) sassanides (Kollar, [1849])** (Lycaenidae) Synonym(s): *sassanides* Kollar, [1849]
- 6307) Satyrus (Asatyrus (s.str.)) daubi Gross & Ebert, 1975** (Satyridae) Synonym(s): *daubi* Gross & Ebert, 1975
- 6308) Satyrus (Asatyrus (s.str.)) iranica Schwingenschuss, 1939** (Satyridae) Synonym(s): *iranica* Schwingenschuss, 1939; *kyros* Gross & Ebert, 1975.
- 6309) Satyrus (Asatyrus (s.str.)) nanus Staudinger, 1886** (Satyridae) Synonym(s): *nana* Staudinger, 1886
- 6310) Satyrus (s.str.(s.str.)) astyages Skala, 2003** (Satyridae) Synonym(s): *astyages* Skala, 2003
- 6311) Satyrus (s.str.(s.str.)) favonius Staudinger, [1892]** (Satyridae) Synonym(s): *favonius* Staudinger, [1892]
- 6312) Satyrus (s.str.(s.str.)) parthicus Lederer, 1869** (Satyridae) Synonym(s): *parthicus* Lederer, 1869; *pimpla* sensu Wiltshire, 1957
- 6313) Savalania pulla Mishchenko, 1951** (Pamphagidae) Synonym(s): *pulla* Mishchenko, 1951
- 6314) Saxetania aelleni (Dirsh, 1952)** (Pamphagidae) Synonym(s): *aelleni* Dirsh, 1952
- 6315) Saxetania cultricolis (Saussure, 1887)** (Pamphagidae) Synonym(s): *cultricolis* Saussure, 1887; *paramonovi* Dirsh, 1927; *fuscipes* Mishchenko, 1951; *gibbosa* Mishchenko, 1951; *tumulosa* Mishchenko, 1951
- 6316) Saxetania decumana Mishchenko, 1951** (Pamphagidae) Synonym(s): *decumana* Mishchenko, 1951
- 6317) Saxetania dehbidi (Dirsh, 1952)** (Pamphagidae) Synonym(s): *dehbidi* Dirsh, 1952
- 6318) Saxetania edentulum (Uvarov, 1923)** (Pamphagidae) Synonym(s): *edentulum* Uvarov, 1923
- 6319) Saxetania escalerae (Bolivar, 1912)** (Pamphagidae) Synonym(s): *escalerae* Bolivar, 1912
- 6320) Saxetania irrada Mishchenko, 1951** (Pamphagidae) Synonym(s): *irrada* Mishchenko, 1951
- 6321) Saxetania muricata Mishchenko, 1951** (Pamphagidae) Synonym(s): *muricata* Mishchenko, 1951; *femoralis* Mishchenko, 1951
- 6322) Saxetania onerosa Mishchenko, 1951** (Pamphagidae) Synonym(s): *onerosa* Mishchenko, 1951
- 6323) Saxetania popovi (Dirsh, 1952)** (Pamphagidae) Synonym(s): *popovi* Dirsh, 1952
- 6324) Saxetania spinosa Mishchenko, 1951** (Pamphagidae) Synonym(s): *spinosa* Mishchenko, 1951; *nizwai* Dirsh, 1952
- 6325) Scaeva albomaculata (Macquart, 1842)** (Syrphidae) Synonym(s): *albomaculata* Macquart, 1842
- 6326) Scaeva pyrastris (Linnaeus, 1758)** (Syrphidae) Synonym(s): *pyrastris* Linnaeus, 1758; *melinus* Harris, 1776; *rosae* De Geer, 1776; *transfugus* Fabricius, 1794; *affinis* Say, 1823
- 6327) Scantius aegyptius (Linnaeus, 1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus, 1758

- 6328) *Scaptomyza* (s.str.) *graminum* (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum* Fallén,1823; *incana* Meigen,1830; *rufipes* Meigen,1830; *amoena* Meigen,1838; *flavipennis* Zetterstedt,1838; *tetrasticha* Becker,1908; *semiatricornis* Duda,1935; *norica* Hackman,1955
- 6329) *Scarabaeus armeniacus* Ménéttriés,1832** (Scarabaeidae) Synonym(s): *armeniaceus* Ménéttriés,1832; *nigrociliatus* Motschoulsky,1849
- 6330) *Scarabaeus puncticollis* (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819
- 6331) *Scarabaeus sacer* Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925
- 6332) *Scarabaeus winkleri* Stolf,1938** (Scarabaeidae) Synonym(s): *winkleri* Stolf,1938
- 6333) *Scarabaeus zagrosensis* Montreuil,2006** (Scarabaeidae) Synonym(s): *zagrosensis* Montreuil,2006
- 6334) *Scaurus puncticollis* Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838
- 6335) *Sceliphron* (s.str.) *arabs* (Lepeletier,1845)** (Sphecidae) Synonym(s): *arabs* Lepeletier,1845; *caucasicus* André,1888
- 6336) *Sceliphron* (s.str.) *pietschmanni* Kohl,1918** (Sphecidae) Synonym(s): *pietschmanni* Kohl,1918
- 6337) *Sceliphron* (s.str.) *pulchellum* Gussakovsky,1933** (Sphecidae) Synonym(s): *pulchellum* Gussakovsky,1933
- 6338) *Sceliphron* (s.str.) *seistaniensis* Jha & Farooqi,1995** (Sphecidae) Synonym(s): *seistaniensis* Jha & Farooqi,1995
- 6339) *Schistocerca gregaria* (Forsk.,1775)** (Acrididae) Synonym(s): *gregaria* Forsk.,1775; *tartaricum* Latreille,1804; *peregrina* Olivier,1804; *rufescens* Thunberg,1815
- 6340) *Schistostega nubilaria* (Hübner,[1799])** (Geometridae) Synonym(s): *nubilaria* Hübner,[1799]; *exalbata* Hübner,[1817]; *knuppferi* Hoyningen-Huene,1904
- 6341) *Schizoprymnus obscurus* (Nees ab Esenbeck,1813)** (Braconidae) Synonym(s): *obscurus* Nees ab Esenbeck,1813
- 6342) *Schneidereria pistacicola* (Danilevsky,1955)** (Gelechiidae) Synonym(s): *pistacicola* Danilevsky,1955
- 6343) *Schneidereria pistaciella* Weber,1957** (Gelechiidae) Synonym(s): *pistaciella* Weber,1957
- 6344) *Schoenobius alpherakyi* Staudinger,1874** (Pyralidae) Synonym(s): *alpherakyi* Staudinger,1874
- 6345) *Schoenobius gigantellus* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *gigantella* [Denis & Schiffermüller],1775
- 6346) *Schyzops aegyptiaca* (Lefebvre,1831)** (Pentatomidae) Synonym(s): *aegyptiaca* Lefebvre,1831
- 6347) *Scintharista notabilis* (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870
- 6348) *Sciocoris* (Aposciocoris) *luteolus* Fieber,1861** (Pentatomidae) Synonym(s): *luteolus* Fieber,1861
- 6349) *Sciocoris* (Aposciocoris) *macrocephalus* Fieber,1851** (Pentatomidae) Synonym(s): *europaeus* Amyot & Serville,1843; *macrocephalus* Fieber,1851; *basalis* Fieber,1851
- 6350) *Sciocoris* (Aposciocoris) *safavii* Hoberlandt,1959** (Pentatomidae) Synonym(s): *safavii* Hoberlandt,1959
- 6351) *Sciocoris* (Neosciocoris) *conspurcatus* Klug,1845** (Pentatomidae) Synonym(s): *conspurcatus* Klug,1845
- 6352) *Sciocoris* (Neosciocoris) *kiritschenkoi* Wagner,1965** (Pentatomidae) Synonym(s): *kiritschenkoi* Wagner,1965
- 6353) *Sciocoris* (Neosciocoris) *maculatus* Fieber,1851** (Pentatomidae) Synonym(s): *maculatus* Fieber,1851; *gravenhorstii* Fieber,1851; *auritus* Mulsant & Rey,1856; *obscurus* Ferrari,1874; *obscura* Kirkaldy,1909; *minorerostris* Fuente,1971
- 6354) *Sciocoris* (Neosciocoris) *orientalis* Linnavuori,1960** (Pentatomidae) Synonym(s): *orientalis* Linnavuori,1960
- 6355) *Sciocoris* (Neosciocoris) *remanei* Wagner,1965** (Pentatomidae) Synonym(s): *remanei* Wagner,1965
- 6356) *Sciocoris* (Parasciocoris) *capitatus* Jakovlev,1881** (Pentatomidae) Synonym(s): *capitatus* Jakovlev,1881; *denticeps* Wagner,1965
- 6357) *Sciocoris* (s.str.) *cursitans* (Fabricius,1794)** (Pentatomidae) Synonym(s): *cursitans* Fabricius,1794; *terreus* Schrank,1801; *rubropunctatus* Fuente,1972
- 6358) *Sciocoris* (s.str.) *deltoccephalus* Fieber,1861** (Pentatomidae) Synonym(s): *deltoccephalus* Fieber,1861
- 6359) *Sciocoris* (s.str.) *hoberlandti* Wagner,1954** (Pentatomidae) Synonym(s): *hoberlandti* Wagner,1954
- 6360) *Sciocoris* (s.str.) *ogivus* Jakovlev,1894** (Pentatomidae) Synonym(s): *ogivus* Jakovlev,1894
- 6361) *Sciocoris* (s.str.) *sulcatus* Fieber,1851** (Pentatomidae) Synonym(s): *sulcatus* Fieber,1851; *angustipennis* Mulsant & Rey,1852; *lautus* Horvath,1903; *atticus* Horvath,1907; *cypria* Lindberg,1948
- 6362) *Sciota* (Ciliocerodes) *belutschistanella* (Amsel,1961)** (Pyralidae) Synonym(s): *belutschistanella* Amsel,1961
- 6363) *Sciota* (s.str.) *rhenella* (Zincken,1818)** (Pyralidae) Synonym(s): *rhenella* Zincken,1818
- 6364) *Scirpophaga magnella* De Joannis,1929** (Pyralidae) Synonym(s): *magnella* De Joannis,1929.
- 6365) *Scirpophaga praelata* (Scopoli,1763)** (Pyralidae) Synonym(s): *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960.
- 6366) *Sclerobiodes persica* Amsel,1951** (Pyralidae) Synonym(s): *persica* Amsel,1951
- 6367) *Scodionima crocallaria* Staudinger,1892** (Geometridae) Synonym(s): *crocallaria* Staudinger,1892; *pamiricola* Shchetkin & Viidalepp,1988
- 6368) *Scodionima gyulai* Weisert,2009** (Geometridae) Synonym(s): *gyulai* Weisert,2009
- 6369) *Scodionista amoritaria* (Püngeler,1902)** (Geometridae) Synonym(s): *amoritaria* Püngeler,1902; *autumnata* Brandt,1938; *abdulhamidi* Wiltshire,1949
- 6370) *Scolia* (s.str.) *anatoliae* Osten,2004** (Scoliidae) Synonym(s): *anatoliae* Osten,2004
- 6371) *Scolia* (s.str.) *fallax* Eversmann,1849** (Scoliidae) Synonym(s): *fallax* Eversmann,1849; *syriacola* Betrem,1935; *moreana* Muche,1962; *tricolor* Bradley,1972
- 6372) *Scolia* (s.str.) *flaviceps* Eversmann,1846** (Scoliidae) Synonym(s): *flaviceps* Eversmann,1846; *mangichlakensis* Radoszkowski,1879
- 6373) *Scolia* (s.str.) *sexmaculata* (Müller,1766)** (Scoliidae) Synonym(s): *sexmaculata* Müller,1766; *biguttata* Fabricius,1804; *violacea* Panzer,1799; *syriaca* Klug,1832; *hispanica* Betrem,1935; *beirutii* Betrem,1935; *montana* Steinberg,1962; *orientalis* Steinberg,1962; *dionysopolis* Tkalcu,1988
- 6374) *Scoliapteryx libatrix* (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatrix* Haworth,1809
- 6375) *Scoparia ambigialis* (Treitschke,1829)** (Pyralidae) Synonym(s): *ambigialis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Bankes,1909
- 6376) *Scoparia basistrigalis* Knaggs,1866** (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
- 6377) *Scoparia manifestella* (Herrich-Schäffer,1848)** (Pyralidae) Synonym(s): *manifestella* Herrich-Schäffer,1848; *fasciata* Turati,1919; *ticinensis* Müller-Rutz,1920; *laserella* Thurner,1958; *marioni* Viète,1965
- 6378) *Scoparia saerdabella* Osthelder,1938** (Pyralidae) Synonym(s): *saerdabella* Osthelder,1938; *hyrcanella* Toll,1948
- 6379) *Scoparia subfusca bicornutella* Amsel,1953** (Pyralidae) Synonym(s): *bicornutella* Amsel,1953

- 6380) *Scoparia subfusca* Haworth,[1811]** (Pyrilidae) Synonym(s): *subfusca* Haworth,[1811]; *graecella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *#sugfusca* Leraut,1984
- 6381) *Scopula albiceraria* (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *albiceraria* Herrich-Schäffer,1847; *sulphuraria* Freyer,1847; *vitellinaria* Eversmann,1851
- 6382) *Scopula amseli* Wiltshire,1967** (Geometridae) Synonym(s): *amseli* Wiltshire,1967
- 6383) *Scopula ansulata* (Lederer,1871)** (Geometridae) Synonym(s): *ansulata* Lederer,1871
- 6384) *Scopula beckeraria* (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853
- 6385) *Scopula decorata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806]
- 6386) *Scopula flaccidaria* (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
- 6387) *Scopula hoerhammeri* Brandt,1941** (Geometridae) Synonym(s): *hoerhammeri* Brandt,1941
- 6388) *Scopula immistaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
- 6389) *Scopula immorata* (Linnaeus,1758)** (Geometridae) Synonym(s): *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 nec Hbn.,1790; *fuscata* Fabricius,1794 nec Hfn.,1767; *immoraria* Hübner,[1799]; *serenata* Turati,1905; *myrtillata* Dadd,1911
- 6390) *Scopula incanata* (Linnaeus,1758)** (Geometridae) Synonym(s): *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846
- 6391) *Scopula iranaria* Bytinski-Salz & Brandt,1937** (Geometridae) Synonym(s): *iranaria* Bytinski-Salz & Brandt,1937; *#depuncta* Bytinski-Salz & Brandt,1937
- 6392) *Scopula lactarioides* Brandt,1941** (Geometridae) Synonym(s): *lactarioides* Brandt,1941
- 6393) *Scopula marginepunctata* (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosa* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
- 6394) *Scopula orientalis* (Alpheraky,1876)** (Geometridae) Synonym(s): *orientalis* Alpheraky,1876
- 6395) *Scopula rubiginata* (Hufnagel,1767)** (Geometridae) Synonym(s): *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839
- 6396) *Scopula submutata* (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
- 6397) *Scopula subtilata* (Christoph,1867)** (Geometridae) Synonym(s): *subtilata* Christoph,1867
- 6398) *Scopula tessellaria* (Boisduval,1840)** (Geometridae) Synonym(s): *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955
- 6399) *Scopula transcaspica* L.B.Prout,1935** (Geometridae) Synonym(s): *transcaspica* L.B.Prout,1935
- 6400) *Scopula turbulenta* (Staudinger,1870)** (Geometridae) Synonym(s): *turbulenta* Staudinger,1870; *collata* W.Warren,1901; *habenaria* W.Warren,1901; *syriacata* Neuburger,1904; *syrturica* Wehrli,1934
- 6401) *Scopuloides origalis* (Brandt,1941)** (Geometridae) Synonym(s): *origalis* Brandt,1941
- 6402) *Scopuloides origalis origalis* (Brandt,1941)** (Geometridae) Synonym(s): *origalis* Brandt,1941
- 6403) *Scotodrymadusa persa* (Uvarov,1917)** (Tettigoniidae) Synonym(s): *persa* Uvarov,1917
- 6404) *Scotodrymadusa persica* (Chopard,1921)** (Tettigoniidae) Synonym(s): *persica* Chopard,1921
- 6405) *Scotodrymadusa philbyi* (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi* Uvarov,1927; *palaestina* Uvarov,1939
- 6406) *Scotomerodes syriacalis* Ragonot,1895** (Pyrilidae) Synonym(s): *syriacalis* Ragonot,1895
- 6407) *Scotopteryx elbursica* (Bytinski-Salz & Brandt,1937)** (Geometridae) Synonym(s): *elbursica* Bytinski-Salz & Brandt,1937
- 6408) *Scotopteryx fuscifasciata* (Brandt,1938)** (Geometridae) Synonym(s): *fuscifasciata* Brandt,1938
- 6409) *Scotopteryx kuznetzovi* (Vardikjan,1957)** (Geometridae) Synonym(s): *kuznetzovi* Vardikjan,1957
- 6410) *Scotopteryx octodurensis* (Favre,1903)** (Geometridae) Synonym(s): *octodurensis* Favre,1903; *nevadina* Wehrli,1927
- 6411) *Scotopteryx sterilis* (L.B.Prout,1938)** (Geometridae) Synonym(s): *sterilis* L.B.Prout,1938
- 6412) *Scotopteryx vicinaria* (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919
- 6413) *Scrobipalpa (Ilseopsis) acuminatella* (Sircom,1850)** (Gelechiidae) Synonym(s): *acuminatella* Sircom,1850
- 6414) *Scrobipalpa (Ilseopsis) argenteonigra* Povolny,1972** (Gelechiidae) Synonym(s): *argenteonigra* Povolny,1972
- 6415) *Scrobipalpa (Ilseopsis) brandti* Povolny,1972** (Gelechiidae) Synonym(s): *brandti* Povolny,1972
- 6416) *Scrobipalpa (Ilseopsis) eremica* Povolny,1967** (Gelechiidae) Synonym(s): *eremica* Povolny,1967
- 6417) *Scrobipalpa (Ilseopsis) grossa* Povolny,1966** (Gelechiidae) Synonym(s): *grossa* Povolny,1966
- 6418) *Scrobipalpa (Ilseopsis) heratella* Povolny,1967** (Gelechiidae) Synonym(s): *heratella* Povolny,1967
- 6419) *Scrobipalpa (Ilseopsis) kasyvartianella* Povolny,1967** (Gelechiidae) Synonym(s): *kasyvartianella* Povolny,1967
- 6420) *Scrobipalpa (Ilseopsis) magnificella* Povolny,1967** (Gelechiidae) Synonym(s): *magnificella* Povolny,1967
- 6421) *Scrobipalpa (Ilseopsis) ocellatella* (Boyd,1858)** (Gelechiidae) Synonym(s): *ocellatella* Boyd,1858; *submissella* Stainton,1859; *horticolella* Rössler,1866.
- 6422) *Scrobipalpa (Ilseopsis) optima* Povolny,1969** (Gelechiidae) Synonym(s): *optima* Povolny,1969
- 6423) *Scrobipalpa (Ilseopsis) otregata* Povolny,1972** (Gelechiidae) Synonym(s): *otregata* Povolny,1972
- 6424) *Scrobipalpa (Ilseopsis) pseudobsletella* (Gregor & Povolny,1955)** (Gelechiidae) Synonym(s): *pseudobsletella* Gregor & Povolny,1955; *#pseudobsletella* Hacker,1999
- 6425) *Scrobipalpa (Ilseopsis) pulchra* Povolny,1967** (Gelechiidae) Synonym(s): *pulchra* Povolny,1967
- 6426) *Scrobipalpa (Ilseopsis) remota* Povolny,1972** (Gelechiidae) Synonym(s): *remota* Povolny,1972
- 6427) *Scrobipalpa (Ilseopsis) scrobipalpulina* Povolny,1967** (Gelechiidae) Synonym(s): *scrobipalpulina* Povolny,1967
- 6428) *Scrobipalpa (Ilseopsis) semnani* Povolny,1967** (Gelechiidae) Synonym(s): *semnani* Povolny,1967
- 6429) *Scrobipalpa (Ilseopsis) substricta* Povolny,1967** (Gelechiidae) Synonym(s): *substricta* Povolny,1967
- 6430) *Scrobipalpa (Ilseopsis) vartianorum* Povolny,1968** (Gelechiidae) Synonym(s): *vartianorum* Povolny,1968
- 6431) *Scrobipalpa (Ilseopsis) wiltshirei* Povolny,1966** (Gelechiidae) Synonym(s): *wiltshirei* Povolny,1966
- 6432) *Scrobipalpa (s.str.) albostrata* Povolny,1977** (Gelechiidae) Synonym(s): *albostrata* Povolny,1977
- 6433) *Scrobipalpa (s.str.) aptatella* (Walker,1864)** (Gelechiidae) Synonym(s): *aptatella* Walker,1864; *heliopa* Lower,1900
- 6434) *Scrobipalpa (s.str.) cryptica* Povolny,1969** (Gelechiidae) Synonym(s): *cryptica* Povolny,1969
- 6435) *Scrobipalpa (s.str.) cultrata* Povolny,1971** (Gelechiidae) Synonym(s): *cultrata* Povolny,1971

- 6436) *Scrobipalpa* (s.str.) *filia* Povolny, 1969 (Gelechiidae) Synonym(s): *filia* Povolny, 1969
 6437) *Scrobipalpa* (s.str.) *griseofusella* (Toll, 1947) (Gelechiidae) Synonym(s): *griseofusella* Toll, 1947
 6438) *Scrobipalpa* (s.str.) *helmuti* Povolny, 1977 (Gelechiidae) Synonym(s): *helmuti* Povolny, 1977
 6439) *Scrobipalpa* (s.str.) *heretica* Povolny, 1973 (Gelechiidae) Synonym(s): *heretica* Povolny, 1973
 6440) *Scrobipalpa* (s.str.) *laisinca* Povolny, 1976 (Gelechiidae) Synonym(s): *laisinca* Povolny, 1976
 6441) *Scrobipalpa* (s.str.) *nana* Povolny, 1973 (Gelechiidae) Synonym(s): *nana* Povolny, 1973
 6442) *Scrobipalpa* (s.str.) *richteri* Povolny, 1968 (Gelechiidae) Synonym(s): *richteri* Povolny, 1968
 6443) *Scrobipalpa* (s.str.) *vicaria* (Meyrick, 1921) (Gelechiidae) Synonym(s): *vicaria* Meyrick, 1921; *tineiformis* Povolny, 1967
 6444) *Scrobipalpula* *psilella* (Herrich-Schäffer, [1854]) (Gelechiidae) Synonym(s): *psilella* Herrich-Schäffer, [1854]; *cacuminum* Frey, 1870.
 6445) *Scylaticus* *elamensis* Abbassian-Lintzen, 1964 (Asilidae) Synonym(s): *elamensis* Abbassian-Lintzen, 1964
 6446) *Scythocentropus* *eberti* Hacker, 2001 (Noctuidae) Synonym(s): *eberti* Hacker, 2001
 6447) *Scythocentropus* *inquinata* (Mabille, 1888) (Noctuidae) Synonym(s): *inquinata* Mabille, 1888; *mercedes* Pinker, 1974
 6448) *Scythris* (camelella-gr.) *camelella* Walsingham, 1907 (Scythridae) Synonym(s): *camelella* Walsingham, 1907
 6449) *Scythris* (canescens-gr.) *curllettii* Bengtsson, 1997 (Scythridae) Synonym(s): *curllettii* Bengtsson, 1997
 6450) *Scythris* (canescens-gr.) *senecai* Bengtsson, 1997 (Scythridae) Synonym(s): *senecai* Bengtsson, 1997
 6451) *Scythris* (canescens-gr.) *tessulatella* Rebel, 1903 (Scythridae) Synonym(s): *tessulatella* Rebel, 1903
 6452) *Scythris* (Catascythris) *kebirella* (Amsel, 1935) (Scythridae) Synonym(s): *kebirella* Amsel, 1935
 6453) *Scythris* (decrepidella-gr.) *decrepidella* Bengtsson, 1997 (Scythridae) Synonym(s): *decrepidella* Bengtsson, 1997
 6454) *Scythris* (inertella-gr.) *ethmiella* Amsel, 1974 (Scythridae) Synonym(s): *ethmiella* Amsel, 1974
 6455) *Scythris* (monochreella-gr.) *monochreella* Ragonot, 1896 (Scythridae) Synonym(s): *monochreella* Ragonot, 1896; *lychnitis* Meyrick, 1918
 6456) *Scythris* (scopolella-gr.) *apicalis* (Zeller, 1847) (Scythridae) Synonym(s): *apicalis* Zeller, 1847; *unipunctella* Rebel, 1901.
 6457) *Scythris* (scopolella-gr.) *flabella* (Mann, 1861) (Scythridae) Synonym(s): *flabella* Mann, 1861; *aurella* Caradja, 1920
 6458) *Scythris* (subfasciata-gr.) *friedeli* Bengtsson, 1997 (Scythridae) Synonym(s): *friedeli* Bengtsson, 1997
 6459) *Scythris* *alborzensis* Passerin d'Entrèves & Roggero, 2011 (Scythridae) Synonym(s): *alborzensis* Passerin d'Entrèves & Roggero, 2011
 6460) *Scythris* *biacutella* Bengtsson, 2002 (Scythridae) Synonym(s): *biacutella* Bengtsson, 2002
 6461) *Scythris* *bifasciella* Passerin d'Entrèves & Roggero, 2011 (Scythridae) Synonym(s): *bifasciella* Passerin d'Entrèves & Roggero, 2011
 6462) *Scythris* *canceroides* Bengtsson, 1997 (Scythridae) Synonym(s): *canceroides* Bengtsson, 1997
 6463) *Scythris* *farsi* Passerin d'Entrèves & Roggero, 2009 (Scythridae) Synonym(s): *farsi* Passerin d'Entrèves & Roggero, 2009
 6464) *Scythris* *fissurella* Bengtsson, 1997 (Scythridae) Synonym(s): *fissurella* Bengtsson, 1997
 6465) *Scythris* *ghaemii* Bengtsson & Huemer, 2003 (Scythridae) Synonym(s): *ghaemii* Bengtsson & Huemer, 2003
 6466) *Scythris* *pangalactis* Meyrick, 1933 (Scythridae) Synonym(s): *pangalactis* Meyrick, 1933
 6467) *Scythris* *sinuosella* Bengtsson, 2002 (Scythridae) Synonym(s): *sinuosella* Bengtsson, 2002
 6468) *Scythris* *subclavella* Rebel, 1901 (Scythridae) Synonym(s): *subclavella* Rebel, 1901
 6469) *Scythris* *subparachalca* Bengtsson, 2002 (Scythridae) Synonym(s): *subparachalca* Bengtsson, 2002
 6470) *Scythris* *valgella* Bengtsson, 2002 (Scythridae) Synonym(s): *valgella* Bengtsson, 2002
 6471) *Scythris* *vernusella* Jäckh, 1978 (Scythridae) Synonym(s): *vernusella* Jäckh, 1978
 6472) *Scytomedes* *haemorrhoidalis* (Fabricius, 1794) (Asilidae) Synonym(s): *haemorrhoidalis* Fabricius, 1794; *nubeculipennis* Costa, 1863; *menstruus* Loew, 1882
 6473) *Sefidia* *persica* Amsel, 1950 (Pyralidae) Synonym(s): *persica* Amsel, 1950
 6474) *Selania* *friganosa* Kuznetsov, 1968 (Tortricidae) Synonym(s): *friganosa* Kuznetsov, 1968
 6475) *Selenia* *forsteri* Wehrli, 1941 (Geometridae) Synonym(s): *forsteri* Wehrli, 1941
 6476) *Selenocephalus* *anatolicus* Dlabola, 1957 (Cicadellidae) Synonym(s): *anatolicus* Dlabola, 1957
 6477) *Selenocephalus* *obsoletus* (Germar, 1817) (Cicadellidae) Synonym(s): *grisea* Fabricius, 1794 (praeocc.); *obsoletus* Germar, 1817; *punctatonevrosus* Stal, 1854
 6478) *Selenocephalus* *pallidus* Kirschbaum, 1868 (Cicadellidae) Synonym(s): *pallidus* Kirschbaum, 1868; *simavensis* Zachvatkin, 1946; *tauricus* Zachvatkin, 1946; *#pallidus* Lodos & Kalkandelen, 1986
 6479) *Selepa* *docilis* Butler, 1881 (Noctuidae) Synonym(s): *docilis* Butler, 1881; *canofusa* Hampson, 1905
 6480) *Seleucia* *semitrosella* Ragonot, 1887 (Pyralidae) Synonym(s): *semitrosella* Ragonot, 1887
 6481) *Selidosema* *jowzakensis* Weisert, 2009 (Geometridae) Synonym(s): *jowzakensis* Weisert, 2009
 6482) *Selidosema* *plumarium* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *#plumaria* [Denis & Schiffermüller], 1775; *limbata* Rambur, 1829.
 6483) *Semenovilia* *fischeri* (Gebler, 1847) (Meloidae) Synonym(s): *tauscheri* Fischer von Waldheim, 1844 (praeocc.); *fischeri* Gebler, 1847;
 6484) *Semiothisa* *sengana* (Brandt, 1940) (Geometridae) Synonym(s): *sengana* Brandt, 1940
 6485) *Semiothisa* *wehrlii* (Brandt, 1940) (Geometridae) Synonym(s): *wehrlii* Brandt, 1940
 6486) *Semnosia* *herminae* (Reitter, 1890) (Cerambycidae) Synonym(s): *herminae* Reitter, 1890; *gobustanica* Danilevsky, 1990
 6487) *Semnosia* *mirabilis* (Faldermann, 1837) (Cerambycidae) Synonym(s): *mirabilis* Faldermann, 1837
 6488) *Semnosia* *scovitzii* (Faldermann, 1837) (Cerambycidae) Synonym(s): *scovitzii* Faldermann, 1837
 6489) *Sena* *cuneata* (Brandt, 1938) (Lasiocampidae) Synonym(s): *cuneata* Brandt, 1938
 6490) *Sena* *proxima* (Staudinger, 1894) (Lasiocampidae) Synonym(s): *proxima* Staudinger, 1894
 6491) *Sena* *sordida* (Erschoff, 1874) (Lasiocampidae) Synonym(s): *sordida* Erschoff, 1874; *cinerascens* Oberthür, 1916
 6492) *Sengania* *ruehmekorfii* Amsel, 1951 (Pyralidae) Synonym(s): *ruehmekorfii* Amsel, 1951
 6493) *Senotainia* (s.str.) *beludzhitanica* Rohdendorf, 1961 (Sarcophagidae) Synonym(s): *beludzhitanica* Rohdendorf, 1961
 6494) *Senotainia* (s.str.) *iranica* Rohdendorf, 1961 (Sarcophagidae) Synonym(s): *iranica* Rohdendorf, 1961
 6495) *Sepedon* (s.str.) *sphegea* (Fabricius, 1775) (Sciomyzidae) Synonym(s): *sphegea* Fabricius, 1775; *ruficollis* Meigen, 1818
 6496) *Sepsis* *flavimana* Meigen, 1826 (Sepsidae) Synonym(s): *flavimana* Meigen, 1826
 6497) *Sepsis* *fulgens* Hoffmannsegg, 1826 (Sepsidae) Synonym(s): *fulgens* Hoffmannsegg, 1826
 6498) *Sepsis* *violacea* Meigen, 1826 (Sepsidae) Synonym(s): *violacea* Meigen, 1826; *fuscipes* Roser, 1840; *uncta* Becker, 1913; *ciliforceps* Duda, 1926; *schineri* Duda, 1926
 6499) *Sergentomyia* (Grassomyia) *dreyfussi* Theodor & Mesghali, 1964 (Psychodidae) Synonym(s): *dreyfussi* Theodor & Mesghali, 1964
 6500) *Sergentomyia* (Grassomyia) *dreyfussi* *turkestanica* Theodor & Mesghali, 1964 (Psychodidae) Synonym(s): *turkestanica* Theodor & Mesghali, 1964

- 6501) *Sergentomyia* (*Grassomyia*) *indica* (Theodor,1931) (Psychodidae) Synonym(s): *indica* Theodor,1931
- 6502) *Sergentomyia* (*Grassomyia*) *squamipleuris* (Newstead,1912) (Psychodidae) Synonym(s): *squamipleuris* Newstead,1912
- 6503) *Sergentomyia* (*Parrotomyia*) *africana* (Newstead,1912) (Psychodidae) Synonym(s): *africana* Newstead,1912
- 6504) *Sergentomyia* (*Parrotomyia*) *baghdadis* (Adler & Theodor,1929) (Psychodidae) Synonym(s): *baghdadis* Adler & Theodor,1929
- 6505) *Sergentomyia* (*Parrotomyia*) *bailyi* (Sinton,1931) (Psychodidae) Synonym(s): *bailyi* Sinton,1931
- 6506) *Sergentomyia* (*Parrotomyia*) *grekovi* (Chodukin,1929) (Psychodidae) Synonym(s): *grekovi* Chodukin,1929
- 6507) *Sergentomyia* (*Parrotomyia*) *palestinensis* (Adler & Theodor,1927) (Psychodidae) Synonym(s): *palestinensis* Adler & Theodor,1927
- 6508) *Sergentomyia* (*Parrotomyia*) *sogdiana* (Parrot,1929) (Psychodidae) Synonym(s): *sogdiana* Parrot,1929
- 6509) *Sergentomyia* (*Parrotomyia*) *sumbarica* (Perfiliew,1933) (Psychodidae) Synonym(s): *sumbarica* Perfiliew,1933
- 6510) *Sergentomyia* (*Parvidens*) *iranica* (Lewis & Mesghali,1961) (Psychodidae) Synonym(s): *iranica* Lewis & Mesghali,1961
- 6511) *Sergentomyia* (*Rondonomyia*) *dolichopus* (Abonnene & Courtois,1970) (Psychodidae) Synonym(s): *dolichopus* Abonnene & Courtois,1970
- 6512) *Sergentomyia* (*Rondonomyia*) *hodgsoni* (Sinton,1933) (Psychodidae) Synonym(s): *hodgsoni* Sinton,1933
- 6513) *Sergentomyia* (*Rondonomyia*) *pawlowskyi* (Perfiliew,1933) (Psychodidae) Synonym(s): *pawlowskyi* Perfiliew,1933
- 6514) *Sergentomyia* (s.str.) *antennata* (Newstead,1912) (Psychodidae) Synonym(s): *antennata* Newstead,1912
- 6515) *Sergentomyia* (s.str.) *dentata* (Sinton,1933) (Psychodidae) Synonym(s): *dentata* Sinton,1933
- 6516) *Sergentomyia* (s.str.) *mervynae* Pringle,1953 (Psychodidae) Synonym(s): *mervynae* Pringle,1953
- 6517) *Sergentomyia* (s.str.) *sintoni* (Pringle,1953) (Psychodidae) Synonym(s): *sintoni* Pringle,1953
- 6518) *Sergentomyia* (s.str.) *theodori* (Parrot,1942) (Psychodidae) Synonym(s): *theodori* Parrot,1942
- 6519) *Sergentomyia* (*Sintonius*) *adleri* (Theodor,1933) (Psychodidae) Synonym(s): *adleri* Theodor,1933
- 6520) *Sergentomyia* (*Sintonius*) *christophersi* (Sinton,1927) (Psychodidae) Synonym(s): *christophersi* Sinton,1927
- 6521) *Sergentomyia* (*Sintonius*) *tiberiadis* (Adler, Theodor & Lourie,1930) (Psychodidae) Synonym(s): *tiberiadis* Adler, Theodor & Lourie,1930
- 6522) *Sesamia* *cretica* Lederer,1857 (Noctuidae) Synonym(s): *cretica* Lederer,1857
- 6523) *Sesamia* *inferens* (Walker,1856) (Noctuidae) Synonym(s): *inferens* Walker,1856; *transquilaris* Butler,1880; *gracilis* Butler,1880; *innocens* Butler,1881.
- 6524) *Sesamia* *rungsi* Boursin,1957 (Noctuidae) Synonym(s): *rungsi* Boursin,1957
- 6525) *Sesia* *pimplaeformis* Oberthür,1872 (Sesiidae) Synonym(s): *pimplaeformis* Oberthür,1872
- 6526) *Setapius* *bitinctus* (Dlabola,1961) (Cixiidae) Synonym(s): *bitinctus* Dlabola,1961
- 6527) *Setapius* *lindbergi* (Dlabola,1957) (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957
- 6528) *Setoctena* *dentula* (Lederer,1869) (Noctuidae) Synonym(s): *dentula* Lederer,1869; *angulifera* Moore,1881; *innubila* Swinhoe,1886
- 6529) *Shirazia* *monotona* Amsel,1954 (Pyralidae) Synonym(s): *monotona* Amsel,1954
- 6530) *Sideridis* (*Conisania*) *capsivora* (Draudt,1933) (Noctuidae) Synonym(s): *capsivora* Draudt,1933
- 6531) *Sideridis* (*Conisania*) *vidua* (Staudinger,1888) (Noctuidae) Synonym(s): *vidua* Staudinger,1888
- 6532) *Sideridis* (*Luteohadena*) *literata* (Fischer v. Waldheim,1840) (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983.
- 6533) *Sideridis* (*Luteohadena*) *luteago* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *negrescens* Wagner,1926 (praeocc.); *ottomana* Koçak,1990.
- 6534) *Sideridis* (s.str.) *egena* (Lederer,1853) (Noctuidae) Synonym(s): *egena* Lederer,1853; ? *stoliczkana* Moore,1878
- 6535) *Sideridis* (s.str.) *lampra* (Schawerda,1913) (Noctuidae) Synonym(s): *evidens* Hübner,[1808] nec Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975
- 6536) *Sideridis* (s.str.) *turbida* (Esper,[1790]) (Noctuidae) Synonym(s): *turbida* Esper,[1790]; *albicolon* Hübner,[1813]
- 6537) *Sigara* *assimilis* (Fieber,1848) (Corixidae) Synonym(s): *assimilis* Fieber,1848
- 6538) *Sigara* *nigrolineata* (Fieber,1848) (Corixidae) Synonym(s): *nigrolineata* Fieber,1848
- 6539) *Silpha* *tristis* Illiger,1798 (Silphidae) Synonym(s): *tristis* Illiger,1798
- 6540) *Silvius* (s.str.) *ochraceus* Loew,1858 (Tabanidae) Synonym(s): *ochraceus* Loew,1858
- 6541) *Simulium* (*Byssodon*) *heptapotamicum* Rubtsov,1940 (Simuliidae) Synonym(s): *heptapotamicum* Rubtsov,1940
- 6542) *Simulium* (*Crosskeyellum*) *zagros* (Yankovsky,2010) (Simuliidae) Synonym(s): *zagros* Yankovsky,2010
- 6543) *Simulium* (*Eusimulium*) *paucispis* Rubtsov,1947 (Simuliidae) Synonym(s): *paucispis* Rubtsov,1947
- 6544) *Simulium* (s.str.) *bezzii* (Corti,1914) (Simuliidae) Synonym(s): *bezzii* Corti,1914; *delphinense* Villeneuve,1918; *tristigatum* Enderlein,1921; *obscurem* Enderlein,1924; *kondici* Baranov,1926; *atlas* Séguay,1930; *crinitum* Rubtsov,1956; *gorjense* Dinulescu,1966; *graium* Courvert,1967
- 6545) *Simulium* (s.str.) *coarctatum* Rubtsov,1940 (Simuliidae) Synonym(s): *coarctatum* Rubtsov,1940
- 6546) *Simulium* (s.str.) *iranicum* (Yankovsky,2010) (Simuliidae) Synonym(s): *iranicum* (Yankovsky,2010)
- 6547) *Simulium* (s.str.) *kiritshenkoi* Rubtsov,1940 (Simuliidae) Synonym(s): *kiritshenkoi* Rubtsov,1940; *caucasicum* Rubtsov,1940; *sevanense* Rubtsov & Terteryan,1952; *cisalpinum* Rubtsov,1956; *longicaulis* Rubtsov,1956
- 6548) *Simulium* (s.str.) *variegatum* Meigen,1818 (Simuliidae) Synonym(s): *variegatum* Meigen,1818
- 6549) *Simulium* (*Trichodagmia*) *margaritae* (Rubtsov,1956) (Simuliidae) Synonym(s): *margaritae* Rubtsov,1956
- 6550) *Simulium* (*Trichodagmia*) *transcasicum* Enderlein,1921 (Simuliidae) Synonym(s): *transcasicum* Enderlein,1921
- 6551) *Simulium* (*Wilhelmia*) *lineatum* (Meigen,1804) (Simuliidae) Synonym(s): *lineatum* Meigen,1804; *falcula* Enderlein,1921; *salopiense* Edwards,1927; *turgicum* Rubtsov,1940
- 6552) *Simulium* (*Wilhelmia*) *lurestanicum* (Yankovsky,2010) (Simuliidae) Synonym(s): *lurestanicum* Yankovsky,2010
- 6553) *Simulium* (*Wilhelmia*) *paraequinum* Puri,1933 (Simuliidae) Synonym(s): *paraequinum* Puri,1933; *transcaucasicum* Rubtsov,1956
- 6554) *Simulium* (*Wilhelmia*) *pseudequinum* Seguy,1921 (Simuliidae) Synonym(s): *pseudequinum* Seguy,1921; *canariense* Séguay,1921; *brnizense* Baranov,1924; *mediterraneum* Puri,1925; *stylatum* Baranov,1926; *quartum* Baranov,1926; *barbaricum* Séguay,1930; *sulfuricola* Rivoisecci,1972; *fluminicola* Rivoisecci,1972
- 6555) *Simulium* (*Wilhelmia*) *veltistshevi* Rubtsov,1940 (Simuliidae) Synonym(s): *veltistshevi* Rubtsov,1940
- 6556) *Simyra* *albovenosa* (Goeze,1781) (Noctuidae) Synonym(s): *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809.
- 6557) *Simyra* *dentinosa* Freyer,1839 (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 6558) *Simyra* *nervosa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775.

- 6559) *Sinechostictus* (s.str.) *elongatus* (Dejean,1831) (Carabidae) Synonym(s): *elongatus* Dejean,1831
- 6560) *Singhalesia indica* (Poppius,1913) (Miridae) Synonym(s): *indica* Poppius,1913
- 6561) *Sinodendron persicum* Reitter,1902 (Lucanidae) Synonym(s): *persicum* Reitter,1902
- 6562) *Sinophorus xanthostomus* (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *xanthostomus* Gravenhorst,1829
- 6563) *Sitochroa palealis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]
- 6564) *Sitochroa verticalis* (Linnaeus,1758) (Pyralidae) Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
- 6565) *Skorikovia elongata* (Radoszkowski,1885) (Mutillidae) Synonym(s): *elongata* Radoszkowski,1885
- 6566) *Skorikovia pallipes* (Lelej,1985) (Mutillidae) Synonym(s): *pallipes* Lelej,1985
- 6567) *Slavum esfandiarii* Davatchi & Remaudiere,1957 (Aphididae) Synonym(s): *esfandiarii* Davatchi & Remaudiere,1957
- 6568) *Slavum lentiscoides* Mordvilko,1927 (Aphididae) Synonym(s): *lentiscoides* Mordvilko,1927
- 6569) *Slavum mordvilkoii* Kreutzberg,1953 (Aphididae) Synonym(s): *mordvilkoii* Kreutzberg,1953
- 6570) *Slavum wertheimae* Hille Ris Lambers,1957 (Aphididae) Synonym(s): *wertheimae* Hille Ris Lambers,1957
- 6571) *Smaragdina chloris* (Lacordaire,1848) (Chrysomelidae) Synonym(s): *chloris* Lacordaire,1848; *biornata* Lefebvre,1872
- 6572) *Smaragdina limbata* (Steven,1806) (Chrysomelidae) Synonym(s): *limbata* Steven,1806; *dorsalis* Olivier,1808
- 6573) *Smerinthus kindermanni* Lederer,1852 (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917
- 6574) *Smerinthus ocellatus* (Linnaeus,1758) (Sphingidae) Synonym(s): *ocellatus* Linnaeus,1758
- 6575) *Smicromyrme* (Astomyrme) *minuta* Lelej,1985 (Mutillidae) Synonym(s): *minuta* Lelej,1985
- 6576) *Smicromyrme* (Erimyrme) *kermanensis* (Lelej,1984) (Mutillidae) Synonym(s): *kermanensis* Lelej,1984
- 6577) *Smicromyrme* (Erimyrme) *standfussorum* Lelej,2004 (Mutillidae) Synonym(s): *standfussorum* Lelej,2004
- 6578) *Smicromyrme* (s.str.) *turanicus* (Morawitz,1893) (Mutillidae) Synonym(s): *turanicus* Morawitz,1893
- 6579) *Sogatella vibix* (Haupt,1927) (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix* Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicola* Ishihara,1949; *dogensis* Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977
- 6580) *Solenoxyphus adpersus* (Reuter,1904) (Miridae) Synonym(s): *adpersus* Reuter,1904; *barbatus* E.Wagner,1951
- 6581) *Solenoxyphus candidatus* (Reuter,1879) (Miridae) Synonym(s): *candidatus* Reuter,1879; *longicollis* Reuter,1879; *fasciatum* Reuter,1879; *transversum* Jakovlev,1882
- 6582) *Solenoxyphus fuscovenosus* (Fieber,1864) (Miridae) Synonym(s): *fuscovenosus* Fieber,1864; *halimocnemis* Becker,1864; *crassipes* Reuter,1879; *reticulatus* Reuter,1900; *#cruenta* Stichel,1956
- 6583) *Solenoxyphus pallens* (Reuter,1879) (Miridae) Synonym(s): *pallens* Reuter,1879
- 6584) *Solenoxyphus punctipennis* (Reuter,1879) (Miridae) Synonym(s): *punctipennis* Reuter,1879; *impunctata* E.Wagner,1958
- 6585) *Solter felderi* Navas,1912 (Myrmeleonidae) Synonym(s): *felderi* Navas,1912
- 6586) *Solter gaudryi* Navas,1914 (Myrmeleonidae) Synonym(s): *gaudryi* Navas,1914
- 6587) *Solter hardei* Hölzel,1968 (Myrmeleonidae) Synonym(s): *hardei* Hölzel,1968
- 6588) *Solter iranensis* Hölzel,1967 (Myrmeleonidae) Synonym(s): *iranensis* Hölzel,1967
- 6589) *Solter ledereri* Navas,1912 (Myrmeleonidae) Synonym(s): *ledereri* Navas,1912
- 6590) *Solter reßli* Hölzel,1972 (Myrmeleonidae) Synonym(s): *ressli* Hölzel,1972
- 6591) *Solter robustus* Hölzel,1972 (Myrmeleonidae) Synonym(s): *robustus* Hölzel,1972
- 6592) *Solter vartianae* Hölzel,1967 (Myrmeleonidae) Synonym(s): *vartianae* Hölzel,1967
- 6593) *Somatina wiltshirei* L.B.Prout,1938 (Geometridae) Synonym(s): *wiltshirei* L.B.Prout,1938
- 6594) *Spaelotis degeniata* (Christoph,1876) (Noctuidae) Synonym(s): *degeniata* Christoph,1876
- 6595) *Spaelotis demavendi* (F.Wagner,1937) (Noctuidae) Synonym(s): *demavendi* F.Wagner,1937
- 6596) *Spaelotis deplorata* (Staudinger,1897) (Noctuidae) Synonym(s): *deplorata* Staudinger,1897; *defuncta* Staudinger,1897; *spania* Püngeler,1906
- 6597) *Spaelotis ravidia* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *ravidia* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 nec Cramer,1780; *salva* Corti & Draudt,1933.
- 6598) *Spaelotis senna* (Freyer,1829) (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] nec Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
- 6599) *Sparganothis pilleriana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *pilleriana* [Denis & Schiffermüller],1775
- 6600) *Spathocera tenuicornis* Jakovlev,1882 (Coreidae) Synonym(s): *tenuicornis* Jakovlev,1882
- 6601) *Sphaerocera curvipes* Latreille,1805 (Sphaeroceridae) Synonym(s): *curvipes* Latreille,1805; *communis* R-D.,1830; *merdarum* R-D.,1830; *stercoraria* R-D.,1830; *cadaverina* R-D.,1830; *necrophaga* R-D.,1830; *obtusa* Meigen,1835; *opaca* Meigen,1835
- 6602) *Sphaerophoria rueppelli* Wiedemann,1830 (Syrphidae) Synonym(s): *rueppelli* Wiedemann,1830
- 6603) *Sphaerophoria scripta* (Linnaeus,1758) (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776
- 6604) *Sphaerophoria turkmenica* Bankowska,1964 (Syrphidae) Synonym(s): *turkmenica* Bankowska,1964; *#turkmenika* Hayat & Alaoğlu,1990
- 6605) *Sphex flavipennis* Fabricius,1793 (Sphecidae) Synonym(s): *flavipennis* Fabricius,1793; *rufocinctus* Brullé,1833; *bicolor* Dahlbom,1845; *cinereorufocinctus* Dahlbom,1845; *sellae* Gribodo,1873; *rufodorsatus* DeStefani,1887
- 6606) *Sphingonaepiopsis gorgoniades* (Hübner,[1819]) (Sphingidae) Synonym(s): *gorgon* Esper,[1804] nec Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 6607) *Sphingonaepiopsis nana* (Walker,1856) (Sphingidae) Synonym(s): *#nanum* Boisduval,1847; *nana* Walker,1856; *gracilipes* Wallengren,1858.
- 6608) *Sphingonotus* (s.str.) *nebulosus* (Fischer von Waldheim,1846) (Acrididae) Synonym(s): *nebulosus* Fischer von Waldheim,1846; *persa* Saussure,1884; *violascens* Uvarov,1926; *anatolicus* Uvarov,1930; *discolor* Uvarov,1933
- 6609) *Sphingonotus* (s.str.) *satrapes* Saussure,1884 (Acrididae) Synonym(s): *satrapes* Saussure,1884
- 6610) *Sphingonotus* (s.str.) *savignyi* Saussure,1884 (Acrididae) Synonym(s): *savignyi* Saussure,1884
- 6611) *Sphodromantis trimacula* (Saussure,1870) (Mantidae) Synonym(s): *trimacula* Saussure,1870; *arabica* Wood-Mason,1882; *dhufarica* Uvarov,1933
- 6612) *Sphodromerus luteipes* Uvarov,1933 (Acrididae) Synonym(s): *luteipes* Uvarov,1933
- 6613) *Spialia* (Neospialia) *orbifer* (Hübner,[1823]) (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 6614) *Spialia* (s.str.) *doris* (Walker,1870) (Hesperiidae) Synonym(s): *doris* Walker,1870; *adenensis* Butler,1885.

- 6615) *Spialia* (s.str.) *geron* (E.Y.Watson,1893) (Hesperiidae) Synonym(s): *geron* E.Y.Watson,1893
- 6616) *Spialia* (s.str.) *osthelderi* (Pfeiffer,1932) (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932
- 6617) *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845]) (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 6618) *Spialia* (s.str.) *struvei* (Püngeler,1914) (Hesperiidae) Synonym(s): *struvei* Püngeler,1914
- 6619) *Spilomutilla perfecta* (Sichel & Radoszkowski,1870) (Mutillidae) Synonym(s): *perfecta* Sichel & Radoszkowski,1870
- 6620) *Spilonota ocellana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949
- 6621) *Spilosoma urticae* (Esper,[1789]) (Arctiidae) Synonym(s): *urticae* Esper,[1789]; *papyratia* Marsham,1791
- 6622) *Spilostethus pandurus* (Scopoli,1763) (Lygaeidae) Synonym(s): *pandurus* Scopoli,1763
- 6623) *Spodoptera cilium* Guenée,1852 (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *imperviata* Walker,1865; *retrahens* Walker,1870.
- 6624) *Spodoptera exiguum* (Hübner,[1808]) (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
- 6625) *Spodoptera littoralis* (Boisduval,1833) (Noctuidae) Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911.
- 6626) *Spodoptera liturum* (Fabricius,1775) (Noctuidae) Synonym(s): *litura* Fabricius,1775
- 6627) *Spodoptera mauritium* (Boisduval,1833) (Noctuidae) Synonym(s): *mauritica* Boisduval,1833
- 6628) *Spogostylum candidum* (Sack,1909) (Bombyliidae) Synonym(s): *candidum* Sack,1909
- 6629) *Spogostylum cinereum* (Zaitzev,1961) (Bombyliidae) Synonym(s): *cinereum* Zaitzev,1961
- 6630) *Spogostylum flavescens* (Sack,1909) (Bombyliidae) Synonym(s): *flavescens* Sack,1909
- 6631) *Spogostylum flavipenne* (Sack,1909) (Bombyliidae) Synonym(s): *flavipenne* Sack,1909
- 6632) *Spogostylum hippolytum* (Wiedemann,1828) (Bombyliidae) Synonym(s): *hippolytum* Wiedemann,1828; *dedecor* Hermann,1907
- 6633) *Spogostylum indigenum* (Becker,1913) (Bombyliidae) Synonym(s): *indigenum* Becker,1913
- 6634) *Spogostylum isis* (Meigen,1820) (Bombyliidae) Synonym(s): *isis* Meigen,1820; *subnotata* Walker,1871 *nec* Wied.,1820
- 6635) *Spogostylum obscurum* (Sack,1909) (Bombyliidae) Synonym(s): *obscurum* Sack,1909
- 6636) *Spogostylum ocyale* (Wiedemann,1828) (Bombyliidae) Synonym(s): *ocyale* Wiedemann,1828; *umbra* Walker,1849; *arugotense* Zaitzev,1997
- 6637) *Spogostylum persicum* (Macquart,1840) (Bombyliidae) Synonym(s): *persicum* Macquart,1840
- 6638) *Spogostylum sordidum* (Sack,1909) (Bombyliidae) Synonym(s): *sordidum* Sack,1909
- 6639) *Spogostylum tripunctatum* (Wiedemann,1820) (Bombyliidae) Synonym(s): *tripunctatum* Wiedemann,1820; *difficilis* Wiedemann,1820; *mystaceum* Macquart,1840
- 6640) *Spogostylum turkmenicola* (Paramonov,1957) (Bombyliidae) Synonym(s): *turkmenicola* Paramonov,1957
- 6641) *Spogostylum vulpinum* (Sack,1909) (Bombyliidae) Synonym(s): *vulpinum* Sack,1909; *brunnica* Becker,1913
- 6642) *Spoladea recurvalis* (Fabricius,1775) (Pyrilidae) Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifascialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1910.
- 6643) *Stackelbergeola zarudnyi* Rohdendorf,1937 (Sarcophagidae) Synonym(s): *zarudnyi* Rohdendorf,1937
- 6644) *Stagmatophora anonymella* (Riedl,1965) (Cosmopterigidae) Synonym(s): *anonymella* Riedl,1965
- 6645) *Stagmatophora beata* (Walsingham,1907) (Cosmopterigidae) Synonym(s): *beata* Walsingham,1907
- 6646) *Stagonomus amoenus* (Brullé,1832) (Pentatomidae) Synonym(s): *amoenus* Brullé,1832
- 6647) *Stagonomus plataspis* (Horvath,1883) (Pentatomidae) Synonym(s): *plataspis* Horvath,1883
- 6648) *Stannodes depeculata* (Lederer,1870) (Geometridae) Synonym(s): *depeculata* Lederer,1870
- 6649) *Standfussiana defessa* (Lederer,1858) (Noctuidae) Synonym(s): *defessa* Lederer,1858
- 6650) *Standfussiana lucerneae* (Linnaeus,1758) (Noctuidae) Synonym(s): *lucernea* Linnaeus,1758
- 6651) *Standfussiana nictymera* (Boisduval,[1837]) (Noctuidae) Synonym(s): *nictymera* Boisduval,[1837]; *carriei* Boursin,1948.
- 6652) *Stangeia siceliota* (Zeller,1847) (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
- 6653) *Staria lunata* (Hahn,1835) (Pentatomidae) Synonym(s): *lunata* Hahn,1835; *lobulatus* Rambur,1839; *maroccana* Lindberg,1932; *levantinae* Fuente,1972
- 6654) *Stathmopoda auriferella* (Walker,1864) (Stathmopodidae) Synonym(s): *auriferella* Walker,1864; *divisa* Walsingham,1891; *ischnotis* Meyrick,1897; *crocophanes* Meyrick,1897; *theoris* Meyrick,1906; *tharsalea* Meyrick,1914; *adulatrix* Meyrick,1917; *cirrhapis* Meyrick,1922
- 6655) *Stathmopoda diplaspis* (Meyrick,1887) (Stathmopodidae) Synonym(s): *diplaspis* Meyrick,1887
- 6656) *Staudingeria* (s.str.) *aspilatella* (Ragonot,1887) (Pyrilidae) Synonym(s): *aspilatella* Ragonot,1887; *simplicella* Chrétien,1910; *calligonella* Dumont,1926.
- 6657) *Staudingeria* (s.str.) *deserticola* (Staudinger,1870) (Pyrilidae) Synonym(s): *deserticola* Staudinger,1870
- 6658) *Staudingeria* (s.str.) *eremicola* (Amsel,1935) (Pyrilidae) Synonym(s): *eremicola* Amsel,1935; *#nigricella* Amsel,1959.
- 6659) *Staudingeria* (s.str.) *holophaella* Rebel,1903 (Pyrilidae) Synonym(s): *holophaella* Rebel,1903; *desertella* Lucas,1909; *holophaella* Caradja,1910; *obscurior* Caradja,1910; *calcariellina* Rothschild,1913; *griseolella* Rothschild,1915.
- 6660) *Staudingeria* (s.str.) *khuzistanella* Amsel,1959 (Pyrilidae) Synonym(s): *khuzistanella* Amsel,1959
- 6661) *Staudingeria* (s.str.) *monella* Roesler,1973 (Pyrilidae) Synonym(s): *monella* Roesler,1973
- 6662) *Staudingeria* (s.str.) *partitella* Ragonot,1887 (Pyrilidae) Synonym(s): *partitella* Ragonot,1887; *adustella* Ragonot,1887; *fractifasciella* Ragonot,1890; *kebiliella* Lucas,1909; *combustella* Chrétien,1910.
- 6663) *Staudingeria* (s.str.) *persicella* Amsel,1961 (Pyrilidae) Synonym(s): *persicella* Amsel,1961
- 6664) *Staudingeria* (s.str.) *yerburi* (Butler,1884) (Pyrilidae) Synonym(s): *yerburi* Butler,1884; *labeculella* Ragonot,1887; *innotalis* Hampson,1899; *costalbella* Mabilie,1906; *rubronervella* Mabilie,1906; *pallidicostella* Chrétien,1910; *pruinoseella* Chrétien,1911; *vinosparsella* Turati,1924; *ruehli* Gozmany,1959; *khuzistanella* Amsel,1959; *benderella* Amsel,1961
- 6665) *Stauroderus scalaris* (Fischer von Waldheim,1846) (Acrididae) Synonym(s): *scalaris* Fischer von Waldheim,1846; *discoidalis* Eversmann,1848; *melanopterus* Borck,1848; *pyrenaicus* Saulcy,1887
- 6666) *Stefaniola fructua* Möhn,1971 (Cecidomyiidae) Synonym(s): *fructua* Möhn,1971
- 6667) *Stefaniola furtiva* (Marikovskii,1953) (Cecidomyiidae) Synonym(s): *furtiva* Marikovskii,1953

- 6668) *Stefaniola spinosa* Möhn, 1971 (Cecidomyiidae) Synonym(s): *spinosa* Möhn, 1971
- 6669) *Stegastopsis crassicornis* Baudi, 1874 (Tenebrionidae) Synonym(s): *crassicornis* Baudi, 1874
- 6670) *Stegastopsis persica* Baudi, 1874 (Tenebrionidae) Synonym(s): *persica* Baudi, 1874
- 6671) *Stegelytra sororcula* Dlabola, 1974 (Cicadellidae) Synonym(s): *sororcula* Dlabola, 1974
- 6672) *Stelis* (s.str.) *gigantea* Friese, 1921 (Megachilidae) Synonym(s): *gigantea* Friese, 1921
- 6673) *Stelis* (s.str.) *orientalis* Warncke, 1992 (Megachilidae) Synonym(s): *orientalis* Warncke, 1992
- 6674) *Stelis* (s.str.) *scutellaris* Morawitz, 1894 (Megachilidae) Synonym(s): *scutellaris* Morawitz, 1894; *inamoena* Popov, 1932
- 6675) *Stelis* (s.str.) *simillima* Morawitz, 1876 (Megachilidae) Synonym(s): *simillima* Morawitz, 1876; *cognata* Kohl, 1892; *genalis* Pasteels, 1969
- 6676) *Stemmatophora schwingenschussi* Zerny, 1939 (Pyralidae) Synonym(s): *schwingenschussi* Zerny, 1939
- 6677) *Stenobothrus* (*Stenobothrodes*) *wernerii* Adelung, 1907 (Acrididae) Synonym(s): *wernerii* Adelung, 1907
- 6678) *Stenodacma wahlbergi* (Zeller, 1851) (Pterophoridae) Synonym(s): *wahlbergi* Zeller, 1851; *rutilalis* Walker, 1864; *rutilans* Wollaston, 1879; *iranella* Amsel, 1959
- 6679) *Stenodema turanicum* (Reuter, 1904) (Miridae) Synonym(s): *turanicum* Reuter, 1904
- 6680) *Stenodera caucasica* (Pallas, 1781) (Meloidae) Synonym(s): *caucasica* Pallas, 1781
- 6681) *Stenodrina aeschista* Boursin, 1937 (Noctuidae) Synonym(s): *aeschista* Boursin, 1937; *#aeshita* Poltavsky & Nekrasov, 2002
- 6682) *Stenodrina agramma* Brandt, 1938 (Noctuidae) Synonym(s): *agramma* Brandt, 1938
- 6683) *Stenoblemus bogdanovii* Oshanin, 1870 (Reduviidae) Synonym(s): *bogdanovii* Oshanin, 1870
- 6684) *Stenomera assyria* Lesne, 1895 (Bostrichidae) Synonym(s): *assyria* Lesne, 1895
- 6685) *Stenomutilla* (s.str.) *bizonata* (Smith, 1856) (Mutillidae) Synonym(s): *bizonata* Smith, 1856
- 6686) *Stenonemobius* (s.str.) *gracilis* (Jakovleff, 1871) (Gryllidae) Synonym(s): *gracilis* Jakovleff, 1871
- 6687) *Stenopogon callosus* (Pallas, 1818) (Asilidae) Synonym(s): *callosus* Pallas, 1818
- 6688) *Stenopogon coracinus* (Loew, 1847) (Asilidae) Synonym(s): *coracinus* Loew, 1847
- 6689) *Stenopogon elongatus* (Meigen, 1804) (Asilidae) Synonym(s): *elongatus* Meigen, 1804
- 6690) *Stenopogon heteroneurus* (Macquart, 1838) (Asilidae) Synonym(s): *heteroneurus* Macquart, 1838
- 6691) *Stenopogon junceus* (Wiedemann, 1820) (Asilidae) Synonym(s): *junceus* Wiedemann, 1820; *tanygastrus* Loew, 1861
- 6692) *Stenopogon laevigatus* (Loew, 1851) (Asilidae) Synonym(s): *laevigatus* Loew, 1851; *bicolor* Bigot, 1878
- 6693) *Stenopogon mollis* Loew, 1868 (Asilidae) Synonym(s): *mollis* Loew, 1868
- 6694) *Stenopogon nataliae* Richter, 1963 (Asilidae) Synonym(s): *nataliae* Richter, 1963
- 6695) *Stenopogon nigriventris* Loew, 1868 (Asilidae) Synonym(s): *nigriventris* Loew, 1868
- 6696) *Stenopogon rufipilus* (Loew, 1873) (Asilidae) Synonym(s): *rufipilus* Loew, 1873
- 6697) *Stenopogon sabaudus* (Fabricius, 1794) (Asilidae) Synonym(s): *sabaudus* Fabricius, 1794; *fulvus* Pallas, 1818
- 6698) *Stenopogon sciron* (Loew, 1873) (Asilidae) Synonym(s): *sciron* Loew, 1873; *theseus* Loew, 1873
- 6699) *Stenopogon xanthotricus* (Brullé, 1832) (Asilidae) Synonym(s): *xanthotricus* Brullé, 1832
- 6700) *Stenopterus rufus* (Linnaeus, 1767) (Cerambycidae) Synonym(s): *rufus* Linnaeus, 1767; *attenuatus* Geoffroy, 1785
- 6701) *Stenoptilia arida* (Zeller, 1847) (Pterophoridae) Synonym(s): *arida* Zeller, 1847; *oxyactis* Meyrick, 1921; *elkefi* Arenberger, 1984; *kopetdagi* Zagulyaev, 2002
- 6702) *Stenoptilia bipunctidactyla* (Scopoli, 1763) (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli, 1763; *mictodactyla* [Denis & Schiffermüller], 1775; *#pallida* Tutt, 1906; *arida* Caradja, 1920 nec Zell., 1847.
- 6703) *Stenoptilia mannii* (Zeller, 1852) (Pterophoridae) Synonym(s): *mannii* Zeller, 1852; *megalochra* Meyrick, 1930.
- 6704) *Stenoptilia pterodactyla* (Linnaeus, 1761) (Pterophoridae) Synonym(s): *pterodactyla* Linnaeus, 1761; *fuscus* Retzius, 1783; *fuscodactyla* Haworth, 1811; *ptilodactyla* Hübner, [1813]; *palludicola* Wallengren, 1862; *#pallida* Tutt, 1906
- 6705) *Stenoptilia stigmatodactyla* (Zeller, 1852) (Pterophoridae) Synonym(s): *stigmatodactyla* Zeller, 1852
- 6706) *Stenoptilia wagneri* Zerny, 1940 (Pterophoridae) Synonym(s): *wagneri* Zerny, 1940
- 6707) *Stenoria analis* Schaum, 1859 (Meloidae) Synonym(s): *analis* Schaum, 1859; *adusta* Schaum, 1859; *colletis* Mayet, 1874
- 6708) *Stenoria apicalis* (Latreille, 1804) (Meloidae) Synonym(s): *apicalis* Latreille, 1804
- 6709) *Stenurella bifasciata* (O.F.Müller, 1776) (Cerambycidae) Synonym(s): *bifasciata* O.F.Müller, 1776
- 6710) *Stenurella melanura* (Fabricius, 1792) (Cerambycidae) Synonym(s): *melanura* Fabricius, 1792
- 6711) *Stephanitis oschanini* Vasiliev, 1935 (Tingidae) Synonym(s): *oschanini* Vasiliev, 1935; *hoberlandti* Lis, 2002
- 6712) *Sterictiphora furcata* (Villers, 1789) (Argidae) Synonym(s): *furcata* Villers, 1789; *rubi* Rossi, 1790; *rubiidae* Rossi, 1790; *inaequalis* Bremi-Wolf, 1849; *nigripes* Konow; *bleusei* Pic
- 6713) *Stevenia angustifrons* Villeneuve, 1912 (Rhinophoridae) Synonym(s): *angustifrons* Villeneuve, 1912
- 6714) *Stevenia hirtigena* Herting, 1961 (Rhinophoridae) Synonym(s): *hirtigena* Herting, 1961
- 6715) *Stichopogon albellus* Loew, 1856 (Asilidae) Synonym(s): *albellus* Loew, 1856
- 6716) *Stichopogon auritinctus* Abbassian-Lintzen, 1964 (Asilidae) Synonym(s): *auritinctus* Abbassian-Lintzen, 1964
- 6717) *Stichopogon caucasicus* Bezzi, 1910 (Asilidae) Synonym(s): *caucasicus* Bezzi, 1910
- 6718) *Stichopogon chrysostoma* Schiner, 1867 (Asilidae) Synonym(s): *chrysostoma* Schiner, 1867; *lucdiventria* Becker, 1902
- 6719) *Stichopogon elegantulus* (Wiedemann, 1820) (Asilidae) Synonym(s): *elegantulus* Wiedemann, 1820
- 6720) *Stichopogon scaliger* Loew, 1847 (Asilidae) Synonym(s): *scaliger* Loew, 1847; *congener* Loew, 1856
- 6721) *Stichopogon schineri* Koch, 1872 (Asilidae) Synonym(s): *schineri* Koch, 1872; *spinimanus* Pokorný, 1887
- 6722) *Stictoleptura cordigera* (Fuesslin, 1775) (Cerambycidae) Synonym(s): *cordigera* Fuesslin, 1775
- 6723) *Stictoleptura deyrollei* (Pic, 1895) (Cerambycidae) Synonym(s): *deyrollei* Pic, 1895
- 6724) *Stictoleptura erythroptera* (Hagenbach, 1822) (Cerambycidae) Synonym(s): *erythroptera* Hagenbach, 1822
- 6725) *Stictoleptura heydeni* (Ganglbauer, 1889) (Cerambycidae) Synonym(s): *ustulata* Ménétériés, 1832; *heydeni* Ganglbauer, 1889
- 6726) *Stictoleptura rufa* (Brullé, 1832) (Cerambycidae) Synonym(s): *rufa* Brullé, 1832; *dimidiata* J. Daniel, 1891
- 6727) *Stictoleptura tripartita* (Heyden, 1889) (Cerambycidae) Synonym(s): *tripartita* Heyden, 1889
- 6728) *Stigmella basiguttella* (Heinemann, 1862) (Nepticulidae) Synonym(s): *basiguttella* Heinemann, 1862
- 6729) *Stilbina* (s.str.) *hypaenides* Staudinger, 1892 (Noctuidae) Synonym(s): *hypaenides* Staudinger, 1892
- 6730) *Stiphrolamyra pleskei* (Becker, 1913) (Asilidae) Synonym(s): *pleskei* Becker, 1913
- 6731) *Stiphrolamyra rubicunda* Oldroyd, 1947 (Asilidae) Synonym(s): *rubicunda* Oldroyd, 1947
- 6732) *Stiphrometasia monialis* (Erschoff, 1871) (Pyralidae) Synonym(s): *monialis* Erschoff, 1871
- 6733) *Stiphrometasia sancta* (Hampson, 1900) (Pyralidae) Synonym(s): *sancta* Hampson, 1900; *alba* Caradja, 1917.
- 6734) *Stizoides assimilis* (Fabricius, 1787) (Crabronidae) Synonym(s): *assimilis* Fabricius, 1787; *fasciata* Fabricius, 1798; *calopteryx* Handlirsch, 1892; *pocilopterus* Handlirsch, 1892; *egregius* Gussakovski, 1928
- 6735) *Stizoides crassicornis* (Fabricius, 1787) (Crabronidae) Synonym(s): *crassicornis* Fabricius, 1787; *rufipes* Olivier, 1789; *alienus* Fischer v. Waldheim, 1843; *fulvipes* Eversmann, 1846

- 6736) **Stizoides cyanopterus** (Gussakovski,1928) (Crabronidae) Synonym(s): *cyanopterus* Gussakovski,1928
 6737) **Stizoides tridentatus** (Fabricius,1775) (Crabronidae) Synonym(s): *tridentatus* Fabricius,1775; *bifasciata* Fabricius,1798; *unifasciatus* Radoszkowski,1877
 6738) **Stomopteryx pallidella** Amsel,1959 (Gelechiidae) Synonym(s): *pallidella* Amsel,1959
 6739) **Stomopteryx remissella** (Zeller,1847) (Gelechiidae) Synonym(s): *remissella* Zeller,1847
 6740) **Stomoxys calcitrans** (Linnaeus,1758) (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758
 6741) **Stomylomyia europaea** (Loew,1869) (Bombyliidae) Synonym(s): *europaea* Loew,1869; *leonina* Bigot,1887
 6742) **Stratiomys cenisia** Meigen,1822 (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941
 6743) **Stratiomys longicornis** (Scopoli,1763) (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940
 6744) **Stratiomys nobilis** Loew,1871 (Stratiomyidae) Synonym(s): *nobilis* Loew,1871; *fischeri* Wagner,1912
 6745) **Stratiomys ruficornis** (Macquart,1838) (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868
 6746) **Stratiomys singularior** (Harris,[1776]) (Stratiomyidae) Synonym(s): *singularior* Harris,[1776]; *furcata* Fabricius,1794; *pantheleon* Fallén,1817; *riparia* Meigen,1822; *paludosa* Siebke,1863
 6747) **Stratiomys viridis** (Paramonov,1926) (Stratiomyidae) Synonym(s): *viridis* Paramonov,1926; *persica* Torres,1947
 6748) **Stratiomys vittipennis** (Lindler,1937) (Stratiomyidae) Synonym(s): *vittipennis* Lindler,1937
 6749) **Stratiomys zarudnyi** (Pleske,1899) (Stratiomyidae) Synonym(s): *zarudnyi* Pleske,1899; *sarudnyi* Pleske,1901
 6750) **Streblote alpherakyi** (Christoph,1885) (Lasiocampidae) Synonym(s): *alpherakyi* Christoph,1885
 6751) **Streblote repanda** (Hübner,[1808]) (Lasiocampidae) Synonym(s): *repanda* Hübner,[1808]
 6752) **Streblote siva** (Lefèbvre,1827) (Lasiocampidae) Synonym(s): *siva* Lefèbvre,1827
 6753) **Struempelia renatella** Amsel,1977 (Gelechiidae) Synonym(s): *renatella* Amsel,1977
 6754) **Stymphalus rubrolineatus** (Stal,1855) (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914
 6755) **Sulamicerus ancorarius** (Dlabola,1964) (Cicadellidae) Synonym(s): *ancorarius* Dlabola,1964
 6756) **Sulcinephia znoikoi** (Rubtsov,1940) (Simuliidae) Synonym(s): *znoikoi* Rubtsov,1940
 6757) **Sultania lophotalis** (Hampson,1900) (Pyralidae) Synonym(s): *lophotalis* Hampson,1900
 6758) **Sumeria dipotamica** Tams,1938 (Notodontidae) Synonym(s): *dipotamica* Tams,1938
 6759) **Susia uberalis** (Swinhoe,1884) (Pyralidae) Synonym(s): *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968.
 6760) **Swammerdamia pyrella** (Villers,1789) (Yponomeutidae) Synonym(s): *pelicariapyri* Retzius,1783; *pyrella* Villers,1789; *cerasiella* Hübner,[1813]; *sapporensis* Matsumura,1931
 6761) **Sybiostoma discipes** (Germar,1821) (Dolichopodidae) Synonym(s): *discipes* Germar,1821; *patellata* Fallén,1823; *ventralis* Fallén,1823; *patellipes* Meigen,1824
 6762) **Sycophila biguttata** (Swederus,1795) (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876
 6763) **Sycophila binotata** (Fonscolombe,1832) (Eurytomidae) Synonym(s): *binotata* Fonscolombe,1832
 6764) **Sycophila flavicollis** (Walker,1834) (Eurytomidae) Synonym(s): *flavicollis* Walker,1834
 6765) **Sycophila iracemae** Nieves Aldrey,1984 (Eurytomidae) Synonym(s): *iracemae* Nieves Aldrey,1984
 6766) **Sycophila submutica** (Thomson,1876) (Eurytomidae) Synonym(s): *submutica* Thomson,1876
 6767) **Sycophila variegata** (Curtis,1831) (Eurytomidae) Synonym(s): *variegata* Curtis,1831
 6768) **Symmoca costobscurella** Amsel,1949 (Autostichidae) Synonym(s): *costobscurella* Amsel,1949
 6769) **Symmoca libanicolella** Zerny,1934 (Autostichidae) Synonym(s): *libanicolella* Zerny,1934
 6770) **Symmoca striolatella** Gozmany,1963 (Autostichidae) Synonym(s): *striolatella* Gozmany,1963
 6771) **Symphypygia impressa** (Melichar,1902) (Cicadellidae) Synonym(s): *impressa* Melichar,1902
 6772) **Symphypygia melichari** Kusnezov,1929 (Cicadellidae) Synonym(s): *melichari* Kusnezov,1929
 6773) **Symphypygia prodigiosa** (Melichar,1902) (Cicadellidae) Synonym(s): *prodigiosa* Melichar,1902
 6774) **Sympiesis sericeicornis** (Nees ab Esenbeck,1834) (Eulophidae) Synonym(s): *sericeicornis* Nees ab Esenbeck,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1917; *fulvipes* Györfi,1941
 6775) **Symplecta (Psiloconopa) stictica** (Meigen,1818) (Limoniidae) Synonym(s): *stictica* Meigen,1818
 6776) **Symplecta (s.str.) hybrida** (Meigen,1804) (Limoniidae) Synonym(s): *hybrida* Meigen,1804; *punctipennis* De Meijere,1920
 6777) **Synansphecchia leucomelaena** (Zeller,1847) (Sesiidae) Synonym(s): *leucomelaena* Zeller,1847
 6778) **Synanthedon armeniacum** Gorbunov,1991 (Sesiidae) Synonym(s): *armeniaceum* Gorbunov,1991
 6779) **Synanthedon caucasicum** Gorbunov,1986 (Sesiidae) Synonym(s): *caucasica* Gorbunov,1986
 6780) **Synanthedon conopiformis** (Esper,[1782]) (Sesiidae) Synonym(s): *conopiformis* Esper,[1782]; *syrphiformis* Hübner,1796; *nomadaeformis* Laspeyres,1801
 6781) **Synanthedon myopaeformis** (Borkhausen,1789) (Sesiidae) Synonym(s): *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiformis* Staudinger,1856; *elegans* Lederer,1861.
 6782) **Synanthedon stomoxiformis** (Hübner,1790) (Sesiidae) Synonym(s): *stomoxiformis* Hübner,1790; *culiciformis* Scopoli,1763 nec Linn.,1758; *stomoxiformis* Hübner,1796; *amasina* Staudinger,1878.
 6783) **Synanthedon vespiformis** (Linnaeus,1761) (Sesiidae) Synonym(s): *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriiformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795
 6784) **Synaphe bombycalis** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917.
 6785) **Synaphe consecratalis** (Lederer,1855) (Pyralidae) Synonym(s): *consecratalis* Lederer,1855
 6786) **Synaphe moldavica** (Esper,[1789]) (Pyralidae) Synonym(s): *moldavica* Esper,[1789]; *schmidtii* Hartig,1941.
 6787) **Synaphe unifascialis** (Amsel,1961) (Pyralidae) Synonym(s): *unifascialis* Amsel,1961
 6788) **Synchoraxis pardalis** Gozmany (Lecithoceridae) Synonym(s):
 6789) **Synclera ? interruptalis** Amsel,1950 (Pyralidae) Synonym(s): *interruptalis* Amsel,1950
 6790) **Synclera traducalis** (Zeller,1852) (Pyralidae) Synonym(s): *tradiculis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatinalis* Guenée,1862
 6791) **Synopsidia phasidaria** (Rogenhofer,1873) (Geometridae) Synonym(s): *phasidaria* Rogenhofer,1873

- 6792) **Syntormon giordanii** Negrobov, 1974 (Dolichopodidae) Synonym(s): *giordanii* Negrobov, 1974
- 6793) **Syrianarpia kasyi** Leraut, 1984 (Pyrilidae) Synonym(s): *kasyi* Leraut, 1984
- 6794) **Syrianarpia mendicalis** (Staudinger, 1879) (Pyrilidae) Synonym(s): *mendicalis* Staudinger, 1879; *#mendicalis* Amsel, 1949; *osthelderi* Leraut, 1982; *fuscella* Leraut, 1982
- 6795) **Syritta pipiens** (Linnaeus, 1758) (Syrphidae) Synonym(s): *pipiens* Linnaeus, 1758; *proxima* Say, 1824; *obscuripes* Strobl, 1899; *albicincta* Santos Abreu, 1924; *flavicans* Szilady, 1940; *vicina* Szilady, 1940; *tenofemora* Dzhaferova, 1974
- 6796) **Syromastus rhombeus** (Linnaeus, 1767) (Coreidae) Synonym(s): *rhombeus* Linnaeus, 1767; *quadratus* Fabricius, 1775; *sinuata* Fieber, 1861; *fusca* Vidal, 1936
- 6797) **Syrphus ribesii** (Linnaeus, 1758) (Syrphidae) Synonym(s): *ribesii* Linnaeus, 1758; *blanda* Harris, 1780
- 6798) **Syrphus vitripennis** Meigen, 1822 (Syrphidae) Synonym(s): *vitripennis* Meigen, 1822
- 6799) **Syssymoca sahib** Gozmany, 1963 (Autostichidae) Synonym(s): *sahib* Gozmany, 1963
- 6800) **Systoechus autumnalis** (Wiedemann, 1818) (Bombyliidae) Synonym(s): *autumnalis* Wiedemann, 1818
- 6801) **Systoechus ctenopterus** (Mikan, 1796) (Bombyliidae) Synonym(s): *ctenopterus* Mikan, 1796; *sulphureus* Mikan, 1796; *aurulentus* Wiedemann, 1820; *fulvus* Meigen, 1820; *dalmatinus* Loew, 1855; *convergens* Loew, 1855; *orientalis* Zakhvatkin, 1954
- 6802) **Systoechus gradatus** (Wiedemann, 1820) (Bombyliidae) Synonym(s): *gradatus* Wiedemann, 1820; *leucophaeus* Wiedemann, 1820; *lucidus* Loew, 1855; *gallicus* Villeneuve, 1904; *tesquorum* Becker, 1916; *validus* Bezzi, 1925
- 6803) **Systoechus longirostris** Becker, 1916 (Bombyliidae) Synonym(s): *longirostris* Becker, 1916
- 6804) **Systole albipennis** Walker, 1832 (Eurytomidae) Synonym(s): *albipennis* Walker, 1832
- 6805) **Systole coriandri** Gussakovsky, 1933 (Eurytomidae) Synonym(s): *coriandri* Gussakovsky, 1933
- 6806) **Systole foeniculi** Otten, 1941 (Eurytomidae) Synonym(s): *foeniculi* Otten, 1941
- 6807) **Systropha (s.str.) curvicornis** (Scopoli, 1770) (Halictidae) Synonym(s): *curvicornis* Scopoli, 1770; *convolvuli* Pallas, 1773; *labrosa* Eversmann, 1852
- 6808) **Systropha (s.str.) iranica** Popov, 1967 (Halictidae) Synonym(s): *iranica* Popov, 1967
- 6809) **Systropha (s.str.) planidens** Giraud, 1861 (Halictidae) Synonym(s): *planidens* Giraud, 1861; *chrysura* Pérez, 1905; *grandimargo* Pérez, 1905; *anatolica* Warncke, 1977
- 6810) **Systropha (s.str.) villosa** Ebmer, 1978 (Halictidae) Synonym(s): *villosa* Ebmer, 1978
- 6811) **Tabanus albifacies** Loew, 1856 (Tabanidae) Synonym(s): *albifacies* Loew, 1856; *politus* Walker, 1871
- 6812) **Tabanus ansarii** Abbassian-Lintzen, 1960 (Tabanidae) Synonym(s): *ansarii* Abbassian-Lintzen, 1960; *nigrinervis* Abbassian-Lintzen, 1960; *gedrosiae* Abbassian-Lintzen, 1960
- 6813) **Tabanus anthrax** Olsufjev, 1937 (Tabanidae) Synonym(s): *anthrax* Olsufjev, 1937; *pfeifferi* Kröber, 1939
- 6814) **Tabanus arfaai** Abbassian-Lintzen, 1966 (Tabanidae) Synonym(s): *arfaai* Abbassian-Lintzen, 1966
- 6815) **Tabanus atropathenicus** Olsufjev, 1937 (Tabanidae) Synonym(s): *atropathenicus* Olsufjev, 1937
- 6816) **Tabanus autumnalis** Linnaeus, 1761 (Tabanidae) Synonym(s): *autumnalis* Linnaeus, 1761; *bovinus* Harris, 1776 *nec* L., 1758; *molestans* Becker, 1914; *brunnescens* Szilady, 1914; *guttiventris* Enderlein, 1925
- 6817) **Tabanus bactrianus** Olsufjev, 1937 (Tabanidae) Synonym(s): *bactrianus* Olsufjev, 1937
- 6818) **Tabanus bifarius** Loew, 1858 (Tabanidae) Synonym(s): *bifarius* Loew, 1858; *longicornis* Enderlein, 1932; *tauricus* Enderlein, 1932; *simovae* Leclercq, 1959; *mesogaeus* Peus, 1980
- 6819) **Tabanus canipalpis** (Bigot, 1892) (Tabanidae) Synonym(s): *canipalpis* Bigot, 1892
- 6820) **Tabanus christophi** Kröber, 1928 (Tabanidae) Synonym(s): *christophi* Kröber, 1928
- 6821) **Tabanus cordiger** Meigen, 1820 (Tabanidae) Synonym(s): *cordiger* Meigen, 1820; *atricornis* Meigen, 1838; *latifrons* Zetterstedt, 1842; *vicinus* Egger, 1849; *braueri* Jaennicke, 1866; *megacephalus* Jaennicke, 1866; *fortunatus* Frey, 1936
- 6822) **Tabanus dorsomaculatus** Macquart, 1847 (Tabanidae) Synonym(s): *dorsomaculatus* Macquart, 1847
- 6823) **Tabanus eggeri** Schiner, 1868 (Tabanidae) Synonym(s): *intermedius* Egger, 1859 *nec* Wlk., 1848; *eggeri* Schiner, 1868; *luizae* Dias, 1980
- 6824) **Tabanus fumidus** Austen, 1923 (Tabanidae) Synonym(s): *fumidus* Austen, 1923; *turpis* Bogatchev & Samedov, 1949
- 6825) **Tabanus glaucopis** Meigen, 1820 (Tabanidae) Synonym(s): *ferrugineus* Meigen, 1804 *nec* Ström, 1768; *glaucopis* Meigen, 1820; *lunulatus* Meigen, 1820; *chlorophthalmus* Meigen, 1820; *flavicans* Zeller, 1842; *cognatus* Loew, 1858; *castellanus* Strobl, 1906; *rubra* Muschamp, 1939
- 6826) **Tabanus gratus** Loew, 1858 (Tabanidae) Synonym(s): *gratus* Loew, 1858; *tritaeniatus* Ricardo, 1908
- 6827) **Tabanus hashemi** Jezek, 1981 (Tabanidae) Synonym(s): *hashemi* Jezek, 1981
- 6828) **Tabanus ilchanii** Jezek, 1981 (Tabanidae) Synonym(s): *ilchanii* Jezek, 1981
- 6829) **Tabanus indrae** Hauser, 1939 (Tabanidae) Synonym(s): *indrae* Hauser, 1939; *vappa* Bogatchev & Samedov, 1949; *montivagus* Olsufjev, 1970
- 6830) **Tabanus kermani** Abbassian-Lintzen, 1961 (Tabanidae) Synonym(s): *kermani* Abbassian-Lintzen, 1961
- 6831) **Tabanus laeteticinctus** Becker, 1913 (Tabanidae) Synonym(s): *laeteticinctus* Becker, 1913; *sordes* Bogatchev & Samedov, 1949; *assuetus* Hauser, 1960; *cinereus* Hauser, 1960
- 6832) **Tabanus leclercqi** Abbassian-Lintzen, 1961 (Tabanidae) Synonym(s): *leclercqi* Abbassian-Lintzen, 1961
- 6833) **Tabanus leleani** Austen, 1920 (Tabanidae) Synonym(s): *leleani* Austen, 1920; *pallidus* Olsufjev, 1937 *nec* P.B., 1809; *turkestanicus* Olsufjev, 1970
- 6834) **Tabanus lunatus** Fabricius, 1794 (Tabanidae) Synonym(s): *lunatus* Fabricius, 1794; *algoricus* Thunberg, 1827; *wideri* Jaennicke, 1866; *syriacus* Szilady, 1923; *rufus* Szilady, 1923; *politus* Szilady, 1923; *farinosus* Szilady, 1923; *algeriensis* Peus, 1980; *levantinus* Peus, 1980
- 6835) **Tabanus miki** Brauer, 1880 (Tabanidae) Synonym(s): *miki* Brauer, 1880; *velutinus* Kröber, 1936; *australis* Hauser, 1960; *postvelutinus* Moucha, 1962
- 6836) **Tabanus mistshenkoi** Olsufjev, 1937 (Tabanidae) Synonym(s): *mistshenkoi* Olsufjev, 1937; *fasciatus* Belanovski, 1950
- 6837) **Tabanus mofidii** Leclercq, 1960 (Tabanidae) Synonym(s): *mofidii* Leclercq, 1960; *atrofemoratus* Abbassian-Lintzen, 1964
- 6838) **Tabanus mordax** Austen, 1911 (Tabanidae) Synonym(s): *mordax* Austen, 1911
- 6839) **Tabanus mouchai** Leclercq, 1962 (Tabanidae) Synonym(s): *mouchai* Leclercq, 1962
- 6840) **Tabanus nemoralis** Meigen, 1820 (Tabanidae) Synonym(s): *nemoralis* Meigen, 1820; *barbarus* Thunberg, 1827 (*praeocc.*); *batnensis* Bigot, 1892; *calopis* Bigot, 1892; *ruficornis* Surcouf, 1920; *algericus* Enderlein, 1931
- 6841) **Tabanus olsufjevi** Hauser, 1960 (Tabanidae) Synonym(s): *olsufjevi* Hauser, 1960
- 6842) **Tabanus oppugnator** Austen, 1925 (Tabanidae) Synonym(s): *oppugnator* Austen, 1925
- 6843) **Tabanus pallidipes** Austen, 1920 (Tabanidae) Synonym(s): *pallidipes* Austen, 1920
- 6844) **Tabanus polygonus** Walker, 1854 (Tabanidae) Synonym(s): *polygonus* Walker, 1854; *polyzonatus* Bigot, 1892; *strictus* Surcouf, 1912
- 6845) **Tabanus prometheus** Szilady, 1923 (Tabanidae) Synonym(s): *prometheus* Szilady, 1923; *capito* Olsufjev, 1937
- 6846) **Tabanus pulvifer** Walker, 1854 (Tabanidae) Synonym(s): *pulvifer* Walker, 1854; *persis* Ricardo, 1911

- 6847) *Tabanus quatuornatus* Meigen, 1820** (Tabanidae) Synonym(s): *quatuornatus* Meigen, 1820; *labaumeanus* Enderlein, 1925; *cherbottae* Muschamp, 1939; *araxis* Olsufjev, 1972
- 6848) *Tabanus regularis* Jaennicke, 1866** (Tabanidae) Synonym(s): *regularis* Jaennicke, 1866; *rufus* Szilady, 1923 *nec* Scop., 1763; *#regluaris* Kılıç, 1999
- 6849) *Tabanus rupinae* Austen, 1920** (Tabanidae) Synonym(s): *rupinae* Austen, 1920
- 6850) *Tabanus rupium* Brauer, 1880** (Tabanidae) Synonym(s): *pusillus* Egger, 1859 *nec* Macq., 1839; *rupium* Brauer, 1880; *abazus* Bigot, 1880; *alazinus* Bigot, 1892; *lasios* Surcouf, 1924; *hadjinicolaoui* Kröber, 1936; *loewi* Muschamp, 1939
- 6851) *Tabanus sabuletorum* Loew, 1874** (Tabanidae) Synonym(s): *sabuletorum* Loew, 1874; *gerkei* Brauer, 1880; *lama* Portschinsky, 1892; *oculipilosus* Olsufjev, 1972; *beshkentica* Baratov, 1980
- 6852) *Tabanus safavii* Jezek, 1981** (Tabanidae) Synonym(s): *safavii* Jezek, 1981
- 6853) *Tabanus semenovi* Olsufjev, 1937** (Tabanidae) Synonym(s): *semenovi* Olsufjev, 1937
- 6854) *Tabanus semiargenteus* Olsufjev, 1937** (Tabanidae) Synonym(s): *semiargenteus* Olsufjev, 1937
- 6855) *Tabanus shelkovnikovi* Paramanov, 1934** (Tabanidae) Synonym(s): *shelkovnikovi* Paramanov, 1934; *bouvieri* Philip, 1959
- 6856) *Tabanus spectabilis* Loew, 1858** (Tabanidae) Synonym(s): *lateralis* Brullé, 1832 (*praeocc.*); *spectabilis* Loew, 1858; *aspahanicus* Rondani, 1873
- 6857) *Tabanus sufis* Jaennicke, 1867** (Tabanidae) Synonym(s): *sufis* Jaennicke, 1867; *alboventralis* Newstead, 1907; *lacteipennis* Becker, 1913
- 6858) *Tabanus tergestinus* Egger, 1859** (Tabanidae) Synonym(s): *tergestinus* Egger, 1859
- 6859) *Tabanus terterjani* (Andreva & Zeynalova, 2002)** (Tabanidae) Synonym(s): *terterjani* Andreva & Zeynalova, 2002
- 6860) *Tabanus unifasciatus* Loew, 1858** (Tabanidae) Synonym(s): *unifasciatus* Loew, 1858; *albescens* Kröber, 1928
- 6861) *Tabanus yasujensis* Jezek, 1981** (Tabanidae) Synonym(s): *yasujensis* Jezek, 1981
- 6862) *Tabanus zeirii* Jezek, 1981** (Tabanidae) Synonym(s): *zeirii* Jezek, 1981
- 6863) *Tabanus zimini* Olsufjev, 1937** (Tabanidae) Synonym(s): *zimini* Olsufjev, 1937; *luppovae* Baratov, 1961
- 6864) *Tabulaephorus decipiens* (Lederer, 1870)** (Pterophoridae) Synonym(s): *decipiens* Lederer, 1870
- 6865) *Tabulaephorus djebeli* (Arenberger, 1981)** (Pterophoridae) Synonym(s): *djebeli* Arenberger, 1981
- 6866) *Tabulaephorus parthicus* (Lederer, 1870)** (Pterophoridae) Synonym(s): *parthicus* Lederer, 1870
- 6867) *Tachina* (Echinogaster) *praeceps* Meigen, 1824** (Tachinidae) Synonym(s): *praeceps* Meigen, 1824; *argentifrons* Macquart, 1835; *pusilla* Macquart, 1845; *fuscanipennis* Macquart, 1845; *alpicola* Rondani, 1861; *tricondyla* Rondani, 1868; *roederi* Giglio-Tos, 1891; *similis* Giglio-Tos, 1891
- 6868) *Tachyancistrocerus komarowi* (Morawitz, 1885)** (Vespidae) Synonym(s): *komarowi* Morawitz, 1885
- 6869) *Tachys* (Eotachys) *bistriatus* (Duftschmid, 1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid, 1812
- 6870) *Tachys* (Eotachys) *micros* (Fischer von Waldheim, 1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim, 1828
- 6871) *Tachytrechus planitarsis* Becker, 1907** (Dolichopodidae) Synonym(s): *planitarsis* Becker, 1907
- 6872) *Taftania oxycyma* (Meyrick, 1937)** (Pyralidae) Synonym(s): *oxycyma* Meyrick, 1937
- 6873) *Talis quercella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *#quercella* [Denis & Schiffermüller], 1775; *noctuella* Hübner, 1796; *neglectella* Hübner, [1824]
- 6874) *Tamaricella anbarabada* (Dlabola, 1960)** (Cicadellidae) Synonym(s): *anbarabada* Dlabola, 1960
- 6875) *Tamaricella ribauti* (Zachvatkin, 1947)** (Cicadellidae) Synonym(s): *ribauti* Zachvatkin, 1947
- 6876) *Tanyproctus carbonarius* Faldermann, 1835** (Scarabaeidae) Synonym(s): *carbonarius* Faldermann, 1835
- 6877) *Taphoxenus* (Lychnifugus) *cellarum* Adams, 1817** (Carabidae) Synonym(s): *cellarum* Adams, 1817
- 6878) *Taphromeloe erythrocnemus* (Pallas, 1782)** (Meloidae) Synonym(s): *erythrocnemus* Pallas, 1782; *corallipes* Gebler, 1847
- 6879) *Tarachephia hueberi* (Erschoff, 1874)** (Noctuidae) Synonym(s): *hueberi* Erschoff, 1874
- 6880) *Tarisa elevata* Reuter, 1901** (Pentatomidae) Synonym(s): *elevata* Reuter, 1901
- 6881) *Tarisa fraudatrix* Horvath, 1891** (Pentatomidae) Synonym(s): *fraudatrix* Horvath, 1891; *chloris* Horvath, 1904
- 6882) *Tarisa subspinosa* (Germar, 1839)** (Pentatomidae) Synonym(s): *subspinosa* Germar, 1839
- 6883) *Tarisa virescens* Herrich-Schäffer, 1851** (Pentatomidae) Synonym(s): *virescens* Herrich-Schäffer, 1851; *notoceras* Kolenati, 1857
- 6884) *Tartarogryllus tartarus* (Saussure, 1874)** (Gryllidae) Synonym(s): *tartarus* Saussure, 1874; *intermedius* Chopard, 1940; *intercalatus* Chopard, 1943
- 6885) *Tarucus* (s.str.) *balkanicus* (Freyer, [1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer, [1843]
- 6886) *Tarucus* (s.str.) *rosaceus* (Austaut, 1885)** (Lycaenidae) Synonym(s): *rosacea* Austaut, 1885; *mediterraneae* Bethune-Baker, 1918
- 6887) *Tathorhynchus exsiccatus* (Lederer, 1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer, 1855; *vinctalis* Walker, [1866]; *angustiorata* Grote, 1882; *fallax* Swinhoe, 1902; *#exiccata* Wiltshire, 1941; *greuteri* Koutsaftikis, 1973
- 6888) *Tebenna micalis* (Mann, 1857)** (Choreutidae) Synonym(s): *micalis* Mann, 1857; *issikii* Matsumura, 1931; *bradleyi* Clarke, 1971; *hypocroca* Diakonoff, 1978
- 6889) *Tegostoma confluentis* Hampson, 1913** (Pyralidae) Synonym(s): *confluentis* Hampson, 1913; *ahwazalis* Amsel, 1949
- 6890) *Tegostoma marginalis* Amsel, 1961** (Pyralidae) Synonym(s): *marginalis* Amsel, 1961
- 6891) *Tegostoma mossulalis* Amsel, 1949** (Pyralidae) Synonym(s): *mossulalis* Amsel, 1949
- 6892) *Tegostoma paralis* Hampson, 1900** (Pyralidae) Synonym(s): *paralis* Hampson, 1900
- 6893) *Tegostoma perlepidalis* (Guenée, 1854)** (Pyralidae) Synonym(s): *#lepidalis* Herrich-Schäffer, [1851]; *perlepidalis* Guenée, 1854; *lepidalis* Herrich-Schäffer, [1855]; *#lepidale* Caradja, 1917
- 6894) *Tegostoma uniforma* Amsel, 1951** (Pyralidae) Synonym(s): *uniforma* Amsel, 1951
- 6895) *Teleiodes squamodorella* (Amsel, 1935)** (Gelechiidae) Synonym(s): *squamodorella* Amsel, 1935
- 6896) *Telphusa pistaciae* Sattler, 1982** (Gelechiidae) Synonym(s): *pistaciae* Sattler, 1982
- 6897) *Tenthredo* (Zonuledo) *zonula* Klug, 1817** (Tenthredinidae) Synonym(s): *fasciata* Scopoli, 1763 *nec* Linn., 1758; *bifasciata* Geoffroy, 1785 *nec* Müll., 1766; *bicictaflava* Christ, 1791; *zonula* Klug, 1817; *similis* Mocsary, 1880; *nazarensis* André; *serena* Konow; *calcaratus* André, 1881; *scutellaris* Konow, 1898
- 6898) *Tenthredopsis tessellata* Klug, 1817** (Tenthredinidae) Synonym(s): *tessellata* Klug, 1817; *alboplagiata* Konow, 1890; *ischiadica* Eversmann, 1847; *cylindrica* Rudow, 1871
- 6899) *Tentyria parallela* Baudi, 1874** (Tenebrionidae) Synonym(s): *parallela* Baudi, 1874
- 6900) *Tentyria puncticeps* Miller, 1861** (Tenebrionidae) Synonym(s): *puncticeps* Miller, 1861; *persica* Baudi, 1874
- 6901) *Tentyria tessulata* Tauscher, 1812** (Tenebrionidae) Synonym(s): *tessulata* Tauscher, 1812

- 6902) *Tephрина arenacearia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *arenacearia* [Denis & Schiffermüller],1775; *flavidaria* Eversmann,1852; *discriminaria* Walker,1862; *irradiata* Walker,1862; *impreviata* Walker,1863; *stena* Wehrli,1940
- 6903) *Tephрина suleiman* (Wehrli,1936)** (Geometridae) Synonym(s): *suleiman* Wehrli,1936
- 6904) *Tephritis diversella* Amsel,1950** (Pyralidae) Synonym(s): *diversella* Amsel,1950
- 6905) *Tephritis acanthiophilopsis* M.Hering,1938** (Tephritidae) Synonym(s): *acanthiophilopsis* M.Hering,1938
- 6906) *Tephritis angulatofasciata* Portschiński,1892** (Tephritidae) Synonym(s): *angulatofasciata* Portschiński,1892
- 6907) *Tephritis bardanae* (Schränk,1803)** (Tephritidae) Synonym(s): *bardanae* Schränk,1803
- 6908) *Tephritis brachyura* Loew,1869** (Tephritidae) Synonym(s): *brachyura* Loew,1869
- 6909) *Tephritis cometa* (Loew,1840)** (Tephritidae) Synonym(s): *cometa* Loew,1840; *israelis* Freidberg,1974
- 6910) *Tephritis formosa* (Loew,1844)** (Tephritidae) Synonym(s): *formosa* Loew,1844
- 6911) *Tephritis hurvitzii* Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981
- 6912) *Tephritis maccus* M.Hering,1937** (Tephritidae) Synonym(s): *maccus* M.Hering,1937; *virgulata* M.Hering,1961
- 6913) *Tephritis multiguttata* Becker,1913** (Tephritidae) Synonym(s): *multiguttata* Becker,1913
- 6914) *Tephritis postica* (Loew,1844)** (Tephritidae) Synonym(s): *postica* Loew,1844
- 6915) *Tephritis urelliosomima* Korneyev & Dirlbek,2000** (Tephritidae) Synonym(s): *urelliosomima* Korneyev & Dirlbek,2000
- 6916) *Tephritomyia lauta* (Loew,1869)** (Tephritidae) Synonym(s): *lauta* Loew,1869
- 6917) *Tephronia oppositaria* Mann,1864** (Geometridae) Synonym(s): *oppositaria* Mann,1864
- 6918) *Tephroniopsis geometridalis* Amsel,1961** (Pyralidae) Synonym(s): *geometridalis* Amsel,1961
- 6919) *Teratolytta dives* (Brullé,1832)** (Meloidae) Synonym(s): *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894
- 6920) *Teratolytta optabilis* (Faldermann,1832)** (Meloidae) Synonym(s): *optabilis* Faldermann,1832
- 6921) *Teratolytta tricolor* (Haag-Rutenberg,1880)** (Meloidae) Synonym(s): *tricolor* Haag-Rutenberg,1880
- 6922) *Terellia colon* (Meigen,1826)** (Tephritidae) Synonym(s): *colon* Meigen,1826
- 6923) *Terellia gynaecochroma* (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaecochroma* M.Hering,1936
- 6924) *Terellia korneyevorum* Mohamadzade & Nozari,2011** (Tephritidae) Synonym(s): *korneyevorum* Mohamadzade & Nozari,2011
- 6925) *Terellia nigripalpis* Hendel,1927** (Tephritidae) Synonym(s): *nigripalpis* Hendel,1927
- 6926) *Terellia quadratula* (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869
- 6927) *Terellia ruficauda* (Fabricius,1794)** (Tephritidae) Synonym(s): *ruficauda* Fabricius,1794
- 6928) *Terellia serratulae* (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758
- 6929) *Terellia uncinata* White,1989** (Tephritidae) Synonym(s): *uncinata* White,1989
- 6930) *Terellia virens* (Loew,1846)** (Tephritidae) Synonym(s): *virens* Loew,1846
- 6931) *Tetanops* (s.str.) *laticeps* Loew,1868** (Ulidiidae) Synonym(s): *laticeps* Loew,1868
- 6932) *Tetartopeus persicus* Coiffait** (Staphylinidae) Synonym(s):
- 6933) *Tethea ocularis* (Linnaeus,1767)** (Thyrididae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788; *kossigii* Werny,[1967]; *caucasica* Werny,[1967] *nec* Krul.,1901
- 6934) *Tetralonia persica* Fr.** (Apidae) Synonym(s):
- 6935) *Tetramesa leucospae* Zerova & Madjdzadeh,2005** (Eurytomidae) Synonym(s): *leucospae* Zerova & Madjdzadeh,2005
- 6936) *Tetramesa maderae* (Walker,1849)** (Eurytomidae) Synonym(s): *maderae* Walker,1849
- 6937) *Tetramesa persica* (Hedicke,1921)** (Eurytomidae) Synonym(s): *persica* Hedicke,1921
- 6938) *Tetramesa tritici* (Fitch,1859)** (Eurytomidae) Synonym(s): *tritici* Fitch,1859
- 6939) *Tetratetrix tenuicornis* (Sahlberg,1891)** (Tetrigitidae) Synonym(s): *#nutans* Hagenbach,1822; *tenuicornis* Sahlberg,1891; *pisarskii* Bazyluk,1963; *antennata* Steinmann,1964; *australis* Bei-Bienko,1964
- 6940) *Tettigometra* (Mitriccephalus) *eremi* Lindberg,1948** (Tettigometridae) Synonym(s): *eremi* Lindberg,1948
- 6941) *Tettigometra* (Stirometra) *costulata* Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876
- 6942) *Tettigometra angulata* Lindberg,1948** (Tettigometridae) Synonym(s): *angulata* Lindberg,1948
- 6943) *Tettigometra depressa* Fieber,1865** (Tettigometridae) Synonym(s): *depressa* Fieber,1865
- 6944) *Tettigometra sordida* Fieber,1865** (Tettigometridae) Synonym(s): *sordida* Fieber,1865
- 6945) *Tettigometra vitellina* Fieber,1865** (Tettigometridae) Synonym(s): *vitellina* Fieber,1865
- 6946) *Tettigonia acutipennis* Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis* Ebner,1946
- 6947) *Tettigonia caudata* (Charpentier,1845)** (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940
- 6948) *Tettigonia viridissima* (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937
- 6949) *Thalera fimbrialis* (Scopoli,1763)** (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiararia* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
- 6950) *Thaleropsis ionia* (Eversmann,1851)** (Argynnididae) Synonym(s): *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851.
- 6951) *Thamnotettix gazella* Emeljanov,1962** (Cicadellidae) Synonym(s): *gazella* Emeljanov,1962
- 6952) *Thamnotettix lacteus* Melichar,1902** (Cicadellidae) Synonym(s): *lacteus* Melichar,1902
- 6953) *Thanatophilus sinuatus* (Fabricius,1775)** (Silphidae) Synonym(s): *sinuatus* Fabricius,1775
- 6954) *Thargelia attila* L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *attila* L.Ronkay & Gyulai,2006
- 6955) *Thargelia balazsi* L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *balazsi* L.Ronkay & Gyulai,2006
- 6956) *Thaumalea baltasardi* Schmid,1958** (Thaumaleidae) Synonym(s): *baltasardi* Schmid,1958
- 6957) *Thaumalea suzonae* Schmid,1958** (Thaumaleidae) Synonym(s): *suzonae* Schmid,1958
- 6958) *Thaumatomyia rufa* Macquart,1835** (Chloropidae) Synonym(s): *rufa* Macquart,1835; *simplex* Meigen,1838; *abbreviata* Zetterstedt,1848; *nigrovittata* Strobl,1899; *variegata* Strobl,1899
- 6959) *Thaumatomyia sulcifrons* (Becker,1907)** (Chloropidae) Synonym(s): *sulcifrons* Becker,1907; *aragonensis* Duda,1933; *plicata* Duda,1933
- 6960) *Thaumatopoea* (s.str.) *solitaria* (Freyer,[1838])** (Thaumatopoeidae) Synonym(s): *solitaria* Freyer,[1838]
- 6961) *Thecophora distincta* (Wiedemann,1824)** (Conopidae) Synonym(s): *distincta* Wiedemann,1824
- 6962) *Thecophora melanopa* Rondani,1857** (Conopidae) Synonym(s): *melanopa* Rondani,1857
- 6963) *Thecophora pusilla* (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *abdominalis* Chen,1939
- 6964) *Theophilea cylindricollis* Pic,1895** (Cerambycidae) Synonym(s): *cylindricollis* Pic,1895

- 6965) *Therapis flavicaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *flavicaria* [Denis & Schiffermüller],1775
- 6966) *Therapne obsoletalis* (Mann,1864) (Pyralidae) Synonym(s): *obsoletalis* Mann,1864
- 6967) *Theretra alecto* (Linnaeus,1758) (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisdual,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 6968) *Thereva aurantiaca* Becker,1912 (Therevidae) Synonym(s): *aurantiaca* Becker,1912
- 6969) *Therioplectes albicauda* (Olsufjev,1937) (Tabanidae) Synonym(s): *albicauda* Olsufjev,1937
- 6970) *Therioplectes carabaghensis* (Potschinsky,1877) (Tabanidae) Synonym(s): *carabaghensis* Potschinsky,1877; *orientalis* Olsufjev,1977
- 6971) *Thetidia crucigerata* (Christoph,1887) (Geometridae) Synonym(s): *crucigerata* Christoph,1887
- 6972) *Thetidia fulminaria* (Lederer,1870) (Geometridae) Synonym(s): *fulminaria* Lederer,1870
- 6973) *Thetidia persica* Hausmann,1996 (Geometridae) Synonym(s): *persica* Hausmann,1996
- 6974) *Thetidia prasinaria* (Eversmann,1837) (Geometridae) Synonym(s): *prasinaria* Eversmann,1837; *volgaria* Guenée,[1858]; *mongolica* Staudinger,1897
- 6975) *Thetidia recta* (Brandt,1941) (Geometridae) Synonym(s): *recta* Brandt,1941
- 6976) *Thetidia smaragdaria* (Fabricius,1787) (Geometridae) Synonym(s): *smaragdaria* Fabricius,1787
- 6977) *Thevenetimyia* (s.str.) *ziegleri* Dils,2009 (Bombyliidae) Synonym(s): *ziegleri* Dils,2009
- 6978) *Thiacidas postica* Walker,1855 (Noctuidae) Synonym(s): *postica* Walker,1855; *cheituna* Brandt,1939
- 6979) *Thinophilus argyropalpis* Becker,1907 (Dolichopodidae) Synonym(s): *argyropalpis* Becker,1907
- 6980) *Thinophilus indigenus* Becker,1902 (Dolichopodidae) Synonym(s): *indigenus* Becker,1902
- 6981) *Thinophilus quadrimaculatus* Becker,1902 (Dolichopodidae) Synonym(s): *quadrimaculatus* Becker,1902
- 6982) *Thinophilus spinitarsis* Becker,1907 (Dolichopodidae) Synonym(s): *spinitarsis* Becker,1907
- 6983) *Thiodia anatoliana* Kennel,1916 (Tortricidae) Synonym(s): *anatoliana* Kennel,1916
- 6984) *Thiodia citrana* (Hübner,[1799]) (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obratzov,1964.
- 6985) *Thiodia confusana* Kuznetsov,1972 (Tortricidae) Synonym(s): *confusana* Kuznetsov,1972
- 6986) *Thiodia couleruana* (Duponchel,1835) (Tortricidae) Synonym(s): *couleruana* Duponchel,1835; *castiliana* Caradja,1917; *pseudodelitanus* Obratzov,1952
- 6987) *Thiodia elbursica* Kuznetsov,1972 (Tortricidae) Synonym(s): *elbursica* Kuznetsov,1972
- 6988) *Thiodia hyrcana* Kuznetsov,1976 (Tortricidae) Synonym(s): *hyrcana* Kuznetsov,1976
- 6989) *Thiodia trochillana* (Frölich,1828) (Tortricidae) Synonym(s): *trochillana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839]
- 6990) *Tholagmus flavolineatus* (Fabricius,1798) (Pentatomidae) Synonym(s): *flavolineatus* Fabricius,1798
- 6991) *Tholera hilaris* (Staudinger,1901) (Noctuidae) Synonym(s): *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963
- 6992) *Thopeutis galleriellus* (Ragonot,1892) (Pyralidae) Synonym(s): *galleriellus* Ragonot,1892; *canicostalis* Hampson,1896; *unicolor* De Joannis,1910; *submedianalis* Hampson,1919; *buxtoni* Rotschild,1921; *chretienellus* Dumont,1930; *maculalis* Predota,1934; *hederalis* Amsel,1935.
- 6993) *Thospia crassipalpella* Ragonot,1888 (Pyralidae) Synonym(s): *crassipalpella* Ragonot,1888
- 6994) *Thospia permixtella* Ragonot,1888 (Pyralidae) Synonym(s): *permixtella* Ragonot,1888
- 6995) *Thospia trifasciella* (Ragonot,1887) (Pyralidae) Synonym(s): *trifasciella* Ragonot,1887; *alborivulella* Ragonot,1888.
- 6996) *Thria robusta* Walker,[1858] (Noctuidae) Synonym(s): *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 6997) *Thricops nigrifrons* (R-D.,1830) (Muscidae) Synonym(s): *variabilis* Fallén,1823 nec Gmel.,1790; *nigrifrons* R-D.,1830; *rubrifrons* R-D.,1830; *rupestris* Rondani,1866
- 6998) *Thrincohalictus prognathus* (Pérez,1912) (Haliictidae) Synonym(s): *prognathus* Pérez,1912
- 6999) *Thyatira bodemeyeri* O.Bang-Haas,1934 (Thyatiridae) Synonym(s): *bodemeyeri* O.Bang-Haas,1934
- 7000) *Thyatira hedemanni* Christoph,1885 (Thyatiridae) Synonym(s): *hedemanni* Christoph,1885; *elbursina* Werny,[1967]
- 7001) *Thymelicus acteon* (Rottemburg,1775) (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara*-*obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 7002) *Thymelicus hyrax* (Lederer,1861) (Hesperiidae) Synonym(s): *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 7003) *Thymelicus lineolus* (Ochsenheimer,1808) (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 nec Retz.,1783; *ludoviciae* Mabille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 7004) *Thymelicus novus* (Reverdin,1916) (Hesperiidae) Synonym(s): *novus* Reverdin,1916
- 7005) *Thymelicus sylvestris* (Poda,1761) (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thausas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 7006) *Thyreomelecta bidentata* (Kirby,1889) (Apidae) Synonym(s): *bidentata* Kirby,1889; *valida* Morawitz,1895
- 7007) *Thyreus affinis* (Morawitz,1874) (Apidae) Synonym(s): *affinis* Morawitz,1874; *transcaspica* Radoszkowski,1893; *portchinski* Radoszkowski,1893; *tunensis* Pérez,1895; *villosa* Meyer,1921
- 7008) *Thyreus histrionicus* (Illiger,1806) (Apidae) Synonym(s): *histrionicus* Illiger,1806; *major* Morawitz,1876; *divisa* Pérez,1905; *alboscuteolata* Meyer,1921; *rimosiscutum* Alfken,1927
- 7009) *Thyreus hyalinatus* (Vachal,1903) (Apidae) Synonym(s): *hyalinatus* Vachal,1903
- 7010) *Thyreus ramosus* (Lepeletier,1841) (Apidae) Synonym(s): *ramosus* Lepeletier,1841; *rufa* Radoszkowski,1886; *ashabadensis* Radoszkowski,1893; *albociliata* Meyer,1921; *minor* Friese,1925; *circulata* Alfken,1927
- 7011) *Thyreus scutellaris* (Fabricius,1781) (Apidae) Synonym(s): *scutellaris* Fabricius,1781; *crassicornis* Morawitz,1890
- 7012) *Thyreus truncatus* (Pérez,1883) (Apidae) Synonym(s): *truncatus* Pérez,1883; *mucorea* Friese,1925; *nadigi* Alfken,1934
- 7013) *Thyridanthrax elegans* (Wiedemann,1820) (Bombyliidae) Synonym(s): *elegans* Wiedemann,1820; *fenestralis* Macquart,1840 nec Wied.,1830; *varinervis* Macquart,1846; *variegatus* Jaenicke,1867 nec Pall.,1818; *macquarti* Bezzi,1912; *calochromatus* Bezzi,1921; *subperspicillaris* Bezzi,1922; *kappa* Bowden,1964; *dolgovskayae* Zaitzev,1999
- 7014) *Thyridanthrax fenestratus* (Fallén,1814) (Bombyliidae) Synonym(s): *fenestratus* Fallén,1814; *variegata* Pallas,1818; *ornatus* Curtis,1824; *italica* Walker,1849; *montana* Paramonov,1927
- 7015) *Thyridanthrax griseolus* (Klug,1832) (Bombyliidae) Synonym(s): *griseolus* Klug,1832
- 7016) *Thyridanthrax incanus* (Klug,1832) (Bombyliidae) Synonym(s): *incanus* Klug,1832; *testacea* Macquart,1840; *varipennis* Macquart,1849
- 7017) *Thyridanthrax lotus* (Loew,1869) (Bombyliidae) Synonym(s): *lotus* Loew,1869; *confusa* Becker,1916
- 7018) *Thyridanthrax oblitteratus* (Loew,1862) (Bombyliidae) Synonym(s): *oblitteratus* Loew,1862
- 7019) *Thyridanthrax perspicillaris* (Loew,1869) (Bombyliidae) Synonym(s): *perspicillaris* Loew,1869; *gallus* Loew,1869; *hispanus* Loew,1869; *ternarius* Bezzi,1920; *idolus* Hesse,1956; *speciosus* Hesse,1956; *hessei* Bowden,1964

- 7020)** *Thyridanthrax polyphemus* (Wiedemann,1820) (Bombyliidae) Synonym(s): *polyphemus* Wiedemann,1820; *pumilio* Austen,1937
- 7021)** *Thyridanthrax reductus* Lindner,1975 (Bombyliidae) Synonym(s): *reductus* Lindner,1975
- 7022)** *Thyridiphora furia* (Swinhoe,1884) (Pyrilidae) Synonym(s): *furia* Swinhoe,1884; *fenestrata* W.Warren,1888; *grisea* Amsel,1968.
- 7023)** *Thysanoplusia* (*Daubeiplusia*) *daubei* (Boisduval,1840) (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858]
- 7024)** *Timandra comae* Schmidt,1931 (Geometridae) Synonym(s): *angulata* Fourcroy,1785 *nec* Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994
- 7025)** *Timarcha hummeli* Faldermann,1837 (Chrysomelidae) Synonym(s): *hummeli* Faldermann,1837
- 7026)** *Timaspis irani* Tavakoli & Melika,2006 (Cynipidae) Synonym(s): *irani* Tavakoli & Melika,2006
- 7027)** *Timaspis lorestanicus* Tavakoli & Melika,2006 (Cynipidae) Synonym(s): *lorestanicus* Tavakoli & Melika,2006
- 7028)** *Timia* (*Empyelocera*) *abstersa* (Loew,1873) (Ulidiidae) Synonym(s): *abstersa* Loew,1873
- 7029)** *Timia* (*Empyelocera*) *amoena* (Loew,1874) (Ulidiidae) Synonym(s): *amoena* Loew,1874
- 7030)** *Timia* (*Empyelocera*) *dimidiata* Becker,1906 (Ulidiidae) Synonym(s): *dimidiata* Becker,1906
- 7031)** *Timia* (*Empyelocera*) *jakowlewii* Hendel,1908 (Ulidiidae) Synonym(s): *jakowlewii* Hendel,1908
- 7032)** *Timia* (*Empyelocera*) *persica* Hennig,1965 (Ulidiidae) Synonym(s): *persica* Hennig,1965
- 7033)** *Timia* (*Empyelocera*) *xanthaspis* (Loew,1868) (Ulidiidae) Synonym(s): *xanthaspis* Loew,1868
- 7034)** *Timia* *camillae* (Mik,1889) (Ulidiidae) Synonym(s): *camillae* Mik,1889
- 7035)** *Timia* *problematica* Hennig,1965 (Ulidiidae) Synonym(s): *problematica* Hennig,1965
- 7036)** *Timia* *pulchra* Röder,1889 (Ulidiidae) Synonym(s): *pulchra* Röder,1889
- 7037)** *Tinagma anchusellum* (Benander,1936) (Douglassiidae) Synonym(s): *anchusellum* Benander,1936
- 7038)** *Tinagma bledellum* (Chrétien,1916) (Douglassiidae) Synonym(s): *bledellum* Chrétien,1916.
- 7039)** *Tinagma columbellum* (Staudinger,1880) (Douglassiidae) Synonym(s): *columbellum* Staudinger,1880.
- 7040)** *Tinea basifasciella* Ragonot,1895 (Tineidae) Synonym(s): *basifasciella* Ragonot,1895; *punctigera* Walsingham,1907; *nitentella* Chrétien,1908; *palaestinisensis* Amsel,1955; *#basifasciella* Gaedike,2011
- 7041)** *Tinea omichlopus* Meyrick,1928 (Tineidae) Synonym(s): *omichlopus* Meyrick,1928; *nonimella* Zagulyaev,1955
- 7042)** *Tinea rostrata* G.Petersen,1966 (Tineidae) Synonym(s): *rostrata* G.Petersen,1966
- 7043)** *Tinea semifulvella* Haworth,[1828] (Tineidae) Synonym(s): *semifulvella* Haworth,[1828]
- 7044)** *Tinea translucens* Meyrick,1917 (Tineidae) Synonym(s): *translucens* Meyrick,1917; *metonella* Pierce & Metcalfe,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *forficata* Gozmany,1968.
- 7045)** *Tingis demissa* Horvath,1905 (Tingidae) Synonym(s): *demissa* Horvath,1905
- 7046)** *Tingis kerzhneri* Golub,2006 (Tingidae) Synonym(s): *kerzhneri* Golub,2006
- 7047)** *Tingis valida* (Puton,1878) (Tingidae) Synonym(s): *valida* Puton,1878
- 7048)** *Tinthia mianjungalica* Lastuvka,1997 (Sesiidae) Synonym(s): *mianjungalica* Lastuvka,1997
- 7049)** *Tiphia persica* Turner,1908 (Tiphidae) Synonym(s): *persica* Turner,1908
- 7050)** *Tipula* (*Acutipula*) *fulvipennis* De Geer,1776 (Tipulidae) Synonym(s): *fulvipennis* De Geer,1776; *lutescens* Fabricius,1805
- 7051)** *Tipula* (*Acutipula*) *irrequieta* Alexander,1936 (Tipulidae) Synonym(s): *irrequieta* Alexander,1936; *apoblepta* Alexander,1956
- 7052)** *Tipula* (*Acutipula*) *macra* Savchenko,1961 (Tipulidae) Synonym(s): *macra* Savchenko,1961
- 7053)** *Tipula* (*Acutipula*) *nigroantennata* Savchenko,1961 (Tipulidae) Synonym(s): *nigroantennata* Savchenko,1961
- 7054)** *Tipula* (*Acutipula*) *transcaucasica* Savchenko,1961 (Tipulidae) Synonym(s): *transcaucasica* Savchenko,1961
- 7055)** *Tipula* (*Emdotipula*) *obscuriventris* Strobl,1900 (Tipulidae) Synonym(s): *obscuriventris* Strobl,1900
- 7056)** *Tipula* (*Lunatipula*) *antilope* Theischinger,1977 (Tipulidae) Synonym(s): *antilope* Theischinger,1977
- 7057)** *Tipula* (*Lunatipula*) *bimacula* Theowald,1980 (Tipulidae) Synonym(s): *bimaculata* Riedel,1913; *bimacula* Theowald,1980
- 7058)** *Tipula* (*Lunatipula*) *holzschuhi* Theischinger,1977 (Tipulidae) Synonym(s): *holzschuhi* Theischinger,1977
- 7059)** *Tipula* (*Lunatipula*) *macropyga* Savchenko,1952 (Tipulidae) Synonym(s): *macropyga* Savchenko,1952
- 7060)** *Tipula* (*Lunatipula*) *subbispina* Savchenko,1952 (Tipulidae) Synonym(s): *subbispina* Savchenko,1952
- 7061)** *Tipula* (*Lunatipula*) *suleika* Mannheims,1963 (Tipulidae) Synonym(s): *suleika* Mannheims,1963
- 7062)** *Tipula* (*Pterelachisus*) *luteobasalis* Savchenko,1964 (Tipulidae) Synonym(s): *luteobasalis* Savchenko,1964
- 7063)** *Tipula* (s.str.) *italica* Lackschewitz,1930 (Tipulidae) Synonym(s): *italica* Lackschewitz,1930
- 7064)** *Tipula* (s.str.) *orientalis* Lackschewitz,1930 (Tipulidae) Synonym(s): *orientalis* Lackschewitz,1930
- 7065)** *Tipula* (*Savtshenkia*) *pechlaneri* Mannheims & Theowald,1959 (Tipulidae) Synonym(s): *pechlaneri* Mannheims & Theowald,1959
- 7066)** *Tipula* (*Savtshenkia*) *rufina* Meigen,1818 (Tipulidae) Synonym(s): *rufina* Meigen,1818; *guttipennis* Meigen,1818; *consanguinea* Macquart,1838; *parvicauda* Hansen,1881
- 7067)** *Tipula* (*Yamatotipula*) *iranensis* Theowald,1978 (Tipulidae) Synonym(s): *iranensis* Theowald,1978; *subsoltaria* Theowald,1978
- 7068)** *Tipula* (*Yamatotipula*) *submontium* Theowald & Oosterbroek,1981 (Tipulidae) Synonym(s): *submontium* Theowald & Oosterbroek,1981
- 7069)** *Titanio hyrcanella* Amsel,1950 (Pyrilidae) Synonym(s): *hyrcanella* Amsel,1950
- 7070)** *Titanio nanalis* (Christoph,1888) (Pyrilidae) Synonym(s): *nanalis* Christoph,1888; *obscura* W.Warren,1892; *staudingeri* Bethune-Baker,1893
- 7071)** *Titanio nissalis* Amsel,1951 (Pyrilidae) Synonym(s): *nissalis* Amsel,1951
- 7072)** *Tituboea macropus* (Illiger,1800) (Chrysomelidae) Synonym(s): *macropus* Illiger,1800
- 7073)** *Tituboea sexmaculata* (Fabricius,1781) (Chrysomelidae) Synonym(s): *sexmaculata* Fabricius,1781
- 7074)** *Tmethis iranica* Werner,1939 (Pamphagidae) Synonym(s): *iranica* Werner,1939
- 7075)** *Tmethis pulchripennis* (Audinet-Serville,1839) (Pamphagidae) Synonym(s): *pulchripennis* Audinet-Serville,1839
- 7076)** *Tolmerus cingulatus* (Fabricius,1781) (Asilidae) Synonym(s): *cingulatus* Fabricius,1781; *striatus* Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848
- 7077)** *Tolmerus facialis* Becker,1913 (Asilidae) Synonym(s): *facialis* Becker,1913
- 7078)** *Tolmerus tivenensis* Theodor,1980 (Asilidae) Synonym(s): *tivenensis* Theodor,1980
- 7079)** *Tomares callimachus* (Eversmann,1848) (Lycanidae) Synonym(s): *callimachus* Eversmann,1848
- 7080)** *Tomares desinens* Nekrutenko & Effendi,1980 (Lycanidae) Synonym(s): *desinens* Nekrutenko & Effendi,1980
- 7081)** *Tomares romanovi* (Christoph,1882) (Lycanidae) Synonym(s): *romanovi* Christoph,1882
- 7082)** *Tortilia pallidella* Kasy,1973 (Stathmopodidae) Synonym(s): *pallidella* Kasy,1973

- 7083) Tortilia sp.** (Stathmopodidae) **Synonym(s):**
- 7084) Tortrix viridana (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffemüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübn.,[1799]; *coeruleana* Sorhagen,1881.
- 7085) Tormus auratus (Müller,1764)** (Torymidae) **Synonym(s):** *auratus* Müller,1764
- 7086) Tormus bedeguaris (Linnaeus,1758)** (Torymidae) **Synonym(s):** *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929
- 7087) Tormus erucarum (Schränk,1781)** (Torymidae) **Synonym(s):** *erucarum* Schränk,1781
- 7088) Tormus geranii (Walker,1833)** (Torymidae) **Synonym(s):** *geranii* Walker,1833
- 7089) Tormus lapsanae (Hoffmeyer,1930)** (Torymidae) **Synonym(s):** *lapsanae* Hoffmeyer,1930
- 7090) Toxophora deserta Paramonov,1933** (Bombyliidae) **Synonym(s):** *deserta* Paramonov,1933; *tadzhikorum* Paramonov,1933
- 7091) Toxophora fasciculata (Villers,1789)** (Bombyliidae) **Synonym(s):** *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933
- 7092) Toya propinqua (Fieber,1866)** (Delphacidae) **Synonym(s):** *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868
- 7093) Trachea atriplicis (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *atriplicis* Linnaeus,1758
- 7094) Trachycera bouchirella (Amsel,1951)** (Pyralidae) **Synonym(s):** *bouchirella* Amsel,1951
- 7095) Trachycera dulcella (Zeller,1848)** (Pyralidae) **Synonym(s):** *dulcella* Zeller,1848
- 7096) Trachycera eburnella (Amsel,1953)** (Pyralidae) **Synonym(s):** *eburnella* Amsel,1953
- 7097) Trachycera farsella (Amsel,1950)** (Pyralidae) **Synonym(s):** *farsella* Amsel,1950
- 7098) Trachycera khachella (Amsel,1950)** (Pyralidae) **Synonym(s):** *khachella* Amsel,1950
- 7099) Trachycera mirabiella (Toll,1948)** (Pyralidae) **Synonym(s):** *mirabiella* Toll,1948; *senganella* Amsel,1950
- 7100) Trachycera mirabilella (Toll,1948)** (Pyralidae) **Synonym(s):** *mirabilella* Toll,1948; *senganella* Amsel,1950
- 7101) Trachycera niveicinctella (Ragonot,1887)** (Pyralidae) **Synonym(s):** *niveicinctella* Ragonot,1887; *iranalis* Amsel,1950
- 7102) Trachycera persicella (Amsel,1951)** (Pyralidae) **Synonym(s):** *persicella* Amsel,1951
- 7103) Trachycera praefectella (Zerny,1936)** (Pyralidae) **Synonym(s):** *praefectella* Zerny,1936; *chirazella* Amsel,1951
- 7104) Trachycera zamartha Roesler,1987** (Pyralidae) **Synonym(s):** *zamartha* Roesler,1987
- 7105) Trachyderma christophi Faust,1875** (Tenebrionidae) **Synonym(s):** *christophi* Faust,1875; *longicollis* Baudi,1875
- 7106) Trachyderma darwini Faust,1875** (Tenebrionidae) **Synonym(s):** *darwini* Faust,1875
- 7107) Trachyderma hispida (Forsk.,1775)** (Tenebrionidae) **Synonym(s):** *hispida* Forsk.,1775; *latreillei* Solier,1836; *major* Baudi,1875
- 7108) Trachyderma parvicollis Baudi,1875** (Tenebrionidae) **Synonym(s):** *parvicollis* Baudi,1875
- 7109) Trachyderma philistina Reich & Sauley,1857** (Tenebrionidae) **Synonym(s):** *philistina* Reich & Sauley,1857; *gomorrhana* Reiche & Sauley,1857; *persea* Baudi,1875; *ovalipennis* Baudi,1875
- 7110) Trachyderma robusta Faust,1875** (Tenebrionidae) **Synonym(s):** *robusta* Faust,1875
- 7111) Trachysmia aureopunctana (Ragonot,1894)** (Tortricidae) **Synonym(s):** *aureopunctana* Ragonot,1894
- 7112) Trachysmia lucentana (Kennel,1899)** (Tortricidae) **Synonym(s):** *lucentana* Kennel,1899
- 7113) Trechus (s.str.) melanocephalus Kolenati,1845** (Carabidae) **Synonym(s):** *melanocephalus* Kolenati,1845
- 7114) Trechus (s.str.) quadristriatus (Schränk,1781)** (Carabidae) **Synonym(s):** *quadristriatus* Schränk,1781
- 7115) Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) **Synonym(s):** *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874
- 7116) Tremulicerus vitreus (Fabricius,1803)** (Cicadellidae) **Synonym(s):** *vitreus* Fabricius,1803; *auronitens* Kirschbaum,1868; *halbum* Fieber,1868
- 7117) Trichardis leucocomus (Wulp,1899)** (Asilidae) **Synonym(s):** *leucocomus* Wulp,1899; *albipila* Becker,1907
- 7118) Trichardopsis richteri Oldroyd,1958** (Asilidae) **Synonym(s):** *richteri* Oldroyd,1958; *kasakh* Lehr,1958
- 7119) Trichiura (Gisele) pistaciae (Wiltshire,1952)** (Lasiocampidae) **Synonym(s):** *pistaciae* Wiltshire,1952
- 7120) Trichiura (s.str.) kopetdaghi Dubatolov & Zolotuhin,1992** (Lasiocampidae) **Synonym(s):** *kopetdaghi* Dubatolov & Zolotuhin,1992
- 7121) Trichiura (s.str.) mirzayani Ebert,1971** (Lasiocampidae) **Synonym(s):** *mirzayani* Ebert,1971
- 7122) Trichiura (s.str.) sapor Wiltshire,1946** (Lasiocampidae) **Synonym(s):** *sapor* Wiltshire,1946
- 7123) Trichiura (s.str.) stroehlei Zolotuhin,2007** (Lasiocampidae) **Synonym(s):** *stroehlei* Zolotuhin,2007
- 7124) Trichius abdominalis Ménétries,1832** (Scarabaeidae) **Synonym(s):** *abdominalis* Ménétries,1832
- 7125) Trichodes ephippiger Chevrolat,1874** (Cleridae) **Synonym(s):** *ephippiger* Chevrolat,1874
- 7126) Trichodes ganglbaueri Escherich,1893** (Cleridae) **Synonym(s):** *ganglbaueri* Escherich,1893; *israelicus* Winkler,1963
- 7127) Trichodes heydeni Escherich** (Cleridae) **Synonym(s):** *heydeni* Escherich; *anatolicus* Reitter,1893
- 7128) Trichodes inermis Reitter,1893** (Cleridae) **Synonym(s):** *inermis* Reitter,1893
- 7129) Trichodes laminatus Chevrolat,1843** (Cleridae) **Synonym(s):** *laminatus* Chevrolat,1843
- 7130) Trichodes longicollis Gerstmeier,1985** (Cleridae) **Synonym(s):** *longicollis* Gerstmeier,1985
- 7131) Trichodes nobilis Klug,1842** (Cleridae) **Synonym(s):** *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844
- 7132) Trichodes olivieri (Chevrolat,1843)** (Cleridae) **Synonym(s):** *olivieri* Chevrolat,1843
- 7133) Trichodes persicus Kraatz,1894** (Cleridae) **Synonym(s):** *persicus* Kraatz,1894
- 7134) Trichodes pulcherrimus Escherich,1892** (Cleridae) **Synonym(s):** *pulcherrimus* Escherich,1892
- 7135) Trichodes punctatus Fischer v. Waldheim,1829** (Cleridae) **Synonym(s):** *punctatus* Fischer v. Waldheim,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843
- 7136) Trichodes quadriguttatus Adams,1817** (Cleridae) **Synonym(s):** *quadriguttatus* Adams,1817
- 7137) Trichodes reichei Mulsant & Rey,1863** (Cleridae) **Synonym(s):** *reichei* Mulsant & Rey,1863; *klugi* Kraatz,1873; *conjunctus* Escherich,1892
- 7138) Trichodes sexpustulatus Chevrolat,1874** (Cleridae) **Synonym(s):** *sexpustulatus* Chevrolat,1874; *erratus* Champenois,1898
- 7139) Trichodes sipylus (Linnaeus,1758)** (Cleridae) **Synonym(s):** *sipylus* Linnaeus,1758; *subfasciatus* Kraatz,1873; *frater* Kraatz,1893; *fraterculus* Zaitzev,1915
- 7140) Trichoderus fissitarsis Sama, Fallahzadeh & Rapuzzi,2005** (Cerambycidae) **Synonym(s):** *fissitarsis* Sama, Fallahzadeh & Rapuzzi,2005
- 7141) Trichoderus lunatus (Szallies,1994)** (Cerambycidae) **Synonym(s):** *lunatus* Szallies,1994
- 7142) Trichoderus preissi (Heyden,1894)** (Cerambycidae) **Synonym(s):** *preissi* Heyden,1894
- 7143) Tricholabiodes asiaticus Radoszkowski,1885** (Mutillidae) **Synonym(s):** *asiaticus* Radoszkowski,1885
- 7144) Tricholabiodes bactrianus Suarez,1967** (Mutillidae) **Synonym(s):** *bactrianus* Suarez,1967
- 7145) Trichophaga bipartitella (Ragonot,1892)** (Tineidae) **Synonym(s):** *abruptella* Wollaston,1858 (*praeocc.*); *bipartitella* Ragonot,1892; *desertella* Mabilie,1907; *amina* Meyrick,1925

- 7146) *Trichoplusia exquisatella* (Strand,1916) (Noctuidae) Synonym(s): *exquisatella* Strand,1916
- 7147) *Trichoplusia exquisita* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *exquisita* R.Felder & Rogenhofer,1874
- 7148) *Trichoplusia ni* (Hübner,[1803]) (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 7149) *Trichoplusia vittata* (Wallengren,1856) (Noctuidae) Synonym(s): *vittata* Wallengren,1856; *transfixa* Walker,[1858]; *commidendri* Wollaston,1879.
- 7150) *Tricimba* (Nartshukiella) *humeralis* (Loew,1858) (Chloropidae) Synonym(s): *humeralis* Loew,1858; *maculifrons* Becker,1903; *punctifrons* Becker,1914
- 7151) *Triclis olivaceus* Loew,1851 (Asilidae) Synonym(s): *olivaceus* Loew,1851; *halictivorus* Rondani,1856
- 7152) *Tricyphona* (s.str.) *zwicki* Mendl,1973 (Pediidae) Synonym(s): *zwicki* Mendl,1973; *acuspica* Alexander,1975; *elburzensis* Alexander,1975
- 7153) *Trigonodes hyppasia* (Cramer,1779) (Noctuidae) Synonym(s): *hyppasia* Cramer,1779; *deliana* Stoll,1791; *anfractuosa* Boisdual,1834; *acutata* Guenée,1852; *inacuta* Guenée,1852; *compar* Walker,[1858]
- 7154) *Trigonuncus euergestalis* Amsel,1953 (Pyralidae) Synonym(s): *euergestalis* Amsel,1953; *#euergestalis* Wiltshire,1957.
- 7155) *Trigonuncus inglorialis* (Hampson,1900) (Pyralidae) Synonym(s): *inglorialis* Hampson,1900
- 7156) *Trigonuncus nissalis* Amsel,1950 (Pyralidae) Synonym(s): *nissalis* Amsel,1950
- 7157) *Triphosa taochata* Lederer,1870 (Geometridae) Synonym(s): *taochata* Lederer,1870
- 7158) *Trisateles emortualis* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *emortualis* [Denis & Schiffermüller],1775
- 7159) *Trissolcus pseudoturesis* (Rjachovsky,1959) (Scelionidae) Synonym(s): *pseudoturesis* Rjachovsky,1959; *rossicus* Rjachovsky,1959
- 7160) *Trissolcus rufiventris* (Mayr,1908) (Scelionidae) Synonym(s): *rufiventris* Mayr,1908; *stshepetilnikova* Pubstov,1944; *rubriventris* Szabo,1959
- 7161) *Trissolcus vassilievi* (Mayr,1903) (Scelionidae) Synonym(s): *vassilievi* Mayr,1903; *rufiventris* Rubstov,1944; *scutellaris* Masner,1958
- 7162) *Trissonca muliebris* Meyrick,1937 (Pyralidae) Synonym(s): *muliebris* Meyrick,1937
- 7163) *Trogaspidia* (Acutitropidia) *tobiasi* Lelej,2004 (Mutillidae) Synonym(s): *tobiasi* Lelej,2004
- 7164) *Trogaspidia* (Chilotropidia) *fedtschenkoi* (Radoszkowski,1877) (Mutillidae) Synonym(s): *fedtschenkoi* Radoszkowski,1877
- 7165) *Tropidia scita* (Harris,1780) (Syrphidae) Synonym(s): *scita* Harris,1780
- 7166) *Tropidocephala prasina* Melichar,1902 (Delphacidae) Synonym(s): *prasina* Melichar,1902
- 7167) *Tropidopola cylindrica* (Marschall,1836) (Acrididae) Synonym(s): *cylindrica* Marschall,1836; *sicula* Audinet-Serville,1838; *fasciculata* Charpentier,1841; *algeriana* Uvarov,1922; *virescens* Uvarov,1922
- 7168) *Tropidopola turanica* Uvarov,1926 (Acrididae) Synonym(s): *turanica* Uvarov,1926; *caspiica* Uvarov,1933; *iliensis* Bei-Bienko,1948
- 7169) *Tropidotilla litoralis* (Petagna,1787) (Mutillidae) Synonym(s): *litoralis* Petagna,1787
- 7170) *Tropidotilla semirufa* (André,1893) (Mutillidae) Synonym(s): *semirufa* André,1893
- 7171) *Tropinota* (Epicometis) *villiersi* Baraud,1984 (Scarabaeidae) Synonym(s): *villiersi* Baraud,1984
- 7172) *Tropinota* (s.str.) *hirtiformis* Reitter,1913 (Scarabaeidae) Synonym(s): *hirtiformis* Reitter,1913
- 7173) *Trupanea stellata* (Fuesslin,1775) (Tephritidae) Synonym(s): *stellata* Fuesslin,1775
- 7174) *Truxalis eximia* Eichwald,1830 (Acrididae) Synonym(s): *eximia* Eichwald,1830; *cypria* Dirsh,[1951]; *#examia* Weidner,1969
- 7175) *Truxalis fitzgeraldi* Dirsh,1950 (Acrididae) Synonym(s): *fitzgeraldi* Dirsh,1950
- 7176) *Truxalis mesopotamica* Dirsh,1950 (Acrididae) Synonym(s): *mesopotamica* Dirsh,1950
- 7177) *Truxalis obesa* Bei-Bienko,1960 (Acrididae) Synonym(s): *obesa* Bei-Bienko,1960
- 7178) *Truxalis robusta* (Uvarov,1916) (Acrididae) Synonym(s): *robusta* Uvarov,1916
- 7179) *Tryphon* (s.str.) *rutilator* (Linnaeus,1761) (Ichneumonidae) Synonym(s): *rutilator* Linnaeus,1761
- 7180) *Tshingisella bella* Kirkaldy,1913 (Pentatomidae) Synonym(s): *bella* Kirkaldy,1913
- 7181) *Tuberculatus* (Tuberculoides) *maximus* Hille Ris Lambers,1974 (Aphididae) Synonym(s): *maximus* Hille Ris Lambers,1974
- 7182) *Tulaya margelana* (Bethune-Baker,1893) (Pyralidae) Synonym(s): *margelana* Bethune-Baker,1893
- 7183) *Tulaya staudingeri* (Bethune-Baker,1893) (Pyralidae) Synonym(s): *staudingeri* Bethune-Baker,1893
- 7184) *Tuponia algerica* Eckerlein & Wagner,1965 (Miridae) Synonym(s): *algerica* Eckerlein & Wagner,1965; *ninhursag* Linnavuori,1984
- 7185) *Tuponia angusta* Wagner,1957 (Miridae) Synonym(s): *angusta* Wagner,1957
- 7186) *Tuponia arcufera* Reuter,1879 (Miridae) Synonym(s): *arcufera* Reuter,1879; *eckerleini* Wagner,1955; *orientalis* Wagner,1955; *elegantulus* Zheng & H.Li,1992
- 7187) *Tuponia ayasensis* Wagner,1963 (Miridae) Synonym(s): *ayasensis* Wagner,1963
- 7188) *Tuponia concinna* Reuter,1875 (Miridae) Synonym(s): *concinna* Reuter,1875; *conspersa* Reuter,1901; *fezzana* Wagner,1971; *amguele* Wagner,1975
- 7189) *Tuponia elegans* (Jakovlev,1867) (Miridae) Synonym(s): *elegans* Jakovlev,1867; *bilobata* Benedek & Jaszai,1968
- 7190) *Tuponia guttata* Wagner,1950 (Miridae) Synonym(s): *guttata* Wagner,1950; *variegata* Wagner,1958; *sodomita* Wagner,1974
- 7191) *Tuponia hippophaes* (Fieber,1861) (Miridae) Synonym(s): *hippophaes* Fieber,1861; *unicolor* Scott,1872; *myricariae* Cerutti,1939; *michalki* Wagner,1951; *seidenstueckeri* Wagner,1955; *mimeuri* Wagner,1958; *albomarginata* Linnavuori,1961; *cypria* Wagner,1962; *longitarsis* Wagner,1962; *pradassiensis* Tamanini,1964; *menorcana* Wagner,1971; *liparensis* Tamanini,1973; *rhodensis* Wagner,1974
- 7192) *Tuponia hosseinii* Linnavuori,2004 (Miridae) Synonym(s): *hosseinii* Linnavuori,2004
- 7193) *Tuponia inessae* Linnavuori,2004 (Miridae) Synonym(s): *inessae* Linnavuori,2004
- 7194) *Tuponia kurdestanica* Linnavuori,2010 (Miridae) Synonym(s): *kurdestanica* Linnavuori,2010
- 7195) *Tuponia macedonica* Wagner,1957 (Miridae) Synonym(s): *macedonica* Wagner,1957; *dentifer* Wagner,1974
- 7196) *Tuponia minima* Wagner,1957 (Miridae) Synonym(s): *minima* Wagner,1957
- 7197) *Tuponia mixticolor* (Costa,1862) (Miridae) Synonym(s): *mixticolor* Costa,1862; *lethierryi* Reuter,1875; *colorata* Poppius,1914; *carayoni* Wagner,1955; *vulnerata* Linnavuori,1961; *hungarica* Benedek & Jaszai,1968; *annulata* Wagner,1974
- 7198) *Tuponia mujiba* Wagner,1971 (Miridae) Synonym(s): *mujiba* Wagner,1971
- 7199) *Tuponia persica* Wagner,1957 (Miridae) Synonym(s): *persica* Wagner,1957
- 7200) *Tuponia picticornis* Linnavuori,2004 (Miridae) Synonym(s): *picticornis* Linnavuori,2004

- 7201) *Tuponia prasina* (Fieber,1864) (Miridae) Synonym(s): *prasina* Fieber,1864; *affinis* Reuter,1878; *apicalis* Reuter,1894
- 7202) *Tuponia punctipes* Reuter,1879 (Miridae) Synonym(s): *punctipes* Reuter,1879
- 7203) *Tuponia roseipennis* Reuter,1878 (Miridae) Synonym(s): *roseipennis* Reuter,1878; *sahlbergi* Wagner,1955
- 7204) *Tuponia semele* Linnavuori,1995 (Miridae) Synonym(s): *semele* Linnavuori,1995
- 7205) *Tuponia shadeganica* Linnavuori,2010 (Miridae) Synonym(s): *shadeganica* Linnavuori,2010
- 7206) *Tuponia tamaricicola* Lindberg,1939 (Miridae) Synonym(s): *tamaricicola* Lindberg,1939
- 7207) *Turanana anisophtalma* (Kollar,[1849]) (Lycaenidae) Synonym(s): *anisophtalma* Kollar,[1849]
- 7208) *Turanana cytis* (Christoph,1877) (Lycaenidae) Synonym(s): *cytis* Christoph,1876
- 7209) *Turanana dushak* Dubatolov,1989 (Lycaenidae) Synonym(s): *dushak* Dubatolov,1989
- 7210) *Turanana endymion* (Freyer,[1850]) (Lycaenidae) Synonym(s): *endymion* Freyer,[1850]
- 7211) *Turanana pentodonalis* (Erschoff,1874) (Pyralidae) Synonym(s): *pentodonalis* Erschoff,1874
- 7212) *Turanoclytus ilamensis* (Holzschuh,1979) (Cerambycidae) Synonym(s): *ilamensis* Holzschuh,1979
- 7213) *Turanogryllus aelleni* (Chopard,1954) (Gryllidae) Synonym(s): *aelleni* Chopard,1954
- 7214) *Turatia iranica* Gozmany,2000 (Autostichidae) Synonym(s): *iranica* Gozmany,2000
- 7215) *Turcopalpa africana* (Povolny,1968) (Gelechiidae) Synonym(s): *africana* Povolny,1968
- 7216) *Turka cervinus* (Loew,1856) (Asilidae) Synonym(s): *cervinus* Loew,1856; *cretaceus* Becker,1913
- 7217) *Tychius ruscicus* Desbrochers,1908 (Curculionidae) Synonym(s): *ruscicus* Desbrochers,1908
- 7218) *Tychius squamulatus* Gyllenhal,1836 (Curculionidae) Synonym(s): *squamulatus* Gyllenhal,1836
- 7219) *Typhonia lugubris* (Hübner,1793) (Psychidae) Synonym(s): *lugubris* Hübner,1793; *ciliaris* Ochsenheimer,1810; *lugubris* Hübner,[1808] *nec* Fabricius,1777; *aequalis* Osthelder,1938
- 7220) *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 *nec* Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 7221) *Tytroca dispar* (Püngeler,1904) (Noctuidae) Synonym(s): *dispar* Püngeler,1904
- 7222) *Tytroca fasciolata* (W.Warren,1905) (Noctuidae) Synonym(s): *fasciolata* W.Warren,1905
- 7223) *Udea ardekanalis* Amsel,1961 (Pyralidae) Synonym(s): *ardekanalis* Amsel,1961
- 7224) *Udea ferrugalis* (Hübner,1796) (Pyralidae) Synonym(s): *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
- 7225) *Udea fulvalis* (Hübner,[1809]) (Pyralidae) Synonym(s): *fulvalis* Hübner,[1809]; *pronoidalis* Staudinger,1879
- 7226) *Udea mechedalis* (Amsel,1950) (Pyralidae) Synonym(s): *mechedalis* Amsel,1950
- 7227) *Udenopogon inscriptus* Becker,1913 (Asilidae) Synonym(s): *inscriptus* Becker,1913
- 7228) *Ulidia albidipennis* Loew,1845 (Uliidiidae) Synonym(s): *albidipennis* Loew,1845; *atrovirens* Loew,1845
- 7229) *Ulidia melampodia* Loew,1873 (Uliidiidae) Synonym(s): *melampodia* Loew,1873
- 7230) *Ulidia omani* Steyskal,1970 (Uliidiidae) Synonym(s): *omani* Steyskal,1970
- 7231) *Ulidia ruficeps* Becker,1913 (Uliidiidae) Synonym(s): *ruficeps* Becker,1913
- 7232) *Ulidia salonikiensis* Hennig,1940 (Uliidiidae) Synonym(s): *salonikiensis* Hennig,1940
- 7233) *Uliolepis signatoria* (Christoph,1893) (Lymantriidae) Synonym(s): *signatoria* Christoph,1893; *pilosa* W.Warren,1897
- 7234) *Ulochlæna hirta* (Hübner,[1813]) (Noctuidae) Synonym(s): *hirta* Hübner,[1813]
- 7235) *Uncinus hypogryphellus* Amsel,1951 (Pyralidae) Synonym(s): *hypogryphellus* Amsel,1951
- 7236) *Uranotaenia* (Pseudoficalbia) *unguiculata* Edwards,1913 (Culicidae) Synonym(s): *unguiculata* Edwards,1913; *pefflyi* Stone,1961
- 7237) *Uresiphita polygonalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971
- 7238) *Urophora affinis* (Frauenfeld,1857) (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857
- 7239) *Urophora angustifascia* (M.Hering,1956) (Tephritidae) Synonym(s): *angustifascia* M.Hering,1956
- 7240) *Urophora aprica* (Fallén,1820) (Tephritidae) Synonym(s): *aprica* Fallén,1820; *centauriae* R-D.,1830; *scutellata* Rondani,1870
- 7241) *Urophora jaculata* Rondani,1870 (Tephritidae) Synonym(s): *jaculata* Rondani,1870
- 7242) *Urophora melanocera* M.Hering,1938 (Tephritidae) Synonym(s): *melanocera* M.Hering,1938
- 7243) *Urophora pauperata* (Zaitzev,1945) (Tephritidae) Synonym(s): *pauperata* Zaitzev,1945
- 7244) *Urophora phaeocera* (M.Hering,1961) (Tephritidae) Synonym(s): *phaeocera* M.Hering,1961
- 7245) *Urophora quadrifasciata* (Meigen,1826) (Tephritidae) Synonym(s): *quadrifasciata* Meigen,1826; *sjumorum* Rohdendorf,1934
- 7246) *Urophora repeteki* (Munro,1934) (Tephritidae) Synonym(s): *repeteki* Munro,1934
- 7247) *Urophora sirunaseva* (M.Hering,1938) (Tephritidae) Synonym(s): *sirunaseva* M.Hering,1938
- 7248) *Urophora solstitialis* (Linnaeus,1758) (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* R-D.,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907
- 7249) *Urophora stylata* (Fabricius,1775) (Tephritidae) Synonym(s): *stylata* Fabricius,1775; *ciesii* Schrank,1803; *jacobaeae* Panzer,1805; *venerabulata* Rondani,1870; *vulcanica* Rondani,1870; *pia* M.Hering,1938
- 7250) *Urophora tenuior* Hendel,1910 (Tephritidae) Synonym(s): *tenuior* Hendel,1910; *tenuis* Hendel,1910
- 7251) *Urophora xanthippe* (Munro,1934) (Tephritidae) Synonym(s): *xanthippe* Munro,1934
- 7252) *Usia* (Micrusia) *aurata* (Fabricius,1794) (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883
- 7253) *Usia* (Micrusia) *versicolor* (Fabricius,1787) (Bombyliidae) Synonym(s): *versicolor* Fabricius,1787; *hyalipennis* Macquart,1840
- 7254) *Usia* (s.str.) *aenea* (Rossi,1794) (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertész,1900
- 7255) *Usia* (s.str.) *atrata* (Fabricius,1798) (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906
- 7256) *Usia* (s.str.) *crinipes* Becker,1906 (Bombyliidae) Synonym(s): *crinipes* Becker,1906
- 7257) *Usia* (s.str.) *incognita* Paramonov,1950 (Bombyliidae) Synonym(s): *incognita* Paramonov,1950
- 7258) *Usia* (s.str.) *taeniolata* Costa,1883 (Bombyliidae) Synonym(s): *taeniolata* Costa,1883
- 7259) *Utetes magnus* Fischer,1958 (Braconidae) Synonym(s): *magnus* Fischer,1958; *sayanicus* Tobias,1977; *scrutator* Tobias,1977
- 7260) *Utetheisa* (s.str.) *lotrix* (Cramer,[1777]) (Arctiidae) Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941
- 7261) *Utetheisa* (s.str.) *pulchella* (Linnaeus,1758) (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
- 7262) *Uvarovistia* (s.str.) *bakhtiara* (Uvarov,1934) (Tettigoniidae) Synonym(s): *bakhtiara* Uvarov,1934

- 7263) *Uvarovium dirshi* Uvarov,1933 (Acrididae) Synonym(s): *dirshi* Uvarov,1933
- 7264) *Uvarovium femorale* Mishchenko,1945 (Acrididae) Synonym(s): *femorale* Mishchenko,1945
- 7265) *Vachiria natolica* Stal,1859 (Reduviidae) Synonym(s): *natolica* Stal,1859
- 7266) *Vadonia bitlisiensis* (Chevrolat,1882) (Cerambycidae) Synonym(s): *bitlisiensis* Chevrolat,1882
- 7267) *Vadonia unipunctata* (Fabricius,1787) (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787
- 7268) *Valeria carducha* (Wiltshire,1957) (Noctuidae) Synonym(s): *carducha* Wiltshire,1957
- 7269) *Valeria schreieri* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *schreieri* Hacker & Ebert,2002
- 7270) *Valerietta forsteri* Draudt,1938 (Noctuidae) Synonym(s): *forsteri* Draudt,1938
- 7271) *Valva pseudodiscomaculella* (Amsel,1935) (Pyralidae) Synonym(s): *pseudodiscomaculella* Amsel,1935; *candiopella* Amsel,1961
- 7272) *Vanessa (Cynthia) cardui* (Linnaeus,1758) (Argynnidae) Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.
- 7273) *Vanessa (s.str.) atalanta* (Linnaeus,1758) (Argynnidae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczii* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900.
- 7274) *Vartiania senganensis* (Daniel,1949) (Cossidae) Synonym(s): *senganensis* Daniel,1949
- 7275) *Vartiania zarathustra* Yakovlev,2005 (Cossidae) Synonym(s): *zarathustra* Yakovlev,2005
- 7276) *Velia (Plesiovelia) affinis* Kolenati,1856 (Veliidae) Synonym(s): *affinis* Kolenati,1856
- 7277) *Velia (Plesiovelia) mancinii* Tamanini,1947 (Veliidae) Synonym(s): *mancinii* Tamanini,1947
- 7278) *Velia nervosa* Horvath,1896 (Veliidae) Synonym(s): *nervosa* Horvath,1896
- 7279) *Ventocoris (Astirocoris) armeniacus* (Kiritshenko,1938) (Pentatomidae) Synonym(s): *armeniaceus* Kiritshenko,1938
- 7280) *Ventocoris (Astirocoris) hulbifer* Seidenstücker,1964 (Pentatomidae) Synonym(s): *bulbifer* Seidenstücker,1964
- 7281) *Ventocoris (Astirocoris) ceriferus* (Horvath,1889) (Pentatomidae) Synonym(s): *ceriferus* Horvath,1889
- 7282) *Ventocoris (Astirocoris) fischeri* (Herrich-Schäffer,1851) (Pentatomidae) Synonym(s): *fischeri* Herrich-Schäffer,1851; *baerensprungii* Stal,1860; *lehmanni* Fieber,1864; *umbrosum* Jakovlev,1882; *confusum* Kirby,1892
- 7283) *Ventocoris (Astirocoris) modestus* (Jakovlev,1880) (Pentatomidae) Synonym(s): *modestus* Jakovlev,1880; *martini* Horvath,1889
- 7284) *Ventocoris (Astirocoris) oblongus* (Horvath,1889) (Pentatomidae) Synonym(s): *oblongus* Horvath,1889
- 7285) *Ventocoris (Astirocoris) oschanini* (Horvath,1889) (Pentatomidae) Synonym(s): *oschanini* Horvath,1889
- 7286) *Ventocoris (Astirocoris) putoni* (Jakovlev,1877) (Pentatomidae) Synonym(s): *putoni* Jakovlev,1877; *stali* Reuter,1881
- 7287) *Ventocoris (s.str.) advenus* (Horvath,1896) (Pentatomidae) Synonym(s): *advenus* Horvath,1896
- 7288) *Ventocoris (s.str.) horvathi* (Puton,1896) (Pentatomidae) Synonym(s): *horvathi* Puton,1896
- 7289) *Ventocoris (s.str.) trigonus* (Krynicky,1871) (Pentatomidae) Synonym(s): *trigonus* Krynicky,1871
- 7290) *Verdanus pazoukii* (Dlabola,1980) (Cicadellidae) Synonym(s): *pazoukii* Dlabola,1980
- 7291) *Veribubo albinus* (Becker,1913) (Bombyliidae) Synonym(s): *albinus* Becker,1913
- 7292) *Veribubo mesasiaticus* (Zaitzev,1973) (Bombyliidae) Synonym(s): *mesasiaticus* Zaitzev,1973
- 7293) *Veribubo misellus* (Loew,1869) (Bombyliidae) Synonym(s): *misellus* Loew,1869
- 7294) *Vespa crabro* Linnaeus,1758 (Vespidae) Synonym(s): *crabro* Linnaeus,1758; *germana* Christ,1791
- 7295) *Vespa orientalis* Linnaeus,1771 (Vespidae) Synonym(s): *orientalis* Linnaeus,1771; *turcica* Drury,1773; *quadripunctata* Forskal,1775; *fusca* Christ,1791; *aegyptiaca* Vallot,1802; *nilotica* Vallot,1802; *jurinei* Saussure,1854; *zavattarii* Guiglia & Capra,1933; *somalica* Giordani Soika,1934; *arabica* Giordani Soika,1957
- 7296) *Vespula germanica* (Fabricius,1793) (Vespidae) Synonym(s): *germanica* Fabricius,1793
- 7297) *Vespula vulgaris* (Linnaeus,1758) (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758; *sexcincta* Panzer,1799; *communis* Saussure,1857 nec Schr.,1785; *alascensis* Packard,1870; *westwoodii* Shipp,1893; *pseudogermanica* Stolf,1932
- 7298) *Victrix (Rasihia) boursini* (Draudt,1936) (Noctuidae) Synonym(s): *boursini* Draudt,1936
- 7299) *Victrix (Rasihia) conspersa* (Christoph,1893) (Noctuidae) Synonym(s): *conspersa* Christoph,1893; *forsteri* Brandt,1941.
- 7300) *Victrix (Rasihia) macrosema* (Boursin,1957) (Noctuidae) Synonym(s): *macrosema* Boursin,1957
- 7301) *Victrix (Rasihia) sassanica* Wiltshire,1961 (Noctuidae) Synonym(s): *sassanica* Wiltshire,1961
- 7302) *Victrix (Rasihia) tabora* (Staudinger,1892) (Noctuidae) Synonym(s): *tabora* Staudinger,1892
- 7303) *Viettea terstrigella* (Christoph,1877) (Pyralidae) Synonym(s): *terstrigella* Christoph,1877
- 7304) *Villa abbadon* (Fabricius,1794) (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794
- 7305) *Villa albula* (Loew,1869) (Bombyliidae) Synonym(s): *albula* Loew,1869; *gracilis* Ringdahl,1915
- 7306) *Villa brunnea* Becker,1916 (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916
- 7307) *Villa cana* (Meigen,1804) (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820
- 7308) *Villa chorassani* (Becker & Stein,1913) (Bombyliidae) Synonym(s): *mediseeta* Pandelle,1899; *chorassani* Becker & Stein,1913
- 7309) *Villa cingulata* (Meigen,1804) (Bombyliidae) Synonym(s): *cingulata* Meigen,1804
- 7310) *Villa haesitans* Becker,1916 (Bombyliidae) Synonym(s): *haesitans* Becker,1916
- 7311) *Villa hottentotta* (Linnaeus,1758) (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780
- 7312) *Villa ixion* (Fabricius,1794) (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869
- 7313) *Villa kuehlhorni* François,1969 (Bombyliidae) Synonym(s): *interlatens* Walker,1853; *kuehlhorni* François,1969
- 7314) *Villa melanura* (Loew,1869) (Bombyliidae) Synonym(s): *melanura* Loew,1869
- 7315) *Villa merlei* François,1969 (Bombyliidae) Synonym(s): *merlei* François,1969
- 7316) *Villa modesta* (Meigen,1820) (Bombyliidae) Synonym(s): *modesta* Meigen,1820
- 7317) *Villa niphobleta* (Loew,1869) (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916
- 7318) *Villa sesivora* Greathead & Karimpour,2006 (Bombyliidae) Synonym(s): *sesivora* Greathead & Karimpour,2006
- 7319) *Villa tomentosa* Becker,1916 (Bombyliidae) Synonym(s): *tomentosa* Becker,1916
- 7320) *Villa turcomanus* (Paramonov,1927) (Bombyliidae) Synonym(s): *turcomanus* Paramonov,1927
- 7321) *Villa ventruosa* (Loew,1869) (Bombyliidae) Synonym(s): *ventruosa* Loew,1869
- 7322) *Vladimirea (Distinxia) amseli* Povolny,1967 (Gelechiidae) Synonym(s): *amseli* Povolny,1967
- 7323) *Vladimirea (s.str.) glebicolorella* (Erschoff,1874) (Gelechiidae) Synonym(s): *glebicolorella* Erschoff,1874; *submaculata* Povolny,1967.
- 7324) *Vladimirea (s.str.) kahirica* Povolny,1969 (Gelechiidae) Synonym(s): *kahirica* Povolny,1969
- 7325) *Vladimirea (s.str.) magna* Povolny,1969 (Gelechiidae) Synonym(s): *magna* Povolny,1969
- 7326) *Vladimirea (s.str.) stepicola* Povolny,1976 (Gelechiidae) Synonym(s): *stepicola* Povolny,1976
- 7327) *Vladimirea (s.str.) zygophylli* Kuznetsov,1960 (Gelechiidae) Synonym(s): *zygophylli* Kuznetsov,1960
- 7328) *Vladimirea (s.str.) zygophyllivorella* Kuznetsov,1960 (Gelechiidae) Synonym(s): *zygophyllivorella* Kuznetsov,1960

- 7329) Volucella inanis (Linnaeus,1758)** (Syrphidae) Synonym(s): *inanis* Linnaeus,1758; *trifasciata* Scopoli,1763; *apivora* DeGeer,1776; *annulata* Harris,[1776]; *micans* Fabricius,1794
- 7330) Volucella zonaria (Poda,1761)** (Syrphidae) Synonym(s): *zonaria* Poda,1761; *bifasciata* Scopoli,1763; *valentina* Müller,1766; *inanis* Fabricius,1794 nec Linn.; *fasciata* Herrich-Schäffer,1829; *beckeri* Van der Goot,1961
- 7331) Vulcaniella schultzei (Amsel,1958)** (Cosmopterigidae) Synonym(s): *schultzei* Amsel,1958
- 7332) Watsonarctia deserta (Bartel,1902)** (Arctiidae) Synonym(s): *casta* Esper,[1784] nec Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperi* Koçak,1980.
- 7333) Wheeleria elbursi (Arenberger,1981)** (Pterophoridae) Synonym(s): *elbursi* Arenberger,1981
- 7334) Wheeleria kabuli (Arenberger,1981)** (Pterophoridae) Synonym(s): *kabuli* Arenberger,1981
- 7335) Wheeleria obsoleta (Zeller,1841)** (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970.
- 7336) Wheeleria phlomidis (Staudinger,1871)** (Pterophoridae) Synonym(s): *phlomidis* Staudinger,1871
- 7337) Wheeleria sobeidae (Arenberger,1981)** (Pterophoridae) Synonym(s): *sobeidae* Arenberger,1981
- 7338) Wheeleria spilodactyla (Curtis,1827)** (Pterophoridae) Synonym(s): *spilodactyla* Curtis,1827; *marrubii* Heydenreich,1851.
- 7339) Wiltshireola disrupta (Wiltshire,1952)** (Noctuidae) Synonym(s): *disrupta* Wiltshire,1952
- 7340) Witlesia pallida (Curtis,1827)** (Pyralidae) Synonym(s): *pallida* Curtis,1827; *oertzeniella* Herrich-Schäffer,1848
- 7341) Wittia sororcula (Hufnagel,1766)** (Arctiidae) Synonym(s): *sororcula* Hufnagel,1766; *crocella* Fourcroy,1785; *crocinea* Villers,1789; *aureola* Hübner,[1808]; *aurantia* Haworth,1809.
- 7342) Xanthia (Cirrhia) ocellaris (Borkhausen,1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
- 7343) Xanthia icteritia (Hufnagel,1766)** (Noctuidae) Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788].
- 7344) Xanthocrambus saxonellus (Zincken,1821)** (Pyralidae) Synonym(s): *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888
- 7345) Xanthodes albago (Fabricius,1794)** (Noctuidae) Synonym(s): *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858.
- 7346) Xanthogramma laetum (Fabricius,1794)** (Syrphidae) Synonym(s): *laetum* Fabricius,1794; *udege* Violenitsch,1975
- 7347) Xanthogramma maculipenne Mik,1887** (Syrphidae) Synonym(s): *maculipenne* Mik,1887
- 7348) Xanthogramma pedissequum (Harris,1776)** (Syrphidae) Synonym(s): *pedissequum* Harris,1776
- 7349) Xanthorhoe acutangulata (Christoph,1887)** (Geometridae) Synonym(s): *acutangulata* Christoph,1887
- 7350) Xanthorhoe fluctuata (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
- 7351) Xanthorhoe peribleta (Brandt,1941)** (Geometridae) Synonym(s): *peribleta* Brandt,1941
- 7352) Xanthorhoe rectifasciaria (Lederer,1853)** (Geometridae) Synonym(s): *rectifasciaria* Lederer,1853; *orthogrammaria* Guenée,[1858]
- 7353) Xanthorhoe rhodoides (Brandt,1941)** (Geometridae) Synonym(s): *rhodoides* Brandt,1941
- 7354) Xanthorhoe wiltshirei (Brandt,1941)** (Geometridae) Synonym(s): *wiltshirei* Brandt,1941
- 7355) Xenochlorodes albicostaria Brandt,1938** (Geometridae) Synonym(s): *albicostaria* Brandt,1938
- 7356) Xenochlorodes graminaria (Kollar,[1849])** (Geometridae) Synonym(s): *graminaria* Kollar,[1849]
- 7357) Xenopachys matthiesseni (Reitter,1907)** (Cerambycidae) Synonym(s): *matthiesseni* Reitter,1907
- 7358) Xenophysa junctimacula (Christoph,1887)** (Noctuidae) Synonym(s): *junctimacula* Christoph,1887; *cacumena* Brandt,1938.
- 7359) Xeramoeba lepida (Hermann,1907)** (Bombyliidae) Synonym(s): *lepida* Hermann,1907
- 7360) Xeramoeba pallipes (Loew,1869)** (Bombyliidae) Synonym(s): *pallipes* Loew,1869
- 7361) Xeramoeba sabulonis (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis* Becker,1906
- 7362) Xeramoeba semirufa (Sack,1909)** (Bombyliidae) Synonym(s): *semirufa* Sack,1909
- 7363) Xeromyia pseudoxygona (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): *pseudoxygona* Rohdendorf,1925; *cisoxiana* Rohdendorf,1927
- 7364) Xeromyia xanthopoda (Rohdendorf,1925)** (Sarcophagidae) Synonym(s): *xanthopoda* Rohdendorf,1925
- 7365) Xestia (Megasema) c-nigrum (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 7366) Xestia (Megasema) ditrapezium ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#ditrapezium* [Denis & Schiffermüller],1775
- 7367) Xestia (s.str.) baja ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *baja* [Denis & Schiffermüller],1775
- 7368) Xestia (s.str.) cohaesa (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 7369) Xestia (s.str.) kecskerago Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *kecskerago* Gyulai & L.Ronkay,2006
- 7370) Xestia (s.str.) palaestinensis (Kalchberg,1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898.
- 7371) Xestia (s.str.) pallidago (Staudinger,1900)** (Noctuidae) Synonym(s): *pallidago* Staudinger,1900
- 7372) Xestia (s.str.) sareptana (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 7373) Xestia (s.str.) xanthographa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 7374) Xylena exsoleta (Linnaeus,1758)** (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 7375) Xylocopa (Coproxylo) iris (Christ,1791)** (Apidae) Synonym(s): *iris* Christ,1791; *nasuta* Christ,1791; *cyanescens* Brullé,1832; *taurica* Erichson,1841; *minuta* Lepeletier,1841; *canuta* Rondani,1874; *virescentis* Strand,1917; *aliceae* Cockerell,1931
- 7376) Xylocopa (Koptortosoma) pubescens Spinola,1838** (Apidae) Synonym(s): *pubescens* Spinola,1838; *rubida* Gribodo,1884
- 7377) Xylocopa (Proxycopa) nitidiventris Smith,1878** (Apidae) Synonym(s): *nitidiventris* Smith,1878
- 7378) Xylocopa (Proxycopa) olivieri Lepeletier,1841** (Apidae) Synonym(s): *olivieri* Lepeletier,1841
- 7379) Xylocopa (Proxycopa) rufa Friese,1901** (Apidae) Synonym(s): *rufa* Friese,1901; *erivaniensis* Pérez,1901
- 7380) Xylocopa (s.str.) valga Gerstaecker,1872** (Apidae) Synonym(s): *valga* Gerstaecker,1872; *ramulorum* Rondani,1874; *convexa* Smith,1878
- 7381) Xylocopa (s.str.) varentzowi Morawitz,1895** (Apidae) Synonym(s): *varentzowi* Morawitz,1895; *afghanica* Hedicke,1938; *convexior* Hedicke,1940
- 7382) Xylocopa (s.str.) violacea (Linnaeus,1758)** (Apidae) Synonym(s): *violacea* Linnaeus,1758; *insubrica* Müller,1766; *femorata* Fabricius,1804

- 7383) *Xylogenes dilatatus* (Reitter,1889) (Bostrichidae) Synonym(s): *dilatatus* Reitter,1889
 7384) *Xylomoia apameaoides* (Hacker,1989) (Noctuidae) Synonym(s): *apameaoides* Hacker,1989
 7385) *Xylomya trinitata* (Bigot,1880) (Xylomyidae) Synonym(s): *trinitata* Bigot,1880
 7386) *Xylotrechus antilope* (Schönherr,1817) (Cerambycidae) Synonym(s): *antilope* Schönherr,1817
 7387) *Xylotrechus arvicola* (Olivier,1795) (Cerambycidae) Synonym(s): *arvicola* Olivier,1795
 7388) *Xylotrechus ilamensis* Holzschuh,1979 (Cerambycidae) Synonym(s): *ilamensis* Holzschuh,1979
 7389) *Xylotrechus rusticus* (Linnaeus,1758) (Cerambycidae) Synonym(s): *rusticus* Linnaeus,1758
 7390) *Xyphosia miliaria* (Schrank,1781) (Tephritidae) Synonym(s): *miliaria* Schrank,1781; *punctipennis* Hendel,1927; *orientalis* M.Hering,1936; *balcanica* Drensky,1943
 7391) *Yerohama maculata* (Meigen,1835) (Sarcophagidae) Synonym(s): *maculata* Meigen,1835
 7392) *Yponomeuta padellus* (Linnaeus,1758) (Yponomeutidae) Synonym(s): *padella* Linnaeus,1758; *evonymella* Scopoli,1763 nec Linn.,1758; *malinella* Zeller,1838; *variabilis* Zeller,1844; *diffuellus* Heinemann,1870.
 7393) *Ypsolopha albidorsella* (Staudinger,1879) (Yponomeutidae) Synonym(s): *albidorsella* Staudinger,1879
 7394) *Ypsolopha instabilella* (Mann,1866) (Yponomeutidae) Synonym(s): *instabilella* Mann,1866
 7395) *Ypsolopha kotzschii* (Toll,1947) (Yponomeutidae) Synonym(s): *kotzschii* Toll,1947
 7396) *Ypthima asterope* (Klug,1832) (Satyridae) Synonym(s): *asterope* Klug,1832; *marlenii* Kattulas & Koutsaftikis,1978.
 7397) *Ypthima bolanica* Marschall,1882 (Satyridae) Synonym(s): *bolanica* Marschall,1882
 7398) *Zabrus morio* Mandrias,1832 (Carabidae) Synonym(s): *morio* Mandrias,1832
 7399) *Zabrus tenebrioides* (Goeze,1777) (Carabidae) Synonym(s): *tenebrioides* Goeze,1777
 7400) *Zagrosia davatchii* Descamps,1967 (Acrididae) Synonym(s): *davatchii* Descamps,1967
 7401) *Zagrosia nigrofasciata* Descamps,1967 (Acrididae) Synonym(s): *nigrofasciata* Descamps,1967
 7402) *Zagrosiella moralesi* Mirzayans,1991 (Tettigoniidae) Synonym(s): *moralesi* Mirzayans,1991
 7403) *Zamarada minimaria* Swinhoe,1895 (Geometridae) Synonym(s): *minimaria* Swinhoe,1895; *iranica* Brandt,1941
 7404) *Zaprionus indianus* Gupta,1970 (Drosophilidae) Synonym(s): *indianus* Gupta,1970
 7405) *Zarudnya fusca* Melichar,1902 (Flatidae) Synonym(s): *fusca* Melichar,1902
 7406) *Zarudnya interstitialis* Melichar,1902 (Flatidae) Synonym(s): *interstitialis* Melichar,1902
 7407) *Zegris eupheme* (Esper,[1804]) (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erethoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].
 7408) *Zegris fausti* Christoph,1877 (Pieridae) Synonym(s): *fausti* Christoph,1877; *#decolorata* Verity,1908.
 7409) *Zeiraphera smaragdina* Razowski,1963 (Tortricidae) Synonym(s): *smaragdina* Razowski,1963
 7410) *Zekelita* (Ravalita) *amseloides* Hacker & Ebert,2002 (Noctuidae) Synonym(s): *amseloides* Hacker & Ebert,2002
 7411) *Zekelita* (Ravalita) *ravalis* (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
 7412) *Zekelita* (Rhynchodontodes) *antiqualis* (Hübner,[1809]) (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquis* Zukowsky,1941
 7413) *Zekelita* (Rhynchodontodes) *orientis* (Brandt,1938) (Noctuidae) Synonym(s): *orientis* Brandt,1938
 7414) *Zekelita* (Rhynchodontodes) *ravulalis* (Staudinger,1879) (Noctuidae) Synonym(s): *ravulalis* Staudinger,1879
 7415) *Zerynthia* (Allancastrina) *deyrollei* (Oberthür,1869) (Papilionidae) Synonym(s): *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927.
 7416) *Zerynthia* (Allancastrina) *louristana* (Le Cerf,1908) (Papilionidae) Synonym(s): *louristana* Le Cerf,1908; *hermanni* Stichel,1910.
 7417) *Zethes brandti* Janzon,1977 (Noctuidae) Synonym(s): *nemea* Brandt,1938 (p.p.); *nemea* sensu Koçak,1977; *brandti* Janzon,1977.
 7418) *Zethes insularis* Rambur,1833 (Noctuidae) Synonym(s): *insularis* Rambur,1833
 7419) *Zethes narghisa* Brandt,1938 (Noctuidae) Synonym(s): *narghisa* Brandt,1938
 7420) *Zethes nemea* Brandt,1938 (Noctuidae) Synonym(s): *nemea* Brandt,1938
 7421) *Zeuzera multistrigata* Moore,1881 (Cossidae) Synonym(s): *multistrigata* Moore,1881; *leuconotum* Butler,1881
 7422) *Zicrona caerulea* (Linnaeus,1758) (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851
 7423) *Zizeeria* (s.str.) *karsandra* (Moore,1865) (Lycaenidae) Synonym(s): *karsandra* Moore,1865
 7424) *Zodion carceli* R-D.,1830 (Conopidae) Synonym(s): *carceli* R-D.,1830
 7425) *Zodion cinereum* (Fabricius,1794) (Conopidae) Synonym(s): *cinereum* Fabricius,1794; *notatum* Meigen,1804; *frontalis* Fabricius,1805; *tibiale* Fabricius,1805; *conopsoides* Latreille,1809; *subapertum* Rondani,1868
 7426) *Zodion notatum* (Meigen,1804) (Conopidae) Synonym(s): *notatum* Meigen,1804; *irroratum* Fabricius,1805; *tessellatum* Fabricius,1805
 7427) *Zonitis flava* Fabricius,1775 (Meloidae) Synonym(s): *flava* Fabricius,1775; *praeusta* Fabricius,1792; *thoracica* Laporte,1840
 7428) *Zonora argentalis* (Hampson,1900) (Pyralidae) Synonym(s): *argentalis* Hampson,1900; *biscraeensis* Caradja,1916
 7429) *Zoodes compressus* (Fabricius,1787) (Cerambycidae) Synonym(s): *compressus* Fabricius,1787; *soraya* Breuning & Villiers,1974
 7430) *Zophosis* (Oculosis) *punctata* Brullé,1832 (Tenebrionidae) Synonym(s): *punctata* Brullé,1832
 7431) *Zophosis* (Septentriophosis) *rugosa* Faldermann,1837 (Tenebrionidae) Synonym(s): *rugosa* Faldermann,1837
 7432) *Zophosis asiatica* Miller,1861 (Tenebrionidae) Synonym(s): *asiatica* Miller,1861
 7433) *Zophosis persica* Kraatz,1882 (Tenebrionidae) Synonym(s): *persica* Kraatz,1882; *ardistana* Reitter,1916
 7434) *Zygaena* (Agrumenia) *carniolica* (Scopoli,1763) (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909
 7435) *Zygaena* (Agrumenia) *chirazica* H.Reiss,1938 (Zygaenidae) Synonym(s): *chirazica* H.Reiss,1938
 7436) *Zygaena* (Agrumenia) *christa* Reiss & Schulte,1967 (Zygaenidae) Synonym(s): *christa* Reiss & Schulte,1967
 7437) *Zygaena* (Agrumenia) *escalera* Poujade,1900 (Zygaenidae) Synonym(s): *escalera* Poujade,1900
 7438) *Zygaena* (Agrumenia) *haberhaueri* Lederer,1870 (Zygaenidae) Synonym(s): *haberhaueri* Lederer,1870
 7439) *Zygaena* (Agrumenia) *loti* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777
 7440) *Zygaena* (Agrumenia) *olivieri* Boisduval,1828 (Zygaenidae) Synonym(s): *olivieri* Boisduval,1828; *cremonae* Seitz,1907
 7441) *Zygaena* (Agrumenia) *rosinae* Korb,1903 (Zygaenidae) Synonym(s): *rosinae* Korb,1903
 7442) *Zygaena* (Agrumenia) *saadii* H.Reiss,1938 (Zygaenidae) Synonym(s): *saadii* H.Reiss,1938

- 7443) *Zygaena* (*Agrumenia*) *sengana* Holik & Sheljuzhko, 1956 (*Zygaenidae*) Synonym(s): *sengana* Holik & Sheljuzhko, 1956
- 7444) *Zygaena* (*Agrumenia*) *tenhagenova* A. Hofmann, 2005 (*Zygaenidae*) Synonym(s): *tenhagenova* A. Hofmann, 2005
- 7445) *Zygaena* (*Agrumenia*) *truchmena* Eversmann, 1854 (*Zygaenidae*) Synonym(s): *truchmena* Eversmann, 1854; *carbuncula* Burgeff, 1926
- 7446) *Zygaena* (*Mesembrynus*) *aisha* Naumann & Naumann, 1980 (*Zygaenidae*) Synonym(s): *aisha* Naumann & Naumann, 1980
- 7447) *Zygaena* (*Mesembrynus*) *cacuminum* Christoph, 1877 (*Zygaenidae*) Synonym(s): *cacuminum* Christoph, 1877
- 7448) *Zygaena* (*Mesembrynus*) *cambysea* Lederer, 1870 (*Zygaenidae*) Synonym(s): *cambysea* Lederer, 1870
- 7449) *Zygaena* (*Mesembrynus*) *cuvieri* Boisduval, 1828 (*Zygaenidae*) Synonym(s): *cuvieri* Boisduval, 1828
- 7450) *Zygaena* (*Mesembrynus*) *excellens* Reiss, 1940 (*Zygaenidae*) Synonym(s): *excellens* Reiss, 1940
- 7451) *Zygaena* (*Mesembrynus*) *fredi* Reiss, 1938 (*Zygaenidae*) Synonym(s): *fredi* Reiss, 1938
- 7452) *Zygaena* (*Mesembrynus*) *haematina* Kollar, [1849] (*Zygaenidae*) Synonym(s): *haematina* Kollar, [1849]
- 7453) *Zygaena* (*Mesembrynus*) *manlia* Lederer, 1870 (*Zygaenidae*) Synonym(s): *manlia* Lederer, 1870
- 7454) *Zygaena* (*Mesembrynus*) *minos* ([Denis & Schiffermüller], 1775) (*Zygaenidae*) Synonym(s): *minos* [Denis & Schiffermüller], 1775.
- 7455) *Zygaena* (*Mesembrynus*) *nocturna* Ebert, 1974 (*Zygaenidae*) Synonym(s): *nocturna* Ebert, 1974
- 7456) *Zygaena* (*Mesembrynus*) *rubricollis* Hampson, 1900 (*Zygaenidae*) Synonym(s): *rubricollis* Hampson, 1900
- 7457) *Zygaena* (*Mesembrynus*) *seitzi* H. Reiss, 1938 (*Zygaenidae*) Synonym(s): *seitzi* H. Reiss, 1938
- 7458) *Zygaena* (*Mesembrynus*) *speciosa* Reiss, 1937 (*Zygaenidae*) Synonym(s): *speciosa* Reiss, 1937; *#suleimanicola* Reiss, 1938.
- 7459) *Zygaena* (*Mesembrynus*) *tamara* Christoph, 1889 (*Zygaenidae*) Synonym(s): *tamara* Christoph, 1889
- 7460) *Zygaena* (s.str.) *dorycnii* Ochsenheimer, 1808 (*Zygaenidae*) Synonym(s): *dorycnii* Ochsenheimer, 1808
- 7461) *Zygaena* (s.str.) *ecki* Christoph, 1882 (*Zygaenidae*) Synonym(s): *ecki* Christoph, 1882
- 7462) *Zygaena* (s.str.) *filipendulae* (Linnaeus, 1758) (*Zygaenidae*) Synonym(s): *filipendulae* Linnaeus, 1758; *aries* Retzius, 1783
- 7463) *Zygaena* (s.str.) *lonicerae* (Scheven, 1777) (*Zygaenidae*) Synonym(s): *lonicerae* Scheven, 1777; *graminis* Villers, 1789; *rechei* Dujardin, 1965; *microdoxa* Dujardin, 1965
- 7464) *Zygaena* (s.str.) *naumanni* Hille & Keil, 1999 (*Zygaenidae*) Synonym(s): *naumanni* Hille & Keil, 1999
- 7465) *Zygaena* (s.str.) *viciae* ([Denis & Schiffermüller], 1775) (*Zygaenidae*) Synonym(s): *viciae* [Denis & Schiffermüller], 1775; *meliloti* Esper, 1789; *buglossi* Boisduval, 1829
- 7466) *Zygaenoprocris* (*Efetovia*) *fredi* (Alberti, 1939) (*Zygaenidae*) Synonym(s): *fredi* Alberti, 1939
- 7467) *Zygaenoprocris* (*Molletia*) *duskei* (Groum-Grshimailo, 1902) (*Zygaenidae*) Synonym(s): *duskei* Groum-Grshimailo, 1902; *sengana* Alberti, 1939
- 7468) *Zygaenoprocris* (*Molletia*) *persepolis* (Alberti, 1938) (*Zygaenidae*) Synonym(s): *persepolis* Alberti, 1938
- 7469) *Zygaenoprocris* (*Molletia*) *taftana* (Alberti, 1939) (*Zygaenidae*) Synonym(s): *taftana* Alberti, 1939
- 7470) *Zygaenoprocris* (s.str.) *chalcoclora* (Hampson, 1900) (*Zygaenidae*) Synonym(s): *chalcoclora* Hampson, 1900; *mystrocera* Püngeler, 1914; *chorassana* Alberti, 1939
- 7471) *Zygaenoprocris* (s.str.) *rjabovi* (Alberti, 1938) (*Zygaenidae*) Synonym(s): *rjabovi* Alberti, 1938
- 7472) *Zygina* (s.str.) *discolor* Horvath, 1897 (*Cicadellidae*) Synonym(s): *discolor* Horvath, 1897; *#discolor* Lodos & Kalkandelen, 1984
- 7473) *Zygina* (s.str.) *nivea* (Mulsant & Rey, 1855) (*Cicadellidae*) Synonym(s): *nivea* Mulsant & Rey, 1855; *punctulum* Mulsant & Rey, 1855; *cruoris* Rey, 1891; *dorsuaria* Ribaut, 1936; *nycthemera* Ribaut, 1936
- 7474) *Zyginidia* (s.str.) *sohrab* Zachvatkin, 1947 (*Cicadellidae*) Synonym(s): *sohrab* Zachvatkin, 1947; *coacta* Ribaut, 1948
- 7475) *Zyziphoides* *virens* (Haupt, 1927) (*Cicadellidae*) Synonym(s): *virens* Haupt, 1927

IRAQ (2090 SPECIES)

- 1) *Ablattaria* *arenaria* (Kraatz, 1876) (*Silphidae*) Synonym(s): *arenaria* Kraatz, 1876; *punctigera* Reitter, 1885; *alleoni* Portevin, 1926
- 2) *Abrostola* *clarissa* (Staudinger, 1900) (*Noctuidae*) Synonym(s): *clarissa* Staudinger, 1900
- 3) *Acanthacalis* *mesopotamica* Hölzel, 1972 (*Myrmeleontidae*) Synonym(s): *mesopotamica* Hölzel, 1972
- 4) *Acantholipes* *regularis* (Hübner, [1813]) (*Noctuidae*) Synonym(s): *regularis* Hübner, [1813]
- 5) *Acherontia* *atropos* (Linnaeus, 1758) (*Sphingidae*) Synonym(s): *atropos* Linnaeus, 1758; *solani* Oken, 1815; *sculda* Kirby, 1877.
- 6) *Acherontia* *styx* (Westwood, 1847) (*Sphingidae*) Synonym(s): *styx* Westwood, 1847; *ariel* Boisduval, [1875]; *#stax* Lewvanich, 2001
- 7) *Achyra* *nudalis* (Hübner, 1796) (*Pyrallidae*) Synonym(s): *nudalis* Hübner, 1796; *interpunctalis* Hübner, 1796; *unipunctalis* Duponchel, 1831; *bipunctalis* Duponchel, 1831; *pauciferalis* Walker, 1865; *nodalis* Gundlach, 1891; *ochromorpha* Lower, 1901
- 8) *Achyra* *ochrofascialis* (Christoph, 1882) (*Pyrallidae*) Synonym(s): *ochrofascialis* Christoph, 1882; *#ochrifascialis* Wiltshire, 1957.
- 9) *Acinopus* *megacephalus* (P. Rossi, 1794) (*Carabidae*) Synonym(s): *megacephalus* P. Rossi, 1794
- 10) *Acleris* *variegana* ([Denis & Schiffermüller], 1775) (*Tortricidae*) Synonym(s): *variegana* [Denis & Schiffermüller], 1775; *asperana* Fabricius, 1777; *osbeckiana* Thunberg, 1784; *nyctemerana* Hübner, [1817]; *blandiana* Charpentier, 1821; *blandana* Hübner, [1825]; *cirrana* Curtis, 1835; *albana* Humpreys & Westwood, 1845; *insignana* Herrich-Schäffer, 1851.
- 11) *Acmaeodera* (s.str.) *flavolineata* Laporte & Gory, 1835 (*Buprestidae*) Synonym(s): *flavolineata* Laporte & Gory, 1835; *dorsalis* Spinola, 1838; *sturalis* Gory, 1840; *bivitis* Frivaldsky, 1912; *krueperi* Obenberger, 1926
- 12) *Acontia* (*Emmelia*) *trabealis* (Scopoli, 1763) (*Noctuidae*) Synonym(s): *trabealis* Scopoli, 1763; *arabica* Hufnagel, 1766; *sulphuralis* Linnaeus, 1767; *sulphurea* [Denis & Schiffermüller], 1775; *lugubris* Fabricius, 1777; *histrionella* Goeze, 1783; *arlequinetta* Fourcroy, 1785; *trabeata* Borkhausen, 1790; *pardalina* Walker, 1865; *deleta* Staudinger, 1877; *flavonitens* Austaut, 1880; *algira* Oberthür, 1881
- 13) *Acontia* (s.str.) *biskrensis* (Oberthür, 1887) (*Noctuidae*) Synonym(s): *biskrensis* Oberthür, 1887; *orientalis* Brandt, 1939; *agacinoi* Rungs, 1945; *grisescens* Rebel, 1948

- 14) **Acontia (s.str.) lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpharaky,1889; *heliadora* Schawerda,1923
- 15) **Acontia (Uracontia) titania (Esper,[1798])** (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
- 16) **Acontiola moldavicola (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874
- 17) **Aconura volgensis Lethierry,1876** (Cicadellidae) Synonym(s): *volgensis* Lethierry,1876
- 18) **Aconurella prolixa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (*praeocc.*); *sanguisuga* Lindberg,1927; *obtus* Metcalf,1955
- 19) **Acrobasis atrisquamella Ragonot,1887** (Pyralidae) Synonym(s): *atrisquamella* Ragonot,1887; *nigrisquamella* Amsel,1953
- 20) **Acrobyla kneuckeri (Rebel,1903)** (Noctuidae) Synonym(s): *kneuckeri* Rebel,1903; *turcorum* C.G.Krüger,1939 *nec* Zny.; *gloriosa* Rungs,1945
- 21) **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937
- 22) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 23) **Acronicta (Triaena) pasiphae Draudt,1936** (Noctuidae) Synonym(s): *pasiphae* Draudt,1936
- 24) **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 25) **Acrorrhinium conspersum Noualhier,1895** (Miridae) Synonym(s): *conspersum* Noualhier,1895
- 26) **Acrosternum breviceps (Jakovlev,1890)** (Pentatomidae) Synonym(s): *breviceps* Jakovlev,1890; *sahlbergi* Reuter,1900; *satunini* Jakovlev,1903; *bactriana* Kiritschenko,1912
- 27) **Acrosternum millieri (Mulsant & Rey,1866)** (Pentatomidae) Synonym(s): *millieri* Mulsant & Rey,1866; *forbesi* Distant,1884; *putoni* Vidal,1949
- 28) **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *infictus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958
- 29) **Actenia brunnealis (Treitschke,1829)** (Pyralidae) Synonym(s): *brunnealis* Treitschke,1829; *phaealis* Hampson,1900.
- 30) **Actenia honestalis (Treitschke,1829)** (Pyralidae) Synonym(s): *honestalis* Treitschke,1829
- 31) **Acteniopsis kurdistanella Amsel,1959** (Pyralidae) Synonym(s): *kurdistanella* Amsel,1959; *#unicolorella* Amsel,1961.
- 32) **Actorthia olivierii (Macquart,1840)** (Theravidae) Synonym(s): *olivierii* Macquart,1840
- 33) **Adela antilyca (Meyrick,1936)** (Adelidae) Synonym(s): *antilyca* Meyrick,1936
- 34) **Adelostoma (Zarudnyomus) grande Haag-Rutenberg,1879** (Tenebrionidae) Synonym(s): *grande* Haag-Rutenberg,1879; *persis* Semenov & Bogatshev,1947; *perissinottoi* Canzoneri,1965
- 35) **Adesmia (s.str.) mesopotamica Chevrolat,1877** (Tenebrionidae) Synonym(s): *mesopotamica* Chevrolat,1877
- 36) **Adesmia (s.str.) ramburi Solier,1835** (Tenebrionidae) Synonym(s): *ramburi* Solier,1835
- 37) **Adoretus irakanus Ohaus,1928** (Scarabaeidae) Synonym(s): *irakanus* Ohaus,1928
- 38) **Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862.
- 39) **Aedes (Aedimorphus) vexans (Meigen,1830)** (Culicidae) Synonym(s): *vexans* Meigen,1830; *parvus* Macquart,1834; *articulatus* Rondani,1872; *malariae* Grassi,1898; *sylvestris* Theobald,1901; *montcalmi* Blanchard,1905; *minuta* Theobald,1907; *eruthrosops* Theobald,1910; *sudanensis* Theobald,1911; *euochrus* Howard, Dyar & Knab,1917
- 40) **Aedes (Ochlerotatus) caspius (Pallas,1771)** (Culicidae) Synonym(s): *caspius* Pallas,1771; *punctatus* Meigen,1804; *siculus* R-D.,1827; *maculiventris* Macquart,1844; *penicillaris* Rondani,1872; *curriei* Coquillett,1901; *onodagensis* Felt,1904; *longisquamosa* Theobald,1905; *subtilis* Sergent,1905; *quaylei* Dyar & Knab,1906; *lativittatus* Coquillett,1906; *arabica* Giles,1906; *africanus* Neveu-Lemaire,1906; *willcocksii* Theobald,1907; *arabicus* Becker,1910; *broquetii* Theobald,1913; *grahami* Ludlow,1919; *epsilon* Ségué,1924
- 41) **Aedes (Stegomyia) aegypti (Linnaeus,1762)** (Culicidae) Synonym(s): *aegypti* Linnaeus,1762; *argenteus* Poirer,1787; *fasciatus* Fabricius,1805; *sugens* Wiedemann,1828; *annulitarsis* Macquart,1846; *inexorabilis* Walker,1848; *insatiabilis* Bigot,1859; *nigeria* Theobald,1901; *atritarsis* Edwards,1920
- 42) **Aedia funesta (Esper,[1786])** (Noctuidae) Synonym(s): *funesta* Esper,[1786]; *quadrimaculata* Scopoli,1786
- 43) **Aedophron phlebophora Lederer,1858** (Noctuidae) Synonym(s): *phlebophora* Lederer,1858
- 44) **Aegle ottoi (Schawerda,1923)** (Noctuidae) Synonym(s): *ottoi* Schawerda,1923
- 45) **Aegle rebeli Schawerda,1923** (Noctuidae) Synonym(s): *rebeli* Schawerda,1923
- 46) **Aegle subflava (Erschoff,1874)** (Noctuidae) Synonym(s): *subflava* Erschoff,1874
- 47) **Aeglitis argentalis (Christoph,1887)** (Pyralidae) Synonym(s): *argentalis* Christoph,1887
- 48) **Aelia acuminata (Linnaeus,1758)** (Pentatomidae) Synonym(s): *acuminata* Linnaeus,1758; *rostratus* De Geer,1773; *tessarophthalmus* Schrank,1781; *neglecta* Dallas,1851; *burmeisteri* Küster,1852; *pallida* Küster,1852; *turanica* Horvath,1895; *punctiventris* Horvath,1911; *#nigripes* Wagner,1938; *baluchistanensis* Ahmad & Zaidi,1988
- 49) **Aelia albovittata Fieber,1868** (Pentatomidae) Synonym(s): *albovittata* Fieber,1868
- 50) **Aelia alticola Kiritschenko,1914** (Pentatomidae) Synonym(s): *alticola* Kiritschenko,1914; *satunini* Kiritschenko,1930
- 51) **Aelia glebana Horvath,1895** (Pentatomidae) Synonym(s): *glebana* Horvath,1895
- 52) **Aelia rostrata Boheman,1852** (Pentatomidae) Synonym(s): *rostrata* Boheman,1852; *cognata* Fieber,1868; *glebana* Ferrari,1874; *syriaca* Horvath,1903; *eminealkanata* Lodos,1959; *confusa* Kirkaldy,1909; *brunnea* Halaszfy,1955
- 53) **Aeoloides figuratus (Germar,1844)** (Elatridae) Synonym(s): *figuratus* Germar,1844; *turcomanus* Candèze,1889
- 54) **Aeschremon disparalis Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961
- 55) **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939
- 56) **Aethiessa zarudnyi Kiseritzkij,1939** (Scarabaeidae) Synonym(s): *zarudnyi* Kiseritzkij,1939; *bagdadensis* Arrow,1910
- 57) **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795
- 58) **Agallia harrarensis Melichar,1911** (Cicadellidae) Synonym(s): *harrarensis* Melichar,1911
- 59) **Agatharchus (s.str.) tritaenia Horvath,1897** (Pentatomidae) Synonym(s): *tritaenia* Horvath,1897
- 60) **Agdistis tamaricis (Zeller,1847)** (Pterophoridae) Synonym(s): *tamaricis* Zeller,1847; *bagdadiensis* Amsel,1949; *xinjiangensis* Qin & Zheng,1997.
- 61) **Agenioideus excisus (Morawitz,1890)** (Pompilidae) Synonym(s): *excisus* Morawitz,1890; *emarginatus* Haupt
- 62) **Aglais urticae (Linnaeus,1758)** (Argynnidae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936.

- 63) *Aglossa pinguinalis* (Linnaeus,1758) (Pylalidae) Synonym(s): *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *asiatica* Erschoff,1871; *rubralis* Hampson,1900; *guicciardii* Constantino,1922; *sanaensis* Rebel,1930; *maroccana* Schmidt,1934
- 64) *Agonopterix funebrella* Caradja,1920 (Oecophoridae) Synonym(s): *funebrella* Caradja,1920
- 65) *Agonopterix novaspersella* (Spuler,1910) (Oecophoridae) Synonym(s): *aspersella* Constant,1888 nec Koll.,1832; *novaspersella* Spuler,1910; *autocnista* Meyrick,1921
- 66) *Agonopterix xyleuta* (Meyrick,1913) (Oecophoridae) Synonym(s): *xyleuta* Meyrick,1913
- 67) *Agriotes* (s.str.) *meticulosus* Candeze,1863 (Elateridae) Synonym(s): *meticulosus* Candeze,1863
- 68) *Agriphila brionella* (Zerny,1914) (Pylalidae) Synonym(s): *brioniella* Zerny,1914; *#subbrioniella* Amsel,1959.
- 69) *Agriphila cyrenaicella* (Ragonot,1887) (Pylalidae) Synonym(s): *cyrenaicella* Ragonot,1887; *alexandriensis* Bethune-Baker,1894; *permixtella* Kalchberg,1897.
- 70) *Agriphila latistria* (Haworth,[1811]) (Pylalidae) Synonym(s): *latistria* Haworth,[1811]; *gueneellus* Duponchel,1836; *monotaeniellus* Herrich-Schäffer,[1852]; *vectifer* Zeller,1863; *vallicolella* Costa,1885.
- 71) *Agriphila tersella* (Lederer,1855) (Pylalidae) Synonym(s): *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942.
- 72) *Agriphila tolli* (Bleszynski,1952) (Pylalidae) Synonym(s): *tollii* Bleszynski,1952
- 73) *Agrius convolvuli* (Linnaeus,1758) (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abaddon* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schauffuss,1870; *orientalis* Butler,1876; *distant* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
- 74) *Agrochola* (*Alpichola*) *egorovi* (O.Bang-Haas,1934) (Noctuidae) Synonym(s): *egorovi* O.Bang-Haas,1934
- 75) *Agrochola* (*Anchoscelis*) *imitata* Ronkay,1984 (Noctuidae) Synonym(s): *imitata* Ronkay,1984
- 76) *Agrochola* (*Anchoscelis*) *scabra* (Staudinger,1892) (Noctuidae) Synonym(s): *scabra* Staudinger,1892
- 77) *Agrochola* (s.str.) *pistacina* (Goeze,1781) (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 nec Panzer,1785; *sphaerulata* Haworth,1809; *venosa* Haworth,1809 nec Hw.1809.
- 78) *Agrotis* (*Crassagrotis*) *bigramma* (Esper,[1790]) (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 79) *Agrotis* (*Crassagrotis*) *obesa* (Boisduval,1829) (Noctuidae) Synonym(s): *obesa* Boisduval,1840
- 80) *Agrotis* (*Putagrotis*) *herzogi* (Rebel,1911) (Noctuidae) Synonym(s): *herzogi* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenica* Tams,1925; *leroyi* Lucas,1940
- 81) *Agrotis* (*Putagrotis*) *puta* (Hübner,[1803]) (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylla* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
- 82) *Agrotis* (s.str.) *biconicus* Kollar,[1844] (Noctuidae) Synonym(s): *spinifera* Hübner,[1808] nec Vill.,1789; *biconica* Kollar,[1844]; *aristifera* Guenée,1852; *spiculifera* Guenée,1852; *ferina* Felder & Rogenhofer,1874; *hodnae* Oberthür,1878
- 83) *Agrotis* (s.str.) *exclamationis* (Linnaeus,1758) (Noctuidae) Synonym(s): *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 nec Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 84) *Agrotis* (s.str.) *haifae* Staudinger,1897 (Noctuidae) Synonym(s): *haifae* Staudinger,1897
- 85) *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766) (Noctuidae) Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 86) *Agrotis* (s.str.) *sardzeana* Brandt,1941 (Noctuidae) Synonym(s): *sardzeana* Brandt,1941
- 87) *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (praeocc.); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversa* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificata* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 88) *Agrotis* (s.str.) *trux* (Hübner,[1824]) (Noctuidae) Synonym(s): *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 89) *Aiolopus simulatrix* (Walker,1870) (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922
- 90) *Aiolopus strepens* (Latreille,[1802]) (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913
- 91) *Aiolopus thalassinus* (Fabricius,1781) (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953
- 92) *Akbesia davidi* (Oberthür,1884) (Sphingidae) Synonym(s): *davidi* Oberthür,1884
- 93) *Aleucis mimetes* (Wehrli,1932) (Geometridae) Synonym(s): *mimetes* Wehrli,1932
- 94) *Alloeomimus kurdus* Hoberlandt,1953 (Miridae) Synonym(s): *kurdus* Hoberlandt,1953
- 95) *Alloeomimus pilosus* Linnavuori,1984 (Miridae) Synonym(s): *pilosus* Linnavuori,1984
- 96) *Amara* (s.str.) *aenea* (De Geer,1774) (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951
- 97) *Amara* (s.str.) *lucida* (Duftschmid,1812) (Carabidae) Synonym(s): *lucida* Duftschmid,1812; *erythrope* Stephens,1828; *gemina* C.Zimmermann,1832; *septentrionalis* Curtis,1840; *heydeni* Schatzmayr,1909; *chobauti* Puel,1924
- 98) *Amata aequipuncta* (Turati,1917) (Ctenuchidae) Synonym(s): *aequipuncta* Turati,1917; *#aequipunctata* De Freina,1994
- 99) *Amata caspia* (Staudinger,1877) (Ctenuchidae) Synonym(s): *caspia* Staudinger,1877; *#caspica* Romanoff,1884; *minuta* A.Bang-Haas,1910 nec Bsd.,1833; *martinerici* Bryk,1941; *banghaasi* Obratzov,1966; *minutissima* Obratzov,1966; *schachtli* De Freina,1994.
- 100) *Amata higginsii* (Wiltshire,1958) (Ctenuchidae) Synonym(s): *higginsii* Wiltshire,1958
- 101) *Amata sintenisi* (Standfuss,1892) (Ctenuchidae) Synonym(s): *sintenisi* Standfuss,1892; *aurivala* Schawerda,1923
- 102) *Amata wiltshirei* Bytinski-Salz,1939 (Ctenuchidae) Synonym(s): *wiltshirei* Bytinski-Salz,1939
- 103) *Amicta murina* (Klug,1832) (Psychidae) Synonym(s): *murina* Klug,1832
- 104) *Ammophila haimatosoma* Kohl,1884 (Sphecidae) Synonym(s): *haimatosoma* Kohl,1884
- 105) *Ammophila occipitalis* Morawitz,1890 (Sphecidae) Synonym(s): *occipitalis* Morawitz,1890

- 106) *Amnodeis confluens* Miller, 1858 (Tenebrionidae) Synonym(s): *confluens* Miller, 1858
- 107) *Amorphoscelis pantherina* Roy, 1966 (Amorphoscelidae) Synonym(s): *pantherina* Roy, 1966
- 108) *Amphicoma (Pygopleurus) basalis* Reitter, 1890 (Glaphyridae) Synonym(s): *basalis* Reitter, 1890; *purpurea* Petrovitz, 1957
- 109) *Amphicoma (Pygopleurus) cirrius* Petrovitz, 1957 (Glaphyridae) Synonym(s): *cirrius* Petrovitz, 1957
- 110) *Amphicoma (Pygopleurus) rufovillosus* Reitter, 1907 (Glaphyridae) Synonym(s): *rufovillosus* Reitter, 1907; *nigropubescens* Petrovitz, 1963; *pompa* Petrovitz, 1963
- 111) *Amphicoma (Rudeulasia) pietschmanni* (Breit, 1919) (Glaphyridae) Synonym(s): *pietschmanni* Breit, 1919
- 112) *Amphicoma (Rudeulasia) straussi* Ganglbauer, 1905 (Glaphyridae) Synonym(s): *straussi* Ganglbauer, 1905; *#viridis* Petrovitz, 1968
- 113) *Amphipyra pyramidea* (Linnaeus, 1758) (Noctuidae) Synonym(s): *pyramidea* Linnaeus, 1758
- 114) *Anacampsis malella* Amsel, 1959 (Gelechiidae) Synonym(s): *malella* Amsel, 1959
- 115) *Anaceratagallia laevis* (Ribaut, 1935) (Cicadellidae) Synonym(s): *laevis* Ribaut, 1935; *acuteangulata* Zachvatkin, 1946
- 116) *Anagyrus pseudococci* (Girault, 1915) (Encyrtidae) Synonym(s): *pseudococci* Girault, 1915
- 117) *Ananconia mesopotamica* Reitter, 1908 (Oedemeridae) Synonym(s): *mesopotamica* Reitter, 1908
- 118) *Anania verbascata* (Fabricius, 1787) (Pyrilidae) Synonym(s): *#verbascalis* [Denis & Schiffermüller], 1775; *verbascata* Fabricius, 1787; *parvalis* Osthelder, 1934
- 119) *Anarpia incertalis* (Duponchel, 1832) (Pyrilidae) Synonym(s): *incertalis* Duponchel, 1832; *pyrenaealis* Duponchel, 1842; *incertella* Duponchel, [1845]; *pyrenaeella* Duponchel, [1845]; *pyrenaicalis* Guenée, 1846
- 120) *Anarsia (Ananarsia) aleurodes* Meyrick, 1922 (Gelechiidae) Synonym(s): *aleurodes* Meyrick, 1922
- 121) *Anarsia (Ananarsia) lineatella* Zeller, 1839 (Gelechiidae) Synonym(s): *lineatella* Zeller, 1839; *heratella* Amsel, 1967; *tauricella* Amsel, 1967
- 122) *Anastoechus nivifrons* (Walker, 1871) (Bombyliidae) Synonym(s): *nivifrons* Walker, 1871; *niveus* Hermann, 1909 *nec* Macq., 1855; *albopectinatus* Becker, 1913
- 123) *Anastoechus pulcher* Paramonov, 1930 (Bombyliidae) Synonym(s): *pulcher* Paramonov, 1930
- 124) *Anatrachyntis rileyi* (Walsingham, 1882) (Cosmopterigidae) Synonym(s): *rileyi* Walsingham, 1882; *stigmatophora* Walsingham, 1882
- 125) *Ancistrocerus auctus* (Fabricius, 1793) (Vespidae) Synonym(s): *auctus* Fabricius, 1793
- 126) *Ancylodes pallens* Ragonot, 1887 (Pyrilidae) Synonym(s): *pallens* Ragonot, 1887; *lactealis* Rothschild, 1915; *banghaasiella* Caradja, 1917; *#fuscella* Amsel, 1958
- 127) *Ancylodes staminella* (Christoph, 1877) (Pyrilidae) Synonym(s): *staminella* Christoph, 1877; *nervulatella* Turati, 1926; *kerbelella* Amsel, 1949
- 128) *Ancylolomia palpella* ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *palpella* [Denis & Schiffermüller], 1775; *sovinskyi* Krulikovskiy, 1909
- 129) *Ancylolomia pectinatella* (Zeller, 1847) (Pyrilidae) Synonym(s): *pectinatellus* Zeller, 1847
- 130) *Ancylolomia tentaculella* (Hübner, 1796) (Pyrilidae) Synonym(s): *tentaculella* Hübner, 1796; *irakella* Amsel, 1949
- 131) *Ancylosis (Cabotia) lacteicostella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *lacteicostella* Ragonot, 1887; *fulvobasella* Ragonot, 1887; *aegyptiacella* Ragonot, 1901; *spatzi* Rothschild, 1915
- 132) *Ancylosis (Cabotia) oblitella* (Zeller, 1848) (Pyrilidae) Synonym(s): *oblitella* Zeller, 1848; *homographis* Hampson, 1930; *ischnopsis* Meyrick, 1937; *major* Lucas, 1948; *ochraeella* Lucas, 1948; *boitella* Lucas, 1950; *calaritalella* Amsel, 1951; *indistinctella* Lucas, 1955
- 133) *Ancylosis (Heterographis) candidatella* (Lederer, 1858) (Pyrilidae) Synonym(s): *candidatella* Lederer, 1858; *fathmella* Oberthür, 1888; *tenuigranella* Ragonot, 1890
- 134) *Ancylosis (Heterographis) convexella* (Lederer, 1855) (Pyrilidae) Synonym(s): *convexella* Lederer, 1855; *albiciella* Staudinger, 1859; *favorinella* Zeller, 1867
- 135) *Ancylosis (Heterographis) faustinella* (Zeller, 1867) (Pyrilidae) Synonym(s): *faustinella* Zeller, 1867; *staudingeri* Christoph, 1877; *rubripictella* Hampson, 1896; *thalerella* Mabilie, 1908; *variabilis* Rothschild, 1915; *airensis* Rothschild, 1921; *bilineella* Amsel, 1935; *damascenella* Amsel, 1952
- 136) *Ancylosis (Heterographis) gracilella* Ragonot, 1887 (Pyrilidae) Synonym(s): *gracilella* Ragonot, 1887; *subcandidatella* Ragonot, 1887; *monostictella* Ragonot, 1887; *casella* Chrétien, 1910; *lybistinella* Turati, 1924; *dowsoniella* Richards & Thomson, 1932
- 137) *Ancylosis (Heterographis) harmoniella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *harmoniella* Ragonot, 1887; *ochrotaeniella* Ragonot, 1887; *fulminantella* Turati, 1922; *rosabella* Turati, 1930; *diffusella* Turati, 1930; *incanella* Turati, 1930
- 138) *Ancylosis (Heterographis) hellenica* (Staudinger, 1870) (Pyrilidae) Synonym(s): *hellenica* Staudinger, 1870; *deliciosella* Caradja, 1910
- 139) *Ancylosis (Heterographis) muliebris* (Meyrick, 1937) (Pyrilidae) Synonym(s): *muliebris* Meyrick, 1937; *macedonica* Schawerda, 1937
- 140) *Ancylosis (Heterographis) pyrethrella* (Herrich-Schäffer, 1860) (Pyrilidae) Synonym(s): *pyrethrella* Herrich-Schäffer, 1860; *strictella* Mann, 1861; *ignibasella* Ragonot, 1887; *inflammatella* Ragonot, 1901; *trilineata* Amsel, 1961
- 141) *Ancylosis (Heterographis) rhodochrella* (Herrich-Schäffer, 1855) (Pyrilidae) Synonym(s): *rhodochrella* Herrich-Schäffer, 1855; *delicatella* Möschler, 1860; *ciliatella* Zeller, 1872; *lucida* W. Warren, 1888; *microstictella* Hampson, 1903; *ciliella* Amsel, 1961
- 142) *Ancylosis (Heterographis) roscidella* (Eversmann, 1844) (Pyrilidae) Synonym(s): *roscidella* Eversmann, 1844; *cinerella* Stainton, 1859; *ephedrella* Herrich-Schäffer, 1860; *neglectella* Heinemann, 1864; *blandella* Ragonot, 1887; *zobrella* Oberthür, 1888; *carnea* W. Warren, 1888; *barteella* Caradja, 1910; *benderella* Amsel, 1961
- 143) *Ancylosis (Heterographis) samaritanella* (Zeller, 1867) (Pyrilidae) Synonym(s): *samaritanella* Zeller, 1867; *urbicella* Erschoff, 1874; *biligulella* Ragonot, 1887; *flavescentella* Chrétien, 1910; *diminutella* Chrétien, 1910; *cinnamomeifascia* Rothschild, 1915; *lacroixella* Lucas, 1939; *brevipalpella* Amsel, 1954
- 144) *Ancylosis (Heterographis) syrtella* (Ragonot, 1887) (Pyrilidae) Synonym(s): *syrtella* Ragonot, 1887; *costalbella* Amsel, 1954
- 145) *Ancylosis (Heterographis) umbrilimbella* (Ragonot, 1901) (Pyrilidae) Synonym(s): *umbrilimbella* Ragonot, 1901; *holella* Lucas, 1909; *thirieti* Lucas, 1937; *sfaxella* Lucas, 1949; *concavella* Amsel, 1949
- 146) *Ancylosis (Heterographis) xylinaella* (Staudinger, 1870) (Pyrilidae) Synonym(s): *xylinaella* Staudinger, 1870; *sablonella* Rothschild, 1915; *molochinella* Zerny, 1929
- 147) *Ancylosis (s.str.) cinnamomella* (Duponchel, 1836) (Pyrilidae) Synonym(s): *dilutella* Tr., 1832 [n.o.]; *cinnamomella* Dup., 1836; *labeomella* Staudinger, 1859; *lafauryella* Rag., 1887; *byzacaeniella* Rag., 1887; *roseopennella* Rag., 1901; *tunesella* Caradja, 1910; *fuliginosa* Rothschild, 1913; *pictella* Tur., 1922; *ferrugineolineella* Tur., 1924
- 148) *Ancylosis (s.str.) iranella* Ragonot, 1887 (Pyrilidae) Synonym(s): *iranella* Ragonot, 1887; *turaniella* Ragonot, 1887

- 149) *Ancylosis* (s.str.) *maculifera* Staudinger, 1870 (Pyralidae) Synonym(s): *maculifera* Staudinger, 1870; *ifraneella* Lucas, 1954.
- 150) *Ancylosis albicostella* Amsel, 1951 (Pyralidae) Synonym(s): *albicostella* Amsel, 1951
- 151) *Ancyrosoma leucogrammes* (Gmelin, 1790) (Pentatomidae) Synonym(s): *albolineatus* Fabricius, 1781 nec Gz., 1778; *leucogrammes* Gmelin, 1790; *nervosus* Cyrillus, 1791 nec Sc., 1763; *affine* Westwood, 1837; *tuberculatum* Bergevin, 1908
- 152) *Andala semiramis* (Staudinger, 1892) (Arctiidae) Synonym(s): *semiramis* Staudinger, 1892
- 153) *Andrena* (Melandrena) *albofacies* Alfken, 1927 (Andrenidae) Synonym(s): *albofacies* Alfken, 1927
- 154) *Andrena* (Truncandrena) *albopicta* Radoszkowski, 1874 (Andrenidae) Synonym(s): *albopicta* Radoszkowski, 1874
- 155) *Andrena* (Zonandrena) *sigiella* Gusenleitner, 1998 (Andrenidae) Synonym(s): *sigiella* Gusenleitner, 1998
- 156) *Aneomochtherus mesopotamicus* (Janssens, 1961) (Asilidae) Synonym(s): *mesopotamicus* Janssens, 1961
- 157) *Anephopteryx designella* Amsel, 1955 (Pyralidae) Synonym(s): *designella* Amsel, 1955
- 158) *Anisoplia* (Brancoplia) *leucaspis* Laporte, 1840 (Scarabaeidae) Synonym(s): *leucaspis* Laporte, 1840
- 159) *Anisoplia* (Brancoplia) *mesopotamica* Pilleri, 1954 (Scarabaeidae) Synonym(s): *mesopotamica* Pilleri, 1954
- 160) *Anisopteromalus calandrae* (Howard, 1881) (Pteromalidae) Synonym(s): *calandrae* Howard, 1881; *oryzae* Cameron, 1891; *vandinei* Tucker, 1910; *mollis* Ruschka, 1912; *pratti* Crauford, 1913; *medius* Masi, 1917; *mamezophagus* Ishii & Nagasawa, 1942; *brasiliensis* Domenichini, 1951
- 161) *Anopheles* (Cellia) *pulcherrimus* Theobald, 1902 (Culicidae) Synonym(s): *pulcherrimus* Theobald, 1902; *atropotenae* Lindtrop, 1924
- 162) *Anopheles* (Cellia) *superpictus* Grassi, 1899 (Culicidae) Synonym(s): *superpictus* Grassi, 1899; *palestinensis* Theobald, 1903; *nursei* Theobald, 1907; *cardamatisi* Newstead & Carter, 1910; *vassilievii* Portschinsky, 1911; *macedoniensis* Cot & Hovasse, 1917; *berestnevi* Shingarev, 1926; *atheniensis* Cardamatis, 1931; *hellenicus* Peus, 1954
- 163) *Anopheles* (s.str.) *algeriensis* Theobald, 1903 (Culicidae) Synonym(s): *algeriensis* Theobald, 1903; *lukisi* Christophers, 1916
- 164) *Anopheles* (s.str.) *claviger* (Meigen, 1804) (Culicidae) Synonym(s): *claviger* Meigen, 1804; *villosus* R-D., 1827; *griseus* Stephens, 1828; *turkestanii* Shingarev, 1926; *amaurus* Martini, 1929; *habibi* Mulligan & Puri, 1936; *missiroli* Del Vecchio, 1939; *pulutus* Canameres, 1945
- 165) *Anopheles* (s.str.) *hyrcanus* (Pallas, 1771) (Culicidae) Synonym(s): *hyrcanus* Pallas, 1771
- 166) *Anopheles* (s.str.) *maculipennis* Meigen, 1818 (Culicidae) Synonym(s): *maculipennis* Meigen, 1818
- 167) *Anopheles* (s.str.) *marteri* Senetev & Prunelle, 1927 (Culicidae) Synonym(s): *marteri* Senetev & Prunelle, 1927; *sogdianus* Keshishian, 1938; *conquensis* Torres Canameres, 1946
- 168) *Anopheles* (s.str.) *sacharovi* Favre, 1903 (Culicidae) Synonym(s): *sacharovi* Favre, 1903; *elutus* Edwards, 1921
- 169) *Anoplotettix kurdicus* Remane, 1966 (Cicadellidae) Synonym(s): *kurdicus* Remane, 1966
- 170) *Anormogomphus kiritshenkoi* Bartenev, 1913 (Gomphidae) Synonym(s): *kiritshenkoi* Bartenev, 1913
- 171) *Anoxia* (s.str.) *asiatica* Desbrochers, 1872 (Scarabaeidae) Synonym(s): *asiatica* Desbrochers, 1872; *syriaca* Brenske, 1894
- 172) *Anthaxia* (Haplanthaxia) *armeniaca* Obenberger, 1929 (Buprestidae) Synonym(s): *armeniaca* Obenberger, 1929
- 173) *Anthaxia* (Haplanthaxia) *flavicomis* Abeille, 1900 (Buprestidae) Synonym(s): *flavicomis* Abeille, 1900; *erivana* Obenberger, 1913; *#flavicomis* Ulay & Tezcan, 1998
- 174) *Anthaxia* (Haplanthaxia) *puella* Bily, 1980 (Buprestidae) Synonym(s): *puella* Bily, 1980
- 175) *Anthaxia* (Haplanthaxia) *umbellatarum* (Fabricius, 1787) (Buprestidae) Synonym(s): *umbellatarum* Fabricius, 1787
- 176) *Anthaxia* (s.str.) *amasina* Daniel, 1903 (Buprestidae) Synonym(s): *amasina* Daniel, 1903
- 177) *Anthaxia* (s.str.) *bicolor* Faldermann, 1835 (Buprestidae) Synonym(s): *bicolor* Faldermann, 1835
- 178) *Anthaxia* (s.str.) *kurdistanica* Obenberger, 1912 (Buprestidae) Synonym(s): *kurdistanica* Obenberger, 1912; *adanensis* Obenberger, 1913
- 179) *Anthidium* (Anthidiellum) *strigatum* (Panzer, 1805) (Megachilidae) Synonym(s): *strigatum* Panzer, 1805; *contractum* Latreille, 1809; *frontale* Lepeletier, 1841; *minusculum* Nylander, 1852; *coronatum* Dufour, 1853; *decoratum* Chevroler, 1872; *luteum* Friese, 1897; *rubellum* Friese, 1917; *cyrenaicum* Gribodo, 1924; *pauperculum* Cockerell, 1928; *crassepunctatum* Popov, 1935; *palaestinense* Alfken, 1935; *ibericum* Alfken, 1936; *judaicum* Alfken, 1936; *humeralis* Alfken, 1936
- 180) *Anthidium* (s.str.) *tessellatum* Klug, 1832 (Megachilidae) Synonym(s): *tessellatum* Klug, 1832
- 181) *Anthocharis cardamines* (Linnaeus, 1758) (Pieridae) Synonym(s): *cardamines* Linnaeus, 1758; *hesperides* Newman, 1894; *britannica* Verity, 1908; *meridionalis* Verity, 1908 nec Lederer, 1852; *montivaga* Turati & Verity, 1911
- 182) *Anthocharis damone* Boisduval, 1836 (Pieridae) Synonym(s): *damone* Boisduval, 1836
- 183) *Anthocharis grueneri* Herrich-Schäffer, [1851] (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer, [1851]; *#diluta* Röber, 1907; *eros* Röber, 1907
- 184) *Anthophilopsis baphialis* (Staudinger, 1870) (Pyralidae) Synonym(s): *baphialis* Staudinger, 1870; *#baphiale* Caradja, 1917.
- 185) *Anthrax glabratus* Zaitzev, 1976 (Bombyliidae) Synonym(s): *glabratus* Zaitzev, 1976
- 186) *Anthrenus* (s.str.) *mesopotamicus* Hava, 2001 (Dermestidae) Synonym(s): *mesopotamicus* Hava, 2001
- 187) *Antigastra catalaunalis* (Duponchel, 1833) (Pyralidae) Synonym(s): *catalaunalis* Duponchel, 1833; *venosalis* Walker, [1866]; *#sionensis* Caradja, 1929
- 188) *Anumeta asiatica* Wiltshire, 1961 (Noctuidae) Synonym(s): *spatzi* auct.; *asiatica* Wiltshire, 1961
- 189) *Anumeta atosignata* Walker, 1858 (Noctuidae) Synonym(s): *atosignata* Walker, 1858; *arenosa* Brandt, 1939
- 190) *Anumeta sabulosa* Rothschild, 1913 (Noctuidae) Synonym(s): *sabulosa* Rothschild, 1913
- 191) *Anumeta spilota* (Erschoff, 1874) (Noctuidae) Synonym(s): *spilota* Erschoff, 1874
- 192) *Apamea* (s.str.) *syriaca* (Osthelder, 1933) (Noctuidae) Synonym(s): *syriaca* Osthelder, 1933; *#albida* Osthelder, 1933; *tallosi* Kovacs & Varga, 1969.
- 193) *Aphelia* (Zelotheres) *ochreana* (Hübner, [1799]) (Tortricidae) Synonym(s): *ferugana* Hübner, 1793 (homonym); *ochreana* Hübner, [1799]; *shaqlawana* Amsel, 1955; *chretieni* Obraztsov, 1957
- 194) *Aphodius* (Calamosternus) *chobauti* (Clouet, 1896) (Scarabaeidae) Synonym(s): *chobauti* Clouet, 1896
- 195) *Aphomia sabella* (Hampson, 1901) (Pyralidae) Synonym(s): *sabella* Hampson, 1901
- 196) *Apiletria* (Aretascetis) *apaurta* Gozmany, 1965 (Autostichidae) Synonym(s): *apaurta* Gozmany, 1965
- 197) *Apiletria* (Aretascetis) *endopercna* (Meyrick, 1936) (Autostichidae) Synonym(s): *endopercna* Meyrick, 1936
- 198) *Apiletria* (Aretascetis) *purulentella* Stainton, 1867 (Autostichidae) Synonym(s): *purulentella* Stainton, 1867
- 199) *Apiletria* (Xystoceros) *nervosa* Stainton, 1867 (Autostichidae) Synonym(s): *nervosa* Stainton, 1867
- 200) *Apis* (Micrapis) *florea* Fabricius, 1787 (Apidae) Synonym(s): *florea* Fabricius, 1787; *semirufa* Hoffmannsegg, 1818; *lobata* Smith, 1854; *rufiventris* Friese, 1906; *#fuscata* Enderlein, 1906; *nursei* Cockerell, 1911; *nasicana* Cockerell, 1911
- 201) *Apis* (s.str.) *mellifera* Linnaeus, 1758 (Apidae) Synonym(s): *mellifera* Linnaeus, 1758; *mellifica* Linnaeus, 1761
- 202) *Aplasta ononaria* (Fuessly, 1783) (Geometridae) Synonym(s): *ononaria* Fuessly, 1783; *rubellata* Villers, 1789; *rubicapraria* Hübner, 1793; *sudataria* Hübner, [1817]; *ononata* Bellier, 1861

- 203) **Aplocera musculata (Staudinger,1892)** (Geometridae) Synonym(s): *musculata* Staudinger,1892
- 204) **Aplocera obsitaria (Lederer,1853)** (Geometridae) Synonym(s): *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
- 205) **Aplocera plagiata (Linnaeus,1758)** (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
- 206) **Apochima flabellaria (Heeger,1838)** (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
- 207) **Apodiphus amygdali (Germar,1817)** (Pentatomidae) Synonym(s): *amygdali* Germar,1817; *hellenica* Lefebvre,1831; *exsculpta* Burmeister,1835
- 208) **Apopestes spectrum (Esper,[1787])** (Noctuidae) Synonym(s): *spectrum* Esper,[1787]; *innotata* W.Warren,1913; *maura* W.Warren,1913
- 209) **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 210) **Aporodes floralis (Hübner,[1809])** (Pyralidae) Synonym(s): *floralis* Hübner,[1809]; *stygalis* Treitschke,1829; *siculalis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 211) **Aporophyla australis (Boisduval,1829)** (Noctuidae) Synonym(s): *australis* Boisduval,1829
- 212) **Aporophyla dipsalea Wiltshire,1941** (Noctuidae) Synonym(s): *dipsalea* Wiltshire,1941; *distincta* L.Ronkay,1985.
- 213) **Aporophyla nigra (Haworth,[1809])** (Noctuidae) Synonym(s): *lunula* Ström,1783 nec Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
- 214) **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837
- 215) **Apotomus testaceus Dejean,1825** (Carabidae) Synonym(s): *testaceus* Dejean,1825
- 216) **Aproceratia rhexogramma (Meyrick,1937)** (Pyralidae) Synonym(s): *rhexogramma* Meyrick,1937
- 217) **Aprominta bifasciata (Staudinger,1870)** (Autostichidae) Synonym(s): *bifasciata* Staudinger,1870; *virginella* Rebel,1902.
- 218) **Arboridia hussaini (Ghauri,1963)** (Cicadellidae) Synonym(s): *hussaini* Ghauri,1963
- 219) **Archanara insoluta W.Warren,1911** (Noctuidae) Synonym(s): *insoluta* W.Warren,1911
- 220) **Archanara wiltshirei Bytinski-Salz,1936** (Noctuidae) Synonym(s): *wiltshirei* Bytinski-Salz,1936
- 221) **Archips rosanus (Linnaeus,1758)** (Tortricidae) Synonym(s): *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834
- 222) **Archon apollinaris (Staudinger,[1892])** (Papilionidae) Synonym(s): *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907
- 223) **Arctia (Eucharia) festiva (Hufnagel,1766)** (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétériés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
- 224) **Arenostola phragmitidis (Hübner,[1803])** (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803]
- 225) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnididae) Synonym(s): *niobe* Linnaeus,1758.
- 226) **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Scherz,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
- 227) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnididae) Synonym(s): *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950.
- 228) **Arimania komaroffi (Ragonot,1888)** (Pyralidae) Synonym(s): *komaroffi* Ragonot,1888; *amanella* Zerny,1934; *diplocapna* Meyrick,1937
- 229) **Aristotelia euprepella Zerny,1934** (Gelechiidae) Synonym(s): *euprepella* Zerny,1934
- 230) **Armada panaceorum (Ménétriés,1849)** (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 231) **Aroga aristotelis (Millière,1875)** (Gelechiidae) Synonym(s): *aristotelis* Millière,1875; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacetella* Walsingham; *hyrcanella* Toll,1948.
- 232) **Asalebria (s.str.) amphipyrrha (Meyrick,1937)** (Pyralidae) Synonym(s): *amphipyrrha* Meyrick,1937
- 233) **Asalebria (s.str.) argyrophanes (Meyrick,1937)** (Pyralidae) Synonym(s): *argyrophanes* Meyrick,1937
- 234) **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax* Walker,1853
- 235) **Ascalenia vanelloides Gerasimov,1930** (Cosmopterigidae) Synonym(s): *vanelloides* Gerasimov,1930; *#eremella* Amsel,1933; *eremella* Amsel,1935.
- 236) **Asiotridactylus fasciatus (Guérin-Ménéville,1844)** (Tridactylidae) Synonym(s): *fasciatus* Guérin-Ménéville,1844; *savignyi* Guérin-Ménéville,1844; *major* Karny,1907
- 237) **Aspitates ochrearia (Rossi,1794)** (Geometridae) Synonym(s): *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citriaria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953
- 238) **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens* Paoli,1932
- 239) **Asyndetus connexus (Becker,1902)** (Dolichopodidae) Synonym(s): *connexus* Becker,1902
- 240) **Asyndetus izius Negrobov,1973** (Dolichopodidae) Synonym(s): *izius* Negrobov,1973
- 241) **Asyndetus separatus (Becker,1902)** (Dolichopodidae) Synonym(s): *separatus* Becker,1902
- 242) **Atherigona orientalis Schiner,1868** (Muscidae) Synonym(s): *orientalis* Schiner,1868; *excisa* Thomson,1869
- 243) **Atherigona pulla (Wiedemann,1830)** (Muscidae) Synonym(s): *pulla* Wiedemann,1830
- 244) **Atherigona soccata Rondani,1871** (Muscidae) Synonym(s): *soccata* Rondani,1871; *indica* Malloch,1923
- 245) **Atherigona varia (Meigen,1826)** (Muscidae) Synonym(s): *varia* Meigen,1826
- 246) **Atomophora arabica Linnavuori,1962** (Miridae) Synonym(s): *arabica* Linnavuori,1962
- 247) **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790
- 248) **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae) Synonym(s): *orientalis* Reitter,1878
- 249) **Attelabus sulcifrons (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons* Argod,1895
- 250) **Atylotus albopruinosus (Szilady,1923)** (Tabanidae) Synonym(s): *albopruinosus* Szilady,1923
- 251) **Atylotus farinosus (Szilady,1915)** (Tabanidae) Synonym(s): *farinosus* Szilady,1915; *ouriensis* Surcouf,1922
- 252) **Atylotus pulchellus (Loew,1858)** (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915
- 253) **Atylotus quadrifarius (Loew,1874)** (Tabanidae) Synonym(s): *quadrifarius* Loew,1874; *rufipes* Szilady,1915 nec Mg.,1820; *lattesica* Strand,1925; *afghanistanicus* Moucha & Chvala,1959
- 254) **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934; *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964; *afghanistanensis* Kameswara Rao, Ramakrishnan & Ghai,1979
- 255) **Autographa gamma (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992.

- 256) **Autophila (Cheirophanes) cymaenotaenia Boursin,1940** (Noctuidae) Synonym(s): *cymaenotaenia* Boursin,1940
- 257) **Autophila (Cheirophanes) ligaminosa (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 258) **Autophila (s.str.) asiatica (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1888
- 259) **Autophila (s.str.) cerealis (Staudinger,1871)** (Noctuidae) Synonym(s): *cerealis* Staudinger,1871
- 260) **Autophila (s.str.) depressa (Püngeler,1914)** (Noctuidae) Synonym(s): *depressa* Püngeler,1914
- 261) **Autophila (s.str.) limbata (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871
- 262) **Auxacia bilineella (Ragonot,1887)** (Pyralidae) Synonym(s): *bilineella* Ragonot,1887
- 263) **Axia (Epicimelia) theresiae (Korb,1900)** (Cimeliidae) Synonym(s): *theresiae* Korb,1900
- 264) **Axiopoenia karelini Ménétriés,1863** (Arctiidae) Synonym(s): *karelini* Ménétriés,1863; *transcaucasia* Sheljuzhko,1926; *manissadjiani* O.Bang-Haas,1927.
- 265) **Azygophleps regia (Staudinger,1892)** (Cossidae) Synonym(s): *regia* Staudinger,1892
- 266) **Bactra (Chiloides) venosana (Zeller,1847)** (Tortricidae) Synonym(s): *venosana* Zeller,1847; *truculenta* Meyrick,1909; *scythropa* Meyrick,1911; *geraropa* Meyrick,1932; *banosii* Gozmany,1960
- 267) **Bactra (s.str.) bactrana (Kennel,1901)** (Tortricidae) Synonym(s): *bactrana* Kennel,1901; *cyperana* Amsel,1951; *mediterranea* Agenjo,1952.
- 268) **Bactra (s.str.) graminivora Meyrick,1922** (Tortricidae) Synonym(s): *graminivora* Meyrick,1922; *cyperana* Amsel,1951; *mediterranea* Agenjo,1952
- 269) **Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852
- 270) **Badister bullatus (Schränk,1798)** (Carabidae) Synonym(s): *bullatus* Schränk,1798
- 271) **Bagdadia irakella Amsel,1949** (Gelechiidae) Synonym(s): *irakella* Amsel,1949
- 272) **Bagrada (Nitilia) abeillei Puton,1881** (Pentatomidae) Synonym(s): *abeillei* Puton,1881; *persica* Horvath,1936; *lepida* Horvath,1936; *pallens* Kiritschenko,1966
- 273) **Bagrada amoenula (Walker,1870)** (Pentatomidae) Synonym(s): *amoenula* Walker,1870; *royeri* Horvath,1936; *picticollis* Horvath,1936; *algirica* Horvath,1936; *singularis* Horvath,1936; *deserticola* Horvath,1936; *lineata* Horvath,1936
- 274) **Balelutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927
- 275) **Baldratia seidlitziae Möhn,1969** (Cecidomyiidae) Synonym(s): *seidlitziae* Möhn,1969
- 276) **Basistriga flammatrix (Denis & Schiffermüller,[1775])** (Noctuidae) Synonym(s): *flammatrix* [Denis & Schiffermüller],[1775]; *bimaculata* Milliere,1885.
- 277) **Batrachedra amydraula Meyrick,1916** (Batrachedridae) Synonym(s): *amydraula* Meyrick,1916
- 278) **Batrachedra philocarpa Meyrick,1921** (Batrachedridae) Synonym(s): *philocarpa* Meyrick,1921
- 279) **Bazaria gilvella (Ragonot,1887)** (Pyralidae) Synonym(s): *gilvella* Ragonot,1887
- 280) **Belenois aurota (Fabricius,1793)** (Pieridae) Synonym(s): *mesentina* Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 281) **Belostoma cordofanum Mayr,1853** (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853
- 282) **Bembecinus asiaticus iranicus Schmid-Egger,2004** (Crabronidae) Synonym(s): *iranicus* Schmid-Egger,2004
- 283) **Bembecinus schwarzi De Beaumont,1967** (Crabronidae) Synonym(s): *schwarzi* De Beaumont,1967
- 284) **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950
- 285) **Bembidion (Chlorodius) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum* Sturm,1825
- 286) **Bembidion (Euperyphus) fluviatile Dejean,1831** (Carabidae) Synonym(s): *fluviatile* Dejean,1831
- 287) **Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans* Stephens,1828
- 288) **Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle* Motschoulsky,1844
- 289) **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis* Chaudoir,1850
- 290) **Bembidion (Nepha) hauserianum Netolitzky,1918** (Carabidae) Synonym(s): *hauserianum* Netolitzky,1918
- 291) **Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum* Dejean,1831
- 292) **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum* Wollaston,1854
- 293) **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville,1821
- 294) **Beosus maritimus (Scopoli,1763)** (Lygaeidae) Synonym(s): *maritimus* Scopoli,1763
- 295) **Beosus quadripunctatus (Müller,1766)** (Lygaeidae) Synonym(s): *quadripunctatus* Müller,1766
- 296) **Blaesoxipha campestris (R-D.,1863)** (Sarcophagidae) Synonym(s): *lineata* Fallén,1817 *nec* Harr.,1776; *campestris* R-D.,1863; *redempta* Pandellé,1895
- 297) **Blaps spinosa Allard,1880** (Tenebrionidae) Synonym(s): *spinosa* Allard,1880
- 298) **Bodenheimeria rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): *rachelae* Bodenheimer,1924
- 299) **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 *nec* De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849
- 300) **Bombylius (s.str.) flavisetosus Abbasian-Lintzen,1965** (Bombyliidae) Synonym(s): *flavisetosus* Abbasian-Lintzen,1965
- 301) **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820
- 302) **Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781
- 303) **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 *nec* Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978
- 304) **Bombylius (s.str.) olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840
- 305) **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 *nec* Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926
- 306) **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820
- 307) **Bostra gnidusalis (Walker,1859)** (Pyralidae) Synonym(s): *gnidusalis* Walker,1859; *tristis* Butler,1881

- 308) **Bostra marginalis Rothschild, 1921** (Pyralidae) Synonym(s): *marginalis* Rothschild, 1921
 309) **Bostra tacapealis (Ragonot, 1891)** (Pyralidae) Synonym(s): *tacapealis* Ragonot, 1891
 310) **Boursinia deceptrix (Staudinger, 1900)** (Noctuidae) Synonym(s): *deceptrix* Staudinger, 1900
 311) **Brachinus (Brachynidius) bodemeyeri Apfelbeck, 1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck, 1904; *fulviventris* Jeannel, 1962 nec Mtsch., 1864
 312) **Brachinus (Brachynidius) brevicollis Motschoulsky, 1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky, 1844; *peregrinus* Apfelbeck, 1904
 313) **Brachinus (Brachynidius) explodens (Duftschmid, 1812)** (Carabidae) Synonym(s): *explodens* Duftschmid, 1812
 314) **Brachinus (s.str.) ejaculans Fischer von Waldheim, 1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim, 1828
 315) **Brachinus (s.str.) psophia Audinet-Serville, 1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville, 1821; *elegans* Chaudoir, 1842
 316) **Brachinus (subg.) bagdatensis Pic, 1902** (Carabidae) Synonym(s): *bagdatensis* Pic, 1902; *richteri* Jedlicka, 1961
 317) **Brachodes mesopotamicus (Amsel, 1949)** (Brachodidae) Synonym(s): *mesopotamicus* Amsel, 1949
 318) **Brachygalea albolineata (Blachier, 1905)** (Noctuidae) Synonym(s): *albolineata* Blachier, 1905; *leucorhabda* Hampson, 1906; *albolineata* Hampson, 1906
 319) **Brachymeria aegyptiaca Masi, 1931** (Chalcididae) Synonym(s): *aegyptiaca* Masi, 1931
 320) **Brachymeria femorata (Panzer, 1801)** (Chalcididae) Synonym(s): *femorata* Panzer, 1801; *ornatipes* Cameron, 1906; *immaculata* Masi, 1951
 321) **Brachymeria obtusata (Förster, 1859)** (Chalcididae) Synonym(s): *vicina* Walker, 1834; *obtusata* Förster, 1859; *walkeri* Dalla Torre, 1898
 322) **Brachymeria tibialis (Walker, 1834)** (Chalcididae) Synonym(s): *tibialis* Walker, 1834; *intermedia* Nees, 1834; *cingulata* Walker, 1834; *distinguenda* Walker, 1834; *rufofemorata* Rosenhauer, 1856; *scirropoda* Förster, 1859; *boops* Thomson, 1876; *quettaensis* Cameron, 1906; *turkestanica* Masi, 1951
 323) **Brachynema cinctum (Fabricius, 1775)** (Pentatomidae) Synonym(s): *cinctus* Fabricius, 1775; *forskahlii* Gmelin, 1790; *tarsatus* Klug, 1845; *roseipennis* Mulsant & Rey, 1852; *flavatum* Horvath, 1896; *simonyi* Horvath, 1896; *exul* Horvath, 1896; *splendidum* Montandon, 1900; *miniaturum* Montandon, 1900; *venustum* Montandon, 1900
 324) **Brachynema germarii (Kolenati, 1846)** (Pentatomidae) Synonym(s): *virens* Klug, 1845 nec Linn., 1767; *germarii* Kolenati, 1846; *anabasis* Becker, 1867; *biplaga* Walker, 1867; *flavomarginatus* Jakovlev, 1871; *grisea* Jakovlev, 1871; *melanota* Jakovlev, 1874; *alternatum* Horvath, 1899
 325) **Brachytarsina flavipennis Macquart, 1851** (Strebliidae) Synonym(s): *flavipennis* Macquart, 1851
 326) **Brachythemis fuscopalliata (Selys, 1887)** (Libellulidae) Synonym(s): *fuscopalliata* Selys, 1887
 327) **Brenthis mofidii Wyatt, 1968** (Argynnidae) Synonym(s): *mofidii* Wyatt, 1968
 328) **Brintesia circe (Fabricius, 1775)** (Satyridae) Synonym(s): *circe* Fabricius, 1775; *proserpina* Denis & Schiffermüller, 1775; *maga* Fruhstorfer, 1909; *venefica* Fruhstorfer, 1909; *gabala* Gaillard, 1959; *maladetta* Varin, 1962
 329) **Brontaea eremophila (Brauer & Bergenstamm, 1894)** (Muscidae) Synonym(s): *eremophila* Brauer & Bergenstamm, 1894; *impedita* Pandellé, 1898
 330) **Bruchophagus gibbus (Boheman, 1836)** (Eurytomidae) Synonym(s): *gibbus* Boheman, 1836
 331) **Bruchophagus roddi Gussakovskiy, 1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy, 1933
 332) **Bryomima carducha Staudinger, 1900** (Noctuidae) Synonym(s): *carducha* Staudinger, 1900
 333) **Bryophilopsis roederi (Standfuss, 1892)** (Noctuidae) Synonym(s): *roederi* Standfuss, 1892
 334) **Bryotropha arabica Amsel, 1952** (Gelechiidae) Synonym(s): *arabica* Amsel, 1952
 335) **Bubas bubaloides Janssens, 1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens, 1938
 336) **Bubas bubalus (Olivier, 1811)** (Scarabaeidae) Synonym(s): *bubalus* Olivier, 1811; *brunipterus* Mulsant, 1842; *inermifrons* Mulsant, 1842; *integricornis* Mulsant, 1842; *simplicifrons* Mulsant, 1842
 337) **Bubopsis hamata (Klug, 1834)** (Ascalaphidae) Synonym(s): *hamatus* Klug, 1834
 338) **Bucculatrix albella Stainton, 1867** (Bucculatricidae) Synonym(s): *albella* Stainton, 1867
 339) **Caccobius (s.str.) mundus (Ménétrières, 1838)** (Scarabaeidae) Synonym(s): *mundus* Ménétrières, 1838
 340) **Cadra calidella (Guenée, 1845)** (Pyralidae) Synonym(s): *calidella* Guenée, 1845; *#ficella* Douglas, 1851; *xanthotricha* Staudinger, 1859
 341) **Cadra cautella (Walker, 1863)** (Pyralidae) Synonym(s): *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman & South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959
 342) **Cadra figulilella (Gregson, 1871)** (Pyralidae) Synonym(s): *figulilella* Gregson, 1871; *milleri* Zeller, 1876; *gypsella* Ragonot, 1887; *venosella* Turati, 1926; *ernestinella* Turati, 1927; *#halfaella* Roesler, 1965
 343) **Cadra furcatella (Herrich-Schäffer, 1849)** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer, [1849]
 344) **Calamia staudingeri Warnecke, 1941** (Noctuidae) Synonym(s): *staudingeri* Warnecke, 1941
 345) **Calamosternus chobauti (Clouet, 1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet, 1896
 346) **Calamotropha paludella (Hübner, [1824])** (Pyralidae) Synonym(s): *paludella* Hübner, [1824]; *obtusellus* Stainton, 1856; *paramattellus* Meyrick, 1879; *carpherus* Hampson, 1898; *nivellus* Rebel, 1914; *calamosus* Hampson, 1919; *durandi* Lucas, 1931; *typhivorus* Meyrick, 1932; *#digitatus* Osthelder, 1937; *afghanistanica* Bleszynski, 1959
 347) **Caliaeschna microstigma (Schneider, 1845)** (Aeshnidae) Synonym(s): *microstigma* Schneider, 1845
 348) **Callimorpha dominula (Linnaeus, 1758)** (Arctiidae) Synonym(s): *dominula* Linnaeus, 1758; *insubrica* Wackerzapp, 1890; *rhodanica* Kettlewell, 1943
 349) **Calliptamus tenuicercis Tarbinsky, 1930** (Acrididae) Synonym(s): *tenuicercis* Tarbinsky, 1930; *aurantiacus* Ramme, 1930; *iranicus* Ramme, 1930; *persa* Uvarov, 1938; *aurantipes* Ramme, 1951; *syriacus* Ramme, 1951; *#tenuicercis* Salman, 1978
 350) **Callistus (s.str.) lunatus (Fabricius, 1775)** (Carabidae) Synonym(s): *lunatus* Fabricius, 1775
 351) **Callophrys rubi (Linnaeus, 1758)** (Lycaenidae) Synonym(s): *rubi* Linnaeus, 1758; *caecus* Fourcroy, 1785; *virgatus* Verity, 1913; *herculeana* Pfeiffer, 1927
 352) **Calocucullia celsiae (Herrich-Schäffer, 1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer, [1850]
 353) **Calophasia angularis Chrétien, 1911** (Noctuidae) Synonym(s): *angularis* Chrétien, 1911; *stigmatica* Rothschild, 1913; *liberatii* Turati, 1924; *danieli* Le Cerf, 1924; *pintori* Turati, 1924; *volmeri* Hering, 1930
 354) **Calophasia opalina (Esper, [1796])** (Noctuidae) Synonym(s): *casta* Borkhausen, 1793 nec Pall., 1767; *opalina* Esper, [1796]; *biroi* Aigner, 1901; *naruenensis* Spuler, 1910; *castior* Stauder, 1923
 355) **Campiglossa difficilis (Hendel, 1927)** (Tephritidae) Synonym(s): *tessellata* Zetterstedt, 1847 nec Lw., 1844; *difficilis* Hendel, 1927
 356) **Campiglossa producta (Loew, 1844)** (Tephritidae) Synonym(s): *producta* Loew, 1844; *insularis* Wollaston, 1858

- 357) **Camponotus jaliensis** Dalla Torre, 1893 (Formicidae) Synonym(s): *jaliensis* Dalla Torre, 1893
- 358) **Campsicnemus filipes** Loew, 1859 (Dolichopodidae) Synonym(s): *filipes* Loew, 1859
- 359) **Campsicnemus umbripennis** Loew, 1856 (Dolichopodidae) Synonym(s): *umbripennis* Loew, 1856
- 360) **Camptogramma bilineatum** (Linnaeus, 1758) (Geometridae) Synonym(s): *bilineata* Linnaeus, 1758; *brocatella* Fourcroy, 1785; *dumetata* Schrank, 1802; *bilinearis* Boisduval, 1840; *musauria* Freyer, 1846; *testaceolata* Staudinger, 1871
- 361) **Camptopus illustris** Horvath, 1899 (Alydidae) Synonym(s): *illustris* Horvath, 1899
- 362) **Camptopus lateralis** (Germar, 1817) (Alydidae) Synonym(s): *lateralis* Germar, 1817
- 363) **Camptotylidea alhagii** (Linnavuori, 1986) (Miridae) Synonym(s): *alhagii* Linnavuori, 1986
- 364) **Camptotylidea astarte** (Linnavuori, 1971) (Miridae) Synonym(s): *astarte* Linnavuori, 1971
- 365) **Camptotylidea candida** (Linnavuori, 1984) (Miridae) Synonym(s): *candida* Linnavuori, 1984
- 366) **Camptotylidea fuscomaculata** (Reuter, 1879) (Miridae) Synonym(s): *fuscomaculata* Reuter, 1879; *punctulata* Nonnaizab & Yang, 1994
- 367) **Candiope sahariensis** (Rothschild, 1921) (Pyralidae) Synonym(s): *sahariensis* Rothschild, 1921; *pseudodiscomaculella* Amsel, 1935
- 368) **Canephora lutea** (Staudinger, 1871) (Psychidae) Synonym(s): *lutea* Staudinger, 1871
- 369) **Canephora shahkuhensis** (Heylaerts, 1885) (Psychidae) Synonym(s): *shahkuhensis* Heylaerts, 1885
- 370) **Canephora villosa** (Brandt, 1938) (Psychidae) Synonym(s): *villosa* Brandt, 1938
- 371) **Canthophorus melanopterus** (Herrich-Schäffer, 1835) (Cydnidae) Synonym(s): *melanopterus* Herrich-Schäffer, 1835
- 372) **Canthydus diophthalmus** (Reiche & Saulcy, 1855) (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy, 1855; *badenii* Wehncke, 1876; *siculus* Ragusa, 1882; *numidicus* Bedel, 1925
- 373) **Capitetes ramulosa** (Loew, 1844) (Tephritidae) Synonym(s): *ramulosa* Loew, 1844; *radiata* Macquart, 1849
- 374) **Capnodis cariosa** (Pallas, 1776) (Buprestidae) Synonym(s): *cariosa* Pallas, 1776; *bruttia* Petagna, 1787
- 375) **Capnodis miliaris** (Klug, 1829) (Buprestidae) Synonym(s): *miliaris* Klug, 1829; *daedalea* Stephens, 1830; *albisparsa* Faldermann, 1830; *aurata* Abeille, 1914; *mysteriosa* Oberberger, 1917; *nonfriedi* Oberberger, 1934
- 376) **Capnodis porosa** (Klug, 1829) (Buprestidae) Synonym(s): *porosa* Klug, 1829; *hypocrita* Géhin, 1855
- 377) **Capnodis tenebricosa** (Olivier, 1790) (Buprestidae) Synonym(s): *tenebricosa* Olivier, 1790; *dorsata* Voet, 1806; *lugens* Küster, 1846; *semisuturalis* Marseul, 1865; *aurosparsa* Abeille, 1891; *anomala* Fairmaire, 1895; *simulatrix* Oberberger, 1916; *atronida* Oberberger, 1945; *persica* Oberberger, 1945; *olcese* Oberberger, 1945; *morio* Oberberger, 1945
- 378) **Carabus (Procrustes) impressus** Klug, 1832 (Carabidae) Synonym(s): *impressus* Klug, 1832
- 379) **Carabus maurus** Adams, 1817 (Carabidae) Synonym(s): *maurus* Adams, 1817
- 380) **Caradrina (Boursinidrina) parvaspersa** (Boursin, 1936) (Noctuidae) Synonym(s): *parvaspersa* Boursin, 1936
- 381) **Caradrina (Boursinidrina) surchica** (Boursin, 1937) (Noctuidae) Synonym(s): *surchica* Boursin, 1937
- 382) **Caradrina (Boursinidrina) wiltshirei** (Boursin, 1936) (Noctuidae) Synonym(s): *wiltshirei* Boursin, 1936
- 383) **Caradrina (Eremodrina) belucha** Swinhoe, 1885 (Noctuidae) Synonym(s): *belucha* Swinhoe, 1885; *conditorana* Pinker, 1980
- 384) **Caradrina (Eremodrina) flava** (Oberthür, 1876) (Noctuidae) Synonym(s): *flava* Oberthür, 1876; *approximans* Rothschild, 1914
- 385) **Caradrina (Eremodrina) pertinax** (Staudinger, 1879) (Noctuidae) Synonym(s): *pertinax* Staudinger, 1879; *argentea* Caradja, 1930
- 386) **Caradrina (Eremodrina) salzi** (Boursin, 1936) (Noctuidae) Synonym(s): *salzi* Boursin, 1936
- 387) **Caradrina (Eremodrina) turatii** (Boursin, 1936) (Noctuidae) Synonym(s): *turatii* Boursin, 1936
- 388) **Caradrina (Eremodrina) zernyi** (Boursin, 1936) (Noctuidae) Synonym(s): *zernyi* Boursin, 1936; *signata* Boursin, 1936
- 389) **Caradrina (Kalchbergiana) ingrata** (Staudinger, 1897) (Noctuidae) Synonym(s): *ingrata* Staudinger, 1897
- 390) **Caradrina (Levantrina) bodenheimeri** (Draudt, 1934) (Noctuidae) Synonym(s): *bodenheimeri* Draudt, 1934; *bodenheimeri* Amsel, 1935; *chlorotica* Boursin, 1936; *plesiarchia* Boursin, 1937
- 391) **Caradrina (Paradrina) clavipalpis** (Scopoli, 1763) (Noctuidae) Synonym(s): *clavipalpis* Scopoli, 1763; *grisea* Hufnagel, 1766; *quadripunctata* Fabricius, 1775; *cubicularis* [Denis & Schiffermüller], 1775; *leucoptera* Thunberg, 1791; *milleri* Schultz, 1862; *avicula* Krulikovsky, 1909; *teidovolans* Pinker, 1974; *pinkeri* Kobes, 1975
- 392) **Caradrina (Paradrina) flava** (Oberthür, 1876) (Noctuidae) Synonym(s): *flava* Oberthür, 1876; *approximans* Rothschild, 1914
- 393) **Caradrina (Paradrina) flavirena** (Guenée, 1852) (Noctuidae) Synonym(s): *flavirena* Guenée, 1852; *minor* Staudinger, 1897; *subdita* W. Warren, 1911; *muricolor* Boursin, 1933; *subdita* Leraut, 1980
- 394) **Carcharodus (Reverdinus) orientalis** Reverdin, 1913 (Hesperiidae) Synonym(s): *orientalis* Reverdin, 1913; *centralanatolica* Pfeiffer, 1927; *aestatis* Graves, 1928; *aestatis* Verity, 1928; *postorientalis* Verity, 1928; *maccabaeus* Hemming, 1932
- 395) **Carcharodus (s.str.) alcaeae** (Esper, [1780]) (Hesperiidae) Synonym(s): *alcaeae* Esper, [1780]; *malvae* Hufnagel, 1766 nec Linn., 1758; *malvarum* Hoffmannsegg, 1804; *magnaustalis* Verity, 1924; *corsicus* Picard, 1948
- 396) **Cardepija arenaria** (Hampson, 1905) (Noctuidae) Synonym(s): *arenaria* Hampson, 1905
- 397) **Cardepija irrisor** (Erschoff, 1874) (Noctuidae) Synonym(s): *irrisor* Erschoff, 1874; *irrisoria* Erschoff, 1874; *albipicta* Christoph, 1884
- 398) **Cardiophorus (s.str.) alienus** (Szombathy, 1910) (Elateridae) Synonym(s): *alienus* Szombathy, 1910
- 399) **Cardiophorus (s.str.) sacratus** Erichson, 1840 (Elateridae) Synonym(s): *sacratus* Erichson, 1840; *tokatensis* Pic, 1913
- 400) **Cardiophorus (s.str.) turgidus** Erichson, 1840 (Elateridae) Synonym(s): *turgidus* Erichson, 1840
- 401) **Carpocoris coreanus** Distant, 1899 (Pentatomidae) Synonym(s): *coreanus* Distant, 1899; *iranus* Tamanini, 1958
- 402) **Carpocoris fuscispinus** (Boheman, 1851) (Pentatomidae) Synonym(s): *fuscispinus* Boheman, 1851; *hahni* Flor, 1856; *atlanticus* Tamanini, 1958; *mediterraneus* Tamanini, 1958
- 403) **Carpomya incompleta** (Becker, 1903) (Tephritidae) Synonym(s): *incompleta* Becker, 1903
- 404) **Caryedon angeri** (Semenov, 1896) (Bruchidae) Synonym(s): *angeri* Semenov, 1896; *palaestinus* Southgate, 1976; *#palaestinus* Yücel, 1994
- 405) **Casilda antophilaria** (Hübner, [1813]) (Geometridae) Synonym(s): *antophilaria* Hübner, [1813]; *gegenaria* Alpheraky, 1883; *#albipunctaria* Alpheraky, 1883; *elvira* Thierry-Mieg, 1911
- 406) **Catamecia minima** (Swinhoe, 1889) (Noctuidae) Synonym(s): *minima* Swinhoe, 1889; *delicata* Turati, 1934; *kordofana* Wiltshire, 1977
- 407) **Catarhoe mosulensis** (Schawerda, 1924) (Geometridae) Synonym(s): *mosulensis* Schawerda, 1924; *cinneretharia* Amsel, 1935
- 408) **Catephia alchymista** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller], 1775

- 409) **Catocala (s.str.) abacta Staudinger,1900** (Noctuidae) Synonym(s): *abacta* Staudinger,1900; *irana* Brandt,1938; *#iranica* Hacker,1986.
- 410) **Catocala (s.str.) diversa (Geyer,[1828])** (Noctuidae) Synonym(s): *diversa* Geyer,[1828]; *callinympha* Boisduval,[1828]; *#divera* Hacker,1988
- 411) **Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 412) **Catocala (s.str.) lesbia Christoph,1887** (Noctuidae) Synonym(s): *lesbia* Christoph,1887
- 413) **Catocala (s.str.) lupina Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851]; *detrita* W.Warren,1913
- 414) **Catocala (s.str.) mesopotamica Kuznesov,1903** (Noctuidae) Synonym(s): *hetaera* Staudinger,1895 *nec* Stgr.,1892; *aspasia* Boisduval,1897 *nec* Streck.,1874; *mesopotamica* Kuznesov,1903
- 415) **Catocala (s.str.) neonympha (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha* Esper,[1805]
- 416) **Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 417) **Catocala (s.str.) optima Staudinger,1888** (Noctuidae) Synonym(s): *optima* Staudinger,1888
- 418) **Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pelle* Hübner,[1809]; *romana* Schultz,1909
- 419) **Catopsilia florella (Fabricius,1775)** (Pieridae) Synonym(s): *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marcellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 420) **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 421) **Centrocoris degener (Puton,1874)** (Coreidae) Synonym(s): *degener* Puton,1874
- 422) **Centrocoris spiniger (Fabricius,1781)** (Coreidae) Synonym(s): *branderi* Linnaeus,1767; *spiniger* Fabricius,1781; *pallescent* Kolenati,1845; *subinermis* Rey,1887; *bampurensis* Linnavuori,1968
- 423) **Cephus pygmaeus (Linnaeus,1767)** (Cepidae) Synonym(s): *pygmaeus* Linnaeus,1767; *saluum* Fabricius,1775; *abdominalis* Latreille,1816; *flaviventris* Guérin,1834; *nigripennis* Sichel,1860; *notatus* Kokujev,1910; *nigromaculatus* Pic,1917; *aegyptiacum* Pic,1918; *delagrangei* Pic,1920; *tanaiticus* Dönnar-Zapolski,1926
- 424) **Ceratuncus affinitellus (Rebel,1901)** (Tineidae) Synonym(s): *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951.
- 425) **Cerocala sana Staudinger,1901** (Noctuidae) Synonym(s): *insana* Staudinger,1871 *nec* H-S.,1858; *sana* Staudinger,1901; *albifusa* de Joannis,1910.
- 426) **Cerocoma (Meloides) rapillyi Alcaide,1977** (Meloidae) Synonym(s): *rapillyi* Alcaide,1977
- 427) **Cerocoma (Mesocerosoma) latreillei Baudi,1878** (Meloidae) Synonym(s): *latreillei* Baudi,1878; *sterbai* Maran,1944; *schah* Kaszab,1968
- 428) **Cerocoma (Metacerocoma) festiva Faldermann,1837** (Meloidae) Synonym(s): *festiva* Faldermann,1837
- 429) **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi* Gyllenhal,1817
- 430) **Certallum thoracicum Sharp,1880** (Cerambycidae) Synonym(s): *thoracicum* Sharp,1880
- 431) **Cerura (s.str.) intermedia (Teich,1896)** (Notodontidae) Synonym(s): *intermedia* Teich,1896
- 432) **Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939
- 433) **Ceuthomadarus chthoniopa (Meyrick,1936)** (Lecithoceridae) Synonym(s): *chthoniopa* Meyrick,1936
- 434) **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792
- 435) **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800
- 436) **Chaetocnema chlorophana (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *chlorophana* Duftschmid,1825
- 437) **Chaetocnema coyei (Allard,1863)** (Chrysomelidae) Synonym(s): *coyei* Allard,1863
- 438) **Chaetocnema obesa (Boieldieu,1859)** (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859
- 439) **Chaetocnema scheffleri (Kutschera,1864)** (Chrysomelidae) Synonym(s): *scheffleri* Kutschera,1864
- 440) **Chaetorellia carthami Stackelberg,1929** (Tephritidae) Synonym(s): *carthami* Stackelberg,1929
- 441) **Chaetorellia conjuncta (Becker,1913)** (Tephritidae) Synonym(s): *conjuncta* Becker,1913
- 442) **Chamaesphacia doryceraeformis (Lederer,1853)** (Sesiidae) Synonym(s): *doryceraeformis* Lederer,1853
- 443) **Charora kurda Uvarov,1933** (Acridae) Synonym(s): *kurda* Uvarov,1933
- 444) **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807.
- 445) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
- 446) **Chazaria incarnata (Freyer,1838)** (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840.
- 447) **Chersotis (s.str.) fimbriola (Esper,[1798])** (Noctuidae) Synonym(s): *fimbriola* Esper,[1798]
- 448) **Chersotis (s.str.) semna (Püngeler,1906)** (Noctuidae) Synonym(s): *semna* Püngeler,1906
- 449) **Chesistege korbi (Bohatsch,1910)** (Geometridae) Synonym(s): *korbi* Bohatsch,1910
- 450) **Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
- 451) **Chiasmia (Godonela) syriacaria (Staudinger,1871)** (Geometridae) Synonym(s): *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934.
- 452) **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886
- 453) **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
- 454) **Chilades (Lachides) galba (Lederer,1855)** (Lycaenidae) Synonym(s): *galba* Lederer,1855
- 455) **Chilo luteellus (Motschulsky,1866)** (Pyralidae) Synonym(s): *lutellus* Motschulsky,1860 *nec* [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941.
- 456) **Chilo phragmitellus (Hübner,[1810])** (Pyralidae) Synonym(s): *phragmitellus* Hübner,[1810]; *rhombea* Haworth,[1811].
- 457) **Chilo suppressalis Walker,1863** (Pyralidae) Synonym(s): *suppressalis* Walker,1863; *oryzae* T.B.Fletcher,1928.
- 458) **Chionoxantha staudingeri (Standfuss,1892)** (Noctuidae) Synonym(s): *staudingeri* Standfuss,1892
- 459) **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus* Paykull,1790
- 460) **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792
- 461) **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829

- 462) **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796
- 463) **Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
- 464) **Chondrostega fascianum Staudinger,1892** (Lasiocampidae) Synonym(s): *fascianum* Staudinger,1892
- 465) **Chondrostega pauli Gaede,1932** (Lasiocampidae) Synonym(s): *pauli* Gaede,1932
- 466) **Choreutis nemorana (Hübner,[1799])** (Choreutidae) Synonym(s): *nemorana* Hübner,[1799]; *incisalis* Treitschke,1828; *memorialis* Treitschke,1829; *nemorella* Herrich-Schäffer,1862
- 467) **Chorthippus (Glyptobothrus) brunneus (Thunberg,1815)** (Acrididae) Synonym(s): *brunneus* Thunberg,1815; *bicolor* Charpentier,1825; *biguttula* Stephens,1835; *rhomboida* Stephens,1835; *varipes* Stephens,1835; *venusa* Stephens,1835; *vittata* Stephens,1835; *brunneri* Werner,1902
- 468) **Chroantha ornatula (Herrich-Schäffer,1842)** (Pentatomidae) Synonym(s): *ornatula* Herrich-Schäffer,1842
- 469) **Chrysocrambus linetellus (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
- 470) **Chrysocrambus syriellus (Zerny,1934)** (Pyralidae) Synonym(s): *syriellus* Zerny,1934
- 471) **Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
- 472) **Chrysolina anceyi (Marseul,1868)** (Chrysomelidae) Synonym(s): *anceyi* Marseul,1868; *winkleri* Breit,1919; *pluscula* Bechyne,1950
- 473) **Chrysolina coerulans (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulans* Scriba,1791; *angelica* Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella* Jacoby,1890; *uzbekorum* Bechyne,1950; *iranica* Jakob,1954; *piffli* Lopatin,1967
- 474) **Chrysolina halysa Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea* Fairmaire,1865 *nec* Falderm.,1837; *halysa* Bechyne,1950; *ayrica* Bechyne,1950; *intercalaria* Bechyne,1950
- 475) **Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950
- 476) **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955
- 477) **Chrysolina sellata (Weise,1894)** (Chrysomelidae) Synonym(s): *sellata* Weise,1894; *cilissa* Jacobson,1924
- 478) **Chrysops (Petersenichrysops) buxtoni Austen,1922** (Tabanidae) Synonym(s): *buxtoni* Austen,1922
- 479) **Chrysops (Petersenichrysops) compactus Austen,1924** (Tabanidae) Synonym(s): *compactus* Austen,1924
- 480) **Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae) Synonym(s): *flavipes* Meigen,1804; *punctifer* Loew,1858; *#favipes* Kılıç,1999
- 481) **Chrysotus suavis Loew,1857** (Dolichopodidae) Synonym(s): *suavis* Loew,1857
- 482) **Cicadetta fraseri (China,1938)** (Cicadidae) Synonym(s): *fraseri* China,1938
- 483) **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *casica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913
- 484) **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926
- 485) **Cigaritis cilissa Lederer,1861** (Lycaenidae) Synonym(s): *cilissa* Lederer,1861; *minima* Staudinger,1901
- 486) **Cigaritis epargyros (Eversmann,1854)** (Lycaenidae) Synonym(s): *epargyros* Eversmann,1854
- 487) **Cigaritis uighurica Kemal & Koçak,2005** (Lycaenidae) Synonym(s): *maxima* Staudinger,1901 *nec* Elw.,1892; *uighurica* Kemal & Koçak,2005
- 488) **Ciliocera leucosarca (Meyrick,1937)** (Pyralidae) Synonym(s): *leucosarca* Meyrick,1937
- 489) **Cilix asiatica A.Bang-Haas,1907** (Drepanidae) Synonym(s): *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913
- 490) **Cirrospilus vittatus Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955
- 491) **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897
- 492) **Clanoptilus (Hypoptilus) erythroptilus (Erichson,1840)** (Melyridae) Synonym(s): *erythroptilus* Erichson,1840
- 493) **Clarina kotschy (Kollar,[1849])** (Sphingidae) Synonym(s): *kotschy* Kollar,[1849]; *mardina* Staudinger,1901.
- 494) **Cleigastrea apicalis (Meigen,1826)** (Scathophagidae) Synonym(s): *apicalis* Meigen,1826
- 495) **Cleonymia (s.str.) chabordis (Oberthür,1876)** (Noctuidae) Synonym(s): *chabordis* Oberthür,1876; *#charbordis* Brandt,1939.
- 496) **Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
- 497) **Cleonymia (Serryvania) pectinicornis (Staudinger,1859)** (Noctuidae) Synonym(s): *pectinicornis* Staudinger,1859; *youngi* Rothschild,1925
- 498) **Cleonymia jubata (Oberthür,1890)** (Noctuidae) Synonym(s): *jubata* Oberthür,1890
- 499) **Clonaria kurda (Uvarov,1944)** (Diapheromeridae) Synonym(s): *kurda* Uvarov,1944
- 500) **Clostera pigra (Hufnagel,1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936
- 501) **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917
- 502) **Closterotomus agranus (Linnavuori,1984)** (Miridae) Synonym(s): *agranus* Linnavuori,1984
- 503) **Clytie (Hypoglaucitis) infrequens (Swinhoe,1884)** (Noctuidae) Synonym(s): *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888.
- 504) **Clytie (s.str.) arenosa Rothschild,1913** (Noctuidae) Synonym(s): *arenosa* Rothschild,1913; *seifersi* Gaede,1933.
- 505) **Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
- 506) **Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893
- 507) **Clytra bodemeyeri Weise,1900** (Chrysomelidae) Synonym(s): *bodemeyeri* Weise,1900
- 508) **Clytra nigrocincta (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigrocincta* Lacordaire,1848
- 509) **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920
- 510) **Cnephasia (Cnephasiella) incertana (Treitschke,1835)** (Tortricidae) Synonym(s): *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistan* Amsel,1955; *atticana* Razowski,1958

- 511) *Cnephasia* (s.str.) *nigripunctana* Amsel,1959 (Tortricidae) Synonym(s): *nigripunctana* Amsel,1959
- 512) *Cnephasia* (s.str.) *orientana* (Alpheraky,1877) (Tortricidae) Synonym(s): *orientana* Alpheraky,1877
- 513) *Cochyylimorpha* *chionella* (Schawerda,1924) (Tortricidae) Synonym(s): *chionella* Schawerda,1924
- 514) *Cochyylimorpha* *kurdistanana* (Amsel,1959) (Tortricidae) Synonym(s): *kurdistanana* Amsel,1959
- 515) *Cochyylimorpha* *meridiolana* (Ragonot,1894) (Tortricidae) Synonym(s): *meridiolana* Ragonot,1894; *ochrostriana* Kennel,1899; *meridiolana* Kennel,1900 nec Ragonot,1894; *kenneli* Razowski,1967.
- 516) *Cochyylimorpha* *straminea* (Haworth,[1811]) (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
- 517) *Cochylys* *posterana* Zeller,1847 (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935
- 518) *Codophila* (*Antheminia*) *pusio* (Kolenati,1846) (Pentatomidae) Synonym(s): *pusio* Kolenati,1846
- 519) *Codophila* (s.str.) *varia* (Fabricius,1787) (Pentatomidae) Synonym(s): *varia* Fabricius,1787; *longicornis* De la Fuente,1972
- 520) *Coenonympha* (s.str.) *pamphilus* (Linnaeus,1758) (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 521) *Coenonympha* (s.str.) *saadi* (Kollar,[1849]) (Satyridae) Synonym(s): *saadi* Kollar,[1849]; *iphias* Eversmann,1851.
- 522) *Coenosia* *attenuata* Stein,1903 (Muscidae) Synonym(s): *attenuata* Stein,1903; *flavicornis* Schnabl,1911; *confalonierii* Séguéy,1930; *affinis* Santos Abreu,1976; *flavipes* Santos Abreu,1976
- 523) *Coleophora* *agnatella* Toll,1960 (Coleophoridae) Synonym(s): *agnatella* Toll,1960
- 524) *Coleophora* *alcyonipennella* (Kollar,1832) (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962
- 525) *Coleophora* *amasiella* Stainton,1867 (Coleophoridae) Synonym(s): *amasiella* Stainton,1867
- 526) *Coleophora* *assyriacae* Baldizzone,1994 (Coleophoridae) Synonym(s): *assyriacae* Baldizzone,1994
- 527) *Coleophora* *canariipennella* Toll,1959 (Coleophoridae) Synonym(s): *canariipennella* Toll,1959
- 528) *Coleophora* *chamaedriella* Bruand,1852 (Coleophoridae) Synonym(s): *chamaedriella* Bruand,1852; *setipalpella* Staudinger,1879.
- 529) *Coleophora* *conspicuellae* Zeller,1849 (Coleophoridae) Synonym(s): *conspicuellae* Zeller,1849; *centaureicoella* Bruand,[1856]; *similis* Staudinger,1880; *aceris* Caradja,1920
- 530) *Coleophora* *dianthi* Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer,1855; *dianthella* Herrich-Schäffer,1861; *amseli* Toll,1942
- 531) *Coleophora* *dubiella* Baker,1888 (Coleophoridae) Synonym(s): *dubiella* Baker,1888; *reisseri* Rebel,1926; *eucera* Toll,1952; *microeucera* Toll,1960; *leucostrigella* Toll,1960
- 532) *Coleophora* *gazella* Toll,1952 (Coleophoridae) Synonym(s): *gazella* Toll,1952
- 533) *Coleophora* *machinopsis* Meyrick,1936 (Coleophoridae) Synonym(s): *machinopsis* Meyrick,1936
- 534) *Coleophora* *onopordiella* Zeller,1849 (Coleophoridae) Synonym(s): *onopordiella* Zeller,1849; *eremica* Amsel,1935; *cerinaula* Meyrick,1936; *fusca* Toll,1952; *pseudophlomidella* Toll,1952; *sivandella* Toll,1959; *litorella* Nemes,2003
- 535) *Coleophora* *paravestalella* Baldizzone,1994 (Coleophoridae) Synonym(s): *paravestalella* Baldizzone,1994
- 536) *Coleophora* *parthenica* Meyrick,1891 (Coleophoridae) Synonym(s): *parthenica* Meyrick,1891; *cygnipennella* Toll,1959; *candidella* Toll,1959; *transcaspica* Toll,1959; *lashkarella* Toll & Amsel,1967; *hilmendella* Amsel,1968.
- 537) *Coleophora* *praecipua* Walsingham,1907 (Coleophoridae) Synonym(s): *praecipua* Walsingham,1907
- 538) *Coleophora* *protecta* Walsingham,1907 (Coleophoridae) Synonym(s): *protecta* Walsingham,1907
- 539) *Coleophora* *tauricella* Staudinger,1880 (Coleophoridae) Synonym(s): *tauricella* Staudinger,1880; *skopusella* Amsel,1935; *kurdistanella* Amsel,1955.
- 540) *Coleophora* *wiltshirei* Toll,1959 (Coleophoridae) Synonym(s): *wiltshirei* Toll,1959
- 541) *Coleophora* *zernyi* Toll,1944 (Coleophoridae) Synonym(s): *zernyi* Toll,1944
- 542) *Colias* (*Eriocolias*) *crocea* (Fourcroy,1785) (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
- 543) *Colias* (*Neocolias*) *libanotica* Lederer,1858 (Pieridae) Synonym(s): *libanotica* Lederer,1858
- 544) *Colobochyla* (*Caspicastra*) *platyzona* (Lederer,1870) (Noctuidae) Synonym(s): *platyzona* Lederer,1870; *#platyzona* Hacker,1990.
- 545) *Colotis* (s.str.) *fausta* (Olivier,[1804]) (Pieridae) Synonym(s): *fausta* Olivier,[1804]
- 546) *Condica* *palaestinensis* (Staudinger,1895) (Noctuidae) Synonym(s): *palaestinensis* Staudinger,1895; *persicola* Draudt,1934; *persicola* Wiltshire,1952
- 547) *Condica* *viscosa* (Freyer,1831) (Noctuidae) Synonym(s): *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980.
- 548) *Coniosternum* *mihalyii* Sifner,1975 (Scathophagidae) Synonym(s): *mihalyii* Sifner,1975
- 549) *Conistra* (s.str.) *veronicae* (Hübner,[1813]) (Noctuidae) Synonym(s): *veronicae* Hübner,[1813]
- 550) *Conocephalus* (*Anisoptera*) *concolor* (Burmeister,1838) (Tettigoniidae) Synonym(s): *concolor* Burmeister,1838
- 551) *Coproica* *rufifrons* Hayashi,1991 (Sphaeroceridae) Synonym(s): *rufifrons* Hayashi,1991
- 552) *Coranus* *aegyptius* (Fabricius,1775) (Reduviidae) Synonym(s): *aegyptius* Fabricius,1775; *linnavuorii* Dispons,1963 ; *aegypticus* auct.
- 553) *Coranus* *griseus* (Rossi,1790) (Reduviidae) Synonym(s): *griseus* Rossi,1790; *murinus* Rambur,1840; *persicus* Wagner,1952
- 554) *Cordulegaster* *insignis* Schneider,1845 (Cordulegasteridae) Synonym(s): *insignis* Schneider,1845; *amasina* Morton,1916
- 555) *Coreus* *marginatus* (Linnaeus,1758) (Coreidae) Synonym(s): *marginatus* Linnaeus,1758
- 556) *Coriomeris* *vitticornis* Reuter,1900 (Coreidae) Synonym(s): *vitticornis* Reuter,1900
- 557) *Corixa* *jakowleffi* Horvath,1879 (Corixidae) Synonym(s): *jakowleffi* Horvath,1879
- 558) *Corizus* *fenestella* Horvath,1917 (Rhopalidae) Synonym(s): *limbatus* Reuter,1900 nec Rey,1877; *fenestella* Horvath,1917; *alternans* Horvath,1917; *subsimilis* Horvath,1917; *diluta* Distant,1918
- 559) *Cornifrons* *ulceratalis* Lederer,1858 (Pyrilidae) Synonym(s): *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876
- 560) *Cornutiplusia* *circumflexa* (Linnaeus,1767) (Noctuidae) Synonym(s): *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005
- 561) *Corynis* *orientalis* (Konow,1898) (Cimbicidae) Synonym(s): *orientalis* Konow,1898
- 562) *Cossulus* *lignosus* (Brandt,1938) (Cossidae) Synonym(s): *lignosus* Brandt,1938

- 563) **Cossulus mollis** (Christoph,1887) (Cossidae) Synonym(s): *mollis* Christoph,1887
- 564) **Cossus cossus** (Linnaeus,1758) (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794
- 565) **Costaconvexa polygrammata** (Borkhausen,1794) (Geometridae) Synonym(s): *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *#rosea* Wiltshire,1946
- 566) **Craniophora pontica** (Staudinger,1879) (Noctuidae) Synonym(s): *pontica* Staudinger,1879
- 567) **Creataloum arabicum** (Hampson,1896) (Arctiidae) Synonym(s): *arabicum* Hampson,1896; *gracilis* Staudinger,1899
- 568) **Creoleon aegyptiacus** (Rambur,1842) (Myrmeleonidae) Synonym(s): *aegyptiacus* Rambur,1842
- 569) **Creoleon elegans** Hölzel,1968 (Myrmeleonidae) Synonym(s): *elegans* Hölzel,1968
- 570) **Creoleon remanei** Hölzel,1972 (Myrmeleonidae) Synonym(s): *remanei* Hölzel,1972
- 571) **Crocalia aglossalis** Ragonot,1892 (Pyralidae) Synonym(s): *aglossalis* Ragonot,1892; *latidorsalis* Turati,1929; *exsculpta* Meyrick,1937
- 572) **Crombrugghia laeta** (Zeller,1847) (Pterophoridae) Synonym(s): *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882.
- 573) **Cryphia (Bryoleuca) eucta** (Hampson,1908) (Noctuidae) Synonym(s): *eucta* Hampson,1908
- 574) **Cryphia (Bryoleuca) petrea** (Guenée,1852) (Noctuidae) Synonym(s): *petrea* Guenée,1852
- 575) **Cryphia (Bryoleuca) raptricula** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962
- 576) **Cryphia (Bryoleuca) rectilinea** (W.Warren,1909) (Noctuidae) Synonym(s): *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962.
- 577) **Cryphia (Bryoleuca) remanei** Heydemann & Schulte,1963 (Noctuidae) Synonym(s): *remanei* Heydemann & Schulte,1963
- 578) **Cryphia (Bryophila) eucharista** Boursin,1960 (Noctuidae) Synonym(s): *iranica* Brandt,1941 *nec* Schwing.,1937; *eucharista* Boursin,1960.
- 579) **Cryphia (Bryophila) maeonis** (Lederer,1865) (Noctuidae) Synonym(s): *maeonis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909.
- 580) **Cryphia (Euthales) algae** (Fabricius,1775) (Noctuidae) Synonym(s): *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *alni* Fabricius,1787; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813].
- 581) **Cryptocephalus augustalisi** Pic,1913 (Chrysomelidae) Synonym(s): *augustalisi* Pic,1913
- 582) **Cucullia (s.str.) boryphora** Fischer v. Waldheim,1840 (Noctuidae) Synonym(s): *boryphora* Fischer & Waldheim,1840; *lignata* Guenée,1841; *rimula* Freyer,1842
- 583) **Cucullia (s.str.) calendulae** Treitschke,1835 (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980.
- 584) **Cucullia (Shargacucullia) barthae** Boursin,1933 (Noctuidae) Synonym(s): *barthae* Boursin,1933
- 585) **Cucullia (Shargacucullia) lychnitis** (Rambur,1833) (Noctuidae) Synonym(s): *lychnitis* Rambur,1833
- 586) **Cucullia (Shargacucullia) strigicosta** Boursin,1940 (Noctuidae) Synonym(s): *strigicosta* Boursin,1940
- 587) **Cucullia (Shargacucullia) verbasci** (Linnaeus,1758) (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 588) **Cueta lineosus** (Rambur,1842) (Myrmeleonidae) Synonym(s): *lineosus* Rambur,1842; *morosus* Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915
- 589) **Culex (Barradius) modestus** Ficalbi,1889 (Culicidae) Synonym(s): *modestus* Ficalbi,1889; *eadithae* Barraud,1924; *tanajcus* Stschelkanovzev,1926; *nudipalpis* Shingarev,1927
- 590) **Culex (Barradius) pusillus** Macquart,1850 (Culicidae) Synonym(s): *pusillus* Macquart,1850
- 591) **Culex (Maillotia) hortensis** Ficalbi,1889 (Culicidae) Synonym(s): *hortensis* Ficalbi,1889; *pilifera* Theobald,1907; *lavieri* Larrousse,1925
- 592) **Culex (Neoculex) territans** Walker,1856 (Culicidae) Synonym(s): *territans* Walker,1856; *saxatilis* Grossbeck,1905; *frickii* Ludlow,1906; *pyrenaicus* Brolemann,1919; *nematoides* Dyar & Shannon,1925
- 593) **Culex (s.str.) mimeticus** Noe,1899 (Culicidae) Synonym(s): *mimeticus* Noe,1899; *pseudomimeticus* Sargent,1909
- 594) **Culex (s.str.) pipiens** Linnaeus,1758 (Culicidae) Synonym(s): *pipiens* Linnaeus,1758; *bifurcatus* Linnaeus,1758; *fasciatus* Müller,1764; *molestus* Forskal,1775; *trifurcatus* Fabricius,1794; *luteus* Meigen,1804; *domesticus* Germar,1817; *bicolor* Meigen,1818; *marginalis* Stephens,1825; *meridionalis* Leach,1825; *thoracicus* R-D.,1827; *calcitrans* R-D.,1827; *consobrinus* R-D.,1827; *unistriatus* Curtis,1837; *pallipes* Macquart,1838; *rufinus* Bigot,1888; *phytophagus* Ficalbi,1889; *agilis* Bigot,1889; *haematophagus* Ficalbi,1893; *melanorhinus* Giles,1900; *longefurcatus* Becker,1903; *varioannulatus* Theobald,1903; *azorensis* Theobald,1903; *quasimodestus* Theobald,1905; *osakensis* Theobald,1907; *comitatus* Dyar & Knab,1909; *dipseticus* Dyar & Knab,1909; *doliurum* Edwards,1912; *autogenicus* Roubaud,1935; *berbericus* Roubaud,1935; *sternopallidus* Roubaud,1945; *sternopunctatus* Roubaud,1945; *disjunctus* Roubaud,1957; *calloti* Rioux & Pech,1959; *erectus* Iglisch,1977; *torridus* Iglisch,1977
- 595) **Culex (s.str.) theileri** Theobald,1903 (Culicidae) Synonym(s): *theileri* Theobald,1903
- 596) **Culex (s.str.) tritaeniorhynchus** Giles,1901 (Culicidae) Synonym(s): *tritaeniorhynchus* Giles,1901; *summosus* Dyar,1920; *biroi* Theobald,1905; *siamensis* Barraud & Christophers,1931
- 597) **Culicoides badooshensis** Khalaf,1961 (Ceratopogonidae) Synonym(s): *badooshensis* Khalaf,1961
- 598) **Culicoides bulbostylus** Khalaf,1961 (Ceratopogonidae) Synonym(s): *bulbostylus* Khalaf,1961
- 599) **Culicoides imicola** Kieffer,1913 (Ceratopogonidae) Synonym(s): *imicola* Kieffer,1913; *pallidipennis* Carter,Ingram & Macfie,1920; *iraqensis* Khalaf,1957; *minutus* Sen & Das Gupta,1959; *pseudoturgidus* Das Gupta,1962
- 600) **Culicoides kasimi** Khalaf,1961 (Ceratopogonidae) Synonym(s): *kasimi* Khalaf,1961
- 601) **Culicoides longipennis** Khalaf,1957 (Ceratopogonidae) Synonym(s): *longipennis* Khalaf,1957; *flavisimilis* Dzhaifarov,1964
- 602) **Culicoides odiatus** Austen,1921 (Ceratopogonidae) Synonym(s): *niger* Dzhaifarov,1960 (*praeocc.*); *odiatus* Austen,1921; *indistinctus* Khalaf,1961; *lailae* Khalaf,1961; *kurektshaicus* Dzhaifarov,1962; *conicus* Remm,1968
- 603) **Culicoides odibilis** Austen,1921 (Ceratopogonidae) Synonym(s): *odibilis* Austen,1921
- 604) **Culicoides oxystoma** Kieffer,1910 (Ceratopogonidae) Synonym(s): *oxystoma* Kieffer,1910; *kiefferi* Patton,1913; *mesopotamiensis* Patton,1920; *pattoni* Kieffer,1921; *housei* Causey,1938; *punctigerus* Tokunaga,1951; *alatus* Das Gupta & Ghosh,1956
- 605) **Culicoides pallidipennis** Carter, Ingram & Macfie,1920 (Ceratopogonidae) Synonym(s): *pallidipennis* Carter, Ingram & Macfie,1920
- 606) **Culicoides pallidus** Khalaf,1957 (Ceratopogonidae) Synonym(s): *pallidus* Khalaf,1957; *stackelbergi* Dzhaifarov,1962
- 607) **Culicoides pictipennis** Staeger,1839 (Ceratopogonidae) Synonym(s): *pictipennis* Staeger,1839

- 608) **Culicoides pictus Khalaf, 1961** (Ceratopogonidae) Synonym(s): *pictus* Khalaf, 1961
- 609) **Culicoides pseudopallidus Khalaf, 1961** (Ceratopogonidae) Synonym(s): *pseudopallidus* Khalaf, 1961
- 610) **Culicoides pulicaris (Linnaeus, 1758)** (Ceratopogonidae) Synonym(s): *pulicaris* Linnaeus, 1758; *setosinervis* Kieffer, 1913; *pullatus* Kieffer, 1915; *stephensi* Carter, 1916; *cinerellus* Kieffer, 1919; *quinquepunctatus* Goetghebuer, 1921; *flavipilum* Kieffer, 1924; *sawamotoi* Kono & Takahasi, 1940
- 611) **Culicoides puncticollis (Becker, 1903)** (Ceratopogonidae) Synonym(s): *puncticollis* Becker, 1903; *impressus* Kieffer, 1918; *distigma* Kieffer, 1922; *donatieni* Kieffer, 1922; *sciniphes* Kieffer, 1925; *bipunctatus* Vimmer, 1932; *tripunctatus* Vimmer, 1932; *wenigi* Vimmer, 1932; *flavitaris* Vimmer, 1932; *flavitaris* Vimmer, 1932; *griseovittatus* Vimmer, 1932; *luteosignatus* Vimmer, 1932; *vavrai* Vimmer, 1932
- 612) **Culicoides saevus Kieffer, 1922** (Ceratopogonidae) Synonym(s): *saevus* Kieffer, 1922; *drenskii* Zilahi-Sebess, 1934; *puncticeps* Goetghebuer, 1934; *micromaculithorax* Khalaf, 1957
- 613) **Culicoides sahariensis Kieffer, 1923** (Ceratopogonidae) Synonym(s): *sahariensis* Kieffer, 1923; *baghdadensis* Khalaf, 1957; *coluzzii* Callot, Kremer & Bailly-Choumara, 1970
- 614) **Culicoides sergenti Kieffer, 1921** (Ceratopogonidae) Synonym(s): *sergenti* Kieffer, 1921; *citrinellus* Kieffer, 1923; *mosulensis* Khalaf, 1957; *turkmenicus* Gutsevich, 1959
- 615) **Culicoides shaklawensis Khalaf, 1957** (Ceratopogonidae) Synonym(s): *shaklawensis* Khalaf, 1957; *caspius* Gutsevich, 1959
- 616) **Culicoides similisbaghdadensis Khalaf, 1957** (Ceratopogonidae) Synonym(s): *similisbaghdadensis* Khalaf, 1957
- 617) **Culicoides trivittatus Vimmer, 1932** (Ceratopogonidae) Synonym(s): *trivittatus* Vimmer, 1932; *subneglectus* Vimmer, 1932; *bulbostylus* Khalaf, 1961
- 618) **Culiseta (Allotheobaldia) longiareolata (Macquart, 1838)** (Culicidae) Synonym(s): *longiareolata* Macquart, 1838; *spathipalpis* Rondani, 1872; *leucogrammus* Loew, 1874; *serratipes* Becker, 1908; *maroccanus* D'Anfreville, 1916
- 619) **Culiseta (Culicella) fumipennis (Stephens, 1825)** (Culicidae) Synonym(s): *fumipennis* Stephens, 1825; *ficalbii* Noe, 1899; *theobaldi* Meijere, 1911; *setivalva* Monchadskii, 1936
- 620) **Culiseta (s.str.) annulata (Schränk, 1776)** (Culicidae) Synonym(s): *annulata* Schränk, 1776; *annulatus* Fabricius, 1787; *affinis* Stephens, 1825; *nicaensis* Leach, 1825; *ferruginata* Martini, 1924
- 621) **Cybalomia haplogramma Meyrick, 1936** (Pyralidae) Synonym(s): *haplogramma* Meyrick, 1936
- 622) **Cybalomia pentadalis (Lederer, 1855)** (Pyralidae) Synonym(s): *pentadalis* Lederer, 1855
- 623) **Cybalomia triplacogramma Meyrick, 1937** (Pyralidae) Synonym(s): *triplacogramma* Meyrick, 1937
- 624) **Cyclophora ruficiliaria (Herrich-Schäffer, [1855])** (Geometridae) Synonym(s): *ruficiliaria* Herrich-Schäffer, [1855]
- 625) **Cydia bagdadiana (Amsel, 1949)** (Tortricidae) Synonym(s): *bagdadiana* Amsel, 1949
- 626) **Cydia blackmoreana (Walsingham, 1903)** (Tortricidae) Synonym(s): *blackmoreana* Walsingham, 1903
- 627) **Cydia coluteana (Amsel, 1959)** (Tortricidae) Synonym(s): *coluteana* Amsel, 1959
- 628) **Cylindera (Cicindina) pygmaea (Dejean, 1825)** (Carabidae) Synonym(s): *pygmaea* Dejean, 1825
- 629) **Cymbalophora oetzeni (Lederer, 1855)** (Arctiidae) Synonym(s): *oetzeni* Lederer, 1855
- 630) **Cymbionotum (s.str.) pictulum (Bates, 1874)** (Carabidae) Synonym(s): *pictulum* Bates, 1874; *transcaucasica* Chaudoir, 1874; *signata* Semenov, 1889
- 631) **Cymbionotum (s.str.) semelederi (Chaudoir, 1861)** (Carabidae) Synonym(s): *semelederi* Chaudoir, 1861; *alginus* Chaudoir, 1876; *funerula* Fairmaire, 1885; *luniferum* Andrewes, 1935; *houskai* Jedlicka, 1951
- 632) **Cymbionotum (s.str.) semirubricum (Reitter, 1914)** (Carabidae) Synonym(s): *semirubricum* Reitter, 1914; *aethiopicus* Alluaud, 1923; *airense* Basilevsky, 1950
- 633) **Cynaeda gigantea (Wocke, 1871)** (Pyralidae) Synonym(s): *gigantea* Wocke, 1871
- 634) **Cyphonoxia praestabilis Reitter, 1889** (Scarabaeidae) Synonym(s): *praestabilis* Reitter, 1889
- 635) **Cyrtopeltis pygmaea Wagner, 1956** (Miridae) Synonym(s): *pygmaea* Wagner, 1956; *khalafi* Seidenstücker, 1964
- 636) **Dacus (Leptoxya) persicus Hendel, 1927** (Tephritidae) Synonym(s): *persicus* Hendel, 1927
- 637) **Danaus (Anosia) chrysippus (Linnaeus, 1758)** (Danaidae) Synonym(s): *chrysippus* Linnaeus, 1758; *aegyptius* Schreber, 1759
- 638) **Daphnis nerii (Linnaeus, 1758)** (Sphingidae) Synonym(s): *nerii* Linnaeus, 1758; *infernelutea* Saalmüller, 1884; *#confluens* Closs, 1912; *#nigra* Schmidt, 1914; *bipartita* Gehlen, 1934
- 639) **Daria coenosella Ragonot, 1888** (Pyralidae) Synonym(s): *coenosella* Ragonot, 1888; *tshetverikovi* Kusnesov, 1908
- 640) **Dasycorsa modesta (Staudinger, 1879)** (Geometridae) Synonym(s): *modesta* Staudinger, 1879
- 641) **Dasyphora albofasciata (Macquart, 1839)** (Muscidae) Synonym(s): *albofasciata* Macquart, 1839; *hirsutoculata* Macquart, 1849; *aeneomicans* Portschinsky, 1881
- 642) **Dasyphora asiatica Zimin, 1947** (Muscidae) Synonym(s): *asiatica* Zimin, 1947
- 643) **Dasyphora pratorum (Meigen, 1826)** (Muscidae) Synonym(s): *pratorum* Meigen, 1826
- 644) **Dasytigon magisi Tomasovic, 1999** (Asilidae) Synonym(s): *magisi* Tomasovic, 1999
- 645) **Dasytidius alfieri (Wittmer, 1935)** (Melyridae) Synonym(s): *alfieri* Wittmer, 1935
- 646) **Dasytidius kalalovae Majer, 1991** (Melyridae) Synonym(s): *kalalovae* Majer, 1991
- 647) **Dasytidius laticollis (Bourgeois, 1885)** (Melyridae) Synonym(s): *laticollis* Bourgeois, 1885
- 648) **Dasytidius maceki Majer, 1991** (Melyridae) Synonym(s): *maceki* Majer, 1991
- 649) **Dasytidius princeps Majer, 1991** (Melyridae) Synonym(s): *princeps* Majer, 1991
- 650) **Dasytidius subnudus Majer, 1991** (Melyridae) Synonym(s): *subnudus* Majer, 1991
- 651) **Decticus verrucivorus (Linnaeus, 1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus, 1758; *rubicundus* De Geer, 1778; *hastatus* Fischer von Waldheim, 1839; *radiata* Fischer von Waldheim, 1846
- 652) **Deilephila suellus Staudinger, 1878** (Sphingidae) Synonym(s): *suellus* Staudinger, 1878; *kuruschi* O. Bang-Haas, 1938
- 653) **Delta esuriens (Fabricius, 1787)** (Vespidae) Synonym(s): *esuriens* Fabricius, 1787
- 654) **Dendarus (Pandarinus) tenellus Mulsant & Rey, 1854** (Tenebrionidae) Synonym(s): *tenellus* Mulsant & Rey, 1854
- 655) **Dentilla dichroa (Sichel & Radoszkowski, 1870)** (Mutillidae) Synonym(s): *dichroa* Sichel & Radoszkowski, 1870
- 656) **Dentitegumia nigrigranella (Ragonot, 1890)** (Pyralidae) Synonym(s): *nigrigranella* Ragonot, 1890; *comeella* Amsel, 1961
- 657) **Depressaria beckmanni Heinemann, 1870** (Oecophoridae) Synonym(s): *beckmanni* Heinemann, 1870
- 658) **Depressaria daucivorella Ragonot, 1889** (Oecophoridae) Synonym(s): *daucivorella* Ragonot, 1889; *mesopotamica* Amsel, 1949
- 659) **Depressaria eryngiella Millière, 1881** (Oecophoridae) Synonym(s): *eryngiella* Millière, 1881; *campestrella* Chrétien, 1896; *deliciosella* Turati, 1924; *obolucha* Meyrick, 1936
- 660) **Depressaria obolucha Meyrick, 1936** (Oecophoridae) Synonym(s): *obolucha* Meyrick, 1936
- 661) **Depressaria rutilcola Christoph, 1873** (Oecophoridae) Synonym(s): *rutilcola* Christoph, 1873

- 662) **Dericorys albidula** Audinet-Serville,[1838] (Dericorythidae) Synonym(s): *albidula* Audinet-Serville,[1838]; *tibialis* Fieber,1853 nec Pall.,1773; *acutispina* Stal,1875; *curvipes* Redtenbacher,1889
- 663) **Dericorys tibialis** (Pallas,1773) (Dericorythidae) Synonym(s): *tibialis* Pallas,1773; *gibbosa* Fischer von Waldheim,1839; *maculata* Fischer von Waldheim,1846; *fumipennis* Adelung,1906
- 664) **Dichagyris (s.str.) anastasia** (Draudt,1936) (Noctuidae) Synonym(s): *anastasia* Draudt,1936
- 665) **Dichagyris (s.str.) erubescens** (Staudinger,1892) (Noctuidae) Synonym(s): *erubescens* Staudinger,1892
- 666) **Dichagyris (s.str.) forficula** (Eversmann,1851) (Noctuidae) Synonym(s): *forficula* Eversmann,1851
- 667) **Dichagyris (s.str.) grisescens** Staudinger,1879 (Noctuidae) Synonym(s): *grisescens* Staudinger,1879; *fasciata* Vorbrodt,1930; *euryloma* Corti,1933
- 668) **Dichagyris (s.str.) singularis** (Staudinger,1877) (Noctuidae) Synonym(s): *singularis* Staudinger,1877
- 669) **Dichagyris (s.str.) squalidior** (Staudinger,1901) (Noctuidae) Synonym(s): *squalidior* Staudinger,1901
- 670) **Dichagyris (s.str.) squalorum** (Eversmann,1856) (Noctuidae) Synonym(s): *squalorum* Eversmann,1856
- 671) **Dichagyris (s.str.) terminicincta** (Corti & Draudt,1933) (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933.
- 672) **Dichagyris (Yigoga) flavina** (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
- 673) **Dichagyris (Yigoga) forcipula** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
- 674) **Dichagyris (Yigoga) gracilis** (F.Wagner,1929) (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929
- 675) **Dichagyris (Yigoga) nachadira** (Brandt,1941) (Noctuidae) Synonym(s): *nachadira* Brandt,1941
- 676) **Dichagyris (Yigoga) nigrescens** (Hofner,1888) (Noctuidae) Synonym(s): *nigrescens* Hofner,1888
- 677) **Dichagyris (Yigoga) orientis** (Alpheraky,1882) (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933.
- 678) **Dichagyris (Yigoga) romanovi** (Christoph,1885) (Noctuidae) Synonym(s): *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990.
- 679) **Dichagyris (Yigoga) signifera** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775
- 680) **Dichagyris (Yigoga) stigmatula** (Kozhantshikov,1937) (Noctuidae) Synonym(s): *stigmatula* Kozhantshikov,1937
- 681) **Dichagyris (Yigoga) wiltshirei** (Boursin,1936) (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936; *#wiltshirei* Ebert & Hacker,2002
- 682) **Dichillus (Dichillocerus) crassicornis** Allard,1869 (Tenebrionidae) Synonym(s): *crassicornis* Allard,1869
- 683) **Dichomeris lamprostoma** (Zeller,1847) (Gelechiidae) Synonym(s): *lamprostoma* Zeller,1847; *zulu* Walsingham,1881; *scutata* Meyrick,1894.
- 684) **Dichonia (s.str.) aeruginea** (Hübner,[1803]) (Noctuidae) Synonym(s): *aeruginea* Hübner,[1803]; *miolauca* Geyer,[1828]; *chiolauca* Treitschke,1835; *mesembrina* Schawerda,1913.
- 685) **Dichrorampha eximia** (Danilevsky,1948) (Tortricidae) Synonym(s): *eximia* Danilevsky,1948; *obraztsovi* Amsel,1959
- 686) **Dicranocephalus albipes** (Fabricius,1781) (Stenocephalidae) Synonym(s): *albipes* Fabricius,1781; *leucopus* Gmelin,1790; *neglectus* Herrich-Schäffer,1835
- 687) **Dicranocephalus marginatus** (Ferrari,1874) (Stenocephalidae) Synonym(s): *marginatus* Ferrari,1874; *albomarginatus* Jakovlev,1877; *orientalis* Distant,1880
- 688) **Dicranocephalus setulosus** (Ferrari,1874) (Stenocephalidae) Synonym(s): *setulosus* Ferrari,1874
- 689) **Dicronychus drureri** (Pic,1908) (Elateridae) Synonym(s): *drureri* Pic,1908
- 690) **Dicronychus exstinctus** (Erichson,1840) (Elateridae) Synonym(s): *exstinctus* Erichson,1840
- 691) **Dictyophara europaea** (Linnaeus,1767) (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#aeuropaea* Petagna,1787; *europae* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942
- 692) **Dictyophara striata** Oshanin,1879 (Dictyopharidae) Synonym(s): *striata* Oshanin,1879
- 693) **Dictyophara tangigharuha** Dlabola,1957 (Dictyopharidae) Synonym(s): *tangigharuha* Dlabola,1957
- 694) **Dicycla oo** (Linnaeus,1758) (Noctuidae) Synonym(s): *oo* Linnaeus,1758; *ferruginago* Hübner,[1803].
- 695) **Dieida ledereri** Staudinger,1871 (Cossidae) Synonym(s): *ledereri* Staudinger,1871 o
- 696) **Dielocroce ephemera** (Gersträcker,[1894]) (Nemopteridae) Synonym(s): *ephemera* Gersträcker,[1894]
- 697) **Dielocroce persica** (Alexandrov-Martynov,1930) (Nemopteridae) Synonym(s): *persica* Alexandrov-Martynov,1930
- 698) **Diglyphus crassinervis** Erdős,1958 (Eulophidae) Synonym(s): *crassinervis* Erdős,1958
- 699) **Diglyphus isaea** (Walker,1838) (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureaux,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877
- 700) **Dilophus tridentatus** Walker,1848 (Bibionidae) Synonym(s): *tridentatus* Walker,1848; *africanus* Becker,1903
- 701) **Dinica endochrysa** (Meyrick,1935) (Tineidae) Synonym(s): *endochrysa* Meyrick,1935
- 702) **Diorhabda carinata** (Faldermann,1837) (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837
- 703) **Diorhabda octocostata** Gahan,1896 (Chrysomelidae) Synonym(s): *octocostata* Gahan,1896
- 704) **Diorhabda sublineata** (Lucas,1849) (Chrysomelidae) Synonym(s): *sublineata* Lucas,1849
- 705) **Dioxyna bidentis** (R-D.,1830) (Tephritidae) Synonym(s): *bidentis* R-D.,1830
- 706) **Distoleon annulatus** (Klug,1834) (Myrmeleionidae) Synonym(s): *annulatus* Klug,1834
- 707) **Distoleon tetragrammicus** (Fabricius,1798) (Myrmeleionidae) Synonym(s): *tetragrammicus* Fabricius,1798; *catta* Rossi,1790; *rapax* Olivier,1811; *flavomaculatus* Eversmann,1841; *leuthneri* Navas,1914; *mesmini* Navas,1921
- 708) **Dociostaurus (Notostaurus) larensis** Soltani,1978 (Acrididae) Synonym(s): *larensis* Soltani,1978
- 709) **Dociostaurus (s.str.) tartarus** Stshelkanovtzev,1921 (Acrididae) Synonym(s): *tartarus* Stshelkanovtzev,1921
- 710) **Dociostaurus (Stauronotulus) hauensteini** (Bolivar,1893) (Acrididae) Synonym(s): *hauensteini* Bolivar,1893
- 711) **Dolicharthria bruguieralis** (Duponchel,1833) (Pyralidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915
- 712) **Dolichopus lairdi** Olejnicek, Mohsen & Ouda,1995 (Dolichopodidae) Synonym(s): *lairdi* Olejnicek, Mohsen & Ouda,1995
- 713) **Dolycoris baccarum** (Linnaeus,1758) (Pentatomidae) Synonym(s): *baccarum* Linnaeus,1758; *verbasci* De Geer,1773; *subater* Harris,1780; *albidus* Gmelin,1790; *depressa* Westwood,1837; *confusa* Westwood,1837; *inconcisa* Walker,1867
- 714) **Doratulina pallifrons** (Horvath,1897) (Cicadellidae) Synonym(s): *pallifrons* Horvath,1897; *margaritacea* Horvath,1897
- 715) **Doratula homophyla** (Flor,1861) (Cicadellidae) Synonym(s): *homophyla* Flor,1861
- 716) **Drasteria cailino** (Lefèbvre,1827) (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857

- 717) **Drasteria flexuosa** (Ménétriés,1848) (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
- 718) **Drasteria kabylaria** (A.Bang-Haas,1906) (Noctuidae) Synonym(s): *kabylaria* A.Bang-Haas,1906
- 719) **Drasteroides limata** (Christoph,1884) (Noctuidae) Synonym(s): *limata* Christoph,1884
- 720) **Dryobotodes (s.str.) eremita** (Fabricius,1775) (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911
- 721) **Dufourea (s.str.) nodicornis** (Warncke,1979) (Halictidae) Synonym(s): *nodicornis* Warncke,1979
- 722) **Duilius bagdada** (Dlabola,1952) (Cixiidae) Synonym(s): *bagdada* Dlabola,1952
- 723) **Duilius seticulosa** (Lethierry,1874) (Cixiidae) Synonym(s): *seticulosa* Lethierry,1874; *irrorata* A.Costa,1882; *punctata* Lallemant,1929
- 724) **Duponchelia fovealis** (Zeller,1847) (Pyralidae) Synonym(s): *fovealis* Zeller,1847; *canuialis* Millière,1869; *griseata* Butler,1875; *uniflexalis* Mabille,1880
- 725) **Duroniella laeviceps** Uvarov,1938 (Acrididae) Synonym(s): *laeviceps* Uvarov,1938
- 726) **Duroniella volucris** Uvarov,1938 (Acrididae) Synonym(s): *volucris* Uvarov,1938
- 727) **Duroderes umbraculatus** (Fabricius,1775) (Pentatomidae) Synonym(s): *umbraculatus* Fabricius,1775; *marginatus* Fabricius,1798 nec Linn.,1758; *aparines* Dufour,1833
- 728) **Dysauxes (s.str.) famula** (Freyer,1836) (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983
- 729) **Dyscia (Calodyscia) innocentaria** (Christoph,1885) (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentana* Pugaev & Zolotuhin,2006
- 730) **Dysmilichia bicolor** (Chrétien,1913) (Noctuidae) Synonym(s): *bicolor* Chrétien,1913
- 731) **Dysmilichia bicyclia** (Staudinger,1888) (Noctuidae) Synonym(s): *bicyclia* Staudinger,1888
- 732) **Dyspessa tsvetaevi** Yakovlev,2008 (Cossidae) Synonym(s): *tsvetaevi* Yakovlev,2008
- 733) **Dyspessa ulula** (Borkhausen,1790) (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscula* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912.
- 734) **Dyspessa wiltshirei** Daniel,1938 (Cossidae) Synonym(s): *wiltshirei* Daniel,1938
- 735) **Dyspessacossus fereidun** Groum-Grshimailo,1895 (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo,1895; *firdusi* Wagner,1937.
- 736) **Eana (Eutrachia) goiiana** (Linnaeus,1761) (Tortricidae) Synonym(s): *#argentana* Clerck,1759; *goiiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *gerningiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887
- 737) **Earias chlorophyllana** Staudinger,1892 (Noctuidae) Synonym(s): *chlorophyllana* Staudinger,1892; *syrticola* Turati,1926; *watersoni* Wiltshire,1947.
- 738) **Earias clorana** (Linnaeus,1761) (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
- 739) **Earias insulana** (Boisduval,1833) (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
- 740) **Earias irakana** Wiltshire,1936 (Noctuidae) Synonym(s): *irakana* Wiltshire,1936
- 741) **Earias syriacana** Bartel,1903 (Noctuidae) Synonym(s): *syriacana* Bartel,1903
- 742) **Eccoptopus longitarsis** (Macquart,1838) (Asilidae) Synonym(s): *longitarsis* Macquart,1838; *erythrogastrus* Loew,1871; *lucidus* Becker,1907
- 743) **Echthromyrmex platypterus** McLachlan,1867 (Myrmeleonidae) Synonym(s): *platypterus* McLachlan,1867
- 744) **Ectomocoris basra** Linnavuori,1972 (Reduviidae) Synonym(s): *basra* Linnavuori,1972
- 745) **Ectomocoris cordiger** Stal,1866 (Reduviidae) Synonym(s): *cordiger* Stal,1866; *adjunctus* Walker,1873
- 746) **Ectomocoris nemrod** Dispons,1970 (Reduviidae) Synonym(s): *nemrod* Dispons,1970
- 747) **Ectomocoris quadrimaculatus** (Audinet-Serville,1831) (Reduviidae) Synonym(s): *quadrimaculatus* Audinet-Serville,1831
- 748) **Ectomocoris ululans** (Rossi,1790) (Reduviidae) Synonym(s): *ululans* Rossi,1790; *tidikelti* Dispons,1961
- 749) **Egira tibi Hreblay,1994** (Noctuidae) Synonym(s): *tibi* Hreblay,1994
- 750) **Eicomorpha kurdestanica** De Freina & Hacker,1985 (Noctuidae) Synonym(s): *kurdestanica* De Freina & Hacker,1985
- 751) **Eilicerinia cordiaria** (Hübner,1790) (Geometridae) Synonym(s): *cordiaria* Hübner,1790
- 752) **Elegia fallax** (Staudinger,1881) (Pyralidae) Synonym(s): *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953.
- 753) **Elophila hederalis** Amsel,1935 (Pyralidae) Synonym(s): *hederalis* Amsel,1935; *auralis* Osthelder,1935
- 754) **Ematheudes vitellinella** Ragonot,1887 (Pyralidae) Synonym(s): *vitellinella* Ragonot,1887; *#vittelinella* Amsel,1949.
- 755) **Emmelina monodactyla** (Linnaeus,1758) (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 756) **Empoasca decipiens** Paoli,1930 (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961
- 757) **Emprepes eoa** (Meyrick,1936) (Pyralidae) Synonym(s): *eo* Meyrick,1936
- 758) **Emprepes russulalis** (Christoph,1877) (Pyralidae) Synonym(s): *russulalis* Christoph,1877; *baryscia* Meyrick,1937
- 759) **Empusa fasciata** Brullé,1836 (Empusidae) Synonym(s): *fasciata* Brullé,1836
- 760) **Empusa pennicornis** (Pallas,1773) (Empusidae) Synonym(s): *unicornis* Linnaeus,1763; *pennicornis* Pallas,1773; *pallasiana* Olivier,1792; *marginatus* Thunberg,1815; *orientalis* Burmeister,1838; *stolli* Saussure,1871; *attenuata* Ramme,1951; *mujuncumica* Lindt,1976; *hodshamumina* Lindt,1976; *brevidorsa* Lindt,1977; *buharica* Lindt,1977; *condarinica* Lindt,1977; *copetdagica* Lindt,1977; *iliense* Lindt,1977; *longidorsa* Lindt,1977; *angulata* Lindt,1978; *baysunica* Lindt,1978; *similis* Lindt,1978; *longoapicale* Lindt,1979; *luppovae* Lindt,1979; *orientalis* Lindt,1979 nec Burm., 1838; *lindti* Otte,2004
- 761) **Empusa uvarovi** Chopard,1921 (Empusidae) Synonym(s): *uvarovi* Chopard,1921
- 762) **Endotricha flammealis** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951.
- 763) **Engistus exsanguis** Stal,1872 (Lygaeidae) Synonym(s): *exsanguis* Stal,1872; *unicolor* Jakovlev,1877; *conspurcatus* Horvath,1911; *fasciatus* Horvath,1911; *#crocea* Priesner & Alfieri,1953; *#viridis* Priesner & Alfieri,1953; *punctulatus* Linnavuori,1953 [ssp.]
- 764) **Ennomos (Deuteronomos) fraxineti** Wiltshire,1947 (Geometridae) Synonym(s): *fraxineti* Wiltshire,1947; *#effuscaria* Wiltshire,1947

- 765) **Enoplops disciger (Kolenati, 1845)** (Coreidae) Synonym(s): *disciger Kolenati, 1845*
- 766) **Enscepastra machinopis Meyrick, 1936** (Coleophoridae) Synonym(s): *machinopis Meyrick, 1936*; *#machinopis Amsel, 1949*; *alhaii Falkovich, 1972*
- 767) **Entomoscelis suturalis Weise, 1882** (Chrysomelidae) Synonym(s): *suturalis Weise, 1882*
- 768) **Eogenes alcides Herrich-Schäffer, [1852]** (Hesperiidae) Synonym(s): *alcides Herrich-Schäffer, [1852]*
- 769) **Eogenes leslei Evans, 1926** (Hesperiidae) Synonym(s): *#leslei Evans, 1912*; *leslei Evans, 1926*
- 770) **Epactotena octogenalis (Lederer, 1863)** (Pyralidae) Synonym(s): *octogenalis Lederer, 1863*
- 771) **Epallage fatime (Charpentier, 1840)** (Calopterygidae) Synonym(s): *fatime Charpentier, 1840*
- 772) **Epascestria pustulalis (Hübner, [1823])** (Pyralidae) Synonym(s): *pustulalis Hübner, [1823]*; *orientalis Caradja, 1917*
- 773) **Epermenia (s.str.) orientalis Gaedike, 1966** (Epermeniidae) Synonym(s): *orientalis Gaedike, 1966*
- 774) **Ephelis cruentalis (Geyer, [1832])** (Pyralidae) Synonym(s): *cruentalis Geyer, [1832]*; *bourjotalis Duponchel, 1833*; *badialis Treitschke, 1835*
- 775) **Ephestia (Anagasta) abnormalella (Ragonot, 1887)** (Pyralidae) Synonym(s): *abnormalella Ragonot, 1887*; *alphetopis Meyrick, 1937*
- 776) **Ephestia (Anagasta) kuehniella Zeller, 1879** (Pyralidae) Synonym(s): *kuehniella Zeller, 1879*; *fuscofasciella Ragonot, 1887*; *gitoniella Druce, 1896*; *lunella Noel, 1904*; *ischnomorpha Meyrick, 1931*; *#kuehniella Hutacharern & Tubtim, 1995*
- 777) **Ephestia (s.str.) elutella (Hübner, 1796)** (Pyralidae) Synonym(s): *elutella Hübner, 1796*; *semirufa Haworth, 1811*; *rufa Haworth, 1811*; *angusta Haworth, 1811*; *sericarium Scott, 1859*; *roxburghii Gregson, 1873*; *infumatella Ragonot, 1887*; *affusella Ragonot, 1888*; *icosiella Ragonot, 1888*; *amarella Dyar, 1904*; *pteroigrisella Roesler, 1965*
- 778) **Ephydra murina Wirth, 1975** (Ephydriidae) Synonym(s): *murina Wirth, 1975*
- 779) **Epicallima icterinella (Mann, 1867)** (Oecophoridae) Synonym(s): *icterinella Mann, 1867*
- 780) **Epidauria discella Ragonot, 1901** (Pyralidae) Synonym(s): *discella Ragonot, 1901*
- 781) **Epidauria omranella Amsel, 1959** (Pyralidae) Synonym(s): *omranella Amsel, 1959*
- 782) **Epiepischnia pseudolydella Amsel, 1953** (Pyralidae) Synonym(s): *pseudolydella Amsel, 1953*
- 783) **Epimetasia albalis Amsel, 1959** (Pyralidae) Synonym(s): *albalis Amsel, 1959*
- 784) **Epinotia dalmatana (Rebel, 1891)** (Tortricidae) Synonym(s): *dalmatana Rebel, 1891*; *psychrodora Meyrick, 1936*; *mesopotamica Obratzov, 1952*; *obraztovi Agerjo, 1967*
- 785) **Epiparthia simplicialis (Rothschild, 1921)** (Pyralidae) Synonym(s): *simplicialis Rothschild, 1921*; *pallens Amsel, 1935*
- 786) **Episcardia (Bilobatana) fuscoviolacella (Ragonot, 1895)** (Tineidae) Synonym(s): *violacella Rebel, 1893 (praeocc.)*; *fuscoviolacella Ragonot, 1895*; *luteocapitella Amsel, 1935*
- 787) **Epischnopsis nervosella (Ragonot, 1887)** (Pyralidae) Synonym(s): *nervosella Ragonot, 1887*
- 788) **Episema lederi Christoph, 1885** (Noctuidae) Synonym(s): *lederi Christoph, 1885*; *sareptana Alpheraky, 1897*; *#ledereri Wiltshire, 1937*
- 789) **Epitherina bahmana (Wiltshire, 1943)** (Geometridae) Synonym(s): *bahmana Wiltshire, 1943*
- 790) **Epithera ghirshimani (Wiltshire, 1944)** (Geometridae) Synonym(s): *ghirshimani Wiltshire, 1944*
- 791) **Epitrix abeillei (Bauduer, 1874)** (Chrysomelidae) Synonym(s): *abeillei Bauduer, 1874*
- 792) **Eremocossus vaulogeri (Staudinger, 1897)** (Cossidae) Synonym(s): *vaulogeri Staudinger, 1897*; *suavis Staudinger, 1899*; *saharae Lucas, 1907*; *hartigi Rebel, 1935*
- 793) **Eremopeza gibbera (Stal, 1874)** (Pamphagidae) Synonym(s): *gibbera Stal, 1874*
- 794) **Eriogaster (s.str.) pfeifferi Daniel, 1932** (Lasiocampidae) Synonym(s): *pfeifferi Daniel, 1932*; *amygdali Wiltshire, 1941*
- 795) **Eriogaster (s.str.) philippsi Bartel, 1911** (Lasiocampidae) Synonym(s): *philippsi Bartel, 1911*; *#philipsi Zolotuhin, 2007*
- 796) **Eriogaster (s.str.) rimicola (Schränk, 1802)** (Lasiocampidae) Synonym(s): *#rimicola [Denis & Schiffermüller], 1775*; *rimicola Schränk, 1802*
- 797) **Erynnis (Hesperopegasus) marloyi (Boisduval, [1834])** (Hesperiidae) Synonym(s): *marloyi Boisduval, [1834]*; *sericea Freyer, 1838*; *rustan Kollar, [1849]*
- 798) **Erynnis (s.str.) tages (Linnaeus, 1758)** (Hesperiidae) Synonym(s): *tages Linnaeus, 1758*; *morio Scopoli, 1763*; *geryon Rottemburg, 1775*; *subclarus Verity, 1921*
- 799) **Esperarge (s.str.) clymene (Fabricius, 1787)** (Satyridae) Synonym(s): *#clymene Esper, [1783]*; *clymene Fabricius, 1787*; *boroeas Latreille, 1803*; *synclimene Hübner, [1819]*
- 800) **Ethmia amasina (Staudinger, 1879)** (Ethmiidae) Synonym(s): *amasina Staudinger, 1879*
- 801) **Ethmia bipunctella (Fabricius, 1775)** (Ethmiidae) Synonym(s): *bipunctella Fabricius, 1775*; *echiella [Denis & Schiffermüller], 1775*; *hochenwartiella Rossi, 1790*; *griseicostella Wiltshire, 1947*
- 802) **Ethmia candidella (Alpheraky, 1908)** (Ethmiidae) Synonym(s): *candidella Alpheraky, 1908*; *orientella Caradja, 1931*
- 803) **Ethmia caradjae (Rebel, 1907)** (Ethmiidae) Synonym(s): *caradjae Rebel, 1907*; *chosroes Wiltshire, 1947*
- 804) **Ethmia fumidella (Wocke, 1850)** (Ethmiidae) Synonym(s): *fumidella Wocke, 1850*; *ardosiella Caradja, 1931*
- 805) **Ethmia infelix Meyrick, 1914** (Ethmiidae) Synonym(s): *confusella Rebel, 1901 (praeocc.)*; *infelix Meyrick, 1914*; *kurdistanella Amsel, 1959*
- 806) **Ethmia lepidella (Chrétien, 1907)** (Ethmiidae) Synonym(s): *lepidella Chrétien, 1907*; *niveella Caradja, 1920*; *euphraticella Amsel, 1954*
- 807) **Ethmia pusiella (Linnaeus, 1758)** (Ethmiidae) Synonym(s): *pusiella Linnaeus, 1758*; *scalella Scopoli, 1763*; *sequella [Denis & Schiffermüller], 1775*; *lithosperma Hübner, 1796*
- 808) **Ethmia quadrinotella (Mann, 1861)** (Ethmiidae) Synonym(s): *quadrinotella Mann, 1861*; *atticella Caradja, 1920*; *galaxaea Meyrick, 1922*
- 809) **Ethmia tripunctella (Staudinger, 1879)** (Ethmiidae) Synonym(s): *tripunctella Staudinger, 1879*
- 810) **Ethmia vittalbella (Christoph, 1877)** (Ethmiidae) Synonym(s): *vittalbella Christoph, 1877*; *radiatella Chrétien, 1907*; *tripolitanella Turati, 1929*
- 811) **Etiella zinckenella (Treitschke, 1832)** (Pyralidae) Synonym(s): *marginella Fabricius, 1781 nec Den. & Schiff., 1775*; *zinckenella Treitschke, 1832*; *etiella Treitschke, 1835*; *majorellus Costa, 1836*; *colonnellus Costa, 1836*; *dymnusalis Walker, 1859*; *heraldella Guenée, 1862*; *anticalis Walker, 1863*; *indicatalis Walker, 1863*; *hastiferella Walker, 1866*; *decipiens Staudinger, 1870*; *spartiella Rondani, 1876*; *sabulinus Butler, 1879*; *madagascariensis Saalmüller, 1880*; *schisticolor Zeller, 1881*; *villosella Hulst, 1887*; *rubribasella Hulst, 1890*; *#tiella Pinhey, 1975*
- 812) **Euapatura mirza Ebert, 1971** (Argynnidae) Synonym(s): *mirza Ebert, 1971*; *iwasei Igarashi, 1971*
- 813) **Eublemma (albida-gr.) gratissimum (Staudinger, 1892)** (Noctuidae) Synonym(s): *albida auct.*; *gratissima Staudinger, 1892*; *infusca Staudinger, 1892*; *peralba Schawerda, 1923*
- 814) **Eublemma (albida-gr.) hansa (Herrich-Schäffer, [1851])** (Noctuidae) Synonym(s): *hansa Herrich-Schäffer, [1851]*
- 815) **Eublemma (albida-gr.) stramineum (Staudinger, 1892)** (Noctuidae) Synonym(s): *straminea Staudinger, 1892*; *transmittens Christoph, 1893*; *maraschensis Osthelder, 1933*

- 816) Eublemma (candidana-gr.) candidanum (Fabricius,1794)** (Noctuidae) Synonym(s): *candidana* Fabricius,1794; *minuta* Hübner,[1809]; *perlana* Geyer,[1830]; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871.
- 817) Eublemma (chlorotica-gr.) chloroticum (Lederer,1858)** (Noctuidae) Synonym(s): *chlorotica* Lederer,1858
- 818) Eublemma (cochylioides-gr.) cochylioides (Guenée,1852)** (Noctuidae) Synonym(s): *cochylioides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusata* W.Warren,1913.
- 819) Eublemma (Glossodice) polygrammum (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *violetta* Staudinger,1889.
- 820) Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsaftikis,1973.
- 821) Eublemma (pallidula-gr.) virginalis (Oberthür,1881)** (Noctuidae) Synonym(s): *virginalis* Oberthür,1881; *caid* Oberthür,1881; *subterminalis* Rothschild,1914
- 822) Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
- 823) Eublemma (rosina-gr.) parallelum (Freyer,1842)** (Noctuidae) Synonym(s): *parallela* Freyer,1842; *concinula* Herrich-Schäffer,1851; *#densata* W.Warren,1912.
- 824) Eublemma peralba (Schawerda,1923)** (Noctuidae) Synonym(s): *peralba* Schawerda,1923
- 825) Eublemma suppuncta (Staudinger,1892)** (Noctuidae) Synonym(s): *suppuncta* Staudinger,1892; *#suppuncta* Hacker,1988
- 826) Eucampyla dealbatella (Erschoff,1874)** (Pyralidae) Synonym(s): *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965.
- 827) Euchalcia (s.str.) taurica (Osthelder,1933)** (Noctuidae) Synonym(s): *taurica* Osthelder,1933
- 828) Euchalcia (s.str.) viridis (Staudinger,1901)** (Noctuidae) Synonym(s): *viridis* Staudinger,1901
- 829) Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
- 830) Euchloe (Elphinstonia) transcaspica (Staudinger,[1892])** (Pieridae) Synonym(s): *transcaspica* Staudinger,[1892]
- 831) Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
- 832) Euchloe (s.str.) belemia (Esper,[1800])** (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glauca* Freyer,[1848]
- 833) Euchromius bellus (Hübner,1796)** (Pyralidae) Synonym(s): *bella* Hübner,1796; *bellalis* Hübner,[1825].
- 834) Euchromius ocellus (Haworth,[1811])** (Pyralidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 835) Euchromius pulverosus (Christoph,1887)** (Pyralidae) Synonym(s): *pulverosa* Christoph,1887
- 836) Euchromius ramburiellus (Duponchel,1836)** (Pyralidae) Synonym(s): *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949.
- 837) Euchromius rayatellus (Amsel,1949)** (Pyralidae) Synonym(s): *rayatella* Amsel,1949
- 838) Euchromius vinculellus (Zeller,1847)** (Pyralidae) Synonym(s): *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrutella* Amsel,1949.
- 839) Euclasta (s.str.) splendidalis (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *splendidalis* Herrich-Schäffer,[1848]
- 840) Eucosma esmodes Meyrick,1937** (Tortricidae) Synonym(s): *esmodes* Meyrick,1937
- 841) Eucosma kurdistan (Amsel,1959)** (Tortricidae) Synonym(s): *kurdistan* Amsel,1959
- 842) Eucosma recentana (Zerny,1933)** (Tortricidae) Synonym(s): *recentana* Zerny,1933
- 843) Eudonia piroformis (Amsel,1949)** (Pyralidae) Synonym(s): *piroformis* Amsel,1949
- 844) Eugnorisma (Metagnorisma) pontica (Staudinger,1892)** (Noctuidae) Synonym(s): *pontica* Staudinger,1892
- 845) Eugnorisma (Metagnorisma) rafidain (Boursin,1936)** (Noctuidae) Synonym(s): *rafidain* Boursin,1936
- 846) Eugnorisma (s.str.) chaldaica (Boisduval,1840)** (Noctuidae) Synonym(s): *chaldaica* Boisduval,1840
- 847) Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) Synonym(s): *insignata* Lederer,1853; *intermedia* Eversmann,1855.
- 848) Eugnorisma (s.str.) semiramis (Boursin,1940)** (Noctuidae) Synonym(s): *semiramis* Boursin,1940
- 849) Euhagena palariiformis (Lederer,1858)** (Sesiidae) Synonym(s): *palariiformis* Lederer,1858; *dioctriiformis* Romanoff,1884; *rubescens* Staudinger,1887; *almana* Rebel,1917
- 850) Euloastra diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): *diaphora* Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
- 851) Eumera hoeferi Wehrli,1934** (Geometridae) Synonym(s): *#hoeferi* Wehrli,1934; *hoeferi* Wehrli,1934; *#hoferi* Wiltshire,1937.
- 852) Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948
- 853) Euphyia frustata (Treitschke,1828)** (Geometridae) Synonym(s): *frustata* Treitschke,1828; *muscosata* Donzel,1837; *fulvocinctata* Rambur,1866
- 854) Eupithecia bastelbergeri Dietze,1913** (Geometridae) Synonym(s): *bastelbergeri* Dietze,1913
- 855) Eupithecia brunneata Staudinger,1900** (Geometridae) Synonym(s): *brunneata* Staudinger,1900
- 856) Eupithecia extremata (Fabricius,1787)** (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
- 857) Eupithecia gratiosata Herrich-Schäffer,1861** (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885
- 858) Eupithecia icterata (Villers,1789)** (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
- 859) Eupithecia limbata Staudinger,1879** (Geometridae) Synonym(s): *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973
- 860) Eupithecia minusculata (Alpheraky,1883)** (Geometridae) Synonym(s): *minusculata* Alpheraky,1883; *inversaria* Turati,1930; *penultimaria* Wiltshire,1985.
- 861) Eupithecia opistographata Dietze,1906** (Geometridae) Synonym(s): *opistographata* Dietze,1906; *arenicola* Rothschild,1913; *#opisthographata* Schütze,1961
- 862) Eupithecia quercetica L.B.Prout,1938** (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938
- 863) Eupithecia ultimaria Boisduval,1840** (Geometridae) Synonym(s): *ultimaria* Boisduval,1840; *tornifascia* Rothschild,1913
- 864) Euplagia splendidior (Tams,1922)** (Arctiidae) Synonym(s): *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935.

- 865) **Euproctis melania (Staudinger,1892)** (Lymantriidae) Synonym(s): *melania* Staudinger,1892; *melaniodes* Strand,1910; *#melaina* De Freina,1999.
- 866) **Eupteryx alticola Ribaut,1936** (Cicadellidae) Synonym(s): *alticola* Ribaut,1936; *bilobata* Cerutti,1939; *unita* Cerutti,1939
- 867) **Eurhodope (Eurhobasis) cinerea (Staudinger,1879)** (Pyralidae) Synonym(s): *cinerea* Staudinger,1879
- 868) **Eurhodope (s.str.) monogrammos (Zeller,1867)** (Pyralidae) Synonym(s): *monogrammos* Zeller,1867; *buxtoni* Rothschild,1921; *homochromella* Amsel,1961; *melanella* Roesler,1969
- 869) **Eurydema (Horvatheurydema) fieberi Fieber,1837** (Pentatomidae) Synonym(s): *fieberi* Fieber,1837; *armeniicum* Kolenati,1846; *schaefferi* Gorski,1852; *meyeri* Fieber,1861; *caucasica* Jalkovlev,1873; *scutellata* Jakovlev,1883; *melanogaster* Horvath,1917; *gussakovskii* Kiritshenko,1952; *bagradiformis* Kiritshenko,1952
- 870) **Euxoa putoni Jakovlev,1877** (Pentatomidae) Synonym(s): *putoni* Jakovlev,1877; *adusta* Jakovlev,1879; *colorata* Jakovlev,1882; *formosum* Puton,1895
- 871) **Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896
- 872) **Euscelis alsoides Remane,1967** (Cicadellidae) Synonym(s): *alsoides* Remane,1967
- 873) **Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858
- 874) **Eutelia adoratrix (Staudinger,1892)** (Noctuidae) Synonym(s): *adoratrix* Staudinger,1892
- 875) **Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): *adulatrix* Hübner,[1813]
- 876) **Euxoa (Orosagrotis) foeda (Lederer,1855)** (Noctuidae) Synonym(s): *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937.
- 877) **Euxoa (Pleonectopoda) hilaris (Freyer,1838)** (Noctuidae) Synonym(s): *hilaris* Freyer,1838
- 878) **Euxoa (Pleonectopoda) inclusa Corti,1931** (Noctuidae) Synonym(s): *inclusa* Corti,1931
- 879) **Euxoa (s.str.) canariensis Rebel,1902** (Noctuidae) Synonym(s): *canariensis* Rebel,1902
- 880) **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
- 881) **Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 882) **Euxoa (s.str.) decora ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller],1775
- 883) **Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbenea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
- 884) **Euxoa (s.str.) robiginosa (Staudinger,[1895])** (Noctuidae) Synonym(s): *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensor* Draudt,1936; *vinirufa* Draudt,1936.
- 885) **Euxoa (s.str.) scurrilis Draudt,1937** (Noctuidae) Synonym(s): *scurrilis* Draudt,1937
- 886) **Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 887) **Euzophera (s.str.) albicostalis Hampson,1903** (Pyralidae) Synonym(s): *albicostalis* Hampson,1903; *albicostalis* Amsel,1949; *#albocostalis* Wiltshire,1957
- 888) **Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 889) **Euzophera (s.str.) formosella (Rebel,1910)** (Pyralidae) Synonym(s): *formosella* Rebel,1910
- 890) **Euzophera (s.str.) imperfectella Ragonot,1895** (Pyralidae) Synonym(s): *imperfectella* Ragonot,1895; *xylomorpha* Meyrick,1937.
- 891) **Euzophera (s.str.) lactiflora Meyrick,1937** (Pyralidae) Synonym(s): *lactiflora* Meyrick,1937
- 892) **Euzophera (s.str.) lunulella (Costa,1836)** (Pyralidae) Synonym(s): *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851.
- 893) **Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
- 894) **Euzophera (s.str.) pulchella Ragonot,1887** (Pyralidae) Synonym(s): *pulchella* Ragonot,1887; *xylomorpha* Meyrick,1937
- 895) **Euzophera (s.str.) subcribrella Ragonot,1887** (Pyralidae) Synonym(s): *subcribrella* Ragonot,1887; *mercatrix* Meyrick,1937; *marginipunctella* Amsel,1959.
- 896) **Euzopherodes lutisignella (Mann,1869)** (Pyralidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 897) **Evergestis caesialis Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *caesialis* Herrich-Schäffer,[1855]
- 898) **Evergestis desertalis (Hübner,[1813])** (Pyralidae) Synonym(s): *desertalis* Hübner,[1813]; *avicennae* Tams,1925.
- 899) **Evergestis isatidalis (Duponchel,1833)** (Pyralidae) Synonym(s): *isatidalis* Duponchel,1833
- 900) **Evisa schawerdae Reisser,1930** (Noctuidae) Synonym(s): *schawerdae* Reisser,1930
- 901) **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927
- 902) **Exitianus nanus (Distant,1908)** (Cicadellidae) Synonym(s): *nanus* Distant,1908
- 903) **Exoprosopa pullata Zaitzev,1976** (Bombyliidae) Synonym(s): *pullata* Zaitzev,1976
- 904) **Exoprosopa pullata Zaitzev,1976** (Bombyliidae) Synonym(s): *pullata* Zaitzev,1976
- 905) **Eyprepocnemis alacris (Audinet-Serville,1838)** (Acrididae) Synonym(s): *alacris* Audinet-Serville,1838; *deponens* Walker,1859; *reductus* Walker,1870; *rudis* Walker,1870; *scitulum* Walker,1871; *intermedia* Bolivar,1902
- 906) **Eyprepocnemis plorans (Charpentier,1825)** (Acrididae) Synonym(s): *plorans* Charpentier,1825; *reticulatus* Fischer von Waldheim,1839; *tarsius* Fischer von Waldheim,1846; *consobrina* Walker,1870; *senegalensis* Bolivar,1914; *pallida* Uvarov,1921; *#polarans* Salman,1978
- 907) **Falcotya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897
- 908) **Fannia canicularis (Linnaeus,1761)** (Fanniidae) Synonym(s): *canicularis* Linnaeus,1761; *rivularis* R-D.,1830; *chilensis* Macquart,1843; *constantina* Macquart,1843; *hilaris* Zetterstedt,1845; *introducia* Walker,1853; *muscoideus* Walker,1871
- 909) **Faveria dionysia (Zeller,1846)** (Pyralidae) Synonym(s): *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937
- 910) **Faveria nigroanalisis (Amsel,1959)** (Pyralidae) Synonym(s): *nigroanalisis* Amsel,1959

- 911) **Fieberiella florii** (Stal,1864) (Cicadellidae) Synonym(s): *florii* Stal,1864
- 912) **Fieberiella gemelina** Dlabola,1965 (Cicadellidae) Synonym(s): *gemelina* Dlabola,1965
- 913) **Forficula lurida** Fischer,1853 (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900
- 914) **Fulvoclysia subdolana** (Kennel,1901) (Tortricidae) Synonym(s): *subdolana* Kennel,1901; *subflavana* Amsel,1959
- 915) **Furcula interrupta** Christoph,1867 (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#sureyae* Schintlmeister,1989.
- 916) **Galleria mellonella** (Linnaeus,1758) (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheela* Dufrane,1930.
- 917) **Gampsocoris punctipes** (Germar,1822) (Berytidae) Synonym(s): *punctipes* Germar,1822
- 918) **Gastropacha (s.str.) populifolia** (Esper,[1782]) (Lasiocampidae) Synonym(s): *#populifolia* [Denis & Schiffermüller],1775; *populifolia* Esper,[1782]
- 919) **Gastropacha (s.str.) quercifolia** (Linnaeus,1758) (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909
- 920) **Gegenes nostrodamus** (Fabricius,1793) (Hesperiidae) Synonym(s): *nostrodamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940.
- 921) **Gegenes pumilio** (Hoffmannsegg,1804) (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrilli,1787 nec Fabr.,1775; *aetna* Boisduval,1840; *lefebvrei* Rambur,1842; *monochroa* Rebel,1907.
- 922) **Gepus buxtoni** Morton,1921 (Myrmeleonidae) Synonym(s): *buxtoni* Morton,1921
- 923) **Gerris caucasicus** Kanyukova,1982 (Gerridae) Synonym(s): *caucasicus* Kanyukova,1982
- 924) **Glaphyrocoris ebikh** Linnavuori,1984 (Miridae) Synonym(s): *ebikh* Linnavuori,1984
- 925) **Glauropsyche (s.str.) alexis** (Poda,1761) (Lycaenidae) Synonym(s): *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller],1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mirovi* Coutsis,1976.
- 926) **Glossotrophia (Libanonia) sacraria** (A.Bang-Haas,1910) (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910
- 927) **Glyphipterix bifasciella** Amsel,1959 (Glyphipterygidae) Synonym(s): *bifasciella* Amsel,1959
- 928) **Gnopharmia colchidaria** (Lederer,1870) (Geometridae) Synonym(s): *colchidaria* Lederer,1870; *melanotaenia* Wehrli,1938
- 929) **Gnopharmia erema** Wehrli,1939 (Geometridae) Synonym(s): *erema* Wehrli,1939
- 930) **Gnopharmia irakensis** Wehrli,1938 (Geometridae) Synonym(s): *irakensis* Wehrli,1938
- 931) **Gnophos (Cnestrognophos) stachyphorus** Wehrli,1936 (Geometridae) Synonym(s): *stachyphorus* Wehrli,1936
- 932) **Gnophos (Dicrognophos) choristus** Wehrli,1939 (Geometridae) Synonym(s): *choristus* Wehrli,1939
- 933) **Gnophos (Dicrognophos) snelleni** Christoph,1887 (Geometridae) Synonym(s): *snelleni* Christoph,1887
- 934) **Gnophos (Dicrognophos) wiltshirei** Wehrli,1938 (Geometridae) Synonym(s): *wiltshirei* Wehrli,1938
- 935) **Gnophos (Organognophos) wanensis** Wehrli,1936 (Geometridae) Synonym(s): *wanensis* Wehrli,1936
- 936) **Gnophos (Trilobignophos) pollinarius** Christoph,1887 (Geometridae) Synonym(s): *pollinaria* Christoph,1887
- 937) **Gnophosema palumba** Brandt,1938 (Geometridae) Synonym(s): *palumba* Brandt,1938
- 938) **Gnorimoschema antiquum** Povolny,1966 (Gelechiidae) Synonym(s): *antiquum* Povolny,1966
- 939) **Gnorimoschema herbichii** (Nowicki,1864) (Gelechiidae) Synonym(s): *herbichii* Nowicki,1864; *pusillella* Rebel,1893; *tengstroemiella* Joannis,1910; *pazsiczyi* Rebel,1913; *parenthesella* Toll,1936; *tengstroemi* Hackman,1946; *soffneri* Riedl,1965
- 940) **Gomphocranum adad** Linnavuori,1984 (Pentatomidae) Synonym(s): *adad* Linnavuori,1984
- 941) **Gomphocranum anu** Linnavuori,1984 (Pentatomidae) Synonym(s): *anu* Linnavuori,1984
- 942) **Gomphocranum christophi** Jakovlev,1877 (Pentatomidae) Synonym(s): *christophi* Jakovlev,1877
- 943) **Gomphus davidi** Selys,1887 (Gomphidae) Synonym(s): *davidi* Selys,1887
- 944) **Gomphus kinzelbachi** Schneider,1984 (Gomphidae) Synonym(s): *kinzelbachi* Schneider,1984
- 945) **Gonepteryx (s.str.) farinosa** (Zeller,1847) (Pieridae) Synonym(s): *farinosa* Zeller,1847
- 946) **Gonepteryx (s.str.) rhamni** (Linnaeus,1758) (Pieridae) Synonym(s): *rhamni* Linnaeus,1758; *gravesi* Huggins,1956.
- 947) **Goniagnathus guttulinervis** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929
- 948) **Goniurellia lacerata** (Becker,1913) (Tephritidae) Synonym(s): *lacerata* Becker,1913
- 949) **Goniurellia longicauda** Freidberg,1980 (Tephritidae) Synonym(s): *longicauda* Freidberg,1980
- 950) **Goniurellia tridens** (Hendel,1910) (Tephritidae) Synonym(s): *tridens* Hendel,1910
- 951) **Gnomodes bifasciata** (Petagna,1786) (Noctuidae) Synonym(s): *geometrica* auct.; *bifasciata* Petagna,1786; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalciptera* Borkhausen,1792; *parallelaris* Hübner,[1803].
- 952) **Grammodes stolidus** (Fabricius,1775) (Noctuidae) Synonym(s): *stolidus* Fabricius,1775; *cingularis* Hübner,[1808]; *stipida* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
- 953) **Graonius mesopotamiae** (Morton,1921) (Myrmeleonidae) Synonym(s): *mesopotamiae* Morton,1921
- 954) **Graphomya maculata** (Scopoli,1763) (Muscidae) Synonym(s): *maculata* Scopoli,1763; *compuncta* Harris,1780
- 955) **Graphosoma (s.str.) stali** Horvath,1881 (Pentatomidae) Synonym(s): *stali* Horvath,1881; *alkani* Lodos,1959
- 956) **Gryllodinus kerkennensis** (Finot,1893) (Gryllidae) Synonym(s): *kerkennensis* Finot,1893; *macropterus* Fuente,1894; *finoti* Krauss,1902; *dulcisonans* Semenov,1915
- 957) **Gryllotalpa gryllotalpa** (Linnaeus,1758) (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804
- 958) **Gymnancyla (Spermatophthora) hornigii** (Lederer,1852) (Pyralidae) Synonym(s): *hornigii* Lederer,1852; *#hornigi* Hannemann,1964.
- 959) **Gymnoscelis rufifasciata** (Haworth,[1809]) (Geometridae) Synonym(s): *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813].
- 960) **Gypsonoma aceriana** (Duponchel,1843) (Tortricidae) Synonym(s): *aceriana* Duponchel,1843; *belgiensis* Dufrane,1945
- 961) **Gypsonoma euphraticana** (Amsel,1935) (Tortricidae) Synonym(s): *euphraticana* Amsel,1935
- 962) **Hadena (Anepia) avempacei** (Tams,1925) (Noctuidae) Synonym(s): *avempacei* Tams,1925; *pampaninii* C.G.Krüger,1933.
- 963) **Hadena (Anepia) perplexa** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] nec Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
- 964) **Hadena (Anepia) syriaca** (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 965) **Hadena (Enterpia) laudeti** (Boisduval,1840) (Noctuidae) Synonym(s): *laudeti* Boisduval,1840
- 966) **Hadena (Maschukia) pumila** (Staudinger,1879) (Noctuidae) Synonym(s): *pumila* Staudinger,1879
- 967) **Hadena (Pronotestra) silenides** (Staudinger,1895) (Noctuidae) Synonym(s): *silenides* Staudinger,1895; *cinochrea* Chrétien,1911; *pampaninii* C.G.Krüger,1933.

- 968) Haden** (s.str.(*Albimaculia*)) **gueneei** (Staudinger,1901) (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905
- 969) Haden** (s.str.(*Anatolidena*)) **pfeifferi** (Draudt,1934) (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934
- 970) Haden** (s.str.(*Dianthoeia*)) **impressa** (Esper,[1790]) (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790].
- 971) Haden** (s.str.(*Hadenobilis*)) **melanochroa** (Staudinger,1892) (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892
- 972) Haden** (s.str.(*Hadenobilis*)) **tristis** (Draudt,1934) (Noctuidae) Synonym(s): *tristis* Draudt,1934
- 973) Haden** (s.str.(*Miselia*)) **compta** (Denis & Schiffermüller,1775) (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
- 974) Hadjina** **lutosa** Staudinger,1892 (Noctuidae) Synonym(s): *lutosa* Staudinger,1892
- 975) Hadula** (*Calocestra* (*Hadutrifolium*)) **trifolii** (Hufnagel,1766) (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 976) Hadula** (*Cardiestra*) **vassilini** (O.Bang-Haas,1927) (Noctuidae) Synonym(s): *vassilini* O.Bang-Haas,1927
- 977) Hadula** (*Cardiestra*) **vassilini** *deserta* Gyulai,2002 (Noctuidae) Synonym(s): *deserta* Gyulai,2002
- 978) Hadula** (s.str. (*Habulorum*)) **sabulorum** (Alpheraky,1882) (Noctuidae) Synonym(s): *sabulorum* Alpheraky,1882
- 979) Haematobia** **exigua** De Meijere,1903 (Muscidae) Synonym(s): *exigua* De Meijere,1903
- 980) Haematobia** **irritans** (Linnaeus,1758) (Muscidae) Synonym(s): *irritans* Linnaeus,1758
- 981) Haematobia** **titillans** (Bezzi,1907) (Muscidae) Synonym(s): *titillans* Bezzi,1907
- 982) Haematopota** **pallens** Loew,1871 (Tabanidae) Synonym(s): *pallens* Loew,1871; *obscura* Bigot,1880; *obscurata* Bigot,1891; *caucasica* Kröber,1922; *araxis* Szilady,1923
- 983) Halictus** (s.str.) **fatsensis** Blüthgen,1936 (Halictidae) Synonym(s): *fatsensis* Blüthgen,1936
- 984) Halictus** (s.str.) **senilis** (Eversmann,1852) (Halictidae) Synonym(s): *senilis* Eversmann,1852; *fucosus* Morawitz,1876; *albarius* Pérez,1895; *bivinctus* Vachal,1902
- 985) Halictus** (*Seladonia*) **lucidipennis** Smith,1853 (Halictidae) Synonym(s): *lucidipennis* Smith,1853
- 986) Hallodapus** **costae** (Reuter,1890) (Miridae) Synonym(s): *costae* Reuter,1890; *longicornis* Reuter,1904
- 987) Hallodapus** **pilosus** (Reuter,1882) (Miridae) Synonym(s): *pilosus* Reuter,1882
- 988) Hallodapus** **pseudocolor** (Linnavuori,1984) (Miridae) Synonym(s): *pseudocolor* Linnavuori,1984
- 989) Halmopota** **mediterranea** Loew,1860 (Ephydriidae) Synonym(s): *mediterranea* Loew,1860; *anatolica* Canzoneri & Meneghini,1974; *septentrionalis* Canzoneri & Meneghini,1974
- 990) Halter** **halterata** (Forskal,1775) (Nemopteridae) Synonym(s): *halterata* Forskal,1775; *nutans* Navas,1910.
- 991) Hannemannea** **tacapella** (Ragonot,1887) (Pyralidae) Synonym(s): *tacapella* Ragonot,1887
- 992) Haplothrix** **chalif** Majer,1989 (Melyridae) Synonym(s): *chalif* Majer,1989
- 993) Hapsifera** **asiatica** Amsel,1949 (Tineidae) Synonym(s): *asiatica* Amsel,1949
- 994) Hapsifera** **luridella** Zeller,1847 (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 nec Zell.,1852; *eburnea* Butler,1881; *palaestinis* Rebel,1901; *kerbelella* Amsel,1949
- 995) Harpagidia** **magnetella** (Staudinger,[1871]) (Gelechiidae) Synonym(s): *magnetella* Staudinger,[1871]; *pallidibasella* Ragonot,1895
- 996) Harpyia** **milhauseri** (Fabricius,1775) (Notodontidae) Synonym(s): *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932
- 997) Hecalus** **glaucescens** (Fieber,1866) (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897
- 998) Hecatera** **rhodocharis** (Brandt,1938) (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938
- 999) Hecatera** **spinaciae** (Vieweg,1790) (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910.
- 1000) Hedy** **nubiferana** (Haworth,[1811]) (Tortricidae) Synonym(s): *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] nec [Denis & Schiff.],1775; *nubiferana* Haworth,[1811]
- 1001) Helicoverpa** **armigera** (Hübner,[1808]) (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 1002) Helina** **parcepilosa** (Stein,1907) (Muscidae) Synonym(s): *parcepilosa* Stein,1907; *calceataeformis* Schnabl,1911
- 1003) Helionidia** **himyarita** Zachvatkin,1946 (Cicadellidae) Synonym(s): *himyarita* Zachvatkin,1946; *acutistyla* Dlabola,1952; *desmanthi* Lindberg,1958
- 1004) Heliothis** **nubigera** Herrich-Schäffer,[1851] (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 1005) Heliothis** **peltigera** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 1006) Heliothis** **viriplaca** (Hufnagel,1766) (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 1007) Hellula** **undalis** (Fabricius,1781) (Pyralidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977
- 1008) Hemaris** (*Cochrania*) **croatica** (Esper,[1779]) (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 1009) Hemaris** (s.str.) **syra** (Daniel,1939) (Sphingidae) Synonym(s): *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005
- 1010) Henestaris** **laticeps** (Curtis,1836) (Lygaeidae) Synonym(s): *laticeps* Curtis,1836; *genei* Spinola,1837; *spinolae* A.Costa,1839; *hispanus* Rambur,1839; *oculatus* Motschulsky,1863; *curtulus* Horvath,1911; *cypriacus* E.Wagner,1949; *oboussierae* E.Wagner,1954
- 1011) Hercostomus** **apollo** (Loew,1869) (Dolichopodidae) Synonym(s): *apollo* Loew,1869
- 1012) Herminia** **proxima** Christoph,1893 (Noctuidae) Synonym(s): *proxima* Christoph,1893
- 1013) Herpetogramma** **licarsialis** (Walker,1859) (Pyralidae) Synonym(s): *licarsialis* Walker,1859; *pharaxalis* Walker,1859; *immunialis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1889; *#licarsialis* Rebel,1939
- 1014) Hesperia** **comma** (Linnaeus,1758) (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.

- 1015) Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860
- 1016) Heteracris adpersus (Redtenbacher,1889)** (Acrididae) Synonym(s): *adpersus* Redtenbacher,1889; *massai* Galvagni,1978
- 1017) Heteracris littoralis (Rambur,1838)** (Acrididae) Synonym(s): *littoralis* Rambur,1838; *similis* Brunner von Wattenwyl,1861; *notata* Walker,1870; *aethiopica* Carl,1916; *asiaticus* Uvarov,1933; *bituberculatus* Bei-Bienko,1948
- 1018) Heteracris pterostichus (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *pterostichus* Fischer von Waldheim,1833; *dorsatus* Fischer von Waldheim,1839; *fischeri* Fieber,1853
- 1019) Heteralonia (Zygodiola) bagdadensis (Macquart,1840)** (Bombyliidae) Synonym(s): *bagdadensis* Macquart,1840; *clausa* Becker,1913
- 1020) Heteropalpia vetusta (Walker,1865)** (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
- 1021) Hierodula transcaucasica Brunner von Wattenwyl,1878** (Mantidae) Synonym(s): *transcaucasica* Brunner von Wattenwyl,1878
- 1022) Hilethera maculata (Karny,1907)** (Acrididae) Synonym(s): *maculata* Karny,1907; *buxtoni* Uvarov,1922
- 1023) Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950.
- 1024) Hipparchia (Neohipparchia) parisatis (Kollar,[1849])** (Satyridae) Synonym(s): *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000.
- 1025) Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) Synonym(s): *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976.
- 1026) Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
- 1027) Holcercus gloriosus (Erschoff,1874)** (Cossidae) Synonym(s): *gloriosus* Erschoff,1874
- 1028) Homoeosoma (s.str.) candefactum Ragonot,1887** (Pyralidae) Synonym(s): *candefactum* Ragonot,1887
- 1029) Homoeosoma (s.str.) capsitanellum Chrétien,1911** (Pyralidae) Synonym(s): *capsitanellum* Chrétien,1911; *eminentella* Turati,1924; *litorella* Amsel,1935
- 1030) Homoeosoma (s.str.) subalbatellum (Mann,1864)** (Pyralidae) Synonym(s): *subalbatella* Mann,1864
- 1031) Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 1032) Hoplodrina pfeifferi (Boursin,1932)** (Noctuidae) Synonym(s): *pfeifferi* Boursin,1932.
- 1033) Hyalesthes mlokosiewicz Signoret,1879** (Cixiidae) Synonym(s): *mlokosiewicz* Signoret,1879
- 1034) Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935
- 1035) Hyalopterus pruni (Geoffroy,1762)** (Aphididae) Synonym(s): *pruni* Geoffroy,1762
- 1036) Hybomitra decora (Loew,1858)** (Tabanidae) Synonym(s): *decora* Loew,1858; *defasciata* Szilady,1923; *amani* Szilady,1926
- 1037) Hybomitra mendica (Villeneuve,1912)** (Tabanidae) Synonym(s): *mendica* Villeneuve,1912
- 1038) Hybomitra peculiaris (Szilady,1914)** (Tabanidae) Synonym(s): *peculiaris* Szilady,1914; *inaequata* Austen,1923; *kroeberi* Szilady,1926; *kashmiriana* Szilady,1926
- 1039) Hycleus bipunctatus (A.G.Olivier,1811)** (Meloidae) Synonym(s): *bipunctatus* A.G.Olivier,1811
- 1040) Hycleus euphraticus (Marseul,1870)** (Meloidae) Synonym(s): *euphraticus* Marseul,1870
- 1041) Hycleus fuscus (Olivier,1811)** (Meloidae) Synonym(s): *fuscus* Olivier,1811; *deleta* Marseul,1870; *galatiensis* Escherich,1899; *alpha* Sumakov,1913; *beta* Sumakov,1913; *circascutellaris* Pic,1914; *iota* Sumakov,1930; *zeta* Sumakov,1930
- 1042) Hycleus humerosus (Escherich,1899)** (Meloidae) Synonym(s): *humerosus* Escherich,1899
- 1043) Hycleus javeti (Marseul,1870)** (Meloidae) Synonym(s): *javeti* Marseul,1870; *umbilicatus* Kaszab,1958 [ssp.]
- 1044) Hycleus scabiosae (Olivier,1811)** (Meloidae) Synonym(s): *scabiosae* Olivier,1811; *euphratica* Marseul,1870; *marseuli* Ballion,1878; *alienigera* Heyden,1883; *maracadensis* Dokhtourov,1889; *auliensis* Pic,1901; *sicheri* Fleischer,1921; *eichleri* Mader,1927; *transcaspiensis* Pic,1928; *delta* Sumakov,1930; *epsilon* Sumakov,1930
- 1045) Hycleus zebraeus (Marseul,1870)** (Meloidae) Synonym(s): *zebraea* Marseul,1870; *tenenbaumi* Pic,1928; *kervillei* Pic,1932
- 1046) Hydriris ornatalis (Duponchel,1832)** (Pyralidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *deciusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabil,1880 *nec* Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972
- 1047) Hydrochara flavipes (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808
- 1048) Hydrophorus nilicola Parent,1927** (Dolichopodidae) Synonym(s): *nilicola* Parent,1927
- 1049) Hydrophorus praecox (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherri* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902
- 1050) Hylaeus damascenus (Magretti,1890)** (Colletidae) Synonym(s): *damascenus* Magretti,1890
- 1051) Hylaeus klugii (Friese,1898)** (Colletidae) Synonym(s): *klugii* Friese,1898
- 1052) Hylaeus nyrocus (Warncke,1992)** (Colletidae) Synonym(s): *nyrocus* Warncke,1992
- 1053) Hylaeus trinotatus (Pérez,1895)** (Colletidae) Synonym(s): *trinotatus* Pérez,1895
- 1054) Hyles conspicua (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan,1903.
- 1055) Hyles livornica (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 1056) Hyles nicaea (Prunner,1798)** (Sphingidae) Synonym(s): *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]; *#nicea* De Freina,1981
- 1057) Hyles robertsi (Butler,1880)** (Sphingidae) Synonym(s): *robertsi* Butler,1880; *peplidis* Christoph,1894
- 1058) Hypena (Jussalypena) laceratalis Walker,[1859]** (Noctuidae) Synonym(s): *laceratalis* Walker,[1859]; *senectalis* Guenée,1862; *hemigrammalis* Mabil,1880; *acrocompsa* Turner,1932.
- 1059) Hypena (s.str.) obsitalis (Hübner,[1813])** (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813]
- 1060) Hypena indicatalis Walker,[1859]** (Noctuidae) Synonym(s): *indicatalis* Walker,[1859]; *indicatalis* Walker,[1859]; *semichusalis* Walker,[1866]; *tortuosa* Moore,1882; *persimilis* Hampson,1891; *caliginosa* Wileman,1911
- 1061) Hypena obesalis Treitschke,1829** (Noctuidae) Synonym(s): *obesalis* Treitschke,1829
- 1062) Hypena palpalis (Hübner,1796)** (Noctuidae) Synonym(s): *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901.
- 1063) Hypenidium roborowskii (Becker,1908)** (Tephritidae) Synonym(s): *roborowskii* Becker,1908
- 1064) Hypenodes kalchbergi Staudinger,1876** (Noctuidae) Synonym(s): *kalchbergi* Staudinger,1876

- 1065) *Hypeuthina fulgurita* Lederer, 1855 (Noctuidae) Synonym(s): *fulgurita* Lederer, 1855
 1066) *Hypochalcia rayatella* Amsel, 1959 (Pyralidae) Synonym(s): *rayatella* Amsel, 1959
 1067) *Hyponephele* (s.str. (Turaninephele)) *wagneri* (Herrich-Schäffer, [1846]) (Satyridae) Synonym(s): *wagneri* Herrich-Schäffer, [1846]; *schmidtii* Bang-Haas, 1927.
 1068) *Hyponephele* (s.str.) *lupina* (Costa, [1836]) (Satyridae) Synonym(s): *lupina* Costa, [1836]
 1069) *Hyponephele* (s.str.) *lycaon* (Rottemburg, 1775) (Satyridae) Synonym(s): *lycaon* Rottemburg, 1775; *#lycaon* Kuhn, 1774; *eudora* Esper, 1778; *janirula* Esper, 1800; *rufomaculata* Korb, 2005
 1070) *Hyposcotis* (Euchrognophos) *variegata* (Duponchel, 1830) (Geometridae) Synonym(s): *variegatus* Duponchel, 1830; *#subtaurica* Wehrli, 1932.
 1071) *Hyposcotis* (Kemtrognophos) *mardinaria* Staudinger, 1901 (Geometridae) Synonym(s): *mardinaria* Staudinger, 1901
 1072) *Hyposcotis* (Kemtrognophos) *onustaria* (Herrich-Schäffer, [1852]) (Geometridae) Synonym(s): *onustaria* Herrich-Schäffer, [1852]; *oneraria* Guenée, [1858]
 1073) *Hypotia affinis* (Rothschild, 1921) (Pyralidae) Synonym(s): *affinis* Rothschild, 1921
 1074) *Hypotia canifusalis* (Hampson, 1900) (Pyralidae) Synonym(s): *canifusalis* Hampson, 1900
 1075) *Hypotia colchicalis* (Herrich-Schäffer, [1855]) (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer, [1855]; *numidalis* Hampson, 1900.
 1076) *Hypotia concatenalis* Lederer, 1858 (Pyralidae) Synonym(s): *concatenalis* Lederer, 1858
 1077) *Hypotia iranalis* (Amsel, 1949) (Pyralidae) Synonym(s): *iranalis* Amsel, 1949
 1078) *Hypotia mesopotamica* (Amsel, 1955) (Pyralidae) Synonym(s): *mesopotamica* Amsel, 1955
 1079) *Hypotia poliopastalis* (Hampson, 1900) (Pyralidae) Synonym(s): *poliopastalis* Hampson, 1900
 1080) *Hypotia sinaica* (Rebel, 1903) (Pyralidae) Synonym(s): *sinaica* Rebel, 1903; *debskii* Rebel, 1912
 1081) *Hypotia wiltshirei* (Amsel, 1949) (Pyralidae) Synonym(s): *wiltshirei* Amsel, 1949
 1082) *Hypsopygia costalis* (Fabricius, 1775) (Pyralidae) Synonym(s): *costalis* Fabricius, 1775; *#lugens* Rebel, 1903; *syriaca* Zerny, 1914; *lugens* Caradja, 1917.
 1083) *Idaea allongata* (Staudinger, 1898) (Geometridae) Synonym(s): *allongata* Staudinger, 1898; *allongaria* Staudinger, 1900; *paulusi* L.B. Prout, 1935.
 1084) *Idaea camparia* (Herrich-Schäffer, [1852]) (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer, [1851]; *camparia* Herrich-Schäffer, [1852]; *europaea* Wehrli, 1934.
 1085) *Idaea degeneraria* (Hübner, [1799]) (Geometridae) Synonym(s): *degeneraria* Hübner, [1799]; *degenerata* Treitschke, 1828; *floridaria* Turati, 1913
 1086) *Idaea elongaria* (Rambur, 1833) (Geometridae) Synonym(s): *elongaria* Rambur, 1833; *aridata* Zeller, 1847; *aridaria* Heydenreich, 1851; *monadaria* Guenée, [1858]; *confusaria* Lederer, 1863; *infermata* Staudinger, 1871; *zephyrata* Millière, 1872; *ludovicata* Lucas, 1942.
 1087) *Idaea filicata* (Hübner, [1799]) (Geometridae) Synonym(s): *filicata* Hübner, [1799]; *filicaria* Duponchel, 1830; *levequei* Leraut, 2003
 1088) *Idaea illustris* (Brandt, 1941) (Geometridae) Synonym(s): *illustris* Brandt, 1941
 1089) *Idaea obsoletaria* (Rambur, 1833) (Geometridae) Synonym(s): *obsoletaria* Rambur, 1833; *violacearia* Staudinger, 1901; *distans* Hausmann, 1991; *violacearia* Hausmann, 1991 nec Wlk., 1861
 1090) *Idaea palaestinis* (Sterneck, 1933) (Geometridae) Synonym(s): *antitaurica* Wehrli, 1932 nec Whrl., 1931; *palaestinensis* Sterneck, 1933; *seitunensis* L.B. Prout, 1934.
 1091) *Idaea politaria* (Hübner, [1799]) (Geometridae) Synonym(s): *politata* Hübner, 1793 nec Fabr., 1781; *politaria* Hübner, [1799]; *#abmarginata* Bohatsch, 1885; *mundipennis* W. Warren, 1898; *abmarginata* Staudinger, 1901
 1092) *Idaea rufaria* (Hübner, [1799]) (Geometridae) Synonym(s): *rufaria* Hübner, [1799]; *ochridana* Silbernagel, 1944
 1093) *Idaea textaria* (Lederer, 1861) (Geometridae) Synonym(s): *textaria* Lederer, 1861
 1094) *Idia calvaria* ([Denis & Schiffmüller], 1775) (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffmüller], 1775
 1095) *Idiocerus poecilus* (Herrich-Schäffer, 1835) (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer, 1835
 1096) *Iranada turcorum* (Zerny, 1915) (Noctuidae) Synonym(s): *turcorum* Zerny, 1915
 1097) *Iranella eremiaphila* Uvarov, 1922 (Dericorythidae) Synonym(s): *eremiaphila* Uvarov, 1922
 1098) *Iranoleon tigridis* Hölzel, 1972 (Myrmeleonidae) Synonym(s): *tigridis* Hölzel, 1972
 1099) *Iris nana* Uvarov, 1930 (Irididae) Synonym(s): *nana* Uvarov, 1930; *radians* Uvarov, 1931
 1100) *Isauria dilucidella* (Duponchel, 1836) (Pyralidae) Synonym(s): *dilucidella* Duponchel, 1836; *ilignella* Zeller, 1839; *laternella* Eversmann, 1844; *crepusculella* Lederer, 1870; *incredibilis* Staudinger, 1879; *subsortella* Ragonot, 1887; *satanella* Ragonot, 1887; *odontella* Ragonot, 1893; *ledereri* Ragonot, 1893; *cuencella* Caradja, 1916; *gabaltella* Chrétien, 1931; *grisescens* Lucas, 1950; *parvella* Amsel, 1951; *shahidanella* Amsel, 1970
 1101) *Ischnura evansi* Morton, 1919 (Coenagrionidae) Synonym(s): *evansi* Morton, 1919
 1102) *Ischnura fountainei* (Morton, 1905) (Coenagrionidae) Synonym(s): *fountainei* Morton, 1905
 1103) *Ischnura senegalensis* (Rambur, 1842) (Coenagrionidae) Synonym(s): *senegalensis* Rambur, 1842
 1104) *Isoceras bipunctatum* (Staudinger, 1887) (Cossidae) Synonym(s): *bipunctatum* Staudinger, 1887
 1105) *Isophya hakkarica* Karabağ, 1962 (Tettigoniidae) Synonym(s): *hakkarica* Karabağ, 1962
 1106) *Isophya iraca* Maran, 1977 (Tettigoniidae) Synonym(s): *iraca* Maran, 1977
 1107) *Issoria lathonia* (Linnaeus, 1758) (Argynnididae) Synonym(s): *lathonia* Linnaeus, 1758; *saturata* Röber, 1897; *hungarica* Aigner-Abafi, 1906; *florens* Verity, 1916; *emiflorens* Verity, 1919; *attenuata* Sagarra, 1926; *nigroprivata* Verity, 1933.
 1108) *Issoria lathonia lathonia* (Linnaeus, 1758) (Argynnididae) Synonym(s): *lathonia* Linnaeus, 1758; *saturata* Röber, 1897; *hungarica* Aigner-Abafi, 1906; *florens* Verity, 1916; *emiflorens* Verity, 1919; *attenuata* Sagarra, 1926; *nigroprivata* Verity, 1933.
 1109) *Isturgia perviaria* (Lederer, 1855) (Geometridae) Synonym(s): *perviaria* Lederer, 1855; *albofascia* Swinhoe, 1885
 1110) *Isturgia perviaria perviaria* (Lederer, 1855) (Geometridae) Synonym(s): *perviaria* Lederer, 1855; *albofascia* Swinhoe, 1885
 1111) *Jassargus kurdicus* Remane & Schultz, 1976 (Cicadellidae) Synonym(s): *kurdicus* Remane & Schultz, 1976
 1112) *Jebusaea hammerschmidtii* Reiche, 1877 (Cerambycidae) Synonym(s): *hammerschmidtii* Reiche, 1877
 1113) *Jodia croceago* (Fabricius, 1787) (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffmüller], 1775; *croceago* Fabricius, 1787; *aurantiagio* Donovan, 1796; *corsica* Mabilie, 1868
 1114) *Jordanica tenuisaria* (Staudinger, 1900) (Geometridae) Synonym(s): *tenuisaria* Staudinger, 1900
 1115) *Jordanita* (Lucasiterna) *subsolana* (Staudinger, 1862) (Zygaenidae) Synonym(s): *subsolana* Staudinger, 1862
 1116) *Jordanita* (Praviela) *anatolica* (Naufock, 1929) (Zygaenidae) Synonym(s): *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; *?christinae* Keil, 1998.
 1117) *Jordanita* (s.str.) *chloros* (Hübner, [1813]) (Zygaenidae) Synonym(s): *chloros* Hübner, [1813]; *sepium* Boisduval, 1834.
 1118) *Jordanita* (s.str.) *graeca* (Jordan, 1907) (Zygaenidae) Synonym(s): *graeca* Jordan, 1907

- 1119) **Julodis euphratica** (Laporte & Gory,1835) (Buprestidae) Synonym(s): *euphratica* Laporte & Gory,1835; *beludjstana* Obenberger,1924
- 1120) **Julodis laevicostata** Gory,1840 (Buprestidae) Synonym(s): *laevicostata* Gory,1840
- 1121) **Julodis speculifera** Laporte & Gory,1835 (Buprestidae) Synonym(s): *speculifera* Laporte & Gory,1835
- 1122) **Kelisia ribauti** Wagner,1938 (Delphacidae) Synonym(s): *guttula* Ribaut,1934 nec Germ.,1818; *ribauti* Wagner,1938
- 1123) **Keradere lepidella** (Ragonot,1887) (Pyralidae) Synonym(s): *lepidella* Ragonot,1887
- 1124) **Keradere tengstroemiella** (Erschoff,1874) (Pyralidae) Synonym(s): *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879.
- 1125) **Kerbela monotona** Amsel,1949 (Pyralidae) Synonym(s): *monotona* Amsel,1949
- 1126) **Kirinia (Melike) roxelana** (Cramer,[1777]) (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; #*anatolica* Koçak,1989
- 1127) **Klapperichicen viridissimus** (Walker,1858) (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreata* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920
- 1128) **Klimeschia cinereipunctella** (Turati & Fiori,1930) (Douglassiidae) Synonym(s): *cinereipunctella* Turati & Fiori,1930; *lutumella* Amsel,1938.
- 1129) **Kriechbaumerella mansues** (Nikol'skaya,1952) (Chalcididae) Synonym(s): *mansues* Nikol'skaya,1952
- 1130) **Krombia pulchella** Amsel,1949 (Pyralidae) Synonym(s): *pulchella* Amsel,1949
- 1131) **Kullashara kalifella** (Amsel,1949) (Autostichidae) Synonym(s): *kalifella* Amsel,1949; #*khalifa* Hacker,1999
- 1132) **Kurdia nesterovi** Uvarov,1916 (Tettigoniidae) Synonym(s): *nesterovi* Uvarov,1916
- 1133) **Labidura riparia** (Pallas,1773) (Labiduridae) Synonym(s): *riparia* Pallas,1773; *mongolica* Rehn,1905
- 1134) **Lacanobia (Diataraxia) oleracea** (Linnaeus,1758) (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; #*pallida* Bytinski-Salz & Brandt,1937
- 1135) **Lacanobia (Diataraxia) praedita** (Hübner,[1813]) (Noctuidae) Synonym(s): *praedita* Hübner,[1813]
- 1136) **Lacydes spectabilis** (Tauscher,1806) (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842.
- 1137) **Laemocoris orphanus** Linnavuori,1964 (Miridae) Synonym(s): *orphanus* Linnavuori,1964
- 1138) **Lallia apicinetella** Chrétien,1915 (Cosmopterigidae) Synonym(s): *apicinetella* Chrétien,1915; *simplicella* Amsel,1959
- 1139) **Lambaesia straminella** (Zerny,1914) (Pyralidae) Synonym(s): *straminella* Zerny,1914; *alphitopsis* Meyrick,1937.
- 1140) **Lamoria anella** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller],1775
- 1141) **Lampides boeticus** (Linnaeus,1767) (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; #*baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
- 1142) **Lamprochromus speciosus** (Loew,1871) (Dolichopodidae) Synonym(s): *speciosus* Loew,1871
- 1143) **Lampromeloe cavensis** (Petagna,1819) (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Géné,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867
- 1144) **Lampyrus angustula** Fairmaire,1895 (Lampyridae) Synonym(s): *angustula* Fairmaire,1895; *iraqi* Geisthardt,1999
- 1145) **Lampyroidea schneideri** Geisthardt,1999 (Lampyridae) Synonym(s): *schneideri* Geisthardt,1999
- 1146) **Laodelphax striatellus** (Fallén,1826) (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943
- 1147) **Laothoe populeti** (Bienert,[1870]) (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 1148) **Laphria dizonias** Loew,1847 (Asilidae) Synonym(s): *dizonias* Loew,1847; *integra* Becker,1912
- 1149) **Laphystia kuehlhorni** Janssens,1961 (Asilidae) Synonym(s): *kuehlhorni* Janssens,1961
- 1150) **Larentia clavaria** Haworth,[1809] (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
- 1151) **Lasiocampa eversmanni** (Kindermann,1843) (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
- 1152) **Lasiocampa grandis** (Rogenhofer,1891) (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891
- 1153) **Lasiocampa trifolii** ([Denis & Schiffermüller],1775) (Lasiocampidae) Synonym(s): #*trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *ratamae* Herrich-Schäffer,1851; *bathseba* Staudinger,1891; *maculosa* Rogenhofer,1891
- 1154) **Lasioglossum (Evylaeus) politum** Schenck,1853 (Halictidae) Synonym(s): *politum* Schenck,1853
- 1155) **Lasioglossum (Evylaeus) scheherezade** Ebmer,2000 (Halictidae) Synonym(s): *scheherezade* Ebmer,2000
- 1156) **Lasioglossum (s.str.) aegyptiellum** (Strand,1909) (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis* Cockerell,1918; *dalmaticum* Ebmer,1970
- 1157) **Lasioglossum (s.str.) picipes** (Morawitz,1876) (Halictidae) Synonym(s): *picipes* Morawitz,1876
- 1158) **Lasiommata megera** (Linnaeus,1767) (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 1159) **Lasiommata menava** Moore,1865 (Satyridae) Synonym(s): *menava* Moore,1865.
- 1160) **Legnotomyia persica** Paramonov,1933 (Bombyliidae) Synonym(s): *persica* Paramonov,1933
- 1161) **Legnotomyia trichorhoea** (Loew,1855) (Bombyliidae) Synonym(s): *trichorhoea* Loew,1855
- 1162) **Lemonia peilei** Rothschild,1921 (Lemoniidae) Synonym(s): *peilei* Rothschild,1921
- 1163) **Lemonia sacrosancta** Püngeler,1902 (Lemoniidae) Synonym(s): *sacrosancta* Püngeler,1902
- 1164) **Lepidogma wiltshirei** Amsel,1949 (Pyralidae) Synonym(s): *wiltshirei* Amsel,1949
- 1165) **Leprosoma inconspicuum** Bärensprung,1859 (Pentatomidae) Synonym(s): *inconspicuum* Bärensprung,1859; *carinatum* Montandon,1895
- 1166) **Leprosoma stali** Douglas & Scott,1868 (Pentatomidae) Synonym(s): *stali* Douglas & Scott,1868
- 1167) **Leptarchis intervacatalis** (Christoph,1877) (Pyralidae) Synonym(s): *intervacatalis* Christoph,1877; *psologramma* Meyrick,1937
- 1168) **Leptidea duponcheli** (Staudinger,1871) (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; #*dupncheli* Nazari,2003
- 1169) **Leptophyes bolivari** (Kirby,1906) (Tettigoniidae) Synonym(s): *bolivari* Kirby,1906
- 1170) **Lepyronia coleoptrata** (Linnaeus,1758) (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896
- 1171) **Lertha extensa** (Olivier,1811) (Nemopteridae) Synonym(s): *extensa* Olivier,1811
- 1172) **Leucania herrichi** Herrich-Schäffer,[1849] (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,[1849]

- 1173) *Leucania loreyi* (Duponchel,1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 1174) *Leucania palaestinae* Staudinger,1897** (Noctuidae) Synonym(s): *palaestinae* Staudinger,1897; *languida* Staudinger,1897 *nec* Wlk.,1858; #*obscura* Heydemann *et al.*,1963; #*plastinaea* Kornošor & Lödl,1990
- 1175) *Leucania punctosa* (Treitschke,1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
- 1176) *Leucania putrescens* (Hübner,[1824])** (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
- 1177) *Leucania zae* (Duponchel,1827)** (Noctuidae) Synonym(s): *zae* Duponchel,1827; *indistincta* Christoph,1887; *putrida* Staudinger,1889; *cinerea* Lucas,1948
- 1178) *Leucochlaena muscosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892
- 1179) *Leucoma wiltshirei* Collenette,1938** (Lymantriidae) Synonym(s): *wiltshirei* Collenette,1938
- 1180) *Libythea* (s.str.) *celtis* (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis* Laicharting,1782
- 1181) *Limenitis* (Azuritis) *reducta* Staudinger,1901** (Argynniidae) Synonym(s): *reducta* Staudinger,1901.
- 1182) *Limnaecia combota* Meyrick,1921** (Cosmopterigidae) Synonym(s): *combota* Meyrick,1921
- 1183) *Limnophora quaterna* (Loew,1852)** (Muscidae) Synonym(s): *quaterna* Loew,1852; *notabilis* Stein,1903
- 1184) *Lindenia tetrphylla* (Van Der Linden,1825)** (Gomphidae) Synonym(s): *tetrphylla* Van Der Linden,1825; *inkitii* Bartenev,1929
- 1185) *Lispe pectinipes* Becker,1903** (Muscidae) Synonym(s): *leucopsila* *sensu auct.*; *pectinipes* Becker,1903; *cochlearia* Becker,1904; *mixticcia* Séguin,1941
- 1186) *Lispe pygmaea* Fallén,1825** (Muscidae) Synonym(s): *pygmaea* Fallén,1825; *tenuipalpis* Zetterstedt,1846; *simplicissima* Loew,1847; *suturata* Rondani,1866; *longiuscula* Rondani,1877
- 1187) *Lithophane ledereri* (Staudinger,1892)** (Noctuidae) Synonym(s): *ledereri* Staudinger,1892; *discors* Staudinger,1892
- 1188) *Lithophane semibrunnea* (Haworth,1809)** (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824].
- 1189) *Lithophasia cyaxares* Wiltshire,1957** (Noctuidae) Synonym(s): *cyaxares* Wiltshire,1957
- 1190) *Lithophasia quadrivirgula* (Mabille,1888)** (Noctuidae) Synonym(s): *quadrivirgula* Mabille,1888; *jordana* Stertz,1919.
- 1191) *Lithostege buxtoni* L.B.Prout,1920** (Geometridae) Synonym(s): *buxtoni* L.B.Prout,1920
- 1192) *Lithostege dissocyma* L.B.Prout,1938** (Geometridae) Synonym(s): *dissocyma* L.B.Prout,1938
- 1193) *Lithostege fissurata* Mabille,1888** (Geometridae) Synonym(s): *fissurata* Mabille,1888; *inanis* L.B.Prout,1941; *fitzgeraldi* Wiltshire,1947
- 1194) *Lithostege notata* A.Bang-Haas,1906** (Geometridae) Synonym(s): *notata* A.Bang-Haas,1906; *bifissana* Rebel,1911
- 1195) *Lithostege palaestinensis* Amsel,1935** (Geometridae) Synonym(s): *palaestinensis* Amsel,1935; *ali* Wiltshire,1941.
- 1196) *Lobesia* (s.str.) *artemisiana* (Zeller,1847)** (Tortricidae) Synonym(s): *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1876
- 1197) *Lobesia* (s.str.) *vitisana* (Jacquin,1788)** (Tortricidae) Synonym(s): #*botrana* [Denis & Schifferrmüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Milliere,1865.
- 1198) *Longitarsus eminus* Warchalowski,1967** (Chrysomelidae) Synonym(s): *eminus* Warchalowski,1967
- 1199) *Longitarsus fallax* Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata* Allard,1866 *nec* Stph.,1834; *fallax* Weise,1888; *nitens* Khnzorian,1968; *cynoglossi* Palij,1970 *nec* Marshm.,1802
- 1200) *Lophyridia caucasica* (Adams,1817)** (Carabidae) Synonym(s): *caucasica* Adams,1817
- 1201) *Lophyridia fischeri* (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817
- 1202) *Lophyridia hilariola* (Bates,1874)** (Carabidae) Synonym(s): *hilariola* Bates,1874
- 1203) *Loxostege emiralis* (Oberthür,1888)** (Pyralidae) Synonym(s): *emiralis* Oberthür,1888
- 1204) *Loxostege flavivenalis* (Hampson,1913)** (Pyralidae) Synonym(s): *flavivenalis* Hampson,1913; *osthelderi* Schawerda,1932.
- 1205) *Loxostege foviferalis* (Hampson,1900)** (Pyralidae) Synonym(s): *foviferalis* Hampson,1900
- 1206) *Loxostege scalaris* (Christoph,1877)** (Pyralidae) Synonym(s): *scalaris* Christoph,1877
- 1207) *Luperina diversa* (Staudinger,1892)** (Noctuidae) Synonym(s): *diversa* Staudinger,1892; *indistincta* Rebel,1933
- 1208) *Luperina dumerilii* (Duponchel,1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826
- 1209) *Lycaena* (Alciphronia) *alciphron* (Rottemburg,1775)** (Lycaenidae) Synonym(s): *alciphron* Rottemburg,1775; *lampetie* [Denis & Schifferrmüller],1775; *hiere* Fabricius,1787.
- 1210) *Lycaena* (Loweia) *tityrus* (Poda,1761)** (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acron* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.
- 1211) *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
- 1212) *Lycaena* (Thersamonia) *asabinus* (Gerhard,[1850])** (Lycaenidae) Synonym(s): #*helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852].
- 1213) *Lycaena* (Thersamonia) *kurdistanicus* (Riley,1921)** (Lycaenidae) Synonym(s): *kurdistanica* Riley,1921
- 1214) *Lycaena* (Thersamonia) *thetis* (Klug,1834)** (Lycaenidae) Synonym(s): *thetis* Klug,1834.
- 1215) *Lycia suleimania* (Wehrli,1938)** (Geometridae) Synonym(s): *suleimania* Wehrli,1938
- 1216) *Lycophorus villosus* (Alpheraky,1887)** (Noctuidae) Synonym(s): *villosus* Alpheraky,1887; *benigna* Corti,1926
- 1217) *Lygaosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatus* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *erythropterum* Puton,1876 [ssp.]; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 1218) *Lygaeus equestris* (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758; *speciosus* Poda,1761; *punctumalbum* Pollich,1781; *lactans* Horvath,1899; *sicilianus* Wagner,1954
- 1219) *Lygephila* (s.str.) *cracca* (Fabricius,1787)** (Noctuidae) Synonym(s): #*cracca* [Denis & Schifferrmüller],1775; *cracca* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; #*cracca* Hacker & Kautt,1999.
- 1220) *Lygephila* (s.str.) *lusoria* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758; *orobi* Duponchel,1821; *lathryi* Boisduval,[1828]
- 1221) *Lymantria dispar* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926
- 1222) *Lythria purpuraria* (Linnaeus,1758)** (Geometridae) Synonym(s): *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 *nec* Sc.,1763; *sanguinolenta* Fourcroy,1785 *nec* Linn.,1767
- 1223) *Macdonoughia confusa* (Stephens,1850)** (Noctuidae) Synonym(s): *confusa* Stephens,1850; *gutta* Guenée,1852.

- 1224)** *Macroglossum stellatarum* (Linnaeus,1758) (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 1225)** *Macropsis fuscata* (Zetterstedt,1828) (Cicadellidae) Synonym(s): *fuscata* Zetterstedt,1828
- 1226)** *Macrocytus brunneus* (Fabricius,1803) (Cydidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919
- 1227)** *Macrosteles oculatus* Dlabola,1952 (Cicadellidae) Synonym(s): *oculatus* Dlabola,1952; *angorensis* Dubovsky,1970
- 1228)** *Macrosteles quadripunctulatus* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933
- 1229)** *Maniola* (s.str.) *jurtina* (Linnaeus,1758) (Satyridae) Synonym(s): *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801.
- 1230)** *Maniola* (Telmessiola) *telmessia* (Zeller,1847) (Satyridae) Synonym(s): *telmessia* Zeller,1847; *pallens* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *manioides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekassii* Kattulas & Koutsafikis,1978.
- 1231)** *Mantis religiosa* (Linnaeus,1758) (Mantidae) Synonym(s): *religiosa* Linnaeus,1758
- 1232)** *Mantispa scabricollis* McLachlan,1875 (Mantispidae) Synonym(s): *scabricollis* McLachlan,1875; *?minuta* Kozhantshikov,1949; *caucasica* Handschin,1959
- 1233)** *Manulea* (s.str.) *palliatella* (Scopoli,1763) (Arctiidae) Synonym(s): *palliatella* Scopoli,1763; *unita* [Denis & Schiffmüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866.
- 1234)** *Maraschia grisea* Osthelder,1933 (Noctuidae) Synonym(s): *grisea* Osthelder,1933
- 1235)** *Marasmarcha leucocrossa* Meyrick,1936 (Pterophoridae) Synonym(s): *leucocrossa* Meyrick,1936
- 1236)** *Mardinia ossealis* (Staudinger,1879) (Pyralidae) Synonym(s): *ossealis* Staudinger,1879
- 1237)** *Margelana versicolor* Staudinger,1888 (Noctuidae) Synonym(s): *versicolor* Staudinger,1888
- 1238)** *Marumba quercus* ([Denis & Schiffmüller],1775) (Sphingidae) Synonym(s): *quercus* [Denis & Schiffmüller],1775; *denisii* Fuessly,1779; *#brunneus* Rebel,1910; *#canescens*, *pallens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973.
- 1239)** *Mecyna amasialis* (Staudinger,1879) (Pyralidae) Synonym(s): *amasialis* Staudinger,1879
- 1240)** *Mecyna lutulentalis* (Lederer,1858) (Pyralidae) Synonym(s): *lutulentalis* Lederer,1858
- 1241)** *Mecyna pontica* (Staudinger,1879) (Pyralidae) Synonym(s): *pontica* Staudinger,1879; *levilinealis* Amsel,1935
- 1242)** *Mecyna trinalis* ([Denis & Schiffmüller],1775) (Pyralidae) Synonym(s): *trinalis* [Denis & Schiffmüller],1775
- 1243)** *Medecticus assimilis* (Fieber,1853) (Tettigoniidae) Synonym(s): *assimilis* Fieber,1853; *syriacus* Fieber,1853; *#minutus* Kaltenbach,1974
- 1244)** *Medetera dendrobaena* Kowarz,1877 (Dolichopodidae) Synonym(s): *dendrobaena* Kowarz,1877
- 1245)** *Meenoplus albosignatus* Fieber,1866 (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866
- 1246)** *Megacephala euphratica* Dejean,1822 (Carabidae) Synonym(s): *euphratica* Dejean,1822
- 1247)** *Megachile* (Neoeutricharaca) *babylonica* Rebmann,1970 (Megachilidae) Synonym(s): *babylonica* Rebmann,1970
- 1248)** *Megachile* (Neoeutricharaca) *squamosa* Rebmann,1970 (Megachilidae) Synonym(s): *squamosa* Rebmann,1970
- 1249)** *Megalodes eximia* (Freyer,1845) (Noctuidae) Synonym(s): *eximia* Freyer,1845
- 1250)** *Megalodontes olivieri* (Brullé,1846) (Megalodontesidae) Synonym(s): *olivieri* Brullé,1846
- 1251)** *Megalonotus colon* Puton,1874 (Lygaeidae) Synonym(s): *colon* Puton,1874
- 1252)** *Megalonotus maximus* (Puton,1895) (Lygaeidae) Synonym(s): *maximus* Puton,1895
- 1253)** *Megalonotus seidenstueckeri* Péricart,1995 (Lygaeidae) Synonym(s): *seidenstueckeri* Péricart,1995
- 1254)** *Megalycina engys* Wehrli,1939 (Geometridae) Synonym(s): *engys* Wehrli,1939
- 1255)** *Meganola gigantula* (Staudinger,1879) (Noctuidae) Synonym(s): *gigantula* Staudinger,1879
- 1256)** *Meganola strigula* ([Denis & Schiffmüller],1775) (Noctuidae) Synonym(s): *#strigula* [Denis & Schiffmüller],1775
- 1257)** *Meganola togatalis* (Hübner,1796) (Noctuidae) Synonym(s): *togatilis* Hübner,1796; *togatilana* Duponchel,1845
- 1258)** *Megascolia* (Regiscolia) *maculata* (Drury,1773) (Scoliidae) Synonym(s): *maculata* Drury,1773; *flavifrons* Fabricius,1775; *haemorrhoidalis* Fabricius,1787; *insignis* Saussure,1858; *versicolor* Saussure,1859
- 1259)** *Megastigmus aculeatus* (Swederus,1795) (Torymidae) Synonym(s): *aculeatus* Swederus,1795
- 1260)** *Megatelus contractus* (Klug,1845) (Scarabaeidae) Synonym(s): *contractus* Klug,1845
- 1261)** *Megatelus contractus* (Klug,1845) (Scarabaeidae) Synonym(s): *contractus* Klug,1845
- 1262)** *Melanargia* (Turcargia) *hylata* (Ménétriés,1832) (Satyridae) Synonym(s): *hylata* Ménétriés,1832
- 1263)** *Melanotus* (s.str.) *fulvus* Reitter,1891 (Elateridae) Synonym(s): *fulvus* Reitter,1891
- 1264)** *Melitaea* (Cinclidia) *phoebe* Oberthür,1876 (Argynnididae) Synonym(s): *punica* Oberthür,1876
- 1265)** *Melitaea* (Cinclidia) *collina* Lederer,1861 (Argynnididae) Synonym(s): *collina* Lederer,1861
- 1266)** *Melitaea* (Didymaeformis) *didyma* (Esper,[1779]) (Argynnididae) Synonym(s): *didyma* Esper,[1779]; *armoricana* Oberthür,1909.
- 1267)** *Melitaea* (Didymaeformis) *fascelis* (Fabricius,1787) (Argynnididae) Synonym(s): *#trivia* Denis & Schiffmüller,1775; *iphigenia* Esper,1782 (praeocc.); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803
- 1268)** *Melitaea* (Didymaeformis) *persea* Kollar,[1849] (Argynnididae) Synonym(s): *persea* Kollar,[1849]; *caucasica* Staudinger,1861; *magnacasta* Verity,1929; *araratica* Verity,1929; *sargon* Hemming,1932; *taurica* Belter,1934; *causacola* Bryk,1940; *hafiz* Higgins,1941; *gina* Higgins,1941; *darius* Gross & Ebert,1975; *pfeifferi* Gross & Ebert,1975 (praeocc.); *wernickei* Gross & Ebert,1975; *elbursicola* Gross & Ebert,1975; *safawides* Gross & Ebert,1975.
- 1269)** *Melitaea* (s.str.) *arduinna* (Fabricius,1787) (Argynnididae) Synonym(s): *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844.
- 1270)** *Melitaea* (s.str.) *cinxia* (Linnaeus,1758) (Argynnididae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791.
- 1271)** *Meloe* (Lasiomeloe) *olivieri* (Chevrolat,1833) (Meloidae) Synonym(s): *olivieri* Chevrolat,1833
- 1272)** *Meloe* (Meloegonius) *rufiventris* (Germar,1817) (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889
- 1273)** *Merodon nanus* (Sack,1913) (Syrphidae) Synonym(s): *nanus* Sack,1913
- 1274)** *Merodon pruni* (Rossi,1790) (Syrphidae) Synonym(s): *pruni* Rossi,1790; *fulvus* Macquart,1834; *pallidus* Macquart,1842; *sicanus* Rondani,1845; *fuscineris* Röder,1887; *obscurus* Gil Collado,1929
- 1275)** *Merodon quadrinotatus* (Sack,1931) (Syrphidae) Synonym(s): *quadrinotatus* Sack,1931
- 1276)** *Merrifieldia malacodactyla* (Zeller,1847) (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
- 1277)** *Merrifieldia rayatella* (Amsel,1959) (Pterophoridae) Synonym(s): *rayatella* Amsel,1959

- 1278)** *Mesapamea* (s.str.) *secalis* (Linnaeus,1758) (Noctuidae) Synonym(s): *secalis* Linnaeus,1758
- 1279)** *Mesoligia literosa* (Haworth,[1809]) (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918
- 1280)** *Mesonemurus harterti* Navas,1919 (Myrmeleionidae) Synonym(s): *harterti* Navas,1919; *clavata* Navas,1926; *tunetana* Navas,1930
- 1281)** *Mesostena puncticollis* Solier,1835 (Tenebrionidae) Synonym(s): *puncticollis* Solier,1835
- 1282)** *Metachrostis sefidi* (Brandt,1938) (Noctuidae) Synonym(s): *sefidi* Brandt,1938
- 1283)** *Metacrambus kurdistanellus* (Amsel,1959) (Pyralidae) Synonym(s): *kurdistanellus* Amsel,1959
- 1284)** *Metaegle pallida* (Staudinger,1892) (Noctuidae) Synonym(s): *pallida* Staudinger,1892
- 1285)** *Metalopha* (Antholopha) *gloriosa* (Staudinger,1892) (Noctuidae) Synonym(s): *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.
- 1286)** *Metalopha* (s.str.) *litrata* (Christoph,1887) (Noctuidae) Synonym(s): *litrata* Christoph,1887; *plusina* Staudinger,1892.
- 1287)** *Metanarsia* (s.str.) *modesta* Staudinger,1871 (Gelechiidae) Synonym(s): *modesta* Staudinger,1871
- 1288)** *Metasia* (s.str.) *continualis* Amsel,1961 (Pyralidae) Synonym(s): *continualis* Amsel,1961
- 1289)** *Metasia* (s.str.) *kurdistanalis* Amsel,1961 (Pyralidae) Synonym(s): *kurdistanalis* Amsel,1961
- 1290)** *Metasia* (s.str.) *suppandalis* (Hübner,[1823]) (Pyralidae) Synonym(s): *suppandalis* Hübner,[1823]
- 1291)** *Metasia* (s.str.) *virginalis* Ragonot,1894 (Pyralidae) Synonym(s): *virginalis* Ragonot,1894; *fulvilinealis* Hampson,1900; *#virginalis* Rebel,1901; *phthoneropsis* Meyrick,1937
- 1292)** *Meteorus rubens* (Nees ab Esenbeck,1811) (Braconidae) Synonym(s): *rubens* Nees ab Esenbeck,1811; *leviventris* Wesmael,1835; *islandicus* Ruthe,1859; *medianus* Ruthe,1862; *scutatus* Costa,1884; *heteroneurus* Thomson,1895; *szechuanensis* Fahringer,1935; *mesopotamicus* M.Fischer,1957
- 1293)** *Metopoceras* (s.str.) *delicata* (Staudinger,1898) (Noctuidae) Synonym(s): *delicata* Staudinger,1898; *gauckleri* Püngeler,1905.
- 1294)** *Metopoceras* (s.str.) *omar* (Oberthür,1887) (Noctuidae) Synonym(s): *omar* Oberthür,1887
- 1295)** *Metopodicha ernesti* Draudt,1936 (Noctuidae) Synonym(s): *ernesti* Draudt,1936; *achaemenica* Wiltshire,1941
- 1296)** *Metoponrhis albirena* (Christoph,1887) (Noctuidae) Synonym(s): *albirena* Christoph,1887
- 1297)** *Metopoplus boursini* Brandt,1938 (Noctuidae) Synonym(s): *boursini* Brandt,1938
- 1298)** *Metzneria castiliella* (Möschler,1866) (Gelechiidae) Synonym(s): *castiliella* Möschler,1866; *eatoni* Walsingham,1899.
- 1299)** *Metzneria diamondi* Amsel,1949 (Gelechiidae) Synonym(s): *diamondi* Amsel,1949
- 1300)** *Microloxia herbaria* (Hübner,[1813]) (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millièrre,1860.
- 1301)** *Micromorphus albipes* (Zetterstedt,1843) (Dolichopodidae) Synonym(s): *albipes* Zetterstedt,1843; *bellus* Strobl,1880 *nec* Lw.,1869
- 1302)** *Micronecta anatolica* Lindberg,1922 (Corixidae) Synonym(s): *anatolica* Lindberg,1922
- 1303)** *Microstega praepetalis* (Lederer,1869) (Pyralidae) Synonym(s): *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937
- 1304)** *Microvelia hozari* (Hoberlandt,1948) (Veliidae) Synonym(s): *hozari* Hoberlandt,1948
- 1305)** *Mimudea confinalis* (Lederer,1858) (Pyralidae) Synonym(s): *confinalis* Lederer,1858; *graecalis* Staudinger,1870
- 1306)** *Mimudea languidalis* (Eversmann,1842) (Pyralidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *veneralis* Staudinger,1871
- 1307)** *Mimudea perfervidalis* (Hampson,1900) (Pyralidae) Synonym(s): *perfervidalis* Hampson,1900
- 1308)** *Minucia bimaculata* Osthelder,1933 (Noctuidae) Synonym(s): *bimaculata* Osthelder,1933
- 1309)** *Mioscirtus wagneri* (Kittary,1849) (Acrididae) Synonym(s): *wagneri* Kittary,1849
- 1310)** *Mniotype buxtoni* (Rothschild,1921) (Noctuidae) Synonym(s): *buxtoni* Rothschild,1921
- 1311)** *Mocydiopsis monticola* Remane,1961 (Cicadellidae) Synonym(s): *monticola* Remane,1961
- 1312)** *Modicogryllus* (Eumodicogryllus) *burdigalensis* (Latreille,1804) (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927
- 1313)** *Monopsis meleodes* Meyrick,1917 (Tineidae) Synonym(s): *meleodes* Meyrick,1917
- 1314)** *Morelia simplex* (Loew,1857) (Muscidae) Synonym(s): *simplex* Loew,1857
- 1315)** *Mormo maura* (Linnaeus,1758) (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996
- 1316)** *Musca* (Plaxemya) *osiris* Wiedemann,1830 (Muscidae) Synonym(s): *osiris* Wiedemann,1830; *sugillatrix* R-D,1830
- 1317)** *Musca* (Plaxemya) *vitripennis* Meigen,1826 (Muscidae) Synonym(s): *vitripennis* Meigen,1826
- 1318)** *Musca albina* Wiedemann,1830 (Muscidae) Synonym(s): *albina* Wiedemann,1830; *beckeri* Schnabl,1911
- 1319)** *Musca biseta* Hough,1898 (Muscidae) Synonym(s): *biseta* Hough,1898
- 1320)** *Musca crassirostris* Stein,1903 (Muscidae) Synonym(s): *crassirostris* Stein,1903; *insignis* Austen,1909
- 1321)** *Musca domestica* Linnaeus,1758 (Muscidae) Synonym(s): *domestica* Linnaeus,1758; *nebulosus* Fabricius,1794; *vicina* Macquart,1851; *determinata* Walker,1853
- 1322)** *Musca larvipara* Portschinsky,1910 (Muscidae) Synonym(s): *larvipara* Portschinsky,1910; *mesopotamiensis* Patton,1920
- 1323)** *Musca lucidula* (Loew,1856) (Muscidae) Synonym(s): *lucidula* Loew,1856
- 1324)** *Musca sorbens* Wiedemann,1830 (Muscidae) Synonym(s): *sorbens* Wiedemann,1830; *humilis* Wiedemann,1830; *primitiva* Walker,1849
- 1325)** *Musca tempestiva* Fallén,1817 (Muscidae) Synonym(s): *tempestiva* Fallén,1817
- 1326)** *Muschampia poggei* (Lederer,1858) (Hesperiidae) Synonym(s): *poggei* Lederer,1858
- 1327)** *Muschampia proteides* (F.Wagner,1929) (Hesperiidae) Synonym(s): *proteides* F.Wagner,1929; *lycaonius* F.Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Auni,2001 [misident.]; *#lycaonius* Benjamini & Auni,2001
- 1328)** *Muschampia tersa* Evans,1949 (Hesperiidae) Synonym(s): *tersa* Evans,1949
- 1329)** *Muscina levida* (Harris,1780) (Muscidae) Synonym(s): *levida* Harris,1780; *assimilis* Fallén,1823
- 1330)** *Muscina prolapsa* (Harris,1780) (Muscidae) Synonym(s): *prolapsa* Harris,1780; *pabulorum* Fallén,1817
- 1331)** *Muscina stabulans* (Fallén,1817) (Muscidae) Synonym(s): *stabulans* Fallén,1817
- 1332)** *Muscula brevifurca* (Wiltshire,1957) (Arctiidae) Synonym(s): *brevifurca* Wiltshire,1957
- 1333)** *Muscula muscula* (Staudinger,1899) (Arctiidae) Synonym(s): *muscula* Staudinger,1899
- 1334)** *Mustha spinosula* (Lefebvre,1831) (Pentatomidae) Synonym(s): *spinosula* Lefebvre,1831
- 1335)** *Mutilla richterae* Lelej,1984 (Mutillidae) Synonym(s): *richterae* Lelej,1984

- 1336) *Mutilla saltensis* Radoszkowski, 1885 (Mutillidae) Synonym(s): *saltensis* Radoszkowski, 1885
- 1337) *Muzimes maceki* (Dvorak, 1983) (Meloidae) Synonym(s): *maceki* Dvorak, 1983
- 1338) *Mydaea lateritia* (Rondani, 1866) (Muscidae) Synonym(s): *lateritia* Rondani, 1866
- 1339) *Myelois* (Gnathogutta) *circumdatella* Lederer, 1858 (Pyralidae) Synonym(s): *circumdatella* Lederer, 1858; *ottoella* Schauerda, 1924
- 1340) *Myelois* (Gnathogutta) *pumicosa* Lederer, 1855 (Pyralidae) Synonym(s): *pumicosa* Lederer, 1855
- 1341) *Myelois* (s.str.) *margaritella* Turati, 1930 (Pyralidae) Synonym(s): *margaritella* Turati, 1930
- 1342) *Myelois* (s.str.) *synclina* Meyrick, 1937 (Pyralidae) Synonym(s): *synclina* Meyrick, 1937
- 1343) *Myinodes shohami* Hausmann, 1994 (Geometridae) Synonym(s): *shohami* Hausmann, 1994
- 1344) *Mylabris* (Chrysabris) *doriai* Marseul, 1870 (Meloidae) Synonym(s): *doriai* Marseul, 1870; *boetcheri* Pic, 1909; *persicola* Pic, 1909; *magnificia* Bodemeyer, 1916; *unifasciata* Bodemeyer, 1916; *luristanica* Pic, 1920; *viridifasciata* Pic, 1920; *daligrandi* Pic, 1947; *centropunctatella* Kaszab, 1958
- 1345) *Mylabris* (Chrysabris) *hemprichi* Klug, 1845 (Meloidae) Synonym(s): *hemprichi* Klug, 1845; *kocheri* Pardo Alcaide, 1945
- 1346) *Mylabris* (s.str.) *maceki* (Dvorak, 1985) (Meloidae) Synonym(s): *maceki* Dvorak, 1985
- 1347) *Mylabris* (s.str.) *parumpicta* (Heyden, 1883) (Meloidae) Synonym(s): *parumpicta* Heyden, 1883
- 1348) *Mylabris* (s.str.) *sanguinosa* Marseul, 1872 (Meloidae) Synonym(s): *sanguinosa* Marseul, 1872
- 1349) *Myopa pellucida* (R-D., 1830) (Conopidae) Synonym(s): *pellucida* R-D., 1830; *fulvipalpis* R-D., 1853; *extricata* Collin, 1960
- 1350) *Myospila mediatunda* (Fabricius, 1781) (Muscidae) Synonym(s): *mediatunda* Fabricius, 1781
- 1351) *Myriochile* (Monelica) *orientalis* (Dejean, 1825) (Carabidae) Synonym(s): *orientalis* Dejean, 1825
- 1352) *Myriochile* (s.str.) *melancholica* (Fabricius, 1798) (Carabidae) Synonym(s): *melancholica* Fabricius, 1798
- 1353) *Myrlaea albistrigata* (Staudinger, 1881) (Pyralidae) Synonym(s): *albistrigata* Staudinger, 1881
- 1354) *Myrlaea epischniella* (Staudinger, 1879) (Pyralidae) Synonym(s): *epischniella* Staudinger, 1879
- 1355) *Myrlaea kurdistanica* Amsel, 1959 (Pyralidae) Synonym(s): *kurdistanica* Amsel, 1959
- 1356) *Myrmecaelurus acerbus* (Walker, 1853) (Myrmeleonidae) Synonym(s): *acerbus* Walker, 1853; *atrox* Walker, 1853; *iners* Walker, 1853; *nigellus* Navas, 1930.
- 1357) *Myrmecozela* (Flavida) *lutosella* (Eversmann, 1844) (Tineidae) Synonym(s): *lutosella* Eversmann, 1844; *gigantea* Christoph, 1873; *centrogramma* Meyrick, 1921; *insignis* Amsel, 1935; *stichograptus* Meyrick, 1936
- 1358) *Myrmeleon* (Morter) *hyalinus* (Olivier, 1811) (Myrmeleonidae) Synonym(s): *hyalinus* Olivier, 1811
- 1359) *Myrmilla* (Eurygnathilla) *emiliae* (Dalla Torre, 1897) (Mutillidae) Synonym(s): *laticeps* Radoszkowski, 1888 nec Blake, 1871; *emiliae* Dalla Torre, 1897; *chusistana* Skorikov, 1927
- 1360) *Mythimna* (Aletia) *alopecuri* (Boisduval, 1840) (Noctuidae) Synonym(s): *alopecuri* Boisduval, 1840; *syriaca* Osthelder, 1933
- 1361) *Mythimna* (Aletia) *congrua* (Hübner, [1817]) (Noctuidae) Synonym(s): *congrua* Hübner, [1817]; *amnicola* Rambur, 1829.
- 1362) *Mythimna* (Aletia) *l-album* (Linnaeus, 1767) (Noctuidae) Synonym(s): *l-album* Linnaeus, 1767; *penicillata* Moore, 1881
- 1363) *Mythimna* (Aletia) *pallens* (Linnaeus, 1758) (Noctuidae) Synonym(s): *pallens* Linnaeus, 1758; *ectypa* Hübner, [1803]; *rufescens* Haworth, 1803; *arcuata* Stephens, 1829; *ochracea* Stephens, 1829; *suffusa* Stephens, 1829.
- 1364) *Mythimna* (Aletia) *vitellina* (Hübner, [1808]) (Noctuidae) Synonym(s): *vitellina* Hübner, [1808]; *#vitellena* Lederer, 1870; *decolorata* Dannehl, 1929; *saturation* Dannehl, 1929; *grisea* Dannehl, 1929.
- 1365) *Mythimna* (Hyphilare) *ferrago* (Fabricius, 1787) (Noctuidae) Synonym(s): *ferrago* Fabricius, 1787; *lithargyria* Esper, [1788]; *grisea* Stephens, 1829; *anargyria* Boisduval, 1840; *argyristis* Rambur, 1858; *meridionalis* Dannehl, 1926
- 1366) *Mythimna* (Morphopoliana) *languida* (Walker, 1858) (Noctuidae) Synonym(s): *consanguis* auct. nec Gn., 1852; *languida* Walker, 1858; *zachii* Bohatsch, 1880; *abbas* Bethune-Baker, 1894; *arbia* Boursin & Rungs, 1952.
- 1367) *Nasocoris albipennis* Lindberg, 1939 (Miridae) Synonym(s): *albipennis* Lindberg, 1939
- 1368) *Nasocoris serratus* Linnavuori, 1984 (Miridae) Synonym(s): *serratus* Linnavuori, 1984
- 1369) *Nasocoris tuberculicollis* Linnavuori, 1999 (Miridae) Synonym(s): *tuberculicollis* Linnavuori, 1999
- 1370) *Nebula ludificata* (Staudinger, 1870) (Geometridae) Synonym(s): *ludificata* Staudinger, 1870; *decipitata* Staudinger, 1901
- 1371) *Nebula salicata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller], 1775
- 1372) *Nemognatha* (s.str.) *chrysomelina* (Fabricius, 1775) (Meloidae) Synonym(s): *chrysomelina* Fabricius, 1775; *flavipes* Ménétriés, 1849; *nigripes* Suffrian, 1853; *asiatica* Motschulsky, 1872; *maculicollis* Fairmaire, 1875; *unipunctata* Beaugregard, 1890; *akbestana* Pic, 1897; *atripennis* Chobaut, 1898; *#chrysomelina* Özbek & Szaloki, 1998
- 1373) *Nemorus baghadensis* Jezek, 1977 (Tabanidae) Synonym(s): *baghadensis* Jezek, 1977
- 1374) *Nemorus irritans* (Ricardo, 1901) (Tabanidae) Synonym(s): *irritans* Ricardo, 1901; *unicolor* Becker, 1913
- 1375) *Neofaculta confidella* Rebel, 1935 (Gelechiidae) Synonym(s): *confidella* Rebel, 1935
- 1376) *Neognopharmia hoerhammeri* (Brandt, 1938) (Geometridae) Synonym(s): *hoerhammeri* Brandt, 1938; *#horhammeri* Scoble, 1999
- 1377) *Neognopharmia stevenaria* (Boisduval, 1840) (Geometridae) Synonym(s): *stevenaria* Boisduval, 1840; *lapidisaria* Freyer, 1841
- 1378) *Neoharpyia pulcherrima* (Brandt, 1938) (Notodontidae) Synonym(s): *pulcherrima* Brandt, 1938
- 1379) *Neolimnus egyptiacus* (Matsumura, 1908) (Cicadellidae) Synonym(s): *egyptiacus* Matsumura, 1908
- 1380) *Neomyia cornicina* (Fabricius, 1781) (Muscidae) Synonym(s): *cornicina* Fabricius, 1781; *viridis* Wiedemann, 1824; *caesarion* Meigen, 1826 nec Bechstein & Scharfenberg, 1805; *fennica* Frey, 1909
- 1381) *Nephopterix divisella* (Duponchel, 1842) (Pyralidae) Synonym(s): *divisella* Duponchel, 1842; *albiricella* Herrich-Schäffer, 1849; *euphorbiella* Zeller, 1846; *sardzeella* Amsel, 1961.
- 1382) *Nephopterix eustatica* Meyrick, 1937 (Pyralidae) Synonym(s): *eustatica* Meyrick, 1937
- 1383) *Nephopterix macrocirtensis* Amsel, 1953 (Pyralidae) Synonym(s): *macrocirtensis* Amsel, 1953
- 1384) *Neromia simplex* Brandt, 1938 (Geometridae) Synonym(s): *simplex* Brandt, 1938
- 1385) *Neuroleon leptaleus* (Navas, 1912) (Myrmeleonidae) Synonym(s): *leptaleus* Navas, 1912; *algericus* Navas, 1913
- 1386) *Neuroleon tenellus* (Klug, 1834) (Myrmeleonidae) Synonym(s): *tenellus* Klug, 1834; *naxensis* Navas, 1915
- 1387) *Nezara viridula* (Linnaeus, 1758) (Pentatomidae) Synonym(s): *viridula* Linnaeus, 1758
- 1388) *Niditinea fuscella* (Linnaeus, 1758) (Tineidae) Synonym(s): *fuscella* Linnaeus, 1758; *spretella* [Denis & Schiffermüller], 1775; *crinitella* Schrank, 1802; *fuscipunctella* Haworth, [1828]; *nubilipennella* Clemens, 1859; *ablignatella* Walker, 1863; *eurinella* Zagulyaev, 1952; *distans* Gozmany, 1959.
- 1389) *Niditinea tugurialis* (Meyrick, 1932) (Tineidae) Synonym(s): *tugurialis* Meyrick, 1932; *unipunctella* Zagulyaev, 1960

- 1390) *Noctua (Euschesis) janthina* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900.**
- 1391) *Noctua (Latanotua) orbona* (Hufnagel,1766) (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.**
- 1392) *Noctua (Paranoctua) comes* (Hübner,[1813]) (Noctuidae) Synonym(s): *orbona* Fabricius,1787 *nec* Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.**
- 1393) *Noctua (s.str.) pronuba* (Linnaeus,1758) (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 *nec* Piesz.,1908; *decolorata* Turati,1923.**
- 1394) *Noctuella superba* (Freyer,[1844]) (Pyralidae) Synonym(s): *superba* Freyer,[1844]**
- 1395) *Nohoveus persicus* Navas,1929 (Myrmeleonidae) Synonym(s): *persicus* Navas,1929**
- 1396) *Nola harouni* (Wiltshire,1951) (Noctuidae) Synonym(s): *harouni* Wiltshire,1951; *dilmuna* Wiltshire,1961.**
- 1397) *Nola squalida* Staudinger,1871 (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henriotti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947**
- 1398) *Nola subchlamydula* Staudinger,1870 (Noctuidae) Synonym(s): *subchlamydula* Staudinger,1870**
- 1399) *Nomioides (s.str.) ino* (Nurse,1904) (Halictidae) Synonym(s): *ino* Nurse,1904**
- 1400) *Nomioides (s.str.) turanicus* Morawitz,1876 (Halictidae) Synonym(s): *turanicus* Morawitz,1876**
- 1401) *Nomophila noctuella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859**
- 1402) *Nonagria puengeleri* (Schawerda,1924) (Noctuidae) Synonym(s): *puengeleri* Schawerda,1924; *albipuncta* O.Bang-Haas,1927**
- 1403) *Nonagria typhae* (Thunberg,1784) (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787.**
- 1404) *Noterus clavicornis* (De Geer,1774) (Noteridae) Synonym(s): *clavicornis* De Geer,1774**
- 1405) *Nothris verbascella* (Brahm,1791) (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828; *clarella* Amsel,1935**
- 1406) *Nusa ramcosa* (Loew,1871) (Asilidae) Synonym(s): *ramcosa* Loew,1871**
- 1407) *Nychiodes (Eunychiodes) divergaria* (Staudinger,1892) (Geometridae) Synonym(s): *divergaria* Staudinger,1892**
- 1408) *Nychiodes (Eunychiodes) variabila* Brandt,1938 (Geometridae) Synonym(s): *variabila* Brandt,1938; *#variabilis* auct.**
- 1409) *Nychiodes (Fritzwagneria) rayatica* Wiltshire,1957 (Geometridae) Synonym(s): *rayatica* Wiltshire,1957**
- 1410) *Nyctegretis lineana* (Scopoli,1786) (Pyralidae) Synonym(s): *lineana* Scopoli,1786; *achatinella* Hübner,[1824].**
- 1411) *Nyctea asiatica* (Krulikovsky,1904) (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954.**
- 1412) *Nycteribia (Acrocholidia) vexata* Westwood,1835 (Nycteribiidae) Synonym(s): *vexata* Westwood,1835**
- 1413) *Nymphalis polychloros* (Linnaeus,1758) (Argynnisidae) Synonym(s): *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896.**
- 1414) *Nymphulosis arcanella* Amsel,1959 (Pyralidae) Synonym(s): *arcanella* Amsel,1959**
- 1415) *Ochlodes venatus* (Bremer & Grey,[1852]) (Hesperiidae) Synonym(s): *venatus* Bremer & Grey,[1852]**
- 1416) *Ochridia acuta* (Bolivar,1905) (Acrididae) Synonym(s): *acuta* Bolivar,1905**
- 1417) *Ochroleptura plecta* (Linnaeus,1761) (Noctuidae) Synonym(s): *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unuplecta* Bryk,1942.**
- 1418) *Ocnogorgia amanda* Staudinger,[1892] (Lymantriidae) Synonym(s): *amanda* Staudinger,[1892]**
- 1419) *Ocnogyna (s.str.) armena* Staudinger,1871 (Arctiidae) Synonym(s): *armena* Staudinger,1871**
- 1420) *Ocnogyna (s.str.) bellieri* (Lederer,1855) (Arctiidae) Synonym(s): *bellieri* Lederer,1855; *banghaasi* Staudinger,1895.**
- 1421) *Ocnogyna (s.str.) loewii* (Zeller,1846) (Arctiidae) Synonym(s): *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931.**
- 1422) *Ocrisoides alphetopis* (Meyrick,1937) (Pyralidae) Synonym(s): *alphetopis* Meyrick,1937**
- 1423) *Ocrisoides atmologa* (Meyrick,1937) (Pyralidae) Synonym(s): *atmologa* Meyrick,1937**
- 1424) *Odontotarsus latissimus* Göllner-Scheiding,1990 (Scutelleridae) Synonym(s): *latissimus* Göllner-Scheiding,1990**
- 1425) *Odontotarsus rufescens* Fieber,1861 (Scutelleridae) Synonym(s): *rufescens* Fieber,1861**
- 1426) *Oedipoda schochi* Saussure,1884 (Acrididae) Synonym(s): *schochi* Saussure,1884; *caucasica* Saussure,1884**
- 1427) *Oegoconia caradjai* Popescu-Gorj & Capuse,1965 (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse,1965**
- 1428) *Olethreutes (Argyroploce) kurdistanica* Amsel,1959 (Tortricidae) Synonym(s): *kurdistanica* Amsel,1959**
- 1429) *Oliarus nigrofurcatus* Signoret,1884 (Cixiidae) Synonym(s): *nigrofurcatus* Signoret,1884; *fumatus* Melichar,1902**
- 1430) *Olivenebula subsericata* (Herrich-Schäffer,1861) (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.**
- 1431) *Ommatidiotus longiceps* Puton,1896 (Caliscelidae) Synonym(s): *falleni* Bolivar & Chicote,1879; *longiceps* Puton,1896; *alternans* Horvath,1916; *longicipiti* Horvath,1916**
- 1432) *Ommatissus binotatus* Fieber,1876 (Tropiduchidae) Synonym(s): *binotatus* Fieber,1876**
- 1433) *Omphalophana anatolica* (Lederer,1857) (Noctuidae) Synonym(s): *anatolica* Lederer,1857**
- 1434) *Omphalophana antirrhinii* (Hübner,[1803]) (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803]**
- 1435) *Omphalophana durnalayana* Osthelder,1933 (Noctuidae) Synonym(s): *durnalayana* Osthelder,1933**
- 1436) *Oncocephalus baghdadus* Linnavuori,1986 (Reduviidae) Synonym(s): *baghdadus* Linnavuori,1986**
- 1437) *Oncocephalus brachymerus* Reuter,1882 (Reduviidae) Synonym(s): *brachymerus* Reuter,1882; *babylo* Dispons,1970**
- 1438) *Oncocephalus gilvostriatus* Moulet,2005 (Reduviidae) Synonym(s): *gilvostriatus* Moulet,2005**
- 1439) *Oncocephalus mesopotamicus* Dispons,1970 (Reduviidae) Synonym(s): *mesopotamicus* Dispons,1970; *#buxtoni* Dispons,1970**
- 1440) *Oncocephalus mygdonius* Dispons,1968 (Reduviidae) Synonym(s): *mygdonius* Dispons,1968**
- 1441) *Oncocephalus obsoletus* Klug,1830 (Reduviidae) Synonym(s): *obsoletus* Klug,1830**
- 1442) *Oncocera semirubella* (Scopoli,1763) (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 *nec* Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916**
- 1443) *Oncocnemis confusa* (Freyer,[1839]) (Noctuidae) Synonym(s): *confusa* Freyer,[1839].**
- 1444) *Oncocnemis fuscipicta* Wiltshire,1976 (Noctuidae) Synonym(s): *fuscipicta* Wiltshire,1976**
- 1445) *Onthophagus (Furconthophagus) furcatus* (Fabricius,1781) (Scarabaeidae) Synonym(s): *furcatus* Fabricius,1781**
- 1446) *Onthophagus (Palaeonthophagus) aleppensis* Redtenbacher,1843 (Scarabaeidae) Synonym(s): *aleppensis* Redtenbacher,1843; *hyrcanicus* Kabakov,1982**
- 1447) *Onthophagus (Palaeonthophagus) cruciatus* (Ménétriés,1832) (Scarabaeidae) Synonym(s): *cruciatus* Ménétriés,1832**

- 1448) **Onthophagus (Palaeonthophagus) dorsosignatus D'Orbigny, 1898** (Scarabaeidae) Synonym(s): *dorsosignatus D'Orbigny, 1898*
- 1449) **Onthophagus (Palaeonthophagus) fissicornis Steven, 1809** (Scarabaeidae) Synonym(s): *fissicornis Steven, 1809*
- 1450) **Onthophagus (Palaeonthophagus) fissinasus Fairmaire, 1895** (Scarabaeidae) Synonym(s): *fissinasus Fairmaire, 1895*
- 1451) **Onthophagus (Palaeonthophagus) gibbulus (Pallas, 1781)** (Scarabaeidae) Synonym(s): *gibbulus Pallas, 1781*
- 1452) **Onthophagus (Palaeonthophagus) lemuroides D'Orbigny, 1898** (Scarabaeidae) Synonym(s): *lemuroides D'Orbigny, 1898*
- 1453) **Onthophagus (Palaeonthophagus) lucidus (Sturm, 1800)** (Scarabaeidae) Synonym(s): *lucidus Sturm, 1800*
- 1454) **Onthophagus (Palaeonthophagus) opacicollis Reitter, 1893** (Scarabaeidae) Synonym(s): *opacicollis Reitter, 1893*
- 1455) **Onthophagus (s.str.) illyricus (Scopoli, 1763)** (Scarabaeidae) Synonym(s): *illyricus Scopoli, 1763*
- 1456) **Onthophagus (s.str.) taurus (Schreber, 1759)** (Scarabaeidae) Synonym(s): *taurus Schreber, 1759*
- 1457) **Onychogomphus flexuosus (Schneider, 1845)** (Gomphidae) Synonym(s): *flexuosus Schneider, 1845*
- 1458) **Onychogomphus lefebvrei (Rambur, 1842)** (Gomphidae) Synonym(s): *lefebvrei Rambur, 1842*
- 1459) **Oopristus turkestanicus (Skriptshinsky, 1929)** (Torymidae) Synonym(s): *turkestanicus Skriptshinsky, 1929; safavii Steffan, 1968*
- 1460) **Opacifrons maculifrons (Becker, 1907)** (Sphaeroceridae) Synonym(s): *maculifrons Becker, 1907*
- 1461) **Ophiusa tirhaca (Cramer, [1777])** (Noctuidae) Synonym(s): *tirhaca Cramer, [1777]; #tirrhaca Fabricius, 1781; vesta Esper, 1789; olivacea Villers, 1789; auricularis Hübner, [1803]; separans Walker, 1858; hottentota Guenée, 1852; clementi Swinhoe, 1918; #demarginata Heydemann et al., 1963; obscura Pinker & Bacallado, 1978*
- 1462) **Opsius jucundus (Lethierry, 1871)** (Cicadellidae) Synonym(s): *jucundus Lethierry, 1871*
- 1463) **Opsius lethierryi Wagner, 1942** (Cicadellidae) Synonym(s): *heydeni Lethierry, 1876 (praeocc.); lethierryi Wagner, 1942*
- 1464) **Oria muscosa (Hübner, [1808])** (Noctuidae) Synonym(s): *muscosa Hübner, [1808]; laeta Alpheraky, 1889*
- 1465) **Ormyrus orientalis Walker, 1871** (Ormyridae) Synonym(s): *orientalis Walker, 1871; indicus Ahmad, 1946; hungaricus Erdős, 1946; peninsularis Mani & Kaul, 1972; fredericki Narendran & Samodan, 1990*
- 1466) **Ornativa heluanensis (Debski, 1913)** (Gelechiidae) Synonym(s): *heluanensis Debski, 1913; frankeniivorella Chrétien, 1917; oasicolella Turati, 1924; siculella Mariani, 1937*
- 1467) **Ornativa longiductella Sattler, 1967** (Gelechiidae) Synonym(s): *longiductella Sattler, 1967*
- 1468) **Ornativa mixolitha (Meyrick, 1918)** (Gelechiidae) Synonym(s): *mixolitha Meyrick, 1918*
- 1469) **Ornativa plutelliformis (Staudinger, 1859)** (Gelechiidae) Synonym(s): *plutelliformis Staudinger, 1859; sinuatella Walsingham, 1904*
- 1470) **Ornativa serratisignella Sattler, 1967** (Gelechiidae) Synonym(s): *serratisignella Sattler, 1967*
- 1471) **Ornativa triangulella Sattler, 1967** (Gelechiidae) Synonym(s): *triangulella Sattler, 1967*
- 1472) **Orosius orientalis (Matsumura, 1914)** (Cicadellidae) Synonym(s): *orientalis Matsumura, 1914; albicinctus Distant, 1918; filigranus Haupt, 1927*
- 1473) **Orthonama obstipata (Fabricius, 1794)** (Geometridae) Synonym(s): *obstipata Fabricius, 1794; fluviata Hübner, [1799]; gemmata Hübner, 1799; albicinctata Haworth, 1809; angustata Haworth, 1809; quaerendaria Costa, 1850; baccata Guenée, [1858]; lapillata Guenée, [1858]; contrariata Walker, 1862; exagitata Walker, 1862; intrusata Walker, 1862; peracutata Walker, 1862; signataria Walker, 1863; abruptata Walker, 1863; pigrata Walker, 1866; plemyrata R.Felder & Rogenhofer, 1875; inconspicua Warren, 1896; brunneipennis Hulst, 1896; discata Warren, 1905*
- 1474) **Orthosia (s.str.) incerta (Hufnagel, 1766)** (Noctuidae) Synonym(s): *incerta Hufnagel, 1766; instabilis [Denis & Schiffermüller], 1775; collinita Esper, [1790]; contracta Esper, [1790]; trigutta Esper, [1790]; nebulosus Haworth, 1803; subsetaceus Haworth, 1803; angustus Haworth, 1803; fuscatus Haworth, 1803; pallida Lampa, 1885 nec Hw., 1809; pallidior Staudinger, 1901 nec Stgr., 1888*
- 1475) **Osphrantheria coerulescens Redtenbacher, [1849]** (Cerambycidae) Synonym(s): *coerulescens Redtenbacher, [1849]*
- 1476) **Osthelderia gracilis (Osthelder, 1933)** (Noctuidae) Synonym(s): *gracilis Osthelder, 1933*
- 1477) **Oulobophora externata Freyer, 1846** (Geometridae) Synonym(s): *#externata Herrich-Schäffer, 1843; externata Freyer, 1846; turcosyrica Wehrli, 1934*
- 1478) **Oxycara pierrei Girard, 1966** (Tenebrionidae) Synonym(s): *pierrei Girard, 1966*
- 1479) **Oxyparna diluta (Becker, 1908)** (Tephritidae) Synonym(s): *diluta Becker, 1908*
- 1480) **Oxypteron impar Staudinger, 1871** (Tortricidae) Synonym(s): *impar Staudinger, 1871*
- 1481) **Oxythrea cinctella (Schaum, 1841)** (Scarabaeidae) Synonym(s): *albella Illiger, 1802 (praeocc.); cinctella Schaum, 1841; natalia Olsufiev, 1917*
- 1482) **Pachybrachis (s.str.) glycirrhizae (Olivier, 1808)** (Chrysomelidae) Synonym(s): *glycirrhizae Olivier, 1808; transcaspicus Breit, 1921*
- 1483) **Pachypasa otus (Drury, [1773])** (Lasiocampidae) Synonym(s): *otus Drury, [1773]*
- 1484) **Pachyscelis musiva (Ménétriés, 1832)** (Tenebrionidae) Synonym(s): *musiva Ménétriés, 1832; depressa Solier, 1836; ordinata Solier, 1836; gastridula Faldermann, 1837; mammillata Faldermann, 1837; euphratica Kraatz, 1865; divisa Reitter, 1893*
- 1485) **Paidia (Conjuncta) conjuncta (Staudinger, 1892)** (Arctiidae) Synonym(s): *conjuncta Staudinger, 1892*
- 1486) **Paidia (s.str.) cinerascens (Herrich-Schäffer, [1847])** (Arctiidae) Synonym(s): *cinerascens Herrich-Schäffer, [1847]*
- 1487) **Palomena mursili Linnavuori, 1984** (Pentatomidae) Synonym(s): *mursili Linnavuori, 1984*
- 1488) **Palpares libelluloides (Linnaeus, 1764)** (Myrmeleonidae) Synonym(s): *libelluloides Linnaeus, 1764; turcica Petiver & Empson, 1767; nordmanni Kolenati, 1846*
- 1489) **Pamparoma acuta (Freyer, [1837])** (Noctuidae) Synonym(s): *acuta Freyer, [1837]; producta Lederer, 1857; pygmaea Staudinger, 1871*
- 1490) **Panorpa caucasica McLachlan, 1869** (Panorpidae) Synonym(s): *caucasica McLachlan, 1869*
- 1491) **Panstegia limbopunctalis (Herrich-Schäffer, [1849])** (Pyralidae) Synonym(s): *limbopunctalis Herrich-Schäffer, [1849]*
- 1492) **Papilio (s.str. (Alexanoria)) alexanor Esper, [1800]** (Papilionidae) Synonym(s): *polidamas De Prunner, 1787 nec Linn., 1758; alexanor Esper, [1800]; polychaon Loche, 1801; destelensis Nel & Chauliac, 1983*
- 1493) **Papilio (s.str.) machaon Linnaeus, 1758** (Papilionidae) Synonym(s): *machaon Linnaeus, 1758; reginae Retzius, 1783; umbellatarum Fabricius, 1807; aurantiaca Speyer, 1858*
- 1494) **Paraegle subochracea (Staudinger, 1892)** (Noctuidae) Synonym(s): *subochracea Staudinger, 1892*
- 1495) **Paralimnellus cingulatus (Dlabola, 1960)** (Cicadellidae) Synonym(s): *cingulatus Dlabola, 1960*
- 1496) **Parallelia algira (Linnaeus, 1767)** (Noctuidae) Synonym(s): *algira Linnaeus, 1767; achatina Sulzer, 1776; alterna Villers, 1789; triangularis Hübner, [1803] nec Thunb., 1784; albivitta Guenée, 1852; festina Walker, 1858; olympia Swinhoe, 1885; europea Schauverda, 1912*
- 1497) **Parallelia orbata Berio, 1955** (Noctuidae) Synonym(s): *orbata Berio, 1955*

- 1498) Parallelia rogenhoferi (Bohatsch,1880)** (Noctuidae) Synonym(s): *rogenhoferi* Bohatsch,1880; *mirabilis* Romanoff,1885; *triangulata* Swinhoe,1889.
- 1499) Parallelia torrida (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987]
- 1500) Parapalpaes solidus (Gerstaecker,[1894])** (Myrmeleonidae) Synonym(s): *solidus* Gerstaecker,[1894]; *zugmayeri* Navas,1912; *klapaleki* Navas,1912; *validus* Navas,1927
- 1501) Paraplagionotus floralis (Pallas,1773)** (Cerambycidae) Synonym(s): *floralis* Pallas,1773
- 1502) Parapoinx affinalis (Guenée,1854)** (Pyralidae) Synonym(s): *affinalis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *#alaicalis* Caradja,1916
- 1503) Pararge aegeria (Linnaeus,1758)** (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 1504) Parastichtis corticea (Esper,[1800])** (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 nec Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 1505) Parathrix bimetallicus (Abeille,1894)** (Melyridae) Synonym(s): *bimetallicus* Abeille,1894
- 1506) Paratinea irakella G.Petersen,1959** (Tineidae) Synonym(s): *irakella* G.Petersen,1959
- 1507) Paratinea striaticostella G.Petersen,1959** (Tineidae) Synonym(s): *striaticostella* G.Petersen,1959
- 1508) Paraxylogenes pistaciae Damoiseau,1968** (Bostrichidae) Synonym(s): *pistaciae* Damoiseau,1968
- 1509) Pardoxia graellsii (Feisthamel,1837)** (Noctuidae) Synonym(s): *graellsii* Feisthamel,1837; *innocens* Walker,1858; *fimbriata* Walker,1865
- 1510) Parexarnis taurica (Staudinger,1879)** (Noctuidae) Synonym(s): *taurica* Staudinger,1879; *pseudosollers* Boursin,1940.
- 1511) Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758
- 1512) Parocneria raddei (Christoph,1885)** (Lymantriidae) Synonym(s): *raddei* Christoph,1885
- 1513) Parocneria terebynthina (Staudinger,[1895])** (Lymantriidae) Synonym(s): *terebynthina* Staudinger,[1895]; *insolita* Brandt,1938
- 1514) Pausias martini (Puton,1890)** (Pentatomidae) Synonym(s): *martini* Puton,1890
- 1515) Pediasia contaminella (Hübner,1796)** (Pyralidae) Synonym(s): *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886.
- 1516) Pediasia desertella (Lederer,1855)** (Pyralidae) Synonym(s): *desertellus* Lederer,1855
- 1517) Pediasia matricella (Treitschke,1832)** (Pyralidae) Synonym(s): *matricella* Treitschke,1832; *obscura* Caradja,1931
- 1518) Pediobius metallicus (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): *metallicus* Nees ab Esenbeck,1834; *acantha* Walker,1839; *caenus* Walker,1839
- 1519) Pelopidas thrax (Hübner,[1821])** (Hesperiidae) Synonym(s): *thrax* Hübner,[1821]; *midea* Walker,1870
- 1520) Pempelia coremetella (Amsel,1949)** (Pyralidae) Synonym(s): *coremetella* Amsel,1949
- 1521) Pempelia palumbella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palumbella* [Denis & Schiffermüller],1775
- 1522) Pempelia romanoffella (Ragonot,1887)** (Pyralidae) Synonym(s): *romanoffella* Ragonot,1887
- 1523) Pempelia sordida Staudinger,1879** (Pyralidae) Synonym(s): *sordida* Staudinger,1879
- 1524) Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 1525) Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789
- 1526) Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771
- 1527) Pentodon caminarium Faldermann,1835** (Scarabaeidae) Synonym(s): *caminarium* Faldermann,1835
- 1528) Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst,1789
- 1529) Peribatodes rhomboidarius [Denis & Schiffermüller],1775** (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemma* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943
- 1530) Peribatodes umbrarius (Hübner,[1809])** (Geometridae) Synonym(s): *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
- 1531) Pericyma albidentaria (Freyer,1842)** (Noctuidae) Synonym(s): *albidentaria* Freyer,1842
- 1532) Pericyma squalens Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855
- 1533) Peridea korbi (Rebel,1918)** (Notodontidae) Synonym(s): *korbi* Rebel,1918
- 1534) Perigrapha (Opacographa (s.str.)) cilissa Püngeler,1917** (Noctuidae) Synonym(s): *cilissa* Püngeler,1917
- 1535) Perigrapha (Opacographa (Turcographa)) rorida (Frivaldsky,1835)** (Noctuidae) Synonym(s): *rorida* Frivaldsky,1835; *ganimetæ* Kornosor & Lödl,1990
- 1536) Periphanes delphinii (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 1537) Perissomastix (Aphrodoxa) cornuta (G.Petersen,1959)** (Tineidae) Synonym(s): *cornuta* G.Petersen,1959
- 1538) Perissomastix (Aphrodoxa) flava (G.Petersen,1960)** (Tineidae) Synonym(s): *flava* G.Petersen,1960
- 1539) Perissomastix (s.str.) taeniaecornis (Walsingham,1896)** (Tineidae) Synonym(s): *taeniaecornis* Walsingham,1896; *aegyptiella* Rebel,1914.
- 1540) Perkinsiella dorsata Melichar,1905** (Delphacidae) Synonym(s): *dorsata* Melichar,1905; *insignis* Distant,1912; *picta* Ribaut,1948
- 1541) Petrorossia irakensis Zaitzev,1976** (Bombyliidae) Synonym(s): *irakensis* Zaitzev,1976
- 1542) Phaioграмма etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903.
- 1543) Phaioγραμμα polemia (L.B.Prout,1920)** (Geometridae) Synonym(s): *polemia* L.B.Prout,1920
- 1544) Phalera bucephaloides (Ochsenheimer,1810)** (Notodontidae) Synonym(s): *bucephaloides* Ochsenheimer,1810
- 1545) Phanerotoma (Bracotritoma) longiradialis Achtelberg,1990** (Braconidae) Synonym(s): *longiradialis* Achtelberg,1990
- 1546) Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838
- 1547) Pharaonus varicoloreus (Burmeister,1844)** (Scarabaeidae) Synonym(s): *varicoloreus* Burmeister,1844
- 1548) Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus* Melichar,1896
- 1549) Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucocephala* Linnaeus,1758
- 1550) Philodictus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus* Bigot,1880; *bimaculatus* Becker,1913
- 1551) Phlebotomus (Larrousius) tobbsi Adler & Theodor,1930** (Psychodidae) Synonym(s): *tobbsi* Adler & Theodor,1930; *pirumovi* Burakova & Mirzayan,1934

- 1552) *Phlebotomus (Larrousius) transcausicus* Perfilev, 1937 (Psychodidae) Synonym(s): *transcausicus* Perfilev, 1937; *?galilaeus* Theodor, 1958
- 1553) *Phlebotomus (Larrousius) wenyoni* Adler & Theodor, 1930 (Psychodidae) Synonym(s): *wenyoni* Adler & Theodor, 1930
- 1554) *Phlebotomus (Paraphlebotomus) alexandri* Sinton, 1928 (Psychodidae) Synonym(s): *alexandri* Sinton, 1928; *borovskii* Khodukin & Sofiev, 1931
- 1555) *Phlebotomus (Paraphlebotomus) sergenti* Parrot, 1917 (Psychodidae) Synonym(s): *sergenti* Parrot, 1917; *similis* Perfilev, 1963
- 1556) *Phlebotomus (s.str.) papatasi* (Scopoli, 1786) (Psychodidae) Synonym(s): *papatasi* Scopoli, 1786; *molesta* Costa, 1840; *breviventris* Ristorcelli, 1943
- 1557) *Phlogophora meticulosa* (Linnaeus, 1758) (Noctuidae) Synonym(s): *meticulosa* Linnaeus, 1758; *lamii* Schadowald, 1993
- 1558) *Phlyctaenomorpha sinuosalis* (Le Cerf, 1910) (Pylalidae) Synonym(s): *sinuosalis* le Cerf, 1909; *platyphaea* Meyrick, 1937.
- 1559) *Phonapate nitidipennis* (Waterhouse, 1881) (Bostrichidae) Synonym(s): *uncinata* Karsch, 1881 *nec* Germ., 1824; *nitidipennis* Waterhouse, 1881; *ganglbaueri* Zoufal, 1894; *arabs* Lesne, 1909; *moghrebica* Lesne, 1934; *africana* Vrydagh, 1961
- 1560) *Phradonoma nobile* (Reitter, 1881) (Dermestidae) Synonym(s): *nobile* Reitter, 1881
- 1561) *Phragmacossia tigrisia* Schawerda, 1924 (Cossidae) Synonym(s): *tigrisia* Schawerda, 1924
- 1562) *Phragmataecia castaneae* (Hübner, 1790) (Cossidae) Synonym(s): *castaneae* Hübner, 1790; *arundinis* Hübner, [1808]; *minor* Moore, 1879; *pygmaea* Graeser, 1888; *minima* Hampson, 1891
- 1563) *Phragmataecia territa* Staudinger, 1878 (Cossidae) Synonym(s): *territa* Staudinger, 1878
- 1564) *Phragmatobia fuliginosa* (Linnaeus, 1758) (Arctiidae) Synonym(s): *fuliginosa* Linnaeus, 1758; *fervida* Staudinger, 1871 *nec* Walk., 1855; *lurida* Rothschild, 1910; *monticola* Daniel, 1970 *nec* Reiss., 1934
- 1565) *Phragmatobia placida* (Frigalsky, 1835) (Arctiidae) Synonym(s): *placida* Frigalsky, 1835
- 1566) *Phycita comeella* Amsel, 1950 (Pylalidae) Synonym(s): *comeella* Amsel, 1950
- 1567) *Phycita diaphana* (Staudinger, 1870) (Pylalidae) Synonym(s): *diaphana* Staudinger, 1870
- 1568) *Phycita eremica* Amsel, 1935 (Pylalidae) Synonym(s): *eremica* Amsel, 1935; *aciculata* Meyrick
- 1569) *Phycitodes albatella* (Ragonot, 1887) (Pylalidae) Synonym(s): *albatella* Ragonot, 1887
- 1570) *Phycitodes albobittella* (Ragonot, 1888) (Pylalidae) Synonym(s): *albobittella* Ragonot, 1888; *costalbella* Amsel, 1953.
- 1571) *Phycitodes lacteella* (Rothschild, 1915) (Pylalidae) Synonym(s): *lacteella* Rothschild, 1915; *viettella* Roesler, 1965.
- 1572) *Phycitodes nigrilimbella* (Ragonot, 1887) (Pylalidae) Synonym(s): *nigrilimbella* Ragonot, 1887
- 1573) *Phycitodes saxicola* (Vaughan, 1870) (Pylalidae) Synonym(s): *saxicola* Vaughan, 1870
- 1574) *Phylapora canescens* (Duponchel, 1826) (Noctuidae) Synonym(s): *canescens* Duponchel, 1826; *pumicosa* Geyer, [1832]; *asphodeli* Rambur, 1832; *plumbea* Staudinger, 1895; *plumbina* Osthelder, 1933.
- 1575) *Phyllocnistis citrella* Stainton, 1856 (Gracillariidae) Synonym(s): *citrella* Stainton, 1856; *minutella* Van Deventer, 1904; *citricola* Shiraki, 1913
- 1576) *Phyllomorphus laceratus* (Herrich-Schäffer, 1835) (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer, 1835; *persica* Westwood, 1841
- 1577) *Phyllonorycter turanica* (Gerasimov, 1931) (Gracillariidae) Synonym(s): *turanica* Gerasimov, 1931
- 1578) *Phyllotreta caucasicola* Heikertinger, 1941 (Chrysomelidae) Synonym(s): *caucasicola* Heikertinger, 1941
- 1579) *Phyllotreta diademata* Foudras, 1860 (Chrysomelidae) Synonym(s): *diademata* Foudras, 1860
- 1580) *Pieris (Artogeia) ergane* (Geyer, [1828]) (Pieridae) Synonym(s): *ergane* Geyer, [1828]; *narcaea* Freyer, [1828].
- 1581) *Pieris (Artogeia) krueperi* Staudinger, 1860 (Pieridae) Synonym(s): *krueperi* Staudinger, 1860
- 1582) *Pieris (Artogeia) persis* Verity, 1922 (Pieridae) Synonym(s): *persis* Verity, 1922; *higginsii* Bowden, 1961.
- 1583) *Pieris (Artogeia) pseudorapae* Verity, 1908 (Pieridae) Synonym(s): *pseudorapae* Verity, 1908
- 1584) *Pieris (Artogeia) rapae* (Linnaeus, 1758) (Pieridae) Synonym(s): *rapae* Linnaeus, 1758; *nelo* Bergsträßer, 1780; *metra* Stephens, 1827; *alpica* Rossi, 1929.
- 1585) *Pieris (s.str.) brassicae* (Linnaeus, 1758) (Pieridae) Synonym(s): *brassicae* Linnaeus, 1758; *chariclea* Stephens, 1827; *#venata* Verity, 1908; *cyniphia* Turati, 1924.
- 1586) *Piesma (Parapiesma) kolenatii* (Fieber, 1861) (Piesmatidae) Synonym(s): *laportei* Kolenati, 1857 *nec* Fieb., 1844; *kolenatii* Fieber, 1861; *caucasicum* Péricart, 1973
- 1587) *Piesma (Parapiesma) tenellum* Horvath, 1906 (Piesmatidae) Synonym(s): *tenellum* Horvath, 1906
- 1588) *Pimelia kraatzi* Sénac, 1886 (Tenebrionidae) Synonym(s): *kraatzi* Sénac, 1886
- 1589) *Pimelia parallela* Solier, 1836 (Tenebrionidae) Synonym(s): *parallela* Solier, 1836; *borrei* Haag, 1878
- 1590) *Pingasa multispurcata* L.B. Prout, 1913 (Geometridae) Synonym(s): *multispurcata* L.B. Prout, 1913
- 1591) *Platycleis (s.str.) intermedia* (Audinet-Serville, [1839]) (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville, [1839]; *tesselatus* Fischer von Waldheim, 1846; *krinicki* Fischer von Waldheim, 1846; *transiens* Ramme, 1951
- 1592) *Platynemesis dealbata* Selys, 1863 (Platynemidae) Synonym(s): *dealbata* Selys, 1863
- 1593) *Platynemesis kervillei* (Martin, 1909) (Platynemidae) Synonym(s): *kervillei* Martin, 1909
- 1594) *Platyedra bathrosticta* (Meyrick, 1936) (Gelechiidae) Synonym(s): *bathrosticta* Meyrick, 1936
- 1595) *Platymetopius cruentatus* Haupt, 1927 (Cicadellidae) Synonym(s): *cruentatus* Haupt, 1927
- 1596) *Platymyrmilla quinquefasciata* (Olivier, 1811) (Mutillidae) Synonym(s): *quinquefasciata* Olivier, 1811
- 1597) *Platyptilia irakella* Amsel, 1959 (Pterophoridae) Synonym(s): *irakella* Amsel, 1959
- 1598) *Plebejus (Kretania) iranica* (Forster, 1938) (Lycaenidae) Synonym(s): *iranica* Forster, 1938
- 1599) *Plebejus (Plebejides) zephyrinus* (Christoph, 1884) (Lycaenidae) Synonym(s): *zephyrinus* Christoph, 1884
- 1600) *Plebejus (s.str.) argus* (Linnaeus, 1758) (Lycaenidae) Synonym(s): *argus* Linnaeus, 1758; *aegon* Denis & Schifferrmiller, 1775; *plouharnelensis* Oberthür, 1926; *pulchraphilomone* Verity, 1931.
- 1601) *Plecoptera inquinata* (Lederer, 1857) (Noctuidae) Synonym(s): *inquinata* Lederer, 1857; *pyrami* Rogenhofer, 1873; *amanica* Osthelder, 1933
- 1602) *Plecoptera reflexa* Guenée, 1852 (Noctuidae) Synonym(s): *reflexa* Guenée, 1852; *gammoides* Walker, 1858; *simplex* Walker, 1858; *hamifera* Walker, 1865
- 1603) *Pleurota eremica* H. Back, 1973 (Oecophoridae) Synonym(s): *eremica* H. Back, 1973
- 1604) *Pleurota generosella* Rebel, 1900 (Oecophoridae) Synonym(s): *generosella* Rebel, 1900; *alexandrina* Meyrick, 1935
- 1605) *Pleurota irakella* Amsel, 1959 (Oecophoridae) Synonym(s): *irakella* Amsel, 1959
- 1606) *Pleurota kerbelella* Amsel, 1949 (Oecophoridae) Synonym(s): *kerbelella* Amsel, 1949
- 1607) *Pleurota wiltshirei* Amsel, 1949 (Oecophoridae) Synonym(s): *wiltshirei* Amsel, 1949
- 1608) *Plodia interpunctella* (Hübner, [1813]) (Pylalidae) Synonym(s): *interpunctella* Hübner, [1813]; *interpunctalis* Hübner, [1825]; *zeae* Fitch, 1856; *castaneella* Reutti, 1898; *latercula* Hampson, 1901; *glycinivora* Matsumura, 1917; *glycinivorella* Matsumura, 1932.

- 1609) *Plutella* (s.str.) *xylostella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 nec Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Benthinck,1943
- 1610) *Podagric* *menetriesi* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi* Faldermann,1837
- 1611) *Poecilimon* *anatolicus* Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985
- 1612) *Polistes* (*Gyrostoma*) *wattii* Cameron,1900** (Vespidae) Synonym(s): *wattii* Cameron,1900
- 1613) *Polistes* (s.str.) *indicus* Stofla,1934** (Vespidae) Synonym(s): *indicus* Stofla,1934
- 1614) *Polistes* (s.str.) *nimphus* (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791; *opinabilis* Kohl,1898; *moltonii* Guiglia,1944; *irakensis* Gusenleitner,1976
- 1615) *Polygonia* (Comma) *c-album* (Linnaeus,1758)** (Argynnididae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
- 1616) *Polygonia* (Comma) *egaea* (Cramer,[1775])** (Argynnididae) Synonym(s): *egaea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
- 1617) *Polymitia* *eximipalpella* (Gerasimov,1930)** (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935
- 1618) *Polymixis* (*Bischoffia*) *apora* (Staudinger,1898)** (Noctuidae) Synonym(s): *apora* Staudinger,1898
- 1619) *Polymixis* (*Eremophysa*) *apothaina* (Brandt,1938)** (Noctuidae) Synonym(s): *apothaina* Brandt,1938
- 1620) *Polymona* *destituta* (Staudinger,1892)** (Lymantriidae) Synonym(s): *destituta* Staudinger,1892; *maraschi* Daniel,1932.
- 1621) *Polymona* *lapidicola* (Herrich-Schäffer,[1852])** (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852]
- 1622) *Polyommatus* (*Albulina* (*Plebejidea*)) *loewii* (Zeller,1847)** (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934.
- 1623) *Polyommatus* (*Albulina* (*Vacciniina*)) *alcedo* (Christoph,1877)** (Lycaenidae) Synonym(s): *alcedo* Christoph,1877
- 1624) *Polyommatus* (*Aricia* (s.str.)) *agestis* ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 1625) *Polyommatus* (*Aricia* (*Ultraaricia*)) *crassipunctus* (Christoph,1893)** (Lycaenidae) Synonym(s): *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909.
- 1626) *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *alcestis* (Zerny,1932)** (Lycaenidae) Synonym(s): *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 1627) *Polyommatus* (s.str. (*Agrodiaetus* (*Antidolus*))) *mithridates* (Staudinger,1878)** (Lycaenidae) Synonym(s): *mithridates* Staudinger,1878
- 1628) *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *wagneri* (Forster,1956)** (Lycaenidae) Synonym(s): *wagneri* Forster,1956
- 1629) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis* (Christoph,1877)** (Lycaenidae) Synonym(s): *phyllis* Christoph,1877
- 1630) *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *vanensis* (De Lesse,1957)** (Lycaenidae) Synonym(s): *vanensis* De Lesse,1957
- 1631) *Polyommatus* (s.str. (*Agrodiaetus* (*Transcaspius*))) *zapvadi* (Carbonell,1993)** (Lycaenidae) Synonym(s): *zapvadi* Carbonell,1993
- 1632) *Polyommatus* (s.str. (*Cyaniris*)) *bellis* (Freyer,[1842])** (Lycaenidae) Synonym(s): *bellis* Freyer,[1842]
- 1633) *Polyommatus* (s.str. (*Lysandra*)) *bellargus* (Rottemburg,1775)** (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 nec Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 1634) *Polyommatus* (s.str. (*Meleageria*)) *daphnis* ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 1635) *Polyommatus* (s.str. (*Neolysandra*)) *coelestinus* (Eversmann,1843)** (Lycaenidae) Synonym(s): *coelestinus* Eversmann,1843
- 1636) *Polyommatus* (s.str. (*Plebicula*)) *amandus* (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792
- 1637) *Polyommatus* (s.str.) *icarus* (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 1638) *Polyommatus* (s.str.) *persicus* (Bienert,1870)** (Lycaenidae) Synonym(s): *persica* Bienert,1870; *bienerti* Balint,[1993].
- 1639) *Polyploca* *korbi* Rebel,1901** (Thyatiridae) Synonym(s): *korbi* Rebel,1901
- 1640) *Pontia* *callidice* (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803].
- 1641) *Pontia* *chloridice* (Hübner,[1813])** (Pieridae) Synonym(s): *rusciae* Esper,[1784] nec *rusciae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881.
- 1642) *Pontia* *edusa* (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
- 1643) *Pontia* *glauconome* Klug,1829** (Pieridae) Synonym(s): *glauconome* Klug,1829
- 1644) *Powellinia* *boetica* (Rambur,1837)** (Noctuidae) Synonym(s): *boetica* Rambur,1837
- 1645) *Powellinia* *lasserei* (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924
- 1646) *Powellinia* *margelanoides* (Boursin,1944)** (Noctuidae) Synonym(s): *margelanoides* Boursin,1944
- 1647) *Powellinia* *pierreti* (Bugnion,1837)** (Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894
- 1648) *Praeepischnia* *lydella* (Lederer,1865)** (Pyralidae) Synonym(s): *lydella* Lederer,1865; *gypsocrates* Meyrick,1937
- 1649) *Praelongicera* *palaestinella* (Amsel,1956)** (Tineidae) Synonym(s): *palaestinella* Amsel,1956
- 1650) *Precis* (*Junonia*) *orithya* (Linnaeus,1758)** (Argynnididae) Synonym(s): *orithya* Linnaeus,1758
- 1651) *Princeps* (s.str.) *demoleus* (Linnaeus,1758)** (Papilionidae) Synonym(s): *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *#chryseis* Boulet & Le Cerf,1912; *flavosignatus* Heydemann,1954

- 1652) *Pristocerella solskyi* (Christoph,1877)** (Pyrilidae) Synonym(s): *solskyi* Christoph,1877; *ochroleucella* Staudinger,1879; *bivittella* Christoph,1887.
- 1653) *Pristomerus mesopotamicus* Horstmann,1990** (Ichneumonidae) Synonym(s): *mesopotamicus* Horstmann,1990
- 1654) *Prochoristis rupicapralis* (Lederer,1855)** (Pyrilidae) Synonym(s): *rupicapralis* Lederer,1855
- 1655) *Prorophora* (Aproceratia) *albunculella* (Staudinger,1879)** (Pyrilidae) Synonym(s): *albunculella* Staudinger,1879; *rhectogramma* Meyrick,1937.
- 1656) *Prorophora* (s.str.) *curvibasella* Ragonot,1887** (Pyrilidae) Synonym(s): *curvibasella* Ragonot,1887
- 1657) *Protaetia* (Potosia) *funebri* (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebri* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménétriés,1836; *aethiessoides* Reitter,1898; *lambillionea* Alexis & Delphont,2000
- 1658) *Protorhoe unicata* (Guenée,[1858])** (Geometridae) Synonym(s): *unicata* Guenée,[1858]
- 1659) *Psallus melpomene* Linnavuori,1989** (Miridae) Synonym(s): *melpomene* Linnavuori,1989
- 1660) *Psallus ninurta* (Linnavuori,1984)** (Miridae) Synonym(s): *ninurta* Linnavuori,1984
- 1661) *Psallus pseudopunctulatus* Linnavuori,1984** (Miridae) Synonym(s): *pseudopunctulatus* Linnavuori,1984
- 1662) *Psallus syriacus* (Reuter,1883)** (Miridae) Synonym(s): *syriacus* Reuter,1883
- 1663) *Psammotis pulveralis* (Hübner,1796)** (Pyrilidae) Synonym(s): *pulveralis* Hübner,1796
- 1664) *Psephologa centrogramma* Meyrick,1921** (Tineidae) Synonym(s): *centrogramma* Meyrick,1921
- 1665) *Pseudapis* (s.str.) *edentata* (Morawitz,1876)** (Haliictidae) Synonym(s): *edentata* Morawitz,1876
- 1666) *Pseudenargia deleta* (Osthelder,1933)** (Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
- 1667) *Pseudenargia regina* (Staudinger,1892)** (Noctuidae) Synonym(s): *regina* Staudinger,1892
- 1668) *Pseudeulia asinana* (Hübner,[1799])** (Tortricidae) Synonym(s): *asinana* Hübner,[1799]
- 1669) *Pseudochazara* (Achazara) *telephassa* (Geyer,[1827])** (Satyridae) Synonym(s): *telephassa* Geyer,[1827]
- 1670) *Pseudochazara* (s.str.) *pelopea* (Klug,1832)** (Satyridae) Synonym(s): *pelopea* Klug,1832
- 1671) *Pseudocopicucullia syrtana* (Mabille,1888)** (Noctuidae) Synonym(s): *syrtana* Mabille,1888
- 1672) *Pseudohadena* (Jaxartia) *jordana* (Staudinger,1900)** (Noctuidae) Synonym(s): *jordana* Staudinger,1900
- 1673) *Pseudohadena* (Jaxartia) *pseudamoena* (Boursin,1944)** (Noctuidae) Synonym(s): *pseudamoena* Boursin,1944
- 1674) *Pseudohadena* (s.str.) *chenopodiphaga* (Rambur,1832)** (Noctuidae) Synonym(s): *chenopodiphaga* Rambur,1832
- 1675) *Pseudopanthera syriacata* (Guenée,1852)** (Geometridae) Synonym(s): *syriacata* Guenée,1852; *#syriacaria* Wiltshire,1958
- 1676) *Pseudophilotes vicrama* (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865
- 1677) *Pseudophlepsius binotatus* (Signoret,1880)** (Cicadellidae) Synonym(s): *binotatus* Signoret,1880
- 1678) *Pseudoryssus henschii* (Mocsary,1910)** (Orussidae) Synonym(s): *henschii* Mocsary,1910; *emanuelis* Guiglia,1956
- 1679) *Psilocurus hypopygialis* (Paramonov,1930)** (Asilidae) Synonym(s): *hypopygialis* Paramonov,1930; *?translatus* Oldroyd,1958
- 1680) *Psorosa dahliaella* (Treitschke,1832)** (Pyrilidae) Synonym(s): *dahliaella* Treitschke,1832; *bivittella* Duponchel,1836.
- 1681) *Psorosa nucleolella* (Möschler,1866)** (Pyrilidae) Synonym(s): *nucleolella* Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterranea* Amsel,1953.
- 1682) *Psorosa ochrifasciella* Ragonot,1887** (Pyrilidae) Synonym(s): *ochrifasciella* Ragonot,1887
- 1683) *Psylliodes pallidicolor* Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903
- 1684) *Pterolonche* (Gomezbustillus) *kurdistanella* Amsel,1959** (Pterolonchidae) Synonym(s): *kurdistanella* Amsel,1959
- 1685) *Pterophorus ischnodactylus* (Treitschke,1835)** (Pterophoridae) Synonym(s): *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968.
- 1686) *Pterophorus terrenus* Meyrick,1936** (Pterophoridae) Synonym(s): *terrenus* Meyrick,1936
- 1687) *Ptyonocera proteroleuca* Meyrick,1937** (Pyrilidae) Synonym(s): *proteroleuca* Meyrick,1937
- 1688) *Purpuricenus apicalis* Pic,1905** (Cerambycidae) Synonym(s): *apicalis* Pic,1905; *tommasoi* Sama,2001
- 1689) *Purpuricenus wachanrui* Levrat,1858** (Cerambycidae) Synonym(s): *wachanrui* Levrat,1858; *aleppensis* Witte,1872; *haussknechti* Witte,1872; *atricolor* Pic,1912; *diversipennis* Pic,1915
- 1690) *Pydna badiaria* (Freyer,[1841])** (Geometridae) Synonym(s): *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854.
- 1691) *Pydna bahara* (Brandt,1938)** (Geometridae) Synonym(s): *bahara* Brandt,1938
- 1692) *Pyralis farinalis* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
- 1693) *Pyralis imperialis* Caradja,1916** (Pyrilidae) Synonym(s): *imperialis* Caradja,1916
- 1694) *Pyralis kacheticalis* (Christoph,1893)** (Pyrilidae) Synonym(s): *kacheticalis* Christoph,1893
- 1695) *Pyrasia gutturalis* (Staudinger,1879)** (Pyrilidae) Synonym(s): *gutturalis* Staudinger,1879
- 1696) *Pyrausta* (Haematia) *despicata* (Scopoli,1763)** (Pyrilidae) Synonym(s): *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775.
- 1697) *Pyrausta* (Haematia) *virginalis* Duponchel,1832** (Pyrilidae) Synonym(s): *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916
- 1698) *Pyrausta* (s.str.) *inciae* Koçak,1982** (Pyrilidae) Synonym(s): *meridionalis* Staudinger,1880 nec Wcke,1871; *inciae* Koçak,1982.
- 1699) *Pyrellia vivida* R-D.,1830** (Muscidae) Synonym(s): *cadaverina* auct.; *vivida* R-D.,1830
- 1700) *Pyrgus armoricanus* (Oberthür,1910)** (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
- 1701) *Pyrgus serratulae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 nec Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 1702) *Pyrrhocoris apterus* (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829
- 1703) *Pyrcusia quercus* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 1704) *Rachispoda modesta* (Duda,1924)** (Sphaeroceridae) Synonym(s): *modesta* Duda,1924
- 1705) *Rachispoda varicornis* (Strobl,1900)** (Sphaeroceridae) Synonym(s): *varicornis* Strobl,1900; *halidayi* Collin,1902
- 1706) *Raphidia* (Phidiara) *remane* H.Aspöck, U.Aspöck & Şengonca,1976** (Raphidiidae) Synonym(s): *remane* H.Aspöck, U.Aspöck & Şengonca,1976
- 1707) *Raphimetopus ablutellus* (Zeller,1839)** (Pyrilidae) Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 1708) *Ravinia striata* (Fabricius,1794)** (Sarcophagidae) Synonym(s): *striata* Fabricius,1794; *haematodes* Meigen,1826; *haemisphearica* R-D.,1830; *limpidipennis* R-D.,1830; *horticola* R-D.,1830; *campestris* R-D.,1830; *parva* R-D.,1863; *sulcata* R-D.,1863; *hebes* R-D.,1863; *nova* Siebke,1877; *aozia* Séguin,1935; *disjuncta* Séguin,1938

- 1709) *Recilia coronifera* (Marshall,1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall,1866; *coroniceps* Kirschbaum,1868; *i-album* Scott,1881
- 1710) *Recophora beata* (Staudinger,1892)** (Noctuidae) Synonym(s): *beata* Staudinger,1892
- 1711) *Reduvius camelus* Miller,1955** (Reduviidae) Synonym(s): *camelus* Miller,1955
- 1712) *Reduvius carinatus* Reuter,1892** (Reduviidae) Synonym(s): *carinatus* Reuter,1892; *discoidalis* Reuter,1892; *fenestratus* Reuter,1892; *exilis* Miller,1956
- 1713) *Reduvius fedtschenkianus* Oshanin,1870** (Reduviidae) Synonym(s): *fedtschenkianus* Oshanin,1870; *fuscescens* Reuter,1892
- 1714) *Reduvius pallipes* Klug,1830** (Reduviidae) Synonym(s): *pallipes* Klug,1830; *thoracicus* Stal,1855; *testaceus* Fieber
- 1715) *Reduvius tabidus* Klug,1830** (Reduviidae) Synonym(s): *tabidus* Klug,1830
- 1716) *Rethera brandti* O.Bang-Haas,1937** (Sphingidae) Synonym(s): *brandti* O.Bang-Haas,1937
- 1717) *Rethera komarovi* (Christoph,1885)** (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
- 1718) *Rhabdophera arefacta* (Swinhoe,1884)** (Noctuidae) Synonym(s): *arefacta* Swinhoe,1884; *messrae* Staudinger,1898.
- 1719) *Rhabinopteryx subtilis* (Mabille,1888)** (Noctuidae) Synonym(s): *subtilis* Mabille,1888; *renatalis* Rebel,1909 nec Obth.; *luridalis* Rebel,1911.
- 1720) *Rhadinus megalonix* Loew,1856** (Asilidae) Synonym(s): *megalonix* Loew,1856
- 1721) *Rhagonycha kurdistan* Svihla,1983** (Cantharidae) Synonym(s): *kurdistan* Svihla,1983
- 1722) *Rhagonycha maceki* Svihla,1983** (Cantharidae) Synonym(s): *maceki* Svihla,1983
- 1723) *Rhagonycha rassouli* Wittmer,1981** (Cantharidae) Synonym(s): *rassouli* Wittmer,1981
- 1724) *Rhaphium brevicorne* Curtis,1835** (Dolichopodidae) Synonym(s): *brevicorne* Curtis,1835; *dissectum* Loew,1850; *pectinatum* Becker,1908
- 1725) *Rhodobates pallipellus* Rebel,1901** (Tineidae) Synonym(s): *pallipellus* Rebel,1901; *atactopis* Meyrick,1937.
- 1726) *Rhodometra sacraria* (Linnaeus,1767)** (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gisl,1856; *labdaria* Guenée,1858];
- 1727) *Rhodostrophia auctata* (Staudinger,1879)** (Geometridae) Synonym(s): *auctata* Staudinger,1879
- 1728) *Rhodostrophia discopunctata* Amsel,1935** (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935
- 1729) *Rhodostrophia sieversi* (Christoph,1882)** (Geometridae) Synonym(s): *sieversi* Christoph,1882
- 1730) *Rhopalus maculatus* (Fieber,1836)** (Rhopalidae) Synonym(s): *maculatus* Fieber,1836
- 1731) *Rhyacia* (s.str.) *lucipeta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775.
- 1732) *Rhyacia* (s.str.) *nyctimerides* (O.Bang-Haas,1922)** (Noctuidae) Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschhoff,1951; *alagesica* Boursin,1962; *#nyctomerides* Hacker,1987]
- 1733) *Rhynchina obliquialis* (Kollar,1844)** (Noctuidae) Synonym(s): *obliquialis* Kollar,1844; *masuralis* Guenée,1854; *cramboides* Butler,1879; *morosa* Butler,1879.
- 1734) *Rhynchites auratus* (Scopoli,1763)** (Atelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Neuskij,1929; *armeniacus* Zaitzev,1937
- 1735) *Rhyapla lacernaria* (Hübner,1813)** (Noctuidae) Synonym(s): *lacernaria* Hübner,1813; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 1736) *Rhyparochromus confusus* (Reuter,1886)** (Lygaeidae) Synonym(s): *confusus* Reuter,1886
- 1737) *Riptortus linearis* (Fabricius,1775)** (Alydidae) Synonym(s): *linearis* Fabricius,1775
- 1738) *Rivetina excellens* Beier,1956** (Mantidae) Synonym(s): *excellens* Beier,1956
- 1739) *Rivetina laticollis* La Greca & Lombardo,1982** (Mantidae) Synonym(s): *laticollis* La Greca & Lombardo,1982
- 1740) *Rivetina syriaca* (Saussure,1869)** (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916
- 1741) *Rivula sericealis* (Scopoli,1763)** (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789.
- 1742) *Rivula tanitalis* Rebel,1912** (Noctuidae) Synonym(s): *tanitalis* Rebel,1912
- 1743) *Sabroskyina aharonii* (Duda,1923)** (Chloropidae) Synonym(s): *pallipes* Lamb,1923 nec Lw.,1863; *aharonii* Duda,1923; *antorides* Ségué,1950
- 1744) *Saga ephippigera* Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846
- 1745) *Saldula misis* Seidenstücker,1964** (Saldidae) Synonym(s): *misis* Seidenstücker,1964
- 1746) *Saluria maculivittella* Ragonot,1887** (Pyralidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888.
- 1747) *Saluria pulverosa* (Hampson,1896)** (Pyralidae) Synonym(s): *pulverosa* Hampson,1896
- 1748) *Saragossa siccanorum* (Staudinger,1870)** (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870
- 1749) *Sarcophaga* (Berceae) *cruentata* Meigen,1826** (Sarcophagidae) Synonym(s): *cruentata* Meigen,1826; *haemorrhoidalis* Fallén,1817; *squalida* R-D.,1830; *blondeli* R-D.,1830; *villiva* R-D.,1830; *ruficauda* Zetterstedt,1838; *consobrina* Rondani,1860; *nurus* Rondani,1860; *zetterstedti* R-D.,1863; *iners* R-D.,1863; *pabulorum* R-D.,1863; *meigeni* R-D.,1863; *inlyta* R-D.,1863; *praeceps* R-D.,1863; *fugax* R-D.,1863; *nitida* R-D.,1863; *albidula* R-D.,1863; *commendata* R-D.,1863; *fulvipalpis* R-D.,1863; *haematura* R-D.,1863; *agilis* R-D.,1863; *oralis* R-D.,1863; *agraria* R-D.,1863; *meditata* R-D.,1863; *#interrupta* Enderlein,1928; *#tiesleri* Enderlein,1928
- 1750) *Sarcophaga* (Jantia) *crassipalpis* Macquart,1839** (Sarcophagidae) Synonym(s): *crassipalpis* Macquart,1839; *dalmatina* Schiner,1862; *securifera* Villeneuve,1908
- 1751) *Sarcophaga* (Parasarcophaga) *hirtipes* Wiedemann,1830** (Sarcophagidae) Synonym(s): *hirtipes* Wiedemann,1830; *rufipes* Wiedemann,1830; *fulvipalpis* Macquart,1843
- 1752) *Sarcophaga* (Phytosarcophaga) *destructor* Malloch,1929** (Sarcophagidae) Synonym(s): *destructor* Malloch,1929; *flagellata* Villeneuve,1930; *margaretti* Salem,1935; *destructrix* Rohdendorf,1937; *mezzadrii* Ségué,1951
- 1753) *Sarcophaga* (s.str.) *lehmanni* Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922; *clausa* Müller,1922; *meridionalis* Rohdendorf,1937
- 1754) *Sarcophaga* (Thomsonia) *argyrostoma* (R-D.,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D.,1830; *barbata* Thomson,1869; *fulcata* Pandellé,1896; *persicae* Senior-White,1924; *chivensis* Zimin,1928
- 1755) *Saturnia* (s.str.) *pyri* ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980.
- 1756) *Satyrium* (Nordmannia) *abdominalis* (Gerhard,1850)** (Lycaenidae) Synonym(s): *abdominalis* Gerhard,1850; *gerhardi* Staudinger,1895; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardi* Wiltshire,1943; *elita* Higgins,1964.
- 1757) *Satyrium* (Nordmannia) *ilicis* (Esper,1779)** (Lycaenidae) Synonym(s): *ilicis* Esper,1779]
- 1758) *Satyrium* (Nordmannia) *marcidum* (Riley,1921)** (Lycaenidae) Synonym(s): *marcidum* Riley,1921

- 1759) *Satyrium* (Nordmannia) zabni Oorschot & Brink,1991** (Lycaenidae) Synonym(s): *#zabni* Higgins,1964; *zabni* Oorschot & Brink,1991.
- 1760) *Satyrium* (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] nec Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 nec Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
- 1761) *Satyrus* (s.str.(s.str.)) favonius Staudinger,[1892]** (Satyridae) Synonym(s): *favonius* Staudinger,[1892]
- 1762) *Satyrus* (s.str.(s.str.)) parthicus Lederer,1869** (Satyridae) Synonym(s): *parthicus* Lederer,1869; *pimpla* sensu Wiltshire,1957
- 1763) *Scarabaeus armeniacus* Ménétriés,1832** (Scarabaeidae) Synonym(s): *armeniaceus* Ménétriés,1832; *nigrociliatus* Motschoulsky,1849
- 1764) *Scarabaeus irakensis* Stolfa,1938** (Scarabaeidae) Synonym(s): *irakensis* Stolfa,1938
- 1765) *Scarabaeus puncticolis* (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticolis* Latreille,1819
- 1766) *Scarabaeus sacer* Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluens* Fleisch.,1925
- 1767) *Scarabaeus winkleri* Stolfa,1938** (Scarabaeidae) Synonym(s): *winkleri* Stolfa,1938
- 1768) *Scathophaga staryi* Sifner,2000** (Scathophagidae) Synonym(s): *staryi* Sifner,2000
- 1769) *Scaurus macricollis* Allard,1882** (Tenebrionidae) Synonym(s): *macricollis* Allard,1882
- 1770) *Scaurus puncticolis* Solier,1838** (Tenebrionidae) Synonym(s): *puncticolis* Solier,1838
- 1771) *Sceliphron* (s.str.) arabs (Lepeletier,1845)** (Sphecidae) Synonym(s): *arabs* Lepeletier,1845; *caucasicus* André,1888
- 1772) *Sceliphron* (s.str.) madraspatanum (Fabricius,1781)** (Sphecidae) Synonym(s): *madraspatanum* Fabricius,1781; *interruptus* Palisot de Beauvois,1806; *bilineatus* F.Smith,1852; *separatus* F.Smith,1852
- 1773) *Sceliphron* (s.str.) pietschmanni Kohl,1918** (Sphecidae) Synonym(s): *pietschmanni* Kohl,1918
- 1774) *Schistocerca gregaria* (Forsk.,1775)** (Acrididae) Synonym(s): *gregaria* Forsk.,1775; *tartaricum* Latreille,1804; *peregrina* Olivier,1804; *rufescens* Thunberg,1815
- 1775) *Schneidereria pistacicola* (Danilevsky,1955)** (Gelechiidae) Synonym(s): *pistacicola* Danilevsky,1955
- 1776) *Schneidereria pistaciella* Weber,1957** (Gelechiidae) Synonym(s): *pistaciella* Weber,1957
- 1777) *Schoenobius alpherakyi* Staudinger,1874** (Pyrilidae) Synonym(s): *alpherakyi* Staudinger,1874
- 1778) *Schoenobius gigantellus* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *gigantella* [Denis & Schiffermüller],1775
- 1779) *Schoenobius incertellus* (Walker,1863)** (Pyrilidae) Synonym(s): *incertellus* Walker,1863
- 1780) *Schrankia balneorum* (Alpheraky,1880)** (Noctuidae) Synonym(s): *balneorum* Alpheraky,1880
- 1781) *Sciapus adumbratus* (Becker,1902)** (Dolichopodidae) Synonym(s): *adumbratus* Becker,1902
- 1782) *Sciocoris* (s.str.) ochraceus Fieber,1861** (Pentatomidae) Synonym(s): *ochraceus* Fieber,1861; *#ochraseus* Önder et al.,2006
- 1783) *Sciota* (s.str.) rhenella (Zincken,1818)** (Pyrilidae) Synonym(s): *rhenella* Zincken,1818
- 1784) *Scolia* (s.str.) flaviceps Eversmann,1846** (Scoliidae) Synonym(s): *flaviceps* Eversmann,1846; *mangichlakensis* Radoszkowski,1879
- 1785) *Scoliapteryx libatrix* (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatrix* Haworth,1809
- 1786) *Scopula flaccidaria* (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
- 1787) *Scopula immistaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
- 1788) *Scopula marginepunctata* (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
- 1789) *Scopula minorata* (Boisduval,1833)** (Geometridae) Synonym(s): *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabilie,1900; *mombasae* W.Warren,1904; *dresnaji* D.Lucas,1937.
- 1790) *Scopula ornata* (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
- 1791) *Scopula submutata* (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
- 1792) *Scotodrymadusa philbyi* (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi* Uvarov,1927; *palaestina* Uvarov,1939
- 1793) *Scotodrymadusa syriaca* (Pictet,1888)** (Tettigoniidae) Synonym(s): *syriaca* Pictet,1888; *anatolica* Werner,1901; *rammei* Uvarov,1929; *turcica* Ramme,1939; *kozana* Ramme,1951; *amani* Ramme,1951
- 1794) *Scotomera minimalis* (Amsel,1949)** (Pyrilidae) Synonym(s): *minimalis* Amsel,1949
- 1795) *Scotopteryx elbursica* (Bytinski-Salz & Brandt,1937)** (Geometridae) Synonym(s): *elbursica* Bytinski-Salz & Brandt,1937
- 1796) *Scrobipalpa* (Ergasiola) ergasima (Meyrick,1916)** (Gelechiidae) Synonym(s): *ergasima* Meyrick,1916; *intestinalis* Meyrick,1921; *mignatella* Caradja,1920; *mirabilis* Gregor & Povolny,1955; *perdava* Clarke,1962
- 1797) *Scrobipalpa* (Ilseopsis) grossa Povolny,1966** (Gelechiidae) Synonym(s): *grossa* Povolny,1966
- 1798) *Scrobipalpa* (Ilseopsis) pseudobsoletella (Gregor & Povolny,1955)** (Gelechiidae) Synonym(s): *pseudobsoletella* Gregor & Povolny,1955; *#pseudobsoletella* Hacker,1999
- 1799) *Scythocentropus inquinata* (Mabilie,1888)** (Noctuidae) Synonym(s): *inquinata* Mabilie,1888; *mercedes* Pinker,1974
- 1800) *Scythris* (bagdadiella-gr.) bagdadiella Amsel,1949** (Scythridae) Synonym(s): *bagdadiella* Amsel,1949
- 1801) *Scythris* (monochreella-gr.) monochreella Ragonot,1896** (Scythridae) Synonym(s): *monochreella* Ragonot,1896; *lychnitis* Meyrick,1918
- 1802) *Scythris* (scopolella-gr.) apicalis (Zeller,1847)** (Scythridae) Synonym(s): *apicalis* Zeller,1847; *unipunctella* Rebel,1901.
- 1803) *Scythris* lychnitis Meyrick,1918** (Scythridae) Synonym(s): *lychnitis* Meyrick,1918
- 1804) *Selirus marginatus* (Signoret,1884)** (Cydniidae) Synonym(s): *marginatus* Signoret,1884
- 1805) *Selinocephalus kalalae* Dlabola,1952** (Cicadellidae) Synonym(s): *kalalae* Dlabola,1952
- 1806) *Selysiothemis nigra* (Van Der Linden,1825)** (Libellulidae) Synonym(s): *nigra* Van Der Linden,1825
- 1807) *Sena proxima* (Staudinger,1894)** (Lasiocampidae) Synonym(s): *proxima* Staudinger,1894
- 1808) *Sepedon* (s.str.) sphegea (Fabricius,1775)** (Sciomyzidae) Synonym(s): *sphegea* Fabricius,1775; *ruficollis* Meigen,1818
- 1809) *Sergentomyia* (Parrotomyia) baghdadis (Adler & Theodor,1929)** (Psychodidae) Synonym(s): *baghdadis* Adler & Theodor,1929

- 1810) Serrulacera serraticornella (Zeller,1839)** (Pyralidae) Synonym(s): *serraticornella* Zeller,1839; *gregella* Eversmann,1844.
- 1811) Sesamia boursini (Wiltshire,1957)** (Noctuidae) Synonym(s): *boursini* Wiltshire,1957
- 1812) Sesamia cretica Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857
- 1813) Sesia pimplaeformis Oberthür,1872** (Sesiidae) Synonym(s): *pimplaeformis* Oberthür,1872
- 1814) Setapius lindbergi (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957
- 1815) Setoctena dentula (Lederer,1869)** (Noctuidae) Synonym(s): *dentula* Lederer,1869; *angulifera* Moore,1881; *innubila* Swinhoe,1886
- 1816) Shirazia wiltshirei Amsel,1959** (Pyralidae) Synonym(s): *wiltshirei* Amsel,1959
- 1817) Sideridis (Luteohadena) luteago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (praeocc.); *ottomana* Koçak,1990.
- 1818) Sigara albiventris (Horvath,1911)** (Corixidae) Synonym(s): *albiventris* Horvath,1911
- 1819) Sigara assimilis (Fieber,1848)** (Corixidae) Synonym(s): *assimilis* Fieber,1848
- 1820) Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta* Rambur,1840
- 1821) Simulium (Byssodon) buxtoni Austen,1923** (Simuliidae) Synonym(s): *bipunctatum* Austen,1923 (praeocc.); *buxtoni* Austen,1923; *irakae* Smart,1944
- 1822) Simulium (Eusimulium) paucispis Rubtsov,1947** (Simuliidae) Synonym(s): *paucispis* Rubtsov,1947
- 1823) Simulium (s.str.) bezzii (Corti,1914)** (Simuliidae) Synonym(s): *bezzii* Corti,1914; *delphinense* Villeneuve,1918; *tristrigatum* Enderlein,1921; *obscurum* Enderlein,1924; *kondici* Baranov,1926; *atlas* Séguy,1930; *crinitum* Rubtsov,1956; *gorjense* Dinulescu,1966; *graium* Courvert,1967
- 1824) Simulium (s.str.) kiritshenkoi Rubtsov,1940** (Simuliidae) Synonym(s): *kiritshenkoi* Rubtsov,1940; *caucasicum* Rubtsov,1940; *sevanense* Rubtsov & Terteryan,1952; *cisalpinum* Rubtsov,1956; *longicaulis* Rubtsov,1956
- 1825) Simulium (Wilhelmia) dahestanicum (Rubtsov,1962)** (Simuliidae) Synonym(s): *dahestanicum* Rubtsov,1962
- 1826) Simulium (Wilhelmia) lineatum (Meigen,1804)** (Simuliidae) Synonym(s): *lineatum* Meigen,1804; *falcula* Enderlein,1921; *salopiense* Edwards,1927; *turgicum* Rubtsov,1940
- 1827) Simulium (Wilhelmia) paraequinum Puri,1933** (Simuliidae) Synonym(s): *paraequinum* Puri,1933; *transcaucasicum* Rubtsov,1956
- 1828) Simulium (Wilhelmia) pseudequinum Seguy,1921** (Simuliidae) Synonym(s): *pseudequinum* Seguy,1921; *canariense* Séguy,1921; *brnizense* Baranov,1924; *mediterraneum* Puri,1925; *stylatum* Baranov,1926; *quartum* Baranov,1926; *barbaricum* Séguy,1930; *sulfuricola* Rivoisechi,1972; *fluminicola* Rivoisechi,1972
- 1829) Simyra dentinosa Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 1830) Smaragdina chloris (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris* Lacordaire,1848; *biornata* Lefebvre,1872
- 1831) Smaragdina unipunctata (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata* Olivier,1808
- 1832) Smaragdina viridana (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *viridana* Lacordaire,1848
- 1833) Smerinthus kindermanni Lederer,1852** (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917
- 1834) Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix* Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicola* Ishihara,1949; *dogensis* Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977
- 1835) Solenoxypus adpersus (Reuter,1904)** (Miridae) Synonym(s): *adpersus* Reuter,1904; *barbatus* E.Wagner,1951
- 1836) Solter vartianae Hölzel,1967** (Myrmeleonidae) Synonym(s): *vartianae* Hölzel,1967
- 1837) Somatina wiltshirei L.B.Prout,1938** (Geometridae) Synonym(s): *wiltshirei* L.B.Prout,1938
- 1838) Sparganothis pilleriana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *pilleriana* [Denis & Schiffermüller],1775
- 1839) Spatalia argentina ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller],1775
- 1840) Spercheus cerisyi Guérin-Méneville** (Spercheidae) Synonym(s):
- 1841) Sphingonaepiopsis gorgoniades (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] *nec* Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 1842) Sphodromantis trimacula (Saussure,1870)** (Mantidae) Synonym(s): *trimacula* Saussure,1870; *arabica* Wood-Mason,1882; *dhufarica* Uvarov,1933
- 1843) Sphodromerus luteipes Uvarov,1933** (Acrididae) Synonym(s): *luteipes* Uvarov,1933
- 1844) Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 1845) Spialia (s.str.) osthelderi (Pfeiffer,1932)** (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932
- 1846) Spilostethus pandurus (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus* Scopoli,1763
- 1847) Spodoptera cilium Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *imperviata* Walker,1865; *retrahens* Walker,1870.
- 1848) Spodoptera exiguum (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
- 1849) Spodoptera littoralis (Boisduval,1833)** (Noctuidae) Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911.
- 1850) Spodoptera liturum (Fabricius,1775)** (Noctuidae) Synonym(s): *litura* Fabricius,1775
- 1851) Spogostylum arenivagum (Austen,1937)** (Bombyliidae) Synonym(s): *arenivagum* Austen,1937
- 1852) Spogostylum griseipenne (Macquart,1850)** (Bombyliidae) Synonym(s): *griseipenne* Macquart,1850
- 1853) Spogostylum longipenne (Macquart,1840)** (Bombyliidae) Synonym(s): *longipenne* Macquart,1840
- 1854) Spoladea recurvalis (Fabricius,1775)** (Pyralidae) Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifacialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1910.
- 1855) Stagonomus amoenus (Brullé,1832)** (Pentatomidae) Synonym(s): *amoenus* Brullé,1832
- 1856) Stangeia siceliota (Zeller,1847)** (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
- 1857) Staria lunata (Hahn,1835)** (Pentatomidae) Synonym(s): *lunata* Hahn,1835; *lobulatus* Rambur,1839; *maroccana* Lindberg,1932; *levantinae* Fuente,1972
- 1858) Staudingeria (s.str.) deserticola (Staudinger,1870)** (Pyralidae) Synonym(s): *deserticola* Staudinger,1870

- 1859) *Staudingeria* (s.str.) *eremicola* (Amsel,1935) (Pyrilidae) Synonym(s): *eremicola* Amsel,1935; *#nigricella* Amsel,1959.
- 1860) *Staudingeria* (s.str.) *partitella* Ragonot,1887 (Pyrilidae) Synonym(s): *partitella* Ragonot,1887; *adustella* Ragonot,1887; *fractifasciella* Ragonot,1890; *kebiliella* Lucas,1909; *combustella* Chrétien,1910.
- 1861) *Stefaniola adstricta* Möhn,1971 (Cecidomyiidae) Synonym(s): *adstricta* Möhn,1971
- 1862) *Stefaniola fistula* Möhn,1971 (Cecidomyiidae) Synonym(s): *fistula* Möhn,1971
- 1863) *Stefaniola gloma* Möhn,1971 (Cecidomyiidae) Synonym(s): *gloma* Möhn,1971
- 1864) *Stefaniola nodosa* Möhn,1971 (Cecidomyiidae) Synonym(s): *nodosa* Möhn,1971
- 1865) *Stefaniola ramosa* Möhn,1971 (Cecidomyiidae) Synonym(s): *ramosa* Möhn,1971
- 1866) *Stefaniola spinosa* Möhn,1971 (Cecidomyiidae) Synonym(s): *spinosa* Möhn,1971
- 1867) *Stegastopsis babylonica* Kraatz,1865 (Tenebrionidae) Synonym(s): *babylonica* Kraatz,1865
- 1868) *Stelis* (s.str.) *signata* (Latreille,1809) (Megachilidae) Synonym(s): *signata* Latreille,1809
- 1869) *Stenodema turanicum* (Reuter,1904) (Miridae) Synonym(s): *turanicum* Reuter,1904
- 1870) *Stenodrina aeschista* Boursin,1937 (Noctuidae) Synonym(s): *aeschista* Boursin,1937; *#aeshita* Poltavsky & Nekrasov,2002
- 1871) *Stenomera assyria* Lesne,1895 (Bostrichidae) Synonym(s): *assyria* Lesne,1895
- 1872) *Stenonemobius* (s.str.) *gracilis* (Jakovleff,1871) (Gryllidae) Synonym(s): *gracilis* Jakovleff,1871
- 1873) *Stenoptilia bipunctidactyla* (Scopoli,1763) (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli,1763; *mictodactyla* [Denis & Schiffermüller],1775; *#pallida* Tutt,1906; *arida* Caradja,1920 nec Zell.,1847.
- 1874) *Stenoptilia mannii* (Zeller,1852) (Pterophoridae) Synonym(s): *mannii* Zeller,1852; *megalochra* Meyrick,1930.
- 1875) *Stephanitis oschanini* Vasiliev,1935 (Tingidae) Synonym(s): *oschanini* Vasiliev,1935; *hoberlandti* Lis,2002
- 1876) *Stethoconus ocularis* Linnavuori,1995 (Miridae) Synonym(s): *ocularis* Linnavuori,1995
- 1877) *Stilbina* (s.str.) *hypaenides* Staudinger,1892 (Noctuidae) Synonym(s): *hypaenides* Staudinger,1892
- 1878) *Stiphrolampra signata* (Theodor,1980) (Asilidae) Synonym(s): *sinaitica* Theodor,1980
- 1879) *Stiphrometasia sancta* (Hampson,1900) (Pyrilidae) Synonym(s): *sancta* Hampson,1900; *alba* Caradja,1917.
- 1880) *Stizoides melanopterus* (Dahlbom,1845) (Crabronidae) Synonym(s): *melanopterus* Dahlbom,1845; *concolor* Eversmann,1849
- 1881) *Stomoxys calcitrans* (Linnaeus,1758) (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758
- 1882) *Stomphastis conflua* (Meyrick,1914) (Gracillariidae) Synonym(s): *conflua* Meyrick,1914
- 1883) *Stratiomys longicornis* (Scopoli,1763) (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940
- 1884) *Stratiomys ruficornis* (Macquart,1838) (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868
- 1885) *Streblote siva* (Lefebvre,1827) (Lasiocampidae) Synonym(s): *siva* Lefebvre,1827
- 1886) *Streyella anguinella* (Herrich-Schäffer,1861) (Gelechiidae) Synonym(s): *anguinella* Herrich-Schäffer,1861; *ostentella* Zerny,1934.
- 1887) *Strobilotoma typhaecornis* (Fabricius,1803) (Coreidae) Synonym(s): *typhaecornis* Fabricius,1803; *clavicornis* Fabricius,1803; *genei* Spinola,1837; *obscurus* Herrich-Schäffer,1840; *divergens* Reuter,1900
- 1888) *Stygia mosulensis* Daniel,1965 (Cossidae) Synonym(s): *mosulensis* Daniel,1965
- 1889) *Stylosomus erythrocephalus* Suffrian,1853 (Chrysomelidae) Synonym(s): *erythrocephalus* Suffrian,1853
- 1890) *Sultania lophotalis* (Hampson,1900) (Pyrilidae) Synonym(s): *lophotalis* Hampson,1900
- 1891) *Sumeria dipotamica* Tams,1938 (Notodontidae) Synonym(s): *dipotamica* Tams,1938
- 1892) *Susia designella* (Amsel,1955) (Pyrilidae) Synonym(s): *designella* Amsel,1955
- 1893) *Susia uberalis* (Swinhoe,1884) (Pyrilidae) Synonym(s): *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968.
- 1894) *Sybstroma nodicornis* Meigen,1824 (Dolichopodidae) Synonym(s): *nodicornis* Meigen,1824; *wiedemanni* Rondani,1843
- 1895) *Sycophila submutica* (Thomson,1876) (Eurytomidae) Synonym(s): *submutica* Thomson,1876
- 1896) *Sycophila variegata* (Curtis,1831) (Eurytomidae) Synonym(s): *variegata* Curtis,1831
- 1897) *Symmacantha sparsella* (De Joannis,1891) (Autostichidae) Synonym(s): *sparsella* De Joannis,1891.
- 1898) *Symmoca costobscurella* Amsel,1949 (Autostichidae) Synonym(s): *costobscurella* Amsel,1949
- 1899) *Symmoca fuscella* Amsel,1959 (Autostichidae) Synonym(s): *fuscella* Amsel,1959
- 1900) *Sympycnus simpliceps* Becker,1908 (Dolichopodidae) Synonym(s): *simpliceps* Becker,1908
- 1901) *Synaphe armenialis* (Lederer,1870) (Pyrilidae) Synonym(s): *armenialis* Lederer,1870
- 1902) *Synaphe consecratalis* (Lederer,1855) (Pyrilidae) Synonym(s): *consecratalis* Lederer,1855
- 1903) *Synaphe morbidalis* (Guenée,1849) (Pyrilidae) Synonym(s): *morbidalis* Guenée,1849
- 1904) *Synaphe uxorialis* (Lederer,1858) (Pyrilidae) Synonym(s): *uxorialis* Lederer,1858
- 1905) *Synclera traducalis* (Zeller,1852) (Pyrilidae) Synonym(s): *tradiculis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatalis* Guenée,1862
- 1906) *Syntormon giordanii* Negrobov,1974 (Dolichopodidae) Synonym(s): *giordanii* Negrobov,1974
- 1907) *Syntormon pallipes* (Fabricius,1794) (Dolichopodidae) Synonym(s): *pallipes* Fabricius,1794; *hamatus* Zetterstedt,1843; *pseudospicatus* Strobl,1899; *immaculatus* Santos Abreu,1929
- 1908) *Syntormon samarkandi* Negrobov,1975 (Dolichopodidae) Synonym(s): *samarkandi* Negrobov,1975
- 1909) *Syrianarpia mendicalis* (Staudinger,1879) (Pyrilidae) Synonym(s): *mendicalis* Staudinger,1879; *#mencicalis* Amsel,1949; *osthelderi* Leraut,1982; *fuscella* Leraut,1982
- 1910) *Syringopais temperatella* (Lederer,1855) (Deoclonidae) Synonym(s): *temperatella* Lederer,1855; *fuscofasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920
- 1911) *Syriolytta vulneratus* (Fairmaire,1892) (Meloidae) Synonym(s): *vulneratus* Fairmaire,1892; *suturifera* Pic,1899; *fairmairei* Borchmann,1917
- 1912) *Syromastus rhombeus* (Linnaeus,1767) (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767; *quadratus* Fabricius,1775; *sinuata* Fieber,1861; *fusca* Vidal,1936
- 1913) *Systellonotus thymi* Signoret,1859 (Miridae) Synonym(s): *thymi* Signoret,1859; *putoni* Reuter,1890
- 1914) *Tabanus arabicus* Macquart,1839 (Tabanidae) Synonym(s): *arabicus* Macquart,1839; *tinnunculus* Szilady,1923
- 1915) *Tabanus autumnalis* Linnaeus,1761 (Tabanidae) Synonym(s): *autumnalis* Linnaeus,1761; *bovinus* Harris,1776 nec L.,1758; *molestans* Becker,1914; *brunnescens* Szilady,1914; *guttiventris* Enderlein,1925
- 1916) *Tabanus fumidus* Austen,1923 (Tabanidae) Synonym(s): *fumidus* Austen,1923; *turpis* Bogatchev & Samedov,1949

- 1917) *Tabanus laeteticinctus* Becker, 1913** (Tabanidae) Synonym(s): *laeteticinctus* Becker, 1913; *sordes* Bogatchev & Samedov, 1949; *assuetus* Hauser, 1960; *cinereus* Hauser, 1960
- 1918) *Tabanus leleani* Austen, 1920** (Tabanidae) Synonym(s): *leleani* Austen, 1920; *pallpidus* Olsufjev, 1937 nec P.B., 1809; *turkestanicus* Olsufjev, 1970
- 1919) *Tabanus lunatus* Fabricius, 1794** (Tabanidae) Synonym(s): *lunatus* Fabricius, 1794; *algiricus* Thunberg, 1827; *wideri* Jaennicke, 1866; *syriacus* Szilady, 1923; *rufus* Szilady, 1923; *politus* Szilady, 1923; *farinosus* Szilady, 1923; *algeriensis* Peus, 1980; *levantinus* Peus, 1980
- 1920) *Tabanus polygonus* Walker, 1854** (Tabanidae) Synonym(s): *polygonus* Walker, 1854; *polyzonatus* Bigot, 1892; *strictus* Surcouf, 1912
- 1921) *Tabanus pulvifer* Walker, 1854** (Tabanidae) Synonym(s): *pulvifer* Walker, 1854; *persis* Ricardo, 1911
- 1922) *Tabanus regularis* Jaennicke, 1866** (Tabanidae) Synonym(s): *regularis* Jaennicke, 1866; *rufus* Szilady, 1923 nec Scop., 1763; *#regluaris* Kılıç, 1999
- 1923) *Tabanus spectabilis* Loew, 1858** (Tabanidae) Synonym(s): *lateralis* Brullé, 1832 (*praeocc.*); *spectabilis* Loew, 1858; *aspahanicus* Rondani, 1873
- 1924) *Tabanus strix* Szilady, 1923** (Tabanidae) Synonym(s): *strix* Szilady, 1923
- 1925) *Tabanus sufis* Jaennicke, 1867** (Tabanidae) Synonym(s): *sufis* Jaennicke, 1867; *alboventralis* Newstead, 1907; *lacteipennis* Becker, 1913
- 1926) *Tabanus zimini* Olsufjev, 1937** (Tabanidae) Synonym(s): *zimini* Olsufjev, 1937; *luppovae* Baratov, 1961
- 1927) *Tachys (Eotachys) transcausicus* Coulon, 2004** (Carabidae) Synonym(s): *transcausicus* Coulon, 2004
- 1928) *Taftania oxycyma* (Meyrick, 1937)** (Pyralidae) Synonym(s): *oxycyma* Meyrick, 1937
- 1929) *Talis quercella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *#quercella* [Denis & Schiffermüller], 1775; *noctuella* Hübner, 1796; *neglectella* Hübner, [1824].
- 1930) *Tamsola tarda* Wiltshire, 1946** (Noctuidae) Synonym(s): *tarda* Wiltshire, 1946
- 1931) *Taphoxenus (Lychnifugus) cellarum* Adams, 1817** (Carabidae) Synonym(s): *cellarum* Adams, 1817
- 1932) *Tarachephia hueberi* (Erschoff, 1874)** (Noctuidae) Synonym(s): *hueberi* Erschoff, 1874
- 1933) *Tartarogryllus tartarus* (Saussure, 1874)** (Gryllidae) Synonym(s): *tartarus* Saussure, 1874; *intermedius* Chopard, 1940; *intercalatus* Chopard, 1943
- 1934) *Tarucus (s.str.) balkanicus* (Freyer, [1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer, [1843]
- 1935) *Tarucus (s.str.) rosaceus* (Austaut, 1885)** (Lycaenidae) Synonym(s): *rosacea* Austaut, 1885; *mediterraneae* Bethune-Baker, 1918.
- 1936) *Tathorhynchus exsiccatus* (Lederer, 1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer, 1855; *vinctalis* Walker, [1866]; *angustiorata* Grote, 1882; *fallax* Swinhoe, 1902; *#exiccata* Wiltshire, 1941; *greuteri* Koutsaftikis, 1973
- 1937) *Tegostoma mossulalis* Amsel, 1949** (Pyralidae) Synonym(s): *mossulalis* Amsel, 1949
- 1938) *Tegostoma paralis* Hampson, 1900** (Pyralidae) Synonym(s): *paralis* Hampson, 1900
- 1939) *Tegostoma perlepidalis* (Guenée, 1854)** (Pyralidae) Synonym(s): *#lepidalis* Herrich-Schäffer, [1851]; *perlepidalis* Guenée, 1854; *lepidalis* Herrich-Schäffer, [1855]; *#lepidale* Caradja, 1917.
- 1940) *Teinoptera gafsana* (Blachier, 1905)** (Noctuidae) Synonym(s): *gafsana* Blachier, 1905; *gassana* Hampson, 1906; *albina* A.Bang-Haas, 1907; *pianii* C.G.Krüger, 1933
- 1941) *Teleiodes squamodorella* (Amsel, 1935)** (Gelechiidae) Synonym(s): *squamodorella* Amsel, 1935
- 1942) *Tenuipenna simlicella* Amsel, 1959** (Cosmopterigidae) Synonym(s): *simlicella* Amsel, 1959
- 1943) *Tephritis stenopterella* Amsel, 1949** (Pyralidae) Synonym(s): *stenopterella* Amsel, 1949
- 1944) *Tephritis hurvitz* Freidberg, 1981** (Tephritidae) Synonym(s): *hurvitz* Freidberg, 1981
- 1945) *Tephritis mesopotamica* Korneyev & J.Dirlbek, 2000** (Tephritidae) Synonym(s): *mesopotamica* Korneyev & J.Dirlbek, 2000
- 1946) *Tephritis multiguttata* Becker, 1913** (Tephritidae) Synonym(s): *multiguttata* Becker, 1913
- 1947) *Tephritis nigricauda* (Loew, 1856)** (Tephritidae) Synonym(s): *nigricauda* Loew, 1856
- 1948) *Tephritis praecox* (Loew, 1844)** (Tephritidae) Synonym(s): *praecox* Loew, 1844
- 1949) *Tephritis separata* Rondani, 1871** (Tephritidae) Synonym(s): *separata* Rondani, 1871
- 1950) *Tephritis urelliosomima* Korneyev & Dirlbek, 2000** (Tephritidae) Synonym(s): *urelliosomima* Korneyev & Dirlbek, 2000
- 1951) *Tephritomyia lauta* (Loew, 1869)** (Tephritidae) Synonym(s): *lauta* Loew, 1869
- 1952) *Terellia serratulae* (Linnaeus, 1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus, 1758
- 1953) *Tethea ocularis* (Linnaeus, 1767)** (Thyrididae) Synonym(s): *ocularis* Linnaeus, 1767; *octogena* Esper, 1788; *kosswigi* Werny, [1967]; *caucasica* Werny, [1967] nec Krul., 1901
- 1954) *Tettigonia acutipennis* Ebner, 1946** (Tettigoniidae) Synonym(s): *acutipennis* Ebner, 1946
- 1955) *Teuchophorus bisetus* Loew, 1871** (Dolichopodidae) Synonym(s): *bisetus* Loew, 1871
- 1956) *Teuchophorus monocanthus* Loew, 1859** (Dolichopodidae) Synonym(s): *monocanthus* Loew, 1859
- 1957) *Thaleropsis ionia* (Eversmann, 1851)** (Argynnididae) Synonym(s): *ionia* Eversmann, 1851; *ammonia* Herrich-Schäffer, 1851.
- 1958) *Thaumetopoea (s.str.) solitaria* (Freyer, [1838])** (Thaumetopoeidae) Synonym(s): *solitaria* Freyer, [1838]
- 1959) *Theretra alecto* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus, 1758; *cretica* Boisduval, 1827; *freyeri* Kirby, 1892; *transcaspica* O.Bang-Haas, 1927; *intermissa* Gehlen, 1941.
- 1960) *Theretra alecto alecto* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus, 1758; *cretica* Boisduval, 1827; *freyeri* Kirby, 1892; *transcaspica* O.Bang-Haas, 1927; *intermissa* Gehlen, 1941.
- 1961) *Thereva apicalis* Wiedemann, 1821** (Therevidae) Synonym(s): *apicalis* Wiedemann, 1821; *bivittata* Loew, 1840
- 1962) *Theriopectes kuehlhorni* Moucha & Chvala, 1964** (Tabanidae) Synonym(s): *kuehlhorni* Moucha & Chvala, 1964
- 1963) *Thermocoris rivalis* (Horvath, 1894)** (Miridae) Synonym(s): *rivalis* Horvath, 1894; *suctor* Seidenstücker, 1957
- 1964) *Thetidia prasinaria* (Eversmann, 1837)** (Geometridae) Synonym(s): *prasinaria* Eversmann, 1837; *volgaria* Guenée, [1858]; *mongolica* Staudinger, 1897
- 1965) *Thiacidas postica* Walker, 1855** (Noctuidae) Synonym(s): *postica* Walker, 1855; *cheituna* Brandt, 1939
- 1966) *Thinophilus argyropalpis* Becker, 1907** (Dolichopodidae) Synonym(s): *argyropalpis* Becker, 1907
- 1967) *Thinophilus brevicilius* Negrobov, 1971** (Dolichopodidae) Synonym(s): *brevicilius* Negrobov, 1971
- 1968) *Thinophilus mirandus* Becker, 1907** (Dolichopodidae) Synonym(s): *mirandus* Becker, 1907
- 1969) *Tholagmus flavolineatus* (Fabricius, 1798)** (Pentatomidae) Synonym(s): *flavolineatus* Fabricius, 1798
- 1970) *Thopeutis galleriellus* (Ragonot, 1892)** (Pyralidae) Synonym(s): *galleriellus* Ragonot, 1892; *canicostalis* Hampson, 1896; *unicolor* De Joannis, 1910; *submedianalis* Hampson, 1919; *buxtoni* Rotschild, 1921; *chretienellus* Dumont, 1930; *maculalis* Predota, 1934; *hederalis* Amsel, 1935.

- 1971) Thria robusta Walker,[1858]** (Noctuidae) Synonym(s): *anyssa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 1972) Thricops simplex (Wiedemann,1817)** (Muscidae) Synonym(s): *simplex* Wiedemann,1817; *nigricans* R-D.,1830; *blondeli* R-D.,1830; *postica* Zetterstedt,1846
- 1973) Thymelicus acteon (Rottentburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottentburg,1775; *heydeni* Plötz,1884; *clara-obsolata* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 1974) Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilite,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 1975) Thymelicus lineolus lineolus (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilite,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 1976) Thymelicus novus (Reverdin,1916)** (Hesperiidae) Synonym(s): *novus* Reverdin,1916
- 1977) Thymelicus sylvestris (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 1978) Thyreomelecta dimidiatipuncta (Spinola,1838)** (Apidae) Synonym(s): *dimidiatipuncta* Spinola,1838; *gibba* Meyer,1921
- 1979) Thyreus ramosellus (Cockerell,1919)** (Apidae) Synonym(s): *ramosellus* Cockerell,1919
- 1980) Thyreus ramosus (Lepeletier,1841)** (Apidae) Synonym(s): *ramosus* Lepeletier,1841; *rufa* Radoszkowski,1886; *ashabadensis* Radoszkowski,1893; *albociliata* Meyer,1921; *minor* Friese,1925; *circulata* Alfken,1927
- 1981) Thyridiphora furia (Swinhoe,1884)** (Pyralidae) Synonym(s): *furia* Swinhoe,1884; *fenestrata* W.Warren,1888; *grisea* Amsel,1968.
- 1982) Thysanoplusia (Daubeiplusia) daubei (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858]
- 1983) Tingis demissa Horvath,1905** (Tingidae) Synonym(s): *demissa* Horvath,1905
- 1984) Toliella fulguritella (Ragonot,1895)** (Cosmopterigidae) Synonym(s): *fulguritella* Ragonot,1895; *copidobathra* Meyrick,1936.
- 1985) Tomares callimachus (Eversmann,1848)** (Lycanidae) Synonym(s): *callimachus* Eversmann,1848
- 1986) Tortrix viridana (Linnaeus,1758)** (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 *nec* Hübner,[1799]; *coeruleana* Sorhagen,1881.
- 1987) Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868
- 1988) Trachycera dulcella (Zeller,1848)** (Pyralidae) Synonym(s): *dulcella* Zeller,1848
- 1989) Trachymia palpana (Ragonot,1894)** (Tortricidae) Synonym(s): *palpana* Ragonot,1894
- 1990) Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781
- 1991) Tremulicrus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874
- 1992) Trepteryx pertusalis (Geyer,[1832])** (Pyralidae) Synonym(s): *pertusalis* Geyer,[1832]; *weissenbornii* Freyer
- 1993) Trichiura (s.str.) stroehlei Zolotuhin,2007** (Lasiocampidae) Synonym(s): *stroehlei* Zolotuhin,2007
- 1994) Trichodes alberti Escherich,1893** (Cleridae) Synonym(s): *alberti* Escherich,1893; *korbianus* Ganglbauer,1905
- 1995) Trichodes ephippiger Chevrolat,1874** (Cleridae) Synonym(s): *ephippiger* Chevrolat,1874
- 1996) Trichodes flavotarsis Gerstmeier,1985** (Cleridae) Synonym(s): *flavotarsis* Gerstmeier,1985
- 1997) Trichodes heydeni Escherich (Cleridae)** Synonym(s): *heydeni* Escherich; *anatolicus* Reitter,1893
- 1998) Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): *laminatus* Chevrolat,1843
- 1999) Trichodes olivieri (Chevrolat,1843)** (Cleridae) Synonym(s): *olivieri* Chevrolat,1843
- 2000) Trichophaga bipartitella (Ragonot,1892)** (Tineidae) Synonym(s): *abruptella* Wollaston,1858 (*praeocc.*); *bipartitella* Ragonot,1892; *desertella* Mabilite,1907; *amina* Meyrick,1925
- 2001) Trichophorella splendida Linnavuori,1984** (Miridae) Synonym(s): *splendida* Linnavuori,1984
- 2002) Trichoplusia ni (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 2003) Trigonocorypha angustata Uvarov,1922** (Tettigoniidae) Synonym(s): *angustata* Uvarov,1922
- 2004) Trigonuncus euergetalis Amsel,1953** (Pyralidae) Synonym(s): *euergetalis* Amsel,1953; *#euergetalis* Wiltshire,1957.
- 2005) Triphosa taochata Lederer,1870** (Geometridae) Synonym(s): *taochata* Lederer,1870
- 2006) Trissonca crocotoxa Meyrick,1937** (Pyralidae) Synonym(s): *crocotoxa* Meyrick,1937
- 2007) Trissonca muliebris Meyrick,1937** (Pyralidae) Synonym(s): *muliebris* Meyrick,1937
- 2008) Trissonca oblitella (Zeller,1848)** (Pyralidae) Synonym(s): *oblitella* Zeller,1848; *ischnopsis* Meyrick,1937
- 2009) Trissonca polycapna Meyrick,1937** (Pyralidae) Synonym(s): *polycapna* Meyrick,1937
- 2010) Tropidopola cylindrica (Marschall,1836)** (Acrididae) Synonym(s): *cylindrica* Marschall,1836; *sicula* Audinet-Serville,1838; *fasciculata* Charpentier,1841; *algeriana* Uvarov,1922; *virescens* Uvarov,1922
- 2011) Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida* Scopoli,1763; *pilosa* Brullé,1832
- 2012) Trupanea amoena (Frauenfeld,1857)** (Tephritidae) Synonym(s): *amoena* Frauenfeld,1857; *#amonea* Giray,1979
- 2013) Trupanea pulcherrimum (Efflatoun,1924)** (Tephritidae) Synonym(s): *pulcherrimum* Efflatoun,1924; *#pulcherrimum* Korneyev & Dirlbek,2000
- 2014) Trupanea shaula Dirlbek,1975** (Tephritidae) Synonym(s): *shaula* Dirlbek,1975
- 2015) Trupanea stellata (Fuesslin,1775)** (Tephritidae) Synonym(s): *stellata* Fuesslin,1775
- 2016) Truxalis mesopotamica Dirsh,1950** (Acrididae) Synonym(s): *mesopotamica* Dirsh,1950
- 2017) Tshingisella bella Kirkaldy,1913** (Pentatomidae) Synonym(s): *bella* Kirkaldy,1913
- 2018) Tuberculatus (Tuberculoidea) moerickei Hille Ris Lambers,1974** (Aphididae) Synonym(s): *moerickei* Hille Ris Lambers,1974; *galatensis* Hille Ris Lambers,1974
- 2019) Tuponia algerica Eckerlein & Wagner,1965** (Miridae) Synonym(s): *algerica* Eckerlein & Wagner,1965; *ninhursag* Linnavuori,1984
- 2020) Tuponia angusta Wagner,1957** (Miridae) Synonym(s): *angusta* Wagner,1957
- 2021) Tuponia ayasensis Wagner,1963** (Miridae) Synonym(s): *ayasensis* Wagner,1963
- 2022) Tuponia concinna Reuter,1875** (Miridae) Synonym(s): *concinna* Reuter,1875; *conspersa* Reuter,1901; *fezzana* Wagner,1971; *amguele* Wagner,1975
- 2023) Tuponia guttata Wagner,1950** (Miridae) Synonym(s): *guttata* Wagner,1950; *variegata* Wagner,1958; *sodomita* Wagner,1974
- 2024) Tuponia minima Wagner,1957** (Miridae) Synonym(s): *minima* Wagner,1957

- 2025) *Tuponia mixticolor* (Costa,1862)** (Miridae) Synonym(s): *mixticolor* Costa,1862; *lethierryi* Reuter,1875; *colorata* Poppius,1914; *carayoni* Wagner,1955; *vulnerata* Linnavuori,1961; *hungarica* Benedek & Jaszai,1968; *annulata* Wagner,1974
- 2026) *Tuponia ninlil* Linnavuori,1984** (Miridae) Synonym(s): *ninlil* Linnavuori,1984
- 2027) *Tuponia persica* Wagner,1957** (Miridae) Synonym(s): *persica* Wagner,1957
- 2028) *Tuponia prasina* (Fieber,1864)** (Miridae) Synonym(s): *prasina* Fieber,1864; *affinis* Reuter,1878; *apicalis* Reuter,1894
- 2029) *Tuponia punctipes* Reuter,1879** (Miridae) Synonym(s): *punctipes* Reuter,1879
- 2030) *Tuponia shulgi* Linnavuori,1984** (Miridae) Synonym(s): *shulgi* Linnavuori,1984
- 2031) *Tuponia tamaricicola* Lindberg,1939** (Miridae) Synonym(s): *tamaricicola* Lindberg,1939
- 2032) *Turanana endymion* (Freyer,[1850])** (Lycaenidae) Synonym(s): *endymion* Freyer,[1850]
- 2033) *Turanogryllus lateralis* (Fieber,1853)** (Gryllidae) Synonym(s): *lateralis* Fieber,1853; *terrestris* Saussure,1877
- 2034) *Turka cervinus* (Loew,1856)** (Asilidae) Synonym(s): *cervinus* Loew,1856; *cetaceus* Becker,1913
- 2035) *Tyta luctuosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 2036) *Udea ferrugalis* (Hübner,1796)** (Pyralidae) Synonym(s): *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
- 2037) *Uliolepis signatoria* (Christoph,1893)** (Lymantriidae) Synonym(s): *signatoria* Christoph,1893; *pilosa* W.Warren,1897
- 2038) *Uranotaenia* (Pseudoficalbia) *unguiculata* Edwards,1913** (Culicidae) Synonym(s): *unguiculata* Edwards,1913; *pefflyi* Stone,1961
- 2039) *Uresiphita polygonalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971
- 2040) *Urophora hermonis* Freidberg,1974** (Tephritidae) Synonym(s): *hermonis* Freidberg,1974
- 2041) *Urophora quadrifasciata* (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata* Meigen,1826; *sjumorum* Rohdendorf,1934
- 2042) *Urophora repeteki* (Munro,1934)** (Tephritidae) Synonym(s): *repeteki* Munro,1934
- 2043) *Utetheisa* (s.str.) *pulchella* (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
- 2044) *Uvarovistia* (s.str.) *iraka* (Uvarov,1934)** (Tettigoniidae) Synonym(s): *iraka* Uvarov,1934
- 2045) *Uvarovistia* (s.str.) *zebra* (Uvarov,1916)** (Tettigoniidae) Synonym(s): *zebra* Uvarov,1916
- 2046) *Valeria carducha* (Wiltshire,1957)** (Noctuidae) Synonym(s): *carducha* Wiltshire,1957
- 2047) *Valeria oleagina* (Esper,[1786])** (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786].
- 2048) *Valva pseudodiscomaculella* (Amsel,1935)** (Pyralidae) Synonym(s): *pseudodiscomaculella* Amsel,1935; *candiopella* Amsel,1961
- 2049) *Vanessa* (Cynthia) *cardui* (Linnaeus,1758)** (Argynnidae) Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.
- 2050) *Vanessa* (s.str.) *atalanta* (Linnaeus,1758)** (Argynnidae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900.
- 2051) *Vanessa* (s.str.) *atalanta* (Linnaeus,1758)** (Argynnidae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900.
- 2052) *Velia* (Plesiovelia) *affinis* Kolenati,1856** (Veliidae) Synonym(s): *affinis* Kolenati,1856
- 2053) *Ventocoris* (Astirocoris) *modestus* (Jakovlev,1880)** (Pentatomidae) Synonym(s): *modestus* Jakovlev,1880; *martini* Horvath,1889
- 2054) *Ventocoris* (Astirocoris) *obesus* (Stal,1865)** (Pentatomidae) Synonym(s): *obesus* Stal,1865; *humale* Horvath,1889
- 2055) *Ventocoris* (s.str.) *horvathi* (Puton,1896)** (Pentatomidae) Synonym(s): *horvathi* Puton,1896
- 2056) *Vespa orientalis* Linnaeus,1771** (Vespidae) Synonym(s): *orientalis* Linnaeus,1771; *turcica* Drury,1773; *quadripunctata* Forsk.,1775; *fusca* Christ,1791; *aegyptiaca* Vallot,1802; *nilotica* Vallot,1802; *jurinei* Saussure,1854; *zavattarii* Guiglia & Capra,1933; *somalica* Giordani Soika,1934; *arabica* Giordani Soika,1957
- 2057) *Victrix* (Rasihia) *tabora* (Staudinger,1892)** (Noctuidae) Synonym(s): *tabora* Staudinger,1892
- 2058) *Watsonalla binaria* (Hufnagel,1767)** (Drepanidae) Synonym(s): *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculataria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802]
- 2059) *Xanthia* (Cirrhia) *gilvago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775.
- 2060) *Xanthodes albago* (Fabricius,1794)** (Noctuidae) Synonym(s): *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858.
- 2061) *Xanthogramma maculipenne* Mik,1887** (Syrphidae) Synonym(s): *maculipenne* Mik,1887
- 2062) *Xanthorhoe fluctuata* (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
- 2063) *Xeramoeba oophaga* (Zakhvatkin,1931)** (Bombyliidae) Synonym(s): *oophaga* Zakhvatkin,1931
- 2064) *Xestia* (s.str.) *cohaesa* (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 2065) *Xestia* (s.str.) *palaestinensis* (Kalchberg,1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898.
- 2066) *Xestia* (s.str.) *xanthographa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 2067) *Xylena exsoleta* (Linnaeus,1758)** (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 2068) *Xylocampa mustapha* (Oberthür,1920)** (Noctuidae) Synonym(s): *mustapha* Oberthür,1920
- 2069) *Xylocopa* (Proxylocopa) *olivieri* Lepeletier,1841** (Apidae) Synonym(s): *olivieri* Lepeletier,1841
- 2070) *Xylocopa* (s.str.) *violacea* (Linnaeus,1758)** (Apidae) Synonym(s): *violacea* Linnaeus,1758; *insubrica* Müller,1766; *femorata* Fabricius,1804
- 2071) *Xylogenes dilatatus* (Reitter,1889)** (Bostrichidae) Synonym(s): *dilatatus* Reitter,1889
- 2072) *Xylogenes mesopotamicus* Lesne,1937** (Bostrichidae) Synonym(s): *mesopotamicus* Lesne,1937
- 2073) *Xylomedes turcica* Lesne,1941** (Bostrichidae) Synonym(s): *turcica* Lesne,1941
- 2074) *Yerohama maculata* (Meigen,1835)** (Sarcophagidae) Synonym(s): *maculata* Meigen,1835
- 2075) *Ypsolopha indecorella* (Rebel,1903)** (Yponomeutidae) Synonym(s): *indecorella* Rebel,1903
- 2076) *Ypthima asterope* (Klug,1832)** (Satyridae) Synonym(s): *asterope* Klug,1832; *marlenii* Kattulas & Koutsaftikis,1978.
- 2077) *Zegris eupheme* (Esper,[1804])** (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erethoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].

- 2078) Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
- 2079) Zekelita (Rhynchodontodes) pallida Draudt,1936** (Noctuidae) Synonym(s): *pallida* Draudt,1936
- 2080) Zerynthia (Allancastris) deyrollei (Oberthür,1869)** (Papilionidae) Synonym(s): *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927.
- 2081) Zethes insularis Rambur,1833** (Noctuidae) Synonym(s): *insularis* Rambur,1833
- 2082) Zeuzera pyrina (Linnaeus,1761)** (Cossidae) Synonym(s): *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892
- 2083) Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865
- 2084) Zonora argentalis (Hampson,1900)** (Pyralidae) Synonym(s): *argentalis* Hampson,1900; *biscraeensis* Caradja,1916
- 2085) Zonora concatenalis (Lederer,1858)** (Pyralidae) Synonym(s): *concatenalis* Lederer,1858
- 2086) Zygaena (Mesembrynus) cambysea Lederer,1870** (Zygaenidae) Synonym(s): *cambysea* Lederer,1870
- 2087) Zygaena (Mesembrynus) cuvieri Boisduval,1828** (Zygaenidae) Synonym(s): *cuvieri* Boisduval,1828
- 2088) Zygaena (Mesembrynus) manlia Lederer,1870** (Zygaenidae) Synonym(s): *manlia* Lederer,1870
- 2089) Zygaena (Mesembrynus) rubricollis Hampson,1900** (Zygaenidae) Synonym(s): *rubricollis* Hampson,1900
- 2090) Zygaena (Mesembrynus) tamara Christoph,1889** (Zygaenidae) Synonym(s): *tamara* Christoph,1889

SYRIA (2469 SPECIES)

- 1) Abacetus quadripustulatus Peyron,1858** (Carabidae) Synonym(s): *quadripustulatus* Peyron,1858
- 2) Abaltaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926
- 3) Abrostola clarissa (Staudinger,1900)** (Noctuidae) Synonym(s): *clarissa* Staudinger,1900
- 4) Acanthiophilus helianthi (Rossi,1790)** (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826
- 5) Acanthiophilus ramulosus Loew,1844** (Tephritidae) Synonym(s): *ramulosus* Loew,1844
- 6) Acanthobodilus immundus (Creutzer,1799)** (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799
- 7) Acantholipes regularis (Hübner,[1813])** (Noctuidae) Synonym(s): *regularis* Hübner,[1813]
- 8) Acherontia atropos (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
- 9) Acherontia styx (Westwood,1847)** (Sphingidae) Synonym(s): *styx* Westwood,1847; *ariel* Boisduval,[1875]; *#stax* Lewvanich,2001
- 10) Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794
- 11) Aciura coryli (Rossi,1790)** (Tephritidae) Synonym(s): *coryli* Rossi,1790; *rotundiventris* Meigen,1826; *femoralis* R-D.,1830; *powelli* Seguy,1930
- 12) Acleris literana (Linnaeus,1758)** (Tortricidae) Synonym(s): *literana* Linnaeus,1758; *squamana* Fabricius,1775; *aspersana* [Denis & Schiffermüller],1775; *romanana* Fabricius,1787; *squamulana* Hübner,1793; *irrorana* Hübner,[1799]; *tricolorana* Haworth,1811; *abjectana* Hübner,[1825]; *aerugana* Hübner,[1825]; *fulvomixtana* Stephens,1834; *suavana* Herrich-Schäffer,1851.
- 13) Acleris undulana (Walsingham,1900)** (Tortricidae) Synonym(s): *undulana* Walsingham,1900; *coprana* Walsingham,1900; *aphorista* Meyrick,1923; *subcoprana* Obraztsov,1956
- 14) Acleris variegana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851.
- 15) Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Fivaldsky,1912; *krueperi* Obenberger,1926
- 16) Acnephalum fasciculatus (Loew,1847)** (Asilidae) Synonym(s): *fasciculatus* Loew,1847
- 17) Acontia (Emmella) trabealis (Scopoli,1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881
- 18) Acontia (s.str.) lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliadora* Schawerda,1923
- 19) Acrobasis obtusella (Hübner,1796)** (Pyralidae) Synonym(s): *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825].
- 20) Acrochordomerus aeneus Hermann,1920** (Asilidae) Synonym(s): *aeneus* Hermann,1920
- 21) Acromalachus clavicornis (Peyron,1877)** (Melyridae) Synonym(s): *clavicornis* Peyron,1877
- 22) Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937
- 23) Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) Synonym(s): *megacephala* Fabricius,1787; *ankarensis* Hering,1933.
- 24) Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 25) Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 26) Acroricnus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883
- 27) Acrossus luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775
- 28) Acrosternum heegeri Fieber,1861** (Pentatomidae) Synonym(s): *heegeri* Fieber,1861; *incerta* Signoret,1861; *submarginatus* Stal,1861
- 29) Acrosternum millieri (Mulsant & Rey,1866)** (Pentatomidae) Synonym(s): *millieri* Mulsant & Rey,1866; *forbesi* Distant,1884; *putoni* Vidal,1949
- 30) Actenodia confluens (Reiche,1866)** (Meloidae) Synonym(s): *confluens* Reiche,1866; *picta* Baudi di Selve,1878; *caudanigra* Abeille de Perrin,1880; *ottomana* Escherich,1899; *mediopartita* Mader,1929; *mediodisjuncta* Pic,1930

- 31) *Actenodia perfuga* (Dvorak,1993) (Meloidae) Synonym(s): *perfuga* Dvorak,1993
- 32) *Actenodia peyroni* (Reiche,1866) (Meloidae) Synonym(s): *peyroni* Reiche,1866; *#peyronis* Reiche,1866
- 33) *Actinoptera discoidea* (Fallén,1814) (Tephritidae) Synonym(s): *discoidea* Fallén,1814; *aestiva* Meigen,1826; *gnaphalii* Loew,1844
- 34) *Adela alurgis* Kozlov,2006 (Adelidae) Synonym(s): *alurgis* Kozlov,2006
- 35) *Adelostoma* (s.str.) *subtilis* Reitter,1900 (Tenebrionidae) Synonym(s): *subtilis* Reitter,1900
- 36) *Adelostoma* (s.str.) *sulcatum* Duponchel,1827 (Tenebrionidae) Synonym(s): *sulcatum* Duponchel,1827
- 37) *Adesmia* (Oteroscelsis) *elevata* Solier,1835 (Tenebrionidae) Synonym(s): *elevata* Solier,1835
- 38) *Adesmia* (Oteroscelsis) *lacunosa* Klug,1830 (Tenebrionidae) Synonym(s): *lacunosa* Klug,1830
- 39) *Adesmia* (s.str.) *abbreviata* Klug,1830 (Tenebrionidae) Synonym(s): *abbreviata* Klug,1830; *arca* Reiche & Saulcy,1857
- 40) *Adesmia* (s.str.) *anthracina* Klug,1830 (Tenebrionidae) Synonym(s): *anthracina* Klug,1830; *olivieri* Reiche & Saulcy,1857
- 41) *Adesmia* (s.str.) *devecchii* Osculati,1844 (Tenebrionidae) Synonym(s): *devecchii* Osculati,1844
- 42) *Adesmia* (s.str.) *metallica* Klug,1830 (Tenebrionidae) Synonym(s): *metallica* Klug,1830; *syriaca* Baudi,1874
- 43) *Adesmia* (s.str.) *monilis* Klug,1830 (Tenebrionidae) Synonym(s): *monilis* Klug,1830
- 44) *Adesmia* (s.str.) *procera* Miller,1861 (Tenebrionidae) Synonym(s): *procera* Miller,1861
- 45) *Adesmia* (s.str.) *ulcerosa* Klug,1830 (Tenebrionidae) Synonym(s): *ulcerosa* Klug,1830; *reticulata* Solier,1835; *perplexa* Schaum,1863
- 46) *Adscita* (s.str.) *obscura* (Zeller,1847) (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862.
- 47) *Aedes* (Ochlerotatus) *phoeniciae* Coluzzi & Sabatini,1968 (Culicidae) Synonym(s): *phoeniciae* Coluzzi & Sabatini,1968
- 48) *Aedes* (Stegomyia) *aegypti* (Linnaeus,1762) (Culicidae) Synonym(s): *aegypti* Linnaeus,1762; *argenteus* Poirét,1787; *fasciatus* Fabricius,1805; *sugens* Wiedemann,1828; *annulitarsis* Macquart,1846; *inexorabilis* Walker,1848; *insatiabilis* Bigot,1859; *nigeria* Theobald,1901; *atrirtarsis* Edwards,1920
- 49) *Aedes* (Stegomyia) *albipictus* (Skuse,1895) (Culicidae) Synonym(s): *albipictus* Skuse,1895; *samarensis* Ludlow,1903; *nigrita* Ludlow,1910; *quasinigrita* Ludlow,1911
- 50) *Aedia funesta* (Esper,[1786]) (Noctuidae) Synonym(s): *funesta* Esper,[1786]; *quadrimaculata* Scopoli,1786
- 51) *Aedophron phlebophora* Lederer,1858 (Noctuidae) Synonym(s): *phlebophora* Lederer,1858
- 52) *Aelia acuminata* (Linnaeus,1758) (Pentatomidae) Synonym(s): *acuminata* Linnaeus,1758; *rostratus* De Geer,1773; *tessarophthalmus* Schrank,1781; *neglecta* Dallas,1851; *burmeisteri* Küster,1852; *pallida* Küster,1852; *turanica* Horvath,1895; *punctiventris* Horvath,1911; *#nigripes* Wagner,1938; *baluchistanensis* Ahmad & Zaidi,1988
- 53) *Aelia albovittata* Fieber,1868 (Pentatomidae) Synonym(s): *albovittata* Fieber,1868
- 54) *Aelia glebana* Horvath,1895 (Pentatomidae) Synonym(s): *glebana* Horvath,1895
- 55) *Aelia rostrata* Boheman,1852 (Pentatomidae) Synonym(s): *rostrata* Boheman,1852; *cognata* Fieber,1868; *glebana* Ferrari,1874; *syriaca* Horvath,1903; *eminealkanata* Lodos,1959; *confusa* Kirkaldy,1909; *brunnea* Halaszfy,1955
- 56) *Aelia virgata* (Herrich-Schäffer,1841) (Pentatomidae) Synonym(s): *virgata* Herrich-Schäffer,1841
- 57) *Aellopus syriacus* (Reuter,1885) (Lygaeidae) Synonym(s): *syriacus* Reuter,1885
- 58) *Aeoloderma oblitterata* (Candeze,1859) (Elateridae) Synonym(s): *oblitterata* Candeze,1859
- 59) *Aeoloides atricapillus* (Germar,1824) (Elateridae) Synonym(s): *atricapillus* Germar,1824
- 60) *Aeoloides figuratus* (Germar,1844) (Elateridae) Synonym(s): *figuratus* Germar,1844; *turcomanus* Candeze,1889
- 61) *Aeoloides grisescens* (Germar,1844) (Elateridae) Synonym(s): *grisescens* Germar,1844; *bicarinatus* Reitter,1891
- 62) *Aeschremon disparalis* Herrich-Schäffer,[1855] (Pyralidae) Synonym(s): *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961
- 63) *Aethes cremonana* (Ragonot,1894) (Tortricidae) Synonym(s): *cremonana* Ragonot,1894
- 64) *Aethes eryngiella* (Vallot,1829) (Tortricidae) Synonym(s): *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helvticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952.
- 65) *Aethes ferruginea* (Walsingham,1900) (Tortricidae) Synonym(s): *ferruginea* Walsingham,1900
- 66) *Aethes hartmanniana* (Clerck,1759) (Tortricidae) Synonym(s): *lyonetella* Linnaeus,1758; *#hartmanniana* Clerck,1759; *wiedemannella* Müller,1764; *baumanniana* [Denis & Schiffermüller],1775; *allioniana* De Villers,1789; *avellana* Hübner,1822; *subbaumanniana* Wilkinson,1859; *murciana* Caradja,1916; *excelsior* Schawerda,1920.
- 67) *Aethes kasyi* Razowski,1962 (Tortricidae) Synonym(s): *kasyi* Razowski,1962
- 68) *Aethes margarotana* (Duponchel,1836) (Tortricidae) Synonym(s): *margarotana* Duponchel,1836; *maritima* Guenée,1845; *parallela* Kennel,1913; *edrisitana* Chrétien,1922; *paronyma* Meyrick,1932.
- 69) *Aethes moribundana* (Staudinger,1859) (Tortricidae) Synonym(s): *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.
- 70) *Aethes prangana* (Kennel,1900) (Tortricidae) Synonym(s): *prangana* Kennel,1900.
- 71) *Aethes tesserana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller],1775; *alella* Sulzer,1776; *heiserana* Fabricius,1787; *groendaliana* Thunberg,1791.
- 72) *Aethiessa mesopotamica* Burmeister,1842 (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939
- 73) *Agabus* (Gaurodytes) *biguttatus* (Olivier,1795) (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795
- 74) *Agabus* (Gaurodytes) *caraboides* Sharp,1882 (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884
- 75) *Agabus* (Gaurodytes) *faldermanni* Zaitzev,1927 (Dytiscidae) Synonym(s): *faldermanni* Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975
- 76) *Agalmatium bilobum* (Fieber,1877) (Issidae) Synonym(s): *bilobum* Fieber,1877
- 77) *Agalmatium flavescens* (Olivier,1791) (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868
- 78) *Agapanthia coeruleipennis* Frivaldsky,1878 (Cerambycidae) Synonym(s): *coeruleipennis* Frivaldsky,1878
- 79) *Agapanthia frivaldskyi* Ganglbauer,1884 (Cerambycidae) Synonym(s): *frivaldskyi* Ganglbauer,1884
- 80) *Agapanthia lais* Reiche,1858 (Cerambycidae) Synonym(s): *lais* Reiche,1858
- 81) *Agapanthia lateralis* Ganglbauer,1884 (Cerambycidae) Synonym(s): *lateralis* Ganglbauer,1884
- 82) *Agapanthia osmanlis* Reiche & Saulcy,1858 (Cerambycidae) Synonym(s): *osmanlis* Reiche & Saulcy,1858
- 83) *Agapanthia pustulifera* Pic,1905 (Cerambycidae) Synonym(s): *pustulifera* Pic,1905
- 84) *Agapanthia simplicicornis* Reitter,1898 (Cerambycidae) Synonym(s): *simplicicornis* Reitter,1898
- 85) *Agatharchus* (s.str.) *herrichi* (Kolenati,1846) (Pentatomidae) Synonym(s): *herrichi* Kolenati,1846; *montanus* Jakovlev,1879; *jakovlevi* Reuter,1881; *aemulans* Horvath,1897; *sobrinus* Horvath,1897
- 86) *Agatharchus* (s.str.) *lineus* (Klug,1845) (Pentatomidae) Synonym(s): *lineus* Klug,1845; *furcus* Jakovlev,1877
- 87) *Agdistis heydeni* (Zeller,1852) (Pterophoridae) Synonym(s): *heydeni* Zeller,1852; *canariensis* Rebel,1896; *excurata* Meyrick,1920.

- 88) *Agenioideus ciliatus* (Lepeletier, 1845) (Pompilidae) Synonym(s): *ciliatus* Lepeletier, 1845; *acrobat* Ferton, 1911
- 89) *Agenioideus dichrous* (Brullé, 1840) (Pompilidae) Synonym(s): *dichrous* Brullé, 1840
- 90) *Agenioideus oasis* (Haupt, 1962) (Pompilidae) Synonym(s): *oasis* Haupt, 1962
- 91) *Agenioideus rytiphorus* (Kohl, 1886) (Pompilidae) Synonym(s): *rytiphorus* Kohl, 1886
- 92) *Agenioideus vesanus* (Kohl, 1907) (Pompilidae) Synonym(s): *vesanus* Kohl, 1907
- 93) *Agolius bonvoulori* (Harold, 1860) (Scarabaeidae) Synonym(s): *bonvoulori* Harold, 1860
- 94) *Agonum rugicollis* Chaudoir, 1846 (Carabidae) Synonym(s): *rugicollis* Chaudoir, 1846
- 95) *Agonum sordidum* Dejean, 1828 (Carabidae) Synonym(s): *sordidum* Dejean, 1828
- 96) *Agraphopus pallens* Schmidt, 1939 (Rhopalidae) Synonym(s): *pallens* Schmidt, 1939
- 97) *Agrilus constans* (Duftschmid, 1805) (Scarabaeidae) Synonym(s): *constans* Duftschmid, 1805
- 98) *Agrilus* (Anambus) *derasofasciatus* Lacordaire, 1835 (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire, 1835
- 99) *Agrilus* (Anambus) *roscidus* Kiesenwetter, 1857 (Buprestidae) Synonym(s): *roscidus* Kiesenwetter, 1857
- 100) *Agriotes* (s.str.) *ganglbaueri* Schwarz, 1891 (Elateridae) Synonym(s): *ganglbaueri* Schwarz, 1891
- 101) *Agriotes* (s.str.) *meticulosus* Candeze, 1863 (Elateridae) Synonym(s): *meticulosus* Candeze, 1863
- 102) *Agriotes* (s.str.) *paludum* Kiesenwetter, 1859 (Elateridae) Synonym(s): *paludum* Kiesenwetter, 1859
- 103) *Agriotes* (s.str.) *radula* Desbrochers, 1875 (Elateridae) Synonym(s): *radula* Desbrochers, 1875; *brevicollis* Schwarz, 1891
- 104) *Agriphila brionella* (Zerny, 1914) (Pyralidae) Synonym(s): *brioniella* Zerny, 1914; *#subbrioniella* Amsel, 1959.
- 105) *Agriphila tolli* (Bleszynski, 1952) (Pyralidae) Synonym(s): *tollii* Bleszynski, 1952
- 106) *Agrius convolvuli* (Linnaeus, 1758) (Sphingidae) Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distant* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O.Bang-Haas, 1927
- 107) *Agrochola* (Alpichola) *lactiflora* (Draudt, 1934) (Noctuidae) Synonym(s): *lactiflora* Draudt, 1934
- 108) *Agrochola* (Anchoscelis) *pauli* (Staudinger, 1892) (Noctuidae) Synonym(s): *pauli* Staudinger, 1892
- 109) *Agrotis* (Crassagrotis) *bigramma* (Esper, [1790]) (Noctuidae) Synonym(s): *bigramma* Esper, [1790]; *crassa* Hübner, [1803]; *lata* Treitschke, 1835; *golickei* Erschoff, 1872; *huguenini* Rühl, 1891.
- 110) *Agrotis* (Crassagrotis) *obesa* (Boisduval, 1829) (Noctuidae) Synonym(s): *obesa* Boisduval, 1840
- 111) *Agrotis* (Putagrotis) *herzogi* (Rebel, 1911) (Noctuidae) Synonym(s): *herzogi* Rebel, 1911; *hoggari* Rothschild, 1920; *minima* Turati, 1924; *securifera* Turati, 1924; *saracenica* Tams, 1925; *leroyi* Lucas, 1940
- 112) *Agrotis* (Putagrotis) *puta* (Hübner, [1803]) (Noctuidae) Synonym(s): *puta* Hübner, [1803]; *radius* Haworth, 1803; *renitens* Hübner, [1824]; *lignosa* Godart, 1825; *erythroxylea* Treit., 1826; *radiola* Stephens, 1829; *catalaunensis* Milliere, 1873; *meridionalis* Spuler, 1905; *andreasi*, *minima*, *silvestrii* Turati, 1924; *insula* Richardson, 1958.
- 113) *Agrotis* (s.str.) *biconicus* Kollar, [1844] (Noctuidae) Synonym(s): *spinifera* Hübner, [1808] *nec* Vill., 1789; *biconica* Kollar, [1844]; *aristifera* Guenée, 1852; *spiculifera* Guenée, 1852; *ferina* Felder & Rogenhofer, 1874; *hodnae* Oberthür, 1878
- 114) *Agrotis* (s.str.) *desertorum* Boisduval, 1840 (Noctuidae) Synonym(s): *desertorum* Boisduval, 1840; *deserticola* Eversmann, 1842
- 115) *Agrotis* (s.str.) *ipsilon* (Hufnagel, 1766) (Noctuidae) Synonym(s): *ipsilon* Hufnagel, 1766; *suffusa* [Denis & Schiffermüller], 1775; *idonea* Cramer, [1780]; *spinula* Esper, [1786]; *spinifera* Villers, 1789.
- 116) *Agrotis* (s.str.) *lata* Treitschke, 1835 (Noctuidae) Synonym(s): *lata* Treitschke, 1835; *dirempta* Staudinger, 1859; *sabura* Mabille, 1888; *fulva* Turati, 1922; *castellana* Fernandez, 1929; *afflouensis* Corti, 1932
- 117) *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller], 1775; *sordida* [Denis & Schiffermüller], 1775; *undulatus* Goeze, 1781 (praeocc.); *nigricornis* Villers, 1789; *segetis* Fabricius, 1794; *catenatus* Haworth, 1803; *monileus* Haworth, 1803; *pectinatus* Haworth, 1803; *connexus* Haworth, 1803; *subatratus* Haworth, 1803; *nigricornutus* Haworth, 1803; *praecox* Hübner, [1808]; *fervida* Hübner, [1824]; *affinis* Stephens, 1829; *sicula* Boisduval, 1840; *dimidia* Zeller, 1847; *sicania* Guenée, 1852; *marginalis* Walker, 1857; *aversa* Walker, 1857; *correctus* Walker, 1857; *obliviosus* Walker, 1857; *denticulosus* Wallengren, 1860; *certificata* Walker, 1865; *conspurcatus* Walker, 1865; *repulsus* Walker, 1865; *ingratus* Butler, 1878; *pallidus* Staudinger, 1881; *lassa* Swinhoe, 1886.
- 118) *Agrotis* (s.str.) *trux* (Hübner, [1824]) (Noctuidae) Synonym(s): *trux* Hübner, [1824]; *lenticulosa* Duponchel, 1826; *lunigera* Stephens, 1829; *terranea* Freyer, 1831; *amasina* Staudinger, 1901; *subalba* Corti & Draudt, 1933; *adolphi* Corti & Draudt, 1933.
- 119) *Aiolopus simulatrix* (Walker, 1870) (Acrididae) Synonym(s): *simulatrix* Walker, 1870; *savignyi* Krauss, 1890; *affinis* Bolivar, 1902; *laticosta* Bolivar, 1912; *deserticola* Uvarov, 1922
- 120) *Aiolopus strepens* (Latreille, [1802]) (Acrididae) Synonym(s): *strepens* Latreille, 1804; *prasinus* Thunberg, 1815; *vittatus* Brullé, 1840; *chloroptera* Ramme, 1913; *cyanoptera* Ramme, 1913
- 121) *Akbesia davidi* (Oberthür, 1884) (Sphingidae) Synonym(s): *davidi* Oberthür, 1884
- 122) *Akis latreillei* Solier, 1836 (Tenebrionidae) Synonym(s): *latreillei* Solier, 1836
- 123) *Alebra albotriella* (Fallén, 1826) (Cicadellidae) Synonym(s): *albotriella* Fallén, 1826; *elegantula* Zetterstedt, 1828; *discicollis* Herrich-Schäffer, 1834; *fasciata* Curtis, 1837; *fulveola* Herrich-Schäffer, 1838; *eximia* Hardy, 1850; *fastuosa* Graff, Six & Snellen, 1862; *viridis* Rey, 1894; *flavocephala* Kupka, 1899; *diluta* Ribaut, 1936; *dufourii* Ribaut, 1936
- 124) *Aleimma loeflingianum* (Linnaeus, 1758) (Tortricidae) Synonym(s): *loeflingiana* Linnaeus, 1758; *mixtana* Fabricius, 1794; *plumbana* Hübner, [1799]; *ectypa* Hübner, [1800]; *plumbeolana* Haworth, 1811
- 125) *Allocomimus unifasciatus* (Reuter, 1879) (Miridae) Synonym(s): *unifasciatus* Reuter, 1879
- 126) *Alocoderus hydrochaeris* (Fabricius, 1798) (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius, 1798
- 127) *Alocoderus machatschkei* (Balthasar, 1960) (Scarabaeidae) Synonym(s): *machatschkei* Balthasar, 1960
- 128) *Alocoderus turbatus* (Baudi, 1870) (Scarabaeidae) Synonym(s): *turbatus* Baudi, 1870
- 129) *Alosimus armeniacus* (Faldermann, 1837) (Meloidae) Synonym(s): *armeniaceus* Faldermann, 1837
- 130) *Alosimus castaneus* (Escherich, 1896) (Meloidae) Synonym(s): *castaneus* Escherich, 1896
- 131) *Alosimus gracilis* (Abeille de Perrin, 1880) (Meloidae) Synonym(s): *gracilis* Abeille de Perrin, 1880
- 132) *Alosimus luteus* (Waltl, 1838) (Meloidae) Synonym(s): *luteus* Waltl, 1838
- 133) *Alosimus pallidicollis* (Gyllenhal, 1806) (Meloidae) Synonym(s): *pallidicollis* Gyllenhal, 1806
- 134) *Alosimus syriacus* (Linnaeus, 1758) (Meloidae) Synonym(s): *syriacus* Linnaeus, 1758; *austriacus* Schrank, 1781
- 135) *Alucita cancellata* (Meyrick, 1908) (Alucitidae) Synonym(s): *cancellata* Meyrick, 1908
- 136) *Alucita zonodactyla* Zeller, 1847 (Alucitidae) Synonym(s): *zonodactyla* Zeller, 1847
- 137) *Amara* (Celia) *aberrans* Baudi di Selva, 1864 (Carabidae) Synonym(s): *aberrans* Baudi di Selva, 1864; *syriaca* Putzeys, 1866; *palaestina* Putzeys, 1870; *gridellii* Baliani, 1928
- 138) *Amara* (Celia) *montana* Dejean, 1828 (Carabidae) Synonym(s): *montana* Dejean, 1828; *distincta* Rambur, 1838; *corsica* Putzeys, 1866; *collina* Putzeys, 1867; *burdigalensis* Schuler, 1964

- 139) **Amara (s.str.) anthobia A.Villa & G.B.Villa,1833** (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *krekichii* Schtzmair,1919
- 140) **Amara (s.str.) eurynota (Panzer,1796)** (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870
- 141) **Amara (s.str.) ovata (Fabricius,1792)** (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoidea* Jedlicka,1934; *aequatorialis* Baliani,1939
- 142) **Amara (Xenocelia) fusca Dejean,1828** (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853
- 143) **Amata aequipuncta (Turati,1917)** (Ctenuchidae) Synonym(s): *aequipuncta* Turati,1917; *#aequipunctata* De Freina,1994
- 144) **Amata antiochena (Lederer,1861)** (Ctenuchidae) Synonym(s): *antiochena* Lederer,1861; *tricingulata* Culot,1909
- 145) **Amata libanotica (A.Bang-Haas,1906)** (Ctenuchidae) Synonym(s): *libanotica* A.Bang-Haas,1906
- 146) **Amata mestralii (Bugnion,1837)** (Ctenuchidae) Synonym(s): *mestralii* Bugnion,1837; *kindermanni* Lederer,1858
- 147) **Amata taurica (Turati,1917)** (Ctenuchidae) Synonym(s): *#taurica* Hampson,1898; *taurica* Turati,1917.
- 148) **Amata tricingulata (Culot,1909)** (Ctenuchidae) Synonym(s): *tricingulata* Culot,1909
- 149) **Ameles syriensis Giglio-Tos,1915** (Mantidae) Synonym(s): *syriensis* Giglio-Tos,1915
- 150) **Amicta quadrangularis (Christoph,1873)** (Psychidae) Synonym(s): *quadrangularis* Christoph,1873; *nigrescens* Staudinger,1899
- 151) **Amidorus cribrarius (Brullé,1832)** (Scarabaeidae) Synonym(s): *cribrarius* Brullé,1832
- 152) **Amidorus obscurus (Fabricius,1792)** (Scarabaeidae) Synonym(s): *obscurus* Fabricius,1792
- 153) **Amidorus thermicola (Sturm,1800)** (Scarabaeidae) Synonym(s): *thermicola* Sturm,1800
- 154) **Ammoeccius naviauxi (Baraud,1971)** (Scarabaeidae) Synonym(s): *naviauxi* Baraud,1971
- 155) **Ammophila assimilis Kohl,1901** (Sphecidae) Synonym(s): *assimilis* Kohl,1901
- 156) **Amnodeis giganteus Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *giganteus* Reiche & Saulcy,1857
- 157) **Amphicoma (Eulasia) hyrax Truqui,1848** (Glaphyridae) Synonym(s): *hyrax* Truqui,1848; *truqui* Reitter,1890; *atripilis* Petrovitz,1971; *splendidula* Petrovitz,1971
- 158) **Amphicoma (Eulasia) nitidicollis (Reiche,1962)** (Glaphyridae) Synonym(s): *sublineata* Reitter,1890; *nitidicollis* Reiche,1962; *simplicipennis* Petrovitz,1964
- 159) **Amphicoma (Pygopleurus) akbesianus Petrovitz,1957** (Glaphyridae) Synonym(s): *akbesianus* Petrovitz,1957; *cuprea* Petrovitz,1957; *coerulea* Petrovitz,1962
- 160) **Amphicoma (Pygopleurus) aleppensis Petrovitz,1957** (Glaphyridae) Synonym(s): *aleppensis* Petrovitz,1957; *violacea* Petrovitz,1957; *palaestinis* Petrovitz,1963
- 161) **Amphicoma (Pygopleurus) angulatus Fairmaire,1884** (Glaphyridae) Synonym(s): *angulatus* Fairmaire,1884
- 162) **Amphicoma (Pygopleurus) bimaculatus Redtenbacher,1850** (Glaphyridae) Synonym(s): *bimaculatus* Redtenbacher,1850
- 163) **Amphicoma (Pygopleurus) cyanescens (Reitter,1890)** (Glaphyridae) Synonym(s): *cyanescens* Reitter,1890; *bicolor* Petrovitz,1968 nec Wtll.,1838; *brunneipennis* Petrovitz,1968
- 164) **Amphicoma (Pygopleurus) keithi Sabatinelli & Uliana,2009** (Glaphyridae) Synonym(s): *keithi* Sabatinelli & Uliana,2009
- 165) **Amphicoma (Pygopleurus) libanonensis Petrovitz,1957** (Glaphyridae) Synonym(s): *libanonensis* Petrovitz,1957
- 166) **Amphicoma (Pygopleurus) ponticus Petrovitz,1957** (Glaphyridae) Synonym(s): *ponticus* Petrovitz,1957
- 167) **Amphicoma (Pygopleurus) rufovillosus Reitter,1907** (Glaphyridae) Synonym(s): *rufovillosus* Reitter,1907; *nigropubescens* Petrovitz,1963; *pompa* Petrovitz,1963
- 168) **Amphicoma (Pygopleurus) syriacus (Linnaeus,1758)** (Glaphyridae) Synonym(s): *syriaca* Linnaeus,1758; *piesbergensis* Trappen,1906; *carinata* Muehe,1963; *nabataensis* Mitter,1996
- 169) **Amphicoma (Pygopleurus) weilli (Keith,2008)** (Glaphyridae) Synonym(s): *weilli* Keith,2008
- 170) **Amphicoma (Rudeulasia) carinata (Baraud,1990)** (Glaphyridae) Synonym(s): *carinata* Baraud,1990
- 171) **Amphicoma (Rudeulasia) dilutipennis (Reitter,1890)** (Glaphyridae) Synonym(s): *dilutipennis* Reitter,1890
- 172) **Amphicoma (Rudeulasia) fastuosa Reitter,1890** (Glaphyridae) Synonym(s): *fastuosa* Reitter,1890; *heydeni* Reitter,1890; *pretiosa* Reitter,1890; *semicyanea* Reitter,1890; *reitteri* Ganglbauer,1905; *cyanea* Petrovitz,1962
- 173) **Amphicoma (Rudeulasia) genei Truqui,1848** (Glaphyridae) Synonym(s): *genei* Truqui,1848; *pretiosa* Truqui,1848; *chaifensis* Reitter,1890; *nobilissima* Balthasar,1929
- 174) **Amphicoma (Rudeulasia) hybrida (Reitter,1890)** (Glaphyridae) Synonym(s): *hybrida* Reitter,1890; *agricola* Reitter,1890; *ithae* Reitter,1903
- 175) **Amphicoma (Rudeulasia) papaveris (Sturm,1843)** (Glaphyridae) Synonym(s): *papaveris* Sturm,1843; *cupripennis* Kollar & Redtenbacher,1843; *dominula* Reitter,1890; *testaceipennis* Champenois,1896
- 176) **Amphicoma (Rudeulasia) rapillyi (Baraud,1988)** (Glaphyridae) Synonym(s): *rapillyi* Baraud,1988
- 177) **Amphicoma (Rudeulasia) speciosa Champenois,1900** (Glaphyridae) Synonym(s): *speciosa* Champenois,1900
- 178) **Amphicoma (Vittateulasia) palmyrensis (Mitter,1996)** (Glaphyridae) Synonym(s): *palmyrensis* Mitter,1996
- 179) **Amphicoma (Vittateulasia) vittata (Fabricius,1775)** (Glaphyridae) Synonym(s): *vittata* Fabricius,1775; *lineata* Faldermann,1835; *strigata* Waltl,1838; *smyrnensis* Castelnau,1840; *syriaca* Kollar & Redtenbacher,1843; *africana* Reitter,1890; *chrysura* Reitter,1890; *decorata* Reitter,1890; *semifulva* Reitter,1890; *lateritia* Reitter,1903; *pseudochrysura* Miksic,1960; *persica* Petrovitz,1963
- 180) **Amphipyra micans Lederer,1857** (Noctuidae) Synonym(s): *micans* Lederer,1857; *frivaldskyi* Mocsary,1896
- 181) **Amphipyra pyramidea (Linnaeus,1758)** (Noctuidae) Synonym(s): *pyramidea* Linnaeus,1758
- 182) **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feiberi* Vismara,1878; *laevis* Berg.,1934 (*praeocc.*); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964
- 183) **Anadrymadusa (s.str.) danensis Koçak & Kemal,2010** (Tettigoniidae) Synonym(s): *#danensis* Karabağ,1972; *danensis* Koçak & Kemal,2010
- 184) **Anarpia incertalis (Duponchel,1832)** (Pyralidae) Synonym(s): *incertalis* Duponchel,1832; *pyrenaecalis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaecella* Duponchel,[1845]; *pyrenaecalis* Guenée,1846
- 185) **Anarsia (Ananarsia) lineatella Zeller,1839** (Gelechiidae) Synonym(s): *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967.
- 186) **Anastoechus bahirae Becker,1915** (Bombyliidae) Synonym(s): *bahirae* Becker,1915; *fuscipennis* Becker,1915; *pyramidum* Paramonov,1940
- 187) **Anastoechus exalbidus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820

- 188)** *Anastoechus nivifrons* (Walker,1871) (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913
- 189)** *Anastoechus trisignatus* Portschinsky,1881 (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967
- 190)** *Anastrangalia montana* (Mulsant & Rey,1863) (Cerambycidae) Synonym(s): *montana* Mulsant & Rey,1863
- 191)** *Ancylis achatana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *achatana* [Denis & Schiffermüller],1775; *inarmorana* Hübner,1788; *stevani* Portchinskij,1888
- 192)** *Ancylodes pallens* Ragonot,1887 (Pyralidae) Synonym(s): *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958.
- 193)** *Ancylodes staminella* (Christoph,1877) (Pyralidae) Synonym(s): *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949
- 194)** *Ancylolomia pectinatella* (Zeller,1847) (Pyralidae) Synonym(s): *pectinatellus* Zeller,1847
- 195)** *Ancylolomia tripolitella* Rebel,1909 (Pyralidae) Synonym(s): *tripolitella* Rebel,1909
- 196)** *Ancylosis (Heterographis) candidatella* (Lederer,1858) (Pyralidae) Synonym(s): *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890.
- 197)** *Ancylosis (Heterographis) faustinella* (Zeller,1867) (Pyralidae) Synonym(s): *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
- 198)** *Ancylosis (Heterographis) gracilella* Ragonot,1887 (Pyralidae) Synonym(s): *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ranogot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932.
- 199)** *Ancylosis (Heterographis) harmoniella* (Ragonot,1887) (Pyralidae) Synonym(s): *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930.
- 200)** *Ancylosis (Heterographis) hellenica* (Staudinger,1870) (Pyralidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 201)** *Ancylosis (Heterographis) rhodochrella* (Herrich-Schäffer,1855) (Pyralidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 202)** *Ancylosis (Heterographis) roscidella* (Eversmann,1844) (Pyralidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W.Warren,1888; *bartelevella* Caradja,1910; *benderella* Amsel,1961.
- 203)** *Ancylosis (s.str.) cinnamomella* (Duponchel,1836) (Pyralidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 204)** *Ancylosis (s.str.) sareptella* (Herrich-Schäffer,1860) (Pyralidae) Synonym(s): *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863.
- 205)** *Ancylosis (Syria) biflexella* (Lederer,1855) (Pyralidae) Synonym(s): *biflexella* Lederer,1855; *pilosella* Zeller,1867; *brabantella* Lucas,1907; *similis* Rothschild,1915; *medicalba* Rothschild,1921; *latakiella* Amsel,1952; *fuscella* Amsel,1961.
- 206)** *Ancyrosoma leucogrammes* (Gmelin,1790) (Pentatomidae) Synonym(s): *albolineatus* Fabricius,1781 nec Gz.,1778; *leucogrammes* Gmelin,1790; *nervosus* Cyrillus,1791 nec Sc.,1763; *affine* Westwood,1837; *tuberculatum* Bergevin,1908
- 207)** *Andrallus spinidens* (Fabricius,1787) (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzer,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917
- 208)** *Andrena (Brachyandrena) colletiformis* Morawitz,1874 (Andrenidae) Synonym(s): *parvula* Morawitz,1871; *colletiformis* Morawitz,1874; *sardinica* Strand,1915; *#gandzhensis* Lebedev,1933; *insulana* Pittioni,1950; *subsquamaris* Noskiewicz,1960
- 209)** *Andrena (Chlorandrena) taduchii* Gusenleitner,1998 (Andrenidae) Synonym(s): *taduchii* Gusenleitner,1998
- 210)** *Andrena (Cryptandrena) monacha* Warncke,1965 (Andrenidae) Synonym(s): *monacha* Warncke,1965
- 211)** *Andrena (Cryptandrena) ventricosa* Dours,1873 (Andrenidae) Synonym(s): *ventricosa* Dours,1873
- 212)** *Andrena (Cubiandrena) cubicepsella* Warncke,1975 (Andrenidae) Synonym(s): *cubicepsella* Warncke,1975
- 213)** *Andrena (Holandrena) labialis* (Kirby,1802) (Andrenidae) Synonym(s): *labialis* Kirby,1802; *megala* Warncke,1975
- 214)** *Andrena (Margandrena) hyacinthina* Mavromoustakis,1958 (Andrenidae) Synonym(s): *hyacinthina* Mavromoustakis,1958
- 215)** *Andrena (Melandrena) albopunctata* (Rossi,1792) (Andrenidae) Synonym(s): *albopunctata* Rossi,1792; *funebis* Panzer,1798
- 216)** *Andrena (Melandrena) atrotregularis* Hedicke,1923 (Andrenidae) Synonym(s): *atrotregularis* Hedicke,1923
- 217)** *Andrena (Melandrena) dubiosa* Kohl,1905 (Andrenidae) Synonym(s): *dubiosa* Kohl,1905
- 218)** *Andrena (Melandrena) elmaria* Gusenleitner,1998 (Andrenidae) Synonym(s): *elmaria* Gusenleitner,1998
- 219)** *Andrena (Melandrena) morio* Brullé,1832 (Andrenidae) Synonym(s): *morio* Brullé,1832
- 220)** *Andrena (Melandrena) pyropygia* Kriechbaumer,1873 (Andrenidae) Synonym(s): *pyropygia* Kriechbaumer,1873
- 221)** *Andrena (Micrandrena) scirpacea* Warncke,1975 (Andrenidae) Synonym(s): *scirpacea* Warncke,1975
- 222)** *Andrena (Nobandrena) anatolica* Alfken,1935 (Andrenidae) Synonym(s): *anatolica* Alfken,1935
- 223)** *Andrena (Nobandrena) asiatica* Friese,1921 (Andrenidae) Synonym(s): *asiatica* Friese,1921
- 224)** *Andrena (Notandrena) ungeri* Mavromoustakis,1952 (Andrenidae) Synonym(s): *ungeri* Mavromoustakis,1952
- 225)** *Andrena (Opandrena) schencki* Morawitz,1866 (Andrenidae) Synonym(s): *schencki* Morawitz,1866
- 226)** *Andrena (Poecilandrena) crassana* Warncke,1965 (Andrenidae) Synonym(s): *crassana* Warncke,1965; *inka* Warncke,1969
- 227)** *Andrena (Poliandrena) caspica* Morawitz,1886 (Andrenidae) Synonym(s): *caspica* Morawitz,1886; *unicincta* Friese,1899
- 228)** *Andrena (Poliandrena) toelgiana* Friese,1921 (Andrenidae) Synonym(s): *toelgiana* Friese,1921
- 229)** *Andrena (Ptilandrena) vetula* Lepeletier,1841 (Andrenidae) Synonym(s): *vetula* Lepeletier,1841
- 230)** *Andrena (Simandrena) transitoria* Morawitz,1872 (Andrenidae) Synonym(s): *transitoria* Morawitz,1872
- 231)** *Andrena (Truncandrena) truncatilabris* Morawitz,1877 (Andrenidae) Synonym(s): *truncatilabris* Morawitz,1877
- 232)** *Andrena (Zonandrena) sigiella* Gusenleitner,1998 (Andrenidae) Synonym(s): *sigiella* Gusenleitner,1998
- 233)** *Aneomochtherus hermonensis* (Theodor,1980) (Asilidae) Synonym(s): *hermonensis* Theodor,1980
- 234)** *Aneomochtherus illustris* (Schiner,1867) (Asilidae) Synonym(s): *illustris* Schiner,1867
- 235)** *Aneomochtherus ochriventris* (Loew,1854) (Asilidae) Synonym(s): *ochriventris* Loew,1854; *tenellus* Becker,1923
- 236)** *Aneomochtherus rhogmopygus* (Tsacas,1965) (Asilidae) Synonym(s): *rhogmopygus* Tsacas,1965
- 237)** *Angustalius malacellus* (Duponchel,1836) (Pyralidae) Synonym(s): *malacellus* Duponchel,1836

- 238) *Anisoplia (Brancoplia) leucaspis* Laporte, 1840 (Scarabaeidae) Synonym(s): *leucaspis* Laporte, 1840
- 239) *Anisoplia (Brancoplia) mesopotamica* Pilleri, 1954 (Scarabaeidae) Synonym(s): *mesopotamica* Pilleri, 1954
- 240) *Anisoplia (Chaetopteroplina) bidens* Pilleri, 1948 (Scarabaeidae) Synonym(s): *bidens* Pilleri, 1948
- 241) *Anisoplia (Chaetopteroplina) inculta* Erichson, 1847 (Scarabaeidae) Synonym(s): *inculta* Erichson, 1847
- 242) *Anisoplia (Chaetopteroplina) muelleri* Pilleri, 1954 (Scarabaeidae) Synonym(s): *muelleri* Pilleri, 1954
- 243) *Anisoplia (Chaetopteroplina) obenbergeri* Vsetecka, 1941 (Scarabaeidae) Synonym(s): *obenbergeri* Vsetecka, 1941
- 244) *Anisoplia (Chaetopteroplina) syriaca* Burmeister, 1844 (Scarabaeidae) Synonym(s): *syriaca* Burmeister, 1844
- 245) *Anisoplia (s.str.) phoenissa* Zaitzev, 1977 (Scarabaeidae) Synonym(s): *phoenissa* Zaitzev, 1977
- 246) *Anisoplia (s.str.) signata* Faldermann, 1835 (Scarabaeidae) Synonym(s): *signata* Faldermann, 1835
- 247) *Anisoplia (s.str.) tenebralis* Burmeister, 1844 (Scarabaeidae) Synonym(s): *tenebralis* Burmeister, 1844
- 248) *Anisopteromalus calandrae* (Howard, 1881) (Pteromalidae) Synonym(s): *calandrae* Howard, 1881; *oryzae* Cameron, 1891; *vandinei* Tucker, 1910; *mollis* Ruschka, 1912; *pratti* Crawford, 1913; *medius* Masi, 1917; *mamezophagus* Ishii & Nagasawa, 1942; *brasiliensis* Domenichini, 1951
- 249) *Anisotamia ruficornis* Macquart, 1840 (Bombyliidae) Synonym(s): *ruficornis* Macquart, 1840
- 250) *Anomala osmanlis* Blanchard, 1851 (Scarabaeidae) Synonym(s): *osmanlis* Blanchard, 1851
- 251) *Anopheles (Cellia) pharoensis* Theobald, 1901 (Culicidae) Synonym(s): *pharoensis* Theobald, 1901; *albofimbriatus* Giles, 1902; *maculicosta* Becker, 1903; *bozasi* Neveu-Lemaire, 1905; *albus* Laveran, 1904
- 252) *Anopheles (Cellia) pulcherrimus* Theobald, 1902 (Culicidae) Synonym(s): *pulcherrimus* Theobald, 1902; *atropotenae* Lindtrop, 1924
- 253) *Anopheles (Cellia) superpictus* Grassi, 1899 (Culicidae) Synonym(s): *superpictus* Grassi, 1899; *palestinensis* Theobald, 1903; *nursei* Theobald, 1907; *cardamatisi* Newstead & Carter, 1910; *vassilievii* Portschinsky, 1911; *macedoniensis* Cot & Hovasse, 1917; *berestnevi* Shingarev, 1926; *atheniensis* Cardamatis, 1931; *hellenicus* Peus, 1954
- 254) *Anopheles (s.str.) algeriensis* Theobald, 1903 (Culicidae) Synonym(s): *algeriensis* Theobald, 1903; *lukisi* Christophers, 1916
- 255) *Anopheles (s.str.) claviger* (Meigen, 1804) (Culicidae) Synonym(s): *claviger* Meigen, 1804; *villosus* R-D., 1827; *griseus* Stephens, 1828; *turkestani* Shingarev, 1926; *amaurus* Martini, 1929; *habibi* Mulligan & Puri, 1936; *missiroli* Del Vecchio, 1939; *pallutus* Canamares, 1945
- 256) *Anopheles (s.str.) hyrcanus* (Pallas, 1771) (Culicidae) Synonym(s): *hyrcanus* Pallas, 1771
- 257) *Anopheles (s.str.) maculipennis* Meigen, 1818 (Culicidae) Synonym(s): *maculipennis* Meigen, 1818
- 258) *Anopheles (s.str.) marteri* Senetev & Prunelle, 1927 (Culicidae) Synonym(s): *marteri* Senetev & Prunelle, 1927; *sogdianus* Keshishian, 1938; *conquensis* Torres Canamares, 1946
- 259) *Anopheles (s.str.) plumbeus* Stephens, 1828 (Culicidae) Synonym(s): *plumbeus* Stephens, 1828; *nigripes* Staeger, 1839; *corsicanus* Edwards, 1928; *intermedius* Shingarev, 1928
- 260) *Anopheles (s.str.) sacharovi* Favre, 1903 (Culicidae) Synonym(s): *sacharovi* Favre, 1903; *elutus* Edwards, 1921
- 261) *Anoxia (Protanoxia) orientalis* Krynicki, 1832 (Scarabaeidae) Synonym(s): *orientalis* Krynicki, 1832; *meridionalis* Reitter, 1890
- 262) *Anoxia (s.str.) asiatica* Desbrochers, 1872 (Scarabaeidae) Synonym(s): *asiatica* Desbrochers, 1872; *syriaca* Brenske, 1894
- 263) *Anoxia (s.str.) maculiventris* Reitter, 1890 (Scarabaeidae) Synonym(s): *maculiventris* Reitter, 1890; *israelitica* Petrovitz, 1971
- 264) *Antarchaea conicephala* (Staudinger, 1870) (Noctuidae) Synonym(s): *conicephala* Staudinger, 1870 [April]; *conicephala* Staudinger, 1870 [Oct.]; *barcinonensis* Milli  r  , 1872; *fumicollis* Rogenhofer, 1873.
- 265) *Antennola impura* (Mann, 1862) (Noctuidae) Synonym(s): *impura* Mann, 1862
- 266) *Antepipona dentella* Gusenleitner, 1991 (Vespidae) Synonym(s): *dentella* Gusenleitner, 1991
- 267) *Anthaxia (Cratomerus) diadema* Fischer, 1824 (Buprestidae) Synonym(s): *diadema* Fischer, 1824
- 268) *Anthaxia (Cratomerus) nupta* Kiesenwetter, 1857 (Buprestidae) Synonym(s): *nupta* Kiesenwetter, 1857
- 269) *Anthaxia (Cratomerus) sponsa* Kiesenwetter, 1857 (Buprestidae) Synonym(s): *sponsa* Kiesenwetter, 1857
- 270) *Anthaxia (Haplantaxia) cylindrica* Abeille, 1900 (Buprestidae) Synonym(s): *cylindrica* Abeille, 1900
- 271) *Anthaxia (Haplantaxia) kiesenwetteri* Marseul, 1865 (Buprestidae) Synonym(s): *kiesenwetteri* Marseul, 1865
- 272) *Anthaxia (Haplantaxia) laticeps* Abeille, 1900 (Buprestidae) Synonym(s): *laticeps* Abeille, 1900; *minerva* Obenberger, 1913; *navratili* Bily, 1984
- 273) *Anthaxia (Haplantaxia) praeclara* Mannerheim, 1837 (Buprestidae) Synonym(s): *praeclara* Mannerheim, 1837
- 274) *Anthaxia (Haplantaxia) umbellatarum* (Fabricius, 1787) (Buprestidae) Synonym(s): *umbellatarum* Fabricius, 1787
- 275) *Anthaxia (Melanthaxia) corinthia* Reiche & Saulcy, 1856 (Buprestidae) Synonym(s): *corinthia* Reiche & Saulcy, 1856
- 276) *Anthaxia (Melanthaxia) masculina* Bily, 1984 (Buprestidae) Synonym(s): *masculina* Bily, 1984
- 277) *Anthaxia (Melanthaxia) negrei* Cobos, 1953 (Buprestidae) Synonym(s): *negrei* Cobos, 1953
- 278) *Anthaxia (Melanthaxia) pinguis* Kiesenwetter, 1880 (Buprestidae) Synonym(s): *pinguis* Kiesenwetter, 1880
- 279) *Anthaxia (Melanthaxia) truncata* Abeille, 1900 (Buprestidae) Synonym(s): *truncata* Abeille, 1900
- 280) *Anthaxia (s.str.) berytensis* Abeille, 1895 (Buprestidae) Synonym(s): *berytensis* Abeille, 1895
- 281) *Anthaxia (s.str.) bicolor* Faldermann, 1835 (Buprestidae) Synonym(s): *bicolor* Faldermann, 1835
- 282) *Anthaxia (s.str.) brevis* Gory & Laporte, 1839 (Buprestidae) Synonym(s): *brevis* Gory & Laporte, 1839
- 283) *Anthaxia (s.str.) discicollis* Gory & Laporte, 1839 (Buprestidae) Synonym(s): *discicollis* Gory & Laporte, 1839; *kanaanita* Obenberger, 1912
- 284) *Anthaxia (s.str.) ghazi* Obenberger, 1938 (Buprestidae) Synonym(s): *ghazi* Obenberger, 1938
- 285) *Anthaxia (s.str.) irregularis* Abeille, 1909 (Buprestidae) Synonym(s): *irregularis* Abeille, 1909
- 286) *Anthaxia (s.str.) lucens* K  ster, 1852 (Buprestidae) Synonym(s): *lucens* K  ster, 1852; *phoenica* Ganglbauer, 1882
- 287) *Anthaxia (s.str.) muliebris* Obenberger, 1918 (Buprestidae) Synonym(s): *muliebris* Obenberger, 1918
- 288) *Anthaxia (s.str.) myrmidon* Abeille, 1891 (Buprestidae) Synonym(s): *myrmidon* Abeille, 1891
- 289) *Anthaxia (s.str.) novickii* Obenberger, 1938 (Buprestidae) Synonym(s): *novickii* Obenberger, 1938
- 290) *Anthaxia (s.str.) signaticollis* (Krynicki, 1832) (Buprestidae) Synonym(s): *signaticollis* Krynicki, 1832; *vandykeana* Obenberger, 1936
- 291) *Anthaxia (s.str.) togata* Abeille, 1882 (Buprestidae) Synonym(s): *togata* Abeille, 1882
- 292) *Anthaxia (s.str.) winckleri* Obenberger, 1914 (Buprestidae) Synonym(s): *winckleri* Obenberger, 1914
- 293) *Anthidium (Anthidiellum) clypeare* Morawitz, 1874 (Megachilidae) Synonym(s): *clypeare* Morawitz, 1874; *elongatum* Friese, 1897; *hoplostomum* Mavromoustakis, 1945
- 294) *Anthidium (Anthidiellum) nasicum* Friese, 1917 (Megachilidae) Synonym(s): *nasicum* Friese, 1917; *nasiculum* Pasteels, 1969

- 295) **Anthidium (Archianthidium) pubescens (Morawitz,1872)** (Megachilidae) Synonym(s): *pubescens* Morawitz,1872; *maximum* Friese,1931; *verhoeffi* Mavromoustakis,1955
- 296) **Anthidium (Icteranthidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme* Smith,1854; *bartholomei* Radoszkowski,1862
- 297) **Anthidium (Icteranthidium) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi* Morawitz,1875; *transcaspicum* Lebedev,1923; *reinigi* Alfken,1931; *tadzhicum* Popov,1935
- 298) **Anthidium (Icteranthidium) ferrugineum (Fabricius,1787)** (Megachilidae) Synonym(s): *ferrugineum* Fabricius,1787; *discoideale* Latreille,1809
- 299) **Anthidium (Icteranthidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni* Spinola,1838; *latreillii* Lepeletier,1841; *rubiginosum* Lepeletier,1841; *provinciale* Lepeletier,1841; *comptum* Lepeletier,1841; *numidum* Lepeletier,1841; *lepeletieri* Fonscolombe,1846; *klugi* Lucas,1849; *coronatum* Smith,1854 (praeocc.); *obscurum* Dusmet,1908 (praeocc.); *tergale* Pasteels,1969.
- 300) **Anthidium (Mesanthidium) carduele Morawitz,1876** (Megachilidae) Synonym(s): *carduele* Morawitz,1876; *controversum* Radoszkowski,1886; *malacopygum* Gribodo,1894; *konowi* Friese,1897; *zonulum* Alfken,1935
- 301) **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): *pusillum* Morawitz,1895; *mochii* Mavromoustakis,1956
- 302) **Anthidium (Oxyanthidium) aculeatum Klug,1832** (Megachilidae) Synonym(s): *aculeatum* Klug,1832; *uncatum* Mocsary,1887 nec Schr.,1802
- 303) **Anthidium (Proanthidium) anguliventre Morawitz,1888** (Megachilidae) Synonym(s): *anguliventre* Morawitz,1888; *arabicum* Pasteels,1969; *intermedium* Pasteels,1969
- 304) **Anthidium (Proanthidium) eremicum Alfken,1938** (Megachilidae) Synonym(s): *eremicum* Alfken,1938; *aleppense* Mavromoustakis,1954
- 305) **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum* Dours,1873; *littorale* Morawitz,1874; *holozonicum* Mavromoustakis,1939; *kvakium* Mavromoustakis,1939; *wahrmanni* Mavromoustakis,1948
- 306) **Anthidium (Pseudoanthidium) melanurum Klug,1832** (Megachilidae) Synonym(s): *melanurum* Klug,1832; *nigricolle* Morawitz,1876; *dilobum* Pérez,1895; *moricei* Friese,1911; *royoi* Dusmet,1915; *flavicolle* Friese,1917; *flaviventre* Friese,1917
- 307) **Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s): *dalmaticum* Mocsary,1884; *syriacum* Dusmet,1915
- 308) **Anthidium (s.str.) florentinum (Fabricius,1775)** (Megachilidae) Synonym(s): *florentinum* Fabricius,1775
- 309) **Anthidium (s.str.) neosyriacum Mavromoustakis,1956** (Megachilidae) Synonym(s): *neosyriacum* Mavromoustakis,1956
- 310) **Anthidium (s.str.) syriacum Pérez,1911** (Megachilidae) Synonym(s): *syriacum* Pérez,1911
- 311) **Anthidium (s.str.) wuestneii Mocsary,1887** (Megachilidae) Synonym(s): *wuestneii* Mocsary,1887
- 312) **Anthocharis cardamines (Linnaeus,1758)** (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911
- 313) **Anthocharis damone Boisduval,1836** (Pieridae) Synonym(s): *damone* Boisduval,1836
- 314) **Anthocharis grueneri Herrich-Schäffer,[1851]** (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907
- 315) **Anthophora syriaca Friese,1922** (Apidae) Synonym(s): *syriaca* Friese,1922
- 316) **Anthraxia eriopoda (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer,[1851]; *sareptae* Guenée,1852; *eriopodoides* Strand,1916
- 317) **Anthrax bezzianus Paramonov,1935** (Bombyliidae) Synonym(s): *bezzianus* Paramonov,1935
- 318) **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820; *subnotata* Wiedemann,1820
- 319) **Anthrax leucogaster Wiedemann,1820** (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820
- 320) **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug,1832
- 321) **Anthrenus (Nathrenus) bulirschi Hava,2000** (Dermestidae) Synonym(s): *bulirschi* Hava,2000
- 322) **Anthrenus (Nathrenus) pubifer Reitter,1899** (Dermestidae) Synonym(s): *pubifer* Reitter,1899
- 323) **Anthrenus (s.str.) delicatus Kiesenwetter,1851** (Dermestidae) Synonym(s): *delicatus* Kiesenwetter,1851
- 324) **Anthrenus (s.str.) mesopotamicus Hava,2001** (Dermestidae) Synonym(s): *mesopotamicus* Hava,2001
- 325) **Anthrenus (s.str.) scrophulariae (Linnaeus,1758)** (Dermestidae) Synonym(s): *scrophulariae* Linnaeus,1758; *albidus* Brullé,1832; *signatus* Reitter,1881; *senex* Reitter,1881
- 326) **Anthrenus (s.str.) simonis Reitter,1881** (Dermestidae) Synonym(s): *simonis* Reitter,1881
- 327) **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thallhammeri* Lichtwardt,1903
- 328) **Antitype jonis (Lederer,1865)** (Noctuidae) Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901.
- 329) **Aomus aleppensis (Reitter,1913)** (Curculionidae) Synonym(s): *aleppensis* Reitter,1913
- 330) **Aomus otiorhynchoides (Reitter,1913)** (Curculionidae) Synonym(s): *otiorhynchoides* Reitter,1913
- 331) **Apalus bimaculatus (Linnaeus,1761)** (Meloidae) Synonym(s): *bimaculatus* Linnaeus,1761
- 332) **Apamea (s.str.) monoglypha (Hufnagel,1766)** (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766.
- 333) **Apamea (s.str.) polyglypha (Staudinger,1892)** (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892
- 334) **Apamea (s.str.) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 335) **Aphanus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus* Goeze,1778; *bicolor* Horvath,1911
- 336) **Aphelia (Zelotheres) imperfectana (Lederer,1858)** (Tortricidae) Synonym(s): *imperfectana* Lederer,1858; *ineffecta* Obraztsov,1968.
- 337) **Aphelia (Zelotheres) ochreana (Hübner,[1799])** (Tortricidae) Synonym(s): *ferugana* Hübner,1793 (homonym); *ochreana* Hübner,[1799]; *shaqlawana* Amsel,1955; *chretieni* Obraztsov,1957
- 338) **Aphelonyx persica Melika, Stone, Sadeghi & Pujade-Villar,2004** (Cynipidae) Synonym(s): *persica* Melika, Stone, Sadeghi & Pujade-Villar,2004
- 339) **Aphodius (Calamosternus) chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet,1896
- 340) **Aphodius fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758
- 341) **Aphodius foetidus (Herbst,1783)** (Scarabaeidae) Synonym(s): *foetidus* Herbst,1783
- 342) **Aphrodes bicinctus (Schränk,1776)** (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (praeocc.); *rustica* Fabricius,1775 (praeocc.); *bicinctus* Schränk,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836;

- rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966
- 343) **Aphrodes elongatus (Lethierry,1876)** (Cicadellidae) Synonym(s): *elongatus* Lethierry,1876
- 344) **Aphrodes paralongus Dlabola,1960** (Cicadellidae) Synonym(s): *paralongus* Dlabola,1960
- 345) **Aphrophora exoleta Horvath,1901** (Cercopidae) Synonym(s): *exoleta* Horvath,1901
- 346) **Aphthona franzi Heikertinger,1944** (Chrysomelidae) Synonym(s): *franzi* Heikertinger,1944
- 347) **Apiletria (Aretascetis) endopercna (Meyrick,1936)** (Autostichidae) Synonym(s): *endopercna* Meyrick,1936
- 348) **Apiletria (Aretascetis) purulentella Stainton,1867** (Autostichidae) Synonym(s): *purulentella* Stainton,1867
- 349) **Apiomyia bergenstammi (Wachtl,1882)** (Cecidomyiidae) Synonym(s): *bergenstammi* Wachtl,1882
- 350) **Apis (s.str.) mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761
- 351) **Aplasta ononaria (Fuessly,1783)** (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
- 352) **Aplidia caesarina Reitter,1902** (Scarabaeidae) Synonym(s): *caesarina* Reitter,1902
- 353) **Aplidia chaifensis Kraatz,1882** (Scarabaeidae) Synonym(s): *chaifensis* Kraatz,1882
- 354) **Aplidia dilatata Reitter,1902** (Scarabaeidae) Synonym(s): *dilatata* Reitter,1902
- 355) **Aplidia fissa Burmeister,1855** (Scarabaeidae) Synonym(s): *fissa* Burmeister,1855
- 356) **Aplidia janczyki Baraud,1988** (Scarabaeidae) Synonym(s): *janczyki* Baraud,1988
- 357) **Aplidia joannis Baraud,1988** (Scarabaeidae) Synonym(s): *joannis* Baraud,1988
- 358) **Aplidia lizleri Keith,2000** (Scarabaeidae) Synonym(s): *lizleri* Keith,2000
- 359) **Aplidia nitidula Kraatz,1882** (Scarabaeidae) Synonym(s): *nitidula* Kraatz,1882
- 360) **Aplidia petrovitzi Baraud,1988** (Scarabaeidae) Synonym(s): *petrovitzi* Baraud,1988
- 361) **Aplidia tarsensis Kraatz,1882** (Scarabaeidae) Synonym(s): *tarsensis* Kraatz,1882
- 362) **Aplidia villosicollis Kraatz,1882** (Scarabaeidae) Synonym(s): *villosicollis* Kraatz,1882
- 363) **Aplidia werneri Keith,2000** (Scarabaeidae) Synonym(s): *werneri* Keith,2000
- 364) **Apodiphus amygdali (Germar,1817)** (Pentatomidae) Synonym(s): *amygdali* Germar,1817; *hellenica* Lefebvre,1831; *exsculpta* Burmeister,1855
- 365) **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 366) **Aprominta aladdin Gozmany,1963** (Autostichidae) Synonym(s): *aladdin* Gozmany,1963
- 367) **Aprostocetus invidus (Domenichini,1966)** (Eulophidae) Synonym(s): *invidus* Domenichini,1966
- 368) **Apterola (s.str.) lownii (Saunders,1876)** (Lygaeidae) Synonym(s): *lownii* Saunders,1876
- 369) **Archanara wiltshirei Bytinski-Salz,1936** (Noctuidae) Synonym(s): *wiltshirei* Bytinski-Salz,1936
- 370) **Archon apollinus (Herbst,1798)** (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979.
- 371) **Arctia (Eucharia) festiva (Hufnagel,1766)** (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
- 372) **Arenocoris waltlii (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *waltlii* Herrich-Schäffer,1835; *hispanus* Rambur,1839; *auriculatus* Fieber,1861
- 373) **Arge auripennis Konow,1891** (Argidae) Synonym(s): *auripennis* Konow,1891
- 374) **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880
- 375) **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *zarudnyi* Gussakovskii,1935
- 376) **Arge simulatrix Konow,1887** (Argidae) Synonym(s): *simulatrix* Konow,1887
- 377) **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
- 378) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnidae) Synonym(s): *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950.
- 379) **Argyra spoliata Kowarz,1879** (Dolichopodidae) Synonym(s): *spoliata* Kowarz,1879
- 380) **Armada panaceorum (Ménétriés,1849)** (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 381) **Artheneis alutacea Fieber,1861** (Lygaeidae) Synonym(s): *alutacea* Fieber,1861
- 382) **Asalebria (Exophora) florella (Mann,1862)** (Pyralidae) Synonym(s): *florella* Mann,1862
- 383) **Ascalaphodes canifrons (Westwood,1848)** (Ascalaphidae) Synonym(s): *canifrons* Westwood,1848
- 384) **Ascalaphus dicax Walker,1853** (Ascalaphidae) Synonym(s): *dicax* Walker,1853
- 385) **Ascalaphus krueperi (Van der Weele,1909)** (Ascalaphidae) Synonym(s): *krueperi* Van der Weele,1909
- 386) **Asmispyga warnckeii Kurzenko,1994** (Sapygidae) Synonym(s): *warnckeii* Kurzenko,1994
- 387) **Aspongopus viduatus (Fabricius,1794)** (Dinidoridae) Synonym(s): *viduatus* Fabricius,1794
- 388) **Astomella gravis Erichson,1840** (Acroceridae) Synonym(s): *gravis* Erichson,1840
- 389) **Astomella hispaniae Lamarck,1816** (Acroceridae) Synonym(s): *hispaniae* Lamarck,1816; *curvinervis* Dufour,1833; *clavicornis* Macquart,1834; *marginata* Meigen,1838; *aurea* Erichson,1840; *lindenii* Erichson,1840; *macquarti* A.Costa,1847; *grandipennis* A.Costa,1854; *apiformis* Westwood,1876; *bombiformis* Westwood,1876
- 390) **Atethmia centrargo (Haworth,[1809])** (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].
- 391) **Atherigona varia (Meigen,1826)** (Muscidae) Synonym(s): *varia* Meigen,1826
- 392) **Atherix dispar Bezzi,1909** (Athericidae) Synonym(s): *dispar* Bezzi,1909
- 393) **Atherix erythrapsis Bezzi,1909** (Athericidae) Synonym(s): *erythrapsis* Bezzi,1909
- 394) **Athrips rancidella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rancidella* Herrich-Schäffer,[1854]; *triatomaea* Mühlig,1864; *vepretella* Zeller,1870; *superfetella* Peyerimhoff,1877; *cotoneastri* Busck,1934; *cerasivorella* Kuznetsov,1960.
- 395) **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790
- 396) **Attagenus (s.str.) orientalis Reitter,1878** (Dermestidae) Synonym(s): *orientalis* Reitter,1878
- 397) **Attelabus suturalis Jekel,1860** (Attelabidae) Synonym(s): *suturalis* Jekel,1860
- 398) **Atylotus farinosus (Szilady,1915)** (Tabanidae) Synonym(s): *farinosus* Szilady,1915; *ouriensis* Surcouf,1922
- 399) **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934
- 400) **Austroagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *fieberi* Vismara,1878; *laevis* Bergevin,1934; *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964; *afghanistanensis* Kameswara Rao, Ramakrishnan & Ghai,1979
- 401) **Autophila (s.str.) cerealis (Staudinger,1871)** (Noctuidae) Synonym(s): *cerealis* Staudinger,1871

- 402) *Autophila* (s.str.) *depressa* (Püngeler,1914) (Noctuidae) Synonym(s): *depressa* Püngeler,1914
- 403) *Axia* (Epicimelia) *theresia* (Korb,1900) (Cimeliidae) Synonym(s): *theresia* Korb,1900
- 404) *Bactrocera* (*Daculus*) *oleae* (Rossi,1790) (Tephritidae) Synonym(s): *oleae* Rossi,1790; *flaviventris* Guercio,1900; *funesta* Guercio,1900
- 405) *Bagrada* (*Nitilia*) *abeillei* Puton,1881 (Pentatomidae) Synonym(s): *abeillei* Puton,1881; *persica* Horvath,1936; *lepida* Horvath,1936; *pallens* Kiritshenko,1966
- 406) *Bagrada* *concinna* Horvath,1936 (Pentatomidae) Synonym(s): *concinna* Horvath,1936; *biramosa* Horvath,1936
- 407) *Bagrada* *funerea* Horvath,1901 (Pentatomidae) Synonym(s): *funerea* Horvath,1901
- 408) *Basistriga* *flammatra* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *flammatra* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 409) *Beckerellus* *androgynus* (Loew,1855) (Bombyliidae) Synonym(s): *androgynus* Loew,1855
- 410) *Behounekia* *freyeri* (Frivaldsky,1835) (Noctuidae) Synonym(s): *freyeri* Frivaldsky,1835; *lintea* Freyer,1842; *orontii* Herrich-Schäffer,1851; *senescens* Eversmann,1856; *#linthea* Lederer,1870
- 411) *Belaspidia* *obscura* Masi,1916 (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951
- 412) *Belenois* *aurota* (Fabricius,1793) (Pieridae) Synonym(s): *mesentina* Cramer,1780] nec Cr.,1777; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 413) *Bellardia* *nova* Rognes,2002 (Calliphoridae) Synonym(s): *nova* Rognes,2002
- 414) *Belostoma* *cordofanum* Mayr,1853 (Belostomatidae) Synonym(s): *cordofanum* Mayr,1853
- 415) *Bembecia* *pontica* (Staudinger,1891) (Sesiidae) Synonym(s): *pontica* Staudinger,1891
- 416) *Bembecia* *sanguinolenta* (Lederer,1853) (Sesiidae) Synonym(s): *sanguinolenta* Lederer,1853
- 417) *Bembecinus* *acanthomerus* (Morice,1911) (Crabronidae) Synonym(s): *acanthomerus* Morice,1911
- 418) *Bembecinus* *gynandromorphus* (Handlirsch,1892) (Crabronidae) Synonym(s): *gynandromorphus* Handlirsch,1892
- 419) *Bembecinus* *meridionalis* A.Costa,1859 (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859
- 420) *Bembecinus* *niehuisi* Schmid-Egger,2004 (Crabronidae) Synonym(s): *niehuisi* Schmid-Egger,2004
- 421) *Bembecinus* *revindicatus* Schulz,1911 (Crabronidae) Synonym(s): *schmiedeknechti* Handlirsch,1900 nec Handl.,1898; *revindicatus* Schulz,1911; *houskai* Balthasar,1954
- 422) *Bembecinus* *tridens* (Fabricius,1781) (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satumanus* Sonan,1934; *errans* De Beaumont,1950
- 423) *Bembidion* (*Chlorodium*) *splendidum* Sturm,1825 (Carabidae) Synonym(s): *splendidum* Sturm,1825
- 424) *Bembidion* (*Neja*) *leucoscelis* Chaudoir,1850 (Carabidae) Synonym(s): *leucoscelis* Chaudoir,1850
- 425) *Bembidion* (*Neja*) *sporadicum* Sahlberg,1903 (Carabidae) Synonym(s): *sporadicum* Sahlberg,1903
- 426) *Bembidion* (*Nepha*) *retipenne* J.Müller,1918 (Carabidae) Synonym(s): *retipenne* J.Müller,1918
- 427) *Bembidion* (*Ocyturanus*) *culminicola* Piochard,1876 (Carabidae) Synonym(s): *culminicola* Piochard,1876
- 428) *Bembidion* (*Peryphanes*) *castaneipenne* Jacquelin du Val,1852 (Carabidae) Synonym(s): *castaneipenne* Jacquelin du Val,1852
- 429) *Bembidion* (*Peryphanes*) *dalmatinum* Dejean,1831 (Carabidae) Synonym(s): *dalmatinum* Dejean,1831
- 430) *Bembidion* (*Phyla*) *liliputanum* (J.Sahlberg,1908) (Carabidae) Synonym(s): *liliputanum* J.Sahlberg,1908
- 431) *Bembix* *arenaria* (Handlirsch,1893) (Crabronidae) Synonym(s): *arenaria* Handlirsch,1893; *houskai* Balthasar,1954
- 432) *Bena* *bicolorana* (Fuessly,1775) (Noctuidae) Synonym(s): *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspersa* W.Warren,1913.
- 433) *Beosus* *quadripunctatus* (Müller,1766) (Lygaeidae) Synonym(s): *quadripunctatus* Müller,1766
- 434) *Biralus* *equinus* (Faldermann,1835) (Scarabaeidae) Synonym(s): *equinus* Faldermann,1835
- 435) *Biralus* *menetriesi* (Ménétriés,1847) (Scarabaeidae) Synonym(s): *menetriesi* Ménétriés,1847
- 436) *Biralus* *satellitius* (Herbst,1789) (Scarabaeidae) Synonym(s): *satellitius* Herbst,1789
- 437) *Blaesoxipha* *campestris* (R-D.,1863) (Sarcophagidae) Synonym(s): *lineata* Fallén,1817 nec Harr.,1776; *campestris* R-D.,1863; *redempta* Pandellé,1895
- 438) *Blaesoxipha* *rufipes* (Macquart,1839) (Sarcophagidae) Synonym(s): *rufipes* Macquart,1839; *rubripes* Villeneuve,1912; *tertia* Rohdendorf,1928; *aegyptiaca* Villeneuve,1932; *paoli* Villeneuve,1939; *povolnyi* Rohdendorf,1975
- 439) *Blakeius* *bipunctatus* (Latreille,1792) (Mutilidae) Synonym(s): *bipunctatus* Latreille,1792; *angusticollis* Spinola,1843; *tuberculata* Lepeletier,1845; *bituberculata* Smith,1855; *erythrothorax* Sichel & Radoszowski,1870; *cobosi* Suarez,1958
- 440) *Blaps* *judaeorum* Miller,1861 (Tenebrionidae) Synonym(s): *judaeorum* Miller,1861; *judaica* Seidlitz,1893
- 441) *Blaps* *longula* Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *longula* Reiche & Saulcy,1857
- 442) *Blaps* *rotundata* Solier,1848 (Tenebrionidae) Synonym(s): *rotundata* Solier,1848; *sodalis* Reiche & Saulcy,1857; *laticollis* Allard,1880 (praeocc.)
- 443) *Bledionotus* *systellonotoides* Reuter,1878 (Lygaeidae) Synonym(s): *systellonotoides* Reuter,1878
- 444) *Blitopertha* (*Asiopertha*) *ganglbaueri* (Reitter,1885) (Scarabaeidae) Synonym(s): *ganglbaueri* Reitter,1885
- 445) *Blitopertha* (s.str.) *nigripennis* (Burmeister,1855) (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdit* Petrovitz,1959; *majuscula* Medvedev
- 446) *Bodilopsis* *sordida* (Fabricius,1775) (Scarabaeidae) Synonym(s): *sordida* Fabricius,1775
- 447) *Bodilus* *lugens* (Creutzer,1799) (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799
- 448) *Bodilus* *nigriventris* (Reitter,1892) (Scarabaeidae) Synonym(s): *nigriventris* Reitter,1892
- 449) *Bodilus* *punctipennis* (Erichson,1848) (Scarabaeidae) Synonym(s): *punctipennis* Erichson,1848
- 450) *Bodilus* *vartiani* (Petrovitz,1965) (Scarabaeidae) Synonym(s): *vartiani* Petrovitz,1965
- 451) *Bombomyia* *discoidea* (Fabricius,1794) (Bombyliidae) Synonym(s): *anal* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *anal* Thunberg,1827; *trichromus* Paramonov,1955
- 452) *Bombomyia* *vertebralis* (Dufour,1833) (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849
- 453) *Bombylella* *atra* (Scopoli,1763) (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855
- 454) *Bombylisoma* *algrum* (Macquart,1840) (Bombyliidae) Synonym(s): *algrum* Macquart,1840; *lutescens* Loew,1855; *nigrifrons* Becker,1913
- 455) *Bombylisoma* *flavibarbum* (Loew,1855) (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937
- 456) *Bombylisoma* *imitator* (Loew,1855) (Bombyliidae) Synonym(s): *imitator* Loew,1855
- 457) *Bombylisoma* *minimum* (Scopoli,1771) (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minus* Schrank,1781; *flavus* Meigen,1804

- 458) **Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator* Loew,1855
- 459) **Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855
- 460) **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855
- 461) **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855
- 462) **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892
- 463) **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978
- 464) **Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873
- 465) **Bombylius (s.str.) polypogon Loew,1855** (Bombyliidae) Synonym(s): *polypogon* Loew,1855
- 466) **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926
- 467) **Bombylius (s.str.) pumilus Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820
- 468) **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 nec Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926
- 469) **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926
- 470) **Bostra homsalis Amsel,1952** (Pyrilidae) Synonym(s): *homsalis* Amsel,1952
- 471) **Brachinus (Brachynidius) bodemeyeri Apfelbeck,1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 nec Mtsch.,1864
- 472) **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904
- 473) **Brachinus (s.str.) berytensis Reiche & Saulcy,1855** (Carabidae) Synonym(s): *berytensis* Reiche & Saulcy,1855
- 474) **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828
- 475) **Brachinus immaculicornis Dejean,1826** (Carabidae) Synonym(s): *immaculicornis* Dejean,1826
- 476) **Brachodes appendiculata (Esper,[1783])** (Brachodidae) Synonym(s): *appendiculata* Esper,[1783]; *vahlana* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853; *powelli* Oberthür,1922; *gerassimovii* Kozhantschikov,1923
- 477) **Brachodes candefacta (Lederer,1858)** (Brachodidae) Synonym(s): *candefacta* Lederer,1858; *diacona* Lederer,1858
- 478) **Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): *argillaceus* Reiche,1857; *nodulosus* Reiche,1857; *aegyptiacus* Bedel,1874
- 479) **Brachycerus foveifrons Bedel,1874** (Brachyceridae) Synonym(s): *foveifrons* Bedel,1874
- 480) **Brachycerus junix Herbst,1797** (Brachyceridae) Synonym(s): *junix* Herbst,1797; *incertus* Desbrochers,1871; *olivieri* Desbrochers,1871
- 481) **Brachycerus orbipennis Reiche,1857** (Brachyceridae) Synonym(s): *orbipennis* Reiche,1857
- 482) **Brachycerus quadrisulcatus Fischer v.Waldheim,1830** (Brachyceridae) Synonym(s): *quadrisulcatus* Fischer v.Waldheim,1830; *difformis* Faldermann,1837
- 483) **Brachycoleus thoracicus Puton,1892** (Miridae) Synonym(s): *thoracicus* Puton,1892; *nigricans* Puton,1898; *coccineus* Horvath,1901; *coccineus* Hoberlandt,1956
- 484) **Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951
- 485) **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplepsia* Crawford,1910; *jezoensis* Matsumura,1918...
- 486) **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951;
- 487) **Brachynema cinctum (Fabricius,1775)** (Pentatomidae) Synonym(s): *cinctus* Fabricius,1775; *forskahlii* Gmelin,1790; *tarsatus* Klug,1845; *roseipennis* Mulsant & Rey,1852; *flavatum* Horvath,1896; *simonyi* Horvath,1896; *exul* Horvath,1896; *splendidum* Montandon,1900; *miniaturum* Montandon,1900; *venustum* Montandon,1900
- 488) **Brachynema germarii (Kolenati,1846)** (Pentatomidae) Synonym(s): *virens* Klug,1845 nec Linn.,1767; *germarii* Kolenati,1846; *anabasis* Becker,1867; *biplaga* Walker,1867; *flavomarginatus* Jakovlev,1871; *grisea* Jakovlev,1871; *melanota* Jakovlev,1874; *alternatum* Horvath,1899
- 489) **Brachytarsina flavipennis Macquart,1851** (Strebliidae) Synonym(s): *flavipennis* Macquart,1851
- 490) **Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator* Fabricius,1798
- 491) **Bradyrrhoa confiniella Zeller,1848** (Pyrilidae) Synonym(s): *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1893; *ifraneella* Lucas,1956; *ebertella* Roesler,1969
- 492) **Brahmaea (s.str.) ledereri Rogenhofer,1873** (Brahmaeidae) Synonym(s): *ledereri* Rogenhofer,1873
- 493) **Brontaea eremophila (Brauer & Bergenstamm,1894)** (Muscidae) Synonym(s): *eremophila* Brauer & Bergenstamm,1894; *impedita* Pandellé,1898
- 494) **Bryotropha arabica Amsel,1952** (Gelechiidae) Synonym(s): *arabica* Amsel,1952
- 495) **Bryotropha horribilis Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *horribilis* Karsholt & Rutten,2005
- 496) **Bryotropha hulli Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hulli* Karsholt & Rutten,2005
- 497) **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens,1938
- 498) **Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel,1979
- 499) **Bubopsis hamata (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus* Klug,1834
- 500) **Byctiscus betulae (Linnaeus,1758)** (Atteblidae) Synonym(s): *betulae* Linnaeus,1758; *violaceus* Poda,1761; *unispinosus* Müller,1776; *inermis* Müller,1776; *unispinus* Müller,1776; *bispinus* Müller,1776; *alni* Müller,1776; *viridis* Geoffroy,1785; *betuleti* Fabricius,1792; *populi* Paykull,1792; *violacea* Donovan,1794
- 501) **Caccobius (s.str.) histeroides (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *histeroides* Ménétriés,1832; *anthracinus* Faldermann,1835; *nigellus* Kiesenwetter,1858

- 502) **Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus Ménétriés,1838*
 503) **Caccobius (s.str.) schreberi (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *schreberi Linnaeus,1767*
 504) **Cacoecimorpha pronubana (Hübner,[1799])** (Tortricidae) Synonym(s): *pronubana Hübner,[1799]; ambustana Frölich,1830; herminiana Treitschke,1835; insolatana Lucas,1848; perochreana Herrich-Schäffer,1856; obsoletana Strand,1901*
 505) **Cadra abstersella (Zeller,1847)** (Pyralidae) Synonym(s): *abstersella Zeller,1847; liguriella Amsel,1954.*
 506) **Cadra cautella (Walker,1863)** (Pyralidae) Synonym(s): *cautella Walker,1863; defectella Walker,1864; desuetella Walker,1866; passulella Barrett,1875; formosella Wileman & South,1918; rotundatella Turati,1930; pelopis Turner,1947; irakella Amsel,1959*
 507) **Caenocoris nerii (Germar,1847)** (Lygaeidae) Synonym(s): *nerii Germar,1817; semiruber Walker,1872*
 508) **Calameuta (s.str.) filiformis (Eversmann,1847)** (Cephididae) Synonym(s): *filiformis Eversmann,1847; infernalis Dovnar-Zapolski,1926; amurensis Gussakowski,1935*
 509) **Calameuta (s.str.) haemorrhoidalis (Fabricius,1781)** (Cephididae) Synonym(s): *haemorrhoidalis Fabricius,1781*
 510) **Calameuta (s.str.) idolon (Rossi,1794)** (Cephididae) Synonym(s): *idolon Rossi,1794; mittrei Guérin,1844; bellieri Sichel,1860; variegatus Stein,1876; apicicornis Pic,1916*
 511) **Calamosternus chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti Clouet,1896*
 512) **Calamosternus granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius Linnaeus,1767*
 513) **Calamosternus hyxos (Petrovitz,1962)** (Scarabaeidae) Synonym(s): *hyxos Petrovitz,1962*
 514) **Calamosternus pseudounicolor (Balthasar,1960)** (Scarabaeidae) Synonym(s): *pseudounicolor Balthasar,1960*
 515) **Calamosternus trucidatus (Harold,1863)** (Scarabaeidae) Synonym(s): *trucidatus Harold,1863*
 516) **Calamotropha paludella (Hübner,[1824])** (Pyralidae) Synonym(s): *paludella Hübner,[1824]; obtusellus Stainton,1856; paramatellus Meyrick,1879; carpherus Hampson,1898; nivellus Rebel,1914; calamosus Hampson,1919; durandi Lucas,1931; typhivorus Meyrick,1932; #digitatus Osthelder,1937; afghanistanica Bleszynski,1959.*
 517) **Callimus (Procallimus) distinctipes (Pic,1906)** (Cerambycidae) Synonym(s): *distinctipes Pic,1906*
 518) **Callimus (s.str.) akbesianus (Pic,1892)** (Cerambycidae) Synonym(s): *akbesianus Pic,1892*
 519) **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis Giglio-Tos,1893; carbonaria Uvarov,1914; angustus Uvarov,1934; anatolicus Maran,1951; hissaricus Mishtchenko,1951; intricatus Mishtchenko,1951; #nigra Bei-Bienko & Richter,1960*
 520) **Calliptamus tenuicercis Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis Tarbinsky,1930; aurantiacus Ramme,1930; iranicus Ramme,1930; persa Uvarov,1938; aurantipes Ramme,1951; syriacus Ramme,1951; #tanuicercis Salman,1978*
 521) **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus Fabricius,1775*
 522) **Callophrys danchenkoi Zhdanko,1998** (Lycanidae) Synonym(s): *danchenkoi Zhdanko,1998*
 523) **Calocoris porphyropterus Reuter,1904** (Miridae) Synonym(s): *porphyropterus Reuter,1904*
 524) **Calophasia platyptera (Esper,[1788])** (Noctuidae) Synonym(s): *platyptera Esper,[1788]; canterius De Villers,1789; tenera Hübner,[1803]; olbiena Duponchel,1842; subalbida Staudinger,1901; signata Constantini,1916*
 525) **Calopteryx hyalina Martin,1909** (Calopterygidae) Synonym(s): *hyalina Martin,1909*
 526) **Calopteryx intermedia Selys,1887** (Calopterygidae) Synonym(s): *intermedia Selys,1887*
 527) **Calosoma eversmanni Chaudoir,1850** (Carabidae) Synonym(s): *eversmanni Chaudoir,1850*
 528) **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor Linnaeus,1758; punctiventris Reiche & Saulcy,1855; viridulum Kraatz,1877; cupreofulgens Chapman,1922*
 529) **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta Linnaeus,1758; severum Chaudoir,1850*
 530) **Calymma communimacula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *communimacula [Denis & Schiffermüller],1775*
 531) **Calyptopsis lineimargo Reitter,1896** (Tenebrionidae) Synonym(s): *lineimargo Reitter,1896*
 532) **Calyptopsis pandaroides Reitter,1896** (Tenebrionidae) Synonym(s): *pandaroides Reitter,1896*
 533) **Calyptopsis solieri Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *solieri Reiche & Saulcy,1857*
 534) **Campiglossa difficilis (Hendel,1927)** (Tephritidae) Synonym(s): *tessellata Zetterstedt,1847 nec Lw.,1844; difficilis Hendel,1927;*
 535) **Campiglossa producta (Loew,1844)** (Tephritidae) Synonym(s): *producta Loew,1844; insularis Wollaston,1858*
 536) **Campsomeriella thoracica (Fabricius,1787)** (Scoliidae) Synonym(s): *thoracica Fabricius,1787; eriophora Khalof,1958*
 537) **Camptopus lateralis (Germar,1817)** (Alydidae) Synonym(s): *lateralis Germar,1817*
 538) **Canephora lutea (Staudinger,1871)** (Psychidae) Synonym(s): *lutea Staudinger,1871*
 539) **Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica Fallén,1807*
 540) **Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis Marseul,1864; #smyrnensis Silkin,2008*
 541) **Canthophorus dubius (Scopoli,1763)** (Cydniidae) Synonym(s): *dubius Scopoli,1763; albomarginatus Schrank,1776; histriolus Goeze,1778; viennensis Gmelin,1790; albomarginellus Fabricius,1794*
 542) **Canthophorus melanopterus (Herrich-Schäffer,1835)** (Cydniidae) Synonym(s): *melanopterus Herrich-Schäffer,1835*
 543) **Canthyrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus Reiche & Saulcy,1855; badenii Wehncke,1876; sculus Ragusa,1882; numidicus Bedel,1925*
 544) **Capitatus ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa Loew,1844; radiata Macquart,1849*
 545) **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria Klug,1829; lefebvrei Laporte & Gory,1836; cribricollis Abeille,1904; abeillei Obenberger,1926*
 546) **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa Pallas,1776; bruttia Petagna,1787*
 547) **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris Klug,1829; daedalea Stephens,1830; albisparsa Faldermann,1830; aurata Abeille,1914; mysteriosa Obenberger,1917; nonfriedi Obenberger,1934*
 548) **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa Klug,1829; hypocrita Géhin,1855*
 549) **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa Olivier,1790; dorsata Voet,1806; lugens Küster,1846; semisuturalis Marseul,1865; aurosparsa Abeille,1891; anomala Fairmaire,1895; simulatrix Obenberger,1916; atronida Obenberger,1945; persica Obenberger,1945; olcese Obenberger,1945; morio Obenberger,1945*
 550) **Capperia tamsi Adamczewski,1951** (Pterophoridae) Synonym(s): *tamsi Adamczewski,1951*
 551) **Capperia washbourni Adamczewski,1951** (Pterophoridae) Synonym(s): *washbourni Adamczewski,1951*
 552) **Capsodes (Horistus) turcomanus (Horvath,1889)** (Miridae) Synonym(s): *turcomanus Horvath,1889*
 553) **Carabus (Lamprostus) hemprichi Dejean,1826** (Carabidae) Synonym(s): *hemprichi Dejean,1826*
 554) **Carabus (Procerus) syriacus Kollar,1843** (Carabidae) Synonym(s): *syriacus Kollar,1843; daphnensis Korell,1985*
 555) **Carabus (Procrustes) coriaceus Linnaeus,1758** (Carabidae) Synonym(s): *coriaceus Linnaeus,1758*
 556) **Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): *impressus Klug,1832*
 557) **Carabus (Procrustes) mulsantianus Morawitz,1886** (Carabidae) Synonym(s): *mulsantianus Morawitz,1886*
 558) **Carabus (Procrustes) piochardi Géhin,1883** (Carabidae) Synonym(s): *piochardi Géhin,1883*

- 559) **Carabus (Procrustes) punctatus Castelnau, 1835** (Carabidae) Synonym(s): *punctatus* Castelnau, 1835; *antakyae* Korell, 1985
- 560) **Carabus maurus Adams, 1817** (Carabidae) Synonym(s): *maurus* Adams, 1817
- 561) **Caradrina (Boursinidrina) syriaca (Staudinger, 1892)** (Noctuidae) Synonym(s): *syriaca* Staudinger, 1892
- 562) **Caradrina (Eremodrina) belucha Swinhoe, 1885** (Noctuidae) Synonym(s): *belucha* Swinhoe, 1885; *conditorana* Pinker, 1980
- 563) **Caradrina (Eremodrina) melanurina (Staudinger, 1901)** (Noctuidae) Synonym(s): *melanurina* Staudinger, 1901
- 564) **Caradrina (Eremodrina) zernyi (Boursin, 1936)** (Noctuidae) Synonym(s): *zernyi* Boursin, 1936; *signata* Boursin, 1936
- 565) **Caradrina (Kalchbergiana) ingrata (Staudinger, 1897)** (Noctuidae) Synonym(s): *ingrata* Staudinger, 1897
- 566) **Caradrina (Paradrina) clavipalpis (Scopoli, 1763)** (Noctuidae) Synonym(s): *clavipalpis* Scopoli, 1763; *grisea* Hufnagel, 1766; *quadripunctata* Fabricius, 1775; *cubicularis* [Denis & Schiffermüller], 1775; *leucoptera* Thunberg, 1791; *milleri* Schultz, 1862; *avicula* Krulikovsky, 1909; *teidovolans* Pinker, 1974; *pinker* Kobes, 1975
- 567) **Caradrina (Platyperigea) terrea (Freyer, [1840])** (Noctuidae) Synonym(s): *terrea* Freyer, [1840]; *ustirena* Boisduval, 1840
- 568) **Carcharodus (Lavatheria) stauderi Reverdin, 1913** (Hesperiidae) Synonym(s): *stauderi* Reverdin, 1913.
- 569) **Cardepija affinis Rothschild, 1913** (Noctuidae) Synonym(s): *affinis* Rothschild, 1913; *ghigli* Turati, 1921; *strobilacei* Dumont, 1925.
- 570) **Cardepija deserticola Hampson, 1905** (Noctuidae) Synonym(s): *deserticola* Hampson, 1905
- 571) **Cardepija sociabilis (Graslin, 1850)** (Noctuidae) Synonym(s): *sociabilis* Graslin, 1850; *ghigii* Turati, 1926; *pedrosai* Monteiro, 1972; *grisea* Berio, 1986.
- 572) **Cardiophorus (s.str.) alepensis Pic, 1914** (Elateridae) Synonym(s): *alepensis* Pic, 1914
- 573) **Cardiophorus (s.str.) eliasi Pic, 1904** (Elateridae) Synonym(s): *eliasi* Pic, 1904
- 574) **Cardiophorus (s.str.) insignis Descrochers, 1875** (Elateridae) Synonym(s): *insignis* Descrochers, 1875
- 575) **Cardiophorus (s.str.) kinzelbachi Chassain, 1979** (Elateridae) Synonym(s): *kinzelbachi* Chassain, 1979
- 576) **Cardiophorus (s.str.) miniaticollis Candeze, 1860** (Elateridae) Synonym(s): *miniaticollis* Candeze, 1860
- 577) **Cardiophorus (s.str.) nigratissimus Buysson, 1891** (Elateridae) Synonym(s): *nigratissimus* Buysson, 1891
- 578) **Cardiophorus (s.str.) reitteri (Schwarz, 1891)** (Elateridae) Synonym(s): *reitteri* Schwarz, 1891
- 579) **Cardiophorus (s.str.) rotundicollis Frivaldsky, 1845** (Elateridae) Synonym(s): *rotundicollis* Frivaldsky, 1845; *turgescens* Buysson, 1891
- 580) **Cardiophorus (s.str.) sacratus Erichson, 1840** (Elateridae) Synonym(s): *sacratus* Erichson, 1840; *tokatensis* Pic, 1913
- 581) **Cardiophorus (s.str.) syriacus (Linnaeus, 1758)** (Elateridae) Synonym(s): *syriacus* Linnaeus, 1758
- 582) **Cardiophorus (s.str.) tenellus Reiche, 1856** (Elateridae) Synonym(s): *tenellus* Reiche, 1856
- 583) **Cardiophorus (s.str.) turgidus Erichson, 1840** (Elateridae) Synonym(s): *turgidus* Erichson, 1840
- 584) **Carlandrea syriaca (Pic, 1891)** (Cerambycidae) Synonym(s): *syriaca* Pic, 1891
- 585) **Carpocoris fuscispinus (Boheman, 1851)** (Pentatomidae) Synonym(s): *fuscispinus* Boheman, 1851; *hahni* Flor, 1856; *atlanticus* Tamanini, 1958; *mediterraneus* Tamanini, 1958
- 586) **Carpocoris pudicus (Poda, 1761)** (Pentatomidae) Synonym(s): *pudicus* Poda, 1761; *cinctus* Schrank, 1776; *carnus* Gmelin, 1790; *wilkinsonii* Westwood, 1837; *pallida* Dallas, 1851
- 587) **Caryedon angeri (Semenov, 1896)** (Bruchidae) Synonym(s): *angeri* Semenov, 1896; *palaestinus* Southgate, 1976; *#palaestinus* Yücel, 1994
- 588) **Catocala (Ephesia) eutychea (Treitschke, 1835)** (Noctuidae) Synonym(s): *eutychea* Treitschke, 1835; *delicata* Vicent, 1913.
- 589) **Catocala (Ephesia) separata Freyer, 1848** (Noctuidae) Synonym(s): *separata* Freyer, 1848
- 590) **Catocala (s.str.) elocata (Esper, [1787])** (Noctuidae) Synonym(s): *elocata* Esper, [1787]; *marita* Hübner, [1813]; *nurus* Hübner, [1822]
- 591) **Catocala (s.str.) neonympha (Esper, [1805])** (Noctuidae) Synonym(s): *neonympha* Esper, [1805]
- 592) **Catocala (s.str.) puerpera (Giorna, 1791)** (Noctuidae) Synonym(s): *puerpera* Giorna, 1791; *amasia* Esper, [1804] *nec* Sm., 1797; *pelle* Hübner, [1809]; *romana* Schultz, 1909
- 593) **Catoplatus anticus (Reuter, 1880)** (Tingidae) Synonym(s): *anticus* Reuter, 1880
- 594) **Catoplatus crassipes (Fieber, 1861)** (Tingidae) Synonym(s): *crassipes* Fieber, 1861
- 595) **Catoplatus hilaris (Horvath, 1906)** (Tingidae) Synonym(s): *hilaris* Horvath, 1906
- 596) **Catoptria confusella (Staudinger, 1881)** (Pyralidae) Synonym(s): *confusella* Staudinger, 1881
- 597) **Celastrina argiolus (Linnaeus, 1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus, 1758; *cleobis* Sulzer, 1776; *thersanon* Bergsträßer, 1779; *argyphontes* Bergsträßer, 1779; *argalus* Bergsträßer, 1779; *marginatus* Retzius, 1783; *acis* Fabricius, 1787 *nec* Dru., [1773]; *#parvipuncta* Fuchs, 1880; *calidogenita* Verity, 1919; *britannia* Verity, 1919.
- 598) **Celonites cyprius Saussure, 1854** (Vespidae) Synonym(s): *cyprius* Saussure, 1854
- 599) **Celonites hamanni Gusenleitner, 1973** (Vespidae) Synonym(s): *hamanni* Gusenleitner, 1973; *#hammani* Yıldırım & Özbek, 1997
- 600) **Centrocoris degener (Puton, 1874)** (Coreidae) Synonym(s): *degener* Puton, 1874
- 601) **Centrocoris spiniger (Fabricius, 1781)** (Coreidae) Synonym(s): *branderi* Linnaeus, 1767; *spiniger* Fabricius, 1781; *pallascens* Kolenati, 1845; *subinermis* Rey, 1887; *bampurensis* Linnavuori, 1968
- 602) **Cephalochilus draco Giordani Soika, 1970** (Vespidae) Synonym(s): *draco* Giordani Soika, 1970
- 603) **Cephalostenus orbicollis Ménétriés, 1836** (Tenebrionidae) Synonym(s): *orbicollis* Ménétriés, 1836; *elegans* Solier, 1838; *dejeani* Reiche & Saulcy, 1857 *nec* Sol., 1838
- 604) **Cephus nigrinus Thomson, 1871** (Cephidae) Synonym(s): *nigrinus* Thomson, 1871
- 605) **Cephus pygmaeus (Linnaeus, 1767)** (Cephidae) Synonym(s): *pygmaeus* Linnaeus, 1767; *saluum* Fabricius, 1775; *abdominalis* Latreille, 1816; *flaviventris* Guérin, 1834; *nigripennis* Sichel, 1860; *notatus* Kokujev, 1910; *nigromaculatus* Pic, 1917; *aegyptiacum* Pic, 1918; *delagrangei* Pic, 1920; *tanaiticus* Dognar-Zapolski, 1926
- 606) **Ceraleptus obtusus (Brullé, 1839)** (Coreidae) Synonym(s): *obtus* Brullé, 1839; *aegyptius* Westwood, 1842; *squalidus* Costa, 1847; *distinguendus* Stein, 1858; *leptocerus* Fieber, 1861; *bellieri* Signoret, 1862; *armeniaceus* Horvath, 1898
- 607) **Ceramius palaestinus Giordani Soika, 1957** (Vespidae) Synonym(s): *palaestinus* Giordani Soika, 1957; *#palaestinus* Yıldırım & Özbek, 1997
- 608) **Ceratapion gibbifrons (Hustache, 1932)** (Brentidae) Synonym(s): *gibbifrons* Hustache, 1932; *cystocephalus* Bajtenov & Lodos, 1978
- 609) **Ceratina bifida Friese, 1900** (Apidae) Synonym(s): *bifida* Friese, 1900
- 610) **Ceratina bispinosa Handlirsch, 1889** (Apidae) Synonym(s): *bispinosa* Handlirsch, 1889
- 611) **Ceratina mandibularis Friese, 1896** (Apidae) Synonym(s): *mandibularis* Friese, 1896
- 612) **Ceratina moricei Friese, 1899** (Apidae) Synonym(s): *moricei* Friese, 1899

- 613) **Ceratina parvula Smith, 1854** (Apidae) Synonym(s): *parvula* Smith, 1854; *pygmaea* Lichtenstein, 1872; *scintilla* Cockerell, 1931
- 614) **Ceratina schwarzi Kocourek, 1998** (Apidae) Synonym(s): *schwarzi* Kocourek, 1998
- 615) **Ceratina tibialis Morawitz, 1895** (Apidae) Synonym(s): *tibialis* Morawitz, 1895; *ahngeri* Kokujev, 1905; *?corinna* Nurse, 1904
- 616) **Ceratitis (s.str.) capitata (Wiedemann, 1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann, 1824; *citriperda* Mac Leay, 1829; *asparagi* Bezzi, 1924
- 617) **Ceratuncus affinitellus (Rebel, 1901)** (Tineidae) Synonym(s): *affinitellus* Rebel, 1901; *#extinctella* Caradja, 1920; *maraschensis* Rebel, 1936; *irakella* Amsel, 1949; *libanotica* Amsel, 1951.
- 618) **Cercion lindenii (Selys, 1840)** (Coenagrionidae) Synonym(s): *lindenii* Selys, 1840; *zernyi* Schmidt, 1938
- 619) **Cercopis intermedia Kirschbaum, 1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum, 1868; *obliterata* Kirschbaum, 1868; *nigra* Royer, 1906; *simulans* Peneau, 1912; *turkestanica* Lindberg, 1923
- 620) **Cercopis septemmaculata (Melichar, 1903)** (Cercopidae) Synonym(s): *septemmaculata* Melichar, 1903
- 621) **Cerocoma (Meloides) gloriosa Mulsant, 1857** (Meloidae) Synonym(s): *gloriosa* Mulsant, 1857; *vasvarii* Kaszab, 1941; *jodina* Kaszab, 1951; *pseudogloriosa* Muche, 1963
- 622) **Cerocoma (Meloides) kunzei Frivaldsky, 1835** (Meloidae) Synonym(s): *kunzei* Frivaldsky, 1835; *patelligera* Baudi, 1878; *patkaii* Kaszab, 1941; *kaszabi* Maran, 1944; *#violacea* Kaszab, 1951; *iranica* Muche, 1963; *palaestinensis* Muche, 1963
- 623) **Cerocoma (Metacerocoma) schreberi Fabricius, 1781** (Meloidae) Synonym(s): *schreberi* Fabricius, 1781
- 624) **Cerocoma dahli Kraatz, 1863** (Meloidae) Synonym(s): *dahli* Kraatz, 1863
- 625) **Cerocoma syriaca Abeille de Perrin, 1880** (Meloidae) Synonym(s): *syriaca* Abeille de Perrin, 1880
- 626) **Ceroptera rufitarsis (Meigen, 1830)** (Sphaeroceridae) Synonym(s): *rufitarsis* Meigen, 1830; *sacra* Meigen, 1838; *luteipennis* Strobl, 1902; *picta* Becker, 1913
- 627) **Cetonia (s.str.) delangrei Boucard, 1893** (Scarabaeidae) Synonym(s): *delangrei* Boucard, 1893; *syriaca* Boucard, 1893; *chrysosoma* Reitter, 1896
- 628) **Cetonia (s.str.) viridescens Reitter, 1891** (Scarabaeidae) Synonym(s): *viridescens* Reitter, 1891
- 629) **Ceutorhynchus aenescens Schultze, 1895** (Curculionidae) Synonym(s): *aenescens* Schultze, 1895
- 630) **Ceutorhynchus anatolicus Schultze, 1900** (Curculionidae) Synonym(s): *anatolicus* Schultze, 1900
- 631) **Ceutorhynchus assimilis (Paykull, 1792)** (Curculionidae) Synonym(s): *assimilis* Paykull, 1792
- 632) **Ceutorhynchus erysimi (Fabricius, 1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius, 1787
- 633) **Ceutorhynchus fallax Boheman, 1845** (Curculionidae) Synonym(s): *fallax* Boheman, 1845
- 634) **Ceutorhynchus pallidactylus (Marsham, 1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham, 1802
- 635) **Ceutorhynchus sulcatus Brisothe, 1869** (Curculionidae) Synonym(s): *sulcatus* Brisothe, 1869
- 636) **Ceutorhynchus sulcicollis (Paykull, 1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull, 1800
- 637) **Ceutorhynchus turbatus Schultze, 1903** (Curculionidae) Synonym(s): *turbatus* Schultze, 1903
- 638) **Chaetocnema chlorophana (Duftschmid, 1825)** (Chrysomelidae) Synonym(s): *chlorophana* Duftschmid, 1825
- 639) **Chaetomalachius cyanellus (Kiesenwetter, 1863)** (Melyridae) Synonym(s): *cyanellus* Kiesenwetter, 1863
- 640) **Chaetomalachius dispar Schilsky, 1896** (Melyridae) Synonym(s): *dispar* Schilsky, 1896; *bodemeyeri* Majer, 1988
- 641) **Chaetorellia conjuncta (Becker, 1913)** (Tephritidae) Synonym(s): *conjuncta* Becker, 1913
- 642) **Chalcochiton pallasii (Loew, 1856)** (Bombyliidae) Synonym(s): *pallasii* Loew, 1856; *schineri* Nowicki, 1868
- 643) **Chalcochiton syriacus (Loew, 1869)** (Bombyliidae) Synonym(s): *syriacus* Loew, 1869
- 644) **Chamaesphacia masariformis (Ochsenheimer, 1808)** (Sesiidae) Synonym(s): *masariformis* Ochsenheimer, 1808; *bachiformis* Hübner, [1813]; *allantiformis* Eversmann, 1844 nec Newm., 1832; *loewii* Zeller, 1847; *brandti* Le Cerf, 1937; *djakonovi* Popescu-Gorj & Capuse, 1966
- 645) **Charadraula cassandra Gozmany, 1967** (Autostichidae) Synonym(s): *cassandra* Gozmany, 1967
- 646) **Charadraula parcella (Lederer, 1855)** (Autostichidae) Synonym(s): *parcella* Lederer, 1855; *chersopsamma* Meyrick, 1931.
- 647) **Chazara (Neochazara) anthe (Hoffmannsegg, 1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg, 1804; *persephone* Hübner, 1805; *anthe* Ochsenheimer, 1807.
- 648) **Chazaria incarnata (Freyer, 1838)** (Noctuidae) Synonym(s): *incarnata* Freyer, 1838; *boisduvali* Boisduval, 1840.
- 649) **Cheilotoma fulvicollis Sahlberg, 1913** (Chrysomelidae) Synonym(s): *fulvicollis* Sahlberg, 1913
- 650) **Cheironitis furcifer (Rossi, 1792)** (Scarabaeidae) Synonym(s): *furcifer* Rossi, 1792; *pugil* Costa, 1853; *syphax* Fairmaire, 1875; *metasternalis* Reitter, 1894; *theryi* Tondou, 1907
- 651) **Cheironitis irroratus (Rossi, 1790)** (Scarabaeidae) Synonym(s): *irroratus* Rossi, 1790
- 652) **Cheironitis moeris (Pallas, 1781)** (Scarabaeidae) Synonym(s): *moeris* Pallas, 1781
- 653) **Cheironitis pamphilus (Ménétriés, 1849)** (Scarabaeidae) Synonym(s): *pamphilus* Ménétriés, 1849; *eumenes* Motschulsky, 1859; *ponticus* Lansberge, 1875
- 654) **Cheiosis acuminata (Ménétriés, 1832)** (Tenebrionidae) Synonym(s): *acuminata* Ménétriés, 1832; *ovata* Faldermann, 1837
- 655) **Chelostoma (Foveosmia) bytinskii (Mavromoustakis, 1948)** (Megachilidae) Synonym(s): *bytinskii* Mavromoustakis, 1948
- 656) **Chelostoma (Foveosmia) maidli (Benoist, 1935)** (Megachilidae) Synonym(s): *maidli* Benoist, 1935; *seidenstueckeri* Mavromoustakis, 1954
- 657) **Chelostoma (Foveosmia) schlettereri (Friese, 1899)** (Megachilidae) Synonym(s): *schlettereri* Friese, 1899; *palaestina* Benoist, 1935; *pici* Benoist, 1935
- 658) **Chelostoma (s.str.) diodon Schletterer, 1889** (Megachilidae) Synonym(s): *diodon* Schletterer, 1889; *cypriacum* Mavromoustakis, 1951
- 659) **Chelostoma (subgen?) ventrale Schletterer, 1889** (Megachilidae) Synonym(s): *ventrale* Schletterer, 1889; *brevifurca* Benoist, 1935; *subnitida* Benoist, 1935
- 660) **Chersotis (s.str.) ebertorum Koçak, 1980** (Noctuidae) Synonym(s): *maraschi* Corti & Draudt, 1933 (p.61) nec Corti & Draudt, 1933 (p.58); *ebertorum* Koçak, 1980.
- 661) **Chersotis (s.str.) multangula (Hübner, [1803])** (Noctuidae) Synonym(s): *multangula* Hübner, [1803]; *dissoluta* Staudinger, 1900; *travunia* Schawerda, 1912; *stojanovi* Toulouchkov, 1951.
- 662) **Chilades (Freyeria) trochylus (Freyer, [1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer, [1843]; *#trochilus* Herrich-Schäffer, [1845]; *parva* Murray, 1874; *persa* Bytinski-Salz & Brandt, 1937; *#supraradiata* Wagner, 1931
- 663) **Chilades (Lachides) galba (Lederer, 1855)** (Lycaenidae) Synonym(s): *galba* Lederer, 1855
- 664) **Chilo luteellus (Motschulsky, 1866)** (Pyralidae) Synonym(s): *lutellus* Motschulsky, 1860 nec [Denis & Schiff.], 1775; *luteellus* Motschulsky, 1866; *concolorellus* Christoph, 1885; *gensamellus* Leech, 1889; *dubia* Bethune-Baker, 1894; *boxanus* Hering, 1903; *plumbosellus* Chrétien, 1910; *molydellus* Zerny, 1935; *molybdellus* Zerny, 1941.

- 665) **Chilothorax equitis** (W.Koshantischikov,1912) (Scarabaeidae) Synonym(s): *equis* W.Koshantischikov,1912
 666) **Chilothorax hieroglyphicus** (Klug,1845) (Scarabaeidae) Synonym(s): *hieroglyphicus* Klug,1845
 667) **Chilothorax lineolatus** (Illiger,1803) (Scarabaeidae) Synonym(s): *lineolatus* Illiger,1803
 668) **Chilothorax melanostictus** (W.Schmidt,1840) (Scarabaeidae) Synonym(s): *melanostictus* W.Schmidt,1840
 669) **Chilothorax paykulli** (Bedel,1907) (Scarabaeidae) Synonym(s): *paykulli* Bedel,1907
 670) **Chilothorax xanthopterus** (Balthasar,1938) (Scarabaeidae) Synonym(s): *xanthopterus* Balthasar,1938
 671) **Chionodes distinctella** (Zeller,1839) (Gelechiidae) Synonym(s): *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979.
 672) **Chionotopus humeralis** (Reiche,1857) (Melyridae) Synonym(s): *humeralis* Reiche,1857
 673) **Chlaenius (Chlaeniellus) differens** Peyron,1858 (Carabidae) Synonym(s): *differens* Peyron,1858
 674) **Chlaenius (Chlaenites) spoliatus** (P.Rossi,1792) (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792
 675) **Chlaenius aeneocephalus** Dejean,1826 (Carabidae) Synonym(s): *aeneocephalus* Dejean,1826
 676) **Chlaenius cruralis** Fischer von Waldheim,1829 (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829
 677) **Chlaenius festivus** (Panzer,1796) (Carabidae) Synonym(s): *festivus* Panzer,1796
 678) **Chloantha hypericii** (Fabricius,1787) (Noctuidae) Synonym(s): *hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
 679) **Chloromyia formosa** (Scopoli,1763) (Stratiomyidae) Synonym(s): *formosa* Scopoli,1763
 680) **Chlorophorus dinae** Rapuzzi & Sama,1999 (Cerambycidae) Synonym(s): *dinae* Rapuzzi & Sama,1999
 681) **Chlorophorus gratus** Marseul,1868 (Cerambycidae) Synonym(s): *gratus* Marseul,1868
 682) **Chlorophorus varius** (O.F.Müller,1766) (Cerambycidae) Synonym(s): *varius* O.F.Müller,1766; *damascenus* Chevrolat,1854 [ssp.]
 683) **Chondrostege pastranum** Lederer,1858 (Lasiocampidae) Synonym(s): *pastranum* Lederer,1858; *hyrcanum* Staudinger,1871
 684) **Chorosoma schillingi** Schummel,1829 (Rhopalidae) Synonym(s): *schillingi* Schummel,1829
 685) **Chorthippus (s.str.) dorsatus** (Zetterstedt,1821) (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835
 686) **Chromovalgus peyroni** (Mulsant & Wachanru,1852) (Scarabaeidae) Synonym(s): *peyroni* Mulsant & Wachanru,1852
 687) **Chrysocrambus linetellus** (Fabricius,1781) (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,1848; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
 688) **Chrysocrambus syriellus** (Zerny,1934) (Pyralidae) Synonym(s): *syriellus* Zerny,1934
 689) **Chrysodeixis chalcites** (Esper,1789) (Noctuidae) Synonym(s): *chalcites* Esper,1789; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
 690) **Chrysodeixis eriosoma** (Doubleday,1843) (Noctuidae) Synonym(s): *eriosoma* Doubleday,1843; *verticillata* Guenée,1852
 691) **Chrysolina aeneipennis** (Reiche,1858) (Chrysomelidae) Synonym(s): *aeneipennis* Reiche,1858
 692) **Chrysolina anceyi** (Marseul,1868) (Chrysomelidae) Synonym(s): *anceyi* Marseul,1868; *winkleri* Breit,1919; *pluscula* Bechyne,1950
 693) **Chrysolina chalcites** (Germar,1824) (Chrysomelidae) Synonym(s): *chalcites* Germar,1824; *festiva* Ménéttriés,1832
 694) **Chrysolina coerulans** (Scriba,1791) (Chrysomelidae) Synonym(s): *coerulans* Scriba,1791; *angelica* Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella* Jacoby,1890; *uzbekorum* Bechyne,1950; *iranica* Jakob,1954; *piffli* Lopatin,1967
 695) **Chrysolina compuncta** (Weise,1898) (Chrysomelidae) Synonym(s): *compuncta* Weise,1898
 696) **Chrysolina didymata** (Scriba,1791) (Chrysomelidae) Synonym(s): *didymata* Scriba,1791; *syriaca* Weise,1884
 697) **Chrysolina gypsophila** (Küster,1845) (Chrysomelidae) Synonym(s): *gypsophila* Küster,1845; *lucidicollis* Küster,1845
 698) **Chrysolina orientalis** (Olivier,1807) (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraissa* Bechyne,1950
 699) **Chrysolina palmyrensis** Bechyne,1955 (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955
 700) **Chrysolina polita** (Linnaeus,1758) (Chrysomelidae) Synonym(s): *polita* Linnaeus,1758
 701) **Chrysolina sahlbergi** (Ménéttriés,1832) (Chrysomelidae) Synonym(s): *sahlbergi* Ménéttriés,1832; *cupreopunctata* Reiche,1858; *venefica* Weise,1884
 702) **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae) Synonym(s): *flavipes* Meigen,1804; *punctifer* Loew,1858; *#favipes* Kılıç,1999
 703) **Cicadatra abdominalis** Schumacher,1923 (Cicadidae) Synonym(s): *abdominalis* Schumacher,1923
 704) **Cicadatra atra** (Oliver,1790) (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (praeocc.); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954
 705) **Cicadatra hyalina** (Fabricius,1798) (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923
 706) **Cicadatra persica** Kirkaldy,1909 (Cicadidae) Synonym(s): *lineola* Hagen,1856 (praeocc.); *persica* Kirkaldy,1909
 707) **Cicadatra platyptera** Fieber,1876 (Cicadidae) Synonym(s): *platyptera* Fieber,1876
 708) **Cicadetta hageni** Fieber,1872 (Cicadidae) Synonym(s): *hageni* Fieber,1872
 709) **Cicadetta sibilatrix** Horvath,1901 (Cicadidae) Synonym(s): *sibilatrix* Horvath,1901
 710) **Cicadetta tumidifrons** Horvath,1911 (Cicadidae) Synonym(s): *tumidifrons* Horvath,1911
 711) **Cicadula divaricata** Ribaut,1952 (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut*,1952
 712) **Cicadula lineatopunctata** (Matsumura,1908) (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952
 713) **Cicindela asiatica** Audouin & Brullé,1839 (Carabidae) Synonym(s): *asiatica* Audouin & Brullé,1839
 714) **Cicindela herbacea** Klug,1832 (Carabidae) Synonym(s): *herbacea* Klug,1832; *persana* Dokhtouroff,1885
 715) **Cigaritis acamas** (Klug,1834) (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932
 716) **Circulifer haematoceps** (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948
 717) **Cixidia marginicollis** (Spinola,1839) (Achilidae) Synonym(s): *marginicollis* Spinola,1839
 718) **Clanoptilus (s.str.) flabellicornis** (Solsky,1880) (Melyridae) Synonym(s): *flabellicornis* Solsky,1880

- 719) **Clanoptilus maculiventris (Chevrolat,1864)** (Melyridae) Synonym(s): *maculiventris* Chevrolat,1864
 720) **Clarina syriaca (Lederer,1855)** (Sphingidae) Synonym(s): *syriaca* Lederer,1855; *#griseus* Ebert,1976.
 721) **Clavipanurgus gusenleitneri Patiny,2004** (Andrenidae) Synonym(s): *gusenleitneri* Patiny,2004
 722) **Clelea fusca (Leech,1887)** (Zygaenidae) Synonym(s): *fusca* Leech,1887; *microphaea* Hampson,1919; *syriaca* Hampson,1919; *maerens* Matsumura,1925 *nec* Stgr.,1887; *sachalinensis* Matsumura,1927
 723) **Cleonymia (s.str.) baetica (Rambur,1837)** (Noctuidae) Synonym(s): *baetica* Rambur,1837
 724) **Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
 725) **Cleonymia (Serryvania) pectinicornis (Staudinger,1859)** (Noctuidae) Synonym(s): *pectinicornis* Staudinger,1859; *youngi* Rothschild,1925
 726) **Clepsis soriana (Kennel,1899)** (Tortricidae) Synonym(s): *soriana* Kennel,1899; *seclusa* Meyrick,1926.
 727) **Cleptes rugulosus Linsenmaier,1968** (Chrysididae) Synonym(s): *rugulosus* Linsenmaier,1968
 728) **Clerus mutillaeformis Reitter,1895** (Cleridae) Synonym(s): *mutillaeformis* Reitter,1895
 729) **Closterotomus annulus (Brullé,1832)** (Miridae) Synonym(s): *annulus* Brullé,1832; *collaris* Fieber,1870; *fuliginosus* Reuter,1877; *fuscescens* Reuter,1877; *nebulosus* Wagner,1974
 730) **Closterotomus costae (Reuter,1888)** (Miridae) Synonym(s): *costae* Reuter,1888
 731) **Closterotomus hedenborgi (Fieber,1870)** (Miridae) Synonym(s): *hedenborgi* Fieber,1870; *colorata* Fieber,1870; *albida* Fieber,1870
 732) **Closterotomus histrio (Reuter,1877)** (Miridae) Synonym(s): *histrio* Reuter,1877; *obscurus* Wagner,1968
 733) **Closterotomus putoni (Horvath,1888)** (Miridae) Synonym(s): *putoni* Horvath,1888
 734) **Closterotomus trivialis (A.Costa,1853)** (Miridae) Synonym(s): *trivialis* A.Costa,1853
 735) **Clytie (s.str.) sancta (Staudinger,1898)** (Noctuidae) Synonym(s): *sancta* Staudinger,1898
 736) **Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
 737) **Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893
 738) **Clytra nigrocincta (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigrocincta* Lacordaire,1848
 739) **Clytra novempunctata Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920
 740) **Clytus kabateki Sama,1997** (Cerambycidae) Synonym(s): *kabateki* Sama,1997
 741) **Cnephasia (Cnephasiella) incertana (Treitschke,1835)** (Tortricidae) Synonym(s): *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistan* Amsel,1955; *atticana* Razowski,1958
 742) **Cnephasia (s.str.) facetana Kennel,1901** (Tortricidae) Synonym(s): *facetana* Kennel,1901
 743) **Cnephasia (s.str.) kenneli Obratzsov,1956** (Tortricidae) Synonym(s): *obsoletana* Kennel,1901 *nec* Wd.,1832; *kenneli* Obratzsov,1956.
 744) **Cnephasia (s.str.) lineata (Walsingham,1900)** (Tortricidae) Synonym(s): *lineata* Walsingham,1900; *terebrana* Amsel & M.Hering,1931
 745) **Cnephasia (s.str.) orientana (Alpheraky,1877)** (Tortricidae) Synonym(s): *orientana* Alpheraky,1877
 746) **Cnephasia (s.str.) pasiutana (Hübner,[1799])** (Tortricidae) Synonym(s): *pasiutana* Hübner,[1799]; *obsoletana* Stephens,1835; *punicana* Zeller,1847; *#pasivana* Staudinger,1879; *crassifasciana* Joannis,1920; *linophagana* Rebel,1939; *pyrophagana* Rebel,1939; *cleuana* Réal,1952; *pseudotypica* Réal,1952; *algerana* Réal,1953; *blezynskii* Toll,1953; *hagiosana* Razowski,1959
 747) **Cnephasia (s.str.) sedana (Constant,1884)** (Tortricidae) Synonym(s): *sedana* Constant,1884; *marcidana* Kennel,1901; *valderiana* Turati & Verity,1912; *alaicana* Caradja,1916; *agathana* Kennel,1919; *obscurana* Osthelder,1938; *oricasis* Meyrick,1932; *amseli* Razowski,1957; *pirizana* Razowski,1965
 748) **Cnephasia (s.str.) tofina (Meyrick,1922)** (Tortricidae) Synonym(s): *tofina* Meyrick,1922; *syriella* Razowski,1956; *tolli* Razowski,1956; *palaestinensis* Amsel,1958
 749) **Cnephasia (s.str.) tristrami (Walsingham,1900)** (Tortricidae) Synonym(s): *tristrami* Walsingham,1900
 750) **Cnephasia (s.str.) virginana (Kennel,1899)** (Tortricidae) Synonym(s): *virginana* Kennel,1899; *maraschana* Caradja,1916.
 751) **Cochylimorpha diana (Kennel,1899)** (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
 752) **Cochylimorpha straminea (Haworth,[1811])** (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
 753) **Cochylis aestiva (Walsingham,1900)** (Tortricidae) Synonym(s): *aestiva* Walsingham,1900
 754) **Cochylis defessana Mann,1861** (Tortricidae) Synonym(s): *defessana* Mann,1861; *centaureana* Staudinger,1879.
 755) **Cochylis epilinana Duponchel,1842** (Tortricidae) Synonym(s): *epilinana* Duponchel,1842; *carpophilana* Staudinger,1859.
 756) **Cochylis hybridella (Hübner,[1813])** (Tortricidae) Synonym(s): *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916.
 757) **Cochylis posterana Zeller,1847** (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935
 758) **Codophila (Antheminia) lunulata (Goeze,1778)** (Pentatomidae) Synonym(s): *lunulata* Goeze,1778
 759) **Codophila (s.str.) varia (Fabricius,1787)** (Pentatomidae) Synonym(s): *varia* Fabricius,1787; *longicornis* De la Fuente,1972
 760) **Coenonympha (s.str.) pamphilus (Linnaeus,1758)** (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *julidusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neollyllus* De Lattin,1950
 761) **Coenonympha (s.str.) pamphilus pamphilus (Linnaeus,1758)** (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *julidusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neollyllus* De Lattin,1950
 762) **Coenorhinus aequatus (Linnaeus,1767)** (Atelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903
 763) **Coenorhinus cribrum (Desbrochers,1875)** (Atelabidae) Synonym(s): *cribrum* Desbrochers,1875; *italicus* Voss,1929
 764) **Coenosia atra Meigen,1830** (Muscidae) Synonym(s): *atra* Meigen,1830
 765) **Coenosia attenuata Stein,1903** (Muscidae) Synonym(s): *attenuata* Stein,1903; *flavicornis* Schnabl,1911; *confalonierii* Séguy,1930; *affinis* Santos Abreu,1976; *flavipes* Santos Abreu,1976
 766) **Coenosia testacea (R-D.,1830)** (Muscidae) Synonym(s): *testacea* R-D.,1830

- 767) **Colaphus apicalis** (Ménétriés, 1849) (Chrysomelidae) Synonym(s): *apicalis* Ménétriés, 1849
- 768) **Coleophora albicostella** (Duponchel, 1842) (Coleophoridae) Synonym(s): *albicostella* Duponchel, 1842; *albimarginella* Herrich-Schäffer, 1855
- 769) **Coleophora amasiella** Stainton, 1867 (Coleophoridae) Synonym(s): *amasiella* Stainton, 1867
- 770) **Coleophora argyrella** Herrich-Schäffer, 1861 (Coleophoridae) Synonym(s): *argyrella* Herrich-Schäffer, 1861
- 771) **Coleophora assyriae** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *assyriae* Baldizzzone, 1994
- 772) **Coleophora calycotomella** Stainton, 1869 (Coleophoridae) Synonym(s): *calycotomella* Stainton, 1869; *sarothamni* Rössler, 1877; *oranella* Toll, 1952; *afra* Toll, 1952; *paraobviella* Toll, 1961
- 773) **Coleophora conspicuella** Zeller, 1849 (Coleophoridae) Synonym(s): *conspicuella* Zeller, 1849; *centaureicolella* Bruand, [1856]; *similis* Staudinger, 1880; *aceris* Caradja, 1920
- 774) **Coleophora derbendella** Baldizzzone, 1994 (Coleophoridae) Synonym(s): *derbendella* Baldizzzone, 1994
- 775) **Coleophora fuscicornis** Zeller, 1847 (Coleophoridae) Synonym(s): *fuscicornis* Zeller, 1847
- 776) **Coleophora hieronella** Zeller, 1849 (Coleophoridae) Synonym(s): *hieronella* Zeller, 1849
- 777) **Coleophora jerusalemella** Toll, 1942 (Coleophoridae) Synonym(s): *jerusalemella* Toll, 1942
- 778) **Coleophora microalbella** Amsel, 1935 (Coleophoridae) Synonym(s): *microalbella* Amsel, 1935
- 779) **Coleophora onobrychiella** Zeller, 1849 (Coleophoridae) Synonym(s): *onobrychiella* Zeller, 1849; *arenariella* Zeller, 1865
- 780) **Coleophora onopordiella** Zeller, 1849 (Coleophoridae) Synonym(s): *onopordiella* Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *pseudophlomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemes, 2003
- 781) **Coleophora paraptarmica** Toll & Amsel, 1967 (Coleophoridae) Synonym(s): *paraptarmica* Toll & Amsel, 1967
- 782) **Coleophora phlomidis** Stainton, 1867 (Coleophoridae) Synonym(s): *phlomidis* Stainton, 1867
- 783) **Coleophora tauricella** Staudinger, 1880 (Coleophoridae) Synonym(s): *tauricella* Staudinger, 1880; *skopusella* Amsel, 1935; *kurdistanella* Amsel, 1955
- 784) **Coleophora zelleriella** Heinemann, 1854 (Coleophoridae) Synonym(s): *zelleriella* Heinemann, 1854
- 785) **Coleophora zernyi** Toll, 1944 (Coleophoridae) Synonym(s): *zernyi* Toll, 1944
- 786) **Colias** (Eriocolias) **crocea** (Fourcroy, 1785) (Pieridae) Synonym(s): *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893
- 787) **Colletes** (**albomaculatus** gr.) **albomaculatus** (Lucas, 1849) (Colletidae) Synonym(s): *albomaculatus* Lucas, 1849
- 788) **Colletes** (**albomaculatus** gr.) **alfkeni** Noskiewicz, 1958 (Colletidae) Synonym(s): *alfkeni* Noskiewicz, 1958
- 789) **Colletes** (**albomaculatus** gr.) **punctatus** Mocsary, 1877 (Colletidae) Synonym(s): *punctatus* Mocsary, 1877
- 790) **Colletes** (**cariniger** gr.) **cariniger** Pérez, 1903 (Colletidae) Synonym(s): *cariniger* Pérez, 1903
- 791) **Colletes** (**caspicus** gr.) **maidli** Noskiewicz, 1936 (Colletidae) Synonym(s): *maidli* Noskiewicz, 1936
- 792) **Colletes** (**cunicularius** gr.) **caskanus** (Strand, 1919) (Colletidae) Synonym(s): *caskanus* Strand, 1919
- 793) **Colletes** (**fodiens** gr.) **similis** Schenck, 1853 (Colletidae) Synonym(s): *similis* Schenck, 1853
- 794) **Colletes** (**nanus** gr.) **arztbergi** Kuhlmann, 2003 (Colletidae) Synonym(s): *arztbergi* Kuhlmann, 2003
- 795) **Colletes** (**nanus** gr.) **nanus** Friese, 1898 (Colletidae) Synonym(s): *nanus* Friese, 1898
- 796) **Colletes** (**nasutus** gr.) **nasutus** Smith, 1853 (Colletidae) Synonym(s): *nasutus* Smith, 1853
- 797) **Colletes** (**squamosus** gr.) **askhabadensis** Radoszkowski, 1886 (Colletidae) Synonym(s): *askhabadensis* Radoszkowski, 1886
- 798) **Colletes** (**squamosus** gr.) **ottomanus** Noskiewicz, 1958 (Colletidae) Synonym(s): *ottomanus* Noskiewicz, 1958
- 799) **Colletes** (**squamosus** gr.) **squamulosus** Noskiewicz, 1936 (Colletidae) Synonym(s): *squamulosus* Noskiewicz, 1936
- 800) **Colobopterus erraticus** (Linnaeus, 1758) (Scarabaeidae) Synonym(s): *erraticus* Linnaeus, 1758
- 801) **Colotes maculatus** (Castelnau du Laporte, 1836) (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte, 1836
- 802) **Colotes obsoletus** Erichson, 1840 (Melyridae) Synonym(s): *obsoletus* Erichson, 1840
- 803) **Colotis** (s.str.) **fausta** (Olivier, [1804]) (Pieridae) Synonym(s): *fausta* Olivier, [1804]
- 804) **Condica viscosa** (Freyer, 1831) (Noctuidae) Synonym(s): *viscosa* Freyer, 1831; *indelicata* Turati, 1934; *europaea* Parenzan, 1980
- 805) **Coniocleonus excoriatus** (Schoenherr, 1834) (Curculionidae) Synonym(s): *excoriatus* Schoenherr, 1834; *melanographus* Fahreus, 1840
- 806) **Conocephalus** (s.str.) **kisi** Harz, 1967 (Tettigoniidae) Synonym(s): *kisi* Harz, 1967; *harzi* Willemse, 1971
- 807) **Conops elegans** Meigen, 1824 (Conopidae) Synonym(s): *elegans* Meigen, 1824; *fuscipennis* Macquart, 1849; *algirus* Macquart, 1849; *fuscanipennis* Bigot, 1887; *minutus* Kröber, 1916
- 808) **Conops flavifrons** Meigen, 1824 (Conopidae) Synonym(s): *flavifrons* Meigen, 1824; *pugioniformis* Becker, 1913; *minor* Becker, 1922; *kroeberi* Paramonov, 1927; *immaculata* Paramonov, 1927
- 809) **Copium adumbratum** (Horvath, 1891) (Tingidae) Synonym(s): *adumbratum* Horvath, 1891
- 810) **Copium brevicorne** (Jakovlev, 1880) (Tingidae) Synonym(s): *brevicorne* Jakovlev, 1880
- 811) **Copium teucirii** (Host, 1788) (Tingidae) Synonym(s): *teucirii* Host, 1788; *lusitanicum* de Seabra, 1924
- 812) **Coptosia sancta** Sama, 2001 (Cerambycidae) Synonym(s): *sancta* Sama, 2001
- 813) **Coquillettidia richiardi** (Ficalbi, 1889) (Culicidae) Synonym(s): *richiardi* Ficalbi, 1889; *nikolskyi* Shingarev, 1927
- 814) **Coranus aegyptius** (Fabricius, 1775) (Reduviidae) Synonym(s): *aegyptius* Fabricius, 1775; *linnavuorii* Dispons, 1963; *aegypticus* auct.
- 815) **Coranus angulatus** Stal, 1874 (Reduviidae) Synonym(s): *angulatus* Stal, 1874; *pirzadae* Miller, 1950; *filsi* Dispons, 1954
- 816) **Coranus griseus** (Rossi, 1790) (Reduviidae) Synonym(s): *griseus* Rossi, 1790; *murinus* Rambur, 1840; *persicus* Wagner, 1952
- 817) **Coranus tuberculifer** Reuter, 1881 (Reduviidae) Synonym(s): *tuberculifer* Reuter, 1881
- 818) **Coriomeris affinis** (Herrich-Schäffer, 1839) (Coreidae) Synonym(s): *affinis* Herrich-Schäffer, 1839
- 819) **Coriomeris denticulatus** (Scopoli, 1763) (Coreidae) Synonym(s): *denticulatus* Scopoli, 1763
- 820) **Coriomeris hirticornis** (Fabricius, 1794) (Coreidae) Synonym(s): *hirticornis* Fabricius, 1794
- 821) **Coriomeris scabricornis** (Panzer, 1809) (Coreidae) Synonym(s): *scabricornis* Panzer, 1809
- 822) **Coriomeris vitticornis** Reuter, 1900 (Coreidae) Synonym(s): *vitticornis* Reuter, 1900
- 823) **Cornifrons ulceratalis** Lederer, 1858 (Pyralidae) Synonym(s): *ulceratalis* Lederer, 1858; *seriziatialis* Oberthür, 1876
- 824) **Cornutiplusia circumflexa** (Linnaeus, 1767) (Noctuidae) Synonym(s): *circumflexa* Linnaeus, 1767; *lunata* Fabricius, 1787; *flexuosa* Donovan, 1807; *daubii* Freyer, 1838; *graphica* Herrich-Schäffer, 1851; *patefacta* Walker, [1858]; *reticulata* Moore, 1882; *clarescens* Pinker & Bacallado, 1975; *unata* Kononenko & Pinratana, 2005
- 825) **Corynis orientalis** (Konow, 1898) (Cimbicidae) Synonym(s): *orientalis* Konow, 1898
- 826) **Corynis similis** (Mocsary, 1880) (Cimbicidae) Synonym(s): *similis* Mocsary, 1880
- 827) **Cosmopleurus fulvipes** (Dallas, 1852) (Lygaeidae) Synonym(s): *fulvipes* Dallas, 1852; *obscura* Bergevin, 1936
- 828) **Creoleon elegans** Hölzel, 1968 (Myrmeleonidae) Synonym(s): *elegans* Hölzel, 1968

- 829) *Crepidodera aurea* (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *aurea* Geoffroy,1785; *cyanea* Marsham,1802; *metallica* Duftschmidt,1825; *gaudens* Stephens,1831; *laeta* Weise,1886; *splendens* Weise,1886; *purpurascens* Pic,1918; *syriaca* Pic,1918
- 830) *Crombruggia tristis* (Zeller,1839)** (Pterophoridae) Synonym(s): *tristis* Zeller,1839; *tristidactyla* Bruand,1858; *adamczewskii* Bigot & Picard,1988.
- 831) *Crossotocera wagnerella* Zerny,1930** (Oecophoridae) Synonym(s): *wagnerella* Zerny,1930
- 832) *Cryphia (Bryoleuca) petrea* (Guenée,1852)** (Noctuidae) Synonym(s): *petrea* Guenée,1852
- 833) *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,1791; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962
- 834) *Cryphia (Bryophila) maconis* (Lederer,1865)** (Noctuidae) Synonym(s): *maconis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909.
- 835) *Cryptocephalus augustalisi* Pic,1913** (Chrysomelidae) Synonym(s): *augustalisi* Pic,1913
- 836) *Cryptocephalus moehringi* Weise,1884** (Chrysomelidae) Synonym(s): *moehringi* Weise,1884
- 837) *Cryptocephalus prusias* Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853
- 838) *Cryptocephalus turcicus* Suffrian,1847** (Chrysomelidae) Synonym(s): *turcicus* Suffrian,1847; *pistaciae* Suffrian,1853
- 839) *Ctenagenia vespiformis* (Klug,1834)** (Pompilidae) Synonym(s): *vespiformis* Klug,1834
- 840) *Ctenota molitrix* Loew,1873** (Asilidae) Synonym(s): *molitrix* Loew,1873
- 841) *Ctenotilla caeca* (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879; *pectinifera* André,1893; *obscura* Nonveiller,1959
- 842) *Ctesias syriaca* Ganglbauer,1904** (Dermestidae) Synonym(s): *syriaca* Ganglbauer,1904
- 843) *Cucullia (Shargacucullia) barthae* Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933
- 844) *Cucullia (Shargacucullia) verbasci* (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 845) *Cueta kasyi* Hölzel,1969** (Myrmeleionidae) Synonym(s): *kasyi* Hölzel,1969
- 846) *Culex (Barradius) pusillus* Macquart,1850** (Culicidae) Synonym(s): *pusillus* Macquart,1850
- 847) *Culex (Maillotia) deserticola* Kirkpatrick,1924** (Culicidae) Synonym(s): *deserticola* Kirkpatrick,1924
- 848) *Culex (s.str.) laticinctus* Edwards,1913** (Culicidae) Synonym(s): *laticinctus* Edwards,1913
- 849) *Culex (s.str.) perexiguus* Theobald,1903** (Culicidae) Synonym(s): *perexiguus* Theobald,1903
- 850) *Culex (s.str.) theileri* Theobald,1903** (Culicidae) Synonym(s): *theileri* Theobald,1903
- 851) *Culex (s.str.) tritaeniorhynchus* Giles,1901** (Culicidae) Synonym(s): *tritaeniorhynchus* Giles,1901; *summorosus* Dyar,1920; *biroi* Theobald,1905; *siamensis* Barraud & Christophers,1931
- 852) *Culiseta (Allotheobaldia) longiareolata* (Macquart,1838)** (Culicidae) Synonym(s): *longiareolata* Macquart,1838; *spathipalpis* Rondani,1872; *leucogrammus* Loew,1874; *serratipes* Becker,1908; *maroccanus* D'Anfreville,1916
- 853) *Culiseta (Culicella) fumipennis* (Stephens,1825)** (Culicidae) Synonym(s): *fumipennis* Stephens,1825; *ficalbii* Noe,1899; *theobaldi* Meijere,1911; *setivalva* Monchadskii,1936
- 854) *Culiseta (s.str.) annulata* (Schränk,1776)** (Culicidae) Synonym(s): *annulata* Schränk,1776; *annulatus* Fabricius,1787; *affinis* Stephens,1825; *nicaensis* Leach,1825; *ferruginata* Martini,1924
- 855) *Cydia adenocarpi* (Ragonot,1875)** (Tortricidae) Synonym(s): *adenocarpi* Ragonot,1875
- 856) *Cydia blackmoreana* (Walsingham,1903)** (Tortricidae) Synonym(s): *blackmoreana* Walsingham,1903
- 857) *Cydia caecana* (Schläger,1847)** (Tortricidae) Synonym(s): *caecana* Schläger,1847; *obcaecana* Ragonot,1876
- 858) *Cydia damascana* (Razowski,1966)** (Tortricidae) Synonym(s): *damascana* Razowski,1966
- 859) *Cydia difficilana* (Walsingham,1900)** (Tortricidae) Synonym(s): *difficilana* Walsingham,1900; *difficilana* Kennel,1901
- 860) *Cydia duplicana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *?dahliana* Frölich,1828; *duplicana* Zetterstedt,1839; *#interruptana* Herrich-Schäffer,1848; *interruptana* Herrich-Schäffer,1851
- 861) *Cydia fissana* (Frölich,1828)** (Tortricidae) Synonym(s): *fissana* Frölich,1828; *divisana* Duponchel,1836; *diffusana* Herrich-Schäffer,1851
- 862) *Cydia junctistrigana* (Walsingham,1900)** (Tortricidae) Synonym(s): *junctistrigana* Walsingham,1900
- 863) *Cydia leucogrammana* (Hofmann,1898)** (Tortricidae) Synonym(s): *leucogrammana* Hofmann,1898
- 864) *Cydia pallifrontana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *?elegantana* Frölich,1828; *pallifrontana* Lienig & Zeller,1846; *filana* Herrich-Schäffer,1851
- 865) *Cydia pomonella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859
- 866) *Cylindera (Cicindina) pygmaea* (Dejean,1825)** (Carabidae) Synonym(s): *pygmaea* Dejean,1825
- 867) *Cylindera (s.str.) germanica* (Linnaeus,1758)** (Carabidae) Synonym(s): *germanica* Linnaeus,1758
- 868) *Cymbionotum (s.str.) semeleleri* (Chaudoir,1861)** (Carabidae) Synonym(s): *semeleleri* Chaudoir,1861; *alginus* Chaudoir,1876; *funerula* Fairmaire,1885; *luniferum* Andrewes,1935; *houskai* Jedlicka,1951
- 869) *Cymophyes ochroleuca* Fieber,1870** (Lygaeidae) Synonym(s): *ochroleuca* Fieber,1870; *#ochrolenca* Önder et al.,2006
- 870) *Cyrtoptyx latipes* (Rondani,1874)** (Pteromalidae) Synonym(s): *latipes* Rondani,1874; *dacida* Masi,1907; *virescens* Masi,1908; *lesbiacus* Masi,1922; *albicus* Masi,1934
- 871) *Cytherea barbara* Sack,1906** (Bombyliidae) Synonym(s): *barbara* Sack,1906
- 872) *Cytherea carmelitensis* (Becker,1903)** (Bombyliidae) Synonym(s): *carmelitensis* Becker,1903
- 873) *Cytherea fenestrata* (Loew,1873)** (Bombyliidae) Synonym(s): *fenestrata* Loew,1873
- 874) *Cytherea nucleorum* (Bekker,1902)** (Bombyliidae) Synonym(s): *nucleorum* Bekker,1902
- 875) *Dailognatha caraboides* Solier,1835** (Tenebrionidae) Synonym(s): *caraboides* Solier,1835; *audouini* Solier,1835; *caucasica* Desbrochers,1881
- 876) *Dailognatha crenata* Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *crenata* Reiche & Saulcy,1857
- 877) *Dailognatha planata* Miller,1861** (Tenebrionidae) Synonym(s): *planata* Miller,1861
- 878) *Dailognatha quadricollis* Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832
- 879) *Danaus (Anosia) chrysippus* (Linnaeus,1758)** (Danaidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759
- 880) *Dasylabris (Craspedopyga) mandersternii* (Radoszkowski,1865)** (Mutillidae) Synonym(s): *mandersternii* Radoszkowski,1865; *cypria* Sichel & Radoszkowski,1870 [ssp.]
- 881) *Dasyphora albofasciata* (Macquart,1839)** (Muscidae) Synonym(s): *albofasciata* Macquart,1839; *hirsutoculata* Macquart,1849; *aeneomicans* Portschnsky,1881
- 882) *Dasypoda (Heterodasypoda) pyrotrichia* Förster,1855** (Melittidae) Synonym(s): *pyrotrichia* Förster,1855
- 883) *Dasypoda (Megadasypoda) patinyi* Michez,2002** (Melittidae) Synonym(s): *patinyi* Michez,2002
- 884) *Dasypoda (Megadasypoda) toroki* Michez,2004** (Melittidae) Synonym(s): *toroki* Michez,2004

- 885) *Dasypoda* (s.str.) *syriensis* Michez, 2004 (Melittidae) Synonym(s): *syriensis* Michez, 2004
- 886) *Dasypoda* (s.str.) *tubera* Warncke, 1973 (Melittidae) Synonym(s): *tubera* Warncke, 1973
- 887) *Dasyrhamphus carbonarius* (Meigen, 1820) (Tabanidae) Synonym(s): *carbonarius* Meigen, 1820; *gagates* Loew, 1858
- 888) *Dasyrhamphus nigrinus* (Fabricius, 1794) (Tabanidae) Synonym(s): *nigrinus* Fabricius, 1794; *alexandrinus* Wiedemann, 1830
- 889) *Dasytes vulpinus* Redtenbacher, 1843 (Melyridae) Synonym(s): *vulpinus* Redtenbacher, 1843
- 890) *Dasytidius alferii* (Wittmer, 1935) (Melyridae) Synonym(s): *alferii* Wittmer, 1935
- 891) *Dasytidius aurescens* Majer, 1991 (Melyridae) Synonym(s): *aurescens* Majer, 1991
- 892) *Dasytidius crassicornis* Majer, 1996 (Melyridae) Synonym(s): *crassicornis* Majer, 1996
- 893) *Dasytidius fulvipes* (Reitter, 1885) (Melyridae) Synonym(s): *fulvipes* Reitter, 1885
- 894) *Dasytidius infinitus* Majer, 1991 (Melyridae) Synonym(s): *infinitus* Majer, 1991
- 895) *Dasytidius nigripes* (Pic, 1894) (Melyridae) Synonym(s): *nigripes* Pic, 1894
- 896) *Dasytidius recticollis* Majer, 1996 (Melyridae) Synonym(s): *recticollis* Majer, 1996
- 897) *Dasytidius subnudus* Majer, 1991 (Melyridae) Synonym(s): *subnudus* Majer, 1991
- 898) *Dasytidius subsyriacus* Majer, 1991 (Melyridae) Synonym(s): *subsyriacus* Majer, 1991
- 899) *Dasytidius syriacus* (Reitter, 1885) (Melyridae) Synonym(s): *syriacus* Reitter, 1885
- 900) *Decticus verrucivorus* (Linnaeus, 1758) (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus, 1758; *rubicundus* De Geer, 1778; *hastatus* Fischer von Waldheim, 1839; *radiata* Fischer von Waldheim, 1846
- 901) *Delfimeus punctatus* (Navas, 1914) (Myrmeleonidae) Synonym(s): *punctatus* Navas, 1914
- 902) *Delta dimidiatipenne* (Saussure, 1852) (Vespidae) Synonym(s): *dimidiatipenne* Saussure, 1852
- 903) *Deltophora maculata* (Staudinger, 1879) (Gelechiidae) Synonym(s): *maculata* Staudinger, 1879
- 904) *Dendarus* (Pandarinus) *impressus* Reiche & Saulcy, 1857 (Tenebrionidae) Synonym(s): *impressus* Reiche & Saulcy, 1857
- 905) *Dendarus* (Pandarinus) *orientalis* Seidlitz, 1893 (Tenebrionidae) Synonym(s): *orientalis* Seidlitz, 1893
- 906) *Dendarus* (Pandarinus) *pauper* Mulsant, 1854 (Tenebrionidae) Synonym(s): *pauper* Mulsant, 1854; *libanicus* Baudi, 1875
- 907) *Dendarus* (Pandarinus) *piceus* (Olivier, 1811) (Tenebrionidae) Synonym(s): *piceus* Olivier, 1811
- 908) *Dendarus* (Pandarinus) *reitteri* Siedlitz, 1893 (Tenebrionidae) Synonym(s): *reitteri* Siedlitz, 1893
- 909) *Dendarus* (Pandarinus) *simplex* Seidlitz, 1893 (Tenebrionidae) Synonym(s): *simplex* Seidlitz, 1893
- 910) *Dendarus* (Pandarinus) *syriacus* Reiche & Saulcy, 1857 (Tenebrionidae) Synonym(s): *syriacus* Reiche & Saulcy, 1857; *nitidulus* Seidlitz, 1893
- 911) *Dendarus* (Pandarinus) *vagans* Siedlitz, 1893 (Tenebrionidae) Synonym(s): *vagans* Siedlitz, 1893
- 912) *Dentilla curtiventris* (André, 1901) (Mutillidae) Synonym(s): *curtiventris* André, 1901
- 913) *Deraeocoris pallens* (Reuter, 1904) (Miridae) Synonym(s): *pallens* Reuter, 1904
- 914) *Dericorys albidula* Audinet-Serville, [1838] (Dericorythidae) Synonym(s): *albidula* Audinet-Serville, [1838]; *tibialis* Fieber, 1853 nec Pall., 1773; *acutispina* Stal, 1875; *curvipes* Redtenbacher, 1889
- 915) *Dermestes* (Dermestinus) *sardous* Küster, 1846 (Dermestidae) Synonym(s): *sardous* Küster, 1846; *asiatica* Hava, 2002
- 916) *Dermestes* (Montandonia) *olivieri* Lepesme, 1939 (Dermestidae) Synonym(s): *olivieri* Lepesme, 1939
- 917) *Deronectes syriacus* Wewalka, 1971 (Dytiscidae) Synonym(s): *syriacus* Wewalka, 1971
- 918) *Deuterotinea axiurga* (Meyrick, 1922) (Eriocottidae) Synonym(s): *axiurga* Meyrick, 1922
- 919) *Diaphora mendica* (Linnaeus, 1761) (Arctiidae) Synonym(s): *mendica* Clerck, 1759; *mendica* Linnaeus, 1761; *rustica* Hübner, [1791]
- 920) *Dibolia chevrolati* Allard, 1861 (Chrysomelidae) Synonym(s): *chevrolati* Allard, 1861
- 921) *Dibolia rufofemorata* Reitter, 1896 (Chrysomelidae) Synonym(s): *rufofemorata* Reitter, 1896
- 922) *Diceratura ostrinana* (Guenée, 1845) (Tortricidae) Synonym(s): *ostrinana* Guenée, 1845; *purpuratana* Herrich-Schäffer, [1851]
- 923) *Diceratura rhodograptia* Djakonov, 1929 (Tortricidae) Synonym(s): *rhodograptia* Djakonov, 1929
- 924) *Diceratura roseofasciana* (Mann, 1855) (Tortricidae) Synonym(s): *roseofasciana* Mann, 1855; *aequana* Caradja, 1916; *keredjana* Razowski, 1963.
- 925) *Dichagyris* (s.str.) *contermina* (Corti, 1929) (Noctuidae) Synonym(s): *contermina* Corti, 1929; *wolffii* Hacker, 1985.
- 926) *Dichagyris* (s.str.) *erubescens* (Staudinger, 1892) (Noctuidae) Synonym(s): *erubescens* Staudinger, 1892
- 927) *Dichagyris* (s.str.) *grisescens* Staudinger, 1879 (Noctuidae) Synonym(s): *grisescens* Staudinger, 1879; *fasciata* Vorbrodt, 1930; *euryloma* Corti, 1933
- 928) *Dichagyris* (s.str.) *melanura* (Kollar, 1846) (Noctuidae) Synonym(s): *melanura* Kollar, 1846
- 929) *Dichagyris* (s.str.) *squalidior* (Staudinger, 1901) (Noctuidae) Synonym(s): *squalidior* Staudinger, 1901
- 930) *Dichagyris* (s.str.) *squalorum* (Eversmann, 1856) (Noctuidae) Synonym(s): *squalorum* Eversmann, 1856
- 931) *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer, [1852]) (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898; *pretiosa* Caradja, 1931.
- 932) *Dichagyris* (Yigoga) *libanica* (Corti & Draudt, 1933) (Noctuidae) Synonym(s): *libanica* Corti & Draudt, 1933; *libanica* Corti, 1933
- 933) *Dichagyris* (Yigoga) *truculenta* (Lederer, 1853) (Noctuidae) Synonym(s): *truculenta* Lederer, 1853
- 934) *Dichillus* (Dichillocerus) *damascenus* Reitter, 1916 (Tenebrionidae) Synonym(s): *damascenus* Reitter, 1916
- 935) *Dichrorampha plumbana* (Scopoli, 1763) (Tortricidae) Synonym(s): *plumbana* Scopoli, 1763; *saturnana* Guenée, 1845; *ulicana* Guenée, 1845; *blepharana* Herrich-Schäffer, 1851; *rejectana* La Harpe, 1858; *resplendana* Heinemann, 1863
- 936) *Dicraeus tibialis* Macquart, 1835 (Chloropidae) Synonym(s): *tibialis* Macquart, 1835; *pallidiventris* Macquart, 1835; *bipunctata* Macquart, 1835; *rufimana* Macquart, 1835; *rufiventris* Macquart, 1835; *flavimana* Macquart, 1835; *fulviventris* Meigen, 1838; *abdominalis* Zetterstedt, 1848
- 937) *Dicranocephalus marginatus* (Ferrari, 1874) (Stenocephalidae) Synonym(s): *marginatus* Ferrari, 1874; *albomarginatus* Jakovlev, 1877; *orientalis* Distant, 1880
- 938) *Dicranocephalus putoni* (Horvath, 1897) (Stenocephalidae) Synonym(s): *putoni* Horvath, 1897; *dimidiatus* Jakovlev, 1901
- 939) *Dicranocephalus setulosus* (Ferrari, 1874) (Stenocephalidae) Synonym(s): *setulosus* Ferrari, 1874
- 940) *Dicronychus variatus* Desbrochers, 1875 (Elatridae) Synonym(s): *variatus* Desbrochers, 1875
- 941) *Dictyonota phoenicea* Seidenstücker, 1963 (Tingidae) Synonym(s): *phoenicea* Seidenstücker, 1963
- 942) *Dieida ledereri* Staudinger, 1871 (Cossidae) Synonym(s): *ledereri* Staudinger, 1871
- 943) *Dielocroce elegans* (Alexandrov-Martynov, 1930) (Nemopteridae) Synonym(s): *elegans* Alexandrov-Martynov, 1930
- 944) *Dieuches syriacus* F.A.Dohrn, 1860 (Lygaeidae) Synonym(s): *syriacus* F.A.Dohrn, 1860

- 945) **Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877
- 946) **Dioctria valida Loew,1856** (Asilidae) Synonym(s): *valida* Loew,1856
- 947) **Diolcogaster claritibia (Papp,1959)** (Braconidae) Synonym(s): *claritibia* Papp,1959
- 948) **Diorhabda carinata (Faldermann,1837)** (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837
- 949) **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852
- 950) **Diorhabda meridionalis Berti & Rapilly,1973** (Chrysomelidae) Synonym(s): *meridionalis* Berti & Rapilly,1973
- 951) **Diorhabda octocostata Gahan,1896** (Chrysomelidae) Synonym(s): *octocostata* Gahan,1896
- 952) **Diorhabda persica (Faldermann,1837)** (Chrysomelidae) Synonym(s): *persica* Faldermann,1837
- 953) **Dioxya bidentis (R-D.,1830)** (Tephritidae) Synonym(s): *bidentis* R-D.,1830
- 954) **Dioxya pumila Gerstaecker,1869** (Megachilidae) Synonym(s): *pumila* Gerstaecker,1869
- 955) **Dirhinosis nitidula (Stainton,1867)** (Gelechiidae) Synonym(s): *nitidula* Stainton,1867
- 956) **Dirhinosis separatus (Becker,1906)** (Bombyliidae) Synonym(s): *separatus* Becker,1906
- 957) **Distoleon laticollis (Navas,1913)** (Myrmeleonidae) Synonym(s): *laticollis* Navas,1913; *alienus* Navas,1913
- 958) **Distoleon tetragrammicus (Fabricius,1798)** (Myrmeleonidae) Synonym(s): *tetragrammicus* Fabricius,1798; *catta* Rossi,1790; *rapax* Olivier,1811; *flavomaculatus* Eversmann,1841; *leuthneri* Navas,1914; *mesmini* Navas,1921
- 959) **Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978
- 960) **Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905
- 961) **Dociostaurus (Notostaurus) cephalotes Uvarov,1924** (Acrididae) Synonym(s): *cephalotes* Uvarov,1924
- 962) **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini* Bolivar,1893
- 963) **Dolycoris baccarum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *baccarum* Linnaeus,1758; *verbasci* De Geer,1773; *subater* Harris,1780; *albidus* Gmelin,1790; *depressa* Westwood,1837; *confusa* Westwood,1837; *inconcisa* Walker,1867
- 964) **Dorycera judaea (Hendel,1908)** (Uliidiidae) Synonym(s): *judaea* Hendel,1908; *subasiatica* Becker,1910; *limpidipennis* Becker,1910
- 965) **Dorycera syriaca Becker,1910** (Uliidiidae) Synonym(s): *syriaca* Becker,1910
- 966) **Drasteria cailino (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857
- 967) **Drasteria flexuosa (Ménétrières,1848)** (Noctuidae) Synonym(s): *flexuosa* Ménétrières,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
- 968) **Drosophila (Lordiphosa) andalusica Strobl,1906** (Drosophilidae) Synonym(s): *andalusica* Strobl,1906; *forcipata* Collin,1952
- 969) **Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae) Synonym(s): *subobscura* Collin,1936
- 970) **Drymadusa limbata Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *limbata* Brunner von Wattenwyl,1882
- 971) **Dryobotodes (s.str.) eremita (Fabricius,1775)** (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911
- 972) **Dufourea (Cyprirophites) cypria Mavroumoustakis,1952** (Halictidae) Synonym(s): *cypria* Mavroumoustakis,1952
- 973) **Dufourea (s.str.) nodicornis (Warneke,1979)** (Halictidae) Synonym(s): *nodicornis* Warneke,1979
- 974) **Duroniella fracta (Krauss,1890)** (Acrididae) Synonym(s): *#fractus* Bolivar,1878; *fracta* Krauss,1890
- 975) **Dyoderes umbraculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *umbraculatus* Fabricius,1775; *marginatus* Fabricius,1798 nec Linn.,1758; *aparines* Dufour,1833
- 976) **Dyspessa cerberus Daniel,1939** (Cossidae) Synonym(s): *cerberus* Daniel,1939
- 977) **Earias insulana (Boisduval,1833)** (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
- 978) **Earias syriacana Bartel,1903** (Noctuidae) Synonym(s): *syriacana* Bartel,1903
- 979) **Ebaeus flavobullatus Marseul,1868** (Melyridae) Synonym(s): *flavobullatus* Marseul,1868; *orientalis* Wittmer,1979
- 980) **Ectomocoris ululans (Rossi,1790)** (Reduviidae) Synonym(s): *ululans* Rossi,1790; *tidikelti* Dispos,1961
- 981) **Egnatoides pasquieri Morales-Agacino,1950** (Acrididae) Synonym(s): *pasquieri* Morales-Agacino,1950
- 982) **Elampus sanzii (Gogorza,1887)** (Chrysidae) Synonym(s): *sanzii* Gogorza,1887
- 983) **Elasmus steffani Viggiani,1967** (Eulophidae) Synonym(s): *masii* Steffan,1962; *steffani* Viggiani,1967
- 984) **Elathous syriacus (Schwarz,1903)** (Elaterridae) Synonym(s): *syriacus* Schwarz,1903
- 985) **Ellipsocoris trilineata Mayr,1864** (Scutelleridae) Synonym(s): *trilineata* Mayr,1864
- 986) **Elodes akbesianus Pic,1898** (Scirtidae) Synonym(s): *akbesianus* Pic,1898
- 987) **Emblethis griseus (Wolff,1802)** (Lygaeidae) Synonym(s): *griseus* Wolff,1802
- 988) **Emmelina monodactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 989) **Empis (Polyblepharis) dedecor Loew,1869** (Empidae) Synonym(s): *dedecor* Loew,1869
- 990) **Empis (Polyblepharis) spirifera Bezzi,1909** (Empidae) Synonym(s): *spirifera* Bezzi,1909
- 991) **Empusa pennicornis (Pallas,1773)** (Empusidae) Synonym(s): *unicornis* Linnaeus,1763; *pennicornis* Pallas,1773; *pallasiana* Olivier,1792; *marginatus* Thunberg,1815; *orientalis* Burmeister,1838; *stolli* Saussure,1871; *attenuata* Ramme,1951; *mujuncumica* Lindt,1976; *hodshamuminica* Lindt,1976; *brevidorsa* Lindt,1977; *buharica* Lindt,1977; *condarinica* Lindt,1977; *copetdagica* Lindt,1977; *iliense* Lindt,1977; *longidorsa* Lindt,1977; *angulata* Lindt,1978; *baysunica* Lindt,1978; *similis* Lindt,1978; *longoapicale* Lindt,1979; *luppovae* Lindt,1979; *orientalis* Lindt,1979 nec Burm., 1838; *lindti* Otte,2004
- 992) **Encarsia strenua (Silvestri,1927)** (Aphelinidae) Synonym(s): *strenua* Silvestri,1927
- 993) **Endothenia oblongana (Haworth,1811)** (Tortricidae) Synonym(s): *oblongana* Haworth,[1811]; *sellana* Frölich,1828.
- 994) **Engeliepogon goedli (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854
- 995) **Engistus exsanguis Stal,1872** (Lygaeidae) Synonym(s): *exsanguis* Stal,1872; *unicolor* Jakovlev,1877; *conspurcatus* Horvath,1911; *fasciatus* Horvath,1911; *#crocea* Priesner & Alfieri,1953; *#viridis* Priesner & Alfieri,1953; *punctulatus* Linnavuori,1953 [ssp.]
- 996) **Enolmis desidella (Lederer,1855)** (Scythridae) Synonym(s): *desidella* Lederer,1855
- 997) **Enoplops disciger (Kolenati,1845)** (Coreidae) Synonym(s): *disciger* Kolenati,1845
- 998) **Enoplops scapha (Fabricius,1794)** (Coreidae) Synonym(s): *scapha* Fabricius,1794
- 999) **Ensliniana bidentata (Friese,1899)** (Megachilidae) Synonym(s): *bidentata* Friese,1899; *anatolica* Heinrich,1977
- 1000) **Entomogonus (Eutelogonus) davidis (Fairmaire,1884)** (Tenebrionidae) Synonym(s): *davidis* Fairmaire,1884

- 1001) Entomogonus (s.str.) angulicollis Mulsant & Wacherau, 1852** (Tenebrionidae) Synonym(s): *angulicollis* Mulsant & Wacherau, 1852
- 1002) Entomoscelis adonidis (Pallas, 1771)** (Chrysomelidae) Synonym(s): *adonidis* Pallas, 1771; *abdominalis* Netolitzki, 1912
- 1003) Entomoscelis sacra (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *sacra* Linnaeus, 1758
- 1004) Eoferreola distincta (Smith, 1855)** (Pompilidae) Synonym(s): *distincta* Smith, 1855; *syransensis* Radoszkowski, 1888; *schmidti* Priesner, 1973; *#cinerata* Priesner, 1973
- 1005) Eoferreola manticata (Pallas, 1771)** (Pompilidae) Synonym(s): *manticata* Pallas, 1771; *fasciatus* Eversmann, 1849; *variabilis* Eversmann, 1849 nec Ross.; *hellmanni* Eversmann, 1849; *micans* Radoszkowski, 1877; *caucasica* Radoszkowski, 1889; *rossica* Radoszkowski, 1889; *lichtensteini* Tournier, 1895; *claripennis* Priesner, 1966; ...
- 1006) Epallage fatime (Charpentier, 1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier, 1840
- 1007) Epermenia (Calotropis) chaerophyllella (Goeze, 1783)** (Epermeniidae) Synonym(s): *chaerophyllella* Goeze, 1783; *testaceella* Hübner, [1813]; *fasciculellus* Stephens, 1834; *nigrostriatellus* Heylaerts, 1883; *turatiella* Constantini, 1923.
- 1008) Epharmottomena eremophila (Rebel, 1895)** (Noctuidae) Synonym(s): *eremophila* Rebel, 1895; *plumbizonata* W. Warren, 1913; *costiplaga* W. Warren, 1913; *lacroixi* Lucas, 1914.
- 1009) Ephestia (s.str.) disparella Hampson, 1901** (Pyralidae) Synonym(s): *disparella* Hampson, 1901; *rectifasciella* Turati, 1913; *semicostella* Turati, 1934.
- 1010) Ephestia (s.str.) parasitella Staudinger, 1859** (Pyralidae) Synonym(s): *parasitella* Staudinger, 1859; *bimaculella* Lucas, 1955.
- 1011) Epiblema psychrodora (Meyrick, 1936)** (Tortricidae) Synonym(s): *psychrodora* Meyrick, 1936
- 1012) Epinotia dalmatana (Rebel, 1891)** (Tortricidae) Synonym(s): *dalmatana* Rebel, 1891; *psychrodora* Meyrick, 1936; *mesopotamica* Obraztsov, 1952; *obraztsovi* Agenjo, 1967
- 1013) Epinotia infessana (Walsingham, 1900)** (Tortricidae) Synonym(s): *infessana* Walsingham, 1900
- 1014) Episcardia (Bilobatana) fuscoviolacella (Ragonot, 1895)** (Tineidae) Synonym(s): *violacella* Rebel, 1893 (*praeocc.*); *fuscoviolacella* Ragonot, 1895; *luteocapitella* Amsel, 1935.
- 1015) Epischnia prodromella (Hübner, [1799])** (Pyralidae) Synonym(s): *prodromella* Hübner, [1799]; *#prodromella* Rebel, 1939
- 1016) Epischnia soritella Lederer, 1858** (Pyralidae) Synonym(s): *soritella* Lederer, 1858
- 1017) Episema didymogramma (Boursin, 1955)** (Noctuidae) Synonym(s): *didymogramma* Boursin, 1955
- 1018) Episema korsakovi (Christoph, 1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph, 1885; *paenulata* Christoph, 1885.
- 1019) Episema lederi Christoph, 1885** (Noctuidae) Synonym(s): *lederi* Christoph, 1885; *sareptana* Alpheraky, 1897; *#lederi* Wiltshire, 1937.
- 1020) Eremocossus vaulogeri (Staudinger, 1897)** (Cossidae) Synonym(s): *vaulogeri* Staudinger, 1897; *suavis* Staudinger, 1899; *saharae* Lucas, 1907; *hartigi* Rebel, 1935.
- 1021) Eremohadena arvicola (Christoph, 1887)** (Noctuidae) Synonym(s): *arvicola* Christoph, 1887; *banghaasi* Bytinski-Salz & Brandt, 1937
- 1022) Eremopeza gibbera (Stal, 1874)** (Pamphagidae) Synonym(s): *gibbera* Stal, 1874
- 1023) Eristalinus (Eristalodes) taeniops (Wiedemann, 1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann, 1818; *pulchripes* Wiedemann, 1822; *fasciatus* Germar, 1845; *aegyptius* Walker, 1849; *torridus* Walker, 1849; *completus* Santos-Abreu, 1924; *concinus* Santos-Abreu, 1924
- 1024) Eristalinus (Lathyrrophthalmus) aeneus (Scopoli, 1763)** (Syrphidae) Synonym(s): *aeneus* Scopoli, 1763; *punctatus* Müller, 1764; *macrophthalmus* Preyssl, 1791; *taphicus* Wiedemann, 1830; *stygius* Newman, 1835; *aenescens* Macquart, 1842; *nigrolineatus* Hervé-Bazin, 1923
- 1025) Eteobalea dohrnii (Zeller, 1847)** (Cosmopterigidae) Synonym(s): *dohrnii* Zeller, 1847
- 1026) Eteobalea serratella (Treitschke, 1833)** (Cosmopterigidae) Synonym(s): *serratella* Treitschke, 1833; *sareptensis* Walsingham, 1907; *cinereocapitella* Caradja, 1920
- 1027) Eteobalea sumptuosella (Lederer, 1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer, 1855; *cinereocapitella* Caradja, 1920
- 1028) Ethmia amasina (Staudinger, 1879)** (Ethmiidae) Synonym(s): *amasina* Staudinger, 1879
- 1029) Ethmia aurifluella (Hübner, [1810])** (Ethmiidae) Synonym(s): *aurifluella* Hübner, [1810]; *albarracinella* Ragonot, 1882.
- 1030) Ethmia chrysopyga (Zeller, 1844)** (Ethmiidae) Synonym(s): *chrysopyga* Zeller, 1844; *callidella* Walsingham, 1910.
- 1031) Ethmia iranella Zerny, 1940** (Ethmiidae) Synonym(s): *iranella* Zerny, 1940
- 1032) Ethmia lepidella (Chrétien, 1907)** (Ethmiidae) Synonym(s): *lepidella* Chrétien, 1907; *niveella* Caradja, 1920; *euphraticella* Amsel, 1954.
- 1033) Ethmia quadrinotella (Mann, 1861)** (Ethmiidae) Synonym(s): *quadrinotella* Mann, 1861; *atticella* Caradja, 1920; *galaxaea* Meyrick, 1922.
- 1034) Ethmia suspecta Sattler, 1867** (Ethmiidae) Synonym(s): *suspecta* Sattler, 1867
- 1035) Euaresta bullans (Wiedemann, 1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann, 1830; *tenera* Loew, 1850
- 1036) Eublemma (candidana-gr.) ochreolum (Staudinger, 1900)** (Noctuidae) Synonym(s): *ochreola* Staudinger, 1900; *thurneri* Zerny, 1936.
- 1037) Eublemma (chlorotica-gr.) chloroticum (Lederer, 1858)** (Noctuidae) Synonym(s): *chlorotica* Lederer, 1858
- 1038) Eublemma (cochylioides-gr.) cochylioides (Guenée, 1852)** (Noctuidae) Synonym(s): *cochylioides* Guenée, 1852; *rosita* Guenée, 1852; *phoenissa* Lederer, 1855; *derogata* Walker, 1858; *calida* Rebel, 1894; *calida* Staudinger, 1895; *confusata* W. Warren, 1913.
- 1039) Eublemma (debilis-gr.) deserti (Rothschild, 1909)** (Noctuidae) Synonym(s): *deserti* Rothschild, 1909
- 1040) Eublemma (ostrina-gr.) ostrinum (Hübner, [1808])** (Noctuidae) Synonym(s): *ostrina* Hübner, [1808]; *carthami* Herrich-Schäffer, [1851]; *aestivalis* Guenée, 1852; *numida* Lucas, 1849; *thasia* Koutsafikis, 1973.
- 1041) Eublemma (parva-gr.) parvum (Hübner, [1808])** (Noctuidae) Synonym(s): *parva* Hübner, [1808]; *rubefacta* Mabille, 1869; *chalybea* Swinhoe, 1884; *nymphodora* Meyrick, 1902.
- 1042) Eublemma (siticulosa-gr.) siticulosum (Lederer, 1858)** (Noctuidae) Synonym(s): *siticulosa* Lederer, 1858; *rushi* Wiltshire, 1961.
- 1043) Eucampyla dealbatella (Erschoff, 1874)** (Pyralidae) Synonym(s): *dealbatella* Erschoff, 1874; *staminella* Christoph, 1877; *nervulata* Turati, 1926; *kerbelella* Amsel, 1949; *gigantella* Roesler, 1965.
- 1044) Eucera albofasciata Friese, 1896** (Apidae) Synonym(s): *albofasciata* Friese, 1896
- 1045) Euchalcia (s.str.) augusta (Staudinger, 1892)** (Noctuidae) Synonym(s): *augusta* Staudinger, 1892
- 1046) Euchalcia (s.str.) emichi (Rogenhofer, 1873)** (Noctuidae) Synonym(s): *emichi* Rogenhofer, 1873
- 1047) Euchalcia (s.str.) hedeia Dufay, 1978** (Noctuidae) Synonym(s): *hedeia* Dufay, 1978; *#hedeja* Hacker, 1990; *aureolineata* Ronkay & Gyulai, 1997.
- 1048) Euchalcia (s.str.) maria (Staudinger, 1892)** (Noctuidae) Synonym(s): *maria* Staudinger, 1892

- 1049) Euchloe (Elphinstonia) charlonia (Donzel,1842)** (Pieridae) Synonym(s): *charlonia* Donzel,1842; *elizabethae* Hemming,1932.
- 1050) Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
- 1051) Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
- 1052) Euchloe (s.str.) belemia (Esper,[1800])** (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glauce* Freyer,[1848]
- 1053) Euchloe (s.str.) crameri Butler,1869** (Pieridae) Synonym(s): *crameri* Butler,1869
- 1054) Euchromius pulverosus (Christoph,1887)** (Pyralidae) Synonym(s): *pulverosa* Christoph,1887
- 1055) Eucosma psychrodora (Meyrick,1936)** (Tortricidae) Synonym(s): *psychrodora* Meyrick,1936
- 1056) Euhagena palariiformis (Lederer,1858)** (Sesiidae) Synonym(s): *palariformis* Lederer,1858; *dioctriiformis* Romanoff,1884; *rubrescens* Staudinger,1887; *almana* Rebel,1917
- 1057) Euheptaulacus sus (Herbst,1783)** (Scarabaeidae) Synonym(s): *sus* Herbst,1783
- 1058) Eulocastra diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): *diaphora* Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
- 1059) Eumenes dubius Saussure,1852** (Vespidae) Synonym(s): *dubius* Saussure,1852
- 1060) Eumenes lepeleteri Saussure,1852** (Vespidae) Synonym(s): *lepeleteri* Saussure,1852; *#lepeletieri* Saussure,1854; *granti* Kirby,1900; *janseii* Cameron,1910; *meruensis* Cameron,1910;
- 1061) Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spatulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948
- 1062) Eupeodes latifasciatus (Macquart,1829)** (Syrphidae) Synonym(s): *latifasciatus* Macquart,1829; *affinis* Loew,1840; *abbreviatus* Zetterstedt,1849; *flavipes* Rondani,1857; *submaculatus* Frey,1918
- 1063) Eupholidoptera werneri Ramme,1951** (Tettigoniidae) Synonym(s): *werneri* Ramme,1951
- 1064) Eupithecia minusculata (Alpheraky,1883)** (Geometridae) Synonym(s): *minusculata* Alpheraky,1883; *inversaria* Turati,1930; *penultimaria* Wiltshire,1985.
- 1065) Eupithecia scalptata Christoph,1885** (Geometridae) Synonym(s): *scalptata* Christoph,1885
- 1066) Eupithecia spadiceata Zerny,1933** (Geometridae) Synonym(s): *spadiceata* Zerny,1933
- 1067) Eupithecia ultimaria Boisduval,1840** (Geometridae) Synonym(s): *ultimaria* Boisduval,1840; *tornifascia* Rothschild,1913
- 1068) Euplagia quadripunctaria (Poda,1761)** (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915.
- 1069) Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837
- 1070) Eurina ducalis A.Costa,1885** (Chloropidae) Synonym(s): *ducalis* A.Costa,1885; *dalmatina* Strobl,1893
- 1071) Eurydema (Horvatheurydema) fieberi Fieber,1837** (Pentatomidae) Synonym(s): *fieberi* Fieber,1837; *armeniaceum* Kolenati,1846; *schaefferi* Gorski,1852; *meyeri* Fieber,1861; *caucasica* Jalkovlev,1873; *scutellata* Jakovlev,1883; *melanogaster* Horvath,1917; *gussakovskii* Kiritshenko,1952; *bagradiformis* Kiritshenko,1952
- 1072) Eurydema (Horvatheurydema) rugulosa (Dohrn,1860)** (Pentatomidae) Synonym(s): *rugulosa* Dohrn,1860; *nigrorubra* Reuter,1900; *v-rubrum* Horvath,1917; *anaemica* Horvath,1917
- 1073) Eurydema (Rubrodorsalium) dominula (Scopoli,1763)** (Pentatomidae) Synonym(s): *dominulus* Scopoli,1763
- 1074) Eurydema (Rubrodorsalium) spectabilis Horvath,1882** (Pentatomidae) Synonym(s): *spectabilis* Horvath,1882; *#intaminata* Stichel,1961
- 1075) Eurydema putoni Jakovlev,1877** (Pentatomidae) Synonym(s): *putoni* Jakovlev,1877; *adusta* Jakovlev,1879; *colorata* Jakovlev,1882; *formosum* Puton,1895
- 1076) Eurya lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965
- 1077) Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907
- 1078) Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii* Domenichini,1960
- 1079) Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): *adulatrix* Hübner,[1813]
- 1080) Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937.
- 1081) Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
- 1082) Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaee* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 1083) Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Christoph,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 1084) Euxoa (s.str.) oranaria (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): *oranaria* A.Bang-Haas,1906; *psimithiosa* Boursin,1958
- 1085) Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *uris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 1086) Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata* Olivier,1790
- 1087) Euzonitis terminata (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *terminata* Abeille de Perrin,1880; *auricoma* Escherich,1891; *bombycna* Escherich,1896; *armeniaca* Pic,1901
- 1088) Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immunella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 1089) Euzophera (s.str.) formosella (Rebel,1910)** (Pyralidae) Synonym(s): *formosella* Rebel,1910
- 1090) Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
- 1091) Euzopherodes charlottae (Rebel,1914)** (Pyralidae) Synonym(s): *charlottae* Rebel,1914; *nigrolineella* Zerny,1936.
- 1092) Exhyalanthrax albicingulus (Austen,1936)** (Bombyliidae) Synonym(s): *albicingulus* Austen,1936
- 1093) Exhyalanthrax innocens (Austen,1936)** (Bombyliidae) Synonym(s): *innocens* Austen,1936; *amoenus* Austen,1937
- 1094) Exhyalanthrax irrorellus (Klug,1832)** (Bombyliidae) Synonym(s): *irrorellus* Klug,1832; *inconspicua* Loew,1856
- 1095) Exhyalanthrax melanchlaenus (Loew,1869)** (Bombyliidae) Synonym(s): *melanchlaenus* Loew,1869; *agnitionalis* Austen,1937

- 1096) **Exhylanthrax perpusillus (Austen,1937)** (Bombyliidae) Synonym(s): *perpusillus* Austen,1937
- 1097) **Exhylanthrax unicolor (Becker,1902)** (Bombyliidae) Synonym(s): *unicolor* Becker,1902
- 1098) **Exoneuridia (s.str.) libanensis (Friese,1899)** (Apidae) Synonym(s): *libanensis* Friese,1899
- 1099) **Exoprosopa maenas Loew,1869** (Bombyliidae) Synonym(s): *maenas* Loew,1869
- 1100) **Exoprosopa minois Loew,1869** (Bombyliidae) Synonym(s): *minois* Loew,1869; *semiflavida* Becker,1906
- 1101) **Exoprosopa minos (Meigen,1804)** (Bombyliidae) Synonym(s): *minos* Meigen,1804; *semialba* Pallas & Wiedemann,1818; *germari* Wiedemann,1818; *senilis* Klug,1832; *albiventris* Macquart,1840
- 1102) **Exoprosopa onusta (Walker,1852)** (Bombyliidae) Synonym(s): *onusta* Walker,1852; *truquii* Rondani,1863
- 1103) **Exoprosopa pectoralis Loew,1862** (Bombyliidae) Synonym(s): *pectoralis* Loew,1862
- 1104) **Fannia canicularis (Linnaeus,1761)** (Fanniidae) Synonym(s): *canicularis* Linnaeus,1761; *rivularis* R-D.,1830; *chilensis* Macquart,1843; *constantina* Macquart,1843; *hilaris* Zetterstedt,1845; *introducia* Walker,1853; *muscoideus* Walker,1871
- 1105) **Fannia monilis (Haliday,1838)** (Fanniidae) Synonym(s): *monilis* Haliday,1838
- 1106) **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900
- 1107) **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839
- 1108) **Friedlanderia cicatricella (Hübner,1824)** (Pyrilidae) Synonym(s): *cicatricella* Hübner,[1824]; *strigellus* Treitschke,1833; *treitschkeella* Freyer,1836 *nec* Sodoffsky,1830.
- 1109) **Fulvoclysia arguta Razowski,1968** (Tortricidae) Synonym(s): *arguta* Razowski,1968
- 1110) **Fulvoclysia defectana (Lederer,1870)** (Tortricidae) Synonym(s): *defectana* Lederer,1870
- 1111) **Fulvoclysia pallorana (Lederer,1864)** (Tortricidae) Synonym(s): *pallorana* Lederer,1864; *armeniaca* Obraztsov,1943.
- 1112) **Furcula interrupta Christoph,1867** (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
- 1113) **Gastrophysa polygona (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygona* Linnaeus,1758
- 1114) **Gastrophysa viridula (DeGeer,1775)** (Chrysomelidae) Synonym(s): *viridula* DeGeer,1775; *caucasica* Jolivet,1951
- 1115) **Gegenes nostrodamus (Fabricius,1793)** (Hesperiidae) Synonym(s): *nostrodamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940.
- 1116) **Germaria hermonensis Kugler,1980** (Tachinidae) Synonym(s): *hermonensis* Kugler,1980
- 1117) **Geron (s.str.) krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929
- 1118) **Geron (s.str.) mystacinus Bezzi,1924** (Bombyliidae) Synonym(s): *mystacinus* Bezzi,1924
- 1119) **Geron (s.str.) olivieri Macquart,1840** (Bombyliidae) Synonym(s): *olivieri* Macquart,1840
- 1120) **Gerris asper (Fieber,1860)** (Gerridae) Synonym(s): *asper* Fieber,1860
- 1121) **Gerris costae (Herrich-Schäffer,1850)** (Gerridae) Synonym(s): *costae* Herrich-Schäffer,1850; *fieberti* Stichel,1938
- 1122) **Gerris maculatus Tamanini,1946** (Gerridae) Synonym(s): *maculatus* Tamanini,1946
- 1123) **Glabbellula nobilis Kertész,1912** (Mythicomylidae) Synonym(s): *nobilis* Kertész,1912
- 1124) **Glaphyrus aulicus Chevrolat,1854** (Glaphyridae) Synonym(s): *aulicus* Chevrolat,1854; *syriacus* Harold,1869
- 1125) **Glaphyrus comosus Harold,1869** (Glaphyridae) Synonym(s): *comosus* Harold,1869
- 1126) **Glaphyrus varians Ménétriés,1836** (Glaphyridae) Synonym(s): *variens* Ménétriés,1836; *globulicollis* Ménétriés,1836; *sequensi* Reitter,1903; *variabilis* Reitter,1903; *turcicus* Mitter,1990
- 1127) **Globicephala syriacus Wagner,1969** (Miridae) Synonym(s): *horvathi* Wagner,1960 *nec* Reut.; *syriacus* Wagner,1969; *brevicornis* Linnavuori,1992
- 1128) **Glossocratus syriacus (Horvath,1911)** (Cicadellidae) Synonym(s): *syriacus* Horvath,1911
- 1129) **Gnophos (Dicrognophos) sartatus (Treitschke,1827)** (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.
- 1130) **Golanina israeliana Lehrer,2000** (Sarcophagidae) Synonym(s): *israeliana* Lehrer,2000
- 1131) **Gomphocranum christophi Jakovlev,1877** (Pentatomidae) Synonym(s): *christophi* Jakovlev,1877
- 1132) **Gomphus davidi Selys,1887** (Gomphidae) Synonym(s): *davidi* Selys,1887
- 1133) **Gomphus flavipes (Charpentier,1825)** (Gomphidae) Synonym(s): *flavipes* Charpentier,1825
- 1134) **Gonepteryx (Isogonepteryx) cleopatra (Linnaeus,1767)** (Pieridae) Synonym(s): *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920.
- 1135) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) Synonym(s): *rhamni* Linnaeus,1758; *gravesi* Huggins,1956.
- 1136) **Gonianotus barbarus Montandon,1890** (Lygaeidae) Synonym(s): *barbarus* Montandon,1890
- 1137) **Goniocena fornicata (Brüggemann,1873)** (Chrysomelidae) Synonym(s): *fornicata* Brüggemann,1873; *sempunctata* Joakimov,1904
- 1138) **Goniurellia lacerata (Becker,1913)** (Tephritidae) Synonym(s): *lacerata* Becker,1913
- 1139) **Goniurellia longicauda Freidberg,1980** (Tephritidae) Synonym(s): *longicauda* Freidberg,1980
- 1140) **Grammacephalus pugio (Noualhier,1895)** (Cicadellidae) Synonym(s): *pugio* Noualhier,1895; *turneri* Evans,1947; *djirofticus* Dlabola,1960
- 1141) **Grammodes bifasciata (Petagna,1786)** (Noctuidae) Synonym(s): *geometrica* auct.; *bifasciata* Petagna,1786; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalciptera* Borkhausen,1792; *parallelaris* Hübner,[1803].
- 1142) **Graphomya maculata (Scopoli,1763)** (Muscidae) Synonym(s): *maculata* Scopoli,1763; *compuncta* Harris,1780
- 1143) **Graphosoma (Graphosomella) inexpectatum Carapezza & Jindra,2008** (Pentatomidae) Synonym(s): *inexpectatum* Carapezza & Jindra,2008
- 1144) **Graphosoma (s.str.) lineatum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *lineatum* Linnaeus,1758; *italicus* Müller,1766; *nigrolineatus* Fabricius,1781; *shangini* Gebler,1817; *reductum* Horvath,1901; *ochraceum* Royer,1925; *obscurum* Stepanek,1926; *soosi* Halaszfy,1953; *nigriscutellatum* Halaszfy,1955; *flavolineatum* Halaszfy,1955
- 1145) **Graphosoma (s.str.) stali Horvath,1881** (Pentatomidae) Synonym(s): *stali* Horvath,1881; *alkani* Lodos,1959
- 1146) **Graptostethus servus (Fabricius,1787)** (Lygaeidae) Synonym(s): *servus* Fabricius,1787; *maculicollis* Germar,1847; *rubricosus* Stal,1854; *manillensis* Stal,1860; *ornatus* Uhler,1860; *#conjuncta* Stichel,1957
- 1147) **Greniera dobyi Beaucournu-Saguez & Braverman,1987** (Simuliidae) Synonym(s): *dobyi* Beaucournu-Saguez & Braverman,1987
- 1148) **Gryllomorpha (s.str.) syriaca Harz,1979** (Gryllidae) Synonym(s): *syriaca* Harz,1979
- 1149) **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804
- 1150) **Gryllus (s.str.) campestris Linnaeus,1758** (Gryllidae) Synonym(s): *campestris* Linnaeus,1758; *hybrida* Rambur,1838; *caudata* Krauss,1886; *cephalotes* Ramme,1921
- 1151) **Grypocoris amoenus (Douglas & Scott,1868)** (Miridae) Synonym(s): *moenus* Douglas & Scott,1868; *elegans* Reuter,1877
- 1152) **Grypocoris fieberti Douglas & Scott,1868** (Miridae) Synonym(s): *fieberti* Douglas & Scott,1868; *blandus* Puton,1881
- 1153) **Grypocoris meyeri (Kolenati,1845)** (Miridae) Synonym(s): *meyer* Kolenati,1845

- 1154)** *Grypocoris syriacus* Reuter, 1896 (Miridae) Synonym(s): *syriacus* Reuter, 1896
- 1155)** *Gymnopleurus flagellatus* (Fabricius, 1787) (Scarabaeidae) Synonym(s): *flagellatus* Fabricius, 1787; *coriarius* Herbst, 1789; *serratus* Fischer von Waldheim, 1821; *asperatus* Mulsant, 1842; *caliginosus* Balthasar, 1934
- 1156)** *Gymnopleurus geoffroyi* Fuessly, 1785 (Scarabaeidae) Synonym(s): *geoffroyi* Fuessly, 1785; *cantharus* Illiger, 1803
- 1157)** *Gypsonoma obratzsovi* Amsel, 1959 (Tortricidae) Synonym(s): *obratzsovi* Amsel, 1959
- 1158)** *Habropoda tarsata* (Spinola, 1838) (Apidae) Synonym(s): *tarsata* Spinola, 1838
- 1159)** *Habropoda zonatula* Smith, 1854 (Apidae) Synonym(s): *zonatula* Smith, 1854
- 1160)** *Habropogon theodori* Hradsky & Geller-Grimm, 2005 (Asilidae) Synonym(s): *theodori* Hradsky & Geller-Grimm, 2005
- 1161)** *Hadena (Anepia) syriaca* (Osthelder, 1933) (Noctuidae) Synonym(s): *syriaca* Osthelder, 1933; *osthelderi* Draudt, 1933.
- 1162)** *Hadena (Enterpia) laudeti* (Boisduval, 1840) (Noctuidae) Synonym(s): *laudeti* Boisduval, 1840
- 1163)** *Hadena (Maschukia) pumila* (Staudinger, 1879) (Noctuidae) Synonym(s): *pumila* Staudinger, 1879
- 1164)** *Hadena (Pronotestra) silenides* (Staudinger, 1895) (Noctuidae) Synonym(s): *silenides* Staudinger, 1895; *cinochrea* Chrétien, 1911; *pampaninii* C.G. Krüger, 1933.
- 1165)** *Hadena (s.str. (Anatoliden)) pfeifferi* (Draudt, 1934) (Noctuidae) Synonym(s): *pfeifferi* Draudt, 1934
- 1166)** *Hadena (s.str. (Clarhadena)) clara* (Staudinger, 1901) (Noctuidae) Synonym(s): *clara* Staudinger, 1901; *hyrcana* Draudt, 1933; *transiens* Draudt, 1938.
- 1167)** *Hadena (s.str. (Miselia)) compta* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller], 1775; *viscaria* Guenée, 1852; *galactina* Turati, 1908.
- 1168)** *Hadula (Caloestra (Hadutrifolium)) trifolii* (Hufnagel, 1766) (Noctuidae) Synonym(s): *trifolii* Hufnagel, 1766; *chenopodii* [Denis & Schiffermüller], 1775; *verna* Esper, [1787]; *saucia* Esper, [1790]; *infraina* Haworth, 1809; *contribulis* Duponchel, 1827; *farkasii* Treitschke, 1835; *inquieta* Walker, 1857; *albifusa* Walker, 1857; *cinnamomina* Rothschild, 1913; *taylori* Rothschild, 1921
- 1169)** *Halictus (s.str.) asperulus* Pérez, 1895 (Halictidae) Synonym(s): *asperulus* Pérez, 1895
- 1170)** *Halictus (s.str.) patellatus* Morawitz, 1873 (Halictidae) Synonym(s): *patellatus* Morawitz, 1873; *wagneri* Blüthgen, 1937; *ifranicola* Cockerell, 1937
- 1171)** *Halictus (Vestitohalictus) indefinitus* Blüthgen, 1923 (Halictidae) Synonym(s): *indefinitus* Blüthgen, 1923
- 1172)** *Halictus (Vestitohalictus) semiticus* Blüthgen, 1955 (Halictidae) Synonym(s): *semiticus* Blüthgen, 1955
- 1173)** *Halictus (Vestitohalictus) tuberculatus* Blüthgen, 1925 (Halictidae) Synonym(s): *tuberculatus* Blüthgen, 1925
- 1174)** *Halmopota mediterranea* Loew, 1860 (Ephydriidae) Synonym(s): *mediterranea* Loew, 1860; *anatolica* Canzoneri & Meneghini, 1974; *septentrionalis* Canzoneri & Meneghini, 1974
- 1175)** *Halter halterata* (Forsk., 1775) (Nemopteridae) Synonym(s): *halterata* Forsk., 1775; *nutans* Navas, 1910.
- 1176)** *Hapsifera luridella* Zeller, 1847 (Tineidae) Synonym(s): *luridella* Zeller, 1847; *baliopsamma* Meyrick, 1921; *pustulatella* Lucas, 1942 nec Zell., 1852; *eburnea* Butler, 1881; *palaestinis* Rebel, 1901; *kerbelella* Amsel, 1949
- 1177)** *Hapsifera multiguttella* (Ragonot, 1895) (Tineidae) Synonym(s): *multiguttella* Ragonot, 1895; *jerichoella* Amsel, 1935.
- 1178)** *Hebecnema nigra* (R-D., 1830) (Muscidae) Synonym(s): *nigra* R-D., 1830
- 1179)** *Hebecnema umbratica* (Meigen, 1826) (Muscidae) Synonym(s): *umbratica* Meigen, 1826
- 1180)** *Hecatera bicolorata* (Hufnagel, 1766) (Noctuidae) Synonym(s): *bicolorata* Hufnagel, 1766; *serena* [Denis & Schiffermüller], 1775; *placida* Esper, [1791]; *hieracii* Bkh., 1793; *par* Donovan, 1801; *monticola* Dup., 1826; *leuconota* Eversmann, 1837; *intermedia* Walker, [1858]; *obscura* Staudinger, 1861.
- 1181)** *Helicoverpa armigera* (Hübner, [1808]) (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr., 1775; *barbara* Fabricius, 1794 [rejected]; *armigera* Hübner, [1808]; *pulverosa* Walker, [1857]; *uniformis* Wallengren, 1860; *rama* Bhattacharjee & Gupta, 1972.
- 1182)** *Helicoverpa armigera armigera* (Hübner, [1808]) (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr., 1775; *barbara* Fabricius, 1794 [rejected]; *armigera* Hübner, [1808]; *pulverosa* Walker, [1857]; *uniformis* Wallengren, 1860; *rama* Bhattacharjee & Gupta, 1972.
- 1183)** *Helina abdominalis* (Zetterstedt, 1846) (Muscidae) Synonym(s): *abdominalis* Zetterstedt, 1846
- 1184)** *Helina parcepilosa* (Stein, 1907) (Muscidae) Synonym(s): *parcepilosa* Stein, 1907; *calceataeformis* Schnabl, 1911
- 1185)** *Helina reversio* (Harris, 1780) (Muscidae) Synonym(s): *reversio* Harris, 1780; *duplicata* Meigen, 1826; *duplaris* Zetterstedt, 1845
- 1186)** *Heliothis nubigera* Herrich-Schäffer, [1851] (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer, [1851]; *perigeoides* Moore, 1881; *deserta* Sohn-Rethel, 1929; *minutier* Turner, 1938.
- 1187)** *Helladia ferrugata* (Ganglbauer, 1884) (Cerambycidae) Synonym(s): *ferrugata* Ganglbauer, 1884
- 1188)** *Helladia praetextata* (Steven, 1817) (Cerambycidae) Synonym(s): *praetextata* Steven, 1817
- 1189)** *Helophorus abeillei* Guillebeau, 1896 (Helophoridae) Synonym(s): *abeillei* Guillebeau, 1896
- 1190)** *Helophorus brevipalpis* Bedel, 1881 (Helophoridae) Synonym(s): *brevipalpis* Bedel, 1881
- 1191)** *Helophorus syriacus* Kuwert, 1885 (Helophoridae) Synonym(s): *syriacus* Kuwert, 1885
- 1192)** *Hemaris (Eitschbergera) galunae* Eitschberger, Müller & Kravchenko, 2005 (Sphingidae) Synonym(s): *galunae* Eitschberger, Müller & Kravchenko, 2005
- 1193)** *Hemaris (s.str.) dentata* (Staudinger, 1887) (Sphingidae) Synonym(s): *dentata* Staudinger, 1887
- 1194)** *Hemicrepidius corvinus* (Reitter, 1905) (Elateridae) Synonym(s): *corvinus* Reitter, 1905
- 1195)** *Hemipenthes velutinus* (Meigen, 1820) (Bombyliidae) Synonym(s): *velutinus* Meigen, 1820; *bicincta* Wiedemann, 1820; *nycthemera* Wiedemann, 1820
- 1196)** *Henestaris halophilus* (Burmeister, 1835) (Lygaeidae) Synonym(s): *halophilus* Burmeister, 1835; *geocoripes* D'Antessanty, 1885; *cremeus* Kiritschenko, 1924
- 1197)** *Henestaris laticeps* (Curtis, 1836) (Lygaeidae) Synonym(s): *laticeps* Curtis, 1836; *genei* Spinola, 1837; *spinolae* A. Costa, 1839; *hispanus* Rambur, 1839; *oculatus* Motschulsky, 1863; *curtulus* Horvath, 1911; *cypriacus* E. Wagner, 1949; *oboussierae* E. Wagner, 1954
- 1198)** *Hephathus nanus* (Herrich-Schäffer, 1835) (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer, 1835; *cretacea* Fieber, 1868
- 1199)** *Heriades (Michenerella) dalmaticus* Maidl, 1922 (Megachilidae) Synonym(s): *dalmaticus* Maidl, 1922; *troodicus* Mavromoustakis, 1951
- 1200)** *Heriades (Michenerella) punctuliferus* Schletterer, 1889 (Megachilidae) Synonym(s): *punctuliferus* Schletterer, 1889; *syriaca* Benoist, 1928
- 1201)** *Heriades (Rhopaloheriades) clavicornis* Morawitz, 1875 (Megachilidae) Synonym(s): *clavicornis* Morawitz, 1875; *armeniacus* Popov, 1956
- 1202)** *Heriades (s.str.) rubicola* Pérez, 1890 (Megachilidae) Synonym(s): *rubicola* Pérez, 1890; *copetica* Morawitz, 1892; *aurantifer* Cockerell, 1931

- 1203)** *Heriades (s.str.) truncorum* (Linnaeus,1758) (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastrica* Schrank,1802; *mordax* Schletterer,1889
- 1204)** *Heteracris littoralis* (Rambur,1838) (Acrididae) Synonym(s): *littoralis* Rambur,1838; *similis* Brunner von Wattenwyl,1861; *notata* Walker,1870; *aethiopica* Carl,1916; *asiaticus* Uvarov,1933; *bituberculatus* Bei-Bienko,1948
- 1205)** *Heteracris syriaca* (Brunner von Wattenwyl,1893) (Acrididae) Synonym(s): *syriaca* Brunner von Wattenwyl,1893
- 1206)** *Heteralonia (Acrodisca) suffusa* (Klug,1832) (Bombyliidae) Synonym(s): *suffusa* Klug,1832; *conturbata* Loew,1869
- 1207)** *Heteralonia (Homolonia) aegina* (Wiedemann,1828) (Bombyliidae) Synonym(s): *aegina* Wiedemann,1828; *ferruginea* Klug,1832; *bovei* Macquart,1840
- 1208)** *Heteralonia (Zygodiola) aeaca* (Meigen,1804) (Bombyliidae) Synonym(s): *aeaca* Meigen,1804; *livida* Pallas,1818; *bombycifformis* Dufour,1833; *lutea* Macquart,1840
- 1209)** *Heteralonia (Zygodiola) melanopectera* (Pallas & Wiedemann,1818) (Bombyliidae) Synonym(s): *melanopectera* Pallas & Wiedemann,1818
- 1210)** *Heteralonia (Zygodiola) mucorea* (Klug,1832) (Bombyliidae) Synonym(s): *mucorea* Klug,1832
- 1211)** *Heteropalpia vetusta* (Walker,1865) (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
- 1212)** *Hipparchia (Neohipparchia) fatua* (Freyer,1844) (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kossuigi* De Lattin,1950.
- 1213)** *Hipparchia (Pseudotergumia) pisidice* (Klug,1832) (Satyridae) Synonym(s): *pisidice* Klug,1832
- 1214)** *Hipparchia (s.str.) syriaca* (Staudinger,1871) (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
- 1215)** *Hofferia schmiedeknechti* (Schletterer,1889) (Megachilidae) Synonym(s): *schmiedeknechti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928
- 1216)** *Holcostethus strictus* (Fabricius,1803) (Pentatomidae) Synonym(s): *strictus* Fabricius,1803; *vernalis* Wolff,1804
- 1217)** *Holochelus (Miltotrogus) angustifrons* (Nonveiller,1965) (Scarabaeidae) Synonym(s): *angustifrons* Nonveiller,1965
- 1218)** *Holochelus (Miltotrogus) fallax* Marseul,1879 (Scarabaeidae) Synonym(s): *fallax* Marseul,1879
- 1219)** *Holochelus (Miltotrogus) mimicus* (Reitter,1902) (Scarabaeidae) Synonym(s): *mimicus* Reitter,1902
- 1220)** *Holochelus (Miltotrogus) rapuzzii* Keith,2004 (Scarabaeidae) Synonym(s): *rapuzzii* Keith,2004
- 1221)** *Holochelus (Miltotrogus) syriacus* (Brenske,1886) (Scarabaeidae) Synonym(s): *syriacus* Brenske,1886
- 1222)** *Holochelus (s.str.) gigas* (Sabatinelli,1977) (Scarabaeidae) Synonym(s): *gigas* Sabatinelli,1977
- 1223)** *Holochelus (s.str.) pilicollis* (Gyllenhal,1817) (Scarabaeidae) Synonym(s): *pilicollis* Gyllenhal,1817
- 1224)** *Holochelus (s.str.) setiventris* (Reitter,1902) (Scarabaeidae) Synonym(s): *setiventris* Reitter,1902
- 1225)** *Holotrichius apterus* Jakovlev,1879 (Reduviidae) Synonym(s): *apterus* Jakovlev,1879; *eroanumensis* Dispons,1964; *araxeus* Dispons,1964
- 1226)** *Holotrichius ochraceus* Reuter,1891 (Reduviidae) Synonym(s): *ochraceus* Reuter,1891
- 1227)** *Holotrichius putoni* Reuter,1909 (Reduviidae) Synonym(s): *putoni* Reuter,1909
- 1228)** *Holotrichius rotundatus* Stal,1874 (Reduviidae) Synonym(s): *rotundatus* Stal,1874; *loricatus* Dispons,1962
- 1229)** *Homoeosoma (s.str.) calcellum* Ragonot,1887 (Pyralidae) Synonym(s): *calcella* Ragonot,1887
- 1230)** *Hoplia (Decamera) bezdeki* Keith,2002 (Scarabaeidae) Synonym(s): *bezdeki* Keith,2002
- 1231)** *Hoplitis (Alcidamea) acuticornis* (Dufour & Perris,1840) (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994
- 1232)** *Hoplitis (Alcidamea) alexandrina* Warncke,1991 (Megachilidae) Synonym(s): *alexandrina* Warncke,1991
- 1233)** *Hoplitis (Alcidamea) caularis* (Morawitz,1875) (Megachilidae) Synonym(s): *caularis* Morawitz,1875; *proxima* Morawitz,1875 nec Cress.,1864; *turcestanica* Dalla Torre,1896
- 1234)** *Hoplitis (Alcidamea) hoppferi* Tkalcu,1977 (Megachilidae) Synonym(s): *hoppferi* Tkalcu,1977
- 1235)** *Hoplitis (Alcidamea) mollis* Tkalcu,2000 (Megachilidae) Synonym(s): *mollis* Tkalcu,2000
- 1236)** *Hoplitis (Alcidamea) stellaris* (Warncke,1991) (Megachilidae) Synonym(s): *stellaris* Warncke,1991
- 1237)** *Hoplitis (Alcidamea) subbutea* (Warncke,1991) (Megachilidae) Synonym(s): *subbutea* Warncke,1991
- 1238)** *Hoplitis (Alcidamea) tridentata* (Dufour & Perris,1840) (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975
- 1239)** *Hoplitis (Annosmia) annulata* (Latreille,1811) (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991
- 1240)** *Hoplitis (Annosmia) eremophila* (Warncke,1991) (Megachilidae) Synonym(s): *eremophila* Warncke,1991
- 1241)** *Hoplitis (Annosmia) uncaticornis* (Stanek,1969) (Megachilidae) Synonym(s): *uncaticornis* Stanek,1969; *cursoria* Warncke,1991
- 1242)** *Hoplitis (Anthocopa) anipuncta* (Alfken,1935) (Megachilidae) Synonym(s): *anipuncta* Alfken,1935
- 1243)** *Hoplitis (Anthocopa) bifoveolata* (Alfken,1935) (Megachilidae) Synonym(s): *bifoveolata* Alfken,1935
- 1244)** *Hoplitis (Anthocopa) bisulca* (Gerstaecker,1869) (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879
- 1245)** *Hoplitis (Anthocopa) cypriaca* (Mavromoustakis,1938) (Megachilidae) Synonym(s): *cypriaca* Mavromoustakis,1938; *bayburtensis* Tkalcu,1980
- 1246)** *Hoplitis (Anthocopa) duckeana* (Kohl,1905) (Megachilidae) Synonym(s): *duckeana* Kohl,1905
- 1247)** *Hoplitis (Anthocopa) hemisphaerica* (Alfken,1935) (Megachilidae) Synonym(s): *hemisphaerica* Alfken,1935
- 1248)** *Hoplitis (Anthocopa) idalia* (Mavromoustakis,1948) (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948
- 1249)** *Hoplitis (Anthocopa) obtusa* (Friese,1899) (Megachilidae) Synonym(s): *obtusa* Friese,1899
- 1250)** *Hoplitis (Anthocopa) semirubra* (Friese,1899) (Megachilidae) Synonym(s): *semirubra* Friese,1899
- 1251)** *Hoplitis (Anthocopa) unispina* (Alfken,1935) (Megachilidae) Synonym(s): *unispina* Alfken,1935
- 1252)** *Hoplitis (Anthocopa) urfensis* (Zanden,1984) (Megachilidae) Synonym(s): *urfensis* Zanden,1984
- 1253)** *Hoplitis (Anthocopa) yermasoyiae* (Mavromoustakis,1938) (Megachilidae) Synonym(s): *yermasoyiae* Mavromoustakis,1938; *asiae* Tkalcu,1979; *coreyraea* Tkalcu,1979
- 1254)** *Hoplitis (Chlidoplitis) heinrichi* Zanden,1980 (Megachilidae) Synonym(s): *heinrichi* Zanden,1980
- 1255)** *Hoplitis (Chlidoplitis) lysholmi* (Friese,1899) (Megachilidae) Synonym(s): *lysholmi* Friese,1899
- 1256)** *Hoplitis (Chlidoplitis) onychophora* (Mavromoustakis,1939) (Megachilidae) Synonym(s): *onychophora* Mavromoustakis,1939
- 1257)** *Hoplitis (Megahoplitis) tigrina* (Morawitz,1871) (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934
- 1258)** *Hoplitis (Megalosmia) fulva* (Eversmann,1852) (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872
- 1259)** *Hoplitis (Pentadentostmia) gallinula* (Warncke,1991) (Megachilidae) Synonym(s): *gallinula* Warncke,1991

- 1260) *Hoplitis (Pentadentostmia) minor* (Morawitz,1877) (Megachilidae) Synonym(s): *minor* Morawitz,1877
- 1261) *Hoplitis (Prionohoplitis) brachypogon* (Pérez,1879) (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Dücke,1899; *seyrigi* Benoist,1934
- 1262) *Hoplitis (Prionohoplitis) eburnea* (Warnecke,1991) (Megachilidae) Synonym(s): *eburnea* Warnecke,1991
- 1263) *Hoplitis (s.str.) carinata* (Stanek,1969) (Megachilidae) Synonym(s): *carinata* Stanek,1969
- 1264) *Hoplitis (s.str.) flabellifera* (Morice,1901) (Megachilidae) Synonym(s): *flabellifera* Morice,1901; *conjuncta* Alfken,1935; *stichi* Alfken,1935
- 1265) *Hoplitis (s.str.) libanensis* (Morice,1901) (Megachilidae) Synonym(s): *libanensis* Morice,1901
- 1266) *Hoplitis (s.str.) pallicornis* (Friese,1895) (Megachilidae) Synonym(s): *pallicornis* Friese,1895
- 1267) *Hoplitis (s.str.) pici* (Friese,1899) (Megachilidae) Synonym(s): *pici* Friese,1899
- 1268) *Hoplitis (Stenosmia) aravensis* (Zanden,1992) (Megachilidae) Synonym(s): *aravensis* Zanden,1992
- 1269) *Hoplodrina ambigua* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 1270) *Horvathiolus syriacus* (Reuter,1885) (Lygaeidae) Synonym(s): *syriacus* Reuter,1885
- 1271) *Hyalesthes obsoletus* Signoret,1865 (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935
- 1272) *Hybomitra cyanops* (Brauer,1880) (Tabanidae) Synonym(s): *cyanops* Brauer,1880
- 1273) *Hybomitra decora* (Loew,1858) (Tabanidae) Synonym(s): *decora* Loew,1858; *defasciata* Szilady,1923; *amani* Szilady,1926
- 1274) *Hybomitra mendica* (Villeneuve,1912) (Tabanidae) Synonym(s): *mendica* Villeneuve,1912
- 1275) *Hycleus birecurvus* (Marseul,1870) (Meloidae) Synonym(s): *birecurvus* Marseul,1870; *caudaluteus* Pic,1930
- 1276) *Hycleus concinnus* (Marseul,1870) (Meloidae) Synonym(s): *concinnus* Marseul,1870; *contaminata* Abeille de Perrin,1880; *impressithorax* Pic,1930
- 1277) *Hycleus dolens* (Marseul,1872) (Meloidae) Synonym(s): *dolens* Marseul,1872
- 1278) *Hycleus fuscus* (Olivier,1811) (Meloidae) Synonym(s): *fuscus* Olivier,1811; *deleta* Marseul,1870; *galatiensis* Escherich,1899; *alpha* Sumakov,1913; *beta* Sumakov,1913; *circascutellaris* Pic,1914; *iota* Sumakov,1930; *zeta* Sumakov,1930
- 1279) *Hycleus humerosus* (Escherich,1899) (Meloidae) Synonym(s): *humerosus* Escherich,1899
- 1280) *Hycleus novemdecimpunctatus* (Olivier,1811) (Meloidae) Synonym(s): *novemdecimpunctatus* Olivier,1811
- 1281) *Hycleus polymorphus* (Pallas,1771) (Meloidae) Synonym(s): *polymorphus* Pallas,1771; *floralis* Pallas,1773
- 1282) *Hycleus posticatus* (Fairmaire,1892) (Meloidae) Synonym(s): *posticatus* Fairmaire,1892
- 1283) *Hycleus scabiosae* (Olivier,1811) (Meloidae) Synonym(s): *scabiosae* Olivier,1811; *euphratica* Marseul,1870; *marseuli* Ballion,1878; *alienigera* Heyden,1883; *maracadensis* Dokhtouroff,1889; *auliensis* Pic,1901; *sicheri* Fleischer,1921; *eichleri* Mader,1927; *transcaspiensis* Pic,1928; *delta* Sumakov,1930; *epsilon* Sumakov,1930
- 1284) *Hycleus sexmaculatus* (Olivier,1811) (Meloidae) Synonym(s): *sexmaculatus* Olivier,1811; *bimaculatus* Klug,1845 *nec* Oliv.,1811; *ledereri* Marseul,1870
- 1285) *Hycleus tenuipictus* (Fairmaire,1892) (Meloidae) Synonym(s): *tenuipictus* Fairmaire,1892; *marsabensis* Pic,1898
- 1286) *Hycleus tigrinus* (Klug,1845) (Meloidae) Synonym(s): *tigrinus* Klug,1845
- 1287) *Hycleus zebraeus* (Marseul,1870) (Meloidae) Synonym(s): *zebraea* Marseul,1870; *tenenbaumi* Pic,1928; *kervillei* Pic,1932
- 1288) *Hydrochara dichorama* (Fairmaire,1829) (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829
- 1289) *Hydromya dorsalis* (Fabricius,1775) (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775; *punctipennis* Fallén,1820; *caeruleipennis* R-D.,1830; *obscuriventris* Strobl,1899; *infuscata* Villeneuve,1912
- 1290) *Hydrophilus aculeatus* (Solier) (Hydrophilidae) Synonym(s):
- 1291) *Hydrotaea capensis* (Wiedemann,1818) (Muscidae) Synonym(s): *capensis* Wiedemann,1818; *anthrax* Meigen,1826
- 1292) *Hydrotaea ignava* (Harris,1780) (Muscidae) Synonym(s): *ignava* Harris,1780; *leucostoma* Wiedemann,1817
- 1293) *Hylaeus damascenus* (Magretti,1890) (Colletidae) Synonym(s): *damascenus* Magretti,1890
- 1294) *Hylaeus rubicola* (Saunders,1850) (Colletidae) Synonym(s): *rubicola* Saunders,1850
- 1295) *Hylaeus torquatus* (Warnecke,1992) (Colletidae) Synonym(s): *torquatus* Warnecke,1992
- 1296) *Hyles conspicua* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan,1903.
- 1297) *Hypena (s.str.) obsitalis* (Hübner,[1813]) (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813]
- 1298) *Hypena rostralis* (Linnaeus,1758) (Noctuidae) Synonym(s): *rostralis* Linnaeus,1758.
- 1299) *Hypenidium roborowskii* (Becker,1908) (Tephritidae) Synonym(s): *roborowskii* Becker,1908
- 1300) *Hyperaspis syriaca* (Weise,1885) (Coccinellidae) Synonym(s): *syriaca* Weise,1885
- 1301) *Hypeuthina fulgurita* Lederer,1855 (Noctuidae) Synonym(s): *fulgurita* Lederer,1855
- 1302) *Hypogana inunctus* (Panzer,1795) (Elateridae) Synonym(s): *inunctus* Panzer,1795; *cinctus* Paykull,1800
- 1303) *Hyponephele (s.str.) lupina* (Costa,[1836]) (Satyridae) Synonym(s): *lupina* Costa,[1836]
- 1304) *Hyponephele (s.str.) lycaon* (Rottemburg,1775) (Satyridae) Synonym(s): *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800; *rufomaculata* Korb,2005
- 1305) *Hypotia colchicalis* (Herrich-Schäffer,[1855]) (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900.
- 1306) *Hypotia concatenalis* Lederer,1858 (Pyralidae) Synonym(s): *concatenalis* Lederer,1858
- 1307) *Hypotia infulalis* Lederer,1858 (Pyralidae) Synonym(s): *infulalis* Lederer,1858
- 1308) *Hypotropa vulneratella* (Zeller,1847) (Pyralidae) Synonym(s): *vulneratella* Zeller,1847; *roseistrigella* Ragonot,1901.
- 1309) *Hysteropterum asiaticum* Lethierry,1878 (Issidae) Synonym(s): *asiaticum* Lethierry,1878
- 1310) *Hysteropterum grylloides* (Fabricius,1794) (Issidae) Synonym(s): *grylloides* Fabricius,1794
- 1311) *Hysteropterum laminatum* Horvath,1911 (Issidae) Synonym(s): *laminatum* Horvath,1911
- 1312) *Hysteropterum syriacum* Melichar,1906 (Issidae) Synonym(s): *syriacum* Melichar,1906
- 1313) *Ilisia inermis* Mendl,1979 (Limoniidae) Synonym(s): *inermis* Mendl,1979
- 1314) *Ilybius hulae* Wewalka,1984 (Dytiscidae) Synonym(s): *hulae* Wewalka,1984
- 1315) *Infurcitinea karmeliella* (Amsel,1935) (Tineidae) Synonym(s): *karmeliella* Amsel,1935
- 1316) *Iphiclides podalirius* (Linnaeus,1758) (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926.
- 1317) *Iranada turcorum* (Zerny,1915) (Noctuidae) Synonym(s): *turcorum* Zerny,1915
- 1318) *Ischnodemus caspius* Jakovlev,1871 (Lygaeidae) Synonym(s): *caspius* Jakovlev,1871
- 1319) *Ischnodes sanguinicolis* (Panzer,1793) (Elateridae) Synonym(s): *sanguinicolis* Panzer,1793
- 1320) *Ischnopeza hirticornis* (Herrich-Schäffer,1853) (Lygaeidae) Synonym(s): *hirticornis* Herrich-Schäffer,1853
- 1321) *Ischnopeza pallipes* Puton,1892 (Lygaeidae) Synonym(s): *pallipes* Puton,1892

- 1322) Ischnura elegans (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820
- 1323) Ischyronota desertorum (Gebler,1833)** (Chrysomelidae) Synonym(s): *desertorum* Gebler,1833
- 1324) Isophya savignyi Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *savignyi* Brunner von Wattenwyl,1878; *festae* Griffini,1893
- 1325) Isophya triangularis Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *triangularis* Brunner von Wattenwyl,1891
- 1326) Isotomus comptus (Mannerheim,1825)** (Cerambycidae) Synonym(s): *comptus* Mannerheim,1825
- 1327) Jalla dumosa (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917
- 1328) Jordanita (Lucasiterna) subsolana (Staudinger,1862)** (Zygaenidae) Synonym(s): *subsolana* Staudinger,1862
- 1329) Jordanita (Praviela) anatolica (Naufock,1929)** (Zygaenidae) Synonym(s): *anatolica* Naufock,1929; *levantina* Jordan,1931; *pfeifferi* Naufock,1935; ? *christinae* Keil,1998.
- 1330) Jordanita (Roccia) volgensis (Möschler,1862)** (Zygaenidae) Synonym(s): *volgensis* Möschler,1862
- 1331) Jordanita (s.str.) chloros (Hübner,[1813])** (Zygaenidae) Synonym(s): *chloros* Hübner,[1813]; *sepium* Boisduval,1834.
- 1332) Jordanita (s.str.) syriaca (Alberti,1937)** (Zygaenidae) Synonym(s): *syriaca* Alberti,1937
- 1333) Julodis andreae (Olivier,1790)** (Buprestidae) Synonym(s): *andreae* Olivier,1790
- 1334) Julodis armeniaca Marseul,1865** (Buprestidae) Synonym(s): *armeniaca* Marseul,1865
- 1335) Julodis ehrenbergi Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi* Laporte,1835
- 1336) Julodis speculifera Laporte & Gory,1835** (Buprestidae) Synonym(s): *speculifera* Laporte & Gory,1835
- 1337) Julodis syriaca (Olivier,1790)** (Buprestidae) Synonym(s): *syriaca* Olivier,1790
- 1338) Kenneliola fagiglandana (Zeller,1841)** (Tortricidae) Synonym(s): *grossana* Haworth,[1811] *nec* Thunb.,1791; *fagiglandana* Zeller,1841.
- 1339) Kervillea syriaca (Melichar,1906)** (Issidae) Synonym(s): *syriaca* Melichar,1906
- 1340) Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989
- 1341) Knutsonia (s.str.) truqui (Rondani,1868)** (Sciomyzidae) Synonym(s): *truqui* Rondani,1868
- 1342) Knutsonia (s.str.) turcestanica (Hendel,1903)** (Sciomyzidae) Synonym(s): *turcestanica* Hendel,1903
- 1343) Knutsonia (s.str.) unipunctata (Macquart,1849)** (Sciomyzidae) Synonym(s): *unipunctata* Macquart,1849; *plumosula* Becker,1907
- 1344) Korynetes coxalis Reitter,1894** (Korynetidae) Synonym(s): *coxalis* Reitter,1894
- 1345) Krombeinella aramaea (Suarez,1963)** (Mutillidae) Synonym(s): *aramaea* Suarez,1963
- 1346) Labidostomis (Chlorostola) centromaculata Gén  ,1839** (Chrysomelidae) Synonym(s): *quadrinotata* Olivier,1791 *nec* Fabr.,1787; *centromaculata* Gén  ,1839; *syriaca* Lacordaire,1848
- 1347) Labidostomis (s.str.) asiatica Faldermann,1837** (Chrysomelidae) Synonym(s): *asiatica* Faldermann,1837
- 1348) Labidostomis (s.str.) basanica Sahlberg,1913** (Chrysomelidae) Synonym(s): *basanica* Sahlberg,1913
- 1349) Labidostomis (s.str.) decipiens Faldermann,1837** (Chrysomelidae) Synonym(s): *decipiens* Faldermann,1837; *lineola* Redtenbacher,1843
- 1350) Labidostomis (s.str.) diversifrons Lefebvre,1876** (Chrysomelidae) Synonym(s): *diversifrons* Lefebvre,1876; *speculifrons* Kraatz,1872; *attenuata* Pic,1897
- 1351) Labidostomis (s.str.) hebraea (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *hebraea* Lacordaire,1848; *limbata* Lacordaire,1848; *jota* Reiche,1854; *posticejuncta* Pic,1912; *bijuncta* Pic,1912; *bisbijuncta* Pic,1912
- 1352) Labidostomis (s.str.) karamanica Weise,1900** (Chrysomelidae) Synonym(s): *karamanica* Weise,1900; *cyprius* Lopatin,1962
- 1353) Labidostomis (s.str.) mesopotamica Heyden,1886** (Chrysomelidae) Synonym(s): *mesopotamica* Heyden,1886; *escherichi* Weise,1897; *frontalis* Weise,1900; *iconiensis* Weise,1900
- 1354) Labidostomis (s.str.) rufa (Waltl,1838)** (Chrysomelidae) Synonym(s): *rufa* Waltl,1838
- 1355) Labidostomis (s.str.) testaceipes Pic,1904** (Chrysomelidae) Synonym(s): *testaceipes* Pic,1904; *delagrangiei* Pic,1904; *robusta* Reineck,1911
- 1356) Lachnaia cerealis (Olivier,1808)** (Chrysomelidae) Synonym(s): *cerealis* Olivier,1808
- 1357) Lambaesia straminella (Zerny,1914)** (Pyralidae) Synonym(s): *straminella* Zerny,1914; *alphitopis* Meyrick,1937.
- 1358) Lamoria melanophlebia Ragonot,1888** (Pyralidae) Synonym(s): *melanophlebia* Ragonot,1888
- 1359) Lampides boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
- 1360) Lampromeloe cavensis (Petagna,1819)** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gén  ,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867
- 1361) Lampyris berytensis Fairmaire,1866** (Lampyridae) Synonym(s): *berytensis* Fairmaire,1866
- 1362) Lampyris nervosa Olivier,1883** (Lampyridae) Synonym(s): *nervosa* Olivier,1883; *barbara* Olivier,1884
- 1363) Lampyroidea lucifer (Reiche & Saulcy,1857)** (Lampyridae) Synonym(s): *lucifer* Reiche & Saulcy,1857; *lucifera* E.Olivier,1884
- 1364) Lampyroidea maculicollis (Mulsant & Wachanru,1852)** (Lampyridae) Synonym(s): *maculicollis* Mulsant & Wachanru,1852; *maculithorax* Gemminger,1870
- 1365) Lampyroidea nigrescens E.Olivier,1884** (Lampyridae) Synonym(s): *Lampyroidea nigrescens* E.Olivier,1884, Ab. 22: 45, pl.2 fig.13.
- 1366) Lampyroidea syriaca A.Costa,1875** (Lampyridae) Synonym(s): *syriaca* A.Costa,1875; *innotaticollis* Pic,1914
- 1367) Lanelater judaicus (Reiche & Saulcy,1856)** (Elateridae) Synonym(s): *judaicus* Reiche & Saulcy,1856
- 1368) Laothoe populeti (Bienert,[1870])** (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 1369) Lasiacantha hedenborgi (Stal,1873)** (Tingidae) Synonym(s): *hedenborgi* Stal,1873; *#hedenbergii* Önder et al.,2006
- 1370) Lasiocampa terreni (Herrich-Sch  ffer,1847)** (Lasiocampidae) Synonym(s): *terreni* Herrich-Sch  ffer,1847
- 1371) Lasioglossum (Evylaeus) anellum (Vachal,1905)** (Halictidae) Synonym(s): *anellum* Vachal,1905
- 1372) Lasioglossum (Evylaeus) denislucum (Strand,1909)** (Halictidae) Synonym(s): *denislucum* Strand,1909
- 1373) Lasioglossum (Evylaeus) edessae Ebmer,1974** (Halictidae) Synonym(s): *edessae* Ebmer,1974
- 1374) Lasioglossum (Evylaeus) epipygiale (Bl  thgen,1924)** (Halictidae) Synonym(s): *epipygiale* Bl  thgen,1924
- 1375) Lasioglossum (Evylaeus) marginatum (Brull  ,1832)** (Halictidae) Synonym(s): *marginatum* Brull  ,1832
- 1376) Lasioglossum (Evylaeus) masculum (P  rez,1895)** (Halictidae) Synonym(s): *masculum* P  rez,1895
- 1377) Lasioglossum (Evylaeus) mesosclerum (P  rez,1903)** (Halictidae) Synonym(s): *mesosclerum* P  rez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982

- 1378)** *Lasioglossum* (Evylaeus) *mesosclerum* (Pérez,1903) (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *balneorum* Ebmer,1974
- 1379)** *Lasioglossum* (Evylaeus) *morio* (Fabricius,1793) (Halictidae) Synonym(s): *morio* Fabricius,1793
- 1380)** *Lasioglossum* (Evylaeus) *obscuratum* (Morawitz,1875) (Halictidae) Synonym(s): *obscuratum* Morawitz,1875
- 1381)** *Lasioglossum* (Evylaeus) *pauillum* (Schenck,1853) (Halictidae) Synonym(s): *pauillum* Schenck,1853
- 1382)** *Lasioglossum* (Evylaeus) *pseudosphecodimorphum* (Blüthgen,1923) (Halictidae) Synonym(s): *pseudosphecodimorphum* Blüthgen,1923
- 1383)** *Lasioglossum* (Evylaeus) *pygmaeum* Schenck,1853 (Halictidae) Synonym(s): *pygmaeum* Schenck,1853; *patulum* Vachal,1905
- 1384)** *Lasioglossum* (Evylaeus) *setulellum* (Strand,1909) (Halictidae) Synonym(s): *setulellum* Strand,1909
- 1385)** *Lasioglossum* (Evylaeus) *siirtense* (Warncke,1984) (Halictidae) Synonym(s): *siirtense* Warncke,1984; *#siistense* Grace,2010
- 1386)** *Lasioglossum* (Evylaeus) *transitorium* (Schenck,1870) (Halictidae) Synonym(s): *transitorium* Schenck,1870; *uncinum* Vachal,1905
- 1387)** *Lasioglossum* (Evylaeus) *truncaticolle* (Morawitz,1877) (Halictidae) Synonym(s): *truncaticolle* Morawitz,1877
- 1388)** *Lasioglossum* (s.str.) *caspicum* (Morawitz,1873) (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911
- 1389)** *Lasioglossum* (s.str.) *cristulum* (Pérez,1895) (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975; *#cristulam* Grace,2010
- 1390)** *Lasioglossum* (s.str.) *pallens* (Brullé,1832) (Halictidae) Synonym(s): *pallens* Brullé,1832
- 1391)** *Lasiommata* *maera* (Linnaeus,1758) (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 1392)** *Lasiommata* *megea* (Linnaeus,1767) (Satyridae) Synonym(s): *megea* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 1393)** *Lasiorrhynchites* *praeustus* (Boheman,1845) (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermannii* Desbrochers,1845; *syriacus* Desbrochers,1868
- 1394)** *Lecithocera* *syriella* Gozmany,1978 (Lecithoceridae) Synonym(s): *syriella* Gozmany,1978
- 1395)** *Lecithocera* *vartiani* Gozmany,1978 (Lecithoceridae) Synonym(s): *vartiani* Gozmany,1978
- 1396)** *Legnotomyia* *trichorhoea* (Loew,1855) (Bombyliidae) Synonym(s): *trichorhoea* Loew,1855
- 1397)** *Leistus* (s.str.) *caucasicus* Chaudoir,1867 (Carabidae) Synonym(s): *caucasicus* Chaudoir,1867
- 1398)** *Lemonia* *peilei* Rothschild,1921 (Lemoniidae) Synonym(s): *peilei* Rothschild,1921
- 1399)** *Lemonia* *sacrosancta* Püngeler,1902 (Lemoniidae) Synonym(s): *sacrosancta* Püngeler,1902
- 1400)** *Leprosoma* *inaequale* Horvath,1911 (Pentatomidae) Synonym(s): *inaequale* Horvath,1911
- 1401)** *Leprosoma* *reticulatum* (Herrich-Schäffer,1851) (Pentatomidae) Synonym(s): *reticulatum* Herrich-Schäffer,1851
- 1402)** *Leprosoma* *stali* Douglas & Scott,1868 (Pentatomidae) Synonym(s): *stali* Douglas & Scott,1868
- 1403)** *Leptidea* *sinapis* (Linnaeus,1758) (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,1819; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
- 1404)** *Leptocybe* *invasa* Fisher & La Salle,2004 (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004
- 1405)** *Leptogaster* *hermonensis* Theodor,1980 (Asilidae) Synonym(s): *hermonensis* Theodor,1980
- 1406)** *Leptogaster* *palparis* Loew,1847 (Asilidae) Synonym(s): *palparis* Loew,1847
- 1407)** *Leptomysdas* *maculatus* (Walker,1871) (Mydidae) Synonym(s): *maculatus* Walker,1871
- 1408)** *Leptophyes* *bolivari* (Kirby,1906) (Tettigoniidae) Synonym(s): *bolivari* Kirby,1906
- 1409)** *Leptophyes* *festae* Giglio-Tos,1893 (Tettigoniidae) Synonym(s): *festae* Giglio-Tos,1893
- 1410)** *Leptophyes* *karanae* Naskrecki & Ünal,1995 (Tettigoniidae) Synonym(s): *karanae* Naskrecki & Ünal,1995
- 1411)** *Lertha* *extensa* (Olivier,1811) (Nemopteridae) Synonym(s): *extensa* Olivier,1811
- 1412)** *Lestes* *parvidens* Artobolevski,1929 (Lestidae) Synonym(s): *parvidens* Artobolevski,1929
- 1413)** *Lestes* *virens* Charpentier,1825 (Lestidae) Synonym(s): *virens* Charpentier,1825
- 1414)** *Lethaeus* *cribratissimus* (Stal,1858) (Lygaeidae) Synonym(s): *cribratissimus* Stal,1858
- 1415)** *Lethaeus* *syriacus* Horvath,1883 (Lygaeidae) Synonym(s): *syriacus* Horvath,1883
- 1416)** *Leucania* *herrichi* Herrich-Schäffer,1849 (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,1849
- 1417)** *Leucania* *loreyi* (Duponchel,1827) (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 1418)** *Leucania* *palaestinae* Staudinger,1897 (Noctuidae) Synonym(s): *palaestinae* Staudinger,1897; *languida* Staudinger,1897 nec Wlk.,1858; *#obscura* Heydemann et al.,1963; *#plastinaea* Kornošor & Lödl,1990
- 1419)** *Leucania* *punctosa* (Treitschke,1825) (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
- 1420)** *Levitinia* *freidbergi* Beaucounu-Saguez & Braverman,1987 (Simuliidae) Synonym(s): *freidbergi* Beaucounu-Saguez & Braverman,1987
- 1421)** *Libelloides* *macaronius* (Scopoli,1763) (Ascalaphidae) Synonym(s): *macaronius* Scopoli,1763
- 1422)** *Libelloides* *rhomboideus* (Schneider,1845) (Ascalaphidae) Synonym(s): *rhomboideus* Schneider,1845; *#romboideus* Dobosz & Abraham,2007
- 1423)** *Libelloides* *syriacus* (McLachlan,1871) (Ascalaphidae) Synonym(s): *syriacus* McLachlan,1871
- 1424)** *Liliocoris* *faldermanni* (Guérin-Ménéville,1829) (Chrysomelidae) Synonym(s): *faldermanni* Guérin-Ménéville,1829; *cornuta* Faldermann,1837
- 1425)** *Limnitis* (Azuritis) *reducta* Staudinger,1901 (Argynnididae) Synonym(s): *reducta* Staudinger,1901.
- 1426)** *Limnophora* *obsignata* (Rondani,1866) (Muscidae) Synonym(s): *obsignata* Rondani,1866; *ostensackenii* Jaennicke,1867
- 1427)** *Limnophora* *patellifera* (Villeneuve,1911) (Muscidae) Synonym(s): *patellifera* Villeneuve,1911
- 1428)** *Limnophora* *quaterna* (Loew,1852) (Muscidae) Synonym(s): *quaterna* Loew,1852; *notabilis* Stein,1903
- 1429)** *Lispe* *caesia* Meigen,1826 (Muscidae) Synonym(s): *caesia* Meigen,1826
- 1430)** *Lispe* *tentaculata* (De Geer,1776) (Muscidae) Synonym(s): *tentaculata* De Geer,1776; *fluviatilis* R-D.,1830; *tarsalis* R-D.,1830; *tibialis* Macquart,1839; *dissona* Villeneuve,1936
- 1431)** *Lispocephala* *miki* (Strobl,1893) (Muscidae) Synonym(s): *miki* Strobl,1893
- 1432)** *Lissonota* (s.str.) *superbator* Aubert,1967 (Ichneumonidae) Synonym(s): *superbator* Aubert,1967
- 1433)** *Lithophana* *lapidea* (Hübner,1808) (Noctuidae) Synonym(s): *lapidea* Hübner,1808
- 1434)** *Lithostege* *palaestinensis* Amsel,1935 (Geometridae) Synonym(s): *palaestinensis* Amsel,1935; *ali* Wiltshire,1941.

- 1435) Lithurgus chrysurus Fonscolombe, 1834** (Megachilidae) Synonym(s): *chrysurus* Fonscolombe, 1834; *analis* Lepeletier, 1841; *haemorrhoidalis* Lepeletier, 1841; *monocerus* Morawitz, 1873
- 1436) Lithurgus tibialis Morawitz, 1875** (Megachilidae) Synonym(s): *tibialis* Morawitz, 1875
- 1437) Lobesia (s.str.) porrectana (Zeller, 1847)** (Tortricidae) Synonym(s): *porrectana* Zeller, 1847
- 1438) Lobesia (s.str.) serangodes (Meyrick, 1920)** (Tortricidae) Synonym(s): *serangodes* Meyrick, 1920; *#sarangodes* Razowski, 1966
- 1439) Lomatia armeniaca Paramonov, 1924** (Bombyliidae) Synonym(s): *armeniaca* Paramonov, 1924
- 1440) Lomatia belzebul (Fabricius, 1794)** (Bombyliidae) Synonym(s): *belzebul* Fabricius, 1794
- 1441) Lomatia lachesis Egger, 1859** (Bombyliidae) Synonym(s): *lachesis* Egger, 1859
- 1442) Lomatia polyzona Loew, 1869** (Bombyliidae) Synonym(s): *polyzona* Loew, 1869
- 1443) Longitarsus eminus Furth, 1979** (Chrysomelidae) Synonym(s): *eminus* Furth, 1979
- 1444) Longitarsus exsoletus (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *exsoletus* Linnaeus, 1758; *femoralis* Marsham, 1802; *boppardiensis* Bach, 1856; *rufula* Foudras, 1860; *megaleuca* Allard, 1860; *lividus* Fauvel, 1888; *arctulus* Weise, 1893
- 1445) Longitarsus pinguis Weise, 1888** (Chrysomelidae) Synonym(s): *pinguis* Weise, 1888
- 1446) Lophyridia aphrodisia (Baudi, 1864)** (Carabidae) Synonym(s): *aphrodisia* Baudi, 1864
- 1447) Lophyridia caucasica (Adams, 1817)** (Carabidae) Synonym(s): *caucasica* Adams, 1817
- 1448) Lophyridia concolor (Dejean, 1822)** (Carabidae) Synonym(s): *concolor* Dejean, 1822
- 1449) Luciola judaica E.Olivier, 1884** (Lampyridae) Synonym(s): *judaica* E.Olivier, 1884
- 1450) Luciola kervillei E.Olivier, 1909** (Lampyridae) Synonym(s): *kervillei* E.Olivier, 1909
- 1451) Luciola lusitanica (Charpentier, 1825)** (Lampyridae) Synonym(s): *italica* Olivier, 1790 *nec* Linn., 1767; *lusitanica* Charpentier, 1825; *caucasica* Motschoulsky, 1854; *collaris* Motschoulsky, 1854; *mehadiensis* Motschoulsky, 1854; *mingrelia* Motschoulsky, 1854; *pontica* Motschoulsky, 1854; *mentonensis* Peragallo, 1863; *minor* Baudi di Selve, 1873; *erythrocephalus* E.Olivier, 1885; *papii* Miksic, 1969
- 1452) Lycaena (s.str.) phlaeas (Linnaeus, 1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus, 1761; *virgaureae* Fourcroy, 1785 *nec* Linn., 1758; *eleus* Fabricius, 1798; *aestivus* Zeller, 1850; *schmidtii* Gerhard, 1853
- 1453) Lycaena (Thersamonia) thersamon (Esper, [1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer, [1775]; *thersamon* Esper, [1784]; *omphale* Klug, 1834; *persica* Bienert, 1870; *#militaris* Graves, 1925.
- 1454) Lycia suleimania (Wehrli, 1938)** (Geometridae) Synonym(s): *suleimania* Wehrli, 1938
- 1455) Lycophorus ankarensis (Rebel, 1931)** (Noctuidae) Synonym(s): *ankarensis* Rebel, 1931; *wichgrafi* Corti & Draudt, 1933; *#ankariensis* Hacker, 2001
- 1456) Lycophorus tischendorfi (Püngeler, 1915)** (Noctuidae) Synonym(s): *tischendorfi* Püngeler, 1915 (*nec* 1925!); *flagrans* Püngeler, 1925; *libanotica* Corti & Draudt, 1933.
- 1457) Lydus pilicollis Fairmaire, 1892** (Meloidea) Synonym(s): *pilicollis* Fairmaire, 1892
- 1458) Lydus turcicus Kaszab, 1952** (Meloidea) Synonym(s): *turcicus* Kaszab, 1952
- 1459) Lygaeosoma sardeum Spinola, 1837** (Lygaeidae) Synonym(s): *sardeum* Spinola, 1837; *reticulatus* Herrich-Schäffer, 1838; *variabilis* Rambur, 1839; *erythropterum* Puton, 1876 [ssp.]; *numidicum* Puton, 1887; *hungarica* Stichel, 1957
- 1460) Lygaeus creticus (Lucas, 1854)** (Lygaeidae) Synonym(s): *creticus* Lucas, 1854; *bisbipunctatus* A.Costa, 1864; *sexmaculatus* Garbiglietti, 1869
- 1461) Lygaeus equestris (Linnaeus, 1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus, 1758; *speciosus* Poda, 1761; *punctumalbum* Pollich, 1781; *lactans* Horvath, 1899; *sicilianus* Wagner, 1954
- 1462) Lyristes plebejus (Scopoli, 1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli, 1763; *fraxini* Fabricius, 1803; *obscura* Fabricius, 1803; *armeniaca* Kolenati, 1857; *africana* Metcalf, 1955
- 1463) Macevethus errans (Fabricius, 1794)** (Rhopalidae) Synonym(s): *errans* Fabricius, 1794
- 1464) Macroglossum stellatarum (Linnaeus, 1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus, 1758; *nigra* Cosmovici, 1892.
- 1465) Macromyrme sinuata (Olivier, 1811)** (Mutillidae) Synonym(s): *sinuata* Olivier, 1811; *villosa* Klug, 1829
- 1466) Macromermis linearis (Klug, 1834)** (Myrmeleontidae) Synonym(s): *linearis* Klug, 1834; *ibericus* Navas, 1927
- 1467) Macrophya ottomana Mocsary, 1881** (Tenthredinidae) Synonym(s): *ottomana* Mocsary, 1881
- 1468) Macropis frivaldszkyi Mocsary, 1878** (Melittidae) Synonym(s): *frivaldszkyi* Mocsary, 1878
- 1469) Macropsis scutellata (Boheman, 1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman, 1845; *tibialis* Scott, 1874
- 1470) Macrocytus brunneus (Fabricius, 1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius, 1803; *proximus* Rambur, 1839; *opacus* Stal, 1854; *scutellaris* Horvath, 1919; *exiguus* Horvath, 1919
- 1471) Macrosiphoniella (Papillomyzus) papillata Holman, 1962** (Aphididae) Synonym(s): *papillata* Holman, 1962
- 1472) Macrotylus perdictus Kritshenko, 1938** (Miridae) Synonym(s): *perdictus* Kritshenko, 1938
- 1473) Macrotylus syriacus Wagner, 1963** (Miridae) Synonym(s): *syriacus* Wagner, 1963
- 1474) Macrotylus tamerus Wagner, 1975** (Miridae) Synonym(s): *tamerus* Wagner, 1975
- 1475) Malachius alepensis (Melyridae)** Synonym(s):
- 1476) Malachius rubidus Erichson, 1840** (Melyridae) Synonym(s): *rubidus* Erichson, 1840; *carnifex* Erichson, 1840; *fallax* Strübing, 1854; *sublateralis* Pic, 1912; *valesiacus* Pic, 1929
- 1477) Malacosoma neustrium (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus, 1758; *annularis* Fourcroy, 1785; *unicolor* Cyrilli, 1787; *bilineatus* Haworth, 1803
- 1478) Maladera (Eusericula) modesta (Fairmaire, 1881)** (Scarabaeidae) Synonym(s): *modesta* Fairmaire, 1881
- 1479) Maladera (Macroserica) armeniaca Reitter, 1896** (Scarabaeidae) Synonym(s): *armeniaca* Reitter, 1896
- 1480) Maladera (Macroserica) fusconitens (Fairmaire, 1892)** (Scarabaeidae) Synonym(s): *fusconitens* Fairmaire, 1892; *villiersi* Petrovitz, 1969
- 1481) Maladera (Macroserica) syriaca Petrovitz, 1969** (Scarabaeidae) Synonym(s): *syriaca* Petrovitz, 1969; *jerashiensis* Baraud, 1990
- 1482) Malthinus conspicuus Kiesenwetter, 1852** (Cantharidae) Synonym(s): *conspicuus* Kiesenwetter, 1852
- 1483) Malthinus frantiseki Svihla, 2002** (Cantharidae) Synonym(s): *frantiseki* Svihla, 2002
- 1484) Malthinus kadleci Svihla, 2002** (Cantharidae) Synonym(s): *kadleci* Svihla, 2002
- 1485) Malthinus libenae Svihla, 2002** (Cantharidae) Synonym(s): *libenae* Svihla, 2002
- 1486) Malthinus muehlei Svihla, 1990** (Cantharidae) Synonym(s): *muehlei* Svihla, 1990
- 1487) Malthodes halabensis Svihla, 2002** (Cantharidae) Synonym(s): *halabensis* Svihla, 2002
- 1488) Maniola (Telmessiola) telmessia (Zeller, 1847)** (Satyridae) Synonym(s): *telmessia* Zeller, 1847; *pallascens* Butler, 1868; *kurdistan* Heyne, 1894; *oreas* Le Cerf, 1912; *maniolidis* Le Cerf, 1912; *ornata* Turati & Fiori, 1930; *marenigrans* Verity, 1938; *pelekassii* Kattulas & Koutsaftikis, 1978.

- 1489) *Mantispa styriaca* (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982
- 1490) *Marthamea vitripennis* (Burmeister,1839)** (Perlidae) Synonym(s): *vitripennis* Burmeister,1839; *bicolor* Burmeister,1839; *angustata* Rambur,1842; *terminalis* Walker,1852; *beraudi* Navas,1909
- 1491) *Mecyna lutulentalis* (Lederer,1858)** (Pyralidae) Synonym(s): *lutulentalis* Lederer,1858
- 1492) *Medecticus assimilis* (Fieber,1853)** (Tettigoniidae) Synonym(s): *assimilis* Fieber,1853; *syriacus* Fieber,1853; *#minutus* Kaltenbach,1974
- 1493) *Megacephala euphratica* Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822
- 1494) *Megalodontes escaleraei* Konow,1899** (Megalodontesidae) Synonym(s): *escaleraei* Konow,1899
- 1495) *Megalodontes judaicus* (Lepeletier,1823)** (Megalodontesidae) Synonym(s): *judaicus* Lepeletier,1823; *caesariensis* Lepeletier,1823; *leucostictus* Zaddach,1865; *punctatus* Konow,1898; *candidatus* Konow,1899
- 1496) *Megalodontes phaenicius* (Lepeletier,1823)** (Megalodontesidae) Synonym(s): *phaenicius* Lepeletier,1823; *caucasicus* André,1881; *imperialis* Konow,1897; *kohli* Konow,1897
- 1497) *Megalonotus brevicornis* (Puton,1883)** (Lygaeidae) Synonym(s): *brevicornis* Puton,1883
- 1498) *Megalonotus colon* Puton,1874** (Lygaeidae) Synonym(s): *colon* Puton,1874
- 1499) *Megalonotus maximus* (Puton,1895)** (Lygaeidae) Synonym(s): *maximus* Puton,1895
- 1500) *Megalonotus tricolor* (Horvath,1895)** (Lygaeidae) Synonym(s): *tricolor* Horvath,1895
- 1501) *Megatelus contractus* (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845
- 1502) *Megatelus contractus* (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845
- 1503) *Megophthalmus scanicus* (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894
- 1504) *Melanargia (Turcargia) titea* (Klug,1832)** (Satyridae) Synonym(s): *titea* Klug,1832
- 1505) *Melanotus (s.str.) aemulus* (Erichson,1841)** (Elateridae) Synonym(s): *aemulus* Erichson,1841
- 1506) *Melanotus (s.str.) mutatus* Harold,1869** (Elateridae) Synonym(s): *mutatus* Harold,1869
- 1507) *Melanotus (s.str.) punctolineatus* (Pélerin,1829)** (Elateridae) Synonym(s): *punctolineatus* Pélerin,1829
- 1508) *Meliboeus adlbaueri* Niehuis,1997** (Buprestidae) Synonym(s): *adlbaueri* Niehuis,1997
- 1509) *Melिता (Cinclidia) (phoebe) punica* Oberthür,1876** (Argynnididae) Synonym(s): *punica* Oberthür,1876
- 1510) *Melिता (Cinclidia) collina* Lederer,1861** (Argynnididae) Synonym(s): *collina* Lederer,1861
- 1511) *Melिता (Didymaeformis) deserticola* Kirby,1877** (Argynnididae) Synonym(s): *#deserticola* Oberthür,1876; *deserticola* Kirby,1877
- 1512) *Melिता (Didymaeformis) didyma* (Esper,[1779])** (Argynnididae) Synonym(s): *didyma* Esper,[1779]; *armoricana* Oberthür,1909.
- 1513) *Melिता (Didymaeformis) fascelis* (Fabricius,1787)** (Argynnididae) Synonym(s): *#trivia* Denis & Schiffermüller,1775; *iphenigia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803
- 1514) *Melिता (Didymaeformis) persea* Kollar,[1849]** (Argynnididae) Synonym(s): *persea* Kollar,[1849]; *caucasica* Staudinger,1861; *magnacasta* Verity,1929; *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *causasicola* Bryk,1940; *hafiz* Higgins,1941; *gina* Higgins,1941; *darius* Gross & Ebert,1975; *pfeifferi* Gross & Ebert,1975 (*praeocc.*); *wernickei* Gross & Ebert,1975; *elbursicola* Gross & Ebert,1975; *safawides* Gross & Ebert,1975.
- 1515) *Melitturga praestans* Giraud,1861** (Andrenidae) Synonym(s): *praestans* Giraud,1861; *syriaca* Friese,1896
- 1516) *Meloe (Lasiomeloe) olivieri* (Chevrolat,1833)** (Meloidae) Synonym(s): *olivieri* Chevrolat,1833
- 1517) *Meloe (s.str.) proscarabaeus* Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus* Linnaeus,1758
- 1518) *Melolontha (s.str.) albida* Frivaldsky,1835** (Scarabaeidae) Synonym(s): *albida* Frivaldsky,1835
- 1519) *Melolontha (s.str.) anita* Reitter,1902** (Scarabaeidae) Synonym(s): *anita* Reitter,1902
- 1520) *Menaccarus (Oploscelis) arenicola* (Scholtz,1847)** (Pentatomidae) Synonym(s): *arenicola* Scholtz,1847; *ciliatus* Mulsant & Rey,1852; *pallidus* Perris,1857; *minor* Stichel,1936
- 1521) *Menaccarus (Orocephalus) dohrniani* (Mulsant & Rey,1866)** (Pentatomidae) Synonym(s): *dohrniani* Mulsant & Rey,1866; *ovalis* Puton,1873; *hirticornis* Puton,1873; *jakovlevi* Reuter,1902; *jakovlevi* Oshanin,1912; *rotundatus* Horvath,1923
- 1522) *Meringopus titilator* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepilgeti,1916
- 1523) *Merodon hirsutus* Sack,1913** (Syrphidae) Synonym(s): *hirsutus* Sack,1913
- 1524) *Merodon italicus* Rondani,1845** (Syrphidae) Synonym(s): *italicus* Rondani,1845; *longicornis* Sack,1913; *affinis* Gil Collado,1930
- 1525) *Merodon pruni* (Rossi,1790)** (Syrphidae) Synonym(s): *pruni* Rossi,1790; *fulvus* Macquart,1834; *pallidus* Macquart,1842; *sicanus* Rondani,1845; *fuscicornis* Röder,1887; *obscurus* Gil Collado,1929
- 1526) *Merrifieldia malacodactyla* (Zeller,1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filipova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
- 1527) *Mesocrambus candidellus* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *candidellus* Herrich-Schäffer,[1848]; *#candiellus* Bleszynski,1965.
- 1528) *Mesocrambus tamsi* Bleszynski,1960** (Pyralidae) Synonym(s): *tamsi* Bleszynski,1960
- 1529) *Mesologia literosa* (Haworth,[1809])** (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918
- 1530) *Mesonemurus harterti* Navas,1919** (Myrmeleonidae) Synonym(s): *harterti* Navas,1919; *clavata* Navas,1926; *tunetana* Navas,1930
- 1531) *Mesoptylus impictifrons* (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons* Horvath,1911; *arcifer* Horvath,1911; *seminiger* Horvath,1911; *quinquemaculatus* Horvath,1911; *vestitus* Horvath,1911; *obscurus* Lindberg,1923
- 1532) *Mesostena puncticollis* Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1835
- 1533) *Metacantharis taurigrada* Bourgeois,1900** (Cantharidae) Synonym(s): *taurigrada* Bourgeois,1900
- 1534) *Metachrostis velocior* (Staudinger,1892)** (Noctuidae) Synonym(s): *velocior* Staudinger,1892
- 1535) *Metacrambus carectellus* (Zeller,1847)** (Pyralidae) Synonym(s): *carectellus* Zeller,1847; *lugdunellus* Millière,1868; *truncatellus* Caradja,1916.
- 1536) *Metallosticha argyrogrammos* (Zeller,1847)** (Pyralidae) Synonym(s): *argyrogrammos* Zeller,1847
- 1537) *Metalopha (s.str.) ingloria* Draudt,1933** (Noctuidae) Synonym(s): *ingloria* Draudt,1933; *splendida* Amsel,1933
- 1538) *Metalopha (s.str.) liturata* (Christoph,1887)** (Noctuidae) Synonym(s): *liturata* Christoph,1887; *plusina* Staudinger,1892.
- 1539) *Metapterus linearis* A.Costa,1863** (Reduviidae) Synonym(s): *linearis* A.Costa,1863
- 1540) *Metasia (s.str.) subtilialis* Caradja,1917** (Pyralidae) Synonym(s): *subtilialis* Caradja,1917

- 1541) **Metopoceras (s.str.) delicata (Staudinger,1898)** (Noctuidae) Synonym(s): *delicata* Staudinger,1898; *gauckleri* Püngeler,1905.
- 1542) **Metopoceras (s.str.) omar (Oberthür,1887)** (Noctuidae) Synonym(s): *omar* Oberthür,1887
- 1543) **Metopoceras (s.str.) pilleti Boursin,1932** (Noctuidae) Synonym(s): *pilleti* Boursin,1932
- 1544) **Metzneria aestivella (Zeller,1839)** (Gelechiidae) Synonym(s): *aestivella* Zeller,1839; *carlinella* Stainton,1851; *selaginella* Mann,1855; *torridella* Mann.
- 1545) **Metzneria diffusella Englert,1974** (Gelechiidae) Synonym(s): *diffusella* Englert,1974
- 1546) **Metzneria ehikeella Gozmany,1954** (Gelechiidae) Synonym(s): *ehikeella* Gozmany,1954
- 1547) **Micomitra bella (Austen,1937)** (Bombyliidae) Synonym(s): *bella* Austen,1937
- 1548) **Microdynerus (s.str.) urdunus Gusenleitner,2004** (Vespidae) Synonym(s): *urdunus* Gusenleitner,2004
- 1549) **Microdynerus latro Blüthgen,1955** (Vespidae) Synonym(s): *latro* Blüthgen,1955
- 1550) **Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica* Lindberg,1922
- 1551) **Micropeza nigra (Loew,1873)** (Micropezidae) Synonym(s): *nigra* Loew,1873; *diversipes* Villeneuve,1913; *niger* Czerny,1930
- 1552) **Microtelus carenceps Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *carenceps* Reiche & Saulcy,1857
- 1553) **Millieria dolosana (Herrich-Schäffer,[1854])** (Choreutidae) Synonym(s): *#dolosalis* Heydenreich,1851; *dolosana* Herrich-Schäffer,[1854]; *#dolosana* Desmarest,[1857]
- 1554) **Miltogramma (Dichiracantha) oestraceum (Fallén,1820)** (Sarcophagidae) Synonym(s): *oestracea* Fallén,1820; *tessellatum* Meigen,1824; *basillans* Pandellé,1895
- 1555) **Miltogramma (s.str.) punctatum Meigen,1824** (Sarcophagidae) Synonym(s): *punctatum* Meigen,1824; *arcuata* Zetterstedt,1844; *sempunctatum* Meigen,1838; *laterale* R-D.,1863; *macquarti* R-D.,1863; *punctatellum* R-D.,1863
- 1556) **Mimudea confinalis (Lederer,1858)** (Pyralidae) Synonym(s): *confinalis* Lederer,1858; *graecalis* Staudinger,1870
- 1557) **Mirificarma (s.str. (s.str.)) aflavella (Amsel,1935)** (Gelechiidae) Synonym(s): *aflavella* Amsel,1935
- 1558) **Mirificarma (s.str. (s.str.)) eburnella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 *nec* [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeoformosella* Bruand,1859.
- 1559) **Mirificarma (s.str. (s.str.)) maculatella (Hübner,1796)** (Gelechiidae) Synonym(s): *maculatella* Hübner,1796
- 1560) **Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#burdigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolívar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolívar,1927
- 1561) **Monosteira lobulifera Reuter,1888** (Tingidae) Synonym(s): *lobulifera* Reuter,1888
- 1562) **Morellia nilotica (Loew,1856)** (Muscidae) Synonym(s): *nilotica* Loew,1856; *syriaca* Séguy,1935
- 1563) **Mulsanteus guillebeaui (Mulsant & Godart,1853)** (Elateridae) Synonym(s): *guillebeaui* Mulsant & Godart,1853; *guillebelli* Mulsant & Godart,1853
- 1564) **Mulsanteus schauumi (Candeze,1881)** (Elateridae) Synonym(s): *schaumi* Candeze,1881
- 1565) **Musaria astarte (Ganglbauer,1885)** (Cerambycidae) Synonym(s): *astarte* Ganglbauer,1885
- 1566) **Musca (Plaxemya) osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris* Wiedemann,1830; *sugillatrix* R-D.,1830
- 1567) **Musca albina Wiedemann,1830** (Muscidae) Synonym(s): *albina* Wiedemann,1830; *beckeri* Schnabl,1911
- 1568) **Musca autumnalis De Geer,1776** (Muscidae) Synonym(s): *autumnalis* De Geer,1776; *corvina* Fabricius,1781
- 1569) **Musca domestica Linnaeus,1758** (Muscidae) Synonym(s): *domestica* Linnaeus,1758; *nebulo* Fabricius,1794; *vicina* Macquart,1851; *determinata* Walker,1853
- 1570) **Musca lucidula (Loew,1856)** (Muscidae) Synonym(s): *lucidula* Loew,1856
- 1571) **Musca sorbens Wiedemann,1830** (Muscidae) Synonym(s): *sorbens* Wiedemann,1830; *humilis* Wiedemann,1830; *primitiva* Walker,1849
- 1572) **Musca tempestiva Fallén,1817** (Muscidae) Synonym(s): *tempestiva* Fallén,1817
- 1573) **Muschampia nomas (Lederer,1855)** (Hesperiidae) Synonym(s): *nomas* Lederer,1855
- 1574) **Muschampia poggei (Lederer,1858)** (Hesperiidae) Synonym(s): *poggei* Lederer,1858
- 1575) **Muschampia proteides (F.Wagner,1929)** (Hesperiidae) Synonym(s): *proteides* F.Wagner,1929; *lycaonius* F.Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *#lycaonius* Benjamini & Avni,2001
- 1576) **Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780; *assimilis* Fallén,1823
- 1577) **Muscina stabulans (Fallén,1817)** (Muscidae) Synonym(s): *stabulans* Fallén,1817
- 1578) **Muscula muscula (Staudinger,1899)** (Arctiidae) Synonym(s): *muscula* Staudinger,1899
- 1579) **Mustha serrata (Fabricius,1803)** (Pentatomidae) Synonym(s): *serrata* Fabricius,1803
- 1580) **Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): *spinosula* Lefebvre,1831
- 1581) **Mutilla marginata BAer,1848** (Mutillidae) Synonym(s): *marginata* BAer,1848; *trifasciata* Radoszkowski,1865
- 1582) **Mutilla quinque maculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinque maculata* Cyrillo,1787
- 1583) **Muzimes strebai (Maran,1940)** (Meloidae) Synonym(s): *strebai* Maran,1940
- 1584) **Mycterodus (Aegaeum) syriacus Gnezdilov,2008** (Issidae) Synonym(s): *syriacus* Gnezdilov,2008
- 1585) **Mycterodus (s.str.) anaticeps Puton,1895** (Issidae) Synonym(s): *anaticeps* Puton,1895
- 1586) **Myelois (Gnathogutta) circumdatella Lederer,1858** (Pyralidae) Synonym(s): *circumdatella* Lederer,1858; *ottoella* Schawerda,1924
- 1587) **Myelois (Gnathogutta) osseella (Ragonot,1887)** (Pyralidae) Synonym(s): *osseella* Ragonot,1887
- 1588) **Mylabris (Chrysabris) hemprichi Klug,1845** (Meloidae) Synonym(s): *hemprichi* Klug,1845; *kocheri* Pardo Alcaide,1945
- 1589) **Mylabris (Eumylabris) calida (Pallas,1782)** (Meloidae) Synonym(s): *calida* Pallas,1782; *maculata* Olivier,1795; *bimaculata* Olivier,1811; *decora* Olivier,1811; *maura* Chevrolat,1837; *niligena* Reiche,1865; *maroccana* Escherich,1899; *bimaculaticeps* Pic,1920; *tlemceni* Pic,1930
- 1590) **Mylabris (Eumylabris) cincta Olivier,1811** (Meloidae) Synonym(s): *cincta* Olivier,1811; *tiflensis* Billberg,1813; *matthesi* Faldermann,1837; *bicolor* Waltl,1838; *taeniata* Waltl,1838; *tringulata* Redtenbacher,1850; *jugatoria* Reiche,1865; *soubironi* Pic,1921; *#cincta* Kaszab,1968
- 1591) **Mylabris (Eumylabris) crocata (Pallas,1782)** (Meloidae) Synonym(s): *crocata* Pallas,1782; *duodecimpunctata* Tauscher,1812
- 1592) **Mylabris (Micrabris) inculta (Escherich,1899)** (Meloidae) Synonym(s): *inculta* Escherich,1899; *humoromaculata* Mader,1929
- 1593) **Mylabris (Micrabris) pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla* Olivier,1811
- 1594) **Mylabris (Micrabris) sexnotata Redtenbacher,1843** (Meloidae) Synonym(s): *sexnotata* Redtenbacher,1843
- 1595) **Mylabris (Micrabris) sinuata Klug,1845** (Meloidae) Synonym(s): *sinuata* Klug,1845

- 1596) *Mylabris (s.str.) delagrangei* (Pic,1899) (Meloidea) Synonym(s): *delagrangei* Pic,1899
 1597) *Mylabris (s.str.) parumpicta* (Heyden,1883) (Meloidea) Synonym(s): *parumpicta* Heyden,1883
 1598) *Mylabris (s.str.) suturalis* (Pic,1898) (Meloidea) Synonym(s): *suturalis* Pic,1898; *morgani* Pic,1920
 1599) *Mylabris (Zitunabris) syriaca* Klug,1845 (Meloidea) Synonym(s): *gebleri* Faldermann,1837; *syriaca* Klug,1845; *intersecta* Reiche,1857; *smymensis* Escherich,1899
 1600) *Mylabris cingulata* Faldermann,1837 (Meloidea) Synonym(s): *cingulata* Faldermann,1837
 1601) *Mylabris emiliae* (Escherich,1899) (Meloidea) Synonym(s): *emiliae* Escherich,1899
 1602) *Mylabris inculta* Escherich,1899 (Meloidea) Synonym(s): *inculta* Escherich,1899
 1603) *Myospila mediatunda* (Fabricius,1781) (Muscidae) Synonym(s): *mediatunda* Fabricius,1781
 1604) *Myriochile (Monelica) orientalis* (Dejean,1825) (Carabidae) Synonym(s): *orientalis* Dejean,1825
 1605) *Myriochile (s.str.) melancholica* (Fabricius,1798) (Carabidae) Synonym(s): *melancholica* Fabricius,1798
 1606) *Myrmecophilus ochraceus* Fischer,1853 (Myrmecophilidae) Synonym(s): *ochraceus* Fischer,1853
 1607) *Myrmilla (Pseudomutilla) capitata* (Lucas,1849) (Mutillidae) Synonym(s): *capitata* Lucas,1849; *parvicollis* Costa,1860; *sardiniensis* Costa,1885; *olcese* Tourneir,1895; *robustior* André,1901 [ssp.]
 1608) *Myrmilla (Pseudomutilla) glabrata* (Fabricius,1775) (Mutillidae) Synonym(s): *glabrata* Fabricius,1775; *ciliata* Fabricius,1775; *fraterna* Baer,1848; *cephalica* Sichel & Radoszkowski,1869; *sarmatica* Skorikov,1927; *beljovskii* Skorikov,1927
 1609) *Myrmilla (Pseudomutilla) vutshetitsi* Skorikov,1927 (Mutillidae) Synonym(s): *vutshetitsi* Skorikov,1927; *kusdasi* Invrea,1965
 1610) *Myrmilla (s.str.) corniculata* (Sichel & Radoszkowski,1869) (Mutillidae) Synonym(s): *#corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszkowski,1869
 1611) *Myrmilla (s.str.) lezginica* (Radoszkowski,1885) (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885; *subcornuta* Morawitz,1893; *nigrifrons* André,1901 [ssp.]; *kokujevi* Skorikov,1927; *susiana* Skorikov,1927
 1612) *Mythimna (Aletia) congrua* (Hübner,[1817]) (Noctuidae) Synonym(s): *congrua* Hübner,[1817]; *annicola* Rambur,1829.
 1613) *Mythimna (Aletia) consanguis* (Guenée,1852) (Noctuidae) Synonym(s): *consanguis* Guenée,1852
 1614) *Mythimna (Aletia) vitellina* (Hübner,[1808]) (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellina* Lederer,1870; *decolorata* Dannenh,1929; *saturator* Dannenh,1929; *griseus* Dannenh,1929.
 1615) *Mythimna (Anapoma) riparia* (Rambur,1829) (Noctuidae) Synonym(s): *riparia* Rambur,1829
 1616) *Mythimna (Morphopoliana) languida* (Walker,1858) (Noctuidae) Synonym(s): *consanguis* auct. nec Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952.
 1617) *Mythimna (Pseudaletia) unipuncta* (Haworth,[1809]) (Noctuidae) Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsafikis,1974.
 1618) *Nabis palifer* Seidenstücker,1954 (Nabidae) Synonym(s): *palifer* Seidenstücker,1954
 1619) *Nanomutilla vaucheri* (Tournier,1895) (Mutillidae) Synonym(s): *vaucheri* Tournier,1895
 1620) *Nebria (s.str.) hemprichi* Klug,1832 (Carabidae) Synonym(s): *hemprichi* Klug,1832
 1621) *Necrobis defunctorum* (Waltl,1835) (Korynetidae) Synonym(s): *defunctorum* Waltl,1835
 1622) *Nemapogon kasyi* Gaedike,1986 (Tineidae) Synonym(s): *kasyi* Gaedike,1986.
 1623) *Nemapogon levantina* G.Petersen,1961 (Tineidae) Synonym(s): *levantinus* G.Petersen,1961
 1624) *Nemapogon signatella* G.Petersen,1957 (Tineidae) Synonym(s): *signatellus* G.Petersen,1957
 1625) *Nemapogon vartianae* Gaedike,1986 (Tineidae) Synonym(s): *vartianae* Gaedike,1986
 1626) *Nemestrinus fasciatus* (Olivier,1811) (Nemestrinidae) Synonym(s): *fasciatus* Olivier,1811
 1627) *Nemestrinus reticulatus* Latreille,1802 (Nemestrinidae) Synonym(s): *reticulatus* Latreille,1802; *latreillei* Fischer,1812; *cinctus* Macquart,1840; *kindermanni* Bischoff,1905
 1628) *Nemestrinus rufipes* (Olivier,1811) (Nemestrinidae) Synonym(s): *rufipes* Olivier,1811; *lateralis* Wiedemann,1828
 1629) *Nemka viduata* (Pallas,1773) (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865
 1630) *Nemognatha (s.str.) chrysomelina* (Fabricius,1775) (Meloidea) Synonym(s): *chrysomelina* Fabricius,1775; *flavipes* Ménétris,1849; *nigripes* Suffrian,1853; *asiatica* Motschulsky,1872; *maculicollis* Fairmaire,1875; *unipunctata* Beauregard,1890; *akbesiana* Pic,1897; *atripennis* Chobaut,1898; *#chrysomelina* Özbeke & Szaloki,1998
 1631) *Nemoptera aegyptiaca* Rambur,1842 (Nemopteridae) Synonym(s): *aegyptiaca* Rambur,1842; *hebraica* Westwood,1874
 1632) *Nemoptera sinuata* Olivier,1811 (Nemopteridae) Synonym(s): *sinuata* Olivier,1811
 1633) *Neoliturus transversalis* (Puton,1881) (Cicadellidae) Synonym(s): *transversalis* Puton,1881; *fasciata* Ferrari,1885
 1634) *Neodilus ghardimaouensis* (Balthasar,1929) (Scarabaeidae) Synonym(s): *ghardimaouensis* Balthasar,1929
 1635) *Neomusaria waltli* Sama,1991 (Cerambycidae) Synonym(s): *waltli* Sama,1991
 1636) *Neomyia cornicina* (Fabricius,1781) (Muscidae) Synonym(s): *cornicina* Fabricius,1781; *viridis* Wiedemann,1824; *caesarian* Meigen,1826 nec Bechstein & Scharfenberg,1805; *fennica* Frey,1909
 1637) *Neoplagonotus bobolayei* (Brullé,1832) (Cerambycidae) Synonym(s): *speciosus* Adams,1817; *bobolayei* Brullé,1832
 1638) *Nephrotoma scalaris* (Meigen,1818) (Tipulidae) Synonym(s): *scalaris* Meigen,1818; *imperialis* Meigen,1818
 1639) *Nephus quadrimaculatus* (Herbst,1783) (Coccinellidae) Synonym(s): *quadrimaculatus* Herbst,1783
 1640) *Netelia (Toxochiloides) krishtali* Tolkanitz,1971 (Ichneumonidae) Synonym(s): *krishtali* Tolkanitz,1971
 1641) *Neurocladus brachioides* (Dufour,1851) (Lygaeidae) Synonym(s): *brachioides* Dufour,1851
 1642) *Neuroleon assimilis* (Navas,1914) (Myrmeleonidae) Synonym(s): *assimilis* Navas,1914
 1643) *Neuroleon microstenus* (McLachlan,1898) (Myrmeleonidae) Synonym(s): *microstenus* McLachlan,1898; *propinquus* Navas,1911; *noxius* Navas,1912; *hellenicus* Navas,1912; *occultus* Navas,1914; *vicinus* Navas,1914
 1644) *Neuroterus gyulaigaraiae* Melika,2006 (Cynipidae) Synonym(s): *gyulaigaraiae* Melika,2006
 1645) *Neuroterus lanuginosus* Giraud,1859 (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859
 1646) *Nezara viridula* (Linnaeus,1758) (Pentatomidae) Synonym(s): *viridula* Linnaeus,1758
 1647) *Nicrophorus germanicus* (Linnaeus,1758) (Silphidae) Synonym(s): *germanicus* Linnaeus,1758
 1648) *Niditinea tuguralis* (Meyrick,1932) (Tineidae) Synonym(s): *tuguralis* Meyrick,1932; *unipunctella* Zagulyaev,1960
 1649) *Noctua (Latanotua) orbona* (Hufnagel,1766) (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subseque* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
 1650) *Noctua (Paranoctua) comes* (Hübner,[1813]) (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
 1651) *Nomada diacantha* Schwarz,1981 (Apidae) Synonym(s): *diacantha* Schwarz,1981
 1652) *Nomada glaberrima* Schmiedeknecht,1882 (Apidae) Synonym(s): *glaberrima* Schmiedeknecht,1882; *graja* Mocsary,1883
 1653) *Nomada imperialis* Schmiedeknecht,1882 (Apidae) Synonym(s): *imperialis* Schmiedeknecht,1882
 1654) *Nomada kervilleana* Pérez,1913 (Apidae) Synonym(s): *kervilleana* Pérez,1913
 1655) *Nomada rubricollis* Schwarz,1967 (Apidae) Synonym(s): *rubricollis* Schwarz,1967

- 1656) **Nomioides (s.str.) bluthgeni Pesenko, 1979** (Halictidae) **Synonym(s):** *bluthgeni* Pesenko, 1979
- 1657) **Nomophila noctuella** ([Denis & Schiffermüller], 1775) (Pyralidae) **Synonym(s):** *noctuella* [Denis & Schiffermüller], 1775; *hybridalis* Hübner, 1796; *indistinctalis* Walker, 1859
- 1658) **Noterus clavicornis** (De Geer, 1774) (Noteridae) **Synonym(s):** *clavicornis* De Geer, 1774
- 1659) **Notiophilus aestuans Dejean, 1826** (Carabidae) **Synonym(s):** *aestuans* Dejean, 1826
- 1660) **Notiophilus danieli Reitter, 1897** (Carabidae) **Synonym(s):** *danieli* Reitter, 1897
- 1661) **Notiophilus interstitialis Reitter, 1889** (Carabidae) **Synonym(s):** *interstitialis* Reitter, 1889
- 1662) **Notocelia cynosbatella** (Linnaeus, 1758) (Tortricidae) **Synonym(s):** *cynosbatella* Linnaeus, 1758; *cynosbana* Fabricius, 1775; *tripunctana* [Denis & Schiffermüller], 1775; *#cynobatella* Razowski, 1966; *damascena* Tuleskov & Nikolova, 1967.
- 1663) **Nyctophila incognita Geisthardt, 1982** (Lampyridae) **Synonym(s):** *incognita* Geisthardt, 1982
- 1664) **Nyctophila invenusta Geisthardt, 1983** (Lampyridae) **Synonym(s):** *invenusta* Geisthardt, 1983
- 1665) **Nyctophila libani** (Laporte de Castelnau, 1833) (Lampyridae) **Synonym(s):** *libani* Laporte de Castelnau, 1833; *insignis* Ancey, 1870
- 1666) **Nyctophila maculicollis** (Fairmaire, 1866) (Lampyridae) **Synonym(s):** *maculicollis* Fairmaire, 1866
- 1667) **Nyctophila syriaca** (Baudi di Selve, 1871) (Lampyridae) **Synonym(s):** *syriaca* Baudi di Selve, 1871
- 1668) **Nymphalis polychloros** (Linnaeus, 1758) (Argynnis) **Synonym(s):** *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896.
- 1669) **Ochlodes venatus** (Bremer & Grey, [1852]) (Hesperiidae) **Synonym(s):** *venatus* Bremer & Grey, [1852]
- 1670) **Ochriades fasciatus** (Friese, 1899) (Megachilidae) **Synonym(s):** *fasciatus* Friese, 1899
- 1671) **Ochroleuca leucogaster** (Freyer, 1831) (Noctuidae) **Synonym(s):** *leucogaster* Freyer, 1831
- 1672) **Ochroleuca plecta** (Linnaeus, 1761) (Noctuidae) **Synonym(s):** *pecta* Linnaeus, 1761; *unimacula* Staudinger, 1859; *anderssoni* Lampa, 1885; *glaucomacula* Graeser, [1889]; *unuplecta* Bryk, 1942.
- 1673) **Odontomyia damascena Villeneuve, 1912** (Stratiomyidae) **Synonym(s):** *damascena* Villeneuve, 1912
- 1674) **Odontomyia flavissima** (Rossi, 1790) (Stratiomyidae) **Synonym(s):** *flavissima* Rossi, 1790; *decora* Meigen, 1822; *infusca* Meigen, 1830; *semiviolacea* Brullé, 1832; *nigripes* Macquart, 1847; *laufferi* Strobl, 1909
- 1675) **Odontomyia ornata** (Meigen, 1822) (Stratiomyidae) **Synonym(s):** *ornata* Meigen, 1822; *signaticornis* Loew, 1846
- 1676) **Odontoscelys fuliginosa** (Linnaeus, 1761) (Scutelleridae) **Synonym(s):** *fuliginosa* Linnaeus, 1761
- 1677) **Odontotarsus freyi** Puton, 1882 (Scutelleridae) **Synonym(s):** *freyi* Puton, 1882
- 1678) **Odontotarsus latissimus Gollner-Scheiding, 1990** (Scutelleridae) **Synonym(s):** *latissimus* Gollner-Scheiding, 1990
- 1679) **Odontotarsus oculatus Horvath, 1881** (Scutelleridae) **Synonym(s):** *oculatus* Horvath, 1881
- 1680) **Odontotarsus plicatulus Hovarth, 1906** (Scutelleridae) **Synonym(s):** *plicatulus* Hovarth, 1906
- 1681) **Odontotarsus purpureolineatus** (Rossi, 1790) (Scutelleridae) **Synonym(s):** *purpureolineatus* Rossi, 1790; *lutescens* Fieber, 1861; *rugicollis* Jakovlev, 1884; *insignis* Jakovlev, 1908; *#confluens* Hoberlandt, 1944
- 1682) **Odontotarsus robustus** Jakovlev, 1884 (Scutelleridae) **Synonym(s):** *robustus* Jakovlev, 1884; *flavus* Jakovlev, 1885; *dilutus* Horvath, 1917
- 1683) **Oecanthus pellucens** (Scopoli, 1763) (Gryllidae) **Synonym(s):** *pellucens* Scopoli, 1763; *italicus* Fabricius, 1781; *lutaria* Petagna, 1792; *aquea* Fabricius, 1798; *varia* Fischer von Waldheim, 1846; *angustipennis* Fitch, 1856
- 1684) **Oecothia syriaca Villeneuve, 1924** (Heleomyzidae) **Synonym(s):** *syriaca* Villeneuve, 1924
- 1685) **Oedipoda schochi Saussure, 1884** (Acrididae) **Synonym(s):** *schochi* Saussure, 1884; *caucasica* Saussure, 1884
- 1686) **Oenas tenuicornis** Abeille de Perrin, 1880 (Meloidae) **Synonym(s):** *tenuicornis* Abeille de Perrin, 1880; *#tenuitarsis* Kaszab, 1968
- 1687) **Oestranthrus brunnescens** Loew, 1857 (Bombyliidae) **Synonym(s):** *brunnescens* Loew, 1857
- 1688) **Olethreutes** (Grypoploce) **stibiana** (Guenée, 1845) (Tortricidae) **Synonym(s):** *stibiana* Guenée, 1845; *sibirana* Caradja, 1916; *fluviaria* Kennel, 1919.
- 1689) **Oliarus roridus** Fieber, 1876 (Cixiidae) **Synonym(s):** *roridus* Fieber, 1876; *maculatus* Fieber, 1876
- 1690) **Oligia latruncula** ([Denis & Schiffermüller], 1775) (Noctuidae) **Synonym(s):** *latruncula* [Denis & Schiffermüller], 1775
- 1691) **Oligopogon nitidus** Efflatoun, 1937 (Asilidae) **Synonym(s):** *nitidus* Efflatoun, 1937
- 1692) **Olivenebula subsericata** (Herrich-Schäffer, 1861) (Noctuidae) **Synonym(s):** *subsericata* Herrich-Schäffer, 1861; *#elisabethae* De Lattin, 1951; *bobitsi* Beck, 1996.
- 1693) **Omaloplia (s.str.) diabolica** (Reitter, 1887) (Scarabaeidae) **Synonym(s):** *diabolica* Reitter, 1887; *ursina* Fairmaire, 1892
- 1694) **Ommatidiotus viduus** Horvath, 1905 (Caliscelidae) **Synonym(s):** *viduus* Horvath, 1905
- 1695) **Ommophilus (Odontomophus) syriacus Mulsant, 1856** (Tenebrionidae) **Synonym(s):** *syriacus* Mulsant, 1856
- 1696) **Oncoccephalus acutangulus** Reuter, 1882 (Reduviidae) **Synonym(s):** *acutangulus* Reuter, 1882; *brevipennis* Reuter, 1882
- 1697) **Oncoccephalus reuteri** Bergroth, 1914 (Reduviidae) **Synonym(s):** *reuteri* Bergroth, 1914
- 1698) **Oncoccephalus thoracicus** Fieber, 1861 (Reduviidae) **Synonym(s):** *thoracicus* Fieber, 1861
- 1699) **Oncopsis flavicollis** (Linnaeus, 1761) (Cicadellidae) **Synonym(s):** *flavicollis* Linnaeus, 1761; *diadema* Fabricius, 1794; *triangularis* Fabricius, 1794; *fruticola* Fallén, 1806; *fuscus* Gravenhorst, 1807; *nigritulus* Zetterstedt, 1828; *obscurus* Zetterstedt, 1828; *pallens* Zetterstedt, 1828; *personatus* Curtis, 1837; *pulchellus* Curtis, 1837; *reticulatus* Curtis, 1837; *frontalis* Curtis, 1837; *capucinus* Zetterstedt, 1840; *dubius* Fieber, 1868; *ochraceus* Rey, 1894; *transitus* Rey, 1894; *hyalina* Wagner, 1944; *luteomarginata* Wagner, 1944
- 1700) **Onitis damoetas** Steven, 1806 (Scarabaeidae) **Synonym(s):** *damoetas* Steven, 1806; *laevigatus* Olivier, 1811; *steveni* Brullé, 1832
- 1701) **Onitis ezechias** Reiche & Sauley, 1856 (Scarabaeidae) **Synonym(s):** *ezechias* Reiche & Sauley, 1856
- 1702) **Onthophagus (Amphionthophagus) falzonii** Goidanich, 1926 (Scarabaeidae) **Synonym(s):** *falzonii* Goidanich, 1926
- 1703) **Onthophagus (Euonthophagus) amyntas** (Olivier, 1789) (Scarabaeidae) **Synonym(s):** *amyntas* Olivier, 1789
- 1704) **Onthophagus (Euonthophagus) amyntas alces** (Fabricius, 1792) (Scarabaeidae) **Synonym(s):** *alces* Fabricius, 1792; *hybneri* Fabricius, 1792
- 1705) **Onthophagus (Euonthophagus) atramentarius** (Ménétriés, 1832) (Scarabaeidae) **Synonym(s):** *atramentarius* Ménétriés, 1832
- 1706) **Onthophagus (Euonthophagus) bedeli** (Reitter, 1891) (Scarabaeidae) **Synonym(s):** *bedeli* Reitter, 1891
- 1707) **Onthophagus (Euonthophagus) dorbignyi** Olsoufieff, 1900 (Scarabaeidae) **Synonym(s):** *dorbignyi* Olsoufieff, 1900; *neutto* Olsoufieff, 1900
- 1708) **Onthophagus (Euonthophagus) gibbosus** (Scriba, 1790) (Scarabaeidae) **Synonym(s):** *gibbosus* Scriba, 1790
- 1709) **Onthophagus (Euonthophagus) tissoni** Reitter, 1906 (Scarabaeidae) **Synonym(s):** *tissoni* Reitter, 1906; *hannas* Sahlberg, 1908
- 1710) **Onthophagus (Furconthophagus) furcatus** (Fabricius, 1781) (Scarabaeidae) **Synonym(s):** *furcatus* Fabricius, 1781
- 1711) **Onthophagus (Palaeonthophagus) aleppensis** Redtenbacher, 1843 (Scarabaeidae) **Synonym(s):** *aleppensis* Redtenbacher, 1843; *hyrcanicus* Kabakov, 1982

- 1712) Onthophagus (Palaeonthophagus) angorensis Petrovitz, 1963** (Scarabaeidae) Synonym(s): *angorensis Petrovitz, 1963*
- 1713) Onthophagus (Palaeonthophagus) cruciatus (Ménétriés, 1832)** (Scarabaeidae) Synonym(s): *cruciatus Ménétriés, 1832*
- 1714) Onthophagus (Palaeonthophagus) fissicornis Steven, 1809** (Scarabaeidae) Synonym(s): *fissicornis Steven, 1809*
- 1715) Onthophagus (Palaeonthophagus) fissinasus Fairmaire, 1895** (Scarabaeidae) Synonym(s): *fissinasus Fairmaire, 1895*
- 1716) Onthophagus (Palaeonthophagus) fracticornis (Preysler, 1790)** (Scarabaeidae) Synonym(s): *fracticornis Preysler, 1790*
- 1717) Onthophagus (Palaeonthophagus) hermonensis Baraud, 1892** (Scarabaeidae) Synonym(s): *hermonensis Baraud, 1892*
- 1718) Onthophagus (Palaeonthophagus) lemuroides D'Orbigny, 1898** (Scarabaeidae) Synonym(s): *lemuroides D'Orbigny, 1898*
- 1719) Onthophagus (Palaeonthophagus) lucidus (Sturm, 1800)** (Scarabaeidae) Synonym(s): *lucidus Sturm, 1800*
- 1720) Onthophagus (Palaeonthophagus) marginalis Gebler, 1817** (Scarabaeidae) Synonym(s): *marginalis Gebler, 1817*
- 1721) Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet, 1927** (Scarabaeidae) Synonym(s): *muelleri Novak, 1921; novaki Boucomont & Gillet, 1927*
- 1722) Onthophagus (Palaeonthophagus) opacicollis Reitter, 1893** (Scarabaeidae) Synonym(s): *opacicollis Reitter, 1893*
- 1723) Onthophagus (Palaeonthophagus) osellai Pittino, 1982** (Scarabaeidae) Synonym(s): *osellai Pittino, 1982*
- 1724) Onthophagus (Palaeonthophagus) parmatum Reitter, 1892** (Scarabaeidae) Synonym(s): *parmatum Reitter, 1892*
- 1725) Onthophagus (Palaeonthophagus) ponticus Harold, 1883** (Scarabaeidae) Synonym(s): *ponticus Harold, 1883; furcicornis Reitter, 1893; granulifer Reitter, 1893; granulatus Kozhantschikov, 1894; gorhami Shipp, 1895; krali Balthasar, 1963; citellorum Medvedev, 1965*
- 1726) Onthophagus (Palaeonthophagus) ruficapillus Brullé, 1832** (Scarabaeidae) Synonym(s): *ruficapillus Brullé, 1832*
- 1727) Onthophagus (Palaeonthophagus) sericatus Reitter, 1893** (Scarabaeidae) Synonym(s): *sericatus Reitter, 1893*
- 1728) Onthophagus (Palaeonthophagus) strabo Reitter, 1893** (Scarabaeidae) Synonym(s): *strabo Reitter, 1893*
- 1729) Onthophagus (Palaeonthophagus) suturellus Brullé, 1832** (Scarabaeidae) Synonym(s): *suturellus Brullé, 1832; trochiscobius Kolenati, 1846*
- 1730) Onthophagus (Palaeonthophagus) truchmenus Kolenati, 1846** (Scarabaeidae) Synonym(s): *truchmenus Kolenati, 1846; araxicola Reitter, 1893; latiplage Reitter, 1897; xerces Petrovitz, 1965*
- 1731) Onthophagus (Palaeonthophagus) vacca (Linnaeus, 1767)** (Scarabaeidae) Synonym(s): *vacca Linnaeus, 1767*
- 1732) Onthophagus (Palaeonthophagus) verticicornis (Laicharting, 1781)** (Scarabaeidae) Synonym(s): *verticicornis Laicharting, 1781*
- 1733) Onthophagus (s.str.) circulator Reitter, 1891** (Scarabaeidae) Synonym(s): *circulator Reitter, 1891*
- 1734) Onthophagus (s.str.) pictus Reitter, 1893** (Scarabaeidae) Synonym(s): *pictus Reitter, 1893*
- 1735) Onthophagus (s.str.) sellatus Klug, 1845** (Scarabaeidae) Synonym(s): *sellatus Klug, 1845*
- 1736) Onthophagus (s.str.) simius Reitter, 1893** (Scarabaeidae) Synonym(s): *simius Reitter, 1893*
- 1737) Onthophagus (s.str.) taurus (Schreber, 1759)** (Scarabaeidae) Synonym(s): *taurus Schreber, 1759*
- 1738) Onychogomphus lefebvrei (Rambur, 1842)** (Gomphidae) Synonym(s): *lefebvrei Rambur, 1842*
- 1739) Onychopterocheilus hellenicus (Morawitz, 1885)** (Vespidae) Synonym(s): *hellenicus Morawitz, 1885; syriacus Blüthgen, 1952*
- 1740) Opatroides angulatus Baudi, 1875** (Tenebrionidae) Synonym(s): *angulatus Baudi, 1875*
- 1741) Opatroides curtulus Fairmaire, 1892** (Tenebrionidae) Synonym(s): *curtulus Fairmaire, 1892; ?asiaticus Desbrochers, 1881*
- 1742) Opatroides judaicus Baudi, 1881** (Tenebrionidae) Synonym(s): *judaicus Baudi, 1881*
- 1743) Ophiura tirhaca (Cramer, [1777])** (Noctuidae) Synonym(s): *tirhaca Cramer, [1777]; #tirrhaca Fabricius, 1781; vesta Esper, 1789; olivacea Villers, 1789; auricularis Hübner, [1803]; separans Walker, 1858; hottentota Guenée, 1852; clementi Swinhoe, 1918; #demarginata Heydemann et al., 1963; obscura Pinker & Bacallado, 1978*
- 1744) Opilo taeniatus (Klug, 1842)** (Cleridae) Synonym(s): *taeniatus Klug, 1842*
- 1745) Opilo tilloides Chevrolat, 1876** (Cleridae) Synonym(s): *tilloides Chevrolat, 1876*
- 1746) Orellia stictica (Gmelin, 1790)** (Tephritidae) Synonym(s): *punctata Schrank, 1781 nec Poda, 1761; stictica Gmelin, 1790; flavicans R-D., 1830; intermedia Frauenfeld, 1857*
- 1747) Oria musculosa (Hübner, [1808])** (Noctuidae) Synonym(s): *musculosa Hübner, [1808]; laeta Alpheraky, 1889*
- 1748) Ornativava heluanensis (Debski, 1913)** (Gelechiidae) Synonym(s): *heluanensis Debski, 1913; frankeniivorella Chrétien, 1917; oasicolella Turati, 1924; siculella Mariani, 1937*
- 1749) Orphilus beali Zhantiev, 2001** (Dermestidae) Synonym(s): *beali Zhantiev, 2001*
- 1750) Orthetrum sabina (Drury, 1770)** (Libellulidae) Synonym(s): *sabina Drury, 1770*
- 1751) Orussus abietinus (Scopoli, 1763)** (Orussidae) Synonym(s): *abietinus Scopoli, 1763; degener Christ, 1791; vespertilio Fabricius, 1793; coronatus Fabricius, 1798; albopunctatus Gimmerthal, 1836*
- 1752) Osmia (Allosmia) lhotelleriei Pérez, 1887** (Megachilidae) Synonym(s): *lhotelleriei Pérez, 1887*
- 1753) Osmia (Allosmia) rufohirta Latreille, 1811** (Megachilidae) Synonym(s): *rufohirta Latreille, 1811; spiniventris Giraud, 1857; soror Pérez, 1896*
- 1754) Osmia (Allosmia) sybarita Smith, 1853** (Megachilidae) Synonym(s): *sybarita Smith, 1853; ruficollis Sichel, 1873; fossoria Pérez, 1890; duckei Friese, 1899*
- 1755) Osmia (Helicosmia) caerulea (Linnaeus, 1758)** (Megachilidae) Synonym(s): *caerulea Linnaeus, 1758; aenea Linnaeus, 1761; superbus Harris, 1776; muraria Retzius, 1783; cuprea Geoffroy, 1785; cyanea Fabricius, 1793; purpurea Cresson, 1864; rustica Cresson, 1864*
- 1756) Osmia (Helicosmia) clypearis Morawitz, 1871** (Megachilidae) Synonym(s): *clypearis Morawitz, 1871; macedonica Tkalcu, 1979; acuta Warncke, 1988*
- 1757) Osmia (Helicosmia) damascena Pérez, 1911** (Megachilidae) Synonym(s): *damascena Pérez, 1911*
- 1758) Osmia (Helicosmia) dives Mocsary, 1877** (Megachilidae) Synonym(s): *dives Mocsary, 1877; medanae Magreti, 1890; subintegra Pérez, 1902; hierosolomita Benoist, 1934*
- 1759) Osmia (Helicosmia) fasciata Latreille, 1811** (Megachilidae) Synonym(s): *fasciata Latreille, 1811; atroalba Morawitz, 1875; kuznetsovi Cockerell, 1930*
- 1760) Osmia (Helicosmia) melanogaster Spinola, 1808** (Megachilidae) Synonym(s): *melanogaster Spinola, 1808; aterrima Morawitz, 1872; carnicola Morawitz, 1872; incerta Radoszkowski, 1876; subaenea Pérez, 1895*
- 1761) Osmia (Helicosmia) mirhiji Mavromoustakis, 1957** (Megachilidae) Synonym(s): *mirhiji Mavromoustakis, 1957*

- 1762) *Osmia (Helicosmia) niveata* (Fabricius,1804) (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914
- 1763) *Osmia (Helicosmia) palmyrae* Zanden,1998 (Megachilidae) Synonym(s): *palmyrae* Zanden,1998
- 1764) *Osmia (Helicosmia) saxatilis* Warncke,1988 (Megachilidae) Synonym(s): *saxatilis* Warncke,1988
- 1765) *Osmia (Helicosmia) signata* Erichson,1835 (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895
- 1766) *Osmia (Helicosmia) sogdiana* Morawitz,1875 (Megachilidae) Synonym(s): *sogdiana* Morawitz,1875; *nassonowi* Pérez,1902
- 1767) *Osmia (Hoplosmia) algae* (Tkalcu,1978) (Megachilidae) Synonym(s): *algae* Tkalcu,1978
- 1768) *Osmia (Hoplosmia) bidentata* Morawitz,1876 (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979
- 1769) *Osmia (Hoplosmia) hermonensis* (Tkalcu,1992) (Megachilidae) Synonym(s): *hermonensis* Tkalcu,1992
- 1770) *Osmia (Hoplosmia) ligurica* Morawitz,1868 (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879
- 1771) *Osmia (Hoplosmia) padri* (Tkalcu,1974) (Megachilidae) Synonym(s): *padri* Tkalcu,1974
- 1772) *Osmia (Hoplosmia) pinguis* Pérez,1895 (Megachilidae) Synonym(s): *pinguis* Pérez,1895; *indivisa* Benoist,1928; *carbo* Zanden,1994
- 1773) *Osmia (Hoplosmia) scutellaris* Morawitz,1868 (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868
- 1774) *Osmia (Hoplosmia) spinigera* Latreille,1811 (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869
- 1775) *Osmia (Monosmia) apicata* Smith,1853 (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869
- 1776) *Osmia (Pyrosmia) amathusica* Mavromoustakis,1937 (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937
- 1777) *Osmia (Pyrosmia) cephalotes* Morawitz,1870 (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876
- 1778) *Osmia (Pyrosmia) cyanoxantha* Pérez,1879 (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992
- 1779) *Osmia (Pyrosmia) ferruginea* Latreille,1811 (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882
- 1780) *Osmia (Pyrosmia) hermona* Warncke,1992 (Megachilidae) Synonym(s): *hermona* Warncke,1992
- 1781) *Osmia (Pyrosmia) morensis* Zanden,1984 (Megachilidae) Synonym(s): *morensis* Zanden,1984
- 1782) *Osmia (Pyrosmia) nana* Morawitz,1874 (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934
- 1783) *Osmia (Pyrosmia) saxicola* Dücke,1899 (Megachilidae) Synonym(s): *saxicola* Dücke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992
- 1784) *Osmia (Pyrosmia) submicans* Morawitz,1870 (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996
- 1785) *Osmia (Pyrosmia) teunissenii* Zanden,1981 (Megachilidae) Synonym(s): *teunissenii* Zanden,1981
- 1786) *Osmia (Pyrosmia) versicolor* Latreille,1811 (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992
- 1787) *Osmia (Pyrosmia) viridana* Morawitz,1874 (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984
- 1788) *Osmia (s.str.) bicornis* (Linnaeus,1758) (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Dücke,1899
- 1789) *Osphranteria coerulescens* Redtenbacher,[1849] (Cerambycidae) Synonym(s): *coerulescens* Redtenbacher,[1849]
- 1790) *Ostrinia appositionalis* (Lederer,1858) (Pyralidae) Synonym(s): *appositionalis* Lederer,1858
- 1791) *Otites grata* (Loew,1856) (Ulidiidae) Synonym(s): *grata* Loew,1856
- 1792) *Oxyaciura tibialis* R-D.,1830 (Tephritidae) Synonym(s): *tibialis* R-D.,1830; *gagates* Loew,1846
- 1793) *Oxycara laevigatum* (Reiche & Saulcy,1857) (Tenebrionidae) Synonym(s): *laevigatum* Reiche & Saulcy,1857
- 1794) *Oxycara pierrei* Girard,1966 (Tenebrionidae) Synonym(s): *pierrei* Girard,1966
- 1795) *Oxycarenus (Euoxycarenus) pallens* (Herrich-Schäffer,1850) (Lygaeidae) Synonym(s): *pallens* Herrich-Schäffer,1850
- 1796) *Oxycarenus (s.str.) hyalinipennis* (A.Costa,1843) (Lygaeidae) Synonym(s): *hyalinipennis* A.Costa,1843
- 1797) *Oxycera trispila* Bezzi,1909 (Stratiomyidae) Synonym(s): *trispila* Bezzi,1909
- 1798) *Oxylia argentata* (Ménétriés,1832) (Cerambycidae) Synonym(s): *argentata* Ménétriés,1832
- 1799) *Oxypteron homsana* Amsel,1954 (Tortricidae) Synonym(s): *homsana* Amsel,1954
- 1800) *Oxypteron palmoni* (Amsel,1940) (Tortricidae) Synonym(s): *palmoni* Amsel,1940
- 1801) *Oxyrhachis capaneri* Izzard,1953 (Membracidae) Synonym(s): *delalenderi* Fieber,1876 nec Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953
- 1802) *Oxyrhachis egyptiana* Distant,1915 (Membracidae) Synonym(s): *egyptiana* Distant,1915
- 1803) *Oxythyrea abigail* Reiche,1856 (Scarabaeidae) Synonym(s): *abigail* Reiche,1856
- 1804) *Oxythyrea albopicta* (Motschulsky,1845) (Scarabaeidae) Synonym(s): *albopicta* Motschulsky,1845
- 1805) *Oxythyrea cinctella* (Schaum,1841) (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (praeocc.); *cinctella* Schaum,1841; *natalia* Olsufiev,1917
- 1806) *Oxythyrea cinctelloides* Reitter,1898 (Scarabaeidae) Synonym(s): *cinctelloides* Reitter,1898
- 1807) *Oxythyrea dulcis* Reitter,1898 (Scarabaeidae) Synonym(s): *dulcis* Reitter,1898
- 1808) *Oxythyrea noemi* Reiche & Saulcy,1856 (Scarabaeidae) Synonym(s): *noemi* Reiche & Saulcy,1856
- 1809) *Ozirhincus anthemidis* (Rübsaamen,1915) (Cecidomyiidae) Synonym(s): *anthemidis* Rübsaamen,1915; *anatolicus* Möhn,1968; *mallorcensis* Möhn,1968; *ibericus* Möhn,1968; *dalmaticus* Möhn,1968; *kabylensis* Möhn,1968
- 1810) *Ozirhincus trichatus* Möhn,1968 (Cecidomyiidae) Synonym(s): *trichatus* Möhn,1968
- 1811) *Pachyanthrax telamon* (Loew,1869) (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989
- 1812) *Pachybrachis (s.str.) cordatus* Sassi & Schöller,2003 (Chrysomelidae) Synonym(s): *cordatus* Sassi & Schöller,2003
- 1813) *Pachybrachis (s.str.) limbatus* (Ménétriés,1836) (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882
- 1814) *Pachybrachis (s.str.) peyroni* Pic,1914 (Chrysomelidae) Synonym(s): *peyroni* Pic,1914

- 1815) *Pachybrachis* (s.str.) *tessellatus* (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier,1791; *tauricus* Suffrian,1848; *bisignatus* Redtenbacher,1849; *aethiops* Weise,1882; *picturatus* Rey,1883; *orientalis* Weise,1894; *syriacus* Weise,1900; *melanopygus* Müller,1953
- 1816) *Pachycephus* (Eversmannella) *cruentatus* (Eversmann,1847)** (Cephalidae) Synonym(s): *cruentatus* Eversmann,1847
- 1817) *Pachyscelis* *chrysomeloides* (Olivier,1795)** (Tenebrionidae) Synonym(s): *chrysomeloides* Olivier,1795; *coriacea* Klug,1830; *kraatzii* Baudi,1875; *piochardi* Desbrochers,1881
- 1818) *Pachyscelis* *musiva* (Ménétrières,1832)** (Tenebrionidae) Synonym(s): *musiva* Ménétrières,1832; *depressa* Solier,1836; *ordinata* Solier,1836; *gastridula* Faldermann,1837; *mammillata* Faldermann,1837; *euphratica* Kraatz,1865; *divisa* Reitter,1893
- 1819) *Pachyscelis* *rotundata* Kraatz,1865** (Tenebrionidae) Synonym(s): *rotundata* Kraatz,1865
- 1820) *Pachyscelis* *villosa* (Drapiez,1820)** (Tenebrionidae) Synonym(s): *villosa* Drapiez,1820; *granulosa* Solier,1836
- 1821) *Palomena* *prasina* (Linnaeus,1761)** (Pentatomidae) Synonym(s): *prasina* Linnaeus,1761
- 1822) *Palpares* *assyriorum* Abraham,2012** (Myrmeleonidae) Synonym(s): *assyriorum* Abraham,2012
- 1823) *Palpares* *chrysopterus* Navas,1910** (Myrmeleonidae) Synonym(s): *chrysopterus* Navas,1910; *turcicus* Koçak,1976 nec Pet. & Emp.,1767
- 1824) *Palpares* *libelluloides* (Linnaeus,1764)** (Myrmeleonidae) Synonym(s): *libelluloides* Linnaeus,1764; *turcica* Petiver & Empson,1767; *nordmanni* Kolenati,1846
- 1825) *Pammene* *amygdalana* (Duponchel,1842)** (Tortricidae) Synonym(s): *amygdalana* Duponchel,1842
- 1826) *Pangonius* (s.str.) *fulvipes* Loew,1868** (Tabanidae) Synonym(s): *fulvipes* Loew,1868; *sulcata* Bezzi,1909; *palpalis* Kröber,1921
- 1827) *Panurgus* *dentipes* Latreille,1811** (Andrenidae) Synonym(s): *dentipes* Latreille,1811; *oblitus* Warncke,1972; *posticus* Warncke,1972; *sidensis* Warncke,1987
- 1828) *Papilio* (s.str.) *machaon* Linnaeus,1758** (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858
- 1829) *Paracapperia* *anatolica* (Caradja,1920)** (Pterophoridae) Synonym(s): *anatolica* Caradja,1920
- 1830) *Paracorymbia* *sambucicola* (Holzschuh,1982)** (Cerambycidae) Synonym(s): *sambucicola* Holzschuh,1982
- 1831) *Parageron* *punctipennis* (Loew,1846)** (Bombyliidae) Synonym(s): *punctipennis* Loew,1846
- 1832) *Paragomphus* *genei* (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928
- 1833) *Paralaodamia* *difficilis* Balinsky,1994** (Pyralidae) Synonym(s): *difficilis* Balinsky,1994
- 1834) *Parallelia* *algira* (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europaea* Schawerda,1912
- 1835) *Parallelia* *torrida* (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987]
- 1836) *Paramesia* *gnomana* (Clerck,1759)** (Tortricidae) Synonym(s): *#gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829; *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943
- 1837) *Paranthrene* *diaphana* Dalla-Torre & Strand,1925** (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand,1925
- 1838) *Paranthrene* *insolita* Le Cerf,1914** (Sesiidae) Synonym(s): *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917
- 1839) *Parapharmartania* *syriaca* (Schiner,1867)** (Asilidae) Synonym(s): *syriaca* Schiner,1867
- 1840) *Parapholidoptera* *punctifrons* (Burmeister,1839)** (Tettigoniidae) Synonym(s): *punctifrons* Burmeister,1839; *ehrenbergii* Fieber,1853
- 1841) *Parapholidoptera* *syriaca* (Ramme,1930)** (Tettigoniidae) Synonym(s): *syriaca* Ramme,1930
- 1842) *Paraplagionotus* *floralis* (Pallas,1773)** (Cerambycidae) Synonym(s): *floralis* Pallas,1773
- 1843) *Parapoynx* *affinialis* (Guenée,1854)** (Pyralidae) Synonym(s): *affinialis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *#alaicalis* Caradja,1916
- 1844) *Pararge* *aegeria* (Linnaeus,1758)** (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908
- 1845) *Parathrix* *facunda* Majer,1990** (Melyridae) Synonym(s): *facunda* Majer,1990
- 1846) *Parectecephala* *longicornis* (Fallén,1820)** (Chloropidae) Synonym(s): *longicornis* Fallén,1820
- 1847) *Parnassius* (Driopa) *mnemosyne* (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758
- 1848) *Paropta* *paradoxus* (Herrich-Schäffer,1851)** (Cossidae) Synonym(s): *paradoxus* Herrich-Schäffer,1851
- 1849) *Pasira* *basiptera* Stal,1859** (Reduviidae) Synonym(s): *basiptera* Stal,1859
- 1850) *Pausias* *martini* (Puton,1890)** (Pentatomidae) Synonym(s): *martini* Puton,1890
- 1851) *Pausus* (Cochliopaussus) *turcicus* Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835
- 1852) *Pecteneremus* *albella* (Amsel,1959)** (Autostichidae) Synonym(s): *albella* Amsel,1959; *griseella* Amsel,1959
- 1853) *Pedestredorcadion* *boucardi* (Pic,1942)** (Cerambycidae) Synonym(s): *boucardi* Pic,1942
- 1854) *Pedestredorcadion* *carinipenne* (Pic,1900)** (Cerambycidae) Synonym(s): *carinipenne* Pic,1900
- 1855) *Pedestredorcadion* *glabricolle* (Breuning,1943)** (Cerambycidae) Synonym(s): *glabricolle* Breuning,1943
- 1856) *Pedestredorcadion* *halepense* (Kraatz,1873)** (Cerambycidae) Synonym(s): *halepense* Kraatz,1873; *pseudomardinense* Breuning,1946; *akbesianum* Breuning,1946;...
- 1857) *Pedestredorcadion* *impressicolle* (Kraatz,1873)** (Cerambycidae) Synonym(s): *impressicolle* Kraatz,1873; *tokatense* Pic,1901; *diversipes* Breuning,1946
- 1858) *Pedestredorcadion* *parallelum* (Küster,1847)** (Cerambycidae) Synonym(s): *parallelum* Küster,1847
- 1859) *Pedestredorcadion* *pseudinfernale* (Breuning,1943)** (Cerambycidae) Synonym(s): *pseudinfernale* Breuning,1943
- 1860) *Pedostrangalia* *riccardoi* Holzschuh,1984** (Cerambycidae) Synonym(s): *riccardoi* Holzschuh,1984
- 1861) *Pegomya* *bicolor* (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* R-D.,1851; *rumicis* Hardy,1854; *jynx* Séguin,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941
- 1862) *Pelochrista* *mollitana* (Zeller,1847)** (Tortricidae) Synonym(s): *mollitana* Zeller,1847; *trisignana* Nolcken,1870; *commodestana* Rössler,1877; *modestana* Seebold,1879 nec H.-S.,[1851]
- 1863) *Pelopidas* *thrax* (Hübner,[1821])** (Hesperiidae) Synonym(s): *thrax* Hübner,[1821]; *midea* Walker,1870
- 1864) *Pempelia* *thymiella* Zeller,1846** (Pyralidae) Synonym(s): *thymiella* Zeller,1846
- 1865) *Pentastira* *major* (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 1866) *Pentastira* *megista* Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978
- 1867) *Pentastira* *rorida* (Fieber,1876)** (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus* Fieber,1876
- 1868) *Penthimia* *nigra* (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica*

- Panzer,1799; sanguinicolis Fabricius,1803; maculata Melichar,1896; caucasica Kusnezov,1931; clavalis Ribaut,1952; fulva Ribaut,1952; maculipennis Ribaut,1952
- 1869) Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789
- 1870) Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771
- 1871) Pentodon caminarium Faldermann,1835** (Scarabaeidae) Synonym(s): *caminarium* Faldermann,1835
- 1872) Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845
- 1873) Pericyma albidentaria (Freyer,1842)** (Noctuidae) Synonym(s): *albidentaria* Freyer,1842
- 1874) Peridea korbi (Rebel,1918)** (Notodontidae) Synonym(s): *korbi* Rebel,1918
- 1875) Peridroma saucia (Hübner,[1808])** (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 1876) Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799
- 1877) Periphanes delphinii (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 1878) Peripontius concolor (Desbrochers,1875)** (Elateridae) Synonym(s): *concolor* Desbrochers,1875
- 1879) Peripontius jagemanni Platia & Gudenzi,2000** (Elateridae) Synonym(s): *jagemanni* Platia & Gudenzi,2000
- 1880) Perissomastix (s.str.) biskraella (Rebel,1901)** (Tineidae) Synonym(s): *biskraella* Rebel,1901; *intermediella* Turati,1926.
- 1881) Petalographis orientalis (G.Petersen,1961)** (Tineidae) Synonym(s): *orientalis* G.Petersen,1961
- 1882) Phaigramma etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestiniensis* Fuchs,1903.
- 1883) Phalonidia contractana (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 1884) Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *consersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sempunctata* Navas,1928; *tenuicercus* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966
- 1885) Phanerotoma (Bracotritoma) permixtella Fischer,1968** (Braconidae) Synonym(s): *permixtella* Fischer,1968; *olearia* Fischer,1968
- 1886) Phaonia cincta (Zetterstedt,1846)** (Muscidae) Synonym(s): *cincta* Zetterstedt,1846
- 1887) Phaonia laeta (Fallén,1823)** (Muscidae) Synonym(s): *laeta* Fallén,1823; *trigonalis* Meigen,1826
- 1888) Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758
- 1889) Phlebotomus (Adlerius) halepensis Theodor,1958** (Psychodidae) Synonym(s): *halepensis* Theodor,1958
- 1890) Phlebotomus (Adlerius) simici Nitzulescu,1931** (Psychodidae) Synonym(s): *simici* Nitzulescu,1931
- 1891) Phlebotomus (Larrousius) perniciosus Newstead,1911** (Psychodidae) Synonym(s): *perniciosus* Newstead,1911; *nigerrimus* Newstead,1911; *legeri* Mansion,1913; *lusitanicus* França,1918; *grassi* Pierantoni,1925
- 1892) Phlebotomus (Larrousius) syriacus Adler & Theodor,1930** (Psychodidae) Synonym(s): *syriacus* Adler & Theodor,1930
- 1893) Phlebotomus (Larrousius) tobbsi Adler & Theodor,1930** (Psychodidae) Synonym(s): *tobbsi* Adler & Theodor,1930; *pirumovi* Burakova & Mirzayan,1934
- 1894) Phlebotomus (Paraphlebotomus) sergenti Parrot,1917** (Psychodidae) Synonym(s): *sergenti* Parrot,1917; *similis* Perfilev,1963
- 1895) Phlebotomus (s.str.) papatasi (Scopoli,1786)** (Psychodidae) Synonym(s): *papatasi* Scopoli,1786; *molesta* Costa,1840; *breviventris* Ristorcelli,1943
- 1896) Phlebotomus (Transphlebotomus) canaaniticus Adler & Theodor,1931** (Psychodidae) Synonym(s): *canaaniticus* Adler & Theodor,1931
- 1897) Phloiocopus andresi Schenkling,1912** (Cleridae) Synonym(s): *andresi* Schenkling,1912
- 1898) Phorticon velutinus Puton,1895** (Nabidae) Synonym(s): *velutinus* Puton,1895
- 1899) Phradonoma hirsutulum (Reiche,1868)** (Dermestidae) Synonym(s): *hirsutulum* Reiche,1868
- 1900) Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881
- 1901) Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934
- 1902) Phtheochroa decipiens (Walsingham,1900)** (Tortricidae) Synonym(s): *decipiens* Walsingham,1900; *rocharva* Obraztsov,1943; *berberidana* Danilevsky,1955.
- 1903) Phtheochroa duponchelana (Duponchel,1843)** (Tortricidae) Synonym(s): *duponchelana* Duponchel,1843; *duponcheliana* Costa,1847; *gloriosana* Herrich-Schäffer,1851; *syriaca* Walsingham,1900
- 1904) Phthiria umbripennis Loew,1846** (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862
- 1905) Phycita diaphana (Staudinger,1870)** (Pyralidae) Synonym(s): *diaphana* Staudinger,1870
- 1906) Phycitodes albatella (Ragonot,1887)** (Pyralidae) Synonym(s): *albatella* Ragonot,1887
- 1907) Phycitodes carlinella (Heinemann,1865)** (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *canisella* Ragonot,1901
- 1908) Phycitodes inquinatella (Ragonot,1887)** (Pyralidae) Synonym(s): *inquinatella* Ragonot,1887
- 1909) Phycitodes lacteella (Rothschild,1915)** (Pyralidae) Synonym(s): *lacteella* Rothschild,1915; *vieltella* Roesler,1965.
- 1910) Phycitodes popescugorji (Roesler,1967)** (Pyralidae) Synonym(s): *popescugorji* Roesler,1967
- 1911) Phycitodes saxicola (Vaughan,1870)** (Pyralidae) Synonym(s): *saxicola* Vaughan,1870
- 1912) Phyllocnistis citrella Stainton,1856** (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913
- 1913) Phylломорфус laceratus (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer,1835; *persica* Westwood,1841
- 1914) Phylломорфус laciniatus (Villers,1789)** (Coreidae) Synonym(s): *laciniatus* Villers,1789; *hystrix* Latreille,1817; *gallicus* Germar,1822; *muricatus* Hummel,1827; *algorica* Guérin-Méneville,1839; *erinaceus* Herrich-Schäffer,1842; *brevispina* Wagner,1955; *montandon* Zange,2005
- 1915) Phyllonorycter libanotica (Deschka,1972)** (Gracillariidae) Synonym(s): *libanotica* Deschka,1972
- 1916) Phyllonorycter platani (Staudinger,1870)** (Gracillariidae) Synonym(s): *platani* Staudinger,1870; *felinella* Heinrich,1920
- 1917) Phyllotreta maculicornis Pic,1906** (Chrysomelidae) Synonym(s): *maculicornis* Pic,1906

- 1918) *Physocephala antiqua* (Wiedemann,1830) (Conopidae) Synonym(s): *antiqua* Wiedemann,1830; *arabica* Macquart,1850; *syriaca* Kröber,1915
- 1919) *Physocephala lacera* (Meigen,1824) (Conopidae) Synonym(s): *lacera* Meigen,1824
- 1920) *Physocephala pusilla* (Meigen,1824) (Conopidae) Synonym(s): *pusilla* Meigen,1824; *tener* Loew,1847; *persica* Becker,1913; *punctithorax* Becker,1913
- 1921) *Phytoecia* (Blepisanis) *vittipennis* Reiche,1877 (Cerambycidae) Synonym(s): *vittipennis* Reiche,1877; *pallidior* Pic,1901; *tokatensis* Pic,1933
- 1922) *Phytoecia* (s.str.) *croceipes* Reiche & Saulcy,1858 (Cerambycidae) Synonym(s): *croceipes* Reiche & Saulcy,1858
- 1923) *Phytoecia* (s.str.) *geniculata* Mulsant,1862 (Cerambycidae) Synonym(s): *geniculata* Mulsant,1862
- 1924) *Phytoecia kabateki* Sama,1996 (Cerambycidae) Synonym(s): *kabateki* Sama,1996
- 1925) *Phytoecia nepheloides* Sama,1997 (Cerambycidae) Synonym(s): *nepheloides* Sama,1997
- 1926) *Phytoecia rufipes* (Olivier,1795) (Cerambycidae) Synonym(s): *rufipes* Olivier,1795
- 1927) *Pieris* (Artogeia) *krueperi* Staudinger,1860 (Pieridae) Synonym(s): *krueperi* Staudinger,1860
- 1928) *Pieris* (Artogeia) *pseudorapae* Verity,1908 (Pieridae) Synonym(s): *pseudorapae* Verity,1908
- 1929) *Pieris* (Artogeia) *rapae* (Linnaeus,1758) (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
- 1930) *Pieris* (s.str.) *brassicae* (Linnaeus,1758) (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
- 1931) *Pieris* (s.str.) *brassicae* (Linnaeus,1758) (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
- 1932) *Pimelia* (Eurypimelia) *akbesiana* Fairmaire,1884 (Tenebrionidae) Synonym(s): *akbesiana* Fairmaire,1884
- 1933) *Pimelia* (Melanostola) *bajula* Klug,1830 (Tenebrionidae) Synonym(s): *bajula* Klug,1830
- 1934) *Pimelia angulata* Fabricius,1775 (Tenebrionidae) Synonym(s): *angulata* Fabricius,1775; *spinosa* Forskall,1775; *asperrima* Pallas,1781
- 1935) *Pimelia damasei* Sén.,1880 (Tenebrionidae) Synonym(s): *damasei* Sén.,1880
- 1936) *Pimelia derasa* Klug,1830 (Tenebrionidae) Synonym(s): *derasa* Klug,1830
- 1937) *Pimelia errans* Miller,1861 (Tenebrionidae) Synonym(s): *errans* Miller,1861
- 1938) *Pimelia hierichontica* Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *hierichontica* Reiche & Saulcy,1857; *arabica* Solier,1836
- 1939) *Pimelia parallela* Solier,1836 (Tenebrionidae) Synonym(s): *parallela* Solier,1836; *borrei* Haag,1878
- 1940) *Pimelia prolongata* Miller,1861 (Tenebrionidae) Synonym(s): *prolongata* Miller,1861
- 1941) *Pimelia puberula* Chevrolat,1873 (Tenebrionidae) Synonym(s): *puberula* Chevrolat,1873
- 1942) *Pinthaeus sanguinipes* (Fabricius,1781) (Pentatomidae) Synonym(s): *sanguinipes* Fabricius,1781; *genei* Costa,1841
- 1943) *Pittonotus simoni* (Stierlin,1879) (Elateridae) Synonym(s): *simoni* Stierlin,1879
- 1944) *Placodoma palaestinella* (Rebel,1902) (Psychidae) Synonym(s): *palaestinella* Rebel,1902
- 1945) *Platycerus caraboides* (Linnaeus,1758) (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919
- 1946) *Platycleis* (Incertana) *incerta* Brunner von Wattenwyl,1882 (Tettigoniidae) Synonym(s): *incerta* Brunner von Wattenwyl,1882
- 1947) *Platycleis* (s.str.) *intermedia* (Audinet-Serville,[1839]) (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville,[1839]; *tesselatus* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951
- 1948) *Platynemmis kervillei* (Martin,1909) (Platynemidae) Synonym(s): *kervillei* Martin,1909
- 1949) *Platymetopius major* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 1950) *Platymyrmilla quinquefasciata* (Olivier,1811) (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811
- 1951) *Platypygus chrysanthemi* Loew,1844 (Mythicomyiidae) Synonym(s): *chrysanthemi* Loew,1844
- 1952) *Platypygus melinoproctus* Loew,1873 (Mythicomyiidae) Synonym(s): *melinoproctus* Loew,1873
- 1953) *Platypygus melinoproctus* Loew,1873 (Mythicomyiidae) Synonym(s): *melinoproctus* Loew,1873
- 1954) *Platystoma arcuatum* Loew,1856 (Platystomidae) Synonym(s): *arcuatum* Loew,1856
- 1955) *Plebejus* (Kretania) *carmon* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December].
- 1956) *Plebejus* (Plebejides) *nichollae* (Elwes,1901) (Lycaenidae) Synonym(s): *nichollae* Elwes,1901
- 1957) *Plecoptera inquinata* (Lederer,1857) (Noctuidae) Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
- 1958) *Plesiocera algira* Macquart,1840 (Bombyliidae) Synonym(s): *algira* Macquart,1840; *fornicata* Loew,1857; *inaequalis* Becker,1906
- 1959) *Podagrion pachymerum* (Walker,1833) (Torymidae) Synonym(s): *pachymerum* Walker,1833
- 1960) *Poecilimon anatolicus* Ramme,1933 (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985
- 1961) *Polymitia eximipalpella* (Gerasimov,1930) (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935
- 1962) *Polymixis* (Parabrachionycha) *tresignata* (Ménétriés,1847) (Noctuidae) Synonym(s): *tresignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 1963) *Polymixis* (s.str.) *subvenusta* (Püngeler,1906) (Noctuidae) Synonym(s): *subvenusta* Püngeler,1906
- 1964) *Polymixis aphrodite* Fibiger,1997 (Noctuidae) Synonym(s): *aphrodite* Fibiger,1997
- 1965) *Polymona lapidicola* (Herrich-Schäffer,[1852]) (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852]
- 1966) *Polyommatus* (Albulina (Plebejidea)) *loewii* (Zeller,1847) (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934.
- 1967) *Polyommatus* (Aricia (s.str.)) *agestis* ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 1968) *Polyommatus* (s.str. (Agrodiaetus (Admetusia))) *alcestis* (Zerny,1932) (Lycaenidae) Synonym(s): *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 1969) *Polyommatus* (s.str. (Agrodiaetus (Damaia))) *deebi* (T.Larsen,1974) (Lycaenidae) Synonym(s): *deebi* T.Larsen,1974
- 1970) *Polyommatus* (s.str. (Agrodiaetus (Damaia))) *larseni* (Carbonell,1994) (Lycaenidae) Synonym(s): *larseni* Carbonell,1994

- 1971) **Polyommatus (s.str. (Cyaniris)) antiochenus (Lederer,1861)** (Lycaenidae) Synonym(s): *antiochena* Lederer,1861
- 1972) **Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) Synonym(s): *bellis* Freyer,[1842]
- 1973) **Polyommatus (s.str. (Lysandra)) syriacus (Tutt,1914)** (Lycaenidae) Synonym(s): *syriacus* Tutt,1914
- 1974) **Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 1975) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919.
- 1976) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 1977) **Polyphaenis propinqua Staudinger,1895** (Noctuidae) Synonym(s): *propinqua* Staudinger,1895
- 1978) **Polyphoniis laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus* Loew,1848
- 1979) **Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840; *abhasica* Motschoulsky,1845; *caucasica* Heyden,1864; *persica* Brenske,1902
- 1980) **Polyploca korbi Rebel,1901** (Thyatiridae) Synonym(s): *korbi* Rebel,1901
- 1981) **Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 1982) **Pontia edusa (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
- 1983) **Pontia glauconome Klug,1829** (Pieridae) Synonym(s): *glauconome* Klug,1829
- 1984) **Powellinia lasserei (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924
- 1985) **Praelongicera palaestinella (Amsel,1956)** (Tineidae) Synonym(s): *palaestinella* Amsel,1956
- 1986) **Prasocuris distincta Lucas,1849** (Chrysomelidae) Synonym(s): *distincta* Lucas,1849
- 1987) **Precis (Junonia) orithya (Linnaeus,1758)** (Argynnididae) Synonym(s): *orithya* Linnaeus,1758
- 1988) **Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758)** (Papilionidae) Synonym(s): *demoleus* Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus* Fruhstorfer,1898; *#chryseis* Boulet & Le Cerf,1912; *flavosignatus* Heydemann,1954
- 1989) **Prionocyphon ornatus Abeille,1881** (Scirtidae) Synonym(s): *ornatus* Abeille,1881
- 1990) **Prionosthenus (s.str.) syriacus (Brisout de Barneville,1855)** (Pamphagidae) Synonym(s): *syriacus* Brisout de Barneville,1855
- 1991) **Proceratia caesariella Ragonot,1901** (Pyralidae) Synonym(s): *caesariella* Ragonot,1901
- 1992) **Prochoreutis sehestediana (Fabricius,1777)** (Choreutidae) Synonym(s): *sehestediana* Fabricius,1777; *punctosa* Haworth,1811; *philomyia* Meyrick,1912; *phalaraspis* Meyrick,1923
- 1993) **Prochoristis crudalis (Lederer,1863)** (Pyralidae) Synonym(s): *crudalis* Lederer,1863
- 1994) **Promachus microlabis Loew,1857** (Asilidae) Synonym(s): *microlabis* Loew,1857
- 1995) **Promachus mustelus Loew,1854** (Asilidae) Synonym(s): *mustela* Loew,1854
- 1996) **Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781
- 1997) **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857
- 1998) **Prostemma krueperi Stein,1878** (Nabidae) Synonym(s): *krueperi* Stein,1878
- 1999) **Prosternon syriacum (Buysson,1891)** (Elaterridae) Synonym(s): *syriacum* Buysson,1891; *anatolicum* Reitter,1901
- 2000) **Protaetia (Cetonischema) speciosa (Adams,1817)** (Scarabaeidae) Synonym(s): *speciosa* Adams,1817; *psittacina* Ménétriés,1832
- 2001) **Protaetia (Eupotosia) affinis (Andersch,1797)** (Scarabaeidae) Synonym(s): *affinis* Andersch,1797
- 2002) **Protaetia (Eupotosia) mirifica (Mulsant & Rey,1840)** (Scarabaeidae) Synonym(s): *mirifica* Mulsant & Rey,1840
- 2003) **Protaetia (Foveopotosia) judith (Reiche,1871)** (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898
- 2004) **Protaetia (Potosia) angustata (Germar,1817)** (Scarabaeidae) Synonym(s): *hungarica* Latreille,1807 (*praeocc.*); *angustata* Germar,1817; *muelleri* Reitter,1897; *angustula* Reitter,1898; *eibesensis* Reitter,1902; *orientalis* Alexis & Delpont,1996 *nec* Gory & Percheron,1833
- 2005) **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775
- 2006) **Protaetia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménétriés,1836; *aethioides* Reitter,1898; *lambillionea* Alexis & Delphont,2000
- 2007) **Protosmia (Chelostomopsis) longiceps (Friese,1899)** (Megachilidae) Synonym(s): *longiceps* Friese,1899; *depauperata* Benoist,1928
- 2008) **Protosmia (Nanosmia) limbata (Benoist,1935)** (Megachilidae) Synonym(s): *limbata* Benoist,1935
- 2009) **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871
- 2010) **Protosmia (s.str.) humeralis (Pérez,1895)** (Megachilidae) Synonym(s): *humeralis* Pérez,1895
- 2011) **Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899
- 2012) **Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): *paradoxa* Friese,1899
- 2013) **Psacasta conspersa Germar,1839** (Scutelleridae) Synonym(s): *conspersa* Germar,1839
- 2014) **Psacasta exanthematica (Scopoli,1763)** (Scutelleridae) Synonym(s): *exanthematica* Scopoli,1763
- 2015) **Psallus syriacus (Reuter,1883)** (Miridae) Synonym(s): *syriacus* Reuter,1883
- 2016) **Pseudobissetia terrestrella (Christoph,1885)** (Pyralidae) Synonym(s): *terrestrella* Christoph,1885; *hypenalis* Rebel,1910; *tozeurellus* Lucas,1911
- 2017) **Pseudocelles ledereri (Brunner von Wattenwyl,1884)** (Acrididae) Synonym(s): *ledereri* Brunner von Wattenwyl,1884; *coeruleipennis* Uvarov,1914; *turcicus* Dirsh,1949; *#lactea* Ramme,1951
- 2018) **Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) Synonym(s): *telephassa* Geyer,[1827]
- 2019) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintenisi* Staudinger,1895
- 2020) **Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) Synonym(s): *pelopea* Klug,1832
- 2021) **Pseudohadena (s.str.) chenopodiphaga (Rambur,1832)** (Noctuidae) Synonym(s): *chenopodiphaga* Rambur,1832
- 2022) **Pseudophotopsis syriaca (André,1900)** (Mutillidae) Synonym(s): *syriaca* André,1900; *caspica* sensu Özbek et al.,1999 *nec* Radoszkowski,1885
- 2023) **Pseudosymmorphus adnexus (Gusenleitner,1969)** (Vespidae) Synonym(s): *adnexus* Gusenleitner,1969

- 2024) Pseudosymmorphus prophetus (Giordani Soika,1952)** (Vespidae) Synonym(s): *prophetus* Giordani Soika,1952; *asiaticus* Giordani Soika,1970
- 2025) Pseudotrematodes frivaldskyi (Ménétriés,1836)** (Scarabaeidae) Synonym(s): *frivaldskyi* Ménétriés,1836
- 2026) Psilochalcis rufitarsis (Illiger,1807)** (Chalcididae) Synonym(s): *monstrosa* Villers,1789; *rufitarsis* Illiger,1807; *vicina* Fonscolombe,1832; *nigra* Walker,1834; *frequens* Masi,1929
- 2027) Psyche syriaca (Rebel,1917)** (Psychidae) Synonym(s): *syriaca* Rebel,1917; *sorrentina* Wehrli,1933
- 2028) Psylliodes ellipticus Allard,1861** (Chrysomelidae) Synonym(s): *ellipticus* Allard,1861
- 2029) Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903
- 2030) Pterobates chalybaeus (Röder,1887)** (Bombyliidae) Synonym(s): *chalybaeus* Röder,1887
- 2031) Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880.
- 2032) Purpuricenens budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis* Götz,1783
- 2033) Purpuricenens dalmatinus Sturm,1843** (Cerambycidae) Synonym(s): *dalmatinus* Sturm,1843
- 2034) Purpuricenens longevittatus Pic,1941** (Cerambycidae) Synonym(s): *longevittatus* Pic,1941
- 2035) Purpuricenens wachanrui Levrat,1858** (Cerambycidae) Synonym(s): *wachanrui* Levrat,1858; *aleppensis* Witte,1872; *haussknechti* Witte,1872; *atricolor* Pic,1912; *diversipennis* Pic,1915
- 2036) Putonia asiatica Jakovlev,1885** (Pentatomidae) Synonym(s): *asiatica* Jakovlev,1885
- 2037) Putonia torrida Stal,1872** (Pentatomidae) Synonym(s): *torrida* Stal,1872
- 2038) Pydna bahara (Brandt,1938)** (Geometridae) Synonym(s): *bahara* Brandt,1938
- 2039) Pyrgomorpha (s.str.) bispinosa Walker,1870** (Pyrgomorphidae) Synonym(s): *bispinosa* Walker,1870; *cingulata* Walker,1870; *indica* Bolivar,1902
- 2040) Pyrgomorpha guentheri Burr,1899** (Pyrgomorphidae) Synonym(s): *guentheri* Burr,1899; *brevipennis* Bolivar,1904; *predtetschenskii* Bei-Bienko,1951; *ozeki* Karabağ,1953; *turcica* Karabağ,1961; *#urfenensis* Demirsoy,1977; *#guantneri* Demirsoy,1977; *#predtetschenskii* Demirsoy,1977
- 2041) Pyrgus melotis (Duponchel,[1834])** (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.
- 2042) Pyroderces argyrogrammos (Zeller,1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggia* Herrich-Schäffer,[1853]
- 2043) Pyrrhocris apterus (Linnaeus,1758)** (Pyrrhocridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829
- 2044) Pyrrhocris marginatus (Kolenati,1845)** (Pyrrhocridae) Synonym(s): *marginatus* Kolenati,1845
- 2045) Quartinia separata Gusenleitner,1997** (Vespidae) Synonym(s): *separata* Gusenleitner,1997
- 2046) Quercusia quercus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 2047) Ramphis libanoticus Riedl,1969** (Cosmopterigidae) Synonym(s): *libanoticus* Riedl,1969
- 2048) Ravinia striata (Fabricius,1794)** (Sarcophagidae) Synonym(s): *striata* Fabricius,1794; *haematodes* Meigen,1826; *haemisphaerica* R-D.,1830; *limpidipennis* R-D.,1830; *horticola* R-D.,1830; *campestris* R-D.,1830; *parva* R-D.,1863; *sulcata* R-D.,1863; *hebes* R-D.,1863; *nova* Siebke,1877; *aozia* Séguy,1935; *disjuncta* Séguy,1938
- 2049) Recophora beata (Staudinger,1892)** (Noctuidae) Synonym(s): *beata* Staudinger,1892
- 2050) Reduvius autrani Reuter,[1892]** (Reduviidae) Synonym(s): *autrani* Reuter,[1892]; *maestus* Miller,1955
- 2051) Reduvius ciliatus Jakovlev,1879** (Reduviidae) Synonym(s): *ciliatus* Jakovlev,1879
- 2052) Reduvius festai Giglio-Tos,1894** (Reduviidae) Synonym(s): *festai* Giglio-Tos,1894
- 2053) Reduvius jakovleffi Reuter,[1892]** (Reduviidae) Synonym(s): *jakovleffi* Reuter,[1892]
- 2054) Reduvius pallipes Klug,1830** (Reduviidae) Synonym(s): *pallipes* Klug,1830; *thoracicus* Stal,1855; *testaceus* Fieber
- 2055) Reduvius testaceus (Herrich-Schäffer,1845)** (Reduviidae) Synonym(s): *testaceus* Herrich-Schäffer,1845
- 2056) Reuterista sanguineovitta (Reuter,1904)** (Miridae) Synonym(s): *sanguineovitta* Reuter,1904
- 2057) Rhadinus megalonix Loew,1856** (Asilidae) Synonym(s): *megalonix* Loew,1856
- 2058) Rhagonycha benedikti Svihla,2002** (Cantharidae) Synonym(s): *benedikti* Svihla,2002
- 2059) Rhagonycha fulva (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763
- 2060) Rhagonycha syriaca Dahlgren,1968** (Cantharidae) Synonym(s): *syriaca* Dahlgren,1968
- 2061) Rhagonycha vartiani Svihla,1993** (Cantharidae) Synonym(s): *vartiani* Svihla,1993
- 2062) Rhaphium caliginosum Meigen,1824** (Dolichopodidae) Synonym(s): *caliginosum* Meigen,1824; *zetterstedti* Parent,1925
- 2063) Rhaphium lanceolatum Loew,1850** (Dolichopodidae) Synonym(s): *lanceolatum* Loew,1850
- 2064) Rhizotrogus (Amphimallon) jedlickai Balthasar,1936** (Scarabaeidae) Synonym(s): *jedlickai* Balthasar,1936
- 2065) Rhizotrogus (Amphimallon) leuthneri Reitter,1902** (Scarabaeidae) Synonym(s): *leuthneri* Reitter,1902
- 2066) Rhizotrogus (Amphimallon) solstitialis (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *solstitialis* Linnaeus,1758
- 2067) Rhizotrogus (s.str.) schaufussi Brenske,1891** (Scarabaeidae) Synonym(s): *schaufussi* Brenske,1891
- 2068) Rhodometra sacraria (Linnaeus,1767)** (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858];
- 2069) Rhodus cyprius (Houard,1919)** (Cynipidae) Synonym(s): *cyprius* Houard,1919; *oriundus* Quinlan,1968; *kezivi* Melika,2003
- 2070) Rhombocoris regularis (Herrich-Schaeffer,1851)** (Pentatomidae) Synonym(s): *regularis* Herrich-Schaeffer,1851
- 2071) Rhopalina annulata Sack,1934** (Mydidae) Synonym(s): *annulata* Sack,1934
- 2072) Rhynchites aereipennis Desbrochers,1895** (Atelabidae) Synonym(s): *aereipennis* Desbrochers,1895
- 2073) Rhynchites auratus (Scopoli,1763)** (Atelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937
- 2074) Rhynchites hungaricus (Herbst,1784)** (Atelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916
- 2075) Rhynchites lenaeus Faust,1891** (Atelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926
- 2076) Rhynchites smyrnensis Desbrochers,1869** (Atelabidae) Synonym(s): *smyrnensis* Desbrochers,1869
- 2077) Rhynocoris ibericus (Kolenati,1856)** (Reduviidae) Synonym(s): *ibericus* Kolenati,1856
- 2078) Rhynocoris persicus (Jakovlev,1877)** (Reduviidae) Synonym(s): *persicus* Jakovlev,1877; *christophi* Jakovlev,1877; *analis* Jakovlev,1889; *pictipes* Horvath,1911
- 2079) Rhynocoris punctiventris Herrich-Schäffer,1846** (Reduviidae) Synonym(s): *punctiventris* Herrich-Schäffer,1846; *dimidiatus* Dispons,1964
- 2080) Rhyparia purpurata (Linnaeus,1758)** (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
- 2081) Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae) Synonym(s): *phoeniceus* Rossi,1794

- 2082) Rivetina byblica La Greca & Lombardo, 1982** (Mantidae) Synonym(s): *byblica* La Greca & Lombardo, 1982
- 2083) Rivetina caucasica (Saussure, 1871)** (Mantidae) Synonym(s): *caucasica* Saussure, 1871; *ragnari* Harz, 1988
- 2084) Rivetina syriaca (Saussure, 1869)** (Mantidae) Synonym(s): *syriaca* Saussure, 1869; *festae* Giglio-Tos, 1916
- 2085) Ronisia marocana (Olivier, 1811)** (Mutillidae) Synonym(s): *marocana* Olivier, 1811; *novemguttata* Klug, 1835; *octomaculata* Spinola, 1843; *algira* Lepeletier, 1845; *rubricollis* Lucas, 1849; *dorsalis* Lucas, 1849; *humeralis* Stichel & Radoszkowski, 1870; *bodenheimeri* Invrea, 1950; *flavocornuta* Invrea, 1965
- 2086) Rophites hartmanni Friese, 1902** (Halictidae) Synonym(s): *hartmanni* Friese, 1902
- 2087) Rubrapterus bavius (Eversmann, 1832)** (Lycaenidae) Synonym(s): *bavius* Eversmann, 1832
- 2088) Saga beieri Kaltenbach, 1967** (Tettigoniidae) Synonym(s): *lucasi* Ramme, 1951 nec Sauss., 1888; *beieri* Kaltenbach, 1967
- 2089) Saga ephippigera Fischer von Waldheim, 1846** (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim, 1846
- 2090) Saga natoliae Audinet-Serville, 1839** (Tettigoniidae) Synonym(s): *onos* Stoll, 1787 nec Pall., 1772; *synophrys* Charpentier, 1841; *natoliae* Audinet-Serville, 1839; *brunneri* Saussure, 1888
- 2091) Saperda quercus Charpentier, 1825** (Cerambycidae) Synonym(s): *quercus* Charpentier, 1825; *ocellata* Abeille de Perrin, 1895
- 2092) Sapyga (s.str.) mutica Kurzenko, 1994** (Sapygidae) Synonym(s): *mutica* Kurzenko, 1994
- 2093) Sapyga (s.str.) pulcherrima Morawitz, 1894** (Sapygidae) Synonym(s): *pulcherrima* Morawitz, 1894
- 2094) Sapyga (s.str.) quinquepunctata (Fabricius, 1781)** (Sapygidae) Synonym(s): *quinquepunctata* Fabricius, 1781
- 2095) Sarcophaga (Bercaea) cruentata Meigen, 1826** (Sarcophagidae) Synonym(s): *cruentata* Meigen, 1826; *haemorrhoidalis* Fallén, 1817; *squalida* R-D., 1830; *blondeli* R-D., 1830; *villiva* R-D., 1830; *ruficauda* Zetterstedt, 1838; *consobrina* Rondani, 1860; *nurus* Rondani, 1860; *zetterstedti* R-D., 1863; *iners* R-D., 1863; *pabulorum* R-D., 1863; *meigeni* R-D., 1863; *inlyta* R-D., 1863; *praeceps* R-D., 1863; *fugax* R-D., 1863; *nitida* R-D., 1863; *albidula* R-D., 1863; *commendata* R-D., 1863; *fulvipalpis* R-D., 1863; *haematura* R-D., 1863; *agilis* R-D., 1863; *oralis* R-D., 1863; *agraria* R-D., 1863; *meditata* R-D., 1863; *#interrupta* Enderlein, 1928; *#tiesleri* Enderlein, 1928
- 2096) Sarcophaga (Heteronychia) lacrymans Villeneuve, 1912** (Sarcophagidae) Synonym(s): *lacrymans* Villeneuve, 1912; *thalhammeri* Böttcher, 1913; *zhelochovtzevi* Rohdendorf, 1925; *cepelaki* Povolny & Slameckova, 1970; *markevitchi* Verves, 1975; *histriops* Lehrer, 2008
- 2097) Sarcophaga (Jantia) crassipalpis Macquart, 1839** (Sarcophagidae) Synonym(s): *crassipalpis* Macquart, 1839; *dalmatina* Schiner, 1862; *securifera* Villeneuve, 1908
- 2098) Sarcophaga (Parasarcophaga) hirtipes Wiedemann, 1830** (Sarcophagidae) Synonym(s): *hirtipes* Wiedemann, 1830; *rufipes* Wiedemann, 1830; *fulvipalpis* Macquart, 1843
- 2099) Sarcophaga (Phytosarcophaga) destructor Malloch, 1929** (Sarcophagidae) Synonym(s): *destructor* Malloch, 1929; *flagellata* Villeneuve, 1930; *margaretti* Salem, 1935; *destructrix* Rohdendorf, 1937; *mezzadrii* Ségué, 1951
- 2100) Sarcophaga (Thomsonia) argyrostoma (R-D., 1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D., 1830; *barbata* Thomson, 1869; *falculata* Pandellé, 1896; *persicae* Senior-White, 1924; *chivensis* Zimin, 1928
- 2101) Saropogon ehrenbergii Loew, 1851** (Asilidae) Synonym(s): *ehrenbergii* Loew, 1851
- 2102) Saropogon melampygyus (Loew, 1851)** (Asilidae) Synonym(s): *melampygyus* Loew, 1851
- 2103) Saropogon vestitus (Wiedemann, 1828)** (Asilidae) Synonym(s): *vestitus* Wiedemann, 1828; *aegypticus* Macquart, 1838; *confluens* Loew, 1851
- 2104) Saturnia (s.str.) pyri ([Denis & Schiffermüller], 1775)** (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller], 1775; *teherana* Lenek, 1970; *pinkerae* Kobes, 1980.
- 2105) Satyramoeba hetrusca (Fabricius, 1794)** (Bombyliidae) Synonym(s): *hetrusca* Fabricius, 1794; *rubiginipennis* Macquart, 1840; *formosa* Dufour, 1852; *etrusca* Bezzi, 1903
- 2106) Satyrium (Nordmannia) ilicis (Esper, [1779])** (Lycaenidae) Synonym(s): *ilicis* Esper, [1779]
- 2107) Satyrium (Nordmannia) myrtale (Klug, 1834)** (Lycaenidae) Synonym(s): *myrtale* Klug, 1834
- 2108) Scarabaeus acuticollis (Motschulsky, 1849)** (Scarabaeidae) Synonym(s): *acuticollis* Motschulsky, 1849
- 2109) Scarabaeus armeniacus Ménétériés, 1832** (Scarabaeidae) Synonym(s): *armeniaceus* Ménétériés, 1832; *nigrociliatus* Motschoulsky, 1849
- 2110) Scarabaeus irakensis Stolf, 1938** (Scarabaeidae) Synonym(s): *irakensis* Stolf, 1938
- 2111) Scarabaeus pius (Illiger, 1803)** (Scarabaeidae) Synonym(s): *pius* Illiger, 1803
- 2112) Scarabaeus sacer Linnaeus, 1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus, 1758; *crenatus* De Geer, 1778; *impius* Fabricius, 1801; *platychilus* Fischer von Waldheim, 1823; *retusus* Brullé, 1832; *europaeus* Motschoulsky, 1849; *confluidens* Fleisch., 1925
- 2113) Scarabaeus typhon (Fischer von Waldheim, 1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim, 1822
- 2114) Scarabaeus winkleri Stolf, 1938** (Scarabaeidae) Synonym(s): *winkleri* Stolf, 1938
- 2115) Scarabaeus zagrosensis Montreuil, 2006** (Scarabaeidae) Synonym(s): *zagrosensis* Montreuil, 2006
- 2116) Scaurus atratus Fabricius, 1775** (Tenebrionidae) Synonym(s): *atratus* Fabricius, 1775
- 2117) Scaurus barbarus Solier, 1836** (Tenebrionidae) Synonym(s): *barbarus* Solier, 1836; *rugicollis* Reiche & Saulcy, 1857; *interruptus* Baudi, 1875
- 2118) Scaurus puncticollis Solier, 1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier, 1838
- 2119) Sceliphron (s.str.) arabs (Lepeletier, 1845)** (Sphecidae) Synonym(s): *arabs* Lepeletier, 1845; *caucasicus* André, 1888
- 2120) Schistocerca gregaria (Forsk., 1775)** (Acrididae) Synonym(s): *gregaria* Forsk., 1775; *tartaricum* Latreille, 1804; *peregrina* Olivier, 1804; *rufescens* Thunberg, 1815
- 2121) Schneidereria pistaciella Weber, 1957** (Gelechiidae) Synonym(s): *pistaciella* Weber, 1957
- 2122) Sciocoris (Aposciocoris) luteolus Fieber, 1861** (Pentatomidae) Synonym(s): *luteolus* Fieber, 1861
- 2123) Sciocoris (Neosciocoris) orientalis Linnavuori, 1960** (Pentatomidae) Synonym(s): *orientalis* Linnavuori, 1960
- 2124) Sciocoris (Neosciocoris) pallens Klug, 1855** (Pentatomidae) Synonym(s): *pallens* Klug, 1855; *fissus* Mulsant & Rey, 1845; *curvocapitatus* Fuente, 1971
- 2125) Sciocoris (Parasciocoris) angusticollis Puton, 1895** (Pentatomidae) Synonym(s): *angusticollis* Puton, 1895
- 2126) Sciocoris (Parasciocoris) convexusculus Puton, 1874** (Pentatomidae) Synonym(s): *convexusculus* Puton, 1874; *scutellaris* Schmidt, 1939 nec Put., 1884; *sahlbergi* Wagner, 1952; *clypeatus* Stichel, 1961; *schmidtii* Wagner, 1965
- 2127) Sciocoris (s.str.) cursitans (Fabricius, 1794)** (Pentatomidae) Synonym(s): *cursitans* Fabricius, 1794; *terreus* Schrank, 1801; *rubropunctatus* Fuente, 1972
- 2128) Sciocoris (s.str.) hoberlandti Wagner, 1954** (Pentatomidae) Synonym(s): *hoberlandti* Wagner, 1954
- 2129) Sciocoris (s.str.) ochraceus Fieber, 1861** (Pentatomidae) Synonym(s): *ochraceus* Fieber, 1861; *#ochraseus* Önder et al., 2006
- 2130) Sciocoris (s.str.) sulcatus Fieber, 1851** (Pentatomidae) Synonym(s): *sulcatus* Fieber, 1851; *angustipennis* Mulsant & Rey, 1852; *lautus* Horvath, 1903; *atticus* Horvath, 1907; *cypria* Lindberg, 1948
- 2131) Scolia (s.str.) anatoliae Osten, 2004** (Scoliidae) Synonym(s): *anatoliae* Osten, 2004

- 2132) Scolia (s.str.) flaviceps Eversmann,1846** (Scoliidae) Synonym(s): *flaviceps Eversmann,1846*; *mangichlakensis Radoszkowski,1879*
- 2133) Scoparia berytella Rebel,1911** (Pyralidae) Synonym(s): *berytella Rebel,1911*; *syriaca Caradja,1917*; *coprista Meyrick,1936*; *unicornutella Amsel,1958*
- 2134) Scoparia poliophaealis Hampson,1907** (Pyralidae) Synonym(s): *poliophaealis Hampson,1907*
- 2135) Scopula imitaria (Hübner,[1799])** (Geometridae) Synonym(s): *fimbriata Fourcroy,1785 nec Schreb.,1759*; *imitaria Hübner,[1799]*
- 2136) Scotodrymadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi Uvarov,1927*; *palaestina Uvarov,1939*
- 2137) Scotodrymadusa syriaca (Pictet,1888)** (Tettigoniidae) Synonym(s): *syriaca Pictet,1888*; *anatolica Werner,1901*; *rammei Uvarov,1929*; *turcica Ramme,1939*; *kozana Ramme,1951*; *amani Ramme,1951*
- 2138) Scotomerodes syriacalis Ragonot,1895** (Pyralidae) Synonym(s): *syriacalis Ragonot,1895*
- 2139) Scrobipalpa (Ilseopsis) artemisiella (Treitschke,1833)** (Gelechiidae) Synonym(s): *artemisiella Treitschke,1833*; *paniculatella Novickij,1924*
- 2140) Scrobipalpa (Ilseopsis) eremica Povolny,1967** (Gelechiidae) Synonym(s): *eremica Povolny,1967*
- 2141) Scrobipalpa (Ilseopsis) grossa Povolny,1966** (Gelechiidae) Synonym(s): *grossa Povolny,1966*
- 2142) Scrobipalpa (Ilseopsis) magnificella Povolny,1967** (Gelechiidae) Synonym(s): *magnificella Povolny,1967*
- 2143) Scrobipalpa (Ilseopsis) pulchra Povolny,1967** (Gelechiidae) Synonym(s): *pulchra Povolny,1967*
- 2144) Scrobipalpa (Ilseopsis) smithi Povolny & Bradley,1964** (Gelechiidae) Synonym(s): *smithi Povolny & Bradley,1964*
- 2145) Scrobipalpa (Ilseopsis) substricta Povolny,1967** (Gelechiidae) Synonym(s): *substricta Povolny,1967*
- 2146) Scrobipalpa (Ilseopsis) traganella (Chrétien,1915)** (Gelechiidae) Synonym(s): *traganella Chrétien,1915*
- 2147) Scythocentropus inquinata (Mabille,1888)** (Noctuidae) Synonym(s): *inquinata Mabille,1888*; *mercedes Pinker,1974*
- 2148) Scythris (aerariella-gr.) hungaricella Rebel,1917** (Scythridae) Synonym(s): *hungaricella Rebel,1917*
- 2149) Scythris (canescens-gr.) canescens (Staudinger,1880)** (Scythridae) Synonym(s): *canescens Staudinger,1880*; *plumbeogrisea Walsingham,1907*; *maculatella Chrétien,1915*
- 2150) Scythris (canescens-gr.) senecai Bengtsson,1997** (Scythridae) Synonym(s): *senecai Bengtsson,1997*
- 2151) Scythris (inclusella-gr.) inclusella Lederer,1855** (Scythridae) Synonym(s): *inclusella Lederer,1855*; *subflabella Stainton,1867*
- 2152) Scythris (monochreella-gr.) monochreella Ragonot,1896** (Scythridae) Synonym(s): *monochreella Ragonot,1896*; *lychnitis Meyrick,1918*
- 2153) Scythris (passerini-gr.) passerini Bengtsson,1997** (Scythridae) Synonym(s): *passerini Bengtsson,1997*
- 2154) Scythris iconiensis Rebel,1903** (Scythridae) Synonym(s): *iconiensis Rebel,1903*
- 2155) Sehirus cypriacus Dohrn,1860** (Cydnidae) Synonym(s): *cypriacus Dohrn,1860*
- 2156) Sehirus delangrangei Puton,1888** (Cydnidae) Synonym(s): *delangrangei Puton,1888*
- 2157) Sehirus marginatus (Signoret,1884)** (Cydnidae) Synonym(s): *marginatus Signoret,1884*
- 2158) Sehirus ovatus (Herrich-Schäffer,1839)** (Cydnidae) Synonym(s): *ovatus Herrich-Schäffer,1839*
- 2159) Selatosomus (s.str.) amplicollis (Germar,1843)** (Elateridae) Synonym(s): *amplicollis Germar,1843*
- 2160) Semnosia imperatrix (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix Abeille de Perrin,1885*
- 2161) Semnosia imperatrix imperatrix (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix Abeille de Perrin,1885*
- 2162) Sepsis fulgens Hoffmannsegg,1826** (Sepsidae) Synonym(s): *fulgens Hoffmannsegg,1826*
- 2163) Sesamia cretica Lederer,1857** (Noctuidae) Synonym(s): *cretica Lederer,1857*
- 2164) Siclobola micromys (Stringer,1929)** (Tortricidae) Synonym(s): *micromys Stringer,1929*
- 2165) Sideris (Luteohadena) luteago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago [Denis & Schiffermüller],1775*; *brunneago Esper,[1804]*; *nigrescens Wagner,1926 (praeocc.)*; *ottomana Koçak,1990*.
- 2166) Sigara albiventris (Horvath,1911)** (Corixidae) Synonym(s): *albiventris Horvath,1911*
- 2167) Simulium (Wilhelmia) golani Beaucournu-Sagues & Braverman,1977** (Simuliidae) Synonym(s): *golani Beaucournu-Sagues & Braverman,1977*
- 2168) Simyra dentinosa Freyer,1839** (Noctuidae) Synonym(s): *dentinosa Freyer,1839*; *leucaspis Fischer v. Waldheim,1840*; *zeliha Kornosor & Lödl,1990*
- 2169) Slavum wertheimae Hille Ris Lambers,1957** (Aphididae) Synonym(s): *wertheimae Hille Ris Lambers,1957*
- 2170) Smaragdina djebellina (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *djebellina Lefebvre,1872*
- 2171) Smaragdina judaica (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *judaica Lefebvre,1872*
- 2172) Smaragdina scutellaris (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *scutellaris Lefebvre,1872*
- 2173) Smaragdina tibialis (Brullé,1832)** (Chrysomelidae) Synonym(s): *tibialis Brullé,1832*
- 2174) Smaragdina unipunctata (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata Olivier,1808*
- 2175) Smaragdina vaulogeri (Pic,1894)** (Chrysomelidae) Synonym(s): *vaulogeri Pic,1894*; *uyguni Warchlowski,1993*
- 2176) Smaragdina viridana (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *viridana Lacordaire,1848*
- 2177) Smerinthus kindermanni Lederer,1852** (Sphingidae) Synonym(s): *kindermanni Lederer,1852*; *#obscura Closs,1917*
- 2178) Smeromyrme (Erimyrme) sicanus (De Stefani,1887)** (Mutillidae) Synonym(s): *sicanus De Stefani,1887*
- 2179) Solenostethium bilunatum (Lefebvre,1827)** (Scutelleridae) Synonym(s): *bilunatum Lefebvre,1827*
- 2180) Solenostethium ledereri (Fieber,1861)** (Scutelleridae) Synonym(s): *ledereri Fieber,1861*
- 2181) Solenoxypus fuscovenosus (Fieber,1864)** (Miridae) Synonym(s): *fuscovenosus Fieber,1864*; *halimocnemis Becker,1864*; *crassipes Reuter,1879*; *reticulatus Reuter,1900*; *#cruenta Stichel,1956*
- 2182) Solter ledereri Navas,1912** (Myrmeleonidae) Synonym(s): *ledereri Navas,1912*
- 2183) Sphaerophoria scripta (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta Linnaeus,1758*; *gemma Scopoli,1763*; *fasciata Müller,1764*; *invisita Harris,1776*; *menthostri De Geer,1776*
- 2184) Sphedanolestes pulchellus (Klug,1830)** (Reduviidae) Synonym(s): *pulchellus Klug,1830*
- 2185) Sphenophyma rugulosa (Stal,1876)** (Acrididae) Synonym(s): *rugulosa Stal,1876*
- 2186) Sphodromantis viridis (Forskal,1775)** (Mantidae) Synonym(s): *viridis Forskal,1775*; *guttata Thunberg,1815*; *bimaculata Burmeister,1838*; *bioculata Burmeister,1838*; *vischeri Werner,1933*
- 2187) Sphodromerus kaltenbachi Harz,1987** (Acrididae) Synonym(s): *kaltenbachi Harz,1987*
- 2188) Spialia (s.str.) osthelderi (Pfeiffer,1932)** (Hesperiidae) Synonym(s): *osthelderi Pfeiffer,1932*
- 2189) Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis Herrich-Schäffer,[1845]*; *eupator Hemming,1932*; *kiki Higgins,1974*.
- 2190) Spogostylum isis (Meigen,1820)** (Bombyliidae) Synonym(s): *isis Meigen,1820*; *subnotata Walker,1871 nec Wied.,1820*
- 2191) Spogostylum tripunctatum (Wiedemann,1820)** (Bombyliidae) Synonym(s): *tripunctatum Wiedemann,1820*; *difficilis Wiedemann,1820*; *mystaceum Macquart,1840*
- 2192) Stigmatophora beata (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *beata Walsingham,1907*

- 2193) *Stagonomus amoenus* (Brullé,1832) (Pentatomidae) Synonym(s): *amoenus* Brullé,1832
 2194) *Stagonomus bipunctatus* (Linnaeus,1758) (Pentatomidae) Synonym(s): *bipunctatus* Linnaeus,1758
 2195) *Standfussiana defessa* (Lederer,1858) (Noctuidae) Synonym(s): *defessa* Lederer,1858
 2196) *Stangeia siceliota* (Zeller,1847) (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
 2197) *Staria lunata* (Hahn,1835) (Pentatomidae) Synonym(s): *lunata* Hahn,1835; *lobulatus* Rambur,1839; *maroccana* Lindberg,1932; *levantinae* Fuente,1972
 2198) *Staudingeria* (s.str.) *deserticola* (Staudinger,1870) (Pyralidae) Synonym(s): *deserticola* Staudinger,1870
 2199) *Staudingeria* (s.str.) *partitella* Ragonot,1887 (Pyralidae) Synonym(s): *partitella* Ragonot,1887; *adustella* Ragonot,1887; *fractifasciella* Ragonot,1890; *kebiliella* Lucas,1909; *combustella* Chrétien,1910.
 2200) *Stenoderus syriacus* Bolivar,1912 (Acrididae) Synonym(s): *syriacus* Bolivar,1912
 2201) *Stefaniola gloma* Möhn,1971 (Cecidomyiidae) Synonym(s): *gloma* Möhn,1971
 2202) *Stelis* (s.str.) *punctulatissima* (Kirby,1802) (Megachilidae) Synonym(s): *punctulatissima* Kirby,1802; *moravica* Tkalcu,1970
 2203) *Stelis* (Stelidomorpha) *nasuta* (Latreille,1809) (Megachilidae) Synonym(s): *nasuta* Latreille,1809
 2204) *Stenagostus zuercheri* Reitter,1909 (Elateridae) Synonym(s): *zuercheri* Reitter,1909
 2205) *Stenodera anatolica* Frivaldsky,1884 (Meloidae) Synonym(s): *anatolica* Frivaldsky,1884
 2206) *Stenodera caucasica* (Pallas,1781) (Meloidae) Synonym(s): *caucasica* Pallas,1781
 2207) *Stenoderus puncticollis* (Chevrolat,1829) (Meloidae) Synonym(s): *puncticollis* Chevrolat,1829
 2208) *Stenoheriades asiaticus* (Friese,1921) (Megachilidae) Synonym(s): *asiaticus* Friese,1921; *coelostoma* Benoist,1935
 2209) *Stenolemus bogdanovii* Oshanin,1870 (Reduviidae) Synonym(s): *bogdanovii* Oshanin,1870
 2210) *Stenomera assyria* Lesne,1895 (Bostrichidae) Synonym(s): *assyria* Lesne,1895
 2211) *Stenomutilla* (s.str.) *bizonata* (Smith,1856) (Mutillidae) Synonym(s): *bizonata* Smith,1856
 2212) *Stenopterus flavicornis* Küster,1846 (Cerambycidae) Synonym(s): *flavicornis* Küster,1846; *procerus* A.Costa,1855
 2213) *Stenopterus rufus* (Linnaeus,1767) (Cerambycidae) Synonym(s): *rufus* Linnaeus,1767; *attenuatus* Geoffroy,1785
 2214) *Stenoptilia bipunctidactyla* (Scopoli,1763) (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli,1763; *mictodactyla* [Denis & Schiffermüller],1775; *#pallida* Tutt,1906; *arida* Caradja,1920 nec Zell.,1847.
 2215) *Stenoptilia grisea* Schawerda,1933 (Pterophoridae) Synonym(s): *grisea* Schawerda,1933; *csanadyi* Gozmany,1959
 2216) *Stenoptilodes taprobanes* (R.Felder & Rogenhofer,1875) (Pterophoridae) Synonym(s): *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenocodactyla* Chrétien,1915; *terlizzii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962.
 2217) *Stenosis comata* Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *comata* Reiche & Saulcy,1857
 2218) *Stenosis dilutipes* Reitter,1887 (Tenebrionidae) Synonym(s): *dilutipes* Reitter,1887; *reitteri* Mars,1887
 2219) *Stenosis orientalis* Brullé,1832 (Tenebrionidae) Synonym(s): *orientalis* Brullé,1832; *graece* Solier,1838
 2220) *Sterictiphora furcata* (Villers,1789) (Argidae) Synonym(s): *furcata* Villers,1789; *rubi* Rossi,1790; *rubiidae* Rossi,1790; *inaequalis* Bremi-Wolf,1849; *nigripes* Konow; *bleusei* Pic
 2221) *Stictoleptura tripartita* (Heyden,1889) (Cerambycidae) Synonym(s): *tripartita* Heyden,1889
 2222) *Stictopleurus crassicornis* (Linnaeus,1758) (Rhopalidae) Synonym(s): *crassicornis* Linnaeus,1758
 2223) *Stilbina* (s.str.) *hypoanides* Staudinger,1892 (Noctuidae) Synonym(s): *hypoanides* Staudinger,1892
 2224) *Stratiomys cenisia* Meigen,1822 (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941
 2225) *Stratiomys ruficornis* (Macquart,1838) (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868
 2226) *Strobilotoma typhaecornis* (Fabricius,1803) (Coreidae) Synonym(s): *typhaecornis* Fabricius,1803; *clavicornis* Fabricius,1803; *genei* Spinola,1837; *obscurus* Herrich-Schäffer,1840; *divergens* Reuter,1900
 2227) *Stueningia poggearia* (Lederer,1855) (Geometridae) Synonym(s): *poggearia* Lederer,1855
 2228) *Stygioides tricolor* (Lederer,1858) (Cossidae) Synonym(s): *tricolor* Lederer,1858
 2229) *Susia uberalis* (Swinhoe,1884) (Pyralidae) Synonym(s): *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968.
 2230) *Sympecma annulata* (Selys,1887) (Lestidae) Synonym(s): *paedisca* Brauer,1882 nec Eversm.,1836; *annulata* Selys,1887; *braueri* Jacobson & Bianchi,1905
 2231) *Synanthedon syriaca* Spatenka,2001 (Sesiidae) Synonym(s): *syriaca* Spatenka,2001
 2232) *Synaphe armenialis* (Lederer,1870) (Pyralidae) Synonym(s): *armenialis* Lederer,1870
 2233) *Synaphe consecratalis* (Lederer,1855) (Pyralidae) Synonym(s): *consecratalis* Lederer,1855
 2234) *Synaphe morbidalis* (Guenée,1849) (Pyralidae) Synonym(s): *morbidalis* Guenée,1849
 2235) *Synaphe uxorialis* (Lederer,1858) (Pyralidae) Synonym(s): *uxorialis* Lederer,1858
 2236) *Synclera traducalis* (Zeller,1852) (Pyralidae) Synonym(s): *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatalis* Guenée,1862
 2237) *Syriolytta vulneratus* (Fairmaire,1892) (Meloidae) Synonym(s): *vulneratus* Fairmaire,1892; *suturifera* Pic,1899; *fairmairei* Borchmann,1917
 2238) *Syritta pipiens* (Linnaeus,1758) (Syrphidae) Synonym(s): *pipiens* Linnaeus,1758; *proxima* Say,1824; *obscuripes* Strobl,1899; *albicincta* Santos Abreu,1924; *flavicans* Szilady,1940; *vicina* Szilady,1940; *tenofemora* Dzhafarova,1974
 2239) *Syromastus rhombeus* (Linnaeus,1767) (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767; *quadratus* Fabricius,1775; *sinuata* Fieber,1861; *fusca* Vidal,1936
 2240) *Systoechus autumnalis* (Wiedemann,1818) (Bombyliidae) Synonym(s): *autumnalis* Wiedemann,1818
 2241) *Systropus* (s.str.) *annulatus* Engel,1932 (Bombyliidae) Synonym(s): *annulatus* Engel,1932
 2242) *Tabanus arenicolor* Peus,1980 (Tabanidae) Synonym(s): *arenicolor* Peus,1980
 2243) *Tabanus bifarius* Loew,1858 (Tabanidae) Synonym(s): *bifarius* Loew,1858; *longicornis* Enderlein,1932; *tauricus* Enderlein,1932; *simovae* Leclercq,1959; *mesogaeus* Peus,1980
 2244) *Tabanus dorsomaculatus* Macquart,1847 (Tabanidae) Synonym(s): *dorsomaculatus* Macquart,1847
 2245) *Tabanus lunatus* Fabricius,1794 (Tabanidae) Synonym(s): *lunatus* Fabricius,1794; *algiricus* Thunberg,1827; *wideri* Jaennicke,1866; *syriacus* Szilady,1923; *rufus* Szilady,1923; *politus* Szilady,1923; *farinosus* Szilady,1923; *algeriensis* Peus,1980; *levantinus* Peus,1980
 2246) *Tabanus syriacus* Kröber,1925 (Tabanidae) Synonym(s): *syriacus* Kröber,1925
 2247) *Tabanus unifasciatus* Loew,1858 (Tabanidae) Synonym(s): *unifasciatus* Loew,1858; *albescens* Kröber,1928
 2248) *Tabulaephorus parthicus* (Lederer,1870) (Pterophoridae) Synonym(s): *parthicus* Lederer,1870

- 2249) Tachina (Eudoromyia) magnicornis Zetterstedt, 1844** (Tachinidae) Synonym(s): *tessellata* Fabricius, 1794; *magnicornis* Zetterstedt, 1844; *conjugata* Rondani, 1859; *dispersa* Giglio-Tos, 1891; *friedrichi* Wachtl, 1894; *vernalis* R.-D.; *satanas* Zimin, 1935
- 2250) Tachys (Eotachys) bistriatus (Duftschmid, 1812)** (Carabidae) Synonym(s): *bistriatus* Duftschmid, 1812
- 2251) Tachys (Eotachys) fulvicollis (Dejean, 1831)** (Carabidae) Synonym(s): *fulvicollis* Dejean, 1831
- 2252) Tachytrechus notatus (Stannius, 1831)** (Dolichopodidae) Synonym(s): *notatus* Stannius, 1831; *litoreus* Haliday, 1833; *obscuripes* Gertaeker, 1864; *beckeri* Müller, 1923
- 2253) Tachytrechus planitarsis Becker, 1907** (Dolichopodidae) Synonym(s): *planitarsis* Becker, 1907
- 2254) Taphoxenus (Lychnifugus) cellarum Adams, 1817** (Carabidae) Synonym(s): *cellarum* Adams, 1817
- 2255) Tarisa fraudatrix Horvath, 1891** (Pentatomidae) Synonym(s): *fraudatrix* Horvath, 1891; *chloris* Horvath, 1904
- 2256) Tarisa virescens Herrich-Schäffer, 1851** (Pentatomidae) Synonym(s): *virescens* Herrich-Schäffer, 1851; *notoceras* Kolenati, 1857
- 2257) Tarucus (s.str.) balkanicus (Freyer, [1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer, [1843]
- 2258) Teleiopsis terebinthinella (Herrich-Schäffer, [1856])** (Gelechiidae) Synonym(s): *terebinthinella* Herrich-Schäffer, [1856]
- 2259) Tenebrio syriacus Zoufal, 1892** (Tenebrionidae) Synonym(s): *syriacus* Zoufal, 1892
- 2260) Tenthredo (Elinora) parvula (Kriechbaumer, 1869)** (Tenthredinidae) Synonym(s): *parvula* Kriechbaumer, 1869
- 2261) Tenthredo (Zonuledo) zonula Klug, 1817** (Tenthredinidae) Synonym(s): *fasciata* Scopoli, 1763 *nec* Linn., 1758; *bifasciata* Geoffroy, 1785 *nec* Müll., 1766; *bicinctaflava* Christ, 1791; *zonula* Klug, 1817; *similis* Mocsary, 1880; *nazarensis* André; *serena* Konow; *calcaratus* André, 1881; *scutellaris* Konow, 1898
- 2262) Tenthredopsis albonotata (Brullé, 1832)** (Tenthredinidae) Synonym(s): *albonotata* Brullé, 1832; *propinqua* Mocsary, 1880 *nec* Klug, 1817
- 2263) Tentyria collatina Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *collatina* Reiche & Saulcy, 1857; *latiuscula* Kraatz, 1865
- 2264) Tentyria cylindrica Solier, 1835** (Tenebrionidae) Synonym(s): *cylindrica* Solier, 1835; *acuminata* Reiche & Saulcy, 1857; *lata* Baudi, 1874
- 2265) Tentyria discicollis Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *discicollis* Reiche & Saulcy, 1857
- 2266) Tentyria herculeana Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *herculeana* Reiche & Saulcy, 1857; *solieri* Reiche & Saulcy, 1857; *saulcyi* Reiche, 1861
- 2267) Tentyria laticollis Kraatz, 1865** (Tenebrionidae) Synonym(s): *laticollis* Kraatz, 1865
- 2268) Tentyria puncticeps Miller, 1861** (Tenebrionidae) Synonym(s): *puncticeps* Miller, 1861; *persica* Baudi, 1874
- 2269) Tephritis angulatofasciata Portschinsky, 1892** (Tephritidae) Synonym(s): *angulatofasciata* Portschinsky, 1892
- 2270) Tephritis cometa (Loew, 1840)** (Tephritidae) Synonym(s): *cometa* Loew, 1840; *israelis* Freidberg, 1974
- 2271) Tephritis hurvitzii Freidberg, 1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg, 1981
- 2272) Tephritis multiguttata Becker, 1913** (Tephritidae) Synonym(s): *multiguttata* Becker, 1913
- 2273) Tephritis nigricauda (Loew, 1856)** (Tephritidae) Synonym(s): *nigricauda* Loew, 1856
- 2274) Tephritis praecox (Loew, 1844)** (Tephritidae) Synonym(s): *praecox* Loew, 1844
- 2275) Tephritis separata Rondani, 1871** (Tephritidae) Synonym(s): *separata* Rondani, 1871
- 2276) Tephritomyia lauta (Loew, 1869)** (Tephritidae) Synonym(s): *lauta* Loew, 1869
- 2277) Tephronia oppositaria Mann, 1864** (Geometridae) Synonym(s): *oppositaria* Mann, 1864
- 2278) Teratolytta dives (Brullé, 1832)** (Meloidae) Synonym(s): *dives* Brullé, 1832; *phalerata* Frivaldsky, 1837; *vittata* Kiesenwetter, 1861; *excellens* Escherich, 1894
- 2279) Teratolytta flavipes (Mulsant & Rey, 1858)** (Meloidae) Synonym(s): *flavipes* Mulsant & Rey, 1858; *semividia* Abeille de Perrin, 1895; *saphirina* Abeille de Perrin, 1895
- 2280) Terellia gynaecochroma (M. Hering, 1936)** (Tephritidae) Synonym(s): *gynaecochroma* M. Hering, 1936
- 2281) Terellia serratulae (Linnaeus, 1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus, 1758
- 2282) Tethina incisuralis (Macquart, 1851)** (Tethinidae) Synonym(s): *incisuralis* Macquart, 1851; *pictipes* Becker, 1903
- 2283) Tethrigus cyprius Baudi, 1871** (Elateridae) Synonym(s): *cyprius* Baudi, 1871; *akbesianus* Fairmaire, 1893
- 2284) Tetrops praeustus (Linnaeus, 1758)** (Cerambycidae) Synonym(s): *praeustus* Linnaeus, 1758; *ustulatus* Hagenbach, 1822; *inapicalis* Pic, 1891; *angorensis* Pic, 1918; *mesmini* Pic, 1928; *vicinus* Pic, 1928; *anatolicus* Özdikmen & Turgut, 2008
- 2285) Tettigometra (Mitricephalus) leucophaea (Preyssler, 1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssler, 1792; *obliqua* Panzer, 1799; *#leucophaea* Lodos & Kalkandelen, 1980
- 2286) Tettigometra (Stirometra) costulata Fieber, 1865** (Tettigometridae) Synonym(s): *costulata* Fieber, 1865; *parviceps* Signoret, 1866; *heydenii* Kirschbaum, 1868; *abrupta* Fieber, 1876; *albofasciata* Fieber, 1876; *unifasciata* Fieber, 1876
- 2287) Tettigometra afra Kirschbaum, 1868** (Tettigometridae) Synonym(s): *afra* Kirschbaum, 1868
- 2288) Tettigometra helferi Fieber, 1865** (Tettigometridae) Synonym(s): *helferi* Fieber, 1865
- 2289) Tettigometra impressifrons Mulsant-Rey, 1855** (Tettigometridae) Synonym(s): *impressifrons* Mulsant-Rey, 1855; *marginata* Fieber, 1876
- 2290) Tettigonia acutipennis Ebner, 1946** (Tettigoniidae) Synonym(s): *acutipennis* Ebner, 1946
- 2291) Thamnotettix (s.str.) klapperichi Dlabola, 1965** (Cicadellidae) Synonym(s): *klapperichi* Dlabola, 1965
- 2292) Thamnotettix (s.str.) zelleri (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum, 1868
- 2293) Thamnotettix affinis Fieber, 1885** (Cicadellidae) Synonym(s): *affinis* Fieber, 1885
- 2294) Thamnotettix loratus Horvath, 1911** (Cicadellidae) Synonym(s): *loratus* Horvath, 1911
- 2295) Thamnotettix thrax Dlabola, 1965** (Cicadellidae) Synonym(s): *thrax* Dlabola, 1965
- 2296) Thanatophilus sinuatus (Fabricius, 1775)** (Silphidae) Synonym(s): *sinuatus* Fabricius, 1775
- 2297) Thaumetopoea (Traumatocampa) wilkinsoni Tams, 1925** (Thaumetopoeidae) Synonym(s): *wilkinsoni* Tams, 1925
- 2298) Thecophora pusilla (Meigen, 1824)** (Conopidae) Synonym(s): *pusilla* Meigen, 1824; *abdominalis* Chen, 1939
- 2299) Themira minor (Haliday, 1833)** (Sepsidae) Synonym(s): *minor* Haliday, 1833
- 2300) Theresimima ampelophaga (Bayle-Barelle, 1808)** (Zygaenidae) Synonym(s): *ampelophaga* Bayle-Barelle, 1808; *#ampelophaga* Staudinger, 1878.
- 2301) Thereva cincta Meigen, 1820** (Therevidae) Synonym(s): *cincta* Meigen, 1820; *taenita* Meigen, 1820; *antheracoides* Macquart, 1840; *arcuata* Loew, 1847
- 2302) Thereva spinulosa (Loew, 1847)** (Therevidae) Synonym(s): *spinulosa* Loew, 1847; *didyma* Loew, 1847; *bifasciata* Kröber, 1913
- 2303) Thinophilus flavipalpis (Zetterstedt, 1843)** (Dolichopodidae) Synonym(s): *flavipalpis* Zetterstedt, 1843; *neptunus* Frey, 1815
- 2304) Thiodia citrana (Hübner, [1799])** (Tortricidae) Synonym(s): *citrana* Hübner, [1799]; *libanicolana* Obratzsov, 1964.

- 2305) *Thria robusta* Walker,[1858]** (Noctuidae) Synonym(s): *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 2306) *Thymelicus acteon* (Rottensburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottensburg,1775; *heydeni* Plötz,1884; *clara*-*obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 2307) *Thymelicus sylvestris* (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 2308) *Thyreus hellenicus* Lieftinck,1968** (Apidae) Synonym(s): *hellenicus* Lieftinck,1968
- 2309) *Thyreus histrionicus* (Illiger,1806)** (Apidae) Synonym(s): *histrionicus* Illiger,1806; *major* Morawitz,1876; *divisa* Pérez,1905; *alboscutellata* Meyer,1921; *rimosiscutum* Alfken,1927
- 2310) *Thyridanthrax elegans* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *elegans* Wiedemann,1820; *fenestralis* Macquart,1840 nec Wied.,1830; *varinervis* Macquart,1846; *variegatus* Jaennicke,1867 nec Pall.,1818; *macquarti* Bezzi,1912; *calochromatus* Bezzi,1921; *subperspicillaris* Bezzi,1922; *kappa* Bowden,1964; *dolgovskayae* Zaitzev,1999
- 2311) *Thyridanthrax incanus* (Klug,1832)** (Bombyliidae) Synonym(s): *incanus* Klug,1832; *testacea* Macquart,1840; *varipennis* Macquart,1849
- 2312) *Thyridanthrax mutilus* (Loew,1869)** (Bombyliidae) Synonym(s): *mutilus* Loew,1869
- 2313) *Thyridanthrax polyphemus* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *polyphemus* Wiedemann,1820; *pumilio* Austen,1937
- 2314) *Thysanoplusia* (Daubeiplusia) *daubei* (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858]
- 2315) *Tinagma ocnestomellum* (Stainton,1850)** (Douglassiidae) Synonym(s): *ocnestomellum* Stainton,1850; *echii* Herrich-Schäffer,1854.
- 2316) *Tinea translucens* Meyrick,1917** (Tineidae) Synonym(s): *translucens* Meyrick,1917; *metonella* Pierce & Metcalfe,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *forficata* Gozmany,1968.
- 2317) *Tingis auriculata* (Costa,1847)** (Tingidae) Synonym(s): *auriculata* Costa,1847
- 2318) *Tingis hellenica* (Puton,1877)** (Tingidae) Synonym(s): *hellenica* Puton,1877
- 2319) *Tingis stupidula* Horvath,1906** (Tingidae) Synonym(s): *stupidula* Horvath,1906
- 2320) *Tingis valida* (Puton,1878)** (Tingidae) Synonym(s): *valida* Puton,1878
- 2321) *Tipula* (s.str.) *orientalis* Lackschewitz,1930** (Tipulidae) Synonym(s): *orientalis* Lackschewitz,1930
- 2322) *Tipula* (Yamatotipula) *lateralis* Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990
- 2323) *Tituboea decemguttata* (Walker,1871)** (Chrysomelidae) Synonym(s): *decemguttata* Walker,1871
- 2324) *Tituboea macropus* (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus* Illiger,1800
- 2325) *Tituboea sexmaculata* (Fabricius,1781)** (Chrysomelidae) Synonym(s): *sexmaculata* Fabricius,1781
- 2326) *Tituboea testaceiventris* (Pic,1913)** (Chrysomelidae) Synonym(s): *testaceiventris* Pic,1913
- 2327) *Tolmerus senex* (Wiedemann,1820)** (Asilidae) Synonym(s): *senex* Wiedemann,1820
- 2328) *Tomares* (nogelii) *nesimachus* (Oberthür,1893)** (Lycaenidae) Synonym(s): *nesimachus* Oberthür,1893
- 2329) *Tomares* (nogelii) *nogelii* (Freyer,[1851])** (Lycaenidae) Synonym(s): *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852]
- 2330) *Tortilia* sp.** (Stathmopodidae) Synonym(s):
- 2331) *Tortrix viridana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübner,[1799]; *coeruleana* Sorhagen,1881.
- 2332) *Tosirips magyarus* Razowski,1987** (Tortricidae) Synonym(s): *magyarus* Razowski,1987
- 2333) *Trachelus libanensis* (André,1881)** (Cephidae) Synonym(s): *libanensis* André,1881; *armenius* Konow,1896
- 2334) *Trachyderma hispida* (Forsk.,1775)** (Tenebrionidae) Synonym(s): *hispida* Forsk.,1775; *latreillei* Solier,1836; *major* Baudi,1875
- 2335) *Trachylepidia fructicassella* Ragonot,1887** (Pyralidae) Synonym(s): *fructicassella* Ragonot,1887
- 2336) *Trachysmia palpana* (Ragonot,1894)** (Tortricidae) Synonym(s): *palpana* Ragonot,1894
- 2337) *Trapezonotus dispar* (Stal,1872)** (Lygaeidae) Synonym(s): *dispar* Stal,1872; *breviceps* Jakovlev,1882; *seductor* Horvath,1883
- 2338) *Trechus* (s.str.) *crucifer* Piochard,1876** (Carabidae) Synonym(s): *crucifer* Piochard,1876
- 2339) *Trechus* (s.str.) *quadristriatus* (Schränk,1781)** (Carabidae) Synonym(s): *quadristriatus* Schränk,1781
- 2340) *Trechus* (s.str.) *sauleyanus* Csiki,1928** (Carabidae) Synonym(s): *sauleyanus* Csiki,1928
- 2341) *Trichiura* (s.str.) *stroehlei* Zolotuhin,2007** (Lasiocampidae) Synonym(s): *stroehlei* Zolotuhin,2007
- 2342) *Trichius orientalis* Reitter,1894** (Scarabaeidae) Synonym(s): *orientalis* Reitter,1894
- 2343) *Trichodes affinis* Chevrolat,1843** (Cleridae) Synonym(s): *affinis* Chevrolat,1843; *apicalis* Champenois,1900
- 2344) *Trichodes crabroniformis* Fabricius,1787** (Cleridae) Synonym(s): *crabroniformis* Fabricius,1787
- 2345) *Trichodes dilatipennis* Reitter,1893** (Cleridae) Synonym(s): *dilatipennis* Reitter,1893
- 2346) *Trichodes ephippiger* Chevrolat,1874** (Cleridae) Synonym(s): *ephippiger* Chevrolat,1874
- 2347) *Trichodes heydeni* Escherich** (Cleridae) Synonym(s): *heydeni* Escherich; *anatolicus* Reitter,1893
- 2348) *Trichodes laminatus* Chevrolat,1843** (Cleridae) Synonym(s): *laminatus* Chevrolat,1843
- 2349) *Trichodes longissimus* (Abeille de Perrin,1881)** (Cleridae) Synonym(s): *longissimus* Abeille de Perrin,1881; *angustifrons* Abeille de Perrin,1881
- 2350) *Trichodes nobilis* Klug,1842** (Cleridae) Synonym(s): *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844
- 2351) *Trichodes quadriguttatus* Adams,1817** (Cleridae) Synonym(s): *quadriguttatus* Adams,1817
- 2352) *Trichodes reichei* Mulsant & Rey,1863** (Cleridae) Synonym(s): *reichei* Mulsant & Rey,1863; *klugi* Kraatz,1873; *conjunctus* Escherich,1892
- 2353) *Trichodes rubrolimbatus* Chevrolat,1876** (Cleridae) Synonym(s): *rubrolimbatus* Chevrolat,1876; *difficilis* Escherich,1893
- 2354) *Trichodes sexpustulatus* Chevrolat,1874** (Cleridae) Synonym(s): *sexpustulatus* Chevrolat,1874; *erratus* Champenois,1898
- 2355) *Trichodes sipylus* (Linnaeus,1758)** (Cleridae) Synonym(s): *sipylus* Linnaeus,1758; *subfasciatus* Kraatz,1873; *frater* Kraatz,1893; *fraterculus* Zaitzev,1915
- 2356) *Trichodes suspectus* Escherich,1892** (Cleridae) Synonym(s): *suspectus* Escherich,1892
- 2357) *Trichodes syriacus* Spinola,1844** (Cleridae) Synonym(s): *syriacus* Spinola,1844
- 2358) *Trichoderus preissi* (Heyden,1894)** (Cerambycidae) Synonym(s): *preissi* Heyden,1894
- 2359) *Trichomeloe deflexus* (Reitter,1889)** (Meloidae) Synonym(s): *deflexus* Reitter,1889
- 2360) *Trichomeloe ottomanus* (Pliginskij,1914)** (Meloidae) Synonym(s): *ottomanus* Pliginskij,1914
- 2361) *Trichomeloe sericellus* (Reiche & Saulcy,1857)** (Meloidae) Synonym(s): *sericellus* Reiche & Saulcy,1857

- 2362) *Trichoplusia ni* (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 2363) *Tricophorella geniculata* (Horvath,1881)** (Cercopidae) Synonym(s): *geniculata* Horvath,1881; *fasciata* Kirschbaum,1868
- 2364) *Triglena virescens* Fieber,1876** (Cicadidae) Synonym(s): *virescens* Fieber,1876
- 2365) *Triodontella difformipes* (Fairmaire,1892)** (Scarabaeidae) Synonym(s): *difformipes* Fairmaire,1892; *brignolii* Sabatinelli,1977
- 2366) *Triodontella flavimana* (Burmeister,1855)** (Scarabaeidae) Synonym(s): *flavimana* Burmeister,1855; *sieversii* Reitter,1889
- 2367) *Trissolcus simoni* (Mayr,1897)** (Scelionidae) Synonym(s): *simoni* Mayr,1897; *scutellaris* Masner,1958; *vassilievi* sensu Viktorov,1960; *reticulatus* Delucchi,1961
- 2368) *Trithemis annulata* (P. de Beauvois,1807)** (Libellulidae) Synonym(s): *annulata* P. de Beauvois,1807
- 2369) *Trithemis arteriosa* (Burmeister,1839)** (Libellulidae) Synonym(s): *arteriosa* Burmeister,1839
- 2370) *Tropidomyia aureifacies* Kröber,1915** (Conopidae) Synonym(s): *aureifacies* Kröber,1915
- 2371) *Tropidopola graeca* Uvarov,1926** (Acrididae) Synonym(s): *graeca* Uvarov,1926
- 2372) *Tropidopola longicornis* (Fieber,1853)** (Acrididae) Synonym(s): *longicornis* Fieber,1853; *syrica* Walker,1871; *cylindrica* Giglio-Tos,1893; *indica* Uvarov,1937
- 2373) *Tropidotilla litoralis* (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787
- 2374) *Tropinota (Epicometis) hirta* (Poda,1761)** (Scarabaeidae) Synonym(s): *hirta* Poda,1761; *hirtellus* Linnaeus,1767
- 2375) *Tropinota* (s.str.) *hirtiformis* Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis* Reitter,1913
- 2376) *Tropinota* (s.str.) *squalida* (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida* Scopoli,1763; *pilosa* Brullé,1832
- 2377) *Tropinota* (s.str.) *vittula* Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *vittula* Reiche & Saulcy,1856
- 2378) *Trupanea amoena* (Frauenfeld,1857)** (Tephritidae) Synonym(s): *amoena* Frauenfeld,1857; *#amoena* Giray,1979
- 2379) *Trupanea pulcherrimum* (Efferlatoun,1924)** (Tephritidae) Synonym(s): *pulcherrimum* Efferlatoun,1924; *#pulcherrimum* Korneyev & Dirlbek,2000
- 2380) *Tshingisella bella* Kirkaldy,1913** (Pentatomidae) Synonym(s): *bella* Kirkaldy,1913
- 2381) *Tshingisella robusta* Linnavuori,1960** (Pentatomidae) Synonym(s): *robusta* Linnavuori,1960
- 2382) *Tuponia concinna* Reuter,1875** (Miridae) Synonym(s): *concinna* Reuter,1875; *conspersa* Reuter,1901; *fezzana* Wagner,1971; *amguele* Wagner,1975
- 2383) *Tuponia mixticolor* (Costa,1862)** (Miridae) Synonym(s): *mixticolor* Costa,1862; *lethierryi* Reuter,1875; *colorata* Poppius,1914; *carayoni* Wagner,1955; *vulnerata* Linnavuori,1961; *hungarica* Benedek & Jaszai,1968; *annulata* Wagner,1974
- 2384) *Tuta absoluta* (Meyrick,1917)** (Gelechiidae) Synonym(s): *absoluta* Meyrick,1917
- 2385) *Tychius hirtellus* Tournier,1873** (Curculionidae) Synonym(s): *hirtellus* Tournier,1873
- 2386) *Tychius striatulus* Gyllenhal,1836** (Curculionidae) Synonym(s): *striatulus* Gyllenhal,1836
- 2387) *Tyta luctuosa* ([Denis & Schiffermüller,1775])** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 2388) *Ulidia megacephala* Loew,1845** (Uliidae) Synonym(s): *megacephala* Loew,1845
- 2389) *Ulochaena hirta* (Hübner,[1813])** (Noctuidae) Synonym(s): *hirta* Hübner,[1813]
- 2390) *Uranotaenia (Pseudoficalbia) unguiculata* Edwards,1913** (Culicidae) Synonym(s): *unguiculata* Edwards,1913; *pefflyi* Stone,1961
- 2391) *Urophora cardui* (Linnaeus,1758)** (Tephritidae) Synonym(s): *cardui* Linnaeus,1758; *flexuosa* Germar,1814; *reaumurii* R-D.,1830
- 2392) *Urophora dzieduszyckii* Frauenfeld,1867** (Tephritidae) Synonym(s): *dzieduszyckii* Frauenfeld,1867; *wodzickii* Frauenfeld,1867; *syriaca* Hendel,1927; *pontica* M.Hering,1937; *erichschmidtii* M.Hering,1953; *#dzieduszyckiipontica* White & Korneyev,1989
- 2393) *Urophora iani* Korneyev & Merz,1998** (Tephritidae) Synonym(s): *iani* Korneyev & Merz,1998
- 2394) *Urophora pauperata* (Zaitzev,1945)** (Tephritidae) Synonym(s): *pauperata* Zaitzev,1945
- 2395) *Urophora phaeocera* (M.Hering,1961)** (Tephritidae) Synonym(s): *phaeocera* M.Hering,1961
- 2396) *Urophora quadrifasciata* (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata* Meigen,1826; *sjumorum* Rohdendorf,1934
- 2397) *Urophora repeteki* (Munro,1934)** (Tephritidae) Synonym(s): *repeteki* Munro,1934
- 2398) *Usia (Micrusia) sicula* Egger,1859** (Bombyliidae) Synonym(s): *sicula* Egger,1859
- 2399) *Usia* (s.str.) *bicolor* Macquart,1855** (Bombyliidae) Synonym(s): *bicolor* Macquart,1855
- 2400) *Usia* (s.str.) *calva* Loew,1869** (Bombyliidae) Synonym(s): *calva* Loew,1869
- 2401) *Usia* (s.str.) *carmelitensis* Becker,1906** (Bombyliidae) Synonym(s): *carmelitensis* Becker,1906
- 2402) *Usia* (s.str.) *ignorata* Becker,1906** (Bombyliidae) Synonym(s): *ignorata* Becker,1906
- 2403) *Usia* (s.str.) *syriaca* Paramonov,1950** (Bombyliidae) Synonym(s): *syriaca* Paramonov,1950
- 2404) *Utubius syriacus* (Bolivar,1893)** (Pamphagidae) Synonym(s): *syriacus* Bolivar,1893
- 2405) *Vanessa (Cynthia) cardui* (Linnaeus,1758)** (Argynniidae) Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.
- 2406) *Velia (Plesiovelia) affinis* Kolenati,1856** (Veliidae) Synonym(s): *affinis* Kolenati,1856
- 2407) *Ventocoris (Astirocoris) fischeri* (Herrich-Schäffer,1851)** (Pentatomidae) Synonym(s): *fischeri* Herrich-Schäffer,1851; *baerensprungii* Stal,1860; *lehmanni* Fieber,1864; *umbrosum* Jakovlev,1882; *confusum* Kirby,1892
- 2408) *Ventocoris (Astirocoris) halophilus* (Jakovlev,1874)** (Pentatomidae) Synonym(s): *halophilus* Jakovlev,1874
- 2409) *Ventocoris* (s.str.) *horvathi* (Puton,1896)** (Pentatomidae) Synonym(s): *horvathi* Puton,1896
- 2410) *Ventocoris* (s.str.) *trigonus* (Krynicky,1871)** (Pentatomidae) Synonym(s): *trigonus* Krynicky,1871
- 2411) *Vermileo vermileo* (Linnaeus,1758)** (Vermileonidae) Synonym(s): *vermileo* Linnaeus,1758; *apivora* Fitch,1864
- 2412) *Vespa orientalis* Linnaeus,1771** (Vespidae) Synonym(s): *orientalis* Linnaeus,1771; *turcica* Drury,1773; *quadrupunctata* Forskal,1775; *fusca* Christ,1791; *aegyptiaca* Vallot,1802; *nilotica* Vallot,1802; *jurinei* Saussure,1854; *zavattarii* Guiglia & Capra,1933; *somalica* Giordani Soika,1934; *arabica* Giordani Soika,1957
- 2413) *Vespula germanica* (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793
- 2414) *Villa abbadon* (Fabricius,1794)** (Bombyliidae) Synonym(s): *abbaddon* Fabricius,1794
- 2415) *Villa atricauda* (Austen,1937)** (Bombyliidae) Synonym(s): *jugorum* Stein,1916; *atricauda* Austen,1937
- 2416) *Villa bivirgata* Austen,1937** (Bombyliidae) Synonym(s): *trigonalis* Meigen,1826; *bivirgata* Austen,1937
- 2417) *Villa clarissima* (Loew,1857)** (Bombyliidae) Synonym(s): *clarissima* Loew,1857; *diluta* Rondani,1866
- 2418) *Villa fallax* Austen,1937** (Bombyliidae) Synonym(s): *anthracina* Zetterstedt,1860; *fallax* Austen,1937
- 2419) *Villa insignis* Austen,1937** (Bombyliidae) Synonym(s): *humeralis* R-D.,1830; *insignis* Austen,1937
- 2420) *Villoestrus uvarovi* Paramonov,1931** (Bombyliidae) Synonym(s): *uvarovi* Paramonov,1931

- 2421) Volucella inanis (Linnaeus,1758)** (Syrphidae) Synonym(s): *inanis* Linnaeus,1758; *trifasciata* Scopoli,1763; *apivora* DeGeer,1776; *annulata* Harris,[1776]; *micans* Fabricius,1794
- 2422) Vulcaniella pomposella (Zeller,1839)** (Cosmopterigidae) Synonym(s): *pomposella* Zeller,1839
- 2423) Wainia (Caposmia) eremoplana (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *eremoplana* Mavromoustakis,1949
- 2424) Wheeleria ivae (Kasy,1960)** (Pterophoridae) Synonym(s): *ivae* Kasy,1960
- 2425) Wheeleria obsoleta (Zeller,1841)** (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970.
- 2426) Wheeleria phlomidis (Staudinger,1871)** (Pterophoridae) Synonym(s): *phlomidis* Staudinger,1871
- 2427) Wohlfahrtia bella (Macquart,1839)** (Sarcophagidae) Synonym(s): *bella* Macquart,1839
- 2428) Xanthia (Cirrhia) ocellaris (Borkhausen,1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
- 2429) Xenoplaxa seraf Gozmany,1963** (Autostichidae) Synonym(s): *seraf* Gozmany,1963
- 2430) Xeramoeba pallipes (Loew,1869)** (Bombyliidae) Synonym(s): *pallipes* Loew,1869
- 2431) Xerasia punica Goodrich & Springer,1988** (Byturidae) Synonym(s): *punica* Goodrich & Springer,1988
- 2432) Xerohippus syriacus (Bolivar,1911)** (Acrididae) Synonym(s): *syriacus* Bolivar,1911
- 2433) Xestia (s.str.) castanea (Esper,[1798])** (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949.
- 2434) Xestia (s.str.) cohaesa (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 2435) Xestia (s.str.) palaestinensis (Kalchberg,1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898.
- 2436) Xestomyzina aureostriata Kröber,1912** (Theravidae) Synonym(s): *aureostriata* Kröber,1912
- 2437) Xylocopa (Koptortosoma) pubescens Spinola,1838** (Apidae) Synonym(s): *pubescens* Spinola,1838; *rubida* Gribodo,1884
- 2438) Xylogenes mesopotamicus Lesne,1937** (Bostrichidae) Synonym(s): *mesopotamicus* Lesne,1937
- 2439) Xylomedes cornifrons (Baudi di Selve,1873)** (Bostrichidae) Synonym(s): *cornifrons* Baudi di Selve,1873
- 2440) Xylomedes turcica Lesne,1941** (Bostrichidae) Synonym(s): *turcica* Lesne,1941
- 2441) Yerohama maculata (Meigen,1835)** (Sarcophagidae) Synonym(s): *maculata* Meigen,1835
- 2442) Ypthima asterope (Klug,1832)** (Satyridae) Synonym(s): *asterope* Klug,1832; *marlenii* Kattulas & Koutsaftikis,1978.
- 2443) Zabrus morio Mandrias,1832** (Carabidae) Synonym(s): *morio* Mandrias,1832
- 2444) Zebeeba falsalis (Herrich-Schäffer,1839)** (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer,1839
- 2445) Zegris eupheme (Esper,[1804])** (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erethoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].
- 2446) Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W. Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
- 2447) Zerynthia (Allancastris) cerisyi (Godart,1822)** (Papilionidae) Synonym(s): *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eisn. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989.
- 2448) Zerynthia (Allancastris) deyrollei (Oberthür,1869)** (Papilionidae) Synonym(s): *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927.
- 2449) Zethes insularis Rambur,1833** (Noctuidae) Synonym(s): *insularis* Rambur,1833
- 2450) Zicrona caerulea (Linnaeus,1758)** (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851
- 2451) Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865
- 2452) Zonitis flava Fabricius,1775** (Meloidae) Synonym(s): *flava* Fabricius,1775; *praeusta* Fabricius,1792; *thoracica* Laporte,1840
- 2453) Zonitis nana Ragusa,1882** (Meloidae) Synonym(s): *nana* Ragusa,1882; *laevicollis* Escherich,1891
- 2454) Zonitis ruficollis Frivaldsky,1877** (Meloidae) Synonym(s): *ruficollis* Frivaldsky,1877; *rubricollis* Abeille de Perrin,1880; *abeillei* Bedel,1892; *thoracica* Escherich,1892
- 2455) Zonora argentalis (Hampson,1900)** (Pyralidae) Synonym(s): *argentalis* Hampson,1900; *biscraeensis* Caradja,1916
- 2456) Zonora concatenalis (Lederer,1858)** (Pyralidae) Synonym(s): *concatenalis* Lederer,1858
- 2457) Zophosis (Oculosis) dilatata Deyrolle,1867** (Tenebrionidae) Synonym(s): *dilatata* Deyrolle,1867
- 2458) Zophosis (Oculosis) punctata Brullé,1832** (Tenebrionidae) Synonym(s): *punctata* Brullé,1832
- 2459) Zophosis asiatica Miller,1861** (Tenebrionidae) Synonym(s): *asiatica* Miller,1861
- 2460) Zophosis cognata Miller,1861** (Tenebrionidae) Synonym(s): *cognata* Miller,1861
- 2461) Zophosis orientalis Deyrolle,1867** (Tenebrionidae) Synonym(s): *orientalis* Deyrolle,1867
- 2462) Zophosis osmanlis Deyrolle,1872** (Tenebrionidae) Synonym(s): *osmanlis* Deyrolle,1872
- 2463) Zophosis pygmaea Solier,1834** (Tenebrionidae) Synonym(s): *pygmaea* Solier,1834
- 2464) Zygaena (Agrumenia) carniolica (Scopoli,1763)** (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909
- 2465) Zygaena (Agrumenia) olivieri Boisduval,1828** (Zygaenidae) Synonym(s): *olivieri* Boisduval,1828; *cremonae* Seitz,1907
- 2466) Zygaena (Mesembrynus) cuvieri Boisduval,1828** (Zygaenidae) Synonym(s): *cuvieri* Boisduval,1828
- 2467) Zygaena (Mesembrynus) minos (Denis & Schiffermüller,1775)** (Zygaenidae) Synonym(s): *minos* [Denis & Schiffermüller],1775.
- 2468) Zygaena (s.str.) graslini Lederer,1855** (Zygaenidae) Synonym(s): *graslini* Lederer,1855
- 2469) Zyginiidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948

LEBANON (2027 SPECIES)

- 1) **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926
- 2) **Abrostola clarissa (Staudinger,1900)** (Noctuidae) Synonym(s): *clarissa* Staudinger,1900
- 3) **Acanthobodilus immundus (Creutzer,1799)** (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799
- 4) **Acanthovalva inconspicua (Hübner,[1819])** (Geometridae) Synonym(s): *inconspicua* Hübner,[1819]; *pumicaria* Lederer,1855; *osyraria* Guenée,[1858]; *cinerascens* Butler,1875; *perturbata* Bastelberger,1908; *cinnamomaria* Rothschild,1914.
- 5) **Acherontia atropos (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
- 6) **Acherontia styx (Westwood,1847)** (Sphingidae) Synonym(s): *styx* Westwood,1847; *ariel* Boisduval,[1875]; *#stax* Lewvanich,2001
- 7) **Achroia grisella (Fabricius,1794)** (Pylalidae) Synonym(s): *grisella* Fabricius,1794; *aluearia* Fabricius,1798; *cinereola* Hübner,[1803]; *alvea* Haworth,1811; *alveariella* Guenée,1845; *anticella* Walker,1863; *obscurvittella* Ragonot,1901; *#major* Dufrane,1930.
- 8) **Achrosis berytana (Rebel,1911)** (Geometridae) Synonym(s): *berytana* Rebel,1911
- 9) **Achyra nudalis (Hübner,1796)** (Pylalidae) Synonym(s): *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901
- 10) **Acleris hippophaeana (Heyden,1865)** (Tortricidae) Synonym(s): *hippophaeana* Heyden,1865
- 11) **Acleris variegana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851.
- 12) **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912; *krueperi* Oberberger,1926
- 13) **Acontia (Emmelia) trabealis (Scopoli,1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881
- 14) **Acontia (s.str.) lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliadora* Schawerda,1923
- 15) **Acontia (Uracontia) titania (Esper,[1798])** (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
- 16) **Acontiola lascivalis (Lederer,1855)** (Noctuidae) Synonym(s): *lascivalis* Lederer,1855
- 17) **Acontiola sancta Staudinger,[1900]** (Noctuidae) Synonym(s): *sancta* Staudinger,[1900]
- 18) **Acrobasis atrisquamella Ragonot,1887** (Pylalidae) Synonym(s): *atrisquamella* Ragonot,1887; *nigrisquamella* Amsel,1953
- 19) **Acrobasis bithynella Zeller,1848** (Pylalidae) Synonym(s): *bithynella* Zeller,1848; *minuscule* Turati,1930; *witteella* Roesler,1969.
- 20) **Acrobasis glauca Staudinger,1859** (Pylalidae) Synonym(s): *glauca* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910.
- 21) **Acrobasis obliqua (Zeller,1847)** (Pylalidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927.
- 22) **Acrobasis obtusella (Hübner,1796)** (Pylalidae) Synonym(s): *obtusella* Hübner,1796; *obtusella* Haworth,1811; *obtusalis* Hübner,[1825].
- 23) **Acrocercops tacita Triberti,2001** (Gracillariidae) Synonym(s): *tacita* Triberti,2001
- 24) **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937
- 25) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 26) **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758
- 27) **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) Synonym(s): *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusik & Niesiolowski,1946.
- 28) **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 29) **Acroricinus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883
- 30) **Actenia beatalis Kalchberg,1897** (Pylalidae) Synonym(s): *beatalis* Kalchberg,1897
- 31) **Actenia brunnealis (Treitschke,1829)** (Pylalidae) Synonym(s): *brunnealis* Treitschke,1829; *phaealis* Hampson,1900.
- 32) **Actenia honestalis (Treitschke,1829)** (Pylalidae) Synonym(s): *honestalis* Treitschke,1829
- 33) **Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): *peyroni* Reiche,1866; *#peyroni* Reiche,1866
- 34) **Acyrtosiphon (Xanthomyzus) lambersi Leclant & Remaudière,1974** (Aphididae) Synonym(s): *lambersi* Leclant & Remaudière,1974
- 35) **Adelostoma (s.str.) hauseri Reitter,1895** (Tenebrionidae) Synonym(s): *hauseri* Reitter,1895
- 36) **Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862.
- 37) **Aedes (Ochlerotatus) phoeniciae Coluzzi & Sabatini,1968** (Culicidae) Synonym(s): *phoeniciae* Coluzzi & Sabatini,1968
- 38) **Aedes (Stegomyia) aegypti (Linnaeus,1762)** (Culicidae) Synonym(s): *aegypti* Linnaeus,1762; *argenteus* Poirer,1787; *fasciatus* Fabricius,1805; *sugens* Wiedemann,1828; *annulitarsis* Macquart,1846; *inexorabilis* Walker,1848; *insatiabilis* Bigot,1859; *nigeria* Theobald,1901; *atritarsis* Edwards,1920
- 39) **Aedes (Stegomyia) albipictus (Skuse,1895)** (Culicidae) Synonym(s): *albipictus* Skuse,1895; *samarensis* Ludlow,1903; *nigrita* Ludlow,1910; *quasinigrita* Ludlow,1911
- 40) **Aedia funesta (Esper,[1786])** (Noctuidae) Synonym(s): *funesta* Esper,[1786]; *quadrimaculata* Scopoli,1786
- 41) **Aedia leucomelas (Linnaeus,1758)** (Noctuidae) Synonym(s): *leucomelas* Linnaeus,1758; *ramburi* Boisduval,1829; *adepta* Geyer,1832; *olivascens* Guenée,1852; *limitaris* Walker,[1863]; *shisa* Strand,1920; *thomae* A.E.Prout,1927; *albodiscalis* Roepke,1932; *ermanniae* Berio,1989
- 42) **Aegle semicana (Esper,[1798])** (Noctuidae) Synonym(s): *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938; *#verspentalis* Hacker,1986.
- 43) **Aelia acuminata (Linnaeus,1758)** (Pentatomidae) Synonym(s): *acuminata* Linnaeus,1758; *rostratus* De Geer,1773; *tessarophthalmus* Schrank,1781; *neglecta* Dallas,1851; *burmeisteri* Küster,1852; *pallida* Küster,1852; *turanica* Horvath,1895; *punctiventris* Horvath,1911; *#nigripes* Wagner,1938; *baluchistanensis* Ahmad & Zaidi,1988
- 44) **Aelia virgata (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *virgata* Herrich-Schäffer,1841

- 45) *Aethes bilbaensis* (Rössler,1877) (Tortricidae) Synonym(s): *bilbaensis* Rössler,1877; *loxopteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923.
- 46) *Aethes capnospila* (Meyrick,1912) (Tortricidae) Synonym(s): *capnospila* Meyrick,1912
- 47) *Aethes cremonana* (Ragonot,1894) (Tortricidae) Synonym(s): *cremonana* Ragonot,1894
- 48) *Aethes eryngiella* (Vallot,1829) (Tortricidae) Synonym(s): *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helvticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952.
- 49) *Aethes francillana* (Fabricius,1794) (Tortricidae) Synonym(s): *francillana* Fabricius,1794; *francillonana* Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920.
- 50) *Aethes scabidulana* (Lederer,1855) (Tortricidae) Synonym(s): *scabidulana* Lederer,1855
- 51) *Aethes tesserana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller],1775; *alella* Sulzer,1776; *heiserana* Fabricius,1787; *groendalana* Thunberg,1791.
- 52) *Aethes williana* (Brahm,1791) (Tortricidae) Synonym(s): *williana* Brahm,1791; *cembrana* Hübner,[1825]; *zephyrana* Treitschke,1830; *dubrisana* Curtis,1834; *marmoratana* Curtis,1834; *luteolana* Stephens,1834; *virginana* Guenée,1845; *loriculana* Guenée,1849; *costignata* Filipjev,1926.
- 53) *Aethiessa mesopotamica* Burmeister,1842 (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939
- 54) *Agabus (Gaurodytes) biguttatus* (Olivier,1795) (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795
- 55) *Agabus (Gaurodytes) caraboides* Sharp,1882 (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884
- 56) *Agabus (Gaurodytes) faldermanni* Zaitzev,1927 (Dytiscidae) Synonym(s): *faldermanni* Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975
- 57) *Agapanthia pustulifera* Pic,1905 (Cerambycidae) Synonym(s): *pustulifera* Pic,1905
- 58) *Agatharchus* (s.str.) *lineus* (Klug,1845) (Pentatomidae) Synonym(s): *lineus* Klug,1845; *furcus* Jakovlev,1877
- 59) *Agdistis adactyla* (Hübner,[1819]) (Pterophoridae) Synonym(s): *adactyla* Hübner,[1819]; *huebneri* Curtis,1834; *delphinensella* Bruand,1858; *shaanxisis* Qin & Zheng,1997.
- 60) *Agdistis heydeni* (Zeller,1852) (Pterophoridae) Synonym(s): *heydeni* Zeller,1852; *canariensis* Rebel,1896; *excurata* Meyrick,1920.
- 61) *Agéniaspis fuscicollis* (Dalman,1820) (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cianocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957
- 62) *Aglais urticae* (Linnaeus,1758) (Argynniidae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936.
- 63) *Aglossa asiatica* Erschoff,1871 (Pyralidae) Synonym(s): *asiatica* Erschoff,1871
- 64) *Aglossa caprealis* (Hübner,[1809]) (Pyralidae) Synonym(s): *caprealis* Hübner,[1809]; *capreolatus* Haworth,1809; *aenalis* Costa,1836; *domalis* Guenée,1854; *incultella* Walker,1866; *enthealis* Hulst,1886; *#cuprealis* Kalchberg,1897
- 65) *Aglossa exsucealis* Lederer,1863 (Pyralidae) Synonym(s): *exsucealis* Lederer,1863; *ommatalis* Hampson,1906
- 66) *Aglossa pinguinalis* (Linnaeus,1758) (Pyralidae) Synonym(s): *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *asiatica* Erschoff,1871; *rubralis* Hampson,1900; *guicciardii* Constantino,1922; *sanaensis* Rebel,1930; *maroccana* Schmidt,1934
- 67) *Aglossa signicostalis* Staudinger,1871 (Pyralidae) Synonym(s): *signicostalis* Staudinger,1871
- 68) *Agonopterix adpersella* (Kollar,1832) (Oecophoridae) Synonym(s): *adpersella* Kollar,1832; *athamanticella* Heinemann,1870; *amanthicella* Staudinger,1901; *sabulata* Turati,1919; *karmeliella* Amsel,1933
- 69) *Agonopterix atomella* ([Denis & Schiffermüller],1775) (Oecophoridae) Synonym(s): *atomella* [Denis & Schiffermüller],1775; *atomosa* Haworth,1811
- 70) *Agonopterix cachritis* (Staudinger,1859) (Oecophoridae) Synonym(s): *cachritis* Staudinger,1859; *epicachritis* Ragonot,1895
- 71) *Agonopterix comitella* (Lederer,1855) (Oecophoridae) Synonym(s): *comitella* Lederer,1855
- 72) *Agonopterix irrorata* (Staudinger,1870) (Oecophoridae) Synonym(s): *irrorata* Staudinger,1870; *rubrociliella* Ragonot,1877; *anthriscella* Brown,1886
- 73) *Agonopterix latipennella* (Zerny,1934) (Oecophoridae) Synonym(s): *latipennella* Zerny,1934
- 74) *Agonopterix nodiflorella* (Millière,1866) (Oecophoridae) Synonym(s): *nodiflorella* Millière,1866
- 75) *Agonopterix occaecata* (Meyrick,1921) (Oecophoridae) Synonym(s): *occaeata* Meyrick,1921
- 76) *Agonopterix pallorella* (Zeller,1839) (Oecophoridae) Synonym(s): *pallorella* Zeller,1839; *subpallorella* Staudinger,1871
- 77) *Agonopterix rutana* (Fabricius,1794) (Oecophoridae) Synonym(s): *rutana* Fabricius,1794; *retiferella* Zeller,1850; *griseirubidella* Bruand,1850; *rutella* Heydenreich,1851; *syriaca* Caradja,1920.
- 78) *Agonopterix subpropinquella* (Stainton,1849) (Oecophoridae) Synonym(s): *subpropinquella* Stainton,1849; *rhodochrella* Herrich-Schäffer,[1854]; *thoracica* Lederer,1855; *sublutella* Staudinger,1859; *variabilis* Heinemann,1870; *crispella* Lhomme,1929; *amilcarella* Lucas,1951.
- 79) *Agropha accentifera* (Lefèbvre,1827) (Noctuidae) Synonym(s): *accentifera* Lefèbvre,1827; *l-aureum* Freyer,1831; *accifera* Gaede,1937.
- 80) *Agrilus constans* (Duftschmid,1805) (Scarabaeidae) Synonym(s): *constans* Duftschmid,1805
- 81) *Agrilus (Anambus) derasofasciatus* Lacordaire,1835 (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835
- 82) *Agriotes* (s.str.) *ganglbaueri* Schwarz,1891 (Elateridae) Synonym(s): *ganglbaueri* Schwarz,1891
- 83) *Agriotes* (s.str.) *radula* Desbrochers,1875 (Elateridae) Synonym(s): *radula* Desbrochers,1875; *brevicollis* Schwarz,1891
- 84) *Agriphila brionella* (Zerny,1914) (Pyralidae) Synonym(s): *brioniella* Zerny,1914; *#subbrioniella* Amsel,1959.
- 85) *Agriphila geniculea* (Haworth,[1811]) (Pyralidae) Synonym(s): *geniculea* Haworth,[1811]; *imistella* Hübner,[1813]; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839.
- 86) *Agriphila tersella* (Lederer,1855) (Pyralidae) Synonym(s): *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942.
- 87) *Agriphila trabeatella* (Herrich-Schäffer,[1848]) (Pyralidae) Synonym(s): *trabeatellus* Herrich-Schäffer,[1848]; *divisellus* Joannis,1888.
- 88) *Agrius convolvuli* (Linnaeus,1758) (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schauffuss,1870; *orientalis* Butler,1876; *distant* Butler,1876; *batatae* Christ,1882; *nigricans* Cannavella,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
- 89) *Agrochola (Alpichola) lactiflora* (Draudt,1934) (Noctuidae) Synonym(s): *lactiflora* Draudt,1934
- 90) *Agrochola (Anchoscelis) helvola* (Linnaeus,1758) (Noctuidae) Synonym(s): *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759
- 91) *Agrochola (Anchoscelis) hypotaenia* (Bytinski-Salz,1936) (Noctuidae) Synonym(s): *hypotaenia* Bytinski-Salz,1936; *wiltshirei* Bytinski-Salz,1936

- 92) **Agrochola (Anchoscelis) kindermannii (Fischer v. Röslerstamm, [1841])** (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm, [1841]; *ballotae* Duponchel, [1842]; *cindermanni* Hampson, 1906; *rufa* Osthelder, 1933; *wolfschlaegeri* Boursin, 1953.
- 93) **Agrochola (Anchoscelis) litura (Linnaeus, 1761)** (Noctuidae) Synonym(s): *litura* Linnaeus, 1761
- 94) **Agrochola (Anchoscelis) lota (Clerck, 1759)** (Noctuidae) Synonym(s): *#lota* Clerck, 1759; *hippophae* Goerze, 1781; *hippophaes* Retzius, 1783; *americana* Morris, 1876
- 95) **Agrochola (Anchoscelis) luteogrisea (W. Warren, 1911)** (Noctuidae) Synonym(s): *luteogrisea* W. Warren, 1911
- 96) **Agrochola (Anchoscelis) pauli (Staudinger, 1892)** (Noctuidae) Synonym(s): *pauli* Staudinger, 1892
- 97) **Agrochola (Anchoscelis) schreieri Hacker & Weigert, 1986** (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert, 1986
- 98) **Agrochola (Frivaldskyola) staudingeri Ronkay, 1984** (Noctuidae) Synonym(s): *staudingeri* Ronkay, 1984
- 99) **Agrochola (s.str.) pistacina (Goeze, 1781)** (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller], 1775; *pistacina* Goeze, 1781; *rubetra* Esper, [1791]; *canaria* Esper, [1791]; *serina* Esper, [1791]; *lineola* Donovan, 1801 nec Panzer, 1785; *sphaerulatina* Haworth, 1809; *venosa* Haworth, 1809 nec Hw. 1809.
- 100) **Agrotis (Crassagrotis) bigramma (Esper, [1790])** (Noctuidae) Synonym(s): *bigramma* Esper, [1790]; *crassa* Hübner, [1803]; *lata* Treitschke, 1835; *golickei* Erschoff, 1872; *huguenini* Rühl, 1891.
- 101) **Agrotis (Crassagrotis) obesa (Boisduval, 1829)** (Noctuidae) Synonym(s): *obesa* Boisduval, 1840
- 102) **Agrotis (Putagrotis) herzogi (Rebel, 1911)** (Noctuidae) Synonym(s): *herzogi* Rebel, 1911; *hoggari* Rothschild, 1920; *minima* Turati, 1924; *securifera* Turati, 1924; *saracenica* Tams, 1925; *leroyi* Lucas, 1940
- 103) **Agrotis (Putagrotis) puta (Hübner, [1803])** (Noctuidae) Synonym(s): *puta* Hübner, [1803]; *radius* Haworth, 1803; *renitens* Hübner, [1824]; *lignosa* Godart, 1825; *erythroxylea* Treit., 1826; *radiola* Stephens, 1829; *catalaunensis* Milliere, 1873; *meridionalis* Spuler, 1905; *andreasii*, *minima*, *silvestrii* Turati, 1924; *insula* Richardson, 1958.
- 104) **Agrotis (s.str.) biconicus Kollar, [1844]** (Noctuidae) Synonym(s): *spinifera* Hübner, [1808] nec Vill., 1789; *biconica* Kollar, [1844]; *aristifera* Guenée, 1852; *spiculifera* Guenée, 1852; *ferina* Felder & Rogenhofer, 1874; *hodnae* Oberthür, 1878
- 105) **Agrotis (s.str.) exclamationis (Linnaeus, 1758)** (Noctuidae) Synonym(s): *exclamationis* Linnaeus, 1758; *clavus* Hufnagel, 1766; *murina* Goeze, 1781 nec Hufnagel, 1766; *bimaculata* Geoffroy, 1785; *picea* Haworth, 1809; *plaga* Stephens, 1835; *haruspex* Le Cerf, 1924; *nigriorbis* Zerny, 1934.
- 106) **Agrotis (s.str.) ipsilon (Hufnagel, 1766)** (Noctuidae) Synonym(s): *ipsilon* Hufnagel, 1766; *suffusa* [Denis & Schiffermüller], 1775; *idonea* Cramer, [1780]; *spinula* Esper, [1786]; *spinifera* Villers, 1789.
- 107) **Agrotis (s.str.) segetum ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller], 1775; *sordida* [Denis & Schiffermüller], 1775; *undulatus* Goeze, 1781 (*praeocc.*); *nigricornis* Villers, 1789; *segetis* Fabricius, 1794; *catenatus* Haworth, 1803; *monileus* Haworth, 1803; *pectinatus* Haworth, 1803; *connexus* Haworth, 1803; *subatratus* Haworth, 1803; *nigricornutus* Haworth, 1803; *praecox* Hübner, [1808]; *fervida* Hübner, [1824]; *affinis* Stephens, 1829; *sicula* Boisduval, 1840; *dimidia* Zeller, 1847; *sicania* Guenée, 1852; *marginalis* Walker, 1857; *aversa* Walker, 1857; *correctus* Walker, 1857; *obliviosus* Walker, 1857; *denticulosus* Wallengren, 1860; *certificata* Walker, 1865; *conspurcatus* Walker, 1865; *repulsus* Walker, 1865; *ingratus* Butler, 1878; *pallidus* Staudinger, 1881; *lassa* Swinhoe, 1886.
- 108) **Agrotis (s.str.) trux (Hübner, [1824])** (Noctuidae) Synonym(s): *trux* Hübner, [1824]; *lenticulosa* Duponchel, 1826; *lunigera* Stephens, 1829; *terranea* Freyer, 1831; *amasina* Staudinger, 1901; *subalba* Corti & Draudt, 1933; *adolphi* Corti & Draudt, 1933.
- 109) **Aiolopus simulatrix (Walker, 1870)** (Acrididae) Synonym(s): *simulatrix* Walker, 1870; *savignyi* Krauss, 1890; *affinis* Bolivar, 1902; *laticosta* Bolivar, 1912; *deserticola* Uvarov, 1922
- 110) **Aiolopus strepens (Latreille, [1802])** (Acrididae) Synonym(s): *strepens* Latreille, 1804; *prasinus* Thunberg, 1815; *vittatum* Brullé, 1840; *chloroptera* Ramme, 1913; *cyanoptera* Ramme, 1913
- 111) **Aiolopus thalassinus (Fabricius, 1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius, 1781; *grossuni* Costa, 1836; *laetum* Brullé, 1840; *flavovirens* Fischer von Waldheim, 1846; *angustifemur* Ghiliani, 1869; *rufipes* Ivanov, 1888; *kivuensis* Sjöstedt, 1923; *acutus* Uvarov, 1953
- 112) **Akbesia davidi (Oberthür, 1884)** (Sphingidae) Synonym(s): *davidi* Oberthür, 1884
- 113) **Alevonota libanotica (Fagel, 1965)** (Staphylinidae) Synonym(s): *libanotica* Fagel, 1965
- 114) **Allodape libanensis (Friese, 1899)** (Apidae) Synonym(s): *libanensis* Friese, 1899
- 115) **Allophytes benedictina (Staudinger, 1892)** (Noctuidae) Synonym(s): *benedictina* Staudinger, 1892
- 116) **Alocoderus hydrochaeris (Fabricius, 1798)** (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius, 1798
- 117) **Alocoderus turbatus (Baudi, 1870)** (Scarabaeidae) Synonym(s): *turbatus* Baudi, 1870
- 118) **Alopha combustella (Herrich-Schäffer, [1855])** (Pyralidae) Synonym(s): *combustella* Herrich-Schäffer, [1855]; *incinerella* Caradja, 1910.
- 119) **Alucita cymatodactyla Zeller, 1852** (Alucitidae) Synonym(s): *cymatodactyla* Zeller, 1852.
- 120) **Alucita grammodactyla Zeller, 1841** (Alucitidae) Synonym(s): *grammodactyla* Zeller, 1841
- 121) **Alucita major (Rebel, 1906)** (Alucitidae) Synonym(s): *major* Rebel, 1906
- 122) **Alucita palodactyla Zeller, 1847** (Alucitidae) Synonym(s): *palodactyla* Zeller, 1847; *perittodactyla* Staudinger, 1859; *parthenodactyla* Chrétien, 1915
- 123) **Alucita zonodactyla Zeller, 1847** (Alucitidae) Synonym(s): *zonodactyla* Zeller, 1847
- 124) **Amara (Celia) aberrans Baudi di Selva, 1864** (Carabidae) Synonym(s): *aberrans* Baudi di Selva, 1864; *syriaca* Putzeys, 1866; *palaestina* Putzeys, 1870; *gridellii* Baliani, 1928
- 125) **Amara (s.str.) aenea (De Geer, 1774)** (Carabidae) Synonym(s): *aenea* De Geer, 1774; *trivialis* Gyllenhal, 1810; *atra* Stephens, 1828; *persica* Chaudoir, 1842; *maculipes* Grimmer, 1841; *palustris* Gistel, 1857; *sororcula* Tschitscherine, 1895; *vogesiaca* Bourgeois, 1898; *devincta* Casey, 1918; *palanda* Jedlicka, 1957; *thisbe* Antoine, 1951
- 126) **Amata aequipuncta (Turati, 1917)** (Ctenuchidae) Synonym(s): *aequipuncta* Turati, 1917; *#aequipunctata* De Freina, 1994
- 127) **Amata antiochena (Lederer, 1861)** (Ctenuchidae) Synonym(s): *antiochena* Lederer, 1861; *tringulata* Culot, 1909
- 128) **Amata libanotica (A. Bang-Haas, 1906)** (Ctenuchidae) Synonym(s): *libanotica* A. Bang-Haas, 1906
- 129) **Amata mestralii (Bugnion, 1837)** (Ctenuchidae) Synonym(s): *mestralii* Bugnion, 1837; *kindermannii* Lederer, 1858
- 130) **Amata turbida (Turati, 1917)** (Ctenuchidae) Synonym(s): *turbida* Turati, 1917
- 131) **Amaurophanes stigmosalis (Herrich-Schäffer, [1848])** (Pyralidae) Synonym(s): *stigmosalis* Herrich-Schäffer, [1848]
- 132) **Ambia thyridialis (Lederer, 1855)** (Pyralidae) Synonym(s): *thyridialis* Lederer, 1855
- 133) **Ameles kervillei Bolivar, 1911** (Mantidae) Synonym(s): *kervillei* Bolivar, 1911
- 134) **Amictus validus Loew, 1869** (Bombyliidae) Synonym(s): *validus* Loew, 1869
- 135) **Amidorus cribrarius (Brullé, 1832)** (Scarabaeidae) Synonym(s): *cribrarius* Brullé, 1832
- 136) **Amidorus tarsensis (Petrovitz, 1967)** (Scarabaeidae) Synonym(s): *tarsensis* Petrovitz, 1967
- 137) **Ammoconia senex (Geyer, [1828])** (Noctuidae) Synonym(s): *senex* Geyer, [1828].
- 138) **Ammophila insignis F. Smith, 1856** (Sphecidae) Synonym(s): *insignis* F. Smith, 1856; *egregia* Mocsary, 1881 [ssp.]

- 139) **Amphicoma (Eulasia) hyrax Truqui, 1848** (Glaphyridae) Synonym(s): *hyrax Truqui, 1848*; *truqui Reitter, 1890*; *atropilis Petrovitz, 1971*; *splendidula Petrovitz, 1971*
- 140) **Amphicoma (Pygopleurus) anemoninus (Brullé, 1832)** (Glaphyridae) Synonym(s): *anemoninus Brullé, 1832*; *purpuricollis Waltl, 1838*; *chrysonota Brullé, 1832*; *albopilosa Petrovitz, 1957*; *pseudopsilotrichia Petrovitz, 1957*
- 141) **Amphicoma (Pygopleurus) libanensis Petrovitz, 1957** (Glaphyridae) Synonym(s): *libanensis Petrovitz, 1957*
- 142) **Amphicoma (Pygopleurus) orientalis Petrovitz, 1957** (Glaphyridae) Synonym(s): *orientalis Petrovitz, 1957*
- 143) **Amphicoma (Pygopleurus) samai Keith, 2001** (Glaphyridae) Synonym(s): *samai Keith, 2001*
- 144) **Amphicoma (Rudeulasia) fastuosa Reitter, 1890** (Glaphyridae) Synonym(s): *fastuosa Reitter, 1890*; *heydeni Reitter, 1890*; *pretiosa Reitter, 1890*; *semicyanea Reitter, 1890*; *reitteri Ganglbauer, 1905*; *cyanea Petrovitz, 1962*
- 145) **Amphipyra micans Lederer, 1857** (Noctuidae) Synonym(s): *micans Lederer, 1857*; *frivaldskyi Mocsary, 1896*
- 146) **Amphipyra pyramidea (Linnaeus, 1758)** (Noctuidae) Synonym(s): *pyramidea Linnaeus, 1758*
- 147) **Amphipyra tetra (Fabricius, 1787)** (Noctuidae) Synonym(s): *tetra Fabricius, 1787*
- 148) **Amphipyra tragopoginis (Clerck, 1759)** (Noctuidae) Synonym(s): *#tragopoginis Clerck, 1759*; *luciola Hufnagel, 1766*
- 149) **Amphithrix sublineatella (Staudinger, 1859)** (Pyralidae) Synonym(s): *sublineatella Staudinger, 1859*
- 150) **Anania (s.str.) pistorialis (Zerny, 1934)** (Pyralidae) Synonym(s): *pistorialis Zerny, 1934*
- 151) **Anarolius rufescens Theodor, 1980** (Asilidae) Synonym(s): *rufescens Theodor, 1980*
- 152) **Anarpia incertalis (Duponchel, 1832)** (Pyralidae) Synonym(s): *incertalis Duponchel, 1832*; *pyrenaealis Duponchel, 1842*; *incertella Duponchel, [1845]*; *pyrenaeella Duponchel, [1845]*; *pyrenaicalis Guenée, 1846*
- 153) **Anarsia (Anarsia) lineatella Zeller, 1839** (Gelechiidae) Synonym(s): *lineatella Zeller, 1839*; *heratella Amsel, 1967*; *tauricella Amsel, 1967*
- 154) **Anarsia (s.str.) libanoticella Amsel, 1967** (Gelechiidae) Synonym(s): *libanoticella Amsel, 1967*
- 155) **Anarsia (s.str.) spartiella (Schrank, 1802)** (Gelechiidae) Synonym(s): *spartiella Schrank, 1802*; *genistae Stainton, 1854*; *ragonotella Réal, 1994*; *krausei Réal, 1994*; *lhommeella Réal, 1994*; *acutiloba Réal, 1994*; *pseudospartiella Réal, 1994* *ungemachi Réal, 1994*
- 156) **Anastoechus exalbidus (Wiedemann, 1820)** (Bombyliidae) Synonym(s): *exalbidus Wiedemann, 1820*
- 157) **Anastoechus nivifrons (Walker, 1871)** (Bombyliidae) Synonym(s): *nivifrons Walker, 1871*; *niveus Hermann, 1909* *nec Macq., 1855*; *albopectinatus Becker, 1913*
- 158) **Anastoechus trisignatus Portschinsky, 1881** (Bombyliidae) Synonym(s): *trisignatus Portschinsky, 1881*; *retrogradus Becker, 1902*; *wernerii Paramonov, 1930*; *fulvojubatus François, 1967*
- 159) **Anax immaculifrons Rambur, 1842** (Aeshnidae) Synonym(s): *immaculifrons Rambur, 1842*
- 160) **Ancylodes pallens Ragonot, 1887** (Pyralidae) Synonym(s): *pallens Ragonot, 1887*; *lactealis Rothschild, 1915*; *banghaasiella Caradja, 1917*; *#fuscella Amsel, 1958*
- 161) **Ancylodes staminella (Christoph, 1877)** (Pyralidae) Synonym(s): *staminella Christoph, 1877*; *nervulata Turati, 1926*; *kerbelella Amsel, 1949*
- 162) **Ancylolomia palpella ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *palpella [Denis & Schiffermüller], 1775*; *sovinskyi Krulikovskiy, 1909*
- 163) **Ancylolomia pectinatella (Zeller, 1847)** (Pyralidae) Synonym(s): *pectinatellus Zeller, 1847*
- 164) **Ancylolomia tentaculella (Hübner, 1796)** (Pyralidae) Synonym(s): *tentaculella Hübner, 1796*; *irakella Amsel, 1949*
- 165) **Ancylosis (Cabotia) oblitella (Zeller, 1848)** (Pyralidae) Synonym(s): *oblitella Zeller, 1848*; *homographis Hampson, 1930*; *ischnopsis Meyrick, 1937*; *major Lucas, 1948*; *ochraeella Lucas, 1948*; *boitella Lucas, 1950*; *calaritalella Amsel, 1951*; *indistinctella Lucas, 1955*
- 166) **Ancylosis (Heterographis) candidatella (Lederer, 1858)** (Pyralidae) Synonym(s): *candidatella Lederer, 1858*; *fathmella Oberthür, 1888*; *tenuigranella Ragonot, 1890*
- 167) **Ancylosis (Heterographis) convexella (Lederer, 1855)** (Pyralidae) Synonym(s): *convexella Lederer, 1855*; *albiciella Staudinger, 1859*; *favorinella Zeller, 1867*
- 168) **Ancylosis (Heterographis) faustinella (Zeller, 1867)** (Pyralidae) Synonym(s): *faustinella Zeller, 1867*; *staudingeri Christoph, 1877*; *rubripictella Hampson, 1896*; *thalerella Mabilie, 1908*; *variabilis Rothschild, 1915*; *airensis Rothschild, 1921*; *bilineella Amsel, 1935*; *damascenella Amsel, 1952*
- 169) **Ancylosis (Heterographis) gracilella Ragonot, 1887** (Pyralidae) Synonym(s): *gracilella Ragonot, 1887*; *subcandidatella Ragonot, 1887*; *monostictella Ragonot, 1887*; *casella Chrétien, 1910*; *lybistinella Turati, 1924*; *dowsoniella Richards & Thomson, 1932*
- 170) **Ancylosis (Heterographis) harmoniella (Ragonot, 1887)** (Pyralidae) Synonym(s): *harmoniella Ragonot, 1887*; *ochrotaeniella Ragonot, 1887*; *fulminantella Turati, 1922*; *rosabella Turati, 1930*; *diffusella Turati, 1930*; *incanella Turati, 1930*
- 171) **Ancylosis (Heterographis) hellenica (Staudinger, 1870)** (Pyralidae) Synonym(s): *hellenica Staudinger, 1870*; *deliciosella Caradja, 1910*
- 172) **Ancylosis (Heterographis) pectinatella Ragonot, 1887** (Pyralidae) Synonym(s): *pectinatella Ragonot, 1887*
- 173) **Ancylosis (Heterographis) pyrethrella (Herrich-Schäffer, 1860)** (Pyralidae) Synonym(s): *pyrethrella Herrich-Schäffer, 1860*; *strictella Mann, 1861*; *ignibasella Ragonot, 1887*; *inflammata Ragonot, 1901*; *trilineata Amsel, 1961*
- 174) **Ancylosis (Heterographis) rhodochrella (Herrich-Schäffer, 1855)** (Pyralidae) Synonym(s): *rhodochrella Herrich-Schäffer, 1855*; *delicatella Möschler, 1860*; *ciliatella Zeller, 1872*; *lucida W. Warren, 1888*; *microstictella Hampson, 1903*; *ciliella Amsel, 1961*
- 175) **Ancylosis (Heterographis) roscidella (Eversmann, 1844)** (Pyralidae) Synonym(s): *roscidella Eversmann, 1844*; *cinerella Stainton, 1859*; *ephedrella Herrich-Schäffer, 1860*; *neglectella Heinemann, 1864*; *blandella Ragonot, 1887*; *zobrella Oberthür, 1888*; *carnea W. Warren, 1888*; *barteleva Caradja, 1910*; *benderella Amsel, 1961*
- 176) **Ancylosis (Heterographis) samaritanella (Zeller, 1867)** (Pyralidae) Synonym(s): *samaritanella Zeller, 1867*; *urbicella Erschoff, 1874*; *biligulella Ragonot, 1887*; *flavescentella Chrétien, 1910*; *diminutella Chrétien, 1910*; *cinnamomeifascia Rothschild, 1915*; *lacroixella Lucas, 1939*; *brevipalpella Amsel, 1954*
- 177) **Ancylosis (Heterographis) xylinella (Staudinger, 1870)** (Pyralidae) Synonym(s): *xylinella Staudinger, 1870*; *sablonella Rothschild, 1915*; *molochinella Zerny, 1929*
- 178) **Ancylosis (s.str.) cinnamomella (Duponchel, 1836)** (Pyralidae) Synonym(s): *dilutella Tr., 1832 [n.o.]*; *cinnamomella Dup., 1836*; *labeomella Staudinger, 1859*; *lafauyella Rag., 1887*; *byzacaeniella Rag., 1887*; *roseopennella Rag., 1901*; *tunesella Caradja, 1910*; *fuliginosa Rothschild, 1913*; *pictella Tur., 1922*; *ferrugineolineella Tur., 1924*
- 179) **Ancylosis (s.str.) iranella Ragonot, 1887** (Pyralidae) Synonym(s): *iranella Ragonot, 1887*; *turaniella Ragonot, 1887*
- 180) **Ancylosis (s.str.) maculifera Staudinger, 1870** (Pyralidae) Synonym(s): *maculifera Staudinger, 1870*; *ifraneella Lucas, 1954*
- 181) **Ancylosis (s.str.) sareptella (Herrich-Schäffer, 1860)** (Pyralidae) Synonym(s): *sareptella Herrich-Schäffer, 1860*; *barbella Lederer, 1863*

- 182) *Ancylosis (Syria) biflexella (Lederer,1855)* (Pyrilidae) Synonym(s): *biflexella Lederer,1855; pilosella Zeller,1867; brabantella Lucas,1907; similis Rothschild,1915; medicalba Rothschild,1921; latakiella Amsel,1952; fuscella Amsel,1961.*
- 183) *Andrena (Aenandrena) bisulcata Morawitz,1878* (Andrenidae) Synonym(s): *bisulcata Morawitz,1878*
- 184) *Andrena (Brachyandrena) colletiformis Morawitz,1874* (Andrenidae) Synonym(s): *parvula Morawitz,1871; colletiformis Morawitz,1874; sardinica Strand,1915; #gandzhensis Lebedev,1933; insulana Pittioni,1950; subsquamularis Noskiewicz,1960*
- 185) *Andrena (Carandrena) falcinella Warncke,1969* (Andrenidae) Synonym(s): *falcinella Warncke,1969*
- 186) *Andrena (Chlorandrena) panurgimorpha Mavromoustakis,1957* (Andrenidae) Synonym(s): *panurgimorpha Mavromoustakis,1957*
- 187) *Andrena (Chlorandrena) taduchii Gusenleitner,1998* (Andrenidae) Synonym(s): *taduchii Gusenleitner,1998*
- 188) *Andrena (Chrysandrena) hesperia Smith,1853* (Andrenidae) Synonym(s): *hesperia Smith,1853*
- 189) *Andrena (Cordandrena) torda Warncke,1965* (Andrenidae) Synonym(s): *torda Warncke,1965*
- 190) *Andrena (Cryptandrena) brumanensis Friese,1899* (Andrenidae) Synonym(s): *brumanensis Friese,1899*
- 191) *Andrena (Cryptandrena) monacha Warncke,1965* (Andrenidae) Synonym(s): *monacha Warncke,1965*
- 192) *Andrena (Cryptandrena) ventricosa Dours,1873* (Andrenidae) Synonym(s): *ventricosa Dours,1873*
- 193) *Andrena (Didonia) mucida Kriechbaumer,1873* (Andrenidae) Synonym(s): *mucida Kriechbaumer,1873; julliani Schmiedeknecht,1883; punica Gribodo,1894*
- 194) *Andrena (Fumandrena) pandosa Warncke,1968* (Andrenidae) Synonym(s): *pandosa Warncke,1968*
- 195) *Andrena (Holandrena) forsterella Osytshnjuk,1978* (Andrenidae) Synonym(s): *forsterella Osytshnjuk,1978*
- 196) *Andrena (Holandrena) variabilis Smith,1853* (Andrenidae) Synonym(s): *variabilis Smith,1853*
- 197) *Andrena (Margandrena) hyacinthina Mavromoustakis,1958* (Andrenidae) Synonym(s): *hyacinthina Mavromoustakis,1958*
- 198) *Andrena (Melandrena) elmaria Gusenleitner,1998* (Andrenidae) Synonym(s): *elmaria Gusenleitner,1998*
- 199) *Andrena (Melandrena) grandilabris Pérez,1903* (Andrenidae) Synonym(s): *grandilabris Pérez,1903*
- 200) *Andrena (Melandrena) morio Brullé,1832* (Andrenidae) Synonym(s): *morio Brullé,1832*
- 201) *Andrena (Melandrena) nigroaenea (Kirby,1802)* (Andrenidae) Synonym(s): *nigroaenea Kirby,1802; candiae Strand,1915; aemula Alfken,1926*
- 202) *Andrena (Melandrena) nitida (Müller,1776)* (Andrenidae) Synonym(s): *nitida Müller,1776*
- 203) *Andrena (Melandrena) pyropygia Kriechbaumer,1873* (Andrenidae) Synonym(s): *pyropygia Kriechbaumer,1873*
- 204) *Andrena (Micrandrena) lindbergella Pittioni,1950* (Andrenidae) Synonym(s): *lindbergella Pittioni,1950*
- 205) *Andrena (Micrandrena) scirpacea Warncke,1975* (Andrenidae) Synonym(s): *scirpacea Warncke,1975*
- 206) *Andrena (Micrandrena) simontornyella Noskiewicz,1939* (Andrenidae) Synonym(s): *simontornyella Noskiewicz,1939*
- 207) *Andrena (Micrandrena) sprete Pérez,1895* (Andrenidae) Synonym(s): *sprete Pérez,1895; pseudasuniensis Strand,1921*
- 208) *Andrena (Micrandrena) triareta Warncke,1974* (Andrenidae) Synonym(s): *triareta Warncke,1974*
- 209) *Andrena (Nobandrena) anatolica Alfken,1935* (Andrenidae) Synonym(s): *anatolica Alfken,1935*
- 210) *Andrena (Nobandrena) asiatica Friese,1921* (Andrenidae) Synonym(s): *asiatica Friese,1921*
- 211) *Andrena (Nobandrena) iliaca Warncke,1969* (Andrenidae) Synonym(s): *iliaca Warncke,1969*
- 212) *Andrena (Notandrena) erythrocnemis Morawitz,1870* (Andrenidae) Synonym(s): *erythrocnemis Morawitz,1870*
- 213) *Andrena (Notandrena) nitidiuscula Schenck,1853* (Andrenidae) Synonym(s): *nitidiuscula Schenck,1853; nigellata Pérez,1895*
- 214) *Andrena (Notandrena) optata Warncke,1975* (Andrenidae) Synonym(s): *optata Warncke,1975*
- 215) *Andrena (Notandrena) urdula Warncke,1965* (Andrenidae) Synonym(s): *urdula Warncke,1965*
- 216) *Andrena (Opandrena) schencki Morawitz,1866* (Andrenidae) Synonym(s): *schencki Morawitz,1866*
- 217) *Andrena (Parandrena) nisorica Warncke,1969* (Andrenidae) Synonym(s): *nisorica Warncke,1969*
- 218) *Andrena (Pecilandrena) kilikia Warncke,1969* (Andrenidae) Synonym(s): *kilikia Warncke,1969*
- 219) *Andrena (Poliandrena) caspica Morawitz,1886* (Andrenidae) Synonym(s): *caspica Morawitz,1886; unicincta Friese,1899*
- 220) *Andrena (Poliandrena) polita Smith,1847* (Andrenidae) Synonym(s): *polita Smith,1847*
- 221) *Andrena (Poliandrena) toelgiana Friese,1921* (Andrenidae) Synonym(s): *toelgiana Friese,1921*
- 222) *Andrena (Ptilandrena) vetula Lepeletier,1841* (Andrenidae) Synonym(s): *vetula Lepeletier,1841*
- 223) *Andrena (Simandrena) combinata (Christ,1791)* (Andrenidae) Synonym(s): *combinata Christ,1791*
- 224) *Andrena (Simandrena) dorsata (Kirby,1802)* (Andrenidae) Synonym(s): *dorsata Kirby,1802*
- 225) *Andrena (Simandrena) lepida Schenck,1861* (Andrenidae) Synonym(s): *lepida Schenck,1861*
- 226) *Andrena (Simandrena) transitoria Morawitz,1872* (Andrenidae) Synonym(s): *transitoria Morawitz,1872*
- 227) *Andrena (Simandrena) venerabilis Alfken,1935* (Andrenidae) Synonym(s): *venerabilis Alfken,1935*
- 228) *Andrena (Taeniandrena) leucopsis Warncke,1967* (Andrenidae) Synonym(s): *leucopsis Warncke,1967; finschii Warncke,1975*
- 229) *Andrena (Taeniandrena) similis Smith,1849* (Andrenidae) Synonym(s): *similis Smith,1849*
- 230) *Andrena (Truncandrena) bassana Warncke,1969* (Andrenidae) Synonym(s): *bassana Warncke,1969; etesiaca Warncke,1975*
- 231) *Andrena (Truncandrena) canae Strand,1915* (Andrenidae) Synonym(s): *canae Strand,1915*
- 232) *Andrena (Truncandrena) rufomaculata Friese,1921* (Andrenidae) Synonym(s): *rufomaculata Friese,1921*
- 233) *Andrena (Truncandrena) truncatilabris Morawitz,1877* (Andrenidae) Synonym(s): *truncatilabris Morawitz,1877*
- 234) *Andrena (Truncandrena) ulula Warncke,1969* (Andrenidae) Synonym(s): *ulula Warncke,1969*
- 235) *Andrena rotundilabris Morawitz,1878* (Andrenidae) Synonym(s): *rotundilabris Morawitz,1878*
- 236) *Aneomochtherus libanonensis (Tsacas,1968)* (Asilidae) Synonym(s): *libanonensis Tsacas,1968*
- 237) *Angustalius malacellus (Duponchel,1836)* (Pyrilidae) Synonym(s): *malacellus Duponchel,1836*
- 238) *Anisoplia (Brancoplia) leucaspis Laporte,1840* (Scarabaeidae) Synonym(s): *leucaspis Laporte,1840*
- 239) *Anisoplia (Brancoplia) mesopotamica Pilleri,1954* (Scarabaeidae) Synonym(s): *mesopotamica Pilleri,1954*
- 240) *Anisoplia (Brancoplia) pumila Petrovitz,1973* (Scarabaeidae) Synonym(s): *pumila Petrovitz,1973*
- 241) *Anisoplia (Chaetopteropia) cuprina Machatschke,1961* (Scarabaeidae) Synonym(s): *cuprina Machatschke,1961*
- 242) *Anisoplia (Chaetopteropia) gracilis Machatschke,1961* (Scarabaeidae) Synonym(s): *gracilis Machatschke,1961*
- 243) *Anisoplia (Chaetopteropia) libanensis Machatschke,1961* (Scarabaeidae) Synonym(s): *libanensis Machatschke,1961*
- 244) *Anisoplia (Chaetopteropia) muelleri Pilleri,1954* (Scarabaeidae) Synonym(s): *muelleri Pilleri,1954*
- 245) *Anisoplia (Chaetopteropia) obenbergeri Vsetecka,1941* (Scarabaeidae) Synonym(s): *obenbergeri Vsetecka,1941*

- 246) **Anopheles (Cellia) pulcherrimus Theobald,1902** (Culicidae) Synonym(s): *pulcherrimus Theobald,1902*; *atropotenae Lindtrop,1924*
- 247) **Anopheles (Cellia) superpictus Grassi,1899** (Culicidae) Synonym(s): *superpictus Grassi,1899*; *palestinensis Theobald,1903*; *nursei Theobald,1907*; *cardamatis Newstead & Carter,1910*; *vassilievii Portschinsky,1911*; *macedoniensis Cot & Hovasse,1917*; *berestnevi Shingarev,1926*; *atheniensis Cardamatis,1931*; *hellenicus Peus,1954*
- 248) **Anopheles (s.str.) algeriensis Theobald,1903** (Culicidae) Synonym(s): *algeriensis Theobald,1903*; *lukisi Christophers,1916*
- 249) **Anopheles (s.str.) claviger (Meigen,1804)** (Culicidae) Synonym(s): *claviger Meigen,1804*; *villosus R-D.,1827*; *grisescens Stephens,1828*; *turkestani Shingarev,1926*; *amaurus Martini,1929*; *habibi Mulligan & Puri,1936*; *missiroli Del Vecchio,1939*; *pullutus Canamares,1945*
- 250) **Anopheles (s.str.) hyrcanus (Pallas,1771)** (Culicidae) Synonym(s): *hyrcanus Pallas,1771*
- 251) **Anopheles (s.str.) marteri Senetev & Prunelle,1927** (Culicidae) Synonym(s): *marteri Senetev & Prunelle,1927*; *sogdianus Keshishian,1938*; *conquensis Torres Canamares,1946*
- 252) **Anopheles (s.str.) sacharovi Favre,1903** (Culicidae) Synonym(s): *sacharovi Favre,1903*; *elutus Edwards,1921*
- 253) **Anoplotettix eckerleini Dlabola,1965** (Cicadellidae) Synonym(s): *eckerleini Dlabola,1965*
- 254) **Anoxia (Protanoxia) cingulata Marseul,1868** (Scarabaeidae) Synonym(s): *cingulata Marseul,1868*
- 255) **Anoxia (Protanoxia) orientalis Krynicki,1832** (Scarabaeidae) Synonym(s): *orientalis Krynicki,1832*; *meridionalis Reitter,1890*
- 256) **Anoxia (s.str.) maculiventris Reitter,1890** (Scarabaeidae) Synonym(s): *maculiventris Reitter,1890*; *israelitica Petrovitz,1971*
- 257) **Anoxia (s.str.) naviauxi Baraud,1990** (Scarabaeidae) Synonym(s): *naviauxi Baraud,1990*
- 258) **Antennola impura (Mann,1862)** (Noctuidae) Synonym(s): *impura Mann,1862*
- 259) **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema Fischer,1824*
- 260) **Anthaxia (Haplanthaxia) cylindrica Abeille,1900** (Buprestidae) Synonym(s): *cylindrica Abeille,1900*
- 261) **Anthaxia (Melanthaxia) corinthia Reiche & Saulcy,1856** (Buprestidae) Synonym(s): *corinthia Reiche & Saulcy,1856*
- 262) **Anthaxia (s.str.) berytensis Abeille,1895** (Buprestidae) Synonym(s): *berytensis Abeille,1895*
- 263) **Anthaxia (s.str.) myrmidon Abeille,1891** (Buprestidae) Synonym(s): *myrmidon Abeille,1891*
- 264) **Anthaxia (s.str.) togata Abeille,1882** (Buprestidae) Synonym(s): *togata Abeille,1882*
- 265) **Anthidium (Anthidiellum) breviusculum Pérez,1890** (Megachilidae) Synonym(s): *breviusculum Pérez,1890*; *troodicum Mavromoustakis,1949*
- 266) **Anthidium (Anthidiellum) judaeense (Mavromoustakis,1945)** (Megachilidae) Synonym(s): *judaense Mavromoustakis,1945*; *anale Pasteels,1969*
- 267) **Anthidium (Icterantheidium) cimbiciforme (Smith,1854)** (Megachilidae) Synonym(s): *cimbiciforme Smith,1854*; *bartholomei Radoszkowski,1862*
- 268) **Anthidium (Icterantheidium) fedtschenkoi Morawitz,1875** (Megachilidae) Synonym(s): *fedtschenkoi Morawitz,1875*; *transcaspicum Lebedev,1923*; *reinigi Alfken,1931*; *tadzhicum Popov,1935*
- 269) **Anthidium (Icterantheidium) grohmanni Spinola,1838** (Megachilidae) Synonym(s): *grohmanni Spinola,1838*; *latreillii Lepeletier,1841*; *rubiginosum Lepeletier,1841*; *provinciale Lepeletier,1841*; *comptum Lepeletier,1841*; *numidum Lepeletier,1841*; *lepeletieri Fonscolombe,1846*; *klugi Lucas,1849*; *coronatum Smith,1854* (praeocc.); *obscurum Dusmet,1908* (praeocc.); *tergale Pasteels,1969*
- 270) **Anthidium (Mesanthidium) lebanense Mavromoustakis,1955** (Megachilidae) Synonym(s): *lebanense Mavromoustakis,1955*; *nigrum Pasteels,1969*
- 271) **Anthidium (Mesanthidium) pusillum Morawitz,1895** (Megachilidae) Synonym(s): *pusillum Morawitz,1895*; *mochii Mavromoustakis,1956*
- 272) **Anthidium (Oxyanthidium) aculeatum Klug,1832** (Megachilidae) Synonym(s): *aculeatum Klug,1832*; *uncatum Mocsary,1887* nec Schr.,1802
- 273) **Anthidium (Proanthidium) rotundum Warncke,1980** (Megachilidae) Synonym(s): *rotundum Warncke,1980*
- 274) **Anthidium (Proanthidium) undulatum Dours,1873** (Megachilidae) Synonym(s): *undulatum Dours,1873*; *littorale Morawitz,1874*; *holozonicum Mavromoustakis,1939*; *kvakium Mavromoustakis,1939*; *wahrmanni Mavromoustakis,1948*
- 275) **Anthidium (Pseudoanthidium) reticulatum Mocsary,1884** (Megachilidae) Synonym(s): *reticulatum Mocsary,1884*; *tegulare Morawitz,1886*; *mocsaryi Friese,1897*; *asiaticum Friese,1917*; *kindermanni Mavromoustakis,1954*
- 276) **Anthidium (Rhodanthidium) caturigense Giraud,1863** (Megachilidae) Synonym(s): *caturigense Giraud,1863*; *ducale Morawitz,1876*; *moreense Friese,1917*; *pyrenaicum Alfken,1927*; *jerusalemicum Mavromoustakis,1938*
- 277) **Anthidium (Rhodanthidium) exsectum (Pasteels,1969)** (Megachilidae) Synonym(s): *exsectum Pasteels,1969*
- 278) **Anthidium (Rhodanthidium) septemdentatum (Latreille,1809)** (Megachilidae) Synonym(s): *septemdentatum Latreille,1809*; *rufiventre Brullé,1832*; *quadridentatum Lepeletier,1841*; *fuscipenne Lepeletier,1841*; *binominatum Smith,1854*; *sexlineatum Chevrier,1872*; *fasciale Friese,1917*; *rufocinctum Alfken,1930*; *nigrosetosum Stanek,1968*
- 279) **Anthidium (s.str.) christianseni Mavromoustakis,1956** (Megachilidae) Synonym(s): *christianseni Mavromoustakis,1956*
- 280) **Anthidium (s.str.) dalmaticum Mocsary,1884** (Megachilidae) Synonym(s): *dalmaticum Mocsary,1884*; *syriacum Dusmet,1915*
- 281) **Anthidium (s.str.) loti Perris,1852** (Megachilidae) Synonym(s): *variegata Fabricius,1781* (praeocc.); *loti Perris,1852*; *regulare Eversmann,1852*; *meridionale Giraud,1863*; *mosaicum Costa,1863*; *quadriseriatum Kriechbaumer,1873*; *circumcinctum Kriechbaumer,1873*; *incisum Friese,1917*
- 282) **Anthidium (s.str.) spiniventre Friese,1899** (Megachilidae) Synonym(s): *spiniventre Friese,1899*; *melanopygum Friese,1917*
- 283) **Anthidium (s.str.) tessellatum Klug,1832** (Megachilidae) Synonym(s): *tessellatum Klug,1832*
- 284) **Anthidium (s.str.) wuestneii Mocsary,1887** (Megachilidae) Synonym(s): *wuestneii Mocsary,1887*
- 285) **Anthocharis cardamines (Linnaeus,1758)** (Pieridae) Synonym(s): *cardamines Linnaeus,1758*; *hesperides Newman,1894*; *britannica Verity,1908*; *meridionalis Verity,1908* nec Lederer,1852; *montivaga Turati & Verity,1911*
- 286) **Anthocharis damone Boisduval,1836** (Pieridae) Synonym(s): *damone Boisduval,1836*
- 287) **Anthocharis grueneri Herrich-Schäffer,[1851]** (Pieridae) Synonym(s): *grueneri Herrich-Schäffer,[1851]*; *#diluta Röber,1907*; *eros Röber,1907*
- 288) **Anthraxia eriopoda (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *eriopoda Herrich-Schäffer,[1851]*; *sareptae Guenée,1852*; *eriopodoides Strand,1916*
- 289) **Anthrax bezzianus Paramonov,1935** (Bombyliidae) Synonym(s): *bezzianus Paramonov,1935*
- 290) **Anticlea callidaria (De Joannis,1891)** (Geometridae) Synonym(s): *callidaria De Joannis,1891*

- 291) *Antigastra catalaunalis* (Duponchel,1833) (Pyrilidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929
- 292) *Antitype jonis* (Lederer,1865) (Noctuidae) Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901.
- 293) *Antocha* (s.str.) *libanotica* Lackschewitz,1940 (Limoniidae) Synonym(s): *libanotica* Lackschewitz,1940
- 294) *Antocha* (s.str.) *phoenicia* Thomas & Dia,1982 (Limoniidae) Synonym(s): *phoenicia* Thomas & Dia,1982
- 295) *Apamea* (s.str.) *anceps* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller],1775; *sordida* Borkhausen,1792; *infesta* Ochsenheimer,1816; *renardii* Boisduval,1829; *engelhardtii* Duurloo,1889; *pyxina* A.Bang-Haas,1910; *siegeli* Berio,1985; *sassanidica* Hacker,1990; *mazeli* Lutran,1993
- 296) *Apamea* (s.str.) *monoglypha* (Hufnagel,1766) (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 *nec* Cl.,1759; *monoglypha* Hufnagel,1766.
- 297) *Apamea* (s.str.) *platinea* (Treitschke,1825) (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 *nec* Stgr.,1889; *touleschkoffi* Koçak,1980.
- 298) *Apamea* (s.str.) *syriaca* (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 299) *Aphelia* (Zelotheres) *imperfectana* (Lederer,1858) (Tortricidae) Synonym(s): *imperfectana* Lederer,1858; *ineffecta* Obratzsov,1968.
- 300) *Aphelonyx persica* Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae) Synonym(s): *persica* Melika, Stone, Sadeghi & Pujade-Villar,2004
- 301) *Aphodius fimetarius* (Linnaeus,1758) (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758
- 302) *Aphodius foetidus* (Herbst,1783) (Scarabaeidae) Synonym(s): *foetidus* Herbst,1783
- 303) *Aphomia opticogramma* (Meyrick,1936) (Pyrilidae) Synonym(s): *opticogramma* Meyrick,1936
- 304) *Aphytis chilensis* Howard,1900 (Aphelinidae) Synonym(s): *chilensis* Howard,1900; *longiclavae* Mercet,1910; *capitis* Rust,1915; *signiphoroides* Brèthes,1916; *riadi* Delucchi,1964
- 305) *Aphytis libanicus* Traboulsi,1969 (Aphelinidae) Synonym(s): *libanicus* Traboulsi,1969
- 306) *Aphytis mytilaspidis* (Le Baron,1870) (Aphelinidae) Synonym(s): *albidus* Westwood,1837; *mytilaspidis* Le Baron,1870; *variolosum* Alam,1956; *diaspidioti* Chumakova,1957; *ficus* Traboulsi,1969
- 307) *Apiletria* (Aretascetis) *purulentella* Stainton,1867 (Autostichidae) Synonym(s): *purulentella* Stainton,1867
- 308) *Apiletria* (s.str.) *luella* Lederer,1855 (Autostichidae) Synonym(s): *luella* Lederer,1855
- 309) *Apiomyia bergenstammi* (Wachtl,1882) (Cecidomyiidae) Synonym(s): *bergenstammi* Wachtl,1882
- 310) *Apis* (s.str.) *mellifera* Linnaeus,1758 (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761
- 311) *Aplasta ononaria* (Fuessly,1783) (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
- 312) *Aplidia chaifensis* Kraatz,1882 (Scarabaeidae) Synonym(s): *chaifensis* Kraatz,1882
- 313) *Aplidia fissa* Burmeister,1855 (Scarabaeidae) Synonym(s): *fissa* Burmeister,1855
- 314) *Aplidia janczyki* Baraud,1988 (Scarabaeidae) Synonym(s): *janczyki* Baraud,1988
- 315) *Aplidia joannis* Baraud,1988 (Scarabaeidae) Synonym(s): *joannis* Baraud,1988
- 316) *Aplidia pilicollis* Petrovitz,1967 (Scarabaeidae) Synonym(s): *pilicollis* Petrovitz,1967
- 317) *Aplidia villosicollis* Kraatz,1882 (Scarabaeidae) Synonym(s): *villosicollis* Kraatz,1882
- 318) *Aplocera obsitaria* (Lederer,1853) (Geometridae) Synonym(s): *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
- 319) *Aplocera plagiata* (Linnaeus,1758) (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
- 320) *Apochima flabellaria* (Heeger,1838) (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
- 321) *Apodiphus amygdali* (Germar,1817) (Pentatomidae) Synonym(s): *amygdali* Germar,1817; *hellenica* Lefebvre,1831; *exsculpta* Burmeister,1835
- 322) *Apopestes spectrum* (Esper,[1787]) (Noctuidae) Synonym(s): *spectrum* Esper,[1787]; *innotata* W.Warren,1913; *maura* W.Warren,1913
- 323) *Aporia* (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 324) *Aporodes floralis* (Hübner,[1809]) (Pyrilidae) Synonym(s): *floralis* Hübner,[1809]; *stygalis* Treitschke,1829; *siculalis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 325) *Aporophyla australis* (Boisduval,1829) (Noctuidae) Synonym(s): *australis* Boisduval,1829
- 326) *Aporophyla nigra* (Haworth,[1809]) (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
- 327) *Aprominta bifasciata* (Staudinger,1870) (Autostichidae) Synonym(s): *bifasciata* Staudinger,1870; *virginella* Rebel,1902.
- 328) *Aprostocetus ceroplastae* (Girault,1916) (Eulophidae) Synonym(s): *ceroplastae* Girault,1916
- 329) *Apterona crenulella* (Bruand,1853) (Psychidae) Synonym(s): *crenulella* Bruand,1853
- 330) *Aquarius ventralis* (Fieber,1860) (Gerridae) Synonym(s): *ventralis* Fieber,1860
- 331) *Archanara sparganii* (Esper,[1790]) (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892.
- 332) *Archanara wiltshirei* Bytinski-Salz,1936 (Noctuidae) Synonym(s): *wiltshirei* Bytinski-Salz,1936
- 333) *Archon apollinus* (Herbst,1798) (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979.
- 334) *Arctia* (Epicallia) *villica* (Linnaeus,1758) (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
- 335) *Arctia* (Eucharia) *festiva* (Hufnagel,1766) (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
- 336) *Arge cyanocrocea* (Forster,1771) (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880
- 337) *Arge ochropus* (Gmelin,1790) (Argidae) Synonym(s): *ochropus* Gmelin,1790
- 338) *Arge scita* (Mocsary,1880) (Argidae) Synonym(s): *scita* Mocsary,1880; *zarudnyi* Gussakovskii,1935
- 339) *Argynnis* (Fabriciana) *niobe* (Linnaeus,1758) (Argynnididae) Synonym(s): *niobe* Linnaeus,1758.
- 340) *Argynnis* (Pandoriana) *pandora* ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
- 341) *Aristotelia euprepella* Zerny,1934 (Gelechiidae) Synonym(s): *euprepella* Zerny,1934
- 342) *Arsissa leucomixtella* (Ragonot,1887) (Pyrilidae) Synonym(s): *leucomixtella* Ragonot,1887; *bicornutella* Amsel,1961.
- 343) *Arsissa ramosella* (Herrich-Schäffer,[1855]) (Pyrilidae) Synonym(s): *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939.

- 344) **Asalebria (Exophora) florella (Mann,1862)** (Pyralidae) Synonym(s): *florella* Mann,1862
- 345) **Ascalenia acaciella Chrétien,1915** (Cosmopterigidae) Synonym(s): *acaciella* Chrétien,1915; *tergipunctella* Turati,1924; *maculatella* Lucas,1937 nec Chrétien,1915; *noviciata* Gozmany,1960.
- 346) **Aspilapteryx (Sabulopteryx) inquinata Triberti,1985** (Gracillariidae) Synonym(s): *inquinata* Triberti,1985
- 347) **Aspoeckina uralensis (Hölzel,1969)** (Myrmeleionidae) Synonym(s): *uralensis* Hölzel,1969
- 348) **Ateliotus syriacus (Caradja,1920)** (Tineidae) Synonym(s): *syriacus* Caradja,1920
- 349) **Atethmia ambusta (Fabricius,1787)** (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
- 350) **Atethmia centrargo (Haworth,[1809])** (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].
- 351) **Atherigona varia (Meigen,1826)** (Muscidae) Synonym(s): *varia* Meigen,1826
- 352) **Attagenus (s.str.) bifasciatus (Olivier,1790)** (Dermeestidae) Synonym(s): *bifasciatus* Olivier,1790
- 353) **Atylotus loewianus (Villeneuve,1920)** (Tabanidae) Synonym(s): *loewianus* Villeneuve,1920; *znojko* Olsufjev,1937
- 354) **Auchmis (s.str.) detersa (Esper,[1791])** (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller],1775; *detersa* Esper,[1791]
- 355) **Auletobius politus Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934
- 356) **Autographa gamma (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schadowald,1992; *voelkeri* Schadowald,1992.
- 357) **Autophila (Cheirophanes) anaphanes Boursin,1940** (Noctuidae) Synonym(s): *anaphanes* Boursin,1940
- 358) **Autophila (Cheirophanes) cataphanes (Hübner,[1813])** (Noctuidae) Synonym(s): *cataphanes* Hübner,[1813]
- 359) **Autophila (Cheirophanes) ligaminosa (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 360) **Autophila (s.str.) cerealis (Staudinger,1871)** (Noctuidae) Synonym(s): *cerealis* Staudinger,1871
- 361) **Autophila (s.str.) einsleri Amsel,1935** (Noctuidae) Synonym(s): *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
- 362) **Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
- 363) **Azanus (s.str.) jesous (Guérin-Méneville,1849)** (Lycaenidae) Synonym(s): *jesous* Guérin-Méneville,1849; *agave* Walker,1870; *sigillata* Butler,1876.
- 364) **Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852
- 365) **Bagrada (Nitilia) abeillei Puton,1881** (Pentatomidae) Synonym(s): *abeillei* Puton,1881; *persica* Horvath,1936; *lepida* Horvath,1936; *pallens* Kiritschenko,1966
- 366) **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927
- 367) **Basistriga flammata ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 368) **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855
- 369) **Belenois aurota (Fabricius,1793)** (Pieridae) Synonym(s): *mesentina* Cramer,[1780] nec Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 370) **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus* Morice,1911
- 371) **Bembecinus heinrichi Schmid-Egger,2004** (Crabronidae) Synonym(s): *heinrichi* Schmid-Egger,2004
- 372) **Bembecinus meridionalis A.Costa,1859** (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859
- 373) **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950
- 374) **Bembidion (Euperyphus) combustum Ménétériés,1832** (Carabidae) Synonym(s): *combustum* Ménétériés,1832
- 375) **Bembidion (Nepha) causicum (Motschoulsky,1844)** (Carabidae) Synonym(s): *causicum* Motschoulsky,1844
- 376) **Bembidion (Ocyturanus) culminicola Piochard,1876** (Carabidae) Synonym(s): *culminicola* Piochard,1876
- 377) **Bembidion (Peryphanes) castaneipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *castaneipenne* Jacquelin du Val,1852
- 378) **Bembidion (Peryphanes) grandipenne Schaum,1862** (Carabidae) Synonym(s): *grandipenne* Schaum,1862
- 379) **Bembidion (Phyla) liliputanum (J.Sahlberg,1908)** (Carabidae) Synonym(s): *liliputanum* J.Sahlberg,1908
- 380) **Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum* Huber & Marggi,1997
- 381) **Bembidion (Testedion) armeniacum Chaudoir,1846** (Carabidae) Synonym(s): *armeniaceum* Chaudoir,1846; *glabricolle* Motschoulsky,1846; *olympicum* De Monte,1946; *coiffaiti* De Wailly,1954; *colasi* Schuler,1961; *davatchii* Morvan,1971; *damavandense* Marggi & Huber,1999
- 382) **Bena bicolorana (Fuessly,1775)** (Noctuidae) Synonym(s): *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspecta* W.Warren,1913.
- 383) **Biralus equinus (Faldermann,1835)** (Scarabaeidae) Synonym(s): *equinus* Faldermann,1835
- 384) **Biralus menetriesi (Ménétériés,1847)** (Scarabaeidae) Synonym(s): *menetriesi* Ménétériés,1847
- 385) **Biralus satellitius (Herbst,1789)** (Scarabaeidae) Synonym(s): *satellitius* Herbst,1789
- 386) **Blaesoxipha rufipes (Macquart,1839)** (Sarcophagidae) Synonym(s): *rufipes* Macquart,1839; *rubripes* Villeneuve,1912; *tertia* Rohdendorf,1928; *aegyptiaca* Villeneuve,1932; *paolii* Villeneuve,1939; *povolnyi* Rohdendorf,1975
- 387) **Blaps judaeorum Miller,1861** (Tenebrionidae) Synonym(s): *judaeorum* Miller,1861; *judaica* Seidlitz,1893
- 388) **Blastobasis phycidella (Zeller,1839)** (Blastobasidae) Synonym(s): *phycidella* Zeller,1839; *roscidella* Zeller,1847
- 389) **Blastodacna libanotica Diakonoff,1939** (Agonoxenidae) Synonym(s): *libanotica* Diakonoff,1939
- 390) **Blepharicera fasciata (Westwood,1842)** (Blephariceridae) Synonym(s): *fasciata* Westwood,1842
- 391) **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775
- 392) **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdita* Petrovitz,1959; *majuscula* Medvedev
- 393) **Bodilus lugens (Creutzer,1799)** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799
- 394) **Bodilus punctipennis (Erichson,1848)** (Scarabaeidae) Synonym(s): *punctipennis* Erichson,1848
- 395) **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analys* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analys* Thunberg,1827; *trichromus* Paramonov,1955
- 396) **Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849

- 397) **Bombus (Sibiricobombus) niveatus Kriechbaumer, 1870** (Apidae) Synonym(s): *niveatus* Kriechbaumer, 1870
- 398) **Bombylella atra (Scopoli, 1763)** (Bombyliidae) Synonym(s): *ater* Scopoli, 1763; *#quartus* Schaeffer, 1768; *uralensis* Gmelin, 1790; *barbulus* Pallas, 1818; *lugubris* Loew, 1855
- 399) **Bombylella simulans (Austen, 1937)** (Bombyliidae) Synonym(s): *simulans* Austen, 1937
- 400) **Bombylisoma simulator (Loew, 1855)** (Bombyliidae) Synonym(s): *simulator* Loew, 1855
- 401) **Bombylius (s.str.) fimbriatus Meigen, 1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen, 1820; *dimidiatus* Wiedemann, 1820; *ventralis* Loew, 1855; *debilis* Loew, 1855; *expleta* Loew, 1855
- 402) **Bombylius (s.str.) floccosus Loew, 1857** (Bombyliidae) Synonym(s): *floccosus* Loew, 1857; *nigropenicillatus* Bigot, 1892
- 403) **Bombylius (s.str.) medius Linnaeus, 1758** (Bombyliidae) Synonym(s): *medius* Linnaeus, 1758; *punctatus* De Geer, 1776; *concolor* Mikan, 1796; *discolor* Meigen, 1804; *tectus* panzer, 1804; *intermedius* Walker, 1849; *albomicans* Loew, 1855; *pictipennis* Loew, 1855; *pallipes* Loew, 1855; *dalmatina* Strobl, 1902 nec *Lw.*, 1855; *poecilopterus* Bezzi, 1925; *caucasicus* Paramonov, 1940; *varipennis* Evenhuis, 1978
- 404) **Bombylius (s.str.) mus Bigot, 1862** (Bombyliidae) Synonym(s): *mus* Bigot, 1862; *argentifrons* Loew, 1873; *similis* Loew, 1873
- 405) **Bombylius (s.str.) polypogon Loew, 1855** (Bombyliidae) Synonym(s): *polypogon* Loew, 1855
- 406) **Bombylius (s.str.) pumilus Meigen, 1820** (Bombyliidae) Synonym(s): *pumilus* Meigen, 1820
- 407) **Bombylius (s.str.) trichurus Pallas, 1818** (Bombyliidae) Synonym(s): *trichurus* Pallas, 1818; *fuliginosus* Wiedemann, 1820; *brevirostris* Meigen, 1830 nec *Oliv.*, 1789; *rhodius* Loew, 1855; *capillatus* Palm, 1876; *tavrizi* Paramonov, 1926
- 408) **Bombylius (s.str.) venosus Mikan, 1796** (Bombyliidae) Synonym(s): *venosus* Mikan, 1796; *holosericeus* Wiedemann, 1820; *longirostris* Meigen, 1820; *pusillus* Meigen, 1830
- 409) **Borbo borbonica (Boisduval, 1833)** (Hesperiidae) Synonym(s): *borbonica* Boisduval, 1833; *senegalensis* Klug, 1842; *continentalis* Strand, 1912
- 410) **Brachodes beryti (Stainton, 1867)** (Brachodidae) Synonym(s): *nana* Lederer, 1855 nec *Treit.*, 1834; *beryti* Stainton, 1867
- 411) **Brachodes candefacta (Lederer, 1858)** (Brachodidae) Synonym(s): *candefacta* Lederer, 1858; *diacona* Lederer, 1858
- 412) **Brachycaudus (Appelia) tragopogonis (Kaltenbach, 1843)** (Aphididae) Synonym(s): *tragopogonis* Kaltenbach, 1843; *setosus* Hille Ris Lambers, 1948
- 413) **Brachycerus argillaceus Reiche, 1857** (Brachyceridae) Synonym(s): *argillaceus* Reiche, 1857; *nodulosus* Reiche, 1857; *aegyptiacus* Bedel, 1874
- 414) **Brachycerus cribrarius Olivier, 1807** (Brachyceridae) Synonym(s): *cribrarius* Olivier, 1807; *ornatus* Reiche, 1857; *fimbriatus* Desbrochers, 1871
- 415) **Brachycerus junix Herbst, 1797** (Brachyceridae) Synonym(s): *junix* Herbst, 1797; *incertus* Desbrochers, 1871; *olivieri* Desbrochers, 1871
- 416) **Brachycoleus thoracicus Puton, 1892** (Miridae) Synonym(s): *thoracicus* Puton, 1892; *nigricans* Puton, 1898; *coccineus* Horvath, 1901; *coccineus* Hoberlandt, 1956
- 417) **Brachymeria tibialis (Walker, 1834)** (Chalcididae) Synonym(s): *tibialis* Walker, 1834; *intermedia* Nees, 1834; *cingulata* Walker, 1834; *distinguenta* Walker, 1834; *rufofemorata* Rosenhauer, 1856; *scirropoda* Förster, 1859; *boops* Thomson, 1876; *quettaensis* Cameron, 1906; *turkestanica* Masi, 1951;
- 418) **Brachyunguis skafi Rемаудиє & Talhouk, 2001** (Aphididae) Synonym(s): *skafi* Rемаудиє & Talhouk, 2001
- 419) **Bradyrrhoa confiniella Zeller, 1848** (Pyralidae) Synonym(s): *confiniella* Zeller, 1848; *remotella* Mann, 1867; *nubigerella* Ragonot, 1893; *ifraneella* Lucas, 1956; *ebertella* Roesler, 1969
- 420) **Brontaea eremophila (Brauer & Bergenstamm, 1894)** (Muscidae) Synonym(s): *eremophila* Brauer & Bergenstamm, 1894; *impedita* Pandellé, 1898
- 421) **Bryotropha arabica Amsel, 1952** (Gelechiidae) Synonym(s): *arabica* Amsel, 1952
- 422) **Bryotropha domestica (Haworth, 1828)** (Gelechiidae) Synonym(s): *domestica* Haworth, 1828; *domesticella* Doubleday, 1859; *domesticella* Bruand, 1859; *salmonis* Walsingham, 1908; *algoricella* Chrétien, 1917
- 423) **Bryotropha horribilis Karsholt & Rutten, 2005** (Gelechiidae) Synonym(s): *horribilis* Karsholt & Rutten, 2005
- 424) **Bryotropha plebejella (Zeller, 1847)** (Gelechiidae) Synonym(s): *plebejella* Zeller, 1847; *ancillula* Walsingham, 1908; *inexpectella* Nel, 1999
- 425) **Bubas bubaloides Janssens, 1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens, 1938
- 426) **Bubastia (s.str.) suturale (Fieber, 1877)** (Issidae) Synonym(s): *suturale* Fieber, 1877
- 427) **Bubopsis andromache Aspöck, Aspöck & Hölzel, 1979** (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel, 1979
- 428) **Bufoidea ledereri (Koçak, 1981)** (Lasiocampidae) Synonym(s): *bufo* Lederer, 1861 nec *Fabr.*, 1787; *ledereri* Koçak, 1981.
- 429) **Caccobius (s.str.) mundus (Ménétrières, 1838)** (Scarabaeidae) Synonym(s): *mundus* Ménétrières, 1838
- 430) **Cacodmus vicinus Horvath, 1934** (Cimicidae) Synonym(s): *vicinus* Horvath, 1934
- 431) **Cadra abstersella (Zeller, 1847)** (Pyralidae) Synonym(s): *abstersella* Zeller, 1847; *liguriella* Amsel, 1954.
- 432) **Cadra cautella (Walker, 1863)** (Pyralidae) Synonym(s): *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman & South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959
- 433) **Cadra delattinella Roesler, 1965** (Pyralidae) Synonym(s): *delattinella* Roesler, 1965
- 434) **Cadra figulilella (Gregson, 1871)** (Pyralidae) Synonym(s): *figulilella* Gregson, 1871; *milleri* Zeller, 1876; *gypsella* Ragonot, 1887; *venosella* Turati, 1926; *ernestinella* Turati, 1927; *#halfaella* Roesler, 1965.
- 435) **Cadra furcatella (Herrich-Schäffer, [1849])** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer, [1849]
- 436) **Calameuta (s.str.) filiformis (Eversmann, 1847)** (Cephiidae) Synonym(s): *filiformis* Eversmann, 1847; *infernalis* Dovnar-Zapolski, 1926; *amurensis* Gussakowski, 1935
- 437) **Calameuta (s.str.) idolon (Rossi, 1794)** (Cephiidae) Synonym(s): *idolon* Rossi, 1794; *mittrei* Guérin, 1844; *bellieri* Sichel, 1860; *variegatus* Stein, 1876; *apicicornis* Pic, 1916
- 438) **Calamosternus granarius (Linnaeus, 1767)** (Scarabaeidae) Synonym(s): *granarius* Linnaeus, 1767
- 439) **Calamosternus hyxos (Petrovitz, 1962)** (Scarabaeidae) Synonym(s): *hyxos* Petrovitz, 1962
- 440) **Calamosternus trucidatus (Harold, 1863)** (Scarabaeidae) Synonym(s): *trucidatus* Harold, 1863
- 441) **Caliaeschna microstigma (Schneider, 1845)** (Aeshnidae) Synonym(s): *microstigma* Schneider, 1845
- 442) **Calliptamus coelesyriensis (Giglio-Tos, 1893)** (Acrididae) Synonym(s): *coelesyriensis* Giglio-Tos, 1893; *carbonaria* Uvarov, 1914; *angustus* Uvarov, 1934; *anatolicus* Maran, 1951; *hissaricus* Mishtchenko, 1951; *intricatus* Mishtchenko, 1951; *#nigra* Bei-Bienko & Richter, 1960
- 443) **Calliptamus tenuicercis Tarbinsky, 1930** (Acrididae) Synonym(s): *tenuicercis* Tarbinsky, 1930; *aurantiacus* Ramme, 1930; *iranicus* Ramme, 1930; *persa* Uvarov, 1938; *aurantipes* Ramme, 1951; *syriacus* Ramme, 1951; *#tanuicercis* Salman, 1978

- 444) **Callophrys rubi (Linnaeus,1758)** (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758; *caecus* Fourcroy,1785; *virgatus* Verity,1913; *herculeana* Pfeiffer,1927
- 445) **Callopietria latreillei (Duponchel,1827)** (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,1858; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973.
- 446) **Calocucullia celsiae (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,1850
- 447) **Calophasia barthae F.Wagner,1929** (Noctuidae) Synonym(s): *barthae* F.Wagner,1929
- 448) **Calophasia opalina (Esper,1796)** (Noctuidae) Synonym(s): *casta* Borkhausen,1793 *nec* Pall.,1767; *opalina* Esper,1796; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923.
- 449) **Calophasia platyptera (Esper,1788)** (Noctuidae) Synonym(s): *platyptera* Esper,1788; *canterius* De Villers,1789; *tenera* Hübner,1803; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901; *signata* Constantini,1916
- 450) **Calopteryx syriaca Géné,1842** (Calopterygidae) Synonym(s): *syriaca* Géné,1842; *pseudosyriaca* Buchholtz,1955
- 451) **Calymma communimacula (Denis & Schiffermüller,1775)** (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller],1775
- 452) **Campichoeta zernyi Duda,1934** (Diatatidae) Synonym(s): *zernyi* Duda,1934
- 453) **Campotogramma bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearis* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
- 454) **Canephora febretta (Boyer de Fonscolombe,1835)** (Psychidae) Synonym(s): *febretta* Boyer de Fonscolombe,1835
- 455) **Canephora inquinata (Lederer,1858)** (Psychidae) Synonym(s): *inquinata* Lederer,1858
- 456) **Canephora lutea (Staudinger,1871)** (Psychidae) Synonym(s): *lutea* Staudinger,1871
- 457) **Canephora villosella (Ochsenheimer,1810)** (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810
- 458) **Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis* Marseul,1864; *#smyrnensis* Silkin,2008
- 459) **Canthophorus dubius (Scopoli,1763)** (Cydniidae) Synonym(s): *dubius* Scopoli,1763; *albomarginatus* Schrank,1776; *histriolus* Goeze,1778; *viennensis* Gmelin,1790; *albomarginellus* Fabricius,1794
- 460) **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925
- 461) **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926
- 462) **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparva* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934
- 463) **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855
- 464) **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945
- 465) **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrionides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917
- 466) **Capperia celeusi (Frey,1886)** (Pterophoridae) Synonym(s): *celeusi* Frey,1886; *interciscus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997.
- 467) **Capperia hellenica Adamczewski,1951** (Pterophoridae) Synonym(s): *hellenica* Adamczewski,1951
- 468) **Capperia marginella (Zeller,1847)** (Pterophoridae) Synonym(s): *marginella* Zeller,1847
- 469) **Carabus (Lamprostus) hemprichi Dejean,1826** (Carabidae) Synonym(s): *hemprichi* Dejean,1826
- 470) **Carabus (Procerus) syriacus Kollar,1843** (Carabidae) Synonym(s): *syriacus* Kollar,1843; *daphnensis* Korell,1985
- 471) **Carabus (Procrustes) punctatus Castelnau,1835** (Carabidae) Synonym(s): *punctatus* Castelnau,1835; *antakyae* Korell,1985
- 472) **Caradrina (Boursinidrina) syriaca (Staudinger,1892)** (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
- 473) **Caradrina (Eremodrina) hedychroa (Boursin,1936)** (Noctuidae) Synonym(s): *hedychroa* Boursin,1936
- 474) **Caradrina (Eremodrina) singularis Hacker,2004** (Noctuidae) Synonym(s): *singularis* Hacker,2004
- 475) **Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911
- 476) **Caradrina (Kalchbergiana) ingrata (Staudinger,1897)** (Noctuidae) Synonym(s): *ingrata* Staudinger,1897
- 477) **Caradrina (Levantrina) bodenheimeri (Draudt,1934)** (Noctuidae) Synonym(s): *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *pleisiarchia* Boursin,1937
- 478) **Caradrina (Paradrina) amseli (Boursin,1936)** (Noctuidae) Synonym(s): *amseli* Boursin,1936
- 479) **Caradrina (Paradrina) atriluna Guenée,1852** (Noctuidae) Synonym(s): *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935
- 480) **Caradrina (Paradrina) boursini (F.Wagner,1936)** (Noctuidae) Synonym(s): *boursini* F.Wagner,1936
- 481) **Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicularia* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975
- 482) **Caradrina (Paradrina) hypostigma (Boursin,1932)** (Noctuidae) Synonym(s): *hypostigma* Boursin,1932
- 483) **Caradrina (Paradrina) zandi (Wiltshire,1952)** (Noctuidae) Synonym(s): *zandi* Wiltshire,1952
- 484) **Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) Synonym(s): *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913.
- 485) **Caradrina (Platyperigea) kadenii (Freyer,1836)** (Noctuidae) Synonym(s): *kadenii* Freyer,1836
- 486) **Caradrina (s.str.) agrotina (Staudinger,1892)** (Noctuidae) Synonym(s): *agrotina* Staudinger,1892; *jordana* Staudinger,1895; *syriaca* Osthelder,1933.
- 487) **Carcharodus (Lavatheria) stauderi Reverdin,1913** (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913.
- 488) **Carcharodus (Reverdinus) orientalis Reverdin,1913** (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *#aestatis* Graves,1928; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
- 489) **Carcharodus (s.str.) alceae (Esper,1780)** (Hesperiidae) Synonym(s): *alceae* Esper,1780; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
- 490) **Carcina quercana (Fabricius,1775)** (Oecophoridae) Synonym(s): *quercana* Fabricius,1775
- 491) **Cardepija affinis Rothschild,1913** (Noctuidae) Synonym(s): *affinis* Rothschild,1913; *ghigli* Turati,1921; *strobilacei* Dumont,1925.
- 492) **Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae) Synonym(s): *miniaticollis* Candeze,1860
- 493) **Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856

- 494) **Carposina scirrhosella** Herrich-Schäffer,[1854] (Carposinidae) Synonym(s): *scirrhosella* Herrich-Schäffer,[1854]; *orientella* Stanoiu & Nemes,1968.
- 495) **Caryedon angeri** (Semenov,1896) (Bruchidae) Synonym(s): *angeri* Semenov,1896; *palaestinus* Southgate,1976; *#palaestinus* Yücel,1994
- 496) **Cataclysta lemnata** (Linnaeus,1758) (Pylalidae) Synonym(s): *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935.
- 497) **Catarhoe cupreata** (Herrich-Schäffer,1839) (Geometridae) Synonym(s): *cupreata* Herrich-Schäffer,1839
- 498) **Catarhoe permixtaria** (Guenée,[1858]) (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858]
- 499) **Catarhoe putridaria** (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millière,1868
- 500) **Catharia pyrenaealis** (Duponchel,[1843]) (Pylalidae) Synonym(s): *pyrenaealis* Duponchel,1843
- 501) **Catocala** (Ephesia) **eutychea** (Treitschke,1835) (Noctuidae) Synonym(s): *eutychea* Treitschke,1835; *delicata* Vicent,1913.
- 502) **Catocala** (Ephesia) **separata** Freyer,1848 (Noctuidae) Synonym(s): *separata* Freyer,1848
- 503) **Catocala** (s.str.) **conjuncta** (Esper,[1787]) (Noctuidae) Synonym(s): *conjuncta* Esper,[1787]; *conjuga* Hübner,[1803]; *perrettei* Seyer,1976
- 504) **Catocala** (s.str.) **conversa** (Esper,1783) (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813]
- 505) **Catocala** (s.str.) **diversa** (Geyer,[1828]) (Noctuidae) Synonym(s): *diversa* Geyer,[1828]; *callinympha* Boisduval,[1828]; *#divera* Hacker,1988
- 506) **Catocala** (s.str.) **elocata** (Esper,[1787]) (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 507) **Catocala** (s.str.) **hymenaea** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775
- 508) **Catocala** (s.str.) **nymphagoga** (Esper,[1787]) (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 509) **Catocala** (s.str.) **puerpera** (Giorna,1791) (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pelle* Hübner,[1809]; *romana* Schultz,1909
- 510) **Catoplatus anticus** (Reuter,1880) (Tingidae) Synonym(s): *anticus* Reuter,1880
- 511) **Catoplatus hilaris** (Horvath,1906) (Tingidae) Synonym(s): *hilaris* Horvath,1906
- 512) **Catopsilia florella** (Fabricius,1775) (Pieridae) Synonym(s): *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 513) **Catoptria laevigatella** (Lederer,1870) (Pylalidae) Synonym(s): *laevigatellus* Lederer,1870; *semicanella* Fuchs,1903.
- 514) **Catoptria pinella** (Linnaeus,1758) (Pylalidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
- 515) **Celastrina argiolus** (Linnaeus,1758) (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 516) **Celonites cyprius** Saussure,1854 (Vespidae) Synonym(s): *cyprius* Saussure,1854
- 517) **Cephimallota angusticostella** (Zeller,1839) (Tineidae) Synonym(s): *angusticostella* Zeller,1839; *libanotica* G.Petersen,1959; *hasarorum* Zagulyaev,1965
- 518) **Ceratapion gibbifrons** (Hustache,1932) (Brentidae) Synonym(s): *gibbifrons* Hustache,1932; *cystocephalus* Bajtenov & Lodos,1978
- 519) **Ceratina bifida** Friese,1900 (Apidae) Synonym(s): *bifida* Friese,1900
- 520) **Ceratina bispinosa** Handlirsch,1889 (Apidae) Synonym(s): *bispinosa* Handlirsch,1889
- 521) **Ceratina dentiventris** Gerstaecker,1869 (Apidae) Synonym(s): *dentiventris* Gerstaecker,1869
- 522) **Ceratina mandibularis** Friese,1896 (Apidae) Synonym(s): *mandibularis* Friese,1896
- 523) **Ceratina moricei** Friese,1899 (Apidae) Synonym(s): *moricei* Friese,1899
- 524) **Ceratitis** (s.str.) **capitata** (Wiedemann,1824) (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924
- 525) **Ceratuncus affinitellus** (Rebel,1901) (Tineidae) Synonym(s): *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951.
- 526) **Cercion lindenii** (Selys,1840) (Coenagrionidae) Synonym(s): *lindenii* Selys,1840; *zernyi* Schmidt,1938
- 527) **Cercopis intermedia** Kirschbaum,1868 (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923
- 528) **Cercopis septemmaculata** (Melichar,1903) (Cercopidae) Synonym(s): *septemmaculata* Melichar,1903
- 529) **Cerocala sana** Staudinger,1901 (Noctuidae) Synonym(s): *insana* Staudinger,1871 *nec* H-S.,1858; *sana* Staudinger,1901; *albifusa* de Joannis,1910.
- 530) **Cetonia** (s.str.) **delangrei** Boucard,1893 (Scarabaeidae) Synonym(s): *delangrei* Boucard,1893; *syriaca* Boucard,1893; *chrysosoma* Reitter,1896
- 531) **Ceutorhynchus anatolicus** Schultze,1900 (Curculionidae) Synonym(s): *anatolicus* Schultze,1900
- 532) **Ceutorhynchus nanus** Gyllenhal,1837 (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837
- 533) **Ceutorhynchus pallidactylus** (Marsham,1802) (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802
- 534) **Chaetomalachius cyanellus** (Kiesenwetter,1863) (Melyridae) Synonym(s): *cyanellus* Kiesenwetter,1863
- 535) **Chalarus spurius** (Fallén,1816) (Pipunculidae) Synonym(s): *spurius* Fallén,1816; *velutinus* Macquart,1835
- 536) **Chalcochiton pallasii** (Loew,1856) (Bombyliidae) Synonym(s): *pallasii* Loew,1856; *schineri* Nowicki,1868
- 537) **Chalcochiton syriacus** (Loew,1869) (Bombyliidae) Synonym(s): *syriacus* Loew,1869
- 538) **Chamaesphacia annellata** (Zeller,1847) (Sesiidae) Synonym(s): *annellata* Zeller,1847; *ceriaeformis* Lederer,1853 *nec* Luc.,1849; *muscinaeformis* Walker,1856; *ceriiformis* Staudinger,1856; *clermonti* Le Cerf,1914
- 539) **Chamaesphacia azonos** (Lederer,1855) (Sesiidae) Synonym(s): *azonos* Lederer,1855
- 540) **Chamaesphacia masariformis** (Ochsenheimer,1808) (Sesiidae) Synonym(s): *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 *nec* Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966
- 541) **Characoma nilotica** (Rogenhofer,1882) (Noctuidae) Synonym(s): *nilotica* Rogenhofer,1882; *chamaeleon* Möschler,1890; *littora* Bethune-Baker,1894; *laurea* Druce,1898; *proteella* Dyar,1898; *#albifascia* Draudt,1939
- 542) **Charadraula parcella** (Lederer,1855) (Autostichidae) Synonym(s): *parcella* Lederer,1855; *chersopsamma* Meyrick,1931.

- 543) **Chazara (Neochazara) anthe (Hoffmannsegg, 1804)** (Satyridae) Synonym(s): *anthe Hoffmannsegg, 1804*; *persephone Hübner, 1805*; *anthe Ochsenheimer, 1807*.
- 544) **Cheironitis moeris (Pallas, 1781)** (Scarabaeidae) Synonym(s): *moeris Pallas, 1781*
- 545) **Cheironitis pamphilus (Ménétriés, 1849)** (Scarabaeidae) Synonym(s): *pamphilus Ménétriés, 1849*; *eumenes Motschoulsky, 1859*; *ponticus Lansberge, 1875*
- 546) **Chelis reticulata (Christoph, 1887)** (Arctiidae) Synonym(s): *reticulata Christoph, 1887*
- 547) **Chelostoma (Foveosmia) bytinskii (Mavromoustakis, 1948)** (Megachilidae) Synonym(s): *bytinskii Mavromoustakis, 1948*
- 548) **Chelostoma (Foveosmia) forcipatum (Benoist, 1928)** (Megachilidae) Synonym(s): *forcipatum Benoist, 1928*
- 549) **Chelostoma (Foveosmia) schlettereri (Friese, 1899)** (Megachilidae) Synonym(s): *schlettereri Friese, 1899*; *palaestina Benoist, 1935*; *pici Benoist, 1935*
- 550) **Chelostoma (s.str.) lucens (Benoist, 1928)** (Megachilidae) Synonym(s): *lucens Benoist, 1928*
- 551) **Chersotis (s.str.) ebertorum Koçak, 1980** (Noctuidae) Synonym(s): *maraschi Corti & Draudt, 1933 (p.61) nec Corti & Draudt, 1933 (p.58)*; *ebertorum Koçak, 1980*.
- 552) **Chersotis (s.str.) elegans (Eversmann, 1837)** (Noctuidae) Synonym(s): *elegans Eversmann, 1837*; *grammiptera Rambur, [1839]*.
- 553) **Chersotis (s.str.) laeta (Rebel, 1904)** (Noctuidae) Synonym(s): *laeta Rebel, 1904*
- 554) **Chersotis (s.str.) larixia (Guenée, 1852)** (Noctuidae) Synonym(s): *larixia Guenée, 1852*.
- 555) **Chersotis (s.str.) margaritacea (Villers, 1789)** (Noctuidae) Synonym(s): *margaritacea Villers, 1789*; *i-intactum Hübner, [1803]*; *#abruzzensis Corti & Draudt, 1933*; *espunensis Calle, 1982*
- 556) **Chersotis (s.str.) multangula (Hübner, [1803])** (Noctuidae) Synonym(s): *multangula Hübner, [1803]*; *dissoluta Staudinger, 1900*; *travunia Schawerda, 1912*; *stojanovi Toulesschkov, 1951*.
- 557) **Chiasmia (Godonela) syriacaria (Staudinger, 1871)** (Geometridae) Synonym(s): *syriacaria Staudinger, 1871*; *venerata Christoph, 1887*; *#syriacata Wehrli, 1934*.
- 558) **Chiasmia (Godonela) tenuiata (Staudinger, 1901)** (Geometridae) Synonym(s): *tenuiata Staudinger, 1901*
- 559) **Chilades (Freyeria) trochylus (Freyer, [1843])** (Lycaenidae) Synonym(s): *trochylus Freyer, [1843]*; *#trochilus Herrich-Schäffer, [1845]*; *parva Murray, 1874*; *persa Bytinski-Salz & Brandt, 1937*; *#suprardiata Wagner, 1931*
- 560) **Chilades (Lachides) galba (Lederer, 1855)** (Lycaenidae) Synonym(s): *galba Lederer, 1855*
- 561) **Chilo luteellus (Motschulsky, 1866)** (Pyralidae) Synonym(s): *lutellus Motschulsky, 1866* *nec [Denis & Schiff.], 1775*; *luteellus Motschulsky, 1866*; *concolorellus Christoph, 1885*; *gensamellus Leech, 1889*; *dubia Bethune-Baker, 1894*; *boxanus Hering, 1903*; *plumbosellus Chrétien, 1910*; *molydellus Zerny, 1935*; *molybdellus Zerny, 1941*.
- 562) **Chilo thorax hieroglyphicus (Klug, 1845)** (Scarabaeidae) Synonym(s): *hieroglyphicus Klug, 1845*
- 563) **Chilo thorax lineolatus (Illiger, 1803)** (Scarabaeidae) Synonym(s): *lineolatus Illiger, 1803*
- 564) **Chilo thorax melanostictus (W.Schmidt, 1840)** (Scarabaeidae) Synonym(s): *melanostictus W.Schmidt, 1840*
- 565) **Chilo thorax paykulli (Bedel, 1907)** (Scarabaeidae) Synonym(s): *paykulli Bedel, 1907*
- 566) **Chilo thorax xanthopterus (Balthasar, 1938)** (Scarabaeidae) Synonym(s): *xanthopterus Balthasar, 1938*
- 567) **Chlaenius (Chlaenites) spoliatus (P.Rossi, 1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi, 1792*
- 568) **Chloantha hypericii (Fabricius, 1787)** (Noctuidae) Synonym(s): *#hypericii [Denis & Schiffermüller], 1775*; *hypericii Fabricius, 1787*
- 569) **Chloriona ponticana Asche, 1982** (Delphacidae) Synonym(s): *ponticana Asche, 1982*
- 570) **Chlorops syriacus Becker, 1910** (Chloropidae) Synonym(s): *syriaca Becker, 1910*
- 571) **Chlorops syriacus Becker, 1910** (Chloropidae) Synonym(s): *syriacus Becker, 1910*
- 572) **Chondrostega pastranum Lederer, 1858** (Lasiocampidae) Synonym(s): *pastranum Lederer, 1858*; *hyrcanum Staudinger, 1871*
- 573) **Chondrostega schwingenschussi (Zerny, 1933)** (Lasiocampidae) Synonym(s): *schwingenschussi Zerny, 1933*
- 574) **Chrysocrambus craterellus (Scopoli, 1763)** (Pyralidae) Synonym(s): *craterellus Scopoli, 1763*; *rorella Linnaeus, 1767*; *klimeschi Toll, 1938*; *alpinus Bleszynski, 1958*; *abruzzellus Bleszynski, 1958*.
- 575) **Chrysocrambus linetellus (Fabricius, 1781)** (Pyralidae) Synonym(s): *linetellus Fabricius, 1781*; *cassentiniellus Herrich-Schäffer, [1848]*; *distinctus Müller-Rutz, 1920*; *chrysocrossis Meyrick, 1936*; *#marioni Dufrane, 1960*.
- 576) **Chrysocrambus syriellus (Zerny, 1934)** (Pyralidae) Synonym(s): *syriellus Zerny, 1934*
- 577) **Chrysodeixis chalcites (Esper, [1789])** (Noctuidae) Synonym(s): *chalcites Esper, [1789]*; *chalsytis Hübner, 1790*; *bengalensis Rossi, 1794*; *quaestionis Fabricius, 1794*; *verticillata Guenée, 1852*; *integra Walker, 1858*; *adjuncta Walker, 1865*
- 578) **Chrysolina dohrnii (Fairmaire, 1865)** (Chrysomelidae) Synonym(s): *dohrnii Fairmaire, 1865*; *libanicola Marseul, 1868*; *peyroni Ancey, 1876*
- 579) **Chrysolina palmyrensis Bechyne, 1955** (Chrysomelidae) Synonym(s): *palmyrensis Bechyne, 1955*; *assurensis Bechyne, 1955*
- 580) **Chrysolina sahlbergi (Ménétriés, 1832)** (Chrysomelidae) Synonym(s): *sahlbergi Ménétriés, 1832*; *cupreopunctata Reiche, 1858*; *venefica Weise, 1884*
- 581) **Chrysops (s.str.) flavipes Meigen, 1804** (Tabanidae) Synonym(s): *flavipes Meigen, 1804*; *punctifer Loew, 1858*; *#favipes Kılıç, 1999*
- 582) **Cicada orni Linnaeus, 1758** (Cicadidae) Synonym(s): *orni Linnaeus, 1758*; *punctata Fabricius, 1798*; *oleae A.Costa, 1877*
- 583) **Cicadatra atra (Oliver, 1790)** (Cicadidae) Synonym(s): *atra Oliver, 1790*; *concinna Germar, 1821*; *transversa Germar, 1830 (praeocc.)*; *vitreus Brullé, 1832*; *hyalinatus Brullé, 1832*; *helianthemii Rambur, 1840*; *aquila Fieber, 1876*; *pallipes Fieber, 1876*; *tau Fieber, 1876*; *appendiculata Linnavuori, 1954*
- 584) **Cicadatra platyptera Fieber, 1876** (Cicadidae) Synonym(s): *platyptera Fieber, 1876*
- 585) **Cicadetta parvula Fieber, 1876** (Cicadidae) Synonym(s): *parvula Fieber, 1876*; *fieberi Oshanin, 1908*; *libanotica Horvath, 1911*
- 586) **Cicindela herbacea Klug, 1832** (Carabidae) Synonym(s): *herbacea Klug, 1832*; *persana Dokhtouroff, 1885*
- 587) **Cigaritis acamas (Klug, 1834)** (Lycaenidae) Synonym(s): *acamas Klug, 1834*; *obscurata Staudinger, 1901*; *#düldüli Pfeiffer, 1932*; *dueldueli Pfeiffer, 1932*
- 588) **Cigaritis cilissa Lederer, 1861** (Lycaenidae) Synonym(s): *cilissa Lederer, 1861*; *minima Staudinger, 1901*
- 589) **Cilix asiatica A.Bang-Haas, 1907** (Drepanidae) Synonym(s): *asiatica A.Bang-Haas, 1907*; *depalpata Strand, 1913*
- 590) **Circulifer haematoceps (Mulsant & Rey, 1855)** (Cicadellidae) Synonym(s): *haematoceps Mulsant & Rey, 1855*; *haagi Kirschbaum, 1868*; *opacus Kirschbaum, 1868*; *rubrotinctus Kirschbaum, 1868*; *opacipennis Lethierry, 1876*; *vittiventris Lethierry, 1876*; *diluta Ferrari, 1882*; *picta Ferrari, 1882*; *minor Ferrari, 1884*; *futilis Horvath, 1909*; *unicolor Haupt, 1927*; *haupti Zachvatkin, 1935*; *viridiflavus Lindberg, 1948*; *interibilis Lindberg, 1948*
- 591) **Cirrospilus staryi Bouček, 1959** (Eulophidae) Synonym(s): *staryi Bouček, 1959*
- 592) **Clarina syriaca (Lederer, 1855)** (Sphingidae) Synonym(s): *syriaca Lederer, 1855*; *#griseus Ebert, 1976*.

- 593) **Clepsis consimilana** (Hübner,[1817]) (Tortricidae) Synonym(s): *consimilana* Hübner,[1817]; *unifasciana* Duponchel,1843; *productana* Zeller,1847; *obliterana* Herrich-Schäffer,1851; *peregrinana* Stephens,1852; *eatoniana* Ragonot,1881; *semiana* Chrétien,1915; *acclivana* Zerny,1933; *placida* Diakonoff,1948
- 594) **Clepsis neglectana** (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer,1851; *flavana* Duponchel,1834 nec Hüb.,[1799]; *betulifolia* Lederer,1859; *striolana* Ragonot,1879; *xylotoma* Meyrick,1891; *severana* Kennel,1901; *delibatana* Rothschild,1912; *dorana* Kennel,1919; *acclivana* Zerny,1933.
- 595) **Clepsis soriana** (Kennel,1899) (Tortricidae) Synonym(s): *soriana* Kennel,1899; *seclusa* Meyrick,1926.
- 596) **Clonaria libanica** (Uvarov,1924) (Diapheromeridae) Synonym(s): *aegyptiacus* Pantel,1890 nec Gray,1835; *libanica* Uvarov,1924; *hebraica* Uvarov,1939; *turca* Karabağ,1955
- 597) **Clytie (s.str.) haifae** (Habich,1905) (Noctuidae) Synonym(s): *haifae* Habich,1905
- 598) **Clytie (s.str.) sancta** (Staudinger,1898) (Noctuidae) Synonym(s): *sancta* Staudinger,1898
- 599) **Clytie (s.str.) syriaca** (Bugnion,1837) (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
- 600) **Cnaemidophorus rhododactylus** (Fabricius,1787) (Pterophoridae) Synonym(s): *#rhododactyla* [Denis & Schiffmüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931; *#rhododactylus* Arenberger,1998
- 601) **Cnephasia (s.str.) communana** (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *communana* Herrich-Schäffer,[1851]
- 602) **Cnephasia (s.str.) grandis** (Osthelder,1938) (Tortricidae) Synonym(s): *grandis* Osthelder,1938
- 603) **Cnephasia (s.str.) tristrami** (Walsingham,1900) (Tortricidae) Synonym(s): *tristrami* Walsingham,1900
- 604) **Cnestroglyphus libanoticus** (Wehrli,1931) (Geometridae) Synonym(s): *libanoticus* Wehrli,1931
- 605) **Coccophagus scutellaris** (Dalman,1826) (Aphelinidae) Synonym(s): *scutellaris* Dalman,1826; *australiensis* Girault,1917
- 606) **Cochylidia heydeniana** (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *heydeniana* Herrich-Schäffer,[1851]; *pudorana* Staudinger,1859; *erigenana* Walsingham,1891; *sabulicola* Walsingham,1900; *almana* Kennel,1919; *obraztsovi* Amsel,1951; *amseli* Obraztsov,1956.
- 607) **Cochylidia rupicola** (Curtis,1834) (Tortricidae) Synonym(s): *rupicola* Curtis,1834; *marginana* Stephens,1834; *humidana* Herrich-Schäffer,1851
- 608) **Cochylimorpha blandana** (Eversmann,1844) (Tortricidae) Synonym(s): *blandana* Eversmann,1844; *punctulatana* Kennel,1900.
- 609) **Cochylimorpha diana** (Kennel,1899) (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
- 610) **Cochylimorpha langeana** (Kalchberg,1897) (Tortricidae) Synonym(s): *langeana* Kalchberg,1897; *anticyphas* Meyrick,1936; *hannemannii* Razowski,1961
- 611) **Cochylimorpha meridiana** (Staudinger,1859) (Tortricidae) Synonym(s): *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919.
- 612) **Cochylimorpha straminea** (Haworth,[1811]) (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lenticinosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
- 613) **Cochylis hybridella** (Hübner,[1813]) (Tortricidae) Synonym(s): *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916.
- 614) **Cochylis pallidana** Zeller,1847 (Tortricidae) Synonym(s): *pallidana* Zeller,1847
- 615) **Cochylis posterana** Zeller,1847 (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935
- 616) **Cochylis similana** Razowski,1963 (Tortricidae) Synonym(s): *similana* Razowski,1963
- 617) **Coelioxys (s.str.) aurolimbata** Förster,1853 (Megachilidae) Synonym(s): *aurolimbata* Förster,1853
- 618) **Coenagrion scitulum** (Rambur,1842) (Coenagrionidae) Synonym(s): *scitulum* Rambur,1842
- 619) **Coenonympha (s.str.) pamphilus** (Linnaeus,1758) (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusia* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 620) **Coenorrhinus cribripennis** Desbrochers,1869 (Attelabidae) Synonym(s): *cribripennis* Desbrochers,1869
- 621) **Coenorrhinus cribrum** (Desbrochers,1875) (Attelabidae) Synonym(s): *cribrum* Desbrochers,1875; *italicus* Voss,1929
- 622) **Coenosia tigrina** (Fabricius,1775) (Muscidae) Synonym(s): *tigrina* Fabricius,1775
- 623) **Coleophora albella** (Thunberg,1788) (Coleophoridae) Synonym(s): *albella* Thunberg,1788; *leucapennella* Hübner,1796.
- 624) **Coleophora albicostella** (Duponchel,1842) (Coleophoridae) Synonym(s): *albicostella* Duponchel,1842; *albimarginella* Herrich-Schäffer,1855
- 625) **Coleophora alcyonipennella** (Kollar,1832) (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962
- 626) **Coleophora astragalella** Zeller,1849 (Coleophoridae) Synonym(s): *astragalella* Zeller,1849; *fimbriosella* Herrich-Schäffer,1861; *plusiella* Constant,1865; *persimilis* Rebel,1904
- 627) **Coleophora basimaculella** Mann,1864 (Coleophoridae) Synonym(s): *basimaculella* Mann,1864
- 628) **Coleophora calycotomella** Stainton,1869 (Coleophoridae) Synonym(s): *calycotomella* Stainton,1869; *sarothamni* Rössler,1877; *oranella* Toll,1952; *afra* Toll,1952; *paraobviella* Toll,1961
- 629) **Coleophora conspicuella** Zeller,1849 (Coleophoridae) Synonym(s): *conspicuella* Zeller,1849; *centaureicolella* Bruand,[1856]; *similis* Staudinger,1880; *aceris* Caradja,1920
- 630) **Coleophora deauratella** Lienig & Zeller,1846 (Coleophoridae) Synonym(s): *deauratella* Lienig & Zeller,1846
- 631) **Coleophora fuscicornis** Zeller,1847 (Coleophoridae) Synonym(s): *fuscicornis* Zeller,1847
- 632) **Coleophora granuloseella** Staudinger,1880 (Coleophoridae) Synonym(s): *granuloseella* Staudinger,1880
- 633) **Coleophora hemerobiella** (Scopoli,1763) (Coleophoridae) Synonym(s): *hemerobiella* Scopoli,1763
- 634) **Coleophora hieronella** Zeller,1849 (Coleophoridae) Synonym(s): *hieronella* Zeller,1849
- 635) **Coleophora jerusalemella** Toll,1942 (Coleophoridae) Synonym(s): *jerusalemella* Toll,1942
- 636) **Coleophora libanella** Baldizzone,1994 (Coleophoridae) Synonym(s): *libanella* Baldizzone,1994
- 637) **Coleophora lutipennella** (Zeller,1838) (Coleophoridae) Synonym(s): *lutipennella* Zeller,1838.
- 638) **Coleophora niveicostella** Zeller,1839 (Coleophoridae) Synonym(s): *niveicostella* Zeller,1839
- 639) **Coleophora obtectella** Zeller,1849 (Coleophoridae) Synonym(s): *obtectella* Zeller,1849
- 640) **Coleophora parthenica** Meyrick,1891 (Coleophoridae) Synonym(s): *parthenica* Meyrick,1891; *cygnipennella* Toll,1959; *candidella* Toll,1959; *transcaspica* Toll,1959; *lashkarella* Toll & Amsel,1967; *hilmendella* Amsel,1968.
- 641) **Coleophora phoenicia** Baldizzone,1994 (Coleophoridae) Synonym(s): *phoenicia* Baldizzone,1994
- 642) **Coleophora propinqua** Staudinger,1880 (Coleophoridae) Synonym(s): *propinqua* Staudinger,1880
- 643) **Coleophora protecta** Walsingham,1907 (Coleophoridae) Synonym(s): *protecta* Walsingham,1907
- 644) **Coleophora syriaca** Toll,1942 (Coleophoridae) Synonym(s): *syriaca* Toll,1942

- 645) *Coleophora tetraciliata* Baldizzzone, 2007 (Coleophoridae) Synonym(s): *tetraciliata* Baldizzzone, 2007
- 646) *Coleophora zernyi* Toll, 1944 (Coleophoridae) Synonym(s): *zernyi* Toll, 1944
- 647) *Colias* (Eriocolias) *crocea* (Fourcroy, 1785) (Pieridae) Synonym(s): *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893.
- 648) *Colias* (Neocolias) *erate* (Esper, [1805]) (Pieridae) Synonym(s): *erate* Esper, [1805]; *afghana* O. Bang-Haas, 1927
- 649) *Colias* (Neocolias) *libanotica* Lederer, 1858 (Pieridae) Synonym(s): *libanotica* Lederer, 1858
- 650) *Colletes* (fodiens gr.) *similis* Schenck, 1853 (Colletidae) Synonym(s): *similis* Schenck, 1853
- 651) *Colobopterus erraticus* (Linnaeus, 1758) (Scarabaeidae) Synonym(s): *erraticus* Linnaeus, 1758
- 652) *Colotes obsoletus* Erichson, 1840 (Melyridae) Synonym(s): *obsoletus* Erichson, 1840
- 653) *Colotis* (s.str.) *fausta* (Olivier, [1804]) (Pieridae) Synonym(s): *fausta* Olivier, [1804]
- 654) *Condica viscosa* (Freyer, 1831) (Noctuidae) Synonym(s): *viscosa* Freyer, 1831; *indelicata* Turati, 1934; *europaea* Parenzan, 1980.
- 655) *Conistra* (s.str.) *acutula* (Staudinger, 1892) (Noctuidae) Synonym(s): *acutula* Staudinger, 1892
- 656) *Conistra* (s.str.) *kasyi* Boursin, 1963 (Noctuidae) Synonym(s): *kasyi* Boursin, 1963
- 657) *Conocephalus* (s.str.) *kisi* Harz, 1967 (Tettigoniidae) Synonym(s): *kisi* Harz, 1967; *harzi* Willemse, 1971
- 658) *Conops flavicaudus* (Bigot, 1880) (Conopidae) Synonym(s): *flavicaudus* Bigot, 1880; *euzonatus* Bigot, 1887; *superbus* Röder, 1899; *cypris* Janssens, 1955; *#flavicaudus* Stucke, Hayat & Özbek, 2008
- 659) *Copidosoma varicorne* (Nees ab Esenbeck, 1834) (Encyrtidae) Synonym(s): *varicorne* Nees ab Esenbeck, 1834; *sylliptae* Risbec, 1951; *gallaephila* Risbec, 1951; *annulata* Nikolskaya, 1952; *clavellatus* Erdős, 1960; *batorligetensis* Erdős, 1960
- 660) *Coproica digitata* (Duda, 1918) (Sphaeroceridae) Synonym(s): *digitata* Duda, 1918
- 661) *Coproica ferruginata* (Stenhammar, 1855) (Sphaeroceridae) Synonym(s): *ferruginata* Stenhammar, 1855
- 662) *Coproica lugubris* (Haliday, 1836) (Sphaeroceridae) Synonym(s): *lugubris* Haliday, 1836
- 663) *Copromyza* (Lotophila) *atra* (Meigen, 1830) (Sphaeroceridae) Synonym(s): *atra* Meigen, 1830; *modesta* Meigen, 1830; *lucens* Meigen, 1830; *geniculata* Macquart, 1835; *analis* von Reser, 1840; *ferruginea* Becker, 1908
- 664) *Cordicantharis wittmeri* Svihla, 1999 (Cantharidae) Synonym(s): *wittmeri* Svihla, 1999
- 665) *Cordulegaster insignis* Schneider, 1845 (Cordulegasteridae) Synonym(s): *insignis* Schneider, 1845; *amasina* Morton, 1916
- 666) *Coriomeris hirticornis* (Fabricius, 1794) (Coreidae) Synonym(s): *hirticornis* Fabricius, 1794
- 667) *Cornifrons ulceratalis* Lederer, 1858 (Pyralidae) Synonym(s): *ulceratalis* Lederer, 1858; *seriziatalis* Oberthür, 1876
- 668) *Cornutiplusia circumflexa* (Linnaeus, 1767) (Noctuidae) Synonym(s): *circumflexa* Linnaeus, 1767; *lunata* Fabricius, 1787; *flexuosa* Donovan, 1807; *daubii* Freyer, 1838; *graphica* Herrich-Schäffer, 1851; *patefacta* Walker, [1858]; *reticulata* Moore, 1882; *clarescens* Pinker & Bacallado, 1975; *#unata* Kononenko & Pinratana, 2005
- 669) *Corynis orientalis* (Konow, 1898) (Cimbicidae) Synonym(s): *orientalis* Konow, 1898
- 670) *Cossulus argentatus* (Staudinger, 1887) (Cossidae) Synonym(s): *argentatus* Staudinger, 1887; *araxes* De Freina, 1982
- 671) *Cossulus lignosus* (Brandt, 1938) (Cossidae) Synonym(s): *lignosus* Brandt, 1938
- 672) *Cossus cossus* (Linnaeus, 1758) (Cossidae) Synonym(s): *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794
- 673) *Costaconvexa polygrammata* (Borkhausen, 1794) (Geometridae) Synonym(s): *polygrammata* Borkhausen, 1794; *polygrammata* Haworth, 1809; *conjunctaria* Lederer, 1853; *#rosea* Wiltshire, 1946
- 674) *Craniophora pontica* (Staudinger, 1879) (Noctuidae) Synonym(s): *pontica* Staudinger, 1879
- 675) *Crobilocerus engeli* Geller-Grimm & Hradski, 1999 (Asilidae) Synonym(s): *engeli* Geller-Grimm & Hradski, 1999
- 676) *Crociosema plebejana* Zeller, 1847 (Tortricidae) Synonym(s): *plebejana* Zeller, 1847; *altheana* Mann, 1855; *lavaterana* Millière, 1863; *peregrinana* Möschler, 1866; *obscura* Wollaston, 1879; *blackburnii* Butler, 1881; *signatana* Walsingham, 1894; *ptiladelpha* Meyrick, 1917; *insulana* Aurivillius, 1922; *synneurota* Meyrick, 1926; *tornocycla* Turner, 1946; *charmera* Turner, 1946.
- 677) *Crombrughia laeta* (Zeller, 1847) (Pterophoridae) Synonym(s): *laetus* Zeller, 1847; *loetidactyla* Bruand, 1858; *andryalae* Millière, 1863; *andryaladactylus* Millière, 1863; *lantoscans* Millière, 1882.
- 678) *Cryphia* (Bryoleuca) *labecula* (Lederer, 1855) (Noctuidae) Synonym(s): *labecula* Lederer, 1855
- 679) *Cryphia* (Bryoleuca) *petrea* (Guenée, 1852) (Noctuidae) Synonym(s): *petrea* Guenée, 1852
- 680) *Cryphia* (Bryoleuca) *raptricula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller], 1775; *divisa* Esper, [1791]; *palliola* Borkhausen, 1792; *pomula* Borkhausen, 1792; *deceptricula* Hübner, [1803]; *carbonis* Freyer, 1849; *felina* Eversmann, 1852; *#striata* Staudinger, 1879; *#persica* Strand, 1915; *cretica* Reisser, 1962
- 681) *Cryphia* (Bryoleuca) *rectilinea* (W. Warren, 1909) (Noctuidae) Synonym(s): *rectilinea* W. Warren, 1909; *mediochracea* Bytinski-Salz, 1936; *insulicola* Reisser, 1962.
- 682) *Cryphia* (Bryoleuca) *tephrocharis* Boursin, 1954 (Noctuidae) Synonym(s): *tephrocharis* Boursin, 1954
- 683) *Cryphia* (Bryophila) *maeonis* (Lederer, 1865) (Noctuidae) Synonym(s): *maeonis* Lederer, 1865; *praecana* Christoph, 1893; *rubellina* Staudinger, 1900; *sordida* Staudinger, 1900; *sabulosa* W. Warren, 1909.
- 684) *Cryphia* (Bryopsis) *amasina* (Draudt, 1931) (Noctuidae) Synonym(s): *amasina* Draudt, 1931
- 685) *Cryphia* (Euthales) *ochsi* (Boursin, 1941) (Noctuidae) Synonym(s): *ochsi* Boursin, 1941; *#badiofasciata* Boursin, 1952
- 686) *Cryphia* (s.str.) *receptricula* (Hübner, [1803]) (Noctuidae) Synonym(s): *strigula* Borkhausen, 1792 *nec* Thunb., 1788; *receptricula* Hübner, [1803]; *stictica* Ménétriés, 1859.
- 687) *Cryptocephalus bidorsalis* Marseul, 1875 (Chrysomelidae) Synonym(s): *bidorsalis* Marseul, 1875; *morfini* Pic, 1914
- 688) *Cryptocephalus dahdah* Marseul, 1869 (Chrysomelidae) Synonym(s): *dahdah* Marseul, 1869
- 689) *Ctenagenia vespiformis* (Klug, 1834) (Pompilidae) Synonym(s): *vespiformis* Klug, 1834
- 690) *Cucullia* (s.str.) *boryphora* Fischer v. Waldheim, 1840 (Noctuidae) Synonym(s): *boryphora* Fischer & Waldheim, 1840; *lignata* Guenée, 1841; *rimula* Freyer, 1842
- 691) *Cucullia* (s.str.) *calendulae* Treitschke, 1835 (Noctuidae) Synonym(s): *calendulae* Treitschke, 1835; *wredowi* Costa, [1836]; *leucanthemi* Rambur, 1858; *dellabrunai* Berio, 1980.
- 692) *Cucullia* (Shargacucullia) *barthae* Boursin, 1933 (Noctuidae) Synonym(s): *barthae* Boursin, 1933
- 693) *Cucullia* (Shargacucullia) *lanceolata* (Villers, 1789) (Noctuidae) Synonym(s): *lanceolata* Villers, 1789; *thapsiphaga* Treitschke, 1826
- 694) *Cucullia* (Shargacucullia) *lychnitis* (Rambur, 1833) (Noctuidae) Synonym(s): *lychnitis* Rambur, 1833
- 695) *Cucullia* (Shargacucullia) *prenanthis* Boisduval, 1840 (Noctuidae) Synonym(s): *prenanthis* Boisduval, 1840; *ceramanthea* Freyer, 1844.
- 696) *Cucullia* (Shargacucullia) *verbasci* (Linnaeus, 1758) (Noctuidae) Synonym(s): *verbasci* Linnaeus, 1758; *oberthueri* Rothschild, 1911.
- 697) *Cueta beieri* Hölzel, 1969 (Myrmeleionidae) Synonym(s): *beieri* Hölzel, 1969
- 698) *Culex* (s.str.) *laticinctus* Edwards, 1913 (Culicidae) Synonym(s): *laticinctus* Edwards, 1913
- 699) *Culex* (s.str.) *mimeticus* Noe, 1899 (Culicidae) Synonym(s): *mimeticus* Noe, 1899; *pseudomimeticus* Sargent, 1909

- 700) *Culex (s.str.) perexiguus* Theobald, 1903** (Culicidae) Synonym(s): *perexiguus* Theobald, 1903
- 701) *Culex (s.str.) pipiens* Linnaeus, 1758** (Culicidae) Synonym(s): *pipiens* Linnaeus, 1758; *bifurcatus* Linnaeus, 1758; *fasciatus* Müller, 1764; *molestus* Forskal, 1775; *trifurcatus* Fabricius, 1794; *luteus* Meigen, 1804; *domesticus* Germar, 1817; *bicolor* Meigen, 1818; *marginalis* Stephens, 1825; *meridionalis* Leach, 1825; *thoracicus* R-D., 1827; *calcitrans* R-D., 1827; *consobrinus* R-D., 1827; *unistriatus* Curtis, 1837; *pallipes* Macquart, 1838; *rufinus* Bigot, 1888; *phytophagus* Ficalbi, 1889; *agilis* Bigot, 1889; *haematophagus* Ficalbi, 1893; *melanorhinus* Giles, 1900; *longefurcatus* Becker, 1903; *varioannulatus* Theobald, 1903; *azorensis* Theobald, 1903; *quasimodestus* Theobald, 1905; *osakensis* Theobald, 1907; *comitatus* Dyar & Knab, 1909; *dipseticus* Dyar & Knab, 1909; *doliorum* Edwards, 1912; *autogenicus* Roubaud, 1935; *berbericus* Roubaud, 1935; *sternopallidus* Roubaud, 1945; *sternopunctatus* Roubaud, 1945; *disjunctus* Roubaud, 1957; *calloti* Rioux & Pech, 1959; *erectus* Iglisch, 1977; *torridus* Iglisch, 1977
- 702) *Culex (s.str.) theileri* Theobald, 1903** (Culicidae) Synonym(s): *theileri* Theobald, 1903
- 703) *Culex (s.str.) tritaeniorhynchus* Giles, 1901** (Culicidae) Synonym(s): *tritaeniorhynchus* Giles, 1901; *summosus* Dyar, 1920; *biroi* Theobald, 1905; *siamensis* Barraud & Christophers, 1931
- 704) *Culiseta (Allotheobaldia) longiareolata* (Macquart, 1838)** (Culicidae) Synonym(s): *longiareolata* Macquart, 1838; *spathipalpis* Rondani, 1872; *leucogrammus* Loew, 1874; *serratipes* Becker, 1908; *marocanus* D'Anfreville, 1916
- 705) *Culiseta (s.str.) annulata* (Schrank, 1776)** (Culicidae) Synonym(s): *annulata* Schrank, 1776; *annulatus* Fabricius, 1787; *affinis* Stephens, 1825; *nicaensis* Leach, 1825; *ferruginata* Martini, 1924
- 706) *Culpinia prouti* (Thierry-Mieg, 1913)** (Geometridae) Synonym(s): *prouti* Thierry-Mieg, 1913; *feroniaria* Oberthür, 1916.
- 707) *Cybalomia pentadalis* (Lederer, 1855)** (Pyrallidae) Synonym(s): *pentadalis* Lederer, 1855
- 708) *Cyclophora puppillaria* (Hübner, [1799])** (Geometridae) Synonym(s): *puppillaria* Hübner, [1799].
- 709) *Cydia coronillana* (Lienig & Zeller, 1846)** (Tortricidae) Synonym(s): ? *turcica* Fourcroy, 1785; *coronillana* Lienig & Zeller, 1846; *moldovana* Caradja, 1899
- 710) *Cydia exosticha* (Meyrick, 1936)** (Tortricidae) Synonym(s): *exosticha* Meyrick, 1936
- 711) *Cydia lunulana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *lunulana* [Denis & Schiffermüller], 1775; *mederleana* Frölich, 1828; *jungiana* Frölich, 1828; *selenana* Zeller, 1847; *effusana* Lederer, 1855; *conspetana* Lederer, 1859; *selliferana* Kennel, 1901; *bipartitana* Kennel, 1901; *dimidiatana* Kennel, 1901; *intacta* Walsingham, 1903; *amplidorsana* Caradja, 1916; *exosticha* Meyrick, 1936; *praedorsana* Amsel, 1958
- 712) *Cydia plumbiferana* (Staudinger, 1870)** (Tortricidae) Synonym(s): *plumbiferana* Staudinger, 1870
- 713) *Cydia pomonella* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus, 1758; *pomona* Fabricius, 1775; *pomonana* [Denis & Schiffermüller], 1775; *nitens* Fourcroy, 1785; *aeneana* Villers, 1789; *putaminana* Staudinger, 1859
- 714) *Cydia succedana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller], 1775; *asseclana* Hübner, [1800] nec [Den. & Schiff.], 1775; *griseana* Osthelder, 1938
- 715) *Cydia ulicetana* (Haworth, [1811])** (Tortricidae) Synonym(s): *ulicetana* Haworth, [1811]; *consequana* Zeller, 1847; *micaceana* Constant, 1865.
- 716) *Cymbalophora oetzeni* (Lederer, 1855)** (Arctiidae) Synonym(s): *oetzeni* Lederer, 1855
- 717) *Cymbionotum (s.str.) semirubricum* (Reitter, 1914)** (Carabidae) Synonym(s): *semirubricum* Reitter, 1914; *aethiopicus* Alluaud, 1923; *airense* Basilewsky, 1950
- 718) *Cynaeda dentalis* ([Denis & Schiffermüller], 1775)** (Pyrallidae) Synonym(s): *dentalis* [Denis & Schiffermüller], 1775; *ramalis* Fabricius, 1787; *radiata* Esper, 1788; *fulminans* Fabricius, 1794; *dilutalis* De Lattin, 1959
- 719) *Cynaeda gigantea* (Wocke, 1871)** (Pyrallidae) Synonym(s): *gigantea* Wocke, 1871
- 720) *Cyrtoptyx latipes* (Rondani, 1874)** (Pteromalidae) Synonym(s): *latipes* Rondani, 1874; *dacicida* Masi, 1907; *virescens* Masi, 1908; *lesbiacus* Masi, 1922; *albicus* Masi, 1934
- 721) *Cytherea barbara* Sack, 1906** (Bombyliidae) Synonym(s): *barbara* Sack, 1906
- 722) *Cytherea obscura* Fabricius, 1794** (Bombyliidae) Synonym(s): *obscura* Fabricius, 1794; *tauriacus* Becker, 1903
- 723) *Danaus (Anosia) chrysippus* (Linnaeus, 1758)** (Danaiidae) Synonym(s): *chrysippus* Linnaeus, 1758; *aegyptius* Schreber, 1759
- 724) *Daphnis nerii* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *nerii* Linnaeus, 1758; *infernelutea* Saalmüller, 1884; *#confluens* Closs, 1912; *#nigra* Schmidt, 1914; *bipartita* Gehlen, 1934.
- 725) *Dasycorsa modesta* (Staudinger, 1879)** (Geometridae) Synonym(s): *modesta* Staudinger, 1879
- 726) *Dasylabris (Craspedopyga) mandersternii* (Radoszkowski, 1865)** (Mutillidae) Synonym(s): *mandersternii* Radoszkowski, 1865; *cypria* Sichel & Radoszkowski, 1870 [ssp.]
- 727) *Dasypolia (s.str.) ferdinandi* Rühl, 1892** (Noctuidae) Synonym(s): *ferdinandi* Rühl, 1892
- 728) *Dasyrhamphis umbrinus* (Meigen, 1820)** (Tabanidae) Synonym(s): *umbrinus* Meigen, 1820; *istriensis* Meigen, 1820; *maculipennis* Brullé, 1832; *atavina* Enderlein, 1925
- 729) *Dasytidius syriacus* (Reitter, 1885)** (Melyridae) Synonym(s): *syriacus* Reitter, 1885
- 730) *Decticus verrucivorus* (Linnaeus, 1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus, 1758; *rubicundus* De Geer, 1778; *hastatus* Fischer von Waldheim, 1839; *radiata* Fischer von Waldheim, 1846
- 731) *Deilephila suellus* Staudinger, 1878** (Sphingidae) Synonym(s): *suellus* Staudinger, 1878; *kuruschi* O. Bang-Haas, 1938.
- 732) *Deltophora maculata* (Staudinger, 1879)** (Gelechiidae) Synonym(s): *maculata* Staudinger, 1879
- 733) *Dendarus (Pandarinus) pauper* Mulsant, 1854** (Tenebrionidae) Synonym(s): *pauper* Mulsant, 1854; *libanicus* Baudi, 1875
- 734) *Dendarus (Pandarinus) subopacus* Baudi, 1881** (Tenebrionidae) Synonym(s): *subopacus* Baudi, 1881
- 735) *Depressaria discipunctella* Herrich-Schäffer, 1854** (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer, 1854
- 736) *Depressaria veneficella* Zeller, 1847** (Oecophoridae) Synonym(s): *veneficella* Zeller, 1847
- 737) *Dericorys albidula* Audinet-Serville, [1838]** (Dericorythidae) Synonym(s): *albidula* Audinet-Serville, [1838]; *tibialis* Fieber, 1853 nec Pall., 1773; *acutispina* Stal, 1875; *curvipes* Redtenbacher, 1889
- 738) *Deudorix (Virachola) livia* (Klug, 1834)** (Lycaenidae) Synonym(s): *livia* Klug, 1834; *pallescens* Rothschild, 1921
- 739) *Diadorix chrysitis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *chrysitis* Linnaeus, 1758
- 740) *Diaphora mendica* (Linnaeus, 1761)** (Arctiidae) Synonym(s): *#mendica* Clerck, 1759; *mendica* Linnaeus, 1761; *rustica* Hübner, [1791]
- 741) *Dibolia phoenicia* Allard, 1866** (Chrysomelidae) Synonym(s): *phoenicia* Allard, 1866
- 742) *Diceratura ostrinana* (Guenée, 1845)** (Tortricidae) Synonym(s): *ostrinana* Guenée, 1845; *purpuratana* Herrich-Schäffer, [1851].
- 743) *Diceratura roseofasciana* (Mann, 1855)** (Tortricidae) Synonym(s): *roseofasciana* Mann, 1855; *aequana* Caradja, 1916; *keredjana* Razowski, 1963.
- 744) *Dichagyris (Grisyigoga) candelisequa* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller], 1775; *sagittifera* Hübner, [1813]; *piemonticola* Schwingenschuss, 1954; *zapateri* Schwingenschuss, 1962.
- 745) *Dichagyris (s.str.) erubescens* (Staudinger, 1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger, 1892

- 746) **Dichagyris (s.str.) forficula (Eversmann,1851)** (Noctuidae) Synonym(s): *forficula* Eversmann,1851
 747) **Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
 748) **Dichagyris (s.str.) squalidior (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901
 749) **Dichagyris (s.str.) terminicincta (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933;
maraschi Corti & Draudt,1933.
 750) **Dichagyris (Yigoga) flavina (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer,[1852];
ochrina Staudinger,1898; *pretiosa* Caradja,1931.
 751) **Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis &
 Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi*
 Berio,1980.
 752) **Dichagyris (Yigoga) libanicola (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *libanicola* Corti & Draudt,1933;
libanicola Corti,1933
 753) **Dichagyris (Yigoga) nigrescens (Hofner,1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner,1888
 754) **Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#signifera* [Denis &
 Schiffermüller],1775
 755) **Dichagyris (Yigoga) truculenta (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853
 756) **Dichelia cedricola (Diakonoff,1974)** (Tortricidae) Synonym(s): *cedricola* Diakonoff,1974
 757) **Dichrorampha gruneriana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *gruneriana* Herrich-Schäffer,1851
 758) **Dicranoccephalus marginatus (Ferrari,1874)** (Stenocephalidae) Synonym(s): *marginatus* Ferrari,1874;
albomarginatus Jakovlev,1877; *orientalis* Distant,1880
 759) **Dicranophragma (Brachylimnophila) adjunctum (Walker,1848)** (Limoniidae) Synonym(s): *adjunctum*
 Walker,1848; *axillare* Strobl,1906; *brevifurcatum* Strobl,1906; *dimidiatum* De Meijere,1918; *noscibile* Edwards,1921
 760) **Dicranoptycha (s.str.) fuscescens (Schummel,1829)** (Limoniidae) Synonym(s): *fuscescens* Schummel,1829;
lundstroemi Bergroth,1922
 761) **Dictyonota phoenicea Seidenstücker,1963** (Tingidae) Synonym(s): *phoenicea* Seidenstücker,1963
 762) **Dicyphus eckerleini E.Wagner,1963** (Miridae) Synonym(s): *eckerleini* E.Wagner,1963
 763) **Dieuches syriacus F.A.Dohrn,1860** (Lygaeidae) Synonym(s): *syriacus* F.A.Dohrn,1860
 764) **Diloba caeruleocephala (Linnaeus,1758)** (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
 765) **Dilophus tridentatus Walker,1848** (Bibionidae) Synonym(s): *tridentatus* Walker,1848; *africanus* Becker,1903
 766) **Dioctria valida Loew,1856** (Asilidae) Synonym(s): *valida* Loew,1856
 767) **Diorhabda elongata (Brullé,1832)** (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant &
 Wachanru,1852
 768) **Dipleurina lacustrata (Panzer,1804)** (Pyralidae) Synonym(s): *crataegella* sensu Hübner,1796 *nec* Linn.,1767;
lacustrata Panzer,1804; *pusilla* Westwood,1845.
 769) **Dirhinosia nitidula (Stainton,1867)** (Gelechiidae) Synonym(s): *nitidula* Stainton,1867
 770) **Dischistia syriacus (Villeneuve,1912)** (Bombyliidae) Synonym(s): *syriacus* Villeneuve,1912
 771) **Distoleon laticollis (Navas,1913)** (Myrmeleonidae) Synonym(s): *laticollis* Navas,1913; *alienus* Navas,1913
 772) **Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978
 773) **Dociostaurus (Notostaurus) cephalotes Uvarov,1924** (Acrididae) Synonym(s): *cephalotes* Uvarov,1924
 774) **Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini* Bolivar,1893
 775) **Docirava mundata (Staudinger,1892)** (Geometridae) Synonym(s): *mundata* Staudinger,1892
 776) **Docirava mundulata (Guenée,[1858])** (Geometridae) Synonym(s): *mundulata* Guenée,[1858]; *submundulata*
 Staudinger,1892
 777) **Dolicharthria bruguieralis (Duponchel,1833)** (Pyralidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis*
 Hampson,1903; *similalis* Rothschild,1915
 778) **Donaspastus djinn Gozmany,1963** (Autostichidae) Synonym(s): *djinn* Gozmany,1963
 779) **Dorycera hybrida Loew,1862** (Ulidiidae) Synonym(s): *hybrida* Loew,1862
 780) **Dorycera judaea (Hendel,1908)** (Ulidiidae) Synonym(s): *judaea* Hendel,1908; *subasiatica* Becker,1910; *limpidipennis*
 Becker,1910
 781) **Drasteria cailino (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857
 782) **Drosophila (Dorsilopha) buskii Coquillett,1901** (Drosophilidae) Synonym(s): *buskii* Coquillett,1901; *rubrostriata*
 Becker,1908; *plurilineata* Villeneuve,1911
 783) **Drosophila (s.str.) immigrans Sturtevant,1921** (Drosophilidae) Synonym(s): *immigrans* Sturtevant,1921; *cilifemur*
 Villeneuve,1923
 784) **Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae) Synonym(s): *phalerata* Meigen,1830
 785) **Drosophila (s.str.) repleta Wollaston,1858** (Drosophilidae) Synonym(s): *repleta* Wollaston,1858; *adpersa* Mik,1886
 786) **Drosophila (Scaptodrosophila) lebanonensis Wheeler,1949** (Drosophilidae) Synonym(s): *lebanonensis*
 Wheeler,1949
 787) **Drosophila (Scaptodrosophila) pattersoni Pipkin,1956** (Drosophilidae) Synonym(s): *pattersoni* Pipkin,1956
 788) **Drosophila (Scaptodrosophila) stonei Pipkin,1956** (Drosophilidae) Synonym(s): *stonei* Pipkin,1956
 789) **Drosophila (Sophophora) melanogaster Meigen,1830** (Drosophilidae) Synonym(s): *melanogaster* Meigen,1830;
fasciata Meigen,1830; *approximata* Zetterstedt,1847; *uvarum* Rondani,1875; *pilosula* Becker,1908
 790) **Drosophila (Sophophora) simulans Sturtevant,1921** (Drosophilidae) Synonym(s): *simulans* Sturtevant,1921
 791) **Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae) Synonym(s): *subobscura* Collin,1936
 792) **Drymadusa limbata Brunner von Wattenwyl,1882** (Tettigoniidae) Synonym(s): *limbata* Brunner von
 Wattenwyl,1882
 793) **Dryobotodes (s.str.) carbonis (F.Wagner,1931)** (Noctuidae) Synonym(s): *carbonis* F.Wagner,1931; *taurica*
 Osthelder,1933; *europaea* Pinker,1976.
 794) **Dryobotodes (s.str.) eremita (Fabricius,1775)** (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis &
 Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911
 795) **Duponchella fovealis (Zeller,1847)** (Pyralidae) Synonym(s): *fovealis* Zeller,1847; *canuialis* Millière,1869; *griseata*
 Butler,1875; *uniflexalis* Mabille,1880
 796) **Dyspessa infusata (Staudinger,1892)** (Cossidae) Synonym(s): *infusata* Staudinger,1892; *cyprica* Rebel,1927;
kurdistan Turati,1909.
 797) **Dyspessa pallidata Staudinger,1901** (Cossidae) Synonym(s): *#pallidata* Staudinger,1892; *pallidata* Staudinger,1901;
nigrita Wagner,1931; *dueldueli* Daniel,1939.

- 798) *Dyspessa ulula* (Borkhausen,1790)** (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912.
- 799) *Earias insulana* (Boisduval,1833)** (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
- 800) *Earias syriacana* Bartel,1903** (Noctuidae) Synonym(s): *syriacana* Bartel,1903
- 801) *Ebaeus flavobullatus* Marseul,1868** (Melyridae) Synonym(s): *flavobullatus* Marseul,1868; *orientalis* Wittmer,1979
- 802) *Ecpyrrhorhoe diffusalis* (Guenée,1854)** (Pyralidae) Synonym(s): *carnealis* Dup.,1831 nec Treit.1829; *diffusalis* Guenée,1854; *affusalis* Guenée,1854; *tenuialis* Mann,1862.
- 803) *Edosa lardatella* (Lederer,1858)** (Tineidae) Synonym(s): *lardatella* Lederer,1858
- 804) *Egira anatolica* (Hering,1933)** (Noctuidae) Synonym(s): *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966
- 805) *Egira tibori* Hreblay,1994** (Noctuidae) Synonym(s): *tibori* Hreblay,1994
- 806) *Egnatioides pasquieri* Morales-Agacino,1950** (Acrididae) Synonym(s): *pasquieri* Morales-Agacino,1950
- 807) *Elasmus flabellatus* (Fonscolombe,1832)** (Eulophidae) Synonym(s): *flabellatus* Fonscolombe,1832; *scutellaris* Nees,1834; *rhpicerus* Förster,1841; *giraudi* Ferrière,1947
- 808) *Elathous syriacus* (Schwarz,1903)** (Elateridae) Synonym(s): *syriacus* Schwarz,1903
- 809) *Ellipsocoris trilineata* Mayr,1864** (Scutelleridae) Synonym(s): *trilineata* Mayr,1864
- 810) *Ellipteroides* (s.str.) *lateralis* (Macquart,1835)** (Limoniidae) Synonym(s): *lateralis* Macquart,1835
- 811) *Elodes akbesianus* Pic,1898** (Scirtidae) Synonym(s): *akbesianus* Pic,1898
- 812) *Ematheudes punctellus* (Treitschke,1833)** (Pyralidae) Synonym(s): *punctellus* Treitschke,1833
- 813) *Emblethis verbasci* (Fabricius,1803)** (Lygaeidae) Synonym(s): *verbasci* Fabricius,1803
- 814) *Emmelina monodactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 815) *Empis (Polyblepharis) spirifera* Bezzi,1909** (Empidae) Synonym(s): *spirifera* Bezzi,1909
- 816) *Empoasca decipiens* Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961
- 817) *Endotricha flammealis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951.
- 818) *Engelepogon goedli* (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854
- 819) *Ennomos (Deuteronomos) freidbergi* Hausmann,1997** (Geometridae) Synonym(s): *freidbergi* Hausmann,1997
- 820) *Ennomos (Deuteronomos) quercarius* (Hübner,[1813])** (Geometridae) Synonym(s): *quercaria* Hübner,[1813]
- 821) *Enolmis desidella* (Lederer,1855)** (Scythridae) Synonym(s): *desidella* Lederer,1855
- 822) *Enomoscelis sacra* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *sacra* Linnaeus,1758
- 823) *Eoferreola manticata* (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;...
- 824) *Epallage fatime* (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840
- 825) *Epascestria pustulalis* (Hübner,[1823])** (Pyralidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917.
- 826) *Epermenia (Calotripis) aequidentella* (Hofmann,1867)** (Epermeniidae) Synonym(s): *aequidentella* Hofmann,1867; *daucellus* Pejerimhoff,1870.
- 827) *Epermenia (Calotripis) insecurella* (Stainton,1849)** (Epermeniidae) Synonym(s): *insecurella* Stainton,1849; *dentosella* Stainton,1851; *iniquellus* Wocke,1867; *plumbeella* Rebel,1915; *kruegerella* Schawerda,1921.
- 828) *Epermenia* (s.str.) *ochreomaculella* (Millière,1854)** (Epermeniidae) Synonym(s): *ochreomaculella* Millière,1854; *prohaskaella* Schawerda,1921; *afghanistanella* Gaedike,1971.
- 829) *Epermenia* (s.str.) *orientalis* Gaedike,1966** (Epermeniidae) Synonym(s): *orientalis* Gaedike,1966.
- 830) *Ephelis cruentalis* (Geyer,[1832])** (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835
- 831) *Ephestia (Anagasta) cypriusella* Roesler,1965** (Pyralidae) Synonym(s): *cypriusella* Roesler,1965
- 832) *Ephestia (Anagasta) kuehniella* Zeller,1879** (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern & Tubtim,1995
- 833) *Ephestia (Anagasta) welseriella* (Zeller,1848)** (Pyralidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927.
- 834) *Ephestia* (s.str.) *disparella* Hampson,1901** (Pyralidae) Synonym(s): *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934.
- 835) *Ephestia* (s.str.) *parasitella* Staudinger,1859** (Pyralidae) Synonym(s): *parasitella* Staudinger,1859; *bimaculella* Lucas,1955.
- 836) *Epiblema graphana* (Treitschke,1835)** (Tortricidae) Synonym(s): *graphana* Treitschke,1835; *pierretana* Duponchel,1836
- 837) *Epidauria discella* Ragonot,1901** (Pyralidae) Synonym(s): *discella* Ragonot,1901
- 838) *Epidauria strigosa* (Staudinger,1879)** (Pyralidae) Synonym(s): *strigosa* Staudinger,1879
- 839) *Epilecta linogrisea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901.
- 840) *Epinotia cedricida* Diakonoff,1969** (Tortricidae) Synonym(s): *cedricida* Diakonoff,1969
- 841) *Epinotia dalmatana* (Rebel,1891)** (Tortricidae) Synonym(s): *dalmatana* Rebel,1891; *psychrodora* Meyrick,1936; *mesopotamica* Obratzov,1952; *obraztovi* Agenjo,1967
- 842) *Epirrhoe galiata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912
- 843) *Episcardia (Bilobatana) fuscoviolacella* (Ragonot,1895)** (Tineidae) Synonym(s): *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935.
- 844) *Epischnia christophori* Ragonot,1887** (Pyralidae) Synonym(s): *christophori* Ragonot,1887; *#chrystophori* Noack,1960.
- 845) *Epischnia illotella* Zeller,1839** (Pyralidae) Synonym(s): *illotella* Zeller,1839
- 846) *Epischnia leucoloma* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *leucoloma* Herrich-Schäffer,[1849]
- 847) *Epischnia muscidella* Ragonot,1887** (Pyralidae) Synonym(s): *muscidella* Ragonot,1887

- 848)** *Epischnia prodromella* (Hübner,[1799]) (Pyrilidae) Synonym(s): *prodromella* Hübner,[1799]; *#prodromella Rebel,1939*
- 849)** *Epischnopsis nervosella* (Ragonot,1887) (Pyrilidae) Synonym(s): *nervosella* Ragonot,1887
- 850)** *Episema didymogramma* (Boursin,1955) (Noctuidae) Synonym(s): *didymogramma* Boursin,1955
- 851)** *Episema lemoniopsis* Hacker,2001 (Noctuidae) Synonym(s): *lemoniopsis* Hacker,2001
- 852)** *Eremopeza gibbera* (Stal,1874) (Pamphagidae) Synonym(s): *gibbera* Stal,1874
- 853)** *Eremoplana infelix* Uvarov,1924 (Mantidae) Synonym(s): *ocellata* Thunberg,1815 nec Oliv.,1792; *infelix* Uvarov,1924
- 854)** *Eriogaster* (s.str.) *pfeifferi* Daniel,1932 (Lasiocampidae) Synonym(s): *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941
- 855)** *Eriogaster* (s.str.) *philippsi* Bartel,1911 (Lasiocampidae) Synonym(s): *philippsi* Bartel,1911; *#philipsi* Zolotuhin,2007
- 856)** *Eristalinus* (Eristalodes) *taeniops* (Wiedemann,1818) (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818; *pulchripes* Wiedemann,1822; *fasciatus* Germar,1845; *aegyptius* Walker,1849; *torridus* Walker,1849; *completus* Santos-Abreu,1924; *concinus* Santos-Abreu,1924
- 857)** *Erodium* (Dirosis) *klugi* Allard,1864 (Tenebrionidae) Synonym(s): *klugi* Allard,1864
- 858)** *Erynnis* (Hesperopegasus) *marloyi* (Boisduval,[1834]) (Hesperiidae) Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]
- 859)** *Erynnis* (s.str.) *tages* (Linnaeus,1758) (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921.
- 860)** *Esperia imitatrix* (Zeller,1847) (Oecophoridae) Synonym(s): *imitatrix* Zeller,1847
- 861)** *Eteobalea serratella* (Treitschke,1833) (Cosmopterigidae) Synonym(s): *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920
- 862)** *Eteobalea sumptuosella* (Lederer,1855) (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920
- 863)** *Ethmia bipunctella* (Fabricius,1775) (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947.
- 864)** *Ethmia chrysopyga* (Zeller,1844) (Ethmiidae) Synonym(s): *chrysopyga* Zeller,1844; *callidella* Walsingham,1910.
- 865)** *Etiella zinckenella* (Treitschke,1832) (Pyrilidae) Synonym(s): *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975.
- 866)** *Eublemma* (albida-gr.) *gratissimum* (Staudinger,1892) (Noctuidae) Synonym(s): *albida* auct.; *gratissima* Staudinger,1892; *infusca* Staudinger,1892; *peralba* Schawerda,1923.
- 867)** *Eublemma* (albida-gr.) *hansa* (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,[1851]
- 868)** *Eublemma* (bulla-gr.) *albivestalis* (Hampson,1910) (Noctuidae) Synonym(s): *vestalis* Staudinger,1900 nec Btl.,1886; *albivestalis* Hampson,1910
- 869)** *Eublemma* (bulla-gr.) *lutosum* Staudinger,1892 (Noctuidae) Synonym(s): *lutosum* Staudinger,1892; *substrigula* Staudinger,1892
- 870)** *Eublemma* (bulla-gr.) *suppurum* (Staudinger,1892) (Noctuidae) Synonym(s): *suppura* Staudinger,1892
- 871)** *Eublemma* (candidana-gr.) *minutatum* (Fabricius,1794) (Noctuidae) Synonym(s): *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809].
- 872)** *Eublemma* (chlorotica-gr.) *chloroticum* (Lederer,1858) (Noctuidae) Synonym(s): *chlorotica* Lederer,1858
- 873)** *Eublemma* (Coccidiphaga) *scitulum* (Rambur,1833) (Noctuidae) Synonym(s): *scitula* Rambur,1833; *exasperata* Lederer,1855; *gibbosa* Snellen,1872; *futilis* Swinhoe,1884; *cretacea* Hampson,1893; *turatii* Berio,2002.
- 874)** *Eublemma* (cochylionides-gr.) *cochylionides* (Guenée,1852) (Noctuidae) Synonym(s): *cochylionides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusca* W. Warren,1913.
- 875)** *Eublemma* (Glossodice) *polygrammum* (Duponchel,[1842]) (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *violetta* Staudinger,1889.
- 876)** *Eublemma* (Honeyania) *ragusanum* (Freyer,1844) (Noctuidae) Synonym(s): *ragusana* Freyer,1844; *virginea* Guenée,1852; *cinerina* Ghiliani,1854; *psilogramma* Lederer,1855; *quinquelinealis* Moore,1877; *dividens* Lucas,1892; *polygramma* Hampson,1894.
- 877)** *Eublemma* (ostrina-gr.) *ostrinum* (Hübner,[1808]) (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsaftikis,1973.
- 878)** *Eublemma* (pallidula-gr.) *pallidulum* (Herrich-Schäffer,1856) (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856
- 879)** *Eublemma* (parva-gr.) *parvum* (Hübner,[1808]) (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
- 880)** *Eublemma* *suppuncta* (Staudinger,1892) (Noctuidae) Synonym(s): *suppuncta* Staudinger,1892; *#suppuncta* Hacker,1988
- 881)** *Eucampsipoda aegyptia* (Macquart,1851) (Nycteribiidae) Synonym(s): *aegyptia* Macquart,1851
- 882)** *Eucampyla dealbatella* (Erschoff,1874) (Pyrilidae) Synonym(s): *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965.
- 883)** *Euchalcia* (s.str.) *emichi* (Rogenhofer,1873) (Noctuidae) Synonym(s): *emichi* Rogenhofer,1873
- 884)** *Euchalcia* (s.str.) *maria* (Staudinger,1892) (Noctuidae) Synonym(s): *maria* Staudinger,1892
- 885)** *Euchloe* (Elphinstonia) *penia* (Freyer,[1852]) (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
- 886)** *Euchloe* (s.str.) *ausonia* (Hübner,[1804]) (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
- 887)** *Euchloe* (s.str.) *belemia* (Esper,[1800]) (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glauce* Freyer,[1848]
- 888)** *Euchromius bellus* (Hübner,1796) (Pyrilidae) Synonym(s): *bella* Hübner,1796; *bellalis* Hübner,[1825].
- 889)** *Euchromius ocellus* (Haworth,[1811]) (Pyrilidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumicellula* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 890)** *Euchromius ramburiellus* (Duponchel,1836) (Pyrilidae) Synonym(s): *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949.
- 891)** *Euchromius vinculellus* (Zeller,1847) (Pyrilidae) Synonym(s): *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrutella* Amsel,1949.
- 892)** *Eucasta* (s.str.) *splendialis* (Herrich-Schäffer,[1848]) (Pyrilidae) Synonym(s): *splendialis* Herrich-Schäffer,[1848]

- 893)** *Eucosma conformana* (Mann,1872) (Tortricidae) Synonym(s): *conformana* Mann,1872; *umbratana* Staudinger,1880; *significantana* Kennel,1901.
- 894)** *Eucosma recentana* (Zerny,1933) (Tortricidae) Synonym(s): *recentana* Zerny,1933
- 895)** *Eudasyphora cyanella* (Meigen,1826) (Muscidae) Synonym(s): *cyanella* Meigen,1826
- 896)** *Eudonia delunella* (Stainton,1849) (Pyralidae) Synonym(s): *resinea* auct.; *delunella* Stainton,1849; *vandalia* Herrich-Schäffer,1851; *vandalialis* Herrich-Schäffer,1862; *pernigralis* Turati,1923
- 897)** *Eudonia speideli* Leraut,1982 (Pyralidae) Synonym(s): *speideli* Leraut,1982
- 898)** *Eugnorisma (Metagnorisma) pontica* (Staudinger,1892) (Noctuidae) Synonym(s): *pontica* Staudinger,1892
- 899)** *Euhagena palariiformis* (Lederer,1858) (Sesiidae) Synonym(s): *palariiformis* Lederer,1858; *diocriiformis* Romanoff,1884; *rubescens* Staudinger,1887; *almana* Rebel,1917
- 900)** *Eulamprotes atrella* ([Denis & Schiffmüller],1775) (Gelechiidae) Synonym(s): *atrella* [Denis & Schiffmüller],1775; *quadripunctella* Fabricius,1781; *umbriferella* Herrich-Schäffer,1854; *aurimaculella* Höfner,1896
- 901)** *Euloastra diaphora* (Staudinger,1879) (Noctuidae) Synonym(s): *diaphora* Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
- 902)** *Eumasia libanotica* Zagulyaev,1995 (Psychidae) Synonym(s): *libanotica* Zagulyaev,1995
- 903)** *Eumasia parietariella* (Heydenreich,1851) (Psychidae) Synonym(s): *parietariella* Heydenreich,1851; *crepusculella* Müller-Rutz,1920.
- 904)** *Eumasia syriaca* (Caradja,1920) (Psychidae) Synonym(s): *syriaca* Caradja,1920
- 905)** *Eumenes dubius* Saussure,1852 (Vespidae) Synonym(s): *dubius* Saussure,1852
- 906)** *Eumenes pomiformis* (Fabricius,1781) (Vespidae) Synonym(s): *pomiformis* Fabricius,1781; *turcicus* Giordani Soika,1952
- 907)** *Eupeodes nuba* (Wiedemann,1830) (Syrphidae) Synonym(s): *nuba* Wiedemann,1830; *interrumpens* Walker,1871; *rufinasutus* Bigot,1884; *novigradensis* Coe,1960
- 908)** *Eupholidoptera werneri* Ramme,1951 (Tettigoniidae) Synonym(s): *werneri* Ramme,1951
- 909)** *Euphyia frustata* (Treitschke,1828) (Geometridae) Synonym(s): *frustata* Treitschke,1828; *muscosata* Donzel,1837; *fulvocinctata* Rambur,1866
- 910)** *Eupithecia caeruleata* Favre,1899 (Geometridae) Synonym(s): *caeruleata* Favre,1899
- 911)** *Eupithecia cerussaria* (Lederer,1855) (Geometridae) Synonym(s): *cerussaria* Lederer,1855
- 912)** *Eupithecia deverrata* Dietze,1910 (Geometridae) Synonym(s): *deverrata* Dietze,1910
- 913)** *Eupithecia distinctaria* Herrich-Schäffer,[1848] (Geometridae) Synonym(s): *distinctaria* Herrich-Schäffer,[1848]; *constrictata* Guenée,[1858]; *sextiata* Dardoin & Millière,1867; *piemonticola* Schwingenschuss,1954
- 914)** *Eupithecia dubiosa* Dietze,1910 (Geometridae) Synonym(s): *dubiosa* Dietze,1910
- 915)** *Eupithecia extremata* (Fabricius,1787) (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
- 916)** *Eupithecia gemellata* Herrich-Schäffer,1861 (Geometridae) Synonym(s): *gemellata* Herrich-Schäffer,1861
- 917)** *Eupithecia gratiosata* Herrich-Schäffer,1861 (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885
- 918)** *Eupithecia laquaearia* Herrich-Schäffer,[1848] (Geometridae) Synonym(s): *laquaearia* Herrich-Schäffer,[1848]; *merinata* Guenée,[1858]
- 919)** *Eupithecia limbata* Staudinger,1879 (Geometridae) Synonym(s): *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973
- 920)** *Eupithecia mystica* Dietze,1910 (Geometridae) Synonym(s): *mystica* Dietze,1910; *wehrlii* F.Wagner,1931
- 921)** *Eupithecia oblongata* (Thunberg,1784) (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffmüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892; *chinae* Vojnits,1977.
- 922)** *Eupithecia parallelaria* Bohatsch,1893 (Geometridae) Synonym(s): *parallelaria* Bohatsch,1893
- 923)** *Eupithecia pimpinellata* (Hübner,[1813]) (Geometridae) Synonym(s): *pimpinellata* Hübner,[1813]; *altaicata* Guenée,[1858]; *lantoscata* Millière,1873; *cinerascens* Tengström,1875; *limbosignata* Dietze,1910; *elongata* Dietze,1913 *nec* Hw,1809; *retheli* L.B.Prout,1938; *variata* Schwingenschuss,1936.
- 924)** *Eupithecia quercetica* L.B.Prout,1938 (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938
- 925)** *Eupithecia schiefereri* Dietze,1904 (Geometridae) Synonym(s): *#schiefereri* Bohatsch,1893; *schiefereri* Dietze,1904; *#confluens* Dietze,1910; *#schiefererie* Pinker,1958; *#schieferi* Arnscheid,2000
- 926)** *Eupithecia silenicolata* Mabilie,1867 (Geometridae) Synonym(s): *silenicolata* Mabilie,1867
- 927)** *Eupithecia spadiceata* Zerny,1933 (Geometridae) Synonym(s): *spadiceata* Zerny,1933
- 928)** *Eupithecia spissilineata* (Metzner,1846) (Geometridae) Synonym(s): *spissilineata* Metzner,1846; *multilineata* Mann,1866.
- 929)** *Eupithecia syriacata* Staudinger,1879 (Geometridae) Synonym(s): *syriacata* Staudinger,1879; *semicaesia* W.Warren,1900.
- 930)** *Eupithecia ultimaria* Boisduval,1840 (Geometridae) Synonym(s): *ultimaria* Boisduval,1840; *tornifascia* Rothschild,1913
- 931)** *Eupithecia unedonata* (Mabilie,1868) (Geometridae) Synonym(s): *unedonata* Mabilie,1868
- 932)** *Eupithecia vulgata* (Haworth,[1809]) (Geometridae) Synonym(s): *vulgata* Haworth,[1809]; *pygmaeata* Borkhausen,1794; *clusterata* Hübner,[1813]; *austeraria* Herrich-Schäffer,1848; *atropicta* Dietze,1910; *cyrneata* Schawerda,1933
- 933)** *Euplagia quadripunctaria* (Poda,1761) (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915.
- 934)** *Eurhodope (Eurhobasis) cinerea* (Staudinger,1879) (Pyralidae) Synonym(s): *cinerea* Staudinger,1879
- 935)** *Eurrhysis cacuminalis* (Eversmann,1843) (Pyralidae) Synonym(s): *cacuminalis* Eversmann,1843
- 936)** *Eurrhysis pollinalis* ([Denis & Schiffmüller],1775) (Pyralidae) Synonym(s): *pollinalis* [Denis & Schiffmüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985
- 937)** *Eurydema (Horvatherydema) rugulosa* (Dohrn,1860) (Pentatomidae) Synonym(s): *rugulosa* Dohrn,1860; *nigrorubra* Reuter,1900; *v-rubrum* Horvath,1917; *anaemica* Horvath,1917
- 938)** *Eurytoma amygdali* Enderlein,1907 (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907
- 939)** *Eurytoma morio* Boheman,1836 (Eurytomidae) Synonym(s): *morio* Boheman,1836
- 940)** *Eutelia adoratrix* (Staudinger,1892) (Noctuidae) Synonym(s): *adoratrix* Staudinger,1892
- 941)** *Eutelia adulatrix* (Hübner,[1813]) (Noctuidae) Synonym(s): *adulatrix* Hübner,[1813]
- 942)** *Euthycera flavostriata* (Villeneuve,1912) (Sciomyzidae) Synonym(s): *flavostriata* Villeneuve,1912; *hendeli* Mayer,1953
- 943)** *Eutropha mediterranea* Becker,1910 (Chloropidae) Synonym(s): *mediterranea* Becker,1910
- 944)** *Euxoa (Pleonectopoda) hilaris* (Freyer,1838) (Noctuidae) Synonym(s): *hilaris* Freyer,1838

- 945) **Euxoa (s.str.) anarmodia (Staudinger,1897)** (Noctuidae) Synonym(s): *anarmodia* Staudinger,1897; *muricolor* Rothschild,1914; *albiorbis* Hampson,1920 (*praeocc.*); *albiorboides* Poole,1989
- 946) **Euxoa (s.str.) anatolica Draudt,1936** (Noctuidae) Synonym(s): *anatolica* Draudt,1936.
- 947) **Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937.
- 948) **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
- 949) **Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 950) **Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) Synonym(s): *distinguenda* Lederer,1857.
- 951) **Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Christoph,1893; *signata* Staudinger,1900; *achyricola* Corti,1931.
- 952) **Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
- 953) **Euxoa (s.str.) robiginosa (Staudinger,1895)** (Noctuidae) Synonym(s): *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensor* Draudt,1936; *vinirufa* Draudt,1936.
- 954) **Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *uris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 955) **Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 956) **Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyralidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimeleella* Zerny,1934.
- 957) **Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
- 958) **Euzophera (s.str.) pinguis (Haworth,[1811])** (Pyralidae) Synonym(s): *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848.
- 959) **Euzophera (s.str.) umbrosella (Staudinger,1879)** (Pyralidae) Synonym(s): *umbrosella* Staudinger,1879; *albogilvella* Ragonot,1887; *depauperatella* Ragonot,1901.
- 960) **Euzopherodes charlottae (Rebel,1914)** (Pyralidae) Synonym(s): *charlottae* Rebel,1914; *nigrolineella* Zerny,1936.
- 961) **Euzopherodes lutisignella (Mann,1869)** (Pyralidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 962) **Euzopherodes pusilla (Mabille,1906)** (Pyralidae) Synonym(s): *pusilla* Mabille,1906; *cinnamomea* Rothschild,1915; *keltella* Amsel,1935.
- 963) **Euzopherodes vapidella (Mann,1857)** (Pyralidae) Synonym(s): *vapidella* Mann,1857; *tenebrosa* Zeller,1867; *lutescentella* Chrétien,1911; *xylobrunnea* Amsel,1951.
- 964) **Evergestis caesialis Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *caesialis* Herrich-Schäffer,[1855]
- 965) **Evergestis subfuscalis (Staudinger,1870)** (Pyralidae) Synonym(s): *subfuscalis* Staudinger,1870
- 966) **Evergestis umbrosalis (Fischer v. Röslerstamm,[1842])** (Pyralidae) Synonym(s): *umbrosalis* Fischer v. Röslerstamm,[1842]
- 967) **Evisa schawerdae Reisser,1930** (Noctuidae) Synonym(s): *schawerdae* Reisser,1930
- 968) **Exaeretia ledereri (Zeller,1854)** (Oecophoridae) Synonym(s): *ledereri* Zeller,1854.
- 969) **Exhylanthrax albicingulus (Austen,1936)** (Bombyliidae) Synonym(s): *albicingulus* Austen,1936
- 970) **Exhylanthrax irrorellus (Klug,1832)** (Bombyliidae) Synonym(s): *irrorellus* Klug,1832; *inconspicua* Loew,1856
- 971) **Exoneuridia (s.str.) libanensis (Friese,1899)** (Apidae) Synonym(s): *libanensis* Friese,1899
- 972) **Exophyla rectangularis (Geyer,[1828])** (Noctuidae) Synonym(s): *rectangularis* Geyer,[1828]; *#rtangularis* Lehmann, Hacker et al.,1998
- 973) **Exoprosopa chalybaea Röder,1887** (Bombyliidae) Synonym(s): *chalybaea* Röder,1887
- 974) **Exoprosopa dispar (Loew,1869)** (Bombyliidae) Synonym(s): *dispar* Loew,1869; *interrupta* Paramonov,1928 *nec* Wied.,1828; *paramonovi* Evenhuis,1978
- 975) **Exoprosopa minos (Meigen,1804)** (Bombyliidae) Synonym(s): *minos* Meigen,1804; *semialba* Pallas & Wiedemann,1818; *germani* Wiedemann,1818; *senilis* Klug,1832; *albiventris* Macquart,1840
- 976) **Exoprosopa pectoralis Loew,1862** (Bombyliidae) Synonym(s): *pectoralis* Loew,1862
- 977) **Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris* Fabricius,1794
- 978) **Fedtschenkia libanoi Guiglia,1966** (Sapygidae) Synonym(s): *libanoi* Guiglia,1966
- 979) **Fermocelina latiusculella (Stainton,1867)** (Tineidae) Synonym(s): *latiusculella* Stainton,1867
- 980) **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900
- 981) **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839
- 982) **Furcula interrupta Christoph,1867** (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
- 983) **Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930.
- 984) **Gegenes nostradamus (Fabricius,1793)** (Hesperiidae) Synonym(s): *nostradamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940.
- 985) **Geocoris ernstheissi Carapezza,2006** (Lygaeidae) Synonym(s): *ernstheissi* Carapezza,2006
- 986) **Geron (s.str.) griseus Zaitzev,1962** (Bombyliidae) Synonym(s): *griseus* Zaitzev,1962
- 987) **Geron (s.str.) krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929
- 988) **Geron (s.str.) olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840
- 989) **Geron (s.str.) syriacus Zaitzev,2002** (Bombyliidae) Synonym(s): *syriacus* Zaitzev,2002
- 990) **Glaphyrus comosus Harold,1869** (Glaphyridae) Synonym(s): *comosus* Harold,1869
- 991) **Glaucompsyche (Iolana) lessei Bernardi,1964** (Lycaenidae) Synonym(s): *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977

- 992) **Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) Synonym(s): *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; #*sublugens* Strand,1909; #*insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976.
- 993) **Glossotrophia (Libanonia) sacraria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910
- 994) **Glossotrophia (s.str.) confinaria (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *confinaria* Herrich-Schäffer,1847
- 995) **Glyphipterix simplicella (Stephens,1834)** (Glyphipterygidae) Synonym(s): *simplicella* Stephens,1834; *cognatella* Stephens,1834; *conjunctella* Costa,1834; *colluripennella* Costa,1834; *aechmiella* Duponchel,1838; *fischeriella* Zeller,1839; *desideratella* Duponchel,1842; *roeslerstammella* Fischer v. Roeslerstamm,1843; ?*nattani* Gozmany,1954
- 996) **Glyphipterix umbilici Hering,1927** (Glyphipterygidae) Synonym(s): *umbilici* Hering,1927; *talhouki* Diakonoff,1978
- 997) **Gnophos (Cnestrognophos) libanoticus Wehrli,1931** (Geometridae) Synonym(s): *libanotica* Wehrli,1931
- 998) **Gnophos (Dicrognophos) sartatus (Treitschke,1827)** (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.
- 999) **Gomphus davidi Selys,1887** (Gomphidae) Synonym(s): *davidi* Selys,1887
- 1000) **Gonepteryx (Isogonepteryx) cleopatra (Linnaeus,1767)** (Pieridae) Synonym(s): *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920.
- 1001) **Gonepteryx (s.str.) farinosa (Zeller,1847)** (Pieridae) Synonym(s): *farinosa* Zeller,1847
- 1002) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) Synonym(s): *rhamni* Linnaeus,1758; *gravesi* Huggins,1956.
- 1003) **Gonia secunda Villeneuve,1929** (Tachinidae) Synonym(s): *secunda* Villeneuve,1929
- 1004) **Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849
- 1005) **Gortyna flavago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller],1775
- 1006) **Grammodes bifasciata (Petagna,1786)** (Noctuidae) Synonym(s): *geometrica* auct.; *bifasciata* Petagna,1786; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalciptera* Borkhausen,1792; *parallelaris* Hübner,1803].
- 1007) **Grammodes stolidia (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidia* Fabricius,1775; *cingularis* Hübner,1808]; *stupidia* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
- 1008) **Graphomya maculata (Scopoli,1763)** (Muscidae) Synonym(s): *maculata* Scopoli,1763; *compuncta* Harris,1780
- 1009) **Gryllotalpa gryllotalpa (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804
- 1010) **Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus* Ivanoff,1885; *australis* Haupt,1927
- 1011) **Gymnoscelis rufifasciata (Haworth,1809)** (Geometridae) Synonym(s): *rufifasciata* Haworth,1809]; *pumilata* Hübner,1813].
- 1012) **Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,1790] *nec* Cr.,1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,1842]; *repanda* Herrich-Schäffer,1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
- 1013) **Hadena (Anepia) sancta (Staudinger,1859)** (Noctuidae) Synonym(s): *sancta* Staudinger,1859
- 1014) **Hadena (Enterpia) laudeti (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval,1840
- 1015) **Hadena (Maschukia) pumila (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879
- 1016) **Hadena (Pronotestra) silenides (Staudinger,1895)** (Noctuidae) Synonym(s): *silenides* Staudinger,1895; *cinochrea* Chrétien,1911; *pampaninii* C.G.Krüger,1933.
- 1017) **Hadena (s.str.(Albimaculia)) adriana (Schawerda,1921)** (Noctuidae) Synonym(s): *adriana* Schawerda,1921
- 1018) **Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,1803]; *conserta* Hübner,1820].
- 1019) **Hadena (s.str.(Anatolidena)) pfeifferi (Draudt,1934)** (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934
- 1020) **Hadena (s.str.(Clarhadena)) clara (Staudinger,1901)** (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938.
- 1021) **Hadena (s.str.(Dianthoecia)) bicruris (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicruris* Hufnagel,1766; *capsincoloides* Standfuss,1893.
- 1022) **Hadena (s.str.(Dianthoecia)) impressa (Esper,1790)** (Noctuidae) Synonym(s): #*capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,1790].
- 1023) **Hadena (s.str.(Magnolihadena)) magnolii (Boisduval,1828)** (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844.
- 1024) **Hadena (s.str.(Miselia)) compta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
- 1025) **Hadula (Calocestra (Hadumendax)) mendax (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax* Staudinger,1879
- 1026) **Hadula (Calocestra (Hadumendax)) mendica (Staudinger,1895)** (Noctuidae) Synonym(s): *mendica* Staudinger,1895].
- 1027) **Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,1787]; *saucia* Esper,1790]; *infra*ina Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 1028) **Haemerosia renalis (Hübner,1813)** (Noctuidae) Synonym(s): *renalis* Hübner,1813]
- 1029) **Halictus (s.str.) aegypticola Strand,1909** (Halictidae) Synonym(s): *aegypticola* Strand,1909
- 1030) **Halictus (s.str.) alfenellus Strand,1909** (Halictidae) Synonym(s): *alfenellus* Strand,1909; *cedens* Strand,1925
- 1031) **Halictus (s.str.) patellatus Morawitz,1873** (Halictidae) Synonym(s): *patellatus* Morawitz,1873; *wagneri* Blüthgen,1937; *ifranicola* Cockerell,1937
- 1032) **Hapsifera luridella Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinisensis* Rebel,1901; *kerbelella* Amsel,1949
- 1033) **Hapsifera multiguttella (Ragonot,1895)** (Tineidae) Synonym(s): *multiguttella* Ragonot,1895; *jerichoella* Amsel,1935.
- 1034) **Harpagidia magnetella (Staudinger,1871)** (Gelechiidae) Synonym(s): *magnetella* Staudinger,1871]; *pallidibasella* Ragonot,1895
- 1035) **Hebecnema fumosa (Meigen,1826)** (Muscidae) Synonym(s): *fumosa* Meigen,1826
- 1036) **Hebecnema umbratica (Meigen,1826)** (Muscidae) Synonym(s): *umbratica* Meigen,1826
- 1037) **Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,1858]; *obscura* Staudinger,1861.
- 1038) **Hecatera cappa (Hübner,1809)** (Noctuidae) Synonym(s): *cappa* Hübner,1809]

- 1039) *Hecatera spinaciae* (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller,1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910.
- 1040) *Heinemannia festivella* ([Denis & Schiffermüller],1775)** (Agonoxenidae) Synonym(s): *festivella* [Denis & Schiffermüller,1775; *kokujevi* Krulikovskiy,1903]
- 1041) *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 1042) *Helicoverpa armigera armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 1043) *Helina clara* (Meigen,1826)** (Muscidae) Synonym(s): *clara* Meigen,1826
- 1044) *Helina evecta* (Harris,1780)** (Muscidae) Synonym(s): *evecta* Harris,1780; *lucorum* Fallén,1823
- 1045) *Helina parcepilosa* (Stein,1907)** (Muscidae) Synonym(s): *parcepilosa* Stein,1907; *calceataeformis* Schnabl,1911
- 1046) *Heliothis nubigera* Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 1047) *Heliothis peltigera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 1048) *Heliothis virespila* (Hufnagel,1766)** (Noctuidae) Synonym(s): *virespila* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 1049) *Helladia ferrugata* (Ganglbauer,1884)** (Cerambycidae) Synonym(s): *ferrugata* Ganglbauer,1884
- 1050) *Hellinsia inulae* (Zeller,1852)** (Pterophoridae) Synonym(s): *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992.
- 1051) *Hellula undalis* (Fabricius,1781)** (Pylalidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyeri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977
- 1052) *Helophorus abeillei* Guillebeau,1896** (Helophoridae) Synonym(s): *abeillei* Guillebeau,1896
- 1053) *Helophorus brevipalpis* Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis* Bedel,1881
- 1054) *Helophorus difficilis* Angus,1988** (Helophoridae) Synonym(s): *difficilis* Angus,1988
- 1055) *Helophorus hiliaris* Sharp,1916** (Helophoridae) Synonym(s): *hiliaris* Sharp,1916
- 1056) *Helophorus lapponicus* Thomson,1854** (Helophoridae) Synonym(s): *lapponicus* Thomson,1854
- 1057) *Helophorus subcarinatus* Angus,1985** (Helophoridae) Synonym(s): *subcarinatus* Angus,1985
- 1058) *Hemaris* (Cochran) *croatica* (Esper,[1779])** (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 1059) *Hemerobius zernyi* Esben-Petersen,1935** (Hemerobiidae) Synonym(s): *zernyi* Esben-Petersen,1935
- 1060) *Hemianax ephippiger* (Burmeister,1839)** (Aeshnidae) Synonym(s): *ephippiger* Burmeister,1839
- 1061) *Hemipenthes velutinus* (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820
- 1062) *Hercostomus libanicola* Parent,1933** (Dolichopodidae) Synonym(s): *libanicola* Parent,1933
- 1063) *Heriades* (Michenerella) *dalmaticus* Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951
- 1064) *Hermoniana brozai* Ünal,2006** (Tettigoniidae) Synonym(s): *brozai* Ünal,2006
- 1065) *Herpetogramma licarsialis* (Walker,1859)** (Pylalidae) Synonym(s): *licarsialis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1889; *#licarsialis* Rebel,1939
- 1066) *Hesperia comma* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.
- 1067) *Heteracris syriaca* (Brunner von Wattenwyl,1893)** (Acrididae) Synonym(s): *syriaca* Brunner von Wattenwyl,1893
- 1068) *Heteralonia* (Acrodisca) *suffusa* (Klug,1832)** (Bombyliidae) Synonym(s): *suffusa* Klug,1832; *conturbata* Loew,1869
- 1069) *Heteropalpia vetusta* (Walker,1865)** (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
- 1070) *Hierochthonia pulverata* (W.Warren,1901)** (Geometridae) Synonym(s): *pulverata* W.Warren,1901.
- 1071) *Hipparchia* (Neohipparchia) *fatua* (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kossiwigi* De Lattin,1950.
- 1072) *Hipparchia* (Pseudotergumia) *pisidice* (Klug,1832)** (Satyridae) Synonym(s): *pisidice* Klug,1832
- 1073) *Hipparchia* (s.str.) *syriaca* (Staudinger,1871)** (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
- 1074) *Hippotion celerio* (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrouzier,1864
- 1075) *Hockeria bifasciata* Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Bouček,1952; *nipponica* Habu,1960
- 1076) *Holcopogon bubulcellus* (Staudinger,1859)** (Autostichidae) Synonym(s): *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata* Walsingham,1900.
- 1077) *Holcopogon croesus* Gozmany,2000** (Autostichidae) Synonym(s): *croesus* Gozmany,2000
- 1078) *Holochelus* (Miltotrogus) *syriacus* (Brenske,1886)** (Scarabaeidae) Synonym(s): *syriacus* Brenske,1886
- 1079) *Holochelus* (s.str.) *gigas* (Sabatinelli,1977)** (Scarabaeidae) Synonym(s): *gigas* Sabatinelli,1977
- 1080) *Holochelus* (s.str.) *setiventris* (Reitter,1902)** (Scarabaeidae) Synonym(s): *setiventris* Reitter,1902
- 1081) *Holoscopia berytella* Rebel,1902** (Oecophoridae) Synonym(s): *berytella* Rebel,1902; *monticolella* Zerny,1934
- 1082) *Holoterpna pruinosa* (Staudinger,1898)** (Geometridae) Synonym(s): *pruinosa* Staudinger,1898
- 1083) *Homoeosoma* (Anhomoeosoma) *nimbella* (Duponchel,1837)** (Pylalidae) Synonym(s): *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Bentick,1930.
- 1084) *Homoeosoma* (s.str.) *sinuella* (Fabricius,1794)** (Pylalidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 1085) *Homoeosoma* (s.str.) *subalbatellum* (Mann,1864)** (Pylalidae) Synonym(s): *subalbatella* Mann,1864
- 1086) *Hoplia* (Decamera) *corniculata* Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890
- 1087) *Hoplitis* (Bytinskia) *erythrogastra* (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *erythrogastra* Mavromoustakis,1954
- 1088) *Hoplitis* (Chlidoplitis) *lysholmi* (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi* Friese,1899

- 1089) *Hoplitis (Micreriades) lebanotica* (Mavromoustakis,1955)** (Megachilidae) Synonym(s): *lebanotica Mavromoustakis,1955*
- 1090) *Hoplitis (s.str.) libanensis* (Morice,1901)** (Megachilidae) Synonym(s): *libanensis Morice,1901*
- 1091) *Hoplodrina ambigua* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua [Denis & Schiffermüller],1775; plantaginis Hübner,[1813]; uniformis Swinhoe,1885*
- 1092) *Hoplodrina pfeifferi* (Boursin,1932)** (Noctuidae) Synonym(s): *pfeifferi Boursin,1932*
- 1093) *Hyalesthes hani* Hoch,1985** (Cixiidae) Synonym(s): *hani Hoch,1985*
- 1094) *Hyalopterus pruni* (Geoffroy,1762)** (Aphididae) Synonym(s): *pruni Geoffroy,1762*
- 1095) *Hybomitra decora* (Loew,1858)** (Tabanidae) Synonym(s): *decora Loew,1858; defasciata Szilady,1923; amani Szilady,1926*
- 1096) *Hycleus aegyptiacus* (Marseul,1870)** (Meloidae) Synonym(s): *aegyptiacus Marseul,1870; conjugata Baudi di Selve,1878; chakouri Pic,1907*
- 1097) *Hycleus apicipennis* (Reiche,1866)** (Meloidae) Synonym(s): *apicipennis Reiche,1866; innesi Pic,1912; fourtani Pic,1921*
- 1098) *Hycleus argentifer* (Pic,1895)** (Meloidae) Synonym(s): *argentifer Pic,1895; henoni Fairmaire,1897; auberti Chobaut,1898*
- 1099) *Hycleus brunnipes* (Klug,1845)** (Meloidae) Synonym(s): *brunnipes Klug,1845; interrupta Pic,1898; letourneuxi Pic,1896; subrupta Wellman,1910; humeronotata Pic,1939; postmultinotata Pic,1939; adrarensis Pic,1942*
- 1100) *Hycleus tigripennis* (Marseul,1870)** (Meloidae) Synonym(s): *tigripennis Marseul,1870*
- 1101) *Hydriris ornatalis* (Duponchel,1832)** (Pyralidae) Synonym(s): *ornatalis Duponchel,1832; saturnalis Treitschke,1835; deciusalis Walker,1859; invenustalis Walker,[1866]; fraterna Butler,1875; pulchellalis Mabilie,1880 nec Mill.,1873; bifascialis Heeger,1938; orientalis Yamanaka,1972*
- 1102) *Hydromya dorsalis* (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis Fabricius,1775; punctipennis Fallén,1820; caeruleipennis R-D.,1830; obscuriventris Strobl,1899; infuscata Villeneuve,1912*
- 1103) *Hydrotaea floccosa* Macquart,1835** (Muscidae) Synonym(s): *floccosa Macquart,1835*
- 1104) *Hydrotaea ignava* (Harris,1780)** (Muscidae) Synonym(s): *ignava Harris,1780; leucostoma Wiedemann,1817*
- 1105) *Hylaeus longimaculus* (Alfken,1936)** (Colletidae) Synonym(s): *longimaculus Alfken,1936*
- 1106) *Hylaeus maculatus* (Alfken,1904)** (Colletidae) Synonym(s): *maculatus Alfken,1904*
- 1107) *Hylaeus rubicola* (Saunders,1850)** (Colletidae) Synonym(s): *rubicola Saunders,1850*
- 1108) *Hylaeus sidensis* (Warncke,1981)** (Colletidae) Synonym(s): *sidensis Warncke,1981*
- 1109) *Hylaeus syriacus* (Alfken,1936)** (Colletidae) Synonym(s): *syriacus Alfken,1936*
- 1110) *Hylaeus trifidus* (Alfken,1936)** (Colletidae) Synonym(s): *trifidus Alfken,1936*
- 1111) *Hyles conspicua* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *conspicua Rothschild & Jordan,1903*
- 1112) *Hyles livornica* (Esper,[1780])** (Sphingidae) Synonym(s): *livornica Esper,[1780]; koechlini Fuessly,1781; tatsienluica Oberthür,1916; saharae Gehlen,1932; malgassica Denso,1944; tatsienluica Oberthür,1944; renneri Eitschberger, Danner & Surholt,1998*
- 1113) *Hyles nicaea* (Prunner,1798)** (Sphingidae) Synonym(s): *nicaea Prunner,1798; cyparissiae Hübner,[1813]; #nicea De Freina,1981*
- 1114) *Hyles vespertilio* (Esper,[1780])** (Sphingidae) Synonym(s): *vespertilio Esper,[1780]*
- 1115) *Hypena (Ophiuche) lividalis* (Hübner,1796)** (Noctuidae) Synonym(s): *lividalis Hübner,1796; diagonalis Fabricius,1794; simplicialis Zeller,1852; abjurialis Walker,[1859]; scissalis Walker,[1866]; ? perna R.Felder & Rogenhofer,1873; ?bipartita Smith,1900*
- 1116) *Hypena (s.str.) obsitalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *obsitalis Hübner,[1813]*
- 1117) *Hypena munitalis* Mann,1861** (Noctuidae) Synonym(s): *munitalis Mann,1861*
- 1118) *Hypena palpalis* (Hübner,1796)** (Noctuidae) Synonym(s): *palpalis Hübner,1796; extensalis Guenée,1854; armenialis Staudinger,1901*
- 1119) *Hypena rostralis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *rostralis Linnaeus,1758*
- 1120) *Hypenodes orientalis* Staudinger,1901** (Noctuidae) Synonym(s): *orientalis Staudinger,1901; nesiota Rebel,1916*
- 1121) *Hyperlais dulcinalis* (Treitschke,1835)** (Pyralidae) Synonym(s): *dulcinalis Treitschke,1835*
- 1122) *Hypeuthina fulgurita* Lederer,1855** (Noctuidae) Synonym(s): *fulgurita Lederer,1855*
- 1123) *Hypolimnas misippus* (Linnaeus,1764)** (Argynnisidae) Synonym(s): *misippus Linnaeus,1764 inaria Cramer,[1779]; alcippoides Butler,1883*
- 1124) *Hyponephele (s.str.) lupina* (Costa,[1836])** (Satyridae) Synonym(s): *lupina Costa,[1836]*
- 1125) *Hyponephele (s.str.) lycaon* (Rottemburg,1775)** (Satyridae) Synonym(s): *lycaon Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800; rufomaculata Korb,2005*
- 1126) *Hyposcotis (Euchrognophos) dubitaria* (Staudinger,1892)** (Geometridae) Synonym(s): *dubitaria Staudinger,1892*
- 1127) *Hyposcotis (Euchrognophos) subtaurica* (Wehrli,1932)** (Geometridae) Synonym(s): *subtaurica Wehrli,1932*
- 1128) *Hyposcotis (Neognophina) pfeifferi* Wehrli,1926** (Geometridae) Synonym(s): *pfeifferi Wehrli,1926*
- 1129) *Hypotia colchicalis* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *colchicalis Herrich-Schäffer,[1855]; numidalis Hampson,1900*
- 1130) *Hypotia corticalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *corticalis [Denis & Schiffermüller],1775*
- 1131) *Hypotropa ichorella* (Lederer,1855)** (Pyralidae) Synonym(s): *ichorella Lederer,1855*
- 1132) *Iassus pseudocerris* Abdul-Nour,1998** (Cicadellidae) Synonym(s): *pseudocerris Abdul-Nour,1998*
- 1133) *Idaea affinitata* (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *affinitata A.Bang-Haas,1907*
- 1134) *Idaea allongata* (Staudinger,1898)** (Geometridae) Synonym(s): *allongata Staudinger,1898; allongaria Staudinger,1900; paulusi L.B.Prout,1935*
- 1135) *Idaea camparia* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#camparia Herrich-Schäffer,[1851]; camparia Herrich-Schäffer,[1852]; europaea Wehrli,1934*
- 1136) *Idaea capnaria* (Püngeler,1909)** (Geometridae) Synonym(s): *cineraria A.Bang-Haas,1907 nec Leec.,1897; capnaria Püngeler,1909*
- 1137) *Idaea consanguinaria* (Lederer,1853)** (Geometridae) Synonym(s): *consanguinaria Lederer,1853; consanguinata Bellier,1861; faillata Fuchs,1901; taurica A.Bang-Haas,1906; turatii Sohn-Rethel,1929*
- 1138) *Idaea consolidata* (Lederer,1853)** (Geometridae) Synonym(s): *consolidata Lederer,1853*
- 1139) *Idaea degeneraria* (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria Hübner,[1799]; degenerata Treitschke,1828; floridaria Turati,1913*
- 1140) *Idaea dimidiata* (Hufnagel,1767)** (Geometridae) Synonym(s): *dimidiata Hufnagel,1767; scutulata [Denis & Schiffermüller],1775; antitaurica Wehrli,1931 nec Wehrli,1931; tauricola Wehrli,1934*

- 1141) *Idaea elongaria* (Rambur,1833)** (Geometridae) Synonym(s): *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infermata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942.
- 1142) *Idaea epaphrodita* (Wehrli,1934)** (Geometridae) Synonym(s): *epaphrodita* Wehrli,1934; *serrataria* Sterneck,1934.
- 1143) *Idaea filicata* (Hübner,[1799])** (Geometridae) Synonym(s): *filicata* Hübner,[1799]; *filicaria* Duponchel,1830; *levequei* Leraut,2003
- 1144) *Idaea gracilipennis* (W.Warren,1901)** (Geometridae) Synonym(s): *gracilipennis* W.Warren,1901; *#rubrolineata* Schwingenschuss,1933
- 1145) *Idaea holliata* (Homberg,1909)** (Geometridae) Synonym(s): *holliata* Homberg,1909
- 1146) *Idaea inclinata* (Lederer,1855)** (Geometridae) Synonym(s): *inclinata* Lederer,1855
- 1147) *Idaea intermedia* (Staudinger,1879)** (Geometridae) Synonym(s): *intermedia* Staudinger,1879
- 1148) *Idaea maronitaria* (Zerny,1933)** (Geometridae) Synonym(s): *maronitaria* Zerny,1933
- 1149) *Idaea obsoletaria* (Rambur,1833)** (Geometridae) Synonym(s): *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 nec Wlk.,1861
- 1150) *Idaea ochrata* (Scopoli,1763)** (Geometridae) Synonym(s): *ochrata* Scopoli,1763; *#ochreatea* [Denis & Schiffermüller],1775; *corrugata* Fabricius,1781; *ochrearia* Schrank,1802 nec Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901
- 1151) *Idaea ossiculata* (Lederer,1871)** (Geometridae) Synonym(s): *ossiculata* Lederer,1871
- 1152) *Idaea palaestinensis* (Sterneck,1933)** (Geometridae) Synonym(s): *antitaurica* Wehrli,1932 nec Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934.
- 1153) *Idaea politaria* (Hübner,[1799])** (Geometridae) Synonym(s): *politata* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901
- 1154) *Idaea ruficostata* Zeller,1847** (Geometridae) Synonym(s): *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852.
- 1155) *Idaea saida* (Wiltshire,1968)** (Geometridae) Synonym(s): *saida* Wiltshire,1968
- 1156) *Idaea straminata* (Borkhausen,1794)** (Geometridae) Synonym(s): *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmata* Guenée,[1858]
- 1157) *Idaea striolata* (Staudinger,1892)** (Geometridae) Synonym(s): *striolata* Staudinger,1892
- 1158) *Idaea subpurpurata* (Staudinger,1900)** (Geometridae) Synonym(s): *subpurpurata* Staudinger,1900
- 1159) *Idaea tineata* (Thierry-Mieg,1911)** (Geometridae) Synonym(s): *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931.
- 1160) *Idaea trigeminata* (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830.
- 1161) *Imbecilla* (Linnavuori,1962)** (Cicadellidae) Synonym(s): *imbecilla* Linnavuori,1962; *libanotica* Dbalola,1965
- 1162) *Infurcitinea karmeliella* (Amsel,1935)** (Tineidae) Synonym(s): *karmeliella* Amsel,1935
- 1163) *Iphiclidides podalirius* (Linnaeus,1758)** (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926.
- 1164) *Iranada turcorum* (Zerny,1915)** (Noctuidae) Synonym(s): *turcorum* Zerny,1915
- 1165) *Irochrotus maculiventris* (Germar,1839)** (Scutelleridae) Synonym(s): *maculiventris* Germar,1839; *villosus* Herrich-Schäffer,1839; *hirtus* A.Costa,1842
- 1166) *Isauria dilucidella* (Duponchel,1836)** (Pylalidae) Synonym(s): *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *grisescens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970
- 1167) *Ischnopeza pallipes* Puton,1892** (Lygaeidae) Synonym(s): *pallipes* Puton,1892
- 1168) *Isoceras bipunctatum* (Staudinger,1887)** (Cossidae) Synonym(s): *bipunctatum* Staudinger,1887
- 1169) *Isophrictis anthemidella* (Wocke,1871)** (Gelechiidae) Synonym(s): *anthemidella* Wocke,1871
- 1170) *Isophya savignyi* Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *savignyi* Brunner von Wattenwyl,1878; *festae* Griffini,1893
- 1171) *Isophya triangularis* Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *triangularis* Brunner von Wattenwyl,1891
- 1172) *Issoria lathonia* (Linnaeus,1758)** (Argynniidae) Synonym(s): *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933.
- 1173) *Isturgia berytaria* (Staudinger,1892)** (Geometridae) Synonym(s): *berytaria* Staudinger,1892
- 1174) *Isturgia perviaria* (Lederer,1855)** (Geometridae) Synonym(s): *perviaria* Lederer,1855; *albofascia* Swinhoe,1885
- 1175) *Isturgia perviaria perviaria* (Lederer,1855)** (Geometridae) Synonym(s): *perviaria* Lederer,1855; *albofascia* Swinhoe,1885
- 1176) *Jodia croceago* (Fabricius,1787)** (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiago* Donovan,1796; *corsica* Mabille,1868
- 1177) *Jordanita* (Praviela) *anatolica* (Naufock,1929)** (Zygaenidae) Synonym(s): *anatolica* Naufock,1929; *levantina* Jordan,1931; *pfeifferi* Naufock,1935; *?christinae* Keil,1998.
- 1178) *Jordanita* (Roccia) *hector* (Jordan,1909)** (Zygaenidae) Synonym(s): *hector* Jordan,1909; *#monotona* Alberti,1937
- 1179) *Jordanita* (s.str.) *syriaca* (Alberti,1937)** (Zygaenidae) Synonym(s): *syriaca* Alberti,1937
- 1180) *Jordanita* (s.str.) *tenuicornis* (Zeller,1847)** (Zygaenidae) Synonym(s): *tenuicornis* Zeller,1847
- 1181) *Kenneliola fagiglandana* (Zeller,1841)** (Tortricidae) Synonym(s): *grossana* Haworth,[1811] nec Thunb.,1791; *fagiglandana* Zeller,1841.
- 1182) *Keradere lepidella* (Ragonot,1887)** (Pylalidae) Synonym(s): *lepidella* Ragonot,1887
- 1183) *Keradere tengstroemiella* (Erschoff,1874)** (Pylalidae) Synonym(s): *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879.
- 1184) *Kirinia* (Melike) *roxelana* (Cramer,[1777])** (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989
- 1185) *Labidostomis* (s.str.) *diversifrons* Lefebvre,1876** (Chrysomelidae) Synonym(s): *diversifrons* Lefebvre,1876; *speculifrons* Kraatz,1872; *attenuata* Pic,1897
- 1186) *Labidostomis* (s.str.) *hebraea* (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *hebraea* Lacordaire,1848; *limbata* Lacordaire,1848; *jota* Reiche,1854; *posticejuncta* Pic,1912; *bijuncta* Pic,1912; *bisbijuncta* Pic,1912
- 1187) *Labidostomis* (s.str.) *maculipennis* Lefebvre,1870** (Chrysomelidae) Synonym(s): *maculipennis* Lefebvre,1870; *kindermanni* Kraatz,1872
- 1188) *Lacanobia* (Diataraxia) *oleracea* (Linnaeus,1758)** (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
- 1189) *Laminacutus libanensis* Abdul-Nour,2001** (Cicadellidae) Synonym(s): *libanensis* Abdul-Nour,2001

- 1190)** *Lamoria anella* ([Denis & Schiffermüller],1775) (Pylalidae) Synonym(s): *anella* [Denis & Schiffermüller],1775
- 1191)** *Lamoria brevinaevella* Zerny,1934 (Pylalidae) Synonym(s): *brevinaevella* Zerny,1934
- 1192)** *Lamoria ruficostella* Ragonot,1888 (Pylalidae) Synonym(s): *ruficostella* Ragonot,1888
- 1193)** *Lampides boeticus* (Linnaeus,1767) (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
- 1194)** *Lampromeloe cavensis* (Petagna,1819) (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Géné,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867
- 1195)** *Lampyrus berytensis* Fairmaire,1866 (Lampyridae) Synonym(s): *berytensis* Fairmaire,1866
- 1196)** *Lanelater judaicus* (Reiche & Sauley,1856) (Elateridae) Synonym(s): *judaicus* Reiche & Sauley,1856
- 1197)** *Laodelphax striatellus* (Fallén,1826) (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943
- 1198)** *Laothoe populeti* (Bienert,[1870]) (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 1199)** *Laphria dizonias* Loew,1847 (Asilidae) Synonym(s): *dizonias* Loew,1847; *integra* Becker,1912
- 1200)** *Larentia clavaria* Haworth,[1809] (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
- 1201)** *Lasiocampa grandis* (Rogenhofer,1891) (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891
- 1202)** *Lasiocampa terreni* (Herrich-Schäffer,1847) (Lasiocampidae) Synonym(s): *terreni* Herrich-Schäffer,1847
- 1203)** *Lasiocampa trifolii* ([Denis & Schiffermüller],1775) (Lasiocampidae) Synonym(s): *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *ratamae* Herrich-Schäffer,1851; *bathseba* Staudinger,1891; *maculosa* Rogenhofer,1891
- 1204)** *Lasioglossum (Ctenonomia) vagans* (Smith,1858) (Halictidae) Synonym(s): *vagans* Smith,1858
- 1205)** *Lasioglossum (Evylaeus) damascenum* (Pérez,1910) (Halictidae) Synonym(s): *damascenum* Pérez,1910
- 1206)** *Lasioglossum (Evylaeus) enslini* Ebmer,1972 (Halictidae) Synonym(s): *enslini* Ebmer,1972
- 1207)** *Lasioglossum (Evylaeus) euboense* (Strand,1909) (Halictidae) Synonym(s): *euboense* Strand,1909
- 1208)** *Lasioglossum (Evylaeus) ituraeum* Ebmer,1972 (Halictidae) Synonym(s): *ituraeum* Ebmer,1972
- 1209)** *Lasioglossum (Evylaeus) marginatum* (Brullé,1832) (Halictidae) Synonym(s): *marginatum* Brullé,1832
- 1210)** *Lasiommata maera* (Linnaeus,1758) (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 1211)** *Lasiommata megera* (Linnaeus,1767) (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 1212)** *Latoia inexpectata* (Staudinger,1895) (Limacodidae) Synonym(s): *inexpectata* Staudinger,1895
- 1213)** *Leistus (Pogonophorus) hermonis Piochard,1875* (Carabidae) Synonym(s): *hermonis* Piochard,1875
- 1214)** *Lemonia beirutica* Daniel,1965 (Lemoniidae) Synonym(s): *beirutica* Daniel,1965
- 1215)** *Leptidea duponcheli* (Staudinger,1871) (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003
- 1216)** *Leptidea sinapis* (Linnaeus,1758) (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiatarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
- 1217)** *Leptidea sinapis sinapis* (Linnaeus,1758) (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiatarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
- 1218)** *Leptocera (s.str.) fontinalis* (Fallén,1826) (Sphaeroceridae) Synonym(s): *fontinalis* Fallén,1826
- 1219)** *Leptocera (s.str.) nigra* Olivier,1813 (Sphaeroceridae) Synonym(s): *nigra* Olivier,1813; *curvinervis* Stenhammar,1854; *roralis* Rondani,1880
- 1220)** *Leptochilus tarsatellus* Giordani Soika,1970 (Vespidae) Synonym(s): *tarsatellus* Giordani Soika,1970
- 1221)** *Leptophyes bolivari* (Kirby,1906) (Tettigoniidae) Synonym(s): *bolivari* Kirby,1906
- 1222)** *Leptophyes festae* Giglio-Tos,1893 (Tettigoniidae) Synonym(s): *festae* Giglio-Tos,1893
- 1223)** *Leptotes pirithous* (Linnaeus,1767) (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
- 1224)** *Lertha sheppardi* (Kirby,1904) (Nemopteridae) Synonym(s): *sheppardi* Kirby,1904
- 1225)** *Lethaeus nitidus* (Douglas & Scott,1868) (Lygaeidae) Synonym(s): *nitidus* Douglas & Scott,1868
- 1226)** *Leucania herrichi* Herrich-Schäffer,[1849] (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,[1849]
- 1227)** *Leucania loreyi* (Duponchel,1827) (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 1228)** *Leucania punctosa* (Treitschke,1825) (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
- 1229)** *Leucania putrescens* (Hübner,[1824]) (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
- 1230)** *Leuctra hippopus* Kempny,1899 (Leuctridae) Synonym(s): *hippopus* Kempny,1899
- 1231)** *Libanissum talhouki* (Dlabola,1974) (Issidae) Synonym(s): *talhouki* Dlabola,1974
- 1232)** *Limenitis (Azuritis) reducta* Staudinger,1901 (Argynniidae) Synonym(s): *reducta* Staudinger,1901.
- 1233)** *Linnophora obsignata* (Rondani,1866) (Muscidae) Synonym(s): *obsignata* Rondani,1866; *ostensackenii* Jaennicke,1867
- 1234)** *Lispe caesia* Meigen,1826 (Muscidae) Synonym(s): *caesia* Meigen,1826
- 1235)** *Lispe nana* Macquart,1835 (Muscidae) Synonym(s): *nana* Macquart,1835; *pulchella* Loew,1847; *melitensis* Rondani,1866; *meridionalis* Rondani,1877
- 1236)** *Lispe pygmaea* Fallén,1825 (Muscidae) Synonym(s): *pygmaea* Fallén,1825; *tenuipalpis* Zetterstedt,1846; *simplicissima* Loew,1847; *suturata* Rondani,1866; *longiuscula* Rondani,1877
- 1237)** *Lispe tentaculata* (De Geer,1776) (Muscidae) Synonym(s): *tentaculata* De Geer,1776; *fluviatilis* R-D.,1830; *tarsalis* R-D.,1830; *tibialis* Macquart,1839; *dissona* Villeneuve,1936
- 1238)** *Lispocephala miki* (Strobl,1893) (Muscidae) Synonym(s): *miki* Strobl,1893
- 1239)** *Lissonota (s.str.) superbator* Aubert,1967 (Ichneumonidae) Synonym(s): *superbator* Aubert,1967
- 1240)** *Listrognathus orientalis* Horstmann,1989 (Ichneumonidae) Synonym(s): *orientalis* Horstmann,1989
- 1241)** *Lithophane lapidea* (Hübner,[1808]) (Noctuidae) Synonym(s): *lapidea* Hübner,[1808]
- 1242)** *Lithophasia venosula* Staudinger,1892 (Noctuidae) Synonym(s): *venosula* Staudinger,1892

- 1243)** *Lithurgus chrysurus Fonscolombe, 1834* (Megachilidae) Synonym(s): *chrysurus Fonscolombe, 1834*; *analis Lepeletier, 1841*; *haemorrhoidalis Lepeletier, 1841*; *monocerus Morawitz, 1873*
- 1244)** *Lobesia (s.str.) fictana (Kennel, 1901)* (Tortricidae) Synonym(s): *fictana Kennel, 1901*
- 1245)** *Lobesia (s.str.) porrectana (Zeller, 1847)* (Tortricidae) Synonym(s): *porrectana Zeller, 1847*
- 1246)** *Lobesia (s.str.) vitisana (Jacquin, 1788)* (Tortricidae) Synonym(s): *#botrana [Denis & Schiffermüller], 1775*; *vitisana Jacquin, 1788*; *rosmarinana Milliere, 1865*.
- 1247)** *Longitarsus eminus Furth, 1979* (Chrysomelidae) Synonym(s): *eminus Furth, 1979*
- 1248)** *Loxostege fovealis (Hampson, 1900)* (Pyralidae) Synonym(s): *fovealis Hampson, 1900*
- 1249)** *Loxostege straminealis (Hampson, 1900)* (Pyralidae) Synonym(s): *straminealis Hampson, 1900*
- 1250)** *Lucanus (s.str.) cervus (Linnaeus, 1758)* (Lucanidae) Synonym(s): *cervus Linnaeus, 1758*; *capreolus Fuessly, 1775* nec Linn., 1758; *dorcus Müller, 1776*; *capra Olivier, 1789*; *hircus Herbst, 1790*; *inermis Marsham, 1802*; *grandis Haworth, 1807*; *microcephalus Mulsant, 1842*; *lusitanicus Hope & Westwood, 1845*
- 1251)** *Luciola kervillei E. Olivier, 1909* (Lampyridae) Synonym(s): *kervillei E. Olivier, 1909*
- 1252)** *Luperina diversa (Staudinger, 1892)* (Noctuidae) Synonym(s): *diversa Staudinger, 1892*; *indistincta Rebel, 1933*
- 1253)** *Luperina rubella (Duponchel, 1835)* (Noctuidae) Synonym(s): *mediosignata Turati, 1930*; *sericea Caradja, 1932*; *thurneri Schawerda, 1938*.
- 1254)** *Lycaena (Loweia) tityrus (Poda, 1761)* (Lycaenidae) Synonym(s): *tityrus Poda, 1761*; *acirion [Brünnich], 1763*; *orientalis Staudinger, 1881*; *argentifex Balint, 1990*.
- 1255)** *Lycaena (s.str.) phlaeas (Linnaeus, 1761)* (Lycaenidae) Synonym(s): *phlaeas Linnaeus, 1761*; *virgaureae Fourcroy, 1785* nec Linn., 1758; *eleus Fabricius, 1798*; *aestivus Zeller, 1850*; *schmidtii Gerhard, 1853*
- 1256)** *Lycaena (Thersamonia) asabinus (Gerhard, [1850])* (Lycaenidae) Synonym(s): *#helius Herrich-Schäffer, [1851]*; *asabinus Herrich-Schäffer, [1852]*.
- 1257)** *Lycaena (Thersamonia) kefersteinii (Gerhard, [1850])* (Lycaenidae) Synonym(s): *kefersteinii Gerhard, [1850]*; *phaeton Freyer, [1850]*; *#ochimus Herrich-Schäffer, [1851]*; *ochimus Herrich-Schäffer, [1852]*.
- 1258)** *Lycaena (Thersamonia) kurdistanicus (Riley, 1921)* (Lycaenidae) Synonym(s): *kurdistanica Riley, 1921*
- 1259)** *Lycaena (Thersamonia) thetis (Klug, 1834)* (Lycaenidae) Synonym(s): *thetis Klug, 1834*.
- 1260)** *Lycophorus ankarensis (Rebel, 1931)* (Noctuidae) Synonym(s): *ankarensis Rebel, 1931*; *wichgrafi Corti & Draudt, 1933*; *#ankariensis Hacker, 2001*
- 1261)** *Lycophorus tischendorfi (Püngeler, 1915)* (Noctuidae) Synonym(s): *tischendorfi Püngeler, 1915* (nec 1925!); *flagrans Püngeler, 1925*; *libanotica Corti & Draudt, 1933*.
- 1262)** *Lygaeosoma angulare Reuter, 1885* (Lygaeidae) Synonym(s): *angulare Reuter, 1885*
- 1263)** *Lygephila (s.str.) craccae (Fabricius, 1787)* (Noctuidae) Synonym(s): *#craccae [Denis & Schiffermüller], 1775*; *craccae Fabricius, 1787*; *nigricollis Villers, 1789*; *riata Rungs, 1952*; *caliginosa Schawerda, 1931*; *herrerai Yela, 1990*; *#craccae Hacker & Kautt, 1999*.
- 1264)** *Macdunnoughia confusa (Stephens, 1850)* (Noctuidae) Synonym(s): *confusa Stephens, 1850*; *gutta Guenée, 1852*.
- 1265)** *Macroglossum stellatarum (Linnaeus, 1758)* (Sphingidae) Synonym(s): *stellatarum Linnaeus, 1758*; *nigra Cosmovici, 1892*.
- 1266)** *Macromyrme sinuata (Olivier, 1811)* (Mutillidae) Synonym(s): *sinuata Olivier, 1811*; *villosa Klug, 1829*
- 1267)** *Macronemurus appendiculatus (Latreille, 1807)* (Myrmeleontidae) Synonym(s): *appendiculatus Latreille, 1807*; *insidiosus Walker, 1853*; *platycerus Navas, 1919*; *weissi Navas, 1921*; *surcoufi Navas, 1928*
- 1268)** *Macronemurus linearis (Klug, 1834)* (Myrmeleontidae) Synonym(s): *linearis Klug, 1834*; *ibericus Navas, 1927*
- 1269)** *Macrophya ottomana Mocsary, 1881* (Tenthredinidae) Synonym(s): *ottomana Mocsary, 1881*
- 1270)** *Macroscytus brunneus (Fabricius, 1803)* (Cydnidae) Synonym(s): *brunneus Fabricius, 1803*; *proximus Rambur, 1839*; *opacus Stål, 1854*; *scutellaris Horvath, 1919*; *exiguus Horvath, 1919*
- 1271)** *Macrotylus talhouki Wagner, 1976* (Miridae) Synonym(s): *talhouki Wagner, 1976*
- 1272)** *Malacosoma castrensis (Linnaeus, 1758)* (Lasiocampidae) Synonym(s): *castrensis Linnaeus, 1758*; *ksiezopolskii Sheljuzhko, 1943*
- 1273)** *Maladera (Macroserica) phoenicica Petrovitz, 1969* (Scarabaeidae) Synonym(s): *phoenicica Petrovitz, 1969*
- 1274)** *Maladera (Macroserica) punctatissima (Faldermann, 1835)* (Scarabaeidae) Synonym(s): *punctatissima Faldermann, 1835*
- 1275)** *Malthinus conspicuus Kiesenwetter, 1852* (Cantharidae) Synonym(s): *conspicuus Kiesenwetter, 1852*
- 1276)** *Malthodes berytensis Reiche, 1857* (Cantharidae) Synonym(s): *berytensis Reiche, 1857*; *thoracica Sahlberg, 1902*; *grypopygus Pic, 1912*
- 1277)** *Maniola (Telmessiola) telmessia (Zeller, 1847)* (Satyridae) Synonym(s): *telmessia Zeller, 1847*; *pallenscens Butler, 1868*; *kurdistanica Heyne, 1894*; *oreas Le Cerf, 1912*; *maniolides Le Cerf, 1912*; *ornata Turati & Fiori, 1930*; *marenigrans Verity, 1938*; *pelekassii Kattulas & Koutsafikis, 1978*.
- 1278)** *Manulea (s.str.) wiltshirei (Tams, 1939)* (Arctiidae) Synonym(s): *wiltshirei Tams, 1939*
- 1279)** *Marumba quercus ([Denis & Schiffermüller], 1775)* (Sphingidae) Synonym(s): *quercus [Denis & Schiffermüller], 1775*; *denisii Fuessly, 1779*; *#brunnescens Rebel, 1910*; *#canescens, pallenscens Closs, 1922*; *mesopotamica O. Bang-Haas, 1938*; *schirasi O. Bang-Haas, 1938*; *#pallida Vilarubia, 1973*.
- 1280)** *Mecyna lutulentalis (Lederer, 1858)* (Pyralidae) Synonym(s): *lutulentalis Lederer, 1858*
- 1281)** *Megalodes eximia (Freyer, 1845)* (Noctuidae) Synonym(s): *eximia Freyer, 1845*
- 1282)** *Megalodontes escalerae Konow, 1899* (Megalodontesidae) Synonym(s): *escalerae Konow, 1899*
- 1283)** *Megalodontes judaicus (Lepeletier, 1823)* (Megalodontesidae) Synonym(s): *judaicus Lepeletier, 1823*; *caesariensis Lepeletier, 1823*; *leucostictus Zaddach, 1865*; *punctatus Konow, 1898*; *candidatus Konow, 1899*
- 1284)** *Megalonotus brevicornis (Puton, 1883)* (Lygaeidae) Synonym(s): *brevicornis Puton, 1883*
- 1285)** *Meganola togatalis (Hübner, 1796)* (Noctuidae) Synonym(s): *togatulus Hübner, 1796*; *togatulana Duponchel, 1845*
- 1286)** *Megas libanoticella Zerny, 1934* (Pyralidae) Synonym(s): *libanoticella Zerny, 1934*; *#libanotidella Osthelder, 1934*.
- 1287)** *Megatelus contractus (Klug, 1845)* (Scarabaeidae) Synonym(s): *contractus Klug, 1845*
- 1288)** *Megatelus contractus (Klug, 1845)* (Scarabaeidae) Synonym(s): *contractus Klug, 1845*
- 1289)** *Melanargia (Turcargia) titea (Klug, 1832)* (Satyridae) Synonym(s): *titea Klug, 1832*
- 1290)** *Melitaea (Cinclidia) (phoebe) punica Oberthür, 1876* (Argynnididae) Synonym(s): *punica Oberthür, 1876*
- 1291)** *Melitaea (Cinclidia) collina Lederer, 1861* (Argynnididae) Synonym(s): *collina Lederer, 1861*
- 1292)** *Melitaea (Didymaeformis) deserticola Kirby, 1877* (Argynnididae) Synonym(s): *#deserticola Oberthür, 1876*; *deserticola Kirby, 1877*
- 1293)** *Melitaea (Didymaeformis) didyma (Esper, [1779])* (Argynnididae) Synonym(s): *didyma Esper, [1779]*; *armoricana Oberthür, 1909*.

- 1294) Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnidae) Synonym(s): *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803
- 1295) Melitaea (Didymaeformis) perseae Kollar,[1849]** (Argynnidae) Synonym(s): *perseae* Kollar,[1849]; *caucasica* Staudinger,1861; *magnacasta* Verity,1929; *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *caucasicola* Bryk,1940; *hafiz* Higgins,1941; *gina* Higgins,1941; *darius* Gross & Ebert,1975; *pfeifferi* Gross & Ebert,1975 (*praeoc.*); *wernickei* Gross & Ebert,1975; *elbursicola* Gross & Ebert,1975; *safawides* Gross & Ebert,1975.
- 1296) Meloe (Eurymeloe) mediterraneus J.Müller,1925** (Meloidae) Synonym(s): *mediterraneus* J.Müller,1925
- 1297) Meloe (Meloegonius) rufiventris (Germar,1817)** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889
- 1298) Melolontha (s.str.) excisicauda Balthasar,1936** (Scarabaeidae) Synonym(s): *excisicauda* Balthasar,1936
- 1299) Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883
- 1300) Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *rufitibius* Rondani,1845; *graeus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Lioy,1864
- 1301) Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes* Sack,1913
- 1302) Merodon italicus Rondani,1845** (Syrphidae) Synonym(s): *italicus* Rondani,1845; *longicornis* Sack,1913; *affinis* Gil Collado,1930
- 1303) Merrifieldia baliodactyla (Zeller,1841)** (Pterophoridae) Synonym(s): *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *daliodactylus* Bruand,1850; *meridionalis* Staudinger,1880.
- 1304) Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
- 1305) Mesapamea (s.str.) secalis (Linnaeus,1758)** (Noctuidae) Synonym(s): *secalis* Linnaeus,1758
- 1306) Mesolia furuncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller],1775; *spoliatricula* [Denis & Schiffermüller],1775; *bicoloria* Villers,1789; *vinctuncula* Hübner,[1803]; *humeralis* Haworth,1809; *terminalis* Haworth,1809; *rufuncula* Haworth,1809
- 1307) Mesolia literosa (Haworth,[1809])** (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erratricula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918
- 1308) Mesoptyelus impictifrons (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons* Horvath,1911; *arcifer* Horvath,1911; *seminiger* Horvath,1911; *quinquemaculatus* Horvath,1911; *vestitus* Horvath,1911; *obscurus* Lindberg,1923
- 1309) Metachrostis dardouini (Boisduval,1840)** (Noctuidae) Synonym(s): *dardouini* Boisduval,1840; *velox* Treitschke nec Hbn.,[1813]; *mendacula* Freyer,1841; *dilutior* Schwingenschuss,1926
- 1310) Metachrostis velocior (Staudinger,1892)** (Noctuidae) Synonym(s): *velocior* Staudinger,1892
- 1311) Metachrostis velox (Hübner,[1813])** (Noctuidae) Synonym(s): *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *mendacularis* Treitschke,1829; *tarda* Turati,1926; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930
- 1312) Metacrambus carectellus (Zeller,1847)** (Pyralidae) Synonym(s): *carectellus* Zeller,1847; *lugdunellus* Millière,1868; *truncatellus* Caradja,1916.
- 1313) Metallosticha argyrogrammos (Zeller,1847)** (Pyralidae) Synonym(s): *argyrogrammos* Zeller,1847
- 1314) Metallostichodes nigrocyanea (Constant,1865)** (Pyralidae) Synonym(s): *nigrocyanea* Constant,1865; *chalcocyanea* Staudinger & Wocke,1871.
- 1315) Metallostichodes vinaceella (Ragonot,1895)** (Pyralidae) Synonym(s): *vinaceella* Ragonot,1895 ; *#vinacellum* Rebel,1939
- 1316) Metalopha (s.str.) ingloria Draudt,1933** (Noctuidae) Synonym(s): *ingloria* Draudt,1933; *splendida* Amsel,1933
- 1317) Metasia (s.str.) albicostalis Hampson,1900** (Pyralidae) Synonym(s): *albicostalis* Hampson,1900
- 1318) Metasia (s.str.) subtilialis Caradja,1917** (Pyralidae) Synonym(s): *subtilialis* Caradja,1917
- 1319) Metasia (s.str.) virginalis Ragonot,1894** (Pyralidae) Synonym(s): *virginalis* Ragonot,1894; *fulvilinealis* Hampson,1900; *#virginalis* Rebel,1901; *phthoneropsis* Meyrick,1937
- 1320) Metopoceras (s.str.) omar (Oberthür,1887)** (Noctuidae) Synonym(s): *omar* Oberthür,1887
- 1321) Metzneria aestivella (Zeller,1839)** (Gelechiidae) Synonym(s): *aestivella* Zeller,1839; *carlinella* Stainton,1851; *selaginella* Mann,1855; *torridella* Mann.
- 1322) Metzneria aprilella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *aprilella* Herrich-Schäffer,[1854]
- 1323) Metzneria artificella (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): *artificella* Herrich-Schäffer,1861; *litigiosella* Milliere,1879.
- 1324) Metzneria ehikeella Gozmany,1954** (Gelechiidae) Synonym(s): *ehikeella* Gozmany,1954
- 1325) Metzneria lappella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *lappella* Linnaeus,1758; *silacea* Haworth,1828; *silacella* Wood,1839.
- 1326) Metzneria paucipunctella (Zeller,1839)** (Gelechiidae) Synonym(s): *paucipunctella* Zeller,1839; *zimmermanni* Hering,1940; *confusalis* Lucas,1955.
- 1327) Metzneria varennei Nel,1997** (Gelechiidae) Synonym(s): *pannonicella* Rebel,1915; *varennei* Nel,1997.
- 1328) Micropeza grallatrix Loew,1868** (Micropezidae) Synonym(s): *grallatrix* Loew,1868
- 1329) Microtelus carenceps Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *carenceps* Reiche & Saulcy,1857
- 1330) Millieria dolosana (Herrich-Schäffer,[1854])** (Choreutidae) Synonym(s): *#dolosalis* Heydenreich,1851; *dolosana* Herrich-Schäffer,[1854]; *#dolasana* Desmarest,[1857]
- 1331) Miltogramma (Dichiracantha) oestraceum (Fallén,1820)** (Sarcophagidae) Synonym(s): *oestracea* Fallén,1820; *tessellatum* Meigen,1824; *basillans* Pandellé,1895
- 1332) Miltogramma (s.str.) punctatum Meigen,1824** (Sarcophagidae) Synonym(s): *punctatum* Meigen,1824; *arcuata* Zetterstedt,1844; *sempunctatum* Meigen,1838; *laterale* R-D.,1863; *macquarti* R-D.,1863; *punctatellum* R-D.,1863
- 1333) Mimas tiliae (Linnaeus,1758)** (Sphingidae) Synonym(s): *tiliae* Linnaeus,1758
- 1334) Minettia (s.str.) czernyi Freidberg & Yarom,1990** (Lauxaniidae) Synonym(s): *quadrissetosa* Czerny,1927 nec Beck.,1907; *czernyi* Freidberg & Yarom,1990
- 1335) Minilimosina (Allolimosina) alloneura (Richards,1952)** (Sphaeroceridae) Synonym(s): *alloneura* Richards,1952
- 1336) Mirificarma (s.str. (s.str.)) eburnella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 nec [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeoformosella* Bruand,1859.
- 1337) Mirificarma (s.str. (s.str.)) flavella (Duponchel,[1844])** (Gelechiidae) Synonym(s): *flavella* Duponchel,[1844]; *segetella* Zeller,1847.
- 1338) Mirificarma (s.str. (s.str.)) rhodoptera (Mann,1866)** (Gelechiidae) Synonym(s): *rhodoptera* Mann,1866.

- 1339) *Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)*** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927
- 1340) *Molophilus (s.str.) obscurus (Meigen,1818)*** (Limoniidae) Synonym(s): *obscurus* Meigen,1818
- 1341) *Monodontomerus obscurus Westwood,1833*** (Torymidae) Synonym(s): *obscurus* Westwood,1833
- 1342) *Monopis imella (Hübner,[1813])*** (Tineidae) Synonym(s): *imella* Hübner,[1813]; *nitidella* Zagulyaev,1960.
- 1343) *Morellia nilotica (Loew,1856)*** (Muscidae) Synonym(s): *nilotica* Loew,1856; *syriaca* Séguy,1935
- 1344) *Mormo maura (Linnaeus,1758)*** (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cyprica* Hacker,1996
- 1345) *Musaria astarte (Ganglbauer,1885)*** (Cerambycidae) Synonym(s): *astarte* Ganglbauer,1885
- 1346) *Musca (Plaxemya) osiris Wiedemann,1830*** (Muscidae) Synonym(s): *osiris* Wiedemann,1830; *sugillatrix* R-D,1830
- 1347) *Musca (Plaxemya) vitripennis Meigen,1826*** (Muscidae) Synonym(s): *vitripennis* Meigen,1826
- 1348) *Musca albina Wiedemann,1830*** (Muscidae) Synonym(s): *albina* Wiedemann,1830; *beckeri* Schnabl,1911
- 1349) *Musca domestica Linnaeus,1758*** (Muscidae) Synonym(s): *domestica* Linnaeus,1758; *nebulo* Fabricius,1794; *vicina* Macquart,1851; *determinata* Walker,1853
- 1350) *Musca larvipara Portschinsky,1910*** (Muscidae) Synonym(s): *larvipara* Portschinsky,1910; *mesopotamiensis* Patton,1920
- 1351) *Musca sorbens Wiedemann,1830*** (Muscidae) Synonym(s): *sorbens* Wiedemann,1830; *humilis* Wiedemann,1830; *primitiva* Walker,1849
- 1352) *Muschampia hieromax (Hemming,1932)*** (Hesperiidae) Synonym(s): *hieromax* Hemming,1932
- 1353) *Muschampia nomas (Lederer,1855)*** (Hesperiidae) Synonym(s): *nomas* Lederer,1855
- 1354) *Muschampia poggei (Lederer,1858)*** (Hesperiidae) Synonym(s): *poggei* Lederer,1858
- 1355) *Muschampia proteides (F.Wagner,1929)*** (Hesperiidae) Synonym(s): *proteides* F.Wagner,1929; *lycaonius* F.Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Auni,2001 [misident.]; *#lycaonius* Benjamini & Auni,2001
- 1356) *Muschampia proto (Ochsenheimer,1808)*** (Hesperiidae) Synonym(s): *proto* Ochsenheimer,1808
- 1357) *Muscina stabulans (Fallén,1817)*** (Muscidae) Synonym(s): *stabulans* Fallén,1817
- 1358) *Muscula muscula (Staudinger,1899)*** (Arctiidae) Synonym(s): *muscula* Staudinger,1899
- 1359) *Mycterodus (Aegaeum) phoenicicus Gnezdilov,2008*** (Issidae) Synonym(s): *phoenicicus* Gnezdilov,2008
- 1360) *Myelois (Gnathogutta) circumdatella Lederer,1858*** (Pyralidae) Synonym(s): *circumdatella* Lederer,1858; *ottoella* Schawerda,1924
- 1361) *Myelois (Gnathogutta) osseella (Ragonot,1887)*** (Pyralidae) Synonym(s): *osseella* Ragonot,1887
- 1362) *Myelois (Gnathogutta) pluripunctella (Ragonot,1887)*** (Pyralidae) Synonym(s): *pluripunctella* Ragonot,1887
- 1363) *Myelois (Gnathogutta) pumicosa Lederer,1855*** (Pyralidae) Synonym(s): *pumicosa* Lederer,1855
- 1364) *Myelois (Gnathogutta) umbratella (Treitschke,1832)*** (Pyralidae) Synonym(s): *umbratella* Treitschke,1832; *ossicolor* Ragonot,1893; *unipunctella* Chrétien,1911
- 1365) *Myinodes shohami Hausmann,1994*** (Geometridae) Synonym(s): *shohami* Hausmann,1994
- 1366) *Mylabris (Chrysabris) hemprichi Klug,1845*** (Meloidae) Synonym(s): *hemprichi* Klug,1845; *kocheri* Pardo Alcaide,1945
- 1367) *Myopa minor Strobl,1906*** (Conopidae) Synonym(s): *minor* Strobl,1906
- 1368) *Myrlaea albistrigata (Staudinger,1881)*** (Pyralidae) Synonym(s): *albistrigata* Staudinger,1881
- 1369) *Myrmeleon (Morter) hyalinus (Olivier,1811)*** (Myrmeleonidae) Synonym(s): *hyalinus* Olivier,1811
- 1370) *Myrmilla (s.str.) erythrocephala (Latreille,1792)*** (Mutillidae) Synonym(s): *erythrocephala* Latreille,1792; *latreillei* Meyer,1794; *cornuta* Olivier,1811; *megacephala* Costa,1858; *bison* Costa,1887
- 1371) *Myrmoecia libanensis (Pic,1901)*** (Staphylinidae) Synonym(s): *libanensis* Pic,1901
- 1372) *Mythimna (Aletia) l-album (Linnaeus,1767)*** (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881
- 1373) *Mythimna (Aletia) straminea (Treitschke,1825)*** (Noctuidae) Synonym(s): *straminea* Treitschke,1825
- 1374) *Mythimna (Aletia) vitellina (Hübner,[1808])*** (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellina* Lederer,1870; *decolorata* Dannehl,1929; *saturation* Dannehl,1929; *griseus* Dannehl,1929.
- 1375) *Mythimna (Hyphilare) ferrago (Fabricius,1787)*** (Noctuidae) Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926
- 1376) *Mythimna (Morphopoliana) languida (Walker,1858)*** (Noctuidae) Synonym(s): *consanguis* auct. nec Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952.
- 1377) *Mythimna (Pseudaletia) unipuncta (Haworth,[1809])*** (Noctuidae) Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsaftikis,1974.
- 1378) *Nebula adlata (Staudinger,[1895])*** (Geometridae) Synonym(s): *adlata* Staudinger,[1895]
- 1379) *Nebula juvenilata (Zerny,1933)*** (Geometridae) Synonym(s): *juvenilata* Zerny,1933
- 1380) *Nebula ludificata (Staudinger,1870)*** (Geometridae) Synonym(s): *ludificata* Staudinger,1870; *decipitata* Staudinger,1901
- 1381) *Nebula reclamata (L.B.Prout,1914)*** (Geometridae) Synonym(s): *reclamata* L.B.Prout,1914
- 1382) *Nebula schneideraria (Lederer,1855)*** (Geometridae) Synonym(s): *schneideraria* Lederer,1855
- 1383) *Nemapogon granella (Linnaeus,1758)*** (Tineidae) Synonym(s): *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763 (praeocc.); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873; *fuscocomaculella* Chambers,1875; *mancuniella* Hodgkinson,1880; *nigroatomella* Dietz,1905; *fuscicomella* Wörz,1958
- 1384) *Nemapogon signatella G.Petersen,1957*** (Tineidae) Synonym(s): *signatellus* G.Petersen,1957
- 1385) *Nemapogon vartianae Gaedike,1986*** (Tineidae) Synonym(s): *vartianae* Gaedike,1986
- 1386) *Nemestrinus reticulatus Latreille,1802*** (Nemestrinidae) Synonym(s): *reticulatus* Latreille,1802; *latreillei* Fischer,1812; *cinctus* Macquart,1840; *kindermanni* Bischoff,1905
- 1387) *Nemophora cupriacella (Hübner,[1819])*** (Adelidae) Synonym(s): *cupriacella* Hübner,[1819]
- 1388) *Nemophora istrianella (Heydenreich,1851)*** (Adelidae) Synonym(s): *istrianella* Heydenreich,1851; *dalmatinellus* Zeller,1853; *beyruthella* Bruand,1858; *chlorista* Meyrick,1912
- 1389) *Nemotelus (s.str.) syriacus Lindner,1933*** (Stratiomyidae) Synonym(s): *syriacus* Lindner,1933; *aterrimus* Szilady,1941
- 1390) *Neobodilus ghardimaouensis (Balthasar,1929)*** (Scarabaeidae) Synonym(s): *ghardimaouensis* Balthasar,1929
- 1391) *Neognopharmia stevenaria (Boisduval,1840)*** (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841
- 1392) *Neomyia cornicina (Fabricius,1781)*** (Muscidae) Synonym(s): *cornicina* Fabricius,1781; *viridis* Wiedemann,1824; *caesarion* Meigen,1826 nec Bechstein & Scharfenberg,1805; *fennica* Frey,1909

- 1393) *Nephrotoma cornicina* (Linnaeus,1758)** (Tipulidae) Synonym(s): *cornicina* Linnaeus,1758; *flavomaculata* De Geer,1776; *iridicolor* Schummel,1833; *sannio* Meigen,1838; *petiolata* Zetterstedt,1838; *nigrina* Savchenko,1973
- 1394) *Nephrotoma scalaris* (Meigen,1818)** (Tipulidae) Synonym(s): *scalaris* Meigen,1818; *imperialis* Meigen,1818
- 1395) *Nephus quadrimaculatus* (Herbst,1783)** (Coccinellidae) Synonym(s): *quadrimaculatus* Herbst,1783
- 1396) *Neuroleon argutus* (Navas,1914)** (Myrmeleonidae) Synonym(s): *argutus* Navas,1914
- 1397) *Neuroleon tenellus* (Klug,1834)** (Myrmeleonidae) Synonym(s): *tenellus* Klug,1834; *naxensis* Navas,1915
- 1398) *Niditinea tugurialis* (Meyrick,1932)** (Tineidae) Synonym(s): *tugurialis* Meyrick,1932; *unipunctella* Zagulyaev,1960
- 1399) *Noctua (Euschesis) janthina* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900.
- 1400) *Noctua (Latanoctua) orbona* (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
- 1401) *Noctua (Paranoctua) comes* (Hübner,[1813])** (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 1402) *Noctua (s.str.) pronuba* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piesz.,1908; *decolorata* Turati,1923.
- 1403) *Noctuelia superba* (Freyer,[1844])** (Pyralidae) Synonym(s): *superba* Freyer,[1844]
- 1404) *Noctuelia vespertalis* Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *vespertalis* Herrich-Schäffer,[1855]; *#gilvalis* Zerny,1914.
- 1405) *Nodaria nodosalis* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *nodosalis* Herrich-Schäffer,[1851]; *aethiopolis* Herrich-Schäffer,[1851]; *hispanalis* Guenée,1854; *aesopusalis* Walker,[1859]; *#nododalis* Hacker,1992.
- 1406) *Nola chlamitulalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamitulalis* Hübner,[1813]; *chlamydulana* Duponchel,[1845]
- 1407) *Nola harouni* (Wiltshire,1951)** (Noctuidae) Synonym(s): *harouni* Wiltshire,1951; *dilmuna* Wiltshire,1961.
- 1408) *Nola squalida* Staudinger,1871** (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henriotti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947
- 1409) *Nola subchlamydule* Staudinger,1870** (Noctuidae) Synonym(s): *subchlamydule* Staudinger,1870
- 1410) *Nomada caspia* Morawitz,1895** (Apidae) Synonym(s): *caspia* Morawitz,1895; *graeca* Schwarz,1967
- 1411) *Nomada glaberrima* Schmiedeknecht,1882** (Apidae) Synonym(s): *glaberrima* Schmiedeknecht,1882; *graja* Mocsary,1883
- 1412) *Nomophila noctuella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859
- 1413) *Nonagria typhae* (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787.
- 1414) *Norrbomia marginatis* (Adams,1905)** (Sphaeroceridae) Synonym(s): *marginatis* Adams,1905
- 1415) *Noterus clavicornis* (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774
- 1416) *Nothris verbascella* (Brahm,1791)** (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828; *clarella* Amsel,1935
- 1417) *Notiphila semimaculata* Becker,1926** (Ephydriidae) Synonym(s): *semimaculata* Becker,1926
- 1418) *Notocelia cynosbatella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775; *#cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967.
- 1419) *Notocelia uddmanniana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *uddmanniana* Linnaeus,1758; *rubiana* Scopoli,1763; *achata* Hübner,[1799]
- 1420) *Notodoma lewisi* Reitter,1910** (Histeridae) Synonym(s): *lewisi* Reitter,1910
- 1421) *Notoxus appendicinus* Desbr.,1875** (Anthicidae) Synonym(s): *appendicinus* Desbr.,1875
- 1422) *Nychiodes (Eunychiodes) amygdalaria* (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *amygdalaria* Herrich-Schäffer,[1848]
- 1423) *Nychiodes (Eunychiodes) divergaria* (Staudinger,1892)** (Geometridae) Synonym(s): *divergaria* Staudinger,1892
- 1424) *Nychiodes (Fritzwagneria) palaestinensis* F.Wagner,1919** (Geometridae) Synonym(s): *palaestinensis* F.Wagner,1919
- 1425) *Nychiodes (Fritzwagneria) persuavis* Wehrli,1929** (Geometridae) Synonym(s): *persuavis* Wehrli,1929
- 1426) *Nyctegretis lineana* (Scopoli,1786)** (Pyralidae) Synonym(s): *lineana* Scopoli,1786; *achatinella* Hübner,[1824].
- 1427) *Nycteola columbana* (Turner,1925)** (Noctuidae) Synonym(s): *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958.
- 1428) *Nycteola revayana* (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 nec Hbn.,1787
- 1429) *Nycteribia (s.str.) schmidlii* Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853
- 1430) *Nyctophila libani* (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *libani* Laporte de Castelnau,1833; *insignis* Ancey,1870
- 1431) *Nymphalis polychloros* (Linnaeus,1758)** (Argynniidae) Synonym(s): *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896.
- 1432) *Nymphorgerius gemmatus* Horvath,1929** (Dictyopharidae) Synonym(s): *gemmatus* Horvath,1929
- 1433) *Ochlodes venatus* (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s): *venatus* Bremer & Grey,[1852]
- 1434) *Ochlodes venatus faunus* (Turati,1905)** (Hesperiidae) Synonym(s): *sylvanus* Esper,1777 nec Dru.,[1773]; *melicerta* Bergsträßer,1780 nec Dru.,[1773]; *faunus* Turati,1905; *septentrionalis* Verity,1919; *taurica* Gaede,1931; *alexandra* Hemming,1934; *esperii* Verity,1934; *nicaeensis* Praviel,1948; *concoulense* Picard,1948; *hesperodoron* Kaufman,1956
- 1435) *Ochroleura leucogaster* (Freyer,1831)** (Noctuidae) Synonym(s): *leucogaster* Freyer,1831
- 1436) *Ochroleura plecta* (Linnaeus,1761)** (Noctuidae) Synonym(s): *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unuplecta* Bryk,1942.
- 1437) *Ochsenheimeria taurella* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *taurella* [Denis & Schiffermüller],1775; *mediopectinellus* Haworth,1828; *birdella* Curtis,1831; *trifasciata* Wocke,1871; *hederarum* Millière,1874; *talhouki* Amsel,1947; *baurilla* Zagulyaev,1966
- 1438) *Ocnogyna (s.str.) bellieri* (Lederer,1855)** (Arctiidae) Synonym(s): *bellieri* Lederer,1855; *banghaasi* Staudinger,1895.
- 1439) *Ocnogyna (s.str.) herrichi* Staudinger,1879** (Arctiidae) Synonym(s): *herrichi* Staudinger,1879
- 1440) *Ocnogyna (s.str.) loewii* (Zeller,1846)** (Arctiidae) Synonym(s): *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931.
- 1441) *Odice suava* (Hübner,[1813])** (Noctuidae) Synonym(s): *suava* Hübner,[1813].
- 1442) *Odites (Gozmaniola) kollarella* (Costa,[1836])** (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836]

- 1443) **Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856
- 1444) **Oecia oecophila (Staudinger,1876)** (Autostichidae) Synonym(s): *oecophila* Staudinger,1876; *maculata* Walsingham,1897; *busadeli* Rebel,1910.
- 1445) **Oedipoda schochi Saussure,1884** (Acrididae) Synonym(s): *schochi* Saussure,1884; *caucasica* Saussure,1884
- 1446) **Oegoconia caradjai Popescu-Gorj & Capuse,1965** (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse,1965
- 1447) **Oligia latruncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775
- 1448) **Olivenebula subsericata (Herrich-Schäffer,1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
- 1449) **Omphalophana antirrhinii (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803]
- 1450) **Oncocephalus trichocnemis Horvath,1911** (Reduviidae) Synonym(s): *trichocnemis* Horvath,1911
- 1451) **Oncocera semirubella (Scopoli,1763)** (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 *nec* Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
- 1452) **Onitis damoetas Steven,1806** (Scarabaeidae) Synonym(s): *damoetas* Steven,1806; *laevigatus* Olivier,1811; *steveni* Brullé,1832
- 1453) **Onthophagus (Amphionthophagus) falzonii Goidanich,1926** (Scarabaeidae) Synonym(s): *falzonii* Goidanich,1926
- 1454) **Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas* Olivier,1789
- 1455) **Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces* Fabricius,1792; *hybneri* Fabricius,1792
- 1456) **Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis* Redtenbacher,1843; *hyrcanicus* Kabakov,1982
- 1457) **Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet,1927** (Scarabaeidae) Synonym(s): *muelleri* Novak,1921; *novaki* Boucomont & Gillet,1927
- 1458) **Onthophagus (Palaeonthophagus) ponticus Harold,1883** (Scarabaeidae) Synonym(s): *ponticus* Harold,1883; *furcicornis* Reitter,1893; *granulifer* Reitter,1893; *granulosus* Kozhantschikov,1894; *gorhami* Shipp,1895; *krali* Balthasar,1963; *citellorum* Medvedev,1965
- 1459) **Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae) Synonym(s): *truchmenus* Kolenati,1846; *araxicola* Reitter,1893; *latiplage* Reitter,1897; *xerces* Petrovitz,1965
- 1460) **Onthophagus (s.str.) circulator Reitter,1891** (Scarabaeidae) Synonym(s): *circulator* Reitter,1891
- 1461) **Onychogomphus lefebvrei (Rambur,1842)** (Gomphidae) Synonym(s): *lefebvrei* Rambur,1842
- 1462) **Onychogomphus macrodon (Selys,1887)** (Gomphidae) Synonym(s): *macrodon* Selys,1887
- 1463) **Opacifrons coxata (Stenhammar,1855)** (Sphaeroceridae) Synonym(s): *coxata* Stenhammar,1855
- 1464) **Ophiusa tirhaca (Cramer,[1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 1465) **Opisthograptis luteolata (Linnaeus,1758)** (Geometridae) Synonym(s): *luteolata* Linnaeus,1758; *crataegata* Linnaeus,1761; *crataegaria* Hübner,[1823]; *#emaculata* Graeser,1892; *impunctata* Osthelder,1931.
- 1466) **Orchamus yersini (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): *raulinii* Yersin,1860 *nec* Lucas,1854; *yersini* Brunner von Wattenwyl,1882
- 1467) **Orgyia dubia (Tauscher,1806)** (Lymantriidae) Synonym(s): *dubia* Tauscher,1806
- 1468) **Orgyia trigotephras Boisduval,1829** (Lymantriidae) Synonym(s): *trigotephras* Boisduval,1829; *etrusca* Verity,1905.
- 1469) **Oria musculosa (Hübner,[1808])** (Noctuidae) Synonym(s): *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889.
- 1470) **Ornativulva plutelliformis (Staudinger,1859)** (Gelechiidae) Synonym(s): *plutelliformis* Staudinger,1859; *sinuatella* Walsingham,1904
- 1471) **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali* Zhantiev,2001
- 1472) **Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonym(s): *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemma* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905
- 1473) **Orthopygia fulvociliaris (Duponchel,1834)** (Pyralidae) Synonym(s): *fulvociliaris* Duponchel,1834
- 1474) **Orthosia (Monima) pulverulenta (Esper,[1786])** (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 1475) **Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 *nec* Hu.,1809; *pallidior* Staudinger,1901 *nec* Stgr.,1888
- 1476) **Orthosia cypriaca Hacker,1996** (Noctuidae) Synonym(s): *cypriaca* Hacker,1996
- 1477) **Orthostixis cribraria (Hübner,[1799])** (Geometridae) Synonym(s): *cribraria* Hübner,[1799].
- 1478) **Osmia (Helicosmia) aurulenta (Panzer,1799)** (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801
- 1479) **Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899
- 1480) **Osmia (Helicosmia) mirhiji Mavromoustakis,1957** (Megachilidae) Synonym(s): *mirhiji* Mavromoustakis,1957
- 1481) **Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914
- 1482) **Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875
- 1483) **Osmia (Hoplosmia) spinigera Latreille,1811** (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869
- 1484) **Osmia (Pyrosmia) nana Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetradonta* Benoist,1934
- 1485) **Osmia (Pyrosmia) saxicola Dücke,1899** (Megachilidae) Synonym(s): *saxicola* Dücke,1899; *caelestina* Benoist,1929; *cypriola* Mavromoustakis,1937; *postii* Mavromoustakis,1956; *riemanni* Warncke,1992
- 1486) **Osmia (Pyrosmia) submicans Morawitz,1870** (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996
- 1487) **Osmia (Pyrosmia) versicolor Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992
- 1488) **Osmia (s.str.) mustelina Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978

- 1489) **Osminia fenusaeformis (Herrich-Schäffer, 1852)** (Sesiidae) Synonym(s): *fenusaeformis* Herrich-Schäffer, 1852; *fenusiformis* Staudinger, 1856
- 1490) **Otites caph (Loew, 1854)** (Uliidiidae) Synonym(s): *caph* Loew, 1854
- 1491) **Oxycara laevigatum (Reiche & Saulcy, 1857)** (Tenebrionidae) Synonym(s): *laevigatum* Reiche & Saulcy, 1857
- 1492) **Oxycara laevigatum Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *laevigatum* Reiche & Saulcy, 1857
- 1493) **Oxycera limbata Loew, 1862** (Stratiomyidae) Synonym(s): *limbata* Loew, 1862
- 1494) **Oxypoda libanotica Fagel, 1965** (Staphylinidae) Synonym(s): *libanotica* Fagel, 1965
- 1495) **Oxyptilus parvidactylus (Haworth, [1811])** (Pterophoridae) Synonym(s): *parvidactylus* Haworth, [1811]; *microdactylus* Samouelle, 1819; *obscurus* Zeller, 1841; *hemididactylus* Selys-Longchamps, 1845; *dentellus* Zeller, 1852; *obscuridactyla* Bruand, 1859; *hofmannseggii* Möschler, 1866; *maroocanensis* Amsel, 1956.
- 1496) **Oxythyrea abigail Reiche, 1856** (Scarabaeidae) Synonym(s): *abigail* Reiche, 1856
- 1497) **Oxythyrea cinctella (Schaum, 1841)** (Scarabaeidae) Synonym(s): *albella* Illiger, 1802 (praeocc.); *cinctella* Schaum, 1841; *natalia* Olsufiev, 1917
- 1498) **Oxythyrea noemi Reiche & Saulcy, 1856** (Scarabaeidae) Synonym(s): *noemi* Reiche & Saulcy, 1856
- 1499) **Pachybrachis (s.str.) libanicola Rey, 1883** (Chrysomelidae) Synonym(s): *libanicola* Rey, 1883
- 1500) **Pachybrachis (s.str.) sidonius Pic, 1914** (Chrysomelidae) Synonym(s): *sidonius* Pic, 1914
- 1501) **Pachybrachis (s.str.) tessellatus (Olivier, 1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier, 1791; *tauricus* Suffrian, 1848; *bisignatus* Redtenbacher, 1849; *aethiops* Weise, 1882; *picturatus* Rey, 1883; *orientalis* Weise, 1894; *syriacus* Weise, 1900; *melanopygus* Müller, 1953
- 1502) **Pachycephus smyrnensis Stein, 1876** (Cephidae) Synonym(s): *smyrnensis* Stein, 1876; *aeneovarius* Kohl, 1905; *brevis* Ghigi, 1915; *sanctus* Pic, 1916; *notativentris* Pic, 1916
- 1503) **Pachypasa otus (Drury, [1773])** (Lasiocampidae) Synonym(s): *otus* Drury, [1773]
- 1504) **Pachyscelis chrysomeloides (Olivier, 1795)** (Tenebrionidae) Synonym(s): *chrysomeloides* Olivier, 1795; *coriacea* Klug, 1830; *kraatzii* Baudi, 1875; *piochardi* Desbrochers, 1881
- 1505) **Paidia (s.str.) albescens (Staudinger, 1892)** (Arctiidae) Synonym(s): *albescens* Staudinger, 1892
- 1506) **Palpita testalis (Fabricius, 1794)** (Pylalidae) Synonym(s): *testalis* Fabricius, 1794; *incoloralis* Guenée, 1854; *ruficostalis* Lederer, 1855; *albidalis* Walker, [1866]; *putrescens* Meyrick, 1934
- 1507) **Palpita vitrealis (Rossi, 1794)** (Pylalidae) Synonym(s): *vitrealis* Rossi, 1794; *unionalis* Hübner, 1796; *quinquepunctalis* Boisduval, 1833; *transvisalis* Guenée, 1854; *suralis* Lederer, 1863; *septempunctalis* Mabille, 1880
- 1508) **Palumbina guerinii (Stainton, [1857])** (Gelechiidae) Synonym(s): *guerinii* Stainton, [1857]; *terebintella* Rondani, 1876; *pistaciae* Anagnostopoulos, 1935.
- 1509) **Pammene nannodes Walsingham, 1900** (Tortricidae) Synonym(s): *nannodes* Walsingham, 1900; *macilentana* Kennel, 1901
- 1510) **Pamparama acuta (Freyer, [1837])** (Noctuidae) Synonym(s): *acuta* Freyer, [1837]; *producta* Lederer, 1857; *pygmaea* Staudinger, 1871.
- 1511) **Panstegia aerealis (Hübner, 1793)** (Pylalidae) Synonym(s): *aerealis* Hübner, 1793; *unicolor* Rebel, 1917.
- 1512) **Papilio (s.str. (Alexanoria)) alexanor Esper, [1800]** (Papilionidae) Synonym(s): *polidamas* De Prunner, 1787 *nec* Linn., 1758; *alexanor* Esper, [1800]; *polychaon* Loche, 1801; *destelensis* Nel & Chauliac, 1983.
- 1513) **Papilio (s.str.) machaon Linnaeus, 1758** (Papilionidae) Synonym(s): *machaon* Linnaeus, 1758; *reginae* Retzius, 1783; *umbellatarum* Fabricius, 1807; *aurantiaca* Speyer, 1858.
- 1514) **Parahypopta caestrum (Hübner, [1808])** (Cossidae) Synonym(s): *caestrum* Hübner, [1808]; *teredo* Boisduval, 1829; *radoti* Homberg, 1911; *nigrosignatus* Rothschild, 1912.
- 1515) **Parallelia algira (Linnaeus, 1767)** (Noctuidae) Synonym(s): *algira* Linnaeus, 1767; *achatina* Sulzer, 1776; *alterna* Villers, 1789; *triangularis* Hübner, [1803] *nec* Thunb., 1784; *albivitta* Guenée, 1852; *festina* Walker, 1858; *olympia* Swinhoe, 1885; *europa* Schawerda, 1912
- 1516) **Parallelia rogenhoferi (Bohatsch, 1880)** (Noctuidae) Synonym(s): *rogenhoferi* Bohatsch, 1880; *mirabilis* Romanoff, 1885; *triangulata* Swinhoe, 1889.
- 1517) **Parallelia torrida (Guenée, 1852)** (Noctuidae) Synonym(s): *torrida* Guenée, 1852; *albivitta* Guenée, 1852; *festina* Walker, 1858; *#zorrida* Hacker, [1987]
- 1518) **Parapholidoptera syriaca (Ramme, 1930)** (Tettigoniidae) Synonym(s): *syriaca* Ramme, 1930
- 1519) **Pararge aegeria (Linnaeus, 1758)** (Satyridae) Synonym(s): *aegeria* Linnaeus, 1758; *meone* Cramer, 1782; *egeria* Ochsenheimer, 1807; *sardoa* Verity, 1908.
- 1520) **Pararhodobates syriacus (Lederer, 1857)** (Tineidae) Synonym(s): *syriacus* Lederer, 1857; *macropodella* Erschoff, 1874
- 1521) **Parascotia detersa (Staudinger, 1892)** (Noctuidae) Synonym(s): *detersa* Staudinger, 1892
- 1522) **Parastenolechia nigrinotella (Zeller, 1847)** (Gelechiidae) Synonym(s): *nigrinotella* Zeller, 1847; *nigralbella* Herrich-Schäffer, [1854].
- 1523) **Parexarnis obsoleta (Corti, 1933)** (Noctuidae) Synonym(s): *obsoleta* Corti, 1933; *obsoleta* Corti & Draudt, 1933
- 1524) **Parnassius (Driopa) mnemosyne (Linnaeus, 1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus, 1758
- 1525) **Parocneria raddei (Christoph, 1885)** (Lymantriidae) Synonym(s): *raddei* Christoph, 1885
- 1526) **Pedestredorcasion berytense (Breuning, 1964)** (Cerambycidae) Synonym(s): *berytense* Breuning, 1964
- 1527) **Pedestredorcasion bruno (Breuning, 1964)** (Cerambycidae) Synonym(s): *bruno* Breuning, 1964
- 1528) **Pedestredorcasion drusum (Chevrolat, 1870)** (Cerambycidae) Synonym(s): *drusum* Chevrolat, 1870; *libanoticum* Kraatz, 1873; *forcipiferum* Bodenheimer, 1937
- 1529) **Pedestredorcasion libanoticum (Kraatz, 1873)** (Cerambycidae) Synonym(s): *libanoticum* Kraatz, 1873; *apicale* Chevrolat, 1873; *perrini* Fairmaire, 1881; *tarabuliense* Ganglbauer, 1888; *claresuturatum* Breuning, 1946
- 1530) **Pediasia desertella (Lederer, 1855)** (Pylalidae) Synonym(s): *desertellus* Lederer, 1855
- 1531) **Pedicia (Amalopis) occulta (Meigen, 1830)** (Pedicidae) Synonym(s): *occulta* Meigen, 1830
- 1532) **Pedochrista medullana (Staudinger, 1880)** (Tortricidae) Synonym(s): *medullana* Staudinger, 1880
- 1533) **Pempelia obductella Zeller, 1839** (Pylalidae) Synonym(s): *obductella* Zeller, 1839
- 1534) **Pempelia palumbella ([Denis & Schiffermüller], 1775)** (Pylalidae) Synonym(s): *palumbella* [Denis & Schiffermüller], 1775
- 1535) **Pempelia sordida Staudinger, 1879** (Pylalidae) Synonym(s): *sordida* Staudinger, 1879
- 1536) **Pentodon idiota (Herbst, 1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst, 1789
- 1537) **Pentodon quadridens (Gebler, 1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler, 1845
- 1538) **Peribatodes correptarius (Zeller, 1847)** (Geometridae) Synonym(s): *correptaria* Zeller, 1847.
- 1539) **Peribatodes rhomboidarius [Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller], 1775; *inaequalis* Goeze, 1781; *gemmaria* Brahm, 1791; *ichnusaria* Ghiliani, 1852; *corsicaria* Schawerda, 1931; *saerdabensis* Wehrli, 1943

- 1540) Peribatodes secundarius** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#secundaria* [Denis & Schiffermüller],1775; *fallentaria* Staudinger,1879; *druentaria* Cleu,1928; *syrisca* Wehrli,1933; *francosuevica* Schneider,1942; *rometschi* Schneider,1942; *occidentaria* Lempke,1953
- 1541) Peribatodes umbrarius** (Hübner,[1809]) (Geometridae) Synonym(s): *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
- 1542) Pericyma albidentaria** (Freyer,1842) (Noctuidae) Synonym(s): *albidentaria* Freyer,1842
- 1543) Pericyma squalens** Lederer,1855 (Noctuidae) Synonym(s): *squalens* Lederer,1855
- 1544) Peridroma saucia** (Hübner,[1808]) (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 1545) Perigrapha (Opacographa (Turcographa)) mundoides** (Boursin,1940) (Noctuidae) Synonym(s): *mundoides* Boursin,1940
- 1546) Peripontius concolor** (Desbrochers,1875) (Elateridae) Synonym(s): *concolor* Desbrochers,1875
- 1547) Perissomastix (s.str.) crassicornella** (Zeller,1847) (Tineidae) Synonym(s): *crassicornella* Zeller,1847
- 1548) Petalographis orientalis** (G.Petersen,1961) (Tineidae) Synonym(s): *orientalis* G.Petersen,1961
- 1549) Pezotettix cottoi** Dirsh,1949 (Acrididae) Synonym(s): *cottoi* Dirsh,1949
- 1550) Phaenotheriolum steindachneri** (Frivaldsky,1883) (Anthribidae) Synonym(s): *steindachneri* Frivaldsky,1883
- 1551) Phaenotheriolum villosum** Frieser,1978 (Anthribidae) Synonym(s): *villosum* Frieser,1978
- 1552) Phaenotheriosoma besucheti** Frieser,1978 (Anthribidae) Synonym(s): *besucheti* Frieser,1978
- 1553) Phaenotheriosoma loebli** Frieser,1978 (Anthribidae) Synonym(s): *loebli* Frieser,1978
- 1554) Phaioграмма etruscaria** (Zeller,1849) (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903.
- 1555) Phalacropterix bruandi** (Lederer,1855) (Psychidae) Synonym(s): *bruandi* Lederer,1855
- 1556) Phalera bucephaloides** (Ochsenheimer,1810) (Notodontidae) Synonym(s): *bucephaloides* Ochsenheimer,1810
- 1557) Phalonidia contractana** (Zeller,1847) (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 1558) Phalonidia manniana** (Fischer v. Röslerstamm,1839) (Tortricidae) Synonym(s): *manniana* Fischer v. Röslerstamm,1839; *notulana* Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960.
- 1559) Phaneroptera (s.str.) sparsa** Stal,1857 (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspersa* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 nec Fieb.,1853; *sexpunctata* Navas,1928; *tenuicercia* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966
- 1560) Phantia ramana** Dlabola,1965 (Flatidae) Synonym(s): *ramana* Dlabola,1965
- 1561) Phantia subquadrata** (Herrich-Schäffer,1838) (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838
- 1562) Phaonia rufiventris** (Scopoli,1763) (Muscidae) Synonym(s): *rufiventris* Scopoli,1763; *scutellaris* Fallén,1825; *populi* Meigen,1826
- 1563) Phaselia deliciosaria** (Lederer,1855) (Geometridae) Synonym(s): *deliciosaria* Lederer,1855
- 1564) Phlebotomus (Larroussius) kandelakii** Shchurenkova,1929 (Psychodidae) Synonym(s): *kandelakii* Shchurenkova,1929
- 1565) Phlebotomus (Larroussius) tobbsi** Adler & Theodor,1930 (Psychodidae) Synonym(s): *tobbsi* Adler & Theodor,1930; *pirumovi* Burakova & Mirzayan,1934
- 1566) Phlebotomus (Paraphlebotomus) sergenti** Parrot,1917 (Psychodidae) Synonym(s): *sergenti* Parrot,1917; *similis* Perfilev,1963
- 1567) Phlebotomus (s.str.) papatasi** (Scopoli,1786) (Psychodidae) Synonym(s): *papatasi* Scopoli,1786; *molesta* Costa,1840; *breviventris* Ristorcelli,1943
- 1568) Phlogophora meticulosa** (Linnaeus,1758) (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993
- 1569) Phragmocossia libani** Daniel,1933 (Cossidae) Synonym(s): *libani* Daniel,1933
- 1570) Phragmataecia territa** Staudinger,1878 (Cossidae) Synonym(s): *territa* Staudinger,1878
- 1571) Phragmatobia fuliginosa** (Linnaeus,1758) (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934
- 1572) Phragmatobia placida** (Frivaldsky,1835) (Arctiidae) Synonym(s): *placida* Frivaldsky,1835
- 1573) Phtheochroa dodrantaria** Razowski,1970 (Tortricidae) Synonym(s): *dodrantaria* Razowski,1970
- 1574) Phtheochroa duponchelana** (Duponchel,1843) (Tortricidae) Synonym(s): *duponchelana* Duponchel,1843; *duponcheliana* Costa,1847; *gloriosana* Herrich-Schäffer,1851; *syriaca* Walsingham,1900
- 1575) Phtheochroa sodaliana** (Haworth,1811) (Tortricidae) Synonym(s): *sodaliana* Haworth,1811; *amandana* Herrich-Schäffer,1851.
- 1576) Phycita pedisignella** Ragonot,1887 (Pyralidae) Synonym(s): *pedisignella* Ragonot,1887
- 1577) Phycita poteriella** (Zeller,1846) (Pyralidae) Synonym(s): *poteriella* Zeller,1846
- 1578) Phycita roborella** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *#roborella* [Denis & Schiffermüller],1775; *spissicella* Fabricius,1777; *spissicornis* Fabricius,1798; *roboralis* Hübner,[1825].
- 1579) Phycitodes albatella** (Ragonot,1887) (Pyralidae) Synonym(s): *albatella* Ragonot,1887
- 1580) Phycitodes binaevella** (Hübner,[1813]) (Pyralidae) Synonym(s): *binaevella* Hübner,[1813].
- 1581) Phycitodes carlinella** (Heinemann,1865) (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901
- 1582) Phycitodes inquinatella** (Ragonot,1887) (Pyralidae) Synonym(s): *inquinatella* Ragonot,1887
- 1583) Phycitodes lacteella** (Rothschild,1915) (Pyralidae) Synonym(s): *lacteella* Rothschild,1915; *viettella* Roesler,1965.
- 1584) Phycitodes nigrilimbella** (Ragonot,1887) (Pyralidae) Synonym(s): *nigrilimbella* Ragonot,1887
- 1585) Phycitodes saxicola** (Vaughan,1870) (Pyralidae) Synonym(s): *saxicola* Vaughan,1870
- 1586) Phylapora canescens** (Duponchel,1826) (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933.
- 1587) Phyllocnistis citrella** Stainton,1856 (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913
- 1588) Phyllomorphus laceratus** (Herrich-Schäffer,1835) (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer,1835; *persica* Westwood,1841
- 1589) Phyllonorycter libanotica** (Deschka,1972) (Gracillariidae) Synonym(s): *libanotica* Deschka,1972
- 1590) Physatocheila municeps** Horvath,1903 (Tingidae) Synonym(s): *municeps* Horvath,1903
- 1591) Phytoecia kabateki** Sama,1996 (Cerambycidae) Synonym(s): *kabateki* Sama,1996

- 1592) **Pieris (Artogeia) ergane** (Geyer,[1828]) (Pieridae) Synonym(s): *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].
- 1593) **Pieris (Artogeia) pseudorapae** Verity,1908 (Pieridae) Synonym(s): *pseudorapae* Verity,1908
- 1594) **Pieris (s.str.) brassicae** (Linnaeus,1758) (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
- 1595) **Pittonotus theseus** (Germar,1817) (Elateridae) Synonym(s): *theseus* Germar,1817
- 1596) **Plagiognathus raphani** Wagner,1963 (Miridae) Synonym(s): *raphani* Wagner,1963
- 1597) **Platycnemis dealbata** Selys,1863 (Platycnemidae) Synonym(s): *dealbata* Selys,1863
- 1598) **Platycnemis kervillei** (Martin,1909) (Platycnemidae) Synonym(s): *kervillei* Martin,1909
- 1599) **Platyedra subcinerea** (Haworth,[1828]) (Gelechiidae) Synonym(s): *subcinerea* Haworth,[1828]; *vilella* Zeller,1847.
- 1600) **Platymetopius major** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 1601) **Platypygus chrysanthemi** Loew,1844 (Mythicomyiidae) Synonym(s): *chrysanthemi* Loew,1844
- 1602) **Platystoma rufimanum** Loew,1873 (Platystomidae) Synonym(s): *rufimanum* Loew,1873
- 1603) **Plebejus (Kretania) carmon** (Gerhard,[1851]) (Lycaenidae) Synonym(s): *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December].
- 1604) **Plebejus (Lycaeides) idas** (Linnaeus,1761) (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793.
- 1605) **Plebejus (Plebejides) nichollae** (Elwes,1901) (Lycaenidae) Synonym(s): *nichollae* Elwes,1901
- 1606) **Plecoptera inquinata** (Lederer,1857) (Noctuidae) Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
- 1607) **Plesiocera algira** Macquart,1840 (Bombyliidae) Synonym(s): *algira* Macquart,1840; *fornicata* Loew,1857; *inaequalis* Becker,1906
- 1608) **Pleurota indecorella** Rebel,1917 (Oecophoridae) Synonym(s): *indecorella* Rebel,1917
- 1609) **Pleurota largella** Lederer,1855 (Oecophoridae) Synonym(s): *largella* Lederer,1855
- 1610) **Pleurota montalbella** Zerny,1934 (Oecophoridae) Synonym(s): *montalbella* Zerny,1934
- 1611) **Pleurota proteella** Staudinger,1880 (Oecophoridae) Synonym(s): *proteella* Staudinger,1880
- 1612) **Pleurota pyropella** ([Denis & Schiffermüller],[1775]) (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller],1775
- 1613) **Pleurota simplex** Staudinger,1880 (Oecophoridae) Synonym(s): *simplex* Staudinger,1880
- 1614) **Pleurota sparella** (Lederer,1855) (Oecophoridae) Synonym(s): *sparella* Lederer,1855; *karmeliella* Amsel,1935
- 1615) **Pleurota syriaca** Staudinger,1880 (Oecophoridae) Synonym(s): *syriaca* Staudinger,1880
- 1616) **Plodia interpunctella** (Hübner,[1813]) (Pyralidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 1617) **Plutella (s.str.) xylostella** (Linnaeus,1758) (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 nec Huft.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Benthinck,1943
- 1618) **Podisma syriaca** (Brunner von Wattenwyl,1861) (Acrididae) Synonym(s): *syriaca* Brunner von Wattenwyl,1861; *syriaca* Stal,1876; *syriaca* Jacobson,1905
- 1619) **Poecilimon syriacus** Brunner von Wattenwyl,1891 (Tettigoniidae) Synonym(s): *syriacus* Brunner von Wattenwyl,1891; *raggei* Karabağ,1975
- 1620) **Polygonia (Comma) c-album** (Linnaeus,1758) (Argynnididae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
- 1621) **Polygonia (Comma) egea** (Cramer,[1775]) (Argynnididae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vauualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
- 1622) **Polymixis (Bischoffia) apora** (Staudinger,1898) (Noctuidae) Synonym(s): *apora* Staudinger,1898
- 1623) **Polymixis (Eumichtis) lea** (Staudinger,1898) (Noctuidae) Synonym(s): *lea* Staudinger,1898
- 1624) **Polymixis (Myxinia) rufocincta** (Geyer,1828) (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 1625) **Polymixis (Parabrachionycha) trisignata** (Ménétriés,1847) (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 1626) **Polymixis (s.str.) manisadjiani** (Staudinger,1881) (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881
- 1627) **Polymixis (s.str.) rebecca** (Staudinger,1892) (Noctuidae) Synonym(s): *rebecca* Staudinger,1892
- 1628) **Polymixis (Serpmixis) serpentina** (Treitschke,1825) (Noctuidae) Synonym(s): *serpentina* Treitschke,1825
- 1629) **Polymona lapidicola** (Herrich-Schäffer,[1852]) (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852]
- 1630) **Polyocha venosa** (Zeller,1847) (Pyralidae) Synonym(s): *venosa* Zeller,1847
- 1631) **Polyommatus (Albulina (Plebejidea)) loewii** (Zeller,1847) (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germaniciae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934.
- 1632) **Polyommatus (Aricia (Eumedonia)) eumedon** (Esper,[1780]) (Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 nec Fabr.,1775; *eumedon* Esper,[1780]; *osiris* O.Bang-Haas,1927 nec Hopff,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
- 1633) **Polyommatus (Aricia (Pseudoaricia)) isauricus** (Staudinger,1871) (Lycaenidae) Synonym(s): *isauricus* Staudinger,1871
- 1634) **Polyommatus (Aricia (s.str.)) agestis** ([Denis & Schiffermüller],[1775]) (Lycaenidae) Synonym(s): *medon* Huftnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],[1775]; *astrarche* Bergsträßer,[1779].
- 1635) **Polyommatus (Aricia (Ultraaricia)) bassoni** (T.Larsen,1974) (Lycaenidae) Synonym(s): *bassoni* T.Larsen,1974
- 1636) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis** (Zerny,1932) (Lycaenidae) Synonym(s): *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 1637) **Polyommatus (s.str. (Agrodiaetus (Damaia))) deebi** (T.Larsen,1974) (Lycaenidae) Synonym(s): *deebi* T.Larsen,1974
- 1638) **Polyommatus (s.str. (Agrodiaetus (Damaia))) larseni** (Carbonell,1994) (Lycaenidae) Synonym(s): *larseni* Carbonell,1994
- 1639) **Polyommatus (s.str. (Cyaniris)) antiochenus** (Lederer,1861) (Lycaenidae) Synonym(s): *antiochena* Lederer,1861
- 1640) **Polyommatus (s.str. (Cyaniris)) bellis** (Freyer,[1842]) (Lycaenidae) Synonym(s): *bellis* Freyer,[1842]

- 1641) Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 nec Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 1642) Polyommatus (s.str. (Lysandra)) syriacus (Tutt,1914)** (Lycaenidae) Synonym(s): *syriacus* Tutt,1914
- 1643) Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 1644) Polyommatus (s.str. (Neolysandra)) ellisoni (Pfeiffer,1931)** (Lycaenidae) Synonym(s): *ellisoni* Pfeiffer,1931
- 1645) Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792
- 1646) Polyommatus (s.str. (Sublysandra)) isauricoides (Graves,1923)** (Lycaenidae) Synonym(s): *isauricoides* Graves,1923
- 1647) Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919.
- 1648) Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pulsillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 1649) Polyommatus (s.str.) junio Hemming,1933** (Lycaenidae) Synonym(s): *juno* Hemming,1933
- 1650) Polyphaenis propinqua Staudinger,1895** (Noctuidae) Synonym(s): *propinqua* Staudinger,1895
- 1651) Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 1652) Powellinia lasserei (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924
- 1653) Praelongicera palaestinella (Amsel,1956)** (Tineidae) Synonym(s): *palaestinella* Amsel,1956
- 1654) Praestilbia armeniaca Staudinger,1892** (Noctuidae) Synonym(s): *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936
- 1655) Prasocuris distincta Lucas,1849** (Chrysomelidae) Synonym(s): *distincta* Lucas,1849
- 1656) Precis (Junonia) hierta (Fabricius,1798)** (Argynniidae) Synonym(s): *lintingensis* Osbeck,1765 [rejected name, Op.842, 1968]; *hierta* Fabricius,1798
- 1657) Prionapteryx obeliscota (Meyrick,1936)** (Pyralidae) Synonym(s): *obeliscota* Meyrick,1936
- 1658) Prionocyphon ornatus Abeille,1881** (Scirtidae) Synonym(s): *ornatus* Abeille,1881
- 1659) Prionosthenus (s.str.) baalbekianus Werner,1939** (Pamphagidae) Synonym(s): *baalbekianus* Werner,1939
- 1660) Prionosthenus (s.str.) femoralis Werner,1939** (Pamphagidae) Synonym(s): *femoralis* Werner,1939
- 1661) Prionosthenus (s.str.) lebanicus Dirsh,1950** (Pamphagidae) Synonym(s): *lebanicus* Dirsh,1950
- 1662) Problepsis ocellata (Frivaldszky,1845)** (Geometridae) Synonym(s): *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858]
- 1663) Prochoristis rupicapralis (Lederer,1855)** (Pyralidae) Synonym(s): *rupicapralis* Lederer,1855
- 1664) Promachus mustelus Loew,1854** (Asilidae) Synonym(s): *mustela* Loew,1854
- 1665) Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781
- 1666) Proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876]; *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
- 1667) Protactia (Foveopotosia) judith (Reiche,1871)** (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898
- 1668) Protactia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775
- 1669) Proteuchloris neriaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *neriaria* Herrich-Schäffer,[1852].
- 1670) Protonemura libanica Aubert,1964** (Nemouridae) Synonym(s): *libanica* Aubert,1964
- 1671) Protonemura libanocypria Zwick,1967** (Nemouridae) Synonym(s): *libanocypria* Zwick,1967
- 1672) Protonemura mattheyi (Aubert,1956)** (Nemouridae) Synonym(s): *mattheyi* Aubert,1956
- 1673) Protonemura zernyi Aubert,1964** (Nemouridae) Synonym(s): *zernyi* Aubert,1964
- 1674) Protosmia (Chelostomopsis) longiceps (Fries,1899)** (Megachilidae) Synonym(s): *longiceps* Fries,1899; *depauperata* Benoist,1928
- 1675) Protosmia (Nanosmia) limbata (Benoist,1935)** (Megachilidae) Synonym(s): *limbata* Benoist,1935
- 1676) Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Fries,1899
- 1677) Protosmia (s.str.) paradoxa (Fries,1899)** (Megachilidae) Synonym(s): *paradoxa* Fries,1899
- 1678) Psallus jeitensis Wagner,1963** (Miridae) Synonym(s): *jeitensis* Wagner,1963
- 1679) Psammotis pulveralis (Hübner,1796)** (Pyralidae) Synonym(s): *pulveralis* Hübner,1796
- 1680) Pseudapis (Nomiapis) equestris Gerstaecker,1872** (Halictidae) Synonym(s): *equestris* Gerstaecker,1872
- 1681) Pseudenargia deleta (Osthelder,1933)** (Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
- 1682) Pseudenargia regina (Staudinger,1892)** (Noctuidae) Synonym(s): *regina* Staudinger,1892
- 1683) Pseudocoles ebneri Dirsh,1949** (Acrididae) Synonym(s): *ebneri* Dirsh,1949
- 1684) Pseudocoles ledereri (Brunner von Wattenwyl,1884)** (Acrididae) Synonym(s): *ledereri* Brunner von Wattenwyl,1884; *coeruleipennis* Uvarov,1914; *turcius* Dirsh,1949; *#lactea* Ramme,1951
- 1685) Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) Synonym(s): *telephassa* Geyer,[1827]
- 1686) Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintenisi* Staudinger,1895
- 1687) Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) Synonym(s): *pelopea* Klug,1832
- 1688) Pseudohadena (s.str.) chenopodiphaga (Rambur,1832)** (Noctuidae) Synonym(s): *chenopodiphaga* Rambur,1832
- 1689) Pseudopanthera syriacata (Guenée,1852)** (Geometridae) Synonym(s): *syriacata* Guenée,1852; *#syriacaria* Wiltshire,1958
- 1690) Pseudoterpna coronillaria (Hübner,[1817])** (Geometridae) Synonym(s): *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 nec Z.,1847; *#coronillaria* Rebel,1939
- 1691) Psyche libanotica (Zerny,1933)** (Psychidae) Synonym(s): *libanotica* Zerny,1933
- 1692) Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903
- 1693) Psylliodes testaceoconcolor Heikertinger,1926** (Chrysomelidae) Synonym(s): *testaceoconcolor* Heikertinger,1926

- 1694) *Pterobates chalybaeus* (Röder,1887) (Bombyliidae) Synonym(s): *chalybaeus* Röder,1887
 1695) *Pterolonche* (s.str.) *albescens* Zeller,1847 (Pterolonchidae) Synonym(s): *albescens* Zeller,1847
 1696) *Pterophorus inducta* (Meyrick,1913) (Pterophoridae) Synonym(s): *inducta* Meyrick,1913
 1697) *Pterothrixidia impurella* (Duponchel,1836) (Pyralidae) Synonym(s): *impurella* Duponchel,1836
 1698) *Pyla fusca* (Haworth,[1811]) (Pyralidae) Synonym(s): *fusca* Haworth,[1811]
 1699) *Pyralis farinalis* (Linnaeus,1758) (Pyralidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
 1700) *Pyralis narynensis* Zerny,1914 (Pyralidae) Synonym(s): *perversalis* sensu auct. nec Herr.-Schäff.,1849; *narynensis* Zerny,1914; #*naryssensis* Amsel,1961
 1701) *Pyrasia gutturalis* (Staudinger,1879) (Pyralidae) Synonym(s): *gutturalis* Staudinger,1879
 1702) *Pyrausta* (Haematia) *despicata* (Scopoli,1763) (Pyralidae) Synonym(s): *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775.
 1703) *Pyrausta* (Haematia) *sanguinalis* (Linnaeus,1767) (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
 1704) *Pyrausta* (s.str.) *inciae* Koçak,1982 (Pyralidae) Synonym(s): *meridionalis* Staudinger,1880 nec Wcke,1871; *inciae* Koçak,1982.
 1705) *Pyrgomorpha* (s.str.) *granulosa* Stal,1876 (Pyrgomorphidae) Synonym(s): *granulosa* Stal,1876
 1706) *Pyrgus armoricanus* (Oberthür,1910) (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
 1707) *Pyrgus melotis* (Duponchel,[1834]) (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.
 1708) *Pyrgus serratulae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 nec Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
 1709) *Pyroderces argyrogrammos* (Zeller,1847) (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggia* Herrich-Schäffer,[1853]
 1710) *Pyrois effusa* (Boisduval,1828) (Noctuidae) Synonym(s): *effusa* Boisduval,1828; *sciaphila* Staudinger,1871
 1711) *Pyropteron triannuliformis* (Freyer,1845) (Sesiidae) Synonym(s): *meriaeformis* Assmann,1845 nec Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 nec Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *liljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987
 1712) *Pyrrhia treitschkii* (Frivaldsky,1835) (Noctuidae) Synonym(s): *treitschkii* Frivaldsky,1835.
 1713) *Quercusia quercus* (Linnaeus,1758) (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
 1714) *Ramphis libanoticus* Riedl,1969 (Cosmopterigidae) Synonym(s): *libanoticus* Riedl,1969
 1715) *Raphidia adanana* Albarda,1891 (Raphidiidae) Synonym(s): *adanana* Albarda,1891; *anatolica* H.Aspöck & U.Aspöck,1964
 1716) *Raphimetopus ablutellus* (Zeller,1839) (Pyralidae) Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
 1717) *Raphimetopus incarnatella* (Ragonot,1887) (Pyralidae) Synonym(s): *incarnatella* Ragonot,1887
 1718) *Ravinia striata* (Fabricius,1794) (Sarcophagidae) Synonym(s): *striata* Fabricius,1794; *haematodes* Meigen,1826; *haemisphaerica* R-D.,1830; *limpidipennis* R-D.,1830; *horticola* R-D.,1830; *campestris* R-D.,1830; *parva* R-D.,1863; *sulcata* R-D.,1863; *hebes* R-D.,1863; *nova* Siebke,1877; *aozia* Séguy,1935; *disjuncta* Séguy,1938
 1719) *Recurvaria leucatella* (Linnaeus,1761) (Gelechiidae) Synonym(s): #*leucatella* Clerck,1759; *leucatella* Linnaeus,1761; *leucatea* Haworth,1828.
 1720) *Recurvaria nanella* ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *nanella* [Denis & Schiffermüller],1775; *pumilella* [Denis & Schiffermüller],1775; *nana* Haworth,1828; *crataegella* Busck,1903; *unicolor* Rebel,1927
 1721) *Reduvius pallipes* Klug,1830 (Reduviidae) Synonym(s): *pallipes* Klug,1830; *thoracicus* Stal,1855; *testaceus* Fieber
 1722) *Reisserita chrysoterebella* (Herrich-Schäffer,[1854]) (Tineidae) Synonym(s): *chrysoterebella* Herrich-Schäffer,[1854]; *vitellinella* Staudinger,1859
 1723) *Reptalus* (s.str.) *horridus* (Linnavuori,1962) (Cixiidae) Synonym(s): *horridus* Linnavuori,1962; *zercanus* Dlabola,1965
 1724) *Rhabdomastix* (s.str.) *filata* Sary,2004 (Limoniidae) Synonym(s): *filata* Sary,2004
 1725) *Rhagades* (Wiegelia) *amasina* (Herrich-Schäffer,1851) (Zygaenidae) Synonym(s): *amasina* Herrich-Schäffer,1851
 1726) *Rhagio libanoticus* Szilady,1934 (Rhagionidae) Synonym(s): *libanoticus* Szilady,1934
 1727) *Rhagonycha chtaaurana* Svihla,1977 (Cantharidae) Synonym(s): *chtaaurana* Svihla,1977
 1728) *Rhizotrogus* (Amphimallon) *leuthneri* Reitter,1902 (Scarabaeidae) Synonym(s): *leuthneri* Reitter,1902
 1729) *Rhodobates nodicornellus* (Rebel,1911) (Tineidae) Synonym(s): *nodicornellus* Rebel,1911
 1730) *Rhodometra sacraria* (Linnaeus,1767) (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858];
 1731) *Rhodostrophia discopunctata* Amsel,1935 (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935
 1732) *Rhyacia* (s.str.) *arenacea* (Hampson,1907) (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
 1733) *Rhyacia* (s.str.) *nyctimerides* (O.Bang-Haas,1922) (Noctuidae) Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschhoff,1951; *alagesica* Boursin,1962; #*nyctomerides* Hacker,[1987]
 1734) *Rhyacia* (s.str.) *simulans* (Hufnagel,1766) (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914
 1735) *Rhyacionia buoliana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; #*bouoliana* Kalchberg,1897
 1736) *Rhynchites aereipennis* Desbrochers,1895 (Atelabidae) Synonym(s): *aereipennis* Desbrochers,1895
 1737) *Rhynchites auratus* (Scopoli,1763) (Atelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937
 1738) *Rhyagla lacernaria* (Hübner,[1813]) (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
 1739) *Ribautodelphax libanonensis* Den Bieman,1987 (Delphacidae) Synonym(s): *libanonensis* Den Bieman,1987
 1740) *Rivetina syriaca* (Saussure,1869) (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916
 1741) *Rivula tanitalis* Rebel,1912 (Noctuidae) Synonym(s): *tanitalis* Rebel,1912
 1742) *Ronisia maculosa* (Olivier,1811) (Mutillidae) Synonym(s): *maculosa* Olivier,1811
 1743) *Rubrapteris bavius* (Eversmann,1832) (Lycaenidae) Synonym(s): *bavius* Eversmann,1832
 1744) *Rymosia affinis* Winnertz,1863 (Mycetophilidae) Synonym(s): *affinis* Winnertz,1863

- 1745)** *Saga ephippigera* Fischer von Waldheim, 1846 (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim, 1846
- 1746)** *Saga ledereri* Saussure, 1888 (Tettigoniidae) Synonym(s): *ornata* Krauss, 1879 nec Burm., 1838; *ledereri* Saussure, 1888; *kraussi* Kirby, 1906
- 1747)** *Saga ornata* Burmeister, 1838 (Tettigoniidae) Synonym(s): *ornata* Burmeister, 1838; *lucasi* Saussure, 1888; *savignyi* Saussure, 1888; *gracilipes* Uvarov, 1923
- 1748)** *Samaria indentella* Ragonot, 1893 (Pyralidae) Synonym(s): *indentella* Ragonot, 1893
- 1749)** *Saragossa siccanorum* (Staudinger, 1870) (Noctuidae) Synonym(s): *siccanorum* Staudinger, 1870
- 1750)** *Sarcophaga (Bercaea) cruentata* Meigen, 1826 (Sarcophagidae) Synonym(s): *cruentata* Meigen, 1826; *haemorrhoidalis* Fallén, 1817; *squalida* R-D., 1830; *blondeli* R-D., 1830; *villiva* R-D., 1830; *ruficauda* Zetterstedt, 1838; *consobrina* Rondani, 1860; *nurus* Rondani, 1860; *zetterstedti* R-D., 1863; *iners* R-D., 1863; *pabulorum* R-D., 1863; *meigeni* R-D., 1863; *inolyta* R-D., 1863; *praeceps* R-D., 1863; *fugax* R-D., 1863; *nitida* R-D., 1863; *albidula* R-D., 1863; *commendata* R-D., 1863; *fulvipalpis* R-D., 1863; *haematura* R-D., 1863; *agilis* R-D., 1863; *oralis* R-D., 1863; *agraria* R-D., 1863; *meditata* R-D., 1863; *#interrupta* Enderlein, 1928; *#tiesleri* Enderlein, 1928
- 1751)** *Sarcophaga (Heteronychia) kerteszi* Villeneuve, 1912 (Sarcophagidae) Synonym(s): *kerteszi* Villeneuve, 1912; *dayani* Lehrer, 1996; *sororia* Povolny, 2004
- 1752)** *Sarcophaga (Jantia) crassipalpis* Macquart, 1839 (Sarcophagidae) Synonym(s): *crassipalpis* Macquart, 1839; *dalmatina* Schiner, 1862; *securifera* Villeneuve, 1908
- 1753)** *Sarcophaga (Parasarcophaga) hirtipes* Wiedemann, 1830 (Sarcophagidae) Synonym(s): *hirtipes* Wiedemann, 1830; *rufipes* Wiedemann, 1830; *fulvipalpis* Macquart, 1843
- 1754)** *Saropogon ehrenbergii* Loew, 1851 (Asilidae) Synonym(s): *ehrenbergii* Loew, 1851
- 1755)** *Saturnia (s.str.) pyri* ([Denis & Schiffermüller], 1775) (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller], 1775; *teherana* Lenek, 1970; *pinkerae* Kobes, 1980.
- 1756)** *Satyrium (Nordmannia) abdominalis* (Gerhard, [1850]) (Lycaenidae) Synonym(s): *abdominalis* Gerhard, [1850]; *gerhardi* Staudinger, [1895]; *alboabdominalis* Pfeiffer, 1938; *persica* Riley, 1939; *#gerhardti* Wiltshire, 1943; *elita* Higgins, 1964.
- 1757)** *Satyrium (Nordmannia) ilicis* (Esper, [1779]) (Lycaenidae) Synonym(s): *ilicis* Esper, [1779]
- 1758)** *Satyrium (Nordmannia) myrtale* (Klug, 1834) (Lycaenidae) Synonym(s): *myrtale* Klug, 1834
- 1759)** *Satyrium (Strymonidia) spini* (Fabricius, 1787) (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller], 1775; *lynceus* Esper, [1779] nec Drury, 1773; *spini* Fabricius, 1787; *cerasi* Herbst, 1804 nec Fabricius, 1787; *#albosparsa* Oberthür, 1910; *anatolicus* De Lattin, 1950.
- 1760)** *Satyrium (Superflua) ledereri* (Boisduval, 1848) (Lycaenidae) Synonym(s): *ledereri* Boisduval, 1848
- 1761)** *Satyris (Asatyris (Asatyrodes)) atlanteus* (Verity, 1927) (Satyridae) Synonym(s): *maroccana* Lucas, 1920 nec Meade-Waldo, 1905; *atlanteus* Verity, 1927.
- 1762)** *Satyris (Asatyris (s.str.)) amasinus* Staudinger, 1861 (Satyridae) Synonym(s): *bryce* Herrich-Schäffer, [1852] nec Hübn., [1800]; *amasinus* Staudinger, 1861
- 1763)** *Scaptomyza (s.str.) graminum* (Fallén, 1823) (Drosophilidae) Synonym(s): *graminum* Fallén, 1823; *incana* Meigen, 1830; *rufipes* Meigen, 1830; *amoena* Meigen, 1838; *flavipennis* Zetterstedt, 1838; *tetrasticha* Becker, 1908; *semitricornis* Duda, 1935; *norica* Hackman, 1955
- 1764)** *Scarabaeus pius* (Illiger, 1803) (Scarabaeidae) Synonym(s): *pius* Illiger, 1803
- 1765)** *Scarabaeus sacer* Linnaeus, 1758 (Scarabaeidae) Synonym(s): *sacer* Linnaeus, 1758; *crenatus* De Geer, 1778; *impius* Fabricius, 1801; *platychilus* Fischer von Waldheim, 1823; *retusus* Brullé, 1832; *europaeus* Motschoulsky, 1849; *confluidens* Fleisch., 1925
- 1766)** *Scarabaeus typhon* (Fischer von Waldheim, 1822) (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim, 1822
- 1767)** *Scathophaga lutaria* (Fabricius, 1794) (Scathophagidae) Synonym(s): *lutaria* Fabricius, 1794
- 1768)** *Schistocerca gregaria* (Forsk., 1775) (Acrididae) Synonym(s): *gregaria* Forsk., 1775; *tartaricum* Latreille, 1804; *peregrina* Olivier, 1804; *rufescens* Thunberg, 1815
- 1769)** *Schoenomyza litorella* (Fallén, 1823) (Muscidae) Synonym(s): *litorella* Fallén, 1823
- 1770)** *Schrankia costaeirigalis* (Stephens, 1834) (Noctuidae) Synonym(s): *costaeirigalis* Stephens, 1834; *hartigi* Berio, 1991.
- 1771)** *Sciapus aberrans* Becker, 1918 (Dolichopodidae) Synonym(s): *aberrans* Becker, 1918
- 1772)** *Sciocoris (Parasciocoris) convexiusculus* Puton, 1874 (Pentatomidae) Synonym(s): *convexiusculus* Puton, 1874; *scutellaris* Schmidt, 1939 nec Put., 1884; *sahlbergi* Wagner, 1952; *clypeatus* Stichel, 1961; *schmidtii* Wagner, 1965
- 1773)** *Sciocoris (s.str.) hoberlandti* Wagner, 1954 (Pentatomidae) Synonym(s): *hoberlandti* Wagner, 1954
- 1774)** *Sciocoris (s.str.) sulcatus* Fieber, 1851 (Pentatomidae) Synonym(s): *sulcatus* Fieber, 1851; *angustipennis* Mulsant & Rey, 1852; *lautus* Horvath, 1903; *atticus* Horvath, 1907; *cypria* Lindberg, 1948
- 1775)** *Scirpophaga praelata* (Scopoli, 1763) (Pyralidae) Synonym(s): *praelata* Scopoli, 1763; *dubia* Rossi, 1790; *latidactyla* Hübner, 1790; *phantasmatalis* Hübner, [1825]; *alba* Hübner, [1828]; *#grisea* Guenée, 1845; *#cinerea* Zeller, 1863; *limnochares* Common, 1960.
- 1776)** *Scolia (s.str.) fallax* Eversmann, 1849 (Scoliidae) Synonym(s): *fallax* Eversmann, 1849; *syriacola* Betrem, 1935; *moreana* Muche, 1962; *tricolor* Bradley, 1972
- 1777)** *Scolia (s.str.) flaviceps* Eversmann, 1846 (Scoliidae) Synonym(s): *flaviceps* Eversmann, 1846; *mangichlakensis* Radoszkowski, 1879
- 1778)** *Scolia (s.str.) sexmaculata* (Müller, 1766) (Scoliidae) Synonym(s): *sexmaculata* Müller, 1766; *biguttata* Fabricius, 1804; *violacea* Panzer, 1799; *syriaca* Klug, 1832; *hispanica* Betrem, 1935; *beirutii* Betrem, 1935; *montana* Steinberg, 1962; *orientalis* Steinberg, 1962; *dionysopolis* Tkalcu, 1988
- 1779)** *Scolioperx libatrix* (Linnaeus, 1758) (Noctuidae) Synonym(s): *libatrix* Linnaeus, 1758; *salictaria* Poda, 1761; *modesta* Müller, 1764; *delicatula* Retzius, 1783; *libatrix* Haworth, 1809
- 1780)** *Scoparia berytella* Rebel, 1911 (Pyralidae) Synonym(s): *berytella* Rebel, 1911; *syriaca* Caradja, 1917; *coprista* Meyrick, 1936; *unicornutella* Amsel, 1958
- 1781)** *Scoparia ingratella* (Zeller, 1846) (Pyralidae) Synonym(s): *? majalis* Scopoli, 1763; *ingratella* Zeller, 1846; *ingratalis* Herrich-Schäffer, 1853; *sibirica* Lederer, 1853; *octavianella* Mann, 1859; *catalonica* Leraut, 1982
- 1782)** *Scoparia luteolaris* (Scopoli, 1772) (Pyralidae) Synonym(s): *luteolaris* Scopoli, 1772; *ochrealis* [Denis & Schiffermüller], 1775; *simplicella* Laharpe, 1861; *cremealis* Zerny, 1934.
- 1783)** *Scoparia pyralella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *pyralella* [Denis & Schiffermüller], 1775; *arundinata* Thunberg, 1792; *dubitalis* Hübner, 1796; *dubita* Haworth, 1811; *pyralea* Haworth, 1811; *dubitellus* Zincken, 1817; *tristigella* Stephens, 1834; *pyralis* Guenée, 1854; *purbeckensis* Bankes, 1889; *australis* Müller-Rutz, 1920; *vesubiella* Marion, 1976
- 1784)** *Scopula beckeraria* (Lederer, 1853) (Geometridae) Synonym(s): *beckeraria* Lederer, 1853
- 1785)** *Scopula donovani* (Distant, 1892) (Geometridae) Synonym(s): *donovani* Distant, 1892; *extraordinaria* Staudinger, 1892; *extremata* W. Warren, 1897

- 1786) *Scopula imitaria* (Hübner,[1799])** (Geometridae) Synonym(s): *fimbriata* Fourcroy,1785 nec Schreb.,1759; *imitaria* Hübner,[1799]
- 1787) *Scopula luridata* (Zeller,1847)** (Geometridae) Synonym(s): *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855
- 1788) *Scopula marginepunctata* (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosa* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
- 1789) *Scopula submutata* (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
- 1790) *Scopula turbulentaria* (Staudinger,1870)** (Geometridae) Synonym(s): *turbulentaria* Staudinger,1870; *collata* W. Warren,1901; *habenata* W. Warren,1901; *syriacata* Neuburger,1904; *syriturcica* Wehrli,1934
- 1791) *Scotodrymadusa ebneri* Ramme,1939** (Tettigoniidae) Synonym(s): *ebneri* Ramme,1939
- 1792) *Scotodrymadusa syriaca* (Pictet,1888)** (Tettigoniidae) Synonym(s): *syriaca* Pictet,1888; *anatolica* Werner,1901; *rammei* Uvarov,1929; *turcica* Ramme,1939; *kozana* Ramme,1951; *amani* Ramme,1951
- 1793) *Scotopteryx subvicinaria* (Staudinger,1892)** (Geometridae) Synonym(s): *subvicinaria* Staudinger,1892
- 1794) *Scotopteryx vicina* (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919
- 1795) *Scrobipalpa (Ilseopsis) smithi* Povolny & Bradley,1964** (Gelechiidae) Synonym(s): *smithi* Povolny & Bradley,1964
- 1796) *Scythris (fuscoaenea-gr.) tenuivittella* (Stainton,1867)** (Scythridae) Synonym(s): *tenuivittella* Stainton,1867; *leucogaster* Mann,1872; *constantella* Dumont,1925; *rhueli* Gozmany,1960
- 1797) *Scythris (fuscoaenea-gr.) vittella* (Costa,[1836])** (Scythridae) Synonym(s): *vittella* Costa,[1836]; *restigerella* Zeller,1839.
- 1798) *Scythris (inclusella-gr.) inclusella* Lederer,1855** (Scythridae) Synonym(s): *inclusella* Lederer,1855; *subflabella* Stainton,1867
- 1799) *Scythris (inertella-gr.) inertella* (Zeller,1855)** (Scythridae) Synonym(s): *inertella* Zeller,1855; *tangerensis* Stainton,1872; *gurdella* Christoph,1877; *orbidella* Chrétien,1901; *marionella* Walsingham,1907; *praeclava* Meyrick,1913; *hassenella* Chrétien,1915; *semialbicostella* Turati,1927
- 1800) *Scythris (monochreella-gr.) monochreella* Ragonot,1896** (Scythridae) Synonym(s): *monochreella* Ragonot,1896; *lychnitis* Meyrick,1918
- 1801) *Scythris (pascuella-gr.) aciella* Bengtsson,1997** (Scythridae) Synonym(s): *aciella* Bengtsson,1997
- 1802) *Scythris (scopolella-gr.) apicalis* (Zeller,1847)** (Scythridae) Synonym(s): *apicalis* Zeller,1847; *unipunctella* Rebel,1901.
- 1803) *Scythris basistrigella* (Staudinger,1880)** (Scythridae) Synonym(s): *basistrigella* Staudinger,1880; *zelleri* Staudinger,1880
- 1804) *Seleucia semirosella* Ragonot,1887** (Pyralidae) Synonym(s): *semirosella* Ragonot,1887
- 1805) *Semnosia imperatrix* (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix* Abeille de Perrin,1885
- 1806) *Semnosia imperatrix imperatrix* (Abeille de Perrin,1885)** (Cerambycidae) Synonym(s): *imperatrix* Abeille de Perrin,1885
- 1807) *Sepsis fulgens* Hoffmannsegg,1826** (Sepsidae) Synonym(s): *fulgens* Hoffmannsegg,1826
- 1808) *Sepsis punctum* (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma* Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta* Hoffmeister,1844; *#zernyi* Duda,1926; *quadrissetosa* Duda,1926; *icaria* Séguéy,1932; *meridionalis* Séguéy,1932
- 1809) *Sepsis violacea* Meigen,1826** (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes* Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926
- 1810) *Sesamia cretica* Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857
- 1811) *Siclobola micromys* (Stringer,1929)** (Tortricidae) Synonym(s): *micromys* Stringer,1929
- 1812) *Sideridis (Dianthivora) implexa* (Hübner,[1809])** (Noctuidae) Synonym(s): *implexa* Hübner,[1809]; *fallovi* Oberthür,1876
- 1813) *Sideridis (Luteohadena) luteago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (praeocc.); *ottomana* Koçak,1990.
- 1814) *Simulium (Nevermannia) cryophilum* (Rubtsov,1959)** (Simuliidae) Synonym(s): *cryophilum* Rubtsov,1959; *biankoi* Rubtsov,1964; *courverti* Rubtsov,1964; *vidanoi* Rubtsov,1964; *tricrenum* Rubtsov & Carlsson,1965
- 1815) *Simulium (Nevermannia) lundstromi* (Enderlein,1921)** (Simuliidae) Synonym(s): *lundstromi* Enderlein,1921; *latigonium* Rubtsov,1956
- 1816) *Simulium (s.str.) bezzii* (Corti,1914)** (Simuliidae) Synonym(s): *bezzii* Corti,1914; *delphinense* Villeneuve,1918; *tristrigatum* Enderlein,1921; *obscurum* Enderlein,1924; *kondici* Baranov,1926; *atlas* Séguéy,1930; *crinitum* Rubtsov,1956; *gorjense* Dinulescu,1966; *graium* Courvert,1967
- 1817) *Simulium (s.str.) niha* Guidicelli & Dia,1986** (Simuliidae) Synonym(s): *niha* Guidicelli & Dia,1986
- 1818) *Simulium (s.str.) ornatum* Meigen,1818** (Simuliidae) Synonym(s): *ornatum* Meigen,1818; *fasciatum* Meigen,1830; *crassitarse* Macquart,1834; *tibiale* Macquart,1834; *pratorum* Friederichs,1920; *konsuloffi* Enderlein,1924; *babici* Baranov,1937; *borcici* Baranov,1937; *bartulici* Baranov,1937; *guelminoi* Baranov,1937; *nikolici* Baranov,1937; *anderlicecki* Baranov,1937; *zagrebense* Baranov,1937; *barense* Baranov,1939; *arensae* Baranov,1940; *oblimatum* Odintsov,1961; *amnis* Rubtsov,1962; *albifrons* Rubtsov,1967; *curvifila* Rivošecchi,1978
- 1819) *Simulium (s.str.) variegatum* Meigen,1818** (Simuliidae) Synonym(s): *variegatum* Meigen,1818
- 1820) *Simulium (Trichodagmia) auricoma* Meigen,1818** (Simuliidae) Synonym(s): *auricoma* Meigen,1818; *syriacum* Roubaud,1909; *djerdapense* Baranov,1937
- 1821) *Simulium (Wilhelmia) lineatum* (Meigen,1804)** (Simuliidae) Synonym(s): *lineatum* Meigen,1804; *falcula* Enderlein,1921; *salopiense* Edwards,1927; *turgaicum* Rubtsov,1940
- 1822) *Simulium (Wilhelmia) paraequinum* Puri,1933** (Simuliidae) Synonym(s): *paraequinum* Puri,1933; *transcaasicum* Rubtsov,1956
- 1823) *Simulium (Wilhelmia) pseudequinum* Seguy,1921** (Simuliidae) Synonym(s): *pseudequinum* Seguy,1921; *canariense* Séguéy,1921; *brnizense* Baranov,1924; *mediterraneum* Puri,1925; *stylatum* Baranov,1926; *quartum* Baranov,1926; *barbaricum* Séguéy,1930; *sulfuricola* Rivošecchi,1972; *fluminicola* Rivošecchi,1972
- 1824) *Simyra dentinosa* Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 1825) *Siphonoperla libanica* Alouf,1992** (Chloroperlidae) Synonym(s): *libanica* Alouf,1992
- 1826) *Sitochroa concoloralis* (Lederer,1857)** (Pyralidae) Synonym(s): *concoloralis* Lederer,1857
- 1827) *Smaragdina scutellaris* (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *scutellaris* Lefebvre,1872
- 1828) *Smerinthus kindermanni* Lederer,1852** (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917

- 1829) Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix* Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicola* Ishihara,1949; *dogensis* Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977
- 1830) Solenostethium bilunatum (Lefebvre,1827)** (Scutelleridae) Synonym(s): *bilunatum* Lefebvre,1827
- 1831) Solter ledereri Navas,1912** (Myrmeleonidae) Synonym(s): *ledereri* Navas,1912
- 1832) Spaelotis senna (Freyer,1829)** (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] nec Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
- 1833) Spatalia argentina ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller],1775
- 1834) Sphenophyma rugulosa (Stal,1876)** (Acrididae) Synonym(s): *rugulosa* Stal,1876
- 1835) Sphingonaepiopsis gorgoniades (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] nec Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 1836) Sphinx pinastri Linnaeus,1758** (Sphingidae) Synonym(s): *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987.
- 1837) Spialia (Neospialia) orbifer (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 1838) Spialia (s.str.) osthelderi (Pfeiffer,1932)** (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932
- 1839) Spialia (s.str.) phlomidis (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 1840) Spodoptera cilium Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *imperviata* Walker,1865; *retrahens* Walker,1870.
- 1841) Spodoptera exiguum (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
- 1842) Spoladea recurvalis (Fabricius,1775)** (Pyrilidae) Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifacialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1910.
- 1843) Spudaea castanea Osthelder,1933** (Noctuidae) Synonym(s): *#castanea* W.Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968
- 1844) Stagmatophora beata (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *beata* Walsingham,1907
- 1845) Standfussiana defessa (Lederer,1858)** (Noctuidae) Synonym(s): *defessa* Lederer,1858
- 1846) Standfussiana lucernea (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucernea* Linnaeus,1758
- 1847) Stangeia siceliota (Zeller,1847)** (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
- 1848) Staria lunata (Hahn,1835)** (Pentatomidae) Synonym(s): *lunata* Hahn,1835; *lobulatus* Rambur,1839; *maroccana* Lindberg,1932; *levantinae* Fuente,1972
- 1849) Staudingeria (s.str.) deserticola (Staudinger,1870)** (Pyrilidae) Synonym(s): *deserticola* Staudinger,1870
- 1850) Stauroderus syriacus Bolivar,1912** (Acrididae) Synonym(s): *syriacus* Bolivar,1912
- 1851) Stefaniola libanensis Möhn,1971** (Cecidomyiidae) Synonym(s): *libanensis* Möhn,1971
- 1852) Stelis (s.str.) minuta Lepeletier & Audinet-Serville,1828** (Megachilidae) Synonym(s): *minuta* Lepeletier & Audinet-Serville,1828; *nana* Schenck,1853; *minima* Schenck,1859; *#unicolor* Alfken,1944
- 1853) Stelis (s.str.) ruficornis Morawitz,1872** (Megachilidae) Synonym(s): *ruficornis* Morawitz,1872; *paradoxum* Mocsary,1884; *lebanensis* Mavromoustakis,1963
- 1854) Stelis (s.str.) signata (Latreille,1809)** (Megachilidae) Synonym(s): *signata* Latreille,1809
- 1855) Stelis (s.str.) simillima Morawitz,1876** (Megachilidae) Synonym(s): *simillima* Morawitz,1876; *cognata* Kohl,1892; *genalis* Pasteels,1969
- 1856) Stelis (Stelidomorpha) nasuta (Latreille,1809)** (Megachilidae) Synonym(s): *nasuta* Latreille,1809
- 1857) Stenodera puncticollis (Chevrolat,1829)** (Meloidea) Synonym(s): *puncticollis* Chevrolat,1829
- 1858) Stenoheriades asiaticus (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus* Friese,1921; *coelostoma* Benoist,1935
- 1859) Stenomutilla (s.str.) bizonata (Smith,1856)** (Mutillidae) Synonym(s): *bizonata* Smith,1856
- 1860) Stenopterus atricornis Pic,1891** (Cerambycidae) Synonym(s): *atricornis* Pic,1891
- 1861) Stenopterus rufus (Linnaeus,1767)** (Cerambycidae) Synonym(s): *rufus* Linnaeus,1767; *attenuatus* Geoffroy,1785
- 1862) Stenoptilia bipunctidactyla (Scopoli,1763)** (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli,1763; *mictodactyla* [Denis & Schiffermüller],1775; *#pallida* Tutt,1906; *arida* Caradja,1920 nec Zell.,1847.
- 1863) Stenoptilia mannii (Zeller,1852)** (Pterophoridae) Synonym(s): *mannii* Zeller,1852; *megalochra* Meyrick,1930.
- 1864) Stenoptilia zophodactyla (Duponchel,1838)** (Pterophoridae) Synonym(s): *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873.
- 1865) Stenoptinea cyaneimarmorella (Millière,1854)** (Tineidae) Synonym(s): *cyaneimarmorella* Millière,1854; *angustipennis* Herrich-Schäffer,1854; *angustipennis* Staudinger,1871 nec H.-S.,1854
- 1866) Stephanolasca chrysophlebia Navas,1913** (Ascalaphidae) Synonym(s): *chrysophlebia* Navas,1913
- 1867) Stichobasis mima Bourgogne,1939** (Psychidae) Synonym(s): *mima* Bourgogne,1939
- 1868) Stilbia syriaca Staudinger,1892** (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
- 1869) Stilbina (s.str.) hypaenides Staudinger,1892** (Noctuidae) Synonym(s): *hypaenides* Staudinger,1892
- 1870) Stizoides melanopterus (Dahlbom,1845)** (Crabronidae) Synonym(s): *melanopterus* Dahlbom,1845; *concolor* Eversmann,1849
- 1871) Stomopteryx remissella (Zeller,1847)** (Gelechiidae) Synonym(s): *remissella* Zeller,1847
- 1872) Stomoxys calcitrans (Linnaeus,1758)** (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758
- 1873) Stratiomys ruficornis (Macquart,1838)** (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythrocer* Egger,1859; *pyrrhocera* Loew,1868
- 1874) Streya anguinella (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): *anguinella* Herrich-Schäffer,1861; *ostentella* Zerny,1934.
- 1875) Stueningia poggearia (Lederer,1855)** (Geometridae) Synonym(s): *poggearia* Lederer,1855
- 1876) Sultania lophotalis (Hampson,1900)** (Pyrilidae) Synonym(s): *lophotalis* Hampson,1900
- 1877) Susia uberalis (Swinhoe,1884)** (Pyrilidae) Synonym(s): *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968.
- 1878) Symmacantha sparsella (De Joannis,1891)** (Autostichidae) Synonym(s): *sparsella* De Joannis,1891.
- 1879) Symmoca libanicolella Zerny,1934** (Autostichidae) Synonym(s): *libanicolella* Zerny,1934

- 1880) Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804; *punctipennis* De Meijere,1920
- 1881) Synaphe berytalis Ragonot,1888** (Pyralidae) Synonym(s): *berytalis* Ragonot,1888
- 1882) Synaphe consecratalis (Lederer,1855)** (Pyralidae) Synonym(s): *consecratalis* Lederer,1855
- 1883) Synaphe morbidalis (Guenée,1849)** (Pyralidae) Synonym(s): *morbidalis* Guenée,1849
- 1884) Synaphe punctalis (Fabricius,1775)** (Pyralidae) Synonym(s): *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775.
- 1885) Synaphe uxorialis (Lederer,1858)** (Pyralidae) Synonym(s): *uxorialis* Lederer,1858
- 1886) Synclera traducalis (Zeller,1852)** (Pyralidae) Synonym(s): *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatinalis* Guenée,1862
- 1887) Syncopacma polychromella (Rebel,1902)** (Gelechiidae) Synonym(s): *polychromella* Rebel,1902; *rebeliella* Caradja,1920; *argyrobiella* Caradja,1920
- 1888) Synophyopsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926
- 1889) Syringopais temperatella (Lederer,1855)** (Deoclonidae) Synonym(s): *temperatella* Lederer,1855; *fuscofasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920
- 1890) Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767; *quadratus* Fabricius,1775; *sinuata* Fieber,1861; *fusca* Vidal,1936
- 1891) Tabanus lunatus Fabricius,1794** (Tabanidae) Synonym(s): *lunatus* Fabricius,1794; *algiricus* Thunberg,1827; *wideri* Jaennicke,1866; *syriacus* Szilady,1923; *rufus* Szilady,1923; *politus* Szilady,1923; *farinosus* Szilady,1923; *algeriensis* Peus,1980; *levantinus* Peus,1980
- 1892) Tachina (Eudoromyia) magnicornis Zetterstedt,1844** (Tachinidae) Synonym(s): *tessellata* Fabricius,1794; *magnicornis* Zetterstedt,1844; *conjugata* Rondani,1859; *dispersa* Giglio-Tos,1891; *friedrichi* Wachtl,1894; *vernalis* R-D.; *satanas* Zimin,1935
- 1893) Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer,[1843]
- 1894) Tarucus (s.str.) rosaceus (Austaut,1885)** (Lycaenidae) Synonym(s): *rosacea* Austaut,1885; *mediterraneae* Bethune-Baker,1918.
- 1895) Tathorhynchus exsiccatu (Lederer,1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer,1855; *vinctalis* Walker,[1866]; *angustiorata* Grote,1882; *fallax* Swinhoe,1902; *#exsiccata* Wiltshire,1941; *greuteri* Koutsaftikis,1973
- 1896) Teleiopsis terebinthinella (Herrich-Schäffer,[1856])** (Gelechiidae) Synonym(s): *terebinthinella* Herrich-Schäffer,[1856]
- 1897) Tenthredo (Zonuledo) zonula Klug,1817** (Tenthredinidae) Synonym(s): *fasciata* Scopoli,1763 nec Linn.,1758; *bifasciata* Geoffroy,1785 nec Müll.,1766; *bicictaflava* Christ,1791; *zonula* Klug,1817; *similis* Mocsary,1880; *nazarensis* André; *serena* Konow; *calcaratus* André,1881; *scutellaris* Konow,1898
- 1898) Tenthredopsis albonotata (Brullé,1832)** (Tenthredinidae) Synonym(s): *albonotata* Brullé,1832; *propinqua* Mocsary,1880 nec Klug,1817
- 1899) Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981
- 1900) Teratolytta flavipes (Mulsant & Rey,1858)** (Meloidae) Synonym(s): *flavipes* Mulsant & Rey,1858; *semividia* Abeille de Perrin,1895; *saphirina* Abeille de Perrin,1895
- 1901) Terellia gynaecochroma (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaecochroma* M.Hering,1936
- 1902) Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola* Wiedemann,1830
- 1903) Terellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869
- 1904) Tethina nigripes Czerny,1928** (Tethinidae) Synonym(s): *nigripes* Czerny,1928
- 1905) Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis* Ebner,1946
- 1906) Thamnotettix seclusus Linnavuori,1958** (Cicadellidae) Synonym(s): *seclusus* Linnavuori,1958
- 1907) Thaumalea libanica Edwards,1932** (Thaumaleidae) Synonym(s): *libanica* Edwards,1932
- 1908) Thaumetopoea (s.str.) libanotica Kiriakoff & Talhouk,1975** (Thaumetopoeidae) Synonym(s): *libanotica* Kiriakoff & Talhouk,1975
- 1909) Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838]
- 1910) Thaumetopoea (Traumatocampa) wilkinsoni Tams,1925** (Thaumetopoeidae) Synonym(s): *wilkinsoni* Tams,1925
- 1911) Thera (s.str.) variata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *variata* [Denis & Schiffermüller],1775; *adumbrata* Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932.
- 1912) Theresimima ampelophaga (Bayle-Barelle,1808)** (Zygaenidae) Synonym(s): *ampelophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878.
- 1913) Theretra alecto (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 1914) Thiodia anatoliana Kennel,1916** (Tortricidae) Synonym(s): *anatoliana* Kennel,1916
- 1915) Thiodia citrana (Hübner,[1799])** (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obratzsov,1964.
- 1916) Thiodia trochillana (Frölich,1828)** (Tortricidae) Synonym(s): *trochillana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839]
- 1917) Thoracochoeta zosteræ (Haliday,1833)** (Sphaeroceridae) Synonym(s): *zosteræ* Haliday,1833; *fulvipes* Meigen,1838; *setulosa* Zetterstedt,1847; *piligera* Stenhammar,1854; *ciliata* Rondani,1880; *sanctipauli* Séguy,1940
- 1918) Thria robusta Walker,[1858]** (Noctuidae) Synonym(s): *anyssa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 1919) Thrincobalictus prognathus (Pérez,1912)** (Halictidae) Synonym(s): *prognathus* Pérez,1912
- 1920) Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara*-*obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 1921) Thymelicus hyrax (Lederer,1861)** (Hesperiidae) Synonym(s): *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 1922) Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 nec Retz.,1783; *ludoviciae* Mabille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 1923) Thymelicus sylvestris (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thamias* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 1924) Thyreus histronicus (Illiger,1806)** (Apidae) Synonym(s): *histronicus* Illiger,1806; *major* Morawitz,1876; *divisa* Pérez,1905; *alboscuteolata* Meyer,1921; *rimosiscutum* Alfken,1927
- 1925) Thyreus ramosus (Lepeletier,1841)** (Apidae) Synonym(s): *ramosus* Lepeletier,1841; *rufa* Radoszkowski,1886; *ashabadensis* Radoszkowski,1893; *albociliata* Meyer,1921; *minor* Friese,1925; *circulata* Alfken,1927

- 1926) *Thyridanthrax elegans* (Wiedemann, 1820) (Bombyliidae) Synonym(s): *elegans* Wiedemann, 1820; *fenestralis* Macquart, 1840 nec Wied., 1830; *varinervis* Macquart, 1846; *variegatus* Jaenicke, 1867 nec Pall., 1818; *macquarti* Bezzi, 1912; *calochromatus* Bezzi, 1921; *subperspicillaris* Bezzi, 1922; *kappa* Bowden, 1964; *dolgovskayae* Zaitzev, 1999
- 1927) *Thyridanthrax griseolus* (Klug, 1832) (Bombyliidae) Synonym(s): *griseolus* Klug, 1832
- 1928) *Thyridanthrax incanus* (Klug, 1832) (Bombyliidae) Synonym(s): *incanus* Klug, 1832; *testacea* Macquart, 1840; *varipennis* Macquart, 1849
- 1929) *Thysanoplusia* (*Daubeiplusia*) *daubei* (Boisduval, 1840) (Noctuidae) Synonym(s): *daubei* Boisduval, 1840; *ciliaris* Walker, [1858]
- 1930) *Thysanoplusia* (s.str.) *orichalcea* (Fabricius, 1775) (Noctuidae) Synonym(s): *orichalcea* Fabricius, 1775; *chrystina* Martyn, 1797; *aurifera* Hübner, [1813]
- 1931) *Timia* (*Empyelocera*) *abstersa* (Loew, 1873) (Ulidiidae) Synonym(s): *abstersa* Loew, 1873
- 1932) *Timia* (*Empyelocera*) *libani* Gregor, 1970 (Ulidiidae) Synonym(s): *libani* Gregor, 1970
- 1933) *Tinagma balteolellum* (Fischer v. Röslerstamm, 1841) (Douglassiidae) Synonym(s): *balteolellum* Fischer v. Röslerstamm, 1841; *borkhausenella* Herrich-Schäffer, 1855
- 1934) *Tineola bisselliella* (Hummel, 1823) (Tineidae) Synonym(s): *flavifrontella* Thunberg, 1794 nec [Denis & Schiff.], 1775; *bisselliella* Hummel, 1823; *crinella* Sodoffsky, 1830; *destructor* Stephens, 1834; *lanariella* Clemens, 1859; *furciferella* Zagulyaev, 1954.
- 1935) *Tingis valida* (Puton, 1878) (Tingidae) Synonym(s): *valida* Puton, 1878
- 1936) *Tipula* (*Acutipula*) *latifurca* Vermoolen, 1983 (Tipulidae) Synonym(s): *latifurca* Vermoolen, 1983
- 1937) *Tipula* (*Lunatipula*) *pseudopeliostigma* Mannheims, 1965 (Tipulidae) Synonym(s): *pseudopeliostigma* Mannheims, 1965
- 1938) *Tipula* (s.str.) *orientalis* Lackschewitz, 1930 (Tipulidae) Synonym(s): *orientalis* Lackschewitz, 1930
- 1939) *Tipula* (*Consanguinea*) *rufina* Meigen, 1818 (Tipulidae) Synonym(s): *rufina* Meigen, 1818; *guttipennis* Meigen, 1818; *consanguinea* Macquart, 1838; *parvicauda* Hansen, 1881
- 1940) *Tipula* (*Yamatotipula*) *lateralis* Meigen, 1804 (Tipulidae) Synonym(s): *lateralis* Meigen, 1804; *itermedia* Eiroa, 1990
- 1941) *Tolliella fulguritella* (Ragonot, 1895) (Cosmopterigidae) Synonym(s): *fulguritella* Ragonot, 1895; *copidobathra* Meyrick, 1936.
- 1942) *Tomares* (*nogelii*) *nesimachus* (Oberthür, 1893) (Lycaenidae) Synonym(s): *nesimachus* Oberthür, 1893
- 1943) *Tomares* (*nogelii*) *nogelii* (Freyer, [1851]) (Lycaenidae) Synonym(s): *#nogelii* Herrich-Schäffer, [1851]; *nogelii* Freyer, [1851]; *nogelii* Herrich-Schäffer, [1852]
- 1944) *Toxophora fasciculata* (Villers, 1789) (Bombyliidae) Synonym(s): *fasciculata* Villers, 1789; *maculata* Rossi, 1790 nec Müll., 1764; *completa* Paramonov, 1933
- 1945) *Trachelus libanensis* (André, 1881) (Cephidae) Synonym(s): *libanensis* André, 1881; *armenius* Konow, 1896
- 1946) *Trachycera dulcella* (Zeller, 1848) (Pyralidae) Synonym(s): *dulcella* Zeller, 1848
- 1947) *Trachycera legatea* (Haworth, [1811]) (Pyralidae) Synonym(s): *legatea* Haworth, [1811]; *legatella* Hübner, 1796 nec [Den. & Schiff.], 1775; *legatalis* Hübner, [1825]
- 1948) *Trachylepidia fructicassella* Ragonot, 1887 (Pyralidae) Synonym(s): *fructicassella* Ragonot, 1887
- 1949) *Trachysmia aureopunctana* (Ragonot, 1894) (Tortricidae) Synonym(s): *aureopunctana* Ragonot, 1894
- 1950) *Trechus* (s.str.) *crucifer* Piochard, 1876 (Carabidae) Synonym(s): *crucifer* Piochard, 1876
- 1951) *Trechus* (s.str.) *quadristriatus* (Schränk, 1781) (Carabidae) Synonym(s): *quadristriatus* Schränk, 1781
- 1952) *Trechus* (s.str.) *sauleyanus* Csiki, 1928 (Carabidae) Synonym(s): *sauleyanus* Csiki, 1928
- 1953) *Tretopteryx pertusalis* (Geyer, [1832]) (Pyralidae) Synonym(s): *pertusalis* Geyer, [1832]; *weissenbornii* Freyer
- 1954) *Trichiura* (s.str.) *brandstetteri* Zolotuhin & Saldaitis, 2009 (Lasiocampidae) Synonym(s): *brandstetteri* Zolotuhin & Saldaitis, 2009
- 1955) *Trichodes longissimus* (Abeille de Perrin, 1881) (Cleridae) Synonym(s): *longissimus* Abeille de Perrin, 1881; *angustifrons* Abeille de Perrin, 1881
- 1956) *Trichoplusia circumscripta* (Freyer, 1831) (Noctuidae) Synonym(s): *circumscripta* Freyer, 1831
- 1957) *Trichoplusia ni* (Hübner, [1803]) (Noctuidae) Synonym(s): *ni* Hübner, [1803]; *humilis* Walker, 1858; *extrahens* Walker, 1858; *brassicae* Riley, 1870; *echinocystidis* Strecker, 1874.
- 1958) *Tricyphona* (s.str.) *immaculata* (Meigen, 1804) (Pedicidae) Synonym(s): *immaculata* Meigen, 1804
- 1959) *Triecphorella geniculata* (Horvath, 1881) (Cercopidae) Synonym(s): *geniculata* Horvath, 1881; *fasciata* Kirschbaum, 1868
- 1960) *Trimium libani* Sahlberg, 1908 (Staphylinidae) Synonym(s): *libani* Sahlberg, 1908
- 1961) *Triphosa sabaudiata* (Duponchel, 1830) (Geometridae) Synonym(s): *sabaudiata* Duponchel, 1830
- 1962) *Trithemis annulata* (P. de Beauvois, 1807) (Libellulidae) Synonym(s): *annulata* P. de Beauvois, 1807
- 1963) *Trithemis arteriosa* (Burmeister, 1839) (Libellulidae) Synonym(s): *arteriosa* Burmeister, 1839
- 1964) *Tropidopola longicornis* (Fieber, 1853) (Acrididae) Synonym(s): *longicornis* Fieber, 1853; *syrica* Walker, 1871; *cylindrica* Giglio-Tos, 1893; *indica* Uvarov, 1937
- 1965) *Tropidopola syriaca* Walker, 1871 (Acrididae) Synonym(s): *syriaca* Walker, 1871
- 1966) *Tropinota* (*Epicometis*) *hirta* (Poda, 1761) (Scarabaeidae) Synonym(s): *hirta* Poda, 1761; *hirtellus* Linnaeus, 1767
- 1967) *Tropinota* (s.str.) *squalida* (Scopoli, 1763) (Scarabaeidae) Synonym(s): *squalida* Scopoli, 1763; *pilosa* Brullé, 1832
- 1968) *Tropinota* (s.str.) *vittula* Reiche & Saulcy, 1856 (Scarabaeidae) Synonym(s): *vittula* Reiche & Saulcy, 1856
- 1969) *Tshurtshurnella hani* Gnezdilov, 2002 (Issidae) Synonym(s): *hani* Gnezdilov, 2002
- 1970) *Tuberculatus* (*Tuberculoides*) *moerickei* Hille Ris Lambers, 1974 (Aphididae) Synonym(s): *moerickei* Hille Ris Lambers, 1974; *galatensis* Hille Ris Lambers, 1974
- 1971) *Tuberculatus* (*Tuberculoides*) *pallescent* Hille Ris Lambers, 1974 (Aphididae) Synonym(s): *pallescent* Hille Ris Lambers, 1974
- 1972) *Tuponia hippophaes* (Fieber, 1861) (Miridae) Synonym(s): *hippophaes* Fieber, 1861; *unicolor* Scott, 1872; *myricariae* Cerutti, 1939; *michalki* Wagner, 1951; *seidenstueckeri* Wagner, 1955; *mimeuri* Wagner, 1958; *albomarginata* Linnavuori, 1961; *cypria* Wagner, 1962; *longitarsis* Wagner, 1962; *pradassiensis* Tamanini, 1964; *menorcana* Wagner, 1971; *liparensis* Tamanini, 1973; *rhodensis* Wagner, 1974
- 1973) *Turanana endymion* (Freyer, [1850]) (Lycaenidae) Synonym(s): *endymion* Freyer, [1850]
- 1974) *Tyta luctuosa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller], 1775; *italica* Fabricius, 1781; *atra* Goetz, 1781 nec Linn., 1767; *astroites* Fourcroy, 1785; *maculosa* Villers, 1789
- 1975) *Udea ferrugalis* (Hübner, 1796) (Pyralidae) Synonym(s): *ferruginalis* Rossi, 1794; *ferrugalis* Hübner, 1796; *#ferrugalis* Hübner, 1796; *martialis* Guenée, 1854; *hypatialis* Walker, 1859; *testacea* Butler, 1879
- 1976) *Udea fimbriatralis* (Duponchel, 1834) (Pyralidae) Synonym(s): *fimbriatralis* Duponchel, 1834; *#fimbriatralis* Rebel, 1901
- 1977) *Ulidia albidipennis* Loew, 1845 (Ulidiidae) Synonym(s): *albidipennis* Loew, 1845; *atrovirens* Loew, 1845

- 1978)** *Ulidia ruficeps* Becker, 1913 (Ulidiidae) Synonym(s): *ruficeps* Becker, 1913
- 1979)** *Ulotricha egregialis* (Herrich-Schäffer, 1838) (Pyralidae) Synonym(s): *egregialis* Herrich-Schäffer, 1838
- 1980)** *Uranotaenia* (Pseudoficalbia) *unguiculata* Edwards, 1913 (Culicidae) Synonym(s): *unguiculata* Edwards, 1913; *pefflyi* Stone, 1961
- 1981)** *Uresiphita polygonalis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller], 1775; *#limalis* [Denis & Schiffermüller], 1775; *gilvata* Fabricius, 1794; *orientalis* Fabricius, 1794; *diversalis* Hübner, 1796; *rusticalis* Hübner, 1796; *aversalis* Guenée, 1854; *consanguinalis* Guenée, 1854; *teriadalis* Guenée, 1854; *deprivalis* Walker, 1859; *virescens* Butler, 1881; *ochrocrossa* Clarke, 1971
- 1982)** *Urophora affinis* (Frauenfeld, 1857) (Tephritidae) Synonym(s): *affinis* Frauenfeld, 1857
- 1983)** *Urophora dzieduszyckii* Frauenfeld, 1867 (Tephritidae) Synonym(s): *dzieduszyckii* Frauenfeld, 1867; *wodzickii* Frauenfeld, 1867; *syriaca* Hendel, 1927; *pontica* M.Hering, 1937; *erichschmidtii* M.Hering, 1953; *#dzieduszyckiipontica* White & Korneyev, 1989
- 1984)** *Usia* (s.str.) *bicolor* Macquart, 1855 (Bombyliidae) Synonym(s): *bicolor* Macquart, 1855
- 1985)** *Valeria oleagina* (Esper, [1786]) (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller], 1775; *oleagina* Esper, [1786]
- 1986)** *Vanessa* (Cynthia) *cardui* (Linnaeus, 1758) (Argynnidae) Synonym(s): *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawii* McCoy, 1868; *pallida* Schoyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925.
- 1987)** *Vanessa* (s.str.) *atalanta* (Linnaeus, 1758) (Argynnidae) Synonym(s): *atalanta* Linnaeus, 1758; *amiralis* Retzius, 1783; *#klemensiewiczii* Schille, 1896; *#klime* Fischer, 1896; *italica* Stichel, 1900.
- 1988)** *Vespa orientalis* Linnaeus, 1771 (Vespidae) Synonym(s): *orientalis* Linnaeus, 1771; *turcica* Drury, 1773; *quadripunctata* Forskal, 1775; *fusca* Christ, 1791; *aegyptiaca* Vallot, 1802; *nilotica* Vallot, 1802; *jurinei* Saussure, 1854; *zavattarii* Guiglia & Capra, 1933; *somalica* Giordani Soika, 1934; *arabica* Giordani Soika, 1957
- 1989)** *Victrix* (Rasihia) *marginelota* (de Joannis, 1888) (Noctuidae) Synonym(s): *marginelota* de Joannis, 1888
- 1990)** *Villa abbadon* (Fabricius, 1794) (Bombyliidae) Synonym(s): *abbadon* Fabricius, 1794
- 1991)** *Viridicerus ustulatus* (Mulsant & Rey, 1855) (Cicadellidae) Synonym(s): *viridis* Schrank, 1801; *ustulatus* Mulsant & Rey, 1855; *salicetorum* Mulsant & Rey, 1855; *prasinus* Kirschbaum, 1868
- 1992)** *Vulcaniella fiordalisa* (Petty, 1904) (Cosmopterigidae) Synonym(s): *fiordalisa* Petty, 1904; *gnaphaliella* Chrétien, 1922.
- 1993)** *Watsonalla binaria* (Hufnagel, 1767) (Drepanidae) Synonym(s): *binaria* Hufnagel, 1767; *falcata* Fabricius, 1775; *falculataria* Villers, 1789; *falcatalis* Haworth, 1802; *uncula* Hübner, [1802]
- 1994)** *Wehrliola revocaria* (Staudinger, 1892) (Geometridae) Synonym(s): *revocaria* Staudinger, 1892; *#fasciata* Wagner, 1931.
- 1995)** *Wheeleria ivae* (Kasy, 1960) (Pterophoridae) Synonym(s): *ivae* Kasy, 1960
- 1996)** *Xanthia* (Cirrha) *ocellaris* (Borkhausen, 1792) (Noctuidae) Synonym(s): *ocellaris* Borkhausen, 1792; *palleago* Hübner, [1803].
- 1997)** *Xanthodes albago* (Fabricius, 1794) (Noctuidae) Synonym(s): *albago* Fabricius, 1794; *malvae* Esper, [1796]; *stramen* Guenée, 1852; *impurata* Walker, 1857; *impellens* Walker, 1858; *inefficiens* Walker, 1858.
- 1998)** *Xanthorhoe fluctuata* (Linnaeus, 1758) (Geometridae) Synonym(s): *fluctuata* Linnaeus, 1758; *fibulata* Hufnagel, 1767; *cinerata* Fourcroy, 1785 *nec* Fabr., 1781; *costovata* Haworth, 1809; *fluctuaria* Boisduval, 1840
- 1999)** *Xenochlorodes olympiaria* (Herrich-Schäffer, [1852]) (Geometridae) Synonym(s): *olympiaria* Herrich-Schäffer, [1852]; *cremonaria* Staudinger, 1897; *pallida* W. Warren, 1897.
- 2000)** *Xerasia punica* Goodrich & Springer, 1988 (Byturidae) Synonym(s): *punica* Goodrich & Springer, 1988
- 2001)** *Xestia* (s.str.) *castanea* (Esper, [1798]) (Noctuidae) Synonym(s): *castanea* Esper, [1798]; *neglecta* Hübner, [1803]; *cerasina* Freyer, 1840; *xanthe* Woodf., 1901; *obsolescens* W.Petersen, 1905; *alliata* Hartig, 1949.
- 2002)** *Xestia* (s.str.) *palaestinis* (Kalchberg, 1898) (Noctuidae) Synonym(s): *palaestinis* Kalchberg, 1898.
- 2003)** *Xestia* (s.str.) *sareptana* (Herrich-Schäffer, [1851]) (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer, [1851]; *iobaphes* Boursin, 1936
- 2004)** *Xestia* (s.str.) *xanthographa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller], 1775; *tetragona* Haworth, 1809; *budensis* Freyer, 1838; *elutior* Alpheraky, 1887; *lepida* Constantino, 1922.
- 2005)** *Xylena exsoleta* (Linnaeus, 1758) (Noctuidae) Synonym(s): *exsoleta* Linnaeus, 1758; *exoleta* Fabricius, 1787
- 2006)** *Xylena vetusta* (Hübner, [1813]) (Noctuidae) Synonym(s): *vetusta* Hübner, [1813]
- 2007)** *Xyllocampa mustapha* (Oberthür, 1920) (Noctuidae) Synonym(s): *mustapha* Oberthür, 1920
- 2008)** *Xylomedes cornifrons* (Baudi di Selve, 1873) (Bostrichidae) Synonym(s): *cornifrons* Baudi di Selve, 1873
- 2009)** *Yerohama maculata* (Meigen, 1835) (Sarcophagidae) Synonym(s): *maculata* Meigen, 1835
- 2010)** *Ypthima asterope* (Klug, 1832) (Satyridae) Synonym(s): *asterope* Klug, 1832; *marlenii* Kattulas & Koutsaftikis, 1978.
- 2011)** *Zebeeba falsalis* (Herrich-Schäffer, 1839) (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer, 1839
- 2012)** *Zekelita* (Ravalita) *ravalis* (Herrich-Schäffer, [1852]) (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer, [1852]; *revolutalis* Zeller, 1852; *eremialis* Swinhoe, 1889 *nec* Walk., 1859; *centralis* Staudinger, 1892; *syriacalis* Staudinger, 1892; *extorris* W. Warren, 1913; *#pallida* Schawerda, 1929; *#transcaspica* Brandt, 1941.
- 2013)** *Zekelita* (Rhynchodontodes) *antiqualis* (Hübner, [1809]) (Noctuidae) Synonym(s): *antiqualis* Hübner, [1809]; *anatolica* Wagner, 1931; *#antiquis* Zukowsky, 1941
- 2014)** *Zerynthia* (Allancastris) *cerisyi* (Godart, 1822) (Papilionidae) Synonym(s): *cerisyi* Godart, 1822; *cerisy* Godart, [1824]; *martini* Fruhst., 1906; *speciosa*, *cypria* Stichel, 1907; *#destrigata* Schultz, 1908; *#caeca* Shelj., 1927; *mysiniensis* Eisn. & Wag., 1974; *kocaki*, *goeksui* Kuhna, 1977; *koroneii* Katt. & Kouts., 1978; *sami* Schmidt, 1989.
- 2015)** *Zerynthia* (Allancastris) *deyrollei* (Oberthür, 1869) (Papilionidae) Synonym(s): *deyrollei* Oberthür, 1869; *eisneri* Bernardi, 1970; *lycaoniae* Eisner & Wagener, 1974; *#flavomaculata* Verity, 1905; *#ochracea* Verity, 1905; *#obscurior* Verity, 1905; *#subflava* Schultz, 1908; *#deflexa* Schultz, 1908; *#charis* Schultz, 1908; *#separata* Sheljuzhko, 1927.
- 2016)** *Zethes insularis* Rambur, 1833 (Noctuidae) Synonym(s): *insularis* Rambur, 1833
- 2017)** *Zeuzera pyrina* (Linnaeus, 1761) (Cossidae) Synonym(s): *pyrina* Linnaeus, 1761; *hypocastani* Poda, 1761; *aesuli* Linnaeus, 1767; *hilaris* Fourcroy, 1785; *octopunctata* Boisduval, 1832; *decipiens* Kirby, 1892
- 2018)** *Zitha subustalis* (Lederer, 1855) (Pyralidae) Synonym(s): *subustalis* Lederer, 1855
- 2019)** *Zizeeria* (s.str.) *karsandra* (Moore, 1865) (Lycaenidae) Synonym(s): *karsandra* Moore, 1865
- 2020)** *Zophosis cognata* Miller, 1861 (Tenebrionidae) Synonym(s): *cognata* Miller, 1861
- 2021)** *Zygaena* (Agrumenia) *carniolica* (Scopoli, 1763) (Zygaenidae) Synonym(s): *carniolica* Scopoli, 1763; *nigra* Dziurzynski, 1909; *transiensnigra* Dziurzynski, 1909
- 2022)** *Zygaena* (Agrumenia) *olivieri* Boisduval, 1828 (Zygaenidae) Synonym(s): *olivieri* Boisduval, 1828; *cremonae* Seitz, 1907
- 2023)** *Zygaena* (Mesembrynus) *cuvieri* Boisduval, 1828 (Zygaenidae) Synonym(s): *cuvieri* Boisduval, 1828

- 2024)** *Zygaena* (s.str.) *filipendulae* (Linnaeus,1758) (Zygaenidae) Synonym(s): *filipendulae* Linnaeus,1758; *aries* Retzius,1783
2025) *Zygaena* (s.str.) *graslini* Lederer,1855 (Zygaenidae) Synonym(s): *graslini* Lederer,1855
2026) *Zygina* (s.str.) *tithide* Ferrari,1882 (Cicadellidae) Synonym(s): *tithide* Ferrari,1882; *nudale* Ribaut,1936 (praeocc.); *nudior* Cerr.,1937; *decolorata* Cerr.,1939; *unipunctata* Cerr.,1939; *nudista* Knull,1944
2027) *Zyginidia* (s.str.) *sohrab* Zachvatkin,1947 (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948

ISRAEL / PALESTINE (4654 SPECIES)

- 1) "*Calligypona*" *obtusangula* Linnavuori,1957 (Delphacidae) Synonym(s): *obtusangula* Linnavuori,1957
- 2) "*Megamelus*" *ornatipennis* Haupt,1927 (Delphacidae) Synonym(s): *ornatipennis* Haupt,1927
- 3) *Ablattaria* *arenaria* (Kraatz,1876) (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926
- 4) *Ablerus* *chionaspidis* (Howard,1914) (Aphelinidae) Synonym(s): *chionaspidis* Howard,1914; *qadrii* Agarwal,1964; *greateadi* Annecke & Insley,1970
- 5) *Abrostola* *clarissa* (Staudinger,1900) (Noctuidae) Synonym(s): *clarissa* Staudinger,1900
- 6) *Acalyptis* *pistaciae* Nieukerken,2007 (Nepticulidae) Synonym(s): *pistaciae* Nieukerken,2007
- 7) *Acanthacalis* *occitanica* (Villers,1789) (Myrmeleonidae) Synonym(s): *occitanicum* Villers,1789; *pisanus* Rossi,1790; *georgianum* Fischer v. Waldheim,1846
- 8) *Acanthiophilus* *helianthi* (Rossi,1790) (Tephritidae) Synonym(s): *helianthi* Rossi,1790; *eluta* Meigen,1826
- 9) *Acanthobodilus* *immundus* (Creutzer,1799) (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799
- 10) *Acantholipes* *regularis* (Hübner,[1813]) (Noctuidae) Synonym(s): *regularis* Hübner,[1813]
- 11) *Acanthovalva* *inconspicua* (Hübner,[1819]) (Geometridae) Synonym(s): *inconspicua* Hübner,[1819]; *pumicaria* Lederer,1855; *osyraria* Guenée,[1858]; *cinerascens* Butler,1875; *perturbata* Bastelberger,1908; *cinnamomaria* Rothschild,1914
- 12) *Acathrito* *robusta* (Kröber,1929) (Therevidae) Synonym(s): *robusta* Kröber,1929
- 13) *Acemya* *fishelsoni* Kugler,1968 (Tachinidae) Synonym(s): *fishelsoni* Kugler,1968
- 14) *Acherontia* *atropos* (Linnaeus,1758) (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877
- 15) *Acheta* *brevipennis* Chopard,1963 (Gryllidae) Synonym(s): *brevipennis* Chopard,1963
- 16) *Achroia* *grisella* (Fabricius,1794) (Pyralidae) Synonym(s): *grisella* Fabricius,1794; *alvearia* Fabricius,1798; *cinereola* Hübner,[1803]; *alvea* Haworth,1811; *alveariella* Guenée,1845; *anticella* Walker,1863; *obscurivittella* Ragonot,1901; *#major* Dufrene,1930
- 17) *Achyra* *nudalis* (Hübner,1796) (Pyralidae) Synonym(s): *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901
- 18) *Acinopus* *megacephalus* (P.Rossi,1794) (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794
- 19) *Aciura* *coryli* (Rossi,1790) (Tephritidae) Synonym(s): *coryli* Rossi,1790; *rotundiventris* Meigen,1826; *femoralis* R-D.,1830; *powelli* Seguy,1930
- 20) *Acleris* *literana* (Linnaeus,1758) (Tortricidae) Synonym(s): *literana* Linnaeus,1758; *squamana* Fabricius,1775; *aspersana* [Denis & Schiffermüller],1775; *romanana* Fabricius,1787; *squamulana* Hübner,1793; *irrorana* Hübner,[1799]; *tricolorana* Haworth,1811; *abjectana* Hübner,[1825]; *aerugana* Hübner,[1825]; *fulvomixtana* Stephens,1834; *suavana* Herrich-Schäffer,1851
- 21) *Acleris* *variegana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851
- 22) *Acletoxenus* *formosus* (Loew,1864) (Drosophilidae) Synonym(s): *formosus* Loew,1864; *syrphoides* Frauenfeld,1868
- 23) *Acmaeodera* (s.str.) *flavolineata* Laporte & Gory,1835 (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912; *krueperi* Obenberger,1926
- 24) *Acnephalum* *fasciculatus* (Loew,1847) (Asilidae) Synonym(s): *fasciculatus* Loew,1847
- 25) *Acnephalum* *mixtus* (Loew,1847) (Asilidae) Synonym(s): *mixtus* Loew,1847; *anthophorinus* Loew,1847
- 26) *Acontia* (Emmelia) *trabealis* (Scopoli,1763) (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881
- 27) *Acontia* (s.str.) *biskrensis* (Oberthür,1887) (Noctuidae) Synonym(s): *biskrensis* Oberthür,1887; *orientalis* Brandt,1939; *agacinoi* Rungs,1945; *griseus* Rebel,1948
- 28) *Acontia* (s.str.) *lucida* (Hufnagel,1766) (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliodora* Schawerda,1923
- 29) *Acontia* (Uracontia) *titania* (Esper,[1798]) (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846
- 30) *Acontiola* *sancta* Staudinger,[1900] (Noctuidae) Synonym(s): *sancta* Staudinger,[1900]
- 31) *Aconura* *amitina* (Melichar,1902) (Cicadellidae) Synonym(s): *amitina* Melichar,1902; *inustus* Haupt,1927
- 32) *Aconura* *impicta* (Linnavuori,1962) (Cicadellidae) Synonym(s): *impicta* Linnavuori,1962
- 33) *Aconurella* *prolixa* (Lethierry,1885) (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (praeocc.); *sanguisuga* Lindberg,1927; *obtus* Metcalf,1955
- 34) *Acrida* *palaestina* Dirsh,1949 (Acrididae) Synonym(s): *palaestina* Dirsh,1949
- 35) *Acrobasis* *atrisquamella* Ragonot,1887 (Pyralidae) Synonym(s): *atrisquamella* Ragonot,1887; *nigrisquamella* Amsel,1953
- 36) *Acrobasis* *glauca* Staudinger,1859 (Pyralidae) Synonym(s): *glauca* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910
- 37) *Acrobasis* *obliqua* (Zeller,1847) (Pyralidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927
- 38) *Acrobasis* *obtusella* (Hübner,1796) (Pyralidae) Synonym(s): *obtusella* Hübner,1796; *obtus* Haworth,1811; *obtusalis* Hübner,[1825]
- 39) *Acrobyla* *kneuckeri* (Rebel,1903) (Noctuidae) Synonym(s): *kneuckeri* Rebel,1903; *turcorum* C.G.Krüger,1939 *nec* Zny.; *gloriosa* Rungs,1945

- 40) **Acrocercops brongniardella (Fabricius,1798)** (Gracillariidae) Synonym(s): *brongniardella* Fabricius,1798; *substriga* Haworth,1828; *quercetella* Zeller,1838; *curtisella* Duponchel,1840]
- 41) **Acrocercops cocciferella (Chrétien,1910)** (Gracillariidae) Synonym(s): *cocciferella* Chrétien,1910
- 42) **Acromalachus clavicornis (Peyron,1877)** (Melyridae) Synonym(s): *clavicornis* Peyron,1877
- 43) **Acromalachus flexicornis (Baudi di Selve,1873)** (Melyridae) Synonym(s): *flexicornis* Baudi di Selve,1873
- 44) **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937
- 45) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 46) **Acronicta (Triaena) pasiphae Draudt,1936** (Noctuidae) Synonym(s): *pasiphae* Draudt,1936
- 47) **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758
- 48) **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 49) **Acropsilus brevitatus (Parent,1937)** (Dolichopodidae) Synonym(s): *brevitatus* Parent,1937
- 50) **Acrorienus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883
- 51) **Acrossus luridus (Fabricius,1775)** (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775
- 52) **Acrosternum heegeri Fieber,1861** (Pentatomidae) Synonym(s): *heegeri* Fieber,1861; *incerta* Signoret,1861; *submarginatus* Stal,1861
- 53) **Acrosternum millieri (Mulsant & Rey,1866)** (Pentatomidae) Synonym(s): *millieri* Mulsant & Rey,1866; *forbesi* Distant,1884; *putoni* Vidal,1949
- 54) **Actenia beatalis Kalchberg,1897** (Pyralidae) Synonym(s): *beatalis* Kalchberg,1897
- 55) **Actenia brunnealis (Treitschke,1829)** (Pyralidae) Synonym(s): *brunnealis* Treitschke,1829; *phaealis* Hampson,1900.
- 56) **Actenodia peyroni (Reiche,1866)** (Meloidae) Synonym(s): *peyroni* Reiche,1866; *#peyronis* Reiche,1866
- 57) **Adaina microdactyla (Hübner,1813)** (Pterophoridae) Synonym(s): *microdactyla* Hübner,1813; *carphodactylus* Stephens,1834; *subflavescens* Meyrick,1930; *montivola* Meyrick,1937.
- 58) **Adela argyrosipila Meyrick,1924** (Adelidae) Synonym(s): *argyrosipila* Meyrick,1924
- 59) **Adela glabrata (Meyrick,1922)** (Adelidae) Synonym(s): *glabrata* Meyrick,1922
- 60) **Adelostoma (Zarudnyomus) grande Haag-Rutenberg,1879** (Tenebrionidae) Synonym(s): *grande* Haag-Rutenberg,1879; *persis* Semenov & Bogatshev,1947; *perissinottoi* Canzoneri,1965
- 61) **Adelphocoris bimaculicollis Lindberg,1948** (Miridae) Synonym(s): *bimaculicollis* Lindberg,1948
- 62) **Adeniana longiceps (Puton,1887)** (Cicadidae) Synonym(s): *longiceps* Puton,1887; *tabida* Horvath,1911; *planiceps* Horvath,1917
- 63) **Adeniana yotvataensis Schedl,1999** (Cicadidae) Synonym(s): *yotvataensis* Schedl,1999
- 64) **Adesmia (s.str.) abbreviata Klug,1830** (Tenebrionidae) Synonym(s): *abbreviata* Klug,1830; *arca* Reiche & Saulcy,1857
- 65) **Adesmia (s.str.) anthracina Klug,1830** (Tenebrionidae) Synonym(s): *anthracina* Klug,1830; *olivieri* Reiche & Saulcy,1857
- 66) **Adometus granulifrons Fairmaire,1882** (Scarabaeidae) Synonym(s): *granulifrons* Fairmaire,1882
- 67) **Adoretus irakanus Ohaus,1928** (Scarabaeidae) Synonym(s): *irakanus* Ohaus,1928
- 68) **Adoretus sterbae Reitter,1909** (Scarabaeidae) Synonym(s): *sterbae* Reitter,1909
- 69) **Adoxomyia cinerascens (Loew,1873)** (Stratiomyidae) Synonym(s): *cinerascens* Loew,1873
- 70) **Adoxomyia dahlui (Meigen,1830)** (Stratiomyidae) Synonym(s): *dahlui* Meigen,1830; *schineri* Lindner,1937; *personata* Lindner,1975
- 71) **Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862.
- 72) **Aedes (Ochlerotatus) caspius (Pallas,1771)** (Culicidae) Synonym(s): *caspius* Pallas,1771; *punctatus* Meigen,1804; *siculus* R-D.,1827; *maculiventris* Macquart,1844; *penicillaris* Rondani,1872; *curriei* Coquillett,1901; *onodagensis* Felt,1904; *longisquamosa* Theobald,1905; *subtilis* Sergeant,1905; *quaylei* Dyar & Knab,1906; *lativittatus* Coquillett,1906; *arabica* Giles,1906; *africanus* Neveu-Lemaire,1906; *willcocksii* Theobald,1907; *arabicus* Becker,1910; *broquetii* Theobald,1913; *grahami* Ludlow,1919; *epsilon* Séguin,1924
- 73) **Aedes (Ochlerotatus) phoeniciae Coluzzi & Sabatini,1968** (Culicidae) Synonym(s): *phoeniciae* Coluzzi & Sabatini,1968
- 74) **Aedes (Ochlerotatus) pulcritarsis (Rondani,1872)** (Culicidae) Synonym(s): *pulcritarsis* Rondani,1872; *leucacanthus* Loew,1873; *stegomyia* Stackelberg & Monchadskii,1926; *asiatica* Edwards,1926; *simici* Baranoff,1927
- 75) **Aedes (Stegomyia) aegypti (Linnaeus,1762)** (Culicidae) Synonym(s): *aegypti* Linnaeus,1762; *argenteus* Poirer,1787; *fasciatus* Fabricius,1805; *sugens* Wiedemann,1828; *annulitarsis* Macquart,1846; *inexorabilis* Walker,1848; *insatiabilis* Bigot,1859; *nigeria* Theobald,1901; *atrirtarsis* Edwards,1920
- 76) **Aedes (Stegomyia) albipictus (Skuse,1895)** (Culicidae) Synonym(s): *albipictus* Skuse,1895; *samarensis* Ludlow,1903; *nigrita* Ludlow,1910; *quasinigrita* Ludlow,1911
- 77) **Aedia funesta (Esper,1786)]** (Noctuidae) Synonym(s): *funesta* Esper,1786; *quadrimaculata* Scopoli,1786
- 78) **Aedophron monotonia Amsel,1935** (Noctuidae) Synonym(s): *monotonia* Amsel,1935
- 79) **Aedophron phlebophora Lederer,1858** (Noctuidae) Synonym(s): *phlebophora* Lederer,1858
- 80) **Aegle semicana (Esper,1798)]** (Noctuidae) Synonym(s): *semicana* Esper,1798; *vespertalis* Hübner,1813; *mimetes* Brandt,1938; *#verspentalis* Hacker,1986.
- 81) **Aelia acuminata (Linnaeus,1758)** (Pentatomidae) Synonym(s): *acuminata* Linnaeus,1758; *rostratus* De Geer,1773; *tessarophthalmus* Schrank,1781; *neglecta* Dallas,1851; *burmeisteri* Küster,1852; *pallida* Küster,1852; *turanica* Horvath,1895; *punctiventris* Horvath,1911; *#nigripes* Wagner,1938; *baluchistanensis* Ahmad & Zaidi,1988
- 82) **Aelia germari Küster,1852** (Pentatomidae) Synonym(s): *germari* Küster,1852; *triticiperda* Pomel,1889
- 83) **Aelia virgata (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *virgata* Herrich-Schäffer,1841
- 84) **Aeshna affinis Van Der Linden,1820** (Aeshnidae) Synonym(s): *affinis* Van Der Linden,1820
- 85) **Aethes bilbaensis (Rössler,1877)** (Tortricidae) Synonym(s): *bilbaensis* Rössler,1877; *loxopteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923.
- 86) **Aethes lygrana Karisch,1992** (Tortricidae) Synonym(s): *lygrana* Karisch,1992
- 87) **Aethes margarotana (Duponchel,1836)** (Tortricidae) Synonym(s): *margarotana* Duponchel,1836; *maritimana* Guenée,1845; *parallelana* Kennel,1913; *edrisitana* Chrétien,1922; *paronyma* Meyrick,1932.
- 88) **Aethes tornella (Walsingham,1898)** (Tortricidae) Synonym(s): *tornella* Walsingham,1898
- 89) **Aethes williana (Brahm,1791)** (Tortricidae) Synonym(s): *williana* Brahm,1791; *cembrana* Hübner,1825; *zephyrana* Treitschke,1830; *dubrisana* Curtis,1834; *marmoratana* Curtis,1834; *luteolana* Stephens,1834; *virginana* Guenée,1845; *loriculana* Guenée,1849; *costignata* Filipjev,1926.
- 90) **Aethiessa mesopotamica Burmeister,1842** (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939
- 91) **Africalpe intrusa C.G.Krüger,1939** (Noctuidae) Synonym(s): *intrusa* C.G.Krüger,1939
- 92) **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795

- 93) **Agabus (Gaurodytes) faldermanni Zaitzev, 1927** (Dytiscidae) Synonym(s): *faldermanni* Zaitzev, 1927; *palaestinus* Zimmermann, 1934; *iranicus* Guéorguiev, 1975
- 94) **Agallia hispanica Horvath, 1900** (Cicadellidae) Synonym(s): *hispanica* Horvath, 1900
- 95) **Agallia minuta Melichar, 1896** (Cicadellidae) Synonym(s): *minuta* Melichar, 1896
- 96) **Agalmatium bilobum (Fieber, 1877)** (Issidae) Synonym(s): *bilobum* Fieber, 1877
- 97) **Agapanthia pustulifera Pic, 1905** (Cerambycidae) Synonym(s): *pustulifera* Pic, 1905
- 98) **Agapanthia simplicicornis Reitter, 1898** (Cerambycidae) Synonym(s): *simplicicornis* Reitter, 1898
- 99) **Agdistis adactyla (Hübner, [1819])** (Pterophoridae) Synonym(s): *adactyla* Hübner, [1819]; *huebneri* Curtis, 1834; *delphinensella* Bruand, 1858; *shaanxisis* Qin & Zheng, 1997.
- 100) **Agdistis arabica Amsel, 1958** (Pterophoridae) Synonym(s): *arabica* Amsel, 1958
- 101) **Agdistis frankeniae (Zeller, 1847)** (Pterophoridae) Synonym(s): *frankeniae* Zeller, 1847; *lerinsis* Millière, 1876; *bahrutia* Amsel, 1955; *tondeuri* Bigot, 1963; *rupestris* Bigot, 1974; *rjabovi* Zagulyaev & Filippova, 1976; *kulunda* Ustjuzhanin, 1991.
- 102) **Agdistis halodelta Meyrick, 1925** (Pterophoridae) Synonym(s): *halodelta* Meyrick, 1925; *lippensi* Amsel, 1955
- 103) **Agdistis heydeni (Zeller, 1852)** (Pterophoridae) Synonym(s): *heydeni* Zeller, 1852; *canariensis* Rebel, 1896; *excurata* Meyrick, 1920.
- 104) **Agdistis meridionalis (Zeller, 1847)** (Pterophoridae) Synonym(s): *meridionalis* Zeller, 1847; *staticis* Millière, 1875; *portlandica* Tutt, 1906; *clivicola* Meyrick, 1920; *tyrrhenica* Amsel, 1952; *prolai* Hartig, 1953.
- 105) **Agdistis nigra Amsel, 1955** (Pterophoridae) Synonym(s): *nigra* Amsel, 1955
- 106) **Agdistis paralia (Zeller, 1847)** (Pterophoridae) Synonym(s): *paralia* Zeller, 1847
- 107) **Agdistis pygmaea Amsel, 1955** (Pterophoridae) Synonym(s): *minima* Amsel, 1954 nec Wals., 1900; *pygmaea* Amsel, 1955
- 108) **Agdistis tamaricis (Zeller, 1847)** (Pterophoridae) Synonym(s): *tamaricis* Zeller, 1847; *bagdadiensis* Amsel, 1949; *xinjiangsis* Qin & Zheng, 1997.
- 109) **Ageniaspis citricola Logvinovskaya, 1983** (Encyrtidae) Synonym(s): *citricola* Logvinovskaya, 1983
- 110) **Ageniaspis fuscicollis (Dalman, 1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman, 1820; *cianocephalus* Bouché, 1834; *praysincola* Silvestri, 1907; *anchyloperae* De Santis, 1957
- 111) **Agenioidea oasis (Haupt, 1962)** (Pompilidae) Synonym(s): *oasis* Haupt, 1962
- 112) **Aglena ornata (Herrich-Schäffer, 1838)** (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer, 1838; *pallida* Walker, 1851 (*praeocc.*); *ornatula* Kirkaldy, 1906
- 113) **Aglossa asiatica Erschoff, 1871** (Pyralidae) Synonym(s): *asiatica* Erschoff, 1871
- 114) **Aglossa caprealis (Hübner, [1809])** (Pyralidae) Synonym(s): *caprealis* Hübner, [1809]; *capreolatus* Haworth, 1809; *aenalis* Costa, 1836; *domalis* Guenée, 1854; *incultella* Walker, 1866; *enthealis* Hulst, 1886; *#cuprealis* Kalchberg, 1897
- 115) **Aglossa pinguinalis (Linnaeus, 1758)** (Pyralidae) Synonym(s): *pinguinalis* Linnaeus, 1758; *marmorella* Geoffroy, 1785; *marmoratella* Villers, 1789; *pinguiculatus* Haworth, 1809; *pinguinatus* Haworth, 1809; *asiatica* Erschoff, 1871; *rubralis* Hampson, 1900; *guicciardii* Constantino, 1922; *sanaensis* Rebel, 1930; *maroccana* Schmidt, 1934
- 116) **Agonopterix adpersella (Kollar, 1832)** (Oecophoridae) Synonym(s): *adpersella* Kollar, 1832; *athamanticella* Heinemann, 1870; *amanthicella* Staudinger, 1901; *subulatella* Turati, 1919; *karmeliella* Amsel, 1933
- 117) **Agonopterix atomella ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *atomella* [Denis & Schiffermüller], 1775; *atomosa* Haworth, 1811
- 118) **Agonopterix imbutella Christoph, 1888** (Oecophoridae) Synonym(s): *imbutella* Christoph, 1888
- 119) **Agonopterix liodryas (Meyrick, 1921)** (Oecophoridae) Synonym(s): *liodryas* Meyrick, 1921
- 120) **Agonopterix remota (Meyrick, 1921)** (Oecophoridae) Synonym(s): *remota* Meyrick, 1921
- 121) **Agrapha accentifera (Lefèbvre, 1827)** (Noctuidae) Synonym(s): *accentifera* Lefèbvre, 1827; *l-aureum* Freyer, 1831; *accifera* Gaede, 1937.
- 122) **Agriopsis bajaria ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#aerugaria* [Denis & Schiffermüller], 1775; *bajaria* [Denis & Schiffermüller], 1775; *vittaria* Sulzer, 1776; *rubrostriata* Goeze, 1781; *ligustriaria* Lang, 1789; *sericearia* Borkhausen, 1794; *cineraria* Esper, [1801]; *sorditaria* Hübner, [1809]; *legrasi* Dumont, 1925
- 123) **Agriotes (s.str.) radula Desbrochers, 1875** (Elateridae) Synonym(s): *radula* Desbrochers, 1875; *brevicollis* Schwarz, 1891
- 124) **Agriphila cyrenaicella (Ragonot, 1887)** (Pyralidae) Synonym(s): *cyrenaicella* Ragonot, 1887; *alexandriensis* Bethune-Baker, 1894; *permixtella* Kalchberg, 1897.
- 125) **Agriphila geniculea (Haworth, [1811])** (Pyralidae) Synonym(s): *geniculea* Haworth, [1811]; *imistella* Hübner, [1813]; *angulatellus* Duponchel, 1836; *suspectellus* Zeller, 1839.
- 126) **Agriphila inquinatella ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller], 1775; *? arbustella* Schrank, 1802; *nevadensis* Caradja, 1910.
- 127) **Agriphila tersella (Lederer, 1855)** (Pyralidae) Synonym(s): *tersellus* Lederer, 1855; *graphellus* Constant, 1884; *hungaricus* Schmidt, 1909; *austellus* Chrétien, 1913; *uniformellus* Caradja, 1918; *chneouri* Lucas, 1942.
- 128) **Agrius convolvuli (Linnaeus, 1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O. Bang-Haas, 1927
- 129) **Agrochola (Anchoscelis) helvola (Linnaeus, 1758)** (Noctuidae) Synonym(s): *helvola* Linnaeus, 1758; *rufina* Linnaeus, 1758; *#fulvago* Clerck, 1759
- 130) **Agrochola (Anchoscelis) hypotaenia (Bytinski-Salz, 1936)** (Noctuidae) Synonym(s): *hypotaenia* Bytinski-Salz, 1936; *wiltshirei* Bytinski-Salz, 1936
- 131) **Agrochola (Anchoscelis) luteogrisea (W. Warren, 1911)** (Noctuidae) Synonym(s): *luteogrisea* W. Warren, 1911
- 132) **Agrochola (Anchoscelis) osthelderi Boursin, 1951** (Noctuidae) Synonym(s): *osthelderi* Boursin, 1951
- 133) **Agrochola (Anchoscelis) pauli (Staudinger, 1892)** (Noctuidae) Synonym(s): *pauli* Staudinger, 1892
- 134) **Agrochola (Anchoscelis) rupicapra (Staudinger, 1879)** (Noctuidae) Synonym(s): *rupicapra* Staudinger, 1879
- 135) **Agrochola (Anchoscelis) scabra (Staudinger, 1892)** (Noctuidae) Synonym(s): *scabra* Staudinger, 1892
- 136) **Agrochola (Frivaldskyola) mansueta (Herrich-Schäffer, [1850])** (Noctuidae) Synonym(s): *mansueta* Herrich-Schäffer, [1850]; *pontica* Staudinger, 1901.
- 137) **Agrochola (Frivaldskyola) staudingeri Ronkay, 1984** (Noctuidae) Synonym(s): *staudingeri* Ronkay, 1984
- 138) **Agrochola (s.str.) pistacina (Goeze, 1781)** (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller], 1775; *pistacina* Goeze, 1781; *rubetra* Esper, [1791]; *canaria* Esper, [1791]; *serina* Esper, [1791]; *lineola* Donovan, 1801 nec Panzer, 1785; *sphaerulatina* Haworth, 1809; *venosa* Haworth, 1809 nec Hw. 1809.
- 139) **Agrotis (Crassagrotis) bigramma (Esper, [1790])** (Noctuidae) Synonym(s): *bigramma* Esper, [1790]; *crassa* Hübner, [1803]; *lata* Treitschke, 1835; *golickei* Erschoff, 1872; *huguenini* Rühl, 1891.
- 140) **Agrotis (Crassagrotis) obesa (Boisduval, 1829)** (Noctuidae) Synonym(s): *obesa* Boisduval, 1840

- 141) **Agrotis (Putagrotis) herzogi (Rebel, 1911)** (Noctuidae) Synonym(s): *herzogi* Rebel, 1911; *hoggari* Rothschild, 1920; *minima* Turati, 1924; *securifera* Turati, 1924; *saracenica* Tams, 1925; *leroyi* Lucas, 1940
- 142) **Agrotis (Putagrotis) puta (Hübner, [1803])** (Noctuidae) Synonym(s): *puta* Hübner, [1803]; *radius* Haworth, 1803; *renitens* Hübner, [1824]; *lignosa* Godart, 1825; *erythroxylea* Treitl, 1826; *radiola* Stephens, 1829; *catalaunensis* Milliere, 1873; *meridionalis* Spuler, 1905; *andreasii*, *minima*, *silvestrii* Turati, 1924; *insula* Richardson, 1958.
- 143) **Agrotis (Putagrotis) syricola Berio, 1936** (Noctuidae) Synonym(s): *#syricola* Corti & Draudt, 1933; *syricola* Berio, 1936
- 144) **Agrotis (s.str.) alexandriensis Bethune-Baker, 1894** (Noctuidae) Synonym(s): *alexandriensis* Bethune-Baker, 1894; *arens* Turati, 1926; *albonitens* C.G. Krüger, 1933; *griseifusa* C.G. Krüger, 1933
- 145) **Agrotis (s.str.) biconicus Kollar, [1844]** (Noctuidae) Synonym(s): *spinifera* Hübner, [1808] nec Vill., 1789; *biconica* Kollar, [1844]; *aristifera* Guenée, 1852; *spiculifera* Guenée, 1852; *ferina* Felder & Rogenhofer, 1874; *hodnae* Oberthür, 1878
- 146) **Agrotis (s.str.) desertorum Boisduval, 1840** (Noctuidae) Synonym(s): *desertorum* Boisduval, 1840; *deserticola* Eversmann, 1842
- 147) **Agrotis (s.str.) exclamationis (Linnaeus, 1758)** (Noctuidae) Synonym(s): *exclamationis* Linnaeus, 1758; *clavus* Hufnagel, 1766; *murina* Goetze, 1781 nec Hufnagel, 1766; *bimaculata* Geoffroy, 1785; *picea* Haworth, 1809; *plaga* Stephens, 1835; *haruspex* Le Cerf, 1924; *nigriorbis* Zerny, 1934.
- 148) **Agrotis (s.str.) haifae Staudinger, 1897** (Noctuidae) Synonym(s): *haifae* Staudinger, 1897
- 149) **Agrotis (s.str.) ipsilon (Hufnagel, 1766)** (Noctuidae) Synonym(s): *ipsilon* Hufnagel, 1766; *suffusa* [Denis & Schiffermüller], 1775; *idonea* Cramer, [1780]; *spinula* Esper, [1786]; *spinifera* Villers, 1789.
- 150) **Agrotis (s.str.) lata Treitschke, 1835** (Noctuidae) Synonym(s): *lata* Treitschke, 1835; *dirempta* Staudinger, 1859; *sabura* Mabille, 1888; *fulva* Turati, 1922; *castellana* Fernandez, 1929; *afflouensis* Corti, 1932
- 151) **Agrotis (s.str.) margelanoides Boursin, 1944** (Noctuidae) Synonym(s): *margelanoides* Boursin, 1944
- 152) **Agrotis (s.str.) sardzeana Brandt, 1941** (Noctuidae) Synonym(s): *sardzeana* Brandt, 1941
- 153) **Agrotis (s.str.) scurposa (Draudt, 1936)** (Noctuidae) Synonym(s): *scurposa* Draudt, 1936
- 154) **Agrotis (s.str.) segetum ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller], 1775; *sordida* [Denis & Schiffermüller], 1775; *undulatus* Goetze, 1781 (praeocc.); *nigricornis* Villers, 1789; *segetis* Fabricius, 1794; *catenatus* Haworth, 1803; *monileus* Haworth, 1803; *pectinatus* Haworth, 1803; *connexus* Haworth, 1803; *subatratus* Haworth, 1803; *nigricornutus* Haworth, 1803; *praecox* Hübner, [1808]; *fervida* Hübner, [1824]; *affinis* Stephens, 1829; *sicula* Boisduval, 1840; *dimidia* Zeller, 1847; *sicania* Guenée, 1852; *marginalis* Walker, 1857; *aversa* Walker, 1857; *correctus* Walker, 1857; *obliviosus* Walker, 1857; *denticulosus* Wallengren, 1860; *certificata* Walker, 1865; *conspurcatus* Walker, 1865; *repulsus* Walker, 1865; *ingratus* Butler, 1878; *pallidus* Staudinger, 1881; *lassa* Swinhoe, 1886.
- 155) **Agrotis (s.str.) trux (Hübner, [1824])** (Noctuidae) Synonym(s): *trux* Hübner, [1824]; *lenticulosa* Duponchel, 1826; *lunigera* Stephens, 1829; *terranea* Freyer, 1831; *amasina* Staudinger, 1901; *subalba* Corti & Draudt, 1933; *adolphi* Corti & Draudt, 1933.
- 156) **Aiolopus simulatrix (Walker, 1870)** (Acrididae) Synonym(s): *simulatrix* Walker, 1870; *savignyi* Krauss, 1890; *affinis* Bolívar, 1902; *laticosta* Bolívar, 1912; *deserticola* Uvarov, 1922
- 157) **Aiolopus strepens (Latreille, [1802])** (Acrididae) Synonym(s): *strepens* Latreille, 1804; *prasinus* Thunberg, 1815; *vittatum* Brullé, 1840; *chloroptera* Ramme, 1913; *cyanoptera* Ramme, 1913
- 158) **Aiolopus thalassinus (Fabricius, 1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius, 1781; *grossuni* Costa, 1836; *laetum* Brullé, 1840; *flavovirens* Fischer von Waldheim, 1846; *angustifemur* Ghiliani, 1869; *rufipes* Ivanov, 1888; *kivuensis* Sjöstedt, 1923; *acutus* Uvarov, 1953
- 159) **Akbesia davidi (Oberthür, 1884)** (Sphingidae) Synonym(s): *davidi* Oberthür, 1884
- 160) **Akotropis quercicola Linnavuori, 1962** (Achilidae) Synonym(s): *quercicola* Linnavuori, 1962
- 161) **Alastor (Megastor) mediomaculatus Giordani Soika, 1952** (Vespidae) Synonym(s): *mediomaculatus* Giordani Soika, 1952; *iconius* Blüthgen, 1955; *graecus* Gusenleitner, 1970
- 162) **Alatades trilineatus Dlabola, 1957** (Delphacidae) Synonym(s): *trilineatus* Dlabola, 1957
- 163) **Albarracina warionis (Oberthür, 1881)** (Lymantriidae) Synonym(s): *warionis* Oberthür, 1881; *korbi* Staudinger, 1883; *banghaasi* Rothschild, 1909; *deundulata* Strand, 1910; *schindlerae* Oberthür, 1922; *alluaudi* Oberthür, 1922; *syrticola* C.G. Krüger, 1932; *littoralis* Le Cerf, 1933; *#autumnalis* C.G. Krüger, 1939; *humilis* Rungs, 1975; *#thoracica* Rungs, 1975
- 164) **Alebra albostriella (Fallén, 1826)** (Cicadellidae) Synonym(s): *albostriella* Fallén, 1826; *elegantula* Zetterstedt, 1828; *discicollis* Herrich-Schäffer, 1834; *fasciata* Curtis, 1837; *fulveola* Herrich-Schäffer, 1838; *eximia* Hardy, 1850; *fastuosa* Graff, Six & Snellen, 1862; *viridis* Rey, 1894; *flavocephala* Kupka, 1899; *diluta* Ribaut, 1936; *dufouri* Ribaut, 1936
- 165) **Aleucis orientalis (Staudinger, 1892)** (Geometridae) Synonym(s): *orientalis* Staudinger, 1892
- 166) **Alloclita albocinctella (Chrétien, 1915)** (Cosmopterigidae) Synonym(s): *albocinctella* Chrétien, 1915; *orthoclina* Meyrick, 1922; *gelechiformis* Turati, 1930; *litorella* Amsel, 1935.
- 167) **Alloclita haifensis Rebel, 1911** (Cosmopterigidae) Synonym(s): *haifensis* Rebel, 1911; *litorella* Amsel, 1935
- 168) **Alloclita recisella Staudinger, 1859** (Cosmopterigidae) Synonym(s): *recisella* Staudinger, 1859; *albocinctella* Chrétien, 1915; *orthoclina* Meyrick, 1922; *inconspicua* Turati, 1929; *gelechiformis* Turati, 1930
- 169) **Allodape libanensis (Friese, 1899)** (Apidae) Synonym(s): *libanensis* Friese, 1899
- 170) **Alloodia (Brachycampta) pistillata (Lundström, 1911)** (Mycetophilidae) Synonym(s): *pistillata* Lundström, 1911
- 171) **Allophytes benedictina (Staudinger, 1892)** (Noctuidae) Synonym(s): *benedictina* Staudinger, 1892
- 172) **Alloxytropus anomalus Bezzi, 1925** (Scenopinidae) Synonym(s): *anomalus* Bezzi, 1925
- 173) **Alloxytropus elias Winterton & Kerr, 2006** (Scenopinidae) Synonym(s): *elias* Winterton & Kerr, 2006
- 174) **Allygidius furcatus (Ferrari, 1882)** (Cicadellidae) Synonym(s): *furcatus* Ferrari, 1882
- 175) **Alocoderus hydrochaeris (Fabricius, 1798)** (Scarabaeidae) Synonym(s): *hydrochaeris* Fabricius, 1798
- 176) **Alocoderus turbatus (Baudi, 1870)** (Scarabaeidae) Synonym(s): *turbatus* Baudi, 1870
- 177) **Alopha combustella (Herrich-Schäffer, [1855])** (Pyralidae) Synonym(s): *combustella* Herrich-Schäffer, [1855]; *incinerella* Caradja, 1910.
- 178) **Alosimus gracilis (Abeille de Perrin, 1880)** (Meloidae) Synonym(s): *gracilis* Abeille de Perrin, 1880
- 179) **Alosimus luteus (Waltl, 1838)** (Meloidae) Synonym(s): *luteus* Waltl, 1838
- 180) **Alosimus syriacus (Linnaeus, 1758)** (Meloidae) Synonym(s): *syriacus* Linnaeus, 1758; *austriacus* Schrank, 1781
- 181) **Altica ancyrensis (Weise, 1897)** (Chrysomelidae) Synonym(s): *ancyrensis* Weise, 1897
- 182) **Altica jarmilae Kral, 1979** (Chrysomelidae) Synonym(s): *jarmilae* Kral, 1979
- 183) **Alucita cancellata (Meyrick, 1908)** (Alucitidae) Synonym(s): *cancellata* Meyrick, 1908
- 184) **Alucita cinnerethella Amsel, 1935** (Alucitidae) Synonym(s): *cinnerethella* Amsel, 1935
- 185) **Alucita cymatodactyla Zeller, 1852** (Alucitidae) Synonym(s): *cymatodactyla* Zeller, 1852.
- 186) **Alucita palodactyla Zeller, 1847** (Alucitidae) Synonym(s): *palodactyla* Zeller, 1847; *perittodactyla* Staudinger, 1859; *parthenodactyla* Chrétien, 1915
- 187) **Alucita zonodactyla Zeller, 1847** (Alucitidae) Synonym(s): *zonodactyla* Zeller, 1847

- 188) *Amara (Celia) aberrans Baudi di Selva, 1864* (Carabidae) Synonym(s): *aberrans Baudi di Selva, 1864*; *syriaca Putzeys, 1866*; *palaestina Putzeys, 1870*; *gridellii Baliani, 1928*
- 189) *Amara (s.str.) aenea (De Geer, 1774)* (Carabidae) Synonym(s): *aenea De Geer, 1774*; *trivialis Gyllenhal, 1810*; *atra Stephens, 1828*; *persica Chaudoir, 1842*; *maculipes Grimmer, 1841*; *palustris Gistel, 1857*; *sororcula Tschitscherine, 1895*; *vogesiacae Bourgeois, 1898*; *devincta Casey, 1918*; *palanda Jedlicka, 1957*; *thisbe Antoine, 1951*
- 190) *Amata mestrallii (Bugnion, 1837)* (Ctenuchidae) Synonym(s): *mestrallii Bugnion, 1837*; *kindermannii Lederer, 1858*
- 191) *Ambia thyridialis (Lederer, 1855)* (Pyralidae) Synonym(s): *thyridialis Lederer, 1855*
- 192) *Ameles heldreichi Brunner von Wattenwyl, 1882* (Mantidae) Synonym(s): *heldreichi Brunner von Wattenwyl, 1882*
- 193) *Amicta murina (Klug, 1832)* (Psychidae) Synonym(s): *murina Klug, 1832*
- 194) *Amictus minor Austen, 1937* (Bombyliidae) Synonym(s): *minor Austen, 1937*; *aharonii Engel, 1937*
- 195) *Amictus obliquenotatus Austen, 1937* (Bombyliidae) Synonym(s): *obliquenotatus Austen, 1937*
- 196) *Amictus setosus Loew, 1869* (Bombyliidae) Synonym(s): *setosus Loew, 1869*
- 197) *Amictus tigrinus Austen, 1937* (Bombyliidae) Synonym(s): *tigrinus Austen, 1937*
- 198) *Amictus validus Loew, 1869* (Bombyliidae) Synonym(s): *validus Loew, 1869*
- 199) *Amictus virgatus Austen, 1937* (Bombyliidae) Synonym(s): *virgatus Austen, 1937*
- 200) *Amidorus cribrarius (Brullé, 1832)* (Scarabaeidae) Synonym(s): *cribrarius Brullé, 1832*
- 201) *Amidorus obscurus (Fabricius, 1792)* (Scarabaeidae) Synonym(s): *obscurus Fabricius, 1792*
- 202) *Ammonoconia senex (Geyer, [1828])* (Noctuidae) Synonym(s): *senex Geyer, [1828]*
- 203) *Ammophila assimilis Kohl, 1901* (Sphecidae) Synonym(s): *assimilis Kohl, 1901*
- 204) *Ammophila barbara Lepeletier, 1845* (Sphecidae) Synonym(s): *barbara Lepeletier, 1845*; *semota De Beaumont, 1967* [ssp.]
- 205) *Ammophila haimatosoma Kohl, 1884* (Sphecidae) Synonym(s): *haimatosoma Kohl, 1884*
- 206) *Ammophila pseudonasuta Bytinski-Salz, 1946* (Sphecidae) Synonym(s): *pseudonasuta Bytinski-Salz, 1946*
- 207) *Amphicoma (Eulasia) hyrax Truqui, 1848* (Glaphyridae) Synonym(s): *hyrax Truqui, 1848*; *truqui Reitter, 1890*; *atripilis Petrovitz, 1971*; *splendidula Petrovitz, 1971*
- 208) *Amphicoma (Eulasia) nitidicollis (Reiche, 1962)* (Glaphyridae) Synonym(s): *sublineata Reitter, 1890*; *nitidicollis Reiche, 1962*; *simplicipennis Petrovitz, 1964*
- 209) *Amphicoma (Pygopleurus) akbesianus Petrovitz, 1957* (Glaphyridae) Synonym(s): *akbesianus Petrovitz, 1957*; *cuprea Petrovitz, 1957*; *coerulea Petrovitz, 1962*
- 210) *Amphicoma (Pygopleurus) aleppensis Petrovitz, 1957* (Glaphyridae) Synonym(s): *aleppensis Petrovitz, 1957*; *violacea Petrovitz, 1957*; *palaestiniensis Petrovitz, 1963*
- 211) *Amphicoma (Pygopleurus) besucheti Baraud, 1989* (Glaphyridae) Synonym(s): *besucheti Baraud, 1989*
- 212) *Amphicoma (Pygopleurus) caesareae Baraud, 1989* (Glaphyridae) Synonym(s): *caesareae Baraud, 1989*
- 213) *Amphicoma (Pygopleurus) israelitus Muche, 1963* (Glaphyridae) Synonym(s): *israelitus Muche, 1963*
- 214) *Amphicoma (Pygopleurus) katbehi Sabatinelli, 2008* (Glaphyridae) Synonym(s): *katbehi Sabatinelli, 2008*
- 215) *Amphicoma (Pygopleurus) libanonensis Petrovitz, 1957* (Glaphyridae) Synonym(s): *libanonensis Petrovitz, 1957*
- 216) *Amphicoma (Pygopleurus) orientalis Petrovitz, 1957* (Glaphyridae) Synonym(s): *orientalis Petrovitz, 1957*
- 217) *Amphicoma (Pygopleurus) ponticus Petrovitz, 1957* (Glaphyridae) Synonym(s): *ponticus Petrovitz, 1957*
- 218) *Amphicoma (Rudeulasia) baumanni (Mitter, 1996)* (Glaphyridae) Synonym(s): *baumanni Mitter, 1996*
- 219) *Amphicoma (Rudeulasia) fastuosa Reitter, 1890* (Glaphyridae) Synonym(s): *fastuosa Reitter, 1890*; *heydeni Reitter, 1890*; *pretiosa Reitter, 1890*; *semicyanea Reitter, 1890*; *reitteri Ganglbauer, 1905*; *cyanea Petrovitz, 1962*
- 220) *Amphicoma (Rudeulasia) japhoensis (Petrovitz, 1972)* (Glaphyridae) Synonym(s): *japhoensis Petrovitz, 1972*
- 221) *Amphicoma (Rudeulasia) papaveris (Sturm, 1843)* (Glaphyridae) Synonym(s): *papaveris Sturm, 1843*; *cupripennis Kollar & Redtenbacher, 1843*; *dominula Reitter, 1890*; *testaceipennis Champenois, 1896*
- 222) *Amphicoma (Rudeulasia) rapillyi (Baraud, 1988)* (Glaphyridae) Synonym(s): *rapillyi Baraud, 1988*
- 223) *Amphicoma (Rudeulasia) saccai (Petrovitz, 1972)* (Glaphyridae) Synonym(s): *saccai Petrovitz, 1972*
- 224) *Amphipyra micans Lederer, 1857* (Noctuidae) Synonym(s): *micans Lederer, 1857*; *frivaldskyi Mocsary, 1896*
- 225) *Amphipyra pyramidea (Linnaeus, 1758)* (Noctuidae) Synonym(s): *pyramidea Linnaeus, 1758*
- 226) *Amphipyra stix Herrich-Schäffer, [1850]* (Noctuidae) Synonym(s): *stix Herrich-Schäffer, [1850]*; *#styx Staudinger, 1879*
- 227) *Amphipyra tetra (Fabricius, 1787)* (Noctuidae) Synonym(s): *tetra Fabricius, 1787*
- 228) *Amphisbetetus dorsatus Becker, 1913* (Asilidae) Synonym(s): *dorsatus Becker, 1913*; *rufipes Engel, 1930*
- 229) *Amphisbetetus favillaceus (Loew, 1856)* (Asilidae) Synonym(s): *favillaceus Loew, 1856*
- 230) *Amphisbetetus gederati Efflatoun, 1937* (Asilidae) Synonym(s): *gederati Efflatoun, 1937*
- 231) *Amphisbetetus ruazi Theodor, 1980* (Asilidae) Synonym(s): *ruazi Theodor, 1980*
- 232) *Amphithrix sublineatella (Staudinger, 1859)* (Pyralidae) Synonym(s): *sublineatella Staudinger, 1859*
- 233) *Amphixystis islamella (Turati, 1927)* (Tineidae) Synonym(s): *islamella Turati, 1927*; *leucelloides Amsel, 1935*; *eremica Amsel, 1935*
- 234) *Amselia heringi (Amsel, 1935)* (Pyralidae) Synonym(s): *heringi Amsel, 1935*
- 235) *Amygdalops rufior Rohacek & Freidberg, 1993* (Anthomyzidae) Synonym(s): *rufior Rohacek & Freidberg, 1993*
- 236) *Amygdalops thomasseti Lamb, 1914* (Anthomyzidae) Synonym(s): *thomasseti Lamb, 1914*
- 237) *Anacamptoneurum arabicum (Becker, 1910)* (Chloropidae) Synonym(s): *arabicum Becker, 1910*
- 238) *Anacamptoneurum obliquum Becker, 1903* (Chloropidae) Synonym(s): *obliquum Becker, 1903*
- 239) *Anaceratagallia laevis (Ribaut, 1935)* (Cicadellidae) Synonym(s): *laevis Ribaut, 1935*; *acuteangulata Zachvatkin, 1946*
- 240) *Anadrymadusa (s.str.) danensis Koçak & Kemal, 2010* (Tettigoniidae) Synonym(s): *#danensis Karabağ, 1972*; *danensis Koçak & Kemal, 2010*
- 241) *Anagnota coccinea Rohacek & Freidberg, 1993* (Anthomyzidae) Synonym(s): *coccinea Rohacek & Freidberg, 1993*
- 242) *Anagyrus aligarhensis Agarwal & Alam, 1959* (Encyrtidae) Synonym(s): *diversicornis Mercet, 1921*; *opacus Mercet, 1921*; *aligarhensis Agarwal & Alam, 1959*; *punctulatus Agarwal, 1965*; *micans Noyes, 2000*
- 243) *Anagyrus kivuensis Compere, 1939* (Encyrtidae) Synonym(s): *kivuensis Compere, 1939*
- 244) *Anagyrus pseudococci (Girault, 1915)* (Encyrtidae) Synonym(s): *pseudococci Girault, 1915*
- 245) *Anania (s.str.) testacealis (Zeller, 1847)* (Pyralidae) Synonym(s): *testacealis Zeller, 1847*
- 246) *Anania verbascata (Fabricius, 1787)* (Pyralidae) Synonym(s): *#verbascalis [Denis & Schiffermüller], 1775*; *verbascata Fabricius, 1787*; *parvalis Osthelder, 1934*
- 247) *Anarolius bicolor Theodor, 1980* (Asilidae) Synonym(s): *bicolor Theodor, 1980*
- 248) *Anarpia incertalis (Duponchel, 1832)* (Pyralidae) Synonym(s): *incertalis Duponchel, 1832*; *pyrenaealis Duponchel, 1842*; *incertella Duponchel, [1845]*; *pyrenaeella Duponchel, [1845]*; *pyrenaicalis Guenée, 1846*

- 249) **Anastoechus bahirae** Becker,1915 (Bombyliidae) Synonym(s): *bahirae* Becker,1915; *fuscipennis* Becker,1915; *pyramidum* Paramonov,1940
- 250) **Anastoechus exalbidus** (Wiedemann,1820) (Bombyliidae) Synonym(s): *exalbidus* Wiedemann,1820
- 251) **Anastoechus nivifrons** (Walker,1871) (Bombyliidae) Synonym(s): *nivifrons* Walker,1871; *niveus* Hermann,1909 nec Macq.,1855; *albopectinatus* Becker,1913
- 252) **Anastoechus stramineus** (Wiedemann,1820) (Bombyliidae) Synonym(s): *stramineus* Wiedemann,1820; *acuticornis* Macquart,1840
- 253) **Anastoechus trisignatus** Portschinsky,1881 (Bombyliidae) Synonym(s): *trisignatus* Portschinsky,1881; *retrogradus* Becker,1902; *wernerii* Paramonov,1930; *fulvojubatus* François,1967
- 254) **Anatrichus pygmaeus** Lamb,1918 (Chloropidae) Synonym(s): *pygmaeus* Lamb,1918
- 255) **Anax immaculifrons** Rambur,1842 (Aeshnidae) Synonym(s): *immaculifrons* Rambur,1842
- 256) **Anchesmus rubiplaga** (Walker,1867) (Pentatomidae) Synonym(s): *rubiplaga* Walker,1867
- 257) **Ancistrocerus auctus** (Fabricius,1793) (Vespidae) Synonym(s): *auctus* Fabricius,1793
- 258) **Ancistrocerus biphaleratus** Saussure,1852 (Vespidae) Synonym(s): *biphaleratus* Saussure,1852; *palaestinus* Giordani Soika,1952
- 259) **Ancylodes pallens** Ragonot,1887 (Pyrilidae) Synonym(s): *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958.
- 260) **Ancylodes staminella** (Christoph,1877) (Pyrilidae) Synonym(s): *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949
- 261) **Ancylolomia palpella** ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovskiy,1909
- 262) **Ancylolomia paraetoniella** Turati,1924 (Pyrilidae) Synonym(s): *paraetoniella* Turati,1924
- 263) **Ancylolomia pectinatella** (Zeller,1847) (Pyrilidae) Synonym(s): *pectinatellus* Zeller,1847
- 264) **Ancylolomia tentaculella** (Hübner,1796) (Pyrilidae) Synonym(s): *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 265) **Ancylorhynchus glaucius** (Rossi,1790) (Asilidae) Synonym(s): *glaucius* Rossi,1790; *variegatus* Wiedemann,1818; *pictus* Wiedemann,1821
- 266) **Ancylorhynchus rufocinctus** Séguy,1930 (Asilidae) Synonym(s): *rufocinctus* Séguy,1930
- 267) **Ancylosis (Cabotia) lacteicostella** (Ragonot,1887) (Pyrilidae) Synonym(s): *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915.
- 268) **Ancylosis (Cabotia) leucocephala** (Staudinger,1879) (Pyrilidae) Synonym(s): *leucocephala* Staudinger,1879
- 269) **Ancylosis (Cabotia) oblitella** (Zeller,1848) (Pyrilidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955.
- 270) **Ancylosis (Heterographis) candidatella** (Lederer,1858) (Pyrilidae) Synonym(s): *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890.
- 271) **Ancylosis (Heterographis) convexella** (Lederer,1855) (Pyrilidae) Synonym(s): *convexella* Lederer,1855; *albiciliella* Staudinger,1859; *favorinella* Zeller,1867
- 272) **Ancylosis (Heterographis) costistrigella** (Ragonot,1890) (Pyrilidae) Synonym(s): *costistrigella* Ragonot,1890
- 273) **Ancylosis (Heterographis) faustinella** (Zeller,1867) (Pyrilidae) Synonym(s): *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabille,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
- 274) **Ancylosis (Heterographis) gracilella** Ragonot,1887 (Pyrilidae) Synonym(s): *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932.
- 275) **Ancylosis (Heterographis) harmoniella** (Ragonot,1887) (Pyrilidae) Synonym(s): *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930.
- 276) **Ancylosis (Heterographis) hellenica** (Staudinger,1870) (Pyrilidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 277) **Ancylosis (Heterographis) muliebris** (Meyrick,1937) (Pyrilidae) Synonym(s): *muliebris* Meyrick,1937; *macedonica* Schawerda,1937.
- 278) **Ancylosis (Heterographis) pseudocandidatella** (Amsel,1935) (Pyrilidae) Synonym(s): *pseudocandidatella* Amsel,1935
- 279) **Ancylosis (Heterographis) pyrethrella** (Herrich-Schäffer,1860) (Pyrilidae) Synonym(s): *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammata* Ragonot,1901; *trilineata* Amsel,1961.
- 280) **Ancylosis (Heterographis) rhodochrella** (Herrich-Schäffer,1855) (Pyrilidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 281) **Ancylosis (Heterographis) roscidella** (Eversmann,1844) (Pyrilidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W.Warren,1888; *barteella* Caradja,1910; *benderella* Amsel,1961.
- 282) **Ancylosis (Heterographis) samaritanella** (Zeller,1867) (Pyrilidae) Synonym(s): *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954.
- 283) **Ancylosis (Heterographis) syrtella** (Ragonot,1887) (Pyrilidae) Synonym(s): *syrtella* Ragonot,1887; *costalbella* Amsel,1954.
- 284) **Ancylosis (Heterographis) umbrilimbella** (Ragonot,1901) (Pyrilidae) Synonym(s): *umbrilimbella* Ragonot,1901; *holella* Lucas,1909; *thirietii* Lucas,1937; *sfaxella* Lucas,1949; *concavella* Amsel,1949.
- 285) **Ancylosis (Heterographis) xylina** (Staudinger,1870) (Pyrilidae) Synonym(s): *xylina* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929.
- 286) **Ancylosis (s.str.) cinnamomella** (Duponchel,1836) (Pyrilidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryaella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 287) **Ancylosis (s.str.) iranella** Ragonot,1887 (Pyrilidae) Synonym(s): *iranella* Ragonot,1887; *turaniella* Ragonot,1887.
- 288) **Ancylosis (s.str.) maculifera** Staudinger,1870 (Pyrilidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 289) **Ancylosis (s.str.) sareptella** (Herrich-Schäffer,1860) (Pyrilidae) Synonym(s): *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863.

- 290) *Ancylosis* (s.str.) *uncinatella* (Ragonot,1890) (Pyrilidae) Synonym(s): *uncinatella* Ragonot,1890; *navasi* De Joannis,1907.
- 291) *Ancylosis* (Syria) *arenosella* (Staudinger,1859) (Pyrilidae) Synonym(s): *arenosella* Staudinger,1859; *angusta* Staudinger,1870; *arenicola* Ragonot,1901; *variabilis* Rothschild,1913; *invalidella* Turati,1930; *#hederalis* Amsel,1935; *michaelella* Lucas,1939; *subflavella* Lucas,1946; *trifasciatella* Lucas,1948; *buckwelli* Lucas,1954.
- 292) *Ancylosis* (Syria) *biflexella* (Lederer,1855) (Pyrilidae) Synonym(s): *biflexella* Lederer,1855; *pilosella* Zeller,1867; *brabantella* Lucas,1907; *similis* Rothschild,1915; *medicabla* Rothschild,1921; *latakiaella* Amsel,1952; *fuscella* Amsel,1961.
- 293) *Ancylosis* (Syria) *limoniella* (Chrétien,1911) (Pyrilidae) Synonym(s): *limoniella* Chrétien,1911; *eremita* Gozmany,1951.
- 294) *Ancylosis* (Syria) *sulcatella* (Christoph,1877) (Pyrilidae) Synonym(s): *sulcatella* Christoph,1877
- 295) *Ancylosis* (Syria) *sulcatella* *sulcatella* Christoph,1877 (Pyrilidae) Synonym(s): *sulcatella* Christoph,1877
- 296) *Ancyrosoma* *leucogrammes* (Gmelin,1790) (Pentatomidae) Synonym(s): *albolineatus* Fabricius,1781 nec Gz.,1778; *leucogrammes* Gmelin,1790; *nervosus* Cyrillus,1791 nec Sc.,1763; *affine* Westwood,1837; *tuberculatum* Bergevin,1908
- 297) *Andrena* (Aciandrena) *janthina* Warncke,1975 (Andrenidae) Synonym(s): *janthina* Warncke,1975
- 298) *Andrena* (Aciandrena) *spolata* Warncke,1968 (Andrenidae) Synonym(s): *spolata* Warncke,1968
- 299) *Andrena* (Aciandrena) *yelkouan* Warncke,1975 (Andrenidae) Synonym(s): *yelkouan* Warncke,1975
- 300) *Andrena* (Aenandrena) *bisulcata* Morawitz,1878 (Andrenidae) Synonym(s): *bisulcata* Morawitz,1878
- 301) *Andrena* (Aenandrena) *bonasia* Warncke,1969 (Andrenidae) Synonym(s): *bonasia* Warncke,1969; *naevia* Warncke,1969
- 302) *Andrena* (Aenandrena) *chaetogastra* Pittioni,1950 (Andrenidae) Synonym(s): *chaetogastra* Pittioni,1950
- 303) *Andrena* (Brachyandrena) *colletiformis* Morawitz,1874 (Andrenidae) Synonym(s): *parvula* Morawitz,1871; *colletiformis* Morawitz,1874; *sardinica* Strand,1915; *#gandzhensis* Lebedev,1933; *insulana* Pittioni,1950; *subsquamularis* Noskiewicz,1960
- 304) *Andrena* (Campylogaster) *caroli* Pérez,1895 (Andrenidae) Synonym(s): *caroli* Pérez,1895
- 305) *Andrena* (Campylogaster) *lateralis* Morawitz,1876 (Andrenidae) Synonym(s): *lateralis* Morawitz,1876
- 306) *Andrena* (Campylogaster) *pruinosa* Erichson,1835 (Andrenidae) Synonym(s): *pruinosa* Erichson,1835
- 307) *Andrena* (Carandrena) *aerinifrons* Dours,1873 (Andrenidae) Synonym(s): *aerinifrons* Dours,1873
- 308) *Andrena* (Carandrena) *eremobia* Guiglia,1933 (Andrenidae) Synonym(s): *eremobia* Guiglia,1933
- 309) *Andrena* (Carandrena) *euzona* Pérez,1895 (Andrenidae) Synonym(s): *euzona* Pérez,1895
- 310) *Andrena* (Carandrena) *falcinella* Warncke,1969 (Andrenidae) Synonym(s): *falcinella* Warncke,1969
- 311) *Andrena* (Carandrena) *nubica* Warncke,1975 (Andrenidae) Synonym(s): *nubica* Warncke,1975
- 312) *Andrena* (Carandrena) *pesleria* Gusenleitner,1998 (Andrenidae) Synonym(s): *pesleria* Gusenleitner,1998
- 313) *Andrena* (Carandrena) *zostera* Warncke,1975 (Andrenidae) Synonym(s): *zostera* Warncke,1975
- 314) *Andrena* (Chlorandrena) *astica* Warncke,1967 (Andrenidae) Synonym(s): *astica* Warncke,1967
- 315) *Andrena* (Chlorandrena) *cinereophila* Warncke,1965 (Andrenidae) Synonym(s): *cinereophila* Warncke,1965
- 316) *Andrena* (Chlorandrena) *galbula* Warncke,1975 (Andrenidae) Synonym(s): *galbula* Warncke,1975
- 317) *Andrena* (Chlorandrena) *humabilis* Warncke,1965 (Andrenidae) Synonym(s): *humabilis* Warncke,1965
- 318) *Andrena* (Chlorandrena) *humilis* Imhoff,1832 (Andrenidae) Synonym(s): *humilis* Imhoff,1832; *indigena* Warncke,1975
- 319) *Andrena* (Chlorandrena) *negevana* Gusenleitner & Schuechl,2000 (Andrenidae) Synonym(s): *negevana* Gusenleitner & Schuechl,2000
- 320) *Andrena* (Chlorandrena) *orientana* Warncke,1965 (Andrenidae) Synonym(s): *orientana* Warncke,1965
- 321) *Andrena* (Chlorandrena) *panurgimorpha* Mavromoustakis,1957 (Andrenidae) Synonym(s): *panurgimorpha* Mavromoustakis,1957
- 322) *Andrena* (Chlorandrena) *pinkeunia* Warncke,1969 (Andrenidae) Synonym(s): *pinkeunia* Warncke,1969
- 323) *Andrena* (Chlorandrena) *sinuata* Pérez,1895 (Andrenidae) Synonym(s): *sinuata* Pérez,1895
- 324) *Andrena* (Chlorandrena) *taduchii* Gusenleitner,1998 (Andrenidae) Synonym(s): *taduchii* Gusenleitner,1998
- 325) *Andrena* (Chrysandrena) *glandaria* Warncke,1975 (Andrenidae) Synonym(s): *glandaria* Warncke,1975
- 326) *Andrena* (Chrysandrena) *henotica* Warncke,1975 (Andrenidae) Synonym(s): *henotica* Warncke,1975
- 327) *Andrena* (Chrysandrena) *hesperia* Smith,1853 (Andrenidae) Synonym(s): *hesperia* Smith,1853
- 328) *Andrena* (Chrysandrena) *merula* Warncke,1969 (Andrenidae) Synonym(s): *merula* Warncke,1969
- 329) *Andrena* (Chrysandrena) *microcardia* Pérez,1895 (Andrenidae) Synonym(s): *microcardia* Pérez,1895
- 330) *Andrena* (Cordandrena) *cypria* Pittioni,1950 (Andrenidae) Synonym(s): *cypria* Pittioni,1950
- 331) *Andrena* (Cordandrena) *torda* Warncke,1965 (Andrenidae) Synonym(s): *torda* Warncke,1965
- 332) *Andrena* (Cryptandrena) *aruana* Warncke,1967 (Andrenidae) Synonym(s): *aruana* Warncke,1967
- 333) *Andrena* (Cryptandrena) *brumanensis* Friese,1899 (Andrenidae) Synonym(s): *brumanensis* Friese,1899
- 334) *Andrena* (Cryptandrena) *ventricosa* Dours,1873 (Andrenidae) Synonym(s): *ventricosa* Dours,1873
- 335) *Andrena* (Cubiandrena) *cubiceps* Friese,1914 (Andrenidae) Synonym(s): *cubiceps* Friese,1914
- 336) *Andrena* (Didonia) *mucida* Kriechbaumer,1873 (Andrenidae) Synonym(s): *mucida* Kriechbaumer,1873; *julliani* Schmiedeknecht,1883; *punica* Gribodo,1894
- 337) *Andrena* (Distandrena) *longibarbis* Pérez,1895 (Andrenidae) Synonym(s): *longibarbis* Pérez,1895
- 338) *Andrena* (Distandrena) *mariana* Warncke,1968 (Andrenidae) Synonym(s): *mariana* Warncke,1968
- 339) *Andrena* (Euandrena) *bicolor* Fabricius,1775 (Andrenidae) Synonym(s): *bicolor* Fabricius,1775
- 340) *Andrena* (Euandrena) *vulpecula* Kriechbaumer,1873 (Andrenidae) Synonym(s): *vulpecula* Kriechbaumer,1873
- 341) *Andrena* (Euandrena) *immaculata* Warncke,1975 (Andrenidae) Synonym(s): *immaculata* Warncke,1975
- 342) *Andrena* (Fumandrena) *pandosa* Warncke,1968 (Andrenidae) Synonym(s): *pandosa* Warncke,1968
- 343) *Andrena* (Graecandrena) *butea* Warncke,1966 (Andrenidae) Synonym(s): *butea* Warncke,1966; *ketupa* Warncke,1975
- 344) *Andrena* (Graecandrena) *graecella* Warncke,1965 (Andrenidae) Synonym(s): *graecella* Warncke,1965
- 345) *Andrena* (Graecandrena) *hyemala* Warncke,1973 (Andrenidae) Synonym(s): *hyemala* Warncke,1973; *repressa* Warncke,1975
- 346) *Andrena* (Graecandrena) *impunctata* Pérez,1895 (Andrenidae) Synonym(s): *impunctata* Pérez,1895; *contusa* Warncke,1967
- 347) *Andrena* (Graecandrena) *volka* Warncke,1969 (Andrenidae) Synonym(s): *volka* Warncke,1969
- 348) *Andrena* (Holandrena) *fimbriatoides* Scheuchl,2004 (Andrenidae) Synonym(s): *fimbriatoides* Scheuchl,2004
- 349) *Andrena* (Holandrena) *forsterella* Osytshnjuk,1978 (Andrenidae) Synonym(s): *forsterella* Osytshnjuk,1978
- 350) *Andrena* (Holandrena) *variabilis* Smith,1853 (Andrenidae) Synonym(s): *variabilis* Smith,1853
- 351) *Andrena* (Holandrena) *wilhelmi* Schuberth,1995 (Andrenidae) Synonym(s): *wilhelmi* Schuberth,1995
- 352) *Andrena* (Lepidandrena) *statusa* Gusenleitner,1998 (Andrenidae) Synonym(s): *statusa* Gusenleitner,1998

- 353) *Andrena* (*Margandrena*) *hyacinthina* Mavromoustakis, 1958 (Andrenidae) Synonym(s): *hyacinthina* Mavromoustakis, 1958
- 354) *Andrena* (*Melandrena*) *albofacies* Alfken, 1927 (Andrenidae) Synonym(s): *albofacies* Alfken, 1927
- 355) *Andrena* (*Melandrena*) *albopunctata* (Rossi, 1792) (Andrenidae) Synonym(s): *albopunctata* Rossi, 1792; *funebria* Panzer, 1798
- 356) *Andrena* (*Melandrena*) *elmaria* Gusenleitner, 1998 (Andrenidae) Synonym(s): *elmaria* Gusenleitner, 1998
- 357) *Andrena* (*Melandrena*) *grandilabris* Pérez, 1903 (Andrenidae) Synonym(s): *grandilabris* Pérez, 1903
- 358) *Andrena* (*Melandrena*) *limata* Smith, 1853 (Andrenidae) Synonym(s): *limata* Smith, 1853
- 359) *Andrena* (*Melandrena*) *marmora* Nurse, 1904 (Andrenidae) Synonym(s): *transcaspica* Radoszkowski, 1893 nec Rad., 1886; *radoszkowski* Dalla Torre, 1896 nec Schmiedeknecht, 1883; *marmora* Nurse, 1904; *ducis* Cockerell, 1907
- 360) *Andrena* (*Melandrena*) *nigroaenea* (Kirby, 1802) (Andrenidae) Synonym(s): *nigroaenea* Kirby, 1802; *candiae* Strand, 1915; *aemula* Alfken, 1926
- 361) *Andrena* (*Melandrena*) *pyropygia* Kriechbaumer, 1873 (Andrenidae) Synonym(s): *pyropygia* Kriechbaumer, 1873
- 362) *Andrena* (*Melittoides*) *melittoides* Friese, 1899 (Andrenidae) Synonym(s): *melittoides* Friese, 1899
- 363) *Andrena* (*Melittoides*) *ramlehiana* Pérez, 1903 (Andrenidae) Synonym(s): *ramlehiana* Pérez, 1903
- 364) *Andrena* (*Melittoides*) *innesi* Gribodo, 1894 (Andrenidae) Synonym(s): *innesi* Gribodo, 1894
- 365) *Andrena* (*Micrandrena*) *alfkenelloides* Warncke, 1965 (Andrenidae) Synonym(s): *alfkenelloides* Warncke, 1965
- 366) *Andrena* (*Micrandrena*) *rugothorace* Warncke, 1965 (Andrenidae) Synonym(s): *rugothorace* Warncke, 1965
- 367) *Andrena* (*Micrandrena*) *scirpacea* Warncke, 1975 (Andrenidae) Synonym(s): *scirpacea* Warncke, 1975
- 368) *Andrena* (*Micrandrena*) *simontornyella* Noskiewicz, 1939 (Andrenidae) Synonym(s): *simontornyella* Noskiewicz, 1939
- 369) *Andrena* (*Micrandrena*) *spretia* Pérez, 1895 (Andrenidae) Synonym(s): *spretia* Pérez, 1895; *pseudasuniensis* Strand, 1921
- 370) *Andrena* (*Micrandrena*) *tkalcui* Gusenleitner & Schwarz, 2002 (Andrenidae) Synonym(s): *tkalcui* Gusenleitner & Schwarz, 2002
- 371) *Andrena* (*Micrandrena*) *triaetta* Warncke, 1974 (Andrenidae) Synonym(s): *triaetta* Warncke, 1974
- 372) *Andrena* (*Nobandrena*) *iliaca* Warncke, 1969 (Andrenidae) Synonym(s): *iliaca* Warncke, 1969
- 373) *Andrena* (*Notandrena*) *langadensis* Warncke, 1965 (Andrenidae) Synonym(s): *langadensis* Warncke, 1965; *clanga* Warncke, 1965
- 374) *Andrena* (*Notandrena*) *leucura* Warncke, 1974 (Andrenidae) Synonym(s): *leucura* Warncke, 1974
- 375) *Andrena* (*Notandrena*) *nitidiuscula* Schenck, 1853 (Andrenidae) Synonym(s): *nitidiuscula* Schenck, 1853; *nigellata* Pérez, 1895
- 376) *Andrena* (*Notandrena*) *optata* Warncke, 1975 (Andrenidae) Synonym(s): *optata* Warncke, 1975
- 377) *Andrena* (*Notandrena*) *ungeri* Mavromoustakis, 1952 (Andrenidae) Synonym(s): *ungeri* Mavromoustakis, 1952
- 378) *Andrena* (*Notandrena*) *urdula* Warncke, 1965 (Andrenidae) Synonym(s): *urdula* Warncke, 1965
- 379) *Andrena* (*Opandrena*) *schencki* Morawitz, 1866 (Andrenidae) Synonym(s): *schencki* Morawitz, 1866
- 380) *Andrena* (*Orandrena*) *garrula* Warncke, 1965 (Andrenidae) Synonym(s): *garrula* Warncke, 1965; *lomvia* Warncke, 1969
- 381) *Andrena* (*Orandrena*) *monilia* Warncke, 1967 (Andrenidae) Synonym(s): *monilia* Warncke, 1967
- 382) *Andrena* (*Pallandrena*) *pallidicincta* Brullé, 1832 (Andrenidae) Synonym(s): *pallidicincta* Brullé, 1832
- 383) *Andrena* (*Parandrena*) *wolfi* Gusenleitner & Schwarz, 2000 (Andrenidae) Synonym(s): *wolfi* Gusenleitner & Schwarz, 2000
- 384) *Andrena* (*Parandrena*) *nisoria* Warncke, 1969 (Andrenidae) Synonym(s): *nisoria* Warncke, 1969
- 385) *Andrena* (*Pecilandrena*) *kilikiae* Warncke, 1969 (Andrenidae) Synonym(s): *kilikiae* Warncke, 1969
- 386) *Andrena* (*Plastandrena*) *bimaculata* (Kirby, 1802) (Andrenidae) Synonym(s): *bimaculata* Kirby, 1802
- 387) *Andrena* (*Plastandrena*) *pilipes* Fabricius, 1781 (Andrenidae) Synonym(s): *pilipes* Fabricius, 1781; *dolorosa* Nurse, 1904
- 388) *Andrena* (*Poecilandrena*) *bytinskii* Warncke, 1969 (Andrenidae) Synonym(s): *bytinskii* Warncke, 1969
- 389) *Andrena* (*Poecilandrena*) *crassana* Warncke, 1965 (Andrenidae) Synonym(s): *crassana* Warncke, 1965; *inka* Warncke, 1969
- 390) *Andrena* (*Poecilandrena*) *semirubra* Morawitz, 1876 (Andrenidae) Synonym(s): *semirubra* Morawitz, 1876
- 391) *Andrena* (*Poecilandrena*) *sphecodimorpha* Hedicke, 1942 (Andrenidae) Synonym(s): *sphecodimorpha* Hedicke, 1942
- 392) *Andrena* (*Poliandrena*) *caspica* Morawitz, 1886 (Andrenidae) Synonym(s): *caspica* Morawitz, 1886; *unicincta* Friese, 1899
- 393) *Andrena* (*Poliandrena*) *guttata* Warncke, 1969 (Andrenidae) Synonym(s): *guttata* Warncke, 1969
- 394) *Andrena* (*Poliandrena*) *polita* Smith, 1847 (Andrenidae) Synonym(s): *polita* Smith, 1847
- 395) *Andrena* (*Poliandrena*) *toelgiana* Friese, 1921 (Andrenidae) Synonym(s): *toelgiana* Friese, 1921
- 396) *Andrena* (*Ptilandrena*) *vetula* Lepeletier, 1841 (Andrenidae) Synonym(s): *vetula* Lepeletier, 1841
- 397) *Andrena* (*Simandrena*) *combinata* (Christ, 1791) (Andrenidae) Synonym(s): *combinata* Christ, 1791
- 398) *Andrena* (*Simandrena*) *congruens* Schmiedeknecht, 1883 (Andrenidae) Synonym(s): *congruens* Schmiedeknecht, 1883
- 399) *Andrena* (*Simandrena*) *dorsata* (Kirby, 1802) (Andrenidae) Synonym(s): *dorsata* Kirby, 1802
- 400) *Andrena* (*Simandrena*) *lepida* Schenck, 1861 (Andrenidae) Synonym(s): *lepida* Schenck, 1861
- 401) *Andrena* (*Simandrena*) *transitoria* Morawitz, 1872 (Andrenidae) Synonym(s): *transitoria* Morawitz, 1872
- 402) *Andrena* (*Simandrena*) *venerabilis* Alfken, 1935 (Andrenidae) Synonym(s): *venerabilis* Alfken, 1935
- 403) *Andrena* (*Suandrena*) *cyanomicans* Pérez, 1895 (Andrenidae) Synonym(s): *cyanomicans* Pérez, 1895
- 404) *Andrena* (*Suandrena*) *savignyi* Spinola, 1838 (Andrenidae) Synonym(s): *savignyi* Spinola, 1838
- 405) *Andrena* (*Taeniandrena*) *ovatula* (Kirby, 1802) (Andrenidae) Synonym(s): *ovatula* Kirby, 1802; *poupillieri* Dours, 1872; *heliopsis* Friese, 1914
- 406) *Andrena* (*Taeniandrena*) *similis* Smith, 1849 (Andrenidae) Synonym(s): *similis* Smith, 1849
- 407) *Andrena* (*Truncandrena*) *moricei* Friese, 1899 (Andrenidae) Synonym(s): *moricei* Friese, 1899
- 408) *Andrena* (*Truncandrena*) *mucronata* Morawitz, 1871 (Andrenidae) Synonym(s): *mucronata* Morawitz, 1871; *albida* Warncke, 1967
- 409) *Andrena* (*Truncandrena*) *bassana* Warncke, 1969 (Andrenidae) Synonym(s): *bassana* Warncke, 1969; *etesiacca* Warncke, 1975
- 410) *Andrena* (*Truncandrena*) *derbentina* Morawitz, 1886 (Andrenidae) Synonym(s): *derbentina* Morawitz, 1886
- 411) *Andrena* (*Truncandrena*) *fuligula* Warncke, 1966 (Andrenidae) Synonym(s): *fuligula* Warncke, 1966
- 412) *Andrena* (*Truncandrena*) *mizorhina* Warncke, 1975 (Andrenidae) Synonym(s): *mizorhina* Warncke, 1975

- 413) *Andrena (Truncandrena) rufomaculata* Friese, 1921 (Andrenidae) Synonym(s): *rufomaculata* Friese, 1921
- 414) *Andrena (Truncandrena) seitzii* Alfken, 1935 (Andrenidae) Synonym(s): *seitzii* Alfken, 1935
- 415) *Andrena (Truncandrena) serraticornis* Warncke, 1965 (Andrenidae) Synonym(s): *serraticornis* Warncke, 1965
- 416) *Andrena (Truncandrena) truncatilabris* Morawitz, 1877 (Andrenidae) Synonym(s): *truncatilabris* Morawitz, 1877
- 417) *Andrena (Truncandrena) tscheki* Morawitz, 1872 (Andrenidae) Synonym(s): *tscheki* Morawitz, 1872; *tritica* Warncke, 1965
- 418) *Andrena (Truncandrena) ulula* Warncke, 1969 (Andrenidae) Synonym(s): *ulula* Warncke, 1969
- 419) *Andrena (Ulandrena) abbreviata* Dours, 1873 (Andrenidae) Synonym(s): *abbreviata* Dours, 1873
- 420) *Andrena (Ulandrena) dauma* Warncke, 1969 (Andrenidae) Synonym(s): *dauma* Warncke, 1969
- 421) *Andrena (Ulandrena) fulvitaris* Brullé, 1832 (Andrenidae) Synonym(s): *fulvitaris* Brullé, 1832
- 422) *Andrena (Ulandrena) glareola* Warncke, 1969 (Andrenidae) Synonym(s): *glareola* Warncke, 1969
- 423) *Andrena (Ulandrena) isabellina* Warncke, 1969 (Andrenidae) Synonym(s): *isabellina* Warncke, 1969
- 424) *Andrena (Ulandrena) speciosa* Friese, 1899 (Andrenidae) Synonym(s): *speciosa* Friese, 1899
- 425) *Andrena (Zonandrena) cretica* Strand, 1915 (Andrenidae) Synonym(s): *cretica* Strand, 1915
- 426) *Andrena (Zonandrena) sigiella* Gusenleitner, 1998 (Andrenidae) Synonym(s): *sigiella* Gusenleitner, 1998
- 427) *Andrena (Zonandrena) vachali* Pérez, 1895 (Andrenidae) Synonym(s): *vachali* Pérez, 1895
- 428) *Andrena fuscocalcarata* Morawitz, 1878 (Andrenidae) Synonym(s): *fuscocalcarata* Morawitz, 1878
- 429) *Andrena rotundilabris* Morawitz, 1878 (Andrenidae) Synonym(s): *rotundilabris* Morawitz, 1878
- 430) *Andricus ceconii* Kieffer, 1901 (Cynipidae) Synonym(s): *ceconii* Kieffer, 1901
- 431) *Andricus insanus* (Westwood, 1837) (Cynipidae) Synonym(s): *insanus* Westwood, 1837
- 432) *Aneomochtherus hermonensis* (Theodor, 1980) (Asilidae) Synonym(s): *hermonensis* Theodor, 1980
- 433) *Aneomochtherus illustris* (Schiner, 1867) (Asilidae) Synonym(s): *illustris* Schiner, 1867
- 434) *Aneomochtherus macropygus* (Tsacas, 1968) (Asilidae) Synonym(s): *macropygus* Tsacas, 1968
- 435) *Angustalius malacellus* (Duponchel, 1836) (Pyralidae) Synonym(s): *malacellus* Duponchel, 1836
- 436) *Anicetus italicus* (Masi, 1917) (Encyrtidae) Synonym(s): *italicus* Masi, 1917; *brevicaudatus* Subba-Rao, 1965
- 437) *Anigrus vicinus* Dlabola, 1959 (Meenoplidae) Synonym(s): *vicinus* Dlabola, 1959
- 438) *Anisoplia (Brancoplia) klapperichi* Petrovitz, 1971 (Scarabaeidae) Synonym(s): *klapperichi* Petrovitz, 1971
- 439) *Anisoplia (Brancoplia) leucaspis* Laporte, 1840 (Scarabaeidae) Synonym(s): *leucaspis* Laporte, 1840
- 440) *Anisoplia (Brancoplia) mesopotamica* Pilleri, 1954 (Scarabaeidae) Synonym(s): *mesopotamica* Pilleri, 1954
- 441) *Anisoplia (Brancoplia) pumila* Petrovitz, 1973 (Scarabaeidae) Synonym(s): *pumila* Petrovitz, 1973
- 442) *Anisoplia (Chaetopteropia) obenbergeri* Vsetecka, 1941 (Scarabaeidae) Synonym(s): *obenbergeri* Vsetecka, 1941
- 443) *Anisoplia (Chaetopteropia) syriaca* Burmeister, 1844 (Scarabaeidae) Synonym(s): *syriaca* Burmeister, 1844
- 444) *Anisoplia (s.str.) signata* Faldermann, 1835 (Scarabaeidae) Synonym(s): *signata* Faldermann, 1835
- 445) *Anisopogon hermanni* (Engel, 1930) (Asilidae) Synonym(s): *hermanni* Engel, 1930; *modestus* Lehr, 1964
- 446) *Anisopogon parvum* Efflatoun, 1937 (Asilidae) Synonym(s): *parvum* Efflatoun, 1937
- 447) *Anisopteromalus calandrae* (Howard, 1881) (Pteromalidae) Synonym(s): *calandrae* Howard, 1881; *oryzae* Cameron, 1891; *vandinei* Tucker, 1910; *mollis* Ruschka, 1912; *pratti* Crawford, 1913; *medius* Masi, 1917; *mamezophagus* Ishii & Nagasawa, 1942; *brasilensis* Domenichini, 1951
- 448) *Anisotamia ruficornis* Macquart, 1840 (Bombyliidae) Synonym(s): *ruficornis* Macquart, 1840
- 449) *Anomala palestina* Pic, 1905 (Scarabaeidae) Synonym(s): *palestina* Pic, 1905
- 450) *Anomis sabulifera* (Guenée, 1852) (Noctuidae) Synonym(s): *sabulifera* Guenée, 1852; *propinqua* Butler, 1884; *marginata* Holland, 1894
- 451) *Anopheles (Cellia) pharoensis* Theobald, 1901 (Culicidae) Synonym(s): *pharoensis* Theobald, 1901; *albofimbriatus* Giles, 1902; *maculicosta* Becker, 1903; *bozasi* Neveu-Lemaire, 1905; *albus* Laveran, 1904
- 452) *Anopheles (Cellia) pulcherrimus* Theobald, 1902 (Culicidae) Synonym(s): *pulcherrimus* Theobald, 1902; *atropotenae* Lindtrop, 1924
- 453) *Anopheles (Cellia) superpictus* Grassi, 1899 (Culicidae) Synonym(s): *superpictus* Grassi, 1899; *palestinensis* Theobald, 1903; *nursei* Theobald, 1907; *cardamatisi* Newstead & Carter, 1910; *vassilievii* Portschiński, 1911; *macedoniensis* Cot & Hovasse, 1917; *berestnevi* Shingarev, 1926; *atheniensis* Cardamatis, 1931; *hellenicus* Peus, 1954
- 454) *Anopheles (s.str.) algeriensis* Theobald, 1903 (Culicidae) Synonym(s): *algeriensis* Theobald, 1903; *lukisi* Christophers, 1916
- 455) *Anopheles (s.str.) claviger* (Meigen, 1804) (Culicidae) Synonym(s): *claviger* Meigen, 1804; *villosus* R-D., 1827; *griscens* Stephens, 1828; *turkestani* Shingarev, 1926; *amaurus* Martini, 1929; *habibi* Mulligan & Puri, 1936; *missiroli* Del Vecchio, 1939; *pullutus* Canamares, 1945
- 456) *Anopheles (s.str.) marteri* Senetev & Prunelle, 1927 (Culicidae) Synonym(s): *marteri* Senetev & Prunelle, 1927; *sogdianus* Keshishian, 1938; *conquensis* Torres Canamares, 1946
- 457) *Anopheles (s.str.) sacharovi* Favre, 1903 (Culicidae) Synonym(s): *sacharovi* Favre, 1903; *elutus* Edwards, 1921
- 458) *Anopheles (s.str.) tenebrosus* Dönitz, 1902 (Culicidae) Synonym(s): *tenebrosus* Dönitz, 1902; *subtilis* Pressat, 1905
- 459) *Anoscopus albifrons* (Linnaeus, 1758) (Cicadellidae) Synonym(s): *albifrons* Linnaeus, 1758; *costata* Panzer, 1799; *affinis* Fallén, 1806; *subrustica* Fallén, 1806; *dispar* Zetterstedt, 1828; *testudo* Curtis, 1833; *costata* Curtis, 1837; *concinna* Curtis, 1837; *arcuatus* Kirschbaum, 1868; *confusus* Kirschbaum, 1868; *interruptus* Scott, 1873; *polystolus* Scott, 1873; *apicalis* Signoret, 1879; *pelas* Signoret, 1879; *fuliginosus* Ferrari, 1882; *argus* Rey, 1891; *bifasciatus* Melichar, 1896; *limicola* Edwards, 1908; *maculata* Edwards, 1908; *irritans* Wagner, 1937; *germari* Wagner, 1937; *dimidiata* Ribaut, 1952; *blotei* Metcalf, 1963
- 460) *Anoxia (Mesanoxia) cypria* Zurcher, 1911 (Scarabaeidae) Synonym(s): *cypria* Zurcher, 1911; *mavromoustakisi* Miksic, 1959
- 461) *Anoxia (Protanoxia) cingulata* Marseul, 1868 (Scarabaeidae) Synonym(s): *cingulata* Marseul, 1868
- 462) *Anoxia (Protanoxia) laevimaculata* Petrovitz, 1973 (Scarabaeidae) Synonym(s): *laevimaculata* Petrovitz, 1973
- 463) *Anoxia (Protanoxia) orientalis* Krynicki, 1832 (Scarabaeidae) Synonym(s): *orientalis* Krynicki, 1832; *meridionalis* Reitter, 1890
- 464) *Anoxia (s.str.) maculiventris* Reitter, 1890 (Scarabaeidae) Synonym(s): *maculiventris* Reitter, 1890; *israelitica* Petrovitz, 1971
- 465) *Anoxioides bytinskisalzi* Petrovitz, 1971 (Scarabaeidae) Synonym(s): *bytinskisalzi* Petrovitz, 1971
- 466) *Antennola impura* (Mann, 1862) (Noctuidae) Synonym(s): *impura* Mann, 1862
- 467) *Anthaxia (Cratomerus) diadema* Fischer, 1824 (Buprestidae) Synonym(s): *diadema* Fischer, 1824
- 468) *Anthaxia (Cratomerus) sponsa* Kiesenwetter, 1857 (Buprestidae) Synonym(s): *sponsa* Kiesenwetter, 1857
- 469) *Anthaxia (Euanthaxia) anatolica* Chevrolat, 1837 (Buprestidae) Synonym(s): *anatolica* Chevrolat, 1837
- 470) *Anthaxia (Haplanthaxia) cichorii* (Olivier, 1790) (Buprestidae) Synonym(s): *cichorii* Olivier, 1790
- 471) *Anthaxia (Haplanthaxia) kiesenwetteri* Marseul, 1865 (Buprestidae) Synonym(s): *kiesenwetteri* Marseul, 1865

- 472) *Anthaxia (Haplanthaxia) praeclara* Mannerheim, 1837 (Buprestidae) Synonym(s): *praeclara* Mannerheim, 1837
- 473) *Anthaxia (Melanthaxia) corinthia* Reiche & Saulcy, 1856 (Buprestidae) Synonym(s): *corinthia* Reiche & Saulcy, 1856
- 474) *Anthaxia (Melanthaxia) pinguis* Kiesenwetter, 1880 (Buprestidae) Synonym(s): *pinguis* Kiesenwetter, 1880
- 475) *Anthaxia (s.str.) adyamana* Svoboda, 1994 (Buprestidae) Synonym(s): *adiyamana* Svoboda, 1994
- 476) *Anthaxia (s.str.) berytensis* Abeille, 1895 (Buprestidae) Synonym(s): *berytensis* Abeille, 1895
- 477) *Anthaxia (s.str.) bicolor* Faldermann, 1835 (Buprestidae) Synonym(s): *bicolor* Faldermann, 1835
- 478) *Anthaxia (s.str.) brevis* Gory & Laporte, 1839 (Buprestidae) Synonym(s): *brevis* Gory & Laporte, 1839
- 479) *Anthaxia (s.str.) ghazi* Obenberger, 1938 (Buprestidae) Synonym(s): *ghazi* Obenberger, 1938
- 480) *Anthaxia (s.str.) muliebris* Obenberger, 1918 (Buprestidae) Synonym(s): *muliebris* Obenberger, 1918
- 481) *Anthaxia (s.str.) myrmidon* Abeille, 1891 (Buprestidae) Synonym(s): *myrmidon* Abeille, 1891
- 482) *Anthaxia (s.str.) togata* Abeille, 1882 (Buprestidae) Synonym(s): *togata* Abeille, 1882
- 483) *Anthidium (Anthidiellum) breviusculum* Pérez, 1890 (Megachilidae) Synonym(s): *breviusculum* Pérez, 1890; *troodicum* Mavromoustakis, 1949
- 484) *Anthidium (Anthidiellum) clypeare* Morawitz, 1874 (Megachilidae) Synonym(s): *clypeare* Morawitz, 1874; *elongatum* Friese, 1897; *hoplostomum* Mavromoustakis, 1945
- 485) *Anthidium (Anthidiellum) judacense* (Mavromoustakis, 1945) (Megachilidae) Synonym(s): *judacense* Mavromoustakis, 1945; *anale* Pasteels, 1969
- 486) *Anthidium (Anthidiellum) nasicum* Friese, 1917 (Megachilidae) Synonym(s): *nasicum* Friese, 1917; *nasiculum* Pasteels, 1969
- 487) *Anthidium (Anthidiellum) strigatum* (Panzer, 1805) (Megachilidae) Synonym(s): *strigatum* Panzer, 1805; *contractum* Latreille, 1809; *frontale* Lepeletier, 1841; *minusculum* Nylander, 1852; *coronatum* Dufour, 1853; *decoratum* Chevrier, 1872; *luteum* Friese, 1897; *rubellum* Friese, 1917; *cyrenaicum* Gribodo, 1924; *pauperculum* Cockerell, 1928; *crassepunctatum* Popov, 1935; *palaestinense* Alfken, 1935; *ibericum* Alfken, 1936; *judaicum* Alfken, 1936; *humeral* Alfken, 1936
- 488) *Anthidium (Archanthidium) pubescens* (Morawitz, 1872) (Megachilidae) Synonym(s): *pubescens* Morawitz, 1872; *maximum* Friese, 1931; *verhoeffi* Mavromoustakis, 1955
- 489) *Anthidium (Exanthidium) wahrmannicum* Mavromoustakis, 1933 (Megachilidae) Synonym(s): *wahrmannicum* Mavromoustakis, 1933
- 490) *Anthidium (Icteranthidium) ferrugineum* (Fabricius, 1787) (Megachilidae) Synonym(s): *ferrugineum* Fabricius, 1787; *discoideale* Latreille, 1809
- 491) *Anthidium (Icteranthidium) grohmanni* Spinola, 1838 (Megachilidae) Synonym(s): *grohmanni* Spinola, 1838; *latreillii* Lepeletier, 1841; *rubiginosum* Lepeletier, 1841; *provinciale* Lepeletier, 1841; *comptum* Lepeletier, 1841; *numidum* Lepeletier, 1841; *lepeletieri* Fonscolombe, 1846; *klugi* Lucas, 1849; *coronatum* Smith, 1854 (praeocc.); *obscurum* Dusmet, 1908 (praeocc.); *tergale* Pasteels, 1969.
- 492) *Anthidium (Mesanthidium) alternans* Klug, 1832 (Megachilidae) Synonym(s): *alternans* Klug, 1832; *karschi* Friese, 1899; *doederlini* Friese, 1917; *dusmeti* Mavromoustakis, 1947; *lividum* Benoist, 1950; *flavissimum* Pasteels, 1969
- 493) *Anthidium (Mesanthidium) carduele* Morawitz, 1876 (Megachilidae) Synonym(s): *carduele* Morawitz, 1876; *controversum* Radoszkowski, 1886; *malacopygum* Gribodo, 1894; *konowi* Friese, 1897; *zonulum* Alfken, 1935
- 494) *Anthidium (Mesanthidium) lebanense* Mavromoustakis, 1955 (Megachilidae) Synonym(s): *lebanense* Mavromoustakis, 1955; *nigrum* Pasteels, 1969
- 495) *Anthidium (Mesanthidium) pusillum* Morawitz, 1895 (Megachilidae) Synonym(s): *pusillum* Morawitz, 1895; *mochii* Mavromoustakis, 1956
- 496) *Anthidium (Proanthidium) anguliventre* Morawitz, 1888 (Megachilidae) Synonym(s): *anguliventre* Morawitz, 1888; *arabicum* Pasteels, 1969; *intermedium* Pasteels, 1969
- 497) *Anthidium (Proanthidium) eremicum* Alfken, 1938 (Megachilidae) Synonym(s): *eremicum* Alfken, 1938; *aleppense* Mavromoustakis, 1954
- 498) *Anthidium (Proanthidium) undulatiforme* Friese, 1917 (Megachilidae) Synonym(s): *undulatiforme* Friese, 1917
- 499) *Anthidium (Proanthidium) undulatum* Dours, 1873 (Megachilidae) Synonym(s): *undulatum* Dours, 1873; *littorale* Morawitz, 1874; *holozonicum* Mavromoustakis, 1939; *kvakium* Mavromoustakis, 1939; *wahrmanni* Mavromoustakis, 1948
- 500) *Anthidium (Pseudoanthidium) bytinskii* Mavromoustakis, 1948 (Megachilidae) Synonym(s): *bytinskii* Mavromoustakis, 1948
- 501) *Anthidium (Pseudoanthidium) cribratum* Morawitz, 1875 (Megachilidae) Synonym(s): *cribratum* Morawitz, 1875; *palaesticum* Mavromoustakis, 1938
- 502) *Anthidium (Pseudoanthidium) melanurum* Klug, 1832 (Megachilidae) Synonym(s): *melanurum* Klug, 1832; *nigricolle* Morawitz, 1876; *dilobum* Pérez, 1895; *moricei* Friese, 1911; *royoi* Dusmet, 1915; *flavicolle* Friese, 1917; *flaviventre* Friese, 1917
- 503) *Anthidium (Pseudoanthidium) ochrognatum* Alfken, 1932 (Megachilidae) Synonym(s): *ochrognatum* Alfken, 1932; *obscuratum* Benoist, 1950 nec Mor., 1875; *rubellum* Pasteels, 1969
- 504) *Anthidium (Pseudoanthidium) rhombiferum* Friese, 1917 (Megachilidae) Synonym(s): *rhombiferum* Friese, 1917
- 505) *Anthidium (Rhodanthidium) caturigense* Giraud, 1863 (Megachilidae) Synonym(s): *caturigense* Giraud, 1863; *ducale* Morawitz, 1876; *moreense* Friese, 1917; *pyrenaicum* Alfken, 1927; *jerusalemicum* Mavromoustakis, 1938
- 506) *Anthidium (Rhodanthidium) septemdentatum* (Latreille, 1809) (Megachilidae) Synonym(s): *septemdentatum* Latreille, 1809; *rufiventre* Brullé, 1832; *quadridentatum* Lepeletier, 1841; *fuscipenne* Lepeletier, 1841; *binominatum* Smith, 1854; *sexlineatum* Chevrier, 1872; *fasciale* Friese, 1917; *rufocinctum* Alfken, 1930; *nigrosetosum* Stanek, 1968
- 507) *Anthidium (s.str.) auritum* Klug, 1832 (Megachilidae) Synonym(s): *auritum* Klug, 1832; *fischeri* Spinola, 1838; *rufomaculatum* Friese, 1899
- 508) *Anthidium (s.str.) dalmaticum* Mocsary, 1884 (Megachilidae) Synonym(s): *dalmaticum* Mocsary, 1884; *syriacum* Dusmet, 1915
- 509) *Anthidium (s.str.) loti* Perris, 1852 (Megachilidae) Synonym(s): *variegata* Fabricius, 1781 (praeocc.); *loti* Perris, 1852; *regulare* Eversmann, 1852; *meridionale* Giraud, 1863; *mosaicum* Costa, 1863; *quadriseriatum* Kriechbaumer, 1873; *circumcinctum* Kriechbaumer, 1873; *incisum* Friese, 1917
- 510) *Anthidium (s.str.) neosyriacum* Mavromoustakis, 1956 (Megachilidae) Synonym(s): *neosyriacum* Mavromoustakis, 1956
- 511) *Anthidium (s.str.) spiniventre* Friese, 1899 (Megachilidae) Synonym(s): *spiniventre* Friese, 1899; *melanopygum* Friese, 1917
- 512) *Anthidium (s.str.) syriacum* Pérez, 1911 (Megachilidae) Synonym(s): *syriacum* Pérez, 1911
- 513) *Anthidium (s.str.) taeniatum* Latreille, 1809 (Megachilidae) Synonym(s): *taeniatum* Latreille, 1809; *fasciatum* Latreille, 1809; *sulphureum* Lepeletier, 1841; *affine* Morawitz, 1873; *monile* Friese, 1897; *nostrum* Radoszkowski, 1893
- 514) *Anthidium (s.str.) tessellatum* Klug, 1832 (Megachilidae) Synonym(s): *tessellatum* Klug, 1832
- 515) *Anthidium (s.str.) waltlii* Spinosa, 1838 (Megachilidae) Synonym(s): *waltlii* Spinosa, 1838

- 516) **Anthocharis cardamines (Linnaeus,1758)** (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911
- 517) **Anthocharis damone Boisduval,1836** (Pieridae) Synonym(s): *damone* Boisduval,1836
- 518) **Anthocharis grueneri Herrich-Schäffer,[1851]** (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907
- 519) **Anthocoris minki (Dohrn,1860)** (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *rubicundulus* Garbiglietti,1869; *pistaciae* E.Wagner,1957
- 520) **Anthocoris nemoralis (Fabricius,1794)** (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794
- 521) **Anthomyza receptrix Rohacek & Freidberg,1993** (Anthomyzidae) Synonym(s): *receptrix* Rohacek & Freidberg,1993
- 522) **Anthophilopsis baphialis (Staudinger,1870)** (Pyralidae) Synonym(s): *baphialis* Staudinger,1870; *#baphiale* Caradja,1917.
- 523) **Anthophilopsis moeschleri (Christoph,1862)** (Pyralidae) Synonym(s): *moeschleri* Christoph,1862
- 524) **Anthophora plumipes (Pallas,1772)** (Apidae) Synonym(s): *plumipes* Pallas,1772; *pilipes* Fabricius,1775; *hirsuta* Fabricius,1787; *rufipes* Christ,1791; *sicula* Smith,1853; *soror* Pérez,1905; *lisbonensis* Cockerell,1922; *palaestinensis* Hedicke,1936; *cypriaca* Mavromoustakis,1957
- 525) **Anthracia eriopoda (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer,[1851]; *sareptae* Guenée,1852; *eriopodoides* Strand,1916
- 526) **Anthrax aethiops (Fabricius,1781)** (Bombyliidae) Synonym(s): *aethiops* Fabricius,1781; *punctata* Meigen,1820; *mendax* Austen,1937
- 527) **Anthrax amnoni Zaitzev,1997** (Bombyliidae) Synonym(s): *amnoni* Zaitzev,1997
- 528) **Anthrax binotatus Wiedemann,1820** (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820; *subnotata* Wiedemann,1820
- 529) **Anthrax candidapex (Austen,1937)** (Bombyliidae) Synonym(s): *candidapex* Austen,1937
- 530) **Anthrax chionanthrax Bezzi,1926** (Bombyliidae) Synonym(s): *chionanthrax* Bezzi,1926; *cairensis* Paramonov,1935; *nanus* Paramonov,1935
- 531) **Anthrax dentata (Becker,1906)** (Bombyliidae) Synonym(s): *fuscipennis* Ricardo,1903 nec Macq.,1834; *dentata* Becker,1906
- 532) **Anthrax dolgovskayae Zaitzev,1997** (Bombyliidae) Synonym(s): *dolgovskayae* Zaitzev,1997
- 533) **Anthrax hassani Paramonov,1935** (Bombyliidae) Synonym(s): *hassani* Paramonov,1935
- 534) **Anthrax heteropygus (Sack,1909)** (Bombyliidae) Synonym(s): *heteropyga* Sack,1909
- 535) **Anthrax lucidus Becker,1902** (Bombyliidae) Synonym(s): *lucidus* Becker,1902
- 536) **Anthrax niger (Austen,1937)** (Bombyliidae) Synonym(s): *niger* Austen,1937
- 537) **Anthrax nitidus (Austen,1937)** (Bombyliidae) Synonym(s): *nitidus* Austen,1937
- 538) **Anthrax palaestinus Zaitzev,1997** (Bombyliidae) Synonym(s): *palaestinus* Zaitzev,1997
- 539) **Anthrax pilosulus Strobl,1902** (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902
- 540) **Anthrax pori Zaitzev,1997** (Bombyliidae) Synonym(s): *pori* Zaitzev,1997
- 541) **Anthrax sticticus Klug,1832** (Bombyliidae) Synonym(s): *sticticus* Klug, 1832
- 542) **Anthrax virgo Egger,1859** (Bombyliidae) Synonym(s): *virgo* Egger,1859
- 543) **Anthrenus (Anthrenodes) israelicus Hava,2004** (Dermestidae) Synonym(s): *israelicus* Hava,2004
- 544) **Anthrenus (Anthrenodes) jordanicus Pic,1934** (Dermestidae) Synonym(s): *jordanicus* Pic,1934
- 545) **Anthrenus (Nathrenus) bulirschi Hava,2000** (Dermestidae) Synonym(s): *bulirschi* Hava,2000
- 546) **Anthrenus (s.str.) simonis Reitter,1881** (Dermestidae) Synonym(s): *simonis* Reitter,1881
- 547) **Antigastra catalaunalis (Duponchel,1833)** (Pyralidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929
- 548) **Antiphrisson adpressus (Loew,1849)** (Asilidae) Synonym(s): *adpressus* Loew,1849
- 549) **Antiphrisson trifarius (Loew,1849)** (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalhammeri* Lichtwardt,1903
- 550) **Antocha (s.str.) vitripennis (Meigen,1830)** (Limoniidae) Synonym(s): *vitripennis* Meigen,1830
- 551) **Anumeta arabiae Wiltshire,1961** (Noctuidae) Synonym(s): *arabiae* Wiltshire,1961
- 552) **Anumeta asiatica Wiltshire,1961** (Noctuidae) Synonym(s): *spatzi* auct.; *asiatica* Wiltshire,1961
- 553) **Anumeta atosignata Walker,1858** (Noctuidae) Synonym(s): *atosignata* Walker,1858; *arenosa* Brandt,1939
- 554) **Anumeta hilgerti Rothschild,1909** (Noctuidae) Synonym(s): *hilgerti* Rothschild,1909; *comosa* Dumont,1920.
- 555) **Anumeta spilota (Erschoff,1874)** (Noctuidae) Synonym(s): *spilota* Erschoff,1874
- 556) **Anumeta straminea (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): *straminea* A.Bang-Haas,1906
- 557) **Anydrophila stuebeli (Calberla,1891)** (Noctuidae) Synonym(s): *stuebeli* Calberla,1891; *fouadi* Wiltshire,1947.
- 558) **Apalus bipunctatus Germar,1817** (Meloidea) Synonym(s): *bipunctatus* Germar,1817; *#bipunctatus* Özbek & Szaloki,1998
- 559) **Apamea (s.str.) anceps ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller],1775; *sordida* Borkhausen,1792; *infesta* Ochsenheimer,1816; *renardii* Boisduval,1829; *engelhardtii* Duurloo,1889; *pyxina* A.Bang-Haas,1910; *siegeli* Berio,1985; *sassanidica* Hacker,1990; *mazeli* Lutran,1993
- 560) **Apamea (s.str.) leucodon (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon* Eversmann,1837
- 561) **Apamea (s.str.) platinea (Treitschke,1825)** (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 nec Stgr.,1889; *touleschkoffi* Koçak,1980.
- 562) **Apamea (s.str.) polyglypha (Staudinger,1892)** (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892
- 563) **Apamea (s.str.) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 564) **Apanteles gallerie Wilkinson,1932** (Braconidae) Synonym(s): *gallerie* Wilkinson,1932
- 565) **Apanteles fasciatum (Stainton,1859)** (Autostichidae) Synonym(s): *fasciata* Stainton,1859; *coarctella* Rebel,1896; *mediopallidum* Walsingham,1900; *minor* Rebel,1916; *proterocline* Meyrick,1938; *impunctella* Amsel,1940; *melitensis* Amsel,1942
- 566) **Aphanotrigonum cinctellum (Zetterstedt,1848)** (Chloropidae) Synonym(s): *cinctellum* Zetterstedt,1848; *brevirostris* Loew,1858; *pallidinerve* Duda,1933
- 567) **Aphelia (Zelotherses) galilaica Obratzov,1968** (Tortricidae) Synonym(s): *galilaica* Obratzov,1968
- 568) **Aphelia (Zelotherses) imperfectana (Lederer,1858)** (Tortricidae) Synonym(s): *imperfectana* Lederer,1858; *ineffecta* Obratzov,1968.
- 569) **Aphodius (Calamosternus) chobauti (Clouet,1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet,1896
- 570) **Aphodius fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758
- 571) **Aphodius foetidus (Herbst,1783)** (Scarabaeidae) Synonym(s): *foetidus* Herbst,1783
- 572) **Aphobantus wadensis Bezzi,1925** (Bombyliidae) Synonym(s): *wadensis* Bezzi,1925

- 573) **Aphrodes bifasciatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963
- 574) **Aphrodes paralongus Dlabola,1960** (Cicadellidae) Synonym(s): *paralongus* Dlabola,1960
- 575) **Aphrosylus parcaarmatus Parent,1925** (Dolichopodidae) Synonym(s): *parcaarmatus* Parent,1925
- 576) **Aphthona franzi Heikertinger,1944** (Chrysomelidae) Synonym(s): *franzi* Heikertinger,1944
- 577) **Aphthona fueitei Reitter,1901** (Chrysomelidae) Synonym(s): *fueitei* Reitter,1901
- 578) **Apiletria (Aretascetis) purulentella Stainton,1867** (Autostichidae) Synonym(s): *purulentella* Stainton,1867
- 579) **Apiletria (s.str.) luella Lederer,1855** (Autostichidae) Synonym(s): *luella* Lederer,1855
- 580) **Apiomyia bergenstammi (Wachtl,1882)** (Cecidomyiidae) Synonym(s): *bergenstammi* Wachtl,1882
- 581) **Apis (Micrapis) florea Fabricius,1787** (Apidae) Synonym(s): *florea* Fabricius,1787; *semirufa* Hoffmannsegg,1818; *lobata* Smith,1854; *rufiventris* Friese,1906; *fuscata* Enderlein,1906; *nursei* Cockerell,1911; *nasicana* Cockerell,1911
- 582) **Apis (s.str.) mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761
- 583) **Aplasta ononaria (Fuessly,1783)** (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicaparia* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
- 584) **Aplidia chaifensis Kraatz,1882** (Scarabaeidae) Synonym(s): *chaifensis* Kraatz,1882
- 585) **Aplidia endroedii Baraud,1988** (Scarabaeidae) Synonym(s): *endroedii* Baraud,1988
- 586) **Aplidia fissa Burmeister,1855** (Scarabaeidae) Synonym(s): *fissa* Burmeister,1855
- 587) **Aplidia janczyki Baraud,1988** (Scarabaeidae) Synonym(s): *janczyki* Baraud,1988
- 588) **Aplidia joannis Baraud,1988** (Scarabaeidae) Synonym(s): *joannis* Baraud,1988
- 589) **Aplidia lizleri Keith,2000** (Scarabaeidae) Synonym(s): *lizleri* Keith,2000
- 590) **Aplidia nitidula Kraatz,1882** (Scarabaeidae) Synonym(s): *nitidula* Kraatz,1882
- 591) **Aplidia petrovitzi Baraud,1988** (Scarabaeidae) Synonym(s): *petrovitzi* Baraud,1988
- 592) **Aplidia villosicollis Kraatz,1882** (Scarabaeidae) Synonym(s): *villosicollis* Kraatz,1882
- 593) **Aplocera plagiata (Linnaeus,1758)** (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
- 594) **Apochima flabellaria (Heeger,1838)** (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
- 595) **Apoclea algira (Linnaeus,1767)** (Asilidae) Synonym(s): *algira* Linnaeus,1767; *alginis* Fabricius,1787; *vegeta* Wiedemann,1828; *pallida* Macquart,1838; *fuscana* Macquart,1838; *aberrans* Schiner,1867; *deformis* Walker,1871
- 596) **Apoclea conicera Loew,1856** (Asilidae) Synonym(s): *conicera* Loew,1856
- 597) **Apoclea femoralis (Wiedemann,1828)** (Asilidae) Synonym(s): *femoralis* Wiedemann,1828; *helva* Wiedemann,1828; *illustris* Schiner,1867; *aperta* Becker,1909
- 598) **Apoclea micracantha Loew,1856** (Asilidae) Synonym(s): *micracantha* Loew,1856; *arabica* Becker,1910
- 599) **Apoclea obscura Theodor,1980** (Asilidae) Synonym(s): *obscura* Theodor,1980
- 600) **Apoclea treibensis Theodor,1980** (Asilidae) Synonym(s): *treibensis* Theodor,1980
- 601) **Apodiphus amygdali (Germar,1817)** (Pentatomidae) Synonym(s): *amygdali* Germar,1817; *hellenica* Lefebvre,1831; *exsculpta* Burmeister,1835
- 602) **Apolysis eremophila Loew,1873** (Bombyliidae) Synonym(s): *eremophila* Loew,1873
- 603) **Apomyelois ceratoniae (Zeller,1839)** (Pyrilidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilinella* Hampson,1896; *psarella* Hampson,1903; *rivularis* W.Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950
- 604) **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronervosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 605) **Aporodes floralis (Hübner,[1809])** (Pyrilidae) Synonym(s): *floralis* Hübner,[1809]; *stygialis* Treitschke,1829; *sicualis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 606) **Aporophyla australis (Boisduval,1829)** (Noctuidae) Synonym(s): *australis* Boisduval,1829
- 607) **Aporophyla nigra (Haworth,[1809])** (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
- 608) **Apostibes griseolineata Walsingham,1907** (Scythridae) Synonym(s): *griseolineata* Walsingham,1907; *striella* Turati,1929; *bahrutella* Amsel,1935
- 609) **Apotomus ctypeonitens J.Müller,1943** (Carabidae) Synonym(s): *ctypeonitens* J.Müller,1943
- 610) **Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837
- 611) **Aprosthemata tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902
- 612) **Aprostocetus bucculentus (Kostjukov,1978)** (Eulophidae) Synonym(s): *bucculentus* Kostjukov,1978
- 613) **Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916
- 614) **Aprostocetus toddaliae (Risbec,1958)** (Eulophidae) Synonym(s): *toddaliae* Risbec,1958
- 615) **Apterola (s.str.) kuenckeli Mulsant & Rey,1866** (Lygaeidae) Synonym(s): *kuenckeli* Mulsant & Rey,1866; *pedestris* Stal,1866
- 616) **Apterola (s.str.) lownii (Saunders,1876)** (Lygaeidae) Synonym(s): *lownii* Saunders,1876
- 617) **Aquarius ventralis (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860
- 618) **Arboridia adanae (Dlabola,1957)** (Cicadellidae) Synonym(s): *adanae* Dlabola,1957
- 619) **Arboridia ithaburensis (Linnavuori,1962)** (Cicadellidae) Synonym(s): *ithaburensis* Linnavuori,1962
- 620) **Archiephestia adpiscinella (Chrétien,1911)** (Pyrilidae) Synonym(s): *adpiscinella* Chrétien,1911; *pholeacola* Dumont,1932; *menonoma* Schmidt,1934; *murciella* Amsel,1955
- 621) **Archon apollinus (Herbst,1798)** (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979.
- 622) **Arenocoris waltlii (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *waltlii* Herrich-Schäffer,1835; *hispanus* Rambur,1839; *auriculatus* Fieber,1861
- 623) **Arenostola deserticola (Staudinger,1900)** (Noctuidae) Synonym(s): *deserticola* Staudinger,1900; *chimaera* Rothschild,1920.
- 624) **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790
- 625) **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805
- 626) **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *zarudnyi* Gussakovskii,1935
- 627) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynniidae) Synonym(s): *niobe* Linnaeus,1758.
- 628) **Argyra leucocephala (Meigen,1824)** (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventris* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838

- 629) *Argyra vestita* (Wiedemann,1817) (Dolichopodidae) Synonym(s): *vestita* Wiedemann,1817
- 630) *Argyresthia* (s.str.) *conjugella* Zeller,1839 (Yponomeutidae) Synonym(s): *conjugella* Zeller,1839; ? *aerariella* Stainton,1871
- 631) *Armada panaceorum* (Ménétriés,1849) (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 632) *Artheneis alutacea* Fieber,1861 (Lygaeidae) Synonym(s): *alutacea* Fieber,1861
- 633) *Artiotilla biguttata* (Costa,1858) (Mutillidae) Synonym(s): *biguttata* Costa,1858
- 634) *Asalebria* (Exophora) *florella* (Mann,1862) (Pyralidae) Synonym(s): *florella* Mann,1862
- 635) *Asaphes suspensus* (Nees ab Esenbeck,1834) (Pteromalidae) Synonym(s): *suspensus* Nees ab Esenbeck,1834; *altiventris* Nees ab Esenbeck,1834; *petioliventris* Zetterstedt,1838; *aphidicola* Rondani,1848; *lucens* Provancher,1887; *fletcheri* Crawford,1909; *rufipes* Brues,1909; *huebrichi* Brethes,1913; *americana* Girault,1914; *bonariensis* Brethes,1916; *sawraji* Sharma & Subba Rao,1959; *uniarticulata* Mani & Saraswat,1974
- 636) *Ascalaphus festivus* (Rambur,1842) (Ascalaphidae) Synonym(s): *festivus* Rambur,1842
- 637) *Ascalenia antiqua* Meyrick,1925 (Cosmopterigidae) Synonym(s): *antiqua* Meyrick,1925
- 638) *Ascalenia jerichoella* (Amsel,1935) (Cosmopterigidae) Synonym(s): *jerichoella* Amsel,1933; *jerichoella* Amsel,1935
- 639) *Ascalenia vanelloides* Gerasimov,1930 (Cosmopterigidae) Synonym(s): *vanelloides* Gerasimov,1930; *eremella* Amsel,1933; *eremella* Amsel,1935.
- 640) *Ascotis selenaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *selenaris* Okyar & Aytac,1999
- 641) *Asindulum theodori* Matile,1974 (Keroplastidae) Synonym(s): *theodori* Matile,1974
- 642) *Asiraca clavicornis* (Fabricius,1794) (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891
- 643) *Asmisapya warnecki* Kurzenko,1994 (Sapygidae) Synonym(s): *warnecki* Kurzenko,1994
- 644) *Asphalia ruficollis* (Fabricius,1787) (Thyatiridae) Synonym(s): *ruficollis* [Denis & Schiffermüller],1775; *ruficollis* Fabricius,1787
- 645) *Aspidacantha atra* Kertész,1916 (Stratiomyidae) Synonym(s): *atra* Kertész,1916
- 646) *Aspilapteryx* (s.str.) *tringipennella* (Zeller,1839) (Gracillariidae) Synonym(s): *tringipennella* Zeller,1839; *fringilella* Duponchel,1843.
- 647) *Aspilapteryx* (Sabulopteryx) *limosella* (Duponchel,1844) (Gracillariidae) Synonym(s): *limosella* Duponchel,1844
- 648) *Aspitates ochrearia* (Rossi,1794) (Geometridae) Synonym(s): *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953
- 649) *Aspongopus viduatus* (Fabricius,1794) (Dinidoridae) Synonym(s): *viduatus* Fabricius,1794
- 650) *Asymmetrasca decedens* (Paoli,1932) (Cicadellidae) Synonym(s): *decedens* Paoli,1932
- 651) *Atanycolus denigrator* (Linnaeus,1758) (Braconidae) Synonym(s): *denigrator* Linnaeus,1758
- 652) *Ateliotum syriacum* (Caradja,1920) (Tineidae) Synonym(s): *syriacum* Caradja,1920
- 653) *Atethmia ambusta* (Fabricius,1787) (Noctuidae) Synonym(s): *ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
- 654) *Atethmia centrargo* (Haworth,[1809]) (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].
- 655) *Athalia ahngeri* Kokujev,1909 (Tenthredinidae) Synonym(s): *ahngeri* Kokujev,1909
- 656) *Athalia cordata* Audinet-Serville,1823 (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846
- 657) *Athalia cuspidata* Benson,1954 (Tenthredinidae) Synonym(s): *cuspidata* Benson,1954
- 658) *Athalia rosae* (Linnaeus,1758) (Tenthredinidae) Synonym(s): *rosae* Linnaeus,1758; *spinarum* Fabricius,1775; *salicis* Schrank,1781 nec Linn.,1758; *colibri* Christ,1791; *centifoliae* Panzer,1798
- 659) *Atherigona bedfordi* Emden,1940 (Muscidae) Synonym(s): *bedfordi* Emden,1940
- 660) *Atherigona humeralis* (Wiedemann,1830) (Muscidae) Synonym(s): *humeralis* Wiedemann,1830; *ferruginea* Emden,1940
- 661) *Atherigona laevigata* (Loew,1852) (Muscidae) Synonym(s): *laevigata* Loew,1852
- 662) *Atherigona orientalis* Schiner,1868 (Muscidae) Synonym(s): *orientalis* Schiner,1868; *excisa* Thomson,1869
- 663) *Atherigona pulla* (Wiedemann,1830) (Muscidae) Synonym(s): *pulla* Wiedemann,1830
- 664) *Atherigona soccata* Rondani,1871 (Muscidae) Synonym(s): *soccata* Rondani,1871; *indica* Malloch,1923
- 665) *Atherigona theodori* Hennig,1963 (Muscidae) Synonym(s): *theodori* Hennig,1963
- 666) *Atherigona varia* (Meigen,1826) (Muscidae) Synonym(s): *varia* Meigen,1826
- 667) *Athrips rancidella* (Herrich-Schäffer,[1854]) (Gelechiidae) Synonym(s): *rancidella* Herrich-Schäffer,[1854]; *triatomaea* Mühlig,1864; *vepretella* Zeller,1870; *superfetella* Peyerimhoff,1877; *cotoneastri* Busck,1934; *cerasivorella* Kuznetsov,1960.
- 668) *Atomophora nut* Linnavuori,1971 (Miridae) Synonym(s): *nut* Linnavuori,1971
- 669) *Atrichopogon taizi* Boorman & Harten,2002 (*wirthi* Delécolle & Braverman,1997 (praeocc.); *taizi* Boorman & Harten,2002; *shaubensis* *taizi* Boorman & Harten,2002
- 670) *Attagenus* (s.str.) *bifasciatus* (Olivier,1790) (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790
- 671) *Attalus mitlaensis* Wittmer,1971 (Melyridae) Synonym(s): *mitlaensis* Wittmer,1971
- 672) *Atylotus farinosus* (Szilady,1915) (Tabanidae) Synonym(s): *farinosus* Szilady,1915; *ouriensis* Surcouf,1922
- 673) *Atylotus pulchellus* (Loew,1858) (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915
- 674) *Atylotus quadrifarius* (Loew,1874) (Tabanidae) Synonym(s): *quadrifarius* Loew,1874; *rufipes* Szilady,1915 nec Mg.,1820; *lattesica* Strand,1925; *afghanistanicus* Moucha & Chvala,1959
- 675) *Augasma nitens* Amsel,1935 (Coleophoridae) Synonym(s): *nitens* Amsel,1935
- 676) *Auletobius politus* Voss,1934 (Atelabidae) Synonym(s): *politus* Voss,1934
- 677) *Austroagallia quadricornis* Linnavuori,1962 (Cicadellidae) Synonym(s): *quadricornis* Linnavuori,1962
- 678) *Austroagallia sinuata* (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934; *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964; *afghanistanensis* Kameswara Rao, Ramakrishnan & Ghai,1979
- 679) *Austroasca* (Jacobiasca) *lybica* (Bergevin & Zanon,1922) (Cicadellidae) Synonym(s): *lybica* Bergevin & Zanon,1922; *citrea* Haupt,1930; *bodenheimeri* Haupt,1930; *benedittoi* Paoli,1932
- 680) *Austrolimnophila* (s.str.) *brevicellula* Stary,1977 (Limoniidae) Synonym(s): *brevicellula* Stary,1977
- 681) *Autographa gamma* (Linnaeus,1758) (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992.
- 682) *Autophila* (Cheirophanes) *pauli* Boursin,1940 (Noctuidae) Synonym(s): *pauli* Boursin,1940

- 683) **Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
- 684) **Auxacia bilineella (Ragonot,1887)** (Pyralidae) Synonym(s): *bilineella* Ragonot,1887
- 685) **Azanus (s.str.) jesous (Guérin-Méneville,1849)** (Lycaenidae) Synonym(s): *jesous* Guérin-Méneville,1849; *agave* Walker,1870; *sigillata* Butler,1876.
- 686) **Bactra (Chiloides) simpliciana Chrétien,1915** (Tortricidae) Synonym(s): *simpliciana* Chrétien,1915; *lactosana* Turati,1922; *pauperrima* Turati,1934; *#telaviviana* Amsel,1933; *telaviviana* Amsel,1935
- 687) **Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852
- 688) **Bagrada (Nitilia) abeillei Puton,1881** (Pentatomidae) Synonym(s): *abeillei* Puton,1881; *persica* Horvath,1936; *lepida* Horvath,1936; *pallens* Kiritschenko,1966
- 689) **Bagrada amoenula (Walker,1870)** (Pentatomidae) Synonym(s): *amoenula* Walker,1870; *royeri* Horvath,1936; *picticollis* Horvath,1936; *algorica* Horvath,1936; *singularis* Horvath,1936; *deserticola* Horvath,1936; *lineata* Horvath,1936
- 690) **Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (*praeocc.*); *notata* Fabricius,1803 (*praeocc.*); *larvatus* Herrich-Schäffer,1835
- 691) **Balclutha flavella Linnavuori,1962** (Cicadellidae) Synonym(s): *flavella* Linnavuori,1962
- 692) **Balclutha nicolasi (Lethierry,1876)** (Cicadellidae) Synonym(s): *nicolasi* Lethierry,1876; *eos* Haupt,1927
- 693) **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955
- 694) **Balclutha rufofasciata (Merino,1936)** (Cicadellidae) Synonym(s): *rufofasciata* Merino,1936
- 695) **Balclutha saltuella (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *saltuella* Kirschbaum,1868; *angustus* Then,1886; *incisus* Matsumura,1902; *quadriguttatus* Matsumura,1908
- 696) **Baldratia grandis Möhn,1969** (Cecidomyiidae) Synonym(s): *grandis* Möhn,1969
- 697) **Baldratia halogetonis Möhn,1969** (Cecidomyiidae) Synonym(s): *halogetonis* Möhn,1969
- 698) **Baldratia salicorniae Kieffer,1897** (Cecidomyiidae) Synonym(s): *salicorniae* Kieffer,1897; *hyalina* Kieffer,1912
- 699) **Baldratia suaedae Möhn,1969** (Cecidomyiidae) Synonym(s): *suaedae* Möhn,1969
- 700) **Barytarbes superbus Schmiedeknecht,1913** (Ichneumonidae) Synonym(s): *superbus* Schmiedeknecht,1913
- 701) **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954
- 702) **Basistriga flammatrix ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammatrix* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 703) **Batocera rufomaculata (DeGeer,1775)** (Cerambycidae) Synonym(s): *rufomaculata* DeGeer,1775
- 704) **Batracomorphus glaber Haupt,1927** (Cicadellidae) Synonym(s): *glaber* Haupt,1927; *flavovirens* Lindberg,1948
- 705) **Batracomorphus signatus Lindberg,1923** (Cicadellidae) Synonym(s): *signatus* Lindberg,1923; *nigrum* Lindberg,1923
- 706) **Baumhaueria goniaeformis (Meigen,1824)** (Tachinidae) Synonym(s): *goniaeformis* Meigen,1824
- 707) **Bazaria gilvella (Ragonot,1887)** (Pyralidae) Synonym(s): *gilvella* Ragonot,1887
- 708) **Bazaria pempeliella Ragonot,1893** (Pyralidae) Synonym(s): *pempeliella* Ragonot,1893; *ochriplaga* Rebel,1909; *djiroftella* Amsel,1959; *afghanella* Amsel,1970
- 709) **Belenois aurota (Fabricius,1793)** (Pieridae) Synonym(s): *mesentina* Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 710) **Bellardia nova Rognes,2002** (Calliphoridae) Synonym(s): *nova* Rognes,2002
- 711) **Bellardia tatraca (Enderlein,1933)** (Calliphoridae) Synonym(s): *tatraca* Enderlein,1933
- 712) **Bembecinus acanthomerus (Morice,1911)** (Crabronidae) Synonym(s): *acanthomerus* Morice,1911
- 713) **Bembecinus asphaltites De Beaumont,1968** (Crabronidae) Synonym(s): *asphaltites* De Beaumont,1968
- 714) **Bembecinus bytinskii De Beaumont,1954** (Crabronidae) Synonym(s): *bytinskii* De Beaumont,1954
- 715) **Bembecinus cyprius De Beaumont,1954** (Crabronidae) Synonym(s): *cyprius* De Beaumont,1954
- 716) **Bembecinus gynandromorphus (Handlirsch,1892)** (Crabronidae) Synonym(s): *gynandromorphus* Handlirsch,1892
- 717) **Bembecinus hebraeus De Beaumont,1968** (Crabronidae) Synonym(s): *hebraeus* De Beaumont,1968
- 718) **Bembecinus meridionalis A.Costa,1859** (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859
- 719) **Bembecinus niehuisi Schmid-Egger,2004** (Crabronidae) Synonym(s): *niehuisi* Schmid-Egger,2004
- 720) **Bembecinus peregrinus (Smith,1856)** (Crabronidae) Synonym(s): *peregrinus* Smith,1856; *erberi* Mocsary,1881; *biarmatus* Mocsary,1883
- 721) **Bembecinus revindicatus Schulz,1911** (Crabronidae) Synonym(s): *schmiedeknechti* Handlirsch,1900 *nec* Handl.,1898; *revindicatus* Schulz,1911; *houskai* Balthasar,1954
- 722) **Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satumanus* Sonan,1934; *errans* De Beaumont,1950
- 723) **Bembecinus validior Gussakowski,1952** (Crabronidae) Synonym(s): *validior* Gussakowski,1952; *diacanthus* De Beaumont,1967
- 724) **Bembidion (Metallina) bodenheimeri Netolitzky,1935** (Carabidae) Synonym(s): *bodenheimeri* Netolitzky,1935
- 725) **Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis* Chaudoir,1850
- 726) **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795
- 727) **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum* Wollaston,1854
- 728) **Bembidion (Omoperyphus) caricum Sahlberg,1908** (Carabidae) Synonym(s): *caricum* Sahlberg,1908
- 729) **Bembidion (Peryphanes) castaneipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *castaneipenne* Jacquelin du Val,1852
- 730) **Bembidion (Peryphanes) grandipenne Schaum,1862** (Carabidae) Synonym(s): *grandipenne* Schaum,1862
- 731) **Bembidion (Phyla) liliputanum (J.Sahlberg,1908)** (Carabidae) Synonym(s): *liliputanum* J.Sahlberg,1908
- 732) **Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum* Huber & Marggi,1997
- 733) **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville,1821
- 734) **Bembidion (Trepanes) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum* Goeze,1777
- 735) **Bembix arenaria (Handlirsch,1893)** (Crabronidae) Synonym(s): *arenaria* Handlirsch,1893; *houskai* Balthasar,1954
- 736) **Bembix bicolor (Radoszkowski,1877)** (Crabronidae) Synonym(s): *bicolor* Radoszkowski,1877; *femorialis* Radoszkowski,1877; *bipunctata* Radoszkowski,1877; *barbiventris* Morawitz,1889
- 737) **Bembix palaestinensis Lohrmann,1942** (Crabronidae) Synonym(s): *palaestinensis* Lohrmann,1942
- 738) **Bembix salina Lohrmann,1942** (Crabronidae) Synonym(s): *salina* Lohrmann,1942

- 739) Bena bicolorana (Fuessly,1775)** (Noctuidae) Synonym(s): *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *consersa* W.Warren,1913.
- 740) Beosus quadripunctatus (Müller,1766)** (Lygaeidae) Synonym(s): *quadripunctatus* Müller,1766
- 741) Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus* Linnaeus,1758; *citrius* Harris,1776; *hirtipes* Loew,1846; *hispanicus* Duda,1930; *major* Duda,1930
- 742) Billaea biserialis (Portschinsky,1881)** (Tachinidae) Synonym(s): *biserialis* Portschinsky,1881
- 743) Billaea intermedia (Portschinsky,1881)** (Tachinidae) Synonym(s): *intermedia* Portschinsky,1881
- 744) Biralus equinus (Faldermann,1835)** (Scarabaeidae) Synonym(s): *equinus* Faldermann,1835
- 745) Biralus menetriesi (Ménétriés,1847)** (Scarabaeidae) Synonym(s): *menetriesi* Ménétriés,1847
- 746) Biralus satellitius (Herbst,1789)** (Scarabaeidae) Synonym(s): *satellitius* Herbst,1789
- 747) Biston achyrus Wehrli,1936** (Geometridae) Synonym(s): *achyra* Wehrli,1936; *engonia* Wehrli,1941
- 748) Bithia golanensis (Kugler,1971)** (Tachinidae) Synonym(s): *golanensis* Kugler,1971
- 749) Bithia modesta (Meigen,1824)** (Tachinidae) Synonym(s): *modesta* Meigen,1824; *invaria* Walker,1849; *grisea* Perris,1852; *vetusa* Pandelle,1896
- 750) Blacus (s.str.) exilis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *exilis* Nees ab Esenbeck,1811; *lactucaphis* Fitch,1855; *pallipes* Förster,1862; *propallipes* Shenefelt,1969; *intermedius* Janzon,1975
- 751) Blaesoxipha aguriana Lehrer,2002** (Sarcophagidae) Synonym(s): *aguriana* Lehrer,2002
- 752) Blaesoxipha campestris (R-D.,1863)** (Sarcophagidae) Synonym(s): *lineata* Fallén,1817 nec Harr.,1776; *campestris* R-D.,1863; *redempta* Pandellé,1895
- 753) Blaesoxipha delilah Lehrer,2006** (Sarcophagidae) Synonym(s): *delilah* Lehrer,2006
- 754) Blaesoxipha filipjevi Rohdendorf,1928** (Sarcophagidae) Synonym(s): *filipjevi* Rohdendorf,1928
- 755) Blaesoxipha gladiatrix (Pandellé,1896)** (Sarcophagidae) Synonym(s): *gladiatrix* Pandellé,1896; *krameri* Baranoff,1925
- 756) Blaesoxipha leonidei Lehrer,2006** (Sarcophagidae) Synonym(s): *leonidei* Lehrer,2006
- 757) Blaesoxipha litoralis (Villeneuve,1911)** (Sarcophagidae) Synonym(s): *litoralis* Villeneuve,1911
- 758) Blaesoxipha rufipes (Macquart,1839)** (Sarcophagidae) Synonym(s): *rufipes* Macquart,1839; *rubripes* Villeneuve,1912; *tertia* Rohdendorf,1928; *aegyptiaca* Villeneuve,1932; *paoli* Villeneuve,1939; *povolnyi* Rohdendorf,1975
- 759) Blaesoxipha suspinata Lehrer,2006** (Sarcophagidae) Synonym(s): *suspinata* Lehrer,2006
- 760) Blaesoxipha tzinella Lehrer,2006** (Sarcophagidae) Synonym(s): *tzinella* Lehrer,2006
- 761) Blaps judaeorum Miller,1861** (Tenebrionidae) Synonym(s): *judaeorum* Miller,1861; *judaica* Seidlitz,1893
- 762) Blaps juliae Allard,1880** (Tenebrionidae) Synonym(s): *juliae* Allard,1880
- 763) Blaps kaifensis Seidlitz,1893** (Tenebrionidae) Synonym(s): *rotundata* Allard,1880 (*praeocc.*); *kaifensis* Seidlitz,1893
- 764) Blaps rotundata Solier,1848** (Tenebrionidae) Synonym(s): *rotundata* Solier,1848; *sodalis* Reiche & Saulcy,1857; *laticollis* Allard,1880 (*praeocc.*)
- 765) Blastothrix erythrostetha (Walker,1847)** (Encyrtidae) Synonym(s): *erythrostetha* Walker,1847; *clara* Nikolskaya,1952
- 766) Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775
- 767) Blitopertha (Asiopertha) nazarena (Marseul,1878)** (Scarabaeidae) Synonym(s): *nazarena* Marseul,1878
- 768) Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdit* Petrovitz,1959; *majuscola* Medvedev
- 769) Bodenheimeria rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): *rachelae* Bodenheimer,1924
- 770) Bodilopsis rufa (Moll,1782)** (Scarabaeidae) Synonym(s): *rufa* Moll,1782
- 771) Bodilopsis sordida (Fabricius,1775)** (Scarabaeidae) Synonym(s): *sordida* Fabricius,1775
- 772) Bodilus longispina (Kuster,1854)** (Scarabaeidae) Synonym(s): *longispina* Kuster,1854
- 773) Bodilus lugens (Creutzer,1799)** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799
- 774) Bodilus punctipennis (Erichson,1848)** (Scarabaeidae) Synonym(s): *punctipennis* Erichson,1848
- 775) Bodilus sabaeus (Peyerimhoff,1907)** (Scarabaeidae) Synonym(s): *sabaeus* Peyerimhoff,1907
- 776) Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773
- 777) Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *anal* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *anal* Thunberg,1827; *trichromus* Paramonov,1955
- 778) Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849
- 779) Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855
- 780) Bombylella simulans (Austen,1937)** (Bombyliidae) Synonym(s): *simulans* Austen,1937
- 781) Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937
- 782) Bombylisoma tripunctatum (Macquart,1840)** (Bombyliidae) Synonym(s): *tripunctatum* Macquart,1840; *trigonus* Bezzi,1925; *pulchellus* Austen,1937
- 783) Bombylius (s.str.) alexandri Paramonov,1940** (Bombyliidae) Synonym(s): *alexandri* Paramonov,1940
- 784) Bombylius (s.str.) argentifacies Austen,1937** (Bombyliidae) Synonym(s): *argentifacies* Austen,1937
- 785) Bombylius (s.str.) candidifrons Austen,1937** (Bombyliidae) Synonym(s): *candidifrons* Austen,1937
- 786) Bombylius (s.str.) candidus Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855
- 787) Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820
- 788) Bombylius (s.str.) crassitarsis Paramonov,1940** (Bombyliidae) Synonym(s): *crassitarsis* Paramonov,1940
- 789) Bombylius (s.str.) fallax Austen,1937** (Bombyliidae) Synonym(s): *fallax* Austen,1937
- 790) Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855
- 791) Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820
- 792) Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781
- 793) Bombylius (s.str.) kugleri Zaitsev,1995** (Bombyliidae) Synonym(s): *kugleri* Zaitsev,1995
- 794) Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978
- 795) Bombylius (s.str.) mendax Austen,1937** (Bombyliidae) Synonym(s): *mendax* Austen,1937
- 796) Bombylius (s.str.) mus Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873

- 797) **Bombylius (s.str.) niveus Meigen, 1804** (Bombyliidae) Synonym(s): *niveus* Meigen, 1804
 798) **Bombylius (s.str.) olgae Zaitsev, 1995** (Bombyliidae) Synonym(s): *olgae* Zaitsev, 1995
 799) **Bombylius (s.str.) polypogon Loew, 1855** (Bombyliidae) Synonym(s): *polypogon* Loew, 1855
 800) **Bombylius (s.str.) pumilus Meigen, 1820** (Bombyliidae) Synonym(s): *pumilus* Meigen, 1820
 801) **Bombylius (s.str.) repeteki Paramonov, 1940** (Bombyliidae) Synonym(s): *repeteki* Paramonov, 1940; *submodestus* Paramonov, 1940
 802) **Bombylius (s.str.) trichurus Pallas, 1818** (Bombyliidae) Synonym(s): *trichurus* Pallas, 1818; *fuliginosus* Wiedemann, 1820; *brevirostris* Meigen, 1830 nec Oliv., 1789; *rhodius* Loew, 1855; *capillatus* Palm, 1876; *tavrizi* Paramonov, 1926
 803) **Bombylius (s.str.) wadensis Efflatoun, 1945** (Bombyliidae) Synonym(s): *wadensis* Efflatoun, 1945
 804) **Bombylius (Zephyrectes) quadrifarius Loew, 1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew, 1855
 805) **Boursinia deceptrix (Staudinger, 1900)** (Noctuidae) Synonym(s): *deceptrix* Staudinger, 1900
 806) **Boursinia discordans (Boursin, 1940)** (Noctuidae) Synonym(s): *discrepans* Staudinger, 1892 nec Wlk., 1865; *discordans* Boursin, 1940
 807) **Brachinus (Brachynidius) explodens (Duftschmid, 1812)** (Carabidae) Synonym(s): *explodens* Duftschmid, 1812
 808) **Brachinus (s.str.) berytensis Reiche & Saulcy, 1855** (Carabidae) Synonym(s): *berytensis* Reiche & Saulcy, 1855
 809) **Brachinus immaculicornis Dejean, 1826** (Carabidae) Synonym(s): *immaculicornis* Dejean, 1826
 810) **Brachycaudus (Appelia) tragopogonis (Kaltenbach, 1843)** (Aphididae) Synonym(s): *tragopogonis* Kaltenbach, 1843; *setosus* Hille Ris Lambers, 1948
 811) **Brachycerus argillaceus Reiche, 1857** (Brachyceridae) Synonym(s): *argillaceus* Reiche, 1857; *nodulosus* Reiche, 1857; *aegyptiacus* Bedel, 1874
 812) **Brachycerus cribrarius Olivier, 1807** (Brachyceridae) Synonym(s): *cribrarius* Olivier, 1807; *ornatus* Reiche, 1857; *fimbriatus* Desbrochers, 1871
 813) **Brachycerus foveifrons Bedel, 1874** (Brachyceridae) Synonym(s): *foveifrons* Bedel, 1874
 814) **Brachycerus junix Herbst, 1797** (Brachyceridae) Synonym(s): *junix* Herbst, 1797; *incertus* Desbrochers, 1871; *olivieri* Desbrochers, 1871
 815) **Brachycerus orbipennis Reiche, 1857** (Brachyceridae) Synonym(s): *orbipennis* Reiche, 1857
 816) **Brachycoleus bolivari Horvath, 1901** (Miridae) Synonym(s): *bolivari* Horvath, 1901
 817) **Brachygalea albolineata (Blachier, 1905)** (Noctuidae) Synonym(s): *albolineata* Blachier, 1905; *leucorhabda* Hampson, 1906; *albolineata* Hampson, 1906
 818) **Brachygalea kalchbergi (Staudinger, 1897)** (Noctuidae) Synonym(s): *kalchbergi* Staudinger, 1897; *calchbergi* Hampson, 1906
 819) **Brachyglossina staudingeri L.B. Prout, 1932** (Geometridae) Synonym(s): *uniformis* Staudinger, 1897 nec W. Warr., 1897; *staudingeri* L.B. Prout, 1932
 820) **Brachymeria aegyptiaca Masi, 1931** (Chalcididae) Synonym(s): *aegyptiaca* Masi, 1931
 821) **Brachymeria albicrus (Klug, 1834)** (Chalcididae) Synonym(s): *albicrus* Klug, 1834; *amphissa* Walker, 1846; *responsator* Walker, 1862; *indica* Mani, 1935
 822) **Brachymeria femorata (Panzer, 1801)** (Chalcididae) Synonym(s): *femorata* Panzer, 1801; *ornatipes* Cameron, 1906; *immaculata* Masi, 1951
 823) **Brachymeria minuta (Linnaeus, 1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus, 1767; *femoralis* Geoffroy, 1785; *pusilla* Fabricius, 1787; *saltatrix* Cuvier, 1833; *brevicornis* Klug, 1834; *scrobiculata* Förster, 1859; *tricolor* Förster, 1859; *fumata* Thomson, 1876; *paraplepsia* Crawford, 1910; *jezoensis* Matsumura, 1918...
 824) **Brachymeria obtusata (Förster, 1859)** (Chalcididae) Synonym(s): *vicina* Walker, 1834; *obtusata* Förster, 1859; *walkeri* Dalla Torre, 1898
 825) **Brachymeria tibialis (Walker, 1834)** (Chalcididae) Synonym(s): *tibialis* Walker, 1834; *intermedia* Nees, 1834; *cingulata* Walker, 1834; *distinguenda* Walker, 1834; *rufofemorata* Rosenhauer, 1856; *scirropoda* Förster, 1859; *boops* Thomson, 1876; *quettaensis* Cameron, 1906; *turkestanica* Masi, 1951;
 826) **Brachynema cinctum (Fabricius, 1775)** (Pentatomidae) Synonym(s): *cinctus* Fabricius, 1775; *forskahlii* Gmelin, 1790; *tarsatus* Klug, 1845; *roseipennis* Mulsant & Rey, 1852; *flavatum* Horvath, 1896; *simonyi* Horvath, 1896; *exul* Horvath, 1896; *splendidum* Montandon, 1900; *miniaturum* Montandon, 1900; *venustulum* Montandon, 1900
 827) **Brachynema germarii (Kolenati, 1846)** (Pentatomidae) Synonym(s): *virens* Klug, 1845 nec Linn., 1767; *germarii* Kolenati, 1846; *anabasis* Becker, 1867; *biplaga* Walker, 1867; *flavomarginatus* Jakovlev, 1871; *grisea* Jakovlev, 1871; *melanota* Jakovlev, 1874; *alternatum* Horvath, 1899
 828) **Brachypipona schlaeflei Gusenleitner, 2001** (Vespidae) Synonym(s): *schlaeflei* Gusenleitner, 2001
 829) **Brachytarsina flavipennis Macquart, 1851** (Strebliidae) Synonym(s): *flavipennis* Macquart, 1851
 830) **Bradyrrhoa confiniella Zeller, 1848** (Pyralidae) Synonym(s): *confiniella* Zeller, 1848; *remotella* Mann, 1867; *nubigerella* Ragonot, 1893; *ifraneella* Lucas, 1956; *ebertella* Roesler, 1969
 831) **Bradysia globifera (Lengersdorf, 1934)** (Sciaridae) Synonym(s): *globifera* Lengersdorf, 1934; *fennica* Lengersdorf, 1940
 832) **Braula orientalis Örösi Pal, 1963** (Braulidae) Synonym(s): *orientalis* Örösi Pal, 1963
 833) **Braula schmitzi Örösi Pal, 1939** (Braulidae) Synonym(s): *schmitzi* Örösi Pal, 1939
 834) **Brevicornu griseicolle (Staeger, 1840)** (Mycetophilidae) Synonym(s): *griseicolle* Staeger, 1840
 835) **Brontaea eremophila (Brauer & Bergenstamm, 1894)** (Muscidae) Synonym(s): *eremophila* Brauer & Bergenstamm, 1894; *impedita* Pandellé, 1898
 836) **Brontaea tonitru (Wiedemann, 1824)** (Muscidae) Synonym(s): *tonitru* Wiedemann, 1824; *canace* Walker, 1849; *variegata* Stein, 1903
 837) **Bruchophagus roddi Gussakovskiy, 1933** (Eurytomidae) Synonym(s): *roddi* Gussakovskiy, 1933
 838) **Bryophilopsis roederi (Standfuss, 1892)** (Noctuidae) Synonym(s): *roederi* Standfuss, 1892
 839) **Bryotropha affinis (Haworth, 1828)** (Gelechiidae) Synonym(s): *affinis* Haworth, 1828; *tegulella* Herrich-Schäffer, 1854; *affinella* Doubleday, 1859; *affinitella* Bruand, 1859
 840) **Bryotropha arabica Amsel, 1952** (Gelechiidae) Synonym(s): *arabica* Amsel, 1952
 841) **Bryotropha domestica (Haworth, 1828)** (Gelechiidae) Synonym(s): *domestica* Haworth, 1828; *domesticella* Doubleday, 1859; *domesticella* Bruand, 1859; *salmonis* Walsingham, 1908; *algoricella* Chrétien, 1917
 842) **Bubas bubaloides Janssens, 1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens, 1938
 843) **Bubas bubalus (Olivier, 1811)** (Scarabaeidae) Synonym(s): *bubalus* Olivier, 1811; *brunipterus* Mulsant, 1842; *inermifrons* Mulsant, 1842; *integricornis* Mulsant, 1842; *simplicifrons* Mulsant, 1842
 844) **Bubopsis andromache Aspöck, Aspöck & Hölzel, 1979** (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel, 1979
 845) **Bubopsis hamata (Klug, 1834)** (Ascalaphidae) Synonym(s): *hamatus* Klug, 1834
 846) **Bucculatrix albella Stainton, 1867** (Bucculatricidae) Synonym(s): *albella* Stainton, 1867

- 847) **Bucculatrix ramallahensis Amsel, 1935** (Bucculatricidae) Synonym(s): *ramallahensis* Amsel, 1935
 848) **Bucculatrix telavivella Amsel, 1935** (Bucculatricidae) Synonym(s): *telavivella* Amsel, 1935
 849) **Bucculatrix zizyphella Chrétien, 1907** (Bucculatricidae) Synonym(s): *zizyphella* Chrétien, 1907
 850) **Bufoidea ledereri (Koçak, 1981)** (Lasiocampidae) Synonym(s): *bufo* Lederer, 1861 nec Fabr., 1787; *ledereri* Koçak, 1981.
 851) **Caccobius (s.str.) histeroides (Ménétriés, 1832)** (Scarabaeidae) Synonym(s): *histeroides* Ménétriés, 1832; *anthracinus* Faldermann, 1835; *nigellus* Kiesenwetter, 1858
 852) **Caccobius (s.str.) mundus (Ménétriés, 1838)** (Scarabaeidae) Synonym(s): *mundus* Ménétriés, 1838
 853) **Caccobius (s.str.) schreberi (Linnaeus, 1767)** (Scarabaeidae) Synonym(s): *schreberi* Linnaeus, 1767
 854) **Cacodmus vicinus Horvath, 1934** (Cimicidae) Synonym(s): *vicinus* Horvath, 1934
 855) **Cadra abstersella (Zeller, 1847)** (Pyrilidae) Synonym(s): *abstersella* Zeller, 1847; *liguriella* Amsel, 1954.
 856) **Cadra amselella Roesler, 1965** (Pyrilidae) Synonym(s): *amselella* Roesler, 1965
 857) **Cadra calidella (Guenée, 1845)** (Pyrilidae) Synonym(s): *calidella* Guenée, 1845; *#ficella* Douglas, 1851; *xanthotricha* Staudinger, 1859.
 858) **Cadra cautella (Walker, 1863)** (Pyrilidae) Synonym(s): *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman & South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959
 859) **Cadra figulilella (Gregson, 1871)** (Pyrilidae) Synonym(s): *figulilella* Gregson, 1871; *milleri* Zeller, 1876; *gypsella* Ragonot, 1887; *venosella* Turati, 1926; *ernestinella* Turati, 1927; *#halfaella* Roesler, 1965.
 860) **Caenocoris nerii (Germar, 1847)** (Lygaeidae) Synonym(s): *nerii* Germar, 1817; *semiruber* Walker, 1872
 861) **Calameuta (s.str.) haemorrhoidalis (Fabricius, 1781)** (Cephalidae) Synonym(s): *haemorrhoidalis* Fabricius, 1781
 862) **Calameuta (s.str.) idolon (Rossi, 1794)** (Cephalidae) Synonym(s): *idolon* Rossi, 1794; *mittrei* Guérin, 1844; *bellieri* Sichel, 1860; *variegatus* Stein, 1876; *apicicornis* Pic, 1916
 863) **Calamodes subscudularia (Turati, 1919)** (Geometridae) Synonym(s): *subscudularia* Turati, 1919
 864) **Calamosternus chobauti (Clouet, 1896)** (Scarabaeidae) Synonym(s): *chobauti* Clouet, 1896
 865) **Calamosternus granarius (Linnaeus, 1767)** (Scarabaeidae) Synonym(s): *granarius* Linnaeus, 1767
 866) **Calamosternus hyxos (Petrovitz, 1962)** (Scarabaeidae) Synonym(s): *hyxos* Petrovitz, 1962
 867) **Calamosternus pseudounicolor (Balthasar, 1960)** (Scarabaeidae) Synonym(s): *pseudounicolor* Balthasar, 1960
 868) **Calamosternus trucidatus (Harold, 1863)** (Scarabaeidae) Synonym(s): *trucidatus* Harold, 1863
 869) **Calamotropha hierichuntica Zeller, 1867** (Pyrilidae) Synonym(s): *hierichuntica* Zeller, 1867; *orontella* Ragonot, 1895; *leucaniellus* Zerny, 1914.
 870) **Calisius salicis Horvath, 1913** (Aradidae) Synonym(s): *salicis* Horvath, 1913
 871) **Callimus (s.str.) akbesianus (Pic, 1892)** (Cerambycidae) Synonym(s): *akbesianus* Pic, 1892
 872) **Calliptamus barbarus (Costa, 1836)** (Acrididae) Synonym(s): *barbarus* Costa, 1836; *ictericus* Audinet-Serville, 1838; *siculus* Burmeister, 1838; *cephalotes* Fischer von Waldheim, 1846; *discoidalis* Walker, 1870; *minimus* Ivanov, 1888; *deserticola* Vosseler, 1902; *punctata* Kirby, 1914; *montanus* Chopard, 1937; *palidipes* Chopard, 1943; *monspelliensis* Grassé & Hollande, 1945; *nanus* Mishchenko, 1951; *parvus* Maran, 1952; *salina* Maran, 1954
 873) **Calliptamus coelesyriensis (Giglio-Tos, 1893)** (Acrididae) Synonym(s): *coelesyriensis* Giglio-Tos, 1893; *carbonaria* Uvarov, 1914; *angustus* Uvarov, 1934; *anatolicus* Maran, 1951; *hissaricus* Mishchenko, 1951; *intricatus* Mishchenko, 1951; *#nigra* Bei-Bienko & Richter, 1960
 874) **Callipteroma sexguttata Motschulsky, 1863** (Encyrtidae) Synonym(s): *sexguttata* Motschulsky, 1863; *quinqueguttatum* Motschulsky, 1863; *guttatipennis* Girault, 1915; *kiushiensis* Ishii, 1928
 875) **Callistonotus nigroruber (Stal, 1858)** (Lygaeidae) Synonym(s): *nigroruber* Stal, 1858
 876) **Callopietria latreillei (Duponchel, 1827)** (Noctuidae) Synonym(s): *latreillei* Duponchel, 1827; *quieta* Treitschke, 1826; *roseitulum* Walker, 1858; *rakoto* Viette, 1865; *rechingeri* Koutsaftikis, 1973.
 877) **Callostoma fascipenne Macquart, 1840** (Bombyliidae) Synonym(s): *fascipenne* Macquart, 1840; *palaestinae* Paramonov, 1931
 878) **Calocucullia celsiae (Herrich-Schäffer, 1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer, [1850]
 879) **Calophasia angularis Chrétien, 1911** (Noctuidae) Synonym(s): *angularis* Chrétien, 1911; *stigmatica* Rothschild, 1913; *liberatii* Turati, 1924; *danieli* Le Cerf, 1924; *pintori* Turati, 1924; *volmeri* Hering, 1930
 880) **Calophasia pauli (Staudinger, 1892)** (Noctuidae) Synonym(s): *pauli* Staudinger, 1892
 881) **Calophasia platyptera (Esper, [1788])** (Noctuidae) Synonym(s): *platyptera* Esper, [1788]; *canterius* De Villers, 1789; *tenera* Hübner, [1803]; *olbiena* Duponchel, 1842; *subalbida* Staudinger, 1901; *signata* Constantini, 1916
 882) **Calophasia sinaica (Wiltshire, 1948)** (Noctuidae) Synonym(s): *sinaica* Wiltshire, 1948
 883) **Calopteryx syriaca Génè, 1842** (Calopterygidae) Synonym(s): *syriaca* Génè, 1842; *pseudosyriaca* Buchholtz, 1955
 884) **Caloptilia (s.str.) coruscans (Walsingham, 1907)** (Gracillariidae) Synonym(s): *coruscans* Walsingham, 1907; *schinella* Walsingham, 1908; *terebinthella* Chrétien, 1910; *instincta* Meyrick, 1922; *ferruginipennis* Turati, 1924
 885) **Calybites phasianipennella (Hübner, [1813])** (Gracillariidae) Synonym(s): *phasianipennella* Hübner, [1813]; *quadruplela* Zeller, 1839; *isograptia* Meyrick, 1928
 886) **Calycobathra acarpa Meyrick, 1891** (Cosmopterigidae) Synonym(s): *acarpa* Meyrick, 1891; *pinguescentella* Chrétien, 1915; *sublineatella* Lucas, 1933
 887) **Calycobathra striatella Kasy, 1968** (Cosmopterigidae) Synonym(s): *striatella* Kasy, 1968
 888) **Calymma communimacula ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller], 1775
 889) **Calyptopsis jeremias Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *jeremias* Reiche & Saulcy, 1857
 890) **Camilla acutipennis (Loew, 1865)** (Camillidae) Synonym(s): *acutipennis* Loew, 1865; *nigripes* Strobl, 1900
 891) **Camilla pruinosa Duda, 1934** (Camillidae) Synonym(s): *pruinosa* Duda, 1934
 892) **Campiglossa producta (Loew, 1844)** (Tephritidae) Synonym(s): *producta* Loew, 1844; *insularis* Wollaston, 1858
 893) **Campiglossa tesellata (Loew, 1844)** (Tephritidae) Synonym(s): *tesellata* Loew, 1844
 894) **Campsicnemus magius (Loew, 1845)** (Dolichopodidae) Synonym(s): *magius* Loew, 1845
 895) **Campsicnemus picticornis (Zetterstedt, 1843)** (Dolichopodidae) Synonym(s): *picticornis* Zetterstedt, 1843; *variicornis* Loew, 1864; *camzonerii* Rampini, 1975
 896) **Campsicnemus simplicissimus Strobl, 1906** (Dolichopodidae) Synonym(s): *simplicissimus* Strobl, 1906
 897) **Campsicnemus umbripennis Loew, 1856** (Dolichopodidae) Synonym(s): *umbripennis* Loew, 1856
 898) **Camptocera glaberrima (Walker, 1872)** (Lygaeidae) Synonym(s): *glaberrima* Walker, 1872
 899) **Camptogramma bilineatum (Linnaeus, 1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus, 1758; *brocatella* Fourcroy, 1785; *dumetata* Schrank, 1802; *bilinearia* Boisduval, 1840; *musauria* Freyer, 1846; *testaceolata* Staudinger, 1871
 900) **Camptopoeum (Epimethea) nigrotum (Warncke, 1987)** (Andrenidae) Synonym(s): *nigrotum* Warncke, 1987
 901) **Camptopoeum negevensis (Warncke, 1972)** (Andrenidae) Synonym(s): *negevensis* Warncke, 1972

- 902) *Camptopus lateralis* (Germar,1817) (Alydidae) Synonym(s): *lateralis* Germar,1817
 903) *Camptotylidea astarte* (Linnavuori,1971) (Miridae) Synonym(s): *astarte* Linnavuori,1971
 904) *Camptotylidea bast* (Linnavuori,1989) (Miridae) Synonym(s): *bast* Linnavuori,1989
 905) *Candiope sahariensis* (Rothschild,1921) (Pyralidae) Synonym(s): *sahariensis* Rothschild,1921; *pseudodiscomaculella* Amsel,1935
 906) *Canephora febretta* (Boyer de Fonscolombe,1835) (Psychidae) Synonym(s): *febretta* Boyer de Fonscolombe,1835
 907) *Canephora inquinata* (Lederer,1858) (Psychidae) Synonym(s): *inquinata* Lederer,1858
 908) *Canephora jordana* (Staudinger,1899) (Psychidae) Synonym(s): *jordana* Staudinger,1899
 909) *Canephora lutea* (Staudinger,1871) (Psychidae) Synonym(s): *lutea* Staudinger,1871
 910) *Cantharis annularis* Ménétériés,1836 (Cantharidae) Synonym(s): *annularis* Ménétériés,1836
 911) *Cantharis livida* Linnaeus,1758 (Cantharidae) Synonym(s): *livida* Linnaeus,1758
 912) *Cantharis smyrnensis* Marseul,1864 (Cantharidae) Synonym(s): *smyrnensis* Marseul,1864; *#smyrnensis* Silkin,2008
 913) *Canthophorus dubius* (Scopoli,1763) (Cydniidae) Synonym(s): *dubius* Scopoli,1763; *albomarginatus* Schrank,1776; *histriolus* Goeze,1778; *viennensis* Gmelin,1790; *albomarginellus* Fabricius,1794
 914) *Canthophorus melanopterus* (Herrich-Schäffer,1835) (Cydniidae) Synonym(s): *melanopterus* Herrich-Schäffer,1835
 915) *Capitetes ramulosa* (Loew,1844) (Tephritidae) Synonym(s): *ramulosa* Loew,1844; *radiata* Macquart,1849
 916) *Capnodis carbonaria* (Klug,1829) (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Oberberger,1926
 917) *Capnodis cariosa* (Pallas,1776) (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787
 918) *Capnodis miliaris* (Klug,1829) (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Oberberger,1917; *nonfriedi* Oberberger,1934
 919) *Capnodis porosa* (Klug,1829) (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855
 920) *Capnodis tenebricosa* (Olivier,1790) (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Oberberger,1916; *atronida* Oberberger,1945; *persica* Oberberger,1945; *olcese* Oberberger,1945; *morio* Oberberger,1945
 921) *Capnodis tenebrionis* (Linnaeus,1761) (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Oberberger,1917; *deglabrata* Oberberger,1917; *undulata* Fleischer,1917
 922) *Capnoptera breviantennata* Becker,1910 (Chloropidae) Synonym(s): *breviantennata* Becker,1910
 923) *Capparimya savastani* (Martelli,1911) (Tephritidae) Synonym(s): *savastani* Martelli,1911
 924) *Capperia fletcheri* Adamczewski,1951 (Pterophoridae) Synonym(s): *fletcheri* Adamczewski,1951
 925) *Capperia maratonica* Adamczewski,1951 (Pterophoridae) Synonym(s): *maratonica* Adamczewski,1951
 926) *Capperia washbourni* Adamczewski,1951 (Pterophoridae) Synonym(s): *washbourni* Adamczewski,1951
 927) *Capsodes (Horistus) turcomanus* (Horvath,1889) (Miridae) Synonym(s): *turcomanus* Horvath,1889
 928) *Carabus (Lamprostus) hemprichi* Dejean,1826 (Carabidae) Synonym(s): *hemprichi* Dejean,1826
 929) *Carabus (Procerus) syriacus* Kollar,1843 (Carabidae) Synonym(s): *syriacus* Kollar,1843; *daphnensis* Korell,1985
 930) *Carabus (Procrustes) impressus* Klug,1832 (Carabidae) Synonym(s): *impressus* Klug,1832
 931) *Carabus (Procrustes) piochardi* Géhin,1883 (Carabidae) Synonym(s): *piochardi* Géhin,1883
 932) *Carabus maurus* Adams,1817 (Carabidae) Synonym(s): *maurus* Adams,1817
 933) *Caradrina (Boursinidrina) oberthueri* (Rothschild,1913) (Noctuidae) Synonym(s): *oberthueri* Rothschild,1913; *apicimaculata* Rebel,[1948]
 934) *Caradrina (Boursinidrina) panurgia* (Boursin,1939) (Noctuidae) Synonym(s): *panurgia* Boursin,1939
 935) *Caradrina (Boursinidrina) syriaca* (Staudinger,1892) (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
 936) *Caradrina (Eremodrina) alfieri* (Boursin,1937) (Noctuidae) Synonym(s): *alfieri* Boursin,1937
 937) *Caradrina (Eremodrina) casearia* (Staudinger,1900) (Noctuidae) Synonym(s): *casearia* Staudinger,1900; *tauorgensis* C.G.Krüger,1939
 938) *Caradrina (Eremodrina) flava* (Oberthür,1876) (Noctuidae) Synonym(s): *flava* Oberthür,1876; *approximans* Rothschild,1914
 939) *Caradrina (Eremodrina) kravchenkoi* Hacker,2004 (Noctuidae) Synonym(s): *kravchenkoi* Hacker,2004
 940) *Caradrina (Eremodrina) melanurina* (Staudinger,1901) (Noctuidae) Synonym(s): *melanurina* Staudinger,1901
 941) *Caradrina (Eremodrina) pertinax* (Staudinger,1879) (Noctuidae) Synonym(s): *pertinax* Staudinger,1879; *argentea* Caradja,1930.
 942) *Caradrina (Eremodrina) vicina* (Staudinger,1870) (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911
 943) *Caradrina (Eremodrina) zernyi* (Boursin,1936) (Noctuidae) Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936
 944) *Caradrina (Kalchbergiana) ingrata* (Staudinger,1897) (Noctuidae) Synonym(s): *ingrata* Staudinger,1897
 945) *Caradrina (Levantrina) bodenheimeri* (Draudt,1934) (Noctuidae) Synonym(s): *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *plesiarchia* Boursin,1937
 946) *Caradrina (Paradrina) amseli* (Boursin,1936) (Noctuidae) Synonym(s): *amseli* Boursin,1936
 947) *Caradrina (Paradrina) atriluna* Guenée,1852 (Noctuidae) Synonym(s): *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935
 948) *Caradrina (Paradrina) clavipalpis* (Scopoli,1763) (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Kralikovsky,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975
 949) *Caradrina (Paradrina) flavirena* (Guenée,1852) (Noctuidae) Synonym(s): *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980
 950) *Caradrina (Paradrina) scotoptera* (Püngeler,1914) (Noctuidae) Synonym(s): *scotoptera* Püngeler,1914
 951) *Caradrina (Paradrina) selini* (Boisduval,1840) (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rigenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935]
 952) *Caradrina (Paradrina) zandi* (Wiltshire,1952) (Noctuidae) Synonym(s): *zandi* Wiltshire,1952
 953) *Caradrina (Platyperigea) aspersa* (Rambur,1834) (Noctuidae) Synonym(s): *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913.
 954) *Caradrina (Platyperigea) kadenii* (Freyer,1836) (Noctuidae) Synonym(s): *kadenii* Freyer,1836
 955) *Caradrina (s.str.) agrotina* (Staudinger,1892) (Noctuidae) Synonym(s): *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933.
 956) *Carcharodus (Lavatheria) stauderi* Reverdin,1913 (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913.

- 957) **Carcharodus (Reverdinus) orientalis Reverdin,1913** (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *#aestatis* Graves,1928; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
- 958) **Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) Synonym(s): *alceae* Esper,[1780]; *malvae* Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
- 959) **Cardepi affinis Rothschild,1913** (Noctuidae) Synonym(s): *affinis* Rothschild,1913; *ghigli* Turati,1921; *strobilacei* Dumont,1925.
- 960) **Cardepi sociabilis (Graslin,1850)** (Noctuidae) Synonym(s): *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
- 961) **Cardiophorus (s.str.) insignis Descrochers,1875** (Elateridae) Synonym(s): *insignis* Descrochers,1875
- 962) **Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae) Synonym(s): *megathorax* Faldermann,1835; *antennalis* Desbrochers,1875
- 963) **Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856
- 964) **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958
- 965) **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus* Boheman,1851; *hahni* Flor,1856; *atlanticus* Tamanini,1958; *mediterraneus* Tamanini,1958
- 966) **Carpocoris pudicus (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus* Poda,1761; *cinctus* Schrank,1776; *carnus* Gmelin,1790; *wilkinsonii* Westwood,1837; *pallida* Dallas,1851
- 967) **Carpomya incompleta (Becker,1903)** (Tephritidae) Synonym(s): *incompleta* Becker,1903
- 968) **Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri* Loew,1856
- 969) **Caryedon angeri (Semenov,1896)** (Bruchidae) Synonym(s): *angeri* Semenov,1896; *palaestinus* Southgate,1976; *#palaestinus* Yücel,1994
- 970) **Caryedon halperini Anton & Delobel,2004** (Bruchidae) Synonym(s): *#akdamaricus* Decelle & Lodos,1989; *halperini* Anton & Delobel,2004
- 971) **Caryedon nongoniermai Anton & Delobel,2004** (Bruchidae) Synonym(s): *#sahelicus* Decelle,1979; *nongoniermai* Anton & Delobel,2004
- 972) **Casama innotata (Walker,1855)** (Lymantriidae) Synonym(s): *innotata* Walker,1855; *flavipalpata* Staudinger,1896; *leporina* Zerny,1935; *alfieri* C.G.Krüger,1939.
- 973) **Casilda consecraria (Staudinger,1871)** (Geometridae) Synonym(s): *consecraria* Staudinger,1871; *intermediaria* Turati,1930
- 974) **Cassida palaestina Reiche,1858** (Chrysomelidae) Synonym(s): *palaestina* Reiche,1858
- 975) **Catamecia jordana Staudinger,1898** (Noctuidae) Synonym(s): *jordana* Staudinger,1898; *bacheri* Staudinger,1901
- 976) **Catarhoe cupreata (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *cupreata* Herrich-Schäffer,1839
- 977) **Catarhoe hortulanaria (Staudinger,1879)** (Geometridae) Synonym(s): *hortulanaria* Staudinger,1879; *palaestinensis* Staudinger,1895
- 978) **Catarhoe mosulensis (Schawerda,1924)** (Geometridae) Synonym(s): *mosulensis* Schawerda,1924; *cinneretharia* Amsel,1935.
- 979) **Catarhoe permixtaria (Guenée,[1858])** (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858]
- 980) **Catarhoe putridaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millière,1868
- 981) **Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775
- 982) **Catharia pyrenaealis (Duponchel,[1843])** (Pylalidae) Synonym(s): *pyrenaealis* Duponchel,1843
- 983) **Catocala (Ephesia) eutychea (Treitschke,1835)** (Noctuidae) Synonym(s): *eutychea* Treitschke,1835; *delicata* Vicent,1913.
- 984) **Catocala (Ephesia) nymphaea (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
- 985) **Catocala (Ephesia) separata Freyer,1848** (Noctuidae) Synonym(s): *separata* Freyer,1848
- 986) **Catocala (s.str.) ammonfreidbergi Kravchenko et al.,2008** (Noctuidae) Synonym(s): *ammonfreidbergi* Kravchenko et al.,2008
- 987) **Catocala (s.str.) conversa (Esper,1783)** (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813]
- 988) **Catocala (s.str.) diversa (Geyer,[1828])** (Noctuidae) Synonym(s): *diversa* Geyer,[1828]; *callinympha* Boisdual,[1828]; *#divera* Hacker,1988
- 989) **Catocala (s.str.) editarevayae G.C.Müller et al.,2008** (Noctuidae) Synonym(s): *editarevayae* G.C.Müller et al.,2008
- 990) **Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 991) **Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775
- 992) **Catocala (s.str.) lesbia Christoph,1887** (Noctuidae) Synonym(s): *lesbia* Christoph,1887
- 993) **Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 994) **Catocala (s.str.) olgaorlovae Kravchenko et al.,2008** (Noctuidae) Synonym(s): *olgaorlovae* Kravchenko et al.,2008
- 995) **Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] nec Sm.,1797; *pellex* Hübner,[1809]; *romana* Schultz,1909
- 996) **Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): *anticus* Reuter,1880
- 997) **Catoplatus hilaris (Horvath,1906)** (Tingidae) Synonym(s): *hilaris* Horvath,1906
- 998) **Catopsilia florella (Fabricius,1775)** (Pieridae) Synonym(s): *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisdual,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 999) **Cavariella (s.str.) aspidaphoides Hille Ris Lambers,1969** (Aphididae) Synonym(s): *aspidaphoides* Hille Ris Lambers,1969
- 1000) **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 1001) **Celonites abbreviatus (Villers,1789)** (Vespidae) Synonym(s): *abbreviatus* Villers,1789; *dubia* Rossi,1790; *vespiformis* Olivier,1790; *apiformis* Fabricius,1793; *hungaricus* Mocsary,1877; *engadinensis* Schulthess,1923; *tauricus* Kostylev,1935
- 1002) **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius* Saussure,1854
- 1003) **Celonites fischeri Spinola,1838** (Vespidae) Synonym(s): *fischeri* Spinola,1838; *? savignyi* Saussure,1855

- 1004) *Celonites foveolatus* Kostylev, 1935 (Vespidae) Synonym(s): *foveolatus* Kostylev, 1935
 1005) *Celonites jousseaumei* Du Buysson, 1906 (Vespidae) Synonym(s): *jousseaumei* Du Buysson, 1906; *asrensis* Giordani Soika, 1957; *senegalensis* Richards, 1962
 1006) *Centrocoris desertorum* Linnavuori, 1960 (Coreidae) Synonym(s): *desertorum* Linnavuori, 1960
 1007) *Centrotus israelensis* Linnavuori, 1962 (Membracidae) Synonym(s): *israelensis* Linnavuori, 1962
 1008) *Cephalodromia cognata* (Engel, 1933) (Mythicomyiidae) Synonym(s): *cognata* Engel, 1933; *trisignata* Engel, 1933
 1009) *Cephalops conjunctivus* Collin, 1958 (Pipunculidae) Synonym(s): *conjunctivus* Collin, 1958
 1010) *Cephalops perspicuus* (de Meijere, 1905) (Pipunculidae) Synonym(s): *perspicuus* de Meijere, 1905
 1011) *Cephus pygmaeus* (Linnaeus, 1767) (Cephidae) Synonym(s): *pygmaeus* Linnaeus, 1767; *saluum* Fabricius, 1775; *abdominalis* Latreille, 1816; *flaviventris* Guérin, 1834; *nigripennis* Sichel, 1860; *notatus* Kokujev, 1910; *nigromaculatus* Pic, 1917; *aegyptiacum* Pic, 1918; *delagrangae* Pic, 1920; *tanaiticus* Dönnar-Zapolski, 1926
 1012) *Ceramius palaestinensis* Giordani Soika, 1957 (Vespidae) Synonym(s): *palaestinensis* Giordani Soika, 1957; *#palaestinensis* Yildirim & Özbek, 1997
 1013) *Ceratina acuta* Friese, 1896 (Apidae) Synonym(s): *acuta* Friese, 1896
 1014) *Ceratina bifida* Friese, 1900 (Apidae) Synonym(s): *bifida* Friese, 1900
 1015) *Ceratina dentiventris* Gerstaecker, 1869 (Apidae) Synonym(s): *dentiventris* Gerstaecker, 1869
 1016) *Ceratina loewi* Gerstaecker, 1869 (Apidae) Synonym(s): *loewi* Gerstaecker, 1869
 1017) *Ceratina mandibularis* Friese, 1896 (Apidae) Synonym(s): *mandibularis* Friese, 1896
 1018) *Ceratina moricei* Friese, 1899 (Apidae) Synonym(s): *moricei* Friese, 1899
 1019) *Ceratina nigroaenea* Gerstaecker, 1869 (Apidae) Synonym(s): *nigroaenea* Gerstaecker, 1869
 1020) *Ceratina nigrolabiata* Friese, 1896 (Apidae) Synonym(s): *nigrolabiata* Friese, 1896
 1021) *Ceratina parvula* Smith, 1854 (Apidae) Synonym(s): *parvula* Smith, 1854; *pygmaea* Lichtenstein, 1872; *scintilla* Cockerell, 1931
 1022) *Ceratina tibialis* Morawitz, 1895 (Apidae) Synonym(s): *tibialis* Morawitz, 1895; *ahngeri* Kokujev, 1905; *?corinna* Nurse, 1904
 1023) *Ceratitis* (s.str.) *capitata* (Wiedemann, 1824) (Tephritidae) Synonym(s): *capitata* Wiedemann, 1824; *citriperda* Mac Leay, 1829; *asparagi* Bezzi, 1924
 1024) *Ceratochaetops triseta* (Villeneuve, 1922) (Tachinidae) Synonym(s): *triseta* Villeneuve, 1922
 1025) *Cercagnota collini* (Czerny, 1928) (Anthomyzidae) Synonym(s): *collini* Czerny, 1928
 1026) *Cerceris albicincta* Klug, 1845 (Crabronidae) Synonym(s): *albicincta* Klug, 1845; *syrkuti* Dahlbom, 1845
 1027) *Cerceris armata* De Beaumont, 1959 (Crabronidae) Synonym(s): *armata* De Beaumont, 1959
 1028) *Cercion lindenii* (Selys, 1840) (Coenagrionidae) Synonym(s): *lindenii* Selys, 1840; *zernyi* Schmidt, 1938
 1029) *Cercopis intermedia* Kirschbaum, 1868 (Cercopidae) Synonym(s): *intermedia* Kirschbaum, 1868; *obliterata* Kirschbaum, 1868; *nigra* Royer, 1906; *simulans* Peneau, 1912; *turkestanica* Lindberg, 1923
 1030) *Cercopis septemmaculata* (Melichar, 1903) (Cercopidae) Synonym(s): *septemmaculata* Melichar, 1903
 1031) *Cerdistus erythruroides* Theodor, 1980 (Asilidae) Synonym(s): *erythruroides* Theodor, 1980
 1032) *Cerocala sana* Staudinger, 1901 (Noctuidae) Synonym(s): *insana* Staudinger, 1871 nec H.-S., 1858; *sana* Staudinger, 1901; *albifusa* de Joannis, 1910
 1033) *Cerocoma* (Meloides) *kunzei* Frivaldsky, 1835 (Meloidae) Synonym(s): *kunzei* Frivaldsky, 1835; *patelligera* Baudi, 1878; *patkaui* Kaszab, 1941; *kaszabi* Maran, 1944; *#violacea* Kaszab, 1951; *iranica* Muche, 1963; *palaestinensis* Muche, 1963
 1034) *Cerocoma* (Metacerocoma) *schreberi* Fabricius, 1781 (Meloidae) Synonym(s): *schreberi* Fabricius, 1781
 1035) *Cerocoma syriaca* Abeille de Perrin, 1880 (Meloidae) Synonym(s): *syriaca* Abeille de Perrin, 1880
 1036) *Ceroptera aharonii* Duda, 1938 (Sphaeroceridae) Synonym(s): *aharonii* Duda, 1938
 1037) *Ceroptera algira* (Villeneuve, 1916) (Sphaeroceridae) Synonym(s): *algira* Villeneuve, 1916
 1038) *Ceroptera alluaudi* (Villeneuve, 1917) (Sphaeroceridae) Synonym(s): *alluaudi* Villeneuve, 1917
 1039) *Cesaspheius debskii* (Eflatoun, 1924) (Tephritidae) Synonym(s): *debskii* Eflatoun, 1924; *#debreskii* Koçak & Kemal, 2009
 1040) *Cestonia canariensis* Villeneuve, 1936 (Tachinidae) Synonym(s): *canariensis* Villeneuve, 1936
 1041) *Cestonia cineraria* Rondani, 1861 (Tachinidae) Synonym(s): *cineraria* Rondani, 1861
 1042) *Cetonia* (s.str.) *delangrei* Boucard, 1893 (Scarabaeidae) Synonym(s): *delangrei* Boucard, 1893; *syriaca* Boucard, 1893; *chrysosoma* Reitter, 1896
 1043) *Ceutorhynchus pallidactylus* (Marsham, 1802) (Curculionidae) Synonym(s): *pallidactylus* Marsham, 1802
 1044) *Ceutorhynchus picitarsis* Gyllenhal, 1837 (Curculionidae) Synonym(s): *picitarsis* Gyllenhal, 1837
 1045) *Ceutorhynchus sulcicollis* (Paykull, 1800) (Curculionidae) Synonym(s): *sulcicollis* Paykull, 1800
 1046) *Ceutorhynchus turbatus* Schultze, 1903 (Curculionidae) Synonym(s): *turbatus* Schultze, 1903
 1047) *Ceylallictus* (s.str.) *punjabensis* (Cameron, 1907) (Halictidae) Synonym(s): *punjabensis* Cameron, 1907
 1048) *Ceylallictus* (s.str.) *variegatus* (Olivier, 1789) (Halictidae) Synonym(s): *variegatus* Olivier, 1789; *pulchella* Jurine, 1807; *?syrphoides* Walker, 1871; *flavopicta* Dours, 1873; *jucunda* Morawitz, 1874; *fasciatus* Friese, 1898; *intermedius* Alfken, 1924; *simplex* Blüthgen, 1925; *labiatarum* Cockerell, 1931; *nigrita* Blüthgen, 1934; *pseudocerea* Blüthgen, 1934; *nigriiventris* Blüthgen, 1934
 1049) *Chaetocnema chlorophana* (Duftschmid, 1825) (Chrysomelidae) Synonym(s): *chlorophana* Duftschmid, 1825
 1050) *Chaetocnema scheffleri* (Kutschera, 1864) (Chrysomelidae) Synonym(s): *scheffleri* Kutschera, 1864
 1051) *Chaetorellia carthami* Stackelberg, 1929 (Tephritidae) Synonym(s): *carthami* Stackelberg, 1929
 1052) *Chaetorellia conjuncta* (Becker, 1913) (Tephritidae) Synonym(s): *conjuncta* Becker, 1913
 1053) *Chalarus fimbriatus* Coe, 1966 (Pipunculidae) Synonym(s): *fimbriatus* Coe, 1966
 1054) *Chalarus juliae* Jervis, 1992 (Pipunculidae) Synonym(s): *juliae* Jervis, 1992
 1055) *Chalarus spurius* (Fallén, 1816) (Pipunculidae) Synonym(s): *spurius* Fallén, 1816; *velutinus* Macquart, 1835
 1056) *Chalcochiton argyrocephalus* (Macquart, 1840) (Bombyliidae) Synonym(s): *argyrocephalus* Macquart, 1840
 1057) *Chalcochiton aureus* (Fabricius, 1794) (Bombyliidae) Synonym(s): *aureus* Fabricius, 1794; *punctipennis* Macquart, 1840
 1058) *Chalcochiton syriacus* (Loew, 1869) (Bombyliidae) Synonym(s): *syriacus* Loew, 1869
 1059) *Chalicodoma* (s.str.) *parietina* (Geoffroy, 1785) (Megachilidae) Synonym(s): *parietina* Geoffroy, 1785
 1060) *Chamaepsila basalis* Freidberg & Shatalkin, 2008 (Psilidae) Synonym(s): *basalis* Freidberg & Shatalkin, 2008
 1061) *Chamaepsila friedmani* Freidberg & Shatalkin, 2008 (Psilidae) Synonym(s): *friedmani* Freidberg & Shatalkin, 2008
 1062) *Chamaepsila hebraica* Hennig, 1941 (Psilidae) Synonym(s): *hebraica* Hennig, 1941
 1063) *Chamaepsila homochroa* Freidberg & Shatalkin, 2008 (Psilidae) Synonym(s): *homochroa* Freidberg & Shatalkin, 2008
 1064) *Chamaepsila nigricornis* Meigen, 1826 (Psilidae) Synonym(s): *nigricornis* Meigen, 1826
 1065) *Chamaepsila pallida* (Fallén, 1820) (Psilidae) Synonym(s): *pallida* Fallén, 1820

- 1066) **Chamaepsila pseudobicolor** Soos,1985 (Psilidae) Synonym(s): *pseudobicolor* Soos,1985
 1067) **Chamaepsila sardoa** (Rondani,1876) (Psilidae) Synonym(s): *sardoa* Rondani,1876
 1068) **Chamaepsila setalba** Freidberg & Shatalkin,2008 (Psilidae) Synonym(s): *gracilis* Loew,1854 nec Meig.,1826; *setalba* Freidberg & Shatalkin,2008
 1069) **Chamaesphesia proximata** (Staudinger,1871) (Sesiidae) Synonym(s): *proximata* Staudinger,1871; *moreaui* Le Cerf,1911; *gravesi* Rebel,1927
 1070) **Characoma nilotica** (Rogenhofer,1882) (Noctuidae) Synonym(s): *nilotica* Rogenhofer,1882; *chamaeleon* Möschler,1890; *littora* Bethune-Baker,1894; *laurea* Druce,1898; *proteella* Dyar,1898; *#albifascia* Draudt,1939
 1071) **Charadraula parcella** (Lederer,1855) (Autostichidae) Synonym(s): *parcella* Lederer,1855; *chersopsamma* Meyrick,1931.
 1072) **Charaxes jasius** (Linnaeus,1767) (Argynniidae) Synonym(s): *jasius* Linnaeus,1767; *jason* Linnaeus,1767 *praeocc.*; *rhea* Hübner,1800; *unedonis* Hübner,1806; *faroensis* Ribbe,1909; *septentrionalis* Verity,1913; *europaeus* Verity,1917.
 1073) **Chazara (Neochazara) anthe** (Hoffmannsegg,1804) (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807.
 1074) **Chazaria incarnata** (Freyer,1838) (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840.
 1075) **Cheiloneurus claviger** Thomson,1876 (Encyrtidae) Synonym(s): *claviger* Thomson,1876; *graeffei* Ruschka,1923
 1076) **Cheiloneurus paralia** (Walker,1837) (Encyrtidae) Synonym(s): *paralia* Walker,1837; *formosus* Boheman,1852; *eriococci* Alam,1957; *brachyptera* Hoffer,1957; *nigrithorax* Hoffer,1957; *submacroptera* Hoffer,1957; *mongolicus* Szelenyi,1971
 1077) **Cheilotrichia (Empeda) baluchistanica** (Alexander,1944) (Limoniidae) Synonym(s): *baluchistanica* Alexander,1944
 1078) **Cheilotrichia (Empeda) cinerascens** (Meigen,1804) (Limoniidae) Synonym(s): *cinerascens* Meigen,1804; *nubila* Schummel,1829; *ditula* Zetterstedt,1851; *tenella* Walker,1856
 1079) **Cheironitis furcifer** (Rossi,1792) (Scarabaeidae) Synonym(s): *furcifer* Rossi,1792; *pugil* Costa,1853; *syphax* Fairmaire,1875; *metasternalis* Reitter,1894; *theryi* Tondou,1907
 1080) **Cheironitis irroratus** (Rossi,1790) (Scarabaeidae) Synonym(s): *irroratus* Rossi,1790
 1081) **Cheironitis pamphilus** (Ménétriés,1849) (Scarabaeidae) Synonym(s): *pamphilus* Ménétriés,1849; *eumenes* Motschoulsky,1859; *ponticus* Lansberge,1875
 1082) **Chelostoma (Foveosmia) bytinskii** (Mavromoustakis,1948) (Megachilidae) Synonym(s): *bytinskii* Mavromoustakis,1948
 1083) **Chelostoma (Foveosmia) forcipatum** (Benoist,1928) (Megachilidae) Synonym(s): *forcipatum* Benoist,1928
 1084) **Chelostoma (Foveosmia) maidli** (Benoist,1935) (Megachilidae) Synonym(s): *maidli* Benoist,1935; *seidenstueckeri* Mavromoustakis,1954
 1085) **Chelostoma (Foveosmia) palaestina** (Benoist,1935) (Megachilidae) Synonym(s): *palaestina* Benoist,1935
 1086) **Chelostoma (Foveosmia) schlettereri** (Friese,1899) (Megachilidae) Synonym(s): *schlettereri* Friese,1899; *palaestina* Benoist,1935; *pici* Benoist,1935
 1087) **Chelostoma (Gyrodromella) hebraeum** (Benoist,1935) (Megachilidae) Synonym(s): *hebraeum* Benoist,1935
 1088) **Chelostoma (s.str.) diodon** Schletterer,1889 (Megachilidae) Synonym(s): *diodon* Schletterer,1889; *cypriacum* Mavromoustakis,1951
 1089) **Chelostoma (s.str.) lucens** (Benoist,1928) (Megachilidae) Synonym(s): *lucens* Benoist,1928
 1090) **Chelostoma (s.str.) mocsaryi** Schletterer,1889 (Megachilidae) Synonym(s): *mocsaryi* Schletterer,1889
 1091) **Chersotis (s.str.) capnistis** (Lederer,1872) (Noctuidae) Synonym(s): *capnistis* Lederer,1872; *neara* Püngeler,1902.
 1092) **Chersotis (s.str.) ebertorum** Koçak,1980 (Noctuidae) Synonym(s): *maraschi* Corti & Draudt,1933 (p.61) nec Corti & Draudt,1933 (p.58); *ebertorum* Koçak,1980.
 1093) **Chersotis (s.str.) elegans** (Eversmann,1837) (Noctuidae) Synonym(s): *elegans* Eversmann,1837; *grammiptera* Rambur,1839].
 1094) **Chersotis (s.str.) laeta** (Rebel,1904) (Noctuidae) Synonym(s): *laeta* Rebel,1904
 1095) **Chersotis (s.str.) margaritacea** (Villers,1789) (Noctuidae) Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,1803]; *#abruzzensis* Corti & Draudt,1933; *espuensis* Calle,1982
 1096) **Chersotis (s.str.) multangula** (Hübner,1803)] (Noctuidae) Synonym(s): *multangula* Hübner,1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Toulouchkov,1951.
 1097) **Chetogena nigrofasciata** (Strobl,1902) (Tachinidae) Synonym(s): *nigrofasciata* Strobl,1902; *repanda* Mesnil,1939
 1098) **Chiasmia (Godonela) aestimaria** (Hübner,1809)] (Geometridae) Synonym(s): *aestimaria* Hübner,1809]; *contemptata* Guenée,1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
 1099) **Chiasmia (Godonela) syriacaria** (Staudinger,1871) (Geometridae) Synonym(s): *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934.
 1100) **Chiasmia latimarginaria** (Rebel,1907) (Geometridae) Synonym(s): *latimarginaria* Rebel,1907
 1101) **Chiasmus conspurcatus** (Perris,1857) (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886
 1102) **Chilades (Freyeria) trochylus** (Freyer,1843)] (Lycaenidae) Synonym(s): *trochylus* Freyer,1843]; *#trochilus* Herrich-Schäffer,1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
 1103) **Chilades (Lachides) galba** (Lederer,1855) (Lycaenidae) Synonym(s): *galba* Lederer,1855
 1104) **Chilaspis israeli** Sternlicht,1968 (Cynipidae) Synonym(s): *israeli* Sternlicht,1968
 1105) **Chilaspis mayri** (Müllner,1901) (Cynipidae) Synonym(s): *mayri* Müllner,1901
 1106) **Chilo agamemnon** Bleszynski,1962 (Pyralidae) Synonym(s): *agamemnon* Bleszynski,1962
 1107) **Chilo pulverosellus** Ragonot,1895 (Pyralidae) Synonym(s): *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezi* Joannis,1932; *lemarchandellus* Lucas,1945.
 1108) **Chilo thorax discedens** (A.Schmidt,1907) (Scarabaeidae) Synonym(s): *discedens* A.Schmidt,1907
 1109) **Chilo thorax hieroglyphicus** (Klug,1845) (Scarabaeidae) Synonym(s): *hieroglyphicus* Klug,1845
 1110) **Chilo thorax hucklesbyi** (Paulian,1942) (Scarabaeidae) Synonym(s): *hucklesbyi* Paulian,1942
 1111) **Chilo thorax lineolatus** (Illiger,1803) (Scarabaeidae) Synonym(s): *lineolatus* Illiger,1803
 1112) **Chilo thorax melanostictus** (W.Schmidt,1840) (Scarabaeidae) Synonym(s): *melanostictus* W.Schmidt,1840
 1113) **Chionotopus humeralis** (Reiche,1857) (Melyridae) Synonym(s): *humeralis* Reiche,1857
 1114) **Chironota terebrator** Horstmann,1983 (Ichneumonidae) Synonym(s): *terebrator* Horstmann,1983
 1115) **Chlaenius (Chlaenites) spoliatus** (P.Rossi,1792) (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792
 1116) **Chlaenius cruralis** Fischer von Waldheim,1829 (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829
 1117) **Chloantha hypericii** (Fabricius,1787) (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller,1775; *hypericii* Fabricius,1787
 1118) **Chloriona flaveola** Lindberg,1948 (Delphacidae) Synonym(s): *flaveola* Lindberg,1948
 1119) **Chloriona sicula** Matsumura,1910 (Delphacidae) Synonym(s): *sicula* Matsumura,1910; *flaveola* Lindberg,1948

- 1120)** *Chlorita eremophila* Linnavuori,1962 (Cicadellidae) Synonym(s): *eremophila* Linnavuori,1962
1121) *Chloromyia speciosa* (Macquart,1834) (Stratiomyidae) Synonym(s): *speciosa* Macquart,1834; *melampogon* Zeller,1842; *subalpina* Strobl,1910; *nigripes* Pleske,1926
1122) *Chlorops interruptus* Meigen,1830 (Chloropidae) Synonym(s): *interruptus* Meigen,1830; *hirsutus* Loew,1866
1123) *Chlorops pumilionis* (Bjerkander,1778) (Chloropidae) Synonym(s): *pumilionis* Bjerkander,1778; *lineatus* Fabricius,1781; *nasutus* Schrank,1781; *taeniopus* Meigen,1830; *annulipes* Brullé,1833; *lineolus* Brullé,1833; *pumilio* Zetterstedt,1848
1124) *Chlorops serenus* Loew,1866 (Chloropidae) Synonym(s): *serenus* Loew,1866
1125) *Chlorops syriacus* Becker,1910 (Chloropidae) Synonym(s): *syriaca* Becker,1910
1126) *Chlorops syriacus* Becker,1910 (Chloropidae) Synonym(s): *syriacus* Becker,1910
1127) *Chondrostega aurivillii* Püngeler,1902 (Lasiocampidae) Synonym(s): *aurivillii* Püngeler,1902
1128) *Chondrostega fascianum* Staudinger,1892 (Lasiocampidae) Synonym(s): *fascianum* Staudinger,1892
1129) *Chondrostega pastranum* Lederer,1858 (Lasiocampidae) Synonym(s): *pastranum* Lederer,1858; *hyrcanum* Staudinger,1871
1130) *Choreutis aegyptiaca* (Zeller,1867) (Choreutidae) Synonym(s): *aegyptiaca* Zeller,1867; *hypocroca* Diakonoff,1978
1131) *Chorisops tibialis* (Meigen,1820) (Stratiomyidae) Synonym(s): *tibialis* Meigen,1820; *hyaliniiventris* A.Costa,1857
1132) *Chorosoma schillingi* Schummel,1829 (Rhopalidae) Synonym(s): *schillingi* Schummel,1829
1133) *Chorthippus* (s.str.) *dorsatus* (Zetterstedt,1821) (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835
1134) *Chrysocrambus syriellus* (Zerny,1934) (Pyralidae) Synonym(s): *syriellus* Zerny,1934
1135) *Chrysodeixis chalcites* (Esper,[1789]) (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
1136) *Chrysolina aeneipennis* (Reiche,1858) (Chrysomelidae) Synonym(s): *aeneipennis* Reiche,1858
1137) *Chrysolina anceyi* (Marseul,1868) (Chrysomelidae) Synonym(s): *anceyi* Marseul,1868; *winkleri* Breit,1919; *pluscula* Bechyne,1950
1138) *Chrysolina chalcites* (Germar,1824) (Chrysomelidae) Synonym(s): *chalcites* Germar,1824; *festiva* Ménétriés,1832
1139) *Chrysolina compuncta* (Weise,1898) (Chrysomelidae) Synonym(s): *compuncta* Weise,1898
1140) *Chrysolina didymata* (Scriba,1791) (Chrysomelidae) Synonym(s): *didymata* Scriba,1791; *syriaca* Weise,1884
1141) *Chrysolina gypsophilae* (Küster,1845) (Chrysomelidae) Synonym(s): *gypsophilae* Küster,1845; *lucidicollis* Küster,1845
1142) *Chrysolina orientalis* (Olivier,1807) (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950
1143) *Chrysolina palmyrensis* Bechyne,1955 (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955
1144) *Chrysolina peregrina* (Herrich-Schäffer,1839) (Chrysomelidae) Synonym(s): *peregrina* Herrich-Schäffer,1839; *erythromera* Lucas,1849; *oberndorferi* Brenske,1890; *schotti* Suffrian,1851; *impavida* Bechyne,1949
1145) *Chrysolina polita* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *polita* Linnaeus,1758
1146) *Chrysolina ruffoi* (Dacchordi,1971) (Chrysomelidae) Synonym(s): *ruffoi* Dacchordi,1971; *benjaminica* Dacchordi,1971
1147) *Chrysolina sahlbergi* (Ménétriés,1832) (Chrysomelidae) Synonym(s): *sahlbergi* Ménétriés,1832; *cupreopunctata* Reiche,1858; *venefica* Weise,1884
1148) *Chrysops* (Petersenichrysops) *buxtoni* Austen,1922 (Tabanidae) Synonym(s): *buxtoni* Austen,1922
1149) *Chrysops* (Petersenichrysops) *compactus* Austen,1924 (Tabanidae) Synonym(s): *compactus* Austen,1924
1150) *Chrysops* (s.str.) *flavipes* Meigen,1804 (Tabanidae) Synonym(s): *flavipes* Meigen,1804; *punctifer* Loew,1858; *#favipes* Kılıç,1999
1151) *Chrysotimus* (s.str.) *flaviventris* (Von Roser,1840) (Dolichopodidae) Synonym(s): *flaviventris* Von Roser,1840; *concinus* Zetterstedt,1843
1152) *Chrysotus suavis* Loew,1857 (Dolichopodidae) Synonym(s): *suavis* Loew,1857
1153) *Chrysura dichroa* (Dahlbom,1854) (Chrysididae) Synonym(s): *dichroa* Dahlbom,1854
1154) *Chyliza extenuata* (Rossi,1790) (Psilidae) Synonym(s): *extenuata* Rossi,1790
1155) *Cicada orni* Linnaeus,1758 (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877
1156) *Cicadatra atra* (Oliver,1790) (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (praeocc.); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954
1157) *Cicadatra flavicollis* Horvath,1911 (Cicadidae) Synonym(s): *flavicollis* Horvath,1911
1158) *Cicadatra hyalina* (Fabricius,1798) (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923
1159) *Cicadatra longipennis* Schumacher,1923 (Cicadidae) Synonym(s): *longipennis* Schumacher,1923
1160) *Cicadatra persica* Kirkaldy,1909 (Cicadidae) Synonym(s): *lineola* Hagen,1856 (praeocc.); *persica* Kirkaldy,1909
1161) *Cicadatra plagifera* Schumacher,1923 (Cicadidae) Synonym(s): *plagifera* Schumacher,1923
1162) *Cicadatra platyptera* Fieber,1876 (Cicadidae) Synonym(s): *platyptera* Fieber,1876
1163) *Cicadatra ramanensis* Linnavuori,1962 (Cicadidae) Synonym(s): *ramanensis* Linnavuori,1962
1164) *Cicadetta montana* (Scopoli,1772) (Cicadidae) Synonym(s): *montana* Scopoli,1772; *flavofenestrata* Goeze,1778; *schafferi* Gmelin,1780; *pygmaea* Olivier,1790; *dimidiata* Fabricius,1803; *anglica* Samouelle,1819; *parvula* Walker,1850 (praeocc.); *saxonica* Hartwig,1857; *megerlei* Fieber,1876; *longipennis* Fieber,1876
1165) *Cicadetta musiva* (Germar,1830) (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913
1166) *Cicadetta parvula* Fieber,1876 (Cicadidae) Synonym(s): *parvula* Fieber,1876; *fieberi* Oshanin,1908; *libanotica* Horvath,1911
1167) *Cicadetta sibilatrix* Horvath,1901 (Cicadidae) Synonym(s): *sibilatrix* Horvath,1901
1168) *Cicadula divaricata* Ribaut,1952 (Cicadellidae) Synonym(s): *divaricata* Ribaut,1952; *Ribaut*,1952
1169) *Cicadula flori* (Sahlberg,1871) (Cicadellidae) Synonym(s): *flori* Sahlberg,1871; *danensis* Linnavuori,1962
1170) *Cicadula lineatopunctata* (Matsumura,1908) (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura,1908; *siciliensis* Matsumura,1908; *divaricata* Ribaut,1952
1171) *Cicadulella pallida* (Haupt,1927) (Cicadellidae) Synonym(s): *pallida* Haupt,1927
1172) *Cicadulina bipunctata* (Melichar,1904) (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926
1173) *Cicindela herbacea* Klug,1832 (Carabidae) Synonym(s): *herbacea* Klug,1832; *persana* Dokhtouroff,1885

- 1174) **Cigaritis acamas (Klug,1834)** (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932
- 1175) **Cigaritis cilissa Lederer,1861** (Lycaenidae) Synonym(s): *cilissa* Lederer,1861; *minima* Staudinger,1901
- 1176) **Cilix asiatica A.Bang-Haas,1907** (Drepanidae) Synonym(s): *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913
- 1177) **Cimbex quadrimaculatus (O.F.Müller,1766)** (Cimbridae) Synonym(s): *quadrimaculatus* O.F.Müller,1766
- 1178) **Cinara palaestinensis Hille Ris Lambers,1948** (Aphididae) Synonym(s): *palaestinensis* Hille Ris Lambers,1948
- 1179) **Cinnerethica optodes (Meyrick,1922)** (Tineidae) Synonym(s): *optodes* Meyrick,1922; *tabghaella* Amsel,1935; *judaica* Amsel,1935
- 1180) **Cirrospilus lyncus Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878
- 1181) **Cixius pallipes Fieber,1876** (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897
- 1182) **Clanoptilus (Hypoptilus) assimilis (Baudi di Selve,1873)** (Melyridae) Synonym(s): *assimilis* Baudi di Selve,1873
- 1183) **Clanoptilus maculiventris (Chevrolat,1864)** (Melyridae) Synonym(s): *maculiventris* Chevrolat,1864
- 1184) **Clarina kotschy (Kollar,[1849])** (Sphingidae) Synonym(s): *kotschy* Kollar,[1849]; *mardina* Staudinger,1901.
- 1185) **Clarina syriaca (Lederer,1855)** (Sphingidae) Synonym(s): *syriaca* Lederer,1855; *#griseus* Ebert,1976.
- 1186) **Cleonymia (s.str.) baetica (Rambur,1837)** (Noctuidae) Synonym(s): *baetica* Rambur,1837
- 1187) **Cleonymia (s.str.) chabordis (Oberthür,1876)** (Noctuidae) Synonym(s): *chabordis* Oberthür,1876; *#charbordis* Brandt,1939.
- 1188) **Cleonymia (s.str.) warionis (Oberthür,1876)** (Noctuidae) Synonym(s): *warionis* Oberthür,1876
- 1189) **Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
- 1190) **Cleonymia (Serryvania) pectinicornis (Staudinger,1859)** (Noctuidae) Synonym(s): *pectinicornis* Staudinger,1859; *youngi* Rothschild,1925
- 1191) **Cleonymia jubata (Oberthür,1890)** (Noctuidae) Synonym(s): *jubata* Oberthür,1890
- 1192) **Clepsis oblimatana (Kennel,1901)** (Tortricidae) Synonym(s): *oblimatana* Kennel,1901; *palaestinensis* Rebel,1911; *callimachana* Turati,1924.
- 1193) **Clepsis soriana (Kennel,1899)** (Tortricidae) Synonym(s): *soriana* Kennel,1899; *seclusa* Meyrick,1926.
- 1194) **Cleptes affulgens Linsenmaier,1994** (Chrysidae) Synonym(s): *affulgens* Linsenmaier,1994
- 1195) **Cleptes consimilis Buysson,1887** (Chrysidae) Synonym(s): *consimilis* Buysson,1887; *chyzeri* Mocsary,1889
- 1196) **Cleptes ignitus (Fabricius,1787)** (Chrysidae) Synonym(s): *ignitus* Fabricius,1787
- 1197) **Cleptes rugulosus Linsenmaier,1968** (Chrysidae) Synonym(s): *rugulosus* Linsenmaier,1968
- 1198) **Cleptes scutellaris Mocsary,1889** (Chrysidae) Synonym(s): *scutellaris* Mocsary,1889
- 1199) **Cleptes semiatrus Linsenmaier,1968** (Chrysidae) Synonym(s): *semiatrus* Linsenmaier,1968
- 1200) **Cleptes syriacus Buysson,1887** (Chrysidae) Synonym(s): *syriacus* Buysson,1887
- 1201) **cliens (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *cliens* R.Felder & Rogenhofer,1874; *orientalis* Hampson,1894; *aethiopica* Sheljuzhko,1960; *tanit* Rungs,1972
- 1202) **Clonaria libanica (Uvarov,1924)** (Diapheromeridae) Synonym(s): *aegyptiacus* Pantel,1890 *nec* Gray,1835; *libanica* Uvarov,1924; *hebraica* Uvarov,1939; *turca* Karabağ,1955
- 1203) **Closterocerus formosus Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917
- 1204) **Closterotomus annulus (Brullé,1832)** (Miridae) Synonym(s): *annulus* Brullé,1832; *collaris* Fieber,1870; *fuliginosus* Reuter,1877; *fuscescens* Reuter,1877; *nebulosus* Wagner,1974
- 1205) **Closterotomus hedenborgi (Fieber,1870)** (Miridae) Synonym(s): *hedenborgi* Fieber,1870; *colorata* Fieber,1870; *albida* Fieber,1870
- 1206) **Closterotomus histrio (Reuter,1877)** (Miridae) Synonym(s): *histrio* Reuter,1877; *obscurus* Wagner,1968
- 1207) **Closterotomus norvegicus (Gmelin,1790)** (Miridae) Synonym(s): *bipunctatus* Fabricius,1779 *nec* Linn.; *norvegicus* Gmelin,1790; *biguttatus* Schrank,1801; *contiguus* Walker,1873; *stramineus* Walker,1873; *vittiger* Reuter,1896; *atava* Reuter,1896; *picticollis* Horvath,1909
- 1208) **Clytie (Hypoglaucitis) infrequens (Swinhoe,1884)** (Noctuidae) Synonym(s): *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888.
- 1209) **Clytie (s.str.) arenosa Rothschild,1913** (Noctuidae) Synonym(s): *arenosa* Rothschild,1913; *seifersi* Gaede,1933.
- 1210) **Clytie (s.str.) haifae (Habich,1905)** (Noctuidae) Synonym(s): *haifae* Habich,1905
- 1211) **Clytie (s.str.) illunaris (Hübner,[1813])** (Noctuidae) Synonym(s): *illunaris* Hübner,[1813]; *canaria* Pinker,1974.
- 1212) **Clytie (s.str.) sancta (Staudinger,1898)** (Noctuidae) Synonym(s): *sancta* Staudinger,1898
- 1213) **Clytie (s.str.) scotorrhiza Hampson,1913** (Noctuidae) Synonym(s): *scotorrhiza* Hampson,1913
- 1214) **Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
- 1215) **Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893
- 1216) **Cnephasia (s.str.) facetana Kennel,1901** (Tortricidae) Synonym(s): *facetana* Kennel,1901
- 1217) **Cnephasia (s.str.) lineata (Walsingham,1900)** (Tortricidae) Synonym(s): *lineata* Walsingham,1900; *terebrana* Amsel & M.Hering,1931
- 1218) **Cnephasia (s.str.) tofina (Meyrick,1922)** (Tortricidae) Synonym(s): *tofina* Meyrick,1922; *syriella* Razowski,1956; *tolli* Razowski,1956; *palaestinensis* Amsel,1958
- 1219) **Cnephasia (s.str.) tristrami (Walsingham,1900)** (Tortricidae) Synonym(s): *tristrami* Walsingham,1900
- 1220) **Coccidiphila gerasimovi Danilevsky,1950** (Cosmopterigidae) Synonym(s): *gerasimovi* Danilevsky,1950
- 1221) **Coccophagus bivittatus Compere,1931** (Aphelinidae) Synonym(s): *bivittatus* Compere,1931
- 1222) **Coccophagus ceroplastae (Howard,1895)** (Aphelinidae) Synonym(s): *ceroplastae* Howard,1895; *orientalis* Howard,1896; *modesta* Silvestri,1915; *fumosipennis* Girault,1915; *citri* Agarwal,1964; *diaspidis* Agarwal,1964; *delhiensis* Subba Rao & Rai,1969
- 1223) **Coccophagus cowperi Girault,1917** (Aphelinidae) Synonym(s): *cowperi* Girault,1917
- 1224) **Coccophagus hawaiiensis Timberlake,1926** (Aphelinidae) Synonym(s): *hawaiiensis* Timberlake,1926
- 1225) **Coccophagus lycimnia (Walker,1839)** (Aphelinidae) Synonym(s): *lycimnia* Walker,1839; *lecanii* Fitch,1859; *ater* Howard,1881; *cognatus* Howard,1881; *vividus* Howard,1885; *californicus* Howard,1889; *coccidis* Girault,1917; *corni* Alam,1956; *taxi* Alam,1956
- 1226) **Coccophagus ochraceus Howard,1895** (Aphelinidae) Synonym(s): *ochraceus* Howard,1895; *bifasciaticorpus* Girault,1916
- 1227) **Coccophagus pulvinariae Compere,1931** (Aphelinidae) Synonym(s): *pulvinariae* Compere,1931; *eritreensis* Compere,1931

- 1228)** *Coccophagus saissetiae* (Annecke & Mynhardt,1979) (Aphelinidae) Synonym(s): *saissetiae* Annecke & Mynhardt,1979
- 1229)** *Coccophagus scutellaris* (Dalman,1826) (Aphelinidae) Synonym(s): *scutellaris* Dalman,1826; *australiensis* Girault,1917
- 1230)** *Cochylimorpha diana* (Kennel,1899) (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
- 1231)** *Cochylimorpha hilarana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *hilarana* Herrich-Schäffer,[1851]; *rheticana* LaHarpe,1864; *dilutana* Caradja,1916.
- 1232)** *Cochylimorpha langeana* (Kalchberg,1897) (Tortricidae) Synonym(s): *langeana* Kalchberg,1897; *anticyphas* Meyrick,1936; *hannemanni* Razowski,1961
- 1233)** *Cochylimorpha straminea* (Haworth,[1811]) (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
- 1234)** *Cochylis epilinana* Duponchel,1842 (Tortricidae) Synonym(s): *epilinana* Duponchel,1842; *carpophilana* Staudinger,1859.
- 1235)** *Codophila* (s.str.) *varia* (Fabricius,1787) (Pentatomidae) Synonym(s): *varia* Fabricius,1787; *longicornis* De la Fuente,1972
- 1236)** *Coelosia fusca* Bezzi,1892 (Mycetophilidae) Synonym(s): *fusca* Bezzi,1892
- 1237)** *Coenina dentataria* Swinhoe,1904 (Geometridae) Synonym(s): *dentataria* Swinhoe,1904; *aegyptiaca* Rebel,1906
- 1238)** *Coenina islamitica* Amsel,1935 (Geometridae) Synonym(s): *islamitica* Amsel,1935
- 1239)** *Coenina paulusi* (Rebel,1906) (Geometridae) Synonym(s): *paulusi* Rebel,1906
- 1240)** *Coenosia atra* Meigen,1830 (Muscidae) Synonym(s): *atra* Meigen,1830
- 1241)** *Coenosia attenuata* Stein,1903 (Muscidae) Synonym(s): *attenuata* Stein,1903; *flavicornis* Schnabl,1911; *confalonierii* Séguin,1930; *affinis* Santos Abreu,1976; *flavipes* Santos Abreu,1976
- 1242)** *Coenosia freidbergi* Pont & Grach,2008 (Muscidae) Synonym(s): *freidbergi* Pont & Grach,2008
- 1243)** *Coenosia humilis* Meigen,1826 (Muscidae) Synonym(s): *humilis* Meigen,1826; *litoralis* R-D.,1830; *limpidipennis* R-D.,1830; *riparia* R-D.,1830; *distincta* R-D.,1830; *nana* Zetterstedt,1845; *dziedickii* Schnabl,1911
- 1244)** *Coenosia tigrina* (Fabricius,1775) (Muscidae) Synonym(s): *tigrina* Fabricius,1775
- 1245)** *Colaphus apicalis* (Ménétriés,1849) (Chrysomelidae) Synonym(s): *apicalis* Ménétriés,1849
- 1246)** *Coleophora aegyptiaca* Walsingham,1907 (Coleophoridae) Synonym(s): *aegyptiaca* Walsingham,1907
- 1247)** *Coleophora albidorsella* Toll,1942 (Coleophoridae) Synonym(s): *albidorsella* Toll,1942
- 1248)** *Coleophora amasiella* Stainton,1867 (Coleophoridae) Synonym(s): *amasiella* Stainton,1867
- 1249)** *Coleophora arachnias* Meyrick,1922 (Coleophoridae) Synonym(s): *arachnias* Meyrick,1922; *hederella* Toll,1942; *shadeganensis* Toll,1959.
- 1250)** *Coleophora crepidinella* Zeller,1847 (Coleophoridae) Synonym(s): *crepidinella* Zeller,1847
- 1251)** *Coleophora cyrniella* Rebel,1926 (Coleophoridae) Synonym(s): *cyrniella* Rebel,1926; *dylineella* Amsel,1935; *simulatella* Baldizzone,1979
- 1252)** *Coleophora dylineella* Amsel,1935 (Coleophoridae) Synonym(s): *dylineella* Amsel,1935
- 1253)** *Coleophora eilatica* Baldizzone,1994 (Coleophoridae) Synonym(s): *eilatica* Baldizzone,1994
- 1254)** *Coleophora eilatica* Baldizzone,1994 (Coleophoridae) Synonym(s): *eilatica* Baldizzone,1994
- 1255)** *Coleophora epijudaica* Amsel,1935 (Coleophoridae) Synonym(s): *epijudaica* Amsel,1935; *pseudojudaica* Amsel,1935; *cretensis* Baldizzone,1983.
- 1256)** *Coleophora frischella* (Linnaeus,1758) (Coleophoridae) Synonym(s): *frischella* Linnaeus,1758; *dannehli* Toll,1952; *auronitella* Toll,1962
- 1257)** *Coleophora fuscoaenea* Toll,1952 (Coleophoridae) Synonym(s): *fuscoaenea* Toll,1952
- 1258)** *Coleophora ghorella* Amsel,1955 (Coleophoridae) Synonym(s): *ghorella* Amsel,1955
- 1259)** *Coleophora jerusalemella* Toll,1942 (Coleophoridae) Synonym(s): *jerusalemella* Toll,1942
- 1260)** *Coleophora judaica* Amsel,1935 (Coleophoridae) Synonym(s): *judaica* Amsel,1935
- 1261)** *Coleophora lassella* Staudinger,1859 (Coleophoridae) Synonym(s): *lassella* Staudinger,1859; *teidensis* Walsingham,1908; *gotlandica* Benander,1939; *telavivella* Toll,1942
- 1262)** *Coleophora mausolella* Chrétien,1908 (Coleophoridae) Synonym(s): *mausolella* Chrétien,1908; *thermoleuca* Meyrick,1922; *palaestinella* Toll,1942
- 1263)** *Coleophora mayrella* (Hübner,[1813]) (Coleophoridae) Synonym(s): *fabriciella* Villers,1789 nec Swed.,1787; *mayrella* Hübner,[1813]; *spissicornis* Haworth,[1828]; *moldaviella* Nemes,2004
- 1264)** *Coleophora microalbella* Amsel,1935 (Coleophoridae) Synonym(s): *microalbella* Amsel,1935
- 1265)** *Coleophora nigradorsella* Amsel,1935 (Coleophoridae) Synonym(s): *nigradorsella* Amsel,1935
- 1266)** *Coleophora niveicostella* Zeller,1839 (Coleophoridae) Synonym(s): *niveicostella* Zeller,1839
- 1267)** *Coleophora nurmahal* Toll,1957 (Coleophoridae) Synonym(s): *nurmahal* Toll,1957
- 1268)** *Coleophora obtectella* Zeller,1849 (Coleophoridae) Synonym(s): *obtectella* Zeller,1849
- 1269)** *Coleophora onopordiella* Zeller,1849 (Coleophoridae) Synonym(s): *onopordiella* Zeller,1849; *eremica* Amsel,1935; *cerinaula* Meyrick,1936; *fusca* Toll,1952; *pseudophlomidella* Toll,1952; *sivandella* Toll,1959; *litorella* Nemes,2003
- 1270)** *Coleophora ornatipennella* (Hübner,1796) (Coleophoridae) Synonym(s): *ornatipennella* Hübner,1796; *#agrammella* Rebel,1935.
- 1271)** *Coleophora salsolella* Chrétien,1915 (Coleophoridae) Synonym(s): *salsolella* Chrétien,1915; *nigradorsella* Amsel,1935.
- 1272)** *Coleophora serinipennella* Christoph,1872 (Coleophoridae) Synonym(s): *serinipennella* Christoph,1872; *stefanii* Joannis,1899; *novella* Chrétien,1926; *caliacraella* Caradja,1931; *lucidella* Caradja,1932; *jerichoella* Amsel,1935; *jordanella* Amsel,1935; *deserticola* Toll,1944; *soffneri* Toll,1944.
- 1273)** *Coleophora tauricella* Staudinger,1880 (Coleophoridae) Synonym(s): *tauricella* Staudinger,1880; *skopusella* Amsel,1935; *kurdistanella* Amsel,1955.
- 1274)** *Coleophora versurella* Zeller,1849 (Coleophoridae) Synonym(s): *versurella* Zeller,1849; *tardipennella* Zeller,1849; *miserella* Staudinger,1880; *agricolella* Fuchs,1886; *atlanticella* Rebel,1896; *enchorda* Meyrick,1931; *pallorella* Benander,1939; *thalassella* McDunnough,1940; *constanti* Hering,1942; *pisella* Amsel,1953; *saccharella* Amsel,1953; *amaranthivora* Oku,1965
- 1275)** *Colias* (Eriocolias) *crocea* (Fourcroy,1785) (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
- 1276)** *Colias* (Eriocolias) *crocea crocea* (Fourcroy,1785) (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
- 1277)** *Colletes* (acutus gr.) *acutiformis* Noskiewicz,1936 (Colletidae) Synonym(s): *acutiformis* Noskiewicz,1936
- 1278)** *Colletes* (albomaculatus gr.) *alfkeni* Noskiewicz,1958 (Colletidae) Synonym(s): *alfkeni* Noskiewicz,1958
- 1279)** *Colletes* (albomaculatus gr.) *punctatus* Mocsary,1877 (Colletidae) Synonym(s): *punctatus* Mocsary,1877

- 1280) *Colletes (cariniger gr.) cariniger Pérez, 1903* (Colletidae) Synonym(s): *cariniger Pérez, 1903*
 1281) *Colletes (caspicus gr.) maidli Noskiewicz, 1936* (Colletidae) Synonym(s): *maidli Noskiewicz, 1936*
 1282) *Colletes (fodiens gr.) similis Schenck, 1853* (Colletidae) Synonym(s): *similis Schenck, 1853*
 1283) *Colletes (fodiens gr.) tuberculatus Morawitz, 1894* (Colletidae) Synonym(s): *tuberculatus Morawitz, 1894*
 1284) *Colletes (formosus gr.) formosus Pérez, 1895* (Colletidae) Synonym(s): *formosus Pérez, 1895*
 1285) *Colletes (formosus gr.) rozeni Kuhlmann, 2005* (Colletidae) Synonym(s): *rozeni Kuhlmann, 2005*
 1286) *Colletes (foveolaris gr.) judaicus Noskiewicz, 1955* (Colletidae) Synonym(s): *judaicus Noskiewicz, 1955*
 1287) *Colletes (lacunatus gr.) lacunatus Dours, 1872* (Colletidae) Synonym(s): *lacunatus Dours, 1872*
 1288) *Colletes (nanus gr.) fuscicornis Noskiewicz, 1936* (Colletidae) Synonym(s): *fuscicornis Noskiewicz, 1936*
 1289) *Colletes (nanus gr.) nanus Friese, 1898* (Colletidae) Synonym(s): *nanus Friese, 1898*
 1290) *Colletes (nanus gr.) pumilus Morice, 1904* (Colletidae) Synonym(s): *pumilus Morice, 1904*
 1291) *Colletes (nigricans gr.) perezi Morice, 1904* (Colletidae) Synonym(s): *perezi Morice, 1904*
 1292) *Colletes (squamosus gr.) bytinskii Noskiewicz, 1955* (Colletidae) Synonym(s): *bytinskii Noskiewicz, 1955*
 1293) *Colletes (squamosus gr.) elegans Noskiewicz, 1936* (Colletidae) Synonym(s): *elegans Noskiewicz, 1936*
 1294) *Colletes (squamosus gr.) pseudojejunos Noskiewicz, 1959* (Colletidae) Synonym(s): *pseudojejunos Noskiewicz, 1959*
 1295) *Colletes (squamosus gr.) rubellus Noskiewicz, 1936* (Colletidae) Synonym(s): *rubellus Noskiewicz, 1936*
 1296) *Colletes (squamosus gr.) squamulosus Noskiewicz, 1936* (Colletidae) Synonym(s): *squamulosus Noskiewicz, 1936*
 1297) *Colobopterus erraticus (Linnaeus, 1758)* (Scarabaeidae) Synonym(s): *erraticus Linnaeus, 1758*
 1298) *Colotes cinctus Motschoulsky, 1853* (Melyridae) Synonym(s): *cinctus Motschoulsky, 1853*
 1299) *Colotes flavicinctus Marseul, 1868* (Melyridae) Synonym(s): *flavicinctus Marseul, 1868*
 1300) *Colotes scutellaris Pic, 1919* (Melyridae) Synonym(s): *scutellaris Pic, 1919*
 1301) *Colotis (s.str.) chrysonome (Klug, 1829)* (Pieridae) Synonym(s): *chrysonome Klug, 1829; gaudens Butler, 1876; arenicolens Butler, 1884; helvolus Butler, 1888; cosmas Hulstaert, 1924; meinhertzhageni Riley, 1934; socnensis Kruger, 1939; patrizii Storace, 1949.*
 1302) *Colotis (s.str.) fausta (Olivier, [1804])* (Pieridae) Synonym(s): *fausta Olivier, [1804]*
 1303) *Colotis (s.str.) phisadia (Godart, [1819])* (Pieridae) Synonym(s): *phisadia Godart, [1819]; arne Klug, 1829; philumene Mabilie, 1880.*
 1304) *Colotois furcata Hausmann, 1995* (Geometridae) Synonym(s): *furcata Hausmann, 1995*
 1305) *Comperiella bifasciata Howard, 1906* (Encyrtidae) Synonym(s): *bifasciata Howard, 1906; cerapterocera Mercet, 1921; eugeniae Risbec, 1952*
 1306) *Concavifer marmoratus Dlabola, 1960* (Cicadellidae) Synonym(s): *marmoratus Dlabola, 1960*
 1307) *Condica conducta (Walker, 1857)* (Noctuidae) Synonym(s): *conducta Walker, 1857; inexacta Walker, 1865.*
 1308) *Condica palaestinensis (Staudinger, 1895)* (Noctuidae) Synonym(s): *palaestinensis Staudinger, 1895; persicola Draudt, 1934; persicola Wiltshire, 1952*
 1309) *Condica viscosa (Freyer, 1831)* (Noctuidae) Synonym(s): *viscosa Freyer, 1831; indelicata Turati, 1934; europaea Parenzan, 1980.*
 1310) *Conistra (s.str.) acutula (Staudinger, 1892)* (Noctuidae) Synonym(s): *acutula Staudinger, 1892*
 1311) *Conistra (s.str.) veronicae (Hübner, [1813])* (Noctuidae) Synonym(s): *veronicae Hübner, [1813]*
 1312) *Conocephalus (Anisoptera) concolor (Burmeister, 1838)* (Tettigoniidae) Synonym(s): *concolor Burmeister, 1838*
 1313) *Cononedys bituberculata Becker, 1915* (Bombyliidae) Synonym(s): *bituberculata Becker, 1915*
 1314) *Cononedys dichromatopa (Bezzi, 1925)* (Bombyliidae) Synonym(s): *dichromatopa Bezzi, 1925*
 1315) *Cononedys efflatouni (Bezzi, 1925)* (Bombyliidae) Synonym(s): *efflatouni Bezzi, 1925*
 1316) *Cononedys stenura (Loew, 1871)* (Bombyliidae) Synonym(s): *stenura Loew, 1871*
 1317) *Conophorus simplex Loew, 1869* (Bombyliidae) Synonym(s): *simplex Loew, 1869*
 1318) *Conops flavicaudus (Bigot, 1880)* (Conopidae) Synonym(s): *flavicaudus Bigot, 1880; euzonatus Bigot, 1887; superbus Röder, 1899; cyprius Janssens, 1955; #falvicaudus Stucke, Hayat & Özbek, 2008*
 1319) *Conosia irrorata (Wiedemann, 1828)* (Limoniidae) Synonym(s): *irrorata Wiedemann, 1828*
 1320) *Copidosoma varicorne (Nees ab Esenbeck, 1834)* (Encyrtidae) Synonym(s): *varicorne Nees ab Esenbeck, 1834; sylleptae Risbec, 1951; gallaephila Risbec, 1951; annulata Nikolskaya, 1952; clavellatus Erdős, 1960; batorligetensis Erdős, 1960*
 1321) *Copium brevicorne (Jakovlev, 1880)* (Tingidae) Synonym(s): *brevicorne Jakovlev, 1880*
 1322) *Copium clavicorne (Linnaeus, 1758)* (Tingidae) Synonym(s): *clavicorne Linnaeus, 1758; punctata Lamarck, 1816; cornutum Thunberg, 1822*
 1323) *Copium teucarii (Host, 1788)* (Tingidae) Synonym(s): *teucarii Host, 1788; lusitanicum de Seabra, 1924*
 1324) *Coppa huldaensis (Linnavuori, 1962)* (Dictyopharidae) Synonym(s): *huldaensis Linnavuori, 1962*
 1325) *Coproica digitata (Duda, 1918)* (Sphaeroceridae) Synonym(s): *digitata Duda, 1918*
 1326) *Coproica ferruginata (Stenhammar, 1855)* (Sphaeroceridae) Synonym(s): *ferruginata Stenhammar, 1855*
 1327) *Coproica hirticula Collin, 1956* (Sphaeroceridae) Synonym(s): *hirticula Collin, 1956*
 1328) *Coproica vagans (Haliday, 1833)* (Sphaeroceridae) Synonym(s): *vagans Haliday, 1833; opacula Stenhammar, 1854; albipennis Rondani, 1880; flava Duda, 1918*
 1329) *Copromyza (Crumomyia) glabrifrons (Meigen, 1830)* (Sphaeroceridae) Synonym(s): *glabrifrons Meigen, 1830; limbinervis Rondani, 1880*
 1330) *Copromyza (Lotophila) atra (Meigen, 1830)* (Sphaeroceridae) Synonym(s): *atra Meigen, 1830; modesta Meigen, 1830; lugens Meigen, 1830; geniculata Macquart, 1835; analis von Reser, 1840; ferruginea Becker, 1908*
 1331) *Copromyza (s.str.) pseudostercoraria Papp, 1976* (Sphaeroceridae) Synonym(s): *pseudostercoraria Papp, 1976*
 1332) *Coptocephala furthi Medvedev, 1992* (Chrysomelidae) Synonym(s): *furthi Medvedev, 1992*
 1333) *Coptocephala jaechi Warchalowski, 1991* (Chrysomelidae) Synonym(s): *jaechi Warchalowski, 1991*
 1334) *Coptocephala judaea Medvedev, 1992* (Chrysomelidae) Synonym(s): *judaea Medvedev, 1992*
 1335) *Coranus aegyptius (Fabricius, 1775)* (Reduviidae) Synonym(s): *aegyptius Fabricius, 1775; linnavuorii Dispos, 1963; aegypticus auct.*
 1336) *Coranus angulatus Stal, 1874* (Reduviidae) Synonym(s): *angulatus Stal, 1874; pirzadae Miller, 1950; filsi Dispos, 1954*
 1337) *Coranus griseus (Rossi, 1790)* (Reduviidae) Synonym(s): *griseus Rossi, 1790; murinus Rambur, 1840; persicus Wagner, 1952*
 1338) *Coranus niger (Rambur, 1840)* (Reduviidae) Synonym(s): *niger Rambur, 1840; affinis Lucas, 1849; niger Fieber, 1861 nec Rmb., 1840; revellieri Mulsant & Rey, 1873; fieberi Puton, 1874; femoralis Ragusa, 1908*
 1339) *Coranus tuberculifer Reuter, 1881* (Reduviidae) Synonym(s): *tuberculifer Reuter, 1881*
 1340) *Coridius viduatus (Fabricius, 1794)* (Dinidoridae) Synonym(s): *viduatus Fabricius, 1794*
 1341) *Coriomeris denticulatus (Scopoli, 1763)* (Coreidae) Synonym(s): *denticulatus Scopoli, 1763*
 1342) *Coriomeris hirticornis (Fabricius, 1794)* (Coreidae) Synonym(s): *hirticornis Fabricius, 1794*

- 1343) **Corixa jakowleffi** Horvath, 1879 (Corixidae) Synonym(s): *jakowleffi* Horvath, 1879
- 1344) **Cornifrons ulceratalis** Lederer, 1858 (Pyralidae) Synonym(s): *ulceratalis* Lederer, 1858; *seriziatialis* Oberthür, 1876
- 1345) **Cornutiplusia circumflexa** (Linnaeus, 1767) (Noctuidae) Synonym(s): *circumflexa* Linnaeus, 1767; *lunata* Fabricius, 1787; *flexuosa* Donovan, 1807; *daubii* Freyer, 1838; *graphica* Herrich-Schäffer, 1851; *patefacta* Walker, [1858]; *reticulata* Moore, 1882; *clarescens* Pinker & Bacallado, 1975; *#unata* Kononenko & Pinratana, 2005
- 1346) **Corynis haematica** Benson, 1968 (Cimbicidae) Synonym(s): *haematica* Benson, 1968
- 1347) **Corynis orientalis** (Konow, 1898) (Cimbicidae) Synonym(s): *orientalis* Konow, 1898
- 1348) **Corynis reticulata** Benson, 1954 (Cimbicidae) Synonym(s): *reticulata* Benson, 1954
- 1349) **Corynis similis** (Mocsary, 1880) (Cimbicidae) Synonym(s): *similis* Mocsary, 1880
- 1350) **Cosmina fishelsohni** Rognes, 2002 (Calliphoridae) Synonym(s): *fishelsohni* Rognes, 2002
- 1351) **Cosmopleurus fulvipes** (Dallas, 1852) (Lygaeidae) Synonym(s): *fulvipes* Dallas, 1852; *obscura* Bergevin, 1936
- 1352) **Cosmopterix coryphaea** Walsingham, 1908 (Cosmopterigidae) Synonym(s): *coryphaea* Walsingham, 1908; *donatellae* Mariani, 1932; *formosa* Amsel, 1935; *coryphae* Agerjo, 1952
- 1353) **Cosmopterix phragmitidis** Amsel, 1935 (Cosmopterigidae) Synonym(s): *phragmitidis* Amsel, 1935
- 1354) **Cosmopterix salahinella** Chrétien, 1907 (Cosmopterigidae) Synonym(s): *salahinella* Chrétien, 1907; *rufella* Turati, 1927; *phragmitidis* Amsel, 1935
- 1355) **Costaconvexa polygrammata** (Borkhausen, 1794) (Geometridae) Synonym(s): *polygrammata* Borkhausen, 1794; *polygrammaria* Haworth, 1809; *conjunctaria* Lederer, 1853; *#rosea* Wiltshire, 1946
- 1356) **Cotesia ancilla** (Nixon, 1974) (Braconidae) Synonym(s): *ancilla* Nixon, 1974
- 1357) **Cotesia glabrata** (Telenga, 1955) (Braconidae) Synonym(s): *glabrata* Telenga, 1955
- 1358) **Cotesia ruficrus** (Haliday, 1834) (Braconidae) Synonym(s): *ruficrus* Haliday, 1834; *antipoda* Ashmead, 1900; *manilae* Ashmead, 1904; *sydneyensis* Cameron, 1911; *narangae* Viereck, 1913
- 1359) **Craniophora ligustri** (Fabricius, 1787) (Noctuidae) Synonym(s): *#ligustri* [Denis & Schiffermüller], 1775; *ligustri* Fabricius, 1787.
- 1360) **Craniophora melanisans** Wiltshire, 1980 (Noctuidae) Synonym(s): *melanisans* Wiltshire, 1980
- 1361) **Craniophora pontica** (Staudinger, 1879) (Noctuidae) Synonym(s): *pontica* Staudinger, 1879
- 1362) **Creataloum arabicum** (Hampson, 1896) (Arctiidae) Synonym(s): *arabicum* Hampson, 1896; *gracilis* Staudinger, 1899
- 1363) **Creoleon griseus** (Klug, 1834) (Myrmeleonidae) Synonym(s): *griseus* Klug, 1834; *perfidus* Walker, 1853; *sedulus* Walker, 1853; *adversus* Walker, 1853
- 1364) **Creoleon irroratus** (Klug, 1834) (Myrmeleonidae) Synonym(s): *irroratus* Klug, 1834
- 1365) **Crobelocerus spinosus** Theodor, 1980 (Asilidae) Synonym(s): *spinosus* Theodor, 1980
- 1366) **Crociosema plebejana** Zeller, 1847 (Tortricidae) Synonym(s): *plebejana* Zeller, 1847; *altheana* Mann, 1855; *lavaterana* Millière, 1863; *peregrinana* Möschler, 1866; *obscura* Wollaston, 1879; *blackburnii* Butler, 1881; *signatana* Walsingham, 1894; *ptiladelpha* Meyrick, 1917; *insulana* Aurivillius, 1922; *synneurota* Meyrick, 1926; *tornocycla* Turner, 1946; *charmera* Turner, 1946.
- 1367) **Crombrugghia tristis** (Zeller, 1839) (Pterophoridae) Synonym(s): *tristis* Zeller, 1839; *tristidactyla* Bruand, 1858; *adamczewskii* Bigot & Picard, 1988.
- 1368) **Crossotus katbeh** Sama, 2000 (Cerambycidae) Synonym(s): *katbeh* Sama, 2000
- 1369) **Crossotus strigifrons** (Fairmaire, 1886) (Cerambycidae) Synonym(s): *strigifrons* Fairmaire, 1886; *arabicus* Heyrovsky, 1954
- 1370) **Crossotus xanthoneurus** Sama, 2000 (Cerambycidae) Synonym(s): *#palaestinisensis* Breuning; *xanthoneurus* Sama, 2000
- 1371) **Cryphia (Bryoleuca) amseli** Boursin, 1952 (Noctuidae) Synonym(s): *amseli* Boursin, 1952
- 1372) **Cryphia (Bryoleuca) labecula** (Lederer, 1855) (Noctuidae) Synonym(s): *labecula* Lederer, 1855
- 1373) **Cryphia (Bryoleuca) petrea** (Guenée, 1852) (Noctuidae) Synonym(s): *petrea* Guenée, 1852
- 1374) **Cryphia (Bryoleuca) raptricula** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller], 1775; *divisa* Esper, [1791]; *palliola* Borkhausen, 1792; *pomula* Borkhausen, 1792; *deceptricula* Hübner, [1803]; *carbonis* Freyer, 1849; *felina* Eversmann, 1852; *#striata* Staudinger, 1879; *#persica* Strand, 1915; *cretica* Reisser, 1962
- 1375) **Cryphia (Bryoleuca) ravula** (Hübner, [1813]) (Noctuidae) Synonym(s): *ravula* Hübner, [1813]; *lupula* Hübner, [1813]; *trogodyta* Freyer, 1832.
- 1376) **Cryphia (Bryoleuca) rectilinea** (W. Warren, 1909) (Noctuidae) Synonym(s): *rectilinea* W. Warren, 1909; *mediochracea* Bytinski-Salz, 1936; *insulicola* Reisser, 1962.
- 1377) **Cryphia (Bryoleuca) tephrocharis** Boursin, 1954 (Noctuidae) Synonym(s): *tephrocharis* Boursin, 1954
- 1378) **Cryphia (Bryophila) maeonis** (Lederer, 1865) (Noctuidae) Synonym(s): *maeonis* Lederer, 1865; *praecana* Christoph, 1893; *rubellina* Staudinger, 1900; *sordida* Staudinger, 1900; *sabulosa* W. Warren, 1909.
- 1379) **Cryphia (Bryophila) paulina** (Staudinger, 1892) (Noctuidae) Synonym(s): *paulina* Staudinger, 1892; *keltana* Amsel, 1933.
- 1380) **Cryphia (Bryopsis) amasina** (Draudt, 1931) (Noctuidae) Synonym(s): *amasina* Draudt, 1931
- 1381) **Cryphia (Bryopsis) muralis** (Forster, 1771) (Noctuidae) Synonym(s): *muralis* Forster, 1771; *lichenis* Fabricius, 1775; *glandifera* [Denis & Schiffermüller], 1775; *par* Hübner, [1813]; *viridior* Schawerda, 1932
- 1382) **Cryphia (Euthales) alga** (Fabricius, 1775) (Noctuidae) Synonym(s): *alga* Fabricius, 1775; *degener* [Denis & Schiffermüller], 1775; *alni* Fabricius, 1787; *calligrapha* Borkhausen, 1792; *mendacula* Hübner, [1813].
- 1383) **Cryphia (Euthales) ochsi** (Boursin, 1941) (Noctuidae) Synonym(s): *ochsi* Boursin, 1941; *#badiofasciata* Boursin, 1952
- 1384) **Crypsothidia maculifera** (Staudinger, 1898) (Noctuidae) Synonym(s): *maculifera* Staudinger, 1898; *wollastoni* Rothschild, 1901; *voolastoni* Hampson, 1913; *? maculata* Tams, 1926.
- 1385) **Crypteria (Franckomyia) israelica** Stary & Freidberg, 2007 (Limoniidae) Synonym(s): *israelica* Stary & Freidberg, 2007
- 1386) **Cryptoblabes gnidiella** (Millière, 1867) (Pyralidae) Synonym(s): *gnidiella* Millière, 1867; *wockiana* Briosi, [1877]; *aliena* Swezey, 1909
- 1387) **Cryptocephalus connexus** Olivier, 1808 (Chrysomelidae) Synonym(s): *connexus* Olivier, 1808
- 1388) **Cryptocephalus dahdah** Marseul, 1869 (Chrysomelidae) Synonym(s): *dahdah* Marseul, 1869
- 1389) **Cryptocephalus dinae** Lopatin & Chikatunov, 2000 (Chrysomelidae) Synonym(s): *dinae* Lopatin & Chikatunov, 2000
- 1390) **Cryptocephalus flavipes** Fabricius, 1781 (Chrysomelidae) Synonym(s): *flavipes* Fabricius, 1781
- 1391) **Cryptocephalus fulvus** (Goeze, 1777) (Chrysomelidae) Synonym(s): *fulvus* Goeze, 1777
- 1392) **Cryptotrogus weisei** Kraatz, 1888 (Scarabaeidae) Synonym(s): *weisei* Kraatz, 1888
- 1393) **Cryptus subspinosus** Burgst, 1913 (Ichneumonidae) Synonym(s): *subspinosus* Burgst, 1913
- 1394) **Ctenagenia vespiformis** (Klug, 1834) (Pompilidae) Synonym(s): *vespiformis* Klug, 1834
- 1395) **Ctenodasyptigia fertoni** (Villeneuve, 1911) (Sarcophagidae) Synonym(s): *fertoni* Villeneuve, 1911

- 1396) Ctenodasypygia graeca (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *graeca* Rohdendorf,1937; *mousseti* Lehrer,1976
- 1397) Ctenodasypygia penicillata (Villeneuve,1907)** (Sarcophagidae) Synonym(s): *penicillata* Villeneuve,1907; *villeneuveana* Enderlein,1928
- 1398) Ctenota coerulea (Becker,1913)** (Asilidae) Synonym(s): *coerulea* Becker,1913
- 1399) Ctenota molitrix Loew,1873** (Asilidae) Synonym(s): *molitrix* Loew,1873
- 1400) Ctesias syriaca Ganglbauer,1904** (Dermestidae) Synonym(s): *syriaca* Ganglbauer,1904
- 1401) Cucullia (s.str.) calendulae Treitschke,1835** (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,1836; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980.
- 1402) Cucullia (s.str.) macara Rebel,1948** (Noctuidae) Synonym(s): *macara* Rebel,1948
- 1403) Cucullia (s.str.) santolinae Rambur,1834** (Noctuidae) Synonym(s): *santolinae* Rambur,1834
- 1404) Cucullia (s.str.) santonici (Hübner,[1813])** (Noctuidae) Synonym(s): *santonici* Hübner,[1813]; *yuennanensis* Boursin,1941
- 1405) Cucullia (Shargacucullia) barthae Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933
- 1406) Cucullia (Shargacucullia) blattariae (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790]
- 1407) Cucullia (Shargacucullia) lychnitis (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833
- 1408) Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 1409) Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus* Rambur,1842; *morosus* Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915
- 1410) Cueta pallens (Klug,1834)** (Myrmeleonidae) Synonym(s): *pallens* Klug,1834; *pertenus* Klapalek,1912; *tunetana* Navas,1930
- 1411) Culex (Barradius) modestus Ficalbi,1889** (Culicidae) Synonym(s): *modestus* Ficalbi,1889; *eadithae* Barraud,1924; *tanajcus* Stschelkanovzev,1926; *nudipalpis* Shingarev,1927
- 1412) Culex (Maillotia) deserticola Kirkpatrick,1924** (Culicidae) Synonym(s): *deserticola* Kirkpatrick,1924
- 1413) Culex (s.str.) laticinctus Edwards,1913** (Culicidae) Synonym(s): *laticinctus* Edwards,1913
- 1414) Culex (s.str.) mimeticus Noe,1899** (Culicidae) Synonym(s): *mimeticus* Noe,1899; *pseudomimeticus* Sergent,1909
- 1415) Culex (s.str.) perexiguus Theobald,1903** (Culicidae) Synonym(s): *perexiguus* Theobald,1903
- 1416) Culex (s.str.) pipiens Linnaeus,1758** (Culicidae) Synonym(s): *pipiens* Linnaeus,1758; *bifurcatus* Linnaeus,1758; *fasciatus* Müller,1764; *molestus* Forskal,1775; *trifurcatus* Fabricius,1794; *luteus* Meigen,1804; *domesticus* Germar,1817; *bicolor* Meigen,1818; *marginalis* Stephens,1825; *meridionalis* Leach,1825; *thoracicus* R-D.,1827; *calcitrans* R-D.,1827; *consobrinus* R-D.,1827; *unistriatus* Curtis,1837; *pallipes* Macquart,1838; *rufinus* Bigot,1888; *phytophagus* Ficalbi,1889; *agilis* Bigot,1889; *haematophagus* Ficalbi,1893; *melanorhinus* Giles,1900; *longefurcatus* Becker,1903; *varioannulatus* Theobald,1903; *azorensis* Theobald,1903; *quasimodestus* Theobald,1905; *osakensis* Theobald,1907; *comitatus* Dyar & Knab,1909; *dipseticus* Dyar & Knab,1909; *doliorum* Edwards,1912; *autogenicus* Roubaud,1935; *berbericus* Roubaud,1935; *sternopallidus* Roubaud,1945; *disjunctus* Roubaud,1945; *calloti* Rioux & Pech,1959; *erectus* Iglisch,1977; *torridus* Iglisch,1977
- 1417) Culex (s.str.) theileri Theobald,1903** (Culicidae) Synonym(s): *theileri* Theobald,1903
- 1418) Culex (s.str.) tritaeniorhynchus Giles,1901** (Culicidae) Synonym(s): *tritaeniorhynchus* Giles,1901; *summorosus* Dyar,1920; *biroi* Theobald,1905; *siamensis* Barraud & Christophers,1931
- 1419) Culicoides azerbaijdzhanicus Dzhabarov,1962** (Ceratopogonidae) Synonym(s): *azerbajdzhanicus* Dzhabarov,1962
- 1420) Culicoides badooshensis Khalaf,1961** (Ceratopogonidae) Synonym(s): *badooshensis* Khalaf,1961
- 1421) Culicoides begueti Clastrier,1957** (Ceratopogonidae) Synonym(s): *begueti* Clastrier,1957
- 1422) Culicoides biarcuatus Vimmer,1932** (Ceratopogonidae) Synonym(s): *biarcuatus* Vimmer,1932
- 1423) Culicoides bodenheimeri Vimmer,1932** (Ceratopogonidae) Synonym(s): *bodenheimeri* Vimmer,1932
- 1424) Culicoides brunnicans Edwards,1939** (Ceratopogonidae) Synonym(s): *brunnicans* Edwards,1939
- 1425) Culicoides cataneii Clastrier,1957** (Ceratopogonidae) Synonym(s): *cataneii* Clastrier,1957
- 1426) Culicoides circumscriptus Kieffer,1918** (Ceratopogonidae) Synonym(s): *circumscriptus* Kieffer,1918; *nadayanus* Kieffer,1918; *edwardsi* Goetghebuer,1921; *algarum* Kieffer,1924; *salicola* Kieffer,1924; *pictidorsum* Kieffer,1924; *albonotatus* Vimmer,1932 nec Kieff.,1918; *albosignatus* Vimmer,1932; *polymaculatus* Vimmer,1932; *kirovabadicus* Dzhabarov,1964
- 1427) Culicoides derisor Callot & Kremer,1965** (Ceratopogonidae) Synonym(s): *derisor* Callot & Kremer,1965
- 1428) Culicoides distinctipennis Austen,1912** (Ceratopogonidae) Synonym(s): *distinctipennis* Austen,1912
- 1429) Culicoides fagineus Edwards,1939** (Ceratopogonidae) Synonym(s): *fagineus* Edwards,1939
- 1430) Culicoides festivipennis Kieffer,1914** (Ceratopogonidae) Synonym(s): *festivipennis* Kieffer,1914; *odibilis* Austen,1921; *winnertzi* Edwards,1926
- 1431) Culicoides gejjelensis Dzhabarov,1964** (Ceratopogonidae) Synonym(s): *gejjelensis* Dzhabarov,1964
- 1432) Culicoides haranti Rioux, Descous & Pech,1959** (Ceratopogonidae) Synonym(s): *haranti* Rioux, Descous & Pech,1959
- 1433) Culicoides imicola Kieffer,1913** (Ceratopogonidae) Synonym(s): *imicola* Kieffer,1913; *pallidipennis* Carter,Ingram & Macfie,1920; *iraqensis* Khalaf,1957; *minutus* Sen & Das Gupta,1959; *pseudoturgidus* Das Gupta,1962
- 1434) Culicoides judaeae Macfie,1933** (Ceratopogonidae) Synonym(s): *judaeae* Macfie,1933
- 1435) Culicoides jumeri Callot & Kremer,1969** (Ceratopogonidae) Synonym(s): *jumeri* Callot & Kremer,1969
- 1436) Culicoides langeroni Kieffer,1921** (Ceratopogonidae) Synonym(s): *langeroni* Kieffer,1921
- 1437) Culicoides longipennis Khalaf,1957** (Ceratopogonidae) Synonym(s): *longipennis* Khalaf,1957; *flavisimilis* Dzhabarov,1964
- 1438) Culicoides maritimus Kieffer,1924** (Ceratopogonidae) Synonym(s): *maritimus* Kieffer,1924; *submaritimus* Dzhabarov,1962
- 1439) Culicoides micromaculatus Vimmer,1932** (Ceratopogonidae) Synonym(s): *micromaculatus* Vimmer,1932
- 1440) Culicoides montanus Shakirzjanova,1962** (Ceratopogonidae) Synonym(s): *montanus* Shakirzjanova,1962
- 1441) Culicoides mystacinus Vimmer,1932** (Ceratopogonidae) Synonym(s): *mystacinus* Vimmer,1932
- 1442) Culicoides newsteadi Austen,1921** (Ceratopogonidae) Synonym(s): *newsteadi* Austen,1921; *biclavatus* Kieffer,1924; *halophilus* Kieffer,1924; *edwardsi* Goetghebuer,1933; *edwardsianus* Goetghebuer,1933
- 1443) Culicoides obsoletus (Meigen,1818)** (Ceratopogonidae) Synonym(s): *obsoletus* Meigen,1818; *varius* Winnertz,1852; *yezoensis* Matsumura,1911; *obscuripes* Santos Abreu,1918; *lacteinervis* Kieffer,1919; *rivicola* Kieffer,1921; *clavatus* Kieffer,1921; *heteroceris* Kieffer,1921; *pegobius* Kieffer,1922; *kabylensis* Kieffer,1922; *concitus* Kieffer,1922; *intermedius* Okada,1941; *sintrensis* Cambournac,1956; *seimi* Shevchenko,1967
- 1444) Culicoides odiatus Austen,1921** (Ceratopogonidae) Synonym(s): *niger* Dzhabarov,1960 (praeocc.); *odiatus* Austen,1921; *indistinctus* Khalaf,1961; *lailae* Khalaf,1961; *kurektschaicus* Dzhabarov,1962; *conicus* Remm,1968
- 1445) Culicoides pictipennis Staeger,1839** (Ceratopogonidae) Synonym(s): *pictipennis* Staeger,1839

- 1446) **Culicoides picturatus** **Kremer & Deduit, 1961** (Ceratopogonidae) Synonym(s): *picturatus* **Kremer & Deduit, 1961**
 1447) **Culicoides pseudopallidus** **Khalaf, 1961** (Ceratopogonidae) Synonym(s): *pseudopallidus* **Khalaf, 1961**
 1448) **Culicoides pulicaris** (**Linnaeus, 1758**) (Ceratopogonidae) Synonym(s): *pulicaris* **Linnaeus, 1758**; *setosinervis* **Kieffer, 1913**; *pullatus* **Kieffer, 1915**; *stephensi* **Carter, 1916**; *cinerellus* **Kieffer, 1919**; *quinquepunctatus* **Goetghebuer, 1921**; *flavipilum* **Kieffer, 1924**; *sawamotoi* **Kono & Takahasi, 1940**
 1449) **Culicoides punctatus** (**Meigen, 1804**) (Ceratopogonidae) Synonym(s): *punctatus* **Meigen, 1804**; *punctatus* **Latreille, 1809**; *impressus* **Kieffer, 1918**; *kasachstanicus* **Shakirjanova, 1963**; *#punctatus* **Navai & Mesghali, 1968**
 1450) **Culicoides puncticollis** (**Becker, 1903**) (Ceratopogonidae) Synonym(s): *puncticollis* **Becker, 1903**; *impressus* **Kieffer, 1918**; *distigma* **Kieffer, 1922**; *donatieni* **Kieffer, 1922**; *sciniphes* **Kieffer, 1925**; *bipunctatus* **Vimmer, 1932**; *tripunctatus* **Vimmer, 1932**; *wenigi* **Vimmer, 1932**; *flavitarsis* **Vimmer, 1932**; *flavitarsis* **Vimmer, 1932**; *griseovittatus* **Vimmer, 1932**; *luteosignatus* **Vimmer, 1932**; *vavrai* **Vimmer, 1932**
 1451) **Culicoides puripennis** **Austen, 1921** (Ceratopogonidae) Synonym(s): *puripennis* **Austen, 1921**
 1452) **Culicoides quadrivittatus** **Vimmer, 1932** (Ceratopogonidae) Synonym(s): *quadrivittatus* **Vimmer, 1932**
 1453) **Culicoides quinquemaculatus** **Vimmer, 1932** (Ceratopogonidae) Synonym(s): *quinquemaculatus* **Vimmer, 1932**
 1454) **Culicoides saevanicus** **Dzhafarov, 1960** (Ceratopogonidae) Synonym(s): *saevanicus* **Dzhafarov, 1960**
 1455) **Culicoides sahariensis** **Kieffer, 1923** (Ceratopogonidae) Synonym(s): *sahariensis* **Kieffer, 1923**; *baghdadensis* **Khalaf, 1957**; *coluzzii* **Callot, Kremer & Bailly-Choumara, 1970**
 1456) **Culicoides semimaculatus** **Clastrier, 1958** (Ceratopogonidae) Synonym(s): *Clastrier, 1958*; *karajevi* **Dzhafarov, 1961**
 1457) **Culicoides shaklawensis** **Khalaf, 1957** (Ceratopogonidae) Synonym(s): *shaklawensis* **Khalaf, 1957**; *caspius* **Gutsevich, 1959**
 1458) **Culicoides simulans** **Vimmer, 1932** (Ceratopogonidae) Synonym(s): *simulans* **Vimmer, 1932**
 1459) **Culicoides tentorius** **Austen, 1921** (Ceratopogonidae) Synonym(s): *tentorius* **Austen, 1921**
 1460) **Culicoides trivittatus** **Vimmer, 1932** (Ceratopogonidae) Synonym(s): *trivittatus* **Vimmer, 1932**; *subneglectus* **Vimmer, 1932**; *bulbostylus* **Khalaf, 1961**
 1461) **Culicoides univittatus** **Vimmer, 1932** (Ceratopogonidae) Synonym(s): *univittatus* **Vimmer, 1932**; *agathensis* **Callot, Kremer & Rioux, 1963**
 1462) **Culicoides vidourlensis** **Callot, Kremer, Molet & Bach, 1968** (Ceratopogonidae) Synonym(s): *vidourlensis* **Callot, Kremer, Molet & Bach, 1968**
 1463) **Culicoides vitreipennis** **Austen, 1921** (Ceratopogonidae) Synonym(s): *vitreipennis* **Austen, 1921**
 1464) **Culiseta (Allotheobaldia) longiareolata** (**Macquart, 1838**) (Culicidae) Synonym(s): *longiareolata* **Macquart, 1838**; *spathipalpis* **Rondani, 1872**; *leucogrammus* **Loew, 1874**; *serratipes* **Becker, 1908**; *marocanus* **D'Anfreville, 1916**
 1465) **Culiseta (Culicella) morsitans** (**Theobald, 1901**) (Culicidae) Synonym(s): *morsitans* **Theobald, 1901**; *dyari* **Coquillett, 1902**; *brittoni* **Felt, 1905**; *parodites* **Dyar, 1928**
 1466) **Culiseta (s.str.) annulata** (**Schrank, 1776**) (Culicidae) Synonym(s): *annulata* **Schrank, 1776**; *annulatus* **Fabricius, 1787**; *affinis* **Stephens, 1825**; *nicaensis* **Leach, 1825**; *ferruginata* **Martini, 1924**
 1467) **Culpinia prouti** (**Thierry-Mieg, 1913**) (Geometridae) Synonym(s): *prouti* **Thierry-Mieg, 1913**; *feroniaria* **Oberthür, 1916**
 1468) **Cybalomia pentadalis** (**Lederer, 1855**) (Pyralidae) Synonym(s): *pentadalis* **Lederer, 1855**
 1469) **Cyclophora porata** (**Linnaeus, 1767**) (Geometridae) Synonym(s): *porata* **Linnaeus, 1767**; *huebneraria* **Haworth, 1809**; *poraria* **Latreille, 1825**
 1470) **Cyclophora puppillaria** (**Hübner, [1799]**) (Geometridae) Synonym(s): *puppillaria* **Hübner, [1799]**
 1471) **Cydia leucogrammana** (**Hofmann, 1898**) (Tortricidae) Synonym(s): *leucogrammana* **Hofmann, 1898**
 1472) **Cydia maxima** (**Kuznetsov, 1973**) (Tortricidae) Synonym(s): *maxima* **Kuznetsov, 1973**
 1473) **Cydia pomonella** (**Linnaeus, 1758**) (Tortricidae) Synonym(s): *pomonella* **Linnaeus, 1758**; *pomona* **Fabricius, 1775**; *pomonana* [**Denis & Schiffermüller, 1775**]; *nitens* **Fourcroy, 1785**; *aeneana* **Villers, 1789**; *putaminana* **Staudinger, 1859**
 1474) **Cylindromyia (Neocyrtina) hermonensis** **Kugler, 1974** (Tachinidae) Synonym(s): *hermonensis* **Kugler, 1974**
 1475) **Cylindromyia montana** **Kugler, 1974** (Tachinidae) Synonym(s): *montana* **Kugler, 1974**
 1476) **Cylenia marginata** **Loew, 1846** (Bombyliidae) Synonym(s): *marginata* **Loew, 1846**
 1477) **Cymbalophora oetzeni** (**Lederer, 1855**) (Arctiidae) Synonym(s): *oetzeni* **Lederer, 1855**
 1478) **Cymbionotum (s.str.) schueppelii** (**Dejean, 1825**) (Carabidae) Synonym(s): *schueppelii* **Dejean, 1825**; *rufofasciatum* **Basilevsky, 1948**
 1479) **Cymbionotum (s.str.) semelederi** (**Chaudoir, 1861**) (Carabidae) Synonym(s): *semelederi* **Chaudoir, 1861**; *alginus* **Chaudoir, 1876**; *funerula* **Fairmaire, 1885**; *luniferum* **Andrewes, 1935**; *houskai* **Jedlicka, 1951**
 1480) **Cymus clavivulus** (**Fallén, 1807**) (Lygaeidae) Synonym(s): *clavivulus* **Fallén, 1807**
 1481) **Cynaeda dentalis** (**[Denis & Schiffermüller, 1775]**) (Pyralidae) Synonym(s): *dentalis* [**Denis & Schiffermüller, 1775**]; *ramalis* **Fabricius, 1787**; *radiata* **Esper, 1788**; *fulminans* **Fabricius, 1794**; *dilutalis* **De Lattin, 1959**
 1482) **Cynaeda gigantea** (**Wocke, 1871**) (Pyralidae) Synonym(s): *gigantea* **Wocke, 1871**
 1483) **Cyphon abeillei** **Bourgeois, 1884** (Scirtidae) Synonym(s): *abeillei* **Bourgeois, 1884**
 1484) **Cyphon longiusculus** **Nyholm, 1970** (Scirtidae) Synonym(s): *longiusculus* **Nyholm, 1970**
 1485) **Cyphonoxia praestabilis** **Reitter, 1889** (Scarabaeidae) Synonym(s): *praestabilis* **Reitter, 1889**
 1486) **Cyrtopeltis pygmaea** **Wagner, 1956** (Miridae) Synonym(s): *pygmaea* **Wagner, 1956**; *khalafi* **Seidenstücker, 1964**
 1487) **Cyrtosus cerealis** **Peyron, 1877** (Melyridae) Synonym(s): *cerealis* **Peyron, 1877**
 1488) **Cytherea albolineata** (**Bezzi, 1925**) (Bombyliidae) Synonym(s): *albolineata* **Bezzi, 1925**
 1489) **Cytherea alexandrina** (**Becker, 1902**) (Bombyliidae) Synonym(s): *alexandrina* **Becker, 1902**
 1490) **Cytherea barbara** **Sack, 1906** (Bombyliidae) Synonym(s): *barbara* **Sack, 1906**
 1491) **Cytherea carmelitensis** (**Becker, 1903**) (Bombyliidae) Synonym(s): *carmelitensis* **Becker, 1903**
 1492) **Cytherea delicata** (**Becker, 1906**) (Bombyliidae) Synonym(s): *delicata* **Becker, 1906**
 1493) **Cytherea discipes** **Becker, 1915** (Bombyliidae) Synonym(s): *discipes* **Becker, 1915**
 1494) **Cytherea fenestrata** (**Loew, 1873**) (Bombyliidae) Synonym(s): *fenestrata* **Loew, 1873**
 1495) **Cytherea maroccana** (**Becker, 1903**) (Bombyliidae) Synonym(s): *maroccana* **Becker, 1903**; *nitidapex* **Bezzi, 1925**
 1496) **Cytherea nucleorum** (**Becker, 1902**) (Bombyliidae) Synonym(s): *nucleorum* **Becker, 1902**
 1497) **Cytherea obscura** **Fabricius, 1794** (Bombyliidae) Synonym(s): *obscura* **Fabricius, 1794**; *tauriacus* **Becker, 1903**
 1498) **Cytherea pallidipennis** **Abbasian-Lintzen, 1968** (Bombyliidae) Synonym(s): *pallidipennis* **Abbasian-Lintzen, 1968**
 1499) **Cytherea thyridophora** **Bezzi, 1925** (Bombyliidae) Synonym(s): *thyridophora* **Bezzi, 1925**
 1500) **Cytherea wadensis** **Efflatoun, 1945** (Bombyliidae) Synonym(s): *wadensis* **Efflatoun, 1945**
 1501) **Dalmannia aharonii** **Kröber, 1932** (Conopidae) Synonym(s): *aharonii* **Kröber, 1932**
 1502) **Dalmannia marginata** (**Meigen, 1824**) (Conopidae) Synonym(s): *marginata* **Meigen, 1824**; *albovillosa* **von Roser, 1840**; *flavipes* **R-D., 1853**; *parvula* **Rondani, 1857**; *aharonii* **Kröber, 1932**

- 1503) *Danaus* (*Anosia*) *chrysippus* (Linnaeus,1758) (Danaiidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759
- 1504) *Daphnis nerii* (Linnaeus,1758) (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
- 1505) *Dasycorsa modesta* (Staudinger,1879) (Geometridae) Synonym(s): *modesta* Staudinger,1879
- 1506) *Dasylabris* (*Inbaltilla*) *biblica* Invrea,1950 (Mutillidae) Synonym(s): *biblica* Invrea,1950
- 1507) *Dasyopoda* (*Megadasyopoda*) *toroki* Michez,2004 (Melittidae) Synonym(s): *toroki* Michez,2004
- 1508) *Dasyopoda* (s.str.) *albipila* Spinola,1838 (Melittidae) Synonym(s): *albipila* Spinola,1838
- 1509) *Dasyrhamphis carbonarius* (Meigen,1820) (Tabanidae) Synonym(s): *carbonarius* Meigen,1820; *gagates* Loew,1858
- 1510) *Dasyrhamphis insecutor* (Austen,1920) (Tabanidae) Synonym(s): *insecutor* Austen,1920; *dalei* Austen,1920
- 1511) *Dasyrhamphis nigrinus* (Fabricius,1794) (Tabanidae) Synonym(s): *nigrinus* Fabricius,1794; *alexandrinus* Wiedemann,1830
- 1512) *Dasyrhamphis umbrinus* (Meigen,1820) (Tabanidae) Synonym(s): *umbrinus* Meigen,1820; *istriensis* Meigen,1820; *maculipennis* Brullé,1832; *atavina* Enderlein,1925
- 1513) *Dasycolia ciliata* (Fabricius,1787) (Scoliidae) Synonym(s): *ciliata* Fabricius,1787; *araratica* Radoskovsky,1890; *fastuosa* Gribodo,1893
- 1514) *Dasytidius alfieri* (Wittmer,1935) (Melyridae) Synonym(s): *alfieri* Wittmer,1935
- 1515) *Dasytidius subnudus* Majer,1991 (Melyridae) Synonym(s): *subnudus* Majer,1991
- 1516) *Dasytidius syriacus* (Reitter,1885) (Melyridae) Synonym(s): *syriacus* Reitter,1885
- 1517) *Dasytiscus abeillei* (Bourgeois,1885) (Melyridae) Synonym(s): *abeillei* Bourgeois,1885
- 1518) *Dasytiscus fallax* Majer,1988 (Melyridae) Synonym(s): *fallax* Majer,1988
- 1519) *Dasytiscus hebraicus* Bourgeois,1883 (Melyridae) Synonym(s): *hebraicus* Bourgeois,1883
- 1520) *Dasytiscus schereri* Majer,1988 (Melyridae) Synonym(s): *schereri* Majer,1988
- 1521) *Dasytiscus simulator* Majer,1988 (Melyridae) Synonym(s): *simulator* Majer,1988
- 1522) *Decticus verrucivorus* (Linnaeus,1758) (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846
- 1523) *Deleproctophylla variegata* (Klug,1834) (Ascalaphidae) Synonym(s): *variegata* Klug,1834
- 1524) *Delfimeus punctatus* (Navas,1914) (Myrmeleonidae) Synonym(s): *punctatus* Navas,1914
- 1525) *Delia flavibasis* (Stein,1903) (Anthomyiidae) Synonym(s): *flavibasis* Stein,1903
- 1526) *Delphacodes audrasi* Ribaut,1954 (Delphacidae) Synonym(s): *audrasi* Ribaut,1954; *linnavuorii* LeQuesne,1960
- 1527) *Delphacodoides anaxarchi* (Muir,1926) (Delphacidae) Synonym(s): *anaxarchi* Muir,1926; *ornata* Muir,1929; *trilineus* Dlabola,1957; *#trilineatus* Nast,1972
- 1528) *Delphax inermis* Ribaut,1934 (Delphacidae) Synonym(s): *inermis* Ribaut,1934
- 1529) *Delta dimidiatipenne* (Saussure,1852) (Vespidae) Synonym(s): *dimidiatipenne* Saussure,1852
- 1530) *Delta hottentottus* (Saussure,1852) (Vespidae) Synonym(s): *hottentottus* Saussure,1852; *elegans* Saussure,1852
- 1531) *Deltophora fasciella* Sattler,1979 (Gelechiidae) Synonym(s): *fasciella* Sattler,1979
- 1532) *Deltophora maculata* (Staudinger,1879) (Gelechiidae) Synonym(s): *maculata* Staudinger,1879
- 1533) *Dendarus* (*Pandarinus*) *oertzeni* Seidlitz,1893 (Tenebrionidae) Synonym(s): *oertzeni* Seidlitz,1893
- 1534) *Denops albofasciatus* (Charpentier,1825) (Cleridae) Synonym(s): *albofasciatus* Charpentier,1825
- 1535) *Dentilla dichroa* (Sichel & Radoszkowski,1870) (Mutillidae) Synonym(s): *dichroa* Sichel & Radoszkowski,1870
- 1536) *Dentilla persica* (Sichel & Radoszkowski,1869) (Mutillidae) Synonym(s): *persica* Sichel & Radoszkowski,1869
- 1537) *Dentitegumia nigrigranella* (Ragonot,1890) (Pyralidae) Synonym(s): *nigrigranella* Ragonot,1890; *comeella* Amsel,1961.
- 1538) *Depressaria amblyopa* Meyrick,1921 (Oecophoridae) Synonym(s): *amblyopa* Meyrick,1921
- 1539) *Depressaria chaerophylli* Zeller,1839 (Oecophoridae) Synonym(s): *chaerophylli* Zeller,1839
- 1540) *Depressaria chlorothorax* Meyrick,1921 (Oecophoridae) Synonym(s): *chlorothorax* Meyrick,1921
- 1541) *Depressaria floridella* Mann,1864 (Oecophoridae) Synonym(s): *floridella* Mann,1864
- 1542) *Depressaria marcella* Rebel,1901 (Oecophoridae) Synonym(s): *marcella* Rebel,1901; *cuprinella* Walsingham,1907; *marcidella* Walsingham,1907; *cruenta* Meyrick,1920; *chneuriella* Lucas,1940
- 1543) *Depressaria rutilicola* Christoph,1873 (Oecophoridae) Synonym(s): *rutilicola* Christoph,1873
- 1544) *Depressaria tenebricosa* Zeller,1854 (Oecophoridae) Synonym(s): *tenebricosa* Zeller,1854
- 1545) *Deraeocoris addendus* Linnavuori,1960 (Miridae) Synonym(s): *addendus* Linnavuori,1960; *ocularis* Linnavuori,1960
- 1546) *Deraeocoris pallens* (Reuter,1904) (Miridae) Synonym(s): *pallens* Reuter,1904
- 1547) *Deraeocoris putoni* (Montandon,1885) (Miridae) Synonym(s): *putoni* Montandon,1885
- 1548) *Deraeocoris rutilus* (Herrich-Schäffer,1838) (Miridae) Synonym(s): *rutilus* Herrich-Schäffer,1838; *bellicosus* Horvath,1885; *quadrimaculatus* Jakovlev,1889; *fasciatus* Reuter,1904
- 1549) *Deraeocoris schach* (Fabricius,1781) (Miridae) Synonym(s): *schach* Fabricius,1781; *miniatus* Herrich-Schäffer,1838; *novaki* Horvath,1885; *cunealis* Reuter,1888; *nigrinus* Reuter,1902; *nigrinus* Reuter,1902; *rutiloides* Reuter,1905; *rufipennis* Reuter,1905; *subrutilis* Horvath,1914
- 1550) *Dericorys albidula* Audinet-Serville, [1838] (Dericorythidae) Synonym(s): *albidula* Audinet-Serville, [1838]; *tibialis* Fieber,1853 nec Pall.,1773; *acutispina* Stal,1875; *curvipes* Redtenbacher,1889
- 1551) *Derisa pallida* Fennah,1964 (Flatidae) Synonym(s): *pallida* Fennah,1964
- 1552) *Deronectes parvicollis* (Schaum,1864) (Dytiscidae) Synonym(s): *parvicollis* Schaum,1864
- 1553) *Desmatoneura davidi* Zaitzev,1997 (Bombyliidae) Synonym(s): *davidi* Zaitzev,1997
- 1554) *Desmatoneura kinereti* Zaitzev,1999 (Bombyliidae) Synonym(s): *kinereti* Zaitzev,1999
- 1555) *Deudorix* (*Virachola*) *livia* (Klug,1834) (Lycanidae) Synonym(s): *livia* Klug,1834; *pallens* Rothschild,1921
- 1556) *Deuterotinea palaestinensis* Rebel,1900 (Eriocottidae) Synonym(s): *palaestinensis* Rebel,1900
- 1557) *Deuterotinea syriaca* Lederer,1857 (Eriocottidae) Synonym(s): *syriaca* Lederer,1857
- 1558) *Dextellia dorsilineella* (Amsel,1935) (Gracillariidae) Synonym(s): *dorsilineella* Amsel,1935; *#dorsiliniella* Kuznetsov & Baryshnikova,2001
- 1559) *Diadegma chrysostictos* (Gmelin,1790) (Ichneumonidae) Synonym(s): *chrysostictos* Gmelin,1790
- 1560) *Diadochia stigmatica* Wiltshire,1984 (Noctuidae) Synonym(s): *stigmatica* Wiltshire,1984
- 1561) *Dialectica scalaria* (Zeller,1850) (Gracillariidae) Synonym(s): *scalaria* Zeller,1850
- 1562) *Diaphorus gredleri* Mik, [1881] (Dolichopodidae) Synonym(s): *gredleri* Mik, [1881]; *flavomaculatus* Strobl,1909
- 1563) *Diaphorus hoffmannseggii* Meigen,1830 (Dolichopodidae) Synonym(s): *hoffmannseggii* Meigen,1830; *tripilus* Loew,1857
- 1564) *Diaphorus nigricans* Meigen,1824 (Dolichopodidae) Synonym(s): *nigricans* Meigen,1824; *obscuripes* Zetterstedt,1838; *sokolovi* Stackelberg,1928; *consimilis* Parent,1937

- 1565) *Diaphorus varifrons* Becker, 1918 (Dolichopodidae) Synonym(s): *varifrons* Becker, 1918
- 1566) *Dibolia carpathica* Weise, 1893 (Chrysomelidae) Synonym(s): *carpathica* Weise, 1893; *transcaucasica* Khnzorian, 1968
- 1567) *Dibolia chevrolati* Allard, 1861 (Chrysomelidae) Synonym(s): *chevrolati* Allard, 1861
- 1568) *Dibolia phoenicia* Allard, 1866 (Chrysomelidae) Synonym(s): *phoenicia* Allard, 1866
- 1569) *Dibolia rufemorata* Reitter, 1896 (Chrysomelidae) Synonym(s): *rufemorata* Reitter, 1896
- 1570) *Diceratura roseofasciana* (Mann, 1855) (Tortricidae) Synonym(s): *roseofasciana* Mann, 1855; *aequana* Caradja, 1916; *keredjana* Razowski, 1963.
- 1571) *Dicerogastra chersotoides* (Wiltshire, 1956) (Noctuidae) Synonym(s): *chersotoides* Wiltshire, 1956
- 1572) *Dichagyris* (Grisyigoga) *candelisequa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller], 1775; *sagittifera* Hübner, [1813]; *piemonticola* Schwingenschuss, 1954; *zapateri* Schwingenschuss, 1962.
- 1573) *Dichagyris* (s.str.) *anastasia* (Draudt, 1936) (Noctuidae) Synonym(s): *anastasia* Draudt, 1936
- 1574) *Dichagyris* (s.str.) *devota* (Christoph, 1884) (Noctuidae) Synonym(s): *devota* Christoph, 1884; *turana* Staudinger, 1892
- 1575) *Dichagyris* (s.str.) *elbursica* (Draudt, 1937) (Noctuidae) Synonym(s): *elbursica* Draudt, 1937
- 1576) *Dichagyris* (s.str.) *erubescens* (Staudinger, 1892) (Noctuidae) Synonym(s): *erubescens* Staudinger, 1892
- 1577) *Dichagyris* (s.str.) *imperator* (A. Bang-Haas, 1912) (Noctuidae) Synonym(s): *imperator* A. Bang-Haas, 1912; *alcarriensis* Calle & Agenjo, 1981
- 1578) *Dichagyris* (s.str.) *leucomelas* Brandt, 1941 (Noctuidae) Synonym(s): *leucomelas* Brandt, 1941
- 1579) *Dichagyris* (s.str.) *melanura* (Kollar, 1846) (Noctuidae) Synonym(s): *melanura* Kollar, 1846
- 1580) *Dichagyris* (s.str.) *pfeifferi* (Corti & Draudt, 1933) (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt, 1933
- 1581) *Dichagyris* (s.str.) *singularis* (Staudinger, 1877) (Noctuidae) Synonym(s): *singularis* Staudinger, 1877
- 1582) *Dichagyris* (s.str.) *terminicincta* (Corti & Draudt, 1933) (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt, 1933; *maraschi* Corti & Draudt, 1933.
- 1583) *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer, [1852]) (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898; *pretiosa* Caradja, 1931.
- 1584) *Dichagyris* (Yigoga) *libanicola* (Corti & Draudt, 1933) (Noctuidae) Synonym(s): *libanicola* Corti & Draudt, 1933; *libanicola* Corti, 1933
- 1585) *Dichagyris* (Yigoga) *nigrescens* (Hofner, 1888) (Noctuidae) Synonym(s): *nigrescens* Höfner, 1888
- 1586) *Dichagyris* (Yigoga) *romanovi* (Christoph, 1885) (Noctuidae) Synonym(s): *romanovi* Christoph, 1885; *#jura* Strand, 1915; *karsholti* Fibiger, 1990.
- 1587) *Dichagyris* (Yigoga) *serraticornis* (Staudinger, 1898) (Noctuidae) Synonym(s): *serraticornis* Staudinger, 1898
- 1588) *Dichagyris* (Yigoga) *truculenta* (Lederer, 1853) (Noctuidae) Synonym(s): *truculenta* Lederer, 1853
- 1589) *Dichillus* (*Dichillocerus*) *crassicornis* Allard, 1869 (Tenebrionidae) Synonym(s): *crassicornis* Allard, 1869
- 1590) *Dichomeris bodenheimeri* (Rebel, 1926) (Gelechiidae) Synonym(s): *bodenheimeri* Rebel, 1926
- 1591) *Dichrogastrer modesta* (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *modesta* Gravenhorst, 1829
- 1592) *Dicraeus ingratus* (Loew, 1866) (Chloropidae) Synonym(s): *ingratus* Loew, 1866
- 1593) *Dicraeus tibialis* Macquart, 1835 (Chloropidae) Synonym(s): *tibialis* Macquart, 1835; *pallidiventris* Macquart, 1835; *bipunctata* Macquart, 1835; *rufimana* Macquart, 1835; *rufiventris* Macquart, 1835; *flavimana* Macquart, 1835; *fulviventris* Meigen, 1838; *abdominalis* Zetterstedt, 1848
- 1594) *Dicranoccephalus agilis* (Scopoli, 1763) (Stenocephalidae) Synonym(s): *agilis* Scopoli, 1763; *quinquepunctatus* Goetze, 1778; *nugax* Fabricius, 1781; *monilis* Geoffroy, 1785; *geoffroy* Petagna, 1787; *multicolor* Gmelin, 1790; *nussax* Gmelin, 1790; *celer* Gmelin, 1790; *melanochros* Gmelin, 1790; *mexicanus* Ashmead, 1886; *crassicornis* Horvath, 1887; *femoralis* Noulhier, 1893; *femoratus* Puton, 1899; *robustus* Jakovlev, 1901; *moralesi* Wagner, 1950; *africanus* Stichel, 1959; *litoralis* Linnavuori, 1960
- 1595) *Dicranoccephalus marginatus* (Ferrari, 1874) (Stenocephalidae) Synonym(s): *marginatus* Ferrari, 1874; *albomarginatus* Jakovlev, 1877; *orientalis* Distant, 1880
- 1596) *Dicranoccephalus setulosus* (Ferrari, 1874) (Stenocephalidae) Synonym(s): *setulosus* Ferrari, 1874
- 1597) *Dicranomyia* (s.str.) *chorea* (Meigen, 1818) (Limoniidae) Synonym(s): *#lutea* Meigen, 1804; *chorea* Meigen, 1818; *quadra* Meigen, 1838; *flavicollis* Becker, 1908; *longipes* Santos Abreu, 1923; *vidua* Santos Abreu, 1923; *grisescens* Lackschewitz, 1928; *lutescens* Lackschewitz, 1928
- 1598) *Dicranomyia* (s.str.) *goritiensis* (Mik, 1864) (Limoniidae) Synonym(s): *goritiensis* Mik, 1864; *cornubiensis* Edwards, 1938
- 1599) *Dicranomyia* (s.str.) *mitis* (Meigen, 1830) (Limoniidae) Synonym(s): *mitis* Meigen, 1830; *excisa* Walker, 1848; *unicolor* Strobl, 1898; *maculosa* Strobl, 1900; *lutea* Lackschewitz, 1928; *infusca* Lackschewitz, 1928; *imbecilla* Lackschewitz, 1941; *hygropetrica* Vaillant, 1952.
- 1600) *Dicranomyia* (s.str.) *signatella* Stary & Freidberg, 2007 (Limoniidae) Synonym(s): *modesta* Lackschewitz & Pagast, 1941 nec Meig., 1818; *signata* Lackschewitz & Pagast, 1941 (praeocc.); *signatella* Stary & Freidberg, 2007
- 1601) *Dicranomyia* (s.str.) *ventralis* (Schummel, 1829) (Limoniidae) Synonym(s): *ventralis* Schummel, 1829; *simplex* Brunetti, 1912; *perserotina* Alexander, 1945; *pristomera* Alexander, 1968
- 1602) *Dicranophragma* (*Brachylimnophila*) *adjunctum* (Walker, 1848) (Limoniidae) Synonym(s): *adjunctum* Walker, 1848; *axillare* Strobl, 1906; *brevifurcatum* Strobl, 1906; *dimidiatum* De Meijere, 1918; *noscibile* Edwards, 1921
- 1603) *Dicranoptycha* (s.str.) *fuscescens* (Schummel, 1829) (Limoniidae) Synonym(s): *fuscescens* Schummel, 1829; *lundstroemi* Bergroth, 1922
- 1604) *Dictyonota phoenicea* Seidenstücker, 1963 (Tingidae) Synonym(s): *phoenicea* Seidenstücker, 1963
- 1605) *Dictyophara asiatica* Melichar, 1912 (Dictyopharidae) Synonym(s): *asiatica* Melichar, 1912
- 1606) *Dictyophara eremica* Linnavuori, 1962 (Dictyopharidae) Synonym(s): *eremica* Linnavuori, 1962
- 1607) *Dictyophara multireticulata* Mulsant & Rey, 1855 (Dictyopharidae) Synonym(s): *multireticulata* Mulsant & Rey, 1855; *heydenii* Kirschbaum, 1868; *curvata* Matsumura, 1910; *nemourensis* Matsumura, 1910; *oertzeni* Matsumura, 1910
- 1608) *Dictyophara pales* Linnavuori, 1970 (Dictyopharidae) Synonym(s): *pales* Linnavuori, 1970
- 1609) *Dictyophara striata* Oshanin, 1879 (Dictyopharidae) Synonym(s): *striata* Oshanin, 1879
- 1610) *Dictyophara subsimilis* Linnavuori, 1953 (Dictyopharidae) Synonym(s): *subsimilis* Linnavuori, 1953
- 1611) *Dictyophara xiphias* Puton, 1884 (Dictyopharidae) Synonym(s): *xiphias* Puton, 1884; *compacta* Linnavuori, 1962
- 1612) *Dicycla oo* (Linnaeus, 1758) (Noctuidae) Synonym(s): *oo* Linnaeus, 1758; *ferruginago* Hübner, [1803].
- 1613) *Dicyphus annulatus* (Wolff, 1804) (Miridae) Synonym(s): *annulatus* Wolff, 1804; *ononidis* E. Wagner, 1951
- 1614) *Dicyphus lindbergi* E. Wagner, 1951 (Miridae) Synonym(s): *lindbergi* E. Wagner, 1951
- 1615) *Dicyphus linnavuorii* E. Wagner, 1967 (Miridae) Synonym(s): *linnavuorii* E. Wagner, 1967
- 1616) *Dicyphus tamaninii* E. Wagner, 1951 (Miridae) Synonym(s): *tamaninii* E. Wagner, 1951
- 1617) *Dielocroce joppana* (Withycombe, 1923) (Nemopteridae) Synonym(s): *joppana* Withycombe, 1923
- 1618) *Dieuches syriacus* F.A. Dohrn, 1860 (Lygaeidae) Synonym(s): *syriacus* F.A. Dohrn, 1860
- 1619) *Diglyphus crassinervis* Erdős, 1958 (Eulophidae) Synonym(s): *crassinervis* Erdős, 1958

- 1620) Diglyphus isaea (Walker,1838)** (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877
- 1621) Digrammia jordanaria (Staudinger,1901)** (Geometridae) Synonym(s): *jordanaria* Staudinger,1901
- 1622) Diloeba caeruleocephala (Linnaeus,1758)** (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
- 1623) Dilophus bispinosus Lundström,1913** (Bibionidae) Synonym(s): *bispinosus* Lundström,1913
- 1624) Dilophus clavicornis Skartveit & Kaplan,1996** (Bibionidae) Synonym(s): *clavicornis* Skartveit & Kaplan,1996
- 1625) Dilophus lingens Loew,1869** (Bibionidae) Synonym(s): *lingens* Loew,1869
- 1626) Dilophus tridentatus Walker,1848** (Bibionidae) Synonym(s): *tridentatus* Walker,1848; *africanus* Becker,1903
- 1627) Dioctria rufonigra Theodor,1980** (Asilidae) Synonym(s): *rufonigra* Theodor,1980
- 1628) Dioctria striata Theodor,1980** (Asilidae) Synonym(s): *striata* Theodor,1980
- 1629) Dioctria valida Loew,1856** (Asilidae) Synonym(s): *valida* Loew,1856
- 1630) Diogena fausta (Burmeister,1838)** (Tettigoniidae) Synonym(s): *fausta* Burmeister,1838
- 1631) Dioryctria mendacella (Staudinger,1859)** (Pyrilidae) Synonym(s): *mendacella* Staudinger,1859; *#mendacella* Rebel,1939
- 1632) Dioryctria pineae (Staudinger,1859)** (Pyrilidae) Synonym(s): *pineae* Staudinger,1859
- 1633) Dioxyna bidentis (R-D.,1830)** (Tephritidae) Synonym(s): *bidentis* R-D.,1830
- 1634) Dioxys ammobius Mavromoustakis,1954** (Megachilidae) Synonym(s): *ammobius* Mavromoustakis,1954
- 1635) Dioxys cincta (Jurine,1807)** (Megachilidae) Synonym(s): *cincta* Jurine,1807
- 1636) Dioxys pumila Gerstaecker,1869** (Megachilidae) Synonym(s): *pumila* Gerstaecker,1869
- 1637) Dirhinosisia arnoldiella (Rebel,1905)** (Gelechiidae) Synonym(s): *arnoldiella* Rebel,1905
- 1638) Dirhinosisia nitidula (Stainton,1867)** (Gelechiidae) Synonym(s): *nitidula* Stainton,1867
- 1639) Dirhinus cyprius Masi,1939** (Chalcididae) Synonym(s): *cyprius* Masi,1939
- 1640) Dirhinus giffardii Silvestri,1913** (Chalcididae) Synonym(s): *giffardii* Silvestri,1913
- 1641) Dirhinus wohlfahrtiae Ferrière,1935** (Chalcididae) Synonym(s): *wohlfahrtiae* Ferrière,1935
- 1642) Dischistus effatounbeyi François,1961** (Bombyliidae) Synonym(s): *auripilus* Efflatoun,1945 *nec* by Ség.,1930; *effatounbeyi* François,1961
- 1643) Dischistus niveicomatus Austen,1937** (Bombyliidae) Synonym(s): *niveicomatus* Austen,1937
- 1644) Dischistus syriacus (Villeneuve,1912)** (Bombyliidae) Synonym(s): *syriacus* Villeneuve,1912
- 1645) Discodes aeneus (Dalman,1820)** (Encyrtidae) Synonym(s): *aeneus* Dalman,1820; *melanopterus* Nees,1834; *stadius* Walker,1850; *obscuricornis* Mercet,1921; *basihyalinus* Hoffer,1954
- 1646) Discodes coccophagus (Ratzeburg,1848)** (Encyrtidae) Synonym(s): *coccophagus* Ratzeburg,1848
- 1647) Discomyza vorticis Becker,1903** (Ephydriidae) Synonym(s): *vorticis* Becker,1903
- 1648) Distoleon laticollis (Navas,1913)** (Myrmeleoniidae) Synonym(s): *laticollis* Navas,1913; *alienus* Navas,1913
- 1649) Dociostaurus (Kazakia) genei (Ocskay,1832)** (Acrididae) Synonym(s): *genei* Ocskay,1832; *crucigerus* Rambur,1838; *pygmaeum* Fischer,1853
- 1650) Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978
- 1651) Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905
- 1652) Dociostaurus (Notostaurus) cephalotes Uvarov,1924** (Acrididae) Synonym(s): *cephalotes* Uvarov,1924
- 1653) Dociostaurus (Stauronotulus) hauensteini (Bolivar,1893)** (Acrididae) Synonym(s): *hauensteini* Bolivar,1893
- 1654) Docirava mundulata (Guenée,[1858])** (Geometridae) Synonym(s): *mundulata* Guenée,[1858]; *submundulata* Staudinger,1892
- 1655) Dolicharthria bruguieralis (Duponchel,1833)** (Pyrilidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915
- 1656) Dolicharthria punctalis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *punctalis* [Denis & Schiffermüller],1775
- 1657) Dolichopus diadema Haliday,1832** (Dolichopodidae) Synonym(s): *diadema* Haliday,1832; *fraternus* Staeger,1842
- 1658) Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus* Loew,1859
- 1659) Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 *nec* Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859
- 1660) Dolichopus perversus Loew,1871** (Dolichopodidae) Synonym(s): *perversus* Loew,1871
- 1661) Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): *sabinus* Haliday,1838; *pictus* Staeger,1842
- 1662) Dolichopus sculus Loew,1859** (Dolichopodidae) Synonym(s): *sculus* Loew,1859
- 1663) Dolichopus syriacus Becker,1917** (Dolichopodidae) Synonym(s): *syriacus* Becker,1917
- 1664) Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris* Scopoli,1763; *parietum* Harris,1776 *nec* Linn.,1758; *holsatica* Fabricius,1793; *frontalis* Latreille,1802; *campanaria* Fowler,1833; *pilosella* Costa,1858; *sumptuosa* Du Buysson,1905; *xinjiangensis* Lee,1986
- 1665) Doliopteryx arava Evenhuis,2000** (Mythicomyiidae) Synonym(s): *arava* Evenhuis,2000
- 1666) Doliopteryx palaestinensis Evenhuis & Theodor,2000** (Mythicomyiidae) Synonym(s): *palaestinensis* Evenhuis & Theodor,2000
- 1667) Dolycoris baccarum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *baccarum* Linnaeus,1758; *verbasci* De Geer,1773; *subater* Harris,1780; *albidus* Gmelin,1790; *depressa* Westwood,1837; *confusa* Westwood,1837; *inconcisa* Walker,1867
- 1668) Donaspastus djinn Gozmany,1963** (Autostichidae) Synonym(s): *djinn* Gozmany,1963
- 1669) Doratulina acuticeps (Ribaut,1948)** (Cicadellidae) Synonym(s): *acuticeps* Ribaut,1948
- 1670) Doratulina instabilis (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis* Ribaut,1948
- 1671) Doratulina luxoriensis Linnavuori,1952** (Cicadellidae) Synonym(s): *luxoriensis* Linnavuori,1952
- 1672) Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla* Flor,1861
- 1673) Dorycera judaea (Hendel,1908)** (Ulidiidae) Synonym(s): *judaea* Hendel,1908; *subasiatica* Becker,1910; *limpidipennis* Becker,1910
- 1674) Dorysarthrus mobilicornis Puton,1895** (Dictyopharidae) Synonym(s): *mobilicornis* Puton,1895
- 1675) Drasteria cailino (Lefebvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefebvre,1827; *caylino* Lederer,1857
- 1676) Drasteria flexuosa (Ménétriés,1848)** (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881
- 1677) Drasteria herzi (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi* Alpheraky,1895
- 1678) Drasteria kabyalaria (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): *kabyalaria* A.Bang-Haas,1906
- 1679) Drasteria oranensis Rothschild,1920** (Noctuidae) Synonym(s): *oranensis* Rothschild,1920

- 1680) *Drosophila (Dorsilopha) buskii* Coquillett, 1901** (Drosophilidae) Synonym(s): *buskii* Coquillett, 1901; *rubrostriata* Becker, 1908; *plurilineata* Villeneuve, 1911
- 1681) *Drosophila (Lordiphosa) andalusica* Strobl, 1906** (Drosophilidae) Synonym(s): *andalusica* Strobl, 1906; *forcipata* Collin, 1952
- 1682) *Drosophila (s.str.) immigrans* Sturtevant, 1921** (Drosophilidae) Synonym(s): *immigrans* Sturtevant, 1921; *cilifemur* Villeneuve, 1923
- 1683) *Drosophila (s.str.) repleta* Wollaston, 1858** (Drosophilidae) Synonym(s): *repleta* Wollaston, 1858; *adpersa* Mik, 1886
- 1684) *Drosophila (Scaptodrosophila) lebanonensis* Wheeler, 1949** (Drosophilidae) Synonym(s): *lebanonensis* Wheeler, 1949
- 1685) *Drosophila (Sophophora) melanogaster* Meigen, 1830** (Drosophilidae) Synonym(s): *melanogaster* Meigen, 1830; *fasciata* Meigen, 1830; *approximata* Zetterstedt, 1847; *uvarum* Rondani, 1875; *pilosula* Becker, 1908
- 1686) *Drosophila (Sophophora) simulans* Sturtevant, 1921** (Drosophilidae) Synonym(s): *simulans* Sturtevant, 1921
- 1687) *Drosophila (Sophophora) subobscura* Collin, 1936** (Drosophilidae) Synonym(s): *subobscura* Collin, 1936
- 1688) *Dryobota labecula* (Esper, [1788])** (Noctuidae) Synonym(s): *labecula* Esper, [1788]
- 1689) *Dryobotodes (Dichonioxia) tenebrosa* (Esper, [1789])** (Noctuidae) Synonym(s): *tenebrosa* Esper, [1789]; *saportae* Duponchel, 1826.
- 1690) *Dryobotodes (s.str.) carbonis* (F. Wagner, 1931)** (Noctuidae) Synonym(s): *carbonis* F. Wagner, 1931; *taurica* Osthelder, 1933; *europaea* Pinker, 1976.
- 1691) *Dryobotodes (s.str.) eremita* (Fabricius, 1775)** (Noctuidae) Synonym(s): *eremita* Fabricius, 1775; *protea* [Denis & Schiffermüller], 1775; *seladonia* Fabricius, 1794; *corsica* Spuler, 1905; *#dejecta* W. Warren, 1911; *#grisea* W. Warren, 1911
- 1692) *Dufourea (Dentirophites) bytinskii* Ebmer, 1999** (Halictidae) Synonym(s): *bytinskii* Ebmer, 1999
- 1693) *Dufourea (s.str.) chagrina* (Warnecke, 1979)** (Halictidae) Synonym(s): *chagrina* Warnecke, 1979
- 1694) *Dufourea (s.str.) goeleti* Ebmer, 1999** (Halictidae) Synonym(s): *goeleti* Ebmer, 1999
- 1695) *Dufourea (s.str.) nodicornis* (Warnecke, 1979)** (Halictidae) Synonym(s): *nodicornis* Warnecke, 1979
- 1696) *Dufourea (s.str.) rufiventris* Friese, 1898** (Halictidae) Synonym(s): *rufiventris* Friese, 1898
- 1697) *Dufourea (s.str.) trigonellae* Ebmer, 1999** (Halictidae) Synonym(s): *trigonellae* Ebmer, 1999
- 1698) *Duilus seticulosa* (Lethierry, 1874)** (Cixiidae) Synonym(s): *seticulosa* Lethierry, 1874; *irrorata* A. Costa, 1882; *punctata* Lallemant, 1929
- 1699) *Duponchelia fovealis* (Zeller, 1847)** (Pyrilidae) Synonym(s): *fovealis* Zeller, 1847; *canuialis* Millière, 1869; *griseata* Butler, 1875; *uniflexalis* Mabilie, 1880
- 1700) *Duroniella laticornis* (Krauss, 1909)** (Acrididae) Synonym(s): *laticornis* Krauss, 1909
- 1701) *Dusona oxyacanthae* (Boie, 1855)** (Ichneumonidae) Synonym(s): *oxyacanthae* Boie, 1855
- 1702) *Duzulla subhyalinalis* (Hampson, 1900)** (Pyrilidae) Synonym(s): *subhyalinalis* Hampson, 1900
- 1703) *Dyoderes umbraculatus* (Fabricius, 1775)** (Pentatomidae) Synonym(s): *umbraculatus* Fabricius, 1775; *marginatus* Fabricius, 1798 nec Linn., 1758; *aparinus* Dufour, 1833
- 1704) *Dysauxes (s.str.) famula* (Freyer, 1836)** (Ctenuchidae) Synonym(s): *famula* Freyer, 1836; *hyalina* Freyer, 1845; *ragusaria* Zickert, 1904; *herthina* Stauder, 1921; *burgeffi* Draudt, 1931; *taurica* Draudt, 1931; *pseudoservula* Naufock, 1933; *pontica* Friese, 1959; *sofiata* De Laever, 1983; *lucana* De Laever, 1983.
- 1705) *Dyscia (Calodyscia) innocentaria* (Christoph, 1885)** (Geometridae) Synonym(s): *innocentaria* Christoph, 1885; *sicanaria* Oberthür, 1923; *sicula* Reisser, 1940; *#innocentaria* Pugaev & Zolotuhin, 2006
- 1706) *Dymachus zaitzevi* Lehr, 1996** (Asilidae) Synonym(s): *zaitzevi* Lehr, 1996
- 1707) *Earias chlorophyllana* Staudinger, 1892** (Noctuidae) Synonym(s): *chlorophyllana* Staudinger, 1892; *syrticola* Turati, 1926; *watsoni* Wiltshire, 1947.
- 1708) *Earias insulana* (Boisduval, 1833)** (Noctuidae) Synonym(s): *insulana* Boisduval, 1833; *smaragdinana* Zeller, 1852; *frondosana* Walker, 1863; *xanthophila* Walker, 1863; *siliquana* Stainton, 1865; *simillima* Walker, 1866; *gossypii* Frauenfeld, 1867; *anthophilana* Snellen, 1879; *trigostrigosa* Butler, 1881.
- 1709) *Earias syriacana* Bartel, 1903** (Noctuidae) Synonym(s): *syriacana* Bartel, 1903
- 1710) *Earias vitella* (Fabricius, 1794)** (Noctuidae) Synonym(s): *vitella* Fabricius, 1794; *speiplena* Walker, 1857; *partita* Walker, 1865; *huegeli* Rogenhofer, 1870
- 1711) *Ebaeus flavobullatus* Marseul, 1868** (Melyridae) Synonym(s): *flavobullatus* Marseul, 1868; *orientalis* Wittmer, 1979
- 1712) *Eccoptopus longitarsis* (Macquart, 1838)** (Asilidae) Synonym(s): *longitarsis* Macquart, 1838; *erythrogastus* Loew, 1871; *lucidus* Becker, 1907
- 1713) *Echthistus rufinervis* (Meigen, 1820)** (Asilidae) Synonym(s): *rufinervis* Meigen, 1820
- 1714) *Eclimys gracilis* Loew, 1844** (Bombyliidae) Synonym(s): *gracilis* Loew, 1844; *festae* Bezzi, 1924
- 1715) *Epeyrrhorhoe diffusalis* (Guenée, 1854)** (Pyrilidae) Synonym(s): *carnealis* Dup., 1831 nec Treit. 1829; *diffusalis* Guenée, 1854; *affusalis* Guenée, 1854; *tenuialis* Mann, 1862.
- 1716) *Ectoedemia (s.str.) suberis* (Stainton, 1869)** (Nepticulidae) Synonym(s): *suberis* Stainton, 1869
- 1717) *Ectomocoris jordanensis* Linnavuori, 1961** (Reduviidae) Synonym(s): *jordanensis* Linnavuori, 1961
- 1718) *Ectomocoris melanogaster* (Fieber, 1861)** (Reduviidae) Synonym(s): *melanogaster* Fieber, 1861
- 1719) *Ectomocoris ululans* (Rossi, 1790)** (Reduviidae) Synonym(s): *ululans* Rossi, 1790; *tidikelti* Dispos, 1961
- 1720) *Edosa griseella* (Robinson, 1985)** (Tineidae) Synonym(s): *griseella* Robinson, 1985
- 1721) *Edosa lardatella* (Lederer, 1858)** (Tineidae) Synonym(s): *lardatella* Lederer, 1858
- 1722) *Edwardsiana tshinari* Zachvatkin, 1947** (Cicadellidae) Synonym(s): *tshinari* Zachvatkin, 1947
- 1723) *Efflatounia aegyptiaca* Bezzi, 1925** (Bombyliidae) Synonym(s): *aegyptiaca* Bezzi, 1925
- 1724) *Egira tibori* Hreblay, 1994** (Noctuidae) Synonym(s): *tibori* Hreblay, 1994
- 1725) *Egnatioides mendelssohni* Fishelson, 1993** (Acrididae) Synonym(s): *mendelssohni* Fishelson, 1993
- 1726) *Elachiptera megaspis* (Loew, 1858)** (Chloropidae) Synonym(s): *megaspis* Loew, 1858
- 1727) *Elachiptera rufifrons* Duda, 1932** (Chloropidae) Synonym(s): *rufifrons* Duda, 1932
- 1728) *Elasmus steffani* Viggiani, 1967** (Eulophidae) Synonym(s): *masii* Steffan, 1962; *steffani* Viggiani, 1967
- 1729) *Ellipsocoris trilineata* Mayr, 1864** (Scutelleridae) Synonym(s): *trilineata* Mayr, 1864
- 1730) *Ellipteroides (s.str.) lateralis* (Macquart, 1835)** (Limoniidae) Synonym(s): *lateralis* Macquart, 1835
- 1731) *Elophila hederalis* Amsel, 1935** (Pyrilidae) Synonym(s): *hederalis* Amsel, 1935; *auralis* Osthelder, 1935
- 1732) *Elophila nymphaeata* (Linnaeus, 1758)** (Pyrilidae) Synonym(s): *nymphaeata* Linnaeus, 1758; *potamogata* Linnaeus, 1758; *rivulata* Scopoli, 1763; *nymphaealis* [Denis & Schiffermüller], 1775; *potamogalis* [Denis & Schiffermüller], 1775; *obscuralis* Selys-Longchamps, 1845; *potamogetalis* Reutti, 1898
- 1733) *Ematheudes punctellus* (Treitschke, 1833)** (Pyrilidae) Synonym(s): *punctellus* Treitschke, 1833
- 1734) *Emblethis griseus* (Wolff, 1802)** (Lygaeidae) Synonym(s): *griseus* Wolff, 1802
- 1735) *Emblethis verbasci* (Fabricius, 1803)** (Lygaeidae) Synonym(s): *verbasci* Fabricius, 1803

- 1736)** *Emmeline argoteles* (Meyrick,1922) (Pterophoridae) Synonym(s): *argoteles* Meyrick,1922; *jezonicus* Matsumura,1931; *komabensis* Matsumura,1931; *menoko* Matsumura,1931; *yanagawanus* Matsumura,1931.
- 1737)** *Emmeline monodactyla* (Linnaeus,1758) (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 1738)** *Emmepus bonnairii* Fairmaire,1883 (Cleridae) Synonym(s): *bonnairii* Fairmaire,1883
- 1739)** *Emmepus pallidipennis* Pic,1898 (Cleridae) Synonym(s): *pallidipennis* Pic,1898
- 1740)** *Empicoris mediterraneus* Hoberlandt,1955 (Reduviidae) Synonym(s): *mediterraneus* Hoberlandt,1955
- 1741)** *Empidideicus carthaginensis* Becker,1907 (Mythicomyiidae) Synonym(s): *carthaginensis* Becker,1907
- 1742)** *Empidideicus efflatouni* Engel,1933 (Mythicomyiidae) Synonym(s): *efflatouni* Engel,1933
- 1743)** *Empis (Euempis) dasycera* Collin,1960 (Empidae) Synonym(s): *dasycera* Collin,1960
- 1744)** *Empis (Polyblepharis) dedecor* Loew,1869 (Empidae) Synonym(s): *dedecor* Loew,1869
- 1745)** *Empis (Polyblepharis) soror* Collin,1937 (Empidae) Synonym(s): *soror* Collin,1937
- 1746)** *Empis (Polyblepharis) spirifera* Bezzi,1909 (Empidae) Synonym(s): *spirifera* Bezzi,1909
- 1747)** *Empis (s.str.) curticoris* Collin,1960 (Empidae) Synonym(s): *curticoris* Collin,1960
- 1748)** *Empis (s.str.) discrepans* Collin,1960 (Empidae) Synonym(s): *discrepans* Collin,1960
- 1749)** *Empis (s.str.) inopinata* Collin,1960 (Empidae) Synonym(s): *inopinata* Collin,1960
- 1750)** *Empis (s.str.) insulata* Collin,1960 (Empidae) Synonym(s): *insulata* Collin,1960
- 1751)** *Empoasca decipiens* Paoli,1930 (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961
- 1752)** *Empoasca vitis* (Göthe,1875) (Cicadellidae) Synonym(s): *vitis* Göthe,1875; *aurantiaca* Lethierry,1880; *viticola* Targioni-Tozzetti,1888; *subvaria* Rey,1894; *vitium* Paoli,1931; *punctata* Kato,1933; *petiolata* Cerutti,1939
- 1753)** *Empusa fasciata* Brullé,1836 (Empusidae) Synonym(s): *fasciata* Brullé,1836
- 1754)** *Empusa uvarovi* Chopard,1921 (Empusidae) Synonym(s): *uvarovi* Chopard,1921
- 1755)** *Encarsia bimaculata* Heraty & Polaszek,2000 (Aphelinidae) Synonym(s): *bimaculata* Heraty & Polaszek,2000
- 1756)** *Encarsia davidi* Viggiani & Mazzone,1980 (Aphelinidae) Synonym(s): *davidi* Viggiani & Mazzone,1980
- 1757)** *Encarsia formosa* Gahan,1924 (Aphelinidae) Synonym(s): *formosa* Gahan,1924
- 1758)** *Encarsia inaron* (Walker,1839) (Aphelinidae) Synonym(s): *inaron* Walker,1839; *idaeus* Walker,1839; *parthenopea* Masi,1909; *indifferentis* Mercet,1929; *aleyrodus* Mercet,1930; *brassicae* Shafee & Bela,1984; *borealis* Hulden,1986
- 1759)** *Encarsia lahorensis* (Howard,1911) (Aphelinidae) Synonym(s): *lahorensis* Howard,1911
- 1760)** *Encarsia mineoi* Viggiani,1982 (Aphelinidae) Synonym(s): *mineoi* Viggiani,1982
- 1761)** *Enconista exustaria* Staudinger,1897 (Geometridae) Synonym(s): *exustaria* Staudinger,1897
- 1762)** *Encyrtus aurantii* (Geoffroy,1785) (Encyrtidae) Synonym(s): *aurantii* Geoffroy,1785; *lecaniorum* Mayr,1876; *bicolor* Howard,1881; *albicoxa* Ashmead,1885; *hibisci* Girault,1915; *argenticoxa* Girault,1915; *argentscapus* Girault,1915; *aurantifasciata* Girault,1915; *mirabilis* Brethes,1916; *albiscapus* Masi,1917; *barbatus* Timerlake,1919; *cocci* Risbec,1951; *ceroplastis* Agarwal,1965
- 1763)** *Encyrtus infelix* (Embleton,1902) (Encyrtidae) Synonym(s): *infelix* Embleton,1902; *hortensis* Girault,1915; *proserpinensis* Girault,1915; *tanarivensis* Risbec,1952
- 1764)** *Endothenia gentianaena* (Hübner,[1799]) (Tortricidae) Synonym(s): ? *bidella* Fourcroy,1785; *gentianaena* Hübner,[1799]; *gentiana* Hübner,[1825]; *oblongana* Haworth,[1811]; *sellana* Frölich,1828; *desertana* Staudinger,1879; *adelana* Rebel,1892.
- 1765)** *Endothenia oblongana* (Haworth,[1811]) (Tortricidae) Synonym(s): *oblongana* Haworth,[1811]; *sellana* Frölich,1828.
- 1766)** *Endotricha consobrinalis* Zeller,1852 (Pyralidae) Synonym(s): *consobrinalis* Zeller,1852; *brunnea* W.Warren,1897; *dissimulans* W.Warren,1897; *jordana* Hampson,1900.
- 1767)** *Endotricha flammeal* (Denis & Schiffermüller,1775) (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951.
- 1768)** *Engelepogon goedli* (Loew,1854) (Asilidae) Synonym(s): *goedli* Loew,1854
- 1769)** *Engistus boops* (Dufour,1857) (Lygaeidae) Synonym(s): *boops* Dufour,1857; *genei* A.Costa,1864; *brucki* Fieber,1864; *gracilicornis* Linnavuori,1960 [ssp.]
- 1770)** *Engistus exsanguis* Stal,1872 (Lygaeidae) Synonym(s): *exsanguis* Stal,1872; *unicolor* Jakovlev,1877; *conspureatus* Horvath,1911; *fasciatus* Horvath,1911; *#crocea* Priesner & Alfieri,1953; *#viridis* Priesner & Alfieri,1953; *punctulatus* Linnavuori,1953 [ssp.]
- 1771)** *Ennomos (Deuteronomos) freidbergi* Hausmann,1997 (Geometridae) Synonym(s): *freidbergi* Hausmann,1997
- 1772)** *Enochrus (s.str.) melanocephalus* (Olivier,1792) (Hydrophilidae) Synonym(s): *melanocephalus* Olivier,1792
- 1773)** *Enolmis acanthella* (Godart,1824) (Scythridae) Synonym(s): *acanthella* Godart,1824; *gallicella* Zeller,1839; *delicatella* Agenjo,1951 nec Rbl.; *tavarezi* Monteiro,1961
- 1774)** *Enoplops disciger* (Kolenati,1845) (Coreidae) Synonym(s): *disciger* Kolenati,1845
- 1775)** *Enoplops scapha* (Fabricius,1794) (Coreidae) Synonym(s): *scapha* Fabricius,1794
- 1776)** *Ensina sonchi* (Linnaeus,1767) (Tephritidae) Synonym(s): *sonchi* Linnaeus,1767; *obsoloeta* Meigen,1826; *chrysanthemi* R-D.,1830; *doronici* R-D.,1830; *herbarum* R-D.,1830; *linariae* R-D.,1830; *pratensis* R-D.,1830; *scorzonerae* R-D.,1830
- 1777)** *Ensliniana bidentata* (Friese,1899) (Megachilidae) Synonym(s): *bidentata* Friese,1899; *anatolica* Heinrich,1977
- 1778)** *Entedon longus* Boucek,1968 (Eulophidae) Synonym(s): *longulus* Erdős,1944; *longus* Boucek,1968
- 1779)** *Entomoscelis sacra* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *sacra* Linnaeus,1758
- 1780)** *Entomoscelis suturalis* Weise,1882 (Chrysomelidae) Synonym(s): *suturalis* Weise,1882
- 1781)** *Eoferreola anatolica* Piesner,1973 (Pompilidae) Synonym(s): *anatolica* Piesner,1973
- 1782)** *Eoferreola cyrenaica* (Guiglia,1941) (Pompilidae) Synonym(s): *cyrenaica* Guiglia,1941; *facilis* Priesner,1955
- 1783)** *Eoferreola manticata* (Pallas,1771) (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;...
- 1784)** *Eohardya fraudulentus* (Horvath,1903) (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948
- 1785)** *Epactoctena octogenalis* (Lederer,1863) (Pyralidae) Synonym(s): *octogenalis* Lederer,1863.
- 1786)** *Epallage fatime* (Charpentier,1840) (Calopterygidae) Synonym(s): *fatime* Charpentier,1840
- 1787)** *Epascestria pustulalis* (Hübner,[1823]) (Pyralidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917.
- 1788)** *Epermenia (Calotripis) aequidentella* (Hofmann,1867) (Epermeniidae) Synonym(s): *aequidentella* Hofmann,1867; *daucellus* Peyerimhoff,1870.
- 1789)** *Ephedrophila jordanal* (Rebel,1902) (Pyralidae) Synonym(s): *jordanalis* Rebel,1902; *constantialis* Hampson,1906.
- 1790)** *Ephelis cruentalis* (Geyer,[1832]) (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835

- 1791) Ephestia (Anagasta) kuehniella Zeller, 1879** (Pyralidae) Synonym(s): *kuehniella* Zeller, 1879; *fuscofasciella* Ragonot, 1887; *gitoniella* Druce, 1896; *lunella* Noel, 1904; *ischnomorpha* Meyrick, 1931; *#kueniella* Hutacharern & Tuhtim, 1995
- 1792) Ephestia (Anagasta) welsleriella (Zeller, 1848)** (Pyralidae) Synonym(s): *welsleriella* Zeller, 1848; *modestella* Lederer, 1863; *tephrinella* Lederer, 1870; *rhenanella* Fuchs, 1877; *suffusella* Ragonot, 1901; *immodestella* Rebel, 1916; *superbella* Lucas, 1954; *capricola* Hampson, 1927.
- 1793) Ephestia (s.str.) disparella Hampson, 1901** (Pyralidae) Synonym(s): *disparella* Hampson, 1901; *rectifasciella* Turati, 1913; *semicostella* Turati, 1934.
- 1794) Ephestia (s.str.) elutella (Hübner, 1796)** (Pyralidae) Synonym(s): *elutella* Hübner, 1796; *semirufa* Haworth, 1811; *rufa* Haworth, 1811; *angusta* Haworth, 1811; *sericarium* Scott, 1859; *roxburghii* Gregson, 1873; *infumatella* Ragonot, 1887; *affusella* Ragonot, 1888; *icosiella* Ragonot, 1888; *amarella* Dyar, 1904; *pterogrisella* Roesler, 1965
- 1795) Ephestia (s.str.) parasitella Staudinger, 1859** (Pyralidae) Synonym(s): *parasitella* Staudinger, 1859; *bimaculella* Lucas, 1955.
- 1796) Epysteris (s.str.) promptella (Staudinger, 1859)** (Gelechiidae) Synonym(s): *promptella* Staudinger, 1859; *despectella* Walker, 1863; *petiginella* Mann, 1867; *parvula* Staudinger, 1879; *cacomiera* Walsingham, 1907; *chersaea* Meyrick, 1908; *oschophora* Meyrick, 1910; *fanatica* Meyrick, 1921; *dispensata* Meyrick, 1921; *xanthorhabda* Gozmany, 1951 *australiae* Povolny, 1977; *#promptella* Sattler, 1978.
- 1797) Epicallima formosella ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller], 1775
- 1798) Epicallima splendidella (Amsel, 1935)** (Oecophoridae) Synonym(s): *splendidella* Amsel, 1935
- 1799) Epidauria phoeniciella Ragonot, 1895** (Pyralidae) Synonym(s): *phoeniciella* Ragonot, 1895
- 1800) Epidauria strigosa (Staudinger, 1879)** (Pyralidae) Synonym(s): *strigosa* Staudinger, 1879
- 1801) Epilecta linogrisea ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller], 1775; *lutosa* Staudinger, 1901.
- 1802) Epimadiza nigrescens Duda, 1933** (Chloropidae) Synonym(s): *nigrescens* Duda, 1933; *anthracias* Ségué, 1949; *inquilinum* Ségué, 1957
- 1803) Epinotia infessana (Walsingham, 1900)** (Tortricidae) Synonym(s): *infessana* Walsingham, 1900
- 1804) Epinotia thapsiana (Zeller, 1847)** (Tortricidae) Synonym(s): *thapsiana* Zeller, 1847
- 1805) Epiparthia constituta Roesler, 1989** (Pyralidae) Synonym(s): *constituta* Roesler, 1989.
- 1806) Epiparthia dattinella (Ragonot, 1887)** (Pyralidae) Synonym(s): *dattinella* Ragonot, 1887; *hampsoniella* Lucas, 1909; *#dattinella* Caradja, 1910; *dilutalis* Rothschild, 1913.
- 1807) Epiparthia vasta Amsel, 1935** (Pyralidae) Synonym(s): *vasta* Amsel, 1935
- 1808) Epipsammia fixseni (Christoph, 1893)** (Noctuidae) Synonym(s): *fixseni* Christoph, 1893
- 1809) Episcardia (Bilobatana) fuscoviolacella (Ragonot, 1895)** (Tineidae) Synonym(s): *violacella* Rebel, 1893 (*praeocc.*); *fuscoviolacella* Ragonot, 1895; *luteocapitella* Amsel, 1935.
- 1810) Epischnia albella Amsel, 1953** (Pyralidae) Synonym(s): *albella* Amsel, 1953
- 1811) Epischnia asteris Staudinger, 1870** (Pyralidae) Synonym(s): *asteris* Staudinger, 1870
- 1812) Epischnia cretaciella Mann, 1869** (Pyralidae) Synonym(s): *cretaciella* Mann, 1869; *demartinella* Turati, 1922.
- 1813) Epischnia illotella Zeller, 1839** (Pyralidae) Synonym(s): *illotella* Zeller, 1839
- 1814) Epischnia parvella Amsel, 1953** (Pyralidae) Synonym(s): *parvella* Amsel, 1953
- 1815) Epischnia prodromella (Hübner, [1799])** (Pyralidae) Synonym(s): *prodromella* Hübner, [1799]; *#prodromella* Rebel, 1939
- 1816) Episcythis halperini Passerin d'Entrèves, 1990** (Scythridae) Synonym(s): *halperini* Passerin d'Entrèves, 1990
- 1817) Episcythis walsinghami Passerin d'Entrèves, 1991** (Scythridae) Synonym(s): *walsinghami* Passerin d'Entrèves, 1991
- 1818) Episema didymogramma (Boursin, 1955)** (Noctuidae) Synonym(s): *didymogramma* Boursin, 1955
- 1819) Episema korsakovi (Christoph, 1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph, 1885; *paenulata* Christoph, 1885.
- 1820) Episema lederi Christoph, 1885** (Noctuidae) Synonym(s): *lederi* Christoph, 1885; *sareptana* Alpheraky, 1897; *#lederi* Wiltshire, 1937.
- 1821) Episema tamardayanae Fibiger, Kravchenko, Mooser, Li & Müller, 2006** (Noctuidae) Synonym(s): *tamardayanae* Fibiger, Kravchenko, Mooser, Li & Müller, 2006
- 1822) Episema tersa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller], 1775; *trimacula* [Denis & Schiffermüller], 1775; *swiderskii* Kostrowicki, 1956.
- 1823) Episema ulriki Fibiger, Kravchenko, Mooser, Li & Müller, 2006** (Noctuidae) Synonym(s): *ulriki* Fibiger, Kravchenko, Mooser, Li & Müller, 2006
- 1824) Epitrix dieckmanni (Mohr, 1968)** (Chrysomelidae) Synonym(s): *dieckmanni* Mohr, 1968
- 1825) Erax nigrosetosus Theodor, 1980** (Asilidae) Synonym(s): *nigrosetosus* Theodor, 1980
- 1826) Eremicola semitica Amsel, 1935** (Tineidae) Synonym(s): *semitica* Amsel, 1935
- 1827) Eremisca heleni (Efflatoun, 1934)** (Asilidae) Synonym(s): *heleni* Efflatoun, 1934
- 1828) Eremobastis judaica (Staudinger, 1898)** (Noctuidae) Synonym(s): *judaica* Staudinger, 1898
- 1829) Eremocossus vaulogeri (Staudinger, 1897)** (Cossidae) Synonym(s): *vaulogeri* Staudinger, 1897; *suavis* Staudinger, 1899; *saharae* Lucas, 1907; *hartigi* Rebel, 1935.
- 1830) Eremomusca nussbaumi Mathis, 1985** (Ephydriidae) Synonym(s): *nussbaumi* Mathis, 1985
- 1831) Eremoplana infelix Uvarov, 1924** (Mantidae) Synonym(s): *ocellata* Thunberg, 1815 *nec* Oliv., 1792; *infelix* Uvarov, 1924
- 1832) Eremopola lenis (Staudinger, 1892)** (Noctuidae) Synonym(s): *lenis* Staudinger, 1892; *magnifica* Rothschild, 1914; *marmarides* Turati, 1924; *radoti* Boursin, 1928
- 1833) Eremotmethis carinatus (Fabricius, 1775)** (Pamphagidae) Synonym(s): *carinatus* Fabricius, 1775; *continuata* Audinet-Serville, 1838; *aegyptius* Uvarov, 1924; *moritzii* Uvarov, 1929
- 1834) Eremotrachea bacheri (Püngeler, 1902)** (Noctuidae) Synonym(s): *bacheri* Püngeler, 1902; *hagar* Rothschild, 1921; *sahariensis* Rothschild, 1915; *salmonea* Oberthür, 1918
- 1835) Eretmocerus diversiciliatus Silvestri, 1915** (Aphelinidae) Synonym(s): *diversiciliatus* Silvestri, 1915
- 1836) Eretmocerus nairobi Gerling, 1970** (Aphelinidae) Synonym(s): *nairobi* Gerling, 1970
- 1837) Eriogaster (s.str.) philippsi Bartel, 1911** (Lasiocampidae) Synonym(s): *philippsi* Bartel, 1911; *#philippsi* Zolotuhin, 2007
- 1838) Erioptera (Mesocypophona) bivittata (Loew, 1873)** (Limoniidae) Synonym(s): *bivittata* Loew, 1873
- 1839) Erioptera (s.str.) fusculeta Edwards, 1938** (Limoniidae) Synonym(s): *fusculeta* Edwards, 1938
- 1840) Erioptera (s.str.) lutea Meigen, 1804** (Limoniidae) Synonym(s): *lutea* Meigen, 1804
- 1841) Eriothrix apenninus (Rondani, 1862)** (Tachinidae) Synonym(s): *apenninus* Rondani, 1862; *latifrons* Brauer, 1898
- 1842) Eriothrix rufomaculatus (De Geer, 1776)** (Tachinidae) Synonym(s): *lateralis* Fabricius, 1775; *rufomaculatus* De Geer, 1776; *demano* Harris, 1780; *tachinaria* Fallén, 1815

- 1843) Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818; *pulchripes* Wiedemann,1822; *fasciatus* Germar,1845; *aegyptius* Walker,1849; *torridus* Walker,1849; *completus* Santos-Abreu,1924; *concinus* Santos-Abreu,1924
- 1844) Erycia fasciata Villeneuve,1924** (Tachinidae) Synonym(s): *fasciata* Villeneuve,1924; *hierosolymitana* Kugler,1963
- 1845) Eteobalea albiapicella (Duponchel,1843)** (Cosmopterigidae) Synonym(s): *albiapicella* Duponchel,1843
- 1846) Eteobalea serratella (Treitschke,1833)** (Cosmopterigidae) Synonym(s): *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920
- 1847) Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920
- 1848) Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hohenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947.
- 1849) Ethmia candidella (Alpheraky,1908)** (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931.
- 1850) Ethmia interposita Sattler,1967** (Ethmiidae) Synonym(s): *interposita* Sattler,1967
- 1851) Ethmia lepidella (Chrétien,1907)** (Ethmiidae) Synonym(s): *lepidella* Chrétien,1907; *niveella* Caradja,1920; *euphraticella* Amsel,1954.
- 1852) Ethmia lybiella (Ragonot,1892)** (Ethmiidae) Synonym(s): *lybiella* Ragonot,1892; *biskraella* Chrétien,1915; *trimaculella* Lucas,1943.
- 1853) Ethmia pusiella (Linnaeus,1758)** (Ethmiidae) Synonym(s): *pusiella* Linnaeus,1758; *scalella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796.
- 1854) Ethmia quadrinotella (Mann,1861)** (Ethmiidae) Synonym(s): *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922.
- 1855) Ethmia terminella T.B.Fletcher,1938** (Ethmiidae) Synonym(s): *sempunctella* Hübner,[1810] nec Fabr.,1794; *terminella* T.B.Fletcher,1938.
- 1856) Ethmia vittalbella (Christoph,1877)** (Ethmiidae) Synonym(s): *vittalbella* Christoph,1877; *radiatella* Chrétien,1907; *tripolitanaella* Turati,1929.
- 1857) Ethmia wursteri Amsel,1956** (Ethmiidae) Synonym(s): *wursteri* Amsel,1956
- 1858) Etiella zinckenella (Treitschke,1832)** (Pyrilidae) Synonym(s): *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spatiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975.
- 1859) Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850
- 1860) Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): *albida* auct.; *gratissima* Staudinger,1892; *infusca* Staudinger,1892; *peralba* Schawerda,1923.
- 1861) Eublemma (bulla-gr.) albivestalis (Hampson,1910)** (Noctuidae) Synonym(s): *vestalis* Staudinger,1900 nec Btl.,1886; *albivestalis* Hampson,1910
- 1862) Eublemma (bulla-gr.) bullum (Swinhoe,1884)** (Noctuidae) Synonym(s): *bulla* Swinhoe,1884; *tomentalis* Rebel,1948.
- 1863) Eublemma (bulla-gr.) subvenatum (Staudinger,1892)** (Noctuidae) Synonym(s): *subvenata* Staudinger,1892
- 1864) Eublemma (Coccidiphaga) scitulum (Rambur,1833)** (Noctuidae) Synonym(s): *scitula* Rambur,1833; *exasperata* Lederer,1855; *gibbosa* Snellen,1872; *futilis* Swinhoe,1884; *cretacea* Hampson,1893; *turatii* Berio,2002.
- 1865) Eublemma (cochylioides-gr.) cochylioides (Guenée,1852)** (Noctuidae) Synonym(s): *cochylioides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusca* W.Warren,1913.
- 1866) Eublemma (debilis-gr.) deserti (Rothschild,1909)** (Noctuidae) Synonym(s): *deserti* Rothschild,1909
- 1867) Eublemma (gayneri-gr.) gayneri (Rothschild,1901)** (Noctuidae) Synonym(s): *gayneri* Rothschild,1901
- 1868) Eublemma (Glossodice) apicipunctalis (Brandt,1939)** (Noctuidae) Synonym(s): *apicipunctalis* Brandt,1939; *? popovi* Wiltshire,1953; *guichardi* Wiltshire,1977.
- 1869) Eublemma (Glossodice) polygrammum (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *violetta* Staudinger,1889.
- 1870) Eublemma (kruegeri-gr.) kruegeri (Wiltshire,1970)** (Noctuidae) Synonym(s): *kruegeri* Wiltshire,1970
- 1871) Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973.
- 1872) Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
- 1873) Eublemma (siticulosa-gr.) albinum (Staudinger,1898)** (Noctuidae) Synonym(s): *albina* Staudinger,1898
- 1874) Eublemma suppuncta (Staudinger,1892)** (Noctuidae) Synonym(s): *suppuncta* Staudinger,1892; *#suppuncta* Hacker,1988
- 1875) Eucampsipoda aegyptia (Macquart,1851)** (Nycteribiidae) Synonym(s): *aegyptia* Macquart,1851
- 1876) Eucampyla dealbatella (Erschoff,1874)** (Pyrilidae) Synonym(s): *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965.
- 1877) Eucera palaestinae Friese,1922** (Apidae) Synonym(s): *palaestinae* Friese,1922
- 1878) Euchalcia (s.str.) emichi (Rogenhofer,1873)** (Noctuidae) Synonym(s): *emichi* Rogenhofer,1873
- 1879) Euchalcia (s.str.) maria (Staudinger,1892)** (Noctuidae) Synonym(s): *maria* Staudinger,1892
- 1880) Euchalcia (s.str.) olga (Kravchenko, Müller, Mooser & L.Ronkay,2006)** (Noctuidae) Synonym(s): *olga* Kravchenko, Müller, Fibiger, Mooser & L.Ronkay,2006
- 1881) Euchalcia (s.str.) paulina (Staudinger,1892)** (Noctuidae) Synonym(s): *paulina* Staudinger,1892
- 1882) Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866
- 1883) Euchalcis unicolor (Lucas,1871)** (Chalcididae) Synonym(s): *unicolor* Lucas,1871; *nuda* Boucek,1952
- 1884) Eucharis (Eucharisca) bytinskisalzi Boucek,1956** (Eucharidae) Synonym(s): *bytinskisalzi* Boucek,1956
- 1885) Eucharis (Eucharisca) intermedia Ruschka,1924** (Eucharidae) Synonym(s): *intermedia* Ruschka,1924
- 1886) Eucharis (Psilogastrellus) affinis Boucek,1956** (Eucharidae) Synonym(s): *affinis* Boucek,1956
- 1887) Eucharis (Psilogastrellus) albipennis Boucek,1956** (Eucharidae) Synonym(s): *albipennis* Boucek,1956
- 1888) Eucharis (Psilogastrellus) microcephala Boucek,1956** (Eucharidae) Synonym(s): *microcephala* Boucek,1956
- 1889) Eucharis (Psilogastrellus) nigriventris Boucek,1956** (Eucharidae) Synonym(s): *nigriventris* Boucek,1956
- 1890) Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
- 1891) Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
- 1892) Euchloe (s.str.) belemia (Esper,[1800])** (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glauce* Freyer,[1848]

- 1893) *Euchloe (s.str.) falloui* (Allard,1867) (Pieridae) Synonym(s):** *falloui* Allard,1867; *seitzii* Röber,1907; *lucida* Sheljuzhko,1914; *choumovitschi* Schneeur,1935.
- 1894) *Euchromius bellus* (Hübner,1796) (Pyralidae) Synonym(s):** *bella* Hübner,1796; *bellalis* Hübner,[1825].
- 1895) *Euchromius cambridgei* (Zeller,1867) (Pyralidae) Synonym(s):** *cambridgei* Zeller,1867; *luciella* Chrétien,1907; *prototypa* Meyrick,1935; *congruentella* Amsel,1958; *szijartoi* Gozmany,1959; *ilkui* Gozmany,1959.
- 1896) *Euchromius ocellus* (Haworth,[1811]) (Pyralidae) Synonym(s):** *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 1897) *Euchromius pulverosus* (Christoph,1887) (Pyralidae) Synonym(s):** *pulverosa* Christoph,1887
- 1898) *Euchromius ramburiellus* (Duponchel,1836) (Pyralidae) Synonym(s):** *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949.
- 1899) *Euchromius rayatellus* (Amsel,1949) (Pyralidae) Synonym(s):** *rayatella* Amsel,1949
- 1900) *Euchromius superbellus* (Zeller,1849) (Pyralidae) Synonym(s):** *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958.
- 1901) *Euchromius vinculellus* (Zeller,1847) (Pyralidae) Synonym(s):** *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrutella* Amsel,1949.
- 1902) *Eucosma jerusalemana* (Amsel,1935) (Tortricidae) Synonym(s):** *jerusalemana* Amsel,1935
- 1903) *Eucrostes indigenata* (Villers,1789) (Geometridae) Synonym(s):** *indigenata* Villers,1789
- 1904) *Eudasyphora cyanella* (Meigen,1826) (Muscidae) Synonym(s):** *cyanella* Meigen,1826
- 1905) *Eudissoctena paulusella* (Caradja) (Psychidae) Synonym(s):**
- 1906) *Eudorylas ascitus* de Meyer,1995 (Pipunculidae) Synonym(s):** *ascitus* de Meyer,1995; *#acitus* de Meyer,1995
- 1907) *Eudorylas confusoides* (Lamb,1922) (Pipunculidae) Synonym(s):** *confusoides* Lamb,1922; *lini* Hardy,1971
- 1908) *Eudorylas flavicrus* de Meyer,1995 (Pipunculidae) Synonym(s):** *flavicrus* de Meyer,1995
- 1909) *Eudorylas fluvialtilis* (Becker,1900) (Pipunculidae) Synonym(s):** *fluvialtilis* Becker,1900
- 1910) *Eudorylas halteratus* (Meigen,1838) (Pipunculidae) Synonym(s):** *halteratus* Meigen,1838
- 1911) *Eudorylas imitator* de Meyer,1995 (Pipunculidae) Synonym(s):** *imitator* de Meyer,1995
- 1912) *Eudorylas longifrons* Coe,1966 (Pipunculidae) Synonym(s):** *longifrons* Coe,1966
- 1913) *Eudorylas obliquus* Coe,1966 (Pipunculidae) Synonym(s):** *obliquus* Coe,1966
- 1914) *Eudorylas pannonicus* (Becker,1898) (Pipunculidae) Synonym(s):** *pannonicus* Becker,1898
- 1915) *Eudorylas ruralis* (Meigen,1824) (Pipunculidae) Synonym(s):** *ruralis* Meigen,1824
- 1916) *Eudorylas setosus* (Becker,1898) (Pipunculidae) Synonym(s):** *setosus* Becker,1898
- 1917) *Eudorylas trochanteratus* (Becker,1900) (Pipunculidae) Synonym(s):** *trochanteratus* Becker,1900
- 1918) *Eudorylas zermattensis* (Becker,1897) (Pipunculidae) Synonym(s):** *zermattensis* Becker,1897
- 1919) *Eugnorisma (Metagnorisma) pontica* (Staudinger,1892) (Noctuidae) Synonym(s):** *pontica* Staudinger,1892
- 1920) *Euheptaulacus carinatus* (Germar,1824) (Scarabaeidae) Synonym(s):** *carinatus* Germar,1824
- 1921) *Euleia heraclei* (Linnaeus,1758) (Tephritidae) Synonym(s):** *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803
- 1922) *Eulocastra diaphora* (Staudinger,1879) (Noctuidae) Synonym(s):** *diaphora* Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
- 1923) *Eulocastra tapina* Hampson,1910 (Noctuidae) Synonym(s):** *tapina* Hampson,1910
- 1924) *Eumasia syriaca* (Caradja,1920) (Psychidae) Synonym(s):** *syriaca* Caradja,1920
- 1925) *Eumenes coarctatus* (Linnaeus,1758) (Vespidae) Synonym(s):** *coarctatus* Linnaeus,1758; *lumulatus* Fabricius,1804
- 1926) *Eumenes dubius* Saussure,1852 (Vespidae) Synonym(s):** *dubius* Saussure,1852
- 1927) *Eumenes mediterraneus* (Kriechbaumer,1879) (Vespidae) Synonym(s):** *mediterraneus* Kriechbaumer,1879; *housaki* Giordani Soika,1952; *anatolicus* Giordani Soika,1952
- 1928) *Eumera turcosyrica* Wehrli,1932 (Geometridae) Synonym(s):** *turcosyrica* Wehrli,1932; *#turcosyriaca* Wehrli,1934.
- 1929) *Eumerus palaestinensis* Stackelberg,1949 (Syrphidae) Synonym(s):** *palaestinensis* Stackelberg,1949
- 1930) *Euodinyeris diversus* (Walker,1871) (Vespidae) Synonym(s):** *diversus* Walker,1871
- 1931) *Euoniticellus pallipes* (Fabricius,1781) (Scarabaeidae) Synonym(s):** *pallipes* Fabricius,1781
- 1932) *Eupachygaster subtarsalis* Krivosheina,2004 (Stratiomyidae) Synonym(s):** *subtarsalis* Krivosheina,2004
- 1933) *Eupelix cuspidata* (Fabricius,1775) (Cicadellidae) Synonym(s):** *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948
- 1934) *Eupeodes nuba* (Wiedemann,1830) (Syrphidae) Synonym(s):** *nuba* Wiedemann,1830; *interrumpens* Walker,1871; *rufinasutus* Bigot,1884; *novigradensis* Coe,1960
- 1935) *Eupholidoptera lyra* (Uvarov,1942) (Tettigoniidae) Synonym(s):** *lyra* Uvarov,1942
- 1936) *Eupholidoptera palaestinensis* (Ramme,1939) (Tettigoniidae) Synonym(s):** *palaestinensis* Ramme,1939; *hebraea* Uvarov,1939
- 1937) *Eupholidoptera peneri* Kaltenbach,1969 (Tettigoniidae) Synonym(s):** *peneri* Kaltenbach,1969; *rammei* Katbeh-Bader & Massa,2001 [June]
- 1938) *Euphyllidorea lineola* (Meigen,1804) (Limoniidae) Synonym(s):** *lineola* Meigen,1804
- 1939) *Eupithecia achyrdaghica* Wehrli,1929 (Geometridae) Synonym(s):** *achyrdaghica* Wehrli,1929
- 1940) *Eupithecia breviculata* (Donzel,1837) (Geometridae) Synonym(s):** *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977.
- 1941) *Eupithecia brunneata* Staudinger,1900 (Geometridae) Synonym(s):** *brunneata* Staudinger,1900
- 1942) *Eupithecia caeruleata* Favre,1899 (Geometridae) Synonym(s):** *caeruleata* Favre,1899
- 1943) *Eupithecia cerussaria* (Lederer,1855) (Geometridae) Synonym(s):** *cerussaria* Lederer,1855
- 1944) *Eupithecia extremata* (Fabricius,1787) (Geometridae) Synonym(s):** *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
- 1945) *Eupithecia irriguata* (Hübner,[1813]) (Geometridae) Synonym(s):** *variegata* Haworth,1809 nec Scop.,1763; *irriguata* Hübner,[1813]
- 1946) *Eupithecia minusculata* (Alpheraky,1883) (Geometridae) Synonym(s):** *minusculata* Alpheraky,1883; *inversaria* Turati,1930; *penultima* Wiltshire,1985.
- 1947) *Eupithecia oblongata* (Thunberg,1784) (Geometridae) Synonym(s):** *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892; *chinae* Vojnits,1977.
- 1948) *Eupithecia opistographata* Dietze,1906 (Geometridae) Synonym(s):** *opistographata* Dietze,1906; *arenicola* Rothschild,1913; *#opisthographata* Schütze,1961
- 1949) *Eupithecia quercetica* L.B.Prout,1938 (Geometridae) Synonym(s):** *quercetica* L.B.Prout,1938

- 1950) **Eupithecia schiefereri** Dietze, 1904 (Geometridae) Synonym(s): *#schiefereri* Bohatsch, 1893; *schiefereri* Dietze, 1904; *#confluens* Dietze, 1910; *#schiefererie* Pinker, 1958; *#schieferi* Arnscheid, 2000
- 1951) **Eupithecia spissilineata** (Metzner, 1846) (Geometridae) Synonym(s): *spissilineata* Metzner, 1846; *multilineata* Mann, 1866.
- 1952) **Eupithecia ultimaria** Boisduval, 1840 (Geometridae) Synonym(s): *ultimaria* Boisduval, 1840; *tornifascia* Rothschild, 1913
- 1953) **Eupithecia unedonata** (Mabille, 1868) (Geometridae) Synonym(s): *unedonata* Mabille, 1868
- 1954) **Eupteryx cypria** (Ribaut, 1948) (Cicadellidae) Synonym(s): *cypria* Ribaut, 1948
- 1955) **Eupteryx insulana** (Ribaut, 1948) (Cicadellidae) Synonym(s): *insulana* Ribaut, 1948
- 1956) **Eupteryx nemoricola** Linnavuori, 1962 (Cicadellidae) Synonym(s): *nemoricola* Linnavuori, 1962
- 1957) **Eupteryx stachydearum** (Hardy, 1850) (Cicadellidae) Synonym(s): *stachydearum* Hardy, 1850; *curtisii* Flor, 1861; *catenata* Rey, 1894; *confluens* Rey, 1894; *continua* Cerutti, 1939
- 1958) **Eurhadina angulata** Linnavuori, 1962 (Cicadellidae) Synonym(s): *angulata* Linnavuori, 1962
- 1959) **Eurhodope (Eurhobasis) aeneella** (Zerny, 1914) (Pyralidae) Synonym(s): *aeneella* Zerny, 1914
- 1960) **Eurhodope (Eurhobasis) cinerea** (Staudinger, 1879) (Pyralidae) Synonym(s): *cinerea* Staudinger, 1879
- 1961) **Eurhodope (s.str.) incompta** (Zeller, 1847) (Pyralidae) Synonym(s): *incompta* Zeller, 1847
- 1962) **Eurhodope (s.str.) maydina** Roesler, 1988 (Pyralidae) Synonym(s): *maydina* Roesler, 1988
- 1963) **Eurhodope (s.str.) monogrammos** (Zeller, 1867) (Pyralidae) Synonym(s): *monogrammos* Zeller, 1867; *buxtoni* Rothschild, 1921; *homochromella* Amsel, 1961; *melanella* Roesler, 1969
- 1964) **Eurima astuta** Melichar, 1902 (Flatidae) Synonym(s): *astuta* Melichar, 1902
- 1965) **Eurina ducalis** A.Costa, 1885 (Chloropidae) Synonym(s): *ducalis* A.Costa, 1885; *dalmatina* Strobl, 1893
- 1966) **Eurina ferganensis** Nartshuk, 1973 (Chloropidae) Synonym(s): *ferganensis* Nartshuk, 1973
- 1967) **Eurina lurida** Meigen, 1830 (Chloropidae) Synonym(s): *lurida* Meigen, 1830; *clypeata* Meigen, 1830; *nuda* Loew, 1858
- 1968) **Eurina triangularis** Becker, 1903 (Chloropidae) Synonym(s): *triangularis* Becker, 1903
- 1969) **Eurychila tafratensis** (Bergevin, 1920) (Tettigometridae) Synonym(s): *tafratensis* Bergevin, 1920
- 1970) **Eurydema (Horvatheurydema) fieberi** Fieber, 1837 (Pentatomidae) Synonym(s): *fieberi* Fieber, 1837; *armeniaceum* Kolenati, 1846; *schaefferi* Gorski, 1852; *meyeri* Fieber, 1861; *caucasica* Jalkovlev, 1873; *scutellata* Jakovlev, 1883; *melanogaster* Horvath, 1917; *gussakovskii* Kiritshenko, 1952; *bagradiformis* Kiritshenko, 1952
- 1971) **Eurydema (Horvatheurydema) rugulosa** (Dohrn, 1860) (Pentatomidae) Synonym(s): *rugulosa* Dohrn, 1860; *nigrorubra* Reuter, 1900; *v-rubrum* Horvath, 1917; *anaemica* Horvath, 1917
- 1972) **Eurydema (Rubrodorsalium) spectabilis** Horvath, 1882 (Pentatomidae) Synonym(s): *spectabilis* Horvath, 1882; *#intaminata* Stichel, 1961
- 1973) **Eurydema putoni** Jakovlev, 1877 (Pentatomidae) Synonym(s): *putoni* Jakovlev, 1877; *adusta* Jakovlev, 1879; *colorata* Jakovlev, 1882; *formosum* Puton, 1895
- 1974) **Euryproctus numidicus** Schmiedeknecht (Ichneumonidae) Synonym(s): *numidicus* Schmiedeknecht; *tunetanus* Habermehl, 1925; *turcator* Aubert, 1979
- 1975) **Eurytoma amygdali** Enderlein, 1907 (Eurytomidae) Synonym(s): *amygdali* Enderlein, 1907
- 1976) **Eurytoma calicotomae** Zerova, 2005 (Eurytomidae) Synonym(s): *calicotomae* Zerova, 2005
- 1977) **Eurytoma morio** Boheman, 1836 (Eurytomidae) Synonym(s): *morio* Boheman, 1836
- 1978) **Eurytoma plotnikovi** Nikolskaya, 1934 (Eurytomidae) Synonym(s): *plotnikovi* Nikolskaya, 1934
- 1979) **Euscelidius mundus** (Haupt, 1927) (Cicadellidae) Synonym(s): *mundus* Haupt, 1927; *orientalis* Dlabola, 1957
- 1980) **Euscelis alsius** Ribaut, 1952 (Cicadellidae) Synonym(s): *alsius* Ribaut, 1952
- 1981) **Euscelis incisus** (Kirschbaum, 1858) (Cicadellidae) Synonym(s): *plebeja* Fallén, 1806; *incisus* Kirschbaum, 1858; *obscurus* Kirschbaum, 1858; *pallidior* Kirschbaum, 1868; *communis* Edwards, 1868; *tessellatus* Rey, 1891; *fusciventris* Rey, 1894; *paradoxus* Rey, 1894; *ochreate* Haupt, 1927; *albingensis* Wagner, 1939; *galiberti* Ribaut, 1952; *subplebejus* H.Müller, 1954; *superplebejus* H.Müller, 1954; *aestivalis* H.Müller, 1954; *vernalis* H.Müller, 1954
- 1982) **Eustenancistrocerus (s.str.) israelensis** Giordani Soika, 1938 (Vespidae) Synonym(s): *israelensis* Giordani Soika, 1938; *#israelensis* Bağrıaçık & Tüzün, 2005
- 1983) **Eustenancistrocerus jerichoensis** Bytinski-Salz, 1956 (Vespidae) Synonym(s): *jerichoensis* Bytinski-Salz, 1956; *iconius* Blüthgen, 1957
- 1984) **Eutelia adoratrix** (Staudinger, 1892) (Noctuidae) Synonym(s): *adoratrix* Staudinger, 1892
- 1985) **Eutelia adulatrix** (Hübner, [1813]) (Noctuidae) Synonym(s): *adulatrix* Hübner, [1813]
- 1986) **Euthetus humilis** Horvath, 1907 (Alydidae) Synonym(s): *humilis* Horvath, 1907
- 1987) **Euthycera sticticaria** (Mayer, 1953) (Sciomyzidae) Synonym(s): *sticticaria* Mayer, 1953
- 1988) **Eutolmus facialis** (Loew, 1848) (Asilidae) Synonym(s): *facialis* Loew, 1848
- 1989) **Eutolmus palestiniensis** Theodor, 1980 (Asilidae) Synonym(s): *palestiniensis* Theodor, 1980
- 1990) **Eutropha albipilosa** (Becker, 1908) (Chloropidae) Synonym(s): *albipilosa* Becker, 1908; *nitidifrons* Czerny, 1909
- 1991) **Eutropha ruficornis** Hendel, 1931 (Chloropidae) Synonym(s): *ruficornis* Hendel, 1931
- 1992) **Euxesta pechumani** Curran, 1938 (Ulidiidae) Synonym(s): *pechumani* Curran, 1938; *stackelbergi* Kirvosheina & Kirvosheina, 1995; *freyi* Kirvosheina & Kirvosheina, 1997
- 1993) **Euxoa (Orosagrotis) foeda** (Lederer, 1855) (Noctuidae) Synonym(s): *foeda* Lederer, 1855; *enitens* Corti, 1926; *marmorosa* Corti, 1927; *vanensis* Draudt, 1937.
- 1994) **Euxoa (s.str.) albiorboides** Poole, 1989 (Noctuidae) Synonym(s): *albiorbis* Hampson, 1920 *nec* Hampson, 1909; *albiorboides* Poole, 1989
- 1995) **Euxoa (s.str.) anarmodia** (Staudinger, 1897) (Noctuidae) Synonym(s): *anarmodia* Staudinger, 1897; *muricolor* Rothschild, 1914; *albiorbis* Hampson, 1920 (*praeocc.*); *albiorboides* Poole, 1989
- 1996) **Euxoa (s.str.) aquilina** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller], 1775; *ficilis* Hübner, [1813]; *unicolor* Hübner, [1813]; *petrina* Mayer, 1937.
- 1997) **Euxoa (s.str.) canariensis** Rebel, 1902 (Noctuidae) Synonym(s): *canariensis* Rebel, 1902
- 1998) **Euxoa (s.str.) cos** (Hübner, [1824]) (Noctuidae) Synonym(s): *cos* Hübner, [1824]; *tephra* Boisduval, 1840; *nagyagensis* Freyer, 1845; *vacillans* Herrich-Schäffer, [1850]; *millierei* Staudinger, 1870; *cycladum* Staudinger, 1871; *aphe* Mabille, 1885; *crimaea* A.Bang-Haas, 1906; *mesopotamica* A.Bang-Haas, 1912; *rubra* Corti, 1933.
- 1999) **Euxoa (s.str.) distinguenda** (Lederer, 1857) (Noctuidae) Synonym(s): *distinguenda* Lederer, 1857.
- 2000) **Euxoa (s.str.) obelisca** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller], 1775; *praticola* Hübner, [1813]; *plectoides* Guenée, 1852; *grisea* Tutt, 1892; *#carbonis* W.Warren, 1909; *stephensii* Heyd., 1933; *salioclitana* Boursin, 1934.
- 2001) **Euxoa (s.str.) oranaria** (A.Bang-Haas, 1906) (Noctuidae) Synonym(s): *oranaria* A.Bang-Haas, 1906; *psimithiosa* Boursin, 1958

- 2002) Euxoa (s.str.) robiginosa (Staudinger,[1895])** (Noctuidae) Synonym(s): *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensor* Draudt,1936; *vinirufa* Draudt,1936.
- 2003) Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *zuris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,1857; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 2004) Euzonitis terminata (Abeille de Perrin,1880)** (Meloidae) Synonym(s): *terminata* Abeille de Perrin,1880; *auricoma* Escherich,1891; *bombycna* Escherich,1896; *armeniaca* Pic,1901
- 2005) Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisnuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 2006) Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyralidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimelella* Zerny,1934.
- 2007) Euzophera (s.str.) empistocles Roesler,1969** (Pyralidae) Synonym(s): *empistocles* Roesler,1969
- 2008) Euzophera (s.str.) flagella (Lederer,1869)** (Pyralidae) Synonym(s): *flagella* Lederer,1869
- 2009) Euzophera (s.str.) imperfectella Ragonot,1895** (Pyralidae) Synonym(s): *imperfectella* Ragonot,1895; *xylomorpha* Meyrick,1937.
- 2010) Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
- 2011) Euzophera (s.str.) pulchella Ragonot,1887** (Pyralidae) Synonym(s): *pulchella* Ragonot,1887; *xylomorpha* Meyrick,1937
- 2012) Euzophera (s.str.) subcibrella Ragonot,1887** (Pyralidae) Synonym(s): *subcibrella* Ragonot,1887; *mercatrix* Meyrick,1937; *marginipunctella* Amsel,1959.
- 2013) Euzophera (s.str.) umbrosella (Staudinger,1879)** (Pyralidae) Synonym(s): *umbrosella* Staudinger,1879; *albogilvella* Ragonot,1887; *depauperatella* Ragonot,1901.
- 2014) Euzopherodes charlottae (Rebel,1914)** (Pyralidae) Synonym(s): *charlottae* Rebel,1914; *nigrolineella* Zerny,1936.
- 2015) Euzopherodes lutisignella (Mann,1869)** (Pyralidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 2016) Euzopherodes pusilla (Mabille,1906)** (Pyralidae) Synonym(s): *pusilla* Mabille,1906; *cinnamomea* Rothschild,1915; *keltella* Amsel,1935.
- 2017) Euzopherodes vapidella (Mann,1857)** (Pyralidae) Synonym(s): *vapidella* Mann,1857; *tenebrosa* Zeller,1867; *lutescentella* Chrétien,1911; *xylobrunnea* Amsel,1951.
- 2018) Evagetes siculus (Lepeletier,1845)** (Pompilidae) Synonym(s): *siculus* Lepeletier,1845; *seitzii* Haupt,1927; *villicus* Tournier,1969
- 2019) Evergestis isatidalis (Duponchel,1833)** (Pyralidae) Synonym(s): *isatidalis* Duponchel,1833
- 2020) Exaeretia ledereri (Zeller,1854)** (Oecophoridae) Synonym(s): *ledereri* Zeller,1854.
- 2021) Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva* Santos Abreu,1920; *exornata* Séguéy,1941; *peyerimhoffi* Burghle-Balacesco,1966
- 2022) Exhyalanthrax arvensis (Zaitzev,1999)** (Bombyliidae) Synonym(s): *arvensis* Zaitzev,1999
- 2023) Exhyalanthrax entamari Zaitzev,1999** (Bombyliidae) Synonym(s): *entamari* Zaitzev,1999
- 2024) Exhyalanthrax innocens (Austen,1936)** (Bombyliidae) Synonym(s): *innocens* Austen,1936; *amoenus* Austen,1937
- 2025) Exhyalanthrax lepidulus (Austen,1937)** (Bombyliidae) Synonym(s): *lepidulus* Austen,1937
- 2026) Exhyalanthrax melanchlaenus (Loew,1869)** (Bombyliidae) Synonym(s): *melanchlaenus* Loew,1869; *agnitionalis* Austen,1937
- 2027) Exhyalanthrax negevensis Zaitzev,1999** (Bombyliidae) Synonym(s): *negevensis* Zaitzev,1999
- 2028) Exhyalanthrax perpusillus (Austen,1937)** (Bombyliidae) Synonym(s): *perpusillus* Austen,1937
- 2029) Exhyalanthrax unicolor (Becker,1902)** (Bombyliidae) Synonym(s): *unicolor* Becker,1902
- 2030) Exhyalanthrax volkovitshi Zaitzev,1999** (Bombyliidae) Synonym(s): *volkovitshi* Zaitzev,1999
- 2031) Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927
- 2032) Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930
- 2033) Exophyla rectangularis (Geyer,[1828])** (Noctuidae) Synonym(s): *rectangularis* Geyer,[1828]; *#rtangularis* Lehmann, Hacker et al.,1998
- 2034) Exoprosopa asiatica Zaitzev,1972** (Bombyliidae) Synonym(s): *asiatica* Zaitzev,1972
- 2035) Exoprosopa baccha Loew,1869** (Bombyliidae) Synonym(s): *baccha* Loew,1869
- 2036) Exoprosopa circeoides Paramonov,1928** (Bombyliidae) Synonym(s): *circeoides* Paramonov,1928; *nigrofasciata* Paramonov,1928
- 2037) Exoprosopa cleomene Egger,1859** (Bombyliidae) Synonym(s): *cleomene* Egger,1859
- 2038) Exoprosopa decrepita (Wiedemann,1828)** (Bombyliidae) Synonym(s): *decrepita* Wiedemann,1828; *albifacies* Paramonov,1928; *aegyptiaca* Paramonov,1928; *flava* Paramonov,1928; *verna* Greathead,1970
- 2039) Exoprosopa efflatouni Bezzi,1925** (Bombyliidae) Synonym(s): *efflatouni* Bezzi,1925
- 2040) Exoprosopa grandis (Wiedemann,1820)** (Bombyliidae) Synonym(s): *grandis* Wiedemann,1820; *fasciata* Dufour,1850 nec Meig.,1804; *turcomana* Portschinsky,1887
- 2041) Exoprosopa jacchus (Fabricius,1805)** (Bombyliidae) Synonym(s): *jacchus* Fabricius,1805; *picta* Wiedemann,1820; *quadripunctata* Paramonov,1926
- 2042) Exoprosopa minois Loew,1869** (Bombyliidae) Synonym(s): *minois* Loew,1869; *semiflavida* Becker,1906
- 2043) Exoprosopa minos (Meigen,1804)** (Bombyliidae) Synonym(s): *minos* Meigen,1804; *semialba* Pallas & Wiedemann,1818; *germari* Wiedemann,1818; *senilis* Klug,1832; *albiventris* Macquart,1840
- 2044) Exoprosopa onusta (Walker,1852)** (Bombyliidae) Synonym(s): *onusta* Walker,1852; *truquii* Rondani,1863
- 2045) Exoprosopa pallidisetigera Austen,1937** (Bombyliidae) Synonym(s): *pallidisetigera* Austen,1937
- 2046) Exoprosopa pectoralis Loew,1862** (Bombyliidae) Synonym(s): *pectoralis* Loew,1862
- 2047) Exoprosopa rivularis (Meigen,1820)** (Bombyliidae) Synonym(s): *rivularis* Meigen,1820; *argyrocephala* Macquart,1840; *undans* Walker,1849
- 2048) Exorista (Podotachina) longicercus Kugler,1980** (Tachinidae) Synonym(s): *longicercus* Kugler,1980
- 2049) Exorista (Ptilotachina) deligata Pandellé,1896** (Tachinidae) Synonym(s): *deligata* Pandellé,1896
- 2050) Exorista kugleri Mesnil,1960** (Tachinidae) Synonym(s): *kugleri* Mesnil,1960
- 2051) Exorista tessellans Mesnil,1939** (Tachinidae) Synonym(s): *tessellans* Mesnil,1939

- 2052) Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus* Fabricius,1794; *barbarica* Turton,1802; *limbatum* A.Costa,1864; *heydenii* Kirschbaum,1868; *striolatum* Fieber,1877; *areolatus* A.Costa,1883
- 2053) Fallenia fasciata (Fabricius,1805)** (Nemestrinidae) Synonym(s): *fasciata* Fabricius,1805
- 2054) Fannia canicularis (Linnaeus,1761)** (Fanniidae) Synonym(s): *canicularis* Linnaeus,1761; *rivularis* R-D.,1830; *chilensis* Macquart,1843; *constantina* Macquart,1843; *hilaris* Zetterstedt,1845; *introducia* Walker,1853; *muscoideus* Walker,1871
- 2055) Fannia incisurata (Zetterstedt,1838)** (Fanniidae) Synonym(s): *incisurata* Zetterstedt,1838
- 2056) Fannia leucosticta (Meigen,1838)** (Fanniidae) Synonym(s): *leucosticta* Meigen,1838
- 2057) Fannia monilis (Haliday,1838)** (Fanniidae) Synonym(s): *monilis* Haliday,1838
- 2058) Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris* Fabricius,1794
- 2059) Faveria dionysia (Zeller,1846)** (Pyralidae) Synonym(s): *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937
- 2060) Fedtschenkia palaestinensis Guiglia,1963** (Sapygidae) Synonym(s): *palaestinensis* Guiglia,1963
- 2061) Fermocelina cubiculella (Staudinger,1859)** (Tineidae) Synonym(s): *cubiculella* Staudinger,1859; *recticostella* Caradja,1920.
- 2062) Fermocelina latiusculella (Stainton,1867)** (Tineidae) Synonym(s): *latiusculella* Stainton,1867
- 2063) Fermocelina leucelioides (Amsel,1935)** (Tineidae) Synonym(s): *leucelioides* Amsel,1935
- 2064) Festella festae (Giglio-Tos,1893)** (Tettigoniidae) Synonym(s): *festae* Giglio-Tos,1893
- 2065) Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria* Horvath,1897
- 2066) Fieberiella macchiai Linnavuori,1962** (Cicadellidae) Synonym(s): *macchiai* Linnavuori,1962
- 2067) Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963
- 2068) Fischeria bicolor R-D.,1830** (Tachinidae) Synonym(s): *bicolor* R-D.,1830
- 2069) Flabellomalachius flabellatus (Frivaldsky,1835)** (Melyridae) Synonym(s): *flabellatus* Frivaldsky,1835
- 2070) Flabellotilloidea palaestina (Pic,1900)** (Cleridae) Synonym(s): *palaestina* Pic,1900
- 2071) Forcipomyia (s.str.) brachypetiolata Vimmer,1928** (Ceratopogonidae) Synonym(s): *brachypetiolata* Vimmer,1928
- 2072) Forcipomyia (s.str.) ochracea Vimmer,1928** (Ceratopogonidae) Synonym(s): *ochracea* Vimmer,1928
- 2073) Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900
- 2074) Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839
- 2075) Frutoidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947
- 2076) Furcula interrupta Christoph,1867** (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
- 2077) Galactopogon hispidus Engel,1929** (Asilidae) Synonym(s): *hispidus* Engel,1929
- 2078) Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheela* Dufrane,1930.
- 2079) Gastrophysa polygoni (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygoni* Linnaeus,1758
- 2080) Gastrophysa viridula (DeGeer,1775)** (Chrysomelidae) Synonym(s): *viridula* DeGeer,1775; *caucasica* Jolivet,1951
- 2081) Gegenes nostrodamus (Fabricius,1793)** (Hesperiidae) Synonym(s): *nostrodamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940.
- 2082) Gegenes pumilio (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrilli,1787 *nec Fabr.*,1775; *aetna* Boisduval,1840; *lefebvrii* Rambur,1842; *monochroa* Rebel,1907.
- 2083) Germaria hermonensis Kugler,1980** (Tachinidae) Synonym(s): *hermonensis* Kugler,1980
- 2084) Geron (s.str.) efflatouni Greathead,1999** (Bombyliidae) Synonym(s): *efflatouni* Greathead,1999
- 2085) Geron (s.str.) freidbergi Zaitzev,1996** (Bombyliidae) Synonym(s): *freidbergi* Zaitzev,1996
- 2086) Geron (s.str.) gibbosus (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus* Olivier,1789; *hybridus* Meigen,1804; *gibbosus* Meigen,1820; *corcyreus* Frey,1936
- 2087) Geron (s.str.) longiventris Efflatoun,1945** (Bombyliidae) Synonym(s): *longiventris* Efflatoun,1945; *roborovskii* Zaitzev,1996
- 2088) Geron (s.str.) mystacinus Bezzi,1924** (Bombyliidae) Synonym(s): *mystacinus* Bezzi,1924
- 2089) Geron (s.str.) olivieri Macquart,1840** (Bombyliidae) Synonym(s): *olivieri* Macquart,1840
- 2090) Geron (s.str.) ritae Zaitzev,1996** (Bombyliidae) Synonym(s): *ritae* Zaitzev,1996
- 2091) Gerris asper (Fieber,1860)** (Gerridae) Synonym(s): *asper* Fieber,1860
- 2092) Gerris costae (Herrich-Schäffer,1850)** (Gerridae) Synonym(s): *costae* Herrich-Schäffer,1850; *fieberti* Stichel,1938
- 2093) Gerris maculatus Tamanini,1946** (Gerridae) Synonym(s): *maculatus* Tamanini,1946
- 2094) Geyria lepidula (Navas,1912)** (Myrmeleonidae) Synonym(s): *lepidula* Navas,1912
- 2095) Geyria saharica Esben-Petersen,1920** (Myrmeleonidae) Synonym(s): *saharica* Esben-Petersen,1920
- 2096) Glabellula nobilis Kertész,1912** (Mythicomyiidae) Synonym(s): *nobilis* Kertész,1912
- 2097) Glabellula palaestinensis Engel,1933** (Mythicomyiidae) Synonym(s): *palaestinensis* Engel,1933
- 2098) Glaphyrocoris secundus Linnavuori,1961** (Miridae) Synonym(s): *secundus* Linnavuori,1961
- 2099) Glaphyrus comosus Harold,1869** (Glaphyridae) Synonym(s): *comosus* Harold,1869
- 2100) Glaphyrus rothi Harold,1869** (Glaphyridae) Synonym(s): *rothi* Harold,1869
- 2101) Glaucopsyche (Iolana) alfieri Wiltshire,1948** (Lycaenidae) Synonym(s): *alfieri* Wiltshire,1948
- 2102) Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) Synonym(s): *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *miromi* Coutsis,1976.
- 2103) Globiceps rubi Wagner,1964** (Miridae) Synonym(s): *rubi* Wagner,1964
- 2104) Globiceps syriacus Wagner,1969** (Miridae) Synonym(s): *horvathi* Wagner,1960 *nec* Reut.; *syriacus* Wagner,1969; *brevicornis* Linnavuori,1992
- 2105) Glossotrophia (Libanonia) sacraria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910
- 2106) Glossotrophia (s.str.) chalcographata Brandt,1938** (Geometridae) Synonym(s): *chalcographata* Brandt,1938
- 2107) Gnamptonyx innexa (Walker,1858)** (Noctuidae) Synonym(s): *innexa* Walker,1858; *vilis* Walker,1865.
- 2108) Gnaphalostetha bonvoisini Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *bonvoisini* Reiche & Saulcy,1856
- 2109) Gnopharmia colchidaria (Lederer,1870)** (Geometridae) Synonym(s): *colchidaria* Lederer,1870; *melanotaenia* Wehrli,1938
- 2110) Gnopharmia rubraria Staudinger,1892** (Geometridae) Synonym(s): *rubraria* Staudinger,1892
- 2111) Gnophos (Cnestrognophos) adjectarius Staudinger,1898** (Geometridae) Synonym(s): *adjectaria* Staudinger,1898
- 2112) Gnophos (Micrognophos) sartatus (Treitschke,1827)** (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.
- 2113) Gnophos (Sacrognophos) sacrarius Staudinger,[1895]** (Geometridae) Synonym(s): *sacraria* Staudinger,[1895].

- 2114) **Gnorimus armeniacus Reitter, 1887** (Scarabaeidae) Synonym(s): *armeniaceus Reitter, 1887*
 2115) **Golanisa israeliana Lehrer, 2000** (Sarcophagidae) Synonym(s): *israeliana Lehrer, 2000*
 2116) **Gomphocranum christophi Jakovlev, 1877** (Pentatomidae) Synonym(s): *christophi Jakovlev, 1877*
 2117) **Gomphus davidi Selys, 1887** (Gomphidae) Synonym(s): *davidi Selys, 1887*
 2118) **Gonepteryx (Isogonepteryx) cleopatra (Linnaeus, 1767)** (Pieridae) Synonym(s): *cleopatra Linnaeus, 1767; balearica Bubacek, 1920.*
 2119) **Gonia atra Meigen, 1826** (Tachinidae) Synonym(s): *atra Meigen, 1826*
 2120) **Gonia atrata Bischoff, 1906** (Tachinidae) Synonym(s): *atrata Bischoff, 1906*
 2121) **Gonia bimaculata Wiedemann, 1819** (Tachinidae) Synonym(s): *bimaculata Wiedemann, 1819*
 2122) **Gonia foersteri Meigen, 1838** (Tachinidae) Synonym(s): *foersteri Meigen, 1838*
 2123) **Gonia maculipennis Egger, 1862** (Tachinidae) Synonym(s): *maculipennis Egger, 1862*
 2124) **Gonia olgae Rhodendorf, 1927** (Tachinidae) Synonym(s): *olgae Rhodendorf, 1927*
 2125) **Gonia ornata Meigen, 1826** (Tachinidae) Synonym(s): *ornata Meigen, 1826*
 2126) **Gonia ornata Meigen, 1826** (Tachinidae) Synonym(s): *ornata Meigen, 1826*
 2127) **Gonia sicula (R-D., 1830)** (Tachinidae) Synonym(s): *sicula R-D., 1830*
 2128) **Gonia umbripennis Herting, 1958** (Tachinidae) Synonym(s): *umbripennis Herting, 1958*
 2129) **Goniagnathus bolivari (Melichar, 1907)** (Cicadellidae) Synonym(s): *bolivari Melichar, 1907; hoberlandti Dlabola, 1957*
 2130) **Goniagnathus brevis (Herrich-Schäffer, 1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer, 1835; annulipes Lucas, 1849*
 2131) **Goniagnathus guttulinervis (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *guttulinervis Kirschbaum, 1868; putoni Lethierry, 1874; laminatus Ivanoff, 1885; ferganensis Kusnezov, 1929*
 2132) **Goniagnathus palliatus (Lethierry, 1887)** (Cicadellidae) Synonym(s): *palliatus Lethierry, 1887*
 2133) **Gonianotus marginepunctatus (Wolff, 1804)** (Lygaeidae) Synonym(s): *marginepunctatus Wolff, 1804*
 2134) **Goniurellia longicauda Freidberg, 1980** (Tephritidae) Synonym(s): *longicauda Freidberg, 1980*
 2135) **Goniurellia persignata Freidberg, 1980** (Tephritidae) Synonym(s): *persignata Freidberg, 1980*
 2136) **Goniurellia spinifera Freidberg, 1980** (Tephritidae) Synonym(s): *spinifera Freidberg, 1980*
 2137) **Goniurellia tridens (Hendel, 1910)** (Tephritidae) Synonym(s): *tridens Hendel, 1910*
 2138) **Gonocerus imitator Reuter, 1891** (Coreidae) Synonym(s): *imitator Reuter, 1891; carreti Puton, 1895*
 2139) **Gonomyia (s.str.) faria Stary & Freidberg, 2007** (Limoniidae) Synonym(s): *faria Stary & Freidberg, 2007*
 2140) **Gozmania crassa (Amsel, 1935)** (Pyralidae) Synonym(s): *crassa Amsel, 1935*
 2141) **Grammacephalus pugio (Noualhier, 1895)** (Cicadellidae) Synonym(s): *pugio Noualhier, 1895; turneri Evans, 1947; djirofticus Dlabola, 1960*
 2142) **Grammodes bifasciata (Petagna, 1786)** (Noctuidae) Synonym(s): *geometrica auct.; bifasciata Petagna, 1786; linearis Hübner, 1790; parallela Cyrillo, 1790; chalcipera Borkhausen, 1792; parallelaris Hübner, [1803].*
 2143) **Grammodes stolidia (Fabricius, 1775)** (Noctuidae) Synonym(s): *stolidia Fabricius, 1775; cingularis Hübner, [1808]; stupida Herrich-Schäffer, 1851; curvilinea Walker, 1869.*
 2144) **Graphantha (Dysgraphhadena) commoda (Staudinger, 1889)** (Noctuidae) Synonym(s): *indigna auct. nec Chr., 1887; commoda Staudinger, 1889; manifesta Christoph, 1893; idumaea Püngeler, 1902; schlumbergeri Püngeler, 1905*
 2145) **Graphomya maculata (Scopoli, 1763)** (Muscidae) Synonym(s): *maculata Scopoli, 1763; compuncta Harris, 1780*
 2146) **Graphosoma (s.str.) semipunctatum (Fabricius, 1775)** (Pentatomidae) Synonym(s): *semipunctatum Fabricius, 1775; interruptum White, 1839; wilsoni White, 1839; persica Ferr., 1874; creticum Horvath, 1909*
 2147) **Graptostethus servus (Fabricius, 1787)** (Lygaeidae) Synonym(s): *servus Fabricius, 1787; maculicollis Germar, 1847; rubricosus Stal, 1854; manillensis Stal, 1860; ornatus Uhler, 1860; #conjuncta Strichel, 1957*
 2148) **Gravenhorstia (Kokujewiella) ibera (Ceballos, 1957)** (Ichneumonidae) Synonym(s): *ibera Ceballos, 1957*
 2149) **Greniera dobyi Beaucournu-Saguez & Braverman, 1987** (Simuliidae) Synonym(s): *dobyi Beaucournu-Saguez & Braverman, 1987*
 2150) **Gryllomorpha (Gryllomorphella) mira Gorochoy, 1993** (Gryllidae) Synonym(s): *mira Gorochoy, 1993*
 2151) **Gryllomorpha (Gryllomorphella) sternlichti Chopard, 1963** (Gryllidae) Synonym(s): *sternlichti Chopard, 1963*
 2152) **Gryllotalpa gryllotalpa (Linnaeus, 1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus, 1758; talpa Olivier, 1791; vulgaris Latreille, 1804*
 2153) **Grypocoris amoenus (Douglas & Scott, 1868)** (Miridae) Synonym(s): *moenus Douglas & Scott, 1868; elegans Reuter, 1877*
 2154) **Grypocoris fieberi Douglas & Scott, 1868** (Miridae) Synonym(s): *fieberi Douglas & Scott, 1868; blandus Puton, 1881*
 2155) **Grypocoris syriacus Reuter, 1896** (Miridae) Synonym(s): *syriacus Reuter, 1896*
 2156) **Grypotes staurus Ivanoff, 1885** (Cicadellidae) Synonym(s): *staurus Ivanoff, 1885; australis Haupt, 1927*
 2157) **Gymnocnemia variegata (Schneider, 1845)** (Myrmeleionidae) Synonym(s): *variegata Schneider, 1845; multipunctatus Costa, 1855; mocsaryi Pongracz, 1910*
 2158) **Gymnopleurus flagellatus (Fabricius, 1787)** (Scarabaeidae) Synonym(s): *flagellatus Fabricius, 1787; coriarius Herbst, 1789; serratus Fischer von Waldheim, 1821; asperatus Mulsant, 1842; caliginosus Balthasar, 1934*
 2159) **Gymnopleurus geoffroyi Fuessly, 1785** (Scarabaeidae) Synonym(s): *geoffroyi Fuessly, 1785; cantharus Illiger, 1803*
 2160) **Gymnopleurus mopsus (Pallas, 1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas, 1781*
 2161) **Gymnoscelis rufifasciata (Haworth, [1809])** (Geometridae) Synonym(s): *rufifasciata Haworth, [1809]; pumilata Hübner, [1813].*
 2162) **Gymnosoma clavatum (Rohdendorf, 1947)** (Tachinidae) Synonym(s): *clavata Rohdendorf, 1947; verbekei Mesnil, 1952*
 2163) **Gynnidomorpha permixtana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *permixtana [Denis & Schiffermüller], 1775; antennana Frölich, 1828; mussehlana Treitschke, 1835; dymotana Treitschke, 1835.*
 2164) **Gypsonoma euphraticana (Amsel, 1935)** (Tortricidae) Synonym(s): *euphraticana Amsel, 1935*
 2165) **Gypsonoma minutana (Hübner, [1799])** (Tortricidae) Synonym(s): *minutana Hübner, [1799]; vermiculana Duponchel, 1836*
 2166) **Gypsonoma obratzsovi Amsel, 1959** (Tortricidae) Synonym(s): *obratzsovi Amsel, 1959*
 2167) **Habropoda tarsata (Spinola, 1838)** (Apidae) Synonym(s): *tarsata Spinola, 1838*
 2168) **Habropogon aegyptius Efflatoun, 1937** (Asilidae) Synonym(s): *aegyptius Efflatoun, 1937*
 2169) **Habropogon appendiculatus Schiner, 1867** (Asilidae) Synonym(s): *appendiculatus Schiner, 1867; solox Enderlein, 1921*
 2170) **Habropogon decipiens Theodor, 1980** (Asilidae) Synonym(s): *decipiens Theodor, 1980*
 2171) **Habropogon francoisi Janssens, 1969** (Asilidae) Synonym(s): *francoisi Janssens, 1969*
 2172) **Habropogon heteroneurus Timon & David, 1951** (Asilidae) Synonym(s): *striatus Fabricius, 1794 nec Gmel., 1790; heteroneurus Timon & David, 1951 (see Koçak & Kemal, 2008, Misc. Pap. 145: 10).*
 2173) **Habropogon longiventris Loew, 1847** (Asilidae) Synonym(s): *longiventris Loew, 1847*

- 2174) **Habropogon similimus Theodor, 1980** (Asilidae) Synonym(s): *similimus Theodor, 1980*
- 2175) **Habropogon theodori Hradsky & Geller-Grimm, 2005** (Asilidae) Synonym(s): *theodori Hradsky & Geller-Grimm, 2005*
- 2176) **Hadena (Anepia) perplexa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *perplexa [Denis & Schiffermüller], 1775; lepida Esper, [1790] nec Cr., [1779]; carpophaga Brahm, 1791; ochracea Haworth, 1809; capsophila Boisduval, 1840; nisus Germar, [1842]; repanda Herrich-Schäffer, [1850]; atlas A.E. Prout, 1929; sicula Draudt, 1933*
- 2177) **Hadena (Anepia) sancta (Staudinger, 1859)** (Noctuidae) Synonym(s): *sancta Staudinger, 1859*
- 2178) **Hadena (Anepia) silenens (Hübner, [1822])** (Noctuidae) Synonym(s): *silenens Hübner, [1822]; sejuncta Herrich-Schäffer, [1850]*
- 2179) **Hadena (Anepia) syriaca (Osthelder, 1933)** (Noctuidae) Synonym(s): *syriaca Osthelder, 1933; osthelderi Draudt, 1933*
- 2180) **Hadena (Enterpia) laudeti (Boisduval, 1840)** (Noctuidae) Synonym(s): *laudeti Boisduval, 1840*
- 2181) **Hadena (Maschukia) pumila (Staudinger, 1879)** (Noctuidae) Synonym(s): *pumila Staudinger, 1879*
- 2182) **Hadena (Pronotestra) silenides (Staudinger, 1895)** (Noctuidae) Synonym(s): *silenides Staudinger, 1895; cinochrea Chrétien, 1911; pampaninii C.G. Krüger, 1933*
- 2183) **Hadena (s.str. (Albimaculia)) adriana (Schawerda, 1921)** (Noctuidae) Synonym(s): *adriana Schawerda, 1921*
- 2184) **Hadena (s.str. (Albimaculia)) gueneei (Staudinger, 1901)** (Noctuidae) Synonym(s): *gueneei Staudinger, 1901; guenei Hampson, 1905*
- 2185) **Hadena (s.str. (Clarhadena)) clara (Staudinger, 1901)** (Noctuidae) Synonym(s): *clara Staudinger, 1901; hyrcana Draudt, 1933; transiens Draudt, 1938*
- 2186) **Hadena (s.str. (Clarhadena)) drenowski (Rebel, 1930)** (Noctuidae) Synonym(s): *drenowski Rebel, 1930*
- 2187) **Hadena (s.str. (Luteocincta)) persimilis Hacker, 1996** (Noctuidae) Synonym(s): *persimilis Hacker, 1996*
- 2188) **Hadena (s.str. (Miselia)) compta ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *compta [Denis & Schiffermüller], 1775; viscaria Guenée, 1852; galactina Turati, 1908*
- 2189) **Hadula (Aglossestra) deserticola (Hampson, 1905)** (Noctuidae) Synonym(s): *deserticola Hampson, 1905; mariaeludovicae Lucas, 1914; affinis Rothschild, 1914*
- 2190) **Hadula (Calocestra (Hadumendax)) mendax (Staudinger, 1879)** (Noctuidae) Synonym(s): *mendax Staudinger, 1879*
- 2191) **Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel, 1766)** (Noctuidae) Synonym(s): *trifolii Hufnagel, 1766; chenopodii [Denis & Schiffermüller], 1775; verna Esper, [1787]; saucia Esper, [1790]; infraina Haworth, 1809; contribulis Duponchel, 1827; farkasii Treitschke, 1835; inquieta Walker, 1857; albifusa Walker, 1857; cinnamomina Rothschild, 1913; taylora Rothschild, 1921*
- 2192) **Hadula (Calocestra (Stigma)) stigma (Christoph, 1887)** (Noctuidae) Synonym(s): *stigma Christoph, 1887*
- 2193) **Hadula (s.str. (Habulorum)) engedina Hacker, 1998** (Noctuidae) Synonym(s): *engedina Hacker, 1998*
- 2194) **Hadula (s.str. (Habulorum)) sabulorum (Alpheraky, 1882)** (Noctuidae) Synonym(s): *sabulorum Alpheraky, 1882*
- 2195) **Haematobia irritans (Linnaeus, 1758)** (Muscidae) Synonym(s): *irritans Linnaeus, 1758*
- 2196) **Haematobia titillans (Bezzi, 1907)** (Muscidae) Synonym(s): *titillans Bezzi, 1907*
- 2197) **Haematopota coronata Austen, 1908** (Tabanidae) Synonym(s): *coronata Austen, 1908*
- 2198) **Haematopota innominata Austen, 1920** (Tabanidae) Synonym(s): *innominata Austen, 1920*
- 2199) **Haematopota minuscula Austen, 1920** (Tabanidae) Synonym(s): *minuscula Austen, 1920; siwaynensis Kröber, 1929*
- 2200) **Haematopota minuscularia Austen, 1920** (Tabanidae) Synonym(s): *minuscularia Austen, 1920*
- 2201) **Haematopota sewelli Austen, 1920** (Tabanidae) Synonym(s): *sewelli Austen, 1920*
- 2202) **Haemerosia renalis (Hübner, [1813])** (Noctuidae) Synonym(s): *renalis Hübner, [1813]*
- 2203) **Haetosmia vechti (Peters, 1974)** (Megachilidae) Synonym(s): *vechti Peters, 1974*
- 2204) **Halictus (Hexataenites) sexcinctus (Fabricius, 1775)** (Halictidae) Synonym(s): *sexcinctus Fabricius, 1775*
- 2205) **Halictus (s.str.) aegypticola Strand, 1909** (Halictidae) Synonym(s): *aegypticola Strand, 1909*
- 2206) **Halictus (s.str.) alfkenellus Strand, 1909** (Halictidae) Synonym(s): *alfkenellus Strand, 1909; cedens Strand, 1925*
- 2207) **Halictus (s.str.) asperulus Pérez, 1895** (Halictidae) Synonym(s): *asperulus Pérez, 1895*
- 2208) **Halictus (s.str.) berlandi Blüthgen, 1936** (Halictidae) Synonym(s): *berlandi Blüthgen, 1936*
- 2209) **Halictus (s.str.) brunnescens (Eversmann, 1852)** (Halictidae) Synonym(s): *brunnescens Eversmann, 1852; maximus Friese, 1916; aegyptiacus Friese, 1916*
- 2210) **Halictus (s.str.) cochlearitarsis (Dours, 1872)** (Halictidae) Synonym(s): *cochlearitarsis Dours, 1872*
- 2211) **Halictus (s.str.) fatsensis Blüthgen, 1936** (Halictidae) Synonym(s): *fatsensis Blüthgen, 1936*
- 2212) **Halictus (s.str.) hermon Ebmer, 1975** (Halictidae) Synonym(s): *hermon Ebmer, 1975*
- 2213) **Halictus (s.str.) maculatus Smith, 1848** (Halictidae) Synonym(s): *maculatus Smith, 1848; priesneri Ebmer, 1975*
- 2214) **Halictus (s.str.) patellatus Morawitz, 1873** (Halictidae) Synonym(s): *patellatus Morawitz, 1873; wagneri Blüthgen, 1937; ifranicola Cockerell, 1937*
- 2215) **Halictus (s.str.) quadricinctus (Fabricius, 1776)** (Halictidae) Synonym(s): *quadricinctus Fabricius, 1776; hortensis Geoffroy, 1785; quadristrigatus Latreille, 1805; grandis Illiger, 1806*
- 2216) **Halictus (s.str.) resurgens Nurse, 1903** (Halictidae) Synonym(s): *resurgens Nurse, 1903*
- 2217) **Halictus (s.str.) senilis (Eversmann, 1852)** (Halictidae) Synonym(s): *senilis Eversmann, 1852; fucosus Morawitz, 1876; albarius Pérez, 1895; bivinctus Vachal, 1902*
- 2218) **Halictus (s.str.) tetrazonianellus Strand, 1909** (Halictidae) Synonym(s): *tetrazonianellus Strand, 1909*
- 2219) **Halictus (s.str.) tetrazonius (Klug, 1817)** (Halictidae) Synonym(s): *tetrazonius Klug, 1817; furcatus Blüthgen, 1925*
- 2220) **Halictus (s.str.) tibialis Walker, 1871** (Halictidae) Synonym(s): *tibialis Walker, 1871*
- 2221) **Halictus (Seladonia) cephalicus (Morawitz, 1873)** (Halictidae) Synonym(s): *cephalicus Morawitz, 1873*
- 2222) **Halictus (Seladonia) lucidipennis Smith, 1853** (Halictidae) Synonym(s): *lucidipennis Smith, 1853*
- 2223) **Halictus (Seladonia) smaragdulus Vachal, 1895** (Halictidae) Synonym(s): *smaragdulus Vachal, 1895*
- 2224) **Halictus (Seladonia) subauratus (Rossi, 1792)** (Halictidae) Synonym(s): *subauratus Rossi, 1792*
- 2225) **Halictus (Vestitohalictus) cupidus Vachal, 1902** (Halictidae) Synonym(s): *cupidus Vachal, 1902*
- 2226) **Halictus (Vestitohalictus) cypricus Blüthgen, 1937** (Halictidae) Synonym(s): *cypricus Blüthgen, 1937*
- 2227) **Halictus (Vestitohalictus) morawitzi Vachal, 1902** (Halictidae) Synonym(s): *morawitzi Vachal, 1902*
- 2228) **Halictus (Vestitohalictus) pici Blüthgen, 1895** (Halictidae) Synonym(s): *pici Blüthgen, 1895; falix Ebmer, 2008*
- 2229) **Halictus (Vestitohalictus) pollinosus Sichel, 1860** (Halictidae) Synonym(s): *pollinosus Sichel, 1860*
- 2230) **Halictus (Vestitohalictus) pulvereus Morawitz, 1874** (Halictidae) Synonym(s): *pulvereus Morawitz, 1874*
- 2231) **Halictus (Vestitohalictus) semiticus Blüthgen, 1955** (Halictidae) Synonym(s): *semiticus Blüthgen, 1955*
- 2232) **Halictus (Vestitohalictus) tuberculatus Blüthgen, 1925** (Halictidae) Synonym(s): *tuberculatus Blüthgen, 1925*
- 2233) **Hallodapus costae (Reuter, 1890)** (Miridae) Synonym(s): *costae Reuter, 1890; longicornis Reuter, 1904*
- 2234) **Handianus procerus (Herrich-Schäffer, 1835)** (Cicadellidae) Synonym(s): *procerus Herrich-Schäffer, 1835; palaestinensis Linnavuori, 1962*

- 2235) Hannemanella tacapella (Ragonot,1887)** (Pyrilidae) Synonym(s): *tacapella* Ragonot,1887
- 2236) Hapsifera luridella Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 nec Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949
- 2237) Hapsifera multiguttella (Ragonot,1895)** (Tineidae) Synonym(s): *multiguttella* Ragonot,1895; *jerichoella* Amsel,1935.
- 2238) Hauptidia (Melicharidia) aridula (Linnavuori,1956)** (Cicadellidae) Synonym(s): *aridula* Linnavuori,1956
- 2239) Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962
- 2240) Hauptidia (s.str.) rivularis (Linnavuori,1962)** (Cicadellidae) Synonym(s): *rivularis* Linnavuori,1962
- 2241) Hebecnema nigra (R-D.,1830)** (Muscidae) Synonym(s): *nigra* R-D.,1830
- 2242) Hebecnema umbratica (Meigen,1826)** (Muscidae) Synonym(s): *umbratica* Meigen,1826
- 2243) Hebecnema vespertina (Fallén,1823)** (Muscidae) Synonym(s): *vespertina* Fallén,1823; *affinis* Malloch,1921
- 2244) Hecalus eximius (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *eximius* Kirschbaum,1868; *reticulatus* Linnavuori,1962
- 2245) Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897
- 2246) Hecamedoides costatus (Loew,1860)** (Ephydriidae) Synonym(s): *costata* Loew,1860
- 2247) Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,1791; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,1858; *obscura* Staudinger,1861.
- 2248) Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villiers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,1851; *innocens* Staudinger,1871; *subflava* W.Warren,1910.
- 2249) Hecatera weissii (Draudt,1934)** (Noctuidae) Synonym(s): *weissii* Draudt,1934
- 2250) Hedma rhamnifoliae (Amsel & M.Hering,1931)** (Gelechiidae) Synonym(s): *rhamnifoliae* Amsel & M.Hering,1931
- 2251) Hedychridium palestinense Balthasar,1953** (Chrysidae) Synonym(s): *palestinense* Balthasar,1953; *sculpturatissimum* Linsenmaier,1959
- 2252) Heegeria tangirica (Saunders,1877)** (Alydidae) Synonym(s): *tangirica* Saunders,1877; *adpersa* Rueter,1881; *ferrugineus* Carlini,1895; *robustus* Distant,1904; *venosus* Bergroth,1908; *sjoestedti* Schouteden,1912
- 2253) Helicoverpa armigera (Hübner,1808)** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,1808; *pulverosa* Walker,1857; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 2254) Helina almeriensis (Strobl,1906)** (Muscidae) Synonym(s): *almeriensis* Strobl,1906
- 2255) Helina annosa (Zetterstedt,1838)** (Muscidae) Synonym(s): *annosa* Zetterstedt,1838
- 2256) Helina chaetopyga (Malloch,1921)** (Muscidae) Synonym(s): *chaetopyga* Malloch,1921
- 2257) Helina clara (Meigen,1826)** (Muscidae) Synonym(s): *clara* Meigen,1826
- 2258) Helina evecta (Harris,1780)** (Muscidae) Synonym(s): *evecta* Harris,1780; *lucorum* Fallén,1823
- 2259) Helina parcepilosa (Stein,1907)** (Muscidae) Synonym(s): *parcepilosa* Stein,1907; *calceataeformis* Schnabl,1911
- 2260) Helina reversio (Harris,1780)** (Muscidae) Synonym(s): *reversio* Harris,1780; *duplicata* Meigen,1826; *duplaris* Zetterstedt,1845
- 2261) Helina sexmaculata (Preyßler,1791)** (Muscidae) Synonym(s): *sexmaculata* Preyßler,1791; *punctata* R-D.,1830
- 2262) Helina straminea Hennig,1963** (Muscidae) Synonym(s): *straminea* Hennig,1963
- 2263) Helina syracusana Hennig,1957** (Muscidae) Synonym(s): *syracusana* Hennig,1957
- 2264) Helina tetrastigma (Meigen,1826)** (Muscidae) Synonym(s): *tetrastigma* Meigen,1826; *flagripes* Rondani,1866
- 2265) Helionidia biplagiata (Haupt,1927)** (Cicadellidae) Synonym(s): *biplagiata* Haupt,1927
- 2266) Helionidia himyarita Zachvatkin,1946** (Cicadellidae) Synonym(s): *himyarita* Zachvatkin,1946; *acutistyla* Dlabola,1952; *desmanthi* Lindberg,1958
- 2267) Helionidia longifalx (Linnavuori,1953)** (Cicadellidae) Synonym(s): *ongifalx* Linnavuori,1953
- 2268) Heliothis (Masalia) albida (Hampson,1905)** (Noctuidae) Synonym(s): *albida* Hampson,1905; *chitinipygga* Dumont,1920
- 2269) Heliothis nubigera Herrich-Schäffer,1851** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,1851; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 2270) Heliothis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,1788; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 2271) Heliothis viriplaca (Hufnagel,1766)** (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 2272) Hellinsia inulae (Zeller,1852)** (Pterophoridae) Synonym(s): *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992.
- 2273) Hellinsia scholastica (Meyrick,1924)** (Pterophoridae) Synonym(s): *scholastica* Meyrick,1924
- 2274) Hellula undalis (Fabricius,1781)** (Pyrilidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,1866; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977
- 2275) Helophorus brevipalpis Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis* Bedel,1881
- 2276) Helophorus difficilis Angus,1988** (Helophoridae) Synonym(s): *difficilis* Angus,1988
- 2277) Helophorus illustris Sharp,1916** (Helophoridae) Synonym(s): *illustris* Sharp,1916
- 2278) Helophorus lapponicus Thomson,1854** (Helophoridae) Synonym(s): *lapponicus* Thomson,1854
- 2279) Helophorus lewisi Angus,1985** (Helophoridae) Synonym(s): *lewisi* Angus,1985
- 2280) Helophorus micans Falderman,1835** (Helophoridae) Synonym(s): *micans* Falderman,1835
- 2281) Helophorus subcarinatus Angus,1985** (Helophoridae) Synonym(s): *subcarinatus* Angus,1985
- 2282) Hemaris (Cochranella) croatica (Esper,1779)** (Sphingidae) Synonym(s): *croatica* Esper,1779; *sesia* Hübner,1806; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 2283) Hemaris (s.str.) syra (Daniel,1939)** (Sphingidae) Synonym(s): *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005
- 2284) Hemipenthes exoprosopoides Paramonov,1928** (Bombyliidae) Synonym(s): *exoprosopoides* Paramonov,1928
- 2285) Hemipenthes praecisus (Loew,1869)** (Bombyliidae) Synonym(s): *praecisus* Loew,1869; *#praecisus* Zaitzev,1999
- 2286) Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820
- 2287) Hemipterichilus bicoloricornis (Giordani Soika,1952)** (Vespidae) Synonym(s): *bicoloricornis* Giordani Soika,1952
- 2288) Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868

- 2289) Hephathus orientalis Linnavuori,1953** (Cicadellidae) Synonym(s): *orientalis* Linnavuori,1953
- 2290) Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer* Walker,1849; *chetifera* Walker,1849; *alutifer* Haliday,1851; *cretifer* Walker,1856; *cretifera* Walker,1856
- 2291) Hercostomus convergens (Loew,1857)** (Dolichopodidae) Synonym(s): *convergens* Loew,1857
- 2292) Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923
- 2293) Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951
- 2294) Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz,1875; *armeniacus* Popov,1956
- 2295) Heriades (s.str.) hierosolomitus Benoist,1935** (Megachilidae) Synonym(s): *hierosolomitus* Benoist,1935
- 2296) Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931
- 2297) Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastrica* Schrank,1802; *mordax* Schletterer,1889
- 2298) Hermoniana blondheimae Broza, Ayal & Pener,2004** (Tettigoniidae) Synonym(s): *blondheimae* Broza, Ayal & Pener,2004
- 2299) Herpetogramma licarsisalis (Walker,1859)** (Pyralidae) Synonym(s): *licarsisalis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1889; *#licarsialis* Rebel,1939
- 2300) Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860
- 2301) Heteracris adpersus (Redtenbacher,1889)** (Acrididae) Synonym(s): *adpersus* Redtenbacher,1889; *massai* Galvagni,1978
- 2302) Heteracris festae (Giglio-Tos,1893)** (Acrididae) Synonym(s): *festae* Giglio-Tos,1893
- 2303) Heteracris littoralis (Rambur,1838)** (Acrididae) Synonym(s): *littoralis* Rambur,1838; *similis* Brunner von Wattenwyl,1861; *notata* Walker,1870; *aethiopica* Carl,1916; *asiaticus* Uvarov,1933; *bituberculatus* Bei-Bienko,1948
- 2304) Heteracris pterostichus (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *pterostichus* Fischer von Waldheim,1833; *dorsatus* Fischer von Waldheim,1839; *fischeri* Fieber,1853
- 2305) Heteralonia (Acrodisca) suffusa (Klug,1832)** (Bombyliidae) Synonym(s): *suffusa* Klug,1832; *conturbata* Loew,1869
- 2306) Heteralonia (Homolonia) megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937
- 2307) Heteralonia (Zygodiola) aeaca (Meigen,1804)** (Bombyliidae) Synonym(s): *aeaca* Meigen,1804; *livida* Pallas,1818; *bombycifformis* Dufour,1833; *lutea* Macquart,1840
- 2308) Heteralonia (Zygodiola) bagdadensis (Macquart,1840)** (Bombyliidae) Synonym(s): *bagdadensis* Macquart,1840; *clausa* Becker,1913
- 2309) Heteralonia (Zygodiola) bezzii (Paramonov,1928)** (Bombyliidae) Synonym(s): *bezzii* Paramonov,1928
- 2310) Heteralonia (Zygodiola) fallaciosa (Loew,1873)** (Bombyliidae) Synonym(s): *fallaciosa* Loew,1873; *evanescens* Becker,1913
- 2311) Heteralonia (Zygodiola) hermani (François,1967)** (Bombyliidae) Synonym(s): *hermani* François,1967
- 2312) Heteralonia (Zygodiola) olivierii (Macquart,1840)** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840
- 2313) Heteralonia (Zygodiola) rivulosa (Becker,1902)** (Bombyliidae) Synonym(s): *rivulosa* Becker,1902
- 2314) Heteralonia (Zygodiola) singularis (Macquart,1840)** (Bombyliidae) Synonym(s): *singularis* Macquart,1840
- 2315) Heterographa puengeleri Bartel,1904** (Noctuidae) Synonym(s): *puengeleri* Bartel,1904
- 2316) Heteropalpia acrosticta (Püngeler,1904)** (Noctuidae) Synonym(s): *acrosticta* Püngeler,1904; *rosea* Rebel,1907
- 2317) Heteropalpia vetusta (Walker,1865)** (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
- 2318) Heteropogon nubilus (Wiedemann,1820)** (Asilidae) Synonym(s): *nubilus* Wiedemann,1820
- 2319) Heteropogon ornatipes Loew,1851** (Asilidae) Synonym(s): *ornatipes* Loew,1851
- 2320) Heteropogon pyrinus Hermann,1906** (Asilidae) Synonym(s): *pyrinus* Hermann,1906; *pyrrhinus* Engel,1925
- 2321) Heterotropus israeliensis Zaitzev,2001** (Bombyliidae) Synonym(s): *israeliensis* Zaitzev,2001
- 2322) Heterotropus kaplanae Zaitzev,2001** (Bombyliidae) Synonym(s): *kaplanae* Zaitzev,2001
- 2323) Hexatoma (s.str.) fuscipennis (Curtis,1836)** (Limoniidae) Synonym(s): *fuscipennis* Curtis,1836
- 2324) Hexatoma (s.str.) gaedii (Meigen,1830)** (Limoniidae) Synonym(s): *gaedii* Meigen,1830
- 2325) Hierochthonia pulverata (W.Warren,1901)** (Geometridae) Synonym(s): *pulverata* W.Warren,1901.
- 2326) Hierochthonia semitaria (Püngeler,1902)** (Geometridae) Synonym(s): *semitaria* Püngeler,1902
- 2327) Hilara ammoni Chvala,2008** (Empididae) Synonym(s): *ammoni* Chvala,2008
- 2328) Hilara aptoides Chvala,2008** (Empididae) Synonym(s): *aptoides* Chvala,2008
- 2329) Hilara clavidipes Chvala,2008** (Empididae) Synonym(s): *clavidipes* Chvala,2008
- 2330) Hilara freidbergi Chvala,2008** (Empididae) Synonym(s): *freidbergi* Chvala,2008
- 2331) Hilara israelica Chvala,2008** (Empididae) Synonym(s): *israelica* Chvala,2008
- 2332) Hilara orilasiochira Chvala,2008** (Empididae) Synonym(s): *orilasiochira* Chvala,2008
- 2333) Hilara spectabilis Chvala,2008** (Empididae) Synonym(s): *spectabilis* Chvala,2008
- 2334) Hilara theodori Chvala,2008** (Empididae) Synonym(s): *theodori* Chvala,2008
- 2335) Hilethera hierichonica Uvarov,1923** (Acrididae) Synonym(s): *hierichonica* Uvarov,1923
- 2336) Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950.
- 2337) Hipparchia (Pseudotergumia) pisidice (Klug,1832)** (Satyridae) Synonym(s): *pisidice* Klug,1832
- 2338) Hippotion celerio (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrouzier,1864
- 2339) Hippotion osiris (Dalman,1823)** (Sphingidae) Synonym(s): *osiris* Dalman,1823
- 2340) Hockeria brachygaster Boucek,1956** (Chalcididae) Synonym(s): *brachygaster* Boucek,1956
- 2341) Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952
- 2342) Hockeria tamaricis Boucek,1982** (Chalcididae) Synonym(s): *tamaricis* Boucek,1982
- 2343) Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928
- 2344) Holaptilon pusillum Beier,1964** (Mantidae) Synonym(s): *pusillum* Beier,1964
- 2345) Holcocerus gloriosus (Erschoff,1874)** (Cossidae) Synonym(s): *gloriosus* Erschoff,1874

- 2346) *Holcocerus holosericeus* (Staudinger,1884)** (Cossidae) Synonym(s): *holosericeus* Staudinger,1884; *persicus* Austaut,1897.
- 2347) *Holcogaster fibulata* (Germar,1831)** (Pentatomidae) Synonym(s): *fibulata* Germar,1831; *exilis* Horvath,1903; *meridionalis* De Seabra,1924; *longicornis* E.Wagner,1955; *weberi* E.Wagner,1964
- 2348) *Holcopogon bubulcellus* (Staudinger,1859)** (Autostichidae) Synonym(s): *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata* Walsingham,1900.
- 2349) *Holcopogon croesus* Gozmany,2000** (Autostichidae) Synonym(s): *croesus* Gozmany,2000
- 2350) *Holcostethus strictus* (Fabricius,1803)** (Pentatomidae) Synonym(s): *strictus* Fabricius,1803; *vernalis* Wolff,1804
- 2351) *Holochelus* (s.str.) *setiventris* (Reitter,1902)** (Scarabaeidae) Synonym(s): *setiventris* Reitter,1902
- 2352) *Holopogon nigropilosus* Theodor,1980** (Asilidae) Synonym(s): *nigropilosus* Theodor,1980
- 2353) *Holoterpna pruinosa* (Staudinger,1898)** (Geometridae) Synonym(s): *pruinosa* Staudinger,1898
- 2354) *Holotrichius apterus* Jakovlev,1879** (Reduviidae) Synonym(s): *apterus* Jakovlev,1879; *eroanumensis* Dispons,1964; *araxeus* Dispons,1964
- 2355) *Holotrichius bodenheimeri* Dispons,1962** (Reduviidae) Synonym(s): *bodenheimeri* Dispons,1962
- 2356) *Holotrichius denutatus* Costa,1841** (Reduviidae) Synonym(s): *denutatus* Costa,1841
- 2357) *Holotrichius innesi* Horvath,1910** (Reduviidae) Synonym(s): *innesi* Horvath,1910
- 2358) *Holotrichius luctuosus* (Mulsant & Mayet,1868)** (Reduviidae) Synonym(s): *luctuosus* Mulsant & Mayet,1868
- 2359) *Holotrichius nigricans* Reuter,1891** (Reduviidae) Synonym(s): *nigricans* Reuter,1891; *fuscescens* Reuter,1891; *pallascens* Reuter,1891; *reuterianus* Dispons,1961
- 2360) *Holotrichius rotundatus* Stal,1874** (Reduviidae) Synonym(s): *rotundatus* Stal,1874; *loricatus* Dispons,1962
- 2361) *Holotrichius squalidus* (Douglas & Scott,1868)** (Reduviidae) Synonym(s): *squalidus* Douglas & Scott,1868
- 2362) *Holotrichius tenebrosus* Burmeister,1835** (Reduviidae) Synonym(s): *tenebrosus* Burmeister,1835
- 2363) *Homaloxestis briantiella* (Turati,1879)** (Lecithoceridae) Synonym(s): *briantiella* Turati,1879
- 2364) *Homocosoma* (s.str.) *capsitanellum* Chrétien,1911** (Pylalidae) Synonym(s): *capsitanellum* Chrétien,1911; *eminentella* Turati,1924; *litorella* Amsel,1935
- 2365) *Homocosoma* (s.str.) *subalbatellum* (Mann,1864)** (Pylalidae) Synonym(s): *subalbatella* Mann,1864
- 2366) *Hoplitis* (Alcidamea) *abnormis* Zanden,1992** (Megachilidae) Synonym(s): *abnormis* Zanden,1992
- 2367) *Hoplitis* (Alcidamea) *alexandrina* Warncke,1991** (Megachilidae) Synonym(s): *alexandrina* Warncke,1991
- 2368) *Hoplitis* (Alcidamea) *ciliaris* (Pérez,1902)** (Megachilidae) Synonym(s): *ciliaris* Pérez,1902
- 2369) *Hoplitis* (Alcidamea) *hoppferi* Tkalcu,1977** (Megachilidae) Synonym(s): *hoppferi* Tkalcu,1977
- 2370) *Hoplitis* (Alcidamea) *limassolica* (Mavromoustakis,1937)** (Megachilidae) Synonym(s): *limassolica* Mavromoustakis,1937
- 2371) *Hoplitis* (Alcidamea) *praestans* (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895
- 2372) *Hoplitis* (Alcidamea) *subbutea* (Warncke,1991)** (Megachilidae) Synonym(s): *subbutea* Warncke,1991
- 2373) *Hoplitis* (Annosmia) *annulata* (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991
- 2374) *Hoplitis* (Annosmia) *christae* (Warncke,1991)** (Megachilidae) Synonym(s): *christae* Warncke,1991
- 2375) *Hoplitis* (Annosmia) *hierichonica* (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *hierichonica* Mavromoustakis,1949
- 2376) *Hoplitis* (Annosmia) *israelica* (Warncke,1991)** (Megachilidae) Synonym(s): *israelica* Warncke,1991
- 2377) *Hoplitis* (Annosmia) *leiocephala* (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *leiocephala* Mavromoustakis,1954
- 2378) *Hoplitis* (Annosmia) *parana* (Warncke,1991)** (Megachilidae) Synonym(s): *parana* Warncke,1991
- 2379) *Hoplitis* (Annosmia) *segura* (Warncke,1991)** (Megachilidae) Synonym(s): *segura* Warncke,1991
- 2380) *Hoplitis* (Annosmia) *sordida* (Benoist,1929)** (Megachilidae) Synonym(s): *sordida* Benoist,1929
- 2381) *Hoplitis* (Annosmia) *verhoeffi* (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *verhoeffi* Mavromoustakis,1954
- 2382) *Hoplitis* (Annosmia) *zonalis* (Pérez,1895)** (Megachilidae) Synonym(s): *zonalis* Pérez,1895; *undulata* Pérez,1902; *tapurensis* Benoist,1929; *bodenheimeri* Mavromoustakis,1949
- 2383) *Hoplitis* (Anthocopa) *anipuncta* (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta* Alfken,1935
- 2384) *Hoplitis* (Anthocopa) *batyamae* (Zanden,1986)** (Megachilidae) Synonym(s): *batyamae* Zanden,1986
- 2385) *Hoplitis* (Anthocopa) *bifoveolata* (Alfken,1935)** (Megachilidae) Synonym(s): *bifoveolata* Alfken,1935
- 2386) *Hoplitis* (Anthocopa) *bisulca* (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879
- 2387) *Hoplitis* (Anthocopa) *bytinskii* (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *bytinskii* Mavromoustakis,1948
- 2388) *Hoplitis* (Anthocopa) *cyprica* (Mavromoustakis,1938)** (Megachilidae) Synonym(s): *cyprica* Mavromoustakis,1938; *bayburtensis* Tkalcu,1980
- 2389) *Hoplitis* (Anthocopa) *daniana* (Mavromoustakis,1949)** (Megachilidae) Synonym(s): *daniana* Mavromoustakis,1949
- 2390) *Hoplitis* (Anthocopa) *hemisphaerica* (Alfken,1935)** (Megachilidae) Synonym(s): *hemisphaerica* Alfken,1935
- 2391) *Hoplitis* (Anthocopa) *jerichoenis* (Zanden,1996)** (Megachilidae) Synonym(s): *jerichoenis* Zanden,1996
- 2392) *Hoplitis* (Anthocopa) *obtusa* (Friese,1899)** (Megachilidae) Synonym(s): *obtusa* Friese,1899
- 2393) *Hoplitis* (Anthocopa) *rubricrus* (Friese,1899)** (Megachilidae) Synonym(s): *rubricrus* Friese,1899
- 2394) *Hoplitis* (Anthocopa) *semirubra* (Friese,1899)** (Megachilidae) Synonym(s): *semirubra* Friese,1899
- 2395) *Hoplitis* (Anthocopa) *singularis* (Morawitz,1875)** (Megachilidae) Synonym(s): *singularis* Morawitz,1875
- 2396) *Hoplitis* (Anthocopa) *unispina* (Alfken,1935)** (Megachilidae) Synonym(s): *unispina* Alfken,1935
- 2397) *Hoplitis* (Anthocopa) *wadicola* (Alfken,1935)** (Megachilidae) Synonym(s): *wadicola* Alfken,1935
- 2398) *Hoplitis* (Anthocopa) *wahrmani* (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *wahrmani* Mavromoustakis,1948
- 2399) *Hoplitis* (Bytinskia) *erythrogastra* (Mavromoustakis,1954)** (Megachilidae) Synonym(s): *erythrogastra* Mavromoustakis,1954
- 2400) *Hoplitis* (Bytinskia) *negevensis* (Warncke,1991)** (Megachilidae) Synonym(s): *negevensis* Warncke,1991
- 2401) *Hoplitis* (Chlidoplitis) *lysholmi* (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi* Friese,1899
- 2402) *Hoplitis* (Chlidoplitis) *onychophora* (Mavromoustakis,1939)** (Megachilidae) Synonym(s): *onychophora* Mavromoustakis,1939
- 2403) *Hoplitis* (Pentadentostmia) *enslini* (Alfken,1935)** (Megachilidae) Synonym(s): *grandior* Alfken,1935 *nec* Cock.,1897; *enslini* Alfken,1935
- 2404) *Hoplitis* (Pentadentostmia) *helouanensis* (Friese,1899)** (Megachilidae) Synonym(s): *helouanensis* Friese,1899
- 2405) *Hoplitis* (Pentadentostmia) *meyeri* (Benoist,1934)** (Megachilidae) Synonym(s): *meyeri* Benoist,1934

- 2406) *Hoplitis (Pentadentoscia) minor* (Morawitz,1877) (Megachilidae) Synonym(s): *minor* Morawitz,1877
- 2407) *Hoplitis (Pentadentoscia) moricei* (Friese,1899) (Megachilidae) Synonym(s): *moricei* Friese,1899; *pustinia* Warncke,1991
- 2408) *Hoplitis (Pentadentoscia) quinquespinosa* (Friese,1899) (Megachilidae) Synonym(s): *quinquespinosa* Friese,1899; *consanguinea* Benoist,1929; *neptunea* Benoist,1929
- 2409) *Hoplitis (Pentadentoscia) rufopicta* (Morawitz,1875) (Megachilidae) Synonym(s): *rufopicta* Morawitz,1875; *laeviscutum* Alfken,1935
- 2410) *Hoplitis (Platosmia) africana* (Warncke,1990) (Megachilidae) Synonym(s): *africana* Warncke,1990; *adustus* Zanden,1991
- 2411) *Hoplitis (Platosmia) gerofta* (Warncke,1990) (Megachilidae) Synonym(s): *gerofta* Warncke,1990
- 2412) *Hoplitis (Prionohoplitis) eburnea* (Warncke,1991) (Megachilidae) Synonym(s): *eburnea* Warncke,1991
- 2413) *Hoplitis (s.str.) fertoni* (Pérez,1890) (Megachilidae) Synonym(s): *fertoni* Pérez,1890; *albispina* Pérez,1895; *mecheriana* Pérez,1902
- 2414) *Hoplitis (s.str.) flabellifera* (Morice,1901) (Megachilidae) Synonym(s): *flabellifera* Morice,1901; *conjuncta* Alfken,1935; *stichi* Alfken,1935
- 2415) *Hoplitis (s.str.) homalocera* Zanden,1991 (Megachilidae) Synonym(s): *homalocera* Zanden,1991
- 2416) *Hoplitis (s.str.) improceros* Zanden,1998 (Megachilidae) Synonym(s): *improceros* Zanden,1998
- 2417) *Hoplitis (s.str.) libanensis* (Morice,1901) (Megachilidae) Synonym(s): *libanensis* Morice,1901
- 2418) *Hoplitis (s.str.) mucida* (Dours,1873) (Megachilidae) Synonym(s): *mucida* Dours,1873; *chobauti* Pérez,1902; *taorminaensis* Strand,1919; *maroccana* Benoist,1929
- 2419) *Hoplitis (s.str.) pallicornis* (Friese,1895) (Megachilidae) Synonym(s): *pallicornis* Friese,1895
- 2420) *Hoplitis (s.str.) testaceozonata* (Alfken,1935) (Megachilidae) Synonym(s): *testaceozonata* Alfken,1935
- 2421) *Hoplitis (Stenosmia) arvensis* (Zanden,1992) (Megachilidae) Synonym(s): *arvensis* Zanden,1992
- 2422) *Hoplitis (Stenosmia) denticulata* (Zanden,1992) (Megachilidae) Synonym(s): *denticulata* Zanden,1992
- 2423) *Hoplitis (Stenosmia) hartliebi* (Friese,1899) (Megachilidae) Synonym(s): *hartliebi* Friese,1899
- 2424) *Hoplitis (Tkalca) paralias* (Mavromoustakis,1954) (Megachilidae) Synonym(s): *paralias* Mavromoustakis,1954
- 2425) *Hoplodrina ambigua* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 2426) *Hoplosathe frauenfeldi* (Loew,1856) (Therevidae) Synonym(s): *frauenfeldi* Loew,1856
- 2427) *Horvathiolus syriacus* (Reuter,1885) (Lygaeidae) Synonym(s): *syriacus* Reuter,1885
- 2428) *Hyalesthes hani* Hoch,1985 (Cixiidae) Synonym(s): *hani* Hoch,1985
- 2429) *Hyalesthes obsoletus* Signoret,1865 (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935
- 2430) *Hyalesthes scotti* Ferrari,1882 (Cixiidae) Synonym(s): *scotti* Ferrari,1882
- 2431) *Hyalopterus pruni* (Geoffroy,1762) (Aphididae) Synonym(s): *pruni* Geoffroy,1762
- 2432) *Hybomitra agnitionalis* (Austen,1922) (Tabanidae) Synonym(s): *agnitionalis* Austen,1922
- 2433) *Hybomitra cuspidata* (Austen,1924) (Tabanidae) Synonym(s): *cuspidata* Austen,1924
- 2434) *Hybomitra decora* (Loew,1858) (Tabanidae) Synonym(s): *decora* Loew,1858; *defasciata* Szilady,1923; *amani* Szilady,1926
- 2435) *Hybomitra mendica* (Villeneuve,1912) (Tabanidae) Synonym(s): *mendica* Villeneuve,1912
- 2436) *Hybomitra peculiaris* (Szilady,1914) (Tabanidae) Synonym(s): *peculiaris* Szilady,1914; *inaequata* Austen,1923; *kroeberi* Szilady,1926; *kashmiriana* Szilady,1926
- 2437) *Hybomitra vulpes* (Szilady,1923) (Tabanidae) Synonym(s): *vulpes* Szilady,1923
- 2438) *Hycleus apicipennis* (Reiche,1866) (Meloidae) Synonym(s): *apicipennis* Reiche,1866; *innesi* Pic,1912; *fourtani* Pic,1921
- 2439) *Hycleus birecurvus* (Marseul,1870) (Meloidae) Synonym(s): *birecurvus* Marseul,1870; *caudalutius* Pic,1930
- 2440) *Hycleus brunripes* (Klug,1845) (Meloidae) Synonym(s): *brunripes* Klug,1845; *interrupta* Pic,1898; *letourneuxi* Pic,1896; *subrupta* Wellman,1910; *humeronotata* Pic,1939; *postmultinotata* Pic,1939; *adrarensis* Pic,1942
- 2441) *Hycleus concinnus* (Marseul,1870) (Meloidae) Synonym(s): *concinnus* Marseul,1870; *contaminata* Abeille de Perrin,1880; *impressithorax* Pic,1930
- 2442) *Hycleus dolens* (Marseul,1872) (Meloidae) Synonym(s): *dolens* Marseul,1872
- 2443) *Hycleus esfandiarii* (Kaszab,1969) (Meloidae) Synonym(s): *esfandiarii* Kaszab,1969
- 2444) *Hycleus fuscus* (Olivier,1811) (Meloidae) Synonym(s): *fuscus* Olivier,1811; *deleta* Marseul,1870; *galatiensis* Escherich,1899; *alpha* Sumakov,1913; *beta* Sumakov,1913; *circascutellaris* Pic,1914; *iota* Sumakov,1930; *zeta* Sumakov,1930
- 2445) *Hycleus tenuipictus* (Fairmaire,1892) (Meloidae) Synonym(s): *tenuipictus* Fairmaire,1892; *marsabensis* Pic,1898
- 2446) *Hycleus tigrinus* (Klug,1845) (Meloidae) Synonym(s): *tigrinus* Klug,1845
- 2447) *Hycleus tigrispennis* (Marseul,1870) (Meloidae) Synonym(s): *tigrispennis* Marseul,1870
- 2448) *Hycleus zebraeus* (Marseul,1870) (Meloidae) Synonym(s): *zebraea* Marseul,1870; *tenenbaumi* Pic,1928; *kervillei* Pic,1932
- 2449) *Hydriris ornatalis* (Duponchel,1832) (Pyralidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *deciusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabilie,1880 *nec* Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972
- 2450) *Hydrochara dichorama* (Fairmaire,1829) (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829
- 2451) *Hydrochus flavipennis* Küster,1852 (Hydrochidae) Synonym(s): *flavipennis* Küster,1852; *foveostriatus* Fairmaire,1859; *obtusicollis* Fairmaire,1877; *filiformis* Kuwert,1887; *fuscipennis* Kuwert,1887; *testaceipennis* Kuwert,1887
- 2452) *Hydrocyphon vicinans* Nyholm,1972 (Scirtidae) Synonym(s): *vicinans* Nyholm,1972
- 2453) *Hydromya dorsalis* (Fabricius,1775) (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775; *punctipennis* Fallén,1820; *caeruleipennis* R-D.,1830; *obscuriventris* Strobl,1899; *infusca* Villeneuve,1912
- 2454) *Hydrophilus aculeatus* (Solier) (Hydrophilidae) Synonym(s):
- 2455) *Hydrophorus balticus* (Meigen,1824) (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840
- 2456) *Hydrophorus praecox* (Lehmann,1822) (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherri* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902
- 2457) *Hydrophorus viridis* (Meigen,1824) (Dolichopodidae) Synonym(s): *viridis* Meigen,1824; *semiglaucus* Perris,1850; *paulosetosus* Becker,1907; *beckeri* Oldenberg,1920
- 2458) *Hydrotaea capensis* (Wiedemann,1818) (Muscidae) Synonym(s): *capensis* Wiedemann,1818; *anthrax* Meigen,1826
- 2459) *Hydrotaea ignava* (Harris,1780) (Muscidae) Synonym(s): *ignava* Harris,1780; *leucostoma* Wiedemann,1817
- 2460) *Hydrotaea similis* Meade,1887 (Muscidae) Synonym(s): *similis* Meade,1887
- 2461) *Hylaeus alexandrinus* (Warncke,1992) (Colletidae) Synonym(s): *alexandrinus* Warncke,1992
- 2462) *Hylaeus armeniacus* (Warncke,1981) (Colletidae) Synonym(s): *armeniacus* Warncke,1981

- 2463) *Hylaeus bifasciatus* (Jurine, 1807) (Colletidae) Synonym(s): *bifasciatus* Jurine, 1807
- 2464) *Hylaeus crispulus* Dathe, 1980 (Colletidae) Synonym(s): *crispulus* Dathe, 1980
- 2465) *Hylaeus damascenus* (Magretti, 1890) (Colletidae) Synonym(s): *damascenus* Magretti, 1890
- 2466) *Hylaeus elatus* (Warncke, 1981) (Colletidae) Synonym(s): *elatus* Warncke, 1981
- 2467) *Hylaeus klugii* (Friese, 1898) (Colletidae) Synonym(s): *klugii* Friese, 1898
- 2468) *Hylaeus kotschisus* (Warncke, 1981) (Colletidae) Synonym(s): *kotschisus* Warncke, 1981
- 2469) *Hylaeus laevithorax* (Alfken, 1924) (Colletidae) Synonym(s): *laevithorax* Alfken, 1924
- 2470) *Hylaeus longimaculus* (Alfken, 1936) (Colletidae) Synonym(s): *longimaculus* Alfken, 1936
- 2471) *Hylaeus maculatus* (Alfken, 1904) (Colletidae) Synonym(s): *maculatus* Alfken, 1904
- 2472) *Hylaeus orientalicus* (Warncke, 1981) (Colletidae) Synonym(s): *orientalicus* Warncke, 1981
- 2473) *Hylaeus pictipes* Nylander, 1852 (Colletidae) Synonym(s): *pictipes* Nylander, 1852
- 2474) *Hylaeus rubicola* (Saunders, 1850) (Colletidae) Synonym(s): *rubicola* Saunders, 1850
- 2475) *Hylaeus rugicollis* Morawitz, 1874 (Colletidae) Synonym(s): *rugicollis* Morawitz, 1874
- 2476) *Hylaeus scutellatus* (Spinola, 1838) (Colletidae) Synonym(s): *scutellatus* Spinola, 1838
- 2477) *Hylaeus sidensis* (Warncke, 1981) (Colletidae) Synonym(s): *sidensis* Warncke, 1981
- 2478) *Hylaeus tyrolensis* Förster, 1871 (Colletidae) Synonym(s): *tyrolensis* Förster, 1871
- 2479) *Hylaeus variegatus* (Fabricius, 1798) (Colletidae) Synonym(s): *variegatus* Fabricius, 1798
- 2480) *Hyles conspicua* (Rothschild & Jordan, 1903) (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan, 1903.
- 2481) *Hyles livornica* (Esper, 1780) (Sphingidae) Synonym(s): *livornica* Esper, 1780; *koechlini* Fuessly, 1781; *tatsienluica* Oberthür, 1916; *saharae* Gehlen, 1932; *malgassica* Denso, 1944; *tatsienluica* Oberthür, 1944; *renneri* Eitschberger, Danner & Surholt, 1998.
- 2482) *Hypena* (Ophiuche) *lividalis* (Hübner, 1796) (Noctuidae) Synonym(s): *lividalis* Hübner, 1796; *diagonalis* Fabricius, 1794; *simplicis* Zeller, 1852; *abjurialis* Walker, 1859; *scissalis* Walker, 1866; ? *perna* R. Felder & Rogenhofer, 1873; ? *bipartita* Smith, 1900.
- 2483) *Hypena* (s.str.) *obsitalis* (Hübner, 1813) (Noctuidae) Synonym(s): *obsitalis* Hübner, 1813
- 2484) *Hypena munitalis* Mann, 1861 (Noctuidae) Synonym(s): *munitalis* Mann, 1861.
- 2485) *Hyperidium graecum* Loew, 1862 (Tephritidae) Synonym(s): *graecum* Loew, 1862; *novakii* Strobl, 1893; *pulchella* Tavares, 1902; *bipartita* Ségué, 1930
- 2486) *Hypeuthina fulgurita* Lederer, 1855 (Noctuidae) Synonym(s): *fulgurita* Lederer, 1855
- 2487) *Hyponephle* (s.str.) *lycaon* (Costa, 1836) (Satyridae) Synonym(s): *lycaon* Costa, 1836
- 2488) *Hyponephle* (s.str.) *lycaon* (Rottentburg, 1775) (Satyridae) Synonym(s): *lycaon* Rottentburg, 1775; *#lycaon* Kuhn, 1774; *eudora* Esper, 1778; *janirula* Esper, 1800; *rufomaculata* Korb, 2005
- 2489) *Hyposcotis* (Euchrognophos) *subtaurica* (Wehrli, 1932) (Geometridae) Synonym(s): *subtaurica* Wehrli, 1932
- 2490) *Hyposcotis* (Kemtrognophos) *onustaria* (Herrich-Schäffer, 1852) (Geometridae) Synonym(s): *onustaria* Herrich-Schäffer, 1852; *oneraria* Guenée, 1858
- 2491) *Hyposoter ebenitor* Aubert, 1972 (Ichneumonidae) Synonym(s): *ebenitor* Aubert, 1972
- 2492) *Hypotia colchicalis* (Herrich-Schäffer, 1855) (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer, 1855; *numidalis* Hampson, 1900.
- 2493) *Hypotia corticalis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *corticalis* [Denis & Schiffermüller], 1775
- 2494) *Hypotia fuscisectalis* Hampson, 1900 (Pyralidae) Synonym(s): *fuscisectalis* Hampson, 1900
- 2495) *Hypotia infulalis* Lederer, 1858 (Pyralidae) Synonym(s): *infulalis* Lederer, 1858
- 2496) *Hypotia ingrata* (Butler, 1881) (Pyralidae) Synonym(s): *ingrata* Butler, 1881; *proximalis* Christoph, 1882
- 2497) *Hypotia jordanalis* (Rebel, 1903) (Pyralidae) Synonym(s): *jordanalis* Rebel, 1903
- 2498) *Hypotia mavromoustakisi* (Rebel, 1928) (Pyralidae) Synonym(s): *mavromoustakisi* Rebel, 1928
- 2499) *Hypotia rara* (Amsel, 1935) (Pyralidae) Synonym(s): *rara* Amsel, 1935
- 2500) *Hypsopygia costalis* (Fabricius, 1775) (Pyralidae) Synonym(s): *costalis* Fabricius, 1775; *#lugens* Rebel, 1903; *syriaca* Zerny, 1914; *lugens* Caradja, 1917.
- 2501) *Hypsotropa vulneratella* (Zeller, 1847) (Pyralidae) Synonym(s): *vulneratella* Zeller, 1847; *roseistrigella* Ragonot, 1901.
- 2502) *Hysterophora maculosana* (Haworth, 1811) (Tortricidae) Synonym(s): *maculosana* Haworth, 1811; *purgatana* Treitschke, 1835; *porculana* Mann, 1862.
- 2503) *Hysteropterum nervosum* Fieber, 1877 (Issidae) Synonym(s): *nervosum* Fieber, 1877
- 2504) *Hysteropterum syriacum* Melichar, 1906 (Issidae) Synonym(s): *syriacum* Melichar, 1906
- 2505) *Idaea adherbariata* (Staudinger, 1898) (Geometridae) Synonym(s): *adherbariata* Staudinger, 1898
- 2506) *Idaea affinitata* (A. Bang-Haas, 1907) (Geometridae) Synonym(s): *affinitata* A. Bang-Haas, 1907
- 2507) *Idaea allongata* (Staudinger, 1898) (Geometridae) Synonym(s): *allongata* Staudinger, 1898; *allongaria* Staudinger, 1900; *paulusi* L.B. Prout, 1935.
- 2508) *Idaea camparia* (Herrich-Schäffer, 1852) (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer, 1851; *camparia* Herrich-Schäffer, 1852; *europaea* Wehrli, 1934.
- 2509) *Idaea consanguinaria* (Lederer, 1853) (Geometridae) Synonym(s): *consanguinaria* Lederer, 1853; *consanguinata* Bellier, 1861; *faillata* Fuchs, 1901; *taurica* A. Bang-Haas, 1906; *turatii* Sohn-Rethel, 1929
- 2510) *Idaea degeneraria* (Hübner, 1799) (Geometridae) Synonym(s): *degeneraria* Hübner, 1799; *degenerata* Treitschke, 1828; *floridaria* Turati, 1913
- 2511) *Idaea detritaria* (Staudinger, 1897) (Geometridae) Synonym(s): *detritaria* Staudinger, 1897
- 2512) *Idaea dimidiata* (Hufnagel, 1767) (Geometridae) Synonym(s): *dimidiata* Hufnagel, 1767; *scutulata* [Denis & Schiffermüller], 1775; *antitaurica* Wehrli, 1931 *nec* Wehrli, 1931; *tauricola* Wehrli, 1934.
- 2513) *Idaea distinctaria* (Boisduval, 1840) (Geometridae) Synonym(s): *distinctaria* Boisduval, 1840; *ruficostata* Zeller, 1849; *incarnaria* Herrich-Schäffer, 1852
- 2514) *Idaea epaphrodita* (Wehrli, 1934) (Geometridae) Synonym(s): *epaphrodita* Wehrli, 1934; *serrataria* Sterneck, 1934.
- 2515) *Idaea filicata* (Hübner, 1799) (Geometridae) Synonym(s): *filicata* Hübner, 1799; *filicaria* Duponchel, 1830; *levequei* Leraut, 2003
- 2516) *Idaea fractilineata* (Zeller, 1847) (Geometridae) Synonym(s): *fractilineata* Zeller, 1847; *fractilinearia* Herrich-Schäffer, 1852
- 2517) *Idaea holliata* (Homberg, 1909) (Geometridae) Synonym(s): *holliata* Homberg, 1909
- 2518) *Idaea inclinata* (Lederer, 1855) (Geometridae) Synonym(s): *inclinata* Lederer, 1855
- 2519) *Idaea intermedia* (Staudinger, 1879) (Geometridae) Synonym(s): *intermedia* Staudinger, 1879
- 2520) *Idaea mareotica* (Draudt, 1912) (Geometridae) Synonym(s): *mareotica* Draudt, 1912
- 2521) *Idaea mimosaria* (Herrich-Schäffer, 1852) (Geometridae) Synonym(s): *mimosaria* Herrich-Schäffer, 1852

- 2522** *Idaea palaestinensis* (Sterneck,1933) (Geometridae) Synonym(s): *antitaurica* Wehrli,1932 nec Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934.
- 2523** *Idaea pectinata* (Sterneck,1933) (Geometridae) Synonym(s): *pectinata* Sterneck,1933
- 2524** *Idaea proclivata* (Fuchs,1902) (Geometridae) Synonym(s): *proclivata* Fuchs,1902; *osthelderi* Wehrli,1932.
- 2525** *Idaea purpureomarginata* (Bohatsch,1880) (Geometridae) Synonym(s): *purpureomarginata* Bohatsch,1880
- 2526** *Idaea rusticata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866.
- 2527** *Idaea saida* (Wiltshire,1968) (Geometridae) Synonym(s): *saida* Wiltshire,1968
- 2528** *Idaea striolata* (Staudinger,1892) (Geometridae) Synonym(s): *striolata* Staudinger,1892
- 2529** *Idaea subpurpurata* (Staudinger,1900) (Geometridae) Synonym(s): *subpurpurata* Staudinger,1900
- 2530** *Idaea subsericeata* (Haworth,[1809]) (Geometridae) Synonym(s): *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934
- 2531** *Idaea tineata* (Thierry-Mieg,1911) (Geometridae) Synonym(s): *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931.
- 2532** *Idaea troglodytaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939
- 2533** *Idiocera* (Euptilostena) *arabiensis* Hancock,1997 (Limoniidae) Synonym(s): *arabiensis* Hancock,1997
- 2534** *Idiocera* (s.str.) *ampullifera* (Stary,1979) (Limoniidae) Synonym(s): *ampullifera* Stary,1979
- 2535** *Idiocera* (s.str.) *pulchripennis* (Loew,1856) (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; ?*filicina* Santos Abreu,1923; *similior* Alexander,1956
- 2536** *Idiocerus vicinus* Melichar,1898 (Cicadellidae) Synonym(s): *vicinus* Melichar,1898
- 2537** *Idiomacromerus papaveris* (Förster,1856) (Torymidae) Synonym(s): *papaveris* Förster,1856; *akdenizeus* Doğanlar,1989
- 2538** *Ilisia inermis* Mendl,1979 (Limoniidae) Synonym(s): *inermis* Mendl,1979
- 2539** *Ilybius hulae* Wewalka,1984 (Dytiscidae) Synonym(s): *hulae* Wewalka,1984
- 2540** *Imbecilla imbecilla* (Linnavuori,1962) (Cicadellidae) Synonym(s): *imbecilla* Linnavuori,1962; *libanotica* Dbalola,1965
- 2541** *Infurcitinea amseli* G.Petersen,1957 (Tineidae) Synonym(s): *amseli* G.Petersen,1957
- 2542** *Infurcitinea karmeliella* (Amsel,1935) (Tineidae) Synonym(s): *karmeliella* Amsel,1935
- 2543** *Iolais* (Epamera) *glaucus* (Butler,[1886]) (Lycaenidae) Synonym(s): *glaucus* Butler,[1886]
- 2544** *Iphiclides podalirius* (Linnaeus,1758) (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zancleides* Verity,1911; *pseudopersica* Rocci,1926.
- 2545** *Iranada turcorum* (Zerny,1915) (Noctuidae) Synonym(s): *turcorum* Zerny,1915
- 2546** *Iris oratoria* (Linnaeus,1758) (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832
- 2547** *Irochrotus lanatus* (Pallas,1773) (Scutelleridae) Synonym(s): *lanatus* Pallas,1773
- 2548** *Irwinella palaestinensis* (Kröber,1932) (Therevidae) Synonym(s): *palaestinensis* Kröber,1932
- 2549** *Isauria dilucidella* (Duponchel,1836) (Pyralidae) Synonym(s): *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *grisescens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970
- 2550** *Ischnodemus suturalis* Horvath,1883 (Lygaeidae) Synonym(s): *suturalis* Horvath,1883
- 2551** *Ischnopeza hirticornis* (Herrich-Schäffer,1853) (Lygaeidae) Synonym(s): *hirticornis* Herrich-Schäffer,1853
- 2552** *Ischnopeza pallipes* Puton,1892 (Lygaeidae) Synonym(s): *pallipes* Puton,1892
- 2553** *Ischnura elegans* (Van Der Linden,1820) (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820
- 2554** *Isoceras bipunctatum* (Staudinger,1887) (Cossidae) Synonym(s): *bipunctatum* Staudinger,1887
- 2555** *Isocerus freidbergi* Melika,2008 (Cynipidae) Synonym(s): *freidbergi* Melika,2008
- 2556** *Isophrictis anthemidella* (Wocke,1871) (Gelechiidae) Synonym(s): *anthemidella* Wocke,1871
- 2557** *Isophya savignyi* Brunner von Wattenwyl,1878 (Tettigoniidae) Synonym(s): *savignyi* Brunner von Wattenwyl,1878; *festae* Griffini,1893
- 2558** *Isturgia berytaria* (Staudinger,1892) (Geometridae) Synonym(s): *berytaria* Staudinger,1892
- 2559** *Isturgia exustaria* (Staudinger,1898) (Geometridae) Synonym(s): *exustaria* Staudinger,1898
- 2560** *Isturgia perviaria* (Lederer,1855) (Geometridae) Synonym(s): *perviaria* Lederer,1855; *albofascia* Swinhoe,1885
- 2561** *Isturgia perviaria perviaria* (Lederer,1855) (Geometridae) Synonym(s): *perviaria* Lederer,1855; *albofascia* Swinhoe,1885
- 2562** *Isturgia sublimbata* (Butler,1885) (Geometridae) Synonym(s): *sublimbata* Butler,1885
- 2563** *Jalla dumosa* (Linnaeus,1758) (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917
- 2564** *Jodia croceago* (Fabricius,1787) (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiago* Donovan,1796; *corsica* Mabilie,1868
- 2565** *Jordanita* (s.str.) *syriaca* (Alberti,1937) (Zygaenidae) Synonym(s): *syriaca* Alberti,1937
- 2566** *Jothopogon leucomallus* (Loew,1871) (Asilidae) Synonym(s): *leucomallus* Loew,1871
- 2567** *Jubrinia distincta* Linnavuori,1962 (Cicadellidae) Synonym(s): *distincta* Linnavuori,1962
- 2568** *Jugurtia jemenensis* Kostylev,1935 (Vespidae) Synonym(s): *jemenensis* Kostylev,1935; *hoggarica* Giordani Soika,1954
- 2569** *Julodis aequinoctialis* (Olivier,1790) (Buprestidae) Synonym(s): *aequinoctialis* Olivier,1790
- 2570** *Julodis andreae* (Olivier,1790) (Buprestidae) Synonym(s): *andreae* Olivier,1790
- 2571** *Julodis ehrenbergi* Laporte,1835 (Buprestidae) Synonym(s): *ehrenbergi* Laporte,1835
- 2572** *Julodis peregrina* (Chevrolat,1838) (Buprestidae) Synonym(s): *peregrina* Chevrolat,1838
- 2573** *Julodis rothi* (Storm,1843) (Buprestidae) Synonym(s): *rothi* Storm,1843
- 2574** *Julodis speculifera* Laporte & Gory,1835 (Buprestidae) Synonym(s): *speculifera* Laporte & Gory,1835
- 2575** *Julodis syriaca* (Olivier,1790) (Buprestidae) Synonym(s): *syriaca* Olivier,1790
- 2576** *Julodis zoufali* (Obenberger,1914) (Buprestidae) Synonym(s): *zoufali* Obenberger,1914
- 2577** *Kelisia brucki* Fieber,1878 (Delphacidae) Synonym(s): *brucki* Fieber,1878
- 2578** *Kelisia yarkonensis* Linnavuori,1962 (Delphacidae) Synonym(s): *yarkonensis* Linnavuori,1962
- 2579** *Keradere tengstroemiella* (Erschoff,1874) (Pyralidae) Synonym(s): *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879.
- 2580** *Kermes palestiniensis* Balachowsky,1953 (Kermesidae) Synonym(s): *palestiniensis* Balachowsky,1953

- 2581) **Kervillea placophorum** (Horvath,1905) (Issidae) Synonym(s): *placophorum* Horvath,1905
- 2582) **Kessleria (Hofmannia) saxifragae** (Stainton,1868) (Yponomeutidae) Synonym(s): *saxifragae* Stainton,1868
- 2583) **Klapperichicen viridissimus** (Walker,1858) (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreata* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920
- 2584) **Klimeschia cinereipunctella** (Turati & Fiori,1930) (Douglassiidae) Synonym(s): *cinereipunctella* Turati & Fiori,1930; *lutumella* Amsel,1938.
- 2585) **Knappetra fasciata** (Walker,1855) (Lymantriidae) Synonym(s): *fasciata* Walker,1855; *squamiplaga* Walker,1869; *stellata* Distant,1897; *torrida* Distant,1897; *angolae* Bethune-Baker,1911; *plana* Fawcett,1915.
- 2586) **Knemodrynerus sinaicus** (Giordani Soika,1939) (Vespididae) Synonym(s): *sinaicus* Giordani Soika,1939
- 2587) **Kokujewia ectrapela** Konow,1902 (Argidae) Synonym(s): *ectrapela* Konow,1902; *palestina* Benson,1954
- 2588) **Korynetes coxalis** Reitter,1894 (Korynetidae) Synonym(s): *coxalis* Reitter,1894
- 2589) **Korynetes pusillus** Klug,1842 (Korynetidae) Synonym(s): *pusillus* Klug,1842
- 2590) **Kriebbaumerella mansues** (Nikol'skaya,1952) (Chalcididae) Synonym(s): *mansues* Nikol'skaya,1952
- 2591) **Krichbeinella aramaea** (Suarez,1963) (Mutillidae) Synonym(s): *aramaea* Suarez,1963
- 2592) **Krombeinella hebraea** (Suarez,1963) (Mutillidae) Synonym(s): *hebraea* Suarez,1963
- 2593) **Kuchleria gisisi** Hausmann,1995 (Geometridae) Synonym(s): *gisisi* Hausmann,1995
- 2594) **Labidostomis (s.str.) diversifrons** Lefebvre,1876 (Chrysomelidae) Synonym(s): *diversifrons* Lefebvre,1876; *speculifrons* Kraatz,1872; *attenuata* Pic,1897
- 2595) **Labidostomis (s.str.) hebraea** (Lacordaire,1848) (Chrysomelidae) Synonym(s): *hebraea* Lacordaire,1848; *limbata* Lacordaire,1848; *jota* Reiche,1854; *posticejuncta* Pic,1912; *bijuncta* Pic,1912; *bisbijuncta* Pic,1912
- 2596) **Labidostomis laeta** Medvedev,1992 (Chrysomelidae) Synonym(s): *laeta* Medvedev,1992
- 2597) **Lacanobia (Diataraxia) oleracea** (Linnaeus,1758) (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
- 2598) **Lacanobia (Diataraxia) softa** (Staudinger,1898) (Noctuidae) Synonym(s): *softa* Staudinger,1898; *luteocinnamomea* Rothschild,1920.
- 2599) **Lachnaia cerealis** (Olivier,1808) (Chrysomelidae) Synonym(s): *cerealis* Olivier,1808
- 2600) **Laemostenus (Pristonychus) cimmerius** (Fischer von Waldheim,1823) (Carabidae) Synonym(s): *cimmerius* Fischer von Waldheim,1823; *weirathei* J.Müller,1932
- 2601) **Laminanthrax olgae** Zaitzev,1999 (Bombyliidae) Synonym(s): *olgae* Zaitzev,1999
- 2602) **Lamoria anella** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller],1775
- 2603) **Lamoria jordanis** Ragonot,1901 (Pyralidae) Synonym(s): *jordanis* Ragonot,1901
- 2604) **Lampides boeticus** (Linnaeus,1767) (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
- 2605) **Lamprochromus bifasciatus** (Macquart,1827) (Dolichopodidae) Synonym(s): *bifasciatus* Macquart,1827; *elegans* Meigen,1830; *semiflavus* Strobl,1880
- 2606) **Lamprochromus speciosus** (Loew,1871) (Dolichopodidae) Synonym(s): *speciosus* Loew,1871
- 2607) **Lampromeloe cavensis** (Petagna,1819) (Meloidea) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Géné,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867
- 2608) **Lampyrus berytensis** Fairmaire,1866 (Lampyridae) Synonym(s): *berytensis* Fairmaire,1866
- 2609) **Lampyrus nervosa** Olivier,1883 (Lampyridae) Synonym(s): *nervosa* Olivier,1883; *barbara* Olivier,1884
- 2610) **Lampyrus setosa** Geisthardt,1883 (Lampyridae) Synonym(s): *setosa* Geisthardt,1883
- 2611) **Lampyroidea syriaca** A.Costa,1875 (Lampyridae) Synonym(s): *syriaca* A.Costa,1875; *innotaticollis* Pic,1914
- 2612) **Lampyroidea tenenbaumi** Pic,1928 (Lampyridae) Synonym(s): *tenenbaumi* Pic,1928
- 2613) **Lanelater judaicus** (Reiche & Saulcy,1856) (Elateridae) Synonym(s): *judaicus* Reiche & Saulcy,1856
- 2614) **Laodelphax striatellus** (Fallén,1826) (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943
- 2615) **Laphria aurea** (Fabricius,1794) (Asilidae) Synonym(s): *aurea* Fabricius,1794
- 2616) **Laphria dizonias** Loew,1847 (Asilidae) Synonym(s): *dizonias* Loew,1847; *integra* Becker,1912
- 2617) **Laphystia erberi** (Schiner,1865) (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930
- 2618) **Larentia clavaria** Haworth,[1809] (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
- 2619) **Lasiacantha hedenborgi** (Stal,1873) (Tingidae) Synonym(s): *hedenborgi* Stal,1873; *#hedenbergii* Önder et al.,2006
- 2620) **Lasiocampa decolorata** (Klug,1832) (Lasiocampidae) Synonym(s): *decolorata* Klug,1832
- 2621) **Lasiocampa grandis** (Rogenhofer,1891) (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891
- 2622) **Lasiocampa grisea** Grünberg,1911 (Lasiocampidae) Synonym(s): *grisea* Grünberg,1911
- 2623) **Lasiocampa josua** (Staudinger,[1896]) (Lasiocampidae) Synonym(s): *josua* Staudinger,[1896]
- 2624) **Lasiocampa serrula** (Guenée,1858) (Lasiocampidae) Synonym(s): *serrula* Guenée,1858
- 2625) **Lasiocampa terreni** (Herrich-Schäffer,1847) (Lasiocampidae) Synonym(s): *terreni* Herrich-Schäffer,1847
- 2626) **Lasiocampa trifolii** ([Denis & Schiffermüller],1775) (Lasiocampidae) Synonym(s): *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *ratamae* Herrich-Schäffer,1851; *bathseba* Staudinger,1891; *maculosa* Rogenhofer,1891
- 2627) **Lasioglossum (Ctenonomia) fasciger** (Strand,1909) (Halictidae) Synonym(s): *fasciger* Strand,1909
- 2628) **Lasioglossum (Ctenonomia) gibber** (Vachal,1892) (Halictidae) Synonym(s): *gibber* Vachal,1892
- 2629) **Lasioglossum (Ctenonomia) vagans** (Smith,1858) (Halictidae) Synonym(s): *vagans* Smith,1858
- 2630) **Lasioglossum (Evylaeus) adaliae** (Blüthgen,1923) (Halictidae) Synonym(s): *adaliae* Blüthgen,1923
- 2631) **Lasioglossum (Evylaeus) aglyphum** (Pérez,1895) (Halictidae) Synonym(s): *aglyphum* Pérez,1895
- 2632) **Lasioglossum (Evylaeus) anellum** (Vachal,1905) (Halictidae) Synonym(s): *anellum* Vachal,1905
- 2633) **Lasioglossum (Evylaeus) angusticeps** (Perkins,1895) (Halictidae) Synonym(s): *angusticeps* Perkins,1895
- 2634) **Lasioglossum (Evylaeus) bicallosum** (Morawitz,1873) (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmitrijevii* Morawitz,1892
- 2635) **Lasioglossum (Evylaeus) clypeiferellum** (Strand,1909) (Halictidae) Synonym(s): *clypeiferellum* Strand,1909
- 2636) **Lasioglossum (Evylaeus) crassepunctatum** (Blüthgen,1923) (Halictidae) Synonym(s): *crassepunctatum* Blüthgen,1923
- 2637) **Lasioglossum (Evylaeus) damascenum** (Pérez,1910) (Halictidae) Synonym(s): *damascenum* Pérez,1910

- 2638) *Lasioglossum* (Evylaeus) *elegans* (Lepeletier,1841) (Halictidae) Synonym(s): *elegans* Lepeletier,1841
- 2639) *Lasioglossum* (Evylaeus) *enslini* Ebmer,1972 (Halictidae) Synonym(s): *enslini* Ebmer,1972
- 2640) *Lasioglossum* (Evylaeus) *epipygiale* (Blüthgen,1924) (Halictidae) Synonym(s): *epipygiale* Blüthgen,1924
- 2641) *Lasioglossum* (Evylaeus) *filipes* Ebmer,1972 (Halictidae) Synonym(s): *filipes* Ebmer,1972
- 2642) *Lasioglossum* (Evylaeus) *glabriusculum* (Morawitz,1872) (Halictidae) Synonym(s): *glabriusculum* Morawitz,1872
- 2643) *Lasioglossum* (Evylaeus) *griseolum* (Morawitz,1872) (Halictidae) Synonym(s): *griseolum* Morawitz,1872
- 2644) *Lasioglossum* (Evylaeus) *imbecillum* (Ebmer,1974) (Halictidae) Synonym(s): *imbecillum* Ebmer,1974
- 2645) *Lasioglossum* (Evylaeus) *israeleuse* Ebmer,1974 (Halictidae) Synonym(s): *israeleuse* Ebmer,1974
- 2646) *Lasioglossum* (Evylaeus) *ituraeum* Ebmer,1972 (Halictidae) Synonym(s): *ituraeum* Ebmer,1972
- 2647) *Lasioglossum* (Evylaeus) *laeve* (Kirby,1802) (Halictidae) Synonym(s): *laeve* Kirby,1802
- 2648) *Lasioglossum* (Evylaeus) *laevadorsum* (Blüthgen,1923) (Halictidae) Synonym(s): *laevadorsum* Blüthgen,1923
- 2649) *Lasioglossum* (Evylaeus) *laticeps* Schenck,1870 (Halictidae) Synonym(s): *laticeps* Schenck,1870; *hellenicum* Blüthgen,1937
- 2650) *Lasioglossum* (Evylaeus) *limbellum* (Morawitz,1876) (Halictidae) Synonym(s): *limbellum* Morawitz,1876
- 2651) *Lasioglossum* (Evylaeus) *lineare* (Schenck,1869) (Halictidae) Synonym(s): *lineare* Schenck,1869
- 2652) *Lasioglossum* (Evylaeus) *longirostre* (Morawitz,1876) (Halictidae) Synonym(s): *longirostre* Morawitz,1876
- 2653) *Lasioglossum* (Evylaeus) *malachurum* (Kirby,1802) (Halictidae) Synonym(s): *malachurum* Kirby,1802
- 2654) *Lasioglossum* (Evylaeus) *mandibulare* (Morawitz,1866) (Halictidae) Synonym(s): *mandibulare* Morawitz,1866; *carneivendre* Dours,1872
- 2655) *Lasioglossum* (Evylaeus) *marginatum* (Brullé,1832) (Halictidae) Synonym(s): *marginatum* Brullé,1832
- 2656) *Lasioglossum* (Evylaeus) *masculum* (Pérez,1895) (Halictidae) Synonym(s): *masculum* Pérez,1895
- 2657) *Lasioglossum* (Evylaeus) *mesosclerum* (Pérez,1903) (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulum* Warncke,1982
- 2658) *Lasioglossum* (Evylaeus) *minutissimum* (Kirby,1802) (Halictidae) Synonym(s): *minutissimum* Kirby,1802
- 2659) *Lasioglossum* (Evylaeus) *morio* (Fabricius,1793) (Halictidae) Synonym(s): *morio* Fabricius,1793
- 2660) *Lasioglossum* (Evylaeus) *mose* Ebmer,1974 (Halictidae) Synonym(s): *mose* Ebmer,1974
- 2661) *Lasioglossum* (Evylaeus) *nabardicum* (Blüthgen,1931) (Halictidae) Synonym(s): *nabardicum* Blüthgen,1931
- 2662) *Lasioglossum* (Evylaeus) *nigripes* (Lepeletier,1841) (Halictidae) Synonym(s): *nigripes* Lepeletier,1841
- 2663) *Lasioglossum* (Evylaeus) *obscuratum* (Morawitz,1875) (Halictidae) Synonym(s): *obscuratum* Morawitz,1875
- 2664) *Lasioglossum* (Evylaeus) *ordubadense* (Friese,1916) (Halictidae) Synonym(s): *ordubadense* Friese,1916
- 2665) *Lasioglossum* (Evylaeus) *pauxillum* (Schenck,1853) (Halictidae) Synonym(s): *pauxillum* Schenck,1853
- 2666) *Lasioglossum* (Evylaeus) *politum* Schenck,1853 (Halictidae) Synonym(s): *politum* Schenck,1853
- 2667) *Lasioglossum* (Evylaeus) *pressithorax* Ebmer,1974 (Halictidae) Synonym(s): *pressithorax* Ebmer,1974
- 2668) *Lasioglossum* (Evylaeus) *pseudolittorale* (Blüthgen,1923) (Halictidae) Synonym(s): *pseudolittorale* Blüthgen,1923
- 2669) *Lasioglossum* (Evylaeus) *pseudosphecodimorphum* (Blüthgen,1923) (Halictidae) Synonym(s): *pseudosphecodimorphum* Blüthgen,1923
- 2670) *Lasioglossum* (Evylaeus) *punctatissimum* (Schenck,1853) (Halictidae) Synonym(s): *punctatissimum* Schenck,1853
- 2671) *Lasioglossum* (Evylaeus) *pygmaeum* Schenck,1853 (Halictidae) Synonym(s): *pygmaeum* Schenck,1853; *patulum* Vachal,1905
- 2672) *Lasioglossum* (Evylaeus) *transitorium* (Schenck,1870) (Halictidae) Synonym(s): *transitorium* Schenck,1870; *uncinum* Vachal,1905
- 2673) *Lasioglossum* (Evylaeus) *truncaticolle* (Morawitz,1877) (Halictidae) Synonym(s): *truncaticolle* Morawitz,1877
- 2674) *Lasioglossum* (s.str.) *aegyptiellum* (Strand,1909) (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis* Cockerell,1918; *dalmaticum* Ebmer,1970
- 2675) *Lasioglossum* (s.str.) *caspicum* (Morawitz,1873) (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911
- 2676) *Lasioglossum* (s.str.) *costulatum* (Kriechbaumer,1873) (Halictidae) Synonym(s): *costulatum* Kriechbaumer,1873; *alpestris* Morawitz,1877
- 2677) *Lasioglossum* (s.str.) *cristulum* (Pérez,1895) (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975; *#cristulam* Grace,2010
- 2678) *Lasioglossum* (s.str.) *discum* (Smith,1853) (Halictidae) Synonym(s): *discum* Smith,1853; *morbillosus* Kriechbaumer,1873; *glasunovi* Cockerell,1924;
- 2679) *Lasioglossum* (s.str.) *equinum* Ebmer,1978 (Halictidae) Synonym(s): *equinum* Ebmer,1978
- 2680) *Lasioglossum* (s.str.) *picipes* (Morawitz,1876) (Halictidae) Synonym(s): *picipes* Morawitz,1876
- 2681) *Lasioglossum* *callizonium* (Pérez,1895) (Halictidae) Synonym(s): *callizonium* Pérez,1895; *mogadoricus* Cockerell,1937
- 2682) *Lasiommata* *maera* (Linnaeus,1758) (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 2683) *Lasiommata* *megera* (Linnaeus,1767) (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 2684) *Lasiopa* *villosa* (Fabricius,1794) (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794
- 2685) *Lasioptera* *berlesiana* Paoli,1907 (Cecidomyiidae) Synonym(s): *berlesiana* Paoli,1907; *kiefferiana* Del Guercio,1910; *carpophila* Del Guercio,1918; *brevicornis* Melis,1927
- 2686) *Lasioptera* *umbelliferarum* Kieffer,1909 (Cecidomyiidae) Synonym(s): *umbelliferarum* Kieffer,1909
- 2687) *Lasiosina* *aurea* Dely-Draskovits,1979 (Chloropidae) Synonym(s): *aurea* Dely-Draskovits,1979
- 2688) *Lasiosina* *cinctipes* (Meigen,1830) (Chloropidae) Synonym(s): *cinctipes* Meigen,1830; *limbata* Meigen,1830; *herpini* Guérin-Méneville,1843; *obscurata* Duda,1933; *nigripes* Dely-Draskovits,1977
- 2689) *Lasiosina* *immaculata* Becker,1912 (Chloropidae) Synonym(s): *immaculata* Becker,1912
- 2690) *Lasiosina* *kaplanae* Dely-Draskovits,1981 (Chloropidae) Synonym(s): *kaplanae* Dely-Draskovits,1981
- 2691) *Lasiosina* *maculata* Dely-Draskovits,1981 (Chloropidae) Synonym(s): *maculata* Dely-Draskovits,1981
- 2692) *Lasiosina* *nigra* Dely-Draskovits,1981 (Chloropidae) Synonym(s): *nigra* Dely-Draskovits,1981
- 2693) *Lasiosina* *paralittoralis* Dely-Draskovits,1981 (Chloropidae) Synonym(s): *paralittoralis* Dely-Draskovits,1981
- 2694) *Latilica* *maculipes* (Melichar,1906) (Issidae) Synonym(s): *maroccanum* Lethierry,1877; *maculipes* Melichar,1906; *oertzeni* Matsumura,1910
- 2695) *Latilica* *retamae* (Linnavuori,1962) (Issidae) Synonym(s): *retamae* Linnavuori,1962
- 2696) *Latoliarus* *aither* Linnavuori,1971 (Cixiidae) Synonym(s): *aither* Linnavuori,1971
- 2697) *Lecithocera* *nigrana* (Duponchel,1836) (Lecithoceridae) Synonym(s): *nigrana* Duponchel,1836; *luticornella* Zeller,1839; *orsoviella* Heinemann,1870; *#leticornella* Staudinger,1880.
- 2698) *Lecithocera* *syriella* Gozmany,1978 (Lecithoceridae) Synonym(s): *syriella* Gozmany,1978

- 2699) *Legnotomyia cineracea* (Austen,1937) (Bombyliidae) Synonym(s): *cineracea* Austen,1937
- 2700) *Legnotomyia palestinae* Paramonov,1947 (Bombyliidae) Synonym(s): *palestinae* Paramonov,1947
- 2701) *Legnotomyia singularis* (Macquart,1846) (Bombyliidae) Synonym(s): *singularis* Macquart,1846; *bombylifformis* Becker,1906
- 2702) *Legnotomyia trichorhoea* (Loew,1855) (Bombyliidae) Synonym(s): *trichorhoea* Loew,1855
- 2703) *Leia bimaculata* (Meigen,1804) (Mycetophilidae) Synonym(s): *bimaculata* Meigen,1804; *fasciola* Meigen,1818; *octomaculata* Curtis,1837
- 2704) *Leistus* (s.str.) *causicus* Chaudoir,1867 (Carabidae) Synonym(s): *causicus* Chaudoir,1867
- 2705) *Lemonia pauli* Staudinger,[1895] (Lemoniidae) Synonym(s): *pauli* Staudinger,[1895]
- 2706) *Lemonia pia* Püngeler,1902 (Lemoniidae) Synonym(s): *pia* Püngeler,1902
- 2707) *Lenyra simonyi* (Rebel,1899) (Sesiidae) Synonym(s): *simonyi* Rebel,1899; *gephyra* Gaede,1933
- 2708) *Lepidogma jordani* Rebel,1902 (Pyrilidae) Synonym(s): *jordani* Rebel,1902
- 2709) *Leprosoma inaequale* Horvath,1911 (Pentatomidae) Synonym(s): *inaequale* Horvath,1911
- 2710) *Leprosoma reticulatum* (Herrich-Schäffer,1851) (Pentatomidae) Synonym(s): *reticulatum* Herrich-Schäffer,1851
- 2711) *Leprosoma stali* Douglas & Scott,1868 (Pentatomidae) Synonym(s): *stali* Douglas & Scott,1868
- 2712) *Leptarchis intervacatalis* (Christoph,1877) (Pyrilidae) Synonym(s): *intervacatalis* Christoph,1877; *psologramma* Meyrick,1937
- 2713) *Leptocera* (s.str.) *fontinalis* (Fallén,1826) (Sphaeroceridae) Synonym(s): *fontinalis* Fallén,1826
- 2714) *Leptocera* (s.str.) *nigra* Olivier,1813 (Sphaeroceridae) Synonym(s): *nigra* Olivier,1813; *curvinervis* Stenhammar,1854; *roralis* Rondani,1880
- 2715) *Leptochilus* (Lionotulus) *membranaceus* (Morawitz,1867) (Vespidae) Synonym(s): *membranaceus* Morawitz,1867
- 2716) *Leptochilus bellus* Blüthgen,1955 (Vespidae) Synonym(s): *bellus* Blüthgen,1955
- 2717) *Leptochilus gemma* Giordani Soika,1970 (Vespidae) Synonym(s): *gemma* Giordani Soika,1970
- 2718) *Leptochilus jordaneus* Gusenleitner,1994 (Vespidae) Synonym(s): *jordaneus* Gusenleitner,1994
- 2719) *Leptochilus tussaci* Giordani Soika,1986 (Vespidae) Synonym(s): *tussaci* Giordani Soika,1986
- 2720) *Leptocybe invasa* Fisher & La Salle,2004 (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004
- 2721) *Leptodiphax cyclops* Haupt,1927 (Delphacidae) Synonym(s): *cyclops* Haupt,1927
- 2722) *Leptodryinus arabicus* Giordani Soika,1970 (Vespidae) Synonym(s): *arabicus* Giordani Soika,1970
- 2723) *Leptogaster gracilis* Loew,1847 (Asilidae) Synonym(s): *gracilis* Loew,1847
- 2724) *Leptogaster hermonensis* Theodor,1980 (Asilidae) Synonym(s): *hermonensis* Theodor,1980
- 2725) *Leptogaster montana* Theodor,1980 (Asilidae) Synonym(s): *montana* Theodor,1980
- 2726) *Leptogaster theodori* Koçak & Kemal,2008 (Asilidae) Synonym(s): *tomentosa* Theodor,1980 nec Oldr.,1972; *theodori* Koçak & Kemal,2008
- 2727) *Leptogaster truncata* Theodor,1980 (Asilidae) Synonym(s): *truncata* Theodor,1980
- 2728) *Leptomydas maculatus* (Walker,1871) (Mydidae) Synonym(s): *maculatus* Walker,1871
- 2729) *Leptophyes bolivari* (Kirby,1906) (Tettigoniidae) Synonym(s): *bolivari* Kirby,1906
- 2730) *Leptophyes peneri* Harz,1970 (Tettigoniidae) Synonym(s): *peneri* Harz,1970
- 2731) *Leptotes pirithous* (Linnaeus,1767) (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
- 2732) *Lertha palmonii* Tjeder,1970 (Nemopteridae) Synonym(s): *palmonii* Tjeder,1970
- 2733) *Leskia erevanica* Richter,1974 (Tachinidae) Synonym(s): *erevanica* Richter,1974
- 2734) *Lethaeus cribratissimus* (Stal,1858) (Lygaeidae) Synonym(s): *cribratissimus* Stal,1858
- 2735) *Lethaeus nitidus* (Douglas & Scott,1868) (Lygaeidae) Synonym(s): *nitidus* Douglas & Scott,1868
- 2736) *Lethaeus picipes* (Herrich-Schäffer,1853) (Lygaeidae) Synonym(s): *picipes* Herrich-Schäffer,1853
- 2737) *Lethaeus syriacus* Horvath,1883 (Lygaeidae) Synonym(s): *syriacus* Horvath,1883
- 2738) *Leucania herrichi* Herrich-Schäffer,[1849] (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,[1849]
- 2739) *Leucania joannisi* Boursin & Rungs,1952 (Noctuidae) Synonym(s): *joannisi* Boursin & Rungs,1952
- 2740) *Leucania loreyi* (Duponchel,1827) (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 2741) *Leucania palaestinae* Staudinger,1897 (Noctuidae) Synonym(s): *palaestinae* Staudinger,1897; *languida* Staudinger,1897 nec Wlk.,1858; *#obscura* Heydemann et al.,1963; *#plastinaea* Kornošor & Lödl,1990
- 2742) *Leucania punctosa* (Treitschke,1825) (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
- 2743) *Leucania putrescens* (Hübner,[1824]) (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
- 2744) *Leucania zae* (Duponchel,1827) (Noctuidae) Synonym(s): *zae* Duponchel,1827; *indistincta* Christoph,1887; *putrida* Staudinger,1889; *cinerea* Lucas,1948
- 2745) *Leucochlaena jordana* Draudt,1934 (Noctuidae) Synonym(s): *jordana* Draudt,1934
- 2746) *Leucochlaena muscosa* (Staudinger,1892) (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892
- 2747) *Leucophora palmonii* Ackland,1968 (Anthomyiidae) Synonym(s): *palmonii* Ackland,1968
- 2748) *Leucospis gigas* (Fabricius,1793) (Leucospidae) Synonym(s): *gigas* Fabricius,1793; *grandis* Klug,1814; *varia* Klug,1814; *shuckardi* Westwood,1834; *rufonotata* Westwood,1839; *quaettaensis* Cameron,1906; *nursei* Cameron,1906
- 2749) *Leucostoma abbreviata* Herting,1971 (Tachinidae) Synonym(s): *abbreviata* Herting,1971
- 2750) *Levitinia freidbergi* Beaucounu-Saguez & Braverman,1987 (Simuliidae) Synonym(s): *freidbergi* Beaucounu-Saguez & Braverman,1987
- 2751) *Leylaiya mimnermia* Efflatoun,1945 (Mythicomyiidae) Synonym(s): *mimnermia* Efflatoun,1945
- 2752) *Liancalus virens* (Scopoli,1763) (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805
- 2753) *Libelloides rhomboideus* (Schneider,1845) (Ascalaphidae) Synonym(s): *rhomboideus* Schneider,1845; *#rhomboideus* Dobosz & Abraham,2007
- 2754) *Libelloides syriacus* (McLachlan,1871) (Ascalaphidae) Synonym(s): *syriacus* McLachlan,1871
- 2755) *Limassolla pistaciae* (Linnavuori,1962) (Cicadellidae) Synonym(s): *pistaciae* Linnavuori,1962
- 2756) *Limenitis (Azuritis) reducta* Staudinger,1901 (Argynniidae) Synonym(s): *reducta* Staudinger,1901.
- 2757) *Limnophora bipunctata* (Stein,1908) (Muscidae) Synonym(s): *bipunctata* Stein,1908
- 2758) *Limnophora exigua* (Wiedemann,1830) (Muscidae) Synonym(s): *exigua* Wiedemann,1830; *plumisetia* Stein,1903
- 2759) *Limnophora obsignata* (Rondani,1866) (Muscidae) Synonym(s): *obsignata* Rondani,1866; *ostensackenii* Jaenicke,1867
- 2760) *Limnophora olympiae* Lyneborg,1965 (Muscidae) Synonym(s): *olympiae* Lyneborg,1965

- 2761) *Limnophora olympiae* Lyneborg, 1965 (Muscidae) Synonym(s): *olympiae* Lyneborg, 1965
 2762) *Limnophora pulchriceps* (Loew, 1860) (Muscidae) Synonym(s): *pulchriceps* Loew, 1860
 2763) *Limnophora quaterna* (Loew, 1852) (Muscidae) Synonym(s): *quaterna* Loew, 1852; *notabilis* Stein, 1903
 2764) *Limnophora rufimana* (Strobl, 1893) (Muscidae) Synonym(s): *rufimana* Strobl, 1893
 2765) *Limnophora setinerva* Schnabl, 1911 (Muscidae) Synonym(s): *setinerva* Schnabl, 1911
 2766) *Limonia phragmitidis* (Schränk, 1781) (Limoniidae) Synonym(s): *tripunctata* Fabricius, 1781 *nec* Müll., 1764; *phragmitidis* Schränk, 1781
 2767) *Limosina albinervis* Duda, 1918 (Sphaeroceridae) Synonym(s): *albinervis* Duda, 1918
 2768) *Limosina brevicostata* Duda, 1918 (Sphaeroceridae) Synonym(s): *brevicostata* Duda, 1918
 2769) *Limosina silvatica* (Meigen, 1830) (Sphaeroceridae) Synonym(s): *silvatica* Meigen, 1830
 2770) *Limosina villosa* Duda, 1918 (Sphaeroceridae) Synonym(s): *villosa* Duda, 1918
 2771) *Lindbergina tarsalis* (Linnavuori, 1962) (Cicadellidae) Synonym(s): *tarsalis* Linnavuori, 1962
 2772) *Lindenia tetraphylla* (Van Der Linden, 1825) (Gomphidae) Synonym(s): *tetraphylla* Van Der Linden, 1825; *inkitii* Bartenev, 1929
 2773) *Linnaemya compta* (Fallén, 1810) (Tachinidae) Synonym(s): *compta* Fallén, 1810; *compta* Meigen, 1824; *fulgeus* Meigen, 1824; *heraclei* R-D., 1830; *aestivalis* R-D., 1830; *borealis* R-D., 1830; *longipes* R-D., 1830; *oenanthis* R-D., 1830; *humeralis* R-D., 1863; *#campta* Doğanlar, 1982
 2774) *Linnaemya frater* (Rondani, 1859) (Tachinidae) Synonym(s): *frater* Rondani, 1859
 2775) *Linnaemya latigena* Kugler, 1968 (Tachinidae) Synonym(s): *latigena* Kugler, 1968
 2776) *Linnaemya lithosiophaga* (Rondani, 1859) (Tachinidae) Synonym(s): *lithosiophaga* Rondani, 1859
 2777) *Linnaemya neavei* Curran, 1934 (Tachinidae) Synonym(s): *neavei* Curran, 1934
 2778) *Linnaemya petiolata* Kugler, 1971 (Tachinidae) Synonym(s): *petiolata* Kugler, 1971
 2779) *Linnaemya setifrons* Zimin, 1954 (Tachinidae) Synonym(s): *setifrons* Zimin, 1954
 2780) *Linnaemya soror* Zimin, 1954 (Tachinidae) Synonym(s): *soror* Zimin, 1954
 2781) *Linnaemya vulpina* (Fallén, 1810) (Tachinidae) Synonym(s): *vulpina* Fallén, 1810
 2782) *Lipara lucens* Meigen, 1830 (Chloropidae) Synonym(s): *lucens* Meigen, 1830; *grisea* Wiedemann, 1830; *tomentosa* Macquart, 1835
 2783) *Lipara rufitarsis* Loew, 1858 (Chloropidae) Synonym(s): *rufitarsis* Loew, 1858
 2784) *Lipara similis* Schiner, 1854 (Chloropidae) Synonym(s): *similis* Schiner, 1854
 2785) *Lispe caesia* Meigen, 1826 (Muscidae) Synonym(s): *caesia* Meigen, 1826
 2786) *Lispe candidans* Kowarz, 1892 (Muscidae) Synonym(s): *candidans* Kowarz, 1892
 2787) *Lispe cilitarsis* Loew, 1856 (Muscidae) Synonym(s): *ilitarsis* Loew, 1856
 2788) *Lispe kowarzi* Becker, 1903 (Muscidae) Synonym(s): *kowarzi* Becker, 1903
 2789) *Lispe loewi* Ringdahl, 1922 (Muscidae) Synonym(s): *loewi* Ringdahl, 1922
 2790) *Lispe longicollis* Meigen, 1826 (Muscidae) Synonym(s): *longicollis* Meigen, 1826; *leucomelaena* Konow, 1892
 2791) *Lispe nana* Macquart, 1835 (Muscidae) Synonym(s): *nana* Macquart, 1835; *pulchella* Loew, 1847; *melitensis* Rondani, 1866; *meridionalis* Rondani, 1877
 2792) *Lispe nuba* Wiedemann, 1830 (Muscidae) Synonym(s): *nuba* Wiedemann, 1830
 2793) *Lispe pectinipes* Becker, 1903 (Muscidae) Synonym(s): *leucopsila* sensu auct.; *pectinipes* Becker, 1903; *cochlearia* Becker, 1904; *mixticcia* Séguin, 1941
 2794) *Lispe pygmaea* Fallén, 1825 (Muscidae) Synonym(s): *pygmaea* Fallén, 1825; *tenuipalpis* Zetterstedt, 1846; *simplicissima* Loew, 1847; *suturata* Rondani, 1866; *longiuscula* Rondani, 1877
 2795) *Lispe scalaris* Loew, 1847 (Muscidae) Synonym(s): *scalaris* Loew, 1847; *persica* Becker, 1904
 2796) *Lispe tentaculata* (De Geer, 1776) (Muscidae) Synonym(s): *tentaculata* De Geer, 1776; *fluviatilis* R-D., 1830; *tarsalis* R-D., 1830; *tibialis* Macquart, 1839; *dissona* Villeneuve, 1936
 2797) *Lispocephala miki* (Strobl, 1893) (Muscidae) Synonym(s): *miki* Strobl, 1893
 2798) *Lithophane lapidea* (Hübner, [1808]) (Noctuidae) Synonym(s): *lapidea* Hübner, [1808]
 2799) *Lithophane ledereri* (Staudinger, 1892) (Noctuidae) Synonym(s): *ledereri* Staudinger, 1892; *discors* Staudinger, 1892
 2800) *Lithophasia quadrivirgula* (Mabille, 1888) (Noctuidae) Synonym(s): *quadrivirgula* Mabille, 1888; *jordana* Stertz, 1919.
 2801) *Lithostege fissurata* Mabille, 1888 (Geometridae) Synonym(s): *fissurata* Mabille, 1888; *inanis* L.B. Prout, 1941; *fitzgeraldi* Wiltshire, 1947
 2802) *Lithostege notata* A. Bang-Haas, 1906 (Geometridae) Synonym(s): *notata* A. Bang-Haas, 1906; *bifissana* Rebel, 1911
 2803) *Lithostege palaestinensis* Amsel, 1935 (Geometridae) Synonym(s): *palaestinensis* Amsel, 1935; *ali* Wiltshire, 1941.
 2804) *Lithurgus chrysurus* Fonscolombe, 1834 (Megachilidae) Synonym(s): *chrysurus* Fonscolombe, 1834; *analis* Lepeletier, 1841; *haemorrhoidalis* Lepeletier, 1841; *monocerus* Morawitz, 1873
 2805) *Lithurgus tibialis* Morawitz, 1875 (Megachilidae) Synonym(s): *tibialis* Morawitz, 1875
 2806) *Livia mediterranea* Loginova, 1974 (Psyllidae) Synonym(s): *mediterranea* Loginova, 1974
 2807) *Lobesia* (s.str.) *porrectana* (Zeller, 1847) (Tortricidae) Synonym(s): *porrectana* Zeller, 1847
 2808) *Longitarsus albus* (Allard, 1866) (Chrysomelidae) Synonym(s): *albus* Allard, 1866
 2809) *Longitarsus alfieri* (Pic, 1923) (Chrysomelidae) Synonym(s): *alfieri* Pic, 1923; *antinea* Peyerimhoff, 1929; *klapperichi* Mohr, 1962; *furthi* Gruev, 1982
 2810) *Longitarsus allotrophus* Furth, 1979 (Chrysomelidae) Synonym(s): *allotrophus* Furth, 1979
 2811) *Longitarsus anatolicus* Weise, 1900 (Chrysomelidae) Synonym(s): *anatolicus* Weise, 1900
 2812) *Longitarsus aramaicus* Leonardi, 1979 (Chrysomelidae) Synonym(s): *aramaicus* Leonardi, 1979
 2813) *Longitarsus bytinskii* Furth, 1979 (Chrysomelidae) Synonym(s): *bytinskii* Furth, 1979
 2814) *Longitarsus debernardii* Leonardi, 1979 (Chrysomelidae) Synonym(s): *debernardii* Leonardi, 1979
 2815) *Longitarsus emarginatus* Weise, 1890 (Chrysomelidae) Synonym(s): *emarginatus* Weise, 1890
 2816) *Longitarsus emarginatus* Furth, 1979 (Chrysomelidae) Synonym(s): *emarginatus* Furth, 1979
 2817) *Longitarsus eminus* Warchalowski, 1967 (Chrysomelidae) Synonym(s): *eminus* Warchalowski, 1967
 2818) *Longitarsus fallax* Weise, 1888 (Chrysomelidae) Synonym(s): *dimidiata* Allard, 1866 *nec* Sph., 1834; *fallax* Weise, 1888; *nitens* Khnzorian, 1968; *cynoglossi* Palij, 1970 *nec* Marshm., 1802
 2819) *Longitarsus karlheini* Warchalowski, 1972 (Chrysomelidae) Synonym(s): *karlheini* Warchalowski, 1972
 2820) *Longitarsus melanocephalus* (De Geer, 1775) (Chrysomelidae) Synonym(s): *melanocephalus* De Geer, 1775
 2821) *Longitarsus nimrodi* Furth, 1979 (Chrysomelidae) Synonym(s): *nimrodi* Furth, 1979
 2822) *Longitarsus pratensis* (Panzer, 1794) (Chrysomelidae) Synonym(s): *pratensis* Panzer, 1794
 2823) *Longitarsus truncatellus* Weise, 1890 (Chrysomelidae) Synonym(s): *truncatellus* Weise, 1890
 2824) *Loxocera aristata* (Panzer, 1801) (Psilidae) Synonym(s): *aristata* Panzer, 1801

- 2825) *Loxocnemis dentator* (Fabricius,1794)** (Coreidae) Synonym(s): *dentator* Fabricius,1794; *alternans* Herrich-Schäffer,1835; *brevicornis* Rambur,1839; *dufourii* Lucas,1849; *perlatus* Cerutti,1937
- 2826) *Loxostege emiralis* (Oberthür,1888)** (Pyralidae) Synonym(s): *emiralis* Oberthür,1888
- 2827) *Loxostege foviferalis* (Hampson,1900)** (Pyralidae) Synonym(s): *foviferalis* Hampson,1900
- 2828) *Lublinia gediensis* (Linnavuori,1962)** (Cicadellidae) Synonym(s): *gediensis* Linnavuori,1962
- 2829) *Lucilia sericata* (Meigen,1826)** (Calliphoridae) Synonym(s): *sericata* Meigen,1826
- 2830) *Lulavia multipunctata* (Staudinger,1898)** (Geometridae) Synonym(s): *multipunctata* Staudinger,1898
- 2831) *Luperina dumerilii* (Duponchel,1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826
- 2832) *Luperina rjabovi* (Kljutschko,1967)** (Noctuidae) Synonym(s): *rjabovi* Kljutschko,1967
- 2833) *Luperina rubella* (Duponchel,1835)** (Noctuidae) Synonym(s): *mediosignata* Turati,1930; *sericea* Caradja,1932; *thurneri* Schawerda,1938.
- 2834) *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
- 2835) *Lycaena* (Thersamonia) *kefersteinii* (Gerhard,[1850])** (Lycaenidae) Synonym(s): *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852].
- 2836) *Lycaena* (Thersamonia) *thersamon* (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.
- 2837) *Lydas algiricus* (Linnaeus,1758)** (Meloidae) Synonym(s): *algiricus* Linnaeus,1758
- 2838) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatus* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *erythropterum* Puton,1876 [ssp.]; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 2839) *Lygaeus creticus* (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus* Lucas,1854; *bisbipunctatus* A.Costa,1864; *sexmaculatus* Garbiglietti,1869
- 2840) *Lygaeus equestris* (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758; *speciosus* Poda,1761; *punctumalbum* Pollich,1781; *lactans* Horvath,1899; *sicilianus* Wagner,1954
- 2841) *Lygephila* (s.str.) *lusoria* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758; *orobi* Duponchel,1821; *lathyr* Boisduval,[1828]
- 2842) *Lyristes plebejus* (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955
- 2843) *Maccevetthus lineolus* (Fabricius,1787)** (Rhopalidae) Synonym(s): *lineolus* Fabricius,1787
- 2844) *Machimus annulipes* (Brullé,1832)** (Asilidae) Synonym(s): *annulipes* Brullé,1832; *basalis* Loew,1849; *cerdo* Gerstaecker,1861
- 2845) *Machimus aradensis* Theodor,1980** (Asilidae) Synonym(s): *aradensis* Theodor,1980
- 2846) *Machimus nahalelensis* Theodor,1980** (Asilidae) Synonym(s): *nahalelensis* Theodor,1980
- 2847) *Machimus setibarbus* (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849
- 2848) *Macquartia praefica* (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824; *microcera* R-D.,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra* R-D.,1863; *spincincta* Meade,1891; *echinalis* Pandelle,1895; *fuscularis* Pandelle,1895; *#preafica* Kara,1999
- 2849) *Macquartia tenebricosa* (Meigen,1824)** (Tachinidae) Synonym(s): *tenebricosa* Meigen,1824; *tristis* Meigen,1824; *nitida* R-D.,1830; *fumata* Zetterstedt,1844; *rufipalpis* Macquart,1854; *umbrosa* Zetterstedt,1859; *affinis* Schiner,1862; *carbonaria* R-D.,1863; *laeta* R-D.,1863; *villica* R-D.,1863; *clausicella* Rondani,1865
- 2850) *Macquartia tessellum* (Meigen,1824)** (Tachinidae) Synonym(s): *tessellum* Meigen,1824; *brevicornis* Macquart,1839; *occlusa* Rondani,1859; *brunusquamis* R-D.,1863; *microcera* R-D.,1863; *olivaceomaculata* Porthinsky,1881; *genistae* Pandelle,1895
- 2851) *Macrocera crassicornis* Winnertz,1863** (Keroplatidae) Synonym(s): *crassicornis* Winnertz,1863; *annulicoxa* Mik,1864
- 2852) *Macrocera fasciata* Meigen,1804** (Keroplatidae) Synonym(s): *fasciata* Meigen,1804; *fusca* Landrock,1917; *monticola* Landrock,1917
- 2853) *Macroglossum stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 2854) *Macrolophus caliginosus* E.Wagner,1950** (Miridae) Synonym(s): *caliginosus* E.Wagner,1950
- 2855) *Macrolophus costalis* Fieber,1858** (Miridae) Synonym(s): *costalis* Fieber,1858; *rubi* Woodroffe,1956
- 2856) *Macromyrme sinuata* (Olivier,1811)** (Mutillidae) Synonym(s): *sinuata* Olivier,1811; *villosa* Klug,1829
- 2857) *Macronemurus appendiculatus* (Latreille,1807)** (Myrmeleonidae) Synonym(s): *appendiculatus* Latreille,1807; *insidiosus* Walker,1853; *platycerus* Navas,1919; *weissi* Navas,1921; *surcoufi* Navas,1928
- 2858) *Macronemurus delicatulus* Morton,1925** (Myrmeleonidae) Synonym(s): *delicatulus* Morton,1925
- 2859) *Macronemurus linearis* (Klug,1834)** (Myrmeleonidae) Synonym(s): *linearis* Klug,1834; *ibericus* Navas,1927
- 2860) *Macronychia* (Moschusa) *polyodon* (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* R-D.,1863; *villana* R-D.,1863; *sylvestris* Rondani,1865
- 2861) *Macronychia* (s.str.) *lemariei* Jacentkovsky,1941** (Sarcophagidae) Synonym(s): *lemariei* Jacentkovsky,1941; *vervesi* Mihalyi,1979; *sinerea* Chao & Zhang,1988
- 2862) *Macrophya ottomana* Mocsary,1881** (Tenthredinidae) Synonym(s): *ottomana* Mocsary,1881
- 2863) *Macropsis prasina* (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852
- 2864) *Macropsis scutellata* (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874
- 2865) *Macroscytus brunneus* (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919
- 2866) *Macrosteles chobauti* Ribaut,1952** (Cicadellidae) Synonym(s): *chobauti* Ribaut,1952
- 2867) *Macrosteles quadripunctulatus* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933
- 2868) *Macrosteles sexnotatus* (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894
- 2869) *Malachius oxyacanthae* Peyron,1877** (Melyridae) Synonym(s): *oxyacanthae* Peyron,1877
- 2870) *Malachius palaestinus* Peyron,1877** (Melyridae) Synonym(s): *palaestinus* Peyron,1877
- 2871) *Maladera* (Aserica) *matrida* Argamon,1986** (Scarabaeidae) Synonym(s): *matrida* Argamon,1986
- 2872) *Maladera* (Cephaloserica) *insanabilis* Brenske,1894** (Scarabaeidae) Synonym(s): *insanabilis* Brenske,1894
- 2873) *Maladera* (Eusericula) *modesta* (Fairmaire,1881)** (Scarabaeidae) Synonym(s): *modesta* Fairmaire,1881
- 2874) *Maladera* (Macroserica) *punctatissima* (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima* Faldermann,1835
- 2875) *Maladera* (Macroserica) *syriaca* Petrovitz,1969** (Scarabaeidae) Synonym(s): *syriaca* Petrovitz,1969; *jeraschiensis* Baraud,1990

- 2876) *Malthinus conspicuus* Kiesenwetter, 1852** (Cantharidae) Synonym(s): *conspicuus* Kiesenwetter, 1852
- 2877) *Maniola (Telmessia) telmessia* (Zeller, 1847)** (Satyridae) Synonym(s): *telmessia* Zeller, 1847; *pallascens* Butler, 1868; *kurdistan* Heyne, 1894; *oreas* Le Cerf, 1912; *maniolides* Le Cerf, 1912; *ornata* Turati & Fiori, 1930; *marenigrans* Verity, 1938; *pelekassii* Kattulas & Koutsaftikis, 1978.
- 2878) *Margelana flavidior* Wagner, 1831** (Noctuidae) Synonym(s): *flavidior* Wagner, 1831
- 2879) *Mariobezzia lichtwardti* Becker, 1913** (Bombyliidae) Synonym(s): *lichtwardti* Becker, 1913; *zarudnyi* Becker, 1913; *griseohirta* Nurse, 1922; *pellucida* Paramonov, 1929; *aegyptiacat* Engel, 1933
- 2880) *Marthamea vitripennis* (Burmeister, 1839)** (Perlidae) Synonym(s): *vitripennis* Burmeister, 1839; *bicolor* Burmeister, 1839; *angustata* Rambur, 1842; *terminalis* Walker, 1852; *beraudi* Navas, 1909
- 2881) *Masaris aegytiacus* Meade-Waldo, 1911** (Vespidae) Synonym(s): *aegytiacus* Meade-Waldo, 1911
- 2882) *Mecyna pontica* (Staudinger, 1879)** (Pyralidae) Synonym(s): *pontica* Staudinger, 1879; *levilinealis* Amsel, 1935
- 2883) *Medecticus assimilis* (Fieber, 1853)** (Tettigoniidae) Synonym(s): *assimilis* Fieber, 1853; *syriacus* Fieber, 1853; *#minutus* Kaltenbach, 1974
- 2884) *Medecticus goliath* Uvarov, 1923** (Tettigoniidae) Synonym(s): *goliath* Uvarov, 1923
- 2885) *Medetera dendrobaena* Kowarz, 1877** (Dolichopodidae) Synonym(s): *dendrobaena* Kowarz, 1877
- 2886) *Medetera diadema* (Linnaeus, 1767)** (Dolichopodidae) Synonym(s): *diadema* Linnaeus, 1767; *rostrata* Fabricius, 1775; *carnivora* Fischer von Waldheim, 1819; *aneivittata* Macquart, 1827; *ehrenbergi* Becker, 1923
- 2887) *Medetera magius* (Loew, 1845)** (Dolichopodidae) Synonym(s): *magius* Loew, 1845
- 2888) *Medetera micacea* Loew, 1857** (Dolichopodidae) Synonym(s): *micacea* Loew, 1857; *acuta* Negrobov, 1966
- 2889) *Medetera muralis* Meigen, 1824** (Dolichopodidae) Synonym(s): *muralis* Meigen, 1824; *melanopleura* Loew, 1857; *tertia* Becker, 1917; *belgica* Parent, 1936; *peloria* Negrobov, 1967; *kowarzi* Negrobov, 1972; *miki* Negrobov, 1972
- 2890) *Medetera pallipes* (Zetterstedt, 1843)** (Dolichopodidae) Synonym(s): *pallipes* Zetterstedt, 1843; *dendrophila* Bezzi, 1903
- 2891) *Medetera perfida* Parent, 1932** (Dolichopodidae) Synonym(s): *perfida* Parent, 1932
- 2892) *Medetera petrophila* (Kowarz, 1877)** (Dolichopodidae) Synonym(s): *petrophila* Kowarz, 1877; *petrophiloides* Parent, 1925
- 2893) *Medetera plumbella* (Meigen, 1824)** (Dolichopodidae) Synonym(s): *plumbella* Meigen, 1824; *minuta* Zetterstedt, 1843
- 2894) *Medetera striata* Parent, 1927** (Dolichopodidae) Synonym(s): *striata* Parent, 1927
- 2895) *Meenoplus albosignatus* Fieber, 1866** (Meenoplidae) Synonym(s): *albosignatus* Fieber, 1866
- 2896) *Megacephala euphratica* Dejean, 1822** (Carabidae) Synonym(s): *euphratica* Dejean, 1822
- 2897) *Megachile palaestina* (Tkalcu, 1988)** (Megachilidae) Synonym(s): *palaestina* Tkalcu, 1988
- 2898) *Megalodotes eximia* (Freyer, 1845)** (Noctuidae) Synonym(s): *eximia* Freyer, 1845
- 2899) *Megalodotes escaleraei* Konow, 1899** (Megalodontesidae) Synonym(s): *escaleraei* Konow, 1899
- 2900) *Megalodotes judaicus* (Lepeletier, 1823)** (Megalodontesidae) Synonym(s): *judaicus* Lepeletier, 1823; *caesariensis* Lepeletier, 1823; *leucostictus* Zaddach, 1865; *punctatus* Konow, 1898; *candidatus* Konow, 1899
- 2901) *Megalodotes laticeps* Konow, 1897** (Megalodontesidae) Synonym(s): *laticeps* Konow, 1897
- 2902) *Megalodotes olivieri* (Brullé, 1846)** (Megalodontesidae) Synonym(s): *olivieri* Brullé, 1846
- 2903) *Megalodotes phaenicius* (Lepeletier, 1823)** (Megalodontesidae) Synonym(s): *phaenicius* Lepeletier, 1823; *caucasicus* André, 1881; *imperialis* Konow, 1897; *kohli* Konow, 1897
- 2904) *Megalonotus brevicornis* (Puton, 1883)** (Lygaeidae) Synonym(s): *brevicornis* Puton, 1883
- 2905) *Megalonotus colon* Puton, 1874** (Lygaeidae) Synonym(s): *colon* Puton, 1874
- 2906) *Megalonotus maximus* (Puton, 1895)** (Lygaeidae) Synonym(s): *maximus* Puton, 1895
- 2907) *Megalorhipida leucodactyla* (Fabricius, 1794)** (Pterophoridae) Synonym(s): *leucodactylus* Fabricius, 1794; *defectalis* Walker, 1864; *congrualis* Walker, 1864; *oxydactyla* Walker, 1864; *hawaiiensis* Butler, 1881; *ochrodactyla* Fish, 1881; *centetes* Meyrick, 1886; *composchares* Meyrick, 1886; *ralumensis* Pagenstecher, 1900; *derelictus* Meyrick, 1926; *palaestinensis* Amsel, 1935
- 2908) *Meganola togatulalis* (Hübner, 1796)** (Noctuidae) Synonym(s): *togatulalis* Hübner, 1796; *togatulana* Duponchel, 1845
- 2909) *Megastigmus pistaciae* Walker, 1871** (Torymidae) Synonym(s): *pistaciae* Walker, 1871; *ballestrerii* Rondani, 1877
- 2910) *Megophthalmus scabripennis* Edwards, 1915** (Cicadellidae) Synonym(s): *scabripennis* Edwards, 1915
- 2911) *Megulopa sahlbergorum* Lindberg, 1924** (Cicadellidae) Synonym(s): *sahlbergorum* Lindberg, 1924
- 2912) *Melanargia (Turcargia) titea* (Klug, 1832)** (Satyridae) Synonym(s): *titea* Klug, 1832
- 2913) *Melanochaeta flavofrontata* (Becker, 1903)** (Chloropidae) Synonym(s): *flavofrontata* Becker, 1903
- 2914) *Melanophora asetosa* Kugler, 1978** (Rhinophoridae) Synonym(s): *asetosa* Kugler, 1978
- 2915) *Melanophora roralis* (Linnaeus, 1758)** (Rhinophoridae) Synonym(s): *roralis* Linnaeus, 1758; *grossificationis* Linnaeus, 1758; *atra* R-D., 1830
- 2916) *Melathrix praetextella* (Christoph, 1877)** (Pyralidae) Synonym(s): *praetextella* Christoph, 1877
- 2917) *Melecta festiva* Liefstinck, 1980** (Apidae) Synonym(s): *festiva* Liefstinck, 1980
- 2918) *Meliboeus adlbaueri* Niehuis, 1997** (Buprestidae) Synonym(s): *adlbaueri* Niehuis, 1997
- 2919) *Melitaea (Cinclidia) (phoebe) punica* Oberthür, 1876** (Argynnididae) Synonym(s): *punica* Oberthür, 1876
- 2920) *Melitaea (Cinclidia) collina* Lederer, 1861** (Argynnididae) Synonym(s): *collina* Lederer, 1861
- 2921) *Melitaea (Didymaeformis) deserticola* Kirby, 1877** (Argynnididae) Synonym(s): *#deserticola* Oberthür, 1876; *deserticola* Kirby, 1877
- 2922) *Melitaea (Didymaeformis) didyma* (Esper, [1779])** (Argynnididae) Synonym(s): *didyma* Esper, [1779]; *armoricana* Oberthür, 1909.
- 2923) *Melitaea (Didymaeformis) fascelis* (Fabricius, 1787)** (Argynnididae) Synonym(s): *#trivia* Denis & Schiffermüller, 1775; *iphigenia* Esper, 1782 (praeoc.); *#fascelis* Esper, 1783; *fascelis* Fabricius, 1787; *cleo* Latreille, 1803
- 2924) *Melitaea (Didymaeformis) persea* Kollar, [1849]** (Argynnididae) Synonym(s): *persea* Kollar, [1849]; *caucasica* Staudinger, 1861; *magnacasta* Verity, 1929; *araratica* Verity, 1929; *sargon* Hemming, 1932; *tauricus* Belter, 1934; *causasicola* Bryk, 1940; *hafiz* Higgins, 1941; *gina* Higgins, 1941; *darius* Gross & Ebert, 1975; *pfeifferi* Gross & Ebert, 1975 (praeoc.); *wernickei* Gross & Ebert, 1975; *elbursicola* Gross & Ebert, 1975; *safawides* Gross & Ebert, 1975.
- 2925) *Melitta maura* (Pérez, 1895)** (Melittidae) Synonym(s): *maura* Pérez, 1895; *atlantis* Vachal, 1910; *eryngii* Cockerell, 1931; *cyrenaicensis* Warncke, 1973; *orientana* Warncke, 1973
- 2926) *Melitta schmiedeknechti* Friese, 1896** (Melittidae) Synonym(s): *schmiedeknechti* Friese, 1896; *tunensis* Warncke, 1973
- 2927) *Melitturga kraussi* Schwarz, 2003** (Andrenidae) Synonym(s): *kraussi* Schwarz, 2003
- 2928) *Meloe (Eurymeloe) mediterraneus* J. Müller, 1925** (Meloidae) Synonym(s): *mediterraneus* J. Müller, 1925
- 2929) *Meloe (Listromeloe) hungarus* Schrank, 1776** (Meloidae) Synonym(s): *hungarus* Schrank, 1776; *limbatus* Fabricius, 1801; *marginatus* Tauscher, 1812
- 2930) *Melolontha (s.str.) albida* Frivaldsky, 1835** (Scarabaeidae) Synonym(s): *albida* Frivaldsky, 1835
- 2931) *Menaccarus (Oploscelis) arenicola* (Scholtz, 1847)** (Pentatomidae) Synonym(s): *arenicola* Scholtz, 1847; *ciliatus* Mulsant & Rey, 1852; *pallidus* Perris, 1857; *minor* Stichel, 1936

- 2932) Menaccarus (Orocephalus) dohrnianus (Mulsant & Rey, 1866)** (Pentatomidae) Synonym(s): *dohrnianus* Mulsant & Rey, 1866; *ovalis* Puton, 1873; *hirticornis* Puton, 1873; *jakovlevi* Reuter, 1902; *jakovlevi* Oshanin, 1912; *rotundatus* Horvath, 1923
- 2933) Meoneura palaestinensis Hennig, 1937** (Carnidae) Synonym(s): *palaestinensis* Hennig, 1937
- 2934) Meoneura perlamellata Hennig, 1937** (Carnidae) Synonym(s): *perlamellata* Hennig, 1937
- 2935) Meria tripunctata (Rossi, 1790)** (Tiphidae) Synonym(s): *tripunctata* Rossi, 1790; *sexfasciata* Rossi, 1792; *verhoeffi* Guiglia, 1961
- 2936) Meringopus pseudonymphus (Tschek, 1872)** (Ichneumonidae) Synonym(s): *pseudonymphus* Tschek, 1872
- 2937) Meringopus titilator (Linnaeus, 1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus, 1758; *orientalis* Szepliget, 1916
- 2938) Merodon armipes Rondani, 1843** (Syrphidae) Synonym(s): *armipes* Rondani, 1843
- 2939) Merodon auronitens Hurkmans, 1993** (Syrphidae) Synonym(s): *auronitens* Hurkmans, 1993; *#auronites* Vujic et al., 2011
- 2940) Merodon caudatus Sack, 1913** (Syrphidae) Synonym(s): *caudatus* Sack, 1913
- 2941) Merodon erivanicus Paramonov, 1925** (Syrphidae) Synonym(s): *erivanicus* Paramonov, 1925; *kaloceros* Hurkmans, 1993
- 2942) Merodon flaviventris (Sack, 1932)** (Syrphidae) Synonym(s): *flaviventris* Sack, 1932
- 2943) Merodon funestus (Fabricius, 1794)** (Syrphidae) Synonym(s): *funestus* Fabricius, 1794
- 2944) Merodon geniculatus Strobl, 1909** (Syrphidae) Synonym(s): *geniculatus* Strobl, 1909
- 2945) Merodon hirsutus Sack, 1913** (Syrphidae) Synonym(s): *hirsutus* Sack, 1913
- 2946) Merodon italicus Rondani, 1845** (Syrphidae) Synonym(s): *italicus* Rondani, 1845; *longicornis* Sack, 1913; *affinis* Gil Collado, 1930
- 2947) Merodon natans (Fabricius, 1794)** (Syrphidae) Synonym(s): *natans* Fabricius, 1794
- 2948) Merodon obscuritarsis Strobl, 1909** (Syrphidae) Synonym(s): *obscuritarsis* Strobl, 1909; *fuerteventurensis* Barkemeyer, 2002
- 2949) Merodon pruni (Rossi, 1790)** (Syrphidae) Synonym(s): *pruni* Rossi, 1790; *fulvus* Macquart, 1834; *pallidus* Macquart, 1842; *sicanus* Rondani, 1845; *fuscinervis* Röder, 1887; *obscurus* Gil Collado, 1929
- 2950) Merrifieldia baliodactyla (Zeller, 1841)** (Pterophoridae) Synonym(s): *baliodactyla* Zeller, 1841; *tridactylus* Stephens, 1834; *daliodactylus* Bruand, 1850; *meridionalis* Staudinger, 1880.
- 2951) Merrifieldia malacodactyla (Zeller, 1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller, 1847; *meridionalis* Staudinger, 1880; *indocta* Meyrick, 1913; *subtilis* Caradja, 1920; *parca* Meyrick, 1921; *subcretosa* Meyrick, 1922; *phaeoschista* Meyrick, 1923; *luteodactyla* Turati, 1926; *rayatella* Amsel, 1959; *insularis* Bigot, 1961; *livadiensis* Zagulyaev & Filippova, 1976; *transdanubinus* Fazekas, 1986; *garrigae* Bigot & Picard, 1989; *moulinieri* Nel, 1991; *inopinata* Bigot, Nel & Picard, 1993
- 2952) Merulempista cingillella (Zeller, 1846)** (Pyralidae) Synonym(s): *cingillella* Zeller, 1846; *verruculella* Ragonot, 1887.
- 2953) Mesa palestinella Guiglia, 1963** (Tiphidae) Synonym(s): *palestinella* Guiglia, 1963
- 2954) Mesoligia literosa (Haworth, [1809])** (Noctuidae) Synonym(s): *literosa* Haworth, [1809]; *erraticula* Hübner, [1813]; *faroulti* Rothschild, 1914; *powelli* Oberthür, 1918
- 2955) Mesonemurus harterti Navas, 1919** (Myrmeleionidae) Synonym(s): *harterti* Navas, 1919; *clavata* Navas, 1926; *tunetana* Navas, 1930
- 2956) Mesophleps corsicella (Herrich-Schäffer, [1856])** (Gelechiidae) Synonym(s): *corsicella* Herrich-Schäffer, [1856]
- 2957) Mesoptylus impictifrons (Horvath, 1911)** (Cercopidae) Synonym(s): *impictifrons* Horvath, 1911; *arcifer* Horvath, 1911; *seminiger* Horvath, 1911; *quinquemaculatus* Horvath, 1911; *vestitus* Horvath, 1911; *obscurus* Lindberg, 1923
- 2958) Metachrostis dardouini (Boisduval, 1840)** (Noctuidae) Synonym(s): *dardouini* Boisduval, 1840; *velox* Treitschke nec Hbn., [1813]; *mendacula* Freyer, 1841; *dilutior* Schwingenschuss, 1926
- 2959) Metachrostis velocior (Staudinger, 1892)** (Noctuidae) Synonym(s): *velocior* Staudinger, 1892
- 2960) Metachrostis velox (Hübner, [1813])** (Noctuidae) Synonym(s): *velox* Hübner, [1813]; *griseimargo* W. Warren, 1912; *mendacularis* Treitschke, 1829; *tarda* Turati, 1926; *velocissima* Turati, 1926; *rubescens* Schwingenschuss, 1930
- 2961) Metacrambus carectellus (Zeller, 1847)** (Pyralidae) Synonym(s): *carectellus* Zeller, 1847; *lugdunellus* Millière, 1868; *truncatellus* Caradja, 1916.
- 2962) Metadioxys formosa (Morawitz, 1875)** (Megachilidae) Synonym(s): *formosa* Morawitz, 1875
- 2963) Metallosticha aigneri (Amsel, 1935)** (Pyralidae) Synonym(s): *aigneri* Amsel, 1935
- 2964) Metallosticha argyrogrammos (Zeller, 1847)** (Pyralidae) Synonym(s): *argyrogrammos* Zeller, 1847
- 2965) Metallostichodes nigrocyaneella (Constant, 1865)** (Pyralidae) Synonym(s): *nigrocyaneella* Constant, 1865; *chalcocyaneella* Staudinger & Wocke, 1871.
- 2966) Metalopha (Antholopha) gloriosa (Staudinger, 1892)** (Noctuidae) Synonym(s): *gloriosa* Staudinger, 1892; *#intradeleta* Osthelder, 1933; *#extradeleta* Osthelder, 1933; *#grisea* Osthelder, 1933.
- 2967) Metalopha (s.str.) ingloria Draudt, 1933** (Noctuidae) Synonym(s): *ingloria* Draudt, 1933; *splendida* Amsel, 1933
- 2968) Metapteris linearis A. Costa, 1863** (Reduviidae) Synonym(s): *linearis* A. Costa, 1863
- 2969) Metasphenisca negeviana (Freidberg, 1974)** (Tephritidae) Synonym(s): *negeviana* Freidberg, 1974
- 2970) Meteorus rubens (Nees ab Esenbeck, 1811)** (Braconidae) Synonym(s): *rubens* Nees ab Esenbeck, 1811; *leviventris* Wesmael, 1835; *islandicus* Ruthe, 1859; *medianus* Ruthe, 1862; *scutatus* Costa, 1884; *heteroneurus* Thomson, 1895; *szechuanensis* Fahringer, 1935; *mesopotamicus* M. Fischer, 1957
- 2971) Meteorus versicolor (Wesmael, 1835)** (Braconidae) Synonym(s): *versicolor* Wesmael, 1835; *bimaculatus* Wesmael, 1835; *unicolor* Hartig, 1838 nec Wesm., 1835; *brevicornis* Ratzeburg, 1844; *rugator* Ratzeburg, 1852; *decoloratus* Ruthe, 1862; *camptolomae* Watanabe, 1939; *ikonomovi* M. Fischer, 1959; *hartigi* Shenefelt, 1969
- 2972) Metopoceras (s.str.) delicata (Staudinger, 1898)** (Noctuidae) Synonym(s): *delicata* Staudinger, 1898; *gauckleri* Püngeler, 1905.
- 2973) Metopoceras (s.str.) eutychna Rebel, 1948** (Noctuidae) Synonym(s): *eutychna* Rebel, 1948
- 2974) Metopoceras (s.str.) omar (Oberthür, 1887)** (Noctuidae) Synonym(s): *omar* Oberthür, 1887
- 2975) Metopoceras (s.str.) philbyi Wiltshire, 1980** (Noctuidae) Synonym(s): *philbyi* Wiltshire, 1980
- 2976) Metopoplus excelsa (Christoph, 1885)** (Noctuidae) Synonym(s): *excelsa* Christoph, 1885
- 2977) Metopostigma sabulona Becker, 1910** (Chloropidae) Synonym(s): *sabulona* Becker, 1910
- 2978) Metopostigma sabulona Becker, 1910** (Chloropidae) Synonym(s): *sabulona* Becker, 1910
- 2979) Metopostigma tenuiseta (Loew, 1860)** (Chloropidae) Synonym(s): *tenuiseta* Loew, 1860
- 2980) Metzneria aestivella (Zeller, 1839)** (Gelechiidae) Synonym(s): *aestivella* Zeller, 1839; *carlinella* Stainton, 1851; *selaginella* Mann, 1855; *torridella* Mann.
- 2981) Metzneria agraphella (Ragonot, 1895)** (Gelechiidae) Synonym(s): *agraphella* Ragonot, 1895; *incognita* Walsingham, 1904.
- 2982) Metzneria aprilella (Herrich-Schäffer, [1854])** (Gelechiidae) Synonym(s): *aprilella* Herrich-Schäffer, [1854]
- 2983) Metzneria castiliella (Möschler, 1866)** (Gelechiidae) Synonym(s): *castiliella* Möschler, 1866; *eatonii* Walsingham, 1899.

- 2984) Metzneria littorella (Douglas,1850)** (Gelechiidae) Synonym(s): *littorella* Douglas,1850; *quinquepunctella* Herrich-Schäffer,1855.
- 2985) Metzneria metzneriella Stainton,1851** (Gelechiidae) Synonym(s): *paucipunctella* Douglas,1850 *nec* Zeller,1851; *metzneriella* Stainton,1851.
- 2986) Metzneria tenuiella (Mann,1864)** (Gelechiidae) Synonym(s): *tenuiella* Mann,1864; *infelix* Walsingham,1908; *insignificans* Walsingham,1908.
- 2987) Metzneria varennei Nel,1997** (Gelechiidae) Synonym(s): *pannonicella* Rebel,1915; *varennei* Nel,1997.
- 2988) Micantulina (Mulsantina) acuticeps (Linnavuori,1962)** (Cicadellidae) Synonym(s): *acuticeps* Linnavuori,1962
- 2989) Micomitra bella (Austen,1937)** (Bombyliidae) Synonym(s): *bella* Austen,1937
- 2990) Micomitra iris (Loew,1869)** (Bombyliidae) Synonym(s): *iris* Loew,1869
- 2991) Micomitra lapidoti Zaitzev,1999** (Bombyliidae) Synonym(s): *lapidoti* Zaitzev,1999
- 2992) Micomitra stupida (Rossi,1790)** (Bombyliidae) Synonym(s): *stupida* Rossi,1790; *rhadamanthus* Meigen,1804; *chalcoides* Pallas,1818; *vitricosta* Walker,1849; *vitricosta* Walker,1849; *squamea* Mulsant,1852
- 2993) Microbaena pulchra (Staudinger,1898)** (Geometridae) Synonym(s): *pulchra* Staudinger,1898
- 2994) Microdynerus (s.str.) atriceps Morawitz,1895** (Vespidae) Synonym(s): *atriceps* Morawitz,1895
- 2995) Microdynerus anatolicus (Blüthgen,1938)** (Vespidae) Synonym(s): *anatolicus* Blüthgen,1938
- 2996) Microdynerus latro Blüthgen,1955** (Vespidae) Synonym(s): *latro* Blüthgen,1955
- 2997) Microdynerus saundersi Blüthgen,1955** (Vespidae) Synonym(s): *saundersi* Blüthgen,1955
- 2998) Microloxia herbaria (Hübner,[1813])** (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860.
- 2999) Microloxia ruficornis W.Warren,1897** (Geometridae) Synonym(s): *ruficornis* W.Warren,1897; *innotata* W.Warren,1901; *halimaria* Chrétien,1909; *stenopteraria* Turati,1930
- 3000) Micromorphus aereus (Vaillant,1953)** (Dolichopodidae) Synonym(s): *aereus* Vaillant,1953
- 3001) Micromorphus albipes (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *albipes* Zetterstedt,1843; *bellus* Strobl,1880 *nec* Lw.,1869
- 3002) Micronecta anatolica Lindberg,1922** (Corixidae) Synonym(s): *anatolica* Lindberg,1922
- 3003) Micronecta wui Lundblad,1933** (Corixidae) Synonym(s): *wui* Lundblad,1933; *alkani* Hoberlandt,1948
- 3004) Micronola wadicola Amsel,1935** (Micronoctuidae) Synonym(s): *wadicola* Amsel,1935
- 3005) Micropeza annuliventris (Hendel,1931)** (Micropezidae) Synonym(s): *annuliventris* Hendel,1931
- 3006) Micropeza grallatrix Loew,1868** (Micropezidae) Synonym(s): *grallatrix* Loew,1868
- 3007) Micropeza nigra (Loew,1873)** (Micropezidae) Synonym(s): *nigra* Loew,1873; *diversipes* Villeneuve,1913; *niger* Czerny,1930
- 3008) Microphadnus brevicornis Zonstein,2007** (Pompilidae) Synonym(s): *brevicornis* Zonstein,2007
- 3009) Microphadnus insperatus Priesner,1967** (Pompilidae) Synonym(s): *insperatus* Priesner,1967
- 3010) Microphadnus pumilus (Costa,1882)** (Pompilidae) Synonym(s): *pumilus* Costa,1882
- 3011) Microptilis fordii Nixon,1970** (Braconidae) Synonym(s): *fordii* Nixon,1970
- 3012) Microtelus carenceps Reiche & Saulcy,1857** (Tenebrionidae) Synonym(s): *carenceps* Reiche & Saulcy,1857
- 3013) Microtelus limitis Reitter** (Tenebrionidae) Synonym(s):
- 3014) Microthespis dmitriewi Werner,1908** (Mantidae) Synonym(s): *dmitriewi* Werner,1908
- 3015) Microxestis wutzdorffi (Püngeler,1907)** (Noctuidae) Synonym(s): *wutzdorffi* Püngeler,1907
- 3016) Micrurapteryx parvula Amsel,1935** (Gracillariidae) Synonym(s): *parvula* Amsel,1935
- 3017) Milichia sinaiensis Steyskal,1966** (Milichiidae) Synonym(s): *sinaiensis* Steyskal,1966
- 3018) Milichia speciosa Meigen,1830** (Milichiidae) Synonym(s): *speciosa* Meigen,1830
- 3019) Milichiella argentiventris Hendel,1931** (Milichiidae) Synonym(s): *argentiventris* Hendel,1931
- 3020) Millieria dolosana (Herrich-Schäffer,[1854])** (Choreutidae) Synonym(s): *#dolosalis* Heydenreich,1851; *dolosana* Herrich-Schäffer,[1854]; *#dolosana* Desmarest,[1857]
- 3021) Miltogramma (Dichiracantha) oestraceum (Fallén,1820)** (Sarcophagidae) Synonym(s): *oestracea* Fallén,1820; *tessellatum* Meigen,1824; *basillans* Pandellé,1895
- 3022) Miltogramma (s.str.) punctatum Meigen,1824** (Sarcophagidae) Synonym(s): *punctatum* Meigen,1824; *arcuata* Zetterstedt,1844; *sempunctatum* Meigen,1838; *laterale* R-D.,1863; *macquarti* R-D.,1863; *punctatellum* R-D.,1863
- 3023) Mimudea languidalis (Eversmann,1842)** (Pyralidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *venialis* Staudinger,1871
- 3024) Minettia (s.str.) czernyi Freidberg & Yarom,1990** (Lauxaniidae) Synonym(s): *quadrisetosa* Czerny,1927 *nec* Beck.,1907; *czernyi* Freidberg & Yarom,1990
- 3025) Minettia (s.str.) subvittata (Loew,1847)** (Lauxaniidae) Synonym(s): *subvittata* Loew,1847; *cataracta* Pandellé,1902
- 3026) Minettia (s.str.) tabidiventris (Rondani,1877)** (Lauxaniidae) Synonym(s): *tabidiventris* Rondani,1877; *luteofrontata* Becker,1895
- 3027) Minilimosina (Allolimosina) albinervis (Duda,1918)** (Sphaeroceridae) Synonym(s): *albinervis* Duda,1918
- 3028) Mintho rufiventris (Fallén,1817)** (Tachinidae) Synonym(s): *rufiventris* Fallén,1817
- 3029) Miomantis paykullii Stal,1871** (Mantidae) Synonym(s): *paykullii* Stal,1871; *savignyi* Saussure,1872; *pharaonica* Saussure,1898; *senegalensis* Schulthess-Schindler,1899
- 3030) Mirificarma (s.str. (s.str.)) aflavella (Amsel,1935)** (Gelechiidae) Synonym(s): *aflavella* Amsel,1935
- 3031) Mirificarma (s.str. (s.str.)) eburnella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 *nec* [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeoformosella* Bruand,1859.
- 3032) Mirificarma (s.str. (s.str.)) flavella (Duponchel,[1844])** (Gelechiidae) Synonym(s): *flavella* Duponchel,[1844]; *segetella* Zeller,1847.
- 3033) Mnesixena pectinalis (Herrich-Schäffer,1838)** (Pyralidae) Synonym(s): *pectinalis* Herrich-Schäffer,1838
- 3034) Mniotype johanna (Staudinger,1898)** (Noctuidae) Synonym(s): *johanna* Staudinger,1898; *grisea* D.Lucas,1908
- 3035) Modicogryllus (Eumodicogryllus) burdigalensis (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927
- 3036) Molophilus (s.str.) banias Stary & Freidberg,2007** (Limoniidae) Synonym(s): *banias* Stary & Freidberg,2007
- 3037) Molophilus (s.str.) griseus (Meigen,1804)** (Limoniidae) Synonym(s): *griseus* Meigen,1804; *biflatus* Meijere,1920
- 3038) Molophilus (s.str.) obscurus (Meigen,1818)** (Limoniidae) Synonym(s): *obscurus* Meigen,1818
- 3039) Molophilus (s.str.) pleuralis De Meijere,1920** (Limoniidae) Synonym(s): *pleuralis* De Meijere,1920
- 3040) Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833

- 3041) *Monopsis desertella* Amsel, 1935 (Tineidae) Synonym(s): *desertella* Amsel, 1935
- 3042) *Monosteira lobulifera* Reuter, 1888 (Tingidae) Synonym(s): *lobulifera* Reuter, 1888
- 3043) *Morellia nilotica* (Loew, 1856) (Muscidae) Synonym(s): *nilotica* Loew, 1856; *syriaca* Séguy, 1935
- 3044) *Mormo maura* (Linnaeus, 1758) (Noctuidae) Synonym(s): *maura* Linnaeus, 1758; *lemur* Meinecke, 1775; *usta* Fourcroy, 1785; *deusta* Geoffroy, 1799; *cyprica* Hacker, 1996
- 3045) *Mosillus subsultans* (Fabricius, 1794) (Ephydriidae) Synonym(s): *subsultans* Fabricius, 1794
- 3046) *Musca (Plaxemya) osiris* Wiedemann, 1830 (Muscidae) Synonym(s): *osiris* Wiedemann, 1830; *sugillatrix* R-D, 1830
- 3047) *Musca (Plaxemya) vitripennis* Meigen, 1826 (Muscidae) Synonym(s): *vitripennis* Meigen, 1826
- 3048) *Musca albina* Wiedemann, 1830 (Muscidae) Synonym(s): *albina* Wiedemann, 1830; *beckeri* Schnabl, 1911
- 3049) *Musca autumnalis* De Geer, 1776 (Muscidae) Synonym(s): *autumnalis* De Geer, 1776; *corvina* Fabricius, 1781
- 3050) *Musca biseta* Hough, 1898 (Muscidae) Synonym(s): *biseta* Hough, 1898
- 3051) *Musca conducens* Walker, 1859 (Muscidae) Synonym(s): *conducens* Walker, 1859; *lineata* Brunetti, 1910
- 3052) *Musca crassirostris* Stein, 1903 (Muscidae) Synonym(s): *crassirostris* Stein, 1903; *insignis* Austen, 1909
- 3053) *Musca domestica* Linnaeus, 1758 (Muscidae) Synonym(s): *domestica* Linnaeus, 1758; *nebulo* Fabricius, 1794; *vicina* Macquart, 1851; *determinata* Walker, 1853
- 3054) *Musca larvipara* Portschinsky, 1910 (Muscidae) Synonym(s): *larvipara* Portschinsky, 1910; *mesopotamiensis* Patton, 1920
- 3055) *Musca lucidula* (Loew, 1856) (Muscidae) Synonym(s): *lucidula* Loew, 1856
- 3056) *Musca sorbens* Wiedemann, 1830 (Muscidae) Synonym(s): *sorbens* Wiedemann, 1830; *humilis* Wiedemann, 1830; *primitiva* Walker, 1849
- 3057) *Musca tempestiva* Fallén, 1817 (Muscidae) Synonym(s): *tempestiva* Fallén, 1817
- 3058) *Muschampia hieromax* (Hemming, 1932) (Hesperiidae) Synonym(s): *hieromax* Hemming, 1932
- 3059) *Muschampia nomas* (Lederer, 1855) (Hesperiidae) Synonym(s): *nomas* Lederer, 1855
- 3060) *Muschampia proteides* (F. Wagner, 1929) (Hesperiidae) Synonym(s): *proteides* F. Wagner, 1929; *lycaonius* F. Wagner, 1929; *sovietica* Sichel, 1964; *lycaonius* Benjamini & Auni, 2001 [misident.]; *#lycaonius* Benjamini & Auni, 2001
- 3061) *Muschampia tessellum* (Hübner, [1802]) (Hesperiidae) Synonym(s): *tessellum* Hübner, [1802]; *hibisci* Böber, 1812; *mazzola* Ochsenheimer, 1816
- 3062) *Muscidifurax raptor* Girault & Sanders, 1910 (Pteromalidae) Synonym(s): *raptor* Girault & Sanders, 1910; *perplexa* Hedqvist, 1973
- 3063) *Muscina levida* (Harris, 1780) (Muscidae) Synonym(s): *levida* Harris, 1780; *assimilis* Fallén, 1823
- 3064) *Muscina pascuorum* (Meigen, 1826) (Muscidae) Synonym(s): *pascuorum* Meigen, 1826
- 3065) *Muscina prolapsa* (Harris, 1780) (Muscidae) Synonym(s): *prolapsa* Harris, 1780; *pabulorum* Fallén, 1817
- 3066) *Muscina stabulans* (Fallén, 1817) (Muscidae) Synonym(s): *stabulans* Fallén, 1817
- 3067) *Muscula muscula* (Staudinger, 1899) (Arctiidae) Synonym(s): *muscula* Staudinger, 1899
- 3068) *Mustha incana* Stal, 1876 (Pentatomidae) Synonym(s): *incana* Stal, 1876
- 3069) *Mustha spinosula* (Lefebvre, 1831) (Pentatomidae) Synonym(s): *spinosula* Lefebvre, 1831
- 3070) *Mutilla quinque maculata* Cyrillo, 1787 (Mutillidae) Synonym(s): *quinque maculata* Cyrillo, 1787
- 3071) *Mycetophila ocellus* Walker, 1848 (Mycetophilidae) Synonym(s): *ocellus* Walker, 1848
- 3072) *Mycetophila pictula* Meigen, 1830 (Mycetophilidae) Synonym(s): *pictula* Meigen, 1830
- 3073) *Mycetophila spectabilis* Winnertz, 1863 (Mycetophilidae) Synonym(s): *spectabilis* Winnertz, 1863
- 3074) *Mycetophila strigatoides* (Landrock, 1927) (Mycetophilidae) Synonym(s): *strigatoides* Landrock, 1927; *pseudoquadra* Bukowski, 1934; *pseudoquadroides* Matile, 1967
- 3075) *Mycetophila unicolor* Stannius, 1831 (Mycetophilidae) Synonym(s): *unicolor* Stannius, 1831
- 3076) *Mycomya (Cymomya) circumdata* (Staege, 1840) (Mycetophilidae) Synonym(s): *circumdata* Staege, 1840
- 3077) *Myelois (Gnathogutta) circumdatella* Lederer, 1858 (Pyralidae) Synonym(s): *circumdatella* Lederer, 1858; *ottoella* Schawerda, 1924
- 3078) *Myelois (Gnathogutta) osseella* (Ragonot, 1887) (Pyralidae) Synonym(s): *osseella* Ragonot, 1887
- 3079) *Myelois (Gnathogutta) pluripunctella* (Ragonot, 1887) (Pyralidae) Synonym(s): *pluripunctella* Ragonot, 1887
- 3080) *Myelois (Gnathogutta) umbratella* (Treitschke, 1832) (Pyralidae) Synonym(s): *umbratella* Treitschke, 1832; *ossicolor* Ragonot, 1893; *unipunctella* Chrétien, 1911
- 3081) *Myinodes shohami* Hausmann, 1994 (Geometridae) Synonym(s): *shohami* Hausmann, 1994
- 3082) *Mylabris (Chrysabris) hemprichi* Klug, 1845 (Meloidae) Synonym(s): *hemprichi* Klug, 1845; *kocheri* Pardo Alcaide, 1945
- 3083) *Mylabris (Eumylabris) fabricii* Sumakov, 1924 (Meloidae) Synonym(s): *decimpunctata* Petagna, 1787 nec Fabr., 1781; *forti* Mulsant, 1857; *fabricii* Sumakov, 1924
- 3084) *Mylabris (s.str.) filicornis* Marseul, 1870 (Meloidae) Synonym(s): *filicornis* Marseul, 1870
- 3085) *Mylabris (s.str.) parumpicta* (Heyden, 1883) (Meloidae) Synonym(s): *parumpicta* Heyden, 1883
- 3086) *Mylabris (Zitunabris) syriaca* Klug, 1845 (Meloidae) Synonym(s): *gebleri* Faldermann, 1837; *syriaca* Klug, 1845; *intersecta* Reiche, 1857; *smyrnensis* Escherich, 1899
- 3087) *Myopa argentata* Stuke, 2005 (Conopidae) Synonym(s): *argentata* Stuke, 2005
- 3088) *Myopites apicatus* Freidberg, 1979 (Tephritidae) Synonym(s): *apicatus* Freidberg, 1979
- 3089) *Myriocheile (s.str.) melancholica* (Fabricius, 1798) (Carabidae) Synonym(s): *melancholica* Fabricius, 1798
- 3090) *Myrmecophilus americanus* Saussure, 1877 (Myrmecophilidae) Synonym(s): *americanus* Saussure, 1877; *prenolepidis* Wasmann, 1905; *?cottami* Chopard, 1922; *albicinctus* Chopard, 1924; *robustus* Ebner, 1956; *microscopicus* Gorochov, 1994
- 3091) *Myrmecophilus nigricornis* Chopard, 1963 (Myrmecophilidae) Synonym(s): *nigricornis* Chopard, 1963
- 3092) *Myrmecophilus wahrmani* Chopard, 1963 (Myrmecophilidae) Synonym(s): *wahrmani* Chopard, 1963
- 3093) *Myrmecozela (Flavida) lutosella* (Eversmann, 1844) (Tineidae) Synonym(s): *lutosella* Eversmann, 1844; *gigantea* Christoph, 1873; *centrogramma* Meyrick, 1921; *insignis* Amsel, 1935; *stichograptus* Meyrick, 1936
- 3094) *Myrmeleon (Morter) circumcinctus* Tjeder, 1963 (Myrmeleonidae) Synonym(s): *circumcinctus* Tjeder, 1963
- 3095) *Myrmilla (Pseudomutilla) bytinskii* Invrea, 1965 (Mutillidae) Synonym(s): *bytinskii* Invrea, 1965
- 3096) *Myrmilla (s.str.) corniculata* (Sichel & Radoszowski, 1869) (Mutillidae) Synonym(s): *#corniculata* Gerstaecker, 1862; *corniculata* Sichel & Radoszowski, 1869
- 3097) *Myrmilla (s.str.) erythrocephala* (Latreille, 1792) (Mutillidae) Synonym(s): *erythrocephala* Latreille, 1792; *latreillei* Meyer, 1794; *cornuta* Olivier, 1811; *megacephala* Costa, 1858; *bison* Costa, 1887
- 3098) *Myrmilla (s.str.) lezginica* (Radoszkowski, 1885) (Mutillidae) Synonym(s): *lezginica* Radoszkowski, 1885; *subcornuta* Morawitz, 1893; *nigrifrons* André, 1901 [ssp.]; *kokujevi* Skorikov, 1927; *susiana* Skorikov, 1927
- 3099) *Myrmilla (s.str.) menozzii* Invrea, 1950 (Mutillidae) Synonym(s): *menozzii* Invrea, 1950

- 3100) Mythimna (Aletia) alopecuri (Boisduval,1840)** (Noctuidae) Synonym(s): *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933
- 3101) Mythimna (Aletia) congrua (Hübner,[1817])** (Noctuidae) Synonym(s): *congrua* Hübner,[1817]; *annicola* Rambur,1829.
- 3102) Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881
- 3103) Mythimna (Aletia) scirpi (Duponchel,1836)** (Noctuidae) Synonym(s): *scirpi* Duponchel,1836; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *cyperi* Boisduval,1840; *fuscilinea* Graslin,1852; *syriaca* Osthelder,1933.
- 3104) Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellena* Lederer,1870; *decolorata* Dannehl,1929; *saturator* Dannehl,1929; *grisea* Dannehl,1929.
- 3105) Mythimna (Anapoma) riparia (Rambur,1829)** (Noctuidae) Synonym(s): *riparia* Rambur,1829
- 3106) Mythimna (Hyphalare) ferrago (Fabricius,1787)** (Noctuidae) Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926
- 3107) Mythimna (Morphopoliana) languida (Walker,1858)** (Noctuidae) Synonym(s): *consanguis* auct. nec Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952.
- 3108) Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsaftikis,1974.
- 3109) Nagusta goedeli (Kolenati,1856)** (Reduviidae) Synonym(s): *goedeli* Kolenati,1856
- 3110) Nagusta simonis Puton,1890** (Reduviidae) Synonym(s): *simonis* Puton,1890
- 3111) Nanomutilla parila (Nagy,1970)** (Mutillidae) Synonym(s): *parila* Nagy,1970
- 3112) Nanomutilla yoca (Nagy,1970)** (Mutillidae) Synonym(s): *yoca* Nagy,1970
- 3113) Nariscus longirostris Linnavuori,1974** (Alydidae) Synonym(s): *longirostris* Linnavuori,1974
- 3114) Nasocoris albipennis Lindberg,1939** (Miridae) Synonym(s): *albipennis* Lindberg,1939
- 3115) Nasocoris artemis Linnavuori,1968** (Miridae) Synonym(s): *artemis* Linnavuori,1968
- 3116) Nasocoris convexicollis Linnavuori,1999** (Miridae) Synonym(s): *convexicollis* Linnavuori,1999
- 3117) Nebria (s.str.) hemprichi Klug,1832** (Carabidae) Synonym(s): *hemprichi* Klug,1832
- 3118) Nebula adlata (Staudinger,[1895])** (Geometridae) Synonym(s): *adlata* Staudinger,[1895]
- 3119) Nebula ibericata (Staudinger,1871)** (Geometridae) Synonym(s): *ibericata* Staudinger,1871
- 3120) Nebula juvenilata (Zerny,1933)** (Geometridae) Synonym(s): *juvenilata* Zerny,1933
- 3121) Nebula salicata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller],1775
- 3122) Necrobia ruficollis (Fabricius,1775)** (Korynetidae) Synonym(s): *ruficollis* Fabricius,1775
- 3123) Necrobia rufipes (DeGeer,1775)** (Korynetidae) Synonym(s): *rufipes* DeGeer,1775
- 3124) Necrobinus defunctorum (Waltl,1835)** (Korynetidae) Synonym(s): *defunctorum* Waltl,1835
- 3125) Necrothalassia compsius (Walsingham,1907)** (Scythridae) Synonym(s): *compsias* Walsingham,1907; *argilosella* Amsel,1935
- 3126) Nemapogon granella (Linnaeus,1758)** (Tineidae) Synonym(s): *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763 (praeocc.); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873; *fuscumaculella* Chambers,1875; *mancuniella* Hodgkinson,1880; *nigroatomella* Dietz,1905; *fuscicomella* Wörz,1958
- 3127) Nemapogon gravosaella G.Petersen,1957** (Tineidae) Synonym(s): *gravosaellus* G.Petersen,1957; *signatellus* G.Petersen,1960; *borshomi* Zagulyaev,1964.
- 3128) Nemausus sordidatus (Stal,1858)** (Alydidae) Synonym(s): *sordidatus* Stal,1858; *simplex* Horvath,1911
- 3129) Nemestrinus abdominalis (Olivier,1811)** (Nemestrinidae) Synonym(s): *abdominalis* Olivier,1811; *osiris* Wiedemann,1828
- 3130) Nemestrinus ater Olivier,1811** (Nemestrinidae) Synonym(s): *ater* Olivier,1811; *nigra* Wiedemann,1828
- 3131) Nemestrinus canaaniticus (Lichtwardt,1907)** (Nemestrinidae) Synonym(s): *canaaniticus* Lichtwardt,1907
- 3132) Nemestrinus exalbidus Lichtwardt,1907** (Nemestrinidae) Synonym(s): *exalbidus* Lichtwardt,1907
- 3133) Nemestrinus fasciatus (Olivier,1811)** (Nemestrinidae) Synonym(s): *fasciatus* Olivier,1811
- 3134) Nemestrinus fascifrons (Bigot,1888)** (Nemestrinidae) Synonym(s): *fascifrons* Bigot,1888
- 3135) Nemestrinus reticulatus Latreille,1802** (Nemestrinidae) Synonym(s): *reticulatus* Latreille,1802; *latreillei* Fischer,1812; *cinctus* Macquart,1840; *kindermanni* Bischoff,1905
- 3136) Nemestrinus signatus (Lichtwardt,1907)** (Nemestrinidae) Synonym(s): *signatus* Lichtwardt,1907
- 3137) Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865
- 3138) Nemophora fasciella (Fabricius,1775)** (Adelidae) Synonym(s): *fasciella* Fabricius,1775; *schiffermillerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867
- 3139) Nemoptera aegyptiaca Rambur,1842** (Nemopteridae) Synonym(s): *aegyptiaca* Rambur,1842; *hebraica* Westwood,1874
- 3140) Nemotelus (s.str.) anchora Loew,1846** (Stratiomyidae) Synonym(s): *anchora* Loew,1846; *siculus* Jaennicke,1866; *persicus* Pleske,1937
- 3141) Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer* Loew,1846; *limbatus* Egger,1859
- 3142) Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969
- 3143) Nemotelus (s.str.) latiusculus Loew,1871** (Stratiomyidae) Synonym(s): *latiusculus* Loew,1871
- 3144) Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871
- 3145) Nemotelus (s.str.) pantherinus (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigritus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974
- 3146) Nemotelus (s.str.) signatus Schiner,1855** (Stratiomyidae) Synonym(s): *signatus* Schiner,1855; *varius* Loew,1871
- 3147) Nemotelus (s.str.) syriacus Lindner,1933** (Stratiomyidae) Synonym(s): *syriacus* Lindner,1933; *aterrimus* Szilady,1941
- 3148) Neoaliturus inscriptis (Haupt,1927)** (Cicadellidae) Synonym(s): *inscriptis* Haupt,1927
- 3149) Neoaliturus macchiae Lindberg,1948** (Cicadellidae) Synonym(s): *macchiae* Lindberg,1948
- 3150) Neoaliturus pulcher (Haupt,1927)** (Cicadellidae) Synonym(s): *pulcher* Haupt,1927
- 3151) Neoaliturus tenellus (Baker,1896)** (Cicadellidae) Synonym(s): *tenellus* Baker,1896; *ignavus* Matsumura,1908; *egyptiacus* Matsumura,1908; *indivisus* Haupt,1927; *ambiguosus* Young & Frazier,1954; *zygophylli* Lindberg,1954
- 3152) Neoaliturus transversalis (Puton,1881)** (Cicadellidae) Synonym(s): *transversalis* Puton,1881; *fasciata* Ferrari,1885
- 3153) Neobodilus ghardimaouensis (Balthasar,1929)** (Scarabaeidae) Synonym(s): *ghardimaouensis* Balthasar,1929
- 3154) Neochalcis hippotoides (Masi,1916)** (Chalcididae) Synonym(s): *hippotoides* Masi,1916

- 3155) Neognopharmia stevenaria (Boisduval,1840)** (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841
- 3156) Neolimnus egyptiacus (Matsumura,1908)** (Cicadellidae) Synonym(s): *egyptiacus* Matsumura,1908
- 3157) Neomyia cornicina (Fabricius,1781)** (Muscidae) Synonym(s): *cornicina* Fabricius,1781; *viridis* Wiedemann,1824; *caesarion* Meigen,1826 nec Bechstein & Scharfenberg,1805; *fennica* Frey,1909
- 3158) Neopachygaster admiranda Krivosheina & Freidberg,2004** (Stratiomyidae) Synonym(s): *admiranda* Krivosheina & Freidberg,2004
- 3159) Neoparoecus tibialis (Yarom,1991)** (Lauaxiidae) Synonym(s): *tibialis* Yarom,1991
- 3160) Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894
- 3161) Neotherevella citrina (Becker,1902)** (Therevidae) Synonym(s): *citrina* Becker,1902
- 3162) Nepachys eximus Peyron,1877** (Melyridae) Synonym(s): *eximus* Peyron,1877
- 3163) Nephopterix cleopatrella Ragonot,1887** (Pyralidae) Synonym(s): *cleopatrella* Ragonot,1887
- 3164) Nephopterix divisella (Duponchel,1842)** (Pyralidae) Synonym(s): *divisella* Duponchel,1842; *albiricella* Herrich-Schäffer,1849; *euphorbiella* Zeller,1846; *sardzeella* Amsel,1961.
- 3165) Nephotettix modulatus Melichar,1912** (Cicadellidae) Synonym(s): *modulatus* Melichar,1912
- 3166) Nephrotoma cornicina (Linnaeus,1758)** (Tipulidae) Synonym(s): *cornicina* Linnaeus,1758; *flavomaculata* De Geer,1776; *iridicolor* Schummel,1833; *sannio* Meigen,1838; *petiolata* Zetterstedt,1838; *nigrina* Savchenko,1973
- 3167) Nephus quadrimaculatus (Herbst,1783)** (Coccinellidae) Synonym(s): *quadrimaculatus* Herbst,1783
- 3168) Neromia pulvereisparsa Hampson,1896** (Geometridae) Synonym(s): *pulvereisparsa* Hampson,1896; *jodisata* Staudinger,1898; *draudti* Andres & Seitz,1923
- 3169) Nesidiocoris tenuis (Reuter,1895)** (Miridae) Synonym(s): *#tamaricis* Puton,1886; *tenuis* Reuter,1895; *crassicornis* Distant,1904; *javanus* Poppius,1914; *nocivus* Fulmek,1925
- 3170) Neurocladus brachiidens (Dufour,1851)** (Lygaeidae) Synonym(s): *brachiidens* Dufour,1851
- 3171) Neuroleon argutus (Navas,1914)** (Myrmeleonidae) Synonym(s): *argutus* Navas,1914
- 3172) Neuroleon tenellus (Klug,1834)** (Myrmeleonidae) Synonym(s): *tenellus* Klug,1834; *naxensis* Navas,1915
- 3173) Neuroterus lanuginosus Giraud,1859** (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859
- 3174) Nezara viridula (Linnaeus,1758)** (Pentatomidae) Synonym(s): *viridula* Linnaeus,1758
- 3175) Niditinea tugurialis (Meyrick,1932)** (Tineidae) Synonym(s): *tugurialis* Meyrick,1932; *unipunctella* Zagulyaev,1960
- 3176) Nisia nervosa (Motschulsky,1863)** (Meenoplidae) Synonym(s): *nervosa* Motschulsky,1863; *atrovenosus* Lethierry,1888
- 3177) Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 3178) Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piesz.,1908; *decolorata* Turati,1923.
- 3179) Noctuella rebeli Amsel,1935** (Pyralidae) Synonym(s): *rebeli* Amsel,1935
- 3180) Nodaria nodosalis (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *nodosalis* Herrich-Schäffer,[1851]; *aethiopolis* Herrich-Schäffer,[1851]; *hispanalis* Guenée,1854; *aesopusalis* Walker,[1859]; *#nododalis* Hacker,1992.
- 3181) Nola chlamitulalis (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamitulalis* Hübner,[1813]; *chlamydulana* Duponchel,[1845]
- 3182) Nola squalida Staudinger,1871** (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henrioti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947
- 3183) Nomada caspia Morawitz,1895** (Apidae) Synonym(s): *caspia* Morawitz,1895; *graeca* Schwarz,1967
- 3184) Nomada curvispinosa Schwarz,1981** (Apidae) Synonym(s): *curvispinosa* Schwarz,1981
- 3185) Nomada gracilicornis Morawitz,1895** (Apidae) Synonym(s): *gracilicornis* Morawitz,1895
- 3186) Nomada guichardi Schwarz,1981** (Apidae) Synonym(s): *guichardi* Schwarz,1981
- 3187) Nomada imperialis Schmiedeknecht,1882** (Apidae) Synonym(s): *imperialis* Schmiedeknecht,1882
- 3188) Nomada kervilleana Pérez,1913** (Apidae) Synonym(s): *kervilleana* Pérez,1913
- 3189) Nomada kusdasi Schwarz,1981** (Apidae) Synonym(s): *kusdasi* Schwarz,1981
- 3190) Nomada lucidula Schwarz,1967** (Apidae) Synonym(s): *lucidula* Schwarz,1967
- 3191) Nomada nausicaa Schmiedeknecht,1882** (Apidae) Synonym(s): *nausicaa* Schmiedeknecht,1882
- 3192) Nomada ovaliceps Schwarz,1981** (Apidae) Synonym(s): *ovaliceps* Schwarz,1981
- 3193) Nomada pallispinosa Schwarz,1967** (Apidae) Synonym(s): *pallispinosa* Schwarz,1967
- 3194) Nomada rubricollis Schwarz,1967** (Apidae) Synonym(s): *rubricollis* Schwarz,1967
- 3195) Nomada sabulosa Radoszkowski,1876** (Apidae) Synonym(s): *sabulosa* Radoszkowski,1876
- 3196) Nomioides (s.str.) facilis (Smith,1853)** (Halictidae) Synonym(s): *facilis* Smith,1853
- 3197) Nomioides (s.str.) ornatus Pesenko,1983** (Halictidae) Synonym(s): *ornatus* Pesenko,1983
- 3198) Nomioides (s.str.) rotundiceps Handlirsch,1888** (Halictidae) Synonym(s): *rotundiceps* Handlirsch,1888
- 3199) Nomioides (s.str.) squamiger Saunders,1908** (Halictidae) Synonym(s): *squamiger* Saunders,1908
- 3200) Nomophila noctuella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859
- 3201) Nonagria puengeleri (Schawerda,1924)** (Noctuidae) Synonym(s): *puengeleri* Schawerda,1924; *albipuncta* O.Bang-Haas,1927
- 3202) Nonagria typhae (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787.
- 3203) Norrbomia hispanica (Duda,1923)** (Sphaeroceridae) Synonym(s): *hispanica* Duda,1923
- 3204) Norrbomia marginatis (Adams,1905)** (Sphaeroceridae) Synonym(s): *marginatis* Adams,1905
- 3205) Norrbomia niveipennis (Duda,1923)** (Sphaeroceridae) Synonym(s): *niveipennis* Duda,1923; *parallelinervis* Duda,1938; *tenuicalcar* Duda,1938
- 3206) Norrbomia sordida (Zetterstedt,1847)** (Sphaeroceridae) Synonym(s): *sordida* Zetterstedt,1847; *nigritella* Zetterstedt,1847; *bilineatus* Grimshaw,1901; *brevisetus* Malloch,1913; *minutus* Johnson,1913
- 3207) Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774
- 3208) Nothris congressariella (Bruand,1858)** (Gelechiidae) Synonym(s): *congressariella* Bruand,1858; *declaratella* Staudinger,1859
- 3209) Nothris sulcella Staudinger,1879** (Gelechiidae) Synonym(s): *sulcella* Staudinger,1879
- 3210) Nothris verbascella (Brahm,1791)** (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828; *clarella* Amsel,1935
- 3211) Notiophilus danieli Reitter,1897** (Carabidae) Synonym(s): *danieli* Reitter,1897

- 3212) Notocelia uddmanniana (Linnaeus,1758)** (Tortricidae) Synonym(s): *uddmanniana* Linnaeus,1758; *rubiana* Scopoli,1763; *achata* Hübner,[1799]
- 3213) Notoxus appendicinus Desbr.,1875** (Anthicidae) Synonym(s): *appendicinus* Desbr.,1875
- 3214) Nychiodes (Eunychiodes) amygdalaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *amygdalaria* Herrich-Schäffer,[1848]
- 3215) Nychiodes (Eunychiodes) divergaria (Staudinger,1892)** (Geometridae) Synonym(s): *divergaria* Staudinger,1892
- 3216) Nychiodes (Fritzwagneria) palaestinensis F.Wagner,1919** (Geometridae) Synonym(s): *palaestinensis* F.Wagner,1919
- 3217) Nychiodes (Fritzwagneria) persuavis Wehrli,1929** (Geometridae) Synonym(s): *persuavis* Wehrli,1929
- 3218) Nyctegretis lineana (Scopoli,1786)** (Pyralidae) Synonym(s): *lineana* Scopoli,1786; *achatinella* Hübner,[1824].
- 3219) Nycteola revayana (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 nec Hbn.,1787
- 3220) Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835
- 3221) Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817
- 3222) Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805
- 3223) Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853
- 3224) Nyctocyra fraudatrix Gozmany,1978** (Lecithoceridae) Synonym(s): *fraudatrix* Gozmany,1978
- 3225) Nyctophila syriaca (Baudi di Selve,1871)** (Lampyridae) Synonym(s): *syriaca* Baudi di Selve,1871
- 3226) Oar pratana (Fabricius,1794)** (Geometridae) Synonym(s): *pratana* Fabricius,1794; *pratana* Turton,1802; *megearia* Oberthür,1881; *ectypata* Mabilie,1888
- 3227) Ochleriades fasciatus (Frieze,1899)** (Megachilidae) Synonym(s): *fasciatus* Frieze,1899
- 3228) Ochridia acuta (Bolivar,1905)** (Acrididae) Synonym(s): *acuta* Bolivar,1905
- 3229) Ochridia filicornis (Krauss,1902)** (Acrididae) Synonym(s): *filicornis* Krauss,1902
- 3230) Ochroleura leucogaster (Freyer,1831)** (Noctuidae) Synonym(s): *leucogaster* Freyer,1831
- 3231) Ochthera pilimana Becker,1903** (Ephydriidae) Synonym(s): *pilimana* Becker,1903
- 3232) Ocnogyna (s.str.) loewii (Zeller,1846)** (Arctiidae) Synonym(s): *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931.
- 3233) Ocrisiodes discomaculella (Ragonot,1888)** (Pyralidae) Synonym(s): *discomaculella* Ragonot,1888
- 3234) Odontelia margiana (Püngeler,1901)** (Noctuidae) Synonym(s): *margiana* Püngeler,1901
- 3235) Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846
- 3236) Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922
- 3237) Odontomyia damascena Villeneuve,1912** (Stratiomyidae) Synonym(s): *damascena* Villeneuve,1912
- 3238) Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 nec Meig.,1822
- 3239) Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infusca* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909
- 3240) Odontomyia hydroleon (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *hydroleon* Linnaeus,1758; *felina* Panzer,[1798]; *alpina* Jaenicke,1866
- 3241) Odontomyia ornata (Meigen,1822)** (Stratiomyidae) Synonym(s): *ornata* Meigen,1822; *signaticornis* Loew,1846
- 3242) Odontoscels fuliginosa (Linnaeus,1761)** (Scutelleridae) Synonym(s): *fuliginosa* Linnaeus,1761
- 3243) Odontotarsus freyi Puton,1882** (Scutelleridae) Synonym(s): *freyi* Puton,1882
- 3244) Odontotarsus oculatus Horvath,1881** (Scutelleridae) Synonym(s): *oculatus* Horvath,1881
- 3245) Odontotarsus plicatulus Hovarth,1906** (Scutelleridae) Synonym(s): *plicatulus* Hovarth,1906
- 3246) Odontotarsus purpureolineatus (Rossi,1790)** (Scutelleridae) Synonym(s): *purpureolineatus* Rossi,1790; *lutescens* Fieber,1861; *rugicollis* Jakovlev,1884; *insignis* Jakovlev,1908; *#confluens* Hoberlandt,1944
- 3247) Odontotarsus robustus Jakovlev,1884** (Scutelleridae) Synonym(s): *robustus* Jakovlev,1884; *flavus* Jakovlev,1885; *dilutus* Horvath,1917
- 3248) Odontotilla (Conjunctotilla) conjuncta (Klug,1829)** (Mutillidae) Synonym(s): *conjuncta* Klug,1829
- 3249) Odynerus alexandrinus Saussure,1853** (Vespidae) Synonym(s): *alexandrinus* Saussure,1853; *cauponalis* Giordani Soika,1977
- 3250) Odynerus palaestinensis Gusenleitner,1972** (Vespidae) Synonym(s): *palaestinensis* Gusenleitner,1972
- 3251) Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856
- 3252) Oedipoda aurea Uvarov,1923** (Acrididae) Synonym(s): *aurea* Uvarov,1923
- 3253) Oedipoda schochi Saussure,1884** (Acrididae) Synonym(s): *schochi* Saussure,1884; *caucasica* Saussure,1884
- 3254) Oestranthrax brunnescens Loew,1857** (Bombyliidae) Synonym(s): *brunnescens* Loew,1857
- 3255) Olepa schleini Witt, G.C.Müller, Kravchenko, M.A.Miller, Hausmann & Speidel,2005** (Arctiidae) Synonym(s): *schleini* Witt, G.C.Müller, Kravchenko, M.A.Miller, Hausmann & Speidel,2005
- 3256) Oliarus angustiformis Linnavuori,1953** (Cixiidae) Synonym(s): *angustiformis* Linnavuori,1953
- 3257) Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927
- 3258) Oligodranes israeliensis Zaitzev,1996** (Bombyliidae) Synonym(s): *israeliensis* Zaitzev,1996
- 3259) Oligoneura murina (Loew,1844)** (Acroceridae) Synonym(s): *murina* Loew,1844
- 3260) Oligopogon palestinensis Theodor,1980** (Asilidae) Synonym(s): *palestinensis* Theodor,1980
- 3261) Olivenebula subsericata (Herrich-Schäffer,1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
- 3262) Ommatidiotus longiceps Puton,1896** (Caliscelidae) Synonym(s): *falleni* Bolivar & Chicote,1879; *longiceps* Puton,1896; *alternans* Horvath,1916; *longicipiti* Horvath,1916
- 3263) Ommatius tenellus Wulp,1899** (Asilidae) Synonym(s): *tenellus* Wulp,1899
- 3264) Omophlus (Ondomophlus) syriacus Mulsant,1856** (Tenebrionidae) Synonym(s): *syriacus* Mulsant,1856
- 3265) Omophlus (s.str.) ocularis Kirsch,1869** (Tenebrionidae) Synonym(s): *ocularis* Kirsch,1869
- 3266) Omphalophana anatolica (Lederer,1857)** (Noctuidae) Synonym(s): *anatolica* Lederer,1857
- 3267) Omphalophana antirrhinii (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803]
- 3268) Omphalophana pauli (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892; *adamantina* Blachier,1905
- 3269) Oncocephalus acutangulus Reuter,1882** (Reduviidae) Synonym(s): *acutangulus* Reuter,1882; *brevipennis* Reuter,1882
- 3270) Oncocephalus israelensis Moulet (Reduviidae)** Synonym(s):

- 3271) *Oncocephalus obsoletus* Klug, 1830 (Reduviidae) Synonym(s): *obsoletus* Klug, 1830
 3272) *Oncocephalus squalidus* (Rossi, 1790) (Reduviidae) Synonym(s): *squalidus* Rossi, 1790
 3273) *Oncocephalus stysi* Moulet, 2008 (Reduviidae) Synonym(s): *stysi* Moulet, 2008
 3274) *Oncocephalus stysi* Moulet, 2008 (Reduviidae) Synonym(s): *stysi* Moulet, 2008
 3275) *Oncocera semirubella* (Scopoli, 1763) (Pyralidae) Synonym(s): *semirubella* Scopoli, 1763; *rosella* Goeze, 1783 *nec* Sc., 1763; *purpurella* Thunberg, 1788; *sanguinella* Hübner, 1796; *sanguinea* Haworth, 1811; *nigrella* Caradja, 1916
 3276) *Oncocnemis confusa* (Freyer, [1839]) (Noctuidae) Synonym(s): *confusa* Freyer, [1839]
 3277) *Oncocnemis strioligera* Lederer, 1853 (Noctuidae) Synonym(s): *strioligera* Lederer, 1853
 3278) *Onitis alexis* Klug, 1835 (Scarabaeidae) Synonym(s): *alexis* Klug, 1835
 3279) *Onitis ezechias* Reiche & Sauley, 1856 (Scarabaeidae) Synonym(s): *ezechias* Reiche & Sauley, 1856
 3280) *Onthophagus (Amphionthophagus) falzonii* Goidanich, 1926 (Scarabaeidae) Synonym(s): *falzonii* Goidanich, 1926
 3281) *Onthophagus (Euonthophagus) amyntas* (Olivier, 1789) (Scarabaeidae) Synonym(s): *amyntas* Olivier, 1789
 3282) *Onthophagus (Euonthophagus) amyntas alces* (Fabricius, 1792) (Scarabaeidae) Synonym(s): *alces* Fabricius, 1792; *hybneri* Fabricius, 1792
 3283) *Onthophagus (Euonthophagus) atramentarius* (Ménétriés, 1832) (Scarabaeidae) Synonym(s): *atramentarius* Ménétriés, 1832
 3284) *Onthophagus (Euonthophagus) dorbignyi* Olsoufieff, 1900 (Scarabaeidae) Synonym(s): *dorbignyi* Olsoufieff, 1900; *neutto* Olsoufieff, 1900
 3285) *Onthophagus (Euonthophagus) tissoni* Reitter, 1906 (Scarabaeidae) Synonym(s): *tissoni* Reitter, 1906; *hannas* Sahlberg, 1908
 3286) *Onthophagus (Palaeonthophagus) aleppensis* Redtenbacher, 1843 (Scarabaeidae) Synonym(s): *aleppensis* Redtenbacher, 1843; *hyrcanicus* Kabakov, 1982
 3287) *Onthophagus (Palaeonthophagus) angorensis* Petrovitz, 1963 (Scarabaeidae) Synonym(s): *angorensis* Petrovitz, 1963
 3288) *Onthophagus (Palaeonthophagus) cruciatus* (Ménétriés, 1832) (Scarabaeidae) Synonym(s): *cruciatus* Ménétriés, 1832
 3289) *Onthophagus (Palaeonthophagus) hermonensis* Baraud, 1892 (Scarabaeidae) Synonym(s): *hermonensis* Baraud, 1892
 3290) *Onthophagus (Palaeonthophagus) nebulosus* Reiche, 1864 (Scarabaeidae) Synonym(s): *nebulosus* Reiche, 1864
 3291) *Onthophagus (Palaeonthophagus) novaki* Boucomont & Gillet, 1927 (Scarabaeidae) Synonym(s): *muelleri* Novak, 1921; *novaki* Boucomont & Gillet, 1927
 3292) *Onthophagus (Palaeonthophagus) opacicollis* Reitter, 1893 (Scarabaeidae) Synonym(s): *opacicollis* Reitter, 1893
 3293) *Onthophagus (Palaeonthophagus) ruficapillus* Brullé, 1832 (Scarabaeidae) Synonym(s): *ruficapillus* Brullé, 1832
 3294) *Onthophagus (Palaeonthophagus) truchmenus* Kolenati, 1846 (Scarabaeidae) Synonym(s): *truchmenus* Kolenati, 1846; *araxicola* Reitter, 1893; *latiplage* Reitter, 1897; *xerces* Petrovitz, 1965
 3295) *Onychogomphus flexuosus* (Schneider, 1845) (Gomphidae) Synonym(s): *flexuosus* Schneider, 1845
 3296) *Onychogomphus macrodon* (Selys, 1887) (Gomphidae) Synonym(s): *macrodon* Selys, 1887
 3297) *Onychopterocheilus rothi* (Dusmet, 1928) (Vespidae) Synonym(s): *rothi* Dusmet, 1928
 3298) *Opacifrons coxata* (Stenhammar, 1855) (Sphaeroceridae) Synonym(s): *coxata* Stenhammar, 1855
 3299) *Ophion bipictor* Aubert, 1980 (Ichneumonidae) Synonym(s): *bipictor* Aubert, 1980
 3300) *Ophiusa lunaris* (Goeze, 1781) (Noctuidae) Synonym(s): *lunaris* [Denis & Schiffermüller], 1775; *lunaris* Goeze, 1781; *undosa* Goeze, 1781; *ventrilabris* Fabricius, 1787; *tarsiplumalis* Hübner, 1796; *chosensis* Bryk, 1949
 3301) *Ophiusa tirhaca* (Cramer, [1777]) (Noctuidae) Synonym(s): *tirhaca* Cramer, [1777]; *#tirrhaea* Fabricius, 1781; *vesta* Esper, 1789; *olivacea* Villers, 1789; *auricularis* Hübner, [1803]; *separans* Walker, 1858; *hottentota* Guenée, 1852; *clementi* Swinhoe, 1918; *#demarginata* Heydemann et al., 1963; *obscura* Pinker & Bacallado, 1978
 3302) *Ophiusa wiskotti* (Püngeler, 1902) (Noctuidae) Synonym(s): *wiskotti* Püngeler, 1902; *viscotti* Hampson, 1913
 3303) *Opilo longipilis* Fairmaire, 1892 (Cleridae) Synonym(s): *longipilis* Fairmaire, 1892
 3304) *Opilo taeniatus* (Klug, 1842) (Cleridae) Synonym(s): *taeniatus* Klug, 1842
 3305) *Opilo tilloides* Chevrolat, 1876 (Cleridae) Synonym(s): *tilloides* Chevrolat, 1876
 3306) *Oplisa (Anoplisa) pollinosa* Kugler, 1978 (Rhinophoridae) Synonym(s): *pollinosa* Kugler, 1978
 3307) *Oplodontha pulchripes* (Loew, 1858) (Stratiomyidae) Synonym(s): *pulchripes* Loew, 1858
 3308) *Oplodontha viridula* (Fabricius, 1775) (Stratiomyidae) Synonym(s): *viridula* Fabricius, 1775; *canina* Panzer, [1798]; *jejuna* Schrank, 1803; *dentata* Meigen, 1804; *holosericea* Olivier, 1812; *lunata* Olivier, 1812; *subvittata* Meigen, 1822; *bimaculata* Meigen, 1835; *personata* Loew, 1846; *interrupta* Loew, 1846; *heydeni* Jaenicke, 1866
 3309) *Opsius lethierryi* Wagner, 1942 (Cicadellidae) Synonym(s): *heydeni* Lethierry, 1876 (praeocc.); *lethierryi* Wagner, 1942
 3310) *Opsius pallasi* (Lethierry, 1874) (Cicadellidae) Synonym(s): *pallasi* Lethierry, 1874
 3311) *Opsius scutellaris* (Lethierry, 1874) (Cicadellidae) Synonym(s): *scutellaris* Lethierry, 1874
 3312) *Orchamus hebraeus* Uvarov, 1942 (Pamphagidae) Synonym(s): *hebraeus* Uvarov, 1942
 3313) *Orellia falcata* (Scopoli, 1763) (Tephritidae) Synonym(s): *falcata* Scopoli, 1763; *abdominalis* R-D., 1830; *octopunctata* Macquart, 1835
 3314) *Orgyia dubia* (Tauscher, 1806) (Lymantriidae) Synonym(s): *dubia* Tauscher, 1806
 3315) *Orgyia trigotephras* Boisduval, 1829 (Lymantriidae) Synonym(s): *trigotephras* Boisduval, 1829; *etrusca* Verity, 1905
 3316) *Oria musculosa* (Hübner, [1808]) (Noctuidae) Synonym(s): *musculosa* Hübner, [1808]; *laeta* Alpheraky, 1889
 3317) *Ormyrus diffinis* (Fonscolombe, 1832) (Ormyridae) Synonym(s): *diffinis* Fonscolombe, 1832; *punctulatus* Ratzeburg, 1848
 3318) *Ornativava erubescens* (Walsingham, 1904) (Gelechiidae) Synonym(s): *erubescens* Walsingham, 1904
 3319) *Ornativava heluanensis* (Debski, 1913) (Gelechiidae) Synonym(s): *heluanensis* Debski, 1913; *frankeniivorella* Chrétien, 1917; *oasicolella* Turati, 1924; *siculella* Mariani, 1937
 3320) *Ornativava macrosignella* Sattler, 1967 (Gelechiidae) Synonym(s): *macrosignella* Sattler, 1967
 3321) *Ornativava plutelliformis* (Staudinger, 1859) (Gelechiidae) Synonym(s): *plutelliformis* Staudinger, 1859; *sinuatella* Walsingham, 1904
 3322) *Ornativava pseudotamaricella* Sattler, 1967 (Gelechiidae) Synonym(s): *tamariciella* auct.; *pseudotamaricella* Sattler, 1967
 3323) *Ornativava zonella* (Chrétien, 1917) (Gelechiidae) Synonym(s): *zonella* Chrétien, 1917; *cimelion* Amsel, 1935; *iranella* Sattler, 1967
 3324) *Orosius orientalis* (Matsumura, 1914) (Cicadellidae) Synonym(s): *orientalis* Matsumura, 1914; *albicinctus* Distant, 1918; *filigranus* Haupt, 1927
 3325) *Orphilus beali* Zhantiev, 2001 (Dermestidae) Synonym(s): *beali* Zhantiev, 2001

- 3326) Ortaliella palaestinensis (Calberla,1891)** (Geometridae) Synonym(s): *palaestinensis* Calberla,1891
- 3327) Orthocephalus fulvipes Reuter,1904** (Miridae) Synonym(s): *tenuicornis* Mulsant & Rey,1852 *nec* Say,1852; *fulvipes* Reuter,1904
- 3328) Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre* Scopoli,1763; *virens* Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834
- 3329) Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonym(s): *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905
- 3330) Orthopygia almanalis (Rebel,1917)** (Pyrilidae) Synonym(s): *almanalis* Rebel,1917
- 3331) Orthopygia fulvociliialis (Duponchel,1834)** (Pyrilidae) Synonym(s): *fulvociliialis* Duponchel,1834
- 3332) Orthosia (Monima) cerasi (Fabricius,1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 3333) Orthosia (Monima) pulverulenta (Esper,[1786])** (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 3334) Orthosia cypriaca Hacker,1996** (Noctuidae) Synonym(s): *cypriaca* Hacker,1996
- 3335) Ortochile nigrocoerulea Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859
- 3336) Oryctes (Rykanoryctes) agamemnon Burmeister,1824** (Scarabaeidae) Synonym(s): *agamemnon* Burmeister,1824
- 3337) Oscinella (Cyclocerculla) nartshukiana Beschovsky,1978** (Chloropidae) Synonym(s): *nartshukiana* Beschovsky,1978
- 3338) Oscinella nitidissima (Meigen,1838)** (Chloropidae) Synonym(s): *nitidissima* Meigen,1838; *agrostis* Nartshuk,1955
- 3339) Oscinimorpha arcuata (Duda,1932)** (Chloropidae) Synonym(s): *arcuata* Duda,1932
- 3340) Oscinimorpha longirostris (Loew,1858)** (Chloropidae) Synonym(s): *longirostris* Loew,1858; *tunisica* Duda,1933
- 3341) Oscinimorpha novakii (Strobl,1893)** (Chloropidae) Synonym(s): *novakii* Strobl,1893; *minor* Strobl,1900; *strobli* Czerny,1909
- 3342) Osmia (Allosmia) lhotelleriei Pérez,1887** (Megachilidae) Synonym(s): *lhotelleriei* Pérez,1887
- 3343) Osmia (Allosmia) rufohirta Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896
- 3344) Osmia (Allosmia) rufotibialis Friese,1920** (Megachilidae) Synonym(s): *rufotibialis* Friese,1920
- 3345) Osmia (Allosmia) sybarita Smith,1853** (Megachilidae) Synonym(s): *sybarita* Smith,1853; *ruficollis* Sichel,1873; *fossoria* Pérez,1890; *ducke* Friese,1899
- 3346) Osmia (Erythrosmia) andrenoides Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808
- 3347) Osmia (Helicosmia) alfkeni Duce,1899** (Megachilidae) Synonym(s): *alfkeni* Duce,1899; *crinita* Alfken,1942
- 3348) Osmia (Helicosmia) aquila Warncke,1988** (Megachilidae) Synonym(s): *aquila* Warncke,1988
- 3349) Osmia (Helicosmia) clypearis Morawitz,1871** (Megachilidae) Synonym(s): *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988
- 3350) Osmia (Helicosmia) dimidiata Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899
- 3351) Osmia (Helicosmia) dives Mocsary,1877** (Megachilidae) Synonym(s): *dives* Mocsary,1877; *medanae* Magreti,1890; *subintegra* Pérez,1902; *hierosolomita* Benoist,1934
- 3352) Osmia (Helicosmia) fasciata Latreille,1811** (Megachilidae) Synonym(s): *fasciata* Latreille,1811; *atroalba* Morawitz,1875; *kuznetsovi* Cockerell,1930
- 3353) Osmia (Helicosmia) gutturalis Warncke,1988** (Megachilidae) Synonym(s): *gutturalis* Warncke,1988
- 3354) Osmia (Helicosmia) laticella Zanden,1986** (Megachilidae) Synonym(s): *laticeps* Friese,1899 *nec* Thoms.,1872; *laticella* Zanden,1986
- 3355) Osmia (Helicosmia) latreillei (Spinola,1806)** (Megachilidae) Synonym(s): *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975
- 3356) Osmia (Helicosmia) lazulina Benoist,1928** (Megachilidae) Synonym(s): *lazulina* Benoist,1928
- 3357) Osmia (Helicosmia) niveata (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914
- 3358) Osmia (Helicosmia) niveocincta Pérez,1879** (Megachilidae) Synonym(s): *niveocincta* Pérez,1879; *violascens* Pérez,1895
- 3359) Osmia (Helicosmia) notata (Fabricius,1804)** (Megachilidae) Synonym(s): *notata* Fabricius,1804; *decemsignata* Radoszkowski,1874; *laterefasciata* Costa,1885
- 3360) Osmia (Helicosmia) signata Erichson,1835** (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895
- 3361) Osmia (Helicosmia) sogdiana Morawitz,1875** (Megachilidae) Synonym(s): *sogdiana* Morawitz,1875; *nassonowi* Pérez,1902
- 3362) Osmia (Helicosmia) subcornuta Morawitz,1875** (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875
- 3363) Osmia (Hemiosmia) chrysolepta Haeseler,2005** (Megachilidae) Synonym(s): *chrysolepta* Haeseler,2005
- 3364) Osmia (Hemiosmia) difficilis Morawitz,1875** (Megachilidae) Synonym(s): *difficilis* Morawitz,1875; *falcata* Morawitz,1875; *alborufa* Alfken,1935
- 3365) Osmia (Hoplosmia) bidentata Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979
- 3366) Osmia (Hoplosmia) distinguenda (Tkalcu,1974)** (Megachilidae) Synonym(s): *distinguenda* Tkalcu,1974
- 3367) Osmia (Hoplosmia) hermonensis (Tkalcu,1992)** (Megachilidae) Synonym(s): *hermonensis* Tkalcu,1992
- 3368) Osmia (Hoplosmia) ligurica Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879
- 3369) Osmia (Hoplosmia) pinguis Pérez,1895** (Megachilidae) Synonym(s): *pinguis* Pérez,1895; *indivisa* Benoist,1928; *carbo* Zanden,1994
- 3370) Osmia (Hoplosmia) scutellaris Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868
- 3371) Osmia (Hoplosmia) spinigera Latreille,1811** (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869
- 3372) Osmia (Monosmia) apicata Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869
- 3373) Osmia (Neosmia) cinnabarina Pérez,1895** (Megachilidae) Synonym(s): *cinnabarina* Pérez,1895
- 3374) Osmia (Neosmia) gracilicornis Pérez,1895** (Megachilidae) Synonym(s): *gracilicornis* Pérez,1895

- 3375) *Osmia* (*Neosmia*) **jason** Benoist,1929 (Megachilidae) Synonym(s): *jason* Benoist,1929
- 3376) *Osmia* (*Pyrosmia*) **amathusica** Mavromoustakis,1937 (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937
- 3377) *Osmia* (*Pyrosmia*) **avedata** Warncke,1992 (Megachilidae) Synonym(s): *avedata* Warncke,1992
- 3378) *Osmia* (*Pyrosmia*) **cephalotes** Morawitz,1870 (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876
- 3379) *Osmia* (*Pyrosmia*) **cyanoxantha** Pérez,1879 (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992
- 3380) *Osmia* (*Pyrosmia*) **dilaticornis** Morawitz,1875 (Megachilidae) Synonym(s): *dilaticornis* Morawitz,1875
- 3381) *Osmia* (*Pyrosmia*) **ferruginea** Latreille,1811 (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882
- 3382) *Osmia* (*Pyrosmia*) **gemmea** Pérez,1896 (Megachilidae) Synonym(s): *purpurea* Pérez,1895 nec Cress.,1864; *gemmea* Pérez,1896; *ligulicornis* Friese,1899
- 3383) *Osmia* (*Pyrosmia*) **hellados** Zanden,1984 (Megachilidae) Synonym(s): *hellados* Zanden,1984
- 3384) *Osmia* (*Pyrosmia*) **hermona** Warncke,1992 (Megachilidae) Synonym(s): *hermona* Warncke,1992
- 3385) *Osmia* (*Pyrosmia*) **lobata** Friese,1899 (Megachilidae) Synonym(s): *lobata* Friese,1899; *leucopyga* Duce,1899
- 3386) *Osmia* (*Pyrosmia*) **morensis** Zanden,1984 (Megachilidae) Synonym(s): *morensis* Zanden,1984
- 3387) *Osmia* (*Pyrosmia*) **nana** Morawitz,1874 (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934
- 3388) *Osmia* (*Pyrosmia*) **ramona** Warncke,1992 (Megachilidae) Synonym(s): *ramona* Warncke,1992
- 3389) *Osmia* (*Pyrosmia*) **saxicola** Duce,1899 (Megachilidae) Synonym(s): *saxicola* Duce,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992
- 3390) *Osmia* (*Pyrosmia*) **submicans** Morawitz,1870 (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996
- 3391) *Osmia* (*Pyrosmia*) **teunissenii** Zanden,1981 (Megachilidae) Synonym(s): *teunissenii* Zanden,1981
- 3392) *Osmia* (*Pyrosmia*) **versicolor** Latreille,1811 (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992
- 3393) *Osmia* (*Pyrosmia*) **viridana** Morawitz,1874 (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984
- 3394) *Osmia* (s.str.) **mustelina** Gerstaecker,1869 (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978
- 3395) *Osthelderia* **gracilis** (Osthelder,1933) (Noctuidae) Synonym(s): *gracilis* Osthelder,1933
- 3396) *Oulobophora* **externata** Freyer,1846 (Geometridae) Synonym(s): *externata* Herrich-Schäffer,1843; *externata* Freyer,1846; *turcosyrica* Wehrli,1934.
- 3397) *Oxyaciura* **tibialis** R-D.,1830 (Tephritidae) Synonym(s): *tibialis* R-D.,1830; *gagates* Loew,1846
- 3398) *Oxybia* **transversella** (Duponchel,1836) (Pyralidae) Synonym(s): *transversella* Duponchel,1836; *bituminella* Millièrre,1870; *panorminatella* Caradja,1928.
- 3399) *Oxycara* **ardoini** Kaszab,1979 (Tenebrionidae) Synonym(s): *ardoini* Kaszab,1979
- 3400) *Oxycara* **hegetericum** Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *hegetericum* Reiche & Saulcy,1857
- 3401) *Oxycara* **laevigatum** (Reiche & Saulcy,1857) (Tenebrionidae) Synonym(s): *laevigatum* Reiche & Saulcy,1857
- 3402) *Oxycara* **pygmaeum** Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *pygmaeum* Reiche & Saulcy,1857
- 3403) *Oxycarenus* (*Euoxycarenus*) **pallens** (Herrich-Schäffer,1850) (Lygaeidae) Synonym(s): *pallens* Herrich-Schäffer,1850
- 3404) *Oxycarenus* (s.str.) **hyalinipennis** (A.Costa,1843) (Lygaeidae) Synonym(s): *hyalinipennis* A.Costa,1843
- 3405) *Oxycera* **galeata** (Lindner,1975) (Stratiomyidae) Synonym(s): *galeata* Lindner,1975
- 3406) *Oxycera* **limbata** Loew,1862 (Stratiomyidae) Synonym(s): *limbata* Loew,1862
- 3407) *Oxycera* **orientalis** Lindner,1974 (Stratiomyidae) Synonym(s): *orientalis* Lindner,1974
- 3408) *Oxycera* **trilineata** (Linnaeus,1767) (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938
- 3409) *Oxyna* **nebulosa** (Wiedemann,1817) (Tephritidae) Synonym(s): *nebulosa* Wiedemann,1817; *femoralis* R-D.,1830; *nigrofemorata* Meigen,1838; *proboscidea* Loew,1844; *parietina* Zetterstedt,1855; *cinarae* Rondani,1870
- 3410) *Oxyna* **superflava** Freidberg,1974 (Tephritidae) Synonym(s): *superflava* Freidberg,1974
- 3411) *Oxypteron* **palmoni** (Amsel,1940) (Tortricidae) Synonym(s): *palmoni* Amsel,1940
- 3412) *Oxyptilus* **parvidactylus** (Haworth,[1811]) (Pterophoridae) Synonym(s): *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroccanensis* Amsel,1956.
- 3413) *Oxyrhachis* **caligula** Capener,1962 (Membracidae) Synonym(s): *caligula* Capener,1962
- 3414) *Oxyrhachis* **capeneri** Izzard,1953 (Membracidae) Synonym(s): *delalenderi* Fieber,1876 nec Fairm.; *tarandus* Haput,1927; *capeneri* Izzard,1953
- 3415) *Oxyrhachis* **egyptiana** Distant,1915 (Membracidae) Synonym(s): *egyptiana* Distant,1915
- 3416) *Oxyrhachis* **furva** Capener,1962 (Membracidae) Synonym(s): *furva* Capener,1962
- 3417) *Oxyrhachis* **versicolor** Distant,1916 (Membracidae) Synonym(s): *versicolor* Distant,1916
- 3418) *Oxythyrea* **abigail** Reiche,1856 (Scarabaeidae) Synonym(s): *abigail* Reiche,1856
- 3419) *Oxythyrea* **cinctella** (Schaum,1841) (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (praeocc.); *cinctella* Schaum,1841; *natalia* Olsufiev,1917
- 3420) *Oxythyrea* **noemi** Reiche & Saulcy,1856 (Scarabaeidae) Synonym(s): *noemi* Reiche & Saulcy,1856
- 3421) *Pachyanthrax* **flavifacies** (Austen,1937) (Bombyliidae) Synonym(s): *flavifacies* Austen,1937
- 3422) *Pachyanthrax* **nimrodicus** Zaitzev,1999 (Bombyliidae) Synonym(s): *nimrodicus* Zaitzev,1999
- 3423) *Pachyanthrax* **telamon** (Loew,1869) (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989
- 3424) *Pachyarthra* **mediterranea** (Baker,1894) (Tineidae) Synonym(s): *mediterranea* Baker,1894; *serotinella* Chrétien,1915; *pallidella* Lucas,1933; *variegata* Lucas,1950.
- 3425) *Pachybrachis* (s.str.) **freidbergi** Lopatin,1994 (Chrysomelidae) Synonym(s): *freidbergi* Lopatin,1994
- 3426) *Pachybrachis* (s.str.) **limbatus** (Ménétriés,1836) (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882
- 3427) *Pachybrachis* (s.str.) **scripticollis** Faldermann,1837 (Chrysomelidae) Synonym(s): *scripticollis* Faldermann,1837; *israelita* Tappes,1871; *arisi* Pic,1908; *letourneuxi* Pic,1900; *pentheri* Ganglbauer,1905

- 3428) *Pachybrachis* (s.str.) *tessellatus* (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier,1791; *tauricus* Suffrian,1848; *bisignatus* Redtenbacher,1849; *aethiops* Weise,1882; *picturatus* Rey,1883; *orientalis* Weise,1894; *syriacus* Weise,1900; *melanopygus* Müller,1953
- 3429) *Pachycephus* (Eversmannella) *cruentatus* (Eversmann,1847)** (Cephididae) Synonym(s): *cruentatus* Eversmann,1847
- 3430) *Pachycephus* *smyrnensis* Stein,1876** (Cephididae) Synonym(s): *smyrnensis* Stein,1876; *aeneovarius* Kohl,1905; *brevis* Ghigi,1915; *sanctus* Pic,1916; *notativentris* Pic,1916
- 3431) *Pachygaster atra* (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817
- 3432) *Pachygaster emerita* Krivosheina & Freidberg,2004** (Stratiomyidae) Synonym(s): *emerita* Krivosheina & Freidberg,2004
- 3433) *Pachyscelis crinita* Solier,1836** (Tenebrionidae) Synonym(s): *crinita* Solier,1836
- 3434) *Palpares assyriorum* Abraham,2012** (Myrmeleonidae) Synonym(s): *assyriorum* Abraham,2012
- 3435) *Palpares cephalotes* (Klug,1834)** (Myrmeleonidae) Synonym(s): *cephalotes* Klug,1834; *subducens* Walker,1853; *sollicitus* Walker,1853.
- 3436) *Palpares dispar* Navas,1912** (Myrmeleonidae) Synonym(s): *dispar* Navas,1912
- 3437) *Palpares geniculatus* Navas,1912** (Myrmeleonidae) Synonym(s): *geniculatus* Navas,1912
- 3438) *Palpares libelluloides* (Linnaeus,1764)** (Myrmeleonidae) Synonym(s): *libelluloides* Linnaeus,1764; *turcica* Petiver & Empson,1767; *nordmanni* Kolenati,1846
- 3439) *Palpares walkeri* McLachlan,1894** (Myrmeleonidae) Synonym(s): *walkeri* McLachlan,1894; *laticaudus* Navas,1915
- 3440) *Palpa vitrealis* (Rossi,1794)** (Pyrilidae) Synonym(s): *vitrealis* Rossi,1794; *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *suralis* Lederer,1863; *septempunctalis* Mabilie,1880
- 3441) *Pammene crataegophila* Amsel,1935** (Tortricidae) Synonym(s): *crataegophila* Amsel,1935
- 3442) *Pammene nannodes* Walsingham,1900** (Tortricidae) Synonym(s): *nannodes* Walsingham,1900; *macilentana* Kennel,1901
- 3443) *Pammene pulchella* Amsel,1935** (Tortricidae) Synonym(s): *pulchella* Amsel,1935
- 3444) *Pamparama acuta* (Freyer,[1837])** (Noctuidae) Synonym(s): *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871.
- 3445) *Pandelleia albipennis* Villeneuve,1934** (Tachinidae) Synonym(s): *albipennis* Villeneuve,1934
- 3446) *Panurgus nigriscopus* Pérez,1895** (Andrenidae) Synonym(s): *nigriscopus* Pérez,1895
- 3447) *Papilio* (s.str. (Alexanoria)) *alexanor* Esper,[1800]** (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983.
- 3448) *Paradelphomyia* (Oxyrhiza) *cycnea* Stary & Freidberg,2007** (Limoniidae) Synonym(s): *cycnea* Stary & Freidberg,2007
- 3449) *Paradorydium dimorphum* Linnavuori,1962** (Cicadellidae) Synonym(s): *dimorphum* Linnavuori,1962
- 3450) *Parageron dimonicus* Zaitzev,1996** (Bombyliidae) Synonym(s): *dimonicus* Zaitzev,1996
- 3451) *Parageron negevi* Zaitzev,1996** (Bombyliidae) Synonym(s): *negevi* Zaitzev,1996
- 3452) *Parageron punctipennis* (Loew,1846)** (Bombyliidae) Synonym(s): *punctipennis* Loew,1846
- 3453) *Parageron volkovitshi* Zaitzev,1996** (Bombyliidae) Synonym(s): *volkovitshi* Zaitzev,1996
- 3454) *Paragomphus genei* (Selys,1841)** (Gomphidae) Synonym(s): *genei* Selys,1841; *hageni* Selys,1870; *excelsus* Costa,1884; *atratus* Selys,1885; *rusticatus* Fraser,1928
- 3455) *Paragus* (Pandasophthalmus) *tibialis* (Fallén,1817)** (Syrphidae) Synonym(s): *tibialis* Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schimmel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883
- 3456) *Paragus* (s.str.) *hermonensis* Kaplan,1981** (Syrphidae) Synonym(s): *hermonensis* Kaplan,1981
- 3457) *Parahypopta caestrum* (Hübner,[1808])** (Cossidae) Synonym(s): *caestrum* Hübner,[1808]; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912.
- 3458) *Paralimnus inexpectatus* Dlabola,1961** (Cicadellidae) Synonym(s): *inexpectatus* Dlabola,1961
- 3459) *Paralimnus phragmitis* (Boheman,1847)** (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897
- 3460) *Parallela algira* (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europa* Schauverda,1912
- 3461) *Parallela rogenhoferi* (Bohatsch,1880)** (Noctuidae) Synonym(s): *rogenhoferi* Bohatsch,1880; *mirabilis* Romanoff,1885; *triangulata* Swinhoe,1889.
- 3462) *Parallela torrida* (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987]
- 3463) *Paramacrocephalus maculipennis* Linnavuori,1962** (Cicadellidae) Synonym(s): *maculipennis* Linnavuori,1962
- 3464) *Paramesodes lineaticollis* (Distant,1908)** (Cicadellidae) Synonym(s): *lineaticollis* Distant,1908; *lucaniae* Dlabola,1959
- 3465) *Paramesus major* Haupt,1927** (Cicadellidae) Synonym(s): *major* Haupt,1927
- 3466) *Paranthrene diaphana* Dalla-Torre & Strand,1925** (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand,1925
- 3467) *Paraphamartania syriaca* (Schiner,1867)** (Asilidae) Synonym(s): *syriaca* Schiner,1867
- 3468) *Parapholidoptera willemsei* Katbeh Bader & Massa,2001** (Tettigoniidae) Synonym(s): *willemsei* Katbeh Bader & Massa,2001
- 3469) *Paraplagionotus floralis* (Pallas,1773)** (Cerambycidae) Synonym(s): *floralis* Pallas,1773
- 3470) *Parapoinx affinalis* (Guenée,1854)** (Pyrilidae) Synonym(s): *affinalis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *#alaicalis* Caradja,1916
- 3471) *Paratinea merdella* (Zeller,1847)** (Tineidae) Synonym(s): *merdella* Zeller,1847; *palaestinella* Amsel,1935
- 3472) *Pareumenes enslini* (Schulthess,1931)** (Vespididae) Synonym(s): *enslini* Schulthess,1931
- 3473) *Pareuthyphleps occidentalis* Werner,1928** (Toxoderidae) Synonym(s): *occidentalis* Werner,1928
- 3474) *Pareuthyphleps palmonii* (Uvarov,1939)** (Toxoderidae) Synonym(s): *palmonii* Uvarov,1939
- 3475) *Parnassius* (Driopa) *mnemosyne* (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758
- 3476) *Parocneria samarita* (Staudinger,1895)** (Lymantriidae) Synonym(s): *samarita* Staudinger,1895
- 3477) *Paropta paradoxus* (Herrich-Schäffer,1851)** (Cossidae) Synonym(s): *paradoxus* Herrich-Schäffer,1851
- 3478) *Pasira basiptera* Stal,1859** (Reduviidae) Synonym(s): *basiptera* Stal,1859
- 3479) *Pedestredorcadion drusum* (Chevrolat,1870)** (Cerambycidae) Synonym(s): *drusum* Chevrolat,1870; *libanoticum* Kraatz,1873; *forcipiferum* Bodenheimer,1937
- 3480) *Pediasia desertella* (Lederer,1855)** (Pyrilidae) Synonym(s): *desertella* Lederer,1855
- 3481) *Pediasia affricella* (Treitschke,1832)** (Pyrilidae) Synonym(s): *matricella* Treitschke,1832; *obscura* Caradja,1931
- 3482) *Pediasia serraticornis* (Hampson,1900)** (Pyrilidae) Synonym(s): *serraticornis* Hampson,1900
- 3483) *Pediasiomia lindneri* Villeneuve,1933** (Sarcophagidae) Synonym(s): *lindneri* Villeneuve,1933

- 3484) *Pedostrangalia riccardoi* Holzschuh, 1984 (Cerambycidae) Synonym(s): *riccardoi* Holzschuh, 1984
- 3485) *Pegomya bicolor* (Wiedemann, 1817) (Anthomyiidae) Synonym(s): *bicolor* Wiedemann, 1817; *mitis* Meigen, 1826; *longipes* R-D., 1851; *rumicis* Hardy, 1854; *jynx* Séguin, 1926; *cinereorufa* Ringdahl, 1930; *sapporensis* Kato, 1941
- 3486) *Peirates hybridus* (Scopoli, 1763) (Reduviidae) Synonym(s): *hybridus* Scopoli, 1763
- 3487) *Peirates strepitans* (Rambur, 1839) (Reduviidae) Synonym(s): *strepitans* Rambur, 1839
- 3488) *Peleteria rubescens* R-D., 1830 (Tachinidae) Synonym(s): *rubescens* R-D., 1830; *nigricornis* Meigen, 1838; *pulverulanata* R-D., 1863
- 3489) *Pelopidas thrax* (Hübner, [1821]) (Hesperiidae) Synonym(s): *thrax* Hübner, [1821]; *midea* Walker, 1870
- 3490) *Pempelia brephiella* (Staudinger, 1879) (Pyralidae) Synonym(s): *brephiella* Staudinger, 1879; *farinosella* Caradja, 1910.
- 3491) *Pempelia cirtensis* Ragonot, 1890 (Pyralidae) Synonym(s): *cirtensis* Ragonot, 1890
- 3492) *Pempelia morosalis* (Saalmüller, 1880) (Pyralidae) Synonym(s): *morosalis* Saalmüller, 1880
- 3493) *Pempelia numidella* Ragonot, 1890 (Pyralidae) Synonym(s): *numidella* Ragonot, 1890
- 3494) *Pempelia palumbella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *palumbella* [Denis & Schiffermüller], 1775
- 3495) *Pempeliella sororiella* (Zeller, 1839) (Pyralidae) Synonym(s): *sororiella* Zeller, 1839
- 3496) *Penicillidia conspicua* Speiser, 1901 (Nycteribiidae) Synonym(s): *conspicua* Speiser, 1901
- 3497) *Penicillidia dufourii* (Westwood, 1835) (Nycteribiidae) Synonym(s): *dufourii* Westwood, 1835
- 3498) *Pentastira major* (Kirschbaum, 1868) (Cixiidae) Synonym(s): *major* Kirschbaum, 1868; *opalinus* Fieber, 1876; *interjectus* Linnavuori, 1957; *atratus* Dlabola, 1958
- 3499) *Pentodon algerinum* Herbst, 1789 (Scarabaeidae) Synonym(s): *algerinum* Herbst, 1789
- 3500) *Pentodon bidens* (Pallas, 1771) (Scarabaeidae) Synonym(s): *bidens* Pallas, 1771
- 3501) *Pentodon idiota* (Herbst, 1789) (Scarabaeidae) Synonym(s): *idiota* Herbst, 1789
- 3502) *Pentodon variolopunctatus* Fairmaire, 1879 (Scarabaeidae) Synonym(s): *variolopunctatus* Fairmaire, 1879
- 3503) *Peribatodes rhomboidarius* [Denis & Schiffermüller], 1775 (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller], 1775; *inaequalis* Goeze, 1781; *gemmaria* Brahm, 1791; *ichnusaria* Ghiliani, 1852; *corsicaria* Schawerda, 1931; *saerdabensis* Wehrli, 1943
- 3504) *Peribatodes umbrarius* (Hübner, [1809]) (Geometridae) Synonym(s): *umbraria* Hübner, [1809]; *vaucheri* Thierry-Mieg, 1916
- 3505) *Pericyma albidentaria* (Freyer, 1842) (Noctuidae) Synonym(s): *albidentaria* Freyer, 1842
- 3506) *Pericyma squalens* Lederer, 1855 (Noctuidae) Synonym(s): *squalens* Lederer, 1855
- 3507) *Peridroma saucia* (Hübner, [1808]) (Noctuidae) Synonym(s): *saucia* Hübner, [1808]; *majuscula* Haworth, 1809; *margaritosa* Haworth, 1809; *aequa* Hübner, [1813]; *orophila* Geyer, 1837; *inermis* Harrison, 1841; *infusata* Blanchard, 1852; *stictica* Blanchard, 1852; *ambrosioides* Walker, [1857]; *impacta* Walker, [1857]; *intecta* Walker, [1857]; *angulifera* Wallengren, 1860; *ortonii* Packard, 1869; *phillipsi* Caspari, 1899; *ochronota* Hampson, 1903; *cyrnaea* Spuler, 1908; *tenebricosa* Schawerda, 1929.
- 3508) *Perigrapha* (Opacographa) (Turcographa) *mundoides* (Boursin, 1940) (Noctuidae) Synonym(s): *mundoides* Boursin, 1940
- 3509) *Perileptus areolatus* (Creutzer, 1799) (Carabidae) Synonym(s): *areolatus* Creutzer, 1799
- 3510) *Periphanes delphinii* (Linnaeus, 1758) (Noctuidae) Synonym(s): *delphinii* Linnaeus, 1758; *darollesi* Oberthür, 1876; *delphini* Hampson, 1903.
- 3511) *Peripontius concolor* (Desbrochers, 1875) (Elateridae) Synonym(s): *concolor* Desbrochers, 1875
- 3512) *Perissana circularis* (Linnavuori, 1952) (Issidae) Synonym(s): *circularis* Linnavuori, 1952
- 3513) *Perissomastix* (s.str.) *biskraella* (Rebel, 1901) (Tineidae) Synonym(s): *biskraella* Rebel, 1901; *intermediella* Turati, 1926.
- 3514) *Perissomastix* (s.str.) *palaestinella* (Amsel, 1956) (Tineidae) Synonym(s): *palaestinella* Amsel, 1956
- 3515) *Perkinsiella dorsata* Melichar, 1905 (Delphacidae) Synonym(s): *dorsata* Melichar, 1905; *insignis* Distant, 1912; *picta* Ribaut, 1948
- 3516) *Perkinsiella rivularis* Linnavuori, 1964 (Delphacidae) Synonym(s): *rivularis* Linnavuori, 1964
- 3517) *Petrorossia carmelica* Zaitzev, 1999 (Bombyliidae) Synonym(s): *carmelica* Zaitzev, 1999
- 3518) *Petrorossia chraminensis* Zaitzev, 1962 (Bombyliidae) Synonym(s): *chraminensis* Zaitzev, 1962
- 3519) *Petrorossia flavipennis* Zaitzev, 1966 (Bombyliidae) Synonym(s): *flavipennis* Zaitzev, 1966
- 3520) *Petrorossia freidbergi* Zaitzev, 1999 (Bombyliidae) Synonym(s): *freidbergi* Zaitzev, 1999
- 3521) *Petrorossia hespera* (Rossi, 1790) (Bombyliidae) Synonym(s): *hesperus* Rossi, 1790; *albipectus* Walker, 1849
- 3522) *Petrorossia israeliensis* Zaitzev, 1999 (Bombyliidae) Synonym(s): *israeliensis* Zaitzev, 1999
- 3523) *Petrorossia lucidipennis* Zaitzev, 1966 (Bombyliidae) Synonym(s): *lucidipennis* Zaitzev, 1966
- 3524) *Petrorossia margaritae* Zaitzev, 1999 (Bombyliidae) Synonym(s): *margaritae* Zaitzev, 1999
- 3525) *Petrorossia modesta* Zaitzev, 1966 (Bombyliidae) Synonym(s): *modesta* Zaitzev, 1966
- 3526) *Petrorossia quanchorum* François, 1970 (Bombyliidae) Synonym(s): *quanchorum* François, 1970
- 3527) *Petrorossia rufiventris* Zaitzev, 1966 (Bombyliidae) Synonym(s): *rufiventris* Zaitzev, 1966
- 3528) *Petrorossia shibanovae* Zaitzev, 1999 (Bombyliidae) Synonym(s): *shibanovae* Zaitzev, 1999
- 3529) *Petrorossia volkovitshi* Zaitzev, 1999 (Bombyliidae) Synonym(s): *volkovitshi* Zaitzev, 1999
- 3530) *Pexicopia malvella* (Hübner, [1805]) (Gelechiidae) Synonym(s): *umbrella* auct.; *malvella* Hübner, [1805]; *lutarea* Haworth, 1828
- 3531) *Pezotettix curvicerca* Uvarov, 1934 (Acrididae) Synonym(s): *curvicerca* Uvarov, 1934
- 3532) *Pezotettix judaica* Uvarov, 1934 (Acrididae) Synonym(s): *judaica* Uvarov, 1934
- 3533) *Phaenotherium steindachneri* (Frivaldsky, 1883) (Anthribidae) Synonym(s): *steindachneri* Frivaldsky, 1883
- 3534) *Phaiogramma etruscaria* (Zeller, 1849) (Geometridae) Synonym(s): *etruscaria* Zeller, 1849; *pulmentaria* Guenée, [1858]; *palaestinis* Fuchs, 1903.
- 3535) *Phaiogramma faustinata* (Millière, 1868) (Geometridae) Synonym(s): *faustinata* Millière, 1868; *rhoisaria* Chrétien, 1909.
- 3536) *Phaiophantia jordanensis* Linnavuori, 1962 (Flatidae) Synonym(s): *jordanensis* Linnavuori, 1962
- 3537) *Phalera bucephaloides* (Ochsenheimer, 1810) (Notodontidae) Synonym(s): *bucephaloides* Ochsenheimer, 1810
- 3538) *Phalonidia contractana* (Zeller, 1847) (Tortricidae) Synonym(s): *contractana* Zeller, 1847; *manifestana* Kennel, 1900; *exaequata* Meyrick, 1923; *thermoconis* Meyrick, 1925.
- 3539) *Phaneroptera* (s.str.) *cleomis* Ayal, Broza & Pener, 1974 (Tettigoniidae) Synonym(s): *cleomis* Ayal, Broza & Pener, 1974
- 3540) *Phanerotoma ocularia* Kohl, 1906 (Braconidae) Synonym(s): *ocularia* Kohl, 1906; *rjabovi* Vojnovskaja-Krieger, 1929; *media* Shestakov, 1930; *desertorum* Hedwig, 1957; *flavitestacea* Fischer, 1959

- 3541) **Phantia subquadrata (Herrich-Schäffer, 1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer, 1838
- 3542) **Phaonia kugleri Lyneborg, 1965** (Muscidae) Synonym(s): *kugleri* Lyneborg, 1965
- 3543) **Phaonia pallida (Fabricius, 1787)** (Muscidae) Synonym(s): *pallida* Fabricius, 1787
- 3544) **Phaonia rufipalpis (Macquart, 1835)** (Muscidae) Synonym(s): *rufipalpis* Macquart, 1835
- 3545) **Phaonia trimaculata (Bouché, 1834)** (Muscidae) Synonym(s): *trimaculata* Bouché, 1834
- 3546) **Pharaonus varicoloreus (Burmeister, 1844)** (Scarabaeidae) Synonym(s): *varicoloreus* Burmeister, 1844
- 3547) **Phaselia deliciosaria (Lederer, 1855)** (Geometridae) Synonym(s): *deliciosaria* Lederer, 1855
- 3548) **Pheidole jordanica Sauley, 1874** (Formicidae) Synonym(s): *jordanica* Sauley, 1874; *schmitzi* Forel, 1911
- 3549) **Pheidole orientalis Emery, 1915** (Formicidae) Synonym(s): *orientalis* Emery, 1915
- 3550) **Pheidole providens (Sykes, 1835)** (Formicidae) Synonym(s): *providens* Sykes, 1835; *indica* Mayr, 1879; *himalayana* Forel, 1902
- 3551) **Pheidole sinaitica Mayr, 1862** (Formicidae) Synonym(s): *sinaitica* Mayr, 1862
- 3552) **Pherbellia hermonensis Knutson, 1983** (Sciomyzidae) Synonym(s): *hermonensis* Knutson, 1983
- 3553) **Pherbellia pnniae Knutson, 1983** (Sciomyzidae) Synonym(s): *pnniae* Knutson, 1983
- 3554) **Pherbellia priscillae Knutson, 1983** (Sciomyzidae) Synonym(s): *priscillae* Knutson, 1983
- 3555) **Philereme transversata (Hufnagel, 1767)** (Geometridae) Synonym(s): *transversata* Hufnagel, 1767; *rhamnata* [Denis & Schiffermüller], 1775.
- 3556) **Philodicus ponticus (Bigot, 1880)** (Asilidae) Synonym(s): *ponticus* Bigot, 1880; *bimaculatus* Becker, 1913
- 3557) **Philonicus albiceps (Meigen, 1820)** (Asilidae) Synonym(s): *albiceps* Meigen, 1820; *canescens* Wiedemann, 1820; *nudus* Loew, 1840; *eletus* Loew, 1871; *domesticus* Ricardo, 1920; *pulcher* Becker, 1923; *marinus* Becker, 1923; *orientalis* Esipenko, 1969
- 3558) **Phleboeis sureyae (Rebel, 1931)** (Noctuidae) Synonym(s): *sureyae* Rebel, 1931.
- 3559) **Phlebotomus (Adlerius) halepensis Theodor, 1958** (Psychodidae) Synonym(s): *halepensis* Theodor, 1958
- 3560) **Phlebotomus (Adlerius) simici Nitzulescu, 1931** (Psychodidae) Synonym(s): *simici* Nitzulescu, 1931
- 3561) **Phlebotomus (Larrousius) syriacus Adler & Theodor, 1930** (Psychodidae) Synonym(s): *syriacus* Adler & Theodor, 1930
- 3562) **Phlebotomus (Larrousius) tobbsi Adler & Theodor, 1930** (Psychodidae) Synonym(s): *tobbsi* Adler & Theodor, 1930; *pirumovi* Burakova & Mirzayan, 1934
- 3563) **Phlebotomus (Larrousius) transcausicus Perfilev, 1937** (Psychodidae) Synonym(s): *transcausicus* Perfilev, 1937; *galilaeus* Theodor, 1958
- 3564) **Phlebotomus (Paraphlebotomus) alexandri Sinton, 1928** (Psychodidae) Synonym(s): *alexandri* Sinton, 1928; *borovskii* Khodukin & Sofiev, 1931
- 3565) **Phlebotomus (Paraphlebotomus) jacusieli Theodor, 1947** (Psychodidae) Synonym(s): *jacusieli* Theodor, 1947
- 3566) **Phlebotomus (Paraphlebotomus) marismortui Theodor, 1947** (Psychodidae) Synonym(s): *marismortui* Theodor, 1947
- 3567) **Phlebotomus (Paraphlebotomus) sergenti Parrot, 1917** (Psychodidae) Synonym(s): *sergenti* Parrot, 1917; *similis* Perfilev, 1963
- 3568) **Phlebotomus (s.str.) bergeroti Parrot, 1934** (Psychodidae) Synonym(s): *bergeroti* Parrot, 1934; *viduus* Parrot, 1936
- 3569) **Phlebotomus (s.str.) papatasi (Scopoli, 1786)** (Psychodidae) Synonym(s): *papatasi* Scopoli, 1786; *molesta* Costa, 1840; *breviventris* Ristorcelli, 1943
- 3570) **Phlebotomus (Transphlebotomus) canaaniticus Adler & Theodor, 1931** (Psychodidae) Synonym(s): *canaaniticus* Adler & Theodor, 1931
- 3571) **Phlebotomus (Transphlebotomus) mascittii Grassi, 1908** (Psychodidae) Synonym(s): *mascittii* Grassi, 1908; *larroussei* Langeron & Nitzulescu, 1931; *vesuvianus* Adler & Theodor, 1931
- 3572) **Phlepsius intricatus (Herrich-Schäffer, 1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer, 1838; *octopunctatus* Burmeister, 1838
- 3573) **Phlepsius ornatus (Perris, 1857)** (Cicadellidae) Synonym(s): *ornatus* Perris, 1857; *maculatus* Fieber, 1866; *asiaticus* Zachvatkin, 1945; *angorensis* Zachvatkin, 1945
- 3574) **Phlogophora meticulosa (Linnaeus, 1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus, 1758; *lamii* Schadewald, 1993
- 3575) **Phlogotettix cyclops (Mulsant & Rey, 1855)** (Cicadellidae) Synonym(s): *cyclops* Mulsant & Rey, 1855
- 3576) **Phloiocopus andresi Schenkling, 1912** (Cleridae) Synonym(s): *andresi* Schenkling, 1912
- 3577) **Phloiocopus basalis (Klug, 1842)** (Cleridae) Synonym(s): *basalis* Klug, 1842
- 3578) **Phradonoma draco Hava, 2006** (Dermestidae) Synonym(s): *draco* Hava, 2006
- 3579) **Phradonoma hirsutulum (Reiche, 1868)** (Dermestidae) Synonym(s): *hirsutulum* Reiche, 1868
- 3580) **Phradonoma spectrum Hava, 2006** (Dermestidae) Synonym(s): *spectrum* Hava, 2006
- 3581) **Phragmatobia fuliginosa (Linnaeus, 1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus, 1758; *fervida* Staudinger, 1871 nec Walk., 1855; *lurida* Rothschild, 1910; *monticola* Daniel, 1970 nec Reiss., 1934
- 3582) **Phragmatobia placida (Frivaldsky, 1835)** (Arctiidae) Synonym(s): *placida* Frivaldsky, 1835
- 3583) **Phronia basalis Winnertz, 1863** (Mycetophilidae) Synonym(s): *basalis* Winnertz, 1863
- 3584) **Phronia biarcuata (Becker, 1908)** (Mycetophilidae) Synonym(s): *biarcuata* Becker, 1908
- 3585) **Phronia tenuis Winnertz, 1863** (Mycetophilidae) Synonym(s): *tenuis* Winnertz, 1863
- 3586) **Phtheochroa jerichoana (Amsel, 1935)** (Tortricidae) Synonym(s): *jerichoana* Amsel, 1935
- 3587) **Phtheochroa syrtana (Ragonot, 1888)** (Tortricidae) Synonym(s): *syrtana* Ragonot, 1888
- 3588) **Phthiria conspicua Loew, 1846** (Bombyliidae) Synonym(s): *conspicua* Loew, 1846
- 3589) **Phthiria freidbergi Zaitzev, 2002** (Bombyliidae) Synonym(s): *freidbergi* Zaitzev, 2002
- 3590) **Phthiria gaedii Wiedemann, 1820** (Bombyliidae) Synonym(s): *gaedii* Wiedemann, 1820; *maculata* Wiedemann, 1820; *punctata* Meigen, 1835; *zimmermanni* Nowicki, 1868; *gaedii* Engel, 1933
- 3591) **Phthiria pulchripes Austen, 1937** (Bombyliidae) Synonym(s): *pulchripes* Austen, 1937
- 3592) **Phthiria subnitens Loew, 1846** (Bombyliidae) Synonym(s): *subnitens* Loew, 1846; *rustica* Loew, 1846
- 3593) **Phthiria umbripennis Loew, 1846** (Bombyliidae) Synonym(s): *umbripennis* Loew, 1846; *notata* Bigot, 1862
- 3594) **Phthiria vagans Loew, 1846** (Bombyliidae) Synonym(s): *vagans* Loew, 1846; *pallens* Engel, 1933
- 3595) **Phthiria variceps Austen, 1937** (Bombyliidae) Synonym(s): *variceps* Austen, 1937
- 3596) **Phthiria variegata Austen, 1937** (Bombyliidae) Synonym(s): *variegata* Austen, 1937
- 3597) **Phthiria virgata Austen, 1937** (Bombyliidae) Synonym(s): *virgata* Austen, 1937
- 3598) **Phthiridium biarticulatum Hermann, 1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann, 1804
- 3599) **Phycita eremica Amsel, 1935** (Pyralidae) Synonym(s): *eremica* Amsel, 1935; *aciculata* Meyrick
- 3600) **Phycita meliella (Mann, 1864)** (Pyralidae) Synonym(s): *meliella* Mann, 1864
- 3601) **Phycita metzneri (Zeller, 1846)** (Pyralidae) Synonym(s): *metzneri* Zeller, 1846
- 3602) **Phycita pedisignella Ragonot, 1887** (Pyralidae) Synonym(s): *pedisignella* Ragonot, 1887

- 3603) *Phycita poteriella* (Zeller,1846) (Pyralidae) Synonym(s): *poteriella* Zeller,1846
 3604) *Phycita zizyphella* Chrétien,1915 (Pyralidae) Synonym(s): *zizyphella* Chrétien,1915; *jerichoella* Amsel,1935
 3605) *Phycitodes albatella* (Ragonot,1887) (Pyralidae) Synonym(s): *albatella* Ragonot,1887
 3606) *Phycitodes binaevella* (Hübner,[1813]) (Pyralidae) Synonym(s): *binaevella* Hübner,[1813].
 3607) *Phycitodes carlinella* (Heinemann,1865) (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901
 3608) *Phycitodes inquinatella* (Ragonot,1887) (Pyralidae) Synonym(s): *inquinatella* Ragonot,1887
 3609) *Phycitodes lacteella* (Rothschild,1915) (Pyralidae) Synonym(s): *lacteella* Rothschild,1915; *vietella* Roesler,1965.
 3610) *Phycitodes nigrilimbella* (Ragonot,1887) (Pyralidae) Synonym(s): *nigrilimbella* Ragonot,1887
 3611) *Phycitodes saxicola* (Vaughan,1870) (Pyralidae) Synonym(s): *saxicola* Vaughan,1870
 3612) *Phycitodes tenella* (Amsel,1935) (Pyralidae) Synonym(s): *tenella* Amsel,1935
 3613) *Phycodes chalcocrossa* Meyrick,1909 (Brachodidae) Synonym(s): *chalcocrossa* Meyrick,1909; *mesopotamica* Rebel,1910
 3614) *Phylapora canescens* (Duponchel,1826) (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933.
 3615) *Phylidorea* (s.str.) *ferruginea* (Meigen,1818) (Limoniidae) Synonym(s): *ferruginea* Meigen,1818
 3616) *Phyllocephala albicornis* Horvath,1911 (Pentatomidae) Synonym(s): *albicornis* Horvath,1911
 3617) *Phyllocnistis citrella* Stainton,1856 (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913
 3618) *Phyllocnistis saligna* (Zeller,1839) (Gracillariidae) Synonym(s): *saligna* Zeller,1839; *salicifoliella* Duponchel,[1845]; *salignella* Herrich-Schäffer,1855; *lugdunensella* Bruand,1859
 3619) *Phyllocnistis unipunctella* (Stephens,1834) (Gracillariidae) Synonym(s): *unipunctella* Stephens,1834; *augustella* Costa,[1836] *nec* Hübner,1796; *suffusella* Zeller,1848
 3620) *Phyllognathus excavatus* (Forster,1771) (Scarabaeidae) Synonym(s): *excavatus* Forster,1771; *hauseri* Reitter,1894
 3621) *Phyllolabis golanensis* Stary & Freidberg,2007 (Limoniidae) Synonym(s): *golanensis* Stary & Freidberg,2007
 3622) *Phylломорфус laceratus* (Herrich-Schäffer,1835) (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer,1835
 3623) *Phylломорфус laceratus* (Herrich-Schäffer,1835) (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer,1835; *persica* Westwood,1841
 3624) *Phylломорфус laciniatus* (Villers,1789) (Coreidae) Synonym(s): *laciniatus* Villers,1789; *hystrix* Latreille,1817; *gallicus* Germar,1822; *muricatus* Hummel,1827; *algerica* Guérin-Méneville,1839; *erinaceus* Herrich-Schäffer,1842; *brevispina* Wagner,1955; *montandon* Zange,2005
 3625) *Phyllonorycter quercifoliella* (Zeller,1839) (Gracillariidae) Synonym(s): *quercifoliella* Zeller,1839
 3626) *Phyllonorycter quercus* (Amsel & Hering,1931) (Gracillariidae) Synonym(s): *quercus* Amsel & Hering,1931
 3627) *Phyllotreta erysimi* Weise,1900 (Chrysomelidae) Synonym(s): *erysimi* Weise,1900
 3628) *Phyllotreta judaea* Pic,1901 (Chrysomelidae) Synonym(s): *judaea* Pic,1901
 3629) *Phyllotreta punctulata* (Marsham,1802) (Chrysomelidae) Synonym(s): *punctulata* Marsham,1802
 3630) *Physatocheila dumetorum* (Herrich-Schäffer,1838) (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838
 3631) *Physocephala antiqua* (Wiedemann,1830) (Conopidae) Synonym(s): *antiqua* Wiedemann,1830; *arabica* Macquart,1850; *syriaca* Kröber,1915
 3632) *Physocephala vittata* (Fabricius,1794) (Conopidae) Synonym(s): *vittata* Fabricius,1794; *dorsalis* Wiedemann,1824; *solaeformis* Gimmerthal,1842; *fraterna* Loew,1847; *semitratra* Costa,1844; *detecta* Becker,1913; *abdominalis* Kröber,1915; *semitrufa* Kröber,1915; *immaculata* Kröber,1939
 3633) *Phytoecia* (s.str.) *geniculata* Mulsant,1862 (Cerambycidae) Synonym(s): *geniculata* Mulsant,1862
 3634) *Pieris* (s.str.) *brassicae* (Linnaeus,1758) (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
 3635) *Piesma* (Parapiesma) *kolenatii* (Fieber,1861) (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 *nec* Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973
 3636) *Pimelia* (Melanostola) *bajula* Klug,1830 (Tenebrionidae) Synonym(s): *bajula* Klug,1830
 3637) *Pimelia prolongata* Miller,1861 (Tenebrionidae) Synonym(s): *prolongata* Miller,1861
 3638) *Placodoma palaestina* (Rebel,1902) (Psychidae) Synonym(s): *palaestina* Rebel,1902
 3639) *Plagiotrochus kiefferianus* Tavares,1901 (Cynipidae) Synonym(s): *kiefferianus* Tavares,1901
 3640) *Plastosciara* (Peyerimhoffia) *ambigua* (Lengersdorf,1934) (Sciaridae) Synonym(s): *ambigua* Lengersdorf,1934
 3641) *Plastosciara* (Peyerimhoffia) *latifurcata* (Lengersdorf,1942) (Sciaridae) Synonym(s): *latifurcata* Lengersdorf,1942
 3642) *Platycephala ducalis* (Costa,1855) (Chloropidae) Synonym(s): *ducalis* Costa,1855
 3643) *Platycephala ferganensis* Nartshuk,1973 (Chloropidae) Synonym(s): *ferganensis* Nartshuk,1973
 3644) *Platycephala scapularum* (Becker,1907) (Chloropidae) Synonym(s): *scapularum* Becker,1907; *algerica* Duda,1933; *luteola* Collin,1949
 3645) *Platycleis* (Decorana) *buxtoni* (Uvarov,1923) (Tettigoniidae) Synonym(s): *buxtoni* Uvarov,1923; *erecta* Uvarov,1939
 3646) *Platycleis* (s.str.) *escalerai* Bolivar,1899 (Tettigoniidae) Synonym(s): *escalerai* Bolivar,1899; *iphigeniae* Adelung,1907; *iranica* Ramme,1929; *graeca* Harz,1966; *#escalerai* Salman,1978
 3647) *Platynemesis dealbata* Selys,1863 (Platynemidae) Synonym(s): *dealbata* Selys,1863
 3648) *Platyedra subcinerea* (Haworth,[1828]) (Gelechiidae) Synonym(s): *subcinerea* Haworth,[1828]; *vilella* Zeller,1847.
 3649) *Platymetopius* (s.str.) *obsoletus* (Signoret,1880) (Cicadellidae) Synonym(s): *obsoletus* Signoret,1880
 3650) *Platymetopius* (s.str.) *undatus* (De Geer,1773) (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962
 3651) *Platymetopius cruentatus* Haupt,1927 (Cicadellidae) Synonym(s): *cruentatus* Haupt,1927
 3652) *Platymetopius quercicola* Linnavuori,1962 (Cicadellidae) Synonym(s): *quercicola* Linnavuori,1962
 3653) *Platymetopius retamae* Linnavuori,1962 (Cicadellidae) Synonym(s): *retamae* Linnavuori,1962
 3654) *Platymyrmilla quinquefasciata* (Olivier,1811) (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811
 3655) *Platypalpus acuticornis* (Collin,1960) (Hybotidae) Synonym(s): *acuticornis* Collin,1960
 3656) *Platypalpus agnitus* (Collin,1960) (Hybotidae) Synonym(s): *agnitus* Collin,1960
 3657) *Platypalpus argyroceratus* (Collin,1960) (Hybotidae) Synonym(s): *argyroceratus* Collin,1960
 3658) *Platypalpus sejunctus* (Collin,1949) (Hybotidae) Synonym(s): *sejunctus* Collin,1949
 3659) *Platypsectus agraphopteron* Bergevin,1932 (Cicadellidae) Synonym(s): *agraphopteron* Bergevin,1932
 3660) *Platystoma arcuatum* Loew,1856 (Platystomidae) Synonym(s): *arcuatum* Loew,1856
 3661) *Plebejus* (Kretania) *carmon* (Gerhard,[1851]) (Lycaenidae) Synonym(s): *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December].
 3662) *Plebejus* (Plebejides) *nichollae* (Elwes,1901) (Lycaenidae) Synonym(s): *nichollae* Elwes,1901

- 3663) Plecoptera inquinata (Lederer,1857)** (Noctuidae) Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
- 3664) Plecoptera reflexa Guenée,1852** (Noctuidae) Synonym(s): *reflexa* Guenée,1852; *gammoides* Walker,1858; *simplex* Walker,1858; *hamifera* Walker,1865
- 3665) Plesiocera algira Macquart,1840** (Bombyliidae) Synonym(s): *algira* Macquart,1840; *fornicata* Loew,1857; *inaequalis* Becker,1906
- 3666) Pleuroptya balteata (Fabricius,1798)** (Pylalidae) Synonym(s): *balteata* Fabricius,1798; *crocealis* Duponchel,1831; *aurantiacalis* Fischer v. Roeslerstamm,1840; *accipitralis* Walker,[1866]; *aurea* Butler,1879; *fraterna* Moore,1886; *evergestialis* Strand,1918.
- 3667) Pleurota elegans Stainton,1867** (Oecophoridae) Synonym(s): *elegans* Stainton,1867; *tesserapunctella* Amsel,1933; *taepperi* Amsel,1935
- 3668) Pleurota generosella Rebel,1900** (Oecophoridae) Synonym(s): *generosella* Rebel,1900; *alexandrina* Meyrick,1935
- 3669) Pleurota metricella (Zeller,1847)** (Oecophoridae) Synonym(s): *metricella* Zeller,1847
- 3670) Pleurota platyrhoa Meyrick,1923** (Oecophoridae) Synonym(s): *platyrhoa* Meyrick,1923
- 3671) Pleurota sparella (Lederer,1855)** (Oecophoridae) Synonym(s): *sparella* Lederer,1855; *karmeliella* Amsel,1935
- 3672) Pleurota tetrargyra Meyrick,1928** (Oecophoridae) Synonym(s): *tetrargyra* Meyrick,1928
- 3673) Plodia interpunctella (Hübner,[1813])** (Pylalidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 3674) Ploiaria katznelsoni (Dispons,1964)** (Reduviidae) Synonym(s): *katznelsoni* Dispons,1964
- 3675) Plutella (Anadetia) porrectella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *porrectella* Linnaeus,1758; *hesperidis* Retzius,1783; *julianella* Olivier,1789; *hesperidella* Hübner,1796; *vittatus* Fabricius,1798
- 3676) Plutella (s.str.) xylostella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 nec Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Bentinck,1943
- 3677) Poecilimon anatolicus Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985
- 3678) Poecilimon syriacus Brunner von Wattenwyl,1891** (Tettigoniidae) Synonym(s): *syriacus* Brunner von Wattenwyl,1891; *raggei* Karabağ,1975
- 3679) Poecilobothrus basilius (Loew,1869)** (Dolichopodidae) Synonym(s): *basilius* Loew,1869
- 3680) Polistes (s.str.) associus Kohl,1898** (Vespidae) Synonym(s): *associus* Kohl,1898
- 3681) Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muche* Gusenleitner,1976
- 3682) Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foederatus* Kohl,1898; *omissus* Weyrauch,1939
- 3683) Polistes (s.str.) nimphus (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791; *opinabilis* Kohl,1898; *moltonii* Guiglia,1944; *irakensis* Gusenleitner,1976
- 3684) Polistes (s.str.) sulcifer (Zimmermann,1930)** (Vespidae) Synonym(s): *sulcifer* Zimmermann,1930; *simulator* Zirngiebl,1955
- 3685) Pollenia dasypoda Portschecksky,1881** (Calliphoridae) Synonym(s): *dasypoda* Portschecksky,1881
- 3686) Polygonia (Comma) egea (Cramer,[1775])** (Argynniidae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
- 3687) Polymerus cognatus (Fieber,1858)** (Miridae) Synonym(s): *cognatus* Fieber,1858
- 3688) Polymitia eximipalpella (Gerasimov,1930)** (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935
- 3689) Polymixis (Bischoffia) apora (Staudinger,1898)** (Noctuidae) Synonym(s): *apora* Staudinger,1898
- 3690) Polymixis (Eremophysa) epiphlebs (Turati & C.G.Krüger,1936)** (Noctuidae) Synonym(s): *epiphlebs* Turati & C.G.Krüger,1936
- 3691) Polymixis (Eumichtis) lea (Staudinger,1898)** (Noctuidae) Synonym(s): *lea* Staudinger,1898
- 3692) Polymixis (Myxinia) rufocincta (Geyer,1828)** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 3693) Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 3694) Polymixis (s.str.) ancepsoides Poole,1989** (Noctuidae) Synonym(s): *anceps* Staudinger,1898 nec Stph.,1850; *ancepsoides* Poole,1989
- 3695) Polymixis (s.str.) juditha (Staudinger,1898)** (Noctuidae) Synonym(s): *juditha* Staudinger,1898
- 3696) Polymixis (s.str.) manisadjiani (Staudinger,1881)** (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881
- 3697) Polymixis (s.str.) rebecca (Staudinger,1892)** (Noctuidae) Synonym(s): *rebecca* Staudinger,1892
- 3698) Polymixis (s.str.) subvenusta (Püngeler,1906)** (Noctuidae) Synonym(s): *subvenusta* Püngeler,1906
- 3699) Polymixis (Serpimixis) serpentina (Treitschke,1825)** (Noctuidae) Synonym(s): *serpentina* Treitschke,1825
- 3700) Polymona aboleta (Staudinger,1895)** (Lymantriidae) Synonym(s): *aboleta* Staudinger,1895
- 3701) Polymona lapidicola (Herrich-Schäffer,[1852])** (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852]
- 3702) Polyocha venosa (Zeller,1847)** (Pylalidae) Synonym(s): *venosa* Zeller,1847
- 3703) Polyodaspis sulicornis (Meigen,1838)** (Chloropidae) Synonym(s): *sulicornis* Meigen,1838; *atra* Meigen,1838; *dasypocta* Loew,1858; *amicalis* Becker,1912; *pokorny* Becker,1912; *hispanica* Duda,1933; *helvetica* Duda,1933; *lacteipennis* Duda,1933; *anglicus* Collin,1946
- 3704) Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934.
- 3705) Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 3706) Polyommatus (Aricia (Ultraaricia)) bassoni (T.Larsen,1974)** (Lycaenidae) Synonym(s): *bassoni* T.Larsen,1974
- 3707) Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) Synonym(s): *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002.
- 3708) Polyommatus (s.str. (Cyaniris)) antiochena (Lederer,1861)** (Lycaenidae) Synonym(s): *antiochena* Lederer,1861
- 3709) Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) Synonym(s): *bellis* Freyer,[1842]

- 3710) Polyommatus (s.str. (Sublysandra)) isauricoides (Graves,1923)** (Lycaenidae) Synonym(s): *isauricoides* Graves,1923
- 3711) Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 3712) Polyphaenis propinqua Staudinger,1895** (Noctuidae) Synonym(s): *propinqua* Staudinger,1895
- 3713) Polyphaenis viridis (De Villers,1789)** (Noctuidae) Synonym(s): *sericata* Esper,[1787] nec ; *viridis* De Villers,1789.
- 3714) Polyphonijs laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus* Loew,1848
- 3715) Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840; *abhasica* Motschoulsky,1845; *caucasica* Heyden,1864; *persica* Brenske,1902
- 3716) Polyploca korbi Rebel,1901** (Thyatridae) Synonym(s): *korbi* Rebel,1901
- 3717) Polyploca laororshanae Laszlo, G.Ronkay, L.Ronkay & Witt,2006** (Thyatridae) Synonym(s): *laororshanae* Laszlo, G.Ronkay, L.Ronkay & Witt,2006
- 3718) Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 3719) Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.
- 3720) Populicorus populi (Linnaeus,1761)** (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (praeocc.); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839
- 3721) Porritia imbecilla (Meyrick,1925)** (Pterophoridae) Synonym(s): *imbecilla* Meyrick,1925
- 3722) Powellinia lasserei (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924
- 3723) Powellinia margelanoides (Boursin,1944)** (Noctuidae) Synonym(s): *margelanoides* Boursin,1944
- 3724) Powellinia pierreti (Bugnion,1837)** (Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894
- 3725) Praelongicera palaestinella (Amsel,1956)** (Tineidae) Synonym(s): *palaestinella* Amsel,1956
- 3726) Prasocuris distincta Lucas,1849** (Chrysomelidae) Synonym(s): *distincta* Lucas,1849
- 3727) Prionapteryx endoleuca (Hampson,1919)** (Pyralidae) Synonym(s): *endoleuca* Hampson,1919
- 3728) Prionosthenus (Lativertex) liebmanni Werner,1939** (Pamphagidae) Synonym(s): *liebmanni* Werner,1939
- 3729) Prionosthenus (s.str.) galericulatus (Stal,1876)** (Pamphagidae) Synonym(s): *galericulatus* Stal,1876
- 3730) Pristathria akbarella (Ragonot,1888)** (Pyralidae) Synonym(s): *akbarella* Ragonot,1888
- 3731) Pristomerus herbaicator Aubert,1979** (Ichneumonidae) Synonym(s): *herbaicator* Aubert,1979
- 3732) Prolepsis ocellata (Frivaldszky,1845)** (Geometridae) Synonym(s): *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858]
- 3733) Proceratia fulvostrigella (Eversmann,1844)** (Pyralidae) Synonym(s): *fulvostrigella* Eversmann,1844; *fronticornella* Herrich-Schäffer,1860.
- 3734) Prochoristis rupicapralis (Lederer,1855)** (Pyralidae) Synonym(s): *rupicapralis* Lederer,1855
- 3735) Prodiorys richardsi Mavromoustakis,1954** (Megachilidae) Synonym(s): *richardsi* Mavromoustakis,1954
- 3736) Prodotis boisdeffrii (Oberthür,1867)** (Noctuidae) Synonym(s): *boisdeffrii* Oberthür,1867
- 3737) Promachus griseiventris Becker,1913** (Asilidae) Synonym(s): *griseiventris* Becker,1913; *aegyptiacus* Efflatoun,1929
- 3738) Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus* Loew,1848
- 3739) Promachus mustelus Loew,1854** (Asilidae) Synonym(s): *mustela* Loew,1854
- 3740) Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781
- 3741) Prostemma krueperi Stein,1878** (Nabidae) Synonym(s): *krueperi* Stein,1878
- 3742) Protactia (Eupotosia) mirifica (Mulsant & Rey,1840)** (Scarabaeidae) Synonym(s): *mirifica* Mulsant & Rey,1840
- 3743) Protactia (Foveopotosia) judith (Reiche,1871)** (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898
- 3744) Protactia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775
- 3745) Protactia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménétriès,1836; *aethiassoides* Reitter,1898; *lambillionaea* Alexis & Delphont,2000
- 3746) Proterospastis merdella (Zeller,1852)** (Tineidae) Synonym(s): *merdella* Zeller,1852; *siccanelle* Chrétien,1915; *palaestinella* Amsel,1935.
- 3747) Proteuchloris neriaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *neriaria* Herrich-Schäffer,[1852].
- 3748) Protomiltogramma fasciatum (Meigen,1824)** (Sarcophagidae) Synonym(s): *fasciata* Meigen,1824; *erythrochaeta* Bezzi,1895
- 3749) Protonemura zernyi Aubert,1964** (Nemouridae) Synonym(s): *zernyi* Aubert,1964
- 3750) Protoschinia scutosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
- 3751) Protosmia (Chelostomopsis) longiceps (Friese,1899)** (Megachilidae) Synonym(s): *longiceps* Friese,1899; *depauperata* Benoist,1928
- 3752) Protosmia (Nanosmia) pulex (Benoist,1935)** (Megachilidae) Synonym(s): *pulex* Benoist,1935
- 3753) Protosmia (s.str.) humeralis (Pérez,1895)** (Megachilidae) Synonym(s): *humeralis* Pérez,1895
- 3754) Protosmia (s.str.) monstrosa (Pérez,1895)** (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899
- 3755) Protosmia (s.str.) paradoxa (Friese,1899)** (Megachilidae) Synonym(s): *paradoxa* Friese,1899
- 3756) Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis* Morawitz,1876; *graffei* Schmiedeknecht,1890
- 3757) Protosmia judaica (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *judaica* Mavromoustakis,1948
- 3758) Psacasta exanthematica (Scopoli,1763)** (Scutelleridae) Synonym(s): *exanthematica* Scopoli,1763
- 3759) Psacasta pallida Reuter,1902** (Scutelleridae) Synonym(s): *pallida* Reuter,1902
- 3760) Psacasta tuberculata (Fabricius,1781)** (Scutelleridae) Synonym(s): *tuberculata* Fabricius,1781
- 3761) Psallus galilaeus Linnavuori,1961** (Miridae) Synonym(s): *galilaeus* Linnavuori,1961
- 3762) Psalmocharias querula (Pallas,1773)** (Cicadidae) Synonym(s): *querula* Pallas,1773; *steveni* Stal,1854 (praeocc.)
- 3763) Psammotettix adriaticus Wagner,1959** (Cicadellidae) Synonym(s): *adriaticus* Wagner,1959; *linnavuorii* Wagner,1959
- 3764) Psammotettix majusculus Linnavuori,1951** (Cicadellidae) Synonym(s): *majusculus* Linnavuori,1951
- 3765) Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869

- 3766) *Pseudapis (Nomiapis) diversipes* (Latreille,1806) (Halictidae) Synonym(s): *diversipes* Latreille,1806
 3767) *Pseudapis (Nomiapis) monstrosa* (Costa,1861) (Halictidae) Synonym(s): *monstrosa* Costa,1861
 3768) *Pseudapis (Nomiapis) valga* (Gerstaecker,1872) (Halictidae) Synonym(s): *valga* Gerstaecker,1872
 3769) *Pseudapis (s.str.) bytinski* (Warncke,1976) (Halictidae) Synonym(s): *bytinski* Warncke,1976
 3770) *Pseudapis (s.str.) magretti* Gribodo,1884 (Halictidae) Synonym(s): *magretti* Gribodo,1884
 3771) *Pseudapis (s.str.) negevensis* (Warncke,1976) (Halictidae) Synonym(s): *negevensis* Warncke,1976
 3772) *Pseudapis (s.str.) nilotica* (Smith,1875) (Halictidae) Synonym(s): *nilotica* Smith,1875; *latipes* Morawitz,1880
 3773) *Pseudaraeopus bolivari* (Melichar,1901) (Delphacidae) Synonym(s): *bolivari* Melichar,1901
 3774) *Pseudaraeopus frontalis* (Lindberg,1958) (Delphacidae) Synonym(s): *frontalis* Lindberg,1958
 3775) *Pseudaraeopus lethierryi* (Mulsant & Rey,1879) (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemant,1921
 3776) *Pseudenargia deleta* (Osthelder,1933) (Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
 3777) *Pseudenargia regina* (Staudinger,1892) (Noctuidae) Synonym(s): *regina* Staudinger,1892
 3778) *Pseudepipona (s.str.) pseudominuta* Gusenleitner,1972 (Vespidae) Synonym(s): *pseudominuta* Gusenleitner,1972
 3779) *Pseudexechia trisignata* (Edwards,1913) (Mycetophilidae) Synonym(s): *trisignata* Edwards,1913
 3780) *Pseudocoles palaestinus* Dirsh,1949 (Acrididae) Synonym(s): *palaestinus* Dirsh,1949
 3781) *Pseudochazara (Achazara) telephassa* (Geyer,[1827]) (Satyridae) Synonym(s): *telephassa* Geyer,[1827]
 3782) *Pseudochazara (s.str.) mamurra* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintenisi* Staudinger,1895
 3783) *Pseudochazara (s.str.) pelopea* (Klug,1832) (Satyridae) Synonym(s): *pelopea* Klug,1832
 3784) *Pseudocopicucullia syrtana* (Mabille,1888) (Noctuidae) Synonym(s): *syrtana* Mabille,1888
 3785) *Pseudogonia ruffifrons* (Wiedemann,1830) (Tachinidae) Synonym(s): *ruffifrons* Wiedemann,1830
 3786) *Pseudohadena (Jaxartia) jordana* (Staudinger,1900) (Noctuidae) Synonym(s): *jordana* Staudinger,1900
 3787) *Pseudohadena (s.str.) eibinevoi* Fibiger, Kravchenko, Li, Mooser & C.G.Müller,2006 (Noctuidae) Synonym(s): *eibinevoi* Fibiger, Kravchenko, Li, Mooser & C.G.Müller,2006
 3788) *Pseudohadena (s.str.) idumaea* Püngeler,1902 (Noctuidae) Synonym(s): *idumaea* Püngeler,1902
 3789) *Pseudoliarus palaestinensis* Linnavuori,1962 (Cixiidae) Synonym(s): *palaestinensis* Linnavuori,1962
 3790) *Pseudopanthera syriacata* (Guenée,1852) (Geometridae) Synonym(s): *syriacata* Guenée,1852; *#syriacaria* Wiltshire,1958
 3791) *Pseudophilotes abencerragus* (Pierret,1837) (Lycaenidae) Synonym(s): *abencerragus* Pierret,1837
 3792) *Pseudophilotes vicrama* (Moore,1865) (Lycaenidae) Synonym(s): *vicrama* Moore,1865
 3793) *Pseudophotopsis aegyptiaca* (Bischoff,1920) (Mutillidae) Synonym(s): *aegyptiaca* Bischoff,1920
 3794) *Pseudophotopsis caucasica* (Radoszkowski,1885) (Mutillidae) Synonym(s): *caucasica* Radoszkowski,1885; *caucasica* Dalla Torre,1897;
 3795) *Pseudophotopsis fumata* Bischoff,1920 (Mutillidae) Synonym(s): *fumata* Bischoff,1920
 3796) *Pseudophotopsis maura* Bischoff,1920 (Mutillidae) Synonym(s): *maura* Bischoff,1920
 3797) *Pseudophotopsis schachruda* (Skorikov,1935) (Mutillidae) Synonym(s): *schachruda* Skorikov,1935; *robusta* Skorikov,1935; *mavromoustakisi* Suarez,1959; *#schachrudii* Özbek et al.,1999; *caucasica* auct.
 3798) *Pseudophotopsis syriaca* (André,1900) (Mutillidae) Synonym(s): *syriaca* André,1900; *caspiaca* sensu Özbek et al.,1999 nec Radoszkowski,1885
 3799) *Pseudopostega crepusculella* (Zeller,1839) (Opotegeidae) Synonym(s): *crepusculella* Zeller,1839; *lvovskiji* Kozlov,1985
 3800) *Pseudoryssus niehuisorum* Kraus,1998 (Orussidae) Synonym(s): *niehuisorum* Kraus,1998
 3801) *Pseudosciaphila branderiana* (Linnaeus,1758) (Tortricidae) Synonym(s): *branderiana* Linnaeus,1758; *fuscana* Linnaeus,1758; *wahlbomiana* Linnaeus,1758; *asinana* Clerck,1759; *grossana* Thunberg,1791; *achariana* Thunberg,1797; *maurana* Hübner,[1799]; *sajana* Caradja,1938
 3802) *Pseudosophronia catharurga* (Meyrick,1923) (Gelechiidae) Synonym(s): *catharurga* Meyrick,1923
 3803) *Pseudosterrha rufistrigata* (Hampson,1896) (Geometridae) Synonym(s): *rufistrigata* Hampson,1896; *xerophilaria* Püngeler,1902; *marcida* W. Warren & Rothschild,1905; *elbaensis* Rebel,1948.
 3804) *Pseudosymmorphus moricei* (Schulthess,1925) (Vespidae) Synonym(s): *moricei* Schulthess,1925
 3805) *Pseudosymmorphus prophetus* (Giordani Soika,1952) (Vespidae) Synonym(s): *prophetus* Giordani Soika,1952; *asiaticus* Giordani Soika,1970
 3806) *Pseudoterpna coronillaria* (Hübner,[1817]) (Geometridae) Synonym(s): *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 nec Z.,1847; *#coronillaria* Rebel,1939
 3807) *Pseudozarba mesozona* (Hampson,1896) (Noctuidae) Synonym(s): *mesozona* Hampson,1896; *mediana* Staudinger,1898
 3808) *Psilochalcis nigerrima* (Masi,1929) (Chalcididae) Synonym(s): *nigerrima* Masi,1929
 3809) *Psorosa dahliaella* (Treitschke,1832) (Pyralidae) Synonym(s): *dahliaella* Treitschke,1832; *bivitella* Duponchel,1836.
 3810) *Psylliodes ellipticus* Allard,1861 (Chrysomelidae) Synonym(s): *ellipticus* Allard,1861
 3811) *Psylliodes pallidicolor* Pic,1903 (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903
 3812) *Psylliodes testaceoconcolor* Heikertinger,1926 (Chrysomelidae) Synonym(s): *testaceoconcolor* Heikertinger,1926
 3813) *Pterella grisea* (Meigen,1824) (Sarcophagidae) Synonym(s): *grisea* Meigen,1824; *intricata* Meigen,1824; *cerceridis* R-D.,1863; *incompta* R-D.,1863
 3814) *Pterobates chalybaeus* (Röder,1887) (Bombyliidae) Synonym(s): *chalybaeus* Röder,1887
 3815) *Pterocheilus coccineus* André,1884 (Vespidae) Synonym(s): *coccineus* André,1884
 3816) *Pterolonche (s.str.) albescens* Zeller,1847 (Pterolonchidae) Synonym(s): *albescens* Zeller,1847
 3817) *Pterophorus ischnodactylus* (Treitschke,1835) (Pterophoridae) Synonym(s): *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968.
 3818) *Pteropyx hyalinus* Haupt,1927 (Cicadellidae) Synonym(s): *hyalinus* Haupt,1927
 3819) *Pterotmetus staphylinoides* (Burmeister,1835) (Lygaeidae) Synonym(s): *staphylinoides* Burmeister,1835
 3820) *Puer maculatus* (Olivier,1789) (Ascalaphidae) Synonym(s): *maculatus* Olivier,1789
 3821) *Puncticorpus cribratum* (Villeneuve,1918) (Sphaeroceridae) Synonym(s): *cribratum* Villeneuve,1918; *brevipennis* Duda,1918
 3822) *Putonia torrida* Stal,1872 (Pentatomidae) Synonym(s): *torrida* Stal,1872
 3823) *Pycnomalla splendens* (Fabricius,1787) (Stratiomyidae) Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974
 3824) *Pyralis farinalis* (Linnaeus,1758) (Pyralidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.

- 3825) *Pyralis regalis* [Denis & Schiffermüller],1775** (Pyralidae) Synonym(s): *regalis* [Denis & Schiffermüller],1775
- 3826) *Pyrausta (Haematia) sanguinalis* (Linnaeus,1767)** (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
- 3827) *Pyrausta (s.str.) inciae* Koçak,1982** (Pyralidae) Synonym(s): *meridionalis* Staudinger,1880 *nec* Wcke,1871; *inciae* Koçak,1982.
- 3828) *Pyrausta (s.str.) pauperalis* (Staudinger,1879)** (Pyralidae) Synonym(s): *pauperalis* Staudinger,1879
- 3829) *Pyrausta (s.str.) purpuralis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916
- 3830) *Pyrellia rapax* (Harris,1780)** (Muscidae) Synonym(s): *rapax* Harris,1780; *serena* Meigen,1826; *ignita* R-D.,1830
- 3831) *Pyrellia vivida* R-D.,1830** (Muscidae) Synonym(s): *cadaverina* auct.; *vivida* R-D.,1830
- 3832) *Pyrgomorpha guentheri* Burr,1899** (Pyrgomorphidae) Synonym(s): *guentheri* Burr,1899; *brevipennis* Bolivar,1904; *predtetschenskii* Bei-Bienko,1951; *ozeki* Karabağ,1953; *turcica* Karabağ,1961; *#urfenensis* Demirsoy,1977; *#guantneri* Demirsoy,1977; *#predtetschenskii* Demirsoy,1977
- 3833) *Pyrgus melotis* (Duponchel,[1834])** (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.
- 3834) *Pyroderces argyrogrammos* (Zeller,1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggella* Herrich-Schäffer,[1853]
- 3835) *Pyrois effusa* (Boisduval,1828)** (Noctuidae) Synonym(s): *effusa* Boisduval,1828; *sciaphila* Staudinger,1871
- 3836) *Pyrrhia treitschkii* (Friedvaldszky,1835)** (Noctuidae) Synonym(s): *treitschkii* Friedvaldszky,1835.
- 3837) *Pyrrhocoris apterus* (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829
- 3838) *Quadrastichodella nova* Girault,1922** (Eulophidae) Synonym(s): *nova* Girault,1922; *eucalypti* Timberlake,1957; *obscurata* De Santis,1957
- 3839) *Quartinia candida* Gusenleitner,1997** (Vespidae) Synonym(s): *candida* Gusenleitner,1997
- 3840) *Rachispoda acrosticalis* (Becker,1903)** (Sphaeroceridae) Synonym(s): *acrosticalis* Becker,1903; *zernyi* Duda,1924
- 3841) *Rachispoda fuscipennis* (Haliday,1833)** (Sphaeroceridae) Synonym(s): *fuscipennis* Haliday,1833; *oelandica* Stenhammar,1854; *plurisetosa* Strobl,1900; *intermedia* Duda,1918
- 3842) *Rachispoda lutosidea* (Duda,1938)** (Sphaeroceridae) Synonym(s): *lutosidea* Duda,1938
- 3843) *Rachispoda modesta* (Duda,1924)** (Sphaeroceridae) Synonym(s): *modesta* Duda,1924
- 3844) *Rachispoda varicornis* (Strobl,1900)** (Sphaeroceridae) Synonym(s): *varicornis* Strobl,1900; *halidayi* Collin,1902
- 3845) *Raggeana bodenheimeri* (Uvarov,1927)** (Tettigoniidae) Synonym(s): *bodenheimeri* Uvarov,1927
- 3846) *Raparna erubescens* (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *erubescens* A.Bang-Haas,1910
- 3847) *Raphimetopus ablutellus* (Zeller,1839)** (Pyralidae) Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 3848) *Ravinia striata* (Fabricius,1794)** (Sarcophagidae) Synonym(s): *striata* Fabricius,1794; *haematodes* Meigen,1826; *haemisphaerica* R-D.,1830; *limpidipennis* R-D.,1830; *horticola* R-D.,1830; *campestris* R-D.,1830; *parva* R-D.,1863; *sulcata* R-D.,1863; *hebes* R-D.,1863; *nova* Siebke,1877; *aozia* Séguy,1935; *disjuncta* Séguy,1938
- 3849) *Recilia angustisectus* (Linnavuori,1962)** (Cicadellidae) Synonym(s): *angustisectus* Linnavuori,1962
- 3850) *Recophora beata* (Staudinger,1892)** (Noctuidae) Synonym(s): *beata* Staudinger,1892
- 3851) *Reduvius autrani* Reuter,[1892]** (Reduviidae) Synonym(s): *autrani* Reuter,[1892]; *maestus* Miller,1955
- 3852) *Reduvius ciliatus* Jakovlev,1879** (Reduviidae) Synonym(s): *ciliatus* Jakovlev,1879
- 3853) *Reduvius israelensis* Dispos,1962** (Reduviidae) Synonym(s): *israelensis* Dispos,1962
- 3854) *Reduvius jakovleffi* Reuter,[1892]** (Reduviidae) Synonym(s): *jakovleffi* Reuter,[1892]
- 3855) *Reduvius nigricans* Klug,1830** (Reduviidae) Synonym(s): *nigricans* Klug,1830
- 3856) *Reduvius pallipes* Klug,1830** (Reduviidae) Synonym(s): *pallipes* Klug,1830; *thoracicus* Stal,1855; *testaceus* Fieber
- 3857) *Reduvius tabidus* Klug,1830** (Reduviidae) Synonym(s): *tabidus* Klug,1830
- 3858) *Reduvius testaceus* (Herrich-Schäffer,1845)** (Reduviidae) Synonym(s): *testaceus* Herrich-Schäffer,1845
- 3859) *Reptalus (s.str.) horridus* (Linnavuori,1962)** (Cixiidae) Synonym(s): *horridus* Linnavuori,1962; *zercanus* Dlabola,1965
- 3860) *Reuterista instabilis* (Fieber,1861)** (Miridae) Synonym(s): *instabilis* Fieber,1861
- 3861) *Reuterista sanguineovitta* (Reuter,1904)** (Miridae) Synonym(s): *sanguineovitta* Reuter,1904
- 3862) *Rhabdophora arefacta* (Swinhoe,1884)** (Noctuidae) Synonym(s): *arefacta* Swinhoe,1884; *messrae* Staudinger,1898.
- 3863) *Rhabinopteryx subtilis* (Mabille,1888)** (Noctuidae) Synonym(s): *subtilis* Mabille,1888; *renatalis* Rebel,1909 *nec* Obth.; *luridalis* Rebel,1911.
- 3864) *Rhacocleis ayali* Karabağ,1974** (Tettigoniidae) Synonym(s): *ayali* Karabağ,1974
- 3865) *Rhadinus megalonix* Loew,1856** (Asilidae) Synonym(s): *megalonix* Loew,1856
- 3866) *Rhamphomyia (Holoclera) biserialis* Collin,1960** (Empididae) Synonym(s): *biserialis* Collin,1960
- 3867) *Rhamphomyia (Holoclera) tenuipes* Becker,1907** (Empididae) Synonym(s): *tenuipes* Becker,1907
- 3868) *Rhamphomyia (Pararhamphomyia) intersita* Collin,1960** (Empididae) Synonym(s): *intersita* Collin,1960
- 3869) *Rhamphomyia (Pararhamphomyia) sulcatella* Collin,1926** (Empididae) Synonym(s): *sulcatella* Collin,1926
- 3870) *Rhamphomyia (s.str.) furmani* Bartak & Kubik,2009** (Empididae) Synonym(s): *furmani* Bartak & Kubik,2009
- 3871) *Rhamphomyia (s.str.) hermonensis* Bartak & Kubik,2009** (Empididae) Synonym(s): *hermonensis* Bartak & Kubik,2009
- 3872) *Rhamphomyia (s.str.) karamanensis* Bartak, Çiftçi & Hasbenli,2007** (Empididae) Synonym(s): *karamanensis* Bartak, Çiftçi & Hasbenli,2007
- 3873) *Rhaphium caliginosum* Meigen,1824** (Dolichopodidae) Synonym(s): *caliginosum* Meigen,1824; *zetterstedti* Parent,1925
- 3874) *Rhodesiella plumiger* (Meigen,1830)** (Chloropidae) Synonym(s): *plumiger* Meigen,1830; *lepidus* Meigen,1830
- 3875) *Rhodometra sacraria* (Linnaeus,1767)** (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858];
- 3876) *Rhodostrophia discopunctata* Amsel,1935** (Geometridae) Synonym(s): *tabidaria* auct. *nec* Zell.,1847; *discopunctata* Amsel,1935
- 3877) *Rhodus cyprius* (Houard,1919)** (Cynipidae) Synonym(s): *cyprius* Houard,1919; *oriundus* Quinlan,1968; *kezivi* Melika,2003
- 3878) *Rhyacia (s.str.) arenacea* (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
- 3879) *Rhyacionia buoliana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; *#bouoliana* Kalchberg,1897

- 3880) Rhynchites bacchus (Linnaeus,1758)** (Atelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938
- 3881) Rhynchites lenaeus Faust,1891** (Atelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926
- 3882) Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *lefebrii* Lepeletier,1841; *leviscutis* Cameron,1908; *distingendum* Buysson,1913; *hebraeum* Giordani Soika,1952; *adenense* Giordani Soika,1952; *ibericum* Giordani Soika,1966
- 3883) Rhyncomya aravaensis Rognes,2002** (Calliphoridae) Synonym(s): *aravaensis* Rognes,2002
- 3884) Rhyncomya callopis (Loew,1856)** (Calliphoridae) Synonym(s): *callopis* Loew,1856; *koschewnikovi* Rohdendorf,1930
- 3885) Rhyncomya cyanicolor Rognes,2002** (Calliphoridae) Synonym(s): *cyanicolor* Rognes,2002
- 3886) Rhyncomya negevi Rognes,2002** (Calliphoridae) Synonym(s): *negevi* Rognes,2002
- 3887) Rhyncomya paralutea Rognes,2002** (Calliphoridae) Synonym(s): *paralutea* Rognes,2002
- 3888) Rhyncomya subspeciosa Rognes,2002** (Calliphoridae) Synonym(s): *subspeciosa* Rognes,2002
- 3889) Rhyncomya yahavensis Rognes,2002** (Calliphoridae) Synonym(s): *yahavensis* Rognes,2002
- 3890) Rhynocoris bipustulatus (Fieber,1861)** (Reduviidae) Synonym(s): *bipustulatus* Fieber,1861; *signiceps* Walker,1870; *nigripennis* Lindberg,1930; *israelensis* Hoberlandt,1951
- 3891) Rhynocoris iracundus (Poda,1761)** (Reduviidae) Synonym(s): *iracundus* Poda,1761; *pictus* Kolenati,1856; *ocreatus* Dispons,1964; *#safavii* Dispons & Villiers,1967
- 3892) Rhynocoris persicus (Jakovlev,1877)** (Reduviidae) Synonym(s): *persicus* Jakovlev,1877; *christophi* Jakovlev,1877; *analisis* Jakovlev,1889; *pictipes* Horvath,1911
- 3893) Rhynocoris punctiventris Herrich-Schäffer,1846** (Reduviidae) Synonym(s): *punctiventris* Herrich-Schäffer,1846; *dimidiatus* Dispons,1964
- 3894) Rhynocoris transitus Hoberlandt,1951** (Reduviidae) Synonym(s): *transitus* Hoberlandt,1951
- 3895) Rhypagla lacernaria (Hübner,[1813])** (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 3896) Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae) Synonym(s): *phoeniceus* Rossi,1794
- 3897) Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947
- 3898) Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 *nec* Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853
- 3899) Rivetina byblica La Greca & Lombardo,1982** (Mantidae) Synonym(s): *byblica* La Greca & Lombardo,1982
- 3900) Rivula tanitalis Rebel,1912** (Noctuidae) Synonym(s): *tanitalis* Rebel,1912
- 3901) Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811; *novemguttata* Klug,1835; *octomaculata* Spinola,1843; *algira* Lepeletier,1845; *rubricollis* Lucas,1849; *dorsalis* Lucas,1849; *humeralis* Stichel & Radoszkowski,1870; *bodenheimeri* Invrea,1950; *flavocornuta* Invrea,1965
- 3902) Ronisia parasinuata Invrea,1965** (Mutillidae) Synonym(s): *parasinuata* Invrea,1965
- 3903) Rophites hartmanni Friese,1902** (Halictidae) Synonym(s): *hartmanni* Friese,1902
- 3904) Rophites nigripes Friese,1902** (Halictidae) Synonym(s): *nigripes* Friese,1902
- 3905) Rubrapteris bavius (Eversmann,1832)** (Lycaenidae) Synonym(s): *bavius* Eversmann,1832
- 3906) Rymosia affinis Winnertz,1863** (Mycetophilidae) Synonym(s): *affinis* Winnertz,1863
- 3907) Rymosia pseudocretensis Burghel-Balacesco,1967** (Mycetophilidae) Synonym(s): *pseudocretensis* Burghel-Balacesco,1967
- 3908) Rymosia spinipes Winnertz,1863** (Mycetophilidae) Synonym(s): *spinipes* Winnertz,1863
- 3909) Sabroskyina aharonii (Duda,1923)** (Chloropidae) Synonym(s): *pallipes* Lamb,1923 *nec* Lw.,1863; *aharonii* Duda,1923; *antorides* Ségué,1950
- 3910) Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846
- 3911) Saga natoliae Audinet-Serville,1839** (Tettigoniidae) Synonym(s): *onos* Stoll,1787 *nec* Pall.,1772; *synophrys* Charpentier,1841; *natoliae* Audinet-Serville,1839; *brunneri* Saussure,1888
- 3912) Saltella nigripes R-D.,1830** (Sepsidae) Synonym(s): *nigripes* R-D.,1830
- 3913) Saluria maculivittella Ragonot,1887** (Pyralidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888
- 3914) Santhomyza inermis Rohacek,1984** (Anthomyzidae) Synonym(s): *inermis* Rohacek,1984
- 3915) Sapromyza freidbergi Yarom,1990** (Lauxaniidae) Synonym(s): *freidbergi* Yarom,1990
- 3916) Sapromyza gozmanyi Papp,1981** (Lauxaniidae) Synonym(s): *gozmanyi* Papp,1981
- 3917) Sapromyza intonsina Yarom,1990** (Lauxaniidae) Synonym(s): *intonsina* Yarom,1990
- 3918) Sapyga (s.str.) gusenleitneri Kurzenko,1994** (Sapygidae) Synonym(s): *gusenleitneri* Kurzenko,1994
- 3919) Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781
- 3920) Sapygina decemguttata (Jurine,1807)** (Sapygidae) Synonym(s): *decemguttata* Jurine,1807; *millefolii* Lepeletier,1825; *chelostomae* Robineau,1836; *panzeri* Guérin,1837; *cylindricum* Schenk,1857; *nigra* Tournier,1889
- 3921) Saragossa siccanorum (Staudinger,1870)** (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870
- 3922) Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819
- 3923) Sarcophaga (Bercaea) cruentata Meigen,1826** (Sarcophagidae) Synonym(s): *cruentata* Meigen,1826; *haemorrhoidalis* Fallén,1817; *squalida* R-D.,1830; *blondeli* R-D.,1830; *villiva* R-D.,1830; *ruficauda* Zetterstedt,1838; *consobrina* Rondani,1860; *nurus* Rondani,1860; *zetterstedti* R-D.,1863; *iners* R-D.,1863; *pabulorum* R-D.,1863; *meigeni* R-D.,1863; *inclyta* R-D.,1863; *praeceps* R-D.,1863; *fugax* R-D.,1863; *nitida* R-D.,1863; *albidula* R-D.,1863; *commendata* R-D.,1863; *fulvipalpis* R-D.,1863; *haematura* R-D.,1863; *agilis* R-D.,1863; *oralis* R-D.,1863; *agraria* R-D.,1863; *meditata* R-D.,1863; *#interrupta* Enderlein,1928; *#tiesleri* Enderlein,1928
- 3924) Sarcophaga (Engelisia) surcoufi Villeneuve,1913** (Sarcophagidae) Synonym(s): *surcoufi* Villeneuve,1913; *perfusa* Villeneuve,1934
- 3925) Sarcophaga (Heteronychia) boettcheri Villeneuve,1912** (Sarcophagidae) Synonym(s): *boettcheri* Villeneuve,1912; *taurica* Rohdendorf,1937; *gaspari* Lehrer,1977; *bodediana* Lehrer,1998; *shakrana* Lehrer,1998; *caraormana* Lehrer,2008
- 3926) Sarcophaga (Heteronychia) clarahenae (Lehrer,1999)** (Sarcophagidae) Synonym(s): *clarahenae* Lehrer,1999
- 3927) Sarcophaga (Heteronychia) consanguinea Rondani,1860** (Sarcophagidae) Synonym(s): *consanguinea* Rondani,1860; *schnabli* Villeneuve,1911; *portschinskyana* Rohdendorf,1937; *atanassovi* Lehrer,1977; *cullottorum* Povolny,2005
- 3928) Sarcophaga (Heteronychia) cucullans Pandellé,1896** (Sarcophagidae) Synonym(s): *cucullans* Pandellé,1896; *iacentkovskiji* Enderlein,1936
- 3929) Sarcophaga (Heteronychia) esthera (Lehrer,2006)** (Sarcophagidae) Synonym(s): *esthera* Lehrer,2006
- 3930) Sarcophaga (Heteronychia) haemorrhoides Böttcher,1913** (Sarcophagidae) Synonym(s): *haemorrhoides* Böttcher,1913; *wahisi* Lehrer,1976

- 3931) Sarcophaga (Heteronychia) helenae (Trofimov,1948)** (Sarcophagidae) Synonym(s): *helenae* Trofimov,1948; *fraterna* Lehrer,1977; *delicata* Lehrer,2000
- 3932) Sarcophaga (Heteronychia) kerteszi Villeneuve,1912** (Sarcophagidae) Synonym(s): *kerteszi* Villeneuve,1912; *dayani* Lehrer,1996; *sororia* Povolny,2004
- 3933) Sarcophaga (Heteronychia) lacrymans Villeneuve,1912** (Sarcophagidae) Synonym(s): *lacrymans* Villeneuve,1912; *thalhammeri* Böttcher,1913; *zhelochoutzevi* Rohdendorf,1925; *cepelaki* Povolny & Slameckova,1970; *markevitschi* Verves,1975; *histriops* Lehrer,2008
- 3934) Sarcophaga (Heteronychia) minima Rondani,1860** (Sarcophagidae) Synonym(s): *minima* Rondani,1860; *fertoni* Villeneuve,1916; *graeca* Rohdendorf,1937
- 3935) Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860; *puerula* Rondani,1860; *efflatouni* Salem,1935; *seguji* Lehrer,1977
- 3936) Sarcophaga (Jantia) crassipalpis Macquart,1839** (Sarcophagidae) Synonym(s): *crassipalpis* Macquart,1839; *dalmatina* Schiner,1862; *securifera* Villeneuve,1908
- 3937) Sarcophaga (Liosarcophaga) aegyptica (Salem,1935)** (Sarcophagidae) Synonym(s): *aegyptica* Salem,1935
- 3938) Sarcophaga (Liosarcophaga) exuberans Pandellé,1896** (Sarcophagidae) Synonym(s): *exuberans* Pandellé,1896; *setosa* Baranov,1929
- 3939) Sarcophaga (Liosarcophaga) jacobsoni (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *jacobsoni* Rohdendorf,1937; *sachtlebeni* Lehrer,1959
- 3940) Sarcophaga (Liosarcophaga) palestinesis Lehrer,1998** (Sarcophagidae) Synonym(s): *palestinensis* Lehrer,1998
- 3941) Sarcophaga (Pandelleana) kugleri Lehrer,2004** (Sarcophagidae) Synonym(s): *kugleri* Lehrer,2004; *tahtaliana* Lehrer,2004
- 3942) Sarcophaga (Pandelleisca) baudeti Lehrer,1998** (Sarcophagidae) Synonym(s): *baudeti* Lehrer,1998
- 3943) Sarcophaga (Pandelleisca) theodori Lehrer,1998** (Sarcophagidae) Synonym(s): *theodori* Lehrer,1998
- 3944) Sarcophaga (Parasarcophaga) albiceps Meigen,1826** (Sarcophagidae) Synonym(s): *albiceps* Meigen,1826; *privigna* Rondani,1860; *cyathisans* Pandellé,1896; *pauciseta* Kramer,1905; *colchica* Gudjabidze,1966
- 3945) Sarcophaga (Parasarcophaga) hirtipes Wiedemann,1830** (Sarcophagidae) Synonym(s): *hirtipes* Wiedemann,1830; *rufipes* Wiedemann,1830; *fulvipalpis* Macquart,1843
- 3946) Sarcophaga (Phytosarcophaga) destructor Malloch,1929** (Sarcophagidae) Synonym(s): *destructor* Malloch,1929; *flagellata* Villeneuve,1930; *margaretti* Salem,1935; *destructix* Rohdendorf,1937; *mezzadrii* Ségué,1951
- 3947) Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922; *clausa* Müller,1922; *meridionalis* Rohdendorf,1937
- 3948) Sarcophaga (Thomsona) argyrostoma (R-D.,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D.,1830; *barbata* Thomson,1869; *falculata* Pandellé,1896; *persicae* Senior-White,1924; *chivensis* Zimin,1928
- 3949) Sarcophila latifrons (Fallén,1817)** (Sarcophagidae) Synonym(s): *latifrons* Fallén,1817
- 3950) Sargus cuprarius (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849
- 3951) Sargus maculatus (Lindner,1936)** (Stratiomyidae) Synonym(s): *maculatus* Lindner,1936
- 3952) Saropogon aurifrons (Macquart,1850)** (Asilidae) Synonym(s): *aurifrons* Macquart,1850
- 3953) Saropogon distinctus Becker,1906** (Asilidae) Synonym(s): *distinctus* Becker,1906
- 3954) Saropogon ehrenbergii Loew,1851** (Asilidae) Synonym(s): *ehrenbergii* Loew,1851
- 3955) Saropogon eucerus (Loew,1847)** (Asilidae) Synonym(s): *eucerus* Loew,1847
- 3956) Saropogon leucocephalus (Meigen,1820)** (Asilidae) Synonym(s): *leucocephalus* Meigen,1820; *scutellaris* Wiedemann,1820
- 3957) Saropogon longicornis (Macquart,1838)** (Asilidae) Synonym(s): *longicornis* Macquart,1838
- 3958) Saropogon pseudojugulum Theodor,1980** (Asilidae) Synonym(s): *pseudojugulum* Theodor,1980
- 3959) Saropogon vestitus (Wiedemann,1828)** (Asilidae) Synonym(s): *vestitus* Wiedemann,1828; *aegypticus* Macquart,1838; *confluens* Loew,1851
- 3960) Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855
- 3961) Saturnia (s.str.) pyri ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980.
- 3962) Satyramoeba hetrusca (Fabricius,1794)** (Bombyliidae) Synonym(s): *hetrusca* Fabricius,1794; *rubiginipennis* Macquart,1840; *formosa* Dufour,1852; *etrusca* Bezzi,1903
- 3963) Satyrium (Nordmannia) abdominalis (Gerhard,[1850])** (Lycaenidae) Synonym(s): *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *gerhardti* Wiltshire,1943; *elta* Higgins,1964.
- 3964) Satyrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) Synonym(s): *ilicis* Esper,[1779]
- 3965) Satyrium (Nordmannia) myrtale (Klug,1834)** (Lycaenidae) Synonym(s): *myrtale* Klug,1834
- 3966) Satyrus (Asatyrus (Asatyrodes)) atlanteus (Verity,1927)** (Satyridae) Synonym(s): *maroccana* Lucas,1920 *nec* Meade-Waldo,1905; *atlanteus* Verity,1927.
- 3967) Satyrus (Asatyrus (s.str.)) amasinus Staudinger,1861** (Satyridae) Synonym(s): *bryce* Herrich-Schäffer,[1852] *nec* Hübn.,[1800]; *amasinus* Staudinger,1861
- 3968) Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758
- 3969) Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae) Synonym(s): *pallida* Zetterstedt,1847; *disticha* Duda,1921
- 3970) Scarabaeus armeniacus Ménétériés,1832** (Scarabaeidae) Synonym(s): *armeniacus* Ménétériés,1832; *nigrociliatus* Motschoulsky,1849
- 3971) Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803
- 3972) Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819
- 3973) Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluens* Fleisch.,1925
- 3974) Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822
- 3975) Scathophaga lutaria (Fabricius,1794)** (Scathophagidae) Synonym(s): *lutaria* Fabricius,1794
- 3976) Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838
- 3977) Sceliphron (s.str.) destillatorium (Illiger,1807)** (Sphecidae) Synonym(s): *flavipes* Christ,1791 *nec* Fabr.,1781; *destillatorium* Illiger,1807; *pensilis* Illiger,1807; *sardonius* Lepeletier,1845; *sardous* Caruccio,1872; *trinacriensis* De Stefani Perez,1889
- 3978) Sceliphron (s.str.) sprifex (Linnaeus,1758)** (Sphecidae) Synonym(s): *sprifex* Linnaeus,1758; *aegyptius* Linnaeus,1758; *atra* Scopoli,1786; *aegyptiacum* Dalla Torriwe,1897

- 3979) *Sceptonia intestata* Plassmann & Schacht, 1990 (Mycetophilidae) Synonym(s): *intestata* Plassmann & Schacht, 1990
- 3980) *Schistocerca gregaria* (Forsk., 1775) (Acrididae) Synonym(s): *gregaria* Forsk., 1775; *tartaricum* Latreille, 1804; *peregrina* Olivier, 1804; *rufescens* Thunberg, 1815
- 3981) *Schoenobius alpherakyi* Staudinger, 1874 (Pyralidae) Synonym(s): *alpherakyi* Staudinger, 1874
- 3982) *Schoenobius gigantellus* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *gigantella* [Denis & Schiffermüller], 1775
- 3983) *Schoenobius niloticus* Zeller, 1867 (Pyralidae) Synonym(s): *niloticus* Zeller, 1867
- 3984) *Schrankia taenialis* (Hübner, [1809]) (Noctuidae) Synonym(s): *taenialis* Hübner, [1809]
- 3985) *Schyzops aegyptiaca* (Lefebvre, 1831) (Pentatomidae) Synonym(s): *aegyptiaca* Lefebvre, 1831
- 3986) *Sciapus albifrons* (Meigen, 1830) (Dolichopodidae) Synonym(s): *albifrons* Meigen, 1830
- 3987) *Sciapus contristans* (Wiedemann, 1817) (Dolichopodidae) Synonym(s): *contristans* Wiedemann, 1817; *flexus* Loew, 1869; *vialis* Raddatz, 1873; *loewi* Becker, 1902
- 3988) *Sciapus flavicinctus* (Loew, 1857) (Dolichopodidae) Synonym(s): *flavicinctus* Loew, 1857; *ludens* Loew, 1873
- 3989) *Sciapus glaucescens* (Loew, 1856) (Dolichopodidae) Synonym(s): *glaucescens* Loew, 1856; *robustus* Loew, 1857; *validus* Loew, 1858; *brionii* Becker, 1918
- 3990) *Sciapus heteropygus* Parent, 1926 (Dolichopodidae) Synonym(s): *heteropygus* Parent, 1926
- 3991) *Sciapus judaeus* Parent, 1932 (Dolichopodidae) Synonym(s): *judaeus* Parent, 1932
- 3992) *Sciapus maurus* Parent, 1930 (Dolichopodidae) Synonym(s): *maurus* Parent, 1930
- 3993) *Sciapus opacus* (Loew, 1866) (Dolichopodidae) Synonym(s): *opacus* Loew, 1866
- 3994) *Sciapus pallens* (Wiedemann, 1830) (Dolichopodidae) Synonym(s): *pallens* Wiedemann, 1830
- 3995) *Sciapus vicinus* Parent, 1925 (Dolichopodidae) Synonym(s): *vicinus* Parent, 1925
- 3996) *Sciocoris* (*Aposciocoris*) *luteolus* Fieber, 1861 (Pentatomidae) Synonym(s): *luteolus* Fieber, 1861
- 3997) *Sciocoris* (*Neosciocoris*) *orientalis* Linnavuori, 1960 (Pentatomidae) Synonym(s): *orientalis* Linnavuori, 1960
- 3998) *Sciocoris* (*Neosciocoris*) *pallens* Klug, 1855 (Pentatomidae) Synonym(s): *pallens* Klug, 1855; *fissus* Mulsant & Rey, 1845; *curvocatipatus* Fuente, 1971
- 3999) *Sciocoris* (*Parasciocoris*) *angusticollis* Puton, 1895 (Pentatomidae) Synonym(s): *angusticollis* Puton, 1895
- 4000) *Sciocoris* (*Parasciocoris*) *convexiusculus* Puton, 1874 (Pentatomidae) Synonym(s): *convexiusculus* Puton, 1874; *scutellaris* Schmidt, 1939 nec Put., 1884; *sahlbergi* Wagner, 1952; *clypeatus* Stichel, 1961; *schmidtii* Wagner, 1965
- 4001) *Sciocoris* (s.str.) *hoberlandti* Wagner, 1954 (Pentatomidae) Synonym(s): *hoberlandti* Wagner, 1954
- 4002) *Sciocoris* (s.str.) *ochraceus* Fieber, 1861 (Pentatomidae) Synonym(s): *ochraceus* Fieber, 1861; *#ochraseus* Önder et al., 2006
- 4003) *Sciocoris* (s.str.) *sulcatus* Fieber, 1851 (Pentatomidae) Synonym(s): *sulcatus* Fieber, 1851; *angustipennis* Mulsant & Rey, 1852; *lautus* Horvath, 1903; *atticus* Horvath, 1907; *cypria* Lindberg, 1948
- 4004) *Sciota* (*Ciliocerodes*) *coenulentella* (Zeller, 1846) (Pyralidae) Synonym(s): *coenulentella* Zeller, 1846
- 4005) *Sciota* (s.str.) *hostilis* (Stephens, 1834) (Pyralidae) Synonym(s): *hostilis* Stephens, 1834
- 4006) *Scodionista amoritaria* (Püngeler, 1902) (Geometridae) Synonym(s): *amoritaria* Püngeler, 1902; *autumnata* Brandt, 1938; *abduhamidi* Wiltshire, 1949
- 4007) *Scodionyx mysticus* Staudinger, 1900 (Noctuidae) Synonym(s): *mysticus* Staudinger, 1900; *boursini* Warnecke, 1937; *balboi* C.G. Krüger, 1939; *lepineyi* Rungs, 1943
- 4008) *Scolia* (s.str.) *fallax* Eversmann, 1849 (Scoliidae) Synonym(s): *fallax* Eversmann, 1849; *syriacola* Betrem, 1935; *moreana* Muche, 1962; *tricolor* Bradley, 1972
- 4009) *Scolia* (s.str.) *flaviceps* Eversmann, 1846 (Scoliidae) Synonym(s): *flaviceps* Eversmann, 1846; *mangichlakensis* Radoszkowski, 1879
- 4010) *Scoliophthalmus trapezoides* Becker, 1903 (Chloropidae) Synonym(s): *trapezoides* Becker, 1903
- 4011) *Scopula adelpharia* (Püngeler, 1894) (Geometridae) Synonym(s): *adelpharia* Püngeler, 1894
- 4012) *Scopula beckeraria* (Lederer, 1853) (Geometridae) Synonym(s): *beckeraria* Lederer, 1853
- 4013) *Scopula decolor* (Staudinger, 1898) (Geometridae) Synonym(s): *decolor* Staudinger, 1898; *languidata* L.B. Prout, 1913
- 4014) *Scopula donovani* (Distant, 1892) (Geometridae) Synonym(s): *donovani* Distant, 1892; *extraordinaria* Staudinger, 1892; *extremata* W. Warren, 1897
- 4015) *Scopula flaccidaria* (Zeller, 1852) (Geometridae) Synonym(s): *flaccidaria* Zeller, 1852
- 4016) *Scopula imitaria* (Hübner, [1799]) (Geometridae) Synonym(s): *fimbriata* Fourcroy, 1785 nec Schreb., 1759; *imitaria* Hübner, [1799]
- 4017) *Scopula lehmanni* Hausmann, 1991 (Geometridae) Synonym(s): *lehmanni* Hausmann, 1991
- 4018) *Scopula luridata* (Zeller, 1847) (Geometridae) Synonym(s): *luridata* Zeller, 1847; *formosaria* Herrich-Schäffer, 1852; *coenosaria* Lederer, 1855
- 4019) *Scopula marginepunctata* (Goeze, 1781) (Geometridae) Synonym(s): *marginepunctata* Goeze, 1781; *conjugata* Borkhausen, 1794; *aniculosa* Rambur, 1829; *puellaria* Boisduval, 1840; *mutaria* Heydenreich, 1851; *promutata* Guenée, [1858]; *promutaria* Morris, 1861; *apertaria* Walker, [1863]; *madoniata* Fuchs, 1901; *pastoraria* De Joannis, 1891
- 4020) *Scopula minorata* (Boisduval, 1833) (Geometridae) Synonym(s): *minorata* Boisduval, 1833; *#ochroleucata* Herrich-Schäffer, 1844; *ochroleucaria* Herrich-Schäffer, [1847]; *luculata* Guenée, [1858]; *mauritiata* Guenée, [1858]; *consentanea* Walker, 1861; *holobapharia* Mabilie, 1900; *mombasae* W. Warren, 1904; *dresnayi* D. Lucas, 1937
- 4021) *Scopula submutata* (Treitschke, 1828) (Geometridae) Synonym(s): *submutata* Treitschke, 1828; *submutaria* Boisduval, 1840; *submutulata* Rebel, 1902
- 4022) *Scopula turbulentaria* (Staudinger, 1870) (Geometridae) Synonym(s): *turbulentaria* Staudinger, 1870; *collata* W. Warren, 1901; *habenata* W. Warren, 1901; *syriacata* Neuburger, 1904; *syriturcica* Wehrli, 1934
- 4023) *Scotodrymadusa annulicornis* (Uvarov, 1922) (Tettigoniidae) Synonym(s): *annulicornis* Uvarov, 1922
- 4024) *Scotodrymadusa philbyi* (Uvarov, 1927) (Tettigoniidae) Synonym(s): *philbyi* Uvarov, 1927; *palaestina* Uvarov, 1939
- 4025) *Scotomera caesarealis* (Ragonot, 1891) (Pyralidae) Synonym(s): *caesarealis* Ragonot, 1891
- 4026) *Scrobipalpa* (*Ilseopsis*) *erichi* Povolny, 1964 (Gelechiidae) Synonym(s): *erichi* Povolny, 1964
- 4027) *Scrobipalpa* (*Ilseopsis*) *otregata* Povolny, 1972 (Gelechiidae) Synonym(s): *otregata* Povolny, 1972
- 4028) *Scrobipalpa* (*Ilseopsis*) *pseudobsoletella* (Gregor & Povolny, 1955) (Gelechiidae) Synonym(s): *pseudobsoletella* Gregor & Povolny, 1955; *#pseudobsoletella* Hacker, 1999
- 4029) *Scrobipalpa* (*Ilseopsis*) *pulchra* Povolny, 1967 (Gelechiidae) Synonym(s): *pulchra* Povolny, 1967
- 4030) *Scrobipalpa* (*Ilseopsis*) *remota* Povolny, 1972 (Gelechiidae) Synonym(s): *remota* Povolny, 1972
- 4031) *Scrobipalpa* (*Ilseopsis*) *traganella* (Chrétien, 1915) (Gelechiidae) Synonym(s): *traganella* Chrétien, 1915
- 4032) *Scrobipalpa* (*Ilseopsis*) *voltinelloides* Povolny, 1967 (Gelechiidae) Synonym(s): *voltinelloides* Povolny, 1967
- 4033) *Scythocentropus eberti* Hacker, 2001 (Noctuidae) Synonym(s): *eberti* Hacker, 2001
- 4034) *Scythocentropus inquinata* (Mabilie, 1888) (Noctuidae) Synonym(s): *inquinata* Mabilie, 1888; *mercedes* Pinker, 1974

- 4035) *Scythris (canescens-gr.) curlettii* Bengtsson,1997 (Scythridae) Synonym(s): *curlettii* Bengtsson,1997
- 4036) *Scythris (canescens-gr.) eucharis* Walsingham,1907 (Scythridae) Synonym(s): *eucharis* Walsingham,1907; *elongatella* Lucas,1933; *halophilella* Amsel,1935; *lacteella* Caradja,1920
- 4037) *Scythris (canescens-gr.) tessulatella* Rebel,1903 (Scythridae) Synonym(s): *tessulatella* Rebel,1903
- 4038) *Scythris (Catascythris) kebirella* (Amsel,1935) (Scythridae) Synonym(s): *kebirella* Amsel,1935
- 4039) *Scythris (inclusella-gr.) inclusella* Lederer,1855 (Scythridae) Synonym(s): *inclusella* Lederer,1855; *subflabella* Stainton,1867
- 4040) *Scythris (inertella-gr.) inertella* (Zeller,1855) (Scythridae) Synonym(s): *inertella* Zeller,1855; *tangerensis* Stainton,1782; *gurdella* Christoph,1877; *orbidella* Chrétien,1901; *marionella* Walsingham,1907; *praeflava* Meyrick,1913; *hassenella* Chrétien,1915; *semialbicostella* Turati,1927
- 4041) *Scythris (monochreella-gr.) monochreella* Ragonot,1896 (Scythridae) Synonym(s): *monochreella* Ragonot,1896; *lychnitis* Meyrick,1918
- 4042) *Scythris (mus-gr.) mus* Walsingham,1898 (Scythridae) Synonym(s): *mus* Walsingham,1898; *talpella* Walsingham,1907; *blandella* Chrétien,1915; *griseomiscella* Turati,1924
- 4043) *Scythris (pascuella-gr.) albidella* (Stainton,1867) (Scythridae) Synonym(s): *albidella* Stainton,1867; *recreata* Meyrick,1925; *abdominalis* Turati,1926; *lemarchandella* Lucas,1950
- 4044) *Scythris (subfasciata-gr.) friedeli* Bengtsson,1997 (Scythridae) Synonym(s): *friedeli* Bengtsson,1997
- 4045) *Scythris biacutella* Bengtsson,2002 (Scythridae) Synonym(s): *biacutella* Bengtsson,2002
- 4046) *Scythris linnavuorii* Bengtsson,2005 (Scythridae) Synonym(s): *linnavuorii* Bengtsson,2005
- 4047) *Scythris nivicolor* Meyrick,1916 (Scythridae) Synonym(s): *nivicolor* Meyrick,1916
- 4048) *Scythris trinummulata* Meyrick,1922 (Scythridae) Synonym(s): *trinummulata* Meyrick,1922
- 4049) *Sehirus cypriacus* Dohrn,1860 (Cydnidae) Synonym(s): *cypriacus* Dohrn,1860
- 4050) *Sehirus delangrangei* Puton,1888 (Cydnidae) Synonym(s): *delangrangei* Puton,1888
- 4051) *Sehirus ovatus* (Herrich-Schäffer,1839) (Cydnidae) Synonym(s): *ovatus* Herrich-Schäffer,1839
- 4052) *Selenocephalus bytinskii* Lindberg,1953 (Cicadellidae) Synonym(s): *bytinskii* Lindberg,1953
- 4053) *Selenocephalus deserticola* Linnavuori,1962 (Cicadellidae) Synonym(s): *deserticola* Linnavuori,1962
- 4054) *Selenocephalus flavicosta* Linnavuori,1962 (Cicadellidae) Synonym(s): *flavicosta* Linnavuori,1962
- 4055) *Selenocephalus pallens* Lindberg,1948 (Cicadellidae) Synonym(s): *pallens* Lindberg,1948; *obscurus* Lindberg,1953
- 4056) *Selenocephalus pallidus* Kirschbaum,1868 (Cicadellidae) Synonym(s): *pallidus* Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos & Kalkandelen,1986
- 4057) *Selenocephalus striatus* (Lindberg,1953) (Cicadellidae) Synonym(s): *striatus* Lindberg,1953
- 4058) *Seleucia semirosella* Ragonot,1887 (Pyralidae) Synonym(s): *semirosella* Ragonot,1887
- 4059) *Selidosema combustarium* Püngeler,1904 (Geometridae) Synonym(s): *combustaria* Püngeler,1904
- 4060) *Semitocossus johannes* (Staudinger,1899) (Cossidae) Synonym(s): *johannes* Staudinger,1899; *striolatus* Rothschild,1912
- 4061) *Sepsis fulgens* Hoffmannsegg,1826 (Sepsidae) Synonym(s): *fulgens* Hoffmannsegg,1826
- 4062) *Sepsis violacea* Meigen,1826 (Sepsidae) Synonym(s): *violacea* Meigen,1826; *fuscipes* Roser,1840; *uncta* Becker,1913; *ciliforceps* Duda,1926; *schineri* Duda,1926
- 4063) *Sergentomyia (Parrotomyia) palestinensis* (Adler & Theodor,1927) (Psychodidae) Synonym(s): *palestinensis* Adler & Theodor,1927
- 4064) *Sergentomyia (Sintonius) tiberiadis* (Adler, Theodor & Lourie,1930) (Psychodidae) Synonym(s): *tiberiadis* Adler, Theodor & Lourie,1930
- 4065) *Sesamia cretica* Lederer,1857 (Noctuidae) Synonym(s): *cretica* Lederer,1857
- 4066) *Sesamia ilonae* Hacker,2001 (Noctuidae) Synonym(s): *ilonae* Hacker,2001
- 4067) *Sesamia nonagrioides* (Lefèbvre,1827) (Noctuidae) Synonym(s): *nonagrioides* Lefèbvre,1827; *hesperica* Rambur,1839; *sacchari* Wollaston,1858; *gracilis* Rebel,1898.
- 4068) *Setapius lindbergi* (Dlabola,1957) (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957
- 4069) *Sideridis (Dianthivora) implexa* (Hübner,[1809]) (Noctuidae) Synonym(s): *implexa* Hübner,[1809]; *falovi* Oberthür,1876
- 4070) *Sigara albiventris* (Horvath,1911) (Corixidae) Synonym(s): *albiventris* Horvath,1911
- 4071) *Simoma grahami* Aldrich,1926 (Tachinidae) Synonym(s): *grahami* Aldrich,1926
- 4072) *Simulium (Eusimulium) velutinum* (Santos Abreu,1922) (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962
- 4073) *Simulium (s.str.) bezzii* (Corti,1914) (Simuliidae) Synonym(s): *bezzii* Corti,1914; *delphinense* Villeneuve,1918; *tristrigatum* Enderlein,1921; *obscurum* Enderlein,1924; *kondici* Baranov,1926; *atlas* Séguay,1930; *crinitum* Rubtsov,1956; *gorjense* Dinulescu,1966; *graium* Courvert,1967
- 4074) *Simulium (s.str.) ornatum* Meigen,1818 (Simuliidae) Synonym(s): *ornatum* Meigen,1818; *fasciatum* Meigen,1830; *crassitarse* Macquart,1834; *tibiale* Macquart,1834; *pratorum* Friederichs,1920; *konsuloffi* Enderlein,1924; *babici* Baranov,1937; *borcici* Baranov,1937; *bartulici* Baranov,1937; *guelminoi* Baranov,1937; *nikolici* Baranov,1937; *anderlicei* Baranov,1937; *zagrebense* Baranov,1937; *barense* Baranov,1939; *arensae* Baranov,1940; *oblimum* Odintsov,1961; *amnis* Rubtsov,1962; *albifrons* Rubtsov,1967; *curvifila* Rivoisechi,1978
- 4075) *Simulium (Wilhelmia) bravermani* Beaucournu-Saguez,1986 (Simuliidae) Synonym(s): *bravermani* Beaucournu-Saguez,1986
- 4076) *Simulium (Wilhelmia) paraequinum* Puri,1933 (Simuliidae) Synonym(s): *paraequinum* Puri,1933; *transcaucasicum* Rubtsov,1956
- 4077) *Simulium (Wilhelmia) pseudequinum* Seguy,1921 (Simuliidae) Synonym(s): *pseudequinum* Seguy,1921; *canariense* Séguay,1921; *brnzense* Baranov,1924; *mediterraneum* Puri,1925; *stylatum* Baranov,1926; *quartum* Baranov,1926; *barbaricum* Séguay,1930; *sulfuricola* Rivoisechi,1972; *fluminicola* Rivoisechi,1972
- 4078) *Simyra dentinosa* Freyer,1839 (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 4079) *Sinechostictus (s.str.) elongatus* (Dejean,1831) (Carabidae) Synonym(s): *elongatus* Dejean,1831
- 4080) *Sinophorus xanthostomus* (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *xanthostomus* Gravenhorst,1829
- 4081) *Siphonellopsis lacteibasis* Strobl,1906 (Chloropidae) Synonym(s): *lacteibasis* Strobl,1906; *rossica* Nartshuk,1963
- 4082) *Siphunculina ornatifrons* (Loew,1858) (Chloropidae) Synonym(s): *ornatifrons* Loew,1858; *maculifrons* Becker,1903
- 4083) *Sitochroa concoloralis* (Lederer,1857) (Pyralidae) Synonym(s): *concoloralis* Lederer,1857
- 4084) *Sitochroa palealis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *? flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]

- 4085) *Slavum wertheimae* Hille Ris Lambers, 1957 (Aphididae) Synonym(s): *wertheimae* Hille Ris Lambers, 1957
- 4086) *Smaragdina clypealis* (Medvedev, 1992) (Chrysomelidae) Synonym(s): *clypealis* Medvedev, 1992
- 4087) *Smaragdina furthi* Erber & Medvedev, 1999 (Chrysomelidae) Synonym(s): *furthi* Erber & Medvedev, 1999
- 4088) *Smaragdina judaica* (Lefebvre, 1872) (Chrysomelidae) Synonym(s): *judaica* Lefebvre, 1872
- 4089) *Smaragdina tibialis* (Brullé, 1832) (Chrysomelidae) Synonym(s): *tibialis* Brullé, 1832
- 4090) *Smaragdina viridana* (Lacordaire, 1848) (Chrysomelidae) Synonym(s): *viridana* Lacordaire, 1848
- 4091) *Sogatella vibix* (Haupt, 1927) (Delphacidae) Synonym(s): *furcata* Matsumura, 1910; *vibix* Haupt, 1927; *matsumurana* Metcalf, 1943; *longifurcifera* Esaki & Ishihara, 1947; *panicola* Ishihara, 1949; *dogensis* Ishihara, 1952; *catoptron* Fennah, 1963; *parakolophon* Linnavuori, 1973; *diachenhea* Kuoh, 1977
- 4092) *Solenoxyphus adpersus* (Reuter, 1904) (Miridae) Synonym(s): *adpersus* Reuter, 1904; *barbatus* E. Wagner, 1951
- 4093) *Solenoxyphus fuscovenosus* (Fieber, 1864) (Miridae) Synonym(s): *fuscovenosus* Fieber, 1864; *halimocnemis* Becker, 1864; *crassipes* Reuter, 1879; *reticulatus* Reuter, 1900; *#cruenta* Stichel, 1956
- 4094) *Solter vartianae* Hölzel, 1967 (Myrmeleonidae) Synonym(s): *vartianae* Hölzel, 1967
- 4095) *Sophronia sagittans* Meyrick, 1923 (Gelechiidae) Synonym(s): *sagittans* Meyrick, 1923
- 4096) *Spallanzania hebes* (Fallén, 1820) (Tachinidae) Synonym(s): *hebes* Fallén, 1820; *pansa* Snow, 1895
- 4097) *Spallanzania rectistylum* Macquart, 1847 (Tachinidae) Synonym(s): *rectistylum* Macquart, 1847
- 4098) *Spathulina sricula* Rondani, 1856 (Tephritidae) Synonym(s): *sricula* Rondani, 1856; *tristis* Loew, 1869; *luisieri* Tavares, 1901; *sepia* Becker, 1908
- 4099) *Specafrons cypria* Nartshuk, 1990 (Chloropidae) Synonym(s): *cypria* Nartshuk, 1990
- 4100) *Spercheus cerisyi* Guérin-Ménéville (Spercheidae) Synonym(s):
- 4101) *Sphecodes olivieri* Lepeletier, 1825 (Halictidae) Synonym(s): *olivieri* Lepeletier, 1825
- 4102) *Sphecodes pinguiculus* Pérez, 1903 (Halictidae) Synonym(s): *pinguiculus* Pérez, 1903; *sareptensis* Meyer, 1922
- 4103) *Sphegolestes annulatus* Linnavuori, 1961 (Reduviidae) Synonym(s): *annulatus* Linnavuori, 1961
- 4104) *Sphegolestes pulchellus* (Klug, 1830) (Reduviidae) Synonym(s): *pulchellus* Klug, 1830
- 4105) *Sphenella marginata* (Fallén, 1814) (Tephritidae) Synonym(s): *marginata* Fallén, 1814
- 4106) *Sphex flavipennis* Fabricius, 1793 (Sphecidae) Synonym(s): *flavipennis* Fabricius, 1793; *rufocinctus* Brullé, 1833; *bicolor* Dahlbom, 1845; *cinereorufocinctus* Dahlbom, 1845; *sellae* Gribodo, 1873; *rufodorsatus* DeStefani, 1887
- 4107) *Sphingonotus gorgoniades* (Hübner, [1819]) (Sphingidae) Synonym(s): *gorgon* Esper, [1804] *nec* Cr., 1777; *gorgoniades* Hübner, [1819]; *chloroptera* von Mentzer, 1974.
- 4108) *Sphingonotus* (s.str.) *octofasciatus* Audinet-Serville, 1839 (Acrididae) Synonym(s): *octofasciatus* Audinet-Serville, 1839; *kittaryi* Saussure, 1884; *#octapfasciatus* Abashidze, 2002
- 4109) *Sphodromantis viridis* (Forsk., 1775) (Mantidae) Synonym(s): *viridis* Forsk., 1775; *guttata* Thunberg, 1815; *bimaculata* Burmeister, 1838; *bioculata* Burmeister, 1838; *vischeri* Werner, 1933
- 4110) *Sphodromerus sacer* (Giglio-Tos, 1893) (Acrididae) Synonym(s): *sacer* Giglio-Tos, 1893
- 4111) *Sphodromerus starcki* Harz, 1985 (Acrididae) Synonym(s): *starcki* Harz, 1985
- 4112) *Spialia* (Neospialia) *orbifer* (Hübner, [1823]) (Hesperiidae) Synonym(s): *orbifer* Hübner, [1823]; *tesselloides* Herrich-Schäffer, [1845].
- 4113) *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer, [1845]) (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer, [1845]; *eupator* Hemming, 1932; *kiki* Higgins, 1974.
- 4114) *Spodoptera cilium* Guenée, 1852 (Noctuidae) Synonym(s): *cilium* Guenée, 1852; *cycloides* Guenée, 1852; *capicola* Herrich-Schäffer, [1854]; *latebrosa* Lederer, 1855; *insignata* Walker, 1857; *orbicularis* Walker, 1857; *praeterita* Walker, 1857; *procedens* Walker, 1857; *obliterans* Walker, 1862; *infixa* Walker, 1862; *insulsa* Walker, 1865; *imperviata* Walker, 1865; *retrahens* Walker, 1870.
- 4115) *Spodoptera exiguum* (Hübner, [1808]) (Noctuidae) Synonym(s): *exigua* Hübner, [1808]; *fulgens* Geyer, [1832]; *pygmaea* Rambur, 1834; *junceti* Zeller, 1847; *caradrinoides* Walker, 1856; *flavimaculata* Harvey, 1876; *venosa* Butler, 1880; *sebhana* Austaut, 1880; *antipodea* W. Warren, 1914; *protector* De Laever, 1985.
- 4116) *Spodoptera littoralis* (Boisduval, 1833) (Noctuidae) Synonym(s): *littoralis* Boisduval, 1833; *retina* Freyer, 1845; *testaceoides* Guenée, 1852; *metriodes* Bethune-Baker, 1911.
- 4117) *Spogostylum arenivagum* (Austen, 1937) (Bombyliidae) Synonym(s): *arenivagum* Austen, 1937
- 4118) *Spogostylum griseipenne* (Macquart, 1850) (Bombyliidae) Synonym(s): *griseipenne* Macquart, 1850
- 4119) *Spogostylum hippolytum* (Wiedemann, 1828) (Bombyliidae) Synonym(s): *hippolytum* Wiedemann, 1828; *dedecor* Hermann, 1907
- 4120) *Spogostylum isis* (Meigen, 1820) (Bombyliidae) Synonym(s): *isis* Meigen, 1820; *subnotata* Walker, 1871 *nec* Wied., 1820
- 4121) *Spogostylum niphas* (Hermann, 1907) (Bombyliidae) Synonym(s): *niphas* Hermann, 1907; *bilineata* Engel, 1936
- 4122) *Spogostylum ocyale* (Wiedemann, 1828) (Bombyliidae) Synonym(s): *ocyale* Wiedemann, 1828; *umbra* Walker, 1849; *arugotense* Zaitzev, 1997
- 4123) *Spogostylum perpusillum* (Austen, 1937) (Bombyliidae) Synonym(s): *perpusillum* Austen, 1937
- 4124) *Spogostylum tripunctatum* (Wiedemann, 1820) (Bombyliidae) Synonym(s): *tripunctatum* Wiedemann, 1820; *difficilis* Wiedemann, 1820; *mystaceum* Macquart, 1840
- 4125) *Spogostylum turcmenicum* (Paramonov, 1927) (Bombyliidae) Synonym(s): *turcmenicum* Paramonov, 1927
- 4126) *Spogostylum zaitzevi* Evenhuis & Greathead, 1999 (Bombyliidae) Synonym(s): *punctipennis* Zaitzev, 1961 *nec* Wiedem., 1821; *zaitzevi* Evenhuis & Greathead, 1999; *#zaitzev* Dils & Özbek, 2006
- 4127) *Spoladea recurvalis* (Fabricius, 1775) (Pyralidae) Synonym(s): *recurvalis* Fabricius, 1775; *fascialis* Cramer, [1782]; *recurvella* Zincken, 1818; *diffascialis* Hübner, [1825]; *albifascialis* Boisduval, 1833; *animalis* Guenée, 1854; *exodias* Meyrick, 1904; *formosana* Shiraki, 1910.
- 4128) *Spudaea castanea* Osthelder, 1933 (Noctuidae) Synonym(s): *#castanea* W. Warren, 1911; *castanea* Osthelder, 1933; *pontica* Kljutschko, 1968
- 4129) *Stagmatophora auriferella* (Walker, 1864) (Cosmopterigidae) Synonym(s): *auriferella* Walker, 1864
- 4130) *Stagonomus amoenus* (Brullé, 1832) (Pentatomidae) Synonym(s): *amoenus* Brullé, 1832
- 4131) *Stagonomus bipunctatus* (Linnaeus, 1758) (Pentatomidae) Synonym(s): *bipunctatus* Linnaeus, 1758
- 4132) *Standfussiana defessa* (Lederer, 1858) (Noctuidae) Synonym(s): *defessa* Lederer, 1858
- 4133) *Stangeia siceliota* (Zeller, 1847) (Pterophoridae) Synonym(s): *siceliota* Zeller, 1847; *ononidis* Zeller, 1852; *ononydactyla* Bruand, 1858; *siceliotidactyla* Bruand, 1858.
- 4134) *Staria lunata* (Hahn, 1835) (Pentatomidae) Synonym(s): *lunata* Hahn, 1835; *lobulatus* Rambur, 1839; *maroccana* Lindberg, 1932; *levantinae* Fuente, 1972
- 4135) *Stathmopoda auriferella* (Walker, 1864) (Stathmopodidae) Synonym(s): *auriferella* Walker, 1864; *divisa* Walsingham, 1891; *ischnotis* Meyrick, 1897; *crocophanes* Meyrick, 1897; *theoris* Meyrick, 1906; *tharsalea* Meyrick, 1914; *adulatrix* Meyrick, 1917; *cirrhapis* Meyrick, 1922

- 4136) *Staudingeria* (s.str.) *brunneella* Chrétien, 1911 (Pyrilidae) Synonym(s): *brunneella* Chrétien, 1911
- 4137) *Staudingeria* (s.str.) *deserticola* (Staudinger, 1870) (Pyrilidae) Synonym(s): *deserticola* Staudinger, 1870
- 4138) *Staudingeria* (s.str.) *eremicola* (Amsel, 1935) (Pyrilidae) Synonym(s): *eremicola* Amsel, 1935; *#nigricella* Amsel, 1959.
- 4139) *Staudingeria* (s.str.) *partitella* Ragonot, 1887 (Pyrilidae) Synonym(s): *partitella* Ragonot, 1887; *adustella* Ragonot, 1887; *fractifasciella* Ragonot, 1890; *kebiliella* Lucas, 1909; *combustella* Chrétien, 1910.
- 4140) *Staudingeria* (s.str.) *yerburi* (Butler, 1884) (Pyrilidae) Synonym(s): *yerburi* Butler, 1884; *labeculella* Ragonot, 1887; *innotalis* Hampson, 1899; *costalbella* Mabil, 1906; *rubronervella* Mabil, 1906; *pallidicostella* Chrétien, 1910; *pruinosa* Chrétien, 1911; *vinosparsella* Turati, 1924; *ruehli* Gozmany, 1959; *khuzistanella* Amsel, 1959; *benderella* Amsel, 1961
- 4141) *Stefaniola caulicola* Möhn, 1971 (Cecidomyiidae) Synonym(s): *caulicola* Möhn, 1971
- 4142) *Stefaniola fistula* Möhn, 1971 (Cecidomyiidae) Synonym(s): *fistula* Möhn, 1971
- 4143) *Stefaniola folicola* Möhn, 1971 (Cecidomyiidae) Synonym(s): *folicola* Möhn, 1971
- 4144) *Stefaniola gloma* Möhn, 1971 (Cecidomyiidae) Synonym(s): *gloma* Möhn, 1971
- 4145) *Stefaniola opulenta* Möhn, 1971 (Cecidomyiidae) Synonym(s): *opulenta* Möhn, 1971
- 4146) *Stefaniola vastita* Möhn, 1971 (Cecidomyiidae) Synonym(s): *vastita* Möhn, 1971
- 4147) *Stegelytra albofasciata* Linnavuori, 1962 (Cicadellidae) Synonym(s): *albofasciata* Linnavuori, 1962
- 4148) *Stelis* (s.str.) *denticulata* Friese, 1899 (Megachilidae) Synonym(s): *denticulata* Friese, 1899; *wahrmanni* Mavromoustakis, 1954
- 4149) *Stelis* (s.str.) *phaeoptera* (Kirby, 1802) (Megachilidae) Synonym(s): *phaeoptera* Kirby, 1802
- 4150) *Stelis* (s.str.) *signata* (Latreille, 1809) (Megachilidae) Synonym(s): *signata* Latreille, 1809
- 4151) *Stelis* (Stelidomorpha) *aegyptiaca* (Radoszkowski, 1876) (Megachilidae) Synonym(s): *aegyptiaca* Radoszkowski, 1876; *vachali* Perez, 1895
- 4152) *Stelis* (Stelidomorpha) *nasuta* (Latreille, 1809) (Megachilidae) Synonym(s): *nasuta* Latreille, 1809
- 4153) *Stelis* (Stelidomorpha) *pentelica* Mavromoustakis, 1963 (Megachilidae) Synonym(s): *pentelica* Mavromoustakis, 1963; *bicornuta* Pasteels, 1969
- 4154) *Stenares irroratus* Navas, 1912 (Myrmeleionidae) Synonym(s): *irroratus* Navas, 1912
- 4155) *Stenocranus pallidus* Linnavuori, 1962 (Delphacidae) Synonym(s): *pallidus* Linnavuori, 1962
- 4156) *Stenodera caucasica* (Pallas, 1781) (Meloidae) Synonym(s): *caucasica* Pallas, 1781
- 4157) *Stenodera puncticollis* (Chevrolat, 1829) (Meloidae) Synonym(s): *puncticollis* Chevrolat, 1829
- 4158) *Stenoheriades asiaticus* (Friese, 1921) (Megachilidae) Synonym(s): *asiaticus* Friese, 1921; *coelostoma* Benoist, 1935
- 4159) *Stenoheriades eingeddicus* Griswold, 1994 (Megachilidae) Synonym(s): *eingeddicus* Griswold, 1994
- 4160) *Stenomutilla* (s.str.) *bizonata* (Smith, 1856) (Mutillidae) Synonym(s): *bizonata* Smith, 1856
- 4161) *Stenopogon elongatus* (Meigen, 1804) (Asilidae) Synonym(s): *elongatus* Meigen, 1804
- 4162) *Stenopogon heteroneurus* (Macquart, 1838) (Asilidae) Synonym(s): *heteroneurus* Macquart, 1838
- 4163) *Stenopogon juncus* (Wiedemann, 1820) (Asilidae) Synonym(s): *juncus* Wiedemann, 1820; *tanygastrus* Loew, 1861
- 4164) *Stenopogon rufescens* Theodor, 1980 (Asilidae) Synonym(s): *rufescens* Theodor, 1980
- 4165) *Stenopterus flavicornis* Küster, 1846 (Cerambycidae) Synonym(s): *flavicornis* Küster, 1846; *procerus* A. Costa, 1855
- 4166) *Stenopterus rufus* (Linnaeus, 1767) (Cerambycidae) Synonym(s): *rufus* Linnaeus, 1767; *attenuatus* Geoffroy, 1785
- 4167) *Stenoptilia arida* (Zeller, 1847) (Pterophoridae) Synonym(s): *arida* Zeller, 1847; *oxyactis* Meyrick, 1921; *elkefi* Arenberger, 1984; *kopetdagi* Zagulyaev, 2002
- 4168) *Stenoptilia bipunctidactyla* (Scopoli, 1763) (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli, 1763; *mictodactyla* [Denis & Schiffermüller], 1775; *#pallida* Tutt, 1906; *arida* Caradja, 1920 nec Zell., 1847.
- 4169) *Stenoptilia serotina* (Zeller, 1852) (Pterophoridae) Synonym(s): *serotina* Zeller, 1852; *picardi* Gibeaux, 1986.
- 4170) *Stenoptilia stigmatodactyla* (Zeller, 1852) (Pterophoridae) Synonym(s): *stigmatodactyla* Zeller, 1852
- 4171) *Stenoptilia zophodactyla* (Duponchel, 1838) (Pterophoridae) Synonym(s): *zophodactyla* Duponchel, 1838; *loewii* Zeller, 1847; *oreodactyla* Bruand, 1850; *loividactyla* Bruand, 1859; *canalis* Walker, 1864; *semicostatus* Zeller, 1873.
- 4172) *Stenoptilodes taprobanes* (R. Felder & Rogenhofer, 1875) (Pterophoridae) Synonym(s): *taprobanes* R. Felder & Rogenhofer, 1875; *brachymorpha* Meyrick, 1888; *seeboldi* Hofmann, 1898; *crenolata* Barnes & McDunnough, 1913; *phaenicoactyla* Chrétien, 1915; *terlizzii* Turati, 1926; *zavattarii* Hartig, 1953; *legrandi* Bigot, 1962.
- 4173) *Stenosis fulvipes* Reiche & Sauley, 1857 (Tenebrionidae) Synonym(s): *fulvipes* Reiche & Sauley, 1857
- 4174) *Stenovalva disclusa* (Meyrick, 1923) (Gelechiidae) Synonym(s): *disclusa* Meyrick, 1923; *ghorella* Amsel, 1955.
- 4175) *Stephanitis oschanini* Vasiliev, 1935 (Tingidae) Synonym(s): *oschanini* Vasiliev, 1935; *hoberlandti* Lis, 2002
- 4176) *Stevenia angustifrons* Villeneuve, 1912 (Rhinophoridae) Synonym(s): *angustifrons* Villeneuve, 1912
- 4177) *Stevenia flaviventris* Kugler, 1978 (Rhinophoridae) Synonym(s): *flaviventris* Kugler, 1978
- 4178) *Stevenia hertingi* Kugler, 1978 (Rhinophoridae) Synonym(s): *hertingi* Kugler, 1978
- 4179) *Stevenia kugleri* Herting, 1961 (Rhinophoridae) Synonym(s): *kugleri* Herting, 1961
- 4180) *Stichopogon albellus* Loew, 1856 (Asilidae) Synonym(s): *albellus* Loew, 1856
- 4181) *Stichopogon chrysostoma* Schiner, 1867 (Asilidae) Synonym(s): *chrysostoma* Schiner, 1867; *lucdiventria* Becker, 1902
- 4182) *Stichopogon elegantulus* (Wiedemann, 1820) (Asilidae) Synonym(s): *elegantulus* Wiedemann, 1820
- 4183) *Stictopleurus crassicornis* (Linnaeus, 1758) (Rhopalidae) Synonym(s): *crassicornis* Linnaeus, 1758
- 4184) *Stictopleurus pictus* (Fieber, 1861) (Rhopalidae) Synonym(s): *pictus* Fieber, 1861
- 4185) *Stictopleurus riveti* Royer, 1923 (Rhopalidae) Synonym(s): *riveti* Royer, 1923
- 4186) *Stigmella cocciferae* Nieukerken & Johansson, 2003 (Nepticulidae) Synonym(s): *cocciferae* Nieukerken & Johansson, 2003
- 4187) *Stigmella ruficapitella* (Haworth, [1828]) (Nepticulidae) Synonym(s): *ruficapitella* Haworth, [1828]; ? *violacella* Haworth, [1828]; *lamprotornella* Bruand, 1859
- 4188) *Stilbia syriaca* Staudinger, 1892 (Noctuidae) Synonym(s): *syriaca* Staudinger, 1892
- 4189) *Stilbina* (s.str.) *hypaenides* Staudinger, 1892 (Noctuidae) Synonym(s): *hypaenides* Staudinger, 1892
- 4190) *Stilbula vitripennis* Masi, 1934 (Eucharidae) Synonym(s): *vitripennis* Masi, 1934
- 4191) *Stiphrolamyra rubicunda* Oldroyd, 1947 (Asilidae) Synonym(s): *rubicunda* Oldroyd, 1947
- 4192) *Stiphrolamyra sinaitica* Theodor, 1980 (Asilidae) Synonym(s): *sinaitica* Theodor, 1980
- 4193) *Stiphrometasia sancta* (Hampson, 1900) (Pyrilidae) Synonym(s): *sancta* Hampson, 1900; *alba* Caradja, 1917.
- 4194) *Stizoides assimilis* (Fabricius, 1787) (Crabronidae) Synonym(s): *assimilis* Fabricius, 1787; *fasciata* Fabricius, 1798; *calopteryx* Handlirsch, 1892; *poecilopterus* Handlirsch, 1892; *egregius* Gussakovski, 1928
- 4195) *Stizoides crassicornis* (Fabricius, 1787) (Crabronidae) Synonym(s): *crassicornis* Fabricius, 1787; *rufipes* Olivier, 1789; *alienus* Fischer v. Waldheim, 1843; *fulvipes* Eversmann, 1846
- 4196) *Stizoides melanopterus* (Dahlbom, 1845) (Crabronidae) Synonym(s): *melanopterus* Dahlbom, 1845; *concolor* Eversmann, 1849

- 4197) **Stizoides tridentatus (Fabricius,1775)** (Crabronidae) Synonym(s): *tridentatus* Fabricius,1775; *bifasciata* Fabricius,1798; *unifasciatus* Radoszkowski,1877
- 4198) **Stomina iners (Meigen,1838)** (Tachinidae) Synonym(s): *iners* Meigen,1838
- 4199) **Stomopteryx remissella (Zeller,1847)** (Gelechiidae) Synonym(s): *remissella* Zeller,1847
- 4200) **Stomoxys calcitrans (Linnaeus,1758)** (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758
- 4201) **Stomphastis conflua (Meyrick,1914)** (Gracillariidae) Synonym(s): *conflua* Meyrick,1914
- 4202) **Stomylomyia europaea (Loew,1869)** (Bombyliidae) Synonym(s): *europaea* Loew,1869; *leonina* Bigot,1887
- 4203) **Stomylomyia nigrirostris Bezzi,1925** (Bombyliidae) Synonym(s): *nigrirostris* Bezzi,1925
- 4204) **Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cypria* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941
- 4205) **Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinis* Lindner,1937; *flavoscutella* Lindner,1940
- 4206) **Strobilotoma typhaecornis (Fabricius,1803)** (Coreidae) Synonym(s): *typhaecornis* Fabricius,1803; *clavicornis* Fabricius,1803; *genei* Spinola,1837; *obscurus* Herrich-Schäffer,1840; *divergens* Reuter,1900
- 4207) **Stueningia poggearia (Lederer,1855)** (Geometridae) Synonym(s): *poggearia* Lederer,1855
- 4208) **Sturmia bella (Meigen,1824)** (Tachinidae) Synonym(s): *bella* Meigen,1824
- 4209) **Stymphalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914
- 4210) **Suhpalasca fuscostigma Navas,1925** (Ascalaphidae) Synonym(s): *fuscostigma* Navas,1925
- 4211) **Sultania lophotalis (Hampson,1900)** (Pyralidae) Synonym(s): *lophotalis* Hampson,1900
- 4212) **Susia uberalis (Swinhoe,1884)** (Pyralidae) Synonym(s): *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968.
- 4213) **Sybistroma golanica (Gricharov,2000)** (Dolichopodidae) Synonym(s): *golanica* Gricharov,2000
- 4214) **Sybistroma impar (Rondani,1843)** (Dolichopodidae) Synonym(s): *impar* Rondani,1843
- 4215) **Sybistroma israelensis (Grichanov,2000)** (Dolichopodidae) Synonym(s): *israelensis* Grichanov,2000
- 4216) **Sybistroma nodicornis Meigen,1824** (Dolichopodidae) Synonym(s): *nodicornis* Meigen,1824; *wiedemanni* Rondani,1843
- 4217) **Symmecantha sparsella (De Joannis,1891)** (Autostichidae) Synonym(s): *sparsella* De Joannis,1891.
- 4218) **Sympiesis sericeicornis (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): *sericeicornis* Nees ab Esenbeck,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massassoit* Crawford *fulvipes* Györfi,1941
- 4219) **Symplecta (Psiloconopa) stictica (Meigen,1818)** (Limoniidae) Synonym(s): *stictica* Meigen,1818
- 4220) **Symplecta (s.str.) hybrida (Meigen,1804)** (Limoniidae) Synonym(s): *hybrida* Meigen,1804; *punctipennis* De Meijere,1920
- 4221) **Symplecta (Trimicra) pilipes (Fabricius,1787)** (Limoniidae) Synonym(s): *pilipes* Fabricius,1787
- 4222) **Sympycnus simpliceps Becker,1908** (Dolichopodidae) Synonym(s): *simpliceps* Becker,1908
- 4223) **Synaphe chellalalis (Hampson,1900)** (Pyralidae) Synonym(s): *chellalalis* Hampson,1900
- 4224) **Synaphe morbidalis (Guenée,1849)** (Pyralidae) Synonym(s): *morbidalis* Guenée,1849
- 4225) **Synaphe punctalis (Fabricius,1775)** (Pyralidae) Synonym(s): *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775.
- 4226) **Synaphe syriaca (Rebel,1903)** (Pyralidae) Synonym(s): *syriaca* Rebel,1903
- 4227) **Synaphe uxorialis (Lederer,1858)** (Pyralidae) Synonym(s): *uxorialis* Lederer,1858
- 4228) **Synclera traducalis (Zeller,1852)** (Pyralidae) Synonym(s): *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatinalis* Guenée,1862
- 4229) **Syncopacma polychromella (Rebel,1902)** (Gelechiidae) Synonym(s): *polychromella* Rebel,1902; *rebeliella* Caradja,1920; *argyrobiella* Caradja,1920
- 4230) **Syncopacma telaviviella (Amsel,1933)** (Gelechiidae) Synonym(s): *telaviviella* Amsel,1933
- 4231) **Syneuodynerus egregius (Herrich-Schäffer,1839)** (Vespididae) Synonym(s): *egregius* Herrich-Schäffer,1839
- 4232) **Synophryopsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926
- 4233) **Synthesiomia nudiseta (Wulp,1883)** (Muscidae) Synonym(s): *nudiseta* Wulp,1883
- 4234) **Syntormon denticulatum (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *denticulatus* Zetterstedt,1843; *aculeatus* Zetterstedt,1843; *biseriatus* Loew,1850; *pumilus* Parent,1925
- 4235) **Syntormon miki Strobl,1899** (Dolichopodidae) Synonym(s): *miki* Strobl,1899
- 4236) **Syntormon pallipes (Fabricius,1794)** (Dolichopodidae) Synonym(s): *pallipes* Fabricius,1794; *hamatus* Zetterstedt,1843; *pseudospicatus* Strobl,1899; *immaculatus* Santos Abreu,1929
- 4237) **Syntormon pumilum (Meigen,1824)** (Dolichopodidae) Synonym(s): *pumilus* Meigen,1824; *rufipes* Meigen,1824; *longiseta* Zetterstedt,1843; *pumilio* Zetterstedt,1859; *pusillus* Zetterstedt,1859; *tridens* Becker,1918
- 4238) **Syntormon subinermis (Loew,1869)** (Dolichopodidae) Synonym(s): *subinermis* Loew,1869
- 4239) **Synuchus (Synuchus) vivalis Illiger,1798** (Carabidae) Synonym(s): *vivalis* Illiger,1798
- 4240) **Syringopais temperatella (Lederer,1855)** (Deoclonidae) Synonym(s): *temperatella* Lederer,1855; *fuscofasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920
- 4241) **Syrista parreyssii (Spinola,1843)** (Cephidae) Synonym(s): *parreyssii* Spinola,1843
- 4242) **Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767; *quadratus* Fabricius,1775; *sinuata* Fieber,1861; *fusca* Vidal,1936
- 4243) **Systemus pallipes (Von Roser,1840)** (Dolichopodidae) Synonym(s): *pallipes* Von Roser,1840; *adpropinquans* Loew,1857; *pallidus* Vaillant,1978
- 4244) **Systemus vasilii Grichanov,2002** (Dolichopodidae) Synonym(s): *vasilii* Grichanov,2002
- 4245) **Systoechus ctenopterus (Mikan,1796)** (Bombyliidae) Synonym(s): *ctenopterus* Mikan,1796; *sulphureus* Mikan,1796; *aurulentus* Wiedemann,1820; *fulvus* Meigen,1820; *dalmatinus* Loew,1855; *convergens* Loew,1855; *orientalis* Zakhvatkin,1954
- 4246) **Systoechus pallidipilosus Austen,1937** (Bombyliidae) Synonym(s): *pallidipilosus* Austen,1937
- 4247) **Systropha (s.str.) hirsuta Spinola,1839** (Halictidae) Synonym(s): *hirsuta* Spinola,1839; *christae* Warncke,1992
- 4248) **Systropha (s.str.) planidens Giraud,1861** (Halictidae) Synonym(s): *planidens* Giraud,1861; *chrysura* Pérez,1905; *grandimargo* Pérez,1905; *anatolica* Warncke,1977
- 4249) **Tabanus accensus Austen,1920** (Tabanidae) Synonym(s): *accensus* Austen,1920
- 4250) **Tabanus albifacies Loew,1856** (Tabanidae) Synonym(s): *albifacies* Loew,1856; *politus* Walker,1871
- 4251) **Tabanus camelarius Austen,1911** (Tabanidae) Synonym(s): *camelarius* Austen,1911

- 4252) *Tabanus eggeri* Schiner, 1868** (Tabanidae) Synonym(s): *intermedius* Egger, 1859 nec Wlk., 1848; *eggeri* Schiner, 1868; *luizae* Dias, 1980
- 4253) *Tabanus leleani* Austen, 1920** (Tabanidae) Synonym(s): *leleani* Austen, 1920; *pallidus* Olsufjev, 1937 nec P.B., 1809; *turkestanicus* Olsufjev, 1970
- 4254) *Tabanus lunatus* Fabricius, 1794** (Tabanidae) Synonym(s): *lunatus* Fabricius, 1794; *algiricus* Thunberg, 1827; *wideri* Jaennicke, 1866; *syriacus* Szilady, 1923; *rufus* Szilady, 1923; *politus* Szilady, 1923; *farinosus* Szilady, 1923; *algeriensis* Peus, 1980; *levantinus* Peus, 1980
- 4255) *Tabanus nemoralis* Meigen, 1820** (Tabanidae) Synonym(s): *nemoralis* Meigen, 1820; *barbarus* Thunberg, 1827 (*praeocc.*); *batnensis* Bigot, 1892; *calopis* Bigot, 1892; *ruficornis* Surcouf, 1920; *algericus* Enderlein, 1931
- 4256) *Tabanus pallidipes* Austen, 1920** (Tabanidae) Synonym(s): *pallidipes* Austen, 1920
- 4257) *Tabanus regularis* Jaennicke, 1866** (Tabanidae) Synonym(s): *regularis* Jaennicke, 1866; *rufus* Szilady, 1923 nec Scop., 1763; *#regluaris* Kılıç, 1999
- 4258) *Tabanus rupinae* Austen, 1920** (Tabanidae) Synonym(s): *rupinae* Austen, 1920
- 4259) *Tabanus sufis* Jaennicke, 1867** (Tabanidae) Synonym(s): *sufis* Jaennicke, 1867; *alboventralis* Newstead, 1907; *lacteipennis* Becker, 1913
- 4260) *Tabanus syriacus* Kröber, 1925** (Tabanidae) Synonym(s): *syriacus* Kröber, 1925
- 4261) *Tabanus unifasciatus* Loew, 1858** (Tabanidae) Synonym(s): *unifasciatus* Loew, 1858; *albescens* Kröber, 1928
- 4262) *Tabulaephorus parthicus* (Lederer, 1870)** (Pterophoridae) Synonym(s): *parthicus* Lederer, 1870
- 4263) *Tachina (Echinogaster) praeceps* Meigen, 1824** (Tachinidae) Synonym(s): *praeceps* Meigen, 1824; *argentifrons* Macquart, 1835; *pusilla* Macquart, 1845; *fuscanipennis* Macquart, 1845; *alpicola* Rondani, 1861; *tricondyla* Rondani, 1868; *roederi* Giglio-Tos, 1891; *similis* Giglio-Tos, 1891
- 4264) *Tachina (Eudoromyia) fera* (Linnaeus, 1761)** (Tachinidae) Synonym(s): *fera* Linnaeus, 1761
- 4265) *Tachina (Eudoromyia) magnicornis* Zetterstedt, 1844** (Tachinidae) Synonym(s): *tessellata* Fabricius, 1794; *magnicornis* Zetterstedt, 1844; *conjugata* Rondani, 1859; *dispersa* Giglio-Tos, 1891; *friedrichi* Wachtl, 1894; *vernalis* R-D.; *satanas* Zimin, 1935
- 4266) *Tachorga recurviceps* (Linnavuori, 1956)** (Dictyopharidae) Synonym(s): *recurviceps* Linnavuori, 1956
- 4267) *Tachycixius desertorum* (Fieber, 1876)** (Cixiidae) Synonym(s): *desertorum* Fieber, 1876
- 4268) *Tachycixius perarmatus* (Linnavuori, 1962)** (Cixiidae) Synonym(s): *perarmatus* Linnavuori, 1962
- 4269) *Tachytrechus notatus* (Stannius, 1831)** (Dolichopodidae) Synonym(s): *notatus* Stannius, 1831; *litoreus* Haliday, 1833; *obscuripes* Gertaeker, 1864; *beckeri* Müller, 1923
- 4270) *Tachytrechus planitarsis* Becker, 1907** (Dolichopodidae) Synonym(s): *planitarsis* Becker, 1907
- 4271) *Tachytrechus tessellatus* (Macquart, 1842)** (Dolichopodidae) Synonym(s): *tessellatus* Macquart, 1842; *indirectus* Walker, 1849; *picticornis* Bigot, 1890; *salinarius* Becker, 1902; *seychellensis* Lamb, 1922; *capensis* Curran, 1924; *ponderosus* Frey, 1958
- 4272) *Tamaricella adspersa* (Haupt, 1927)** (Cicadellidae) Synonym(s): *adspersa* Haupt, 1927
- 4273) *Tamaricella complicata* Dworakowska, 1972** (Cicadellidae) Synonym(s): *complicata* Dworakowska, 1972
- 4274) *Tamaricella cypria* (Ribaut, 1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut, 1948
- 4275) *Tamaricella tamaricis* (Puton, 1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton, 1872; *subpunctata* Vilbaste, 1961
- 4276) *Tamaricella tangigharuha* (Dlabola, 1957)** (Cicadellidae) Synonym(s): *tangigharuha* Dlabola, 1957
- 4277) *Tamerlanella kurnubiensis* (Guiglia, 1963)** (Tiphidae) Synonym(s): *kurnubiensis* Guiglia, 1963
- 4278) *Tarisa fraudatrix* Horvath, 1891** (Pentatomidae) Synonym(s): *fraudatrix* Horvath, 1891; *chloris* Horvath, 1904
- 4279) *Tarisa virescens* Herrich-Schäffer, 1851** (Pentatomidae) Synonym(s): *virescens* Herrich-Schäffer, 1851; *notoceras* Kolenati, 1857
- 4280) *Tarucus (s.str.) balkanicus* (Freyer, [1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer, [1843]
- 4281) *Tathorhynchus exsiccatus* (Lederer, 1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer, 1855; *vinctalis* Walker, [1866]; *angustiorata* Grote, 1882; *fallax* Swinhoe, 1902; *#exiccata* Wiltshire, 1941; *greuteri* Koutsaftikis, 1973
- 4282) *Tebenna bjerkanarella* (Borgström, 1784)** (Choreutidae) Synonym(s): *cardui* Ström, 1783; *bjerkanarella* Borgström, 1784; *prunnerella* Rossi, 1794; *vibrana* Hübner, [1813]; *fibrana* Hübner, [1825]; *pretiosana* Duponchel, 1842; *vibralis* Treitschke, 1835; *australis* Zeller, 1857; *kawabei* Arita, 1975
- 4283) *Teinoptera culminifera* Calberla, 1891** (Noctuidae) Synonym(s): *culminifera* Calberla, 1891; *kraussi* Rebel, 1895
- 4284) *Teinoptera gafsana* (Blachier, 1905)** (Noctuidae) Synonym(s): *gafsana* Blachier, 1905; *gassana* Hampson, 1906; *albina* A.Bang-Haas, 1907; *pianii* C.G.Kruger, 1933
- 4285) *Teleiodes squamodorella* (Amsel, 1935)** (Gelechiidae) Synonym(s): *squamodorella* Amsel, 1935
- 4286) *Teleiopsis sarcochroma* (Walsingham, 1900)** (Gelechiidae) Synonym(s): *sarcochroma* Walsingham, 1900; *nigrorosea* Walsingham, 1904; *hessi* Amsel, 1935.
- 4287) *Temelucha meridianellator* Aubert, 1981** (Ichneumonidae) Synonym(s): *meridianellator* Aubert, 1981
- 4288) *Temelucha observator* Aubert, 1966** (Ichneumonidae) Synonym(s): *observator* Aubert, 1966
- 4289) *Tenthredo (Cephaleda) bifasciata* O.Müller, 1766** (Tenthredinidae) Synonym(s): *bifasciata* O.Müller, 1766; *vidua* Spinola, 1806; *palestina* Pic, 1948
- 4290) *Tenthredo (Zonuledo) zonula* Klug, 1817** (Tenthredinidae) Synonym(s): *fasciata* Scopoli, 1763 nec Linn., 1758; *bifasciata* Geoffroy, 1785 nec Müll., 1766; *bicictaflava* Christ, 1791; *zonula* Klug, 1817; *similis* Mocsary, 1880; *nazarensis* André; *serena* Konow; *calcaratus* André, 1881; *scutellaris* Konow, 1898
- 4291) *Tenthredopsis albonotata* (Brullé, 1832)** (Tenthredinidae) Synonym(s): *albonotata* Brullé, 1832; *propinqua* Mocsary, 1880 nec Klug, 1817
- 4292) *Tentyria collatina* Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *collatina* Reiche & Saulcy, 1857; *latiuscula* Kraatz, 1865
- 4293) *Tentyria discicollis* Reiche & Saulcy, 1857** (Tenebrionidae) Synonym(s): *discicollis* Reiche & Saulcy, 1857
- 4294) *Tephritis diversella* Amsel, 1950** (Pyralidae) Synonym(s): *diversella* Amsel, 1950
- 4295) *Tephritis stenopterella* Amsel, 1949** (Pyralidae) Synonym(s): *stenopterella* Amsel, 1949
- 4296) *Tephritis cometa* (Loew, 1840)** (Tephritidae) Synonym(s): *cometa* Loew, 1840; *israelis* Freidberg, 1974
- 4297) *Tephritis formosa* (Loew, 1844)** (Tephritidae) Synonym(s): *formosa* Loew, 1844
- 4298) *Tephritis hurvitzii* Freidberg, 1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg, 1981
- 4299) *Tephritis postica* (Loew, 1844)** (Tephritidae) Synonym(s): *postica* Loew, 1844
- 4300) *Tephritis praecox* (Loew, 1844)** (Tephritidae) Synonym(s): *praecox* Loew, 1844
- 4301) *Tephritis separata* Rondani, 1871** (Tephritidae) Synonym(s): *separata* Rondani, 1871
- 4302) *Tephritomyia lauta* (Loew, 1869)** (Tephritidae) Synonym(s): *lautae* Loew, 1869
- 4303) *Tephronia fumosa* (Hausmann, 1995)** (Geometridae) Synonym(s): *fumosa* Hausmann, 1995; *#fumosaria* Hausmann, 1997

- 4304) Teratolytta senilis (Abeille de Perrin,1895)** (Meloidae) Synonym(s): *senilis* Abeille de Perrin,1895; *bytinskii* Kaszab,1957
- 4305) Terellia fuscicornis (Loew,1844)** (Tephritidae) Synonym(s): *fuscicornis* Loew,1844; *#fuscicornis* Giray,1979
- 4306) Terellia gynaecochroma (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaecochroma* M.Hering,1936
- 4307) Terellia luteola (Wiedemann,1830)** (Tephritidae) Synonym(s): *luteola* Wiedemann,1830
- 4308) Terellia quadratula (Loew,1869)** (Tephritidae) Synonym(s): *quadratula* Loew,1869
- 4309) Terellia serratulae (Linnaeus,1758)** (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758
- 4310) Terellia virens (Loew,1846)** (Tephritidae) Synonym(s): *virens* Loew,1846
- 4311) Tethea ocularis (Linnaeus,1767)** (Thyatridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788; *kosswigi* Werny,[1967]; *caucasica* Werny,[1967] *nec* Krul.,1901
- 4312) Tethina acrostichalis Freidberg & Beschovsky,1996** (Tethinidae) Synonym(s): *acrostichalis* Freidberg & Beschovsky,1996
- 4313) Tethina czernyi (Hendel,1934)** (Tethinidae) Synonym(s): *czernyi* Hendel,1934
- 4314) Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907
- 4315) Tethina guttata Freidberg & Beschovski,1996** (Tethinidae) Synonym(s): *guttata* Freidberg & Beschovski,1996
- 4316) Tethina incisuralis (Macquart,1851)** (Tethinidae) Synonym(s): *incisuralis* Macquart,1851; *pictipes* Becker,1903
- 4317) Tethina longirostris (Loew,1865)** (Tethinidae) Synonym(s): *longirostris* Loew,1865
- 4318) Tethina nigrofemorata Beschovsky,1997** (Tethinidae) Synonym(s): *nigrofemorata* Beschovsky,1997
- 4319) Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea* Hendel,1913; *canzonieri* Munari,1981
- 4320) Tethina pallipes Loew,1865** (Tethinidae) Synonym(s): *pallipes* Loew,1865
- 4321) Tethina shalom Freidberg & Beschovsky,1996** (Tethinidae) Synonym(s): *shalom* Freidberg & Beschovsky,1996
- 4322) Tethina strobliana (Mercier,1923)** (Tethinidae) Synonym(s): *strobliana* Mercier,1923
- 4323) Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina* Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866
- 4324) Tettigometra (Metropala) baranii Signoret,1866** (Tettigometridae) Synonym(s): *baranii* Signoret,1866
- 4325) Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980
- 4326) Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876
- 4327) Tettigometra afra Kirschbaum,1868** (Tettigometridae) Synonym(s): *afra* Kirschbaum,1868
- 4328) Tettigometra angulata Lindberg,1948** (Tettigometridae) Synonym(s): *angulata* Lindberg,1948
- 4329) Tettigometra contracta Lindberg,1948** (Tettigometridae) Synonym(s): *contracta* Lindberg,1948
- 4330) Tettigometra vitellina Fieber,1865** (Tettigometridae) Synonym(s): *vitellina* Fieber,1865
- 4331) Tettigonia acutipennis Ebner,1946** (Tettigoniidae) Synonym(s): *acutipennis* Ebner,1946
- 4332) Teuchophorus bisetus Loew,1871** (Dolichopodidae) Synonym(s): *bisetus* Loew,1871
- 4333) Teuchophorus monocanthus Loew,1859** (Dolichopodidae) Synonym(s): *monocanthus* Loew,1859
- 4334) Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868
- 4335) Thamnotettix allygidioides Linnavuori,1953** (Cicadellidae) Synonym(s): *allygidioides* Linnavuori,1953
- 4336) Thamnotettix seclusus Linnavuori,1958** (Cicadellidae) Synonym(s): *seclusus* Linnavuori,1958
- 4337) Thaneroclerus buqueti Lefebvre,1835** (Thanerocleridae) Synonym(s): *buqueti* Lefebvre,1835; *sanguinolentus* Spinola,1844; *girodi* Chevrolat,1880; *tabacci* Matsumura,1935
- 4338) Thargelia gigantea Rebel,1909** (Noctuidae) Synonym(s): *gigantea* Rebel,1909; *griseola* Rothschild,1913; *grazianii* C.G.Krüger,1933.
- 4339) Thaumatomyia sulcifrons (Becker,1907)** (Chloropidae) Synonym(s): *sulcifrons* Becker,1907; *aragonensis* Duda,1933; *plicata* Duda,1933
- 4340) Thaumetopoea (s.str.) jordana (Staudinger,1895)** (Thaumetopoeidae) Synonym(s): *jordana* Staudinger,1895
- 4341) Thaumetopoea (s.str.) processionea (Linnaeus,1758)** (Thaumetopoeidae) Synonym(s): *processionea* Linnaeus,1758; *pseudosolitaria* Daniel,1951.
- 4342) Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838]
- 4343) Thaumetopoea (Traumatocampa) pityocampa (Denis & Schiffermüller,1775)** (Thaumetopoeidae) Synonym(s): *#pityocampa* [Denis & Schiffermüller],1775; *ceballosi* Agenjo,1941
- 4344) Thaumetopoea (Traumatocampa) wilkinsoni Tams,1925** (Thaumetopoeidae) Synonym(s): *wilkinsoni* Tams,1925
- 4345) Therapne obsoletalis (Mann,1864)** (Pyralidae) Synonym(s): *obsoletalis* Mann,1864
- 4346) Theresimima ampellophaga (Bayle-Barelle,1808)** (Zygaenidae) Synonym(s): *ampellophaga* Bayle-Barelle,1808; *#ampellophaga* Staudinger,1878.
- 4347) Theretra alecto (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 4348) Thereva cincta Meigen,1820** (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita* Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847
- 4349) Thereva semirufa Kröber,1912** (Therevidae) Synonym(s): *semirufa* Kröber,1912
- 4350) Thereva spinulosa (Loew,1847)** (Therevidae) Synonym(s): *spinulosa* Loew,1847; *didyma* Loew,1847; *bifasciata* Kröber,1913
- 4351) Thereva stigmatica Kröber,1912** (Therevidae) Synonym(s): *stigmatica* Kröber,1912
- 4352) Theriopterus tunicatus Szilady,1927** (Tabanidae) Synonym(s): *tunicatus* Szilady,1927
- 4353) Thinophilus flavipalpis (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *flavipalpis* Zetterstedt,1843; *neptunus* Frey,1815
- 4354) Thinophilus indigenus Becker,1902** (Dolichopodidae) Synonym(s): *indigenus* Becker,1902
- 4355) Thinophilus quadrimaculatus Becker,1902** (Dolichopodidae) Synonym(s): *quadrimaculatus* Becker,1902
- 4356) Thinophilus spinitarsis Becker,1907** (Dolichopodidae) Synonym(s): *spinitarsis* Becker,1907
- 4357) Tholagus flavolineatus (Fabricius,1798)** (Pentatomidae) Synonym(s): *flavolineatus* Fabricius,1798
- 4358) Tholera hilaris (Staudinger,1901)** (Noctuidae) Synonym(s): *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963
- 4359) Thopoeutis galleriellus (Ragonot,1892)** (Pyralidae) Synonym(s): *galleriellus* Ragonot,1892; *canicostalis* Hampson,1896; *unicolor* De Joannis,1910; *submedianalis* Hampson,1919; *buxtoni* Rothschild,1921; *chretienellus* Dumont,1930; *maculalis* Predota,1934; *hederalis* Amsel,1935.
- 4360) Thria robusta Walker,[1858]** (Noctuidae) Synonym(s): *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 4361) Thrincobalictus prognathus (Pérez,1912)** (Halictidae) Synonym(s): *prognathus* Pérez,1912

- 4362) *Thrypticus bellus* Loew, 1869 (Dolichopodidae) Synonym(s): *bellus* Loew, 1869
- 4363) *Thrypticus smaragdinus* Gerstaecker, 1864 (Dolichopodidae) Synonym(s): *smaragdinus* Gerstaecker, 1864
- 4364) *Thrypticus viridis* Parent, 1932 (Dolichopodidae) Synonym(s): *viridis* Parent, 1932
- 4365) *Thymelicus acteon* (Rottentburg, 1775) (Hesperiidae) Synonym(s): *acteon* Rottentburg, 1775; *heydeni* Plötz, 1884; *clara-obsolata* Tutt, 1920; *phoenix* Graves, 1925; *aurescens* Verity, 1948.
- 4366) *Thymelicus hyrax* (Lederer, 1861) (Hesperiidae) Synonym(s): *hyrax* Lederer, 1861; *pfeifferi* Bytinski-Salz & Brandt, 1937.
- 4367) *Thymelicus lineolus* (Ochsenheimer, 1808) (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer, 1808; *virgula* Hübner, 1813 *nec* Retz., 1783; *ludoviciae* Mabilie, 1883; *pallida* Tutt, 1896; *clara* Tutt, 1905; *hemmingi* Romei, 1927; *melissus* Zerny, 1932; *fornax* Hemming, 1934
- 4368) *Thyreus hellenicus* Lieftinck, 1968 (Apidae) Synonym(s): *hellenicus* Lieftinck, 1968
- 4369) *Thyreus hyalinatus* (Vachal, 1903) (Apidae) Synonym(s): *hyalinatus* Vachal, 1903
- 4370) *Thyreus ramosellus* (Cockerell, 1919) (Apidae) Synonym(s): *ramosellus* Cockerell, 1919
- 4371) *Thyreus scutellaris* (Fabricius, 1781) (Apidae) Synonym(s): *scutellaris* Fabricius, 1781; *crassicornis* Morawitz, 1890
- 4372) *Thyreus tricusps* (Pérez, 1883) (Apidae) Synonym(s): *tricusps* Pérez, 1883; *niveicollis* Friese, 1925
- 4373) *Thyreus truncatus* (Pérez, 1883) (Apidae) Synonym(s): *truncatus* Pérez, 1883; *mucorea* Friese, 1925; *nadigi* Alfken, 1934
- 4374) *Thyridanthrax decipulus* (Austen, 1937) (Bombyliidae) Synonym(s): *decipulus* Austen, 1937
- 4375) *Thyridanthrax elegans* (Wiedemann, 1820) (Bombyliidae) Synonym(s): *elegans* Wiedemann, 1820; *fenestralis* Macquart, 1840 *nec* Wied., 1830; *varinervis* Macquart, 1846; *variegatus* Jaenicke, 1867 *nec* Pall., 1818; *macquarti* Bezzi, 1912; *calochromatus* Bezzi, 1921; *subperspicillaris* Bezzi, 1922; *kappa* Bowden, 1964; *dolgovskayae* Zaitzev, 1999
- 4376) *Thyridanthrax incanus* (Klug, 1832) (Bombyliidae) Synonym(s): *incanus* Klug, 1832; *testacea* Macquart, 1840; *varipennis* Macquart, 1849
- 4377) *Thyridanthrax mutilus* (Loew, 1869) (Bombyliidae) Synonym(s): *mutilus* Loew, 1869
- 4378) *Thyridanthrax perspicillaris* (Loew, 1869) (Bombyliidae) Synonym(s): *perspicillaris* Loew, 1869; *gallus* Loew, 1869; *hispanus* Loew, 1869; *ternarius* Bezzi, 1920; *idolus* Hesse, 1956; *speciosus* Hesse, 1956; *hessei* Bowden, 1964
- 4379) *Thyridanthrax polyphemus* (Wiedemann, 1820) (Bombyliidae) Synonym(s): *polyphemus* Wiedemann, 1820; *pumilio* Austen, 1937
- 4380) *Thyridanthrax shibanovae* Zaitzev, 1999 (Bombyliidae) Synonym(s): *shibanovae* Zaitzev, 1999
- 4381) *Thyridanthrax zefaticus* Zaitzev, 1999 (Bombyliidae) Synonym(s): *zefaticus* Zaitzev, 1999
- 4382) *Thysanoplusia* (Daubeiplusia) *daubei* (Boisduval, 1840) (Noctuidae) Synonym(s): *daubei* Boisduval, 1840; *ciliaris* Walker, [1858]
- 4383) *Thysanoplusia* (s.str.) *orichalcea* (Fabricius, 1775) (Noctuidae) Synonym(s): *orichalcea* Fabricius, 1775; *chrystina* Martyn, 1797; *aurifera* Hübner, [1813].
- 4384) *Tibicina haematodes* (Scopoli, 1763) (Cicadidae) Synonym(s): *haematodes* Scopoli, 1763; *sanguinea* Fabricius, 1803; *helveola* Germar, 1821; *viridinervis* Fieber, 1876
- 4385) *Timandra comae* Schmidt, 1931 (Geometridae) Synonym(s): *angulata* Fourcroy, 1785 *nec* Hfn., 1767; *comae* Schmidt, 1931; *brykaria* Nordström, 1943; *comai* Kaila & Albrecht, 1994
- 4386) *Tinagma anchusellum* (Benander, 1936) (Douglassiidae) Synonym(s): *anchusellum* Benander, 1936
- 4387) *Tinagma columbellum* (Staudinger, 1880) (Douglassiidae) Synonym(s): *columbellum* Staudinger, 1880.
- 4388) *Tinagma grisescens* Stainton, 1867 (Douglassiidae) Synonym(s): *grisescens* Stainton, 1867; *tabghana* Amsel, 1935
- 4389) *Tinea basifasciella* Ragonot, 1895 (Tineidae) Synonym(s): *basifasciella* Ragonot, 1895; *punctigera* Walsingham, 1907; *nitentella* Chrétien, 1908; *palaestinensis* Amsel, 1955; *#basifasciella* Gaedike, 2011
- 4390) *Tinea subalbidella* Stainton, 1867 (Tineidae) Synonym(s): *subalbidella* Stainton, 1867; *liberiella* Zeller, 1879; *excavata* Meyrick, 1914; *frugivora* Meyrick, 1917; *insectivora* Meyrick, 1932; *arcanella* Zagulyaev, 1960
- 4391) *Tineola bisselliella* (Hummel, 1823) (Tineidae) Synonym(s): *flavifrontella* Thunberg, 1794 *nec* [Denis & Schiff.], 1775; *bisselliella* Hummel, 1823; *crinella* Sodoffsky, 1830; *destructor* Stephens, 1834; *lanariella* Clemens, 1859; *furciferella* Zagulyaev, 1954.
- 4392) *Tingis auriculata* (Costa, 1847) (Tingidae) Synonym(s): *auriculata* Costa, 1847
- 4393) *Tinna orientalis* Dispons, 1964 (Reduviidae) Synonym(s): *orientalis* Dispons, 1964
- 4394) *Tinna sodomita* Dispons, 1964 (Reduviidae) Synonym(s): *sodomita* Dispons, 1964
- 4395) *Tipula* (Lunatipula) *helvola* Loew, 1873 (Tipulidae) Synonym(s): *helvola* Loew, 1873
- 4396) *Tipula* (Lunatipula) *pseudopeliostigma* Mannheims, 1965 (Tipulidae) Synonym(s): *pseudopeliostigma* Mannheims, 1965
- 4397) *Tipula* (s.str.) *orientalis* Lackschewitz, 1930 (Tipulidae) Synonym(s): *orientalis* Lackschewitz, 1930
- 4398) *Tipula* (Savtshenkia) *rufina* Meigen, 1818 (Tipulidae) Synonym(s): *rufina* Meigen, 1818; *guttipennis* Meigen, 1818; *consanguinea* Macquart, 1838; *parvicauda* Hansen, 1881
- 4399) *Tipula* (Yamatotipula) *lateralis* Meigen, 1804 (Tipulidae) Synonym(s): *lateralis* Meigen, 1804; *itermedia* Eiroa, 1990
- 4400) *Tischeria dodonaea* Stainton, 1858 (Tischeriidae) Synonym(s): *dodonaea* Stainton, 1858
- 4401) *Tischeria ekebladella* (Bjerkander, 1795) (Tischeriidae) Synonym(s): *ekebladella* Bjerkander, 1795; *complanella* Hübner, [1817].
- 4402) *Tischeria rubiphagella* Amsel, 1935 (Tischeriidae) Synonym(s): *rubiphagella* Amsel, 1935
- 4403) *Tituboea chikatunovi* (Lopatin, 1995) (Chrysomelidae) Synonym(s): *chikatunovi* Lopatin, 1995
- 4404) *Tituboea israelita* (Medvedev, 1992) (Chrysomelidae) Synonym(s): *israelita* Medvedev, 1992
- 4405) *Tolmerus tivenensis* Theodor, 1980 (Asilidae) Synonym(s): *tivenensis* Theodor, 1980
- 4406) *Tomares (nogelii) nesimachus* (Oberthür, 1893) (Lycaenidae) Synonym(s): *nesimachus* Oberthür, 1893
- 4407) *Tomosvaryella argyrata* de Meyer, 1995 (Pipunculidae) Synonym(s): *argyrata* de Meyer, 1995
- 4408) *Tomosvaryella argyratoides* de Meyer, 1995 (Pipunculidae) Synonym(s): *argyratoides* de Meyer, 1995
- 4409) *Tomosvaryella debruyni* de Meyer, 1995 (Pipunculidae) Synonym(s): *debruyni* de Meyer, 1995
- 4410) *Tomosvaryella docta* de Meyer, 1995 (Pipunculidae) Synonym(s): *docta* de Meyer, 1995
- 4411) *Tomosvaryella freidbergi* de Meyer, 1995 (Pipunculidae) Synonym(s): *freidbergi* de Meyer, 1995
- 4412) *Tomosvaryella frontata* (Becker, 1898) (Pipunculidae) Synonym(s): *frontata* Becker, 1898
- 4413) *Tomosvaryella geniculata* (Meigen, 1824) (Pipunculidae) Synonym(s): *geniculata* Meigen, 1824
- 4414) *Tomosvaryella helwanensis* (Collin, 1949) (Pipunculidae) Synonym(s): *helwanensis* Collin, 1949
- 4415) *Tomosvaryella inermis* de Meyer, 1995 (Pipunculidae) Synonym(s): *inermis* de Meyer, 1995
- 4416) *Tomosvaryella inopinata* de Meyer, 1995 (Pipunculidae) Synonym(s): *inopinata* de Meyer, 1995
- 4417) *Tomosvaryella israelensis* de Meyer, 1995 (Pipunculidae) Synonym(s): *israelensis* de Meyer, 1995
- 4418) *Tomosvaryella jubata* de Meyer, 1995 (Pipunculidae) Synonym(s): *jubata* de Meyer, 1995
- 4419) *Tomosvaryella kuthyi* Aczél, 1944 (Pipunculidae) Synonym(s): *kuthyi* Aczél, 1944
- 4420) *Tomosvaryella minima* (Becker, 1898) (Pipunculidae) Synonym(s): *minima* Becker, 1898

- 4421) *Tomosvaryella mutata* (Becker,1898) (Pipunculidae) Synonym(s): *mutata* Becker,1898
- 4422) *Tomosvaryella nigronitida* (Collin,1958) (Pipunculidae) Synonym(s): *nigronitida* Collin,1958
- 4423) *Tomosvaryella nodosa* de Meyer,1995 (Pipunculidae) Synonym(s): *nodosa* de Meyer,1995
- 4424) *Tomosvaryella parakuthyi* de Meyer,1995 (Pipunculidae) Synonym(s): *parakuthyi* de Meyer,1995
- 4425) *Tomosvaryella pusilla* de Meyer,1995 (Pipunculidae) Synonym(s): *pusilla* de Meyer,1995
- 4426) *Tomosvaryella sedomensis* de Meyer,1995 (Pipunculidae) Synonym(s): *sedomensis* de Meyer,1995
- 4427) *Tomosvaryella subvirescens* (Loew,1872) (Pipunculidae) Synonym(s): *subvirescens* Loew,1872
- 4428) *Tomosvaryella sylvatica* (Meigen,1824) (Pipunculidae) Synonym(s): *sylvatica* Meigen,1824
- 4429) *Tomosvaryella tecta* de Meyer,1993 (Pipunculidae) Synonym(s): *tecta* de Meyer,1993
- 4430) *Tomosvaryella trichotibialis* de Meyer,1995 (Pipunculidae) Synonym(s): *trichotibialis* de Meyer,1995
- 4431) *Tomosvaryella vicina* (Becker,1900) (Pipunculidae) Synonym(s): *vicina* Becker,1900
- 4432) *Tortilia charadritis* (Meyrick,1924) (Stathmopodidae) Synonym(s): *charadritis* Meyrick,1924; *stupenda* Turati,1927; *viatrix* Busck,1934; *zernyi* Amsel,1935; *trissorrhiza* Meyrick,1939.
- 4433) *Tortilia flavella* Chrétien,1908 (Stathmopodidae) Synonym(s): *flavella* Chrétien,1908; *#favella* Hacker,1999
- 4434) *Tortilia pallidella* Kasy,1973 (Stathmopodidae) Synonym(s): *pallidella* Kasy,1973
- 4435) *Toxophora bezzii* Paramonov,1933 (Bombyliidae) Synonym(s): *bezzii* Paramonov,1933
- 4436) *Toxophora fasciculata* (Villers,1789) (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 *nec* Müll.,1764; *completa* Paramonov,1933
- 4437) *Toya propinqua* (Fieber,1866) (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868
- 4438) *Trachelus judaicus* (Konow,1907) (Cephidae) Synonym(s): *judaicus* Konow,1907
- 4439) *Trachelus libanensis* (André,1881) (Cephidae) Synonym(s): *libanensis* André,1881; *armenius* Konow,1896
- 4440) *Trachycera legatea* (Haworth,[1811]) (Pyralidae) Synonym(s): *legatea* Haworth,[1811]; *legatella* Hübner,1796 *nec* [Den. & Schiff.],1775; *legatalis* Hübner,[1825]
- 4441) *Trachycera marmorea* (Haworth,[1811]) (Pyralidae) Synonym(s): *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859
- 4442) *Trachyderma philistina* Reich & Saulcy,1857 (Tenebrionidae) Synonym(s): *philistina* Reich & Saulcy,1857; *gomorrhana* Reiche & Saulcy,1857; *persea* Baudi,1875; *ovalipennis* Baudi,1875
- 4443) *Trachys troglodytes* Gyllenhal,1817 (Buprestidae) Synonym(s): *troglodytes* Gyllenhal,1817; *laevicollis* Kiesenwetter,1857; *puncticeps* Abeille de Perrin,1900; *carinthiaca* Obenberger,1018
- 4444) *Trachysmia aureopunctana* (Ragonot,1894) (Tortricidae) Synonym(s): *aureopunctana* Ragonot,1894
- 4445) *Trechus* (s.str.) *crucifer* Piochard,1876 (Carabidae) Synonym(s): *crucifer* Piochard,1876
- 4446) *Trechus* (s.str.) *quadristriatus* (Schränk,1781) (Carabidae) Synonym(s): *quadristriatus* Schränk,1781
- 4447) *Trechus* (s.str.) *saucyanus* Csiki,1928 (Carabidae) Synonym(s): *saucyanus* Csiki,1928
- 4448) *Trematopygus triangulator* Aubert,1981 (Ichneumonidae) Synonym(s): *triangulator* Aubert,1981
- 4449) *Tretoptryx pertusalis* (Geyer,[1832]) (Pyralidae) Synonym(s): *pertusalis* Geyer,[1832]; *weissenbornii* Freyer
- 4450) *Trichardis leucocomus* (Wulp,1899) (Asilidae) Synonym(s): *leucocomus* Wulp,1899; *albipila* Becker,1907
- 4451) *Trichiura* (s.str.) *stroehlei* Zolotuhin,2007 (Lasiocampidae) Synonym(s): *stroehlei* Zolotuhin,2007
- 4452) *Trichodes affinis* Chevrolat,1843 (Cleridae) Synonym(s): *affinis* Chevrolat,1843; *apicalis* Champenois,1900
- 4453) *Trichodes cyprius* Reitter,1893 (Cleridae) Synonym(s): *cyprius* Reitter,1893
- 4454) *Trichodes dilatipennis* Reitter,1893 (Cleridae) Synonym(s): *dilatipennis* Reitter,1893
- 4455) *Trichodes ganglbaueri* Escherich,1893 (Cleridae) Synonym(s): *ganglbaueri* Escherich,1893; *israelicus* Winkler,1963
- 4456) *Trichodes inermis* Reitter,1893 (Cleridae) Synonym(s): *inermis* Reitter,1893
- 4457) *Trichodes laminatus* Chevrolat,1843 (Cleridae) Synonym(s): *laminatus* Chevrolat,1843
- 4458) *Trichodes nobilis* Klug,1842 (Cleridae) Synonym(s): *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844
- 4459) *Trichodes punctatus* Fischer v. Waldheim,1829 (Cleridae) Synonym(s): *punctatus* Fischer v. Waldheim,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843
- 4460) *Trichodes quadriguttatus* Adams,1817 (Cleridae) Synonym(s): *quadriguttatus* Adams,1817
- 4461) *Trichodes reichei* Mulsant & Rey,1863 (Cleridae) Synonym(s): *reichei* Mulsant & Rey,1863; *klugi* Kraatz,1873; *conjunctus* Escherich,1892
- 4462) *Trichodes rubrolimbatus* Chevrolat,1876 (Cleridae) Synonym(s): *rubrolimbatus* Chevrolat,1876; *difficilis* Escherich,1893
- 4463) *Trichodes sipylus* (Linnaeus,1758) (Cleridae) Synonym(s): *sipylus* Linnaeus,1758; *subfasciatus* Kraatz,1873; *frater* Kraatz,1893; *fraterculus* Zaitzev,1915
- 4464) *Trichodes syriacus* Spinola,1844 (Cleridae) Synonym(s): *syriacus* Spinola,1844
- 4465) *Trichodes viridiaureus* (Abeille,1881) (Cleridae) Synonym(s): *viridiaureus* Abeille,1881
- 4466) *Trichomeloe chrysocomus* (Miller,1861) (Meloidae) Synonym(s): *chrysocomus* Miller,1861
- 4467) *Trichomeloe deflexus* (Reitter,1889) (Meloidae) Synonym(s): *deflexus* Reitter,1889
- 4468) *Trichophaga bipartitella* (Ragonot,1892) (Tineidae) Synonym(s): *abruptella* Wollaston,1858 (praeocc.); *bipartitella* Ragonot,1892; *desertella* Mabilbe,1907; *amina* Meyrick,1925
- 4469) *Trichoplusia ni* (Hübner,[1803]) (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 4470) *Tricimba* (Nartshukiella) *humeralis* (Loew,1858) (Chloropidae) Synonym(s): *humeralis* Loew,1858; *maculifrons* Becker,1903; *punctifrons* Becker,1914
- 4471) *Tricimba* (s.str.) *lineella* (Fallén,1820) (Chloropidae) Synonym(s): *lineella* Fallén,1820; *delpinii* Rondani,1869
- 4472) *Tricimba* (Schumanniella) *setulosa* (Becker,1903) (Chloropidae) Synonym(s): *setulosa* Becker,1903
- 4473) *Tricimba freidbergi* Dely-Draskovits,1983 (Chloropidae) Synonym(s): *freidbergi* Dely-Draskovits,1983
- 4474) *Tricimba kaplanae* Dely-Draskovits,1983 (Chloropidae) Synonym(s): *kaplanae* Dely-Draskovits,1983
- 4475) *Tricimba magna* Dely-Draskovits,1983 (Chloropidae) Synonym(s): *magna* Dely-Draskovits,1983
- 4476) *Triclis olivaceus* Loew,1851 (Asilidae) Synonym(s): *olivaceus* Loew,1851; *halictivorus* Rondani,1856
- 4477) *Tricophorella geniculata* (Horvath,1881) (Cercopidae) Synonym(s): *geniculata* Horvath,1881; *fasciata* Kirschbaum,1868
- 4478) *Trigonocera rivos*a Becker,1902 (Dolichopodidae) Synonym(s): *rivos*a Becker,1902
- 4479) *Trithemis annulata* (P. de Beauvois,1807) (Libellulidae) Synonym(s): *annulata* P. de Beauvois,1807
- 4480) *Tropidocephala tuberipennis* (Mulsant & Rey,1855) (Delphacidae) Synonym(s): *tuberipennis* Mulsant & Rey,1855; *elegans* O.Costa,1834
- 4481) *Tropidopola syriaca* Walker,1871 (Acrididae) Synonym(s): *syriaca* Walker,1871
- 4482) *Tropidotilla litoralis* (Petagna,1787) (Mutillidae) Synonym(s): *litoralis* Petagna,1787
- 4483) *Tropinota* (Epicometis) *hirta* (Poda,1761) (Scarabaeidae) Synonym(s): *hirta* Poda,1761; *hirtellus* Linnaeus,1767

- 4484) *Tropinota* (*Epicometis*) *ilariae* Dutto, 2007 (Scarabaeidae) Synonym(s): *ilariae* Dutto, 2007
- 4485) *Tropinota* (s.str.) *squalida* (Scopoli, 1763) (Scarabaeidae) Synonym(s): *squalida* Scopoli, 1763; *pilosa* Brullé, 1832
- 4486) *Tropinota* (s.str.) *vittula* Reiche & Saulcy, 1856 (Scarabaeidae) Synonym(s): *vittula* Reiche & Saulcy, 1856
- 4487) *Trupanea pulcherrimum* (Eflatoun, 1924) (Tephritidae) Synonym(s): *pulcherrimum* Eflatoun, 1924; #*pulcherrimum* Korneyev & Dirlbek, 2000
- 4488) *Trypetimorpha occidentalis* Huang & Bourgoin, 1993 (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A. Costa, 1862; *occidentalis* Huang & Bourgoin, 1993
- 4489) *Trypetimorpha pilosa* Horvath, 1907 (Tropiduchidae) Synonym(s): *pilosa* Horvath, 1907
- 4490) *Tshingisella robusta* Linnavuori, 1960 (Pentatomidae) Synonym(s): *robusta* Linnavuori, 1960
- 4491) *Tshurtshurnella campestre* (Lindberg, 1948) (Issidae) Synonym(s): *campestre* Lindberg, 1948; *bidens* Linnavuori, 1965
- 4492) *Tshurtshurnella longispinosa* (Linnavuori, 1962) (Issidae) Synonym(s): *longispinosa* Linnavuori, 1962
- 4493) *Tuponia altera* Wagner, 1974 (Miridae) Synonym(s): *altera* Wagner, 1974
- 4494) *Tuponia concinna* Reuter, 1875 (Miridae) Synonym(s): *concinna* Reuter, 1875; *conspersa* Reuter, 1901; *fezzana* Wagner, 1971; *amguele* Wagner, 1975
- 4495) *Tuponia concinnoides* Linnavuori, 1961 (Miridae) Synonym(s): *concinoides* Linnavuori, 1961
- 4496) *Tuponia filomele* Linnavuori, 1995 (Miridae) Synonym(s): *filomele* Linnavuori, 1995
- 4497) *Tuponia guttata* Wagner, 1950 (Miridae) Synonym(s): *guttata* Wagner, 1950; *variegata* Wagner, 1958; *sodomita* Wagner, 1974
- 4498) *Tuponia hippophaes* (Fieber, 1861) (Miridae) Synonym(s): *hippophaes* Fieber, 1861; *unicolor* Scott, 1872; *myricariae* Cerutti, 1939; *michalki* Wagner, 1951; *seidenstueckeri* Wagner, 1955; *mimeuri* Wagner, 1958; *albomarginata* Linnavuori, 1961; *cypria* Wagner, 1962; *longitarsis* Wagner, 1962; *pradassiensis* Tamanini, 1964; *menorcana* Wagner, 1971; *liparensis* Tamanini, 1973; *rhodensis* Wagner, 1974
- 4499) *Tuponia minutissima* Linnavuori, 1961 (Miridae) Synonym(s): *minutissima* Linnavuori, 1961
- 4500) *Tuponia mixticolor* (Costa, 1862) (Miridae) Synonym(s): *mixticolor* Costa, 1862; *lethierryi* Reuter, 1875; *colorata* Poppius, 1914; *carayoni* Wagner, 1955; *vulnerata* Linnavuori, 1961; *hungarica* Benedek & Jaszai, 1968; *annulata* Wagner, 1974
- 4501) *Tuponia semele* Linnavuori, 1995 (Miridae) Synonym(s): *semele* Linnavuori, 1995
- 4502) *Tuponia tamaricicola* Lindberg, 1939 (Miridae) Synonym(s): *tamaricicola* Lindberg, 1939
- 4503) *Turanana endymion* (Freyer, [1850]) (Lycaenidae) Synonym(s): *endymion* Freyer, [1850]
- 4504) *Turanogryllus wahrmani* (Chopard, 1963) (Gryllidae) Synonym(s): *wahrmani* Chopard, 1963
- 4505) *Turatia psammella* (Amsel, 1935) (Autostichidae) Synonym(s): *psammella* Amsel, 1935
- 4506) *Tuta absoluta* (Meyrick, 1917) (Gelechiidae) Synonym(s): *absoluta* Meyrick, 1917
- 4507) *Tychius hirtellus* Tournier, 1873 (Curculionidae) Synonym(s): *hirtellus* Tournier, 1873
- 4508) *Tychius striatulus* Gyllenhal, 1836 (Curculionidae) Synonym(s): *striatulus* Gyllenhal, 1836
- 4509) *Tylopsis peneri* Ragge, 1974 (Tettigoniidae) Synonym(s): *peneri* Ragge, 1974
- 4510) *Tyta luctuosa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller], 1775; *italica* Fabricius, 1781; *atra* Goeze, 1781 nec Linn., 1767; *astroites* Fourcroy, 1785; *maculosa* Villers, 1789
- 4511) *Tytroca dispar* (Püngeler, 1904) (Noctuidae) Synonym(s): *dispar* Püngeler, 1904
- 4512) *Tytroca leucoptera* (Hampson, 1896) (Noctuidae) Synonym(s): *leucoptera* Hampson, 1896; *balnearia* Distant, 1898
- 4513) *Udea ferrugalis* (Hübner, 1796) (Pyralidae) Synonym(s): *ferruginalis* Rossi, 1794; *ferrugalis* Hübner, 1796; #*ferrugalis* Hübner, 1796; *martialis* Guenée, 1854; *hypatialis* Walker, 1859; *testacea* Butler, 1879
- 4514) *Udea fimbriatralis* (Duponchel, 1834) (Pyralidae) Synonym(s): *fimbriatralis* Duponchel, 1834; #*fimbriatralis* Rebel, 1901
- 4515) *Ulidia omani* Steyskal, 1970 (Ulidiidae) Synonym(s): *omani* Steyskal, 1970
- 4516) *Ulidia wadicola* Steyskal, 1968 (Ulidiidae) Synonym(s): *wadicola* Steyskal, 1968
- 4517) *Uliolepis signatoria* (Christoph, 1893) (Lymantriidae) Synonym(s): *signatoria* Christoph, 1893; *pilosa* W. Warren, 1897
- 4518) *Ulochaena gemmifera* Hacker, 2001 (Noctuidae) Synonym(s): *gemmifera* Hacker, 2001
- 4519) *Ulotricha egregialis* (Herrich-Schäffer, 1838) (Pyralidae) Synonym(s): *egregialis* Herrich-Schäffer, 1838
- 4520) *Uranotaenia* (*Pseudoficalbia*) *unguiculata* Edwards, 1913 (Culicidae) Synonym(s): *unguiculata* Edwards, 1913; *pefflyi* Stone, 1961
- 4521) *Uresiphita polygonalis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller], 1775; #*limbalis* [Denis & Schiffermüller], 1775; *gilvata* Fabricius, 1794; *orientalis* Fabricius, 1794; *diversalis* Hübner, 1796; *rusticalis* Hübner, 1796; *aversalis* Guenée, 1854; *consanguinalis* Guenée, 1854; *teriadalis* Guenée, 1854; *deprivalis* Walker, 1859; *virescens* Butler, 1881; *ochrocrossa* Clarke, 1971
- 4522) *Urophora affinis* (Frauenfeld, 1857) (Tephritidae) Synonym(s): *affinis* Frauenfeld, 1857
- 4523) *Urophora angustifascia* (M. Hering, 1956) (Tephritidae) Synonym(s): *angustifascia* M. Hering, 1956
- 4524) *Urophora dzieduszyckii* Frauenfeld, 1867 (Tephritidae) Synonym(s): *dzieduszyckii* Frauenfeld, 1867; *wodzickii* Frauenfeld, 1867; *syriaca* Hendel, 1927; *pontica* M. Hering, 1937; *erichschmidtii* M. Hering, 1953; #*dzieduszyckiipontica* White & Korneyev, 1989
- 4525) *Urophora hermonis* Freidberg, 1974 (Tephritidae) Synonym(s): *hermonis* Freidberg, 1974
- 4526) *Urophora macrura* (Loew, 1855) (Tephritidae) Synonym(s): *macrura* Loew, 1855; *lejura* Rondani, 1870
- 4527) *Urophora mauritanica* Macquart, 1851 (Tephritidae) Synonym(s): *mauritanica* Macquart, 1851
- 4528) *Urophora phaeocera* (M. Hering, 1961) (Tephritidae) Synonym(s): *phaeocera* M. Hering, 1961
- 4529) *Urophora quadrifasciata* (Meigen, 1826) (Tephritidae) Synonym(s): *quadrifasciata* Meigen, 1826; *sjumorum* Rohdendorf, 1934
- 4530) *Urophora sirunaseva* (M. Hering, 1938) (Tephritidae) Synonym(s): *sirunaseva* M. Hering, 1938
- 4531) *Urophora stylata* (Fabricius, 1775) (Tephritidae) Synonym(s): *stylata* Fabricius, 1775; *ciesii* Schrank, 1803; *jacobaeae* Panzer, 1805; *venerabulata* Rondani, 1870; *vulcanica* Rondani, 1870; *pia* M. Hering, 1938
- 4532) *Usia* (*Micrusia*) *aurata* (Fabricius, 1794) (Bombyliidae) Synonym(s): *aurata* Fabricius, 1794; *taeniolata* Costa, 1883
- 4533) *Usia* (*Micrusia*) *forcipata* Brullé, 1833 (Bombyliidae) Synonym(s): *forcipata* Brullé, 1833
- 4534) *Usia* (*Micrusia*) *novakii* Strobl, 1902 (Bombyliidae) Synonym(s): *novakii* Strobl, 1902
- 4535) *Usia* (*Micrusia*) *theodori* Gibbs, 2011 (Bombyliidae) Synonym(s): *theodori* Gibbs, 2011
- 4536) *Usia* (s.str.) *bicolor* Macquart, 1855 (Bombyliidae) Synonym(s): *bicolor* Macquart, 1855
- 4537) *Usia* (s.str.) *calva* Loew, 1869 (Bombyliidae) Synonym(s): *calva* Loew, 1869
- 4538) *Usia* (s.str.) *carmelitensis* Becker, 1906 (Bombyliidae) Synonym(s): *carmelitensis* Becker, 1906
- 4539) *Usia* (s.str.) *ignorata* Becker, 1906 (Bombyliidae) Synonym(s): *ignorata* Becker, 1906
- 4540) *Usia* (s.str.) *syriaca* Paramonov, 1950 (Bombyliidae) Synonym(s): *syriaca* Paramonov, 1950
- 4541) *Usia* (s.str.) *taeniolata* Costa, 1883 (Bombyliidae) Synonym(s): *taeniolata* Costa, 1883

- 4542) **Utecha trivialis** (Germar,1821) (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872
- 4543) **Utetheisa (s.str.) pulchella** (Linnaeus,1758) (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
- 4544) **Valva pseudodiscomaculella** (Amsel,1935) (Pyralidae) Synonym(s): *pseudodiscomaculella* Amsel,1935; *candiopella* Amsel,1961
- 4545) **Vanessa (Cynthia) cardui** (Linnaeus,1758) (Argynniidae) Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.
- 4546) **Vanessa (s.str.) atalanta** (Linnaeus,1758) (Argynniidae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczii* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900.
- 4547) **Ventocoris (Astirocoris) fischeri** (Herrich-Schäffer,1851) (Pentatomidae) Synonym(s): *fischeri* Herrich-Schäffer,1851; *baerensprungii* Stal,1860; *lehmanni* Fieber,1864; *umbrosum* Jakovlev,1882; *confusum* Kirby,1892
- 4548) **Ventocoris (Astirocoris) modestus** (Jakovlev,1880) (Pentatomidae) Synonym(s): *modestus* Jakovlev,1880; *martini* Horvath,1889
- 4549) **Ventocoris (Astirocoris) obesus** (Stal,1865) (Pentatomidae) Synonym(s): *obesus* Stal,1865; *humeralis* Horvath,1889
- 4550) **Ventocoris (s.str.) trigonus** (Krynicky,1871) (Pentatomidae) Synonym(s): *trigonus* Krynicky,1871
- 4551) **Veribubo albulus** Zaitzev,1999 (Bombyliidae) Synonym(s): *albulus* Zaitzev,1999
- 4552) **Verrallia aucta** (Fallén,1817) (Pipunculidae) Synonym(s): *aucta* Fallén,1817
- 4553) **Vespa orientalis** Linnaeus,1771 (Vespidae) Synonym(s): *orientalis* Linnaeus,1771; *turcica* Drury,1773; *quadripunctata* Forskal,1775; *fusca* Christ,1791; *aegyptiaca* Vallot,1802; *nilotica* Vallot,1802; *jurinei* Saussure,1854; *zavattarii* Guiglia & Capra,1933; *somalica* Giordani Soika,1934; *arabica* Giordani Soika,1957
- 4554) **Victoria eremita** Hausmann,1993 (Geometridae) Synonym(s): *eremita* Hausmann,1993
- 4555) **Victoria plantaei** Herbulot,[1977] (Geometridae) Synonym(s): *plantaei* Herbulot,[1977]
- 4556) **Victrix (Rasihia) marginelota** (de Joannis,1888) (Noctuidae) Synonym(s): *marginelota* de Joannis,1888
- 4557) **Victrix (Rasihia) tabora** (Staudinger,1892) (Noctuidae) Synonym(s): *tabora* Staudinger,1892
- 4558) **Villa atricauda** (Austen,1937) (Bombyliidae) Synonym(s): *jugorum* Stein,1916; *atricauda* Austen,1937
- 4559) **Villa bivirgata** (Austen,1937) (Bombyliidae) Synonym(s): *trigonalata* Meigen,1826; *bivirgata* Austen,1937
- 4560) **Villa clarissima** (Loew,1857) (Bombyliidae) Synonym(s): *clarissima* Loew,1857; *diluta* Rondani,1866
- 4561) **Villa fallax** (Austen,1937) (Bombyliidae) Synonym(s): *anthracina* Zetterstedt,1860; *fallax* Austen,1937
- 4562) **Villa insignis** (Austen,1937) (Bombyliidae) Synonym(s): *humeralis* R-D.,1830; *insignis* Austen,1937
- 4563) **Villa senecio** (Loew,1869) (Bombyliidae) Synonym(s): *senecio* Loew,1869
- 4564) **Villoestrus uvarovi** (Paramonov,1931) (Bombyliidae) Synonym(s): *uvarovi* Paramonov,1931
- 4565) **Voria ruralis** (Fallén,1810) (Tachinidae) Synonym(s): *ruralis* Fallén,1810
- 4566) **Wagneria albifrons** Kugler,1977 (Tachinidae) Synonym(s): *albifrons* Kugler,1977
- 4567) **Wagneria cunctans** (Meigen,1824) (Tachinidae) Synonym(s): *cunctans* Meigen,1824
- 4568) **Wagneria dilatata** Kugler,1977 (Tachinidae) Synonym(s): *dilatata* Kugler,1977
- 4569) **Wagneria theodori** (Mesnil,1974) (Tachinidae) Synonym(s): *theodori* Mesnil,1974
- 4570) **Wainia (Caposmia) eremoplana** (Mavromoustakis,1949) (Megachilidae) Synonym(s): *eremoplana* Mavromoustakis,1949
- 4571) **Wardarina kugleri** Herting,1985 (Tachinidae) Synonym(s): *kugleri* Herting,1985
- 4572) **Weberia digramma** (Meigen,1824) (Tachinidae) Synonym(s): *digramma* Meigen,1824
- 4573) **Wheeleria obsoleta** (Zeller,1841) (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970.
- 4574) **Wheeleria phlomidis** (Staudinger,1871) (Pterophoridae) Synonym(s): *phlomidis* Staudinger,1871
- 4575) **Wiltshireola praecipua** (Hacker & Kravchenko,2001) (Noctuidae) Synonym(s): *praecipua* Hacker & Kravchenko,2001
- 4576) **Wiltshireola aries** (Püngeler,1902) (Cossidae) Synonym(s): *aries* Püngeler,1902; *tahlai* Dumont,1932; *bongiovannii* Krüger.
- 4577) **Wohlfahrtia bella** (Macquart,1839) (Sarcophagidae) Synonym(s): *bella* Macquart,1839
- 4578) **Wohlfahrtia ilanramoni** (Lehrer,2003) (Sarcophagidae) Synonym(s): *ilanramoni* Lehrer,2003
- 4579) **Wohlfahrtia magnifica** (Schiner,1862) (Sarcophagidae) Synonym(s): *magnifica* Schiner,1862
- 4580) **Xanthia (Tiliacea) cypreago** (Hampson,1906) (Noctuidae) Synonym(s): *cypreago* Hampson,1906
- 4581) **Xanthorhoe fluctuata** (Linnaeus,1758) (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
- 4582) **Xanthorhoe pseudogaliata** (Staudinger,1898) (Geometridae) Synonym(s): *pseudogaliata* Staudinger,1898
- 4583) **Xenochlorodes olympiaria** (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *olympiaria* Herrich-Schäffer,1852; *cremonaria* Staudinger,1897; *pallida* W. Warren,1897.
- 4584) **Xeramoeba davidi** Zaitzev,1997 (Bombyliidae) Synonym(s): *davidi* Zaitzev,1997
- 4585) **Xeramoeba lepida** (Hermann,1907) (Bombyliidae) Synonym(s): *lepida* Hermann,1907
- 4586) **Xeramoeba ramsesi** (Paramonov,1935) (Bombyliidae) Synonym(s): *ramsesi* Paramonov,1935
- 4587) **Xeramoeba sabulonis** (Becker,1906) (Bombyliidae) Synonym(s): *sabulonis* Becker,1906
- 4588) **Xerasia punica** (Goodrich & Springer,1988) (Byturidae) Synonym(s): *punica* Goodrich & Springer,1988
- 4589) **Xerohippus palaestinus** (Uvarov,1942) (Acrididae) Synonym(s): *palaestinus* Uvarov,1942
- 4590) **Xestia (s.str.) castanea** (Esper,[1798]) (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W. Petersen,1905; *alliata* Hartig,1949.
- 4591) **Xestia (s.str.) cohaesa** (Herrich-Schäffer,[1849]) (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 4592) **Xestia (s.str.) palaestinensis** (Kalchberg,1898) (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898.
- 4593) **Xestia (s.str.) sareptana** (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 4594) **Xestia (s.str.) xanthographa** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 4595) **Xestomyzina aureostriata** (Kröber,1912) (Therevidae) Synonym(s): *aureostriata* Kröber,1912
- 4596) **Xestomyzina melanostoma** (Loew,1856) (Therevidae) Synonym(s): *melanostoma* Loew,1856; *aegyptiaca* Kröber,1924
- 4597) **Xya pfaendleri** (Harz,1970) (Tridactylidae) Synonym(s): *pfaendleri* Harz,1970; *indisticta* Harz,1979; *musicus* Harz,1979
- 4598) **Xya pfaendleri** (Harz,1970) (Tridactylidae) Synonym(s): *pfaendleri* Harz,1970; *indistincta* Harz,1979; *musicus* Harz,1979
- 4599) **Xylina exsoleta** (Linnaeus,1758) (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 4600) **Xylina vetusta** (Hübner,[1813]) (Noctuidae) Synonym(s): *vetusta* Hübner,[1813]
- 4601) **Xylocampa mustapha** (Oberthür,1920) (Noctuidae) Synonym(s): *mustapha* Oberthür,1920

- 4602) *Xylocopa (Koptortosoma) pubescens* Spinola, 1838 (Apidae) Synonym(s): *pubescens* Spinola, 1838; *rubida* Gribodo, 1884
- 4603) *Xylocopa (Proxylocopa) olivieri* Lepeletier, 1841 (Apidae) Synonym(s): *olivieri* Lepeletier, 1841
- 4604) *Xylocopa (Proxylocopa) rufa* Friese, 1901 (Apidae) Synonym(s): *rufa* Friese, 1901; *erivaniensis* Pérez, 1901
- 4605) *Xylomedes cornifrons* (Baudi di Selve, 1873) (Bostriichidae) Synonym(s): *cornifrons* Baudi di Selve, 1873
- 4606) *Yerohama maculata* (Meigen, 1835) (Sarcophagidae) Synonym(s): *maculata* Meigen, 1835
- 4607) *Yponomeuta albonigratus* Gershenson, 1972 (Yponomeutidae) Synonym(s): *albonigratus* Gershenson, 1972
- 4608) *Yponomeuta cognagellus* (Hübner, [1813]) (Yponomeutidae) Synonym(s): *cognagella* Hübner, [1813]
- 4609) *Yponomeuta meridionalis* Gershenson, 1972 (Yponomeutidae) Synonym(s): *meridionalis* Gershenson, 1972
- 4610) *Yponomeuta plumbellus* ([Denis & Schiffermüller], 1775) (Yponomeutidae) Synonym(s): *plumbellus* [Denis & Schiffermüller], 1775; *nigrifimbriatus* Christoph, 1882
- 4611) *Yponomeuta vigintipunctatus* (Retzius, 1783) (Yponomeutidae) Synonym(s): *vigintipunctata* Retzius, 1783; *sedella* Treitschke, 1832; *vigintipunctella* Doubleday, 1859; *apicalis* Matsumura, 1931; *elementaris* Meyrick, 1931.
- 4612) *Ypsolopha asperella* (Linnaeus, 1761) (Yponomeutidae) Synonym(s): *asperella* Linnaeus, 1761; *clairvillella* Fabricius, 1798; *falcata* Donovan, 1801
- 4613) *Ypsolopha dentella* (Fabricius, 1775) (Yponomeutidae) Synonym(s): *dentella* Fabricius, 1775; *harpella* [Denis & Schiffermüller], 1775; *caprifolii* Retzius, 1783; *dentatus* Fabricius, 1798; *pallescentella* Staudinger, 1892
- 4614) *Ypsolopha instabilella* (Mann, 1866) (Yponomeutidae) Synonym(s): *instabilella* Mann, 1866
- 4615) *Ypsolopha mucronella* (Scopoli, 1763) (Yponomeutidae) Synonym(s): *mucronella* Scopoli, 1763; *caudella* Linnaeus, 1767; *panzerella* Donovan, 1794; *cultrella* Hübner, 1796; *acinacidella* Hübner, 1796; *mucronatus* Fabricius, 1798; *helwigella* Fabricius, 1798; *acinacidea* Haworth, 1828
- 4616) *Ypsolopha persicella* (Fabricius, 1787) (Yponomeutidae) Synonym(s): *persicella* Fabricius, 1787; *sulphurella* Hübner, 1793; *#persicellume* Noack, 1960.
- 4617) *Ypthima asterope* (Klug, 1832) (Satyridae) Synonym(s): *asterope* Klug, 1832; *marlenii* Kattulas & Koutsaftikis, 1978.
- 4618) *Zamarada torrida* D.S.Fletcher, 1974 (Geometridae) Synonym(s): *torrida* D.S.Fletcher, 1974
- 4619) *Zaprius indianus* Gupta, 1970 (Drosophilidae) Synonym(s): *indianus* Gupta, 1970
- 4620) *Zaprius tuberculatus* Malloch, 1932 (Drosophilidae) Synonym(s): *tuberculatus* Malloch, 1932
- 4621) *Zebeeba falsalis* (Herrich-Schäffer, 1839) (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer, 1839
- 4622) *Zekelita (Ravalita) ravalis* (Herrich-Schäffer, [1852]) (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer, [1852]; *revolutalis* Zeller, 1852; *eremialis* Swinhoe, 1889 *nec* Walk., 1859; *centralis* Staudinger, 1892; *syriacalis* Staudinger, 1892; *extorris* W. Warren, 1913; *#pallida* Schawerda, 1929; *#transcaspica* Brandt, 1941.
- 4623) *Zekelita (Rhynchodontodes) antiqualis* (Hübner, [1809]) (Noctuidae) Synonym(s): *antiqualis* Hübner, [1809]; *anatolica* Wagner, 1931; *#antiquilis* Zukowsky, 1941
- 4624) *Zerynthia (Allancastris) cerisyi* (Godart, 1822) (Papilionidae) Synonym(s): *cerisyi* Godart, 1822; *cerisy* Godart, [1824]; *martini* Fruhst., 1906; *speciosa*, *cypria* Stichel, 1907; *#destrigata* Schultz, 1908; *#caeca* Shelj., 1927; *mysiniensis* Eisn. & Wag., 1974; *kocaki*, *goeksui* Kuhna, 1977; *koroneii* Katt. & Kouts., 1978; *sami* Schmidt, 1989.
- 4625) *Zerynthia (Allancastris) deyrollei* (Oberthür, 1869) (Papilionidae) Synonym(s): *deyrollei* Oberthür, 1869; *eisneri* Bernardi, 1970; *lycaoniae* Eisner & Wagener, 1974; *#flavomaculata* Verity, 1905; *#ochracea* Verity, 1905; *#obscurior* Verity, 1905; *#subflava* Schultz, 1908; *#deflexa* Schultz, 1908; *#charis* Schultz, 1908; *#separata* Sheljuzhko, 1927.
- 4626) *Zethes insularis* Rambur, 1833 (Noctuidae) Synonym(s): *insularis* Rambur, 1833
- 4627) *Zeuzera pyrina* (Linnaeus, 1761) (Cossidae) Synonym(s): *pyrina* Linnaeus, 1761; *hypocastani* Poda, 1761; *aesuli* Linnaeus, 1767; *hilaris* Fourcroy, 1785; *octopunctata* Boisduval, 1832; *decipiens* Kirby, 1892
- 4628) *Zicrona caerulea* (Linnaeus, 1758) (Pentatomidae) Synonym(s): *caerulea* Linnaeus, 1758; *concinna* Westwood, 1837; *violacea* Westwood, 1837; *illustris* Amyot & Serville, 1843; *cuprea* Dallas, 1851
- 4629) *Zitha subustalis* (Lederer, 1855) (Pyralidae) Synonym(s): *subustalis* Lederer, 1855
- 4630) *Zizeeria (s.str.) karsandra* (Moore, 1865) (Lycaenidae) Synonym(s): *karsandra* Moore, 1865
- 4631) *Zonitis nana* Ragusa, 1882 (Meloidae) Synonym(s): *nana* Ragusa, 1882; *laevicollis* Escherich, 1891
- 4632) *Zonitis ruficollis* Frivaldsky, 1877 (Meloidae) Synonym(s): *ruficollis* Frivaldsky, 1877; *rubricollis* Abeille de Perrin, 1880; *abeillei* Bedel, 1892; *thoracica* Escherich, 1892
- 4633) *Zophosis (Oculosis) punctata* Brullé, 1832 (Tenebrionidae) Synonym(s): *punctata* Brullé, 1832
- 4634) *Zophosis aelanitica* Peyerimhoff, 1907 (Tenebrionidae) Synonym(s): *aelanitica* Peyerimhoff, 1907
- 4635) *Zophosis asiatica* Miller, 1861 (Tenebrionidae) Synonym(s): *asiatica* Miller, 1861
- 4636) *Zophosis bicarinata* Solier, 1834 (Tenebrionidae) Synonym(s): *bicarinata* Solier, 1834; *minuta* Brullé, 1838
- 4637) *Zophosis carinata* Solier, 1834 (Tenebrionidae) Synonym(s): *carinata* Solier, 1834
- 4638) *Zophosis cognata* Miller, 1861 (Tenebrionidae) Synonym(s): *cognata* Miller, 1861
- 4639) *Zophosis farinosa* Blair (Tenebrionidae) Synonym(s):
- 4640) *Zophosis orientalis* Deyrolle, 1867 (Tenebrionidae) Synonym(s): *orientalis* Deyrolle, 1867
- 4641) *Zophosis osmanlis* Deyrolle, 1872 (Tenebrionidae) Synonym(s): *osmanlis* Deyrolle, 1872
- 4642) *Zophosis personata* Erichson, 1841 (Tenebrionidae) Synonym(s): *personata* Erichson, 1841
- 4643) *Zophosis plana* (Fabricius, 1792) (Tenebrionidae) Synonym(s): *plana* Fabricius, 1792
- 4644) *Zophosis punctulata* Olivier, 1795 (Tenebrionidae) Synonym(s): *punctulata* Olivier, 1795; *angusta* Wiedemann, 1823
- 4645) *Zygaena (s.str.) graslini* Lederer, 1855 (Zygaenidae) Synonym(s): *graslini* Lederer, 1855
- 4646) *Zygina (Hypericiella) nebulosa* (Ribaut, 1948) (Cicadellidae) Synonym(s): *nebulosa* Ribaut, 1948
- 4647) *Zygina (s.str.) discolor* Horvath, 1897 (Cicadellidae) Synonym(s): *discolor* Horvath, 1897; *#discolor* Lodos & Kalkandelen, 1984
- 4648) *Zygina (s.str.) krueperi* Fieber, 1884 (Cicadellidae) Synonym(s): *krueperi* Fieber, 1884
- 4649) *Zygina (s.str.) nivea* (Mulsant & Rey, 1855) (Cicadellidae) Synonym(s): *nivea* Mulsant & Rey, 1855; *punctulum* Mulsant & Rey, 1855; *crucioris* Rey, 1891; *dorsuaria* Ribaut, 1936; *nycthemera* Ribaut, 1936
- 4650) *Zygina (s.str.) rhamni* Ferrari, 1882 (Cicadellidae) Synonym(s): *rhamni* Ferrari, 1882; *simplex* Ferrari, 1882; *detrita* Rey, 1894; *difficilis* Ribaut, 1936; *manca* Ribaut, 1936
- 4651) *Zyginella pulchra* Loew, 1885 (Cicadellidae) Synonym(s): *pulchra* Loew, 1885; *quercus* Kusnezov, 1930
- 4652) *Zyginidia (s.str.) sohrab* Zachvatkin, 1947 (Cicadellidae) Synonym(s): *sohrab* Zachvatkin, 1947; *coacta* Ribaut, 1948
- 4653) *Zygomyia valida* Winnertz, 1863 (Mycetophilidae) Synonym(s): *valida* Winnertz, 1863
- 4654) *Zyziphoides virens* (Haupt, 1927) (Cicadellidae) Synonym(s): *virens* Haupt, 1927

JORDAN (1423 SPECIES)

- 1) **Delfimeus punctatus** (Navas,1914) (Myrmeleonidae) Synonym(s): *punctatus* Navas,1914
- 2) **Ameles syriensis** Giglio-Tos,1915 (Mantidae) Synonym(s): *syriensis* Giglio-Tos,1915
- 3) **Ameles kervillei** Bolivar,1911 (Mantidae) Synonym(s): *kervillei* Bolivar,1911
- 4) **Ameles massai** Battiston & Fontana,2005 (Mantidae) Synonym(s): *massai* Battiston & Fontana,2005
- 5) **Mantis religiosa** (Linnaeus,1758) (Mantidae) Synonym(s): *religiosa* Linnaeus,1758
- 6) **Iris oratoria** (Linnaeus,1758) (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832
- 7) **Rivetina byblica** La Greca & Lombardo,1982 (Mantidae) Synonym(s): *byblica* La Greca & Lombardo,1982
- 8) **Sphodromantis viridis** (Forskål,1775) (Mantidae) Synonym(s): *viridis* Forskål,1775; *guttata* Thunberg,1815; *bimaculata* Burmeister,1838; *bioculata* Burmeister,1838; *vischeri* Werner,1933
- 9) **Eremoplana infelix** Uvarov,1924 (Mantidae) Synonym(s): *ocellata* Thunberg,1815 nec Oliv.,1792; *infelix* Uvarov,1924
- 10) **Holaptilon pusillulum** Beier,1964 (Mantidae) Synonym(s): *pusillulum* Beier,1964
- 11) **Blepharopsis mendica** (Fabricius,1775) (Empusidae) Synonym(s): *mendica* Fabricius,1775
- 12) **Empusa fasciata** Brullé,1836 (Empusidae) Synonym(s): *fasciata* Brullé,1836
- 13) **Forficula lurida** Fischer,1853 (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900
- 14) **Lertha extensa** (Olivier,1811) (Nemopteridae) Synonym(s): *extensa* Olivier,1811
- 15) **Bubopsis hamata** (Klug,1834) (Ascalaphidae) Synonym(s): *hamatus* Klug,1834
- 16) **Palpares assyriorum** Abraham,2012 (Myrmeleonidae) Synonym(s): *assyriorum* Abraham,2012
- 17) **Cerocoma (Meloides) kunzei** Frivaldsky,1835 (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835; *patelligera* Baudi,1878; *patkaii* Kaszab,1941; *kaszabi* Maran,1944; *#violacea* Kaszab,1951; *iranica* Muche,1963; *palaestinis* Muche,1963
- 18) **Actenodia peyroni** (Reiche,1866) (Meloidae) Synonym(s): *peyroni* Reiche,1866; *#peyronis* Reiche,1866
- 19) **Hycleus birecurvus** (Marseul,1870) (Meloidae) Synonym(s): *birecurvus* Marseul,1870; *caudalutens* Pic,1930
- 20) **Hycleus humerosus** (Escherich,1899) (Meloidae) Synonym(s): *humerosus* Escherich,1899
- 21) **Hycleus fuscus** (Olivier,1811) (Meloidae) Synonym(s): *fuscus* Olivier,1811; *deleta* Marseul,1870; *galatiensis* Escherich,1899; *alpha* Sumakov,1913; *beta* Sumakov,1913; *circascutellaris* Pic,1914; *iota* Sumakov,1930; *zeta* Sumakov,1930
- 22) **Hycleus tenuipictus** (Fairmaire,1892) (Meloidae) Synonym(s): *tenuipictus* Fairmaire,1892; *marsabensis* Pic,1898
- 23) **Mylabris (Chrysabris) hemprichi** Klug,1845 (Meloidae) Synonym(s): *hemprichi* Klug,1845; *kocheri* Pardo Alcaide,1945
- 24) **Mylabris (Eumylabris) cincta** Olivier,1811 (Meloidae) Synonym(s): *cincta* Olivier,1811; *tiflensis* Billberg,1813; *matthesi* Faldermann,1837; *bicolor* Walzl,1838; *taeniata* Walzl,1838; *tricinctulata* Redtenbacher,1850; *jugatoria* Reiche,1865; *soubironi* Pic,1921; *#cincat* Kaszab,1968
- 25) **Hycleus zebraeus** (Marseul,1870) (Meloidae) Synonym(s): *zebraea* Marseul,1870; *tenenbaumi* Pic,1928; *kervillei* Pic,1932
- 26) **Hycleus apicipennis** (Reiche,1866) (Meloidae) Synonym(s): *apicipennis* Reiche,1866; *innesi* Pic,1912; *fourtani* Pic,1921
- 27) **Hycleus concinnus** (Marseul,1870) (Meloidae) Synonym(s): *concinnus* Marseul,1870; *contaminata* Abeille de Perrin,1880; *impressithorax* Pic,1930
- 28) **Mylabris (s.str.) parumpicta** (Heyden,1883) (Meloidae) Synonym(s): *parumpicta* Heyden,1883
- 29) **Mylabris (s.str.) filicornis** Marseul,1870 (Meloidae) Synonym(s): *filicornis* Marseul,1870
- 30) **Trichomeloe chrysocomus** (Miller,1861) (Meloidae) Synonym(s): *chrysocomus* Miller,1861
- 31) **Trichomeloe deflexus** (Reitter,1889) (Meloidae) Synonym(s): *deflexus* Reitter,1889
- 32) **Trichomeloe sericellus** (Reiche & Saulcy,1857) (Meloidae) Synonym(s): *sericellus* Reiche & Saulcy,1857
- 33) **Lampromeloe cavensis** (Petagna,1819) (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867
- 34) **Meloe (Euryteloe) mediterraneus** J.Müller,1925 (Meloidae) Synonym(s): *mediterraneus* J.Müller,1925
- 35) **Meloe (Lasiomeloe) olivieri** (Chevrolat,1833) (Meloidae) Synonym(s): *olivieri* Chevrolat,1833
- 36) **Meloe (Meloegonius) rufiventris** (Germar,1817) (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889
- 37) **Euzonitis terminata** (Abeille de Perrin,1880) (Meloidae) Synonym(s): *terminata* Abeille de Perrin,1880; *auricoma* Escherich,1891; *bombycna* Escherich,1896; *armeniaca* Pic,1901
- 38) **Nemognatha (s.str.) chrysomelina** (Fabricius,1775) (Meloidae) Synonym(s): *chrysomelina* Fabricius,1775; *flavipes* Ménétries,1849; *nigripes* Suffrian,1853; *asiatica* Motschulsky,1872; *maculicollis* Fairmaire,1875; *unipunctata* Beaugregard,1890; *akbestana* Pic,1897; *atripennis* Chobaut,1898; *#chrysomelina* Özbek & Szaloki,1998
- 39) **Dasytidius subsyriacus** Majer,1991 (Melyridae) Synonym(s): *subsyriacus* Majer,1991
- 40) **Dasytidius syriacus** (Reitter,1885) (Melyridae) Synonym(s): *syriacus* Reitter,1885
- 41) **Dasytidius alfieri** (Wittmer,1935) (Melyridae) Synonym(s): *alfieri* Wittmer,1935
- 42) **Dasytidius subnudus** Majer,1991 (Melyridae) Synonym(s): *subnudus* Majer,1991
- 43) **Dasytiscus schereri** Majer,1988 (Melyridae) Synonym(s): *schereri* Majer,1988
- 44) **Dasytiscus abeillei** (Bourgeois,1885) (Melyridae) Synonym(s): *abeillei* Bourgeois,1885
- 45) **Dasytiscus fallax** Majer,1988 (Melyridae) Synonym(s): *fallax* Majer,1988
- 46) **Dasytiscus jordanicus** Majer,1988 (Melyridae) Synonym(s): *jordanicus* Majer,1988
- 47) **Dasytiscus amasyanus** Majer,1996 (Melyridae) Synonym(s): *amasyanus* Majer,1996
- 48) **Brodskyana furcilla** Majer,1996 (Melyridae) Synonym(s): *furcilla* Majer,1996
- 49) **Trichodes syriacus** Spinola,1844 (Cleridae) Synonym(s): *syriacus* Spinola,1844
- 50) **Trichodes affinis** Chevrolat,1843 (Cleridae) Synonym(s): *affinis* Chevrolat,1843; *apicalis* Champenois,1900
- 51) **Trichodes dilatipennis** Reitter,1893 (Cleridae) Synonym(s): *dilatipennis* Reitter,1893
- 52) **Trichodes quadriguttatus** Adams,1817 (Cleridae) Synonym(s): *quadriguttatus* Adams,1817
- 53) **Trichodes laminatus** Chevrolat,1843 (Cleridae) Synonym(s): *laminatus* Chevrolat,1843
- 54) **Ceutorhynchus pallidactylus** (Marshall,1802) (Curculionidae) Synonym(s): *pallidactylus* Marshall,1802
- 55) **Pheidole jordanica** Saulcy,1874 (Formicidae) Synonym(s): *jordanica* Saulcy,1874; *schmitzi* Forel,1911
- 56) **Pseudapis (s.str.) nilotica** (Smith,1875) (Halictidae) Synonym(s): *nilotica* Smith,1875; *latipes* Morawitz,1880
- 57) **Lasioglossum (Evylaeus) adaliae** (Blüthgen,1923) (Halictidae) Synonym(s): *adaliae* Blüthgen,1923
- 58) **Lasioglossum (Evylaeus) mesosclerum** (Pérez,1903) (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982
- 59) **Lasioglossum (Evylaeus) anellum** (Vachal,1905) (Halictidae) Synonym(s): *anellum* Vachal,1905
- 60) **Lasioglossum (Evylaeus) bicallosum** (Morawitz,1873) (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmitrijewi* Morawitz,1892

- 61) *Lasioglossum* (s.str.) *aegyptiellum* (Strand,1909) (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis* Cockerell,1918; *dalmaticum* Ebmer,1970
- 62) *Lasioglossum* (Evyllaeus) *calceatum* (Scopoli,1763) (Halictidae) Synonym(s): *calceatum* Scopoli,1763
- 63) *Lasioglossum* (Evyllaeus) *clypeiferellum* (Strand,1909) (Halictidae) Synonym(s): *clypeiferellum* Strand,1909
- 64) *Lasioglossum* (Evyllaeus) *crassepunctatum* (Blüthgen,1923) (Halictidae) Synonym(s): *crassepunctatum* Blüthgen,1923
- 65) *Lasioglossum* (s.str.) *discum* (Smith,1853) (Halictidae) Synonym(s): *discum* Smith,1853; *morbillosus* Kriechbaumer,1873; *glasunovi* Cockerell,1924;
- 66) *Lasioglossum* (Evyllaeus) *filipes* Ebmer,1972 (Halictidae) Synonym(s): *filipes* Ebmer,1972
- 67) *Lasioglossum* (Evyllaeus) *griseolum* (Morawitz,1872) (Halictidae) Synonym(s): *griseolum* Morawitz,1872
- 68) *Lasioglossum* (Evyllaeus) *hilare* Ebmer,1972 (Halictidae) Synonym(s): *hilare* Ebmer,1972
- 69) *Lasioglossum* (Evyllaeus) *imbecillum* (Ebmer,1974) (Halictidae) Synonym(s): *imbecillum* Ebmer,1974
- 70) *Lasioglossum* (Evyllaeus) *ituraeum* Ebmer,1972 (Halictidae) Synonym(s): *ituraeum* Ebmer,1972
- 71) *Lasioglossum* (Evyllaeus) *laevadorsum* (Blüthgen,1923) (Halictidae) Synonym(s): *laevadorsum* Blüthgen,1923
- 72) *Lasioglossum* (Evyllaeus) *laticeps* Schenck,1870 (Halictidae) Synonym(s): *laticeps* Schenck,1870; *hellenicum* Blüthgen,1937
- 73) *Lasioglossum* (Evyllaeus) *lineare* (Schenck,1869) (Halictidae) Synonym(s): *lineare* Schenck,1869
- 74) *Lasioglossum* (Evyllaeus) *malachurum* (Kirby,1802) (Halictidae) Synonym(s): *malachurum* Kirby,1802
- 75) *Lasioglossum* (Evyllaeus) *marginatum* (Brullé,1832) (Halictidae) Synonym(s): *marginatum* Brullé,1832
- 76) *Lasioglossum* (Evyllaeus) *mesosclerum* (Pérez,1903) (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *balneorum* Ebmer,1974
- 77) *Lasioglossum* (Evyllaeus) *nigripes* (Lepelletier,1841) (Halictidae) Synonym(s): *nigripes* Lepelletier,1841
- 78) *Lasioglossum* (Evyllaeus) *obscuratum* (Morawitz,1875) (Halictidae) Synonym(s): *obscuratum* Morawitz,1875
- 79) *Lasioglossum* (Evyllaeus) *pauillum* (Schenck,1853) (Halictidae) Synonym(s): *pauillum* Schenck,1853
- 80) *Lasioglossum* (Evyllaeus) *politum* Schenck,1853 (Halictidae) Synonym(s): *politum* Schenck,1853
- 81) *Lasioglossum* (s.str.) *pallens* (Brullé,1832) (Halictidae) Synonym(s): *pallens* Brullé,1832
- 82) *Lasioglossum* (Evyllaeus) *pseudosphecodimorphum* (Blüthgen,1923) (Halictidae) Synonym(s): *pseudosphecodimorphum* Blüthgen,1923
- 83) *Lasioglossum* (Evyllaeus) *punctatissimum* (Schenck,1853) (Halictidae) Synonym(s): *punctatissimum* Schenck,1853
- 84) *Lasioglossum* (Evyllaeus) *pygmaeum* Schenck,1853 (Halictidae) Synonym(s): *pygmaeum* Schenck,1853; *patulum* Vachal,1905
- 85) *Lasioglossum* (Evyllaeus) *stelidum* (Warncke,1982) (Halictidae) Synonym(s): *stelidum* Warncke,1982
- 86) *Lasioglossum* (Evyllaeus) *subaenescens* (Pérez,1896) (Halictidae) Synonym(s): *subaenescens* Pérez,1896; *asiaticum* Dalla Torre,1896
- 87) *Lasioglossum* (Evyllaeus) *transitorium* (Schenck,1870) (Halictidae) Synonym(s): *transitorium* Schenck,1870; *uncinum* Vachal,1905
- 88) *Lasioglossum* (Ctenonomia) *vagans* (Smith,1858) (Halictidae) Synonym(s): *vagans* Smith,1858
- 89) *Sphecodes* *albilabris* (Fabricius,1793) (Halictidae) Synonym(s): *albilabris* Fabricius,1793
- 90) *Sphecodes* *monilicornis* (Kirby,1802) (Halictidae) Synonym(s): *monilicornis* Kirby,1802; *cephalotes* Meyer,1920
- 91) *Dufourea* (Cyprorhaphites) *cypria* Mavromoustakis,1952 (Halictidae) Synonym(s): *cypria* Mavromoustakis,1952
- 92) *Dufourea* (s.str.) *nodicornis* (Warncke,1979) (Halictidae) Synonym(s): *nodicornis* Warncke,1979
- 93) *Ceylaliectus* (Meganomioides) *desertorum* (Blüthgen,1925) (Halictidae) Synonym(s): *desertorum* Blüthgen,1925
- 94) *Ceylaliectus* (s.str.) *punjabensis* (Cameron,1907) (Halictidae) Synonym(s): *punjabensis* Cameron,1907
- 95) *Ceylaliectus* (s.str.) *variegatus* (Olivier,1789) (Halictidae) Synonym(s): *variegatus* Olivier,1789; *pulchella* Jurine,1807; *?syrphoides* Walker,1871; *flavopicta* Dours,1873; *jucunda* Morawitz,1874; *fasciatus* Friese,1898; *intermedius* Alfken,1924; *simplex* Blüthgen,1925; *labiatarum* Cockerell,1931; *nigrita* Blüthgen,1934; *pseudocerea* Blüthgen,1934; *nigriventris* Blüthgen,1934
- 96) *Nomioides* (s.str.) *bluthgeni* Pesenko,1979 (Halictidae) Synonym(s): *bluthgeni* Pesenko,1979
- 97) *Nomioides* (s.str.) *deceptor* Saunders,1908 (Halictidae) Synonym(s): *deceptor* Saunders,1908
- 98) *Nomioides* (s.str.) *gussakovskiji* Blüthgen,1933 (Halictidae) Synonym(s): *gussakovskiji* Blüthgen,1933
- 99) *Nomioides* (s.str.) *ino* (Nurse,1904) (Halictidae) Synonym(s): *ino* Nurse,1904
- 100) *Nomioides* (s.str.) *rotundiceps* Handlirsch,1888 (Halictidae) Synonym(s): *rotundiceps* Handlirsch,1888
- 101) *Panurginus* *lactipennis* Friese,1897 (Andrenidae) Synonym(s): *lactipennis* Friese,1897
- 102) *Lithurgus* *tibialis* Morawitz,1875 (Megachilidae) Synonym(s): *tibialis* Morawitz,1875
- 103) *Anthidium* (s.str.) *tessellatum* Klug,1832 (Megachilidae) Synonym(s): *tessellatum* Klug,1832
- 104) *Stelis* (Stelidomorpha) *nasuta* (Latreille,1809) (Megachilidae) Synonym(s): *nasuta* Latreille,1809
- 105) *Chelostoma* (s.str.) *diodon* Schletterer,1889 (Megachilidae) Synonym(s): *diodon* Schletterer,1889; *cypricum* Mavromoustakis,1951
- 106) *Chelostoma* (s.str.) *lucens* (Benoist,1928) (Megachilidae) Synonym(s): *lucens* Benoist,1928
- 107) *Chelostoma* (Foveosmia) *bytinskii* (Mavromoustakis,1948) (Megachilidae) Synonym(s): *bytinskii* Mavromoustakis,1948
- 108) *Chelostoma* (Foveosmia) *schlettereri* (Friese,1899) (Megachilidae) Synonym(s): *schlettereri* Friese,1899; *palaestina* Benoist,1935; *pici* Benoist,1935
- 109) *Chelostoma* (subgen?) *ventrale* Schletterer,1889 (Megachilidae) Synonym(s): *ventrale* Schletterer,1889; *brevifurca* Benoist,1935; *subnitida* Benoist,1935
- 110) *Heriades* (Annosmia) *rubicola* Pérez,1890 (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931
- 111) *Heriades* (Michenerella) *punctuliferus* Schletterer,1889 (Megachilidae) Synonym(s): *punctuliferus* Schletterer,1889; *syriaca* Benoist,1928
- 112) *Hofferia* *schmiedeknechti* (Schletterer,1889) (Megachilidae) Synonym(s): *schmiedeknechti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928
- 113) *Hoplitis* (Annosmia) *aqabaensis* (Warncke,1991) (Megachilidae) Synonym(s): *aqabaensis* Warncke,1991
- 114) *Hoplitis* (Annosmia) *cercomela* (Warncke,1991) (Megachilidae) Synonym(s): *cercomela* Warncke,1991
- 115) *Hoplitis* (Annosmia) *hierichonica* (Mavromoustakis,1949) (Megachilidae) Synonym(s): *hierichonica* Mavromoustakis,1949
- 116) *Hoplitis* (Annosmia) *israelica* (Warncke,1991) (Megachilidae) Synonym(s): *israelica* Warncke,1991
- 117) *Hoplitis* (Annosmia) *verhoeffi* (Mavromoustakis,1954) (Megachilidae) Synonym(s): *verhoeffi* Mavromoustakis,1954
- 118) *Hoplitis* (Anthocopa) *bifoveolata* (Alfken,1935) (Megachilidae) Synonym(s): *bifoveolata* Alfken,1935
- 119) *Hoplitis* (Anthocopa) *pulchella* (Pérez,1895) (Megachilidae) Synonym(s): *pulchella* Pérez,1895; *lativentris* Friese,1899; *albiscopa* Friese,1899

- 120) *Hoplitis (Anthocopa) semirubra* (Fries, 1899) (Megachilidae) Synonym(s): *semirubra* Fries, 1899
- 121) *Hoplitis (Anthocopa) bisulca* (Gerstaecker, 1869) (Megachilidae) Synonym(s): *bisulca* Gerstaecker, 1869; *lanosa* Pérez, 1879
- 122) *Hoplitis (Anthocopa) anipuncta* (Alfken, 1935) (Megachilidae) Synonym(s): *anipuncta* Alfken, 1935
- 123) *Hoplitis (Anthocopa) cypriaca* (Mavromoustakis, 1938) (Megachilidae) Synonym(s): *cypriaca* Mavromoustakis, 1938; *bayburtensis* Tkalcu, 1980
- 124) *Hoplitis (Anthocopa) hemisphaerica* (Alfken, 1935) (Megachilidae) Synonym(s): *hemisphaerica* Alfken, 1935
- 125) *Hoplitis (Anthocopa) idalia* (Mavromoustakis, 1948) (Megachilidae) Synonym(s): *idalia* Mavromoustakis, 1948
- 126) *Hoplitis (Anthocopa) obtusa* (Fries, 1899) (Megachilidae) Synonym(s): *obtusa* Fries, 1899
- 127) *Hoplitis (Anthocopa) unispina* (Alfken, 1935) (Megachilidae) Synonym(s): *unispina* Alfken, 1935
- 128) *Hoplitis (Bytinskia) erythrogastra* (Mavromoustakis, 1954) (Megachilidae) Synonym(s): *erythrogastra* Mavromoustakis, 1954
- 129) *Hoplitis (Chlidoplitis) onychophora* (Mavromoustakis, 1939) (Megachilidae) Synonym(s): *onychophora* Mavromoustakis, 1939
- 130) *Hoplitis (Chlidoplitis) lysholmi* (Fries, 1899) (Megachilidae) Synonym(s): *lysholmi* Fries, 1899
- 131) *Hoplitis (s.str.) carinata* (Stanek, 1969) (Megachilidae) Synonym(s): *carinata* Stanek, 1969
- 132) *Hoplitis (s.str.) flabellifera* (Morice, 1901) (Megachilidae) Synonym(s): *flabellifera* Morice, 1901; *conjuncta* Alfken, 1935; *stichi* Alfken, 1935
- 133) *Hoplitis (s.str.) homalocera* (Zanden, 1991) (Megachilidae) Synonym(s): *homalocera* Zanden, 1991
- 134) *Hoplitis (s.str.) libanensis* (Morice, 1901) (Megachilidae) Synonym(s): *libanensis* Morice, 1901
- 135) *Hoplitis (s.str.) monstrabilis* (Tkalcu, 2000) (Megachilidae) Synonym(s): *monstrabilis* Tkalcu, 2000
- 136) *Hoplitis (s.str.) mucida* (Dours, 1873) (Megachilidae) Synonym(s): *mucida* Dours, 1873; *chobauti* Pérez, 1902; *taorminaensis* Strand, 1919; *maroccana* Benoist, 1929
- 137) *Hoplitis (s.str.) pallicornis* (Fries, 1895) (Megachilidae) Synonym(s): *pallicornis* Fries, 1895
- 138) *Hoplitis (Megalosmia) fulva* (Eversmann, 1852) (Megachilidae) Synonym(s): *fulva* Eversmann, 1852; *grandis* Morawitz, 1872
- 139) *Hoplitis (Micreriades) lebanotica* (Mavromoustakis, 1955) (Megachilidae) Synonym(s): *lebanotica* Mavromoustakis, 1955
- 140) *Hoplitis (Pentadentostmia) gallinula* (Warncke, 1991) (Megachilidae) Synonym(s): *gallinula* Warncke, 1991
- 141) *Hoplitis (Pentadentostmia) helouanensis* (Fries, 1899) (Megachilidae) Synonym(s): *helouanensis* Fries, 1899
- 142) *Hoplitis (Pentadentostmia) minor* (Morawitz, 1877) (Megachilidae) Synonym(s): *minor* Morawitz, 1877
- 143) *Hoplitis (Pentadentostmia) moricei* (Fries, 1899) (Megachilidae) Synonym(s): *moricei* Fries, 1899; *pustinia* Warncke, 1991
- 144) *Hoplitis (Pentadentostmia) rufopicta* (Morawitz, 1875) (Megachilidae) Synonym(s): *rufopicta* Morawitz, 1875; *laeviscutum* Alfken, 1935
- 145) *Hoplitis (Prionohoplitis) epeoliformis* (Ducke, 1899) (Megachilidae) Synonym(s): *epeoliformis* Ducke, 1899
- 146) *Hoplitis (Stenosmia) flavicornis* (Morawitz, 1877) (Megachilidae) Synonym(s): *flavicornis* Morawitz, 1877
- 147) *Hoplitis (Stenosmia) jordanica* (Warncke, 1991) (Megachilidae) Synonym(s): *jordanica* Warncke, 1991
- 148) *Hoplitis (Alcidamea) acuticornis* (Dufour & Perris, 1840) (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris, 1840; *dentiventris* Morawitz, 1877; *hispanica* Schmiedeknecht, 1886; *brunneipes* Peters, 1975; *gilva* Zanden, 1994
- 149) *Hoplitis (Alcidamea) alexandrina* (Warncke, 1991) (Megachilidae) Synonym(s): *alexandrina* Warncke, 1991
- 150) *Hoplitis (Alcidamea) arenivaga* (Zanden, 1996) (Megachilidae) Synonym(s): *arenivaga* Zanden, 1996
- 151) *Hoplitis (Alcidamea) hoppferi* (Tkalcu, 1977) (Megachilidae) Synonym(s): *hoppferi* Tkalcu, 1977
- 152) *Hoplitis (Alcidamea) limassolica* (Mavromoustakis, 1937) (Megachilidae) Synonym(s): *limassolica* Mavromoustakis, 1937
- 153) *Hoplitis (Alcidamea) mollis* (Tkalcu, 2000) (Megachilidae) Synonym(s): *mollis* Tkalcu, 2000
- 154) *Hoplitis (Alcidamea) praestans* (Morawitz, 1894) (Megachilidae) Synonym(s): *praestans* Morawitz, 1894; *lineola* Pérez, 1895
- 155) *Hoplitis (Alcidamea) stellaris* (Warncke, 1991) (Megachilidae) Synonym(s): *stellaris* Warncke, 1991
- 156) *Hoplitis (Alcidamea) tricolor* (Saunders, 1908) (Megachilidae) Synonym(s): *tricolor* Saunders, 1908
- 157) *Ochreriades fasciatus* (Fries, 1899) (Megachilidae) Synonym(s): *fasciatus* Fries, 1899
- 158) *Osmia (Allosmia) lhotelleriei* (Pérez, 1887) (Megachilidae) Synonym(s): *lhotelleriei* Pérez, 1887
- 159) *Osmia (Allosmia) rufohirta* (Latreille, 1811) (Megachilidae) Synonym(s): *rufohirta* Latreille, 1811; *spiniventris* Giraud, 1857; *soror* Pérez, 1896
- 160) *Osmia (Allosmia) rufotibialis* (Fries, 1920) (Megachilidae) Synonym(s): *rufotibialis* Fries, 1920
- 161) *Osmia (Allosmia) sybarita* (Smith, 1853) (Megachilidae) Synonym(s): *sybarita* Smith, 1853; *ruficollis* Sichel, 1873; *fossoria* Pérez, 1890; *ducke* Fries, 1899
- 162) *Osmia (Helicosmia) alfkeni* (Ducke, 1899) (Megachilidae) Synonym(s): *alfkeni* Ducke, 1899; *crinita* Alfken, 1942
- 163) *Osmia (Helicosmia) aquila* (Warncke, 1988) (Megachilidae) Synonym(s): *aquila* Warncke, 1988
- 164) *Osmia (Helicosmia) caerulea* (Linnaeus, 1758) (Megachilidae) Synonym(s): *caerulea* Linnaeus, 1758; *aeaea* Linnaeus, 1761; *superbus* Harris, 1776; *muraria* Retzius, 1783; *cuprea* Geoffroy, 1785; *cyanea* Fabricius, 1793; *purpurea* Cresson, 1864; *rustica* Cresson, 1864
- 165) *Osmia (Helicosmia) clypearis* (Morawitz, 1871) (Megachilidae) Synonym(s): *clypearis* Morawitz, 1871; *macedonica* Tkalcu, 1979; *acuta* Warncke, 1988
- 166) *Osmia (Helicosmia) melanogaster* (Spinola, 1808) (Megachilidae) Synonym(s): *melanogaster* Spinola, 1808; *aterrima* Morawitz, 1872; *carinolica* Morawitz, 1872; *incerta* Radoszkowski, 1876; *subaenea* Pérez, 1895
- 167) *Osmia (Helicosmia) niveata* (Fabricius, 1804) (Megachilidae) Synonym(s): *niveata* Fabricius, 1804; *fulvicornis* Latreille, 1809; *minuta* Branson, 1879; *sieversii* Morawitz, 1886; *carneiventris* Dours, 1887; *albiscopa* Alfken, 1914
- 168) *Osmia (Helicosmia) saxatilis* (Warncke, 1988) (Megachilidae) Synonym(s): *saxatilis* Warncke, 1988
- 169) *Osmia (Helicosmia) subcornuta* (Morawitz, 1875) (Megachilidae) Synonym(s): *subcornuta* Morawitz, 1875
- 170) *Osmia (Helicosmia) latreillei* (Spinola, 1806) (Megachilidae) Synonym(s): *latreillei* Spinola, 1806; *nasidens* Latreille, 1811; *quadricornis* Kriechbaumer, 1869; *friesi* Verhoeff, 1892; *iberofafricana* Peters, 1975
- 171) *Osmia (Helicosmia) dives* (Mocsary, 1877) (Megachilidae) Synonym(s): *dives* Mocsary, 1877; *medanae* Magretti, 1890; *subintegra* Pérez, 1902; *hierosolomita* Benoist, 1934
- 172) *Osmia (Helicosmia) fasciata* (Latreille, 1811) (Megachilidae) Synonym(s): *fasciata* Latreille, 1811; *atroalba* Morawitz, 1875; *kuznetsovi* Cockerell, 1930

- 173) *Osmia (Helicosmia) signata* Erichson, 1835 (Megachilidae) Synonym(s): *signata* Erichson, 1835; *jucunda* Smith, 1853; *vidua* Gerstaecker, 1869; *cincta* Dours, 1873; *taurica* Radoszkowski, 1874; *laticincta* Pérez, 1879; *atriventris* Costa, 1883; *costaniana* Dalla Torre, 1895
- 174) *Osmia (Hemiosmia) chrysolepta* Haeseler, 2005 (Megachilidae) Synonym(s): *chrysolepta* Haeseler, 2005
- 175) *Osmia (Hoplosmia) elegans* (Tkalcu, 1992) (Megachilidae) Synonym(s): *elegans* Tkalcu, 1992
- 176) *Osmia (Hoplosmia) spinigera* Latreille, 1811 (Megachilidae) Synonym(s): *spinigera* Latreille, 1811; *clavicula* Gerstaecker, 1869
- 177) *Osmia (Hoplosmia) bidentata* Morawitz, 1876 (Megachilidae) Synonym(s): *bidentata* Morawitz, 1876; *affinis* Frivaldsky, 1877; *pallens* Tkalcu, 1979
- 178) *Osmia (Hoplosmia) distinguenda* (Tkalcu, 1974) (Megachilidae) Synonym(s): *distinguenda* Tkalcu, 1974
- 179) *Osmia (Hoplosmia) ligurica* Morawitz, 1868 (Megachilidae) Synonym(s): *ligurica* Morawitz, 1868; *detrita* Pérez, 1879
- 180) *Osmia (Hoplosmia) scutellaris* Morawitz, 1868 (Megachilidae) Synonym(s): *scutellaris* Morawitz, 1868
- 181) *Osmia (Hoplosmia) pinguis* Pérez, 1895 (Megachilidae) Synonym(s): *pinguis* Pérez, 1895; *indivisa* Benoist, 1928; *carbo* Zanden, 1994
- 182) *Osmia (Monosmia) apicata* Smith, 1853 (Megachilidae) Synonym(s): *apicata* Smith, 1853; *macroglossa* Gerstaecker, 1869
- 183) *Osmia (s.str.) rufa* (Linnaeus, 1758) (Megachilidae) Synonym(s): *rufa* Linnaeus, 1758; *cornigera* Rossi, 1790
- 184) *Osmia (Pyrosmia) amathusica* Mavromoustakis, 1937 (Megachilidae) Synonym(s): *amathusica* Mavromoustakis, 1937
- 185) *Osmia (Pyrosmia) cyanoxantha* Pérez, 1879 (Megachilidae) Synonym(s): *cyanoxantha* Pérez, 1879; *cyanoxura* Zanden, 1991; *elbaba* Warncke, 1992
- 186) *Osmia (Pyrosmia) dilaticornis* Morawitz, 1875 (Megachilidae) Synonym(s): *dilaticornis* Morawitz, 1875
- 187) *Osmia (Pyrosmia) ferruginea* Latreille, 1811 (Megachilidae) Synonym(s): *ferruginea* Latreille, 1811; *metallica* Lucas, 1849; *igneopurpurea* Costa, 1882
- 188) *Osmia (Pyrosmia) polkruga* Warncke, 1992 (Megachilidae) Synonym(s): *polkruga* Warncke, 1992
- 189) *Osmia (Pyrosmia) saxicola* Dücke, 1899 (Megachilidae) Synonym(s): *saxicola* Dücke, 1899; *caelestina* Benoist, 1929; *cypricola* Mavromoustakis, 1937; *posti* Mavromoustakis, 1956; *riemanni* Warncke, 1992
- 190) *Osmia (Pyrosmia) submicans* Morawitz, 1870 (Megachilidae) Synonym(s): *submicans* Morawitz, 1870; *giraudi* Schmiedeknecht, 1886; *hebraea* Benoist, 1934; *canaria* Mavromoustakis, 1957; *lanzarotae* Warncke, 1992; *columbina* Zanden, 1996
- 191) *Osmia (Pyrosmia) viridana* Morawitz, 1874 (Megachilidae) Synonym(s): *viridana* Morawitz, 1874; *rufispina* Morawitz, 1875; *angulata* Pérez, 1896; *nicosiana* Mavromoustakis, 1939; *mulleolus* Zanden, 1984
- 192) *Osmia (Pyrosmia) cephalotes* Morawitz, 1870 (Megachilidae) Synonym(s): *cephalotes* Morawitz, 1870; *bacillus* Pérez, 1879; *pulsata* Buysson, 1899; *longiceps* Morawitz, 1876
- 193) *Osmia (Pyrosmia) hellados* Zanden, 1984 (Megachilidae) Synonym(s): *hellados* Zanden, 1984
- 194) *Osmia (Pyrosmia) avedata* Warncke, 1992 (Megachilidae) Synonym(s): *avedata* Warncke, 1992
- 195) *Osmia (Pyrosmia) nana* Morawitz, 1874 (Megachilidae) Synonym(s): *nana* Morawitz, 1874; *tetrodonta* Benoist, 1934
- 196) *Osmia (Pyrosmia) teunissenii* Zanden, 1981 (Megachilidae) Synonym(s): *teunissenii* Zanden, 1981
- 197) *Osmia (Tergosmia) rhodoensis* (Zanden, 1983) (Megachilidae) Synonym(s): *rhodoensis* Zanden, 1983; *arcuata* Warncke, 1988; *ferina* Warncke, 1988
- 198) *Protosmia (Chelostomopsis) longiceps* (Friese, 1899) (Megachilidae) Synonym(s): *longiceps* Friese, 1899; *depauperata* Benoist, 1928
- 199) *Protosmia (s.str.) glutinosa* (Giraud, 1871) (Megachilidae) Synonym(s): *glutinosa* Giraud, 1871
- 200) *Protosmia (s.str.) humeralis* (Pérez, 1895) (Megachilidae) Synonym(s): *humeralis* Pérez, 1895
- 201) *Protosmia (s.str.) monstrosa* (Pérez, 1895) (Megachilidae) Synonym(s): *monstrosa* Pérez, 1895; *mirabilis* Friese, 1899
- 202) *Protosmia (s.str.) paradoxa* (Friese, 1899) (Megachilidae) Synonym(s): *paradoxa* Friese, 1899
- 203) *Protosmia (s.str.) tifiensis* (Morawitz, 1876) (Megachilidae) Synonym(s): *tifiensis* Morawitz, 1876; *graffei* Schmiedeknecht, 1890
- 204) *Stenoheriades asiaticus* (Friese, 1921) (Megachilidae) Synonym(s): *asiaticus* Friese, 1921; *coelostoma* Benoist, 1935
- 205) *Stenoheriades eingeddicus* Griswold, 1994 (Megachilidae) Synonym(s): *eingeddicus* Griswold, 1994
- 206) *Wainia (Caposmia) eremoplana* (Mavromoustakis, 1949) (Megachilidae) Synonym(s): *eremoplana* Mavromoustakis, 1949
- 207) *Dasypoda (s.str.) gusenleitneri* Michez, 2004 (Melittidae) Synonym(s): *gusenleitneri* Michez, 2004
- 208) *Melitta schmiedeknechti* Friese, 1896 (Melittidae) Synonym(s): *schmiedeknechti* Friese, 1896; *tunensis* Warncke, 1973
- 209) *Stephanitis oschanini* Vasiliev, 1935 (Tingidae) Synonym(s): *oschanini* Vasiliev, 1935; *hoberlandti* Lis, 2002
- 210) *Tingis elongata* (Fieber, 1861) (Tingidae) Synonym(s): *elongata* Fieber, 1861
- 211) *Capsodes (Horistus) turcomanus* (Horvath, 1889) (Miridae) Synonym(s): *turcomanus* Horvath, 1889
- 212) *Closterotomus orientalis* Carapezza, 2002 (Miridae) Synonym(s): *orientalis* Carapezza, 2002
- 213) *Psallus calliprinoi* Carapezza, 2002 (Miridae) Synonym(s): *calliprinoi* Carapezza, 2002
- 214) *Psallus hastatus* Carapezza, 2002 (Miridae) Synonym(s): *hastatus* Carapezza, 2002
- 215) *Grypocoris fieberi* Douglas & Scott, 1868 (Miridae) Synonym(s): *fieberi* Douglas & Scott, 1868; *blandus* Puton, 1881
- 216) *Tuponia mujiba* Wagner, 1971 (Miridae) Synonym(s): *mujiba* Wagner, 1971
- 217) *Tuponia semele* Linnavuori, 1995 (Miridae) Synonym(s): *semele* Linnavuori, 1995
- 218) *Rhynocoris bipustulatus* (Fieber, 1861) (Reduviidae) Synonym(s): *bipustulatus* Fieber, 1861; *signiceps* Walker, 1870; *nigripennis* Lindberg, 1930; *israelensis* Hoberlandt, 1951
- 219) *Caenocoris nerii* (Germar, 1847) (Lygaeidae) Synonym(s): *nerii* Germar, 1847; *semiruber* Walker, 1872
- 220) *Lygaeus equestris* (Linnaeus, 1758) (Lygaeidae) Synonym(s): *equestris* Linnaeus, 1758; *speciosus* Poda, 1761; *punctumalbum* Pollich, 1781; *lactans* Horvath, 1899; *sicilianus* Wagner, 1954
- 221) *Lygaeus creticus* (Lucas, 1854) (Lygaeidae) Synonym(s): *creticus* Lucas, 1854; *bisbipunctatus* A. Costa, 1864; *sexmaculatus* Garbiglietti, 1869
- 222) *Cosmopleurus fulvipes* (Dallas, 1852) (Lygaeidae) Synonym(s): *fulvipes* Dallas, 1852; *obscura* Bergevin, 1936
- 223) *Lygaeosoma sardeum* Spinola, 1837 (Lygaeidae) Synonym(s): *sardeum* Spinola, 1837; *reticulatus* Herrich-Schäffer, 1838; *variabilis* Rambur, 1839; *erythropterum* Puton, 1876 [ssp.]; *numidicum* Puton, 1887; *hungarica* Stichel, 1957
- 224) *Megalonotus maximus* (Puton, 1895) (Lygaeidae) Synonym(s): *maximus* Puton, 1895
- 225) *Megalonotus setosus* Puton, 1874 (Lygaeidae) Synonym(s): *setosus* Puton, 1874
- 226) *Engistus exsanguis* Stal, 1872 (Lygaeidae) Synonym(s): *exsanguis* Stal, 1872; *unicolor* Jakovlev, 1877; *conspurcatus* Horvath, 1911; *fasciatus* Horvath, 1911; *#crocea* Priesner & Alfieri, 1953; *#viridis* Priesner & Alfieri, 1953; *punctulatus* Linnavuori, 1953 [ssp.]

- 227) **Centrocoris spiniger (Fabricius,1781)** (Coreidae) Synonym(s): *branderi* Linnaeus,1767; *spiniger* Fabricius,1781; *pallenscens* Kolenati,1845; *subinermis* Rey,1887; *bampurensis* Linnavuori,1968
- 228) **Centrocoris degener (Puton,1874)** (Coreidae) Synonym(s): *degener* Puton,1874
- 229) **Centrocoris variegatus Kolenati,1845** (Coreidae) Synonym(s): *variegatus* Kolenati,1845; *nigricans* Fieber,1861; *convergens* Sienkiewicz,1959
- 230) **Dicranocephalus marginatus (Ferrari,1874)** (Stenocephalidae) Synonym(s): *marginatus* Ferrari,1874; *albomarginatus* Jakovlev,1877; *orientalis* Distant,1880
- 231) **Enoplops disciger (Kolenati,1845)** (Coreidae) Synonym(s): *disciger* Kolenati,1845
- 232) **Phyllomorphus laceratus (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer,1835; *persica* Westwood,1841
- 233) **Phyllomorphus laciniatus (Villers,1789)** (Coreidae) Synonym(s): *laciniatus* Villers,1789; *hystrix* Latreille,1817; *gallicus* Germar,1822; *muricatus* Hummel,1827; *algerica* Guérin-Méneville,1839; *erinaceus* Herrich-Schäffer,1842; *brevispina* Wagner,1955; *montandon* Zange,2005
- 234) **Nemausus sordidatus (Stal,1858)** (Alydidae) Synonym(s): *sordidatus* Stal,1858; *simplex* Horvath,1911
- 235) **Stictopleurus pictus (Fieber,1861)** (Rhopalidae) Synonym(s): *pictus* Fieber,1861
- 236) **Leprosoma inaequale Horvath,1911** (Pentatomidae) Synonym(s): *inaequale* Horvath,1911
- 237) **Putonia torrida Stal,1872** (Pentatomidae) Synonym(s): *torrida* Stal,1872
- 238) **Sciocoris (s.str.) hoberlandti Wagner,1954** (Pentatomidae) Synonym(s): *hoberlandti* Wagner,1954
- 239) **Dyoderes umbraculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *umbraculatus* Fabricius,1775; *marginatus* Fabricius,1798 nec Linn.,1758; *aparines* Dufour,1833
- 240) **Aelia acuminata (Linnaeus,1758)** (Pentatomidae) Synonym(s): *acuminata* Linnaeus,1758; *rostratus* De Geer,1773; *tessarophthalmus* Schrank,1781; *neglecta* Dallas,1851; *burmeisteri* Küster,1852; *pallida* Küster,1852; *turanica* Horvath,1895; *punctiventris* Horvath,1911; *#nigripes* Wagner,1938; *baluchistanensis* Ahmad & Zaidi,1988
- 241) **Staria lunata (Hahn,1835)** (Pentatomidae) Synonym(s): *lunata* Hahn,1835; *lobulatus* Rambur,1839; *maroccana* Lindberg,1932; *levantinae* Fuente,1972
- 242) **Brachynema germarii (Kolenati,1846)** (Pentatomidae) Synonym(s): *virens* Klug,1845 nec Linn.,1767; *germarii* Kolenati,1846; *anabasis* Becker,1867; *biplaga* Walker,1867; *flavomarginatus* Jakovlev,1871; *grisea* Jakovlev,1871; *melanota* Jakovlev,1874; *alternatum* Horvath,1899
- 243) **Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958
- 244) **Eurydema (Horvath-eurydema) rugulosa (Dohrn,1860)** (Pentatomidae) Synonym(s): *rugulosa* Dohrn,1860; *nigrorubra* Reuter,1900; *v-rubrum* Horvath,1917; *anaemica* Horvath,1917
- 245) **Anchesmus rubiplaga (Walker,1867)** (Pentatomidae) Synonym(s): *rubiplaga* Walker,1867
- 246) **Ancyrosoma leucogrammes (Gmelin,1790)** (Pentatomidae) Synonym(s): *albolineatus* Fabricius,1781 nec Gz.,1778; *leucogrammes* Gmelin,1790; *nervosus* Cyrillus,1791 nec Sc.,1763; *affine* Westwood,1837; *tuberculatum* Bergevin,1908
- 247) **Macrophya ottomana Mocsary,1881** (Tenthredinidae) Synonym(s): *ottomana* Mocsary,1881
- 248) **Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis* Linnaeus,1771; *turcica* Drury,1773; *quadripunctata* Forskal,1775; *fusca* Christ,1791; *aegyptiaca* Vallot,1802; *nilotica* Vallot,1802; *jurinei* Saussure,1854; *zavattarii* Guiglia & Capra,1933; *somalica* Giordani Soika,1934; *arabica* Giordani Soika,1957
- 249) **Celonites hamanni Gusenleitner,1973** (Vespidae) Synonym(s): *hamanni* Gusenleitner,1973; *#hammani* Yıldırım & Özbek,1997
- 250) **Masaris aegytiacus Meade-Waldo,1911** (Vespidae) Synonym(s): *aegytiacus* Meade-Waldo,1911
- 251) **Ancistrocerus auctus (Fabricius,1793)** (Vespidae) Synonym(s): *auctus* Fabricius,1793
- 252) **Ancistrocerus biphaleratus Saussure,1852** (Vespidae) Synonym(s): *biphaleratus* Saussure,1852; *palaestinus* Giordani Soika,1952
- 253) **Antepipona dentella Gusenleitner,1991** (Vespidae) Synonym(s): *dentella* Gusenleitner,1991
- 254) **Alastor (Megalastor) mediomaculatus Giordani Soika,1952** (Vespidae) Synonym(s): *mediomaculatus* Giordani Soika,1952; *iconius* Blüthgen,1955; *graecus* Gusenleitner,1970
- 255) **Eumenes lepeleteri Saussure,1852** (Vespidae) Synonym(s): *lepeleteri* Saussure,1852; *#lepeletieri* Saussure,1854; *granti* Kirby,1900; *janseii* Cameron,1910; *meruensis* Cameron,1910;
- 256) **Delta dimidiatipenne (Saussure,1852)** (Vespidae) Synonym(s): *dimidiatipenne* Saussure,1852
- 257) **Delta hottentottus (Saussure,1852)** (Vespidae) Synonym(s): *hottentottus* Saussure,1852; *elegans* Saussure,1852
- 258) **Eumenes mediterraneus (Kriechbaumer,1879)** (Vespidae) Synonym(s): *mediterraneus* Kriechbaumer,1879; *housaki* Giordani Soika,1952; *anatolicus* Giordani Soika,1952
- 259) **Euodynerus (s.str.) curictensis Blüthgen,1940** (Vespidae) Synonym(s): *curictensis* Blüthgen,1940; *comosellus* Gusenleitner,1971
- 260) **Euodynerus diversus (Walker,1871)** (Vespidae) Synonym(s): *diversus* Walker,1871
- 261) **Hemipterochilus bicoloricornis (Giordani Soika,1952)** (Vespidae) Synonym(s): *bicoloricornis* Giordani Soika,1952
- 262) **Onychopterocheilus rothi (Dusmet,1928)** (Vespidae) Synonym(s): *rothi* Dusmet,1928
- 263) **Onychopterocheilus grandiceps (Blüthgen,1955)** (Vespidae) Synonym(s): *grandiceps* Blüthgen,1955
- 264) **Onychopterocheilus mena (Giordani Soika,1943)** (Vespidae) Synonym(s): *mena* Giordani Soika,1943
- 265) **Leptochilus bellus Blüthgen,1955** (Vespidae) Synonym(s): *bellus* Blüthgen,1955
- 266) **Leptochilus gemma Giordani Soika,1970** (Vespidae) Synonym(s): *gemma* Giordani Soika,1970
- 267) **Leptochilus (Lionotulus) alpestris (Saussure,1855)** (Vespidae) Synonym(s): *minutus* Herrich-Schäffer,1839; *alpestris* Saussure,1855; *grandii* Giordani Soika,1947; *bulsanensis* Blüthgen,1953
- 268) **Leptochilus ornatulus Gusenleitner,1977** (Vespidae) Synonym(s): *ornatulus* Gusenleitner,1977
- 269) **Leptochilus villosus Gusenleitner,2001** (Vespidae) Synonym(s): *villosus* Gusenleitner,2001
- 270) **Leptochilus jordaneus Gusenleitner,1994** (Vespidae) Synonym(s): *jordaneus* Gusenleitner,1994
- 271) **Leptochilus tussaci Giordani Soika,1986** (Vespidae) Synonym(s): *tussaci* Giordani Soika,1986
- 272) **Microdynerus (s.str.) urdunus Gusenleitner,2004** (Vespidae) Synonym(s): *urdunus* Gusenleitner,2004
- 273) **Microdynerus (s.str.) appenninicus Giordani Soika,1960** (Vespidae) Synonym(s): *appenninicus* Giordani Soika,1960
- 274) **Microdynerus (Alastoryneus) microdynerus (Dalla Torre,1889)** (Vespidae) Synonym(s): *alastoroides* Morawitz,1885 (praeocc.); *microdynerus* Dalla Torre,1889; *tridentatus* Kostylev,1935
- 275) **Odynerus alexandrinus Saussure,1853** (Vespidae) Synonym(s): *alexandrinus* Saussure,1853; *cauponalis* Giordani Soika,1977
- 276) **Syneuodynerus egregius (Herrich-Schäffer,1839)** (Vespidae) Synonym(s): *egregius* Herrich-Schäffer,1839
- 277) **Pterochilus coccineus André,1884** (Vespidae) Synonym(s): *coccineus* André,1884

- 278) Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *lefebrii* Lepeletier,1841; *leviscutis* Cameron,1908; *distingendum* Buysson,1913; *hebraeum* Giordani Soika,1952; *adenense* Giordani Soika,1952; *ibericum* Giordani Soika,1966
- 279) Pseudepipona (s.str.) pseudominuta Gusenleitner,1972** (Vespidae) Synonym(s): *pseudominuta* Gusenleitner,1972
- 280) Brachypipona schlaeflei Gusenleitner,2001** (Vespidae) Synonym(s): *schlaeflei* Gusenleitner,2001
- 281) Pseudosymmorphus prophetus (Giordani Soika,1952)** (Vespidae) Synonym(s): *prophetus* Giordani Soika,1952; *asiaticus* Giordani Soika,1970
- 282) Polistes (s.str.) dominulus (Christ,1791)** (Vespidae) Synonym(s): *dominulus* Christ,1791; *bucharensis* Erichson,1949; *muchei* Gusenleitner,1976
- 283) Polistes (s.str.) gallicus (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foederatus* Kohl,1898; *omissus* Weyrauch,1939
- 284) Vespula germanica (Fabricius,1793)** (Vespidae) Synonym(s): *germanica* Fabricius,1793
- 285) Tamerlanella kurnubiensis (Guiglia,1963)** (Tiphidae) Synonym(s): *kurnubiensis* Guiglia,1963
- 286) Nanomutilla parila (Nagy,1970)** (Mutillidae) Synonym(s): *parila* Nagy,1970
- 287) Nanomutilla yoca (Nagy,1970)** (Mutillidae) Synonym(s): *yoca* Nagy,1970
- 288) Ronisia marocana (Olivier,1811)** (Mutillidae) Synonym(s): *marocana* Olivier,1811; *novemguttata* Klug,1835; *octomaculata* Spinola,1843; *algira* Lepeletier,1845; *rubricollis* Lucas,1849; *dorsalis* Lucas,1849; *humeralis* Stichel & Radoszkowski,1870; *bodenheimeri* Invrea,1950; *flavocornuta* Invrea,1965
- 289) Ronisia wahrmani Invrea,1965** (Mutillidae) Synonym(s): *wahrmani* Invrea,1965
- 290) Hyalopterus pruni (Geoffroy,1762)** (Aphididae) Synonym(s): *pruni* Geoffroy,1762
- 291) Lampyris nervosa Olivier,1883** (Lampyridae) Synonym(s): *nervosa* Olivier,1883; *barbara* Olivier,1884
- 292) Lampyris setosa Geisthardt,1983** (Lampyridae) Synonym(s): *setosa* Geisthardt,1983
- 293) Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 *nec* Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973
- 294) Meligethes jordanis Jelinek & Spornraft,1979** (Nitidulidae) Synonym(s): *jordanis* Jelinek & Spornraft,1979
- 295) Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803
- 296) Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822
- 297) Scarabaeus irakensis Stolf,1938** (Scarabaeidae) Synonym(s): *irakensis* Stolf,1938
- 298) Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925
- 299) Onthophagus (Euonthophagus) amyntas (Olivier,1789)** (Scarabaeidae) Synonym(s): *amyntas* Olivier,1789
- 300) Onthophagus (Euonthophagus) amyntas alces (Fabricius,1792)** (Scarabaeidae) Synonym(s): *alces* Fabricius,1792; *hybneri* Fabricius,1792
- 301) Onthophagus (Euonthophagus) tissoni Reitter,1906** (Scarabaeidae) Synonym(s): *tissoni* Reitter,1906; *hannas* Sahlberg,1908
- 302) Onthophagus (Palaeonthophagus) carpanetoi Pittino,1982** (Scarabaeidae) Synonym(s): *carpanetoi* Pittino,1982
- 303) Onthophagus (Palaeonthophagus) novaki Boucomont & Gillet,1927** (Scarabaeidae) Synonym(s): *muelleri* Novak,1921; *novaki* Boucomont & Gillet,1927
- 304) Onthophagus (Palaeonthophagus) aleppensis Redtenbacher,1843** (Scarabaeidae) Synonym(s): *aleppensis* Redtenbacher,1843; *hyrcanicus* Kabakov,1982
- 305) Caccobius (s.str.) mundus (Ménétriés,1838)** (Scarabaeidae) Synonym(s): *mundus* Ménétriés,1838
- 306) Euheptaulacus carinatus Germar,1824** (Scarabaeidae) Synonym(s): *carinatus* Germar,1824
- 307) Anoxia (Protanoxia) cingulata Marseul,1868** (Scarabaeidae) Synonym(s): *cingulata* Marseul,1868
- 308) Cryptotrogus weisei Kraatz,1888** (Scarabaeidae) Synonym(s): *weisei* Kraatz,1888
- 309) Rhizotrogus (Amphimallon) leuthneri Reitter,1902** (Scarabaeidae) Synonym(s): *leuthneri* Reitter,1902
- 310) Aplidia baraudi Sabatinelli,1991** (Scarabaeidae) Synonym(s): *baraudi* Sabatinelli,1991
- 311) Aplidia endroedii Baraud,1988** (Scarabaeidae) Synonym(s): *endroedii* Baraud,1988
- 312) Gnaphalostetha bonvoisini Reiche & Sauley,1856** (Scarabaeidae) Synonym(s): *bonvoisini* Reiche & Sauley,1856
- 313) Gnaphalostetha hiemalis Baraud,1990** (Scarabaeidae) Synonym(s): *hiemalis* Baraud,1990
- 314) Madotrogus (?Micramphimallon) nikolajevi Sabatinelli & Katbeh-Bader,2009** (Scarabaeidae) Synonym(s): *nikolajevi* Sabatinelli & Katbeh-Bader,2009
- 315) Maladera (Macroserica) syriaca Petrovitz,1969** (Scarabaeidae) Synonym(s): *syriaca* Petrovitz,1969; *jerashiensis* Baraud,1990
- 316) Maladera (Cephaloserica) insanabilis Brenske,1894** (Scarabaeidae) Synonym(s): *insanabilis* Brenske,1894
- 317) Tropinota (Epicometis) ilariae Dutto,2007** (Scarabaeidae) Synonym(s): *ilariae* Dutto,2007
- 318) Tropinota (s.str.) hirtiformis Reitter,1913** (Scarabaeidae) Synonym(s): *hirtiformis* Reitter,1913
- 319) Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida* Scopoli,1763; *pilosa* Brullé,1832
- 320) Oxythyrea noemi Reiche & Sauley,1856** (Scarabaeidae) Synonym(s): *noemi* Reiche & Sauley,1856
- 321) Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (*praeocc.*); *cinctella* Schaum,1841; *natalia* Olsufiev,1917
- 322) Protactia (Potosia) funebris (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *funebris* Gory & Percheron,1833; *exclamationis* Faldermann,1835; *funesta* Ménétriés,1836; *aethioides* Reitter,1898; *lambillionea* Alexis & Delphont,2000
- 323) Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771
- 324) Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789
- 325) Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdit* Petrovitz,1959; *majuscula* Medvedev
- 326) Anisoplia (Brancoplia) klapperichi Petrovitz,1971** (Scarabaeidae) Synonym(s): *klapperichi* Petrovitz,1971
- 327) Anisoplia (Brancoplia) pumila Petrovitz,1973** (Scarabaeidae) Synonym(s): *pumila* Petrovitz,1973
- 328) Amphicoma (Pygopleurus) besucheti Baraud,1989** (Glaphyridae) Synonym(s): *besucheti* Baraud,1989
- 329) Amphicoma (Pygopleurus) katbehi Sabatinelli,2008** (Glaphyridae) Synonym(s): *katbehi* Sabatinelli,2008
- 330) Amphicoma (Pygopleurus) syriacus (Linnaeus,1758)** (Glaphyridae) Synonym(s): *syriacus* Linnaeus,1758; *piesbergeni* Trappen,1906; *carinata* Muche,1963; *nabataensis* Mitter,1996
- 331) Amphicoma (Eulasia) jordanica Mitter,1992** (Glaphyridae) Synonym(s): *jordanica* Mitter,1992
- 332) Amphicoma (Eulasia) nitidicollis (Reiche,1962)** (Glaphyridae) Synonym(s): *sublineata* Reitter,1890; *nitidicollis* Reiche,1962; *simplicipennis* Petrovitz,1964
- 333) Amphicoma (Rudeulasia) genei Truqui,1848** (Glaphyridae) Synonym(s): *genei* Truqui,1848; *pretiosa* Truqui,1848; *chaifensis* Reitter,1890; *nobilissima* Balthasar,1929

- 334) **Amphicoma (Rudeulasia) harmonia (Petrovitz,1968)** (Glaphyridae) Synonym(s): *#harmonia* Petrovitz,1962; *#maculata* Petrovitz,1962; *harmonia* Petrovitz,1968; *purpurea* Petrovitz,1968
- 335) **Amphicoma (Rudeulasia) pietschmanni (Breit,1919)** (Glaphyridae) Synonym(s): *pietschmanni* Breit,1919
- 336) **Amphicoma (Rudeulasia) saccai (Petrovitz,1972)** (Glaphyridae) Synonym(s): *saccai* Petrovitz,1972
- 337) **Amphicoma (Vittateulasia) palmyrensis (Mitter,1996)** (Glaphyridae) Synonym(s): *palmyrensis* Mitter,1996
- 338) **Glaphyrus comosus Harold,1869** (Glaphyridae) Synonym(s): *comosus* Harold,1869
- 339) **Amphicoma (Rudeulasia) papaveris (Sturm,1843)** (Glaphyridae) Synonym(s): *papaveris* Sturm,1843; *cupripennis* Kollar & Redtenbacher,1843; *dominula* Reitter,1890; *testaceipennis* Champenois,1896
- 340) **Neobodilus ghardimaouensis (Balthasar,1929)** (Scarabaeidae) Synonym(s): *ghardimaouensis* Balthasar,1929
- 341) **Calamosternus granarius (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *granarius* Linnaeus,1767
- 342) **Calamosternus trucidatus (Harold,1863)** (Scarabaeidae) Synonym(s): *trucidatus* Harold,1863
- 343) **Chilothorax discedens (A.Schmidt,1907)** (Scarabaeidae) Synonym(s): *discedens* A.Schmidt,1907
- 344) **Chilothorax hieroglyphicus (Klug,1845)** (Scarabaeidae) Synonym(s): *hieroglyphicus* Klug,1845
- 345) **Chilothorax lineolatus (Illiger,1803)** (Scarabaeidae) Synonym(s): *lineolatus* Illiger,1803
- 346) **Chilothorax melanostictus (W.Schmidt,1840)** (Scarabaeidae) Synonym(s): *melanostictus* W.Schmidt,1840
- 347) **Acanthobodilus immundus (Creutzer,1799)** (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799
- 348) **Amidorus cribrarius (Brullé,1832)** (Scarabaeidae) Synonym(s): *cribrarius* Brullé,1832
- 349) **Aphodius fimetarius (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758
- 350) **Aphodius foetidus (Herbst,1783)** (Scarabaeidae) Synonym(s): *foetidus* Herbst,1783
- 351) **Biralus equinus (Faldermann,1835)** (Scarabaeidae) Synonym(s): *equinus* Faldermann,1835
- 352) **Biralus menetriesi (Ménétriés,1847)** (Scarabaeidae) Synonym(s): *menetriesi* Ménétriés,1847
- 353) **Biralus satellitius (Herbst,1789)** (Scarabaeidae) Synonym(s): *satellitius* Herbst,1789
- 354) **Bodilus lugens (Creutzer,1799)** (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799
- 355) **Bodilus sabaeus (Peyerimhoff,1907)** (Scarabaeidae) Synonym(s): *sabaeus* Peyerimhoff,1907
- 356) **Colobopterus erraticus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *erraticus* Linnaeus,1758
- 357) **Anisoplia (s.str.) signata Faldermann,1835** (Scarabaeidae) Synonym(s): *signata* Faldermann,1835
- 358) **Adoreus granulifrons Fairmaire,1882** (Scarabaeidae) Synonym(s): *granulifrons* Fairmaire,1882
- 359) **Chrysolina peregrina (Herrich-Schäffer,1839)** (Chrysomelidae) Synonym(s): *peregrina* Herrich-Schäffer,1839; *erythromera* Lucas,1849; *oberndorferi* Brenske,1890; *schotti* Suffrian,1851; *impavida* Bechyne,1949
- 360) **Chrysolina palmyrensis Bechyne,1955** (Chrysomelidae) Synonym(s): *palmyrensis* Bechyne,1955; *assurensis* Bechyne,1955
- 361) **Caryedon angeri (Semenov,1896)** (Bruchidae) Synonym(s): *angeri* Semenov,1896; *palaestinus* Southgate,1976; *#palaestinus* Yücel,1994
- 362) **Caryedon nongoniermai Anton & Delobel,2004** (Bruchidae) Synonym(s): *#sahelicus* Decelle,1979; *nongoniermai* Anton & Delobel,2004
- 363) **Anthrenus (Anthrenodes) jordanicus Pic,1934** (Dermestidae) Synonym(s): *jordanicus* Pic,1934
- 364) **Orphilus beali Zhantiev,2001** (Dermestidae) Synonym(s): *beali* Zhantiev,2001
- 365) **Dermestes (Dermestinus) sardous Küster,1846** (Dermestidae) Synonym(s): *sardous* Küster,1846; *asiatica* Hava,2002
- 366) **Julodis rothi (Storm,1843)** (Buprestidae) Synonym(s): *rothi* Storm,1843
- 367) **Julodis syriaca (Olivier,1790)** (Buprestidae) Synonym(s): *syriaca* Olivier,1790
- 368) **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912; *krueperi* Obenberger,1926
- 369) **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926
- 370) **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787
- 371) **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Génin,1855
- 372) **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934
- 373) **Boveycantharis deserticola Wittmer,1969** (Cantharidae) Synonym(s): *deserticola* Wittmer,1969
- 374) **Malthinus conspicuus Kiesenwetter,1852** (Cantharidae) Synonym(s): *conspicuus* Kiesenwetter,1852
- 375) **Malthinus jordanicus Wittmer,1974** (Cantharidae) Synonym(s): *jordanicus* Wittmer,1974
- 376) **Malthinus nabataeicus Wittmer,1974** (Cantharidae) Synonym(s): *nabataeicus* Wittmer,1974
- 377) **Malthinus petraensis Wittmer,1971** (Cantharidae) Synonym(s): *petraensis* Wittmer,1971
- 378) **Xya pfaendleri (Harz,1970)** (Tridactylidae) Synonym(s): *pfaendleri* Harz,1970; *indisticta* Harz,1979; *musicus* Harz,1979
- 379) **Pachybrachis (s.str.) cordatus Sassi & Schöller,2003** (Chrysomelidae) Synonym(s): *cordatus* Sassi & Schöller,2003
- 380) **Pachybrachis (s.str.) jordanicus Lopatin,1984** (Chrysomelidae) Synonym(s): *jordanicus* Lopatin,1984
- 381) **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882
- 382) **Cryptocephalus fulvus (Goeze,1777)** (Chrysomelidae) Synonym(s): *fulvus* Goeze,1777
- 383) **Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *moraei* Linnaeus,1758
- 384) **Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808
- 385) **Cryptocephalus moehringi Weise,1884** (Chrysomelidae) Synonym(s): *moehringi* Weise,1884
- 386) **Cryptocephalus prusias Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853
- 387) **Cryptocephalus turcicus Suffrian,1847** (Chrysomelidae) Synonym(s): *turcicus* Suffrian,1847; *pistaciae* Suffrian,1853
- 388) **Cryptocephalus dahdah Marseul,1869** (Chrysomelidae) Synonym(s): *dahdah* Marseul,1869
- 389) **Oxycara ardoini Kaszab,1979** (Tenebrionidae) Synonym(s): *ardoini* Kaszab,1979
- 390) **Oxycara laevigatum (Reiche & Saulcy,1857)** (Tenebrionidae) Synonym(s): *laevigatum* Reiche & Saulcy,1857
- 391) **Mesostena puncticollis Solier,1835** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1835
- 392) **Calopteryx syriaca Génin,1842** (Calopterygidae) Synonym(s): *syriaca* Génin,1842; *pseudosyriaca* Buchholtz,1955
- 393) **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840
- 394) **Trithemis annulata (P. de Beauvois,1807)** (Libellulidae) Synonym(s): *annulata* P. de Beauvois,1807
- 395) **Trithemis arteriosa (Burmeister,1839)** (Libellulidae) Synonym(s): *arteriosa* Burmeister,1839
- 396) **Ceriagrion tenellum (De Villiers,1789)** (Coenagrionidae) Synonym(s): *tenellum* De Villiers,1789
- 397) **Erythromma viridulum (Charpentier,1840)** (Coenagrionidae) Synonym(s): *viridulum* Charpentier,1840
- 398) **Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774
- 399) **Agabus (Gaurodytes) biguttatus (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795
- 400) **Apis (s.str.) mellifera Linnaeus,1758** (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761

- 401) **Cercopis septemmaculata (Melichar,1903)** (Cercopidae) Synonym(s): *septemmaculata* Melichar,1903
- 402) **Mesoptylus impictifrons (Horvath,1911)** (Cercopidae) Synonym(s): *impictifrons* Horvath,1911; *arcifer* Horvath,1911; *seminiger* Horvath,1911; *quinquemaculatus* Horvath,1911; *vestitus* Horvath,1911; *obscurus* Lindberg,1923
- 403) **Neophilaenus campestris (Fallén,1805)** (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894
- 404) **Aconurella proluxa (Lethierry,1885)** (Cicadellidae) Synonym(s): *prolaxa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (praeocc.); *sanguisuga* Lindberg,1927; *obtus* Metcalf,1955
- 405) **Agallia minuta Melichar,1896** (Cicadellidae) Synonym(s): *minuta* Melichar,1896
- 406) **Agallia sabulicola Lindberg,1948** (Cicadellidae) Synonym(s): *sabulicola* Lindberg,1948
- 407) **Alebra albostrigata (Fallén,1826)** (Cicadellidae) Synonym(s): *albostrigata* Fallén,1826; *elegantula* Zetterstedt,1828; *discoloris* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufouri* Ribaut,1936
- 408) **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946
- 409) **Aphrodes paralongus Dlabola,1960** (Cicadellidae) Synonym(s): *paralongus* Dlabola,1960
- 410) **Asymmetrasca decedens (Paoli,1932)** (Cicadellidae) Synonym(s): *decedens* Paoli,1932
- 411) **Austroasca (Jacobiasca) lybica (Bergevin & Zanon,1922)** (Cicadellidae) Synonym(s): *lybica* Bergevin & Zanon,1922; *citrea* Haupt,1930; *bodenheimeri* Haupt,1930; *benedettoi* Paoli,1932
- 412) **Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927
- 413) **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955
- 414) **Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gauschii* Then,1886
- 415) **Cicadulina bipunctata (Melichar,1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926
- 416) **Circulifer haematocephalus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematocephalus* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948
- 417) **Doratulina pallifrons (Horvath,1897)** (Cicadellidae) Synonym(s): *pallifrons* Horvath,1897; *margaritacea* Horvath,1897
- 418) **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961
- 419) **Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948
- 420) **Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis* Dlabola,1957
- 421) **Euscelis incisus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954
- 422) **Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952
- 423) **Exitianus capicola (Stål,1855)** (Cicadellidae) Synonym(s): *capicola* Stål,1855; *taeniaceps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927
- 424) **Exitianus fasciolatus (Melichar,1911)** (Cicadellidae) Synonym(s): *fasciolatus* Melichar,1911; *vulneratus* Bergevin,1925; *unifasciatus* Haupt,1930
- 425) **Frutidolia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947
- 426) **Goniagnathus guttulinervis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum,1868; *putoni* Lethierry,1874; *laminatus* Ivanoff,1885; *ferganensis* Kusnezov,1929
- 427) **Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestiniensis* Linnavuori,1962
- 428) **Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897
- 429) **Helionidia biplagiata (Haupt,1927)** (Cicadellidae) Synonym(s): *biplagiata* Haupt,1927
- 430) **Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868
- 431) **Balcanocerus brusinae (Horvath,1891)** (Cicadellidae) Synonym(s): *brusinae* Horvath,1891
- 432) **Idiocerus proximoriens Dlabola,1965** (Cicadellidae) Synonym(s): *proximoriens* Dlabola,1965
- 433) **Balcanocerus ramallahicus (Dlabola,1965)** (Cicadellidae) Synonym(s): *ramallahicus* Dlabola,1965
- 434) **Macropsis multiguttata Dlabola,1957** (Cicadellidae) Synonym(s): *multiguttata* Dlabola,1957
- 435) **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894
- 436) **Mocydia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (praeocc.); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868
- 437) **Neolimnus egyptiacus (Matsumura,1908)** (Cicadellidae) Synonym(s): *egyptiacus* Matsumura,1908
- 438) **Paralimnus picturatus Haupt,1930** (Cicadellidae) Synonym(s): *picturatus* Haupt,1930; *lindneri* Fahringer,1942; *subtilis* Linnavuori,1964
- 439) **Phlepsius intricatus (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838
- 440) **Platymetopius cruentatus Haupt,1927** (Cicadellidae) Synonym(s): *cruentatus* Haupt,1927
- 441) **Platymetopius major (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 442) **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868
- 443) **Recilia jordanica Dlabola,1965** (Cicadellidae) Synonym(s): *jordanica* Dlabola,1965
- 444) **Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
- 445) **Selenocephalus nervosus Lindberg,1948** (Cicadellidae) Synonym(s): *nervosus* Lindberg,1948
- 446) **Selenocephalus sirvadi Dlabola,1965** (Cicadellidae) Synonym(s): *sirvadi* Dlabola,1965

- 447) **Synophyropsis lauri** (Horvath,1897) (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926
- 448) **Tamaricella adpersa** (Haupt,1927) (Cicadellidae) Synonym(s): *adpersa* Haupt,1927
- 449) **Thamnotettix (s.str.) klapperichi Dlabola,1965** (Cicadellidae) Synonym(s): *klapperichi* Dlabola,1965
- 450) **Thamnotettix seclusus Linnavuori,1958** (Cicadellidae) Synonym(s): *seclusus* Linnavuori,1958
- 451) **Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868
- 452) **Zercanus rubroocellatus Dlabola,1965** (Cicadellidae) Synonym(s): *rubroocellatus* Dlabola,1965
- 453) **Zygina (s.str.) karatasa (Dlabola,1957)** (Cicadellidae) Synonym(s): *karatasa* Dlabola,1957
- 454) **Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948
- 455) **Cicada orni Linnaeus,1758** (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877
- 456) **Cicadatra hyalina (Fabricius,1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius,1798; *geodesma* Kolenati,1857; *taurica* Fieber,1876; *virens* Fieber,1876; *burriana* Horvath,1912; *viridis* Haupt,1917; *discrepans* Schumacher,1923; *rossica* Schumacher,1923
- 457) **Cicadatra longipennis Schumacher,1923** (Cicadidae) Synonym(s): *longipennis* Schumacher,1923
- 458) **Cicadatra platyptera Fieber,1876** (Cicadidae) Synonym(s): *platyptera* Fieber,1876
- 459) **Cicadetta mediterranea Fieber,1876** (Cicadidae) Synonym(s): *mediterranea* Fieber,1876
- 460) **Cicadetta musiva (Germar,1830)** (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913
- 461) **Klapperichien viridissimus (Walker,1858)** (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreate* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920
- 462) **Duilis verticilineata Dlabola,1965** (Cixiidae) Synonym(s): *verticilineata* Dlabola,1965
- 463) **Hyalesthes mavromoustakisi Dlabola,1959** (Cixiidae) Synonym(s): *mavromoustakisi* Dlabola,1959
- 464) **Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935
- 465) **Oliarus pallens (Germar,1821)** (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927
- 466) **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 467) **Reptalus (s.str.) horridus (Linnavuori,1962)** (Cixiidae) Synonym(s): *horridus* Linnavuori,1962; *zercanus* Dlabola,1965
- 468) **Setapius klapperichianus Dlabola,1988** (Cixiidae) Synonym(s): *klapperichianus* Dlabola,1988
- 469) **"Megamelus" ornatipennis Haupt,1927** (Delphacidae) Synonym(s): *ornatipennis* Haupt,1927
- 470) **Eurysa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965
- 471) **Sogatella vibix (Haupt,1927)** (Delphacidae) Synonym(s): *furcata* Matsumura,1910; *vibix* Haupt,1927; *matsumurana* Metcalf,1943; *longifurcifera* Esaki & Ishihara,1947; *panicola* Ishihara,1949; *dogensis* Ishihara,1952; *catoptron* Fennah,1963; *parakolophon* Linnavuori,1973; *diachenhea* Kuoh,1977
- 472) **Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868
- 473) **Dictyophara striata Oshanin,1879** (Dictyopharidae) Synonym(s): *striata* Oshanin,1879
- 474) **Dictyophara subsimilis Linnavuori,1953** (Dictyopharidae) Synonym(s): *subsimilis* Linnavuori,1953
- 475) **Dictyophara xiphias Puton,1884** (Dictyopharidae) Synonym(s): *xiphias* Puton,1884; *compacta* Linnavuori,1962
- 476) **Phantia ramana Dlabola,1965** (Flatidae) Synonym(s): *ramana* Dlabola,1965
- 477) **Agalmatium flavescens (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliimacula* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868
- 478) **Hysteropterum grylloides (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794
- 479) **Meenoplus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866
- 480) **Oxyrhachis egyptiana Distant,1915** (Membracidae) Synonym(s): *egyptiana* Distant,1915
- 481) **Oxyrhachis capaneri Izzard,1953** (Membracidae) Synonym(s): *delalenderi* Fieber,1876 *nec* Fairm.; *tarandus* Haput,1927; *capaneri* Izzard,1953
- 482) **Tettigometra (Hystrigonia) hexaspina Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina* Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866
- 483) **Tettigometra (Mitricephalus) leucophaea (Preyssler,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980
- 484) **Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876
- 485) **Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903
- 486) **Tettigometra impressifrons Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *impressifrons* Mulsant-Rey,1855; *marginata* Fieber,1876
- 487) **Tettigometra varia Fieber,1865** (Tettigometridae) Synonym(s): *varia* Fieber,1865
- 488) **Ablattaria arenaria (Kraatz,1876)** (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926
- 489) **Amara (Celia) aberrans Baudi di Selva,1864** (Carabidae) Synonym(s): *aberrans* Baudi di Selva,1864; *syriaca* Putzeys,1866; *palaestina* Putzeys,1870; *gridellii* Baliani,1928
- 490) **Amara (s.str.) aenea (De Geer,1774)** (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951
- 491) **Cymbionotum (s.str.) semelederi (Chaudoir,1861)** (Carabidae) Synonym(s): *semelederi* Chaudoir,1861; *alginus* Chaudoir,1876; *funerula* Fairmaire,1885; *luniferum* Andrewes,1935; *houskai* Jedlicka,1951
- 492) **Carabus (Procrustes) impressus Klug,1832** (Carabidae) Synonym(s): *impressus* Klug,1832
- 493) **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829
- 494) **Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822
- 495) **Paussus (Cochliopaussus) turcicus Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835
- 496) **Taphoxenus (Lychnifugus) cellarum Adams,1817** (Carabidae) Synonym(s): *cellarum* Adams,1817
- 497) **Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer* Piochard,1876
- 498) **Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781

- 499) *Trechus* (s.str.) *sauleyanus* Csiki,1928 (Carabidae) Synonym(s): *sauleyanus* Csiki,1928
- 500) *Meringopus pseudonymphus* (Tschek,1872) (Ichneumonidae) Synonym(s): *pseudonymphus* Tschek,1872
- 501) *Meringopus titillator* (Linnaeus,1758) (Ichneumonidae) Synonym(s): *titillator* Linnaeus,1758; *orientalis* Szepligeti,1916
- 502) *Sinophorus xanthostomus* (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *xanthostomus* Gravenhorst,1829
- 503) *Tituboea decemguttata* (Walker,1871) (Chrysomelidae) Synonym(s): *decemguttata* Walker,1871
- 504) *Cheilotoma beldei* Kasap,1984 (Chrysomelidae) Synonym(s): *beldei* Kasap,1984
- 505) *Smaragdina viridana* (Lacordaire,1848) (Chrysomelidae) Synonym(s): *viridana* Lacordaire,1848
- 506) *Dibolia phoenicia* Allard,1866 (Chrysomelidae) Synonym(s): *phoenicia* Allard,1866
- 507) *Dibolia rufofemorata* Reitter,1896 (Chrysomelidae) Synonym(s): *rufofemorata* Reitter,1896
- 508) *Epitrix dieckmanni* (Mohr,1968) (Chrysomelidae) Synonym(s): *dieckmanni* Mohr,1968
- 509) *Hermaphysa mercurialis* (Fabricius,1792) (Chrysomelidae) Synonym(s): *mercurialis* Fabricius,1792
- 510) *Longitarsus albineus* (Foudras,1860) (Chrysomelidae) Synonym(s): *albineus* Foudras,1860
- 511) *Longitarsus alfieri* (Pic,1923) (Chrysomelidae) Synonym(s): *alfieri* Pic,1923; *antinea* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982
- 512) *Longitarsus aramaicus* Leonardi,1979 (Chrysomelidae) Synonym(s): *aramaicus* Leonardi,1979
- 513) *Longitarsus emarginatus* Weise,1890 (Chrysomelidae) Synonym(s): *emarginatus* Weise,1890
- 514) *Longitarsus truncatellus* Weise,1890 (Chrysomelidae) Synonym(s): *truncatellus* Weise,1890
- 515) *Phyllotreta judaea* Pic,1901 (Chrysomelidae) Synonym(s): *judaea* Pic,1901
- 516) *Psylliodes ellipticus* Allard,1861 (Chrysomelidae) Synonym(s): *ellipticus* Allard,1861
- 517) *Cleptes affulgens* Linsenmaier,1994 (Chrysomelidae) Synonym(s): *affulgens* Linsenmaier,1994
- 518) *Cleptes jordanicus* Linsenmaier,1968 (Chrysomelidae) Synonym(s): *jordanicus* Linsenmaier,1968
- 519) *Neoplagionotus bobelayei* (Brullé,1832) (Cerambycidae) Synonym(s): *speciosus* Adams,1817; *bobelayei* Brullé,1832
- 520) *Purpuricenus nabateus* Sama,1998 (Cerambycidae) Synonym(s): *nabateus* Sama,1998
- 521) *Callimus* (Procallimus) *distinctipes* (Pic,1906) (Cerambycidae) Synonym(s): *distinctipes* Pic,1906
- 522) *Stenopterus flavicornis* Küster,1846 (Cerambycidae) Synonym(s): *flavicornis* Küster,1846; *procerus* A.Costa,1855
- 523) *Stenopterus rufus* (Linnaeus,1767) (Cerambycidae) Synonym(s): *rufus* Linnaeus,1767; *attenuatus* Geoffroy,1785
- 524) *Pedostrogalia riccardoi* Holzschuh,1984 (Cerambycidae) Synonym(s): *riccardoi* Holzschuh,1984
- 525) *Crossotus katbeh* Sama,2000 (Cerambycidae) Synonym(s): *katbeh* Sama,2000
- 526) *Crossotus strigifrons* (Fairmaire,1886) (Cerambycidae) Synonym(s): *strigifrons* Fairmaire,1886; *arabicus* Heyrovsky,1954
- 527) *Crossotus xanthoneurus* Sama,2000 (Cerambycidae) Synonym(s): *palaestinensis* Breuning; *xanthoneurus* Sama,2000
- 528) *Canthophorus melanopterus* (Herrich-Schäffer,1835) (Cydniidae) Synonym(s): *melanopterus* Herrich-Schäffer,1835
- 529) *Scolia* (s.str.) *flaviceps* Eversmann,1846 (Scoliidae) Synonym(s): *flaviceps* Eversmann,1846; *mangichlakensis* Radoszkowski,1879
- 530) *Phaenotherium villosus* Frieser,1978 (Anthribidae) Synonym(s): *villosus* Frieser,1978
- 531) *Tropiderinus interruptus* (Reitter,1889) (Anthribidae) Synonym(s): *interruptus* Reitter,1889
- 532) *Asmispyga warnecki* Kurzenko,1994 (Sapygidae) Synonym(s): *warnecki* Kurzenko,1994
- 533) *Sapyga* (s.str.) *quinquepunctata* (Fabricius,1781) (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781
- 534) *Sapyga* (s.str.) *gusenleitneri* Kurzenko,1994 (Sapygidae) Synonym(s): *gusenleitneri* Kurzenko,1994
- 535) *Eoferreola manticata* (Pallas,1771) (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;...
- 536) *Eoferreola cyrenaica* (Guiglia,1941) (Pompilidae) Synonym(s): *cyrenaica* Guiglia,1941; *facilis* Priesner,1955
- 537) *Agênioideus ciliatus* (Lepeletier,1845) (Pompilidae) Synonym(s): *ciliatus* Lepeletier,1845; *acrobat* Ferton,1911
- 538) *Agênioideus dichrous* (Brullé,1840) (Pompilidae) Synonym(s): *dichrous* Brullé,1840
- 539) *Agênioideus excisus* (Morawitz,1890) (Pompilidae) Synonym(s): *excisus* Morawitz,1890; *emarginatus* Haupt
- 540) *Agênioideus sericeus* (Van der Linden,1827) (Pompilidae) Synonym(s): *sericeus* Van der Linden,1827
- 541) *Agênioideus vesanus* (Kohl,1907) (Pompilidae) Synonym(s): *vesanus* Kohl,1907
- 542) *Ctenagenia vespiformis* (Klug,1834) (Pompilidae) Synonym(s): *vespiformis* Klug,1834
- 543) *Ammophila assimilis* Kohl,1901 (Sphecidae) Synonym(s): *assimilis* Kohl,1901
- 544) *Ammophila hungarica* Mocsary,1883 (Sphecidae) Synonym(s): *hungarica* Mocsary,1883; *turcica* Mocsary,1883; *hispanica* Mocsary,1883; *fallax* Kohl,1884
- 545) *Ammophila honorei* Alfieri,1946 (Sphecidae) Synonym(s): *honorei* Alfieri,1946
- 546) *Stizoides tridentatus* (Fabricius,1775) (Crabronidae) Synonym(s): *tridentatus* Fabricius,1775; *bifasciata* Fabricius,1798; *unifasciatus* Radoszkowski,1877
- 547) *Bembix arenaria* (Handlirsch,1893) (Crabronidae) Synonym(s): *arenaria* Handlirsch,1893; *houskai* Balthasar,1954
- 548) *Bembecinus bytinskii* De Beaumont,1954 (Crabronidae) Synonym(s): *bytinskii* De Beaumont,1954
- 549) *Bembecinus tridens* (Fabricius,1781) (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950
- 550) *Bembecinus acanthomerus* (Morice,1911) (Crabronidae) Synonym(s): *acanthomerus* Morice,1911
- 551) *Bembecinus asphaltites* De Beaumont,1968 (Crabronidae) Synonym(s): *asphaltites* De Beaumont,1968
- 552) *Bembecinus gynandromorphus* (Handlirsch,1892) (Crabronidae) Synonym(s): *gynandromorphus* Handlirsch,1892
- 553) *Bembecinus meridionalis* A.Costa,1859 (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859
- 554) *Bembecinus peregrinus* (Smith,1856) (Crabronidae) Synonym(s): *peregrinus* Smith,1856; *erberi* Mocsary,1881; *biarmatus* Mocsary,1883
- 555) *Bembecinus revindicatus* Schulz,1911 (Crabronidae) Synonym(s): *schmiedeknechti* Handlirsch,1900 nec Handl.,1898; *revindicatus* Schulz,1911; *houskai* Balthasar,1954
- 556) *Plagiotrochus csokai* Melika & Pujade-Villar,2009 (Cynipidae) Synonym(s): *csokai* Melika & Pujade-Villar,2009
- 557) *Aphelonyx persica* Melika, Stone, Sadeghi & Pujade-Villar,2004 (Cynipidae) Synonym(s): *persica* Melika, Stone, Sadeghi & Pujade-Villar,2004
- 558) *Auletobius politus* Voss,1934 (Atelabidae) Synonym(s): *politus* Voss,1934
- 559) *Rhynchites smyrnensis* Desbrochers,1869 (Atelabidae) Synonym(s): *smyrnensis* Desbrochers,1869
- 560) *Lasiorrhynchites praeustus* (Boheman,1845) (Atelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermanni* Desbrochers,1845; *syriacus* Desbrochers,1868
- 561) *Cacodmus vicinus* Horvath,1934 (Cimicidae) Synonym(s): *vicinus* Horvath,1934
- 562) *Euryalea jordanica* (Coiffait,1981) (Staphylinidae) Synonym(s): *jordanica* Coiffait,1981
- 563) *Andrena* (Carandrena) *aerinifrons* Dours,1873 (Andrenidae) Synonym(s): *aerinifrons* Dours,1873

- 564) *Andrena* (*Micrandrena*) *alfkenelloides* Warncke, 1965 (Andrenidae) Synonym(s): *alfkenelloides* Warncke, 1965
 565) *Andrena* (*Melandrena*) *albofacies* Alfken, 1927 (Andrenidae) Synonym(s): *albofacies* Alfken, 1927
 566) *Andrena* (*Ulandrena*) *callida* Warncke, 1974 (Andrenidae) Synonym(s): *callida* Warncke, 1974
 567) *Andrena* (*Cordandrena*) *cypria* Pittioni, 1950 (Andrenidae) Synonym(s): *cypria* Pittioni, 1950
 568) *Andrena* (*Melandrena*) *elmaria* Gusenleitner, 1998 (Andrenidae) Synonym(s): *elmaria* Gusenleitner, 1998
 569) *Andrena* (*Zonandrena*) *flavipes* Panzer, 1799 (Andrenidae) Synonym(s): *flavipes* Panzer, 1799
 570) *Andrena* (*Carandrena*) *euzona* Pérez, 1895 (Andrenidae) Synonym(s): *euzona* Pérez, 1895
 571) *Andrena* (*Holandrena*) *fimbriatoides* Scheuchl, 2004 (Andrenidae) Synonym(s): *fimbriatoides* Scheuchl, 2004
 572) *Andrena* (*Truncandrena*) *fuligula* Warncke, 1966 (Andrenidae) Synonym(s): *fuligula* Warncke, 1966
 573) *Andrena* (*Orandrena*) *garrula* Warncke, 1965 (Andrenidae) Synonym(s): *garrula* Warncke, 1965; *lomvia* Warncke, 1969
 574) *Andrena* (*Chrysandrena*) *henotica* Warncke, 1975 (Andrenidae) Synonym(s): *henotica* Warncke, 1975
 575) *Andrena* (*Thysandrena*) *helouanensis* Friese, 1899 (Andrenidae) Synonym(s): *helouanensis* Friese, 1899
 576) *Andrena* (*Chlorandrena*) *humilis* Imhoff, 1832 (Andrenidae) Synonym(s): *humilis* Imhoff, 1832; *indigena* Warncke, 1975
 577) *Andrena* (*Nobandrena*) *iliaca* Warncke, 1969 (Andrenidae) Synonym(s): *iliaca* Warncke, 1969
 578) *Andrena* (*Chlorandrena*) *isis* Schmiedeknecht, 1900 (Andrenidae) Synonym(s): *isis* Schmiedeknecht, 1900
 579) *Andrena* (*Margandrena*) *krausiella* Gusenleitner, 1988 (Andrenidae) Synonym(s): *krausiella* Gusenleitner, 1988
 580) *Andrena* (*Simandrena*) *melba* Warncke, 1966 (Andrenidae) Synonym(s): *melba* Warncke, 1966
 581) *Andrena* (*Melittoides*) *melittoides* Friese, 1899 (Andrenidae) Synonym(s): *melittoides* Friese, 1899
 582) *Andrena* (*Orandrena*) *monilia* Warncke, 1967 (Andrenidae) Synonym(s): *monilia* Warncke, 1967
 583) *Andrena* (*Plastandrena*) *pilipes* Fabricius, 1781 (Andrenidae) Synonym(s): *pilipes* Fabricius, 1781; *dolorosa* Nurse, 1904
 584) *Andrena* (*Chlorandrena*) *pinkeunia* Warncke, 1969 (Andrenidae) Synonym(s): *pinkeunia* Warncke, 1969
 585) *Andrena* (*Zonandrena*) *sigiella* Gusenleitner, 1998 (Andrenidae) Synonym(s): *sigiella* Gusenleitner, 1998
 586) *Andrena* (*Truncandrena*) *tscheki* Morawitz, 1872 (Andrenidae) Synonym(s): *tscheki* Morawitz, 1872; *tritica* Warncke, 1965
 587) *Andrena* (*Aciandrena*) *yelkouan* Warncke, 1975 (Andrenidae) Synonym(s): *yelkouan* Warncke, 1975
 588) *Atylotus* *pulchellus* (Loew, 1858) (Tabanidae) Synonym(s): *pulchellus* Loew, 1858; *cyprianus* Ricardo, 1911; *karybenthinus* Szilady, 1915
 589) *Hybomitra* *decora* (Loew, 1858) (Tabanidae) Synonym(s): *decora* Loew, 1858; *defasciata* Szilady, 1923; *amani* Szilady, 1926
 590) *Tabanus* *leleani* Austen, 1920 (Tabanidae) Synonym(s): *leleani* Austen, 1920; *pallidus* Olsufjev, 1937 nec P.B., 1809; *turkestanicus* Olsufjev, 1970
 591) *Haematopota* *minuscularia* Austen, 1920 (Tabanidae) Synonym(s): *minuscularia* Austen, 1920
 592) *Baldratia* *haloxyli* Möhn, 1969 (Cecidomyiidae) Synonym(s): *haloxyli* Möhn, 1969
 593) *Baldratia* *jordaniensis* Möhn, 1969 (Cecidomyiidae) Synonym(s): *jordaniensis* Möhn, 1969
 594) *Baldratia* *orientalis* Möhn, 1969 (Cecidomyiidae) Synonym(s): *orientalis* Möhn, 1969
 595) *Stefaniola* *vastita* Möhn, 1971 (Cecidomyiidae) Synonym(s): *vastita* Möhn, 1971
 596) *Atherigona* *humeralis* (Wiedemann, 1830) (Muscidae) Synonym(s): *humeralis* Wiedemann, 1830; *ferruginea* Emden, 1940
 597) *Atherigona* *laevigata* (Loew, 1852) (Muscidae) Synonym(s): *laevigata* Loew, 1852
 598) *Dasyphora* *pratorum* (Meigen, 1826) (Muscidae) Synonym(s): *pratorum* Meigen, 1826
 599) *Stomoxys* *calcitrans* (Linnaeus, 1758) (Muscidae) Synonym(s): *calcitrans* Linnaeus, 1758
 600) *Lispe* *pygmaea* Fallén, 1825 (Muscidae) Synonym(s): *pygmaea* Fallén, 1825; *tenuipalpis* Zetterstedt, 1846; *simplicissima* Loew, 1847; *suturata* Rondani, 1866; *longiuscula* Rondani, 1877
 601) *Coenosia* *tigrina* (Fabricius, 1775) (Muscidae) Synonym(s): *tigrina* Fabricius, 1775
 602) *Coenosia* *attenuata* Stein, 1903 (Muscidae) Synonym(s): *attenuata* Stein, 1903; *flavicornis* Schnabl, 1911; *confalonieri* Ségué, 1930; *affinis* Santos Abreu, 1976; *flavipes* Santos Abreu, 1976
 603) *Musca* *domestica* Linnaeus, 1758 (Muscidae) Synonym(s): *domestica* Linnaeus, 1758; *nebulo* Fabricius, 1794; *vicina* Macquart, 1851; *determinata* Walker, 1853
 604) *Musca* *conducens* Walker, 1859 (Muscidae) Synonym(s): *conducens* Walker, 1859; *lineata* Brunetti, 1910
 605) *Musca* *lucidula* (Loew, 1856) (Muscidae) Synonym(s): *lucidula* Loew, 1856
 606) *Musca* *sorbens* Wiedemann, 1830 (Muscidae) Synonym(s): *sorbens* Wiedemann, 1830; *humilis* Wiedemann, 1830; *primitiva* Walker, 1849
 607) *Musca* *tempestiva* Fallén, 1817 (Muscidae) Synonym(s): *tempestiva* Fallén, 1817
 608) *Merodon* *hirsutus* Sack, 1913 (Syrphidae) Synonym(s): *hirsutus* Sack, 1913
 609) *Hypenidium* *roborowskii* (Becker, 1908) (Tephritidae) Synonym(s): *roborowskii* Becker, 1908
 610) *Sphaeniscus* *trifasciatus* Korneyev & J. Dirlbek, 2000 (Tephritidae) Synonym(s): *trifasciatus* Korneyev & J. Dirlbek, 2000
 611) *Bactrocera* (*Daculus*) *oleae* (Rossi, 1790) (Tephritidae) Synonym(s): *oleae* Rossi, 1790; *flaviventris* Guercio, 1900; *funesta* Guercio, 1900
 612) *Ceratitis* (s.str.) *capitata* (Wiedemann, 1824) (Tephritidae) Synonym(s): *capitata* Wiedemann, 1824; *citriperda* Mac Leay, 1829; *asparagi* Bezzi, 1924
 613) *Capparimyia* *savastani* (Martelli, 1911) (Tephritidae) Synonym(s): *savastani* Martelli, 1911
 614) *Campiglossa* *producta* (Loew, 1844) (Tephritidae) Synonym(s): *producta* Loew, 1844; *insularis* Wollaston, 1858
 615) *Oxyparna* *diluta* (Becker, 1908) (Tephritidae) Synonym(s): *diluta* Becker, 1908
 616) *Euaesta* *bullans* (Wiedemann, 1830) (Tephritidae) Synonym(s): *bullans* Wiedemann, 1830; *tenera* Loew, 1850
 617) *Oxyna* *superflava* Freidberg, 1974 (Tephritidae) Synonym(s): *superflava* Freidberg, 1974
 618) *Chaetorellia* *succinea* (Costa, 1844) (Tephritidae) Synonym(s): *succinea* Costa, 1844
 619) *Chaetorellia* *conjuncta* (Becker, 1913) (Tephritidae) Synonym(s): *conjuncta* Becker, 1913
 620) *Chaetostomella* *cylindrica* (R-D., 1830) (Tephritidae) Synonym(s): *cylindrica* R-D., 1830
 621) *Terellia* *gynaecochroma* (M. Hering, 1936) (Tephritidae) Synonym(s): *gynaecochroma* M. Hering, 1936
 622) *Terellia* *quadratura* (Loew, 1869) (Tephritidae) Synonym(s): *quadratura* Loew, 1869
 623) *Trupanea* *pulcherrimum* (Eflattoun, 1924) (Tephritidae) Synonym(s): *pulcherrimum* Eflattoun, 1924; *#pulcherrimum* Korneyev & Dirlbek, 2000
 624) *Urophora* *pauperata* (Zaitzev, 1945) (Tephritidae) Synonym(s): *pauperata* Zaitzev, 1945
 625) *Urophora* *phaeocera* (M. Hering, 1961) (Tephritidae) Synonym(s): *phaeocera* M. Hering, 1961

- 626) *Urophora mauritanica* Macquart, 1851 (Tephritidae) Synonym(s): *mauritanica* Macquart, 1851
 627) *Tephritis hurvitzii* Freidberg, 1981 (Tephritidae) Synonym(s): *hurvitzii* Freidberg, 1981
 628) *Goniurella lacerata* (Becker, 1913) (Tephritidae) Synonym(s): *lacerata* Becker, 1913
 629) *Metasphenisca negeviana* (Freidberg, 1974) (Tephritidae) Synonym(s): *negeviana* Freidberg, 1974
 630) *Tephritis nigricauda* (Loew, 1856) (Tephritidae) Synonym(s): *nigricauda* Loew, 1856
 631) *Tephritis angulatofasciata* Portschinsky, 1892 (Tephritidae) Synonym(s): *angulatofasciata* Portschinsky, 1892
 632) *Cyrtiopsis melleus* (Loew, 1856) (Mythicomyiidae) Synonym(s): *melleus* Loew, 1856
 633) *Tethina nigrofemorata* Beschovsky, 1997 (Tethinidae) Synonym(s): *nigrofemorata* Beschovsky, 1997
 634) *Tethina incisuralis* (Macquart, 1851) (Tethinidae) Synonym(s): *incisuralis* Macquart, 1851; *pictipes* Becker, 1903
 635) *Tethina ochracea* (Hendel, 1913) (Tethinidae) Synonym(s): *ochracea* Hendel, 1913; *canzonerii* Munari, 1981
 636) *Empis* (s.str.) *pexata* Collin, 1960 (Empididae) Synonym(s): *pexata* Collin, 1960
 637) *Leptocera* (s.str.) *nigra* Olivier, 1813 (Sphaeroceridae) Synonym(s): *nigra* Olivier, 1813; *curvinervis* Stenhammar, 1854; *roralis* Rondani, 1880
 638) *Rachispoda fuscipennis* (Haliday, 1833) (Sphaeroceridae) Synonym(s): *fuscipennis* Haliday, 1833; *oelandica* Stenhammar, 1854; *plurisetosa* Strobl, 1900; *intermedia* Duda, 1918
 639) *Phthiridium biarticulatum* Hermann, 1804 (Nycteribiidae) Synonym(s): *biarticulatum* Hermann, 1804
 640) *Basilina nana* Theodor & Moscona, 1954 (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona, 1954
 641) *Eucampsipoda aegyptia* (Macquart, 1851) (Nycteribiidae) Synonym(s): *aegyptia* Macquart, 1851
 642) *Brachytarsina flavipennis* Macquart, 1851 (Streblidae) Synonym(s): *flavipennis* Macquart, 1851
 643) *Phlebotomus* (Adlerius) *halepensis* Theodor, 1958 (Psychodidae) Synonym(s): *halepensis* Theodor, 1958
 644) *Phlebotomus* (Adlerius) *simici* Nitzulescu, 1931 (Psychodidae) Synonym(s): *simici* Nitzulescu, 1931
 645) *Phlebotomus* (Larrousius) *syriacus* Adler & Theodor, 1930 (Psychodidae) Synonym(s): *syriacus* Adler & Theodor, 1930
 646) *Phlebotomus* (Paraphlebotomus) *alexandri* Sinton, 1928 (Psychodidae) Synonym(s): *alexandri* Sinton, 1928; *borovskii* Khodukin & Sofiev, 1931
 647) *Phlebotomus* (s.str.) *bergeroti* Parrot, 1934 (Psychodidae) Synonym(s): *bergeroti* Parrot, 1934; *viduus* Parrot, 1936
 648) *Phlebotomus* (Paraphlebotomus) *kazeruni* Theodor & Mesghali, 1964 (Psychodidae) Synonym(s): *kazeruni* Theodor & Mesghali, 1964
 649) *Phlebotomus* (Paraphlebotomus) *sergenti* Parrot, 1917 (Psychodidae) Synonym(s): *sergenti* Parrot, 1917; *similis* Perfilev, 1963
 650) *Phlebotomus* (Transphlebotomus) *canaaniticus* Adler & Theodor, 1931 (Psychodidae) Synonym(s): *canaaniticus* Adler & Theodor, 1931
 651) *Phlebotomus* (s.str.) *papatasi* (Scopoli, 1786) (Psychodidae) Synonym(s): *papatasi* Scopoli, 1786; *molesta* Costa, 1840; *breviventris* Ristorcelli, 1943
 652) *Aneomochtherus illustris* (Schiner, 1867) (Asilidae) Synonym(s): *illustris* Schiner, 1867
 653) *Galactopogon hispidus* Engel, 1929 (Asilidae) Synonym(s): *hispidus* Engel, 1929
 654) *Eutolmus palestinensis* Theodor, 1980 (Asilidae) Synonym(s): *palestinensis* Theodor, 1980
 655) *Habropogon decipiens* Theodor, 1980 (Asilidae) Synonym(s): *decipiens* Theodor, 1980
 656) *Habropogon aegyptius* Efflatoun, 1937 (Asilidae) Synonym(s): *aegyptius* Efflatoun, 1937
 657) *Heteropogon nubilus* (Wiedemann, 1820) (Asilidae) Synonym(s): *nubilus* Wiedemann, 1820
 658) *Jothopogon leucomallus* (Loew, 1871) (Asilidae) Synonym(s): *leucomallus* Loew, 1871
 659) *Leptogaster theodori* Koçak & Kemal, 2008 (Asilidae) Synonym(s): *tomentosa* Theodor, 1980 nec Oldr., 1972; *theodori* Koçak & Kemal, 2008
 660) *Acnephalum mixtus* (Loew, 1847) (Asilidae) Synonym(s): *mixtus* Loew, 1847; *anthophorinus* Loew, 1847
 661) *Tipula* (s.str.) *orientalis* Lackschewitz, 1930 (Tipulidae) Synonym(s): *orientalis* Lackschewitz, 1930
 662) *Limonia phragmitidis* (Schränk, 1781) (Limoniidae) Synonym(s): *tripunctata* Fabricius, 1781 nec Müll., 1764; *phragmitidis* Schränk, 1781
 663) *Amphisbetetus ruazi* Theodor, 1980 (Asilidae) Synonym(s): *ruazi* Theodor, 1980
 664) *Anarolius bicolor* Theodor, 1980 (Asilidae) Synonym(s): *bicolor* Theodor, 1980
 665) *Aneomochtherus hermonensis* (Theodor, 1980) (Asilidae) Synonym(s): *hermonensis* Theodor, 1980
 666) *Apoclea inarticulata* Theodor, 1980 (Asilidae) Synonym(s): *inarticulata* Theodor, 1980
 667) *Apoclea parvula* Theodor, 1980 (Asilidae) Synonym(s): *parvula* Theodor, 1980
 668) *Anastoechus exalbidus* (Wiedemann, 1820) (Bombyliidae) Synonym(s): *exalbidus* Wiedemann, 1820
 669) *Anastoechus nivifrons* (Walker, 1871) (Bombyliidae) Synonym(s): *nivifrons* Walker, 1871; *niveus* Hermann, 1909 nec Macq., 1855; *albopectinatus* Becker, 1913
 670) *Anastoechus trisignatus* Portschinsky, 1881 (Bombyliidae) Synonym(s): *trisignatus* Portschinsky, 1881; *retrogradus* Becker, 1902; *werneri* Paramonov, 1930; *fulvojubatus* François, 1967
 671) *Bombyliella simulans* (Austen, 1937) (Bombyliidae) Synonym(s): *simulans* Austen, 1937
 672) *Bombylisoma flavibarbum* (Loew, 1855) (Bombyliidae) Synonym(s): *flavibarbum* Loew, 1855; *brevirostratus* Austen, 1937
 673) *Bombylius* (s.str.) *argentifacies* Austen, 1937 (Bombyliidae) Synonym(s): *argentifacies* Austen, 1937
 674) *Bombylius* (s.str.) *fuscus* Fabricius, 1781 (Bombyliidae) Synonym(s): *fuscus* Fabricius, 1781
 675) *Caecanthrax arabicus* (Macquart, 1840) (Bombyliidae) Synonym(s): *arabicus* Macquart, 1840; *punctum* Loew, 1854; *dimidiatus* Greathead, 1980
 676) *Conophorus nobilis* (Loew, 1873) (Bombyliidae) Synonym(s): *nobilis* Loew, 1873
 677) *Cytherea obscura* Fabricius, 1794 (Bombyliidae) Synonym(s): *obscura* Fabricius, 1794; *tauriacus* Becker, 1903
 678) *Cytherea albolineata* (Bezzi, 1925) (Bombyliidae) Synonym(s): *albolineata* Bezzi, 1925
 679) *Cytherea barbara* Sack, 1906 (Bombyliidae) Synonym(s): *barbara* Sack, 1906
 680) *Cytherea delicata* (Becker, 1906) (Bombyliidae) Synonym(s): *delicata* Becker, 1906
 681) *Cytherea dispar* (Loew, 1873) (Bombyliidae) Synonym(s): *dispar* Loew, 1873
 682) *Cytherea fenestrata* (Loew, 1873) (Bombyliidae) Synonym(s): *fenestrata* Loew, 1873
 683) *Cytherea nucleorum* (Becker, 1902) (Bombyliidae) Synonym(s): *nucleorum* Becker, 1902
 684) *Chalcochiton argyrocephalus* (Macquart, 1840) (Bombyliidae) Synonym(s): *argyrocephalus* Macquart, 1840
 685) *Chalcochiton aureus* (Fabricius, 1794) (Bombyliidae) Synonym(s): *aureus* Fabricius, 1794; *punctipennis* Macquart, 1840
 686) *Chalcochiton speciosus* Loew, 1844 (Bombyliidae) Synonym(s): *speciosus* Loew, 1844
 687) *Chalcochiton syriacus* (Loew, 1869) (Bombyliidae) Synonym(s): *syriacus* Loew, 1869
 688) *Chalcochiton pallasii* (Loew, 1856) (Bombyliidae) Synonym(s): *pallasii* Loew, 1856; *schineri* Nowicki, 1868
 689) *Geron* (s.str.) *smirnovi* Zaitzev, 1978 (Bombyliidae) Synonym(s): *smirnovi* Zaitzev, 1978

- 690) **Exoprosopa rivularis** (Meigen,1820) (Bombyliidae) Synonym(s): *rivularis* Meigen,1820; *argyrocephala* Macquart,1840; *undans* Walker,1849
- 691) **Parageron gratus** (Loew,1856) (Bombyliidae) Synonym(s): *gratus* Loew,1856
- 692) **Usia (s.str.) syriaca** Paramonov,1950 (Bombyliidae) Synonym(s): *syriaca* Paramonov,1950
- 693) **Villa bivirgata** Austen,1937 (Bombyliidae) Synonym(s): *trigonalis* Meigen,1826; *bivirgata* Austen,1937
- 694) **Simulium (Eusimulium) velutinum** (Santos Abreu,1922) (Simuliidae) Synonym(s): *velutinum* Santos Abreu,1922; *nigripes* Santos Abreu,1922; *pseudolatipes* Santos Abreu,1922; *serbicum* Baranov,1925; *primum* Baranov,1926; *secundum* Baranov,1926; *rubzovianum* Sherban,1961; *latinum* Rubtsov,1962
- 695) **Simulium (s.str.) ornatum** Meigen,1818 (Simuliidae) Synonym(s): *ornatum* Meigen,1818; *fasciatum* Meigen,1830; *crassitarse* Macquart,1834; *tibiale* Macquart,1834; *pratorum* Friederichs,1920; *konsuloffi* Enderlein,1924; *babici* Baranov,1937; *borcici* Baranov,1937; *bartulici* Baranov,1937; *guelminoi* Baranov,1939; *nikolici* Baranov,1937; *anderlicei* Baranov,1937; *zagrebiense* Baranov,1937; *barense* Baranov,1939; *arensae* Baranov,1940; *oblimum* Odintsov,1961; *amnis* Rubtsov,1962; *albifrons* Rubtsov,1967; *curvifila* Rivoecchi,1978
- 696) **Simulium (Wilhelmia) paraequinum** Puri,1933 (Simuliidae) Synonym(s): *paraequinum* Puri,1933; *transcaasicum* Rubtsov,1956
- 697) **Simulium (Wilhelmia) pseudequinum** Seguy,1921 (Simuliidae) Synonym(s): *pseudequinum* Seguy,1921; *canariense* Séguy,1921; *brnizense* Baranov,1924; *mediterraneum* Puri,1925; *stylatum* Baranov,1926; *quartum* Baranov,1926; *barbaricum* Séguy,1930; *sulfuricola* Rivoecchi,1972; *fluminicola* Rivoecchi,1972
- 698) **Simulium (Byssodon) buxtoni** Austen,1923 (Simuliidae) Synonym(s): *bipunctatum* Austen,1923 (praeocc.); *buxtoni* Austen,1923; *irakae* Smart,1944
- 699) **Bellardia tatica** (Enderlein,1933) (Calliphoridae) Synonym(s): *tatica* Enderlein,1933
- 700) **Blaesoxipha rufipes** (Macquart,1839) (Sarcophagidae) Synonym(s): *rufipes* Macquart,1839; *rubripes* Villeneuve,1912; *tertia* Rohdendorf,1928; *aegyptiaca* Villeneuve,1932; *paolii* Villeneuve,1939; *povolnyi* Rohdendorf,1975
- 701) **Sarcophaga (Parasarcophaga) hirtipes** Wiedemann,1830 (Sarcophagidae) Synonym(s): *hirtipes* Wiedemann,1830; *rufipes* Wiedemann,1830; *fulvipalpis* Macquart,1843
- 702) **Macronychia (s.str.) striginervis** (Zetterstedt,1838) (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838
- 703) **Meoneura prima** (Becker,1903) (Carnidae) Synonym(s): *prima* Becker,1903; *baluchistani* Duda,1936; *seducta* Collin,1937
- 704) **Meoneura palaestinensis** Hennig,1937 (Carnidae) Synonym(s): *palaestinensis* Hennig,1937
- 705) **Linnaemya neavei** Curran,1934 (Tachinidae) Synonym(s): *neavei* Curran,1934
- 706) **Themira minor** (Haliday,1833) (Sepsidae) Synonym(s): *minor* Haliday,1833
- 707) **Sepsis fulgens** Hoffmannsegg,1826 (Sepsidae) Synonym(s): *fulgens* Hoffmannsegg,1826
- 708) **Ephydra afghanica** Dahl,1961 (Ephydriidae) Synonym(s): *afghanica* Dahl,1961
- 709) **Mosillus subsultans** (Fabricius,1794) (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794
- 710) **Culex (s.str.) laticinctus** Edwards,1913 (Culicidae) Synonym(s): *laticinctus* Edwards,1913
- 711) **Culex (s.str.) mimeticus** Noe,1899 (Culicidae) Synonym(s): *mimeticus* Noe,1899; *pseudomimeticus* Sergeant,1909
- 712) **Culex (s.str.) pipiens** Linnaeus,1758 (Culicidae) Synonym(s): *pipiens* Linnaeus,1758; *bifurcatus* Linnaeus,1758; *fasciatus* Müller,1764; *molestus* Forskal,1775; *trifurcatus* Fabricius,1794; *luteus* Meigen,1804; *domesticus* Germar,1817; *bicolor* Meigen,1818; *marginalis* Stephens,1825; *meridionalis* Leach,1825; *thoracicus* R-D.,1827; *calcitrans* R-D.,1827; *consobrinus* R-D.,1827; *unistriatus* Curtis,1837; *pallipes* Macquart,1838; *rufinus* Bigot,1888; *phytophagus* Ficalbi,1889; *agilis* Bigot,1889; *haematophagus* Ficalbi,1893; *melanorhinus* Giles,1900; *longefurcatus* Becker,1903; *varioannulatus* Theobald,1903; *azorensis* Theobald,1903; *quasimodestus* Theobald,1905; *osakensis* Theobald,1907; *comitatus* Dyar & Knab,1909; *dipseticus* Dyar & Knab,1909; *doliorum* Edwards,1912; *autogenicus* Roubaud,1935; *berbericus* Roubaud,1935; *sternopallidus* Roubaud,1945; *sternopunctatus* Roubaud,1945; *disjunctus* Roubaud,1957; *calloti* Rioux & Pech,1959; *erectus* Iglisch,1977; *torridus* Iglisch,1977
- 713) **Culex (s.str.) theileri** Theobald,1903 (Culicidae) Synonym(s): *theileri* Theobald,1903
- 714) **Culex (s.str.) tritaeniorhynchus** Giles,1901 (Culicidae) Synonym(s): *tritaeniorhynchus* Giles,1901; *summorosus* Dyar,1920; *biroi* Theobald,1905; *siamensis* Barraud & Christophers,1931
- 715) **Culex (Maillotia) deserticola** Kirkpatrick,1924 (Culicidae) Synonym(s): *deserticola* Kirkpatrick,1924
- 716) **Culex (Neoculex) territans** Walker,1856 (Culicidae) Synonym(s): *territans* Walker,1856; *saxatilis* Grossbeck,1905; *frickii* Ludlow,1906; *pyrenaeicus* Brolemann,1919; *nematoides* Dyar & Shannon,1925
- 717) **Culiseta (Allotheobaldia) longiareolata** (Macquart,1838) (Culicidae) Synonym(s): *longiareolata* Macquart,1838; *spathipalpis* Rondani,1872; *leucogrammus* Loew,1874; *serratipes* Becker,1908; *marocanus* D'Anfreville,1916
- 718) **Culiseta (s.str.) annulata** (Schrank,1776) (Culicidae) Synonym(s): *annulata* Schrank,1776; *annulatus* Fabricius,1787; *affinis* Stephens,1825; *nicaensis* Leach,1825; *ferruginata* Martini,1924
- 719) **Uranotaenia (Pseudoficalbia) unguiculata** Edwards,1913 (Culicidae) Synonym(s): *unguiculata* Edwards,1913; *pefflyi* Stone,1961
- 720) **Aedes (Stegomyia) aegypti** (Linnaeus,1762) (Culicidae) Synonym(s): *aegypti* Linnaeus,1762; *argenteus* Poirer,1787; *fasciatus* Fabricius,1805; *sugens* Wiedemann,1828; *annulitarsis* Macquart,1846; *inexorabilis* Walker,1848; *insatiabilis* Bigot,1859; *nigeria* Theobald,1901; *atritarsis* Edwards,1920
- 721) **Aedes (Ochlerotatus) caspius** (Pallas,1771) (Culicidae) Synonym(s): *caspius* Pallas,1771; *punctatus* Meigen,1804; *siculus* R-D.,1827; *maculiventris* Macquart,1844; *penicillaris* Rondani,1872; *curriei* Coquillett,1901; *onodagensis* Felt,1904; *longisquamosa* Theobald,1905; *subtilis* Sergeant & Sergeant,1905; *quaylei* Dyar & Knab,1906; *lativittatus* Coquillett,1906; *arabica* Giles,1906; *affricanus* Neveu-Lemaire,1906; *willcocksii* Theobald,1907; *arabicus* Becker,1910; *broquetii* Theobald,1913; *grahami* Ludlow,1919; *epsilon* Séguy,1924
- 722) **Anopheles (s.str.) hyrcanus** (Pallas,1771) (Culicidae) Synonym(s): *hyrcanus* Pallas,1771
- 723) **Anopheles (s.str.) tenebrosus** Dönitz,1902 (Culicidae) Synonym(s): *tenebrosus* Dönitz,1902; *subtilis* Pressat,1905
- 724) **Anopheles (s.str.) algeriensis** Theobald,1903 (Culicidae) Synonym(s): *algeriensis* Theobald,1903; *lukisi* Christophers,1916
- 725) **Anopheles (s.str.) claviger** (Meigen,1804) (Culicidae) Synonym(s): *claviger* Meigen,1804; *villosus* R-D.,1827; *grisescens* Stephens,1828; *turkestan* Shingarev,1926; *amaurus* Martini,1929; *habibi* Mulligan & Puri,1936; *missiroli* Del Vecchio,1939; *pulutus* Canameres,1945
- 726) **Anopheles (s.str.) marteri** Senetev & Prunelle,1927 (Culicidae) Synonym(s): *marteri* Senetev & Prunelle,1927; *sogdianus* Keshishian,1938; *conquensis* Torres Canameres,1946
- 727) **Anopheles (s.str.) sacharovi** Favre,1903 (Culicidae) Synonym(s): *sacharovi* Favre,1903; *elutus* Edwards,1921
- 728) **Anopheles (Cellia) superpictus** Grassi,1899 (Culicidae) Synonym(s): *superpictus* Grassi,1899; *palestinensis* Theobald,1903; *nursei* Theobald,1907; *cardamatisi* Newstead & Carter,1910; *vassilievii* Portschinsky,1911; *macedoniensis* Cot & Hovasse,1917; *berestnevi* Shingarev,1926; *atheniensis* Cardamatis,1931; *hellenicus* Peus,1954

- 729) Aiolopus simulatrix (Walker,1870)** (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922
- 730) Aiolopus strepens (Latreille,[1802])** (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913
- 731) Aiolopus thalassinus (Fabricius,1781)** (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953
- 732) Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *cephalotes* Fischer von Waldheim,1846; *discoidalis* Walker,1870; *minimus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954
- 733) Sphodromerus starcki Harz,1985** (Acrididae) Synonym(s): *starcki* Harz,1985
- 734) Chorthippus (s.str.) dorsatus (Zetterstedt,1821)** (Acrididae) Synonym(s): *dorsatus* Zetterstedt,1821; *ochropa* Stephens,1835; *uchropa* Stephens,1835
- 735) Dociostaurus (Kazakia) jagoi Soltani,1978** (Acrididae) Synonym(s): *jagoi* Soltani,1978
- 736) Dociostaurus (Notostaurus) anatolicus Krauss,1896** (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905
- 737) Dociostaurus (Kazakia) genei (Ocskay,1832)** (Acrididae) Synonym(s): *genei* Ocskay,1832; *crucigerus* Rambur,1838; *pygmaeum* Fischer,1853
- 738) Duroniella laticornis (Krauss,1909)** (Acrididae) Synonym(s): *laticornis* Krauss,1909
- 739) Heteracris festae (Giglio-Tos,1893)** (Acrididae) Synonym(s): *festae* Giglio-Tos,1893
- 740) Oedipoda aurea Uvarov,1923** (Acrididae) Synonym(s): *aurea* Uvarov,1923
- 741) Oedipoda schochi Saussure,1884** (Acrididae) Synonym(s): *schochi* Saussure,1884; *caucasica* Saussure,1884
- 742) Pezotettix sorbini Massa & Fontana,1999** (Acrididae) Synonym(s): *sorbini* Massa & Fontana,1999
- 743) Schistocerca gregaria (Forsk.,1775)** (Acrididae) Synonym(s): *gregaria* Forsk.,1775; *tartaricum* Latreille,1804; *peregrina* Olivier,1804; *rufescens* Thunberg,1815
- 744) Sphingonotus (s.str.) octofasciatus Audinet-Serville,1839** (Acrididae) Synonym(s): *octofasciatus* Audinet-Serville,1839; *kittaryi* Saussure,1884; *#octapfasciatus* Abashidze,2002
- 745) Xya pfaendleri Harz,1970** (Tridactylidae) Synonym(s): *pfaendleri* Harz,1970; *indistincta* Harz,1979; *musicus* Harz,1979
- 746) Oecanthus pellucens (Scopoli,1763)** (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856
- 747) Myrmecophilus orientalis Stalling,2010** (Myrmecophilidae) Synonym(s): *orientalis* Stalling,2010
- 748) Myrmecophilus nigricornis Chopard,1963** (Myrmecophilidae) Synonym(s): *nigricornis* Chopard,1963
- 749) Anadrymadusa jordanica Katbeh Bader & Massa,2000** (Tettigoniidae) Synonym(s): *jordanica* Katbeh Bader & Massa,2000
- 750) Diogenia fausta (Burmeister,1838)** (Tettigoniidae) Synonym(s): *fausta* Burmeister,1838
- 751) Eupholidoptera peneri Kaltenbach,1969** (Tettigoniidae) Synonym(s): *peneri* Kaltenbach,1969; *rammei* Katbeh-Bader & Massa,2001 [June]
- 752) Isophya savignyi Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *savignyi* Brunner von Wattenwyl,1878; *festae* Griffini,1893
- 753) Medecticus assimilis (Fieber,1853)** (Tettigoniidae) Synonym(s): *assimilis* Fieber,1853; *syriacus* Fieber,1853; *#minutus* Kaltenbach,1974
- 754) Parapholidoptera willemsei Katbeh Bader & Massa,2001** (Tettigoniidae) Synonym(s): *willemsei* Katbeh Bader & Massa,2001
- 755) Phaneroptera (s.str.) jordanica Steinmann,1966** (Tettigoniidae) Synonym(s): *jordanica* Steinmann,1966
- 756) Platycleis (s.str.) intermedia (Audinet-Serville,[1839])** (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville,[1839]; *tesselata* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951
- 757) Ruspolia nitidula (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterrecus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936
- 758) Saga ephippigera Fischer von Waldheim,1846** (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846
- 759) Scotodrymadusa philbyi (Uvarov,1927)** (Tettigoniidae) Synonym(s): *philbyi* Uvarov,1927; *palaestina* Uvarov,1939
- 760) Tylopsis peneri Ragge,1974** (Tettigoniidae) Synonym(s): *peneri* Ragge,1974
- 761) Halictus (s.str.) aegypticola Strand,1909** (Halictidae) Synonym(s): *aegypticola* Strand,1909
- 762) Halictus (Vestitohalictus) cyprius Blüthgen,1937** (Halictidae) Synonym(s): *cyprius* Blüthgen,1937
- 763) Halictus (s.str.) fatsensis Blüthgen,1936** (Halictidae) Synonym(s): *fatsensis* Blüthgen,1936
- 764) Halictus (Vestitohalictus) nigricutis Warncke,1975** (Halictidae) Synonym(s): *nigricutis* Warncke,1975
- 765) Halictus (Vestitohalictus) pici Blüthgen,1895** (Halictidae) Synonym(s): *pici* Blüthgen,1895; *falix* Ebmer,2008
- 766) Halictus (Vestitohalictus) pollinosus Sichel,1860** (Halictidae) Synonym(s): *pollinosus* Sichel,1860
- 767) Halictus (Vestitohalictus) pulvereus Morawitz,1874** (Halictidae) Synonym(s): *pulvereus* Morawitz,1874
- 768) Halictus (s.str.) quadricinctus (Fabricius,1776)** (Halictidae) Synonym(s): *quadricinctus* Fabricius,1776; *hortensis* Geoffroy,1785; *quadristrigatus* Latreille,1805; *grandis* Illiger,1806
- 769) Halictus (s.str.) resurgens Nurse,1903** (Halictidae) Synonym(s): *resurgens* Nurse,1903
- 770) Halictus (Vestitohalictus) semiticus Blüthgen,1955** (Halictidae) Synonym(s): *semiticus* Blüthgen,1955
- 771) Halictus (s.str.) senilis (Eversmann,1852)** (Halictidae) Synonym(s): *senilis* Eversmann,1852; *fucosus* Morawitz,1876; *albarius* Pérez,1895; *bivinctus* Vachal,1902
- 772) Halictus (Hexataenites) sexcinctus (Fabricius,1775)** (Halictidae) Synonym(s): *sexcinctus* Fabricius,1775
- 773) Halictus (s.str.) tibialis Walker,1871** (Halictidae) Synonym(s): *tibialis* Walker,1871
- 774) Halictus (Vestitohalictus) tuberculatus Blüthgen,1925** (Halictidae) Synonym(s): *tuberculatus* Blüthgen,1925
- 775) Colletes (nigricans gr.) perezi Morice,1904** (Colletidae) Synonym(s): *perezi* Morice,1904
- 776) Colletes (squamosus gr.) cretaceus Morawitz,1876** (Colletidae) Synonym(s): *cretaceus* Morawitz,1876
- 777) Colletes (squamosus gr.) elegans Noskiewicz,1936** (Colletidae) Synonym(s): *elegans* Noskiewicz,1936
- 778) Colletes (squamosus gr.) jejunos Noskiewicz,1936** (Colletidae) Synonym(s): *jejunos* Noskiewicz,1936
- 779) Colletes (squamosus gr.) pseudojejunos Noskiewicz,1959** (Colletidae) Synonym(s): *pseudojejunos* Noskiewicz,1959
- 780) Colletes (nanus gr.) nanaeformis Noskiewicz,1959** (Colletidae) Synonym(s): *nanaeformis* Noskiewicz,1959
- 781) Colletes (nanus gr.) nanus Friese,1898** (Colletidae) Synonym(s): *nanus* Friese,1898
- 782) Colletes (nanus gr.) pumilus Morice,1904** (Colletidae) Synonym(s): *pumilus* Morice,1904
- 783) Colletes (fodiens gr.) similis Schenck,1853** (Colletidae) Synonym(s): *similis* Schenck,1853

- 784) *Colletes (fodiens gr.) tuberculatus* Morawitz, 1894 (Colletidae) Synonym(s): *tuberculatus* Morawitz, 1894
- 785) *Colletes (foveolaris gr.) judaicus* Noskiewicz, 1955 (Colletidae) Synonym(s): *judaicus* Noskiewicz, 1955
- 786) *Colletes (formosus gr.) formosus* Pérez, 1895 (Colletidae) Synonym(s): *formosus* Pérez, 1895
- 787) *Colletes (cariniger gr.) cariniger* Pérez, 1903 (Colletidae) Synonym(s): *cariniger* Pérez, 1903
- 788) *Colletes (cunicularius gr.) caskanus* (Strand, 1919) (Colletidae) Synonym(s): *caskanus* Strand, 1919
- 789) *Colletes (albomaculatus gr.) albomaculatus* (Lucas, 1849) (Colletidae) Synonym(s): *albomaculatus* Lucas, 1849
- 790) *Encarsia inaron* (Walker, 1839) (Aphelinidae) Synonym(s): *inaron* Walker, 1839; *idaeus* Walker, 1839; *parthenopea* Masi, 1909; *indifferentis* Mercet, 1929; *aleyrodus* Mercet, 1930; *brassicae* Shafee & Bela, 1984; *borealis* Hulden, 1986
- 791) *Euchalcis miegii* Dufour, 1861 (Chalcididae) Synonym(s): *miegii* Dufour, 1861; *bicolor* Sichel, 1866
- 792) *Cirrospilus vittatus* Walker, 1838 (Eulophidae) Synonym(s): *vittatus* Walker, 1838; *lineatus* Förster, 1841; *nigrolineatus* Crawford, 1913; *sanguinea* Girault, 1916; *pulcherrimus* Mercet, 1916; *donatellae* Mariani, 1942; *hytomyzae* Ishii, 1953; *novickyi* Bakkendorf, 1955
- 793) *Closterocerus formosus* Westwood, 1833 (Eulophidae) Synonym(s): *formosus* Westwood, 1833; *phaenna* Walker, 1839; *lunatus* Ratzeburg, 1848; *ovulorum* Ratzeburg, 1848; *fullowayi* Crawford, 1913; *meridionalis* Silvestri, 1914; *silvia* Girault, 1917; *camilli* Girault, 1917
- 794) *Diglyphus crassinervis* Erdős, 1958 (Eulophidae) Synonym(s): *crassinervis* Erdős, 1958
- 795) *Diglyphus isaea* (Walker, 1838) (Eulophidae) Synonym(s): *isaea* Walker, 1838; *lycophron* Walker, 1838; *medidas* Walker, 1838; *gracilis* Goureau, 1851; *ornatus* Förster, 1861; *bisannulatus* Förster, 1861; *clavicornis* Walker, 1872; *phytomyzae* Rondani, 1877
- 796) *Leptocybe invasa* Fisher & La Salle, 2004 (Eulophidae) Synonym(s): *invasa* Fisher & La Salle, 2004
- 797) *Pediobius metallicus* (Nees ab Esenbeck, 1834) (Eulophidae) Synonym(s): *metallicus* Nees ab Esenbeck, 1834; *acantha* Walker, 1839; *caenus* Walker, 1839
- 798) *Eurytoma amygdali* Enderlein, 1907 (Eurytomidae) Synonym(s): *amygdali* Enderlein, 1907
- 799) *Leucospis gigas* (Fabricius, 1793) (Leucospidae) Synonym(s): *gigas* Fabricius, 1793; *grandis* Klug, 1814; *varia* Klug, 1814; *shuckardi* Westwood, 1834; *rufonotata* Westwood, 1839; *quaettaensis* Cameron, 1906; *nursei* Cameron, 1906
- 800) *Adontomerus amygdali* (Boucek, 1958) (Torymidae) Synonym(s): *amygdali* Boucek, 1958
- 801) *Glyphomerus tibialis* Förster, 1856 (Torymidae) Synonym(s): *tibialis* Förster, 1856
- 802) *Hylaeus angustatus* (Schenck, 1861) (Colletidae) Synonym(s): *angustatus* Schenck, 1861
- 803) *Ceratina bispinosa* Handlirsch, 1889 (Apidae) Synonym(s): *bispinosa* Handlirsch, 1889
- 804) *Ceratina mandibularis* Friese, 1896 (Apidae) Synonym(s): *mandibularis* Friese, 1896
- 805) *Ceratina moricei* Friese, 1899 (Apidae) Synonym(s): *moricei* Friese, 1899
- 806) *Ceratina parvula* Smith, 1854 (Apidae) Synonym(s): *parvula* Smith, 1854; *pygmaea* Lichtenstein, 1872; *scintilla* Cockerell, 1931
- 807) *Ceratina schwarzi* Kocourek, 1998 (Apidae) Synonym(s): *schwarzi* Kocourek, 1998
- 808) *Empis (Euempis) dasytera* Collin, 1960 (Empidae) Synonym(s): *dasytera* Collin, 1960
- 809) *Empis (Euempis) pleurica* (Collin, 1960) (Empidae) Synonym(s): *pleurica* Collin, 1960
- 810) *Charaxes jasius* (Linnaeus, 1767) (Argynnididae) Synonym(s): *jasius* Linnaeus, 1767; *jason* Linnaeus, 1767 *praeocc.*; *rhea* Hübner, 1800; *unedonis* Hübner, 1806; *faroensis* Ribbe, 1909; *septentrionalis* Verity, 1913; *europaeus* Verity, 1917
- 811) *Vanessa (Cynthia) cardui* (Linnaeus, 1758) (Argynnididae) Synonym(s): *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawi* McCoy, 1868; *pallida* Schoyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925
- 812) *Limnitis (Azuritis) reducta* Staudinger, 1901 (Argynnididae) Synonym(s): *reducta* Staudinger, 1901
- 813) *Melitaea (Cinclidia) (phoebe) punica* Oberthür, 1876 (Argynnididae) Synonym(s): *punica* Oberthür, 1876
- 814) *Melitaea (Didymaeformis) deserticola* Kirby, 1877 (Argynnididae) Synonym(s): *deserticola* Oberthür, 1876; *deserticola* Kirby, 1877
- 815) *Melitaea (Didymaeformis) fascelis* (Fabricius, 1787) (Argynnididae) Synonym(s): *#trivia* Denis & Schiffermüller, 1775; *iphigenia* Esper, 1782 (*praeocc.*); *#fascelis* Esper, 1783; *fascelis* Fabricius, 1787; *cleo* Latreille, 1803
- 816) *Melitaea (Didymaeformis) perseae* Kollar, [1849] (Argynnididae) Synonym(s): *perseae* Kollar, [1849]; *caucasica* Staudinger, 1861; *magnacasta* Verity, 1929; *araratica* Verity, 1929; *sargon* Hemming, 1932; *tauricus* Belter, 1934; *causasicola* Bryk, 1940; *hafiz* Higgins, 1941; *gina* Higgins, 1941; *darius* Gross & Ebert, 1975; *pfeifferi* Gross & Ebert, 1975 (*praeocc.*); *wernickei* Gross & Ebert, 1975; *elbursicola* Gross & Ebert, 1975; *safawides* Gross & Ebert, 1975
- 817) *Melitaea (s.str.) arduinna* (Fabricius, 1787) (Argynnididae) Synonym(s): *arduinna* Fabricius, 1787; *rhodopensis* Freyer, [1836]; *uralensis* Eversmann, 1844
- 818) *Polygonia (Comma) egea* (Cramer, [1775]) (Argynnididae) Synonym(s): *egea* Cramer, [1775] (*junior homonym*); *vualbum* Esper, 1780; *l-album* Esper, 1789; *triangulum* Fabricius, 1793; *autumnalis* Stefanelli, 1873; *#balucha* Evans, 1932; *#pallida* Evans, 1932
- 819) *Precis (Junonia) hierta* (Fabricius, 1798) (Argynnididae) Synonym(s): *lintingensis* Osbeck, 1765 [*rejected name*, Op. 842, 1968]; *hierta* Fabricius, 1798
- 820) *Precis (Junonia) orithya* (Linnaeus, 1758) (Argynnididae) Synonym(s): *orithya* Linnaeus, 1758
- 821) *Vanessa (s.str.) atalanta* (Linnaeus, 1758) (Argynnididae) Synonym(s): *atalanta* Linnaeus, 1758; *amiralis* Retzius, 1783; *#klemensiewiczzi* Schille, 1896; *#klimene* Fischer, 1896; *italica* Stichel, 1900
- 822) *Danaus (Anosia) chrysippus* (Linnaeus, 1758) (Danaiidae) Synonym(s): *chrysippus* Linnaeus, 1758; *aegyptius* Schreber, 1759
- 823) *Carcharodus (Lavatheria) stauderi* Reverdin, 1913 (Hesperiidae) Synonym(s): *stauderi* Reverdin, 1913
- 824) *Carcharodus (Reverdinus) orientalis* Reverdin, 1913 (Hesperiidae) Synonym(s): *orientalis* Reverdin, 1913; *centralanatolica* Pfeiffer, 1927; *#aestatis* Graves, 1928; *aestatis* Verity, 1928; *postorientalis* Verity, 1928; *maccabaeus* Hemming, 1932
- 825) *Gegenes nostrodamus* (Fabricius, 1793) (Hesperiidae) Synonym(s): *nostrodamus* Fabricius, 1793; *proclea* Walker, 1870; *karsana* Moore, 1874; *pumiliominima* Verity, 1931; *megalegyna* Verity, 1940
- 826) *Gegenes pumilio* (Hoffmannsegg, 1804) (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg, 1804; *pygmaeus* Cyrilli, 1787 *nec Fabr.*, 1775; *aetna* Boisduval, 1840; *lefeburei* Rambur, 1842; *monochroa* Rebel, 1907
- 827) *Muschampia hieromax* (Hemming, 1932) (Hesperiidae) Synonym(s): *hieromax* Hemming, 1932
- 828) *Muschampia proteides* (F. Wagner, 1929) (Hesperiidae) Synonym(s): *proteides* F. Wagner, 1929; *lycaonius* F. Wagner, 1929; *sovietica* Sichel, 1964; *lycaonius* Benjamini & Avni, 2001 [*misident.*]; *#lycaomius* Benjamini & Avni, 2001
- 829) *Muschampia proto* (Ochsenheimer, 1808) (Hesperiidae) Synonym(s): *proto* Ochsenheimer, 1808
- 830) *Pelopidas thrax* (Hübner, [1821]) (Hesperiidae) Synonym(s): *thrax* Hübner, [1821]; *midea* Walker, 1870
- 831) *Pyrgus melotis* (Duponchel, [1834]) (Hesperiidae) Synonym(s): *melotis* Duponchel, [1834]; *hypoleucos* Lederer, 1853; *jordana* Hemming, 1932

- 832) *Spialia* (*Neospialia*) *orbifer* (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 833) *Spialia* (s.str.) *doris* (Walker,1870)** (Hesperiidae) Synonym(s): *doris* Walker,1870; *adenensis* Butler,1885.
- 834) *Thymelicus lineolus* (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 835) *Thymelicus sylvestris* (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 836) *Anthene amarah* (Guérin-Méneville,1849)** (Lycaenidae) Synonym(s): *amarah* Guérin-Méneville,1849; *olympusa* Walker,1870.
- 837) *Azanus* (s.str.) *jesous* (Guérin-Méneville,1849)** (Lycaenidae) Synonym(s): *jesous* Guérin-Méneville,1849; *agave* Walker,1870; *sigillata* Butler,1876.
- 838) *Azanus* (s.str.) *ubaldus* (Stoll,[1782])** (Lycaenidae) Synonym(s): *ubaldus* Stoll,[1782]; *zena* Moore,1865; *ethoda* Walker,1870; *itea* Walker,1870; *macalenga* Trimen,1870; *thebana* Staudinger,1894.
- 839) *Chilades* (Freyer) *trochylus* (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
- 840) *Chilades* (Lachides) *galba* (Lederer,1855)** (Lycaenidae) Synonym(s): *galba* Lederer,1855
- 841) *Cigaritis acamas* (Klug,1834)** (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932
- 842) *Cigaritis myrmecophila* Dumont,1922** (Lycaenidae) Synonym(s): *myrmecophila* Dumont,1922
- 843) *Deudorix* (Virachola) *livia* (Klug,1834)** (Lycaenidae) Synonym(s): *livia* Klug,1834; *pallenscens* Rothschild,1921
- 844) *Glaucoopsyche* (Iolana) *alfierii* Wiltshire,1948** (Lycaenidae) Synonym(s): *alfierii* Wiltshire,1948
- 845) *Iolana* (Epamera) *glauca* (Butler,[1886])** (Lycaenidae) Synonym(s): *glauca* Butler,[1886]
- 846) *Lampides boeticus* (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
- 847) *Leptotes pirithous* (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
- 848) *Lycaena* (Thersamonia) *thersamon* (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.
- 849) *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
- 850) *Plebejus* (Plebejides) *nichollae* (Elwes,1901)** (Lycaenidae) Synonym(s): *nichollae* Elwes,1901
- 851) *Plebejus* (Plebejides) *philbyi* Graves,1925** (Lycaenidae) Synonym(s): *philbyi* Graves,1925
- 852) *Polyommatus* (Albulina (Plebejidea)) *loewii* (Zeller,1847)** (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934.
- 853) *Polyommatus* (Aricia (s.str.)) *agestis* ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 854) *Polyommatus* (s.str.) *icarus* (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 855) *Pseudophilotes abencerragus* (Pierret,1837)** (Lycaenidae) Synonym(s): *abencerragus* Pierret,1837
- 856) *Pseudophilotes jordanicus* Benyamini,2000** (Lycaenidae) Synonym(s): *jordanicus* Benyamini,2000
- 857) *Pseudophilotes vicrama* (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865
- 858) *Tarucus* (s.str.) *balkanicus* (Freyer,[1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer,[1843]
- 859) *Tarucus* (s.str.) *rosaceus* (Austaut,1885)** (Lycaenidae) Synonym(s): *rosacea* Austaut,1885; *mediterraneae* Bethune-Baker,1918.
- 860) *Tomares* (nogelii) *nesimachus* (Oberthür,1893)** (Lycaenidae) Synonym(s): *nesimachus* Oberthür,1893
- 861) *Zizeeria* (s.str.) *karsandra* (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865
- 862) *Archon apollinus* (Herbst,1798)** (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979.
- 863) *Papilio* (s.str. (Alexanoria)) *alexanor* Esper,[1800]** (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 *nec* Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983.
- 864) *Papilio* (s.str.) *machaon* Linnaeus,1758** (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
- 865) *Papilio* (s.str.) *saharae* Oberthür,1879** (Papilionidae) Synonym(s): *saharae* Oberthür,1879
- 866) *Zerynthia* (Allanacstria) *cerisyi* (Godart,1822)** (Papilionidae) Synonym(s): *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Easn. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989.
- 867) *Zerynthia* (Allanacstria) *deyrollei* (Oberthür,1869)** (Papilionidae) Synonym(s): *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927.
- 868) *Aporia* (s.str.) *crataegi* (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 869) *Belenois aurota* (Fabricius,1793)** (Pieridae) Synonym(s): *mesentina* Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924.
- 870) *Catopsilia florella* (Fabricius,1775)** (Pieridae) Synonym(s): *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 871) *Catopsilia florella florella* (Fabricius,1775)** (Pieridae) Synonym(s): *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 872) *Colias* (Eriocolias) *crocea* (Fourcroy,1785)** (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.

- 873) **Colotis (s.str.) chrysonome (Klug,1829)** (Pieridae) Synonym(s): *chrysonome* Klug,1829; *gaudens* Butler,1876; *arenicolens* Butler,1884; *helvolus* Butler,1888; *cosmas* Hulstaert,1924; *meinertzhageni* Riley,1934; *socnensis* Kruger,1939; *patrizii* Storace,1949.
- 874) **Colotis (s.str.) eborea (Stoll,[1781])** (Pieridae) Synonym(s): *danae* Fabricius,1775 nec Hufn.,1766; *eborea* Stoll,[1781].
- 875) **Colotis (s.str.) fausta (Olivier,[1804])** (Pieridae) Synonym(s): *fausta* Olivier,[1804]
- 876) **Colotis (s.str.) phisadia (Godart,[1819])** (Pieridae) Synonym(s): *phisadia* Godart,[1819]; *arne* Klug,1829; *philumene* Mabilie,1880.
- 877) **Euchloe (Elphinstonia) charlonia (Donzel,1842)** (Pieridae) Synonym(s): *charlonia* Donzel,1842; *elizabethae* Hemming,1932.
- 878) **Euchloe (s.str.) aegyptiaca Verity,[1911]** (Pieridae) Synonym(s): *aegyptiaca* Verity,[1911]
- 879) **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
- 880) **Euchloe (s.str.) belemia (Esper,[1800])** (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glauce* Freyer,[1848]
- 881) **Euchloe (s.str.) crameri Butler,1869** (Pieridae) Synonym(s): *crameri* Butler,1869
- 882) **Euchloe (s.str.) falloui (Allard,1867)** (Pieridae) Synonym(s): *falloui* Allard,1867; *seitzi* Röber,1907; *lucida* Sheljuzhko,1914; *choumovitschi* Schneur,1935.
- 883) **Gonepteryx (Isogonepteryx) cleopatra (Linnaeus,1767)** (Pieridae) Synonym(s): *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920.
- 884) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) Synonym(s): *pseudorapae* Verity,1908
- 885) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
- 886) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cynipha* Turati,1924.
- 887) **Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.
- 888) **Pontia glauconome Klug,1829** (Pieridae) Synonym(s): *glauconome* Klug,1829
- 889) **Zegris eupheme (Esper,[1804])** (Pieridae) Synonym(s): *eupheme* Esper,[1804]; *erothoe* Eversmann,1832; *tschudica* Herrich-Schäffer,[1851].
- 890) **Chazara (Neochazara) anthe (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807.
- 891) **Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kossuigi* De Lattin,1950.
- 892) **Hipparchia (Pseudotergumia) pisidice (Klug,1832)** (Satyridae) Synonym(s): *pisidice* Klug,1832
- 893) **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) Synonym(s): *lupina* Costa,[1836]
- 894) **Lasiommata megera (Linnaeus,1767)** (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *palliddepulverata* Verity,1923.
- 895) **Maniola (Telmessia) telmessia (Zeller,1847)** (Satyridae) Synonym(s): *telmessia* Zeller,1847; *pallens* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *manioides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekassii* Kattulas & Koutsaftikis,1978.
- 896) **Melanargia (Turcargia) titea (Klug,1832)** (Satyridae) Synonym(s): *titea* Klug,1832
- 897) **Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) Synonym(s): *telephassa* Geyer,[1827]
- 898) **Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) Synonym(s): *pelopea* Klug,1832
- 899) **Ypthima asterope (Klug,1832)** (Satyridae) Synonym(s): *asterope* Klug,1832; *marlenii* Kattulas & Koutsaftikis,1978.
- 900) **Diaphora mendica (Linnaeus,1761)** (Arctiidae) Synonym(s): *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]
- 901) **Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 nec Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 nec Reiss.,1934
- 902) **Apiletria (Aretascetis) purulentella Stainton,1867** (Autostichidae) Synonym(s): *purulentella* Stainton,1867
- 903) **Apiletria (Xystoceros) nervosa Stainton,1867** (Autostichidae) Synonym(s): *nervosa* Stainton,1867
- 904) **Apiletria (s.str.) luella Lederer,1855** (Autostichidae) Synonym(s): *luella* Lederer,1855
- 905) **Coleophora amasiella Stainton,1867** (Coleophoridae) Synonym(s): *amasiella* Stainton,1867
- 906) **Coleophora changaica Reznik,1975** (Coleophoridae) Synonym(s): *changaica* Reznik,1975
- 907) **Coleophora derbendella Baldizzone,1994** (Coleophoridae) Synonym(s): *derbendella* Baldizzone,1994
- 908) **Coleophora dubiella Baker,1888** (Coleophoridae) Synonym(s): *dubiella* Baker,1888; *reisseri* Rebel,1926; *eucera* Toll,1952; *microeucera* Toll,1960; *leucostrigella* Toll,1960
- 909) **Coleophora galligena Falkovitsh,1970** (Coleophoridae) Synonym(s): *galligena* Falkovitsh,1970
- 910) **Coleophora jerusalemella Toll,1942** (Coleophoridae) Synonym(s): *jerusalemella* Toll,1942
- 911) **Coleophora parthenica Meyrick,1891** (Coleophoridae) Synonym(s): *parthenica* Meyrick,1891; *cygnipennella* Toll,1959; *candidella* Toll,1959; *transcaspica* Toll,1959; *laskharella* Toll & Amsel,1967; *hilmendella* Amsel,1968.
- 912) **Coleophora poecilella Walsingham,1907** (Coleophoridae) Synonym(s): *poecilella* Walsingham,1907
- 913) **Coleophora serinipennella Christoph,1872** (Coleophoridae) Synonym(s): *serinipennella* Christoph,1872; *stefanii* Joannis,1899; *novella* Chrétien,1926; *caliacraella* Caradja,1931; *lucidella* Caradja,1932; *jerichoella* Amsel,1935; *jordanella* Amsel,1935; *deserticola* Toll,1944; *soffneri* Toll,1944.
- 914) **Coleophora tamesis Waters,1929** (Coleophoridae) Synonym(s): *tamesis* Waters,1929
- 915) **Eremocossus vaulogeri (Staudinger,1897)** (Cossidae) Synonym(s): *vaulogeri* Staudinger,1897; *suavis* Staudinger,1899; *saharae* Lucas,1907; *hartigi* Rebel,1935.
- 916) **Semitocossus johannes (Staudinger,1899)** (Cossidae) Synonym(s): *johannes* Staudinger,1899; *striolatus* Rothschild,1912
- 917) **Deuterotinea palaestinensis Rebel,1900** (Eriocottidae) Synonym(s): *palaestinensis* Rebel,1900
- 918) **Ethmia interposita Sattler,1967** (Ethmiidae) Synonym(s): *interposita* Sattler,1967
- 919) **Ethmia suspecta Sattler,1867** (Ethmiidae) Synonym(s): *suspecta* Sattler,1867
- 920) **Ethmia terminella T.B.Fletcher,1938** (Ethmiidae) Synonym(s): *sempunctella* Hübner,[1810] nec Fabr.,1794; *terminella* T.B.Fletcher,1938.
- 921) **Ethmia wursteri Amsel,1956** (Ethmiidae) Synonym(s): *wursteri* Amsel,1956
- 922) **Phyllocnistis citrella Stainton,1856** (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913
- 923) **Polymitia eximipalpella (Gerasimov,1930)** (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935
- 924) **Stomphastis conflua (Meyrick,1914)** (Gracillariidae) Synonym(s): *conflua* Meyrick,1914

- 925) **Bufoidia ledereri** (Koçak,1981) (Lasiocampidae) Synonym(s): *bufo Lederer,1861 nec Fabr.,1787; ledereri Koçak,1981.*
- 926) **Chondrostega pastranum Lederer,1858** (Lasiocampidae) Synonym(s): *pastranum Lederer,1858; hyrcanum Staudinger,1871*
- 927) **Lasiocampa serrula** (Guenée,1858) (Lasiocampidae) Synonym(s): *serrula Guenée,1858*
- 928) **Lasiocampa terreni** (Herrich-Schäffer,1847) (Lasiocampidae) Synonym(s): *terreni Herrich-Schäffer,1847*
- 929) **Stoermeriana nabataea De Freina,2002** (Lasiocampidae) Synonym(s): *nabataea De Freina,2002*
- 930) **Trichiura (s.str.) stroehlei Zolotuhin,2007** (Lasiocampidae) Synonym(s): *stroehlei Zolotuhin,2007*
- 931) **Lemonia pia Püngeler,1902** (Lemoniidae) Synonym(s): *pia Püngeler,1902*
- 932) **Lemonia sacrosancta Püngeler,1902** (Lemoniidae) Synonym(s): *sacrosancta Püngeler,1902*
- 933) **Polymona lapidicola** (Herrich-Schäffer,[1852]) (Lymantriidae) Synonym(s): *lapidicola Herrich-Schäffer,[1852]*
- 934) **Pleurota elegans Stainton,1867** (Oecophoridae) Synonym(s): *elegans Stainton,1867; tesserapunctella Amsel,1933; taepperi Amsel,1935*
- 935) **Pleurota metricella** (Zeller,1847) (Oecophoridae) Synonym(s): *metricella Zeller,1847*
- 936) **Pleurota semiticella** Amsel,1959 (Oecophoridae) Synonym(s): *semiticella Amsel,1959*
- 937) **Caenophora jordana** (Staudinger,1899) (Psychidae) Synonym(s): *jordana Staudinger,1899*
- 938) **Eochorica balcanica** (Rebel,1919) (Psychidae) Synonym(s): *balcanica Rebel,1919; trougti Amsel,1955; #balcania De Freina,1994*
- 939) **Agdistis bellissima Arenberger,1975** (Pterophoridae) Synonym(s): *bellissima Arenberger,1975*
- 940) **Agdistis frankeniae** (Zeller,1847) (Pterophoridae) Synonym(s): *frankeniae Zeller,1847; lerinsis Millièrre,1876; bahrlutia Amsel,1955; tondeuri Bigot,1963; rupestris Bigot,1974; rjabovi Zagulyaev & Filippova,1976; kulunda Ustjuzhanin,1991.*
- 941) **Agdistis tamaricis** (Zeller,1847) (Pterophoridae) Synonym(s): *tamaricis Zeller,1847; bagdadiensis Amsel,1949; xinjiangsis Qin & Zheng,1997.*
- 942) **Emmelina monodactyla** (Linnaeus,1758) (Pterophoridae) Synonym(s): *monodactyla Linnaeus,1758; sibiricus Caradja,1920.*
- 943) **Hellinsia inulae** (Zeller,1852) (Pterophoridae) Synonym(s): *inulae Zeller,1852; coniodactylus Staudinger,1859; alpinus Gibeaux & Picard,1992.*
- 944) **Megalorhipidia leucodactyla** (Fabricius,1794) (Pterophoridae) Synonym(s): *leucodactylus Fabricius,1794; defectalis Walker,1864; congrualis Walker,1864; oxydactyla Walker,1864; hawaiiensis Butler,1881; ochrodactyla Fish,1881; centetes Meyrick,1886; compsochares Meyrick,1886; ralumensis Pagenstecher,1900; derelictus Meyrick,1926; palaestinensis Amsel,1935*
- 945) **Stangeia siceliota** (Zeller,1847) (Pterophoridae) Synonym(s): *siceliota Zeller,1847; ononidis Zeller,1852; ononydactyla Bruand,1858; siceliotidactyla Bruand,1858.*
- 946) **Stenoptilia arida** (Zeller,1847) (Pterophoridae) Synonym(s): *arida Zeller,1847; oxyactis Meyrick,1921; elkefi Arenberger,1984; kopetdagi Zagulyaev,2002*
- 947) **Stenoptilia bipunctidactyla** (Scopoli,1763) (Pterophoridae) Synonym(s): *bipunctidactyla Scopoli,1763; mictodactyla [Denis & Schiffmüller],1775; #pallida Tutt,1906; arida Caradja,1920 nec Zell.,1847.*
- 948) **Stenoptilia gratiolae Gibeaux & Nel,1990** (Pterophoridae) Synonym(s): *gratiolae Gibeaux & Nel,1990*
- 949) **Tabulaephorus parthicus** (Lederer,1870) (Pterophoridae) Synonym(s): *parthicus Lederer,1870*
- 950) **Wheeleria obsoleta** (Zeller,1841) (Pterophoridae) Synonym(s): *obsoleta Zeller,1841; confusa Herrich-Schäffer,1855; marrubii Wasserthal,1970.*
- 951) **Wheeleria phlomidis** (Staudinger,1871) (Pterophoridae) Synonym(s): *phlomidis Staudinger,1871*
- 952) **Aglossa pinguinalis** (Linnaeus,1758) (Pylalidae) Synonym(s): *pinguinalis Linnaeus,1758; marmorella Geoffroy,1785; marmoratella Villers,1789; pinguiculatus Haworth,1809; pinguinatus Haworth,1809; asiatica Erschoff,1871; rubralis Hampson,1900; guicciardii Constantino,1922;sanaensis Rebel,1930;maroccana Schmidt,1934*
- 953) **Agriphila cyrenaicella** (Ragonot,1887) (Pylalidae) Synonym(s): *cyrenaicella Ragonot,1887; alexandriensis Bethune-Baker,1894; permixtellus Kalchberg,1897.*
- 954) **Agriphila geniculea** (Haworth,[1811]) (Pylalidae) Synonym(s): *geniculea Haworth,[1811]; imistella Hübner,[1813]; angulatellus Duponchel,1836; suspectellus Zeller,1839.*
- 955) **Agriphila inquinatella** ([Denis & Schiffmüller],1775) (Pylalidae) Synonym(s): *inquinatella [Denis & Schiffmüller],1775; ? arbustella Schrank,1802; nevadensis Caradja,1910.*
- 956) **Alophia combustella** (Herrich-Schäffer,[1855]) (Pylalidae) Synonym(s): *combustella Herrich-Schäffer,[1855]; incinerella Caradja,1910.*
- 957) **Anarpia incertalis** (Duponchel,1832) (Pylalidae) Synonym(s): *incertalis Duponchel,1832; pyrenaealis Duponchel,1842; incertella Duponchel,[1845]; pyrenaeella Duponchel,[1845]; pyrenaicalis Guenée,1846*
- 958) **Ancylodes staminella** (Christoph,1877) (Pylalidae) Synonym(s): *staminella Christoph,1877; nervulatella Turati,1926; kerbelella Amsel,1949*
- 959) **Ancylolomia tentaculella** (Hübner,1796) (Pylalidae) Synonym(s): *tentaculella Hübner,1796; irakella Amsel,1949.*
- 960) **Ancylolomia tripolitella** Rebel,1909 (Pylalidae) Synonym(s): *tripolitella Rebel,1909*
- 961) **Ancylolomia (Heterographis) convexella** (Lederer,1855) (Pylalidae) Synonym(s): *convexella Lederer,1855; albiciliella Staudinger,1859; favorinella Zeller,1867*
- 962) **Ancylolomia (Heterographis) faustinella** (Zeller,1867) (Pylalidae) Synonym(s): *faustinella Zeller,1867; staudingeri Christoph,1877; rubripictella Hampson,1896; thalerella Mabilie,1908; variabilis Rothschild,1915; airensis Rothschild,1921; bilineella Amsel,1935; damascenella Amsel,1952.*
- 963) **Ancylolomia (Heterographis) gracilella** Ragonot,1887 (Pylalidae) Synonym(s): *gracilella Ragonot,1887; subcandidatella Ragonot,1887; monostictella Ragonot,1887; casella Chrétien,1910; lybistina Turati,1924; dowsoniella Richards & Thomson,1932.*
- 964) **Ancylolomia (Heterographis) hellenica** (Staudinger,1870) (Pylalidae) Synonym(s): *hellenica Staudinger,1870; deliciosella Caradja,1910.*
- 965) **Ancylolomia (Heterographis) muliebris** (Meyrick,1937) (Pylalidae) Synonym(s): *muliebris Meyrick,1937; macedonica Schawerda,1937.*
- 966) **Ancylolomia (Heterographis) roscidella** (Eversmann,1844) (Pylalidae) Synonym(s): *roscidella Eversmann,1844; cinerella Stainton,1859; ephedrella Herrich-Schäffer,1860; neglectella Heinemann,1864; blandella Ragonot,1887; zobrella Oberthür,1888; carnea W.Warren,1888; bartellella Caradja,1910; benderella Amsel,1961.*
- 967) **Ancylolomia (Heterographis) samaritanella** (Zeller,1867) (Pylalidae) Synonym(s): *samaritanella Zeller,1867; urbicella Erschoff,1874; biligulella Ragonot,1887; flavescens Chrétien,1910; diminutella Chrétien,1910; cinnamomeifascia Rothschild,1915; lacroixella Lucas,1939; brevipalpella Amsel,1954.*
- 968) **Ancylolomia (s.str.) cinnamomella** (Duponchel,1836) (Pylalidae) Synonym(s): *dilutella Tr.,1832 [n.o.]; cinnamomella Dup.,1836; labeomella Staudinger,1859; lafauyella Rag.,1887; byzacaeniella Rag.,1887; roseopenella Rag.,1901; tunesella Caradja,1910; fuliginosa Rothschild,1913; pictella Tur.,1922; ferrugineolineella Tur.,1924.*

- 969) **Bazaria pempeliella Ragonot, 1893** (Pyralidae) Synonym(s): *pempeliella* Ragonot, 1893; *ochriplaga* Rebel, 1909; *djiroftella* Amsel, 1959; *afghanella* Amsel, 1970
- 970) **Cadra cautella (Walker, 1863)** (Pyralidae) Synonym(s): *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman & South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959
- 971) **Cadra figulilella (Gregson, 1871)** (Pyralidae) Synonym(s): *figulilella* Gregson, 1871; *milleri* Zeller, 1876; *gypsella* Ragonot, 1887; *venosella* Turati, 1926; *ernestinella* Turati, 1927; *#halfaella* Roesler, 1965.
- 972) **Calamotropha hierichuntica Zeller, 1867** (Pyralidae) Synonym(s): *hierichuntica* Zeller, 1867; *orontella* Ragonot, 1895; *leucaniellus* Zerny, 1914.
- 973) **Chilo pulverosellus Ragonot, 1895** (Pyralidae) Synonym(s): *pulverosellus* Ragonot, 1895; *brevipalpellus* Zerny, 1914; *fernandezii* Joannis, 1932; *lemarchandellus* Lucas, 1945.
- 974) **Chrysocrambus craterellus (Scopoli, 1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli, 1763; *rorella* Linnaeus, 1767; *klimeschi* Toll, 1938; *alpinus* Bleszynski, 1958; *abruzzellus* Bleszynski, 1958.
- 975) **Chrysocrambus linetellus (Fabricius, 1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius, 1781; *cassentiniellus* Herrich-Schäffer, [1848]; *distinctus* Müller-Rutz, 1920; *chrysocrossis* Meyrick, 1936; *#marioni* Dufrane, 1960.
- 976) **Chrysocrambus syriellus (Zerny, 1934)** (Pyralidae) Synonym(s): *syriellus* Zerny, 1934
- 977) **Conobathra xanthogramma (Staudinger, 1870)** (Pyralidae) Synonym(s): *xanthogramma* Staudinger, 1870; *zizyphella* Rebel, 1914; *pumilella* Rebel, 1926; *arenella* Dufrane, 1955.
- 978) **Cornifrons ulceratalis Lederer, 1858** (Pyralidae) Synonym(s): *ulceratalis* Lederer, 1858; *seriziatialis* Oberthür, 1876
- 979) **Cryptoblabes gnidiella (Millière, 1867)** (Pyralidae) Synonym(s): *gnidiella* Millière, 1867; *wockiana* Briosi, [1877]; *aliena* Swezey, 1909
- 980) **Cybalomia pentadalis (Lederer, 1855)** (Pyralidae) Synonym(s): *pentadalis* Lederer, 1855
- 981) **Hypotia jordanalis (Rebel, 1903)** (Pyralidae) Synonym(s): *jordanalis* Rebel, 1903
- 982) **Zonora argentalis (Hampson, 1900)** (Pyralidae) Synonym(s): *argentalis* Hampson, 1900; *biscraeensis* Caradja, 1916
- 983) **Hypotia persinualis (Hampson, 1900)** (Pyralidae) Synonym(s): *persinualis* Hampson, 1900
- 984) **Duponchelia fovealis (Zeller, 1847)** (Pyralidae) Synonym(s): *fovealis* Zeller, 1847; *canuialis* Millière, 1869; *griseata* Butler, 1875; *unifexalis* Mabilille, 1880
- 985) **Duzulla subhyalinalis (Hampson, 1900)** (Pyralidae) Synonym(s): *subhyalinalis* Hampson, 1900
- 986) **Ematheudes punctellus (Treitschke, 1833)** (Pyralidae) Synonym(s): *punctellus* Treitschke, 1833
- 987) **Endotricha consobrinalis Zeller, 1852** (Pyralidae) Synonym(s): *consobrinalis* Zeller, 1852; *brunnea* W. Warren, 1897; *dissimulans* W. Warren, 1897; *jordana* Hampson, 1900.
- 988) **Epactoctena octogenalis (Lederer, 1863)** (Pyralidae) Synonym(s): *octogenalis* Lederer, 1863.
- 989) **Ephedrophila jordanalis (Rebel, 1902)** (Pyralidae) Synonym(s): *jordanalis* Rebel, 1902; *constantialis* Hampson, 1906.
- 990) **Ephestia (s.str.) elutella (Hübner, 1796)** (Pyralidae) Synonym(s): *elutella* Hübner, 1796; *semirufa* Haworth, 1811; *rufa* Haworth, 1811; *angusta* Haworth, 1811; *sericarium* Scott, 1859; *roxburghii* Gregson, 1873; *infumatella* Ragonot, 1887; *affusella* Ragonot, 1888; *icosiella* Ragonot, 1888; *amarella* Dyar, 1904; *pteroigrisella* Roesler, 1965
- 991) **Epidauria phoeniciella Ragonot, 1895** (Pyralidae) Synonym(s): *phoeniciella* Ragonot, 1895
- 992) **Epiparthia constituta Roesler, 1989** (Pyralidae) Synonym(s): *constituta* Roesler, 1989.
- 993) **Epischina cretaciella Mann, 1869** (Pyralidae) Synonym(s): *cretaciella* Mann, 1869; *demartinella* Turati, 1922.
- 994) **Etiella zinckenella (Treitschke, 1832)** (Pyralidae) Synonym(s): *marginella* Fabricius, 1781 nec Den. & Schiff., 1775; *zinckenella* Treitschke, 1832; *etiella* Treitschke, 1835; *majorellus* Costa, 1836; *colonnellus* Costa, 1836; *dymnusalis* Walker, 1859; *heraldella* Guenée, 1862; *anticalis* Walker, 1863; *indicalis* Walker, 1863; *hastiferella* Walker, 1866; *decipiens* Staudinger, 1870; *spartiella* Rondani, 1876; *sabulinus* Butler, 1879; *madagascariensis* Saalmüller, 1880; *schisticolor* Zeller, 1881; *villosella* Hulst, 1887; *rubribasella* Hulst, 1890; *#tiella* Pinhey, 1975.
- 995) **Eucampyla dealbatella (Erschoff, 1874)** (Pyralidae) Synonym(s): *dealbatella* Erschoff, 1874; *staminella* Christoph, 1877; *nervulatella* Turati, 1926; *kerbelella* Amsel, 1949; *gigantella* Roesler, 1965.
- 996) **Euchromius cambridgei (Zeller, 1867)** (Pyralidae) Synonym(s): *cambridgei* Zeller, 1867; *luciella* Chrétien, 1907; *prototypa* Meyrick, 1935; *congruentella* Amsel, 1958; *szjartoi* Gozmany, 1959; *ilkui* Gozmany, 1959.
- 997) **Euchromius jaxartellus (Erschoff, 1874)** (Pyralidae) Synonym(s): *jaxartella* Erschoff, 1874
- 998) **Euchromius ramburiellus (Duponchel, 1836)** (Pyralidae) Synonym(s): *ramburiellus* Duponchel, 1836; *zonellus* Zeller, 1847; *luteella* Caradja, 1910; *#ramburellus* Rothschild, 1924; *islamella* Amsel, 1949.
- 999) **Euchromius rayatellus (Amsel, 1949)** (Pyralidae) Synonym(s): *rayatella* Amsel, 1949
- 1000) **Eudonia speideli Leraut, 1982** (Pyralidae) Synonym(s): *speideli* Leraut, 1982
- 1001) **Eurhodope (s.str.) monogrammos (Zeller, 1867)** (Pyralidae) Synonym(s): *monogrammos* Zeller, 1867; *buxtoni* Rothschild, 1921; *homochromella* Amsel, 1961; *melanella* Roesler, 1969
- 1002) **Euzopherodes lutisignella (Mann, 1869)** (Pyralidae) Synonym(s): *lutisignella* Mann, 1869; *leonhardi* Rebel, 1910; *scipionella* Turati, 1924; *battella* Turati, 1924.
- 1003) **Euzopherodes vapidella (Mann, 1857)** (Pyralidae) Synonym(s): *vapidella* Mann, 1857; *tenebrosa* Zeller, 1867; *lutescentella* Chrétien, 1911; *xylobrunnea* Amsel, 1951.
- 1004) **Evergestis isatidalis (Duponchel, 1833)** (Pyralidae) Synonym(s): *isatidalis* Duponchel, 1833
- 1005) **Evergestis pechi (Bethune-Baker, 1885)** (Pyralidae) Synonym(s): *pechi* Bethune-Baker, 1885; *renatalis* Oberthür, 1887
- 1006) **Hellula undalis (Fabricius, 1781)** (Pyralidae) Synonym(s): *undalis* Fabricius, 1781; *lunulalis* Costa, 1836; *alconalis* Walker, 1859; *exemptalis* Walker, [1866]; *geyri* Rothschild, 1915; *occidentalis* De Joannis, 1930; *reniculus* Pajni & Rose, 1977
- 1007) **Homoeosoma (Anhomoeosoma) nimbella (Duponchel, 1837)** (Pyralidae) Synonym(s): *nimbella* Duponchel, 1837; *homoeosomella* Zerny, 1926; *snellenella* Benthick, 1930.
- 1008) **Hypotia colchicalis (Herrich-Schäffer, [1855])** (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer, [1855]; *numidalis* Hampson, 1900.
- 1009) **Hypotia infulalis Lederer, 1858** (Pyralidae) Synonym(s): *infulalis* Lederer, 1858
- 1010) **Lamoria jordanis Ragonot, 1901** (Pyralidae) Synonym(s): *jordanis* Ragonot, 1901
- 1011) **Megasis rippertella (Zeller, 1839)** (Pyralidae) Synonym(s): *rippertella* Zeller, 1839
- 1012) **Palpita vitrealis (Rossi, 1794)** (Pyralidae) Synonym(s): *vitrealis* Rossi, 1794; *unionalis* Hübner, 1796; *quinquepunctalis* Boisduval, 1833; *transvisalis* Guenée, 1854; *suralis* Lederer, 1863; *sempiternalis* Mabilille, 1880
- 1013) **Pediasia desertella (Lederer, 1855)** (Pyralidae) Synonym(s): *desertellus* Lederer, 1855
- 1014) **Pediasia matricella (Treitschke, 1832)** (Pyralidae) Synonym(s): *matricella* Treitschke, 1832; *obscura* Caradja, 1931
- 1015) **Pediasia serraticornis (Hampson, 1900)** (Pyralidae) Synonym(s): *serraticornis* Hampson, 1900
- 1016) **Phycita eremica Amsel, 1935** (Pyralidae) Synonym(s): *eremica* Amsel, 1935; *aciculata* Meyrick
- 1017) **Proceratia fulvostrigella (Eversmann, 1844)** (Pyralidae) Synonym(s): *fulvostrigella* Eversmann, 1844; *fronticornella* Herrich-Schäffer, 1860.

- 1018) *Pseudobissetia terrestrella* (Christoph,1885)** (Pylalidae) Synonym(s): *terrestrella* Christoph,1885; *hypenalis* Rebel,1910; *tozeurellus* Lucas,1911
- 1019) *Raphimetopus ablutellus* (Zeller,1839)** (Pylalidae) Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 1020) *Saluria maculivittella* Ragonot,1887** (Pylalidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888.
- 1021) *Sciota* (s.str.) *hostilis* (Stephens,1834)** (Pylalidae) Synonym(s): *hostilis* Stephens,1834
- 1022) *Scotomera caesarealis* (Ragonot,1891)** (Pylalidae) Synonym(s): *caesarealis* Ragonot,1891
- 1023) *Stiphrometasia sancta* (Hampson,1900)** (Pylalidae) Synonym(s): *sancta* Hampson,1900; *alba* Caradja,1917.
- 1024) *Sultania lophotalis* (Hampson,1900)** (Pylalidae) Synonym(s): *lophotalis* Hampson,1900
- 1025) *Susia uberalis* (Swinhoe,1884)** (Pylalidae) Synonym(s): *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968.
- 1026) *Synaphe syriaca* (Rebel,1903)** (Pylalidae) Synonym(s): *syriaca* Rebel,1903
- 1027) *Synaphe uxorialis* (Lederer,1858)** (Pylalidae) Synonym(s): *uxorialis* Lederer,1858
- 1028) *Tephros stenopterella* Amsel,1949** (Pylalidae) Synonym(s): *stenopterella* Amsel,1949
- 1029) *Trachycera zemantha* Roesler,1987** (Pylalidae) Synonym(s): *zemantha* Roesler,1987
- 1030) *Valva pseudodiscomaculella* (Amsel,1935)** (Pylalidae) Synonym(s): *pseudodiscomaculella* Amsel,1935; *candiopella* Amsel,1961
- 1031) *Scythris* (camelella-gr.) *camelella* Walsingham,1907** (Scythridae) Synonym(s): *camelella* Walsingham,1907
- 1032) *Scythris* (canescens-gr.) *eucharis* Walsingham,1907** (Scythridae) Synonym(s): *eucharis* Walsingham,1907; *elongatella* Lucas,1933; *halophilella* Amsel,1935; *lacteella* Caradja,1920
- 1033) *Scythris* (inclusella-gr.) *inclusella* Lederer,1855** (Scythridae) Synonym(s): *inclusella* Lederer,1855; *subflabella* Stainton,1867
- 1034) *Scythris* (pascuella-gr.) *albidella* (Stainton,1867)** (Scythridae) Synonym(s): *albidella* Stainton,1867; *recreata* Meyrick,1925; *abdominalis* Turati,1926; *lemarchandella* Lucas,1950
- 1035) *Scythris cucullella* Bengtsson,2002** (Scythridae) Synonym(s): *cucullella* Bengtsson,2002
- 1036) *Acherontia atropos* (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
- 1037) *Acherontia styx* (Westwood,1847)** (Sphingidae) Synonym(s): *styx* Westwood,1847; *ariel* Boisduval,[1875]; *#stax* Lewvanich,2001
- 1038) *Agrius convolvuli* (Linnaeus,1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schauffuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
- 1039) *Akbesia davidi* (Oberthür,1884)** (Sphingidae) Synonym(s): *davidi* Oberthür,1884
- 1040) *Clarina syriaca* (Lederer,1855)** (Sphingidae) Synonym(s): *syriaca* Lederer,1855; *#griseus* Ebert,1976.
- 1041) *Daphnis nerii* (Linnaeus,1758)** (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernolutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
- 1042) *Dolbina elegans* (A.Bang-Haas,1912)** (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,1912; *steffensi* Popescu-Gorj,1971.
- 1043) *Hemaris* (Cochrania) *croatica* (Esper,[1779])** (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 1044) *Hemaris* (Eitschbergera) *molli* Eitschberger, Müller & Kravchenko,2005** (Sphingidae) Synonym(s): *molli* Eitschberger, Müller & Kravchenko,2005
- 1045) *Hemaris* (s.str.) *syra* (Daniel,1939)** (Sphingidae) Synonym(s): *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005
- 1046) *Hippotion celerio* (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrouzier,1864
- 1047) *Hyles conspicua* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan,1903.
- 1048) *Hyles livornica* (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 1049) *Hyles livornica livornica* (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 1050) *Macroglossum stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 1051) *Macroglossum stellatarum stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 1052) *Marumba quercus* ([Denis & Schiffermüller],1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallascens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarubia,1973.
- 1053) *Sphingonaepiopsis gorgoniades* (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] *nec* Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 1054) *Proserpinus proserpinus* (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grun-Grshimailo,1887; *japetus* Grun-Grshimailo,1890; *gigas* Oberthür,1922.
- 1055) *Rethera komarovi* (Christoph,1885)** (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
- 1056) *Smerinthus kindermanni* Lederer,1852** (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917
- 1057) *Theretra alecto* (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 1058) *Theretra alecto alecto* (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 1059) *Edosa lardatella* (Lederer,1858)** (Tineidae) Synonym(s): *lardatella* Lederer,1858
- 1060) *Fermocelina latiusculella* (Stainton,1867)** (Tineidae) Synonym(s): *latiusculella* Stainton,1867
- 1061) *Hapsifera luridella* Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestiniensis* Rebel,1901; *kerbelella* Amsel,1949
- 1062) *Hapsifera multiguttella* (Ragonot,1895)** (Tineidae) Synonym(s): *multiguttella* Ragonot,1895; *jerichoella* Amsel,1935.
- 1063) *Infurcitinea amseli* G.Petersen,1957** (Tineidae) Synonym(s): *amseli* G.Petersen,1957

- 1064) *Infurcitinea karmeliella* (Amsel,1935) (Tineidae) Synonym(s): *karmeliella* Amsel,1935
 1065) *Monopis desertella* Amsel,1935 (Tineidae) Synonym(s): *desertella* Amsel,1935
 1066) *Niditinea tugurialis* (Meyrick,1932) (Tineidae) Synonym(s): *tugurialis* Meyrick,1932; *unipunctella* Zagulyaev,1960
 1067) *Paratinea merdella* (Zeller,1847) (Tineidae) Synonym(s): *merdella* Zeller,1847; *palaestinella* Amsel,1935
 1068) *Perissomastix* (s.str.) *biskraella* (Rebel,1901) (Tineidae) Synonym(s): *biskraella* Rebel,1901; *intermediella* Turati,1926.
 1069) *Perissomastix* (s.str.) *nigriceps* W.Warren & Rothschild,1905 (Tineidae) Synonym(s): *nigriceps* W.Warren & Rothschild,1905; *intermedia* G.Petersen,1961.
 1070) *Proterospastis merdella* (Zeller,1852) (Tineidae) Synonym(s): *merdella* Zeller,1852; *siccanella* Chrétien,1915; *palaestinella* Amsel,1935.
 1071) *Rhodobates transjordanus* Amsel,1935 (Tineidae) Synonym(s): *transjordanus* Amsel,1935
 1072) *Aethes kasyi* Razowski,1962 (Tortricidae) Synonym(s): *kasyi* Razowski,1962
 1073) *Cnephasia* (s.str.) *facetana* Kennel,1901 (Tortricidae) Synonym(s): *facetana* Kennel,1901
 1074) *Cochylimorpha diana* (Kennel,1899) (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
 1075) *Trachysmia palpana* (Ragonot,1894) (Tortricidae) Synonym(s): *palpana* Ragonot,1894
 1076) *Ochsenheimeria vacculella* Fischer v. Röslerstamm,1842 (Yponomeutidae) Synonym(s): *vacculella* Fischer v. Röslerstamm,1842; *chenopodiella* Stainton,1849; *danilevskii* Zagulyaev,1972
 1077) *Jordanita* (Praviela) *anatolica* (Naufock,1929) (Zygaenidae) Synonym(s): *anatolica* Naufock,1929; *levantina* Jordan,1931; *pfeifferi* Naufock,1935; ? *christinae* Keil,1998.
 1078) *Jordanita* (Roccia) *paupera* (Christoph,1887) (Zygaenidae) Synonym(s): *paupera* Christoph,1887; *mollis* Grun-Grshimailo,1893; *hamifera* Jordan,1909; *tamerlana* Alberti,1937; *minor* Alberti,1937
 1079) *Zygaena* (s.str.) *graslini* Lederer,1855 (Zygaenidae) Synonym(s): *graslini* Lederer,1855
 1080) *Aplasta ononaria* (Fuessly,1783) (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapra* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
 1081) *Docirava mundulata* (Guenée,[1858]) (Geometridae) Synonym(s): *mundulata* Guenée,[1858]; *submundulata* Staudinger,1892
 1082) *Apochima flabellaria* (Heeger,1838) (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
 1083) *Biston achyrus* Wehrli,1936 (Geometridae) Synonym(s): *achyra* Wehrli,1936; *engonia* Wehrli,1941
 1084) *Catarhoe permixtaria* (Guenée,[1858]) (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858]
 1085) *Chesistege korbi* (Bohatsch,1910) (Geometridae) Synonym(s): *korbi* Bohatsch,1910
 1086) *Coenina paulusi* (Rebel,1906) (Geometridae) Synonym(s): *paulusi* Rebel,1906
 1087) *Dyscia* (Calodyscia) *innocentaria* (Christoph,1885) (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentaria* Pugaev & Zolotuhin,2006
 1088) *Enconima exustaria* Staudinger,1897 (Geometridae) Synonym(s): *exustaria* Staudinger,1897
 1089) *Ennomos* (Deuteronomos) *freidbergi* Hausmann,1997 (Geometridae) Synonym(s): *freidbergi* Hausmann,1997
 1090) *Eupithecia breviculata* (Donzel,1837) (Geometridae) Synonym(s): *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977.
 1091) *Eupithecia cerussaria* (Lederer,1855) (Geometridae) Synonym(s): *cerussaria* Lederer,1855
 1092) *Eupithecia jizlensis* Wiltshire,1986 (Geometridae) Synonym(s): *jizlensis* Wiltshire,1986
 1093) *Eupithecia minusculata* (Alpheraky,1883) (Geometridae) Synonym(s): *minusculata* Alpheraky,1883; *inversaria* Turati,1930; *penultimaria* Wiltshire,1985.
 1094) *Eupithecia opistographata* Dietze,1906 (Geometridae) Synonym(s): *opistographata* Dietze,1906; *arenicola* Rothschild,1913; *#opisthographata* Schütze,1961
 1095) *Eupithecia quercetica* L.B.Prout,1938 (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938
 1096) *Eupithecia reisserata* Pinker,1976 (Geometridae) Synonym(s): *reisserata* Pinker,1976
 1097) *Eupithecia scalptata* Christoph,1885 (Geometridae) Synonym(s): *scalptata* Christoph,1885
 1098) *Eupithecia tricerata* Wiltshire,1990 (Geometridae) Synonym(s): *tricerata* Wiltshire,1990
 1099) *Eupithecia variostrigata* Alpheraky,1876 (Geometridae) Synonym(s): *variostrigata* Alpheraky,1876; *littorata* Constant,1884; *artemesiata* Constant,1884
 1100) *Eupithecia yathomi* Hausmann,1991 (Geometridae) Synonym(s): *yathomi* Hausmann,1991
 1101) *Glossotrophia* (Libanonia) *sacrararia* (A.Bang-Haas,1910) (Geometridae) Synonym(s): *sacrararia* A.Bang-Haas,1910
 1102) *Glossotrophia* (s.str.) *chalcographata* Brandt,1938 (Geometridae) Synonym(s): *chalcographata* Brandt,1938
 1103) *Hierochthonia semitaria* (Püngeler,1902) (Geometridae) Synonym(s): *semitaria* Püngeler,1902
 1104) *Hyposcotis* (Kemtroglyphos) *onustaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *onustaria* Herrich-Schäffer,[1852]; *oneraria* Guenée,[1858]
 1105) *Idaea brevitarsata* Hausmann,1991 (Geometridae) Synonym(s): *brevitarsata* Hausmann,1991
 1106) *Idaea camparia* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934.
 1107) *Idaea distinctaria* (Boisduval,1840) (Geometridae) Synonym(s): *distinctaria* Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852
 1108) *Idaea holliata* (Homberg,1909) (Geometridae) Synonym(s): *holliata* Homberg,1909
 1109) *Idaea improbata* (Staudinger,1898) (Geometridae) Synonym(s): *improbata* Staudinger,1898
 1110) *Idaea jacobi* Hausmann,1991 (Geometridae) Synonym(s): *jacobi* Hausmann,1991
 1111) *Idaea longaria* (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *longaria* Herrich-Schäffer,1852; *prolongata* Rambur,1866
 1112) *Idaea ortalii* Hausmann,1991 (Geometridae) Synonym(s): *ortalii* Hausmann,1991
 1113) *Idaea praetineata* Hausmann,1994 (Geometridae) Synonym(s): *praetineata* Hausmann,1994
 1114) *Idaea purpureomarginata* (Bohatsch,1880) (Geometridae) Synonym(s): *purpureomarginata* Bohatsch,1880
 1115) *Idaea sanctaria* (Staudinger,1900) (Geometridae) Synonym(s): *sanctaria* Staudinger,1900
 1116) *Idaea troglodytaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939
 1117) *Idaea wittmeri* Wiltshire,1982 (Geometridae) Synonym(s): *wittmeri* Wiltshire,1982
 1118) *Jordanisca tenuisaria* (Staudinger,1900) (Geometridae) Synonym(s): *tenuisaria* Staudinger,1900
 1119) *Lithostege notata* A.Bang-Haas,1906 (Geometridae) Synonym(s): *notata* A.Bang-Haas,1906; *bifissana* Rebel,1911
 1120) *Lithostege palaestinensis* Amsel,1935 (Geometridae) Synonym(s): *palaestinensis* Amsel,1935; *ali* Wiltshire,1941.
 1121) *Lulavia multipunctata* (Staudinger,1898) (Geometridae) Synonym(s): *multipunctata* Staudinger,1898

- 1122) *Microloxia ruficornis* W.Warren,1897** (Geometridae) Synonym(s): *ruficornis* W.Warren,1897; *innotata* W.Warren,1901; *halimaria* Chrétien,1909; *stenopteraria* Turati,1930
- 1123) *Myinodes shohami* Hausmann,1994** (Geometridae) Synonym(s): *shohami* Hausmann,1994
- 1124) *Neromia pulvereisparsa* Hampson,1896** (Geometridae) Synonym(s): *pulvereisparsa* Hampson,1896; *jodisata* Staudinger,1898; *draudti* Andres & Seitz,1923
- 1125) *Nychiodes muelleri* Hausmann,1991** (Geometridae) Synonym(s): *muelleri* Hausmann,1991
- 1126) *Oar pratana* (Fabricius,1794)** (Geometridae) Synonym(s): *pratana* Fabricius,1794; *pratanaria* Turton,1802; *megearia* Oberthür,1881; *ectypata* Mabilie,1888
- 1127) *Ortaliella palaestinensis* (Calberla,1891)** (Geometridae) Synonym(s): *palaestinensis* Calberla,1891
- 1128) *Ortaliella stonei* (Hausmann,1991)** (Geometridae) Synonym(s): *stonei* Hausmann,1991
- 1129) *Pseudosterrha rufistrigata* (Hampson,1896)** (Geometridae) Synonym(s): *rufistrigata* Hampson,1896; *xerophilaria* Püngeler,1902; *marcida* W.Warren & Rothschild,1905; *elbaensis* Rebel,1948.
- 1130) *Rhodostrophia discopunctata* Amsel,1935** (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935
- 1131) *Scopula decolor* (Staudinger,1898)** (Geometridae) Synonym(s): *decolor* Staudinger,1898; *languidata* L.B.Prout,1913
- 1132) *Scopula lehmanni* Hausmann,1991** (Geometridae) Synonym(s): *lehmanni* Hausmann,1991
- 1133) *Selidosema combustarium* Püngeler,1904** (Geometridae) Synonym(s): *combustaria* Püngeler,1904
- 1134) *Stueningia poggearia* (Lederer,1855)** (Geometridae) Synonym(s): *poggearia* Lederer,1855
- 1135) *Tephronia fumosata* (Hausmann,1995)** (Geometridae) Synonym(s): *fumosata* Hausmann,1995; *#fumosaria* Hausmann,1997
- 1136) *Thetidia bilineata* Hausmann,1991** (Geometridae) Synonym(s): *bilineata* Hausmann,1991
- 1137) *Thetidia eurythra* (L.B.Prout,1935)** (Geometridae) Synonym(s): *eurythra* L.B.Prout,1935
- 1138) *Thetidia silvia* Hausmann,1991** (Geometridae) Synonym(s): *silvia* Hausmann,1991
- 1139) *Zamarada torrida* D.S.Fletcher,1974** (Geometridae) Synonym(s): *torrida* D.S.Fletcher,1974
- 1140) *Anarsia* (Anarsia) *acaciae* Walsingham,1896** (Gelechiidae) Synonym(s): *acaciae* Walsingham,1896
- 1141) *Anarsia* (Anarsia) *arachniota* Meyrick,1925** (Gelechiidae) Synonym(s): *arachniota* Meyrick,1925
- 1142) *Bryotropha arabica* Amsel,1952** (Gelechiidae) Synonym(s): *arabica* Amsel,1952
- 1143) *Bryotropha domestica* (Haworth,1828)** (Gelechiidae) Synonym(s): *domestica* Haworth,1828; *domesticella* Doubleday,1859; *domesticella* Bruand,1859; *salmonis* Walsingham,1908; *algoricella* Chrétien,1917
- 1144) *Bryotropha horribilis* Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *horribilis* Karsholt & Rutten,2005
- 1145) *Deltophora maculata* (Staudinger,1879)** (Gelechiidae) Synonym(s): *maculata* Staudinger,1879
- 1146) *Deltophora fasciella* Sattler,1979** (Gelechiidae) Synonym(s): *fasciella* Sattler,1979
- 1147) *Mirificarma* (s.str. (Interrupta)) *ocellinella* (Chrétien,1915)** (Gelechiidae) Synonym(s): *ocellinella* Chrétien,1915; *aurantiella* Chrétien,1915; *retamaefoliella* Dumont,1931
- 1148) *Mirificarma* (s.str. (s.str.)) *aflavella* (Amsel,1935)** (Gelechiidae) Synonym(s): *aflavella* Amsel,1935
- 1149) *Ornativa antipyraxis* (Meyrick,1925)** (Gelechiidae) Synonym(s): *antipyraxis* Meyrick,1925
- 1150) *Oxypteryx jordanella* Rebel,1911** (Gelechiidae) Synonym(s): *jordanella* Rebel,1911
- 1151) *Scrobipalpa* (Ilseopsis) *heratella* Povolny,1967** (Gelechiidae) Synonym(s): *heratella* Povolny,1967
- 1152) *Scrobipalpa* (Ilseopsis) *pseudobsletella* (Gregor & Povolny,1955)** (Gelechiidae) Synonym(s): *pseudobsletella* Gregor & Povolny,1955; *#pseudobsletella* Hacker,1999
- 1153) *Scrobipalpa* (Ilseopsis) *remota* Povolny,1972** (Gelechiidae) Synonym(s): *remota* Povolny,1972
- 1154) *Stenovalva disclusa* (Meyrick,1923)** (Gelechiidae) Synonym(s): *disclusa* Meyrick,1923; *ghorella* Amsel,1955.
- 1155) *Syncopacma polychromella* (Rebel,1902)** (Gelechiidae) Synonym(s): *polychromella* Rebel,1902; *rebeliella* Caradja,1920; *argyrobiella* Caradja,1920
- 1156) *Ascalenia antiqua* Meyrick,1925** (Cosmopterigidae) Synonym(s): *antiqua* Meyrick,1925
- 1157) *Tolliella fulguritella* (Ragonot,1895)** (Cosmopterigidae) Synonym(s): *fulguritella* Ragonot,1895; *copidobathra* Meyrick,1936.
- 1158) *Acontia* (s.str.) *biskrensis* (Oberthür,1887)** (Noctuidae) Synonym(s): *biskrensis* Oberthür,1887; *orientalis* Brandt,1939; *agacinoi* Rungs,1945; *griseus* Rebel,1948
- 1159) *Acontia* (s.str.) *lucida* (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,1822; *triradiata* Walker,1858; *lugens* Alpheraky,1889; *heliadora* Schawerda,1923
- 1160) *Acronicta* (Triaena) *aceris* (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 1161) *Acronicta* (Viminia) *rumicis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 1162) *Aegle semicana* (Esper,[1798])** (Noctuidae) Synonym(s): *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938; *#vespertalis* Hacker,1986.
- 1163) *Africalpe intrusa* C.G.Krüger,1939** (Noctuidae) Synonym(s): *intrusa* C.G.Krüger,1939
- 1164) *Agrochola* (Anchoscelis) *pauli* (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892
- 1165) *Agrochola* (Anchoscelis) *scabra* (Staudinger,1892)** (Noctuidae) Synonym(s): *scabra* Staudinger,1892
- 1166) *Agrochola* (s.str.) *pistacina* (Goeze,1781)** (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 nec Panzer,1785; *sphaerulatina* Haworth,1809; *venosa* Haworth,1809 nec Hw.1809.
- 1167) *Agrotis* (Crassagrotis) *bigramma* (Esper,[1790])** (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 1168) *Agrotis* (Crassagrotis) *obesa* (Boisduval,1829)** (Noctuidae) Synonym(s): *obesa* Boisduval,1840
- 1169) *Agrotis* (Putagrotis) *herzogi* (Rebel,1911)** (Noctuidae) Synonym(s): *herzogi* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenica* Tams,1925; *leroyi* Lucas,1940
- 1170) *Agrotis* (Putagrotis) *puta* (Hübner,[1803])** (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
- 1171) *Agrotis* (Putagrotis) *syricola* Berio,1936** (Noctuidae) Synonym(s): *#syricola* Corti & Draudt,1933; *syricola* Berio,1936
- 1172) *Agrotis* (s.str.) *biconicus* Kollar,[1844]** (Noctuidae) Synonym(s): *spinifera* Hübner,[1808] nec Vill.,1789; *biconica* Kollar,[1844]; *aristifera* Guenée,1852; *spiculifera* Guenée,1852; *ferina* Felder & Rogenhofer,1874; *hodnae* Oberthür,1878
- 1173) *Agrotis* (s.str.) *haifae* Staudinger,1897** (Noctuidae) Synonym(s): *haifae* Staudinger,1897
- 1174) *Agrotis* (s.str.) *ipsilon* (Hufnagel,1766)** (Noctuidae) Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 1175) *Agrotis* (s.str.) *sardzeana* Brandt,1941** (Noctuidae) Synonym(s): *sardzeana* Brandt,1941

- 1176) *Agrotis* (s.str.) *segetum* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goetz,1781 (praeocc.); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversa* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificata* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 1177) *Agrotis* (s.str.) *trux* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 1178) *Allophytes benedictina* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *benedictina* Staudinger,1892
- 1179) *Anumeta arabiae* Wiltshire,1961** (Noctuidae) **Synonym(s):** *arabiae* Wiltshire,1961
- 1180) *Anumeta cestis* (Ménétriés,1848)** (Noctuidae) **Synonym(s):** *cestis* Ménétriés,1848; *punctata* Ménétriés,1848.
- 1181) *Anydrophila stuebeli* (Calberla,1891)** (Noctuidae) **Synonym(s):** *stuebeli* Calberla,1891; *fouadi* Wiltshire,1947.
- 1182) *Apamea* (s.str.) *polyglypha* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *polyglypha* Staudinger,1892
- 1183) *Aporophyla australis* (Boisduval,1829)** (Noctuidae) **Synonym(s):** *australis* Boisduval,1829
- 1184) *Phylapora canescens* (Duponchel,1826)** (Noctuidae) **Synonym(s):** *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933.
- 1185) *Arenostola deserticola* (Staudinger,1900)** (Noctuidae) **Synonym(s):** *deserticola* Staudinger,1900; *chimaera* Rothschild,1920.
- 1186) *Armada panaceorum* (Ménétriés,1849)** (Noctuidae) **Synonym(s):** *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915.
- 1187) *Atethmia ambusta* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
- 1188) *Atethmia centrargo* (Haworth,[1809])** (Noctuidae) **Synonym(s):** *centrargo* Haworth,[1809].
- 1189) *Autographa gamma* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992.
- 1190) *Autophila* (Cheirophanes) *pauli* Boursin,1940** (Noctuidae) **Synonym(s):** *pauli* Boursin,1940
- 1191) *Basistriga flammata* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 1192) *Bena bicolorana* (Fuessly,1775)** (Noctuidae) **Synonym(s):** *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspecta* W. Warren,1913.
- 1193) *Boursinia discordans* (Boursin,1940)** (Noctuidae) **Synonym(s):** *discrepans* Staudinger,1892 nec Wlk.,1865; *discordans* Boursin,1940
- 1194) *Brachygalea albolineata* (Blachier,1905)** (Noctuidae) **Synonym(s):** *albolineata* Blachier,1905; *leucorhabda* Hampson,1906; *albolineata* Hampson,1906
- 1195) *Brachygalea kalchbergi* (Staudinger,1897)** (Noctuidae) **Synonym(s):** *kalchbergi* Staudinger,1897; *calchbergi* Hampson,1906
- 1196) *Calocucullia celsiae* (Herrich-Schäffer,1850)** (Noctuidae) **Synonym(s):** *celsiae* Herrich-Schäffer,[1850]
- 1197) *Calophasia angularis* Chrétien,1911** (Noctuidae) **Synonym(s):** *angularis* Chrétien,1911; *stigmatica* Rothschild,1913; *liberatii* Turati,1924; *danieli* Le Cerf,1924; *pintori* Turati,1924; *volmeri* Hering,1930
- 1198) *Calophasia pauli* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *pauli* Staudinger,1892
- 1199) *Calophasia platyptera* (Esper,[1788])** (Noctuidae) **Synonym(s):** *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901; *signata* Constantini,1916
- 1200) *Calophasia sinaica* (Wiltshire,1948)** (Noctuidae) **Synonym(s):** *sinaica* Wiltshire,1948
- 1201) *Caradrina* (Boursinidrina) *oberthueri* (Rothschild,1913)** (Noctuidae) **Synonym(s):** *oberthueri* Rothschild,1913; *apicimaculata* Rebel,[1948]
- 1202) *Caradrina* (Boursinidrina) *soudanensis* (Hampson,1918)** (Noctuidae) **Synonym(s):** *soudanensis* Hampson,1918
- 1203) *Caradrina* (Boursinidrina) *syriaca* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *syriaca* Staudinger,1892
- 1204) *Caradrina* (Eremodrina) *alfierii* (Boursin,1937)** (Noctuidae) **Synonym(s):** *alfierii* Boursin,1937
- 1205) *Caradrina* (Eremodrina) *casearia* (Staudinger,1900)** (Noctuidae) **Synonym(s):** *casearia* Staudinger,1900; *tauorgensis* C.G.Krüger,1939
- 1206) *Caradrina* (Eremodrina) *flava* (Oberthür,1876)** (Noctuidae) **Synonym(s):** *flava* Oberthür,1876; *approximans* Rothschild,1914
- 1207) *Caradrina* (Eremodrina) *melanurina* (Staudinger,1901)** (Noctuidae) **Synonym(s):** *melanurina* Staudinger,1901
- 1208) *Caradrina* (Kalchbergiana) *ingrata* (Staudinger,1897)** (Noctuidae) **Synonym(s):** *ingrata* Staudinger,1897
- 1209) *Caradrina* (Levantrina) *bodenheimeri* (Draudt,1934)** (Noctuidae) **Synonym(s):** *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *plesiarchia* Boursin,1937
- 1210) *Caradrina* (Paradrina) *amseli* (Boursin,1936)** (Noctuidae) **Synonym(s):** *amseli* Boursin,1936
- 1211) *Caradrina* (Paradrina) *atriluna* Guenée,1852** (Noctuidae) **Synonym(s):** *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935
- 1212) *Caradrina* (Paradrina) *clavipalpis* (Scopoli,1763)** (Noctuidae) **Synonym(s):** *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinker* Kobes,1975
- 1213) *Caradrina* (Paradrina) *selini* (Boisduval,1840)** (Noctuidae) **Synonym(s):** *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rigggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935]
- 1214) *Caradrina* (Paradrina) *zandi* (Wiltshire,1952)** (Noctuidae) **Synonym(s):** *zandi* Wiltshire,1952
- 1215) *Caradrina* (s.str.) *agrotina* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *agrotina* Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933.
- 1216) *Cardepiia affinis* Rothschild,1913** (Noctuidae) **Synonym(s):** *affinis* Rothschild,1913; *ghigli* Turati,1921; *strobilacei* Dumont,1925.
- 1217) *Cardepiia deserticola* Hampson,1905** (Noctuidae) **Synonym(s):** *deserticola* Hampson,1905
- 1218) *Catamecia jordana* Staudinger,1898** (Noctuidae) **Synonym(s):** *jordana* Staudinger,1898; *bacheri* Staudinger,1901
- 1219) *Catocala* (Ephesia) *eutychea* (Treitschke,1835)** (Noctuidae) **Synonym(s):** *eutychea* Treitschke,1835; *delicata* Vicent,1913.
- 1220) *Catocala* (s.str.) *editarevayae* G.C.Müller et al.,2008** (Noctuidae) **Synonym(s):** *editarevayae* G.C.Müller et al.,2008

- 1221) Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 1222) Catocala (s.str.) lesbia Christoph,1887** (Noctuidae) Synonym(s): *lesbia* Christoph,1887
- 1223) Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 1224) Catocala (s.str.) olgaorlovae Kravchenko et al.,2008** (Noctuidae) Synonym(s): *olgaorlovae* Kravchenko et al.,2008
- 1225) Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pellex* Hübner,[1809]; *romana* Schultz,1909
- 1226) Cerocala sana Staudinger,1901** (Noctuidae) Synonym(s): *insana* Staudinger,1871 *nec* H-S.,1858; *sana* Staudinger,1901; *albifusa* de Joannis,1910.
- 1227) Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
- 1228) Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
- 1229) Cleonymia (Serryvania) fatima (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *fatima* A.Bang-Haas,1907
- 1230) Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
- 1231) Cleonymia (s.str.) baetica (Rambur,1837)** (Noctuidae) Synonym(s): *baetica* Rambur,1837
- 1232) Cleonymia (s.str.) chabordis (Oberthür,1876)** (Noctuidae) Synonym(s): *chabordis* Oberthür,1876; *#charbordis* Brandt,1939.
- 1233) Cleonymia (Serryvania) pectinicornis (Staudinger,1859)** (Noctuidae) Synonym(s): *pectinicornis* Staudinger,1859; *youngi* Rothschild,1925
- 1234) Cleonymia jubata (Oberthür,1890)** (Noctuidae) Synonym(s): *jubata* Oberthür,1890
- 1235) Clytie (Hypoglaucitis) infrequens (Swinhoe,1884)** (Noctuidae) Synonym(s): *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888.
- 1236) Clytie (s.str.) arenosa Rothschild,1913** (Noctuidae) Synonym(s): *arenosa* Rothschild,1913; *seifersi* Gaede,1933.
- 1237) Clytie (s.str.) sancta (Staudinger,1898)** (Noctuidae) Synonym(s): *sancta* Staudinger,1898
- 1238) Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893
- 1239) Condica viscosa (Freyer,1831)** (Noctuidae) Synonym(s): *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980.
- 1240) Conistra (s.str.) acutula (Staudinger,1892)** (Noctuidae) Synonym(s): *acutula* Staudinger,1892
- 1241) Cornutiplusia circumflexa (Linnaeus,1767)** (Noctuidae) Synonym(s): *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005
- 1242) Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962
- 1243) Cryphia (Bryoleuca) tephrocharis Boursin,1954** (Noctuidae) Synonym(s): *tephrocharis* Boursin,1954
- 1244) Cryphia (Bryophila) maeonis (Lederer,1865)** (Noctuidae) Synonym(s): *maeonis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909.
- 1245) Cryphia (Bryophila) paulina (Staudinger,1892)** (Noctuidae) Synonym(s): *paulina* Staudinger,1892; *keltana* Amsel,1933.
- 1246) Cryphia (Bryopsis) amasina (Draudt,1931)** (Noctuidae) Synonym(s): *amasina* Draudt,1931
- 1247) Cryphia (s.str.) receptricula (Hübner,[1803])** (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 *nec* Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétériés,1859.
- 1248) Cucullia (Shargacucullia) barthae Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933
- 1249) Cucullia (Shargacucullia) blattariae (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790]
- 1250) Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 1251) Cucullia (s.str.) calendulae Treitschke,1835** (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980.
- 1252) Cucullia (s.str.) hemidiaphana Graeser,1892** (Noctuidae) Synonym(s): *hemidiaphana* Graeser,1892
- 1253) Cucullia (s.str.) improba Christoph,1885** (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958
- 1254) Cucullia (s.str.) macara Rebel,1948** (Noctuidae) Synonym(s): *macara* Rebel,1948
- 1255) Cucullia (s.str.) santolinae Rambur,1834** (Noctuidae) Synonym(s): *santolinae* Rambur,1834
- 1256) Diadochia stigmatica Wiltshire,1984** (Noctuidae) Synonym(s): *stigmatica* Wiltshire,1984
- 1257) Dicerogastra chersotoides (Wiltshire,1956)** (Noctuidae) Synonym(s): *chersotoides* Wiltshire,1956
- 1258) Dichagyris (Yigoga) nigrescens (Hofner,1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner,1888
- 1259) Dichagyris (Yigoga) romanovi (Christoph,1885)** (Noctuidae) Synonym(s): *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990.
- 1260) Dichagyris (s.str.) devota (Christoph,1884)** (Noctuidae) Synonym(s): *devota* Christoph,1884; *turana* Staudinger,1892
- 1261) Dichagyris (s.str.) erubescens (Staudinger,1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger,1892
- 1262) Dichagyris (s.str.) imperator (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *imperator* A.Bang-Haas,1912; *alcarriensis* Calle & Agenjo,1981
- 1263) Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
- 1264) Dichagyris (s.str.) singularis (Staudinger,1877)** (Noctuidae) Synonym(s): *singularis* Staudinger,1877
- 1265) Diloba caeruleocephala (Linnaeus,1758)** (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
- 1266) Drasteria flexuosa (Ménétériés,1848)** (Noctuidae) Synonym(s): *flexuosa* Ménétériés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
- 1267) Drasteria herzi (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi* Alpheraky,1895
- 1268) Drasteria kablaria (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): *kablaria* A.Bang-Haas,1906
- 1269) Earias chlorophyllana Staudinger,1892** (Noctuidae) Synonym(s): *chlorophyllana* Staudinger,1892; *syrticola* Turati,1926; *watsoni* Wiltshire,1947.
- 1270) Earias insulana (Boisduval,1833)** (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
- 1271) Egira tibi Hreblay,1994** (Noctuidae) Synonym(s): *tibi* Hreblay,1994
- 1272) Eicomorpha antiqua Staudinger,1888** (Noctuidae) Synonym(s): *antiqua* Staudinger,1888.

- 1273) Acontia (Emmelia) trabealis (Scopoli,1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881
- 1274) Eremobastis judaica (Staudinger,1898)** (Noctuidae) Synonym(s): *judaica* Staudinger,1898
- 1275) Eremotrachea bacheri (Püngeler,1902)** (Noctuidae) Synonym(s): *bacheri* Püngeler,1902; *hagar* Rothschild,1921; *sahariensis* Rothschild,1915; *salmonia* Oberthür,1918
- 1276) Eublemma (Coccidiphaga) scitulum (Rambur,1833)** (Noctuidae) Synonym(s): *scitula* Rambur,1833; *exasperata* Lederer,1855; *gibbosa* Snellen,1872; *futilis* Swinhoe,1884; *cretacea* Hampson,1893; *turatii* Berio,2002.
- 1277) Eublemma (Glossodice) polygramma (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *violetta* Staudinger,1889.
- 1278) Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): *albida* auct.; *gratissima* Staudinger,1892; *infusata* Staudinger,1892; *peralba* Schawerda,1923.
- 1279) Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,[1851]
- 1280) Eublemma (bull-gr.) albivestalis (Hampson,1910)** (Noctuidae) Synonym(s): *vestalis* Staudinger,1900 *nec* Btl.,1886; *albivestalis* Hampson,1910
- 1281) Eublemma (bull-gr.) bullum (Swinhoe,1884)** (Noctuidae) Synonym(s): *bullum* Swinhoe,1884; *tomentalis* Rebel,1948.
- 1282) Eublemma (chlorotica-gr.) chloroticum (Lederer,1858)** (Noctuidae) Synonym(s): *chlorotica* Lederer,1858
- 1283) Eublemma (cochylionides-gr.) cochylionides (Guenée,1852)** (Noctuidae) Synonym(s): *cochylionides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusata* W.Warren,1913.
- 1284) Eublemma (gayneri-gr.) gayneri (Rothschild,1901)** (Noctuidae) Synonym(s): *gayneri* Rothschild,1901
- 1285) Eublemma (kruegeri-gr.) kruegeri (Wiltshire,1970)** (Noctuidae) Synonym(s): *kruegeri* Wiltshire,1970
- 1286) Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973.
- 1287) Eublemma (parva-gr.) cyrenaeum (Turati,1924)** (Noctuidae) Synonym(s): *cyrenaea* Turati,1924
- 1288) Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
- 1289) Eublemma (parva-gr.) thermobasis Hampson,1910** (Noctuidae) Synonym(s): *thermobasis* Hampson,1910
- 1290) Eublemma (siticulosa-gr.) albinum (Staudinger,1898)** (Noctuidae) Synonym(s): *albina* Staudinger,1898
- 1291) Eublemma (siticulosa-gr.) siticulosum (Lederer,1858)** (Noctuidae) Synonym(s): *siticulosa* Lederer,1858; *rushi* Wiltshire,1961.
- 1292) Eublemma supuncta (Staudinger,1892)** (Noctuidae) Synonym(s): *supuncta* Staudinger,1892; *#suppuncta* Hacker,1988
- 1293) Euchalcia (s.str.) maria (Staudinger,1892)** (Noctuidae) Synonym(s): *maria* Staudinger,1892
- 1294) Euchalcia (s.str.) paulina (Staudinger,1892)** (Noctuidae) Synonym(s): *paulina* Staudinger,1892
- 1295) Eulocasta diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): *diaphora* Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
- 1296) Eutelia adoratrix (Staudinger,1892)** (Noctuidae) Synonym(s): *adoratrix* Staudinger,1892
- 1297) Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): *adulatrix* Hübner,[1813]
- 1298) Euxoa (s.str.) anarmodia (Staudinger,1897)** (Noctuidae) Synonym(s): *anarmodia* Staudinger,1897; *muricolor* Rothschild,1914; *albiorbis* Hampson,1920 (*praeocc.*); *albiorboides* Poole,1989
- 1299) Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937.
- 1300) Euxoa (s.str.) canariensis Rebel,1902** (Noctuidae) Synonym(s): *canariensis* Rebel,1902
- 1301) Euxoa (s.str.) cespitis (Swinhoe,1885)** (Noctuidae) Synonym(s): *cespitis* Swinhoe,1885; *praestigiosa* Brandt,1941
- 1302) Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) Synonym(s): *distinguenda* Lederer,1857.
- 1303) Euxoa (s.str.) oranaria (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): *oranaria* A.Bang-Haas,1906; *psimithiosa* Boursin,1958
- 1304) Euxoa (s.str.) robiginosa (Staudinger,[1895])** (Noctuidae) Synonym(s): *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensor* Draudt,1936; *vinirufa* Draudt,1936.
- 1305) Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,1857; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 1306) Graphantha (Dysgraphhadena) commoda (Staudinger,1889)** (Noctuidae) Synonym(s): *indigna* auct. *nec* Chr.,1887; *commoda* Staudinger,1889; *manifesta* Christoph,1893; *idumaea* Püngeler,1902; *schlumbergeri* Püngeler,1905
- 1307) Hadenia (Anepia) avempacei (Tams,1925)** (Noctuidae) Synonym(s): *avempacei* Tams,1925; *pampaninii* C.G.Krüger,1933.
- 1308) Hadenia (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
- 1309) Hadenia (Anepia) sancta (Staudinger,1859)** (Noctuidae) Synonym(s): *sancta* Staudinger,1859
- 1310) Hadenia (Anepia) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 1311) Hadenia (Enterpia) laudeti (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval,1840
- 1312) Hadenia (Maschukia) pumila (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879
- 1313) Hadenia (Pronotestra) silenides (Staudinger,1895)** (Noctuidae) Synonym(s): *silenides* Staudinger,1895; *cinochrea* Chrétien,1911; *pampaninii* C.G.Krüger,1933.
- 1314) Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 1315) Hecatera cappa (Hübner,[1809])** (Noctuidae) Synonym(s): *cappa* Hübner,[1809]
- 1316) Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villiers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910.
- 1317) Hecatera weissii (Draudt,1934)** (Noctuidae) Synonym(s): *weissii* Draudt,1934

- 1318) *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 1319) *Heliothis* (Masalia) *albida* (Hampson,1905)** (Noctuidae) **Synonym(s):** *albida* Hampson,1905; *chitinipyga* Dumont,1920
- 1320) *Heliothis nubigera* Herrich-Schäffer,[1851]** (Noctuidae) **Synonym(s):** *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 1321) *Heliothis peltigera* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 1322) *Heliothis viriplaca* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 1323) *Heterographa puengeleri* Bartel,1904** (Noctuidae) **Synonym(s):** *puengeleri* Bartel,1904
- 1324) *Heteropalpia acrosticta* (Püngeler,1904)** (Noctuidae) **Synonym(s):** *acrosticta* Püngeler,1904; *rosacea* Rebel,1907
- 1325) *Heteropalpia vetusta* (Walker,1865)** (Noctuidae) **Synonym(s):** *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
- 1326) *Hoplodrina ambigua* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 1327) *Acontia* (s.str.) *caeruleopicta* (Hampson,1916)** (Noctuidae) **Synonym(s):** *caeruleopicta* Hampson,1916
- 1328) *Hypena* (Ophiuche) *lividalis* (Hübner,1796)** (Noctuidae) **Synonym(s):** *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicalis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ? *bipartita* Smith,1900.
- 1329) *Hypena* (s.str.) *obsitalis* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *obsitalis* Hübner,[1813]
- 1330) *Hypeuthina fulgurita* Lederer,1855** (Noctuidae) **Synonym(s):** *fulgurita* Lederer,1855
- 1331) *Iranada turcorum* (Zerny,1915)** (Noctuidae) **Synonym(s):** *turcorum* Zerny,1915
- 1332) *Lacanobia* (Diataraxia) *oleracea* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
- 1333) *Lacanobia* (Diataraxia) *softa* (Staudinger,1898)** (Noctuidae) **Synonym(s):** *softa* Staudinger,1898; *luteocinnamomea* Rothschild,1920.
- 1334) *Leucania herrichi* Herrich-Schäffer,[1849]** (Noctuidae) **Synonym(s):** *herrichi* Herrich-Schäffer,[1849]
- 1335) *Leucania loreyi* (Duponchel,1827)** (Noctuidae) **Synonym(s):** *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 1336) *Leucania palaestinae* Staudinger,1897** (Noctuidae) **Synonym(s):** *palaestinae* Staudinger,1897; *languida* Staudinger,1897 nec Wlk.,1858; *#obscura* Heydemann et al.,1963; *#plastinae* Kornošor & Lödl,1990
- 1337) *Leucania punctosa* (Treitschke,1825)** (Noctuidae) **Synonym(s):** *punctosa* Treitschke,1825
- 1338) *Leucania putrescens* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
- 1339) *Leucochlaena jordana* Draudt,1934** (Noctuidae) **Synonym(s):** *jordana* Draudt,1934
- 1340) *Lithophasia quadrivirgula* (Mabille,1888)** (Noctuidae) **Synonym(s):** *quadrivirgula* Mabille,1888; *jordana* Stertz,1919.
- 1341) *Luperina dumerilii* (Duponchel,1826)** (Noctuidae) **Synonym(s):** *dumerilii* Duponchel,1826
- 1342) *Lycophorus tischendorfi* (Püngeler,1915)** (Noctuidae) **Synonym(s):** *tischendorfi* Püngeler,1915 (nec 1925!); *flagrans* Püngeler,1925; *libanotica* Corti & Draudt,1933.
- 1343) *Megalodes eximia* (Freyer,1845)** (Noctuidae) **Synonym(s):** *eximia* Freyer,1845
- 1344) *Metachrostis dardouini* (Boisduval,1840)** (Noctuidae) **Synonym(s):** *dardouini* Boisduval,1840; *velox* Treitschke nec Hbn.,[1813]; *mendacula* Freyer,1841; *dilutior* Schwingenschuss,1926
- 1345) *Metachrostis velocior* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *velocior* Staudinger,1892
- 1346) *Metachrostis velox* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *mendacularis* Treitschke,1829; *tarda* Turati,1926; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930
- 1347) *Metalopha* (s.str.) *ingloria* Draudt,1933** (Noctuidae) **Synonym(s):** *ingloria* Draudt,1933; *splendida* Amsel,1933
- 1348) *Metalopha* (s.str.) *litrata* (Christoph,1887)** (Noctuidae) **Synonym(s):** *litrata* Christoph,1887; *plusina* Staudinger,1892.
- 1349) *Metopoceras* (s.str.) *delicata* (Staudinger,1898)** (Noctuidae) **Synonym(s):** *delicata* Staudinger,1898; *gauckleri* Püngeler,1905.
- 1350) *Metopoceras* (s.str.) *omar* (Oberthür,1887)** (Noctuidae) **Synonym(s):** *omar* Oberthür,1887
- 1351) *Metopoceras* (s.str.) *philbyi* Wiltshire,1980** (Noctuidae) **Synonym(s):** *philbyi* Wiltshire,1980
- 1352) *Metopoceras* (s.str.) *eutychna* Rebel,1948** (Noctuidae) **Synonym(s):** *eutychna* Rebel,1948
- 1353) *Mniotype johanna* (Staudinger,1898)** (Noctuidae) **Synonym(s):** *johanna* Staudinger,1898; *grisea* D.Lucas,1908
- 1354) *Mythimna* (Aletia) *alopecuri* (Boisduval,1840)** (Noctuidae) **Synonym(s):** *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933
- 1355) *Mythimna* (Aletia) *vitellina* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *vitellina* Hübner,[1808]; *#vitellena* Lederer,1870; *decolorata* Dannehl,1929; *saturator* Dannehl,1929; *grisesens* Dannehl,1929.
- 1356) *Mythimna* (Morphopoliana) *languida* (Walker,1858)** (Noctuidae) **Synonym(s):** *consanguis* auct. nec Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952.
- 1357) *Mythimna* (Pseudaletia) *unipuncta* (Haworth,[1809])** (Noctuidae) **Synonym(s):** *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsafikis,1974.
- 1358) *Noctua* (Paranoctua) *comes* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 1359) *Noctua* (s.str.) *pronuba* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Pies.,1908; *decolorata* Turati,1923.
- 1360) *Nola harouni* (Wiltshire,1951)** (Noctuidae) **Synonym(s):** *harouni* Wiltshire,1951; *dilmuna* Wiltshire,1961.
- 1361) *Nycteola asiatica* (Krulikovsky,1904)** (Noctuidae) **Synonym(s):** *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovács,1954.
- 1362) *Odontelia margiana* (Püngeler,1901)** (Noctuidae) **Synonym(s):** *margiana* Püngeler,1901
- 1363) *Olivenebula subsericata* (Herrich-Schäffer,1861)** (Noctuidae) **Synonym(s):** *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
- 1364) *Omphalophana antirrhinii* (Hübner,[1803])** (Noctuidae) **Synonym(s):** *antirrhinii* Hübner,[1803]
- 1365) *Omphalophana pauli* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *pauli* Staudinger,1892; *adamantina* Blachier,1905

- 1366) *Ophiusa lunaris* (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949.
- 1367) *Ophiusa tirhaca* (Cramer,[1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaca* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 1368) *Ophiusa wiskotti* (Püngeler,1902)** (Noctuidae) Synonym(s): *wiskotti* Püngeler,1902; *viscotti* Hampson,1913.
- 1369) *Oria muscosa* (Hübner,[1808])** (Noctuidae) Synonym(s): *muscosa* Hübner,[1808]; *laeta* Alpheraky,1889.
- 1370) *Orthosia* (Monima) *pulverulenta* (Esper,[1786])** (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 1371) *Orthosia cypriaca* Hacker,1996** (Noctuidae) Synonym(s): *cypriaca* Hacker,1996
- 1372) *Acontiola sancta* Staudinger,[1900]** (Noctuidae) Synonym(s): *sancta* Staudinger,[1900]
- 1373) *Pamparama acuta* (Freyer,[1837])** (Noctuidae) Synonym(s): *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871.
- 1374) *Parallelia algira* (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europaea* Schawerda,1912
- 1375) *Parallelia torrida* (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987]
- 1376) *Pericyma squalens* Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855
- 1377) *Peridroma saucia* (Hübner,[1808])** (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 1378) *Perigrapha* (Opacographa (Turcographa)) *mundoides* (Boursin,1940)** (Noctuidae) Synonym(s): *mundoides* Boursin,1940
- 1379) *Polymixis* (Eremophysa) *apothaina* (Brandt,1938)** (Noctuidae) Synonym(s): *apothaina* Brandt,1938
- 1380) *Polymixis* (Eumichtis) *lea* (Staudinger,1898)** (Noctuidae) Synonym(s): *lea* Staudinger,1898
- 1381) *Polymixis* (Myxinia) *rufocincta* (Geyer,1828)** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 1382) *Polymixis* (Parabrachionycha) *tresignata* (Ménétriés,1847)** (Noctuidae) Synonym(s): *tresignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 1383) *Polymixis* (s.str.) *ancepsoides* Poole,1989** (Noctuidae) Synonym(s): *anceps* Staudinger,1898 *nec* Stph.,1850; *ancepsoides* Poole,1989
- 1384) *Polymixis* (s.str.) *rebecca* (Staudinger,1892)** (Noctuidae) Synonym(s): *rebecca* Staudinger,1892
- 1385) *Polymixis* (s.str.) *subvenusta* (Püngeler,1906)** (Noctuidae) Synonym(s): *subvenusta* Püngeler,1906
- 1386) *Polyphaenis propinqua* Staudinger,1895** (Noctuidae) Synonym(s): *propinqua* Staudinger,1895
- 1387) *cliens* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *cliens* R.Felder & Rogenhofer,1874; *orientalis* Hampson,1894; *aethiopica* Sheljuzhko,1960; *tanit* Rungs,1972
- 1388) *Powellinia lasserei* (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924
- 1389) *Powellinia margelanoides* (Boursin,1944)** (Noctuidae) Synonym(s): *margelanoides* Boursin,1944
- 1390) *Powellinia pierreti* (Bugnion,1837)** (Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894
- 1391) *Prodotis boisdeffrii* (Oberthür,1867)** (Noctuidae) Synonym(s): *boisdeffrii* Oberthür,1867
- 1392) *Pseudonargia regina* (Staudinger,1892)** (Noctuidae) Synonym(s): *regina* Staudinger,1892
- 1393) *Pseudocopicucullia syrtana* (Mabilie,1888)** (Noctuidae) Synonym(s): *syrtana* Mabilie,1888
- 1394) *Pseudohadena* (Jaxartia) *jordana* (Staudinger,1900)** (Noctuidae) Synonym(s): *jordana* Staudinger,1900
- 1395) *Raparna erubescens* (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *erubescens* A.Bang-Haas,1910
- 1396) *Rhabdophera arefacta* (Swinhoe,1884)** (Noctuidae) Synonym(s): *arefacta* Swinhoe,1884; *messrae* Staudinger,1898.
- 1397) *Rhabinopteryx subtilis* (Mabilie,1888)** (Noctuidae) Synonym(s): *subtilis* Mabilie,1888; *renatalis* Rebel,1909 *nec* Obth.; *luridalis* Rebel,1911.
- 1398) *Rhyacia* (s.str.) *arenacea* (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
- 1399) *Rhyagla lacernaria* (Hübner,[1813])** (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 1400) *Schrankia costaestrigalis* (Stephens,1834)** (Noctuidae) Synonym(s): *costaestrigalis* Stephens,1834; *hartigi* Berio,1991.
- 1401) *Scodionyx mysticus* Staudinger,1900** (Noctuidae) Synonym(s): *mysticus* Staudinger,1900; *boursini* Warnecke,1937; *balboi* C.G.Krüger,1939; *lepineyi* Rungs,1943.
- 1402) *Scythocentropus eberti* Hacker,2001** (Noctuidae) Synonym(s): *eberti* Hacker,2001
- 1403) *Scythocentropus inquinata* (Mabilie,1888)** (Noctuidae) Synonym(s): *inquinata* Mabilie,1888; *mercedes* Pinker,1974
- 1404) *Sesamia cretica* Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857
- 1405) *Setoctena dentula* (Lederer,1869)** (Noctuidae) Synonym(s): *dentula* Lederer,1869; *angulifera* Moore,1881; *innubila* Swinhoe,1886
- 1406) *Simyra dentinosa* Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 1407) *Stilbia syriaca* Staudinger,1892** (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
- 1408) *Stilbina* (s.str.) *hypoanides* Staudinger,1892** (Noctuidae) Synonym(s): *hypoanides* Staudinger,1892
- 1409) *Teinoptera culminifera* Calberla,1891** (Noctuidae) Synonym(s): *culminifera* Calberla,1891; *kraussi* Rebel,1895
- 1410) *Thria robusta* Walker,[1858]** (Noctuidae) Synonym(s): *anyssa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 1411) *Trichoplusia ni* (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 1412) *Tyta luctuosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 *nec* Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 1413) *Tytroca dispar* (Püngeler,1904)** (Noctuidae) Synonym(s): *dispar* Püngeler,1904
- 1414) *Ulochlacna hirta* (Hübner,[1813])** (Noctuidae) Synonym(s): *hirta* Hübner,[1813]

- 1415) **Victrix (Rasihia) klapperichi Hacker, 2001** (Noctuidae) Synonym(s): *klapperichi* Hacker, 2001
 1416) **Xestia (s.str.) castanea (Esper, [1798])** (Noctuidae) Synonym(s): *castanea* Esper, [1798]; *neglecta* Hübner, [1803]; *cerasina* Freyer, 1840; *teträgona* Haworth, 1809; *obsolescens* W. Petersen, 1905; *alliatai* Hartig, 1949.
 1417) **Xestia (s.str.) cohaesa (Herrich-Schäffer, [1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer, [1849]
 1418) **Xestia (s.str.) palaestinensis (Kalchberg, 1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg, 1898.
 1419) **Xestia (s.str.) xanthographa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller], 1775; *teträgona* Haworth, 1809; *budensis* Freyer, 1838; *elutior* Alpheraky, 1887; *lepida* Constantino, 1922.
 1420) **Xylocampa mustapha (Oberthür, 1920)** (Noctuidae) Synonym(s): *mustapha* Oberthür, 1920
 1421) **Zekelita (Ravalita) ravalis (Herrich-Schäffer, [1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer, [1852]; *revolutalis* Zeller, 1852; *eremialis* Swinhoe, 1889 nec Walk., 1859; *centralis* Staudinger, 1892; *syriacalis* Staudinger, 1892; *extorris* W. Warren, 1913; *#pallida* Schawerda, 1929; *#transcaspica* Brandt, 1941.
 1422) **Zekelita (Rhynchodontodes) antiqualis (Hübner, [1809])** (Noctuidae) Synonym(s): *antiqualis* Hübner, [1809]; *anatolica* Wagner, 1931; *#antiquilis* Zukowsky, 1941
 1423) **Zethes insularis Rambur, 1833** (Noctuidae) Synonym(s): *insularis* Rambur, 1833

CYPRUS (2033 SPECIES)

- 1) "**Calligypsa**" **obtusangula Linnavuori, 1957** (Delphacidae) Synonym(s): *obtusangula* Linnavuori, 1957
 2) **Ablattaria arenaria (Kraatz, 1876)** (Silphidae) Synonym(s): *arenaria* Kraatz, 1876; *punctigera* Reitter, 1885; *alleoni* Portevin, 1926
 3) **Acalyptris minimella (Rebel, 1924)** (Nepticulidae) Synonym(s): *minimella* Rebel, 1924; *lentiscella* Groschke, 1944
 4) **Acalyptris pistaciae Nieukerken, 2007** (Nepticulidae) Synonym(s): *pistaciae* Nieukerken, 2007
 5) **Acalyptris platani (Müller-Rutz, 1934)** (Nepticulidae) Synonym(s): *platani* Müller-Rutz, 1934
 6) **Acanthiophilus helianthi (Rossi, 1790)** (Tephritidae) Synonym(s): *helianthi* Rossi, 1790; *eluta* Meigen, 1826
 7) **Acanthiophilus ramulosus Loew, 1844** (Tephritidae) Synonym(s): *ramulosus* Loew, 1844
 8) **Acemya acuticornis (Meigen, 1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen, 1824
 9) **Acherontia atropos (Linnaeus, 1758)** (Sphingidae) Synonym(s): *atropos* Linnaeus, 1758; *solani* Oken, 1815; *sculda* Kirby, 1877.
 10) **Achyra nudalis (Hübner, 1796)** (Pyralidae) Synonym(s): *nudalis* Hübner, 1796; *interpunctalis* Hübner, 1796; *unipunctalis* Duponchel, 1831; *bipunctalis* Duponchel, 1831; *pauciferalis* Walker, 1865; *nodalis* Gundlach, 1891; *ochromorpha* Lower, 1901
 11) **Acinopus megacephalus (P. Rossi, 1794)** (Carabidae) Synonym(s): *megacephalus* P. Rossi, 1794
 12) **Acleris undulana (Walsingham, 1900)** (Tortricidae) Synonym(s): *undulana* Walsingham, 1900; *coprana* Walsingham, 1900; *aphorista* Meyrick, 1923; *subcoprana* Obraztsov, 1956
 13) **Acmaeodera (s.str.) flavolineata Laporte & Gory, 1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory, 1835; *dorsalis* Spinola, 1838; *sturalis* Gory, 1840; *bivitis* Friwaldsky, 1912; *krueperi* Obenberger, 1926
 14) **Acontia (Emmelia) trabealis (Scopoli, 1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli, 1763; *arabica* Hufnagel, 1766; *sulphuralis* Linnaeus, 1767; *sulphurea* [Denis & Schiffermüller], 1775; *lugubris* Fabricius, 1777; *histrionella* Goeze, 1783; *arlequinetta* Fourcroy, 1785; *trabeata* Borkhausen, 1790; *pardalina* Walker, 1865; *deleta* Staudinger, 1877; *flavonitens* Austaut, 1880; *algira* Oberthür, 1881
 15) **Acontia (s.str.) lucida (Hufnagel, 1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel, 1766; *solaris* [Denis & Schiffermüller], 1775; *albicollis* Fabricius, 1781; *rupicola* Borkhausen, 1792; *insolatrix* Hübner, [1822]; *triradiata* Walker, [1858]; *lugens* Alpheraky, 1889; *heliadora* Schawerda, 1923
 16) **Aconura oculata (Lindberg, 1948)** (Cicadellidae) Synonym(s): *oculata* Lindberg, 1948
 17) **Aconurella prolixa (Lethierry, 1885)** (Cicadellidae) Synonym(s): *prolixa* Lethierry, 1885; *minutus* Haupt, 1917; *simplex* Haupt, 1917 (praeocc.); *sanguisuga* Lindberg, 1927; *obtus* Metcalf, 1955
 18) **Acrapex taurica (Staudinger, 1900)** (Noctuidae) Synonym(s): *taurica* Staudinger, 1900
 19) **Acrida ungarica (Herbst, 1786)** (Acrididae) Synonym(s): *ungarica* Herbst, 1786; *cypria* Dirsh, 1949
 20) **Acrobasis glauccella Staudinger, 1859** (Pyralidae) Synonym(s): *glauccella* Staudinger, 1859; *fallouella* Ragonot, 1871; *anatolica* Caradja, 1910.
 21) **Acrobasis obliqua (Zeller, 1847)** (Pyralidae) Synonym(s): *obliqua* Zeller, 1847; *cinerascens* Turati, 1927.
 22) **Acrobasis sodalella Zeller, 1848** (Pyralidae) Synonym(s): *sodalella* Zeller, 1848
 23) **Acrometopa syriaca Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl, 1878; *festae* Giglio-Tos, 1893; *elsae* Werner, 1937
 24) **Acronicta (Triaena) aceris (Linnaeus, 1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus, 1758
 25) **Acronicta (Triaena) psi (Linnaeus, 1758)** (Noctuidae) Synonym(s): *psi* Linnaeus, 1758
 26) **Acronicta (Triaena) tridens ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *tridens* [Denis & Schiffermüller], 1775; *karghalika* Moore, 1878.
 27) **Acronicta (Viminia) rumicis (Linnaeus, 1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus, 1758; *litterata* Panzer, 1804; *salicis* Curtis, 1826; *diffusa* Walker, 1857
 28) **Acroicenus seductor (Scopoli, 1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli, 1786; *syriacus* Mocsary, 1883
 29) **Acrosternum heegeri Fieber, 1861** (Pentatomidae) Synonym(s): *heegeri* Fieber, 1861; *incerta* Signoret, 1861; *submarginatus* Stål, 1861
 30) **Acrotylus insubricus (Scopoli, 1786)** (Acrididae) Synonym(s): *insubricus* Scopoli, 1786; *maculatum* Olivier, 1791; *fasciatus* Fabricius, 1793; *maderae* Audinet-Serville, 1838; *inficitus* Walker, 1870; *variegata* Walker, 1870; *versicolor* Burr, 1898; *biskrensis* Maran, 1958
 31) **Actenia beatalis Kalchberg, 1897** (Pyralidae) Synonym(s): *beatalis* Kalchberg, 1897
 32) **Actenia brunnealis (Treitschke, 1829)** (Pyralidae) Synonym(s): *brunnealis* Treitschke, 1829; *phaealis* Hampson, 1900.
 33) **Actenia honestalis (Treitschke, 1829)** (Pyralidae) Synonym(s): *honestalis* Treitschke, 1829
 34) **Adela paludicolella (Zeller, 1850)** (Adelidae) Synonym(s): *paludicolella* Zeller, 1850
 35) **Adelostoma (s.str.) sulcatum Duponchel, 1827** (Tenebrionidae) Synonym(s): *sulcatum* Duponchel, 1827
 36) **Adelphocoris bimaculicollis Lindberg, 1948** (Miridae) Synonym(s): *bimaculicollis* Lindberg, 1948
 37) **Adscita (s.str.) obscura (Zeller, 1847)** (Zygaeidae) Synonym(s): *obscura* Zeller, 1847; *anceps* Staudinger, 1862.
 38) **Aedes (Ochlerotatus) caspius (Pallas, 1771)** (Culicidae) Synonym(s): *caspius* Pallas, 1771; *punctatus* Meigen, 1804; *siculus* R-D., 1827; *maculiventris* Macquart, 1844; *penicillaris* Rondani, 1872; *curriei* Coquillett, 1901; *onodagensis* Felt, 1904; *longisquamosa* Theobald, 1905; *subtilis* Sergeant & Sergeant, 1905; *quaylei* Dyar & Knab, 1906; *lativittatus* Coquillett, 1906; *arabica* Giles, 1906;

- affricanus* Neveu-Lemaire, 1906; *willcocksii* Theobald, 1907; *arabicus* Becker, 1910; *broquetii* Theobald, 1913; *grahami* Ludlow, 1919; *epsilon* Ségué, 1924
- 39) **Aedes (Ochlerotatus) detritus Haliday, 1833** (Culicidae) Synonym(s): *detritus* Haliday, 1833; *salinus* Ficalbi, 1896; *terriei* Theobald, 1903; *maculosa* Theobald, 1905
- 40) **Aedes (Ochlerotatus) phoeniciae Coluzzi & Sabatini, 1968** (Culicidae) Synonym(s): *phoeniciae* Coluzzi & Sabatini, 1968
- 41) **Aedia leucomelas (Linnaeus, 1758)** (Noctuidae) Synonym(s): *leucomelas* Linnaeus, 1758; *ramburi* Boisduval, 1829; *adepta* Geyer, 1832; *olivascens* Guenée, 1852; *limitaris* Walker, [1863]; *shisa* Strand, 1920; *thomae* A.E. Prout, 1927; *albobdiscalis* Roepke, 1932; *ermanniae* Berio, 1989
- 42) **Aegle semicana (Esper, [1798])** (Noctuidae) Synonym(s): *semicana* Esper, [1798]; *vespertalis* Hübner, [1813]; *mimetes* Brandt, 1938; *#vespertalis* Hacker, 1986.
- 43) **Aelia acuminata (Linnaeus, 1758)** (Pentatomidae) Synonym(s): *acuminata* Linnaeus, 1758; *rostratus* De Geer, 1773; *tessarophthalmus* Schrank, 1781; *neglecta* Dallas, 1851; *burmeisteri* Küster, 1852; *pallida* Küster, 1852; *turanica* Horvath, 1895; *punctiventris* Horvath, 1911; *#nigripes* Wagner, 1938; *baluchistanensis* Ahmad & Zaidi, 1988
- 44) **Aelia rostrata Boheman, 1852** (Pentatomidae) Synonym(s): *rostrata* Boheman, 1852; *cognata* Fieber, 1868; *glebana* Ferrari, 1874; *syriaca* Horvath, 1903; *eminealkanata* Lodos, 1959; *confusa* Kirkaldy, 1909; *brunnea* Halaszfy, 1955
- 45) **Aellopus atratus (Goeze, 1778)** (Lygaeidae) Synonym(s): *atratus* Goeze, 1778
- 46) **Aellopus syriacus (Reuter, 1885)** (Lygaeidae) Synonym(s): *syriacus* Reuter, 1885
- 47) **Aeshna affinis Van Der Linden, 1820** (Aeshnidae) Synonym(s): *affinis* Van Der Linden, 1820
- 48) **Agabus (Gaurodytes) biguttatus (Olivier, 1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier, 1795
- 49) **Agallia minuta Melichar, 1896** (Cicadellidae) Synonym(s): *minuta* Melichar, 1896
- 50) **Agallia sabulicola Lindberg, 1948** (Cicadellidae) Synonym(s): *sabulicola* Lindberg, 1948
- 51) **Agallia venosa (Fourcroy, 1785)** (Cicadellidae) Synonym(s): *venosa* Fourcroy, 1785; *elongatus* Vismara, 1878; *aspera* Ribaut, 1935
- 52) **Agalmatium flavescens (Olivier, 1791)** (Issidae) Synonym(s): *flavescens* Olivier, 1791; *grylloides* Fabricius, 1794; *liliimacula* O. Costa, 1834; *bifasciatus* O. Costa, 1834; *smyrnensis* Spinola, 1839; *dufour* Spinola, 1839; *sicula* O. Costa, 1840; *zelleri* Kirschbaum, 1868
- 53) **Agapanthia gemella Holzschuh, 1989** (Cerambycidae) Synonym(s): *gemella* Holzschuh, 1989
- 54) **Agapanthia nicosiensis Pic, 1927** (Cerambycidae) Synonym(s): *nicosiensis* Pic, 1927
- 55) **Agdistis cypriota Arenberger, 1983** (Pterophoridae) Synonym(s): *cypriota* Arenberger, 1983
- 56) **Agdistis frankeniae (Zeller, 1847)** (Pterophoridae) Synonym(s): *frankeniae* Zeller, 1847; *lerinsis* Millière, 1876; *bahrlutia* Amsel, 1955; *tondeuri* Bigot, 1963; *rupestris* Bigot, 1974; *rjabovi* Zagulyaev & Filippova, 1976; *kulunda* Ustjuzhanin, 1991.
- 57) **Agdistis heydeni (Zeller, 1852)** (Pterophoridae) Synonym(s): *heydeni* Zeller, 1852; *canariensis* Rebel, 1896; *excurata* Meyrick, 1920.
- 58) **Agdistis meridionalis (Zeller, 1847)** (Pterophoridae) Synonym(s): *meridionalis* Zeller, 1847; *staticis* Millière, 1875; *portlandica* Tutt, 1906; *clivicola* Meyrick, 1920; *tyrrhenica* Amsel, 1952; *prolai* Hartig, 1953.
- 59) **Agdistis nigra Amsel, 1955** (Pterophoridae) Synonym(s): *nigra* Amsel, 1955
- 60) **Agdistis protai Arenberger, 1973** (Pterophoridae) Synonym(s): *protai* Arenberger, 1973
- 61) **Agdistis tamaricis (Zeller, 1847)** (Pterophoridae) Synonym(s): *tamaricis* Zeller, 1847; *bagdadiensis* Amsel, 1949; *xinjiangensis* Qin & Zheng, 1997.
- 62) **Aglaopis tridentata (Nylander, 1848)** (Megachilidae) Synonym(s): *tridentata* Nylander, 1848
- 63) **Aglossa caprealis (Hübner, [1809])** (Pyrilidae) Synonym(s): *caprealis* Hübner, [1809]; *capreolatus* Haworth, 1809; *aenalis* Costa, 1836; *domalis* Guenée, 1854; *incultella* Walker, 1866; *enthealis* Hulst, 1886; *#cuprealis* Kalchberg, 1897
- 64) **Aglossa exsucealis Lederer, 1863** (Pyrilidae) Synonym(s): *exsucealis* Lederer, 1863; *ommatalis* Hampson, 1906
- 65) **Aglossa pinguinalis (Linnaeus, 1758)** (Pyrilidae) Synonym(s): *pinguinalis* Linnaeus, 1758; *marmorella* Geoffroy, 1785; *marmoratella* Villers, 1789; *pinguiculatus* Haworth, 1809; *pinguinatus* Haworth, 1809; *asiatica* Erschoff, 1871; *rubralis* Hampson, 1900; *guicciardii* Constantino, 1922; *sanaensis* Rebel, 1930; *maroccana* Schmidt, 1934
- 66) **Agonopterix scopariella (Heinemann, 1870)** (Oecophoridae) Synonym(s): *scopariella* Heinemann, 1870; *calycotomella* Amsel, 1958
- 67) **Agropha accentifera (Lefebvre, 1827)** (Noctuidae) Synonym(s): *accentifera* Lefebvre, 1827; *l-aureum* Freyer, 1831; *accifera* Gaede, 1937.
- 68) **Agrius (Anambus) roscidus Kiesenwetter, 1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter, 1857
- 69) **Agriopis bajaria ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#aerugaria* [Denis & Schiffermüller], 1775; *bajaria* [Denis & Schiffermüller], 1775; *vittaria* Sulzer, 1776; *rubrostriata* Goeze, 1781; *ligustriaria* Lang, 1789; *sericearia* Borkhausen, 1794; *cineraria* Esper, [1801]; *sorditaria* Hübner, [1809]; *legrasi* Dumont, 1925
- 70) **Agriphila brionella (Zerny, 1914)** (Pyrilidae) Synonym(s): *brioniella* Zerny, 1914; *#subbrioniella* Amsel, 1959.
- 71) **Agriphila tolli (Bleszynski, 1952)** (Pyrilidae) Synonym(s): *toll* Bleszynski, 1952
- 72) **Agrius convolvuli (Linnaeus, 1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O. Bang-Haas, 1927
- 73) **Agrochola (Anchoscelis) rupicapra (Staudinger, 1879)** (Noctuidae) Synonym(s): *rupicapra* Staudinger, 1879
- 74) **Agrochola (s.str.) pistacina (Goeze, 1781)** (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller], 1775; *pistacina* Goeze, 1781; *rubetra* Esper, [1791]; *canaria* Esper, [1791]; *serina* Esper, [1791]; *lineola* Donovan, 1801 nec Panzer, 1785; *sphaerulatina* Haworth, 1809; *venosa* Haworth, 1809 nec Hw. 1809.
- 75) **Agrochola orientalis Fibiger, 1997** (Noctuidae) Synonym(s): *orientalis* Fibiger, 1997
- 76) **Agrotis (Crassagrotis) bigramma (Esper, [1790])** (Noctuidae) Synonym(s): *bigramma* Esper, [1790]; *crassa* Hübner, [1803]; *lata* Treitschke, 1835; *golickei* Erschoff, 1872; *huguenini* Rühl, 1891.
- 77) **Agrotis (Putagrotis) herzogii (Rebel, 1911)** (Noctuidae) Synonym(s): *herzogii* Rebel, 1911; *hoggari* Rothschild, 1920; *minima* Turati, 1924; *securifera* Turati, 1924; *saracenica* Tams, 1925; *leroyi* Lucas, 1940
- 78) **Agrotis (Putagrotis) puta (Hübner, [1803])** (Noctuidae) Synonym(s): *puta* Hübner, [1803]; *radius* Haworth, 1803; *renitens* Hübner, [1824]; *lignosa* Godart, 1825; *erythroxylea* Treit., 1826; *radiola* Stephens, 1829; *catalaunensis* Milliere, 1873; *meridionalis* Spuler, 1905; *andreasii*, *minima*, *silvestrii* Turati, 1924; *insula* Richardson, 1958.
- 79) **Agrotis (Putagrotis) syricola Berio, 1936** (Noctuidae) Synonym(s): *#syricola* Corti & Draudt, 1933; *syricola* Berio, 1936
- 80) **Agrotis (s.str.) biconicus Kollar, [1844]** (Noctuidae) Synonym(s): *spinifera* Hübner, [1808] nec Vill., 1789; *biconica* Kollar, [1844]; *aristifera* Guenée, 1852; *spiculifera* Guenée, 1852; *ferina* Felder & Rogenhofer, 1874; *hodnae* Oberthür, 1878
- 81) **Agrotis (s.str.) exclamatoris (Linnaeus, 1758)** (Noctuidae) Synonym(s): *exclamatoris* Linnaeus, 1758; *clavus* Hufnagel, 1766; *murina* Goeze, 1781 nec Hufnagel, 1766; *bimaculata* Geoffroy, 1785; *picea* Haworth, 1809; *plaga* Stephens, 1835; *haruspex* Le Cerf, 1924; *nigriorbis* Zerny, 1934.

- 82) Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) *Synonym(s): ipsilon Hufnagel,1766; suffusa [Denis & Schiffermüller],1775; idonea Cramer,[1780]; spinula Esper,[1786]; spinifera Villers,1789.*
- 83) Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)** (Noctuidae) *Synonym(s): segetum [Denis & Schiffermüller],1775; sordida [Denis & Schiffermüller],1775; undulatus Goeze,1781 (praeocc.); nigricornis Villers,1789; segetis Fabricius,1794; catenatus Haworth,1803; monileus Haworth,1803; pectinatus Haworth,1803; connexus Haworth,1803; subatratus Haworth,1803; nigricornutus Haworth,1803; praecox Hübner,[1808]; fervida Hübner,[1824]; affinis Stephens,1829; sicula Boisduval,1840; dimidia Zeller,1847; sicania Guenée,1852; marginalis Walker,1857; aversa Walker,1857; correctus Walker,1857; obliuivus Walker,1857; denticulosus Wallengren,1860; certificata Walker,1865; conspurcatus Walker,1865; repulsus Walker,1865; ingratus Butler,1878; pallidus Staudinger,1881; lassa Swinhoe,1886.*
- 84) Agrotis (s.str.) trux (Hübner,[1824])** (Noctuidae) *Synonym(s): trux Hübner,[1824]; lenticulosa Duponchel,1826; lunigera Stephens,1829; terranea Freyer,1831; amasina Staudinger,1901; subalba Corti & Draudt,1933; adolfi Corti & Draudt,1933.*
- 85) Aiolopus simulatrix (Walker,1870)** (Acrididae) *Synonym(s): simulatrix Walker,1870; savignyi Krauss,1890; affinis Bolivar,1902; laticosta Bolivar,1912; deserticola Uvarov,1922*
- 86) Aiolopus strepens (Latreille,[1802])** (Acrididae) *Synonym(s): strepens Latreille,1804; prasinus Thunberg,1815; vittatum Brullé,1840; chloroptera Ramme,1913; cyanoptera Ramme,1913*
- 87) Aiolopus thalassinus (Fabricius,1781)** (Acrididae) *Synonym(s): thalassinus Fabricius,1781; grossuni Costa,1836; laetum Brullé,1840; flavovirens Fischer von Waldheim,1846; angustifemur Ghiliani,1869; rufipes Ivanov,1888; kivuensis Sjöstedt,1923; acutus Uvarov,1953*
- 88) Akis latreillei Solier,1836** (Tenebrionidae) *Synonym(s): latreillei Solier,1836*
- 89) Allantus balteatus (Klug,1818)** (Tenthredinidae) *Synonym(s): balteatus Klug,1818; bucculentus Tischbein,1846; fulvocinctus Rudow,1872*
- 90) Allostia recisella Staudinger,1859** (Cosmopterigidae) *Synonym(s): recisella Staudinger,1859; albocinctella Chrétien,1915; orthocline Meyrick,1922; inconspicua Turati,1929; gelechiformis Turati,1930*
- 91) Allodia (Brachycampta) pistillata (Lundström,1911)** (Mycetophilidae) *Synonym(s): pistillata Lundström,1911*
- 92) Alloetomus cyprius (E.Wagner,1953)** (Miridae) *Synonym(s): cyprius E.Wagner,1953; doesburgi Önder,1974*
- 93) Allophyes asiatica (Staudinger,1892)** (Noctuidae) *Synonym(s): asiatica Staudinger,1892*
- 94) Alodia combustella (Herrich-Schäffer,[1855])** (Pyralidae) *Synonym(s): combustella Herrich-Schäffer,[1855]; incinerella Caradja,1910.*
- 95) Altenia elsneriella Huemer & Karsholt,1999** (Gelechiidae) *Synonym(s): elsneriella Huemer & Karsholt,1999*
- 96) Altenia modesta (Danilevsky,1955)** (Gelechiidae) *Synonym(s): modesta Danilevsky,1955*
- 97) Alucita cinerethella Amsel,1935** (Alucitidae) *Synonym(s): cinerethella Amsel,1935*
- 98) Alucita klimeschi Scholz,1997** (Alucitidae) *Synonym(s): klimeschi Scholz,1997*
- 99) Amara (Celia) aberrans Baudi di Sella,1864** (Carabidae) *Synonym(s): aberrans Baudi di Sella,1864; syriaca Putzeys,1866; palaestina Putzeys,1870; gridellii Baliani,1928*
- 100) Amara (Celia) bifrons (Gyllenhal,1810)** (Carabidae) *Synonym(s): oricalcica O.F.Müller,1776; bifrons Gyllenhal,1810; discrepans Stephens,1828; zimmermanni Heer,1837; longiceps Seidlitz,1887; kleini Schuler,1964*
- 101) Amara (Celia) montana Dejean,1828** (Carabidae) *Synonym(s): montana Dejean,1828; distincta Rambur,1838; corsica Putzeys,1866; collina Putzeys,1867; burdigalensis Schuler,1964*
- 102) Amara (s.str.) aenea (De Geer,1774)** (Carabidae) *Synonym(s): aenea De Geer,1774; trivialis Gyllenhal,1810; atra Stephens,1828; persica Chaudoir,1842; maculipes Grimmer,1841; palustris Gistel,1857; sororcula Tschitscherine,1895; vogesiaca Bourgeois,1898; devincta Casey,1918; palanda Jedlicka,1957; thisbe Antoine,1951*
- 103) Amblyptilia acanthadactyla (Hübner,[1813])** (Pterophoridae) *Synonym(s): acanthadactyla Hübner,[1813]; odontodactyla Charpentier,1821; calaminthae Frey,1886; tetralicella Hofmann,1895.*
- 104) Amblyteles armatorius (Forster,1771)** (Ichneumonidae) *Synonym(s): armatorius Forster,1771*
- 105) Ameles cyprica Uvarov,1936** (Mantidae) *Synonym(s): cyprica Uvarov,1936*
- 106) Ameles heldreichi Brunner von Wattenwyl,1882** (Mantidae) *Synonym(s): heldreichi Brunner von Wattenwyl,1882*
- 107) Amephana dalmatica (Rebel,1919)** (Noctuidae) *Synonym(s): dalmatica Rebel,1919*
- 108) Amictus validus Loew,1869** (Bombyliidae) *Synonym(s): validus Loew,1869*
- 109) Ammonoconia aholai Fibiger,1996** (Noctuidae) *Synonym(s): aholai Fibiger,1996*
- 110) Ammophila haimatosoma Kohl,1884** (Sphecidae) *Synonym(s): haimatosoma Kohl,1884*
- 111) Ammophila hungarica Mocsary,1883** (Sphecidae) *Synonym(s): hungarica Mocsary,1883; turcica Mocsary,1883; hispanica Mocsary,1883; fallax Kohl,1884*
- 112) Amobia signata (Meigen,1824)** (Sarcophagidae) *Synonym(s): signata Meigen,1824; conica R-D.,1830; nigra Macquart,1834; odyneri R-D.,1853; anomalus Zetterstedt,1859; deprimata Zetterstedt,1859; maculosa Rondani,1859; cinerea R-D.,1863; ardeacea R-D.,1863; obliquata R-D.,1863; laeta R-D.,1863; cinereifrons R-D.,1863; fugitiva R-D.,1863; incana R-D.,1863; hortulana R-D.,1863; despecta R-D.,1863; flavicans R-D.,1863; vivida R-D.,1863; pervia R-D.,1863; biciliata R-D.,1863; aurifacies R-D.,1863; praecox R-D.,1863*
- 113) Amorphocephala coronata (Germar,1817)** (Brentidae) *Synonym(s): coronata Germar,1817*
- 114) Amphipyra micans Lederer,1857** (Noctuidae) *Synonym(s): micans Lederer,1857; frivaldskyi Mocsary,1896*
- 115) Amphipyra tragopoginis (Clerck,1759)** (Noctuidae) *Synonym(s): #tragopoginis Clerck,1759; luciola Hufnagel,1766.*
- 116) Amphithrix sublineatella (Staudinger,1859)** (Pyralidae) *Synonym(s): sublineatella Staudinger,1859*
- 117) Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) *Synonym(s): laevis Ribaut,1935; acuteangulata Zachvatkin,1946*
- 118) Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) *Synonym(s): sinuata Mulsant & Rey,1855; quadrisignata Flor,1861; fieberi Vismara,1878; laevis Berg.,1934 (praeocc.); zachvatkini Vilbaste,1961; nasti Dlabola,1964; deserticola Dlabola,1964*
- 119) Anagnota coccinea Rohacek & Freidberg,1993** (Anthomyzidae) *Synonym(s): coccinea Rohacek & Freidberg,1993*
- 120) Anagrus pseudococci (Girault,1915)** (Encyrtidae) *Synonym(s): pseudococci Girault,1915*
- 121) Anania (s.str.) crocealis (Hübner,1796)** (Pyralidae) *Synonym(s): crocealis Hübner,1796*
- 122) Anania (s.str.) testacealis (Zeller,1847)** (Pyralidae) *Synonym(s): testacealis Zeller,1847*
- 123) Anarpia incertalis (Duponchel,1832)** (Pyralidae) *Synonym(s): incertalis Duponchel,1832; pyrenaecalis Duponchel,1842; incertella Duponchel,[1845]; pyrenaecella Duponchel,[1845]; pyrenaicalis Guenée,1846*
- 124) Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) *Synonym(s): hyrcanus Wiedemann,1818; viduus Becker,1916*
- 125) Anatrachyntis simplex (Walsingham,1891)** (Cosmopterigidae) *Synonym(s): simplex Walsingham,1891; gossypiella Walsingham,1906; hemizopha Meyrick,1916; repandatella Legrand,1965; flexiloquella Riedl,1994*
- 126) Anax parthenope (Selys,1839)** (Aeshnidae) *Synonym(s): parthenope Selys,1839; #parthenope Demirsoy,1982*
- 127) Ancylolomia palpella ([Denis & Schiffermüller],1775)** (Pyralidae) *Synonym(s): palpella [Denis & Schiffermüller],1775; sovinskyi Krulikovsky,1909*

- 128)** *Ancylolomia pectinatella* (Zeller,1847) (Pyrilidae) Synonym(s): *pectinatellus* Zeller,1847
- 129)** *Ancylolomia tentaculella* (Hübner,1796) (Pyrilidae) Synonym(s): *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 130)** *Ancylolosis (Cabotia) oblitella* (Zeller,1848) (Pyrilidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955.
- 131)** *Ancylolosis (Heterographis) convexella* (Lederer,1855) (Pyrilidae) Synonym(s): *convexella* Lederer,1855; *albiciliella* Staudinger,1859; *favorinella* Zeller,1867
- 132)** *Ancylolosis (Heterographis) hellenica* (Staudinger,1870) (Pyrilidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 133)** *Ancylolosis (Heterographis) rhodochrella* (Herrich-Schäffer,1855) (Pyrilidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 134)** *Ancylolosis (Syria) biflexella* (Lederer,1855) (Pyrilidae) Synonym(s): *biflexella* Lederer,1855; *pilosella* Zeller,1867; *brabantella* Lucas,1907; *similis* Rothschild,1915; *medialba* Rothschild,1921; *latakiella* Amsel,1952; *fuscella* Amsel,1961.
- 135)** *Ancylolosis leucogrammes* (Gmelin,1790) (Pentatomidae) Synonym(s): *albolineatus* Fabricius,1781 nec Gz.,1778; *leucogrammes* Gmelin,1790; *nervosus* Cyrrillus,1791 nec Sc.,1763; *affine* Westwood,1837; *tuberculatum* Bergevin,1908
- 136)** *Andrena ((Margandrena) sibthorpi) Mavromoustakis,1952* (Andrenidae) Synonym(s): *sibthorpi* Mavromoustakis,1952
- 137)** *Andrena (Aciandrena) aciculata* Morawitz,1886 (Andrenidae) Synonym(s): *aciculata* Morawitz,1886
- 138)** *Andrena (Aciandrena) lamiana* Warncke,1965 (Andrenidae) Synonym(s): *lamiana* Warncke,1965
- 139)** *Andrena (Aciandrena) tenuiformis* Pittioni,1950 (Andrenidae) Synonym(s): *tenuiformis* Pittioni,1950
- 140)** *Andrena (Aenandrena) aeneiventris* Morawitz,1872 (Andrenidae) Synonym(s): *aeneiventris* Morawitz,1872
- 141)** *Andrena (Aenandrena) chaetogastra* Pittioni,1950 (Andrenidae) Synonym(s): *chaetogastra* Pittioni,1950
- 142)** *Andrena (Brachyandrena) colletiformis* Morawitz,1874 (Andrenidae) Synonym(s): *parvula* Morawitz,1871; *colletiformis* Morawitz,1874; *sardinica* Strand,1915; *#gandzhensis* Lebedev,1933; *insulana* Pittioni,1950; *subsquamularis* Noskiewicz,1960
- 143)** *Andrena (Chlorandrena) astica* Warncke,1967 (Andrenidae) Synonym(s): *astica* Warncke,1967
- 144)** *Andrena (Chlorandrena) cinereophila* Warncke,1965 (Andrenidae) Synonym(s): *cinereophila* Warncke,1965
- 145)** *Andrena (Chlorandrena) gordia* Warncke,1975 (Andrenidae) Synonym(s): *gordia* Warncke,1975
- 146)** *Andrena (Chlorandrena) orientana* Warncke,1965 (Andrenidae) Synonym(s): *orientana* Warncke,1965
- 147)** *Andrena (Chlorandrena) panurgimorpha* Mavromoustakis,1957 (Andrenidae) Synonym(s): *panurgimorpha* Mavromoustakis,1957
- 148)** *Andrena (Chrysandrena) hesperia* Smith,1853 (Andrenidae) Synonym(s): *hesperia* Smith,1853
- 149)** *Andrena (Chrysandrena) merula* Warncke,1969 (Andrenidae) Synonym(s): *merula* Warncke,1969
- 150)** *Andrena (Cordandrena) cypria* Pittioni,1950 (Andrenidae) Synonym(s): *cypria* Pittioni,1950
- 151)** *Andrena (Cordandrena) torda* Warncke,1965 (Andrenidae) Synonym(s): *torda* Warncke,1965
- 152)** *Andrena (Cryptandrena) brumanensis* Friese,1899 (Andrenidae) Synonym(s): *brumanensis* Friese,1899
- 153)** *Andrena (Cryptandrena) monacha* Warncke,1965 (Andrenidae) Synonym(s): *monacha* Warncke,1965
- 154)** *Andrena (Cryptandrena) ventricosa* Dours,1873 (Andrenidae) Synonym(s): *ventricosa* Dours,1873
- 155)** *Andrena (Euandrena) bicolor* Fabricius,1775 (Andrenidae) Synonym(s): *bicolor* Fabricius,1775
- 156)** *Andrena (Holandrena) forsterella* Osytshnjuk,1978 (Andrenidae) Synonym(s): *forsterella* Osytshnjuk,1978
- 157)** *Andrena (Holandrena) variabilis* Smith,1853 (Andrenidae) Synonym(s): *variabilis* Smith,1853
- 158)** *Andrena (Holandrena) wilhelmi* Schuberth,1995 (Andrenidae) Synonym(s): *wilhelmi* Schuberth,1995
- 159)** *Andrena (Margandrena) hyacinthina* Mavromoustakis,1958 (Andrenidae) Synonym(s): *hyacinthina* Mavromoustakis,1958
- 160)** *Andrena (Melanapis) fuscata* Erichson,1835 (Andrenidae) Synonym(s): *fuscata* Erichson,1835; *rutilla* Spinola,1838; *xanthocelis* Brullé,1839; *dorsalis* Lepeletier,1841; *lepeletieri* Lucas,1849; *ruficornis* Smith,1853; *atrocoerulea* Giraud,1863; *dagestanica* Radoszkowski,1867; *turcestanica* Morawitz,1876; *dilecta* Mocsary,1879; *aschabadensis* Radoszkowski,1893; *jucunda* Pérez,1895; *cleopatra* Friese,1899; *violaceipennis* Cameron,1902; *rufifrons* Nurse,1904; *cypria* Cockerell,1910; *flavipennis* Friese,1914; *pallipes* Friese,1914; *rufocincta* Friese,1914; *rubriventris* Friese,1922; *dorsatula* Viereck,1918; *ankarae* Alfken,1935; *mauritanica* Patiny,1997; *canariensis* Patiny,1997
- 161)** *Andrena (Melandrena) albopunctata* (Rossi,1792) (Andrenidae) Synonym(s): *albopunctata* Rossi,1792; *funebis* Panzer,1798
- 162)** *Andrena (Melandrena) elmaria* Gusenleitner,1998 (Andrenidae) Synonym(s): *elmaria* Gusenleitner,1998
- 163)** *Andrena (Melandrena) grandilabris* Pérez,1903 (Andrenidae) Synonym(s): *grandilabris* Pérez,1903
- 164)** *Andrena (Melandrena) limata* Smith,1853 (Andrenidae) Synonym(s): *limata* Smith,1853
- 165)** *Andrena (Melandrena) morio* Brullé,1832 (Andrenidae) Synonym(s): *morio* Brullé,1832
- 166)** *Andrena (Melandrena) nigroaenea* (Kirby,1802) (Andrenidae) Synonym(s): *nigroaenea* Kirby,1802; *candiae* Strand,1915; *aemula* Alfken,1926
- 167)** *Andrena (Melandrena) nitida* (Müller,1776) (Andrenidae) Synonym(s): *nitida* Müller,1776
- 168)** *Andrena (Melandrena) pyropygia* Kriechbaumer,1873 (Andrenidae) Synonym(s): *pyropygia* Kriechbaumer,1873
- 169)** *Andrena (Melandrena) thoracica* (Fabricius,1775) (Andrenidae) Synonym(s): *thoracica* Fabricius,1775
- 170)** *Andrena (Micrandrena) alfenelloides* Warncke,1965 (Andrenidae) Synonym(s): *alfenelloides* Warncke,1965
- 171)** *Andrena (Micrandrena) cervina* Warncke,1965 (Andrenidae) Synonym(s): *cervina* Warncke,1965
- 172)** *Andrena (Micrandrena) lindbergella* Pittioni,1950 (Andrenidae) Synonym(s): *lindbergella* Pittioni,1950
- 173)** *Andrena (Micrandrena) minutula* (Kirby,1802) (Andrenidae) Synonym(s): *minutula* Kirby,1802; *parvula* Kirby,1802; *nigrifrons* Smith,1853 nec. Ev.,1852; *gilvifrons* Pérez,1903; *lenis* Pérez,1903; *dargia* Warncke,1965; *alga* Warncke,1974
- 174)** *Andrena (Notandrena) optata* Warncke,1975 (Andrenidae) Synonym(s): *optata* Warncke,1975
- 175)** *Andrena (Notandrena) ungeri* Mavromoustakis,1952 (Andrenidae) Synonym(s): *ungeri* Mavromoustakis,1952
- 176)** *Andrena (Notandrena) urdula* Warncke,1965 (Andrenidae) Synonym(s): *urdula* Warncke,1965
- 177)** *Andrena (Parandrenella) figurata* Morawitz,1866 (Andrenidae) Synonym(s): *figurata* Morawitz,1866
- 178)** *Andrena (Parandrenella) nisoria* Warncke,1969 (Andrenidae) Synonym(s): *nisoria* Warncke,1969
- 179)** *Andrena (Plastandrena) bimaculata* (Kirby,1802) (Andrenidae) Synonym(s): *bimaculata* Kirby,1802
- 180)** *Andrena (Plastandrena) cypricola* Mavromoustakis,1952 (Andrenidae) Synonym(s): *cypricola* Mavromoustakis,1952
- 181)** *Andrena (Poecilandrena) limassolica* Mavromoustakis,1948 (Andrenidae) Synonym(s): *limassolica* Mavromoustakis,1948
- 182)** *Andrena (Poliandrena) pyrozonata* Friese,1921 (Andrenidae) Synonym(s): *pyrozonata* Friese,1921

- 183) *Andrena* (*Ptilandrena*) *glidia* Warncke, 1965 (Andrenidae) Synonym(s): *glidia* Warncke, 1965
- 184) *Andrena* (*Ptilandrena*) *kornosica* Mavromoustakis, 1954 (Andrenidae) Synonym(s): *kornosica* Mavromoustakis, 1954
- 185) *Andrena* (*Ptilandrena*) *vetula* Lepeletier, 1841 (Andrenidae) Synonym(s): *vetula* Lepeletier, 1841
- 186) *Andrena* (*Simandrena*) *combinata* (Christ, 1791) (Andrenidae) Synonym(s): *combinata* Christ, 1791
- 187) *Andrena* (*Simandrena*) *lepida* Schenck, 1861 (Andrenidae) Synonym(s): *lepida* Schenck, 1861
- 188) *Andrena* (*Simandrena*) *transitoria* Morawitz, 1872 (Andrenidae) Synonym(s): *transitoria* Morawitz, 1872
- 189) *Andrena* (*Suandrena*) *aegypticola* Friese, 1922 (Andrenidae) Synonym(s): *?venusta* Walker, 1871; *aegypticola* Friese, 1922; *larnacensis* Mavromoustakis, 1954
- 190) *Andrena* (*Taeniandrena*) *ovatula* (Kirby, 1802) (Andrenidae) Synonym(s): *ovatula* Kirby, 1802; *poupillieri* Dours, 1872; *heliopsis* Friese, 1914
- 191) *Andrena* (*Taeniandrena*) *similis* Smith, 1849 (Andrenidae) Synonym(s): *similis* Smith, 1849
- 192) *Andrena* (*Taeniandrena*) *wilkella* (Kirby, 1802) (Andrenidae) Synonym(s): *wilkella* Kirby, 1802
- 193) *Andrena* (*Troandrena*) *saettana* Warncke, 1975 (Andrenidae) Synonym(s): *saettana* Warncke, 1975
- 194) *Andrena* (*Simandrena*) *trodica* Warncke, 1975 (Andrenidae) Synonym(s): *trodica* Warncke, 1975
- 195) *Andrena* (*Truncandrena*) *caneae* Strand, 1915 (Andrenidae) Synonym(s): *caneae* Strand, 1915
- 196) *Andrena* (*Truncandrena*) *medeninensis* Pérez, 1895 (Andrenidae) Synonym(s): *medeninensis* Pérez, 1895; *usura* Warncke, 1967
- 197) *Andrena* (*Truncandrena*) *pareklisiae* Kriechbaumer, 1873 (Andrenidae) Synonym(s): *pareklisiae* Kriechbaumer, 1873
- 198) *Andrena* (*Truncandrena*) *rufomaculata* Friese, 1921 (Andrenidae) Synonym(s): *rufomaculata* Friese, 1921
- 199) *Andrena* (*Truncandrena*) *truncatilabris* Morawitz, 1877 (Andrenidae) Synonym(s): *truncatilabris* Morawitz, 1877
- 200) *Andrena* (*Ulandrena*) *abbreviata* Dours, 1873 (Andrenidae) Synonym(s): *abbreviata* Dours, 1873
- 201) *Andrena* (*Ulandrena*) *neocyprica* Mavromoustakis, 1956 (Andrenidae) Synonym(s): *neocyprica* Mavromoustakis, 1956
- 202) *Andrena* (*Ulandrena*) *polemediana* Mavromoustakis, 1956 (Andrenidae) Synonym(s): *polemediana* Mavromoustakis, 1956
- 203) *Andrena* (*Zonandrena*) *flavipes* Panzer, 1799 (Andrenidae) Synonym(s): *flavipes* Panzer, 1799
- 204) *Angustalius malacellus* (Duponchel, 1836) (Pyralidae) Synonym(s): *malacellus* Duponchel, 1836
- 205) *Anicetus italicus* (Masi, 1917) (Encyrtidae) Synonym(s): *italicus* Masi, 1917; *brevicaudatus* Subba-Rao, 1965
- 206) *Anopheles* (*Cellia*) *superpictus* Grassi, 1899 (Culicidae) Synonym(s): *superpictus* Grassi, 1899; *palestinensis* Theobald, 1903; *nursei* Theobald, 1907; *cardamatisi* Newstead & Carter, 1910; *vassilievii* Portsichinsky, 1911; *macedoniensis* Cot & Hovasse, 1917; *berestnevi* Shingarev, 1926; *atheniensis* Cardamatis, 1931; *hellenicus* Peus, 1954
- 207) *Anopheles* (s.str.) *claviger* (Meigen, 1804) (Culicidae) Synonym(s): *claviger* Meigen, 1804; *villosus* R-D., 1827; *griseus* Stephens, 1828; *turkestani* Shingarev, 1926; *amaurus* Martini, 1929; *habibi* Mulligan & Puri, 1936; *missiroli* Del Vecchio, 1939; *pullutus* Canameres, 1945
- 208) *Anoplus viaticus* (Linnaeus, 1758) (Pompilidae) Synonym(s): *viaticus* Linnaeus, 1758; *fusca* Linnaeus, 1761; *paganus* Dahlbom, 1843; *propinquus* SWmith, 1879; *delatorius* Tournier, 1890; *immixtus* Tournier, 1890; *macrurus* Tournier, 1890; *pleuropicus* Tournier, 1890; *tibialis* Tournier, 1890; *valesicus* Tournier, 1890; *holomelas* Mantero, 1905
- 209) *Anoplotettix bitaeniatus* Ribaut, 1948 (Cicadellidae) Synonym(s): *bitaeniatus* Ribaut, 1948
- 210) *Anoxia* (*Mesanoxia*) *cypria* Zurcher, 1911 (Scarabaeidae) Synonym(s): *cypria* Zurcher, 1911; *mavromoustakisi* Miksic, 1959
- 211) *Antarchaea conicephala* (Staudinger, 1870) (Noctuidae) Synonym(s): *conicephala* Staudinger, 1870 [April]; *conicephala* Staudinger, 1870 [Oct.]; *barcinonensis* Milliére, 1872; *fumicollis* Rogenhofer, 1873.
- 212) *Antennola impura* (Mann, 1862) (Noctuidae) Synonym(s): *impura* Mann, 1862
- 213) *Anthaxia* (*Cratomerus*) *diadema* Fischer, 1824 (Buprestidae) Synonym(s): *diadema* Fischer, 1824
- 214) *Anthaxia* (*Haplanthaxia*) *cichorii* (Olivier, 1790) (Buprestidae) Synonym(s): *cichorii* Olivier, 1790
- 215) *Anthaxia* (*Haplanthaxia*) *karsanthiana* Pic, 1917 (Buprestidae) Synonym(s): *karsanthiana* Pic, 1917
- 216) *Anthaxia* (*Haplanthaxia*) *laticeps* Abeille, 1900 (Buprestidae) Synonym(s): *laticeps* Abeille, 1900; *minerva* Obenberger, 1913; *navratili* Bily, 1984
- 217) *Anthaxia* (*Haplanthaxia*) *millefolii* (Fabricius, 1801) (Buprestidae) Synonym(s): *millefolii* Fabricius, 1801
- 218) *Anthaxia* (*Melanthaxia*) *corinthia* Reiche & Saulcy, 1856 (Buprestidae) Synonym(s): *corinthia* Reiche & Saulcy, 1856
- 219) *Anthaxia* (s.str.) *brevis* Gory & Laporte, 1839 (Buprestidae) Synonym(s): *brevis* Gory & Laporte, 1839
- 220) *Anthaxia* (s.str.) *herbertschmidtii* Novak, 1992 (Buprestidae) Synonym(s): *herbertschmidtii* Novak, 1992
- 221) *Anthaxia* (s.str.) *perrini* Obenberger, 1918 (Buprestidae) Synonym(s): *perrini* Obenberger, 1918
- 222) *Anthidium* (*Anthidiellum*) *breviusculum* Pérez, 1890 (Megachilidae) Synonym(s): *breviusculum* Pérez, 1890; *troodicum* Mavromoustakis, 1949
- 223) *Anthidium* (*Anthidiellum*) *insulare* Morawitz, 1873 (Megachilidae) Synonym(s): *insulare* Morawitz, 1873; *persicolum* Mavromoustakis, 1937; *lemesium* Mavromoustakis, 1937
- 224) *Anthidium* (*Anthidiellum*) *strigatum* (Panzer, 1805) (Megachilidae) Synonym(s): *strigatum* Panzer, 1805; *contractum* Latreille, 1809; *frontale* Lepeletier, 1841; *minusculum* Nylander, 1852; *coronatum* Dufour, 1853; *decoratum* Chevrier, 1872; *luteum* Friese, 1897; *rubellum* Friese, 1917; *cyrenaicum* Gribodo, 1924; *pauperculum* Cockerell, 1928; *crassepunctatum* Popov, 1935; *palaestinense* Alfken, 1935; *ibericum* Alfken, 1936; *judaicum* Alfken, 1936; *humerales* Alfken, 1936
- 225) *Anthidium* (*Icteranthidium*) *ferrugineum* (Fabricius, 1787) (Megachilidae) Synonym(s): *ferrugineum* Fabricius, 1787; *discoideale* Latreille, 1809
- 226) *Anthidium* (*Icteranthidium*) *grohmanni* Spinola, 1838 (Megachilidae) Synonym(s): *grohmanni* Spinola, 1838; *latreillii* Lepeletier, 1841; *rubiginosum* Lepeletier, 1841; *provinciale* Lepeletier, 1841; *comptum* Lepeletier, 1841; *numidum* Lepeletier, 1841; *lepeletieri* Fonscolombe, 1846; *klugi* Lucas, 1849; *coronatum* Smith, 1854 (praeocc.); *obscurum* Dusmet, 1908 (praeocc.); *tergale* Pasteels, 1969.
- 227) *Anthidium* (s.str.) *diadema* Latreille, 1809 (Megachilidae) Synonym(s): *diadema* Latreille, 1809; *ornatum* Lepeletier, 1841; *albiventris* Lepeletier, 1841; *radoszowskyi* Mocsary, 1887; *seraxense* Radoszowski, 1893; *terminale* Morawitz, 1894; *caucasicum* Friese, 1897
- 228) *Anthidium* (s.str.) *loti* Perris, 1852 (Megachilidae) Synonym(s): *variegata* Fabricius, 1781 (praeocc.); *loti* Perris, 1852; *regulare* Eversmann, 1852; *meridionale* Giraud, 1863; *mosaicum* Costa, 1863; *quadriseriatum* Kriechbaumer, 1873; *circumcinctum* Kriechbaumer, 1873; *incisum* Friese, 1917
- 229) *Anthocharis cardamines* (Linnaeus, 1758) (Pieridae) Synonym(s): *cardamines* Linnaeus, 1758; *hesperides* Newman, 1894; *britannica* Verity, 1908; *meridionalis* Verity, 1908 nec Lederer, 1852; *montivaga* Turati & Verity, 1911

- 230)** *Anthocoris minki* (Dohrn,1860) (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *rubicundulus* Garbiglietti,1869; *pistaciae* E.Wagner,1957
- 231)** *Anthophilopsis moeschleri* (Christoph,1862) (Pyrilidae) Synonym(s): *moeschleri* Christoph,1862
- 232)** *Anthophora plumipes* (Pallas,1772) (Apidae) Synonym(s): *plumipes* Pallas,1772; *pilipes* Fabricius,1775; *hirsuta* Fabricius,1787; *rufipes* Christ,1791; *sicula* Smith,1853; *soror* Pérez,1905; *lisbonensis* Cockerell,1922; *palaestinis* Hedicke,1936; *cypriaca* Mavromoustakis,1957
- 233)** *Anthracia eriopoda* (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer,[1851]; *sareptae* Guenée,1852; *eriopodoides* Strand,1916
- 234)** *Anthrax aethiops* (Fabricius,1781) (Bombyliidae) Synonym(s): *aethiops* Fabricius,1781; *punctata* Meigen,1820; *mendax* Austen,1937
- 235)** *Anthrax sticticus* Klug,1832 (Bombyliidae) Synonym(s): *sticticus* Klug, 1832
- 236)** *Anthrenus* (s.str.) *munroi* Hinton,1943 (Dermestidae) Synonym(s): *munroi* Hinton,1943
- 237)** *Antigastra catalaunalis* (Duponchel,1833) (Pyrilidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929
- 238)** *Antocha* (s.str.) *libanotica* Lackschewitz,1940 (Limoniidae) Synonym(s): *libanotica* Lackschewitz,1940
- 239)** *Antrocephalus hypsopygiae* Masi,1928 (Chalcididae) Synonym(s): *hypsopygiae* Masi,1928
- 240)** *Apamea* (s.str.) *monoglypha* (Hufnagel,1766) (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 *nec* Cl.,1759; *monoglypha* Hufnagel,1766.
- 241)** *Apamea* (s.str.) *syriaca* (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 242)** *Apatema fasciatum* (Stainton,1859) (Autostichidae) Synonym(s): *fasciata* Stainton,1859; *coarctella* Rebel,1896; *mediopallidum* Walsingham,1900; *minor* Rebel,1916; *proterocline* Meyrick,1938; *impunctella* Amsel,1940; *melitensis* Amsel,1942
- 243)** *Apatema mediopallidum* Walsingham,1900 (Autostichidae) Synonym(s): *mediopallidum* Walsingham,1900
- 244)** *Aphelinus mali* (Haldeman,1851) (Aphelinidae) Synonym(s): *mali* Haldeman,1851; *rosae* Ashmead,1886; *varicornis* Girault,1909; *italica* Guercio,1925; *crocitolomiae* Risbec,1951
- 245)** *Aphomia sociella* (Linnaeus,1758) (Pyrilidae) Synonym(s): *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941.
- 246)** *Aphomia unicolor* (Staudinger,1870) (Pyrilidae) Synonym(s): *unicolor* Staudinger,1870
- 247)** *Aphrodes bicinctus* (Schränk,1776) (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (praeocc.); *rustica* Fabricius,1775 (praeocc.); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *obscurus* Curtis,1836; *fasciatus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966
- 248)** *Aphrodes histrionicus* (Fabricius,1794) (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866
- 249)** *Aphthona bonvouloiri* Allard,1861 (Chrysomelidae) Synonym(s): *bonvouloiri* Allard,1861; *tauricola* Pic,1910
- 250)** *Aphytis aonidiae* (Mercet,1911) (Aphelinidae) Synonym(s): *aonidiae* Mercet,1911; *dubius* De Santis,1948; *intermedius* De Santis,1948; *citrinus* Compere,1955
- 251)** *Aphytis chilensis* Howard,1900 (Aphelinidae) Synonym(s): *chilensis* Howard,1900; *longiclavae* Mercet,1910; *capitis* Rust,1915; *signiphoroides* Brèthes,1916; *riadi* Delucchi,1964
- 252)** *Aphytis chrysomphali* (Mercet,1912) (Aphelinidae) Synonym(s): *chrysomphali* Mercet,1912; *silvestrii* De Gregorio,1914; *quaylei* Rust,1915; *mazandaranica* Kiriukhin,1946
- 253)** *Aphytis diaspidis* (Howard,1881) (Aphelinidae) Synonym(s): *diaspidis* Howard,1881; *fuscipennis* Howard,1881; *ovidii* Girault,1919; *opuntiae* Risbec,1952; *madagascariensis* Risbec,1952; *risbeci* Annecke & Insley,1971
- 254)** *Aphytis holoxanthus* DeBach (7) (Aphelinidae) Synonym(s):
- 255)** *Aphytis lepidosaphes* Compere,1955 (Aphelinidae) Synonym(s): *lepidosaphes* Compere,1955
- 256)** *Aphytis lingnanensis* Compere,1955 (Aphelinidae) Synonym(s): *lingnanensis* Compere,1955
- 257)** *Aphytis luteus* (Ratzeburg) (Aphelinidae) Synonym(s):
- 258)** *Aphytis melinus* DeBach,1959 (Aphelinidae) Synonym(s): *melinus* DeBach,1959
- 259)** *Aphytis mytilaspidis* (Le Baron,1870) (Aphelinidae) Synonym(s): *albidus* Westwood,1837; *mytilaspidis* Le Baron,1870; *variolosum* Alam,1956; *diaspidioti* Chumakova,1957; *ficus* Traboulsi,1969
- 260)** *Aphytis proclia* (Walker,1839) (Aphelinidae) Synonym(s): *proclia* Walker,1839; *zonatus* Alam,1956; *sugonjaevi* Yasnoch,1972; *chowdhurii* Kaul,1974
- 261)** *Apiletria* (s.str.) *luella* Lederer,1855 (Autostichidae) Synonym(s): *luella* Lederer,1855
- 262)** *Apistomyia aphrodite* Zwick,1988 (Blephariceridae) Synonym(s): *aphrodite* Zwick,1988
- 263)** *Aplasta ononaria* (Fuessly,1783) (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicaprista* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
- 264)** *Aplocera plagiata* (Linnaeus,1758) (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
- 265)** *Aplocnemus syriacus* (Schilsky,1894) (Melyridae) Synonym(s): *syriacus* Schilsky,1894
- 266)** *Apochema flabellaria* (Heeger,1838) (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
- 267)** *Apomyelois ceratoniae* (Zeller,1839) (Pyrilidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilina* Hampson,1896; *psarella* Hampson,1903; *rivularis* W.Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950
- 268)** *Apomyelois cognata* (Staudinger,1871) (Pyrilidae) Synonym(s): *cognata* Staudinger,1871
- 269)** *Aporia* (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 270)** *Aporodes floralis* (Hübner,[1809]) (Pyrilidae) Synonym(s): *floralis* Hübner,[1809]; *stygalis* Treitschke,1829; *siculalis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 271)** *Aporophyla australis* (Boisduval,1829) (Noctuidae) Synonym(s): *australis* Boisduval,1829
- 272)** *Aporophyla nigra* (Haworth,[1809]) (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
- 273)** *Apotomus rufithorax* Pecchioli,1837 (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837
- 274)** *Aprostocetus invidus* (Domenichini,1966) (Eulophidae) Synonym(s): *invidus* Domenichini,1966
- 275)** *Apterola* (s.str.) *kuenckeli* Mulsant & Rey,1866 (Lygaeidae) Synonym(s): *kuenckeli* Mulsant & Rey,1866; *pedestris* Stal,1866

- 276) *Apterola* (s.str.) *lownii* (Saunders,1876) (Lygaeidae) Synonym(s): *lownii* Saunders,1876
- 277) *Aquarius ventralis* (Fieber,1860) (Gerridae) Synonym(s): *ventralis* Fieber,1860
- 278) *Archanara geminipuncta* (Haworth,1809) (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817].
- 279) *Archanara wiltshirei* Bytinski-Salz,1936 (Noctuidae) Synonym(s): *wiltshirei* Bytinski-Salz,1936
- 280) *Arenocoris waltlii* (Herrich-Schäffer,1835) (Coreidae) Synonym(s): *waltlii* Herrich-Schäffer,1835; *hispanus* Rambur,1839; *deserticola* Fieber,1861
- 281) *Arge cyanocrocea* (Forster,1771) (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880
- 282) *Arge melanochnra* (Gmelin,1790) (Argidae) Synonym(s): *melanochnra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907
- 283) *Arge ochropus* (Gmelin,1790) (Argidae) Synonym(s): *ochropus* Gmelin,1790
- 284) *Arge scita* (Mocsary,1880) (Argidae) Synonym(s): *scita* Mocsary,1880; *zarudnyi* Gussakovskii,1935
- 285) *Argynnis* (Pandoriana) *pandora* ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec *Fabricius*,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
- 286) *Arocatus longiceps* Stal,1872 (Lygaeidae) Synonym(s): *longiceps* Stal,1872; *grassii* Picco,1920; *fuscipes* Picco,1920; *nigrirostris* Picco,1920; *sanguineus* Picco,1920; *thoracicus* Picco,1920
- 287) *Artheneis alutacea* Fieber,1861 (Lygaeidae) Synonym(s): *alutacea* Fieber,1861
- 288) *Artiotilla biguttata* (Costa,1858) (Mutillidae) Synonym(s): *biguttata* Costa,1858
- 289) *Asaphidion* (Asaphidion) *flavicorne* (Solsky,1874) (Carabidae) Synonym(s): *flavicorne* Solsky,1874
- 290) *Ascotis selenaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#selenaris* Okyar & Aytaç,1999
- 291) *Asiraca clavicornis* (Fabricius,1794) (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891
- 292) *Aspilaspis viridis* (Brullé,1835) (Nabidae) Synonym(s): *viridis* Brullé,1835
- 293) *Aspitates ochrearia* (Rossi,1794) (Geometridae) Synonym(s): *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953
- 294) *Assara conicolella* (Constant,1884) (Pyralidae) Synonym(s): *conicolella* Constant,1884
- 295) *Asymmetrasca decedens* (Paoli,1932) (Cicadellidae) Synonym(s): *decedens* Paoli,1932
- 296) *Asyndetus separatus* (Becker,1902) (Dolichopodidae) Synonym(s): *separatus* Becker,1902
- 297) *Atethmia ambusta* (Fabricius,1787) (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
- 298) *Atethmia* (Haworth,[1809]) (Noctuidae) Synonym(s): *centrago* Haworth,[1809].
- 299) *Athalia cordata* Audinet-Serville,1823 (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846
- 300) *Atherigona orientalis* Schiner,1868 (Muscidae) Synonym(s): *orientalis* Schiner,1868; *excisa* Thomson,1869
- 301) *Atherigona pulla* (Wiedemann,1830) (Muscidae) Synonym(s): *pulla* Wiedemann,1830
- 302) *Atherigona varia* (Meigen,1826) (Muscidae) Synonym(s): *varia* Meigen,1826
- 303) *Atylotus loewianus* (Villeneuve,1920) (Tabanidae) Synonym(s): *loewianus* Villeneuve,1920; *znojko* Olsufjev,1937
- 304) *Atylotus pulchellus* (Loew,1858) (Tabanidae) Synonym(s): *pulchellus* Loew,1858; *cyprianus* Ricardo,1911; *karybenthinus* Szilady,1915
- 305) *Austroagallia sinuata* (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934; *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964; *afghanistanensis* Kameswara Rao, Ramakrishnan & Ghai,1979
- 306) *Austrolimnophila* (s.str.) *brevicellula* Stary,1977 (Limoniidae) Synonym(s): *brevicellula* Stary,1977
- 307) *Autographa gamma* (Linnaeus,1758) (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992.
- 308) *Autophila* (Cheirophanes) *anaphanes* Boursin,1940 (Noctuidae) Synonym(s): *anaphanes* Boursin,1940
- 309) *Autophila* (s.str.) *dilucida* (Hübner,[1808]) (Noctuidae) Synonym(s): *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniceki* Reisser,1958.
- 310) *Autophila* (s.str.) *einsleri* Amsel,1935 (Noctuidae) Synonym(s): *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
- 311) *Azanus* (s.str.) *jesous* (Guérin-Méneville,1849) (Lycaenidae) Synonym(s): *jesous* Guérin-Méneville,1849; *agave* Walker,1870; *sigillata* Butler,1876.
- 312) *Bagrada funerea* Horvath,1901 (Pentatomidae) Synonym(s): *funerea* Horvath,1901
- 313) *Balcanocerus brusinae* (Horvath,1891) (Cicadellidae) Synonym(s): *brusinae* Horvath,1891
- 314) *Balclutha hebe* (Kirkaldy,1906) (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927
- 315) *Balclutha punctata* (Fabricius,1775) (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunika* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952
- 316) *Balclutha rosea* (Scott,1876) (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *haupti* Metcalf,1955
- 317) *Basistriga flammata* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 318) *Batracomorphus glaber* Haupt,1927 (Cicadellidae) Synonym(s): *glaber* Haupt,1927; *flavovirens* Lindberg,1948
- 319) *Bedellia somnulentella* (Zeller,1847) (Lyonetiidae) Synonym(s): *somnulentella* Zeller,1847; *orpheella* Stainton,1849; *convolutella* Heydenreich,1851; *staintoniella* Clemens,1860; *mnesileuca* Meyrick,1928; *ipomoeae* Bradley,1953
- 320) *Bembecia* (Pseudosphacia) *stiziformis* (Herrich-Schäffer,1851) (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer,1851; *kara* De Freina,1983; *tubercula* De Freina,1983; *barbarossa* De Freina,1983.
- 321) *Bembecia ichneumoniformis* ([Denis & Schiffermüller],1775) (Sesiidae) Synonym(s): *#ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *syntrophaeformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910
- 322) *Bembecinus cyprius* De Beaumont,1954 (Crabronidae) Synonym(s): *cyprius* De Beaumont,1954
- 323) *Bembecinus tridens* (Fabricius,1781) (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satumanus* Sonan,1934; *errans* De Beaumont,1950
- 324) *Bembidion* (Euperyphus) *combustum* Ménétériés,1832 (Carabidae) Synonym(s): *combustum* Ménétériés,1832
- 325) *Bembidion* (Neja) *leucoscelis* Chaudoir,1850 (Carabidae) Synonym(s): *leucoscelis* Chaudoir,1850
- 326) *Bembidion* (Notaphocampa) *niloticum* Dejean,1831 (Carabidae) Synonym(s): *niloticum* Dejean,1831

- 327) **Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium* Olivier,1795
- 328) **Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum* Wollaston,1854
- 329) **Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum* Dejean,1831
- 330) **Bembidion (Omoperypus) caricum Sahlberg,1908** (Carabidae) Synonym(s): *caricum* Sahlberg,1908
- 331) **Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum* Huber & Marggi,1997
- 332) **Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville,1821
- 333) **Bembix bicolor (Radoszkowski,1877)** (Crabronidae) Synonym(s): *bicolor* Radoszkowski,1877; *femoralis* Radoszkowski,1877; *bipunctata* Radoszkowski,1877; *barbiventris* Morawitz,1889
- 334) **Bembix oculata (Panzer,1801)** (Crabronidae) Synonym(s): *oculata* Panzer,1801; *latreillii* Lepeletier,1845; *neglecta* Dahlbom,1845; *ocellata* Dahlbom,1845; *panzeri* Handlirsch,1893; *hispanica* Mercet,1904; *ebusiana* Giner Mari,1934;
- 335) **Bembix olivacea Fabricius,1787** (Crabronidae) Synonym(s): *olivacea* Fabricius,1787; *senilis* Fabricius,1804; *notata* Dahlbom,1845; *mediterranea* Handlirsch,1893; *maroccana* Mercet,1905; *pardoi* Giner Mari,1945
- 336) **Beosus quadripunctatus (Müller,1766)** (Lygaeidae) Synonym(s): *quadripunctatus* Müller,1766
- 337) **Beris cypria James,1970** (Stratiomyidae) Synonym(s): *cypria* James,1970
- 338) **Berytinus montivagus (Meyer-Dür,1841)** (Berytidae) Synonym(s): *montivagus* Meyer-Dür,1841
- 339) **Blacus (Ganychorus) ruficornis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *ruficornis* Nees ab Esenbeck,1811
- 340) **Blacus (Hysterochilus) nixonii Haeselbarth,1973** (Braconidae) Synonym(s): *nixonii* Haeselbarth,1973
- 341) **Blacus (s.str.) humilis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *humilis* Nees ab Esenbeck,1811; *trivialis* Haliday,1835; *wesmaeli* Ruthe,1861
- 342) **Blaesoxipha rufipes (Macquart,1839)** (Sarcophagidae) Synonym(s): *rufipes* Macquart,1839; *rubripes* Villeneuve,1912; *tertia* Rohdendorf,1928; *aegyptiaca* Villeneuve,1932; *paolii* Villeneuve,1939; *povolnyi* Rohdendorf,1975
- 343) **Blakeius bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus* Latreille,1792; *angusticollis* Spinola,1843; *tuberculata* Lepeletier,1845; *bituberculata* Smith,1855; *erythrothorax* Sichel & Radoszkowski,1870; *cobosi* Suarez,1958
- 344) **Blastobasis phycidella (Zeller,1839)** (Blastobasidae) Synonym(s): *phycidella* Zeller,1839; *roscidella* Zeller,1847
- 345) **Bledionotus systellonotoides Reuter,1878** (Lygaeidae) Synonym(s): *systellonotoides* Reuter,1878
- 346) **Blepharopsis mendica (Fabricius,1775)** (Empusidae) Synonym(s): *mendica* Fabricius,1775
- 347) **Blitopertha (s.str.) lineolata (Fischer von Waldheim,1824)** (Scarabaeidae) Synonym(s): *lineolata* Fischer von Waldheim,1824
- 348) **Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abditata* Petrovitz,1959; *majuscula* Medvedev
- 349) **Bodenheimeria rachelae (Bodenheimer,1924)** (Coccidae) Synonym(s): *rachelae* Bodenheimer,1924
- 350) **Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955
- 351) **Bombylius (s.str.) analis Olivier,1789** (Bombyliidae) Synonym(s): *analisis* Olivier,1789; *undatus* Mikan,1796
- 352) **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855
- 353) **Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855
- 354) **Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855
- 355) **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antennarius* Lioy,1864; *notialis* Evenhuis,1978
- 356) **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978
- 357) **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbatus* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 nec Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978
- 358) **Bombylius (s.str.) modestus Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873
- 359) **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926
- 360) **Bombylius (s.str.) torquatus Loew,1855** (Bombyliidae) Synonym(s): *torquatus* Loew,1855
- 361) **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 nec Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926
- 362) **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926
- 363) **Bombylius (Zephyrectes) cruciatus Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus* Fabricius,1798; *leucopogon* Meigen,1804
- 364) **Bostrichus capucinus (Linnaeus,1758)** (Bostrichidae) Synonym(s): *capucinus* Linnaeus,1758; *ruber* Geoffroy,1785; *luctuosus* Olivier,1790; *nigriventris* Lucas,1843; *rubriventris* Zoufal,1894
- 365) **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758
- 366) **Brachycerus argillaceus Reiche,1857** (Brachyceridae) Synonym(s): *argillaceus* Reiche,1857; *nodulosus* Reiche,1857; *aegyptiacus* Bedel,1874
- 367) **Brachycerus sinuatus Olivier,1807** (Brachyceridae) Synonym(s): *psiferus* Thunberg,1799; *sinuatus* Olivier,1807; *lutulentus* Gyllenhal,1833
- 368) **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884
- 369) **Brachymeria aegyptiaca Masi,1931** (Chalcididae) Synonym(s): *aegyptiaca* Masi,1931
- 370) **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951
- 371) **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplepsia* Crawford,1910; *jezoensis* Matsumura,1918...

- 372) **Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898
- 373) **Brachymeria podagrica (Fabricius,1787)** (Chalcididae) Synonym(s): *podagrica* Fabricius,1787
- 374) **Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951;
- 375) **Brachynema cinctum (Fabricius,1775)** (Pentatomidae) Synonym(s): *cinctus* Fabricius,1775; *forskahlii* Gmelin,1790; *tarsatus* Klug,1845; *roseipennis* Mulsant & Rey,1852; *flavatum* Horvath,1896; *simonyi* Horvath,1896; *exul* Horvath,1896; *splendidum* Montandon,1900; *miniaturum* Montandon,1900; *venustum* Montandon,1900
- 376) **Brachynema germarii (Kolenati,1846)** (Pentatomidae) Synonym(s): *virens* Klug,1845 *nec* Linn.,1767; *germarii* Kolenati,1846; *anabasis* Becker,1867; *biplaga* Walker,1867; *flavomarginatus* Jakovlev,1871; *grisea* Jakovlev,1871; *melanota* Jakovlev,1874; *alternatum* Horvath,1899
- 377) **Brachyplax tenuis (Mulsant & Rey,1852)** (Lygaeidae) Synonym(s): *tenuis* Mulsant & Rey,1852; *palliat* A.Costa,1853
- 378) **Bradyrrhoa confiniella Zeller,1848** (Pyralidae) Synonym(s): *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1893; *ifraaneella* Lucas,1956; *ebertella* Roesler,1969
- 379) **Bryotropha arabica Amsel,1952** (Gelechiidae) Synonym(s): *arabica* Amsel,1952
- 380) **Bryotropha azovica Bidzilya,1996** (Gelechiidae) Synonym(s): *azovica* Bidzilya,1996
- 381) **Bryotropha domestica (Haworth,1828)** (Gelechiidae) Synonym(s): *domestica* Haworth,1828; *domesticella* Doubleday,1859; *domesticella* Bruand,1859; *salmonis* Walsingham,1908; *algoricella* Chrétien,1917
- 382) **Bryotropha hendrikseni Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hendrikseni* Karsholt & Rutten,2005
- 383) **Bryotropha hulli Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hulli* Karsholt & Rutten,2005
- 384) **Bryotropha sabulosella (Rebel,1905)** (Gelechiidae) Synonym(s): *sabulosella* Rebel,1905
- 385) **Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens,1938
- 386) **Bubastia (Acrestia) ephialtes (Linnavuori,1971)** (Issidae) Synonym(s): *ephialtes* Linnavuori,1971
- 387) **Bubastia (s.str.) suturale (Fieber,1877)** (Issidae) Synonym(s): *suturale* Fieber,1877
- 388) **Bugraia ocularis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *ocularis* Mulsant & Rey,1855; *taeniops* Fieber,1868
- 389) **Buquetia musca R-D.,1847** (Tachinidae) Synonym(s): *musca* R-D.,1847
- 390) **Cabirutus cribricollis (Baudi,1875)** (Tenebrionidae) Synonym(s): *cribricollis* Baudi,1875
- 391) **Cacoecimorpha pronubana (Hübner,[1799])** (Tortricidae) Synonym(s): *pronubana* Hübner,[1799]; *ambustana* Frölich,1830; *herminiana* Treitschke,1835; *insolatana* Lucas,1848; *perochreana* Herrich-Schäffer,1856; *obsoletana* Strand,1901
- 392) **Cadra cautella (Walker,1863)** (Pyralidae) Synonym(s): *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959
- 393) **Cadra figulilella (Gregson,1871)** (Pyralidae) Synonym(s): *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsell* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *#halfaella* Roesler,1965.
- 394) **Caenocoris nerii (Germar,1847)** (Lygaeidae) Synonym(s): *nerii* Germar,1817; *semiruber* Walker,1872
- 395) **Calameuta (s.str.) haemorrhoidalis (Fabricius,1781)** (Cephalidae) Synonym(s): *haemorrhoidalis* Fabricius,1781
- 396) **Caliaeschna microstigma (Schneider,1845)** (Aeshnidae) Synonym(s): *microstigma* Schneider,1845
- 397) **Calliptam aeneum (Fallén,1820)** (Lauxaniidae) Synonym(s): *aeneum* Fallén,1820
- 398) **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus* Linnaeus,1758; *germanicus* Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellus* Serville,1838; *cerisanus* Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata* Puschig,1910; *anachoretus* Baranov,1925; *gilvonicus* Voronovsky,1927; *grandis* Ramme,1927; *reductus* Ramme,1927; *afghanus* Ramme,1952
- 399) **Callistonotus nigroruber (Stål,1858)** (Lygaeidae) Synonym(s): *nigroruber* Stål,1858
- 400) **Calocoris nemoralis (Fabricius,1787)** (Miridae) Synonym(s): *nemoralis* Fabricius,1787; *sempunctatus* Fabricius,1787; *piceus* Cyrillo,1787; *hispanicus* Gmelin,1790; *ruficollis* Fabricius,1794; *carcelii* Lepeletier,1825; *coccineus* Dufour,1833; *nankineus* Dufour,1833; *aterrimus* Garbiglietti,1869; *zelleri* Scott,1876; *thoracicus* Puton,1884; *punicus* Ferrari,1884; *cuneatus* Puton,1887; *bimaculatus* Reuter,1894; *confluens* Reuter,1896; *hexastigma* Reuter,1896; *limbatus* Reuter,1896; *pallidus* Reuter,1896; *quadripunctatus* Reuter,1902; *rufipes* Reuter,1902; *bisignatus* Reuter,1904; *connectens* Reuter,1905; *rufifemur* Horvath,1911; *griseus* Vidal,1937; *erythrocephalus* Mancini,1952; *oculatus* Stichel,1957
- 401) **Calocuccia celsiae (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850]
- 402) **Calopteryx mingrelia Selys,1869** (Calopterygidae) Synonym(s): *mingrelia* Selys,1869
- 403) **Caloptilia (s.str.) roscipennella (Hübner,1796)** (Gracillariidae) Synonym(s): *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867
- 404) **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850
- 405) **Campiglossa tessellata (Loew,1844)** (Tephritidae) Synonym(s): *tessellata* Loew,1844
- 406) **Campsomeriella thoracica (Fabricius,1787)** (Scoliidae) Synonym(s): *thoracica* Fabricius,1787; *eriophora* Khalof,1958
- 407) **Camptocera glaberrima (Walker,1872)** (Lygaeidae) Synonym(s): *glaberrima* Walker,1872
- 408) **Canephora villosella (Ochsenheimer,1810)** (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810
- 409) **Canthophorus melanopterus (Herrich-Schäffer,1835)** (Cydinidae) Synonym(s): *melanopterus* Herrich-Schäffer,1835
- 410) **Canthydrus diophthalmus (Reiche & Saulcy,1855)** (Noteridae) Synonym(s): *diophthalmus* Reiche & Saulcy,1855; *badenii* Wehncke,1876; *siculus* Ragusa,1882; *numidicus* Bedel,1925
- 411) **Capitites ramulosa (Loew,1844)** (Tephritidae) Synonym(s): *ramulosa* Loew,1844; *radiata* Macquart,1849
- 412) **Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926
- 413) **Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787
- 414) **Capnodis miliaris (Klug,1829)** (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934
- 415) **Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855
- 416) **Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945
- 417) **Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variiegata* Goeze,1777; *tenebrionides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917
- 418) **Capperia celeusi (Frey,1886)** (Pterophoridae) Synonym(s): *celeusi* Frey,1886; *intercicus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997.
- 419) **Capsodes (Horistus) turcomanus (Horvath,1889)** (Miridae) Synonym(s): *turcomanus* Horvath,1889

- 420) **Carabus (Procrustes) anatolicus Chaudoir,1857** (Carabidae) Synonym(s): *anatolicus* Chaudoir,1857; *cypricus* Roeschke,1915
- 421) **Carabus maurus Adams,1817** (Carabidae) Synonym(s): *maurus* Adams,1817
- 422) **Caradrina (Boursinidrina) syriaca (Staudinger,1892)** (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
- 423) **Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911
- 424) **Caradrina (Kalchbergiana) ingrata (Staudinger,1897)** (Noctuidae) Synonym(s): *ingrata* Staudinger,1897
- 425) **Caradrina (Paradrina) atriluna Guenée,1852** (Noctuidae) Synonym(s): *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935
- 426) **Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinker* Kobes,1975
- 427) **Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) Synonym(s): *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980
- 428) **Caradrina (Paradrina) selini (Boisduval,1840)** (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rigenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,1935]
- 429) **Caradrina (Paradrina) zandi (Wiltshire,1952)** (Noctuidae) Synonym(s): *zandi* Wiltshire,1952
- 430) **Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) Synonym(s): *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913.
- 431) **Caradrina (Platyperigea) kadenii (Freyer,1836)** (Noctuidae) Synonym(s): *kadenii* Freyer,1836
- 432) **Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) Synonym(s): *alceae* Esper,[1780]; *malvae* Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
- 433) **Carcina quercana (Fabricius,1775)** (Oecophoridae) Synonym(s): *quercana* Fabricius,1775
- 434) **Cardepiia affinis Rothschild,1913** (Noctuidae) Synonym(s): *affinis* Rothschild,1913; *ghigli* Turati,1921; *strobilacei* Dumont,1925.
- 435) **Cardepiia deserticola Hampson,1905** (Noctuidae) Synonym(s): *deserticola* Hampson,1905
- 436) **Cardepiia hartigi Parenzan,1981** (Noctuidae) Synonym(s): *hartigi* Parenzan,1981
- 437) **Cardiophorus (s.str.) ovipennis (Desbrochers,1875)** (Elateridae) Synonym(s): *ovipennis* Desbrochers,1875
- 438) **Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae) Synonym(s): *sacratus* Erichson,1840; *tokatensis* Pic,1913
- 439) **Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856
- 440) **Cardopostethus annulosus Fieber,1859** (Berytidae) Synonym(s): *annulosus* Fieber,1859
- 441) **Carpatolechia humeralis (Zeller,1839)** (Gelechiidae) Synonym(s): *decorella* Haworth,1812 nec Hübn.,[1810]; *humeralis* Zeller,1839; *lyellella* Humpreys & Westwood,1845; *incretella* Duponchel,[1854]; *pisticella* Nowicki,1860; *scabra* Staudinger,1875; *erschoffii* Frey,1880; *buckwelli* Lucas,1956; *dumitrescui* Capuse,1964.
- 442) **Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus* Boheman,1851; *hahni* Flor,1856; *atlanticus* Tamanini,1958; *mediterraneus* Tamanini,1958
- 443) **Carpocoris purpureipennis (DeGeer,1773)** (Pentatomidae) Synonym(s): *purpureipennis* DeGeer,1773; *nigricornis* Fabricius,1775; *porphyropterus* Gmelin,1790; *pyromosa* Westhoff,1884
- 444) **Caryedon angeri (Semenov,1896)** (Bruchidae) Synonym(s): *angeri* Semenov,1896; *palaestinus* Southgate,1976; *#palaestinus* Yücel,1994
- 445) **Casilda antophilaria (Hübner,[1813])** (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#alpipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911.
- 446) **Casilda consecraria (Staudinger,1871)** (Geometridae) Synonym(s): *consecraria* Staudinger,1871; *intermediaria* Turati,1930
- 447) **Catarhoe cupreata (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *cupreata* Herrich-Schäffer,1839
- 448) **Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775
- 449) **Catharia pyrenaealis (Duponchel,[1843])** (Pylalidae) Synonym(s): *pyrenaealis* Duponchel,1843
- 450) **Catocala (Ephesia) nymphaea (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
- 451) **Catocala (s.str.) conversa (Esper,1783)** (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813]
- 452) **Catocala (s.str.) dilecta (Hübner,[1808])** (Noctuidae) Synonym(s): *dilecta* Hübner,[1808]; *laetitia* Schawerda,1931
- 453) **Catocala (s.str.) disjuncta (Geyer,[1828])** (Noctuidae) Synonym(s): *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 nec Hulst,1884; *fumigata* Kuznetsov,1903.
- 454) **Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 455) **Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 456) **Catocala (s.str.) promissa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller],1775; *mneste* Hübner,[1813]
- 457) **Catoplatus crassipes (Fieber,1861)** (Tingidae) Synonym(s): *crassipes* Fieber,1861
- 458) **Catopsilia florella (Fabricius,1775)** (Pieridae) Synonym(s): *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 459) **Catopsilia florella florella (Fabricius,1775)** (Pieridae) Synonym(s): *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881.
- 460) **Catoptria dimorphella (Staudinger,1881)** (Pylalidae) Synonym(s): *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *wolffi* Ganév & Hacker,1984
- 461) **Catoptria mytilella (Hübner,[1805])** (Pylalidae) Synonym(s): *mytilella* Hübner,[1805]; *vilarrubiae* Agenjo,1954.
- 462) **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 463) **Celonites abbreviatus (Villers,1789)** (Vespidae) Synonym(s): *abbreviatus* Villers,1789; *dubia* Rossi,1790; *vespiformis* Olivier,1790; *apiformis* Fabricius,1793; *hungaricus* Mocsary,1877; *engadinensis* Schulthess,1923; *tauricus* Kostylev,1935
- 464) **Celonites cyprius Saussure,1854** (Vespidae) Synonym(s): *cyprius* Saussure,1854
- 465) **Celonites fischeri Spinola,1838** (Vespidae) Synonym(s): *fischeri* Spinola,1838; *? savignyi* Saussure,1855
- 466) **Celonites rugiceps Bischoff,1928** (Vespidae) Synonym(s): *rugiceps* Bischoff,1928

- 467) **Centrocoris spiniger (Fabricius,1781)** (Coreidae) Synonym(s): *branderi* Linnaeus,1767; *spiniger* Fabricius,1781; *pallascens* Kolenati,1845; *subinermis* Rey,1887; *bampurensis* Linnavuori,1968
- 468) **Centrocoris variegatus Kolenati,1845** (Coreidae) Synonym(s): *variegatus* Kolenati,1845; *nigricans* Fieber,1861; *convergens* Sienkiewicz,1959
- 469) **Ceraleptus obtusus (Brullé,1839)** (Coreidae) Synonym(s): *obtus* Brullé,1839; *aegyptius* Westwood,1842; *squalidus* Costa,1847; *distinguendus* Stein,1858; *leptocerus* Fieber,1861; *bellieri* Signoret,1862; *armeniaceus* Horvath,1898
- 470) **Cerambyx (s.str.) welensii (Küster,1846)** (Cerambycidae) Synonym(s): *velutinus* Brullé,1832; *welensii* Küster,1846
- 471) **Ceratina bispinosa Handlirsch,1889** (Apidae) Synonym(s): *bispinosa* Handlirsch,1889
- 472) **Ceratina dentiventris Gerstaecker,1869** (Apidae) Synonym(s): *dentiventris* Gerstaecker,1869
- 473) **Ceratina mandibularis Friese,1896** (Apidae) Synonym(s): *mandibularis* Friese,1896
- 474) **Ceratina moricei Friese,1899** (Apidae) Synonym(s): *moricei* Friese,1899
- 475) **Ceratina nigrolabiata Friese,1896** (Apidae) Synonym(s): *nigrolabiata* Friese,1896
- 476) **Ceratitis (s.str.) capitata (Wiedemann,1824)** (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* MacLeay,1829; *asparagi* Bezzi,1924
- 477) **Cerceris amathusia De Beaumont,1958** (Crabronidae) Synonym(s): *amathusia* De Beaumont,1958
- 478) **Ceriana vespiformis (Latreille,1804)** (Syrphidae) Synonym(s): *vespiformis* Latreille,1804; *scutellata* Macquart,1842; *intricata* Saunders,1845
- 479) **Cerocoma muchfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi* Gyllenhal,1817
- 480) **Cetonia (s.str.) delangrei Boucard,1893** (Scarabaeidae) Synonym(s): *delangrei* Boucard,1893; *syriaca* Boucard,1893; *chrysosoma* Reitter,1896
- 481) **Ceutholopha isidis (Zeller,1867)** (Pyralidae) Synonym(s): *isidis* Zeller,1867; *aequalisella* Lucas,1948; *parallelolineata* Lucas,1950.
- 482) **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787
- 483) **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837
- 484) **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802
- 485) **Ceylalictus (s.str.) variegatus (Olivier,1789)** (Halictidae) Synonym(s): *variegatus* Olivier,1789; *pulchella* Jurine,1807; *?syrphoides* Walker,1871; *flavopicta* Dours,1873; *jucunda* Morawitz,1874; *fasciatus* Friese,1898; *intermedius* Alfken,1924; *simplex* Blüthgen,1925; *labiatarum* Cockerell,1931; *nigrita* Blüthgen,1934; *pseudocerea* Blüthgen,1934; *nigriventris* Blüthgen,1934
- 486) **Chaetorellia carthami Stackelberg,1929** (Tephritidae) Synonym(s): *carthami* Stackelberg,1929
- 487) **Chamaepsila setalba Freidberg & Shatalkin,2008** (Psilidae) Synonym(s): *gracilis* Loew,1854 *nec* Meig.,1826; *setalba* Freidberg & Shatalkin,2008
- 488) **Chamaesphacia masariformis (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 *nec* Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966
- 489) **Chamaesphacia proximata (Staudinger,1871)** (Sesiidae) Synonym(s): *proximata* Staudinger,1871; *moreaui* Le Cerf,1911; *gravesi* Rebel,1927
- 490) **Charadraula cassandra Gozmany,1967** (Autostichidae) Synonym(s): *cassandra* Gozmany,1967
- 491) **Charaxes jasius (Linnaeus,1767)** (Argynniidae) Synonym(s): *jasius* Linnaeus,1767; *jason* Linnaeus,1767 *praeocc.*; *rhea* Hübner,1800; *unedonis* Hübner,1806; *faroensis* Ribbe,1909; *septentrionalis* Verity,1913; *europaeus* Verity,1917.
- 492) **Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
- 493) **Cheilotrichia (Empeda) cinerascens (Meigen,1804)** (Limoniidae) Synonym(s): *cinerascens* Meigen,1804; *nubila* Schummel,1829; *ditula* Zetterstedt,1851; *tenella* Walker,1856
- 494) **Chelostoma (s.str.) diodon Schletterer,1889** (Megachilidae) Synonym(s): *diodon* Schletterer,1889; *cypricum* Mavromoustakis,1951
- 495) **Chelostoma (s.str.) lucens (Benoist,1928)** (Megachilidae) Synonym(s): *lucens* Benoist,1928
- 496) **Chesias rhegmatica L.B.Prout,1937** (Geometridae) Synonym(s): *rhegmatica* L.B.Prout,1937
- 497) **Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
- 498) **Chiasmia (Godonela) sareptanaria (Staudinger,1871)** (Geometridae) Synonym(s): *sareptanaria* Staudinger,1871
- 499) **Chiasmia (Godonela) syriacaria (Staudinger,1871)** (Geometridae) Synonym(s): *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934.
- 500) **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
- 501) **Chilades (Freyeria) trochylus trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931.
- 502) **Chilades (Lachides) galba (Lederer,1855)** (Lycaenidae) Synonym(s): *galba* Lederer,1855
- 503) **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792
- 504) **Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hyperici* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
- 505) **Chloriona flaveola Lindberg,1948** (Delphacidae) Synonym(s): *flaveola* Lindberg,1948
- 506) **Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula* Matsumura,1910; *flaveola* Lindberg,1948
- 507) **Choerac dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis* Spinola,1808
- 508) **Choreutis nemorana (Hübner,[1799])** (Choreutidae) Synonym(s): *nemorana* Hübner,[1799]; *incisalis* Treitschke,1828; *nemoranal* Treitschke,1829; *nemorella* Herrich-Schäffer,1862
- 509) **Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans* Eversmann,1848
- 510) **Choranthia ornata (Herrich-Schäffer,1842)** (Pentatomidae) Synonym(s): *ornata* Herrich-Schäffer,1842
- 511) **Chrysocrambus craterellus (Scopoli,1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958.
- 512) **Chrysocrambus linetellus (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
- 513) **Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
- 514) **Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites* Germar,1824; *festiva* Ménétériés,1832
- 515) **Chrysolina compuncta (Weise,1898)** (Chrysomelidae) Synonym(s): *compuncta* Weise,1898
- 516) **Chrysolina halysa Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea* Fairmaire,1865 *nec* Falderm.,1837; *halysa* Bechyne,1950; *ayrica* Bechyne,1950; *intercalaria* Bechyne,1950

- 517) **Chrysolina orientalis** (Olivier,1807) (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950
- 518) **Chrysolina planicollis** (Breit,1919) (Chrysomelidae) Synonym(s): *planicollis* Breit,1919
- 519) **Chrysolina sahlbergi** (Ménétriés,1832) (Chrysomelidae) Synonym(s): *sahlbergi* Ménétriés,1832; *cupreopunctata* Reiche,1858; *venefica* Weise,1884
- 520) **Chrysomya albiceps** (Wiedemann,1819) (Calliphoridae) Synonym(s): *albiceps* Wiedemann,1819
- 521) **Chrysops (s.str.) flavipes** Meigen,1804 (Tabanidae) Synonym(s): *flavipes* Meigen,1804; *punctifer* Loew,1858; *#favipes* Kılıç,1999
- 522) **Chrysops (s.str.) italicus** Meigen,1804 (Tabanidae) Synonym(s): *italicus* Meigen,1804; *nigriventris* Loew,1856
- 523) **Chrysotoxum intermedium** Meigen,1822 (Syrphidae) Synonym(s): *intermedium* Meigen,1822; *lunulatum* Brullé,1832; *monticola* Schummel,1842; *italicum* Rondani,1845; *graecum* Walker,1852; *gymnophthalmum* Giglio-Tos,1890
- 524) **Cicada orni** Linnaeus,1758 (Cicadidae) Synonym(s): *orni* Linnaeus,1758; *punctata* Fabricius,1798; *oleae* A.Costa,1877
- 525) **Cicadatra atra** (Oliver,1790) (Cicadidae) Synonym(s): *atra* Oliver,1790; *concinna* Germar,1821; *transversa* Germar,1830 (praeocc.); *vitreus* Brullé,1832; *hyalinatus* Brullé,1832; *helianthemii* Rambur,1840; *aquila* Fieber,1876; *pallipes* Fieber,1876; *tau* Fieber,1876; *appendiculata* Linnavuori,1954
- 526) **Cicadetta hageni** Fieber,1872 (Cicadidae) Synonym(s): *hageni* Fieber,1872
- 527) **Cicadetta musiva** (Germar,1830) (Cicadidae) Synonym(s): *musiva* Germar,1830; *caspica* Kolenati,1857; *tamarisci* Walker,1870; *suoedicola* Bergevin,1913
- 528) **Cicadulina bipunctata** (Melichar,1904) (Cicadellidae) Synonym(s): *bipunctata* Melichar,1904; *bipunctella* Matsumura,1908; *zeae* China,1926
- 529) **Cicadulina zeae** China,1926 (Cicadellidae) Synonym(s): *zeae* China,1926
- 530) **Cicindela campestris** Linnaeus,1758 (Carabidae) Synonym(s): *campestris* Linnaeus,1758
- 531) **Cigaritis acamas** (Klug,1834) (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932
- 532) **Circulifer haematoceps** (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948
- 533) **Cixius granulatus** Horvath,1897 (Cixiidae) Synonym(s): *granulatus* Horvath,1897
- 534) **Cixius pallipes** Fieber,1876 (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897
- 535) **Clanoptilus (Hypoptilus) assimilis** (Baudi di Selve,1873) (Melyridae) Synonym(s): *assimilis* Baudi di Selve,1873
- 536) **Clanoptilus maculiventris** (Chevrolat,1864) (Melyridae) Synonym(s): *maculiventris* Chevrolat,1864
- 537) **Clepsis consimilana** (Hübner,[1817]) (Tortricidae) Synonym(s): *consimilana* Hübner,[1817]; *unifasciana* Duponchel,1843; *productana* Zeller,1847; *obliterana* Herrich-Schäffer,1851; *peregrinana* Stephens,1852; *eatoniana* Ragonot,1881; *semiana* Chrétien,1915; *acclivana* Zerny,1933; *placida* Diakonoff,1948
- 538) **Clepsis neglectana** (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer,1851; *flavana* Duponchel,1834 nec Hüb.,[1799]; *betulifolia* Lederer,1859; *striolana* Ragonot,1879; *xylotoma* Meyrick,1891; *severana* Kennel,1901; *delibatana* Rothschild,1912; *dorana* Kennel,1919; *acclivana* Zerny,1933.
- 539) **Cleptes maculatus** Linsenmeier,1968 (Chrysididae) Synonym(s): *maculatus* Linsenmeier,1968
- 540) **Closterotomus histrio** (Reuter,1877) (Miridae) Synonym(s): *histrio* Reuter,1877; *obscurus* Wagner,1968
- 541) **Closterotomus krueperi** (Reuter,1880) (Miridae) Synonym(s): *krueperi* Reuter,1880
- 542) **Closterotomus trivialis** (A.Costa,1853) (Miridae) Synonym(s): *trivialis* A.Costa,1853
- 543) **Clytie (s.str.) syriaca** (Bugnion,1837) (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
- 544) **Clytiomya continua** (Panzer,1798) (Tachinidae) Synonym(s): *continua* Panzer,1798
- 545) **Clytiomya dupuisi** Kugler,1971 (Tachinidae) Synonym(s): *dupuisi* Kugler,1971
- 546) **Clytiomya sola** (Rondani,1861) (Tachinidae) Synonym(s): *sola* Rondani,1861
- 547) **Clytra bodemeyeri** Weise,1900 (Chrysomelidae) Synonym(s): *bodemeyeri* Weise,1900
- 548) **Clytra ovata** (Lacordaire,1848) (Chrysomelidae) Synonym(s): *ovata* Lacordaire,1848
- 549) **Clytra rotundata** Medvedev,1961 (Chrysomelidae) Synonym(s): *rotundata* Medvedev,1961
- 550) **Cnephasia (s.str.) orientana** (Alpheraky,1877) (Tortricidae) Synonym(s): *orientana* Alpheraky,1877
- 551) **Cnephasia (s.str.) tofina** (Meyrick,1922) (Tortricidae) Synonym(s): *tofina* Meyrick,1922; *syriella* Razowski,1956; *tolli* Razowski,1956; *palaestinis* Amsel,1958
- 552) **Cnephasia (s.str.) wimmeri** Arenberger,1998 (Tortricidae) Synonym(s): *wimmeri* Arenberger,1998
- 553) **Coccophagus lycimnia** (Walker,1839) (Aphelinidae) Synonym(s): *lycimnia* Walker,1839; *lecanii* Fitch,1859; *ater* Howard,1881; *cognatus* Howard,1881; *vividus* Howard,1885; *californicus* Howard,1889; *coccidis* Girault,1917; *corni* Alam,1956; *taxi* Alam,1956
- 554) **Cochylimorpha alternana** (Stephens,1834) (Tortricidae) Synonym(s): *alternana* Stephens,1834; *#gigantana* Doubleday,1849; *moscovana* Kennel,1913; *cinnamomella* Turati & C.G.Krüger,1936.
- 555) **Cochylimorpha asiana** (Kennel,1899) (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934.
- 556) **Cochylimorpha straminea** (Haworth,[1811]) (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
- 557) **Codophila (s.str.) varia** (Fabricius,1787) (Pentatomidae) Synonym(s): *varia* Fabricius,1787; *longicornis* De la Fuente,1972
- 558) **Coenorrhinus cribripennis** Desbrochers,1869 (Atelabidae) Synonym(s): *cribripennis* Desbrochers,1869
- 559) **Coenosia attenuata** Stein,1903 (Muscidae) Synonym(s): *attenuata* Stein,1903; *flavicornis* Schnabl,1911; *confalonierii* Séguin,1930; *affinis* Santos Abreu,1976; *flavipes* Santos Abreu,1976
- 560) **Coenosia testacea** (R-D.,1830) (Muscidae) Synonym(s): *testacea* R-D.,1830
- 561) **Coenosia tigrina** (Fabricius,1775) (Muscidae) Synonym(s): *tigrina* Fabricius,1775
- 562) **Coleophora alashiae** Baldizzone,1996 (Coleophoridae) Synonym(s): *alashiae* Baldizzone,1996
- 563) **Coleophora albella** (Thunberg,1788) (Coleophoridae) Synonym(s): *albella* Thunberg,1788; *leucapennella* Hübner,1796.
- 564) **Coleophora albicostella** (Duponchel,1842) (Coleophoridae) Synonym(s): *albicostella* Duponchel,1842; *albimarginella* Herrich-Schäffer,1855
- 565) **Coleophora arenbergerella** Baldizzone,1985 (Coleophoridae) Synonym(s): *arenbergerella* Baldizzone,1985
- 566) **Coleophora bilineella** Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *bilineella* Herrich-Schäffer,1855; *perserenella* Rebel,1919; *joannisella* Suire,1930; *sergii* Gozmany,1956
- 567) **Coleophora bivittella** Staudinger,1879 (Coleophoridae) Synonym(s): *bivittella* Staudinger,1879

- 568) *Coleophora granuloseella* Staudinger, 1880 (Coleophoridae) Synonym(s): *granuloseella* Staudinger, 1880
- 569) *Coleophora helianthemella* Millière, 1870 (Coleophoridae) Synonym(s): *helianthemella* Millière, 1870
- 570) *Coleophora jerusalemella* Toll, 1942 (Coleophoridae) Synonym(s): *jerusalemella* Toll, 1942
- 571) *Coleophora lassella* Staudinger, 1859 (Coleophoridae) Synonym(s): *lassella* Staudinger, 1859; *teidensis* Walsingham, 1908; *gotlandica* Benander, 1939; *telavivella* Toll, 1942
- 572) *Coleophora luteolella* Staudinger, 1880 (Coleophoridae) Synonym(s): *luteolella* Staudinger, 1880; *mendosella* Toll, 1960
- 573) *Coleophora maritimella* Newman, 1863 (Coleophoridae) Synonym(s): *maritimella* Newman, 1863
- 574) *Coleophora mausolella* Chrétien, 1908 (Coleophoridae) Synonym(s): *mausolella* Chrétien, 1908; *thermoleuca* Meyrick, 1922; *palaestinella* Toll, 1942
- 575) *Coleophora ononidella* Millière, 1879 (Coleophoridae) Synonym(s): *ononidella* Millière, 1879
- 576) *Coleophora parthenica* Meyrick, 1891 (Coleophoridae) Synonym(s): *parthenica* Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *lashkarella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968.
- 577) *Coleophora salicorniae* Heinemann & Wocke, 1877 (Coleophoridae) Synonym(s): *salicorniae* Heinemann & Wocke, 1877; *cypriacella* Rebel, 1928.
- 578) *Coleophora salinella* Stainton, 1858 (Coleophoridae) Synonym(s): *salinella* Stainton, 1858
- 579) *Coleophora semicinerea* Staudinger, 1859 (Coleophoridae) Synonym(s): *semicinerea* Staudinger, 1859
- 580) *Coleophora tamesis* Waters, 1929 (Coleophoridae) Synonym(s): *tamesis* Waters, 1929
- 581) *Coleophora valesianella* Zeller, 1849 (Coleophoridae) Synonym(s): *valesianella* Zeller, 1849; *giraudi* Ragonot, 1874; *simillima* Staudinger, 1880; *predotaella* Rebel, 1914
- 582) *Coleophora zernyi* Toll, 1944 (Coleophoridae) Synonym(s): *zernyi* Toll, 1944
- 583) *Colias (Eriocolias) crocea* (Fourcroy, 1785) (Pieridae) Synonym(s): *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893.
- 584) *Colias (Neocolias) erate* (Esper, [1805]) (Pieridae) Synonym(s): *erate* Esper, [1805]; *afghana* O. Bang-Haas, 1927
- 585) *Colletes (caspicus gr.) maidli* Noskiewicz, 1936 (Colletidae) Synonym(s): *maidli* Noskiewicz, 1936
- 586) *Colletes (fodiens gr.) similis* Schenck, 1853 (Colletidae) Synonym(s): *similis* Schenck, 1853
- 587) *Colletes (hylaefiformis gr.) hylaefiformis* Eversmann, 1852 (Colletidae) Synonym(s): *hylaefiformis* Eversmann, 1852
- 588) *Colletes (nigricans gr.) cyprius* Noskiewicz, 1936 (Colletidae) Synonym(s): *cyprius* Noskiewicz, 1936
- 589) *Colletes (squamosus gr.) squamosus* Noskiewicz, 1936 (Colletidae) Synonym(s): *squamosus* Noskiewicz, 1936
- 590) *Colletes (succintus gr.) brevigena* Noskiewicz, 1936 (Colletidae) Synonym(s): *brevigena* Noskiewicz, 1936
- 591) *Colotes obsoletus* Erichson, 1840 (Melyridae) Synonym(s): *obsoletus* Erichson, 1840
- 592) *Colotois pennaria* (Linnaeus, 1761) (Geometridae) Synonym(s): *pennaria* Linnaeus, 1761; *cerasi* Fabricius, 1775; *bifidaria* Haworth, 1809
- 593) *Colpotus reitteri* Zürcher, 1911 (Tenebrionidae) Synonym(s): *reitteri* Zürcher, 1911
- 594) *Comperiella bifasciata* Howard, 1906 (Encyrtidae) Synonym(s): *bifasciata* Howard, 1906; *cerapterocera* Mercet, 1921; *eugeniae* Risbec, 1952
- 595) *Condica viscosa* (Freyer, 1831) (Noctuidae) Synonym(s): *viscosa* Freyer, 1831; *indelicata* Turati, 1934; *europaea* Parenzan, 1980.
- 596) *Conistra (s.str.) rubricans* Fibiger, 1997 (Noctuidae) Synonym(s): *rubricans* Fibiger, 1997
- 597) *Conocephalus (Anisoptera) cyprius* Ramme, 1951 (Tettigoniidae) Synonym(s): *cyprius* Ramme, 1951
- 598) *Conophorus greeni* Austen, 1936 (Bombyliidae) Synonym(s): *greeni* Austen, 1936
- 599) *Conops elegans* Meigen, 1824 (Conopidae) Synonym(s): *elegans* Meigen, 1824; *fuscipennis* Macquart, 1849; *algirus* Macquart, 1849; *fuscanipennis* Bigot, 1887; *minutus* Kröber, 1916
- 600) *Conops flavicaudus* (Bigot, 1880) (Conopidae) Synonym(s): *flavicaudus* Bigot, 1880; *euzonatus* Bigot, 1887; *superbus* Röder, 1899; *cyprius* Janssens, 1955; *#falvicaudus* Stucke, Hayat & Özbek, 2008
- 601) *Conosanus obsoletus* (Kirschbaum, 1858) (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum, 1858; *sejungendus* Kirschbaum, 1868; *covexus* Kirschbaum, 1868; *sempunctatus* Sahlberg, 1871; *piceus* Scott, 1875
- 602) *Copidosoma koehleri* Blanchard, 1840 (Encyrtidae) Synonym(s): *koehleri* Blanchard, 1840; *uruguayensis* Tachikawa, 1968
- 603) *Copium brevicorne* (Jakovlev, 1880) (Tingidae) Synonym(s): *brevicorne* Jakovlev, 1880
- 604) *Copium teucii* (Host, 1788) (Tingidae) Synonym(s): *teucii* Host, 1788; *lusitanicum* de Seabra, 1924
- 605) *Coproica ferruginata* (Stenhammar, 1855) (Sphaeroceridae) Synonym(s): *ferruginata* Stenhammar, 1855
- 606) *Coproica vagans* (Haliday, 1833) (Sphaeroceridae) Synonym(s): *vagans* Haliday, 1833; *opacula* Stenhammar, 1854; *albipennis* Rondani, 1880; *flava* Duda, 1918
- 607) *Copromyza (Crumomyia) glabrifrons* (Meigen, 1830) (Sphaeroceridae) Synonym(s): *glabrifrons* Meigen, 1830; *limbinervis* Rondani, 1880
- 608) *Copromyza (Lotophila) atra* (Meigen, 1830) (Sphaeroceridae) Synonym(s): *atra* Meigen, 1830; *modesta* Meigen, 1830; *lugens* Meigen, 1830; *geniculata* Macquart, 1835; *analys* von Reser, 1840; *ferruginea* Becker, 1908
- 609) *Coptocephala babylonica* Medvedev, 1961 (Chrysomelidae) Synonym(s): *babylonica* Medvedev, 1961
- 610) *Coptosia ganglbaueri* (Pic, 1951) (Cerambycidae) Synonym(s): *ganglbaueri* Pic, 1951
- 611) *Coranus griseus* (Rossi, 1790) (Reduviidae) Synonym(s): *griseus* Rossi, 1790; *murinus* Rambur, 1840; *persicus* Wagner, 1952
- 612) *Coremacera marginata* (Fabricius, 1781) (Sciomyzidae) Synonym(s): *marginata* Fabricius, 1781; *pontica* Elberg, 1968
- 613) *Coremacera obscuripennis* (Loew, 1845) (Sciomyzidae) Synonym(s): *obscuripennis* Loew, 1845
- 614) *Coriomeris hirticornis* (Fabricius, 1794) (Coreidae) Synonym(s): *hirticornis* Fabricius, 1794
- 615) *Coriomeris vitticornis* Reuter, 1900 (Coreidae) Synonym(s): *vitticornis* Reuter, 1900
- 616) *Corixa affinis* Leach, 1818 (Corixidae) Synonym(s): *affinis* Leach, 1818
- 617) *Cornutiplusia circumflexa* (Linnaeus, 1767) (Noctuidae) Synonym(s): *circumflexa* Linnaeus, 1767; *lunata* Fabricius, 1787; *flexuosa* Donovan, 1807; *daubii* Freyer, 1838; *graphica* Herrich-Schäffer, 1851; *patefacta* Walker, [1858]; *reticulata* Moore, 1882; *clarescens* Pinker & Bacallado, 1975; *#unata* Kononenko & Pinratana, 2005
- 618) *Corynis similis* (Mocsary, 1880) (Cimicidae) Synonym(s): *similis* Mocsary, 1880
- 619) *Coscinia cribraria* (Linnaeus, 1758) (Arctiidae) Synonym(s): *cribraria* Linnaeus, 1758; *cribrum* Linnaeus, 1761; *chrysocephala* Hübner, [1804]; *punctigera* Freyer, 1834; *sibirica* Staudinger, 1892; *bivittata* South, 1900; *fumidaria* O. Bang-Haas, 1927; *arenaria* Lempke, 1937; *nikitini* O. Bang-Haas, 1938; *pannonica* Daniel, 1955; ...
- 620) *Cosmopterix coryphaea* Walsingham, 1908 (Cosmopterigidae) Synonym(s): *coryphaea* Walsingham, 1908; *donatellae* Mariani, 1932; *formosa* Amsel, 1935; *coryphae* Agenjo, 1952
- 621) *Cosmopterix pararufella* Riedl, 1976 (Cosmopterigidae) Synonym(s): *pararufella* Riedl, 1976
- 622) *Crocallis (s.str.) cypriaca* Fischer, 2003 (Geometridae) Synonym(s): *cypriaca* Fischer, 2003
- 623) *Crocothemis erythraea* (Brullé, 1832) (Libellulidae) Synonym(s): *victoria* Fourcroy, 1785; *erythraea* Brullé, 1832; *coccinea* Charpentier, 1840; *lorti* Kirby, 1896

- 624) **Crombrugghia reichli** Arenberger, 1998 (Pterophoridae) Synonym(s): *reichli* Arenberger, 1998
- 625) **Crossobela baryspheua** Meyrick, 1923 (Gelechiidae) Synonym(s): *baryspheua* Meyrick, 1923
- 626) **Crossotocera wagnerella** Zerny, 1930 (Oecophoridae) Synonym(s): *wagnerella* Zerny, 1930
- 627) **Cryphia (Bryoleuca) microphysa** Boursin, 1952 (Noctuidae) Synonym(s): *microphysa* Boursin, 1952
- 628) **Cryphia (Bryoleuca) petrea** (Guenée, 1852) (Noctuidae) Synonym(s): *petrea* Guenée, 1852
- 629) **Cryphia (Bryoleuca) raptricula** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller], 1775; *divisa* Esper, 1791; *palliola* Borkhausen, 1792; *pomula* Borkhausen, 1792; *deceptricula* Hübner, 1803; *carbonis* Freyer, 1849; *felina* Eversmann, 1852; *#striata* Staudinger, 1879; *#persica* Strand, 1915; *cretica* Reisser, 1962
- 630) **Cryphia (Bryoleuca) rectilinea** (W. Warren, 1909) (Noctuidae) Synonym(s): *rectilinea* W. Warren, 1909; *mediochracea* Bytinski-Salz, 1936; *insulicola* Reisser, 1962.
- 631) **Cryphia (Bryoleuca) tephrocharis** Boursin, 1954 (Noctuidae) Synonym(s): *tephrocharis* Boursin, 1954
- 632) **Cryphia (Bryophila) maeonis** (Lederer, 1865) (Noctuidae) Synonym(s): *maeonis* Lederer, 1865; *praecana* Christoph, 1893; *rubellina* Staudinger, 1900; *sordida* Staudinger, 1900; *sabulosa* W. Warren, 1909.
- 633) **Cryphia (Bryopsis) amasina** (Draudt, 1931) (Noctuidae) Synonym(s): *amasina* Draudt, 1931
- 634) **Cryphia (Euthales) algae** (Fabricius, 1775) (Noctuidae) Synonym(s): *algae* Fabricius, 1775; *degener* [Denis & Schiffermüller], 1775; *alni* Fabricius, 1787; *calligrapha* Borkhausen, 1792; *mendacula* Hübner, 1813].
- 635) **Cryphia (Euthales) ochsi** (Boursin, 1941) (Noctuidae) Synonym(s): *ochsi* Boursin, 1941; *#badiofasciata* Boursin, 1952
- 636) **Crypsothidia maculifera** (Staudinger, 1898) (Noctuidae) Synonym(s): *maculifera* Staudinger, 1898; *wollastoni* Rothschild, 1901; *woolastoni* Hampson, 1913; *? maculata* Tams, 1926.
- 637) **Cryptocephalus moehringi** Weise, 1884 (Chrysomelidae) Synonym(s): *moehringi* Weise, 1884
- 638) **Ctenagenia vespiformis** (Klug, 1834) (Pompilidae) Synonym(s): *vespiformis* Klug, 1834
- 639) **Cucullia (s.str.) calendulae** Treitschke, 1835 (Noctuidae) Synonym(s): *calendulae* Treitschke, 1835; *wredowi* Costa, 1836; *leucanthemi* Rambur, 1858; *dellabrunai* Berio, 1980.
- 640) **Cucullia (Shargacucullia) barthae** Boursin, 1933 (Noctuidae) Synonym(s): *barthae* Boursin, 1933
- 641) **Cucullia (Shargacucullia) lanceolata** (Villers, 1789) (Noctuidae) Synonym(s): *lanceolata* Villers, 1789; *thapsiphaga* Treitschke, 1826
- 642) **Cucullia (Shargacucullia) verbasci** (Linnaeus, 1758) (Noctuidae) Synonym(s): *verbasci* Linnaeus, 1758; *oberthueri* Rothschild, 1911.
- 643) **Cueta lineosus** (Rambur, 1842) (Myrmeleonidae) Synonym(s): *lineosus* Rambur, 1842; *morosus* Walker, 1853; *ulianini* McLachlan, 1875; *trilineata* Navas, 1911; *grammaticus* Navas, 1912; *syriaca* Navas, 1914; *natti* Navas, 1914; *anomala* Navas, 1915
- 644) **Culex (s.str.) pipiens** Linnaeus, 1758 (Culicidae) Synonym(s): *pipiens* Linnaeus, 1758; *bifurcatus* Linnaeus, 1758; *fasciatus* Müller, 1764; *molestus* Forskal, 1775; *trifurcatus* Fabricius, 1794; *luteus* Meigen, 1804; *domesticus* Germar, 1817; *bicolor* Meigen, 1818; *marginalis* Stephens, 1825; *meridionalis* Leach, 1825; *thoracicus* R-D., 1827; *calcitrans* R-D., 1827; *consobrinus* R-D., 1827; *unistriatus* Curtis, 1837; *pallipes* Macquart, 1838; *rufinus* Bigot, 1888; *phytophagus* Ficalbi, 1889; *agilis* Bigot, 1889; *haematophagus* Ficalbi, 1893; *melanorhinus* Giles, 1900; *longefurcatus* Becker, 1903; *varioannulatus* Theobald, 1903; *azorensis* Theobald, 1903; *quasimodestus* Theobald, 1905; *osakensis* Theobald, 1907; *comitatus* Dyar & Knab, 1909; *dipseticus* Dyar & Knab, 1909; *doliorum* Edwards, 1912; *autogenicus* Roubaud, 1935; *berbericus* Roubaud, 1935; *sternopallidus* Roubaud, 1945; *sternopunctatus* Roubaud, 1945; *disjunctus* Roubaud, 1957; *calloti* Rioux & Pech, 1959; *erectus* Iglish, 1977; *torridus* Iglish, 1977
- 645) **Culiseta (Allotheobaldia) longiareolata** (Macquart, 1838) (Culicidae) Synonym(s): *longiareolata* Macquart, 1838; *spathipalpis* Rondani, 1872; *leucogrammus* Loew, 1874; *serratipes* Becker, 1908; *maroccanus* D'Anfreville, 1916
- 646) **Culiseta (s.str.) annulata** (Schrank, 1776) (Culicidae) Synonym(s): *annulata* Schrank, 1776; *annulatus* Fabricius, 1787; *affinis* Stephens, 1825; *nicaensis* Leach, 1825; *ferruginata* Martini, 1924
- 647) **Culpinia prouti** (Thierry-Mieg, 1913) (Geometridae) Synonym(s): *prouti* Thierry-Mieg, 1913; *feroniaria* Oberthür, 1916.
- 648) **Cybalomia pentadalis** (Lederer, 1855) (Pyralidae) Synonym(s): *pentadalis* Lederer, 1855
- 649) **Cydia amplana** (Hübner, 1799) (Tortricidae) Synonym(s): *amplana* Hübner, 1799; *molybdana* Constant, 1884
- 650) **Cydia lunulana** ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *lunulana* [Denis & Schiffermüller], 1775; *mederleana* Frölich, 1828; *jungiana* Frölich, 1828; *selenana* Zeller, 1847; *effusana* Lederer, 1855; *conspectana* Lederer, 1859; *selliferana* Kennel, 1901; *bipartitana* Kennel, 1901; *dimidiatana* Kennel, 1901; *intacta* Walsingham, 1903; *amplidorsana* Caradja, 1916; *exosticha* Meyrick, 1936; *praedorsana* Amsel, 1958
- 651) **Cydia pomonella** (Linnaeus, 1758) (Tortricidae) Synonym(s): *pomonella* Linnaeus, 1758; *pomona* Fabricius, 1775; *pomonana* [Denis & Schiffermüller], 1775; *nitens* Fourcroy, 1785; *aeneana* Villers, 1789; *putaminana* Staudinger, 1859
- 652) **Cydia praedorsana** (Amsel, 1958) (Tortricidae) Synonym(s): *praedorsana* Amsel, 1958
- 653) **Cylindromyia (Conopisoma) rufipes** (Meigen, 1824) (Tachinidae) Synonym(s): *rufipes* Meigen, 1824; *nigra* Villeneuve, 1918 nec Big., 1885
- 654) **Cylindromyia rufifrons** (Loew, 1844) (Tachinidae) Synonym(s): *rufifrons* Loew, 1844
- 655) **Cylindromyia scapularis** (Loew, 1845) (Tachinidae) Synonym(s): *scapularis* Loew, 1845
- 656) **Cymbionotum (s.str.) semeleleri** (Chaudoir, 1861) (Carabidae) Synonym(s): *semeleleri* Chaudoir, 1861; *alginus* Chaudoir, 1876; *funerula* Fairmaire, 1885; *luniferum* Andrewes, 1935; *houskai* Jedlicka, 1951
- 657) **Cymophyes ochroleuca** Fieber, 1870 (Lygaeidae) Synonym(s): *ochroleuca* Fieber, 1870; *#ochroleuca* Önder et al., 2006
- 658) **Cymus melanocephalus** Fieber, 1861 (Lygaeidae) Synonym(s): *melanocephalus* Fieber, 1861
- 659) **Cynaeda dentalis** ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller], 1775; *ramalis* Fabricius, 1787; *radiata* Esper, 1788; *fulminans* Fabricius, 1794; *dilutalis* De Lattin, 1959
- 660) **Cyprusia wiltshirei** Amsel, 1958 (Pyralidae) Synonym(s): *wiltshirei* Amsel, 1958
- 661) **Cyrtoptyx latipes** (Rondani, 1874) (Pteromalidae) Synonym(s): *latipes* Rondani, 1874; *dacicida* Masi, 1907; *virescens* Masi, 1908; *lesbiacus* Masi, 1922; *albicus* Masi, 1934
- 662) **Danacaea cypria** Schilsky, 1897 (Melyridae) Synonym(s): *cypria* Schilsky, 1897
- 663) **Danacaea marginata** (Küster, 1851) (Melyridae) Synonym(s): *marginata* Küster, 1851
- 664) **Danaus (Anosia) chrysippus** (Linnaeus, 1758) (Danaiidae) Synonym(s): *chrysippus* Linnaeus, 1758; *aegyptius* Schreber, 1759
- 665) **Dasycorsa modesta** (Staudinger, 1879) (Geometridae) Synonym(s): *modesta* Staudinger, 1879
- 666) **Dasylabris (Craspedopyga) mandersternii** (Radoszkowski, 1865) (Mutillidae) Synonym(s): *mandersternii* Radoszkowski, 1865; *cypria* Sichel & Radoszkowski, 1870 [ssp.]
- 667) **Dasylabris (s.str.) maura** (Linnaeus, 1758) (Mutillidae) Synonym(s): *maura* Linnaeus, 1758
- 668) **Dasyphora albofasciata** (Macquart, 1839) (Muscidae) Synonym(s): *albofasciata* Macquart, 1839; *hirsutoculata* Macquart, 1849; *aeneomicans* Portschinsky, 1881
- 669) **Dasytoides (Megadasytoides) suripes** (Christ, 1791) (Melittidae) Synonym(s): *suripes* Christ, 1791
- 670) **Dasytidius inchoatus** Majer, 1991 (Melyridae) Synonym(s): *inchoatus* Majer, 1991

- 671) **Dasytidius indutus Kiesenwetter, 1859** (Melyridae) Synonym(s): *indutus Kiesenwetter, 1859*
 672) **Dasytidius syriacus (Reitter, 1885)** (Melyridae) Synonym(s): *syriacus Reitter, 1885*
 673) **Dasytidius virescens (Baudi, 1873)** (Melyridae) Synonym(s): *virescens Baudi, 1873*
 674) **Deleproctophylla variegata (Klug, 1834)** (Ascalaphidae) Synonym(s): *variegata Klug, 1834*
 675) **Delfimeus limassolicus (Navas, 1931)** (Myrmeleonidae) Synonym(s): *limassolicus Navas, 1931*
 676) **Delia platura Meigen, 1826** (Anthomyiidae) Synonym(s): *platura Meigen, 1826*
 677) **Delphax inermis Ribaut, 1934** (Delphacidae) Synonym(s): *inermis Ribaut, 1934*
 678) **Delta unguiculatum (Villers, 1789)** (Vespidae) Synonym(s): *unguiculatum Villers, 1789; coangustata Rossi, 1790; cursor Christ, 1791; lapidica Christ, 1791; infundibuliformis Olivier, 1791; dumetorum Panzer, 1799; olivieri Lepeletier, 1841; huberti Saussure, 1852; sporadense Schulthess, 1929*
 679) **Depressaria daucivorella Ragonot, 1889** (Oecophoridae) Synonym(s): *daucivorella Ragonot, 1889; mesopotamica Amsel, 1949*
 680) **Depressaria rhodochlora Meyrick, 1923** (Oecophoridae) Synonym(s): *rhodochlora Meyrick, 1923*
 681) **Deraeocoris cyprius E. Wagner, 1953** (Miridae) Synonym(s): *cyprius E. Wagner, 1953*
 682) **Deraeocoris virescens (Schilling, 1836)** (Miridae) Synonym(s): *lutescens Schilling, 1836*
 683) **Deraeocoris rutilus (Herrich-Schäffer, 1838)** (Miridae) Synonym(s): *rutulus Herrich-Schäffer, 1838; bellicosus Horvath, 1885; quadrimaculatus Jakovlev, 1889; fasciatus Reuter, 1904*
 684) **Dermestes (Dermestinus) intermedius Kalik, 1951** (Dermestidae) Synonym(s): *intermedius Kalik, 1951*
 685) **Dermestes (Dermestinus) maculatus DeGeer, 1774** (Dermestidae) Synonym(s): *maculatus DeGeer, 1774; marginatus Thunberg, 1781; vulpinus Fabricius, 1781; senex Germar, 1824; elongatus Hope, 1834; lupinus Mannerheim, 1843; cinereus Redtenbacher, 1867; sudanicus Gredler, 1878; cyprius Pic, 1951; pakistanicus Havelka, 1951*
 686) **Deudorix (Virachola) livia (Klug, 1834)** (Lycaenidae) Synonym(s): *livia Klug, 1834; pallescens Rothschild, 1921*
 687) **Dibolia rufofemorata Reitter, 1896** (Chrysomelidae) Synonym(s): *rufofemorata Reitter, 1896*
 688) **Dichagyris (s.str.) adelfi Fibiger, Nilsson & Svendsen, 1999** (Noctuidae) Synonym(s): *adelfi Fibiger, Nilsson & Svendsen, 1999*
 689) **Dichagyris (s.str.) endemica Fibiger, Svendsen & Nilsson, 1999** (Noctuidae) Synonym(s): *endemica Fibiger, Svendsen & Nilsson, 1999; #endemica Fibiger, Svendsen & Nilsson, 1999*
 690) **Dichagyris (s.str.) melanura (Kollar, 1846)** (Noctuidae) Synonym(s): *melanura Kollar, 1846*
 691) **Dichetophora oblitterata (Fabricius, 1805)** (Sciomyzidae) Synonym(s): *oblitterata Fabricius, 1805; ichneumonea R-D., 1830; gracilis Loew, 1845*
 692) **Dichillus (s.str.) subsetulosus Reitter, 1886** (Tenebrionidae) Synonym(s): *subsetulosus Reitter, 1886*
 693) **Dichomeris limbipunctella (Staudinger, 1859)** (Gelechiidae) Synonym(s): *limbipunctella Staudinger, 1859; millierella Stainton, 1873*
 694) **Dichomeris neatodes Meyrick, 1923** (Gelechiidae) Synonym(s): *neatodes Meyrick, 1923*
 695) **Dicrancephalus agilis (Scopoli, 1763)** (Stenocephalidae) Synonym(s): *agilis Scopoli, 1763; quinquepunctatus Goeze, 1778; nugax Fabricius, 1781; monilis Geoffroy, 1785; geoffroy Petagna, 1787; multicolor Gmelin, 1790; nussax Gmelin, 1790; celer Gmelin, 1790; melanochores Gmelin, 1790; mexicanus Ashmead, 1886; crassicornis Horvath, 1887; femoralis Noulhier, 1893; femoratus Puton, 1899; robustus Jakovlev, 1901; moralesi Wagner, 1950; africanus Stichel, 1959; litoralis Linnavuori, 1960*
 696) **Dicranophthalmus setulosus (Ferrari, 1874)** (Stenocephalidae) Synonym(s): *setulosus Ferrari, 1874*
 697) **Dicranomyia (s.str.) chorea (Meigen, 1818)** (Limoniidae) Synonym(s): *#lutea Meigen, 1804; chorea Meigen, 1818; quadra Meigen, 1838; flavicollis Becker, 1908; longipes Santos Abreu, 1923; vidua Santos Abreu, 1923; grisescens Lackschewitz, 1928; lutescens Lackschewitz, 1928*
 698) **Dicranophragma (Brachylimnophila) adjunctum (Walker, 1848)** (Limoniidae) Synonym(s): *adjunctum Walker, 1848; axillare Strobl, 1906; brevifurcatum Strobl, 1906; dimidiatum De Meijere, 1918; noscibile Edwards, 1921*
 699) **Dicranoptycha (s.str.) fuscescens (Schummel, 1829)** (Limoniidae) Synonym(s): *fuscescens Schummel, 1829; lundstroemi Bergroth, 1922*
 700) **Dictyonota aridula (Jakovlev, 1902)** (Tingidae) Synonym(s): *aridula Jakovlev, 1902*
 701) **Dictyonota phoenicea Seidenstücker, 1963** (Tingidae) Synonym(s): *phoenicea Seidenstücker, 1963*
 702) **Dictyophara acuminata (Lindberg, 1954)** (Dictyopharidae) Synonym(s): *acuminata Lindberg, 1954; hispana Linnavuori, 1965*
 703) **Dictyophara asiatica Melichar, 1912** (Dictyopharidae) Synonym(s): *asiatica Melichar, 1912*
 704) **Dictyophara lindbergi Metcalf, 1955** (Dictyopharidae) Synonym(s): *acuminata Lindberg, 1948; lindbergi Metcalf, 1955*
 705) **Dicyphus hyalinipennis (Burmeister, 1835)** (Miridae) Synonym(s): *hyalinipennis Burmeister, 1835; divisus Stichel, 1956; fumatus Stichel, 1956*
 706) **Dicyphus lindbergi E. Wagner, 1951** (Miridae) Synonym(s): *lindbergi E. Wagner, 1951*
 707) **Dieuches syriacus F.A. Dohrn, 1860** (Lygaeidae) Synonym(s): *syriacus F.A. Dohrn, 1860*
 708) **Digitivalva (Inuliphila) pulicariae (Klimesch, 1956)** (Yponomeutidae) Synonym(s): *pulicariae Klimesch, 1956*
 709) **Diorhabda elongata (Brullé, 1832)** (Chrysomelidae) Synonym(s): *elongata Brullé, 1832; costalis Mulsant & Wahanru, 1852*
 710) **Dioryctria abietella (Fabricius, 1787)** (Pyralidae) Synonym(s): *#abietella [Denis & Schiffermüller], 1775; abietella Fabricius, 1787*
 711) **Dioryctria mendacella (Staudinger, 1859)** (Pyralidae) Synonym(s): *mendacella Staudinger, 1859; #mendacella Rebel, 1939*
 712) **Dioxys pumila Gerstaecker, 1869** (Megachilidae) Synonym(s): *pumila Gerstaecker, 1869*
 713) **Dirhinus cyprius Masi, 1939** (Chalcididae) Synonym(s): *cyprius Masi, 1939*
 714) **Dirhinus gussakovskii Nikolskaya, 1952** (Chalcididae) Synonym(s): *gussakovskii Nikolskaya, 1952*
 715) **Dirhinus wohlfahrtiae Ferrière, 1935** (Chalcididae) Synonym(s): *wohlfahrtiae Ferrière, 1935*
 716) **Discomyza incurva (Fallén, 1823)** (Ephydriidae) Synonym(s): *incurva Fallén, 1823*
 717) **Ditropis pteridis (Spinola, 1839)** (Delphacidae) Synonym(s): *pteridis Spinola, 1839*
 718) **Dociostaurus (Kazakia) jagoi Soltani, 1978** (Acrididae) Synonym(s): *jagoi Soltani, 1978*
 719) **Docotettix cornutus Ribaut, 1948** (Cicadellidae) Synonym(s): *cornutus Ribaut, 1948*
 720) **Dolicharthria bruguieralis (Duponchel, 1833)** (Pyralidae) Synonym(s): *bruguieralis Duponchel, 1833; coniotalis Hampson, 1903; similalis Rothschild, 1915*
 721) **Dolicharthria punctalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *punctalis [Denis & Schiffermüller], 1775*
 722) **Dolichopus griseipennis Stannius, 1831** (Dolichopodidae) Synonym(s): *nitidus Macquart, 1827 nec Fall., 1823; griseipennis Stannius, 1831; subrutulus Zetterstedt, 1859*
 723) **Dolycoris baccarum (Linnaeus, 1758)** (Pentatomidae) Synonym(s): *baccarum Linnaeus, 1758; verbasci De Geer, 1773; subater Harris, 1780; albidus Gmelin, 1790; depressa Westwood, 1837; confusa Westwood, 1837; inconcisa Walker, 1867*
 724) **Doratulina acuticeps (Ribaut, 1948)** (Cicadellidae) Synonym(s): *acuticeps Ribaut, 1948*

- 725) **Doratulina instabilis (Ribaut,1948)** (Cicadellidae) Synonym(s): *instabilis* Ribaut,1948
- 726) **Doratulina pallifrons (Horvath,1897)** (Cicadellidae) Synonym(s): *pallifrons* Horvath,1897; *margaritacea* Horvath,1897
- 727) **Dorycera maculipennis Macquart,1843** (Uliidae) Synonym(s): *maculipennis* Macquart,1843
- 728) **Drosophila (Lordiphosa) andalusiaca Strobl,1906** (Drosophilidae) Synonym(s): *andalusiaca* Strobl,1906; *forcipata* Collin,1952
- 729) **Drymus major Lindberg,1948** (Lygaeidae) Synonym(s): *major* Lindberg,1948
- 730) **Dryobota labecula (Esper,[1788])** (Noctuidae) Synonym(s): *labecula* Esper,[1788]
- 731) **Dryobotodes (Dichonioxa) tenebrosa (Esper,[1789])** (Noctuidae) Synonym(s): *tenebrosa* Esper,[1789]; *saportae* Duponchel,1826.
- 732) **Dryobotodes (s.str.) servadeii Parenzan,1982** (Noctuidae) Synonym(s): *servadeii* Parenzan,1982
- 733) **Dufourea (Cyprorhithes) cypria Mavromoustakis,1952** (Halictidae) Synonym(s): *cypria* Mavromoustakis,1952
- 734) **Duilus seticulosa (Lethierry,1874)** (Cixiidae) Synonym(s): *seticulosa* Lethierry,1874; *irrorata* A.Costa,1882; *punctata* Lallemant,1929
- 735) **Duponchelia fovealis (Zeller,1847)** (Pyralidae) Synonym(s): *fovealis* Zeller,1847; *canuialis* Millière,1869; *griseata* Butler,1875; *uniflexalis* Mabille,1880
- 736) **Dyoderes umbraculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *umbraculatus* Fabricius,1775; *marginatus* Fabricius,1798 nec Linn.,1758; *aparines* Dufour,1833
- 737) **Dyscia (Calodyscia) innocentaria (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentaria* Pugaev & Zolotuhin,2006
- 738) **Dyscia (s.str.) simplicaria Rebel,1939** (Geometridae) Synonym(s): *simplicaria* Rebel,1939
- 739) **Dyspessa infusca (Staudinger,1892)** (Cossidae) Synonym(s): *infusca* Staudinger,1892; *cypriaca* Rebel,1927; *kurdistanica* Turati,1909.
- 740) **Dyspessa ulula (Borkhausen,1790)** (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912.
- 741) **Dysspastus undecimpunctellus (Mann,1864)** (Autostichidae) Synonym(s): *undecimpunctellus* Mann,1864
- 742) **Earias clorana (Linnaeus,1761)** (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
- 743) **Earias insulana (Boisduval,1833)** (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
- 744) **Ebaeus flavobullatus Marseul,1868** (Melyridae) Synonym(s): *flavobullatus* Marseul,1868; *orientalis* Wittmer,1979
- 745) **Ectoedemia (s.str.) alnifoliae Van Nieukerken,1985** (Nepticulidae) Synonym(s): *alnifoliae* Van Nieukerken,1985
- 746) **Ectoedemia (s.str.) erythrogenella (De Joannis,1908)** (Nepticulidae) Synonym(s): *erythrogenella* De Joannis,1908
- 747) **Ectoedemia (s.str.) heringella (Mariani,1939)** (Nepticulidae) Synonym(s): *heringella* Mariani,1939
- 748) **Ectoedemia vivesi A.Lastuvka, Z.Lastuvka & Van Nieukerken,2010** (Nepticulidae) Synonym(s): *vivesi* A.Lastuvka, Z.Lastuvka & Van Nieukerken,2010
- 749) **Ectomocoris ululans (Rossi,1790)** (Reduviidae) Synonym(s): *ululans* Rossi,1790; *tidikelti* Dispons,1961
- 750) **Edwardsiana kemneri (Ossiannilsson,1942)** (Cicadellidae) Synonym(s): *kemneri* Ossiannilsson,1942
- 751) **Edwardsiana rosae (Linnaeus,1758)** (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936
- 752) **Edwardsiana tshinari Zachvatkin,1947** (Cicadellidae) Synonym(s): *tshinari* Zachvatkin,1947
- 753) **Egira anatolica (Hering,1933)** (Noctuidae) Synonym(s): *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966
- 754) **Elachiptera bimaculata (Loew,1845)** (Chloropidae) Synonym(s): *bimaculata* Loew,1845; *furcata* Perris,1876; *bilineata* Bigot,1891; *quadrilineata* Strobl,1902; *tuberculata* Becker,1907; *tuberifera* Becker,1910; *latifasciata* Duda,1932; *trifasciata* Duda,1932
- 755) **Elachiptera megaspis (Loew,1858)** (Chloropidae) Synonym(s): *megaspis* Loew,1858
- 756) **Elachista sutteri Kaila,2002** (Elachistidae) Synonym(s): *sutteri* Kaila,2002
- 757) **Elampus caeruleus Dahlbom,1854** (Chrysididae) Synonym(s): *caeruleus* Dahlbom,1854
- 758) **Elampus soror (Mocsary,1889)** (Chrysididae) Synonym(s): *soror* Mocsary,1889
- 759) **Elasmus cyprianus Ferrière,1947** (Eulophidae) Synonym(s): *cyprianus* Ferrière,1947
- 760) **Elasmus phthorimaeae Ferrière,1947** (Eulophidae) Synonym(s): *phthorimaeae* Ferrière,1947
- 761) **Elasmus platydras Ferrière,1935** (Eulophidae) Synonym(s): *platydras* Ferrière,1935; *elongatus* Ferrière,1947
- 762) **Elymana sulphurella (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (praeocc.); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917
- 763) **Ematheudes punctellus (Treitschke,1833)** (Pyralidae) Synonym(s): *punctellus* Treitschke,1833
- 764) **Ematheudes tunesiellus Ragonot,1892** (Pyralidae) Synonym(s): *tunesiella* Ragonot,1892
- 765) **Emmelina monodactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 766) **Empoasca decipiens Paoli,1930** (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961
- 767) **Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata* Brullé,1836
- 768) **Encarsia lutea (Masi,1909)** (Aphelinidae) Synonym(s): *lutea* Masi,1909; *sanctus* Girault,1928
- 769) **Encyrtus aurantii (Geoffroy,1785)** (Encyrtidae) Synonym(s): *aurantii* Geoffroy,1785; *lecaniorum* Mayr,1876; *bicolor* Howard,1881; *albicoxa* Ashmead,1885; *hibisci* Girault,1915; *argenticoxa* Girault,1915; *argenticaput* Girault,1915; *aurantifasciata* Girault,1915; *mirabilis* Brethes,1916; *albiscapus* Masi,1917; *barbatus* Timmerlake,1919; *cocci* Risbec,1951; *ceroplastis* Agarwal,1965
- 770) **Endotricha flammealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951.
- 771) **Engistus boops (Dufour,1857)** (Lygaeidae) Synonym(s): *boops* Dufour,1857; *genei* A.Costa,1864; *brucki* Fieber,1864; *gracilicornis* Linnavuori,1960 [ssp.]
- 772) **Ennomos (Deuteronomos) fuscantarius (Haworth,1809)** (Geometridae) Synonym(s): *fuscantaria* Haworth,1809
- 773) **Ennomos (Deuteronomos) lissochilus L.B.Prout,1929** (Geometridae) Synonym(s): *lissochila* L.B.Prout,1929
- 774) **Enolmis desidella (Lederer,1855)** (Scythridae) Synonym(s): *desidella* Lederer,1855
- 775) **Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948
- 776) **Epactotena octogenalis (Lederer,1863)** (Pyralidae) Synonym(s): *octogenalis* Lederer,1863.

- 777) **Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840
- 778) **Ephestia (Anagasta) cypriusella Roesler,1965** (Pyralidae) Synonym(s): *cypriusella* Roesler,1965
- 779) **Ephestia (Anagasta) kuehniella Zeller,1879** (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitioniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharn & Tubtim,1995
- 780) **Ephestia (s.str.) elutella (Hübner,1796)** (Pyralidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pteroigrisella* Roesler,1965
- 781) **Ephestia (s.str.) parasitella Staudinger,1859** (Pyralidae) Synonym(s): *parasitella* Staudinger,1859; *bimaculella* Lucas,1955.
- 782) **Ephysteris (Microcraspedus) deserticolella (Staudinger,1871)** (Gelechiidae) Synonym(s): *deserticolella* Staudinger,1871.
- 783) **Ephysteris tenuisaccus Nupponen,2010** (Gelechiidae) Synonym(s): *tenuisaccus* Nupponen,2010
- 784) **Epicallima formosella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller],1775
- 785) **Epicallima splendidella (Amsel,1935)** (Oecophoridae) Synonym(s): *splendidella* Amsel,1935
- 786) **Epilecta linogrisea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901.
- 787) **Epirrhoe galiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912
- 788) **Episcardia (Bilobatana) fuscoviolacella (Ragonot,1895)** (Tineidae) Synonym(s): *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935.
- 789) **Epischnia illotella Zeller,1839** (Pyralidae) Synonym(s): *illotella* Zeller,1839
- 790) **Epischnia leucoloma (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *leucoloma* Herrich-Schäffer,[1849]
- 791) **Epischnia prodromella (Hübner,[1799])** (Pyralidae) Synonym(s): *prodromella* Hübner,[1799]; *#prodromella* Rebel,1939
- 792) **Episema korsakovi (Christoph,1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
- 793) **Episema kuorion Nilsson,Svendsen & Fibiger,1999** (Noctuidae) Synonym(s): *kuorion* Nilsson,Svendsen & Fibiger,1999
- 794) **Episema lederi Christoph,1885** (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#ledereri* Wiltshire,1937.
- 795) **Episema tersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956.
- 796) **Eremocoris fenestratus (Herrich-Schäffer,1839)** (Lygaeidae) Synonym(s): *fenestratus* Herrich-Schäffer,1839
- 797) **Eretes sticticus (Linnaeus,1767)** (Dytiscidae) Synonym(s): *sticticus* Linnaeus,1767; *helvolus* Klug,1834; *punctatus* Zoubkoff,1837; *occidentalis* Zoubkoff,1837; *conicollis* Wollaston,1861; *subcoriaceus* Wollaston,1861; *subdiaphanus* Wollaston,1861
- 798) **Eretmocerus mundus Mercet,1931** (Aphelinidae) Synonym(s): *mundus* Mercet,1931; *longipilus* Khan & Shafee,1980
- 799) **Eristalinus (Eristalodes) taeniops (Wiedemann,1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann,1818; *pulchripes* Wiedemann,1822; *fasciatus* Germar,1845; *aegyptius* Walker,1849; *torridus* Walker,1849; *completus* Santos-Abreu,1924; *concinus* Santos-Abreu,1924
- 800) **Eristalinus (Lathyruphthalmus) aeneus (Scopoli,1763)** (Syrphidae) Synonym(s): *aeneus* Scopoli,1763; *punctatus* Müller,1764; *macrophthalmus* Preyssler,1791; *taphicus* Wiedemann,1830; *stygius* Newman,1835; *aenescens* Macquart,1842; *nigrolineatus* Hervé-Bazin,1923
- 801) **Erythria (s.str.) seclusa Horvath,1803** (Cicadellidae) Synonym(s): *Horvath*,1803
- 802) **Eteobalea intermediella (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966
- 803) **Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920
- 804) **Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenuartiella* Rossi,1790; *griseicostella* Wiltshire,1947.
- 805) **Etiella zinckenella (Treitschke,1832)** (Pyralidae) Synonym(s): *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975.
- 806) **Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): *albida* auct.; *gratissima* Staudinger,1892; *infusca* Staudinger,1892; *peralba* Schawerda,1923.
- 807) **Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,[1851]
- 808) **Eublemma (albida-gr.) stramineum (Staudinger,1892)** (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933.
- 809) **Eublemma (candidana-gr.) candidanum (Fabricius,1794)** (Noctuidae) Synonym(s): *candidana* Fabricius,1794; *minuta* Hübner,[1809]; *perlana* Geyer,[1830]; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871.
- 810) **Eublemma (Coccidiphaga) scitulum (Rambur,1833)** (Noctuidae) Synonym(s): *scitula* Rambur,1833; *exasperata* Lederer,1855; *gibbosa* Snellen,1872; *futilis* Swinhoe,1884; *cretacea* Hampson,1893; *turatii* Berio,2002.
- 811) **Eublemma (cochylioides-gr.) cochylioides (Guenée,1852)** (Noctuidae) Synonym(s): *cochylioides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusca* W. Warren,1913.
- 812) **Eublemma (Glossodice) polygrammum (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *violetta* Staudinger,1889.
- 813) **Eublemma (Honeyania) ragusanum (Freyer,1844)** (Noctuidae) Synonym(s): *ragusana* Freyer,1844; *virginea* Guenée,1852; *cinerina* Ghiliani,1854; *psilogramma* Lederer,1855; *quinquelinealis* Moore,1877; *dividens* Lucas,1892; *polygramma* Hampson,1894.
- 814) **Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973.
- 815) **Eublemma (pallidula-gr.) pallidulum (Herrich-Schäffer,1856)** (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856
- 816) **Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.

- 817) **Eucera cypria** Alfken,1933 (Apidae) Synonym(s): *cypria* Alfken,1933
 818) **Euchalcia** (s.str.) **augusta** (Staudinger,1892) (Noctuidae) Synonym(s): *augusta* Staudinger,1892
 819) **Euchloe** (s.str.) **ausonia** (Hübner,[1804]) (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
 820) **Euchromius ocellus** (Haworth,[1811]) (Pyralidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
 821) **Euchromius rayatellus** (Amsel,1949) (Pyralidae) Synonym(s): *rayatella* Amsel,1949
 822) **Euchromius superbullus** (Zeller,1849) (Pyralidae) Synonym(s): *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958.
 823) **Euclasta** (s.str.) **splendidalis** (Herrich-Schäffer,[1848]) (Pyralidae) Synonym(s): *splendidalis* Herrich-Schäffer,[1848]
 824) **Eucrostes indigenata** (Villers,1789) (Geometridae) Synonym(s): *indigenata* Villers,1789
 825) **Eudarcia** (Neomecessia) **lobata** (G.Petersen & Gaedike,1979) (Tineidae) Synonym(s): *lobata* G.Petersen & Gaedike,1979
 826) **Eudarcia** (Obesoceras) **echinata** (G.Petersen & Gaedike,1985) (Tineidae) Synonym(s): *echinata* G.Petersen & Gaedike,1985
 827) **Eudasyphora cyanella** (Meigen,1826) (Muscidae) Synonym(s): *cyanella* Meigen,1826
 828) **Eudonia delunella** (Stainton,1849) (Pyralidae) Synonym(s): *resinea* auct.; *delunella* Stainton,1849; *vandalia* Herrich-Schäffer,1851; *vandalialis* Herrich-Schäffer,1862; *pernigralis* Turati,1923
 829) **Euidopsis truncata** Ribaut,1948 (Delphacidae) Synonym(s): *truncata* Ribaut,1948
 830) **Euleia heraclei** (Linnaeus,1758) (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803
 831) **Eumenes coarctatus** (Linnaeus,1758) (Vespidae) Synonym(s): *coarctatus* Linnaeus,1758; *lunulatus* Fabricius,1804
 832) **Eumenes dubius** Saussure,1852 (Vespidae) Synonym(s): *dubius* Saussure,1852
 833) **Eumenes lepeleteri** Saussure,1852 (Vespidae) Synonym(s): *lepeleteri* Saussure,1852; *#lepeletieri* Saussure,1854; *granti* Kirby,1900; *janseii* Cameron,1910; *meruensis* Cameron,1910;
 834) **Eumera mulier** L.B.Prout,1929 (Geometridae) Synonym(s): *mulier* L.B.Prout,1929
 835) **Eumerus amoenus** Loew,1848 (Syrphidae) Synonym(s): *amoenus* Loew,1848
 836) **Eumerus amoenus** Loew,1848 (Syrphidae) Synonym(s): *amoenus* Loew,1848
 837) **Eumerus efflatouni** (Curran,1938) (Syrphidae) Synonym(s): *efflatouni* Curran,1938
 838) **Eumerus pulchellus** Loew,1848 (Syrphidae) Synonym(s): *pulchellus* Loew,1848
 839) **Eumerus pusillus** Loew,1848 (Syrphidae) Synonym(s): *pusillus* Loew,1848
 840) **Eupelix cuspidata** (Fabricius,1775) (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spathulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948
 841) **Eupeodes nuba** (Wiedemann,1830) (Syrphidae) Synonym(s): *nuba* Wiedemann,1830; *interrumpens* Walker,1871; *rufinasutus* Bigot,1884; *novigradensis* Coe,1960
 842) **Eupholidoptera cypria** Ramme,1951 (Tettigoniidae) Synonym(s): *cypria* Ramme,1951
 843) **Eupithecia breviculata** (Donzel,1837) (Geometridae) Synonym(s): *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977.
 844) **Eupithecia caeruleata** Favre,1899 (Geometridae) Synonym(s): *caeruleata* Favre,1899
 845) **Eupithecia cerussaria** (Lederer,1855) (Geometridae) Synonym(s): *cerussaria* Lederer,1855
 846) **Eupithecia ericeata** (Rambur,1833) (Geometridae) Synonym(s): *ericeata* Rambur,1833; *millierata* Staudinger,1871
 847) **Eupithecia marginata** Staudinger,1892 (Geometridae) Synonym(s): *marginata* Staudinger,1892
 848) **Eupithecia oblongata** (Thunberg,1784) (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1785; *centralisata* Staudinger,1892; *chinae* Vojnits,1977.
 849) **Eupithecia quercetica** L.B.Prout,1938 (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938
 850) **Eupithecia reisserata** Pinker,1976 (Geometridae) Synonym(s): *reisserata* Pinker,1976
 851) **Eupithecia schiefereri** Dietze,1904 (Geometridae) Synonym(s): *#schiefereri* Bohatsch,1893; *schiefereri* Dietze,1904; *#confluens* Dietze,1910; *#schiefererie* Pinker,1958; *#schieferi* Arnscheid,2000
 852) **Euplagia quadripunctaria** (Poda,1761) (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 nec Hol.,1897; *latefasciata* Bubacek,1915.
 853) **Eupteryx cypria** (Ribaut,1948) (Cicadellidae) Synonym(s): *cypria* Ribaut,1948
 854) **Eupteryx insulana** (Ribaut,1948) (Cicadellidae) Synonym(s): *insulana* Ribaut,1948
 855) **Eupteryx stachydearum** (Hardy,1850) (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939
 856) **Eurhadina ribauti** Wagner,1935 (Cicadellidae) Synonym(s): *ribauti* Wagner,1935; *umbrata* Ribaut,1936
 857) **Eurhodope** (Eurhobasis) **cinerea** (Staudinger,1879) (Pyralidae) Synonym(s): *cinerea* Staudinger,1879
 858) **Eurhodope** (s.str.) **incompta** (Zeller,1847) (Pyralidae) Synonym(s): *incompta* Zeller,1847
 859) **Eurydema** (Horvath) **rugulosa** (Dohrn,1860) (Pentatomidae) Synonym(s): *rugulosa* Dohrn,1860; *nigrorubra* Reuter,1900; *v-rubrum* Horvath,1917; *anaemica* Horvath,1917
 860) **Eurydema** (s.str.) **ornata** (Linnaeus,1758) (Pentatomidae) Synonym(s): *ornatum* Linnaeus,1758; *festivus* Linnaeus,1767; *pictum* Herrich-Schäffer,1833; *decoratum* Herrich-Schäffer,1833; *pustulata* Fieber,1837; *conjuncta* Kolenati,1846; *fallax* Scholtz,1847; *falleni* Gorski,1852; *umbralis* Gistel,1857
 861) **Eurytoma amygdali** Enderlein,1907 (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907
 862) **Euscelidius schenkii** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896
 863) **Euscelis incisus** (Kirschbaum,1858) (Cicadellidae) Synonym(s): *plebeja* Fallén,1806; *incisus* Kirschbaum,1858; *obscurellus* Kirschbaum,1858; *pallidior* Kirschbaum,1868; *communis* Edwards,1868; *tessellatus* Rey,1891; *fusciventris* Rey,1894; *paradoxus* Rey,1894; *ochreatea* Haupt,1927; *albingensis* Wagner,1939; *galiberti* Ribaut,1952; *subplebejus* H.Müller,1954; *superplebejus* H.Müller,1954; *aestivalis* H.Müller,1954; *vernalis* H.Müller,1954
 864) **Eustenancistrocerus** (Parastenancistrocerus) **amadanensis** (Saussure,1855) (Vespidae) Synonym(s): *amadanensis* Saussure,1855; *turca* Saussure,1863; *transitorius* Morawitz,1867; *lobatus* André,1883; *iranensis* Giordani Soika,1943; *flavellus* Giordani Soika,1952; *hoberlandti* Giordani Soika,1952
 865) **Eutelia adulatrix** (Hübner,[1813]) (Noctuidae) Synonym(s): *adulatrix* Hübner,[1813]
 866) **Euthycera stictica** (Fabricius,1805) (Sciomyzidae) Synonym(s): *stictica* Fabricius,1805; *prominens* Loew,1847; *mehadiensis* Oldenberg,1923

- 867) **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
- 868) **Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 869) **Euxoa (s.str.) hemispherica Hampson,1903** (Noctuidae) Synonym(s): *hemispherica* Hampson,1903
- 870) **Euzonitis quadrimaculata (Pallas,1782)** (Meloidae) Synonym(s): *quadrimaculata* Pallas,1782; *quadripunctata* Fabricius,1801; *bifasciata* Schwarz,1808
- 871) **Euzonitis sexmaculata (Olivier,1790)** (Meloidae) Synonym(s): *sexmaculata* Olivier,1790
- 872) **Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 873) **Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyralidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimelella* Zerny,1934.
- 874) **Euzophera (s.str.) formosella (Rebel,1910)** (Pyralidae) Synonym(s): *formosella* Rebel,1910
- 875) **Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
- 876) **Euzophera (s.str.) umbrosella (Staudinger,1879)** (Pyralidae) Synonym(s): *umbrosella* Staudinger,1879; *albogilvella* Ragonot,1887; *depauperatella* Ragonot,1901.
- 877) **Evagetus dubius (Van der Linden,1827)** (Pompilidae) Synonym(s): *dubius* Van der Linden,1827; *obscurodubius* Wolf & Diniz,1970
- 878) **Evagetus elongatus Lepeletier,1845** (Pompilidae) Synonym(s): *elongatus* Lepeletier,1845; *infernalis* Wolf,1970
- 879) **Evagetus pectinipes (Linnaeus,1758)** (Pompilidae) Synonym(s): *pectinipes* Linnaeus,1758; *trispinosus* Kohl,1886; *mediterraneus* Wolf,1970
- 880) **Evagetus pontomoravicus (Sustera,1938)** (Pompilidae) Synonym(s): *pontomoravicus* Sustera,1938; *schwarzi* Priesner,1965; *mauromoustakisi* Wolf,1970
- 881) **Evagetus siculus (Lepeletier,1845)** (Pompilidae) Synonym(s): *siculus* Lepeletier,1845; *seitzii* Haupt,1927; *villicus* Tournier,1969
- 882) **Evergestis isatidalis (Duponchel,1833)** (Pyralidae) Synonym(s): *isatidalis* Duponchel,1833
- 883) **Exaeretia ledereri (Zeller,1854)** (Oecophoridae) Synonym(s): *ledereri* Zeller,1854.
- 884) **Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva* Santos Abreu,1920; *exornata* Ségué,1941; *peyerimhoffi* Burghel-Balancesco,1966
- 885) **Exhyalanthrax afer (Fabricius,1794)** (Bombyliidae) Synonym(s): *afer* Fabricius,1794; *fimbriata* Meigen,1804; *marginalis* Wiedemann,1820; *tangerinus* Bigot,1892; *burtii* Hesse,1956; *aequisexus* Bowden,1964; *decipiens* Bowden,1964
- 886) **Exhyalanthrax albicingulus (Austen,1936)** (Bombyliidae) Synonym(s): *albicingulus* Austen,1936
- 887) **Exhyalanthrax innocens (Austen,1936)** (Bombyliidae) Synonym(s): *innocens* Austen,1936; *amoenus* Austen,1937
- 888) **Exhyalanthrax melanchlaenus (Loew,1869)** (Bombyliidae) Synonym(s): *melanchlaenus* Loew,1869; *agnitionalis* Austen,1937
- 889) **Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927
- 890) **Exodrymadusa inornata (Uvarov,1936)** (Tettigoniidae) Synonym(s): *inornata* Uvarov,1936
- 891) **Exoprosopa grandis (Wiedemann,1820)** (Bombyliidae) Synonym(s): *grandis* Wiedemann,1820; *fasciata* Dufour,1850 *nec* Meig.,1804; *turcomana* Portschnsky,1887
- 892) **Exoprosopa onusta (Walker,1852)** (Bombyliidae) Synonym(s): *onusta* Walker,1852; *truquii* Rondani,1863
- 893) **Exoprosopa pectoralis Loew,1862** (Bombyliidae) Synonym(s): *pectoralis* Loew,1862
- 894) **Exorista segregata (Rondani,1859)** (Tachinidae) Synonym(s): *segregata* Rondani,1859
- 895) **Fallenia fasciata (Fabricius,1805)** (Nemestrinidae) Synonym(s): *fasciata* Fabricius,1805
- 896) **Fannia canicularis (Linnaeus,1761)** (Fanniidae) Synonym(s): *canicularis* Linnaeus,1761; *rivularis* R-D.,1830; *chilensis* Macquart,1843; *constantina* Macquart,1843; *hilaris* Zetterstedt,1845; *introducata* Walker,1853; *muscoideus* Walker,1871
- 897) **Faveria dionysia (Zeller,1846)** (Pyralidae) Synonym(s): *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937
- 898) **Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864
- 899) **Fieberiella lindbergi Wagner,1963** (Cicadellidae) Synonym(s): *lindbergi* Wagner,1963
- 900) **Flastena fumata (Lindberg,1948)** (Delphacidae) Synonym(s): *fumata* Lindberg,1948
- 901) **Forficula aetolica Brunner von Wattenwyl,1882** (Forficulidae) Synonym(s): *aetolica* Brunner von Wattenwyl,1882
- 902) **Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900
- 903) **Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839
- 904) **Formicomus ionicus LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus* LaFerté & Sénectere,1847
- 905) **Frutoidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947
- 906) **Furcula interrupta Christoph,1867** (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989.
- 907) **Gaedikeia kokkariensis Sutter,1998** (Tineidae) Synonym(s): *kokkariensis* Sutter,1998
- 908) **Galeatus scrophicus Saunders,1876** (Tingidae) Synonym(s): *scrophicus* Saunders,1876; *helianthi* Önder & Lodos,1977
- 909) **Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930.
- 910) **Gegenes pumilio (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrtilli,1787 *nec* Fabr.,1775; *aetna* Boisduval,1840; *lefebrierii* Rambur,1842; *monochroa* Rebel,1907.
- 911) **Geron (s.str.) krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929
- 912) **Geron (s.str.) olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840
- 913) **Gitona distans Bezzi,1924** (Drosophilidae) Synonym(s): *distans* Bezzi,1924
- 914) **Glaucompsyche (Apelles) paphos (Chapman,1920)** (Lycaenidae) Synonym(s): *paphos* Chapman,1920
- 915) **Globicornis picta (Küster,1851)** (Dermestidae) Synonym(s): *picta* Küster,1851
- 916) **Glossotrophia (Libanonia) sacraria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910
- 917) **Gnophos (Dicrognophos) sartatus (Treitschke,1827)** (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.

- 918) Gonepteryx (Isogonepteryx) cleopatra (Linnaeus,1767)** (Pieridae) Synonym(s): *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920.
- 919) Gonia maculipennis Egger,1862** (Tachinidae) Synonym(s): *maculipennis* Egger,1862
- 920) Goniagnathus brevis (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer,1835; *annulipes* Lucas,1849
- 921) Goniodoma limoniella (Stainton,1884)** (Coleophoridae) Synonym(s): *limoniella* Stainton,1884
- 922) Goniurellia persignata Freidberg,1980** (Tephritidae) Synonym(s): *persignata* Freidberg,1980
- 923) Gonocerus acuteangulatus (Goeze,1778)** (Coreidae) Synonym(s): *acuteangulatus* Goeze,1778
- 924) Gonocerus imitator Reuter,1891** (Coreidae) Synonym(s): *imitator* Reuter,1891; *carreti* Puton,1895
- 925) Gonocerus juniperi (Herrich-Schäffer,1839)** (Coreidae) Synonym(s): *juniperi* Herrich-Schäffer,1839
- 926) Grammodes stolidus (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidus* Fabricius,1775; *cingularis* Hübner,[1808]; *stipida* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
- 927) Graphosoma (s.str.) semipunctatum (Fabricius,1775)** (Pentatomidae) Synonym(s): *semipunctatum* Fabricius,1775; *interruptum* White,1839; *wilsoni* White,1839; *persica* Ferr.,1874; *creticum* Horvath,1909
- 928) Graptostethus servus (Fabricius,1787)** (Lygaeidae) Synonym(s): *servus* Fabricius,1787; *maculicollis* Germar,1847; *rubricosus* Stal,1854; *manillensis* Stal,1860; *ornatus* Uhler,1860; *#conjuncta* Srtichel,1957
- 929) Gravesteiniella boldi (Scott,1870)** (Delphacidae) Synonym(s): *boldi* Scott,1870; *consanguinea* Scott,1873; *tschikoica* Kusnezov,1929; *bicolor* Lindberg,1948; *rubricarina* Mitjaev,1967
- 930) Grypotes staurus Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus* Ivanoff,1885; *australis* Haupt,1927
- 931) Gymnosoma clavatum (Rohdendorf,1947)** (Tachinidae) Synonym(s): *clavata* Rohdendorf,1947; *verbekei* Mesnil,1952
- 932) Gymnosoma desertorum (Rohdendorf,1947)** (Tachinidae) Synonym(s): *desertorum* Rohdendorf,1947; *plesiomorpha* Zimin,1966
- 933) Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
- 934) Hadena (Anepia) perplexa perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
- 935) Hadena (Anepia) sancta (Staudinger,1859)** (Noctuidae) Synonym(s): *sancta* Staudinger,1859
- 936) Hadena (Anepia) syriaca (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 937) Hadena (Pronotestra) silenides (Staudinger,1895)** (Noctuidae) Synonym(s): *silenides* Staudinger,1895; *cinochrea* Chrétien,1911; *pampaninii* C.G.Krüger,1933.
- 938) Hadena (s.str.(Albimaculia)) adriana (Schawerda,1921)** (Noctuidae) Synonym(s): *adriana* Schawerda,1921
- 939) Hadena (s.str.(Albimaculia)) gueneei (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905
- 940) Hadula (Aglossestra) deserticola (Hampson,1905)** (Noctuidae) Synonym(s): *deserticola* Hampson,1905; *mariaeludovicae* Lucas,1914; *affinis* Rothschild,1914.
- 941) Hadula (Calocestra (Dianthus)) dianthi (Tauscher,1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930.
- 942) Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 943) Halictus (s.str.) asperulus Pérez,1895** (Halictidae) Synonym(s): *asperulus* Pérez,1895
- 944) Halictus (s.str.) brunnescens (Eversmann,1852)** (Halictidae) Synonym(s): *brunnescens* Eversmann,1852; *maximus* Friese,1916; *aegyptiacus* Friese,1916
- 945) Halictus (s.str.) fatsensis Blüthgen,1936** (Halictidae) Synonym(s): *fatsensis* Blüthgen,1936
- 946) Halictus (s.str.) nicosiae Blüthgen,1923** (Halictidae) Synonym(s): *nicosiae* Blüthgen,1923
- 947) Halictus (s.str.) resurgens Nurse,1903** (Halictidae) Synonym(s): *resurgens* Nurse,1903
- 948) Halictus (s.str.) tetrazonianellus Strand,1909** (Halictidae) Synonym(s): *tetrazonianellus* Strand,1909
- 949) Halictus (Seladonia) cephalicus (Morawitz,1873)** (Halictidae) Synonym(s): *cephalicus* Morawitz,1873
- 950) Halictus (Seladonia) smaragdulus Vachal,1895** (Halictidae) Synonym(s): *smaragdulus* Vachal,1895
- 951) Halictus (Vestitohalictus) cypricus Blüthgen,1937** (Halictidae) Synonym(s): *cypricus* Blüthgen,1937
- 952) Halictus (Vestitohalictus) pollinosus Sichel,1860** (Halictidae) Synonym(s): *pollinosus* Sichel,1860
- 953) Haplothrix subtilis (Reitter,1885)** (Melyridae) Synonym(s): *subtilis* Reitter,1885
- 954) Hapsifera luridella Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinisensis* Rebel,1901; *kerbelella* Amsel,1949
- 955) Harpalus (s.str.) affinis (Schränk,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schränk,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907
- 956) Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904
- 957) Hauptidia (s.str.) armata (Ribaut,1948)** (Cicadellidae) Synonym(s): *armata* Ribaut,1948
- 958) Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962
- 959) Hauptidia (s.str.) stellata (Ribaut,1948)** (Cicadellidae) Synonym(s): *stellata* Ribaut,1948
- 960) Hebecnema fumosa (Meigen,1826)** (Muscidae) Synonym(s): *fumosa* Meigen,1826
- 961) Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897
- 962) Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861.
- 963) Hecatera cappa (Hübner,1809)** (Noctuidae) Synonym(s): *cappa* Hübner,[1809]
- 964) Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villiers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910.
- 965) Hedychridium lampadum Linsenmaier,1959** (Chrysidae) Synonym(s): *limassolense* Linsenmaier,1959

- 966) **Helicoverpa armigera (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 967) **Helicoverpa armigera armigera (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 968) **Helina chaetopyga (Malloch,1921)** (Muscidae) Synonym(s): *chaetopyga* Malloch,1921
- 969) **Helina reversio (Harris,1780)** (Muscidae) Synonym(s): *reversio* Harris,1780; *duplicata* Meigen,1826; *duplaris* Zetterstedt,1845
- 970) **Helina sexmaculata (Preyssler,1791)** (Muscidae) Synonym(s): *sexmaculata* Preyssler,1791; *punctata* R-D.,1830
- 971) **Heliothis nubigera Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 972) **Heliothis peltigera (Denis & Schiffermüller),1775** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 973) **Heliothis viriplaca (Hufnagel,1766)** (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 974) **Helladia humeralis (Waltl,1828)** (Cerambycidae) Synonym(s): *humeralis* Waltl,1828
- 975) **Helladia millefolii (Adams,1817)** (Cerambycidae) Synonym(s): *millefolii* Adams,1817
- 976) **Hellinsia inulae (Zeller,1852)** (Pterophoridae) Synonym(s): *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992.
- 977) **Hellinsia pectodactyla (Staudinger,1859)** (Pterophoridae) Synonym(s): *pectodactylus* Staudinger,1859; *angustus* Walsingham,1880; *stramineus* Walsingham,1880; *melanoschisma* Walsingham,1908.
- 978) **Hellula undalis (Fabricius,1781)** (Pyralidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977
- 979) **Helophorus pallidipennis Mulsant & Wachanru,1852** (Helophoridae) Synonym(s): *pallidipennis* Mulsant & Wachanru,1852
- 980) **Hemianax ephippiger (Burmeister,1839)** (Aeshnidae) Synonym(s): *ephippiger* Burmeister,1839
- 981) **Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823
- 982) **Henestaris laticeps (Curtis,1836)** (Lygaeidae) Synonym(s): *laticeps* Curtis,1836; *genei* Spinola,1837; *spinolae* A.Costa,1839; *hispanus* Rambur,1839; *oculatus* Motschulsky,1863; *curtulus* Horvath,1911; *cypriacus* E.Wagner,1949; *oboussierae* E.Wagner,1954
- 983) **Hercostomus cyprius Parent,1937** (Dolichopodidae) Synonym(s): *cyprius* Parent,1937
- 984) **Heriades (Michenerella) dalmaticus Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951
- 985) **Heriades (Michenerella) punctuliferus Schletterer,1889** (Megachilidae) Synonym(s): *punctuliferus* Schletterer,1889; *syriaca* Benoist,1928
- 986) **Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz,1875; *armeniacus* Popov,1956
- 987) **Heriades (s.str.) rubicola Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931
- 988) **Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889
- 989) **Herina oscillans (Meigen,1826)** (Ulidiidae) Synonym(s): *oscillans* Meigen,1826
- 990) **Herpetogramma licarsisalis (Walker,1859)** (Pyralidae) Synonym(s): *licarsisalis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1889; *#licarsialis* Rebel,1939
- 991) **Heteracris adpersus (Redtenbacher,1889)** (Acrididae) Synonym(s): *adpersus* Redtenbacher,1889; *massai* Galvagni,1978
- 992) **Heteracris littoralis (Rambur,1838)** (Acrididae) Synonym(s): *littoralis* Rambur,1838; *similis* Brunner von Wattenwyl,1861; *notata* Walker,1870; *aethiopica* Carl,1916; *asiaticus* Uvarov,1933; *bituberculatus* Bei-Bienko,1948
- 993) **Heteralonia (Acrodosia) suffusa (Klug,1832)** (Bombyliidae) Synonym(s): *suffusa* Klug,1832; *conturbata* Loew,1869
- 994) **Heteralonia (Homolonia) megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937
- 995) **Heteralonia (Zygodiola) melanoptera (Pallas & Wiedemann,1818)** (Bombyliidae) Synonym(s): *melanoptera* Pallas & Wiedemann,1818
- 996) **Heterogaster cathariae (Geoffroy,1785)** (Lygaeidae) Synonym(s): *cathariae* Geoffroy,1785
- 997) **Heteropalpia vetusta (Walker,1865)** (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898
- 998) **Hilara cypriana Chvala,2008** (Empididae) Synonym(s): *cypriana* Chvala,2008
- 999) **Hipparchia (Parahipparchia) cypriensis (Holik,1949)** (Satyridae) Synonym(s): *cypriensis* Holik,1949
- 1000) **Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
- 1001) **Hippotion celerio (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albineatus* Montrousier,1864
- 1002) **Hockeria magna Boucek,1952** (Chalcididae) Synonym(s): *magna* Boucek,1952
- 1003) **Holcogaster fibulata (Germar,1831)** (Pentatomidae) Synonym(s): *fibulata* Germar,1831; *exilis* Horvath,1903; *meridionalis* De Seabra,1924; *longicornis* E.Wagner,1955; *weberi* E.Wagner,1964
- 1004) **Holcostethus strictus (Fabricius,1803)** (Pentatomidae) Synonym(s): *strictus* Fabricius,1803; *vernalis* Wolff,1804
- 1005) **Homocosoma (s.str.) sinuellum (Fabricius,1794)** (Pyralidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 1006) **Hoplia (Decamera) corniculata Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890
- 1007) **Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994
- 1008) **Hoplitis (Alcidamea) limassolica (Mavromoustakis,1937)** (Megachilidae) Synonym(s): *limassolica* Mavromoustakis,1937
- 1009) **Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991

- 1010) *Hoplitis (Anthocopa) anipuncta* (Alfken,1935) (Megachilidae) Synonym(s): *anipuncta* Alfken,1935**
1011) *Hoplitis (Anthocopa) cypriaca* (Mavromoustakis,1938) (Megachilidae) Synonym(s): *cypriaca* Mavromoustakis,1938; *bayburtensis* Tkalcu,1980
1012) *Hoplitis (Anthocopa) idalia* (Mavromoustakis,1948) (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948
1013) *Hoplitis (Anthocopa) yermasoyiae* (Mavromoustakis,1938) (Megachilidae) Synonym(s): *yermasoyiae* Mavromoustakis,1938; *asiae* Tkalcu,1979; *coreyraea* Tkalcu,1979
1014) *Hoplitis (s.str.) holmboei* (Mavromoustakis,1948) (Megachilidae) Synonym(s): *holmboei* Mavromoustakis,1948
1015) *Hoplodrina ambigua* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
1016) *Hyalesthes mavromoustakisi* Dlabola,1959 (Cixiidae) Synonym(s): *mavromoustakisi* Dlabola,1959
1017) *Hyalesthes mlokosiewiczii* Signoret,1879 (Cixiidae) Synonym(s): *mlokosiewiczii* Signoret,1879
1018) *Hyalesthes obsoletus* Signoret,1865 (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935
1019) *Hyalopterus pruni* (Geoffroy,1762) (Aphididae) Synonym(s): *pruni* Geoffroy,1762
1020) *Hydrellia griseola* (Fallén,1813) (Ephydriidae) Synonym(s): *griseola* Fallén,1813; *obscura* Meigen,1830; *chrysostoma* Meigen,1830
1021) *Hydriris ornatalis* (Duponchel,1832) (Pyralidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *decusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabilie,1880 nec Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972
1022) *Hydrochara dichorama* (Fairmaire,1829) (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829
1023) *Hydrometra stagnorum* (Linnaeus,1758) (Hydrometridae) Synonym(s): *stagnorum* Linnaeus,1758
1024) *Hydromya dorsalis* (Fabricius,1775) (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775; *punctipennis* Fallén,1820; *caeruleipennis* R-D.,1830; *obscuriventris* Strobl,1899; *infuscata* Villeneuve,1912
1025) *Hydrophorus balticus* (Meigen,1824) (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840
1026) *Hydrophorus praecox* (Lehmann,1822) (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherri* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902
1027) *Hylaeus cypricolus* (Warncke,1972) (Colletidae) Synonym(s): *cypricolus* Warncke,1972
1028) *Hylaeus lineolatus* (Schenck,1861) (Colletidae) Synonym(s): *lineolatus* Schenck,1861
1029) *Hylaeus punctatus* (Brullé,1832) (Colletidae) Synonym(s): *punctatus* Brullé,1832
1030) *Hyles livornica* (Esper,[1780]) (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
1031) *Hyles livornica livornica* (Esper,[1780]) (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
1032) *Hyphenia (Ophiuche) lividalis* (Hübner,1796) (Noctuidae) Synonym(s): *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicalis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ?*bipartita* Smith,1900.
1033) *Hyphenia (s.str.) obsitalis* (Hübner,[1813]) (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813]
1034) *Hypenodes cypriaca* Fibiger, Pekarsky & Ronkay,2010 (Noctuidae) Synonym(s): *cypriaca* Fibiger, Pekarsky & Ronkay,2010
1035) *Hypenodes orientalis* Staudinger,1901 (Noctuidae) Synonym(s): *orientalis* Staudinger,1901; *nesiota* Rebel,1916.
1036) *Hypomecis punctinalis* (Scopoli,1763) (Geometridae) Synonym(s): *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goeze,1781; *bandedvillaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* Villers,1789
1037) *Hyponephela (s.str.) lupina* (Costa,[1836]) (Satyridae) Synonym(s): *lupina* Costa,[1836]
1038) *Hyposcotis (Euchrognophos) subtaurica* (Wehrli,1932) (Geometridae) Synonym(s): *subtaurica* Wehrli,1932
1039) *Hypotia colchicalis* (Herrich-Schäffer,[1855]) (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *numidalis* Hampson,1900.
1040) *Hypotia mavromoustakisi* (Rebel,1928) (Pyralidae) Synonym(s): *mavromoustakisi* Rebel,1928
1041) *Hyppa rectilinea* (Esper,[1788]) (Noctuidae) Synonym(s): *rectilinea* Esper,[1788]; *albopicta* Matsumura,1952
1042) *Hypsopygia costalis* (Fabricius,1775) (Pyralidae) Synonym(s): *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
1043) *Hysteropterum grylloides* (Fabricius,1794) (Issidae) Synonym(s): *grylloides* Fabricius,1794
1044) *Ichneumon sarcitorius* Linnaeus,1758 (Ichneumonidae) Synonym(s): *sarcitorius* Linnaeus,1758; *caucasicus* Meyer,1926
1045) *Idaea albitorquata* (Püngeler,1909) (Geometridae) Synonym(s): *albitorquata* Püngeler,1909
1046) *Idaea camparia* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934.
1047) *Idaea completa* (Staudinger,1892) (Geometridae) Synonym(s): *completa* Staudinger,1892
1048) *Idaea consanguinaria* (Lederer,1853) (Geometridae) Synonym(s): *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
1049) *Idaea consolidata* (Lederer,1853) (Geometridae) Synonym(s): *consolidata* Lederer,1853
1050) *Idaea degeneraria* (Hübner,[1799]) (Geometridae) Synonym(s): *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913
1051) *Idaea distinctaria* (Boisduval,1840) (Geometridae) Synonym(s): *distinctaria* Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852
1052) *Idaea elongaria* (Rambur,1833) (Geometridae) Synonym(s): *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infermata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942.
1053) *Idaea filicata* (Hübner,[1799]) (Geometridae) Synonym(s): *filicata* Hübner,[1799]; *filicaria* Duponchel,1830; *levequei* Leraut,2003
1054) *Idaea fractilineata* (Zeller,1847) (Geometridae) Synonym(s): *fractilineata* Zeller,1847; *fractilinearia* Herrich-Schäffer,1852
1055) *Idaea inclinata* (Lederer,1855) (Geometridae) Synonym(s): *inclinata* Lederer,1855
1056) *Idaea inquinata* (Scopoli,1763) (Geometridae) Synonym(s): *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840
1057) *Idaea intermedia* (Staudinger,1879) (Geometridae) Synonym(s): *intermedia* Staudinger,1879

- 1058) *Idaea mimosaria* (Herrich-Schäffer, 1852) (Geometridae) Synonym(s): *mimosaria* Herrich-Schäffer, 1852
- 1059) *Idaea ochrata* (Scopoli, 1763) (Geometridae) Synonym(s): *ochrata* Scopoli, 1763; *#ochreate* [Denis & Schiffermüller], 1775; *corrigata* Fabricius, 1781; *ochrearia* Schrank, 1802 nec Ross., 1794; *sicula* Zeller, 1847; *accretata* Fuchs, 1901
- 1060) *Idaea ostrinaria* (Hübner, [1813]) (Geometridae) Synonym(s): *ostrinaria* Hübner, [1813]; *demarginata* Schwingenschuss, 1938.
- 1061) *Idaea palaestinensis* (Sterneck, 1933) (Geometridae) Synonym(s): *antitaurica* Wehrli, 1932 nec Whrl., 1931; *palaestinensis* Sterneck, 1933; *seitunensis* L.B. Prout, 1934.
- 1062) *Idaea peluraria* (Reisser, 1939) (Geometridae) Synonym(s): *peluraria* Reisser, 1939
- 1063) *Idaea politaria* (Hübner, [1799]) (Geometridae) Synonym(s): *politata* Hübner, 1793 nec Fabr., 1781; *politaria* Hübner, [1799]; *#abmarginata* Bohatsch, 1885; *mundipennis* W. Warren, 1898; *abmarginata* Staudinger, 1901
- 1064) *Idaea ruficostata* Zeller, 1847 (Geometridae) Synonym(s): *ruficostata* Zeller, 1847; *incarnaria* Herrich-Schäffer, 1852.
- 1065) *Idaea sodaliaria* (Herrich-Schäffer, [1852]) (Geometridae) Synonym(s): *sodaliaria* Herrich-Schäffer, [1852]
- 1066) *Idaea subsaturata* (Guenée, [1858]) (Geometridae) Synonym(s): *subsaturata* Guenée, [1858]; *miserata* Staudinger, 1859; *subherbariata* Rössler, 1877
- 1067) *Idaea textaria* (Lederer, 1861) (Geometridae) Synonym(s): *textaria* Lederer, 1861
- 1068) *Idaea tineata* (Thierry-Mieg, 1911) (Geometridae) Synonym(s): *tineata* Thierry-Mieg, 1911; *antennata* Wehrli, 1931.
- 1069) *Idaea trigeminata* (Haworth, [1809]) (Geometridae) Synonym(s): *trigeminata* Haworth, [1809]; *reversata* Treitschke, 1828; *reversaria* Duponchel, 1830.
- 1070) *Idaea troglodytaria* (Herrich-Schäffer, [1852]) (Geometridae) Synonym(s): *troglydytaria* Herrich-Schäffer, [1852]; *albonitens* Sterneck, 1939
- 1071) *Idia calvaria* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller], 1775
- 1072) *Idiocera* (s.str.) *pulchripennis* (Loew, 1856) (Limoniidae) Synonym(s): *pulchripennis* Loew, 1856; *?flicina* Santos Abreu, 1923; *similior* Alexander, 1956
- 1073) *Idiocerus vittifrons* Kirschbaum, 1868 (Cicadellidae) Synonym(s): *vittifrons* Kirschbaum, 1868
- 1074) *Infurcitinea cyprica* G. Petersen & Gaedike, 1983 (Tineidae) Synonym(s): *cyprica* G. Petersen & Gaedike, 1983
- 1075) *Infurcitinea frustigerella* (Walsingham, 1907) (Tineidae) Synonym(s): *frustigerella* Walsingham, 1907; *absconditella* Chrétien, 1915.
- 1076) *Infurcitinea graeca* Gaedike, 1983 (Tineidae) Synonym(s): *graeca* Gaedike, 1983; *graeca* G. Petersen & Gaedike, 1983
- 1077) *Infurcitinea nedae* Gaedike, 1983 (Tineidae) Synonym(s): *nedae* Gaedike, 1983; *nedae* Baldizzone, 1983
- 1078) *Infurcitinea nigropluviella* (Walsingham, 1907) (Tineidae) Synonym(s): *nigropluviella* Walsingham, 1907; *maraschensis* G. Petersen, 1968.
- 1079) *Iris oratoria* (Linnaeus, 1758) (Irididae) Synonym(s): *oratoria* Linnaeus, 1758; *dentata* Goeze, 1778; *bella* Germar, 1817; *minima* Charpentier, 1825; *fenestrata* Brullé, 1832
- 1080) *Ischnopeza hirticornis* (Herrich-Schäffer, 1853) (Lygaeidae) Synonym(s): *hirticornis* Herrich-Schäffer, 1853
- 1081) *Ischnopeza pallipes* Puton, 1892 (Lygaeidae) Synonym(s): *pallipes* Puton, 1892
- 1082) *Ischnura elegans* (Van Der Linden, 1820) (Coenagrionidae) Synonym(s): *elegans* Van Der Linden, 1820
- 1083) *Ischnura pumilio* (Charpentier, 1825) (Coenagrionidae) Synonym(s): *pumilio* Charpentier, 1825
- 1084) *Isophya mavromaustakisi* Uvarov, 1936 (Tettigoniidae) Synonym(s): *mavromaustakisi* Uvarov, 1936
- 1085) *Issus bellardi* Melichar, 1906 (Issidae) Synonym(s): *bellardi* Melichar, 1906
- 1086) *Issus fieberi* Melichar, 1906 (Issidae) Synonym(s): *fieberi* Melichar, 1906
- 1087) *Istrianis femoralis* (Staudinger, 1876) (Gelechiidae) Synonym(s): *femoralis* Staudinger, 1876; *comodonella* Staudinger, 1879; *gravosensis* Rebel, 1937; *angustipennis* Rebel, 1941; *funebrella* Rebel, 1941.
- 1088) *Isturgia berytaria* (Staudinger, 1892) (Geometridae) Synonym(s): *berytaria* Staudinger, 1892
- 1089) *Iubsoda stigmatica* (Melichar, 1897) (Delphacidae) Synonym(s): *stigmatica* Melichar, 1897; *strigosa* Matsumura, 1910; *duffelsi* Dlabola, 1974
- 1090) *Javesella dubia* (Kirschbaum, 1868) (Delphacidae) Synonym(s): *dubia* Kirschbaum, 1868; *nitidipennis* Kirschbaum, 1868; *pargasensis* Reuter, 1880; *difficilis* Edwards, 1888
- 1091) *Jordanita* (Praviela) *anatolica* (Naufock, 1929) (Zygaenidae) Synonym(s): *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; *?christinae* Keil, 1998.
- 1092) *Jordanita* (s.str.) *graeca* (Jordan, 1907) (Zygaenidae) Synonym(s): *graeca* Jordan, 1907
- 1093) *Jordanita* (s.str.) *syriaca* (Alberti, 1937) (Zygaenidae) Synonym(s): *syriaca* Alberti, 1937
- 1094) *Julodis armeniaca* Marseul, 1865 (Buprestidae) Synonym(s): *armeniaca* Marseul, 1865
- 1095) *Julodis ehrenbergi* Laporte, 1835 (Buprestidae) Synonym(s): *ehrenbergi* Laporte, 1835
- 1096) *Kelisia brucki* Fieber, 1878 (Delphacidae) Synonym(s): *brucki* Fieber, 1878
- 1097) *Kelisia perrieri* Ribaut, 1934 (Delphacidae) Synonym(s): *perrieri* Ribaut, 1934
- 1098) *Kelisia ribauti* Wagner, 1938 (Delphacidae) Synonym(s): *guttula* Ribaut, 1934 nec Germ., 1818; *ribauti* Wagner, 1938
- 1099) *Kelisia yarkonensis* Linnavuori, 1962 (Delphacidae) Synonym(s): *yarkonensis* Linnavuori, 1962
- 1100) *Keradere lepidella* (Ragonot, 1887) (Pyralidae) Synonym(s): *lepidella* Ragonot, 1887
- 1101) *Keradere tengstroemiella* (Erschoff, 1874) (Pyralidae) Synonym(s): *tengstroemiella* Erschoff, 1874; *noctivaga* Staudinger, 1879.
- 1102) *Kirinia* (Melike) *roxelana* (Cramer, [1777]) (Satyridae) Synonym(s): *roxelana* Cramer, [1777]; *#anatolica* Koçak, 1989
- 1103) *Kriechbaumerella mansues* (Nikol'skaya, 1952) (Chalcididae) Synonym(s): *mansues* Nikol'skaya, 1952
- 1104) *Labidostomis* (s.str.) *decipiens* Faldermann, 1837 (Chrysomelidae) Synonym(s): *decipiens* Faldermann, 1837; *lineola* Redtenbacher, 1843
- 1105) *Labidostomis* (s.str.) *karamanica* Weise, 1900 (Chrysomelidae) Synonym(s): *karamanica* Weise, 1900; *cyprius* Lopatin, 1962
- 1106) *Laemostenus* (Pristonychus) *conspicuus* (Waltl, 1838) (Carabidae) Synonym(s): *conspicuus* Waltl, 1838; *grandicollis* Sturm, 1843; *grandis* Motschoulsky, 1950; *nitidus* Motschoulsky, 1865
- 1107) *Lamoria anella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller], 1775
- 1108) *Lamoria jordanis* Ragonot, 1901 (Pyralidae) Synonym(s): *jordanis* Ragonot, 1901
- 1109) *Lamoria melanophlebia* Ragonot, 1888 (Pyralidae) Synonym(s): *melanophlebia* Ragonot, 1888
- 1110) *Lampides boeticus* (Linnaeus, 1767) (Lycaenidae) Synonym(s): *boeticus* Linnaeus, 1767; *damoetes* Fabricius, 1775; *coluteae* Fuessly, 1775; *pisorum* Fourcroy, 1785; *boedicus* Borkhausen, 1788; *#baeticus* Latreille, 1809; *armeniensis* Gerhard, 1886; *bagus* Distant, 1886
- 1111) *Lampromeloe cavensis* (Petagna, 1819) (Meloidae) Synonym(s): *cavensis* Petagna, 1819; *purpurascens* Germar, 1834; *sardous* Gené, 1836; *aeneus* Laporte, 1840; *latreillei* Marseul, 1867
- 1112) *Lampyroidea lucifer* (Reiche & Saulcy, 1857) (Lampyridae) Synonym(s): *lucifer* Reiche & Saulcy, 1857; *lucifera* E. Olivier, 1884

- 1113) **Lampyroidea maculicollis (Mulsant & Wachanru,1852)** (Lampyridae) Synonym(s): *maculicollis* Mulsant & Wachanru,1852; *maculithorax* Gemminger,1870
- 1114) **Larentia clavaria Haworth,[1809]** (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
- 1115) **Lasiacantha hedenborgi (Stal,1873)** (Tingidae) Synonym(s): *hedenborgi* Stal,1873; *#hedenbergii* Önder et al.,2006
- 1116) **Lasiocampa serrula (Guenée,1858)** (Lasiocampidae) Synonym(s): *serrula* Guenée,1858
- 1117) **Lasiocampa terreni (Herrich-Schäffer,1847)** (Lasiocampidae) Synonym(s): *terreni* Herrich-Schäffer,1847
- 1118) **Lasioglossum (Evylaeus) ahroundicum (Blüthgen,1937)** (Halictidae) Synonym(s): *ahroundicum* Blüthgen,1937
- 1119) **Lasioglossum (Evylaeus) anellum (Vachal,1905)** (Halictidae) Synonym(s): *anellum* Vachal,1905
- 1120) **Lasioglossum (Evylaeus) bischoffi (Blüthgen,1931)** (Halictidae) Synonym(s): *bischoffi* Blüthgen,1931
- 1121) **Lasioglossum (Evylaeus) clypeiferellum (Strand,1909)** (Halictidae) Synonym(s): *clypeiferellum* Strand,1909
- 1122) **Lasioglossum (Evylaeus) convexiusculum (Schenck,1853)** (Halictidae) Synonym(s): *convexiusculum* Schenck,1853
- 1123) **Lasioglossum (Evylaeus) crassepunctatum (Blüthgen,1923)** (Halictidae) Synonym(s): *crassepunctatum* Blüthgen,1923
- 1124) **Lasioglossum (Evylaeus) damascenum (Pérez,1910)** (Halictidae) Synonym(s): *damascenum* Pérez,1910
- 1125) **Lasioglossum (Evylaeus) dolichocephalum (Blüthgen,1923)** (Halictidae) Synonym(s): *dolichocephalum* Blüthgen,1923
- 1126) **Lasioglossum (Evylaeus) elegans (Lepeletier,1841)** (Halictidae) Synonym(s): *elegans* Lepeletier,1841
- 1127) **Lasioglossum (Evylaeus) erraticum (Blüthgen,1931)** (Halictidae) Synonym(s): *erraticum* Blüthgen,1931
- 1128) **Lasioglossum (Evylaeus) griseolum (Morawitz,1872)** (Halictidae) Synonym(s): *griseolum* Morawitz,1872
- 1129) **Lasioglossum (Evylaeus) laevidorsum (Blüthgen,1923)** (Halictidae) Synonym(s): *laevidorsum* Blüthgen,1923
- 1130) **Lasioglossum (Evylaeus) laticeps Schenck,1870** (Halictidae) Synonym(s): *laticeps* Schenck,1870; *hellenicum* Blüthgen,1937
- 1131) **Lasioglossum (Evylaeus) limbellum (Morawitz,1876)** (Halictidae) Synonym(s): *limbellum* Morawitz,1876
- 1132) **Lasioglossum (Evylaeus) lineare (Schenck,1869)** (Halictidae) Synonym(s): *lineare* Schenck,1869
- 1133) **Lasioglossum (Evylaeus) malachurum (Kirby,1802)** (Halictidae) Synonym(s): *malachurum* Kirby,1802
- 1134) **Lasioglossum (Evylaeus) mandibulare (Morawitz,1866)** (Halictidae) Synonym(s): *mandibulare* Morawitz,1866; *carneivendre* Dours,1872
- 1135) **Lasioglossum (Evylaeus) marginatum (Brullé,1832)** (Halictidae) Synonym(s): *marginatum* Brullé,1832
- 1136) **Lasioglossum (Evylaeus) mesosclerum (Pérez,1903)** (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *balneorum* Ebmer,1974
- 1137) **Lasioglossum (Evylaeus) minutissimum (Kirby,1802)** (Halictidae) Synonym(s): *minutissimum* Kirby,1802
- 1138) **Lasioglossum (Evylaeus) obscuratum (Morawitz,1875)** (Halictidae) Synonym(s): *obscuratum* Morawitz,1875
- 1139) **Lasioglossum (Evylaeus) pygmaeum Schenck,1853** (Halictidae) Synonym(s): *pygmaeum* Schenck,1853; *patulum* Vachal,1905
- 1140) **Lasioglossum (Evylaeus) transitorium (Schenck,1870)** (Halictidae) Synonym(s): *transitorium* Schenck,1870; *uncinum* Vachal,1905
- 1141) **Lasioglossum (Evylaeus) tricinctum (Schenck,1874)** (Halictidae) Synonym(s): *tricinctum* Schenck,1874; *muganicum* Ebmer,1972
- 1142) **Lasioglossum (Evylaeus) truncaticolle (Morawitz,1877)** (Halictidae) Synonym(s): *truncaticolle* Morawitz,1877
- 1143) **Lasioglossum (Evylaeus) villosulum (Kirby,1802)** (Halictidae) Synonym(s): *villosulum* Kirby,1802
- 1144) **Lasioglossum (s.str.) kotschy Ebmer,1981** (Halictidae) Synonym(s): *kotschy* Ebmer,1981
- 1145) **Lasioglossum (s.str.) leucozonium (Schränk,1781)** (Halictidae) Synonym(s): *leucozonium* Schränk,1781; *leucostoma* Schränk,1781; *similis* Smith,1853; *bifasciatellus* Schenck,1875; *nigrotibialis* Dalla Torre,1877; *deiphobus* Bingham,1908; *clusium* Warncke,1975; *cedri* Ebmer,1976
- 1146) **Lasioglossum (s.str.) pallens (Brullé,1832)** (Halictidae) Synonym(s): *pallens* Brullé,1832
- 1147) **Lasiommata maera (Linnaeus,1758)** (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 1148) **Lasiommata megera (Linnaeus,1767)** (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 1149) **Lasioptera berlesiana Paoli,1907** (Cecidomyiidae) Synonym(s): *berlesiana* Paoli,1907; *kiefferiana* Del Guercio,1910; *carphophila* Del Guercio,1918; *brevicornis* Melis,1927
- 1150) **Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus* Rossi,1790
- 1151) **Latilica maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum* Lethierry,1877; *maculipes* Melichar,1906; *oertzeni* Matsumura,1910
- 1152) **Latilica quercus (Lindberg,1948)** (Issidae) Synonym(s): *quercus* Lindberg,1948
- 1153) **Leia bimaculata (Meigen,1804)** (Mycetophilidae) Synonym(s): *bimaculata* Meigen,1804; *fasciola* Meigen,1818; *octomaculata* Curtis,1837
- 1154) **Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis* Fabricius,1775
- 1155) **Leistus (s.str.) caucasicus Chaudoir,1867** (Carabidae) Synonym(s): *caucasicus* Chaudoir,1867
- 1156) **Leprosoma stali Douglas & Scott,1868** (Pentatomidae) Synonym(s): *stali* Douglas & Scott,1868
- 1157) **Leptocera (s.str.) fontinalis (Fallén,1826)** (Sphaeroceridae) Synonym(s): *fontinalis* Fallén,1826
- 1158) **Leptochilus (Neoleptochilus) regulus Saussure,1855** (Vespidae) Synonym(s): *regulus* Saussure,1855; *gallicus* Saussure,1855; *calabricus* Gribodo,1881; *siculus* De Stefani,1883; *costae* Costa,1884; *buyssoni* Medina,1891; *pauli* Medina,1892; *perforatus* Dusmet,1903; *obtusidentatus* Maidl,1922; *wuczetici* Kostylev,1928
- 1159) **Leptodelphax cyclops Haupt,1927** (Delphacidae) Synonym(s): *cyclops* Haupt,1927
- 1160) **Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915
- 1161) **Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
- 1162) **Lestes macrostigma (Eversmann,1836)** (Lestidae) Synonym(s): *macrostigma* Eversmann,1836
- 1163) **Lestes parvidens Artobolevski,1929** (Lestidae) Synonym(s): *parvidens* Artobolevski,1929
- 1164) **Lethaeus cribratissimus (Stal,1858)** (Lygaeidae) Synonym(s): *cribratissimus* Stal,1858
- 1165) **Lethaeus syriacus Horvath,1883** (Lygaeidae) Synonym(s): *syriacus* Horvath,1883
- 1166) **Leucania herrichi Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,[1849]
- 1167) **Leucania loreyi (Duponchel,1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 1168) **Leucania palaestinae Staudinger,1897** (Noctuidae) Synonym(s): *palaestinae* Staudinger,1897; *languida* Staudinger,1897 *nec* Wlk.,1858; *#obscura* Heydemann et al.,1963; *#plastinaea* Kornošor & Lödl,1990

- 1169) *Leucania punctosa* (Treitschke,1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
- 1170) *Leucania putrescens* (Hübner,[1824])** (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
- 1171) *Leucochlaena muscosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892
- 1172) *Leuctra cypria* Zwick,1978** (Leuctridae) Synonym(s): *cypria* Zwick,1978
- 1173) *Liancalus virens* (Scopoli,1763)** (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805
- 1174) *Libanissum talhouki* (Dlabola,1974)** (Issidae) Synonym(s): *talhouki* Dlabola,1974
- 1175) *Libythea* (s.str.) *celtis* (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis* Laicharting,1782
- 1176) *Liguropia juniperi* (Lethierry,1876)** (Cicadellidae) Synonym(s): *juniperi* Lethierry,1876; *menozii* Haupt,1930
- 1177) *Ligra ferrea* (Walker,1849)** (Bombyliidae) Synonym(s): *ferrea* Walker,1849; *#versicolor* Loew,1869
- 1178) *Limassolla pistaciae* (Linnavuori,1962)** (Cicadellidae) Synonym(s): *pistaciae* Linnavuori,1962
- 1179) *Limenitis (Azuritis) reducta* Staudinger,1901** (Argynnidae) Synonym(s): *reducta* Staudinger,1901.
- 1180) *Limnophora obsignata* (Rondani,1866)** (Muscidae) Synonym(s): *obsignata* Rondani,1866; *ostensackenii* Jaennicke,1867
- 1181) *Limnophora quaterna* (Loew,1852)** (Muscidae) Synonym(s): *quaterna* Loew,1852; *notabilis* Stein,1903
- 1182) *Limosina silvatica* (Meigen,1830)** (Sphaeroceridae) Synonym(s): *silvatica* Meigen,1830
- 1183) *Limotettix striola* (Fallén,1806)** (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966
- 1184) *Lispe pectinipes* Becker,1903** (Muscidae) Synonym(s): *leucopsila* sensu auct.; *pectinipes* Becker,1903; *cochlearia* Becker,1904; *mixticcia* Séguin,1941
- 1185) *Lispe pygmaea* Fallén,1825** (Muscidae) Synonym(s): *pygmaea* Fallén,1825; *tenuipalpis* Zetterstedt,1846; *simplicissima* Loew,1847; *suturata* Rondani,1866; *longiuscula* Rondani,1877
- 1186) *Lithophane lapidea* (Hübner,[1808])** (Noctuidae) Synonym(s): *lapidea* Hübner,[1808]
- 1187) *Lithophane ledereri* (Staudinger,1892)** (Noctuidae) Synonym(s): *ledereri* Staudinger,1892; *discors* Staudinger,1892
- 1188) *Lithophane merckii* (Rambur,1832)** (Noctuidae) Synonym(s): *merckii* Rambur,1832
- 1189) *Lithostege palaestinensis* Amsel,1935** (Geometridae) Synonym(s): *palaestinensis* Amsel,1935; *ali* Wiltshire,1941.
- 1190) *Lithurgus chrysurus* Fonscolombe,1834** (Megachilidae) Synonym(s): *chrysurus* Fonscolombe,1834; *analisis* Lepeletier,1841; *haemorrhoidalis* Lepeletier,1841; *monocerus* Morawitz,1873
- 1191) *Lithurgus tibialis* Morawitz,1875** (Megachilidae) Synonym(s): *tibialis* Morawitz,1875
- 1192) *Longitarsus exsoletus* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *exsoletus* Linnaeus,1758; *femoralis* Marsham,1802; *boppardiensis* Bach,1856; *rufula* Foudras,1860; *megaloleuca* Allard,1860; *lividus* Fauvel,1888; *arctulus* Weise,1893
- 1193) *Lophosia fasciata* Meigen,1824** (Tachinidae) Synonym(s): *fasciata* Meigen,1824
- 1194) *Lophyridia aphrodisia* (Baudi,1864)** (Carabidae) Synonym(s): *aphrodisia* Baudi,1864
- 1195) *Lophyridia fischeri* (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817
- 1196) *Loxocnemis dentator* (Fabricius,1794)** (Coreidae) Synonym(s): *dentator* Fabricius,1794; *alternans* Herrich-Schäffer,1835; *brevicornis* Rambur,1839; *dufourii* Lucas,1849; *perlatus* Cerutti,1937
- 1197) *Loxostege emiralis* (Oberthür,1888)** (Pyralidae) Synonym(s): *emiralis* Oberthür,1888
- 1198) *Luperina diversa* (Staudinger,1892)** (Noctuidae) Synonym(s): *diversa* Staudinger,1892; *indistincta* Rebel,1933
- 1199) *Luperina dumerilii* (Duponchel,1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826
- 1200) *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
- 1201) *Lycaena (Thersamonia) thersamon* (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.
- 1202) *Lyctus pubescens* Panzer,1793** (Bostrichidae) Synonym(s): *pubescens* Panzer,1793 ; *bicolor* Comolli,1837; *caucasicus* Tournier,1874
- 1203) *Lygaeosoma angulare* Reuter,1885** (Lygaeidae) Synonym(s): *angulare* Reuter,1885
- 1204) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatum* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 1205) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatus* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *erythropterum* Puton,1876 [ssp.]; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 1206) *Lygaeus creticus* (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus* Lucas,1854; *bisbipunctatus* A.Costa,1864; *sexmaculatus* Garbighietti,1869
- 1207) *Lygaeus equestris* (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758; *speciosus* Poda,1761; *punctumalbum* Pollich,1781; *lactans* Horvath,1899; *sicilianus* Wagner,1954
- 1208) *Lygaeus simulans* Deckert,1985** (Lygaeidae) Synonym(s): *simulans* Deckert,1985
- 1209) *Lygephila* (s.str.) *craccae* (Fabricius,1787)** (Noctuidae) Synonym(s): *#craccae* [Denis & Schiffermüller],1775; *craccae* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#craccae* Hacker & Kautt,1999.
- 1210) *Lyristes plebejus* (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955
- 1211) *Maccevethus corsicus* Signoret,1862** (Rhopalidae) Synonym(s): *corsicus* Signoret,1862
- 1212) *Macquartia tessellum* (Meigen,1824)** (Tachinidae) Synonym(s): *tessellum* Meigen,1824; *brevicornis* Macquart,1839; *occlusa* Rondani,1859; *brunusquamis* R-D.,1863; *microcera* R-D.,1863; *olivaceomaculata* Porthinsky,1881; *genistae* Pandelle,1895
- 1213) *Macroceras fasciata* Meigen,1804** (Keroplatidae) Synonym(s): *fasciata* Meigen,1804; *fusca* Landrock,1917; *monticola* Landrock,1917
- 1214) *Macroglossum stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 1215) *Macroglossum stellatarum stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 1216) *Macromyrme sinuata* (Olivier,1811)** (Mutillidae) Synonym(s): *sinuata* Olivier,1811; *villosa* Klug,1829
- 1217) *Macronychia (Moschusa) polyodon* (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* R-D.,1863; *villana* R-D.,1863; *sylvestris* Rondani,1865
- 1218) *Macropsis acrotricha* Dlabola,1967** (Cicadellidae) Synonym(s): *acrotricha* Dlabola,1967
- 1219) *Macropsis scutellata* (Boheman,1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman,1845; *tibialis* Scott,1874

- 1220) Macroscytus brunneus (Fabricius,1803)** (Cydidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919
- 1221) Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894
- 1222) Macrotylus atricapillus (Scott,1872)** (Miridae) Synonym(s): *atricapillus* Scott,1872
- 1223) Macrotylus lindbergi Wagner,1953** (Miridae) Synonym(s): *lindbergi* Wagner,1953
- 1224) Macrotylus perdictus Kritshenko,1938** (Miridae) Synonym(s): *perdictus* Kritshenko,1938
- 1225) Macrotylus quadrilineatus (Schrank,1785)** (Miridae) Synonym(s): *quadrilineatus* Schrank,1785
- 1226) Malachius cyprius (Baudi,1871)** (Melyridae) Synonym(s): *cyprius* Baudi,1871
- 1227) Malachius stolatus Mulsant & Godart,1855** (Melyridae) Synonym(s): *stolatus* Mulsant & Godart,1855; *suturellus* Kiesenwetter,1859; *fallaciosus* Baudi di Selve,1871; *laterotatus* Pic,1914; *naxosensis* Pic,1923; *bilyi* Svihla,1987
- 1228) Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica* Horvath,1907; *turanica* Anufriev,1966
- 1229) Malthinus kaffai Svihla,2002** (Cantharidae) Synonym(s): *kaffai* Svihla,2002
- 1230) Malthodes anadyomenae Svihla,2009** (Cantharidae) Synonym(s): *anadyomenae* Svihla,2009
- 1231) Malthodes aphroditae Svihla,2009** (Cantharidae) Synonym(s): *aphroditae* Svihla,2009
- 1232) Malthodes berytensis Reiche,1857** (Cantharidae) Synonym(s): *berytensis* Reiche,1857; *thoracica* Sahlberg,1902; *grypopygus* Pic,1912
- 1233) Malthodes cyprogenius Svihla,2009** (Cantharidae) Synonym(s): *cyprogenius* Svihla,2009
- 1234) Malthodes fritzlari Svihla,2009** (Cantharidae) Synonym(s): *fritzlari* Svihla,2009
- 1235) Malthodes lycosensis Svihla,2009** (Cantharidae) Synonym(s): *lycosensis* Svihla,2009
- 1236) Malthodes malickyi Wittmer,1980** (Cantharidae) Synonym(s): *malickyi* Wittmer,1980
- 1237) Malthodes malickyi Wittmer,1980** (Cantharidae) Synonym(s): *malickyi* Wittmer,1980
- 1238) Malthodes zurcheri Pic,1911** (Cantharidae) Synonym(s): *zurcheri* Pic,1911
- 1239) Mamestra brassicae (Linnaeus,1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889.
- 1240) Maniola (Telmessiola) cypricola (Graves,1928)** (Satyridae) Synonym(s): *cypricola* Graves,1928
- 1241) Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758
- 1242) Manulea (s.str.) complana (Linnaeus,1758)** (Arctiidae) Synonym(s): *complana* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939.
- 1243) Meenoplus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866
- 1244) Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822
- 1245) Megalonotus brevicornis (Puton,1883)** (Lygaeidae) Synonym(s): *brevicornis* Puton,1883
- 1246) Megalonotus colon Puton,1874** (Lygaeidae) Synonym(s): *colon* Puton,1874
- 1247) Megalonotus emarginatus (Rey,1888)** (Lygaeidae) Synonym(s): *emarginatus* Rey,1888; *cyprius* Linnavuori,1953
- 1248) Megalonotus maximus (Puton,1895)** (Lygaeidae) Synonym(s): *maximus* Puton,1895
- 1249) Megalonotus setosus Puton,1874** (Lygaeidae) Synonym(s): *setosus* Puton,1874
- 1250) Meganola togatulus (Hübner,1796)** (Noctuidae) Synonym(s): *togatulus* Hübner,1796; *togatulana* Duponchel,1845
- 1251) Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877
- 1252) Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845
- 1253) Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845
- 1254) Megischina cypria Maran,1936** (Tenebrionidae) Synonym(s): *cypria* Maran,1936
- 1255) Megophthalmus scanicus (Fallén,1806)** (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894
- 1256) Melanchra persicariae (Linnaeus,1761)** (Noctuidae) Synonym(s): *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,1788].
- 1257) Melanocoryphus tristrami (Douglas & Scott,1858)** (Lygaeidae) Synonym(s): *tristrami* Douglas & Scott,1858
- 1258) Melanostoma mellinum (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum* Linnaeus,1758; *facultas* Harris,1776; *scalare* Panzer,1797; *mellarium* Meigen,1822; *melliturgus* Meigen,1822; *laevigatum* Meigen,1822; *minutum* Macquart,1827; *unicolor* Macquart,1827; *concolor* Walker,1851; *pruinatum* Bigot,1884; *nigricorne* Stroble,1893
- 1259) Melanostoma scalare (Fabricius,1794)** (Syrphidae) Synonym(s): *scalare* Fabricius,1794
- 1260) Melecta albifrons (Förster,1771)** (Apidae) Synonym(s): *albifrons* Förster,1771
- 1261) Melecta cypriaca Schwarz,1999** (Apidae) Synonym(s): *cypriaca* Schwarz,1999
- 1262) Melecta duodecimmaculata (Rossi,1790)** (Apidae) Synonym(s): *duodecimmaculata* Rossi,1790
- 1263) Melecta tuberculata Lieftinck,1980** (Apidae) Synonym(s): *tuberculata* Lieftinck,1980
- 1264) Melitturga praestans Giraud,1861** (Andrenidae) Synonym(s): *praestans* Giraud,1861; *syriaca* Friese,1896
- 1265) Meloe (Anchomeloe) autumnalis (Olivier,1797)** (Meloidae) Synonym(s): *autumnalis* Olivier,1797
- 1266) Menophra berenicidaria (Turati,1924)** (Geometridae) Synonym(s): *berenicidaria* Turati,1924; *trypanaria* Wiltshire,1948; *cretacaria* Reisser,1948
- 1267) Menophra trypanaria (Wiltshire,1948)** (Geometridae) Synonym(s): *trypanaria* Wiltshire,1948
- 1268) Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadrilineatus* Liroy,1864
- 1269) Merodon clunipes Sack,1913** (Syrphidae) Synonym(s): *clunipes* Sack,1913
- 1270) Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans* Fabricius,1794
- 1271) Merodon pruni (Rossi,1790)** (Syrphidae) Synonym(s): *pruni* Rossi,1790; *fulvus* Macquart,1834; *pallidus* Macquart,1842; *sicanus* Rondani,1845; *fuscineris* Röder,1887; *obscurus* Gil Collado,1929
- 1272) Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
- 1273) Mesapamea (s.str.) secalis (Linnaeus,1758)** (Noctuidae) Synonym(s): *secalis* Linnaeus,1758
- 1274) Mesophleps silacella (Hübner,1796)** (Gelechiidae) Synonym(s): *pyropella* Hübner,1793; *silacella* Hübner,1796; *silacea* Haworth,1828
- 1275) Metachrostis dardouini (Boisduval,1840)** (Noctuidae) Synonym(s): *dardouini* Boisduval,1840; *velox* Treitschke nec Hbn.,[1813]; *mendacula* Freyer,1841; *dilutior* Schwingenschuss,1926
- 1276) Metachrostis velocior (Staudinger,1892)** (Noctuidae) Synonym(s): *velocior* Staudinger,1892
- 1277) Metachrostis velox (Hübner,1813)** (Noctuidae) Synonym(s): *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *mendacularis* Treitschke,1829; *tarda* Turati,1926; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930

- 1278) Metallostichodes nigrocyanella (Constant,1865)** (Pyrilidae) Synonym(s): *nigrocyanella* Constant,1865; *chalcocyaneella* Staudinger & Wocke,1871.
- 1279) Metallostichodes vinaceella (Ragonot,1895)** (Pyrilidae) Synonym(s): *vinaceella* Ragonot,1895 ; *#vinacellum* Rebel,1939
- 1280) Metasia (Clasperia) ophialis (Treitschke,1829)** (Pyrilidae) Synonym(s): *ophialis* Treitschke,1829; *parvalis* Caradja,1917.
- 1281) Metasia (s.str.) albicostalis Hampson,1900** (Pyrilidae) Synonym(s): *albicostalis* Hampson,1900
- 1282) Metasia (s.str.) cypriusalis Amsel,1958** (Pyrilidae) Synonym(s): *cypriusalis* Amsel,1958
- 1283) Metasia (s.str.) roscalis Ragonot,1895** (Pyrilidae) Synonym(s): *roscalis* Ragonot,1895
- 1284) Metasia (s.str.) rubricalis Rebel,1939** (Pyrilidae) Synonym(s): *rubricalis* Rebel,1939
- 1285) Metasia (s.str.) suppandalis (Hübner,[1823])** (Pyrilidae) Synonym(s): *suppandalis* Hübner,[1823]
- 1286) Meteorus gyrator (Thunberg,1822)** (Braconidae) Synonym(s): *gyrator* Thunberg,1822; *scutellator* Nees ab Esenbeck,1834; *melanostictus* Capron,1887; *parvulus* Thomson,1895
- 1287) Meteorus pulchricornis (Wesmael,1835)** (Braconidae) Synonym(s): *pulchricornis* Wesmael,1835; *striatus* Thomson,1895; *thomsoni* Marshall,1899; *japonicus* Ashmead,1906; *nipponensis* Viereck,1912; *macedonicus* M.Fischer,1957; *graeffei* M.Fischer,1957; *tuberculifer* M.Fischer,1957
- 1288) Meteorus rubens (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *rubens* Nees ab Esenbeck,1811; *leviventris* Wesmael,1835; *islandicus* Ruthe,1859; *medianus* Ruthe,1862; *scutatus* Costa,1884; *heteroneurus* Thomson,1895; *szechuanensis* Fahringer,1935; *mesopotamicus* M.Fischer,1957
- 1289) Metopoceras (s.str.) omar (Oberthür,1887)** (Noctuidae) Synonym(s): *omar* Oberthür,1887
- 1290) Metzneria riadella Englert,1974** (Gelechiidae) Synonym(s): *riadella* Englert,1974
- 1291) Micantulina (Mulsantina) acuticeps (Linnavuori,1962)** (Cicadellidae) Synonym(s): *acuticeps* Linnavuori,1962
- 1292) Micantulina (Mulsantina) stigmatipennis (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884
- 1293) Microloxia herbaria (Hübner,[1813])** (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millièrre,1860.
- 1294) Micronola karsholti (Fibiger,1997)** (Micronoctuidae) Synonym(s): *karsholti* Fibiger,1997
- 1295) Micropterix cypriensis J.Heath,1985** (Micropterigidae) Synonym(s): *cypriensis* J.Heath,1985
- 1296) Microptilis deprimator (Fabricius,1798)** (Braconidae) Synonym(s): *deprimator* Fabricius,1798
- 1297) Microptilis vidua (Ruthe,1860)** (Braconidae) Synonym(s): *vidua* Ruthe,1860
- 1298) Microvelia pygmaea (Dufour,1833)** (Veliidae) Synonym(s): *pygmaea* Dufour,1833
- 1299) Miltogramma (s.str.) punctatum Meigen,1824** (Sarcophagidae) Synonym(s): *punctatum* Meigen,1824; *arcuata* Zetterstedt,1844; *sempunctatum* Meigen,1838; *laterale* R-D.,1863; *macquarti* R-D.,1863; *punctatellum* R-D.,1863
- 1300) Mimudea languidalis (Eversmann,1842)** (Pyrilidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *venerealis* Staudinger,1871
- 1301) Minettia (s.str.) cypriota Papp,1981** (Lauxaniidae) Synonym(s): *cypriota* Papp,1981
- 1302) Minettia (s.str.) czernyi Freidberg & Yarom,1990** (Lauxaniidae) Synonym(s): *quadrissetosa* Czerny,1927 *nec* Beck.,1907; *czernyi* Freidberg & Yarom,1990
- 1303) Minettia (s.str.) subvittata (Loew,1847)** (Lauxaniidae) Synonym(s): *subvittata* Loew,1847; *cataracta* Pandellé,1902
- 1304) Minettia (s.str.) tabidiventrtris (Rondani,1877)** (Lauxaniidae) Synonym(s): *tabidiventrtris* Rondani,1877; *luteofrontata* Becker,1895
- 1305) Mintho compressa (Fabricius,1787)** (Tachinidae) Synonym(s): *compressa* Fabricius,1787
- 1306) Mirificarma (s.str. (Interrupta)) mulinella (Zeller,1839)** (Gelechiidae) Synonym(s): *mulinella* Zeller,1839; *caminariella* Fuchs,1902; *nigraesilvae* Amsel,1900.
- 1307) Mirificarma (s.str. (s.str.)) eburnella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 *nec* [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeoformosella* Bruand,1859.
- 1308) Mirificarma (s.str. (s.str.)) flavella (Duponchel,[1844])** (Gelechiidae) Synonym(s): *flavella* Duponchel,[1844]; *segetella* Zeller,1847.
- 1309) Mocytia crocea (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868
- 1310) Modicogryllus (Amodicogryllus) pseudocyprius Gorochoy,1996** (Gryllidae) Synonym(s): *pseudocyprius* Gorochoy,1996
- 1311) Monopis imella (Hübner,[1813])** (Tineidae) Synonym(s): *imella* Hübner,[1813]; *nitidella* Zagulyaev,1960.
- 1312) Mormo maura (Linnaeus,1758)** (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996
- 1313) Musca (Plaxemya) osiris Wiedemann,1830** (Muscidae) Synonym(s): *osiris* Wiedemann,1830; *sugillatrix* R-D,1830
- 1314) Musca crassirostris Stein,1903** (Muscidae) Synonym(s): *crassirostris* Stein,1903; *insignis* Austen,1909
- 1315) Musca domestica Linnaeus,1758** (Muscidae) Synonym(s): *domestica* Linnaeus,1758; *nebulo* Fabricius,1794; *vicina* Macquart,1851; *determinata* Walker,1853
- 1316) Musca larvipara Portschinsky,1910** (Muscidae) Synonym(s): *larvipara* Portschinsky,1910; *mesopotamiensis* Patton,1920
- 1317) Musca sorbens Wiedemann,1830** (Muscidae) Synonym(s): *sorbens* Wiedemann,1830; *humilis* Wiedemann,1830; *primitiva* Walker,1849
- 1318) Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780; *assimilis* Fallén,1823
- 1319) Muscina prolapsa (Harris,1780)** (Muscidae) Synonym(s): *prolapsa* Harris,1780; *pabulorum* Fallén,1817
- 1320) Muscina stabulans (Fallén,1817)** (Muscidae) Synonym(s): *stabulans* Fallén,1817
- 1321) Muscula muscula (Staudinger,1899)** (Arctiidae) Synonym(s): *muscula* Staudinger,1899
- 1322) Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): *spinosula* Lefebvre,1831
- 1323) Mutilla quinquemaculata Cyrillo,1787** (Mutillidae) Synonym(s): *quinquemaculata* Cyrilloi,1787
- 1324) Mycetophila ocellus Walker,1848** (Mycetophilidae) Synonym(s): *ocellus* Walker,1848
- 1325) Mycetophila pictula Meigen,1830** (Mycetophilidae) Synonym(s): *pictula* Meigen,1830
- 1326) Mycetophila spectabilis Winnertz,1863** (Mycetophilidae) Synonym(s): *spectabilis* Winnertz,1863
- 1327) Mycterodus (s.str.) denticulatus Lindberg,1948** (Issidae) Synonym(s): *denticulatus* Lindberg,1948
- 1328) Mycterodus (s.str.) intricatus Stal,1861** (Issidae) Synonym(s): *intricatus* Stal,1861; *jaltaicus* Dlabola,1958
- 1329) Myeloides (Gnathogutta) pluripunctella (Ragonot,1887)** (Pyrilidae) Synonym(s): *pluripunctella* Ragonot,1887
- 1330) Myinodes shohami Hausmann,1994** (Geometridae) Synonym(s): *shohami* Hausmann,1994
- 1331) Mylabris (Micrabris) sinuata Klug,1845** (Meloidae) Synonym(s): *sinuata* Klug,1845

- 1332) *Myopa hirsuta* Stuke & Clements, 2008 (Conopidae) Synonym(s): *hirsuta* Stuke & Clements, 2008
- 1333) *Myopa pellucida* (R-D., 1830) (Conopidae) Synonym(s): *pellucida* R-D., 1830; *fulvipalpis* R-D., 1853; *extricata* Collin, 1960
- 1334) *Myopa stigma* Meigen, 1824 (Conopidae) Synonym(s): *stigma* Meigen, 1824; *nigridorsata* R-D., 1853; *flavipennis* R-D., 1853; *scutellaris* R-D., 1853
- 1335) *Myopites cypriacus* M. Hering, 1938 (Tephritidae) Synonym(s): *cypriacus* M. Hering, 1938; *shiakidesi* Dirlbek, 1974
- 1336) *Myospila mediatibunda* (Fabricius, 1781) (Muscidae) Synonym(s): *mediatibunda* Fabricius, 1781
- 1337) *Myriochoile* (s.str.) *melancholica* (Fabricius, 1798) (Carabidae) Synonym(s): *melancholica* Fabricius, 1798
- 1338) *Myrmecozela* (Promasia) *parnassiella* (Rebel, 1915) (Tineidae) Synonym(s): *parnassiella* Rebel, 1915
- 1339) *Myrmilla* (Pseudomutilla) *mavromoustakisi* Hammer, 1950 (Mutillidae) Synonym(s): *mavromoustakisi* Hammer, 1950
- 1340) *Myrmilla* (Pseudomutilla) *troodosica* Hammer, 1950 (Mutillidae) Synonym(s): *troodosica* Hammer, 1950
- 1341) *Myrmilla* (s.str.) *erythrocephala* (Latreille, 1792) (Mutillidae) Synonym(s): *erythrocephala* Latreille, 1792; *latreillei* Meyer, 1794; *cornuta* Olivier, 1811; *megacephala* Costa, 1858; *bison* Costa, 1887
- 1342) *Mythimna* (Aletia) *alopecuri* (Boisduval, 1840) (Noctuidae) Synonym(s): *alopecuri* Boisduval, 1840; *syriaca* Osthelder, 1933
- 1343) *Mythimna* (Aletia) *flavostigma* (Bremer, 1861) (Noctuidae) Synonym(s): *flavo-stigma* Bremer, 1861; *macaria* Rebel, 1916.
- 1344) *Mythimna* (Aletia) *l-album* (Linnaeus, 1767) (Noctuidae) Synonym(s): *l-album* Linnaeus, 1767; *penicillata* Moore, 1881
- 1345) *Mythimna* (Aletia) *scirpi* (Duponchel, 1836) (Noctuidae) Synonym(s): *scirpi* Duponchel, 1836; *dactylidis* Boisduval, 1840; *montium* Boisduval, 1840; *cyperi* Boisduval, 1840; *fusilinea* Graslin, 1852; *syriaca* Osthelder, 1933.
- 1346) *Mythimna* (Aletia) *sicula* (Treitschke, 1835) (Noctuidae) Synonym(s): *sicula* Treitschke, 1835; *albivena* Graslin, 1852.
- 1347) *Mythimna* (Aletia) *vitellina* (Hübner, [1808]) (Noctuidae) Synonym(s): *vitellina* Hübner, [1808]; *#vitellina* Lederer, 1870; *decolorata* Dannehl, 1929; *saturator* Dannehl, 1929; *grisescens* Dannehl, 1929.
- 1348) *Mythimna* (Anapoma) *riparia* (Rambur, 1829) (Noctuidae) Synonym(s): *riparia* Rambur, 1829
- 1349) *Mythimna* (Hyphilare) *ferrago* (Fabricius, 1787) (Noctuidae) Synonym(s): *ferrago* Fabricius, 1787; *lithargyria* Esper, [1788]; *grisea* Stephens, 1829; *anargyria* Boisduval, 1840; *argyristis* Rambur, 1858; *meridionalis* Dannehl, 1926
- 1350) *Mythimna* (Morphopoliana) *languida* (Walker, 1858) (Noctuidae) Synonym(s): *consanguis* auct. nec Gn., 1852; *languida* Walker, 1858; *zachii* Bohatsch, 1880; *abbas* Bethune-Baker, 1894; *arbia* Boursin & Rungs, 1952.
- 1351) *Mythimna* (Pseudaletia) *unipuncta* (Haworth, [1809]) (Noctuidae) Synonym(s): *unipuncta* Haworth, [1809]; *extranea* Guenée, 1852; *antica* Walker, 1856; *tseki* Koutsaftikis, 1974.
- 1352) *Nabis palifer* Seidenstücker, 1954 (Nabidae) Synonym(s): *palifer* Seidenstücker, 1954
- 1353) *Nabis pseudoferus* Remane, 1949 (Nabidae) Synonym(s): *pseudoferus* Remane, 1949
- 1354) *Nariscus cinctiventris* (Germar, 1837) (Alydidae) Synonym(s): *cinctiventris* Germar, 1837; *validipes* Stal, 1858
- 1355) *Nariscus spinosus* (Burmeister, 1839) (Alydidae) Synonym(s): *spinosus* Burmeister, 1839
- 1356) *Nebula adlata* (Staudinger, [1895]) (Geometridae) Synonym(s): *adlata* Staudinger, [1895]
- 1357) *Nebula salicata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller], 1775
- 1358) *Nebula schneideraria* (Lederer, 1855) (Geometridae) Synonym(s): *schneideraria* Lederer, 1855
- 1359) *Neides aduncus* Fieber, 1859 (Berytidae) Synonym(s): *aduncus* Fieber, 1859
- 1360) *Nemapogon cyprica* Gaedike, 1986 (Tineidae) Synonym(s): *cyprica* Gaedike, 1986
- 1361) *Nemapogon signatella* G. Petersen, 1957 (Tineidae) Synonym(s): *signatellus* G. Petersen, 1957
- 1362) *Nemognatha* (s.str.) *chrysomelina* (Fabricius, 1775) (Meloidea) Synonym(s): *chrysomelina* Fabricius, 1775; *flavipes* Ménétriés, 1849; *nigripes* Suffrian, 1853; *asiatica* Motschulsky, 1872; *maculicollis* Fairmaire, 1875; *unipunctata* Beauregard, 1890; *akbestiana* Pic, 1897; *atripennis* Chobaut, 1898; *#chrysomelina* Özbeke & Szaloki, 1998
- 1363) *Nemotelus* (s.str.) *argentifer* Loew, 1846 (Stratiomyidae) Synonym(s): *argentifer* Loew, 1846; *limbatus* Egger, 1859
- 1364) *Nemotelus* (s.str.) *brachystomus* Loew, 1846 (Stratiomyidae) Synonym(s): *brachystomus* Loew, 1846; *plagiatus* Schiner, 1857; *luteicornis* Egger, 1859; *punctiventris* Becker, 1902; *aegyptiacus* Lindner, 1925; *turcorum* Szilady, 1941; *pleskei* Nartshuk, 1969
- 1365) *Nemotelus* (s.str.) *pantherinus* (Linnaeus, 1758) (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus, 1758; *marginatus* Fabricius, 1775; *marginellus* Gmelin, 1790; *muticus* Schrank, 1803; *nigritus* Meigen, 1804; *fraternus* Loew, 1846; *gracilis* Loew, 1846; *satunini* Pleske, 1937; *zelleri* Pleske, 1937; *albirostris* Szilady, 1941; *caucasicus* Nartshuk, 1969; *punctirostris* Lindner, 1974
- 1366) *Neoliturus fenestratus* (Herrich-Schäffer, 1834) (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer, 1834
- 1367) *Neoliturus inscriptis* (Haupt, 1927) (Cicadellidae) Synonym(s): *inscriptis* Haupt, 1927
- 1368) *Neoliturus macchia* Lindberg, 1948 (Cicadellidae) Synonym(s): *macchia* Lindberg, 1948
- 1369) *Neosasia podagrica* (Fabricius, 1775) (Syrphidae) Synonym(s): *podagrica* Fabricius, 1775; *molio* Harris, [1780]; *tenur* Harris, [1780]; *crassipes* Schrank, 1781; *elephantopus* Gmelin, 1790; *lanceolata* Meigen, 1822; *maculata* Macquart, 1829; *unifasciata* Strobl, 1898
- 1370) *Neochalcis fertoni* (Kieffer, 1899) (Chalcididae) Synonym(s): *fertoni* Kieffer, 1899; *barbara* Benoist, 1921; *scutellata* Bouček, 1952
- 1371) *Neocorodes amnesta* Meyrick, 1923 (Lecithoceridae) Synonym(s): *amnesta* Meyrick, 1923
- 1372) *Neocrepidodera transversa* (Marsham, 1802) (Chrysomelidae) Synonym(s): *transversa* Marsham, 1802
- 1373) *Neognopharmia stevenaria* (Boisduval, 1840) (Geometridae) Synonym(s): *stevenaria* Boisduval, 1840; *lapidisaria* Freyer, 1841
- 1374) *Neomyia cornicina* (Fabricius, 1781) (Muscidae) Synonym(s): *cornicina* Fabricius, 1781; *viridis* Wiedemann, 1824; *caesarion* Meigen, 1826 nec Bechstein & Scharfenberg, 1805; *fennica* Frey, 1909
- 1375) *Neophilaenus campestris* (Fallén, 1805) (Cercopidae) Synonym(s): *campestris* Fallén, 1805; *parvula* Vismara, 1877; *fasciatus* Ferrari, 1882; *obsoletus* Ferrari, 1882; *bimaculata* Rey, 1894; *brunnifrons* Rey, 1894
- 1376) *Neotrogaspidia hammeri* (Suarez, 1959) (Mutillidae) Synonym(s): *hammeri* Suarez, 1959
- 1377) *Nephrotoma cornicina* (Linnaeus, 1758) (Tipulidae) Synonym(s): *cornicina* Linnaeus, 1758; *flavomaculata* De Geer, 1776; *iridicolor* Schummel, 1833; *sannio* Meigen, 1838; *petiolata* Zetterstedt, 1838; *nigrina* Savchenko, 1973
- 1378) *Netelia* (s.str.) *testacea* (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *testacea* Gravenhorst, 1829; *opacula* Thomson, 1888; *melanurus* Thomson, 1888; *fuscicarpus* Kokujev, 1899
- 1379) *Neurocladus brachiidens* (Dufour, 1851) (Lygaeidae) Synonym(s): *brachiidens* Dufour, 1851
- 1380) *Neuroleon egenus* (Navas, 1914) (Myrmeleionidae) Synonym(s): *egenus* Navas, 1914; *cyprius* Navas, 1940
- 1381) *Neurothaumasia macedonica* G. Petersen, 1962 (Tineidae) Synonym(s): *macedonica* G. Petersen, 1962; *inornata* G. Petersen, 1966
- 1382) *Nezara viridula* (Linnaeus, 1758) (Pentatomidae) Synonym(s): *viridula* Linnaeus, 1758

- 1383) *Niditinea fuscella* (Linnaeus,1758)** (Tineidae) Synonym(s): *fuscella* Linnaeus,1758; *spretella* [Denis & Schiffermüller],1775; *crinitella* Schrank,1802; *fuscipunctella* Haworth,[1828]; *nubilipennella* Clemens,1859; *abligatella* Walker,1863; *eurinella* Zagulyaev,1952; *distans* Gozmany,1959.
- 1384) *Niditinea tugurialis* (Meyrick,1932)** (Tineidae) Synonym(s): *tugurialis* Meyrick,1932; *unipunctella* Zagulyaev,1960
- 1385) *Noctua* (Divaena) *haywardi* (Tams,1926)** (Noctuidae) Synonym(s): *haywardi* Tams,1926; *balcanica* Slivov,1985
- 1386) *Noctua* (Latanoctua) *orbona* (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
- 1387) *Noctua* (Paranoctua) *warreni* (Lödl,1987)** (Noctuidae) Synonym(s): *warreni* Lödl,1987
- 1388) *Noctua* (s.str.) *pronuba* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 *nec* Piesz.,1908; *decolorata* Turati,1923.
- 1389) *Noctua* (s.str.) *tertia* Mentzer, Moberg & Fibiger,1991** (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991
- 1390) *Nola aegyptiaca* Snellen,1875** (Noctuidae) Synonym(s): *aegyptiaca* Snellen,1875
- 1391) *Nola chlamitulalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamitulalis* Hübner,[1813]; *chlamydulana* Duponchel,[1845]
- 1392) *Nola harouni* (Wiltshire,1951)** (Noctuidae) Synonym(s): *harouni* Wiltshire,1951; *dilmuna* Wiltshire,1961.
- 1393) *Nola squalida* Staudinger,1871** (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henriotti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947
- 1394) *Nomada cypricola* Mavromoustakis,1955** (Apidae) Synonym(s): *cypricola* Mavromoustakis,1955
- 1395) *Nomada limassolica* Mavromoustakis,1955** (Apidae) Synonym(s): *limassolica* Mavromoustakis,1955
- 1396) *Nomada nesiotica* Mavromoustakis,1958** (Apidae) Synonym(s): *nesiotica* Mavromoustakis,1958
- 1397) *Nomada trispinosa* Schmiedeknecht,1882** (Apidae) Synonym(s): *trispinosa* Schmiedeknecht,1882
- 1398) *Nomioides* (s.str.) *minutissimus* (Rossi,1790)** (Halictidae) Synonym(s): *minutissimus* Rossi,1790; *modestus* Pesenko,1977
- 1399) *Nomophila noctuella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859
- 1400) *Noterus crassicornis* (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776
- 1401) *Notonecta glauca* Linnaeus,1758** (Notonectidae) Synonym(s): *glauca* Linnaeus,1758; *kervillei* Poisson,1933; *poissoni* Hungerford,1934; *hybrida* Poisson,1953
- 1402) *Nychiodes aphrodite* Hausmann & Wimmer,1994** (Geometridae) Synonym(s): *aphrodite* Hausmann & Wimmer,1994
- 1403) *Nyteola columbana* (Turner,1925)** (Noctuidae) Synonym(s): *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958.
- 1404) *Nyteola revayana* (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 *nec* Hbn.,1787
- 1405) *Nycteribia* (s.str.) *pedicularia* Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805
- 1406) *Nycteribia* (s.str.) *schmidlii* Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853
- 1407) *Nyctophila libani* (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *libani* Laporte de Castelnau,1833; *insignis* Ancey,1870
- 1408) *Nymphalis polychloros* (Linnaeus,1758)** (Argynniidae) Synonym(s): *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896.
- 1409) *Nymphorgerius cyprius* (Lindberg,1948)** (Dictyopharidae) Synonym(s): *cyprius* Lindberg,1948
- 1410) *Ochrididia pruinosa* Brunner von Wattenwyl,1882** (Acrididae) Synonym(s): *pruinosa* Brunner von Wattenwyl,1882
- 1411) *Ocnogyna* (s.str.) *cypriaca* O.Bang-Haas,1934** (Arctiidae) Synonym(s): *cypriaca* O.Bang-Haas,1934; *#immaculata* O.Bang-Haas,1934; *#maculata* O.Bang-Haas,1934; *#rosacea* O.Bang-Haas,1934
- 1412) *Odites* (Gozmaniola) *kollarella* (Costa,[1836])** (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836]
- 1413) *Odites* (Oditoides) *ternatella* (Staudinger,1859)** (Lecithoceridae) Synonym(s): *ternatella* Staudinger,1859
- 1414) *Odontoscelis fuliginosa* (Linnaeus,1761)** (Scutelleridae) Synonym(s): *fuliginosa* Linnaeus,1761
- 1415) *Odontoscelis seminitens* Wagner,1953** (Scutelleridae) Synonym(s): *seminitens* Wagner,1953
- 1416) *Odontotarsus robustus* Jakovlev,1884** (Scutelleridae) Synonym(s): *robustus* Jakovlev,1884; *flavus* Jakovlev,1885; *dilutus* Horvath,1917
- 1417) *Odontotarsus rufescens* Fieber,1861** (Scutelleridae) Synonym(s): *rufescens* Fieber,1861
- 1418) *Odynerus* (s.str.) *melanocephalus* (Gmelin,1790)** (Vespidae) Synonym(s): *melanocephalus* Gmelin,1790; *dentipes* Herrich-Schäffer,1839; *serripes* Taschenberg,1866; *sareptanus* André,1884; *armeniacus* Morawitz,1885; *combinata* Blüthgen,1940; *luxuriosa* Blüthgen,1955; *cypriacus* Eck,1971
- 1419) *Oegoconia apatemella* Amsel,1958** (Autostichidae) Synonym(s): *apatemella* Amsel,1958
- 1420) *Olivenebula subsericata* (Herrich-Schäffer,1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
- 1421) *Ommatidiotus longiceps* Puton,1896** (Caliscelidae) Synonym(s): *falleni* Bolivar & Chicote,1879; *longiceps* Puton,1896; *alternans* Horvath,1916; *longicipiti* Horvath,1916
- 1422) *Oncoccephalus brachymerus* Reuter,1882** (Reduviidae) Synonym(s): *brachymerus* Reuter,1882; *babylo* Dispons,1970
- 1423) *Oncocera semirubella* (Scopoli,1763)** (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 *nec* Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
- 1424) *Oncocnemis arenbergeri* Hacker & Lödl,1989** (Noctuidae) Synonym(s): *arenbergeri* Hacker & Lödl,1989
- 1425) *Onthophagus* (Euonthophagus) *atramentarius* (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *atramentarius* Ménétriés,1832
- 1426) *Onthophagus* (Palaeonthophagus) *cruciatus* (Ménétriés,1832)** (Scarabaeidae) Synonym(s): *cruciatus* Ménétriés,1832
- 1427) *Onthophagus* (Palaeonthophagus) *opacicollis* Reitter,1893** (Scarabaeidae) Synonym(s): *opacicollis* Reitter,1893
- 1428) *Onthophagus* (s.str.) *sellatus* Klug,1845** (Scarabaeidae) Synonym(s): *sellatus* Klug,1845
- 1429) *Onychogomphus forcipatus* (Linnaeus,1758)** (Gomphidae) Synonym(s): *forcipatus* Linnaeus,1758
- 1430) *Opacifrons coxata* (Stenhammar,1855)** (Sphaeroceridae) Synonym(s): *coxata* Stenhammar,1855
- 1431) *Ophion luteus* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *luteus* Linnaeus,1758; *fulvus* Retzius,1783; *distans* Thomson,1888; *slaviceki* Kriechbaumer,1892; *pictus* Kokujev,1906; *calcaratus* Morley,1915
- 1432) *Ophion obscuratus* Fabricius,1798** (Ichneumonidae) Synonym(s): *obscuratus* Fabricius,1798; *obscurus* Fabricius,1804

- 1433) *Ophiusa lunaris* (Goeze,1781)** (Noctuidae) **Synonym(s):** *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949.
- 1434) *Ophiusa tirhaca* (Cramer,[1777])** (Noctuidae) **Synonym(s):** *tirhaca* Cramer,[1777]; *#tirrhaca* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978
- 1435) *Opsius cypriacus* Lindberg,1958** (Cicadellidae) **Synonym(s):** *cypriacus* Lindberg,1958
- 1436) *Opsius stactogalus* Fieber,1866** (Cicadellidae) **Synonym(s):** *stactogalus* Fieber,1866; *tamaricis* Kirschbaum,1868; *heydeni* Fieber,1872; *spinulosus* Della Guistina,1981
- 1437) *Orchamus gracilis* (Brunner von Wattenwyl,1882)** (Pamphagidae) **Synonym(s):** *gracilis* Brunner von Wattenwyl,1882
- 1438) *Oria musculosa* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889.
- 1439) *Ornativa plutelliformis* (Staudinger,1859)** (Gelechiidae) **Synonym(s):** *plutelliformis* Staudinger,1859; *sinuatella* Walsingham,1904
- 1440) *Orpecovalva aphrodite* Gozmany,1986** (Autostichidae) **Synonym(s):** *aphrodite* Gozmany,1986
- 1441) *Orphilus beali* Zhantiev,2001** (Dermestidae) **Synonym(s):** *beali* Zhantiev,2001
- 1442) *Orthetrum taeniolatum* (Schneider,1845)** (Libellulidae) **Synonym(s):** *taeniolatum* Schneider,1845
- 1443) *Orthocephalus fulvipes* Reuter,1904** (Miridae) **Synonym(s):** *tenuicornis* Mulsant & Rey,1852 *nec* Say,1852; *fulvipes* Reuter,1904
- 1444) *Orthoceratium lacustre* (Scopoli,1763)** (Dolichopodidae) **Synonym(s):** *lacustre* Scopoli,1763; *virens* Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834
- 1445) *Orthonama obstipata* (Fabricius,1794)** (Geometridae) **Synonym(s):** *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905
- 1446) *Orthopygia almanalis* (Rebel,1917)** (Pyralidae) **Synonym(s):** *almanalis* Rebel,1917
- 1447) *Orthosia* (s.str.) *incerta* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 *nec* Hw.,1809; *pallidior* Staudinger,1901 *nec* Stgr.,1888
- 1448) *Orthosia cypriaca* Hacker,1996** (Noctuidae) **Synonym(s):** *cypriaca* Hacker,1996
- 1449) *Orthostixis cinerea* Rebel,1916** (Geometridae) **Synonym(s):** *cinerea* Rebel,1916; *impura* L.B.Prout,1916.
- 1450) *Osbornellus macchiae* (Lindberg,1948)** (Cicadellidae) **Synonym(s):** *macchiae* Lindberg,1948; *consanguineus* Dlabola,1967
- 1451) *Oscinella* (s.str.) *nitidigenis* Becker,1908** (Chloropidae) **Synonym(s):** *nitidigenis* Becker,1908
- 1452) *Oscinimorpha arcuata* (Duda,1932)** (Chloropidae) **Synonym(s):** *arcuata* Duda,1932
- 1453) *Osmia* (Allosmia) *sybarita* Smith,1853** (Megachilidae) **Synonym(s):** *sybarita* Smith,1853; *ruficollis* Sichel,1873; *fossoria* Pérez,1890; *duckei* Friese,1899
- 1454) *Osmia* (Erythrosmia) *andrenoides* Spinola,1808** (Megachilidae) **Synonym(s):** *andrenoides* Spinola,1808
- 1455) *Osmia* (Erythrosmia) *erythrogastra* Ferton,1905** (Megachilidae) **Synonym(s):** *erythrogastra* Ferton,1905
- 1456) *Osmia* (Helicosmia) *caerulescens* (Linnaeus,1758)** (Megachilidae) **Synonym(s):** *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864
- 1457) *Osmia* (Helicosmia) *dimidiata* Morawitz,1870** (Megachilidae) **Synonym(s):** *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899
- 1458) *Osmia* (Helicosmia) *dives* Mocsary,1877** (Megachilidae) **Synonym(s):** *dives* Mocsary,1877; *medanae* Magreti,1890; *subintegra* Pérez,1902; *hierosolomita* Benoist,1934
- 1459) *Osmia* (Helicosmia) *fulviventris* (Panzer,1798)** (Megachilidae) **Synonym(s):** *fulviventris* Panzer,1798
- 1460) *Osmia* (Helicosmia) *latreillei* (Spinola,1806)** (Megachilidae) **Synonym(s):** *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975
- 1461) *Osmia* (Helicosmia) *melanogaster* Spinola,1808** (Megachilidae) **Synonym(s):** *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895
- 1462) *Osmia* (Helicosmia) *niveata* (Fabricius,1804)** (Megachilidae) **Synonym(s):** *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Branson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914
- 1463) *Osmia* (Helicosmia) *signata* Erichson,1835** (Megachilidae) **Synonym(s):** *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895
- 1464) *Osmia* (Hoplosmia) *ligurica* Morawitz,1868** (Megachilidae) **Synonym(s):** *ligurica* Morawitz,1868; *detrita* Pérez,1879
- 1465) *Osmia* (Hoplosmia) *scutellaris* Morawitz,1868** (Megachilidae) **Synonym(s):** *scutellaris* Morawitz,1868
- 1466) *Osmia* (Metallinella) *brevicornis* (Fabricius,1798)** (Megachilidae) **Synonym(s):** *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935
- 1467) *Osmia* (Pyrosmia) *amathusica* Mavromoustakis,1937** (Megachilidae) **Synonym(s):** *amathusica* Mavromoustakis,1937
- 1468) *Osmia* (Pyrosmia) *cephalotes* Morawitz,1870** (Megachilidae) **Synonym(s):** *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876
- 1469) *Osmia* (Pyrosmia) *cyanoxantha* Pérez,1879** (Megachilidae) **Synonym(s):** *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992
- 1470) *Osmia* (Pyrosmia) *ferruginea* Latreille,1811** (Megachilidae) **Synonym(s):** *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882
- 1471) *Osmia* (Pyrosmia) *hellados* Zanden,1984** (Megachilidae) **Synonym(s):** *hellados* Zanden,1984
- 1472) *Osmia* (Pyrosmia) *nana* Morawitz,1874** (Megachilidae) **Synonym(s):** *nana* Morawitz,1874; *tetrodonta* Benoist,1934
- 1473) *Osmia* (Pyrosmia) *saxicola* Ducke,1899** (Megachilidae) **Synonym(s):** *saxicola* Ducke,1899; *caelestina* Benoist,1929; *cypriola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992
- 1474) *Osmia* (Pyrosmia) *submicans* Morawitz,1870** (Megachilidae) **Synonym(s):** *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996
- 1475) *Osmia* (Pyrosmia) *teunissenii* Zanden,1981** (Megachilidae) **Synonym(s):** *teunissenii* Zanden,1981
- 1476) *Osmia* (Pyrosmia) *viridana* Morawitz,1874** (Megachilidae) **Synonym(s):** *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984

- 1477) **Osmia (s.str.) bicornis (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Duche,1899
- 1478) **Osmia (s.str.) cornuta (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978
- 1479) **Osmia (s.str.) rufa (Linnaeus,1758)** (Megachilidae) Synonym(s): *rufa* Linnaeus,1758; *cornigera* Rossi,1790
- 1480) **Ostrinia nubilalis (Hübner,1796)** (Pyralidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis* Hübner,1796.
- 1481) **Oxyaciura tibialis R-D.,1830** (Tephritidae) Synonym(s): *tibialis* R-D.,1830; *gagates* Loew,1846
- 1482) **Oxycarenus (Euoxycarenus) pallens (Herrich-Schäffer,1850)** (Lygaeidae) Synonym(s): *pallens* Herrich-Schäffer,1850
- 1483) **Oxycarenus (s.str.) hyalinipennis (A.Costa,1843)** (Lygaeidae) Synonym(s): *hyalinipennis* A.Costa,1843
- 1484) **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862
- 1485) **Oxythyrea abigail Reiche,1856** (Scarabaeidae) Synonym(s): *abigail* Reiche,1856
- 1486) **Oxythyrea noemi Reiche & Saulcy,1856** (Scarabaeidae) Synonym(s): *noemi* Reiche & Saulcy,1856
- 1487) **Pachyanthrac telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989
- 1488) **Pachybrachis (s.str.) limbatus (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882
- 1489) **Pachycephus smyrnensis Stein,1876** (Cephidae) Synonym(s): *smyrnensis* Stein,1876; *aeneovarius* Kohl,1905; *brevis* Ghigi,1915; *sanctus* Pic,1916; *notativentris* Pic,1916
- 1490) **Palpita testalis (Fabricius,1794)** (Pyralidae) Synonym(s): *testalis* Fabricius,1794; *incoloralis* Guenée,1854; *ruficostalis* Lederer,1855; *albidalis* Walker,1866; *putrescens* Meyrick,1934
- 1491) **Palpita vitrealis (Rossi,1794)** (Pyralidae) Synonym(s): *vitrealis* Rossi,1794; *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *suralis* Lederer,1863; *septempunctalis* Mabilie,1880
- 1492) **Palumbina guerinii (Stainton,1857)** (Gelechiidae) Synonym(s): *guerinii* Stainton,1857; *tereintella* Rondani,1876; *pistaciae* Anagnostopoulos,1935.
- 1493) **Pamparoma acuta (Freyer,1837)** (Noctuidae) Synonym(s): *acuta* Freyer,1837; *producta* Lederer,1857; *pygmaea* Staudinger,1871.
- 1494) **Panurginus lactipennis Friese,1897** (Andrenidae) Synonym(s): *lactipennis* Friese,1897
- 1495) **Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
- 1496) **Parallelia algira (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,1803; *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europa* Schawerda,1912
- 1497) **Parallelia torrida (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,1987
- 1498) **Paramesus obtusifrons (Stal,1853)** (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (praeocc.); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913
- 1499) **Paranthrene tabaniformis (Rottemburg,1775)** (Sesiidae) Synonym(s): *tabaniformis* Rottemburg,1775; *asiliformis* [Denis & Schiffermüller],1775; *nec* Rott.,1775; *sesia* Gmelin,1789; *rhingiaeformis* Hübner,1790; *crabroniformis* Laspeyres,1801; *nec* Fabr.,1793; *tricincta* Harris,1839; *serratiformis* Freyer,1842; *rhingii*formis Staudinger,1856; *denotata* Edwards,1882; *flammans* Hampson,1893
- 1500) **Pararge aegeria (Linnaeus,1758)** (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 1501) **Parascotia detersa (Staudinger,1892)** (Noctuidae) Synonym(s): *detersa* Staudinger,1892
- 1502) **Parascotia robiginosa (Staudinger,1892)** (Noctuidae) Synonym(s): *robiginosa* Staudinger,1892
- 1503) **Parastichtis corticea (Esper,1800)** (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781; *nec* Hufn.,1766; *corticea* Esper,1800; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 1504) **Pareulype berberata (Fabricius,1787)** (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840
- 1505) **Parornix acuta Triberti,1980** (Gracillariidae) Synonym(s): *acuta* Triberti,1980
- 1506) **Pasira basiptera Stal,1859** (Reduviidae) Synonym(s): *basiptera* Stal,1859
- 1507) **Pediasia desertella (Lederer,1855)** (Pyralidae) Synonym(s): *desertellus* Lederer,1855
- 1508) **Pedicia (Amalopsis) occulta (Meigen,1830)** (Pedicidae) Synonym(s): *occulta* Meigen,1830
- 1509) **Pedostrangalia raggii Sama,1992** (Cerambycidae) Synonym(s): *raggii* Sama,1992
- 1510) **Pegomya bicolor (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* R-D.,1851; *rumicis* Hardy,1854; *jynx* Ségué,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941
- 1511) **Peirates hybridus (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763
- 1512) **Peirates strepitans (Rambur,1839)** (Reduviidae) Synonym(s): *strepitans* Rambur,1839
- 1513) **Pelopidas thrax (Hübner,1821)** (Hesperiidae) Synonym(s): *thrax* Hübner,1821; *midea* Walker,1870
- 1514) **Pempelia albicostella Amsel,1958** (Pyralidae) Synonym(s): *albicostella* Amsel,1958
- 1515) **Pempelia brephiella (Staudinger,1879)** (Pyralidae) Synonym(s): *brephiella* Staudinger,1879; *farinosella* Caradja,1910.
- 1516) **Pempelia numidella Ragonot,1890** (Pyralidae) Synonym(s): *numidella* Ragonot,1890
- 1517) **Pempelia palumbella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palumbella* [Denis & Schiffermüller],1775
- 1518) **Pentastira major (Kirschbaum,1868)** (Cixiidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 1519) **Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835
- 1520) **Pentodon algerinum Herbst,1789** (Scarabaeidae) Synonym(s): *algerinum* Herbst,1789
- 1521) **Pentodon bidens (Pallas,1771)** (Scarabaeidae) Synonym(s): *bidens* Pallas,1771
- 1522) **Pentodon idiota (Herbst,1789)** (Scarabaeidae) Synonym(s): *idiota* Herbst,1789
- 1523) **Pentodon quadridens (Gebler,1845)** (Scarabaeidae) Synonym(s): *quadridens* Gebler,1845
- 1524) **Peribatodes correptarius (Zeller,1847)** (Geometridae) Synonym(s): *correptaria* Zeller,1847.
- 1525) **Peribatodes rhomboidarius [Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemma* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943

- 1526) Peribatodes umbrarius (Hübner,[1809])** (Geometridae) Synonym(s): *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
- 1527) Pericyma albidentaria (Freyer,1842)** (Noctuidae) Synonym(s): *albidentaria* Freyer,1842
- 1528) Pericyma squalens Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855
- 1529) Peridroma saucia (Hübner,[1808])** (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 1530) Perigrapha (Opacographa) wimmeri Hacker,1996** (Noctuidae) Synonym(s): *wimmeri* Hacker,1996
- 1531) Perizoma bifaciata (Haworth,1809)** (Geometridae) Synonym(s): *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *aquilaria* Herrich-Schäffer,1848; *linolata* Guenée,[1858]; *odontata* Millière,1870; *#bifasciata* Rebel,1939
- 1532) Perkinsiella dorsata Melichar,1905** (Delphacidae) Synonym(s): *dorsata* Melichar,1905; *insignis* Distant,1912; *picta* Ribaut,1948
- 1533) Perla caucasica Guérin-Ménéville,1838** (Perlidae) Synonym(s): *caucasica* Guérin-Ménéville,1838; *abbreviata* Klapalek,1921; *persica* Zwick,1975
- 1534) Petalographis orientalis (G.Petersen,1961)** (Tineidae) Synonym(s): *orientalis* G.Petersen,1961
- 1535) Pezotettix cypria Dirsh,1949** (Acrididae) Synonym(s): *cypria* Dirsh,1949
- 1536) Phaioграмма etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903.
- 1537) Phaioγραμμα faustinata (Millière,1868)** (Geometridae) Synonym(s): *faustinata* Millière,1868; *rhoisaria* Chrétien,1909.
- 1538) Phalonidia contractana (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 1539) Phanerotoma (Bracotritoma) parva Kokujev,1903** (Braconidae) Synonym(s): *parva* Kokujev,1903; *aberrans* Shestakov,1930; *gussakovskii* Shestakov,1930
- 1540) Phanerotoma (Bracotritoma) tritoma (Marshall,1898)** (Braconidae) Synonym(s): *tritoma* Marshall,1898; *antennalis* Snoflak,1951
- 1541) Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959
- 1542) Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838
- 1543) Phaonia gobertii (Mik,1881)** (Muscidae) Synonym(s): *gobertii* Mik,1881
- 1544) Phaonia mediterranea Hennig,1963** (Muscidae) Synonym(s): *mediterranea* Hennig,1963
- 1545) Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780; *variegata* Meigen,1826
- 1546) Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798
- 1547) Phasia mesnili Draber-Monko,1965** (Tachinidae) Synonym(s): *mesnili* Draber-Monko,1965; *theodori* Draber-Monko,1965
- 1548) Pherbellia cinerella (Fallén,1820)** (Sciomyzidae) Synonym(s): *cinerella* Fallén,1820
- 1549) Philaematomyia insignis Austen,1909** (Muscidae) Synonym(s): *insignis* Austen,1909
- 1550) Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus* Melichar,1896
- 1551) Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758
- 1552) Philanthus triangulum (Fabricius,1775)** (Crabronidae) Synonym(s): *ruspatrix* Linnaeus,1767; *triangulum* Fabricius,1775; *abdelcader* Lepeletier,1845
- 1553) Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969
- 1554) Phlebotomus (Adlerius) kyreniae Theodor,1958** (Psychodidae) Synonym(s): *kyreniae* Theodor,1958
- 1555) Phlebotomus (Larroussius) perniciosus Newstead,1911** (Psychodidae) Synonym(s): *perniciosus* Newstead,1911; *nigerrimus* Newstead,1911; *legeri* Mansion,1913; *lusitanicus* França,1918; *grassi* Pierantoni,1925
- 1556) Phlebotomus (Larroussius) tobbsi Adler & Theodor,1930** (Psychodidae) Synonym(s): *tobbsi* Adler & Theodor,1930; *pirumovi* Burakova & Mirzayan,1934
- 1557) Phlebotomus (Larroussius) transcausicus Perfilev,1937** (Psychodidae) Synonym(s): *transcausicus* Perfilev,1937; *?galilaeus* Theodor,1958
- 1558) Phlebotomus (Paraphlebotomus) alexandri Sinton,1928** (Psychodidae) Synonym(s): *alexandri* Sinton,1928; *borovskii* Khodukin & Sofiev,1931
- 1559) Phlebotomus (Paraphlebotomus) sergenti Parrot,1917** (Psychodidae) Synonym(s): *sergenti* Parrot,1917; *similis* Perfilev,1963
- 1560) Phlebotomus (s.str.) papatasi (Scopoli,1786)** (Psychodidae) Synonym(s): *papatasi* Scopoli,1786; *molesta* Costa,1840; *breviventris* Ristorcelli,1943
- 1561) Phlebotomus (Transphlebotomus) nitzulescui Simic,1932** (Psychodidae) Synonym(s): *nitzulescui* Simic,1932
- 1562) Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadowald,1993
- 1563) Phloiocopus basalis (Klug,1842)** (Cleridae) Synonym(s): *basalis* Klug,1842
- 1564) Phonapate nitidipennis (Waterhouse,1881)** (Bostrichidae) Synonym(s): *uncinata* Karsch,1881 *nec* Germ.,1824; *nitidipennis* Waterhouse,1881; *ganglbaueri* Zoufal,1894; *arabs* Lesne,1909; *moghrebica* Lesne,1934; *africana* Vrydagh,1961
- 1565) Phradonoma nobile (Reitter,1881)** (Dermestidae) Synonym(s): *nobile* Reitter,1881
- 1566) Phronia basalis Winnertz,1863** (Mycetophilidae) Synonym(s): *basalis* Winnertz,1863
- 1567) Phronia biarcuata (Becker,1908)** (Mycetophilidae) Synonym(s): *biarcuata* Becker,1908
- 1568) Phronia tenuis Winnertz,1863** (Mycetophilidae) Synonym(s): *tenuis* Winnertz,1863
- 1569) Phryxe caudata (Rondani,1859)** (Tachinidae) Synonym(s): *caudata* Rondani,1859
- 1570) Phtheochroa sodaliana (Haworth,1811)** (Tortricidae) Synonym(s): *sodaliana* Haworth,1811; *amandana* Herrich-Schäffer,1851.
- 1571) Phthiridium biarticulatum Hermann,1804** (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804
- 1572) Phycita diaphana (Staudinger,1870)** (Pyralidae) Synonym(s): *diaphana* Staudinger,1870
- 1573) Phycita poteriella (Zeller,1846)** (Pyralidae) Synonym(s): *poteriella* Zeller,1846
- 1574) Phycita zizyphella Chrétien,1915** (Pyralidae) Synonym(s): *zizyphella* Chrétien,1915; *jerichoella* Amsel,1935
- 1575) Phycitodes albatella (Ragonot,1887)** (Pyralidae) Synonym(s): *albatella* Ragonot,1887
- 1576) Phycitodes inquinatella (Ragonot,1887)** (Pyralidae) Synonym(s): *inquinatella* Ragonot,1887
- 1577) Phycitodes saxicola (Vaughan,1870)** (Pyralidae) Synonym(s): *saxicola* Vaughan,1870

- 1578) **Phycus insignis** (Loew,1874) (Therevidae) Synonym(s): *insignis* Loew,1874
- 1579) **Phylapora canescens** (Duponchel,1826) (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933.
- 1580) **Phyllocnistis citrella** Stainton,1856 (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913
- 1581) **Phyllonorycter blancardella** (Fabricius,1781) (Gracillariidae) Synonym(s): *blancardella* Fabricius,1781; *pyrariella* Tutt,1898; *concomitella* Banks,1899
- 1582) **Phyllonorycter helianthemella** (Herrich-Schäffer,1861) (Gracillariidae) Synonym(s): *helianthemella* Herrich-Schäffer,1861; *cistifoliella* Groschke,1944
- 1583) **Phyllonorycter obtusifoliella** Deschka,1974 (Gracillariidae) Synonym(s): *obtusifoliella* Deschka,1974
- 1584) **Phyllonorycter roboris** (Zeller,1839) (Gracillariidae) Synonym(s): *roboris* Zeller,1839; *roborifoliella* Duponchel,[1843]; *roborella* Stainton,1848
- 1585) **Phyllonorycter troodi** Deschka,1974 (Gracillariidae) Synonym(s): *troodi* Deschka,1974
- 1586) **Phyllotreta astrachanica** Lopatin,1977 (Chrysomelidae) Synonym(s): *astrachanica* Lopatin,1977
- 1587) **Physatocheila municeps** Horvath,1903 (Tingidae) Synonym(s): *municeps* Horvath,1903
- 1588) **Physocephala pusilla** (Meigen,1824) (Conopidae) Synonym(s): *pusilla* Meigen,1824; *tener* Loew,1847; *persica* Becker,1913; *punctithorax* Becker,1913
- 1589) **Physocephala truncata** (Loew,1847) (Conopidae) Synonym(s): *truncata* Loew,1847
- 1590) **Physocephala vittata** (Fabricius,1794) (Conopidae) Synonym(s): *vittata* Fabricius,1794; *dorsalis* Wiedemann,1824; *solaeformis* Gimmerthal,1842; *fraterna* Loew,1847; *semitratora* Costa,1844; *detecta* Becker,1913; *abdominalis* Kröber,1915; *semirufa* Kröber,1915; *immaculata* Kröber,1939
- 1591) **Phytoecia geniculata** Mulsant,1863 (Cerambycidae) Synonym(s): *geniculata* Mulsant,1863
- 1592) **Pieris (Artoeia) rapae** (Linnaeus,1758) (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
- 1593) **Pieris (s.str.) brassicae** (Linnaeus,1758) (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cynipha* Turati,1924.
- 1594) **Piesma (Parapiesma) kolenatii** (Fieber,1861) (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 *nec* Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973
- 1595) **Platymetopius (s.str.) guttatus** Fieber,1869 (Cicadellidae) Synonym(s): *guttatus* Fieber,1869
- 1596) **Pleurota pyropella** ([Denis & Schiffermüller],1775) (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller],1775
- 1597) **Ploiaria domestica** Scopoli,1786 (Reduviidae) Synonym(s): *domestica* Scopoli,1786
- 1598) **Polietes meridionalis** Peris & Llorente,1963 (Muscidae) Synonym(s): *meridionalis* Peris & Llorente,1963
- 1599) **Pollenia longithea** Rognes,1987 (Calliphoridae) Synonym(s): *longithea* Rognes,1987
- 1600) **Pollenia rudis** (Fabricius,1794) (Calliphoridae) Synonym(s): *rudis* Fabricius,1794; *varia* Meigen,1826; *familiaris* Harris,1869
- 1601) **Polymitia eximipalpella** (Gerasimov,1930) (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935
- 1602) **Polymixis (Bischoffia) alaschja** Hacker,1996 (Noctuidae) Synonym(s): *alaschja* Hacker,1996
- 1603) **Polymixis (Myxinia) rufocincta** (Geyer,1828) (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 1604) **Polymixis (Parabrachionycha) trisignata** (Ménétriés,1847) (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 1605) **Polymixis (s.str.) ancepsoides** Poole,1989 (Noctuidae) Synonym(s): *anceps* Staudinger,1898 *nec* Stph.,1850; *ancepsoides* Poole,1989
- 1606) **Polymixis (s.str.) manisadjiani** (Staudinger,1881) (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881
- 1607) **Polymixis (Serpimixis) serpentina** (Treitschke,1825) (Noctuidae) Synonym(s): *serpentina* Treitschke,1825
- 1608) **Polymixis aphrodite** Fibiger,1997 (Noctuidae) Synonym(s): *aphrodite* Fibiger,1997
- 1609) **Polymona lapidicola** (Herrich-Schäffer,[1852]) (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852]
- 1610) **Polyocha venosa** (Zeller,1847) (Pyralidae) Synonym(s): *venosa* Zeller,1847
- 1611) **Polyommatus (Aricia (s.str.)) agestis** ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottentburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 1612) **Polyommatus (s.str.) icarus** (Rottentburg,1775) (Lycaenidae) Synonym(s): *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottentburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 1613) **Polyopogon zelleralis** (Wocke,1850) (Noctuidae) Synonym(s): *zelleralis* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851.
- 1614) **Pontia chloridice** (Hübner,[1813]) (Pieridae) Synonym(s): *rossiae* Esper,[1784] *nec* *rossiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec* Oberthür,1881.
- 1615) **Pontia edusa** (Fabricius,1777) (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
- 1616) **Powellinia lasserei** (Oberthür,1881) (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924
- 1617) **Prionapteryx obeliscota** (Meyrick,1936) (Pyralidae) Synonym(s): *obeliscota* Meyrick,1936
- 1618) **Problepsis ocellata** (Frivaldszky,1845) (Geometridae) Synonym(s): *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858]
- 1619) **Proceps acicularis** Mulsant & Rey,1855 (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868
- 1620) **Prochoristis crudalis** (Lederer,1863) (Pyralidae) Synonym(s): *crudalis* Lederer,1863
- 1621) **Prochoristis rupicapralis** (Lederer,1855) (Pyralidae) Synonym(s): *rupicapralis* Lederer,1855
- 1622) **Promachus microlabis** Loew,1857 (Asilidae) Synonym(s): *microlabis* Loew,1857
- 1623) **Pronomaea araxicola** Reitter,1898 (Staphylinidae) Synonym(s): *araxicola* Reitter,1898; *orientalis* Fagel,1969
- 1624) **Propomacrus cypriacus** Alexis & Makris,2002 (Scarabaeidae) Synonym(s): *cypriacus* Alexis & Makris,2002
- 1625) **Prostemma guttula** (Fabricius,1787) (Nabidae) Synonym(s): *guttula* Fabricius,1787
- 1626) **Protaetia (Foveopotosia) judith** (Reiche,1871) (Scarabaeidae) Synonym(s): *judith* Reiche,1871; *foveicauda* Reitter,1898

- 1627) *Protaetia (Potosia) cuprea* (Fabricius,1775) (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775
 1628) *Protaetia (Potosia) ikonomovi* Miksic,1958 (Scarabaeidae) Synonym(s): *ikonomovi* Miksic,1958
 1629) *Proteuchloris neriaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *neriaria* Herrich-Schäffer,[1852].
 1630) *Protonemura libanocypria* Zwick,1967 (Nemouridae) Synonym(s): *libanocypria* Zwick,1967
 1631) *Protosmia (s.str.) glutinosa* (Giraud,1871) (Megachilidae) Synonym(s): *glutinosa* Giraud,1871
 1632) *Protosmia (s.str.) monstrosa* (Pérez,1895) (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Friese,1899
 1633) *Protosmia (s.str.) paradoxa* (Friese,1899) (Megachilidae) Synonym(s): *paradoxa* Friese,1899
 1634) *Psacasta cypria* Puton,1881 (Scutelleridae) Synonym(s): *cypria* Puton,1881
 1635) *Psacasta exanthematica* (Scopoli,1763) (Scutelleridae) Synonym(s): *exanthematica* Scopoli,1763
 1636) *Psallus niger* (Wagner,1968) (Miridae) Synonym(s): *niger* Wagner,1968; *cyprius* Wagner,1977
 1637) *Psammotettix cerinus* (Lindberg,1948) (Cicadellidae) Synonym(s): *cerinus* Lindberg,1948
 1638) *Psammotettix majusculus* Linnavuori,1951 (Cicadellidae) Synonym(s): *majusculus* Linnavuori,1951
 1639) *Psammotettix provincialis* (Ribaut,1925) (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925
 1640) *Pseudapis (Nomiapis) diversipes* (Latreille,1806) (Halictidae) Synonym(s): *diversipes* Latreille,1806
 1641) *Pseudapis (Nomiapis) equestris* Gerstaecker,1872 (Halictidae) Synonym(s): *equestris* Gerstaecker,1872
 1642) *Pseudapis (Nomiapis) monstrosa* (Costa,1861) (Halictidae) Synonym(s): *monstrosa* Costa,1861
 1643) *Pseudapis (Nomiapis) valga* (Gerstaecker,1872) (Halictidae) Synonym(s): *valga* Gerstaecker,1872
 1644) *Pseudaraeopus lethierryi* (Mulsant & Rey,1879) (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemant,1921
 1645) *Pseudenargia troodosi* Svendsen, Nielsson & Fibiger,1999 (Noctuidae) Synonym(s): *troodosi* Svendsen, Nielsson & Fibiger,1999
 1646) *Pseudexechia trisignata* (Edwards,1913) (Mycetophilidae) Synonym(s): *trisignata* Edwards,1913
 1647) *Pseudochazara (Achazara) anthelea* (Hübner,[1824]) (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
 1648) *Pseudocopicucullia syrtana* (Mabille,1888) (Noctuidae) Synonym(s): *syrtana* Mabille,1888
 1649) *Pseudohadena (s.str.) chenopodiphaga* (Rambur,1832) (Noctuidae) Synonym(s): *chenopodiphaga* Rambur,1832
 1650) *Pseudoips prasinana* (Linnaeus,1758) (Noctuidae) Synonym(s): *prasinana* Linnaeus,1758; *fagana* Fabricius,1781; *sylvana* Fabricius,1794; *britannica* W.Warren,1913.
 1651) *Pseudophilotes vicrama* (Moore,1865) (Lycaenidae) Synonym(s): *vicrama* Moore,1865
 1652) *Pseudophotopsis armeniaca* (Skorikov,1935) (Mutillidae) Synonym(s): *armeniaca* Skorikov,1935; *cyprica* Hammer,1950
 1653) *Pseudophotopsis caucasica* (Radoszkowski,1885) (Mutillidae) Synonym(s): *caucasica* Radoszkowski,1885; *caucasicola* Dalla Torre,1897;
 1654) *Pseudophotopsis komarovii* (Radoszkowski,1885) (Mutillidae) Synonym(s): *komarovii* Radoszkowski,1885; *askhabadensis* Radoszkowski,1885; *oculosa* Skorikov,1935; *inductrix* Skorikov,1935; *asiatica* Suarez,1965
 1655) *Pseudophotopsis oblitterata* (Smith,1855) (Mutillidae) Synonym(s): *oblitterata* Smith,1855
 1656) *Pseudophotopsis schachruda* (Skorikov,1935) (Mutillidae) Synonym(s): *schachruda* Skorikov,1935; *robusta* Skorikov,1935; *mauromoustakisi* Suarez,1959; *#schachrudii* Özбек et al.,1999; *caucasica* auct.
 1657) *Pseudoterpna coronillaria* (Hübner,[1817]) (Geometridae) Synonym(s): *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 nec Z.,1847; *#coronillaria* Rebel,1939
 1658) *Pseudoterpna rectistrigaria* Wiltshire,1948 (Geometridae) Synonym(s): *rectistrigaria* Wiltshire,1948
 1659) *Psilochalcis benoisti* (Steffan,1948) (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948
 1660) *Psilochalcis nigerrima* (Masi,1929) (Chalcididae) Synonym(s): *nigerrima* Masi,1929
 1661) *Psilochalcis rufitarsis* (Illiger,1807) (Chalcididae) Synonym(s): *monstrosa* Villers,1789; *rufitarsis* Illiger,1807; *vicina* Fonscolombe,1832; *nigra* Walker,1834; *frequens* Masi,1929
 1662) *Psorosa dahliaella* (Treitschke,1832) (Pyralidae) Synonym(s): *dahliaella* Treitschke,1832; *bivitella* Duponchel,1836.
 1663) *Psylliodes milleri* Kutschera,1864 (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864
 1664) *Psylliodes testaceoconcolor* Heikertinger,1926 (Chrysomelidae) Synonym(s): *testaceoconcolor* Heikertinger,1926
 1665) *Pterotmetus parnassius* Horvath,1882 (Lygaeidae) Synonym(s): *parnassius* Horvath,1882
 1666) *Ptocheuusa campicolella* (Mann,1857) (Gelechiidae) Synonym(s): *campicolella* Mann,1857
 1667) *Ptocheuusa minimella* (Rebel,1936) (Gelechiidae) Synonym(s): *minimella* Rebel,1936
 1668) *Puerphorus olbiadactylus* (Millière,1859) (Pterophoridae) Synonym(s): *olbiadactylus* Millière,1859; *hemiarigus* Meyrick,1908; *dactilographa* Turati,1927.
 1669) *Puncticorpus cribratum* (Villeneuve,1918) (Sphaeroceridae) Synonym(s): *cribratum* Villeneuve,1918; *brevipennis* Duda,1918
 1670) *Purpuricenus nicocles* Schaufuss,1871 (Cerambycidae) Synonym(s): *nicocles* Schaufuss,1871
 1671) *Purpuricenus nudicollis* Demelt,1968 (Cerambycidae) Synonym(s): *nudicollis* Demelt,1968
 1672) *Purpuricenus wachanrui* Levrat,1858 (Cerambycidae) Synonym(s): *wachanrui* Levrat,1858; *aleppensis* Witte,1872; *haussknechti* Witte,1872; *atricolor* Pic,1912; *diversipennis* Pic,1915
 1673) *Pyncocryptodes reticulator* Aubert,1971 (Ichneumonidae) Synonym(s): *reticulator* Aubert,1971
 1674) *Pyralis farinalis* (Linnaeus,1758) (Pyralidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
 1675) *Pyralis imperialis* Caradja,1916 (Pyralidae) Synonym(s): *imperialis* Caradja,1916
 1676) *Pyrausta (Haematia) despicata* (Scopoli,1763) (Pyralidae) Synonym(s): *despicata* Scopoli,1763; *cespitalis* [Denis & Schiffermüller],1775.
 1677) *Pyrausta (Haematia) sanguinalis* (Linnaeus,1767) (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
 1678) *Pyrausta (Haematia) virginalis* Duponchel,1832 (Pyralidae) Synonym(s): *virginalis* Duponchel,1832; *aurorealis* Zeller,1847; *neglectalis* Caradja,1916
 1679) *Pyrausta (s.str.) aurata* (Scopoli,1763) (Pyralidae) Synonym(s): *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *niépoldalis* Lederer,1863
 1680) *Pyrausta (s.str.) inciae* Koçak,1982 (Pyralidae) Synonym(s): *meridionalis* Staudinger,1880 nec Wcke,1871; *inciae* Koçak,1982.
 1681) *Pyrausta (s.str.) pauperalis* (Staudinger,1879) (Pyralidae) Synonym(s): *pauperalis* Staudinger,1879
 1682) *Pyrellia vivida* R-D.,1830 (Muscidae) Synonym(s): *cadaverina* auct.; *vivida* R-D.,1830
 1683) *Pyrgomorpha (s.str.) conica* (Olivier,1791) (Pyrgomorphidae) Synonym(s): *conica* Olivier,1791; *grylloides* Latreille,1804; *linearis* Charpentier,1825; *rosea* Charpentier,1825; *rhodoptila* Herrich-Schäffer,1838; *discrepans* Fieber,1853; *mideltica* Werner,1931

- 1684) Pyrgomorpha (s.str.) cypria Bolivar,1901** (Pyrgomorphidae) Synonym(s): *cypria* Bolivar,1901; *cyprica* Steinmann,1967
- 1685) Pyroderces argyrogrammos (Zeller,1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggiella* Herrich-Schäffer,1853]
- 1686) Pyrois effusa (Boisduval,1828)** (Noctuidae) Synonym(s): *effusa* Boisduval,1828; *sciaphila* Staudinger,1871
- 1687) Pyropteron minianiformis (Freyer,1843)** (Sesiidae) Synonym(s): *minianiformis* Freyer,1843
- 1688) Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829
- 1689) Quercusia quercus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 1690) Rachispoda modesta (Duda,1924)** (Sphaeroceridae) Synonym(s): *modesta* Duda,1924
- 1691) Ramphis libanoticus Riedl,1969** (Cosmopterigidae) Synonym(s): *libanoticus* Riedl,1969
- 1692) Raphidia cypria Navas,1931** (Raphidiidae) Synonym(s): *cypria* Navas,1931; *phoenicia* H.Aspöck & U.Aspöck,1964; *#cyparia* H.Aspöck & U.Aspöck,1967
- 1693) Raphimetopus ablutellus (Zeller,1839)** (Pyrilidae) Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 1694) Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780
- 1695) Ravinia striata (Fabricius,1794)** (Sarcophagidae) Synonym(s): *striata* Fabricius,1794; *haematodes* Meigen,1826; *haemisphaerica* R-D.,1830; *limpidipennis* R-D.,1830; *horticola* R-D.,1830; *campestris* R-D.,1830; *parva* R-D.,1863; *sulcata* R-D.,1863; *hebes* R-D.,1863; *nova* Siebke,1877; *aozia* Séguy,1935; *disjuncta* Séguy,1938
- 1696) Reduvius jakovleffi Reuter,1892** (Reduviidae) Synonym(s): *jakovleffi* Reuter,1892]
- 1697) Reduvius pallipes Klug,1830** (Reduviidae) Synonym(s): *pallipes* Klug,1830; *thoracicus* Stal,1855; *testaceus* Fieber
- 1698) Rhagonycha kiesewetteri Marseul,1864** (Cantharidae) Synonym(s): *kiesewetteri* Marseul,1864
- 1699) Rhodometra sacaria (Linnaeus,1767)** (Geometridae) Synonym(s): *sacaria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,1858];
- 1700) Rhodostrophia tabidaria (Zeller,1847)** (Geometridae) Synonym(s): *tabidaria* Zeller,1847
- 1701) Rhodus cyprius (Houard,1919)** (Cynipidae) Synonym(s): *cyprius* Houard,1919; *oriundus* Quinlan,1968; *kezivi* Melika,2003
- 1702) Rhoptria asperaria (Hübner,1817)** (Geometridae) Synonym(s): *asperaria* Hübner,1817]; *collata* Hübner,1826]; *pityata* Rambur,1829; *esteparentis* Agenjo,1933; *#aspersaria* Zukowsky,1941.
- 1703) Rhyacia (s.str.) arenacea (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
- 1704) Rhyacionia buoliana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; *#bouoliana* Kalchberg,1897
- 1705) Rhynchium oculatum (Fabricius,1781)** (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *lefebvrei* Lepeletier,1841; *leviscutis* Cameron,1908; *distinguendum* Buysson,1913; *hebraeum* Giordani Soika,1952; *adenense* Giordani Soika,1952; *ibericum* Giordani Soika,1966
- 1706) Rhyncomya cyanescens (Loew,1844)** (Calliphoridae) Synonym(s): *cyanescens* Loew,1844
- 1707) Rhyncomya peusi Zumpt,1956** (Calliphoridae) Synonym(s): *peusi* Zumpt,1956
- 1708) Rhyncomya speciosa (Loew,1844)** (Calliphoridae) Synonym(s): *speciosa* Loew,1844
- 1709) Rhynocoris bipustulatus (Fieber,1861)** (Reduviidae) Synonym(s): *bipustulatus* Fieber,1861; *signiceps* Walker,1870; *nigripennis* Lindberg,1930; *israelensis* Hoberlandt,1951
- 1710) Rhynocoris punctiventris Herrich-Schäffer,1846** (Reduviidae) Synonym(s): *punctiventris* Herrich-Schäffer,1846; *dimidiatus* Dispons,1964
- 1711) Rhyapaga lacernaria (Hübner,1813)** (Noctuidae) Synonym(s): *lacernaria* Hübner,1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 1712) Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae) Synonym(s): *phoeniceus* Rossi,1794
- 1713) Rhyparochromus vulgaris (Schilling,1829)** (Lygaeidae) Synonym(s): *vulgaris* Schilling,1829
- 1714) Ribautodelphax albostratus (Fieber,1866)** (Delphacidae) Synonym(s): *albostratus* Fieber,1866; *distinguenda* Kirschbaum,1868
- 1715) Rivetina baetica (Rambur,1838)** (Mantidae) Synonym(s): *fasciata* Thunberg,1815 *nec* Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853
- 1716) Rivetina syriaca (Saussure,1869)** (Mantidae) Synonym(s): *syriaca* Saussure,1869; *festae* Giglio-Tos,1916
- 1717) Rivula tanitalis Rebel,1912** (Noctuidae) Synonym(s): *tanitalis* Rebel,1912
- 1718) Ronisia brutia (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *sexmaculata* Cyrillo,1787; *hungarica* Fabricius,1793; *confusa* Lepeletier,1845; *monspeliensis* Lepeletier,1845; *robusta* Smith,1855; *torosa* Costa,1858; *sericeiventris* Costa,1864; *duplex* Radoszkowski,1885; *discoidalis* Radoszkowski,1885 *morawitzii* Dalla Torre,1897
- 1719) Rymosia affinis Winnertz,1863** (Mycetophilidae) Synonym(s): *affinis* Winnertz,1863
- 1720) Rymosia cretensis Lundström,1911** (Mycetophilidae) Synonym(s): *cretensis* Lundström,1911
- 1721) Saldula arenicola (Scholtz,1847)** (Saldidae) Synonym(s): *arenicola* Scholtz,1847
- 1722) Saldula lindbergi Lindskog,1975** (Saldidae) Synonym(s): *lindbergi* Lindskog,1975
- 1723) Saluria maculivittella Ragonot,1887** (Pyrilidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888.
- 1724) Sapromyza gozmanyi Papp,1981** (Lauaxaniidae) Synonym(s): *gozmanyi* Papp,1981
- 1725) Sapromyza laszlopappi Merz,2007** (Lauaxaniidae) Synonym(s): *laszlopappi* Merz,2007
- 1726) Sapyga (s.str.) quinquepunctata (Fabricius,1781)** (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781
- 1727) Sarcophaga (Bercaea) africa (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819
- 1728) Sarcophaga (Bercaea) cruentata Meigen,1826** (Sarcophagidae) Synonym(s): *cruentata* Meigen,1826; *haemorrhoidalis* Fallén,1817; *squalida* R-D.,1830; *blondeli* R-D.,1830; *villiva* R-D.,1830; *ruficauda* Zetterstedt,1838; *consobrina* Rondani,1860; *nurus* Rondani,1860; *zetterstedti* R-D.,1863; *iners* R-D.,1863; *pabulorum* R-D.,1863; *meigeni* R-D.,1863; *inclyta* R-D.,1863; *praeceps* R-D.,1863; *fugax* R-D.,1863; *nitida* R-D.,1863; *albidula* R-D.,1863; *commendata* R-D.,1863; *fulvipalpis* R-D.,1863; *haematura* R-D.,1863; *agilis* R-D.,1863; *oralis* R-D.,1863; *agraria* R-D.,1863; *meditata* R-D.,1863; *#interrupta* Enderlein,1928; *#tiesleri* Enderlein,1928
- 1729) Sarcophaga (Heteronychia) boettcheri Villeneuve,1912** (Sarcophagidae) Synonym(s): *boettcheri* Villeneuve,1912; *taurica* Rohdendorf,1937; *gaspari* Lehrer,1977; *bodediana* Lehrer,1998; *shakrana* Lehrer,1998; *caraormana* Lehrer,2008
- 1730) Sarcophaga (Heteronychia) mutila Villeneuve,1912** (Sarcophagidae) Synonym(s): *mutila* Villeneuve,1912; *nedelkoffi* Lehrer,1977; *galmuda* Lehrer,1998
- 1731) Sarcophaga (Heteronychia) setinervis Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860; *puerula* Rondani,1860; *efflatouni* Salem,1935; *seguyi* Lehrer,1977
- 1732) Sarcophaga (Heteronychia) siciliensis Böttcher,1913** (Sarcophagidae) Synonym(s): *siciliensis* Böttcher,1913

- 1733) Sarcophaga (Jantia) crassipalpis Macquart,1839** (Sarcophagidae) Synonym(s): *crassipalpis* Macquart,1839; *dalmatina* Schiner,1862; *securifera* Villeneuve,1908
- 1734) Sarcophaga (Liopygia) argyrostoma (R-D.,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D.,1830
- 1735) Sarcophaga (Liosarcophaga) exuberans Pandellé,1896** (Sarcophagidae) Synonym(s): *exuberans* Pandellé,1896; *setosa* Baranov,1929
- 1736) Sarcophaga (Liosarcophaga) jacobsoni (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *jacobsoni* Rohdendorf,1937; *sachtlebeni* Lehrer,1959
- 1737) Sarcophaga (Phytosarcophaga) destructor Malloch,1929** (Sarcophagidae) Synonym(s): *destructor* Malloch,1929; *flagellata* Villeneuve,1930; *margaretti* Salem,1935; *destructix* Rohdendorf,1937; *mezzadrii* Ségué,1951
- 1738) Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922; *clausa* Müller,1922; *meridionalis* Rohdendorf,1937
- 1739) Sarcophaga (Thomsonaea) argyrostoma (R-D.,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D.,1830; *barbata* Thomson,1869; *falculata* Pandellé,1896; *persicae* Senior-White,1924; *chivensis* Zimin,1928
- 1740) Sargus maculatus (Lindner,1936)** (Stratiomyidae) Synonym(s): *maculatus* Lindner,1936
- 1741) Saturnia (Perisomena) caecigena Kupido,1825** (Saturniidae) Synonym(s): *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914
- 1742) Satyramoeba hetrusca (Fabricius,1794)** (Bombyliidae) Synonym(s): *hetrusca* Fabricius,1794; *rubiginipennis* Macquart,1840; *formosa* Dufour,1852; *etrusca* Bezzi,1903
- 1743) Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758
- 1744) Scarabaeus armeniacus Ménétériés,1832** (Scarabaeidae) Synonym(s): *armeniaceus* Ménétériés,1832; *nigrociliatus* Motschoulsky,1849
- 1745) Scarabaeus puncticollis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819
- 1746) Scaurus puncticollis Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838
- 1747) Sceliphron (s.str.) sprifex (Linnaeus,1758)** (Sphecidae) Synonym(s): *sprifex* Linnaeus,1758; *aegyptius* Linnaeus,1758; *atra* Scopoli,1786; *aegyptiacum* Dalla Torruve,1897
- 1748) Schistocerca gregaria (Forsk.,1775)** (Acrididae) Synonym(s): *gregaria* Forsk.,1775; *tartaricum* Latreille,1804; *peregrina* Olivier,1804; *rufescens* Thunberg,1815
- 1749) Sciocoris (Neosciocoris) orientalis Linnavuori,1960** (Pentatomidae) Synonym(s): *orientalis* Linnavuori,1960
- 1750) Sciocoris (s.str.) cursitans (Fabricius,1794)** (Pentatomidae) Synonym(s): *cursitans* Fabricius,1794; *terreus* Schrank,1801; *rubropunctatus* Fuente,1972
- 1751) Sciocoris (s.str.) hoerlandti Wagner,1954** (Pentatomidae) Synonym(s): *hoerlandti* Wagner,1954
- 1752) Sciocoris (s.str.) ochraceus Fieber,1861** (Pentatomidae) Synonym(s): *ochraceus* Fieber,1861; *#ochraceus* Önder et al.,2006
- 1753) Sciocoris (s.str.) sulcatus Fieber,1851** (Pentatomidae) Synonym(s): *sulcatus* Fieber,1851; *angustipennis* Mulsant & Rey,1852; *lautus* Horvath,1903; *atticus* Horvath,1907; *cypria* Lindberg,1948
- 1754) Sciota (Ciliocerodes) coenulentella (Zeller,1846)** (Pyralidae) Synonym(s): *coenulentella* Zeller,1846
- 1755) Scolia (s.str.) flaviceps Eversmann,1846** (Scoliidae) Synonym(s): *flaviceps* Eversmann,1846; *mangichlakensis* Radoszkowski,1879
- 1756) Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muche,1962
- 1757) Scolia hirta (Schrank,1781)** (Scoliidae) Synonym(s): *hirta* Schrank,1781; *bicincta* Scopoli,1786; *unifasciata* Cyrillo,1787; *alutus* Nagy,1967; *mongolina* Nagy,1970
- 1758) Scoparia basistrigalis Knaggs,1866** (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
- 1759) Scoparia berytella Rebel,1911** (Pyralidae) Synonym(s): *berytella* Rebel,1911; *syriaca* Caradja,1917; *coprista* Meyrick,1936; *unicornutella* Amsel,1958
- 1760) Scoparia ingratella (Zeller,1846)** (Pyralidae) Synonym(s): ? *majalis* Scopoli,1763; *ingratella* Zeller,1846; *ingratalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982
- 1761) Scoparia staudingeri (Mabille,1869)** (Pyralidae) Synonym(s): *staudingeri* Mabille,1869; *nevadalis* Caradja,1917; *fusculalis* Amsel,1936
- 1762) Scoparia unicolorella Amsel,1958** (Pyralidae) Synonym(s): *unicorella* Amsel,1958
- 1763) Scopula decolor (Staudinger,1898)** (Geometridae) Synonym(s): *decolor* Staudinger,1898; *languidata* L.B.Prout,1913
- 1764) Scopula flaccidaria (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
- 1765) Scopula imitaria (Hübner,1799)** (Geometridae) Synonym(s): *fimbriata* Fourcroy,1785 *nec* Schreb.,1759; *imitaria* Hübner,1799
- 1766) Scopula luridata (Zeller,1847)** (Geometridae) Synonym(s): *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855
- 1767) Scopula marginepunctata (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosa* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,1858; *promutaria* Morris,1861; *apertaria* Walker,1863; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
- 1768) Scopula minorata (Boisduval,1833)** (Geometridae) Synonym(s): *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,1847; *luculata* Guenée,1858; *mauritiata* Guenée,1858; *consentanea* Walker,1861; *holobapharia* Mabille,1900; *mombasae* W.Warren,1904; *dresnaji* D.Lucas,1937.
- 1769) Scopula ornata (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
- 1770) Scopula turbulentaria (Staudinger,1870)** (Geometridae) Synonym(s): *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
- 1771) Scopula vigilata (Wagner,1926)** (Geometridae) Synonym(s): *#submutulata* Rebel,1902; *#vigilata* L.B.Prout,1913; *vigilata* Wagner,1926; *turatii* Wagner,1926; *submutulata* Wagner,1926
- 1772) Scotomera caesarealis (Ragonot,1891)** (Pyralidae) Synonym(s): *caesarealis* Ragonot,1891
- 1773) Scythris (dissitella-gr.) dissitella (Zeller,1847)** (Scythridae) Synonym(s): *dissitella* Zeller,1847; *eatoni* Caradja,1920; *aritzoella* Amsel,1936
- 1774) Scythris (elegantella-gr.) limbella (Fabricius,1775)** (Scythridae) Synonym(s): *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,1813; *obscura* Staudinger,1880.
- 1775) Scythris (mus-gr.) mus Walsingham,1898** (Scythridae) Synonym(s): *mus* Walsingham,1898; *talpella* Walsingham,1907; *blandella* Chrétien,1915; *griseomiscella* Turati,1924
- 1776) Scythris (punctivittella-gr.) punctivittella (Costa,1836)** (Scythridae) Synonym(s): *punctivittella* Costa,1836; *asmodella* Millièr,1873

- 1777) **Sehirus cypriacus Dohrn, 1860** (Cydniidae) Synonym(s): *cypriacus Dohrn, 1860*
 1778) **Selenocephalus nervosus Lindberg, 1948** (Cicadellidae) Synonym(s): *nervosus Lindberg, 1948*
 1779) **Selenocephalus pallens Lindberg, 1948** (Cicadellidae) Synonym(s): *pallens Lindberg, 1948; obscurus Lindberg, 1953*
 1780) **Selidosema tamsi Rebel, 1939** (Geometridae) Synonym(s): *tamsi Rebel, 1939*
 1781) **Setapius lindbergi (Dlabola, 1957)** (Cixiidae) Synonym(s): *lindbergi Dlabola, 1957*
 1782) **Siagona (Siagona) europaea Dejean, 1826** (Carabidae) Synonym(s): *europaea Dejean, 1826*
 1783) **Sigara mayri (Fieber, 1860)** (Corixidae) Synonym(s): *mayri Fieber, 1860*
 1784) **Simulium (Eusimulium) petricolum (Rivosecchi, 1963)** (Simuliidae) Synonym(s): *petricolum Rivosecchi, 1963*
 1785) **Simulium (Eusimulium) petricolum (Rivosecchi, 1963)** (Simuliidae) Synonym(s): *petricolum Rivosecchi, 1963*
 1786) **Simulium (Eusimulium) velutinum (Santos Abreu, 1922)** (Simuliidae) Synonym(s): *velutinum Santos Abreu, 1922; nigripes Santos Abreu, 1922; pseudolatipes Santos Abreu, 1922; serbicum Baranov, 1925; primum Baranov, 1926; secundum Baranov, 1926; rubzovianum Sherban, 1961; latinum Rubtsov, 1962*
 1787) **Simulium (Nevermannia) cryophilum (Rubtsov, 1959)** (Simuliidae) Synonym(s): *cryophilum Rubtsov, 1959; biankoi Rubtsov, 1964; courverti Rubtsov, 1964; vidanoi Rubtsov, 1964; tricennum Rubtsov & Carlsson, 1965*
 1788) **Simulium (s.str.) bezzii (Corti, 1914)** (Simuliidae) Synonym(s): *bezzii Corti, 1914; delphinense Villeneuve, 1918; tristrigatum Enderlein, 1921; obscurum Enderlein, 1924; kondici Baranov, 1926; atlas Ségué, 1930; crinitum Rubtsov, 1956; gorjense Dinulescu, 1966; graium Courvert, 1967*
 1789) **Simulium (s.str.) kiritshenkoi Rubtsov, 1940** (Simuliidae) Synonym(s): *kiritshenkoi Rubtsov, 1940; caucasicum Rubtsov, 1940; sevanense Rubtsov & Terteryan, 1952; cisalpinum Rubtsov, 1956; longicaulis Rubtsov, 1956*
 1790) **Simulium (Trichodagmia) auricoma Meigen, 1818** (Simuliidae) Synonym(s): *auricoma Meigen, 1818; syriacum Roubaud, 1909; djerdapense Baranov, 1937*
 1791) **Simulium (Wilhelmia) pseudequinum Seguy, 1921** (Simuliidae) Synonym(s): *pseudequinum Seguy, 1921; canariense Ségué, 1921; brnizense Baranov, 1924; mediterraneum Puri, 1925; stylatum Baranov, 1926; quartum Baranov, 1926; barbaricum Ségué, 1930; sulfuricola Rivosecchi, 1972; fluminicola Rivosecchi, 1972*
 1792) **Sinophorus xanthostomus (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *xanthostomus Gravenhorst, 1829*
 1793) **Smerinthus kindermanni Lederer, 1852** (Sphingidae) Synonym(s): *kindermanni Lederer, 1852; #obscura Closs, 1917*
 1794) **Smicromyrme (Astomyrme) ausonius Invrea, 1950** (Mutillidae) Synonym(s): *ausonius Invrea, 1950*
 1795) **Sogatella vibix (Haupt, 1927)** (Delphacidae) Synonym(s): *furcata Matsumura, 1910; vibix Haupt, 1927; matsumurana Metcalf, 1943; longifurcifera Esaki & Ishihara, 1947; panicola Ishihara, 1949; dogensis Ishihara, 1952; catoptron Fennah, 1963; parakolophon Linnavuori, 1973; diachenhea Kuoh, 1977*
 1796) **Solenostethium ledereri (Fieber, 1861)** (Scutelleridae) Synonym(s): *ledereri Fieber, 1861*
 1797) **Solter gaudryi Navas, 1914** (Myrmeleonidae) Synonym(s): *gaudryi Navas, 1914*
 1798) **Sorhagenia reconditella Riedl, 1983** (Cosmopterigidae) Synonym(s): *reconditella Riedl, 1983*
 1799) **Spallanzania hebes (Fallén, 1820)** (Tachinidae) Synonym(s): *hebes Fallén, 1820; pansa Snow, 1895*
 1800) **Specafrons cypria Nartshuk, 1990** (Chloropidae) Synonym(s): *cypria Nartshuk, 1990*
 1801) **Sphecodes alternatus Smith, 1853** (Halictidae) Synonym(s): *alternatus Smith, 1853; punctiventris Hagens, 1882; gracilior Morawitz, 1894; antiquae Tournier, 1901; lindbergi Pittioni, 1950*
 1802) **Sphecodes croaticus Meyer, 1922** (Halictidae) Synonym(s): *croaticus Meyer, 1922; cyprius Blüthgen, 1938*
 1803) **Sphecodes gibbus (Linnaeus, 1758)** (Halictidae) Synonym(s): *gibbus Linnaeus, 1758; rufispinosus Meyer, 1920*
 1804) **Sphecodes monilicornis (Kirby, 1802)** (Halictidae) Synonym(s): *monilicornis Kirby, 1802; cephalotes Meyer, 1920*
 1805) **Sphecodes pellucidus Smith, 1845** (Halictidae) Synonym(s): *pellucidus Smith, 1845*
 1806) **Sphecodes punctipes Thomson, 1870** (Halictidae) Synonym(s): *punctipes Thomson, 1870*
 1807) **Sphecodes rufiventris (Panzer, 1798)** (Halictidae) Synonym(s): *rufiventris Panzer, 1798; hethiticus Warncke, 1992*
 1808) **Sphedanolestes pulchellus (Klug, 1830)** (Reduviidae) Synonym(s): *pulchellus Klug, 1830*
 1809) **Sphex flavipennis Fabricius, 1793** (Sphecidae) Synonym(s): *flavipennis Fabricius, 1793; rufocinctus Brullé, 1833; bicolor Dahlbom, 1845; cinereorufocinctus Dahlbom, 1845; sellae Gribodo, 1873; rufodorsatus DeStefani, 1887*
 1810) **Sphodromantis viridis (Forsk., 1775)** (Mantidae) Synonym(s): *viridis Forsk., 1775; guttata Thunberg, 1815; bimaculata Burmeister, 1838; bioculata Burmeister, 1838; vischeri Werner, 1933*
 1811) **Spilostethus pandurus (Scopoli, 1763)** (Lygaeidae) Synonym(s): *pandurus Scopoli, 1763*
 1812) **Spilostethus saxatilis (Scopoli, 1763)** (Lygaeidae) Synonym(s): *saxatilis Scopoli, 1763*
 1813) **Spiris striata (Linnaeus, 1758)** (Arctiidae) Synonym(s): *striata Linnaeus, 1758; grammica Linnaeus, 1758; funerea Eversmann, 1847; strandi Obratzov, 1936; slovenica Daniel, 1939; wisniewskii Wojtusiak & Niesielowski, 1946; hospitali Marten, 1948*
 1814) **Spodoptera cilium Guenée, 1852** (Noctuidae) Synonym(s): *cilium Guenée, 1852; cycloides Guenée, 1852; capicola Herrich-Schäffer, [1854]; latebrosa Lederer, 1855; insignata Walker, 1857; orbicularis Walker, 1857; praeterita Walker, 1857; procedens Walker, 1857; oblitterans Walker, 1862; infixa Walker, 1862; insulsa Walker, 1865; imperviata Walker, 1865; retrahens Walker, 1870*
 1815) **Spodoptera exiguum (Hübner, [1808])** (Noctuidae) Synonym(s): *exigua Hübner, [1808]; fulgens Geyer, [1832]; pygmaea Rambur, 1834; junceti Zeller, 1847; caradrinoides Walker, 1856; flavimaculata Harvey, 1876; venosa Butler, 1880; sebhana Austaut, 1880; antipodea W. Warren, 1914; protector De Laever, 1985*
 1816) **Spodoptera littoralis (Boisduval, 1833)** (Noctuidae) Synonym(s): *littoralis Boisduval, 1833; retina Freyer, 1845; testaceoides Guenée, 1852; metriodes Bethune-Baker, 1911*
 1817) **Spogostylum isis (Meigen, 1820)** (Bombyliidae) Synonym(s): *isis Meigen, 1820; subnotata Walker, 1871 nec Wied., 1820*
 1818) **Spoladea recurvalis (Fabricius, 1775)** (Pyralidae) Synonym(s): *recurvalis Fabricius, 1775; fascialis Cramer, [1782]; recurvella Zincken, 1818; diffascialis Hübner, [1825]; albifascialis Boisduval, 1833; animalis Guenée, 1854; exodias Meyrick, 1904; formosana Shiraki, 1910*
 1819) **Spudaea castanea Osthelder, 1933** (Noctuidae) Synonym(s): *#castanea W. Warren, 1911; castanea Osthelder, 1933; pontica Kljutschko, 1968*
 1820) **Stagonomus bipunctatus (Linnaeus, 1758)** (Pentatomidae) Synonym(s): *bipunctatus Linnaeus, 1758*
 1821) **Stalia major Costa, 1840** (Nabidae) Synonym(s): *major Costa, 1840*
 1822) **Standfussiana lucerneae (Linnaeus, 1758)** (Noctuidae) Synonym(s): *lucerneae Linnaeus, 1758*
 1823) **Standfussiana nictymera (Boisduval, [1837])** (Noctuidae) Synonym(s): *nictymera Boisduval, [1837]; carriei Boursin, 1948*
 1824) **Stangeia siceliota (Zeller, 1847)** (Pterophoridae) Synonym(s): *siceliota Zeller, 1847; ononidis Zeller, 1852; ononydactyla Bruand, 1858; siceliotidactyla Bruand, 1858*
 1825) **Staria lunata (Hahn, 1835)** (Pentatomidae) Synonym(s): *lunata Hahn, 1835; lobulatus Rambur, 1839; maroccana Lindberg, 1932; levantinae Fuente, 1972*

- 1826) Staudingeria (s.str.) yerburii (Butler,1884)** (Pyrilidae) Synonym(s): *yerburii* Butler,1884; *labeculella* Ragonot,1887; *innotalis* Hampson,1899; *costalbella* Mabilie,1906; *rubronervella* Mabilie,1906; *pallidicostella* Chrétien,1910; *pruinosa* Chrétien,1911; *vinosparsella* Turati,1924; *ruehli* Gozmany,1959; *khuzistanella* Amsel,1959; *benderella* Amsel,1961
- 1827) Stelis (s.str.) phaeoptera (Kirby,1802)** (Megachilidae) Synonym(s): *phaeoptera* Kirby,1802
- 1828) Stelis (s.str.) signata (Latreille,1809)** (Megachilidae) Synonym(s): *signata* Latreille,1809
- 1829) Stenarella domator (Poda,1761)** (Ichneumonidae) Synonym(s): *domator* Poda,1761; *gladiator* Fahringer,1922
- 1830) Stenopterus similatus Holzschuh,1979** (Cerambycidae) Synonym(s): *similatus* Holzschuh,1979
- 1831) Stenoptilia arida (Zeller,1847)** (Pterophoridae) Synonym(s): *arida* Zeller,1847; *oxyactis* Meyrick,1921; *elkefi* Arenberger,1984; *kopetdagi* Zagulyaev,2002
- 1832) Stenoptilia lucasi Arenberger,1990** (Pterophoridae) Synonym(s): *lucasi* Arenberger,1990
- 1833) Stenoptilia zophodactyla (Duponchel,1838)** (Pterophoridae) Synonym(s): *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873.
- 1834) Stenoptilodes taprobanes (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonym(s): *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenodactyla* Chrétien,1915; *terlizzii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962.
- 1835) Stephanitis pyri (Fabricius,1775)** (Tingidae) Synonym(s): *pyri* Fabricius,1775
- 1836) Stichopogon chrysostoma Schiner,1867** (Asilidae) Synonym(s): *chrysostoma* Schiner,1867; *lucdiventria* Becker,1902
- 1837) Stictopleurus abutilon (Rossi,1790)** (Rhopalidae) Synonym(s): *abutilon* Rossi,1790
- 1838) Stictopleurus pictus (Fieber,1861)** (Rhopalidae) Synonym(s): *pictus* Fieber,1861
- 1839) Stictopleurus riveti Royer,1923** (Rhopalidae) Synonym(s): *riveti* Royer,1923
- 1840) Stigmella auromarginella (Richardson,1890)** (Nepticulidae) Synonym(s): *auromarginella* Richardson,1890
- 1841) Stigmella azaroli (Klimesch,1978)** (Nepticulidae) Synonym(s): *azaroli* Klimesch,1978
- 1842) Stigmella pyrellicola Klimesch,1978** (Nepticulidae) Synonym(s): *pyrellicola* Klimesch,1978
- 1843) Stigmella pyrivora Gustafsson,1981** (Nepticulidae) Synonym(s): *pyrivora* Gustafsson,1981
- 1844) Stigmella rhamnella (Herrich-Schäffer,1860)** (Nepticulidae) Synonym(s): *rhamnella* Herrich-Schäffer,1860
- 1845) Stigmella rhamnophila (Amsel,1934)** (Nepticulidae) Synonym(s): *rhamnophila* Amsel,1934
- 1846) Stilbina (s.str.) hypaenides Staudinger,1892** (Noctuidae) Synonym(s): *hypaenides* Staudinger,1892
- 1847) Stilbula vitripennis Masi,1934** (Eucharidae) Synonym(s): *vitripennis* Masi,1934
- 1848) Stizoides crassicornis (Fabricius,1787)** (Crabronidae) Synonym(s): *crassicornis* Fabricius,1787; *rufipes* Olivier,1789; *alienus* Fischer v. Waldheim,1843; *fulvipes* Eversmann,1846
- 1849) Stizoides tridentatus (Fabricius,1775)** (Crabronidae) Synonym(s): *tridentatus* Fabricius,1775; *bifasciata* Fabricius,1798; *unifasciatus* Radoszkowski,1877
- 1850) Stomorphina lunata (Fabricius,1805)** (Calliphoridae) Synonym(s): *lunata* Fabricius,1805; *selgae* Lehrer,1979
- 1851) Stomoxys calcitrans (Linnaeus,1758)** (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758
- 1852) Stomphastis conflua (Meyrick,1914)** (Gracillariidae) Synonym(s): *conflua* Meyrick,1914
- 1853) Stratiomys cenisia Meigen,1822** (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cyprina* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941
- 1854) Stratiomys longicornis (Scopoli,1763)** (Stratiomyidae) Synonym(s): *longicornis* Scopoli,1763; *tenebricus* Harris,1776; *strigata* Fabricius,1781; *tomentosa* Schrank,1803; *villosa* Meigen,1804; *nubeculosa* Meigen,1804; *thoracica* Fabricius,1805; *hirtuosa* Meigen,1830; *anubis* Meigen,1830; *flavifrons* Macquart,1838; *pallida* Loew,1840; *lambessiana* Bigot,1879; *flavolimbata* A.Costa,1893; *pleskei* Wagner,1903; *segnis* Becker,1906; *efflatouni* Lindner,1925; *surcoufi* Seguy,1930; *palaestinensis* Lindner,1937; *flavoscutella* Lindner,1940
- 1855) Streptanus albanicus (Horvath,1916)** (Cicadellidae) Synonym(s): *albanicus* Horvath,1916; *josifovi* Dlabola,1957
- 1856) Strobilotoma typhaecornis (Fabricius,1803)** (Coreidae) Synonym(s): *typhaecornis* Fabricius,1803; *clavicornis* Fabricius,1803; *genei* Spinola,1837; *obscurus* Herrich-Schäffer,1840; *divergens* Reuter,1900
- 1857) Stympthalus rubrolineatus (Stal,1855)** (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914
- 1858) Sulamicerus stali (Fieber,1868)** (Cicadellidae) Synonym(s): *stali* Fieber,1868; *bicolor* Melichar,1896; *toktogulensis* Dubovsky,1970
- 1859) Symmoca salem Gozmany,1963** (Autostichidae) Synonym(s): *salem* Gozmany,1963
- 1860) Sympecma fusca (Van Der Linden,1820)** (Lestidae) Synonym(s): *fusca* Van Der Linden,1820
- 1861) Synansphecchia leucomelaena (Zeller,1847)** (Sesiidae) Synonym(s): *leucomelaena* Zeller,1847
- 1862) Synanthedon myopaeformis (Borkhausen,1789)** (Sesiidae) Synonym(s): *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiformis* Staudinger,1856; *elegans* Lederer,1861.
- 1863) Syncopacma polychromella (Rebel,1902)** (Gelechiidae) Synonym(s): *polychromella* Rebel,1902; *rebeliella* Caradja,1920; *argyrobiella* Caradja,1920
- 1864) Synophyropsis lauri (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926
- 1865) Syringopais temperatella (Lederer,1855)** (Deoclonidae) Synonym(s): *temperatella* Lederer,1855; *fuscofasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920
- 1866) Syrysta parreyssii (Spinola,1843)** (Cephalidae) Synonym(s): *parreyssii* Spinola,1843
- 1867) Syritta flaviventris Macquart,1842** (Syrphidae) Synonym(s): *flaviventris* Macquart,1842; *nigricornis* Macquart,1842; *spinigera* Loew,1848
- 1868) Syritta pipiens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pipiens* Linnaeus,1758; *proxima* Say,1824; *obscuripes* Strobl,1899; *albicincta* Santos Abreu,1924; *flavicans* Szilady,1940; *vicina* Szilady,1940; *tenofemora* Dzhaferova,1974
- 1869) Syromastus rhombeus (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767; *quadratus* Fabricius,1775; *sinuata* Fieber,1861; *fusca* Vidal,1936
- 1870) Systoechus autumnalis (Wiedemann,1818)** (Bombyliidae) Synonym(s): *autumnalis* Wiedemann,1818
- 1871) Systoechus ctenopterus (Mikan,1796)** (Bombyliidae) Synonym(s): *ctenopterus* Mikan,1796; *sulphureus* Mikan,1796; *aurulentus* Wiedemann,1820; *fulvus* Meigen,1820; *dalmatinus* Loew,1855; *convergens* Loew,1855; *orientalis* Zakhvatkin,1954
- 1872) Tabanus leleani Austen,1920** (Tabanidae) Synonym(s): *leleani* Austen,1920; *pallidus* Olsufjev,1937 *nec* P.B.,1809; *turkestanicus* Olsufjev,1970
- 1873) Tabanus regularis Jaennicke,1866** (Tabanidae) Synonym(s): *regularis* Jaennicke,1866; *rufus* Szilady,1923 *nec* Scop.,1763; *#regluaris* Kılıç,1999
- 1874) Tabanus tinctus Walker,1850** (Tabanidae) Synonym(s): *tinctus* Walker,1850; *mixtus* Szilady,1914
- 1875) Tabulaephorus punctinervis (Constant,1885)** (Pterophoridae) Synonym(s): *punctinervis* Constant,1885
- 1876) Tachina (Eudoromyia) fera (Linnaeus,1761)** (Tachinidae) Synonym(s): *fera* Linnaeus,1761
- 1877) Tachycistocercus cyprius (Pittioni,1950)** (Vespididae) Synonym(s): *cyprius* Pittioni,1950
- 1878) Tachycixius desertorum (Fieber,1876)** (Cixiidae) Synonym(s): *desertorum* Fieber,1876

- 1879) Tachycixius pilosus (Olivier,1791)** (Cixiidae) Synonym(s): *pilosus* Olivier,1791; *contaminata* Germar,1818; *albicincta* Germar,1818; *infumata* Fieber,1876; *discicollis* Rey,1894; *nigrita* Haupt,1931
- 1880) Tachys (Eotachys) micros (Fischer von Waldheim,1828)** (Carabidae) Synonym(s): *micros* Fischer von Waldheim,1828
- 1881) Tamaricella cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948
- 1882) Tamaricella tamaricis (Puton,1872)** (Cicadellidae) Synonym(s): *tamaricis* Puton,1872; *subpunctata* Vilbaste,1961
- 1883) Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer,[1843]
- 1884) Tathorhynchus exsiccatus (Lederer,1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer,1855; *vinctalis* Walker,[1866]; *angustiorata* Grote,1882; *fallax* Swinhoe,1902; *#exiccata* Wiltshire,1941; *greuteri* Koutsaftikis,1973
- 1885) Tecmerium perplexum (Gozmany,1957)** (Blastobasidae) Synonym(s): *perplexum* Gozmany,1957
- 1886) Tentyria cylindrica Solier,1835** (Tenebrionidae) Synonym(s): *cylindrica* Solier,1835; *acuminata* Reiche & Sauley,1857; *lata* Baudi,1874
- 1887) Tentyria cypria Kraatz,1865** (Tenebrionidae) Synonym(s): *cypria* Kraatz,1865
- 1888) Tentyria puncticeps Miller,1861** (Tenebrionidae) Synonym(s): *puncticeps* Miller,1861; *persica* Baudi,1874
- 1889) Tephritis divisa Rondani,1871** (Tephritidae) Synonym(s): *divisa* Rondani,1871
- 1890) Tephritis hurvitzii Freidberg,1981** (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981
- 1891) Tephritis matricariae (Loew,1844)** (Tephritidae) Synonym(s): *matricariae* Loew,1844
- 1892) Tephritis simplex (Loew,1844)** (Tephritidae) Synonym(s): *simplex* Loew,1844
- 1893) Tephronia arenbergeri (Hausmann,1995)** (Geometridae) Synonym(s): *arenbergeri* Hausmann,1995
- 1894) Terellia fuscicornis (Loew,1844)** (Tephritidae) Synonym(s): *fuscicornis* Loew,1844; *#fuscicornis* Giray,1979
- 1895) Terellia gynaeochroma (M.Hering,1936)** (Tephritidae) Synonym(s): *gynaeochroma* M.Hering,1936
- 1896) Tethina grisea (Fallén,1823)** (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907
- 1897) Tethina longirostris (Loew,1865)** (Tethinidae) Synonym(s): *longirostris* Loew,1865
- 1898) Tethina nigrofemorata Beschovsky,1997** (Tethinidae) Synonym(s): *nigrofemorata* Beschovsky,1997
- 1899) Tethina ochracea (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea* Hendel,1913; *canzonieri* Munari,1981
- 1900) Tetrigus cyprius Baudi,1871** (Elateridae) Synonym(s): *cyprius* Baudi,1871; *akbesianus* Fairmaire,1893
- 1901) Tettigometra (s.str.) sulphurea Mulsant-Rey,1855** (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903
- 1902) Tettigometra (Stirometra) costulata Fieber,1865** (Tettigometridae) Synonym(s): *costulata* Fieber,1865; *parviceps* Signoret,1866; *heydenii* Kirschbaum,1868; *abrupta* Fieber,1876; *albofasciata* Fieber,1876; *unifasciata* Fieber,1876
- 1903) Thamnotettix (s.str.) confinis Zetterstedt,1828** (Cicadellidae) Synonym(s): *confinis* Zetterstedt,1828; *simplex* Herrich-Schäfer,1834; *sulphurea* Curtis,1837; *stupidula* Zetterstedt,1840; *tincta* Zetterstedt,1840; *prominulus* Reuter,1880; *rufescentipes* Strand,1913; *hoashii* Matsumura,1915; *schlueteri* Haupt,1917
- 1904) Thamnotettix (s.str.) zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868
- 1905) Thaumatomyia notata (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830; *ornata* Meigen,1830; *circumdata* Meigen,1830; *prodigiosa* Zenker,1833; *lucida* Meigen,1838; *copiosa* Schiner,1872; *punctipleuris* Becker,1913
- 1906) Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838]
- 1907) Thaumetopoea (Traumatocampa) wilkinsoni Tams,1925** (Thaumetopoeidae) Synonym(s): *wilkinsoni* Tams,1925
- 1908) Thecophora pusilla (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *abdominalis* Chen,1939
- 1909) Therapne obsoletalis (Mann,1864)** (Pyralidae) Synonym(s): *obsoletalis* Mann,1864
- 1910) Theresimima ampelophaga (Bayle-Barelle,1808)** (Zygaenidae) Synonym(s): *ampelophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878
- 1911) Thereva spinulosa (Loew,1847)** (Therevidae) Synonym(s): *spinulosa* Loew,1847; *didyma* Loew,1847; *bifasciata* Kröber,1913
- 1912) Thermocoris munieri Puton,1875** (Miridae) Synonym(s): *munieri* Puton,1875; *algericus* Wagner,1943
- 1913) Tholagnus flavolineatus (Fabricius,1798)** (Pentatomidae) Synonym(s): *flavolineatus* Fabricius,1798
- 1914) Thospia permixtella Ragonot,1888** (Pyralidae) Synonym(s): *permixtella* Ragonot,1888
- 1915) Thria robusta Walker,[1858]** (Noctuidae) Synonym(s): *anyxa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 1916) Thymelicus acteon (Rottentburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottentburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948
- 1917) Thyreus affinis (Morawitz,1874)** (Apidae) Synonym(s): *affinis* Morawitz,1874; *transcaspica* Radoszkowski,1893; *portchinski* Radoszkowski,1893; *tunensis* Pérez,1895; *villosa* Meyer,1921
- 1918) Thyreus elegans (Morawitz,1877)** (Apidae) Synonym(s): *elegans* Morawitz,1877; *quadridentata* Saunders,1908; *brezzii* Guiglia,1933
- 1919) Thyreus histrionicus (Illiger,1806)** (Apidae) Synonym(s): *histrionicus* Illiger,1806; *major* Morawitz,1876; *divisa* Pérez,1905; *alboscuteolata* Meyer,1921; *rimosiscutum* Alfken,1927
- 1920) Thyreus ramosus (Lepeletier,1841)** (Apidae) Synonym(s): *ramosus* Lepeletier,1841; *rufa* Radoszkowski,1886; *ashabadensis* Radoszkowski,1893; *albociliata* Meyer,1921; *minor* Friese,1925; *circulata* Alfken,1927
- 1921) Thyridanthrax elegans (Wiedemann,1820)** (Bombyliidae) Synonym(s): *elegans* Wiedemann,1820; *fenestralis* Macquart,1840 nec Wied.,1830; *varinervis* Macquart,1846; *variegatus* Jaennicke,1867 nec Pall.,1818; *macquarti* Bezzi,1912; *calochromatus* Bezzi,1921; *subperspicillaris* Bezzi,1922; *kappa* Bowden,1964; *dolgovskayae* Zaitzev,1999
- 1922) Thyridanthrax incanus (Klug,1832)** (Bombyliidae) Synonym(s): *incanus* Klug,1832; *testacea* Macquart,1840; *varipennis* Macquart,1849
- 1923) Thyridanthrax lotus (Loew,1869)** (Bombyliidae) Synonym(s): *lotus* Loew,1869; *confusa* Becker,1916
- 1924) Thyridanthrax perspicillaris (Loew,1869)** (Bombyliidae) Synonym(s): *perspicillaris* Loew,1869; *gallus* Loew,1869; *hispanus* Loew,1869; *ternarius* Bezzi,1920; *idolus* Hesse,1956; *speciosus* Hesse,1956; *hessei* Bowden,1964
- 1925) Thysanoplusia (Daubeiplusia) daubei (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858]
- 1926) Thysanoplusia (s.str.) orichalcea (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813]
- 1927) Tingis elongata (Fieber,1861)** (Tingidae) Synonym(s): *elongata* Fieber,1861
- 1928) Tingis hellenica (Puton,1877)** (Tingidae) Synonym(s): *hellenica* Puton,1877
- 1929) Tingis rotundicollis (Jakovlev,1883)** (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883
- 1930) Tipula (Acutipula) isparta Vermoolen,1983** (Tipulidae) Synonym(s): *isparta* Vermoolen,1983
- 1931) Tipula (s.str.) orientalis Lackschewitz,1930** (Tipulidae) Synonym(s): *orientalis* Lackschewitz,1930

- 1932) **Tipula (Savtshenkia) rufina Meigen, 1818** (Tipulidae) Synonym(s): *rufina* Meigen, 1818; *guttipennis* Meigen, 1818; *consanguinea* Macquart, 1838; *parvicauda* Hansen, 1881
- 1933) **Tipula (Yamatotipula) lateralis Meigen, 1804** (Tipulidae) Synonym(s): *lateralis* Meigen, 1804; *itermedia* Eiroa, 1990
- 1934) **Torymus cyprianus Graham & Gijswijt, 1998** (Torymidae) Synonym(s): *cyprianus* Graham & Gijswijt, 1998
- 1935) **Toxophora fasciculata (Villers, 1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers, 1789; *maculata* Rossi, 1790 *nec* Müll., 1764; *completa* Paramonov, 1933
- 1936) **Toxophora shelkovnikovi Paramonov, 1933** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov, 1933
- 1937) **Toya obtusangula (Linnavuori, 1957)** (Delphacidae) Synonym(s): *obtusangula* Linnavuori, 1957
- 1938) **Toya propinqua (Fieber, 1866)** (Delphacidae) Synonym(s): *propinqua* Fieber, 1866; *hamulata* Kirschbaum, 1868
- 1939) **Trachelus libanensis (André, 1881)** (Cephidae) Synonym(s): *libanensis* André, 1881; *armenius* Konow, 1896
- 1940) **Trechus (s.str.) crucifer Piochard, 1876** (Carabidae) Synonym(s): *crucifer* Piochard, 1876
- 1941) **Trechus (s.str.) quadristriatus (Schränk, 1781)** (Carabidae) Synonym(s): *quadristriatus* Schränk, 1781
- 1942) **Trechus (s.str.) saulcyanus Csiki, 1928** (Carabidae) Synonym(s): *saulcyanus* Csiki, 1928
- 1943) **Tremulicerus vitreus (Fabricius, 1803)** (Cicadellidae) Synonym(s): *vitreus* Fabricius, 1803; *auronitens* Kirschbaum, 1868; *halbum* Fieber, 1868
- 1944) **Tribalus anatolicus Olexa, 1980** (Histeridae) Synonym(s): *anatolicus* Olexa, 1980
- 1945) **Trichiura (s.str.) stroehlei Zolotuhin, 2007** (Lasiocampidae) Synonym(s): *stroehlei* Zolotuhin, 2007
- 1946) **Trichiura (s.str.) veranae Witt, 1981** (Lasiocampidae) Synonym(s): *veranae* Witt, 1981; *witti* Ganey, 1982
- 1947) **Trichodes cyprius Reitter, 1893** (Cleridae) Synonym(s): *cyprius* Reitter, 1893
- 1948) **Trichodes ganglbaueri Escherich, 1893** (Cleridae) Synonym(s): *ganglbaueri* Escherich, 1893; *israelicus* Winkler, 1963
- 1949) **Trichodes longissimus (Abeille de Perrin, 1881)** (Cleridae) Synonym(s): *longissimus* Abeille de Perrin, 1881; *angustifrons* Abeille de Perrin, 1881
- 1950) **Trichodes olivieri (Chevrolat, 1843)** (Cleridae) Synonym(s): *olivieri* Chevrolat, 1843
- 1951) **Trichodes punctatus Fischer v. Waldheim, 1829** (Cleridae) Synonym(s): *punctatus* Fischer v. Waldheim, 1829; *illustris* Klug, 1842; *viridifasciatus* Chevrolat, 1843
- 1952) **Trichoderus antonioui Sama, 1994** (Cerambycidae) Synonym(s): *antonioui* Sama, 1994
- 1953) **Trichomeloe chrysocomus (Miller, 1861)** (Meloidae) Synonym(s): *chrysocomus* Miller, 1861
- 1954) **Trichophaga tapetzella (Linnaeus, 1758)** (Tineidae) Synonym(s): *tapetzella* Linnaeus, 1758; *pulchella* Fabricius, 1794; *pulchana* Fabricius, 1798; *#tapezana* Fabricius, 1798; *#tapetiella* Zeller, 1839; *palaestrica* Butler, 1877
- 1955) **Trichoplusia circumscripta (Freyer, 1831)** (Noctuidae) Synonym(s): *circumscripta* Freyer, 1831
- 1956) **Trichoplusia ni (Hübner, [1803])** (Noctuidae) Synonym(s): *ni* Hübner, [1803]; *humilis* Walker, 1858; *extrahens* Walker, 1858; *brassicae* Riley, 1870; *echinocystidis* Strecker, 1874
- 1957) **Tricimba (Nartshukiella) humeralis (Loew, 1858)** (Chloropidae) Synonym(s): *humeralis* Loew, 1858; *maculifrons* Becker, 1903; *punctifrons* Becker, 1914
- 1958) **Trifurcula (Glaucolepis) rosmarinella (Chrétien, 1914)** (Nepticulidae) Synonym(s): *rosmarinella* Chrétien, 1914
- 1959) **Trithemis festiva (Rambur, 1842)** (Libellulidae) Synonym(s): *festiva* Rambur, 1842
- 1960) **Tropidocephala tuberipennis (Mulsant & Rey, 1855)** (Delphacidae) Synonym(s): *tuberipennis* Mulsant & Rey, 1855; *elegans* O. Costa, 1834
- 1961) **Tropidopola longicornis (Fieber, 1853)** (Acrididae) Synonym(s): *longicornis* Fieber, 1853; *syrica* Walker, 1871; *cylindrica* Giglio-Tos, 1893; *indica* Uvarov, 1937
- 1962) **Truxalis eximia Eichwald, 1830** (Acrididae) Synonym(s): *eximia* Eichwald, 1830; *cypria* Dirsh, [1951]; *#examia* Weidner, 1969
- 1963) **Trypetimorpha occidentalis Huang & Bourgoin, 1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. *nec* A. Costa, 1862; *occidentalis* Huang & Bourgoin, 1993
- 1964) **Trypetimorpha pilosa Horvath, 1907** (Tropiduchidae) Synonym(s): *pilosa* Horvath, 1907
- 1965) **Tshurtshurnella campestre (Lindberg, 1948)** (Issidae) Synonym(s): *campestre* Lindberg, 1948; *bidens* Linnavuori, 1965
- 1966) **Tshurtshurnella longispinosa (Linnavuori, 1962)** (Issidae) Synonym(s): *longispinosa* Linnavuori, 1962
- 1967) **Tuponia bifasciata Wagner, 1965** (Miridae) Synonym(s): *bifasciata* Wagner, 1965
- 1968) **Tuponia hippophaes (Fieber, 1861)** (Miridae) Synonym(s): *hippophaes* Fieber, 1861; *unicolor* Scott, 1872; *myricariae* Cerutti, 1939; *michalki* Wagner, 1951; *seidenstueckeri* Wagner, 1955; *mimeuri* Wagner, 1958; *albomarginata* Linnavuori, 1961; *cypria* Wagner, 1962; *longitarsis* Wagner, 1962; *pradassiensis* Tamanini, 1964; *menorcana* Wagner, 1971; *liparensis* Tamanini, 1973; *rhodensis* Wagner, 1974
- 1969) **Tuponia macedonica Wagner, 1957** (Miridae) Synonym(s): *macedonica* Wagner, 1957; *dentifer* Wagner, 1974
- 1970) **Tuponia simplex Wagner, 1974** (Miridae) Synonym(s): *simplex* Wagner, 1974
- 1971) **Tuponia spilana Wagner, 1974** (Miridae) Synonym(s): *spilana* Wagner, 1974
- 1972) **Tuponia tamarisci (Perris, 1857)** (Miridae) Synonym(s): *tamarisci* Perris, 1857; *notatus* Fieber, 1858; *cunealis* Reuter, 1902
- 1973) **Tuta absoluta (Meyrick, 1917)** (Gelechiidae) Synonym(s): *absoluta* Meyrick, 1917
- 1974) **Tylopsis lilifolia (Fabricius, 1793)** (Tettigoniidae) Synonym(s): *lilifolia* Fabricius, 1793; *thymifolia* Petagna, 1792; *gracilis* Germar, 1817; *marginipunctata* Audinet-Serville, 1838; *praeusta* Fischer von Waldheim, 1846; *spinosus* Fischer von Waldheim, 1846; *#lilifolia* Bolívar, 1877
- 1975) **Tyta luctuosa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller], 1775; *italica* Fabricius, 1781; *atra* Goetze, 1781 *nec* Linn., 1767; *astroites* Fourcroy, 1785; *maculosa* Villers, 1789
- 1976) **Udea ferrugalis (Hübner, 1796)** (Pyralidae) Synonym(s): *ferruginalis* Rossi, 1794; *ferrugalis* Hübner, 1796; *#ferugalis* Hübner, 1796; *martialis* Guenée, 1854; *hypatialis* Walker, 1859; *testacea* Butler, 1879
- 1977) **Ulotricha egregialis (Herrich-Schäffer, 1838)** (Pyralidae) Synonym(s): *egregialis* Herrich-Schäffer, 1838
- 1978) **Uresiphita polygonalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller], 1775; *#limbalis* [Denis & Schiffermüller], 1775; *gilvata* Fabricius, 1794; *orientalis* Fabricius, 1794; *diversalis* Hübner, 1796; *rusticalis* Hübner, 1796; *aversalis* Guenée, 1854; *consanguinalis* Guenée, 1854; *teriadalis* Guenée, 1854; *deprivalis* Walker, 1859; *virescens* Butler, 1881; *ochrocrossa* Clarke, 1971
- 1979) **Urophora mauritanica Macquart, 1851** (Tephritidae) Synonym(s): *mauritanica* Macquart, 1851
- 1980) **Urophora quadrifasciata (Meigen, 1826)** (Tephritidae) Synonym(s): *quadrifasciata* Meigen, 1826; *sjumorum* Rohdendorf, 1934
- 1981) **Usia (Micrusia) versicolor (Fabricius, 1787)** (Bombyliidae) Synonym(s): *versicolor* Fabricius, 1787; *hyalipennis* Macquart, 1840
- 1982) **Utecha trivia (Germar, 1821)** (Cicadellidae) Synonym(s): *trivia* Germar, 1821; *decussata* Germar, 1821; *lugens* Germar, 1821; *germari* Fieber, 1872

- 1983) Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
- 1984) Vanessa (Cynthia) cardui (Linnaeus,1758)** (Argynnididae) Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.
- 1985) Vanessa (s.str.) atalanta (Linnaeus,1758)** (Argynnididae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900.
- 1986) Velia (Plesiovelia) affinis Kolenati,1856** (Veliidae) Synonym(s): *affinis* Kolenati,1856
- 1987) Ventocoris (Astirocoris) achivus (Horvath,1889)** (Pentatomidae) Synonym(s): *achivus* Horvath,1889
- 1988) Ventocoris (s.str.) trigonus (Krynicky,1871)** (Pentatomidae) Synonym(s): *trigonus* Krynicky,1871
- 1989) Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis* Linnaeus,1771; *turcica* Drury,1773; *quadripunctata* Forskal,1775; *fusca* Christ,1791; *aegyptiaca* Valtot,1802; *nilotica* Valtot,1802; *jurinei* Saussure,1854; *zavattarii* Guiglia & Capra,1933; *somalica* Giordani Soika,1934; *arabica* Giordani Soika,1957
- 1990) Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula* Loew,1869; *gracilis* Ringdahl,1915
- 1991) Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916
- 1992) Villa clarissima (Loew,1857)** (Bombyliidae) Synonym(s): *clarissima* Loew,1857; *diluta* Rondani,1866
- 1993) Villa cyprigna (Rondani,1863)** (Bombyliidae) Synonym(s): *cyprigna* Rondani,1863
- 1994) Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): *fasciculata* Becker,1916
- 1995) Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea* Fabricius,1781; *humilis* Ruthe,1831
- 1996) Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869
- 1997) Villa multibalteata Austen,1936** (Bombyliidae) Synonym(s): *multibalteata* Austen,1936
- 1998) Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916
- 1999) Villa pygarga (Loew,1868)** (Bombyliidae) Synonym(s): *pygarga* Loew,1868
- 2000) Wheeleria ivae (Kasy,1960)** (Pterophoridae) Synonym(s): *ivae* Kasy,1960
- 2001) Wheeleria obsoleta (Zeller,1841)** (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970.
- 2002) Wohlfahrtia magnifica (Schiner,1862)** (Sarcophagidae) Synonym(s): *magnifica* Schiner,1862
- 2003) Xanthia (Tiliacea) cypreago (Hampson,1906)** (Noctuidae) Synonym(s): *cypreago* Hampson,1906
- 2004) Xanthorhoe fluctuata (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
- 2005) Xenochlorodes olympiaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *olympiaria* Herrich-Schäffer,[1852]; *cremonaria* Staudinger,1897; *pallida* W.Warren,1897.
- 2006) Xerohippus azami (Bolivar,1901)** (Acrididae) Synonym(s): *azami* Bolivar,1901
- 2007) Xerohippus sinuosus Uvarov,1942** (Acrididae) Synonym(s): *sinuosus* Uvarov,1942
- 2008) Xerophilomyia cyprica (Rondani,1859)** (Sarcophagidae) Synonym(s): *cyprica* Rondani,1859; *bembicisequax* Pandellé,1895
- 2009) Xestia (s.str.) cohaesa (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 2010) Xestia (s.str.) palaestinensis (Kalchberg,1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898.
- 2011) Xestia (s.str.) xanthographa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 2012) Xylena vetusta (Hübner,[1813])** (Noctuidae) Synonym(s): *vetusta* Hübner,[1813]
- 2013) Xylocopa (Koptortosoma) pubescens Spinola,1838** (Apidae) Synonym(s): *pubescens* Spinola,1838; *rubida* Gribodo,1884
- 2014) Xylomedes cornifrons (Baudi di Selve,1873)** (Bostrichidae) Synonym(s): *cornifrons* Baudi di Selve,1873
- 2015) Ypthima asterope (Klug,1832)** (Satyridae) Synonym(s): *asterope* Klug,1832; *marlenii* Kattulas & Koutsafikis,1978.
- 2016) Zabrus tenebrioides (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777
- 2017) Zaprionus tuberculatus Malloch,1932** (Drosophilidae) Synonym(s): *tuberculatus* Malloch,1932
- 2018) Zebecba falsalis (Herrich-Schäffer,1839)** (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer,1839
- 2019) Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
- 2020) Zekelita (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquis* Zukowsky,1941
- 2021) Zerynthia (Allancastris) cerisyi (Godart,1822)** (Papilionidae) Synonym(s): *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eisn. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989.
- 2022) Zethes insularis Rambur,1833** (Noctuidae) Synonym(s): *insularis* Rambur,1833
- 2023) Zeuzera pyrina (Linnaeus,1761)** (Cossidae) Synonym(s): *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892
- 2024) Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865
- 2025) Zorochros alysidotus (Kiesenwetter,1858)** (Elateridae) Synonym(s): *alysidotus* Kiesenwetter,1858
- 2026) Zyгина (Hypericiella) digitata (Ribaut,1948)** (Cicadellidae) Synonym(s): *digitata* Ribaut,1948
- 2027) Zyгина (Hypericiella) nebulosa (Ribaut,1948)** (Cicadellidae) Synonym(s): *nebulosa* Ribaut,1948
- 2028) Zyгина (s.str.) flammigera (Fourcroy,1785)** (Cicadellidae) Synonym(s): *flammigera* Fourcroy,1785
- 2029) Zyгина (s.str.) ordinaria (Ribaut,1936)** (Cicadellidae) Synonym(s): *ordinaria* Ribaut,1936; *pandellei* Ribaut,1936; *variegata* Ribaut,1936
- 2030) Zyгина (s.str.) rhamni Ferrari,1882** (Cicadellidae) Synonym(s): *rhamni* Ferrari,1882; *simplex* Ferrari,1882; *detrita* Rey,1894; *difficilis* Ribaut,1936; *manca* Ribaut,1936
- 2031) Zyginella pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra* Loew,1885; *quercus* Kusnezov,1930
- 2032) Zyginidia (s.str.) sohrab Zachvatkin,1947** (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948
- 2033) Zygomyia valida Winnertz,1863** (Mycetophilidae) Synonym(s): *valida* Winnertz,1863

CAUCASUS (7581 SPECIES)

- 1) "Argyroploce" *plumbifera* Kennel, 1918 (Tortricidae) Synonym(s): *plumbifera* Kennel, 1918
- 2) *Abacetus quadripustulatus* Peyron, 1858 (Carabidae) Synonym(s): *quadripustulatus* Peyron, 1858
- 3) *Abia aenea* (Klug, 1829) (Cimicidae) Synonym(s): *aenea* Klug, 1829; *bifida* Thomson, 1871; *bigena* Kangas, 1946
- 4) *Abia sericea* (Linnaeus, 1767) (Cimicidae) Synonym(s): *sericea* Linnaeus, 1767
- 5) *Ablattaria arenaria* (Kraatz, 1876) (Silphidae) Synonym(s): *arenaria* Kraatz, 1876; *punctigera* Reitter, 1885; *alleoni* Portevin, 1926
- 6) *Ablattaria laevigata* (Fabricius, 1775) (Silphidae) Synonym(s): *laevigata* Fabricius, 1775
- 7) *Ablerus atomon* (Walker, 1847) (Aphelinidae) Synonym(s): *atomon* Walker, 1847
- 8) *Abraxas (Calospilos) pantaria* (Linnaeus, 1767) (Geometridae) Synonym(s): *pantaria* Linnaeus, 1767
- 9) *Abraxas (Calospilos) sylvata* (Scopoli, 1763) (Geometridae) Synonym(s): *sylvata* Scopoli, 1763
- 10) *Abraxas (s.str.) grossulariatus* (Linnaeus, 1758) (Geometridae) Synonym(s): *grossulariata* Linnaeus, 1758; *cuneifera* W. Warren, 1895; *memorabilis* Inoue, 1946
- 11) *Abrostola agnorista* Dufay, 1956 (Noctuidae) Synonym(s): *agnorista* Dufay, 1956
- 12) *Abrostola asclepiadis* (Lang, 1789) (Noctuidae) Synonym(s): *asclepiadis* [Denis & Schiffermüller], 1775; *asclepiadis* Lang, 1789.
- 13) *Abrostola clarissa* (Staudinger, 1900) (Noctuidae) Synonym(s): *clarissa* Staudinger, 1900
- 14) *Abrostola tripartita* (Hufnagel, 1766) (Noctuidae) Synonym(s): *tripartita* Hufnagel, 1766; *conspicillum* Retzius, 1783; *urticae* Hübner, [1817]
- 15) *Abrostola triplasia* (Linnaeus, 1758) (Noctuidae) Synonym(s): *triplasia* Linnaeus, 1758; *trigemina* Werneburg, 1864.
- 16) *Acanthophilus helianthi* (Rossi, 1790) (Tephritidae) Synonym(s): *helianthi* Rossi, 1790; *eluta* Meigen, 1826
- 17) *Acantholieria caucasica* Gorodkov, 1962 (Heleomyzidae) Synonym(s): *caucasica* Gorodkov, 1962
- 18) *Acantholieria cineraria* (Loew, 1862) (Heleomyzidae) Synonym(s): *cineraria* Loew, 1862
- 19) *Acantholipes regularis* (Hübner, [1813]) (Noctuidae) Synonym(s): *regularis* Hübner, [1813]
- 20) *Acanthophila alacella* (Zeller, 1839) (Gelechiidae) Synonym(s): *alacella* Zeller, 1839
- 21) *Acanthopsyche atra* (Linnaeus, 1767) (Psychidae) Synonym(s): *atra* Linnaeus, 1767; *stigmatella* Zetterstedt, 1839; *opacella* Herrich-Schäffer, 1846.
- 22) *Acanthopsyche ecksteini* (Lederer, 1855) (Psychidae) Synonym(s): *ecksteini* Lederer, 1855; *erksteiniella* Bruand, 1858.
- 23) *Acericerus rotundifrons* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *rotundifrons* Kirschbaum, 1868
- 24) *Achalcerinus lindus* (Mercet, 1921) (Encyrtidae) Synonym(s): *lindus* Mercet, 1921
- 25) *Acherontia atropos* (Linnaeus, 1758) (Sphingidae) Synonym(s): *atropos* Linnaeus, 1758; *solani* Oken, 1815; *sculda* Kirby, 1877.
- 26) *Achrus flavovirens* Lindberg, 1924 (Cicadellidae) Synonym(s): *flavovirens* Lindberg, 1924
- 27) *Achrus marmoratus* (Horvath, 1894) (Cicadellidae) Synonym(s): *marmoratus* Horvath, 1894
- 28) *Achyra nudalis* (Hübner, 1796) (Pylalidae) Synonym(s): *nudalis* Hübner, 1796; *interpunctalis* Hübner, 1796; *unipunctalis* Duponchel, 1831; *bipunctalis* Duponchel, 1831; *pauciferalis* Walker, 1865; *nodalis* Gundlach, 1891; *ochromorpha* Lower, 1901
- 29) *Achyra ochrofascialis* (Christoph, 1882) (Pylalidae) Synonym(s): *ochrofascialis* Christoph, 1882; *#ochrifascialis* Wiltshire, 1957.
- 30) *Achyrolimonia coeiana* (Nielsen, 1959) (Limoniidae) Synonym(s): *coeiana* Nielsen, 1959
- 31) *Achyrolimonia decemmaculata* (Loew, 1873) (Limoniidae) Synonym(s): *decemmaculata* Loew, 1873
- 32) *Achyrolimonia neonebulosa* (Alexander, 1924) (Limoniidae) Synonym(s): *nebulosa* Alexander, 1913; *neonebulosa* Alexander, 1924; *delicatula* Lackschewitz, 1964
- 33) *Acinopus ammophilus* Dejean, 1829 (Carabidae) Synonym(s): *ammophilus* Dejean, 1829
- 34) *Acinopus megacephalus* (P. Rossi, 1794) (Carabidae) Synonym(s): *megacephalus* P. Rossi, 1794
- 35) *Aciura coryli* (Rossi, 1790) (Tephritidae) Synonym(s): *coryli* Rossi, 1790; *rotundiventris* Meigen, 1826; *femoralis* R-D., 1830; *powellii* Seguy, 1930
- 36) *Acleris comariana* (Lienig & Zeller, 1846) (Tortricidae) Synonym(s): *comariana* Lienig & Zeller, 1846; *proteana* Herrich-Schäffer, 1851; *potentillana* Wilkinson, 1859.
- 37) *Acleris cristana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *cristana* [Denis & Schiffermüller], 1775; *rossiana* Fabricius, 1794; *desfontainana* Fabricius, 1794; *profanana* Fabricius, 1794; *ephippiana* Donovan, 1794; *sericana* Hübner, [1799]; *spadiceana* Haworth, 1811; *ruficostana* Curtis, 1824; *brunneana* Stephens, 1834; *vittana* Stephens, 1834; *consimilana* Stephens, 1834; *albovittana* Stephens, 1834; *lefebuviana* Duponchel, 1835; *lichenana* Curtis, 1835; *semiustana* Curtis, 1835; *sequana* Curtis, 1835; *subcrystalana* Curtis, 1835; *insulana* Curtis, 1835; *bentleyana* Curtis, 1835; *alboflammana* Curtis, 1835; *chantana* Curtis, 1835; *ruficristana* Johnson, 1842; *gumpinana* Johnson, 1842; *unicolorana* Desvignes, 1845; *curtisana* Desvignes, 1845.
- 38) *Acleris emargana* (Fabricius, 1775) (Tortricidae) Synonym(s): *emargana* Fabricius, 1775; *caudana* Fabricius, 1775; *scabrana* Fabricius, 1781; *excavana* Donovan, 1794; *effractana* Hübner, [1799].
- 39) *Acleris fimbriana* (Thunberg, 1791) (Tortricidae) Synonym(s): *fimbriana* Thunberg, 1791; *pulverana* Herrich-Schäffer, 1851; *lubricana* Mann, 1867; *crocoplea* Meyrick, 1922; *tephromorpha* Meyrick, 1930.
- 40) *Acleris kochiella* (Goeze, 1783) (Tortricidae) Synonym(s): *kochiella* Goeze, 1783; *ternatella* Fourcroy, 1785; *boscana* Fabricius, 1794; *cerusana* Hübner, [1799]; *ulmana* Duponchel, 1836; *parisiana* Guenée, 1845.
- 41) *Acleris lacordairana* (Duponchel, 1836) (Tortricidae) Synonym(s): *lacordairana* Duponchel, 1836; *obtusana* Eversmann, 1844; *dissonana* Herrich-Schäffer, 1851; *roxana* Razowski & Yasuda, 1964.
- 42) *Acleris literana* (Linnaeus, 1758) (Tortricidae) Synonym(s): *literana* Linnaeus, 1758; *squamana* Fabricius, 1775; *aspersana* [Denis & Schiffermüller], 1775; *romanana* Fabricius, 1787; *squamulana* Hübner, 1793; *irrorana* Hübner, [1799]; *tricolorana* Haworth, 1811; *abjectana* Hübner, [1825]; *aerugana* Hübner, [1825]; *fulvomixtana* Stephens, 1834; *suavana* Herrich-Schäffer, 1851.
- 43) *Acleris napaea* (Meyrick, 1912) (Tortricidae) Synonym(s): *napaea* Meyrick, 1912; *sheljuzhkoii* Obraztsov, 1943; *heringi* Razowski, 1958
- 44) *Acleris quercinana* (Zeller, 1849) (Tortricidae) Synonym(s): *quercinana* Zeller, 1849; ? *mucidana* Peyerimhoff, 1874
- 45) *Acleris rhombana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *rhombana* [Denis & Schiffermüller], 1775; *reticulata* Ström, 1783; *centrana* Fabricius, 1794; *contaminana* Hübner, [1799]; *ciliana* Hübner, [1799]; *obscurana* Donovan, 1806 *nec* Schr., 1802; *dimidiana* Frölich, 1828.
- 46) *Acleris sparsana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *sparsana* [Denis & Schiffermüller], 1775; *sponsana* Fabricius, 1787; *halliana* Thunberg, 1791; *roborana* Fabricius, 1794; *favillaceana* Hübner, [1799]; *reticulana* Haworth, 1811; *fagana* Curtis, 1835; *longepartitana* Bruand, 1850; *malivorana* Ragonot, 1875; *pyrivorana* Ragonot, 1875.

- 47) **Acleris variegana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer,1851.
- 48) **Acmaeodera (s.str.) flavolineata** Laporte & Gory,1835 (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912; *krueperi* Obenberger,1926
- 49) **Acmaeodera (s.str.) transcaucasica** Semenov,1895 (Buprestidae) Synonym(s): *transcaucasica* Semenov,1895
- 50) **Acnecephalum fasciculatus** (Loew,1847) (Asilidae) Synonym(s): *fasciculatus* Loew,1847
- 51) **Acnecephalum leucostomus** (Engel,1930) (Asilidae) Synonym(s): *leucostomus* Engel,1930
- 52) **Acnecephalum mixtus** (Loew,1847) (Asilidae) Synonym(s): *mixtus* Loew,1847; *anthophorinus* Loew,1847
- 53) **Acompsia tripunctella** ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *tripunctella* [Denis & Schiffermüller],1775
- 54) **Aconosimus goricus** (Dlabola,1958) (Issidae) Synonym(s): *goricus* Dlabola,1958
- 55) **Acontia (Emmelia) candefacta** (Hübner,[1831]) (Noctuidae) Synonym(s): *candefacta* Hübner,[1831]; *haworthiana* Walker,[1858]; *debilis* Walker,[1858]; *neomexicana* Smith,1900
- 56) **Acontia (Emmelia) trabealis** (Scopoli,1763) (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881
- 57) **Acontia (s.str.) lucida** (Hufnagel,1766) (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliadora* Schawerda,1923
- 58) **Acontia (Uracontia) melanura** (Tauscher,1809) (Noctuidae) Synonym(s): *titania sensu auct. nec Esp.*,[1798]; *melanura* Tauscher,1809.
- 59) **Acontia (Uracontia) titania** (Esper,[1798]) (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
- 60) **Aconura amitina** (Melichar,1902) (Cicadellidae) Synonym(s): *amitina* Melichar,1902; *inustus* Haupt,1927
- 61) **Aconurella prolixa** (Lethierry,1885) (Cicadellidae) Synonym(s): *prolixa* Lethierry,1885; *minutus* Haupt,1917; *simplex* Haupt,1917 (praeocc.); *sanguisuga* Lindberg,1927; *obtus* Metcalf,1955
- 62) **Acosmetia caliginosa** (Hübner,[1813]) (Noctuidae) Synonym(s): *caliginosa* Hübner,[1813]
- 63) **Acosmus terebrus** (Denis,1785) (Cossidae) Synonym(s): *#terebrus* [Denis & Schiffermüller],1775; *terebrus* Denis,1785.
- 64) **Acrida anatolica** Dirsh,1949 (Acrididae) Synonym(s): *anatolica* Dirsh,1949; *caucasica* Dirsh,1949; *#anatolia* Weidner,1969
- 65) **Acrida bicolor** (Thunberg,1815) (Acrididae) Synonym(s): *bicolor* Thunberg,1815; *pellucida* Klug,1830; *stalii* Bolivar,1893; *orientalis* Bolivar,1919; *deminula* Bolivar,1922; *tessellata* Sjöstedt,1931; *leopoldi* Sjöstedt,1934; *algeriana* Dirsh,1949; *bosphorica* Dirsh,1949; *lombardica* Dirsh,1949
- 66) **Acrobasis sodalella** Zeller,1848 (Pyralidae) Synonym(s): *sodalella* Zeller,1848
- 67) **Acrolepiopsis caucasica** Zagulyaev,1980 (Yponomeutidae) Synonym(s): *caucasica* Zagulyaev,1980
- 68) **Acrometopa syriaca** Brunner von Wattenwyl,1878 (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937
- 69) **Acronicta (Hyboma) strigosa** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *strigosa* [Denis & Schiffermüller],1775
- 70) **Acronicta (s.str.) leporina** (Linnaeus,1758) (Noctuidae) Synonym(s): *leporina* Linnaeus,1758
- 71) **Acronicta (Subacronicta) megacephala** (Fabricius,1787) (Noctuidae) Synonym(s): *megacephala* Fabricius,1787; *ankarensis* Hering,1933.
- 72) **Acronicta (Triaena) aceris** (Linnaeus,1758) (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 73) **Acronicta (Triaena) alni** (Linnaeus,1767) (Noctuidae) Synonym(s): *alni* Linnaeus,1767
- 74) **Acronicta (Triaena) cuspidis** (Hübner,[1813]) (Noctuidae) Synonym(s): *cuspidis* Hübner,[1813]
- 75) **Acronicta (Triaena) psi** (Linnaeus,1758) (Noctuidae) Synonym(s): *psi* Linnaeus,1758
- 76) **Acronicta (Triaena) tridens** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *tridens* [Denis & Schiffermüller],1775; *karghalika* Moore,1878.
- 77) **Acronicta (Viminia) auricoma** (Fabricius,1787) (Noctuidae) Synonym(s): *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858
- 78) **Acronicta (Viminia) euphorbiae** (Denis,1785) (Noctuidae) Synonym(s): *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusiak & Niesiolowski,1946.
- 79) **Acronicta (Viminia) rumicis** (Linnaeus,1758) (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 80) **Acronicta cinerea** (Hufnagel,1766) (Noctuidae) Synonym(s): *cinerea* Hufnagel,1766; *abscondita* Treitschke,1825
- 81) **Acrosternum breviceps** (Jakovlev,1890) (Pentatomidae) Synonym(s): *breviceps* Jakovlev,1890; *sahlbergi* Reuter,1900; *saturni* Jakovlev,1903; *bactriana* Kiritshenko,1912
- 82) **Acrosternum heegeri** Fieber,1861 (Pentatomidae) Synonym(s): *heegeri* Fieber,1861; *incerta* Signoret,1861; *submarginatus* Stal,1861
- 83) **Acrotylus insubricus** (Scopoli,1786) (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958
- 84) **Acrotylus patruelis** (Herrich-Schäffer,1838) (Acrididae) Synonym(s): *patruelis* Herrich-Schäffer,1838
- 85) **Acrulia armeniaca** Szekessy,1939 (Staphylinidae) Synonym(s): *armeniaca* Szekessy,1939
- 86) **Actebia praecox** (Linnaeus,1758) (Noctuidae) Synonym(s): *praecox* Linnaeus,1758; *praeceps* Denis & Schiffermüller,[1775]; *pomacea* Fourcroy,1785
- 87) **Actina chalybea** Meigen,1804 (Stratiomyidae) Synonym(s): *chalybea* Meigen,1804; *femoralis* Meigen,1820; *nigripes* Meigen,1820; *flavofemorata* Meigen,1820; *hirsuta* Macquart,1834
- 88) **Actinoptera discoidea** (Fallén,1814) (Tephritidae) Synonym(s): *discoidea* Fallén,1814; *aestiva* Meigen,1826; *gnaphalii* Loew,1844
- 89) **Actinotia polyodon** (Clerck,1759) (Noctuidae) Synonym(s): *#polyodon* Clerck,1759; *perspicillaris* Linnaeus,1761.
- 90) **Actinotia radiosa** (Esper,[1804]) (Noctuidae) Synonym(s): *radiosa* Esper,[1804]; *lyncea* Hübner,[1809] (praeocc.)
- 91) **Actorthia kerzhneri** Zaitzev,1975 (Therevidae) Synonym(s): *kerzhneri* Zaitzev,1975
- 92) **Actorthia kozlovi** Zaitzev,1974 (Therevidae) Synonym(s): *kozlovi* Zaitzev,1974
- 93) **Adaina microdactyla** (Hübner,[1813]) (Pterophoridae) Synonym(s): *microdactyla* Hübner,[1813]; *carphodactylus* Stephens,1834; *subflavescens* Meyrick,1930; *montivola* Meyrick,1937.
- 94) **Adarrus niphanticus** Logvinenko,1966 (Cicadellidae) Synonym(s): *niphanticus* Logvinenko,1966

- 95) **Adarrus ocellaris** (Fallén,1806) (Cicadellidae) Synonym(s): *ocellata* Scopoli,1763 (praeocc.); *ocellaris* Fallén,1806; *notatifrons* Kirschbaum,1868; *sachaninensis* Matsumura,1915
- 96) **Adela mazzolella** (Hübner,[1801]) (Adelidae) Synonym(s): *aurella* [Denis & Schiffermüller],1775 nec Fabr.,1775; *mazzolella* Hübner,[1801]; *armeniella* Rebel,1902
- 97) **Adelencyrtus aulacaspidis** (Bréthes,1914) (Encyrtidae) Synonym(s): *aulacaspidis* Bréthes,1914
- 98) **Adeniana longiceps** (Puton,1887) (Cicadidae) Synonym(s): *longiceps* Puton,1887; *tabida* Horvath,1911; *planiceps* Horvath,1917
- 99) **Adesmia** (s.str.) **maillei** Solier,1835 (Tenebrionidae) Synonym(s): *maillei* Solier,1835
- 100) **Adesmia** (s.str.) **nodulosa** Faldermann,1837 (Tenebrionidae) Synonym(s): *nodulosa* Faldermann,1837
- 101) **Adoretus discolor** (Faldermann,1835) (Scarabaeidae) Synonym(s): *discolor* Faldermann,1835
- 102) **Adoretus nigrifrons** (Steven,1809) (Scarabaeidae) Synonym(s): *nigrifrons* Steven,1809
- 103) **Adoxomyia obscuripennis** (Loew,1873) (Stratiomyidae) Synonym(s): *obscuripennis* Loew,1873; *maschouk* Pleske,1925
- 104) **Adoxomyia portschinskii** (Pleske,1903) (Stratiomyidae) Synonym(s): *portschinskii* Pleske,1903
- 105) **Adoxophyes orana** (Fischer v. Röslerstamm,1834) (Tortricidae) Synonym(s): *reticulana* Hübner,[1819] (praeocc.); *orana* Fischer v. Röslerstamm,1834; *tripsiana* Eversmann,1844; *fasciata* Walsingham,1900; *minor* Shiraki,1913; *sutschana* Caradja,1926; *beijingensis* Zhou, Qiu & Fu,1997
- 106) **Adrastus circassicus** Reitter,1896 (Elateridae) Synonym(s): *circassicus* Reitter,1896
- 107) **Adrastus protractus** Roubal,1924 (Elateridae) Synonym(s): *protractus* Roubal,1924
- 108) **Adrastus rachifer** (Fourcroy,1785) (Elateridae) Synonym(s): *rachifer* Fourcroy,1785
- 109) **Adrastus samedovi** Dolin & Agajev,1974 (Elateridae) Synonym(s): *samedovi* Dolin & Agajev,1974
- 110) **Adscita** (s.str.) **obscura** (Zeller,1847) (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862.
- 111) **Adscita** (s.str.) **statices** (Linnaeus,1758) (Zygaenidae) Synonym(s): *statices* Linnaeus,1758; *turcosa* Retzius,1783; *stuticus* Fourcroy,1785; *micans* Freyer,1833; *extensa* Alberti,1937; *anomala* Verity,1946; *lutrinensis* Heuser,1960; *heuseri* Reichl,1964
- 112) **Adscita** (s.str.) **storaiae** (Tarmann,1977) (Zygaenidae) Synonym(s): *storaiae* Tarmann,1977
- 113) **Adscita** (Tarmannita) **mannii** (Lederer,1853) (Zygaenidae) Synonym(s): *mannii* Lederer,1853; *heydenreichii* Lederer,1853; *crassicornis* Staudinger,1862; *prasina* Rothschild,1917; *glauca* Verity,1946; *pseudostatices* Verity,1946.
- 114) **Aedes** (Finlaya) **geniculatus** (Olivier,1791) (Culicidae) Synonym(s): *geniculatus* Olivier,1791; *guttatus* Meigen,1818; *lateralis* Meigen,1818; *ornatus* Meigen,1818; *guttatus* Curtis,1835; *albopunctatus* Rondani,1872
- 115) **Aedes** (Finlaya) **versicolor** (Barraud,1924) (Culicidae) Synonym(s): *versicolor* Barraud,1924
- 116) **Aedes** (Ochlerotatus) **caspius** (Pallas,1771) (Culicidae) Synonym(s): *caspius* Pallas,1771; *punctatus* Meigen,1804; *siculus* R-D.,1827; *maculiventris* Macquart,1844; *penicillaris* Rondani,1872; *curriei* Coquillett,1901; *onodagensis* Felt,1904; *longisquamosa* Theobald,1905; *subtilis* Sergent & Sergent,1905; *quaylei* Dyar & Knab,1906; *lativittatus* Coquillett,1906; *arabica* Giles,1906; *africanus* Neveu-Lemaire,1906; *willcocksii* Theobald,1907; *arabicus* Becker,1910; *broquetii* Theobald,1913; *grahami* Ludlow,1919; *epsilonn* Séguy,1924
- 117) **Aedes** (Ochlerotatus) **excrucians** (Walker,1856) (Culicidae) Synonym(s): *excrucians* Walker,1856; *siphonalis* Grossbeck,1904; *abfitchii* Felt,1904; *sanstoni* Dyar & Knab,1909; *dytes* Martini,1922
- 118) **Aedes** (Ochlerotatus) **pulcritarsis** (Rondani,1872) (Culicidae) Synonym(s): *pulcritarsis* Rondani,1872; *leucacanthus* Loew,1873; *stegomyia* Stackelberg & Monchadskii,1926; *asiatica* Edwards,1926; *simici* Baranoff,1927
- 119) **Aedes** (s.str.) **cinereus** Meigen,1818 (Culicidae) Synonym(s): *cinereus* Meigen,1818
- 120) **Aedes** (Stegomyia) **aegypti** (Linnaeus,1762) (Culicidae) Synonym(s): *aegypti* Linnaeus,1762; *argenteus* Poirét,1787; *fasciatus* Fabricius,1805; *sugens* Wiedemann,1828; *annulitarsis* Macquart,1846; *inexorabilis* Walker,1848; *insatiabilis* Bigot,1859; *nigeria* Theobald,1901; *atritarsis* Edwards,1920
- 121) **Aedes** (Stegomyia) **cretinus** Edwards,1921 (Culicidae) Synonym(s): *cretinus* Edwards,1921; *delta* Séguy,1924; *lindtropi* Shingarev,1927
- 122) **Aedia funesta** (Esper,[1786]) (Noctuidae) Synonym(s): *funesta* Esper,[1786]; *quadrinaculata* Scopoli,1786
- 123) **Aedia leucomelas** (Linnaeus,1758) (Noctuidae) Synonym(s): *leucomelas* Linnaeus,1758; *ramburii* Boisduval,1829; *adepta* Geyer,1832; *olivascens* Guenée,1852; *limitaris* Walker,[1863]; *shisa* Strand,1920; *thomae* A.E.Prout,1927; *albodiscalis* Roepke,1932; *ermanniae* Berio,1989
- 124) **Aedophron phlebophora** Lederer,1858 (Noctuidae) Synonym(s): *phlebophora* Lederer,1858
- 125) **Aedophron rhodites** (Eversmann,1851) (Noctuidae) Synonym(s): *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852].
- 126) **Aedophron venosa** Christoph,1887 (Noctuidae) Synonym(s): *venosa* Christoph,1887
- 127) **Aegle kaekeritziana** (Hübner,[1799]) (Noctuidae) Synonym(s): *kaekeritziana* Hübner,[1799]; *flava* Hübner,[1809]; *flavida* Ochsenheimer,1816.
- 128) **Aegle semicana** (Esper,[1798]) (Noctuidae) Synonym(s): *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938; *#verspertalis* Hacker,1986.
- 129) **Aelia acuminata** (Linnaeus,1758) (Pentatomidae) Synonym(s): *acuminata* Linnaeus,1758; *rostratus* De Geer,1773; *tessarophthalmus* Schrank,1781; *neglecta* Dallas,1851; *burmeisteri* Küster,1852; *pallida* Küster,1852; *turanica* Horvath,1895; *punctiventris* Horvath,1911; *#nigripes* Wagner,1938; *baluchistanensis* Ahmad & Zaidi,1988
- 130) **Aelia alticola** Kiritschenko,1914 (Pentatomidae) Synonym(s): *alticola* Kiritschenko,1914; *satunini* Kiritschenko,1930
- 131) **Aelia furcula** Fieber,1868 (Pentatomidae) Synonym(s): *furcula* Fieber,1868; *simillima* Reuter,1900
- 132) **Aelia glebana** Horvath,1895 (Pentatomidae) Synonym(s): *glebana* Horvath,1895
- 133) **Aelia klugii** Hahn,1833 (Pentatomidae) Synonym(s): *klugii* Hahn,1833; *granum* Jakovlev,1903; *demissa* Kiritschenko,1914; *angusta* Stehlik,1976; *bifida* Hsiao & Cheng,1977; *orientalis* Josifov,1984; *chinensis* Rider & Rolston,1995
- 134) **Aelia melanota** Fieber,1868 (Pentatomidae) Synonym(s): *melanota* Fieber,1868; *#melonata* Havaskary et al.,2012; *#abtusca* Havaskary,2012
- 135) **Aelia notata** Rey,1887 (Pentatomidae) Synonym(s): *notata* Rey,1887
- 136) **Aelia obtusa** Fieber,1868 (Pentatomidae) Synonym(s): *obtusa* Fieber,1868
- 137) **Aelia rostrata** Boheman,1852 (Pentatomidae) Synonym(s): *rostrata* Boheman,1852; *cognata* Fieber,1868; *glebana* Ferrari,1874; *syriaca* Horvath,1903; *eminealkanata* Lodos,1959; *confusa* Kirkaldy,1909; *brunnea* Halaszfy,1955
- 138) **Aelia virgata** (Herrich-Schäffer,1841) (Pentatomidae) Synonym(s): *virgata* Herrich-Schäffer,1841
- 139) **Aellopus atratus** (Goeze,1778) (Lygaeidae) Synonym(s): *atratus* Goeze,1778
- 140) **Aeoloides grisescens** (Germar,1844) (Elateridae) Synonym(s): *grisescens* Germar,1844; *bicarinatus* Reitter,1891
- 141) **Aeoloides sarmaticus** (Motschoulsky,1860) (Elateridae) Synonym(s): *sarmaticus* Motschoulsky,1860
- 142) **Aeschremon disparalis** Herrich-Schäffer,[1855] (Pyralidae) Synonym(s): *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961
- 143) **Aeshna affinis** Van Der Linden,1820 (Aeshnidae) Synonym(s): *affinis* Van Der Linden,1820
- 144) **Aeshna cyanea** (O.F.Müller,1764) (Aeshnidae) Synonym(s): *cyanea* O.F.Müller,1764

- 145) *Aeshna isosceles* (O.F.Müller,1764) (Aeshnidae) Synonym(s): *isosceles* O.F.Müller,1764
 146) *Aeshna mixta* Latreille,1805 (Aeshnidae) Synonym(s): *mixta* Latreille,1805
 147) *Aeshna serrata* (Hagen,1856) (Aeshnidae) Synonym(s): *serrata* Hagen,1856
 148) *Aethes caucasica* (Amsel,1959) (Tortricidae) Synonym(s): *caucasica* Amsel,1959; *elsana* Razowski,1961; *#caucasica* Brown,2005.
 149) *Aethes deutschiana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *deutschiana* Zetterstedt,1839; *lutulentana* Herrich-Schäffer,1856; *chalcana* Packard,1866.
 150) *Aethes hartmanniana* (Clerck,1759) (Tortricidae) Synonym(s): *lyonetella* Linnaeus,1758; *#hartmanniana* Clerck,1759; *wiedemannella* Müller,1764; *baumanniana* [Denis & Schiffermüller],1775; *allioniana* De Villers,1789; *avellana* Hübner,1822; *subbaumanniana* Wilkinson,1859; *murciana* Caradja,1916; *excelsior* Schawerda,1920.
 151) *Aethes margaritifera* Falkovitsh,1963 (Tortricidae) Synonym(s): *margaritifera* Falkovitsh,1963
 152) *Aethes margarotana* (Duponchel,1836) (Tortricidae) Synonym(s): *margarotana* Duponchel,1836; *maritimana* Guenée,1845; *parallelana* Kennel,1913; *edrisitana* Chrétien,1922; *paronyma* Meyrick,1932.
 153) *Aethes moribundana* (Staudinger,1859) (Tortricidae) Synonym(s): *moribundana* Staudinger,1859; *respirantana* Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.
 154) *Aethes prangana* (Kennel,1900) (Tortricidae) Synonym(s): *prangana* Kennel,1900.
 155) *Aethes rubigana* (Treitschke,1830) (Tortricidae) Synonym(s): *rubigana* Treitschke,1830; *arctica* Brandt,1937.
 156) *Aethes scalana* (Zerny,1927) (Tortricidae) Synonym(s): *scalana* Zerny,1927; *pacata* Falkovitsh,1963
 157) *Aethiessa mesopotamica* Burmeister,1842 (Scarabaeidae) Synonym(s): *mesopotamica* Burmeister,1842; *bagdadensis* Burmeister,1842; *inhumata* Brasavola,1939
 158) *Afrolimnophila basispina* (Savchenko,1971) (Limoniidae) Synonym(s): *basispina* Savchenko,1971
 159) *Afrolimnophila minima* (Savchenko,1971) (Limoniidae) Synonym(s): *minima* Savchenko,1971
 160) *Agabus (Acatodes) bergi* Zaitzev,1913 (Dytiscidae) Synonym(s): *bergi* Zaitzev,1913
 161) *Agabus (Acatodes) congener* (Thunberg,1794) (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938
 162) *Agabus (Acatodes) coxalis* Sharp,1882 (Dytiscidae) Synonym(s): *coxalis* Sharp,1882; *splichali* Reitter,1899
 163) *Agabus (Acatodes) sturmii* Gyllenhal,1808 (Dytiscidae) Synonym(s): *sturmii* Gyllenhal,1808; *goedeli* A.Villa & G.B.Villa,1833; *fallax* Munster,1932
 164) *Agabus (Gaurodytes) biguttatus* (Olivier,1795) (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795
 165) *Agabus (Gaurodytes) caraboides* Sharp,1882 (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884
 166) *Agabus (Gaurodytes) faldermanni* Zaitzev,1927 (Dytiscidae) Synonym(s): *faldermanni* Zaitzev,1927; *palaestinus* Zimmermann,1934; *iranicus* Guéorguiev,1975
 167) *Agabus (Gaurodytes) glacialis* Hochhuth,1846 (Dytiscidae) Synonym(s): *glacialis* Hochhuth,1846; *armeniacus* Sharp,1882; *inguttatus* Reitter,1908
 168) *Agabus (s.str.) labiatus* (Brahm,1790) (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femoralis* Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitzev,1908; *transcaucasicus* Zaitzev,1927
 169) *Agallia harrarensis* Melichar,1911 (Cicadellidae) Synonym(s): *harrarensis* Melichar,1911
 170) *Agallia minuta* Melichar,1896 (Cicadellidae) Synonym(s): *minuta* Melichar,1896
 171) *Agallia venosa* (Fourcroy,1785) (Cicadellidae) Synonym(s): *venosa* Fourcroy,1785; *elongatus* Vismara,1878; *aspera* Ribaut,1935
 172) *Agapanthia dahli* (Richter,1821) (Cerambycidae) Synonym(s): *dahli* Richter,1821
 173) *Agapanthia kirbyi* (Gyllenhal,1817) (Cerambycidae) Synonym(s): *kirbyi* Gyllenhal,1817
 174) *Agapanthia lateralis* Ganglbauer,1884 (Cerambycidae) Synonym(s): *lateralis* Ganglbauer,1884
 175) *Agapanthia villosa* (De Geer,1775) (Cerambycidae) Synonym(s): *villosa* De Geer,1775
 176) *Agapanthia violacea* (Fabricius,1775) (Cerambycidae) Synonym(s): *violacea* Fabricius,1775
 177) *Agapanthia walteri* (Reitter,1898) (Cerambycidae) Synonym(s): *walteri* Reitter,1898
 178) *Agapanthiella leucaspis* (Steven,1817) (Cerambycidae) Synonym(s): *leucaspis* Steven,1817
 179) *Agapeta hamana* (Linnaeus,1758) (Tortricidae) Synonym(s): *hamana* Linnaeus,1758; *trigonana* [Denis & Schiffermüller],1775; *citrinella* Fourcroy,1785; *cruciana* Fabricius,1787; *diversana* Hübner,1793
 180) *Agapeta zoegana* (Linnaeus,1767) (Tortricidae) Synonym(s): *zoegana* Linnaeus,1767; *cincta* Fourcroy,1785; *flavella* Villers,1789; *ferrugana* Haworth,1811; *nec* [Denis & Schiff.],1775; *#zaegana* Staudinger,1879
 181) *Agapetus caucasicus* Martynov,1913 (Glossosomatidae) Synonym(s): *caucasicus* Martynov,1913
 182) *Agatharchus (s.str.) herichi* (Kolenati,1846) (Pentatomidae) Synonym(s): *herichi* Kolenati,1846; *montanus* Jakovlev,1879; *jakovlevi* Reuter,1881; *aemulans* Horvath,1897; *sobrinus* Horvath,1897
 183) *Agatharchus (s.str.) lineus* (Klug,1845) (Pentatomidae) Synonym(s): *lineus* Klug,1845; *furcus* Jakovlev,1877
 184) *Agdistis adactyla* (Hübner,1819) (Pterophoridae) Synonym(s): *adactyla* Hübner,1819; *huebneri* Curtis,1834; *delphinensella* Bruand,1858; *shaanxisis* Qin & Zheng,1997.
 185) *Agdistis caradjai* Arenberger,1975 (Pterophoridae) Synonym(s): *caradjai* Arenberger,1975; *dagestanica* Zagulyaev & Filippova,1976.
 186) *Agdistis falkovitshi* Zagulyaev,1986 (Pterophoridae) Synonym(s): *falkovitshi* Zagulyaev,1986
 187) *Agdistis frankeniae* (Zeller,1847) (Pterophoridae) Synonym(s): *frankeniae* Zeller,1847; *lerinsis* Millière,1876; *bahrutia* Amsel,1955; *tondeuri* Bigot,1963; *rupestris* Bigot,1974; *rjabovi* Zagulyaev & Filippova,1976; *kulunda* Ustjuzhanin,1991.
 188) *Agdistis intermedia* Caradja,1920 (Pterophoridae) Synonym(s): *intermedia* Caradja,1920; *hungarica* Amsel,1955.
 189) *Agdistis karabachica* Zagulyaev,1990 (Pterophoridae) Synonym(s): *karabachica* Zagulyaev,1990
 190) *Agdistis mevlaniella* Arenberger,1972 (Pterophoridae) Synonym(s): *mevlaniella* Arenberger,1972
 191) *Agdistis rjabovi* Zagulyaev & Filippova,1976 (Pterophoridae) Synonym(s): *rjabovi* Zagulyaev & Filippova,1976
 192) *Agéniaspis avetianae* Trjapitzin & Herthveztzian,1971 (Encyrtidae) Synonym(s): *avetianae* Trjapitzin & Herthveztzian,1971
 193) *Agéniaspis fuscicollis* (Dalman,1820) (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cyanocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957
 194) *Agéniaspis longicornis* Trjapitzin,1968 (Encyrtidae) Synonym(s): *longicornis* Trjapitzin,1968
 195) *Aglais urticae* (Linnaeus,1758) (Argynniidae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936.
 196) *Aglao stigma aucupariae* (Klug,1817) (Tenthredinidae) Synonym(s): *aucupariae* Klug,1817; *lacteo* Benson,1968
 197) *Aglossa caprealis* (Hübner,1809) (Pyralidae) Synonym(s): *caprealis* Hübner,1809; *capreolatus* Haworth,1809; *aenalis* Costa,1836; *domalis* Guenée,1854; *incultella* Walker,1866; *enthealis* Hulst,1886; *#cuprealis* Kalchberg,1897
 198) *Agnetina senilis* Klapalek,1921 (Perlidae) Synonym(s): *senilis* Klapalek,1921; *acutipennis* Klapalek,1921

- 199) *Agonopterix arenella* ([Denis & Schiffermüller],1775) (Oecophoridae) Synonym(s): *arenella* [Denis & Schiffermüller],1775; *gilvella* Hübner,1796; *gilvosa* Haworth,1811; *immaculana* Stephens,1834
- 200) *Agonopterix assimilella* (Treitschke,1832) (Oecophoridae) Synonym(s): *assimilella* Treitschke,1832; *irroredella* Stephens,1834; *reticulatella* Bruand,1850
- 201) *Agonopterix capreolella* (Zeller,1839) (Oecophoridae) Synonym(s): *capreolella* Zeller,1839; *caprella* Stainton,1849
- 202) *Agonopterix enicella* (Treitschke,1832) (Oecophoridae) Synonym(s): *enicella* Treitschke,1832
- 203) *Agonopterix curvipunctosa* (Haworth,[1811]) (Oecophoridae) Synonym(s): *curvipunctosa* Haworth,[1811]; *zephyrella* Hübner,[1813]; *granulosella* Stainton,1854; *doubledayella* Bruand,1859; *amasina* Mann,1861.
- 204) *Agonopterix nanatella* (Stainton,1849) (Oecophoridae) Synonym(s): *nanatella* Stainton,1849
- 205) *Agonopterix ordubadensis* Hannemann,1959 (Oecophoridae) Synonym(s): *ordubadensis* Hannemann,1959
- 206) *Agonopterix propinquella* (Treitschke,1835) (Oecophoridae) Synonym(s): *propinquella* Treitschke,1835
- 207) *Agonopterix purpurea* (Haworth,[1811]) (Oecophoridae) Synonym(s): *purpurea* Haworth,[1811]
- 208) *Agonopterix ramosella* Stainton,1867 (Oecophoridae) Synonym(s): *ramosella* Stainton,1867
- 209) *Agonopterix subumbellana* Hannemann,1959 (Oecophoridae) Synonym(s): *subumbellana* Hannemann,1959
- 210) *Agonopterix thapsiella* (Zeller,1847) (Oecophoridae) Synonym(s): *thapsiella* Zeller,1847; *feruliphila* Millière,1866; *linolotella* Lhomme,1929
- 211) *Agonopterix yeatiana* (Fabricius,1781) (Oecophoridae) Synonym(s): *yeatiana* Fabricius,1781; *albidana* Donovan,1806; *yeatsii* Haworth,1811; *yeatseana* Stephens,1834; *ventosella* Reutti,1853; *altricornella* Mann,1855; *yeatiella* Doubleday,1859; *oglatella* Chrétien,1915
- 212) *Agonum angustatum* Dejean,1828 (Carabidae) Synonym(s): *angustatum* Dejean,1828
- 213) *Agonum gisellae* Csiki,1931 (Carabidae) Synonym(s): *gisellae* Csiki,1931
- 214) *Agonum hypocrita* (Apfelbeck,1904) (Carabidae) Synonym(s): *hypocrita* Apfelbeck,1904
- 215) *Agonum longicorne* Chaudoir,1846 (Carabidae) Synonym(s): *longicorne* Chaudoir,1846
- 216) *Agonum lugens* (Duftschmid,1812) (Carabidae) Synonym(s): *lugens* Duftschmid,1812; *longipenne* Mannerheim,1844
- 217) *Agonum marginatum* (Linnaeus,1758) (Carabidae) Synonym(s): *marginatum* Linnaeus,1758
- 218) *Agonum rugicolle* Chaudoir,1846 (Carabidae) Synonym(s): *rugicolle* Chaudoir,1846
- 219) *Agrilus (Anambus) burei* Obenberger,1935 (Buprestidae) Synonym(s): *burei* Obenberger,1935
- 220) *Agrilus (Anambus) derasofasciatus* Lacordaire,1835 (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire,1835
- 221) *Agrilus (Anambus) roscidus* Kiesenwetter,1857 (Buprestidae) Synonym(s): *roscidus* Kiesenwetter,1857
- 222) *Agrilus (s.str.) aurichalceus* Redtenbacher,1849 (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher,1849
- 223) *Agrilus (s.str.) hyperici* (Creutzer,1799) (Buprestidae) Synonym(s): *hyperici* Creutzer,1799
- 224) *Agrilus (s.str.) lineolus* Redtenbacher,1849 (Buprestidae) Synonym(s): *lineolus* Redtenbacher,1849
- 225) *Agriopsis bajaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *aerugaria* [Denis & Schiffermüller],1775; *bajaria* [Denis & Schiffermüller],1775; *vittaria* Sulzer,1776; *rubrostriata* Goeze,1781; *ligustriaria* Lang,1789; *sericearia* Borkhausen,1794; *cineraria* Esper,[1801]; *sorditaria* Hübner,[1809]; *legراسي* Dumont,1925
- 226) *Agriotes (s.str.) acuminatus* (Stephens,1830) (Elateridae) Synonym(s): *acuminatus* Stephens,1830
- 227) *Agriotes (s.str.) brevis* Candeze,1863 (Elateridae) Synonym(s): *brevis* Candeze,1863
- 228) *Agriotes (s.str.) infuscatus* Desbrochers,1870 (Elateridae) Synonym(s): *infuscatus* Desbrochers,1870
- 229) *Agriotes (s.str.) lapicida* (Faldermann,1835) (Elateridae) Synonym(s): *lapicida* Faldermann,1835
- 230) *Agriotes (s.str.) meticulous* Candeze,1863 (Elateridae) Synonym(s): *meticulosus* Candeze,1863
- 231) *Agriotes (s.str.) tauricus* Heyden,1882 (Elateridae) Synonym(s): *tauricus* Heyden,1882
- 232) *Agriotes (s.str.) ustulatus* (Schaller,1783) (Elateridae) Synonym(s): *ustulatus* Schaller,1783
- 233) *Agriphila dalmatinella* (Hampson,1900) (Pyralidae) Synonym(s): *dalmatinella* Hampson,1900
- 234) *Agriphila inquinatella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller],1775; *arbustella* Schrank,1802; *nevadensis* Caradja,1910.
- 235) *Agriphila paleatella* (Zeller,1847) (Pyralidae) Synonym(s): *paleatellus* Zeller,1847
- 236) *Agriphila poliella* (Treitschke,1832) (Pyralidae) Synonym(s): *poliella* Treitschke,1832
- 237) *Agriphila straminella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *straminella* [Denis & Schiffermüller],1775; *marginella* Stephens,1834.
- 238) *Agriphila tersella* (Lederer,1855) (Pyralidae) Synonym(s): *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942.
- 239) *Agriphila tristella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *tristella* [Denis & Schiffermüller],1775; *ferruginella* Thunberg,1788; *paleella* Hübner,1796; *aquilella* Hübner,1796; *moerens* Fabricius,1798; *fuscinella* Schrank,1802; *fuscellinus* Stephens,1834; *ribbeellus* Caradja,1910; *discistrigatus* Hampson,1919.
- 240) *Agrius convolvuli* (Linnaeus,1758) (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudocconvolvuli* Schauffus,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927
- 241) *Agrochola (Alpichola) egorovi* (O.Bang-Haas,1934) (Noctuidae) Synonym(s): *egorovi* O.Bang-Haas,1934
- 242) *Agrochola (Alpichola) janhillmanni* Hacker & Moberg,1989 (Noctuidae) Synonym(s): *janhillmanni* Hacker & Moberg,1989
- 243) *Agrochola (Alpichola) lactiflora* (Draudt,1934) (Noctuidae) Synonym(s): *lactiflora* Draudt,1934
- 244) *Agrochola (Alpichola?) gratiosa* (Staudinger,1882) (Noctuidae) Synonym(s): *gratiosa* Staudinger,1881
- 245) *Agrochola (Anchoscelis) deleta* (Staudinger,1881) (Noctuidae) Synonym(s): *deleta* Staudinger,1881
- 246) *Agrochola (Anchoscelis) helvola* (Linnaeus,1758) (Noctuidae) Synonym(s): *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759
- 247) *Agrochola (Anchoscelis) humilis* (Fabricius,1787) (Noctuidae) Synonym(s): *#humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787
- 248) *Agrochola (Anchoscelis) kindermannii* (Fischer v. Röslerstamm,[1841]) (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermannii* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953.
- 249) *Agrochola (Anchoscelis) litura* (Linnaeus,1761) (Noctuidae) Synonym(s): *litura* Linnaeus,1761
- 250) *Agrochola (Anchoscelis) lota* (Clerck,1759) (Noctuidae) Synonym(s): *#lota* Clerck,1759; *hippophae* Goerze,1781; *hippophaes* Retzius,1783; *americana* Morris,1876
- 251) *Agrochola (Anchoscelis) luteogrisea* (W.Warren,1911) (Noctuidae) Synonym(s): *luteogrisea* W.Warren,1911
- 252) *Agrochola (Anchoscelis) macilenta* (Hübner,[1809]) (Noctuidae) Synonym(s): *macilenta* Hübner,[1809]
- 253) *Agrochola (Anchoscelis) nitida* (Fabricius,1787) (Noctuidae) Synonym(s): *#nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787

- 254)** *Agrochola (Anchoscelis) osthelderi* Boursin, 1951 (Noctuidae) Synonym(s): *osthelderi* Boursin, 1951
- 255)** *Agrochola (Propenistra) laevis* (Hübner, [1803]) (Noctuidae) Synonym(s): *laevis* Hübner, [1803]
- 256)** *Agrochola (s.str.) pistacina* (Goeze, 1781) (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller], 1775; *pistacina* Goeze, 1781; *rubetra* Esper, [1791]; *canaria* Esper, [1791]; *serina* Esper, [1791]; *lineola* Donovan, 1801 nec Panzer, 1785; *sphaerulatina* Haworth, 1809; *venosa* Haworth, 1809 nec Hw. 1809.
- 257)** *Agrochola (Sunira) circellaris* (Hufnagel, 1766) (Noctuidae) Synonym(s): *circellaris* Hufnagel, 1766
- 258)** *Agrotis (Crassagrotis) bigramma* (Esper, [1790]) (Noctuidae) Synonym(s): *bigramma* Esper, [1790]; *crassa* Hübner, [1803]; *lata* Treitschke, 1835; *golickei* Erschoff, 1872; *huguenini* Rühl, 1891.
- 259)** *Agrotis (Crassagrotis) obesa* (Boisduval, 1829) (Noctuidae) Synonym(s): *obesa* Boisduval, 1840
- 260)** *Agrotis (Putagrotis) puta* (Hübner, [1803]) (Noctuidae) Synonym(s): *puta* Hübner, [1803]; *radius* Haworth, 1803; *renitens* Hübner, [1824]; *lignosa* Godart, 1825; *erythroxylea* Treit., 1826; *radiola* Stephens, 1829; *catalaunensis* Milliere, 1873; *meridionalis* Spuler, 1905; *andreasi*, *minima*, *silvestrii* Turati, 1924; *insula* Richardson, 1958.
- 261)** *Agrotis (s.str.) cinerea* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *cinerea* [Denis & Schiffermüller], 1775; *obscura* Hübner, [1803]; *dentimaculatus* Haworth, 1803; *fusca* Boisduval, [1837]; *murina* Eversmann, 1848; *livonica* Teich, 1886; *alpigena* Calberla, 1888; *tephrina* Staudinger, 1901; *eximia* Culot, 1910.
- 262)** *Agrotis (s.str.) clavis* (Hufnagel, 1766) (Noctuidae) Synonym(s): *clavis* Hufnagel, 1766; *corticea* [Denis & Schiffermüller], 1775; *clavigerus* Haworth, 1803; *subfuscus* Haworth, 1803; *sincerii* Freyer, 1849; *transversa* Walker, [1857]; *neocomensis* Rougemont, 1902.
- 263)** *Agrotis (s.str.) desertorum* Boisduval, 1840 (Noctuidae) Synonym(s): *desertorum* Boisduval, 1840; *deserticola* Eversmann, 1842
- 264)** *Agrotis (s.str.) exclamationis* (Linnaeus, 1758) (Noctuidae) Synonym(s): *exclamationis* Linnaeus, 1758; *clavus* Hufnagel, 1766; *murina* Goeze, 1781 nec Hufnagel, 1766; *bimaculata* Geoffroy, 1785; *picea* Haworth, 1809; *plaga* Stephens, 1835; *haruspex* Le Cerf, 1924; *nigriorbis* Zerny, 1934.
- 265)** *Agrotis (s.str.) fatidica* (Hübner, [1824]) (Noctuidae) Synonym(s): *fatidica* Hübner, [1824]; *heydenreichii* Germar, [1844]; *incurva* Herrich-Schäffer, [1852].
- 266)** *Agrotis (s.str.) ipsilon* (Hufnagel, 1766) (Noctuidae) Synonym(s): *ipsilon* Hufnagel, 1766; *suffusa* [Denis & Schiffermüller], 1775; *idonea* Cramer, [1780]; *spinula* Esper, [1786]; *spinifera* Villers, 1789.
- 267)** *Agrotis (s.str.) ripae* (Hübner, [1823]) (Noctuidae) Synonym(s): *riparia* Hübner, [1823]; *nebulosa* Stephens, 1829; *desillii* Pierret, 1839; *weissenbornii* Freyer, 1845; *obotritica* Schmidt, 1858; *farinosa* Stgr., 1888; *alexandriensis* Bethune-Baker, 1894; *psammodes* Staudinger, 1895; *punica* Pinker, 1979.
- 268)** *Agrotis (s.str.) segetum* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller], 1775; *sordida* [Denis & Schiffermüller], 1775; *undulatus* Goeze, 1781 (*praeocc.*); *nigricornis* Villers, 1789; *segetis* Fabricius, 1794; *catenatus* Haworth, 1803; *monileus* Haworth, 1803; *pectinatus* Haworth, 1803; *connexus* Haworth, 1803; *subatratus* Haworth, 1803; *nigricornutus* Haworth, 1803; *praeox* Hübner, [1808]; *fervida* Hübner, [1824]; *affinis* Stephens, 1829; *sicula* Boisduval, 1840; *dimidia* Zeller, 1847; *sicania* Guenée, 1852; *marginalis* Walker, 1857; *aversa* Walker, 1857; *correctus* Walker, 1857; *obliviosus* Walker, 1857; *denticulosus* Wallengren, 1860; *certificata* Walker, 1865; *conspurcatus* Walker, 1865; *repulsus* Walker, 1865; *ingratus* Butler, 1878; *pallidus* Staudinger, 1881; *lassa* Swinhoe, 1886.
- 269)** *Agrotis (s.str.) trux* (Hübner, [1824]) (Noctuidae) Synonym(s): *trux* Hübner, [1824]; *lenticulosa* Duponchel, 1826; *lunigera* Stephens, 1829; *terranea* Freyer, 1831; *amasina* Staudinger, 1901; *subalba* Corti & Draudt, 1933; *adolphi* Corti & Draudt, 1933.
- 270)** *Agrotis (s.str.) vestigialis* (Hufnagel, 1766) (Noctuidae) Synonym(s): *vestigialis* Hufnagel, 1766
- 271)** *Agrypnus murinus* (Linnaeus, 1758) (Elateridae) Synonym(s): *murinus* Linnaeus, 1758
- 272)** *Aguriahana germari* (Zetterstedt, 1840) (Cicadellidae) Synonym(s): *germari* Zetterstedt, 1840
- 273)** *Aiolopus strepens* (Latreille, [1802]) (Acrididae) Synonym(s): *strepens* Latreille, 1804; *prasinus* Thunberg, 1815; *vittatum* Brullé, 1840; *chloroptera* Ramme, 1913; *cyanoptera* Ramme, 1913
- 274)** *Aiolopus thalassinus* (Fabricius, 1781) (Acrididae) Synonym(s): *thalassinus* Fabricius, 1781; *grossuni* Costa, 1836; *laetum* Brullé, 1840; *flavovirens* Fischer von Waldheim, 1846; *angustifemur* Ghiliani, 1869; *rufipes* Ivanov, 1888; *kivuensis* Sjöstedt, 1923; *acutus* Uvarov, 1953
- 275)** *Akbesia davidi* (Oberthür, 1884) (Sphingidae) Synonym(s): *davidi* Oberthür, 1884
- 276)** *Alabonia staintoniella* (Zeller, 1850) (Oecophoridae) Synonym(s): *staintoniella* Zeller, 1850
- 277)** *Albocosta musiva* (Hübner, [1803]) (Noctuidae) Synonym(s): *musiva* Hübner, [1803]
- 278)** *Alcis caucasica* (Wehrli, 1928) (Geometridae) Synonym(s): *caucasica* Wehrli, 1928
- 279)** *Alcis repandata* (Linnaeus, 1758) (Geometridae) Synonym(s): *repandata* Linnaeus, 1758; *consobrinaria* Scriba, 1790; *repandaria* Borkhausen, 1794; *bistortae* Vallot, 1802; *destrigaria* Haworth, 1809; *conversaria* Hübner, [1809]; *muraria* Curtis, 1826; *dealbata* Turati & Verity, 1911; *fasciata* Albers, 1949 nec Wrnk., 1941
- 280)** *Alebra albostrigata* (Fallén, 1826) (Cicadellidae) Synonym(s): *albostrigata* Fallén, 1826; *elegantula* Zetterstedt, 1828; *discicollis* Herrich-Schäffer, 1834; *fasciata* Curtis, 1837; *fulveola* Herrich-Schäffer, 1838; *eximia* Hardy, 1850; *fastuosa* Graff, Six & Snellen, 1862; *viridis* Rey, 1894; *flavocephala* Kupka, 1899; *diluta* Ribaut, 1936; *dufourii* Ribaut, 1936
- 281)** *Aleimma loeflingianum* (Linnaeus, 1758) (Tortricidae) Synonym(s): *loeflingiana* Linnaeus, 1758; *mixtana* Fabricius, 1794; *plumbana* Hübner, [1799]; *ectypiana* Hübner, [1800]; *plumbeolana* Haworth, 1811
- 282)** *Allantus balteatus* (Klug, 1818) (Tenthredinidae) Synonym(s): *balteatus* Klug, 1818; *bucculentus* Tischbein, 1846; *fulvocinctus* Rudow, 1872
- 283)** *Allantus cinctus* (Linnaeus, 1758) (Tenthredinidae) Synonym(s): *cinctus* Linnaeus, 1758; *cordigera* Geoffroy, 1785; *togata* Zetterstedt, 1840; *varipes* Audinet-Serville, 1840; *neglectus* Zaddach, 1859
- 284)** *Allantus cingulatus* (Scopoli, 1763) (Tenthredinidae) Synonym(s): *cingulatus* Scopoli, 1763; *tenuis* Audinet-Serville, 1823; *elegans* Costa, 1859
- 285)** *Allantus didymus* (Klug, 1818) (Tenthredinidae) Synonym(s): *didymus* Klug, 1818; *testaceipes* Audinet-Serville, 1823; *nigritarsis* Brullé, 1832; *proximus* Costa, 1859; *ruficrus* Mocsary, 1880; *fumatus* André, 1880
- 286)** *Allantus viennensis* (Schrank, 1781) (Tenthredinidae) Synonym(s): *viennensis* Schrank, 1781; *uberius* Enslin, 1914; *nigricoxis* De Stefani, 1883; *medinae* Konow, 1894
- 287)** *Allophyes metaxys* Boursin, 1953 (Noctuidae) Synonym(s): *metaxys* Boursin, 1953
- 288)** *Allophyes oxyacanthae* (Linnaeus, 1758) (Noctuidae) Synonym(s): *oxyacanthae* Linnaeus, 1758; *capucina* Milliere, 1870; *corsica* Spuler, 1905; *alfaroi* Agenjo, 1951; *powelli* Rungs, [1953]; *protai* Boursin, 1966; *dujardini* Boursin, 1968; *parenzani* De Laever, 1977.
- 289)** *Allophyes renalis* (Wiltshire, 1941) (Noctuidae) Synonym(s): *renalis* Wiltshire, 1941; *crassicornis* Brandt, 1941.
- 290)** *Alloplasta piceator* (Thunberg, 1822) (Ichneumonidae) Synonym(s): *piceator* Thunberg, 1822
- 291)** *Allygidius atomarius* (Fabricius, 1794) (Cicadellidae) Synonym(s): *reticulata* Thunberg, 1784 (*praeocc.*); *atomarius* Fabricius, 1794; *conspicillaris* Schrank, 1801; *heydeni* Kirschbaum, 1868

- 292) *Allygidius commutatus* Fieber, 1872 (Cicadellidae) Synonym(s): *commutatus* Fieber, 1872
 293) *Allygidius furcatus* (Ferrari, 1882) (Cicadellidae) Synonym(s): *furcatus* Ferrari, 1882
 294) *Allygus caucasicus* Melichar, 1914 (Cicadellidae) Synonym(s): *caucasicus* Melichar, 1914
 295) *Allygus mayri* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *mayri* Kirschbaum, 1868; *horvathi* Csiki, 1940
 296) *Alnetoidia alneti* (Dahlbom, 1850) (Cicadellidae) Synonym(s): *alneti* Dahlbom, 1850; *coryli* Tollin, 1851; *mali* Edwards, 1851
 297) *Alosimus abeillei* (Escherich, 1896) (Meloidae) Synonym(s): *abeillei* Escherich, 1896
 298) *Alosimus armeniacus* (Faldermann, 1837) (Meloidae) Synonym(s): *armeniaceus* Faldermann, 1837
 299) *Alosimus castaneus* (Escherich, 1896) (Meloidae) Synonym(s): *castaneus* Escherich, 1896
 300) *Alosimus chalybaeus* (Tauscher, 1812) (Meloidae) Synonym(s): *chalybaeus* Tauscher, 1812
 301) *Alosimus decolor* (Abeille de Perrin, 1880) (Meloidae) Synonym(s): *decolor* Abeille de Perrin, 1880
 302) *Alosimus gracilis* (Abeille de Perrin, 1880) (Meloidae) Synonym(s): *gracilis* Abeille de Perrin, 1880
 303) *Alosimus reittedianus* (Semenov, 1990) (Meloidae) Synonym(s): *reittedianus* Semenov, 1990
 304) *Alosimus syriacus* (Linnaeus, 1758) (Meloidae) Synonym(s): *syriacus* Linnaeus, 1758; *austriacus* Schrank, 1781
 305) *Alosterna scapularis* (Heyden, 1878) (Cerambycidae) Synonym(s): *scapularis* Heyden, 1878
 306) *Alosterna tabacicolor* (De Geer, 1775) (Cerambycidae) Synonym(s): *tabacicolor* De Geer, 1775
 307) *Alsophila aceraria* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *#aceraria* [Denis & Schiffermüller], 1775; *quadripunctaria* Esper, 1801 nec Pda., 1761
 308) *Alsophila hirsutaria* (Fabricius, 1781) (Geometridae) Synonym(s): *#aescularia* [Denis & Schiffermüller], 1775; *hirtaria* Fabricius, [1776] nec Linn., 1761; *hirsutaria* Fabricius, 1781; *murinaria* Borkhausen, 1794.
 309) *Altenia modesta* (Danilevsky, 1955) (Gelechiidae) Synonym(s): *modesta* Danilevsky, 1955
 310) *Altenia scriptella* (Hübner, 1796) (Gelechiidae) Synonym(s): *scriptella* Hübner, 1796
 311) *Altica ancyrensis* (Weise, 1897) (Chrysomelidae) Synonym(s): *ancyrensis* Weise, 1897
 312) *Altica brevicollis* Foudras, 1860 (Chrysomelidae) Synonym(s): *brevicollis* Foudras, 1860
 313) *Altica carduorum* (Guérin-Méneville, 1858) (Chrysomelidae) Synonym(s): *carduorum* Guérin-Méneville, 1858
 314) *Altica deserticola* (Weise, 1889) (Chrysomelidae) Synonym(s): *deserticola* Weise, 1889
 315) *Altica globicollis* (Weise, 1889) (Chrysomelidae) Synonym(s): *globicollis* Weise, 1889
 316) *Altica hamperi* (Allard, 1867) (Chrysomelidae) Synonym(s): *hamperi* Allard, 1867; *khnozoriani* Kral, 1969
 317) *Altica impressicollis* (Reiche, 1862) (Chrysomelidae) Synonym(s): *impressicollis* Reiche, 1862; *#impressicoilis* Aslan et al, 1999
 318) *Altica jarmilae* Kral, 1979 (Chrysomelidae) Synonym(s): *jarmilae* Kral, 1979
 319) *Altica oleracea* (Linnaeus, 1758) (Chrysomelidae) Synonym(s): *oleracea* Linnaeus, 1758
 320) *Altica palustris* (Weise, 1888) (Chrysomelidae) Synonym(s): *palustris* Weise, 1888
 321) *Altica quercetorum* Foudras, 1860 (Chrysomelidae) Synonym(s): *quercetorum* Foudras, 1860
 322) *Alucita araxella* Zagulyaev, 2000 (Alucitidae) Synonym(s): *araxella* Zagulyaev, 2000
 323) *Alucita cymatodactyla* Zeller, 1852 (Alucitidae) Synonym(s): *cymatodactyla* Zeller, 1852.
 324) *Alucita desmodactyla* Zeller, 1847 (Alucitidae) Synonym(s): *desmodactyla* Zeller, 1847
 325) *Alucita hexadactyla* Linnaeus, 1758 (Alucitidae) Synonym(s): *hexadactyla* Linnaeus, 1758
 326) *Alucita ordubadi* Zagulyaev, 2000 (Alucitidae) Synonym(s): *ordubadi* Zagulyaev, 2000
 327) *Alydus calcaratus* (Linnaeus, 1758) (Alydidae) Synonym(s): *calcaratus* Linnaeus, 1758
 328) *Amara* ((Curtonotus) *propinqua* Ménéttriés, 1832 (Carabidae) Synonym(s): *propinqua* Ménéttriés, 1832; *bistriata* Putzeys, 1866
 329) *Amara* (Amarocelia) *erratica* (Duftschmid, 1812) (Carabidae) Synonym(s): *erratica* Duftschmid, 1812; *gracula* Heer, 1837; *affinis* Motschoulsky, 1850; *nivina* Gistel, 1857; *rugulosa* Gistel, 1857; *trophina* Gistel, 1857; *xenechthum* Gistel, 1857; *obscuricornis* Motschoulsky, 1859; *caucasicola* Lutschnik, 1935
 330) *Amara* (Amathitis) *abdominalis* (Motschoulsky, 1844) (Carabidae) Synonym(s): *abdominalis* Motschoulsky, 1844; *badiola* Bates, 1878; *latiuscula* Poppius, 1908; *nigriventris* Lutschnik, 1927; *chivensis* Lutschnik, 1928; *tratnikovi* Lutschnik, 1928; *pamiricola* Lutschnik, 1930; *gisellae* Csiki, 1929
 331) *Amara* (Bradytus) *apricaria* (Paykull, 1790) (Carabidae) Synonym(s): *apricaria* Paykull, 1790; *analys* Fabricius, 1792; *petri* Hummel, 1825; *raetica* Heer, 1837; *armena* Motschoulsky, 1844; *parallela* Chaudoir, 1842; *putzeysi* Horn, 1875; *baschkirica* Schweiger, 1966; *paphlagoniensis* Schweiger, 1966; *uludagensis* Schweiger, 1966
 332) *Amara* (Bradytus) *consularis* (Duftschmid, 1812) (Carabidae) Synonym(s): *consularis* Duftschmid, 1812; *crassa* Stephens, 1828; *nigra* Chaudoir, 1837; *uralensis* Motschoulsky, 1844; *regismontium* Schweiger, 1966
 333) *Amara* (Bradytus) *fulva* (O.F.Müller, 1776) (Carabidae) Synonym(s): *fulva* O.F.Müller, 1776; *concolor* Olivier, 1795; *iridipennis* Heer, 1837
 334) *Amara* (Celia) *bifrons* (Gyllenhal, 1810) (Carabidae) Synonym(s): *oraleica* O.F.Müller, 1776; *bifrons* Gyllenhal, 1810; *discrepans* Stephens, 1828; *zimmermanni* Heer, 1837; *longiceps* Seidlitz, 1887; *kleini* Schuler, 1964
 335) *Amara* (Celia) *praetermissa* (Sahlberg, 1827) (Carabidae) Synonym(s): *pallens* Sturm, 1825; *praetermissa* Sahlberg, 1827; *rufocincta* Sahlberg, 1827; *grandicollis* C.Zimmermann, 1832; *oreophila* C.Zimmermann, 1832; *solitaria* Gistel, 1857; *indivisa* Putzeys, 1871; *transcaucasica* Lutschnik, 1935; *monticusta* Jablckoff & Khnzorian, 1957
 336) *Amara* (Curtonotus) *aulica* (Panzer, 1796) (Carabidae) Synonym(s): *aulica* Panzer, 1796; *caucasica* Motschoulsky, 1844; *lithuanica* Motschoulsky, 1844; *abruzzensis* Schauburger, 1923
 337) *Amara* (Percosia) *equestris* (Duftschmid, 1812) (Carabidae) Synonym(s): *equestris* Duftschmid, 1812
 338) *Amara* (radytus) *crenata* Dejean, 1828 (Carabidae) Synonym(s): *crenata* Dejean, 1828; *crenatostriata* Chaudoir, 1846
 339) *Amara* (s.str.) *aenea* (De Geer, 1774) (Carabidae) Synonym(s): *aenea* De Geer, 1774; *trivialis* Gyllenhal, 1810; *atra* Stephens, 1828; *persica* Chaudoir, 1842; *maculipes* Grimmer, 1841; *palustris* Gistel, 1857; *sororcula* Tschitscherine, 1895; *vogesiaca* Bourgeois, 1898; *devincta* Casey, 1918; *palanda* Jedlicka, 1957; *thisbe* Antoine, 1951
 340) *Amara* (s.str.) *anthobia* A.Villa & G.B.Villa, 1833 (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa, 1833; *krekichii* Schtzmair, 1919
 341) *Amara* (s.str.) *convexior* Stephens, 1828 (Carabidae) Synonym(s): *convexior* Stephens, 1828; *obtusa* Stephens, 1828; *puncticollis* Rylands, 1841; *continua* Thomson, 1873
 342) *Amara* (s.str.) *curta* Dejean, 1828 (Carabidae) Synonym(s): *curta* Dejean, 1828; *brunnicornis* Heer, 1837; *aeruginosa* Kolenati, 1845; *cyanocnamis* Thomson, 1857; *ovalis* Mulsant & Rey, 1861
 343) *Amara* (s.str.) *eurynota* (Panzer, 1796) (Carabidae) Synonym(s): *eurynota* Panzer, 1796; *acuminata* Paykull, 1898; *aerata* Stephens, 1828; *exculpta* Hassmann, 1866; *raymondi* Putzeys, 1870
 344) *Amara* (s.str.) *famelica* C.Zimmermann, 1832 (Carabidae) Synonym(s): *famelica* C.Zimmermann, 1832; *bibula* Antoine, 1944

- 345) *Amara (s.str.) familiaris* (Duftschmid,1812) (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918
- 346) *Amara (s.str.) littorea* Thomson,1857 (Carabidae) Synonym(s): *dubia* Motschoulsky,1844; *ovata* Motschoulsky,1844; *littorea* Thomson,1857; *motschoulskyi* Heyden,1880; *wuki* Matcha,1922; *bogatshvi* Lutshnik,1934; *kodymi* Jedlicka,1936; *tockensis* Jedlicka,1936
- 347) *Amara (s.str.) morio* Ménétriés,1832 (Carabidae) Synonym(s): *morio* Ménétriés,1832
- 348) *Amara (s.str.) ovata* (Fabricius,1792) (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutshnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939
- 349) *Amara (Xenocelia) ambulans* C.Zimmermann,1832 (Carabidae) Synonym(s): *ambulans* C.Zimmermann,1832; *indieriensis* Motschoulsky,1850; *dagestana* Jedlicka,1962
- 350) *Amara (Xenocelia) cursitans* C.Zimmermann,1832 (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutshnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970
- 351) *Amara (Xenocelia) fusca* Dejean,1828 (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853
- 352) *Amara (Xenocelia) ingenua* (Duftschmid,1812) (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828
- 353) *Amara (Xenocelia) municipalis* (Duftschmid,1812) (Carabidae) Synonym(s): *municipalis* Duftschmid,1812
- 354) *Amara (Zezea) chaudiroiri* Schaum,1858 (Carabidae) Synonym(s): *chaudiroiri* Schaum,1858; *incognita* Fassati,1946
- 355) *Amata aequipuncta* (Turati,1917) (Ctenuchidae) Synonym(s): *aequipuncta* Turati,1917; *#aequipunctata* De Freina,1994
- 356) *Amata caspia* (Staudinger,1877) (Ctenuchidae) Synonym(s): *caspia* Staudinger,1877; *#caspica* Romanoff,1884; *minuta* A.Bang-Haas,1910 *nec* Bsd.,1833; *martinierici* Bryk,1941; *banghaasi* Obratzsov,1966; *minutissima* Obratzsov,1966; *schachti* De Freina,1994
- 357) *Amata kruegeri* (Ragusa,1904) (Ctenuchidae) Synonym(s): *#kruegeri* Ragusa,1904; *kruegeri* Turati,1917
- 358) *Amata phegea* (Linnaeus,1758) (Ctenuchidae) Synonym(s): *phegea* Linnaeus,1758; *quercus* Fabricius,1793
- 359) *Amata rossica* (Turati,1917) (Ctenuchidae) Synonym(s): *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (*praeocc.*); *rossica* Turati,1917; *tanaica* Obratzsov,1941
- 360) *Amata transcaspica* Obratzsov,1941 (Ctenuchidae) Synonym(s): *transcaspica* Obratzsov,1941
- 361) *Amblyptilia acanthadactyla* (Hübner,[1813]) (Pterophoridae) Synonym(s): *acanthadactyla* Hübner,[1813]; *odontodactyla* Charpentier,1821; *calaminthae* Frey,1886; *tetralicella* Hofmann,1895
- 362) *Ameles crassinervis* Dirsch,1927 (Mantidae) Synonym(s): *crassinervis* Dirsch,1927
- 363) *Ametastegia glabrata* (Fallén,1808) (Tenthredinidae) Synonym(s): *glabrata* Fallén,1808; *fulvipes* Costa,1882; *agilis* Klug,1817; *rufipes* Audinet-Serville,1823; *nigrisoma* Norton,1862; *abnormis* Provancher,1885; *potulenta* MacGillivray,1923
- 364) *Ametastegia pallipes* (Spinola,1808) (Tenthredinidae) Synonym(s): *pallipes* Spinola,1808; *grossulariae* Klug,1818; *lapponica* Zetterstedt,1838; *pallipes* Provancher,1878 *nec* Spin.,1808; *leucopodus* Audinet-Serville,1823; *canadense* Kirby,1882; *pallidipes* Dalla Torre,1894; *cavata* MacGillivray,1911; *cetaria* MacGillivray,1921
- 365) *Amicta quadrangularis* (Christoph,1873) (Psychidae) Synonym(s): *quadrangularis* Christoph,1873; *nigrescens* Staudinger,1899
- 366) *Amictus pictus* Loew,1869 (Bombyliidae) Synonym(s): *pictus* Loew,1869
- 367) *Amictus validus* Loew,1869 (Bombyliidae) Synonym(s): *validus* Loew,1869
- 368) *Ammonoconia anonyma* Ronkay & Varga,1984 (Noctuidae) Synonym(s): *anonyma* Ronkay & Varga,1984
- 369) *Ammonoconia caecimacula* (Fabricius,1787) (Noctuidae) Synonym(s): *caecimacula* Fabricius,1787; *millegrana* Esper,[1790]; *respersa* Brahm,1791; *rhaceticaria* Dannehl,1926; *mariscaria* Dannehl,1929
- 370) *Ammonoconia senex* (Geyer,[1828]) (Noctuidae) Synonym(s): *senex* Geyer,[1828].
- 371) *Ammophila heydeni* Dahlbom,1845 (Sphecidae) Synonym(s): *heydeni* Dahlbom,1845; *iberica* André,1886
- 372) *Ammothera splendida* (Kröber,1912) (Therevidae) Synonym(s): *splendida* Kröber,1912; *caucasica* Zaitzev,1973
- 373) *Amobia signata* (Meigen,1824) (Sarcophagidae) Synonym(s): *signata* Meigen,1824; *conica* R-D.,1830; *nigra* Macquart,1834; *odyneri* R-D.,1853; *anomalus* Zetterstedt,1859; *deprimata* Zetterstedt,1859; *maculosa* Rondani,1859; *cinerea* R-D.,1863; *ardeacea* R-D.,1863; *obliquata* R-D.,1863; *laeta* R-D.,1863; *cinereifrons* R-D.,1863; *fugitiva* R-D.,1863; *incana* R-D.,1863; *hortulana* R-D.,1863; *despecta* R-D.,1863; *flavicans* R-D.,1863; *vivida* R-D.,1863; *pervia* R-D.,1863; *biciliata* R-D.,1863; *aureifacies* R-D.,1863; *praecox* R-D.,1863
- 374) *Amorphaga hyrcanica* Zagulyaev,1968 (Tineidae) Synonym(s): *hyrcanica* Zagulyaev,1968
- 375) *Amorphognia necessaria* (Zeller,1849) (Geometridae) Synonym(s): *necessaria* Zeller,1849
- 376) *Ampedus balteatus* (Linnaeus,1758) (Elateridae) Synonym(s): *balteatus* Linnaeus,1758
- 377) *Ampedus cinnabarinus* (Eschscholtz,1829) (Elateridae) Synonym(s): *cinnabarinus* Eschscholtz,1829; *atropilosus* Reitter,1918
- 378) *Ampedus nigerrimus* (Lacordaire,1835) (Elateridae) Synonym(s): *nigerrimus* Lacordaire,1835
- 379) *Ampedus sinuatus* Germar,1844 (Elateridae) Synonym(s): *sinuatus* Germar,1844
- 380) *Amphicerus* (Caenophrada) *bimaculatus* (Olivier,1790) (Bostrichidae) Synonym(s): *bimaculatus* Olivier,1790; *aurita* Frivaldsky,1835
- 381) *Amphicoma* (Eulasia) *arctos* (Pallas,1781) (Glaphyridae) Synonym(s): *arctos* Pallas,1781; *martes* Frivaldsky,1845; *armeniaca* Reitter,1890; *subfasciatula* Reitter,1903; *anatolica* Reitter,1903
- 382) *Amphicoma* (Eulasia) *bombylifformis* (Pallas,1781) (Glaphyridae) Synonym(s): *bombylifformis* Pallas,1781; *rufipennis* Reitter,1890; *pygidialis* Petrovitz,1963; *erevanica* Petrovitz,1972; *athenae* Petrovitz,1980
- 383) *Amphicoma* (Eulasia) *chrysopyga* Faldermann,1835 (Glaphyridae) Synonym(s): *chrysopyga* Faldermann,1835; *pallidopilosa* Motschoulsky,1859
- 384) *Amphicoma* (Eulasia) *korbi* (Petrovitz,1972) (Glaphyridae) Synonym(s): *korbi* Petrovitz,1972
- 385) *Amphicoma* (Eulasia) *praeusta* (Champenois,1896) (Glaphyridae) Synonym(s): *praeusta* Champenois,1896; *clypealis* Petrovitz,1972
- 386) *Amphicoma* (Pygopleurus) *cyaneoviolaceus* Motschoulsky,1859 (Glaphyridae) Synonym(s): *psilotrichia* Walzl,1838 *nec* Fald.,1835; *cyaneoviolaceus* Motschoulsky,1859; *versicolor* Baraud,1989
- 387) *Amphicoma* (Pygopleurus) *cyanescens* (Reitter,1890) (Glaphyridae) Synonym(s): *cyanescens* Reitter,1890; *bicolor* Petrovitz,1968 *nec* Wlzl.,1838; *brunneipennis* Petrovitz,1968
- 388) *Amphicoma* (Pygopleurus) *distinguenda* (Muche,1963) (Glaphyridae) Synonym(s): *distinguenda* Muche,1963
- 389) *Amphicoma* (Pygopleurus) *psilotrichius* Faldermann,1835 (Glaphyridae) Synonym(s): *psilotrichius* Faldermann,1835; *aurigaster* Reitter,1895; *nigripennis* Champenois,1896; *maculipennis* Petrovitz,1957; *albopilosa* Petrovitz,1968; *annamariae* Mitter,1992

- 390) **Amphicomma (Pygopleurus) transcausicus Petrovitz, 1962** (Glaphyridae) Synonym(s): *transcausicus* Petrovitz, 1962; *rufoviolacea* Petrovitz, 1972
- 391) **Amphicomma (Pygopleurus) vulpes (Fabricius, 1792)** (Glaphyridae) Synonym(s): *alopecias* Pallas, 1781; *hirta* Fabricius, 1781; *vulpes* Fabricius, 1792; *vulpecula* Truqui, 1848; *pyrrhothrix* Dohrn, 1885; *griseovillosa* Reitter, 1903; *obscurithorax* Miksic, 1955; *bogoevskii* Miksic, 1955
- 392) **Amphicomma (Rudeulasia) chalybaea Faldermann, 1835** (Glaphyridae) Synonym(s): *chalybaea* Faldermann, 1835; *adusta* Ganglbauer, 1905; *brenskii* Reitter, 1890; *apicipennis* Petrovitz, 1968; *brunneipennis* Petrovitz, 1968; *coeruleipennis* Petrovitz, 1968
- 393) **Amphicomma (Rudeulasia) hybrida (Reitter, 1890)** (Glaphyridae) Synonym(s): *hybrida* Reitter, 1890; *agricola* Reitter, 1890; *ithae* Reitter, 1903
- 394) **Amphicomma (Rudeulasia) pulchra (Reitter, 1890)** (Glaphyridae) Synonym(s): *pulchra* Reitter, 1890; *kurdistan* Petrovitz, 1968
- 395) **Amphinemura mirabilis (Martynov, 1928)** (Nemouridae) Synonym(s): *mirabilis* Martynov, 1928
- 396) **Amphinemura trialetica Zhiltzova, 1957** (Nemouridae) Synonym(s): *trialectica* Zhiltzova, 1957
- 397) **Amphipoea aslanbeki L. Ronkay & Kerczig, 1991** (Noctuidae) Synonym(s): *aslanbeki* L. Ronkay & Kerczig, 1991
- 398) **Amphipoea crinanensis (Burrows, 1908)** (Noctuidae) Synonym(s): *crinanensis* Burrows, 1908
- 399) **Amphipoea fucosa (Freyer, 1830)** (Noctuidae) Synonym(s): *fucosa* Freyer, 1830; *paludis* Tutt, 1888
- 400) **Amphipoea oclea (Linnaeus, 1761)** (Noctuidae) Synonym(s): *oclea* Linnaeus, 1761; *nictitans* Linnaeus, 1767; *chrysographa* [Denis & Schiffermüller], 1775; *splendens* Borkhausen, 1792; *myopa* Fabricius, 1794; *cinerago* Fabricius, 1798; *auricula* Donovan, 1807; *erythrostigma* Haworth, 1809; *struvei* Oberthür, 1918.
- 401) **Amphipyra herbera Rungs, 1949** (Noctuidae) Synonym(s): *#variegata* W. Warren, 1911; *herbera* Rungs, 1949
- 402) **Amphipyra livida ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *livida* [Denis & Schiffermüller], 1775
- 403) **Amphipyra micans Lederer, 1857** (Noctuidae) Synonym(s): *micans* Lederer, 1857; *frivaldskyi* Mocsary, 1896
- 404) **Amphipyra perflua (Fabricius, 1787)** (Noctuidae) Synonym(s): *perflua* Fabricius, 1787; *ulmea* Schrank, 1801; *pyramidina* Esper, [1803].
- 405) **Amphipyra pyramidea (Linnaeus, 1758)** (Noctuidae) Synonym(s): *pyramidea* Linnaeus, 1758
- 406) **Amphipyra stix Herrich-Schäffer, [1850]** (Noctuidae) Synonym(s): *stix* Herrich-Schäffer, [1850]; *#styx* Staudinger, 1879.
- 407) **Amphipyra tetra (Fabricius, 1787)** (Noctuidae) Synonym(s): *tetra* Fabricius, 1787
- 408) **Amphipyra tragopoginis (Clerck, 1759)** (Noctuidae) Synonym(s): *#tragopoginis* Clerck, 1759; *luciola* Hufnagel, 1766.
- 409) **Amphisbetetus favillaceus (Loew, 1856)** (Asilidae) Synonym(s): *favillaceus* Loew, 1856
- 410) **Anacampsis obscurella ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *obscurella* [Denis & Schiffermüller], 1775; *subsequella* Hübner, 1796.
- 411) **Anacampsis timidella (Wocke, 1887)** (Gelechiidae) Synonym(s): *timidella* Wocke, 1887; *quercella* Chrétien, 1907; *disquei* Mees, 1907; *suberiella* Caradja, 1920.
- 412) **Anaceratagallia ribauti (Ossiannilsson, 1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson, 1938
- 413) **Anachalcis rubra Steffan, 1951** (Chalcididae) Synonym(s): *rubra* Steffan, 1951
- 414) **Anacridium aegyptium (Linnaeus, 1764)** (Acridae) Synonym(s): *aegyptium* Linnaeus, 1764; *lineola* Fabricius, 1781; *nubecula* Thunberg, 1815; *campanum* Costa, 1836; *tataricum* Burmeister, 1838; *albiferum* Walker, 1870; *indecisum* Walker, 1870; *stuardoi* Liebermann, 1943
- 415) **Anadrymadusa (Orodusa) beckeri (Adelung, 1907)** (Tettigoniidae) Synonym(s): *beckeri* Adelung, 1907
- 416) **Anadrymadusa (Orodusa) robusta (Miram, 1926)** (Tettigoniidae) Synonym(s): *robusta* Miram, 1926
- 417) **Anaglyptus arabicus (Küster, 1847)** (Cerambycidae) Synonym(s): *arabicus* Küster, 1847
- 418) **Anaglyptus ganglbaueri Reitter, 1886** (Cerambycidae) Synonym(s): *ganglbaueri* Reitter, 1886
- 419) **Anaglyptus mysticus (Linnaeus, 1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus, 1758
- 420) **Anagyrus matritensis (Mercet, 1921)** (Encyrtidae) Synonym(s): *matritensis* Mercet, 1921; *orbitalis* Ruschka, 1923
- 421) **Anagyrus schoenherri (Westwood, 1837)** (Encyrtidae) Synonym(s): *schoenherri* Westwood, 1837; *flavus* Ishii, 1928; *alboclavatus* Ishii, 1928
- 422) **Anagyrus spaici Hoffer, 1970** (Encyrtidae) Synonym(s): *spaici* Hoffer, 1970
- 423) **Anania (Opsibotys) fuscalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *fuscalis* [Denis & Schiffermüller], 1775
- 424) **Anania verbascata (Fabricius, 1787)** (Pyralidae) Synonym(s): *#verbascalis* [Denis & Schiffermüller], 1775; *verbascata* Fabricius, 1787; *parvalis* Osthelder, 1934.
- 425) **Anaplectoides prasina (Goeze, 1781)** (Noctuidae) Synonym(s): *#prasina* [Denis & Schiffermüller], 1775; *#hebrida* [Denis & Schiffermüller], 1775; *prasina* Goeze, 1781; *egregia* Esper, [1787]; *jaspidea* Borkhausen, 1792 nec De Vill., 1789; *mixta* Haworth, 1809 nec Fabr., 1787; *herbacea* Guenée, 1852; *albimacula* Hormuzaki, 1894
- 426) **Anarolius jubatus Loew, 1844** (Asilidae) Synonym(s): *jubatus* Loew, 1844
- 427) **Anarolius setitarsis Richter, 1963** (Asilidae) Synonym(s): *setitarsis* Richter, 1963
- 428) **Anarpia incertalis (Duponchel, 1832)** (Pyralidae) Synonym(s): *incertalis* Duponchel, 1832; *pyrenaealis* Duponchel, 1842; *incertella* Duponchel, [1845]; *pyrenaeella* Duponchel, [1845]; *pyrenaealis* Guenée, 1846
- 429) **Anarsia (Ananarsia) eleagnella Kuznetsov, 1957** (Gelechiidae) Synonym(s): *eleagnella* Kuznetsov, 1957
- 430) **Anarsia (Ananarsia) lineatella Zeller, 1839** (Gelechiidae) Synonym(s): *lineatella* Zeller, 1839; *heratella* Amsel, 1967; *tauricella* Amsel, 1967.
- 431) **Anarsia (s.str.) spartiella (Schrank, 1802)** (Gelechiidae) Synonym(s): *spartiella* Schrank, 1802; *genistae* Stainton, 1854; *ragonotella* Réal, 1994; *krausei* Réal, 1994; *lhommeella* Réal, 1994; *acutiloba* Réal, 1994; *pseudospartielli* Réal, 1994 *ungemachi* Réal, 1994
- 432) **Anastoechus araxis Paramonov, 1926** (Bombyliidae) Synonym(s): *araxis* Paramonov, 1926; *nigrisetosus* Paramonov, 1926
- 433) **Anastoechus caucasicus Paramonov, 1930** (Bombyliidae) Synonym(s): *caucasicus* Paramonov, 1930
- 434) **Anastoechus exalbidus (Wiedemann, 1820)** (Bombyliidae) Synonym(s): *exalbidus* Wiedemann, 1820
- 435) **Anastoechus fulvescens Becker, 1913** (Bombyliidae) Synonym(s): *fulvescens* Becker, 1913; *intermedius* Becker, 1916
- 436) **Anastoechus hyrcanus (Wiedemann, 1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann, 1818; *viduus* Becker, 1916
- 437) **Anastoechus mylabricida Zakhvatkin, 1934** (Bombyliidae) Synonym(s): *mylabricida* Zakhvatkin, 1934
- 438) **Anastoechus nigricirratu Becker, 1913** (Bombyliidae) Synonym(s): *nigricirratu* Becker, 1913
- 439) **Anastoechus trisignatus Portschinsky, 1881** (Bombyliidae) Synonym(s): *trisignatus* Portschinsky, 1881; *retrogradus* Becker, 1902; *werneri* Paramonov, 1930; *fulvojubatus* François, 1967
- 440) **Anastoechus zimini Paramonov, 1940** (Bombyliidae) Synonym(s): *zimini* Paramonov, 1940

- 441) **Anastrangalia dubia** (Scopoli,1763) (Cerambycidae) Synonym(s): *dubia* Scopoli,1763
- 442) **Anastrangalia sanguinolenta** (Linnaeus,1761) (Cerambycidae) Synonym(s): *sanguinolenta* Linnaeus,1761
- 443) **Anax parthenope** (Selys,1839) (Aeshnidae) Synonym(s): *parthenope* Selys,1839; *#parthenope* Demirsoy,1982
- 444) **Ancylis badiana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *badiana* [Denis & Schiffermüller],1775; *lundana* Fabricius,1777.
- 445) **Ancylis comptana** (Frölich,1828) (Tortricidae) Synonym(s): *comptana* Frölich,1828; *conflexana* Walker,1863; *pulchellana* Clemens,1864; *lamiana* Clemens,1864; *fragariae* Walsh & Riley,1869; *floridana* Zeller,1875; *amblygona* Zeller,1875; *cometana* Walsingham,1879; *sculpta* Meyrick,1922
- 446) **Ancylis mitterbacheriana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *mitterbacheriana* [Denis & Schiffermüller],1775; *subuncana* Haworth,1811
- 447) **Ancylis obtusana** (Haworth,[1811]) (Tortricidae) Synonym(s): *obtusana* Haworth,[1811]; *consobrinana* Curtis,1831; *distortana* Guenée,1845; *segmentana* Herrich-Schäffer,1851
- 448) **Ancylis paludana** (Barrett,1871) (Tortricidae) Synonym(s): *paludana* Barrett,1871; *rhusana* Fuchs,1903.
- 449) **Ancylis selenana** (Guenée,1845) (Tortricidae) Synonym(s): *selenana* Guenée,1845; *curvana* Zeller,1849
- 450) **Ancylis tineana** (Hübner,[1799]) (Tortricidae) Synonym(s): *tineana* Hübner,[1799]
- 451) **Ancylis transientana** Filipjev,1926 (Tortricidae) Synonym(s): *transientana* Filipjev,1926
- 452) **Ancylolomia palpella** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovskiy,1909
- 453) **Ancylolomia tentaculella** (Hübner,1796) (Pyralidae) Synonym(s): *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 454) **Ancylosis (Cabotia) lacteicostella** (Ragonot,1887) (Pyralidae) Synonym(s): *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915.
- 455) **Ancylosis (Heterographis) faustinella** (Zeller,1867) (Pyralidae) Synonym(s): *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952.
- 456) **Ancylosis (Heterographis) gracilella** Ragonot,1887 (Pyralidae) Synonym(s): *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistina* Turati,1924; *dowsoniella* Richards & Thomson,1932.
- 457) **Ancylosis (Heterographis) harmoniella** (Ragonot,1887) (Pyralidae) Synonym(s): *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930.
- 458) **Ancylosis (Heterographis) hellenica** (Staudinger,1870) (Pyralidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 459) **Ancylosis (Heterographis) nubeculella** (Ragonot,1887) (Pyralidae) Synonym(s): *nubeculella* Ragonot,1887
- 460) **Ancylosis (Heterographis) rhodochrella** (Herrich-Schäffer,1855) (Pyralidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961.
- 461) **Ancylosis (Heterographis) roscidella** (Eversmann,1844) (Pyralidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W.Warren,1888; *bartelevella* Caradja,1910; *benderella* Amsel,1961.
- 462) **Ancylosis (Heterographis) samaritanella** (Zeller,1867) (Pyralidae) Synonym(s): *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954.
- 463) **Ancylosis (s.str.) cinnamomella** (Duponchel,1836) (Pyralidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 464) **Ancylosis (s.str.) iranella** Ragonot,1887 (Pyralidae) Synonym(s): *iranella* Ragonot,1887; *turaniella* Ragonot,1887.
- 465) **Ancylosis (s.str.) maculifera** Staudinger,1870 (Pyralidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 466) **Ancylosoma substratellum** (Christoph,1877) (Pyralidae) Synonym(s): *substratella* Christoph,1877
- 467) **Ancyrosoma leucogrammes** (Gmelin,1790) (Pentatomidae) Synonym(s): *albolineatus* Fabricius,1781 nec Gz.,1778; *leucogrammes* Gmelin,1790; *nervosus* Cyrillus,1791 nec Sc.,1763; *affine* Westwood,1837; *tuberculatum* Bergevin,1908
- 468) **Andrallus spinidens** (Fabricius,1787) (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzier,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917
- 469) **Andrena (Brachyandrena) colletiformis** Morawitz,1874 (Andrenidae) Synonym(s): *parvula* Morawitz,1871; *colletiformis* Morawitz,1874; *sardinica* Strand,1915; *#gandzhensis* Lebedev,1933; *insulana* Pittioni,1950; *subsquamaris* Noskiewicz,1960
- 470) **Andrena (Chrysandrena) urarti** Osytschnjuk,1993 (Andrenidae) Synonym(s): *urarti* Osytschnjuk,1993
- 471) **Andrena (Melanapis) fuscata** Erichson,1835 (Andrenidae) Synonym(s): *fuscata* Erichson,1835; *rutilla* Spinola,1838; *xanthocelis* Brullé,1839; *dorsalis* Lepeletier,1841; *lepeletieri* Lucas,1849; *ruficornis* Smith,1853; *atrocoerulea* Giraud,1863; *dagestanica* Radoszkowski,1867; *turcestanica* Morawitz,1876; *dilecta* Mocsary,1879; *aschabadensis* Radoszkowski,1893; *jucunda* Pérez,1895; *cleopatra* Friese,1899; *violaceipennis* Cameron,1902; *rufifrons* Nurse,1904; *cyprica* Cockerell,1910; *flavipennis* Friese,1914; *pallipes* Friese,1914; *rufocincta* Friese,1914; *rubriventris* Friese,1922; *dorsatula* Viereck,1918; *ankarae* Alfken,1935; *mauritanica* Patiny,1997; *canariensis* Patiny,1997
- 472) **Andrena (Poecilandrena) adjacens** Morawitz,1876 (Andrenidae) Synonym(s): *adjacens* Morawitz,1876
- 473) **Andrena (Truncandrena) derbentina** Morawitz,1886 (Andrenidae) Synonym(s): *derbentina* Morawitz,1886
- 474) **Andricus ceconii** Kieffer,1901 (Cynipidae) Synonym(s): *ceconii* Kieffer,1901
- 475) **Andricus coriarius** (Hartig,1843) (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900
- 476) **Andricus insanus** (Westwood,1837) (Cynipidae) Synonym(s): *insanus* Westwood,1837
- 477) **Andricus solitarius** (Fonscolombe,1832) (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930
- 478) **Anemapogon glirella** (Heyden,1865) (Tineidae) Synonym(s): *glirella* Heyden,1865; *cachetiellus* Zagulyaev,1963; *cacheticus* Zagulyaev,1964; *ibericus* Zagulyaev,1968
- 479) **Anemapogon teberdella** (Zagulyaev,1963) (Tineidae) Synonym(s): *teberdellus* Zagulyaev,1963; *georgiellus* Zagulyaev,1963; *teberdensis* Zagulyaev,1964; *georgicus* Zagulyaev,1964.
- 480) **Aneomochtherus grisescens** (Tsacas,1968) (Asilidae) Synonym(s): *grisescens* Tsacas,1968
- 481) **Aneomochtherus hungaricus** (Engel,1927) (Asilidae) Synonym(s): *hungaricus* Engel,1927
- 482) **Aneomochtherus mundus** (Loew,1849) (Asilidae) Synonym(s): *mundus* Loew,1849; *rhodius* Tsacas,1963
- 483) **Aneomochtherus nairicus** (Richter,1962) (Asilidae) Synonym(s): *nairicus* Richter,1962
- 484) **Aneomochtherus perplexus** (Becker,1923) (Asilidae) Synonym(s): *perplexus* Becker,1923; *repentinus* Richter,1963

- 485) *Aneurus laevis* (Fabricius, 1775) (Aradidae) Synonym(s): *laevis* Fabricius, 1775; *tuberculatus* Mjöberg, 1902
- 486) *Angustalius malacellus* (Duponchel, 1836) (Pyralidae) Synonym(s): *malacellus* Duponchel, 1836
- 487) *Anisobas cingulatus* Horstmann, 1997 (Ichneumonidae) Synonym(s): *cingulatorius* Gravenhorst, 1820 (praeocc.); *cingulatellus* Horstmann, 1997
- 488) *Anisoplia* (Lasioplia) *brenskiei* Reitter, 1889 (Scarabaeidae) Synonym(s): *brenskiei* Reitter, 1889
- 489) *Anisoplia* (Lasioplia) *signata* Faldermann, 1835 (Scarabaeidae) Synonym(s): *signata* Faldermann, 1835
- 490) *Anisoplia* (s.str.) *agricola* (Poda, 1761) (Scarabaeidae) Synonym(s): *agricola* Poda, 1761
- 491) *Anisoplia* (s.str.) *farraria* Erichson, 1847 (Scarabaeidae) Synonym(s): *farraria* Erichson, 1847
- 492) *Anisopogon hermanni* (Engel, 1930) (Asilidae) Synonym(s): *hermanni* Engel, 1930; *modestus* Lehr, 1964
- 493) *Anomala* (s.str.) *abchasica* Motschulsky, 1853 (Scarabaeidae) Synonym(s): *abchasica* Motschulsky, 1853
- 494) *Anomala* (s.str.) *dubia* (Scopoli, 1763) (Scarabaeidae) Synonym(s): *dubia* Scopoli, 1763
- 495) *Anopheles* (Cellia) *pulcherrimus* Theobald, 1902 (Culicidae) Synonym(s): *pulcherrimus* Theobald, 1902; *atropotenae* Lindtjörn, 1924
- 496) *Anopheles* (Cellia) *superpictus* Grassi, 1899 (Culicidae) Synonym(s): *superpictus* Grassi, 1899; *palestinensis* Theobald, 1903; *nursei* Theobald, 1907; *cardamatisi* Newstead & Carter, 1910; *vassilievii* Portschiinsky, 1911; *macedoniensis* Cot & Hovasse, 1917; *berestnevi* Shingarev, 1926; *atheniensis* Cardamatis, 1931; *hellenicus* Peus, 1954
- 497) *Anopheles* (s.str.) *claviger* (Meigen, 1804) (Culicidae) Synonym(s): *claviger* Meigen, 1804; *villosus* R-D., 1827; *griseus* Stephens, 1828; *turkestanus* Shingarev, 1926; *amaurus* Martini, 1929; *habibi* Mulligan & Puri, 1936; *missiroli* Del Vecchio, 1939; *pullutus* Canameres, 1945
- 498) *Anopheles* (s.str.) *hyrcanus* (Pallas, 1771) (Culicidae) Synonym(s): *hyrcanus* Pallas, 1771
- 499) *Anopheles* (s.str.) *maculipennis* Meigen, 1818 (Culicidae) Synonym(s): *maculipennis* Meigen, 1818
- 500) *Anopheles* (s.str.) *sacharovi* Favre, 1903 (Culicidae) Synonym(s): *sacharovi* Favre, 1903; *elutus* Edwards, 1921
- 501) *Anoplocerus elevatus* (Fieber, 1861) (Coreidae) Synonym(s): *elevatus* Fieber, 1861; *rufulus* Jakovlev, 1903; *brevicornis* Kormilev, 1939
- 502) *Anoploclera rufipes* (Schaller, 1783) (Cerambycidae) Synonym(s): *rufipes* Schaller, 1783
- 503) *Anoploclera sexguttata* (Fabricius, 1775) (Cerambycidae) Synonym(s): *sexguttata* Fabricius, 1775
- 504) *Anoplotettix magnificus* Emeljanov, 1962 (Cicadellidae) Synonym(s): *magnificus* Emeljanov, 1962
- 505) *Anoscopus albifrons* (Linnaeus, 1758) (Cicadellidae) Synonym(s): *albifrons* Linnaeus, 1758; *costata* Panzer, 1799; *affinis* Fallén, 1806; *subrustica* Fallén, 1806; *dispar* Zetterstedt, 1828; *testudo* Curtis, 1833; *costata* Curtis, 1837; *concinna* Curtis, 1837; *arcuatus* Kirschbaum, 1868; *confusus* Kirschbaum, 1868; *interruptus* Scott, 1873; *polystolus* Scott, 1873; *apicalis* Signoret, 1879; *pelas* Signoret, 1879; *fuliginosus* Ferrari, 1882; *argus* Rey, 1891; *bifasciatus* Melichar, 1896; *limicola* Edwards, 1908; *maculata* Edwards, 1908; *irritans* Wagner, 1937; *germari* Wagner, 1937; *dimidiata* Ribaut, 1952; *blotei* Metcalf, 1963
- 506) *Anoxia* (s.str.) *asiatica* Desbrochers, 1872 (Scarabaeidae) Synonym(s): *asiatica* Desbrochers, 1872; *syriaca* Brenske, 1894
- 507) *Antarchaea conicephala* (Staudinger, 1870) (Noctuidae) Synonym(s): *conicephala* Staudinger, 1870 [April]; *conicephala* Staudinger, 1870 [Oct.]; *barcinonensis* Milliéré, 1872; *fumicollis* Rogenhofer, 1873.
- 508) *Antarchaea numisma* (Hübner, [1803]) (Noctuidae) Synonym(s): *numisma* Hübner, [1803]; *leda* Herrich-Schäffer, 1851.
- 509) *Antepipona cribrata* (Morawitz, 1885) (Vespidae) Synonym(s): *cribrata* Morawitz, 1885
- 510) *Anthaxia* (Cratomerus) *krueperi* Ganglbauer, 1885 (Buprestidae) Synonym(s): *krueperi* Ganglbauer, 1885
- 511) *Anthaxia* (Cratomerus) *mirabilis* Zicharev, 1918 (Buprestidae) Synonym(s): *mirabilis* Zicharev, 1918
- 512) *Anthaxia* (Cratomerus) *nupta* Kiesenwetter, 1857 (Buprestidae) Synonym(s): *nupta* Kiesenwetter, 1857
- 513) *Anthaxia* (Cratomerus) *sponsa* Kiesenwetter, 1857 (Buprestidae) Synonym(s): *sponsa* Kiesenwetter, 1857
- 514) *Anthaxia* (Euanthaxia) *anatolica* Chevrolat, 1837 (Buprestidae) Synonym(s): *anatolica* Chevrolat, 1837
- 515) *Anthaxia* (Haplanthaxia) *armeniaca* Obenberger, 1929 (Buprestidae) Synonym(s): *armeniaca* Obenberger, 1929
- 516) *Anthaxia* (Haplanthaxia) *flavicomis* Abeille, 1900 (Buprestidae) Synonym(s): *flavicomis* Abeille, 1900; *erivana* Obenberger, 1913; *#flavicomis* Ulay & Tezcan, 1998
- 517) *Anthaxia* (Haplanthaxia) *kiesenwetteri* Marseul, 1865 (Buprestidae) Synonym(s): *kiesenwetteri* Marseul, 1865
- 518) *Anthaxia* (Haplanthaxia) *umbellatarum* (Fabricius, 1787) (Buprestidae) Synonym(s): *umbellatarum* Fabricius, 1787
- 519) *Anthaxia* (Melanthaxia) *caucasica* Abeille, 1900 (Buprestidae) Synonym(s): *caucasica* Abeille, 1900
- 520) *Anthaxia* (Melanthaxia) *godeti* Gory & Laporte, 1839 (Buprestidae) Synonym(s): *godeti* Gory & Laporte, 1839; *granulata* Küster, 1850; *cupricolor* Abeille, 1909; *frankenbergeri* Obenberger, 1914; *submontana* Obenberger, 1930; *balcanica* Obenberger, 1938; *spaethi* Obenberger, 1938; *scheerpeltzi* Obenberger, 1938; *raclinae* Baudon, 1959
- 521) *Anthaxia* (Melanthaxia) *quadripunctata* (Linnaeus, 1758) (Buprestidae) Synonym(s): *quadripunctata* Linnaeus, 1758; *punctata* Ponza, 1805; *angulicollis* Küster, 1850; *angulata* Küster, 1850; *quadrifoveolata* Obenberger, 1918
- 522) *Anthaxia* (s.str.) *amasina* Daniel, 1903 (Buprestidae) Synonym(s): *amasina* Daniel, 1903
- 523) *Anthaxia* (s.str.) *bicolor* Faldermann, 1835 (Buprestidae) Synonym(s): *bicolor* Faldermann, 1835
- 524) *Anthaxia* (s.str.) *deaurata* (Gmelin, 1788) (Buprestidae) Synonym(s): *deaurata* Gmelin, 1788; *senicula* Schrank, 1789
- 525) *Anthaxia* (s.str.) *discicollis* Gory & Laporte, 1839 (Buprestidae) Synonym(s): *discicollis* Gory & Laporte, 1839; *kanaanita* Obenberger, 1912
- 526) *Anthaxia* (s.str.) *fulgurans* (Schrank, 1789) (Buprestidae) Synonym(s): *fulgurans* Schrank, 1789
- 527) *Anthaxia* (s.str.) *funerula* (Illiger, 1803) (Buprestidae) Synonym(s): *funerula* Illiger, 1803
- 528) *Anthaxia* (s.str.) *hypomelaena* (Illiger, 1803) (Buprestidae) Synonym(s): *hypomelaena* Illiger, 1803
- 529) *Anthaxia* (s.str.) *manca* (Linnaeus, 1767) (Buprestidae) Synonym(s): *manca* Linnaeus, 1767
- 530) *Anthaxia* (s.str.) *muliebris* Obenberger, 1918 (Buprestidae) Synonym(s): *muliebris* Obenberger, 1918
- 531) *Anthaxia* (s.str.) *passerini* (Pecchioli, 1837) (Buprestidae) Synonym(s): *passerini* Pecchioli, 1837
- 532) *Anthidium* (Anthidiellum) *clypeare* Morawitz, 1874 (Megachilidae) Synonym(s): *clypeare* Morawitz, 1874; *elongatum* Friese, 1897; *hoplostomum* Mavromoustakis, 1945
- 533) *Anthidium* (Anthidiellum) *judaense* (Mavromoustakis, 1945) (Megachilidae) Synonym(s): *judaense* Mavromoustakis, 1945; *anale* Pasteels, 1969
- 534) *Anthidium* (Anthidiellum) *strigatum* (Panzer, 1805) (Megachilidae) Synonym(s): *strigatum* Panzer, 1805; *contractum* Latreille, 1809; *frontale* Lepeletier, 1841; *minusculum* Nylander, 1852; *coronatum* Dufour, 1853; *decoratum* Chevrier, 1872; *luteum* Friese, 1897; *rubellum* Friese, 1917; *cyrenaicum* Gribodo, 1924; *pauperculum* Cockerell, 1928; *crassepunctatum* Popov, 1935; *palaestinense* Alfken, 1935; *ibericum* Alfken, 1936; *judaicum* Alfken, 1936; *humale* Alfken, 1936
- 535) *Anthidium* (Archanthidium) *pubescens* (Morawitz, 1872) (Megachilidae) Synonym(s): *pubescens* Morawitz, 1872; *maximum* Friese, 1931; *verhoeffi* Mavromoustakis, 1955
- 536) *Anthidium* (Exanthidium) *eximium* Giraud, 1863 (Megachilidae) Synonym(s): *eximium* Giraud, 1863; *excisum* Mocsary, 1884

- 537) **Anthidium (Icteranthidium) aequabile Morawitz, 1896** (Megachilidae) Synonym(s): *aequabile* Morawitz, 1896
- 538) **Anthidium (Icteranthidium) cimbiciforme (Smith, 1854)** (Megachilidae) Synonym(s): *cimbiciforme* Smith, 1854; *bartholomei* Radoszkowski, 1862
- 539) **Anthidium (Icteranthidium) croceum Morawitz, 1878** (Megachilidae) Synonym(s): *croceum* Morawitz, 1878
- 540) **Anthidium (Icteranthidium) grohmanni Spinola, 1838** (Megachilidae) Synonym(s): *grohmanni* Spinola, 1838; *latreillii* Lepeletier, 1841; *rubiginosum* Lepeletier, 1841; *provinciale* Lepeletier, 1841; *comptum* Lepeletier, 1841; *numidum* Lepeletier, 1841; *lepeletieri* Fonscolombe, 1846; *klugi* Lucas, 1849; *coronatum* Smith, 1854 (praeocc.); *obscurum* Dusmet, 1908 (praeocc.); *tergale* Pasteels, 1969.
- 541) **Anthidium (Icteranthidium) laterale Latreille, 1809** (Megachilidae) Synonym(s): *laterale* Latreille, 1809; *scutellare* Latreille, 1809; *quadrilobum* Lepeletier, 1841; *auripes* Eversmann, 1852; *annulare* Schenck, 1868; *sexmaculatum* Chevrier, 1872; *perrisii* Dours, 1873; *ifranicum* Cockerell, 1931; *confluens* Alfken, 1931
- 542) **Anthidium (Icteranthidium) limbiferum Morawitz, 1875** (Megachilidae) Synonym(s): *limbiferum* Morawitz, 1875
- 543) **Anthidium (Mesanthidium) carduele Morawitz, 1876** (Megachilidae) Synonym(s): *carduele* Morawitz, 1876; *controversum* Radoszkowski, 1886; *malacopygum* Gribodo, 1894; *konowi* Friese, 1897; *zonulum* Alfken, 1935
- 544) **Anthidium (Mesanthidium) pusillum Morawitz, 1895** (Megachilidae) Synonym(s): *pusillum* Morawitz, 1895; *mochii* Mavromoustakis, 1956
- 545) **Anthidium (Paraanthidium) interruptum (Fabricius, 1781)** (Megachilidae) Synonym(s): *interruptum* Fabricius, 1781; *rufipes* Fabricius, 1787 nec Fabr., 1781; *varia* Olivier, 1789; *erythropus* Gmelin, 1790; *flavilabre* Latreille, 1809; *dufourii* Lepeletier, 1841; *litespes* Lepeletier, 1841; *integrum* Eversmann, 1852; *curvipes* Smith, 1872; *melanostomum* Costa, 1884; *foliivolutor* Ferton, 1921
- 546) **Anthidium (Proanthidium) oblongatum (Illiger, 1806)** (Megachilidae) Synonym(s): *oblongatum* Illiger, 1806; *oblongatum* Latreille, 1809; *trochantericum* Morawitz, 1894; *nigrum* Friese, 1897; *luteum* Dusmet, 1915 nec Fr., 1897; *xanthurum* Cockerell, 1925; *australe* Alfken, 1937; *flavens* Moczar, 1956; *tornense* Tkalcu, 1966; *berberum* Warncke, 1980
- 547) **Anthidium (Proanthidium) undulatiforme Friese, 1917** (Megachilidae) Synonym(s): *undulatiforme* Friese, 1917
- 548) **Anthidium (Proanthidium) undulatum Dours, 1873** (Megachilidae) Synonym(s): *undulatum* Dours, 1873; *littorale* Morawitz, 1874; *holozonicum* Mavromoustakis, 1939; *kvakium* Mavromoustakis, 1939; *wahrmanni* Mavromoustakis, 1948
- 549) **Anthidium (Proanthidium) venustum Morawitz, 1878** (Megachilidae) Synonym(s): *venustum* Morawitz, 1878; *morawitzi* Dalla Torre, 1896
- 550) **Anthidium (Pseudoanthidium) alpinum Morawitz, 1874** (Megachilidae) Synonym(s): *alpinum* Morawitz, 1874
- 551) **Anthidium (Pseudoanthidium) lituratum (Panzer, 1801)** (Megachilidae) Synonym(s): *lituratum* Panzer, 1801; *scapulare* Latreille, 1809; *sinuatum* Lepeletier, 1841; *reptans* Eversmann, 1852; *floripetum* Eversmann, 1852; *stigmaticorne* Dours, 1873; *cribratum* Morawitz, 1875; *petechiale* Morawitz, 1875; *nanum* Mocsary, 1879; *leucostoma* Costa, 1883; *peregrinum* Costa, 1884; *eversmanni* Radoszkowski, 1886; *fraternum* Perez, 1895; *astilleroi* Dusmet, 1915; *grandi* Alfken, 1937; *karakalense* Popov, 1952; *canariense* Mavromoustakis, 1954
- 552) **Anthidium (Pseudoanthidium) melanurum Klug, 1832** (Megachilidae) Synonym(s): *melanurum* Klug, 1832; *nigricolle* Morawitz, 1876; *dilobum* Pérez, 1895; *moricei* Friese, 1911; *royoi* Dusmet, 1915; *flavicolle* Friese, 1917; *flaviventre* Friese, 1917
- 553) **Anthidium (Pseudoanthidium) reticulatum Mocsary, 1884** (Megachilidae) Synonym(s): *reticulatum* Mocsary, 1884; *regulare* Morawitz, 1886; *mocsaryi* Friese, 1897; *asiaticum* Friese, 1917; *kindermanni* Mavromoustakis, 1954
- 554) **Anthidium (Rhodanthidium) caturigense Giraud, 1863** (Megachilidae) Synonym(s): *catirigense* Giraud, 1863; *ducale* Morawitz, 1876; *moreense* Friese, 1917; *pyrenaicum* Alfken, 1927; *jerusalemicum* Mavromoustakis, 1938
- 555) **Anthidium (Rhodanthidium) septemdentatum (Latreille, 1809)** (Megachilidae) Synonym(s): *septemdentatum* Latreille, 1809; *rufiventre* Brullé, 1832; *quadridentatum* Lepeletier, 1841; *fuscipenne* Lepeletier, 1841; *binominatum* Smith, 1854; *sexlineatum* Chevrier, 1872; *fasciale* Friese, 1917; *rufocinctum* Alfken, 1930; *nigrosetosum* Stanek, 1968
- 556) **Anthidium (Rhodanthidium) superbum Radoszkowski, 1876** (Megachilidae) Synonym(s): *superbum* Radoszkowski, 1876; *christophi* Morawitz, 1884; *grande* Friese, 1897
- 557) **Anthidium (s.str.) cingulatum Latreille, 1809** (Megachilidae) Synonym(s): *cingulatum* Latreille, 1809
- 558) **Anthidium (s.str.) diadema Latreille, 1809** (Megachilidae) Synonym(s): *diadema* Latreille, 1809; *ornatum* Lepeletier, 1841; *albiventre* Lepeletier, 1841; *radoszkowskyi* Mocsary, 1887; *seraxense* Radoszkowski, 1893; *terminale* Morawitz, 1894; *caucasicum* Friese, 1897
- 559) **Anthidium (s.str.) florentinum (Fabricius, 1775)** (Megachilidae) Synonym(s): *florentinum* Fabricius, 1775
- 560) **Anthidium (s.str.) manicatum (Linnaeus, 1758)** (Megachilidae) Synonym(s): *manicatum* Linnaeus, 1758; *undulatofasciatum* Friese, 1917
- 561) **Anthidium (s.str.) punctatum Latreille, 1809** (Megachilidae) Synonym(s): *punctatum* Latreille, 1809; *minus* Nylander, 1848; *senile* Eversmann, 1852; *greyi* Radoszkowski, 1862; *albidulum* Chevrier, 1872; *nigrinum* Morawitz, 1875; *nitidulum* Morawitz, 1894; *mayeti* Pérez, 1895; *albofasciatum* Friese, 1897; *fulvipes* Friese, 1897; *kohlui* Friese, 1897; *bequaerti* Alfken, 1914; *amanusense* Dusmet, 1915; *ariasi* Dusmet, 1915; *nigritulum* Friese, 1917; *suecicum* Alfken, 1927
- 562) **Anthidium (s.str.) spiniventre Friese, 1899** (Megachilidae) Synonym(s): *spiniventre* Friese, 1899; *melanopygum* Friese, 1917
- 563) **Anthidium (s.str.) trispinosum Friese, 1917** (Megachilidae) Synonym(s): *trispinosum* Friese, 1917
- 564) **Anthidium (Trachusa) byssina (Panzer, 1804)** (Megachilidae) Synonym(s): *byssina* Panzer, 1804; *resinana* Schilling, 1829; *pyrenaica* Lepeletier, 1841; *rotundiventris* Perris, 1852; *zeitzi* Cockerell, 1925
- 565) **Anthocharis cardamines (Linnaeus, 1758)** (Pieridae) Synonym(s): *cardamines* Linnaeus, 1758; *hesperides* Newman, 1894; *britannica* Verity, 1908; *meridionalis* Verity, 1908 nec Lederer, 1852; *montivaga* Turati & Verity, 1911
- 566) **Anthocharis damone Boisduval, 1836** (Pieridae) Synonym(s): *damone* Boisduval, 1836
- 567) **Anthocharis grueneri Herrich-Schäffer, [1851]** (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer, [1851]; *#diluta* Röber, 1907; *eros* Röber, 1907
- 568) **Anthomalachius spinosus (Erichson, 1840)** (Melyridae) Synonym(s): *spinosus* Erichson, 1840
- 569) **Anthomalachius strangulatus (Abeille de Perrin, 1885)** (Melyridae) Synonym(s): *strangulatus* Abeille de Perrin, 1885; *vulneratus* Abeille de Perrin, 1891
- 570) **Anthophila abhasica Danilevsky, 1969** (Choreutidae) Synonym(s): *abhasica* Danilevsky, 1969
- 571) **Anthophila colchica Danilevsky, 1969** (Choreutidae) Synonym(s): *colchica* Danilevsky, 1969
- 572) **Anthophila decolorana Danilevsky, 1969** (Choreutidae) Synonym(s): *decolorana* Danilevsky, 1969
- 573) **Anthophilopsis baphialis (Staudinger, 1870)** (Pyralidae) Synonym(s): *baphialis* Staudinger, 1870; *#baphiale* Caradja, 1917.
- 574) **Anthophilopsis moeschleri (Christoph, 1862)** (Pyralidae) Synonym(s): *moeschleri* Christoph, 1862
- 575) **Anthophora biciliata Lepeletier, 1841** (Apidae) Synonym(s): *biciliata* Lepeletier, 1841; *liturata* Lepeletier, 1841; *mucida* Gribodo, 1873; *caucasica* Radoszkowski, 1874; *hedicki* Alfken, 1938

- 576) *Anthophora furcata* (Panzer,1798) (Apidae) Synonym(s): *furcata* Panzer,1798; *dumetorum* Panzer,1798; *norvegica* Nylander,1852; *caucasicola* Hedicke,1929; *obscura* Alfken,1926
- 577) *Anthrax aethiops* (Fabricius,1781) (Bombyliidae) Synonym(s): *aethiops* Fabricius,1781; *punctata* Meigen,1820; *mendax* Austen,1937
- 578) *Anthrax alagoezicus* Paramonov,1935 (Bombyliidae) Synonym(s): *alagoezicus* Paramonov,1935
- 579) *Anthrax anthrax* (Schrank,1781) (Bombyliidae) Synonym(s): *anthrax* Schrank,1781; *sinuata* Meigen,1804
- 580) *Anthrax armeniacus* Paramonov,1935 (Bombyliidae) Synonym(s): *armeniaceus* Paramonov,1935
- 581) *Anthrax binotatus* Wiedemann,1820 (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820; *subnotata* Wiedemann,1820
- 582) *Anthrax erythrogaster* Paramonov,1935 (Bombyliidae) Synonym(s): *erythrogaster* Paramonov,1935
- 583) *Anthrax incitus* Paramonov,1935 (Bombyliidae) Synonym(s): *incitus* Paramonov,1935
- 584) *Anthrax jazykovi* Zakhvatkin,1934 (Bombyliidae) Synonym(s): *jazykovi* Zakhvatkin,1934; *jazykovi* Paramonov,1935
- 585) *Anthrax leucogaster* Wiedemann,1820 (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820
- 586) *Anthrax monachus* (Sack,1909) (Bombyliidae) Synonym(s): *monachus* Sack,1909
- 587) *Anthrax pilosulus* Strobl,1902 (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902
- 588) *Anthrax sticticus* Klug,1832 (Bombyliidae) Synonym(s): *sticticus* Klug,1832
- 589) *Anthrax tajikistanus* Evenhuis & Greathead,1999 (Bombyliidae) Synonym(s): *tajikistanus* Evenhuis & Greathead,1999
- 590) *Anthrax varius* Fabricius,1794 (Bombyliidae) Synonym(s): *varius* Fabricius,1794
- 591) *Anthrax virgo* Egger,1859 (Bombyliidae) Synonym(s): *virgo* Egger,1859
- 592) *Anthrax zonabiphagus* (Portschinsky,1895) (Bombyliidae) Synonym(s): *zonabiphagus* Portschinsky,1895
- 593) *Anthrenus* (Florilinus) *caucasicus* Reitter,1881 (Dermestidae) Synonym(s): *caucasicus* Reitter,1881
- 594) *Anthrenus* (Florilinus) *flavidus* Solsky,1876 (Dermestidae) Synonym(s): *flavidus* Solsky,1876; *rufulus* Solsky,1876
- 595) *Anthrenus* (s.str.) *delicatus* Kiesenwetter,1851 (Dermestidae) Synonym(s): *delicatus* Kiesenwetter,1851
- 596) *Anthrenus* (s.str.) *picturatus* Solsky,1876 (Dermestidae) Synonym(s): *picturatus* Solsky,1876
- 597) *Anthrenus* (s.str.) *rotundulus* Reitter,1889 (Dermestidae) Synonym(s): *rotundulus* Reitter,1889
- 598) *Anthrenus* (s.str.) *scrophulariae* (Linnaeus,1758) (Dermestidae) Synonym(s): *scrophulariae* Linnaeus,1758; *albidus* Brullé,1832; *signatus* Reitter,1881; *senex* Reitter,1881
- 599) *Anthrenus araraticus* Zhantiev,1976 (Dermestidae) Synonym(s): *araraticus* Zhantiev,1976
- 600) *Anthrenus araxensis* Zhantiev,1976 (Dermestidae) Synonym(s): *araxensis* Zhantiev,1976
- 601) *Anthrenus armeniacus* Zaitzev,1919 (Dermestidae) Synonym(s): *armeniaceus* Zaitzev,1919
- 602) *Anticlea badiata* (Lang,1789) (Geometridae) Synonym(s): *#badiata* [Denis & Schiffermüller],1775; *badiata* Lang,1789; *radiata* Spener & Spener,1843.
- 603) *Anticlea derivata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *derivata* [Denis & Schiffermüller],1775; *nigrofasciaria* Goeze,1781; *separata* Thunberg,1788.
- 604) *Antipalus varipes* (Meigen,1820) (Asilidae) Synonym(s): *varipes* Meigen,1820; *tibialis* Megerle,1820; *macrurus* Ruthe,1831; *xanthopygus* Ruthe,1831; *aurifluus* Zeller,1840; *tenax* Zeller,1840; *mollis* Loew,1871; *flabellifer* Pandellé,1905
- 605) *Antiphrisson adpressus* (Loew,1849) (Asilidae) Synonym(s): *adpressus* Loew,1849
- 606) *Antiphrisson trifarius* (Loew,1849) (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thalhammeri* Lichtwardt,1903
- 607) *Antitype chi* (Linnaeus,1758) (Noctuidae) Synonym(s): *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929.
- 608) *Antitype jonis* (Lederer,1865) (Noctuidae) Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901.
- 609) *Antocha* (Orimargula) *alpigena* (Mik,1883) (Limoniidae) Synonym(s): *alpigena* Mik,1883
- 610) *Antocha* (s.str.) *hirtipes* Savchenko,1971 (Limoniidae) Synonym(s): *hirtipes* Savchenko,1971
- 611) *Antocha* (s.str.) *libanotica* Lackschewitz,1940 (Limoniidae) Synonym(s): *libanotica* Lackschewitz,1940
- 612) *Anumeta arax* Fibiger,1995 (Noctuidae) Synonym(s): *dentistrigata* sensu Romanoff,1885 nec Stgr.; *caucasica* Rjabov (in litt.); *arax* Fibiger,1995
- 613) *Aomus pubescens* Boheman,1834 (Curculionidae) Synonym(s): *pubescens* Boheman,1834; *phyllobiiformis* Reitter,1895
- 614) *Apalus bipunctatus* Germar,1817 (Meloidae) Synonym(s): *bipunctatus* Germar,1817; *#bipunctatus* Özбек & Szaloki,1998
- 615) *Apalus necydalaeus* (Pallas,1782) (Meloidae) Synonym(s): *necydalaeus* Pallas,1782
- 616) *Apamea* (s.str.) *anceps* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller],1775; *sordida* Borkhausen,1792; *infesta* Ochsenheimer,1816; *renardii* Boisduval,1829; *engelhardtii* Duurloo,1889; *pyxina* A.Bang-Haas,1910; *siegeli* Berio,1985; *sassanidica* Hacker,1990; *mazeli* Lutran,1993
- 617) *Apamea* (s.str.) *crenata* (Hufnagel,1766) (Noctuidae) Synonym(s): *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopocurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812.
- 618) *Apamea* (s.str.) *epomidion* (Haworth,1809) (Noctuidae) Synonym(s): *charactera* auct. nec [Denis & Schiff.],1775; *epomidion* Haworth,1809
- 619) *Apamea* (s.str.) *euxinia* Hacker,1985 (Noctuidae) Synonym(s): *euxinia* Hacker,1985
- 620) *Apamea* (s.str.) *ferrago* (Eversmann,1837) (Noctuidae) Synonym(s): *ferrago* Eversmann,1837
- 621) *Apamea* (s.str.) *furva* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775
- 622) *Apamea* (s.str.) *illyria* Freyer,1846 (Noctuidae) Synonym(s): *illyria* Freyer,1846
- 623) *Apamea* (s.str.) *lateritia* (Hufnagel,1766) (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
- 624) *Apamea* (s.str.) *leucodon* (Eversmann,1837) (Noctuidae) Synonym(s): *leucodon* Eversmann,1837
- 625) *Apamea* (s.str.) *lithoxylaea* (Fabricius,1787) (Noctuidae) Synonym(s): *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787.
- 626) *Apamea* (s.str.) *monoglyphia* (Hufnagel,1766) (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglyphia* Hufnagel,1766.
- 627) *Apamea* (s.str.) *oblonga* (Haworth,[1809]) (Noctuidae) Synonym(s): *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813].
- 628) *Apamea* (s.str.) *platinea* (Treitschke,1825) (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisesens* Touleschkov,1951 nec Stgr.,1889; *touleschkoffi* Koçak,1980.
- 629) *Apamea* (s.str.) *polyglypha* (Staudinger,1892) (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892
- 630) *Apamea* (s.str.) *remissa* (Hübner,[1809]) (Noctuidae) Synonym(s): *remissa* Hübner,[1809]
- 631) *Apamea* (s.str.) *rjaboviana* Mikkola, Varga & Lafontaine, (Noctuidae) Synonym(s):
- 632) *Apamea* (s.str.) *rubrireana* (Treitschke,1825) (Noctuidae) Synonym(s): *rubrireana* Treitschke,1825

- 633) *Apamea* (s.str.) **sordens** (Hufnagel,1766) (Noctuidae) Synonym(s): *sordens* Hufnagel,1766; *basilinea* [Denis & Schiffermüller],1775; *marmorosa* Esper,[1788]; *nebulosa* Vieweg,1790; *cinefacta* Graeser,1889 nec *Gte.*,1881; *grisescens* Staudinger,1889; *basistriga* Staudinger,1892; *alacra* Dannehl,1933
- 634) *Apamea* (s.str.) **sublustris** (Esper,[1788]) (Noctuidae) Synonym(s): *sublustris* Esper,[1788]
- 635) *Apamea* (s.str.) **syriaca** (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 636) *Apamea* (s.str.) **unanimis** (Hübner,[1813]) (Noctuidae) Synonym(s): *unanimis* Hübner,[1813]
- 637) *Apamea* (s.str.) **zeta** (Treitschke,1825) (Noctuidae) Synonym(s): *zeta* Treitschke,1825
- 638) *Apanteles* **aragatzi** Tobias,1976 (Braconidae) Synonym(s): *aragatzi* Tobias,1976
- 639) *Apanteles* **ater** (Ratzeburg,1852) (Braconidae) Synonym(s): *ater* Ratzeburg,1852
- 640) *Apanteles* **brunnistigma** Abdinbekova,1969 (Braconidae) Synonym(s): *brunnistigma* Abdinbekova,1969
- 641) *Apanteles* **kubensis** Abdinbekova,1975 (Braconidae) Synonym(s): *kubensis* Abdinbekova,1975
- 642) *Apanteles* **obscurus** (Nees ab Esenbeck,1834) (Braconidae) Synonym(s): *obscurus* Nees ab Esenbeck,1834
- 643) *Apatura* **ilia** ([Denis & Schiffermüller],1775) (Argynnidae) Synonym(s): *ilia* [Denis & Schiffermüller],1775; *clytie* [Denis & Schiffermüller],1775; *luteus* Esper,1777; *roeselii* Bergsträßer,1779; *vulgaris* Bergsträßer,1779; *rubescens* Esper,1781; *eos* Rossi,1794; *julia* Schrank,1801; *astasia* Hübner,1826; *heos* Meigen,1828, etc.
- 644) *Apaustis* **rupicola** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *rupicola* [Denis & Schiffermüller],1775; *palliata* Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803]
- 645) *Apeira* **syringaria** (Linnaeus,1758) (Geometridae) Synonym(s): *syringaria* Linnaeus,1758; *jaspoides* Fourcroy,1785; *circularia* Thunberg,1792
- 646) *Apethymus* **apicalis** (Klug,1818) (Tenthredinidae) Synonym(s): *apicalis* Klug,1818; *serotinus* Müller,1776; *filiformis* Klug,1818
- 647) *Aphalara* **maculipennis** Loew,1886 (Psyllidae) Synonym(s): *maculipennis* Loew,1886
- 648) *Aphanus* **rolandri** (Linnaeus,1758) (Lygaeidae) Synonym(s): *rolandri* Linnaeus,1758; *aethiops* Douglas & Scott,1868
- 649) *Aphasganophora* **armeniaca** (Boucek,1952) (Chalcididae) Synonym(s): *armeniaca* Boucek,1952; *ensifera* Nikolskaya,1952
- 650) *Aphelia* (s.str.) **viburniana** (Fabricius,1787) (Tortricidae) Synonym(s): *#viburnana* [Denis & Schiffermüller],1775; *viburniana* Fabricius,1787
- 651) *Aphelia* (Zelothereses) **caucasica** Kostyuk,1975 (Tortricidae) Synonym(s): *caucasica* Kostyuk,1975
- 652) *Aphelia* (Zelothereses) **effigies** (Obraztsov,1968) (Tortricidae) Synonym(s): *effigies* Obraztsov,1968
- 653) *Aphelia* (Zelothereses) **ochreana** (Hübner,[1799]) (Tortricidae) Synonym(s): *ferugana* Hübner,1793 (homonym); *ochreana* Hübner,[1799]; *shaqlawana* Amsel,1955; *chretieni* Obraztsov,1957
- 654) *Aphelia* (Zelothereses) **tschetverikovi** Danilevsky,1963 (Tortricidae) Synonym(s): *tschetverikovi* Danilevsky,1963
- 655) *Aphelocheirus* **kolenati** Kiritshenko,1925 (Aphelocheiridae) Synonym(s): *kolenati* Kiritshenko,1925
- 656) *Aphodius* (Acanthbodilus) **immundus** Creutzer,1799 (Scarabaeidae) Synonym(s): *immundus* Creutzer,1799
- 657) *Aphodius* (Acrossus) **depressus** (Kugelann,1798) (Scarabaeidae) Synonym(s): *depressus* Kugelann,1798
- 658) *Aphodius* (Acrossus) **luridus** (Fabricius,1775) (Scarabaeidae) Synonym(s): *luridus* Fabricius,1775
- 659) *Aphodius* (Acrossus) **planicollis** Reitter,1890 (Scarabaeidae) Synonym(s): *planicollis* Reitter,1890
- 660) *Aphodius* (Acrossus) **rufipes** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *rufipes* Linnaeus,1758
- 661) *Aphodius* (Agolius) **abchasikus** Reitter,1892 (Scarabaeidae) Synonym(s): *abchasikus* Reitter,1892
- 662) *Aphodius* (Agrilinus) **ater** (De Geer,1774) (Scarabaeidae) Synonym(s): *ater* De Geer,1774
- 663) *Aphodius* (Amidorus) **obscurus** (Fabricius,1792) (Scarabaeidae) Synonym(s): *obscurus* Fabricius,1792
- 664) *Aphodius* (Aphodius) **fimetarius** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *fimetarius* Linnaeus,1758
- 665) *Aphodius* (Bodilus) **ictericus** (Laicharting,1781) (Scarabaeidae) Synonym(s): *ictericus* Laicharting,1781
- 666) *Aphodius* (Bodilus) **lugens** Creutzer,1799 (Scarabaeidae) Synonym(s): *lugens* Creutzer,1799
- 667) *Aphodius* (Calamosternus) **granarius** (Linnaeus,1767) (Scarabaeidae) Synonym(s): *granarius* Linnaeus,1767
- 668) *Aphodius* (Calamosternus) **lividus** (Olivier,1789) (Scarabaeidae) Synonym(s): *lividus* Olivier,1789
- 669) *Aphodius* (Chilothorax) **distinctus** (Müller,1776) (Scarabaeidae) Synonym(s): *distinctus* Müller,1776
- 670) *Aphodius* (Chilothorax) **sticticus** (Panzer,1798) (Scarabaeidae) Synonym(s): *sticticus* Panzer,1798
- 671) *Aphodius* (Esymus) **merdarius** (Fabricius,1775) (Scarabaeidae) Synonym(s): *merdarius* Fabricius,1775
- 672) *Aphodius* (Eupleurus) **subterraneus** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *subterraneus* Linnaeus,1758
- 673) *Aphodius* (Loraphodius) **suarius** Faldermann,1835 (Scarabaeidae) Synonym(s): *suarius* Faldermann,1835
- 674) *Aphodius* (Melinopterus) **prodromus** (Brahm,1790) (Scarabaeidae) Synonym(s): *prodromus* Brahm,1790
- 675) *Aphodius* (Nialus) **varians** Duftschmid,1805 (Scarabaeidae) Synonym(s): *varians* Duftschmid,1805
- 676) *Aphodius* (Orodalus) **pusillus** (Herbst,1789) (Scarabaeidae) Synonym(s): *pusillus* Herbst,1789
- 677) *Aphodius* (Oromus) **asphaltinus** Kolenati,1846 (Scarabaeidae) Synonym(s): *asphaltinus* Kolenati,1846
- 678) *Aphodius* (Teuchestes) **fossor** (Linnaeus,1758) (Scarabaeidae) Synonym(s): *fossor* Linnaeus,1758
- 679) *Aphoebantus* **armeniacus** Paramonov,1925 (Bombyliidae) Synonym(s): *armeniacus* Paramonov,1925
- 680) *Aphrodes* **araxicus** Logvinenko,1971 (Cicadellidae) Synonym(s): *araxicus* Logvinenko,1971
- 681) *Aphrodes* **bicinctus** (Schrank,1776) (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (praeocc.); *rustica* Fabricius,1775 (praeocc.); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966
- 682) *Aphrodes* **bifasciatus** (Linnaeus,1758) (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963
- 683) *Aphrodes* **elongatus** (Lethierry,1876) (Cicadellidae) Synonym(s): *elongatus* Lethierry,1876
- 684) *Aphrodes* **flavostriatus** (Donovan,1799) (Cicadellidae) Synonym(s): *flavostriatus* Donovan,1799; *rivularis* Germar,1821
- 685) *Aphrodes* **histrionicus** (Fabricius,1794) (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866
- 686) *Aphrodes* **montanus** Vilbaste,1965 (Cicadellidae) Synonym(s): *montanus* Vilbaste,1965; *caucasicus* Vilbaste,1965
- 687) *Aphrodes* **nigratus** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *nigratus* Kirschbaum,1868; *integer* Wagner,1937
- 688) *Aphrodes* **serratulae** (Fabricius,1775) (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscofasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus* Signoret,1879; *vicarius* Horvath,1897
- 689) *Aphrodes* **vallicola** Logvinenko,1967 (Cicadellidae) Synonym(s): *vallicola* Logvinenko,1967

- 690) **Aphrophora alni** (Fallén,1805) (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950
- 691) **Aphrophora salicina** (Goeze,1778) (Cercopidae) Synonym(s): *salicina* Goeze,1778
- 692) **Aphthona abdominalis** (Duftschmid,1825) (Chrysomelidae) Synonym(s): *abdominalis* Duftschmid,1825; *finitima* Ogloblin,1927
- 693) **Aphthona atrovirens** (Förster,1849) (Chrysomelidae) Synonym(s): *atrovirens* Förster,1849
- 694) **Aphthona euphorbiae** (Schränk,1781) (Chrysomelidae) Synonym(s): *euphorbiae* Schränk,1781
- 695) **Aphthona flaviceps** Allard,1859 (Chrysomelidae) Synonym(s): *flaviceps* Allard,1859
- 696) **Aphthona franzi** Heikertinger,1944 (Chrysomelidae) Synonym(s): *franzi* Heikertinger,1944
- 697) **Aphthona gracilis** Faldermann,1837 (Chrysomelidae) Synonym(s): *gracilis* Faldermann,1837
- 698) **Aphthona lutescens** (Gyllenhal,1808) (Chrysomelidae) Synonym(s): *lutescens* Gyllenhal,1808
- 699) **Aphthona maculata** Allard,1876 (Chrysomelidae) Synonym(s): *maculata* Allard,1876
- 700) **Aphthona nigriceps** (Redtenbacher,1842) (Chrysomelidae) Synonym(s): *nigriceps* Redtenbacher,1842
- 701) **Aphthona nigriscutis** Foudras,1860 (Chrysomelidae) Synonym(s): *nigriscutis* Foudras,1860
- 702) **Aphthona nonstriata** (Goeze,1777) (Chrysomelidae) Synonym(s): *nonstriata* Goeze,1777
- 703) **Aphthona ovata** Foudras,1860 (Chrysomelidae) Synonym(s): *ovata* Foudras,1860
- 704) **Aphthona pygmaea** Kutschera,1861 (Chrysomelidae) Synonym(s): *pygmaea* Kutschera,1861
- 705) **Aphthona rugipennis** Ogloblin,1926 (Chrysomelidae) Synonym(s): *rugipennis* Ogloblin,1926
- 706) **Aphthona semicyanea** Allard,1859 (Chrysomelidae) Synonym(s): *semicyanea* Allard,1859
- 707) **Aphthona venustula** Kutschera,1861 (Chrysomelidae) Synonym(s): *venustula* Kutschera,1861
- 708) **Aphycoides clavellatus** (Dalman,1820) (Encyrtidae) Synonym(s): *clavellatus* Dalman,1820; *corybas* Walker,1837; *liriope* Walker,1837; *ilithyia* Walker,1838; *mysus* Walker,1838; *alycoecus* Walker,1848; *cephalotes* Ratzeburg,1852; *radialis* Thomson,1876; *physokermis* Girault,1916; *merceti* Ferrière,1953; *viridescens* Hoffer,1957
- 709) **Aphyletes nigrisparsella** (Ragonot,1887) (Pyralidae) Synonym(s): *nigrisparsella* Ragonot,1887; *derbentella* Caradja,1910
- 710) **Aphytis proclia** (Walker,1839) (Aphelinidae) Synonym(s): *proclia* Walker,1839; *zonatus* Alam,1956; *sugonjaevi* Yasnoch,1972; *chowdhurii* Kaul,1974
- 711) **Apiletria (Aretascetis) purulentella** Stainton,1867 (Autostichidae) Synonym(s): *purulentella* Stainton,1867
- 712) **Apis (s.str.) mellifera** Linnaeus,1758 (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761
- 713) **Aplasta ononaria** (Fuessly,1783) (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
- 714) **Aplocera annexata** (Freyer,[1830]) (Geometridae) Synonym(s): *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831
- 715) **Aplocera columbata** (Metzner,1845) (Geometridae) Synonym(s): *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848
- 716) **Aplocera numidaria** (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *numidaria* Herrich-Schäffer,[1852]
- 717) **Aplocera obsitaria** (Lederer,1853) (Geometridae) Synonym(s): *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937
- 718) **Aplocera opificata** (Lederer,1870) (Geometridae) Synonym(s): *opificata* Lederer,1870; *kawrigini* Christoph,1885.
- 719) **Aplocera plagiata** (Linnaeus,1758) (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
- 720) **Aplocera praeformata** (Hübner,1826) (Geometridae) Synonym(s): *praeformata* Hübner,1826; *cassata* Treitschke,1828
- 721) **Aplocera uniformata** (Urbahn,1971) (Geometridae) Synonym(s): *uniformata* Urbahn,1971
- 722) **Aplotarsus angustulus** (Kiesenwetter,1858) (Elateridae) Synonym(s): *angustulus* Kiesenwetter,1858
- 723) **Apochima diaphanaria** (Püngeler,1904) (Geometridae) Synonym(s): *diaphanaria* Püngeler,1904
- 724) **Apochima flabellaria** (Heeger,1838) (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
- 725) **Apocolotois smirnovi** (Romanoff,1885) (Geometridae) Synonym(s): *smirnovi* Romanoff,1885
- 726) **Apoderus coryli** (Linnaeus,1758) (Atelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790
- 727) **Apodia bifractella** (Duponchel,1843) (Gelechiidae) Synonym(s): *bifractella* Duponchel,[1843]
- 728) **Apodiphus amygdali** (Germar,1817) (Pentatomidae) Synonym(s): *amygdali* Germar,1817; *hellenica* Lefebvre,1831; *exsculpta* Burmeister,1835
- 729) **Apolysis dolichorostris** Evenhuis & Greathead,1999 (Bombyliidae) Synonym(s): *longirostris* Paramonov,1947 nec Melander,1946; *dolichorostris* Evenhuis & Greathead,1999
- 730) **Apolysis dolichorostris** Evenhuis & Greathead,1999 (Bombyliidae) Synonym(s): *longirostris* Paramonov,1947 nec Melander,1946; *dolichorostris* Evenhuis & Greathead,1999
- 731) **Apolysis pusilla** (Paramonov,1929) (Bombyliidae) Synonym(s): *pusilla* Paramonov,1929
- 732) **Apolysis pusilla** (Paramonov,1929) (Bombyliidae) Synonym(s): *pusilla* Paramonov,1929
- 733) **Apolysis superba** (Engel,1933) (Bombyliidae) Synonym(s): *superba* Engel,1933
- 734) **Apolysis superba** (Engel,1933) (Bombyliidae) Synonym(s): *superba* Engel,1933
- 735) **Apopestes noe** L.Ronkay,1990 (Noctuidae) Synonym(s): *noe* Ronkay,1990
- 736) **Apopestes phantasma** (Eversmann,1843) (Noctuidae) Synonym(s): *phantasma* Eversmann,1843; *centralasiae* W.Warren,1913.
- 737) **Apopestes spectrum** (Esper,[1787]) (Noctuidae) Synonym(s): *spectrum* Esper,[1787]; *innotata* W.Warren,1913; *maura* W.Warren,1913
- 738) **Aporia (s.str.) crataegi** (Linnaeus,1758) (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 739) **Aporodes floralis** (Hübner,[1809]) (Pyralidae) Synonym(s): *floralis* Hübner,[1809]; *stygalis* Treitschke,1829; *sicualis* Duponchel,1836; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 740) **Aporophyla lutulenta** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *lutulenta* [Denis & Schiffermüller],1775; *electrica* Fabricius,1794; *fuscus* Haworth,1803; *consimilis* Stephens,1829; *orthostigma* Stephens,1829; *sedi* Duponchel,1836; *tripuncta* Freyer,1848; *brunnea* Schawerda,1929; *aterrima* Warnecke,1936; *insularis* Hansson,1952
- 741) **Aporophyla nigra** (Haworth,[1809]) (Noctuidae) Synonym(s): *lunula* Ström,1783 nec Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
- 742) **Apotomus rufithorax** Pecchioli,1837 (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837
- 743) **Apotomus testaceus** Dejean,1825 (Carabidae) Synonym(s): *testaceus* Dejean,1825
- 744) **Aproaerema anthyllidella** (Hübner,[1813]) (Gelechiidae) Synonym(s): *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralella* Millière,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964

- 745) **Aprosthemella melanurum (Klug,1814)** (Argidae) Synonym(s): *melanurum* Klug,1814; *cylindricornis* Thomson,1871; *friesei* Konow,1892; *alfkeni* Konow,1895;
- 746) **Aprosthemella tardum (Klug,1814)** (Argidae) Synonym(s): *tardum* Klug,1814; *cylindricorne* Thomson,1871; *carpentieri* Konow,1902
- 747) **Aprostocetus bucculentus (Kostjukov,1978)** (Eulophidae) Synonym(s): *bucculentus* Kostjukov,1978
- 748) **Apterola (s.str.) lownii (Saunders,1876)** (Lygaeidae) Synonym(s): *lownii* Saunders,1876
- 749) **Apterona crenulella (Bruand,1853)** (Psychidae) Synonym(s): *crenulella* Bruand,1853
- 750) **Apterona helicoidella (Vallot,1827)** (Psychidae) Synonym(s): *helicoidella* Vallot,1827; *resedella* Vallot,1843; *helix* Siebold,1851.
- 751) **Apterona orientalis Kozhantshikov,1956** (Psychidae) Synonym(s): *orientalis* Kozhantshikov,1956
- 752) **Aradus caucasicus Kolenati,1856** (Aradidae) Synonym(s): *caucasicus* Kolenati,1856
- 753) **Araschnia levana (Linnaeus,1758)** (Argynnidae) Synonym(s): *levana* Linnaeus,1758; *prorsa* Linnaeus,1758.
- 754) **Araxiana woronowi (Uvarov,1918)** (Pamphagidae) Synonym(s): *woronowi* Uvarov,1918; *woronovi* Bei-Bienko & Mishchenko,1951
- 755) **Arboridia parvula (Boheman,1845)** (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (*praeocc.*)
- 756) **Arboridia ribauti (Ossiannilsson,1937)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1937
- 757) **Arboridia simillima (Wagner,1939)** (Cicadellidae) Synonym(s): *simillima* Wagner,1939
- 758) **Archanara algae (Esper,1789)** (Noctuidae) Synonym(s): *algae* Esper,1789; *cannae* Ochsenheimer,1816
- 759) **Archanara dissoluta (Treitschke,1825)** (Noctuidae) Synonym(s): *dissoluta* Treitschke,1825; *hessii* Boisduval,1840; *arundineta* Schmidt,1858
- 760) **Archanara geminipuncta (Haworth,1809)** (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,1817.
- 761) **Archanara neurica (Hübner,1808)** (Noctuidae) Synonym(s): *neurica* Hübner,1808; *edelsteni* Tutt,1908
- 762) **Archanara sparganii (Esper,1790)** (Noctuidae) Synonym(s): *sparganii* Esper,1790; *strigosa* Staudinger,1892.
- 763) **Archicaris notha (Hübner,1803)** (Geometridae) Synonym(s): *notha* Hübner,1803
- 764) **Archinemapogon bacurianus Zagulyaev,1962** (Tineidae) Synonym(s): *bacurianus* Zagulyaev,1962
- 765) **Archinemapogon schromicus Zagulyaev,1964** (Tineidae) Synonym(s): *schromicus* Zagulyaev,1964
- 766) **Archips crataeganus (Hübner,1799)** (Tortricidae) Synonym(s): *crataegana* Hübner,1799; *roborana* Hübner,1799
- 767) **Archips podanus (Scopoli,1763)** (Tortricidae) Synonym(s): *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,1799; *congenerana* Hübner,1824; *sauberiana* Sørhagen,1882; *vulpeculana* Fuchs,1903; *meridana* Kozlov & Esartia,1991
- 768) **Archips rosanus (Linnaeus,1758)** (Tortricidae) Synonym(s): *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,1799; *acerana* Hübner,1799; *nebulana* Stephens,1834
- 769) **Archips xylosteanus (Linnaeus,1758)** (Tortricidae) Synonym(s): *xylosteana* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784; *densata* Fourcroy,1785; *densana* Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901
- 770) **Arctia (Epicalia) confluens (Romanoff,1884)** (Arctiidae) Synonym(s): *confluens* Romanoff,1884.
- 771) **Arctia (Epicalia) villica (Linnaeus,1758)** (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
- 772) **Arctia (Eucharia) festiva (Hufnagel,1766)** (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétries,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
- 773) **Arctia (s.str.) caja (Linnaeus,1758)** (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 *nec* Rom.,1884; *rebeli* Wnukowsky,1929.
- 774) **Arctia (s.str.) flavia (Fuessly,1779)** (Arctiidae) Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,1804; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927
- 775) **Arctoconopa melampodia (Loew,1873)** (Limoniidae) Synonym(s): *melampodia* Loew,1873
- 776) **Arctornis l-nigrum (Müller,1764)** (Lymantriidae) Synonym(s): *l-nigrum* Müller,1764; *v-nigrum* Fabricius,1775; *nivosa* [Denis & Schiffermüller],1775; *vaunigra* Stephens,1828
- 777) **Arcyptera (Pararcyptera) microptera (Fischer de Waldheim,1833)** (Acrididae) Synonym(s): *microptera* Fischer de Waldheim,1833
- 778) **Arcyptera (s.str.) fusca (Pallas,1773)** (Acrididae) Synonym(s): *fusca* Pallas,1773
- 779) **Arenocoris falleni (Schilling,1829)** (Coreidae) Synonym(s): *falleni* Schilling,1829; *litteratus* Curtis,1834; *egenus* Horvath,1917; *clericus* Wagner,1937
- 780) **Arenocoris waltlii (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *waltlii* Herrich-Schäffer,1835; *hispanus* Rambur,1839; *auriculatus* Fieber,1861
- 781) **Arenostola phragmitidis (Hübner,1803)** (Noctuidae) Synonym(s): *phragmitidis* Hübner,1803
- 782) **Arenostola unicolor W. Warren,1914** (Noctuidae) Synonym(s): *unicolor* W. Warren,1914
- 783) **Arethusana arethusa ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,1895; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (*sensu* Hesselbarth et al.,1995: 917).
- 784) **Arge auripennis Konow,1891** (Argidae) Synonym(s): *auripennis* Konow,1891
- 785) **Arge berberidis (Schränk,1802)** (Argidae) Synonym(s): *berberidis* Schränk,1802
- 786) **Arge carinifrons Enslin,1917** (Argidae) Synonym(s): *carinifrons* Enslin,1917
- 787) **Arge caucasica Tournier,1889** (Argidae) Synonym(s): *caucasica* Tournier,1889
- 788) **Arge ciliaris (Linnaeus,1767)** (Argidae) Synonym(s): *ciliaris* Linnaeus,1767
- 789) **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880
- 790) **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783
- 791) **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852)
- 792) **Arge impressifrons Konow,1898** (Argidae) Synonym(s): *impressifrons* Konow,1898
- 793) **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes* Retzius,1783
- 794) **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790
- 795) **Arge pagana (Panzer,1798)** (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensii* Leach,1817
- 796) **Arge pallidinervis Gussakovskii,1935** (Argidae) Synonym(s): *pallidinervis* Gussakovskii,1935
- 797) **Arge pleuritica (Klug,1834)** (Argidae) Synonym(s): *pleuritica* Klug,1834
- 798) **Arge pyrenaica (André,1879)** (Argidae) Synonym(s): *pyrenaica* André,1879

- 799) **Arge simulatrix Konow, 1887** (Argidae) Synonym(s): *simulatrix* Konow, 1887
- 800) **Argynnis (Argyronome) laodice (Pallas, 1771)** (Argynnididae) Synonym(s): *laodice* Pallas, 1771; *cethosia* Fabricius, 1793
- 801) **Argynnis (Fabriciana) adippe (Rottemburg, 1775)** (Argynnididae) Synonym(s): *cydippe* Linnaeus, 1761 (rejected); *berecynthia* Poda, 1761 (rejected); *adippe* Rottemburg, 1775; *phryxa* Bergsträßer, 1780; *margaritacea* Retzius, 1783; *syrinx* Borkhausen, 1788; *aspasia* Borkhausen, 1788; *liriope* Borkhausen, 1788; *baiuvarica* Spuler, 1901, etc.
- 802) **Argynnis (Fabriciana) niobe (Linnaeus, 1758)** (Argynnididae) Synonym(s): *niobe* Linnaeus, 1758.
- 803) **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller], 1775)** (Argynnididae) Synonym(s): *pandora* [Denis & Schiffermüller], 1775; *maja* Cramer, 1775 nec Fabricius, 1775; *cynara* Fabricius, 1777; *cyrnea* Schwerda, 1926; *transcaucasica* Moucha, 1967; *deserticola* Gross & Ebert, 1975.
- 804) **Argynnis (s.str.) paphia (Linnaeus, 1758)** (Argynnididae) Synonym(s): *paphia* Linnaeus, 1758; *valesina* Esper, [1798]; *magnata* Verity, 1919; *revelata* Verity, 1934; *magnifica* Verity, 1919; *magnificamagnata* Verity, 1950.
- 805) **Argynnis (Speyeria) aglaja (Linnaeus, 1758)** (Argynnididae) Synonym(s): *aglaja* Linnaeus, 1758; *charlotta* Haworth, 1802; *emilia* Acerbi, 1802 nec Cr., 1779; *caroletta* Jermyn, 1827; *locuples* Verity, 1919 nec Butler, 1879; *emilocuples* Verity, 1919; *locupletata* Verity, 1922; *montesignum* Sagarra, 1926.
- 806) **Argynnis (Speyeria) alexandra Ménétériés, 1832** (Argynnididae) Synonym(s): *alexandra* Ménétériés, 1832
- 807) **Argyra argentina (Meigen, 1824)** (Dolichopodidae) Synonym(s): *diaphana* Fallén, 1823 nec Fabr., 1775; *argentina* Meigen, 1824; *geniculata* Schummel, 1837
- 808) **Argyra argyria (Meigen, 1824)** (Dolichopodidae) Synonym(s): *argyria* Meigen, 1824; *argentata* Macquart, 1834; *argentellus* Zetterstedt, 1843; *divergens* Parent, 1926; *discedens* Parent, 1838
- 809) **Argyra diaphana (Fabricius, 1775)** (Dolichopodidae) Synonym(s): *diaphana* Fabricius, 1775; *ludea* Harris, 1776; *pellucens* Fallén, 1823; *versicolor* Meigen, 1824; *hirtipes* Curtis, 1835
- 810) **Argyra leucocephala (Meigen, 1824)** (Dolichopodidae) Synonym(s): *leucocephala* Meigen, 1824; *fulviventrif* Macquart, 1827; *fulgens* Haliday, 1832; *pellucens* Zetterstedt, 1838
- 811) **Argyra spoliata Kowarz, 1879** (Dolichopodidae) Synonym(s): *spoliata* Kowarz, 1879
- 812) **Argyrospila succinea (Esper, [1798])** (Noctuidae) Synonym(s): *succinea* Esper, [1798]
- 813) **Arimania komaroffi (Ragonot, 1888)** (Pyrilidae) Synonym(s): *komaroffi* Ragonot, 1888; *amanella* Zerny, 1934; *diplocapna* Meyrick, 1937
- 814) **Aristotelia avanica Piskunov & Emelyanov, 1982** (Gelechiidae) Synonym(s): *avanica* Piskunov & Emelyanov, 1982
- 815) **Aristotelia subericinella (Duponchel, 1843)** (Gelechiidae) Synonym(s): *subericinella* Duponchel, 1843; *prohaskaella* Rebel, 1907
- 816) **Arma custos (Fabricius, 1794)** (Pentatomidae) Synonym(s): *custos* Fabricius, 1794; *#scutellaris* Stichel, 1961; *neocustos* Ahmad & Önder, 1990; *neoinsperata* Ahmad & Önder, 1990
- 817) **Armada clio (Staudinger, 1884)** (Noctuidae) Synonym(s): *clio* Staudinger, 1884
- 818) **Armada panaceorum (Ménétériés, 1849)** (Noctuidae) Synonym(s): *panaceorum* Ménétériés, 1849; *distincta* Rothschild, 1915.
- 819) **Arocephalus languidus (Flor, 1861)** (Cicadellidae) Synonym(s): *languidus* Flor, 1861; *pallipes* Kirschbaum, 1868; *pusillus* Kirschbaum, 1868; *productus* Thomson, 1869; *haupti* Lindberg, 1924; *ocellatus* Cerutti, 1939
- 820) **Arocephalus longiceps (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum, 1868; *longivalvis* Kirschbaum, 1868; *linnei* Fieber, 1869
- 821) **Aroga aristotelis (Millière, 1875)** (Gelechiidae) Synonym(s): *aristotelis* Millière, 1875; *astragali* Staudinger, 1879; *fulminella* Millière, 1882; *lacertella* Walsingham; *hyrcanella* Toll, 1948.
- 822) **Aroga velocella (Zeller, 1839)** (Gelechiidae) Synonym(s): *velocella* Zeller, 1839; *affiniella* Zetterstedt, [1839]; *tesserella* Zetterstedt, [1839]; *brunnea* Schöyen, 1882; *aterrimella* Rebel, 1889; *rupicolella* Müller-Rutz, 1934
- 823) **Aromia moschata (Linnaeus, 1758)** (Cerambycidae) Synonym(s): *moschata* Linnaeus, 1758
- 824) **Arsissa divaricella (Ragonot, 1887)** (Pyrilidae) Synonym(s): *divaricella* Ragonot, 1887; *#aurantiacella* Caradja, 1910; *velocella* Toll, 1948; *firusella* Amsel, 1961.
- 825) **Arsissa leucomixtella (Ragonot, 1887)** (Pyrilidae) Synonym(s): *leucomixtella* Ragonot, 1887; *bicornutella* Amsel, 1961.
- 826) **Arsissa ramosella (Herrich-Schäffer, [1855])** (Pyrilidae) Synonym(s): *ramosella* Herrich-Schäffer, [1855]; *albiramosella* Caradja, 1916; *caradjaella* Zerny, 1939.
- 827) **Artheneis alutacea Fieber, 1861** (Lygaeidae) Synonym(s): *alutacea* Fieber, 1861
- 828) **Artheneis hircanica (Kolenati, 1845)** (Lygaeidae) Synonym(s): *hircanica* Kolenati, 1845
- 829) **Artianus interstitialis (Germar, 1821)** (Cicadellidae) Synonym(s): *interstitialis* Germar, 1821; *diminutus* Kirschbaum, 1858
- 830) **Artianus manderstjernii (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum, 1868
- 831) **Arytrura musculus (Ménétériés, 1859)** (Noctuidae) Synonym(s): *musculus* Ménétériés, 1859
- 832) **Asalebria (Exophora) exasperata (Staudinger, 1879)** (Pyrilidae) Synonym(s): *exasperata* Staudinger, 1879; *#exaspersata* Roesler, 1993
- 833) **Asalebria (s.str.) venustella (Ragonot, 1887)** (Pyrilidae) Synonym(s): *venustella* Ragonot, 1887; *hilarella* Caradja, 1916; *paella* Caradja, 1916
- 834) **Asaphes vulgaris Walker, 1834** (Pteromalidae) Synonym(s): *vulgaris* Walker, 1834; *aenea* Nees ab Esenbeck, 1834; *aphidophila* Rondani, 1848
- 835) **Asaphidion (Asaphidion) flavicorne (Solsky, 1874)** (Carabidae) Synonym(s): *flavicorne* Solsky, 1874
- 836) **Ascalenia grisella Kuznetsov, 1957** (Cosmopterigidae) Synonym(s): *grisella* Kuznetsov, 1957
- 837) **Ascalenia vanelloides Gerasimov, 1930** (Cosmopterigidae) Synonym(s): *vanelloides* Gerasimov, 1930; *#eremella* Amsel, 1933; *eremella* Amsel, 1935.
- 838) **Ascalenia viviparella Kasy, 1969** (Cosmopterigidae) Synonym(s): *viviparella* Kasy, 1969
- 839) **Ascotis selenaria ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#selenaria* [Denis & Schiffermüller], 1775; *dianaria* Hübner, [1817]; *#seleneris* Okyar & Aytaç, 1999
- 840) **Asiotmethis turritus (Fischer von Waldheim, 1833)** (Pamphagidae) Synonym(s): *turritus* Fischer von Waldheim, 1833
- 841) **Asiotridactylus fasciatus (Guérin-Ménéville, 1844)** (Tridactylidae) Synonym(s): *fasciatus* Guérin-Ménéville, 1844; *savignyi* Guérin-Ménéville, 1844; *major* Karny, 1907
- 842) **Asiraca clavicornis (Fabricius, 1794)** (Delphacidae) Synonym(s): *clavicornis* Fabricius, 1794; *divisa* Rey, 1891
- 843) **Asketria cervinana (Caradja, 1916)** (Tortricidae) Synonym(s): *cervinana* Caradja, 1916
- 844) **Aspilapteryx (s.str.) tringipennella (Zeller, 1839)** (Gracillariidae) Synonym(s): *tringipennella* Zeller, 1839; *fringilella* Duponchel, 1843.
- 845) **Aspitates acuminaria (Eversmann, 1851)** (Geometridae) Synonym(s): *acuminaria* Eversmann, 1851; *glessaria* Christoph, 1877; *opulentaria* Staudinger, 1877.

- 846) *Asteroscopus sphinx* (Hufnagel,1766) (Noctuidae) Synonym(s): *sphinx* Hufnagel,1766; *cassinia* [Denis & Schiffermüller],1775; *alpina* Seifers,1916.
- 847) *Asthena percandidata* (Christoph,1893) (Geometridae) Synonym(s): *percandidata* Christoph,1893; *candidissima* Staudinger,1897
- 848) *Astochia caspica* Hermann,1917 (Asilidae) Synonym(s): *caspica* Hermann,1917; *sareptana* Becker,1923
- 849) *Asymmetrasca decedens* (Paoli,1932) (Cicadellidae) Synonym(s): *decedens* Paoli,1932
- 850) *Atanycolus initator* (Fabricius,1793) (Braconidae) Synonym(s): *initator* Fabricius,1793; *genalis* Thomson,1892; *petiolaris* Thomson,1892; *mongolicus* Telenga,1936
- 851) *Ateliotum hungaricellum* Zeller,1839 (Tineidae) Synonym(s): *hungaricellum* Zeller,1839; *cypellias* Meyrick,1937
- 852) *Aterpia flavens* Falkovitsh,1966 (Tortricidae) Synonym(s): *flavens* Falkovitsh,1966
- 853) *Aethmia ambusta* (Fabricius,1787) (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
- 854) *Aethmia centrargo* (Haworth,[1809]) (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].
- 855) *Athalia ahngerii* Kokujev,1909 (Tenthredinidae) Synonym(s): *ahngerii* Kokujev,1909
- 856) *Athalia bicolor* Audinet-Serville,1823 (Tenthredinidae) Synonym(s): *bicolor* Audinet-Serville,1823
- 857) *Athalia cordata* Audinet-Serville,1823 (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suessionensis* Audinet-Serville,1823; *blanchardi* Brullé,1846
- 858) *Athalia liberta* (Klug,1815) (Tenthredinidae) Synonym(s): *liberta* Klug,1815; *immaculata* Konow,1884
- 859) *Athalia maculata* Mocsary,1879 (Tenthredinidae) Synonym(s): *maculata* Mocsary,1879
- 860) *Athalia rosae* (Linnaeus,1758) (Tenthredinidae) Synonym(s): *rosae* Linnaeus,1758; *spinarum* Fabricius,1775; *salicis* Schrank,1781 *nec* Linn.,1758; *colibri* Christ,1791; *centifoliae* Panzer,1798
- 861) *Atherigona varia* (Meigen,1826) (Muscidae) Synonym(s): *varia* Meigen,1826
- 862) *Atherix alagezica* Paramonov,1926 (Athericidae) Synonym(s): *alagezica* Paramonov,1926
- 863) *Athetis furvula* (Hübner,[1808]) (Noctuidae) Synonym(s): *furvula* Hübner,[1808]; *dasychira* Hübner,[1817]; *lenta* Treitschke,1825.
- 864) *Athetis gluteosa* (Treitschke,1835) (Noctuidae) Synonym(s): *gluteosa* Treitschke,1835
- 865) *Athetis pallustris* (Hübner,[1808]) (Noctuidae) Synonym(s): *pallustris* Hübner,[1808]; *#palustris* Lederer,1870
- 866) *Athous (Haplathous) marginicollis* Reitter,1890 (Elateridae) Synonym(s): *marginicollis* Reitter,1890
- 867) *Athous (s.str.) vittatus* (Fabricius,1792) (Elateridae) Synonym(s): *vittatus* Gmelin,1790; *vittatus* Fabricius,1792
- 868) *Atolmis rubricollis* (Linnaeus,1758) (Arctiidae) Synonym(s): *rubricollis* Linnaeus,1758
- 869) *Atrichopogon gillipaludus* Remm,1993 (Ceratopogonidae) Synonym(s): *gillipaludus* Remm,1993
- 870) *Atrichopogon unilineatus* Remm,1967 (Ceratopogonidae) Synonym(s): *unilineatus* Remm,1967
- 871) *Atrichopogon winnertzi* Goetghebuer,1922 (Ceratopogonidae) Synonym(s): *winnertzi* Goetghebuer,1922; *torgnyensis* Goetghebuer,1949
- 872) *Atrichotmethis semenovi* (Zubovskii,1899) (Pamphagidae) Synonym(s): *semenovi* Zubovskii,1899; *zaitzevi* Uvarov,1917
- 873) *Attagenus (s.str.) bifasciatus* (Olivier,1790) (Dermestidae) Synonym(s): *bifasciatus* Olivier,1790
- 874) *Attagenus (s.str.) orientalis* Reitter,1878 (Dermestidae) Synonym(s): *orientalis* Reitter,1878
- 875) *Attagenus (s.str.) pantherinus* (Ahrens,1814) (Dermestidae) Synonym(s): *pantherinus* Ahrens,1814
- 876) *Attagenus (s.str.) quadrimaculatus* Kraatz,1858 (Dermestidae) Synonym(s): *quadrimaculatus* Kraatz,1858
- 877) *Attelabus nitens* (Scopoli,1763) (Attelabidae) Synonym(s): *nitens* Scopoli,1763; *curculionoides* Linnaeus,1767; *coryli* Müller,1776; *maculipes* Rondani,1833
- 878) *Attelabus sulcifrons* (Argod,1895) (Attelabidae) Synonym(s): *sulcifrons* Argod,1895
- 879) *Atylotus fulvus* (Meigen,1820) (Tabanidae) Synonym(s): *fulvus* Meigen,1820; *rufipes* Meigen,1820; *bituberculatus* Bigot,1892; *auriquammatus* Bigot,1892; *flavifemur* Enderlein,1925; *aureus* Hauser,1941; *transcaucasicus* Bogatchev & Samedov,1949
- 880) *Atylotus loewianus* (Villeneuve,1920) (Tabanidae) Synonym(s): *loewianus* Villeneuve,1920; *znojko* Olsufjev,1937
- 881) *Atylotus quadrifarius* (Loew,1874) (Tabanidae) Synonym(s): *quadrifarius* Loew,1874; *rufipes* Szilady,1915 *nec* Mg.,1820; *lattesica* Strand,1925; *afghanistanicus* Moucha & Chvala,1959
- 882) *Atylotus rusticus* (Linnaeus,1767) (Tabanidae) Synonym(s): *rusticus* Linnaeus,1767; *ruralis* Zetterstedt,1838; *parallelfrons* Szilady,1923; *hungaricus* Kröber,1925; *strobli* Kröber,1925; *ochraceus* Olsufjev & Melnikova,1962
- 883) *Athypha pulmonaris* (Esper,[1790]) (Noctuidae) Synonym(s): *pulmonaris* Esper,[1790]
- 884) *Auchenodes capito* Horvath,1891 (Lygaeidae) Synonym(s): *capito* Horvath,1891
- 885) *Auchmis (s.str.) detera* (Esper,[1791]) (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller],1775; *detera* Esper,[1791]
- 886) *Auchmis (s.str.) peterseni* (Christoph,1887) (Noctuidae) Synonym(s): *peterseni* Christoph,1887
- 887) *Auletobius politus* Voss,1934 (Attelabidae) Synonym(s): *politus* Voss,1934
- 888) *Austroagallia sinuata* (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feberi* Vismara,1878; *laevis* Bergevin,1934; *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964; *afghanistanensis* Kameswara Rao, Ramakrishnan & Ghai,1979
- 889) *Autographa aemula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *aemula* [Denis & Schiffermüller],1775
- 890) *Autographa bractea* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *bractea* [Denis & Schiffermüller],1775
- 891) *Autographa gamma* (Linnaeus,1758) (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schädewald,1992; *voelkeri* Schädewald,1992.
- 892) *Autographa jota* (Linnaeus,1758) (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaaurina* Haworth,1809; *percontationis* Ochsenheimer,1816; *aurigutta* Hübner,[1821]; *ancora* Freyer,1832; *bartholomaei* Ménétriés,1859; *anatolica* Schwingenschuss,1938
- 893) *Autophila (Cheirophanes) cataphanes* (Hübner,[1813]) (Noctuidae) Synonym(s): *cataphanes* Hübner,[1813]
- 894) *Autophila (Cheirophanes) chamaephanes* Boursin,1940 (Noctuidae) Synonym(s): *chamaephanes* Boursin,1940
- 895) *Autophila (Cheirophanes) ligaminosa* (Eversmann,1851) (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 896) *Autophila (s.str.) asiatica* (Staudinger,1888) (Noctuidae) Synonym(s): *asiatica* Staudinger,1888
- 897) *Autophila (s.str.) banghaasi* Boursin,1940 (Noctuidae) Synonym(s): *banghaasi* Boursin,1940
- 898) *Autophila (s.str.) dilucida* (Hübner,[1808]) (Noctuidae) Synonym(s): *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniceki* Reisser,1958.
- 899) *Autophila (s.str.) einsleri* Amsel,1935 (Noctuidae) Synonym(s): *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939.
- 900) *Autophila (s.str.) hirsuta* (Staudinger,1870) (Noctuidae) Synonym(s): *hirsuta* Staudinger,1870

- 901) **Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
- 902) **Autophila (s.str.) limbata (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871
- 903) **Autophila (s.str.) subfusca (Christoph,1893)** (Noctuidae) Synonym(s): *subfusca* Christoph,1893
- 904) **Auxacia bilineella (Ragonot,1887)** (Pyralidae) Synonym(s): *bilineella* Ragonot,1887
- 905) **Axia (Epicimelia) theresiae (Korb,1900)** (Cimeliidae) Synonym(s): *theresiae* Korb,1900
- 906) **Axia (s.str.) olga Staudinger,1900** (Cimeliidae) Synonym(s): *olga* Staudinger,1900
- 907) **Axinopalpis gracilis (Krynicky,1832)** (Cerambycidae) Synonym(s): *gracilis* Krynicky,1832
- 908) **Axinotarsus pulicarius (Fabricius,1775)** (Melyridae) Synonym(s): *pulicarius* Fabricius,1775
- 909) **Axiopoenia karelini Ménétriés,1863** (Arctiidae) Synonym(s): *karelini* Ménétriés,1863; *transcaucasia* Sheljuzhko,1926; *manissadjani* O.Bang-Haas,1927.
- 910) **Axiopoenia maura (Eichwald,1830)** (Arctiidae) Synonym(s): *maura* Eichwald,1830; *fluviatilis* Swinhoe,1885.
- 911) **Axylia putris (Linnaeus,1761)** (Noctuidae) Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *pallium* Villers,1789; *lignosa* Hübner,[1803]; *mundipennis* W.Warren,1912
- 912) **Aylax hypocoi Trotter,1913** (Cynipidae) Synonym(s): *hypocoi* Trotter,1913; *spirorhynchusii* Diakontshuk,1990
- 913) **Azelia monodactyla Loew,1874** (Muscidae) Synonym(s): *monodactyla* Loew,1874
- 914) **Azelia nebulosa R-D.,1830** (Muscidae) Synonym(s): *nebulosa* R-D.,1830; *macquarti* Staeger,1843
- 915) **Azygophleps regia (Staudinger,1892)** (Cossidae) Synonym(s): *regia* Staudinger,1892
- 916) **Bactericera femoralis (Förster,1848)** (Triozidae) Synonym(s): *femoralis* Förster,1848
- 917) **Bactra (s.str.) furfurana (Haworth,[1811])** (Tortricidae) Synonym(s): *furfurana* Haworth,[1811]; *gozmaniana* Toll,1958
- 918) **Bactra (s.str.) graminivora Meyrick,1922** (Tortricidae) Synonym(s): *graminivora* Meyrick,1922; *cyperana* Amsel,1951; *mediterranea* Agenjo,1952
- 919) **Bactra (s.str.) lacteana (Caradja,1916)** (Tortricidae) Synonym(s): *lacteana* Caradja,1916
- 920) **Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852
- 921) **Bactra (s.str.) robustana (Christoph,1872)** (Tortricidae) Synonym(s): *robustana* Christoph,1872; *griseana* A.M.Djakonov,1929; *grisea* A.M.Djakonov,1929; *scirpicolana* Pierce,1935
- 922) **Bactrocera (Daculus) oleae (Rossi,1790)** (Tephritidae) Synonym(s): *oleae* Rossi,1790; *flaviventris* Guercio,1900; *funesta* Guercio,1900
- 923) **Bagrada (Nitilia) abeillei Puton,1881** (Pentatomidae) Synonym(s): *abeillei* Puton,1881; *persica* Horvath,1936; *lepida* Horvath,1936; *pallens* Kiritshenko,1966
- 924) **Bagrada concinna Horvath,1936** (Pentatomidae) Synonym(s): *concinna* Horvath,1936; *biramosa* Horvath,1936
- 925) **Balclutha chloris (Horvath,1894)** (Cicadellidae) Synonym(s): *chloris* Horvath,1894
- 926) **Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretta* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Sidorski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952
- 927) **Balclutha rosea (Scott,1876)** (Cicadellidae) Synonym(s): *rosea* Scott,1876; *frontalis* Ferrari,1882; *flava* Haupt,1927; *pulchella* Lindberg,1948; *hapti* Metcalf,1955
- 928) **Banchopsis crassicornis Rudow,1886** (Ichneumonidae) Synonym(s): *crassicornis* Rudow,1886
- 929) **Barylpa delictor (Thunberg,1822)** (Ichneumonidae) Synonym(s): *delictor* Thunberg,1822
- 930) **Barylpa uniguttata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *uniguttata* Gravenhorst,1829
- 931) **Basilia nana Theodor & Moscona,1954** (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona,1954
- 932) **Basistriga flammata ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885.
- 933) **Bassus armeniacus (Telenga,1935)** (Braconidae) Synonym(s): *armeniaceus* Telenga,1935
- 934) **Bathysolen nubilus (Fallén,1807)** (Coreidae) Synonym(s): *nubilus* Fallén,1807
- 935) **Batophila dogueti Doeberl,1994** (Chrysomelidae) Synonym(s): *dogueti* Doeberl,1994
- 936) **Batophila fallax Weise,1888** (Chrysomelidae) Synonym(s): *fallax* Weise,1888
- 937) **Batophila olexai Kral,1964** (Chrysomelidae) Synonym(s): *olexai* Kral,1964
- 938) **Batrachomorphus irroratus Lewis,1834** (Cicadellidae) Synonym(s): *irroratus* Lewis,1834; *microcephalus* Herrich-Schäffer,1838; *punctulatus* Forel,1858; *punctuosus* Kirschbaum,1868; *verrucosa* Haupt,1917
- 939) **Baumhaueria gonaeformis (Meigen,1824)** (Tachinidae) Synonym(s): *gonaeformis* Meigen,1824
- 940) **Bazaria gilvella (Ragonot,1887)** (Pyralidae) Synonym(s): *gilvella* Ragonot,1887
- 941) **Bazaria nomiella (Ragonot,1887)** (Pyralidae) Synonym(s): *nomiella* Ragonot,1887; *atrisparsella* Ragonot,1887.
- 942) **Bazaria sieversi (Christoph,1877)** (Pyralidae) Synonym(s): *sieversi* Christoph,1877
- 943) **Bazaria turensis Ragonot,1887** (Pyralidae) Synonym(s): *turensis* Ragonot,1887
- 944) **Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855
- 945) **Behounekia freyeri (Frivaldsky,1835)** (Noctuidae) Synonym(s): *freyeri* Frivaldsky,1835; *linteria* Freyer,1842; *orontii* Herrich-Schäffer,[1851]; *senescens* Eversmann,1856; *#linthea* Lederer,1870
- 946) **Belaspidia nigra (Siebold,1856)** (Chalcididae) Synonym(s): *nigra* Siebold,1856
- 947) **Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951
- 948) **Bellardia bayeri (Jacentkovsky,1937)** (Calliphoridae) Synonym(s): *bayeri* Jacentkovsky,1937
- 949) **Bellardia grunini Schumann,1974** (Calliphoridae) Synonym(s): *grunini* Schumann,1974
- 950) **Bellardia kisha (Grunin,1970)** (Calliphoridae) Synonym(s): *kisha* Grunin,1970
- 951) **Bellardia pandia (Walker,1849)** (Calliphoridae) Synonym(s): *pandia* Walker,1849; *unxia* Walker,1849; *biseta* Kramer,1917
- 952) **Bellardia rohdendorfi (Grunin,1970)** (Calliphoridae) Synonym(s): *rohdendorfi* Grunin,1970
- 953) **Bellardia stricta (Villeneuve,1926)** (Calliphoridae) Synonym(s): *stricta* Villeneuve,1926; *pumicata* Enderlein,1933; *minutissima* Enderlein,1933; *xinganensis* Chen, Fan & Cui,1983
- 954) **Bellardia tatica (Enderlein,1933)** (Calliphoridae) Synonym(s): *tatica* Enderlein,1933
- 955) **Bellardia vulgaris (R-D.,1830)** (Calliphoridae) Synonym(s): *vulgaris* R-D.,1830; *agilis* Meigen,1826; *bisetosa* Hall,1948
- 956) **Bellardia zaitzevi (Grunin,1970)** (Calliphoridae) Synonym(s): *zaitzevi* Grunin,1970
- 957) **Bembecia (Ductispina) transcaucasica (Staudinger,1891)** (Sesiidae) Synonym(s): *transcaucasica* Staudinger,1891
- 958) **Bembecia (Pseudosphecia) stiziformis (Herrich-Schäffer,1851)** (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer,1851; *kara* De Freina,1983; *tubercula* De Freina,1983; *barbarossa* De Freina,1983.
- 959) **Bembecia gegamica Gorbunov,1991** (Sesiidae) Synonym(s): *gegamica* Gorbunov,1991

- 960)** *Bembecia ichneumoniformis* ([Denis & Schiffermüller],1775) (Sesiidae) Synonym(s): *ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *syctrophaeformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910
- 961)** *Bembecia puella* Z.Lastuvka,1989 (Sesiidae) Synonym(s): *puella* Z.Lastuvka,1989; *daghestanica* Gorbunov,1991; *aladagica* Gorbunov & K. Spatenka,2001
- 962)** *Bembecia romanovi* (Bartel,1912) (Sesiidae) Synonym(s): *romanovi* Bartel,1912
- 963)** *Bembecia sanguinolenta* (Lederer,1853) (Sesiidae) Synonym(s): *sanguinolenta* Lederer,1853
- 964)** *Bembecia scopigera* (Scopoli,1763) (Sesiidae) Synonym(s): *scopigera* Scopoli,1763; *communis* Le Cerf,1920
- 965)** *Bembecia staryi* K.Spatenka & Gorbunov,1992 (Sesiidae) Synonym(s): *staryi* K.Spatenka & Gorbunov,1992
- 966)** *Bembecia syzejovi* Gorbunov,1990 (Sesiidae) Synonym(s): *syzejovi* Gorbunov,1990
- 967)** *Bembecia zuvandica* Gorbunov,1987 (Sesiidae) Synonym(s): *zuvandica* Gorbunov,1987
- 968)** *Bembecinus gracilicornis* (Handlirsch,1892) (Crabronidae) Synonym(s): *gracilicornis* Handlirsch,1892
- 969)** *Bembecinus nigrolabrum* Schmid-Egger,2004 (Crabronidae) Synonym(s): *nigrolabrum* Schmid-Egger,2004
- 970)** *Bembecinus peregrinus* (Smith,1856) (Crabronidae) Synonym(s): *peregrinus* Smith,1856; *erberi* Mocsary,1881; *biarmatus* Mocsary,1883
- 971)** *Bembecinus tridens* (Fabricius,1781) (Crabronidae) Synonym(s): *tridens* Fabricius,1781; *cinctus* Rossi,1790; *repandus* Panzer,1801; *sinuatus* Latreille,1805; *satsumanus* Sonan,1934; *errans* De Beaumont,1950
- 972)** *Bembidion* (Chlorodidum) *splendidum* Sturm,1825 (Carabidae) Synonym(s): *splendidum* Sturm,1825
- 973)** *Bembidion* (Euperyphus) *combustum* Ménétériés,1832 (Carabidae) Synonym(s): *combustum* Ménétériés,1832
- 974)** *Bembidion* (Euperyphus) *parallelipenne* Chaudoir,1850 (Carabidae) Synonym(s): *parallelipenne* Chaudoir,1850
- 975)** *Bembidion* (Metallina) *lampros* (Herbst,1784) (Carabidae) Synonym(s): *lampros* Herbst,1784
- 976)** *Bembidion* (Metallina) *properans* (Stephens,1828) (Carabidae) Synonym(s): *properans* Stephens,1828
- 977)** *Bembidion* (Microserrullula) *apicale* Ménétériés,1832 (Carabidae) Synonym(s): *apicale* Ménétériés,1832
- 978)** *Bembidion* (Microserrullula) *quadricolle* (Motschoulsky,1844) (Carabidae) Synonym(s): *quadricolle* Motschoulsky,1844
- 979)** *Bembidion* (Neja) *leucoscelis* Chaudoir,1850 (Carabidae) Synonym(s): *leucoscelis* Chaudoir,1850
- 980)** *Bembidion* (Nepha) *caucasicum* (Motschoulsky,1844) (Carabidae) Synonym(s): *caucasicum* Motschoulsky,1844
- 981)** *Bembidion* (Nepha) *hauserianum* Netolitzky,1918 (Carabidae) Synonym(s): *hauserianum* Netolitzky,1918
- 982)** *Bembidion* (Nepha) *menetriesii* (Kolenati,1845) (Carabidae) Synonym(s): *menetriesii* Kolenati,1845
- 983)** *Bembidion* (Nepha) *pinkeri* Netolitzky,1935 (Carabidae) Synonym(s): *pinkeri* Netolitzky,1935
- 984)** *Bembidion* (Nepha) *tetragrammum* Chaudoir,1846 (Carabidae) Synonym(s): *tetragrammum* Chaudoir,1846
- 985)** *Bembidion* (Nepha) *turcicum* Gemminger & Harold,1868 (Carabidae) Synonym(s): *versicolor* Jacquelin du Val,1852 *nec* LeConte,1848; *turcicum* Gemminger & Harold,1868 *nec* Ganglb.,1891
- 986)** *Bembidion* (Notaphocampa) *niloticum* Dejean,1831 (Carabidae) Synonym(s): *niloticum* Dejean,1831
- 987)** *Bembidion* (Notaphus) *varium* (Olivier,1795) (Carabidae) Synonym(s): *varium* Olivier,1795
- 988)** *Bembidion* (Ocydromus) *atlanticum* Wollaston,1854 (Carabidae) Synonym(s): *atlanticum* Wollaston,1854
- 989)** *Bembidion* (Ocydromus) *decorum* (Panzer,1799) (Carabidae) Synonym(s): *decorum* Panzer,1799
- 990)** *Bembidion* (Ocydromus) *ispartanum* Netolitzky,1930 (Carabidae) Synonym(s): *ispartanum* Netolitzky,1930
- 991)** *Bembidion* (Ocydromus) *parsorum* Netolitzky,1934 (Carabidae) Synonym(s): *parsorum* Netolitzky,1934
- 992)** *Bembidion* (Peryphanes) *dalmatinum* Dejean,1831 (Carabidae) Synonym(s): *dalmatinum* Dejean,1831
- 993)** *Bembidion* (Peryphanes) *grandipenne* Schaum,1862 (Carabidae) Synonym(s): *grandipenne* Schaum,1862
- 994)** *Bembidion* (Perypholus) *monticola* Sturm,1825 (Carabidae) Synonym(s): *monticola* Sturm,1825
- 995)** *Bembidion* (Peryphus) *distinguendum* Jacquelin du Val,1852 (Carabidae) Synonym(s): *distinguendum* Jacquelin du Val,1852
- 996)** *Bembidion* (Peryphus) *femoratum* Sturm,1825 (Carabidae) Synonym(s): *femoratum* Sturm,1825
- 997)** *Bembidion* (Peryphus) *persicum* Ménétériés,1832 (Carabidae) Synonym(s): *persicum* Ménétériés,1832
- 998)** *Bembidion* (Princidium) *punctulatum* Drapiez,1820 (Carabidae) Synonym(s): *punctulatum* Drapiez,1820
- 999)** *Bembidion* (s.str.) *quadripustulatum* Audinet-Serville,1821 (Carabidae) Synonym(s): *quadripustulatum* Audinet-Serville,1821
- 1000)** *Bembidion* (Testediolum) *armeniacum* Chaudoir,1846 (Carabidae) Synonym(s): *armeniacum* Chaudoir,1846; *glabricolle* Motschoulsky,1846; *olympicum* De Monte,1946; *coiffaiti* De Wailly,1954; *colasi* Schuler,1961; *davatchii* Morvan,1971; *davandense* Marggi & Huber,1999
- 1001)** *Bembidion* (Testedium) *bipunctatum* (Linnaeus,1761) (Carabidae) Synonym(s): *bipunctatum* Linnaeus,1761
- 1002)** *Bembidion* (Trepanes) *octomaculatum* (Goeze,1777) (Carabidae) Synonym(s): *octomaculatum* Goeze,1777
- 1003)** *Bembidion* (tibiale) *Duftschild*,1812 (Carabidae) Synonym(s): *tibiale* Duftschild,1812
- 1004)** *Bembix olivacea* Fabricius,1787 (Crabronidae) Synonym(s): *olivacea* Fabricius,1787; *senilis* Fabricius,1804; *notata* Dahlbom,1845; *mediterranea* Handlirsch,1893; *maroccana* Mercet,1905; *pardoi* Giner Mari,1945
- 1005)** *Bena bicolorana* (Fuessly,1775) (Noctuidae) Synonym(s): *prasinana* auct. *nec* Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspersa* W.Warren,1913.
- 1006)** *Beosus maritimus* (Scopoli,1763) (Lygaeidae) Synonym(s): *maritimus* Scopoli,1763
- 1007)** *Beosus quadripunctatus* (Müller,1766) (Lygaeidae) Synonym(s): *quadripunctatus* Müller,1766
- 1008)** *Beris clavipes* (Linnaeus,1767) (Stratiomyidae) Synonym(s): *clavipes* Linnaeus,1767; *nigroptera* Geoffroy,1785; *nigritarsis* Latreille,1805
- 1009)** *Beris kovalevi* Rozkosny & Nartshuk,1980 (Stratiomyidae) Synonym(s): *kovalevi* Rozkosny & Nartshuk,1980
- 1010)** *Beris schaposchnikowi* Pleske,1926 (Stratiomyidae) Synonym(s): *schaposchnikowi* Pleske,1926
- 1011)** *Bezzia* (Homobezzia) *blandiata* Remm,1967 (Ceratopogonidae) Synonym(s): *blandiata* Remm,1967
- 1012)** *Bezzia* (Homobezzia) *kuhetiensis* Remm,1967 (Ceratopogonidae) Synonym(s): *kuhetiensis* Remm,1967
- 1013)** *Bezzia* (Homobezzia) *xanthocephala* Goetghebuer,1911 (Ceratopogonidae) Synonym(s): *xanthocephala* Goetghebuer,1911; *parvidens* Kieffer,1914; *picticornis* Kieffer,1914; *danica* Kieffer,1915; *belgica* Kieffer,1919; *brachycera* Kieffer,1919; *grisea* Kieffer,1919; *hungarica* Zilahi-Sebess,1930
- 1014)** *Bezzia* (Homobezzia) *xanthogaster* Kieffer,1919 (Ceratopogonidae) Synonym(s): *xanthogaster* Kieffer,1919
- 1015)** *Bibio caucasicus* Duda,1930 (Bibionidae) Synonym(s): *caucasicus* Duda,1930
- 1016)** *Bibio consanguineus* Loew,1869 (Bibionidae) Synonym(s): *consanguineus* Loew,1869
- 1017)** *Biston betularius* (Linnaeus,1758) (Geometridae) Synonym(s): *betularia* Linnaeus,1758; *p-graecum* Poda,1761; *marmoraria* Sepp,1792; *ulmaria* Borkhausen,1794; *alexandrina* Wehrli,1941.
- 1018)** *Biston stratarius* (Hufnagel,1767) (Geometridae) Synonym(s): *strataria* Hufnagel,1767; *prodromaria* [Denis & Schiffermüller],1775; *marmorata* Sulzer,1776; *vernalis* Fourcroy,1785; *nigricans* Oberthür,1913
- 1019)** *Blacus* (Ganychorus) *armatulus* (Ruthe,1861) (Braconidae) Synonym(s): *armatulus* Ruthe,1861

- 1020) Blacus (s.str.) errans (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *errans* Nees ab Esenbeck,1811
- 1021) Blacus (s.str.) exilis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *exilis* Nees ab Esenbeck,1811; *lactucaphis* Fitch,1855; *pallipes* Förster,1862; *propallipes* Shenefelt,1969; *intermedius* Janzon,1975
- 1022) Blacus (s.str.) humilis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *humilis* Nees ab Esenbeck,1811; *trivialis* Haliday,1835; *wesmaeli* Ruthe,1861
- 1023) Blacus (s.str.) longicaudatus Tobias,1976** (Braconidae) Synonym(s): *longicaudatus* Tobias,1976
- 1024) Blaesoxipha berolinensis Villeneuve,1912** (Sarcophagidae) Synonym(s): *berolinensis* Villeneuve,1912; *acuminata* Villeneuve,1912; *monticola* Rohdendorf,1928; *schirakiensis* Gudjabidze,1966
- 1025) Blaesoxipha erythrura (Meigen,1826)** (Sarcophagidae) Synonym(s): *erythrura* Meigen,1826; *crocata* R-D.,1830; *agilis* R-D.,1830; *riparia* R-D.,1830; *clinalis* R-D.,1830; *erythrocer* R-D.,1863; *egena* R-D.,1863; *gagatea* R-D.,1863; *luteicauda* R-D.,1863; *aurea* R-D.,1863; *strenua* R-D.,1863; *silantjevi* Rohdendorf,1937
- 1026) Blaesoxipha filipjevi Rohdendorf,1928** (Sarcophagidae) Synonym(s): *filipjevi* Rohdendorf,1928
- 1027) Blaesoxipha grisea (Meigen,1826)** (Sarcophagidae) Synonym(s): *grisea* Meigen,1826; *erythrocer* R-D.,1830; *brunnicans* R-D.,1830; *claripennis* R-D.,1830; *cinerea* R-D.,1830; *rapida* R-D.,1830; *campestris* R-D.,1830; *grisea* R-D.,1830; *riparia* R-D.,1830; *albifrons* R-D.,1830; *luteifrons* R-D.,1830; *musca* R-D.,1830; *floralis* R-D.,1830; *aurifacies* R-D.,1830; *agrestis* R-D.,1830; *fuliginosa* R-D.,1830; *grisella* R-D.,1863; *fulvifrons* R-D.,1863; *ruralis* R-D.,1863; *rustica* R-D.,1863
- 1028) Blaesoxipha lautaretensis (Villeneuve,1928)** (Sarcophagidae) Synonym(s): *lautaretensis* Villeneuve,1928; *benshiensis* Hsue,1978; *caspica* Rohdendorf & Verves,1979; *laticerca* Rohdendorf & Verves,1979
- 1029) Blaesoxipha richterae Rohdendorf & Verves,1977** (Sarcophagidae) Synonym(s): *richterae* Rohdendorf & Verves,1977
- 1030) Blaesoxipha unguata (Pandellé,1896)** (Sarcophagidae) Synonym(s): *unguata* Pandellé,1896; *talyshensis* Rohdendorf & Verves,1977
- 1031) Blaps koenigi Seidlitz,1893** (Tenebrionidae) Synonym(s): *koenigi* Seidlitz,1893
- 1032) Blaps lata Seidlitz,1893** (Tenebrionidae) Synonym(s): *miliaria* Allard,1882 *nec* Fisch.; *lata* Seidlitz,1893; *miliaria* Allard,1882
- 1033) Blaps lethifera Marsham,1802** (Tenebrionidae) Synonym(s): *lethifera* Marsham,1802
- 1034) Blaps luctuosa Ménétriés,1832** (Tenebrionidae) Synonym(s): *luctuosa* Ménétriés,1832
- 1035) Blaps montana Motschoulsky,1839** (Tenebrionidae) Synonym(s): *montana* Motschoulsky,1839
- 1036) Blaps mortisaga (Linnaeus,1758)** (Tenebrionidae) Synonym(s): *mortisaga* Linnaeus,1758
- 1037) Blaps ominosa Ménétriés,1832** (Tenebrionidae) Synonym(s): *ominosa* Ménétriés,1832; *armeniaca* Faldermann,1837
- 1038) Blaps orbicollis Motschoulsky,1845** (Tenebrionidae) Synonym(s): *orbicollis* Motschoulsky,1845
- 1039) Blaps pallasi Seidlitz,1893** (Tenebrionidae) Synonym(s): *pallasi* Seidlitz,1893
- 1040) Blaps pterotapha Fischer von Waldheim,1832** (Tenebrionidae) Synonym(s): *pterotapha* Fischer von Waldheim,1832
- 1041) Blaps pudica Ballion,1888** (Tenebrionidae) Synonym(s): *pudica* Ballion,1888
- 1042) Blaps puella Allard,1880** (Tenebrionidae) Synonym(s): *puella* Allard,1880
- 1043) Blaps pulvinata Ménétriés,1849** (Tenebrionidae) Synonym(s): *pulvinata* Ménétriés,1849
- 1044) Blaps putrida Motschoulsky,1845** (Tenebrionidae) Synonym(s): *putrida* Motschoulsky,1845
- 1045) Blaps titanus Ménétriés,1849** (Tenebrionidae) Synonym(s): *titanus* Ménétriés,1849
- 1046) Blaps vicina Ménétriés,1845** (Tenebrionidae) Synonym(s): *vicina* Ménétriés,1845
- 1047) Blastobasis ponticella Sinev,2007** (Blastobasidae) Synonym(s): *ponticella* Sinev,2007
- 1048) Blastodacna georgella Sinev,1988** (Agonoxenidae) Synonym(s): *georgella* Sinev,1988
- 1049) Blastothrix erythrostetha (Walker,1847)** (Encyrtidae) Synonym(s): *erythrostetha* Walker,1847; *clara* Nikolskaya,1952
- 1050) Blastothrix hungarica Erdős,1959** (Encyrtidae) Synonym(s): *hungarica* Erdős,1959; *meridionalis* Sugonjaev,1964
- 1051) Blastothrix longipennis Howard,1881** (Encyrtidae) Synonym(s): *longipennis* Howard,1881; *confusa* Erdős,1959
- 1052) Blastothrix sericea (Dalman,1820)** (Encyrtidae) Synonym(s): *sericea* Dalman,1820; *saccas* Walker,1851; *coryli* Alam,1961
- 1053) Blastothrix turanica Sugonjaev,1964** (Encyrtidae) Synonym(s): *turanica* Sugonjaev,1964
- 1054) Blepharita amica (Treitschke,1825)** (Noctuidae) Synonym(s): *amica* Treitschke,1825
- 1055) Blepharita satura ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *satura* [Denis & Schiffermüller],1775
- 1056) Blepisanis vittipennis (Reich,1877)** (Cerambycidae) Synonym(s): *vittipennis* Reich,1877
- 1057) Blitopertha (Asiopertha) arenicola Mulsant,1870** (Scarabaeidae) Synonym(s): *arenicola* Mulsant,1870
- 1058) Blitopertha (s.str.) lineata Fabricius,1798** (Scarabaeidae) Synonym(s): *lineata* Fabricius,1798
- 1059) Blitopertha (s.str.) nigripennis (Burmeister,1855)** (Scarabaeidae) Synonym(s): *nigripennis* Burmeister,1855; *abdit* Petrovitz,1959; *majuscola* Medvedev
- 1060) Bolivaria brachyptera (Pallas,1773)** (Mantidae) Synonym(s): *brachyptera* Pallas,1773
- 1061) Boloria (Clossiana) dia (Linnaeus,1767)** (Argynnididae) Synonym(s): *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919
- 1062) Boloria (Clossiana) euphrosyne (Linnaeus,1758)** (Argynnididae) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *finjal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc.
- 1063) Boloria (Proclossiana) eunomia (Esper,[1799])** (Argynnididae) Synonym(s): *eunomia* Esper,[1799]; *aphirape* Hübner,[1800]; *tomyris* Herbst,1800.
- 1064) Boloria (s.str.) caucasica (Lederer,1852)** (Argynnididae) Synonym(s): *caucasica* Lederer,1852; *pontica* Crosson du Cormier, Guérin & De Lesse,1957.
- 1065) Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *anal* Fabricius,1794 *nec* Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *anal* Thunberg,1827; *trichromus* Paramonov,1955
- 1066) Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 *nec* De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849
- 1067) Bombus (Megabombus) argillaceus (Scopoli,1763)** (Apidae) Synonym(s): *argillaceus* Scopoli,1763; *sichelii* Radoszkowski,1859
- 1068) Bombus (Megabombus) armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniacus* Radoszkowski,1877; *scythes* Skorikov,1925
- 1069) Bombus (Megabombus) humilis (Illiger,1806)** (Apidae) Synonym(s): *humilis* Illiger,1806; *solstitialis* Jurine,1807; *helferanus* Seidl,1837; *variabilis* Schmiedeknecht,1978
- 1070) Bombus (Megabombus) mesomelas (Gerstaecker,1869)** (Apidae) Synonym(s): *mesomelas* Gerstaecker,1869; *elegans* Seidl,1837
- 1071) Bombus (Melanobombus) alagesianus Reinig,1930** (Apidae) Synonym(s): *alagesianus* Reinig,1930
- 1072) Bombus (Melanobombus) lapidarius (Linnaeus,1761)** (Apidae) Synonym(s): *lapidarius* Linnaeus,1761

- 1073) *Bombus (Psithyrus) rupestris* (Fabricius,1793)** (Apidae) Synonym(s): *rupestris* Fabricius,1793; *pyrenaeus* Lepeletier,1832; *interruptus* Lepeletier,1832;
- 1074) *Bombus (Pyrobombus) brodmannicus* Vogt,1909** (Apidae) Synonym(s): *brodmannicus* Vogt,1909
- 1075) *Bombus (Pyrobombus) niveatus* (Kriechbaumer,1870)** (Apidae) Synonym(s): *niveatus* Kriechbaumer,1870
- 1076) *Bombus (s.str.) lucorum* Linnaeus,1761** (Apidae) Synonym(s): *lucorum* Linnaeus,1761; *cryptarum* Fabricius,1775; *lucocryptarum* Ball,1914; *magnus* Alford,1975
- 1077) *Bombus (s.str.) terrestris* Linnaeus,1758** (Apidae) Synonym(s): *terrestris* Linnaeus,1758; *cullumanus* Kirby,1802; *audax* Harris,1870; *silantjewei* Morawitz,1892; *holsaticus* Krüger,1954
- 1078) *Bombus (Sibiricobombus) niveatus* Kriechbaumer,1870** (Apidae) Synonym(s): *niveatus* Kriechbaumer,1870
- 1079) *Bombus (Subterraneobombus) fragrans* (Pallas,1771)** (Apidae) Synonym(s): *fragrans* Pallas,1771
- 1080) *Bombyliella atra* (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855
- 1081) *Bombylisoma brevisculum* (Loew,1855)** (Bombyliidae) Synonym(s): *brevisculum* Loew,1855
- 1082) *Bombylisoma croaticum* (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 *nec* Pall.,1818; *croaticum* Kertész,1901
- 1083) *Bombylisoma flavibarbum* (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937
- 1084) *Bombylisoma melanocephalum* (Fabricius,1794)** (Bombyliidae) Synonym(s): *melanocephalum* Fabricius,1794; *argyropyga* Macquart,1846
- 1085) *Bombylisoma minimum* (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804
- 1086) *Bombylisoma nigriceps* (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Séguy,1926
- 1087) *Bombylisoma unicolor* (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855
- 1088) *Bombylius (s.str.) alexandri* Paramonov,1940** (Bombyliidae) Synonym(s): *alexandri* Paramonov,1940
- 1089) *Bombylius (s.str.) ambustus* Pallas,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas,1818; *dispar* Meigen,1820
- 1090) *Bombylius (s.str.) analis* Olivier,1789** (Bombyliidae) Synonym(s): *analis* Olivier,1789; *undatus* Mikan,1796
- 1091) *Bombylius (s.str.) armeniacus* Paramonov,1925** (Bombyliidae) Synonym(s): *armeniacus* Paramonov,1925
- 1092) *Bombylius (s.str.) candidus* Loew,1855** (Bombyliidae) Synonym(s): *candidus* Loew,1855
- 1093) *Bombylius (s.str.) canescens* Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855
- 1094) *Bombylius (s.str.) cinerascens* Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820
- 1095) *Bombylius (s.str.) citrinus* Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855
- 1096) *Bombylius (s.str.) discolor* Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796
- 1097) *Bombylius (s.str.) fimbriatus* Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855
- 1098) *Bombylius (s.str.) floccosus* Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892
- 1099) *Bombylius (s.str.) fulvescens* Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820
- 1100) *Bombylius (s.str.) fuscus* Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781
- 1101) *Bombylius (s.str.) iranicus* Paramonov,1940** (Bombyliidae) Synonym(s): *iranicus* Paramonov,1940
- 1102) *Bombylius (s.str.) major* Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Lioy,1864; *notialis* Evenhuis,1978
- 1103) *Bombylius (s.str.) medius* Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 *nec* Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978
- 1104) *Bombylius (s.str.) minor* Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavescens* Palm,1876; *ochraceus* paramonov,1926 *nec* Big.,1892; *moldavanicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978
- 1105) *Bombylius (s.str.) modestus* Loew,1873** (Bombyliidae) Synonym(s): *modestus* Loew,1873
- 1106) *Bombylius (s.str.) mus* Bigot,1862** (Bombyliidae) Synonym(s): *mus* Bigot,1862; *argentifrons* Loew,1873; *similis* Loew,1873
- 1107) *Bombylius (s.str.) niveus* Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804
- 1108) *Bombylius (s.str.) nubilus* Mikan,1796** (Bombyliidae) Synonym(s): *nubilus* Mikan,1796; *pilirostris* Loew,1855; *monticola* Paramonov,1926; *algericus* Villeneuve,1932
- 1109) *Bombylius (s.str.) posticus* Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 *nec* Fabr.,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926
- 1110) *Bombylius (s.str.) pumilus* Meigen,1820** (Bombyliidae) Synonym(s): *pumilus* Meigen,1820
- 1111) *Bombylius (s.str.) semifuscus* Meigen,1820** (Bombyliidae) Synonym(s): *semifuscus* Meigen,1820; *senilis* Jaennicke,1867 *nec* Fabr.,1794; *nigripes* Strobl,1898 *nec* Macq.,1834
- 1112) *Bombylius (s.str.) shah* Paramonov,1940** (Bombyliidae) Synonym(s): *shah* Paramonov,1940
- 1113) *Bombylius (s.str.) shelkovnikovi* Paramonov,1926** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1926
- 1114) *Bombylius (s.str.) testaceiventris* Paramonov,1925** (Bombyliidae) Synonym(s): *testaceiventris* Paramonov,1925; *bergi* Paramonov,1926
- 1115) *Bombylius (s.str.) torquatus* Loew,1855** (Bombyliidae) Synonym(s): *torquatus* Loew,1855
- 1116) *Bombylius (s.str.) trichurus* Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 *nec* Oliv.,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926
- 1117) *Bombylius (s.str.) venosus* Mikan,1796** (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830
- 1118) *Bombylius (s.str.) vlasovi* Paramonov,1940** (Bombyliidae) Synonym(s): *vlasovi* Paramonov,1940
- 1119) *Bombylius (Zephyrectes) cinerarius* Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926
- 1120) *Bombylius (Zephyrectes) cruciatus* Fabricius,1798** (Bombyliidae) Synonym(s): *cruciatus* Fabricius,1798; *leucopogon* Meigen,1804
- 1121) *Bombylius (Zephyrectes) quadrifarius* Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855

- 1122)** *Bootheca taurus* (Oshanin,1870) (Issidae) Synonym(s): *taurus* Oshanin,1870
- 1123)** *Borkhausenia trigutta* (Christoph,1888) (Oecophoridae) Synonym(s): *trigutta* Christoph,1888
- 1124)** *Bothriothorax clavicornis* (Dalman,1820) (Encyrtidae) Synonym(s): *clavicornis* Dalman,1820; *conformis* Thomson,1876
- 1125)** *Bothriothorax serratellus* (Dalman,1820) (Encyrtidae) Synonym(s): *serratellus* Dalman,1820
- 1126)** *Boveycantharis rufimana* (Ménétriés,1832) (Cantharidae) Synonym(s): *rufimana* Ménétriés,1832
- 1127)** *Brachinus* (Brachynidius) *bodemeyeri* Apfelbeck,1904 (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck,1904; *fulviventris* Jeannel,1962 nec Mtsch.,1864
- 1128)** *Brachinus* (Brachynidius) *brevicollis* Motschoulsky,1844 (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904
- 1129)** *Brachinus* (Brachynidius) *explosens* (Duftschmid,1812) (Carabidae) Synonym(s): *explosens* Duftschmid,1812
- 1130)** *Brachinus* (Brachynidius) *nigricornis* Gebler,1829 (Carabidae) Synonym(s): *nigricornis* Gebler,1829; *incertus* Brullé,1834
- 1131)** *Brachinus* (Cnecostolus) *hamatus* Fischer von Waldheim,1828 (Carabidae) Synonym(s): *hamatus* Fischer von Waldheim,1828
- 1132)** *Brachinus* (s.str.) *alexandri* F.Battoni,1984 (Carabidae) Synonym(s): *plagiatus* Jablonkoff & Khnzorian,1973 nec Reiche,1868; *alexandri* F.Battoni,1984
- 1133)** *Brachinus* (s.str.) *berytensis* Reiche & Saulcy,1855 (Carabidae) Synonym(s): *berytensis* Reiche & Saulcy,1855
- 1134)** *Brachinus* (s.str.) *ejaculans* Fischer von Waldheim,1828 (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828
- 1135)** *Brachinus* (s.str.) *psophia* Audinet-Serville,1821 (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842
- 1136)** *Brachmia blandella* (Fabricius,1798) (Gelechiidae) Synonym(s): *blandella* Fabricius,1798; *gerronella* Zeller,1850
- 1137)** *Brachodes appendiculata* (Esper,[1783]) (Brachodidae) Synonym(s): *appendiculata* Esper,[1783]; *vahlana* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853; *powelli* Oberthür,1922; *gerassimovii* Kozhantschikov,1923
- 1138)** *Brachodes ordubadi* Zagulyaev,1999 (Brachodidae) Synonym(s): *ordubadi* Zagulyaev,1999
- 1139)** *Brachodes pumilus* (Ochsenheimer,1808) (Brachodidae) Synonym(s): *pumila* Ochsenheimer,1808
- 1140)** *Brachyceraea brevicornis* (Loew,1847) (Conopidae) Synonym(s): *brevicornis* Loew,1847
- 1141)** *Brachycerus orbipennis* Reiche,1857 (Brachyceridae) Synonym(s): *orbipennis* Reiche,1857
- 1142)** *Brachycerus quadrisulcatus* Fischer v.Waldheim,1830 (Brachyceridae) Synonym(s): *quadrisulcatus* Fischer v.Waldheim,1830; *difformis* Faldermann,1837
- 1143)** *Brachylomia viminalis* (Fabricius,1777) (Noctuidae) Synonym(s): *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803].
- 1144)** *Brachylope brachypterus* (Sidorski,1938) (Cicadellidae) Synonym(s): *brachypterus* Sidorski,1938
- 1145)** *Brachylope evidens* Logvinenko,1969 (Cicadellidae) Synonym(s): *evidens* Logvinenko,1969
- 1146)** *Brachymeria femorata* (Panzer,1801) (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951
- 1147)** *Brachymeria minuta* (Linnaeus,1767) (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplepsia* Crawford,1910; *jezoensis* Matsumura,1918...
- 1148)** *Brachymeria moerens* (Ruschka,1922) (Chalcididae) Synonym(s): *moerens* Ruschka,1922
- 1149)** *Brachymeria tibialis* (Walker,1834) (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951;
- 1150)** *Brachynema germarii* (Kolenati,1846) (Pentatomidae) Synonym(s): *virens* Klug,1845 nec Linn.,1767; *germarii* Kolenati,1846; *anabasis* Becker,1867; *biplaga* Walker,1867; *flavomarginatus* Jakovlev,1871; *grisea* Jakovlev,1871; *melanota* Jakovlev,1874; *alternatum* Horvath,1899
- 1151)** *Brachynema signatum* Jakovlev,1879 (Pentatomidae) Synonym(s): *signatum* Jakovlev,1879; *turanicum* Horvath,1889; *immaculiscutum* Kiritschenko,1922
- 1152)** *Brachypalpus zugmayeriae* Mik,1887 (Syrphidae) Synonym(s): *zugmayeriae* Mik,1887
- 1153)** *Brachyplax tenuis* (Mulsant & Rey,1852) (Lygaeidae) Synonym(s): *tenuis* Mulsant & Rey,1852; *palliat* A.Costa,1853
- 1154)** *Brachypogon* (Isohelea) *caucasicus* (Remm,1967) (Ceratopogonidae) Synonym(s): *caucasicus* Remm,1967
- 1155)** *Brachypogon* (Isohelea) *sevanicus* (Remm,1974) (Ceratopogonidae) Synonym(s): *sevanicus* Remm,1974
- 1156)** *Brachyptera transcaucasica* Zhiltzova,1956 (Taeniopterygidae) Synonym(s): *transcaucasica* Zhiltzova,1956
- 1157)** *Brachytron pratense* (O.F.Müller,1764) (Aeshnidae) Synonym(s): *pratense* O.F.Müller,1764; *#partense* Demirsoy,1982
- 1158)** *Brachyunguis zygophylli* (Nevsky,1928) (Aphididae) Synonym(s): *zygophylli* Nevsky,1928
- 1159)** *Bracon* (Cyanopterobracon) *armeniacus* Telenga,1936 (Braconidae) Synonym(s): *armeniacus* Telenga,1936
- 1160)** *Bracon* (Cyanopterobracon) *spectabilis* (Telenga,1936) (Braconidae) Synonym(s): *spectabilis* Telenga,1936
- 1161)** *Bracon* (Glabrobracon) *angustiventris* Tobias,1957 (Braconidae) Synonym(s): *angustiventris* Tobias,1957
- 1162)** *Bracon* (Glabrobracon) *anthracinus* (Nees ab Esenbeck,1834) (Braconidae) Synonym(s): *anthracinus* Nees ab Esenbeck,1834
- 1163)** *Bracon* (Glabrobracon) *obscurator* (Nees ab Esenbeck,1812) (Braconidae) Synonym(s): *obscurator* Nees ab Esenbeck,1812
- 1164)** *Bracon* (Glabrobracon) *osculator* (Nees ab Esenbeck,1812) (Braconidae) Synonym(s): *osculator* Nees ab Esenbeck,1812
- 1165)** *Bracon* (Glabrobracon) *piger* (Wesmael,1838) (Braconidae) Synonym(s): *piger* Wesmael,1838
- 1166)** *Bracon* (Glabrobracon) *tshitsherini* (Kokoujev,1904) (Braconidae) Synonym(s): *tshitsherini* Kokoujev,1904
- 1167)** *Bradyporus* (Callimenus) *multituberculatus* (Fischer von Waldheim,1833) (Tettigoniidae) Synonym(s): *#obesus* Fischer von Waldheim,1830; *multituberculatus* Fischer von Waldheim,1833; *brauneri* Shugurov,1906
- 1168)** *Bradyrrhoa cantenerella* (Duponchel,1837) (Pyralidae) Synonym(s): *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicolella* Schauverda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955
- 1169)** *Bradyrrhoa gilveolella* (Treitschke,1833) (Pyralidae) Synonym(s): *gilveolella* Treitschke,1833
- 1170)** *Bradyrrhoa mesobaphella* Ragonot,1888 (Pyralidae) Synonym(s): *mesobaphella* Ragonot,1888
- 1171)** *Brahmaea* (s.str.) *christophi* Staudinger,1879 (Brahmaeidae) Synonym(s): *christophi* Staudinger,1879
- 1172)** *Brenthis daphne* (Bergsträsser,1780) (Argynnididae) Synonym(s): *daphne* Bergsträsser,1780; *chloris* Esper,1778 nec Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikar* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935.

- 1173) Brenthis hecate** ([Denis & Schiffermüller],1775) (Argynnidae) Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933.
- 1174) Brenthis ino** (Rottemburg,1775) (Argynnidae) Synonym(s): *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträßer,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957.
- 1175) Brevicoryne crambinistataricae** Bozhko,1953 (Aphididae) Synonym(s): *crambinistataricae* Bozhko,1953
- 1176) Brintesia circe** (Fabricius,1775) (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettæ* Varin,1962.
- 1177) Brodskyana semipallida** (Reitter,1899) (Melyridae) Synonym(s): *semipallida* Reitter,1899
- 1178) Bruchophagus astragali** Fedoseeva,1954 (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954
- 1179) Bruchophagus gibbus** (Boheman,1836) (Eurytomidae) Synonym(s): *gibbus* Boheman,1836
- 1180) Bruchophagus robiniae** Zerova,1970 (Eurytomidae) Synonym(s): *robiniae* Zerova,1970
- 1181) Brunnerella mirabilis** Saussure,1888 (Acrididae) Synonym(s): *mirabilis* Saussure,1888
- 1182) Bruntridactylus tartarus** (Saussure,1874) (Tridactylidae) Synonym(s): *tartarus* Saussure,1874
- 1183) Bryaxis abastumanus** (Reitter,1890) (Staphylinidae) Synonym(s): *abastumanus* Reitter,1890
- 1184) Bryotropha arabica** Amsel,1952 (Gelechiidae) Synonym(s): *arabica* Amsel,1952
- 1185) Bryotropha domestica** (Haworth,1828) (Gelechiidae) Synonym(s): *domestica* Haworth,1828; *domesticella* Doubleday,1859; *domesticella* Bruand,1859; *salmonis* Walsingham,1908; *algoricella* Chrétien,1917
- 1186) Bryotropha sabulosella** (Rebel,1905) (Gelechiidae) Synonym(s): *sabulosella* Rebel,1905
- 1187) Bubastia (s.str.) transcaucasica** (Melichar,1914) (Issidae) Synonym(s): *transcaucasica* Melichar,1914
- 1188) Bubopsis hamata** (Klug,1834) (Ascalaphidae) Synonym(s): *hamatus* Klug,1834
- 1189) Bucculatrix armeniaca** Deschka,1992 (Bucculatricidae) Synonym(s): *armeniaca* Deschka,1992
- 1190) Bufonocarodes mistshenkoi** Descamps,1967 (Pamphagidae) Synonym(s): *mistshenkoi* Descamps,1967
- 1191) Bufonocarodes tumulosus** Mishchenko,1951 (Pamphagidae) Synonym(s): *tumulosus* Mishchenko,1951
- 1192) Bupalus piniarius** (Linnaeus,1758) (Geometridae) Synonym(s): *piniaria* Linnaeus,1758; *tiliaria* Linnaeus,1758; *iberaria* Kolenati,1846
- 1193) Byctiscus betulæ** (Linnaeus,1758) (Atteblidae) Synonym(s): *betulæ* Linnaeus,1758; *violaceus* Poda,1761; *unispinosus* Müller,1776; *inermis* Müller,1776; *unispinus* Müller,1776; *bispinus* Müller,1776; *alni* Müller,1776; *viridis* Geoffroy,1785; *betuleti* Fabricius,1792; *populi* Paykull,1792; *violacea* Donovan,1794
- 1194) Cabera pusaria** (Linnaeus,1758) (Geometridae) Synonym(s): *pusaria* Linnaeus,1758; *strigata* Scopoli,1763; *rotundaria* Haworth,1809; *confinaria* Freyer,1832; *heyeraria* Herrich-Schäffer,1848
- 1195) Caccobius (s.str.) histeroides** (Ménétriés,1832) (Scarabaeidae) Synonym(s): *histeroides* Ménétriés,1832; *anthracinus* Faldermann,1835; *nigellus* Kiesenwetter,1858
- 1196) Caccobius (s.str.) mundus** (Ménétriés,1838) (Scarabaeidae) Synonym(s): *mundus* Ménétriés,1838
- 1197) Caccobius (s.str.) schreberi** (Linnaeus,1767) (Scarabaeidae) Synonym(s): *schreberi* Linnaeus,1767
- 1198) Cacopsylla hippophaes** (Förster,1848) (Psyllidae) Synonym(s): *hippophaes* Förster,1848
- 1199) Cacopsylla pruni** (Scopoli,1763) (Psyllidae) Synonym(s): *pruni* Scopoli,1763
- 1200) Cadra furcatella** (Herrich-Schäffer,[1849]) (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer,[1849]
- 1201) Caecanthrax arabicus** (Macquart,1840) (Bombyliidae) Synonym(s): *arabicus* Macquart,1840; *punctum* Loew,1854; *dimidiatus* Greathead,1980
- 1202) Caenoblaps difformis** König,1906 (Tenebrionidae) Synonym(s): *difformis* König,1906
- 1203) Caenocoris nerii** (Germar,1847) (Lygaeidae) Synonym(s): *nerii* Germar,1817; *semiruber* Walker,1872
- 1204) Calameuta (s.str.) filiformis** (Eversmann,1847) (Cephidæ) Synonym(s): *filiformis* Eversmann,1847; *infernalis* Dovnar-Zapolski,1926; *amurensis* Gussakovski,1935
- 1205) Calameuta (s.str.) haemorrhoidalis** (Fabricius,1781) (Cephidæ) Synonym(s): *haemorrhoidalis* Fabricius,1781
- 1206) Calameuta (s.str.) idolon** (Rossi,1794) (Cephidæ) Synonym(s): *idolon* Rossi,1794; *mittrei* Guérin,1844; *bellieri* Sichel,1860; *variegatus* Stein,1876; *apicicornis* Pic,1916
- 1207) Calameuta (s.str.) punctata** (Klug,1803) (Cephidæ) Synonym(s): *punctata* Klug,1803
- 1208) Calamia staudingeri** Warnecke,1941 (Noctuidæ) Synonym(s): *staudingeri* Warnecke,1941
- 1209) Calamia tridens** (Hufnagel,1766) (Noctuidæ) Synonym(s): *tridens* Hufnagel,1766; *virens* Linnaeus,1767; *immaculata* Staudinger,1871.
- 1210) Calamobius filum** (Rossi,1790) (Cerambycidae) Synonym(s): *filum* Rossi,1790
- 1211) Caliaeschna microstigma** (Schneider,1845) (Aeshnidae) Synonym(s): *microstigma* Schneider,1845
- 1212) Caliroa cerasi** (Linnaeus,1758) (Tenthredinidae) Synonym(s): *cerasi* Linnaeus,1758
- 1213) Caliscelis affinis** (Fieber,1876) (Caliscelidae) Synonym(s): *affinis* Fieber,1876
- 1214) Caliscelis eximia** Stal,1859 (Caliscelidae) Synonym(s): *eximia* Stal,1859
- 1215) Callicorixa raddei** (Kiritshenko & Jaczewski,1960) (Corixidae) Synonym(s): *raddei* Kiritshenko & Jaczewski,1960
- 1216) Callimorpha dominula** (Linnaeus,1758) (Arctiidae) Synonym(s): *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943.
- 1217) Callimoxys gracilis** (Brullé,1832) (Cerambycidae) Synonym(s): *gracilis* Brullé,1832
- 1218) Callimus (Lampropterus) femoratus** (Germar,1824) (Cerambycidae) Synonym(s): *femoratus* Germar,1824
- 1219) Callimus (s.str.) angulatus** (Schränk,1789) (Cerambycidae) Synonym(s): *angulatus* Schränk,1789
- 1220) Calliopum aeneum** (Fallén,1820) (Lauxaniidae) Synonym(s): *aeneum* Fallén,1820
- 1221) Calliopum caucasicum** Shatalkin,1996 (Lauxaniidae) Synonym(s): *caucasicum* Shatalkin,1996
- 1222) Calliopum elisae** (Meigen,1826) (Lauxaniidae) Synonym(s): *elisae* Meigen,1826
- 1223) Calliopum simillimum** (Collin,1933) (Lauxaniidae) Synonym(s): *simillimum* Collin,1933
- 1224) Calliptamus barbarus** (Costa,1836) (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *cephalotes* Fischer von Waldheim,1846; *discoidealis* Walker,1870; *minimus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *pallidipes* Chopard,1943; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954
- 1225) Calliptamus coelesyriensis** (Giglio-Tos,1893) (Acrididae) Synonym(s): *coelesyriensis* Giglio-Tos,1893; *carbonaria* Uvarov,1914; *angustus* Uvarov,1934; *anatolicus* Maran,1951; *hissaricus* Mishchenko,1951; *intricatus* Mishchenko,1951; *#nigra* Bei-Bienko & Richter,1960
- 1226) Calliptamus italicus** (Linnaeus,1758) (Acrididae) Synonym(s): *italicus* Linnaeus,1758; *germanicus* Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellus* Serville,1838; *cerisanus* Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata* Puschkin,1910; *anachoretus* Baranov,1925; *gilvonicigans* Voroncovsky,1927; *grandis* Ramme,1927; *reductus* Ramme,1927; *afghanus* Ramme,1952

- 1227) *Calliptamus tenuicercis* Tarbinsky,1930** (Acrididae) Synonym(s): *tenuicercis* Tarbinsky,1930; *aurantiacus* Ramme,1930; *iranicus* Ramme,1930; *persa* Uvarov,1938; *aurantipes* Ramme,1951; *syriacus* Ramme,1951; *#tenuicercis* Salman,1978
- 1228) *Callipteroma sexguttata* Motschulsky,1863** (Encyrtidae) Synonym(s): *sexguttata* Motschulsky,1863; *quinqueguttatum* Motschulsky,1863; *guttatipennis* Girault,1915; *kiushiuensis* Ishii,1928
- 1229) *Callistege mi* (Clerck,1759)** (Noctuidae) Synonym(s): *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 nec Sc.,1763
- 1230) *Callistonotus nigroruber* (Stal,1858)** (Lygaeidae) Synonym(s): *nigroruber* Stal,1858
- 1231) *Callistus* (s.str.) *lunatus* (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775
- 1232) *Calliteara pudibunda* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *pudibunda* Linnaeus,1758; *scopularia* Linnaeus,1758; *jutica* Müller,1764; *porrectaalba* Retzius,1783; *grandi* Lorkovic,1930
- 1233) *Callitomis dimorpha* Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *dimorpha* Bytinski-Salz,1939; *#nigerrima* Bytinski-Salz,1939
- 1234) *Callophrys armeniaca* Zhdanko,1998** (Lycaenidae) Synonym(s): *armeniaca* Zhdanko,1998
- 1235) *Callophrys danchenkoi* Zhdanko,1998** (Lycaenidae) Synonym(s): *danchenkoi* Zhdanko,1998
- 1236) *Callophrys mystaphia* Miller,1913** (Lycaenidae) Synonym(s): *mystaphia* Miller,1913
- 1237) *Callophrys paulae* Pfeiffer,1932** (Lycaenidae) Synonym(s): *paulae* Pfeiffer,1932; *palpicola* Koçak,1989
- 1238) *Callophrys rubi* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758; *caecus* Fourcroy,1785; *virgatus* Verity,1913; *herculeana* Pfeiffer,1927
- 1239) *Callopietria juvenina* (Stoll,[1782])** (Noctuidae) Synonym(s): *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878
- 1240) *Callopietria latreillei* (Duponchel,1827)** (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973.
- 1241) *Callostoma fascipenne* Macquart,1840** (Bombyliidae) Synonym(s): *fascipenne* Macquart,1840; *palaestinae* Paramonov,1931
- 1242) *Calocucullia celsiae* (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850]
- 1243) *Calophasia lunula* (Hufnagel,1766)** (Noctuidae) Synonym(s): *lunula* Hufnagel,1766; *linariae* [Denis & Schiffmüller],1775.
- 1244) *Calophasia opalina* (Esper,[1796])** (Noctuidae) Synonym(s): *casta* Borkhausen,1793 nec Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruensis* Spuler,1910; *castior* Stauder,1923.
- 1245) *Caloplusia hohenwarthi* (Hochenwarth,1785)** (Noctuidae) Synonym(s): *hochenwarthi* Hochenwarth,1785; *divergens* Fabricius,1787; *insignata* Reuter,1893; *tibetana* Staudinger,1895; *alaica* Galvagni,1906; *cuprina* W.Warren,1913; *hochenwarthi* Hampson,1913; *lapponaris* Schulte,1952
- 1246) *Calopteryx pastuchovi* (Uvarov,1917)** (Zygoptera) Synonym(s): *pastuchovi* Uvarov,1917
- 1247) *Calopteryx ancilla* Hagen,1983** (Calopterygidae) Synonym(s): *ancilla* Hagen,1983
- 1248) *Calopteryx intermedia* Selys,1887** (Calopterygidae) Synonym(s): *intermedia* Selys,1887
- 1249) *Calopteryx mingrelia* Selys,1869** (Calopterygidae) Synonym(s): *mingrelia* Selys,1869
- 1250) *Calopteryx orientalis* Selys,1887** (Calopterygidae) Synonym(s): *orientalis* Selys,1887
- 1251) *Calopteryx taurica* Selys-Longchamps,1853** (Calopterygidae) Synonym(s): *taurica* Selys-Longchamps,1853
- 1252) *Calopteryx waterstoni* Schneider,1984** (Calopterygidae) Synonym(s): *waterstoni* Schneider,1984
- 1253) *Caloptilia* (s.str.) *cuculipennella* (Hübner,1796)** (Gracillariidae) Synonym(s): *cuculipennella* Hübner,1796; *cinerea* Haworth,1828; *ligustrinellum* Zeller,1839; *alaudella* Duponchel,[1840]
- 1254) *Caloptilia* (s.str.) *elongella* (Linnaeus,1761)** (Gracillariidae) Synonym(s): *elongella* Linnaeus,1761; *punctella* Linnaeus,1761; *signipennella* Hübner,1796; *elongatus* Fabricius,1798; *signipennis* Haworth,1828; *bruneorubella* Bruand,1850; *inconstans* Stainton,1851; *stramineella* Stainton,1851; *inconstantella* Bruand,1859
- 1255) *Caloptilia* (s.str.) *onustella* (Hübner,[1813])** (Gracillariidae) Synonym(s): *onustella* Hübner,[1813]
- 1256) *Caloptilia* (s.str.) *rjabovi* Kuznetsov & Baryshnikova,2001** (Gracillariidae) Synonym(s): *rjabovi* Kuznetsov & Baryshnikova,2001
- 1257) *Calosoma brevisculum* Mannerheim,1830** (Carabidae) Synonym(s): *breviusculum* Mannerheim,1830
- 1258) *Calosoma maderae* Fabricius,1775** (Carabidae) Synonym(s): *maderae* Fabricius,1775
- 1259) *Calosoma sycophanta* (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850
- 1260) *Calyciphora nephelodactyla* (Eversmann,1844)** (Pterophoridae) Synonym(s): *nephelodactyla* Eversmann,1844; *apollina* Millière,1882; *extensa* Zagulyaev,1986.
- 1261) *Calycobathra variapenna* Sinev,1984** (Cosmopterigidae) Synonym(s): *variapenna* Sinev,1984
- 1262) *Calymma communimacula* ([Denis & Schiffmüller],1775)** (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffmüller],1775
- 1263) *Calyptopsis caucasica* Kraatz,1865** (Tenebrionidae) Synonym(s): *caucasica* Kraatz,1865; *antoniae* Reitter,1889
- 1264) *Calyptopsis convexicollis* Desbrochiers,1881** (Tenebrionidae) Synonym(s): *convexicollis* Desbrochiers,1881
- 1265) *Calyptopsis emarginata* Reitter,1889** (Tenebrionidae) Synonym(s): *emarginata* Reitter,1889
- 1266) *Calyptopsis harpaloides* Baudi,1874** (Tenebrionidae) Synonym(s): *harpaloides* Baudi,1874; *armeniaca* Baudi,1874
- 1267) *Calyptopsis morawitzi* Faust,1877** (Tenebrionidae) Synonym(s): *morawitzi* Faust,1877
- 1268) *Calyptopsis nitescens* Reitter,1896** (Tenebrionidae) Synonym(s): *nitescens* Reitter,1896
- 1269) *Calyptopsis pandaroides* Reitter,1896** (Tenebrionidae) Synonym(s): *pandaroides* Reitter,1896
- 1270) *Calyptopsis pulchella* Faldermann,1837** (Tenebrionidae) Synonym(s): *pulchella* Faldermann,1837; *rugipennis* Faldermann,1837
- 1271) *Calyptopsis rosti* Reitter,1896** (Tenebrionidae) Synonym(s): *rosti* Reitter,1896
- 1272) *Calyptra thalictri* (Borkhausen,1790)** (Noctuidae) Synonym(s): *capucina* Esper,1789 nec Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938
- 1273) *Campaea margaritaria* (Linnaeus,1761)** (Geometridae) Synonym(s): *margaritaria* Linnaeus,1761; *margaritata* Linnaeus,1767; *vernaria* Hufnagel,1767; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* Villers,1789; *rubrociliata* Schawerda,1932
- 1274) *Campiglossa difficilis* (Hendel,1927)** (Tephritidae) Synonym(s): *tessellata* Zetterstedt,1847 nec Lw.,1844; *difficilis* Hendel,1927;
- 1275) *Campiglossa grandinata* Rondani,1870** (Tephritidae) Synonym(s): *grandinata* Rondani,1870; *argyrocephala* Zetterstedt,1847; *borealis* Portschinsky,1875; *beckeri* Rübsaamen,1910; *effingendea* Dirlbek & Dirlbek,1971; *hebea* Dirlbek & Dirlbekova,1971;

- 1276) **Campiglossa tesellata** (Loew,1844) (Tephritidae) Synonym(s): *tesellata* Loew,1844
 1277) **Campsicnemus barbitibia** Stackelberg,1947 (Dolichopodidae) Synonym(s): *barbitibia* Stackelberg,1947
 1278) **Campsicnemus curvipes** (Fallén,1823) (Dolichopodidae) Synonym(s): *curvipes* Fallén,1823; *fuscipennis* Macquart,1839; *cilitibius* Von Roser,1840
 1279) **Campsicnemus filipes** Loew,1859 (Dolichopodidae) Synonym(s): *filipes* Loew,1859
 1280) **Campsicnemus lumbatus** Loew,1857 (Dolichopodidae) Synonym(s): *lumbatus* Loew,1857
 1281) **Campsicnemus magius** (Loew,1845) (Dolichopodidae) Synonym(s): *magius* Loew,1845
 1282) **Campsicnemus pumilio** (Zetterstedt,1843) (Dolichopodidae) Synonym(s): *pumilio* Zetterstedt,1843; *pectinulatus* Loew,1864
 1283) **Campsicnemus pusillus** (Meigen,1824) (Dolichopodidae) Synonym(s): *pusillus* Meigen,1824; *platypus* Loew,1857
 1284) **Campsicnemus scambus** (Fallén,1823) (Dolichopodidae) Synonym(s): *scambus* Fallén,1823; *prodromus* Meigen,1824; *clavitibius* Von Roser,1840
 1285) **Campsicnemus simplicissimus** Strobl,1906 (Dolichopodidae) Synonym(s): *simplicissimus* Strobl,1906
 1286) **Campsicnemus umbripennis** Loew,1856 (Dolichopodidae) Synonym(s): *umbripennis* Loew,1856
 1287) **Campsicnemus varipes** Loew,1859 (Dolichopodidae) Synonym(s): *varipes* Loew,1859
 1288) **Camptocera glaberrima** (Walker,1872) (Lygaeidae) Synonym(s): *glaberrima* Walker,1872
 1289) **Camptogramma bilineatum** (Linnaeus,1758) (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinaria* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
 1290) **Camptopus bifasciatus** Fieber,1864 (Alydidae) Synonym(s): *bifasciatus* Fieber,1864
 1291) **Camptopus illustris** Horvath,1899 (Alydidae) Synonym(s): *illustris* Horvath,1899
 1292) **Camptopus lateralis** (Germar,1817) (Alydidae) Synonym(s): *lateralis* Germar,1817
 1293) **Camptopus tragacanthae** (Kolenati,1845) (Alydidae) Synonym(s): *tragacanthae* Kolenati,1845
 1294) **Camptotelus lineolatus** (Schilling,1829) (Lygaeidae) Synonym(s): *lineolatus* Schilling,1829
 1295) **Camptotylidea fuscomaculata** (Reuter,1879) (Miridae) Synonym(s): *fuscomaculata* Reuter,1879; *punctulata* Nonnaizab & Yang,1994
 1296) **Canephora acuta** (Kozhantshikov,1956) (Psychidae) Synonym(s): *acuta* Kozhantshikov,1956
 1297) **Canephora acutipennis** (Kozhantshikov,1956) (Psychidae) Synonym(s): *acutipennis* Kozhantshikov,1956
 1298) **Canephora armena** (Heylaerts,1885) (Psychidae) Synonym(s): *armena* Heylaerts,1885
 1299) **Canephora borealis** (Kozhantshikov,1956) (Psychidae) Synonym(s): *borealis* Kozhantshikov,1956
 1300) **Canephora caucasica** (A.Bang-Haas,1912) (Psychidae) Synonym(s): *caucasica* A.Bang-Haas,1912; *subgrisea* Kozhantshikov,1956
 1301) **Canephora eldarica** (Kozhantshikov,1956) (Psychidae) Synonym(s): *eldarica* Kozhantshikov,1956
 1302) **Canephora hirsuta** (Poda,1761) (Psychidae) Synonym(s): *hirsuta* Poda,1761; *dubia* Scopoli,1763; *unicolor* Hufnagel,1766; *xylophthorum* Pallas,1767; *vestita* Fabricius,1775; *fasciculifera* Fourcroy,1785; *quercus* Schrank,1802; *vestitella* Hübner,1825; *asiatica* Staudinger,1887
 1303) **Canephora lutea** (Staudinger,1871) (Psychidae) Synonym(s): *lutea* Staudinger,1871
 1304) **Canephora minuta** (Kozhantshikov,1956) (Psychidae) Synonym(s): *minuta* Kozhantshikov,1956
 1305) **Canephora senex** (Staudinger,1871) (Psychidae) Synonym(s): *senex* Staudinger,1871
 1306) **Canephora subgrisea** (Kozhantshikov,1956) (Psychidae) Synonym(s): *subgrisea* Kozhantshikov,1956
 1307) **Canephora unicolorata** (Kozhantshikov,1956) (Psychidae) Synonym(s): *unicolorata* Kozhantshikov,1956
 1308) **Canephora villosella** (Ochsenheimer,1810) (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810
 1309) **Cantharis annularis** Ménétériés,1836 (Cantharidae) Synonym(s): *annularis* Ménétériés,1836
 1310) **Cantharis flavilabris** Fallén,1807 (Cantharidae) Synonym(s): *flavilabris* Fallén,1807
 1311) **Cantharis lateralis** Linnaeus,1758 (Cantharidae) Synonym(s): *lateralis* Linnaeus,1758
 1312) **Cantharis livida** Linnaeus,1758 (Cantharidae) Synonym(s): *livida* Linnaeus,1758
 1313) **Cantharis nigra** De Geer,1774 (Cantharidae) Synonym(s): *nigra* De Geer,1774
 1314) **Canthophorus dubius** (Scopoli,1763) (Cydniidae) Synonym(s): *dubius* Scopoli,1763; *albomarginatus* Schrank,1776; *histriolus* Goeze,1778; *viennensis* Gmelin,1790; *albomarginellus* Fabricius,1794
 1315) **Canthophorus mixtus** Asanova,1964 (Cydniidae) Synonym(s): *mixtus* Asanova,1964
 1316) **Canthophorus wagneri** Asanova,1964 (Cydniidae) Synonym(s): *wagneri* Asanova,1964
 1317) **Capnia nigra** (Pictet,1833) (Capniidae) Synonym(s): *nigra* Pictet,1833; *conic* Klapalek,1909; *maynari* Navas,1917
 1318) **Capnia sevanica** Zhiltzova,1964 (Capniidae) Synonym(s): *sevanica* Zhiltzova,1964
 1319) **Capnodis carbonaria** (Klug,1829) (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926
 1320) **Capnodis cariosa** (Pallas,1776) (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787
 1321) **Capnodis excisa** Ménétériés,1849 (Buprestidae) Synonym(s): *excisa* Ménétériés,1849
 1322) **Capnodis miliaris** (Klug,1829) (Buprestidae) Synonym(s): *miliaris* Klug,1829; *daedalea* Stephens,1830; *albisparsa* Faldermann,1830; *aurata* Abeille,1914; *mysteriosa* Obenberger,1917; *nonfriedi* Obenberger,1934
 1323) **Capnodis porosa** (Klug,1829) (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855
 1324) **Capnodis tenebricosa** (Olivier,1790) (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945
 1325) **Capnodis tenebrionis** (Linnaeus,1761) (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917
 1326) **Capperia celeusi** (Frey,1886) (Pterophoridae) Synonym(s): *celeusi* Frey,1886; *interciscus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997
 1327) **Capperia maratonica** Adamczewski,1951 (Pterophoridae) Synonym(s): *maratonica* Adamczewski,1951
 1328) **Capsodes bicolor** (Fieber,1864) (Miridae) Synonym(s): *bicolor* Fieber,1864; *sanguineus* Jakovlev,1882
 1329) **Carabus (Cechenochilus) boeberi** Adams,1817 (Carabidae) Synonym(s): *boeberi* Adams,1817
 1330) **Carabus (Lamprostus) calleyi** Fischer von Waldheim,1823 (Carabidae) Synonym(s): *calleyi* Fischer von Waldheim,1823
 1331) **Carabus (Procerus) caucasicus** Adams,1817 (Carabidae) Synonym(s): *caucasicus* Adams,1817
 1332) **Carabus (Procrustes) chevrolati** Cristoforis & Jan,1837 (Carabidae) Synonym(s): *chevrolati* Cristoforis & Jan,1837; *assimilis* Cristoforis & Jan,1837; *persimilis* Csiki,1927
 1333) **Carabus (Procrustes) clypeatus** Adams,1817 (Carabidae) Synonym(s): *clypeatus* Adams,1817
 1334) **Carabus (Sphodristocarus) scovitzii** Faldermann,1835 (Carabidae) Synonym(s): *scovitzii* Faldermann,1835

- 1335) Carabus (Sphodristocarabus) varians Fischer von Waldheim, 1827** (Carabidae) Synonym(s): *variens Fischer von Waldheim, 1827*
- 1336) Carabus maurus Adams, 1817** (Carabidae) Synonym(s): *maurus Adams, 1817*
- 1337) Carabus pumilio Kuster, 1846** (Carabidae) Synonym(s): *pumilio Kuster, 1846*
- 1338) Carabus puschkini Adams, 1817** (Carabidae) Synonym(s): *puschkini Adams, 1817*
- 1339) Carabus roseri Faldermann, 1835** (Carabidae) Synonym(s): *roseri Faldermann, 1835*
- 1340) Caradrina (Boursinidrina) rjabovi (Boursin, 1936)** (Noctuidae) Synonym(s): *rjabovi Boursin, 1936; pseudovicina Boursin, 1939*
- 1341) Caradrina (Eremodrina) armeniaca (Boursin, 1936)** (Noctuidae) Synonym(s): *armeniaca Boursin, 1936*
- 1342) Caradrina (Eremodrina) belucha Swinhoe, 1885** (Noctuidae) Synonym(s): *belucha Swinhoe, 1885; conditorana Pinker, 1980*
- 1343) Caradrina (Eremodrina) doleropsis (Boursin, 1939)** (Noctuidae) Synonym(s): *doleropsis Boursin, 1939; doleropsis Boursin, 1940.*
- 1344) Caradrina (Eremodrina) draudti (Boursin, 1936)** (Noctuidae) Synonym(s): *draudti Boursin, 1936; pseudopertinax Boursin, 1939; pseudopertinax Boursin, 1940*
- 1345) Caradrina (Eremodrina) gilva (Donzel, 1837)** (Noctuidae) Synonym(s): *gilva Donzel, 1837; molisana Dannehl, 1929*
- 1346) Caradrina (Eremodrina) inumbata (Staudinger, 1900)** (Noctuidae) Synonym(s): *inumbata Staudinger, 1900; inumbratella Pinker, 1980*
- 1347) Caradrina (Eremodrina) melanura Alpheraky, 1897** (Noctuidae) Synonym(s): *melanura Alpheraky, 1897; samurana Boursin, 1939; samurana Boursin, 1940*
- 1348) Caradrina (Eremodrina) pertinax (Staudinger, 1879)** (Noctuidae) Synonym(s): *pertinax Staudinger, 1879; argentea Caradja, 1930.*
- 1349) Caradrina (Eremodrina) salzi (Boursin, 1936)** (Noctuidae) Synonym(s): *salzi Boursin, 1936*
- 1350) Caradrina (Eremodrina) vicina (Staudinger, 1870)** (Noctuidae) Synonym(s): *vicina Staudinger, 1870; perspicua W. Warren, 1911*
- 1351) Caradrina (Eremodrina) zernyi (Boursin, 1936)** (Noctuidae) Synonym(s): *zernyi Boursin, 1936; signata Boursin, 1936*
- 1352) Caradrina (Paradrina) flavirena (Guenée, 1852)** (Noctuidae) Synonym(s): *flavirena Guenée, 1852; minor Staudinger, 1897; subdita W. Warren, 1911; muricolor Boursin, 1933; subdita Leraut, 1980*
- 1353) Caradrina (Paradrina) poecila (Boursin, 1939)** (Noctuidae) Synonym(s): *poecila Boursin, 1939*
- 1354) Caradrina (Paradrina) selini (Boisduval, 1840)** (Noctuidae) Synonym(s): *selini Boisduval, 1840; selinoides Bellier, 1862; milleri Schultz, 1862; jurassica Rigggenbach-Stehlin, 1876; minor Staudinger, 1897; #puengeleri Draudt, 1934; telekii Dioszeghy, [1935]*
- 1355) Caradrina (Paradrina) wulschlegeli (Püngeler, 1903)** (Noctuidae) Synonym(s): *wulschlegeli Püngeler, 1903*
- 1356) Caradrina (Platyperigea) albina (Eversmann, 1848)** (Noctuidae) Synonym(s): *albina Eversmann, 1848; congesta Lederer, 1853; tenera A. Bang-Haas, 1912*
- 1357) Caradrina (Platyperigea) aspersa (Rambur, 1834)** (Noctuidae) Synonym(s): *aspersa Rambur, 1834; anceps Herrich-Schäffer, 1849; culoti Turati, 1913.*
- 1358) Caradrina (Platyperigea) kadenii (Freyer, 1836)** (Noctuidae) Synonym(s): *kadenii Freyer, 1836*
- 1359) Caradrina (Platyperigea) montana (Bremer, 1861)** (Noctuidae) Synonym(s): *montana Bremer, 1861; apatetica Püngeler, 1914; sachalinensis Matsumura, 1925; melancholica Draudt, 1934; kaolina Bryk, 1949*
- 1360) Caradrina (Platyperigea) terrea (Freyer, [1840])** (Noctuidae) Synonym(s): *terrea Freyer, [1840]; ustirena Boisduval, 1840*
- 1361) Caradrina (s.str.) agrotina (Staudinger, 1892)** (Noctuidae) Synonym(s): *agrotina Staudinger, 1892; jordana Staudinger, [1895]; syriaca Osthelder, 1933.*
- 1362) Caradrina (s.str.) morpheus (Hufnagel, 1766)** (Noctuidae) Synonym(s): *morpheus Hufnagel, 1766; pulla Beckwith, 1794 nec Esp., [1785]; sepii Hübner, [1803]; dresnaya D. Lucas, 1933; alpina Hartig, [1938]*
- 1363) Carcharodus (Lavatheria) lavatherae (Esper, [1783])** (Hesperiidae) Synonym(s): *lavatherae Esper, [1783]; australior Verity, 1919; pyrenaicus Ricard, 1948.*
- 1364) Carcharodus (Lavatheria) stauderi Reverdin, 1913** (Hesperiidae) Synonym(s): *stauderi Reverdin, 1913.*
- 1365) Carcharodus (Reverdinus) flocciferus (Zeller, 1847)** (Hesperiidae) Synonym(s): *flocciferus Zeller, 1847; altheae Hübner, [1803] nec Esp., [1783]; imperator Hemming, 1934; alchymillae Hemming, 1936; autumnalis Verity, 1940.*
- 1366) Carcharodus (Reverdinus) orientalis Reverdin, 1913** (Hesperiidae) Synonym(s): *orientalis Reverdin, 1913; centralanatolica Pfeiffer, 1927; #aestatis Graves, 1928; aestatis Verity, 1928; postorientalis Verity, 1928; maccabaeus Hemming, 1932.*
- 1367) Carcharodus (s.str.) alceae (Esper, [1780])** (Hesperiidae) Synonym(s): *alceae Esper, [1780]; malvae Hufnagel, 1766 nec Linn., 1758; malvarum Hoffmannsegg, 1804; magnaustralis Verity, 1924; corsicus Picard, 1948.*
- 1368) Cardepiia fixseni (Christoph, 1882)** (Noctuidae) Synonym(s): *fixseni Christoph, 1882*
- 1369) Cardepiia helix (Boursin, 1962)** (Noctuidae) Synonym(s): *helix Boursin, 1962*
- 1370) Cardepiia sociabilis (Graslin, 1850)** (Noctuidae) Synonym(s): *sociabilis Graslin, 1850; ghigii Turati, 1926; pedrosai Monteiro, 1972; grisea Berio, 1986.*
- 1371) Cardiophorus (s.str.) alienus (Szombathy, 1910)** (Elateridae) Synonym(s): *alienus Szombathy, 1910*
- 1372) Cardiophorus (s.str.) araxicola Jablokoff & Khnzorian, 1970** (Elateridae) Synonym(s): *araxicola Jablokoff & Khnzorian, 1970*
- 1373) Cardiophorus (s.str.) arcanus Dolin & Mardzhanian, 1985** (Elateridae) Synonym(s): *arcanus Dolin & Mardzhanian, 1985*
- 1374) Cardiophorus (s.str.) discicollis (Herbst, 1806)** (Elateridae) Synonym(s): *discicollis Herbst, 1806*
- 1375) Cardiophorus (s.str.) ebeninus (Germar, 1824)** (Elateridae) Synonym(s): *ebeninus Germar, 1824*
- 1376) Cardiophorus (s.str.) hinkei Frivaldsky, 1837** (Elateridae) Synonym(s): *hinkei Frivaldsky, 1837*
- 1377) Cardiophorus (s.str.) megathorax (Faldermann, 1835)** (Elateridae) Synonym(s): *megathorax Faldermann, 1835; antennalis Desbrochers, 1875*
- 1378) Cardiophorus (s.str.) nigerrimus Erichson, 1840** (Elateridae) Synonym(s): *nigerrimus Erichson, 1840*
- 1379) Cardiophorus (s.str.) nigratissimus Buysson, 1891** (Elateridae) Synonym(s): *nigratissimus Buysson, 1891*
- 1380) Cardiophorus (s.str.) nijazi (Dolin & Agajev, 1983)** (Elateridae) Synonym(s): *nijazi Dolin & Agajev, 1983*
- 1381) Cardiophorus (s.str.) nubilosus (Schwarz, 1895)** (Elateridae) Synonym(s): *nubilosus Schwarz, 1895*
- 1382) Cardiophorus (s.str.) ordubadensis (Agaev, 1985)** (Elateridae) Synonym(s): *ordubadensis Agaev, 1985*
- 1383) Cardiophorus (s.str.) pseudogramineus (Mardjanian, 1977)** (Elateridae) Synonym(s): *pseudogramineus Mardjanian, 1977*
- 1384) Cardiophorus (s.str.) quadrinaevus (Reitter, 1891)** (Elateridae) Synonym(s): *quadrinaevus Reitter, 1891*

- 1385) Cardiophorus (s.str.) ruficruris (Linnaeus,1758)** (Elateridae) Synonym(s): *ruficruris* Linnaeus,1758; *tibialis* Erichson,1840
- 1386) Cardiophorus (s.str.) sacratus Erichson,1840** (Elateridae) Synonym(s): *sacratus* Erichson,1840; *tokatensis* Pic,1913
- 1387) Cardiophorus (s.str.) somcheticus Schwarz,1896** (Elateridae) Synonym(s): *somcheticus* Schwarz,1896
- 1388) Cardiophorus (s.str.) strussineri Buysson,1913** (Elateridae) Synonym(s): *strussineri* Buysson,1913
- 1389) Cardiophorus (s.str.) syriacoides (Platia & Cate,2001)** (Elateridae) Synonym(s): *syriacoides* Platia & Cate,2001
- 1390) Cardiophorus (s.str.) syriacus (Linnaeus,1758)** (Elateridae) Synonym(s): *syriacus* Linnaeus,1758
- 1391) Cardoria scutellata (Fabricius,1792)** (Cerambycidae) Synonym(s): *scutellata* Fabricius,1792
- 1392) Carenoplustus acutus (Signoret,1880)** (Pentatomidae) Synonym(s): *acutus* Signoret,1880
- 1393) Carinatodorcadion carinatum (Pallas,1771)** (Cerambycidae) Synonym(s): *carinatum* Pallas,1771; *pigra* Schönherr,1817; *cinereopubescens* Breuning,1946
- 1394) Carpatolechia fugitivella (Zeller,1839)** (Gelechiidae) Synonym(s): *fugitivella* Zeller,1839; *#fugivitella* Noack,1960.
- 1395) Carpatolechia notatella (Hübner,[1813])** (Gelechiidae) Synonym(s): *notatella* Hübner,[1813]; *euratella* Herrich-Schäffer,1854
- 1396) Carpatolechia proximella (Hübner,1796)** (Gelechiidae) Synonym(s): *proximella* Hübner,1796
- 1397) Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958
- 1398) Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus* Boheman,1851; *hahni* Flor,1856; *atlanticus* Tamanini,1958; *mediterraneus* Tamanini,1958
- 1399) Carpocoris melanocerus Mulsant,1852** (Pentatomidae) Synonym(s): *melanocerus* Mulsant,1852
- 1400) Carpocoris pudicus (Poda,1761)** (Pentatomidae) Synonym(s): *pudicus* Poda,1761; *cinctus* Schrank,1776; *carnus* Gmelin,1790; *wilkinsonii* Westwood,1837; *pallida* Dallas,1851
- 1401) Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri* Loew,1856
- 1402) Carposina berberidella Herrich-Schäffer,[1854]** (Carposinidae) Synonym(s): *berberidella* Herrich-Schäffer,[1854]
- 1403) Carposina diampyx Diakonoff,1989** (Carposinidae) Synonym(s): *diampyx* Diakonoff,1989
- 1404) Carsia lythoxylata (Hübner,[1799])** (Geometridae) Synonym(s): *lythoxylata* Hübner,[1799]; *lythoxylaria* Boisduval,1840.
- 1405) Carsia perpetuata (Lederer,1870)** (Geometridae) Synonym(s): *perpetuata* Lederer,1870
- 1406) Carterocephalus palaemon (Pallas,1771)** (Hesperiidae) Synonym(s): *palaemon* Pallas,1771; *paniscus* Fabricius,1775; *brontes* [Denis & Schiffermüller],1775; *mesapano* Scudder,1868; *skada* Edwards,1870.
- 1407) Carterocephalus silvicola (Meigen,1829)** (Hesperiidae) Synonym(s): *sylvius* Knoch,1781 *nec* Poda,1761; *silvicola* Meigen,1829; *silvioides* Müller,1920; *isshikii* Nakahara,1926; *doi* Matsumura,1928.
- 1408) Caryocolum leucomelanellum (Zeller,1839)** (Gelechiidae) Synonym(s): *leucomelanellum* Zeller,1839; *gypsophilae* Stainton,1869
- 1409) Casilda antophilaria (Hübner,[1813])** (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911.
- 1410) Cassida atrata Fabricius,1787** (Chrysomelidae) Synonym(s): *atrata* Fabricius,1787
- 1411) Cassida bella Faldermann,1837** (Chrysomelidae) Synonym(s): *bella* Faldermann,1837
- 1412) Cassida hablitziae Motschoulsky,1838** (Chrysomelidae) Synonym(s): *hablitziae* Motschoulsky,1838
- 1413) Cassida margaritacea Schaller,1783** (Chrysomelidae) Synonym(s): *margaritacea* Schaller,1783
- 1414) Cassida palaestina Reiche,1858** (Chrysomelidae) Synonym(s): *palaestina* Reiche,1858
- 1415) Cassida saucia Weise,1889** (Chrysomelidae) Synonym(s): *saucia* Weise,1889
- 1416) Cassida seraphina Ménétriés,1836** (Chrysomelidae) Synonym(s): *seraphina* Ménétriés,1836
- 1417) Cataclysme riguata (Hübner,[1813])** (Geometridae) Synonym(s): *riguata* Hübner,[1813]; *subtilisparsata* Wehrli,1932.
- 1418) Cataclysta lemnata (Linnaeus,1758)** (Pyralidae) Synonym(s): *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935.
- 1419) Catarhoe arachne Wiltshire,1967** (Geometridae) Synonym(s): *arachne* Wiltshire,1967
- 1420) Catarhoe cuculata (Hufnagel,1767)** (Geometridae) Synonym(s): *cuculata* Hufnagel,1767; *sinuata* [Denis & Schiffermüller],1775; *sabinata* Dannehl,1933
- 1421) Catarhoe permixtaria (Guenée,[1858])** (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858]
- 1422) Catarhoe putridaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millière,1868
- 1423) Catarhoe rubidata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775
- 1424) Catastia acraspedella (Staudinger,1879)** (Pyralidae) Synonym(s): *acraspedella* Staudinger,1879
- 1425) Catastia marginata ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *marginata* [Denis & Schiffermüller],1775.
- 1426) Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775
- 1427) Catocala (Ephesia) nymphaea (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
- 1428) Catocala (Ephesia) separata Freyer,1848** (Noctuidae) Synonym(s): *separata* Freyer,1848
- 1429) Catocala (s.str.) conversa (Esper,1783)** (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813]
- 1430) Catocala (s.str.) disjuncta (Geyer,[1828])** (Noctuidae) Synonym(s): *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884; *fumigata* Kuznetsov,1903.
- 1431) Catocala (s.str.) electa (Vieweg,1790)** (Noctuidae) Synonym(s): *electa* Vieweg,1790
- 1432) Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 1433) Catocala (s.str.) fraxini (Linnaeus,1758)** (Noctuidae) Synonym(s): *fraxini* Linnaeus,1758
- 1434) Catocala (s.str.) fulminea (Scopoli,1763)** (Noctuidae) Synonym(s): *fulminea* Scopoli,1763; *manturna* Hufnagel,1766; *paranympha* Linnaeus,1767; *invasa* Leech,1900; *melli* Ishizuka,2001; *tungus* Ishizuka,2009
- 1435) Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775
- 1436) Catocala (s.str.) lupina Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851]; *detrita* W.Warren,1913
- 1437) Catocala (s.str.) neonympha (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha* Esper,[1805]
- 1438) Catocala (s.str.) nupta (Linnaeus,1767)** (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concubina* Hübner,[1803]
- 1439) Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865

- 1440) *Catocala* (s.str.) *orientalis* Staudinger, 1877 (Noctuidae) Synonym(s): *orientalis* Staudinger, 1877
- 1441) *Catocala* (s.str.) *promissa* [Denis & Schiffermüller, 1775] (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller, 1775; *mneste* Hübner, 1813]
- 1442) *Catocala* (s.str.) *puerpera* (Giorna, 1791) (Noctuidae) Synonym(s): *puerpera* Giorna, 1791; *amasia* Esper, [1804] *nec* Sm., 1797; *pellex* Hübner, [1809]; *romana* Schultz, 1909
- 1443) *Catocala* (s.str.) *sponsa* (Linnaeus, 1767) (Noctuidae) Synonym(s): *sponsa* Linnaeus, 1767; *rejecta* Fischer v. Waldheim, 1820
- 1444) *Catoplatus brevicornis* Akramovskaya & Golub, 1973 (Tingidae) Synonym(s): *brevicornis* Akramovskaya & Golub, 1973
- 1445) *Catopomorphus magnicollis* Reitter, 1894 (Leiodidae) Synonym(s): *magnicollis* Reitter, 1894
- 1446) *Catopta alpherakyi* (Christoph, 1885) (Cossidae) Synonym(s): *alpherakyi* Christoph, 1885
- 1447) *Catoptria biformella* (Rebel, 1893) (Pyralidae) Synonym(s): *biformellus* Rebel, 1893
- 1448) *Catoptria caucasica* (Alpheraky, 1878) (Pyralidae) Synonym(s): *caucasica* Alpheraky, 1878
- 1449) *Catoptria ciliciella* (Rebel, 1893) (Pyralidae) Synonym(s): *ciliciellus* Rebel, 1893; *#siliciellus* Ganev, 1996.
- 1450) *Catoptria colchicella* (Lederer, 1870) (Pyralidae) Synonym(s): *colchicellus* Lederer, 1870
- 1451) *Catoptria dagestanica* Bleszynski, 1965 (Pyralidae) Synonym(s): *dagestanica* Bleszynski, 1965
- 1452) *Catoptria incertella* (Herrich-Schäffer, [1852]) (Pyralidae) Synonym(s): *incertellus* Herrich-Schäffer, [1852]
- 1453) *Catoptria laevigatella* (Lederer, 1870) (Pyralidae) Synonym(s): *laevigatellus* Lederer, 1870; *semicanella* Fuchs, 1903.
- 1454) *Catoptria languidella* (Zeller, 1863) (Pyralidae) Synonym(s): *languidellus* Zeller, 1863
- 1455) *Catoptria lithargyrella* (Hübner, 1796) (Pyralidae) Synonym(s): *lithargyrella* Hübner, 1796
- 1456) *Catoptria mediofasciella* (Zerny, 1914) (Pyralidae) Synonym(s): *mediofasciella* Zerny, 1914
- 1457) *Catoptria mytilella* (Hübner, [1805]) (Pyralidae) Synonym(s): *mytilella* Hübner, [1805]; *vilarrubiae* Agenjo, 1954.
- 1458) *Catoptria profluxella* (Christoph, 1887) (Pyralidae) Synonym(s): *profluxella* Christoph, 1887; *pseudociliciella* Bleszynski, 1957.
- 1459) *Caucasippus rufipes* (Fischer von Waldheim, 1846) (Acrididae) Synonym(s): *rufipes* Fischer von Waldheim, 1846; *pedestris* Uvarov, 1927
- 1460) *Cecryphalus nubila* (Staudinger, 1895) (Cossidae) Synonym(s): *nubila* Staudinger, 1895; *strix* Grun-Grshimailo, 1897; *speyeri* Austaut, 1897
- 1461) *Celaena leucostigma* (Hübner, [1808]) (Noctuidae) Synonym(s): *leucostigma* Hübner, [1808]; *fibrosa* Hübner, [1808] *lunina* Haworth, 1809; *laevis* Butler, 1881
- 1462) *Celastrina argiolus* (Linnaeus, 1758) (Lycaenidae) Synonym(s): *argiolus* Linnaeus, 1758; *cleobis* Sulzer, 1776; *thersanon* Bergsträßer, 1779; *argyphontes* Bergsträßer, 1779; *argalus* Bergsträßer, 1779; *marginatus* Retzius, 1783; *acis* Fabricius, 1787 *nec* Dru., [1773]; *#parvipuncta* Fuchs, 1880; *calidogenita* Verity, 1919; *britannia* Verity, 1919.
- 1463) *Celes variabilis* (Pallas, 1771) (Acrididae) Synonym(s): *variabilis* Pallas, 1771; *rhodoptilus* Charpentier, 1825; *subcoerulipennis* Charpentier, 1825; *#arbonarius* Uvarov, 1917
- 1464) *Celonites cyprius* Saussure, 1854 (Vespidae) Synonym(s): *cyprius* Saussure, 1854
- 1465) *Celonites laetus* Panfilov, 1968 (Vespidae) Synonym(s): *laetus* Panfilov, 1968
- 1466) *Celonites osseus* Morawitz, 1888 (Vespidae) Synonym(s): *osseus* Morawitz, 1888
- 1467) *Celonites rudesculptus* Kostylev, 1935 (Vespidae) Synonym(s): *rudesculptus* Kostylev, 1935
- 1468) *Celonites spinosus* Gusenleitner, 1966 (Vespidae) Synonym(s): *spinosus* Gusenleitner, 1966; *invitus* Gusenleitner, 1973
- 1469) *Celypha anatoliana* (Caradja, 1916) (Tortricidae) Synonym(s): *anatoliana* Caradja, 1916
- 1470) *Celypha aurofasciana* (Haworth, [1811]) (Tortricidae) Synonym(s): *aurofasciana* Haworth, [1811]; *venustana* Frölich, 1828; *dormoyana* Duponchel, 1835; *grapholitana* Guenée, 1845; *implicana* Offmann, 1850; *paleana* Caradja, 1916
- 1471) *Celypha cespitana* (Hübner, [1817]) (Tortricidae) Synonym(s): *? umbriana* Scopoli, 1763; *cespitana* Hübner, [1817]; *gramineana* Curtis, 1831; *poana* Zeller, 1875
- 1472) *Celypha flavipalpana* (Herrich-Schäffer, [1851]) (Tortricidae) Synonym(s): *flavipalpana* Herrich-Schäffer, [1851]; *lobocasis* Meyrick, 1936
- 1473) *Celypha woodiana* (Barrett, 1882) (Tortricidae) Synonym(s): *woodiana* Barrett, 1882
- 1474) *Centrocoris spiniger* (Fabricius, 1781) (Coreidae) Synonym(s): *branderi* Linnaeus, 1767; *spiniger* Fabricius, 1781; *pallascens* Kolenati, 1845; *subinermis* Rey, 1887; *bampurensis* Linnavuori, 1968
- 1475) *Centrocoris variegatus* Kolenati, 1845 (Coreidae) Synonym(s): *variegatus* Kolenati, 1845; *nigricans* Fieber, 1861; *convergens* Sienkiewicz, 1959
- 1476) *Centrocoris volxemi* (Puton, 1878) (Coreidae) Synonym(s): *volxemi* Puton, 1878; *coroniceps* Jakovlev, 1879; *balassogloi* Jakovlev, 1883; *ruficeps* Jakovlev, 1908; *scutellaris* Linnavuori, 1968
- 1477) *Centrotus cornutus* (Linnaeus, 1758) (Membracidae) Synonym(s): *cornutus* Linnaeus, 1758; *gallicus* Kirschbaum, 1868; *italicus* Kirschbaum, 1868; *turcicus* Kirschbaum, 1868; *abbreviatus* Kirschbaum, 1868 (*praeocc.*); *depressus* Fieber, 1876; *obtus* Fieber, 1876; *rugosus* Buckton, 1903; *kirschbaumi* Metcalf, 1955
- 1478) *Cephalcia hartigii* (Bremi-Wolf, 1849) (Pamphiliidae) Synonym(s): *hartigii* Bremi-Wolf, 1849
- 1479) *Cephalota* (Taenidia) *deserticola* (Faldermann, 1836) (Carabidae) Synonym(s): *deserticola* Faldermann, 1836
- 1480) *Cephimallota angusticostella* (Zeller, 1839) (Tineidae) Synonym(s): *angusticostella* Zeller, 1839; *libanotica* G. Petersen, 1959; *hasarorum* Zagulyaev, 1965
- 1481) *Cephimallota praetoriella* (Christoph, 1872) (Tineidae) Synonym(s): *praetoriella* Christoph, 1872; *uralskella* Caradja, 1920.
- 1482) *Cephimallota tunesiella* (Zagulyaev, 1966) (Tineidae) Synonym(s): *tunesiella* Zagulyaev, 1966
- 1483) *Cephus pulcher* Tischbein, 1852 (Cephididae) Synonym(s): *pulcher* Tischbein, 1852
- 1484) *Cephus pygmaeus* (Linnaeus, 1767) (Cephididae) Synonym(s): *pygmaeus* Linnaeus, 1767; *saltuum* Fabricius, 1775; *abdominalis* Latreille, 1816; *flaviventris* Guérin, 1834; *nigripennis* Sichel, 1860; *notatus* Kokujev, 1910; *nigromaculatus* Pic, 1917; *aegyptiacum* Pic, 1918; *delagrangiei* Pic, 1920; *tanaiticus* Dovnar-Zapolski, 1926
- 1485) *Cephus rjabovi* Dovnar-Zapolski, 1926 (Cephididae) Synonym(s): *rjabovi* Dovnar-Zapolski, 1926
- 1486) *Cephus spinipes* (Panzer, 1800) (Cephididae) Synonym(s): *spinipes* Panzer, 1800
- 1487) *Ceraleptus gracilicornis* (Herrich-Schäffer, 1835) (Coreidae) Synonym(s): *gracilicornis* Herrich-Schäffer, 1835
- 1488) *Ceraleptus obtusus* (Brullé, 1839) (Coreidae) Synonym(s): *obtus* Brullé, 1839; *aegyptius* Westwood, 1842; *squalidus* Costa, 1847; *distinguendus* Stein, 1858; *leptocerus* Fieber, 1861; *bellieri* Signoret, 1862; *armeniacus* Horvath, 1898
- 1489) *Cerambyx* (Microcerambyx) *scopolii* Fuessly, 1775 (Cerambycidae) Synonym(s): *scopolii* Fuessly, 1775; *nitidus* Pic, 1892
- 1490) *Ceramius caucasicus* André, 1884 (Vespidae) Synonym(s): *caucasicus* André, 1884
- 1491) *Cerapterocerus mirabilis* Westwood, 1833 (Encyrtidae) Synonym(s): *mirabilis* Westwood, 1833; *anebus* Walker, 1837; *platicera* Costa, 1839; *mirabilicornis* Förster, 1841; *maculipennis* Ratzeburg, 1848; *multiradiatus* Thomson, 1876

- 1492) **Cerapteryx graminis (Linnaeus,1758)** (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837].
- 1493) **Cerapteryx megalis (Alpheraky,1882)** (Noctuidae) Synonym(s): *megalis* Alpheraky,1882.
- 1494) **Cerastis leucographa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *leucographa* [Denis & Schiffermüller],1775; *cervina* Hübner,[1821]; *lepetitii* Boisduval,1832
- 1495) **Cerastis rubricosa (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813].
- 1496) **Ceratanisus tristis (Faldermann,1837)** (Tenebrionidae) Synonym(s): *tristis* Faldermann,1837
- 1497) **Ceratapion basicorne (Illiger,1807)** (Brentidae) Synonym(s): *basicorne* Illiger,1807
- 1498) **Ceratina acuta Friese,1896** (Apidae) Synonym(s): *acuta* Friese,1896
- 1499) **Ceratina christellae Terzo,1998** (Apidae) Synonym(s): *christellae* Terzo,1998
- 1500) **Ceratina loewi Gerstaecker,1869** (Apidae) Synonym(s): *loewi* Gerstaecker,1869
- 1501) **Ceratina nigroaenea Gerstaecker,1869** (Apidae) Synonym(s): *nigroaenea* Gerstaecker,1869
- 1502) **Ceratina nigrolabiata Friese,1896** (Apidae) Synonym(s): *nigrolabiata* Friese,1896
- 1503) **Ceratoxanthia externana (Eversmann,1844)** (Tortricidae) Synonym(s): *externana* Eversmann,1844
- 1504) **Ceratuncus affinitellus (Rebel,1901)** (Tineidae) Synonym(s): *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951.
- 1505) **Ceratuncus danubiellus (Mann,1866)** (Tineidae) Synonym(s): *danubiellus* Mann,1866
- 1506) **Ceratuncus dzhungaricus Zagulyaev,1971** (Tineidae) Synonym(s): *dzhungaricus* Zagulyaev,1971
- 1507) **Cerceris arenaria (Linnaeus,1758)** (Crabronidae) Synonym(s): *arenaria* Linnaeus,1758
- 1508) **Cerchysiella planiscutellum (Mercet,1921)** (Encyrtidae) Synonym(s): *planiscutellum* Mercet,1921; *laeviscuta* Erdős,1946; *vestonicensis* Hoffer,1954
- 1509) **Cerchysius subplanus (Dalman,1820)** (Encyrtidae) Synonym(s): *subplanus* Dalman,1820; *urocerus* Dalman,1820; *stigmatalis* Westwood,1832; *melanopus* Walker,1837; *caudatus* Förster,1841;
- 1510) **Cercion lindenii (Selys,1840)** (Coenagrionidae) Synonym(s): *lindenii* Selys,1840; *zernyi* Schmidt,1938
- 1511) **Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923
- 1512) **Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (*praeocc.*); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917
- 1513) **Cerdistus denticulatus Loew,1849** (Asilidae) Synonym(s): *denticulatus* Loew,1849
- 1514) **Cerdistus manii Schiner,1867** (Asilidae) Synonym(s): *manii* Schiner,1867
- 1515) **Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus* Fabricius,1794
- 1516) **Ceriana caucasica (Paramonov,1927)** (Syrphidae) Synonym(s): *caucasica* Paramonov,1927
- 1517) **Cerocoma (Meloides) gloriosa Mulsant,1857** (Meloidae) Synonym(s): *gloriosa* Mulsant,1857; *vasvarii* Kaszab,1941; *jodina* Kaszab,1951; *pseudogloriosa* Muche,1963
- 1518) **Cerocoma (Meloides) kunzei Frivaldsky,1835** (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835; *patelligera* Baudi,1878; *patkaii* Kaszab,1941; *kaszabi* Maran,1944; *#violacea* Kaszab,1951; *iranica* Muche,1963; *palaestinensis* Muche,1963
- 1519) **Cerocoma (Meloides) marginiventris Reitter,1889** (Meloidae) Synonym(s): *marginiventris* Reitter,1889; *pictiventris* Reitter,1899; *gloriosa* Reitter nec Muls.,1857
- 1520) **Cerocoma (Mesocerosoma) scovitzii Faldermann,1837** (Meloidae) Synonym(s): *scovitzii* Faldermann,1837
- 1521) **Cerocoma (Metacerocoma) ephesica Reitter,1885** (Meloidae) Synonym(s): *ephesica* Reitter,1885
- 1522) **Cerocoma (Metacerocoma) festiva Faldermann,1837** (Meloidae) Synonym(s): *festiva* Faldermann,1837
- 1523) **Cerocoma (Metacerocoma) schreberi Fabricius,1781** (Meloidae) Synonym(s): *schreberi* Fabricius,1781
- 1524) **Cerocoma dahli Kraatz,1863** (Meloidae) Synonym(s): *dahli* Kraatz,1863
- 1525) **Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi* Gyllenhal,1817
- 1526) **Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) Synonym(s): *syriaca* Abeille de Perrin,1880
- 1527) **Ceroptera rufitarsis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *rufitarsis* Meigen,1830; *sacra* Meigen,1838; *luteipennis* Strobl,1902; *picta* Becker,1913
- 1528) **Ceroxys hortulana (Rossi,1790)** (Ulidiidae) Synonym(s): *hortulana* Rossi,1790; *amurensis* Hennig,1939
- 1529) **Certallum ebulinum (Linnaeus,1767)** (Cerambycidae) Synonym(s): *ebulinum* Linnaeus,1767; *ruficollis* Fabricius,1787
- 1530) **Cerura (s.str.) intermedia (Teich,1896)** (Notodontidae) Synonym(s): *intermedia* Teich,1896
- 1531) **Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939
- 1532) **Cetonia (s.str.) aeratula Reitter,1891** (Scarabaeidae) Synonym(s): *aeratula* Reitter,1891
- 1533) **Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicoruscus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preyss.,1790; *piliger* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948
- 1534) **Ceuthomadarus tenebrionellus Mann,1864** (Lecithoceridae) Synonym(s): *tenebrionellus* Mann,1864; *monochromella* Rebel,1902; *crepusculellus* Caradja,1920.
- 1535) **Ceutorhynchus aenescens Schultze,1895** (Curculionidae) Synonym(s): *aenescens* Schultze,1895
- 1536) **Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792
- 1537) **Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837
- 1538) **Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787
- 1539) **Ceutorhynchus fabrilis Faust,1887** (Curculionidae) Synonym(s): *fabrilis* Faust,1887
- 1540) **Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845
- 1541) **Ceutorhynchus languidus Schultze,1902** (Curculionidae) Synonym(s): *languidus* Schultze,1902
- 1542) **Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837
- 1543) **Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802
- 1544) **Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837
- 1545) **Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837
- 1546) **Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837
- 1547) **Ceutorhynchus sophiae Gyllenhal,1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal,1837
- 1548) **Ceutorhynchus subpilosus Brisothe,1869** (Curculionidae) Synonym(s): *subpilosus* Brisothe,1869
- 1549) **Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800
- 1550) **Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903
- 1551) **Ceylalictus (s.str.) variegatus (Olivier,1789)** (Halictidae) Synonym(s): *variegatus* Olivier,1789; *pulchella* Jurine,1807; *?syrphoides* Walker,1871; *flavopicta* Dours,1873; *jucunda* Morawitz,1874; *fasciatus* Friese,1898; *intermedius* Alfken,1924;

simplex Blüthgen,1925; *labiatarum* Cockerell,1931; *nigrita* Blüthgen,1934; *pseudocerea* Blüthgen,1934; *nigriventris* Blüthgen,1934

- 1552) **Chaetocnema arenacea** (Allard,1860) (Chrysomelidae) Synonym(s): *arenacea* Allard,1860
 1553) **Chaetocnema aridula** (Gyllenhal,1827) (Chrysomelidae) Synonym(s): *aridula* Gyllenhal,1827
 1554) **Chaetocnema breviuscula** (Faldernmann,1884) (Chrysomelidae) Synonym(s): *breviuscula* Faldernmann,1884
 1555) **Chaetocnema chlorophana** (Duftschmid,1825) (Chrysomelidae) Synonym(s): *chlorophana* Duftschmid,1825
 1556) **Chaetocnema concinna** (Marsham,1802) (Chrysomelidae) Synonym(s): *concinna* Marsham,1802
 1557) **Chaetocnema conducta** (Motschoulsky,1838) (Chrysomelidae) Synonym(s): *conducta* Motschoulsky,1838
 1558) **Chaetocnema confusa** (Boheman,1851) (Chrysomelidae) Synonym(s): *confusa* Boheman,1851
 1559) **Chaetocnema coyei** (Allard,1863) (Chrysomelidae) Synonym(s): *coyei* Allard,1863
 1560) **Chaetocnema laevicollis** (Thomson,1866) (Chrysomelidae) Synonym(s): *laevicollis* Thomson,1866
 1561) **Chaetocnema major** (Jaquelin du Val,1852) (Chrysomelidae) Synonym(s): *major* Jaquelin du Val,1852
 1562) **Chaetocnema mannerheimi** (Gyllenhal,1827) (Chrysomelidae) Synonym(s): *mannerheimi* Gyllenhal,1827
 1563) **Chaetocnema obesa** (Boieldieu,1859) (Chrysomelidae) Synonym(s): *obesa* Boieldieu,1859
 1564) **Chaetocnema orientalis** (Bauduer,1874) (Chrysomelidae) Synonym(s): *orientalis* Bauduer,1874
 1565) **Chaetocnema sahlbergi** (Gyllenhal,1859) (Chrysomelidae) Synonym(s): *sahlbergi* Gyllenhal,1859
 1566) **Chaetocnema scheffleri** (Kutschera,1864) (Chrysomelidae) Synonym(s): *scheffleri* Kutschera,1864
 1567) **Chaetocnema semicoerulea** (Koch,1803) (Chrysomelidae) Synonym(s): *semicoerulea* Koch,1803
 1568) **Chaetocnema tibialis** (Illiger,1807) (Chrysomelidae) Synonym(s): *tibialis* Illiger,1807
 1569) **Chaetomalachius marginicollis** (Reitter,1891) (Melyridae) Synonym(s): *marginicollis* Reitter,1891
 1570) **Chaetomalachius reitteri** Majer,1988 (Melyridae) Synonym(s): *reitteri* Majer,1988
 1571) **Chaetorellia conjuncta** (Becker,1913) (Tephritidae) Synonym(s): *conjuncta* Becker,1913
 1572) **Chaetostomella cylindrica** (R-D.,1830) (Tephritidae) Synonym(s): *cylindrica* R-D.,1830
 1573) **Chalcochiton pallasii** (Loew,1856) (Bombyliidae) Synonym(s): *pallasii* Loew,1856; *schineri* Nowicki,1868
 1574) **Chalicodoma** (Pseudomegachile) **ericetorum** (Lepelletier,1841) (Megachilidae) Synonym(s): *ericetorum* Lepelletier,1841
 1575) **Chalicodoma** (s.str.) **parietina** (Geoffroy,1785) (Megachilidae) Synonym(s): *parietina* Geoffroy,1785
 1576) **Chamaesphecia albiventris** Lederer,1853 (Sesiidae) Synonym(s): *albiventris* Lederer,1853
 1577) **Chamaesphecia alysoniformis** (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *alysoniformis* Herrich-Schäffer,1846
 1578) **Chamaesphecia annellata** (Zeller,1847) (Sesiidae) Synonym(s): *annellata* Zeller,1847; *ceriaeformis* Lederer,1853 *nec* Luc.,1849; *muscinaeformis* Walker,1856; *ceriiformis* Staudinger,1856; *clermonti* Le Cerf,1914
 1579) **Chamaesphecia astatifomis** (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *astatifomis* Herrich-Schäffer,1846
 1580) **Chamaesphecia aurifera** (Romanoff,1885) (Sesiidae) Synonym(s): *aurifera* Romanoff,1885
 1581) **Chamaesphecia azonos** (Lederer,1855) (Sesiidae) Synonym(s): *azonos* Lederer,1855
 1582) **Chamaesphecia bibioniformis** (Esper,[1800]) (Sesiidae) Synonym(s): *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954.
 1583) **Chamaesphecia chalciformis** (Esper,[1804]) (Sesiidae) Synonym(s): *chalciformis* Esper,[1804]
 1584) **Chamaesphecia diabarensis** Gorbunov,1987 (Sesiidae) Synonym(s): *diabarensis* Gorbunov,1987
 1585) **Chamaesphecia doryceraeformis** (Lederer,1853) (Sesiidae) Synonym(s): *doryceraeformis* Lederer,1853
 1586) **Chamaesphecia dumonti** Le Cerf,1922 (Sesiidae) Synonym(s): *dumonti* Le Cerf,1922; *similis* Lastuvka,1983
 1587) **Chamaesphecia elampiformis** (Herrich-Schäffer,1851) (Sesiidae) Synonym(s): *elampiformis* Herrich-Schäffer,1851
 1588) **Chamaesphecia empiformis** (Esper,[1783]) (Sesiidae) Synonym(s): *empiformis* Esper,[1783]; *bombyciformis* Fourcroy,1785; *empinaeformis* Walker,1856; *#flavoabdominalis* Popescu-Gorj,1955; *lastuvkai* Spatenka,1987
 1589) **Chamaesphecia gorbunovi** K.Spatenka,1992 (Sesiidae) Synonym(s): *gorbunovi* K.Spatenka,1992
 1590) **Chamaesphecia guriensis** (Emich,1872) (Sesiidae) Synonym(s): *guriensis* Emich,1872
 1591) **Chamaesphecia kistenjovi** Gorbunov,1991 (Sesiidae) Synonym(s): *kistenjovi* Gorbunov,1991
 1592) **Chamaesphecia morosa** Le Cerf,1937 (Sesiidae) Synonym(s): *morosa* Le Cerf,1937
 1593) **Chamaesphecia nigrifrons** (Le Cerf,1911) (Sesiidae) Synonym(s): *nigrifrons* Le Cerf,1911; *sevenari* Liphthay,1961; *#schmidti* Liphthay,1961
 1594) **Chamaesphecia ophimontana** Gorbunov,1991 (Sesiidae) Synonym(s): *ophimontana* Gorbunov,1991
 1595) **Chamaesphecia oxybeliformis** (Herrich-Schäffer,1846) (Sesiidae) Synonym(s): *oxybeliformis* Herrich-Schäffer,1846
 1596) **Chamaesphecia ruficoronata** Kallies, Petersen & Riefenstahl,1998 (Sesiidae) Synonym(s): *ruficoronata* Kallies, Petersen & Riefenstahl,1998
 1597) **Chamaesphecia schizoceriformis** (Kolenati,1846) (Sesiidae) Synonym(s): *schizoceriformis* Kolenati,1846
 1598) **Chamaesphecia schmidtiformis** (Freyer,1836) (Sesiidae) Synonym(s): *schmidtiformis* Freyer,1836
 1599) **Chamaesphecia schwingenschussi** (Le Cerf,1937) (Sesiidae) Synonym(s): *schwingenschussi* Le Cerf,1937
 1600) **Chamaesphecia turbida** Le Cerf,1937 (Sesiidae) Synonym(s): *turbida* Le Cerf,1937
 1601) **Chamaesphecia zarathustra** Gorbunov & K.Spatenka,1992 (Sesiidae) Synonym(s): *zarathustra* Gorbunov & K.Spatenka,1992
 1602) **Charanyca trigrammica** (Hufnagel,1766) (Noctuidae) Synonym(s): *trigrammica* Hufnagel,1766; *quercus* Fabricius,1775; *trilinea* [Denis & Schiffermüller],1775; *evidens* Thunberg,1784; *notacula* Fabricius,1787; *quercicola* Gmelin,1790; *bilinea* Hübner,1803; *semifuscans* Haworth,1809; *approximans* Haworth,1809; *asiaminorica* Pinker,1980
 1603) **Charitopus fulviventris** Förster,1860 (Encyrtidae) Synonym(s): *fulviventris* Förster,1860; *pinicola* Mercet,1916
 1604) **Charopus philoctetes** Abeille de Perrin,1885 (Melyridae) Synonym(s): *philoctetes* Abeille de Perrin,1885
 1605) **Charora crassivenosa** Saussure,1888 (Acrididae) Synonym(s): *crassivenosa* Saussure,1888
 1606) **Chazara** (Nechazara) **anthe** (Hoffmannsegg,1804) (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807.
 1607) **Chazara** (s.str.) **bischoffi** (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *bischoffi* Herrich-Schäffer,[1846]
 1608) **Chazara** (s.str.) **briseis** (Linnaeus,1764) (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
 1609) **Chazara incarnata** (Freyer,1838) (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840.
 1610) **Cheiloneurus claviger** Thomson,1876 (Encyrtidae) Synonym(s): *claviger* Thomson,1876; *graeffei* Ruschka,1923
 1611) **Cheiloneurus paralia** (Walker,1837) (Encyrtidae) Synonym(s): *paralia* Walker,1837; *formosus* Boheman,1852; *eriococci* Alam,1957; *brachyptera* Hoffer,1957; *nigrithorax* Hoffer,1957; *submacroptera* Hoffer,1957; *mongolicus* Szelényi,1971
 1612) **Cheilosisia** (s.str.) **proxima** (Zetterstedt,1843) (Syrphidae) Synonym(s): *proxima* Zetterstedt,1843
 1613) **Cheilosisia** (s.str.) **transcaucasica** Stackelberg,1960 (Syrphidae) Synonym(s): *transcaucasica* Stackelberg,1960
 1614) **Cheilosisia** (Taeniochilosia) **armeniaca** Stackelberg,1960 (Syrphidae) Synonym(s): *armeniaca* Stackelberg,1960
 1615) **Cheilosisia** (Taeniochilosia) **bakurianiensis** Kuznesov,1987 (Syrphidae) Synonym(s): *bakurianiensis* Kuznesov,1987

- 1616) *Cheilosia sahlbergi* (Becker, 1894) (Syrphidae) Synonym(s): *sahlbergi* Becker, 1894
- 1617) *Cheilotoma erythrostoma* Faldermann, 1837 (Chrysomelidae) Synonym(s): *erythrostoma* Faldermann, 1837
- 1618) *Cheilotoma musciformis* (Goeze, 1777) (Chrysomelidae) Synonym(s): *musciformis* Goeze, 1777
- 1619) *Cheilotrichia* (Empeda) *cinerascens* (Meigen, 1804) (Limoniidae) Synonym(s): *cinerascens* Meigen, 1804; *nubila* Schummel, 1829; *ditula* Zetterstedt, 1851; *tenella* Walker, 1856
- 1620) *Cheirosis acuminata* (Ménétriés, 1832) (Tenebrionidae) Synonym(s): *acuminata* Ménétriés, 1832; *ovata* Faldermann, 1837
- 1621) *Chelis reticulata* (Christoph, 1887) (Arctiidae) Synonym(s): *reticulata* Christoph, 1887
- 1622) *Chelostes vardzia* (Enukidze, 1976) (Braconidae) Synonym(s): *vardzia* Enukidze, 1976
- 1623) *Chelostoma* (Foveosmia) *distinctum* (Stöckert, 1929) (Megachilidae) Synonym(s): *distinctum* Stöckert, 1929
- 1624) *Chelostoma* (Foveosmia) *garrulum* (Warncke, 1991) (Megachilidae) Synonym(s): *garrulum* Warncke, 1991
- 1625) *Chelostoma* (Gyrodromella) *orientale* Schletterer, 1890 (Megachilidae) Synonym(s): *orientale* Schletterer, 1890
- 1626) *Chelostoma* (Gyrodromella) *proximum* Schletterer, 1889 (Megachilidae) Synonym(s): *proximum* Schletterer, 1889
- 1627) *Chelostoma* (Gyrodromella) *rapunculi* (Lepeletier, 1841) (Megachilidae) Synonym(s): *rapunculi* Lepeletier, 1841; *nigricornis* Nylander, 1848; *inermis* Eversmann, 1852; *casularum* Chevrier, 1872; *archanensis* Cockerell, 1928; *platyodonta* Cockerell, 1928
- 1628) *Chelostoma* (s.str.) *emarginatum* (Nylander, 1856) (Megachilidae) Synonym(s): *emarginatum* Nylander, 1856; *appendiculata* Morawitz, 1871; *angustata* Chevrier, 1872; *intermedia* Chevrier, 1872; *quadrifidum* Kriechbaumer, 1879; *incertum* Pérez, 1890; *ursina* Benoist, 1935
- 1629) *Chelostoma* (s.str.) *florisomnis* (Linnaeus, 1758) (Megachilidae) Synonym(s): *florisomnis* Linnaeus, 1758; *maxillosa* Linnaeus, 1767; *culmorum* Lepeletier, 1841; *parumcrinitus* Alfken, 1932
- 1630) *Chelostoma* (s.str.) *mocsaryi* Schletterer, 1889 (Megachilidae) Synonym(s): *mocsaryi* Schletterer, 1889
- 1631) *Chersotis* (Cyrebia) *anachoreta* (Herrich-Schäffer, [1851]) (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer, [1851]; *niesiolowskii* Koçak, 1987
- 1632) *Chersotis* (Cyrebia) *luperinoides* Guenée, 1852 (Noctuidae) Synonym(s): *luperinoides* Guenée, 1852
- 1633) *Chersotis* (s.str.) *alpestris* (Boisduval, [1837]) (Noctuidae) Synonym(s): *alpestris* Boisduval, [1837]
- 1634) *Chersotis* (s.str.) *anatolica* (Draudt, 1936) (Noctuidae) Synonym(s): *anatolica* Draudt, 1936; *elegantula* Boursin, 1945.
- 1635) *Chersotis* (s.str.) *andereggii* (Boisduval, [1837]) (Noctuidae) Synonym(s): *andereggii* Boisduval, [1837]
- 1636) *Chersotis* (s.str.) *capnistis* (Lederer, 1872) (Noctuidae) Synonym(s): *capnistis* Lederer, 1872; *neara* Püngeler, 1902.
- 1637) *Chersotis* (s.str.) *cuprea* ([Denis & Schiffermüller, 1775]) (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller, 1775; *haematitidea* Esper, [1794]; *palustris* Osthelder, 1927; *jordanovi* Touleschkov, 1951.
- 1638) *Chersotis* (s.str.) *ebertorum* Koçak, 1980 (Noctuidae) Synonym(s): *maraschi* Corti & Draudt, 1933 (p.61) *nec* Corti & Draudt, 1933 (p.58); *ebertorum* Koçak, 1980.
- 1639) *Chersotis* (s.str.) *elegans* (Eversmann, 1837) (Noctuidae) Synonym(s): *elegans* Eversmann, 1837; *grammiptera* Rambur, [1839].
- 1640) *Chersotis* (s.str.) *fimbriola* (Esper, [1798]) (Noctuidae) Synonym(s): *fimbriola* Esper, [1798]
- 1641) *Chersotis* (s.str.) *gratissima* (Corti, 1932) (Noctuidae) Synonym(s): *gratissima* Corti, 1932
- 1642) *Chersotis* (s.str.) *hahni* (Christoph, 1885) (Noctuidae) Synonym(s): *hahni* Christoph, 1885
- 1643) *Chersotis* (s.str.) *illauta* (Draudt, 1936) (Noctuidae) Synonym(s): *illauta* Draudt, 1936
- 1644) *Chersotis* (s.str.) *juvenis* (Staudinger, 1901) (Noctuidae) Synonym(s): *caelebs* Staudinger, 1900 *nec* Stgr., 1896; *juvenis* Staudinger, 1901; *clarivenosa* Draudt, 1936.
- 1645) *Chersotis* (s.str.) *laeta* (Rebel, 1904) (Noctuidae) Synonym(s): *laeta* Rebel, 1904
- 1646) *Chersotis* (s.str.) *larixia* (Guenée, 1852) (Noctuidae) Synonym(s): *larixia* Guenée, 1852.
- 1647) *Chersotis* (s.str.) *margaritacea* (Villers, 1789) (Noctuidae) Synonym(s): *margaritacea* Villers, 1789; *i-intactum* Hübner, [1803]; *#abruzzensis* Corti & Draudt, 1933; *espunensis* Calle, 1982
- 1648) *Chersotis* (s.str.) *multangula* (Hübner, [1803]) (Noctuidae) Synonym(s): *multangula* Hübner, [1803]; *dissoluta* Staudinger, 1900; *travunia* Schawerda, 1912; *stojanovi* Touleschkov, 1951.
- 1649) *Chersotis* (s.str.) *ocellina* ([Denis & Schiffermüller, 1775]) (Noctuidae) Synonym(s): *ocellina* [Denis & Schiffermüller, 1775; *phytheumae* Esper, [1803]
- 1650) *Chersotis* (s.str.) *rectangula* (Fabricius, 1787) (Noctuidae) Synonym(s): *rectangula* Fabricius, 1787.
- 1651) *Chersotis* (s.str.) *semna* (Püngeler, 1906) (Noctuidae) Synonym(s): *semna* Püngeler, 1906
- 1652) *Chersotis* (s.str.) *stenographa* Varga, 1979 (Noctuidae) Synonym(s): *stenographa* Varga, 1979
- 1653) *Chesistege korbi* (Bohatsch, 1910) (Geometridae) Synonym(s): *korbi* Bohatsch, 1910
- 1654) *Chetogena nigrofasciata* (Strobl, 1902) (Tachinidae) Synonym(s): *nigrofasciata* Strobl, 1902; *repanda* Mesnil, 1939
- 1655) *Chiasmia* (Godonela) *aestimaria* (Hübner, [1809]) (Geometridae) Synonym(s): *aestimaria* Hübner, [1809]; *contemptata* Guenée, [1858]; *aestimata* Herrich-Schäffer, 1861; *tunesella* Lucas, 1949.
- 1656) *Chiasmia* (Godonela) *syriacaria* (Staudinger, 1871) (Geometridae) Synonym(s): *syriacaria* Staudinger, 1871; *venerata* Christoph, 1887; *#syriacata* Wehrli, 1934.
- 1657) *Chiasmia clathrata* (Linnaeus, 1758) (Geometridae) Synonym(s): *clathrata* Linnaeus, 1758; *almacola* Wehrli, 1934.
- 1658) *Chiasmus conspurcatus* (Perris, 1857) (Cicadellidae) Synonym(s): *conspurcatus* Perris, 1857; *laboulbenii* Perris, 1857; *gautschii* Then, 1886
- 1659) *Chilades* (Freyeria) *trochylus* (Freyer, [1843]) (Lycaenidae) Synonym(s): *trochylus* Freyer, [1843]; *#trochilus* Herrich-Schäffer, [1845]; *parva* Murray, 1874; *persa* Bytinski-Salz & Brandt, 1937; *#supraradiata* Wagner, 1931
- 1660) *Chilades* (Freyeria) *trochylus trochylus* (Freyer, [1843]) (Lycaenidae) Synonym(s): *trochylus* Freyer, [1843]; *#trochilus* Herrich-Schäffer, [1845]; *parva* Murray, 1874; *persa* Bytinski-Salz & Brandt, 1937; *#supraradiata* Wagner, 1931.
- 1661) *Chilades* (Lachides) *galba* (Lederer, 1855) (Lycaenidae) Synonym(s): *galba* Lederer, 1855
- 1662) *Chilo christophi* Bleszynski, 1965 (Pyralidae) Synonym(s): *christophi* Bleszynski, 1965
- 1663) *Chilo luteellus* (Motschulsky, 1866) (Pyralidae) Synonym(s): *lutellus* Motschulsky, 1860 *nec* [Denis & Schiff.], 1775; *luteellus* Motschulsky, 1866; *concolorellus* Christoph, 1885; *gensamellus* Leech, 1889; *dubia* Bethune-Baker, 1894; *boxanus* Hering, 1903; *plumbosellus* Chrétien, 1910; *molydellus* Zerny, 1935; *molybdellus* Zerny, 1941.
- 1664) *Chilo pulverosellus* Ragonot, 1895 (Pyralidae) Synonym(s): *pulverosellus* Ragonot, 1895; *brevipalpellus* Zerny, 1914; *fernandezii* Joannis, 1932; *lemarchandellus* Lucas, 1945.
- 1665) *Chilodes maritima* (Tauscher, 1806) (Noctuidae) Synonym(s): *maritima* Tauscher, 1806; *bipunctana* Haworth, 1812.
- 1666) *Chionodes distinctella* (Zeller, 1839) (Gelechiidae) Synonym(s): *distinctella* Zeller, 1839; *striolattella* Heinemann, 1870; *tristella* Teich, 1889; *indistinctella* Rebel, 1901; *latiorella* Amsel, 1939; *unicolor* Toll, 1948; *deserticola* Piskunov, 1979.
- 1667) *Chionodes fumatella* (Douglas, 1850) (Gelechiidae) Synonym(s): *fumatella* Douglas, 1850; *celerella* Stainton, 1851; *oppletella* Herrich-Schäffer, 1854; *reuttiella* Heinemann, 1870; *nigricans* Heinemann, 1870; *syrticola* Staudinger, 1871
- 1668) *Chlaenius* (Chlaeniellus) *kindermanni* Chaudoir, 1856 (Carabidae) Synonym(s): *kindermanni* Chaudoir, 1856

- 1669) **Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis Fabricius,1787*
 1670) **Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis Schaller,1783*
 1671) **Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus Paykull,1790*
 1672) **Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus P.Rossi,1792*
 1673) **Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus Dejean,1826*
 1674) **Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus Duftschmid,1812*
 1675) **Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis Fischer von Waldheim,1829*
 1676) **Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens L.Dufour,1820*
 1677) **Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus Panzer,1796*
 1678) **Chlaenius viridis Ménétériés,1832** (Carabidae) Synonym(s): *viridis Ménétériés,1832*
 1679) **Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hyperici [Denis & Schiffermüller],1775; hypericii Fabricius,1787*
 1680) **Chloriona clavata Dlabola,1960** (Delphacidae) Synonym(s): *clavata Dlabola,1960*
 1681) **Chloriona glaucescens Fieber,1866** (Delphacidae) Synonym(s): *glaucescens Fieber,1866; alba Metcalf,1943; dorsalis Metcalf,1943; flava Metcalf,1943; nigrofasciata Metcalf,1943; nigromaculata Metcalf,1943*
 1682) **Chloriona oriens (Dlabola,1961)** (Delphacidae) Synonym(s): *oriens Dlabola,1961*
 1683) **Chloriona unicolor (Herrich-Schäffer,1835)** (Delphacidae) Synonym(s): *unicolor Herrich-Schäffer,1835; canariensis Lindberg,1954; edwardsi Le Quesne,1960*
 1684) **Chlorissa asphaleia Wiltshire,1966** (Geometridae) Synonym(s): *asphaleia Wiltshire,1966; #esphaleia Scoble,1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world].*
 1685) **Chlorissa cloraria (Hübner,[1813])** (Geometridae) Synonym(s): *cloraria Hübner,[1813]; porrinata Zeller,1848; porrinaria Heydenreich,1851.*
 1686) **Chlorissa pretiosaria Staudinger,1877** (Geometridae) Synonym(s): *pretiosaria Staudinger,1877*
 1687) **Chlorissa viridata (Linnaeus,1758)** (Geometridae) Synonym(s): *viridata Linnaeus,1758; volutata Fabricius,1775; sirene Villers,1789*
 1688) **Chlorita akdzhusani (Zachvatkin,1953)** (Cicadellidae) Synonym(s): *akdzhusani Zachvatkin,1953; afghanistanica Dlabola,1957*
 1689) **Chlorita alticola Logvinenko,1966** (Cicadellidae) Synonym(s): *alticola Logvinenko,1966*
 1690) **Chlorita augustinica Dlabola,1958** (Cicadellidae) Synonym(s): *augustinica Dlabola,1958*
 1691) **Chlorita caspica Dlabola,1961** (Cicadellidae) Synonym(s): *caspica Dlabola,1961*
 1692) **Chlorita orientalis (Dlabola,1961)** (Cicadellidae) Synonym(s): *orientalis Dlabola,1961*
 1693) **Chlorita popovi Zachvatkin,1953** (Cicadellidae) Synonym(s): *popovi Zachvatkin,1953*
 1694) **Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata Lethierry,1884*
 1695) **Chlorita uvaroviana Zachvatkin,1946** (Cicadellidae) Synonym(s): *uvaroviana Zachvatkin,1946; azerbaijdzhonica Zachvatkin,1946*
 1696) **Chloroclysta guriata (Emich,1873)** (Geometridae) Synonym(s): *guriata Emich,1873*
 1697) **Chloroclysta miata (Linnaeus,1758)** (Geometridae) Synonym(s): *miata Linnaeus,1758; miaria [Denis & Schiffermüller],1775; viridifasciaria Goeze,1781; virgata Fourcroy,1785 nec Hufn.,1767; coraciata Hübner,[1799]; viridulata Zetterstedt,1839; coraciaria La Harpe,1853*
 1698) **Chloroclysta siterata (Hufnagel,1767)** (Geometridae) Synonym(s): *siterata Hufnagel,1767; psittacata [Denis & Schiffermüller],1775; rubroviridata Donovan,1810; psittacaria Boisduval,1840*
 1699) **Chloroclysta truncata (Hufnagel,1767)** (Geometridae) Synonym(s): *truncata Hufnagel,1767; centumnotata Schulze,1775; russata [Denis & Schiffermüller],1775; perfuscatata Haworth,1809; commanotata Haworth,1809; saturata Stephens,1831; russaria Boisduval,1840; perfuscaria La Harpe,1853*
 1700) **Chloroperla zhiltzovae Zwick,1967** (Chloroperlidae) Synonym(s): *zhiltzovae Zwick,1967*
 1701) **Chlorophorus sartor (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *sartor O.F.Müller,1766*
 1702) **Chlorophorus varius (O.F.Müller,1766)** (Cerambycidae) Synonym(s): *varius O.F.Müller,1766; damascenus Chevrolat,1854 [ssp.]*
 1703) **Chlorops alpicolus Becker,1910** (Chloropidae) Synonym(s): *alpicolus Becker,1910*
 1704) **Chlorops caucasicus Smirnov,1964** (Chloropidae) Synonym(s): *caucasicus Smirnov,1964*
 1705) **Chlorops daghestanicus Smirnov,1964** (Chloropidae) Synonym(s): *daghestanicus Smirnov,1964*
 1706) **Chlorops palludus (Nartshuk,1963)** (Chloropidae) Synonym(s): *palludus Nartshuk,1963*
 1707) **Choerades fimbriata (Meigen,1820)** (Asilidae) Synonym(s): *fimbriata Meigen,1820; marginata sensu Meigen,1820*
 1708) **Choerades fulva (Meigen,1804)** (Asilidae) Synonym(s): *fulva Meigen,1804; proboscidea Loew,1847; aurigera Dufour,1850; aurifera Schiner,1854*
 1709) **Choeras dorsalis (Spinola,1808)** (Braconidae) Synonym(s): *dorsalis Spinola,1808*
 1710) **Chondrostega pastranum Lederer,1858** (Lasiocampidae) Synonym(s): *pastranum Lederer,1858; hyrcanum Staudinger,1871*
 1711) **Chonostropheus tristis (Fabricius,1794)** (Attelebidae) Synonym(s): *tristis Fabricius,1794; seminiger Reitter,1880*
 1712) **Choragus sheppardi Kirby,1818** (Anthribidae) Synonym(s): *sheppardi Kirby,1818; bostrichoides Müller,1821; niger Stephens,1830; pygmaeus Robert,1832; galeazzii Villa,1833; caucasicus Motschoulsky,1873; nitidipennis Gerhard,1901*
 1713) **Choragus vittatus Reitter,1885** (Anthribidae) Synonym(s): *vittatus Reitter,1885*
 1714) **Chorebus femoratus (Tobias,1962)** (Braconidae) Synonym(s): *femoratus Tobias,1962*
 1715) **Chorebus maculata (Hoffer,1954)** (Encyrtidae) Synonym(s): *maculata Hoffer,1954*
 1716) **Choreutis nemorana (Hübner,[1799])** (Choreutidae) Synonym(s): *nemorana Hübner,[1799]; incisalis Treitschke,1828; nemoranalisis Treitschke,1829; nemorella Herrich-Schäffer,1862*
 1717) **Chorisops nagatomii Rozkosny,1979** (Stratiomyidae) Synonym(s): *nagatomii Rozkosny,1979*
 1718) **Choristoneura diversana (Hübner,[1817])** (Tortricidae) Synonym(s): *diversana Hübner,[1817]; viduana Frölich,1828; transitana Guenée,1845; alfredana Duponchel,1846*
 1719) **Choristoneura hebenstreitella (Müller,1764)** (Tortricidae) Synonym(s): *hebenstreitella Müller,1764; pyrana Villers,1789; sorbiana Hübner,[1799]*
 1720) **Choristoneura lafauryana (Ragonot,1875)** (Tortricidae) Synonym(s): *lafauryana Ragonot,1875; inornatana Walsingham,1900*
 1721) **Choristoneura murinana (Hübner,[1799])** (Tortricidae) Synonym(s): *murinana Hübner,[1799]; caprimulgana Koch,1859; besseri Nowicki,1860; histrionana Ratzeburg,1868 nec Fröl.,1828; immaculana Wachtl,1882*
 1722) **Chorthippus (Glyptobothrus) apricarius (Linnaeus,1758)** (Acrididae) Synonym(s): *apricarius Linnaeus,1758*
 1723) **Chorthippus (Glyptobothrus) biguttulus (Linnaeus,1758)** (Acrididae) Synonym(s): *biguttulus Linnaeus,1758*

- 1724) Chorthippus (Glyptobothrus) brunneus (Thunberg,1815)** (Acrididae) Synonym(s): *brunneus* Thunberg,1815; *bicolor* Charpentier,1825; *biguttula* Stephens,1835; *rhomboida* Stephens,1835; *varipes* Stephens,1835; *venusa* Stephens,1835; *vittata* Stephens,1835; *brunneri* Werner,1902
- 1725) Chorthippus (Glyptobothrus) longicornis (Latreille,1804)** (Acrididae) Synonym(s): *longicornis* Latreille,1804
- 1726) Chorthippus (Glyptobothrus) macrocerus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *macrocerus* Fischer von Waldheim,1846
- 1727) Chorthippus (Glyptobothrus) mollis (Charpentier,1825)** (Acrididae) Synonym(s): *mollis* Charpentier,1825
- 1728) Chorthippus (Glyptobothrus) vagans (Eversmann,1848)** (Acrididae) Synonym(s): *vagans* Eversmann,1848
- 1729) Chorthippus (s.str.) abchasicus Ramme,1939** (Acrididae) Synonym(s): *abchasicus* Ramme,1939
- 1730) Chorthippus (s.str.) albomarginatus (De Geer,1773)** (Acrididae) Synonym(s): *albomarginatus* De Geer,1773; *elegans* Charpentier,1825; *tricarinata* Stephens,1835; *blandus* Fischer von Waldheim,1846; *hyalosuperficies* Voroncovsky,1928; *nigrofasciatus* Voroncovsky,1928; *porphyricus* Voroncovsky,1928
- 1731) Chorthippus (s.str.) dichrous (Eversmann,1859)** (Acrididae) Synonym(s): *dichrous* Eversmann,1859; *australia* Predtechenskii,1928
- 1732) Chorthippus (s.str.) loratus (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *loratus* Fischer von Waldheim,1846; *dorsatus* Giglio-Tos,1894; *brauneri* Znojko,1928; *dessyi* Jannone,1936
- 1733) Chorthippus (s.str.) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus* Zetterstedt,1821; *pratorum* Fieber,1852; *explicatus* Selys-Longchamps,1862; *nigrolineatus* Ivanov,1888; *sylvestris* Puschnig,1910; *montana* Chopard,1922; *caffra* Ramme,1825; *fuliginosus* Voroncovsky,1928; *prasinolateralis* Voroncovsky,1928; *prasinoperficies* Voroncovsky,1928; *prasinus* Voroncovsky,1928; *viridis* Voroncovsky,1928; *aemulus* Mishchenko,1951; *geriberti* Harz,1962; *caffer* Harz,1975
- 1734) Chortodes brevilinea (Fenn,1864)** (Noctuidae) Synonym(s): *brevilinea* Fenn,1864
- 1735) Chortodes pygmina (Haworth,1809)** (Noctuidae) Synonym(s): *pygmina* Haworth,1809; *fulva* Hübner,[1813].
- 1736) Chovela (s.str.) elongata Paykull,1798** (Leiodidae) Synonym(s): *elongata* Paykull,1798
- 1737) Chovela (s.str.) fencli Ruzicka,1993** (Leiodidae) Synonym(s): *fencli* Ruzicka,1993
- 1738) Chovela (s.str.) obscuripes Reitter,1888** (Leiodidae) Synonym(s): *obscuripes* Reitter,1888
- 1739) Chovela (s.str.) rousi Ruzicka,1993** (Leiodidae) Synonym(s): *rousii* Ruzicka,1993
- 1740) Chovela (s.str.) sagittaria Ruzicka,1993** (Leiodidae) Synonym(s): *sagittaria* Ruzicka,1993
- 1741) Chovela (s.str.) zolotarevi Reitter,1909** (Leiodidae) Synonym(s): *zolotarevi* Reitter,1909
- 1742) Chroocacus psittaceus Emeljanov,1962** (Cicadellidae) Synonym(s): *psittaceus* Emeljanov,1962
- 1743) Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménéttriés,1832; *hexastigma* Mannerheim,1837; *assimilans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaequalis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Obenberger,1916; *heterochroa* Obenberger,1916; *laticollis* Obenberger,1916; *leonhardi* Obenberger,1916; *sibirica* Obenberger,1916; *reinecki* Schirmer,1918; *eurythorax* Obenberger,1934; *nevstyi* Richter,1944
- 1744) Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894
- 1745) Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Campanyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930
- 1746) Chrysochaon dispar (Germar,1834)** (Acrididae) Synonym(s): *platypterus* Ocskay,1832; *dispar* Germar,1834; *decurtatum* Herrich-Schäffer,1840; *smilacea* Fischer von Waldheim,1846; *macroptera* Chopard,1922
- 1747) Chrysoclista abchastica (Sinev,1986)** (Agonoxenidae) Synonym(s): *abchastica* Sinev,1986
- 1748) Chrysoclista zagulyaevi Sinev,1979** (Agonoxenidae) Synonym(s): *zagulyaevi* Sinev,1979
- 1749) Chrysocrambus craterellus (Scopoli,1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958.
- 1750) Chrysocrambus linetellus (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,1848; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960.
- 1751) Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestiois* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
- 1752) Chrysolina adzharica Lopatin,1988** (Chrysomelidae) Synonym(s): *adzharica* Lopatin,1988
- 1753) Chrysolina armeniaca (Faldermann,1837)** (Chrysomelidae) Synonym(s): *armeniaca* Faldermann,1837; *persica* Jakob,1960 *nec* Jolivet,1951; *iranica* Medvedev,1975 *nec* Jacob,1954
- 1754) Chrysolina cerealis (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *cerealis* Linnaeus,1767
- 1755) Chrysolina chalcites (Germar,1824)** (Chrysomelidae) Synonym(s): *chalcites* Germar,1824; *festiva* Ménéttriés,1832
- 1756) Chrysolina coerulea (Scriba,1791)** (Chrysomelidae) Synonym(s): *coerulea* Scriba,1791; *angelica* Reiche & Saulcy,1858; *splendorifera* Motschoulsky,1860; *subfastuosa* Motschoulsky,1860; *bella* Jacoby,1890; *uzbekorum* Bechyne,1950; *iranica* Jakob,1954; *piffli* Lopatin,1967
- 1757) Chrysolina fastuosa (Scopoli,1763)** (Chrysomelidae) Synonym(s): *fastuosa* Scopoli,1763
- 1758) Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata* Paykull,1799
- 1759) Chrysolina gypsophilae (Küster,1845)** (Chrysomelidae) Synonym(s): *gypsophilae* Küster,1845; *lucidicollis* Küster,1845
- 1760) Chrysolina haemoptera (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *haemoptera* Linnaeus,1758
- 1761) Chrysolina halysa Bechyne,1950** (Chrysomelidae) Synonym(s): *porphyrea* Fairmaire,1865 *nec* Falderm.,1837; *halysa* Bechyne,1950; *ayrica* Bechyne,1950; *intercalaria* Bechyne,1950
- 1762) Chrysolina herbacea (Duftschmidt,1825)** (Chrysomelidae) Synonym(s): *herbacea* Duftschmidt,1825; *alacris* Bechyne,1950
- 1763) Chrysolina hyperici (Forster,1771)** (Chrysomelidae) Synonym(s): *hyperici* Forster,1771
- 1764) Chrysolina hyrcana (Weise,1884)** (Chrysomelidae) Synonym(s): *hyrcana* Weise,1884
- 1765) Chrysolina imperfecta (Breit,1920)** (Chrysomelidae) Synonym(s): *imperfecta* Breit,1920; *kaltenbachi* Jakob,1954
- 1766) Chrysolina kulzeri Bechyne,1950** (Chrysomelidae) Synonym(s): *kulzeri* Bechyne,1950
- 1767) Chrysolina limbata (Fabricius,1775)** (Chrysomelidae) Synonym(s): *limbata* Fabricius,1775
- 1768) Chrysolina lurida (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *lurida* Linnaeus,1767; *diluta* Joakimov,1904
- 1769) Chrysolina marginata (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *marginata* Linnaeus,1758; *unificans* Bechyne,1950
- 1770) Chrysolina orientalis (Olivier,1807)** (Chrysomelidae) Synonym(s): *orientalis* Olivier,1807; *campicola* Gistel,1857; *palaestina* Bechyne,1950; *thraeissa* Bechyne,1950
- 1771) Chrysolina polita (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polita* Linnaeus,1758
- 1772) Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudolurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952

- 1773) **Chrysolina sahlbergi (Ménétriés, 1832)** (Chrysomelidae) Synonym(s): *sahlbergi* Ménétriés, 1832; *cupreopunctata* Reiche, 1858; *venefica* Weise, 1884
- 1774) **Chrysolina salviae (Germar, 1824)** (Chrysomelidae) Synonym(s): *salviae* Germar, 1824; *sculptipennis* Faldermann, 1837
- 1775) **Chrysolina staphylea (Linnaeus, 1758)** (Chrysomelidae) Synonym(s): *staphylea* Linnaeus, 1758
- 1776) **Chrysolina trapezicollis Bechyné, 1952** (Chrysomelidae) Synonym(s): *trapezicollis* Bechyné, 1952
- 1777) **Chrysolina vernalis (Brullé, 1836)** (Chrysomelidae) Synonym(s): *vernalis* Brullé, 1836; *ottomana* Weise, 1906
- 1778) **Chrysomela collaris Linnaeus, 1758** (Chrysomelidae) Synonym(s): *collaris* Linnaeus, 1758
- 1779) **Chrysomela populi Linnaeus, 1758** (Chrysomelidae) Synonym(s): *populi* Linnaeus, 1758
- 1780) **Chrysomela vigintipunctata (Scopoli, 1763)** (Chrysomelidae) Synonym(s): *vigintipunctata* Scopoli, 1763
- 1781) **Chrysopa walkeri McLachlan, 1893** (Chrysopidae) Synonym(s): *walkeri* McLachlan, 1893; *novempunctata* Navas, 1912; *caucasica* Navas, 1920; *alpina* Navas, 1920
- 1782) **Chrysops (Petersenichrysops) buxtoni Austen, 1922** (Tabanidae) Synonym(s): *buxtoni* Austen, 1922
- 1783) **Chrysops (s.str.) mlokosiewiczzi Bigot, 1880** (Tabanidae) Synonym(s): *mlokosiewiczzi* Bigot, 1880; *iranensis* Bigot, 1892; *obscura* Kröder, 1923
- 1784) **Chrysops (s.str.) sejunctus Szilady, 1917** (Tabanidae) Synonym(s): *sejunctus* Szilady, 1917; *interruptus* Kröber, 1920 nec Meger., 1803
- 1785) **Chrysotimus (Guzeriplia) chlorinus (Negrobov, 1968)** (Dolichopodidae) Synonym(s): *chlorinus* Negrobov, 1968
- 1786) **Chrysotimus (s.str.) molliculus (Fallén, 1823)** (Dolichopodidae) Synonym(s): *molliculus* Fallén, 1823; *laetus* Meigen, 1824
- 1787) **Chrysotimus (s.str.) sinensis Parent, 1944** (Dolichopodidae) Synonym(s): *sinensis* Parent, 1944
- 1788) **Chrysotimus (s.str.) viridanus (Negrobov, 1978)** (Dolichopodidae) Synonym(s): *viridanus* Negrobov, 1978
- 1789) **Chrysotoxum bicinctum (Linnaeus, 1758)** (Syrphidae) Synonym(s): *bicinctum* Linnaeus, 1758
- 1790) **Chrysotoxum causicum Sack, 1930** (Syrphidae) Synonym(s): *derivatum* Becker, 1921 nec Wlk., 1849; *causicum* Sack, 1930
- 1791) **Chrysotoxum cautum (Harris, [1776])** (Syrphidae) Synonym(s): *cautum* Harris, [1776]
- 1792) **Chrysotoxum cisalpinum Rondani, 1845** (Syrphidae) Synonym(s): *cisalpinum* Rondani, 1845
- 1793) **Chrysotoxum elegans Loew, 1841** (Syrphidae) Synonym(s): *elegans* Loew, 1841
- 1794) **Chrysotoxum intermedium Meigen, 1822** (Syrphidae) Synonym(s): *intermedium* Meigen, 1822; *lunulatum* Brullé, 1832; *monticola* Schummel, 1842; *italicum* Rondani, 1845; *gracum* Walker, 1852; *gymnophthalmum* Giglio-Tos, 1890
- 1795) **Chrysotoxum parvulum Violenitsh, 1973** (Syrphidae) Synonym(s): *parvulum* Violenitsh, 1973
- 1796) **Chrysotoxum robustum Portschinsky, 1886** (Syrphidae) Synonym(s): *robustum* Portschinsky, 1886
- 1797) **Chrysotoxum stenolomum Violenitsh, 1973** (Syrphidae) Synonym(s): *stenolomum* Violenitsh, 1973
- 1798) **Chrysotoxum verae Violenitsh, 1973** (Syrphidae) Synonym(s): *verae* Violenitsh, 1973
- 1799) **Chrysotoxum veralli Collin, 1940** (Syrphidae) Synonym(s): *veralli* Collin, 1940
- 1800) **Chrysotoxum vernale Loew, 1841** (Syrphidae) Synonym(s): *vernale* Loew, 1841; *collinum* Rondani, 1857; *flavipenne* Palma, 1863; *fuscum* Giglio-Tos, 1890; *vernoloides* Giglio-Tos, 1890 q
- 1801) **Chrysotus alpicola Strobl, 1893** (Dolichopodidae) Synonym(s): *alpicola* Strobl, 1893; *nigerrimus* Becker, 1918
- 1802) **Chrysotus angulicornis Kowarz, 1874** (Dolichopodidae) Synonym(s): *angulicornis* Kowarz, 1874
- 1803) **Chrysotus cilipes Meigen, 1824** (Dolichopodidae) Synonym(s): *cilipes* Meigen, 1824; *subfemoratus* Frey, 1839; *callidus* Parent, 1944
- 1804) **Chrysotus collini Parent, 1923** (Dolichopodidae) Synonym(s): *collini* Parent, 1923
- 1805) **Chrysotus obscuripes Zetterstedt, 1838** (Dolichopodidae) Synonym(s): *obscuripes* Zetterstedt, 1838; *amplicornis* Lowarz, 1874; *kowarzi* Lundbeck, 1912
- 1806) **Chrysotus pennatus Lichtwardt, 1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt, 1902
- 1807) **Chrysotus pulchellus Kowarz, 1874** (Dolichopodidae) Synonym(s): *pulchellus* Kowarz, 1874
- 1808) **Chrysotus suavis Loew, 1857** (Dolichopodidae) Synonym(s): *suavis* Loew, 1857
- 1809) **Chrysura dichroa (Dahlbom, 1854)** (Chrysididae) Synonym(s): *dichroa* Dahlbom, 1854
- 1810) **Chunrocus pruni (Ribaut, 1952)** (Cicadellidae) Synonym(s): *pruni* Ribaut, 1952
- 1811) **Cicada orni Linnaeus, 1758** (Cicadidae) Synonym(s): *orni* Linnaeus, 1758; *punctata* Fabricius, 1798; *oleae* A. Costa, 1877
- 1812) **Cicadatra hyalina (Fabricius, 1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius, 1798; *geodesma* Kolenati, 1857; *taurica* Fieber, 1876; *virens* Fieber, 1876; *burriana* Horvath, 1912; *viridis* Haupt, 1917; *discrepans* Schumacher, 1923; *rossica* Schumacher, 1923
- 1813) **Cicadatra persica Kirkaldy, 1909** (Cicadidae) Synonym(s): *lineola* Hagen, 1856 (praeocc.); *persica* Kirkaldy, 1909
- 1814) **Cicadella viridis (Linnaeus, 1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus, 1758; *arundinis* Germar, 1821; *flavicatella* Graaf, 1854; *concolor* Haupt, 1912
- 1815) **Cicadetta caucasica (Kolenati, 1857)** (Cicadidae) Synonym(s): *caucasica* Kolenati, 1857; *imbecillis* Eversmann, 1859; *sareptana* Fieber, 1876
- 1816) **Cicadetta flaveola (Brullé, 1832)** (Cicadidae) Synonym(s): *flaveola* Brullé, 1832
- 1817) **Cicadetta haematophleps Fieber, 1876** (Cicadidae) Synonym(s): *haematophleps* Fieber, 1876
- 1818) **Cicadetta kollari Fieber, 1876** (Cicadidae) Synonym(s): *kollari* Fieber, 1876
- 1819) **Cicadetta montana (Scopoli, 1772)** (Cicadidae) Synonym(s): *montana* Scopoli, 1772; *flavofenestrata* Goeze, 1778; *schafferi* Gmelin, 1780; *pygmaea* Olivier, 1790; *dimidiata* Fabricius, 1803; *anglica* Samouelle, 1819; *parvula* Walker, 1850 (praeocc.); *saxonica* Hartwig, 1857; *megerlei* Fieber, 1876; *longipennis* Fieber, 1876
- 1820) **Cicadetta musiva (Germar, 1830)** (Cicadidae) Synonym(s): *musiva* Germar, 1830; *caspiaca* Kolenati, 1857; *tamarisci* Walker, 1870; *suoedicola* Bergevin, 1913
- 1821) **Cicadetta prasina (Pallas, 1773)** (Cicadidae) Synonym(s): *prasina* Pallas, 1773
- 1822) **Cicadivetta tibialis (Panzer, 1798)** (Cicadidae) Synonym(s): *tibialis* Panzer, 1798; *libanotica* Horvath, 1911; *cissilvanica* Haupt, 1935; *acuta* Dlabola, 1961
- 1823) **Cicadula divaricata Ribaut, 1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut, 1952; *Ribaut, 1952*
- 1824) **Cicadula lineatopunctata (Matsumura, 1908)** (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura, 1908; *siciliensis* Matsumura, 1908; *divaricata* Ribaut, 1952
- 1825) **Cicadula quadrinotata (Fabricius, 1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius, 1794; *strigipes* Zetterstedt, 1828; *spilotocephala* Hardy, 1850
- 1826) **Cicindela asiatica Audouin & Brullé, 1839** (Carabidae) Synonym(s): *asiatica* Audouin & Brullé, 1839
- 1827) **Cidaria fulvata (Forster, 1771)** (Geometridae) Synonym(s): *fulvata* Forster, 1771; *cuspidata* Thunberg, 1784
- 1828) **Cidnopus pilosus (Leske, 1785)** (Elateridae) Synonym(s): *pilosus* Leske, 1785
- 1829) **Cilix asiatica A. Bang-Haas, 1907** (Drepanidae) Synonym(s): *asiatica* A. Bang-Haas, 1907; *depalpata* Strand, 1913

- 1830) *Cilix glaucata* (Scopoli,1763)** (Drepanidae) Synonym(s): *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777
- 1831) *Cinglis humifusaria* (Eversmann,1837)** (Geometridae) Synonym(s): *humifusaria* Eversmann,1837
- 1832) *Cionus caucasicus* Reitter,1888** (Curculionidae) Synonym(s): *caucasicus* Reitter,1888
- 1833) *Circulifer haematoceps* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey,1855; *haagi* Kirschbaum,1868; *opacus* Kirschbaum,1868; *rubrotinctus* Kirschbaum,1868; *opacipennis* Lethierry,1876; *vittiventris* Lethierry,1876; *diluta* Ferrari,1882; *picta* Ferrari,1882; *minor* Ferrari,1884; *futilis* Horvath,1909; *unicolor* Haupt,1927; *haupti* Zachvatkin,1935; *viridiflavus* Lindberg,1948; *interibilis* Lindberg,1948
- 1834) *Cirrospilus lyncus* Walker,1838** (Eulophidae) Synonym(s): *lyncus* Walker,1838; *unifasciatus* Förster,1841; *caudatulus* Thomson,1878
- 1835) *Cirrospilus staryi* Boucek,1959** (Eulophidae) Synonym(s): *staryi* Boucek,1959
- 1836) *Cirrospilus variegatus* (Masi,1907)** (Eulophidae) Synonym(s): *variegatus* Masi,1907
- 1837) *Cirrospilus vittatus* Walker,1838** (Eulophidae) Synonym(s): *vittatus* Walker,1838; *lineatus* Förster,1841; *nigrolineatus* Crawford,1913; *sanguinea* Girault,1916; *pulcherrimus* Mercet,1916; *donatellae* Mariani,1942; *hytomyzae* Ishii,1953; *novickyi* Bakkendorf,1955
- 1838) *Cixius cambricus* China,1935** (Cixiidae) Synonym(s): *cambricus* China,1935; *borussicus* Wagner,1939; *austriacus* Wagner,1939
- 1839) *Cixius haupti* Dlabola,1949** (Cixiidae) Synonym(s): *montanus* Haupt,1949 (praeocc.); *haupti* Dlabola,1949
- 1840) *Cixius hispidus* Logvinenko,1967** (Cixiidae) Synonym(s): *hispidus* Logvinenko,1967
- 1841) *Cixius hylaeus* Logvinenko,1969** (Cixiidae) Synonym(s): *hylaeus* Logvinenko,1969
- 1842) *Cixius nervosus* (Linnaeus,1758)** (Cixiidae) Synonym(s): *nervosus* Linnaeus,1758; *hemerobioides* Schrank,1776; *fasciata* Fieber,1876; *minor* Ferrari,1885 (praeocc.); *atavus* Schumacher,1912; *longispinus* Wagner,1955
- 1843) *Cixius pallipes* Fieber,1876** (Cixiidae) Synonym(s): *pallipes* Fieber,1876; *notaticollis* Rey,1894; *fumipennis* Horvath,1897
- 1844) *Cixius similis* Kirschbaum,1868** (Cixiidae) Synonym(s): *similis* Kirschbaum,1868; *albipennis* Reuter,1880 (praeocc.); *reuteri* Metcalf,1936
- 1845) *Cixius simplex* (Herrich-Schäffer,1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank,1776 (praeocc.); *simplex* Herrich-Schäffer,1835; *minor* Kirschbaum,1868; *vitripennis* Kirschbaum,1868; *scotti* Edwards,1888
- 1846) *Clanoptilus (Hypoptilus) flavipalpis* (Abeille de Perrin,1891)** (Melyridae) Synonym(s): *flavipalpis* Abeille de Perrin,1891
- 1847) *Clanoptilus (s.str.) geniculatus* (Germar,1824)** (Melyridae) Synonym(s): *geniculatus* Germar,1824
- 1848) *Cleaver ciscaucasicus* Reitter,1910** (Staphylinidae) Synonym(s): *ciscaucasicus* Reitter,1910
- 1849) *Cleoceris scoriacea* (Esper,[1789])** (Noctuidae) Synonym(s): *scoriacea* Esper,[1789]; *capreae* Hübner,[1803].
- 1850) *Cleonymia (s.str.) baetica* (Rambur,1837)** (Noctuidae) Synonym(s): *baetica* Rambur,1837
- 1851) *Cleonymia (Serryvania) opposita* (Lederer,1870)** (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933.
- 1852) *Cleorodes lichenarius* (Hufnagel,1767)** (Geometridae) Synonym(s): *lichenaria* Hufnagel,1767
- 1853) *Cleopsis neglectana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer,1851; *flavana* Duponchel,1834 nec Hüb.,[1799]; *betulifolia* Lederer,1859; *striolana* Ragonot,1879; *xylotoma* Meyrick,1891; *severana* Kennel,1901; *delibatana* Rothschild,1912; *dorana* Kennel,1919; *acclivana* Zerny,1933.
- 1854) *Cleopsis pallidana* (Fabricius,1776)** (Tortricidae) Synonym(s): *pallidana* Fabricius,1776; *strigana* Hübner,[1799]; *stramineana* Herrich-Schäffer,[1851]; *quinquemaculana* Bremer,1864; *cesareana* Joannis,1891; *districta* Meyrick,1920.
- 1855) *Cleopsis praeclarana* (Kennel,1899)** (Tortricidae) Synonym(s): *praeclarana* Kennel,1899; *fucosana* Kennel,1901; *vittata* Obraztsov,1968.
- 1856) *Cleopsis rurinana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *rurinana* Linnaeus,1758; *modeerinana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935.
- 1857) *Cleopsis senecionana* (Hübner,[1819])** (Tortricidae) Synonym(s): *rusticana* Hübner,[1799] (praeocc.); *senecionana* Hübner,[1819]; *helvolana* Fröhlich,1828; *stramineana* Zetterstedt,1839; *porcana* Zetterstedt,1839; *pulverana* Eversmann,1844; *culmana* Peyerimhoff,1864.
- 1858) *Cleopsis spectrana* (Treitschke,1830)** (Tortricidae) Synonym(s): *spectrana* Treitschke,1830; *vinculana* Treitschke,1830; *lajorana* Stainton,1857; *liverana* Mansbridge,1914; *intermedia* Mansbridge,1914
- 1859) *Cleptes caucasicus* Semenov,1920** (Chrysididae) Synonym(s): *caucasicus* Semenov,1920; *hyrcanus* Semenov,1920
- 1860) *Cleptes femoralis* Mocsary,1890** (Chrysididae) Synonym(s): *femoralis* Mocsary,1890; *antakyensis* Linsenmaier,1968
- 1861) *Cleptes ignitus* (Fabricius,1787)** (Chrysididae) Synonym(s): *ignitus* Fabricius,1787
- 1862) *Cleptes pallipes* Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889
- 1863) *Cleptes semiauratus* (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761
- 1864) *Clerus mutillaroides* Reitter,1893** (Cleridae) Synonym(s): *mutillaroides* Reitter,1893
- 1865) *Cleta filacearia* (Herrich-Schäffer,[1847])** (Geometridae) Synonym(s): *filacearia* Herrich-Schäffer,[1847]
- 1866) *Cleta perpusillaria* (Eversmann,1847)** (Geometridae) Synonym(s): *perpusillaria* Eversmann,1847
- 1867) *Clogmia albipunctata* (Williston,1893)** (Psychodidae) Synonym(s): *albipunctata* Williston,1893; *nocturna* Abreu,1930; *nigrithorax* Abreu,1930; *haranti* Mirouse,1958
- 1868) *Clostera curtula* (Linnaeus,1758)** (Notodontidae) Synonym(s): *curtula* Linnaeus,1758; *albicaudaalba* Retzius,1783
- 1869) *Clostera pigra* (Hufnagel,1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936
- 1870) *Closterotomus costae* (Reuter,1888)** (Miridae) Synonym(s): *costae* Reuter,1888
- 1871) *Clytie (s.str.) delunaris* (Staudinger,1889)** (Noctuidae) Synonym(s): *delunaris* Staudinger,1889; *luteonigra* W. Warren,1913.
- 1872) *Clytie (s.str.) syriaca* (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
- 1873) *Clytie (s.str.) terrulenta* (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893
- 1874) *Clytra nigrocincta* (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *nigrocincta* Lacordaire,1848
- 1875) *Clytra novempunctata* Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920
- 1876) *Clytra valeriana* Ménétériés,1832** (Chrysomelidae) Synonym(s): *valeriana* Ménétériés,1832; *tetrastigma* Schmidt,1841; *#valerianae* Aydın & Kismali,1990
- 1877) *Clytus arietis* (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arietis* Linnaeus,1758
- 1878) *Clytus arietis lederi* Ganglbauer,1881** (Cerambycidae) Synonym(s): *lederi* Ganglbauer,1881
- 1879) *Clytus rhamni* Germar,1817** (Cerambycidae) Synonym(s): *rhamni* Germar,1817
- 1880) *Clytus schneideri* Kiesenwetter,1879** (Cerambycidae) Synonym(s): *schneideri* Kiesenwetter,1879

- 1881) Cnaemidophorus rhododactylus (Fabricius,1787)** (Pterophoridae) Synonym(s): *#rhododactyla* [Denis & Schiffermüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931; *#rhododactylus* Arenberger,1998
- 1882) Cnephasia (Cnephasiella) incertana (Treitschke,1835)** (Tortricidae) Synonym(s): *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistan* Amsel,1955; *atticana* Razowski,1958
- 1883) Cnephasia (s.str.) asseclana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *asseclana* [Denis & Schiffermüller],1775; *interjectana* Haworth,1811; *virgaureana* Treitschke,1835; *oleraceana* Gibson,1916
- 1884) Cnephasia (s.str.) chrysanthæana (Duponchel,1843)** (Tortricidae) Synonym(s): *chrysanthæana* Duponchel,1843; *cinareana* Chrétien,1892; *#cinereana* Meyrick,1912
- 1885) Cnephasia (s.str.) ciscaucasica Filipjev** (Tortricidae) Synonym(s):
- 1886) Cnephasia (s.str.) communana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *communana* Herrich-Schäffer,[1851]
- 1887) Cnephasia (s.str.) genitalana Pierce & Metcalfe,1922** (Tortricidae) Synonym(s): *genitalana* Pierce & Metcalfe,1922; *gallicana* Réal,1953
- 1888) Cnephasia (s.str.) grandis (Osthelder,1938)** (Tortricidae) Synonym(s): *grandis* Osthelder,1938
- 1889) Cnephasia (s.str.) helenica Obraztsov,1950** (Tortricidae) Synonym(s): *helenica* Obraztsov,1950; *hellenica* Obraztsov,1956
- 1890) Cnephasia (s.str.) orientana (Alpheraky,1877)** (Tortricidae) Synonym(s): *orientana* Alpheraky,1877
- 1891) Cnephasia (s.str.) pasiuna (Hübner,[1799])** (Tortricidae) Synonym(s): *pasiuna* Hübner,[1799]; *obsoletana* Stephens,1835; *pumicana* Zeller,1847; *#pasivana* Staudinger,1879; *crassifasciana* Joannis,1920; *linophagana* Rebel,1939; *pyrophagana* Rebel,1939; *cleuana* Réal,1952; *pseudotypica* Réal,1952; *algerana* Réal,1953; *blezynskii* Toll,1953; *hagiosana* Razowski,1959
- 1892) Cnephasia (s.str.) sedana (Constant,1884)** (Tortricidae) Synonym(s): *sedana* Constant,1884; *marcidana* Kennel,1901; *valderiana* Turati & Verity,1912; *alaicana* Caradja,1916; *agathana* Kennel,1919; *obscurana* Osthelder,1938; *oricasis* Meyrick,1932; *amseli* Razowski,1957; *pirizanica* Razowski,1965
- 1893) Cnephasia (s.str.) tianshanica Filipjev,1934** (Tortricidae) Synonym(s): *tianshanica* Filipjev,1934; *osthelderi* Obraztsov,1950; *sareptana* Razowski,1959; *alatauana* Razowski,1961.
- 1894) Cnephasia flavomarginata Jakovlev,1880** (Pentatomidae) Synonym(s): *flavomarginata* Jakovlev,1880
- 1895) Coccidiphila gerasimovi Danilevsky,1950** (Cosmopterigidae) Synonym(s): *gerasimovi* Danilevsky,1950
- 1896) Coccophagus gurneyi Compere,1929** (Aphelinidae) Synonym(s): *gurneyi* Compere,1929
- 1897) Coccophagus lycimnia (Walker,1839)** (Aphelinidae) Synonym(s): *lycimnia* Walker,1839; *lecanii* Fitch,1859; *ater* Howard,1881; *cognatus* Howard,1881; *vividus* Howard,1885; *californicus* Howard,1889; *coccidis* Girault,1917; *corni* Alam,1956; *taxi* Alam,1956
- 1898) Coccophagus scutellaris (Dalman,1826)** (Aphelinidae) Synonym(s): *scutellaris* Dalman,1826; *australiensis* Girault,1917
- 1899) Coccophagus semicircularis (Förster,1841)** (Aphelinidae) Synonym(s): *semicircularis* Förster,1841; *xanthostictus* Ratzeburg,1852; *nigrifrons* Wollaston,1858; *lunulatus* Howard,1894
- 1900) Cochyliomorpha asiana (Kennel,1899)** (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934.
- 1901) Cochyliomorpha cultana (Lederer,1855)** (Tortricidae) Synonym(s): *cultana* Lederer,1855; *pontana* Staudinger,1859; *extensana* Staudinger,1859; *lambessana* Baker,1888; *oedemana* Constant,1893; *bigenerana* Kennel,1900; *assalana* Chrétien,1915; *albidana* Caradja,1916; *symmerista* Meyrick,1935.
- 1902) Cochyliomorpha diana (Kennel,1899)** (Tortricidae) Synonym(s): *diana* Kennel,1899; *iraniana* Razowski,1963.
- 1903) Cochyliomorpha discolorana Kennel,1899** (Tortricidae) Synonym(s): *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; *#sarobica* Razowski,1964
- 1904) Cochyliomorpha halophilana (Christoph,1882)** (Tortricidae) Synonym(s): *halophilana* Christoph,1882
- 1905) Cochyliomorpha meridiana (Staudinger,1859)** (Tortricidae) Synonym(s): *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919.
- 1906) Cochyliomorpha nodulana (Möschler,1862)** (Tortricidae) Synonym(s): *nodulana* Möschler,1862
- 1907) Cochyliomorpha nomadana (Erschoff,1874)** (Tortricidae) Synonym(s): *nomadana* Erschoff,1874
- 1908) Cochyliomorpha pyramidana (Staudinger,1871)** (Tortricidae) Synonym(s): *pyramidana* Staudinger,1871
- 1909) Cochyliomorpha straminea (Haworth,[1811])** (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
- 1910) Cochyliis apricana Kennel,1899** (Tortricidae) Synonym(s): *amoenana* Kennel,1899 nec Wlk.,1863; *apricana* Kennel,1899
- 1911) Cochyliis epilana Duponchel,1842** (Tortricidae) Synonym(s): *epilana* Duponchel,1842; *carpophilana* Staudinger,1859.
- 1912) Cochyliis hybridella (Hübner,[1813])** (Tortricidae) Synonym(s): *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916.
- 1913) Cochyliis posterana Zeller,1847** (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935
- 1914) Cochyliis salebrana Mann,1862** (Tortricidae) Synonym(s): *salebrana* Mann,1862; *millierana* Peyerimhoff,1877.
- 1915) Cochyliis similana Razowski,1963** (Tortricidae) Synonym(s): *similana* Razowski,1963
- 1916) Codophila (Antheminia) lunulata (Goeze,1778)** (Pentatomidae) Synonym(s): *lunulata* Goeze,1778
- 1917) Codophila (s.str.) varia (Fabricius,1787)** (Pentatomidae) Synonym(s): *varia* Fabricius,1787; *longicornis* De la Fuente,1972
- 1918) Coelioxys (s.str.) aurolimbata Förster,1853** (Megachilidae) Synonym(s): *aurolimbata* Förster,1853
- 1919) Coenagrion syriacum (Morton,1924)** (Coenagrionidae) Synonym(s): *syriacum* Morton,1924
- 1920) Coenagrion vanbrinkae Lohmann,1993** (Coenagrionidae) Synonym(s): *vanbrinkae* Lohmann,1993
- 1921) Coenonympha (s.str.) arcania (Linnaeus,1761)** (Satyridae) Synonym(s): *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *triumphans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935.
- 1922) Coenonympha (s.str.) glycerion (Borkhausen,1788)** (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 nec Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 nec Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.
- 1923) Coenonympha (s.str.) leander (Fabricius,1787)** (Satyridae) Synonym(s): *#leander* Esper,[1784]; *leander* Fabricius,1787
- 1924) Coenonympha (s.str.) pamphilus (Linnaeus,1758)** (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926;

- juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 1925) **Coenonympha (s.str.) pamphilus pamphilus (Linnaeus,1758)** (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 1926) **Coenonympha (s.str.) saadi (Kollar,[1849])** (Satyridae) Synonym(s): *saadi* Kollar,[1849]; *iphias* Eversmann,1851.
- 1927) **Coenonympha (s.str.) symphita Lederer,1870** (Satyridae) Synonym(s): *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919
- 1928) **Coenophila miniago (Freyer,[1839])** (Noctuidae) Synonym(s): *miniago* Freyer,[1839]
- 1929) **Coenorhinus aeneovirens (Marsham,1802)** (Attelabidae) Synonym(s): *minutus* Herbst,1797; *aeneovirens* Marsham,1802; *punctatus* Olivier,1807; *obscurus* Gyllenhal,1833
- 1930) **Coenorhinus aequatus (Linnaeus,1767)** (Attelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903
- 1931) **Coenorhinus interpunctatus (Stephens,1831)** (Attelabidae) Synonym(s): *interpunctatus* Stephens,1831; *alliariae* Gyllenhal,1821
- 1932) **Coenorhinus pauxillus (Germar,1824)** (Attelabidae) Synonym(s): *pauxillus* Germar,1824; *persicus* Gyllenhal,1839; *pauculus* Voss,1933
- 1933) **Coenosia agromyzina (Fallén,1825)** (Muscidae) Synonym(s): *agromyzina* Fallén,1825
- 1934) **Coenosia brevicauda Pont,2005** (Muscidae) Synonym(s): *brevicauda* Pont,2005
- 1935) **Coenosia means Meigen,1826** (Muscidae) Synonym(s): *means* Meigen,1826
- 1936) **Coenosia nigridigita Rondani,1866** (Muscidae) Synonym(s): *nigridigita* Rondani,1866
- 1937) **Coenosia testacea (R-D.,1830)** (Muscidae) Synonym(s): *testacea* R-D.,1830
- 1938) **Coenosia tigrina (Fabricius,1775)** (Muscidae) Synonym(s): *tigrina* Fabricius,1775
- 1939) **Coenosia wernerae Pont,2005** (Muscidae) Synonym(s): *wernerae* Pont,2005
- 1940) **Colaphus hoefti (Ménétriés,1832)** (Chrysomelidae) Synonym(s): *hoefti* Ménétriés,1832
- 1941) **Colchia zagulajevi Lvovsky,1995** (Oecophoridae) Synonym(s): *zagulajevi* Lvovsky,1995
- 1942) **Coleophora alcyonipennella (Kollar,1832)** (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962
- 1943) **Coleophora armeniae Baldizzone & Patzak,1991** (Coleophoridae) Synonym(s): *armeniae* Baldizzone & Patzak,1991
- 1944) **Coleophora asperginella Christoph,1862** (Coleophoridae) Synonym(s): *asperginella* Christoph,1862
- 1945) **Coleophora bernoulliella (Goeze,1783)** (Coleophoridae) Synonym(s): *bernoulliella* Goeze,1783; *anatipennella* Hübner,1796
- 1946) **Coleophora caucasica Stainton,1867** (Coleophoridae) Synonym(s): *caucasica* Stainton,1867
- 1947) **Coleophora cherasforella Baldizzone,2001** (Coleophoridae) Synonym(s): *cherasforella* Baldizzone,2001
- 1948) **Coleophora coarctataephaga Toll,1961** (Coleophoridae) Synonym(s): *coarctataephaga* Toll,1961; *balcanica* Baldizzone,1994
- 1949) **Coleophora colutella (Fabricius,1794)** (Coleophoridae) Synonym(s): *colutella* Fabricius,1794, *serenella* Duponchel,1843; *crocinea* Tengström,1848; *stanioiui* Nemes,2004
- 1950) **Coleophora conspicuella Zeller,1849** (Coleophoridae) Synonym(s): *conspicua* Zeller,1849; *centaureicolella* Bruand,[1856]; *similis* Staudinger,1880; *aceris* Caradja,1920
- 1951) **Coleophora coronillae Zeller,1849** (Coleophoridae) Synonym(s): *coronillae* Zeller,1849
- 1952) **Coleophora deauratella Lienig & Zeller,1846** (Coleophoridae) Synonym(s): *deauratella* Lienig & Zeller,1846
- 1953) **Coleophora dianthi Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer,1855; *dianthella* Herrich-Schäffer,1861; *amseli* Toll,1942
- 1954) **Coleophora ditella Zeller,1849** (Coleophoridae) Synonym(s): *ditella* Zeller,1849; *tanacetii* Roesler,1866 nec Mühl.,1865; *roesleri* Wocke,[1876]; *anatolica* Toll,1952.
- 1955) **Coleophora dubiella Baker,1888** (Coleophoridae) Synonym(s): *dubiella* Baker,1888; *reisleri* Rebel,1926; *eucera* Toll,1952; *microeucera* Toll,1960; *leucostrigella* Toll,1960
- 1956) **Coleophora felixiella Baldizzone,1994** (Coleophoridae) Synonym(s): *felixiella* Baldizzone,1994
- 1957) **Coleophora ferruginea Baldizzone,1994** (Coleophoridae) Synonym(s): *ferruginea* Baldizzone,1994
- 1958) **Coleophora galbulipennella Zeller,1838** (Coleophoridae) Synonym(s): *galbulipennella* Zeller,1838; *otitae* Zeller,1839.
- 1959) **Coleophora gardesanella Toll,1953** (Coleophoridae) Synonym(s): *maritimella* Machin,1884 nec Newm.,1873; *gardsanella* Toll,1953; *machinella* Bradley,1971
- 1960) **Coleophora gaviaepennella Toll,1952** (Coleophoridae) Synonym(s): *gaviaepennella* Toll,1952
- 1961) **Coleophora geghardella Baldizzone,1994** (Coleophoridae) Synonym(s): *geghardella* Baldizzone,1994
- 1962) **Coleophora hemerobiella (Scopoli,1763)** (Coleophoridae) Synonym(s): *hemerobiella* Scopoli,1763
- 1963) **Coleophora horridula Baldizzone,2001** (Coleophoridae) Synonym(s): *horridula* Baldizzone,2001
- 1964) **Coleophora kroneella Fuchs,1899** (Coleophoridae) Synonym(s): *kroneella* Fuchs,1899
- 1965) **Coleophora limosipennella (Duponchel,1843)** (Coleophoridae) Synonym(s): *limosipennella* Duponchel,1843
- 1966) **Coleophora lixella Zeller,1849** (Coleophoridae) Synonym(s): *lixella* Zeller,1849
- 1967) **Coleophora mayrella (Hübner,[1813])** (Coleophoridae) Synonym(s): *fabriciella* Villers,1789 nec Swed.,1787; *mayrella* Hübner,[1813]; *spissicornis* Haworth,[1828]; *moldaviella* Nemes,2004
- 1968) **Coleophora niveicostella Zeller,1839** (Coleophoridae) Synonym(s): *niveicostella* Zeller,1839
- 1969) **Coleophora nutantella Mühlig & Frey,1857** (Coleophoridae) Synonym(s): *nutantella* Mühlig & Frey,1857
- 1970) **Coleophora obtectella Zeller,1849** (Coleophoridae) Synonym(s): *obtectella* Zeller,1849
- 1971) **Coleophora ochrea (Haworth,[1828])** (Coleophoridae) Synonym(s): *ochrea* Haworth,[1828]
- 1972) **Coleophora onopordiella Zeller,1849** (Coleophoridae) Synonym(s): *onopordiella* Zeller,1849; *eremica* Amsel,1935; *cerinaula* Meyrick,1936; *fusca* Toll,1952; *pseudophlomidella* Toll,1952; *sivandella* Toll,1959; *litorella* Nemes,2003
- 1973) **Coleophora ornatipennella (Hübner,1796)** (Coleophoridae) Synonym(s): *ornatipennella* Hübner,1796; *#agrammella* Rebel,1935.
- 1974) **Coleophora parcella Toll,1952** (Coleophoridae) Synonym(s): *parcella* Toll,1952
- 1975) **Coleophora pennella ([Denis & Schiffermüller],1775)** (Coleophoridae) Synonym(s): *pennella* [Denis & Schiffermüller],1775; *borowskiella* Goeze,1783; *mucosa* Fourcroy,1785; *mucosella* Villers,1789; *onosmella* Brahm,1791; *struthionipennella* Hübner,1796; *cornuum* Valtot,1818; *hispanicella* Möschler,1866; *diffinis* Staudinger,1880; *nervosella* Müller-Rutz,1927; *flavilineella* Toll,1952; *gogovi* Capuse,1971
- 1976) **Coleophora phlomidis Stainton,1867** (Coleophoridae) Synonym(s): *phlomidis* Stainton,1867
- 1977) **Coleophora rhinoceros Baldizzone,2001** (Coleophoridae) Synonym(s): *rhinoceros* Baldizzone,2001

- 1978) *Coleophora salinella* Stainton, 1858 (Coleophoridae) Synonym(s): *salinella* Stainton, 1858
- 1979) *Coleophora squamosella* Stainton, 1856 (Coleophoridae) Synonym(s): *squamosella* Stainton, 1856; *erigerella* Ford, 1935; *podolensis* Toll, 1938; *sabulicola* Benander, 1939
- 1980) *Coleophora subula* (Falkovitsh, 1993) (Coleophoridae) Synonym(s): *subula* Falkovitsh, 1993
- 1981) *Coleophora symphistropa* Reznik, 1976 (Coleophoridae) Synonym(s): *symphistropa* Reznik, 1976
- 1982) *Coleophora taeniipennella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *taeniipennella* Herrich-Schäffer, 1855; *galactaula* Meyrick, 1928
- 1983) *Coleophora tamara* Baldizzone, 1994 (Coleophoridae) Synonym(s): *tamara* Baldizzone, 1994
- 1984) *Coleophora trigeminella* Fuchs, 1881 (Coleophoridae) Synonym(s): *trigeminella* Fuchs, 1881
- 1985) *Coleophora trimaculella* Baldizzone, 2001 (Coleophoridae) Synonym(s): *trimaculella* Baldizzone, 2001
- 1986) *Coleophora univittella* Staudinger, 1880 (Coleophoridae) Synonym(s): *univittella* Staudinger, 1880
- 1987) *Coleophora vestianella* (Linnaeus, 1758) (Coleophoridae) Synonym(s): *vestianella* Linnaeus, 1758; *laripennella* Zetterstedt, 1839; *galbulipennella* Duponchel, 1843; *annulata* Tengström, 1848; *tengstroemella* Doubleday, 1859; *subtractella* Caradja, 1920
- 1988) *Coleophora vicinella* Zeller, 1849 (Coleophoridae) Synonym(s): *vicinella* Zeller, 1849; *gypsophilae* Christoph, 1862.
- 1989) *Colias* (Eriocolias) *crocea* (Fourcroy, 1785) (Pieridae) Synonym(s): *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893.
- 1990) *Colias* (Eriocolias) *crocea crocea* (Fourcroy, 1785) (Pieridae) Synonym(s): *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893.
- 1991) *Colias* (Eriocolias) *thisoa* Ménétériés, 1832 (Pieridae) Synonym(s): *thisoa* Ménétériés, 1832; *helenae* Herrich-Schäffer, [1844]; *eos* Herrich-Schäffer, [1848]; *#ludmilla* Schulte, 1989.
- 1992) *Colias* (Neocolias) *aurorina* Herrich-Schäffer, [1850] (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer, [1850]
- 1993) *Colias* (Neocolias) *caucasica* Staudinger, 1871 (Pieridae) Synonym(s): *caucasica* Staudinger, 1871; *olga* Romanoff, 1882; *anna* Gerhard, 1882.
- 1994) *Colias* (Neocolias) *chlorocoma* Christoph, 1888 (Pieridae) Synonym(s): *chlorocoma* Christoph, 1888
- 1995) *Colias* (s.str.) *alfacariensis* Ribbe, 1905 (Pieridae) Synonym(s): *alfacariensis* Ribbe, 1905
- 1996) *Colias* (s.str.) *hyale* (Linnaeus, 1758) (Pieridae) Synonym(s): *hyale* Linnaeus, 1758; *#amdensis* Verity, [1911].
- 1997) *Colias* (s.str.) *hyale hyale* (Linnaeus, 1758) (Pieridae) Synonym(s): *hyale* Linnaeus, 1758
- 1998) *Colletes* (fodiens gr.) *edentulus* Noskiewicz, 1936 (Colletidae) Synonym(s): *edentulus* Noskiewicz, 1936
- 1999) *Colletes* (senilis gr.) *hakkari* Kuhlmann, 2002 (Colletidae) Synonym(s): *hakkari* Kuhlmann, 2002
- 2000) *Colletes* (squamosus gr.) *rubellus* Noskiewicz, 1936 (Colletidae) Synonym(s): *rubellus* Noskiewicz, 1936
- 2001) *Collyria coxator* (Villers, 1789) (Ichneumonidae) Synonym(s): *coxator* Villers, 1789; *calcitrator* Gravenhorst, 1829
- 2002) *Colobochyla* (Caspicastra) *platyzona* (Lederer, 1870) (Noctuidae) Synonym(s): *platyzona* Lederer, 1870; *#platyzona* Hacker, 1990.
- 2003) *Colobochyla* (s.str.) *salicalis* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller], 1775; *salicatus* Haworth, 1809; *cinerea* Butler, 1879.
- 2004) *Colocasia coryli* (Linnaeus, 1758) (Noctuidae) Synonym(s): *coryli* Linnaeus, 1758; *gibbosa* Miller, 1764
- 2005) *Colostygia olivata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *olivata* [Denis & Schiffermüller], 1775
- 2006) *Colostygia pectinataria* (Knoch, 1781) (Geometridae) Synonym(s): *viridaria* Fabricius, 1775 nec Cl., 1759; *pectinataria* Knoch, 1781
- 2007) *Colotes maculatus* (Castelnau du Laporte, 1836) (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte, 1836
- 2008) *Colotois pennaria* (Linnaeus, 1761) (Geometridae) Synonym(s): *pennaria* Linnaeus, 1761; *cerasi* Fabricius, 1775; *bifidaria* Haworth, 1809
- 2009) *Colpoclypeus florus* (Walker, 1839) (Eulophidae) Synonym(s): *florus* Walker, 1839; *silvestrii* Lucchese, 1941
- 2010) *Comibaena bajularia* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *pustulata* Hufnagel, 1767 nec Müller, 1764; *bajularia* [Denis & Schiffermüller], 1775
- 2011) *Comperiella bifasciata* Howard, 1906 (Encyrtidae) Synonym(s): *bifasciata* Howard, 1906; *cerapterocera* Mercet, 1921; *eugeniae* Risbec, 1952
- 2012) *Coniocleonus excoriatus* (Schoenherr, 1834) (Curculionidae) Synonym(s): *excoriatus* Schoenherr, 1834; *melanographus* Fahreus, 1840
- 2013) *Conistra* (Dasycampa) *erythrocephala* (Fabricius, 1787) (Noctuidae) Synonym(s): *#erythrocephala* [Denis & Schiffermüller], 1775; *erythrocephala* Fabricius, 1787.
- 2014) *Conistra* (Dasycampa) *rubiginea* (Fabricius, 1787) (Noctuidae) Synonym(s): *#rubiginea* [Denis & Schiffermüller], 1775; *rubiginea* Fabricius, 1787; *tigerina* Esper, [1791]; *pulverea* Hübner, [1803]
- 2015) *Conistra* (s.str.) *asiatica* Pinker, 1980 (Noctuidae) Synonym(s): *asiatica* Pinker, 1980
- 2016) *Conistra* (s.str.) *ligula* (Esper, 1791) (Noctuidae) Synonym(s): *ligula* Esper, [1791]
- 2017) *Conistra* (s.str.) *ragusae* (Failla-Tedaldi, 1890) (Noctuidae) Synonym(s): *ragusae* Failla-Tedaldi, 1890
- 2018) *Conistra* (s.str.) *rubiginosa* (Scopoli, 1763) (Noctuidae) Synonym(s): *rubiginosa* Scopoli, 1763; *silene* [Denis & Schiffermüller], 1775; *vaupunctatum* Esper, [1786].
- 2019) *Conistra* (s.str.) *vaccinii* (Linnaeus, 1761) (Noctuidae) Synonym(s): *vaccinii* Linnaeus, 1761; *polita* [Denis & Schiffermüller], 1775; *spadicea* [Denis & Schiffermüller], 1775
- 2020) *Conistra* (s.str.) *veronicae* (Hübner, [1813]) (Noctuidae) Synonym(s): *veronicae* Hübner, [1813]
- 2021) *Conobathra quarcella* Roesler, 1987 (Pyralidae) Synonym(s): *quarcella* Roesler, 1987
- 2022) *Conoblemmus araxianus* Gorochov, 1996 (Gryllidae) Synonym(s): *araxianus* Gorochov, 1996
- 2023) *Conocephalus* (Anisoptera) *dorsalis* (Latreille, 1804) (Tettigoniidae) Synonym(s): *dorsalis* Latreille, 1804; *brevicaudatum* Uvarov, 1910; *hungaricus* Cziki, 1923
- 2024) *Conocephalus* (Xiphidion) *fuscus* (Fabricius, 1793) (Tettigoniidae) Synonym(s): *fuscus* Fabricius, 1793; *discolor* Thunberg, 1815; *thoracicus* Fischer von Waldheim, 1846; *concolor* Bolivar, 1878; *ponticus* Nedelkov, 1907; *turanicus* Semenov, 1916; *dilatatus* Ramme, 1951
- 2025) *Conomelus anceps* (Germar, 1821) (Delphacidae) Synonym(s): *anceps* Germar, 1821; *pictipennis* Curtis, 1837; *signifera* Boheman, 1845; *palliat* Boheman, 1849
- 2026) *Cononedys armenica* (Paramonov, 1929) (Bombyliidae) Synonym(s): *armeniaca* Paramonov, 1925 nec Param., 1925; *armenica* Paramonov, 1929
- 2027) *Conophorus caucasicus* Zaitzev, 1960 (Bombyliidae) Synonym(s): *caucasicus* Zaitzev, 1960
- 2028) *Conophorus glaucescens* (Loew, 1863) (Bombyliidae) Synonym(s): *glaucescens* Loew, 1863; *#glaucescens* Hasbenli & Aktaş, 1995
- 2029) *Conophorus nobilis* (Loew, 1873) (Bombyliidae) Synonym(s): *nobilis* Loew, 1873
- 2030) *Conophorus paraduncus* Paramonov, 1929 (Bombyliidae) Synonym(s): *paraduncus* Paramonov, 1929

- 2031) *Conophorus rjabovi* Paramonov, 1929 (Bombyliidae) Synonym(s): *rjabovi* Paramonov, 1929
- 2032) *Conophorus rjabovi* Paramonov, 1929 (Bombyliidae) Synonym(s): *rjabovi* Paramonov, 1929
- 2033) *Conophorus rossicus* Paramonov, 1929 (Bombyliidae) Synonym(s): *rossicus* Paramonov, 1929
- 2034) *Conophorus syriacus* Paramonov, 1929 (Bombyliidae) Synonym(s): *syriacus* Paramonov, 1929
- 2035) *Conophorus talyshensis* Zaitzev, 1960 (Bombyliidae) Synonym(s): *talyshensis* Zaitzev, 1960
- 2036) *Conophorus virescens* (Fabricius, 1787) (Bombyliidae) Synonym(s): *virescens* Fabricius, 1787; *maurus* Mikan, 1796; *hirticornis* Latreille, 1805; *semirostris* Pallas, 1818; *lurida* Wiedemann, 1820
- 2037) *Conops flavicaudus* (Bigot, 1880) (Conopidae) Synonym(s): *flavicaudus* Bigot, 1880; *euzonatus* Bigot, 1887; *superbus* Röder, 1899; *cypris* Janssens, 1955; *#flavicaudus* Stucke, Hayat & Özbek, 2008
- 2038) *Conops flavifrons* Meigen, 1824 (Conopidae) Synonym(s): *flavifrons* Meigen, 1824; *pugioniformis* Becker, 1913; *minor* Becker, 1922; *kroeberi* Paramonov, 1927; *immaculata* Paramonov, 1927
- 2039) *Conops flavipes* Linnaeus, 1758 (Conopidae) Synonym(s): *flavipes* Linnaeus, 1758
- 2040) *Conops insignis* Loew, 1848 (Conopidae) Synonym(s): *insignis* Loew, 1848; *laeta* Becker, 1922
- 2041) *Conops silaceus* Wiedemann, 1824 (Conopidae) Synonym(s): *silaceus* Wiedemann, 1824; *sareptanus* Becker, 1922
- 2042) *Conosimus caucasicus* Melichar, 1914 (Issidae) Synonym(s): *caucasicus* Melichar, 1914
- 2043) *Conosimus kobachidzei* Dlabola, 1958 (Issidae) Synonym(s): *kobachidzei* Dlabola, 1958
- 2044) *Conosimus nuchensis* Logvinenko, 1968 (Issidae) Synonym(s): *nuchensis* Logvinenko, 1968
- 2045) *Copidosoma agrotis* (Fonscolombe, 1832) (Encyrtidae) Synonym(s): *agrotis* Fonscolombe, 1832; *auricollis* Thomson, 1876; *peregrinus* Mercet, 1921
- 2046) *Copidosoma boucheanum* Ratzeburg, 1844 (Encyrtidae) Synonym(s): *boucheanum* Ratzeburg, 1844; *hilaris* Ratzeburg, 1852; *cultriformis* Mayr, 1876
- 2047) *Copidosoma breviclava* Hoffer, 1970 (Encyrtidae) Synonym(s): *breviclava* Hoffer, 1970
- 2048) *Copidosoma floridanum* (Ashmead, 1900) (Encyrtidae) Synonym(s): *floridanum* Ashmead, 1900; *japonicum* Ashmead, 1904; *javae* Girault, 1917; *nippon* Girault, 1917; *argentinus* Brèthes, 1913; *calypso* Crawford, 1914; *brasiliensis* Brèthes, 1920; *intermedia* Mercet, 1921; *walshi* Mercet, 1922; *maculata* Ishii, 1928; *brethesi* Blanchard, 1936; *daccaensis* Mani, 1941; *phytometrae* Risbec, 1951
- 2049) *Copidosoma varicorne* (Nees ab Esenbeck, 1834) (Encyrtidae) Synonym(s): *varicorne* Nees ab Esenbeck, 1834; *sylliptae* Risbec, 1951; *gallaephila* Risbec, 1951; *annulata* Nikolskaya, 1952; *clavellatus* Erdős, 1960; *batorligetensis* Erdős, 1960
- 2050) *Copium adumbratum* (Horvath, 1891) (Tingidae) Synonym(s): *adumbratum* Horvath, 1891
- 2051) *Copium brevicorne* (Jakovlev, 1880) (Tingidae) Synonym(s): *brevicorne* Jakovlev, 1880
- 2052) *Copium clavicorne* (Linnaeus, 1758) (Tingidae) Synonym(s): *clavicorne* Linnaeus, 1758; *punctata* Lamarck, 1816; *cornutum* Thunberg, 1822
- 2053) *Copium teucarii* (Host, 1788) (Tingidae) Synonym(s): *teucarii* Host, 1788; *lusitanicum* de Seabra, 1924
- 2054) *Copris felschei* Reitter, 1893 (Scarabaeidae) Synonym(s): *felschei* Reitter, 1893
- 2055) *Copris lunaris* (Linnaeus, 1758) (Scarabaeidae) Synonym(s): *lunaris* Linnaeus, 1758; *bifidus* Poda, 1761; *emarginatus* Olivier, 1789; *belisama* Schrank, 1798; *lunus* Schrank, 1798; *castaneus* Mulsant, 1842; *corniculatus* Mulsant, 1842; *deletus* Mulsant, 1842; *obliteratus* Mulsant, 1842; *gistelianus* Gistel, 1857; *jenisonianus* Gistel, 1857
- 2056) *Coproica vagans* (Haliday, 1833) (Sphaeroceridae) Synonym(s): *vagans* Haliday, 1833; *opacula* Stenhammar, 1854; *albipennis* Rondani, 1880; *flava* Duda, 1918
- 2057) *Copromyza (Lotophila) atra* (Meigen, 1830) (Sphaeroceridae) Synonym(s): *atra* Meigen, 1830; *modesta* Meigen, 1830; *lugens* Meigen, 1830; *geniculata* Macquart, 1835; *analys* von Reser, 1840; *ferruginea* Becker, 1908
- 2058) *Coptocephala chalybaea* (Germar, 1824) (Chrysomelidae) Synonym(s): *chalybaea* Germar, 1824; *apicalis* Lacordaire, 1848
- 2059) *Coptocephala gebleri* Gebler, 1841 (Chrysomelidae) Synonym(s): *quadrinaculatus* Fabricius, 1792 *nec* Linn., 1767; *gebleri* Gebler, 1841; *amasiensis* Weise, 1889; *inundata* Reitter, 1905
- 2060) *Coptosia antoniae* Reitter, 1889 (Cerambycidae) Synonym(s): *antoniae* Reitter, 1889
- 2061) *Coptosia bithynensis* Pic, 1900 (Cerambycidae) Synonym(s): *bithynensis* Pic, 1900
- 2062) *Coranus griseus* (Rossi, 1790) (Reduviidae) Synonym(s): *griseus* Rossi, 1790; *murinus* Rambur, 1840; *persicus* Wagner, 1952
- 2063) *Coranus tuberculifer* Reuter, 1881 (Reduviidae) Synonym(s): *tuberculifer* Reuter, 1881
- 2064) *Cordulegaster insignis* Schneider, 1845 (Cordulegasteridae) Synonym(s): *insignis* Schneider, 1845; *amasina* Morton, 1916
- 2065) *Cordulegaster picta* Selys, 1854 (Cordulegasteridae) Synonym(s): *picta* Selys, 1854
- 2066) *Cordylepherus koenigi* (Abeille de Perrin, 1900) (Melyridae) Synonym(s): *koenigi* Abeille de Perrin, 1900
- 2067) *Coreus marginatus* (Linnaeus, 1758) (Coreidae) Synonym(s): *marginatus* Linnaeus, 1758
- 2068) *Coriomeris affinis* (Herrich-Schäffer, 1839) (Coreidae) Synonym(s): *affinis* Herrich-Schäffer, 1839
- 2069) *Coriomeris armeniacus* Tshernova, 1978 (Coreidae) Synonym(s): *armeniacus* Tshernova, 1978
- 2070) *Coriomeris denticulatus* (Scopoli, 1763) (Coreidae) Synonym(s): *denticulatus* Scopoli, 1763
- 2071) *Coriomeris hirticornis* (Fabricius, 1794) (Coreidae) Synonym(s): *hirticornis* Fabricius, 1794
- 2072) *Coriomeris scabricornis* (Panzer, 1809) (Coreidae) Synonym(s): *scabricornis* Panzer, 1809
- 2073) *Coriomeris spinolai* (Costa, 1847) (Coreidae) Synonym(s): *spinolai* Costa, 1847
- 2074) *Coriomeris vitticornis* Reuter, 1900 (Coreidae) Synonym(s): *vitticornis* Reuter, 1900
- 2075) *Corixa dentipes* Thomson, 1869 (Corixidae) Synonym(s): *dentipes* Thomson, 1869
- 2076) *Corixa jakowleffi* Horvath, 1879 (Corixidae) Synonym(s): *jakowleffi* Horvath, 1879
- 2077) *Corizus fenestella* Horvath, 1917 (Rhopalidae) Synonym(s): *limbatus* Reuter, 1900 *nec* Rey, 1877; *fenestella* Horvath, 1917; *alternans* Horvath, 1917; *subs similis* Horvath, 1917; *diluta* Distant, 1918
- 2078) *Cornutiplusia circumflexa* (Linnaeus, 1767) (Noctuidae) Synonym(s): *circumflexa* Linnaeus, 1767; *lunata* Fabricius, 1787; *flexuosa* Donovan, 1807; *daubii* Freyer, 1838; *graphica* Herrich-Schäffer, 1851; *patefacta* Walker, [1858]; *reticulata* Moore, 1882; *clarescens* Pinker & Bacallado, 1975; *#unata* Kononenko & Pinratana, 2005
- 2079) *Corynis caucasica* (Mocsary, 1886) (Cimbicidae) Synonym(s): *caucasica* Mocsary, 1886
- 2080) *Corynis concinna* (Stein, 1876) (Cimbicidae) Synonym(s): *concinna* Stein, 1876; *sarta* Kuznetzov-Ugamskii; *bleyli* Muehe, 1964
- 2081) *Corynis frontina* (Konow, 1905) (Cimbicidae) Synonym(s): *frontina* Konow, 1905
- 2082) *Corynis lateralis* (Brullé, 1832) (Cimbicidae) Synonym(s): *lateralis* Brullé, 1832
- 2083) *Corynis obscura* (Fabricius, 1775) (Cimbicidae) Synonym(s): *obscura* Fabricius, 1775; *valkanovi* Vassilev, 1969
- 2084) *Coryphalus gyllenhalii* (Fallén, 1826) (Cicadellidae) Synonym(s): *gyllenhalii* Fallén, 1826
- 2085) *Cosmia (Calymnia) trapezina* (Linnaeus, 1758) (Noctuidae) Synonym(s): *trapezina* Linnaeus, 1758
- 2086) *Cosmia (s.str.) affinis* (Linnaeus, 1767) (Noctuidae) Synonym(s): *affinis* Linnaeus, 1767

- 2087) *Cosmia* (s.str.) *diffinis* (Linnaeus,1767)** (Noctuidae) Synonym(s): *diffinis* Linnaeus,1767
- 2088) *Cosmia* (s.str.) *pyralina* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *pyralina* [Denis & Schiffermüller],1775
- 2089) *Cosmoconus elongator* (Fabricius,1775)** (Ichneumonidae) Synonym(s): *elongator* Fabricius,1775
- 2090) *Cosmopterix crassicornicella* Chrétien,1896** (Cosmopterigidae) Synonym(s): *crassicornicella* Chrétien,1896; *flavipes* Turati,1930; *superba* Gozmany,1960; *dalii* Agenjo,1981
- 2091) *Cosmopterix pulcherimella* Chambers,1875** (Cosmopterigidae) Synonym(s): *pulcherimella* Chambers,1875; *parietariae* M.Hering,1931
- 2092) *Cosmorhoe ocellata* (Linnaeus,1758)** (Geometridae) Synonym(s): *ocellata* Linnaeus,1758; *lynca* Fabricius,1775; *lynceata* Fabricius,1781; *ocellaria* Boisduval,1840
- 2093) *Cossulus argentatus* (Staudinger,1887)** (Cossidae) Synonym(s): *argentatus* Staudinger,1887; *araxes* De Freina,1982
- 2094) *Cossulus lignosus* (Brandt,1938)** (Cossidae) Synonym(s): *lignosus* Brandt,1938
- 2095) *Cossulus turcomanicus* (Christoph,1893)** (Cossidae) Synonym(s): *turcomanicus* Christoph,1893
- 2096) *Cossus cossus* (Linnaeus,1758)** (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794
- 2097) *Costaconvexa polygrammata* (Borkhausen,1794)** (Geometridae) Synonym(s): *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *#rosea* Wiltshire,1946
- 2098) *Cotesia brevicornis* (Wesmael,1837)** (Braconidae) Synonym(s): *brevicornis* Wesmael,1837; *cleocleridis* Marshall,1889
- 2099) *Cotesia glabrata* (Telenga,1955)** (Braconidae) Synonym(s): *glabrata* Telenga,1955
- 2100) *Cotesia jucunda* (Marshall,1885)** (Braconidae) Synonym(s): *jucunda* Marshall,1885; *nigrinervis* Thomson,1895
- 2101) *Cotesia ruficrus* (Haliday,1834)** (Braconidae) Synonym(s): *ruficrus* Haliday,1834; *antipoda* Ashmead,1900; *manilae* Ashmead,1904; *sydneyensis* Cameron,1911; *narangae* Viereck,1913
- 2102) *Cotesia telengai* (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972; *amabilis* Nixon,1974
- 2103) *Cowperia areolata* (Walker,1872)** (Encyrtidae) Synonym(s): *longicornis* Fonscolombe,1832; *areolata* Walker,1872; *niger* Masi,1919
- 2104) *Crambus alienellus* (Germar & Kaulfuss,1817)** (Pyralidae) Synonym(s): *alienellus* Germar & Kaulfuss,1817; *zinckenellus* Sodoffsky,1830; *tigurinellus* Duponchel,1836; *ocellellus* Zetterstedt,1840.
- 2105) *Crambus pascuella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutulellus* Chrétien,1896.
- 2106) *Crambus perlellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
- 2107) *Crambus pratellus* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pratellus* Linnaeus,1758; *dumetellus* Hübner,[1813]; *saltalis* Hübner,[1825].
- 2108) *Craniophora ligustri* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ligustri* [Denis & Schiffermüller],1775; *ligustri* Fabricius,1787.
- 2109) *Craniophora pontica* (Staudinger,1879)** (Noctuidae) Synonym(s): *pontica* Staudinger,1879
- 2110) *Cratichneumon coruscator* (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *coruscator* Linnaeus,1758; *luridus* Gravenhorst,1829
- 2111) *Creightonella (Metamegachile) albisecta* (Klug,1817)** (Megachilidae) Synonym(s): *albisecta* Klug,1817
- 2112) *Crepidodera aurea* (Geoffroy,1785)** (Chrysomelidae) Synonym(s): *aurea* Geoffroy,1785; *cyanea* Marsham,1802; *metallica* Duftschmidt,1825; *gaudens* Stephens,1831; *laeta* Weise,1886; *splendens* Weise,1886; *purpurascens* Pic,1918; *syriaca* Pic,1918
- 2113) *Crepidodera fulvicornis* (Fabricius,1792)** (Chrysomelidae) Synonym(s): *fulvicornis* Fabricius,1792; *smaragdina* Foundras,1860; *pivicornis* Weise,1886; *jucunda* Weise,1886; *lapponica* Heikertinger,1950
- 2114) *Crepidodera lamina* (Bedel,1901)** (Chrysomelidae) Synonym(s): *lamina* Bedel,1901; *sapphirina* Weise,1886; *aeruginosa* Weise,1886; *cuprea* Weise,1886
- 2115) *Crepidodera nigricoxis* Allard,1878** (Chrysomelidae) Synonym(s): *nigricoxis* Allard,1878
- 2116) *Crioceris bicruciatu* (Sahlberg,1823)** (Chrysomelidae) Synonym(s): *bicruciatu* Sahlberg,1823; *merkli* Pic,1909
- 2117) *Crioceris sokolowi* Jacobson,1894** (Chrysomelidae) Synonym(s): *sokolowi* Jacobson,1894
- 2118) *Crobellocerus megilliformis* (Loew,1847)** (Asilidae) Synonym(s): *megilliformis* Loew,1847
- 2119) *Crocallis (Dzhugesia) rjabovi* Wehrli,1936** (Geometridae) Synonym(s): *rjabovi* Wehrli,1936
- 2120) *Crocallis* (s.str.) *elinguaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *elinguaria* Linnaeus,1758; *trapezaria* Boisduval,1840
- 2121) *Crocallis* (s.str.) *tusciaria* (Borkhausen,1793)** (Geometridae) Synonym(s): *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799]
- 2122) *Crocidosoma plebejana* Zeller,1847** (Tortricidae) Synonym(s): *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millière,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana* Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946.
- 2123) *Crocothemis erythraea* (Brullé,1832)** (Libellulidae) Synonym(s): *victoria* Fourcroy,1785; *erythraea* Brullé,1832; *coccinea* Charpentier,1840; *lorti* Kirby,1896
- 2124) *Croesia bergmanniana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *bergmanniana* Linnaeus,1758; *rosana* Hübner,1822.
- 2125) *Croesia forsskalleana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *forsskalleana* Linnaeus,1758; *forskaliana* Haworth,1811.
- 2126) *Crombruggia distans* (Zeller,1847)** (Pterophoridae) Synonym(s): *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactuae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997.
- 2127) *Crombruggia laeta* (Zeller,1847)** (Pterophoridae) Synonym(s): *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882.
- 2128) *Crossobela trinotella* (Herrich-Schäffer,[1856])** (Gelechiidae) Synonym(s): *trinotella* Herrich-Schäffer,[1856].
- 2129) *Cryphia (Bryoleuca) petricolor* (Lederer,1870)** (Noctuidae) Synonym(s): *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937.
- 2130) *Cryphia (Bryoleuca) raptricula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962
- 2131) *Cryphia (Bryoleuca) rectilinea* (W.Warren,1909)** (Noctuidae) Synonym(s): *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962.
- 2132) *Cryphia (Bryoleuca) seladona* (Christoph,1885)** (Noctuidae) Synonym(s): *seladona* Christoph,1885; *umovii* auct.

- 2133) Cryphia (Bryophila) domestica (Hufnagel,1766)** (Noctuidae) Synonym(s): *domestica* Hufnagel,1766; *perla* [Denis & Schiffermüller],1775.
- 2134) Cryphia (Bryophila) duskei (Christoph,1893)** (Noctuidae) Synonym(s): *duskei* Christoph,1893
- 2135) Cryphia (Bryophila) felina (Eversmann,1852)** (Noctuidae) Synonym(s): *felina* Eversmann,1852
- 2136) Cryphia (Bryophila) maeonis (Lederer,1865)** (Noctuidae) Synonym(s): *maeonis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909.
- 2137) Cryphia (Bryophila) protecta (Draudt,1931)** (Noctuidae) Synonym(s): *protecta* Draudt,1931
- 2138) Cryphia (Bryopsis) amasina (Draudt,1931)** (Noctuidae) Synonym(s): *amasina* Draudt,1931
- 2139) Cryphia (Bryopsis) muralis (Forster,1771)** (Noctuidae) Synonym(s): *muralis* Forster,1771; *lichenis* Fabricius,1775; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]; *viridior* Schawerda,1932
- 2140) Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) Synonym(s): *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *alni* Fabricius,1787; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813].
- 2141) Cryphia (Euthales) ochsi (Boursin,1941)** (Noctuidae) Synonym(s): *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952
- 2142) Cryphia (s.str.) fraudatricula (Hübner,[1803])** (Noctuidae) Synonym(s): *fraudatricula* Hübner,[1803]
- 2143) Cryphia (s.str.) receptricula (Hübner,[1803])** (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 *nec* Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétriés,1859.
- 2144) Cryphia uzahovi L.Ronkay & Herczig,1991** (Noctuidae) Synonym(s): *uzahovi* L.Ronkay & Herczig,1991
- 2145) Cryptobium chaudiroi Hochhuth,1851** (Staphylinidae) Synonym(s): *chaudiroi* Hochhuth,1851; *adanense* Rambousek,1906
- 2146) Cryptobium fracticorne (Paykull,1800)** (Staphylinidae) Synonym(s): *fracticorne* Paykull,1800; *jaquelinei* Boildieu,1859; *brevipenne* Mulsant & Rey,1861; *collare* Reitter,1884
- 2147) Cryptocephalus amasiensis Weise,1894** (Chrysomelidae) Synonym(s): *amasiensis* Weise,1894
- 2148) Cryptocephalus anticus Suffrian,1848** (Chrysomelidae) Synonym(s): *anticus* Suffrian,1848
- 2149) Cryptocephalus araxidis Weise,1898** (Chrysomelidae) Synonym(s): *araxidis* Weise,1898
- 2150) Cryptocephalus astracanicus Suffrian,1847** (Chrysomelidae) Synonym(s): *astracanicus* Suffrian,1847
- 2151) Cryptocephalus atriplicis Lopatin,1967** (Chrysomelidae) Synonym(s): *atriplicis* Lopatin,1967
- 2152) Cryptocephalus bicolor Eschscholtz,1818** (Chrysomelidae) Synonym(s): *bicolor* Eschscholtz,1818; *concinus* Suffrian,1853
- 2153) Cryptocephalus bilineatus (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *bilineatus* Linnaeus,1767; *armeniacus* Faldermann,1837; *moestus* Weise,1882; *partitus* Jacobson,1885; *bisbilineatus* Pic,1904
- 2154) Cryptocephalus bipunctatus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus,1758; *dispar* Paykull,1799
- 2155) Cryptocephalus concolor Suffrian,1847** (Chrysomelidae) Synonym(s): *concolor* Suffrian,1847
- 2156) Cryptocephalus connexus Olivier,1808** (Chrysomelidae) Synonym(s): *connexus* Olivier,1808
- 2157) Cryptocephalus curda Jacobson,1897** (Chrysomelidae) Synonym(s): *curda* Jacobson,1897
- 2158) Cryptocephalus ergensis Morawitz,1863** (Chrysomelidae) Synonym(s): *ergensis* Morawitz,1863
- 2159) Cryptocephalus flavipes Fabricius,1781** (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781
- 2160) Cryptocephalus hypochoeridis (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853
- 2161) Cryptocephalus imperialis Laicharting,1781** (Chrysomelidae) Synonym(s): *imperialis* Laicharting,1781
- 2162) Cryptocephalus janthinus Germar,1824** (Chrysomelidae) Synonym(s): *janthinus* Germar,1824
- 2163) Cryptocephalus moraei (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *moraei* Linnaeus,1758
- 2164) Cryptocephalus ocellatus Drapiez,1819** (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819
- 2165) Cryptocephalus octocasmus Bedel,1891** (Chrysomelidae) Synonym(s): *octocasmus* Bedel,1891
- 2166) Cryptocephalus parvulus Müller,1776** (Chrysomelidae) Synonym(s): *parvulus* Müller,1776
- 2167) Cryptocephalus populi Suffrian,1848** (Chrysomelidae) Synonym(s): *populi* Suffrian,1848
- 2168) Cryptocephalus prusias Suffrian,1853** (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853
- 2169) Cryptocephalus pygmaeus Fabricius,1792** (Chrysomelidae) Synonym(s): *pygmaeus* Fabricius,1792
- 2170) Cryptocephalus variceps Weise,1884** (Chrysomelidae) Synonym(s): *variceps* Weise,1884
- 2171) Cryptopimpla caligata (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *caligata* Gravenhorst,1829; *armenicator* Aubert,1977
- 2172) Ctenodasyptigia kobachidzei Gudjabidze,1965** (Sarcophagidae) Synonym(s): *kobachidzei* Gudjabidze,1965
- 2173) Ctenophora (Cnemoncosis) magnifica Loew,1869** (Tipulidae) Synonym(s): *magnifica* Loew,1869
- 2174) Ctenota armeniaca Paramonov,1930** (Asilidae) Synonym(s): *armeniaca* Paramonov,1930
- 2175) Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879; *pectinifera* André,1893; *obscura* Nonveiller,1959
- 2176) Cucullia (s.str.) absinthii (Linnaeus,1761)** (Noctuidae) Synonym(s): *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857
- 2177) Cucullia (s.str.) anifurca (Goeze,1781)** (Noctuidae) Synonym(s): *#lactucae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781.
- 2178) Cucullia (s.str.) argentea (Hufnagel,1766)** (Noctuidae) Synonym(s): *argentea* Hufnagel,1766
- 2179) Cucullia (s.str.) argentina (Fabricius,1787)** (Noctuidae) Synonym(s): *argentina* Fabricius,1787; *achalina* Püngeler,1900; *grisescens* F.Wagner,1931 *nec* Lch.,1900; *anatoliensis* Koçak,1980.
- 2180) Cucullia (s.str.) artemisiae (Hufnagel,1766)** (Noctuidae) Synonym(s): *artemisiae* Hufnagel,1766; *abrotani* [Denis & Schiffermüller],1775
- 2181) Cucullia (s.str.) asteris ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#asteris* [Denis & Schiffermüller],1775
- 2182) Cucullia (s.str.) balsamitae Boisduval,1840** (Noctuidae) Synonym(s): *balsamitae* Boisduval,1840
- 2183) Cucullia (s.str.) behouneki Hacker & Ronkay,1988** (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay,1988
- 2184) Cucullia (s.str.) biornata Fischer v. Waldheim,1840** (Noctuidae) Synonym(s): *biornata* Fischer v. Waldheim,1840; *#lobnorica* Draudt,1934
- 2185) Cucullia (s.str.) boryphora Fischer v. Waldheim,1840** (Noctuidae) Synonym(s): *boryphora* Fischer & Waldheim,1840; *lignata* Guenée,1841; *rimula* Freyer,1842
- 2186) Cucullia (s.str.) chamomillae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822].
- 2187) Cucullia (s.str.) cineracea Freyer,1841** (Noctuidae) Synonym(s): *cineracea* Freyer,1841
- 2188) Cucullia (s.str.) dracunculi (Hübner,[1813])** (Noctuidae) Synonym(s): *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guenée,1852; *linosyridis* Fuchs,1903.

- 2189) *Cucullia* (s.str.) *fraudatrix* Eversmann,1837** (Noctuidae) Synonym(s): *fraudatrix* Eversmann,1837; *pontica* Boisduval,1840.
- 2190) *Cucullia* (s.str.) *fuchsiana* Eversmann,1842** (Noctuidae) Synonym(s): *fuchsiana* Eversmann,1842
- 2191) *Cucullia* (s.str.) *gnaphalii* (Hübner,[1813])** (Noctuidae) Synonym(s): *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945.
- 2192) *Cucullia* (s.str.) *hemidiaphana* Graeser,1892** (Noctuidae) Synonym(s): *hemidiaphana* Graeser,1892
- 2193) *Cucullia* (s.str.) *improba* Christoph,1885** (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958
- 2194) *Cucullia* (s.str.) *lactea* (Fabricius,1787)** (Noctuidae) Synonym(s): *lactea* Fabricius,1787
- 2195) *Cucullia* (s.str.) *lucifuga* (Hübner,[1803])** (Noctuidae) Synonym(s): *lucifuga* Hübner,[1803].
- 2196) *Cucullia* (s.str.) *magnifica* Freyer,1839** (Noctuidae) Synonym(s): *magnifica* Freyer,1839
- 2197) *Cucullia* (s.str.) *mixta* Freyer,1841** (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846
- 2198) *Cucullia* (s.str.) *propinqua* Eversmann,1842** (Noctuidae) Synonym(s): *propinqua* Eversmann,1842
- 2199) *Cucullia* (s.str.) *ronkayi* Hacker & Pinker,1987** (Noctuidae) Synonym(s): *ronkayi* Hacker & Pinker,1987
- 2200) *Cucullia* (s.str.) *santolinae* Rambur,1834** (Noctuidae) Synonym(s): *santolinae* Rambur,1834
- 2201) *Cucullia* (s.str.) *santonici* (Hübner,[1813])** (Noctuidae) Synonym(s): *santonici* Hübner,[1813]; *yuennanensis* Boursin,1941
- 2202) *Cucullia* (s.str.) *scopariae* Dorfmeister,1853** (Noctuidae) Synonym(s): *scopariae* Dorfmeister,1853
- 2203) *Cucullia* (s.str.) *spectabilisoides* Poole,1989** (Noctuidae) Synonym(s): *spectabilis* Hübner,[1813] (*praeocc.*); *spectabilisoides* Poole,1989
- 2204) *Cucullia* (s.str.) *splendida* (Stoll,1782)** (Noctuidae) Synonym(s): *splendida* Stoll,1782
- 2205) *Cucullia* (s.str.) *tanacetii* (Goeze,1781)** (Noctuidae) Synonym(s): *tanacetii* Goeze,1781
- 2206) *Cucullia* (s.str.) *umbratica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
- 2207) *Cucullia* (s.str.) *virgaureae* Boisduval,1840** (Noctuidae) Synonym(s): *virgaureae* Boisduval,1840
- 2208) *Cucullia* (s.str.) *xeranthemi* Boisduval,1840** (Noctuidae) Synonym(s): *xeranthemi* Boisduval,1840
- 2209) *Cucullia* (Shargacucullia) *armena* G.Ronkay & L.Ronkay,1986** (Noctuidae) Synonym(s): *armena* G.Ronkay & L.Ronkay,1986
- 2210) *Cucullia* (Shargacucullia) *barthae* Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933
- 2211) *Cucullia* (Shargacucullia) *blattariae* (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790]
- 2212) *Cucullia* (Shargacucullia) *lanceolata* (Villers,1789)** (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
- 2213) *Cucullia* (Shargacucullia) *lychnitis* (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833
- 2214) *Cucullia* (Shargacucullia) *prenanthis* Boisduval,1840** (Noctuidae) Synonym(s): *prenanthis* Boisduval,1840; *ceramanthea* Freyer,1844.
- 2215) *Cucullia* (Shargacucullia) *scrophulariae* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852
- 2216) *Cucullia* (Shargacucullia) *strigicosta* Boursin,1940** (Noctuidae) Synonym(s): *strigicosta* Boursin,1940
- 2217) *Cucullia* (Shargacucullia) *verbasci* (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 2218) *Cueta* *lineosus* (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus* Rambur,1842; *morosus* Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915
- 2219) *Culex* (s.str.) *pipiens* Linnaeus,1758** (Culicidae) Synonym(s): *pipiens* Linnaeus,1758; *bifurcatus* Linnaeus,1758; *fasciatus* Müller,1764; *molestus* Forskal,1775; *trifurcatus* Fabricius,1794; *luteus* Meigen,1804; *domesticus* Germar,1817; *bicolor* Meigen,1818; *marginalis* Stephens,1825; *meridionalis* Leach,1825; *thoracicus* R-D.,1827; *calcitrans* R-D.,1827; *consobrinus* R-D.,1827; *unistriatus* Curtis,1837; *pallipes* Macquart,1838; *rufinus* Bigot,1888; *phytophagus* Ficalbi,1889; *agilis* Bigot,1889; *haematophagus* Ficalbi,1893; *melanorhinus* Giles,1900; *longefurcatus* Becker,1903; *varioannulatus* Theobald,1903; *azorensis* Theobald,1903; *quasimodestus* Theobald,1905; *osakensis* Theobald,1907; *comitatus* Dyar & Knab,1909; *dipseticus* Dyar & Knab,1909; *doliolum* Edwards,1912; *autogenicus* Roubaud,1935; *berbericus* Roubaud,1935; *sternopallidus* Roubaud,1945; *sternopunctatus* Roubaud,1945; *disjunctus* Roubaud,1957; *calloti* Rioux & Pech,1959; *erectus* Iglisch,1977; *torridus* Iglisch,1977
- 2220) *Culicoides* *abchazicus* Dzhafarov,1964** (Ceratopogonidae) Synonym(s): *abchazicus* Dzhafarov,1964
- 2221) *Culicoides* *alatavicus* Gutsevich & Smatov,1971** (Ceratopogonidae) Synonym(s): *fuscus* Gutsevich & Smatov,1966 *nec* Goet.,1952; *alatavicus* Gutsevich & Smatov,1971
- 2222) *Culicoides* *alazanicus* Dzhafarov,1961** (Ceratopogonidae) Synonym(s): *alazanicus* Dzhafarov,1961; *musilator* Kremer & Callot,1961
- 2223) *Culicoides* *alexandrae* Dzhafarov,1962** (Ceratopogonidae) Synonym(s): *alexandrae* Dzhafarov,1962
- 2224) *Culicoides* *azerbajdzhanicus* Dzhafarov,1962** (Ceratopogonidae) Synonym(s): *azerbajdzhanicus* Dzhafarov,1962
- 2225) *Culicoides* *beybienkoi* Dzhafarov,1962** (Ceratopogonidae) Synonym(s): *beybienkoi* Dzhafarov,1962
- 2226) *Culicoides* *bulbostylus* Khalaf,1961** (Ceratopogonidae) Synonym(s): *bulbostylus* Khalaf,1961
- 2227) *Culicoides* *caucasicus* Sergejev,1959** (Ceratopogonidae) Synonym(s): *caucasicus* Sergejev,1959
- 2228) *Culicoides* *circumscripatus* Kieffer,1918** (Ceratopogonidae) Synonym(s): *circumscripatus* Kieffer,1918; *nadayanus* Kieffer,1918; *edwardsi* Goetghebuer,1921; *algarum* Kieffer,1924; *salicola* Kieffer,1924; *pictidorsum* Kieffer,1924; *albonotatus* Vimmer,1932 *nec* Kieff.,1918; *albosignatus* Vimmer,1932; *polymaculatus* Vimmer,1932; *kirovabadicus* Dzhafarov,1964
- 2229) *Culicoides* *dzhafarovi* Remm,1967** (Ceratopogonidae) Synonym(s): *dzhafarovi* Remm,1967; *dzhafarovi* Callot,Kremer,Molet & Bach,1968
- 2230) *Culicoides* *firuzae* Dzhafarov,1958** (Ceratopogonidae) Synonym(s): *firuzae* Dzhafarov,1958
- 2231) *Culicoides* *flavidus* Dzhafarov,1959** (Ceratopogonidae) Synonym(s): *flavidus* Dzhafarov,1959
- 2232) *Culicoides* *flavipulcaris* Dzhafarov,1964** (Ceratopogonidae) Synonym(s): *flavipulcaris* Dzhafarov,1964
- 2233) *Culicoides* *gejgelensis* Dzhafarov,1964** (Ceratopogonidae) Synonym(s): *gejgelensis* Dzhafarov,1964
- 2234) *Culicoides* *grisescens* Edwards,1921** (Ceratopogonidae) Synonym(s): *grisescens* Edwards,1921
- 2235) *Culicoides* *heliophilus* Edwards,1921** (Ceratopogonidae) Synonym(s): *heliophilus* Edwards,1921; *latifrontis* Shkirzjanova,1962; *kobachidzei* Dzhafarov,1964
- 2236) *Culicoides* *ibericus* Dzhafarov,1963** (Ceratopogonidae) Synonym(s): *ibericus* Dzhafarov,1963
- 2237) *Culicoides* *kurensis* Dzhafarov,1960** (Ceratopogonidae) Synonym(s): *kurensis* Dzhafarov,1960
- 2238) *Culicoides* *longipennis* Khalaf,1957** (Ceratopogonidae) Synonym(s): *longipennis* Khalaf,1957; *flavisimilis* Dzhafarov,1964
- 2239) *Culicoides* *maritimus* Kieffer,1924** (Ceratopogonidae) Synonym(s): *maritimus* Kieffer,1924; *submaritimus* Dzhafarov,1962

- 2240) *Culicoides minutissimus* (Zetterstedt,1855)** (Ceratopogonidae) Synonym(s): *minutissimus* Zetterstedt,1855; *nanulus* Kieffer,1919; *albihalter* Kieffer,1919; *tugaicus* Dzshafarov,1960; *bychowskyi* Dzshafarov,1964
- 2241) *Culicoides musajevi* Dzshafarov,1961** (Ceratopogonidae) Synonym(s): *musajevi* Dzshafarov,1961
- 2242) *Culicoides odiatus* Austen,1921** (Ceratopogonidae) Synonym(s): *niger* Dzshafarov,1960 (*praeocc.*); *odiatus* Austen,1921; *indistinctus* Khalaf,1961; *lailae* Khalaf,1961; *kurektschaicus* Dzshafarov,1962; *conicus* Remm,1968
- 2243) *Culicoides odibilis* Austen,1921** (Ceratopogonidae) Synonym(s): *odibilis* Austen,1921
- 2244) *Culicoides pallidus* Khalaf,1957** (Ceratopogonidae) Synonym(s): *pallidus* Khalaf,1957; *stackelbergi* Dzshafarov,1962
- 2245) *Culicoides pictipennis* Staeger,1839** (Ceratopogonidae) Synonym(s): *pictipennis* Staeger,1839
- 2246) *Culicoides puncticollis* (Becker,1903)** (Ceratopogonidae) Synonym(s): *puncticollis* Becker,1903; *impressus* Kieffer,1918; *distigma* Kieffer,1922; *donatieni* Kieffer,1922; *sciniphes* Kieffer,1925; *bipunctatus* Vimmer,1932; *tripunctatus* Vimmer,1932; *wenigi* Vimmer,1932; *flavitaris* Vimmer,1932; *flavitaris* Vimmer,1932; *griseovittatus* Vimmer,1932; *luteosignatus* Vimmer,1932; *vavrai* Vimmer,1932
- 2247) *Culicoides ritzei* Dzshafarov,1964** (Ceratopogonidae) Synonym(s): *ritzei* Dzshafarov,1964
- 2248) *Culicoides rubzovi* Dzshafarov,1960** (Ceratopogonidae) Synonym(s): *rubzovi* Dzshafarov,1960
- 2249) *Culicoides saevanicus* Dzshafarov,1960** (Ceratopogonidae) Synonym(s): *saevanicus* Dzshafarov,1960
- 2250) *Culicoides saevus* Kieffer,1922** (Ceratopogonidae) Synonym(s): *saevus* Kieffer,1922; *dremskii* Zilahi-Sebess,1934; *puncticeps* Goetghebuer,1934; *micromaculithorax* Khalaf,1957
- 2251) *Culicoides seifadine* Dzshafarov,1958** (Ceratopogonidae) Synonym(s): *seifadine* Dzshafarov,1958; *flavidus* Dzshafarov,1959
- 2252) *Culicoides semimaculatus* Clastrier,1958** (Ceratopogonidae) Synonym(s): *clastrier*,1958; *karajevi* Dzshafarov,1961
- 2253) *Culicoides subfasciipennis* Kieffer,1919** (Ceratopogonidae) Synonym(s): *subfasciipennis* Kieffer,1919; *anal* Kieffer,1925
- 2254) *Culicoides subgrises* Dzshafarov,1964** (Ceratopogonidae) Synonym(s): *subgrises* Dzshafarov,1964
- 2255) *Culicoides thiliscus* Dzshafarov,1964** (Ceratopogonidae) Synonym(s): *thiliscus* Dzshafarov,1964; *dendriticus* Boorman,1976
- 2256) *Culiseta* (*Culicella*) *fumipennis* (Stephens,1825)** (Culicidae) Synonym(s): *fumipennis* Stephens,1825; *ficalbii* Noe,1899; *theobaldi* Meijere,1911; *setivalva* Monchadskii,1936
- 2257) *Culiseta* (*Culicella*) *morsitans* (Theobald,1901)** (Culicidae) Synonym(s): *morsitans* Theobald,1901; *dyari* Coquillett,1902; *brittoni* Felt,1905; *parodites* Dyar,1928
- 2258) *Culiseta* (s.str.) *annulata* (Schränk,1776)** (Culicidae) Synonym(s): *annulata* Schränk,1776; *annulatus* Fabricius,1787; *affinis* Stephens,1825; *nicaensis* Leach,1825; *ferruginata* Martini,1924
- 2259) *Cupido* (Everes) *argiades* (Pallas,1771)** (Lycanidae) Synonym(s): *argiades* Pallas,1771; *tiresias* Rottemburg,1775; *amyntas* [Denis & Schiffermüller],1775 *nec* Poda,1761; *irenae* Dujardin,1974.
- 2260) *Cupido* (s.str.) *minimus* (Fuessly,1775)** (Lycanidae) Synonym(s): *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801.
- 2261) *Cupido* (s.str.) *osiris* (Meigen,[1829])** (Lycanidae) Synonym(s): *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833].
- 2262) *Cyamophila astragalicola* (Gegechkori,1977)** (Psyllidae) Synonym(s): *astragalicola* Gegechkori,1977
- 2263) *Cybalomia pentadalis* (Lederer,1855)** (Pyralidae) Synonym(s): *pentadalis* Lederer,1855
- 2264) *Cybister* (Scaphinectes) *lateralimarginalis* (De Geer,1774)** (Dytiscidae) Synonym(s): *lateralimarginalis* De Geer,1774
- 2265) *Cyclophora albipunctata* (Hufnagel,1767)** (Geometridae) Synonym(s): *albipunctata* Hufnagel,1767; *suspensa* Retzius,1783; *pupillaria* Brahm,1791; *circularia* Fabricius,1798; *vusarmana* Walker,1861; *ianthinarium* Stichel,1901; *subroseata* Woodforde,1902
- 2266) *Cyclophora annularia* (Fabricius,1775)** (Geometridae) Synonym(s): *annularia* Fabricius,1775; *annulata* Schulze,1775
- 2267) *Cyclophora linearia* (Hübner,[1799])** (Geometridae) Synonym(s): *zonata* Fourcroy,1785; *luteolaria* Villers,1789; *linearia* Hübner,[1799]; *strabonaria* Zeller,1851
- 2268) *Cyclophora porata* (Linnaeus,1767)** (Geometridae) Synonym(s): *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825
- 2269) *Cyclophora punctaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
- 2270) *Cyclophora pupillaria* (Hübner,[1799])** (Geometridae) Synonym(s): *pupillaria* Hübner,[1799].
- 2271) *Cyclophora quercimontaria* (Bastelberger,1897)** (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrosarsaria* Scoble,1999; *privataria* Scoble,1999
- 2272) *Cydia amplana* (Hübner,[1799])** (Tortricidae) Synonym(s): *amplana* Hübner,[1799]; *molybdana* Constant,1884
- 2273) *Cydia compositella* (Fabricius,1775)** (Tortricidae) Synonym(s): *compositella* Fabricius,1775; *quadrella* Goeze,1783; *quadratella* Fourcroy,1785; *composana* Fabricius,1798; *gundiana* Hübner,[1799]; *compositana* Haworth,1802; *simillimana* Toll,1953
- 2274) *Cydia duplicana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *?dahliana* Frölich,1828; *duplicana* Zetterstedt,1839; *#interruptana* Herrich-Schäffer,1848; *interruptana* Herrich-Schäffer,1851
- 2275) *Cydia funebrana* (Treitschke,1835)** (Tortricidae) Synonym(s): *funebrana* Treitschke,1835; *cerasana* Kozhantschikov,1953
- 2276) *Cydia geniculana* (La Harpe,1858)** (Tortricidae) Synonym(s): *geniculana* La Harpe,1858; *discretana* Wocke,1861;
- 2277) *Cydia janthinana* (Duponchel,1843)** (Tortricidae) Synonym(s): *janthinana* Duponchel,1843; *incisana* Herrich-Schäffer,1851
- 2278) *Cydia leucogrammana* (Hofmann,1898)** (Tortricidae) Synonym(s): *leucogrammana* Hofmann,1898
- 2279) *Cydia lunulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *lunulana* [Denis & Schiffermüller],1775; *mederleana* Frölich,1828; *jungiana* Frölich,1828; *selenana* Zeller,1847; *effusana* Lederer,1855; *conspectana* Lederer,1859; *selliferana* Kennel,1901; *bipartitana* Kennel,1901; *dimidiatana* Kennel,1901; *intacta* Walsingham, 1903; *amplidorsana* Caradja,1916; *exosticha* Meyrick,1936; *praedorsana* Amsel,1958
- 2280) *Cydia medicaginis* (Kuznetsov,1962)** (Tortricidae) Synonym(s): *medicaginis* Kuznetsov,1962
- 2281) *Cydia molesta* (Busck,1916)** (Tortricidae) Synonym(s): *molesta* Busck,1916
- 2282) *Cydia phalacris* (Meyrick,1912)** (Tortricidae) Synonym(s): *phalacris* Meyrick,1912; *elongata* Kuznetsov,1962
- 2283) *Cydia pomonella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859
- 2284) *Cydia pryorvora* Danilevsky,1947** (Tortricidae) Synonym(s): *pyrivora* Danilevsky,1947; *dannehli* Obratsov,1950
- 2285) *Cydia rjabovi* (Kuznetsov,1962)** (Tortricidae) Synonym(s): *rjabovi* Kuznetsov,1962

- 2286** *Cydia semicinctana* (Kennel,1901) (Tortricidae) Synonym(s): *semicinctana* Kennel,1901
- 2287** *Cydia succedana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] nec [Den. & Schiff.],1775; *griseana* Osthelder,1938
- 2288** *Cydia triangulella* (Goeze,1783) (Tortricidae) Synonym(s): *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *#glandella* Schrank,1802; *reaumurana* Heyden,1860
- 2289** *Cylindera* (Cicindina) *arenaria* (Fuessli,1775) (Carabidae) Synonym(s): *arenaria* Fuessli,1775
- 2290** *Cylindera* (Cicindina) *sublacerata* (Solsky,1874) (Carabidae) Synonym(s): *sublacerata* Solsky,1874
- 2291** *Cylindera* (s.str.) *germanica* (Linnaeus,1758) (Carabidae) Synonym(s): *germanica* Linnaeus,1758
- 2292** *Cyllenia marginata* Loew,1846 (Bombyliidae) Synonym(s): *marginata* Loew,1846
- 2293** *Cyllenia rustica* (Rossi,1790) (Bombyliidae) Synonym(s): *rustica* Rossi,1790; *maculata* Latreille,1802; *cyllenia* Lamarck,1816
- 2294** *Cymatia coleoptrata* (Fabricius,1777) (Corixidae) Synonym(s): *coleoptrata* Fabricius,1777
- 2295** *Cymatia rogenhoferi* (Fieber,1864) (Corixidae) Synonym(s): *rogenhoferi* Fieber,1864
- 2296** *Cymbalophora rivularis* (Ménétriés,1832) (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
- 2297** *Cymbionotum* (s.str.) *pictulum* (Bates,1874) (Carabidae) Synonym(s): *pictulum* Bates,1874; *transcaucasica* Chaudoir,1874; *signata* Semenov,1889
- 2298** *Cymbionotum* (s.str.) *semelederi* (Chaudoir,1861) (Carabidae) Synonym(s): *semelederi* Chaudoir,1861; *alginus* Chaudoir,1876; *funerula* Fairmaire,1885; *luniferum* Andrewes,1935; *houskai* Jedlicka,1951
- 2299** *Cymbionotum* (s.str.) *transcaspicum* (Semenov,1891) (Carabidae) Synonym(s): *transcaspicum* Semenov,1891; *rufotestaceus* Pic,1904 nec Fairm.,1893; *mesopotamicus* Csiki,1929
- 2300** *Cymophyes ochroleuca* Fieber,1870 (Lygaeidae) Synonym(s): *ochroleuca* Fieber,1870; *#ochrolenca* Önder et al.,2006
- 2301** *Cymus clavivulus* (Fallén,1807) (Lygaeidae) Synonym(s): *clavivulus* Fallén,1807
- 2302** *Cymus glandicolor* Hahn,1832 (Lygaeidae) Synonym(s): *glandicolor* Hahn,1832
- 2303** *Cymus melanocephalus* Fieber,1861 (Lygaeidae) Synonym(s): *melanocephalus* Fieber,1861
- 2304** *Cyphon arietizans* Nyholm,1970 (Scirtidae) Synonym(s): *arietizans* Nyholm,1970
- 2305** *Cyphon buceros* Nyholm,1949 (Scirtidae) Synonym(s): *buceros* Nyholm,1949
- 2306** *Cyphon longiusculus* Nyholm,1970 (Scirtidae) Synonym(s): *longiusculus* Nyholm,1970
- 2307** *Cyphon wittmeri* Nyholm,1970 (Scirtidae) Synonym(s): *wittmeri* Nyholm,1970
- 2308** *Cyrtisopsis melleus* (Loew,1856) (Mythicomyiidae) Synonym(s): *melleus* Loew,1856
- 2309** *Cyrtogaster vulgaris* Walker,1833 (Pteromalidae) Synonym(s): *vulgaris* Walker,1833; *cingulipes* Walker,1833; *rufipes* Walker,1833; *tenuis* Walker,1833; *thoracica* Walker,1833; *viridiaeneus* Nees,1834; *aquisgranensis* Förster,1841; *acarnas* Walker,1848; *degener* Walker,1872
- 2310** *Cyrtotypx latipes* (Rondani,1874) (Pteromalidae) Synonym(s): *latipes* Rondani,1874; *dacicida* Masi,1907; *virescens* Masi,1908; *lesbiacus* Masi,1922; *albicus* Masi,1934
- 2311** *Cyrtosia obscuripes* Loew,1855 (Mythicomyiidae) Synonym(s): *obscuripes* Loew,1855
- 2312** *Cyrtosus anceyi* Abeille de Perrin,1869 (Melyridae) Synonym(s): *anceyi* Abeille de Perrin,1869
- 2313** *Cytherea araxana* Paramonov,1930 (Bombyliidae) Synonym(s): *araxana* Paramonov,1930
- 2314** *Cytherea dispar* (Loew,1873) (Bombyliidae) Synonym(s): *dispar* Loew,1873
- 2315** *Cytherea elegans* Paramonov,1930 (Bombyliidae) Synonym(s): *elegans* Paramonov,1930; *paramonovi* Evenhuis & Greathead,1999 [unnecessary replacement name!]
- 2316** *Cytherea fenestrulata* (Loew,1873) (Bombyliidae) Synonym(s): *fenestrulata* Loew,1873; *armeniaca* Paramonov,1930
- 2317** *Cytherea fusciventris* Zaitzev,1966 (Bombyliidae) Synonym(s): *fusciventris* Zaitzev,1966
- 2318** *Cytherea infusca* (Meigen,1820) (Bombyliidae) Synonym(s): *infusca* Meigen,1820
- 2319** *Cytherea melaleuca* (Loew,1873) (Bombyliidae) Synonym(s): *melaleuca* Loew,1873; *melanoleuca* Becker,1903
- 2320** *Cytherea obscura* Fabricius,1794 (Bombyliidae) Synonym(s): *obscura* Fabricius,1794; *tauriacus* Becker,1903
- 2321** *Cytherea persicana* (Becker,1903) (Bombyliidae) Synonym(s): *persicana* Becker,1903
- 2322** *Dactylolabis* (Coenolabis) *aberrans* Savchenko,1969 (Limoniidae) Synonym(s): *aberrans* Savchenko,1969
- 2323** *Dahlbominus fuscipennis* (Zetterstedt,1838) (Eulophidae) Synonym(s): *fuscipennis* Zetterstedt,1838
- 2324** *Dahlia colchica* (Kozlov,1985) (Psychidae) Synonym(s): *colchica* Kozlov,1985
- 2325** *Dailognatha caraboides* Solier,1835 (Tenebrionidae) Synonym(s): *caraboides* Solier,1835; *audouini* Solier,1835; *caucasica* Desbrochers,1881
- 2326** *Dailognatha carceli* Solier,1835 (Tenebrionidae) Synonym(s): *carceli* Solier,1835
- 2327** *Dailognatha crenata* Reiche & Saulcy,1857 (Tenebrionidae) Synonym(s): *crenata* Reiche & Saulcy,1857
- 2328** *Dailognatha pumila* Baudi,1874 (Tenebrionidae) Synonym(s): *pumila* Baudi,1874; *humeralis* Desbrochers,1881
- 2329** *Dalmannia dorsalis* (Fabricius,1794) (Conopidae) Synonym(s): *dorsalis* Fabricius,1794; *flavescens* Meigen,1824; *vernalis* R-D.,1853; *confusa* Becker,1923
- 2330** *Dalmannia marginata* (Meigen,1824) (Conopidae) Synonym(s): *marginata* Meigen,1824; *albovillosa* von Roser,1840; *flavipes* R-D.,1853; *parvula* Rondani,1857; *aharonii* Kröber,1932
- 2331** *Daphnis nerii* (Linnaeus,1758) (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
- 2332** *Dasyhelea abhazica* Remm,1967 (Ceratopogonidae) Synonym(s): *abhazica* Remm,1967
- 2333** *Dasyhelea alboverrucosa* Remm,1967 (Ceratopogonidae) Synonym(s): *alboverrucosa* Remm,1967
- 2334** *Dasyhelea baculata* Remm,1967 (Ceratopogonidae) Synonym(s): *baculata* Remm,1967
- 2335** *Dasyhelea ermeri* Remm,1967 (Ceratopogonidae) Synonym(s): *ermeri* Remm,1967
- 2336** *Dasyhelea fulvosa* Remm,1967 (Ceratopogonidae) Synonym(s): *fulvosa* Remm,1967
- 2337** *Dasyhelea fuscocincta* Remm,1967 (Ceratopogonidae) Synonym(s): *fuscocincta* Remm,1967
- 2338** *Dasyhelea kurensis* Remm,1967 (Ceratopogonidae) Synonym(s): *kurensis* Remm,1967
- 2339** *Dasyhelea leptoclada* Remm,1967 (Ceratopogonidae) Synonym(s): *leptoclada* Remm,1967
- 2340** *Dasyhelea lucida* Remm,1968 (Ceratopogonidae) Synonym(s): *lucida* Remm,1968
- 2341** *Dasyhelea serristernum* Remm,1967 (Ceratopogonidae) Synonym(s): *serristernum* Remm,1967
- 2342** *Dasyhippus escalerae* (Bolivar,1899) (Acrididae) Synonym(s): *escalerae* Bolivar,1899
- 2343** *Dasylabris* (Craspedopyga) *manderstiernii* (Radoszkowski,1865) (Mutillidae) Synonym(s): *manderstiernii* Radoszkowski,1865; *cyprina* Sichel & Radoszkowski,1870 [ssp.]
- 2344** *Dasylabris* (Inbaltilla) *scutilla* Skorikov,1935 (Mutillidae) Synonym(s): *scutilla* Skorikov,1935
- 2345** *Dasylabris* (s.str.) *maura* (Linnaeus,1758) (Mutillidae) Synonym(s): *maura* Linnaeus,1758
- 2346** *Dasyphora albofasciata* (Macquart,1839) (Muscidae) Synonym(s): *albofasciata* Macquart,1839; *hirsutoculata* Macquart,1849; *aeneomicans* Portschiński,1881
- 2347** *Dasyphora meridionalis* Zimin,1951 (Muscidae) Synonym(s): *meridionalis* Zimin,1951

- 2348)** *Dasyphora paraversicolor* Zimin,1951 (Muscidae) Synonym(s): *paraversicolor* Zimin,1951
- 2349)** *Dasyphora penicillata* (Egger,1865) (Muscidae) Synonym(s): *penicillata* Egger,1865
- 2350)** *Dasyphora pratorum* (Meigen,1826) (Muscidae) Synonym(s): *pratorum* Meigen,1826
- 2351)** *Dasypogon diadema* (Fabricius,1781) (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preyßler,1790; *analis* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906
- 2352)** *Dasypogon irinelae* Weinberg,1986 (Asilidae) Synonym(s): *irinelae* Weinberg,1986
- 2353)** *Dasypogon octonotatus* Loew,1869 (Asilidae) Synonym(s): *octonotatus* Loew,1869; *melanopterus* Loew,1869
- 2354)** *Dasypolia* (s.str.) *ferdinandi* Rühl,1892 (Noctuidae) Synonym(s): *ferdinandi* Rühl,1892
- 2355)** *Dasypolia* (s.str.) *templi* (Thunberg,1792) (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischii* Rühl,1892; *banghaasi* Turati,1909
- 2356)** *Dasyscolia ciliata* (Fabricius,1787) (Scoliidae) Synonym(s): *ciliata* Fabricius,1787; *araratica* Radoskovsky,1890; *fastuosa* Gribodo,1893
- 2357)** *Dasysyrphus albostratus* (Fallén,1817) (Syrphidae) Synonym(s): *albostratus* Fallén,1817
- 2358)** *Dasytidius kubani* Majer,1991 (Melyridae) Synonym(s): *kubani* Majer,1991
- 2359)** *Dasytidius nigripes* (Pic,1894) (Melyridae) Synonym(s): *nigripes* Pic,1894
- 2360)** *Dasytidius sequensi* (Reitter,1902) (Melyridae) Synonym(s): *sequensi* Reitter,1902
- 2361)** *Dasytiscus strejcekorum* Mayer,1996 (Melyridae) Synonym(s): *strejcekorum* Mayer,1996
- 2362)** *Decticus albifrons* (Fabricius,1793) (Tettigoniidae) Synonym(s): *albifrons* Fabricius,1793; *aeolicus* Guarino,1935
- 2363)** *Decticus verrucivorus* (Linnaeus,1758) (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846
- 2364)** *Deferunda lineola* (Matsumura,1914) (Achilidae) Synonym(s): *lineola* Matsumura,1914
- 2365)** *Deilephila elpenor* (Linnaeus,1758) (Sphingidae) Synonym(s): *elpenor* Linnaeus,1758
- 2366)** *Deilephila porcellus* (Linnaeus,1758) (Sphingidae) Synonym(s): *porcellus* Linnaeus,1758
- 2367)** *Deilephila suellus* Staudinger,1878 (Sphingidae) Synonym(s): *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938
- 2368)** *Deleproctophylla dusmeti* Navas,1914 (Ascalaphidae) Synonym(s): *dusmeti* Navas,1914
- 2369)** *Deleproctophylla variegata* (Klug,1834) (Ascalaphidae) Synonym(s): *variegata* Klug,1834
- 2370)** *Delphax armeniacus* Anufriev,1970 (Delphacidae) Synonym(s): *armeniaceus* Anufriev,1970
- 2371)** *Deltophora maculata* (Staudinger,1879) (Gelechiidae) Synonym(s): *maculata* Staudinger,1879
- 2372)** *Deltote bankiana* (Fabricius,1775) (Noctuidae) Synonym(s): *bankiana* Fabricius,1775; *olivana* [Denis & Schiffmüller],1775; *olivea* Hübner,[1813]; *amurula* Staudinger,1892; *albescens* Draudt,1935; *uniformis* Draudt,1935
- 2373)** *Deltote delicatula* (Christoph,1882) (Noctuidae) Synonym(s): *delicatula* Christoph,1882
- 2374)** *Deltote uncula* (Clerck,1759) (Noctuidae) Synonym(s): *uncula* Clerck,1759
- 2375)** *Dendarus* (Pandarinus) *armeniaceus* Baudi,1876 (Tenebrionidae) Synonym(s): *armeniaceus* Baudi,1876
- 2376)** *Dendarus* (Pandarinus) *crenulatus* (Ménétriés,1832) (Tenebrionidae) Synonym(s): *crenulatus* Ménétriés,1832; *dardanus* Faldermann,1837; *cribratus* Waltl,1838
- 2377)** *Dendarus* (Pandarinus) *punctatus* Audinet-Serville,1825 (Tenebrionidae) Synonym(s): *punctatus* Audinet-Serville,1825
- 2378)** *Dendarus* (Pandarinus) *simplex* Seidlitz,1893 (Tenebrionidae) Synonym(s): *simplex* Seidlitz,1893
- 2379)** *Dendrolimus pini* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Michieli,1959
- 2380)** *Denisia luticiliella* (Erschoff,1877) (Oecophoridae) Synonym(s): *luticiliella* Erschoff,1877
- 2381)** *Denticollis parallelcollis* Aubé,1850 (Elateridae) Synonym(s): *parallelcollis* Aubé,1850
- 2382)** *Denticollis rubens* Piller & Mitterpacher,1783 (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher,1783
- 2383)** *Dentilla curtiventris* (André,1901) (Mutillidae) Synonym(s): *curtiventris* André,1901
- 2384)** *Dentilla persica* (Sichel & Radoszkowski,1869) (Mutillidae) Synonym(s): *persica* Sichel & Radoszkowski,1869
- 2385)** *Dentilla ursina* (Nagy,1972) (Mutillidae) Synonym(s): *ursina* Nagy,1972
- 2386)** *Deporaus betulae* (Linnaeus,1758) (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *populi* Scopoli,1763; *fagi* Scopoli,1763; *femoratus* Olivier,1789; *populneus* Gmelin,1790; *femoralis* Latreille,1804
- 2387)** *Depressaria albipunctella* ([Denis & Schiffmüller],1775) (Oecophoridae) Synonym(s): *albipunctella* [Denis & Schiffmüller],1775; *albipuncta* Haworth,1811; *aegopodiella* Hübner,[1825]
- 2388)** *Depressaria badiella* (Hübner,1796) (Oecophoridae) Synonym(s): *badiella* Hübner,1796; *badia* Haworth,1811; *aurantiella* Tutt,1893; *frigidella* Turati,1919
- 2389)** *Depressaria chaerophylli* Zeller,1839 (Oecophoridae) Synonym(s): *chaerophylli* Zeller,1839
- 2390)** *Depressaria daucella* ([Denis & Schiffmüller],1775) (Oecophoridae) Synonym(s): *#daucella* [Denis & Schiffmüller],1775; *rubricella* [Denis & Schiffmüller],1775; *apiella* Hübner,1796; *apiana* Haworth,1802; *apiosa* Haworth,1811
- 2391)** *Depressaria depressana* (Fabricius,1775) (Oecophoridae) Synonym(s): *depressana* Fabricius,1775; *anethana* Brahm,1791; *depressella* Fabricius,1798; *bluntii* Curtis,1828; *collarella* Zetterstedt,1839
- 2392)** *Depressaria discipunctella* Herrich-Schäffer,1854 (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer,1854
- 2393)** *Depressaria douglasella* Stainton,1849 (Oecophoridae) Synonym(s): *douglasella* Stainton,1849
- 2394)** *Depressaria emeritella* Stainton,1849 (Oecophoridae) Synonym(s): *emeritella* Stainton,1849
- 2395)** *Depressaria fuscovirgatella* Heinemann,1967 (Oecophoridae) Synonym(s): *fuscovirgatella* Heinemann,1967; *pagmanella* Amsel,1972
- 2396)** *Depressaria hannemanniana* Lvovksy,1990 (Oecophoridae) Synonym(s): *hannemanniana* Lvovksy,1990
- 2397)** *Depressaria hirtipalpis* Zeller,1854 (Oecophoridae) Synonym(s): *hirtipalpis* Zeller,1854
- 2398)** *Depressaria manglisiella* Lvovsky,1981 (Oecophoridae) Synonym(s): *manglisiella* Lvovsky,1981
- 2399)** *Depressaria olerella* Zeller,1854 (Oecophoridae) Synonym(s): *olerella* Zeller,1854
- 2400)** *Depressaria pastinacella* (Duponchel,1838) (Oecophoridae) Synonym(s): *pastinacella* Duponchel,1838
- 2401)** *Depressaria pimpinellae* Zeller,1839 (Oecophoridae) Synonym(s): *pimpinellae* Zeller,1839; *pimpinella* Duponchel,[1843]; *pimpinellella* Duponchel,[1845]; *reichlini* Heinemann,1870
- 2402)** *Depressotetrix depressa* (Brisout,1848) (Tetrigidae) Synonym(s): *depressa* Brisout,1848; *acuminata* Brisout,1850; *charpentieri* Fieber,1853; *elevata* Fieber,1853; *rudis* Walker,1971; *turcicus* Demirsoy,1977
- 2403)** *Deraeocoris rutilus* (Herrich-Schäffer,1838) (Miridae) Synonym(s): *rutulus* Herrich-Schäffer,1838; *bellicosus* Horvath,1885; *quadrimaculatus* Jakovlev,1889; *fasciatus* Reuter,1904
- 2404)** *Dericorys albidula* Audinet-Serville,[1838] (Dericorythidae) Synonym(s): *albidula* Audinet-Serville,[1838]; *tibialis* Fieber,1853 nec Pall.,1773; *acutispina* Stal,1875; *curvipes* Redtenbacher,1889
- 2405)** *Dericorys annulata* (Fieber,1853) (Dericorythidae) Synonym(s): *annulata* Fieber,1853; *roseipennis* Redtenbacher,1889; *lazurescens* Uvarov,1914

- 2406) *Dericorys tibialis* (Pallas,1773)** (Dericorythidae) Synonym(s): *tibialis* Pallas,1773; *gibbosa* Fischer von Waldheim,1839; *maculata* Fischer von Waldheim,1846; *fumipennis* Adelung,1906
- 2407) *Dericorys uvarovi* Ramme,1930** (Dericorythidae) Synonym(s): *uvarovi* Ramme,1930
- 2408) *Dermestes (Dermestinus) coronatus* Steven,1808** (Dermestidae) Synonym(s): *coronatus* Steven,1808
- 2409) *Dermestes (Dermestinus) gyllenhali* Castelnau,1840** (Dermestidae) Synonym(s): *tessellatus* Gyllenhal,1808 *nec* Fabr.,1775; *gyllenhali* Castelnau,1840
- 2410) *Dermestes (Dermestinus) kaszabi* Kalik,1950** (Dermestidae) Synonym(s): *kaszabi* Kalik,1950
- 2411) *Dermestes (Dermestinus) leopardinus* Mulsant & Godart,1855** (Dermestidae) Synonym(s): *leopardinus* Mulsant & Godart,1855
- 2412) *Dermestes (Montandonia) fuliginosus* Rossi,1792** (Dermestidae) Synonym(s): *fuliginosus* Rossi,1792
- 2413) *Dermestes (Montandonia) olivieri* Lepesme,1939** (Dermestidae) Synonym(s): *olivieri* Lepesme,1939
- 2414) *Derocrepis caucasica* Weise,1886** (Chrysomelidae) Synonym(s): *caucasica* Weise,1886
- 2415) *Derocrepis laterufa* Pic,1909** (Chrysomelidae) Synonym(s): *laterufa* Pic,1909; *obscuricolor* Pic,1911
- 2416) *Derocrepis ossetica* Heikertinger,1922** (Chrysomelidae) Synonym(s): *ossetica* Heikertinger,1922
- 2417) *Derocrepis pubipennis* Reitter,1882** (Chrysomelidae) Synonym(s): *pubipennis* Reitter,1882
- 2418) *Derocrepis rufipes* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *rufipes* Linnaeus,1758; *ruficornis* Fabricius,1792; *obscura* Weise,1886; *latithorax* Pic,1911
- 2419) *Deronectes doriae* Sharp,1882** (Dytiscidae) Synonym(s): *doriae* Sharp,1882
- 2420) *Deroxena venosulella* (Möschler,1862)** (Autostichidae) Synonym(s): *venosulella* Möschler,1862; *neglectella* Lederer,1863.
- 2421) *Deserticossus arenicola* (Staudinger,1879)** (Cossidae) Synonym(s): *arenicola* Staudinger,1879
- 2422) *Diachrysis chrysis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758
- 2423) *Diachrysis chryson* (Esper,[1789])** (Noctuidae) Synonym(s): *chryson* Esper,[1789]; *aerifera* Sowerby,1805
- 2424) *Diachrysis nadeja* (Oberthür,1880)** (Noctuidae) Synonym(s): *nadeja* Oberthür,1880
- 2425) *Diachrysis tutti* (Kostrowicki,1961)** (Noctuidae) Synonym(s): *tutti* Kostrowicki,1961
- 2426) *Diachrysis zosimi* (Hübner,[1822])** (Noctuidae) Synonym(s): *zosimi* Hübner,[1822]
- 2427) *Diacrisia sannio* (Linnaeus,1758)** (Arctiidae) Synonym(s): *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892.
- 2428) *Diadegma apostata* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *apostata* Gravenhorst,1829
- 2429) *Diaphora mendica* (Linnaeus,1761)** (Arctiidae) Synonym(s): *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]
- 2430) *Diaphorus disjunctus* Loew,1857** (Dolichopodidae) Synonym(s): *disjunctus* Loew,1857
- 2431) *Diaphorus hoffmannseggii* Meigen,1830** (Dolichopodidae) Synonym(s): *hoffmannseggii* Meigen,1830; *tripilus* Loew,1857
- 2432) *Diaphorus nigricans* Meigen,1824** (Dolichopodidae) Synonym(s): *nigricans* Meigen,1824; *obscuripes* Zetterstedt,1838; *sokolovi* Stackelberg,1928; *consimilis* Parent,1937
- 2433) *Diaphorus parenti* Stackelberg,1928** (Dolichopodidae) Synonym(s): *parenti* Stackelberg,1928
- 2434) *Diaphorus pilitibius* Negrobov & Maslova,2005** (Dolichopodidae) Synonym(s): *pilitibius* Negrobov & Maslova,2005
- 2435) *Diaphorus sublautus* Negrobov,2007** (Dolichopodidae) Synonym(s): *sublautus* Negrobov,2007
- 2436) *Diaphorus vitripennis* Loew,1859** (Dolichopodidae) Synonym(s): *vitripennis* Loew,1859
- 2437) *Diarsia dahlia* (Hübner,[1813])** (Noctuidae) Synonym(s): *dahlia* Hübner,[1813]
- 2438) *Diarsia mediotincta* Kozhantshikov,1937** (Noctuidae) Synonym(s): *mediotincta* Kozhantshikov,1937
- 2439) *Diarsia mendica* (Fabricius,1775)** (Noctuidae) Synonym(s): *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933.
- 2440) *Diarsia rubi* (Vieweg,1790)** (Noctuidae) Synonym(s): *rubi* Vieweg,1790; *radica* Esper,[1790]; *bella* Borkhausen,1792 *nec* Linn.,1758; *quadratum* Hübner,[1813]; *posticata* Walker,[1858].
- 2441) *Dibolia carpathica* Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893; *transcaucasica* Khnzorian,1968
- 2442) *Dibolia cryptocephala* (Koch,1803)** (Chrysomelidae) Synonym(s): *cryptocephala* Koch,1803
- 2443) *Dibolia cynoglossi* (Koch,1803)** (Chrysomelidae) Synonym(s): *cynoglossi* Koch,1803; *paludina* Foudras,1860; *marrubii* Hering,1924
- 2444) *Dibolia depressiuscula* (Letzner,1847)** (Chrysomelidae) Synonym(s): *depressiuscula* Letzner,1847; *laevicollis* Foudras,1860
- 2445) *Dibolia femoralis* Redtenbacher,1849** (Chrysomelidae) Synonym(s): *femoralis* Redtenbacher,1849; *aurichalcea* Förster,1849; *erythrogaster* Allard,1861; *theresae* Pic,1909
- 2446) *Dibolia foersteri* Bach,1859** (Chrysomelidae) Synonym(s): *foersteri* Bach,1859; *buglossi* Foudras,1860; *foudrasi* Mulsant & Rey,1874
- 2447) *Dibolia occultans* (Koch,1803)** (Chrysomelidae) Synonym(s): *occultans* Koch,1803; *menthae* Hering,1924
- 2448) *Dibolia phoenicia* Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia* Allard,1866
- 2449) *Dibolia rugulosa* Redtenbacher,1849** (Chrysomelidae) Synonym(s): *rugulosa* Redtenbacher,1849
- 2450) *Dibolia schillingii* (Letzner,1847)** (Chrysomelidae) Synonym(s): *schillingii* Letzner,1847; *punctillata* Foudras,1860; *ciliciensis* Heikertinger,1911
- 2451) *Dibolia tricolor* Reitter,1899** (Chrysomelidae) Synonym(s): *tricolor* Reitter,1899
- 2452) *Dibolia weisei* Mohr,1981** (Chrysomelidae) Synonym(s): *weisei* Mohr,1981
- 2453) *Dibolia zangezurica* Khnzorian,1968** (Chrysomelidae) Synonym(s): *zangezurica* Khnzorian,1968
- 2454) *Dicaelotus montanus* (Destefani,1886)** (Ichneumonidae) Synonym(s): *montanus* Destefani,1886
- 2455) *Dicallomera fascelina* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *fascelina* Linnaeus,1758; *medicaginis* Hübner,[1803]; *danieli* De Freina,1979.
- 2456) *Diceratura porrectana* Djakonov,1929** (Tortricidae) Synonym(s): *porrectana* Djakonov,1929
- 2457) *Diceratura rhodograpti* Djakonov,1929** (Tortricidae) Synonym(s): *rhodograpti* Djakonov,1929
- 2458) *Diceratura roseofasciana* (Mann,1855)** (Tortricidae) Synonym(s): *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana* Razowski,1963.
- 2459) *Dichagyris (Grisyigoga) candelisequa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962.
- 2460) *Dichagyris (s.str.) achalensis* (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *achalensis* Kozhantshikov,1929
- 2461) *Dichagyris (s.str.) amoena* (Staudinger,1892)** (Noctuidae) Synonym(s): *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933.
- 2462) *Dichagyris (s.str.) argentea* (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *argentea* Kozhantshikov,1929

- 2463) Dichagyris (s.str.) armeniaca Kozhantshikov, 1929** (Noctuidae) Synonym(s): *armeniaca* Kozhantshikov, 1929; *assimilata* Kozhantshikov, 1929; *striatus* Kozhantshikov, 1929.
- 2464) Dichagyris (s.str.) elbursica (Draudt, 1937)** (Noctuidae) Synonym(s): *elbursica* Draudt, 1937
- 2465) Dichagyris (s.str.) forficula (Eversmann, 1851)** (Noctuidae) Synonym(s): *forficula* Eversmann, 1851
- 2466) Dichagyris (s.str.) leucomelas Brandt, 1941** (Noctuidae) Synonym(s): *leucomelas* Brandt, 1941
- 2467) Dichagyris (s.str.) melanura (Kollar, 1846)** (Noctuidae) Synonym(s): *melanura* Kollar, 1846
- 2468) Dichagyris (s.str.) multicuspis (Eversmann, 1852)** (Noctuidae) Synonym(s): *multicuspis* Eversmann, 1852; *spinosa* Staudinger, 1877; *issykula* Staudinger, 1889; *aequicuspis* Staudinger, 1895; *issycula* Hampson, 1903
- 2469) Dichagyris (s.str.) renigera (Hübner, [1808])** (Noctuidae) Synonym(s): *renigera* Hübner, [1808]; *dumosa* Donzel, 1837; *caucasica* Staudinger, 1877; *funebria* Staudinger, 1892; *nigrescens* Kitt, 1925 *nec* Höfner, 1888; *funestissima* Bubacek, 1926; *argentina* Caradja, 1930.
- 2470) Dichagyris (s.str.) squalidior (Staudinger, 1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger, 1901
- 2471) Dichagyris (s.str.) squalorum (Eversmann, 1856)** (Noctuidae) Synonym(s): *squalorum* Eversmann, 1856
- 2472) Dichagyris (s.str.) terminicincta (Corti & Draudt, 1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt, 1933; *maraschi* Corti & Draudt, 1933.
- 2473) Dichagyris (s.str.) vallesiaca (Boisduval, [1837])** (Noctuidae) Synonym(s): *vallesiaca* Boisduval, [1837]
- 2474) Dichagyris (Yigoga) celsicola (Bellier, 1858)** (Noctuidae) Synonym(s): *celsicola* Bellier, 1858
- 2475) Dichagyris (Yigoga) eureteocles (Boursin, 1940)** (Noctuidae) Synonym(s): *eureteocles* Boursin, 1940
- 2476) Dichagyris (Yigoga) flavina (Herrich-Schäffer, [1852])** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898; *pretiosa* Caradja, 1931.
- 2477) Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller], 1775; *denticulosa* Esper, [1794]; *bornicensis* Fuchs, 1884; *helladica* Rebel, 1905; *samnitica* Dannehl, 1933; *romanoi* Berio, 1980.
- 2478) Dichagyris (Yigoga) gracilis (F. Wagner, 1929)** (Noctuidae) Synonym(s): *gracilis* F. Wagner, 1929
- 2479) Dichagyris (Yigoga) nachadira (Brandt, 1941)** (Noctuidae) Synonym(s): *nachadira* Brandt, 1941
- 2480) Dichagyris (Yigoga) nigrescens (Hofner, 1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner, 1888
- 2481) Dichagyris (Yigoga) orientis (Alpheraky, 1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky, 1882; *improcera* Staudinger, 1888; *imitata* Corti & Draudt, 1933.
- 2482) Dichagyris (Yigoga) romanovi (Christoph, 1885)** (Noctuidae) Synonym(s): *romanovi* Christoph, 1885; *#jura* Strand, 1915; *karsholti* Fibiger, 1990.
- 2483) Dichagyris (Yigoga) serraticornis (Staudinger, 1898)** (Noctuidae) Synonym(s): *serraticornis* Staudinger, 1898
- 2484) Dichagyris (Yigoga) signifera ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller], 1775
- 2485) Dichagyris (Yigoga) sincera (De Freina & Hacker, 1985)** (Noctuidae) Synonym(s): *sincera* De Freina & Hacker, 1985.
- 2486) Dichelia histrionana (Frölich, 1828)** (Tortricidae) Synonym(s): *pinana* [Denis & Schiffermüller], 1775; *histrionana* Frölich, 1828; *stygiana* Rebel, 1929
- 2487) Dichillus (Dichillocerus) araxidis Reitter, 1916** (Tenebrionidae) Synonym(s): *araxidis* Reitter, 1916
- 2488) Dichomeris barbella ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *barbella* [Denis & Schiffermüller], 1775
- 2489) Dichomeris derasella ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *derasella* [Denis & Schiffermüller], 1775; *fasciella* Hübner, 1796; *unguiculatus* Fabricius, 1798; *coreana* Matsumura, 1931; *paranthes* Meyrick, 1936
- 2490) Dichomeris marginella (Fabricius, 1781)** (Gelechiidae) Synonym(s): *marginella* Fabricius, 1781; *fimbriella* Thunberg, 1788; *striatella* Hübner, 1796 *nec* [Denis & Schiff.], 1775; *marginata* Fabricius, 1798; *clarella* Treitschke, 1833.
- 2491) Dichomeris ustalella (Fabricius, 1794)** (Gelechiidae) Synonym(s): *ustalella* Fabricius, 1794; *capucinella* Hübner, 1796; *ustulatus* Fabricius, 1798; *cornatus* Fabricius, 1798; *burgundiellus* Bruand, 1859.
- 2492) Dichonia (Griposia) aprilina (Linnaeus, 1758)** (Noctuidae) Synonym(s): *aprilina* Linnaeus, 1758; *runica* [Denis & Schiffermüller], 1775; *obscurior* Wolfsberger, 1969.
- 2493) Dichonia (Griposia) pinkeri Kobes, 1973** (Noctuidae) Synonym(s): *pinker* Kobes, 1973
- 2494) Dichonia (s.str.) aeruginea (Hübner, [1803])** (Noctuidae) Synonym(s): *aeruginea* Hübner, [1803]; *miroleuca* Geyer, [1828]; *chiroleuca* Treitschke, 1835; *mesembrina* Schawerda, 1913.
- 2495) Dichonia (s.str.) convergens ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller], 1775; *spicula* Esper, [1791]
- 2496) Dichrorampha abhasica Danilevsky, 1968** (Tortricidae) Synonym(s): *abhasica* Danilevsky, 1968
- 2497) Dichrorampha albimacula (Danilevsky, 1948)** (Tortricidae) Synonym(s): *albimacula* Danilevsky, 1948
- 2498) Dichrorampha cacaleana (Herrich-Schäffer, 1851)** (Tortricidae) Synonym(s): *cacaleana* Herrich-Schäffer, 1851; *shelzuhkoi* Obraztsov, 1949
- 2499) Dichrorampha caucasica (Danilevsky, 1948)** (Tortricidae) Synonym(s): *caucasica* Danilevsky, 1948
- 2500) Dichrorampha danilevskii Obraztsov, 1958** (Tortricidae) Synonym(s): *immaculata* Danilevsky, 1948 *nec* McDunn., 1946; *danilevskii* Obraztsov, 1958
- 2501) Dichrorampha dekanoidzei Esartiya, 1988** (Tortricidae) Synonym(s): *dekanoidzei* Esartiya, 1988
- 2502) Dichrorampha eximia (Danilevsky, 1948)** (Tortricidae) Synonym(s): *eximia* Danilevsky, 1948; *obraztsovi* Amsel, 1959
- 2503) Dichrorampha filipjevi (Danilevsky, 1948)** (Tortricidae) Synonym(s): *filipjevi* Danilevsky, 1948
- 2504) Dichrorampha fusca (Danilevsky, 1948)** (Tortricidae) Synonym(s): *fusca* Danilevsky, 1948
- 2505) Dichrorampha gracilis (Danilevsky, 1948)** (Tortricidae) Synonym(s): *gracilis* Danilevsky, 1948
- 2506) Dichrorampha heegerana (Duponchel, 1843)** (Tortricidae) Synonym(s): *heegerana* Duponchel, 1843
- 2507) Dichrorampha immaculata (Danilevsky, 1948)** (Tortricidae) Synonym(s): *immaculata* Danilevsky, 1948
- 2508) Dichrorampha inconspicua (Danilevsky, 1948)** (Tortricidae) Synonym(s): *inconspicua* Danilevsky, 1948
- 2509) Dichrorampha incurvana (Herrich-Schäffer, 1851)** (Tortricidae) Synonym(s): *incurvana* Herrich-Schäffer, 1851
- 2510) Dichrorampha infusca (Danilevsky, 1960)** (Tortricidae) Synonym(s): *infusca* Danilevsky, 1960
- 2511) Dichrorampha insperata (Danilevsky, 1960)** (Tortricidae) Synonym(s): *insperata* Danilevsky, 1960
- 2512) Dichrorampha iverica Esartiya, 1988** (Tortricidae) Synonym(s): *iverica* Esartiya, 1988
- 2513) Dichrorampha kuznetzovi Esartiya, 1988** (Tortricidae) Synonym(s): *kuznetzovi* Esartiya, 1988
- 2514) Dichrorampha larsana (Danilevsky, 1960)** (Tortricidae) Synonym(s): *larsana* Danilevsky, 1960
- 2515) Dichrorampha marginestriana (Filipjev, 1925)** (Tortricidae) Synonym(s): *marginestriana* Filipjev, 1925
- 2516) Dichrorampha nigrobrunneana (Toll, 1942)** (Tortricidae) Synonym(s): *nigrobrunneana* Toll, 1942; *fusca* Danilevsky, 1948
- 2517) Dichrorampha proxima (Danilevsky, 1948)** (Tortricidae) Synonym(s): *proxima* Danilevsky, 1948
- 2518) Dichrorampha rjabovi (Danilevsky, 1948)** (Tortricidae) Synonym(s): *rjabovi* Danilevsky, 1948

- 2519) Dichrorampha sedatana Busck,1906** (Tortricidae) Synonym(s): *sedatana* Busck,1906; *dana* Kearfott,1907; *aequorea* Meyrick,1912
- 2520) Dichrorampha sequana (Hübner,[1799])** (Tortricidae) Synonym(s): *sequana* Hübner,[1799]
- 2521) Dichrorampha sericana (Kennel,1901)** (Tortricidae) Synonym(s): *sericana* Kennel,1901
- 2522) Dichrorampha sheljuzhkoii (Obraztsov,1949)** (Tortricidae) Synonym(s): *sheljuzhkoii* Obraztsov,1949
- 2523) Dichrorampha unicolor (Danilevsky,1948)** (Tortricidae) Synonym(s): *unicolor* Danilevsky,1948
- 2524) Dicraeus muricatus Nartshuk,1967** (Chloropidae) Synonym(s): *muricatus* Nartshuk,1967
- 2525) Dicraeus setiger Nartshuk,1973** (Chloropidae) Synonym(s): *setiger* Nartshuk,1973
- 2526) Dicraeus valaceus Nartshuk,1973** (Chloropidae) Synonym(s): *valaceus* Nartshuk,1973
- 2527) Dicraeus valvaceus Nartshuk,1979** (Chloropidae) Synonym(s): *valvaceus* Nartshuk,1979
- 2528) Dicranocephalus agilis (Scopoli,1763)** (Stenocephalidae) Synonym(s): *agilis* Scopoli,1763; *quinquepunctatus* Goeze,1778; *nugax* Fabricius,1781; *monilis* Geoffroy,1785; *geoffroy* Petagna,1787; *multicolor* Gmelin,1790; *nussax* Gmelin,1790; *celer* Gmelin,1790; *melanochros* Gmelin,1790; *mexicanus* Ashmead,1886; *crassicornis* Horvath,1887; *femoralis* Noualhier,1893; *femoratus* Puton,1899; *robustus* Jakovlev,1901; *moralesi* Wagner,1950; *africanus* Stichel,1959; *litoralis* Linnavuori,1960
- 2529) Dicranocephalus albipes (Fabricius,1781)** (Stenocephalidae) Synonym(s): *albipes* Fabricius,1781; *leucopus* Gmelin,1790; *neglectus* Herrich-Schäffer,1835
- 2530) Dicranocephalus ferganensis (Horvath,1887)** (Stenocephalidae) Synonym(s): *ferganensis* Horvath,1887
- 2531) Dicranocephalus medius (Mulsant & Rey,1870)** (Stenocephalidae) Synonym(s): *medius* Mulsant & Rey,1870; *horvathi* Reuter,1888; *sibiricus* Jakovlev,1889; *brevis* Horvath,1899; *japonicus* Lansbury,1966
- 2532) Dicranocephalus setulosus (Ferrari,1874)** (Stenocephalidae) Synonym(s): *setulosus* Ferrari,1874
- 2533) Dicranomyia (Glochina) sericata (Meigen,1830)** (Limoniidae) Synonym(s): *sericata* Meigen,1830; *glabrata* Walker,1856; *croatica* Egger,1863
- 2534) Dicranomyia (Glochina) transsilvanica Lackschewitz,1928** (Limoniidae) Synonym(s): *transsilvanica* Lackschewitz,1928
- 2535) Dicranomyia (Glochina) tristis (Schummel,1829)** (Limoniidae) Synonym(s): *tristis* Schummel,1829; *subtristis* Alexander,1924; *retroflexa* Bangerter,1948
- 2536) Dicranomyia (Idiopyga) halterella Edwards,1921** (Limoniidae) Synonym(s): *halterella* Edwards,1921
- 2537) Dicranomyia (Melanolimonia) morio (Fabricius,1787)** (Limoniidae) Synonym(s): *morio* Fabricius,1787; *leucocephala* Meigen,1818; *reperta* Walker,1848; *pauliani* Séguin,1941
- 2538) Dicranomyia (Numantia) fusca (Meigen,1804)** (Limoniidae) Synonym(s): *fusca* Meigen,1804; *atra* Macquart,1826; *laevigata* Macquart,1826; *turpis* Walker,1856; *pubipennis* Osten Sacken,1860; *pilipennis* Egger,1863
- 2539) Dicranomyia (s.str.) chorea (Meigen,1818)** (Limoniidae) Synonym(s): *lutea* Meigen,1804; *chorea* Meigen,1818; *quadra* Meigen,1838; *flavicollis* Becker,1908; *longipes* Santos Abreu,1923; *vidua* Santos Abreu,1923; *griseus* Lackschewitz,1928; *lutescens* Lackschewitz,1928
- 2540) Dicranomyia (s.str.) goritiensis (Mik,1864)** (Limoniidae) Synonym(s): *goritiensis* Mik,1864; *cornubiensis* Edwards,1938
- 2541) Dicranomyia (s.str.) longipennis (Schummel,1829)** (Limoniidae) Synonym(s): *longipennis* Schummel,1829; *immemor* Osten Sacken,1861; *tiefii* Strobl,1900
- 2542) Dicranomyia (s.str.) lucida De Meijere,1918** (Limoniidae) Synonym(s): *lucida* De Meijere,1918
- 2543) Dicranomyia (s.str.) mitis (Meigen,1830)** (Limoniidae) Synonym(s): *mitis* Meigen,1830; *excisa* Walker,1848; *unicolor* Strobl,1898; *maculosa* Strobl,1900; *lutea* Lackschewitz,1928; *infusca* Lackschewitz,1928; *imbecilla* Lackschewitz,1941; *hygropetrica* Vaillant,1952
- 2544) Dicranomyia (s.str.) modesta (Meigen,1818)** (Limoniidae) Synonym(s): *modesta* Meigen,1818; *simplex* Meigen,1830; *nova* Meigen,1830; *takahashii* Alexander,1920; *spinicauda* Alexander,1924
- 2545) Dicranomyia (s.str.) ornata (Meigen,1818)** (Limoniidae) Synonym(s): *ornata* Meigen,1818
- 2546) Dicranomyia (s.str.) sera (Walker,1848)** (Limoniidae) Synonym(s): *sera* Walker,1848; *disjuncta* Walker,1848; *globata* Walker,1848; *forcipula* De Meijere,1918; *discors* Kuntze,1919; *erostrata* Alexander,1930
- 2547) Dicranomyia (s.str.) ventralis (Schummel,1829)** (Limoniidae) Synonym(s): *ventralis* Schummel,1829; *simplex* Brunetti,1912; *perserotina* Alexander,1945; *pristomera* Alexander,1968
- 2548) Dicranophragma (Brachylimnophila) adjunctum (Walker,1848)** (Limoniidae) Synonym(s): *adjunctum* Walker,1848; *axillare* Strobl,1906; *brevifurcatum* Strobl,1906; *dimidiatum* De Meijere,1918; *noscibile* Edwards,1921
- 2549) Dicranophragma (Brachylimnophila) nemorale (Meigen,1818)** (Limoniidae) Synonym(s): *nemorale* Meigen,1818; *leucophaeum* Meigen,1818; *plebeium* Meigen,1818; *inclusum* Walker,1848; *collinum* Edwards,1921; *quadratum* Edwards,1921; *minusculum* Edwards,1921
- 2550) Dicranoptycha (s.str.) fuscescens (Schummel,1829)** (Limoniidae) Synonym(s): *fuscescens* Schummel,1829; *lundstroemi* Bergroth,1922
- 2551) Dicranota (Ludicia) iranensis (Alexander,1975)** (Pediidae) Synonym(s): *iranensis* Alexander,1975; *meridiana* Mendl,1988
- 2552) Dicranota (Paradicranota) minuta Lackschewitz,1940** (Pediidae) Synonym(s): *minuta* Lackschewitz,1940
- 2553) Dicranotropis beckeri Fieber,1866** (Delphacidae) Synonym(s): *beckeri* Fieber,1866
- 2554) Dicranotropis divergens Kirschbaum,1868** (Delphacidae) Synonym(s): *divergens* Kirschbaum,1868; *carpathica* Horvath,1884
- 2555) Dicranotropis hamata (Boheman,1847)** (Delphacidae) Synonym(s): *hamata* Boheman,1847
- 2556) Dicranotropis zenata Logvinenko,1969** (Delphacidae) Synonym(s): *zenata* Logvinenko,1969
- 2557) Dicranura ulmi ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *ulmi* [Denis & Schiffermüller],1775; *discors* Fabricius,1798; *modica* Dannehl,1929; *istriaca* Bytinski-Salz,1939
- 2558) Diconychus cinereus (Herbst,1784)** (Elateridae) Synonym(s): *cinereus* Herbst,1784
- 2559) Diconychus decorus (Faldermann,1835)** (Elateridae) Synonym(s): *decorus* Faldermann,1835
- 2560) Diconychus equiseti (Herbst,1784)** (Elateridae) Synonym(s): *equiseti* Herbst,1784
- 2561) Dictenidia bimaculata (Linnaeus,1760)** (Tipulidae) Synonym(s): *maculata* Linnaeus,1758; *bimaculata* Linnaeus,1760; *idriensis* Scopoli,1763; *pectinata* Gmelin,1790; *paludosa* Fabricius,1794; *fulvida* Bigot,1861
- 2562) Dictyophara avocetta Oshanin,1879** (Dictyopharidae) Synonym(s): *avocetta* Oshanin,1879
- 2563) Dictyophara europaea (Linnaeus,1767)** (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *aeuropaea* Petagna,1787; *europe* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942
- 2564) Dictyophara longirostris Walker,1851** (Dictyopharidae) Synonym(s): *longirostris* Walker,1851; *iberica* Fieber,1876
- 2565) Dictyophara pannonica (Germar,1830)** (Dictyopharidae) Synonym(s): *pannonica* Germar,1830
- 2566) Dictyophara patruelis (Stal,1859)** (Dictyopharidae) Synonym(s): *patruelis* Stal,1859
- 2567) Dictyophara seladonica Melichar,1912** (Dictyopharidae) Synonym(s): *seladonica* Melichar,1912

- 2568) *Dictyophara striata* Oshanin, 1879 (Dictyopharidae) Synonym(s): *striata* Oshanin, 1879
- 2569) *Dicycla oo* (Linnaeus, 1758) (Noctuidae) Synonym(s): *oo* Linnaeus, 1758; *ferruginago* Hübner, [1803].
- 2570) *Didymachus picipes* (Meigen, 1820) (Asilidae) Synonym(s): *picipes* Meigen, 1820
- 2571) *Dieida ledereri* Staudinger, 1871 (Cossidae) Synonym(s): *ledereri* Staudinger, 1871
- 2572) *Digitivalva (Inuliphila) christophi* (Toll, 1958) (Yponomeutidae) Synonym(s): *christophi* Toll, 1958
- 2573) *Diglyphus isaea* (Walker, 1838) (Eulophidae) Synonym(s): *isaea* Walker, 1838; *lycophron* Walker, 1838; *medidas* Walker, 1838; *gracilis* Goureau, 1851; *ornatus* Förster, 1861; *bisannulatus* Förster, 1861; *clavicornis* Walker, 1872; *phytomyzae* Rondani, 1877
- 2574) *Digrammia rippertaria* (Duponchel, 1830) (Geometridae) Synonym(s): *rippertaria* Duponchel, 1830; *hebetata* Hulst, 1881; *ponderosa* Barnes & McDunnough, 1917; *demaculata* Barnes & McDunnough, 1917; *tulareata* Cassino & Swett, 1923.
- 2575) *Diloba caeruleocephala* (Linnaeus, 1758) (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus, 1758
- 2576) *Dimissalna dimissa* (Hagen, 1856) (Cicadidae) Synonym(s): *dimissa* Hagen, 1856
- 2577) *Dinocarsis hemiptera* (Dalman, 1820) (Encyrtidae) Synonym(s): *hemiptera* Dalman, 1820; *submontana* Hoffer, 1952
- 2578) *Dioctria arcana* Richter, 1966 (Asilidae) Synonym(s): *arcana* Richter, 1966
- 2579) *Dioctria arnoldii* V. Richter, 1964 (Asilidae) Synonym(s): *arnoldii* V. Richter, 1964
- 2580) *Dioctria engeli* Noskiewicz, 1953 (Asilidae) Synonym(s): *engeli* Noskiewicz, 1953
- 2581) *Dioctria harcyniae* Loew, 1844 (Asilidae) Synonym(s): *harcyniae* Loew, 1844
- 2582) *Dioctria pilithorax* V. Richter, 1980 (Asilidae) Synonym(s): *pilithorax* V. Richter, 1980
- 2583) *Dioctria speculifrons* Wiedemann, 1820 (Asilidae) Synonym(s): *speculifrons* Wiedemann, 1820
- 2584) *Diolcogaster claritibia* (Papp, 1959) (Braconidae) Synonym(s): *claritibia* Papp, 1959
- 2585) *Diorhabda carinata* (Faldermann, 1837) (Chrysomelidae) Synonym(s): *carinata* Faldermann, 1837
- 2586) *Diorhabda carinulata* (Desbrochers, 1870) (Chrysomelidae) Synonym(s): *carinulata* Desbrochers, 1870
- 2587) *Diorhabda elongata* (Brullé, 1832) (Chrysomelidae) Synonym(s): *elongata* Brullé, 1832; *costalis* Mulsant & Wachanru, 1852
- 2588) *Diorhabda fischeri* (Faldermann, 1837) (Chrysomelidae) Synonym(s): *fischeri* Faldermann, 1837
- 2589) *Diorhabda nigrifrons* Laboissiere, 1914 (Chrysomelidae) Synonym(s): *nigrifrons* Laboissiere, 1914
- 2590) *Diospilus nigricornis* (Wesmael, 1835) (Braconidae) Synonym(s): *nigricornis* Wesmael, 1835
- 2591) *Diospilus productus* Marshall, 1894 (Braconidae) Synonym(s): *productus* Marshall, 1894
- 2592) *Dioxyna bidentis* (R.-D., 1830) (Tephritidae) Synonym(s): *bidentis* R.-D., 1830
- 2593) *Diphaspecia krocha* Gorbunov, 1991 (Sesiidae) Synonym(s): *krocha* Gorbunov, 1991
- 2594) *Diphyus mercatorius* (Fabricius, 1793) (Ichneumonidae) Synonym(s): *mercatorius* Fabricius, 1793; *ponticus* Heinrich, 1978
- 2595) *Diphyus ochromelas* (Gmelin, 1790) (Ichneumonidae) Synonym(s): *ochromelas* Gmelin, 1790; *negatorius* Fabricius, 1793
- 2596) *Diphyus pseudomercator* (Ichneumonidae) Synonym(s): *hexaleucus* Heinrich, 1978; *#caucasicus* Heinrich, 1978
- 2597) *Dipleurina lacustrata* (Panzer, 1804) (Pyralidae) Synonym(s): *crataegella* sensu Hübner, 1796 nec Linn., 1767; *lacustrata* Panzer, 1804; *pusilla* Westwood, 1845.
- 2598) *Diplocolenus abdominalis* (Fabricius, 1803) (Cicadellidae) Synonym(s): *abdominalis* Fabricius, 1803
- 2599) *Diplocolenus parcanicus* Dlabola, 1948 (Cicadellidae) Synonym(s): *parcanicus* Dlabola, 1948
- 2600) *Diplocolenus rustavelicus* Logvinenko, 1971 (Cicadellidae) Synonym(s): *rustavelicus* Logvinenko, 1971
- 2601) *Diplodoma adzharica* Zagulyaev, 1985 (Psychidae) Synonym(s): *adzharica* Zagulyaev, 1985
- 2602) *Diplodoma caucasica* Zagulyaev, 1985 (Psychidae) Synonym(s): *caucasica* Zagulyaev, 1985
- 2603) *Diplolepis fructuum* (Rübsaamen, 1895) (Cynipidae) Synonym(s): *fructuum* Rübsaamen, 1895
- 2604) *Diplolepis mayri* (Schlechtendal, 1877) (Cynipidae) Synonym(s): *mayri* Schlechtendal, 1877; *orthopsinae* Beijerinck, 1882
- 2605) *Dirhinosisia cervinella* (Eversmann, 1844) (Gelechiidae) Synonym(s): *cervinella* Eversmann, 1844; *trifasciella* Rebel, 1905
- 2606) *Discodes aeneus* (Dalman, 1820) (Encyrtidae) Synonym(s): *aeneus* Dalman, 1820; *melanopterus* Nees, 1834; *stadius* Walker, 1850; *obscuricornis* Mercet, 1921; *basihyalinus* Hoffer, 1954
- 2607) *Discodes coccophagus* (Ratzeburg, 1848) (Encyrtidae) Synonym(s): *coccophagus* Ratzeburg, 1848
- 2608) *Discodes trjapitzini* Herthetvzian, 1979 (Encyrtidae) Synonym(s): *trjapitzini* Herthetvzian, 1979
- 2609) *Discodes valentinae* Japoshivili & Noyes, 2005 (Encyrtidae) Synonym(s): *valentinae* Japoshivili & Noyes, 2005
- 2610) *Distoleon formosus* Hölzel, 1972 (Myrmeleonidae) Synonym(s): *formosus* Hölzel, 1972
- 2611) *Distoleon kabulensis* Hölzel, 1972 (Myrmeleonidae) Synonym(s): *kabulensis* Hölzel, 1972
- 2612) *Distoleon tetragrammicus* (Fabricius, 1798) (Myrmeleonidae) Synonym(s): *tetragrammicus* Fabricius, 1798; *catta* Rossi, 1790; *rapax* Olivier, 1811; *flavomaculatus* Eversmann, 1841; *leuthneri* Navas, 1914; *mesmini* Navas, 1921
- 2613) *Ditomyia fasciata* (Meigen, 1818) (Ditomyiidae) Synonym(s): *fasciata* Meigen, 1818; *trifasciata* Winnertz, 1846
- 2614) *Ditropis pontica* Logvinenko, 1972 (Delphacidae) Synonym(s): *pontica* Logvinenko, 1972
- 2615) *Ditropis pteridis* (Spinola, 1839) (Delphacidae) Synonym(s): *pteridis* Spinola, 1839
- 2616) *Diurnea fagella* ([Denis & Schiffermüller], 1775) (Oecophoridae) Synonym(s): *#fagella* [Denis & Schiffermüller], 1775; *pilosella* Thunberg, 1788; *atomana* Brahm, 1791; *fagi* Fabricius, 1798; *disparella* Schrank, 1802; *dormoyella* Duponchel, 1838; *nolckenella* Millière, 1881
- 2617) *Dociostaurus (Kazakia) brevicollis* (Eversmann, 1848) (Acrididae) Synonym(s): *brevicollis* Eversmann, 1848; *annulipes* Türk, 1862; *#brevicollis* Salman, 1978
- 2618) *Dociostaurus (Notostaurus) albicornis* (Eversmann, 1848) (Acrididae) Synonym(s): *albicornis* Eversmann, 1848
- 2619) *Dociostaurus (Notostaurus) anatolicus* Krauss, 1896 (Acrididae) Synonym(s): *anatolicus* Krauss, 1896; *castaneopicta* Krauss, 1896; *castaneopictus* Jacobson, 1905
- 2620) *Dociostaurus (s.str.) maroccanus* (Thunberg, 1815) (Acrididae) Synonym(s): *maroccanus* Thunberg, 1815; *cruciatus* Charpentier, 1825; *vastator* Fischer von Waldheim, 1833; *oceanica* Walker, 1870; *degeneratus* Baranov, 1925; *xanthocnema* Tarbinsky, 1932; *pendulus* Steinmann, 1965
- 2621) *Dociostaurus (s.str.) tartarus* Stshelkanovtzev, 1921 (Acrididae) Synonym(s): *tartarus* Stshelkanovtzev, 1921
- 2622) *Dociostaurus (Stauronotulus) hauensteini* (Bolivar, 1893) (Acrididae) Synonym(s): *hauensteini* Bolivar, 1893
- 2623) *Dolichogenidea anarsiae* (Faure & Alabouvetle, 1924) (Braconidae) Synonym(s): *anarsiae* Faure & Alabouvetle, 1924
- 2624) *Dolichogenidea coleophorae* (Wilkinson, 1938) (Braconidae) Synonym(s): *coleophorae* Wilkinson, 1938
- 2625) *Dolichogenidea infimus* (Haliday, 1834) (Braconidae) Synonym(s): *infimus* Haliday, 1834
- 2626) *Dolichogenidea longipalpis* (Reinhard, 1880) (Braconidae) Synonym(s): *longipalpis* Reinhard, 1880
- 2627) *Dolichopeza (s.str.) hirsuticauda* Savchenko, 1968 (Tipulidae) Synonym(s): *hirsuticauda* Savchenko, 1968; *schahriari* Theowald, 1978

- 2628) Dolichopeza (s.str.) nitida Mik,1874** (Tipulidae) Synonym(s): *nitida* Mik,1874; *graeca* Mannheims,1954
- 2629) Dolichophorus kerteszi Lichtwardt,1902** (Dolichopodidae) Synonym(s): *kerteszi* Lichtwardt,1902; *resplendens* Strobl,1910
- 2630) Dolichopoda (s.str.) euxina Semenov,1901** (Raphidophoridae) Synonym(s): *euxina* Semenov,1901
- 2631) Dolichopus annulipes Zetterstedt,1838** (Dolichopodidae) Synonym(s): *annulipes* Zetterstedt,1838; *stenhammari* Zetterstedt,1843
- 2632) Dolichopus arbustorum Stannius,1831** (Dolichopodidae) Synonym(s): *arbustorum* Stannius,1831
- 2633) Dolichopus armeniacus Stackelberg,1926** (Dolichopodidae) Synonym(s): *armeniaceus* Stackelberg,1926
- 2634) Dolichopus cilifemoratus Macquart,1827** (Dolichopodidae) Synonym(s): *cilifemoratus* Macquart,1827; *macquarti* Parent,1926; *pseudocilifemoratus* Stackelberg,1930
- 2635) Dolichopus ciscaucasicus Stackelberg,1927** (Dolichopodidae) Synonym(s): *ciscaucasicus* Stackelberg,1927
- 2636) Dolichopus claviger Stannius,1831** (Dolichopodidae) Synonym(s): *claviger* Stannius,1831
- 2637) Dolichopus excisus Loew,1859** (Dolichopodidae) Synonym(s): *excisus* Loew,1859
- 2638) Dolichopus griseipennis Stannius,1831** (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 *nec* Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859
- 2639) Dolichopus kiritshenkoi Stackelberg,1927** (Dolichopodidae) Synonym(s): *kiritshenkoi* Stackelberg,1927
- 2640) Dolichopus latilimbatus Macquart,1827** (Dolichopodidae) Synonym(s): *latilimbatus* Macquart,1827; *vulgaris* Stannius,1831
- 2641) Dolichopus perversus Loew,1871** (Dolichopodidae) Synonym(s): *perversus* Loew,1871
- 2642) Dolichopus picipes Meigen,1824** (Dolichopodidae) Synonym(s): *picipes* Meigen,1824; *cysneus* Meigen,1824; *fastuosus* Haliday,1832; *plebejus* Zetterstedt,1838
- 2643) Dolichopus plumipes (Scopoli,1763)** (Dolichopodidae) Synonym(s): *plumipes* Scopoli,1763; *pennitarsis* Fallén,1823; *planitarsis* Meigen,1824
- 2644) Dolichopus plumitarsis Fallén,1823** (Dolichopodidae) Synonym(s): *plumitarsis* Fallén,1823
- 2645) Dolichopus popularis Wiedemann,1817** (Dolichopodidae) Synonym(s): *popularis* Wiedemann,1817
- 2646) Dolichopus sabinus Haliday,1838** (Dolichopodidae) Synonym(s): *sabinus* Haliday,1838; *pictus* Staeger,1842
- 2647) Dolichopus signifer Haliday,1832** (Dolichopodidae) Synonym(s): *signifer* Haliday,1832; *pictipennis* Wahlberg,1850; *punctum* Haliday,1851
- 2648) Dolichovespula adulterina (Du Buysson,1905)** (Vespidae) Synonym(s): *borealis* Lewis,1897 *nec* Kby.,1837; *adulterina* Du Buysson,1905; *arctica* Rohwer,1916; *colchica* Birula,1930; *montivaga* Yamane,1982
- 2649) Dolichovespula saxonica (Fabricius,1793)** (Vespidae) Synonym(s): *saxonica* Fabricius,1793; *bavarica* Schrank,1802; *tridens* Schenck,1853; *#monticola* Birula,1930; *nipponica* Yamane,1975; *kamtschatkensis* Eck,1983; *nigrescens* Eck,1983
- 2650) Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris* Scopoli,1763; *parietum* Harris,1776 *nec* Linn.,1758; *holsatica* Fabricius,1793; *frontalis* Latreille,1802; *campanaria* Fowler,1833; *pilosella* Costa,1858; *sumptuosa* Du Buysson,1905; *xinjiangensis* Lee,1986
- 2651) Doloploca punctulana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *punctulana* [Denis & Schiffermüller],1775; *schlemmerella* Hübner,1793; *punctulella* Treitschke,1832
- 2652) Dolycoris baccarum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *baccarum* Linnaeus,1758; *verbasci* De Geer,1773; *subater* Harris,1780; *albidus* Gmelin,1790; *depressa* Westwood,1837; *confusa* Westwood,1837; *inconcisa* Walker,1867
- 2653) Dolycoris variocornis (Jakovlev,1874)** (Pentatomidae) Synonym(s): *variocornis* Jakovlev,1874
- 2654) Doratura caucasica Melichar,1913** (Cicadellidae) Synonym(s): *caucasica* Melichar,1913
- 2655) Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis* Horvath,1903
- 2656) Doratura homophyla (Flor,1861)** (Cicadellidae) Synonym(s): *homophyla* Flor,1861
- 2657) Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata* Boheman,1847; *macroptera* Kusnezov,1928
- 2658) Doraturopsis heros (Melichar,1902)** (Cicadellidae) Synonym(s): *heros* Melichar,1902
- 2659) Dorcadion (Cribridorcadion) glaucum Faldermann,1837** (Cerambycidae) Synonym(s): *glaucum* Faldermann,1837
- 2660) Dorcadion (Cribridorcadion) talyschense Ganglbauer,1883** (Cerambycidae) Synonym(s): *talyschense* Ganglbauer,1883; *posticeinterruptum* Pic,1900; *morgani* Pic,1905
- 2661) Dorcus parallelipedus (Linnaeus,1758)** (Lucanidae) Synonym(s): *parallelipedus* Linnaeus,1758
- 2662) Dorycera caucasica Hendel,1910** (Ulidiidae) Synonym(s): *caucasica* Hendel,1910
- 2663) Dorycera maculipennis Macquart,1843** (Ulidiidae) Synonym(s): *maculipennis* Macquart,1843
- 2664) Drasteria cailino (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857
- 2665) Drasteria caucasica (Kolenati,1846)** (Noctuidae) Synonym(s): *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903.
- 2666) Drasteria flexuosa (Ménétriés,1848)** (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881.
- 2667) Drasteria herzi (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi* Alpheraky,1895
- 2668) Drasteria picta (Christoph,1877)** (Noctuidae) Synonym(s): *picta* Christoph,1877; *radapicta* Staudinger,1901.
- 2669) Drasteria rada (Boisduval,1848)** (Noctuidae) Synonym(s): *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851.
- 2670) Drasteria saisani (Staudinger,1882)** (Noctuidae) Synonym(s): *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910.
- 2671) Drasteria sesquistria (Eversmann,1854)** (Noctuidae) Synonym(s): *sesquistria* Eversmann,1854
- 2672) Drepanopterula limaria (Christoph,1885)** (Geometridae) Synonym(s): *limaria* Christoph,1885
- 2673) Drosophila (s.str.) littoralis Meigen,1830** (Drosophilidae) Synonym(s): *littoralis* Meigen,1830; *parenti* Villeneuve,1921; *lugubrina* Duda,1914; *imeretensis* Sokolov,1948
- 2674) Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae) Synonym(s): *phalerata* Meigen,1830
- 2675) Drosophila (s.str.) virilis Sturtevant,1916** (Drosophilidae) Synonym(s): *virilis* Sturtevant,1916
- 2676) Drosophila (Sophophora) melanogaster Meigen,1830** (Drosophilidae) Synonym(s): *melanogaster* Meigen,1830; *fasciata* Meigen,1830; *approximata* Zetterstedt,1847; *uvarum* Rondani,1875; *pilosula* Becker,1908
- 2677) Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae) Synonym(s): *subobscura* Collin,1936
- 2678) Drusus caucasicus Ulmer,1907** (Limnephilidae) Synonym(s): *caucasicus* Ulmer,1907
- 2679) Dryadula caucasica (Zagulyaev,1970)** (Tineidae) Synonym(s): *caucasica* Zagulyaev,1970
- 2680) Dryadula zinica (Zagulyaev,1970)** (Tineidae) Synonym(s): *zinica* Zagulyaev,1970
- 2681) Drymeia caucasica (Schnabl & Dziedzicki,1911)** (Muscidae) Synonym(s): *caucasica* Schnabl & Dziedzicki,1911
- 2682) Drymeia fasciculata (Stein,1916)** (Muscidae) Synonym(s): *fasciculata* Stein,1916
- 2683) Drymeia vicana (Harris,1780)** (Muscidae) Synonym(s): *vicana* Harris,1780
- 2684) Drymochares starcki Ganglbauer,1888** (Cerambycidae) Synonym(s): *starcki* Ganglbauer,1888

- 2685) Drymonia dodonaea ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#dodonaea* [Denis & Schiffermüller],1775; *trimacula* Esper,[1785]; *lunata* Villers,1789; *poltawskii* Schintlmeister,1981; *wagneri* De Freina,1981
- 2686) Drymonia oblitterata (Esper,[1785])** (Notodontidae) Synonym(s): *oblitterata* Esper,[1785]; *melagone* Borkhausen,1790; *deleta* Brahm,1790; *esmera* De Freina,1981
- 2687) Drymonia ruficornis (Hufnagel,1766)** (Notodontidae) Synonym(s): *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803
- 2688) Drymonia velitaris (Hufnagel,1766)** (Notodontidae) Synonym(s): *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789
- 2689) Drymus brunneus (Sahlberg,1848)** (Lygaeidae) Synonym(s): *brunneus* Sahlberg,1848
- 2690) Drymus silvaticus (Fabricius,1775)** (Lygaeidae) Synonym(s): *silvaticus* Fabricius,1775
- 2691) Dryobotodes (s.str.) eremita (Fabricius,1775)** (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W. Warren,1911; *#grisea* W. Warren,1911
- 2692) Dryobotodes (s.str.) monochroma (Esper,1790)** (Noctuidae) Synonym(s): *monochroma* Esper,[1790]; *distans* Hübner,[1813]; *suberis* Duponchel,1827
- 2693) Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834
- 2694) Duilius fasciata Howarth,1894** (Cixiidae) Synonym(s): *fasciata* Howarth,1894
- 2695) Duilius modesta Horwarth,1894** (Cixiidae) Synonym(s): *modesta* Horwarth,1894
- 2696) Duilius viridissima Dlabola,1960** (Cixiidae) Synonym(s): *viridissima* Dlabola,1960
- 2697) Duroniella carinata Mishchenko,1951** (Acrididae) Synonym(s): *carinata* Mishchenko,1951
- 2698) Dypterygia scabriuscula (Linnaeus,1758)** (Noctuidae) Synonym(s): *scabriuscula* Linnaeus,1758; *pinastri* Linnaeus,1761.
- 2699) Dysauxes (Adauctis) punctata (Fabricius,1781)** (Ctenuchidae) Synonym(s): *punctata* Fabricius,1781; *serva* Hübner,[1803]; *confamula* Hübner,[1803]; *ochrea* Millière,1876
- 2700) Dysauxes (s.str.) ancilla (Linnaeus,1767)** (Ctenuchidae) Synonym(s): *ancilla* Linnaeus,1767; *obscura* Fabricius,1781; *quadrioculata* Goeze,1783; *lomopicta* Fourcroy,1785; *fuscoptera* Fourcroy,1785; *tripunctata* Scopoli,1786; *arcuatella* Schrank,1802; *horta* Schrank,1802; *abundans* Dannehl,1933; *pluripuncta* Naufock,1933.
- 2701) Dysauxes (s.str.) famula (Freyer,1836)** (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983.
- 2702) Dysauxes (s.str.) fraterna Ignatyev & Zolotuhin,2006** (Ctenuchidae) Synonym(s): *fraterna* Ignatyev & Zolotuhin,2006
- 2703) Dyscia (Calodyscia) innocentaria (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentaria* Pugaev & Zolotuhin,2006
- 2704) Dyscia (Rjabovana) negrama Wehrli,1950** (Geometridae) Synonym(s): *negrama* Wehrli,1950; *rjabovi* Vardikjan,1957.
- 2705) Dyscia (s.str.) conspersaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *conspersaria* [Denis & Schiffermüller],1775; *cuniculina* Hübner,1790; *cunicularia* Esper,1803; *turturaria* Boisduval,1840; *#conspersana* Pugaev & Zolotuhin,2006
- 2706) Dyscia (s.str.) lentiscaria (Donzel,1837)** (Geometridae) Synonym(s): *lentiscaria* Donzel,1837; *agacles* Oberthür,1923
- 2707) Dyscia (Warneckeella) malatyana (Wehrli,1934)** (Geometridae) Synonym(s): *malatyana* Wehrli,1934
- 2708) Dymachus bilobus Loew,1871** (Asilidae) Synonym(s): *bilobus* Loew,1871
- 2709) Dymachus dasyproctus Loew,1871** (Asilidae) Synonym(s): *dasyproctus* Loew,1871
- 2710) Dymachus fuscipennis (Meigen,1820)** (Asilidae) Synonym(s): *fuscipennis* Meigen,1820
- 2711) Dymachus styliifer (Loew,1854)** (Asilidae) Synonym(s): *styliifer* Loew,1854
- 2712) Dymachus transcaucasicus Richter,1962** (Asilidae) Synonym(s): *transcaucasicus* Richter,1962
- 2713) Dyspessa alpherakyi (Christoph,1885)** (Cossidae) Synonym(s): *alpherakyi* Christoph,1885
- 2714) Dyspessa aurora Yakovlev,2008** (Cossidae) Synonym(s): *aurora* Yakovlev,2008
- 2715) Dyspessa infusata (Staudinger,1892)** (Cossidae) Synonym(s): *infusata* Staudinger,1892; *cypriaca* Rebel,1927; *kurdistan* Turati,1909.
- 2716) Dyspessa kostjuki Yakovlev,2005** (Cossidae) Synonym(s): *kostjuki* Yakovlev,2005
- 2717) Dyspessa pallidata Staudinger,1901** (Cossidae) Synonym(s): *#pallidata* Staudinger,1892; *pallidata* Staudinger,1901; *nigrita* Wagner,1931; *dueldueli* Daniel,1939.
- 2718) Dyspessa salicicola (Eversmann,1848)** (Cossidae) Synonym(s): *salicicola* Eversmann,1848
- 2719) Dyspessa saxicola (Christoph,1885)** (Cossidae) Synonym(s): *saxicola* Christoph,1885
- 2720) Dyspessa ulula (Borkhausen,1790)** (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscata* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912.
- 2721) Dyspessacossus fereidun Groum-Grshimailo,1895** (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo,1895; *firdusi* Wagner,1937.
- 2722) Dystebenna stephensi (Stainton,1849)** (Agonoxenidae) Synonym(s): *stephensi* Stainton,1849; *tessellatella* Herrich-Schäffer,[1854]; *stephensiella* Doubleday,1859
- 2723) Eana (Eutrachia) goiiana (Linnaeus,1761)** (Tortricidae) Synonym(s): *#argentana* Clerck,1759; *goiiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *gerningiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887
- 2724) Eana (Eutrachia) osseana (Scopoli,1763)** (Tortricidae) Synonym(s): *osseana* Scopoli,1763; *angulella* Thunberg,1788; *quadripunctana* Haworth,1811; *pratana* Hübner,[1813]; *cantiana* Curtis,1826; *boreana* Zetterstedt,[1839]; *sulphurana* Guenée,1845; *vosgesiana* Peyerimhoff,1863; *stelviana* Millière,1874; *biformana* Réal,1953; *alpicola* Real,1953; *pratana* Real,1953 nec Hbn.,1813; *borreoni* Real,1953
- 2725) Eana (s.str.) incanana (Stephens,1852)** (Tortricidae) Synonym(s): *incanana* Stephens,1852; *sinuana* Stephens,1852; *infusana* Réal,1953
- 2726) Eana (s.str.) penziana (Thunberg,1791)** (Tortricidae) Synonym(s): *penziana* Thunberg,1791; *bellana* Curtis,1826; *diurneana* Guenée,1845; *alpestris* Réal,1953
- 2727) Earias clorana (Linnaeus,1761)** (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
- 2728) Earias rjabovi Filipjev,1933** (Noctuidae) Synonym(s): *rjabovi* Filipjev,1933
- 2729) Earias vernana (Fabricius,1787)** (Noctuidae) Synonym(s): *vernana* Fabricius,1787; *oblitterata* Bartel,1914
- 2730) Ebarrius cognatus (Fieber,1869)** (Cicadellidae) Synonym(s): *cognatus* Fieber,1869
- 2731) Ebarrius intertinctus (Fieber,1869)** (Cicadellidae) Synonym(s): *intertinctus* Fieber,1869
- 2732) Ecbatania holopyrrhella (Ragonot,1888)** (Pyralidae) Synonym(s): *holopyrrhella* Ragonot,1888

- 2733) *Eccopisa effractella* Zeller, 1848 (Pyrilidae) Synonym(s): *effractella* Zeller, 1848
- 2734) *Eccoptomera infusata* Wahlgren, 1918 (Heleomyzidae) Synonym(s): *infusata* Wahlgren, 1918
- 2735) *Eccoptomera leisteri* Gorodkov, 1977 (Heleomyzidae) Synonym(s): *leisteri* Gorodkov, 1977
- 2736) *Eccoptomera longiseta* (Meigen, 1830) (Heleomyzidae) Synonym(s): *longiseta* Meigen, 1830; *microphthalma* Zetterstedt, 1847
- 2737) *Eccoptomera promethei* Gorodkov, 1966 (Heleomyzidae) Synonym(s): *promethei* Gorodkov, 1966
- 2738) *Echthroplexiella aeneiventris* Mercet, 1921 (Encyrtidae) Synonym(s): *aeneiventris* Mercet, 1921
- 2739) *Ecliptopera silaceata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *silaceata* [Denis & Schiffermüller], 1775; *insulata* Haworth, 1809; *cuneata* Donovan, 1810; *silacearia* Boisduval, 1840
- 2740) *Ecpyrrhorhoe rubiginalis* (Hübner, 1796) (Pyrilidae) Synonym(s): *rubiginalis* Hübner, 1796
- 2741) *Ectoedemia (Etainia) biarmata* (Puplesis, 1994) (Nepticulidae) Synonym(s): *biarmata* Puplesis, 1994
- 2742) *Ectoedemia (Etainia) lousella* (Sircom, 1849) (Nepticulidae) Synonym(s): *lousella* Sircom, 1849
- 2743) *Ectomocoris caucasicus* Linnavuori, 1972 (Reduviidae) Synonym(s): *caucasicus* Linnavuori, 1972
- 2744) *Ectomocoris ululans* (Rossi, 1790) (Reduviidae) Synonym(s): *ululans* Rossi, 1790; *tidikelti* Dispons, 1961
- 2745) *Ectropis bistortata* (Goeze, 1781) (Geometridae) Synonym(s): *#crepuscularia* [Denis & Schiffermüller], 1775; *virginaria* Cramer, [1780]; *bistortata* Goeze, 1781; *biundulata* Villers, 1789; *biundularia* Borkhausen, 1794; *baeticaria* Scharfenberg, 1805; *strigularia* Stephens, 1831; *defessaria* Freyer, 1847; *occiduaria* Guenée, [1858]; *divisaria* Walker, 1860 nec Wlk., 1860; *intrataria* Walker, 1860; *signaria* Walker, 1860; *spatiosaria* Walker, 1860; *abraxaria* Walker, 1860; *cineraria* Walker, 1860; *crepusculata* Herrich-Schäffer, 1863; *fumataria* Minot, 1869; *tristis* Riesen, 1897
- 2746) *Edwardsiana flavescens* (Fabricius, 1794) (Cicadellidae) Synonym(s): *flavescens* Fabricius, 1794; *fratercula* Edwards, 1908; *sororcula* Ossiannilsson, 1936
- 2747) *Edwardsiana frustrator* (Edwards, 1908) (Cicadellidae) Synonym(s): *frustrator* Edwards, 1908; *solearis* Ribaut, 1931
- 2748) *Edwardsiana lethierryi* (Edwards, 1881) (Cicadellidae) Synonym(s): *lethierryi* Edwards, 1881; *chromata* Rey, 1894; *plurispinosa* Wagner, 1935
- 2749) *Edwardsiana pseudoplatani* Logvinenko, 1966 (Cicadellidae) Synonym(s): *pseudoplatani* Logvinenko, 1966
- 2750) *Edwardsiana rosae* (Linnaeus, 1758) (Cicadellidae) Synonym(s): *rosae* Linnaeus, 1758; *laetifica* Rey, 1894; *subcarnea* Rey, 1894; *manca* Ribaut, 1936
- 2751) *Edwardsiana sociabilis* (Ossiannilsson, 1936) (Cicadellidae) Synonym(s): *sociabilis* Ossiannilsson, 1936
- 2752) *Edwardsiana spinigera* (Edwards, 1924) (Cicadellidae) Synonym(s): *spinigera* Edwards, 1924
- 2753) *Edwardsiana trigonometrica* Logvinenko, 1966 (Cicadellidae) Synonym(s): *trigonometrica* Logvinenko, 1966
- 2754) *Edwardsiana tshinari* Zachvatkin, 1947 (Cicadellidae) Synonym(s): *tshinari* Zachvatkin, 1947
- 2755) *Eginia ocypterata* (Meigen, 1826) (Muscidae) Synonym(s): *ocypterata* Meigen, 1826; *cylindrica* R-D., 1830
- 2756) *Egira anatolica* (Hering, 1933) (Noctuidae) Synonym(s): *anatolica* Hering, 1933; *#metaxys* Boursin, 1966; *#leucomelas* Boursin, 1966
- 2757) *Egira conspicularis* (Linnaeus, 1758) (Noctuidae) Synonym(s): *conspicularis* Linnaeus, 1758
- 2758) *Egira tibi Hreblay*, 1994 (Noctuidae) Synonym(s): *tibi Hreblay*, 1994
- 2759) *Ellicrinia cordiaria* (Hübner, 1790) (Geometridae) Synonym(s): *cordiaria* Hübner, 1790
- 2760) *Ellicrinia trinotata* (Metzner, 1845) (Geometridae) Synonym(s): *trinotata* Metzner, 1845
- 2761) *Elachertus azerbaijanicus* (Bouček, 1971) (Eulophidae) Synonym(s): *azerbaidzhanicus* Bouček, 1971 AZ Cc RU
- 2762) *Elachertus pulcher* (Erdős, 1961) (Eulophidae) Synonym(s): *pulcher* Erdős, 1961
- 2763) *Elachista adelpha* Kaila & Jalava, 1994 (Elachistidae) Synonym(s): *adelpha* Kaila & Jalava, 1994
- 2764) *Elachista coeneni* Traugott-Olsen, 1985 (Elachistidae) Synonym(s): *coeneni* Traugott-Olsen, 1985
- 2765) *Elampus bidens* (Förster, 1853) (Chrysididae) Synonym(s): *bidens* Förster, 1853
- 2766) *Elaphria venustula* (Hübner, 1790) (Noctuidae) Synonym(s): *venustula* Hübner, 1790
- 2767) *Elasmus nudus* (Nees ab Esenbeck, 1834) (Eulophidae) Synonym(s): *nudus* Nees ab Esenbeck, 1834; *albipennis* Thomson, 1878
- 2768) *Elasmus platydrae* Ferrière, 1935 (Eulophidae) Synonym(s): *platydrae* Ferrière, 1935; *elongatus* Ferrière, 1947
- 2769) *Elasmus unicolor* (Rondani, 1877) (Eulophidae) Synonym(s): *unicolor* Rondani, 1877; *fumipennis* Thomson, 1878; *vibicellae* Ferrière, 1947
- 2770) *Elater ferrugineus* Linnaeus, 1758 (Elateridae) Synonym(s): *ferrugineus* Linnaeus, 1758
- 2771) *Elathous buyssoni* Reitter, 1890 (Elateridae) Synonym(s): *buyssoni* Reitter, 1890
- 2772) *Elegia fallax* (Staudinger, 1881) (Pyrilidae) Synonym(s): *fallax* Staudinger, 1881; *atrifasciella* Ragonot, 1887; *nigribasella* Ragonot, 1895; *iozona* Meyrick, 1937; *elegiella* Amsel, 1953.
- 2773) *Elodes eberti* Klausnitzer, 1970 (Scirtidae) Synonym(s): *eberti* Klausnitzer, 1970
- 2774) *Elocephala maculata* (Meigen, 1804) (Limoniidae) Synonym(s): *maculata* Meigen, 1804
- 2775) *Ematheudes varicellus* Ragonot, 1887 (Pyrilidae) Synonym(s): *varicellus* Ragonot, 1887
- 2776) *Ematheudes vitellinellus* Ragonot, 1887 (Pyrilidae) Synonym(s): *vitellinella* Ragonot, 1887; *#vittelina* Amsel, 1949.
- 2777) *Ematurga atomaria* (Linnaeus, 1758) (Geometridae) Synonym(s): *atomaria* Linnaeus, 1758; *isoscelata* Scopoli, 1763; *pennata* Scopoli, 1763; *aceraria* Hufnagel, 1767; *artemisaria* Herbst, 1782; *picta*, *microcosa* Fourcroy, 1785; *glarearia* Hübner, [1799]; *obsoletaria* Zett., 1839; *minuta* Heydemann, 1925; *arenaria* Candeze, 1926.
- 2778) *Emblethis bullatus* Fieber, 1861 (Lygaeidae) Synonym(s): *bullatus* Fieber, 1861
- 2779) *Emblethis denticollis* Hovarth, 1878 (Lygaeidae) Synonym(s): *denticollis* Hovarth, 1878
- 2780) *Emblethis griseus* (Wolff, 1802) (Lygaeidae) Synonym(s): *griseus* Wolff, 1802
- 2781) *Emblethis verbasci* (Fabricius, 1803) (Lygaeidae) Synonym(s): *verbasci* Fabricius, 1803
- 2782) *Emelyanoviana mollicula* (Boheman, 1845) (Cicadellidae) Synonym(s): *mollicula* Boheman, 1845; *fascialis* Flor, 1861; *florii* Kirschbaum, 1868; *albicans* Lethierry, 1876
- 2783) *Emmelina argoteles* (Meyrick, 1922) (Pterophoridae) Synonym(s): *argoteles* Meyrick, 1922; *jezonius* Matsumura, 1931; *komabensis* Matsumura, 1931; *menoko* Matsumura, 1931; *yanagawanus* Matsumura, 1931.
- 2784) *Emmelina monodactyla* (Linnaeus, 1758) (Pterophoridae) Synonym(s): *monodactyla* Linnaeus, 1758; *sibiricus* Caradja, 1920.
- 2785) *Empis (Euempis) shushaensis* Shamshev, 2001 (Empidae) Synonym(s): *shushaensis* Shamshev, 2001
- 2786) *Empis (Polyblepharis) haemi* Loew, 1862 (Empidae) Synonym(s): *haemi* Loew, 1862
- 2787) *Empoasca decipiens* Paoli, 1930 (Cicadellidae) Synonym(s): *decipiens* Paoli, 1930; *bifurcata* Cerutti, 1939; *meridiana* Zachvatkin, 1946; *minutissima* Vilbaste, 1961
- 2788) *Empoasca solani* (Curtis, 1846) (Cicadellidae) Synonym(s): *solani* Curtis, 1846; *pteridis* Dahlbom, 1850; *solanituberosi* Kollar, 1852; *roseiventris* Rey, 1894; *tullgreni* Ribaut, 1933; *dlabolae* Lindberg, 1960
- 2789) *Empoasca vitis* (Göthe, 1875) (Cicadellidae) Synonym(s): *vitis* Göthe, 1875; *aurantiaca* Lethierry, 1880; *viticola* Targioni-Tozzetti, 1888; *subvaria* Rey, 1894; *vitium* Paoli, 1931; *punctata* Kato, 1933; *petiolata* Cerutti, 1939

- 2790)** *Enanthyperythra legataria* (Herrich-Schäffer, [1852]) (Geometridae) Synonym(s): *legataria* Herrich-Schäffer, [1852]
2791) *Enargia abluta* (Hübner, [1808]) (Noctuidae) Synonym(s): *abluta* Hübner, [1808]; *imbuta* Boisduval, 1840.
2792) *Enargia paleacea* (Esper, [1788]) (Noctuidae) Synonym(s): *paleacea* Esper, [1788].
2793) *Enarmonia formosana* (Scopoli, 1763) (Tortricidae) Synonym(s): *formosana* Scopoli, 1763; *woeberiana* [Denis & Schiffermüller], 1775; *scriptana* Thunberg, 1784; *ornatana* Hübner, [1799].
2794) *Encyrtus aurantii* (Geoffroy, 1785) (Encyrtidae) Synonym(s): *aurantii* Geoffroy, 1785; *lecaniorum* Mayr, 1876; *bicolor* Howard, 1881; *albicoxa* Ashmead, 1885; *hibisci* Girault, 1915; *argenticoxa* Girault, 1915; *argenticapax* Girault, 1915; *aurantifasciata* Girault, 1915; *mirabilis* Brethes, 1916; *albiscapus* Masi, 1917; *barbatus* Timerlake, 1919; *cocci* Risbec, 1951; *ceroplastis* Agarwal, 1965
2795) *Encyrtus infidus* (Rossi, 1790) (Encyrtidae) Synonym(s): *infidus* Rossi, 1790; *scutellatus* Swederus, 1795; *obscura* Dalman, 1820; *hokkaidonis* Tachikawa, 1963
2796) *Endothenia gentianaeana* (Hübner, [1799]) (Tortricidae) Synonym(s): ? *bidella* Fourcroy, 1785; *gentianaeana* Hübner, [1799]; *gentianana* Hübner, [1825]; *oblongana* Haworth, [1811]; *sellana* Frölich, 1828; *desertana* Staudinger, 1879; *adelana* Rebel, 1892.
2797) *Endothenia kostyuki* Kuznetsov, 1994 (Tortricidae) Synonym(s): *kostyuki* Kuznetsov, 1994; *#kostyuki* Razowski, 1995
2798) *Endothenia marginana* (Haworth, [1811]) (Tortricidae) Synonym(s): *marginana* Haworth, [1811]
2799) *Endothenia nigricostana* (Haworth, [1811]) (Tortricidae) Synonym(s): *nigricostana* Haworth, [1811]; *squalidana* Herrich-Schäffer, [1851]; *remyana* Herrich-Schäffer, [1851]; *illepidana* Kennel, 1901.
2800) *Endothenia sororiana* (Herrich-Schäffer, [1851]) (Tortricidae) Synonym(s): *#sororiana* Herrich-Schäffer, [1850]; *sororiana* Herrich-Schäffer, [1851]; *phlomidana* Staudinger, 1871.
2801) *Endothenia ustulana* (Haworth, 1811) (Tortricidae) Synonym(s): *ustulana* Haworth, 1811; *carbonana* Doubleday, 1849; *violana* Peyerimhoff, 1863
2802) *Endotricha flammealis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller], 1775; *carnealis* De Lattin, 1951.
2803) *Endromis versicolora* (Linnaeus, 1758) (Endromidae) Synonym(s): *versicolora* Linnaeus, 1758; *versicolor* Schrank, 1801; *lapponica* Bau, 1877; *sachalinensis* Matsumura, 1929; *asiaeorientis* Warnecke, 1943; *meridionalis* Rougeot, 1971; *subpyrinaea* Gomez-Bustillo et al., 1974
2804) *Engelepogon cingulifer* (Becker, 1913) (Asilidae) Synonym(s): *cingulifer* Becker, 1913
2805) *Engistus exsanguis* Stal, 1872 (Lygaeidae) Synonym(s): *exsanguis* Stal, 1872; *unicolor* Jakovlev, 1877; *conspurcatus* Horvath, 1911; *fasciatus* Horvath, 1911; *#crocea* Priesner & Alfieri, 1953; *#viridis* Priesner & Alfieri, 1953; *punctulatus* Linnavuori, 1953 [ssp.]
2806) *Engistus salinus* Jakovlev, 1874 (Lygaeidae) Synonym(s): *salinus* Jakovlev, 1874; *marmoratus* Jakovlev, 1902
2807) *Enicospilus ramidulus* (Linnaeus, 1758) (Ichneumonidae) Synonym(s): *ramidulus* Linnaeus, 1758; *merdarius* Gravenhorst, 1829
2808) *Ennomos (Deuteronomos) erosarius* (Hübner, 1790) (Geometridae) Synonym(s): *#erosaria* [Denis & Schiffermüller], 1775; Hübner, 1790.
2809) *Ennomos (Deuteronomos) quercarius* (Hübner, [1813]) (Geometridae) Synonym(s): *quercaria* Hübner, [1813]
2810) *Ennomos (s.str.) quercinarius* (Hufnagel, 1767) (Geometridae) Synonym(s): *quercinaria* Hufnagel, 1767; *angularia* [Denis & Schiffermüller], 1775; *zona* Fourcroy, 1785; *carpinaria* Hübner, [1799]
2811) *Enochrus (Lumetus) fuscipennis* (Thomson, 1884) (Hydrophilidae) Synonym(s): *fuscipennis* Thomson, 1884
2812) *Enoplops disciger* (Kolenati, 1845) (Coreidae) Synonym(s): *disciger* Kolenati, 1845
2813) *Enoplops scapha* (Fabricius, 1794) (Coreidae) Synonym(s): *scapha* Fabricius, 1794
2814) *Ensina sonchi* (Linnaeus, 1767) (Tephritidae) Synonym(s): *sonchi* Linnaeus, 1767; *obsoleta* Meigen, 1826; *chrysanthemi* R-D., 1830; *doronici* R-D., 1830; *herbarum* R-D., 1830; *linariae* R-D., 1830; *pratensis* R-D., 1830; *scorzoneræ* R-D., 1830
2815) *Entedon sparetus* Walker, 1839 (Eulophidae) Synonym(s): *sparetus* Walker, 1839; *longiventris* Thomson, 1878; *longiventrosus* Dalla Torre, 1898; *insignis* Erdős, 1944; *lixi* Erdős, 1951; *mecini* Askew, 1992
2816) *Entedon thomsianus* Erdős, 1944 (Eulophidae) Synonym(s): *thomsianus* Erdős, 1944
2817) *Entephria caesiata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *caesiata* [Denis & Schiffermüller], 1775
2818) *Entephria calcephila* Tikhonov, 1994 (Geometridae) Synonym(s): *calcephila* Tikhonov, 1994
2819) *Entephria cyanata* (Hübner, [1809]) (Geometridae) Synonym(s): *cyanata* Hübner, [1809]
2820) *Entephria flavicinctata* (Hübner, [1813]) (Geometridae) Synonym(s): *flavicinctata* Hübner, [1813]; *griseicinctata* Bruand, 1850; *rubigicinctata* Bruand, 1850; *ruficinctata* Guenée, [1858]; *obscurata* Staudinger, 1901; *samnitaria* Sohn-Rethel, 1929; *septentrionalis* Warnecke, 1934
2821) *Entephria ignorata* (Staudinger, 1892) (Geometridae) Synonym(s): *ignorata* Staudinger, 1892
2822) *Entephria muscosaria* (Christoph, 1893) (Geometridae) Synonym(s): *muscosaria* Christoph, 1893
2823) *Entephria rjabovi* Tikhonov, 1994 (Geometridae) Synonym(s): *rjabovi* Tikhonov, 1994
2824) *Entephria tejmuravi* Tikhonov, 1994 (Geometridae) Synonym(s): *tejmurovi* Tikhonov, 1994
2825) *Entomoscelis adonidis* (Pallas, 1771) (Chrysomelidae) Synonym(s): *adonidis* Pallas, 1771; *abdominalis* Netolitzki, 1912
2826) *Entomoscelis suturalis* Weise, 1882 (Chrysomelidae) Synonym(s): *suturalis* Weise, 1882
2827) *Eoferreola erythraea* (Pallas, 1773) (Pompilidae) Synonym(s): *erythraea* Pallas, 1773; *sirdariensis* Radoszkowski, 1889
2828) *Eoferreola manticata* (Pallas, 1771) (Pompilidae) Synonym(s): *manticata* Pallas, 1771; *fasciatus* Eversmann, 1849; *variabilis* Eversmann, 1849 nec Ross.; *hellmanni* Eversmann, 1849; *micans* Radoszkowski, 1877; *caucasica* Radoszkowski, 1889; *rossica* Radoszkowski, 1889; *lichtensteini* Tournier, 1895; *claripennis* Priesner, 1966; ...
2829) *Eoferreola rhombica* (Christ, 1791) (Pompilidae) Synonym(s): *rhombica* Christ, 1791; *coccineus* Fabricius, 1804
2830) *Eogena contamnei* (Eversmann, 1847) (Noctuidae) Synonym(s): *contamnei* Eversmann, 1847
2831) *Eogenes alcides* Herrich-Schäffer, [1852] (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer, [1852]
2832) *Eohardya fraudulentus* (Horvath, 1903) (Cicadellidae) Synonym(s): *fraudulentus* Horvath, 1903; *imitatus* Haupt, 1924; *byzantina* Zachvatkin, 1946; *mira* Zachvatkin, 1946; *insularis* Lindberg, 1948
2833) *Epagoge grotiana* (Fabricius, 1781) (Tortricidae) Synonym(s): *grotiana* Fabricius, 1781; *flavana* Hübner, [1799]; *ochreana* Hübner, [1799]; *artificana* Herrich-Schäffer, 1851; *amasiana* Caradja, 1916.
2834) *Epallage fatime* (Charpentier, 1840) (Calopterygidae) Synonym(s): *fatime* Charpentier, 1840
2835) *Epascestria pustulalis* (Hübner, [1823]) (Pyralidae) Synonym(s): *pustulalis* Hübner, [1823]; *orientalis* Caradja, 1917.
2836) *Epatolmis caesarea* (Goeze, 1781) (Arctiidae) Synonym(s): *#luctifera* [Denis & Schiffermüller], 1775; *caesarea* Goeze, 1781; *japonica* Walker, [1865].
2837) *Epermenia (Calotripis) aequidentella* (Hofmann, 1867) (Epermeniidae) Synonym(s): *aequidentella* Hofmann, 1867; *daucellus* Peyerimhoff, 1870.

- 2838) Epermenia (Calotripis) insecurella (Stainton,1849)** (Epermeniidae) Synonym(s): *insecurella* Stainton,1849; *dentosella* Stainton,1851; *iniquellus* Wocke,1867; *plumbeella* Rebel,1915; *kruegerella* Schawerda,1921.
- 2839) Epermenia (Calotripis) strictella (Wocke,1867)** (Epermeniidae) Synonym(s): *strictella* Wocke,1867; *anthracoptila* Meyrick,1931.
- 2840) Epermenia (Cataplectica) iniquella (Wocke,1867)** (Epermeniidae) Synonym(s): *dentosella* auct. nec Stt.,1851; *iniquella* Wocke,1867; *kruegerella* Schawerda,1921; *ochrodesma* Meyrick,1913
- 2841) Epermenia (s.str.) ochreomaculella (Millière,1854)** (Epermeniidae) Synonym(s): *ochreomaculella* Millière,1854; *prohaskaella* Schawerda,1921; *afghanistanella* Gaedike,1971.
- 2842) Ephelis cruentalis (Geyer,[1832])** (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835
- 2843) Ephestia (Anagasta) welseriella (Zeller,1848)** (Pyralidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927.
- 2844) Ephestia (s.str.) disparella Hampson,1901** (Pyralidae) Synonym(s): *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934.
- 2845) Ephestia (s.str.) elutella (Hübner,1796)** (Pyralidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965
- 2846) Ephestia (s.str.) parasitella Staudinger,1859** (Pyralidae) Synonym(s): *parasitella* Staudinger,1859; *bimaculella* Lucas,1955.
- 2847) Epibactra sareptana (Herrich-Schäffer,1861)** (Tortricidae) Synonym(s): *sareptana* Herrich-Schäffer,1861; *verecundana* Caradja,1916.
- 2848) Epiblema albohamulana (Rebel,1893)** (Tortricidae) Synonym(s): *albohamulana* Rebel,1893
- 2849) Epiblema foenellum (Linnaeus,1758)** (Tortricidae) Synonym(s): *foenella* Linnaeus,1758; *hohenwartiana* Scopoli,1772; *scopoliana* [Denis & Schiffermüller],1775; *pflugiana* Fabricius,1787; *tibialana* Hübner,[1793]; *interrogationana* Donovan,1793; *clavigerana* Walker,1863; *sinicana* Walker,1863
- 2850) Epiblema gammata (Mann,1866)** (Tortricidae) Synonym(s): *gammata* Mann,1866
- 2851) Epiblema scutulana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872
- 2852) Epicallima formosella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller],1775
- 2853) Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala* Pallas,1771
- 2854) Epichnopterix ardua Mann,1867** (Psychidae) Synonym(s): *ardua* Mann,1867
- 2855) Epichnopterix plumella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *plumella* [Denis & Schiffermüller],1775; *pulla* Esper,[1785]
- 2856) Epidauria strigosa (Staudinger,1879)** (Pyralidae) Synonym(s): *strigosa* Staudinger,1879
- 2857) Epilecta linogrisea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosana* Staudinger,1901.
- 2858) Epimecia ustula (Freyer,1835)** (Noctuidae) Synonym(s): *ustula* Freyer,1835
- 2859) Epinotia brunnichiana (Linnaeus,1767)** (Tortricidae) Synonym(s): *brunnichiana* Linnaeus,1767; *sinuana* [Denis & Schiffermüller],1775; *rhenana* Thunberg & Becklin,1791
- 2860) Epinotia dalmatana (Rebel,1891)** (Tortricidae) Synonym(s): *dalmatana* Rebel,1891; *psychrodora* Meyrick,1936; *mesopotamica* Obratzsov,1952; *obraztsovi* Agenjo,1967
- 2861) Epinotia festivana (Hübner,[1799])** (Tortricidae) Synonym(s): *festivana* Hübner,[1799]
- 2862) Epinotia immundana (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *immundana* Fischer v. Röslerstamm,1839
- 2863) Epinotia kochiana Herrich-Schäffer,[1851]** (Tortricidae) Synonym(s): *kochiana* Herrich-Schäffer,[1851]
- 2864) Epinotia nisella (Clerck,1759)** (Tortricidae) Synonym(s): *nisella* Clerck,1759; *boeberana* Fabricius,1787; *pavonana* Donovan,1804; *cuspidana* Haworth,1811; *rhombifasciana* Haworth,1811; *stictana* Haworth,1811; *cinereana* Haworth,1811; *nisana* Guenée,1845
- 2865) Epinotia ramella (Linnaeus,1758)** (Tortricidae) Synonym(s): *ramella* Linnaeus,1758; *paykulliana* Fabricius,1787; *sesquilunana* Haworth,1811; *ramama* Frölich,1828; *costana* Duponchel,1836
- 2866) Epinotia solandriana (Linnaeus,1758)** (Tortricidae) Synonym(s): *solandriana* Linnaeus,1758; *trapezana* Fabricius,1787; *semimaculana* Hübner,1793; *parmatana* Hübner,[1817]; *semilunana* Frölich,1828
- 2867) Epinotia subsequana (Haworth,[1811])** (Tortricidae) Synonym(s): *subsequana* Haworth,[1811]; *abiegana* Duponchel,[1843]
- 2868) Epinotia tenerana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *tenerana* [Denis & Schiffermüller],1775; *retusana* Haworth,1811; *oblitana* Duponchel,1842
- 2869) Epinotia tetraquetra (Haworth,1811)** (Tortricidae) Synonym(s): *tetraquetra* Haworth,1811; *triquetra* Haworth,1811; *angulana* Haworth,1811; *frutetana* Hübner,[1824]
- 2870) Epinotia thapsiana (Zeller,1847)** (Tortricidae) Synonym(s): *thapsiana* Zeller,1847
- 2871) Epione vespertaria (Linnaeus,1767)** (Geometridae) Synonym(s): *vespertaria* Linnaeus,1767; *paralellaria* [Denis & Schiffermüller],1775; *affiniaria* Borkhausen,1794; *amura* Wehrli,1940
- 2872) Epipsammia accurata (Christoph,1882)** (Noctuidae) Synonym(s): *accurata* Christoph,1882 o
- 2873) Epipsammia cretacea (Staudinger,1888)** (Noctuidae) Synonym(s): *cretacea* Staudinger,1888.
- 2874) Epipsammia fixseni (Christoph,1893)** (Noctuidae) Synonym(s): *fixseni* Christoph,1893
- 2875) Epirrhoe galiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912
- 2876) Epirrhoe hastulata (Hübner,1790)** (Geometridae) Synonym(s): *hastulata* Hübner,1790; *luctuata* Hübner,[1799]
- 2877) Epirrhoe molluginata (Hübner,[1813])** (Geometridae) Synonym(s): *molluginata* Hübner,[1813]
- 2878) Epirrhoe pupillata (Thunberg,1788)** (Geometridae) Synonym(s): *pupillata* Thunberg,1788; *funerata* Hübner,[1799]; *reducta* Osthelder,1929 nec Djak.,1929 [priority?].
- 2879) Epirrhoe rivata (Hübner,[1813])** (Geometridae) Synonym(s): *rivata* Hübner,[1813]
- 2880) Epirrhoe tristata (Linnaeus,1758)** (Geometridae) Synonym(s): *tristata* Linnaeus,1758; *limbosignata* Nolcken,1867
- 2881) Epirrita dilutata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#dilutata* [Denis & Schiffermüller],1775; *nebulata* Thunberg,1784; *impluviata* Borkhausen,1794; *fimbriata* Haworth,1809; *inscriptata* Donovan,1811; *neglectata* Weaver,1852; *unicolorata* Lambillion,1905

- 2882) Epirrita terminassianae (Vardikjan,1974)** (Geometridae) Synonym(s): *terminassianae* Vardikjan,1974
- 2883) Episcardia (Bilobatana) fuscoviolacella (Ragonot,1895)** (Tineidae) Synonym(s): *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935.
- 2884) Epischnia adultella (Zeller,1848)** (Pyralidae) Synonym(s): *adultella* Zeller,1848
- 2885) Epischnia christophori Ragonot,1887** (Pyralidae) Synonym(s): *christophori* Ragonot,1887; *#chrystophori* Noack,1960.
- 2886) Epischnia cretaciella Mann,1869** (Pyralidae) Synonym(s): *cretaciella* Mann,1869; *demartinella* Turati,1922.
- 2887) Epischnia cuculliella Ragonot,1887** (Pyralidae) Synonym(s): *cuculliella* Ragonot,1887
- 2888) Epischnia leucomixtella Ragonot,1887** (Pyralidae) Synonym(s): *leucomixtella* Ragonot,1887
- 2889) Epischnia prodromella (Hübner,[1799])** (Pyralidae) Synonym(s): *prodromella* Hübner,[1799]; *#prodromella* Rebel,1939
- 2890) Episcythrastis tabidella (Mann,1864)** (Pyralidae) Synonym(s): *tabidella* Mann,1864; *griseella* Ragonot,1887; *constanti* Ragonot,1893; *heringi* Hartig,1938; *demawendella* Zerny,1939
- 2891) Episema amasina (Hampson,1906)** (Noctuidae) Synonym(s): *amasina* Hampson,1906
- 2892) Episema didymogramma (Boursin,1955)** (Noctuidae) Synonym(s): *didymogramma* Boursin,1955
- 2893) Episema glaucina (Esper,[1789])** (Noctuidae) Synonym(s): *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929.
- 2894) Episema korsakovi (Christoph,1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885.
- 2895) Episema lederi Christoph,1885** (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#ledereri* Wiltshire,1937.
- 2896) Episema tersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956.
- 2897) Epistrophe (Epistrophella) euchroma (Kowarz,1885)** (Syrphidae) Synonym(s): *euchroma* Kowarz,1885
- 2898) Episyrrhus balteatus (De Geer,1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli,1763; *balteatus* De Geer,1776; *scitula* Harris,1776; *alternata* Schrank,1781; *nectarea* Fabricius,1787; *nectarina* Wiedemann,1830; *alternans* Macquart,1842; *trigilatus* Walker,1856
- 2899) Epithalassius caucasicus Becker,1918** (Dolichopodidae) Synonym(s): *caucasicus* Becker,1918
- 2900) Epitrix abeillei (Bauduer,1874)** (Chrysomelidae) Synonym(s): *abeillei* Bauduer,1874
- 2901) Epitrix atropae Foudras,1860** (Chrysomelidae) Synonym(s): *atropae* Foudras,1860
- 2902) Epitrix caucasica (Heiteringer,1950)** (Chrysomelidae) Synonym(s): *caucasica* Heiteringer,1950
- 2903) Epitrix intermedia Foudras,1860** (Chrysomelidae) Synonym(s): *intermedia* Foudras,1860
- 2904) Epitrix ogloblini (Khnzorian,1960)** (Chrysomelidae) Synonym(s): *ogloblini* Khnzorian,1960
- 2905) Epitrix pubescens (Koch,1803)** (Chrysomelidae) Synonym(s): *pubescens* Koch,1803; *ferruginea* Weise,1886; *suturalis* Bedel,1897; *lenkorana* Pic,1903
- 2906) Erannis caspica Laszlo,2003** (Geometridae) Synonym(s): *caspica* Laszlo,2003
- 2907) Erannis declinans (Staudinger,1879)** (Geometridae) Synonym(s): *declinans* Staudinger,1879.
- 2908) Erannis defoliaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#defoliaria* Clerk,1759; *defoliaria* Linnaeus,1761
- 2909) Erebia aethiops (Esper,[1777])** (Satyridae) Synonym(s): *aethiops* Esper,[1777]; *ligea* Poda,1761 *nec* Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936.
- 2910) Erebia graucasica Jachontov,1909** (Satyridae) Synonym(s): *graucasica* Jachontov,1909; *caucasica* Korshunov, Antonova & Kotshetova,1984.
- 2911) Erebia hewitsonii Lederer,1864** (Satyridae) Synonym(s): *hewitsonii* Lederer,1864
- 2912) Erebia iranica Groum-Grshimailo,1895** (Satyridae) Synonym(s): *iranica* Groum-Grshimailo,1895
- 2913) Erebia medusa ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller],1775
- 2914) Erebia melancholica Herrich-Schäffer,[1846]** (Satyridae) Synonym(s): *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937.
- 2915) Eremippus aserbeidshanicus Ramme,1951** (Acrididae) Synonym(s): *aserbeidshanicus* Ramme,1951
- 2916) Eremippus costatus Tarbinsky,1927** (Acrididae) Synonym(s): *costatus* Tarbinsky,1927
- 2917) Eremippus mirami Tarbinsky,1927** (Acrididae) Synonym(s): *mirami* Tarbinsky,1927; *miramae* Bei-Bienko & Mishtchenko,1951
- 2918) Eremippus opacus Mishchenko,1951** (Acrididae) Synonym(s): *opacus* Mishchenko,1951
- 2919) Eremippus tenellus Mishchenko,1951** (Acrididae) Synonym(s): *tenellus* Mishchenko,1951
- 2920) Eremisca shahgudiani Abbasian-Lintzen,1964** (Asilidae) Synonym(s): *shahgudiani* Abbasian-Lintzen,1964; *araratica* Richter,1966
- 2921) Eremobia asiatica Draudt,1936** (Noctuidae) Synonym(s): *asiatica* Draudt,1936
- 2922) Eremobia ochroleuca ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ochroleuca* [Denis & Schiffermüller],1775; *citrina* Donovan,1801; *bifasciosa* Haworth,1809.
- 2923) Eremobina pabulatricula (Brahm,1791)** (Noctuidae) Synonym(s): *pabulatricula* Brahm,1791
- 2924) Eremocoris fenestratus (Herrich-Schäffer,1839)** (Lygaeidae) Synonym(s): *fenestratus* Herrich-Schäffer,1839
- 2925) Eremocoris pellitus Seidenstücker,1965** (Lygaeidae) Synonym(s): *pellitus* Seidenstücker,1965
- 2926) Eremocoris plebejus (Fallén,1807)** (Lygaeidae) Synonym(s): *plebejus* Fallén,1807; *caucasica* Horvath,1883
- 2927) Eremocossus vaulogeri (Staudinger,1897)** (Cossidae) Synonym(s): *vaulogeri* Staudinger,1897; *suavis* Staudinger,1899; *saharae* Lucas,1907; *hartigi* Rebel,1935.
- 2928) Eremohadena arvicola (Christoph,1887)** (Noctuidae) Synonym(s): *arvicola* Christoph,1887; *banghaasi* Bytinski-Salz & Brandt,1937
- 2929) Eremozepeza festiva (Saussure,1884)** (Pamphagidae) Synonym(s): *festiva* Saussure,1884; *grandis* Portschinsky,1886
- 2930) Eremotylus marginatus (Jurine,1807)** (Ichneumonidae) Synonym(s): *marginatus* Jurine,1807
- 2931) Eremyia transcaspica (Paramonov,1924)** (Bombyliidae) Synonym(s): *transcaspica* Paramonov,1924
- 2932) Eretmocera medinella (Staudinger,1859)** (Scythridae) Synonym(s): *medinella* Staudinger,1859; *#decolorata* Turati,1924
- 2933) Eriocampa ovata (Linnaeus,1761)** (Tenthredinidae) Synonym(s): *ovata* Linnaeus,1761
- 2934) Eriogaster (Autosphylla) henkei (Staudinger,1879)** (Lasiocampidae) Synonym(s): *henkei* Staudinger,1879
- 2935) Eriogaster (Autosphylla) neogena (Fischer de Waldheim,1824)** (Lasiocampidae) Synonym(s): *neogena* Fischer de Waldheim,1824
- 2936) Eriogaster (s.str.) daralagesis Zolotuhin,1991** (Lasiocampidae) Synonym(s): *daralagesis* Zolotuhin,1991; *#daralagesia* Savela; *#daralagesis* Didmanidze,2008
- 2937) Eriogaster (s.str.) lanestris (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *lanestris* Linnaeus,1758; *senecta* Graeser,1888

- 2938) *Eriopsela danilevskyi* Kuznetsov, 1972 (Tortricidae) Synonym(s): *danilevskyi* Kuznetsov, 1972
- 2939) *Erioptera* (Mesocyphona) *bivittata* (Loew, 1873) (Limoniidae) Synonym(s): *bivittata* Loew, 1873
- 2940) *Erioptera* (s.str.) *fusculeta* Edwards, 1938 (Limoniidae) Synonym(s): *fusculeta* Edwards, 1938
- 2941) *Erioptera* (s.str.) *lutea* Meigen, 1804 (Limoniidae) Synonym(s): *lutea* Meigen, 1804
- 2942) *Eriopygodes imbecilla* (Fabricius, 1794) (Noctuidae) Synonym(s): *imbecilla* Fabricius, 1794; *alpina* Hübner, 1793; *aliena* Hübner, [1808]; *disparilis* Ochsenheimer, 1816.
- 2943) *Eristalinus* (Eristalodes) *taeniops* (Wiedemann, 1818) (Syrphidae) Synonym(s): *taeniops* Wiedemann, 1818; *pulchripes* Wiedemann, 1822; *fasciatus* Germar, 1845; *aegyptius* Walker, 1849; *torridus* Walker, 1849; *completus* Santos-Abreu, 1924; *concinus* Santos-Abreu, 1924
- 2944) *Eristalis* (Eoseritalis) *alpina* (Panzer, [1798]) (Syrphidae) Synonym(s): *alpina* Panzer, [1798]; *caucasica* Portschinsky, 1892
- 2945) *Eristalis transcaucasica* Kuznetsov, 1994 (Syrphidae) Synonym(s): *transcaucasica* Kuznetsov, 1994
- 2946) *Erynnis* (Hesperopegasus) *marloyi* (Boisduval, [1834]) (Hesperiidae) Synonym(s): *marloyi* Boisduval, [1834]; *sericea* Freyer, 1838; *rustan* Kollar, [1849].
- 2947) *Erynnis* (s.str.) *tages* (Linnaeus, 1758) (Hesperiidae) Synonym(s): *tages* Linnaeus, 1758; *morio* Scopoli, 1763; *geryon* Rottemburg, 1775; *subclarus* Verity, 1921.
- 2948) *Erythria* (s.str.) *manderstjernii* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum, 1868; *dilatatus* Fieber, 1872
- 2949) *Esperarge* (s.str.) *clymene* (Fabricius, 1787) (Satyridae) Synonym(s): *#climene* Esper, [1783]; *clymene* Fabricius, 1787; *boroeas* Latreille, 1803; *synclimene* Hübner, [1819].
- 2950) *Eteobalea serratella* (Treitschke, 1833) (Cosmopterigidae) Synonym(s): *serratella* Treitschke, 1833; *sareptensis* Walsingham, 1907; *cinereocapitella* Caradja, 1920
- 2951) *Eteobalea sumptuosella* (Lederer, 1855) (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer, 1855; *cinereocapitella* Caradja, 1920
- 2952) *Eteobalea tririvella* (Staudinger, 1871) (Cosmopterigidae) Synonym(s): *tririvella* Staudinger, 1871; *kasyi* Riedl, 1965.
- 2953) *Ethmia bipunctella* (Fabricius, 1775) (Ethmiidae) Synonym(s): *bipunctella* Fabricius, 1775; *echiella* [Denis & Schiffermüller], 1775; *hochenuartiella* Rossi, 1790; *griseicostella* Wiltshire, 1947.
- 2954) *Ethmia candidella* (Alpheraky, 1908) (Ethmiidae) Synonym(s): *candidella* Alpheraky, 1908; *orientella* Caradja, 1931.
- 2955) *Ethmia chrysopygella* (Kolenati, 1846) (Ethmiidae) Synonym(s): *chrysopygella* Kolenati, 1846; *flavitiella* Herrich-Schäffer, [1854].
- 2956) *Ethmia cirrhocnemis* (Lederer, 1870) (Ethmiidae) Synonym(s): *cirrhocnemis* Lederer, 1870
- 2957) *Ethmia elimatella* Danilevsky, 1975 (Ethmiidae) Synonym(s): *elimatella* Danilevsky, 1975
- 2958) *Ethmia euphoria* Kun, 2007 (Ethmiidae) Synonym(s): *euphoria* Kun, 2007
- 2959) *Ethmia quadrinotella* (Mann, 1861) (Ethmiidae) Synonym(s): *quadrinotella* Mann, 1861; *atticella* Caradja, 1920; *galaxaea* Meyrick, 1922.
- 2960) *Ethmia similis* Sattler, 1967 (Ethmiidae) Synonym(s): *similis* Sattler, 1967
- 2961) *Ethmia vittalbella* (Christoph, 1877) (Ethmiidae) Synonym(s): *vittalbella* Christoph, 1877; *radiatella* Chrétien, 1907; *tripolitanella* Turati, 1929.
- 2962) *Eublemma* (albida-gr.) *gratissimum* (Staudinger, 1892) (Noctuidae) Synonym(s): *albida* auct.; *gratissima* Staudinger, 1892; *infusca* Staudinger, 1892; *peralba* Schawerda, 1923.
- 2963) *Eublemma* (albida-gr.) *hansa* (Herrich-Schäffer, [1851]) (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer, [1851]
- 2964) *Eublemma* (albida-gr.) *jocularis* (Christoph, 1877) (Noctuidae) Synonym(s): *jocularis* Christoph, 1877
- 2965) *Eublemma* (albida-gr.) *stramineum* (Staudinger, 1892) (Noctuidae) Synonym(s): *straminea* Staudinger, 1892; *transmittens* Christoph, 1893; *maraschensis* Osthelder, 1933.
- 2966) *Eublemma* (candidana-gr.) *aureolum* Fibiger & Hacker, 2002 (Noctuidae) Synonym(s): *aureola* Fibiger & Hacker, 2002
- 2967) *Eublemma* (candidana-gr.) *candidanum* (Fabricius, 1794) (Noctuidae) Synonym(s): *candidana* Fabricius, 1794; *minuta* Hübner, [1809]; *perlana* Geyer, [1830]; *skafiota* Herrich-Schäffer, 1851; *impura* Staudinger, 1871.
- 2968) *Eublemma* (candidana-gr.) *minutatum* (Fabricius, 1794) (Noctuidae) Synonym(s): *minutata* Fabricius, 1794; *noctualis* Hübner, 1796; *paula* Hübner, [1809].
- 2969) *Eublemma* (candidana-gr.) *viridulum* (Guenée, 1841) (Noctuidae) Synonym(s): *viridula* Guenée, 1841; *minuta* Freyer, 1849; *dalmatina* Herrich-Schäffer, [1851]; *caprearum* Draudt, 1933.
- 2970) *Eublemma* (candidana-gr.) *wagneri* (Herrich-Schäffer, 1851) (Noctuidae) Synonym(s): *wagneri* Herrich-Schäffer, 1851
- 2971) *Eublemma* (chlorotica-gr.) *chloroticum* (Lederer, 1858) (Noctuidae) Synonym(s): *chlorotica* Lederer, 1858
- 2972) *Eublemma* (debilis-gr.) *debilis* (Christoph, 1884) (Noctuidae) Synonym(s): *debilis* Christoph, 1884
- 2973) *Eublemma* (debilis-gr.) *deserti* (Rothschild, 1909) (Noctuidae) Synonym(s): *deserti* Rothschild, 1909
- 2974) *Eublemma* (Glossodice) *polygrammum* (Duponchel, [1842]) (Noctuidae) Synonym(s): *polygramma* Duponchel, [1842]; *argillacea* Eversmann, 1844; *nuda* Christoph, 1862; *violetta* Staudinger, 1889.
- 2975) *Eublemma* (Glossodice) *pudorinum* (Staudinger, 1889) (Noctuidae) Synonym(s): *pudorinum* Staudinger, 1889
- 2976) *Eublemma* (ostrina-gr.) *ostrinum* (Hübner, [1808]) (Noctuidae) Synonym(s): *ostrina* Hübner, [1808]; *carthami* Herrich-Schäffer, [1851]; *aestivalis* Guenée, 1852; *numida* Lucas, 1849; *thasia* Koutsaftikis, 1973.
- 2977) *Eublemma* (pallidula-gr.) *pallidulum* (Herrich-Schäffer, 1856) (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer, 1856
- 2978) *Eublemma* (pallidula-gr.) *uniformis* (Staudinger, 1879) (Noctuidae) Synonym(s): *uniformis* Staudinger, 1879
- 2979) *Eublemma* (parva-gr.) *parvum* (Hübner, [1808]) (Noctuidae) Synonym(s): *parva* Hübner, [1808]; *rubefacta* Mabille, 1869; *chalybea* Swinhoe, 1884; *nymphodora* Meyrick, 1902.
- 2980) *Eublemma* (rosina-gr.) *amoenum* (Hübner, [1803]) (Noctuidae) Synonym(s): *respersa* Hübner, 1790; *amoena* Hübner, [1803]; *bithynica* Bethune-Baker, 1888.
- 2981) *Eublemma* (rosina-gr.) *panonicum* (Freyer, 1840) (Noctuidae) Synonym(s): *panonica* Freyer, 1840; *kindermannii* Boisduval, 1840; *lenis* Eversmann, 1844
- 2982) *Eublemma* (rosina-gr.) *parallellum* (Freyer, 1842) (Noctuidae) Synonym(s): *parallela* Freyer, 1842; *concinula* Herrich-Schäffer, 1851; *#densata* W. Warren, 1912.
- 2983) *Eublemma* (rosina-gr.) *purpurinum* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller], 1775; *secunda* Staudinger, 1901.
- 2984) *Eublemma* (rosina-gr.) *pusillum* (Eversmann, 1834) (Noctuidae) Synonym(s): *pusilla* Eversmann, 1834
- 2985) *Eublemma* (rosina-gr.) *rosinum* (Hübner, [1803]) (Noctuidae) Synonym(s): *rosea* Hübner, 1790 *nec* Fourcroy, 1785; *rosina* Hübner, [1803]; *decolorata* Wagner, 1913; *sinuata* Schwingenschuss, 1938.

- 2986) *Eublemma amabilis* Moore, 1884 (Noctuidae) Synonym(s): *amabilis* Moore, 1884
 2987) *Eublemma caduca* (Christoph, 1893) (Noctuidae) Synonym(s): *caduca* Christoph, 1893
 2988) *Eublemma porphyria* (Freyer, 1845) (Noctuidae) Synonym(s): *porphyria* Freyer, 1845
 2989) *Eucarpia vinetella* (Fabricius, 1787) (Pyralidae) Synonym(s): *vinetella* Fabricius, 1787; *vinetorum* Fabricius, 1798; *vinetalis* Hübner, [1825].
 2990) *Eucarta amethystina* (Hübner, [1803]) (Noctuidae) Synonym(s): *amethystina* Hübner, [1803]; *austera* W. Warren, 1911.
 2991) *Eucarta virgo* (Treitschke, 1835) (Noctuidae) Synonym(s): *virgo* Treitschke, 1835; *virginalis* Bryk, 1949; *griseofulgens* Kovacs, 1968.
 2992) *Eucera albofasciata* Friese, 1896 (Apidae) Synonym(s): *albofasciata* Friese, 1896
 2993) *Euchalcia* (s.str.) *armeniae* Dufay, 1966 (Noctuidae) Synonym(s): *armeniae* Dufay, 1966; *#armeninae* Hacker, 1986.
 2994) *Euchalcia* (s.str.) *biezankoi* (Alberti, 1965) (Noctuidae) Synonym(s): *biezankoi* Alberti, 1965; *#bienzankoi* Hacker, [1987].
 2995) *Euchalcia* (s.str.) *consona* (Fabricius, 1787) (Noctuidae) Synonym(s): *consona* Fabricius, 1787
 2996) *Euchalcia* (s.str.) *cuprescens* Dufay, 1966 (Noctuidae) Synonym(s): *cuprescens* Dufay, 1966
 2997) *Euchalcia* (s.str.) *emichi* (Rogenhofer, 1873) (Noctuidae) Synonym(s): *emichi* Rogenhofer, 1873
 2998) *Euchalcia* (s.str.) *herrichi* Staudinger, 1861 (Noctuidae) Synonym(s): *herrichi* Staudinger, 1861
 2999) *Euchalcia* (s.str.) *modestoides* Poole, 1989 (Noctuidae) Synonym(s): *modesta* Hübner, 1787 *nec* Müll., 1764; *modestoides* Poole, 1989
 3000) *Euchalcia* (s.str.) *siderifera* (Eversmann, 1846) (Noctuidae) Synonym(s): *siderifera* Eversmann, 1846
 3001) *Euchalcia* (s.str.) *taurica* (Osthelder, 1933) (Noctuidae) Synonym(s): *taurica* Osthelder, 1933
 3002) *Euchalcia* (s.str.) *variabilis* (Piller & Mitterpacher, 1783) (Noctuidae) Synonym(s): *variabilis* Piller & Mitterpacher, 1783; *cuprea* Esper, 1787; *illustris* Fabricius, 1787
 3003) *Euchalcia* (s.str.) *viridis* (Staudinger, 1901) (Noctuidae) Synonym(s): *viridis* Staudinger, 1901
 3004) *Euchalcis miegii* Dufour, 1861 (Chalcididae) Synonym(s): *miegii* Dufour, 1861; *bicolor* Sichel, 1866
 3005) *Euchalcis unicolor* (Lucas, 1871) (Chalcididae) Synonym(s): *unicolor* Lucas, 1871; *nuda* Boucek, 1952
 3006) *Eucharis* (Psilogastrellus) *acuminata* Ruschka, 1924 (Eucharidae) Synonym(s): *acuminata* Ruschka, 1924
 3007) *Eucharis* (Psilogastrellus) *fulviventris* Gussakovsky, 1940 (Eucharidae) Synonym(s): *fulviventris* Gussakovsky, 1940
 3008) *Eucharis* (s.str.) *adscendens* (Fabricius, 1787) (Eucharidae) Synonym(s): *adscendens* Fabricius, 1787; *kollari* Föster, 1859
 3009) *Eucharis* (s.str.) *carnifera* Gussakovsky, 1940 (Eucharidae) Synonym(s): *carnifera* Gussakovsky, 1940
 3010) *Eucharis* (s.str.) *cyanella* Gussakovsky, 1940 (Eucharidae) Synonym(s): *cyanella* Gussakovsky, 1940
 3011) *Eucharis* (s.str.) *nana* Gussakovsky, 1940 (Eucharidae) Synonym(s): *nana* Gussakovsky, 1940
 3012) *Eucharis* (s.str.) *reticulata* Ruschka, 1924 (Eucharidae) Synonym(s): *reticulata* Ruschka, 1924
 3013) *Eucharis globosa* Radoszkowsky, 1873 (Eucharidae) Synonym(s): *globosa* Radoszkowsky, 1873
 3014) *Euchloe* (s.str.) *ausonia* (Hübner, [1804]) (Pieridae) Synonym(s): *ausonia* Hübner, [1804]; *marchandae* Geyer, [1832].
 3015) *Euchloe* (s.str.) *crameri* Butler, 1869 (Pieridae) Synonym(s): *crameri* Butler, 1869
 3016) *Euchorthippus transcausicus* Tarbinski, 1930 (Acrididae) Synonym(s): *transcausicus* Tarbinski, 1930
 3017) *Euchromius bellus* (Hübner, 1796) (Pyralidae) Synonym(s): *bella* Hübner, 1796; *bellalis* Hübner, [1825].
 3018) *Euchromius gratiosellus* (Caradja, 1910) (Pyralidae) Synonym(s): *gratiosella* Caradja, 1910
 3019) *Euchromius jaxartellus* (Erschoff, 1874) (Pyralidae) Synonym(s): *jaxartella* Erschoff, 1874
 3020) *Euchromius keredjellus* (Amsel, 1949) (Pyralidae) Synonym(s): *keredjella* Amsel, 1949
 3021) *Euchromius ocellus* (Haworth, [1811]) (Pyralidae) Synonym(s): *ocellea* Haworth, [1811]; *cyrilli* Costa, 1832; *fumiculella* Treitschke, 1832; *texana* Robinson, 1870; *gigantea* Turati, 1924; *quadrii* Ahmad, Zaidi & Kamaluddin, 1982
 3022) *Euchromius pulverosus* (Christoph, 1887) (Pyralidae) Synonym(s): *pulverosa* Christoph, 1887
 3023) *Euchromius ramburiellus* (Duponchel, 1836) (Pyralidae) Synonym(s): *ramburiellus* Duponchel, 1836; *zonellus* Zeller, 1847; *luteella* Caradja, 1910; *#ramburellus* Rothschild, 1924; *islamella* Amsel, 1949.
 3024) *Euchromius rayatellus* (Amsel, 1949) (Pyralidae) Synonym(s): *rayatella* Amsel, 1949
 3025) *Euchromius superbillus* (Zeller, 1849) (Pyralidae) Synonym(s): *superbellus* Zeller, 1849; *wockeella* Zeller, 1863; *cypriusella* Amsel, 1958.
 3026) *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *splendidalis* Herrich-Schäffer, [1848]
 3027) *Euclidia fortalitium* (Tauscher, 1809) (Noctuidae) Synonym(s): *fortalitium* Tauscher, 1809; *flexuosa* Eversmann, 1832.
 3028) *Euclidia glyphica* (Linnaeus, 1758) (Noctuidae) Synonym(s): *glyphica* Linnaeus, 1758; *pratensis* Müller, 1764
 3029) *Euconocercus caucasicus* Bei-Bienko, 1950 (Tettigoniidae) Synonym(s): *caucasicus* Bei-Bienko, 1950
 3030) *Euconocercus iris* Bei-Bienko, 1950 (Tettigoniidae) Synonym(s): *iris* Bei-Bienko, 1950
 3031) *Euconomelus lepidus* (Boheman, 1847) (Delphacidae) Synonym(s): *limbata* Fabricius, 1794 (*praeocc.*); *lepidus* Boheman, 1847; *tristis* Boheman, 1847
 3032) *Eucosma cana* (Haworth, 1811) (Tortricidae) Synonym(s): *marmorana* Fabricius, 1798; *cana* Haworth, 1811; *monetulana* Hübner, [1817]; *carduana* Guenée, 1845; *subvittana* Staudinger, 1892.
 3033) *Eucosma coagulana* (Kennel, 1901) (Tortricidae) Synonym(s): *coagulana* Kennel, 1901
 3034) *Eucosma conterminana* (Guenée, 1845) (Tortricidae) Synonym(s): *conterminana* Guenée, 1845
 3035) *Eucosma hohenwartiana* ([Denis & Schiffermüller], 1775) (Tortricidae) Synonym(s): *cervana* Scopoli, 1763; *hohenwartiana* [Denis & Schiffermüller], 1775; *pupillana* Hübner, [1799]; *scopoliana* Haworth, [1811]; *strigana* Curtis, 1831; *decipiana* Laharpe, 1858
 3036) *Eucosma monstretana* (Rebel, 1906) (Tortricidae) Synonym(s): *monstretana* Rebel, 1906
 3037) *Eucosma odotatana* (Kennel, 1901) (Tortricidae) Synonym(s): *odotatana* Kennel, 1901
 3038) *Eucosma recentana* (Zerny, 1933) (Tortricidae) Synonym(s): *recentana* Zerny, 1933
 3039) *Eucosma tetraplana* (Möschler, 1866) (Tortricidae) Synonym(s): *tetraplana* Möschler, 1866
 3040) *Eucosmomorpha albersana* (Hübner, [1813]) (Tortricidae) Synonym(s): *albersana* Hübner, [1813]; *ussuriana* Caradja, 1916.
 3041) *Eudasyphora zimini* (Hennig, 1963) (Muscidae) Synonym(s): *zimini* Hennig, 1963
 3042) *Eudemis* (s.str.) *porphyra* (Hübner, [1799]) (Tortricidae) Synonym(s): *porphyra* Hübner, [1799]; *pomedaxana* Pierce & Metcalfe, 1915
 3043) *Eudonia murana* (Curtis, 1827) (Pyralidae) Synonym(s): *murana* Curtis, 1827; *muralis* Doubleday, 1850; *delphinatalis* Guenée, 1854; *muranella* La Harpe, 1855; *pseudomurana* Müller-Rutz, 1925
 3044) *Eudonia truncicolella* (Stainton, 1849) (Pyralidae) Synonym(s): *truncicolella* Stainton, 1849; *pallida* Bankes, 1895 *nec* Curt., 1827; *#minor* Dufrane, 1960; *#fusca* Dufrane, 1960

- 3045) Eugnorisma (Metagnorisma) depuncta (Linnaeus,1761)** (Noctuidae) Synonym(s): *depuncta* Linnaeus,1761; *meridionalis* Dannehl,1925.
- 3046) Eugnorisma (Metagnorisma) heuristica Varga & Ronkay,1987** (Noctuidae) Synonym(s): *heuristica* Varga & Ronkay,1987
- 3047) Eugnorisma (Metagnorisma) pontica (Staudinger,1892)** (Noctuidae) Synonym(s): *pontica* Staudinger,1892
- 3048) Eugnorisma (s.str.) chaldaica (Boisduval,1840)** (Noctuidae) Synonym(s): *chaldaica* Boisduval,1840
- 3049) Eugnorisma (s.str.) eminens (Lederer,1855)** (Noctuidae) Synonym(s): *eminens* Lederer,1855; *excellens* Staudinger,1867
- 3050) Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) Synonym(s): *insignata* Lederer,1853; *intermedia* Eversmann,1855.
- 3051) Eugnorisma (s.str.) leuconeura (Hampson,1918)** (Noctuidae) Synonym(s): *leuconeura* Hampson,1918; *fuliginosa* Draudt,1936.
- 3052) Eugnosta lathoniana (Hübner,[1800])** (Tortricidae) Synonym(s): *lathoniana* Hübner,[1800]
- 3053) Eugnosta magnificana (Rebel,1914)** (Tortricidae) Synonym(s): *margaritana* Hübner,[1813] *nec* Haw.,[1811]; ? *norvichiana* Hübner,[1817] [nomina dubia!]; *magnificana* Rebel,1914.
- 3054) Eugraphe sigma ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#sigma* [Denis & Schiffermüller],1775; *charactera* [Denis & Schiffermüller],1775; *ditrapezum* Esper,[1786]; *nubila* Esper,[1786]; *signum* Fabricius,1787; *umbra* Vieweg,1789; *signa* Hampson,1903; *terminalis* Strand,1915
- 3055) Euhagena palariiformis (Lederer,1858)** (Sesiidae) Synonym(s): *palariformis* Lederer,1858; *diocetriiformis* Romanoff,1884; *rubrescens* Staudinger,1887; *almana* Rebel,1917
- 3056) Euides caspiana (Dlabola,1961)** (Delphacidae) Synonym(s): *caspiana* Dlabola,1961
- 3057) Euides speciosa (Boheman,1845)** (Delphacidae) Synonym(s): *speciosa* Boheman,1845; *asiracoides* Forel,1858; *obscura* Metcalf,1943
- 3058) Eulamprotes wilkella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *wilkella* Linnaeus,1758; *merianella* Linnaeus,1758; *pictella* Zeller,1839; *tarquiniella* Stainton,1862.
- 3059) Euleia heraclei (Linnaeus,1758)** (Tephritidae) Synonym(s): *heraclei* Linnaeus,1758; *onopordinis* Fabricius,1775; *centauriae* Fabricius,1794; *onopordi* Schrank,1803; *berberidis* Schrank,1803
- 3060) Eulithis mellinata (Fabricius,1787)** (Geometridae) Synonym(s): *mellinata* Fabricius,1787; *associata* Borkhausen,1794; *marmorata* Hübner,[1799]; *spinaciata* Haworth,1809; *marmoraria* Boisduval,1840.
- 3061) Eulithis prunata (Linnaeus,1758)** (Geometridae) Synonym(s): *prunata* Linnaeus,1758; *ribesaria* Boisduval,1840
- 3062) Eulithis pyraliata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#pyraliata* [Denis & Schiffermüller],1775; ?*aurantiaca* Fourcroy,1785; *pyraliaria* Bosiudval,1840; *dotata* sensu Staudinger,1877
- 3063) Eulocastra diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): *diaphora* Staudinger,1879; *triangularis* W. Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898.
- 3064) Eulophus larvarum (Linnaeus,1758)** (Eulophidae) Synonym(s): *larvarum* Linnaeus,1758; *aeneicoxa* Thomson,1878
- 3065) Eumecotarsus milidius Seidenstücker,1980** (Miridae) Synonym(s): *milidius* Seidenstücker,1980
- 3066) Eumelasina arguta Kozhantshikov,1956** (Psychidae) Synonym(s): *arguta* Kozhantshikov,1956
- 3067) Eumera hoeferi Wehrli,1934** (Geometridae) Synonym(s): *#höferi* Wehrli,1934; *hoeferi* Wehrli,1934; *#hoferi* Wiltshire,1937.
- 3068) Eumerus argyropus Loew,1848** (Syrphidae) Synonym(s): *argyropus* Loew,1848
- 3069) Eumerus armenorum Stackelberg,1960** (Syrphidae) Synonym(s): *armenorum* Stackelberg,1960
- 3070) Eumerus armenorum Stackelberg,1960** (Syrphidae) Synonym(s): *armenorum* Stackelberg,1960
- 3071) Eumerus caucasicus Stackelberg,1952** (Syrphidae) Synonym(s): *caucasicus* Stackelberg,1952
- 3072) Eumerus caucasicus Stackelberg,1982** (Syrphidae) Synonym(s): *caucasicus* Stackelberg,1982
- 3073) Eumerus urartorum Stackelberg,1960** (Syrphidae) Synonym(s): *urartorum* Stackelberg,1960
- 3074) Eumerus urartorum Stackelberg,1960** (Syrphidae) Synonym(s): *urartorum* Stackelberg,1960
- 3075) Eunothrotes derjugini Adelung,1907** (Pamphagidae) Synonym(s): *derjugini* Adelung,1907
- 3076) Euoniticellus fulvus (Goeze,1777)** (Scarabaeidae) Synonym(s): *fulvus* Goeze,1777
- 3077) Euoniticellus pallipes (Fabricius,1781)** (Scarabaeidae) Synonym(s): *pallipes* Fabricius,1781
- 3078) Eupachygaster subtarsalis Krivosheina,2004** (Stratiomyidae) Synonym(s): *subtarsalis* Krivosheina,2004
- 3079) Eupavlovskia funeraria (Smith,1854)** (Apidae) Synonym(s): *funeraria* Smith,1854
- 3080) Eupelix cuspidata (Fabricius,1775)** (Cicadellidae) Synonym(s): *cuspidata* Fabricius,1775; *porrecta* Fourcroy,1785; *depressa* Fabricius,1803; *fuliginosa* Peletier & Serville,1825; *spatulata* Germar,1838; *producta* Germar,1838; *zelleri* Kirschbaum,1868; *marginata* Signoret,1879; *sinuata* Lindberg,1948
- 3081) Eupeodes corollae (Fabricius,1794)** (Syrphidae) Synonym(s): *consisto* Harris,1776; *corollae* Fabricius,1794; *pyrorum* Schrank,1803; *olitoria* Fallén,1817; *lacerus* Meigen,1822; *fulvifrons* Macquart,1827; *crenatus* Macquart,1927; *annularis* Curtis,1837; *octomaculata* Curtis,1837; *propinquus* Macquart,1850; *topiarius* Walker,1851; *berber* Bigot,1884
- 3082) Eupeodes latifasciatus (Macquart,1829)** (Syrphidae) Synonym(s): *latifasciatus* Macquart,1829; *affinis* Loew,1840; *abbreviatus* Zetterstedt,1849; *flavipes* Rondani,1857; *submaculatus* Frey,1918
- 3083) Eupeodes nuba (Wiedemann,1830)** (Syrphidae) Synonym(s): *nuba* Wiedemann,1830; *interrumpens* Walker,1871; *rufinasutus* Bigot,1884; *novigradensis* Coe,1960
- 3084) Euphranta (s.str.) connexa (Fabricius,1794)** (Tephritidae) Synonym(s): *connexa* Fabricius,1794; *saxatilis* Grossbeck,1905
- 3085) Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynniidae) Synonym(s): *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträßer,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917; *pychanpar* Lastukhin,2007
- 3086) Euphyia adumbraria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *adumbraria* Herrich-Schäffer,1852; *cretacea* F. Wagner,1922
- 3087) Euphyia biangulata (Haworth,[1809])** (Geometridae) Synonym(s): *biangulata* Haworth,[1809]; *picata* Hübner,[1813]
- 3088) Euphyia chalusata Wiltshire,1970** (Geometridae) Synonym(s): *chalusata* Wiltshire,1970
- 3089) Euphyia frustata (Treitschke,1828)** (Geometridae) Synonym(s): *frustata* Treitschke,1828; *muscosata* Donzel,1837; *fulvocincta* Rambur,1866
- 3090) Euphyia sintenisi (Staudinger,1892)** (Geometridae) Synonym(s): *sintenisi* Staudinger,1892; *sultania* Wehrli,1938.
- 3091) Euphyia unangulata (Haworth,1809)** (Geometridae) Synonym(s): *bicolorata* Borkhausen,1794; *unangulata* Haworth,1809; *amniculata* Hübner,[1813]; *amnicularia* Boisduval,1840; *gracilaria* A.Bang-Haas,1906; *tonnaichana* Matsumura,1925; *chinensis* Sterneck,1928; *regnelli* Bryk,1942; *renei* Bryk,1948
- 3092) Eupithecia adelpha Vojnits,1975** (Geometridae) Synonym(s): *adelpha* Vojnits,1975
- 3093) Eupithecia adscriptaria Staudinger,1871** (Geometridae) Synonym(s): *adscriptaria* Staudinger,1871

- 3094) Eupithecia albidulata Staudinger, 1892** (Geometridae) Synonym(s): *albidulata* Staudinger, 1892; *centricaucasica* Alberti, 1969; *postulata* Vojnits, 1975
- 3095) Eupithecia aliena Vojnits, 1982** (Geometridae) Synonym(s): *aliena* Vojnits, 1982
- 3096) Eupithecia alliaria Staudinger, 1870** (Geometridae) Synonym(s): *alliaria* Staudinger, 1870; *#notata* Dietze, 1910 nec *Stph.*, 1831
- 3097) Eupithecia amasina Bohatsch, 1893** (Geometridae) Synonym(s): *#amasina* Bohatsch, 1893; *dinaria* Vardikjan, 1985.
- 3098) Eupithecia assimilata Doubleday, 1856** (Geometridae) Synonym(s): *assimilata* Doubleday, 1856; *fumosa* Hulst, 1896; *grisescens* Dietze, 1910
- 3099) Eupithecia biornata Christoph, 1867** (Geometridae) Synonym(s): *biornata* Christoph, 1867
- 3100) Eupithecia breviculata (Donzel, 1837)** (Geometridae) Synonym(s): *breviculata* Donzel, 1837; *anatolica* Schwingenschuss, 1939; *georgica* Vojnits, 1977.
- 3101) Eupithecia caeruleata Favre, 1899** (Geometridae) Synonym(s): *caeruleata* Favre, 1899
- 3102) Eupithecia christophi Mironov, 1988** (Geometridae) Synonym(s): *christophi* Mironov, 1988
- 3103) Eupithecia conterminata (Lienig & Zeller, 1846)** (Geometridae) Synonym(s): *conterminata* Lienig & Zeller, 1846; *manniaria* Herrich-Schäffer, 1848; *idiopusillata* Inoue, 1979
- 3104) Eupithecia crenata Vojnits, 1975** (Geometridae) Synonym(s): *crenata* Vojnits, 1975
- 3105) Eupithecia decrepita Vojnits, 1982** (Geometridae) Synonym(s): *decrepita* Vojnits, 1982
- 3106) Eupithecia denotata (Hübner, [1813])** (Geometridae) Synonym(s): *denotata* (Hübner, [1813]); *atraria* Herrich-Schäffer, [1848]; *campanulata* Herrich-Schäffer, 1861; *primulata* Millière, 1874; *jasioneata* Crewe, 1881; *livida* Dietze, 1910.
- 3107) Eupithecia denticulata (Treitschke, 1828)** (Geometridae) Synonym(s): *denticulata* Treitschke, 1828
- 3108) Eupithecia dimidia Vojnits, 1982** (Geometridae) Synonym(s): *dimidia* Vojnits, 1982
- 3109) Eupithecia distinctaria Herrich-Schäffer, [1848]** (Geometridae) Synonym(s): *distinctaria* Herrich-Schäffer, [1848]; *constrictata* Guenée, [1858]; *sextiata* Dardoin & Millière, 1867; *piemonticola* Schwingenschuss, 1954
- 3110) Eupithecia extensaria (Freyer, 1844)** (Geometridae) Synonym(s): *extensaria* Freyer, 1844; *prolongata* Lienig, 1846; *sydyi* Staudinger, 1885; *leuca* Dietze, 1910; *prolongata* Dietze, 1910 nec *Lien.*, 1846; *occidua* L.B. Prout, 1914
- 3111) Eupithecia fuscicostata Christoph, 1887** (Geometridae) Synonym(s): *fuscicostata* Christoph, 1887; *fuscostigma* Alpheraky, 1892; *salamii* Brandt, 1938; *domogledana* Vojnits & Szabo, 1988
- 3112) Eupithecia graphata (Treitschke, 1828)** (Geometridae) Synonym(s): *graphata* Treitschke, 1828; *corticulata* Freyer, 1840; *italicata* Guenée, [1858]
- 3113) Eupithecia gratiosata Herrich-Schäffer, 1861** (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer, 1861; *subseparata* Christoph, 1885
- 3114) Eupithecia gueneata Millière, 1862** (Geometridae) Synonym(s): *gueneata* Millière, 1862; *busambraria* Ragusa, 1889
- 3115) Eupithecia hamleti Vardikjan, 1985** (Geometridae) Synonym(s): *hamleti* Vardikjan, 1985
- 3116) Eupithecia haworthiata Doubleday, 1856** (Geometridae) Synonym(s): *haworthiata* Doubleday, 1856; *gozmanyi* Vojnits, 1972
- 3117) Eupithecia icterata (Villers, 1789)** (Geometridae) Synonym(s): *icterata* Villers, 1789; *oxydata* Treitschke, 1828; *cognata* Stephens, 1831; *ligustigata* Donzel, 1838; *ferrugata* Duponchel, 1842; *#ligusticata* Dietze, 1910
- 3118) Eupithecia inconspicua Bohatsch, 1893** (Geometridae) Synonym(s): *#inconspicua* Bohatsch, 1893
- 3119) Eupithecia indigata (Hübner, [1813])** (Geometridae) Synonym(s): *indigata* Hübner, [1813]; *turfosata* Draudt, 1903; *pliniata* Stauder, 1929
- 3120) Eupithecia innotata (Hufnagel, 1767)** (Geometridae) Synonym(s): *innotata* Hufnagel, 1767; *tamarisciata* Freyer, 1836; *suspectata* Dietze, 1871; *uliatia* Staudinger, 1897; *ulicada* Dietze, 1910; *alexandriana* Vardikjan, 1972; *sergiana* Vardikjan, 1972.
- 3121) Eupithecia karadaghensis Mironov, 1988** (Geometridae) Synonym(s): *karadaghensis* Mironov, 1988
- 3122) Eupithecia lacteolata Dietze, 1906** (Geometridae) Synonym(s): *lacteolata* Dietze, 1906
- 3123) Eupithecia lariciata (Freyer, 1841)** (Geometridae) Synonym(s): *residuata* Hübner, [1817]; *lariciata* Freyer, 1841; *luteata* Packard, 1867; *bifasciata* Dyar, 1904 nec *Warr.*, 1900; *cataskillata* Pearsall, 1908; *fasciata* Taylor, 1910 nec *Hamps.*, 1891
- 3124) Eupithecia limbata Staudinger, 1879** (Geometridae) Synonym(s): *limbata* Staudinger, 1879; *irritaria* Staudinger, 1892; *kueppersi* Vojnits, 1973
- 3125) Eupithecia lithographata Christoph, 1887** (Geometridae) Synonym(s): *lithographata* Christoph, 1887
- 3126) Eupithecia lutosaria Bohatsch, 1893** (Geometridae) Synonym(s): *#lutosaria* Bohatsch, 1893
- 3127) Eupithecia mekrana Brandt, 1941** (Geometridae) Synonym(s): *mekrana* Brandt, 1941; *commenticia* Vojnits, 1982; *idonea* Vojnits, 1982; *stulta* Vojnits, 1982.
- 3128) Eupithecia mesogrammata Dietze, 1908** (Geometridae) Synonym(s): *mesogrammata* Dietze, 1908; *#mesogrammata* L.B. Prout, 1914.
- 3129) Eupithecia millefoliata Roesler, 1866** (Geometridae) Synonym(s): *millefoliata* Roesler, 1866; *achilleata* Mabilie, 1869; *#maeoticaria* Bohatsch, 1893
- 3130) Eupithecia minusculata (Alpheraky, 1883)** (Geometridae) Synonym(s): *minusculata* Alpheraky, 1883; *inversaria* Turati, 1930; *penultimaria* Wiltshire, 1985.
- 3131) Eupithecia mystica Dietze, 1910** (Geometridae) Synonym(s): *mystica* Dietze, 1910; *wehrlii* F. Wagner, 1931
- 3132) Eupithecia oblongata (Thunberg, 1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller], 1775; *oblongata* Thunberg, 1784; *boloniensis* Fourcroy, 1875; *centralisata* Staudinger, 1892; *chinae* Vojnits, 1977.
- 3133) Eupithecia ochrovittata Christoph, 1887** (Geometridae) Synonym(s): *ochrovittata* Christoph, 1887
- 3134) Eupithecia orphnata W. Petersen, 1909** (Geometridae) Synonym(s): *#orphnata* Bohatsch, 1883; *orphnata* W. Petersen, 1909
- 3135) Eupithecia pernotata Guenée, [1858]** (Geometridae) Synonym(s): *pernotata* Guenée, [1858]; *enictata* Pellmyr & Mikkola, 1984
- 3136) Eupithecia plumbeolata (Haworth, [1809])** (Geometridae) Synonym(s): *plumbeolata* Haworth, [1809]; *isogrammata* Treitschke, 1828; *begrandaria* Boisduval, 1840; *singularia* Herrich-Schäffer, 1848; *plumbeolaria* Doubleday, 1849; *begrandata* Bruand, 1850; *dshungarica* Viidalepp, 1988.
- 3137) Eupithecia ponderata Dietze, 1906** (Geometridae) Synonym(s): *ponderata* Dietze, 1906
- 3138) Eupithecia pusillata (Fabricius, 1787)** (Geometridae) Synonym(s): *#pusillata* [Denis & Schiffermüller], 1775; *pusillata* Fabricius, 1787; *sobrinata* Hübner, [1817]; *pusillaria* Hübner, [1825]; *sobrinaria* Boisduval, 1840; *expressaria* Herrich-Schäffer, 1848; *anglicata* Herrich-Schäffer, 1863; *latoniata* Millière, 1882; *stevensata* Webb, 1896; *scotica* Dietze, 1910
- 3139) Eupithecia reisserata Pinker, 1976** (Geometridae) Synonym(s): *reisserata* Pinker, 1976
- 3140) Eupithecia scalptata Christoph, 1885** (Geometridae) Synonym(s): *scalptata* Christoph, 1885
- 3141) Eupithecia schiefereri Dietze, 1904** (Geometridae) Synonym(s): *#schiefereri* Bohatsch, 1893; *schiefereri* Dietze, 1904; *#confluens* Dietze, 1910; *#schiefererie* Pinker, 1958; *#schieferi* Arnscheid, 2000
- 3142) Eupithecia semigraphata Bruand, [1847]** (Geometridae) Synonym(s): *semigraphata* Bruand, [1847]

- 3143)** *Eupithecia separata* Staudinger, 1879 (Geometridae) Synonym(s): *separata* Staudinger, 1879; *saueri* Vojnits, 1978.
- 3144)** *Eupithecia simplicata* Haworth, [1809] (Geometridae) Synonym(s): *simplicata* Haworth, [1809]; *subnotata* Hübner, [1813]; *subnotaria* Boisduval, 1840; *subnotataria* Herrich-Schäffer, 1848.
- 3145)** *Eupithecia spadiceata* Zerny, 1933 (Geometridae) Synonym(s): *spadiceata* Zerny, 1933
- 3146)** *Eupithecia subdeverrata* Vojnits, 1975 (Geometridae) Synonym(s): *subdeverrata* Vojnits, 1975
- 3147)** *Eupithecia subfenestrata* Staudinger, 1892 (Geometridae) Synonym(s): *subfenestrata* Staudinger, 1892
- 3148)** *Eupithecia subfuscata* (Haworth, [1809]) (Geometridae) Synonym(s): *subfuscata* Haworth, [1809]; *castigata* Hübner, [1813]; *castigaria* Boisduval, 1840; *compressata* Guenée, [1858]; *implicata* Walker, 1862; *blancheata* Cooke, 1881; *latipennis* Hulst, 1898
- 3149)** *Eupithecia subsequaria* Herrich-Schäffer, [1852] (Geometridae) Synonym(s): *subsequaria* Herrich-Schäffer, [1852]; *dubiosa* Wagner, 1929; *dubiosata* Wagner, 1929; *richteri* Vardikjan, 1954
- 3150)** *Eupithecia succenturiata* (Linnaeus, 1758) (Geometridae) Synonym(s): *succenturiata* Linnaeus, 1758; *disparata* Hübner, [1799]
- 3151)** *Eupithecia sutiliata* Christoph, 1877 (Geometridae) Synonym(s): *sutiliata* Christoph, 1877; *aequata* Staudinger, 1892; *orientata* Staudinger, 1901; *diffisata* Dietze, 1903; *rjabovi* Vojnits, 1975; *kasachstanica* Viidalepp, 1988.
- 3152)** *Eupithecia syriacata* Staudinger, 1879 (Geometridae) Synonym(s): *syriacata* Staudinger, 1879; *semicaesia* W. Warren, 1900.
- 3153)** *Eupithecia tantillaria* Boisduval, 1840 (Geometridae) Synonym(s): *tantillaria* Boisduval, 1840; *laricis* Speyer, 1873; *calabrica* Dietze, 1910; *piceata* L.B. Prout, 1915
- 3154)** *Eupithecia tenuiata* (Hübner, [1813]) (Geometridae) Synonym(s): *tenuiata* Hübner, [1813]; *macellata* Fischer v. Roesslerstamm, 1827
- 3155)** *Eupithecia transacta* Vojnits, 1982 (Geometridae) Synonym(s): *transacta* Vojnits, 1982
- 3156)** *Eupithecia tribunaria* Herrich-Schäffer, 1852 (Geometridae) Synonym(s): *tribunaria* Herrich-Schäffer, 1852
- 3157)** *Eupithecia trisignaria* Herrich-Schäffer, 1848 (Geometridae) Synonym(s): *trisignaria* Herrich-Schäffer, 1848; *#trisignata* Herrich-Schäffer, 1861
- 3158)** *Eupithecia ultimaria* Boisduval, 1840 (Geometridae) Synonym(s): *ultimaria* Boisduval, 1840; *tornifascia* Rothschild, 1913
- 3159)** *Eupithecia unedonata* (Mabille, 1868) (Geometridae) Synonym(s): *unedonata* Mabille, 1868
- 3160)** *Eupithecia variostrigata* Alpheraky, 1876 (Geometridae) Synonym(s): *variostrigata* Alpheraky, 1876; *littorata* Constant, 1884; *artemesiata* Constant, 1884
- 3161)** *Eupithecia vaticina* Vojnits, 1982 (Geometridae) Synonym(s): *vaticina* Vojnits, 1982
- 3162)** *Eupithecia venosata* (Fabricius, 1787) (Geometridae) Synonym(s): *venosata* Fabricius, 1787; *insignata* Hübner, 1789; *decussata* Donovan, 1799; *comparanda* Vojnits, 1981
- 3163)** *Eupithecia virgaureata* Doubleday, 1861 (Geometridae) Synonym(s): *virgaureata* Doubleday, 1861; *altenaria* Staudinger, 1861; *offirmaria* Speyer, 1869; *invisa* Butler, 1878; *wettsteini* Vojnits, 1974
- 3164)** *Euplagia quadripunctaria* (Poda, 1761) (Arctiidae) Synonym(s): *quadripunctaria* Poda, 1761; *hera* Linnaeus, 1767; *magna* Spuler, 1910 *nec* Hol., 1897; *latefasciata* Bubacek, 1915.
- 3165)** *Euplagia splendidior* (Tams, 1922) (Arctiidae) Synonym(s): *splendidior* Tams, 1922; *tkatshukovi* Sheljuzhko, 1935.
- 3166)** *Euplexia lucipara* (Linnaeus, 1758) (Noctuidae) Synonym(s): *lucipara* Linnaeus, 1758; *dubia* Hufnagel, 1766; *leonhardi* Rebel, 1909; *britannica* Turner, 1943
- 3167)** *Euplocamus anthracinalis* (Scopoli, 1763) (Tineidae) Synonym(s): *anthracinalis* Scopoli, 1763; *anthracinella* [Denis & Schiffermüller], 1775; *fuesslinella* Sulzer, 1776; *guttella* Fabricius, 1781; *anthracina* Borkhausen, 1793; *fuesslinaria* Esper, [1801]; *guttatus* Latreille, 1809; *monetellus* Lederer, 1864; *amanalis* Osthelder, 1935.
- 3168)** *Eupoecilia angustana* (Hübner, [1799]) (Tortricidae) Synonym(s): *angustana* Hübner, [1799]; *fasciella* Donovan, 1808 *nec* Goeze, 1783; *cruentana* Herrich-Schäffer, [1851].
- 3169)** *Euproctis chrysorrhoea* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *chrysorrhoea* Linnaeus, 1758; *phaeorrhoeus* Haworth, 1803
- 3170)** *Euproctis similis* (Fuessly, 1775) (Lymantriidae) Synonym(s): *similis* Fuessly, 1775; *auriflua* [Denis & Schiffermüller], 1775; *cygnea* Thunberg, 1788; *rebeli* Haberhauer, 1902.
- 3171)** *Eupsilia transversa* (Hufnagel, 1766) (Noctuidae) Synonym(s): *transversa* Hufnagel, 1766; *satellitina* Linnaeus, 1767
- 3172)** *Eupteryx adpersa* (Herrich-Schäffer, 1838) (Cicadellidae) Synonym(s): *adpersa* Herrich-Schäffer, 1838; *gallica* Wagner, 1939
- 3173)** *Eupteryx assectator* Logvinenko, 1966 (Cicadellidae) Synonym(s): *assectator* Logvinenko, 1966
- 3174)** *Eupteryx atropunctata* (Goeze, 1778) (Cicadellidae) Synonym(s): *atropunctata* Goeze, 1778; *nigropunctata* Schrank, 1781; *carpini* Fourcroy, 1785; *tripunctata* Gmelin, 1790; *melanostica* Gmelin, 1790; *picta* Fabricius, 1794; *aureola* Boheman, 1845; *petasitidis* Ferrari, 1882; *impunctata* Cerutti, 1939; *marginata* Cerutti, 1939
- 3175)** *Eupteryx aurata* (Linnaeus, 1758) (Cicadellidae) Synonym(s): *aurata* Linnaeus, 1758; *festiva* Fabricius, 1794; *fulva* Herrich-Schäffer, 1836; *interpuncta* Cerutti, 1939; *nigerrima* Cerutti, 1939
- 3176)** *Eupteryx collina* (Flor, 1861) (Cicadellidae) Synonym(s): *collina* Flor, 1861; *florida* Ribaut, 1936
- 3177)** *Eupteryx formaster* Logvinenko, 1966 (Cicadellidae) Synonym(s): *formaster* Logvinenko, 1966
- 3178)** *Eupteryx melissae* Curtis, 1837 (Cicadellidae) Synonym(s): *melissae* Curtis, 1837
- 3179)** *Eupteryx praestabilis* Logvinenko, 1966 (Cicadellidae) Synonym(s): *praestabilis* Logvinenko, 1966
- 3180)** *Eupteryx stachydearum* (Hardy, 1850) (Cicadellidae) Synonym(s): *stachydearum* Hardy, 1850; *curtisi* Flor, 1861; *catenata* Rey, 1894; *confluens* Rey, 1894; *continua* Cerutti, 1939
- 3181)** *Eupteryx thoulessi* Edwards, 1926 (Cicadellidae) Synonym(s): *thoulessi* Edwards, 1926
- 3182)** *Eupteryx zelleri* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *zelleri* Kirschbaum, 1868; *putoni* Lethierry, 1876; *hipposideros* Horvath, 1892; *decussata* Ribaut, 1936
- 3183)** *Eurhadina saageri* Wagner, 1937 (Cicadellidae) Synonym(s): *saageri* Wagner, 1937
- 3184)** *Eurhodope* (s.str.) *cruentella* (Duponchel, 1843) (Pyralidae) Synonym(s): *cruentella* Duponchel, 1843; *alba* Caradja, 1916
- 3185)** *Eurhodope* (s.str.) *rosella* (Scopoli, 1763) (Pyralidae) Synonym(s): *rosella* Scopoli, 1763; *pudoralis* Denis & Schiffermüller, 1775; *pudorella* Hübner, 1796; *pudorana* Frölich, 1828
- 3186)** *Eurois occulta* (Linnaeus, 1758) (Noctuidae) Synonym(s): *occulta* Linnaeus, 1758; *implicata* Lefebvre, 1836; *extricata* Zetterstedt, [1839]; *prolixa* Zetterstedt, [1839]; *puncticosa* Zetterstedt, [1839]; *roseovirgata* Dannehl, 1929; *fumea* Corti & Draudt, 1933; *tibetica* Corti & Draudt, 1933
- 3187)** *Eurybregma sparsa* Logvinenko, 1970 (Delphacidae) Synonym(s): *sparsa* Logvinenko, 1970

- 3188) Eurydema (Horvatheurydema) fieberi Fieber, 1837** (Pentatomidae) Synonym(s): *fieberi* Fieber, 1837; *armeniaceum* Kolenati, 1846; *schaefferi* Gorski, 1852; *meyeri* Fieber, 1861; *caucasica* Jakovlev, 1873; *scutellata* Jakovlev, 1883; *melanogaster* Horvath, 1917; *gussakovskii* Kiritshenko, 1952; *bagradiformis* Kiritshenko, 1952
- 3189) Eurydema (Rubrodorsalium) dominula (Scopoli, 1763)** (Pentatomidae) Synonym(s): *dominulus* Scopoli, 1763
- 3190) Eurydema (Rubrodorsalium) spectabilis Horvath, 1882** (Pentatomidae) Synonym(s): *spectabilis* Horvath, 1882; *#intaminata* Stichel, 1961
- 3191) Eurydema (s.str.) oleracea (Linnaeus, 1758)** (Pentatomidae) Synonym(s): *oleracea* Linnaeus, 1758
- 3192) Eurydema putoni Jakovlev, 1877** (Pentatomidae) Synonym(s): *putoni* Jakovlev, 1877; *adusta* Jakovlev, 1879; *colorata* Jakovlev, 1882; *formosum* Puton, 1895
- 3193) Eurygaster austriaca (Schränk, 1776)** (Scutelleridae) Synonym(s): *austriaca* Schränk, 1776
- 3194) Eurya lineata (Perris, 1857)** (Delphacidae) Synonym(s): *lineata* Perris, 1857; *vittata* Fieber, 1866; *quadrivittata* Kirschbaum, 1868; *livens* Rey, 1894; *syriaca* Dlabola, 1965
- 3195) Eurytoma amygdali Enderlein, 1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein, 1907
- 3196) Eurytoma aspila (Walker, 1836)** (Eurytomidae) Synonym(s): *aspila* Walker, 1836
- 3197) Eurytoma rosae Nees ab Esenbeck, 1834** (Eurytomidae) Synonym(s): *rosae* Nees ab Esenbeck, 1834; *pubicornis* Boheman, 1836
- 3198) Eurytoma schreineri Schreiner, 1908** (Eurytomidae) Synonym(s): *schreineri* Schreiner, 1908
- 3199) Euscelidius schenkii (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum, 1868; *zetterstedti* Melichar, 1896
- 3200) Euscelidius variegatus (Kirschbaum, 1858)** (Cicadellidae) Synonym(s): *variegatus* Kirschbaum, 1858; *irroratus* Scott, 1875; *doderi* Ferrari, 1888; *maculosus* Rey, 1891; *duplex* Rey, 1894
- 3201) Euscelis caucasicus Emeljanov, 1962** (Cicadellidae) Synonym(s): *caucasicus* Emeljanov, 1962
- 3202) Euscelis incisus (Kirschbaum, 1858)** (Cicadellidae) Synonym(s): *plebeja* Fallén, 1806; *incisus* Kirschbaum, 1858; *obscurus* Kirschbaum, 1858; *pallidior* Kirschbaum, 1868; *communis* Edwards, 1868; *tessellatus* Rey, 1891; *fusciventris* Rey, 1894; *paradoxus* Rey, 1894; *ochreate* Haupt, 1927; *albingensis* Wagner, 1939; *galiberti* Ribaut, 1952; *subplebejus* H. Müller, 1954; *superplebejus* H. Müller, 1954; *aestivalis* H. Müller, 1954; *vernalis* H. Müller, 1954
- 3203) Euscelis lineolatus Brullé, 1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé, 1832; *nitidus* Curtis, 1833; *stictopterus* Flor, 1861; *ochrosomus* Kirschbaum, 1868; *bilunaris* Rey, 1891; *bilobatus* Wagner, 1952
- 3204) Eutelia adoratrix (Staudinger, 1892)** (Noctuidae) Synonym(s): *adoratrix* Staudinger, 1892
- 3205) Eutelia adulatrix (Hübner, [1813])** (Noctuidae) Synonym(s): *adulatrix* Hübner, [1813]
- 3206) Euthrix potatoria (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *potatoria* Linnaeus, 1758; *occidentalis* Lempke, 1949
- 3207) Eutolmus parricida (Loew, 1848)** (Asilidae) Synonym(s): *parricida* Loew, 1848
- 3208) Eutomostethus ephippium (Panzer, 1798)** (Tenthredinidae) Synonym(s): *ephippium* Panzer, 1798
- 3209) Euxesta pechumani Curran, 1938** (Ulidiidae) Synonym(s): *pechumani* Curran, 1938; *stackelbergi* Kirvosheina & Kirvosheina, 1995; *freyi* Kirvosheina & Kirvosheina, 1997
- 3210) Euxoa (Chorisagrotis) adumbrata (Eversmann, 1842)** (Noctuidae) Synonym(s): *adumbrata* Eversmann, 1842; *polygonides* Staudinger, 1874; *variegata* Wagner, 1913; *pamiricola* Kozhantshikov, 1937.
- 3211) Euxoa (Chorisagrotis) lidia (Stoll, 1782)** (Noctuidae) Synonym(s): *lidia* Stoll, [1782].
- 3212) Euxoa (Orosagrotis) difficillima (Draudt, 1937)** (Noctuidae) Synonym(s): *difficillima* Draudt, 1937
- 3213) Euxoa (Orosagrotis) foeda (Lederer, 1855)** (Noctuidae) Synonym(s): *foeda* Lederer, 1855; *enitens* Corti, 1926; *marmorosa* Corti, 1927; *vanensis* Draudt, 1937.
- 3214) Euxoa (Pleonectopoda) hilaris (Freyer, 1838)** (Noctuidae) Synonym(s): *hilaris* Freyer, 1838
- 3215) Euxoa (Pleonectopoda) rjabovi Kozhantshikov, 1929** (Noctuidae) Synonym(s): *rjabovi* Kozhantshikov, 1929; *inclusa* Corti, 1931
- 3216) Euxoa (s.str.) anatolica Draudt, 1936** (Noctuidae) Synonym(s): *anatolica* Draudt, 1936.
- 3217) Euxoa (s.str.) aquilina ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller], 1775; *fictilis* Hübner, [1813]; *unicolor* Hübner, [1813]; *petrina* Mayer, 1937.
- 3218) Euxoa (s.str.) armena (Eversmann, 1856)** (Noctuidae) Synonym(s): *armena* Eversmann, 1856; *deserta* Staudinger, 1870
- 3219) Euxoa (s.str.) basigramma (Staudinger, 1870)** (Noctuidae) Synonym(s): *basigramma* Staudinger, 1870
- 3220) Euxoa (s.str.) birivia ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *birivia* [Denis & Schiffermüller], 1775; *honoratina* Donzel, 1837; *cuprina* Staudinger, 1900; *sudetica* Skala, 1929; *caucasica* Spuler, 1908; *flavisignata* Corti, 1932.
- 3221) Euxoa (s.str.) christophi (Staudinger, 1870)** (Noctuidae) Synonym(s): *christophi* Staudinger, 1870
- 3222) Euxoa (s.str.) conifera (Christoph, 1877)** (Noctuidae) Synonym(s): *conifera* Christoph, 1877
- 3223) Euxoa (s.str.) conspicua (Hübner, [1824])** (Noctuidae) Synonym(s): *conspicua* Hübner, [1824]; *agricola* Boisduval, 1829; *lycarum* Herrich-Schäffer, 1846; *abdit* De Joannis, 1891; *#indistincta* Strand, 1915; *osthelderi* Corti, 1931; *complicata* Corti, 1931.
- 3224) Euxoa (s.str.) cos (Hübner, [1824])** (Noctuidae) Synonym(s): *cos* Hübner, [1824]; *tephra* Boisduval, 1840; *nagyagensis* Freyer, 1845; *vacillans* Herrich-Schäffer, [1850]; *millierei* Staudinger, 1870; *cycladum* Staudinger, 1871; *aphe* Mabilie, 1885; *crima* A. Bang-Haas, 1906; *mesopotamica* A. Bang-Haas, 1912; *rubra* Corti, 1933.
- 3225) Euxoa (s.str.) cursoria (Hufnagel, 1766)** (Noctuidae) Synonym(s): *cursoria* Hufnagel, 1766
- 3226) Euxoa (s.str.) decora ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller], 1775
- 3227) Euxoa (s.str.) distinguenda (Lederer, 1857)** (Noctuidae) Synonym(s): *distinguenda* Lederer, 1857.
- 3228) Euxoa (s.str.) glabella (Wagner, 1930)** (Noctuidae) Synonym(s): *glabella* Wagner, 1930
- 3229) Euxoa (s.str.) hastifera (Donzel, 1847)** (Noctuidae) Synonym(s): *hastifera* Donzel, 1837; *proleuca* Hampson, 1903; *pomazensis* Kovacs, 1952; *hungarica* Kovacs, 1952.
- 3230) Euxoa (s.str.) heringi Christoph, 1877** (Noctuidae) Synonym(s): *heringi* Christoph, 1877; *marcens* Christoph, 1893; *signata* Staudinger, 1900; *achyricola* Corti, 1931.
- 3231) Euxoa (s.str.) homicida (Staudinger, 1900)** (Noctuidae) Synonym(s): *homicida* Staudinger, 1900; *#homicia* Hacker & Kautt, 1999.
- 3232) Euxoa (s.str.) luteomixta (F. Wagner, 1932)** (Noctuidae) Synonym(s): *luteomixta* F. Wagner, 1932
- 3233) Euxoa (s.str.) montivaga Fibiger, 1997** (Noctuidae) Synonym(s): *montivaga* Fibiger, 1997
- 3234) Euxoa (s.str.) mustelina (Christoph, 1877)** (Noctuidae) Synonym(s): *mustelina* Christoph, 1877
- 3235) Euxoa (s.str.) nigricans (Linnaeus, 1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus, 1761; *fumosa* [Denis & Schiffermüller], 1775; *rubricans* Esper, [1788]; *dubia* Haworth, 1809; *vilis*, *fuliginea* Hübner, [1813]; *carbonea* Hübner, [1823]; *ursina* Godart, 1825; *rustica* Eversmann, 1842; *oppidicola* Krulikowsky, 1907.
- 3236) Euxoa (s.str.) nigrofusca (Esper, [1788])** (Noctuidae) Synonym(s): *tritici* sensu auct. nec Linn., 1761; *nigrofusca* Esper, [1788]; *praticola* Borkhausen, 1792; *domestica* Fabricius, 1794; *pupillata* Haworth, 1803; *venosus* Haworth, 1803; *pusillus*

- Haworth,1803; lineolata Haworth,1809; sordida Haworth,1809; albilinea Haworth,1809; hortorum Stephens,1829; cuneigera Stephens,1829; nigrina Staudinger,1867; pygmaea Hampson,1903; privigna Püngeler,1906; fumosoides Culot,1909
- 3237) Euxoa (s.str.) obelisca** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): obelisca [Denis & Schiffermüller],1775; praticola Hübner,[1813]; plectoides Guenée,1852; grisea Tutt,1892; #carbonis W.Warren,1909; stephensii Heyd.,1933; salioclitana Boursin,1934.
- 3238) Euxoa (s.str.) ochrogaster** (Guenée,1852) (Noctuidae) Synonym(s): ochrogaster Guenée,1852
- 3239) Euxoa (s.str.) recussa** (Hübner,[1817]) (Noctuidae) Synonym(s): recussa Hübner,[1817]; telifera Donzel,1837; transsylvania Herrich-Schäffer,[1851]; florigera Eversmann,1856; latebrosa Corti,1931.
- 3240) Euxoa (s.str.) rubrior** Pinker,1980 (Noctuidae) Synonym(s): rubrior Pinker,1980; kansui Kornoşor,1989; oezeri Kornoşor,1989; loedlii Kornoşor,1989
- 3241) Euxoa (s.str.) scurrilis** Draudt,1937 (Noctuidae) Synonym(s): scurrilis Draudt,1937
- 3242) Euxoa (s.str.) segnilis** (Duponchel,1836) (Noctuidae) Synonym(s): segnilis Duponchel,1836; seliginis Duponchel,1836; siliginis Guenée,1852; #huebneroides Boursin,1940; adriatica Fiori,1957.
- 3243) Euxoa (s.str.) sulcifera** (Christoph,1893) (Noctuidae) Synonym(s): sulcifera Christoph,1893
- 3244) Euxoa (s.str.) temera** (Hübner,[1808]) (Noctuidae) Synonym(s): temera Hübner,[1808]; ruris Hübner,[1808]; villiersii Guenée,1837; declarans Walker,[1857]; alphonsina Fernald,1918; boursini Schawerda,1931; perambulans Corti,1931; leucotera Bytinski-Salz & Brandt,1937.
- 3245) Euxoa (s.str.) tritici** (Linnaeus,1761) (Noctuidae) Synonym(s): tritici Linnaeus,1761
- 3246) Euxoa (s.str.) uncarpa** Kozhantshikov,1929 (Noctuidae) Synonym(s): uncarpa Kozhantshikov,1929
- 3247) Euxoa (s.str.) vitta** (Esper,[1789]) (Noctuidae) Synonym(s): vitta Esper,[1789]
- 3248) Euxoa (s.str.) xanthosemata** Hampson,1918 (Noctuidae) Synonym(s): xanthosemata Hampson,1918
- 3249) Euzonitis fluvipennis** (Fabricius,1792) (Meloidae) Synonym(s): fluvipennis Fabricius,1792
- 3250) Euzonitis rubida** (Ménétriés,1832) (Meloidae) Synonym(s): rubida Ménétriés,1832
- 3251) Euzonitis terminata** (Abeille de Perrin,1880) (Meloidae) Synonym(s): terminata Abeille de Perrin,1880; auricoma Escherich,1891; bombycna Escherich,1896; armeniaca Pic,1901
- 3252) Euzophera (s.str.) albicostalis** Hampson,1903 (Pyralidae) Synonym(s): albicostalis Hampson,1903; albicostalis Amsel,1949; #albocostalis Wiltshire,1957
- 3253) Euzophera (s.str.) bigella** (Zeller,1848) (Pyralidae) Synonym(s): bigella Zeller,1848; stenoptycha Herrich-Schäffer,1855; bisinuella Ragonot,1887; punicaeella Moore,1891; immundella Ragonot,1901; angulella Chrétien,1922; renulella Constantini,1922
- 3254) Euzophera (s.str.) costivittella** Ragonot,1887 (Pyralidae) Synonym(s): costivittella Ragonot,1887
- 3255) Euzophera (s.str.) luculentella** Ragonot,1888 (Pyralidae) Synonym(s): luculentella Ragonot,1888
- 3256) Euzophera (s.str.) pinguis** (Haworth,[1811]) (Pyralidae) Synonym(s): pinguis Haworth,[1811]; fischeri Zeller,1846; splendidella Herrich-Schäffer,1848.
- 3257) Euzophera (s.str.) umbrosella** (Staudinger,1879) (Pyralidae) Synonym(s): umbrosella Staudinger,1879; albogilbella Ragonot,1887; depauperatella Ragonot,1901.
- 3258) Euzopherodes lutisignella** (Mann,1869) (Pyralidae) Synonym(s): lutisignella Mann,1869; leonhardi Rebel,1910; scipionella Turati,1924; battella Turati,1924.
- 3259) Evacanthus acuminatus** (Fabricius,1794) (Cicadellidae) Synonym(s): acuminatus Fabricius,1794; acuminatus Turton,1802; interstincta Fallén,1806; germari Curtis,1833
- 3260) Evacanthus interruptus** (Linnaeus,1758) (Cicadellidae) Synonym(s): interruptus Linnaeus,1758; bicordata Scopoli,1763; hemiptera Piller & Mitterpacher,1783; moesta Zetterstedt,1828; nigroflavus Stal,1858; nigricans Matsumura,1911; miyakei Matsumura,1911; xanthus Oshanin,1912; pallidus Matsumura,1912; svaneticus Melichar,1913; rubescens Haupt,1925; striatus Kusnezov,1929
- 3261) Evagetes elongatus** Lepeletier,1845 (Pompilidae) Synonym(s): elongatus Lepeletier,1845; infernalis Wolf,1970
- 3262) Evagetes iconionus** Wolf,1970 (Pompilidae) Synonym(s): iconionus Wolf,1970
- 3263) Evergestis desertalis** (Hübner,[1813]) (Pyralidae) Synonym(s): desertalis Hübner,[1813]; avicennae Tams,1925.
- 3264) Evergestis flavifuscalis** Rebel,1903 (Pyralidae) Synonym(s): flavifuscalis Rebel,1903
- 3265) Evergestis frumentalis** (Linnaeus,1761) (Pyralidae) Synonym(s): frumentalis Linnaeus,1761
- 3266) Evergestis manglisalis** Erschoff,1877 (Pyralidae) Synonym(s): manglisalis Erschoff,1877
- 3267) Evergestis nomadalis** (Lederer,1871) (Pyralidae) Synonym(s): nomadalis Lederer,1871
- 3268) Evergestis sophialis** (Fabricius,1787) (Pyralidae) Synonym(s): sophialis Fabricius,1787; variegalis Fabricius,1787; sophiae Fabricius,1798
- 3269) Evergestis subfuscalis** (Staudinger,1870) (Pyralidae) Synonym(s): subfuscalis Staudinger,1870
- 3270) Evergestis vagabundalis** (Christoph,1887) (Pyralidae) Synonym(s): vagabundalis Christoph,1887
- 3271) Exaeretia ciniflonella** (Lienig & Zeller,1846) (Oecophoridae) Synonym(s): ciniflonella Lienig & Zeller,1846
- 3272) Exaeretia ledereri** (Zeller,1854) (Oecophoridae) Synonym(s): ledereri Zeller,1854.
- 3273) Exaeretia niviferella** (Christoph,1872) (Oecophoridae) Synonym(s): niviferella Christoph,1872
- 3274) Exapate congelatella** (Clerck,1759) (Tortricidae) Synonym(s): congelatella Clerck,1759
- 3275) Exetastes illusor** Gravenhorst,1829 (Ichneumonidae) Synonym(s): illusor Gravenhorst,1829
- 3276) Exetastes laevigator** (Villers,1789) (Ichneumonidae) Synonym(s): laevigator Villers,1789
- 3277) Exhyalanthrax afer** (Fabricius,1794) (Bombyliidae) Synonym(s): afer Fabricius,1794; fimbriata Meigen,1804; marginalis Wiedemann,1820; tangerinus Bigot,1892; burtti Hesse,1956; aequisexus Bowden,1964; decipiens Bowden,1964
- 3278) Exhyalanthrax intermedius** (Paramonov,1927) (Bombyliidae) Synonym(s): intermedius Paramonov,1927
- 3279) Exhyalanthrax macrops** (Portschinsky,1887) (Bombyliidae) Synonym(s): macrops Portschinsky,1887
- 3280) Exhyalanthrax melanchlaenus** (Loew,1869) (Bombyliidae) Synonym(s): melanchlaenus Loew,1869; agnitionalis Austen,1937
- 3281) Exhyalanthrax muscarius** (Pallas,1818) (Bombyliidae) Synonym(s): muscarius Pallas,1818; vagans Loew,1862; squamifera Jaennicke,1867; marginalis Bezzi,1903; beckeri Paramonov,1927; unistriata Engel,1936
- 3282) Exhyalanthrax parvus** (Paramonov,1927) (Bombyliidae) Synonym(s): parvus Paramonov,1927
- 3283) Exhyalanthrax stimulus** (Klug,1832) (Bombyliidae) Synonym(s): stimulus Klug,1832
- 3284) Exochus albicinctus** Holmgren,1873 (Ichneumonidae) Synonym(s): albicinctus Holmgren,1873
- 3285) Exophyla rectangularis** (Geyer,[1828]) (Noctuidae) Synonym(s): rectangularis Geyer,[1828]; #rectangularis Lehmann, Hacker et al.,1998
- 3286) Exopristus trigonomerus** (Masi,1916) (Torymidae) Synonym(s): trigonomerus Masi,1916
- 3287) Exoprosopa capucina** (Fabricius,1781) (Bombyliidae) Synonym(s): capucina Fabricius,1781; caloptera Pallas,1818
- 3288) Exoprosopa cleomene** Egger,1859 (Bombyliidae) Synonym(s): cleomene Egger,1859
- 3289) Exoprosopa dedecor** Loew,1871 (Bombyliidae) Synonym(s): dedecor Loew,1871

- 3290) *Exoprosopa grandis* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *grandis* Wiedemann,1820; *fasciata* Dufour,1850 nec Meig.,1804; *turcomana* Portschinsky,1887
- 3291) *Exoprosopa jachus* (Fabricius,1805)** (Bombyliidae) Synonym(s): *jachus* Fabricius,1805; *picta* Wiedemann,1820; *quadripunctata* Paramonov,1926
- 3292) *Exoprosopa lugens* Paramonov,1928** (Bombyliidae) Synonym(s): *lugens* Paramonov,1928
- 3293) *Exoprosopa melaena* Loew,1874** (Bombyliidae) Synonym(s): *melaena* Loew,1874; *abbreviata* Paramonov,1928
- 3294) *Exoprosopa minoides* Paramonov,1928** (Bombyliidae) Synonym(s): *minoides* Paramonov,1928
- 3295) *Exoprosopa minois* Loew,1869** (Bombyliidae) Synonym(s): *minois* Loew,1869; *semiflavida* Becker,1906
- 3296) *Exoprosopa pectoralis* Loew,1862** (Bombyliidae) Synonym(s): *pectoralis* Loew,1862
- 3297) *Exoprosopa pleskei* Paramonov,1928** (Bombyliidae) Synonym(s): *pleskei* Paramonov,1928; *transcaucasica* Paramonov,1928
- 3298) *Exoprosopa rivularis* (Meigen,1820)** (Bombyliidae) Synonym(s): *rivularis* Meigen,1820; *argyrocephala* Macquart,1840; *undans* Walker,1849
- 3299) *Exoprosopa rutila* (Wiedemann,1818)** (Bombyliidae) Synonym(s): *rutila* Wiedemann,1818; *daubei* Guérin-Méneville,1844; *miegii* Dufour,1850; *interrupta* Mulsant,1852; *hilaris* Eversmann,1855; *kruegeri* Bezzi,1926
- 3300) *Exoprosopa subfasciata* Engel,1936** (Bombyliidae) Synonym(s): *subfasciata* Engel,1936
- 3301) *Exorista (Ptilotachina) deligata* Pandellé,1896** (Tachinidae) Synonym(s): *deligata* Pandellé,1896
- 3302) *Exyston montanus* Kerrich,1975** (Ichneumonidae) Synonym(s): *montanus* Kerrich,1975
- 3303) *Exyston subnitidus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *subnitidus* Gravenhorst,1829; *phaeorrhæus* Haliday,1838
- 3304) *Eyprepocnemis plorans* (Charpentier,1825)** (Acrididae) Synonym(s): *plorans* Charpentier,1825; *reticulatus* Fischer von Waldheim,1839; *tarsius* Fischer von Waldheim,1846; *consobrina* Walker,1870; *senegalensis* Bolivar,1914; *pallida* Uvarov,1921; *#polarans* Salman,1978
- 3305) *Fagocyba cruenta* (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta* Herrich-Schäffer,1838; *opaca* Edwards,1888; *inquinata* Ribaut,1936
- 3306) *Falcotoya minuscula* (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897
- 3307) *Fallacia elegans* (Faldermann,1837)** (Cerambycidae) Synonym(s): *elegans* Faldermann,1837
- 3308) *Fallenia fasciata* (Fabricius,1805)** (Nemestrinidae) Synonym(s): *fasciata* Fabricius,1805
- 3309) *Falseuncaria rjaboviana* Kuznetsov,1979** (Tortricidae) Synonym(s): *rjaboviana* Kuznetsov,1979
- 3310) *Fannia canicularis* (Linnaeus,1761)** (Fanniidae) Synonym(s): *canicularis* Linnaeus,1761; *rivularis* R-D.,1830; *chilensis* Macquart,1843; *constantina* Macquart,1843; *hilaris* Zetterstedt,1845; *introducta* Walker,1853; *muscoides* Walker,1871
- 3311) *Fannia lepida* (Wiedemann,1817)** (Fanniidae) Synonym(s): *lepida* Wiedemann,1817; *mutica* Zetterstedt,1845
- 3312) *Fannia serena* (Fallén,1825)** (Fanniidae) Synonym(s): *serena* Fallén,1825; *stygia* Meigen,1826
- 3313) *Fenusia pusilla* Lepeletier,1823** (Tenthredinidae) Synonym(s): *pusilla* Lepeletier,1823
- 3314) *Fieberiella florii* (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864
- 3315) *Fieberiella lugubris* Emeljanov,1964** (Cicadellidae) Synonym(s): *lugubris* Emeljanov,1964
- 3316) *Fieberiella macchiae* Linnavuori,1962** (Cicadellidae) Synonym(s): *macchiae* Linnavuori,1962
- 3317) *Fieberiella septentrionalis* Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963
- 3318) *Fileanta flavolaeta* (Berthoumieu,1892)** (Ichneumonidae) Synonym(s): *flavolaeta* Berthoumieu,1892
- 3319) *Filipitschenkia sargoides* Pleske,1926** (Stratiomyidae) Synonym(s): *sargoides* Pleske,1926
- 3320) *Forficula smyrnensis* Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839
- 3321) *Frutoidia* (s.str.) *bisignata* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947
- 3322) *Frutoidia* (s.str.) *sanguinosa* (Rey,1891)** (Cicadellidae) Synonym(s): *sanguinosa* Rey,1891; *picta* Melichar,1896
- 3323) *Fulcrifera affectana* (Kennel,1901)** (Tortricidae) Synonym(s): *affectana* Kennel,1901
- 3324) *Fulvoclysia albertii* Razowski,1983** (Tortricidae) Synonym(s): *albertii* Razowski,1983
- 3325) *Fulvoclysia aulica* Razowski,1968** (Tortricidae) Synonym(s): *aulica* Razowski,1968
- 3326) *Fulvoclysia defectana* (Lederer,1870)** (Tortricidae) Synonym(s): *defectana* Lederer,1870
- 3327) *Fulvoclysia dictyodana* (Staudinger,1880)** (Tortricidae) Synonym(s): *dictyodana* Staudinger,1880; *#insignatana* Staudinger,1880; *acutana* Kennel,1913
- 3328) *Fulvoclysia pallorana* (Lederer,1864)** (Tortricidae) Synonym(s): *pallorana* Lederer,1864; *armeniaca* Obratsov,1943
- 3329) *Fulvoclysia rjabovi* Kuznetsov,1976** (Tortricidae) Synonym(s): *rjabovi* Kuznetsov,1976
- 3330) *Fulvoclysia subdolana* (Kennel,1901)** (Tortricidae) Synonym(s): *subdolana* Kennel,1901; *subflavana* Amsel,1959
- 3331) *Furcula bifida* (Brahm,1787)** (Notodontidae) Synonym(s): *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933; *beida* Rungs,1956
- 3332) *Furcula furcula* (Linnaeus,1761)** (Notodontidae) Synonym(s): *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965
- 3333) *Furcula interrupta* Christoph,1867** (Notodontidae) Synonym(s): *interrupta* Christoph,1867; *leucotera* Stichel,1911; *sureyae* Rebel,1933; *hoeferi* Bytinski-Salz,1936; *leucotera* Lenek,1969; *#syreyae* Schintlmeister,1989
- 3334) *Gampsocleis glabra* (Herbst,1786)** (Tettigoniidae) Synonym(s): *prima* Schaff,1776; *glabra* Herbst,1786; *gratiosus* Millet,1870; *annae* Shugurov,1908; *podolica* Shugurov,1908; *alberti* Seidl,1937
- 3335) *Gampsocleis schelkovnikovae* Adelung,1916** (Tettigoniidae) Synonym(s): *schelkovnikovae* Adelung,1916
- 3336) *Gargara genistae* (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775
- 3337) *Gastropacha* (s.str.) *quercifolia* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909
- 3338) *Gastrophysa polygona* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *polygona* Linnaeus,1758
- 3339) *Gastrophysa viridula* (DeGeer,1775)** (Chrysomelidae) Synonym(s): *viridula* DeGeer,1775; *caucasica* Jolivet,1951
- 3340) *Gelis instabilis* (Förster,1851)** (Ichneumonidae) Synonym(s): *instabilis* Förster,1851
- 3341) *Geometra papilionaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *papilionaria* Linnaeus,1758; *prasinaria* Hufnagel,1767; *albopunctata* Mattuschka,1805
- 3342) *Georissus* (Neogeorissus) *trifossulatus* Motschoulsky,1843** (Georissidae) Synonym(s): *trifossulatus* Motschoulsky,1843
- 3343) *Germaria graeca* (Brauer & Bergenstamm,1889)** (Tachinidae) Synonym(s): *graeca* Brauer & Bergenstamm,1889
- 3344) *Geron* (s.str.) *asiaticus* Zaitzev,1967** (Bombyliidae) Synonym(s): *asiaticus* Zaitzev,1967; *paramonovi* Greathead,2001 nec Evenh.,1979
- 3345) *Geron* (s.str.) *auratus* Zaitzev,1962** (Bombyliidae) Synonym(s): *auratus* Zaitzev,1962
- 3346) *Geron* (s.str.) *canescens* Zaitzev,1962** (Bombyliidae) Synonym(s): *canescens* Zaitzev,1962

- 3347) *Geron* (s.str.) *griseus* Zaitzev, 1962 (Bombyliidae) Synonym(s): *griseus* Zaitzev, 1962
- 3348) *Geron* (s.str.) *kozlovi* Zaitzev, 1972 (Bombyliidae) Synonym(s): *kozlovi* Zaitzev, 1972
- 3349) *Geron* (s.str.) *krymensis* Paramonov, 1929 (Bombyliidae) Synonym(s): *krymensis* Paramonov, 1929
- 3350) *Geron* (s.str.) *olivierii* Macquart, 1840 (Bombyliidae) Synonym(s): *olivierii* Macquart, 1840
- 3351) *Gerris caucasicus* Kanyukova, 1982 (Gerridae) Synonym(s): *caucasicus* Kanyukova, 1982
- 3352) *Gerris maculatus* Tamanini, 1946 (Gerridae) Synonym(s): *maculatus* Tamanini, 1946
- 3353) *Giraudia gyratoria* (Thunberg, 1824) (Ichneumonidae) Synonym(s): *gyratoria* Thunberg, 1824; *congruens* Gravenhorst, 1829
- 3354) *Glaphyrus calvaster* Zaitzev, 1923 (Glaphyridae) Synonym(s): *calvaster* Zaitzev, 1923
- 3355) *Glaphyrus caucasicus* Kraatz, 1882 (Glaphyridae) Synonym(s): *caucasicus* Kraatz, 1882
- 3356) *Glaphyrus micans* Faldermann, 1835 (Glaphyridae) Synonym(s): *micans* Faldermann, 1835; *persicus* Pic, 1947; *purpureus* Pic, 1947; *euphraticus* Mitter, 1990
- 3357) *Glaucocharis euchromiella* (Ragonot, 1895) (Pyralidae) Synonym(s): *euchromiella* Ragonot, 1895; *sinualis* Hampson, 1900; *rebeli* Osthelder, 1941.
- 3358) *Glaucoopsyche* (Iolana) *lessei* Bernardi, 1964 (Lycaenidae) Synonym(s): *lessei* Bernardi, 1964; *christinae* Betti, 1977; *cappadocia* Betti, 1977
- 3359) *Glaucoopsyche* (s.str.) *alexis* (Poda, 1761) (Lycaenidae) Synonym(s): *alexis* Poda, 1761; *damaetas* [Denis & Schiffermüller, 1775; #*sublugens* Strand, 1909; #*insulicola* Turati & Fiori, 1930; *miro* Coutsis, 1976.
- 3360) *Globiceps armeniacus* Drapolyuk, 1999 (Miridae) Synonym(s): *armeniaceus* Drapolyuk, 1999
- 3361) *Globiceps caucasicus* Poppius, 1912 (Miridae) Synonym(s): *caucasicus* Poppius, 1912
- 3362) *Globiceps tragacanthae* Putshkov, 1978 (Miridae) Synonym(s): *tragacanthae* Putshkov, 1978
- 3363) *Glossotrophia* (s.str.) *diffinaria* L.B. Prout, 1913 (Geometridae) Synonym(s): *luridata* Staudinger, 1871 *nec* Zell.; *diffinaria* L.B. Prout, 1913
- 3364) *Glossotrophia* (s.str.) *falsaria* (Herrich-Schäffer, 1852) (Geometridae) Synonym(s): *falsaria* Herrich-Schäffer, 1852
- 3365) *Glyphipterix argyroguttella* Ragonot, 1885 (Glyphipterygidae) Synonym(s): *argyroguttella* Ragonot, 1885
- 3366) *Glyphipterix equitella* (Scopoli, 1763) (Glyphipterygidae) Synonym(s): *equitella* Scopoli, 1763; *majorella* Heinemann & Wocke, 1876; *minorella* Snellen, 1882; *crassilunella* Rebel, 1916; *zermattensis* Amsel, 1933; *sexguttella* Toll, 1936
- 3367) *Glyphipterix gianelliella* Ragonot, 1885 (Glyphipterygidae) Synonym(s): *gianelliella* Ragonot, 1885
- 3368) *Glyphipterix thrasonella* (Scopoli, 1763) (Glyphipterygidae) Synonym(s): *thrasonella* Scopoli, 1763; *klemannella* Fabricius, 1781; *fueslella* Fabricius, 1787; *fueslella* Fabricius, 1794; *ahornerella* Hübner, 1796; *seppella* Hübner, 1796; *aillyella* Hübner, 1796; *triguttella* Donovan, 1806; *fuesslii* Haworth, 1828; *equitella* Treitschke, 1833; *poeyella* Duponchel, 1838; *cladiella* Stainton, 1859; *eynthoveniella* Snellen, 1882; *albardella* Snellen, 1882; *nitens* Banks, 1907; *struvei* Amsel, 1938
- 3369) *Glyphomerus tibialis* Förster, 1856 (Torymidae) Synonym(s): *tibialis* Förster, 1856
- 3370) *Glyptapanteles callidus* (Haliday, 1834) (Braconidae) Synonym(s): *callidus* Haliday, 1834
- 3371) *Glyptomorpha discolor* (Thunberg, 1822) (Braconidae) Synonym(s): *discolor* Thunberg, 1822
- 3372) *Glyptomorpha kasparyani* Tobias, 1976 (Braconidae) Synonym(s): *kasparyani* Tobias, 1976
- 3373) *Glyptomorpha nachitshevanica* Tobias, 1975 (Braconidae) Synonym(s): *nachitshevanica* Tobias, 1975
- 3374) *Glyptomorpha pectoralis* (Brullé, 1832) (Braconidae) Synonym(s): *pectoralis* Brullé, 1832
- 3375) *Glyptomorpha telugosa* (Shenefelt, 1978) (Braconidae) Synonym(s): *telugosa* Shenefelt, 1978
- 3376) *Gnopharmia colchidaria* (Lederer, 1870) (Geometridae) Synonym(s): *colchidaria* Lederer, 1870; *melanotaenia* Wehrli, 1938
- 3377) *Gnophos* (Cnestrognophos) *anthina* Wehrli, 1953 (Geometridae) Synonym(s): *anthina* Wehrli, 1953
- 3378) *Gnophos* (Cnestrognophos) *rjabovi* Wehrli, 1929 (Geometridae) Synonym(s): *rjabovi* Wehrli, 1929
- 3379) *Gnophos* (Dicrognophos) *pseudosnelleni* (Rjabov, 1964) (Geometridae) Synonym(s): *pseudosnelleni* Rjabov, 1964
- 3380) *Gnophos* (Dicrognophos) *sartatus* (Treitschke, 1827) (Geometridae) Synonym(s): *sartata* Treitschke, 1827; *syriaca* Thierry-Mieg, 1916.
- 3381) *Gnophos* (Dysgnophos) *difficilis* Alpheraky, 1883 (Geometridae) Synonym(s): *difficilis* Alpheraky, 1883; *finitimaria* Fuchs, 1899; *desparataria* Fuchs, 1900; *luteopicta* Thierry-Mieg, 1916.
- 3382) *Gnophos* (Organognophos) *asymmetrus* Wehrli, 1936 (Geometridae) Synonym(s): *asymmetrus* Wehrli, 1936
- 3383) *Gnophos* (s.str.) *ciscaucasius* Rjabov, 1964 (Geometridae) Synonym(s): *ciscaucasius* Rjabov, 1964
- 3384) *Gnophos* (Trilobignophos) *pollinarius* Christoph, 1887 (Geometridae) Synonym(s): *pollinaria* Christoph, 1887
- 3385) *Gnophos pallescens* Rjabov, 1964 (Geometridae) Synonym(s): *pallescens* Rjabov, 1964
- 3386) *Gnorimoschema epithymella* (Staudinger, 1859) (Gelechiidae) Synonym(s): *epithymella* Staudinger, 1859
- 3387) *Gnorimus armeniacus* Reitter, 1887 (Scarabaeidae) Synonym(s): *armeniaceus* Reitter, 1887
- 3388) *Gnorimus bartelsi* Faldermann, 1836 (Scarabaeidae) Synonym(s): *bartelsi* Faldermann, 1836
- 3389) *Gnorimus subcostatus* Ménétriés, 1832 (Scarabaeidae) Synonym(s): *subcostatus* Ménétriés, 1832; *cupreus* Kraatz, 1895
- 3390) *Gomphocerippus rufus* (Linnaeus, 1758) (Acrididae) Synonym(s): *rufus* Linnaeus, 1758; *clavicorne* DeGeer, 1773
- 3391) *Gomphocerus armeniacus* (Uvarov, 1931) (Acrididae) Synonym(s): *armeniaceus* Uvarov, 1931
- 3392) *Gomphocerus dispar* Fischer von Waldheim, 1846 (Acrididae) Synonym(s): *dispar* Fischer von Waldheim, 1846
- 3393) *Gomphocerus sibiricus* (Linnaeus, 1767) (Acrididae) Synonym(s): *sibiricus* Linnaeus, 1767; *clavimanus* Pallas, 1772; *graecus* Uvarov, 1931; *helveticus* Uvarov, 1931; *hispanicus* Uvarov, 1931; *pyrenaicus* Uvarov, 1931; *turcicus* Mistshenko, 1951
- 3394) *Gomphus flavipes* (Charpentier, 1825) (Gomphidae) Synonym(s): *flavipes* Charpentier, 1825
- 3395) *Gomphus schneideri* Selys, 1850 (Gomphidae) Synonym(s): *schneideri* Selys, 1850
- 3396) *Gonepteryx* (Isogonepteryx) *cleopatra* (Linnaeus, 1767) (Pieridae) Synonym(s): *cleopatra* Linnaeus, 1767; *balearica* Bubacek, 1920.
- 3397) *Gonepteryx* (s.str.) *farinosa* (Zeller, 1847) (Pieridae) Synonym(s): *farinosa* Zeller, 1847
- 3398) *Gonepteryx* (s.str.) *rhamni* (Linnaeus, 1758) (Pieridae) Synonym(s): *rhamni* Linnaeus, 1758; *gravesi* Huggins, 1956.
- 3399) *Gonia picea* (R-D., 1830) (Tachinidae) Synonym(s): *fasciata* Meigen, 1826; *picea* R-D., 1830
- 3400) *Goniagnathus brevis* (Herrich-Schäffer, 1835) (Cicadellidae) Synonym(s): *brevis* Herrich-Schäffer, 1835; *annulipes* Lucas, 1849
- 3401) *Goniagnathus guttulinervis* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *guttulinervis* Kirschbaum, 1868; *putoni* Lethierry, 1874; *laminatus* Ivanoff, 1885; *ferganensis* Kusnezov, 1929
- 3402) *Goniagnathus maculatus* Emeljanov, 1962 (Cicadellidae) Synonym(s): *maculatus* Emeljanov, 1962
- 3403) *Goniagnathus palliatus* (Lethierry, 1887) (Cicadellidae) Synonym(s): *palliatus* Lethierry, 1887
- 3404) *Gonianotus marginepunctatus* (Wolff, 1804) (Lygaeidae) Synonym(s): *marginepunctatus* Wolff, 1804
- 3405) *Goniocetena fornicata* (Brüggemann, 1873) (Chrysomelidae) Synonym(s): *fornicata* Brüggemann, 1873; *sempunctata* Joakimov, 1904
- 3406) *Goniocetena rufipes* (DeGeer, 1775) (Chrysomelidae) Synonym(s): *rufipes* DeGeer, 1775

- 3407) *Goniurellia tridens* (Hendel, 1910) (Tephritidae) Synonym(s): *tridens* Hendel, 1910
- 3408) *Gonocerus acuteangulatus* (Goeze, 1778) (Coreidae) Synonym(s): *acuteangulatus* Goeze, 1778
- 3409) *Gonocerus juniperi* (Herrich-Schäffer, 1839) (Coreidae) Synonym(s): *juniperi* Herrich-Schäffer, 1839
- 3410) *Gonomyia* (s.str.) *basilobata* Alexander, 1975 (Limoniidae) Synonym(s): *basilobata* Alexander, 1975
- 3411) *Gonomyia* (s.str.) *conoviensis* Barnes, 1924 (Limoniidae) Synonym(s): *conoviensis* Barnes, 1924
- 3412) *Gonospileia munita* (Hübner, [1813]) (Noctuidae) Synonym(s): *munita* Hübner, [1813]; *angulosa* Eversmann, 1832.
- 3413) *Gonospileia triquetra* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *triquetra* [Denis & Schiffermüller], 1775; *aurantiaca* Staudinger, 1881.
- 3414) *Gortyna borelii* (Pierret, 1837) (Noctuidae) Synonym(s): *borelii* Pierret, 1837
- 3415) *Gortyna cervago* Eversmann, 1844 (Noctuidae) Synonym(s): *cervago* Eversmann, 1844; *#argillago* Draudt, 1936.
- 3416) *Gortyna flavago* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller], 1775
- 3417) *Gortyna hethitica* Hacker, Kuhna & Gross, 1986 (Noctuidae) Synonym(s): *hethitica* Hacker, Kuhna & Gross, 1986
- 3418) *Gortyna moesiaca* Herrich-Schäffer, [1849] (Noctuidae) Synonym(s): *moesiaca* Herrich-Schäffer, [1849]; *perlucida* W. Warren, 1911.
- 3419) *Gortyna osmana* Hacker & Kuhna, 1986 (Noctuidae) Synonym(s): *osmana* Hacker & Kuhna, 1986
- 3420) *Grammodes bifasciata* (Petagna, 1786) (Noctuidae) Synonym(s): *geometrica* auct.; *bifasciata* Petagna, 1786; *linearis* Hübner, 1790; *parallela* Cyrillo, 1790; *chalciptera* Borkhausen, 1792; *parallelaris* Hübner, [1803].
- 3421) *Grammodes stolidia* (Fabricius, 1775) (Noctuidae) Synonym(s): *stolidia* Fabricius, 1775; *cingularis* Hübner, [1808]; *stupidia* Herrich-Schäffer, 1851; *curvilinea* Walker, 1869.
- 3422) *Graphantha* (Dysgraphhadena) *commoda* (Staudinger, 1889) (Noctuidae) Synonym(s): *indigna* auct. nec Chr., 1887; *commoda* Staudinger, 1889; *manifesta* Christoph, 1893; *idumaea* Püngeler, 1902; *schlumbergeri* Püngeler, 1905
- 3423) *Graphiphora augur* (Fabricius, 1775) (Noctuidae) Synonym(s): *augur* Fabricius, 1775
- 3424) *Graphosoma* (s.str.) *consimile* Horvath, 1903 (Pentatomidae) Synonym(s): *consimile* Horvath, 1903; *personatum* Horvath, 1903; *rubrum* Kiritschenko, 1914
- 3425) *Graphosoma* (s.str.) *melanoxanthum* Horvath, 1903 (Pentatomidae) Synonym(s): *melanoxanthum* Horvath, 1903
- 3426) *Graphosoma* (s.str.) *semipunctatum* (Fabricius, 1775) (Pentatomidae) Synonym(s): *semipunctatum* Fabricius, 1775; *interruptum* White, 1839; *wilsoni* White, 1839; *persica* Ferr., 1874; *creticum* Horvath, 1909
- 3427) *Graptodytes bilineatus* (Sturm, 1835) (Dytiscidae) Synonym(s): *bilineatus* Sturm, 1835; *nigritarsis* Sahlberg, 1882; *hopffgarteni* Schilsky, 1892; *pervasus* Gozis, 1914; *narentinus* Zimmermann, 1915
- 3428) *Gravenhorstia* (s.str.) *picta* Boie, 1836 (Ichneumonidae) Synonym(s): *picta* Boie, 1836
- 3429) *Greniera nairica* Terteryan, 1972 (Simuliidae) Synonym(s): *nairica* Terteryan, 1972
- 3430) *Gryllodinus kerkennensis* (Finot, 1893) (Gryllidae) Synonym(s): *kerkennensis* Finot, 1893; *macropterus* Fuente, 1894; *finoti* Krauss, 1902; *dulcisonans* Semenov, 1915
- 3431) *Gryllomorpha* (s.str.) *gestroana* Bolivar, 1914 (Gryllidae) Synonym(s): *gestroana* Bolivar, 1914
- 3432) *Gryllotalpa unispina* Saussure, 1884 (Gryllotalpidae) Synonym(s): *unispina* Saussure, 1884; *manshurei* Shiraki, 1930
- 3433) *Gryllus* (s.str.) *bimaculatus* (De Geer, 1773) (Gryllidae) Synonym(s): *bimaculatus* De Geer, 1773; *capensis* Fabricius, 1775; *rubricollis* Stoll, 1813; *lugubris* Stal, 1855; *interruptus* Walker, 1869; *marginalis* Walker, 1869; *ater* Saussure, 1877
- 3434) *Grypocoris meyeri* (Kolenati, 1845) (Miridae) Synonym(s): *meyeri* Kolenati, 1845
- 3435) *Gymnomerus laevipes* (Shuckard, 1837) (Vespidae) Synonym(s): *laevipes* Shuckard, 1837; *cognatus* Dufour, 1839; *rubicola* Dufour, 1839; *simplicipes* Herrich-Schäffer, 1839
- 3436) *Gymnomus caucasicus* Woznica, 2006 (Heleomyzidae) Synonym(s): *caucasicus* Woznica, 2006
- 3437) *Gymnopleurus flagellatus* (Fabricius, 1787) (Scarabaeidae) Synonym(s): *flagellatus* Fabricius, 1787; *coriarius* Herbst, 1789; *serratus* Fischer von Waldheim, 1821; *asperatus* Mulsant, 1842; *caliginosus* Balthasar, 1934
- 3438) *Gymnopleurus geoffroyi* Fuessly, 1785 (Scarabaeidae) Synonym(s): *geoffroyi* Fuessly, 1785; *cantharus* Illiger, 1803
- 3439) *Gymnopleurus mopsus* (Pallas, 1781) (Scarabaeidae) Synonym(s): *mopsus* Pallas, 1781
- 3440) *Gymnopternus celer* (Meigen, 1824) (Dolichopodidae) Synonym(s): *celer* Meigen, 1824
- 3441) *Gymnoscelis rufifasciata* (Haworth, [1809]) (Geometridae) Synonym(s): *rufifasciata* Haworth, [1809]; *pumilata* Hübner, [1813].
- 3442) *Gymnosoma clavatum* (Rohdendorf, 1947) (Tachinidae) Synonym(s): *clavata* Rohdendorf, 1947; *verbekei* Mesnil, 1952
- 3443) *Gymnosoma desertorum* (Rohdendorf, 1947) (Tachinidae) Synonym(s): *desertorum* Rohdendorf, 1947; *plesiomorpha* Zimin, 1966
- 3444) *Gypsochroa renitidata* (Hübner, [1817]) (Geometridae) Synonym(s): *renitidata* Hübner, [1817].
- 3445) *Gypsonoma dealbana* (Frölich, 1828) (Tortricidae) Synonym(s): *dealbana* Frölich, 1828; *alnetana* Guenée, 1845
- 3446) *Gypsonoma minutana* (Hübner, [1799]) (Tortricidae) Synonym(s): *minutana* Hübner, [1799]; *vermiculana* Duponchel, 1836
- 3447) *Gypsonoma obratzovi* Amsel, 1959 (Tortricidae) Synonym(s): *obratzovi* Amsel, 1959
- 3448) *Gypsonoma sociana* (Haworth, [1811]) (Tortricidae) Synonym(s): *sociana* Haworth, [1811]; *neglectana* Duponchel, 1844
- 3449) *Habropogon doriae* Rondani, 1873 (Asilidae) Synonym(s): *doriae* Rondani, 1873
- 3450) *Habrosyne pyritoides* (Hufnagel, 1766) (Thyatridae) Synonym(s): *pyritoides* Hufnagel, 1766; *derasa* Linnaeus, 1767; *gloriosa* Boisduval, 1852; *intermedia* Bremer, 1864
- 3451) *Hada persa* (Alpheraky, 1897) (Noctuidae) Synonym(s): *persa* Alpheraky, 1897
- 3452) *Hada plebeja* (Linnaeus, 1761) (Noctuidae) Synonym(s): *plebeja* Linnaeus, 1761; *nana* Hufnagel, 1766; *dentina* [Denis & Schiffermüller], 1775; *leucostigma* Haworth, 1809; *odontides* Boisduval, 1829; *latenai* Pierret, 1837; *hilaris* Zetterstedt, [1839]; *reducta* Rebel & Zerny, [1932]; *littoralis* Schawerda, 1938; *gredensis* Schawerda, 1938; *nevadensis* Schawerda, 1938; *hawelkae* Schawerda, 1938
- 3453) *Hadena* (Anepia) *christophi* (Möschler, 1862) (Noctuidae) Synonym(s): *christophi* Möschler, 1862
- 3454) *Hadena* (Anepia) *dianthoeicioides* (Boursin, 1940) (Noctuidae) Synonym(s): *dianthoeicioides* Boursin, 1940; *#dinthoeicioides* Boursin, 1940
- 3455) *Hadena* (Anepia) *irregularis* (Hufnagel, 1766) (Noctuidae) Synonym(s): *irregularis* Hufnagel, 1766; *echii* Borkhausen, 1792; *syngenesiae* Borkhausen, 1793; *brecciaeformis* Esper, [1805].
- 3456) *Hadena* (Anepia) *musculina* (Staudinger, 1892) (Noctuidae) Synonym(s): *musculina* Staudinger, 1892; *mayeri* F. Wagner, 1931.
- 3457) *Hadena* (Anepia) *perplexa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller], 1775; *lepida* Esper, [1790] nec Cr., [1779]; *carpophaga* Brahm, 1791; *ochracea* Haworth, 1809; *capsophila* Boisduval, 1840; *nisus* Germar, [1842]; *repanda* Herrich-Schäffer, [1850]; *atlas* A.E. Prout, 1929; *sicula* Draudt, 1933
- 3458) *Hadena* (Anepia) *perplexa perplexa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller], 1775; *lepida* Esper, [1790] nec Cr., [1779]; *carpophaga* Brahm, 1791; *ochracea* Haworth, 1809; *capsophila* Boisduval, 1840; *nisus* Germar, [1842]; *repanda* Herrich-Schäffer, [1850]; *atlas* A.E. Prout, 1929; *sicula* Draudt, 1933

- 3459) *Hadena (Anepia) silenens* (Hübner,[1822])** (Noctuidae) Synonym(s): *silenens* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850].
- 3460) *Hadena (Anepia) syriaca* (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 3461) *Hadena (Enterpia) laudeti* (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval,1840
- 3462) *Hadena (Enterpia) picturata* (Alpheraky,1882)** (Noctuidae) Synonym(s): *picturata* Alpheraky,1882
- 3463) *Hadena (Enterpia) roseocandida* Hacker,1996** (Noctuidae) Synonym(s): *roseocandida* Hacker,1996
- 3464) *Hadena (Maschukia) pumila* (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879
- 3465) *Hadena (Maschukia) scythia* Kljutschko & Hacker,1996** (Noctuidae) Synonym(s): *scythia* Kljutschko & Hacker,1996
- 3466) *Hadena (Pinkericola) pygmaea* (Boursin,1962)** (Noctuidae) Synonym(s): *pygmaea* Boursin,1962
- 3467) *Hadena (Pinkericola) tephroleuca* (Boisduval,1833)** (Noctuidae) Synonym(s): *tephroleuca* Boisduval,1833
- 3468) *Hadena (s.str.(Albimaculia)) albimacula* (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820].
- 3469) *Hadena (s.str.(Albimaculia)) cavalla* Pinker,1980** (Noctuidae) Synonym(s): *cavalla* Pinker,1980
- 3470) *Hadena (s.str.(Albimaculia)) defreina* Hacker, Kuhna & Gross,1986** (Noctuidae) Synonym(s): *grisea* Idrisov,1961; *defreina* Hacker, Kuhna & Gross,1986
- 3471) *Hadena (s.str.(Albimaculia)) gueneei* (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905
- 3472) *Hadena (s.str.(Albimaculia)) humilis* (Christoph,1893)** (Noctuidae) Synonym(s): *humilis* Christoph,1893; *stenoptera* Rebel,1933.
- 3473) *Hadena (s.str.(Albimaculia)) secreta* Hacker,1996** (Noctuidae) Synonym(s): *secreta* Hacker,1996
- 3474) *Hadena (s.str.(Anatolidena)) danilewskyi* Hacker,1996** (Noctuidae) Synonym(s): *danilewskyi* Hacker,1996
- 3475) *Hadena (s.str.(Anatolidena)) staudingeri* (F.Wagner,1931)** (Noctuidae) Synonym(s): *staudingeri* F.Wagner,1931
- 3476) *Hadena (s.str.(Caeshadana)) caesia* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *caesia* [Denis & Schiffermüller],1775; *dichroma* Esp.,[1790].
- 3477) *Hadena (s.str.(Clarhadena)) clara* (Staudinger,1901)** (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938.
- 3478) *Hadena (s.str.(Clarhadena)) drenowski* (Rebel,1930)** (Noctuidae) Synonym(s): *drenowski* Rebel,1930.
- 3479) *Hadena (s.str.(Clarhadena)) hyrcanoides* Hacker,1996** (Noctuidae) Synonym(s): *hyrcanoides* Hacker,1996
- 3480) *Hadena (s.str.(Clarhadena)) pseudoclara* Hacker,1996** (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996
- 3481) *Hadena (s.str.(Dianthocia)) impressa* (Esper,[1790])** (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790].
- 3482) *Hadena (s.str.(Filograna)) filograna* (Esper,[1788])** (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821].
- 3483) *Hadena (s.str.(Hadenobilis)) albertii* Hacker,1996** (Noctuidae) Synonym(s): *albertii* Hacker,1996
- 3484) *Hadena (s.str.(Hadenobilis)) chrysographa* Hacker,1996** (Noctuidae) Synonym(s): *chrysographa* Hacker,1996
- 3485) *Hadena (s.str.(Hadenobilis)) germanicae* Boursin,1959** (Noctuidae) Synonym(s): *germanicae* Boursin,1959
- 3486) *Hadena (s.str.(Hadenobilis)) melanochoa* (Staudinger,1892)** (Noctuidae) Synonym(s): *melanochoa* Staudinger,1892
- 3487) *Hadena (s.str.(Hadenobilis)) tristis* (Draudt,1934)** (Noctuidae) Synonym(s): *tristis* Draudt,1934
- 3488) *Hadena (s.str.(Hadenobilis)) vulcanica* (Turati,1907)** (Noctuidae) Synonym(s): *vulcanica* Turati,1907
- 3489) *Hadena (s.str.(Luteocincta)) femina* Hacker,1996** (Noctuidae) Synonym(s): *femina* Hacker,1996
- 3490) *Hadena (s.str.(Luteocincta)) luteocincta* (Rambur,1834)** (Noctuidae) Synonym(s): *luteocincta* Rambur,1834; *capsophoba* Rambur,1858; *kruegeri* Turati,1908; *dubia* Turati,1911; *schawerdae* Krüger,1914.
- 3491) *Hadena (s.str.(Luteocincta)) persimilis* Hacker,1996** (Noctuidae) Synonym(s): *persimilis* Hacker,1996
- 3492) *Hadena (s.str.(Luteocincta)) thecaphaga* (Draudt,1937)** (Noctuidae) Synonym(s): *thecaphaga* Draudt,1937
- 3493) *Hadena (s.str.(Luteocincta)) wehrlii* (Draudt,1934)** (Noctuidae) Synonym(s): *wehrlii* Draudt,1934
- 3494) *Hadena (s.str.(Magnoliadana)) magnolii* (Boisduval,1828)** (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844.
- 3495) *Hadena (s.str.(Miselia)) compta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
- 3496) *Hadena (s.str.(Montanohadena)) fibigeri* Hacker,1996** (Noctuidae) Synonym(s): *fibigeri* Hacker,1996
- 3497) *Hadena (s.str.(Montanohadena)) montana* (Brandt,1941)** (Noctuidae) Synonym(s): *montana* Brandt,1941
- 3498) *Hadena (s.str.(Montanohadena)) pseudohyrcana* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker,1985.
- 3499) *Hadena (s.str.(Montanohadena)) purpurea* Hacker,1996** (Noctuidae) Synonym(s): *purpurea* Hacker,1996
- 3500) *Hadena (s.str.(Montanohadena)) virescens* Hacker,1996** (Noctuidae) Synonym(s): *virescens* Hacker,1996
- 3501) *Hadena (s.str.(Turkiadana)) rjabovi* (Idrisov,1961)** (Noctuidae) Synonym(s): *rjabovi* Idrisov,1961; *occidentalis* De Freina & Hacker,1985
- 3502) *Hadena (s.str.(Zeteolyga)) confusa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottentburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902.
- 3503) *Hadena (s.str.(Zeteolyga)) pseudodealbata* Hacker,1988** (Noctuidae) Synonym(s): *pseudodealbata* Hacker,1988
- 3504) *Hadula (Calocestra (Dianthus)) dianthi* (Tauscher,1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930.
- 3505) *Hadula (Calocestra (Hadufurca)) colletti* (Schneider,1876)** (Noctuidae) Synonym(s): *colletti* Schneider,1876
- 3506) *Hadula (Calocestra (Hadufurca)) furca* (Eversmann,1852)** (Noctuidae) Synonym(s): *furca* Eversmann,1852
- 3507) *Hadula (Calocestra (Hadumendax)) hoplites* (Staudinger,1901)** (Noctuidae) Synonym(s): *hoplites* Staudinger,1901
- 3508) *Hadula (Calocestra (Hadumendax)) mendax* (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax* Staudinger,1879
- 3509) *Hadula (Calocestra (Hadumendax)) mendica* (Staudinger,[1895])** (Noctuidae) Synonym(s): *mendica* Staudinger,[1895].
- 3510) *Hadula (Calocestra (Hadupugnax)) latemarginata* (Wiltshire,1976)** (Noctuidae) Synonym(s): *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986.
- 3511) *Hadula (Calocestra (Hadupugnax)) odontites* (Boisduval,1829)** (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941.
- 3512) *Hadula (Calocestra (Hadupugnax)) pugnax* (Hübner,[1824])** (Noctuidae) Synonym(s): *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942
- 3513) *Hadula (Calocestra (Hadutrifolium)) trifolii* (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis*

Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921

- 3514) Hadula (Calocestra (Stigmosa)) sodae (Boisduval,1829)** (Noctuidae) Synonym(s): *sodae* Boisduval,1829; *sodae* Rambur,1829.
- 3515) Hadula (Calocestra (Stigmosa)) stigmosa (Christoph,1887)** (Noctuidae) Synonym(s): *stigmosa* Christoph,1887.
- 3516) Hadula (Cardiestra) vassilini (O.Bang-Haas,1927)** (Noctuidae) Synonym(s): *vassilini* O.Bang-Haas,1927
- 3517) Hadula (Ptochicestra) osmana Hacker,1998** (Noctuidae) Synonym(s): *osmana* Hacker,1998
- 3518) Hadula (Ptochicestra) ptochica (Püngeler,1900)** (Noctuidae) Synonym(s): *ptochica* Püngeler,1900
- 3519) Hadula (s.str. (Habulorum)) sabulorum (Alpheraky,1882)** (Noctuidae) Synonym(s): *sabulorum* Alpheraky,1882
- 3520) Haematobosca atripalpis (Bezzi,1895)** (Muscidae) Synonym(s): *atripalpis* Bezzi,1895
- 3521) Haematobosca stimulans (Meigen,1824)** (Muscidae) Synonym(s): *stimulans* Meigen,1824
- 3522) Haematopota caenofrons Kröber,1922** (Tabanidae) Synonym(s): *caenofrons* Kröber,1922
- 3523) Haematopota caspica Abbassian-Lintzen,1960** (Tabanidae) Synonym(s): *caspica* Abbassian-Lintzen,1960; *transcaucasica* Olsufjev,1970
- 3524) Haematopota crassicornis Wahlberg,1848** (Tabanidae) Synonym(s): *crassicornis* Wahlberg,1848; *#grseopunctata* Olsufjev,1977
- 3525) Haematopota longantennata Olsufjev,1937** (Tabanidae) Synonym(s): *longantennata* Olsufjev,1937
- 3526) Haematopota nubilus Hauser,1960** (Tabanidae) Synonym(s): *nubilus* Hauser,1960
- 3527) Haematopota pallens Loew,1871** (Tabanidae) Synonym(s): *pallens* Loew,1871; *obscura* Bigot,1880; *obscurata* Bigot,1891; *caucasica* Kröber,1922; *araxis* Szilady,1923
- 3528) Haematopota pavlovskii Hauser,1960** (Tabanidae) Synonym(s): *pavlovskii* Hauser,1960
- 3529) Haematopota pluvialis (Linnaeus,1761)** (Tabanidae) Synonym(s): *pluvialis* Linnaeus,1761; *sakhalinensis* Shiraki,1918; *ioffi* Olsufjev,1972
- 3530) Haematopota scutellata (Olsufjev, Moucha & Chvala,1964)** (Tabanidae) Synonym(s): *scutellata* Olsufjev, Moucha & Chvala,1964; *pontica* Olsufjev,1964; *rossica* Olsufjev & Ivanitshuk,1975
- 3531) Haemerosia renalis (Hübner,[1813])** (Noctuidae) Synonym(s): *renalis* Hübner,[1813]
- 3532) Halictus (s.str.) brunescens (Eversmann,1852)** (Halictidae) Synonym(s): *brunescens* Eversmann,1852; *maximus* Friese,1916; *aegyptiacus* Friese,1916
- 3533) Halictus (s.str.) dschulfensis Blüthgen,1936** (Halictidae) Synonym(s): *dschulfensis* Blüthgen,1936
- 3534) Halictus (s.str.) luganicus Blüthgen,1936** (Halictidae) Synonym(s): *luganicus* Blüthgen,1936
- 3535) Halictus (s.str.) patellatus Morawitz,1873** (Halictidae) Synonym(s): *patellatus* Morawitz,1873; *wagneri* Blüthgen,1937; *ifranicola* Cockerell,1937
- 3536) Halictus (Seladonia) kessleri Bramson,1879** (Halictidae) Synonym(s): *kessleri* Bramson,1879
- 3537) Halictus korbi Blüthgen,1929** (Halictidae) Synonym(s): *korbi* Blüthgen,1929
- 3538) Haltichella rufipes (Olivier,1791)** (Chalcididae) Synonym(s): *rufipes* Olivier,1791; *armata* Panzer,1801; *bispinosa* Fabricius,1804; *quadriens* Kieffer,1905
- 3539) Handianus bejbienkoi Dlabola,1959** (Cicadellidae) Synonym(s): *bejbienkoi* Dlabola,1959
- 3540) Handianus caucasicus Logvinenko,1967** (Cicadellidae) Synonym(s): *caucasicus* Logvinenko,1967
- 3541) Handianus procerus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinis* Linnavuori,1962
- 3542) Haplochrois theae (Kuznetsov,1916)** (Agonoxenidae) Synonym(s): *thae* Kuznetsov,1916
- 3543) Haplothrix armeniaca (Kiesenwetter,1878)** (Melyridae) Synonym(s): *armeniaca* Kiesenwetter,1878
- 3544) Haplothrix ruficollis (Reitter,1889)** (Melyridae) Synonym(s): *ruficollis* Reitter,1889
- 3545) Haplotinea ditella (Pierce & Diakonoff,1938)** (Tineidae) Synonym(s): *ditella* Pierce & Diakonoff,1938
- 3546) Hapsifera luridella Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 nec Zell.,1852; *eburnea* Butler,1881; *palaestinis* Rebel,1901; *kerbelella* Amsel,1949
- 3547) Hardya alpina Wagner,1955** (Cicadellidae) Synonym(s): *alpina* Wagner,1955
- 3548) Hardya anatolica Zachvatkin,1946** (Cicadellidae) Synonym(s): *anatolica* Zachvatkin,1946
- 3549) Hardya ribauti Linnavuori,1953** (Cicadellidae) Synonym(s): *ribauti* Linnavuori,1953
- 3550) Hardya sevanensis Zachvatkin,1946** (Cicadellidae) Synonym(s): *sevanensis* Zachvatkin,1946
- 3551) Hardya tenuis (Germar,1821)** (Cicadellidae) Synonym(s): *tenuis* Germar,1821; *badiellus* Kirschbaum,1868; *fulvopicta* Sahlberg,1871; *confusa* Rey,1894
- 3552) Hardya turanica Zachvatkin,1946** (Cicadellidae) Synonym(s): *turanica* Zachvatkin,1946
- 3553) Harpagidia magnetella (Staudinger,[1871])** (Gelechiidae) Synonym(s): *magnetella* Staudinger,[1871]; *pallidibasella* Ragonot,1895
- 3554) Harpalus (s.str.) affinis (Schrank,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schrank,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907
- 3555) Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904
- 3556) Hartigia linearis (Schrank,1781)** (Cephididae) Synonym(s): *linearis* Schrank,1781
- 3557) Hartigia nigra (Harris,1776)** (Cephididae) Synonym(s): *nigra* Harris,1776
- 3558) Hauptidia (s.str.) cretacea (Moravskaja,1948)** (Cicadellidae) Synonym(s): *cretacea* Moravskaja,1948; *furcata* Dlabola,1957
- 3559) Hauptidia (s.str.) distinguenda (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962
- 3560) Hebecnema fumosa (Meigen,1826)** (Muscidae) Synonym(s): *fumosa* Meigen,1826
- 3561) Hebecnema umbratica (Meigen,1826)** (Muscidae) Synonym(s): *umbratica* Meigen,1826
- 3562) Hebecnema vespertina (Fallén,1823)** (Muscidae) Synonym(s): *vespertina* Fallén,1823; *affinis* Malloch,1921
- 3563) Hecalus glaucescens (Fieber,1866)** (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897
- 3564) Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861.
- 3565) Hecatera cappa (Hübner,[1809])** (Noctuidae) Synonym(s): *cappa* Hübner,[1809]
- 3566) Hecatera rhodocharis (Brandt,1938)** (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938
- 3567) Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910.

- 3568) *Hedya nubiferana* (Haworth,[1811])** (Tortricidae) Synonym(s): *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] nec [Denis & Schiff.],1775; *nubiferana* Haworth,[1811]
- 3569) *Hedya pruniana* (Hübner,[1799])** (Tortricidae) Synonym(s): *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849
- 3570) *Hedya salicella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *salicella* Linnaeus,1758; *salicana* [Denis & Schiffermüller],1775
- 3571) *Helcystogramma arulensis* (Rebel,1929)** (Gelechiidae) Synonym(s): *arulensis* Rebel,1929
- 3572) *Helcystogramma lineolella* (Zeller,1839)** (Gelechiidae) Synonym(s): *lineolella* Zeller,1839
- 3573) *Helcystogramma lutatella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *lutatella* Herrich-Schäffer,[1854]
- 3574) *Helcystogramma triannulella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *triannulella* Herrich-Schäffer,[1854]; *sepiella* Steudel,1866; *macroscopa* Meyrick,1932.
- 3575) *Heleomyza modesta* (Meigen,1838)** (Heleomyzidae) Synonym(s): *modesta* Meigen,1838
- 3576) *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 3577) *Helicoverpa armigera armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 3578) *Helina arctata* Collin,1953** (Muscidae) Synonym(s): *arctata* Collin,1953
- 3579) *Helina edita* Pont,2012** (Muscidae) Synonym(s): *edita* Pont,2012
- 3580) *Helina evecta* (Harris,1780)** (Muscidae) Synonym(s): *evecta* Harris,1780; *lucorum* Fallén,1823
- 3581) *Helina karina* Pont,2012** (Muscidae) Synonym(s): *karina* Pont,2012
- 3582) *Helina lasiophthalma* (Macquart,1835)** (Muscidae) Synonym(s): *lasiophthalma* Macquart,1835
- 3583) *Helina latitarsis* Ringdahl,1924** (Muscidae) Synonym(s): *latitarsis* Ringdahl,1924
- 3584) *Helina maculipennis* (Zetterstedt,1845)** (Muscidae) Synonym(s): *maculipennis* Zetterstedt,1845
- 3585) *Helina marisha* Pont,2012** (Muscidae) Synonym(s): *marisha* Pont,2012
- 3586) *Helina reversio* (Harris,1780)** (Muscidae) Synonym(s): *reversio* Harris,1780; *duplicata* Meigen,1826; *duplaris* Zetterstedt,1845
- 3587) *Helina tetrastigma* (Meigen,1826)** (Muscidae) Synonym(s): *tetrastigma* Meigen,1826; *flagripes* Rondani,1866
- 3588) *Heliocorisa vermiculata* (Puton,1874)** (Corixidae) Synonym(s): *vermiculata* Puton,1874
- 3589) *Heliomata glarearia* (Brahm,1791)** (Geometridae) Synonym(s): *#glarearia* [Denis & Schiffermüller],1775; *glarearia* Brahm,1791.
- 3590) *Heliophobus reticulata* (Goeze,1781)** (Noctuidae) Synonym(s): *calcatrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
- 3591) *Heliophobus unicolor* (Alpheraky,1889)** (Noctuidae) Synonym(s): *unicolor* Alpheraky,1889
- 3592) *Heliorthela wulfeniana* (Scopoli,1763)** (Pyralidae) Synonym(s): *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 nec Fabr.,1775; *coerulealis* Caradja,1917; *huebneri* Koçak,1980.
- 3593) *Heliorthis maritima* Graslin,1855** (Noctuidae) Synonym(s): *maritima* Graslin,1855
- 3594) *Heliorthis nubigera* Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 3595) *Heliorthis ononis* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ononis* [Denis & Schiffermüller],1775; *ononis* Fabricius,1787; *ononidis* Guenée,1852.
- 3596) *Heliorthis peltigera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 3597) *Heliorthis viriplaca* (Hufnagel,1766)** (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 3598) *Helius* (s.str.) *hispanicus* Lackschewitz,1928** (Limoniidae) Synonym(s): *hispanicus* Lackschewitz,1928
- 3599) *Helladia armeniaca* Frivaldsky,1878** (Cerambycidae) Synonym(s): *armeniaca* Frivaldsky,1878; *testaceovittata* Pic,1934; *iranica* Villers,1960; *natali* Lobanov,1994; *holzschuchi* Özdikmen,2008.
- 3600) *Helladia diademata* (Faldermann,1837)** (Cerambycidae) Synonym(s): *diademata* Faldermann,1837
- 3601) *Helladia millefolii* (Adams,1817)** (Cerambycidae) Synonym(s): *millefolii* Adams,1817
- 3602) *Helladia plasoni* Ganglbauer,1884** (Cerambycidae) Synonym(s): *plasoni* Ganglbauer,1884
- 3603) *Helladia praetextata* (Steven,1817)** (Cerambycidae) Synonym(s): *praetextata* Steven,1817
- 3604) *Helladia pretiosa* (Faldermann,1837)** (Cerambycidae) Synonym(s): *pretiosa* Faldermann,1837
- 3605) *Hellinsia chrysocoma* (Ragonot,1875)** (Pterophoridae) Synonym(s): *chrysocoma* Ragonot,1875; *bowesi* Whalley,1960; *gozmanyi* Bigot,1970.
- 3606) *Hellinsia osteodactylus* (Zeller,1841)** (Pterophoridae) Synonym(s): *microdactyla* Zetterstedt,1839 nec Hübner,[1813]; *osteodactylus* Zeller,1841; *trimmatodactylus* Christoph,1872; *cinerariae* Millière,1874; *chrysocoma* Ragonot,1875; *korbi* Caradja,1920; *turbidellus* Caradja,1920; *sophronistes* Meyrick,1938.
- 3607) *Hellinsia tephradactyla* (Hübner,[1813])** (Pterophoridae) Synonym(s): *tephradactylus* Hübner,[1813]; *inframaculella* Bruand,1850.
- 3608) *Helophorus abeillei* Guillebeau,1896** (Helophoridae) Synonym(s): *abeillei* Guillebeau,1896
- 3609) *Helophorus aquaticus* (Linnaeus,1758)** (Helophoridae) Synonym(s): *aquaticus* Linnaeus,1758
- 3610) *Helophorus armeniacus* Ganglbauer,1901** (Helophoridae) Synonym(s): *armeniaceus* Ganglbauer,1901
- 3611) *Helophorus brevipalpis* Bedel,1881** (Helophoridae) Synonym(s): *brevipalpis* Bedel,1881
- 3612) *Helophorus discrepans* Rey,1885** (Helophoridae) Synonym(s): *discrepans* Rey,1885
- 3613) *Helophorus dorsalis* (Marshall,1802)** (Helophoridae) Synonym(s): *dorsalis* Marshall,1802
- 3614) *Helophorus faustianus* Sharp,1916** (Helophoridae) Synonym(s): *faustianus* Sharp,1916
- 3615) *Helophorus glacialis* Villa,1883** (Helophoridae) Synonym(s): *glacialis* Villa,1883
- 3616) *Helophorus griseus* Herbst,1793** (Helophoridae) Synonym(s): *griseus* Herbst,1793
- 3617) *Helophorus guttulus* Motschoulsky,1860** (Helophoridae) Synonym(s): *guttulus* Motschoulsky,1860
- 3618) *Helophorus hilaris* Sharp,1916** (Helophoridae) Synonym(s): *hilaris* Sharp,1916
- 3619) *Helophorus lapponicus* Thomson,1854** (Helophoridae) Synonym(s): *lapponicus* Thomson,1854
- 3620) *Helophorus maculatus* Motschoulsky,1860** (Helophoridae) Synonym(s): *maculatus* Motschoulsky,1860
- 3621) *Helophorus micans* Falderman,1835** (Helophoridae) Synonym(s): *micans* Falderman,1835
- 3622) *Helophorus montenegrinus* Kuwert,1885** (Helophoridae) Synonym(s): *montenegrinus* Kuwert,1885
- 3623) *Helophorus nanus* Sturm,1836** (Helophoridae) Synonym(s): *nanus* Sturm,1836
- 3624) *Helophorus syriacus* Kuwert,1885** (Helophoridae) Synonym(s): *syriacus* Kuwert,1885
- 3625) *Helophorus terminassianae* Angus,1984** (Helophoridae) Synonym(s): *terminassianae* Angus,1984

- 3626) Hemaris (Cochrania) croatica (Esper,[1779])** (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 3627) Hemaris (Eitschbergera) tityus (Linnaeus,1758)** (Sphingidae) Synonym(s): *tityus* Linnaeus,1758; *bombylififormis* Linnaeus,1758; *knautiae* Zeller,1869; *scabiosae* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; *#tityrus* De Freina,1983; *saldaitisi* Eitschberger, Danner & Surholt,1998
- 3628) Hemaris (s.str.) fuciformis (Linnaeus,1758)** (Sphingidae) Synonym(s): *fuciformis* Linnaeus,1758; *variegata* Allioni,1766; *musca* Retzius,1783; *bombylififormis sensu Ochsenheimer*,1808; *milesiformis* Treitschke,1834; *caprifolii* Zeller,1869; *loniceriae* Zeller,1869; *robusta* Alpheraky,1882; *simillima* Moore,1888; *ganssuensis* Grun-Grshimailo,1891; *heynei* Bartel,1898;
- 3629) Hemaris (s.str.) syra (Daniel,1939)** (Sphingidae) Synonym(s): *syra* Daniel,1939; *#syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Müller, Orlova, Ortal, Speidel, Witt,2005
- 3630) Hemicrepidius hirtus (Herbst,1784)** (Elateridae) Synonym(s): *hirtus* Herbst,1784
- 3631) Hemicrepidius niger (Linnaeus,1758)** (Elateridae) Synonym(s): *niger* Linnaeus,1758
- 3632) Hemicrepidius nigrutilus (Reitter,1890)** (Elateridae) Synonym(s): *nigrutilus* Reitter,1890
- 3633) Hemicrepidius schneideri (Kiesenwetter,1877)** (Elateridae) Synonym(s): *schneideri* Kiesenwetter,1877
- 3634) Hemicrepidius vulpeculus (Reitter,1890)** (Elateridae) Synonym(s): *vulpeculus* Reitter,1890
- 3635) Hemipenthes caucasicus Zaitzev,1966** (Bombyliidae) Synonym(s): *caucasica* Zaitzev,1966
- 3636) Hemipenthes exoprosopoides Paramonov,1928** (Bombyliidae) Synonym(s): *exoprosopoides* Paramonov,1928
- 3637) Hemipenthes hamiferus (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854
- 3638) Hemipenthes maurus (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927
- 3639) Hemipenthes mischanensis Paramonov,1927** (Bombyliidae) Synonym(s): *mischanensis* Paramonov,1927
- 3640) Hemipenthes morio (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semitra* Meigen,1820; *morioides* Say,1823
- 3641) Hemipenthes robustus Zaitzev,1966** (Bombyliidae) Synonym(s): *robustus* Zaitzev,1966
- 3642) Hemipenthes subvelutinus Zaitzev,1966** (Bombyliidae) Synonym(s): *subvelutinus* Zaitzev,1966
- 3643) Hemipenthes tusheticus Zaitzev,1966** (Bombyliidae) Synonym(s): *tusheticus* Zaitzev,1966
- 3644) Hemipenthes velutinus (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820
- 3645) Hemithea aestivaria (Hübner,1789)** (Geometridae) Synonym(s): *strigata* Müller,1764 *nec* Sc.,1763; *herbacea* Fourcroy,1785; *aestivaria* Hübner,[1799]; *alboundulata* Hedemann,1879
- 3646) Henestaris halophilus (Burmeister,1835)** (Lygaeidae) Synonym(s): *halophilus* Burmeister,1835; *geocoripes* D'Antessanty,1885; *cremeus* Kiritchenko,1924
- 3647) Hephathus nanus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868
- 3648) Hephathus unicolor (Lindberg,1926)** (Cicadellidae) Synonym(s): *unicolor* Lindberg,1926; *canus* Dlabola,1961
- 3649) Hepialus humuli (Linnaeus,1758)** (Hepialidae) Synonym(s): *humuli* Linnaeus,1758; *humulator* Haworth,1802
- 3650) Hepialus mlokossevitschi Romanoff,1884** (Hepialidae) Synonym(s): *mlokossevitschi* Romanoff,1884
- 3651) Heptaulacus sus (Herbst,1783)** (Scarabaeidae) Synonym(s): *sus* Herbst,1783
- 3652) Heptaulacus testudinarius (Fabricius,1775)** (Scarabaeidae) Synonym(s): *testudinarius* Fabricius,1775
- 3653) Hercostomus apollo (Loew,1869)** (Dolichopodidae) Synonym(s): *apollo* Loew,1869
- 3654) Hercostomus armeniorum Stackelberg,1933** (Dolichopodidae) Synonym(s): *armeniorum* Stackelberg,1933
- 3655) Hercostomus blepharopus Loew,1871** (Dolichopodidae) Synonym(s): *blepharopus* Loew,1871
- 3656) Hercostomus caucasicus Stackelberg,1933** (Dolichopodidae) Synonym(s): *caucasicus* Stackelberg,1933
- 3657) Hercostomus chetifer (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer* Walker,1849; *chetifera* Walker,1849; *alutifer* Haliday,1851; *cretifer* Walker,1856; *cretifera* Walker,1856
- 3658) Hercostomus conformis (Loew,1857)** (Dolichopodidae) Synonym(s): *conformis* Loew,1857; *chalybeus* Wiedemann,1817
- 3659) Hercostomus convergens (Loew,1857)** (Dolichopodidae) Synonym(s): *convergens* Loew,1857
- 3660) Hercostomus exarticulatus (Loew,1857)** (Dolichopodidae) Synonym(s): *exarticulatus* Loew,1857; *papillifer* Mik,1880
- 3661) Hercostomus fugax (Loew,1857)** (Dolichopodidae) Synonym(s): *fugax* Loew,1857
- 3662) Hercostomus germanus (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *germanus* Wiedemann,1817; *chaerophylli* Meigen,1824
- 3663) Hercostomus gracilis (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis* Stannius,1831; *bohemani* Wahlberg,1851
- 3664) Hercostomus leptocercus Stackelberg,1949** (Dolichopodidae) Synonym(s): *leptocercus* Stackelberg,1949
- 3665) Hercostomus longiventris (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923
- 3666) Hercostomus nigrilamellatus (Macquart,1827)** (Dolichopodidae) Synonym(s): *nigrilamellatus* Macquart,1827
- 3667) Hercostomus nigriplantis (Stannius,1831)** (Dolichopodidae) Synonym(s): *nigriplantis* Stannius,1831; *subsimplificipes* Verrall,1912
- 3668) Hercostomus phoebus Parent,1927** (Dolichopodidae) Synonym(s): *phoebus* Parent,1927
- 3669) Hercostomus shelkovnikovi Stackelberg,1926** (Dolichopodidae) Synonym(s): *shelkovnikovi* Stackelberg,1926
- 3670) Hercostomus tanjusilus Negrobov & Zurikov,1988** (Dolichopodidae) Synonym(s): *tanjusilus* Negrobov & Zurikov,1988
- 3671) Hercostomus varicoloris Becker,1917** (Dolichopodidae) Synonym(s): *varicoloris* Becker,1917
- 3672) Heriades (Rhopaloheriades) clavicornis Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz,1875; *armeniacus* Popov,1956
- 3673) Heriades (s.str.) crenulatus Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856
- 3674) Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastrica* Schrank,1802; *mordax* Schletterer,1889
- 3675) Heringina guttata (Fallén,1814)** (Tephritidae) Synonym(s): *guttata* Fallén,1814; *gemmata* Meigen,1826
- 3676) Hermaeophaga mercurialis (Fabricius,1792)** (Chrysomelidae) Synonym(s): *mercurialis* Fabricius,1792
- 3677) Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849
- 3678) Herminia grisealis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nemoralis* Fabricius,1775 *nec* Scop.,1763; *grisealis* [Denis & Schiffermüller],1775; *sulzeriana* Scopoli,1786; *nemorum* Fabricius,1798; *nemoratus* Haworth,1809
- 3679) Herminia nigricaria Osthelder,1933** (Noctuidae) Synonym(s): *nigricaria* Osthelder,1933
- 3680) Herminia proxima Christoph,1893** (Noctuidae) Synonym(s): *proxima* Christoph,1893
- 3681) Herminia tarsicrinalis (Knoch,1782)** (Noctuidae) Synonym(s): *tarsicrinalis* Knoch,1782; *tarsicrinatus* Haworth,1809

- 3682) *Herminia tarsipennalis* Treitschke, 1835** (Noctuidae) Synonym(s): *tarsipennalis* Treitschke, 1835
- 3683) *Hermionella seguyi* Pleske, 1925** (Stratiomyidae) Synonym(s): *seguyi* Pleske, 1925
- 3684) *Hermionassa difficilis* (Erschoff, 1887)** (Noctuidae) Synonym(s): *difficilis* Erschoff, 1887; *albivenata* Staudinger, 1892; *alpherakii* Christoph, 1893
- 3685) *Hesium domino* (Reuter, 1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén, 1806 (praeocc.); *domino* Reuter, 1880; *hyomelas* Csiki, 1940; *falleni* Metcalf, 1955
- 3686) *Hesperia comma* (Linnaeus, 1758)** (Hesperiidae) Synonym(s): *comma* Linnaeus, 1758; *virgula* Retzius, 1783; *alpina* Bath, 1896; *galliaemeridiei* Verity, 1928; *alpapennina* Verity, 1928; *alpiumflava* Verity, 1928; *macrocomma* Verity, 1928; *superalpina* Verity, 1928; *atralpina* Verity, 1928.
- 3687) *Heteracris adpersus* (Redtenbacher, 1889)** (Acrididae) Synonym(s): *adpersus* Redtenbacher, 1889; *massai* Galvagni, 1978
- 3688) *Heteracris pterostichus* (Fischer von Waldheim, 1833)** (Acrididae) Synonym(s): *pterostichus* Fischer von Waldheim, 1833; *dorsatus* Fischer von Waldheim, 1839; *fischeri* Fieber, 1853
- 3689) *Heteralonia (Acrodisca) suffusa* (Klug, 1832)** (Bombyliidae) Synonym(s): *suffusa* Klug, 1832; *conturbata* Loew, 1869
- 3690) *Heteralonia (Homolonia) aegina* (Wiedemann, 1828)** (Bombyliidae) Synonym(s): *aegina* Wiedemann, 1828; *ferruginea* Klug, 1832; *bovei* Macquart, 1840
- 3691) *Heteralonia (Homolonia) megerlei* (Meigen, 1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen, 1820; *consanguinea* Macquart, 1840; *egyptiaca* Macquart, 1840; *campicola* Eversmann, 1855; *mayeti* Bigot, 1888; *aegyptiacus* Bezzi, 1903; *compar* Bezzi, 1924; *deserticola* Paramonov, 1928; *turanica* Paramonov, 1928; *conspicienda* Austen, 1937
- 3692) *Heteralonia* (subgen?) *araxana* (Paramonov, 1928)** (Bombyliidae) Synonym(s): *araxana* Paramonov, 1928; *meridionalis* Paramonov, 1928
- 3693) *Heteralonia (Zygodiola) aeaca* (Meigen, 1804)** (Bombyliidae) Synonym(s): *aeaca* Meigen, 1804; *livida* Pallas, 1818; *bombycifformis* Dufour, 1833; *lutea* Macquart, 1840
- 3694) *Heteralonia (Zygodiola) bagdadensis* (Macquart, 1840)** (Bombyliidae) Synonym(s): *bagdadensis* Macquart, 1840; *clausa* Becker, 1913
- 3695) *Heteralonia (Zygodiola) kirgizorum* (Paramonov, 1928)** (Bombyliidae) Synonym(s): *kirgizorum* Paramonov, 1928; *uzbekorum* Paramonov, 1928
- 3696) *Heteralonia (Zygodiola) latiuscula* (Loew, 1873)** (Bombyliidae) Synonym(s): *latiuscula* Loew, 1873; *farinosa* Becker, 1913
- 3697) *Heteralonia (Zygodiola) melanoptera* (Pallas & Wiedemann, 1818)** (Bombyliidae) Synonym(s): *melanoptera* Pallas & Wiedemann, 1818
- 3698) *Heteralonia (Zygodiola) subfasciata* (Engel, 1936)** (Bombyliidae) Synonym(s): *subfasciata* Engel, 1936
- 3699) *Heterogaster artemisiae* Schilling, 1829** (Lygaeidae) Synonym(s): *artemisiae* Schilling, 1829
- 3700) *Heterogaster cathariae* (Geoffroy, 1785)** (Lygaeidae) Synonym(s): *cathariae* Geoffroy, 1785
- 3701) *Heterolocha laminaria* (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): *laminaria* Herrich-Schäffer, [1852]
- 3702) *Heteromyza atricornis* Meigen, 1830** (Heleomyzidae) Synonym(s): *atricornis* Meigen, 1830
- 3703) *Heterophysa dumetorum* (Geyer, 1834)** (Noctuidae) Synonym(s): *dumetorum* Geyer, 1834; *rhadama* Milliére, 1883
- 3704) *Heteropogon lehri* Richter, 1968** (Asilidae) Synonym(s): *lehri* Richter, 1968
- 3705) *Heteropogon lugubris* Hermann, 1906** (Asilidae) Synonym(s): *lugubris* Hermann, 1906; *mesasiaticus* Lehr, 1970
- 3706) *Heteropogon pyrinus* Hermann, 1906** (Asilidae) Synonym(s): *pyrinus* Hermann, 1906; *pyrrhinus* Engel, 1925
- 3707) *Heterotropus kazanovskiy* Paramonov, 1925** (Bombyliidae) Synonym(s): *kazanovskiy* Paramonov, 1925
- 3708) *Hexatoma (Eriocera) chirothecata* (Scopoli, 1763)** (Limoniidae) Synonym(s): *chirothecata* Scopoli, 1763; *waterstoni* Edwards, 1921
- 3709) *Hexatoma* (s.str.) *fuscipennis* (Curtis, 1836)** (Limoniidae) Synonym(s): *fuscipennis* Curtis, 1836
- 3710) *Hexatoma* (s.str.) *gaedii* (Meigen, 1830)** (Limoniidae) Synonym(s): *gaedii* Meigen, 1830
- 3711) *Hierodula transcaucasica* Brunner von Wattenwyl, 1878** (Mantidae) Synonym(s): *transcaucasica* Brunner von Wattenwyl, 1878
- 3712) *Hilara mauroides* Chvala, 1996** (Empididae) Synonym(s): *mauroides* Chvala, 1996
- 3713) *Hipparchia (Neohipparchia) fatua* (Freyer, 1844)** (Satyridae) Synonym(s): *fatua* Freyer, 1844; *sichaea* Lederer, 1857; *insularis* Turati, 1929; *elineata* Verity, 1937; *infracastanea* Verity, 1938; *kosswigi* De Lattin, 1950.
- 3714) *Hipparchia (Neohipparchia) parisatis* (Kollar, [1849])** (Satyridae) Synonym(s): *parisatis* Kollar, [1849]; *macrophthalmus* Eversmann, 1851; *malatinus* Heyne, 1894; *ismail* Gross & Ebert, 1975; *huochenensis* Huang & Zhou, 2000.
- 3715) *Hipparchia (Neohipparchia) statilinus* (Hufnagel, 1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel, 1766; *fauna* Sulzer, 1776 nec Drury, 1773; *allionia* Fabricius, 1781; *actaea* sensu Villers, 1789; *arachne* Esper, 1789 nec Denis & Schiff., 1775; *allionii* Hübner, 1826, etc.
- 3716) *Hipparchia (Parahipparchia) aristaeus* (Bonelli, 1826)** (Satyridae) Synonym(s): *aristaeus* Bonelli, 1826; *sardoa* Spuler, 1908; *rautheri* Krause, 1912; *ichnusa* Hemming, 1931; *algorica* auct.
- 3717) *Hipparchia (Parahipparchia) pellucida* (Stauder, 1924)** (Satyridae) Synonym(s): *pellucida* Stauder, 1924; *cotys* Jachontov, 1935; *hesselbarthi* Kudrna, 1976.
- 3718) *Hipparchia* (s.str.) *syriaca* (Staudinger, 1871)** (Satyridae) Synonym(s): *syriaca* Staudinger, 1871; *attikana* Fruhstorfer, 1907; *meschetica* Jachontov, 1915; *tokatensis* Gross, 1959.
- 3719) *Hippodamia* (s.str.) *tredecimpunctata* (Linnaeus, 1758)** (Coccinellidae) Synonym(s): *tredecimpunctata* Linnaeus, 1758
- 3720) *Hippotion celerio* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus, 1758; *tisiphone* Linnaeus, 1758; *inquilinus* Harris, 1780; *phoenix* Oken, 1815; *ocys* Hübner, [1819]; *albolineatus* Montrousier, 1864
- 3721) *Hishimonus sellatus* (Uhler, 1896)** (Cicadellidae) Synonym(s): *sellatus* Uhler, 1896
- 3722) *Hispa atra* Linnaeus, 1767** (Chrysomelidae) Synonym(s): *atra* Linnaeus, 1767; *cariosa* Reiche & Saulcy, 1858; *algira* Motschoulsky, 1860; *aptera* Motschoulsky, 1860; *minuta* Balbi, 1892; *balbii* Donckier, 1899
- 3723) *Hockeria unicolor* Walker, 1834** (Chalcididae) Synonym(s): *unicolor* Walker, 1834; *pachycera* Förster, 1859
- 3724) *Holcocerus didmanidzae* Yakovlev, 2007** (Cossidae) Synonym(s): *didmanidzae* Yakovlev, 2007
- 3725) *Holcophora statices* Staudinger, 1871** (Gelechiidae) Synonym(s): *statices* Staudinger, 1871
- 3726) *Holcostethus inclusus* (Dohrn, 1860)** (Pentatomidae) Synonym(s): *inclusus* Dohrn, 1860
- 3727) *Holcostethus strictus* (Fabricius, 1803)** (Pentatomidae) Synonym(s): *strictus* Fabricius, 1803; *vernalis* Wolff, 1804
- 3728) *Holopogon imbecillus* Loew, 1871** (Asilidae) Synonym(s): *imbecillus* Loew, 1871
- 3729) *Holotrichius apterus* Jakovlev, 1879** (Reduviidae) Synonym(s): *apterus* Jakovlev, 1879; *eroanumensis* Dispons, 1964; *araxeus* Dispons, 1964
- 3730) *Holotrichius grimmii* Jakovlev, 1879** (Reduviidae) Synonym(s): *grimmii* Jakovlev, 1879
- 3731) *Homocoesoma* (s.str.) *candefactum* Ragonot, 1887** (Pyralidae) Synonym(s): *candefactum* Ragonot, 1887

- 3732) Homocosoma (s.str.) sinuellum (Fabricius,1794)** (Pyrilidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 3733) Homocosoma (s.str.) subalbatellum (Mann,1864)** (Pyrilidae) Synonym(s): *subalbatella* Mann,1864
- 3734) Hoplia (s.str.) brevipes Medvedev,1951** (Scarabaeidae) Synonym(s): *brevipes* Medvedev,1951
- 3735) Hoplia (s.str.) graminicola Fabricius,1792** (Scarabaeidae) Synonym(s): *graminicola* Fabricius,1792
- 3736) Hoplia (s.str.) pollinosa Krynický,1832** (Scarabaeidae) Synonym(s): *pollinosa* Krynický,1832
- 3737) Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994
- 3738) Hoplitis (Alcidamea) antennata (Morawitz,1876)** (Megachilidae) Synonym(s): *antennata* Morawitz,1876
- 3739) Hoplitis (Alcidamea) bicallosa (Morawitz,1876)** (Megachilidae) Synonym(s): *bicallosa* Morawitz,1876
- 3740) Hoplitis (Alcidamea) caucasica (Friese,1920)** (Megachilidae) Synonym(s): *caucasica* Friese,1920
- 3741) Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 *nec* Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991
- 3742) Hoplitis (Alcidamea) leucomelaena (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelaena* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863
- 3743) Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis* Nylander,1852; *montivaga* Morawitz,1872
- 3744) Hoplitis (Alcidamea) ozbeki Tkalcu,2000** (Megachilidae) Synonym(s): *ozbeki* Tkalcu,2000
- 3745) Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895
- 3746) Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975
- 3747) Hoplitis (Alcidamea) verruciventris (Morawitz,1886)** (Megachilidae) Synonym(s): *verruciventris* Morawitz,1886
- 3748) Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991
- 3749) Hoplitis (Anthocopa) brevispina (Tkalcu,2000)** (Megachilidae) Synonym(s): *brevispina* Tkalcu,2000
- 3750) Hoplitis (Anthocopa) furcula (Morawitz,1875)** (Megachilidae) Synonym(s): *furcula* Morawitz,1875
- 3751) Hoplitis (Anthocopa) jakovlevi (Radoszkowski,1874)** (Megachilidae) Synonym(s): *jakovlevi* Radoszkowski,1874; *serrilabris* Morawitz,1875; *quadridentata* Fonscolombe,1879
- 3752) Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi* Friese,1895; *linophila* Westrich,2006
- 3753) Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841
- 3754) Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Ducke,1899
- 3755) Hoplitis (Anthocopa) saxialis (Zanden,1994)** (Megachilidae) Synonym(s): *saxialis* Zanden,1994
- 3756) Hoplitis (Anthocopa) yermasoyiae (Mavromoutakis,1938)** (Megachilidae) Synonym(s): *yermasoyiae* Mavromoutakis,1938; *asiae* Tkalcu,1979; *corcyraea* Tkalcu,1979
- 3757) Hoplitis (Megalosmia) fulva (Eversmann,1852)** (Megachilidae) Synonym(s): *fulva* Eversmann,1852; *grandis* Morawitz,1872
- 3758) Hoplitis (Pentadentostmia) laevifrons (Morawitz,1872)** (Megachilidae) Synonym(s): *laevifrons* Morawitz,1872
- 3759) Hoplitis (Pentadentostmia) minor (Morawitz,1877)** (Megachilidae) Synonym(s): *minor* Morawitz,1877
- 3760) Hoplitis (Pentadentostmia) nitidula (Morawitz,1877)** (Megachilidae) Synonym(s): *nitidula* Morawitz,1877; *transcaspica* Morawitz,1888
- 3761) Hoplitis (Prionohoplitis) campanularis (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoutakis,1947
- 3762) Hoplitis (Prionohoplitis) curvipes (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871
- 3763) Hoplitis (Prionohoplitis) grossepunctata (Kohl,1905)** (Megachilidae) Synonym(s): *grossepunctata* Kohl,1905
- 3764) Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974
- 3765) Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959
- 3766) Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969
- 3767) Hoplitis (s.str.) flabellifera (Morice,1901)** (Megachilidae) Synonym(s): *flabellifera* Morice,1901; *conjuncta* Alfken,1935; *stichi* Alfken,1935
- 3768) Hoplitis (s.str.) lapidaria (Morawitz,1877)** (Megachilidae) Synonym(s): *lapidaria* Morawitz,1877
- 3769) Hoplitis (s.str.) linguaria (Morawitz,1876)** (Megachilidae) Synonym(s): *linguaria* Morawitz,1876
- 3770) Hoplitis (s.str.) subulicornis (Morawitz,1877)** (Megachilidae) Synonym(s): *subulicornis* Morawitz,1877
- 3771) Hoplitis (Stenosmia) flavicornis (Morawitz,1877)** (Megachilidae) Synonym(s): *flavicornis* Morawitz,1877
- 3772) Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 3773) Hoplodrina blanda ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
- 3774) Hoplodrina levis (Staudinger,1888)** (Noctuidae) Synonym(s): *levis* Staudinger,1888
- 3775) Hoplodrina octogenaria (Goeze,1781)** (Noctuidae) Synonym(s): *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 *nec* Hübn.,[1803]
- 3776) Hoplodrina pfeifferi (Boursin,1932)** (Noctuidae) Synonym(s): *pfeifferi* Boursin,1932.
- 3777) Hoplodrina respersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 *nec* Vill.,1789
- 3778) Hoplodrina superstes (Ochsenheimer,1816)** (Noctuidae) Synonym(s): *superstes* Ochsenheimer,1816
- 3779) Hoplolabis (Parilisia) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940
- 3780) Horisme calligraphata (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *calligraphata* Herrich-Schäffer,1839
- 3781) Horisme corticata (Treitschke,1835)** (Geometridae) Synonym(s): *corticata* Treitschke,1835
- 3782) Horisme milvaria (Christoph,1893)** (Geometridae) Synonym(s): *milvaria* Christoph,1893
- 3783) Horisme tersata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *tersata* [Denis & Schiffermüller],1775; *singulariata* Villers,1789; *testacea* Hübner,[1809]; *tersaria* Boisduval,1840; *testacearia* Boisduval,1840; *tersulata* Staudinger,1871
- 3784) Horvathiolus superbus (Pollach,1781)** (Lygaeidae) Synonym(s): *superbus* Pollach,1781
- 3785) Horvathiolus syriacus (Reuter,1885)** (Lygaeidae) Synonym(s): *syriacus* Reuter,1885

- 3786) *Hyalesthes luteipes* Fieber, 1876 (Cixiidae) Synonym(s): *luteipes* Fieber, 1876
- 3787) *Hyalesthes mlokosiewiczii* Signoret, 1879 (Cixiidae) Synonym(s): *mlokosiewiczii* Signoret, 1879
- 3788) *Hyalesthes obsoletus* Signoret, 1865 (Cixiidae) Synonym(s): *obsoletus* Signoret, 1865; *albolimbatus* Kirschbaum, 1868; *flavovarius* Kusnezov, 1935
- 3789) *Hyalesthes venustus* Logvinenko, 1969 (Cixiidae) Synonym(s): *venustus* Logvinenko, 1969
- 3790) *Hybometopia starcki* Ganglbauer, 1889 (Cerambycidae) Synonym(s): *starcki* Ganglbauer, 1889
- 3791) *Hybomitra caucasi* (Szilady, 1923) (Tabanidae) Synonym(s): *caucasi* Szilady, 1923
- 3792) *Hybomitra caucasica* (Enderlein, 1925) (Tabanidae) Synonym(s): *tetrica* Szilady, 1914 nec Mart. 1883; *bimaculata* Enderlein, 1925 nec Macq., 1846; *caucasica* Enderlein, 1925; *palpalis* Kröber, 1939; *harettae* Muschamp, 1939; *olsoufievi* Philip, 1956; *olsoufievi* Philip, 1961
- 3793) *Hybomitra erberi* (Brauer, 1880) (Tabanidae) Synonym(s): *erberi* Brauer, 1880; *fuscipennis* Szilady, 1926
- 3794) *Hybomitra expollicata* (Pandellé, 1883) (Tabanidae) Synonym(s): *expollicata* Pandellé, 1883; *andreae* Szilady, 1922; *nigrivitta* Olsuffev, 1936; *pseuderberi* Philip & Aitken, 1958; *orientalis* Olsuffev, 1970; *orientalis* Leclercq, 1970
- 3795) *Hybomitra morgani* (Surcouf, 1912) (Tabanidae) Synonym(s): *morgani* Surcouf, 1912; *sibirica* Enderlein, 1925; *staegeri* Lyneborg, 1959
- 3796) *Hybomitra muehlfeldi* (Brauer, 1880) (Tabanidae) Synonym(s): *muehlfeldi* Brauer, 1880; *sunorus* Surcouf, 1924
- 3797) *Hybomitra peculiaris* (Szilady, 1914) (Tabanidae) Synonym(s): *peculiaris* Szilady, 1914; *inaequata* Austen, 1923; *kroeberti* Szilady, 1926; *kashmiriana* Szilady, 1926
- 3798) *Hybomitra popovi* (Olsuffev, 1937) (Tabanidae) Synonym(s): *popovi* Olsuffev, 1937
- 3799) *Hycleus fuscus* (Olivier, 1811) (Meloidae) Synonym(s): *fuscus* Olivier, 1811; *deleta* Marseul, 1870; *galatiensis* Escherich, 1899; *alpha* Sumakov, 1913; *beta* Sumakov, 1913; *circascutellaris* Pic, 1914; *iota* Sumakov, 1930; *zeta* Sumakov, 1930
- 3800) *Hycleus humerosus* (Escherich, 1899) (Meloidae) Synonym(s): *humerosus* Escherich, 1899
- 3801) *Hycleus polymorphus* (Pallas, 1771) (Meloidae) Synonym(s): *polymorphus* Pallas, 1771; *floralis* Pallas, 1773
- 3802) *Hycleus quatuordecimpunctatus* (Pallas, 1781) (Meloidae) Synonym(s): *quatuordecimpunctatus* Pallas, 1781; *meliloti* Olivier, 1811; *combusta* Tauscher, 1812; *confusa* Fischer von Waldheim, 1827
- 3803) *Hycleus scabiosae* (Olivier, 1811) (Meloidae) Synonym(s): *scabiosae* Olivier, 1811; *euphratica* Marseul, 1870; *marseuli* Ballion, 1878; *alienigera* Heyden, 1883; *maracadensis* Dokhtoureff, 1889; *auliensis* Pic, 1901; *sicheri* Fleischer, 1921; *eichleri* Mader, 1927; *transcaspiensis* Pic, 1928; *delta* Sumakov, 1930; *epsilon* Sumakov, 1930
- 3804) *Hycleus sexmaculatus* (Olivier, 1811) (Meloidae) Synonym(s): *sexmaculatus* Olivier, 1811; *bimaculatus* Klug, 1845 nec Oliv., 1811; *ledereri* Marseul, 1870
- 3805) *Hycleus zebraeus* (Marseul, 1870) (Meloidae) Synonym(s): *zebraea* Marseul, 1870; *tenenbaumi* Pic, 1928; *kervillei* Pic, 1932
- 3806) *Hydraecia micacea* (Esper, 1789) (Noctuidae) Synonym(s): *micacea* Esper, 1789; *cypriaca* Hübner, [1803].
- 3807) *Hydraecia osseola* (Staudinger, 1882) (Noctuidae) Synonym(s): *osseola* Staudinger, 1882
- 3808) *Hydraecia petasitis* Doubleday, 1847 (Noctuidae) Synonym(s): *petasitis* Doubleday, 1847
- 3809) *Hydraecia praecipua* Hacker & Nekrasov, 2001 (Noctuidae) Synonym(s): *praecipua* Hacker & Nekrasov, 2001
- 3810) *Hydraecia ultima* Holst, 1965 (Noctuidae) Synonym(s): *ultima* Holst, 1965
- 3811) *Hydria cervicalis* (Scopoli, 1763) (Geometridae) Synonym(s): *cervinalis* Scopoli, 1763; *cervinata* [Denis & Schiffermüller], 1775; *fasciaria* Goeze, 1781; *fasciata* Retzius, 1783; *cervinaria* Treitschke, 1825; *certata* Hübner, [1825]; *certaria* Boisduval, 1840.
- 3812) *Hydria undulata* (Linnaeus, 1758) (Geometridae) Synonym(s): *undulata* Linnaeus, 1758; *serrata* Hufnagel, 1767; *limbata* Goeze, 1781; *fusca* Fourcroy, 1785 nec Hufn., 1767; *undularia* Boisduval, 1840
- 3813) *Hydriomena coerulea* (Fabricius, 1777) (Geometridae) Synonym(s): *#impluviata* [Denis & Schiffermüller], 1775; *coerulea* Fabricius, 1777; *autumnalis* Ström, 1783; *trifasciata* Borkhausen, 1794; *bicommata* Schrank, 1802; *literata* Donovan, 1810; *relicata* Zetterstedt, 1839; *impluviaria* Boisduval, 1840; *insulicola* Schawerda, 1933
- 3814) *Hydriomena furcata* (Thunberg, 1784) (Geometridae) Synonym(s): *furcata* Thunberg, 1784; *sordidata* Fabricius, 1794; *elutata* Hübner, [1799]; *fuscoundata* Donovan, 1806; *elutaria* Boisduval, 1840; *shibuyae* Matsumura, 1925.
- 3815) *Hydriomena ruberata* (Freyer, [1831]) (Geometridae) Synonym(s): *ruberata* Freyer, [1831]; *ruberaria* Herrich-Schäffer, 1848
- 3816) *Hydrochara flavipes* (Steven, 1808) (Hydrophilidae) Synonym(s): *flavipes* Steven, 1808
- 3817) *Hydrochus flavipennis* Küster, 1852 (Hydrochidae) Synonym(s): *flavipennis* Küster, 1852; *foveostriatus* Fairmaire, 1859; *obtusicollis* Fairmaire, 1877; *filiformis* Kuwert, 1887; *fuscipennis* Kuwert, 1887; *testaceipennis* Kuwert, 1887
- 3818) *Hydrochus ignicollis* (Motschoulsky, 1860) (Hydrochidae) Synonym(s): *ignicollis* Motschoulsky, 1860
- 3819) *Hydrochus nodulifer* Reitter, 1897 (Hydrochidae) Synonym(s): *nodulifer* Reitter, 1897
- 3820) *Hydrocyphon finitimus* Nyholm, 1977 (Scirtidae) Synonym(s): *finitimus* Nyholm, 1977
- 3821) *Hydrocyphon segrex* Nyholm, 1972 (Scirtidae) Synonym(s): *segrex* Nyholm, 1972
- 3822) *Hydrometra gracilenta* Horvath, 1899 (Hydrometridae) Synonym(s): *gracilenta* Horvath, 1899
- 3823) *Hydrophorus balticus* (Meigen, 1824) (Dolichopodidae) Synonym(s): *balticus* Meigen, 1824; *chloropus* Von Roser, 1840
- 3824) *Hydrophorus bipunctatus* (Lehmann, 1822) (Dolichopodidae) Synonym(s): *bipunctatus* Lehmann, 1822; *binotatus* Fallén, 1823
- 3825) *Hydrophorus callostomus* Loew, 1857 (Dolichopodidae) Synonym(s): *callostomus* Loew, 1857
- 3826) *Hydrophorus praecox* (Lehmann, 1822) (Dolichopodidae) Synonym(s): *praecox* Lehmann, 1822; *inaequalipes* Macquart, 1834; *schoenherri* Zetterstedt, 1843; *cinereus* Perris, 1847; *vagus* Hutton, 1901; *breviventris* Becker, 1902
- 3827) *Hydrophorus viridis* (Meigen, 1824) (Dolichopodidae) Synonym(s): *viridis* Meigen, 1824; *semiglaucus* Perris, 1850; *paulosetosus* Becker, 1907; *beckeri* Oldenberg, 1920
- 3828) *Hydroporus artvinensis* Fery & Erman, 2009 (Dytiscidae) Synonym(s): *artvinensis* Fery & Erman, 2009
- 3829) *Hydroporus thracicus* Guéorguiev, 1966 (Dytiscidae) Synonym(s): *thracicus* Guéorguiev, 1966
- 3830) *Hydrotaea albipuncta* (Zetterstedt, 1845) (Muscidae) Synonym(s): *albipuncta* Zetterstedt, 1845
- 3831) *Hydrotaea armipes* (Fallén, 1825) (Muscidae) Synonym(s): *armipes* Fallén, 1825; *occulta* Meigen, 1826
- 3832) *Hydrotaea cyrtoneurina* (Zetterstedt, 1845) (Muscidae) Synonym(s): *cyrtoneurina* Zetterstedt, 1845; *sylvicola* Loew, 1857
- 3833) *Hydrotaea dentipes* (Fabricius, 1805) (Muscidae) Synonym(s): *dentipes* Fabricius, 1805
- 3834) *Hydrotaea floccosa* Macquart, 1835 (Muscidae) Synonym(s): *floccosa* Macquart, 1835
- 3835) *Hydrotaea hirticeps* (Fallén, 1824) (Muscidae) Synonym(s): *hirticeps* Fallén, 1824
- 3836) *Hydrotaea ignava* (Harris, 1780) (Muscidae) Synonym(s): *ignava* Harris, 1780; *leucostoma* Wiedemann, 1817
- 3837) *Hydrotaea irritans* (Fallén, 1823) (Muscidae) Synonym(s): *irritans* Fallén, 1823; *incompta* Meigen, 1826
- 3838) *Hydrotaea meridionalis* Portscheckinsky, 1882 (Muscidae) Synonym(s): *curvipes* Fallén, 1825 nec Gmel., 1790; *meridionalis* Portscheckinsky, 1882

- 3839) *Hydrotaea meteorica* (Linnaeus,1758) (Muscidae) Synonym(s): *meteorica* Linnaeus,1758
- 3840) *Hygrotus (Coelambus) armeniacus* (Zaitzev,1927) (Dytiscidae) Synonym(s): *armeniacus* Zaitzev,1927
- 3841) *Hylaeus araxanus* (Warncke,1981) (Colletidae) Synonym(s): *araxanus* Warncke,1981
- 3842) *Hylaeus armeniacus* (Warncke,1981) (Colletidae) Synonym(s): *armeniacus* Warncke,1981
- 3843) *Hylaeus bifasciatus* (Jurine,1807) (Colletidae) Synonym(s): *bifasciatus* Jurine,1807
- 3844) *Hyles conspicua* (Rothschild & Jordan,1903) (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan,1903.
- 3845) *Hyles gallii* (Rottemburg,1775) (Sphingidae) Synonym(s): *gallii* Rottemburg,1775; *intermedia* Kirby,1837; *oxybaphi* Clemens,1859; *gallii* Kirby,1892; *sachaliensis* Matsumura,1929; *nepalensis* Daniel,1961; *tibetanica* Eichler,1971.
- 3846) *Hyles hippophaes* (Esper,[1789]) (Sphingidae) Synonym(s): *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsaftikis,1974; *#hippophaes* De Freina,1981
- 3847) *Hyles livornica* (Esper,[1780]) (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 3848) *Hyles livornica livornica* (Esper,[1780]) (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 3849) *Hyles nicaea* (Prunner,1798) (Sphingidae) Synonym(s): *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]; *#nicaea* De Freina,1981
- 3850) *Hyles vespertilio* (Esper,[1780]) (Sphingidae) Synonym(s): *vespertilio* Esper,[1780].
- 3851) *Hyles zygophylli* (Ochsenheimer,1808) (Sphingidae) Synonym(s): *zygophylli* Ochsenheimer,1808; *jaxartis* Frorreich,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996.
- 3852) *Hypena (s.str.) obsitalis* (Hübner,[1813]) (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813]
- 3853) *Hypena crassalis* (Fabricius,1787) (Noctuidae) Synonym(s): *crassalis* Fabricius,1787; *fontis* Thunberg,1788; *achatalis* Hübner,1796; *crassatus* Haworth,1809; *achatalis* Haworth,1809
- 3854) *Hypena munitalis* Mann,1861 (Noctuidae) Synonym(s): *munitalis* Mann,1861.
- 3855) *Hypena obesalis* Treitschke,1829 (Noctuidae) Synonym(s): *obesalis* Treitschke,1829
- 3856) *Hypena opulenta* (Christoph,1877) (Noctuidae) Synonym(s): *opulenta* Christoph,1877
- 3857) *Hypena palpalis* (Hübner,1796) (Noctuidae) Synonym(s): *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901.
- 3858) *Hypena proboscidalis* (Linnaeus,1758) (Noctuidae) Synonym(s): *proboscidalis* Linnaeus,1758; *tatorhina* Butler,1879
- 3859) *Hypena rostralis* (Linnaeus,1758) (Noctuidae) Synonym(s): *rostralis* Linnaeus,1758.
- 3860) *Hypenidium graecum* Loew,1862 (Tephritidae) Synonym(s): *graecum* Loew,1862; *novakii* Strobl,1893; *pulchella* Tavares,1902; *bipartita* Séguin,1930
- 3861) *Hypenidium roborowskii* (Becker,1908) (Tephritidae) Synonym(s): *roborowskii* Becker,1908
- 3862) *Hypenodes orientalis* Staudinger,1901 (Noctuidae) Synonym(s): *orientalis* Staudinger,1901; *nesiota* Rebel,1916.
- 3863) *Hypercallia citrinalis* (Scopoli,1763) (Oecophoridae) Synonym(s): *citrinalis* Scopoli,1763; *christianniana* Linnaeus,1767; *thoracella* Goeze,1783; *thoracica* Fourcroy,1785; *christiannella* Hübner,[1824]; *christiannella* Hübner,[1825]; *christiannini* Zeller,1839
- 3864) *Hyphoraia aulica* (Linnaeus,1758) (Arctiidae) Synonym(s): *aulica* Linnaeus,1758; *pustulata* Müller,1764
- 3865) *Hypochalcia ahenella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924
- 3866) *Hypochalcia decorella* (Hübner,[1810]) (Pyralidae) Synonym(s): *decorella* Hübner,[1810]; *indecoralis* Hübner,[1825].
- 3867) *Hypochalcia dignella* (Hübner,1796) (Pyralidae) Synonym(s): *dignella* Hübner,1796; *dignalis* Hübner,[1825]
- 3868) *Hypochalcia lignella* (Hübner,1796) (Pyralidae) Synonym(s): *lignella* Hübner,1796; *lignalis* Hübner,[1825]; *melanella* Treitschke,1832; *bruneoviolaceella* Bruand,1850; *delineata* Filipjev,1927
- 3869) *Hypoganus inunctus* (Panzer,1795) (Elateridae) Synonym(s): *inunctus* Panzer,1795; *cinctus* Paykull,1800
- 3870) *Hypomecis roboraria* (Fabricius,1787) (Geometridae) Synonym(s): *#roboraria* [Denis & Schiffermüller],1775; *roboraria* Fabricius,1787; *consobrinaria* Hübner,[1799] *nec* Borkh.,1790; *grandaria* Haworth,1809; *piperitaria* Stephens,1831; *isabellae* Fernandez,1931
- 3871) *Hyponephele (s.str. (Ereminephele)) naricoides* Gross,1977 (Satyridae) Synonym(s): *naricoides* Gross,1977
- 3872) *Hyponephele (s.str.) lupina* (Costa,[1836]) (Satyridae) Synonym(s): *lupina* Costa,[1836]
- 3873) *Hyponephele (s.str.) lycaon* (Rottemburg,1775) (Satyridae) Synonym(s): *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800; *rufomaculata* Korb,2005
- 3874) *Hyponephele (s.str.) lycaonoides* Weiss,1978 (Satyridae) Synonym(s): *lycaonoides* Weiss,1978
- 3875) *Hyponephele (s.str.) zuvandica* Samodurov & Koroljev,1996 (Satyridae) Synonym(s): *zuvandica* Samodurov & Koroljev,1996; *#zuvandi* Korb,2000
- 3876) *Hyposcotis (?) armenia* (Wehrli,1953) (Geometridae) Synonym(s): *armenia* Wehrli,1953
- 3877) *Hyposcotis (?) mutilata* (Staudinger,1879) (Geometridae) Synonym(s): *mutilata* Staudinger,1879
- 3878) *Hyposcotis (Charissa) certhiata* (Rebel & Zerny,1931) (Geometridae) Synonym(s): *certhiatus* Rebel & Zerny,1931; *bezengius* Niesiolowski,1953.
- 3879) *Hyposcotis (Charissa) obscurata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#obscurata* [Denis & Schiffermüller],1775; *lividata* Fabricius,1787 *nec* Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808
- 3880) *Hyposcotis (Charissa) zejae* (Wehrli,1953) (Geometridae) Synonym(s): *zejae* Wehrli,1953.
- 3881) *Hyposcotis (Euchrognophos) annubilata* Christoph,1885 (Geometridae) Synonym(s): *annubilata* Christoph,1885.
- 3882) *Hyposcotis (Euchrognophos) effendii* Viidalepp & Piriev,1993 (Geometridae) Synonym(s): *effendii* Viidalepp & Piriev,1993
- 3883) *Hyposcotis (Euchrognophos) mucidaria* (Hübner,[1799]) (Geometridae) Synonym(s): *mucidaria* Hübner,[1799]; *herichi* Oberthür,1913; *nubilarius* Reisser,1936
- 3884) *Hyposcotis (Euchrognophos) variegata* (Duponchel,1830) (Geometridae) Synonym(s): *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932.
- 3885) *Hyposcotis (Kemtrognophos) ambiguata* (Duponchel,1830) (Geometridae) Synonym(s): *ambiguata* Duponchel,1830; *mejeraria* Harpe,1853; *ophthalmicata* Lederer,1853
- 3886) *Hyposcotis (Kemtrognophos) onustaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *onustaria* Herrich-Schäffer,[1852]; *oneraria* Guenée,[1858]

- 3887) Hyposcotis (Rhopalognophos) glaucinaria (Hübner,[1799])** (Geometridae) Synonym(s): *glaucinaria* Hübner,[1799]; *glaucinata* Treitschke,1827; *falconaria* Freyer,1842; *supinata* Bruand,[1852]; *supinaria* Mann,1854; *perstrigata* Wehrli,1924
- 3888) Hypotia ingrata (Butler,1881)** (Pyralidae) Synonym(s): *ingrata* Butler,1881; *proximalis* Christoph,1882
- 3889) Hyppa rectilinea (Esper,[1788])** (Noctuidae) Synonym(s): *rectilinea* Esper,[1788]; *albopicta* Matsumura,1952
- 3890) Hypsopygia costalis (Fabricius,1775)** (Pyralidae) Synonym(s): *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
- 3891) Hypsotropa limbella Zeller,1848** (Pyralidae) Synonym(s): *limbella* Zeller,1848
- 3892) Hyssia cavernosa (Eversmann,1852)** (Noctuidae) Synonym(s): *cavernosa* Eversmann,1852
- 3893) Hysteropterum asiaticum Lethierry,1878** (Issidae) Synonym(s): *asiaticum* Lethierry,1878
- 3894) Hysteropterum orientale Kusnezov,1926** (Issidae) Synonym(s): *orientale* Kusnezov,1926
- 3895) Hysteropterum transcaasicum Melichar,1914** (Issidae) Synonym(s): *transcaasicum* Melichar,1914
- 3896) Ichneumon albicollis Wesmael,1857** (Ichneumonidae) Synonym(s): *albicollis* Wesmael,1857
- 3897) Ichneumon bucculentus Wesmael,1844** (Ichneumonidae) Synonym(s): *bucculentus* Wesmael,1844
- 3898) Ichneumon extensorius Linnaeus,1758** (Ichneumonidae) Synonym(s): *extensorius* Linnaeus,1758
- 3899) Ichneumon gracilicornis Gravenhorst,1829** (Ichneumonidae) Synonym(s): *gracilicornis* Gravenhorst,1829
- 3900) Ichneumon minutorius Desvignes,1856** (Ichneumonidae) Synonym(s): *minutorius* Desvignes,1856
- 3901) Ichneumon proletarius Wesmael,1848** (Ichneumonidae) Synonym(s): *proletarius* Wesmael,1848
- 3902) Ichneumon sarcitorius Linnaeus,1758** (Ichneumonidae) Synonym(s): *sarcitorius* Linnaeus,1758; *caucasicus* Meyer,1926
- 3903) Ichneumon terminatorius Gravenhorst,1820** (Ichneumonidae) Synonym(s): *terminatorius* Gravenhorst,1820
- 3904) Iconella albinervis (Tobias,1964)** (Braconidae) Synonym(s): *albinervis* Tobias,1964
- 3905) Iconella lacteoides (Nixon,1965)** (Braconidae) Synonym(s): *lacteoides* Nixon,1965
- 3906) Iconella vindicia (Nixon,1965)** (Braconidae) Synonym(s): *vindicia* Nixon,1965
- 3907) Icronatha caucasica (Mocsary,1883)** (Tiphidae) Synonym(s): *caucasica* Mocsary,1883
- 3908) Idaea admiranda Hausmann,2004** (Geometridae) Synonym(s): *litigiosaria* sensu Okyar & Aktaş,1999 nec Bsd.,1840; *admiranda* Hausmann,2004
- 3909) Idaea aureolaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *trilineata* Scopoli,1772 nec Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1875; *trilinearia* Hübner,[1787].
- 3910) Idaea aversata (Linnaeus,1758)** (Geometridae) Synonym(s): *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fuliginata* Haworth,1809; *latifasciaria* Heydenreich,1851.
- 3911) Idaea biselata (Hufnagel,1767)** (Geometridae) Synonym(s): *biselata* Hufnagel,1767; *fimbriata* [Denis & Schiffermüller],1775; *fimbriolata* Stephens,1831; *plumipedata* Walker,1861; *shimizuensis* Matsumura,1925.
- 3912) Idaea camparia (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934.
- 3913) Idaea consanguinaria (Lederer,1853)** (Geometridae) Synonym(s): *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
- 3914) Idaea degeneraria (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913
- 3915) Idaea dilutaria (Hübner,[1799])** (Geometridae) Synonym(s): *dilutaria* Hübner,[1799]; *holosericata* Duponchel,1842; *holosericiaria* Bruand,1846; *holosericearia* De La Harpe,1853; *praeustaria* De La Harpe,1853.
- 3916) Idaea dimidiata (Hufnagel,1767)** (Geometridae) Synonym(s): *dimidiata* Hufnagel,1767; *scutulata* [Denis & Schiffermüller],1775; *antitaurica* Wehrli,1931 nec Wehrli,1931; *tauricola* Wehrli,1934.
- 3917) Idaea elongaria (Rambur,1833)** (Geometridae) Synonym(s): *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infermata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942.
- 3918) Idaea flaveolaria (Hübner,[1809])** (Geometridae) Synonym(s): *brunnearia* Fabricius,1794; *flaveolaria* Hübner,[1809]
- 3919) Idaea humiliata (Hufnagel,1767)** (Geometridae) Synonym(s): *humiliata* Hufnagel,1767; *osseata* [Denis & Schiffermüller],1775; *ossearia* Hübner,[1799]
- 3920) Idaea inquinata (Scopoli,1763)** (Geometridae) Synonym(s): *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840
- 3921) Idaea laevigata (Scopoli,1763)** (Geometridae) Synonym(s): *laevigata* Scopoli,1763; *laevigaria* Hübner,[1799]; *renularia* Hübner,[1809]; *lividellaria* Peyerimhoff,1863; *renulata* Rambur,1866; *couloniata* Balestre,1907; *storaes* Andreas,1928
- 3922) Idaea laszloi Hausmann,1999** (Geometridae) Synonym(s): *laszloi* Hausmann,1999
- 3923) Idaea mancipiata (Staudinger,1871)** (Geometridae) Synonym(s): *mancipiata* Staudinger,1871; *bustilloi* Agenjo,1967
- 3924) Idaea maritimaria (Bruand,1846)** (Geometridae) Synonym(s): *maritimaria* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885
- 3925) Idaea metohiensis (Rebel,1900)** (Geometridae) Synonym(s): *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938.
- 3926) Idaea moniliata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *moniliata* [Denis & Schiffermüller],1775; *?pentolineata* De Villiers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805
- 3927) Idaea muricata (Hufnagel,1767)** (Geometridae) Synonym(s): *muricata* Hufnagel,1767; *auroralis* [Denis & Schiffermüller],1775; *variegata* Fabricius,1777 nec Sc.,1763; *aureopolita* Goeze,1783; *sanguinaria* Hübner,1787; *auroraria* Borkhausen,1794
- 3928) Idaea obsoletaria (Rambur,1833)** (Geometridae) Synonym(s): *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 nec Wlk.,1861
- 3929) Idaea ochrata (Scopoli,1763)** (Geometridae) Synonym(s): *ochrata* Scopoli,1763; *#ochreatea* [Denis & Schiffermüller],1775; *corrigitaria* Fabricius,1781; *ochrearia* Schrank,1802 nec Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901
- 3930) Idaea ossiculata (Lederer,1871)** (Geometridae) Synonym(s): *ossiculata* Lederer,1871
- 3931) Idaea pallidata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pallidata* [Denis & Schiffermüller],1775; *pallidaria* Treitschke,1825; *byssinata* Treitschke,1828; *byssinaria* Boisduval,1840
- 3932) Idaea politaria (Hübner,[1799])** (Geometridae) Synonym(s): *politata* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901
- 3933) Idaea proclivata (Fuchs,1902)** (Geometridae) Synonym(s): *proclivata* Fuchs,1902; *osthelderi* Wehrli,1932.
- 3934) Idaea roseofasciata (Christoph,1882)** (Geometridae) Synonym(s): *roseofasciata* Christoph,1882
- 3935) Idaea rufaria (Hübner,[1799])** (Geometridae) Synonym(s): *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944
- 3936) Idaea ruficostata Zeller,1847** (Geometridae) Synonym(s): *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852.

- 3937) *Idaea rusticata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866.
- 3938) *Idaea sericeata* (Hübner,[1813])** (Geometridae) Synonym(s): *sericeata* Hübner,[1813]; *altivolaria* Bubacek,1923;
- 3939) *Idaea serpentata* (Hufnagel,1767)** (Geometridae) Synonym(s): *serpentata* Hufnagel,1767; *trifasciata* Scopoli,1772; *similata* Thunberg,1784; *perochraria* Fischer von Rösslerstamm,1836.
- 3940) *Idaea sodaliaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *sodaliaria* Herrich-Schäffer,[1852]
- 3941) *Idaea straminata* (Borkhausen,1794)** (Geometridae) Synonym(s): *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmata* Guenée,[1858]
- 3942) *Idaea subsericeata* (Haworth,[1809])** (Geometridae) Synonym(s): *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934
- 3943) *Idaea sylvestraria* (Hübner,[1799])** (Geometridae) Synonym(s): *sylvestraria* Hübner,[1799]; *marginipunctata* Stephens,1831 nec Gz.,1781; *straminata* Treitschke,1835 nec Bkh.,1794; *grammicaria* Boisduval,1840; *circellata* Guenée,1858; *folognaria* Staudinger,1863; *graciliata* Mann,1867; *shikensis* Matsumura,1925; *minuta* Heydemann,1933
- 3944) *Idaea trigeminata* (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830.
- 3945) *Idia calvaria* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller],1775
- 3946) *Idiocera* (s.str.) *laterospina* (Alexander,1975)** (Limoniidae) Synonym(s): *laterospina* Alexander,1975
- 3947) *Idiocera* (s.str.) *pulchripennis* (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?flicina* Santos Abreu,1923; *similior* Alexander,1956
- 3948) *Idiocerus lituratus* (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894
- 3949) *Idiocerus prolixus* Horvath,1894** (Cicadellidae) Synonym(s): *prolixus* Horvath,1894
- 3950) *Idiocerus vicinus* Melichar,1898** (Cicadellidae) Synonym(s): *vicinus* Melichar,1898
- 3951) *Idiomacromerus perplexus* (Gahan,1914)** (Torymidae) Synonym(s): *perplexus* Gahan,1914
- 3952) *Idolus adrastoides* (Reitter,1888)** (Elateridae) Synonym(s): *adrasoides* Reitter,1888
- 3953) *Illidops urgo* (Nixon,1965)** (Braconidae) Synonym(s): *urgo* Nixon,1965
- 3954) *Ilybius satunini* (Zaitzev,1913)** (Dytiscidae) Synonym(s): *satunini* Zaitzev,1913
- 3955) *Inachis io* (Linnaeus,1758)** (Argynniidae) Synonym(s): *io* Linnaeus,1758; *ioides* Ochsenheimer,1808; *caucasica* Jachontov,1911.
- 3956) *Infurcitinea karadaghica* Zagulyaev,1979** (Tineidae) Synonym(s): *karadaghica* Zagulyaev,1979
- 3957) *Infurcitinea longipennis* Zagulyaev,1979** (Tineidae) Synonym(s): *longipennis* Zagulyaev,1979
- 3958) *Infurcitinea raddei* G.Petersen,1958** (Tineidae) Synonym(s): *raddei* G.Petersen,1958
- 3959) *Iphiclidus podalirius* (Linnaeus,1758)** (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zancleides* Verity,1911; *pseudopersica* Rocci,1926.
- 3960) *Ipimorpha retusa* (Linnaeus,1761)** (Noctuidae) Synonym(s): *retusa* Linnaeus,1761; *chreysoglossa* Beckwith,1794; *gracilis* Haworth,1809.
- 3961) *Ipimorpha subtusa* (Fabricius,1787)** (Noctuidae) Synonym(s): *#subtusa* [Denis & Schiffermüller],1775; *subtusa* Fabricius,1787.
- 3962) *Iris polystictica* Fischer v. Waldheim,1846** (Irididae) Synonym(s): *polystictica* Fischer v. Waldheim,1846; *tiflisina* Giglio-Tos,1915; *caucasica* Lindt,1983
- 3963) *Irochrotus caucasicus* (Jakovlev,1875)** (Scutelleridae) Synonym(s): *caucasicus* Jakovlev,1875; *mongolicus* Jakovlev,1902
- 3964) *Irochrotus lanatus* (Pallas,1773)** (Scutelleridae) Synonym(s): *lanatus* Pallas,1773
- 3965) *Irochrotus maculiventris* (Germar,1839)** (Scutelleridae) Synonym(s): *maculiventris* Germar,1839; *villosus* Herrich-Schäffer,1839; *hirtus* A.Costa,1842
- 3966) *Irochrotus majusculus* Kerzhner,1976** (Scutelleridae) Synonym(s): *majusculus* Kerzhner,1976
- 3967) *Irochrotus turanicus* Kerzhner,1976** (Scutelleridae) Synonym(s): *turanicus* Kerzhner,1976
- 3968) *Isauria dilucidella* (Duponchel,1836)** (Pyralidae) Synonym(s): *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *grisescens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970
- 3969) *Ischnodes sanguinicollis* (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793
- 3970) *Ischnopeza hirticornis* (Herrich-Schäffer,1853)** (Lygaeidae) Synonym(s): *hirticornis* Herrich-Schäffer,1853
- 3971) *Ischnura elegans* (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820
- 3972) *Ischnura fountainei* (Morton,1905)** (Coenagrionidae) Synonym(s): *fountainei* Morton,1905
- 3973) *Ischnura pumilio* (Charpentier,1825)** (Coenagrionidae) Synonym(s): *pumilio* Charpentier,1825
- 3974) *Ischnura senegalensis* (Rambur,1842)** (Coenagrionidae) Synonym(s): *senegalensis* Rambur,1842
- 3975) *Isoceras bipunctatum* (Staudinger,1887)** (Cossidae) Synonym(s): *bipunctatum* Staudinger,1887
- 3976) *Isoceras huberi* Eitschberger & Ströhle,1987** (Cossidae) Synonym(s): *huberi* Eitschberger & Ströhle,1987
- 3977) *Isochlora daghestana* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *daghestana* Hreblay & L.Ronkay,1998
- 3978) *Isomon riabovi* (Uvarov,1927)** (Tettigoniidae) Synonym(s): *riabovi* Uvarov,1927; *caspicus* Ramme,1929
- 3979) *Isoperla armeniaca* Zhiltzova,1961** (Perlodidae) Synonym(s): *armeniaca* Zhiltzova,1961
- 3980) *Isoperla bithynica* (Kempny,1908)** (Perlodidae) Synonym(s): *bithynica* Kempny,1908; *caucasica* Balinsky,1950; *pulchra* Balinsky,1950
- 3981) *Isoperla rhododendri* Zhiltzova,1956** (Perlodidae) Synonym(s): *rhododendri* Zhiltzova,1956
- 3982) *Isophrietis anthemidella* (Wocke,1871)** (Gelechiidae) Synonym(s): *anthemidella* Wocke,1871
- 3983) *Isophya adelungi* Stshelkanovtzev,1909** (Tettigoniidae) Synonym(s): *adelungi* Stshelkanovtzev,1909
- 3984) *Isophya armena* Miram,1938** (Tettigoniidae) Synonym(s): *armena* Miram,1938
- 3985) *Isophya bivittata* Uvarov,1921** (Tettigoniidae) Synonym(s): *bivittata* Uvarov,1921
- 3986) *Isophya gracilis* Miram,1938** (Tettigoniidae) Synonym(s): *gracilis* Miram,1938; *shaposhnikovii* Miram,1938; *vulgaris* Miram,1938
- 3987) *Isophya kalishevskii* Adelung,1907** (Tettigoniidae) Synonym(s): *kalishevskii* Adelung,1907
- 3988) *Isophya redtenbacheri* Adelung,1907** (Tettigoniidae) Synonym(s): *redtenbacheri* Adelung,1907; *nigrosignata* Miram,1938

- 3989) *Isophya schneideri* Brunner von Wattenwyl, 1878** (Tettigoniidae) Synonym(s): *schneideri* Brunner von Wattenwyl, 1878; *caucasica* Uvarov, 1921
- 3990) *Isophya transcaucasica* Ramme, 1930** (Tettigoniidae) Synonym(s): *transcaucasica* Ramme, 1930
- 3991) *Isophya zernovi* Miram, 1938** (Tettigoniidae) Synonym(s): *zernovi* Miram, 1938
- 3992) *Isotomus comptus* (Mannerheim, 1825)** (Cerambycidae) Synonym(s): *comptus* Mannerheim, 1825
- 3993) *Isotomus speciosus* (Schneider, 1787)** (Cerambycidae) Synonym(s): *speciosus* Schneider, 1787
- 3994) *Isotrias rectifasciana* (Haworth, [1811])** (Tortricidae) Synonym(s): *trifasciana* Donovan, [1806] (praeocc.); *rectifasciana* Haworth, [1811]; *memorana* Frölich, 1828; *curvifasciana* Stephens, 1834; *albulana* Treitschke, 1835; *insubrica* Müller-Rutz, 1920; *pseudomodestana* Obratzov, 1957
- 3995) *Issoria lathonia* (Linnaeus, 1758)** (Argynniidae) Synonym(s): *lathonia* Linnaeus, 1758; *saturata* Röber, 1897; *hungarica* Aigner-Abafi, 1906; *florens* Verity, 1916; *emiflorens* Verity, 1919; *attenuata* Sagarra, 1926; *nigroprivata* Verity, 1933.
- 3996) *Issoria lathonia lathonia* (Linnaeus, 1758)** (Argynniidae) Synonym(s): *lathonia* Linnaeus, 1758; *saturata* Röber, 1897; *hungarica* Aigner-Abafi, 1906; *florens* Verity, 1916; *emiflorens* Verity, 1919; *attenuata* Sagarra, 1926; *nigroprivata* Verity, 1933.
- 3997) *Issus canariensis* Melichar, 1906** (Issidae) Synonym(s): *canariensis* Melichar, 1906
- 3998) *Issus coleoptratus* (Fabricius, 1781)** (Issidae) Synonym(s): *gibbosa* Goeze, 1778 (praeocc.); *coleoptratus* Fabricius, 1781; *pedestris* Fabricius, 1794; *maurus* Walker, 1851; *cribrellus* Rey, 1894
- 3999) *Issus muscaeformis* (Schrank, 1781)** (Issidae) Synonym(s): *muscaeformis* Schrank, 1781
- 4000) *Itopectis alternans* (Gravenhorts, 1829)** (Ichneumonidae) Synonym(s): *alternans* Gravenhorts, 1829
- 4001) *Itopectis maculator* (Fabricius, 1775)** (Ichneumonidae) Synonym(s): *maculator* Fabricius, 1775
- 4002) *Itopectis tunetana* (Schmiedeknecht, 1914)** (Ichneumonidae) Synonym(s): *tunetana* Schmiedeknecht, 1914
- 4003) *Iwaruna biguttella* (Duponchel, 1843)** (Gelechiidae) Synonym(s): *biguttella* Duponchel, 1843
- 4004) *Jalla dumosa* (Linnaeus, 1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus, 1758; *nigriventris* Fieber, 1861; *anthracina* Jakovlev, 1885; *vidua* Horvath, 1917
- 4005) *Janus compressus* (Fabricius, 1793)** (Cephidae) Synonym(s): *compressus* Fabricius, 1793
- 4006) *Jassargus bucerus* Dlabola, 1958** (Cicadellidae) Synonym(s): *bucerus* Dlabola, 1958
- 4007) *Jassargus caucasicus* Logvinenko, 1966** (Cicadellidae) Synonym(s): *caucasicus* Logvinenko, 1966
- 4008) *Jassargus distinguendus* (Flor, 1861)** (Cicadellidae) Synonym(s): *distinguendus* Flor, 1861; *pseudocellaris* Flor, 1861; *mattiacellus* Kirschbaum, 1868; *parallelus* Fieber, 1869; *falleni* Fieber, 1869; *paleaceus* Sahlberg, 1871; *longiceps* Rey, 1894; *confinis* Rey, 1894; *kemneri* Ossiannilsson, 1935; *gallicus* Metcalf, 1955; *reji* Metcalf, 1955
- 4009) *Jassargus firmus* Logvinenko, 1966** (Cicadellidae) Synonym(s): *firmus* Logvinenko, 1966
- 4010) *Jassargus japheticus* Emeljanov, 1966** (Cicadellidae) Synonym(s): *japheticus* Emeljanov, 1966
- 4011) *Jassargus obtusivalvis* (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *obtusivalvis* Kirschbaum, 1868; *picturatus* Fieber, 1869
- 4012) *Javesella obscurella* (Boheman, 1847)** (Delphacidae) Synonym(s): *obscurella* Boheman, 1847; *discreta* Edwards, 1888; *fuscotestacea* Metcalf, 1943
- 4013) *Javesella pellucida* (Fabricius, 1794)** (Delphacidae) Synonym(s): *pellucida* Fabricius, 1794; *striata* Fabricius, 1794; *marginata* Fabricius, 1794; *dispar* Fallén, 1806; *suturalis* Curtis, 1837; *ochroleuca* Kirschbaum, 1868; *flavipennis* Sahlberg, 1871; *obscura* Fieber, 1879; *fuscollois* Rey, 1891; *varicollis* Rey, 1894
- 4014) *Jodia croceago* (Fabricius, 1787)** (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller], 1775; *croceago* Fabricius, 1787; *aurantiago* Donovan, 1796; *corsica* Mabille, 1868
- 4015) *Jodis lactearia* (Linnaeus, 1758)** (Geometridae) Synonym(s): *lactearia* Linnaeus, 1758; *vernaria* Linnaeus, 1761; *aeruginaria* [Denis & Schiffermüller], 1775; *semipunctinata* Retzius, 1783; *syrene* Fourcroy, 1785; *sirene* Villers, 1789; *syrena* Geoffroy, 1799
- 4016) *Jodis putata* (Linnaeus, 1758)** (Geometridae) Synonym(s): *putata* Linnaeus, 1758; *putataria* Linnaeus, 1761; *undulosa* Fourcroy, 1785; *micantaria* Esper, 1795
- 4017) *Joostiella caucasica* Vaillant, 1983** (Psychodidae) Synonym(s): *caucasica* Vaillant, 1983
- 4018) *Jordanita* (Lucasiterna) subsolana (Staudinger, 1862)** (Zygaenidae) Synonym(s): *subsolana* Staudinger, 1862
- 4019) *Jordanita* (Praviela) anatolica (Naufock, 1929)** (Zygaenidae) Synonym(s): *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; *? christinae* Keil, 1998.
- 4020) *Jordanita* (Rjabovia) horni (Alberti, 1937)** (Zygaenidae) Synonym(s): *horni* Alberti, 1937; *#armena* Alberti, 1970.
- 4021) *Jordanita* (Roccia) budensis (Speyer & Speyer, 1858)** (Zygaenidae) Synonym(s): *budensis* Speyer & Speyer, 1858
- 4022) *Jordanita* (Roccia) volgensis (Möschler, 1862)** (Zygaenidae) Synonym(s): *volgensis* Möschler, 1862
- 4023) *Jordanita* (s.str.) globulariae (Hübner, 1793)** (Zygaenidae) Synonym(s): *globulariae* Hübner, 1793
- 4024) *Jordanita* (s.str.) graeca (Jordan, 1907)** (Zygaenidae) Synonym(s): *graeca* Jordan, 1907
- 4025) *Jordanita* (s.str.) tenuicornis (Zeller, 1847)** (Zygaenidae) Synonym(s): *tenuicornis* Zeller, 1847
- 4026) *Jordanita* (Tremewania) notata (Zeller, 1847)** (Zygaenidae) Synonym(s): *notata* Zeller, 1847
- 4027) *Jugurtia eurycara* Kostylev, 1935** (Vespidae) Synonym(s): *eurycara* Kostylev, 1935
- 4028) *Julodis armeniaca* Marseul, 1865** (Buprestidae) Synonym(s): *armeniaca* Marseul, 1865
- 4029) *Julodis faldermanni* Mannerheim, 1837** (Buprestidae) Synonym(s): *faldermanni* Mannerheim, 1837
- 4030) *Katha depressa* (Esper, [1787])** (Arctiidae) Synonym(s): *deplana* Esper, [1787] nec Linn., 1771; *depressa* Esper, [1787]; *helvola* Hübner, [1803]; *ochreola* Hübner, [1803]; *helvola* Ochsenheimer, 1810.
- 4031) *Kelisia praecox* Haupt, 1935** (Delphacidae) Synonym(s): *praecox* Haupt, 1935
- 4032) *Kelisia ribauti* Wagner, 1938** (Delphacidae) Synonym(s): *guttula* Ribaut, 1934 nec Germ., 1818; *ribauti* Wagner, 1938
- 4033) *Kenneliola fagiglandana* (Zeller, 1841)** (Tortricidae) Synonym(s): *grossana* Haworth, [1811] nec Thunb., 1791; *fagiglandana* Zeller, 1841.
- 4034) *Keradere lepidella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *lepidella* Ragonot, 1887
- 4035) *Kessleria* (s.str.) caucasica Friese, 1960** (Yponomeutidae) Synonym(s): *caucasica* Friese, 1960
- 4036) *Kirinia* (Melike) roxelana (Cramer, [1771])** (Satyridae) Synonym(s): *roxelana* Cramer, [1771]; *#anatolica* Koçak, 1989
- 4037) *Knutsonia* (s.str.) turcestanica (Hendel, 1903)** (Sciomyzidae) Synonym(s): *turcestanica* Hendel, 1903
- 4038) *Kokujewia ectrapela* Konow, 1902** (Argidae) Synonym(s): *ectrapela* Konow, 1902; *palestina* Benson, 1954
- 4039) *Korscheltellus lupulinus* (Linnaeus, 1758)** (Hepialidae) Synonym(s): *lupulinus* Linnaeus, 1758; *serraticornis* Gmelin, 1790; *obliquus* Fabricius, 1794; *cora* Schrank, 1801; *lupulator* Haworth, 1802; *obliquator* Haworth, 1802; *nebulosator* Haworth, 1802; *fuscus* Haworth, 1809; *angulum* Haworth, 1809; *nebulosus* Haworth, 1809; *nebulosus* Haworth, 1828; *espanoli* Gregorio, 1981
- 4040) *Kotchevnik durrelli* Yakovlev, 2005** (Cossidae) Synonym(s): *durrelli* Yakovlev, 2005
- 4041) *Kriechbaumerella mansues* (Nikol'skaya, 1952)** (Chalcididae) Synonym(s): *mansues* Nikol'skaya, 1952
- 4042) *Krombeinella longicollis* (Tournier, 1889)** (Mutillidae) Synonym(s): *longicollis* Tournier, 1889
- 4043) *Krombeinella wolffi* (Invrea, 1963)** (Mutillidae) Synonym(s): *wolffi* Invrea, 1963

- 4044) **Kurentzovia aragacella Solyanikov, 2001** (Psychidae) Synonym(s): *aragacella Solyanikov, 2001*
- 4045) **Kyboasca bipunctata (Oshanin, 1871)** (Cicadellidae) Synonym(s): *bipunctata Oshanin, 1871*; *frontalis Lethierry, 1884*; *punctum Haupt, 1912* (praeocc.); *haupti Ribaut, 1933*; *ulmicola Zachvatkin, 1953*
- 4046) **Kybos candelabricus Dlabola, 1958** (Cicadellidae) Synonym(s): *candelabricus Dlabola, 1958*
- 4047) **Kybos smaragdulus (Fallén, 1806)** (Cicadellidae) Synonym(s): *smaragdulus Fallén, 1806*; *viridipes Curtis, 1837*
- 4048) **Labdia semicoccinea (Stainton, 1859)** (Cosmopterigidae) Synonym(s): *semicoccinea Stainton, 1859*
- 4049) **Labidostomis (s.str.) asiatica Faldermann, 1837** (Chrysomelidae) Synonym(s): *asiatica Faldermann, 1837*
- 4050) **Labidostomis (s.str.) brevipennis Faldermann, 1837** (Chrysomelidae) Synonym(s): *brevipennis Faldermann, 1837*; *armeniaca Lacordaire, 1848*; *taurica Lacordaire, 1848*
- 4051) **Labidostomis (s.str.) decipiens Faldermann, 1837** (Chrysomelidae) Synonym(s): *decipiens Faldermann, 1837*; *lineola Redtenbacher, 1843*
- 4052) **Labidostomis (s.str.) elegans Lefebvre, 1876** (Chrysomelidae) Synonym(s): *elegans Lefebvre, 1876*; *reitteri Weise, 1885*
- 4053) **Labidostomis (s.str.) longimana (Linnaeus, 1761)** (Chrysomelidae) Synonym(s): *longimana Linnaeus, 1761*; *pallida Fourcroy, 1785*; *tridentata Panzer, 1793*; *dalmatina Lacordaire, 1848*; *uralensis Lacordaire, 1848*; *glycyrrhizae Becher, 1880*; *caucasica Medvedev, 1962*
- 4054) **Labidostomis (s.str.) maculipennis Lefebvre, 1870** (Chrysomelidae) Synonym(s): *maculipennis Lefebvre, 1870*; *kindermanni Kraatz, 1872*
- 4055) **Labidostomis (s.str.) metallica Lefebvre, 1872** (Chrysomelidae) Synonym(s): *metallica Lefebvre, 1872*
- 4056) **Labidostomis (s.str.) peregrina Weise, 1900** (Chrysomelidae) Synonym(s): *peregrina Weise, 1900*
- 4057) **Labidostomis (s.str.) propinqua Faldermann, 1837** (Chrysomelidae) Synonym(s): *propinqua Faldermann, 1837*; *binotata Walth, 1838*; *steveni Walth, 1848*; *arnoldii Medvedev, 1962*
- 4058) **Labidostomis (s.str.) senicula Kraatz, 1872** (Chrysomelidae) Synonym(s): *senicula Kraatz, 1872*; *nitida Ballion, 1878*; *albida Jacobson, 1894*; *turcomanica Lopatin, 1954*
- 4059) **Labidostomis (s.str.) subfasciata Weise, 1885** (Chrysomelidae) Synonym(s): *subfasciata Weise, 1885*; *trigemina Weise, 1898*
- 4060) **Labidostomis (s.str.) sulcicollis (Lacordaire, 1848)** (Chrysomelidae) Synonym(s): *sulcicollis Lacordaire, 1848*; *kaszabi Medvedev, 1962*
- 4061) **Labidostomis (s.str.) testaceipes Pic, 1904** (Chrysomelidae) Synonym(s): *testaceipes Pic, 1904*; *delagranei Pic, 1904*; *robusta Reineck, 1911*
- 4062) **Labidura riparia (Pallas, 1773)** (Labiduridae) Synonym(s): *riparia Pallas, 1773*; *mongolica Rehn, 1905*
- 4063) **Laburrs handlirschi (Matsumura, 1908)** (Cicadellidae) Synonym(s): *artemisiae Matsumura, 1900* (praeocc.); *handlirschi Matsumura, 1908*; *maculosus Vilbaste, 1965*
- 4064) **Laburrs impictifrons (Boheman, 1852)** (Cicadellidae) Synonym(s): *impictifrons Boheman, 1852*; *sulphureus Kirschbaum, 1858*; *thiogaster Kirschbaum, 1858*; *anomalus Uhler, 1896*; *vittatipes Uhler, 1896*
- 4065) **Laburrs quadratus (Forel, 1864)** (Cicadellidae) Synonym(s): *quadratus Forel, 1864*; *limbatus Ferrari, 1882*; *atrata Ribaut, 1942*; *deleta Ribaut, 1942*
- 4066) **Lacanobia (Dianobia) histrio (Goeze, 1781)** (Noctuidae) Synonym(s): *#contigua [Denis & Schiffermüller, 1775]*; *histrio Goeze, 1781*; *ariae Esper, [1786]*; *spartii Brahm, 1791*; *dives, pulchellina Haworth, 1809*; *subcontigua Eversmann, 1852*, etc.
- 4067) **Lacanobia (Dianobia) thalassina (Hufnagel, 1766)** (Noctuidae) Synonym(s): *thalassina Hufnagel, 1766*; *humeralis Haworth, 1809*; *achates Hübner, [1813]*
- 4068) **Lacanobia (Diataraxia) aliena (Hübner, [1809])** (Noctuidae) Synonym(s): *aliena Hübner, [1809]*
- 4069) **Lacanobia (Diataraxia) blenna (Hübner, [1824])** (Noctuidae) Synonym(s): *blenna Hübner, [1824]*; *peregrina Treitschke, 1825*; *trimenda Geyer, [1832]*; *guenei Bruand, 1850*
- 4070) **Lacanobia (Diataraxia) oleracea (Linnaeus, 1758)** (Noctuidae) Synonym(s): *oleracea Linnaeus, 1758*; *spinaciae Borkhausen, 1792*; *variegata Austaut, 1885*; *essoni Hampson, 1909*; *albolineata Matsumura, 1926*; *#pallida Bytinski-Salz & Brandt, 1937*
- 4071) **Lacanobia (Diataraxia) praedita (Hübner, [1813])** (Noctuidae) Synonym(s): *praedita Hübner, [1813]*
- 4072) **Lacanobia (Diataraxia) splendens (Hübner, [1808])** (Noctuidae) Synonym(s): *splendens Hübner, [1808]*
- 4073) **Lacanobia (s.str.) w-latinum (Hufnagel, 1766)** (Noctuidae) Synonym(s): *w-latinum Hufnagel, 1766*; *genistae Borkhausen, 1792*; *dives Donovan, 1801*; *umbrosa Bytinski-Salz & Brandt, 1937*; *diniensis Heinrich, 1938*; *caerulescens Schwingenschuss, 1962*
- 4074) **Laccobius (Dimorpholaccobius) hoberlandti Gentili, 1982** (Hydrophilidae) Synonym(s): *hoberlandti Gentili, 1982*
- 4075) **Lacon lepidopterus (Panzer, 1801)** (Elateridae) Synonym(s): *lepidopterus Panzer, 1801*; *aurosquamosus Jagemann, 1939*
- 4076) **Lacydes spectabilis (Tauscher, 1806)** (Arctiidae) Synonym(s): *spectabilis Tauscher, 1806*; *intercissa Freyer, 1842*
- 4077) **Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim, 1823)** (Carabidae) Synonym(s): *cimmerius Fischer von Waldheim, 1823*; *weiratheiri J. Müller, 1932*
- 4078) **Laemostenus (Pristonychus) gratus (Faldermann, 1836)** (Carabidae) Synonym(s): *gratus Faldermann, 1836*; *angustatus Faldermann, 1838*; *causicus Chaudoir, 1846*
- 4079) **Laemostenus (Pristonychus) lederi (Reitter, 1885)** (Carabidae) Synonym(s): *lederi Reitter, 1885*
- 4080) **Laemostenus (Pristonychus) mannerheimi (Kolenati, 1845)** (Carabidae) Synonym(s): *mannerheimi Kolenati, 1845*; *armeniacus Casale, 1988*; *transcausicus Casale, 1988*; *araratensis Casale, 1988*
- 4081) **Laemostenus (Pristonychus) piceus (Motschulsky, 1850)** (Carabidae) Synonym(s): *piceus Motschulsky, 1850*
- 4082) **Laemostenus (Pristonychus) pretiosus (Faldermann, 1837)** (Carabidae) Synonym(s): *pretiosus Faldermann, 1837*; *amoenus Fischer von Waldheim, 1844*
- 4083) **Laemostenus (Pristonychus) sericeus (Fischer von Waldheim, 1824)** (Carabidae) Synonym(s): *sericeus Fischer von Waldheim, 1824*; *tauricus Dejean, 1828*; *hepaticus Faldermann, 1836*
- 4084) **Lagodechia spinulifera (Negrobov & Zurikov, 1988)** (Dolichopodidae) Synonym(s): *spinulifera Negrobov & Zurikov, 1988*
- 4085) **Lambaesia fumosella (Ragonot, 1887)** (Pyralidae) Synonym(s): *fumosella Ragonot, 1887*; *noctileucella Ragonot, 1887*
- 4086) **Lamoria melanophlebia Ragonot, 1888** (Pyralidae) Synonym(s): *melanophlebia Ragonot, 1888*
- 4087) **Lampides boeticus (Linnaeus, 1767)** (Lycaenidae) Synonym(s): *boeticus Linnaeus, 1767*; *damoetes Fabricius, 1775*; *coluteae Fuessly, 1775*; *pisorum Fourcroy, 1785*; *boedicus Borkhausen, 1788*; *#baeticus Latreille, 1809*; *armeniensis Gerhard, 1886*; *bagus Distant, 1886*
- 4088) **Lampides boeticus boeticus (Linnaeus, 1767)** (Lycaenidae) Synonym(s): *boeticus Linnaeus, 1767*; *damoetes Fabricius, 1775*; *coluteae Fuessly, 1775*; *pisorum Fourcroy, 1785*; *boedicus Borkhausen, 1788*; *#baeticus Latreille, 1809*; *armeniensis Gerhard, 1886*; *bagus Distant, 1886*
- 4089) **Lamprohiza splendidula (Linnaeus, 1767)** (Lampyridae) Synonym(s): *splendidula Linnaeus, 1767*; *antiqua Brullé, 1832*; *Villaret, 1833*

- 4090) *Lamprotes c-aureum* (Knoch,1781) (Noctuidae) Synonym(s): *c-aureum* Knoch,1781; *concha* Fabricius,1787
- 4091) *Lampyris angustata* (Motschoulsky,1854) (Lampyridae) Synonym(s): *angustata* Motschoulsky,1854
- 4092) *Lampyris caspica* (Motschoulsky,1854) (Lampyridae) Synonym(s): *caspica* Motschoulsky,1854
- 4093) *Lampyris costalis* (Motschoulsky,1854) (Lampyridae) Synonym(s): *costalis* Motschoulsky,1854
- 4094) *Lampyris depressiuncula* (Motschoulsky,1854) (Lampyridae) Synonym(s): *depressiuncula* Motschoulsky,1854
- 4095) *Lampyris limbata* (Motschoulsky,1854) (Lampyridae) Synonym(s): *limbata* Motschoulsky,1854
- 4096) *Lampyris membranacea* (Motschoulsky,1854) (Lampyridae) Synonym(s): *membranacea* Motschoulsky,1854
- 4097) *Lampyris noctiluca* (Linnaeus,1758) (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obs curella* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901
- 4098) *Lampyris orientalis* Faldermann,1835 (Lampyridae) Synonym(s): *orientalis* Faldermann,1835
- 4099) *Laodelphax striatellus* (Fallén,1826) (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (praeocc.); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943
- 4100) *Laothoe populeti* (Bienert,[1870]) (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934.
- 4101) *Laphria dizonias* Loew,1847 (Asilidae) Synonym(s): *dizonias* Loew,1847; *integra* Becker,1912
- 4102) *Laphria varia* Loew,1865 (Asilidae) Synonym(s): *varia* Loew,1865
- 4103) *Laphystia erberi* (Schiner,1865) (Asilidae) Synonym(s): *erberi* Schiner,1865; *arenacea* Paramonov,1930
- 4104) *Larentia clavaria* Haworth,[1809] (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
- 4105) *Larerrannis aurantiaria* (Hübner,[1799]) (Geometridae) Synonym(s): *aurantiaria* Hübner,[1799]; *incompletaria* Haworth,1809
- 4106) *Larerrannis marginaria* (Fabricius,1777) (Geometridae) Synonym(s): *marginaria* Fabricius,1777; *testacea* Retzius,1783; *testacearia* Villers,1789; *progemmaria* Hübner,[1799]; *capreolaria* Esper,1801 nec [Den. & Schiff.],1775; *luctuaria* Haworth,1809; *connectaria* Haworth,1809; *stictaria* Haworth,1809
- 4107) *Lasiocampa eversmanni* (Kindermann,1843) (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
- 4108) *Lasiocampa grandis* (Rogenhofer,1891) (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891
- 4109) *Lasiocampa piontkovskii* Sheljuzhko,1943 (Lasiocampidae) Synonym(s): *piontkovskii* Sheljuzhko,1943; *#piontkovskii* Didmanidze,2008
- 4110) *Lasiocampa quercus* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millièrre,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981
- 4111) *Lasiocampa trifolii* ([Denis & Schiffermüller],1775) (Lasiocampidae) Synonym(s): *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *ratamae* Herrich-Schäffer,1851; *bathseba* Staudinger,1891; *maculosa* Rogenhofer,1891
- 4112) *Lasiochalcidia dargelasii* (Latreille,1805) (Chalcididae) Synonym(s): *dargelasii* Latreille,1805; *denticornis* Fonscolombe,1832
- 4113) *Lasioglossum* (Evylaeus) *araxanum* (Blüthgen,1923) (Halictidae) Synonym(s): *araxanum* Blüthgen,1923; *araxanellus* Blüthgen,1926
- 4114) *Lasioglossum* (Evylaeus) *argaeum* (Blüthgen,1931) (Halictidae) Synonym(s): *argaeum* Blüthgen,1931
- 4115) *Lasioglossum* (Evylaeus) *bicallosum* (Morawitz,1873) (Halictidae) Synonym(s): *bicallosum* Morawitz,1873; *dmitrijewi* Morawitz,1892
- 4116) *Lasioglossum* (Evylaeus) *mesosclerum* (Pérez,1903) (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982
- 4117) *Lasioglossum* (Evylaeus) *ordubadense* (Friese,1916) (Halictidae) Synonym(s): *ordubadense* Friese,1916
- 4118) *Lasioglossum* (Evylaeus) *persicum* (Cockerell,1919) (Halictidae) Synonym(s): *persicum* Cockerell,1919
- 4119) *Lasioglossum* (s.str.) *acephaloides* (Blüthgen,1931) (Halictidae) Synonym(s): *acephaloides* Blüthgen,1931
- 4120) *Lasioglossum* (s.str.) *caspicum* (Morawitz,1873) (Halictidae) Synonym(s): *caspicum* Morawitz,1873; *emesianus* Pérez,1911
- 4121) *Lasioglossum* (s.str.) *cristulum* (Pérez,1895) (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975; *#cristulam* Grace,2010
- 4122) *Lasioglossum* (s.str.) *euxinicum* Ebmer,1972 (Halictidae) Synonym(s): *euxinicum* Ebmer,1972
- 4123) *Lasioglossum* (s.str.) *fallax* (Morawitz,1873) (Halictidae) Synonym(s): *fallax* Morawitz,1873; *rhadiourgan* Ebner,1980
- 4124) *Lasioglossum* (s.str.) *zonulum* (Smith,1848) (Halictidae) Synonym(s): *zonulum* Smith,1848
- 4125) *Lasiommata adrastoides* (Bienert,1870) (Satyridae) Synonym(s): *adrastoides* Bienert,1870
- 4126) *Lasiommata maera* (Linnaeus,1758) (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 4127) *Lasiommata megera* (Linnaeus,1767) (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 4128) *Lasiommata petropolitana* (Fabricius,1787) (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929.
- 4129) *Lasionycta draudti* (F.Wagner,1936) (Noctuidae) Synonym(s): *draudti* F.Wagner,1936
- 4130) *Lasionycta proxima* (Hübner,[1809]) (Noctuidae) Synonym(s): *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976.
- 4131) *Lasiopa caucasica* (Pleske,1901) (Stratiomyidae) Synonym(s): *caucasica* Pleske,1901; *koenigi* Lichtwardt,1901
- 4132) *Lasioptera carophila* Loew,1874 (Cecidomyiidae) Synonym(s): *carophila* Loew,1874; *thapsiae* Kieffer,1898
- 4133) *Lasioptera rubi* (Schränk,1803) (Cecidomyiidae) Synonym(s): *rubi* Schränk,1803; *albipennis* Meigen,1804; *picta* Meigen,1818; *juniperi* Meigen,1818; *fusca* Meigen,1818; *argyrostickta* Meigen,1830; *pulchra* Meigen,1830; *annulata* Costa,1844; *fuliginosa* Stephens,1846; *ichigo* Shinji,1935; *rubicola* Monzen,1955
- 4134) *Lasioptera umbelliferarum* Kieffer,1909 (Cecidomyiidae) Synonym(s): *umbelliferarum* Kieffer,1909
- 4135) *Lasiorrhynchites cavifrons* (Gyllenhal,1833) (Atelabidae) Synonym(s): *cavifrons* Gyllenhal,1833
- 4136) *Lasiorrhynchites sericeus* (Herbst,1797) (Atelabidae) Synonym(s): *sericeus* Herbst,1797; *ophthalmicus* Stephens,1831; *similis* Curtis,1837; *splendidulus* Kiesenwetter,1861
- 4137) *Lasiosina armeniaca* Dely-Draskovits,1979 (Chloropidae) Synonym(s): *armeniaca* Dely-Draskovits,1979
- 4138) *Lasiosina brevisurstylata* Dely-Draskovits,1979 (Chloropidae) Synonym(s): *brevisurstylata* Dely-Draskovits,1979

- 4139) Lasiosina cinctipes (Meigen,1830)** (Chloropidae) Synonym(s): *cinctipes* Meigen,1830; *limbata* Meigen,1830; *herpini* Guérin-Méneville,1843; *obscurata* Duda,1933; *nigripes* Dely-Draskovits,1977
- 4140) Lasiosina longifrons Dely-Draskovits,1977** (Chloropidae) Synonym(s): *longifrons* Dely-Draskovits,1977
- 4141) Laspeyria flexula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flexula* [Denis & Schiffermüller],1775
- 4142) Laterologia ophiogramma (Esper,1794)** (Noctuidae) Synonym(s): *ophiogramma* Esper,1794
- 4143) Lathronympha strigana (Fabricius,1775)** (Tortricidae) Synonym(s): *strigana* Fabricius,1775; *politana* [Denis & Schiffermüller],1775; *hypericana* Hübner,[1799]
- 4144) Latibulus argiolus (Rossi,1790)** (Ichneumonidae) Synonym(s): *argiolus* Rossi,1790
- 4145) Ledereragrotis multifida (Lederer,1870)** (Noctuidae) Synonym(s): *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906
- 4146) Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767
- 4147) Legnotomyia erivanensis (Paramonov,1925)** (Bombyliidae) Synonym(s): *erivanensis* Paramonov,1925
- 4148) Legnotomyia singularis (Macquart,1846)** (Bombyliidae) Synonym(s): *singularis* Macquart,1846; *bombylifformis* Becker,1906
- 4149) Lejogaster tarsata (Meigen,1822)** (Syrphidae) Synonym(s): *tarsata* Meigen,1822 [line priority]; *splendida* Meigen,1822; *bicolor* Macquart,1829; *amethystina* Macquart,1834; *rufitarsis* Loew,1840; *aurichalcea* Becker,1913; *longior* Becker,1921
- 4150) LEMONIA balcanica Herrich-Schäffer,[1843]** (Lemoniidae) Synonym(s): *balcanica* Herrich-Schäffer,[1843]; *anatolica* Wagner,1931.
- 4151) LEMONIA ballioni (Christoph,1888)** (Lemoniidae) Synonym(s): *ballioni* Christoph,1888
- 4152) LEMONIA pia Püngeler,1902** (Lemoniidae) Synonym(s): *pia* Püngeler,1902
- 4153) Leopoldius brevis (Germar,1817)** (Conopidae) Synonym(s): *brevirostris* Germar,1817
- 4154) Leopoldius coronatus (Rondani,1857)** (Conopidae) Synonym(s): *coronatus* Rondani,1857
- 4155) Leprosoma inaequale Horvath,1911** (Pentatomidae) Synonym(s): *inaequale* Horvath,1911
- 4156) Leprosoma inconspicuum Bärensprung,1859** (Pentatomidae) Synonym(s): *inconspicuum* Bärensprung,1859; *carinatum* Montandon,1895
- 4157) Leprosoma stali Douglas & Scott,1868** (Pentatomidae) Synonym(s): *stali* Douglas & Scott,1868
- 4158) Leprosoma tuberculatum Jakovlev,1876** (Pentatomidae) Synonym(s): *tuberculatum* Jakovlev,1876; *turkestanicum* Zolotov,1928
- 4159) Leptarchis intervacatalis (Christoph,1877)** (Pyralidae) Synonym(s): *intervacatalis* Christoph,1877; *psologramma* Meyrick,1937
- 4160) Leptecosma huebneriana (Koçak,1980)** (Tortricidae) Synonym(s): *ustulana* Hübner,[1813] *nec* Haw.,[1811]; *huebneriana* Koçak,1980
- 4161) Leptidea duponcheli (Staudinger,1871)** (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003
- 4162) Leptidea sinapis (Linnaeus,1758)** (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
- 4163) Leptidea sinapis sinapis (Linnaeus,1758)** (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
- 4164) Leptocera (s.str.) fontinalis (Fallén,1826)** (Sphaeroceridae) Synonym(s): *fontinalis* Fallén,1826
- 4165) Leptocera (s.str.) nigra Olivier,1813** (Sphaeroceridae) Synonym(s): *nigra* Olivier,1813; *curvinervis* Stenhammar,1854; *roralis* Rondani,1880
- 4166) Leptochilus (Lionotulus) membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus* Morawitz,1867
- 4167) Leptodes (s.str.) lederi Reitter** (Tenebrionidae) Synonym(s):
- 4168) Leptodes (s.str.) semenowi Reitter** (Tenebrionidae) Synonym(s):
- 4169) Leptogaster armeniaca Paramonov,1930** (Asilidae) Synonym(s): *armeniaca* Paramonov,1930
- 4170) Leptogaster calceata Engel,1925** (Asilidae) Synonym(s): *calceata* Engel,1925
- 4171) Leptogaster cylindrica (De Geer,1776)** (Asilidae) Synonym(s): *cylindrica* De Geer,1776; *tipuloides* Fabricius,1775; *livida* Geoffroy,1785; *fusca* Meigen,1804; *hispanica* Meigen,1838; *nigricornis* Loew,1847; *dorsalis* Dahlbom,1851
- 4172) Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915
- 4173) Leptophyes albobittata (Kollar,1833)** (Tettigoniidae) Synonym(s): *albobittata* Kollar,1833; *foliicauda* Fischer von Waldheim,1846; *vittata* Fischer,1853; *pontica* Bei-Bienko,1941
- 4174) Leptophyes nigrovittata Uvarov,1921** (Tettigoniidae) Synonym(s): *nigrovittata* Uvarov,1921
- 4175) Leptophyes trivittata Bei-Bienko,1950** (Tettigoniidae) Synonym(s): *trivittata* Bei-Bienko,1950
- 4176) Leptopternis gracilis (Eversmann,1848)** (Acrididae) Synonym(s): *gracilis* Eversmann,1848; *angustipennis* Saussure,1884; *grobbei* Werner,1905; *maculipennis* Chopard,1949
- 4177) Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
- 4178) Leptura quadrifasciata Linnaeus,1758** (Cerambycidae) Synonym(s): *quadrifasciata* Linnaeus,1758
- 4179) Lepyrionia coleoprata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoprata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896
- 4180) Lertha extensa (Olivier,1811)** (Nemopteridae) Synonym(s): *extensa* Olivier,1811
- 4181) Lertha ledereri (Selys-Longchamps,1866)** (Nemopteridae) Synonym(s): *ledereri* Selys-Longchamps,1866
- 4182) Lertha palmonii Tjeder,1970** (Nemopteridae) Synonym(s): *palmonii* Tjeder,1970
- 4183) Leskia erevanica Richter,1974** (Tachinidae) Synonym(s): *erevanica* Richter,1974
- 4184) Lestes macrostigma (Eversmann,1836)** (Lestidae) Synonym(s): *macrostigma* Eversmann,1836
- 4185) Lestes sponsa (Hansemann,1823)** (Lestidae) Synonym(s): *sponsa* Hansemann,1823
- 4186) Lestes virens (Charpentier,1825)** (Lestidae) Synonym(s): *virens* Charpentier,1825
- 4187) Leucania comma (Linnaeus,1761)** (Noctuidae) Synonym(s): *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909.
- 4188) Leucania herichi Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *herichi* Herrich-Schäffer,[1849]
- 4189) Leucania loreyi (Duponchel,1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 4190) Leucania obsoleta (Hübner,[1803])** (Noctuidae) Synonym(s): *obsoleta* Hübner,[1803]; *insecuta* Walker,1865; *intermissa* Walker,1865; *nohirae* Matsumura,1926; *griseola* Matsumura,1926

- 4191) **Leucania punctosa** (Treitschke, 1825) (Noctuidae) Synonym(s): *punctosa* Treitschke, 1825
 4192) **Leucania zae** (Duponchel, 1827) (Noctuidae) Synonym(s): *zae* Duponchel, 1827; *indistincta* Christoph, 1887; *putrida* Staudinger, 1889; *cinerea* Lucas, 1948
 4193) **Leucochlaena hoerhammeri** (Wagner, 1931) (Noctuidae) Synonym(s): *hoerhammeri* Wagner, 1931
 4194) **Leucochlaena muscosa** (Staudinger, 1892) (Noctuidae) Synonym(s): *muscosa* Staudinger, 1892; *hirsutus* Staudinger, 1892
 4195) **Leucoma salicis** (Linnaeus, 1758) (Lymantriidae) Synonym(s): *salicis* Linnaeus, 1758; *apparens* Retzius, 1783; *salicinus* Haworth, 1803; *xanthocampa* Dyar, 1905; *coreacola* Matsumura, 1933; *sjoquisti* Bryk, 1942; *variabilis* Bryk, 1949
 4196) **Leucophenga maculata** (Dufour, 1839) (Drosophilidae) Synonym(s): *maculata* Dufour, 1839
 4197) **Leucoptera laburnella** (Stainton, 1851) (Lyonetiidae) Synonym(s): *laburnella* Stainton, 1851; *wailesella* Stainton, 1858; *cytisella* Amsel, 1939
 4198) **Leucoptera malifoliella** (Costa, [1836]) (Lyonetiidae) Synonym(s): *malifoliella* Costa, [1836]; *scitella* Zeller, 1839.
 4199) **Leucospis gigas** (Fabricius, 1793) (Leucospidae) Synonym(s): *gigas* Fabricius, 1793; *grandis* Klug, 1814; *varia* Klug, 1814; *shuckardi* Westwood, 1834; *rufonotata* Westwood, 1839; *quaettaensis* Cameron, 1906; *nursei* Cameron, 1906
 4200) **Leuctra minuta** Zhiltzova, 1960 (Leuctridae) Synonym(s): *minuta* Zhiltzova, 1960; *bursaensis* Vincon & Sivec, 2001; *kastamonui* Vincon & Sivec, 2001
 4201) **Leuctra zangezurica** Zhiltzova, 1960 (Leuctridae) Synonym(s): *zangezurica* Zhiltzova, 1960
 4202) **Liancalus virens** (Scopoli, 1763) (Dolichopodidae) Synonym(s): *virens* Scopoli, 1763; *regius* Fabricius, 1805
 4203) **Libelloides macaronius** (Scopoli, 1763) (Ascalaphidae) Synonym(s): *macaronius* Scopoli, 1763
 4204) **Libelloides ustulatus** (Eversmann, 1850) (Ascalaphidae) Synonym(s): *ustulatus* Eversmann, 1850
 4205) **Libellula quadrimaculata** Linnaeus, 1758 (Libellulidae) Synonym(s): *quadrimaculata* Linnaeus, 1758
 4206) **Libythea (s.str.) celtis** (Laicharting, 1782) (Libytheidae) Synonym(s): *celtis* Laicharting, 1782
 4207) **Ligra ferrea** (Walker, 1849) (Bombyliidae) Synonym(s): *ferrea* Walker, 1849; *#versicolor* Loew, 1869
 4208) **Lilioceris faldermanni** (Guérin-Ménéville, 1829) (Chrysomelidae) Synonym(s): *faldermanni* Guérin-Ménéville, 1829; *cornuta* Faldermann, 1837
 4209) **Limenitis (Azuritis) reducta** Staudinger, 1901 (Argynniidae) Synonym(s): *reducta* Staudinger, 1901.
 4210) **Limenitis (Ladoga) camilla** (Linnaeus, 1764) (Argynniidae) Synonym(s): *camilla* Linnaeus, 1764; *prorsa* Linnaeus, 1764 *nec* Linnaeus, 1758; *sibilla* Linnaeus, 1769; *luctuosus* Fourcroy, 1785 *nec* Walch, 1775.
 4211) **Limnephilus caucasicus** Schmid, 1955 (Limnephilidae) Synonym(s): *caucasicus* Schmid, 1955
 4212) **Limnophora exuta** (Kowarz, 1893) (Muscidae) Synonym(s): *exuta* Kowarz, 1893
 4213) **Limnophora femoriseta** Pont, Vikhrev & Werner, 2011 (Muscidae) Synonym(s): *femoriseta* Pont, Vikhrev & Werner, 2011
 4214) **Limnophora latevittata** Schnabl, 1911 (Muscidae) Synonym(s): *latevittata* Schnabl, 1911
 4215) **Limnophora maculosa** (Meigen, 1826) (Muscidae) Synonym(s): *maculosa* Meigen, 1826
 4216) **Limnophora pandellei** Séguy, 1923 (Muscidae) Synonym(s): *pandellei* Séguy, 1923
 4217) **Limnophora patellifera** (Villeneuve, 1911) (Muscidae) Synonym(s): *patellifera* Villeneuve, 1911
 4218) **Limnophora riparia** (Fallén, 1824) (Muscidae) Synonym(s): *riparia* Fallén, 1824
 4219) **Limnophora triangula** (Fallén, 1825) (Muscidae) Synonym(s): *triangula* Fallén, 1825
 4220) **Limnophyes transcaasicus** Tchern. 1949 (Chironomidae) Synonym(s): *transcaasicus* Tchern. 1949
 4221) **Limonia phragmitidis** (Schränk, 1781) (Limoniidae) Synonym(s): *tripunctata* Fabricius, 1781 *nec* Müll., 1764; *phragmitidis* Schränk, 1781
 4222) **Limonius araratensis** (Faldermann, 1835) (Elateridae) Synonym(s): *araratensis* Faldermann, 1835
 4223) **Limonius minutus** (Linnaeus, 1758) (Elateridae) Synonym(s): *minutus* Linnaeus, 1758
 4224) **Limosina brevicostata** Duda, 1918 (Sphaeroceridae) Synonym(s): *brevicostata* Duda, 1918
 4225) **Limosina submaculata** Duda, 1938 (Sphaeroceridae) Synonym(s): *submaculata* Duda, 1938
 4226) **Limotettix aviger** Emeljanov, 1964 (Cicadellidae) Synonym(s): *aviger* Emeljanov, 1964
 4227) **Limotettix striola** (Fallén, 1806) (Cicadellidae) Synonym(s): *striola* Fallén, 1806; *frenatus* Germar, 1821; *ferganensis* Dubovsky, 1966
 4228) **Lindenia tetraphylla** (Van Der Linden, 1825) (Gomphidae) Synonym(s): *tetraphylla* Van Der Linden, 1825; *inkitii* Bartenev, 1929
 4229) **Linnaemya compta** (Fallén, 1810) (Tachinidae) Synonym(s): *compta* Fallén, 1810; *compta* Meigen, 1824; *fulgeus* Meigen, 1824; *heraclei* R-D., 1830; *aestivalis* R-D., 1830; *borealis* R-D., 1830; *longipes* R-D., 1830; *oenanthis* R-D., 1830; *humeralis* R-D., 1863; *#campta* Doğanlar, 1982
 4230) **Liotryphon caudatus** (Ratzeburg, 1848) (Ichneumonidae) Synonym(s): *caudatus* Ratzeburg, 1848
 4231) **Liponeura euryfrons** Bischoff, 1935 (Blephariceridae) Synonym(s): *euryfrons* Bischoff, 1935
 4232) **Lispe armeniaca** Canzoneri & Meneghini, 1972 (Muscidae) Synonym(s): *armeniaca* Canzoneri & Meneghini, 1972
 4233) **Lispe consanguinea** Loew, 1858 (Muscidae) Synonym(s): *consanguinea* Loew, 1858
 4234) **Lispe flavicincta** Loew, 1847 (Muscidae) Synonym(s): *flavicincta* Loew, 1847
 4235) **Lispe longicollis** Meigen, 1826 (Muscidae) Synonym(s): *longicollis* Meigen, 1826; *leucomelaena* Konow, 1892
 4236) **Lispe melaleuca** Loew, 1847 (Muscidae) Synonym(s): *melaleuca* Loew, 1847
 4237) **Lispe nana** Macquart, 1835 (Muscidae) Synonym(s): *nana* Macquart, 1835; *pulchella* Loew, 1847; *melitensis* Rondani, 1866; *meridionalis* Rondani, 1877
 4238) **Lispe orientalis** Wiedemann, 1824 (Muscidae) Synonym(s): *orientalis* Wiedemann, 1824
 4239) **Lispe pectinipes** Becker, 1903 (Muscidae) Synonym(s): *leucopsila* sensu auct.; *pectinipes* Becker, 1903; *cochlearia* Becker, 1904; *mixticcia* Séguy, 1941
 4240) **Lispe pygmaea** Fallén, 1825 (Muscidae) Synonym(s): *pygmaea* Fallén, 1825; *tenuipalpis* Zetterstedt, 1846; *simplicissima* Loew, 1847; *suturata* Rondani, 1866; *longiuscula* Rondani, 1877
 4241) **Lispe sericipalpis** Stein, 1904 (Muscidae) Synonym(s): *sericipalpis* Stein, 1904; *quaerens* Villeneuve, 1936
 4242) **Lispe tentaculata** (De Geer, 1776) (Muscidae) Synonym(s): *tentaculata* De Geer, 1776; *fluviatilis* R-D., 1830; *tarsalis* R-D., 1830; *tibialis* Macquart, 1839; *dissona* Villeneuve, 1936
 4243) **Lispocephala spuria** (Zetterstedt, 1838) (Muscidae) Synonym(s): *spuria* Zetterstedt, 1838
 4244) **Lissonota (Laxonota) flavovariegata** (Lucas, 1849) (Ichneumonidae) Synonym(s): *flavovariegata* Lucas, 1849; *lineolator* Aubert, 1972
 4245) **Lissonota (s.str.) fundator** (Thunberg, 1822) (Ichneumonidae) Synonym(s): *fundator* Thunberg, 1822
 4246) **Listrognathus ligator** (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *ligator* Gravenhorst, 1829
 4247) **Lithodusa daghestanica** Bei-Bienko, 1951 (Tettigoniidae) Synonym(s): *daghestanica* Bei-Bienko, 1951
 4248) **Lithophane furcifera** (Hufnagel, 1766) (Noctuidae) Synonym(s): *furcifera* Hufnagel, 1766; *conformis* [Denis & Schiffermüller], 1775.

- 4249) Lithophane ornitopus (Hufnagel,1766)** (Noctuidae) Synonym(s): *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976
- 4250) Lithophane semibrunnea (Haworth,1809)** (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824].
- 4251) Lithosia quadra (Linnaeus,1758)** (Arctiidae) Synonym(s): *quadra* Linnaeus,1758; *flava* Müller,1764; *deplana* Linnaeus,1771; *quadrata* Walckenaer,1802; *dives* Butler,1877.
- 4252) Lithostege bosporaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *bosporaria* Herrich-Schäffer,[1848]; *porcataria* Boisduval,1848; *latestrigata* Rebel,1933.
- 4253) Lithostege coassata (Hübner,[1825])** (Geometridae) Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840.
- 4254) Lithostege farinata (Hufnagel,1767)** (Geometridae) Synonym(s): *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turton,1802; *bachmutensis* L.B.Prout,1938
- 4255) Lithostege flavicornata (Zeller,1847)** (Geometridae) Synonym(s): *flavicornata* Zeller,1847
- 4256) Lithostege griseata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkiata* Stephens,1850; *gigantea* Bytinski-Salz & Brandt,1937; *#transversaria* Bytinski-Salz & Brandt,1937
- 4257) Lithostege infusata Eversmann,1837** (Geometridae) Synonym(s): *infusata* Eversmann,1837
- 4258) Lithostege witzenmanni Standfuss,1892** (Geometridae) Synonym(s): *witzenmanni* Standfuss,1892
- 4259) Lithurgus cornutus (Fabricius,1787)** (Megachilidae) Synonym(s): *cornutus* Fabricius,1787; *fuscipennis* Lepeletier,1841; *umbraculatus* Lepeletier,1841; *nasutus* Dufour,1849; *monoceros* Eversmann,1852; *dohrni* Radoszkowski,1862; *maximus* Radoszkowski,1872
- 4260) Livia mediterranea Loginova,1974** (Psyllidae) Synonym(s): *mediterranea* Loginova,1974
- 4261) Lixus nordmanni Hochhuht,1847** (Curculionidae) Synonym(s): *nordmanni* Hochhuht,1847
- 4262) Lobesia (s.str.) artemisiana (Zeller,1847)** (Tortricidae) Synonym(s): *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1876
- 4263) Lobesia (s.str.) reliquana (Hübner,[1825])** (Tortricidae) Synonym(s): *reliquana* Hübner,[1825]; *leucoptera* Frölich,1828; *fischerana* Treitschke,1835.
- 4264) Lobesia (s.str.) vitisana (Jacquin,1788)** (Tortricidae) Synonym(s): *#botrana* [Denis & Schiffermüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Millière,1865.
- 4265) Locusta migratoria (Linnaeus,1758)** (Acrididae) Synonym(s): *migratoria* Linnaeus,1758; *danica* Linnaeus,1767; *australis* Saussure,1884; *rossica* Uvarov & Zolotarevsky,1929; *gallica* Remaudière,1947; *solitaria* Carthy,1955
- 4266) Loewia montivaga Richter,1996** (Tachinidae) Synonym(s): *montivaga* Richter,1996
- 4267) Lomaspilis marginata (Linnaeus,1758)** (Geometridae) Synonym(s): *marginata* Linnaeus,1758; *bithynica* Wehrli,1939
- 4268) Lomaspilis opis (Butler,1878)** (Geometridae) Synonym(s): *opis* Butler,1878
- 4269) Lomatia armeniaca Paramonov,1924** (Bombyliidae) Synonym(s): *armeniaca* Paramonov,1924
- 4270) Lomatia belzebul (Fabricius,1794)** (Bombyliidae) Synonym(s): *belzebul* Fabricius,1794
- 4271) Lomatia erinnys Loew,1869** (Bombyliidae) Synonym(s): *erinnys* Loew,1869
- 4272) Lomatia flavitibia Zaitzev,1966** (Bombyliidae) Synonym(s): *flavitibia* Zaitzev,1966
- 4273) Lomatia lachesis Egger,1859** (Bombyliidae) Synonym(s): *lachesis* Egger,1859
- 4274) Lomatia persica Paramonov,1924** (Bombyliidae) Synonym(s): *persica* Paramonov,1924
- 4275) Lomatia polyzona Loew,1869** (Bombyliidae) Synonym(s): *polyzona* Loew,1869
- 4276) Lomatia rogenhoferi Nowicki,1867** (Bombyliidae) Synonym(s): *rogenhoferi* Nowicki,1867
- 4277) Lomatia shelkownikovi Paramonov,1924** (Bombyliidae) Synonym(s): *shelkownikovi* Paramonov,1924
- 4278) Lomographa temerata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *punctata* Fabricius,1775 *nec* Cl.,1759; *temerata* [Denis & Schiffermüller],1775; *nitidula* Fourcroy,1785; *sylvestrata* Hübner,1786; *nitidularia* Villers,1789; *temeraria* Hübner,1799; *nubeculata* Haworth,1809
- 4279) Longitarsus absynthii Kutschera,1862** (Chrysomelidae) Synonym(s): *absynthii* Kutschera,1862
- 4280) Longitarsus aeneicollis (Faldermann,1837)** (Chrysomelidae) Synonym(s): *suturalis* Marsham,1802 *nec* Fabr.,1775; *aeneicollis* Faldermann,1837; *nigricollis* Foudras,1860; *rubenticollis* Allard,1860; *similis* Weise,1893; *cribripennis* Abeille,1909
- 4281) Longitarsus albineus (Foudras,1860)** (Chrysomelidae) Synonym(s): *albineus* Foudras,1860
- 4282) Longitarsus alfieri (Pic,1923)** (Chrysomelidae) Synonym(s): *alfieri* Pic,1923; *antinea* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Grucev,1982
- 4283) Longitarsus anatolicus Weise,1900** (Chrysomelidae) Synonym(s): *anatolicus* Weise,1900
- 4284) Longitarsus anchusae (Paykull,1799)** (Chrysomelidae) Synonym(s): *anchusae* Paykull,1799; *punctatissimus* Weise,1888
- 4285) Longitarsus atricillus (Linnaeus,1761)** (Chrysomelidae) Synonym(s): *atricillus* Linnaeus,1761; *declivis* Weise,1893
- 4286) Longitarsus ballotae (Marsham,1802)** (Chrysomelidae) Synonym(s): *ballotae* Marsham,1802; *canescens* Foudras,1860; *septorum* Buysson,1908; *#caligans* Kral,1945
- 4287) Longitarsus bertii Leonhardi,1973** (Chrysomelidae) Synonym(s): *bertii* Leonhardi,1973
- 4288) Longitarsus brachypterus Weise,1890** (Chrysomelidae) Synonym(s): *brachypterus* Weise,1890
- 4289) Longitarsus bytinskii Furth,1979** (Chrysomelidae) Synonym(s): *bytinskii* Furth,1979
- 4290) Longitarsus callidus Warchalowski,1967** (Chrysomelidae) Synonym(s): *callidus* Warchalowski,1967
- 4291) Longitarsus dlabolai Kral,1964** (Chrysomelidae) Synonym(s): *dlabolai* Kral,1964
- 4292) Longitarsus exsoletus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *exsoletus* Linnaeus,1758; *femoralis* Marsham,1802; *boppardiensis* Bach,1856; *rufula* Foudras,1860; *megaloleuca* Allard,1860; *lividus* Fauvel,1888; *arctulus* Weise,1893
- 4293) Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata* Allard,1866 *nec* Stph.,1834; *fallax* Weise,1888; *nitens* Khnzorian,1968; *cynoglossi* Palij,1970 *nec* Marshm.,1802
- 4294) Longitarsus foudrasi Weise,1893** (Chrysomelidae) Synonym(s): *foudrasi* Weise,1893
- 4295) Longitarsus fuscoaeus Redtenbacher,1859** (Chrysomelidae) Synonym(s): *fuscoaeus* Redtenbacher,1859
- 4296) Longitarsus ganglbaueri Haikertinger,1912** (Chrysomelidae) Synonym(s): *ganglbaueri* Haikertinger,1912
- 4297) Longitarsus jacobaeae (Waterhouse,1858)** (Chrysomelidae) Synonym(s): *jacobaeae* Waterhouse,1858
- 4298) Longitarsus juncicola (Foudras,1860)** (Chrysomelidae) Synonym(s): *juncicola* Foudras,1860
- 4299) Longitarsus kutscherae (Rey,1892)** (Chrysomelidae) Synonym(s): *kutscherae* Rey,1892
- 4300) Longitarsus lateripunctatus Rosenhauer,1856** (Chrysomelidae) Synonym(s): *lateripunctatus* Rosenhauer,1856; *personatus* Weise,1893
- 4301) Longitarsus ledouxi Doguet,1979** (Chrysomelidae) Synonym(s): *ledouxi* Doguet,1979
- 4302) Longitarsus lewisii (Baly,1874)** (Chrysomelidae) Synonym(s): *lewisii* Baly,1874

- 4303) *Longitarsus linnaei* (Duftschmid,1825) (Chrysomelidae) Synonym(s): *linnaei* Duftschmid,1825
 4304) *Longitarsus longipennis* Kutschera,1836 (Chrysomelidae) Synonym(s): *longipennis* Kutschera,1836
 4305) *Longitarsus luridus* (Scopoli,1763) (Chrysomelidae) Synonym(s): *luridus* Scopoli,1763
 4306) *Longitarsus lycopi* (Foudras,1860) (Chrysomelidae) Synonym(s): *lycopi* Foudras,1860
 4307) *Longitarsus melanocephalus* (De Geer,1775) (Chrysomelidae) Synonym(s): *melanocephalus* De Geer,1775
 4308) *Longitarsus membranaceus* (Foudras,1860) (Chrysomelidae) Synonym(s): *membranaceus* Foudras,1860
 4309) *Longitarsus minusculus* (Foudras,1860) (Chrysomelidae) Synonym(s): *minusculus* Foudras,1860
 4310) *Longitarsus niger* (Koch,1803) (Chrysomelidae) Synonym(s): *niger* Koch,1803
 4311) *Longitarsus nigrofasciatus* (Goeze,1777) (Chrysomelidae) Synonym(s): *nigrofasciatus* Goeze,1777
 4312) *Longitarsus oblitteratus* (Rosenhauer,1847) (Chrysomelidae) Synonym(s): *oblitteratus* Rosenhauer,1847; *meridionalis* Cziki & Heikertinger,1940
 4313) *Longitarsus ochroleucus* (Marsham,1802) (Chrysomelidae) Synonym(s): *ochroleucus* Marsham,1802
 4314) *Longitarsus parvulus* (Paykull,1799) (Chrysomelidae) Synonym(s): *parvulus* Paykull,1799
 4315) *Longitarsus pellucidus* (Foudras,1860) (Chrysomelidae) Synonym(s): *pellucidus* Foudras,1860
 4316) *Longitarsus picicollis* Weise,1900 (Chrysomelidae) Synonym(s): *picicollis* Weise,1900
 4317) *Longitarsus pinguis* Weise,1888 (Chrysomelidae) Synonym(s): *pinguis* Weise,1888
 4318) *Longitarsus pratensis* (Panzer,1794) (Chrysomelidae) Synonym(s): *pratensis* Panzer,1794
 4319) *Longitarsus quadriguttatus* (Pontoppidan,1765) (Chrysomelidae) Synonym(s): *quadriguttatus* Pontoppidan,1765
 4320) *Longitarsus rectilineatus* (Foudras,1860) (Chrysomelidae) Synonym(s): *rectilineatus* Foudras,1860
 4321) *Longitarsus reichei* (Allard,1860) (Chrysomelidae) Synonym(s): *reichei* Allard,1860
 4322) *Longitarsus salviae* Gruev,1975 (Chrysomelidae) Synonym(s): *salviae* Gruev,1975
 4323) *Longitarsus scutellaris* (Rey,1874) (Chrysomelidae) Synonym(s): *scutellaris* Rey,1874
 4324) *Longitarsus succineus* (Foudras,1860) (Chrysomelidae) Synonym(s): *succineus* Foudras,1860
 4325) *Longitarsus tabidus* (Fabricius,1775) (Chrysomelidae) Synonym(s): *tabidus* Fabricius,1775
 4326) *Longitarsus trepidus* Warchalowski,1973 (Chrysomelidae) Synonym(s): *trepidus* Warchalowski,1973
 4327) *Longitarsus violentus* Weise,1893 (Chrysomelidae) Synonym(s): *violentus* Weise,1893
 4328) *Lophyridia caucasica* (Adams,1817) (Carabidae) Synonym(s): *caucasica* Adams,1817
 4329) *Lophyridia fischeri* (Adams,1817) (Carabidae) Synonym(s): *fischeri* Adams,1817
 4330) *Loscopia scolopacina* (Esper,1788) (Noctuidae) Synonym(s): *scolopacina* Esper,1788
 4331) *Loxocera aristata* (Panzer,1801) (Psilidae) Synonym(s): *aristata* Panzer,1801
 4332) *Loxostege clathralis* (Hübner,[1813]) (Pyralidae) Synonym(s): *clathralis* (Hübner,[1813]); *comptalis* Lederer,1855 nec Frr.,[1848]; *#nivalis* Caradja,1916
 4333) *Loxostege sticticalis* (Linnaeus,1761) (Pyralidae) Synonym(s): *lupulina* Clerk,1759 nec Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811
 4334) *Lozotaenia djakonovi* Danilevsky,1963 (Tortricidae) Synonym(s): *djakonovi* Danilevsky,1963
 4335) *Lucanus* (s.str.) *cervus* (Linnaeus,1758) (Lucanidae) Synonym(s): *cervus* Linnaeus,1758; *capreolus* Fuessly,1775 nec Linn.,1758; *dorcas* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis* Marsham,1802; *grandis* Haworth,1807; *microcephalus* Mulsant,1842; *lusitanicus* Hope & Westwood,1845
 4336) *Lucanus* (s.str.) *ibericus* Motschoulsky,1845 (Lucanidae) Synonym(s): *ibericus* Motschoulsky,1845; *curtulus* Motschoulsky,1845; *barbarossa* Burmeister,1847 nec Fabr.,1801; *minor* Burmeister,1847; *orientalis* Kraatz,1860; *piger* Motschoulsky,1870; *syriacus* Motschoulsky,1870; *tenebrosus* Motschoulsky,1870; *intermedius* Motschoulsky,1870; *caspica* Semenov,1901; *ravasinii* Schatzmayr,1923; *#hibericus* Sabatinelli,1977
 4337) *Luciola lusitanica* (Charpentier,1825) (Lampyridae) Synonym(s): *italica* Olivier,1790 nec Linn.,1767; *lusitanica* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrelia* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969
 4338) *Luperina diversa* (Staudinger,1892) (Noctuidae) Synonym(s): *diversa* Staudinger,1892; *indistincta* Rebel,1933
 4339) *Luperina dumerilii* (Duponchel,1826) (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826
 4340) *Luperina rjabovi* (Kljutschko,1967) (Noctuidae) Synonym(s): *rjabovi* Kljutschko,1967
 4341) *Luperina taurica* (Kljutschko,1967) (Noctuidae) Synonym(s): *taurica* Kljutschko,1967
 4342) *Luperina testacea* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *testacea* [Denis & Schiffermüller],1775
 4343) *Luperina zollikoferi* (Freyer,1836) (Noctuidae) Synonym(s): *zollikoferi* Freyer,1836
 4344) *Luperus armeniacus* Kiesenwetter,1878 (Chrysomelidae) Synonym(s): *armeniacus* Kiesenwetter,1878
 4345) *Luperus caucasicus* Weise,1879 (Chrysomelidae) Synonym(s): *caucasicus* Weise,1879
 4346) *Luperus discolor* Faldermann,1837 (Chrysomelidae) Synonym(s): *discolor* Faldermann,1837
 4347) *Luperus floralis* Faldermann,1837 (Chrysomelidae) Synonym(s): *floralis* Faldermann,1837
 4348) *Luperus margaritae* Lopatin,1990 (Chrysomelidae) Synonym(s): *margaritae* Lopatin,1990
 4349) *Luperus orientalis* Faldermann,1837 (Chrysomelidae) Synonym(s): *orientalis* Faldermann,1837
 4350) *Luperus perlucidus* Khnzorian,1956 (Chrysomelidae) Synonym(s): *perlucidus* Khnzorian,1956
 4351) *Luquetia abchasiella* Lvovsky,1995 (Oecophoridae) Synonym(s): *abchasiella* Lvovsky,1995
 4352) *Lycaena* (Alciphronia) *alciphron* (Rottemburg,1775) (Lycaenidae) Synonym(s): *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787.
 4353) *Lycaena* (Helleia) *helle* ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *helle* [Denis & Schiffermüller],1775; *amphidamas* Esper,1781; *xanthe* Lang,1789 nec [Denis & Schiffermüller],1775.
 4354) *Lycaena* (Heodes) *virgaureae* (Linnaeus,1758) (Lycaenidae) Synonym(s): *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balkanicola* Graves,1928.
 4355) *Lycaena* (Loweia) *tityrus* (Poda,1761) (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acirion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.
 4356) *Lycaena* (Palaeochrysophanus) *candens* (Herrich-Schäffer,[1845]) (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer,[1845]
 4357) *Lycaena* (Phoenicurusia) *japhetica* (Nekrutenko & Effendi,1983) (Lycaenidae) Synonym(s): *japhetica* Nekrutenko & Effendi,1983
 4358) *Lycaena* (Phoenicurusia) *melicertes* Nekrutenko,1985 (Lycaenidae) Synonym(s): *melicertes* Nekrutenko,1985
 4359) *Lycaena* (Phoenicurusia) *phoenicurus* (Lederer,1870) (Lycaenidae) Synonym(s): *phoenicurus* Lederer,1870; *transcaucasica* Miller,1923
 4360) *Lycaena* (s.str.) *phlaeas* (Linnaeus,1761) (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853

- 4361) *Lycaena (Thersamonia) asabinus* (Gerhard,[1850])** (Lycaenidae) Synonym(s): *#helius* Herrich-Schäffer,[1851]; *asabinus* Herrich-Schäffer,[1852].
- 4362) *Lycaena (Thersamonia) kefersteinii* (Gerhard,[1850])** (Lycaenidae) Synonym(s): *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852].
- 4363) *Lycaena (Thersamonia) thersamon* (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.
- 4364) *Lycaena (Thersamonia) thetis* (Klug,1834)** (Lycaenidae) Synonym(s): *thetis* Klug,1834.
- 4365) *Lycia incisarius* (Lederer,1870)** (Geometridae) Synonym(s): *incisarius* Lederer,1870
- 4366) *Lycia zonaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *zonaria* [Denis & Schiffermüller],1775; *zona* Fabricius,1787
- 4367) *Lyciella decipiens* (Loew,1847)** (Lauaxaniidae) Synonym(s): *decipiens* Loew,1847
- 4368) *Lyciella nigripalpis* (Czerny,1932)** (Lauaxaniidae) Synonym(s): *nigripalpis* Czerny,1932
- 4369) *Lyciella rorida* (Fallén,1820)** (Lauaxaniidae) Synonym(s): *rorida* Fallén,1820
- 4370) *Lycophorus tischendorfi* (Püngeler,1915)** (Noctuidae) Synonym(s): *tischendorfi* Püngeler,1915 (nec 1925!); *flagrans* Püngeler,1925; *libanotica* Corti & Draudt,1933.
- 4371) *Lycophorus villosus* (Alpheraky,1887)** (Noctuidae) Synonym(s): *villosus* Alpheraky,1887; *benigna* Corti,1926
- 4372) *Lycophotia porphyrea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *porphyrea* [Denis & Schiffermüller],1775; *lepida* Esper,1786 nec Cr.,[1779]; *strigula* Thunberg,1788 (praeocc.); *varia* Villers,1789; *concinna* Esper,1790; *picta* Fabricius,1794; *arnicae* Fabricius,1794; *ericae* Donovan,1801 (praeocc.); *marmorea* Graslin,1863
- 4373) *Lyctus pubescens* Panzer,1793** (Bostrichidae) Synonym(s): *pubescens* Panzer,1793 ; *bicolor* Comolli,1837; *caucasicus* Tournier,1874
- 4374) *Lydus unicolor* Reitter,1887** (Meloidae) Synonym(s): *unicolor* Reitter,1887; *halbhuberi* Escherich,1896
- 4375) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatus* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *erythropterum* Puton,1876 [ssp.]; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 4376) *Lygaeus equestris* (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758; *speciosus* Poda,1761; *punctulatum* Pollich,1781; *lactans* Horvath,1899; *sicilianus* Wagner,1954
- 4377) *Lygaeus simulans* Deckert,1985** (Lygaeidae) Synonym(s): *simulans* Deckert,1985
- 4378) *Lygephila* (s.str.) *cracca* (Fabricius,1787)** (Noctuidae) Synonym(s): *#cracca* [Denis & Schiffermüller],1775; *cracca* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#cracca* Hacker & Kautt,1999.
- 4379) *Lygephila* (s.str.) *lubrica* (Freyer,1842)** (Noctuidae) Synonym(s): *lubrica* Freyer,1842
- 4380) *Lygephila* (s.str.) *ludicra* (Hübner,1790)** (Noctuidae) Synonym(s): *ludicra* Hübner,1790
- 4381) *Lygephila* (s.str.) *lusoria* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758; *orobi* Duponchel,1821; *lathyri* Boisduval,[1828]
- 4382) *Lygephila* (s.str.) *pastinum* (Treitschke,1826)** (Noctuidae) Synonym(s): *pastinum* Treitschke,1826; *astragali* Herrich-Schäffer,1851; *dilutior* Staudinger,1892.
- 4383) *Lygephila* (s.str.) *subpicata* Wiltshire,1971** (Noctuidae) Synonym(s): *subpicata* Wiltshire,1971
- 4384) *Lygephila* (s.str.) *viciae* (Hübner,[1822])** (Noctuidae) Synonym(s): *viciae* Hübner,[1822]; *coronillae* Herrich-Schäffer,1851; *stigmata* Wileman,1911; *violaceogrisea* Draudt,1950
- 4385) *Lymantria dispar* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926
- 4386) *Lymantria monacha* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *monacha* Linnaeus,1758; *heteroclitia* Müller,1764; *chosenibia* Bryk,1949; *matuta* Bryk,1949; *idae* Bryk,1949
- 4387) *Lyonetia clerkella* (Linnaeus,1758)** (Lyonetiidae) Synonym(s): *clerkella* Linnaeus,1758; *penicilla* Borkhausen,1794; *cerasifoliella* Hübner,1796; *malifoliella* Hübner,1796; *malella* Schrank,1802; *autumnella* Curtis,1829; *unipunctella* Stephens,1829; *semiaurella* Stephens,1829; *nivella* Stephens,1829; *aereella* Treitschke,1833; *phrynella* Costa,[1836]; *fonscolombella* Duponchel,[1840]; *magnimaculella* Bruand,1859
- 4388) *Lyristes plebejus* (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955
- 4389) *Lythria purpuraria* (Linnaeus,1758)** (Geometridae) Synonym(s): *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767
- 4390) *Lytta vesicatoria* (Linnaeus,1758)** (Meloidae) Synonym(s): *vesicatoria* Linnaeus,1758
- 4391) *Macaria liturata* (Linnaeus,1761)** (Geometridae) Synonym(s): *#liturata* Clerck,1759; *liturata* Linnaeus,1761; *igneata* Hufnagel,1767; *fuscata* Thunberg,1788; *liturataria* Esper,[1801]; *lituraria* Hübner,[1823]
- 4392) *Macaria notata* (Linnaeus,1758)** (Geometridae) Synonym(s): *notata* Linnaeus,1758; *notataria* [Denis & Schiffermüller],1775; *hieroglyphica* Fourcroy,1785; *notaria* Morris,1861
- 4393) *Macaria wauaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Vill.,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809.
- 4394) *Maccevethus lineolus* (Fabricius,1787)** (Rhopalidae) Synonym(s): *lineolus* Fabricius,1787
- 4395) *Macdunnoughia confusa* (Stephens,1850)** (Noctuidae) Synonym(s): *confusa* Stephens,1850; *gutta* Guenée,1852.
- 4396) *Machimus annulipes* (Brullé,1832)** (Asilidae) Synonym(s): *annulipes* Brullé,1832; *basalis* Loew,1849; *cerdo* Gerstaecker,1861
- 4397) *Machimus cingulatus* (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781
- 4398) *Macquartia chalconota* (Meigen,1824)** (Tachinidae) Synonym(s): *chalconota* Meigen,1824; *germanica* R-D.,1830; *major* Schiner,1862
- 4399) *Macquartia praefica* (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824; *microcera* R-D.,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra* R-D.,1863; *spinicincta* Meade,1891; *echinalis* Pandelle,1895; *fuscicularis* Pandelle,1895; *#praefica* Kara,1999
- 4400) *Macquartia tenebricosa* (Meigen,1824)** (Tachinidae) Synonym(s): *tenebricosa* Meigen,1824; *tristis* Meigen,1824; *nitida* R-D.,1830; *fumata* Zetterstedt,1844; *rufipalpis* Macquart,1854; *umbrosa* Zetterstedt,1859; *affinis* Schiner,1862; *carbonaria* R-D.,1863; *laeta* R-D.,1863; *villica* R-D.,1863; *clausicella* Rondani,1865
- 4401) *Macquartia tessellum* (Meigen,1824)** (Tachinidae) Synonym(s): *tessellum* Meigen,1824; *brevicornis* Macquart,1839; *occlusa* Rondani,1859; *brunusquamis* R-D.,1863; *microcera* R-D.,1863; *olivaceomaculata* Porthinsky,1881; *genistae* Pandelle,1895
- 4402) *Macrochilo cribrumalis* (Hübner,1793)** (Noctuidae) Synonym(s): *cribrumalis* Hübner,1793
- 4403) *MacroGLOSSUM stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.

- 4404) **Macroglossum stellatarum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 4405) **Macromyrme binotata (Radoszkowski,1879)** (Mutillidae) Synonym(s): *binotata* Radoszkowski,1879; *araratica* Radoszkowski,1890
- 4406) **Macronemurus bilineatus Brauer,1868** (Myrmeleonidae) Synonym(s): *bilineatus* Brauer,1868
- 4407) **Macronychia (Moschusa) polyodon (Meigen,1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen,1824; *trifaria* R-D.,1863; *villana* R-D.,1863; *sylvestris* Rondani,1865
- 4408) **Macronychia (s.str.) striginervis (Zetterstedt,1838)** (Sarcophagidae) Synonym(s): *striginervis* Zetterstedt,1838
- 4409) **Macrophya ottomana Mocsary,1881** (Tenthredinidae) Synonym(s): *ottomana* Mocsary,1881
- 4410) **Macropsidius araxes Dlabola,1961** (Cicadellidae) Synonym(s): *araxes* Dlabola,1961
- 4411) **Macropsidius dispar (Fieber,1868)** (Cicadellidae) Synonym(s): *dispar* Fieber,1868
- 4412) **Macropsidius valiturus Dlabola,1963** (Cicadellidae) Synonym(s): *valiturus* Dlabola,1963
- 4413) **Macropsis acrotica Dlabola,1967** (Cicadellidae) Synonym(s): *acrotica* Dlabola,1967
- 4414) **Macropsis castanicolor Dlabola,1958** (Cicadellidae) Synonym(s): *castanicolor* Dlabola,1958
- 4415) **Macropsis glandacea (Fieber,1868)** (Cicadellidae) Synonym(s): *glandacea* Fieber,1868; *viridiceps* Wagner,1941
- 4416) **Macropsis graminea (Fabricius,1798)** (Cicadellidae) Synonym(s): *graminea* Fabricius,1798; *populi* Edwards,1919
- 4417) **Macropsis megerlei (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata* Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926
- 4418) **Macropsis viridinervis Wagner,1950** (Cicadellidae) Synonym(s): *viridinervis* Wagner,1950
- 4419) **Macrorchis meditata (Fallén,1825)** (Muscidae) Synonym(s): *meditata* Fallén,1825
- 4420) **Macrorileya inopinata (Silvestri,1920)** (Eurytomidae) Synonym(s): *inopinata* Silvestri,1920
- 4421) **Macroscytus brunneus (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919
- 4422) **Macrosiphum dzhibladzeae Barjadze,2010** (Aphididae) Synonym(s): *dzhibladzeae* Barjadze,2010
- 4423) **Macrosteles fieberi (Edwards,1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber,1885 *nec* Scdt.,1875; *fieberi* Edwards,1889
- 4424) **Macrosteles laevis (Ribaut,1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1927; *mannerheimi* Kontkanen,1935; *nubila* Ossiannilsson,1936
- 4425) **Macrosteles quadripunctulatus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum,1868; *ramigera* Zachvatkin,1933
- 4426) **Macrosteles sexnotatus (Fallén,1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén,1806; *devastans* Guérin-Méneville,1852; *didymus* Mulsant & Rey,1855; *diminuta* Lethierry,1876; *binotata* Rey,1894; *submaculata* Rey,1894
- 4427) **Macrothylacia rubi (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *rubi* Linnaeus,1758
- 4428) **Malachius aeneus (Linnaeus,1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus,1758
- 4429) **Malachius armeniacus Ménétériés,1832** (Melyridae) Synonym(s): *armeniaceus* Ménétériés,1832
- 4430) **Malachius faldermanni Faldermann,1836** (Melyridae) Synonym(s): *faldermanni* Faldermann,1836
- 4431) **Malachius labiatus Brullé,1832** (Melyridae) Synonym(s): *labiatus* Brullé,1832
- 4432) **Malachius vittatus Ménétériés,1832** (Melyridae) Synonym(s): *vittatus* Ménétériés,1832
- 4433) **Malachohela remota (Kieffer,1919)** (Ceratopogonidae) Synonym(s): *remota* Kieffer,1919; *dimidiata* Kieffer,1921; *bulgarica* Zilahi-Sebess,1934
- 4434) **Malacosoma alpicola Staudinger,1870** /**primum Staudinger,1887** (Lasiocampidae) Synonym(s): *alpicola* Staudinger,1870
- 4435) **Malacosoma castrensis (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *castrensis* Linnaeus,1758; *ksiezopolskii* Sheljuzhko,1943
- 4436) **Malacosoma franconicum ([Denis & Schiffermüller],1775)** /**prima Staudinger,1887** (Lasiocampidae) Synonym(s): *#franconica* [Denis & Schiffermüller],1775; *grandiella* Boisduval,1840
- 4437) **Malacosoma neustrium (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrtilli,1787; *bilineatus* Haworth,1803
- 4438) **Malacosoma paralellum Staudinger,1887** (Lasiocampidae) Synonym(s): *paralellum* Staudinger,1887
- 4439) **Malacosoma squalorum Zolotuhin,1994** (Lasiocampidae) Synonym(s): *squalorum* Zolotuhin,1994
- 4440) **Maladera (Aserica) castanea Arrow,1913** (Scarabaeidae) Synonym(s): *castanea* Arrow,1913
- 4441) **Maladera (Macroserica) punctatissima (Faldermann,1835)** (Scarabaeidae) Synonym(s): *punctatissima* Faldermann,1835
- 4442) **Maladera (s.str.) holosericea (Scopoli,1772)** (Scarabaeidae) Synonym(s): *holosericea* Scopoli,1772
- 4443) **Malenia bosnica (Horvath,1907)** (Derbidae) Synonym(s): *bosnica* Horvath,1907; *turanica* Anufriev,1966
- 4444) **Malenia sarmatica Anufriev,1966** (Derbidae) Synonym(s): *sarmatica* Anufriev,1966
- 4445) **Malthinus alicae Svihla,1990** (Cantharidae) Synonym(s): *aliceae* Svihla,1990
- 4446) **Malthinus evidentissimus Wittmer,1974** (Cantharidae) Synonym(s): *evidentissimus* Wittmer,1974
- 4447) **Malthinus flaveoloides Svihla,1997** (Cantharidae) Synonym(s): *flaveoloides* Svihla,1997
- 4448) **Mamestra brassicae (Linnaeus,1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889.
- 4449) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) Synonym(s): *jurtina* Linnaeus,1758; *janira* Linnaeus,1758; *lemur* Schrank,1801.
- 4450) **Mantis religiosa (Linnaeus,1758)** (Mantidae) Synonym(s): *religiosa* Linnaeus,1758
- 4451) **Mantispa aphavexelte U.Aspöck & H.Aspöck,1994** (Mantispidae) Synonym(s): *aphavexelte* U.Aspöck & H.Aspöck,1994; *#aphavexelte* Dobosz,2007
- 4452) **Mantispa lobata Navas,1912** (Mantispidae) Synonym(s): *adelungi* Navas,1912; *mandrina* Navas,1914
- 4453) **Mantispa scabricollis McLachlan,1875** (Mantispidae) Synonym(s): *scabricollis* McLachlan,1875; *?minuta* Kozhantshikov,1949; *caucasica* Handschin,1959
- 4454) **Mantispa styriaca (Poda,1761)** (Mantispidae) Synonym(s): *styriaca* Poda,1761; *pagana* Fabricius,1775; *hauseri* Poivre,1982
- 4455) **Mantura rustica (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *rustica* Linnaeus,1767
- 4456) **Manulea (s.str.) complana (Linnaeus,1758)** (Arctiidae) Synonym(s): *complana* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balkanica* Daniel,1939.
- 4457) **Manulea (s.str.) costalis (Zeller,1847)** (Arctiidae) Synonym(s): *#morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847
- 4458) **Manulea (s.str.) lutarella (Linnaeus,1758)** (Arctiidae) Synonym(s): *lutarella* Linnaeus,1758; *luteola* [Denis & Schiffermüller],1775; *albiflava* Retzius,1783; *flava* Fabricius,1798; *lutea* Fabricius,1798 *nec* Fabr.,1775

- 4459) **Manulea (s.str.) palliatella (Scopoli,1763)** (Arctiidae) **Synonym(s):** *palliatella* Scopoli,1763; *unita* [Denis & Schiffermüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866.
- 4460) **Manulea (s.str.) pseudocomplana (Daniel,1939)** (Arctiidae) **Synonym(s):** *pseudocomplana* Daniel,1939
- 4461) **Manulea (s.str.) pygmaeola (Doubleday,1847)** (Arctiidae) **Synonym(s):** *pygmaeolum* Doubleday,1847
- 4462) **Marasmarcha cinnamomea (Staudinger,1870)** (Pterophoridae) **Synonym(s):** *cinnamomea* Staudinger,1870; *glycyrrhizae* Zagulyaev,1969.
- 4463) **Margelana flavidior Wagner,1831** (Noctuidae) **Synonym(s):** *flavidior* Wagner,1831
- 4464) **Mariobezzia armeniaca Zaitzev,1966** (Bombyliidae) **Synonym(s):** *armeniaca* Zaitzev,1966
- 4465) **Marumba quercus ([Denis & Schiffermüller],1775)** (Sphingidae) **Synonym(s):** *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescent* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973.
- 4466) **Mecostethus parapleurus (Hagenbach,1822)** (Acrididae) **Synonym(s):** *parapleurus* Hagenbach,1822; *alliaceus* Germar,1825; *typus* Fischer,1853; *fastigiatus* Rehn,1902
- 4467) **Mecyna amasialis (Staudinger,1879)** (Pyralidae) **Synonym(s):** *amasialis* Staudinger,1879
- 4468) **Mecyna subsequalis (Herrich-Schäffer,1851)** (Pyralidae) **Synonym(s):** *subsequalis* Herrich-Schäffer,1851; *consequens* Meyrick,1932.
- 4469) **Mecyna trinalis ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *trinalis* [Denis & Schiffermüller],1775
- 4470) **Medecticus assimilis (Fieber,1853)** (Tettigoniidae) **Synonym(s):** *assimilis* Fieber,1853; *syriacus* Fieber,1853; *#minutus* Kaltenbach,1974
- 4471) **Medetera abstrusa Thuneberg,1955** (Dolichopodidae) **Synonym(s):** *apicalis* Collin,1941 *nec* Zetter.,1843; *abstrusa* Thuneberg,1955
- 4472) **Medetera ambigua (Zetterstedt,1843)** (Dolichopodidae) **Synonym(s):** *ambigua* Zetterstedt,1843
- 4473) **Medetera apicalis (Zetterstedt,1843)** (Dolichopodidae) **Synonym(s):** *apicalis* Zetterstedt,1843; *orbiculata* Van Duzee,1932
- 4474) **Medetera armeniaca Negrobov,1972** (Dolichopodidae) **Synonym(s):** *armeniaca* Negrobov,1972
- 4475) **Medetera bisecta Negrobov,1967** (Dolichopodidae) **Synonym(s):** *bisecta* Negrobov,1967
- 4476) **Medetera bispinosa Negrobov,1967** (Dolichopodidae) **Synonym(s):** *bispinosa* Negrobov,1967
- 4477) **Medetera collarti Negrobov,1967** (Dolichopodidae) **Synonym(s):** *collarti* Negrobov,1967
- 4478) **Medetera diadema (Linnaeus,1767)** (Dolichopodidae) **Synonym(s):** *diadema* Linnaeus,1767; *rostrata* Fabricius,1775; *carnivora* Fischer von Waldheim,1819; *aeneivittata* Macquart,1827; *ehrenbergi* Becker,1923
- 4479) **Medetera fasciata Frey,1915** (Dolichopodidae) **Synonym(s):** *fasciata* Frey,1915
- 4480) **Medetera feminina Negrobov,1967** (Dolichopodidae) **Synonym(s):** *feminina* Negrobov,1967
- 4481) **Medetera flavipes Meigen,1824** (Dolichopodidae) **Synonym(s):** *flavipes* Meigen,1824; *insignis* Girschner,1888
- 4482) **Medetera glauca Loew,1869** (Dolichopodidae) **Synonym(s):** *glauca* Loew,1869
- 4483) **Medetera gracilicauda Parent,1927** (Dolichopodidae) **Synonym(s):** *gracilicauda* Parent,1927
- 4484) **Medetera impigra Collin,1941** (Dolichopodidae) **Synonym(s):** *impigra* Collin,1941
- 4485) **Medetera impigra Collin,1941** (Dolichopodidae) **Synonym(s):** *impigra* Collin,1941
- 4486) **Medetera inispissata (Collin,1952)** (Dolichopodidae) **Synonym(s):** *incrassatus* Collin,1941 *nec* Fr.,1909; *inispissata* Collin,1952
- 4487) **Medetera jacula (Fallén,1823)** (Dolichopodidae) **Synonym(s):** *jacula* Fallén,1823; *nigricans* Meigen,1824; *meridionalis* Negrobov,1967; *armeniaca* Negrobov,1972
- 4488) **Medetera jugalis Collin,1941** (Dolichopodidae) **Synonym(s):** *jugalis* Collin,1941
- 4489) **Medetera magius (Loew,1845)** (Dolichopodidae) **Synonym(s):** *magius* Loew,1845
- 4490) **Medetera micacea Loew,1857** (Dolichopodidae) **Synonym(s):** *micacea* Loew,1857; *acuta* Negrobov,1966
- 4491) **Medetera mixta Negrobov,1967** (Dolichopodidae) **Synonym(s):** *mixta* Negrobov,1967
- 4492) **Medetera muralis Meigen,1824** (Dolichopodidae) **Synonym(s):** *muralis* Meigen,1824; *melanopleura* Loew,1857; *tertia* Becker,1917; *belgica* Parent,1936; *peloria* Negrobov,1967; *kowarzi* Negrobov,1972; *miki* Negrobov,1972
- 4493) **Medetera murina Becker,1917** (Dolichopodidae) **Synonym(s):** *murina* Becker,1917; *brolemanni* Parent,1927; *cryophorus* Ségué,1963
- 4494) **Medetera obesa Kowarz,1877** (Dolichopodidae) **Synonym(s):** *obesa* Kowarz,1877
- 4495) **Medetera pallens Negrobov,1967** (Dolichopodidae) **Synonym(s):** *pallens* Negrobov,1967
- 4496) **Medetera pallipes (Zetterstedt,1843)** (Dolichopodidae) **Synonym(s):** *pallipes* Zetterstedt,1843; *dendrophila* Bezzi,1903
- 4497) **Medetera parenti Stackelberg,1925** (Dolichopodidae) **Synonym(s):** *parenti* Stackelberg,1925
- 4498) **Medetera petrophila (Kowarz,1877)** (Dolichopodidae) **Synonym(s):** *petrophila* Kowarz,1877; *petrophiloides* Parent,1925
- 4499) **Medetera pinicola (Kowarz,1877)** (Dolichopodidae) **Synonym(s):** *pinicola* Kowarz,1877; *nuortevai* Thuneberg,1955; *piceae* Öman,1997
- 4500) **Medetera plumbella (Meigen,1824)** (Dolichopodidae) **Synonym(s):** *plumbella* Meigen,1824; *minuta* Zetterstedt,1843
- 4501) **Medetera pseudoapicalis Thuneberg,1955** (Dolichopodidae) **Synonym(s):** *pseudoapicalis* Thuneberg,1955
- 4502) **Medetera relictata Negrobov,1967** (Dolichopodidae) **Synonym(s):** *relictata* Negrobov,1967
- 4503) **Medetera seguyi Parent,1926** (Dolichopodidae) **Synonym(s):** *seguyi* Parent,1926
- 4504) **Medetera signaticornis Loew,1857** (Dolichopodidae) **Synonym(s):** *signaticornis* Loew,1857; *subglauca* Becker,1917
- 4505) **Medetera striata Parent,1927** (Dolichopodidae) **Synonym(s):** *striata* Parent,1927
- 4506) **Medetera tenuicauda Loew,1857** (Dolichopodidae) **Synonym(s):** *tenuicauda* Loew,1857
- 4507) **Medetera truncorum Meigen,1824** (Dolichopodidae) **Synonym(s):** *truncorum* Meigen,1824; *tenuicauda* sensu Negrob.,1972 *nec* Lw.,1857
- 4508) **Medetera tumidula Negrobov,1967** (Dolichopodidae) **Synonym(s):** *tumidula* Negrobov,1967
- 4509) **Medetera verae Negrobov,1967** (Dolichopodidae) **Synonym(s):** *verae* Negrobov,1967
- 4510) **Meenoplus albosignatus Fieber,1866** (Meenoplidae) **Synonym(s):** *albosignatus* Fieber,1866
- 4511) **Megachile (Eutricharaea) apicalis Spinola,1808** (Megachilidae) **Synonym(s):** *apicalis* Spinola,1808
- 4512) **Megachile (Eutricharaea) deceptoría Pérez,1890** (Megachilidae) **Synonym(s):** *deceptoría* Pérez,1890
- 4513) **Megachile (Eutricharaea) pilidens Alfken,1924** (Megachilidae) **Synonym(s):** *pilidens* Alfken,1924
- 4514) **Megachile (Eutricharaea) rotundata (Fabricius,1787)** (Megachilidae) **Synonym(s):** *rotundata* Fabricius,1787
- 4515) **Megachile (s.str.) pilicrus Morawitz,1878** (Megachilidae) **Synonym(s):** *pilicrus* Morawitz,1878
- 4516) **Megachile (s.str.) pyrenaea Pérez,1890** (Megachilidae) **Synonym(s):** *pyrenaea* Pérez,1890
- 4517) **Megachile (Xanthosarus) lagopoda (Linnaeus,1761)** (Megachilidae) **Synonym(s):** *lagopoda* Linnaeus,1761
- 4518) **Megachile (Xanthosarus) maritima (Kirby,1802)** (Megachilidae) **Synonym(s):** *maritima* Kirby,1802
- 4519) **Megacraspedus argyreneurellus Staudinger,1876** (Gelechiidae) **Synonym(s):** *argyreneurellus* Staudinger,1876

- 4520) **Megacraspedus separatellus (Fischer v. Röslerstamm,1843)** (Gelechiidae) Synonym(s): *separatellus* Fischer v. Röslerstamm,1843
- 4521) **Megalodes eximia (Freyer,1845)** (Noctuidae) Synonym(s): *eximia* Freyer,1845
- 4522) **Megalodontes eversmanni (Freymuth,1870)** (Megalodontesidae) Synonym(s): *eversmanni* Freymuth,1870; *loewii* Stein,1876; *multicincta* Mocsary,1891
- 4523) **Megalodontes flabellicornis Germar,1817** (Megalodontesidae) Synonym(s): *flabellicornis* Germar,1817; *exornatus* Zaddach,1866; *coronatus* Zaddach,1866; *albicincta* Stein,1876; *speciosus* Mocsary,1877
- 4524) **Megalodontes flavicornis Klug,1824** (Megalodontesidae) Synonym(s): *flavicornis* Klug,1824
- 4525) **Megalodontes medius Konow,1897** (Megalodontesidae) Synonym(s): *medius* Konow,1897
- 4526) **Megalodontes olivieri (Brullé,1846)** (Megalodontesidae) Synonym(s): *olivieri* Brullé,1846
- 4527) **Megalodontes phaenicius (Lepeletier,1823)** (Megalodontesidae) Synonym(s): *phoenicius* Lepeletier,1823; *caucasicus* André,1881; *imperialis* Konow,1897; *kohli* Konow,1897
- 4528) **Megalodontes plagioccephalus (Fabricius,1804)** (Megalodontesidae) Synonym(s): *plagioccephalus* Fabricius,1804; *flabellata* Eversmann,1847; *latialis* Manzone,1893; *aquilus* Konow,1902; *nigritegulis* Konow,1904; *xanthocerus* Gussakovski,1935
- 4529) **Megalodontes reitteri (Konow,1894)** (Megalodontesidae) Synonym(s): *reitteri* Konow,1894
- 4530) **Megalonotus colon Puton,1874** (Lygaeidae) Synonym(s): *colon* Puton,1874
- 4531) **Megalonotus dilatatus (Herrich-Schäffer,1840)** (Lygaeidae) Synonym(s): *dilatatus* Herrich-Schäffer,1840; *obscurus* Mulsant & Rey,1852
- 4532) **Megalonotus lederi (Horvath,1880)** (Lygaeidae) Synonym(s): *lederi* Horvath,1880
- 4533) **Megalonotus maximus (Puton,1895)** (Lygaeidae) Synonym(s): *maximus* Puton,1895
- 4534) **Megalophanes viciella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977
- 4535) **Megalotomus ornaticeps (Stal,1858)** (Alydidae) Synonym(s): *ornaticeps* Stal,1858
- 4536) **Megalycinia scalaria (Christoph,1893)** (Geometridae) Synonym(s): *scalaria* Christoph,1893
- 4537) **Megamelus notula (Germar,1830)** (Delphacidae) Synonym(s): *notula* Germar,1830; *truncatipennis* Boheman,1847; *brevifrons* Reuter,1880; *fuscus* Metcalf,1943; *pallidus* Metcalf,1943
- 4538) **Meganephria bimaculosa (Linnaeus,1767)** (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804].
- 4539) **Megasis mimeticella (Staudinger,1879)** (Pyralidae) Synonym(s): *mimeticella* Staudinger,1879; *tolli* Amsel,1953.
- 4540) **Megasis rippertella (Zeller,1839)** (Pyralidae) Synonym(s): *rippertella* Zeller,1839
- 4541) **Megaspilates mundataria (Stoll,1782)** (Geometridae) Synonym(s): *mundataria* Stoll,1782
- 4542) **Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795
- 4543) **Megastigmus rosae Boucek,1971** (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus* Zerova & Seregina,1994
- 4544) **Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis* Edwards,1915
- 4545) **Melanagromyza heracleana Zlobin,2005** (Agromyzidae) Synonym(s): *heracleana* Zlobin,2005
- 4546) **Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) Synonym(s): *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]; *varalauko* Korb,2005
- 4547) **Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) Synonym(s): *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmediensis* Derenne,1926; *xanthonica* Varin,1948.
- 4548) **Melanargia (Turcargia) hylata (Ménétriés,1832)** (Satyridae) Synonym(s): *hylata* Ménétriés,1832
- 4549) **Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) Synonym(s): *larissa* Geyer,[1828].
- 4550) **Melanargia (Turcargia) teneates (Ménétriés,1832)** (Satyridae) Synonym(s): *teneates* Ménétriés,1832
- 4551) **Melanchra persicariae (Linnaeus,1761)** (Noctuidae) Synonym(s): *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,[1788].
- 4552) **Melanchra pisi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoii* Agenjo,1945.
- 4553) **Melanocoryphus albomaculatus (Goeze,1778)** (Lygaeidae) Synonym(s): *albomaculatus* Goeze,1778; *ventralis* Kolenati,1845
- 4554) **Melanogryllus desertus (Pallas,1771)** (Gryllidae) Synonym(s): *desertus* Pallas,1771; *melas* Charpentier,1825; *tristis* Audinet-Serville,1838; *agricola* Rambur,1838; *alata* Ramme,1921
- 4555) **Melanosoma bicolor (Meigen,1824)** (Conopidae) Synonym(s): *bicolor* Meigen,1824; *nigrum* Meigen,1824; *nupta* Rondani,1857; *fraternum* Kröber,1915; *flaviventris* Belanovsky,1954
- 4556) **Melanosoma pallipes (Meigen,1824)** (Conopidae) Synonym(s): *pallipes* Meigen,1824
- 4557) **Melanosoma scalare (Fabricius,1794)** (Syrphidae) Synonym(s): *scalare* Fabricius,1794
- 4558) **Melanotus (s.str.) brunnipes (Germar,1824)** (Elateridae) Synonym(s): *brunnipes* Germar,1824
- 4559) **Melanotus (s.str.) monticola (Ménétriés,1832)** (Elateridae) Synonym(s): *monticola* Ménétriés,1832
- 4560) **Melanotus (s.str.) sobrinus (Ménétriés,1832)** (Elateridae) Synonym(s): *sobrinus* Ménétriés,1832
- 4561) **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841
- 4562) **Melanthia procellata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *procellata* [Denis & Schiffermüller],1775; *? areolata* Fourcroy,1785; *procellaria* Boisduval,1840
- 4563) **Melecta luctuosa (Scopoli,1770)** (Apidae) Synonym(s): *luctuosa* Scopoli,1770
- 4564) **Meligeria parmensis Rondani,1869** (Ulidiidae) Synonym(s): *parmensis* Rondani,1869
- 4565) **Meligethes incanus Sturm,1845** (Nitidulidae) Synonym(s): *incanus* Sturm,1845
- 4566) **Meligethes maurus Sturm,1845** (Nitidulidae) Synonym(s): *maurus* Sturm,1845
- 4567) **Meligethes ovatus Sturm,1845** (Nitidulidae) Synonym(s): *ovatus* Sturm,1845
- 4568) **Meligethes umbrosus Sturm,1845** (Nitidulidae) Synonym(s): *umbrosus* Sturm,1845
- 4569) **Meligethes vomer Kirejtschuk,1978** (Nitidulidae) Synonym(s): *vomer* Kirejtschuk,1978
- 4570) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnidae) Synonym(s): *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropus* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783.
- 4571) **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnidae) Synonym(s): *punica* Oberthür,1876
- 4572) **Melitaea (Cinclidia) turkmanica Higgins,1940** (Argynnidae) Synonym(s): *turkmanica* Higgins,1940
- 4573) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidae) Synonym(s): *didyma* Esper,[1779]; *armoricana* Oberthür,1909.
- 4574) **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnidae) Synonym(s): *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803

- 4575) Melitaea (Didymaeformis) interrupta Kolenati,1846** (Argynnidae) Synonym(s): *interrupta* Kolenati,1846; *#transcaucasica* Turati,1919; *caucasica* Verity,1922; *venosata* Niesiolowsky,1937; *distinctissima* Bryk,1940; *musatscherii* Alberti,1969; *itkolensis* Alberti,1969.
- 4576) Melitaea (Didymaeformis) perseae Kollar,[1849]** (Argynnidae) Synonym(s): *perseae* Kollar,[1849]; *caucasica* Staudinger,1861; *magnacasta* Verity,1929; *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *causasicola* Bryk,1940; *hafiz* Higgins,1941; *gina* Higgins,1941; *darius* Gross & Ebert,1975; *pfeifferi* Gross & Ebert,1975 (*praeocc.*); *wernickei* Gross & Ebert,1975; *elbursicola* Gross & Ebert,1975; *safawides* Gross & Ebert,1975.
- 4577) Melitaea (Melicta) athalia (Rottemburg,1775)** (Argynnidae) Synonym(s): *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *anatolica* F.Wagner,1929; *subluciflua* Verity,1935; *mixtaceladussa* Verity,1940; *neglecta* Pfau,1962
- 4578) Melitaea (Melicta) aurelia (Nickerl,1850)** (Argynnidae) Synonym(s): *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920.
- 4579) Melitaea (Melicta) caucasogenita Verity,1930** (Argynnidae) Synonym(s): *caucasogenita* Verity,1930
- 4580) Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnidae) Synonym(s): *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844.
- 4581) Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791.
- 4582) Melitaea (s.str.) diamina (Lang,1789)** (Argynnidae) Synonym(s): *dictynna* Esper,1778 *nec* [Denis & Schiffermüller],1775; *diamina* Lang,1789; *magnaobscura* Verity,1931.
- 4583) Melitta budensis (Mocsary,1878)** (Melittidae) Synonym(s): *budensis* Mocsary,1878
- 4584) Melitta dimidiata Morawitz,1875** (Melittidae) Synonym(s): *dimidiata* Morawitz,1875; *robusta* Radoszkowski,1876; *hungaria* Mocsary,1883
- 4585) Melitta haemorrhoidalis (Fabricius,1775)** (Melittidae) Synonym(s): *haemorrhoidalis* Fabricius,1775; *dichroa* Gmelin,1790; *chrysura* Kirby,1802
- 4586) Melitta wankowiczi Radoszkowski,1891** (Melittidae) Synonym(s): *wankowiczi* Radoszkowski,1891
- 4587) Melitturga caucasica Morawitz,1878** (Andrenidae) Synonym(s): *caucasica* Morawitz,1878
- 4588) Melitturga clavicornis (Latreille,1806)** (Andrenidae) Synonym(s): *clavicornis* Latreille,1806
- 4589) Meloe (Anchomeloe) autumnalis (Olivier,1797)** (Meloidae) Synonym(s): *autumnalis* Olivier,1797
- 4590) Meloe (Coelomeloe) tuccius Rossi,1792** (Meloidae) Synonym(s): *tuccius* Rossi,1792; *ruficornis* Balbi,1897
- 4591) Meloe (Eurymeloe) glasunovi Pliginski,1910** (Meloidae) Synonym(s): *glasunovi* Pliginski,1910; *rufotarsalis* Pliginski,1911
- 4592) Meloe (Eurymeloe) rugosus Marsham,1802** (Meloidae) Synonym(s): *rugosus* Marsham,1802; *autumnalis* Leach,1815 *nec* Oliv.,1797; *abdominalis* Escherich,1890
- 4593) Meloe (Eurymeloe) scabriusculus Brandt & Erichson,1832** (Meloidae) Synonym(s): *scabriusculus* Brandt & Erichson,1832; *pygmaeus* Baudi di Selve,1878; *nigra* Pliginski,1911; *pliginskyi* Kaszab,1958
- 4594) Meloe (Lasiomeloe) olivieri (Chevrolat,1833)** (Meloidae) Synonym(s): *olivieri* Chevrolat,1833
- 4595) Meloe (Listromeloe) hungarus Schrank,1776** (Meloidae) Synonym(s): *hungarus* Schrank,1776; *limbatus* Fabricius,1801; *marginatus* Tauscher,1812
- 4596) Meloe (Meloegonius) cicatricosus (Leach,1815)** (Meloidae) Synonym(s): *cicatricosus* Leach,1815; *variolosus* Fischer von Waldheim,1844
- 4597) Meloe (Meloegonius) rufiventris (Germar,1817)** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889
- 4598) Meloe (s.str.) proscarabaeus Linnaeus,1758** (Meloidae) Synonym(s): *proscarabaeus* Linnaeus,1758
- 4599) Melolontha (s.str.) pectoralis Germar,1824** (Scarabaeidae) Synonym(s): *pectoralis* Germar,1824
- 4600) Menaccarus (Orocephalus) dohrnianus (Mulsant & Rey,1866)** (Pentatomidae) Synonym(s): *dohrnianus* Mulsant & Rey,1866; *ovalis* Puton,1873; *hirticornis* Puton,1873; *jakovlevi* Reuter,1902; *jakovlevi* Oshanin,1912; *rotundatus* Horvath,1923
- 4601) Meoneura caucasica Ozerov,1991** (Carnidae) Synonym(s): *caucasica* Ozerov,1991
- 4602) Meria geniculata (Brullé,1832)** (Tiphidae) Synonym(s): *geniculata* Brullé,1832; *graeca* Saunders,1850; *swanetiae* Radoszkowski,1861; *nigriceps* Mocsary,1883; *picta* Schulthess,1893; *nigrigena* Guiglia,1966
- 4603) Meringopus calescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *calescens* Gravenhorst,1829
- 4604) Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepligeti,1916
- 4605) Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883
- 4606) Merodon alagoezicus Paramonov,1925** (Syrphidae) Synonym(s): *alagoezicus* Paramonov,1925
- 4607) Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons* Meigen,1822; *grossus* Gil Collado,1930
- 4608) Merodon batumicus Paramonov,1926** (Syrphidae) Synonym(s): *batumicus* Paramonov,1926
- 4609) Merodon brevis Paramonov,1925** (Syrphidae) Synonym(s): *brevis* Paramonov,1925
- 4610) Merodon caucasicus Portsichinsky,1877** (Syrphidae) Synonym(s): *caucasicus* Portsichinsky,1877
- 4611) Merodon erivanicus Paramonov,1925** (Syrphidae) Synonym(s): *erivanicus* Paramonov,1925; *kaloceros* Hurkmans,1993
- 4612) Merodon loewi Van der Gott,1964** (Syrphidae) Synonym(s): *loewi* Van der Gott,1964
- 4613) Merodon nanus (Sack,1913)** (Syrphidae) Synonym(s): *nanus* Sack,1913
- 4614) Merodon natans (Fabricius,1794)** (Syrphidae) Synonym(s): *natans* Fabricius,1794
- 4615) Merodon obscuritarsis Strobl,1909** (Syrphidae) Synonym(s): *obscuritarsis* Strobl,1909; *fuerteventurensis* Barkemeyer,2002
- 4616) Merodon velox Loew,1869** (Syrphidae) Synonym(s): *velox* Loew,1869; *anathema* Paramonov,1925; *armeniaca* Paramonov,1925
- 4617) Meromyza smirnovi Fedoseeva,1964** (Chloropidae) Synonym(s): *smirnovi* Fedoseeva,1964
- 4618) Merrifieldia baliodactyla (Zeller,1841)** (Pterophoridae) Synonym(s): *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *daliiodactylus* Bruand,1850; *meridionalis* Staudinger,1880.
- 4619) Merrifieldia farsi (Arenberger,1981)** (Pterophoridae) Synonym(s): *farsi* Arenberger,1981
- 4620) Merrifieldia leucodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *#leucodactyla* [Denis & Schiffermüller],1775; *theiodactyla* Hübner,[1825]; *wernickei* Wocke,1897; *fitzi* Rebel,1912; *flavella* Chrétien,1923; *dryogramma* Meyrick,1930.
- 4621) Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista*

- Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
- 4622) **Merrifieldia tridactyla** (Linnaeus,1758) (Pterophoridae) Synonym(s): *tridactyla* Linnaeus,1758; *tetradactyla* Linnaeus,1758; *niveidactylus* Stephens,1829; *fuscolimbatus* Duponchel,1844; *icterodactyla* Mann,1855; *exilidactyla* Buszko,1975.
- 4623) **Merulempista cingillella** (Zeller,1846) (Pyralidae) Synonym(s): *cingillella* Zeller,1846; *verruculella* Ragonot,1887.
- 4624) **Mesapamea (Resapamea) hedeni** (Graeser,1888) (Noctuidae) Synonym(s): *hedeni* Graeser,1888; *radicosa* Graeser,1892; *subornata* Staudinger,1896.
- 4625) **Mesapamea (s.str.) didyma** (Esper,[1788]) (Noctuidae) Synonym(s): *didyma* Esper,[1788]; *secalella* Remm,1983.
- 4626) **Mesapamea (s.str.) secalis** (Linnaeus,1758) (Noctuidae) Synonym(s): *secalis* Linnaeus,1758
- 4627) **Mesapamea (s.str.) vaskeni** Varga,1979 (Noctuidae) Synonym(s): *vaskeni* Varga,1979
- 4628) **Mesogona acetosellae** (Goeze,1781) (Noctuidae) Synonym(s): *#acetosellae* [Denis & Schiffermüller],1775; *acetosellae* Goeze,1781; *vorbroditi* Wehrli,1917; *grisea* Dannehl,1929; *pallida* Dannehl,1929; *segoviensis* Calle,1982; *#clarescens* Calle,1982
- 4629) **Mesogona oxalina** (Hübner,[1803]) (Noctuidae) Synonym(s): *oxalina* Hübner,[1803]
- 4630) **Mesolia furuncula** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller],1775; *spoliaticula* [Denis & Schiffermüller],1775; *bicoloria* Villers,1789; *vinctuncula* Hübner,[1803]; *humeralis* Haworth,1809; *terminalis* Haworth,1809; *rufuncula* Haworth,1809
- 4631) **Mesolia literosa** (Haworth,[1809]) (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918
- 4632) **Mesoptylus petrovi** (Grigoriev,1910) (Cercopidae) Synonym(s): *petrovi* Grigoriev,1910
- 4633) **Mesotrosta signalis** (Treitschke,1829) (Noctuidae) Synonym(s): *signalis* Treitschke,1829
- 4634) **Metacantharis araxicola** Reitter,1891 (Cantharidae) Synonym(s): *araxicola* Reitter,1891
- 4635) **Metacantharis clypeata** (Illiger,1798) (Cantharidae) Synonym(s): *clypeata* Illiger,1798
- 4636) **Metachrostis dardouini** (Boisduval,1840) (Noctuidae) Synonym(s): *dardouini* Boisduval,1840; *velox* Treitschke nec Hbn.,[1813]; *mendacula* Freyer,1841; *dilutior* Schwingenschuss,1926
- 4637) **Metachrostis velox** (Hübner,[1813]) (Noctuidae) Synonym(s): *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *mendacularis* Treitschke,1829; *tarda* Turati,1926; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930
- 4638) **Metacnephia hajotsdzorensis** (Terteryan,1962) (Simuliidae) Synonym(s): *hajotsdzorensis* Terteryan,1962
- 4639) **Metacnephia hajotsdzorensis** (Terteryan,1962) (Simuliidae) Synonym(s): *hajotsdzorensis* Terteryan,1962
- 4640) **Metacnephia nigra** (Rubtsov,1940) (Simuliidae) Synonym(s): *nigra* Rubtsov,1940
- 4641) **Metacnephia nigra** (Rubtsov,1940) (Simuliidae) Synonym(s): *nigra* Rubtsov,1940; *saxicola* Rubtsov,1956
- 4642) **Metacnephia persica** (Rubtsov,1940) (Simuliidae) Synonym(s): *persica* Rubtsov,1940; *hirta* Rubtsov & Terteryan,1954
- 4643) **Metacnephia persica** (Rubtsov,1940) (Simuliidae) Synonym(s): *persicum* Rubtsov,1940; *hirta* Rubtsov & Terteryan,1954
- 4644) **Metacnephia subalpina** (Rubtsov,1956) (Simuliidae) Synonym(s): *subalpina* Rubtsov,1956
- 4645) **Metacnephia terterjani** (Rubtsov,1955) (Simuliidae) Synonym(s): *terterjani* Rubtsov,1955
- 4646) **Metacrambus caretellus** (Zeller,1847) (Pyralidae) Synonym(s): *caretellus* Zeller,1847; *lugdunellus* Millière,1868; *truncatellus* Caradja,1916.
- 4647) **Metaeuchromius yusufeliensis** Nuss & Speidel,1999 (Pyralidae) Synonym(s): *yusufeliensis* Nuss & Speidel,1999
- 4648) **Metalimpra caucasica** Lvovsky,1995 (Oecophoridae) Synonym(s): *caucasica* Lvovsky,1995
- 4649) **Metalimnus formosus** (Boheman,1845) (Cicadellidae) Synonym(s): *formosus* Boheman,1845
- 4650) **Metalimnus steini** (Fieber,1869) (Cicadellidae) Synonym(s): *steini* Fieber,1869
- 4651) **Metalopha (Antholopha) gloriosa** (Staudinger,1892) (Noctuidae) Synonym(s): *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.
- 4652) **Metalopha (s.str.) ionodoxa** Ronkay,1990 (Noctuidae) Synonym(s): *ionodoxa* Ronkay,1990
- 4653) **Metanarsia (s.str.) modesta** Staudinger,1871 (Gelechiidae) Synonym(s): *modesta* Staudinger,1871
- 4654) **Metasia (s.str.) supandalis** (Hübner,[1823]) (Pyralidae) Synonym(s): *supandalis* Hübner,[1823]
- 4655) **Metaxmeste schrankiana** (Hochenwarth,1785) (Pyralidae) Synonym(s): *schränkiana* Hochenwarth,1785
- 4656) **Metendotheria atropunctana** (Zetterstedt,1839) (Tortricidae) Synonym(s): *atropunctana* Zetterstedt,1839; *ochromelana* Guenée,1845
- 4657) **Meteorus pulchricornis** (Wesmael,1835) (Braconidae) Synonym(s): *pulchricornis* Wesmael,1835; *striatus* Thomson,1895; *thomsoni* Marshall,1899; *japonicus* Ashmead,1906; *nipponensis* Viereck,1912; *macedonicus* M.Fischer,1957; *graeffei* M.Fischer,1957; *tuberculifer* M.Fischer,1957
- 4658) **Metopius (Peltocarus) croceicornis** Thomson,1887 (Ichneumonidae) Synonym(s): *croceicornis* Thomson,1887
- 4659) **Metopius (Peltocarus) dentatus** (Fabricius,1779) (Ichneumonidae) Synonym(s): *dentatus* Fabricius,1779
- 4660) **Metopius (Peltocarus) dirus** Mocsary,1883 (Ichneumonidae) Synonym(s): *dirus* Mocsary,1883
- 4661) **Metopius (Tylopius) leiopygus** Förster,1859 (Ichneumonidae) Synonym(s): *leiopygus* Förster,1859
- 4662) **Metoponrhis albirena** (Christoph,1887) (Noctuidae) Synonym(s): *albirena* Christoph,1887
- 4663) **Metopoplus excelsa** (Christoph,1885) (Noctuidae) Synonym(s): *excelsa* Christoph,1885
- 4664) **Metrioptera (Bicolorana) burri** (Uvarov,1921) (Tettigoniidae) Synonym(s): *burri* Uvarov,1921
- 4665) **Metrioptera (Roeseliana) fedtschenkoi** (Saussure,1874) (Tettigoniidae) Synonym(s): *fedtschenkoi* Saussure,1874
- 4666) **Metrioptera (Roeseliana) pylnovi** Uvarov,1924 (Tettigoniidae) Synonym(s): *pylnovi* Uvarov,1924
- 4667) **Metropis incisus** Logvinenko,1970 (Delphacidae) Synonym(s): *incisus* Logvinenko,1970
- 4668) **Metropis tridentatus** Logvinenko,1970 (Delphacidae) Synonym(s): *tridentatus* Logvinenko,1970
- 4669) **Metzneria ehikeella** Gozmany,1954 (Gelechiidae) Synonym(s): *ehikeella* Gozmany,1954
- 4670) **Metzneria intestinella** (Mann,1864) (Gelechiidae) Synonym(s): *intestinella* Mann,1864
- 4671) **Metzneria paucipunctella** (Zeller,1839) (Gelechiidae) Synonym(s): *paucipunctella* Zeller,1839; *zimmermanni* Hering,1940; *confusalis* Lucas,1955.
- 4672) **Metzneria santolinella** (Amsel,1936) (Gelechiidae) Synonym(s): *santolinella* Amsel,1936; *consimilella* Hackman,1947.
- 4673) **Micantulina (Mulsantina) stigmatipennis** (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884
- 4674) **Micantulina (s.str.) micantula** (Zetterstedt,1840) (Cicadellidae) Synonym(s): *micantula* Zetterstedt,1840; *quinquepunctata* Melichar,1900; *feberi* Metcalf,1968
- 4675) **Micomitra iris** (Loew,1869) (Bombyliidae) Synonym(s): *iris* Loew,1869
- 4676) **Micomitra stupida** (Rossi,1790) (Bombyliidae) Synonym(s): *stupida* Rossi,1790; *rhadamanthus* Meigen,1804; *chalcoides* Pallas,1818; *vitricosta* Walker,1849; *vitricosta* Walker,1849; *squamea* Mulsant,1852
- 4677) **Microbiston phaeothorax** Wehrli,1941 (Geometridae) Synonym(s): *phaeothorax* Wehrli,1941
- 4678) **Microcara caspica** Reitter,1889 (Scirtidae) Synonym(s): *caspica* Reitter,1889
- 4679) **Microchelonus contracta** (Nees ab Esenbeck,1834) (Braconidae) Synonym(s): *contracta* Nees ab Esenbeck,1834

- 4680) *Microchelonus sulcata* (Jurine,1807) (Braconidae) Synonym(s): *sulcata* Jurine,1807
 4681) *Microdynerus* (s.str.) *atriceps* Morawitz,1895 (Vespididae) Synonym(s): *atriceps* Morawitz,1895
 4682) *Microgaster fulvicornis* Wesmael,1837 (Braconidae) Synonym(s): *fulvicornis* Wesmael,1837
 4683) *Microgaster subcompleta* Nees ab Esenbeck,1834 (Braconidae) Synonym(s): *subcompleta* Nees ab Esenbeck,1834
 4684) *Microhoria terminata* (Schmidt,1842) (Anthicidae) Synonym(s): *terminata* Schmidt,1842
 4685) *Microloxia herbaria* (Hübner,[1813]) (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860.
 4686) *Micromorphus albipes* (Zetterstedt,1843) (Dolichopodidae) Synonym(s): *albipes* Zetterstedt,1843; *bellus* Strobl,1880 *nec* Lw.,1869
 4687) *Micromorphus shamshevi* Negrobov,2000 (Dolichopodidae) Synonym(s): *shamshevi* Negrobov,2000
 4688) *Micronecta anatolica* Lindberg,1922 (Corixidae) Synonym(s): *anatolica* Lindberg,1922
 4689) *Micropodisma koenigi* (Burr,1913) (Acrididae) Synonym(s): *koenigi* Burr,1913
 4690) *Micropodisma svanetica* Dovnar-Zapolski,1932 (Acrididae) Synonym(s): *svanetica* Dovnar-Zapolski,1932
 4691) *Microptericina lagodechiella* Zagulyaev,1987 (Micropterigidae) Synonym(s): *lagodechiella* Zagulyaev,1987
 4692) *Micropteryx maschukella* Alpheraky,1876 (Micropterigidae) Synonym(s): *maschukella* Alpheraky,1876
 4693) *Microptilis marshallii* Kokujev,1897 (Braconidae) Synonym(s): *marshallii* Kokujev,1897
 4694) *Microptilis mediator* (Haliday,1834) (Braconidae) Synonym(s): *mediator* Haliday,1834
 4695) *Microptilis scrophulariae* Szepligeti,1898 (Braconidae) Synonym(s): *scrophulariae* Szepligeti,1898
 4696) *Microptilis sofron* Nixon,1970 (Braconidae) Synonym(s): *sofron* Nixon,1970
 4697) *Microptilis spinolae* Nees ab Esenbeck,1834 (Braconidae) Synonym(s): *spinolae* Nees ab Esenbeck,1834
 4698) *Microptilis tuberculifer* (Wesmael,1837) (Braconidae) Synonym(s): *tuberculifer* Wesmael,1837
 4699) *Microptilis varipes* Ruthe,1860 (Braconidae) Synonym(s): *varipes* Ruthe,1860
 4700) *Microptilis vidua* (Ruthe,1860) (Braconidae) Synonym(s): *vidua* Ruthe,1860
 4701) *Microsphaecia brosiiformis* (Hübner,[1813]) (Sesiidae) Synonym(s): *brosiiformis* Hübner,[1813]; *dorsalis* Le Cerf,1914; *#obscura* Le Cerf,1914
 4702) *Microstega praepetalis* (Lederer,1869) (Pyralidae) Synonym(s): *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937
 4703) *Micrurapteryx sophorella* Kuznetsov,1979 (Gracillariidae) Synonym(s): *sophorella* Kuznetsov,1979
 4704) *Milesia crabroniformis* (Fabricius,1775) (Syrphidae) Synonym(s): *crabroniformis* Fabricius,1775; *gigas* Rossi,1790
 4705) *Miltogramma (Dichiracantha) oestraceum* (Fallén,1820) (Sarcophagidae) Synonym(s): *oestracea* Fallén,1820; *tessellatum* Meigen,1824; *basillans* Pandellé,1895
 4706) *Miltogramma (Dichiracantha) villeneuvei* Verves,1982 (Sarcophagidae) Synonym(s): *meigeni* Villeneuve,1922 *nec* R-D,1863; *villeneuvei* Verves,1982
 4707) *Miltogramma (Myochromum) occipitale* Pandellé,1895 (Sarcophagidae) Synonym(s): *occipitale* Pandellé,1895
 4708) *Miltogramma (Myochromum) ruficorne* Meigen,1824 (Sarcophagidae) Synonym(s): *ruficorne* Meigen,1824
 4709) *Miltogramma* (s.str.) *punctatum* Meigen,1824 (Sarcophagidae) Synonym(s): *punctatum* Meigen,1824; *arcuata* Zetterstedt,1844; *sempunctatum* Meigen,1838; *laterale* R-D.,1863; *macquarti* R-D.,1863; *punctatellum* R-D.,1863
 4710) *Miltogrammidium (Pseudomiltogramma) brevopilum* (Rohdendorf,1930) (Sarcophagidae) Synonym(s): *brevopilum* Rohdendorf,1930
 4711) *Miltogrammidium* (s.str.) *chivae* (Rohdendorf,1935) (Sarcophagidae) Synonym(s): *chivae* Rohdendorf,1935
 4712) *Miltogrammidium* (s.str.) *rutilans* (Meigen,1824) (Sarcophagidae) Synonym(s): *rutilans* Meigen,1824
 4713) *Miltogrammidium* (s.str.) *taeniatum* (Meigen,1824) (Sarcophagidae) Synonym(s): *taeniatum* Meigen,1824; *pilimanum* Rondani,1859
 4714) *Mimas tiliae* (Linnaeus,1758) (Sphingidae) Synonym(s): *tiliae* Linnaeus,1758
 4715) *Mimudea confinalis* (Lederer,1858) (Pyralidae) Synonym(s): *confinalis* Lederer,1858; *graecalis* Staudinger,1870
 4716) *Mimudea languidalis* (Eversmann,1842) (Pyralidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *veneralis* Staudinger,1871
 4717) *Minettia* (s.str.) *tabidiventris* (Rondani,1877) (Lauaxaniidae) Synonym(s): *tabidiventris* Rondani,1877; *luteofrontata* Becker,1895
 4718) *Minoa murinata* (Scopoli,1763) (Geometridae) Synonym(s): *murinata* Scopoli,1763; *sordata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799; *limburgia* Lempke,1969
 4719) *Minois dryas* (Scopoli,1763) (Satyridae) Synonym(s): *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsoftikis,1988.
 4720) *Mintho rufiventris* (Fallén,1817) (Tachinidae) Synonym(s): *rufiventris* Fallén,1817
 4721) *Mioscirtus wagneri* (Kittary,1849) (Acrididae) Synonym(s): *wagneri* Kittary,1849
 4722) *Mirificarma* (s.str. (Interrupta)) *cytisella* (Treitschke,1833) (Gelechiidae) Synonym(s): *cytisella* Treitschke,1833; *#roseella* Hauser,1918
 4723) *Mirificarma* (s.str. (Interrupta)) *lentiginosella* (Zeller,1839) (Gelechiidae) Synonym(s): *lentiginosella* Zeller,1839
 4724) *Mirificarma* (s.str. (s.str.)) *eburnella* ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 *nec* [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeoformosella* Bruand,1859.
 4725) *Mniophila caucasica* Nadein,2009 (Chrysomelidae) Synonym(s): *caucasica* Nadein,2009
 4726) *Mniophila transcaucasica* Nadein,2009 (Chrysomelidae) Synonym(s): *transcaucasica* Nadein,2009
 4727) *Mniotype adusta* (Esper,[1790]) (Noctuidae) Synonym(s): *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *grisescens* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki
 4728) *Mocuellus collinus* (Boheman,1850) (Cicadellidae) Synonym(s): *collinus* Boheman,1850; *aridellus* Boheman,1850; *lateralis* Sahlberg,1871
 4729) *Mocuellus dzhavacheticus* Logvinenko,1971 (Cicadellidae) Synonym(s): *dzhavacheticus* Logvinenko,1971
 4730) *Mocuellus gruzinicus* Dlabola,1958 (Cicadellidae) Synonym(s): *gruzinicus* Dlabola,1958
 4731) *Mocydia crocea* (Herrich-Schäffer,1837) (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (*praeocc.*); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868
 4732) *Mocydiopsis attenuata* (Germar,1821) (Cicadellidae) Synonym(s): *attenuata* Germar,1821; *rupicapra* Marshall,1861; *ambigua* Fieber,1885
 4733) *Modicogryllus (Eumodicogryllus) burdigalensis* (Latreille,1804) (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838;

- arvensis* Rambur, 1838; *cinereus* Costa, 1852; *marginatus* Eversmann, 1859; *minusculus* Walker, 1869; *pygmaeus* Walker, 1869; *eversmanni* Jakovlev, 1871; *ferdinandi* Bolivar, 1899; *hygrophilus* Krauss, 1902; *intermedia* Bolivar, 1927
- 4734) **Modicogryllus (s.str.) frontalis (Fieber, 1844)** (Gryllidae) Synonym(s): *frontalis* Fieber, 1844; *hemsdorfensis* Zeller, 1856; *pubescens* Eversmann, 1859; *caudatus* Singer, 1869; *fasciatus* Walker, 1871; *alata* Jacobson, 1904; *turanicus* Bei-Bienko, 1933
- 4735) **Modicogryllus (s.str.) truncatus (Tarbinski, 1940)** (Gryllidae) Synonym(s): *truncatus* Tarbinski, 1940
- 4736) **Mogangella secundaria Dlabola, 1958** (Cicadellidae) Synonym(s): *secundaria* Dlabola, 1958
- 4737) **Molobratia egregia (Loew, 1869)** (Asilidae) Synonym(s): *egregia* Loew, 1869
- 4738) **Molophilus (s.str.) griseus (Meigen, 1804)** (Limoniidae) Synonym(s): *griseus* Meigen, 1804; *biflatus* Meijere, 1920
- 4739) **Molophilus (s.str.) obscurus (Meigen, 1818)** (Limoniidae) Synonym(s): *obscurus* Meigen, 1818
- 4740) **Molophilus (s.str.) pleuralis De Meijere, 1920** (Limoniidae) Synonym(s): *pleuralis* De Meijere, 1920
- 4741) **Moma alpium (Osbeck, 1778)** (Noctuidae) Synonym(s): *alpium* Osbeck, 1778; *orion* Esper, 1791; *murrhina* Graeser, 1889; *designata* Turati, 1923; *kolthoffi* Bryk, 1949
- 4742) **Mompha (Anybia) epilobiella (Roemer, 1794)** (Momphidae) Synonym(s): *epilobiella* Roemer, 1794; *langiella* Hübner, 1796; *niveipunctella* Stainton, 1849; *fulicella* Herrich-Schäffer, 1853.
- 4743) **Mompha (Psacaphora) maculata (Sinev, 1986)** (Momphidae) Synonym(s): *maculata* Sinev, 1986
- 4744) **Mompha (s.str.) confusella Koster & Sinev, 1996** (Momphidae) Synonym(s): *confusella* Koster & Sinev, 1996
- 4745) **Mompha (s.str.) divisella Herrich-Schäffer, 1854** (Momphidae) Synonym(s): *divisella* Herrich-Schäffer, 1854; *decorella* Stainton, 1854.
- 4746) **Mompha (s.str.) subbistrigella (Haworth, [1828])** (Momphidae) Synonym(s): *subbistrigella* Haworth, [1828]
- 4747) **Monochroa lutulentella (Zeller, 1839)** (Gelechiidae) Synonym(s): *lutulentella* Zeller, 1839; *brunickii* Rebel, 1913
- 4748) **Monodontomerus aeneus (Fonscolombe, 1832)** (Torymidae) Synonym(s): *aeneus* Fonscolombe, 1832
- 4749) **Monodontomerus aereus Walker, 1834** (Torymidae) Synonym(s): *aereus* Walker, 1834
- 4750) **Monopadnus pallescens (Gmelin, 1790)** (Tenthredinidae) Synonym(s): *pallescens* Gmelin, 1790
- 4751) **Monopis imella (Hübner, [1813])** (Tineidae) Synonym(s): *imella* Hübner, [1813]; *nitidella* Zagulyaev, 1960.
- 4752) **Monopis obviella ([Denis & Schiffermüller], 1775)** (Tineidae) Synonym(s): *obviella* [Denis & Schiffermüller], 1775; *ferruginella* Hübner, [1813] nec Thunberg, 1788; *splendella* Hübner, [1813] nec [Denis & Schiffermüller], 1775.
- 4753) **Monosapyga clavicornis (Linnaeus, 1758)** (Sapygidae) Synonym(s): *clavicornis* Linnaeus, 1758; *prisma* Fabricius, 1787; *ininterrupta* Pic, 1920; *triinterrupta* Pic, 1920; *theresae* Pic, 1920
- 4754) **Monticorixa armeniaca (Stys, 1975)** (Corixidae) Synonym(s): *armeniaca* Stys, 1975
- 4755) **Morcellia hortorum (Fallén, 1817)** (Muscidae) Synonym(s): *hortorum* Fallén, 1817
- 4756) **Morimus verecundus (Faldermann, 1836)** (Cerambycidae) Synonym(s): *verecundus* Faldermann, 1836
- 4757) **Mormo maura (Linnaeus, 1758)** (Noctuidae) Synonym(s): *maura* Linnaeus, 1758; *lemur* Meinecke, 1775; *usta* Fourcroy, 1785; *deusta* Geoffroy, 1799; *cypriaca* Hacker, 1996
- 4758) **Morphaga (choragella-gr.) hyrcanella Zagulyaev, 1966** (Tineidae) Synonym(s): *hyrcanella* Zagulyaev, 1966; *talyshensis* Zagulyaev, 1966
- 4759) **Morphagoides iranensis G. Petersen, 1960** (Tineidae) Synonym(s): *iranensis* G. Petersen, 1960
- 4760) **Morpholeria (s.str.) innotata (Czerny, 1933)** (Heleomyzidae) Synonym(s): *innotata* Czerny, 1933
- 4761) **Morpholeria (s.str.) monticola Gorodkov, 1970** (Heleomyzidae) Synonym(s): *monticola* Gorodkov, 1970
- 4762) **Mosillus subsultans (Fabricius, 1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius, 1794
- 4763) **Muirodelphax aubei (Perris, 1857)** (Delphacidae) Synonym(s): *aubei* Perris, 1857; *cognata* Fieber, 1866; *protrusa* Fieber, 1866; *obsoleta* Kirschbaum, 1868; *obscurinervis* Kirschbaum, 1868; *altaicus* Vilbaste, 1965
- 4764) **Musaria affinis (Harrer, 1784)** (Cerambycidae) Synonym(s): *affinis* Harrer, 1784; *nigripes* Voet, 1778
- 4765) **Musaria kurdistan (Ganglbauer, 1884)** (Cerambycidae) Synonym(s): *kurdistan* Ganglbauer, 1884
- 4766) **Musaria puncticollis (Faldermann, 1837)** (Cerambycidae) Synonym(s): *puncticollis* Faldermann, 1837
- 4767) **Musaria volgensis (Kraatz, 1883)** (Cerambycidae) Synonym(s): *volgensis* Kraatz, 1883
- 4768) **Musca (Plaxemya) osiris Wiedemann, 1830** (Muscidae) Synonym(s): *osiris* Wiedemann, 1830; *sugillatrix* R-D, 1830
- 4769) **Musca autumnalis De Geer, 1776** (Muscidae) Synonym(s): *autumnalis* De Geer, 1776; *corvina* Fabricius, 1781
- 4770) **Musca larvipara Portschinsky, 1910** (Muscidae) Synonym(s): *larvipara* Portschinsky, 1910; *mesopotamiensis* Patton, 1920
- 4771) **Muschampia poggei (Lederer, 1858)** (Hesperiidae) Synonym(s): *poggei* Lederer, 1858
- 4772) **Muschampia proteides (F. Wagner, 1929)** (Hesperiidae) Synonym(s): *proteides* F. Wagner, 1929; *lycaonius* F. Wagner, 1929; *sovietica* Sichel, 1964; *lycaonius* Benjamini & Avni, 2001 [misident.]; *#lycaonius* Benjamini & Avni, 2001
- 4773) **Muschampia tersa Evans, 1949** (Hesperiidae) Synonym(s): *tersa* Evans, 1949
- 4774) **Muschampia tessellum (Hübner, [1802])** (Hesperiidae) Synonym(s): *tessellum* Hübner, [1802]; *hibisci* Böber, 1812; *mazzola* Ochsenheimer, 1816
- 4775) **Muscina levida (Harris, 1780)** (Muscidae) Synonym(s): *levida* Harris, 1780; *assimilis* Fallén, 1823
- 4776) **Muscina stabulans (Fallén, 1817)** (Muscidae) Synonym(s): *stabulans* Fallén, 1817
- 4777) **Mustha spinosula (Lefebvre, 1831)** (Pentatomidae) Synonym(s): *spinosula* Lefebvre, 1831
- 4778) **Mutilla erschoffii Sichel & Radoszkowski, 1870** (Mutillidae) Synonym(s): *erschoffii* Sichel & Radoszkowski, 1870; *rugiceps* Morawitz, 1890; *bareyi* Radoszkowski, 1893; *schulthessi* André, 1893
- 4779) **Mutilla marginata BAer, 1848** (Mutillidae) Synonym(s): *marginata* BAer, 1848; *trifasciata* Radoszkowski, 1865
- 4780) **Mutilla richterae Lelej, 1984** (Mutillidae) Synonym(s): *richterae* Lelej, 1984
- 4781) **Mutilla saltensis Radoszkowski, 1885** (Mutillidae) Synonym(s): *saltensis* Radoszkowski, 1885
- 4782) **Muzimes brodskyi (Dvorak, 1983)** (Meloidae) Synonym(s): *brodskyi* Dvorak, 1983
- 4783) **Muzimes caucasicus (Maran, 1940)** (Meloidae) Synonym(s): *caucasicus* Maran, 1940; *unicoloriceps* Kaszab, 1958
- 4784) **Muzimes collaris (Fabricius, 1787)** (Meloidae) Synonym(s): *collaris* Fabricius, 1787
- 4785) **Muzimes erivanicus (Kaszab, 1958)** (Meloidae) Synonym(s): *erivanicus* Kaszab, 1958; *luteiceps* Kaszab, 1958; *nigriceps* Kaszab, 1958; *nigrilabris* Kaszab, 1958; *seminigricipes* Kaszab, 1958
- 4786) **Myathropa florea (Linnaeus, 1758)** (Syrphidae) Synonym(s): *florea* Linnaeus, 1758; *ablecta* Harris, 1776; *atropos* Schrank, 1776; *bigoti* Macquart, 1850; *nigrotarsata* Schiner, 1862; *flavofemorata* Strobl, 1902; *nigrofasciata* Becker, 1907; *auripila* Becker, 1907; *nigrofemorata* Santos Abreu, 1924; *pygmaea* Santos Abreu, 1924; *varifemorata* Santos Abreu, 1924; *nigrolanata* Frey, 1945
- 4787) **Mycodrosophila poecilogastra (Loew, 1874)** (Drosophilidae) Synonym(s): *poecilogastra* Loew, 1874
- 4788) **Mycterodus (s.str.) alatus Logvinenko, 1968** (Issidae) Synonym(s): *alatus* Logvinenko, 1968
- 4789) **Mycterodus (s.str.) batumus Dlabola, 1958** (Issidae) Synonym(s): *batumus* Dlabola, 1958
- 4790) **Mycterodus (s.str.) confusus Stal, 1861** (Issidae) Synonym(s): *confusus* Stal, 1861
- 4791) **Mycterodus (s.str.) immaculatus (Fabricius, 1794)** (Issidae) Synonym(s): *immaculatus* Fabricius, 1794

- 4792) *Mycterodus* (s.str.) *intricatus* Stal,1861 (Issidae) Synonym(s): *intricatus* Stal,1861; *jaltaicus* Dlabola,1958
- 4793) *Mycterodus* (s.str.) *lobatus* Logvinenko,1968 (Issidae) Synonym(s): *lobatus* Logvinenko,1968
- 4794) *Mycterodus* (s.str.) *rostratulus* Emeljanov,1964 (Issidae) Synonym(s): *rostratulus* Emeljanov,1964
- 4795) *Mycterodus caucasicus* (Melichar,1906) (Issidae) Synonym(s): *caucasicus* Melichar,1906
- 4796) *Mycterodus goricus* (Dlabola,1958) (Issidae) Synonym(s): *goricus* Dlabola,1958
- 4797) *Mycterodus nasutus* (Herrich-Schäffer,1835) (Issidae) Synonym(s): *nasutus* Herrich-Schäffer,1835
- 4798) *Mycterodus ovifrons* (Puton,1890) (Issidae) Synonym(s): *ovifrons* Puton,1890
- 4799) *Mycteroplus puniceago* (Boisduval,1840) (Noctuidae) Synonym(s): *puniceago* Boisduval,1840
- 4800) *Mydaea urbana* (Meigen,1826) (Muscidae) Synonym(s): *urbana* Meigen,1826
- 4801) *Myelois cinctipalpella* Christoph,1877 (Pyralidae) Synonym(s): *cinctipalpella* Christoph,1877
- 4802) *Myennis octopunctata* (Coquebert,1798) (Uliidiidae) Synonym(s): *octopunctata* Coquebert,1798
- 4803) *Mylabris* (Chrysabris) *terraturcica* Koçak & Kemal,2010 (Meloidae) Synonym(s): *marginata* Fischer von Waldheim,1844 nec Fabr.,1792; *terraturcica* Koçak & Kemal,2010
- 4804) *Mylabris* (Eumylabris) *calida* (Pallas,1782) (Meloidae) Synonym(s): *calida* Pallas,1782; *maculata* Olivier,1795; *bimaculata* Olivier,1811; *decora* Olivier,1811; *maura* Chevrolat,1837; *niligena* Reiche,1865; *maroccana* Escherich,1899; *bimaculaticeps* Pic,1920; *tlemceni* Pic,1930
- 4805) *Mylabris* (Eumylabris) *cincta* Olivier,1811 (Meloidae) Synonym(s): *cincta* Olivier,1811; *tiflensis* Billberg,1813; *matthesi* Faldermann,1837; *bicolor* Waltl,1838; *taeniata* Waltl,1838; *tringulata* Redtenbacher,1850; *jugatoria* Reiche,1865; *soubironi* Pic,1921; *#cincat* Kaszab,1968
- 4806) *Mylabris* (Eumylabris) *fabricii* Sumakov,1924 (Meloidae) Synonym(s): *decimpunctata* Petagna,1787 nec Fabr.,1781; *forti* Mulsant,1857; *fabricii* Sumakov,1924
- 4807) *Mylabris* (Micrabris) *geminata* Fabricius,1798 (Meloidae) Synonym(s): *geminata* Fabricius,1798
- 4808) *Mylabris* (Micrabris) *inculta* (Escherich,1899) (Meloidae) Synonym(s): *inculta* Escherich,1899; *humero-maculata* Mader,1929
- 4809) *Mylabris* (Micrabris) *laevicollis* Marseul,1870 (Meloidae) Synonym(s): *laevicollis* Marseul,1870
- 4810) *Mylabris* (Micrabris) *pusilla* Olivier,1811 (Meloidae) Synonym(s): *pusilla* Olivier,1811
- 4811) *Mylabris* (Micrabris) *serena* (Escherich,1899) (Meloidae) Synonym(s): *serena* Escherich,1899
- 4812) *Mylabris* (Micrabris) *tomentosa* (Escherich,1899) (Meloidae) Synonym(s): *tomentosa* Escherich,1899; *externeundulata* Pic,1919; *kulpensis* Pic,1919
- 4813) *Mylabris* (s.str.) *olivieri* Billberg,1813 (Meloidae) Synonym(s): *olivieri* Billberg,1813; *caspia* Ménétrés,1832; *griseocens* Reiche,1865; *impar* Baudi,1878; *impexa* Escherich,1899; *kopetensis* Pic,1930
- 4814) *Mylabris* (s.str.) *quadripunctata* (Linnaeus,1767) (Meloidae) Synonym(s): *quadripunctata* Linnaeus,1767; *melanura* Pallas,1781; *decimpunctata* Fabricius,1781; *octopunctata* Olivier,1811; *adamsi* Fischer von Waldheim,1824; *armeniaca* Faldermann,1837; *restricta* Motschoulsky,1849; *maldinesi* Chevrolat,1865
- 4815) *Mylabris* (s.str.) *variabilis* (Pallas,1781) (Meloidae) Synonym(s): *cichorii* Linnaeus,1767; *variabilis* Pallas,1781; *lacera* Fischer von Waldheim,1827; *mutans* Guérin de Ménéville,1834; *hypocrita* Mulsant,1857; *similaris* Mulsant,1857; *disrupta* Baudi,1878; *erivanica* Pic,1901
- 4816) *Mylabris concolor* Marseul,1870 (Meloidae) Synonym(s): *concolor* Marseul,1870
- 4817) *Mylabris emiliae* (Escherich,1899) (Meloidae) Synonym(s): *emiliae* Escherich,1899
- 4818) *Mylabris externepunctata* Faldermann,1832 (Meloidae) Synonym(s): *externepunctata* Faldermann,1832
- 4819) *Mylabris furcimakula* Sumakov,1915 (Meloidae) Synonym(s): *furcimakula* Sumakov,1915
- 4820) *Mylabris inculta* Escherich,1899 (Meloidae) Synonym(s): *inculta* Escherich,1899
- 4821) *Myllaena caucasica* Eppelsheim,1880 (Staphylinidae) Synonym(s): *caucasica* Eppelsheim,1880
- 4822) *Myolepta mada* Reemer & Hauser,2005 (Syrphidae) Synonym(s): *mada* Reemer & Hauser,2005
- 4823) *Myolepta nigratarsis* Coe,1957 (Syrphidae) Synonym(s): *nigratarsis* Coe,1957
- 4824) *Myolepta obscura* Becher,1882 (Syrphidae) Synonym(s): *obscura* Becher,1882
- 4825) *Myolepta potens* (Harris,1780) (Syrphidae) Synonym(s): *potens* Harris,1780
- 4826) *Myolepta trojana* Reemer & Hauser,2005 (Syrphidae) Synonym(s): *trojana* Reemer & Hauser,2005
- 4827) *Myolepta vara* (Panzer,1798) (Syrphidae) Synonym(s): *vara* Panzer,1798; *helvetica* Wainwright,1911
- 4828) *Myopa dorsalis* Fabricius,1794 (Conopidae) Synonym(s): *testacea* Gmelin,1793 nec Linn.,1767; *dorsalis* Fabricius,1794; *ferruginea* Panzer,1794; *grandis* Meigen,1804; *nigrifacies* Becker,1922
- 4829) *Myopa morio* Meigen,1804 (Conopidae) Synonym(s): *morio* Meigen,1804; *puella* Rondani,1857
- 4830) *Myopa occulta* Wiedemann,1824 (Conopidae) Synonym(s): *occulta* Wiedemann,1824; *dispar* Rondani,1857
- 4831) *Myopa pallida* Kröber,1916 (Conopidae) Synonym(s): *pallida* Kröber,1916
- 4832) *Myopa pellucida* (R-D.,1830) (Conopidae) Synonym(s): *pellucida* R-D.,1830; *fulvipalpis* R-D.,1853; *extricata* Collin,1960
- 4833) *Myopa picta* Panzer,1798 (Conopidae) Synonym(s): *picta* Panzer,1798; *varia* Wiedemann,1830; *meridionalis* Macquart,1835; *chusanensis* Ouchi,1939
- 4834) *Myopa variegata* Meigen,1804 (Conopidae) Synonym(s): *variegata* Meigen,1804; *nitidula* Fabricius,1805; *asiatica* Kröber,1916
- 4835) *Myospila bimaculata* (Macquart,1834) (Muscidae) Synonym(s): *bimaculata* Macquart,1834
- 4836) *Myospila mediatibunda* (Fabricius,1781) (Muscidae) Synonym(s): *mediatibunda* Fabricius,1781
- 4837) *Myrlaea albistrigata* (Staudinger,1881) (Pyralidae) Synonym(s): *albistrigata* Staudinger,1881
- 4838) *Myrmecaelurus spectabilis* Navas,1912 (Myrmeleonidae) Synonym(s): *spectabilis* Navas,1912
- 4839) *Myrmecozela* (Flavida) *armeniaca* Zagulyaev,1971 (Tineidae) Synonym(s): *armeniaca* Zagulyaev,1971
- 4840) *Myrmecozela* (Flavida) *asariella* Zagulyaev,1972 (Tineidae) Synonym(s): *asariella* Zagulyaev,1972
- 4841) *Myrmecozela* (Flavida) *carabachica* Zagulyaev,1968 (Tineidae) Synonym(s): *carabachica* Zagulyaev,1968
- 4842) *Myrmecozela* (Flavida) *gajndzhiella* Zagulyaev,1968 (Tineidae) Synonym(s): *gajndzhiella* Zagulyaev,1968
- 4843) *Myrmecozela* (Flavida) *hyrcanella* Zagulyaev,1968 (Tineidae) Synonym(s): *hyrcanella* Zagulyaev,1968
- 4844) *Myrmecozela* (Flavida) *imeretica* Zagulyaev,1972 (Tineidae) Synonym(s): *imeretica* Zagulyaev,1972
- 4845) *Myrmecozela* (Flavida) *ordubasis* Zagulyaev,1968 (Tineidae) Synonym(s): *ordubasis* Zagulyaev,1968
- 4846) *Myrmecozela* (Flavida) *rjabovi* Zagulyaev,1968 (Tineidae) Synonym(s): *rjabovi* Zagulyaev,1968
- 4847) *Myrmecozela* (s.str.) *samurensis* Zagulyaev,1997 (Tineidae) Synonym(s): *samurensis* Zagulyaev,1997
- 4848) *Myrmecotettix antennatus* (Fieber,1853) (Acrididae) Synonym(s): *antennatus* Fieber,1853; *deserticola* Eversmann,1859
- 4849) *Myrmecotettix maculatus* (Thunberg,1815) (Acrididae) Synonym(s): *maculatus* Thunberg,1815
- 4850) *Myrmica caucasicola* Arnoldi,1934 (Formicidae) Synonym(s): *caucasicola* Arnoldi,1934
- 4851) *Myrmica ravinii* Finzi,1923 (Formicidae) Synonym(s): *ravinii* Finzi,1923

- 4852) *Myrmica schencki* Viereck, 1903** (Formicidae) Synonym(s): *schencki* Viereck, 1903; *kutteri* Finzi, 1926; *obscura* Finzi, 1926; *subopaca* Arnoldi, 1934
- 4853) *Myrmilla (Eurygnathilla) emiliae* (Dalla Torre, 1897)** (Mutillidae) Synonym(s): *laticeps* Radoszowski, 1888 nec Blake, 1871; *emiliae* Dalla Torre, 1897; *chusistana* Skorikov, 1927
- 4854) *Myrmilla (Pseudomutilla) meda* Skorikov, 1927** (Mutillidae) Synonym(s): *meda* Skorikov, 1927; *appropinqua* Skorikov, 1927
- 4855) *Myrmilla (Pseudomutilla) skorikovi* Lelej, 1985** (Mutillidae) Synonym(s): *caucasica* Skorikov, 1927; *skorikovi* Lelej, 1985
- 4856) *Myrmilla (s.str.) caucasica* (Kolenati, 1846)** (Mutillidae) Synonym(s): *caucasica* Kolenati, 1846; *jasonia* Skorikov, 1927; *kiritshchenkoi* Skorikov, 1927
- 4857) *Myrmilla (s.str.) corniculata* (Sichel & Radoszowski, 1869)** (Mutillidae) Synonym(s): *#corniculata* Gerstaecker, 1862; *corniculata* Sichel & Radoszowski, 1869
- 4858) *Myrmilla (s.str.) etschmiadzini* (Radoszowski, 1885)** (Mutillidae) Synonym(s): *etschmiadzini* Radoszowski, 1885; *armeniaca* Skorikov, 1927
- 4859) *Myrmilla (s.str.) lezginica* (Radoszowski, 1885)** (Mutillidae) Synonym(s): *lezginica* Radoszowski, 1885; *subcornuta* Morawitz, 1893; *nigrifrons* André, 1901 [ssp.]; *kokujevi* Skorikov, 1927; *susiana* Skorikov, 1927
- 4860) *Mythimna (Aletia) alopecuri* (Boisduval, 1840)** (Noctuidae) Synonym(s): *alopecuri* Boisduval, 1840; *syriaca* Osthelder, 1933
- 4861) *Mythimna (Aletia) andereggii* (Boisduval, 1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval, 1840
- 4862) *Mythimna (Aletia) congrua* (Hübner, [1817])** (Noctuidae) Synonym(s): *congrua* Hübner, [1817]; *annicola* Rambur, 1829.
- 4863) *Mythimna (Aletia) conigera* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller], 1775; *floccida* Esper, [1788].
- 4864) *Mythimna (Aletia) impura* (Hübner, [1808])** (Noctuidae) Synonym(s): *impura* Hübner, [1808]; *fuliginosa* Haworth, 1809; *punctina* Haworth, 1809; *amurensis* Staudinger, 1892; *transbaikalensis* Staudinger, 1892; *fuscipennis* W. Warren, 1910
- 4865) *Mythimna (Aletia) l-album* (Linnaeus, 1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus, 1767; *penicillata* Moore, 1881
- 4866) *Mythimna (Aletia) pallens* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *pallens* Linnaeus, 1758; *ectypa* Hübner, [1803]; *rufescens* Haworth, 1803; *arcuata* Stephens, 1829; *ochracea* Stephens, 1829; *suffusa* Stephens, 1829.
- 4867) *Mythimna (Aletia) pudorina* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *pudorina* [Denis & Schiffermüller], 1775; *impudens* Hübner, [1803].
- 4868) *Mythimna (Aletia) sassanidica* (Hacker, 1986)** (Noctuidae) Synonym(s): *sassanidica* Hacker, 1986
- 4869) *Mythimna (Aletia) straminea* (Treitschke, 1825)** (Noctuidae) Synonym(s): *straminea* Treitschke, 1825
- 4870) *Mythimna (Aletia) vitellina* (Hübner, [1808])** (Noctuidae) Synonym(s): *vitellina* Hübner, [1808]; *#vitellina* Lederer, 1870; *decolorata* Dannehl, 1929; *saturator* Dannehl, 1929; *griseus* Dannehl, 1929.
- 4871) *Mythimna (Hyphilare) albipuncta* (Fabricius, 1787)** (Noctuidae) Synonym(s): *#albipuncta* [Denis & Schiffermüller], 1775; *albipuncta* (Fabricius, 1787; *rufotincta* Wagner, 1921.
- 4872) *Mythimna (Hyphilare) ferrago* (Fabricius, 1787)** (Noctuidae) Synonym(s): *ferrago* Fabricius, 1787; *lithargyria* Esper, [1788]; *grisea* Stephens, 1829; *anargyria* Boisduval, 1840; *argyristis* Rambur, 1858; *meridionalis* Dannehl, 1926
- 4873) *Mythimna (Pseudaletia) unipuncta* (Haworth, [1809])** (Noctuidae) Synonym(s): *unipuncta* Haworth, [1809]; *extranea* Guenée, 1852; *antica* Walker, 1856; *tseki* Koutsaftikis, 1974.
- 4874) *Mythimna (s.str.) turca* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *turca* Linnaeus, 1761; *volupia* Hufnagel, 1766; *camuna* Turati, 1914.
- 4875) *Mythimna flammea* (Curtis, 1828)** (Noctuidae) Synonym(s): *flammea* Curtis, 1828
- 4876) *Naenia typica* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *typica* Linnaeus, 1758; *filicis* Goeze, 1781; *venosa* Hübner, [1803]; *excusa* Esper, [1805]; *claricolor* Schawerda, 1928.
- 4877) *Nalassus (Caucasonotus) svaneticus* Nabozhenko & Dzhabbazishvili, 2001** (Tenebrionidae) Synonym(s): *svaneticus* Nabozhenko & Dzhabbazishvili, 2001
- 4878) *Nalassus (Helopondrus) adzhariensis* Nabozhenko & Dzhabbazishvili, 2001** (Tenebrionidae) Synonym(s): *adzhariensis* Nabozhenko & Dzhabbazishvili, 2001
- 4879) *Narolskia chorsov* (Narolsky, 1990)** (Ichneumonidae) Synonym(s): *chorsov* Narolsky, 1990
- 4880) *Nebria (Eunebria) jarrigei* Ledoux & Roux, 1991** (Carabidae) Synonym(s): *jarrigei* Ledoux & Roux, 1991
- 4881) *Nebria (Eunebria) nigerrima* Chaudoir, 1846** (Carabidae) Synonym(s): *nigerrima* Chaudoir, 1846
- 4882) *Nebria (s.str.) adjarica* Shilenkov, 1983** (Carabidae) Synonym(s): *adjarica* Shilenkov, 1983
- 4883) *Nebria (s.str.) araschinica* Reitter, 1892** (Carabidae) Synonym(s): *araschinica* Reitter, 1892
- 4884) *Nebria (s.str.) bonellii* M.F. Adams, 1817** (Carabidae) Synonym(s): *bonellii* M.F. Adams, 1817
- 4885) *Nebria (s.str.) fischeri* Faldermann, 1836** (Carabidae) Synonym(s): *fischeri* Faldermann, 1836
- 4886) *Nebria (s.str.) gotschii* Chaudoir, 1846** (Carabidae) Synonym(s): *gotschii* Chaudoir, 1846
- 4887) *Nebula propagata* (Christoph, 1893)** (Geometridae) Synonym(s): *propagata* Christoph, 1893
- 4888) *Nebula salicata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller], 1775
- 4889) *Nebula senectaria* (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): *senectaria* Herrich-Schäffer, [1852].
- 4890) *Negotinthia hoplisiformis* (Mann, 1864)** (Sesiidae) Synonym(s): *hoplisiformis* Mann, 1864
- 4891) *Negotinthia myrmosaeformis* (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *myrmosaeformis* Herrich-Schäffer, 1846; *#lucida* Lederer, 1853; *myrmosiformis* Staudinger, 1856.
- 4892) *Nemapogon bachmarensis* Zagulyaev, 1964** (Tineidae) Synonym(s): *bachmarensis* Zagulyaev, 1964
- 4893) *Nemapogon caucasica* (Zagulyaev, 1964)** (Tineidae) Synonym(s): *caucasica* Zagulyaev, 1964
- 4894) *Nemapogon granella* (Linnaeus, 1758)** (Tineidae) Synonym(s): *granella* Linnaeus, 1758; *domesticella* Scopoli, 1763; *fenestrella* Scopoli, 1763 (praeocc.); *nebulosella* Fourcroy, 1785; *tesserella* Fabricius, 1794; *costotristigella* Chambers, 1873; *marmorella* Chambers, 1873; *fuscocomaculella* Chambers, 1875; *mancuniella* Hodgkinson, 1880; *nigroatomella* Dietz, 1905; *fuscicomella* Wörz, 1958
- 4895) *Nemapogon gravosaella* G.Petersen, 1957** (Tineidae) Synonym(s): *gravosaellus* G.Petersen, 1957; *signatellus* G.Petersen, 1960; *borshomi* Zagulyaev, 1964.
- 4896) *Nemapogon inconditella* (Lucas, 1956)** (Tineidae) Synonym(s): *inconditella* Lucas, 1956; *buckwelli* Lucas, 1956; *heydeni* G.Petersen, 1957; *hispanellus* Gozmany, 1960; *thomasi* Capușe, 1975.
- 4897) *Nemapogon lagodechiella* Zagulyaev, 1962** (Tineidae) Synonym(s): *lagodechiella* Zagulyaev, 1962
- 4898) *Nemapogon somchetiella* Zagulyaev, 1961** (Tineidae) Synonym(s): *somchetiella* Zagulyaev, 1961
- 4899) *Nemapogon variatella* (Clemens, 1859)** (Tineidae) Synonym(s): *variata* Clemens, 1859; *personella* Pierce & Metcalf, 1934; *secalella* Zacher, 1938; *infimella* Corbet, 1943.

- 4900) *Nemestrinus bombiformis* (Portschinsky,1892) (Nemestrinidae) Synonym(s): *bombiformis* Portschinsky,1892
- 4901) *Nemestrinus brandti* Bequaert,1938 (Nemestrinidae) Synonym(s): *brandti* Bequaert,1938
- 4902) *Nemestrinus caucasicus* (Fischer,1806) (Nemestrinidae) Synonym(s): *caucasicus* Fischer,1806; *analys* Olivier,1811; *adamsii* Fischer,1812; *albofasciata* Wiedemann,1828; *anthophorina* Portschinsky,1881
- 4903) *Nemestrinus laetus* (Loew,1873) (Nemestrinidae) Synonym(s): *laetus* Loew,1873
- 4904) *Nemestrinus obscuripennis* Portschinsky,1887 (Nemestrinidae) Synonym(s): *obscuripennis* Portschinsky,1887
- 4905) *Nemestrinus reticulatus* Latreille,1802 (Nemestrinidae) Synonym(s): *reticulatus* Latreille,1802; *latreillei* Fischer,1812; *cinctus* Macquart,1840; *kindermanni* Bischoff,1905
- 4906) *Nemka viduata* (Pallas,1773) (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865
- 4907) *Nemophora cupriacella* (Hübner,[1819]) (Adelidae) Synonym(s): *cupriacella* Hübner,[1819]
- 4908) *Nemoptera coa* (Linnaeus,1758) (Nemopteridae) Synonym(s): *coa* Linnaeus,1758; *petiveri* Westwood,1841
- 4909) *Nemoptera sinuata* Olivier,1811 (Nemopteridae) Synonym(s): *sinuata* Olivier,1811
- 4910) *Nemorius caucasicus* (Olsufjev,1937) (Tabanidae) Synonym(s): *caucasicus* Olsufjev,1937; *molitor* Bogatshev & Samedov,1949
- 4911) *Nemorius vitripennis* (Meigen,1820) (Tabanidae) Synonym(s): *vitripennis* Meigen,1820; *fallotii* Kriechbaumer,1873; *horvathi* Szilady,1925
- 4912) *Nemotelus* (s.str.) *argentifer* Loew,1846 (Stratiomyidae) Synonym(s): *argentifer* Loew,1846; *limbatus* Egger,1859
- 4913) *Nemotelus* (s.str.) *armeniacus* Pleske,1937 (Stratiomyidae) Synonym(s): *armeniacus* Pleske,1937
- 4914) *Nemotelus* (s.str.) *brachystomus* Loew,1846 (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969
- 4915) *Nemotelus* (s.str.) *obscuripes* Loew,1871 (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871
- 4916) *Nemotelus* (s.str.) *pantherinus* (Linnaeus,1758) (Stratiomyidae) Synonym(s): *pantherinus* Linnaeus,1758; *marginatus* Fabricius,1775; *marginellus* Gmelin,1790; *muticus* Schrank,1803; *nigritus* Meigen,1804; *fraternus* Loew,1846; *gracilis* Loew,1846; *satunini* Pleske,1937; *zelleri* Pleske,1937; *albirostris* Szilady,1941; *caucasicus* Nartshuk,1969; *punctirostris* Lindner,1974
- 4917) *Nemotelus* (s.str.) *rudifraci* (Berezovsky & Nartshuk,1993) (Stratiomyidae) Synonym(s): *rudifraci* Berezovsky & Nartshuk,1993
- 4918) *Nemotelus* (s.str.) *rufiventris* Portschinsky,1887 (Stratiomyidae) Synonym(s): *rufiventris* Portschinsky,1887
- 4919) *Nemotelus* (s.str.) *signatus* Schiner,1855 (Stratiomyidae) Synonym(s): *signatus* Schiner,1855; *varius* Loew,1871
- 4920) *Nemoura cinerea* (Retzius,1783) (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *buresschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972
- 4921) *Nemoura martynovia* Claassen,1936 (Nemouridae) Synonym(s): *martynovia* Claassen,1936
- 4922) *Nemoura taurica* Zhiltzova,1967 (Nemouridae) Synonym(s): *taurica* Zhiltzova,1967
- 4923) *Neoliturus pulcher* (Haupt,1927) (Cicadellidae) Synonym(s): *pulcher* Haupt,1927
- 4924) *Neoliturus transversalis* (Puton,1881) (Cicadellidae) Synonym(s): *transversalis* Puton,1881; *fasciata* Ferrari,1885
- 4925) *Neoscasia monticola* Stackelberg,1960 (Syrphidae) Synonym(s): *monticola* Stackelberg,1960
- 4926) *Neoscasia pavlovskii* Stackelberg,1955 (Syrphidae) Synonym(s): *pavlovskii* Stackelberg,1955
- 4927) *Neochalcis fertoni* (Kieffer,1899) (Chalcididae) Synonym(s): *fertoni* Kieffer,1899; *barbara* Benoist,1921; *scutellata* Boucek,1952
- 4928) *Neocrepidodera crassicornis* (Faldermann,1837) (Chrysomelidae) Synonym(s): *crassicornis* Faldermann,1837
- 4929) *Neocrepidodera ferruginea* (Scopoli,1763) (Chrysomelidae) Synonym(s): *ferruginea* Scopoli,1763
- 4930) *Neocrepidodera motschulskyi* Konstantinov,1991 (Chrysomelidae) Synonym(s): *motschulskyi* Konstantinov,1991
- 4931) *Neocrepidodera transversa* (Marsham,1802) (Chrysomelidae) Synonym(s): *transversa* Marsham,1802
- 4932) *Neofriseria sceptorphora* (Meyrick,1926) (Gelechiidae) Synonym(s): *sceptorphora* Meyrick,1926
- 4933) *Neognopharmia stevenaria* (Boisduval,1840) (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841
- 4934) *Neoitamus senectus* Richter,1963 (Asilidae) Synonym(s): *senectus* Richter,1963; *lehri* Moucha & Hradski,1963
- 4935) *Neoleria ruficeps* (Zetterstedt,1838) (Heleomyzidae) Synonym(s): *ruficeps* Zetterstedt,1838; *crepusculascens* Schmitz,1917
- 4936) *Neomusaria suworovi* (Pic,1906) (Cerambycidae) Synonym(s): *suworovi* Pic,1906
- 4937) *Neomyia cornicina* (Fabricius,1781) (Muscidae) Synonym(s): *cornicina* Fabricius,1781; *viridis* Wiedemann,1824; *caesarion* Meigen,1826 *nec* Bechstein & Scharfenberg,1805; *fennica* Frey,1909
- 4938) *Neophilaenus campestris* (Fallén,1805) (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894
- 4939) *Neophilaenus inversus* Dlabola,1958 (Cercopidae) Synonym(s): *inversus* Dlabola,1958
- 4940) *Neophilaenus lineatus* (Linnaeus,1758) (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965
- 4941) *Neoplagonotus bobelayei* (Brullé,1832) (Cerambycidae) Synonym(s): *speciosus* Adams,1817; *bobelayei* Brullé,1832
- 4942) *Neorhynchocephalus taucheri* (Fischer,1812) (Nemestrinidae) Synonym(s): *taucheri* Fischer,1812
- 4943) *Neotrogaspidia hammeri* (Suarez,1959) (Mutillidae) Synonym(s): *hammeri* Suarez,1959
- 4944) *Neottiglossa leporina* (Herrich-Schäffer,1830) (Pentatomidae) Synonym(s): *leporina* Herrich-Schäffer,1830; *calva* Jakovlev,1903; *irana* Wagner,1963
- 4945) *Neottiglossa pusilla* (Gmelin,1789) (Pentatomidae) Synonym(s): *pusilla* Gmelin,1789
- 4946) *Nephrotoma aculeata* (Loew,1871) (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924
- 4947) *Nephrotoma analis* (Schummel,1833) (Tipulidae) Synonym(s): *analis* Schummel,1833
- 4948) *Nephrotoma appendiculata* (Pierre,1919) (Tipulidae) Synonym(s): *maculata* Meigen,1804; *maculosa* Meigen,1818; *appendiculata* Pierre,1919
- 4949) *Nephrotoma cornicina* (Linnaeus,1758) (Tipulidae) Synonym(s): *cornicina* Linnaeus,1758; *flavomaculata* De Geer,1776; *iridicolor* Schummel,1833; *sannio* Meigen,1838; *petiolata* Zetterstedt,1838; *nigrina* Savchenko,1973
- 4950) *Nephrotoma nox* (Riedel,1910) (Tipulidae) Synonym(s): *nox* Riedel,1910; *rossica* Riedel,1920; *kozhevnikovi* Dodonov,1925
- 4951) *Nephrotoma quadrifaria* (Meigen,1804) (Tipulidae) Synonym(s): *quadrifaria* Meigen,1804
- 4952) *Nephrotoma scalaris* (Meigen,1818) (Tipulidae) Synonym(s): *scalaris* Meigen,1818; *imperialis* Meigen,1818
- 4953) *Nephrotoma schaeuffelei* (Mannheims,1964) (Tipulidae) Synonym(s): *schaeuffelei* Mannheims,1964

- 4954) *Neptis (s.str.) rivularis* (Scopoli,1763) (Argynnidae) Synonym(s): *rivularis* Scopoli,1763; *lucilla* Denis & Schiffermüller,1775; *coenobita* Cramer,1780; #tolunay Koçak & Kemal,2006.
- 4955) *Netelia (Paropheltes) caucasica* (Kokujev,1899) (Ichneumonidae) Synonym(s): *caucasica* Kokujev,1899
- 4956) *Netelia (Toxochiloides) krishtali* Tolkantiz,1971 (Ichneumonidae) Synonym(s): *krishtali* Tolkantiz,1971
- 4957) *Netrocercora quadrangula* (Eversmann,1844) (Noctuidae) Synonym(s): *quadrangula* Eversmann,1844; *coraxa* Püngeler,1898; *oblongula* Staudinger,1901; *quadriplaga* Bartel,1902
- 4958) *Neurigona abdominalis* (Fallén,1823) (Dolichopodidae) Synonym(s): *abdominalis* Fallén,1823
- 4959) *Neurigona erichsoni* (Zetterstedt,1843) (Dolichopodidae) Synonym(s): *erichsoni* Zetterstedt,1843
- 4960) *Neurigona febrilata* Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): *febrilata* Negrobov & Fursov,1988
- 4961) *Neurigona helva* Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): *helva* Negrobov & Fursov,1988
- 4962) *Neurigona pallida* (Fallén,1823) (Dolichopodidae) Synonym(s): *pallida* Fallén,1823; *ochracea* Meigen,1824
- 4963) *Neurigona pseudolongipes* Negrobov,1987 (Dolichopodidae) Synonym(s): *pseudolongipes* Negrobov,1987
- 4964) *Neurigona semilata* Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): *semilata* Negrobov & Fursov,1988
- 4965) *Neurigona subcilipes* Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): *subcilipes* Negrobov & Fursov,1988
- 4966) *Neurigona suturalis* (Fallén,1823) (Dolichopodidae) Synonym(s): *suturalis* Fallén,1823
- 4967) *Neurigona verrichteræ* Negrobov & Fursov,1988 (Dolichopodidae) Synonym(s): *verrichteræ* Negrobov & Fursov,1988
- 4968) *Neurocladus brachiidens* (Dufour,1851) (Lygaeidae) Synonym(s): *brachiidens* Dufour,1851
- 4969) *Neuroleon nemausiensis* (Borkhausen,1791) (Myrmeleonidae) Synonym(s): *nemausiensis* Borkhausen,1791
- 4970) *Neuroterus lanuginosus* Giraud,1859 (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859
- 4971) *Neurothausia ankerella* (Mann,1867) (Tineidae) Synonym(s): *ankerella* Mann,1867; *geratocoma* Walsingham,1907; *nigratella* Chrétien,1917; *burdigalensis* Le Marchand,1934; *tirsella* Amsel,1952;
- 4972) *Neurothausia macedonica* G.Petersen,1962 (Tineidae) Synonym(s): *macedonica* G.Petersen,1962; *inornata* G.Petersen,1966
- 4973) *Neurotoma nemoralis* (Linnaeus,1758) (Pamphiliidae) Synonym(s): *nemoralis* Linnaeus,1758; *punctata* Fabricius,1798 nec Geoffr.,1785; *caprifolii* Schrank,1802; *lucorum* Fallén,1808; *drupacearum* Nördlinger,1855; *maculifrons* Snellen van Vollenhoven,1858
- 4974) *Nezara viridula* (Linnaeus,1758) (Pentatomidae) Synonym(s): *viridula* Linnaeus,1758
- 4975) *Nicrophorus antennatus* (Reitter,1885) (Silphidae) Synonym(s): *antennatus* Reitter,1885
- 4976) *Nicrophorus confusus* Portevin,1924 (Silphidae) Synonym(s): *confusus* Portevin,1924
- 4977) *Nicrophorus germanicus* (Linnaeus,1758) (Silphidae) Synonym(s): *germanicus* Linnaeus,1758
- 4978) *Nicrophorus humator* (Gleditsch,1767) (Silphidae) Synonym(s): *humator* Gleditsch,1767
- 4979) *Nicrophorus nigricornis* Faldermann,1835 (Silphidae) Synonym(s): *nigricornis* Faldermann,1835
- 4980) *Niditinea fuscella* (Linnaeus,1758) (Tineidae) Synonym(s): *fuscella* Linnaeus,1758; *spretella* [Denis & Schiffermüller],1775; *crinitella* Schrank,1802; *fuscipunctella* Haworth,[1828]; *nubilipennella* Clemens,1859; *abligatella* Walker,1863; *eurinella* Zagulyaev,1952; *distans* Gozmany,1959.
- 4981) *Nocaracris curtus* Mishchenko,1951 (Pamphagidae) Synonym(s): *curtus* Mishchenko,1951
- 4982) *Nocaracris cyanipes* (Fischer von Waldheim,1846) (Pamphagidae) Synonym(s): *cyanipes* Fischer von Waldheim,1846
- 4983) *Nocaracris tibialis* Ramme,1951 (Pamphagidae) Synonym(s): *tibialis* Ramme,1951
- 4984) *Nocaracris tristis* Ramme,1951 (Pamphagidae) Synonym(s): *tristis* Ramme,1951
- 4985) *Nocarodes armenus* Ramme,1951 (Pamphagidae) Synonym(s): *armenus* Ramme,1951; *fragosus* Mishchenko,1951
- 4986) *Nocarodes balachowskyi* Descamps,1967 (Pamphagidae) Synonym(s): *balachowskyi* Descamps,1967
- 4987) *Nocarodes daghestanicus* Uvarov,1928 (Pamphagidae) Synonym(s): *daghestanicus* Uvarov,1928
- 4988) *Nocarodes femoralis* Fischer von Waldheim,1846 (Pamphagidae) Synonym(s): *femoralis* Fischer von Waldheim,1846
- 4989) *Nocarodes geniculatus* Uvarov,1928 (Pamphagidae) Synonym(s): *geniculatus* Uvarov,1928
- 4990) *Nocarodes nanus* Mishchenko,1951 (Pamphagidae) Synonym(s): *nanus* Mishchenko,1951
- 4991) *Nocarodes scabiosus* Mishchenko,1951 (Pamphagidae) Synonym(s): *scabiosus* Mishchenko,1951
- 4992) *Nocarodes serricollis* Fischer von Waldheim,1846 (Pamphagidae) Synonym(s): *serricollis* Fischer von Waldheim,1846
- 4993) *Nocarodes urmianus* Ramme,1939 (Pamphagidae) Synonym(s): *urmianus* Ramme,1939
- 4994) *Nocarodes variegatus* Fischer von Waldheim,1846 (Pamphagidae) Synonym(s): *variegatus* Fischer von Waldheim,1846
- 4995) *Nocarodes znojki* Miram,1938 (Pamphagidae) Synonym(s): *znojki* Miram,1938
- 4996) *Noctua (Euschesis) janthina* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900.
- 4997) *Noctua (Lampra) fimbriata* (Schreber,1759) (Noctuidae) Synonym(s): *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787.
- 4998) *Noctua (Latanoctua) orbona* (Hufnagel,1766) (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
- 4999) *Noctua (Paranoctua) comes* (Hübner,[1813]) (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 5000) *Noctua (Paranoctua) interposita* (Hübner,1790) (Noctuidae) Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszczyk,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963
- 5001) *Noctua (s.str.) pronuba* (Linnaeus,1758) (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piesz.,1908; *decolorata* Turati,1923.
- 5002) *Noctua (s.str.) tertia* Mentzer, Moberg & Fibiger,1991 (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991
- 5003) *Noctua pupillata* (Fallén,1814) (Tephritidae) Synonym(s): *pupillata* Fallén,1814; *reticula* Schrank,1803; *brunicea* R-D.,1830; *lineata* Macquart,1835
- 5004) *Nohoveus armenicus* (Krivokhatsky,1993) (Myrmeleonidae) Synonym(s): *armenicus* Krivokhatsky,1993
- 5005) *Nola aerugula* (Hübner,1793) (Noctuidae) Synonym(s): *aerugula* Hübner,1793; *centonalis* Hübner,1796; *centonana* Hübner,[1825]; *littoralis* Paux,1901; *contrarialis* Heydemann,1934; *trituberculana* Heslop,1959.
- 5006) *Nola cristatula* (Hübner,1793) (Noctuidae) Synonym(s): *cristatula* Hübner,1793; *cristulalis* Hübner,1796; *cristulana* Hübner,[1825].
- 5007) *Nola impudica* Christoph,1893 (Noctuidae) Synonym(s): *impudica* Christoph,1893
- 5008) *Nola karelica* (Tengström,1869) (Noctuidae) Synonym(s): *karelica* Tengström,1869

- 5009)** *Nomada emarginata* Morawitz, 1878 (Apidae) Synonym(s): *emarginata* Morawitz, 1878
- 5010)** *Nomada moravitzii* Radoszkowski, 1876 (Apidae) Synonym(s): *moravitzii* Radoszkowski, 1876; *moravitzii* Radoszkowski, 1896
- 5011)** *Nomada pygidialis* Schwarz, 1981 (Apidae) Synonym(s): *pygidialis* Schwarz, 1981
- 5012)** *Nomada rubricollis* Schwarz, 1967 (Apidae) Synonym(s): *rubricollis* Schwarz, 1967
- 5013)** *Nonagria typhae* (Thunberg, 1784) (Noctuidae) Synonym(s): *typhae* Thunberg, 1784; *arundinis* Fabricius, 1787.
- 5014)** *Noterus clavicornis* (De Geer, 1774) (Noteridae) Synonym(s): *clavicornis* De Geer, 1774
- 5015)** *Nothris verbascella* (Brahm, 1791) (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller], 1775; *verbascella* Brahm, 1791; *lutarea* Haworth, 1828; *clarella* Amsel, 1935
- 5016)** *Notiophilus aestuans* Dejean, 1826 (Carabidae) Synonym(s): *aestuans* Dejean, 1826
- 5017)** *Notiophilus biguttatus* (Fabricius, 1779) (Carabidae) Synonym(s): *biguttatus* Fabricius, 1779
- 5018)** *Notiophilus laticollis* Chaudoir, 1850 (Carabidae) Synonym(s): *laticollis* Chaudoir, 1850
- 5019)** *Notiophilus rufipes* Curtis, 1829 (Carabidae) Synonym(s): *rufipes* Curtis, 1829
- 5020)** *Notocelia aquana* (Hübner, [1799]) (Tortricidae) Synonym(s): *#roborana* [Denis & Schiffermüller], 1775; *aquana* Hübner, [1799]
- 5021)** *Notocelia tetragonana* (Stephens, 1834) (Tortricidae) Synonym(s): *tetragonana* Stephens, 1834
- 5022)** *Notocelia trimaculana* (Haworth, [1811]) (Tortricidae) Synonym(s): *trimaculana* Haworth, [1811]; *suffusana* Duponchel, 1843.
- 5023)** *Notocelia uddmanniana* (Linnaeus, 1758) (Tortricidae) Synonym(s): *uddmanniana* Linnaeus, 1758; *rubiana* Scopoli, 1763; *achata* Hübner, [1799]
- 5024)** *Notodonta dromedarius* (Linnaeus, 1758) (Notodontidae) Synonym(s): *dromedarius* Linnaeus, 1758; *dromedarulus* Haworth, 1803; *zebu* Donovan, 1807; *perfusca* Stephens, 1828; *frigida* Rangnow, 1932; *westfalica* Brandt, 1936; *schintlmeisteri* Witt, 1980
- 5025)** *Notodonta tritophus* ([Denis & Schiffermüller], 1775) (Notodontidae) Synonym(s): *#tritophus* [Denis & Schiffermüller], 1775; *phoebe* Siebert, 1790; *perfuscus* Haworth, 1803; *irfana* De Freina, 1983.
- 5026)** *Notodonta ziczac* (Linnaeus, 1758) (Notodontidae) Synonym(s): *ziczac* Linnaeus, 1758; *venosa* Fourcroy, 1785; *monticola* Dannehl, 1925; *lapponica* Rangnow, 1935; *dimorpha* Rangnow, 1935; *reisseri* Rungs, 1956
- 5027)** *Notonecta glauca* Linnaeus, 1758 (Notonectidae) Synonym(s): *glauca* Linnaeus, 1758; *kervillei* Poisson, 1933; *poissoni* Hungerford, 1934; *hybrida* Poisson, 1953
- 5028)** *Notonecta marmorea* Fabricius, 1803 (Notonectidae) Synonym(s): *marmorea* Fabricius, 1803
- 5029)** *Notoxus angustulus* Krekich & Strassoldo, 1919 (Anthicidae) Synonym(s): *angustulus* Krekich & Strassoldo, 1919
- 5030)** *Notoxus appendicinus* Desbr., 1875 (Anthicidae) Synonym(s): *appendicinus* Desbr., 1875
- 5031)** *Notoxus simulans* Heberdey, 1935 (Anthicidae) Synonym(s): *simulans* Heberdey, 1935
- 5032)** *Nusa ramifica* (Loew, 1871) (Asilidae) Synonym(s): *ramifica* Loew, 1871
- 5033)** *Nychiodes (Eunychiodes) divergaria* (Staudinger, 1892) (Geometridae) Synonym(s): *divergaria* Staudinger, 1892
- 5034)** *Nyctegretis lineana* (Scopoli, 1786) (Pyralidae) Synonym(s): *lineana* Scopoli, 1786; *achatinella* Hübner, [1824].
- 5035)** *Nycteola asiatica* (Krulikovskiy, 1904) (Noctuidae) Synonym(s): *asiatica* Krulikovskiy, 1904; *populana* Patočka, 1953; *hungarica* Kovacs, 1954.
- 5036)** *Nycteola columbana* (Turner, 1925) (Noctuidae) Synonym(s): *columbana* Thurner, 1925; *gallicana* Aubert, 1957; *#apicistrigata* Dufay, 1958.
- 5037)** *Nycteola gandzhana* Obratzov, 1954 (Noctuidae) Synonym(s): *gandzhana* Obratzov, 1954
- 5038)** *Nycteola revayana* (Scopoli, 1772) (Noctuidae) Synonym(s): *revayana* Scopoli, 1772; *duplana* Fabricius, 1777; *ilicana* Fabricius, 1781; *fasciatum* Retzius, 1783; *punctana* Thunberg, 1784; *anglica* Fourcroy, 1785; *rivagana* Fabricius, 1787; *ramosana* Hübner, 1793; *undulana* Hübner, [1799]; *bifasciana* Donovan, 1801 nec Hbn., 1787
- 5039)** *Nycteola siculana* (Fuchs, 1899) (Noctuidae) Synonym(s): *siculana* Fuchs, 1899; *cuneana* Patočka, 1953; *pseudodilutana* Obratzov, 1954.
- 5040)** *Nycteribia (Acrocholidia) vexata* Westwood, 1835 (Nycteribiidae) Synonym(s): *vexata* Westwood, 1835
- 5041)** *Nycteribia (s.str.) schmidlii* Schiner, 1853 (Nycteribiidae) Synonym(s): *schmidlii* Schiner, 1853
- 5042)** *Nyctophila caucasica* (Motschoulsky, 1854) (Lampyridae) Synonym(s): *caucasica* Motschoulsky, 1854
- 5043)** *Nyctophila pseudocaucaasica* Geisthardt, 1982 (Lampyridae) Synonym(s): *pseudocaucaasica* Geisthardt, 1982
- 5044)** *Nymphalis antiopa* (Linnaeus, 1758) (Argynnididae) Synonym(s): *antiopa* Linnaeus, 1758; *pompador* Pollich, 1783; *morio* Retzius, 1783; *borealis* Wnukowsky, 1927.
- 5045)** *Nymphalis antiopa antiopa* (Linnaeus, 1758) (Argynnididae) Synonym(s): *antiopa* Linnaeus, 1758; *pompador* Pollich, 1783; *morio* Retzius, 1783; *borealis* Wnukowsky, 1927.
- 5046)** *Nymphalis polychloros* (Linnaeus, 1758) (Argynnididae) Synonym(s): *polychloros* Linnaeus, 1758; *testudo* Esper, 1781; *pyrrhomelaena* Hübner, 1824; *pyromelas* Freyer, 1834; *fervida* Standfuss, 1896.
- 5047)** *Nymphalis vaualbum* ([Denis & Schiffermüller], 1775) (Argynnididae) Synonym(s): *#vaualbum* [Denis & Schiffermüller], 1775; *l-album* Esper, [1781]
- 5048)** *Nymphalis vaualbum vaualbum* ([Denis & Schiffermüller], 1775) (Argynnididae) Synonym(s): *#vaualbum* [Denis & Schiffermüller], 1775; *l-album* Esper, [1781]
- 5049)** *Nymphalis xanthomelas* (Esper, [1781]) (Argynnididae) Synonym(s): *#xanthomelas* [Denis & Schiffermüller], 1775; *xanthomelas* Esper, [1781]
- 5050)** *Nymphorgerius armeniaca* Emeljanov, 1998 (Dictyopharidae) Synonym(s): *armeniaca* Emeljanov, 1998
- 5051)** *Nymphorgerius transcaucasicus* Sidorski, 1938 (Dictyopharidae) Synonym(s): *transcaucasicus* Sidorski, 1938
- 5052)** *Nymphula nitidulata* (Hufnagel, 1767) (Pyralidae) Synonym(s): *nitidulata* Hufnagel, 1767; *stagnata* Donovan, 1806; *stagnalis* Guenée, 1854; *corculina* Butler, 1879; *distinctalis* Ragonot, 1894
- 5053)** *Oberea linearis* (Linnaeus, 1761) (Cerambycidae) Synonym(s): *linearis* Linnaeus, 1761
- 5054)** *Obtusodontia equitatoria* (Panzer, 1786) (Ichneumonidae) Synonym(s): *equitatoria* Panzer, 1786
- 5055)** *Ochlodes hyrcanus* (Christoph, 1893) (Hesperiidae) Synonym(s): *hyrcanus* Christoph, 1893
- 5056)** *Ochlodes venatus* (Bremer & Grey, [1852]) (Hesperiidae) Synonym(s): *venatus* Bremer & Grey, [1852]
- 5057)** *Ochlodes venatus faunus* (Turati, 1905) (Hesperiidae) Synonym(s): *sylvanus* Esper, 1777 nec Dru., [1773]; *melicerta* Bergsträßer, 1780 nec Dru., [1773]; *faunus* Turati, 1905; *septentrionalis* Verity, 1919; *taurica* Gaede, 1931; *alexandra* Hemming, 1934; *esperi* Verity, 1934; *nicaeensis* Praviel, 1948; *concoulense* Picard, 1948; *hesperodora* Kaufman, 1956
- 5058)** *Ochodontia adustaria* Fischer de Waldheim, 1840 (Geometridae) Synonym(s): *adustaria* Fischer de Waldheim, 1840; *sareptanaria* Freyer, 1841; *#sareptaria* Eversmann, 1844
- 5059)** *Ochrilidia gracilis* (Krauss, 1902) (Acrididae) Synonym(s): *gracilis* Krauss, 1902; *acuta* Bolivar, 1908; *curvifrons* Bolivar, 1908; *aegyptia* Uvarov, 1924; *aethiopica* Salfi, 1931; *obtusa* Salfi, 1931; *uvarovi* Salfi, 1931; *#gracilis* Abashidze, 2002
- 5060)** *Ochrilidia obtusa* (Salfi, 1931) (Acrididae) Synonym(s): *obtusa* Salfi, 1931

- 5061) **Ochroleptura plecta** (Linnaeus,1761) (Noctuidae) Synonym(s): *plecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucomacula* Graeser,[1889]; *unuplecta* Bryk,1942.
- 5062) **Ochrosia ventralis** (Illiger,1807) (Chrysomelidae) Synonym(s): *ventralis* Illiger,1807
- 5063) **Ochthebius (Asiabates) limbicollis** Reitter,1885 (Hydraenidae) Synonym(s): *limbicollis* Reitter,1885
- 5064) **Ochyrotylus helvinus** Jakovlev,1885 (Pentatomidae) Synonym(s): *helvinus* Jakovlev,1885
- 5065) **Ocnogyna (s.str.) armena** Staudinger,1871 (Arctiidae) Synonym(s): *armena* Staudinger,1871
- 5066) **Ocrisiodes dispergella** (Ragonot,1887) (Pyralidae) Synonym(s): *dispergella* Ragonot,1887
- 5067) **Odeles armilabris** (Nyholm,1974) (Scirtidae) Synonym(s): *armilabris* Nyholm,1974
- 5068) **Odezia atrata** (Linnaeus,1758) (Geometridae) Synonym(s): *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpfenberg,1887; *meridionalis* Reisser,1935
- 5069) **Odice arcuina** (Hübner,1790) (Noctuidae) Synonym(s): *arcuina* Hübner,1790; *inamoena* Hübner,[1803].
- 5070) **Odice kuelekana** (Staudinger,1871) (Noctuidae) Synonym(s): *kuelekana* Staudinger,1871
- 5071) **Odice suava** (Hübner,[1813]) (Noctuidae) Synonym(s): *suava* Hübner,[1813].
- 5072) **Odites (Gozmaniola) kollarella** (Costa,[1836]) (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836]
- 5073) **Odonestis pruni** (Linnaeus,1758) (Lasiocampidae) Synonym(s): *pruni* Linnaeus,1758
- 5074) **Odontognophos dumetatus** (Treitschke,1827) (Geometridae) Synonym(s): *dumetatus* Treitschke,1827; *temperata* Eversmann,1846; *saturata* Fuchs,1902
- 5075) **Odontognophos zacharius** (Staudinger,1879) (Geometridae) Synonym(s): *zacharia* Staudinger,1879
- 5076) **Odontomyia cephalonica** Strobl,1898 (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922
- 5077) **Odontomyia flavissima** (Rossi,1790) (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infuscata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909
- 5078) **Odontoscelsis dorsalis** (Fabricius,1803) (Scutelleridae) Synonym(s): *dorsalis* Fabricius,1803
- 5079) **Odontoscelsis fuliginosa** (Linnaeus,1761) (Scutelleridae) Synonym(s): *fuliginosa* Linnaeus,1761
- 5080) **Odontotarsus impictus** Jakovlev,1886 (Scutelleridae) Synonym(s): *impictus* Jakovlev,1886; *lautus* Horvath,1891; *decolor* Horvath,1906; *mendax* Horvath,1906
- 5081) **Odontotarsus obsoletus** Horvath,1906 (Scutelleridae) Synonym(s): *obsoletus* Horvath,1906
- 5082) **Odontotarsus plicatulus** Hovarth,1906 (Scutelleridae) Synonym(s): *plicatulus* Hovarth,1906
- 5083) **Odontotarsus purpureolineatus** (Rossi,1790) (Scutelleridae) Synonym(s): *purpureolineatus* Rossi,1790; *lutescens* Fieber,1861; *rugicollis* Jakovlev,1884; *insignis* Jakovlev,1908; *#confluens* Hoberlandt,1944
- 5084) **Odontotarsus robustus** Jakovlev,1884 (Scutelleridae) Synonym(s): *robustus* Jakovlev,1884; *flavus* Jakovlev,1885; *dilutus* Horvath,1917
- 5085) **Odynerus (Spinicoxa) simillimus** Morawitz,1967 (Vespidae) Synonym(s): *simillimus* Morawitz,1967; *dentifer* Drogoszewski,1934
- 5086) **Oecanthus pellucens** (Scopoli,1763) (Gryllidae) Synonym(s): *pellucens* Scopoli,1763; *italicus* Fabricius,1781; *lutaria* Petagna,1792; *aquea* Fabricius,1798; *varia* Fischer von Waldheim,1846; *angustipennis* Fitch,1856
- 5087) **Oecothea longipes** Gorodkov,1959 (Heleomyzidae) Synonym(s): *longipes* Gorodkov,1959
- 5088) **Oecothea ushinskii** Gorodkov,1959 (Heleomyzidae) Synonym(s): *ushinskii* Gorodkov,1959
- 5089) **Oedaleus decorus** (Germar,1817) (Acrididae) Synonym(s): *decorus* Germar,1817
- 5090) **Oedaleus senegalensis** (Krauss,1877) (Acrididae) Synonym(s): *senegalensis* Krauss,1877; *arenivolans* Butler,1881; *mlokozewitzcki* Bolivar,1884; *mlokozewitchi* Bolivar,1887; *dimidiatus* Bolivar,1899
- 5091) **Oedipoda caerulea** (Linnaeus,1758) (Acrididae) Synonym(s): *caerulea* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stål,1873
- 5092) **Oedipoda miniata** (Pallas,1771) (Acrididae) Synonym(s): *miniata* Pallas,1771; *salinus* Gmelin,1790; *gratiosa* Audinet-Serville,1838; *perurbana* Steinmann,1965
- 5093) **Oedipoda schochi** Saussure,1884 (Acrididae) Synonym(s): *schochi* Saussure,1884; *caucasica* Saussure,1884
- 5094) **Oegoconia caradjai** Popescu-Gorj & Capuse,1965 (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse,1965
- 5095) **Oegoconia deauratella** (Herrich-Schäffer,[1854]) (Autostichidae) Synonym(s): *deauratella* Herrich-Schäffer,[1854]; *bacescui* Popescu-Gorj & Capuse,1965
- 5096) **Oegoconia novimundi** (Busck,1915) (Autostichidae) Synonym(s): *novimundi* Busck,1915
- 5097) **Oegoconia uralskella** Popescu-Gorj & Capuse,1965 (Autostichidae) Synonym(s): *uralskella* Popescu-Gorj & Capuse,1965
- 5098) **Oenas tenuicornis** Abeille de Perrin,1880 (Meloidae) Synonym(s): *tenuicornis* Abeille de Perrin,1880; *#tenuitarsis* Kaszab,1968
- 5099) **Oenas wilhelmsi** Faldermann,1832 (Meloidae) Synonym(s): *wilhelmsi* Faldermann,1832; *armeniacus* Kaszab,1951
- 5100) **Oestranthrax karavajevi** Paramonov,1931 (Bombyliidae) Synonym(s): *karavajevi* Paramonov,1931
- 5101) **Ogcodes guttatus** A.Costa,1854 (Acroceridae) Synonym(s): *guttatus* A.Costa,1854; *benacensis* Pokorný,1887
- 5102) **Ogcodes hirtus** (Sack,1936) (Acroceridae) Synonym(s): *hirtus* Sack,1936
- 5103) **Oidaematophorus didactylites** (Ström,1783) (Pterophoridae) Synonym(s): *didactylites* Ström,1783; *scarodactyla* Hübner,[1813]; *icarodactyla* Treitschke,1833; *catharodactylus* Caradja,1921.
- 5104) **Oldenbergiella vernalis** Gorodkov,1970 (Heleomyzidae) Synonym(s): *vernalis* Gorodkov,1970
- 5105) **Olethreutes (Argyroploce) ? plumbiferana** Kennel,1916 (Tortricidae) Synonym(s): *plumbiferana* Kennel,1916
- 5106) **Olethreutes (Argyroploce) delitana** (Staudinger,1879) (Tortricidae) Synonym(s): *delitana* Staudinger,1879; *laurentiana* Kennel,1919; *flava* Kennel,1919.
- 5107) **Olethreutes (Argyroploce) lacunana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *lacunana* [Denis & Schiffermüller],1775; *herbana* Guenée,1845
- 5108) **Olethreutes (s.str.) arcuana** (Linnaeus,1761) (Tortricidae) Synonym(s): *#arcuella* Clerck,1759; *arcuana* Linnaeus,1761; *lambergiana* Scopoli,1763.
- 5109) **Olethreutes (s.str.) doubledayana** (Barrett,1872) (Tortricidae) Synonym(s): *doubledayana* Barrett,1872
- 5110) **Oliarus apiculatus** Fieber,1876 (Cixiidae) Synonym(s): *apiculatus* Fieber,1876
- 5111) **Oliarus concolor** Fieber,1876 (Cixiidae) Synonym(s): *concolor* Fieber,1876
- 5112) **Oliarus dagestanicus** Kusnezov,1937 (Cixiidae) Synonym(s): *dagestanicus* Kusnezov,1937
- 5113) **Oliarus minusculus** Melichar,1913 (Cixiidae) Synonym(s): *minusculus* Melichar,1913
- 5114) **Oliarus nigrofurcatus** Signoret,1884 (Cixiidae) Synonym(s): *nigrofurcatus* Signoret,1884; *fumatus* Melichar,1902
- 5115) **Oliarus obscurus** (Signoret,1865) (Cixiidae) Synonym(s): *obscurus* Signoret,1865; *signatus* Fieber,1876
- 5116) **Oliarus pallens** (Germar,1821) (Cixiidae) Synonym(s): *pallens* Germar,1821; *stenocephalus* Haupt,1917; *suezensis* Matsumura,1910; *modestus* Haupt,1927
- 5117) **Oliarus roridus** Fieber,1876 (Cixiidae) Synonym(s): *roridus* Fieber,1876; *maculatus* Fieber,1876

- 5118) *Oligia dubia* (Heydemann,1942) (Noctuidae) Synonym(s): *dubia* Heydemann,1942
 5119) *Oligia latruncula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775
 5120) *Oligia pseudodubia* Rezbanyai-Reser,1997 (Noctuidae) Synonym(s): *pseudodubia* Rezbanyai-Reser,1997
 5121) *Oligia strigilis* (Linnaeus,1758) (Noctuidae) Synonym(s): *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775.
 5122) *Oligia turcia* Rezbanyai-Reser,1997 (Noctuidae) Synonym(s): *turcia* Rezbanyai-Reser,1997
 5123) *Oligia vandarban* Rezbanyai-Reser,1997 (Noctuidae) Synonym(s): *vandarban* Rezbanyai-Reser,1997
 5124) *Oligia versicolor* (Borkhausen,1792) (Noctuidae) Synonym(s): *versicolor* Borkhausen,1792; *vojnitsi* Kovacs,1967; *nerminae* Koçak,1982.
 5125) *Oligodranes flavus* Paramonov,1929 (Bombyliidae) Synonym(s): *flavus* Paramonov,1929
 5126) *Oligoneura murina* (Loew,1844) (Acroceridae) Synonym(s): *murina* Loew,1844
 5127) *Olivenebula subsericata* (Herrich-Schäffer,1861) (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *elisabethae* De Lattin,1951; *bobitsi* Beck,1996.
 5128) *Omaloplia* (s.str.) *uricola* (Fabricius,1775) (Scarabaeidae) Synonym(s): *uricola* Fabricius,1775; *humeralis* Fabricius,1775; *marginatus* Fuessly,1775; *floricola* Laicharting,1781; *atrata* Geoffroy,1785; *pruinosa* Küster,1849; *populi* Gistel,1857; *intermedia* Abeille,1895; *fritschii* Reitter,1905; *arnoldi* Medvedev,1952; *tergestina* Bauard,1965; *svanetica* Medvedev & Dzambazishvili,1973
 5129) *Ommatius stackelbergi* (Richter,1960) (Asilidae) Synonym(s): *stackelbergi* Richter,1960
 5130) *Ommatius tenellus* Wulp,1899 (Asilidae) Synonym(s): *tenellus* Wulp,1899
 5131) *Omocestus* (s.str.) *demokidovi* Ramme,1930 (Acrididae) Synonym(s): *demokidovi* Ramme,1930
 5132) *Omocestus* (s.str.) *haemorrhoidalis* (Charpentier,1825) (Acrididae) Synonym(s): *haemorrhoidalis* Charpentier,1825; *nebulosa* Brunner von Wattenwyl,1882; *montivagus* Azam,1908; *obscurus* Schirmer,1913; *viridis* Schirmer,1913; *robustior* Zacher,1917; *hyalosuperficies* Voroncovsky,1928
 5133) *Omocestus* (s.str.) *petraeus* (Brisout,1855) (Acrididae) Synonym(s): *petraeus* Brisout,1855; *tesquorum* Tarbinsky,1930; *psamophilus* Maran,1954; *toscanus* Schmidt,1967
 5134) *Omocestus* (s.str.) *viridulus* (Linnaeus,1758) (Acrididae) Synonym(s): *viridulus* Linnaeus,1758
 5135) *Omocestus* (s.str.) *znojko* Mistchenko,1951 (Acrididae) Synonym(s): *znojko* Mistchenko,1951
 5136) *Omophlus* (s.str.) *caucasicus* Kirsch,1869 (Tenebrionidae) Synonym(s): *caucasicus* Kirsch,1869
 5137) *Omphalophana anatolica* (Lederer,1857) (Noctuidae) Synonym(s): *anatolica* Lederer,1857
 5138) *Omphalophana antirrhinii* (Hübner,[1803]) (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803]
 5139) *Omphalophana durnalayana* Osthelder,1933 (Noctuidae) Synonym(s): *durnalayana* Osthelder,1933
 5140) *Oncoccephalus notatus* (Klug,1812) (Reduviidae) Synonym(s): *notatus* Klug,1812
 5141) *Oncoccephalus plumicornis* (Germar,1822) (Reduviidae) Synonym(s): *plumicornis* Germar,1822
 5142) *Oncocera semirubella* (Scopoli,1763) (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 *nec* Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916
 5143) *Oncocnemis confusa* (Freyer,[1839]) (Noctuidae) Synonym(s): *confusa* Freyer,[1839].
 5144) *Oncocnemis exacta* Christoph,1887 (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937
 5145) *Oncocnemis nigricula* (Eversmann,1847) (Noctuidae) Synonym(s): *nigricula* Eversmann,1847
 5146) *Oncocnemis strioligera* Lederer,1853 (Noctuidae) Synonym(s): *strioligera* Lederer,1853
 5147) *Oncopsis alni* (Schränk,1801) (Cicadellidae) Synonym(s): *fenestrata* Schränk,1776 (*praeocc.*); *ferrugineus* Curtis,1837; *heydenii* Kirschbaum,1868
 5148) *Onitis damoetas* Steven,1806 (Scarabaeidae) Synonym(s): *damoetas* Steven,1806; *laevigatus* Olivier,1811; *steveni* Brullé,1832
 5149) *Onthophagus* (Euonthophagus) *atramentarius* (Ménétriés,1832) (Scarabaeidae) Synonym(s): *atramentarius* Ménétriés,1832
 5150) *Onthophagus* (Euonthophagus) *gibbosus* (Scriba,1790) (Scarabaeidae) Synonym(s): *gibbosus* Scriba,1790
 5151) *Onthophagus* (Furconthophagus) *furcatus* (Fabricius,1781) (Scarabaeidae) Synonym(s): *furcatus* Fabricius,1781
 5152) *Onthophagus* (Palaeonthophagus) *coenobita* (Herbst,1783) (Scarabaeidae) Synonym(s): *coenobita* Herbst,1783
 5153) *Onthophagus* (Palaeonthophagus) *cruciatus* (Ménétriés,1832) (Scarabaeidae) Synonym(s): *cruciatus* Ménétriés,1832
 5154) *Onthophagus* (Palaeonthophagus) *dorsosignatus* D'Orbigny,1898 (Scarabaeidae) Synonym(s): *dorsosignatus* D'Orbigny,1898
 5155) *Onthophagus* (Palaeonthophagus) *fissicornis* Steven,1809 (Scarabaeidae) Synonym(s): *fissicornis* Steven,1809
 5156) *Onthophagus* (Palaeonthophagus) *formaneki* Reitter,1897 (Scarabaeidae) Synonym(s): *formaneki* Reitter,1897
 5157) *Onthophagus* (Palaeonthophagus) *fracticornis* (Preyßler,1790) (Scarabaeidae) Synonym(s): *fracticornis* Preyßler,1790
 5158) *Onthophagus* (Palaeonthophagus) *grosseopunctatus* J.Müller,1906 (Scarabaeidae) Synonym(s): *grosseopunctatus* J.Müller,1906
 5159) *Onthophagus* (Palaeonthophagus) *lemur* (Fabricius,1781) (Scarabaeidae) Synonym(s): *lemur* Fabricius,1781
 5160) *Onthophagus* (Palaeonthophagus) *lemuroides* D'Orbigny,1898 (Scarabaeidae) Synonym(s): *lemuroides* D'Orbigny,1898
 5161) *Onthophagus* (Palaeonthophagus) *lucidus* (Sturm,1800) (Scarabaeidae) Synonym(s): *lucidus* Sturm,1800
 5162) *Onthophagus* (Palaeonthophagus) *nuchicornis* (Linnaeus,1758) (Scarabaeidae) Synonym(s): *nuchicornis* Linnaeus,1758
 5163) *Onthophagus* (Palaeonthophagus) *ovatus* (Linnaeus,1762) (Scarabaeidae) Synonym(s): *ovatus* Linnaeus,1762
 5164) *Onthophagus* (Palaeonthophagus) *parmatus* Reitter,1892 (Scarabaeidae) Synonym(s): *parmatus* Reitter,1892
 5165) *Onthophagus* (Palaeonthophagus) *ponticus* Harold,1883 (Scarabaeidae) Synonym(s): *ponticus* Harold,1883; *furcicornis* Reitter,1893; *granulifer* Reitter,1893; *granulosus* Kozhantschikov,1894; *gorhami* Shipp,1895; *krali* Balthasar,1963; *citellorum* Medvedev,1965
 5166) *Onthophagus* (Palaeonthophagus) *ruficapillus* Brullé,1832 (Scarabaeidae) Synonym(s): *ruficapillus* Brullé,1832
 5167) *Onthophagus* (Palaeonthophagus) *sacharovskii* Olsoufieff,1918 (Scarabaeidae) Synonym(s): *sacharovskii* Olsoufieff,1918
 5168) *Onthophagus* (Palaeonthophagus) *semicornis* (Panzer,1798) (Scarabaeidae) Synonym(s): *semicornis* Panzer,1798
 5169) *Onthophagus* (Palaeonthophagus) *sericatus* Reitter,1893 (Scarabaeidae) Synonym(s): *sericatus* Reitter,1893
 5170) *Onthophagus* (Palaeonthophagus) *speculifer* Solsky,1876 (Scarabaeidae) Synonym(s): *speculifer* Solsky,1876
 5171) *Onthophagus* (Palaeonthophagus) *suturellus* Brullé,1832 (Scarabaeidae) Synonym(s): *suturellus* Brullé,1832; *trochiscobius* Kolenati,1846

- 5172) Onthophagus (Palaeonthophagus) truchmenus Kolenati,1846** (Scarabaeidae) Synonym(s): *truchmenus Kolenati,1846; araxicola Reitter,1893; latiplage Reitter,1897; xerces Petrovitz,1965*
- 5173) Onthophagus (Palaeonthophagus) vacca (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *vacca Linnaeus,1767*
- 5174) Onthophagus (Palaeonthophagus) verticicornis (Laicharting,1781)** (Scarabaeidae) Synonym(s): *verticicornis Laicharting,1781*
- 5175) Onthophagus (Palaeonthophagus) viridis Ménétériés,1832** (Scarabaeidae) Synonym(s): *viridis Ménétériés,1832*
- 5176) Onthophagus (s.str.) illyricus (Scopoli,1763)** (Scarabaeidae) Synonym(s): *illyricus Scopoli,1763*
- 5177) Onthophagus (s.str.) taurus (Schreber,1759)** (Scarabaeidae) Synonym(s): *taurus Schreber,1759*
- 5178) Onychogomphus assimilis (Schneider,1845)** (Gomphidae) Synonym(s): *assimilis Schneider,1845; fulvipennis Bartenev,1912*
- 5179) Onychogomphus flexuosus (Schneider,1845)** (Gomphidae) Synonym(s): *flexuosus Schneider,1845*
- 5180) Onychogomphus forcipatus (Linnaeus,1758)** (Gomphidae) Synonym(s): *forcipatus Linnaeus,1758*
- 5181) Onycholyda trigaria (Konow,1897)** (Pamphiliidae) Synonym(s): *trigaria Konow,1897*
- 5182) Opacifrons coxata (Stenhammar,1855)** (Sphaeroceridae) Synonym(s): *coxata Stenhammar,1855*
- 5183) Opatroides punctulatus Brullé,1832** (Tenebrionidae) Synonym(s): *punctulatus Brullé,1832; parvulus Faldermann,1837*
- 5184) Operophtera brumata (Linnaeus,1758)** (Geometridae) Synonym(s): *brumata Linnaeus,1758; hyemata Hufnagel,1767; hyemalis Retzius,1783; brumaria Esper,1801; vulgaris Stephens,1829; phryganea Rambur,1870; myricaria Cooke,1882*
- 5185) Ophiusa lunaris (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris [Denis & Schiffermüller],1775; lunaris Goeze,1781; undosa Goeze,1781; ventrilabris Fabricius,1787; tarsiplumalis Hübner,1796; chosensis Bryk,1949*
- 5186) Opigena polygona (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona [Denis & Schiffermüller],1775; polygona Fabricius,1787; nigrofulva Esper,[1788]; pyramis Borkhausen,1792*
- 5187) Opilo taeniatum (Klug,1842)** (Cleridae) Synonym(s): *taeniatum Klug,1842*
- 5188) Opisthograptis luteolata (Linnaeus,1758)** (Geometridae) Synonym(s): *luteolata Linnaeus,1758; crataegata Linnaeus,1761; crataegaria Hübner,[1823]; #emaculata Graeser,1892; impunctata Osthelder,1931*
- 5189) Opisthograptis niko (Christoph,1893)** (Geometridae) Synonym(s): *niko Christoph,1893*
- 5190) Opostega spatulella Herrich-Schäffer,[1855]** (Opostegidae) Synonym(s): *spatulella Herrich-Schäffer,[1855]; nepticulella Bruand,1859; bimaculatella Rothschild,1912; costantiniella Costantini,1923; angulata Gerasimov,1930; heringiella Mariani,1937*
- 5191) Opsius dagestanicus Dlabola,1960** (Cicadellidae) Synonym(s): *dagestanicus Dlabola,1960*
- 5192) Opsius discessus (Horvath,1911)** (Cicadellidae) Synonym(s): *discessus Horvath,1911*
- 5193) Opsius jucundus (Lethierry,1871)** (Cicadellidae) Synonym(s): *jucundus Lethierry,1871*
- 5194) Opsius pallasi (Lethierry,1874)** (Cicadellidae) Synonym(s): *pallasi Lethierry,1874*
- 5195) Opsius stactogalus Fieber,1866** (Cicadellidae) Synonym(s): *stactogalus Fieber,1866; tamaricis Kirschbaum,1868; heydeni Fieber,1872; spinulosus Della Guistina,1981*
- 5196) Orbellia montana Gorodkov,1972** (Heleomyzidae) Synonym(s): *montana Gorodkov,1972*
- 5197) Orbellia tetrachaeta Gorodkov,1972** (Heleomyzidae) Synonym(s): *tetrachaeta Gorodkov,1972*
- 5198) Orbellia zaitzevi Gorodkov,1972** (Heleomyzidae) Synonym(s): *zaitzevi Gorodkov,1972*
- 5199) Orbona fragariae (Vieweg,1790)** (Noctuidae) Synonym(s): *#brunnea [Denis & Schiffermüller],1775; brunnea Goeze,1781 nec Hufnagel,1767; lucifera Esp.,[1789]; arvensis Gmelin,[1790]; carnea Thunberg,1792; fragariae Borkhausen,1792; serotina Ochsenheimer,1816*
- 5200) Orectis proboscidata (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *proboscidata Herrich-Schäffer,[1851]; barteli Turati,1907*
- 5201) Orellia colon (Meigen,1826)** (Tephritidae) Synonym(s): *colon Meigen,1826*
- 5202) Orellia falcata (Scopoli,1763)** (Tephritidae) Synonym(s): *falcata Scopoli,1763; abdominalis R-D.,1830; octopunctata Macquart,1835*
- 5203) Orellia stictica (Gmelin,1790)** (Tephritidae) Synonym(s): *punctata Schrank,1781 nec Poda,1761; stictica Gmelin,1790; flavicans R-D.,1830; intermedia Frauenfeld,1857*
- 5204) Orgyia antiqua (Linnaeus,1758)** (Lymantriidae) Synonym(s): *antiqua Linnaeus,1758; gonostigma Scopoli,1763; paradoxa Retzius,1783; modesta Heyne,1899; manchurica Matsumura,1931*
- 5205) Orgyia dubia (Tauscher,1806)** (Lymantriidae) Synonym(s): *dubia Tauscher,1806*
- 5206) Orgyia ochrolimbata Staudinger,1881** (Lymantriidae) Synonym(s): *ochrolimbata Staudinger,1881; christophi Alpheraky,1897*
- 5207) Oria musculosa (Hübner,[1808])** (Noctuidae) Synonym(s): *musculosa Hübner,[1808]; laeta Alpheraky,1889*
- 5208) Ormosia (s.str.) fascipennis (Zetterstedt,[1838])** (Limoniidae) Synonym(s): *fascipennis Zetterstedt,[1838]*
- 5209) Ormosia (s.str.) hederæ (Curtis,1835)** (Limoniidae) Synonym(s): *hederæ Curtis,1835*
- 5210) Ormyrus diffinis (Fonscolombe,1832)** (Ormyridae) Synonym(s): *diffinis Fonscolombe,1832; punctulatus Ratzeburg,1848*
- 5211) Ormyrus graciosus (Förster,1860)** (Ormyridae) Synonym(s): *graciosus Förster,1860*
- 5212) Ormyrus nitidulus (Fabricius,1804)** (Ormyridae) Synonym(s): *nitidulus Fabricius,1804; tubulosa Fonscolombe,1832; cyanostehtus Walker,1847; gallaequercus Dufour,1864; chrysidiformis De Stefani,1868*
- 5213) Ormyrus orientalis Walker,1871** (Ormyridae) Synonym(s): *orientalis Walker,1871; indicus Ahmad,1946; hungaricus Erdős,1946; peninsularis Mani & Kaul,1972; fredericki Narendran & Samodan,1990*
- 5214) Orthetrum sabina (Drury,1770)** (Libellulidae) Synonym(s): *sabina Drury,1770*
- 5215) Orthocephalus bivittatus Fieber,1864** (Miridae) Synonym(s): *bivittatus Fieber,1864; bilineatus Jakovlev,1875; niger Reuter,1879*
- 5216) Orthocephalus brevis (Panzer,1798)** (Miridae) Synonym(s): *brevis Panzer,1798; panzeri Fieber,1861; confinis Reuter,1879*
- 5217) Orthocephalus saltator (Hahn,1835)** (Miridae) Synonym(s): *saltator Hahn,1835; hirtus Curtis,1838 nec Müll.,1776; major Costa,1853; infuscatus Garbiglietti,1869; ferrarii Reuter,1891; parvulus Reuter,1891*
- 5218) Orthocephalus turkmenicus Namyatova & Konstantinov,2009** (Miridae) Synonym(s): *turkmenicus Namyatova & Konstantinov,2009*
- 5219) Orthocephalus vittipennis (Herrich-Schäffer,1835)** (Miridae) Synonym(s): *vittipennis Herrich-Schäffer,1835; #decipiens Wagner,1942*
- 5220) Orthoceratium lacustre (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre Scopoli,1763; virens Panzer,1798; formosum Haliday,1832; viridipes Macquart,1834*
- 5221) Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonym(s): *obstipata Fabricius,1794; fluviata Hübner,[1799]; gemmata Hübner,1799; albicinctata Haworth,1809; angustata Haworth,1809; quaerendaria Costa,1850; baccata Guenée,[1858]; lapillata Guenée,[1858]; contrariata Walker,1862; exagitata Walker,1862; intrusata Walker,1862; peracutata*

- Walker,1862; signataria Walker,1863; obruptata Walker,1863; pigrata Walker,1866; plemyrata R.Felder & Rogenhofer,1875; inconspicua Warren,1896; brunneipennis Hulst,1896; discata Warren,1905
- 5222** *Orthonevra regalis* (Violovitsh,1979) (Syrphidae) Synonym(s): *regalis* Violovitsh,1979
- 5223** *Orthopelma luteolator* (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *luteolator* Gravenhorst,1829
- 5224** *Orthopygia glaucinalis* (Linnaeus,1758) (Pyrilidae) Synonym(s): *glaucinalis* Linnaeus,1758
- 5225** *Orthopygia rubidalis* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *rubidalis* [Denis & Schiffermüller],1775
- 5226** *Orthosia* (Monima) *cerasi* (Fabricius,1775) (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 5227** *Orthosia* (Monima) *pulverulenta* (Esper,[1786]) (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 5228** *Orthosia* (s.str.) *incerta* (Hufnagel,1766) (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888
- 5229** *Orthosia* (Semiophora) *gothica* (Linnaeus,1758) (Noctuidae) Synonym(s): *gothica* Linnaeus,1758; *nunatrum* [Denis & Schiffermüller],1775; *gothicina* Herrich-Schäffer,[1849].
- 5230** *Orthosia gracilis* (Fabricius,1787) (Noctuidae) Synonym(s): *#gracilis* [Denis & Schiffermüller],1775; *gracilis* Fabricius,1787; *lepada* Brahm,1791; *sparsus* Haworth,1803; *pallidior* Staudinger,1888.
- 5231** *Orthosia rubricosa* (Esper,[1786]) (Noctuidae) Synonym(s): *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper,[1786].
- 5232** *Orthostixis calcularia* Lederer,1853 (Geometridae) Synonym(s): *calcularia* Lederer,1853
- 5233** *Orthostixis cribraria* (Hübner,[1799]) (Geometridae) Synonym(s): *cribraria* Hübner,[1799].
- 5234** *Orthotaenia undulana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *undulana* [Denis & Schiffermüller],1775; *urticana* Hübner,1796; *campestrana* Zeller,1875; *dilutifusca* Walsingham,1879
- 5235** *Orussus abietinus* (Scopoli,1763) (Orussidae) Synonym(s): *abietinus* Scopoli,1763; *degener* Christ,1791; *vespertilio* Fabricius,1793; *coronatus* Fabricius,1798; *albopunctatus* Gimmerthal,1836
- 5236** *Oryctes* (Oryctes) *nasicornis* (Linnaeus,1758) (Scarabaeidae) Synonym(s): *nasicornis* Linnaeus,1758
- 5237** *Osmia* (Allosmia) *decorata* Morawitz,1886 (Megachilidae) Synonym(s): *decorata* Morawitz,1886
- 5238** *Osmia* (Allosmia) *melanura* Morawitz,1871 (Megachilidae) Synonym(s): *melanura* Morawitz,1871
- 5239** *Osmia* (Allosmia) *rufohirta* Latreille,1811 (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896
- 5240** *Osmia* (Erythrosmia) *andrenoides* Spinola,1808 (Megachilidae) Synonym(s): *andrenoides* Spinola,1808
- 5241** *Osmia* (Helicosmia) *aurulenta* (Panzer,1799) (Megachilidae) Synonym(s): *aurulenta* Panzer,1799; *haematoda* Panzer,1801
- 5242** *Osmia* (Helicosmia) *caerulescens* (Linnaeus,1758) (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864
- 5243** *Osmia* (Helicosmia) *clypearis* Morawitz,1871 (Megachilidae) Synonym(s): *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988
- 5244** *Osmia* (Helicosmia) *dimidiata* Morawitz,1870 (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899
- 5245** *Osmia* (Helicosmia) *fulviventris* (Panzer,1798) (Megachilidae) Synonym(s): *fulviventris* Panzer,1798
- 5246** *Osmia* (Helicosmia) *melanogaster* Spinola,1808 (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895
- 5247** *Osmia* (Helicosmia) *niveata* (Fabricius,1804) (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Branson,1879; *sieversi* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914
- 5248** *Osmia* (Helicosmia) *subcornuta* Morawitz,1875 (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875
- 5249** *Osmia* (Hoplosmia) *bidentata* Morawitz,1876 (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979
- 5250** *Osmia* (Hoplosmia) *distinguenda* (Tkalcu,1974) (Megachilidae) Synonym(s): *distinguenda* Tkalcu,1974
- 5251** *Osmia* (Hoplosmia) *ligurica* Morawitz,1868 (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879
- 5252** *Osmia* (Hoplosmia) *spinulosa* (Kirby,1802) (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882
- 5253** *Osmia* (Melanosmia) *parietina* Curtis,1828 (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887
- 5254** *Osmia* (Melanosmia) *thoracica* Radoszkowsky,1874 (Megachilidae) Synonym(s): *thoracica* Radoszkowsky,1874; *pentheri* Kohl,1905
- 5255** *Osmia* (Metallinella) *brevicornis* (Fabricius,1798) (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935
- 5256** *Osmia* (Monosmia) *apicata* Smith,1853 (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869
- 5257** *Osmia* (Neosmia) *bicolor* (Schränk,1781) (Megachilidae) Synonym(s): *bicolor* Schränk,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaea* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917
- 5258** *Osmia* (Pyrosmia) *cephalotes* Morawitz,1870 (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876
- 5259** *Osmia* (Pyrosmia) *cyanoxantha* Pérez,1879 (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992
- 5260** *Osmia* (Pyrosmia) *forticornis* Zanden,1989 (Megachilidae) Synonym(s): *forticornis* Zanden,1989
- 5261** *Osmia* (Pyrosmia) *hellados* Zanden,1984 (Megachilidae) Synonym(s): *hellados* Zanden,1984
- 5262** *Osmia* (Pyrosmia) *nana* Morawitz,1874 (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetradonta* Benoist,1934
- 5263** *Osmia* (Pyrosmia) *versicolor* Latreille,1811 (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992
- 5264** *Osmia* (Pyrosmia) *viridana* Morawitz,1874 (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mauromoustakis,1939; *mulleolus* Zanden,1984

- 5265) *Osmia* (s.str.) *bicornis* (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Duche,1899
- 5266) *Osmia* (s.str.) *cerinthidis* Morawitz,1876** (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876
- 5267) *Osmia* (s.str.) *cornuta* (Latreille,1805)** (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978
- 5268) *Osmia* (s.str.) *longicornis* Morawitz,1875** (Megachilidae) Synonym(s): *longicornis* Morawitz,1875
- 5269) *Osmia* (s.str.) *mustelina* Gerstaecker,1869** (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978
- 5270) *Osmia* (s.str.) *nigrohirta* Friese,1899** (Megachilidae) Synonym(s): *nigrohirta* Friese,1899
- 5271) *Osmia* (Tergosmia) *rhodoensis* (Zanden,1983)** (Megachilidae) Synonym(s): *rhodoensis* Zanden,1983; *arcuata* Warncke,1988; *ferina* Warncke,1988
- 5272) *Osmoderma* *richteri* Medvedev,1953** (Scarabaeidae) Synonym(s): *richteri* Medvedev,1953
- 5273) *Osmylus* *elegantissimus* Kozhantshikov,1951** (Osmylidae) Synonym(s): *elegantissimus* Kozhantshikov,1951
- 5274) *Ourapteryx* *falciformis* Inoue,1993** (Geometridae) Synonym(s): *falciformis* Inoue,1993
- 5275) *Ourapteryx* *persica* Ménétériés,1832** (Geometridae) Synonym(s): *persica* Ménétériés,1832
- 5276) *Oxicesta* *geographica* (Fabricius,1787)** (Noctuidae) Synonym(s): *geographica* Fabricius,1787
- 5277) *Oxycera* (Camptopelta) *meigenii* Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925
- 5278) *Oxycera* (Camptopelta) *nigrinus* Fallén,1817** (Stratiomyidae) Synonym(s): *nigrinus* Fallén,1817; *carneus* Walker,1849; *unicolor* Loew,1863; *carbonarius* Loew,1869
- 5279) *Oxycera* *analisis* Meigen,1822** (Stratiomyidae) Synonym(s): *analisis* Meigen,1822
- 5280) *Oxycera* *fallenii* Staeger,1844** (Stratiomyidae) Synonym(s): *fallenii* Staeger,1844; *octomaculata* Yaroshevski,1877
- 5281) *Oxycera* *limbata* Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862
- 5282) *Oxycera* *pardalina* Meigen,1822** (Stratiomyidae) Synonym(s): *pardalina* Meigen,1822; *amoena* Loew,1857; *engadinica* Jaennicke,1866; *calceata* Loew,1871; *sahunica* Séguéy,1934; *oldenbergi* Lindner,1938; *nigrifrons* Szilady,1941; *bohémica* Hrbáček,1945; *armata* Vaillant,1950
- 5283) *Oxycera* *trilineata* (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938
- 5284) *Oxylia* *argentata* (Ménétériés,1832)** (Cerambycidae) Synonym(s): *argentata* Ménétériés,1832
- 5285) *Oxyna* *flavipennis* (Loew,1844)** (Tephritidae) Synonym(s): *flavipennis* Loew,1844; *flavescens* R-D.,1830; *laticauda* Walker,1836; *parietina* Zetterstedt,1847
- 5286) *Oxyomus* *silvestris* (Scopoli,1763)** (Scarabaeidae) Synonym(s): *silvestris* Scopoli,1763
- 5287) *Oxypteron* *palmoni* (Amsel,1940)** (Tortricidae) Synonym(s): *palmoni* Amsel,1940
- 5288) *Oxypteron* *wertheimsteini* (Rebel,1913)** (Tortricidae) Synonym(s): *wertheimsteini* Rebel,1913; *#wertheimsteini* Obratsov,1935; *amseli* Razowski,1957
- 5289) *Oxyptilus* *parvidactylus* (Haworth,[1811])** (Pterophoridae) Synonym(s): *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroccanensis* Amsel,1956
- 5290) *Oxythyrea* *albopicta* (Motschulsky,1845)** (Scarabaeidae) Synonym(s): *albopicta* Motschulsky,1845
- 5291) *Oxythyrea* *cinctella* (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (praeocc.); *cinctella* Schaum,1841; *natalia* Olsufiev,1917
- 5292) *Oxythyrea* *funesta* (Poda,1761)** (Scarabaeidae) Synonym(s): *funesta* Poda,1761
- 5293) *Oxytripia* *orbiculosa* (Esper,1799)** (Noctuidae) Synonym(s): *orbiculosa* Esper,1799
- 5294) *Oxytripia* *stephania* Sutton,[1964]** (Noctuidae) Synonym(s): *stephania* Sutton,[1964]; *danilevskiyi* Miljanovsky,1973.
- 5295) *Pachyanthrax* *telamon* (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989
- 5296) *Pachybrachis* (s.str.) *albicans* Weise,1882** (Chrysomelidae) Synonym(s): *albicans* Weise,1882
- 5297) *Pachybrachis* (s.str.) *fimbriolatus* (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852
- 5298) *Pachybrachis* (s.str.) *glycirrhae* (Olivier,1808)** (Chrysomelidae) Synonym(s): *glycirrhae* Olivier,1808; *transcaspicus* Breit,1921
- 5299) *Pachybrachis* (s.str.) *mendax* Suffrian,1860** (Chrysomelidae) Synonym(s): *mendax* Suffrian,1860; *probus* Weise,1882; *dissecticeps* Roubal,1916; *sibiricus* Lopatin,1962
- 5300) *Pachybrachis* (s.str.) *pubipennis* Lopatin,1977** (Chrysomelidae) Synonym(s): *pubipennis* Lopatin,1977
- 5301) *Pachybrachis* (s.str.) *scripticollis* Faldermann,1837** (Chrysomelidae) Synonym(s): *scripticollis* Faldermann,1837; *israelita* Tappes,1871; *arisi* Pic,1908; *letourneuxi* Pic,1900; *pentheri* Ganglbauer,1905
- 5302) *Pachybrachis* (s.str.) *scriptidorsum* Marseul,1875** (Chrysomelidae) Synonym(s): *piceus* Suffrian,1848; *scriptidorsum* Marseul,1875; *lugubris* Weise,1882; *thoracicus* Weise,1889; *beckeri* Pic,1910; *chinensis* Weise,1913
- 5303) *Pachybrachis* (s.str.) *sinuatus* Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882
- 5304) *Pachybrachis* (s.str.) *tessellatus* (Olivier,1791)** (Chrysomelidae) Synonym(s): *tessellatus* Olivier,1791; *tauricus* Suffrian,1848; *bisignatus* Redtenbacher,1849; *aethiops* Weise,1882; *picturatus* Rey,1883; *orientalis* Weise,1894; *syriacus* Weise,1900; *melanopygus* Müller,1953
- 5305) *Pachybrachis* (s.str.) *vermicularis* Suffrian,1854** (Chrysomelidae) Synonym(s): *vermicularis* Suffrian,1854; *astragali* Stierlin,1863; *pallidiventrus* Jacobson,1894
- 5306) *Pachycephus* (Eversmannella) *cruentatus* (Eversmann,1847)** (Cephalidae) Synonym(s): *cruentatus* Eversmann,1847
- 5307) *Pachycephus* *smyrnensis* Stein,1876** (Cephalidae) Synonym(s): *smyrnensis* Stein,1876; *aeneovarius* Kohl,1905; *brevis* Ghigi,1915; *sanctus* Pic,1916; *notativentrus* Pic,1916
- 5308) *Pachygaster* *atra* (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817
- 5309) *Pachypasa* *otus* (Drury,[1773])** (Lasiocampidae) Synonym(s): *otus* Drury,[1773]
- 5310) *Pachypodisma* *crassa* Mishchenko,1950** (Acrididae) Synonym(s): *crassa* Mishchenko,1950
- 5311) *Pachypodisma* *lezgina* (Uvarov,1917)** (Acrididae) Synonym(s): *lezgina* Uvarov,1917
- 5312) *Pachyscelis* *metopotapha* (Fischer von Waldheim,1832)** (Tenebrionidae) Synonym(s): *metopotapha* Fischer von Waldheim,1832; *gemmans* Baudi,1876
- 5313) *Pachyscelis* *musiva* (Ménétériés,1832)** (Tenebrionidae) Synonym(s): *musiva* Ménétériés,1832; *depressa* Solier,1836; *ordinata* Solier,1836; *gastridula* Faldermann,1837; *mammillata* Faldermann,1837; *euphratica* Kraatz,1865; *divisa* Reitter,1893

- 5314)** *Pachyscelis villosa* (Drapiez,1820) (Tenebrionidae) Synonym(s): *villosa* Drapiez,1820; *granulosa* Solier,1836
- 5315)** *Pachytodes cerambyciformis* (Schränk,1781) (Cerambycidae) Synonym(s): *cerambyciformis* Schränk,1781
- 5316)** *Pachytodes erraticus* (Dalman,1817) (Cerambycidae) Synonym(s): *erraticus* Dalman,1817
- 5317)** *Paidia (Conjuncta) conjuncta* (Staudinger,1892) (Arctiidae) Synonym(s): *conjuncta* Staudinger,1892
- 5318)** *Paidia (s.str.) cinerascens* (Herrich-Schäffer,[1847]) (Arctiidae) Synonym(s): *cinerascens* Herrich-Schäffer,[1847]
- 5319)** *Palomena prasina* (Linnaeus,1761) (Pentatomidae) Synonym(s): *prasina* Linnaeus,1761
- 5320)** *Palorus orientalis* Fleischer,1900 (Tenebrionidae) Synonym(s): *orientalis* Fleischer,1900
- 5321)** *Palpares chrysopterus* Navas,1910 (Myrmeleonidae) Synonym(s): *chrysopterus* Navas,1910; *turcicus* Koçak,1976 nec Pet. & Emp.,1767
- 5322)** *Palpares libelluloides* (Linnaeus,1764) (Myrmeleonidae) Synonym(s): *libelluloides* Linnaeus,1764; *turcica* Petiver & Empson,1767; *nordmanni* Kolenati,1846
- 5323)** *Palpomyia (Gluhhovia) miki* Goetghebuer,1934 (Ceratopogonidae) Synonym(s): *miki* Goetghebuer,1934
- 5324)** *Palpomyia (s.str.) algeriana* Clastrier,1962 (Ceratopogonidae) Synonym(s): *algeriana* Clastrier,1962
- 5325)** *Palpomyia (s.str.) aterrima* Goetghebuer,1921 (Ceratopogonidae) Synonym(s): *aterrima* Goetghebuer,1921
- 5326)** *Palpomyia (s.str.) flavipes* (Meigen,1804) (Ceratopogonidae) Synonym(s): *flavipes* Meigen,1804; *hortulana* Meigen,1818; *semifumosa* Goetghebuer,1922
- 5327)** *Palpomyia (s.str.) fulva* (Macquart,1826) (Ceratopogonidae) Synonym(s): *fulva* Macquart,1826; *ferruginea* Meigen,1830; *parviforceps* Kieffer,1925
- 5328)** *Palpomyia (s.str.) longa* Remm,1976 (Ceratopogonidae) Synonym(s): *longa* Remm,1976
- 5329)** *Paluda vitripennis* (Flor,1861) (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972
- 5330)** *Pammene argyrana* (Hübner,[1799]) (Tortricidae) Synonym(s): *argyrana* Hübner,[1799]; *atromargana* Haworth,[1811]; *melaleucana* Frölich,1828; *argentimicana* Bruand,1850; *vernana* Knaggs,1867
- 5331)** *Pammene aurita* Razowski,1992 (Tortricidae) Synonym(s): *aurantiana* Staudinger,1871 nec Stgr.,1870; *aurita* Razowski,1992
- 5332)** *Pammene avetianae* Kuznetsov,1964 (Tortricidae) Synonym(s): *avetianae* Kuznetsov,1964
- 5333)** *Pammene fasciana* (Linnaeus,1761) (Tortricidae) Synonym(s): *fasciana* Linnaeus,1761; *trinotata* Frölich,1828; *juliana* Curtis,1836; *nimbana* Herrich-Schäffer,1851; *herrichiana* Heinemann,1854
- 5334)** *Pammene germmana* (Hübner,[1799]) (Tortricidae) Synonym(s): *germmana* Hübner,[1799]; *stagnana* Hübner,[1799]; *atropurpurana* Haworth,[1811]; *germarana* Hübner,[1825]; *puncticostana* Stephens,1834; *immaculana* Guenée,1845; *fulvifrontana* Zeller,1849
- 5335)** *Pammene luedersiana* (Sorhagen,1885) (Tortricidae) Synonym(s): *luedersiana* Sorhagen,1885
- 5336)** *Pammene mariana* (Zerny,1920) (Tortricidae) Synonym(s): *mariana* Zerny,1920; *pontica* Obratzov,1960
- 5337)** *Pammene regiana* (Zeller,1849) (Tortricidae) Synonym(s): *regiana* Zeller,1849
- 5338)** *Pammene spiniana* (Duponchel,1843) (Tortricidae) Synonym(s): *spiniana* Duponchel,1843; *trigonana* Stephens,1829; *trigonana* Stephens,1834; *spinetorum* Herrich-Schäffer,1851
- 5339)** *Pammene splendidulana* (Guenée,1845) (Tortricidae) Synonym(s): *strobilana* Haworth,1811; *splendidulana* Guenée,1845; *plumbatana* Lienig & Zeller,1846; *suberana* Constant,1895
- 5340)** *Pammene suspectana* (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *suspectana* Lienig & Zeller,1846; *fraxinana* Peyerimhoff,1872
- 5341)** *Pammene tricuneana* (Kennel,1900) (Tortricidae) Synonym(s): *tricuneana* Kennel,1900
- 5342)** *Pamparama acuta* (Freyer,[1837]) (Noctuidae) Synonym(s): *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871
- 5343)** *Pamphilius aurantiacus* (Giraud,1857) (Pamphiliidae) Synonym(s): *aurantiacus* Giraud,1857; *neglecta* Zaddach,1866
- 5344)** *Pamphilius caucasicus* Gussakovskij,1935 (Pamphiliidae) Synonym(s): *caucasicus* Gussakovskij,1935
- 5345)** *Pamphilius lethierryi* (Konow,1887) (Pamphiliidae) Synonym(s): *lethierryi* Konow,1887
- 5346)** *Panchrysia aurea* (Hübner,[1803]) (Noctuidae) Synonym(s): *deaurata* Esper,[1787] nec Goeze,1981; *chryson* Borkhausen,1792 nec Esp.,[1789]; *aurea* Hübner,[1803].
- 5347)** *Pandemis cerasana* (Hübner,1786) (Tortricidae) Synonym(s): *cerasana* Hübner,1786; *ribeana* Hübner,[1799]; *grossulariana* Stephens,1834
- 5348)** *Pandemis chondrillana* (Herrich-Schäffer,1860) (Tortricidae) Synonym(s): *chondrillana* Herrich-Schäffer,1860; *praefloratana* Kennel,1901; *laurana* Kennel,1919; *elsana* Kennel,1919; *eulogiana* Kennel,1919; *#unicolor* Obratzov,1943.
- 5349)** *Pandemis dumetana* (Treitschke,1835) (Tortricidae) Synonym(s): *dumetana* Treitschke,1835; *gravana* Caradja,1932
- 5350)** *Pandemis heparana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *heparana* [Denis & Schiffermüller],1775
- 5351)** *Panolis flammea* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *flammea* [Denis & Schiffermüller],1775
- 5352)** *Panorpa caucasica* McLachlan,1869 (Panorpidae) Synonym(s): *caucasica* McLachlan,1869
- 5353)** *Panorpa communis* Linnaeus,1758 (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845
- 5354)** *Panorpa connexa* McLachlan,1869 (Panorpidae) Synonym(s): *connexa* McLachlan,1869
- 5355)** *Panorpa nigrirostris* McLachlan,1882 (Panorpidae) Synonym(s): *nigrirostris* McLachlan,1882; *selysi* Esben-Petersen,1915
- 5356)** *Panstegia aerealis* (Hübner,1793) (Pyralidae) Synonym(s): *aerealis* Hübner,1793; *unicolor* Rebel,1917.
- 5357)** *Panstegia limbopunctalis* (Herrich-Schäffer,[1849]) (Pyralidae) Synonym(s): *limbopunctalis* Herrich-Schäffer,[1849]
- 5358)** *Papestra biren* (Goeze,1781) (Noctuidae) Synonym(s): *biren* Goeze,1781; *glaucia* Kleemann,1792; *lappon* Duponchel,1827; *aperta* Geyer,[1832]; *quadriposita* Zetterstedt,[1839]; *poliostigma* Hampson,1894; *tanensis* Fuchs,1899; *paupercula* Püngeler,1902; *frustrata* McDunnough,1946.
- 5359)** *Papilio (s.str. (Alexanoria)) alexanor* Esper,[1800] (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983.
- 5360)** *Papilio (s.str.) machaon* Linnaeus,1758 (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
- 5361)** *Paracapperia anatolica* (Caradja,1920) (Pterophoridae) Synonym(s): *anatolica* Caradja,1920.
- 5362)** *Paracardiophorus musculus* (Erichson,1840) (Elateridae) Synonym(s): *musculus* Erichson,1840
- 5363)** *Paraclytus raddei* (Ganglbauer,1881) (Cerambycidae) Synonym(s): *raddei* Ganglbauer,1881
- 5364)** *Paraclytus reitteri* (Ganglbauer,1881) (Cerambycidae) Synonym(s): *reitteri* Ganglbauer,1881
- 5365)** *Paraclytus sexguttatus* (Adams,1817) (Cerambycidae) Synonym(s): *sexguttatus* Adams,1817

- 5366) *Paracolax tristalis* (Fabricius,1794) (Noctuidae) Synonym(s): *tristalis* Fabricius,1794; *derivalis* Hübner,1796.
- 5367) *Paracorixa concinna* (Fieber,1848) (Corixidae) Synonym(s): *concinna* Fieber,1848
- 5368) *Paracorsia repandalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *repandalis* [Denis & Schiffermüller],1775
- 5369) *Paracorymbia maculicornis* (De Geer,1775) (Cerambycidae) Synonym(s): *maculicornis* De Geer,1775
- 5370) *Paracorymbia tonsa* (K.Daniel & J.Daniel,1891) (Cerambycidae) Synonym(s): *tonsa* K.Daniel & J.Daniel,1891
- 5371) *Paracossulus thrips* (Hübner,[1818]) (Cossidae) Synonym(s): *thrips* Hübner,[1818]; *fuchsiana* Eversmann,1832; *kindermanni* Freyer,1836.
- 5372) *Paradelia hedgreni* (Ringdahl,1959) (Anthomyiidae) Synonym(s): *hedgreni* Ringdahl,1959
- 5373) *Paradelia intersecta* (Meigen,1826) (Anthomyiidae) Synonym(s): *intersecta* Meigen,1826
- 5374) *Paradelphomyia (Oxyrhiza) senilis* (Haliday,1833) (Limoniidae) Synonym(s): *senilis* Haliday,1833
- 5375) *Paradorydium paradoxum* (Herrich-Schäffer,1837) (Cicadellidae) Synonym(s): *paradoxum* Herrich-Schäffer,1837; *lanceolatum* Burmeister,1839
- 5376) *Paradrymadusa abchazica* Stolyarov,1981 (Tettigoniidae) Synonym(s): *abchazica* Stolyarov,1981
- 5377) *Paradrymadusa jakobsoni* Pylnov,1918 (Tettigoniidae) Synonym(s): *jakobsoni* Pylnov,1918
- 5378) *Paradrymadusa picta* Uvarov,1929 (Tettigoniidae) Synonym(s): *picta* Uvarov,1929
- 5379) *Paradrymadusa pontica* Ramme,1939 (Tettigoniidae) Synonym(s): *pontica* Ramme,1939
- 5380) *Paradrymadusa sciadophila* Stolyarov,1980 (Tettigoniidae) Synonym(s): *sciadophila* Stolyarov,1980
- 5381) *Paradrymadusa sordida* Herman,1874 (Tettigoniidae) Synonym(s): *sordida* Herman,1874; *gracilis* Uvarov,1929
- 5382) *Parageron griseus* Paramonov,1947 (Bombyliidae) Synonym(s): *griseus* Paramonov,1947; *glauca* Evenhuis,1978
- 5383) *Paragus (s.str.) albifrons* (Fallén,1817) (Syrphidae) Synonym(s): *albifrons* Fallén,1817
- 5384) *Paragus (s.str.) compeditus* Wiedemann,1830 (Syrphidae) Synonym(s): *compeditus* Wiedemann,1830; *aegyptius* Macquart,1857
- 5385) *Paragus (s.str.) quadrifasciatus* Meigen,1822 (Syrphidae) Synonym(s): *quadrifasciatus* Meigen,1822
- 5386) *Parahypopta caestrum* (Hübner,[1808]) (Cossidae) Synonym(s): *caestrum* Hübner,[1808]; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912.
- 5387) *Paralimnia pulchmitis* (Boheman,1847) (Cicadellidae) Synonym(s): *phragmitis* Boheman,1847; *lugens* Horvath,1897
- 5388) *Paralimnus phrullus* (Rey,1891) (Cicadellidae) Synonym(s): *pulchellus* Rey,1891
- 5389) *Paralimnus rotundiceps* (Lethierry,1885) (Cicadellidae) Synonym(s): *rotundiceps* Lethierry,1885
- 5390) *Parallela algira* (Linnaeus,1767) (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europaea* Schawerda,1912
- 5391) *Parallela rogenhoferi* (Bohatsch,1880) (Noctuidae) Synonym(s): *rogenhoferi* Bohatsch,1880; *mirabilis* Romanoff,1885; *triangularata* Swinhoe,1889.
- 5392) *Paramesia gnomana* (Clerck,1759) (Tortricidae) Synonym(s): *#gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829; *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943.
- 5393) *Paramesus obtusifrons* (Stal,1853) (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (praeocc.); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913
- 5394) *Paramyrmosa brunnipes* (Lepeletier,1845) (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858
- 5395) *Paramyrmosa radoszkowskyi* (Saussure,1880) (Mutillidae) Synonym(s): *radoszkowskyi* Saussure,1880
- 5396) *Paranocaracris granosus* Mishchenko,1951 (Pamphagidae) Synonym(s): *granosus* Mishchenko,1951
- 5397) *Paranocaracris rimansonae* (Uvarov,1918) (Pamphagidae) Synonym(s): *rimansonae* Uvarov,1918
- 5398) *Paranocaracris rubripes* (Fischer von Waldheim,1846) (Pamphagidae) Synonym(s): *rubripes* Fischer von Waldheim,1846; *#rupripes* Salman,1978
- 5399) *Paranocarodes aserbeidshanicus* Ramme,1951 (Pamphagidae) Synonym(s): *aserbeidshanicus* Ramme,1951
- 5400) *Paranothrotes opacus* (Brunner von Wattenwyl,1882) (Pamphagidae) Synonym(s): *opacus* Brunner von Wattenwyl,1882
- 5401) *Paranthrene diaphana* Dalla-Torre & Strand,1925 (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand,1925
- 5402) *Paraphilaenus notatus* (Mulsant & Rey,1855) (Cercopidae) Synonym(s): *notatus* Mulsant & Rey,1855; *centroasiaticus* Dlabola,1961
- 5403) *Parapholidoptera georgiae* Massa, Buzzetti & Fontana,2009 (Tettigoniidae) Synonym(s): *georgiae* Massa, Buzzetti & Fontana,2009
- 5404) *Parapholidoptera georgiae* Massa, Buzzetti & Fontana,2009 (Tettigoniidae) Synonym(s): *georgiae* Massa, Buzzetti & Fontana,2009
- 5405) *Parapholidoptera kalashiani* Massa, Buzzetti & Fontana,2009 (Tettigoniidae) Synonym(s): *kalashiani* Massa, Buzzetti & Fontana,2009
- 5406) *Paraplagionotus floralis* (Pallas,1773) (Cerambycidae) Synonym(s): *floralis* Pallas,1773
- 5407) *Paraplatyptilia metzneri* (Zeller,1841) (Pterophoridae) Synonym(s): *metzneri* Zeller,1841; *bolli* Frey,1856; *gaji* Zagulyaev,1983
- 5408) *Pararge aegeria* (Linnaeus,1758) (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 5409) *Parascotia fuliginaria* (Linnaeus,1761) (Noctuidae) Synonym(s): *fuliginaria* Linnaeus,1761; *lunulata* Fabricius,1775; *carbonaria* Denis & Schiffermüller,1775; *lignaria* Fabricius,1794
- 5410) *Parasemia plantaginis* (Linnaeus,1758) (Arctiidae) Synonym(s): *plantaginis* Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775.
- 5411) *Parastichtis corticea* (Esper,[1800]) (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goetze,1781 *nec* Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 5412) *Parastichtis suspecta* (Hübner,[1817]) (Noctuidae) Synonym(s): *suspecta* Hübner,[1817]
- 5413) *Paratalanta cultralis* (Staudinger,1867) (Pyralidae) Synonym(s): *cultralis* Staudinger,1867
- 5414) *Paratettix uvarovi* Semenov,1915 (Tetrigidae) Synonym(s): *uvarovi* Semenov,1915
- 5415) *Parathrix aeneolus* (Reitter,1889) (Melyridae) Synonym(s): *aeneolus* Reitter,1889
- 5416) *Parathrix gravis* Majer,1990 (Melyridae) Synonym(s): *gravis* Majer,1990
- 5417) *Parathrix plumbeus* (Kiesenwetter,1878) (Melyridae) Synonym(s): *plumbeus* Kiesenwetter,1878
- 5418) *Paravespa quadricolor* (Morawitz,1885) (Vespidae) Synonym(s): *quadricolor* Morawitz,1885; *komarowi* Radoszkowski,1886
- 5419) *Pareulype berberata* (Fabricius,1787) (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840

- 5420) **Parexarnis ala** (Staudinger,1881) (Noctuidae) Synonym(s): *ala* Staudinger,1881
 5421) **Parexarnis damnata** (Draudt,1937) (Noctuidae) Synonym(s): *damnata* Draudt,1937
 5422) **Parexarnis fugax** (Treitschke,1825) (Noctuidae) Synonym(s): *fugax* Treitschke,1825.
 5423) **Parexarnis squalida** (Guenée,1852) (Noctuidae) Synonym(s): *squalida* Guenée,1852
 5424) **Parexarnis taurica** (Staudinger,1879) (Noctuidae) Synonym(s): *taurica* Staudinger,1879; *pseudosollers* Boursin,1940.
 5425) **Parnassius (Driopa) mnemosyne** (Linnaeus,1758) (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758
 5426) **Parnassius (Driopa) nordmanni** [Menetries],[1850] (Papilionidae) Synonym(s): *clarius* Eversmann,1845 *nec* Evers.,1843; *nordmanni* [Menetries],[1850]; *patareaus* Westwood,1852; *minima* Honrath,1885; *christophi* Bryk & Eisner,1932; *bogosi* O.Bang-Haas,1934; *#fasciata* Sheljuzhko,1935; *#cohaerens* Sheljuzhko,1935; *#flavomaculata* Sheljuzhko,1935
 5427) **Parnassius (s.str.) apollo** (Linnaeus,1758) (Papilionidae) Synonym(s): *apollo* Linnaeus,1758
 5428) **Parocneria raddei** (Christoph,1885) (Lymantriidae) Synonym(s): *raddei* Christoph,1885
 5429) **Parocneria terebinthi** (Freyer,[1838]) (Lymantriidae) Synonym(s): *terebinthi* Freyer,[1838]
 5430) **Paroniticellus festivus** (Steven,1809) (Scarabaeidae) Synonym(s): *festivus* Steven,1809
 5431) **Parornix kumatai** Ermolaev,1993 (Gracillariidae) Synonym(s): *kumatai* Ermolaev,1993
 5432) **Parornix torquillella** (Zeller,1850) (Gracillariidae) Synonym(s): *meleagripennella* Hübner,1796; *torquillella* Zeller,1850; *#torquillella* Doubleday,1859
 5433) **Pasiphila hyrcanica** Viidalepp & Mironov,2006 (Geometridae) Synonym(s): *hyrcanica* Viidalepp & Mironov,2006
 5434) **Pasiphila rectangulata** (Linnaeus,1758) (Geometridae) Synonym(s): *rectangulata* Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocerciceata* Haworth,1809; *sericeata* Haworth,1809; *subaerata* Hübner,[1817]; *rectangularia* Boisduval,1840
 5435) **Pasira basiptera** Stal,1859 (Reduviidae) Synonym(s): *basiptera* Stal,1859
 5436) **Pausias martini** (Puton,1890) (Pentatomidae) Synonym(s): *martini* Puton,1890
 5437) **Paussus (Cochliopaussus) turcicus** Frivaldszky,1835 (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835
 5438) **Pechipogo strigilata** (Linnaeus,1758) (Noctuidae) Synonym(s): *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809.
 5439) **Pedestredorcadion apicerufum** (Breuning,1943) (Cerambycidae) Synonym(s): *sanguinolentum* Thomson,1865; *apicerufum* Breuning,1943; *lineiferum* Breuning,1946
 5440) **Pedestredorcadion auratum** (Tournier,1872) (Cerambycidae) Synonym(s): *auratum* Tournier,1872; *lederi* Kraatz,1878;...
 5441) **Pedestredorcadion beckeri** (Kraatz,1873) (Cerambycidae) Synonym(s): *beckeri* Kraatz,1873
 5442) **Pedestredorcadion bisignatum** (Jakovlev,1900) (Cerambycidae) Synonym(s): *bisignatum* Jakovlev,1900
 5443) **Pedestredorcadion bistriatum** (Pic,1898) (Cerambycidae) Synonym(s): *bistriatum* Pic,1898
 5444) **Pedestredorcadion cinerarium** (Fabricius,1787) (Cerambycidae) Synonym(s): *cinerarium* Fabricius,1787; *tricolor* Fischer von Waldheim,1806; *caucasicum* Küster,1847; *micans* Thomson,1867; *sericatum* Kraatz,1873; *amasinum* Pic,1898; *corallicorne* Pic,1904; *macropoides* Plavilstshikov,1932; *perroudi* Pic,1942; *paracinerarium* Breuning,1974
 5445) **Pedestredorcadion cineriferum** (Suvorov,1909) (Cerambycidae) Synonym(s): *cineriferum* Suvorov,1909
 5446) **Pedestredorcadion ciscaucasicum** (Jakovlev,1900) (Cerambycidae) Synonym(s): *ciscaucasicum* Jakovlev,1900; *borodini* Suvorov,1915
 5447) **Pedestredorcadion daratshitshagi** (Suvorov,1915) (Cerambycidae) Synonym(s): *daratshitshagi* Suvorov,1915
 5448) **Pedestredorcadion demodikovi** (Suvorov,1915) (Cerambycidae) Synonym(s): *demodikovi* Suvorov,1915
 5449) **Pedestredorcadion dimidiatum** (Motschoulsky,1838) (Cerambycidae) Synonym(s): *dimidiatum* Motschoulsky,1838; *erivanicum* Pic,1901
 5450) **Pedestredorcadion frustator** (Plavilstshikov,1958) (Cerambycidae) Synonym(s): *frustator* Plavilstshikov,1958
 5451) **Pedestredorcadion griseipenne** (Breuning,1943) (Cerambycidae) Synonym(s): *griseipenne* Breuning,1943
 5452) **Pedestredorcadion haemorrhoidale** (Hampe,1852) (Cerambycidae) Synonym(s): *haemorrhoidale* Hampe,1852
 5453) **Pedestredorcadion hellmanni** (Ganglbauer,1883) (Cerambycidae) Synonym(s): *hellmanni* Ganglbauer,1883
 5454) **Pedestredorcadion hypocritellum** (Breuning,1958) (Cerambycidae) Synonym(s): *hypocrita* Plavilstshikov,1937; *hypocritellum* Breuning,1958
 5455) **Pedestredorcadion impressicorne** (Tournier,1872) (Cerambycidae) Synonym(s): *impressicorne* Tournier,1872; *kurda* Suvorov,1913;...
 5456) **Pedestredorcadion indutum** (Faldermann,1837) (Cerambycidae) Synonym(s): *indutum* Faldermann,1837
 5457) **Pedestredorcadion jacovleviellum** (Plavilstshikov,1951) (Cerambycidae) Synonym(s): *jacovleviellum* Plavilstshikov,1951
 5458) **Pedestredorcadion kagyzmanicum** (Suvorov,1915) (Cerambycidae) Synonym(s): *kagyzmanicum* Suvorov,1915
 5459) **Pedestredorcadion karsense** (Suvorov,1915) (Cerambycidae) Synonym(s): *karsense* Suvorov,1915
 5460) **Pedestredorcadion kasikoparanum** (Pic,1902) (Cerambycidae) Synonym(s): *kasikoparanum* Pic,1902
 5461) **Pedestredorcadion kubanicum** (Plavilstshikov,1934) (Cerambycidae) Synonym(s): *kubanicum* Plavilstshikov,1934
 5462) **Pedestredorcadion luctuosum** (Suvorov,1913) (Cerambycidae) Synonym(s): *luctuosum* Suvorov,1913
 5463) **Pedestredorcadion nitidum** (Motschoulsky,1838) (Cerambycidae) Synonym(s): *nitidum* Motschoulsky,1838
 5464) **Pedestredorcadion niveisparsum** (Thomson,1865) (Cerambycidae) Synonym(s): *niveisparsum* Thomson,1865
 5465) **Pedestredorcadion nobile** (Hampe,1852) (Cerambycidae) Synonym(s): *nobile* Hampe,1852
 5466) **Pedestredorcadion reitteri** (Ganglbauer,1883) (Cerambycidae) Synonym(s): *reitteri* Ganglbauer,1883
 5467) **Pedestredorcadion semilucens** (Kraatz,1873) (Cerambycidae) Synonym(s): *semilucens* Kraatz,1873; *mesmini* Pic,1903
 5468) **Pedestredorcadion sodale** (Hampe,1852) (Cerambycidae) Synonym(s): *sodale* Hampe,1852; *rosti* Pic,1900
 5469) **Pedestredorcadion wagneri** (Küster,1846) (Cerambycidae) Synonym(s): *wagneri* Küster,1846
 5470) **Pediasia aridalis** (Hampson,1900) (Pyralidae) Synonym(s): *aridalis* Hampson,1900
 5471) **Pediasia contaminella** (Hübner,1796) (Pyralidae) Synonym(s): *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886.
 5472) **Pedicia (Amalopsis) occulta** (Meigen,1830) (Pedicidae) Synonym(s): *occulta* Meigen,1830
 5473) **Pedicia (Crunobia) persica** Alexander,1975 (Pedicidae) Synonym(s): *persica* Alexander,1975; *elegantula* Savchenko,1978
 5474) **Pedicia (s.str.) savchenkoi** Paramonov,2009 (Pedicidae) Synonym(s): *savchenkoi* Paramonov,2009
 5475) **Pediobius metallicus** (Nees ab Esenbeck,1834) (Eulophidae) Synonym(s): *metallicus* Nees ab Esenbeck,1834; *acantha* Walker,1839; *caenus* Walker,1839
 5476) **Pedostrangalia emmipoda** (Mulsant,1863) (Cerambycidae) Synonym(s): *emmipoda* Mulsant,1863
 5477) **Pedostrangalia revestita** (Linnaeus,1767) (Cerambycidae) Synonym(s): *revestita* Linnaeus,1767

- 5478) **Pellonia vibicaria** (Linnaeus,1761) (Geometridae) Synonym(s): #vibicaria Clerck,1759; vibicaria Linnaeus,1761; cruentata Scopoli,1763; rubrofasciata Hufnagel,1767; artriosa Fourcroy,1785; cruentaria Villers,1789.
- 5479) **Pelochrista arabescana** (Eversmann,1844) (Tortricidae) Synonym(s): arabescana Eversmann,1844
- 5480) **Pelochrista caecimaculana** (Hübner,[1799]) (Tortricidae) Synonym(s): caecimaculana Hübner,[1799]; kollariana Herrich-Schäffer,[1851]
- 5481) **Pelochrista dagestana** Obraztsov,1949 (Tortricidae) Synonym(s): dagestana Obraztsov,1949; pinxana Kuznetsov,1976
- 5482) **Pelochrista muhabbet** Koçak,2006 (Tortricidae) Synonym(s): chanana Kennel,1901 nec Stgr.,[1900]; muhabbet Koçak,2006
- 5483) **Peloropectes acuticornis** (Oldenberg,1916) (Dolichopodidae) Synonym(s): acuticornis Oldenberg,1916
- 5484) **Pelosia muscerda** (Hufnagel,1766) (Arctiidae) Synonym(s): muscerda Hufnagel,1766
- 5485) **Pelurga comitata** (Linnaeus,1758) (Geometridae) Synonym(s): comitata Linnaeus,1758
- 5486) **Pempelia alpigenella** (Duponchel,1836) (Pyralidae) Synonym(s): alpigenella Duponchel,1836; wagnerella Freyer,1845
- 5487) **Pempelia ambustiella** Ragonot,1887 (Pyralidae) Synonym(s): ambustiella Ragonot,1887
- 5488) **Pempelia amoenella** (Zeller,1848) (Pyralidae) Synonym(s): amoenella Zeller,1848
- 5489) **Pempelia brephiella** (Staudinger,1879) (Pyralidae) Synonym(s): brephiella Staudinger,1879; farinosella Caradja,1910.
- 5490) **Pempelia diffusa** Staudinger,1881 (Pyralidae) Synonym(s): diffusa Staudinger,1881
- 5491) **Pempelia genistella** (Duponchel,1836) (Pyralidae) Synonym(s): genistella Duponchel,1836; albariella Zeller,1839.
- 5492) **Pempelia intricatella** Ragonot,1887 (Pyralidae) Synonym(s): intricatella Ragonot,1887
- 5493) **Pempelia sordida** Staudinger,1879 (Pyralidae) Synonym(s): sordida Staudinger,1879
- 5494) **Pempeliella ornatella** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): ornatella [Denis & Schiffermüller],1775; criptella Hübner,1796; criptea Haworth,1811; ornatalis Hübner,[1825]; fraternella Ragonot,1887; gigantella Amsel,1932; aixella Lucas,1938; elbursella Amsel,1954
- 5495) **Penicillidia conspicua** Speiser,1901 (Nycteribiidae) Synonym(s): conspicua Speiser,1901
- 5496) **Penicillidia dufourii** (Westwood,1835) (Nycteribiidae) Synonym(s): dufourii Westwood,1835
- 5497) **Pennisetia hylaeiformis** (Laspeyres,1801) (Sesiidae) Synonym(s): hylaeiformis Laspeyres,1801; anomala Dehne,1850.
- 5498) **Pentacladocerus araraticus** (Trjapitzin) (Encyrtidae) Synonym(s):
- 5499) **Pentastira major** (Kirschbaum,1868) (Cixiidae) Synonym(s): major Kirschbaum,1868; opalinus Fieber,1876; interjectus Linnavuori,1957; atratus Dlabola,1958
- 5500) **Pentastira megista** Emeljanov,1978 (Cixiidae) Synonym(s): megista Emeljanov,1978
- 5501) **Pentastiridius leporinus** (Linnaeus,1761) (Cixiidae) Synonym(s): leporinus Linnaeus,1761; pallidus Herrich-Schäffer,1835
- 5502) **Pentatoma rufipes** (Linnaeus,1758) (Pentatomidae) Synonym(s): rufipes Linnaeus,1758
- 5503) **Penthimia lactifica** Dlabola,1958 (Cicadellidae) Synonym(s): lactifica Dlabola,1958
- 5504) **Penthimia lenkoreana** Dlabola,1961 (Cicadellidae) Synonym(s): lenkoreana Dlabola,1961
- 5505) **Penthimia nigra** (Goeze,1778) (Cicadellidae) Synonym(s): nigra Goeze,1778; aethyops Schrank,1781; haemorrhoea Schrank,1781; castanea Gmelin,1790; biguttata Gmelin,1790 (praeocc.); atra Fabricius,1794; ruficollis Fabricius,1794; thoracica Panzer,1799; sanguinicollis Fabricius,1803; maculata Melichar,1896; caucasica Kusnezov,1931; clavalis Ribaut,1952; fulva Ribaut,1952; maculipennis Ribaut,1952
- 5506) **Penthophera morio** (Linnaeus,1767) (Lymantriidae) Synonym(s): morio Linnaeus,1767
- 5507) **Pentodon algerinum** Herbst,1789 (Scarabaeidae) Synonym(s): algerinum Herbst,1789
- 5508) **Pentodon bidens** (Pallas,1771) (Scarabaeidae) Synonym(s): bidens Pallas,1771
- 5509) **Pentodon caminarium** Faldermann,1835 (Scarabaeidae) Synonym(s): caminarium Faldermann,1835
- 5510) **Pentodon idiota** (Herbst,1789) (Scarabaeidae) Synonym(s): idiota Herbst,1789
- 5511) **Pentodon quadridens** (Gebler,1845) (Scarabaeidae) Synonym(s): quadridens Gebler,1845
- 5512) **Peodes forcipatus** Loew,1857 (Dolichopodidae) Synonym(s): forcipatus Loew,1857
- 5513) **Perasis sussianae** Abbassian-Lintzen,1964 (Asilidae) Synonym(s): sussianae Abbassian-Lintzen,1964
- 5514) **Perconia strigillaria** (Hübner,1787) (Geometridae) Synonym(s): strigillaria Hübner,1787; respersaria Hübner,[1799]; inaequalia Haworth,1809; herpeticaria Rambur,1866; grisearia Lempke,1952; fuscognaria Lempke,1953
- 5515) **Peribatodes ilicarius** (Geyer,1833) (Geometridae) Synonym(s): ilicaria Geyer,1833; manuelarius Herrich-Schäffer,1852; maghrebica Le Cerf,1923; jacobaria Fernandez,1931
- 5516) **Peribatodes rhomboidarius** [Denis & Schiffermüller],1775 (Geometridae) Synonym(s): #rhomboidaria [Denis & Schiffermüller],1775; inaequalis Goeze,1781; gemmaria Brahm,1791; ichnusaria Ghiliani,1852; corsicaria Schawerda,1931; saerdabensis Wehrli,1943
- 5517) **Pericoma blandula** Eaton,1893 (Psychodidae) Synonym(s): blandula Eaton,1893
- 5518) **Pericyma albidentaria** (Freyer,1842) (Noctuidae) Synonym(s): albidentaria Freyer,1842
- 5519) **Peridea anceps** (Goeze,1781) (Notodontidae) Synonym(s): anceps Goeze,1781; trepida Esper,1786; serrata Thunberg,1792; tremula Hübner,[1800]; baetica Zerny,1927; agenjoi Schawerda,1938; mesatlantica Rungs,1940; albertiana Witt,1974.
- 5520) **Peridroma saucia** (Hübner,[1808]) (Noctuidae) Synonym(s): saucia Hübner,[1808]; majuscula Haworth,1809; margaritosa Haworth,1809; aequa Hübner,[1813]; orophila Geyer,1837; inermis Harrison,1841; infuscata Blanchard,1852; stictica Blanchard,1852; ambrosioides Walker,[1857]; impacta Walker,[1857]; intecta Walker,[1857]; angulifera Wallengren,1860; ortonii Packard,1869; phillipsi Caspari,1899; ochronota Hampson,1903; cyrnaea Spuler,1908; tenebricosa Schawerda,1929.
- 5521) **Perigrapha (Anorthoa) munda** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): #munda [Denis & Schiffermüller],1775
- 5522) **Perigrapha (Opacographa (Turcographa)) rorida** (Frivaldsky,1835) (Noctuidae) Synonym(s): rorida Frivaldsky,1835; ganimetae Kornosor & Lödl,1990
- 5523) **Perigrapha (s.str.) i-cinctum** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): i-cinctum [Denis & Schiffermüller],1775; cincta Fabricius,1787; slovenica Micheli,1966.
- 5524) **Perileptus areolatus** (Creutzer,1799) (Carabidae) Synonym(s): areolatus Creutzer,1799
- 5525) **Periphanes delphinii** (Linnaeus,1758) (Noctuidae) Synonym(s): delphinii Linnaeus,1758; darollesi Oberthür,1876; delphini Hampson,1903.
- 5526) **Periphanes victorina** (Sodoffsky,1849) (Noctuidae) Synonym(s): victorina Sodoffsky,1849
- 5527) **Perissana jakowleffi** (Puton,1890) (Issidae) Synonym(s): jakowleffi Puton,1890
- 5528) **Perissomastix (s.str.) crassicornella** (Zeller,1847) (Tineidae) Synonym(s): crassicornella Zeller,1847
- 5529) **Perizoma albulata** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): albulata [Denis & Schiffermüller],1775; dissoluta Strand,1902

- 5530) Perizoma alchemillata (Linnaeus,1758)** (Geometridae) Synonym(s): *alchemillata* Linnaeus,1758; *rivulata* [Denis & Schiffermüller],1775; *nassata* Fabricius,1794; *alchemillaria* Borkhausen,1794; *aparinata* Hübner,[1825]; *silenata* Stephens,1850; *fennica* Reuter,1893
- 5531) Perizoma bifaciata (Haworth,1809)** (Geometridae) Synonym(s): *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *aquilaria* Herrich-Schäffer,1848; *linulata* Guenée,[1858]; *odontata* Millière,1870; *#bifasciata* Rebel,1939
- 5532) Perizoma hydrata (Treitschke,1829)** (Geometridae) Synonym(s): *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852
- 5533) Perizoma lugdunaria (Herrich-Schäffer,1855)** (Geometridae) Synonym(s): *lugdunaria* Herrich-Schäffer,1855
- 5534) Perizoma minorata (Treitschke,1828)** (Geometridae) Synonym(s): *minorata* Treitschke,1828
- 5535) Perizoma parahydrata Alberti,1969** (Geometridae) Synonym(s): *parahydrata* Alberti,1969
- 5536) Perizoma verberata (Scopoli,1763)** (Geometridae) Synonym(s): *verberata* Scopoli,1763; *rupestrata* [Denis & Schiffermüller],1775; *bassaria* Feisthamel,1835; *vogesaria* Peyerimhoff,1880; *pawlitscheki* Hormuzaki,1899
- 5537) Perla caucasica Guérin-Ménéville,1838** (Perlidae) Synonym(s): *caucasica* Guérin-Ménéville,1838; *abbreviata* Klapalek,1921; *persica* Zwick,1975
- 5538) Perla grandis Rambur,1842** (Perlidae) Synonym(s): *grandis* Rambur,1842; *alpicola* Klapalek,1900
- 5539) Perla kiritschenkoi Zhiltzova,1961** (Perlidae) Synonym(s): *kiritschenkoi* Zhiltzova,1961
- 5540) Perlantispia perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla* Pallas,1772; *christiana* Charpentier,1825; *victorii* Guérin-Ménéville,1845
- 5541) Petalographis meridionalis Zagulyaev,1962** (Tineidae) Synonym(s): *meridionalis* Zagulyaev,1962
- 5542) Petalographis orientalis (G.Petersen,1961)** (Tineidae) Synonym(s): *orientalis* G.Petersen,1961
- 5543) Petrophora chlorosata (Scopoli,1763)** (Geometridae) Synonym(s): *chlorosata* Scopoli,1763; *innata* Fabricius,1794; *virgaria* Borkhausen,1794; *petraria* Hübner,[1799]; *petrata* Haworth,1809.
- 5544) Petrorossia albula Zaitzev,1962** (Bombyliidae) Synonym(s): *albula* Zaitzev,1962
- 5545) Petrorossia caucasica Zaitzev,1962** (Bombyliidae) Synonym(s): *caucasica* Zaitzev,1962
- 5546) Petrorossia chraminensis Zaitzev,1962** (Bombyliidae) Synonym(s): *chraminensis* Zaitzev,1962
- 5547) Petrorossia deserticola Zaitzev,1966** (Bombyliidae) Synonym(s): *deserticola* Zaitzev,1966
- 5548) Petrorossia flavipennis Zaitzev,1966** (Bombyliidae) Synonym(s): *flavipennis* Zaitzev,1966
- 5549) Petrorossia fusca Zaitzev,1966** (Bombyliidae) Synonym(s): *fusca* Zaitzev,1966
- 5550) Petrorossia hespera (Rossi,1790)** (Bombyliidae) Synonym(s): *hesperus* Rossi,1790; *albipectus* Walker,1849
- 5551) Petrorossia lucidipennis Zaitzev,1966** (Bombyliidae) Synonym(s): *lucidipennis* Zaitzev,1966
- 5552) Petrorossia modesta Zaitzev,1966** (Bombyliidae) Synonym(s): *modesta* Zaitzev,1966
- 5553) Petrorossia rufiventris Zaitzev,1966** (Bombyliidae) Synonym(s): *rufiventris* Zaitzev,1966
- 5554) Pexicopia malvella (Hübner,[1805])** (Gelechiidae) Synonym(s): *umbrella* auct.; *malvella* Hübner,[1805]; *lutarea* Haworth,1828
- 5555) Peyerimhoffia gracilis (Schneider,1851)** (Chrysopidae) Synonym(s): *gracilis* Schneider,1851; *tricolor* Brauer,1856
- 5556) Pezodrymadusa magnifica (Werner,1901)** (Tettigoniidae) Synonym(s): *magnifica* Werner,1901
- 5557) Phaedon armoraciae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *armoraciae* Linnaeus,1758
- 5558) Phaedon cochleariae (Fabricius,1792)** (Chrysomelidae) Synonym(s): *cochleariae* Fabricius,1792
- 5559) Phaedon pyritosus (Rossi,1792)** (Chrysomelidae) Synonym(s): *pyritosus* Rossi,1792
- 5560) Phaenolobus areolator (Constantineanu & Constantineanu,1968)** (Ichneumonidae) Synonym(s): *areolator* Constantineanu & Constantineanu,1968
- 5561) Phaenotherion bodemeyeri Wolfrum,1956** (Anthribidae) Synonym(s): *bodemeyeri* Wolfrum,1956
- 5562) Phaenotherion pulskyi Frivaldsky,1878** (Anthribidae) Synonym(s): *pulskyi* Frivaldsky,1878; *innonatum* Pic,1908
- 5563) Phaeogenes corcirensis Berthoumieu,1901** (Ichneumonidae) Synonym(s): *corcirensis* Berthoumieu,1901
- 5564) Phaiogramma etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903.
- 5565) Phalera bucephala (Linnaeus,1758)** (Notodontidae) Synonym(s): *bucephala* Linnaeus,1758; *lumula* Retzius,1783 *nec* Hufn.,1766 *non* Strm,1768.
- 5566) Phalonidia acutana (Kennel,1913)** (Tortricidae) Synonym(s): *acutana* Kennel,1913
- 5567) Phalonidia affinitana (Douglas,1846)** (Tortricidae) Synonym(s): *affinitana* Douglas,1846; *cancellana* Zeller,1847; *inulana* Constant,1884; *littorana* Galvagni,1906.
- 5568) Phalonidia albipalpana (Zeller,1847)** (Tortricidae) Synonym(s): *albipalpana* Zeller,1847
- 5569) Phalonidia contractana (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 5570) Phaneroptera (s.str.) bivittata Bei-Bienko,1954** (Tettigoniidae) Synonym(s): *bivittata* Bei-Bienko,1954
- 5571) Phaneroptera (s.str.) falcata (Poda,1761)** (Tettigoniidae) Synonym(s): *falcata* Poda,1761; *libellula* Stoll,1787; *lilifolia* Audinet-Serville,1831; *phyllopteroides* Fischer von Waldheim,1846; *sinensis* Uvarov,1933
- 5572) Phaneroptera (s.str.) sparsa Stal,1857** (Tettigoniidae) Synonym(s): *sparsa* Stal,1857; *tetrasticta* Gerstaecker,1869; *lurida* Walker,1869; *conspecta* Stal,1874; *punctulata* Burr,1900; *nana* Stöstedt,1901 *nec* Fieb.,1853; *sempunctata* Navas,1928; *tenuicercus* Ramme,1951; *bivittata* Bei-Bienko,1954; *africana* Steinmann,1966
- 5573) Phanerotoma (s.str.) acuminata Szepligeti,1908** (Braconidae) Synonym(s): *acuminata* Szepligeti,1908
- 5574) Phanerotoma (s.str.) dentata (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805; *minor* Snoflak,1951
- 5575) Phanerotoma kozlovi Shestakov,1930** (Braconidae) Synonym(s): *kozlovi* Shestakov,1930
- 5576) Phantia pauperana (Duponchel,1843)** (Tortricidae) Synonym(s): *pauperana* Duponchel,1843
- 5577) Phantia flavida Rusiecka,1902** (Flatidae) Synonym(s): *flavida* Rusiecka,1902
- 5578) Phantia viridula Puton,1890** (Flatidae) Synonym(s): *viridula* Puton,1890
- 5579) Phantia zaitzevi Melichar,1914** (Flatidae) Synonym(s): *zaitzevi* Melichar,1914
- 5580) Phaonia atriceps (Loew,1858)** (Muscidae) Synonym(s): *atriceps* Loew,1858
- 5581) Phaonia kobica Schnabl,1911** (Muscidae) Synonym(s): *kobica* Schnabl,1911
- 5582) Phaonia pura (Loew,1873)** (Muscidae) Synonym(s): *pura* Loew,1873
- 5583) Phaonia regalis (Stein,1900)** (Muscidae) Synonym(s): *regalis* Stein,1900
- 5584) Phaonia serva (Meigen,1826)** (Muscidae) Synonym(s): *serva* Meigen,1826
- 5585) Phaselia serrularia (Eversmann,1847)** (Geometridae) Synonym(s): *serrularia* Eversmann,1847; *phaeoleucaria* Lederer,1855.
- 5586) Phasmena nigrodorsalis Sidorski,1938** (Issidae) Synonym(s): *nigrodorsalis* Sidorski,1938
- 5587) Phenacoccus transcausicus Hadzibejli** (Pseudococcidae) Synonym(s): *transcausicus* Hadzibejli
- 5588) Phenagaris arion (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *telegones* Bergsträßer,1779; *mamers* Bergsträßer,1779; *arctophoni* Bergsträßer,1779; *arcina* Fruhstorfer,1910; *eutyphron* Fruhstorfer,1915; *microchroa* Verity,1948; *gelriae* Lempke,1956

- 5589) Phengaris nausithous (Bergsträßer, [1779])** (Lycaenidae) *Synonym(s): nausithous Bergsträsser, 1779; nausithoe Bergsträsser, 1779; arcas Rottemburg, 1775 nec Drury, 1773; erebus Knoch, 1782.*
- 5590) Phengaris rebeli (Hirschke, 1904)** (Lycaenidae) *Synonym(s): rebeli Hirschke, 1904; coerulea Vorbrodt, 1912; latimargo Courvoisier, 1913; alpicola Beuret, 1949; cruciata Beuret, 1949; gadmensis Beuret, 1949; magnalpicola Beuret, 1949.*
- 5591) Pheosia grummi (Christoph, 1885)** (Notodontidae) *Synonym(s): grummi Christoph, 1885; brandti O.Bang-Haas, 1936; #murina O.Bang-Haas, 1936*
- 5592) Pheosia tremula (Linnaeus, 1761)** (Notodontidae) *Synonym(s): #tremula Clerck, 1759; tremula Linnaeus, 1761; dictaea Linnaeus, 1767; turcica De Freina, 1979; #turica Schintlmeister, 1989*
- 5593) Pherbellia lutheri Rozkosny, 1982** (Sciomyzidae) *Synonym(s): lutheri Rozkosny, 1982*
- 5594) Phibalapteryx virgata (Hufnagel, 1767)** (Geometridae) *Synonym(s): virgata Hufnagel, 1767; lineolata [Denis & Schiffermüller], 1775; obliquata Thunberg, 1784; lineolaria Boissduval, 1840*
- 5595) Phigalia armeniaca (Djakonov, 1949)** (Geometridae) *Synonym(s): armeniaca Djakonov, 1949*
- 5596) Philaenus spumarius (Linnaeus, 1758)** (Cercopidae) *Synonym(s): spumarius Linnaeus, 1758; leucophthalma Linnaeus, 1758; lateralis Linnaeus, 1758; leucocephala Linnaeus, 1758*
- 5597) Philedone gerningana ([Denis & Schiffermüller], 1775)** (Tortricidae) *Synonym(s): gerningana [Denis & Schiffermüller], 1775; pectinana Hübner, [1799].*
- 5598) Philedonides lunana (Thunberg, 1784)** (Tortricidae) *Synonym(s): lunana Thunberg, 1784; prodromana Hübner, [1816]; walkerana Curtis, 1828; rungsi Lucas, 1954*
- 5599) Philere me transversata (Hufnagel, 1767)** (Geometridae) *Synonym(s): transversata Hufnagel, 1767; rhamnata [Denis & Schiffermüller], 1775.*
- 5600) Philere me vetulata ([Denis & Schiffermüller], 1775)** (Geometridae) *Synonym(s): undulataria Hufnagel, 1767; vetulata [Denis & Schiffermüller], 1775; affectata Eversmann, 1842; subductata Walker, 1862*
- 5601) Philopomyia rohdendorfi (Olsufjev, 1937)** (Tabanidae) *Synonym(s): rohdendorfi Olsufjev, 1937*
- 5602) Philodocus ponticus (Bigot, 1880)** (Asilidae) *Synonym(s): ponticus Bigot, 1880; bimaculatus Becker, 1913*
- 5603) Philonicus albiceps (Meigen, 1820)** (Asilidae) *Synonym(s): albiceps Meigen, 1820; canescens Wiedemann, 1820; nudus Loew, 1840; eletus Loew, 1871; domesticus Ricardo, 1920; pulcher Becker, 1923; marinus Becker, 1923; orientalis Esipenko, 1969*
- 5604) Philopotamus caucasicus Navas, 1933** (Philopotamidae) *Synonym(s): caucasicus Navas, 1933*
- 5605) Philopotamus tenuis Martynov, 1913** (Philopotamidae) *Synonym(s): tenuis Martynov, 1913*
- 5606) Phimodera humeralis (Dalman, 1823)** (Scutelleridae) *Synonym(s): humeralis Dalman, 1823; nodicollis Burmeister, 1835; sellata Schilling, 1843; bufonia Puton, 1888; caucasica Jakovlev, 1903; picturata Jakovlev, 1903; ivanovi Semenov, 1903; dalmanni Reuter, 1904; antica Reuter, 1906; connectens Reuter, 1906; dorsigera Reuter, 1906; binotata Reuter, 1906; extrema Reuter, 1906; rubiginosa Reuter, 1906; reuteriana Kirkaldy, 1909*
- 5607) Phleboeis sureyae (Rebel, 1931)** (Noctuidae) *Synonym(s): sureyae Rebel, 1931.*
- 5608) Phlebotomus (Adlerius) balcanicus Theodor, 1958** (Psychodidae) *Synonym(s): balcanicus Theodor, 1958*
- 5609) Phlebotomus (Adlerius) brevis Theodor & Mesghali, 1964** (Psychodidae) *Synonym(s): brevis Theodor & Mesghali, 1964; ismailicus Perfilev, 1966*
- 5610) Phlebotomus (Adlerius) halepensis Theodor, 1958** (Psychodidae) *Synonym(s): halepensis Theodor, 1958*
- 5611) Phlebotomus (Larrousius) kandelakii Shchurenkova, 1929** (Psychodidae) *Synonym(s): kandelakii Shchurenkova, 1929*
- 5612) Phlebotomus (Larrousius) perniciosus Newstead, 1911** (Psychodidae) *Synonym(s): perniciosus Newstead, 1911; nigerrimus Newstead, 1911; legeri Mansion, 1913; lusitanicus França, 1918; grassii Pierantoni, 1925*
- 5613) Phlebotomus (Larrousius) syriacus Adler & Theodor, 1930** (Psychodidae) *Synonym(s): syriacus Adler & Theodor, 1930*
- 5614) Phlebotomus (Larrousius) tobbsi Adler & Theodor, 1930** (Psychodidae) *Synonym(s): tobbsi Adler & Theodor, 1930; pirumovi Burakova & Mirzayan, 1934*
- 5615) Phlebotomus (Larrousius) transcaucasicus Perfilev, 1937** (Psychodidae) *Synonym(s): transcaucasicus Perfilev, 1937; ?galilaeus Theodor, 1958*
- 5616) Phlebotomus (Paraphlebotomus) alexandri Sinton, 1928** (Psychodidae) *Synonym(s): alexandri Sinton, 1928; borovskii Khodukin & Sofiev, 1931*
- 5617) Phlebotomus (Paraphlebotomus) caucasicus Marzinowsky, 1917** (Psychodidae) *Synonym(s): caucasicus Marzinowsky, 1917; grimmi Porchinski, 1876; li Popov, 1926; selectus Khodukin, 1929*
- 5618) Phlebotomus (Paraphlebotomus) jacusieli Theodor, 1947** (Psychodidae) *Synonym(s): jacusieli Theodor, 1947*
- 5619) Phlebotomus (Paraphlebotomus) mongolensis Sinton, 1928** (Psychodidae) *Synonym(s): mongolensis Sinton, 1928; imitabilis Artemiev, 1974*
- 5620) Phlebotomus (s.str.) papatasi (Scopoli, 1786)** (Psychodidae) *Synonym(s): papatasi Scopoli, 1786; molesta Costa, 1840; breviventris Ristorelli, 1943*
- 5621) Phlepsioides intricatus (Herrich-Schäffer, 1838)** (Cicadellidae) *Synonym(s): intricatus Herrich-Schäffer, 1838; octopunctatus Burmeister, 1838*
- 5622) Phlocerus menetriesi Fischer von Waldheim, 1833** (Acrididae) *Synonym(s): menetriesi Fischer von Waldheim, 1833*
- 5623) Phlocerus savenkoae Mishchenko, 1941** (Acrididae) *Synonym(s): savenkoae Mishchenko, 1941*
- 5624) Phlocerus svaneticus Savenko, 1941** (Acrididae) *Synonym(s): svaneticus Savenko, 1941*
- 5625) Phlocerus zaitzevi Mishchenko, 1941** (Acrididae) *Synonym(s): zaitzevi Mishchenko, 1941*
- 5626) Phlogophora meticulosa (Linnaeus, 1758)** (Noctuidae) *Synonym(s): meticulosa Linnaeus, 1758; lamii Schadewald, 1993*
- 5627) Phlogophora scita (Hübner, 1790)** (Noctuidae) *Synonym(s): scita Hübner, 1790*
- 5628) Phlogotettix cyclops (Mulsant & Rey, 1855)** (Cicadellidae) *Synonym(s): cyclops Mulsant & Rey, 1855*
- 5629) Pholidoptera augustae Tarbinsky, 1940** (Tettigoniidae) *Synonym(s): augustae Tarbinsky, 1940*
- 5630) Pholidoptera kalandadzei Kartsivadze, 1949** (Tettigoniidae) *Synonym(s): kalandadzei Kartsivadze, 1949*
- 5631) Pholidoptera satunini (Uvarov, 1916)** (Tettigoniidae) *Synonym(s): satunini Uvarov, 1916*
- 5632) Phonochorion satunini Uvarov, 1916** (Tettigoniidae) *Synonym(s): satunini Uvarov, 1916*
- 5633) Phorbia acrophallosa Ackland, 1993** (Anthomyiidae) *Synonym(s): acrophallosa Ackland, 1993*
- 5634) Phorbia lobata (Huckett, 1929)** (Anthomyiidae) *Synonym(s): lobata Huckett, 1929; perssoni Hennig, 1976*
- 5635) Photodes captiuncula (Treitschke, 1825)** (Noctuidae) *Synonym(s): captiuncula Treitschke, 1825; unica Freyer, 1858; tineta Kane, 1895; delattini Varga, 1970 nec Wiltshire, 1953; kasyi Varga, 1970.*
- 5636) Photodes extrema (Hübner, [1809])** (Noctuidae) *Synonym(s): extrema Hübner, [1809]; concolor Guenée, 1852; calamoxantha Varga, 1982.*
- 5637) Photodes fluxa (Hübner, [1809])** (Noctuidae) *Synonym(s): fluxa Hübner, [1809]*
- 5638) Phradis morionellus (Holmgren, 1860)** (Ichneumonidae) *Synonym(s): morionellus Holmgren, 1860*
- 5639) Phradonoma nobile (Reitter, 1881)** (Dermestidae) *Synonym(s): nobile Reitter, 1881*

- 5640) *Phradonoma villosulum* (Duftschmid,1825) (Dermestidae) Synonym(s): *villosulum* Duftschmid,1825
 5641) *Phragmacossia albida* (Erschoff,1874) (Cossidae) Synonym(s): *albida* Erschoff,1874
 5642) *Phragmataecia castaneae* (Hübner,1790) (Cossidae) Synonym(s): *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891
 5643) *Phragmataecia pacifica* Yakovlev,2007 (Cossidae) Synonym(s): *pacifica* Yakovlev,2007
 5644) *Phragmataecia territa* Staudinger,1878 (Cossidae) Synonym(s): *territa* Staudinger,1878
 5645) *Phragmatobia fuliginosa* (Linnaeus,1758) (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934
 5646) *Phragmatobia placida* (Frivaldsky,1835) (Arctiidae) Synonym(s): *placida* Frivaldsky,1835
 5647) *Phratora horioni* (Mohr,1968) (Chrysomelidae) Synonym(s): *horioni* Mohr,1968
 5648) *Phratora vitellinae* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *vitellinae* Linnaeus,1758
 5649) *Phratora vulgatissima* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *vulgatissima* Linnaeus,1758
 5650) *Phrosia albilabris* (Fabricius,1805) (Scathophagidae) Synonym(s): *albilabris* Fabricius,1805; *scirpi* R-D.,1830; *albofasciata* Gimmerthal,1846
 5651) *Phryxe magnicornis* (Zetterstedt,1838) (Tachinidae) Synonym(s): *magnicornis* Zetterstedt,1838
 5652) *Phryxe nemea* (Meigen,1824) (Tachinidae) Synonym(s): *nemea* Meigen,1824
 5653) *Phryxe vulgaris* (Fallén,1810) (Tachinidae) Synonym(s): *vulgaris* Fallén,1810
 5654) *Phtheochroa fulvicinctana* (Constant,1893) (Tortricidae) Synonym(s): *fulvicinctana* Constant,1893
 5655) *Phtheochroa inopiana* (Haworth,1811) (Tortricidae) Synonym(s): *inopiana* Haworth,1811; *centrana* Herrich-Schäffer,1851; *obscurana* Kennel,1913; *pallidana* Caradja,1916.
 5656) *Phtheochroa kenneli* (Obraztsov,1944) (Tortricidae) Synonym(s): *kenneli* Obraztsov,1944
 5657) *Phtheochroa retextana* (Erschoff,1874) (Tortricidae) Synonym(s): *retextana* Erschoff,1874
 5658) *Phtheochroa rugosana* (Hübner,[1799]) (Tortricidae) Synonym(s): *rugosana* Hübner,[1799]; *v-albana* Donovan,1806.
 5659) *Phtheochroa schreibersiana* (Frölich,1828) (Tortricidae) Synonym(s): *schreibersiana* Frölich,1828
 5660) *Phtheochroa subfumida* (Falkovitsh,1963) (Tortricidae) Synonym(s): *subfumida* Falkovitsh,1963
 5661) *Phtheochroa unionana* (Kennel,1900) (Tortricidae) Synonym(s): *unionana* Kennel,1900
 5662) *Phthiria canescens* Loew,1846 (Bombyliidae) Synonym(s): *canescens* Loew,1846; *convergens* Loew,1846
 5663) *Phthiria grisea* Zaitzev,1966 (Bombyliidae) Synonym(s): *grisea* Zaitzev,1966
 5664) *Phthiria pulicaria* (Mikan,1796) (Bombyliidae) Synonym(s): *pulicaria* Mikan,1796; *nigra* Meigen,1804; *pygmaea* Fabricius,1805; *campestris* Fallén,1815; *major* Strobl,1909
 5665) *Phthiria quadrinotata* Loew,1873 (Bombyliidae) Synonym(s): *quadrinotata* Loew,1873
 5666) *Phthiria subnitens* Loew,1846 (Bombyliidae) Synonym(s): *subnitens* Loew,1846; *rustica* Loew,1846
 5667) *Phthiria umbripennis* Loew,1846 (Bombyliidae) Synonym(s): *umbripennis* Loew,1846; *notata* Bigot,1862
 5668) *Phthiria vagans* Loew,1846 (Bombyliidae) Synonym(s): *vagans* Loew,1846; *pallescentes* Engel,1933
 5669) *Phthiridium biarticulatum* Hermann,1804 (Nycteribiidae) Synonym(s): *biarticulatum* Hermann,1804
 5670) *Phycita diaphana* (Staudinger,1870) (Pyralidae) Synonym(s): *diaphana* Staudinger,1870
 5671) *Phycita macrodontella* (Ragonot,1887) (Pyralidae) Synonym(s): *macrodontella* Ragonot,1887; *burkhunella* Ragonot,1888; *pallidisignata* Toll,1948.
 5672) *Phycita nephodeella* Ragonot,1887 (Pyralidae) Synonym(s): *nephodeella* Ragonot,1887
 5673) *Phycitodes carlinella* (Heinemann,1865) (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901
 5674) *Phylidorea* (s.str.) *ferruginea* (Meigen,1818) (Limoniidae) Synonym(s): *ferruginea* Meigen,1818
 5675) *Phyllodesma* (s.str.) *farahae* Lajonquière,1963 (Lasiocampidae) Synonym(s): *farahae* Lajonquière,1963
 5676) *Phyllodesma* (s.str.) *ilicifolium* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *ilicifolia* Linnaeus,1758; *betulifolia* Esper,1782; *foliumsicum* Retzius,1783
 5677) *Phyllodesma* (s.str.) *joannisi* De Lajonquière,1963 (Lasiocampidae) Synonym(s): *joannisi* De Lajonquière,1963; *#joannisi* Didmanidze,2008
 5678) *Phyllodesma* (s.str.) *tremulifolium* (Hübner,[1810]) (Lasiocampidae) Synonym(s): *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *danieli* De Lajonquière,1963; *#tremulifolium* De Freina,1999
 5679) *Phyllodrepa caucasica* (Kolenati,1846) (Staphylinidae) Synonym(s): *caucasica* Kolenati,1846
 5680) *Phyllomorpha laceratus* (Herrich-Schäffer,1835) (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer,1835
 5681) *Phyllomorpha laciniatus* (Villers,1789) (Coreidae) Synonym(s): *laciniatus* Villers,1789; *hystrix* Latreille,1817; *gallicus* Germar,1822; *muricatus* Hummel,1827; *algerica* Guérin-Ménéville,1839; *erinaceus* Herrich-Schäffer,1842; *brevispina* Wagner,1955; *montandoni* Zange,2005
 5682) *Phyllonorycter armeniella* (Kuznetsov,1958) (Gracillariidae) Synonym(s): *armeniella* Kuznetsov,1958
 5683) *Phyllonorycter caspica* Noreika,1992 (Gracillariidae) Synonym(s): *caspica* Noreika,1992
 5684) *Phyllonorycter coryli* (Nicelli,1851) (Gracillariidae) Synonym(s): *coryli* Nicelli,1851; *corylella* Herrich-Schäffer,1855
 5685) *Phyllonorycter distentella* (Zeller,1846) (Gracillariidae) Synonym(s): *distentella* Zeller,1846; *manniella* Herrich-Schäffer,1855
 5686) *Phyllonorycter emberizaepennella* (Bouché,1834) (Gracillariidae) Synonym(s): *emberizaepennella* Bouché,1834; *pezzolella* Herrich-Schäffer,1855
 5687) *Phyllonorycter harrisella* (Linnaeus,1761) (Gracillariidae) Synonym(s): *harrisella* Linnaeus,1761; *cramerella* Fabricius,1777; *tenella* Duponchel,[1843].
 5688) *Phyllonorycter laurocerasi* (Kuznetsov,1979) (Gracillariidae) Synonym(s): *laurocerasi* Kuznetsov,1979
 5689) *Phyllonorycter macrantherella* (Kuznetsov,1961) (Gracillariidae) Synonym(s): *macrantherella* Kuznetsov,1961
 5690) *Phyllonorycter mespilella* (Hübner,[1805]) (Gracillariidae) Synonym(s): *mespilella* Hübner,[1805]; *pomifoliella* Zeller,1839; *decimella* Stainton,1851; *aureopallidella* Bruand,1859; *pyrivorella* Banks,1899
 5691) *Phyllonorycter platani* (Staudinger,1870) (Gracillariidae) Synonym(s): *platani* Staudinger,1870; *felinella* Heinrich,1920
 5692) *Phyllonorycter populialbae* (Kuznetsov,1961) (Gracillariidae) Synonym(s): *populialbae* Kuznetsov,1961
 5693) *Phyllonorycter populifoliella* (Treitschke,1833) (Gracillariidae) Synonym(s): *populifoliella* Treitschke,1833; *fritillella* Koch,1856; *pilosissima* Bruand,1859; *petrazzaniella* Constantini,1923
 5694) *Phyllonorycter schreberella* (Fabricius,1781) (Gracillariidae) Synonym(s): *schreberella* Fabricius,1781; *ulminella* Zeller,1839; *guicciardiella* Costantini,1923
 5695) *Phyllonorycter spinicolella* (Zeller,1846) (Gracillariidae) Synonym(s): *spinicolella* Zeller,1846; *cerasicolella* Herrich-Schäffer,1855.
 5696) *Phyllonorycter turanica* (Gerasimov,1931) (Gracillariidae) Synonym(s): *turanica* Gerasimov,1931
 5697) *Phyllopertha horticola* (Linnaeus,1758) (Scarabaeidae) Synonym(s): *horticola* Linnaeus,1758

- 5698) *Phyllophila obliterata* (Rambur,1833)** (Noctuidae) Synonym(s): *obliterata* Rambur,1833; *wimmerii* Treitschke,1835; *recta* Eversmann,1844; *cretacea* Butler,1879; *venerica* Bryk,1949.
- 5699) *Phyllotreta astrachanica* Lopatin,1977** (Chrysomelidae) Synonym(s): *astrachanica* Lopatin,1977
- 5700) *Phyllotreta balcanica* Heikertinger,1909** (Chrysomelidae) Synonym(s): *balcanica* Heikertinger,1909
- 5701) *Phyllotreta caucasicola* Heikertinger,1941** (Chrysomelidae) Synonym(s): *caucasicola* Heikertinger,1941
- 5702) *Phyllotreta corrugata* Reiche,1858** (Chrysomelidae) Synonym(s): *corrugata* Reiche,1858
- 5703) *Phyllotreta cruciferae* (Goeze,1777)** (Chrysomelidae) Synonym(s): *cruciferae* Goeze,1777
- 5704) *Phyllotreta dacica* Heikertinger,1941** (Chrysomelidae) Synonym(s): *dacica* Heikertinger,1941
- 5705) *Phyllotreta diademata* Foudras,1860** (Chrysomelidae) Synonym(s): *diademata* Foudras,1860
- 5706) *Phyllotreta erysimi* Weise,1900** (Chrysomelidae) Synonym(s): *erysimi* Weise,1900
- 5707) *Phyllotreta judaea* Pic,1901** (Chrysomelidae) Synonym(s): *judaea* Pic,1901
- 5708) *Phyllotreta latevittata* Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata* Kutschera,1860
- 5709) *Phyllotreta nigripes* (Fabricius,1775)** (Chrysomelidae) Synonym(s): *nigripes* Fabricius,1775
- 5710) *Phyllotreta nodicornis* (Marsham,1802)** (Chrysomelidae) Synonym(s): *nodicornis* Marsham,1802
- 5711) *Phyllotreta ochripes* (Curtis,1837)** (Chrysomelidae) Synonym(s): *ochripes* Curtis,1837
- 5712) *Phyllotreta pallidipennis* Reitter,1891** (Chrysomelidae) Synonym(s): *pallidipennis* Reitter,1891
- 5713) *Phyllotreta praticola* Weise,1887** (Chrysomelidae) Synonym(s): *praticola* Weise,1887
- 5714) *Phyllotreta procera* (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *procera* Redtenbacher,1849
- 5715) *Phyllotreta punctulata* (Marsham,1802)** (Chrysomelidae) Synonym(s): *punctulata* Marsham,1802
- 5716) *Phyllotreta sisymbrii* Weise,1888** (Chrysomelidae) Synonym(s): *sisymbrii* Weise,1888
- 5717) *Phyllotreta tetrastigma* (Comolli,1837)** (Chrysomelidae) Synonym(s): *tetrastigma* Comolli,1837
- 5718) *Phyllotreta undulata* Kutschera,1860** (Chrysomelidae) Synonym(s): *undulata* Kutschera,1860
- 5719) *Phyllotreta vittula* (Redtenbacher,1849)** (Chrysomelidae) Synonym(s): *vittula* Redtenbacher,1849
- 5720) *Phyllotreta wiseana* Jacobson,1901** (Chrysomelidae) Synonym(s): *wiseana* Jacobson,1901
- 5721) *Physetopoda daghestanica* (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885
- 5722) *Physetopoda portschinskii* (Radoszkowski,1888)** (Mutillidae) Synonym(s): *portschinskii* Radoszkowski,1888
- 5723) *Physetopoda scutellaris* (Latreille,1792)** (Mutillidae) Synonym(s): *scutellaris* Latreille,1792
- 5724) *Physetopoda similis* (Lelej,1984)** (Mutillidae) Synonym(s): *similis* Lelej,1984
- 5725) *Physocephala laeta* Becker,1913** (Conopidae) Synonym(s): *laeta* Becker,1913
- 5726) *Physocephala laticincta* (Brullé,1832)** (Conopidae) Synonym(s): *laticincta* Brullé,1832
- 5727) *Physocephala nigra* (De Geer,1776)** (Conopidae) Synonym(s): *nigra* De Geer,1776; *macrocephala* Fabricius,1781
- 5728) *Physocephala pusilla* (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *tener* Loew,1847; *persica* Becker,1913; *punctithorax* Becker,1913
- 5729) *Physocephala vittata* (Fabricius,1794)** (Conopidae) Synonym(s): *vittata* Fabricius,1794; *dorsalis* Wiedemann,1824; *solaeformis* Gimmerthal,1842; *fraterna* Loew,1847; *semiatrata* Costa,1844; *detecta* Becker,1913; *abdominalis* Kröber,1915; *semirufa* Kröber,1915; *immaculata* Kröber,1939
- 5730) *Phytodrymadusa longipes* (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *longipes* Brunner von Wattenwyl,1882
- 5731) *Phytodrymadusa miramae* (Uvarov,1929)** (Tettigoniidae) Synonym(s): *miramae* Uvarov,1929; *armeniaca* Ramme,1939; *#mirimae* Garai,2002
- 5732) *Phytodrymadusa variicercis* (Veltishchev,1937)** (Tettigoniidae) Synonym(s): *variicercis* Veltishchev,1937
- 5733) *Phytodrymadusa viridipennis* (Stshelkanovtzev,1915)** (Tettigoniidae) Synonym(s): *viridipennis* Stshelkanovtzev,1915
- 5734) *Phytodrymadusa znojkoii* (Miram,1938)** (Tettigoniidae) Synonym(s): *znojkoii* Miram,1938
- 5735) *Phytoecia* (Blepisanis) *vittipennis* Reiche,1877** (Cerambycidae) Synonym(s): *vittipennis* Reiche,1877; *pallidior* Pic,1901; *tokatensis* Pic,1933
- 5736) *Phytoecia* (Pilemia) *hirsutula* (Frölich,1793)** (Cerambycidae) Synonym(s): *hirsutula* Frölich,1793
- 5737) *Phytoecia* (s.str.) *croceipes* Reiche & Saulcy,1858** (Cerambycidae) Synonym(s): *croceipes* Reiche & Saulcy,1858
- 5738) *Phytoecia achilleae* Holzschuh,1971** (Cerambycidae) Synonym(s): *achilleae* Holzschuh,1971
- 5739) *Phytoecia caerulea* (Scopoli,1772)** (Cerambycidae) Synonym(s): *caerulea* Scopoli,1772
- 5740) *Phytoecia icterica* (Schaller,1783)** (Cerambycidae) Synonym(s): *icterica* Schaller,1783
- 5741) *Phytoecia nigricornis* (Fabricius,1781)** (Cerambycidae) Synonym(s): *nigricornis* Fabricius,1781
- 5742) *Phytoecia pustulata* (Schränk,1776)** (Cerambycidae) Synonym(s): *pustulata* Schränk,1776
- 5743) *Phytoecia virgula* (Charpentier,1825)** (Cerambycidae) Synonym(s): *virgula* Charpentier,1825
- 5744) *Phytometra viridaria* (Clerck,1759)** (Noctuidae) Synonym(s): *#viridaria* Clerck,1759; *purpurata* Linnaeus,1761; *lanceata* Scopoli,1763; *aenea* [Denis & Schiffermüller],1775; *olivacea* Vieweg,1790; *latruncula* Esper,[1791]; *hoffmanni*, Stauder,1915; *lutaigira* Schauerda,1924
- 5745) *Picromerus bidens* (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schränk,1781; *fuscoannulatus* Stål,1858; *longicollis* Jakovlev,1902
- 5746) *Picromerus conformis* (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *conformis* Herrich-Schäffer,1841
- 5747) *Pieris* (Artogeia) *bowdeni* Eitschberger,[1984]** (Pieridae) Synonym(s): *bowdeni* Eitschberger,[1984]
- 5748) *Pieris* (Artogeia) *bryoniae* (Hübner,[1804])** (Pieridae) Synonym(s): *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debrosi* Eitschberger,[1984] (cf. Leraut,1997).
- 5749) *Pieris* (Artogeia) *ergane* (Geyer,[1828])** (Pieridae) Synonym(s): *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].
- 5750) *Pieris* (Artogeia) *krueperi* Staudinger,1860** (Pieridae) Synonym(s): *krueperi* Staudinger,1860
- 5751) *Pieris* (Artogeia) *mannii* (Mayer,1851)** (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.
- 5752) *Pieris* (Artogeia) *napi* (Linnaeus,1758)** (Pieridae) Synonym(s): *napi* Linn.,1758; *napaeae* Esper,[1804]; *dubiosa* Röber,1907; *napoleon* Eitschb.,1990
- 5753) *Pieris* (Artogeia) *pseudorapae* Verity,1908** (Pieridae) Synonym(s): *pseudorapae* Verity,1908
- 5754) *Pieris* (Artogeia) *rapae* (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
- 5755) *Pieris* (Artogeia) *rapae rapae* (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929; *pulverea* Verity,[1911].
- 5756) *Pieris* (s.str.) *brassicae* (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
- 5757) *Pieris* (s.str.) *brassicae brassicae* (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
- 5758) *Piesma* (Parapiesma) *kochiae* (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867

- 5759) **Piesma (Parapiesma) kolenatii (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973
- 5760) **Piesma (Parapiesma) quadratum (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966
- 5761) **Piesma (Parapiesma) salsolae (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae* Becker,1867
- 5762) **Piesma (s.str.) capitatum (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893
- 5763) **Piesma (s.str.) maculatum (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871
- 5764) **Pima boisduvaliella (Guenée,1845)** (Pyralidae) Synonym(s): *boisduvaliella* Guenée,1845
- 5765) **Pimelia (Camphonota) capito Krynický,1832** (Tenebrionidae) Synonym(s): *capito* Krynický,1832
- 5766) **Pimelia cursor Ménétriés,1832** (Tenebrionidae) Synonym(s): *cursor* Ménétriés,1832
- 5767) **Pimelia dubia Faldermann,1837** (Tenebrionidae) Synonym(s): *dubia* Faldermann,1837
- 5768) **Pimelia tuberculata Fischer von Waldheim,1832** (Tenebrionidae) Synonym(s): *tuberculata* Fischer von Waldheim,1832
- 5769) **Pimpla illecebrator (Villers,1799)** (Ichneumonidae) Synonym(s): *illecebrator* Villers,1799
- 5770) **Pimpla spuria Gravenhorst,1829** (Ichneumonidae) Synonym(s): *spuria* Gravenhorst,1829
- 5771) **Pionosomus varius (Wolff,1804)** (Lygaeidae) Synonym(s): *varius* Wolff,1804
- 5772) **Pitedia juniperina (Linnaeus,1758)** (Pentatomidae) Synonym(s): *juniperina* Linnaeus,1758
- 5773) **Pitedia pinicola (Mulsant,1852)** (Pentatomidae) Synonym(s): *pinicola* Mulsant,1852
- 5774) **Pithotomus rufiventris Kriechbaumer,1888** (Ichneumonidae) Synonym(s): *rufiventris* Kriechbaumer,1888
- 5775) **Plagiognathus pictus (Fieber,1864)** (Miridae) Synonym(s): *pictus* Fieber,1864
- 5776) **Plagionotus arcuatus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *arcuatus* Linnaeus,1758
- 5777) **Plagionotus bartholomaei (Motschoulsky,1859)** (Cerambycidae) Synonym(s): *bartholomaei* Motschoulsky,1859
- 5778) **Plagionotus detritus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *detritus* Linnaeus,1758
- 5779) **Plagionotus lugubris (Ménétriés,1832)** (Cerambycidae) Synonym(s): *lugubris* Ménétriés,1832
- 5780) **Plagiotrochus kiefferianus Tavares,1901** (Cynipidae) Synonym(s): *kiefferianus* Tavares,1901
- 5781) **Platycerus caucasicus Parry,1864** (Lucanidae) Synonym(s): *caucasicus* Parry,1864
- 5782) **Platycerus primigenius Weise,1960** (Lucanidae) Synonym(s): *primigenius* Weise,1960
- 5783) **Platycleis (Montana) persica Uvarov,1917** (Tettigoniidae) Synonym(s): *persica* Uvarov,1917
- 5784) **Platycleis (Montana) armeniaca (Ramme,1930)** (Tettigoniidae) Synonym(s): *armeniaca* Ramme,1930
- 5785) **Platycleis (Montana) daghestanica Uvarov,1917** (Tettigoniidae) Synonym(s): *daghestanica* Uvarov,1917
- 5786) **Platycleis (Montana) decticeiformis (Stshelkanovtzev,1914)** (Tettigoniidae) Synonym(s): *decticeiformis* Stshelkanovtzev,1914
- 5787) **Platycleis (s.str.) escalerae Bolivar,1899** (Tettigoniidae) Synonym(s): *escalerae* Bolivar,1899; *iphigeniae* Adelung,1907; *iranica* Ramme,1929; *graeca* Harz,1966; *#escalerae* Salman,1978
- 5788) **Platycleis (s.str.) intermedia (Audinet-Serville,1839)** (Tettigoniidae) Synonym(s): *intermedia* Audinet-Serville,1839; *tesselatus* Fischer von Waldheim,1846; *krinicki* Fischer von Waldheim,1846; *transiens* Ramme,1951
- 5789) **Platycleis (Squamiana) irritans Ramme,1951** (Tettigoniidae) Synonym(s): *irritans* Ramme,1951
- 5790) **Platycleis (Tessellana) veyseli Koçak,1984** (Tettigoniidae) Synonym(s): *vittata* Charpentier,1825 (*praeocc.*); *veyseli* Koçak,1984
- 5791) **Platycnemis dealbata Selys,1863** (Platycnemidae) Synonym(s): *dealbata* Selys,1863
- 5792) **Platycnemis pennipes (Pallas,1771)** (Platycnemidae) Synonym(s): *pennipes* Pallas,1771
- 5793) **Platyedra subcinerea (Haworth,1828)** (Gelechiidae) Synonym(s): *subcinerea* Haworth,1828; *vilella* Zeller,1847.
- 5794) **Platymetopius (Quernus) signoreti Wagner,1959** (Cicadellidae) Synonym(s): *viridinervis* Signoret,1880 nec Kbm.,1868; *signoreti* Wagner,1959
- 5795) **Platymetopius (s.str.) henribauti Dlabola,1961** (Cicadellidae) Synonym(s): *henribauti* Dlabola,1961
- 5796) **Platymetopius (s.str.) obsoletus (Signoret,1880)** (Cicadellidae) Synonym(s): *obsoletus* Signoret,1880
- 5797) **Platymetopius (s.str.) undatus (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962
- 5798) **Platymetopius chloroticus Puton,1877** (Cicadellidae) Synonym(s): *chloroticus* Puton,1877; *turkistanicus* Kusnezov,1927
- 5799) **Platymetopius dagestanicus Dlabola,1967** (Cicadellidae) Synonym(s): *dagestanicus* Dlabola,1967
- 5800) **Platymetopius quadricornis Lindberg,1960** (Cicadellidae) Synonym(s): *quadricornis* Lindberg,1960
- 5801) **Platymetopius rostratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894
- 5802) **Platymetopius singularis Logvinenko,1969** (Cicadellidae) Synonym(s): *singularis* Logvinenko,1969
- 5803) **Platymyrmilla quinquefasciata (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811
- 5804) **Platypalpus caucasicus Kovalev,1967** (Hybotidae) Synonym(s): *caucasicus* Kovalev,1967
- 5805) **Platiproctus schaeuffelei Dlabola,1960** (Cicadellidae) Synonym(s): *schaeuffelei* Dlabola,1960
- 5806) **Platiproctus tessellatus Lindberg,1924** (Cicadellidae) Synonym(s): *tessellatus* Lindberg,1924
- 5807) **Platyptilia armeniaca Zagulyaev,1984** (Pterophoridae) Synonym(s): *armeniaca* Zagulyaev,1984
- 5808) **Platyptilia tetradactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *tetradactyla* Linnaeus,1758
- 5809) **Platypygus bellus Loew,1869** (Mythicomyiidae) Synonym(s): *bellus* Loew,1869
- 5810) **Platypygus kurdorum Paramonov,1929** (Mythicomyiidae) Synonym(s): *kurdorum* Paramonov,1929; *persicus* Paramonov,1934
- 5811) **Platypygus melinoproctus Loew,1873** (Mythicomyiidae) Synonym(s): *melinoproctus* Loew,1873
- 5812) **Platypygus melinoproctus Loew,1873** (Mythicomyiidae) Synonym(s): *melinoproctus* Loew,1873
- 5813) **Platypygus ridibundus (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus* A.Costa,1863
- 5814) **Platypygus ridibundus (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus* A.Costa,1863; *tauricus* Paramonov,1926
- 5815) **Platystoma angustipenne Loew,1854** (Platystomidae) Synonym(s): *angustipenne* Loew,1854
- 5816) **Platystoma bipilosum Portschinsky,1875** (Platystomidae) Synonym(s): *bipilosa* Portschinsky,1875; *#bipilosum* Hendel,1913
- 5817) **Platystoma canum Portschinsky,1875** (Platystomidae) Synonym(s): *cana* Portschinsky,1875
- 5818) **Platystoma elegans Hendel,1913** (Platystomidae) Synonym(s): *elegans* Hendel,1913
- 5819) **Platystoma gilvipes Loew,1868** (Platystomidae) Synonym(s): *gilvipes* Loew,1868; *sororcula* Portschinsky,1875
- 5820) **Platystoma lativentre Loew,1865** (Platystomidae) Synonym(s): *lativentre* Loew,1865

- 5821) *Platystoma lugubre* (R-D.,1830)** (Platystomidae) Synonym(s): *lugubre* R-D.,1830
- 5822) *Platystoma nitidiventre* Hendel,1913** (Platystomidae) Synonym(s): *nitidiventre* Hendel,1913
- 5823) *Platystoma obtusum* Hendel,1913** (Platystomidae) Synonym(s): *obtusum* Hendel,1913
- 5824) *Platystoma punctiventris* Portschinsky,1875** (Platystomidae) Synonym(s): *punctiventris* Portschinsky,1875
- 5825) *Platystoma rufimanum* Loew,1873** (Platystomidae) Synonym(s): *rufimanum* Loew,1873
- 5826) *Platystoma seminationis* (Fabricius,1775)** (Platystomidae) Synonym(s): *seminationis* Fabricius,1775; *fulviventre* Schrank,1781; *biseta* Loew,1868; *vegetationis* Rondani,1869
- 5827) *Platystoma strix* Portschinsky,1875** (Platystomidae) Synonym(s): *strix* Portschinsky,1875
- 5828) *Platystoma suave* Loew,1873** (Platystomidae) Synonym(s): *suave* Loew,1873
- 5829) *Platystoma suave* Loew,1873** (Platystomidae) Synonym(s): *suave* Loew,1873
- 5830) *Platytes alpinella* (Hübner,[1813])** (Pyralidae) Synonym(s): *alpinella* Hübner,[1813]; *alpicolalis* Hübner,[1825]
- 5831) *Platytes cerussella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *cerussella* [Denis & Schiffermüller],1775; *quadrella* [Denis & Schiffermüller],1775; *barbella* Hübner,1796; *auriferella* Hübner,1796; *pygmaeus* Stephens,1834.
- 5832) *Plebejus* (Kretania) *carmon* (Gerhard,[1851])** (Lycaenidae) Synonym(s): *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December].
- 5833) *Plebejus* (Lycaeides) *argyrognomon* (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *argyrognomon* Bergsträßer,[1779]; *argyrobis* Bergsträßer,[1779]; *argyrocapelus* Bergsträßer,[1779]; *argyrocopus* Bergsträßer,[1779]; *argyroela* Bergsträßer,[1779]; *argyrophylax* Bergsträßer,[1779]; *ismenias* Meigen,1829; *ligurica* Oberthür,1910; *aegus* Chapman,1917
- 5834) *Plebejus* (Lycaeides) *christophi* (Staudinger,1874)** (Lycaenidae) Synonym(s): *christophi* Staudinger,1874; *argivus* Staudinger,1886.
- 5835) *Plebejus* (Lycaeides) *idas* (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793.
- 5836) *Plebejus* (Lycaeides) *maracandicus* (Erschoff,1874)** (Lycaenidae) Synonym(s): *maracandica* Erschoff,1874; *dschagatai* Groum-Grshimailo,1887; *buchara* Forster,1936.
- 5837) *Plebejus* (Plebejides) *modicus* Verity,1935** (Lycaenidae) Synonym(s): *modicus* Verity,1935; *microsephyrus* Verity,1935
- 5838) *Plebejus* (Plebejides) *sephirus* (Frivaldsky,1835)** (Lycaenidae) Synonym(s): *sephirus* Frivaldszky,1835; *uhryki* Rebel,1911; *proximus* Szabo,1954; *kovacs* Szabo,1954; *foticus* Szabo,1956.
- 5839) *Plebejus* (Plebejides) *zephyrinus* (Christoph,1884)** (Lycaenidae) Synonym(s): *zephyrinus* Christoph,1884
- 5840) *Plebejus* (s.str.) *argus* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931.
- 5841) *Plecoptera inquinata* (Lederer,1857)** (Noctuidae) Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933
- 5842) *Pleurophorus caesus* (Creutzer,1796)** (Scarabaeidae) Synonym(s): *caesus* Creutzer,1796
- 5843) *Pleuroptya balteata* (Fabricius,1798)** (Pyralidae) Synonym(s): *balteata* Fabricius,1798; *crocealis* Duponchel,1831; *aurantiacalis* Fischer v. Roeslerstamm,1840; *accipitralis* Walker,[1866]; *aurea* Butler,1879; *fraterna* Moore,1886; *evergestialis* Strand,1918.
- 5844) *Pleurota aristella* (Linnaeus,1767)** (Oecophoridae) Synonym(s): *aristella* Linnaeus,1767; *corniculata* Villers,1789; *cornicella* Villers,1789; *schlaegerella* Zeller,1847; *argentistrigella* Mann,1854
- 5845) *Pleurota armeniella* Caradja,1920** (Oecophoridae) Synonym(s): *armeniella* Caradja,1920
- 5846) *Pleurota brevispinella* (Zeller,1847)** (Oecophoridae) Synonym(s): *brevispinella* Zeller,1847
- 5847) *Pleurota contristatella* Mann,1867** (Oecophoridae) Synonym(s): *contristatella* Mann,1867
- 5848) *Pleurota eximia* Lederer,1861** (Oecophoridae) Synonym(s): *eximia* Lederer,1861; *galaticella* Staudinger,1880
- 5849) *Pleurota metricella* (Zeller,1847)** (Oecophoridae) Synonym(s): *metricella* Zeller,1847
- 5850) *Pleurota pungitiella* Herrich-Schäffer,[1854]** (Oecophoridae) Synonym(s): *pungitiella* Herrich-Schäffer,[1854]
- 5851) *Pleurota pyropella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller],1775
- 5852) *Pleurota subpyropella* Staudinger,1880** (Oecophoridae) Synonym(s): *subpyropella* Staudinger,1880
- 5853) *Pleurota syriaca* Staudinger,1880** (Oecophoridae) Synonym(s): *syriaca* Staudinger,1880
- 5854) *Plusia festucae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *festucae* Linnaeus,1758; *aureoargentea* Retzius,1783; *yokohamensis* Bryk,1949; *japonibia* Bryk,1949
- 5855) *Plusidia cheiranthi* (Tauscher,1809)** (Noctuidae) Synonym(s): *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* W.Warren,1913.
- 5856) *Plutella* (Anadetia) *porrectella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *porrectella* Linnaeus,1758; *hesperidis* Retzius,1783; *julianella* Olivier,1789; *hesperidella* Hübner,1796; *vittatus* Fabricius,1798
- 5857) *Podagrica fuscicornis* (Linnaeus,1767)** (Chrysomelidae) Synonym(s): *fuscicornis* Linnaeus,1767
- 5858) *Podagrica malvae* (Illiger,1807)** (Chrysomelidae) Synonym(s): *malvae* Illiger,1807
- 5859) *Podagrica menetriesi* (Faldermann,1837)** (Chrysomelidae) Synonym(s): *menetriesi* Faldermann,1837
- 5860) *Podisma miramae* Savenko,1941** (Acrididae) Synonym(s): *miramae* Savenko,1941
- 5861) *Podisma pedestris* (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933
- 5862) *Podisma satunini* Uvarov,1916** (Acrididae) Synonym(s): *satunini* Uvarov,1916
- 5863) *Podisma teberdina* Ramme,1951** (Acrididae) Synonym(s): *teberdina* Ramme,1951
- 5864) *Podisma uvarovi* Ramme,1926** (Acrididae) Synonym(s): *uvarovi* Ramme,1926
- 5865) *Poecilimon bifeneustratus* Miram,1929** (Tettigoniidae) Synonym(s): *bifeneustratus* Miram,1929
- 5866) *Poecilimon chostae* Stshelkanovtzev,1935** (Tettigoniidae) Synonym(s): *chostae* Stshelkanovtzev,1935
- 5867) *Poecilimon distinctus* Stshelkanovtzev,1909** (Tettigoniidae) Synonym(s): *distinctus* Stshelkanovtzev,1909
- 5868) *Poecilimon djakonovi* Miram,1938** (Tettigoniidae) Synonym(s): *djakonovi* Miram,1938
- 5869) *Poecilimon flavescens* (Herrich-Schäffer,1838)** (Tettigoniidae) Synonym(s): *flavescens* Herrich-Schäffer,1838
- 5870) *Poecilimon geoktschajcus* Stshelkanovtzev,1910** (Tettigoniidae) Synonym(s): *geoktschajcus* Stshelkanovtzev,1910; *zawadskyi* Stshelkanovtzev,1910
- 5871) *Poecilimon oligacanthus* Miram,1938** (Tettigoniidae) Synonym(s): *oligacanthus* Miram,1938; *paramonovi* Ramme,1951
- 5872) *Poecilimon schmidtii* (Fieber,1853)** (Tettigoniidae) Synonym(s): *schmidtii* Fieber,1853; *zolatarewi* Stshelkanovtzev,1910
- 5873) *Poecilimon similis* Retowski,1889** (Tettigoniidae) Synonym(s): *similis* Retowski,1889; *caucasicus* Adelung,1907; *richteri* Ramme,1933
- 5874) *Poecilimon tereckensis* Stshelkanovtzev,1909** (Tettigoniidae) Synonym(s): *tereckensis* Stshelkanovtzev,1909

- 5875) **Poecilimon tricuspidis** Miram, 1926 (Tettigoniidae) Synonym(s): *tricuspidis* Miram, 1926
- 5876) **Poecilimon zonatus** Bolivar, 1899 (Tettigoniidae) Synonym(s): *zonatus* Bolivar, 1899; *poltoratskyi* Uvarov, 1917
- 5877) **Poecilobothrus comitalis** (Kowarz, 1867) (Dolichopodidae) Synonym(s): *comitalis* Kowarz, 1867
- 5878) **Poecilobothrus regalis** (Meigen, 1824) (Dolichopodidae) Synonym(s): *regalis* Meigen, 1824
- 5879) **Poecilocampa populi** (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *populi* Linnaeus, 1758
- 5880) **Poemenia hectica** (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *hectica* Gravenhorst, 1829
- 5881) **Polia bombycina** (Hufnagel, 1766) (Noctuidae) Synonym(s): *bombycina* Hufnagel, 1766; *advena* [Denis & Schiffermüller], 1775; *tincta* Brahm, 1791; *nitens* Haworth, 1809.
- 5882) **Polia hepatica** (Clerck, 1759) (Noctuidae) Synonym(s): *hepatica* Clerck, 1759; *socia* Hufnagel, 1766; *petrificata* [Denis & Schiffermüller], 1775; *tincta* Brahm, 1791; *petrificosa* Hübner, [1803]; *petroliginea* Hübner, [1821]; *incognita* Butler, 1885.
- 5883) **Polia nebulosa** (Hufnagel, 1766) (Noctuidae) Synonym(s): *nebulosa* Hufnagel, 1766; *bimaculosa* Esper, 1788 *nec* Linn., 1767; *thapsi* Brahm, 1791; *grandis* Donovan, 1801; *plebeja* Hübner, [1803].
- 5884) **Polia serratilinea** Ochsenheimer, 1816 (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer, 1816; *helvetica* Schawerda, 1925; *kovatschevi* Drenowski, 1931; *pinker* Varga, 1974.
- 5885) **Polistes (s.str.) associus** Kohl, 1898 (Vespidae) Synonym(s): *associus* Kohl, 1898
- 5886) **Polistes (s.str.) atrimandibularis** (Zimmermann, 1930) (Vespidae) Synonym(s): *atrimandibularis* Zimmermann, 1930; *albidus* Blüthgen, 1957
- 5887) **Polistes (s.str.) biglumis** (Linnaeus, 1758) (Vespidae) Synonym(s): *biglumis* Linnaeus, 1758; *alpium* Blüthgen, 1957
- 5888) **Polistes (s.str.) dominulus** (Christ, 1791) (Vespidae) Synonym(s): *dominulus* Christ, 1791; *bucharensis* Erichson, 1949; *muche* Gusenleitner, 1976
- 5889) **Polistes (s.str.) gallicus** (Linnaeus, 1767) (Vespidae) Synonym(s): *gallicus* Linnaeus, 1767; *foederatus* Kohl, 1898; *omissus* Weyrauch, 1939
- 5890) **Polistes (s.str.) nimphus** (Christ, 1791) (Vespidae) Synonym(s): *nimpha* Christ, 1791; *opinabilis* Kohl, 1898; *moltonii* Guiglia, 1944; *irakensis* Gusenleitner, 1976
- 5891) **Polistes (s.str.) semenowi** Morawitz, 1889 (Vespidae) Synonym(s): *semenowi* Morawitz, 1889
- 5892) **Pollenia dasypoda** Portschiński, 1881 (Calliphoridae) Synonym(s): *dasypoda* Portschiński, 1881
- 5893) **Pollenia grunini** Rognes, 1988 (Calliphoridae) Synonym(s): *grunini* Rognes, 1988
- 5894) **Pollenia mystica** Rognes, 1988 (Calliphoridae) Synonym(s): *mystica* Rognes, 1988
- 5895) **Pollenia paragrugini** Rognes, 1988 (Calliphoridae) Synonym(s): *paragrugini* Rognes, 1988
- 5896) **Polychrysis moneta** (Fabricius, 1787) (Noctuidae) Synonym(s): *moneta* Fabricius, 1787; *argyritis* Esper, 1787; *napelli* Villers, 1789
- 5897) **Polydegmon foveolatus** (Herrich-Schäffer, 1838) (Braconidae) Synonym(s): *foveolatus* Herrich-Schäffer, 1838; *marshalli* Szepligeti, 1896
- 5898) **Polydegmon sinuatus** Förster, 1862 (Braconidae) Synonym(s): *sinuatus* Förster, 1862; *pillich* Zilaki-Kiss, 1915
- 5899) **Polygonia (Comma) c-album** (Linnaeus, 1758) (Argynnididae) Synonym(s): *c-album* Linnaeus, 1758; *g-album* Fourcroy, 1785.
- 5900) **Polygonia (Comma) egea** (Cramer, [1775]) (Argynnididae) Synonym(s): *egea* Cramer, [1775] (junior homonym); *vaualbum* Esper, 1780; *l-album* Esper, 1789; *triangulum* Fabricius, 1793; *autumnalis* Stefanelli, 1873; *#balucha* Evans, 1932; *#pallida* Evans, 1932.
- 5901) **Polymixis (Eremophysa) apothaina** (Brandt, 1938) (Noctuidae) Synonym(s): *apothaina* Brandt, 1938
- 5902) **Polymixis (Myxinia) chrysographa** (F. Wagner, 1931) (Noctuidae) Synonym(s): *chrysographa* F. Wagner, 1931
- 5903) **Polymixis (Myxinia) perchrysa** Hacker & Ronkay, 1992 (Noctuidae) Synonym(s): *perchrysa* Hacker & Ronkay, 1992
- 5904) **Polymixis (Myxinia) philippi** (Püngeler, 1911) (Noctuidae) Synonym(s): *philippi* Püngeler, 1911
- 5905) **Polymixis (Myxinia) rufocincta** (Geyer, 1828) (Noctuidae) Synonym(s): *rufocincta* Geyer, [1828]; *farinosa* Freyer, 1848; *mucida* Guenée, 1852.
- 5906) **Polymixis (Parabrachionycha) atossa** (Wiltshire, 1941) (Noctuidae) Synonym(s): *atossa* Wiltshire, 1941
- 5907) **Polymixis (Parabrachionycha) trisignata** (Ménétrières, 1847) (Noctuidae) Synonym(s): *trisignata* Ménétrières, 1847; *leuconota* Herrich-Schäffer, [1850]; *nasamonius* Turati, 1924
- 5908) **Polymixis (s.str.) manisadjiani** (Staudinger, 1881) (Noctuidae) Synonym(s): *manisadjiani* Staudinger, 1881
- 5909) **Polymixis (s.str.) polymita** (Linnaeus, 1761) (Noctuidae) Synonym(s): *viridiobscura* Goeze, 1781; *ridens* Hübner, [1803]; *aithalodes* Dannehl, 1929
- 5910) **Polymixis (s.str.) rjabovi** (Boursin, 1944) (Noctuidae) Synonym(s): *rjabovi* Boursin, 1944
- 5911) **Polymixis (s.str.) rosinae** (Bohatsch, 1910) (Noctuidae) Synonym(s): *rosinae* Bohatsch, 1910; *paradisiaca* Boursin, 1944
- 5912) **Polymixis (s.str.) xanthomista** (Hübner, [1819]) (Noctuidae) Synonym(s): *xanthomista* Hübner, [1819]; *nigrocincta* Treitschke, 1825; *nivescens* Staudinger, 1861; *nivea* Dannehl, 1929
- 5913) **Polymona griseipennis** (Kozhantshikov, 1950) (Lymantriidae) Synonym(s): *griseipennis* Kozhantshikov, 1950
- 5914) **Polymona komarovi** (Christoph, 1882) (Lymantriidae) Synonym(s): *komarovi* Christoph, 1882
- 5915) **Polymona lapidicola** (Herrich-Schäffer, [1852]) (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer, [1852]
- 5916) **Polyommatus (Agriades (s.str.)) pyrenaicus** (Boisduval, 1840) (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval, 1840; *#pyrenicus* Naderi, 2003
- 5917) **Polyommatus (Albulina (Plebejidea)) loewii** (Zeller, 1847) (Lycaenidae) Synonym(s): *loewii* Zeller, 1847; *empyrea* Gerhard, [1851]; *gigas* Staudinger, 1871; *#robusta* Turati & Fiori, 1930; *germanicae* Pfeiffer, 1932; *dzhegamati* Sheljuzhko, 1934.
- 5918) **Polyommatus (Albulina (Vacciniina)) alcedo** (Christoph, 1877) (Lycaenidae) Synonym(s): *alcedo* Christoph, 1877
- 5919) **Polyommatus (Albulina (Vacciniina)) morgianus** (Kirby, 1871) (Lycaenidae) Synonym(s): *hyrcana* Lederer, 1869 *nec* Feld., 1860; *morgiana* Kirby, 1871.
- 5920) **Polyommatus (Aricia (Eumedonia)) eumedon** (Esper, [1780]) (Lycaenidae) Synonym(s): *chiron* Rottemburg, 1775 *nec* Fabr., 1775; *eumedon* Esper, [1780]; *osiris* O.Bang-Haas, 1927 *nec* Hopff., 1855; *rumeliensis* Eitschberger & Stein., 1975; *jeanensis* Eitschberger & Stein., 1975; *kagizmanensis* Kocak, 1980.
- 5921) **Polyommatus (Aricia (Pseudoaricia)) isauricus** (Staudinger, 1871) (Lycaenidae) Synonym(s): *isauricus* Staudinger, 1871
- 5922) **Polyommatus (Aricia (Pseudoaricia)) teberdinus** (Sheljuzhko, 1934) (Lycaenidae) Synonym(s): *teberdinus* Sheljuzhko, 1934
- 5923) **Polyommatus (Aricia (s.str.)) agestis** ([Denis & Schiffermüller], 1775) (Lycaenidae) Synonym(s): *medon* Hufnagel, 1766 *nec* Linn., 1763; *alexis* Rottemburg, 1775 *nec* Poda, 1761; *agestis* [Denis & Schiffermüller], 1775; *astrarche* Bergsträßer, [1779].
- 5924) **Polyommatus (Aricia (s.str.)) agestis agestis** ([Denis & Schiffermüller], 1775) (Lycaenidae) Synonym(s): *medon* Hufnagel, 1766 *nec* Linn., 1763; *alexis* Rottemburg, 1775 *nec* Poda, 1761; *agestis* [Denis & Schiffermüller], 1775; *astrarche* Bergsträßer, [1779].

- 5925) Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) Synonym(s): *artaxerxes Fabricius,1793*.
- 5926) Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) Synonym(s): *anteros Freyer,[1838]; eroides Gerhard,[1851] nec Frivaldsky,1835; orpheus Nekrutenko,1980*.
- 5927) Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) Synonym(s): *crassipunctus Christoph,1893; #crassipunctata Seitz,1909*.
- 5928) Polyommatus (s.str. (Agrodiaetus (Actisia))) artvinensis (Carbonell,1997)** (Lycaenidae) Synonym(s): *artvinensis Carbonell,1997*
- 5929) Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae) Synonym(s): *firdussii Forster,1956*
- 5930) Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960)** (Lycaenidae) Synonym(s): *pseudactis Forster,1960; vaspurakani Lukhtanov & Dantchenko,2003*
- 5931) Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) Synonym(s): *admetus Esper,[1783]*
- 5932) Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny,1932)** (Lycaenidae) Synonym(s): *alcestis Zerny,1932; ahmadi Carbonell,2001; karacetinae Lukhtanov & Dantchenko,2002*.
- 5933) Polyommatus (s.str. (Agrodiaetus (Admetusia))) belovi (Dantchenko & Lukhtanov,2005)** (Lycaenidae) Synonym(s): *belovi Dantchenko & Lukhtanov,2005*
- 5934) Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *demavendi Pfeiffer,1938; #demaventi de Lesse,1960*
- 5935) Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) Synonym(s): *eriwanensis Forster,1960*
- 5936) Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) Synonym(s): *ripartii Freyer,[1830]*.
- 5937) Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi (Rose & Schurian,[1978])** (Lycaenidae) Synonym(s): *valiabadi Rose & Schurian,[1978]*
- 5938) Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901)** (Lycaenidae) Synonym(s): *antidolus Rebel,1901*
- 5939) Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) Synonym(s): *mithridates Staudinger,1878*
- 5940) Polyommatus (s.str. (Agrodiaetus (Damaia))) hopfferi (Gerhard,[1851])** (Lycaenidae) Synonym(s): *#hopfferi Herrich-Schäffer,[August,1851] (uninominal); hopfferi Gerhard,[November,1851]; hopfferi Herrich-Schäffer,31.December,1851]; hadjina Heyne,[1895]; malatiae Forster,1961*.
- 5941) Polyommatus (s.str. (Agrodiaetus (Damaia))) poseidon (Herrich-Schäffer,[1851])** (Lycaenidae) Synonym(s): *poseidon Herrich-Schäffer,[1851]; mesopotamica Staudinger,1892*.
- 5942) Polyommatus (s.str. (Agrodiaetus (Musa))) ectabanensis (De Lesse,1963)** (Lycaenidae) Synonym(s): *ectabanensis De Lesse,1963; avajicus Blom,1979; #ecbatanensis Nazari,2003*
- 5943) Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) Synonym(s): *wagneri Forster,1956*
- 5944) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse,1959)** (Lycaenidae) Synonym(s): *baytopi De Lesse,1959*
- 5945) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): *iphigenia Herrich-Schäffer,[1847]*
- 5946) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph,1877)** (Lycaenidae) Synonym(s): *phyllis Christoph,1877*
- 5947) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) rovshani Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *rovshani Dantchenko & Lukhtanov,1994*
- 5948) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) tankeri (De Lesse,1960)** (Lycaenidae) Synonym(s): *tankeri De Lesse,1960*
- 5949) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis (De Lesse,1957)** (Lycaenidae) Synonym(s): *vanensis De Lesse,1957*
- 5950) Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles (Herrich-Schäffer,[1844])** (Lycaenidae) Synonym(s): *damocles Herrich-Schäffer,[1844]*
- 5951) Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *damon [Denis & Schiffermüller],1775*
- 5952) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) altivagans (Forster,1956)** (Lycaenidae) Synonym(s): *altivagans Forster,1956*
- 5953) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) arasbarani (Carbonell & Naderi,2000)** (Lycaenidae) Synonym(s): *arasbarani Carbonell & Naderi,2000*
- 5954) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) aserbeidschanus (Forster,1956)** (Lycaenidae) Synonym(s): *aserbeidschana Forster,1956*
- 5955) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) caeruleus (Staudinger,1871)** (Lycaenidae) Synonym(s): *caeruleus Staudinger,1871*
- 5956) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) damonides (Staudinger,1899)** (Lycaenidae) Synonym(s): *damonides Staudinger,1899*
- 5957) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) eurypilus (Gerhard,[1851])** (Lycaenidae) Synonym(s): *eurypilus Gerhard,[1851]; carmon Herrich-Schäffer,[1851 December]; munzuricus Rose,1978*
- 5958) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) huberti (Carbonell,1993)** (Lycaenidae) Synonym(s): *huberti Carbonell,1993*
- 5959) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) lukhtanovi (Dantchenko,2005)** (Lycaenidae) Synonym(s): *lukhtanovi Dantchenko,2005*
- 5960) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) ninae (Forster,1956)** (Lycaenidae) Synonym(s): *ninae Forster,1956*
- 5961) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) shamil (Dantchenko,2000)** (Lycaenidae) Synonym(s): *shamil Dantchenko,2000*
- 5962) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) surakovi Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *surakovi Dantchenko & Lukhtanov,1994; sekercioglu Dantchenko & Lukhtanov,2002*
- 5963) Polyommatus (s.str. (Agrodiaetus (Transcaspus))) turcicus (Koçak,1977)** (Lycaenidae) Synonym(s): *turcicus Koçak,1977*

- 5964) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) yurinekrutenko Koçak,1996** (Lycaenidae) Synonym(s): *ciscaucasicus* Forster,1956 nec Jach.,1914; *yurinekrutenko* Koçak,1996; *carmonides* Eckweiler,1997.
- 5965) Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) zarathustra Eckweiler,1997** (Lycaenidae) Synonym(s): *zarathustra* Eckweiler,1997
- 5966) Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae) Synonym(s): *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956.
- 5967) Polyommatus (s.str. (Agrodiaetus (Xerxesia))) merhaba De Prins,1991** (Lycaenidae) Synonym(s): *merhaba* De Prins,1991
- 5968) Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) Synonym(s): *bellis* Freyer,[1842]
- 5969) Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *semiargus* Rottemburg,1775; *acis* Denis & Schiffermüller,1775 nec Dry.,1773; *byzas* Bergsträßer,[1779]; *byze* Bergsträßer,[1779]; *argopoeus* Bergsträßer,[1779]; *byzenus* Bergsträßer,[1779]; *argopoei* Bergsträßer,[1779]; *cimon* Lewin,1795; *argianus* Dalman,1816.
- 5970) Polyommatus (s.str. (Lysandra)) albicans (Gerhard,[1851])** (Lycaenidae) Synonym(s): *albicans* Gerh.,[1851]; *aragonensis* Gerh.,[1851]; *albicans* H.-S.,1851; *guadarramensis* Ribbe,1910; *penuelaensis* Ribbe,1910; *transalbicans* Tutt,1914; *cuencana* Vrtý.,1926; *bolivari* Romei,1927; *esteparina* Agenjo,1956; *anamariae* Agenjo,1968; *betica* Betti,1970...
- 5971) Polyommatus (s.str. (Lysandra)) arzanovi Stradomsky & Shchurov,2005** (Lycaenidae) Synonym(s): *arzanovi* Stradomsky & Shchurov,2005
- 5972) Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 nec Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779;; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 5973) Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *corydonius* Herrich-Schäffer,[1852]
- 5974) Polyommatus (s.str. (Lysandra)) melamarinus (Dantchenko,2000)** (Lycaenidae) Synonym(s): *melamarina* Dantchenko,2000
- 5975) Polyommatus (s.str. (Lysandra)) sheikh (Dantchenko,2000)** (Lycaenidae) Synonym(s): *sheikh* Dantchenko,2000
- 5976) Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 5977) Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) Synonym(s): *coelestinus* Eversmann,1843
- 5978) Polyommatus (s.str. (Neolysandra)) diana (Miller,[1913])** (Lycaenidae) Synonym(s): *diana* Miller,[1913]
- 5979) Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792
- 5980) Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] nec Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985.
- 5981) Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae) Synonym(s): *aedon* Christoph,1877
- 5982) Polyommatus (s.str. (Sublysandra)) cinyraeus (Nekrutenko & Effendi,1979)** (Lycaenidae) Synonym(s): *cinyraeus* Nekrutenko & Effendi,1979
- 5983) Polyommatus (s.str. (Sublysandra)) myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *myrrhus* Herrich-Schäffer,[1852]
- 5984) Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919.
- 5985) Polyommatus (s.str.) eroides (Frivaldsky,1835)** (Lycaenidae) Synonym(s): *eroides* Frivaldsky,1835
- 5986) Polyommatus (s.str.) eros (Ochsenheimer,1808)** (Lycaenidae) Synonym(s): *tithonus* Hübner,[1804] nec Linn.,1771; *eros* Ochsenheimer,1808
- 5987) Polyommatus (s.str.) erotulus Nekrutenko,1985** (Lycaenidae) Synonym(s): *erotulus* Nekrutenko,1985; *delessei* Carbonell,1994.
- 5988) Polyommatus (s.str.) icadius (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *icadius* Groum-Grshimailo,1890
- 5989) Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 5990) Polyommatus (s.str.) tshetverikovi Nekrutenko,1977** (Lycaenidae) Synonym(s): *tshetverikovi* Nekrutenko,1977
- 5991) Polyphaenis viridis (De Villers,1789)** (Noctuidae) Synonym(s): *sericata* Esper,[1787] nec ; *viridis* De Villers,1789.
- 5992) Polyphoniis laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus* Loew,1848
- 5993) Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758; *luctuosa* Mulsant,1842; *marmorata* Mulsant,1847; *macrocera* Reitter,1891
- 5994) Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840; *abhasica* Motschoulsky,1845; *caucasica* Heyden,1864; *persica* Brenske,1902
- 5995) Polyphylla (Xerasiobia) alba (Pallas,1773)** (Scarabaeidae) Synonym(s): *alba* Pallas,1773
- 5996) Polyploca latens Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) Synonym(s): *latens* Laszlo, G.Ronkay, L.Ronkay & Witt,2007
- 5997) Polypogon gryphalis (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *gryphalis* Herrich-Schäffer,1851
- 5998) Polypogon lunalis (Scopoli,1763)** (Noctuidae) Synonym(s): *lunalis* Scopoli,1763
- 5999) Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 6000) Polypogon tentacularia (Linnaeus,1758)** (Noctuidae) Synonym(s): *tentacularia* Linnaeus,1758
- 6001) Polypogon zelleri (Wocke,1850)** (Noctuidae) Synonym(s): *zelleri* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851.
- 6002) Polysarca violacea Schiner,1867** (Asilidae) Synonym(s): *violacea* Schiner,1867
- 6003) Polysarcus zacharovi (Stshelkanovtsev,1909)** (Tettigoniidae) Synonym(s): *zacharovi* Stshelkanovtsev,1909
- 6004) Pontia callidice (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803].
- 6005) Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] nec *russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881.
- 6006) Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.

- 6007** *Pontia edusa* (Fabricius,1777) (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
- 6008** *Pontia edusa edusa* (Fabricius,1777) (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1870; *#nitida* Verity,[1908].
- 6009** *Pontoperla teberdinica* (Balinsky,1950) (Chloroperlidae) Synonym(s): *teberdinica* Balinsky,1950
- 6010** *Poophilus costalis* (Walker,1851) (Cercopidae) Synonym(s): *costalis* Walker,1851
- 6011** *Poophilus nebulosus* (Lethierry,1876) (Cercopidae) Synonym(s): *nebulosus* Lethierry,1876
- 6012** *Populicerus populi* (Linnaeus,1761) (Cicadellidae) Synonym(s): *populi* Linnaeus,1761; *coryli* Linnaeus,1761; *biguttata* Fabricius,1794 (praeocc.); *stigma* Germar,1821, *marginata* Lepeletier & Audinet-Serville,1825; *aeneus* Curtis,1839; *effulgens* Curtis,1839; *sulphureus* Curtis,1839
- 6013** *Porphyrophora hamelii* Brandt & Ratzeburg,1833 (Margarodidae) Synonym(s): *hamelii* Brandt
- 6014** *Potamia littoralis* R-D.,1830 (Muscidae) Synonym(s): *littoralis* R-D.,1830
- 6015** *Powellinia boetica* (Rambur,1837) (Noctuidae) Synonym(s): *boetica* Rambur,1837
- 6016** *Powellinia carthalina* (Christoph,1893) (Noctuidae) Synonym(s): *carthalina* Christoph,1893
- 6017** *Præpischia lydella* (Lederer,1865) (Pyralidae) Synonym(s): *lydella* Lederer,1865; *gypsocrates* Meyrick,1937
- 6018** *Prasocuris junci* (Brahm,1790) (Chrysomelidae) Synonym(s): *junci* Brahm,1790; *beccabungae* Küster,1846; *minutus* Markovic,1909
- 6019** *Prionocyphon ornatus* Abeille,1881 (Scirtidae) Synonym(s): *ornatus* Abeille,1881
- 6020** *Pristaulacus bimaculatus* Kieffer,1900 (Aulacidae) Synonym(s): *bimaculatus* Kieffer,1900
- 6021** *Pristerognatha fuligana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *fuligana* [Denis & Schiffermüller],1775
- 6022** *Pristocerella deltagrammella* (Ragonot,1888) (Pyralidae) Synonym(s): *deltagrammella* Ragonot,1888
- 6023** *Pristocerella solskyi* (Christoph,1877) (Pyralidae) Synonym(s): *solskyi* Christoph,1877; *ochroleucella* Staudinger,1879; *bivittella* Christoph,1887.
- 6024** *Pristomerus areolaris* Narolsky,1987 (Ichneumonidae) Synonym(s): *areolaris* Narolsky,1987
- 6025** *Procapperia kuldschaensis* (Rebel,1914) (Pterophoridae) Synonym(s): *kuldschaensis* Rebel,1914; *asiatica* Zagulyaev,1986.
- 6026** *Procapperia maculata* (Constant,1865) (Pterophoridae) Synonym(s): *maculata* Constant,1865; *croatica* Adamczewski,1951.
- 6027** *Proceps acicularis* Mulsant & Rey,1855 (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868
- 6028** *Proceratia fulvostrigella* (Eversmann,1844) (Pyralidae) Synonym(s): *fulvostrigella* Eversmann,1844; *fronticornella* Herrich-Schäffer,1860.
- 6029** *Prochoreutis myllerana* (Fabricius,1794) (Choreutidae) Synonym(s): *myllerana* Fabricius,1794; *mylleri* Haworth,1811; *augustana* Hübner,[1813]; *scintilulana* Hübner,[1825]; *scintilulalis* Treitschke,1835; *albipunctalis* Zetterstedt,1839; *müllerana* Heyden,1865
- 6030** *Prochoreutis stellaris* (Zeller,1847) (Choreutidae) Synonym(s): *stellaris* Zeller,1847; *irradiata* Meyrick,1913
- 6031** *Prochoreutis talyshensis* (Danilevsky,1969) (Choreutidae) Synonym(s): *talyshensis* Danilevsky,1969
- 6032** *Prochoristis capparidis* (Christoph,1876) (Pyralidae) Synonym(s): *capparidis* Christoph,1876
- 6033** *Proconura nigripes* (Fonscolombe,1832) (Chalcididae) Synonym(s): *nigripes* Fonscolombe,1832; *nebulosa* Fonscolombe,1840; *sexdentata* Förster,1855; *decipiens* Masi,1929
- 6034** *Promachus leoninus* Loew,1848 (Asilidae) Synonym(s): *leoninus* Loew,1848
- 6035** *Promecocoris* (Emphylocoris) *stschurovskii* (Oshanin,1871) (Scutelleridae) Synonym(s): *stschurovskii* Oshanin,1871
- 6036** *Pronomaea araxicola* Reitter,1898 (Staphylinidae) Synonym(s): *araxicola* Reitter,1898; *orientalis* Fagel,1969
- 6037** *Prophtasia platycerella* Ragonot,1887 (Pyralidae) Synonym(s): *platycerella* Ragonot,1887
- 6038** *Prorachthes beckeri* Paramonov,1926 (Bombyliidae) Synonym(s): *beckeri* Paramonov,1926
- 6039** *Prorachthes pleskei* Paramonov,1927 (Bombyliidae) Synonym(s): *pleskei* Paramonov,1927
- 6040** *Proscolia archaica* Rasnitsyn,1977 (Scolidae) Synonym(s): *archaica* Rasnitsyn,1977
- 6041** *Proserpinus proserpinus* (Pallas,1772) (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermülleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
- 6042** *Prosimulium* (s.str.) *frontatum* Terteryan,1956 (Simuliidae) Synonym(s): *frontatum* Terteryan,1956; *stenopalpe* Rubtsov,1956
- 6043** *Prosimulium* (s.str.) *frontatum* Terteryan,1956 (Simuliidae) Synonym(s): *frontatum* Terteryan,1956; *stenopalpe* Rubtsov,1956
- 6044** *Prosimulium* (s.str.) *gigas* Rubtsov,1956 (Simuliidae) Synonym(s): *gigas* Rubtsov,1956
- 6045** *Prosimulium* (s.str.) *gigas* Rubtsov,1956 (Simuliidae) Synonym(s): *gigas* Rubtsov,1956
- 6046** *Prosimulium* (s.str.) *rachiliense* Djafarov,1954 (Simuliidae) Synonym(s): *rachiliense* Djafarov,1954; *pronevitschae* Rubtsov,1955
- 6047** *Prosimulium* (s.str.) *tomosvaryi* (Enderlein,1921) (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (praeocc.); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbolicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966
- 6048** *Prostemma aeneicolle* Stein,1857 (Nabidae) Synonym(s): *aeneicolle* Stein,1857
- 6049** *Prostemma krueperi* Stein,1878 (Nabidae) Synonym(s): *krueperi* Stein,1878
- 6050** *Prostemma sanguineum* (Rossi,1790) (Nabidae) Synonym(s): *lucidulus* Spinola,1837; *staphylinus* Amyot-Serville,1843
- 6051** *Prosternon tessellatum* (Linnaeus,1758) (Elateridae) Synonym(s): *tessellatum* Linnaeus,1758
- 6052** *Protaetia* (Netocia) *asiatica* (Faldermann,1835) (Scarabaeidae) Synonym(s): *asiatica* Faldermann,1835
- 6053** *Protaetia* (Netocia) *hungarica* (Herbst,1790) (Scarabaeidae) Synonym(s): *hungarica* Herbst,1790
- 6054** *Protaetia* (Netocia) *trojana* (Gory & Percheron,1833) (Scarabaeidae) Synonym(s): *trojana* Gory & Percheron,1833
- 6055** *Protaetia* (Potosia) *caucasica* Kolenati,1845 (Scarabaeidae) Synonym(s): *caucasica* Kolenati,1845
- 6056** *Protaetia* (Potosia) *cuprina* (Motschulsky,1849) (Scarabaeidae) Synonym(s): *rubrocuprea* Mulsant & Rey,1842; *cuprina* Motschulsky,1849
- 6057** *Protaetia* (Potosia) *fausti* Kraatz,1891 (Scarabaeidae) Synonym(s): *fausti* Kraatz,1891
- 6058** *Protaetia* (Potosia) *funebis* (Gory & Percheron,1833) (Scarabaeidae) Synonym(s): *funebis* Gory & Percheron,1833; *exclamantis* Faldermann,1835; *funesta* Ménétriés,1836; *aethioides* Reitter,1898; *lambillionea* Alexis & Delphont,2000
- 6059** *Protaetia* (Potosia) *hieroglyphica* (Ménétriés,1832) (Scarabaeidae) Synonym(s): *hieroglyphica* Ménétriés,1832; *pulverulenta* Motschoulsky,1845; *ganglbaueri* Reitter,1891; *depressiuncula* Reitter,1891

- 6060) **Protaetia (Potosia) splendidula (Faldernmann,1835)** (Scarabaeidae) Synonym(s): *splendidula* Faldernmann,1835
- 6061) **Proterebia afra (Fabricius,1787)** (Satyridae) Synonym(s): *afra* Fabricius,1787
- 6062) **Proteuchloris neriararia (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *neriararia* Herrich-Schäffer,[1852].
- 6063) **Protexarnis confinis (Staudinger,1881)** (Noctuidae) Synonym(s): *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *susplicax* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964.
- 6064) **Protexarnis opisoletuca (Staudinger,1881)** (Noctuidae) Synonym(s): *opisoletuca* Staudinger,1881; *inermis* Corti & Draudt,1933.
- 6065) **Protodeltote pygarga (Hufnagel,1766)** (Noctuidae) Synonym(s): *pygarga* Hufnagel,1766
- 6066) **Protolampra sobrina (Duponchel,[1843])** (Noctuidae) Synonym(s): *sobrina* Duponchel,[1843]; *mista* Freyer,[1844]; *lapponica* Freyer,1845; *gruneri* Guenée,1852
- 6067) **Protomiltogramma fasciatum (Meigen,1824)** (Sarcophagidae) Synonym(s): *fasciata* Meigen,1824; *erythrochaeta* Bezzi,1895
- 6068) **Protomiltogramma jaxartianum (Rohdendorf,1927)** (Sarcophagidae) Synonym(s): *jaxartiana* Rohdendorf,1927
- 6069) **Protonemura abchasica Zhiltzova,1964** (Nemouridae) Synonym(s): *abchasica* Zhiltzova,1964
- 6070) **Protonemura bacurianica Zhiltzova,1957** (Nemouridae) Synonym(s): *bacurianica* Zhiltzova,1957
- 6071) **Protonemura teberdensis Zhiltzova,1958** (Nemouridae) Synonym(s): *teberdensis* Zhiltzova,1958
- 6072) **Protopiophila latipes (Meigen,1838)** (Piophilidae) Synonym(s): *latipes* Meigen,1838; *caucasica* Ozerov,2008
- 6073) **Protorhoe avetianae (Vardikjan,1974)** (Geometridae) Synonym(s): *avetianae* Vardikjan,1974
- 6074) **Protorhoe uncinata (Guenée,[1858])** (Geometridae) Synonym(s): *uncinata* Guenée,[1858]
- 6075) **Protoschia scutosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
- 6076) **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871
- 6077) **Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis* Morawitz,1876; *graffei* Schmiedeknecht,1890
- 6078) **Proutia betulina (Zeller,1839)** (Psychidae) Synonym(s): *betulina* Zeller,1839; *salicicolella* Bruand,1853; *rouasti* Heylaerts,1879; *eppingella* Tutt,1900.
- 6079) **Proutictis artesiaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller],1775
- 6080) **Proxenus hospes (Freyer,[1831])** (Noctuidae) Synonym(s): *hospes* Freyer,[1831]
- 6081) **Proxenus lepigone (Möschler,1860)** (Noctuidae) Synonym(s): *lepigone* Möschler,1860
- 6082) **Psacasta exanthematica (Scopoli,1763)** (Scutelleridae) Synonym(s): *exanthematica* Scopoli,1763
- 6083) **Psacasta herculeana Horvath,1891** (Scutelleridae) Synonym(s): *herculeana* Horvath,1891
- 6084) **Psacasta neglecta (Herrich-Schäffer,1837)** (Scutelleridae) Synonym(s): *neglecta* Herrich-Schäffer,1837
- 6085) **Psallus atomosus Reuter,1878** (Miridae) Synonym(s): *atomosus* Reuter,1878
- 6086) **Psallus georgicus Zaitzeva,1968** (Miridae) Synonym(s): *georgicus* Zaitzeva,1968
- 6087) **Psallus halidi Drapolyuk,1991** (Miridae) Synonym(s): *halidi* Drapolyuk,1991
- 6088) **Psallus kiritshenkoi Zaitzeva,1968** (Miridae) Synonym(s): *kiritshenkoi* Zaitzeva,1968
- 6089) **Psallus minusculus Zaitzeva,1968** (Miridae) Synonym(s): *minusculus* Zaitzeva,1968
- 6090) **Psallus pumilus (Jakovlev,1876)** (Miridae) Synonym(s): *pumilus* Jakovlev,1876
- 6091) **Psallus samedovi Drapolyuk,1991** (Miridae) Synonym(s): *samedovi* Drapolyuk,1991
- 6092) **Psallus svidae Drapolyuk,1991** (Miridae) Synonym(s): *svidae* Drapolyuk,1991
- 6093) **Psallus transcaucasicus Zaitzeva,1966** (Miridae) Synonym(s): *transcaucasicus* Zaitzeva,1966
- 6094) **Psallus varians (Herrich-Schäffer,1841)** (Miridae) Synonym(s): *rufescens* Hahn,1831; *variens* Herrich-Schäffer,1841; *decoloratus* Mulsant & Rey,1852; *distinctus* Fieber,1858; *insignis* Fieber,1858; *kirschbaumi* Fieber,1861; *nigrescens* Fieber,1861; *ochraceus* Fieber,1861; *feberi* Stichel,1933; *cornutus* Wagner,1943; *tunetanus* Wagner,1962
- 6095) **Psallus zakatalensis Drapolyuk,1991** (Miridae) Synonym(s): *zakatalensis* Drapolyuk,1991
- 6096) **Psalmocharias querula (Pallas,1773)** (Cicadidae) Synonym(s): *querula* Pallas,1773; *steveni* Stal,1854 (praeocc.)
- 6097) **Psammodyus (Rhyssmus) germanus (Linnaeus,1767)** (Scarabaeidae) Synonym(s): *germanus* Linnaeus,1767
- 6098) **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914
- 6099) **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925
- 6100) **Psammotettix gracilis Logvinenko,1971** (Cicadellidae) Synonym(s): *gracilis* Logvinenko,1971
- 6101) **Psammotettix kaszabi Dlabola,1961** (Cicadellidae) Synonym(s): *kaszabi* Dlabola,1961
- 6102) **Psammotettix kolosvarensis (Matsumura,1908)** (Cicadellidae) Synonym(s): *kolosvarensis* Matsumura,1908; *claudiopolitanus* Matsumura,1910; *similis* Wagner,1947
- 6103) **Psammotettix majusculus Linnavuori,1951** (Cicadellidae) Synonym(s): *majusculus* Linnavuori,1951
- 6104) **Psammotettix orientalis Zachvatkin,1945** (Cicadellidae) Synonym(s): *orientalis* Zachvatkin,1945; *badghyzicus* Zachvatkin,1945
- 6105) **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869
- 6106) **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925
- 6107) **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (praeocc.); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908
- 6108) **Psammotettix transcaucasicus Dlabola,1961** (Cicadellidae) Synonym(s): *transcaucasicus* Dlabola,1961
- 6109) **Psegmatius lethierryi Signoret,1880** (Cicadellidae) Synonym(s): *lethierryi* Signoret,1880
- 6110) **Pselaphorhynchites nanus (Paykull,1792)** (Atelabidae) Synonym(s): *nanus* Paykull,1792; *planirostris* Fabricius,1801; *cylindricus* Stephens,131; *angustifrons* Voss,1932
- 6111) **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Atelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798
- 6112) **Pselaphus caucasicus Motschulsky,1845** (Staphylinidae) Synonym(s): *caucasicus* Motschulsky,1845
- 6113) **Pselnophorus poggei (Mann,1862)** (Pterophoridae) Synonym(s): *poggei* Mann,1862; *minutus* Alpheraky,1876; *borzhomi* Zagulyaev,1987.
- 6114) **Pseudapis (s.str.) bytinski (Warncke,1976)** (Halictidae) Synonym(s): *bytinski* Warncke,1976
- 6115) **Pseudargyrotoza conwagana (Fabricius,1775)** (Tortricidae) Synonym(s): *montana* Scopoli,1763; *conwagana* Fabricius,1775; *hofmannseggana* Hübner,[1799]; *spixiana* Frölich,1828; *subaurantiana* Stephens,1834; *graphitana* Eversmann,1844; *#conwajana* Staudinger,1879.

- 6116) Pseudenargia deleta (Osthelder,1933)** (Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938.
- 6117) Pseudenargia regina (Staudinger,1892)** (Noctuidae) Synonym(s): *regina* Staudinger,1892
- 6118) Pseudepipona tricolor Gusenleitner,1976** (Vespidae) Synonym(s): *tricolor* Gusenleitner,1976
- 6119) Pseudeulia asinana (Hübner,[1799])** (Tortricidae) Synonym(s): *asinana* Hübner,[1799]
- 6120) Pseudeustrotia candidula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candidula* [Denis & Schiffermüller],1775; *pusilla* Vieweg,1789
- 6121) Pseudeustrotia deceptoria (Scopoli,1763)** (Noctuidae) Synonym(s): *deceptoria* Scopoli,1763; *tineodes* Hufnagel,1766; *atratura* [Denis & Schiffermüller],1775
- 6122) Pseudobankesia caucasica (Kozhantshikov,1956)** (Psychidae) Synonym(s): *caucasica* Kozhantshikov,1956
- 6123) Pseudoceles armeniacus Dirsh,1949** (Acrididae) Synonym(s): *armeniaceus* Dirsh,1949
- 6124) Pseudoceles obscurus (Uvarov,1927)** (Acrididae) Synonym(s): *obscurus* Uvarov,1927
- 6125) Pseudoceles oedipodioides Bolivar,1899** (Acrididae) Synonym(s): *oedipodioides* Bolivar,1899; *arpatchai* Dirsh,1949; *uvarovi* Dirsh,1949; *lateritius* Karabağ,1957; *#oedipoides* Demirsoy,1977; *krahmeri* Harz,1978
- 6126) Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
- 6127) Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) Synonym(s): *telephassa* Geyer,[1827]
- 6128) Pseudochazara (s.str.) alpina (Staudinger,[1878])** (Satyridae) Synonym(s): *alpina* Staudinger,[1878]
- 6129) Pseudochazara (s.str.) aurantiaca (Staudinger,1871)** (Satyridae) Synonym(s): *aurantiaca* Staudinger,1871
- 6130) Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) Synonym(s): *beroe* Freyer,[1843]
- 6131) Pseudochazara (s.str.) daghestana (Holik,1955)** (Satyridae) Synonym(s): *daghestana* Holik,1955
- 6132) Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978
- 6133) Pseudochazara (s.str.) guriensis (Staudinger,[1878])** (Satyridae) Synonym(s): *guriensis* Staudinger,[1878]
- 6134) Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintensis* Staudinger,1895
- 6135) Pseudochazara (s.str.) mnischevii (Herrich-Schäffer,[1851])** (Satyridae) Synonym(s): *mnischevii* Herrich-Schäffer,[1851]
- 6136) Pseudochazara (s.str.) nukatli Bogdanov,2000** (Satyridae) Synonym(s): *nukatli* Bogdanov,2000
- 6137) Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) Synonym(s): *pelopea* Klug,1832
- 6138) Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbridae) Synonym(s): *amerinae* Linnaeus,1758
- 6139) Pseudocrepidophorus flavescens (Eschscholtz,1818)** (Elateridae) Synonym(s): *flavescens* Eschscholtz,1818
- 6140) Pseudohadena (Jaxartia) pseudamoena (Boursin,1944)** (Noctuidae) Synonym(s): *pseudamoena* Boursin,1944
- 6141) Pseudohadena (s.str.) chenopodiphaga (Rambur,1832)** (Noctuidae) Synonym(s): *chenopodiphaga* Rambur,1832
- 6142) Pseudohadena (s.str.) gnorima (Püngeler,1907)** (Noctuidae) Synonym(s): *gnorima* Püngeler,1907
- 6143) Pseudohadena (s.str.) immunda (Eversmann,1842)** (Noctuidae) Synonym(s): *immunda* Eversmann,1842
- 6144) Pseudohadena (s.str.) immunis (Staudinger,1889)** (Noctuidae) Synonym(s): *immunis* Staudinger,1889
- 6145) Pseudohadena (s.str.) impedita (Christoph,1887)** (Noctuidae) Synonym(s): *impressa* Christoph,1887
- 6146) Pseudohadena (s.str.) indigna (Christoph,1887)** (Noctuidae) Synonym(s): *indigna* Christoph,1887; *restricta* Sukhareva,1976.
- 6147) Pseudohadena (s.str.) laciniosa (Christoph,1887)** (Noctuidae) Synonym(s): *laciniosa* Christoph,1887
- 6148) Pseudohadena (s.str.) rjabovi Boursin,1970** (Noctuidae) Synonym(s): *rjabovi* Boursin,1970
- 6149) Pseudohadena (s.str.) xanthophanes Boursin,1944** (Noctuidae) Synonym(s): *xanthophanes* Boursin,1944
- 6150) Pseudoips prasinana (Linnaeus,1758)** (Noctuidae) Synonym(s): *prasinana* Linnaeus,1758; *fagana* Fabricius,1781; *sylvana* Fabricius,1794; *britannica* W.Warren,1913.
- 6151) Pseudoliarus fuscifasciatus (Melichar,1902)** (Cixiidae) Synonym(s): *fuscifasciatus* Melichar,1902; *obliteratus* Kusnezov,1937; *aegyptiacus* Wagner,1954
- 6152) Pseudolimonophila (s.str.) sepium (Verrall,1886)** (Limoniidae) Synonym(s): *sepium* Verrall,1886
- 6153) Pseudomyrmosa minuta (Morawitz,1894)** (Mutillidae) Synonym(s): *minuta* Morawitz,1894; *myrmosina* Dalla Torre,1897; *gobicola* Lelej,1981
- 6154) Pseudopanthera macularia (Linnaeus,1758)** (Geometridae) Synonym(s): *macularia* Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrinaculata* Haworth,1809; *meridionalis* Galvagni,1908
- 6155) Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865
- 6156) Pseudophotopsis armeniaca (Skorikov,1935)** (Mutillidae) Synonym(s): *armeniaca* Skorikov,1935; *cyprica* Hammer,1950
- 6157) Pseudophotopsis caucasica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *caucasica* Radoszkowski,1885; *caucasicola* Dalla Torre,1897;
- 6158) Pseudophotopsis schachruda (Skorikov,1935)** (Mutillidae) Synonym(s): *schachruda* Skorikov,1935; *robusta* Skorikov,1935; *mavromoustakisi* Suarez,1959; *#schachrudii* Özbek et al.,1999; *caucasica* auct.
- 6159) Pseudopostega crepusculella (Zeller,1839)** (Opostegidae) Synonym(s): *crepusculella* Zeller,1839; *lvovskyi* Kozlov,1985
- 6160) Pseudosciaphila branderiana (Linnaeus,1758)** (Tortricidae) Synonym(s): *branderiana* Linnaeus,1758; *fuscana* Linnaeus,1758; *wahlbomiana* Linnaeus,1758; *asinana* Clerck,1759; *grossana* Thunberg,1791; *achariana* Thunberg,1797; *maurana* Hübner,[1799]; *sajana* Caradja,1938
- 6161) Pseudosphegastes brunnea (Pic,1897)** (Cerambycidae) Synonym(s): *brunnea* Pic,1897
- 6162) Pseudoterpna pruinata (Hufnagel,1767)** (Geometridae) Synonym(s): *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 nec Hufnagel,1767; *cythisaria* [Denis & Schiffermüller],1775; *genistaria* Villers,1789.
- 6163) Pseudovadonia livida (Fabricius,1777)** (Cerambycidae) Synonym(s): *livida* Fabricius,1777; *pecta* K.Daniel & J.Daniel,1891
- 6164) Psilochalcis benoisti (Steffan,1948)** (Chalcididae) Synonym(s): *benoisti* Steffan,1948; *ferrierei* Steffan,1948
- 6165) Psilochalcis nigerrima (Masi,1929)** (Chalcididae) Synonym(s): *nigerrima* Masi,1929
- 6166) Psilochalcis rufitarsis (Illiger,1807)** (Chalcididae) Synonym(s): *monstrosa* Villers,1789; *rufitarsis* Illiger,1807; *vicina* Fonscolombe,1832; *nigra* Walker,1834; *frequens* Masi,1929
- 6167) Psilochalcis subaenea (Masi,1929)** (Chalcididae) Synonym(s): *subaenea* Masi,1929; *aspera* Steffan,1951
- 6168) Psilocurus hypopygialis (Paramonov,1930)** (Asilidae) Synonym(s): *hypopygialis* Paramonov,1930; *?translatus* Oldroyd,1958
- 6169) Psoa viennensis Herbst,1797** (Bostrichidae) Synonym(s): *viennensis* Herbst,1797; *grandis* Motschulsky,1845
- 6170) Psophus stridulus (Linnaeus,1758)** (Acrididae) Synonym(s): *stridulus* Linnaeus,1758; *samniticus* Baccetti,1958

- 6171) Psoricoptera gibbosella (Zeller,1839)** (Gelechiidae) Synonym(s): *gibbosella* Zeller,1839; *triorthias* Meyrick,1935; *lepigreeella* Lucas,1946.
- 6172) Psorodonotus caucasicus (Fischer von Waldheim,1846)** (Tettigoniidae) Synonym(s): *caucasicus* Fischer von Waldheim,1846; *uvarovi* Ebner,1923
- 6173) Psorodonotus specularis (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s): *specularis* Fischer von Waldheim,1839; *inermis* Ramme,1951
- 6174) Psorodonotus venosus (Fischer von Waldheim,1839)** (Tettigoniidae) Synonym(s): *venosus* Fischer von Waldheim,1839
- 6175) Psorosa albunculella Ragonot,1901** (Pyrilidae) Synonym(s): *albunculella* Ragonot,1901
- 6176) Psorosa nucleolella (Möschler,1866)** (Pyrilidae) Synonym(s): *nucleolella* Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterranea* Amsel,1953.
- 6177) Psorosa ochrifasciella Ragonot,1887** (Pyrilidae) Synonym(s): *ochrifasciella* Ragonot,1887
- 6178) Psyche casta (Pallas,1767)** (Psychidae) Synonym(s): *casta* Pallas,1767; *nitidella* Hübner,1793; *germanica* Chapman,1900; *minor* Chapman,1900; *bowerella* Chapman,1900; *mitterdella* Chapman,1900; *niphonica* Hori,1926; *ussuriensis* Kozhantschikov,1956.
- 6179) Psyche caucasica (Solyanikov,1991)** (Psychidae) Synonym(s): *caucasica* Solyanikov,1991
- 6180) Psyche ghilarovi (Solyanikov,1991)** (Psychidae) Synonym(s): *ghilarovi* Solyanikov,1991
- 6181) Psylliodes affinis (Paykull,1799)** (Chrysomelidae) Synonym(s): *affinis* Paykull,1799
- 6182) Psylliodes aristus Jablokoff-Khnzorian,1962** (Chrysomelidae) Synonym(s): *aristus* Jablokoff-Khnzorian,1962
- 6183) Psylliodes attenuatus (Koch,1803)** (Chrysomelidae) Synonym(s): *attenuatus* Koch,1803
- 6184) Psylliodes chalcomerus (Illiger,1807)** (Chrysomelidae) Synonym(s): *chalcomerus* Illiger,1807
- 6185) Psylliodes chrysocephalus (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *chrysocephalus* Linnaeus,1758
- 6186) Psylliodes circumdatus (Redtenbacher,1842)** (Chrysomelidae) Synonym(s): *circumdatus* Redtenbacher,1842
- 6187) Psylliodes cupreus (Koch,1803)** (Chrysomelidae) Synonym(s): *cupreus* Koch,1803
- 6188) Psylliodes dulcamarae (Koch,1803)** (Chrysomelidae) Synonym(s): *dulcamarae* Koch,1803
- 6189) Psylliodes instabilis Foudras,1860** (Chrysomelidae) Synonym(s): *instabilis* Foudras,1860
- 6190) Psylliodes isatidis Heikertinger,1912** (Chrysomelidae) Synonym(s): *isatidis* Heikertinger,1912
- 6191) Psylliodes luteolus (O.F.Müller,1776)** (Chrysomelidae) Synonym(s): *luteolus* O.F.Müller,1776
- 6192) Psylliodes napi (Fabricius,1792)** (Chrysomelidae) Synonym(s): *napi* Fabricius,1792
- 6193) Psylliodes ozisiki Leonardi & Arnold,1995** (Chrysomelidae) Synonym(s): *ozisiki* Leonardi & Arnold,1995
- 6194) Psylliodes saulcyi Allard,1867** (Chrysomelidae) Synonym(s): *saulcyi* Allard,1867
- 6195) Psylliodes testaceoconcolor Heikertinger,1926** (Chrysomelidae) Synonym(s): *testaceoconcolor* Heikertinger,1926
- 6196) Psylliodes validus Weise,1889** (Chrysomelidae) Synonym(s): *validus* Weise,1889
- 6197) Pterella abchazica (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *abchazica* Rohdendorf,1935
- 6198) Pterella dagestanica (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *dagestanica* Rohdendorf,1935
- 6199) Pterella grisea (Meigen,1824)** (Sarcophagidae) Synonym(s): *grisea* Meigen,1824; *intricata* Meigen,1824; *cerceridis* R-D.,1863; *incompta* R-D.,1863
- 6200) Pterella melanura (Meigen,1824)** (Sarcophagidae) Synonym(s): *melanura* Meigen,1824; *mellifrons* R-D.,1863; *floreum* R-D.,1863
- 6201) Pterella penicillaris (Rondani,1865)** (Sarcophagidae) Synonym(s): *penicillaris* Rondani,1865
- 6202) Pterella soror (Rohdendorf,1935)** (Sarcophagidae) Synonym(s): *soror* Rohdendorf,1935
- 6203) Pterobates shelkovnikovi (Paramonov,1928)** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1928
- 6204) Pterochilus atrohirtus Morawitz,1885** (Vespidae) Synonym(s): *atrohirtus* Morawitz,1885
- 6205) Pteronemobius (s.str.) heydenii (Fischer,1853)** (Gryllidae) Synonym(s): *heydenii* Fischer,1853; *lateralis* Costa,1855
- 6206) Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880.
- 6207) Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) Synonym(s): *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812.
- 6208) Pterothrixidia caucasiella (Ragonot,1888)** (Pyrilidae) Synonym(s): *caucasiella* Ragonot,1888
- 6209) Pterothrixidia contectella (Zeller,1848)** (Pyrilidae) Synonym(s): *contectella* Zeller,1848
- 6210) Pterotmetus staphylinoides (Burmeister,1835)** (Lygaeidae) Synonym(s): *staphylinoides* Burmeister,1835
- 6211) Pteropteryx dodecadactyla (Hübner,1813)** (Alucitidae) Synonym(s): *dodecadactyla* Hübner,1813; *dorcadius* Hering,1917
- 6212) Ptilamicta erythropyga Kozhantschikov,1956** (Psychidae) Synonym(s): *erythropyga* Kozhantschikov,1956
- 6213) Ptilocephala (gr.4) plumifera (Ochsenheimer,1810)** (Psychidae) Synonym(s): *plumifera* Ochsenheimer,1810; *mediterranea* Lederer,1853.
- 6214) Ptilocephala (s.str.) muscella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *muscella* [Denis & Schiffermüller],1775
- 6215) Ptilocolepus colchicus Martynov,1913** (Glossosomatidae) Synonym(s): *colchicus* Martynov,1913
- 6216) Ptilodon capucina (Linnaeus,1758)** (Notodontidae) Synonym(s): *capucina* Linnaeus,1758; *camelina* Linnaeus,1758
- 6217) Ptilodontella cucullina ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *cucullina* [Denis & Schiffermüller],1775; *cuculla* Esper
- 6218) Ptycholoma lecheana (Linnaeus,1758)** (Tortricidae) Synonym(s): *lecheana* Linnaeus,1758; *obsoletana* Stephens,1834
- 6219) Pygippus brachypterus Mistshenko,1951** (Acrididae) Synonym(s): *brachypterus* Mistshenko,1951
- 6220) Purpuricenus budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis* Götz,1783
- 6221) Purpuricenus caucasicus Pic,1902** (Cerambycidae) Synonym(s): *caucasicus* Pic,1902
- 6222) Purpuricenus kaehleri (Linnaeus,1758)** (Cerambycidae) Synonym(s): *kaehleri* Linnaeus,1758
- 6223) Purpuricenus talyshensis Reitter,1914** (Cerambycidae) Synonym(s): *talyshensis* Reitter,1914
- 6224) Purpuricenus wachanrui Levrat,1858** (Cerambycidae) Synonym(s): *wachanrui* Levrat,1858; *aleppensis* Witte,1872; *haussknechti* Witte,1872; *atricolor* Pic,1912; *diversipennis* Pic,1915
- 6225) Putonia asiatica Jakovlev,1885** (Pentatomidae) Synonym(s): *asiatica* Jakovlev,1885
- 6226) Pycnomalla splendens (Fabricius,1787)** (Stratiomyidae) Synonym(s): *splendens* Fabricius,1787; *rufitarsis* Macquart,1838; *jordanica* Lindner,1974
- 6227) Pydna badiaria (Freyer,[1841])** (Geometridae) Synonym(s): *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854.
- 6228) Pydna bahara (Brandt,1938)** (Geometridae) Synonym(s): *bahara* Brandt,1938
- 6229) Pyralis kacheticalis (Christoph,1893)** (Pyrilidae) Synonym(s): *kacheticalis* Christoph,1893

- 6230) *Pyralis perversalis* Herrich-Schäffer, 1849** (Pyralidae) Synonym(s): *perversalis* Herrich-Schäffer, 1849; *transcaspica* Rebel, 1903; *#transcaspia* Speidel, 1996.
- 6231) *Pyratula zonata* (Zetterstedt, 1855)** (Keroplataidae) Synonym(s): *zonata* Zetterstedt, 1855; *concisa* Walker, 1856; *forcipula* Lundström, 1912
- 6232) *Pyrausta* (Haematia) *cingulata* (Linnaeus, 1758)** (Pyralidae) Synonym(s): *cingulata* Linnaeus, 1758; *aethiopata* Scopoli, 1763; *cingulalis* [Denis & Schiffermüller], 1775; *eremitica* Fourcroy, 1785; *vittalis* La Harpe, 1864; *apenninalis* Costantini, 1923
- 6233) *Pyrausta* (Haematia) *despicata* (Scopoli, 1763)** (Pyralidae) Synonym(s): *despicata* Scopoli, 1763; *cespitis* [Denis & Schiffermüller], 1775.
- 6234) *Pyrausta* (Haematia) *sanguinalis* (Linnaeus, 1767)** (Pyralidae) Synonym(s): *sanguinalis* Linnaeus, 1767; *crentalis* Scriba, 1770; *haematalis* Hübner, [1819]
- 6235) *Pyrausta* (Haematia) *virginalis* Duponchel, 1832** (Pyralidae) Synonym(s): *virginalis* Duponchel, 1832; *auroralis* Zeller, 1847; *neglectalis* Caradja, 1916
- 6236) *Pyrellia vivida* R-D., 1830** (Muscidae) Synonym(s): *cadaverina* auct.; *vivida* R-D., 1830
- 6237) *Pyrgodera armata* (Fischer von Waldheim, 1820)** (Acrididae) Synonym(s): *armata* Fischer von Waldheim, 1820
- 6238) *Pyrgomorpha* (s.str.) *bispinosa* Walker, 1870** (Pyrgomorphidae) Synonym(s): *bispinosa* Walker, 1870; *cingulata* Walker, 1870; *indica* Bolívar, 1902
- 6239) *Pyrgomorpha* (s.str.) *conica* (Olivier, 1791)** (Pyrgomorphidae) Synonym(s): *conica* Olivier, 1791; *grylloides* Latreille, 1804; *linearis* Charpentier, 1825; *rosea* Charpentier, 1825; *rhodoptila* Herrich-Schäffer, 1838; *discrepans* Fieber, 1853; *mideltica* Werner, 1931
- 6240) *Pyrgomorpha guentheri* Burr, 1899** (Pyrgomorphidae) Synonym(s): *guentheri* Burr, 1899; *brevipennis* Bolívar, 1904; *predtshenskii* Bei-Bienko, 1951; *ozeki* Karabağ, 1953; *turcica* Karabağ, 1961; *#urfenensis* Demirsoy, 1977; *#guentheri* Demirsoy, 1977; *#predtshenskii* Demirsoy, 1977
- 6241) *Pyrgus alveus* (Hübner, [1803])** (Hesperiidae) Synonym(s): *alveus* Hübner, [1803]; *alticolus* Rebel, 1910; *ryffelensis* Oberthür, 1910; *claralveus* Verity, 1934; *confusa* Renner, 1991; *germanica* Renner, 1991.
- 6242) *Pyrgus armoricanus* (Oberthür, 1910)** (Hesperiidae) Synonym(s): *armoricanus* Oberthür, 1910; *petheri* Romei, 1927.
- 6243) *Pyrgus carlinae* (Rambur, [1839])** (Hesperiidae) Synonym(s): *carlinae* Rambur, [1839]; *olivacea* Oberthür, 1910; *caecus* Turati & Verity, 1911; *atrata* Verity, 1925; *cottiana* Kaufman, 1954.
- 6244) *Pyrgus cinarae* (Rambur, [1839])** (Hesperiidae) Synonym(s): *cinarae* Rambur, [1839]; *cynarae* Boisduval, 1840
- 6245) *Pyrgus jupei* (Alberti, 1967)** (Hesperiidae) Synonym(s): *jupei* Alberti, 1967; *centralasiae* Renner, 1991.
- 6246) *Pyrgus melotis* (Duponchel, [1834])** (Hesperiidae) Synonym(s): *melotis* Duponchel, [1834]; *hypoleucos* Lederer, 1853; *jordana* Hemming, 1932.
- 6247) *Pyrgus serratulae* (Rambur, [1839])** (Hesperiidae) Synonym(s): *serratulae* Rambur, [1839]; *caecus* Freyer, 1846; *occidentalis* Lucas, 1910 *nec* Skinn., 1906; *planorum* Verity, 1925; *magnagallica* Verity, 1931; *plurisignata* Silbernagel, 1946; *arvernensis* Picard, 1948.
- 6248) *Pyrgus sidae* (Esper, [1784])** (Hesperiidae) Synonym(s): *sidae* Esper, [1784]
- 6249) *Pyrocleptria cora* (Eversmann, 1837)** (Noctuidae) Synonym(s): *cora* Eversmann, 1837
- 6250) *Pyrois cinnamomea* (Goeze, 1781)** (Noctuidae) Synonym(s): *cinnamomea* Goeze, 1781
- 6251) *Pyropteron minianiformis* (Freyer, 1843)** (Sesiidae) Synonym(s): *minianiformis* Freyer, 1843
- 6252) *Pyropteron triannuliformis* (Freyer, 1845)** (Sesiidae) Synonym(s): *meriaeformis* Assmann, 1845 *nec* Bsd., 1840; *triannuliformis* Freyer, 1845; *braconiformis* Herrich-Schäffer, 1846; *philanthiformis* Lederer, 1853 *nec* Lasp., 1801; *armeniaca* Bartel, 1906; *balkanica* Zukowsky, 1929; *liljanae* Tosevski, 1986; *pungeleri* K. Spatenka, 1987
- 6253) *Pyrrhia purpurina* (Esper, [1804])** (Noctuidae) Synonym(s): *purpurina* Esper, [1804].
- 6254) *Pyrrhia treitschkii* (Frivaldszky, 1835)** (Noctuidae) Synonym(s): *treitschkii* Frivaldszky, 1835.
- 6255) *Pyrrhia umbra* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *umbra* Hufnagel, 1766; *marginata* Fabricius, 1775; *rutilago* [Denis & Schiffermüller], 1775; *conspicua* Borkhausen, 1792; *umbrago* Esper, [1796]; *marginago* Haworth, 1809; *aconiti* Hölzermann, 1902.
- 6256) *Pyrrhocoris apterus* (Linnaeus, 1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus, 1758; *clamariensis* Fallén, 1829
- 6257) *Quartinia araxana* Giordani Soika, 1960** (Vespidae) Synonym(s): *araxana* Giordani Soika, 1960; *soika* Richards, 1962
- 6258) *Quercusia quercus* (Linnaeus, 1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus, 1758; *longicauda* Riley, 1921
- 6259) *Rabdophaga gemmicolata* Gagné, 2004** (Cecidomyiidae) Synonym(s): *gemmicola* Mamaev & Mirumian, 1990 *nec* Kieff., 1896; *gemmicolata* Gagné, 2004
- 6260) *Rachispoda modesta* (Duda, 1924)** (Sphaeroceridae) Synonym(s): *modesta* Duda, 1924
- 6261) *Ramburiella* (Palaeocesa) *bolivari* (Kuthy, 1907)** (Acrididae) Synonym(s): *bolivari* Kuthy, 1907; *elegans* Uvarov, 1910
- 6262) *Ramburiella* (Palaeocesa) *foveolata* Tarbinsky, 1931** (Acrididae) Synonym(s): *foveolata* Tarbinsky, 1931
- 6263) *Ramburiella* (Palaeocesa) *turcomana* (Fischer von Waldheim, 1833)** (Acrididae) Synonym(s): *turcomana* Fischer von Waldheim, 1833; *formosus* Becker, 1864
- 6264) *Raphidia* (Aserbeidshanoraphidia) *nuchensis* H. Aspöck, U. Aspöck & Martynova, 1968** (Raphidiidae) Synonym(s): *nuchensis* H. Aspöck, U. Aspöck & Martynova, 1968
- 6265) *Raphidia* (Caucasoraphidia) *caucasica* Esben-Petersen, 1913** (Raphidiidae) Synonym(s): *caucasica* Esben-Petersen, 1913
- 6266) *Raphidia* (Navasana) *notata* Fabricius, 1781** (Raphidiidae) Synonym(s): *notata* Fabricius, 1781
- 6267) *Raphidia* (Pontoraphidia) *pontica* Albarda, 1891** (Raphidiidae) Synonym(s): *pontica* Albarda, 1891
- 6268) *Raphidia* (s.str.) *grusinica* H. Aspöck, U. Aspöck & Martynova, 1968** (Raphidiidae) Synonym(s): *grusinica* H. Aspöck, U. Aspöck & Martynova, 1968
- 6269) *Raphidia* (Turcoraphidia) *acerba* H. Aspöck & U. Aspöck, 1966** (Raphidiidae) Synonym(s): *acerba* H. Aspöck & U. Aspöck, 1966
- 6270) *Raphidia* (Turcoraphidia) *flaviventris* Navas, 1926** (Raphidiidae) Synonym(s): *flaviventris* Navas, 1926; *pseudoamara* H. Aspöck & U. Aspöck, 1968
- 6271) *Raphiglossa eumenoides* Saunders, 1850** (Vespidae) Synonym(s): *eumenoides* Saunders, 1850; *caucasica* Giordani Soika, 1970
- 6272) *Ravinia striata* (Fabricius, 1794)** (Sarcophagidae) Synonym(s): *striata* Fabricius, 1794; *haematodes* Meigen, 1826; *haemisphaerica* R-D., 1830; *limpidipennis* R-D., 1830; *horticola* R-D., 1830; *campestris* R-D., 1830; *parva* R-D., 1863; *sulcata* R-D., 1863; *hebes* R-D., 1863; *nova* Siebke, 1877; *aozia* Séguy, 1935; *disjuncta* Séguy, 1938
- 6273) *Rebelia nocturnella* (Alpheraky, 1876)** (Psychidae) Synonym(s): *nocturnella* Alpheraky, 1876
- 6274) *Recilia coronifera* (Marshall, 1866)** (Cicadellidae) Synonym(s): *coronifera* Marshall, 1866; *coroniceps* Kirschbaum, 1868; *i-album* Scott, 1881
- 6275) *Recilia horvathi* (Then, 1896)** (Cicadellidae) Synonym(s): *horvathi* Then, 1896

- 6276) *Recilia schmidtgeni* (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
- 6277) *Recurvaria leucatella* (Linnaeus,1761)** (Gelechiidae) Synonym(s): *#leucatella* Clerck,1759; *leucatella* Linnaeus,1761; *leucatea* Haworth,1828.
- 6278) *Recurvaria nanella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *nanella* [Denis & Schiffermüller],1775; *pumilella* [Denis & Schiffermüller],1775; *nana* Haworth,1828; *crataegella* Busck,1903; *unicolor* Rebel,1927
- 6279) *Reduvius ciliatus* Jakovlev,1879** (Reduviidae) Synonym(s): *ciliatus* Jakovlev,1879
- 6280) *Reduvius inermis* (Jakovlev,1885)** (Reduviidae) Synonym(s): *inermis* Jakovlev,1885
- 6281) *Reduvius personatus* (Linnaeus,1758)** (Reduviidae) Synonym(s): *personatus* Linnaeus,1758; *ater* Poda,1761
- 6282) *Reptalus* (s.str.) *melanochaetus* (Fieber,1876)** (Cixiidae) Synonym(s): *melanochaetus* Fieber,1876; *fasciatus* Kusnezov,1928
- 6283) *Reptalus* (s.str.) *panzeri* (Loew,1883)** (Cixiidae) Synonym(s): *panzeri* Loew,1883
- 6284) *Reptalus* (s.str.) *quinquecostatus* (Dufour,1833)** (Cixiidae) Synonym(s): *quinquecostatus* Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937
- 6285) *Reptalus dagestanica* (Kusnezov,1937)** (Cixiidae) Synonym(s): *dagestanica* Kusnezov,1937
- 6286) *Rethera komarovi* (Christoph,1885)** (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rbjovski* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
- 6287) *Reuterista caucasica* (Poppius,1912)** (Miridae) Synonym(s): *caucasica* Poppius,1912; *poppiusi* Kerzhner & Schuh,1995
- 6288) *Rhabdomastix* (s.str.) *filata* Stary,2004** (Limoniidae) Synonym(s): *filata* Stary,2004
- 6289) *Rhadinus megalonix* Loew,1856** (Asilidae) Synonym(s): *megalonix* Loew,1856
- 6290) *Rhagio sordidus* (Loew,1862)** (Rhagionidae) Synonym(s): *sordidus* Loew,1862; *pilosus* Loew,1865
- 6291) *Rhagoletis bagheera* Richter & Kandybina,1997** (Tephritidae) Synonym(s): *bagheera* Richter & Kandybina,1997
- 6292) *Rhagoletis batava* M.Hering,1938** (Tephritidae) Synonym(s): *batava* M.Hering,1938
- 6293) *Rhagoletis berberidis* Jermy,1961** (Tephritidae) Synonym(s): *berberidis* Jermy,1961
- 6294) *Rhagoletis caucasica* Kandybina & Richter,1976** (Tephritidae) Synonym(s): *caucasica* Kandybina & Richter,1976
- 6295) *Rhagoletis cerasi* (Linnaeus,1758)** (Tephritidae) Synonym(s): *cerasi* Linnaeus,1758
- 6296) *Rhagoletis flavigenualis* M.Hering,1958** (Tephritidae) Synonym(s): *flavigenualis* M.Hering,1958
- 6297) *Rhagonycha caucasica* Wittmer,1972** (Cantharidae) Synonym(s): *caucasica* Wittmer,1972
- 6298) *Rhagonycha erevanensis* Dahlgren,1985** (Cantharidae) Synonym(s): *erevanensis* Dahlgren,1985
- 6299) *Rhagonycha fulva* (Scopoli,1763)** (Cantharidae) Synonym(s): *fulva* Scopoli,1763
- 6300) *Rhagonycha ghilanensis* Dahlgren,1985** (Cantharidae) Synonym(s): *ghilanensis* Dahlgren,1985
- 6301) *Rhagonycha gruziana* Wittmer,1972** (Cantharidae) Synonym(s): *gruziana* Wittmer,1972
- 6302) *Rhagonycha lencoranica* Kazantsev,1992** (Cantharidae) Synonym(s): *lencoranica* Kazantsev,1992
- 6303) *Rhaphium albomaculatum* (Becker,1891)** (Dolichopodidae) Synonym(s): *albomaculatum* Becker,1891
- 6304) *Rhaphium antennatum* (Carlier,1835)** (Dolichopodidae) Synonym(s): *antennatum* Carlier,1835; *schineri* Mik,1863
- 6305) *Rhaphium appendiculatum* Zetterstedt,1849** (Dolichopodidae) Synonym(s): *appendiculatum* Zetterstedt,1849; *anale* Becker,1918; *macrocerum* Parent,1925
- 6306) *Rhaphium brevicorne* Curtis,1835** (Dolichopodidae) Synonym(s): *brevicorne* Curtis,1835; *dissectum* Loew,1850; *pectinatum* Becker,1908
- 6307) *Rhaphium caliginosum* Meigen,1824** (Dolichopodidae) Synonym(s): *caliginosum* Meigen,1824; *zetterstedti* Parent,1925
- 6308) *Rhaphium commune* (Meigen,1824)** (Dolichopodidae) Synonym(s): *commune* Meigen,1824; *bivittatum* Von Roser,1840; *spinicoxa* Loew,1850
- 6309) *Rhaphium crassipes* (Meigen,1824)** (Dolichopodidae) Synonym(s): *crassipes* Meigen,1824; *rufipes* Meigen,1824
- 6310) *Rhaphium crinitum* Negrobov & Onishchenko,1991** (Dolichopodidae) Synonym(s): *crinitum* Negrobov & Onishchenko,1991
- 6311) *Rhaphium discigerum* Stenhammar,1851** (Dolichopodidae) Synonym(s): *discigerum* Stenhammar,1851
- 6312) *Rhaphium elegantulum* (Meigen,1824)** (Dolichopodidae) Synonym(s): *elegantulum* Meigen,1824; *wilsoni* Curtis,1835
- 6313) *Rhaphium fasciatum* Meigen,1824** (Dolichopodidae) Synonym(s): *fasciatum* Meigen,1824
- 6314) *Rhaphium fascipes* Meigen,1824** (Dolichopodidae) Synonym(s): *fascipes* Meigen,1824; *latipes* Macquart,1827; *insulsum* Haliday,1832;
- 6315) *Rhaphium fissum* Loew,1850** (Dolichopodidae) Synonym(s): *fissum* Loew,1850; *bilamellatum* Becker,1918; *trifidum* Becker,1918
- 6316) *Rhaphium lanceolatum* Loew,1850** (Dolichopodidae) Synonym(s): *lanceolatum* Loew,1850
- 6317) *Rhaphium laticorne* (Fallén,1823)** (Dolichopodidae) Synonym(s): *laticorne* Fallén,1823; *nemorum* Meigen,1830; *nigripes* Macquart,1834; *subnudipes* Zetterstedt,1859
- 6318) *Rhaphium micans* (Meigen,1824)** (Dolichopodidae) Synonym(s): *micans* Meigen,1824; *simplex* Verrall,1876
- 6319) *Rhaphium monotrichum* Loew,1850** (Dolichopodidae) Synonym(s): *macrocerum* Zetterstedt,1843 *nec* Mg.,1824; *monotrichum* Loew,1850
- 6320) *Rhaphium pectinatum* (Loew,1859)** (Dolichopodidae) Synonym(s): *pectinatum* Loew,1859
- 6321) *Rhaphium penicillatum* Loew,1850** (Dolichopodidae) Synonym(s): *penicillatum* Loew,1850
- 6322) *Rhaphium riparium* (Meigen,1824)** (Dolichopodidae) Synonym(s): *riparium* Meigen,1824; *praerosum* Loew,1850; *tenue* Verrall,1876; *vandeli* Thomas,1971
- 6323) *Rhaphium suave* (Loew,1869)** (Dolichopodidae) Synonym(s): *suave* Loew,1869
- 6324) *Rheumaptera hastata* (Linnaeus,1758)** (Geometridae) Synonym(s): *hastata* Linnaeus,1758; *heraclitaea* Fourcroy,1785; *hastaria* Boisduval,1840
- 6325) *Rheumaptera montivagata* Duponchel,1830** (Geometridae) Synonym(s): *montivagata* Duponchel,1830; *montivagaria* Boisduval,1840; *andalusica* Ribbe,1912
- 6326) *Rhizedra lutosa* (Hübner,[1803])** (Noctuidae) Synonym(s): *lutosa* Hübner,[1803]
- 6327) *Rhizotrogus* (Amphimallon) *causicum* (Gyllenhal,1817)** (Scarabaeidae) Synonym(s): *causicum* Gyllenhal,1817
- 6328) *Rhizotrogus* (s.str.) *aestivus* (Olivier,1789)** (Scarabaeidae) Synonym(s): *aestivus* Olivier,1789
- 6329) *Rhoananus hypochlorus* (Fieber,1869)** (Cicadellidae) Synonym(s): *hypochlorus* Fieber,1869
- 6330) *Rhodobates laevigatellus* (Herrich-Schäffer,[1854])** (Tineidae) Synonym(s): *laevigatellus* Herrich-Schäffer,[1854].
- 6331) *Rhodostrophia auctata* (Staudinger,1879)** (Geometridae) Synonym(s): *auctata* Staudinger,1879
- 6332) *Rhodostrophia calabra* (Petagna,1786)** (Geometridae) Synonym(s): *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabraria* Hübner,1790.
- 6333) *Rhodostrophia cuprinaria* (Christoph,1876)** (Geometridae) Synonym(s): *cuprinaria* Christoph,1876; *phaenicearia* Hampson,1907.

- 6334) Rhodostrophia discopunctata Amsel,1935** (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935
- 6335) Rhodostrophia sieversi (Christoph,1882)** (Geometridae) Synonym(s): *sieversi* Christoph,1882
- 6336) Rhombocoris regularis (Herrich-Schaeffer,1851)** (Pentatomidae) Synonym(s): *regularis* Herrich-Schaeffer,1851
- 6337) Rhopobota naevana (Hübner,[1817])** (Tortricidae) Synonym(s): *unipunctana* Haworth,1811 (praeocc.); *naevana* Hübner,[1817]; *geminana* Stephens,1852; *luctiferana* Walker,1863; *vacciniana* Packard,1869 (praeocc.); *ilicifoliana* Kearfott,1907; *microrrhyncha* Meyrick,1931; *malivorella* Matsumura,1931
- 6338) Rhopobota stagnana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *stagnana* [Denis & Schiffermüller],1775; *fractifasciana* Haworth,[1811]; *cuphana* Duponchel,1843; *berolinensis* Amsel,1932
- 6339) Rhyacia (Epipsilia) grisescens (Fabricius,1794)** (Noctuidae) Synonym(s): *grisescens* Fabricius,1794; *ignicola* Hübner,[1813]; *corrosa* Herrich-Schäffer,1850; *defasciata* Wendlandt,1902; *fasciata* Vorbrodt,1917; *albescens* Rohn-Rethel,1929; *coralita* Hospital,1948; *obscurata* Feichtenberger,1962; *lucida* Feichtenberger,1962
- 6340) Rhyacia (Epipsilia) latens (Hübner,[1809])** (Noctuidae) Synonym(s): *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929.
- 6341) Rhyacia (s.str.) achthalensis Kozhantshikov,1929** (Noctuidae) Synonym(s): *achthalensis* Kozhantshikov,1929
- 6342) Rhyacia (s.str.) arenacea (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantshikov,1929.
- 6343) Rhyacia (s.str.) helvetina (Boisduval,1833)** (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836
- 6344) Rhyacia (s.str.) lucipeta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775.
- 6345) Rhyacia (s.str.) nyctimerides (O.Bang-Haas,1922)** (Noctuidae) Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschhoff,1951; *alagesica* Boursin,1962; *#nyctomerides* Hacker,[1987]
- 6346) Rhyacia (s.str.) simulans (Hufnagel,1766)** (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914
- 6347) Rhyacophila armeniaca Guérin,1834** (Rhyacophilidae) Synonym(s): *armeniaca* Guérin,1834
- 6348) Rhynchites auratus (Scopoli,1763)** (Atelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1830; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937
- 6349) Rhynchites bacchus (Linnaeus,1758)** (Atelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938
- 6350) Rhynchites coeruleus (De Geer,1775)** (Atelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliararia* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930
- 6351) Rhynchites giganteus Krynický,1832** (Atelabidae) Synonym(s): *giganteus* Krynický,1832
- 6352) Rhynchites hajastanicus Ter-Minacian,1965** (Atelabidae) Synonym(s): *hajastanicus* Ter-Minacian,1965
- 6353) Rhynchites hungaricus (Herbst,1784)** (Atelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916
- 6354) Rhynchites lenaeus Faust,1891** (Atelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926
- 6355) Rhynchites smyrnensis Desbrochers,1869** (Atelabidae) Synonym(s): *smyrnensis* Desbrochers,1869
- 6356) Rhyncomya speciosa (Loew,1844)** (Calliphoridae) Synonym(s): *speciosa* Loew,1844
- 6357) Rhynocoris flavolimbatus (Jakovlev,1889)** (Reduviidae) Synonym(s): *flavolimbatus* Jakovlev,1889; *#descampsi* Dispons & Villiers,1967
- 6358) Rhynocoris ibericus (Kolenati,1856)** (Reduviidae) Synonym(s): *ibericus* Kolenati,1856
- 6359) Rhynocoris persicus (Jakovlev,1877)** (Reduviidae) Synonym(s): *persicus* Jakovlev,1877; *christophi* Jakovlev,1877; *analis* Jakovlev,1889; *pictipes* Horvath,1911
- 6360) Rhynocoris rubrogularis (Horvath,1880)** (Reduviidae) Synonym(s): *rubrogularis* Horvath,1880
- 6361) Rhypagla lacernaria (Hübner,[1813])** (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 6362) Rhyparia purpurata (Linnaeus,1758)** (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
- 6363) Rhyparochromus alboacuminatus (Goeze,1778)** (Lygaeidae) Synonym(s): *alboacuminatus* Goeze,1778
- 6364) Rhyparochromus confusus (Reuter,1886)** (Lygaeidae) Synonym(s): *confusus* Reuter,1886
- 6365) Rhyparochromus consors (Horvath,1878)** (Lygaeidae) Synonym(s): *consors* Horvath,1878
- 6366) Rhyparochromus lynceus (Fabricius,1775)** (Lygaeidae) Synonym(s): *lynceus* Fabricius,1775
- 6367) Rhyparochromus phoeniceus (Rossi,1794)** (Lygaeidae) Synonym(s): *phoeniceus* Rossi,1794
- 6368) Rhyparochromus pini (Linnaeus,1758)** (Lygaeidae) Synonym(s): *pini* Linnaeus,1758
- 6369) Rhyparochromus quadratus (Fabricius,1798)** (Lygaeidae) Synonym(s): *quadratus* Fabricius,1798
- 6370) Rhyparochromus saturnius (Rossi,1790)** (Lygaeidae) Synonym(s): *saturnius* Rossi,1790
- 6371) Rhyparochromus validus (Horvath,1875)** (Lygaeidae) Synonym(s): *validus* Horvath,1875
- 6372) Rhyparochromus vulgaris (Schilling,1829)** (Lygaeidae) Synonym(s): *vulgaris* Schilling,1829
- 6373) Rhytidodus decimusquartus (Schrank,1776)** (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894
- 6374) Rhytidodus mecheticus Dlabola,1970** (Cicadellidae) Synonym(s): *mecheticus* Dlabola,1970
- 6375) Rhytidodus nobilis (Fieber,1868)** (Cicadellidae) Synonym(s): *nobilis* Fieber,1868; *trifasciatus* Kirschbaum,1868
- 6376) Ribautiana alces (Ribaut,1931)** (Cicadellidae) Synonym(s): *alces* Ribaut,1931
- 6377) Ribautiana cruciata (Ribaut,1931)** (Cicadellidae) Synonym(s): *cruciata* Ribaut,1931
- 6378) Ribautiana scalaris (Ribaut,1931)** (Cicadellidae) Synonym(s): *scalaris* Ribaut,1931
- 6379) Ribautiana tenerrima (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *tenerrima* Herrich-Schäffer,1834; *rubi* Hardy,1850; *misella* Boheman,1842; *disjuncta* Zachvatkin,1947
- 6380) Ribautiana ulmi (Linnaeus,1758)** (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *musciiformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882
- 6381) Ribautodelphax affinis Logvinenko,1970** (Delphacidae) Synonym(s): *affinis* Logvinenko,1970
- 6382) Ribautodelphax albostratus (Fieber,1866)** (Delphacidae) Synonym(s): *albostratus* Fieber,1866; *distinguenda* Kirschbaum,1868
- 6383) Ricania hedenborgi Stal,1865** (Ricaniidae) Synonym(s): *hedenborgi* Stal,1865
- 6384) Ricania japonica Melichar,1898** (Ricaniidae) Synonym(s): *japonica* Melichar,1898
- 6385) Risibia christophi (Jakovlev,1885)** (Pentatomidae) Synonym(s): *christophi* Jakovlev,1885; *geniculata* Horvath,1903
- 6386) Rivetina caucasica (Saussure,1871)** (Mantidae) Synonym(s): *caucasica* Saussure,1871; *ragnari* Harz,1988

- 6387** *Rivula sericealis* (Scopoli,1763) (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leeana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789.
- 6388** *Ronisia brutia* (Petagna,1787) (Mutillidae) Synonym(s): *brutia* Petagna,1787; *sexmaculata* Cyrillo,1787; *hungarica* Fabricius,1793; *confusa* Lepeletier,1845; *monspeliensis* Lepeletier,1845; *robusta* Smith,1855; *torosa* Costa,1858; *sericeiventris* Costa,1864; *duplex* Radoszkowski,1885; *discoidalis* Radoszkowski,1885 *morawitzii* Dalla Torre,1897
- 6389** *Rophites caucasicus* Morawitz,1875 (Halictidae) Synonym(s): *caucasicus* Morawitz,1875
- 6390** *Rubrapterus bavius* (Eversmann,1832) (Lycaenidae) Synonym(s): *bavius* Eversmann,1832
- 6391** *Rusina ferrosqualida* Simonyi,1996 (Noctuidae) Synonym(s): *ferrosqualida* Simonyi,1996
- 6392** *Rusina ferruginea* (Esper,[1785]) (Noctuidae) Synonym(s): *umbratica* Goeze,1781; *ferruginea* Esper,[1785]; *tenebrosa* Hübner,[1803]; *phaeus* Haworth,1803; *obsoletissima* Haworth,1809.
- 6393** *Saga ephippigera* Fischer von Waldheim,1846 (Tettigoniidae) Synonym(s): *ephippigera* Fischer von Waldheim,1846
- 6394** *Sagatus punctifrons* (Fallén,1826) (Cicadellidae) Synonym(s): *punctifrons* Fallén,1826; *repleta* Fieber,1855; *addita* Rey,1894
- 6395** *Saltella nigripes* R-D.,1830 (Sepsidae) Synonym(s): *nigripes* R-D.,1830
- 6396** *Saltella sphondylii* (Schränk,1803) (Sepsidae) Synonym(s): *sphondylii* Schränk,1803; *scutellaris* Fallén,1820; *melanocephala* Drapiez,1820; *analys* Meigen,1826; *varia* Meigen,1826; *hemorrhoidalis* Meigen,1826; *longipes* R-D.,1830; *nana* R-D.,1830; *basalis* Haliday,1833; *scutellata* Macquart,1835; *ruficoxa* Macquart,1835; *albipennis* Macquart,1835; *sellata* Haliday,1838; *distincta* Meigen,1838; *analys* Roser,1840; *humeralis* Roser,1840; *parmensis* Rondani,1874; *nigerrima* Rondani,1874;
- 6397** *Saperda maculosa* Ménétériés,1832 (Cerambycidae) Synonym(s): *maculosa* Ménétériés,1832
- 6398** *Sapyga* (s.str.) *caucasica* Radoszkowski,1880 (Sapygidae) Synonym(s): *caucasica* Radoszkowski,1880
- 6399** *Saragossa porosa* (Eversmann,1854) (Noctuidae) Synonym(s): *porosa* Eversmann,1854
- 6400** *Saragossa siccanorum* (Staudinger,1870) (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870
- 6401** *Sarcophaga* (Bercaea) *cruentata* Meigen,1826 (Sarcophagidae) Synonym(s): *cruentata* Meigen,1826; *haemorrhoidalis* Fallén,1817; *squalida* R-D.,1830; *blondeli* R-D.,1830; *villiva* R-D.,1830; *ruficauda* Zetterstedt,1838; *consobrina* Rondani,1860; *nurus* Rondani,1860; *zetterstedti* R-D.,1863; *iners* R-D.,1863; *pabulorum* R-D.,1863; *meigeni* R-D.,1863; *inolyta* R-D.,1863; *praiceps* R-D.,1863; *fugax* R-D.,1863; *nitida* R-D.,1863; *albidula* R-D.,1863; *commendata* R-D.,1863; *fulvipalpis* R-D.,1863; *haematura* R-D.,1863; *agilis* R-D.,1863; *oralis* R-D.,1863; *agraria* R-D.,1863; *meditata* R-D.,1863; *#interrupta* Enderlein,1928; *#tiesleri* Enderlein,1928
- 6402** *Sarcophaga* (Discachaeta) *cucullans* Pandellé,1896 (Sarcophagidae) Synonym(s): *cucullans* Pandellé,1896
- 6403** *Sarcophaga* (Heteronychia) *armeniaca* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *armeniaca* Rohdendorf,1937
- 6404** *Sarcophaga* (Heteronychia) *belanovskyi* (Verves,1973) (Sarcophagidae) Synonym(s): *belanovskyi* Verves,1973; *povolnyi* Mihalyi,1975
- 6405** *Sarcophaga* (Heteronychia) *boettcheri* Villeneuve,1912 (Sarcophagidae) Synonym(s): *boettcheri* Villeneuve,1912; *taurica* Rohdendorf,1937; *gaspari* Lehrer,1977; *bodediana* Lehrer,1998; *shakrana* Lehrer,1998; *caraormana* Lehrer,2008
- 6406** *Sarcophaga* (Heteronychia) *bulgarica* (Enderlein,1936) (Sarcophagidae) Synonym(s): *bulgarica* Enderlein,1936; *boettcheriana* Rohdendorf,1937; *fraterna* Lehrer,1977; *nostalgica* Lehrer,2000
- 6407** *Sarcophaga* (Heteronychia) *clarahenae* (Lehrer,1999) (Sarcophagidae) Synonym(s): *clarahenae* Lehrer,1999
- 6408** *Sarcophaga* (Heteronychia) *cucullans* Pandellé,1896 (Sarcophagidae) Synonym(s): *cucullans* Pandellé,1896; *iacentkovskyi* Enderlein,1936
- 6409** *Sarcophaga* (Heteronychia) *esthera* (Lehrer,2006) (Sarcophagidae) Synonym(s): *esthera* Lehrer,2006
- 6410** *Sarcophaga* (Heteronychia) *haemorrhoides* Böttcher,1913 (Sarcophagidae) Synonym(s): *haemorrhoides* Böttcher,1913; *wahisi* Lehrer,1976
- 6411** *Sarcophaga* (Heteronychia) *helenae* (Trofimov,1948) (Sarcophagidae) Synonym(s): *helenae* Trofimov,1948; *fraterna* Lehrer,1977; *delicata* Lehrer,2000
- 6412** *Sarcophaga* (Heteronychia) *mutila* Villeneuve,1912 (Sarcophagidae) Synonym(s): *mutila* Villeneuve,1912; *nedelkoffi* Lehrer,1977; *galmuda* Lehrer,1998
- 6413** *Sarcophaga* (Heteronychia) *pontica* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *pontica* Rohdendorf,1937
- 6414** *Sarcophaga* (Heteronychia) *recta* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *recta* Rohdendorf,1937
- 6415** *Sarcophaga* (Heteronychia) *setinervis* Rondani,1860 (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860; *puerula* Rondani,1860; *efflatouni* Salem,1935; *seguyi* Lehrer,1977
- 6416** *Sarcophaga* (Heteronychia) *turana* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *turana* Rohdendorf,1937
- 6417** *Sarcophaga* (Liosarcophaga) *adzhara* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *adzhara* Rohdendorf,1937
- 6418** *Sarcophaga* (Liosarcophaga) *aegyptica* (Salem,1935) (Sarcophagidae) Synonym(s): *aegyptica* Salem,1935
- 6419** *Sarcophaga* (Liosarcophaga) *emdeni* (Rohdendorf,1969) (Sarcophagidae) Synonym(s): *emdeni* Rohdendorf,1969
- 6420** *Sarcophaga* (Liosarcophaga) *exuberans* Pandellé,1896 (Sarcophagidae) Synonym(s): *exuberans* Pandellé,1896; *setosa* Baranov,1929
- 6421** *Sarcophaga* (Liosarcophaga) *jacobsoni* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *jacobsoni* Rohdendorf,1937; *sachtlebeni* Lehrer,1959
- 6422** *Sarcophaga* (Liosarcophaga) *lypai* Verves,1977 (Sarcophagidae) Synonym(s): *lypai* Verves,1977
- 6423** *Sarcophaga* (Liosarcophaga) *portschinskyi* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *portschinskyi* Rohdendorf,1937; *verticina* Ringdahl,1945
- 6424** *Sarcophaga* (Liosarcophaga) *tuberosa* Pandellé,1896 (Sarcophagidae) Synonym(s): *tuberosa* Pandellé,1896
- 6425** *Sarcophaga* (Pandelleana) *protuberans* Pandellé,1896 (Sarcophagidae) Synonym(s): *protuberans* Pandellé,1896; *angustifrons* Baranov,1926; *dzhavachetica* Gudjabidze,1966
- 6426** *Sarcophaga* (Pandelleisica) *similis* Meade,1876 (Sarcophagidae) Synonym(s): *similis* Meade,1876; *appendiculata* Kramer,1905; *popovi* Trofimov,1948
- 6427** *Sarcophaga* (Parasarcophaga) *albiceps* Meigen,1826 (Sarcophagidae) Synonym(s): *albiceps* Meigen,1826; *privigna* Rondani,1860; *cyathisans* Pandellé,1896; *pauciseta* Kramer,1905; *colchica* Gudjabidze,1966
- 6428** *Sarcophaga* (Parasarcophaga) *hirtipes* Wiedemann,1830 (Sarcophagidae) Synonym(s): *hirtipes* Wiedemann,1830; *rufipes* Wiedemann,1830; *fulvipalpis* Macquart,1843
- 6429** *Sarcophaga* (Robineauella) *scoparia* Pandellé,1896 (Sarcophagidae) Synonym(s): *scoparia* Pandellé,1896; *neglecta* Kramer,1905
- 6430** *Sarcophaga* (s.str.) *bergi* Rohdendorf,1937 (Sarcophagidae) Synonym(s): *bergi* Rohdendorf,1937; *jupalnica* Lehrer,1967

- 6431) *Sarcophaga (s.str.) carnaria* (Linnaeus,1758)** (Sarcophagidae) Synonym(s): *carnaria* Linnaeus,1758; *variegata* Scopoli,1763; *collosus* Scopoli,1763; *atropos* Meigen,1826; *soror* R-D.,1830; *brunnifacies* R-D.,1830; *fuliginosa* R-D.,1830; *intermedia* R-D.,1830; *nigra* R-D.,1830; *livida* R-D.,1830; *livens* R-D.,1830; *villana* R-D.,1830; *florea* R-D.,1830; *strata* R-D.,1830; *squamigera* R-D.,1830; *grisea* R-D.,1830; *agricola* R-D.,1830; *obscuricauda* R-D.,1830; *aurifacies* R-D.,1830; *compa* R-D.,1830; *aprilis* R-D.,1830; *conica* R-D.,1830; *vernalis* R-D.,1830; *specialis* R-D.,1830; *squalens* R-D.,1830; *affinis* R-D.,1830; *subnitens* R-D.,1830; *rubescens* R-D.,1830; *grisea* R-D.,1830; *atrata* R-D.,1830; *laticrus* R-D.,1830; *arvensis* R-D.,1830; *florum* R-D.,1830; *squalida* R-D.,1830; *morio* R-D.,1830; *atrata* R-D.,1830; *limpida* R-D.,1863; *melanura* R-D.,1863; *aurata* R-D.,1863; *propinqua* R-D.,1863; *albida* R-D.,1863; *erratica* R-D.,1863; *pratensis* R-D.,1863; *tenebricosa* R-D.,1863; *caesia* R-D.,1863; *maeta* R-D.,1863; *florida* R-D.,1863; *ciliatula* R-D.,1863; *agilis* R-D.,1863; *claripennis* R-D.,1863; *auriflua* R-D.,1863; *geoffroyi* R-D.,1863; *cursoria* R-D.,1863; *myoidea* R-D.,1863; *herbaria* R-D.,1863; *velox* R-D.,1863; *vagans* R-D.,1863; *afra* R-D.,1863; *tristis* R-D.,1863; *praecox* R-D.,1863; *boisduvali* R-D.,1863; *ramburi* R-D.,1863; *mitis* R-D.,1863; *tessellata* R-D.,1863; *lusoria* R-D.,1863; *virgo* R-D.,1863; *ambulatoria* R-D.,1863; *hilaris* R-D.,1863; *modesta* R-D.,1863; *uricola* R-D.,1863; *humilis* R-D.,1863; *hyalipennis* R-D.,1863; *sordida* R-D.,1863; *nigrita* R-D.,1863; *fallax* R-D.,1863; *lugubris* R-D.,1863; *funebria* R-D.,1863; *paludosa* R-D.,1863; *praticola* R-D.,1863; *obscura* R-D.,1863; *vaga* R-D.,1863; *fulvescens* R-D.,1863; *misera* R-D.,1863; *pascuorum* R-D.,1863; *angustata* R-D.,1863; *chrysifacies* R-D.,1863; *frontalis* R-D.,1863; *pallidipes* R-D.,1863; *obscura* R-D.,1863; *dumonti* R-D.,1863; *herbaria* R-D.,1863; *pabulina* R-D.,1863; *nebulosa* R-D.,1863; *germana* R-D.,1863; *festiva* R-D.,1863; *tetrella* R-D.,1863; *macquarti* R-D.,1863; *errans* R-D.,1863; *agraria* R-D.,1863; *monticola* R-D.,1863; *montana* R-D.,1863
- 6432) *Sarcophaga (s.str.) lehmanni* Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922; *clausa* Müller,1922; *meridionalis* Rohdendorf,1937
- 6433) *Sarcophaga (Thomsonia) argyrostoma* (R-D.,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D.,1830; *barbata* Thomson,1869; *fulcata* Pandellé,1896; *persicae* Senior-White,1924; *chivensis* Zimin,1928
- 6434) *Sarcophaga (Ziminia) semenovi* Rohdendorf,1925** (Sarcophagidae) Synonym(s): *semenovi* Rohdendorf,1925; *linearis* Villeneuve,1936
- 6435) *Sargus cuprarius* (Linnaeus,1758)** (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849
- 6436) *Satanas gigas* (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855
- 6437) *Saturnia (Heraea) cephalariae* (Romanoff,1885)** (Saturniidae) Synonym(s): *cephalariae* Romanoff,1885
- 6438) *Saturnia (Heraea) pavonia* (Linnaeus,1758)** (Saturniidae) Synonym(s): *pavonia* Linnaeus,1758; *pavoniella* Scopoli,1763; *carpini* Denis & Schiffermüller,1775; *pavunculus* Retzius,1783
- 6439) *Saturnia (Heraea) spini* ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775
- 6440) *Saturnia (Neoris) shadulla* (Moore,1872)** (Saturniidae) Synonym(s): *shadulla* Moore,1872; *svenihedini* M.Hering,1936; *alatauca* O.Bang-Haas,1937
- 6441) *Saturnia (Perisomena) caecigena* Kupido,1825** (Saturniidae) Synonym(s): *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914
- 6442) *Saturnia (s.str.) pyri* ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980.
- 6443) *Satyrmoeba hetrusca* (Fabricius,1794)** (Bombyliidae) Synonym(s): *hetrusca* Fabricius,1794; *rubiginipennis* Macquart,1840; *formosa* Dufour,1852; *etrusca* Bezzi,1903
- 6444) *Satyrum (Nordmannia) abdominalis* (Gerhard,[1850])** (Lycaenidae) Synonym(s): *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardi* Wiltshire,1943; *elita* Higgins,1964.
- 6445) *Satyrum (Nordmannia) acaciae* (Fabricius,1787)** (Lycaenidae) Synonym(s): *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965.
- 6446) *Satyrum (Nordmannia) armenum* (Rebel,1901)** (Lycaenidae) Synonym(s): *armenum* Rebel,1901
- 6447) *Satyrum (Nordmannia) ilicis* (Esper,[1779])** (Lycaenidae) Synonym(s): *ilicis* Esper,[1779]
- 6448) *Satyrum (Strymonidia) spini* (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] *nec* Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 *nec* Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
- 6449) *Satyrum (Strymonidia) w-album* (Knoch,1782)** (Lycaenidae) Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.
- 6450) *Satyrum (Superflua) hyrcanicum* (Riley,1939)** (Lycaenidae) Synonym(s): *hyrcanicum* Riley,1939
- 6451) *Satyrum (Superflua) ledereri* (Boisduval,1848)** (Lycaenidae) Synonym(s): *ledereri* Boisduval,1848
- 6452) *Satyrus (Asatyrus (Asatyrus)) effendi* Nekrutenko,1989** (Satyridae) Synonym(s): *effendi* Nekrutenko,1989
- 6453) *Satyrus (Asatyrus (s.str.)) amasinus* Staudinger,1861** (Satyridae) Synonym(s): *bryce* Herrich-Schäffer,[1852] *nec* Hübn.,[1800]; *amasinus* Staudinger,1861
- 6454) *Satyrus (s.str.(s.str.)) favonius* Staudinger,[1892]** (Satyridae) Synonym(s): *favonius* Staudinger,[1892]
- 6455) *Satyrus (s.str.(s.str.)) parthicus* Lederer,1869** (Satyridae) Synonym(s): *parthicus* Lederer,1869; *pimpla* sensu Wiltshire,1957
- 6456) *Scaeva albomaculata* (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata* Macquart,1842
- 6457) *Scambus (s.str.) elegans* (Woldstedt,1877)** (Ichneumonidae) Synonym(s): *elegans* Woldstedt,1877
- 6458) *Scambus (s.str.) pomorum* (Ratzeburg,1848)** (Ichneumonidae) Synonym(s): *pomorum* Ratzeburg,1848
- 6459) *Scaptomyza (Parascaptomyza) pallida* (Zetterstedt,1847)** (Drosophilidae) Synonym(s): *pallida* Zetterstedt,1847; *disticha* Duda,1921
- 6460) *Scarabaeus armeniacus* Ménétériés,1832** (Scarabaeidae) Synonym(s): *armeniaceus* Ménétériés,1832; *nigrociliatus* Motschoulsky,1849
- 6461) *Scarabaeus pius* (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803
- 6462) *Scarabaeus puncticollis* (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticollis* Latreille,1819
- 6463) *Scarabaeus sacer* Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925
- 6464) *Scarabaeus typhon* (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822
- 6465) *Scardia caucasica* Zagulyaev,1965** (Tineidae) Synonym(s): *caucasica* Zagulyaev,1965
- 6466) *Scathophaga stercoraria* (Linnaeus,1758)** (Scathophagidae) Synonym(s): *stercoraria* Linnaeus,1758; *merdaria* Fabricius,1794; *asticha* Szilady,1926
- 6467) *Scaurus puncticollis* Solier,1838** (Tenebrionidae) Synonym(s): *puncticollis* Solier,1838
- 6468) *Sceliphron (s.str.) arabs* (Lepelletier,1845)** (Sphecidae) Synonym(s): *arabs* Lepelletier,1845; *caucasicus* André,1888

- 6469) Sceliphron (s.str.) destillatorium (Illiger,1807)** (Sphecidae) Synonym(s): *flavipes* Christ,1791 nec Fabr.,1781; *destillatorium* Illiger,1807; *pensilis* Illiger,1807; *sardonius* Lepeletier,1845; *sardous* Caruccio,1872; *trinacriensis* De Stefani Perez,1889
- 6470) Scellus notatus (Fabricius,1781)** (Dolichopodidae) Synonym(s): *notatus* Fabricius,1781; *armiger* Fallén,1823
- 6471) Scellus paramonovi Stackelberg,1926** (Dolichopodidae) Synonym(s): *paramonovi* Stackelberg,1926
- 6472) Scellus tshernovskii Stackelberg,1951** (Dolichopodidae) Synonym(s): *tshernovskii* Stackelberg,1951
- 6473) Schinia cardui (Hübner,1790)** (Noctuidae) Synonym(s): *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933.
- 6474) Schinia cognata (Freyer,[1833])** (Noctuidae) Synonym(s): *cognata* Freyer,[1833]
- 6475) Schinia imperialis (Staudinger,1871)** (Noctuidae) Synonym(s): *imperialis* Staudinger,1871
- 6476) Schinia purpurascens (Tauscher,1809)** (Noctuidae) Synonym(s): *purpurascens* Tauscher,1809; *pulchra* Eversmann,1842
- 6477) Schistostege nubilaria (Hübner,[1799])** (Geometridae) Synonym(s): *nubilaria* Hübner,[1799]; *exalbata* Hübner,[1817]; *knuppferi* Hoyningen-Huene,1904
- 6478) Schizonotinus crassica (Tarbinsky,1940)** (Tettigoniidae) Synonym(s): *crassica* Tarbinsky,1940
- 6479) Schizonotinus forficatus Bei-Bienko,1951** (Tettigoniidae) Synonym(s): *forficatus* Bei-Bienko,1951
- 6480) Schizonotinus kerketa (Uvarov,1917)** (Tettigoniidae) Synonym(s): *kerketa* Uvarov,1917; *caucasicus* Ramme,1948
- 6481) Schoenobius gigantellus ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *gigantella* [Denis & Schiffermüller],1775
- 6482) Schoenomyza litorella (Fallén,1823)** (Muscidae) Synonym(s): *litorella* Fallén,1823
- 6483) Schrankia costaeistrigalis (Stephens,1834)** (Noctuidae) Synonym(s): *costaeistrigalis* Stephens,1834; *hartigi* Berio,1991.
- 6484) Schrankia taenialis (Hübner,[1809])** (Noctuidae) Synonym(s): *taenialis* Hübner,[1809]
- 6485) Sciapus albifrons (Meigen,1830)** (Dolichopodidae) Synonym(s): *albifrons* Meigen,1830
- 6486) Sciapus flavicinctus (Loew,1857)** (Dolichopodidae) Synonym(s): *flavicinctus* Loew,1857; *ludens* Loew,1873
- 6487) Sciapus frater Parent,1927** (Dolichopodidae) Synonym(s): *frater* Parent,1927
- 6488) Sciapus longulus (Fallén,1823)** (Dolichopodidae) Synonym(s): *longulus* Fallén,1823; *lugens* Meigen,1824; *obscurus* Meigen,1824
- 6489) Sciapus maritimus Becker,1918** (Dolichopodidae) Synonym(s): *contristans* Zetterstedt,1855 nec Wied.,1817; *maritimus* Becker,1918; *flavomaculatus* Ringdahl,1949
- 6490) Sciapus polozhentsevi Negrobov,1977** (Dolichopodidae) Synonym(s): *polozhentsevi* Negrobov,1977
- 6491) Sciapus richterae Negrobov & Grichanov,2010** (Dolichopodidae) Synonym(s): *frater* sensu auct.; *spiniger* sensu auct.; *richterae* Negrobov & Grichanov,2010
- 6492) Sciapus spiniger (Zetterstedt,1859)** (Dolichopodidae) Synonym(s): *spiniger* Zetterstedt,1859
- 6493) Sciapus subvicinus Gricharov,2007** (Dolichopodidae) Synonym(s): *mediterraneus* Bulli & Negrobov,1987 nec Beck.,1907; *subvicinus* Gricharov,2007
- 6494) Sciasminettia vikhrevi Shatalkin,2008** (Lauxaniidae) Synonym(s): *vikhrevi* Shatalkin,2008
- 6495) Scintharista notabilis (Walker,1870)** (Acrididae) Synonym(s): *notabilis* Walker,1870
- 6496) Sciocoris (s.str.) cursitans (Fabricius,1794)** (Pentatomidae) Synonym(s): *cursitans* Fabricius,1794; *terreus* Schrank,1801; *rubropunctatus* Fuente,1972
- 6497) Sciocoris (s.str.) ogivus Jakovlev,1894** (Pentatomidae) Synonym(s): *ogivus* Jakovlev,1894
- 6498) Sciocoris (s.str.) sulcatus Fieber,1851** (Pentatomidae) Synonym(s): *sulcatus* Fieber,1851; *angustipennis* Mulsant & Rey,1852; *lautus* Horvath,1903; *atticus* Horvath,1907; *cypria* Lindberg,1948
- 6499) Sciota (Clasperopsis) fumella (Eversmann,1844)** (Pyralidae) Synonym(s): *fumella* Eversmann,1844
- 6500) Sciota (s.str.) imperialella (Ragonot,1887)** (Pyralidae) Synonym(s): *imperialella* Ragonot,1887
- 6501) Sciota (s.str.) rhenella (Zincken,1818)** (Pyralidae) Synonym(s): *rhenella* Zincken,1818
- 6502) Scirtophaca tianshanskyi (Oshanin,1913)** (Dictyopharidae) Synonym(s): *tianshanskyi* Oshanin,1913
- 6503) Sclerocona acutella (Eversmann,1842)** (Pyralidae) Synonym(s): *acutella* Eversmann,1842; *acutalis* Guenée,1854; *tincticostellus* Walker,1863; *sinensellus* Walker,1863
- 6504) Scleroracis transversus (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus* Fallén,1826; *lineigera* Zetterstedt,1840; *sibiricus* Vilbaste,1965
- 6505) Scolia (s.str.) fallax Eversmann,1849** (Scoliidae) Synonym(s): *fallax* Eversmann,1849; *syriacola* Betrem,1935; *moreana* Muche,1962; *tricolor* Bradley,1972
- 6506) Scolia (s.str.) flaviceps Eversmann,1846** (Scoliidae) Synonym(s): *flaviceps* Eversmann,1846; *mangichlakensis* Radoszkowski,1879
- 6507) Scolia erivanensis (Radoszkowski,1876)** (Scoliidae) Synonym(s): *erivanensis* Radoszkowski,1876
- 6508) Scolia galbula (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadrinecta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muche,1962
- 6509) Scoliopteryx libatrix (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatrix* Haworth,1809
- 6510) Scolitantides orion (Pallas,1771)** (Lycaenidae) Synonym(s): *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.
- 6511) Scolobates nigripennis Sichel,1860** (Ichneumonidae) Synonym(s): *nigripennis* Sichel,1860
- 6512) Scoparia absconditalis Christoph,1887** (Pyralidae) Synonym(s): *absconditalis* Christoph,1887
- 6513) Scoparia ingratella (Zeller,1846)** (Pyralidae) Synonym(s): ? *majalis* Scopoli,1763; *ingratella* Zeller,1846; *ingratalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982
- 6514) Scoparia staudingeri (Mabille,1869)** (Pyralidae) Synonym(s): *staudingeri* Mabille,1869; *nevadalis* Caradja,1917; *fuscalis* Amsel,1936
- 6515) Scopula albiceraria (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *albiceraria* Herrich-Schäffer,1847; *sulphuraria* Freyer,1847; *vitellinaria* Eversmann,1851
- 6516) Scopula beckeraria (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853
- 6517) Scopula corivalaria (Kretschmar,1862)** (Geometridae) Synonym(s): *corivalaria* Kretschmar,1862; *limburgensis* L.B.Prout,1935; *limburgensis* Scoble,1999
- 6518) Scopula decorata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806].
- 6519) Scopula flaccidaria (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852

- 6520) *Scopula imitaria* (Hübner,[1799])** (Geometridae) Synonym(s): *fimbriata* Fourcroy,1785 nec Schreb.,1759; *imitaria* Hübner,[1799]
- 6521) *Scopula immistaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
- 6522) *Scopula immorata* (Linnaeus,1758)** (Geometridae) Synonym(s): *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 nec Hbn.,1790; *fuscata* Fabricius,1794 nec Hfn.,1767; *immoraria* Hübner,[1799]; *serenata* Turati,1905; *myrtillata* Dadd,1911
- 6523) *Scopula immutata* (Linnaeus,1758)** (Geometridae) Synonym(s): *immutata* Linnaeus,1758; *pallidata* Borkhausen,1794.
- 6524) *Scopula incanata* (Linnaeus,1758)** (Geometridae) Synonym(s): *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846
- 6525) *Scopula luridata* (Zeller,1847)** (Geometridae) Synonym(s): *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855
- 6526) *Scopula marginepunctata* (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosa* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
- 6527) *Scopula ochraceata* (Staudinger,1901)** (Geometridae) Synonym(s): *ochraceata* Staudinger,1901
- 6528) *Scopula orientalis* (Alpheraky,1876)** (Geometridae) Synonym(s): *orientalis* Alpheraky,1876
- 6529) *Scopula ornata* (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
- 6530) *Scopula rubiginata* (Hufnagel,1767)** (Geometridae) Synonym(s): *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839
- 6531) *Scopula submutata* (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
- 6532) *Scopula subpunctaria* (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *punctata* Scopoli,1763 nec Cl.,1759; *punctaria* Duponchel,1830; *subpunctaria* Herrich-Schäffer,1847; *cerusaria* La Harpe,1850; *depunctata* Guenée,[1858]
- 6533) *Scopula subtilata* (Christoph,1867)** (Geometridae) Synonym(s): *subtilata* Christoph,1867
- 6534) *Scopula tessellaria* (Boisduval,1840)** (Geometridae) Synonym(s): *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955
- 6535) *Scopula transcaspica* L.B.Prout,1935** (Geometridae) Synonym(s): *transcaspica* L.B.Prout,1935
- 6536) *Scopula turbulentaria* (Staudinger,1870)** (Geometridae) Synonym(s): *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
- 6537) *Scorlupella discolor* (Germar,1821)** (Issidae) Synonym(s): *discolor* Germar,1821
- 6538) *Scorlupella montana* (Becker,1865)** (Issidae) Synonym(s): *montanum* Becker,1865; *arundinis* Becker,1865
- 6539) *Scotocrosta pulla* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller],1775
- 6540) *Scotopteryx aelptes* (L.B.Prout,1937)** (Geometridae) Synonym(s): *aelptes* L.B.Prout,1937
- 6541) *Scotopteryx alpherakii* (Erschoff,1877)** (Geometridae) Synonym(s): *alpherakii* Erschoff,1877
- 6542) *Scotopteryx bipunctaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 nec Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851
- 6543) *Scotopteryx chenopodiata* (Linnaeus,1758)** (Geometridae) Synonym(s): *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829
- 6544) *Scotopteryx coarctaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809]
- 6545) *Scotopteryx elbursica* (Bytinski-Salz & Brandt,1937)** (Geometridae) Synonym(s): *elbursica* Bytinski-Salz & Brandt,1937
- 6546) *Scotopteryx kuznetzovi* (Vardikjan,1957)** (Geometridae) Synonym(s): *kuznetzovi* Vardikjan,1957
- 6547) *Scotopteryx langi* (Christoph,1885)** (Geometridae) Synonym(s): *langi* Christoph,1885
- 6548) *Scotopteryx luridata* (Hufnagel,1767)** (Geometridae) Synonym(s): *luridata* Hufnagel,1767; *plumbaria* Fabricius,1775; *palumbaria* [Denis & Schiffermüller],1775; *marginaria* Goeze,1781; *quadrifasciaria* Thunberg,1784; *luridaria* Brahm,1791; *palumbata* Hübner,[1825]
- 6549) *Scotopteryx moeniata* (Scopoli,1763)** (Geometridae) Synonym(s): *moeniata* Scopoli,1763; *moeniaria* [Denis & Schiffermüller],1775; *fimbriata* Fabricius,1777 nec Schr.,1759; *angulata* Rottemburg,1777 nec Hufn.,1767; *moeniataria* Villers,1789; *modesta* Lempke,1967
- 6550) *Scotopteryx mucronata* (Scopoli,1763)** (Geometridae) Synonym(s): *mucronata* Scopoli,1763; *virgaria* Esper,[1801]; *turturia* Treitschke,1827
- 6551) *Scotopteryx perplexaria* (Staudinger,1892)** (Geometridae) Synonym(s): *perplexaria* Staudinger,1892
- 6552) *Scotopteryx pinnaria* (Christoph,1888)** (Geometridae) Synonym(s): *pinnaria* Christoph,1888
- 6553) *Scotopteryx subvicinaria* (Staudinger,1892)** (Geometridae) Synonym(s): *subvicinaria* Staudinger,1892
- 6554) *Scotopteryx vicinaria* (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919
- 6555) *Scrobipalpa* (Ilseopsis) *artemisiella* (Treitschke,1833)** (Gelechiidae) Synonym(s): *artemisiella* Treitschke,1833; *paniculatella* Novickij,1924
- 6556) *Scrobipalpa* (Ilseopsis) *obsoletella* (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *obsoletella* Fischer v. Röslerstamm,1841; *miscitella* Clarke,1932; *calaritanella* Amsel,1951.
- 6557) *Scrobipalpa hyoscyamivora* (Gerasimov,1940)** (Gelechiidae) Synonym(s): *hyoscyamivora* Gerasimov,1940
- 6558) *Scythocentropus scripturosa* (Eversmann,1854)** (Noctuidae) Synonym(s): *scripturosa* Eversmann,1854
- 6559) *Scythris* (aerariella-gr.) *jaeckhi* Bengtsson,1989** (Scythridae) Synonym(s): *jaeckhi* Bengtsson,1989
- 6560) *Scythris* (alseriella-gr.) *alseriella* (Turati,1879)** (Scythridae) Synonym(s): *alseriella* Turati,1879
- 6561) *Scythris* (cicadella-gr.) *potentillella* (Zeller,1847)** (Scythridae) Synonym(s): *potentillella* Zeller,1847; *potentillae* Zeller,1855; *albiapex* Hering,1924
- 6562) *Scythris* (elegantella-gr.) *limbella* (Fabricius,1775)** (Scythridae) Synonym(s): *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880.
- 6563) *Scythris* (inclusella-gr.) *inclusella* Lederer,1855** (Scythridae) Synonym(s): *inclusella* Lederer,1855; *subflabella* Stainton,1867
- 6564) *Scythris* (inertella-gr.) *ethmiella* Amsel,1974** (Scythridae) Synonym(s): *ethmiella* Amsel,1974

- 6565) *Scythris (inertella-gr.) inertella* (Zeller,1855)** (Scythridae) Synonym(s): *inertella* Zeller,1855; *tangerensis* Stainton,1782; *gurdella* Christoph,1877; *orbidella* Chrétien,1901; *marionella* Walsingham,1907; *praeflava* Meyrick,1913; *hassenella* Chrétien,1915; *semialbicostella* Turati,1927
- 6566) *Scythris (obscura-gr.) amphonycella* (Geyer,[1836])** (Scythridae) Synonym(s): *amphonycella* Geyer,[1836]; *viridatella* Herrich-Schäffer,1855
- 6567) *Scythris (pascuella-gr.) tabescentella* (Staudinger,1880)** (Scythridae) Synonym(s): *tabescentella* Staudinger,1880; ? *caniolella* Fuchs,1903
- 6568) *Scythris (picaepennis-gr.) picaepennis* (Haworth,[1828])** (Scythridae) Synonym(s): *picaepennis* Haworth,[1828]
- 6569) *Scythris (scopolella-gr.) apicalis* (Zeller,1847)** (Scythridae) Synonym(s): *apicalis* Zeller,1847; *unipunctella* Rebel,1901.
- 6570) *Scythris (scopolella-gr.) flabella* (Mann,1861)** (Scythridae) Synonym(s): *flabella* Mann,1861; *aurella* Caradja,1920
- 6571) *Scythris (tributella-gr.) tributella* (Zeller,1847)** (Scythridae) Synonym(s): *tributella* Zeller,1847; *terenella* Zeller,1847; *parvella* Herrich-Schäffer,1855; *denigratella* Herrich-Schäffer,1855; *serella* Constant,1885; *karnyella* Rebel,1918; *monotinctella* Turati,1924; *bulbosella* Lhomme,1949; *igaloensis* Amsel,1951
- 6572) *Scythris asiatica* (Staudinger,1880)** (Scythridae) Synonym(s): *asiatica* Staudinger,1880; *melanopepla* Caradja,1920
- 6573) *Scythris degenerella* Fuchs,1903** (Scythridae) Synonym(s): *degenerella* Fuchs,1903
- 6574) *Scythris hyalinella* Caradja,1920** (Scythridae) Synonym(s): *hyalinella* Caradja,1920
- 6575) *Scythris paelopyga* (Staudinger,1880)** (Scythridae) Synonym(s): *paelopyga* Staudinger,1880
- 6576) *Scythris shafferi* Bengtsson,2005** (Scythridae) Synonym(s): *shafferi* Bengtsson,2005
- 6577) *Scythris tuzensis* Bengtsson,2005** (Scythridae) Synonym(s): *tuzensis* Bengtsson,2005
- 6578) *Scythrocentropus misella* (Püngeler,1907)** (Noctuidae) Synonym(s): *misella* Püngeler,1907
- 6579) *Sedina buettneri* (O.Hering,1858)** (Noctuidae) Synonym(s): *buettneri* O.Hering,1858
- 6580) *Sehirus congener* Jakovlev,1879** (Cydnidae) Synonym(s): *congener* Jakovlev,1879
- 6581) *Sehirus ovatus* (Herrich-Schäffer,1839)** (Cydnidae) Synonym(s): *ovatus* Herrich-Schäffer,1839
- 6582) *Sehirus robustus* Horvath,1895** (Cydnidae) Synonym(s): *robustus* Horvath,1895
- 6583) *Seioptera vibrans* (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758; *urticae* R-D.,1830
- 6584) *Selagia argyrella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *argyrella* ([Denis & Schiffermüller],1775; *janthinella* Hübner,[1813].
- 6585) *Selagia dissimilella* Ragonot,1887** (Pyrilidae) Synonym(s): *dissimilella* Ragonot,1887
- 6586) *Selagia subochrella* (Herrich-Schäffer,1849)** (Pyrilidae) Synonym(s): *subochrella* Herrich-Schäffer,1849
- 6587) *Selatosomus* (s.str.) *aeneus* (Linnaeus,1758)** (Elateridae) Synonym(s): *aeneus* Linnaeus,1758
- 6588) *Selatosomus* (s.str.) *amplicollis* (Germar,1843)** (Elateridae) Synonym(s): *amplicollis* Germar,1843
- 6589) *Selatosomus* (s.str.) *caucasicus* (Ménétriés,1879)** (Elateridae) Synonym(s): *caucasicus* Ménétriés,1879
- 6590) *Selatosomus* (s.str.) *latus* (Fabricius,1801)** (Elateridae) Synonym(s): *latus* Fabricius,1801; *saginitus* Ménétriés,1832; *gravidus* Germar,1843
- 6591) *Selenia dentaria* (Fabricius,1775)** (Geometridae) Synonym(s): *dentaria* Fabricius,1775; *gagathes* Goeze,1781; *achataea* Fourcroy,1785; *ustularia* Donovan,1794; *illunaria* Hübner,[1799]; *bilunaria* Esper,[1801]; *juliaria* Haworth,1809; *minor* Boisduval,1840
- 6592) *Selenia tetralunaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *tetralunaria* Hufnagel,1767
- 6593) *Selenocephalus armeniacus* Lindberg,1960** (Cicadellidae) Synonym(s): *armeniacus* Lindberg,1960
- 6594) *Selenocephalus obsoletus* (Germar,1817)** (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (praeocc.); *obsoletus* Germar,1817; *punctatonevrosus* Stal,1854
- 6595) *Selidosema brunnearium* (Villers,1789)** (Geometridae) Synonym(s): *brunnearia* Villers,1789; *ericetaria* Villers,1789; *subfimbriata* Haworth,1812; *oelandica* Wahlgren,1913.
- 6596) *Semagystia cuhensis* De Freina,1994** (Cossidae) Synonym(s): *cuhensis* De Freina,1994
- 6597) *Semiothisa erevanica* Vardikjan,1985** (Geometridae) Synonym(s): *erevanica* Vardikjan,1985
- 6598) *Semnosia caucasica* (Pic,1898)** (Cerambycidae) Synonym(s): *caucasica* Pic,1898
- 6599) *Semnosia galinae* (Danilevsky,1990)** (Cerambycidae) Synonym(s): *galinae* Danilevsky,1990
- 6600) *Semnosia herminae* (Reitter,1890)** (Cerambycidae) Synonym(s): *herminae* Reitter,1890; *gobustanica* Danilevsky,1990
- 6601) *Semnosia scovitzii* (Faldermann,1837)** (Cerambycidae) Synonym(s): *scovitzii* Faldermann,1837
- 6602) *Sena sordida* (Erschoff,1874)** (Lasiocampidae) Synonym(s): *sordida* Erschoff,1874; *cinerascens* Oberthür,1916
- 6603) *Senotainia* (s.str.) *armenica* Rohdendorf,1935** (Sarcophagidae) Synonym(s): *armenica* Rohdendorf,1935
- 6604) *Senotainia* (s.str.) *conica* (Fallén,1810)** (Sarcophagidae) Synonym(s): *conica* Fallén,1810; *atrox* R-D.,1830; *crudelis* R-D.,1830; *inimica* R-D.,1830; *quadrinotata* Macquart,1835; *fasciolella* Zetterstedt,1844; *fulvipalpis* R-D.,1863; *cinerella* R-D.,1863
- 6605) *Senotainia* (s.str.) *deserta* Rohdendorf,1935** (Sarcophagidae) Synonym(s): *deserta* Rohdendorf,1935
- 6606) *Senotainia* (s.str.) *tricusps* (Meigen,1838)** (Sarcophagidae) Synonym(s): *tricusps* Meigen,1838; *pucticornis* Zetterstedt,1859; *angellozi* Séguin,1929; *borealis* Rohdendorf,1935
- 6607) *Senotainia (Sphixapata) albifrons* (Rondani,1860)** (Sarcophagidae) Synonym(s): *albifrons* Rondani,1860
- 6608) *Senotainia (Sphixapata) pygmaea* (Rondani,1859)** (Sarcophagidae) Synonym(s): *pygmaea* Rondani,1859
- 6609) *Sepsis alanica* Ozerov,1999** (Sepsidae) Synonym(s): *alanica* Ozerov,1999
- 6610) *Sepsis biflexuosa* Strobl,1893** (Sepsidae) Synonym(s): *biflexuosa* Strobl,1893; *flavipes* Goetghebuer & Bastin,1925; *desultor* Séguin,1932
- 6611) *Sepsis neocynipsea* Melander & Spuler,1917** (Sepsidae) Synonym(s): *neocynipsea* Melander & Spuler,1917
- 6612) *Sericomyia bequaerti* (Herve-Bazin,1913)** (Syrphidae) Synonym(s): *bequaerti* Herve-Bazin,1913
- 6613) *Sericomyia volucellina* Portsichinsky,1881** (Syrphidae) Synonym(s): *volucellina* Portsichinsky,1881; *guichardi* Coe,1966
- 6614) *Sericostoma grusiense* Martynov,1913** (Sericostomatidae) Synonym(s): *grusiense* Martynov,1913
- 6615) *Sesamia cretica* Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857
- 6616) *Sesamia lacteola* (Christoph,1893)** (Noctuidae) Synonym(s): *lacteola* Christoph,1893
- 6617) *Setapius barajus* (Dlabola,1957)** (Cixiidae) Synonym(s): *barajus* Dlabola,1957
- 6618) *Setapius lindbergi* (Dlabola,1957)** (Cixiidae) Synonym(s): *lindbergi* Dlabola,1957
- 6619) *Setina aurata* (Ménétriés,1832)** (Arctiidae) Synonym(s): *aurata* Ménétriés,1832; *#pontica* Draudt,1933; *pontica* Schwingenschuss,1939
- 6620) *Setina flavicans* (Geyer,[1836])** (Arctiidae) Synonym(s): *flavicans* Geyer,[1836]
- 6621) *Setina roscida* ([Denis & Schiffermüller],1775)** (Arctiidae) Synonym(s): *roscida* [Denis & Schiffermüller],1775; *roscidella* Fabricius,1794; *melanomos* Nickerl,1845; *bosniaca* Rebel,1910; *baltica* Wahlgren,1913; *subalpina* Thomann,1951; *rubeni* Viidalepp,1979
- 6622) *Sharovella caucasica* (Sharov,1968)** (Gryllidae) Synonym(s): *caucasica* Sharov,1968
- 6623) *Siagona (Siagona) europaea* Dejean,1826** (Carabidae) Synonym(s): *europaea* Dejean,1826
- 6624) *Sialis abchasica* Vshivkova,1985** (Sialidae) Synonym(s): *abchasica* Vshivkova,1985

- 6625) *Sicus caucasicus* Zimina, 1963 (Conopidae) Synonym(s): *caucasicus* Zimina, 1963
 6626) *Sicus nigrirarsis* Zimina, 1975 (Conopidae) Synonym(s): *nigrirarsis* Zimina, 1975
 6627) *Sideridis spilogramma* (Rambur, 1871) (Noctuidae) Synonym(s): *spilogramma* Rambur, 1871
 6628) *Sideridis (Aneda) rivularis* (Fabricius, 1775) (Noctuidae) Synonym(s): *rivularis* Fabricius, 1775; *cucubali* [Denis & Schiffermüller], 1775; *rivosa* Ström, 1783; *behenis* Freyer, 1845.
 6629) *Sideridis (Conisania) capsivora* (Draudt, 1933) (Noctuidae) Synonym(s): *capsivora* Draudt, 1933
 6630) *Sideridis (Conisania) leineri* (Freyer, 1836) (Noctuidae) Synonym(s): *leineri* Freyer, 1836
 6631) *Sideridis (Conisania) poelli* (Stertz, 1915) (Noctuidae) Synonym(s): *poelli* Stertz, 1915
 6632) *Sideridis (Dianthivora) implexa* (Hübner, [1809]) (Noctuidae) Synonym(s): *implexa* Hübner, [1809]; *fallovi* Oberthür, 1876
 6633) *Sideridis (Luteohadena) luteago* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller], 1775; *brunneago* Esper, [1804]; *nigrescens* Wagner, 1926 (praeocc.); *ottomana* Koçak, 1990.
 6634) *Sideridis (s.str.) egena* (Lederer, 1853) (Noctuidae) Synonym(s): *egena* Lederer, 1853; ? *stoliczkana* Moore, 1878
 6635) *Sideridis (s.str.) lampra* (Schawerda, 1913) (Noctuidae) Synonym(s): *evidens* Hübner, [1808] nec Thunb., 1784; *lampra* Schawerda, 1913; *anapheles* Nye, 1975
 6636) *Sideridis (s.str.) turbida* (Esper, [1790]) (Noctuidae) Synonym(s): *turbida* Esper, [1790]; *albicolon* Hübner, [1813]
 6637) *Sigara albiventris* (Horvath, 1911) (Corixidae) Synonym(s): *albiventris* Horvath, 1911
 6638) *Sigara assimilis* (Fieber, 1848) (Corixidae) Synonym(s): *assimilis* Fieber, 1848
 6639) *Sigara daghestanica* Jansson, 1983 (Corixidae) Synonym(s): *daghestanica* Jansson, 1983; #*dagestanica* Önder et al., 2006
 6640) *Silpha tristis* Illiger, 1798 (Silphidae) Synonym(s): *tristis* Illiger, 1798
 6641) *Silvius (Heterosilvius) zaitzevi* Olsufjev, 1941 (Tabanidae) Synonym(s): *zaitzevi* Olsufjev, 1941
 6642) *Silvius (s.str.) caucasicus* (Kröber, 1921) (Tabanidae) Synonym(s): *caucasicus* Kröber, 1921; *latifrons* Olsufjev, 1937
 6643) *Simplicia rectalis* (Eversmann, 1842) (Noctuidae) Synonym(s): *rectalis* Eversmann, 1842
 6644) *Simulium (Byssodon) heptapotamicum* Rubtsov, 1940 (Simuliidae) Synonym(s): *heptapotamicum* Rubtsov, 1940
 6645) *Simulium (Eusimulium) angustipes* Edwards, 1915 (Simuliidae) Synonym(s): *angustipes* Edwards, 1915; *horvathi* Enderlein, 1922; *securiforme* Rubtsov, 1956; *latizonum* Rubtsov, 1956; #*paludicola* Rivosecchi, 1963
 6646) *Simulium (Eusimulium) armeniacum* (Rubtsov, 1955) (Simuliidae) Synonym(s): *armeniaceum* Rubtsov, 1955
 6647) *Simulium (Eusimulium) azerbaidzhanicum* (Djafarov, 1953) (Simuliidae) Synonym(s): *azerbaidzhanicum* Djafarov, 1953
 6648) *Simulium (Eusimulium) brachyantherum* Rubtsov, 1947 (Simuliidae) Synonym(s): *brachyantherum* Rubtsov, 1947
 6649) *Simulium (Eusimulium) maritimum* (Rubtsov, 1956) (Simuliidae) Synonym(s): *maritimum* Rubtsov, 1956
 6650) *Simulium (Eusimulium) nigrofusipes* Rubtsov, 1947 (Simuliidae) Synonym(s): *nigrofusipes* Rubtsov, 1947
 6651) *Simulium (Eusimulium) nigrofusipes* Rubtsov, 1947 (Simuliidae) Synonym(s): *nigrofusipes* Rubtsov, 1947
 6652) *Simulium (Eusimulium) paucicuspis* Rubtsov, 1947 (Simuliidae) Synonym(s): *paucicuspis* Rubtsov, 1947
 6653) *Simulium (Eusimulium) reginae* Terteryan, 1949 (Simuliidae) Synonym(s): *reginae* Terteryan, 1949
 6654) *Simulium (Montisimulium) alizadei* (Djafarov, 1954) (Simuliidae) Synonym(s): *alizadei* Djafarov, 1954; *gviletense* Rubtsov, 1956; *lachense* Rubtsov, 1962; *megrichaense* Rubtsov, 1962
 6655) *Simulium (Nevermannia) cryophilum* (Rubtsov, 1959) (Simuliidae) Synonym(s): *cryophilum* Rubtsov, 1959; *biankoi* Rubtsov, 1964; *courverti* Rubtsov, 1964; *vidanoi* Rubtsov, 1964; *trirenum* Rubtsov & Carlsson, 1965
 6656) *Simulium (Nevermannia) djafarovi* (Rubtsov, 1962) (Simuliidae) Synonym(s): *subcostatum* Djafarov, 1953 (preocc.); *djafarovi* Rubtsov, 1962
 6657) *Simulium (Nevermannia) florum* (Djafarov, 1954) (Simuliidae) Synonym(s): *florum* Djafarov, 1954
 6658) *Simulium (Nevermannia) vernum* Macquart, 1826 (Simuliidae) Synonym(s): *vernum* Macquart, 1826; *pubiventre* Zetterstedt, 1838; *trabeatum* Enderlein, 1921; *pritzkowi* Enderlein, 1926; *albipilatum* Enderlein, 1926; *schielei* Enderlein, 1926; *uigandi* Enderlein, 1928; *fluminale* Rubtsov, 1956; *hatangense* Rubtsov, 1956; *shutovae* Rubtsov, 1956; *aestivale* Rubtsov, 1962; *meridionale* Rivosecchi & Lipparoni, 1965;
 6659) *Simulium (s.str.) alajense* (Rubtsov, 1938) (Simuliidae) Synonym(s): *alajense* Rubtsov, 1938; *sbergi* Rubtsov, 1940
 6660) *Simulium (s.str.) aureofulgens* Terteryan, 1949 (Simuliidae) Synonym(s): *aureofulgens* Terteryan, 1949
 6661) *Simulium (s.str.) bergi* Rubtsov, 1956 (Simuliidae) Synonym(s): *bergi* Rubtsov, 1956
 6662) *Simulium (s.str.) bezzii* (Corti, 1914) (Simuliidae) Synonym(s): *bezzii* Corti, 1914; *delphinense* Villeneuve, 1918; *tristigatum* Enderlein, 1921; *obscurum* Enderlein, 1924; *kondici* Baranov, 1926; *atlas* Ségué, 1930; *crinitum* Rubtsov, 1956; *gorjense* Dinulescu, 1966; *graium* Courvert, 1967
 6663) *Simulium (s.str.) debacii* Terteryan, 1952 (Simuliidae) Synonym(s): *debacii* Terteryan, 1952
 6664) *Simulium (s.str.) fontanum* Terteryan, 1952 (Simuliidae) Synonym(s): *fontanum* Terteryan, 1952
 6665) *Simulium (s.str.) kanchaveli* (Machavariani, 1966) (Simuliidae) Synonym(s): *kanchaveli* Machavariani, 1966
 6666) *Simulium (s.str.) kerisorum* (Rubtsov, 1956) (Simuliidae) Synonym(s): *kerisorum* Rubtsov, 1956
 6667) *Simulium (s.str.) kiritshenkoi* Rubtsov, 1940 (Simuliidae) Synonym(s): *kiritshenkoi* Rubtsov, 1940; *caucasicum* Rubtsov, 1940; *sevanense* Rubtsov & Terteryan, 1952; *cisalpinum* Rubtsov, 1956; *longicaulis* Rubtsov, 1956
 6668) *Simulium (s.str.) monticoloides* (Rubtsov, 1956) (Simuliidae) Synonym(s): *monticoloides* Rubtsov, 1956
 6669) *Simulium (s.str.) schamili* (Rubtsov, 1964) (Simuliidae) Synonym(s): *schamili* Rubtsov, 1964
 6670) *Simulium (s.str.) stenophallum* Terteryan, 1952 (Simuliidae) Synonym(s): *stenophallum* Terteryan, 1952
 6671) *Simulium (s.str.) tarnogradskii* Rubtsov, 1940 (Simuliidae) Synonym(s): *tarnogradskii* Rubtsov, 1940
 6672) *Simulium (s.str.) variegatum* Meigen, 1818 (Simuliidae) Synonym(s): *variegatum* Meigen, 1818
 6673) *Simulium (Trichodagmia) adornatum* (Rubtsov, 1956) (Simuliidae) Synonym(s): *adornatum* Rubtsov, 1956
 6674) *Simulium (Trichodagmia) margaritae* (Rubtsov, 1956) (Simuliidae) Synonym(s): *margaritae* Rubtsov, 1956
 6675) *Simulium (Trichodagmia) popowae* Rubtsov, 1940 (Simuliidae) Synonym(s): *popowae* Rubtsov, 1940; *terminasjanae* Terteryan, 1952; *atrofuscum* Rubtsov, 1956
 6676) *Simulium (Trichodagmia) transcasicum* Enderlein, 1921 (Simuliidae) Synonym(s): *transcasicum* Enderlein, 1921
 6677) *Simulium (Wilhelmia) dahestanicum* (Rubtsov, 1962) (Simuliidae) Synonym(s): *dahestanicum* Rubtsov, 1962
 6678) *Simulium (Wilhelmia) lineatum* (Meigen, 1804) (Simuliidae) Synonym(s): *lineatum* Meigen, 1804; *falcula* Enderlein, 1921; *salopiense* Edwards, 1927; *turgaicum* Rubtsov, 1940
 6679) *Simulium (Wilhelmia) paraequinum* Puri, 1933 (Simuliidae) Synonym(s): *paraequinum* Puri, 1933; *transcaucasicum* Rubtsov, 1956
 6680) *Simulium (Wilhelmia) pseudequinum* Seguy, 1921 (Simuliidae) Synonym(s): *pseudequinum* Seguy, 1921; *canariense* Ségué, 1921; *brnizense* Baranov, 1924; *mediterraneum* Puri, 1925; *stylatum* Baranov, 1926; *quartum* Baranov, 1926; *barbaricum* Ségué, 1930; *brulfuricola* Rivosecchi, 1972; *fluminicola* Rivosecchi, 1972
 6681) *Simulium (Wilhelmia) veltistshevi* Rubtsov, 1940 (Simuliidae) Synonym(s): *veltistshevi* Rubtsov, 1940

- 6682) *Simyra albovenosa* (Goeze,1781)** (Noctuidae) Synonym(s): *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809.
- 6683) *Simyra dentinosa* Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 6684) *Simyra nervosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775.
- 6685) *Sinodendron cylindricum* (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938
- 6686) *Sinodendron persicum* Reitter,1902** (Lucanidae) Synonym(s): *persicum* Reitter,1902
- 6687) *Sinophorus xanthostomus* (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *xanthostomus* Gravenhorst,1829
- 6688) *Sinoxylon muricatum* (Linnaeus,1767)** (Bostrichidae) Synonym(s): *muricatum* Linnaeus,1767; *sexdentatus* Olivier,1790; *chalcographus* Panzer,1794; *bidens* Fabricius,1798
- 6689) *Sinoxylon perforans* (Schränk,1789)** (Bostrichidae) Synonym(s): *perforans* Schränk,1789; *bispinosus* Olivier,1790
- 6690) *Siona lineata* (Scopoli,1763)** (Geometridae) Synonym(s): *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 nec Fabr.,1775; *dealbaria* Hübner,[1799]
- 6691) *Sisypus schaefferi* (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *schaefferi* Linnaeus,1758
- 6692) *Sitochroa palealis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]
- 6693) *Sitochroa verticalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
- 6694) *Skorikovia elongata* (Radoszkowski,1885)** (Mutillidae) Synonym(s): *elongata* Radoszkowski,1885
- 6695) *Skorikovia radoszkowskii* (Skorikov,1935)** (Mutillidae) Synonym(s): *radoszkowskii* Skorikov,1935
- 6696) *Skorikovia transcaucasica* (Lelej,1985)** (Mutillidae) Synonym(s): *transcaucasica* Lelej,1985
- 6697) *Smaragdina chloris* (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris* Lacordaire,1848; *biornata* Lefebvre,1872
- 6698) *Smaragdina flavicollis* (Charpentier,1825)** (Chrysomelidae) Synonym(s): *flavicollis* Charpentier,1825
- 6699) *Smaragdina limbata* (Steven,1806)** (Chrysomelidae) Synonym(s): *limbata* Steven,1806; *dorsalis* Olivier,1808
- 6700) *Smaragdina salicina* (Scopoli,1763)** (Chrysomelidae) Synonym(s): *salicina* Scopoli,1763; *cyaneus* Fabricius,1775
- 6701) *Smaragdina unipunctata* (Olivier,1808)** (Chrysomelidae) Synonym(s): *unipunctata* Olivier,1808
- 6702) *Smerinthus kindermanni* Lederer,1852** (Sphingidae) Synonym(s): *kindermanni* Lederer,1852; *#obscura* Closs,1917
- 6703) *Smerinthus ocellatus* (Linnaeus,1758)** (Sphingidae) Synonym(s): *ocellatus* Linnaeus,1758
- 6704) *Smicromyrme* (Eremotilla) *schwarzii* Suarez,1975** (Mutillidae) Synonym(s): *schwarzii* Suarez,1975
- 6705) *Smicromyrme* (Erimyrme) *azerbaidzhanicus* Lelej,1985** (Mutillidae) Synonym(s): *azerbaidzhanicus* Lelej,1985
- 6706) *Solemasia araxella* Zagulyaev,1995** (Psychidae) Synonym(s): *araxella* Zagulyaev,1995
- 6707) *Solenoxyphus adpersus* (Reuter,1904)** (Miridae) Synonym(s): *adpersus* Reuter,1904; *barbatus* E.Wagner,1951
- 6708) *Solenoxyphus alkani* Önder,1975** (Miridae) Synonym(s): *alkani* Önder,1975; *markevichi* Putshkov,1978
- 6709) *Solenoxyphus candidatus* (Reuter,1879)** (Miridae) Synonym(s): *candidatus* Reuter,1879; *longicollis* Reuter,1879; *fasciatum* Reuter,1879; *transversum* Jakovlev,1882
- 6710) *Solenoxyphus fuscovenosus* (Fieber,1864)** (Miridae) Synonym(s): *fuscovenosus* Fieber,1864; *halimocnemis* Becker,1864; *crassipes* Reuter,1879; *reticulatus* Reuter,1900; *#cruenta* Stichel,1956
- 6711) *Solenoxyphus lepidus* (Puton,1874)** (Miridae) Synonym(s): *lepidus* Puton,1874; *parvulus* Reuter,1894; *minor* E.Wagner,1969; *gobicus* Nonnaizab & Yang,1994
- 6712) *Solenoxyphus pallens* (Reuter,1879)** (Miridae) Synonym(s): *pallens* Reuter,1879
- 6713) *Solenoxyphus punctipennis* (Reuter,1879)** (Miridae) Synonym(s): *punctipennis* Reuter,1879; *impunctata* E.Wagner,1958
- 6714) *Solskyana villiger* (Solsky,1881)** (Elateridae) Synonym(s): *villiger* Solsky,1881
- 6715) *Sorhagenia janiszewskae* Riedl,1962** (Cosmopterigidae) Synonym(s): *janiszewskae* Riedl,1962
- 6716) *Sorhagenia lophyrella* (Douglas,1846)** (Cosmopterigidae) Synonym(s): *lophyrella* Douglas,1846; *tolli* Riedl,1962
- 6717) *Sorhagenia rhamniella* (Zeller,1839)** (Cosmopterigidae) Synonym(s): *rhamniella* Zeller,1839; *asperipunctella* Bruand,1850
- 6718) *Spaelotis degeniata* (Christoph,1876)** (Noctuidae) Synonym(s): *degeniata* Christoph,1876
- 6719) *Spaelotis demavendi* (F.Wagner,1937)** (Noctuidae) Synonym(s): *demavendi* F.Wagner,1937
- 6720) *Spaelotis ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 nec Cramer,1780; *salva* Corti & Draudt,1933.
- 6721) *Spaelotis senna* (Freyer,1829)** (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] nec Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
- 6722) *Spargania luctuata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *luctuata* [Denis & Schiffermüller],1775; *transversata* Thunberg,1788 nec Hfn.,1767; *kodiakata* Packard,1873; *lugubrata* Müller,1930
- 6723) *Spatialia argentina* ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller],1775
- 6724) *Spathocera lobata* (Herrich-Schäffer,1842)** (Coreidae) Synonym(s): *lobata* Herrich-Schäffer,1842
- 6725) *Spathocera tenuicornis* Jakovlev,1882** (Coreidae) Synonym(s): *tenuicornis* Jakovlev,1882
- 6726) *Sphaerocera curvipes* Latreille,1805** (Sphaeroceridae) Synonym(s): *curvipes* Latreille,1805; *communis* R-D.,1830; *merdarum* R-D.,1830; *stercoraria* R-D.,1830; *cadaverina* R-D.,1830; *necrophaga* R-D.,1830; *obtusa* Meigen,1835; *opaca* Meigen,1835
- 6727) *Sphaeroderma rubidum* (Graells,1858)** (Chrysomelidae) Synonym(s): *rubidum* Graells,1858
- 6728) *Sphaeromias pictus* (Meigen,1818)** (Ceratopogonidae) Synonym(s): *pictus* Meigen,1818; *punctatus* Meigen,1830 (*praeocc.*); *elegans* Winnertz,1852; *candidatus* Loew,1856; *miricornis* Kieffer,1919; *copiosus* Kieffer,1925; *sparus* Borkent,1997
- 6729) *Sphaerophoria scripta* (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemma* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776
- 6730) *Sphegina* (*Asiosphegina*) *sibirica* Stackelberg,1953** (Syrphidae) Synonym(s): *sibirica* Stackelberg,1953
- 6731) *Sphegina* (*s.str.*) *alaoglu* Hayat,1997** (Syrphidae) Synonym(s): *alaoglu* Hayat,1997; *pontica* Mutin,1998
- 6732) *Sphegina* (*s.str.*) *clunipes* (Fallén,1816)** (Syrphidae) Synonym(s): *clunipes* Fallén,1816
- 6733) *Sphegina* (*s.str.*) *elegans* Schummel,1843** (Syrphidae) Synonym(s): *elegans* Schummel,1843; *kimakowicz* Strobl,1897; *germanica* Becker,1921; *Szilady*,1939
- 6734) *Sphegina* (*s.str.*) *negrobovi* Skuffin,1976** (Syrphidae) Synonym(s): *negrobovi* Skuffin,1976
- 6735) *Sphegina* (*s.str.*) *sphegina* (Zetterstedt,1838)** (Syrphidae) Synonym(s): *sphegina* Zetterstedt,1838; *loewii* Zeller,1843; *zetterstedti* Schiner,1857; *rufiventris* Strobl,1910; *rubripes* Becker,1921; *sanguinea* Becker,1921
- 6736) *Sphenella marginata* (Fallén,1814)** (Tephritidae) Synonym(s): *marginata* Fallén,1814

- 6737) *Sphenometopa bifasciata* (Brauer & Bergenstamm,1891)** (Sarcophagidae) Synonym(s): *bifasciata* Brauer & Bergenstamm,1891
- 6738) *Sphenometopa claripennis* Villeneuve,1933** (Sarcophagidae) Synonym(s): *claripennis* Villeneuve,1933
- 6739) *Sphenometopa fastuosa* (Meigen,1824)** (Sarcophagidae) Synonym(s): *fastuosa* Meigen,1824; *agilis* R-D.,1830; *festiva* R-D.,1830
- 6740) *Sphenometopa mannii* (Brauer & Bergenstamm,1891)** (Sarcophagidae) Synonym(s): *mannii* Brauer & Bergenstamm,1891
- 6741) *Sphenometopa raddei* (Rohdendorf,1967)** (Sarcophagidae) Synonym(s): *raddei* Rohdendorf,1967
- 6742) *Sphenometopa satunini* (Rohdendorf,1967)** (Sarcophagidae) Synonym(s): *satunini* Rohdendorf,1967
- 6743) *Sphingonaepiopsis gorgoniades* (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] *nec* Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 6744) *Sphingonotus* (s.str.) *aserbeidshanicus* Ramme,1951** (Acrididae) Synonym(s): *aserbeidshanicus* Ramme,1951
- 6745) *Sphingonotus* (s.str.) *coerulipes* Uvarov,1922** (Acrididae) Synonym(s): *coerulipes* Uvarov,1922; *djakonovi* Mishtshenko,1936; *kurmanus* Ramme,1951
- 6746) *Sphingonotus* (s.str.) *nebulosus* (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *nebulosus* Fischer von Waldheim,1846; *persa* Saussure,1884; *violascens* Uvarov,1926; *anatolicus* Uvarov,1930; *discolor* Uvarov,1933
- 6747) *Sphingonotus* (s.str.) *octofasciatus* Audinet-Serville,1839** (Acrididae) Synonym(s): *octofasciatus* Audinet-Serville,1839; *kittaryi* Saussure,1884; *#octapfasciatus* Abashidze,2002
- 6748) *Sphingonotus* (s.str.) *satrapes* Saussure,1884** (Acrididae) Synonym(s): *satrapes* Saussure,1884
- 6749) *Sphingonotus* (s.str.) *savignyi* Saussure,1884** (Acrididae) Synonym(s): *savignyi* Saussure,1884
- 6750) *Sphingonotus rubescens* (Walker,1870)** (Acrididae) Synonym(s): *rubescens* Walker,1870
- 6751) *Sphinx ligustri* Linnaeus,1758** (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraeae* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998
- 6752) *Sphinx pinastri* Linnaeus,1758** (Sphingidae) Synonym(s): *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987.
- 6753) *Sphyrrotarsus caucasicus* Negrobov,1965** (Dolichopodidae) Synonym(s): *caucasicus* Negrobov,1965
- 6754) *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 6755) *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 6756) *Spilogona dispar* (Fallén,1823)** (Muscidae) Synonym(s): *dispar* Fallén,1823
- 6757) *Spilogona taeniata* (Stein,1916)** (Muscidae) Synonym(s): *taeniata* Stein,1916
- 6758) *Spilonota gussakovskii* Stackelberg,1958** (Syrphidae) Synonym(s): *gussakovskii* Stackelberg,1958
- 6759) *Spilonota laricana* (Heinemann,1863)** (Tortricidae) Synonym(s): *laricana* Heinemann,1863
- 6760) *Spilonota ocellana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949
- 6761) *Spilosoma lubricipeda* (Linnaeus,1758)** (Arctiidae) Synonym(s): *lubricipeda* Linnaeus,1758; *menthastris* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsaftikis,1973; *#lubricipeda* De Freina,1981.
- 6762) *Spilosoma urticae* (Esper,[1789])** (Arctiidae) Synonym(s): *urticae* Esper,[1789]; *papyratia* Marsham,1791
- 6763) *Spilostethus pandurus* (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus* Scopoli,1763
- 6764) *Spiris striata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obratzsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948.
- 6765) *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
- 6766) *Spogostylum caucasicum* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *caucasicum* Zaitzev,1961
- 6767) *Spogostylum cinereum* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *cinereum* Zaitzev,1961
- 6768) *Spogostylum dubium* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *dubium* Zaitzev,1961
- 6769) *Spogostylum isis* (Meigen,1820)** (Bombyliidae) Synonym(s): *isis* Meigen,1820; *subnotata* Walker,1871 *nec* Wied.,1820
- 6770) *Spogostylum rufulum* (Zaitzev,1961)** (Bombyliidae) Synonym(s): *rufulum* Zaitzev,1961
- 6771) *Spogostylum stackelbergi* (Paramonov,1957)** (Bombyliidae) Synonym(s): *stackelbergi* Paramonov,1957
- 6772) *Spogostylum tripunctatum* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *tripunctatum* Wiedemann,1820; *difficilis* Wiedemann,1820; *mystaceum* Macquart,1840
- 6773) *Spogostylum zaitzevi* Evenhuis & Greathead,1999** (Bombyliidae) Synonym(s): *punctipennis* Zaitzev,1961 *nec* Wiedem.,1821; *zaitzevi* Evenhuis & Greathead,1999; *#zaitzev* Dils & Özbek,2006
- 6774) *Spulerina simploniella* (Fischer v. Röslerstamm,1840)** (Gracillariidae) Synonym(s): *simploniella* Fischer v. Röslerstamm,1840; *eximiella* Christoph,1888
- 6775) *Stackelbergeola mehadiensis* (Böttcher,1912)** (Sarcophagidae) Synonym(s): *mehadiensis* Böttcher,1912
- 6776) *Stackelbergeola paramonovi* Rohdendorf,1937** (Sarcophagidae) Synonym(s): *paramonovi* Rohdendorf,1937
- 6777) *Stagonomus amoenus* (Brullé,1832)** (Pentatomidae) Synonym(s): *amoenus* Brullé,1832
- 6778) *Stagonomus bipunctatus* (Linnaeus,1758)** (Pentatomidae) Synonym(s): *bipunctatus* Linnaeus,1758
- 6779) *Stamnodes depeculata* (Lederer,1870)** (Geometridae) Synonym(s): *depeculata* Lederer,1870
- 6780) *Standfussiana lucerneae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucernea* Linnaeus,1758
- 6781) *Standfussiana nictymera* (Boisduval,[1837])** (Noctuidae) Synonym(s): *nictymera* Boisduval,[1837]; *carriei* Boursin,1948.
- 6782) *Stangeia siceliota* (Zeller,1847)** (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
- 6783) *Staria lunata* (Hahn,1835)** (Pentatomidae) Synonym(s): *lunata* Hahn,1835; *lobulatus* Rambur,1839; *maroccana* Lindberg,1932; *levantinae* Fuente,1972
- 6784) *Staudingeria* (s.str.) *morbosella* (Staudinger,1879)** (Pyralidae) Synonym(s): *morbosella* Staudinger,1879; *inderskyella* Caradja,1910; *cinnamomella* Rothschild,1915.
- 6785) *Staudingeria* (s.str.) *partitella* Ragonot,1887** (Pyralidae) Synonym(s): *partitella* Ragonot,1887; *adustella* Ragonot,1887; *fractifasciella* Ragonot,1890; *kebiliella* Lucas,1909; *combustella* Chrétien,1910.

- 6786) **Stauroderus scalaris** (Fischer von Waldheim, 1846) (Acrididae) Synonym(s): *scalaris* Fischer von Waldheim, 1846; *discoidalis* Eversmann, 1848; *melanopterus* Borck, 1848; *pyrenaicus* Sauley, 1887
- 6787) **Staurophora celsia** (Linnaeus, 1758) (Noctuidae) Synonym(s): *celsia* Linnaeus, 1758
- 6788) **Stauropus fagi** (Linnaeus, 1758) (Notodontidae) Synonym(s): *fagi* Linnaeus, 1758
- 6789) **Stefaniola excelsa** Möhn, 1971 (Cecidomyiidae) Synonym(s): *excelsa* Möhn, 1971
- 6790) **Stefaniola fructua** Möhn, 1971 (Cecidomyiidae) Synonym(s): *fructua* Möhn, 1971
- 6791) **Stefaniola harenosa** Möhn, 1971 (Cecidomyiidae) Synonym(s): *harenosa* Möhn, 1971
- 6792) **Stegania dalmataria** (Guenée, [1858]) (Geometridae) Synonym(s): *dalmataria* Guenée, [1858]
- 6793) **Stegania dilectaria** (Hübner, 1790) (Geometridae) Synonym(s): *dilectaria* Hübner, 1790; *commutataria* Hübner, [1819]; *commutata* Freyer, [1832]
- 6794) **Stelis (s.str.) gigantea** Friese, 1921 (Megachilidae) Synonym(s): *gigantea* Friese, 1921
- 6795) **Stelis (s.str.) minuta** Lepeletier & Audinet-Serville, 1828 (Megachilidae) Synonym(s): *minuta* Lepeletier & Audinet-Serville, 1828; *nana* Schenck, 1853; *minima* Schenck, 1859; *#unicolor* Alfken, 1944
- 6796) **Stelis (s.str.) scutellaris** Morawitz, 1894 (Megachilidae) Synonym(s): *scutellaris* Morawitz, 1894; *inamoena* Popov, 1932
- 6797) **Stelis (s.str.) signata** (Latreille, 1809) (Megachilidae) Synonym(s): *signata* Latreille, 1809
- 6798) **Stelis (s.str.) simillima** Morawitz, 1876 (Megachilidae) Synonym(s): *simillima* Morawitz, 1876; *cognata* Kohl, 1892; *genalis* Pasteels, 1969
- 6799) **Stenagostus rosti** (Schwarz, 1897) (Elateridae) Synonym(s): *rosti* Schwarz, 1897
- 6800) **Stenobothrus (s.str.) fischeri** (Eversmann, 1848) (Acrididae) Synonym(s): *fischeri* Eversmann, 1848; *nigrogeniculatus* Krauss, 1879; *prasina* Voroncovsky, 1927
- 6801) **Stenobothrus (s.str.) lineatus** (Panzer, 1796) (Acrididae) Synonym(s): *lineatus* Panzer, 1796
- 6802) **Stenobothrus (s.str.) nigromaculatus** (Herrich-Schäffer, 1840) (Acrididae) Synonym(s): *nigromaculatus* Herrich-Schäffer, 1840
- 6803) **Stenobothrus (s.str.) zubovskii** Bolivar, 1899 (Acrididae) Synonym(s): *zubovskii* Bolivar, 1899
- 6804) **Stenobothrus (Stenobothrodes) sviridenkoi** Ramme, 1930 (Acrididae) Synonym(s): *sviridenkoi* Ramme, 1930
- 6805) **Stenobothrus (Stenobothrodes) werneri** Adelung, 1907 (Acrididae) Synonym(s): *werneri* Adelung, 1907
- 6806) **Stenocranus fuscovittatus** (Stal, 1858) (Delphacidae) Synonym(s): *fuscovittatus* Stal, 1858; *colorata* Kirschbaum, 1868
- 6807) **Stenocranus minutus** (Fabricius, 1787) (Delphacidae) Synonym(s): *minutus* Fabricius, 1787; *lineola* Germar, 1818; *longifrons* Boheman, 1847; *farinosa* Buckton, 1890; *illabatus* Rey, 1894
- 6808) **Stenodema turanicum** (Reuter, 1904) (Miridae) Synonym(s): *turanicum* Reuter, 1904
- 6809) **Stenodera caucasica** (Pallas, 1781) (Meloidae) Synonym(s): *caucasica* Pallas, 1781
- 6810) **Stenodrina aeschista** Boursin, 1937 (Noctuidae) Synonym(s): *aeschista* Boursin, 1937; *#aeshita* Poltavsky & Nekrasov, 2002
- 6811) **Stenodrina paupera** (Christoph, 1885) (Noctuidae) Synonym(s): *paupera* Christoph, 1885; *nitida* Püngeler, 1914
- 6812) **Stenometopiellus araxis** Zachvatkin, 1946 (Cicadellidae) Synonym(s): *araxis* Zachvatkin, 1946
- 6813) **Stenomutilla (s.str.) bizonata** (Smith, 1856) (Mutillidae) Synonym(s): *bizonata* Smith, 1856
- 6814) **Stenonemobius (s.str.) gracilis** (Jakovleff, 1871) (Gryllidae) Synonym(s): *gracilis* Jakovleff, 1871
- 6815) **Stenopogon callosus** (Pallas, 1818) (Asilidae) Synonym(s): *callosus* Pallas, 1818
- 6816) **Stenopogon junceus** (Wiedemann, 1820) (Asilidae) Synonym(s): *junceus* Wiedemann, 1820; *tanygastrus* Loew, 1861
- 6817) **Stenopogon laevigatus** (Loew, 1851) (Asilidae) Synonym(s): *laevigatus* Loew, 1851; *bicolor* Bigot, 1878
- 6818) **Stenopogon mollis** Loew, 1868 (Asilidae) Synonym(s): *mollis* Loew, 1868
- 6819) **Stenopogon nataliae** Richter, 1963 (Asilidae) Synonym(s): *nataliae* Richter, 1963
- 6820) **Stenopogon nigriventris** Loew, 1868 (Asilidae) Synonym(s): *nigriventris* Loew, 1868
- 6821) **Stenopogon roederii** Bezzi, 1895 (Asilidae) Synonym(s): *roederii* Bezzi, 1895
- 6822) **Stenopogon sabaudus** (Fabricius, 1794) (Asilidae) Synonym(s): *sabaudus* Fabricius, 1794; *fulvus* Pallas, 1818
- 6823) **Stenopogon sciron** (Loew, 1873) (Asilidae) Synonym(s): *sciron* Loew, 1873; *theseus* Loew, 1873
- 6824) **Stenopterius ater** (Linnaeus, 1767) (Cerambycidae) Synonym(s): *ater* Linnaeus, 1767; *praeustus* Fabricius, 1792; *ustulatus* Mulsant, 1839; *auriventris* Küster, 1851; *nigripes* A.Costa, 1855; *flavipes* Pic, 1892; *subhumeralis* Pic, 1905; *theryi* Pic, 1918; *biskrensis* Dayrem, 1922
- 6825) **Stenopterius rufus** (Linnaeus, 1767) (Cerambycidae) Synonym(s): *rufus* Linnaeus, 1767; *attenuatus* Geoffroy, 1785
- 6826) **Stenoptilia arida** (Zeller, 1847) (Pterophoridae) Synonym(s): *arida* Zeller, 1847; *oxyactis* Meyrick, 1921; *elkefi* Arenberger, 1984; *kopetdagi* Zagulyaev, 2002
- 6827) **Stenoptilia bipunctidactyla** (Scopoli, 1763) (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli, 1763; *mictodactyla* [Denis & Schiffermüller], 1775; *#pallida* Tutt, 1906; *arida* Caradja, 1920 nec Zell., 1847.
- 6828) **Stenoptilia convexa** Arenberger, 1998 (Pterophoridae) Synonym(s): *convexa* Arenberger, 1998
- 6829) **Stenoptilia coprodactyla** (Stainton, 1851) (Pterophoridae) Synonym(s): *coprodactyla* Stainton, 1851; *zalocrossa* Meyrick, 1907.
- 6830) **Stenoptilia graphodactyla** (Treitschke, 1833) (Pterophoridae) Synonym(s): *graphodactyla* Treitschke, 1833.
- 6831) **Stenoptilia gratiolae** Gibeaux & Nel, 1990 (Pterophoridae) Synonym(s): *gratiolae* Gibeaux & Nel, 1990
- 6832) **Stenoptilia kurushensis** Kovtunovich, 2000 (Pterophoridae) Synonym(s): *kurushensis* Kovtunovich, 2000
- 6833) **Stenoptilia mannii** (Zeller, 1852) (Pterophoridae) Synonym(s): *mannii* Zeller, 1852; *megalochra* Meyrick, 1930.
- 6834) **Stenoptilia parnasia** Arenberger, 1986 (Pterophoridae) Synonym(s): *parnasia* Arenberger, 1986
- 6835) **Stenoptilia pneumonanthes** (Büttner, 1880) (Pterophoridae) Synonym(s): *pneumonanthos* Büttner, 1880; *nelorum* Gibeaux, 1989; *arenbergeri* Gibeaux, 1990.
- 6836) **Stenoptilia poculi** Arenberger, 1998 (Pterophoridae) Synonym(s): *poculi* Arenberger, 1998
- 6837) **Stenoptilia pterodactyla** (Linnaeus, 1761) (Pterophoridae) Synonym(s): *pterodactyla* Linnaeus, 1761; *fuscus* Retzius, 1783; *fuscodactyla* Haworth, 1811; *ptilodactyla* Hübner, [1813]; *palludicola* Wallengren, 1862; *#pallida* Tutt, 1906
- 6838) **Stenoptilia stigmatodactyla** (Zeller, 1852) (Pterophoridae) Synonym(s): *stigmatodactyla* Zeller, 1852
- 6839) **Stenoptilia zophodactyla** (Duponchel, 1838) (Pterophoridae) Synonym(s): *zophodactyla* Duponchel, 1838; *loewii* Zeller, 1847; *oreodactyla* Bruand, 1850; *loividactyla* Bruand, 1859; *canalis* Walker, 1864; *semicostatus* Zeller, 1873.
- 6840) **Stenoria apicalis** (Latreille, 1804) (Meloidae) Synonym(s): *apicalis* Latreille, 1804
- 6841) **Stenosis comata** Reiche & Sauley, 1857 (Tenebrionidae) Synonym(s): *comata* Reiche & Sauley, 1857
- 6842) **Stenosis dilutipes** Reitter, 1887 (Tenebrionidae) Synonym(s): *dilutipes* Reitter, 1887; *reitteri* Mars, 1887
- 6843) **Stenosis pilosa** Motschoulsky, 1839 (Tenebrionidae) Synonym(s): *pilosa* Motschoulsky, 1839
- 6844) **Stenurella bifasciata** (O.F.Müller, 1776) (Cerambycidae) Synonym(s): *bifasciata* O.F.Müller, 1776
- 6845) **Stenurella melanura** (Fabricius, 1792) (Cerambycidae) Synonym(s): *melanura* Fabricius, 1792
- 6846) **Stephanitis caucasica** Kiritschenko, 1939 (Tingidae) Synonym(s): *caucasica* Kiritschenko, 1939
- 6847) **Stephanitis oschanini** Vasiliev, 1935 (Tingidae) Synonym(s): *oschanini* Vasiliev, 1935; *hoberlandti* Lis, 2002

- 6848) *Stevenia caucasica* (Portschinsky,1875) (Rhinophoridae) Synonym(s): *caucasica* Portschinsky,1875
6849) *Stevenia fausti* (Portschinsky,1875) (Rhinophoridae) Synonym(s): *fausti* Portschinsky,1875
6850) *Stichopogon auritinctus* Abbassian-Lintzen,1964 (Asilidae) Synonym(s): *auritinctus* Abbassian-Lintzen,1964
6851) *Stichopogon caasicus* Bezzi,1910 (Asilidae) Synonym(s): *caasicus* Bezzi,1910
6852) *Stichopogon elegantulus* (Wiedemann,1820) (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820
6853) *Stictoleptura cordigera* (Fuesslin,1775) (Cerambycidae) Synonym(s): *cordigera* Fuesslin,1775
6854) *Stictoleptura deyrollei* (Pic,1895) (Cerambycidae) Synonym(s): *deyrollei* Pic,1895
6855) *Stictoleptura erythroptera* (Hagenbach,1822) (Cerambycidae) Synonym(s): *erythroptera* Hagenbach,1822
6856) *Stictoleptura heydeni* (Ganglbauer,1889) (Cerambycidae) Synonym(s): *ustulata* Ménétriés,1832; *heydeni* Ganglbauer,1889
6857) *Stictoleptura rufa* (Brullé,1832) (Cerambycidae) Synonym(s): *rufa* Brullé,1832; *dimidiata* J.Daniel,1891
6858) *Stictoleptura tesserula* (Charpentier,1825) (Cerambycidae) Synonym(s): *tesserula* Charpentier,1825
6859) *Stictopleurus pictus* (Fieber,1861) (Rhopalidae) Synonym(s): *pictus* Fieber,1861
6860) *Stictopleurus riveti* Royer,1923 (Rhopalidae) Synonym(s): *riveti* Royer,1923
6861) *Stigmella atricapitella* (Haworth,1828) (Nepticulidae) Synonym(s): *atricapitella* Haworth,1828; *discrepans* Sorhagen,1922
6862) *Stigmella basiguttella* (Heinemann,1862) (Nepticulidae) Synonym(s): *basiguttella* Heinemann,1862
6863) *Stigmella roborella* (Johansson,1971) (Nepticulidae) Synonym(s): *roborella* Johansson,1971
6864) *Stilbula cyniformis* (Rossi,1792) (Eucharidae) Synonym(s): *cyniformis* Rossi,1792; *tenuicornis* Ashmead,1904; *nekkensis* Ishii,1938; *#cynipiformis* auct.
6865) *Stiroma bicarinata* (Herrich-Schäffer,1835) (Delphacidae) Synonym(s): *bicarinata* Herrich-Schäffer,1835; *mutabilis* Boheman,1847; *nasalis* Boheman,1847; *nigra* Metcalf,1943; *alpha* Metcalf,1943; *vittata* Metcalf,1943
6866) *Stizoides crassicornis* (Fabricius,1787) (Crabronidae) Synonym(s): *crassicornis* Fabricius,1787; *rufipes* Olivier,1789; *alienus* Fischer v. Waldheim,1843; *fulvipes* Eversmann,1846
6867) *Stizoides cyanopterus* (Gussakovski,1928) (Crabronidae) Synonym(s): *cyanopterus* Gussakovski,1928
6868) *Stizoides melanopterus* (Dahlbom,1845) (Crabronidae) Synonym(s): *melanopterus* Dahlbom,1845; *concolor* Eversmann,1849
6869) *Stomopteryx detersella* (Zeller,1847) (Gelechiidae) Synonym(s): *detersella* Zeller,1847
6870) *Stomoxys calcitrans* (Linnaeus,1758) (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758
6871) *Stomphastis conflua* (Meyrick,1914) (Gracillariidae) Synonym(s): *conflua* Meyrick,1914
6872) *Stomylomyia araxana* Paramonov,1925 (Bombyliidae) Synonym(s): *araxana* Paramonov,1925
6873) *Stomylomyia europaea* (Loew,1869) (Bombyliidae) Synonym(s): *europaea* Loew,1869; *leonina* Bigot,1887
6874) *Stomylomyia pusilla* Bezzi,1925 (Bombyliidae) Synonym(s): *pusilla* Bezzi,1925
6875) *Stratiomys armeniaca* Bigot,1879 (Stratiomyidae) Synonym(s): *armeniaca* Bigot,1879; *herzi* Pleske,1901; *potschinskii* Pleske,1901; *#armaniaca* Üstüner,2005
6876) *Stratiomys cenisia* Meigen,1822 (Stratiomyidae) Synonym(s): *cenisia* Meigen,1822; *flaviventris* Loew,1846; *ahngeri* Pleske,1901; *cyprina* Pleske,1902; *kervillei* Villeneuve,1912; *planes* James,1941
6877) *Stratiomys chamaeleon* (Linnaeus,1758) (Stratiomyidae) Synonym(s): *chamaeleon* Linnaeus,1758; *sellata* Sulzer,1761; *spatula* Scopoli,1763; *nigrodentata* Meigen,1804; *rhaetica* Jaennicke,1866; *unguicornis* Becker,1887; *caucasica* Pleske,1899; *kosnakowi* Pleske,1901; *winogradowinikitini* Pleske,1922
6878) *Stratiomys nobilis* Loew,1871 (Stratiomyidae) Synonym(s): *nobilis* Loew,1871; *fischeri* Wagner,1912
6879) *Stratiomys ruficornis* (Macquart,1838) (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhoceras* Loew,1868
6880) *Stratiomys viridis* (Paramonov,1926) (Stratiomyidae) Synonym(s): *viridis* Paramonov,1926; *persica* Torres,1947
6881) *Streblote solitaria* Zolotuhin,1991 (Lasiocampidae) Synonym(s): *solitaria* Zolotuhin,1991
6882) *Stroggylocephalus agrestis* (Fallén,1806) (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968
6883) *Strongylopsis abdominalis* Kasparyan,1974 (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974
6884) *Strophedra weirana* (Douglas,1850) (Tortricidae) Synonym(s): *weirana* Douglas,1850
6885) *Stymphalus rubrolineatus* (Stal,1855) (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914
6886) *Suillia variegata* (Loew,1862) (Heleomyzidae) Synonym(s): *variegata* Loew,1862
6887) *Sulcieneptia znoikoi* (Rubtsov,1940) (Simuliidae) Synonym(s): *znoikoi* Rubtsov,1940
6888) *Sybistroma clara* Negrobov & Onishchenko,1991 (Dolichopodidae) Synonym(s): *clara* Negrobov & Onishchenko,1991
6889) *Sybistroma lenkoranica* Negrobov,1979 (Dolichopodidae) Synonym(s): *lenkoranica* Negrobov,1979
6890) *Sybistroma obscurella* (Fallén,1823) (Dolichopodidae) Synonym(s): *obscurella* Fallén,1823; *xanthogastra* Meigen,1824; *appendiculata* Macquart,1827
6891) *Sybistroma transcaucasica* Stackelberg,1941 (Dolichopodidae) Synonym(s): *transcaucasica* Stackelberg,1941
6892) *Sycophila biguttata* (Swederus,1795) (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876
6893) *Sycophila flavicollis* (Walker,1834) (Eurytomidae) Synonym(s): *flavicollis* Walker,1834
6894) *Symmerus annulatus* (Meigen,1830) (Ditomyiidae) Synonym(s): *annulatus* Meigen,1830; *ferrugineus* Walker,1848; *flavus* Zetterstedt,1851; *apicalis* Winnertz,1852; *vittata* Walker,1856; *pallida* Giglio-Tos,1890
6895) *Sympetrum striolatum* (Charpentier,1840) (Libellulidae) Synonym(s): *striolatum* Charpentier,1840
6896) *Sympiesis acalle* (Walker,1848) (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteori* Girault,1916
6897) *Sympiesis sericeicornis* (Nees ab Esenbeck,1834) (Eulophidae) Synonym(s): *sericeicornis* Nees ab Esenbeck,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford fulvipes Györfi,1941
6898) *Symplecta (Psiloconopa) stictica* (Meigen,1818) (Limoniidae) Synonym(s): *stictica* Meigen,1818
6899) *Symplecta (s.str.) hybrida* (Meigen,1804) (Limoniidae) Synonym(s): *hybrida* Meigen,1804; *punctipennis* De Meijere,1920
6900) *Sympycnus cirripes* (Haliday,1851) (Dolichopodidae) Synonym(s): *cirripes* Haliday,1851; *brachydactylus* Kowarz,1889; *pullatus* Kowarz,1899
6901) *Sympycnus pulicarius* (Fallén,1823) (Dolichopodidae) Synonym(s): *pulicarius* Fallén,1823; *annulipes* Meigen,1824; *pygmaeus* Macquart,1827; *cinerellus* Zetterstedt,1838; *desoutteri* Parent,1925
6902) *Sympycnus simpliceps* Becker,1908 (Dolichopodidae) Synonym(s): *simpliceps* Becker,1908

- 6903) *Synansphecchia affinis* (Staudinger, 1856) (Sesiidae) Synonym(s): *affinis* Staudinger, 1856
 6904) *Synansphecchia cirgisa* (Bartel, 1912) (Sesiidae) Synonym(s): *cirgisa* Bartel, 1912
 6905) *Synansphecchia muscaeformis* (Esper, [1783]) (Sesiidae) Synonym(s): *muscaeformis* Esper, [1783]
 6906) *Synanthedon andrenaeformis* (Laspeyres, 1801) (Sesiidae) Synonym(s): *andrenaeformis* Laspeyres, 1801; *atlantiforme* Newman, 1832; *andraeniformis* Westwood, 1843; *andreniformis* Staudinger, 1856
 6907) *Synanthedon armeniacum* Gorbunov, 1991 (Sesiidae) Synonym(s): *armeniaceum* Gorbunov, 1991
 6908) *Synanthedon caucasicum* Gorbunov, 1986 (Sesiidae) Synonym(s): *caucasica* Gorbunov, 1986
 6909) *Synanthedon cephiiformis* (Ochsenheimer, 1808) (Sesiidae) Synonym(s): *cephiiformis* Ochsenheimer, 1808; *laspeyres* Heppner & Duckworth, 1981
 6910) *Synanthedon colchidensis* K.Spatenka & Gorbunov, 1992 (Sesiidae) Synonym(s): *colchidensis* K.Spatenka & Gorbunov, 1992
 6911) *Synanthedon conopiformis* (Esper, [1782]) (Sesiidae) Synonym(s): *conopiformis* Esper, [1782]; *syrphiformis* Hübner, 1796; *nomadaeformis* Laspeyres, 1801
 6912) *Synanthedon culiciformis* (Linnaeus, 1758) (Sesiidae) Synonym(s): *culiciformis* Linnaeus, 1758; *culex* Retzius, 1783; *americana* Beutenmüller, 1896
 6913) *Synanthedon formicaeformis* (Esper, [1783]) (Sesiidae) Synonym(s): *formicaeformis* Esper, [1783]; *formiciformis* Staudinger, 1856
 6914) *Synanthedon myopaeformis* (Borkhausen, 1789) (Sesiidae) Synonym(s): *myopaeformis* Borkhausen, 1789; *mutillaeformis* Laspeyres, 1801; *luctuosa* Lederer, 1853; *myopiiformis* Staudinger, 1856; *elegans* Lederer, 1861.
 6915) *Synanthedon spatenkai* Gorbunov, 1991 (Sesiidae) Synonym(s): *spatenkai* Gorbunov, 1991
 6916) *Synanthedon stomoxiformis* (Hübner, 1790) (Sesiidae) Synonym(s): *stomoxiformis* Hübner, 1790; *culiciformis* Scopoli, 1763 nec Linn., 1758; *stomoxiiformis* Hübner, 1796; *amasina* Staudinger, 1878.
 6917) *Synanthedon talischense* (Bartel, 1906) (Sesiidae) Synonym(s): *talischense* Bartel, 1906
 6918) *Synanthedon tipuliformis* (Clerck, 1759) (Sesiidae) Synonym(s): *#salmachus* Linnaeus, 1758 (suppressed); *tipuliformis* Clerck, 1759; *tipula* Retzius, 1783; *ophioniiformis* Hübner, [1813]
 6919) *Synanthedon vespiformis* (Linnaeus, 1761) (Sesiidae) Synonym(s): *vespiformis* Linnaeus, 1761; *asiliformis* Rottemburg, 1775; *oestriiformis* Rottemburg, 1775; *cynipiformis* Esper, 1783; *chrysorrhoea* Donovan, 1795
 6920) *Synaphe antennalis* (Fabricius, 1794) (Pyralidae) Synonym(s): *antennalis* Fabricius, 1794; *connectalis* Hübner, 1796
 6921) *Synaphe armenialis* (Lederer, 1870) (Pyralidae) Synonym(s): *armenialis* Lederer, 1870
 6922) *Synaphe bombycalis* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *bombycalis* [Denis & Schiffermüller], 1775; *almanica* Rebel, 1917.
 6923) *Synaphe consecratalis* (Lederer, 1855) (Pyralidae) Synonym(s): *consecratalis* Lederer, 1855
 6924) *Synaptus filiformis* (Fabricius, 1781) (Elateridae) Synonym(s): *filiformis* Fabricius, 1781
 6925) *Syncopacma karvoneni* (Hackman, 1950) (Gelechiidae) Synonym(s): *karvoneni* Hackman, 1950
 6926) *Syncopacma semicostella* (Staudinger, 1871) (Gelechiidae) Synonym(s): *semicostella* Staudinger, 1871; *albicapitella* Bidzilya, 1996
 6927) *Syncrotaula strepsicentra* Meyrick, 1937 (Yponomeutidae) Synonym(s): *strepsicentra* Meyrick, 1937
 6928) *Syndemis musculana* (Hübner, [1799]) (Tortricidae) Synonym(s): *musculana* Hübner, [1799]; *musculinana* Kennel, 1899; *nipponensis* Yasuda, 1975.
 6929) *Syndemis xanthopterana* Kostyuk, 1980 (Tortricidae) Synonym(s): *xanthopterana* Kostyuk, 1980
 6930) *Synechocryptus mactator* (Tschek, 1870) (Ichneumonidae) Synonym(s): *mactator* Tschek, 1870
 6931) *Syngrapha interrogationis* (Linnaeus, 1758) (Noctuidae) Synonym(s): *interrogationis* Linnaeus, 1758; *aurosignata* Donovan, 1808
 6932) *Synophrysops lauri* (Horvath, 1897) (Cicadellidae) Synonym(s): *lauri* Horvath, 1897; *wagneri* Haupt, 1926
 6933) *Synopsis sociaria* (Hübner, [1799]) (Geometridae) Synonym(s): *sociaria* Hübner, [1799]; *staudingeraria* Martorell, 1874; *acuta* Wehrli, 1926
 6934) *Synopsidia phasidaria* (Rogenhofer, 1873) (Geometridae) Synonym(s): *phasidaria* Rogenhofer, 1873
 6935) *Synoria antiquella* (Herrich-Schäffer, [1855]) (Pyralidae) Synonym(s): *antiquella* Herrich-Schäffer, [1855]
 6936) *Syntormon denticulatum* (Zetterstedt, 1843) (Dolichopodidae) Synonym(s): *denticulatus* Zetterstedt, 1843; *aculeatus* Zetterstedt, 1843; *biseriatus* Loew, 1850; *pumilus* Parent, 1925
 6937) *Syntormon filiger* Verrall, 1912 (Dolichopodidae) Synonym(s): *filiger* Verrall, 1912; *obscurifrons* Parent, 1932
 6938) *Syntormon fuscipes* (Von Roser, 1840) (Dolichopodidae) Synonym(s): *fuscipes* Von Roser, 1840; *spicatus* Loew, 1857
 6939) *Syntormon latitarsis* Negrobov & Shamshev, 1984 (Dolichopodidae) Synonym(s): *latitarsis* Negrobov & Shamshev, 1984
 6940) *Syntormon metathensis* (Loew, 1850) (Dolichopodidae) Synonym(s): *metathensis* Loew, 1850; *simplicipes* Frey, 1915; *dobrogicus* Parvu, 1985
 6941) *Syntormon monilis* (Haliday, 1851) (Dolichopodidae) Synonym(s): *monilis* Haliday, 1851; *silvianus* Parvu, 1989
 6942) *Syntormon pallipes* (Fabricius, 1794) (Dolichopodidae) Synonym(s): *pallipes* Fabricius, 1794; *hamatus* Zetterstedt, 1843; *pseudospicatus* Strobl, 1899; *immaculatus* Santos Abreu, 1929
 6943) *Syntormon pennatus* Ringdahl, 1920 (Dolichopodidae) Synonym(s): *pennatus* Ringdahl, 1920
 6944) *Syntormon pumilum* (Meigen, 1824) (Dolichopodidae) Synonym(s): *pumilus* Meigen, 1824; *rufipes* Meigen, 1824; *longiseta* Zetterstedt, 1843; *pumilio* Zetterstedt, 1859; *pusillus* Zetterstedt, 1859; *tridens* Becker, 1918
 6945) *Syntormon subinermis* (Loew, 1869) (Dolichopodidae) Synonym(s): *subinermis* Loew, 1869
 6946) *Syntormon submonilis* Negrobov, 1975 (Dolichopodidae) Synonym(s): *submonilis* Negrobov, 1975
 6947) *Syntormon sulcipes* (Meigen, 1824) (Dolichopodidae) Synonym(s): *sulcipes* Meigen, 1824; *oedictenus* Loew, 1859; *obscurior* Parent, 1938
 6948) *Syntormon zelleri* (Loew, 1850) (Dolichopodidae) Synonym(s): *zelleri* Loew, 1850
 6949) *Synuchus (Synuchus) vivalis* Illiger, 1798 (Carabidae) Synonym(s): *vivalis* Illiger, 1798
 6950) *Syrista parreyssii* (Spinola, 1843) (Cephalidae) Synonym(s): *parreyssii* Spinola, 1843
 6951) *Syritta pipiens* (Linnaeus, 1758) (Syrphidae) Synonym(s): *pipiens* Linnaeus, 1758; *proxima* Say, 1824; *obscuripes* Strobl, 1899; *albicincta* Santos Abreu, 1924; *flavicans* Szilady, 1940; *vicina* Szilady, 1940; *tenosemora* Dzhafarova, 1974
 6952) *Syromastus rhombeus* (Linnaeus, 1767) (Coreidae) Synonym(s): *rhombeus* Linnaeus, 1767; *quadratus* Fabricius, 1775; *sinuata* Fieber, 1861; *fusca* Vidal, 1936
 6953) *Syrphus ribesii* (Linnaeus, 1758) (Syrphidae) Synonym(s): *ribesii* Linnaeus, 1758; *blanda* Harris, 1780
 6954) *Syrphus vitripennis* Meigen, 1822 (Syrphidae) Synonym(s): *vitripennis* Meigen, 1822
 6955) *Systemus pallipes* (Von Roser, 1840) (Dolichopodidae) Synonym(s): *pallipes* Von Roser, 1840; *adpropinquans* Loew, 1857; *pallidus* Vaillant, 1978
 6956) *Systemus scholtzi* (Loew, 1850) (Dolichopodidae) Synonym(s): *scholtzi* Loew, 1850; *alpinus* Vaillant, 1978

- 6957) *Systoechus autumnalis* (Wiedemann, 1818) (Bombyliidae) Synonym(s): *autumnalis* Wiedemann, 1818
- 6958) *Systoechus ctenopterus* (Mikan, 1796) (Bombyliidae) Synonym(s): *ctenopterus* Mikan, 1796; *sulphureus* Mikan, 1796; *aurulentus* Wiedemann, 1820; *fulvus* Meigen, 1820; *dalmatinus* Loew, 1855; *convergens* Loew, 1855; *orientalis* Zakhvatkin, 1954
- 6959) *Systoechus gomezmenori* Rubio, 1959 (Bombyliidae) Synonym(s): *gomezmenori* Rubio, 1959
- 6960) *Systoechus gradatus* (Wiedemann, 1820) (Bombyliidae) Synonym(s): *gradatus* Wiedemann, 1820; *leucophaeus* Wiedemann, 1820; *lucidus* Loew, 1855; *gallicus* Villeneuve, 1904; *tesquorum* Becker, 1916; *validus* Bezzi, 1925
- 6961) *Systoechus longirostris* Becker, 1916 (Bombyliidae) Synonym(s): *longirostris* Becker, 1916
- 6962) *Systoechus microcephalus* (Loew, 1855) (Bombyliidae) Synonym(s): *microcephalus* Loew, 1855
- 6963) *Tabanus anthrax* Olsufjev, 1937 (Tabanidae) Synonym(s): *anthrax* Olsufjev, 1937; *pfeifferi* Kröber, 1939
- 6964) *Tabanus armeniacus* (Kröber, 1928) (Tabanidae) Synonym(s): *armeniaceus* Kröber, 1928
- 6965) *Tabanus armenicus* Szilady, 1926 (Tabanidae) Synonym(s): *armenicus* Szilady, 1926
- 6966) *Tabanus atropathenicus* Olsufjev, 1937 (Tabanidae) Synonym(s): *atropathenicus* Olsufjev, 1937
- 6967) *Tabanus bifarius* Loew, 1858 (Tabanidae) Synonym(s): *bifarius* Loew, 1858; *longicornis* Enderlein, 1932; *tauricus* Enderlein, 1932; *simovae* Leclercq, 1959; *mesogaeus* Peus, 1980
- 6968) *Tabanus canipalpis* (Bigot, 1892) (Tabanidae) Synonym(s): *canipalpis* Bigot, 1892
- 6969) *Tabanus caucasicus* Kröber, 1925 (Tabanidae) Synonym(s): *caucasicus* Kröber, 1925
- 6970) *Tabanus dzhafari* Khudaverdiev & Dzhafarov, 1974 (Tabanidae) Synonym(s): *dzhafari* Khudaverdiev & Dzhafarov, 1974
- 6971) *Tabanus fumidus* Austen, 1923 (Tabanidae) Synonym(s): *fumidus* Austen, 1923; *turpis* Bogatchev & Samedov, 1949
- 6972) *Tabanus hauseri* Olsufjev, 1967 (Tabanidae) Synonym(s): *hauseri* Olsufjev, 1967
- 6973) *Tabanus indrae* Hauser, 1939 (Tabanidae) Synonym(s): *indrae* Hauser, 1939; *vappa* Bogatchev & Samedov, 1949; *montivagus* Olsufjev, 1970
- 6974) *Tabanus infestus* Bogatchev & Samedov, 1949 (Tabanidae) Synonym(s): *infestus* Bogatchev & Samedov, 1949
- 6975) *Tabanus laeteticinctus* Becker, 1913 (Tabanidae) Synonym(s): *laeteticinctus* Becker, 1913; *sordes* Bogatchev & Samedov, 1949; *assuetus* Hauser, 1960; *cinereus* Hauser, 1960
- 6976) *Tabanus leleani* Austen, 1920 (Tabanidae) Synonym(s): *leleani* Austen, 1920; *pallidus* Olsufjev, 1937 nec P.B., 1809; *turkestanicus* Olsufjev, 1970
- 6977) *Tabanus lunatus* Fabricius, 1794 (Tabanidae) Synonym(s): *lunatus* Fabricius, 1794; *algoricus* Thunberg, 1827; *wideri* Jaenicke, 1866; *syriacus* Szilady, 1923; *rufus* Szilady, 1923; *politus* Szilady, 1923; *farinosus* Szilady, 1923; *algeriensis* Peus, 1980; *levantinus* Peus, 1980
- 6978) *Tabanus miki* Brauer, 1880 (Tabanidae) Synonym(s): *miki* Brauer, 1880; *velutinus* Kröber, 1936; *australis* Hauser, 1960; *postvelutinus* Moucha, 1962
- 6979) *Tabanus olsufjevi* Hauser, 1960 (Tabanidae) Synonym(s): *olsufjevi* Hauser, 1960
- 6980) *Tabanus perelegans* Olsufjev, 1972 (Tabanidae) Synonym(s): *perelegans* Olsufjev, 1972
- 6981) *Tabanus portschinskii* Olsufjev, 1937 (Tabanidae) Synonym(s): *portschinskii* Olsufjev, 1937
- 6982) *Tabanus prometheus* Szilady, 1923 (Tabanidae) Synonym(s): *prometheus* Szilady, 1923; *capito* Olsufjev, 1937
- 6983) *Tabanus quatuornatus* Meigen, 1820 (Tabanidae) Synonym(s): *quatuornatus* Meigen, 1820; *labaumeanus* Enderlein, 1925; *cherbottae* Muschamp, 1939; *araxis* Olsufjev, 1972
- 6984) *Tabanus regularis* Jaenicke, 1866 (Tabanidae) Synonym(s): *regularis* Jaenicke, 1866; *rufus* Szilady, 1923 nec Scop., 1763; *#regluaris* Kılıç, 1999
- 6985) *Tabanus rupium* Brauer, 1880 (Tabanidae) Synonym(s): *pusillus* Egger, 1859 nec Macq., 1839; *rupium* Brauer, 1880; *abazus* Bigot, 1880; *alazinus* Bigot, 1892; *lasios* Surcouf, 1924; *hadjinicolaoui* Kröber, 1936; *loewi* Muschamp, 1939
- 6986) *Tabanus sabuletorum* Loew, 1874 (Tabanidae) Synonym(s): *sabuletorum* Loew, 1874; *gerkei* Brauer, 1880; *lama* Portschkinsky, 1892; *oculipilosus* Olsufjev, 1972; *beshkentica* Baratov, 1980
- 6987) *Tabanus semiargenteus* Olsufjev, 1937 (Tabanidae) Synonym(s): *semiargenteus* Olsufjev, 1937
- 6988) *Tabanus shelkovnikovi* Paramanov, 1934 (Tabanidae) Synonym(s): *shelkovnikovi* Paramanov, 1934; *bouvieri* Philip, 1959
- 6989) *Tabanus spectabilis* Loew, 1858 (Tabanidae) Synonym(s): *lateralis* Brullé, 1832 (praeocc.); *spectabilis* Loew, 1858; *aspahanicus* Rondani, 1873
- 6990) *Tabanus subparadoxus* Olsufjev, 1937 (Tabanidae) Synonym(s): *morio* Olsufjev, 1937 nec L., 1767; *subparadoxus* Olsufjev, 1937
- 6991) *Tabanus swiridowi* Portschkinsky, 1882 (Tabanidae) Synonym(s): *swiridowi* Portschkinsky, 1882
- 6992) *Tabanus talyshi* Olsufjev, 1972 (Tabanidae) Synonym(s): *talyshi* Olsufjev, 1972
- 6993) *Tabanus tergestinus* Egger, 1859 (Tabanidae) Synonym(s): *tergestinus* Egger, 1859
- 6994) *Tabanus terterjani* (Andreva & Zeynalova, 2002) (Tabanidae) Synonym(s): *terterjani* Andreva & Zeynalova, 2002
- 6995) *Tabanus tinctus* Walker, 1850 (Tabanidae) Synonym(s): *tinctus* Walker, 1850; *mixtus* Szilady, 1914
- 6996) *Tabanus unifasciatus* Loew, 1858 (Tabanidae) Synonym(s): *unifasciatus* Loew, 1858; *albescens* Kröber, 1928
- 6997) *Tabanus zimini* Olsufjev, 1937 (Tabanidae) Synonym(s): *zimini* Olsufjev, 1937; *luppovae* Baratov, 1961
- 6998) *Tabulaephorus decipiens* (Lederer, 1870) (Pterophoridae) Synonym(s): *decipiens* Lederer, 1870
- 6999) *Tabulaephorus parthicus* (Lederer, 1870) (Pterophoridae) Synonym(s): *parthicus* Lederer, 1870
- 7000) *Tachina (Echinogaster) praeceps* Meigen, 1824 (Tachinidae) Synonym(s): *praeceps* Meigen, 1824; *argentifrons* Macquart, 1835; *pusilla* Macquart, 1845; *fuscanipennis* Macquart, 1845; *alpicola* Rondani, 1861; *tricondyla* Rondani, 1868; *roederi* Giglio-Tos, 1891; *similis* Giglio-Tos, 1891
- 7001) *Tachina (Eudoromyia) fera* (Linnaeus, 1761) (Tachinidae) Synonym(s): *fera* Linnaeus, 1761
- 7002) *Tachina (Eudoromyia) magnicornis* Zetterstedt, 1844 (Tachinidae) Synonym(s): *tessellata* Fabricius, 1794; *magnicornis* Zetterstedt, 1844; *conjugata* Rondani, 1859; *dispersa* Giglio-Tos, 1891; *friedrichi* Wachtl, 1894; *vernalis* R.-D.; *satanas* Zimin, 1935
- 7003) *Tachina (Eudoromyia) nupta* (Rondani, 1859) (Tachinidae) Synonym(s): *nupta* Rondani, 1859; *micado* Kirby, 1884; *orientalis* Zimin, 1935; *trigonata* Villeneuve, 1936; *nigriventris* Zimin, 1967; *mesnili* Zimin, 1967; *turanica* Zimin, 1980
- 7004) *Tachinus caucasicus* Kolenati, 1846 (Staphylinidae) Synonym(s): *caucasicus* Kolenati, 1846
- 7005) *Tachycixius bifurcatus* Logvinenko, 1971 (Cixiidae) Synonym(s): *bifurcatus* Logvinenko, 1971
- 7006) *Tachycixius desertorum* (Fieber, 1876) (Cixiidae) Synonym(s): *desertorum* Fieber, 1876
- 7007) *Tachycixius tigrinus* Logvinenko, 1971 (Cixiidae) Synonym(s): *tigrinus* Logvinenko, 1971
- 7008) *Tachydromia caucasica* Chvala, 1970 (Hybotidae) Synonym(s): *caucasica* Chvala, 1970
- 7009) *Tachys (Eotachys) bistriatus* (Duftschmid, 1812) (Carabidae) Synonym(s): *bistriatus* Duftschmid, 1812
- 7010) *Tachys (Eotachys) fulvicollis* (Dejean, 1831) (Carabidae) Synonym(s): *fulvicollis* Dejean, 1831
- 7011) *Tachys (Eotachys) micros* (Fischer von Waldheim, 1828) (Carabidae) Synonym(s): *micros* Fischer von Waldheim, 1828

- 7012) **Tachys (Eotachys) transcausicus Coulon, 2004** (Carabidae) Synonym(s): *transcausicus* Coulon, 2004
- 7013) **Tachytrechus genualis Loew, 1857** (Dolichopodidae) Synonym(s): *genualis* Loew, 1857
- 7014) **Tachytrechus kowarzi Mik, 1864** (Dolichopodidae) Synonym(s): *kowarzi* Mik, 1864
- 7015) **Tachytrechus notatus (Stannius, 1831)** (Dolichopodidae) Synonym(s): *notatus* Stannius, 1831; *litoreus* Haliday, 1833; *obscuripes* Gertaecker, 1864; *beckeri* Müller, 1923
- 7016) **Tachytrechus petraeus Loew, 1871** (Dolichopodidae) Synonym(s): *petraeus* Loew, 1871
- 7017) **Tachytrechus ripicola Loew, 1857** (Dolichopodidae) Synonym(s): *ripicola* Loew, 1857
- 7018) **Taeniopteryx caucasica Zhiltzova, 1981** (Taeniopterygidae) Synonym(s): *caucasica* Zhiltzova, 1981
- 7019) **Taeniopteryx nebulosa (Linnaeus, 1758)** (Taeniopterygidae) Synonym(s): *nebulosa* Linnaeus, 1758; *praetexta* Burmeister, 1839; *nigripes* Zetterstedt, 1840; *minuta* Rambur, 1842; *socia* Rambur, 1842
- 7020) **Taleporia euxina Zagulyaev, 1997** (Psychidae) Synonym(s): *euxina* Zagulyaev, 1997
- 7021) **Taleporia pallidella (Zagulyaev, 1997)** (Psychidae) Synonym(s): *pallidella* Zagulyaev, 1997
- 7022) **Tamaricella jaxartensis (Oshanin, 1871)** (Cicadellidae) Synonym(s): *jaxartensis* Oshanin, 1871; *astrachanica* Zachvatkin, 1953
- 7023) **Tanyproctus carbonarius Faldermann, 1835** (Scarabaeidae) Synonym(s): *carbonarius* Faldermann, 1835
- 7024) **Taphoxenus (Lychnifugus) cellarum Adams, 1817** (Carabidae) Synonym(s): *cellarum* Adams, 1817
- 7025) **Taphromeloe erythrocnemus (Pallas, 1782)** (Meloidae) Synonym(s): *erythrocnemus* Pallas, 1782; *corallipes* Gebler, 1847
- 7026) **Tarisa fraudatrix Horvath, 1891** (Pentatomidae) Synonym(s): *fraudatrix* Horvath, 1891; *chloris* Horvath, 1904
- 7027) **Tarisa virescens Herrich-Schäffer, 1851** (Pentatomidae) Synonym(s): *virescens* Herrich-Schäffer, 1851; *notoceras* Kolenati, 1857
- 7028) **Tarsostenus univittatus (Rossi, 1792)** (Cleridae) Synonym(s): *univittatus* Rossi, 1792
- 7029) **Tartarogryllus tartarus (Saussure, 1874)** (Gryllidae) Synonym(s): *tartarus* Saussure, 1874; *intermedius* Chopard, 1940; *intercalatus* Chopard, 1943
- 7030) **Tarucus (s.str.) balkanicus (Freyer, [1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer, [1843]
- 7031) **Tbilisia denticulata Dlabola, 1958** (Cicadellidae) Synonym(s): *denticulata* Dlabola, 1958
- 7032) **Tebenna bjerckandrella (Borgström, 1784)** (Choreutidae) Synonym(s): *cardui* Ström, 1783; *bjerckandrella* Borgström, 1784; *prunnerella* Rossi, 1794; *vibrana* Hübner, [1813]; *fibrana* Hübner, [1825]; *pretiosana* Duponchel, 1842; *vibralis* Treitschke, 1835; *australis* Zeller, 1857; *kawabei* Arita, 1975
- 7033) **Tebenna caucasica Danilevsky, 1976** (Choreutidae) Synonym(s): *caucasica* Danilevsky, 1976
- 7034) **Tebenna micalis (Mann, 1857)** (Choreutidae) Synonym(s): *micalis* Mann, 1857; *isschikii* Matsumura, 1931; *bradleyi* Clarke, 1971; *hypocroca* Diakonoff, 1978
- 7035) **Tegostoma albizonalis Hampson, 1900** (Pylalidae) Synonym(s): *albizonalis* Hampson, 1900.
- 7036) **Tegostoma comparalis (Hübner, 1796)** (Pylalidae) Synonym(s): *comparalis* Hübner, 1796; *ramalis* Hübner, 1796; *tenebrosalis* Walker, 1865; *fotalis* Swinhoe, 1885; *#comparale* Caradja, 1917.
- 7037) **Tegostoma perlepidalis (Guenée, 1854)** (Pylalidae) Synonym(s): *#lepidalis* Herrich-Schäffer, [1851]; *perlepidalis* Guenée, 1854; *lepidalis* Herrich-Schäffer, [1855]; *#lepidale* Caradja, 1917.
- 7038) **Tegostoma rutilineale Zerny, 1914** (Pylalidae) Synonym(s): *rutilineale* Zerny, 1914
- 7039) **Teinoptera olivina (Herrich-Schäffer, [1852])** (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer, [1852]
- 7040) **Telechrysis tripuncta (Haworth, [1828])** (Oecophoridae) Synonym(s): *tripuncta* Haworth, [1828]; *tripunctella* Stephens, 1834; *scyllaella* Costa, [1836]; *trisinella* Zeller, 1839; *trimaculella* Duponchel, [1840]
- 7041) **Telmatoscopus svaneticus Jezek, 1989** (Psychodidae) Synonym(s): *svaneticus* Jezek, 1989
- 7042) **Telmaturgus tumidulus (Raddatz, 1873)** (Dolichopodidae) Synonym(s): *tumidulus* Raddatz, 1873
- 7043) **Temelucha decorata (Gravenhorst, 1829)** (Ichneumonidae) Synonym(s): *decorata* Gravenhorst, 1829; *ornatus* Szepligeti, 1900
- 7044) **Tenaga nigripunctella (Haworth, [1828])** (Tineidae) Synonym(s): *nigripunctella* Haworth, [1828]; *pomiliella* Clemens, 1862; *moeniella* Rössler, 1877; *linobola* Eyrick, 1893; *sesquitertia* Meyrick, 1909
- 7045) **Tenthredo (Zonuledo) zonula Klug, 1817** (Tenthredinidae) Synonym(s): *fasciata* Scopoli, 1763 nec Linn., 1758; *bifasciata* Geoffroy, 1785 nec Müll., 1766; *bicictaflava* Christ, 1791; *zonula* Klug, 1817; *similis* Mocsary, 1880; *nazarensis* André; *serena* Konow; *calcaratus* André, 1881; *scutellaris* Konow, 1898
- 7046) **Tenthredo luteipennis Eversmann, 1847** (Tenthredinidae) Synonym(s): *luteipennis* Eversmann, 1847; *fallax* Mocsary, 1880 nec Smith, 1878 nec Audinet-Serville, 1823; *mocsaryi* André, 1882; *menetriesi* Kirby, 1882; *obscuraria* Enslin, 1913
- 7047) **Tenthredo maculata Geoffroy, 1785** (Tenthredinidae) Synonym(s): *maculata* Geoffroy, 1785; *unifasciata* Geoffroy, 1785; *zonta* Christ, 1791; *equestris* Panzer, 1809; *latizona* Audinet-Serville, 1823; *andrei* Mocsary, 1883; *maculata* Enslin, 1912
- 7048) **Tenthredo marginella Fabricius, 1793** (Tenthredinidae) Synonym(s): *marginella* Fabricius, 1793; *fuscipennis* Konow, 1886; *hakkariensis* Blank, 1991
- 7049) **Tenthredo omissa Förster, 1844** (Tenthredinidae) Synonym(s): *omissa* Förster, 1844; *vienensis* sensu Panzer, 1799; *marginella* sensu Thomson, 1871; *melanoceraea* Enslin, 1912
- 7050) **Tenthredo propinqua Klug, 1817** (Tenthredinidae) Synonym(s): *propinqua* Klug, 1817
- 7051) **Tenthredo scrophulariae Linnaeus, 1758** (Tenthredinidae) Synonym(s): *scrophulariae* Linnaeus, 1758
- 7052) **Tenthredo thompsoni Curtis, 1839** (Tenthredinidae) Synonym(s): *thompsoni* Curtis, 1839; *basanalis* Enslin, 1912; *marginella* sensu Chevin, 1983; *semifasciatus* Rudow, 1872
- 7053) **Tenthredo vespa Retzius, 1783** (Tenthredinidae) Synonym(s): *vespa* Retzius, 1783; *multifasciata* Geoffroy, 1785; *sexannulata* Schrank, 1802; *tricincta* Fabricius, 1804 nec Christ, 1791; *quadrinicta* Fallén, 1808; *vespiformis* Audinet-Serville, 1823; *multicinctus* Rudow, 1872; *nigrilabris* Frivaldszky, 1877
- 7054) **Tenthredopsis festiva Konow, 1890** (Tenthredinidae) Synonym(s): *festiva* Konow, 1890
- 7055) **Tenthredopsis tessellata Klug, 1817** (Tenthredinidae) Synonym(s): *tessellata* Klug, 1817; *alboplagiata* Konow, 1890; *ischiadica* Eversmann, 1847; *cylindrica* Rudow, 1871
- 7056) **Tentyria nomas (Pallas, 1781)** (Tenebrionidae) Synonym(s): *nomas* Pallas, 1781; *saisanensis* Motschoulsky, 1845
- 7057) **Tentyria punctipleuris Reitter, 1900** (Tenebrionidae) Synonym(s): *punctipleuris* Reitter, 1900
- 7058) **Tentyria tessulata Tauscher, 1812** (Tenebrionidae) Synonym(s): *tessulata* Tauscher, 1812
- 7059) **Tephрина arenacearia ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *arenacearia* [Denis & Schiffermüller], 1775; *flavidaria* Eversmann, 1852; *discriminaria* Walker, 1862; *irradiata* Walker, 1862; *impreviata* Walker, 1863; *stena* Wehrli, 1940
- 7060) **Tephрина murinaria ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *murinaria* [Denis & Schiffermüller], 1775; *nubecularia* Villers, 1789; *myosaria* Esper, [1806]; *cineraria* Duponchel, 1829; *buffonaria* Millièrre, 1855
- 7061) **Tephritis brachyura Loew, 1869** (Tephritidae) Synonym(s): *brachyura* Loew, 1869
- 7062) **Tephritis cometa (Loew, 1840)** (Tephritidae) Synonym(s): *cometa* Loew, 1840; *israelis* Freidberg, 1974

- 7063) *Tephritis dioscurea* (Loew,1856) (Tephritidae) Synonym(s): *dioscurea* Loew,1856
 7064) *Tephritis formosa* (Loew,1844) (Tephritidae) Synonym(s): *formosa* Loew,1844
 7065) *Tephritis hurvitzii* Freidberg,1981 (Tephritidae) Synonym(s): *hurvitzii* Freidberg,1981
 7066) *Tephritis postica* (Loew,1844) (Tephritidae) Synonym(s): *postica* Loew,1844
 7067) *Tephritis tatarica* Portschinsky,1892 (Tephritidae) Synonym(s): *tatarica* Portschinsky,1892
 7068) *Tephritis valida* (Loew,1844) (Tephritidae) Synonym(s): *valida* Loew,1844
 7069) *Tephronia oppositaria* Mann,1864 (Geometridae) Synonym(s): *oppositaria* Mann,1864
 7070) *Tephronia sepiaria* (Hufnagel,1767) (Geometridae) Synonym(s): *sepiaria* Hufnagel,1767; *cineraria* [Denis & Schiffermüller],1775; *carieraria* Herrich-Schäffer,1848; *destituta* Walker,1870; *tingalata* Millière,1873
 7071) *Teratolytta dives* (Brullé,1832) (Meloidae) Synonym(s): *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894
 7072) *Teratolytta optabilis* (Faldermann,1832) (Meloidae) Synonym(s): *optabilis* Faldermann,1832
 7073) *Terellia gynaeochroma* (M.Hering,1936) (Tephritidae) Synonym(s): *gynaeochroma* M.Hering,1936
 7074) *Terellia quadratula* (Loew,1869) (Tephritidae) Synonym(s): *quadratula* Loew,1869
 7075) *Terellia ruficauda* (Fabricius,1794) (Tephritidae) Synonym(s): *ruficauda* Fabricius,1794
 7076) *Terellia serratulae* (Linnaeus,1758) (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758
 7077) *Tethea ocularis* (Linnaeus,1767) (Thyatridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788; *kossigii* Werny,[1967]; *caucasica* Werny,[1967] nec Krul.,1901
 7078) *Tethea* or ([Denis & Schiffermüller],1775) (Thyatridae) Synonym(s): *#or* [Denis & Schiffermüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 nec Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911; *nigrescens* Werny,[1967]
 7079) *Tethina czernyi* (Hendel,1934) (Tethinidae) Synonym(s): *czernyi* Hendel,1934
 7080) *Tetrahelix tenuicornis* (Sahlberg,1891) (Tetrigidae) Synonym(s): *#nutans* Hagenbach,1822; *tenuicornis* Sahlberg,1891; *pisarskii* Bazyluk,1963; *antennata* Steinmann,1964; *australis* Bei-Bienko,1964
 7081) *Tetrix bipunctata* (Linnaeus,1758) (Tetrigidae) Synonym(s): *bipunctata* Linnaeus,1758; *obscura* Hagenbach,1822; *arcticus* Hancock,1909; *obtusus* Hancock,1909; *validus* Hancock,1909; *explicatum* Ebner,1910; *paradoxa* Haij,1914; *subaptera* Haij,1914; *tuberculata* Haij,1914; *sjoestedti* Bei-Bienko,1933; *sjoestedtiana* Bei-Bienko & Mishchenko,1951
 7082) *Tetrix bolivari* (Saulcy,1901) (Tetrigidae) Synonym(s): *bolivari* Saulcy,1901
 7083) *Tetrix subulata* (Linnaeus,1758) (Tetrigidae) Synonym(s): *subulata* Linnaeus,1758
 7084) *Tetrops praeustus* (Linnaeus,1758) (Cerambycidae) Synonym(s): *praeustus* Linnaeus,1758; *ustulatus* Hagenbach,1822; *inapicalis* Pic,1891; *angorensis* Pic,1918; *mesmini* Pic,1928; *vicinus* Pic,1928; *anatolicus* Özdikmen & Turgut,2008
 7085) *Tettigometra (Hystrigonia) hexaspina Kolenati,1857* (Tettigometridae) Synonym(s): *hexaspina* Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866
 7086) *Tettigometra (Metropala) longicornis* (Signoret,1866) (Tettigometridae) Synonym(s): *longicornis* Signoret,1866
 7087) *Tettigometra (Mitricephalus) eremi* Lindberg,1948 (Tettigometridae) Synonym(s): *eremi* Lindberg,1948
 7088) *Tettigometra (Mitricephalus) leucophaea* (Preyssler,1792) (Tettigometridae) Synonym(s): *leucophaea* Preyssler,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980
 7089) *Tettigometra (Mitricephalus) macrocephalus* (Fieber,1865) (Tettigometridae) Synonym(s): *macrocephalus* Fieber,1865; *longiceps* Signoret,1866; *concolor* Fieber,1876 (*praeocc.*); *contaminatus* Metcalf,1932
 7090) *Tettigometra (s.str.) sulphurea Mulsant-Rey,1855* (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903
 7091) *Tettigometra angulata* Lindberg,1948 (Tettigometridae) Synonym(s): *angulata* Lindberg,1948
 7092) *Tettigometra atra* Hagenbach,1825 (Tettigometridae) Synonym(s): *atra* Hagenbach,1825
 7093) *Tettigometra sordida* Fieber,1865 (Tettigometridae) Synonym(s): *sordida* Fieber,1865
 7094) *Tettigometra vitellina* Fieber,1865 (Tettigometridae) Synonym(s): *vitellina* Fieber,1865
 7095) *Tettigonia caudata* (Charpentier,1845) (Tettigoniidae) Synonym(s): *caudata* Charpentier,1845; *kolenatii* Fischer von Waldheim,1846; *longicauda* Eversmann,1848; *prasina* Fieber,1852; *armeniaca* Tarbinsky,1940
 7096) *Tettigonia viridissima* (Linnaeus,1758) (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937
 7097) *Teuchophorus bipilosus* Becker,1908 (Dolichopodidae) Synonym(s): *bipilosus* Becker,1908
 7098) *Teuchophorus calcaratus* (Macquart,1827) (Dolichopodidae) Synonym(s): *calcaratus* Macquart,1827
 7099) *Teuchophorus monocanthus* Loew,1859 (Dolichopodidae) Synonym(s): *monocanthus* Loew,1859
 7100) *Teuchophorus spinigerellus* (Zetterstedt,1843) (Dolichopodidae) Synonym(s): *spinigerellus* Zetterstedt,1843
 7101) *Thalera fimbrialis* (Scopoli,1763) (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiararia* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
 7102) *Thaleropsis ionia* (Eversmann,1851) (Argynnididae) Synonym(s): *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851
 7103) *Thalophila matura* (Hufnagel,1766) (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912
 7104) *Thamnotettix (Loepotettix) exemtus* Melichar,1896 (Cicadellidae) Synonym(s): *exemtus* Melichar,1896
 7105) *Thanasimus formicarius* (Linnaeus,1758) (Cleridae) Synonym(s): *formicarius* Linnaeus,1758
 7106) *Thanatophilus porrectus* Semenov,1891 (Silphidae) Synonym(s): *porrectus* Semenov,1891
 7107) *Thaumatomyia sulcifrons* (Becker,1907) (Chloropidae) Synonym(s): *sulcifrons* Becker,1907; *aragonensis* Duda,1933; *plicata* Duda,1933
 7108) *Thecla betulae* (Linnaeus,1758) (Lycaenidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosa* Gerhard,[1850].
 7109) *Thecophora distincta* (Wiedemann,1824) (Conopidae) Synonym(s): *distincta* Wiedemann,1824
 7110) *Thecophora fulvipes* (R-D.,1830) (Conopidae) Synonym(s): *fulvipes* R-D.,1830; *sundewalli* Zetterstedt,1844
 7111) *Thecophora longirostris* Lyneborg,1962 (Conopidae) Synonym(s): *longirostris* Lyneborg,1962
 7112) *Thecophora pusilla* (Meigen,1824) (Conopidae) Synonym(s): *pusilla* Meigen,1824; *abdominalis* Chen,1939
 7113) *Theophila cylindricollis* Pic,1895 (Cerambycidae) Synonym(s): *cylindricollis* Pic,1895
 7114) *Thera (s.str.) cognata* (Thunberg,1792) (Geometridae) Synonym(s): *cognata* Thunberg,1792; *simulata* Hübner,[1809]; *coniferata* Curtis,1834; *geneata* Feisthamel,1835; *simularia* Boisduval,1840; *genearia* Boisduval,1840
 7115) *Thera (s.str.) obeliscata* (Hübner,1787) (Geometridae) Synonym(s): *obeliscata* Hübner,1787; *tristrigaria* Donovan,1808; *scotica* Staudinger,1901; *diniensis* Heinrich,1923
 7116) *Thera (s.str.) variata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *variata* [Denis & Schiffermüller],1775; *adumbrata* Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932.

- 7117) **Therapis flavicaria** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *flavicaria* [Denis & Schiffermüller],1775
- 7118) **Theretra alecto** (Linnaeus,1758) (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 7119) **Thereva affinis** Kröber,1913 (Therevidae) Synonym(s): *affinis* Kröber,1913
- 7120) **Thereva apicalis** Wiedemann,1821 (Therevidae) Synonym(s): *apicalis* Wiedemann,1821; *bivittata* Loew,1840
- 7121) **Thereva caucasica** Kröber,1913 (Therevidae) Synonym(s): *caucasica* Kröber,1913
- 7122) **Thereva marmorata** Kröber,1912 (Therevidae) Synonym(s): *marmorata* Kröber,1912
- 7123) **Thereva neglecta** Kröber,1912 (Therevidae) Synonym(s): *neglecta* Kröber,1912
- 7124) **Thereva ordubadica** Paramonov,1927 (Therevidae) Synonym(s): *ordubadica* Paramonov,1927
- 7125) **Therioplectes albicauda** (Olsufjev,1937) (Tabanidae) Synonym(s): *albicauda* Olsufjev,1937
- 7126) **Therioplectes carabaghensis** (Potschinsky,1877) (Tabanidae) Synonym(s): *carabaghensis* Potschinsky,1877; *orientalis* Olsufjev,1977
- 7127) **Therioplectes tricolor** Zeller,1842 (Tabanidae) Synonym(s): *tricolor* Zeller,1842; *ruficauda* Enderlein,1925; *kirchbergi* Moucha & Chvala,1959
- 7128) **Therioplectes tunicatus** Szilady,1927 (Tabanidae) Synonym(s): *tunicatus* Szilady,1927
- 7129) **Thermocoris rivalis** (Horvath,1894) (Miridae) Synonym(s): *rivalis* Horvath,1894; *suctor* Seidenstücker,1957
- 7130) **Theronia atalantae** (Poda,1761) (Ichneumonidae) Synonym(s): *atalantae* Poda,1761
- 7131) **Thetidia prasinaria** (Eversmann,1837) (Geometridae) Synonym(s): *prasinaria* Eversmann,1837; *volgaria* Guenée,[1858]; *mongolica* Staudinger,1897
- 7132) **Thetidia smaragdaria** (Fabricius,1787) (Geometridae) Synonym(s): *smaragdaria* Fabricius,1787
- 7133) **Thibetoides acerbus** Victorov,1964 (Ichneumonidae) Synonym(s): *acerbus* Victorov,1964
- 7134) **Thinophilus flavipalpis** (Zetterstedt,1843) (Dolichopodidae) Synonym(s): *flavipalpis* Zetterstedt,1843; *neptunus* Frey,1815
- 7135) **Thinophilus ruficornis** (Haliday,1838) (Dolichopodidae) Synonym(s): *ruficornis* Haliday,1838; *maculicornis* Zetterstedt,1843
- 7136) **Thinophilus vanschuytbroeckii** Negrobov,1971 (Dolichopodidae) Synonym(s): *vanschuytbroeckii* Negrobov,1971
- 7137) **Thiodia anatoliana** Kennel,1916 (Tortricidae) Synonym(s): *anatoliana* Kennel,1916
- 7138) **Thiodia caradjana** Kennel,1916 (Tortricidae) Synonym(s): *caradjana* Kennel,1916
- 7139) **Thiodia citrana** (Hübner,[1799]) (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obratzsov,1964.
- 7140) **Thiodia fessana** (Mann,1873) (Tortricidae) Synonym(s): *fessana* Mann,1873
- 7141) **Thiodia placidana** (Staudinger,1871) (Tortricidae) Synonym(s): *placidana* Staudinger,1871
- 7142) **Thiodia sulphurana** (Christoph,1888) (Tortricidae) Synonym(s): *sulphurana* Christoph,1888
- 7143) **Thiodia torridana** (Lederer,1859) (Tortricidae) Synonym(s): *torridana* Lederer,1859
- 7144) **Thiodia trochillana** (Frölich,1828) (Tortricidae) Synonym(s): *trochillana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839]
- 7145) **Thisanotia chrysonuchella** (Scopoli,1763) (Pyralidae) Synonym(s): *chrysonuchella* Scopoli,1763; *gramella* Fabricius,1781; *campella* Hübner,1793; *dilutior* Alpheraky,1877.
- 7146) **Tholagus flavolineatus** (Fabricius,1798) (Pentatomidae) Synonym(s): *flavolineatus* Fabricius,1798
- 7147) **Tholera cespitis** (Goeze,1781) (Noctuidae) Synonym(s): *cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 7148) **Tholera decimalis** (Poda,1761) (Noctuidae) Synonym(s): *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927; *chebka* Rungs,1940
- 7149) **Tholera hilaris** (Staudinger,1901) (Noctuidae) Synonym(s): *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963
- 7150) **Thopeutis galleriellus** (Ragonot,1892) (Pyralidae) Synonym(s): *galleriellus* Ragonot,1892; *canicostalis* Hampson,1896; *unicolor* De Joannis,1910; *submedianalis* Hampson,1919; *buxtoni* Rotschild,1921; *chretienellus* Dumont,1930; *maculalis* Predota,1934; *hederalis* Amsel,1935.
- 7151) **Thricops bukowskii** (Ringdahl,1934) (Muscidae) Synonym(s): *bukowskii* Ringdahl,1934
- 7152) **Thricops calcaratus** (Portschinsky,1881) (Muscidae) Synonym(s): *calcaratus* Portschinsky,1881
- 7153) **Thricops dawkinsi** Vikhrev,2009 (Muscidae) Synonym(s): *dawkinsi* Vikhrev,2009
- 7154) **Thricops nigrifrons** (R-D.,1830) (Muscidae) Synonym(s): *variabilis* Fallén,1823 nec Gmel.,1790; *nigrifrons* R-D.,1830; *rubrifrons* R-D.,1830; *rupestris* Rondani,1866
- 7155) **Thricops nigroabdominalis** Savage,2003 (Muscidae) Synonym(s): *nigroabdominalis* Savage,2003
- 7156) **Thricops tomkovichii** Vikhrev,2009 (Muscidae) Synonym(s): *tomkovichii* Vikhrev,2009
- 7157) **Thricops vaderi** Savage,2003 (Muscidae) Synonym(s): *vaderi* Savage,2003
- 7158) **Thrypticus bellus** Loew,1869 (Dolichopodidae) Synonym(s): *bellus* Loew,1869
- 7159) **Thrypticus smaragdinus** Gerstaecker,1864 (Dolichopodidae) Synonym(s): *smaragdinus* Gerstaecker,1864
- 7160) **Thrypticus virescens** Negrobov,1967 (Dolichopodidae) Synonym(s): *virescens* Negrobov,1967
- 7161) **Thyatira batis** (Linnaeus,1758) (Thyatiridae) Synonym(s): *batis* Linnaeus,1758; *indecorata* Turner,1926; *albopunctata* Spuler,1908; *confluens* Marschner,1908; *derosea* Maurer,1909; *conflua* Rebel,1910; *japonica* Werny,[1967]; *mandschurica* Werny,[1967]
- 7162) **Thyatira hedemanni** Christoph,1885 (Thyatiridae) Synonym(s): *hedemanni* Christoph,1885; *elbursina* Werny,[1967]
- 7163) **Thymelicus acteon** (Rottemburg,1775) (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 7164) **Thymelicus hyrax** (Lederer,1861) (Hesperiidae) Synonym(s): *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 7165) **Thymelicus lineolus** (Ochsenheimer,1808) (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 nec Retz.,1783; *ludoviciae* Mabille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 7166) **Thymelicus lineolus lineolus** (Ochsenheimer,1808) (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 nec Retz.,1783; *ludoviciae* Mabille,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 7167) **Thymelicus sylvestris** (Poda,1761) (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauamas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 7168) **Thyreus aberrans** (Morawitz,1875) (Apidae) Synonym(s): *aberrans* Morawitz,1875
- 7169) **Thyreus affinis** (Morawitz,1874) (Apidae) Synonym(s): *affinis* Morawitz,1874; *transcaspica* Radoszkowski,1893; *portchinski* Radoszkowski,1893; *tunensis* Pérez,1895; *villosa* Meyer,1921

- 7170) *Thyreus elegans* (Morawitz,1877)** (Apidae) Synonym(s): *elegans* Morawitz,1877; *quadridentata* Saunders,1908; *brezzii* Guiglia,1933
- 7171) *Thyreus histrionicus* (Illiger,1806)** (Apidae) Synonym(s): *histrionicus* Illiger,1806; *major* Morawitz,1876; *divisa* Pérez,1905; *alboscutellata* Meyer,1921; *rimosiscutum* Alfken,1927
- 7172) *Thyreus ramosus* (Lepelletier,1841)** (Apidae) Synonym(s): *ramosus* Lepelletier,1841; *rufa* Radoszkowski,1886; *ashabadensis* Radoszkowski,1893; *albociliata* Meyer,1921; *minor* Friese,1925; *circulata* Alfken,1927
- 7173) *Thyreus scutellaris* (Fabricius,1781)** (Apidae) Synonym(s): *scutellaris* Fabricius,1781; *crassicornis* Morawitz,1890
- 7174) *Thyreus sibiricus* (Radoszkowski,1893)** (Apidae) Synonym(s): *sibiricus* Radoszkowski,1893
- 7175) *Thyreus truncatus* (Pérez,1883)** (Apidae) Synonym(s): *truncatus* Pérez,1883; *mucorea* Friese,1925; *nadigi* Alfken,1934
- 7176) *Thyridanthrax dagniensis* Paramonov,1933** (Bombyliidae) Synonym(s): *dagniensis* Paramonov,1933
- 7177) *Thyridanthrax elegans* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *elegans* Wiedemann,1820; *fenestralis* Macquart,1840 *nec* Wied.,1830; *varinervis* Macquart,1846; *variegatus* Jaennicke,1867 *nec* Pall.,1818; *macquarti* Bezzi,1912; *calochromatus* Bezzi,1921; *subperspicillaris* Bezzi,1922; *kappa* Bowden,1964; *dolgovskayae* Zaitzev,1999
- 7178) *Thyridanthrax fenestratus* (Fallén,1814)** (Bombyliidae) Synonym(s): *fenestratus* Fallén,1814; *variegata* Pallas,1818; *ornatus* Curtis,1824; *italica* Walker,1849; *montana* Paramonov,1927
- 7179) *Thyridanthrax incanus* (Klug,1832)** (Bombyliidae) Synonym(s): *incanus* Klug,1832; *testacea* Macquart,1840; *varipennis* Macquart,1849
- 7180) *Thyridanthrax lotus* (Loew,1869)** (Bombyliidae) Synonym(s): *lotus* Loew,1869; *confusa* Becker,1916
- 7181) *Thyridanthrax oblitteratus* (Loew,1862)** (Bombyliidae) Synonym(s): *oblitteratus* Loew,1862
- 7182) *Thyridanthrax perspicillaris* (Loew,1869)** (Bombyliidae) Synonym(s): *perspicillaris* Loew,1869; *gallus* Loew,1869; *hispanus* Loew,1869; *ternarius* Bezzi,1920; *idolus* Hesse,1956; *speciosus* Hesse,1956; *hessei* Bouden,1964
- 7183) *Thyridanthrax polyphemus* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *polyphemus* Wiedemann,1820; *pumilio* Austen,1937
- 7184) *Thyridanthrax rubriventris* Paramonov,1927** (Bombyliidae) Synonym(s): *rubriventris* Paramonov,1927
- 7185) *Thyris fenestrella* (Scopoli,1763)** (Thyridae) Synonym(s): *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffermüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910.
- 7186) *Thysanoplusia* (s.str.) *orichalcea* (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813].
- 7187) *Tibicina haematodes* (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876
- 7188) *Tibicina intermedia* Fieber,1876** (Cicadidae) Synonym(s): *intermedia* Fieber,1876
- 7189) *Tibicina nigronevosa* Fieber,1876** (Cicadidae) Synonym(s): *nigronevosa* Fieber,1876
- 7190) *Tibicina quadrisignata* (Hagen,1855)** (Cicadidae) Synonym(s): *quadrisignata* Hagen,1855
- 7191) *Tibicina steveni* (Krynicky,1837)** (Cicadidae) Synonym(s): *steveni* Krynicky,1837
- 7192) *Timandra comae* Schmidt,1931** (Geometridae) Synonym(s): *angulata* Fourcroy,1785 *nec* Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994
- 7193) *Timandra griseata* W.Petersen,1902** (Geometridae) Synonym(s): *griseata* W.Petersen,1902
- 7194) *Timarcha* (s.str.) *tenebricosa* (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tenebricosa* Fabricius,1775
- 7195) *Timarcha* (Timarchostoma) *olivieri* Fairmaire,1868** (Chrysomelidae) Synonym(s): *olivieri* Fairmaire,1868
- 7196) *Timarcha hummeli* Faldermann,1837** (Chrysomelidae) Synonym(s): *hummeli* Faldermann,1837
- 7197) *Timia* (Empyelocera) *abstersa* (Loew,1873)** (Ulidiidae) Synonym(s): *abstersa* Loew,1873
- 7198) *Timia* (Empyelocera) *dimidiata* Becker,1906** (Ulidiidae) Synonym(s): *dimidiata* Becker,1906
- 7199) *Timia carbonaria* Hendel,1908** (Ulidiidae) Synonym(s): *carbonaria* Hendel,1908
- 7200) *Tinea dubiella* Stainton,1859** (Tineidae) Synonym(s): *dubiella* Stainton,1857; *turicensis* Müller-Rutz,1920; *tenerifi* Zagulyaev,1960; *bispinella* Zagulyaev,1960
- 7201) *Tinea omichlopi* Meyrick,1928** (Tineidae) Synonym(s): *omichlopi* Meyrick,1928; *nonimella* Zagulyaev,1955
- 7202) *Tinea pelliella* Linnaeus,1758** (Tineidae) Synonym(s): *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] *nec* Thunb.,1788; *demiurga* Meyrick,1920; *gerasimovi* Zagulyaev,1978.
- 7203) *Tinea translucens* Meyrick,1917** (Tineidae) Synonym(s): *translucens* Meyrick,1917; *metonella* Pierce & Metcalfe,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *forficata* Gozmany,1968.
- 7204) *Tingis caucasica* (Jakovlev,1880)** (Tingidae) Synonym(s): *caucasica* Jakovlev,1880
- 7205) *Tingis hellenica* (Puton,1877)** (Tingidae) Synonym(s): *hellenica* Puton,1877
- 7206) *Tingis kerzhneri* Golub,2006** (Tingidae) Synonym(s): *kerzhneri* Golub,2006
- 7207) *Tingis pauperata* (Puton,1879)** (Tingidae) Synonym(s): *pauperata* Puton,1879
- 7208) *Tingis pusilla* (Jakovlev,1874)** (Tingidae) Synonym(s): *pusilla* Jakovlev,1874
- 7209) *Tinodes adjaricus* Martynov,1913** (Psychomyiidae) Synonym(s): *adjaricus* Martynov,1913
- 7210) *Tipula* (Acutipula) *irrequieta* Alexander,1936** (Tipulidae) Synonym(s): *irrequieta* Alexander,1936; *apoblepta* Alexander,1956
- 7211) *Tipula* (Acutipula) *macra* Savchenko,1961** (Tipulidae) Synonym(s): *macra* Savchenko,1961
- 7212) *Tipula* (Acutipula) *nigroantennata* Savchenko,1961** (Tipulidae) Synonym(s): *nigroantennata* Savchenko,1961
- 7213) *Tipula* (Acutipula) *transcaucasica* Savchenko,1961** (Tipulidae) Synonym(s): *transcaucasica* Savchenko,1961
- 7214) *Tipula* (Emdotipula) *obscuriventris* Strobl,1900** (Tipulidae) Synonym(s): *obscuriventris* Strobl,1900
- 7215) *Tipula* (Lunatipula) *macropyga* Savchenko,1952** (Tipulidae) Synonym(s): *macropyga* Savchenko,1952
- 7216) *Tipula* (Lunatipula) *suleika* Mannheims,1963** (Tipulidae) Synonym(s): *suleika* Mannheims,1963
- 7217) *Tipula* (Pterelachisus) *luteobasalis* Savchenko,1964** (Tipulidae) Synonym(s): *luteobasalis* Savchenko,1964
- 7218) *Tipula* (s.str.) *orientalis* Lackschewitz,1930** (Tipulidae) Synonym(s): *orientalis* Lackschewitz,1930
- 7219) *Tipula* (Savtshenkia) *rufina* Meigen,1818** (Tipulidae) Synonym(s): *rufina* Meigen,1818; *guttipennis* Meigen,1818; *consanguinea* Macquart,1838; *parvicauda* Hansen,1881
- 7220) *Tipula* (Yamatotipula) *caesia* Schummel,1833** (Tipulidae) Synonym(s): *caesia* Schummel,1833
- 7221) *Tipula* (Yamatotipula) *caucasimontana* Savchenko,1955** (Tipulidae) Synonym(s): *caucasimontana* Savchenko,1955
- 7222) *Tipula* (Yamatotipula) *lateralis* Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990
- 7223) *Tipula* (Yamatotipula) *submontium* Theowald & Oosterbroek,1981** (Tipulidae) Synonym(s): *submontium* Theowald & Oosterbroek,1981
- 7224) *Titanio caradjae* (Rebel,1902)** (Pyralidae) Synonym(s): *caradjae* Rebel,1902
- 7225) *Titanio normalis* (Hübner,1796)** (Pyralidae) Synonym(s): *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898].
- 7226) *Tituboea macropus* (Illiger,1800)** (Chrysomelidae) Synonym(s): *macropus* Illiger,1800
- 7227) *Tituboea rugulosa* (Weise,1898)** (Chrysomelidae) Synonym(s): *rugulosa* Weise,1898

- 7228) Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781; *striatus* Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848
- 7229) Tomares callimachus (Eversmann,1848)** (Lycaenidae) Synonym(s): *callimachus* Eversmann,1848
- 7230) Tomares desinens Nekrutenko & Effendi,1980** (Lycaenidae) Synonym(s): *desinens* Nekrutenko & Effendi,1980
- 7231) Tomares romanovi (Christoph,1882)** (Lycaenidae) Synonym(s): *romanovi* Christoph,1882
- 7232) Tomostethus nigrinus (Fabricius,1804)** (Tenthredinidae) Synonym(s): *nigrinus* Fabricius,1804; *brevicornis* Klug,1816; *nigerrima* Klug,1816; *fraxini* Audinet-Serville,1823
- 7233) Tortrix viridana (Linnaeus,1758)** (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübn.,[1799]; *coeruleana* Sorhagen,1881.
- 7234) Tormus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus* Müller,1764
- 7235) Tormus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929
- 7236) Tormus geranii (Walker,1833)** (Torymidae) Synonym(s): *geranii* Walker,1833
- 7237) Tormus rubi (Schränk,1781)** (Torymidae) Synonym(s): *rubi* Schränk,1781; *macropterum* Walker,1833; *splendidus* Förster,1841
- 7238) Toxophora epargyra Hermann,1907** (Bombyliidae) Synonym(s): *epargyra* Hermann,1907
- 7239) Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933
- 7240) Toxophora psammophila Paramonov,1933** (Bombyliidae) Synonym(s): *psammophila* Paramonov,1933
- 7241) Toxophora shelkovnikovi Paramonov,1933** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov,1933
- 7242) Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868
- 7243) Toya simulans (Dlabola,1958)** (Delphacidae) Synonym(s): *simulans* Dlabola,1958
- 7244) Trachea atriplicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *atriplicis* Linnaeus,1758
- 7245) Trachelus libanensis (André,1881)** (Cephalidae) Synonym(s): *libanensis* André,1881; *armenius* Konow,1896
- 7246) Trachelus troglodytus (Fabricius,1781)** (Cephalidae) Synonym(s): *troglodytus* Fabricius,1781; *tenuicornis* Konow,1902
- 7247) Trachycera dulcella (Zeller,1848)** (Pyralidae) Synonym(s): *dulcella* Zeller,1848
- 7248) Trachycera erastriella (Ragonot,1887)** (Pyralidae) Synonym(s): *erastriella* Ragonot,1887; *semistrigella* Mabilie,1908; *lella* Chrétien,1911
- 7249) Trachyderma setosa (Fischer,1819)** (Tenebrionidae) Synonym(s): *setosa* Fischer,1819
- 7250) Trachysmia sociana Esartiya,1988** (Tortricidae) Synonym(s): *sociana* Esartiya,1988
- 7251) Transcaucasica kobachidzeina (Schengellia & Dlabola,1964)** (Cicadellidae) Synonym(s): *kobachidzeina* Schengellia & Dlabola,1964
- 7252) Trapezonotus dispar (Stål,1872)** (Lygaeidae) Synonym(s): *dispar* Stål,1872; *breviceps* Jakovlev,1882; *seductor* Horvath,1883
- 7253) Trechus (s.str.) melanocephalus Kolenati,1845** (Carabidae) Synonym(s): *melanocephalus* Kolenati,1845
- 7254) Trechus (s.str.) quadristriatus (Schränk,1781)** (Carabidae) Synonym(s): *quadristriatus* Schränk,1781
- 7255) Triaxomera caucasiella Zagulyaev,1959** (Tineidae) Synonym(s): *caucasiella* Zagulyaev,1959
- 7256) Trichiura (s.str.) crataegi (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *crataegi* Linnaeus,1758; *ariae* Hübner,[1824]; *scytharum* Seitz,1913; *albicans* Daniel,1956; *vallisicola* Daniel,1956; *griseotincta* Daniel,1956; *borealis* Daniel,1956; *#passini* Boursin,1957
- 7257) Trichiura (s.str.) mirzayani Ebert,1971** (Lasiocampidae) Synonym(s): *mirzayani* Ebert,1971
- 7258) Trichiura (s.str.) veranae Witt,1981** (Lasiocampidae) Synonym(s): *veranae* Witt,1981; *witti* Ganey,1982
- 7259) Trichius fasciatus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fasciatus* Linnaeus,1758
- 7260) Trichodes alberti Escherich,1893** (Cleridae) Synonym(s): *alberti* Escherich,1893; *korbianus* Ganglbauer,1905
- 7261) Trichodes apiarius (Linnaeus,1758)** (Cleridae) Synonym(s): *apiarius* Linnaeus,1758
- 7262) Trichodes heydeni Escherich** (Cleridae) Synonym(s): *heydeni* Escherich; *anatolicus* Reitter,1893
- 7263) Trichodes inermis Reitter,1893** (Cleridae) Synonym(s): *inermis* Reitter,1893
- 7264) Trichodes insignis Fischer v. Waldheim,1829** (Cleridae) Synonym(s): *insignis* Fischer v. Waldheim,1829; *armeniacus* Baudi,1873
- 7265) Trichodes laminatus Chevrolat,1843** (Cleridae) Synonym(s): *laminatus* Chevrolat,1843
- 7266) Trichodes longissimus (Abeille de Perrin,1881)** (Cleridae) Synonym(s): *longissimus* Abeille de Perrin,1881; *angustifrons* Abeille de Perrin,1881
- 7267) Trichodes nobilis Klug,1842** (Cleridae) Synonym(s): *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844
- 7268) Trichodes persicus Kraatz,1894** (Cleridae) Synonym(s): *persicus* Kraatz,1894
- 7269) Trichodes pulcherrimus Escherich,1892** (Cleridae) Synonym(s): *pulcherrimus* Escherich,1892
- 7270) Trichodes punctatus Fischer v. Waldheim,1829** (Cleridae) Synonym(s): *punctatus* Fischer v. Waldheim,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843
- 7271) Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus* Adams,1817
- 7272) Trichodes reichei Mulsant & Rey,1863** (Cleridae) Synonym(s): *reichei* Mulsant & Rey,1863; *klugi* Kraatz,1873; *conjunctus* Escherich,1892
- 7273) Trichodes sexpustulatus Chevrolat,1874** (Cleridae) Synonym(s): *sexpustulatus* Chevrolat,1874; *erratus* Champenois,1898
- 7274) Trichodes sipylus (Linnaeus,1758)** (Cleridae) Synonym(s): *sipylus* Linnaeus,1758; *subfasciatus* Kraatz,1873; *frater* Kraatz,1893; *fraterculus* Zaitzev,1915
- 7275) Trichodezia haberhaueri (Lederer,1864)** (Geometridae) Synonym(s): *haberhaueri* Lederer,1864; *ledereri* Staudinger,1901
- 7276) Trichoferus pallidus (Olivier,1790)** (Cerambycidae) Synonym(s): *pallidus* Olivier,1790
- 7277) Trichoplusia ni (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 7278) Trichopsidea costata (Loew,1857)** (Nemestrinidae) Synonym(s): *costata* Loew,1857; *flavopilosus* Bigot,1879
- 7279) Trichosilia plumbea (Alpheraky,1887)** (Noctuidae) Synonym(s): *plumbea* Alpheraky,1887; *arschanica* Corti & Draudt,1933.
- 7280) Trichospolas arterialis Draudt,1936** (Noctuidae) Synonym(s): *arterialis* Draudt,1936.
- 7281) Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus* Loew,1851; *halictivorus* Rondani,1856
- 7282) Triclistus lativentris Thomson,1887** (Ichneumonidae) Synonym(s): *lativentris* Thomson,1887
- 7283) Tricyphona (s.str.) immaculata (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata* Meigen,1804
- 7284) Tricyphona (s.str.) zwicki Mendl,1973** (Pedicidae) Synonym(s): *zwicki* Mendl,1973; *acuspicata* Alexander,1975; *elburzensis* Alexander,1975

- 7285) *Trieces tricarinatus* (Holmgren,1856) (Ichneumonidae) Synonym(s): *tricarinatus* Holmgren,1856
 7286) *Trifurcula* (s.str.) *puplesisi* Van Nieukerken,1990 (Nepticulidae) Synonym(s): *puplesisi* Van Nieukerken,1990
 7287) *Trigonoscelis armeniaca* Faldermann,1837 (Tenebrionidae) Synonym(s): *armeniaca* Faldermann,1837
 7288) *Trigonoscelis cordata* Allard,1886 (Tenebrionidae) Synonym(s): *cordata* Allard,1886
 7289) *Trimium caucasicum* Kolenati,1846 (Staphylinidae) Synonym(s): *caucasicum* Kolenati,1846; *merkli* Reitter,1894; *dianae* Sahlberg,1908
 7290) *Triodia sylvina* (Linnaeus,1761) (Hepialidae) Synonym(s): *sylvina* Linnaeus,1761; *hamma* [Denis & Schiffermüller],1775; *angulatum* Fabricius,1781; *multicolor* Fourcroy,1785; *crux* Fabricius,1787; *c-album* Villers,1789; *fauna* Schrank,1801; *cruxator* Haworth,1802; *angulator* Haworth,1802; *sylvinator* Haworth,1802; *kruegeri* Turati,1909; *androgynus* Agenjo,1942; *pardoii* Agenjo,1942; *alfaroi* Agenjo,1942; *laincalvo* Agenjo,1942
 7291) *Triodontella flavimana* (Burmeister,1855) (Scarabaeidae) Synonym(s): *flavimana* Burmeister,1855; *sieversi* Reitter,1889
 7292) *Triphosa dubitata* (Linnaeus,1758) (Geometridae) Synonym(s): *dubitata* Linnaeus,1758
 7293) *Triphosa taochata* Lederer,1870 (Geometridae) Synonym(s): *taochata* Lederer,1870
 7294) *Triphysa phryne* (Pallas,1771) (Satyridae) Synonym(s): *phryne* Pallas,1771
 7295) *Triplasia pictus* (Panzer,1794) (Bombyliidae) Synonym(s): *pictus* Panzer,1794; *planicornis* Fabricius,1798
 7296) *Trisateles emortualis* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *emortualis* [Denis & Schiffermüller],1775
 7297) *Trissolcus manteroi* (Kieffer,1909) (Scelionidae) Synonym(s): *manteroi* Kieffer,1909
 7298) *Trissolcus rufiventris* (Mayr,1908) (Scelionidae) Synonym(s): *rufiventris* Mayr,1908; *stshepetilnikova* Pubstov,1944; *rubriventris* Szabo,1959
 7299) *Trissolcus simoni* (Mayr,1897) (Scelionidae) Synonym(s): *simoni* Mayr,1897; *scutellaris* Masner,1958; *vassilievi* sensu Viktorov,1960; *reticulatus* Delucchi,1961
 7300) *Trissolcus vassilievi* (Mayr,1903) (Scelionidae) Synonym(s): *vassilievi* Mayr,1903; *rufiventris* Rubstov,1944; *scutellaris* Masner,1958
 7301) *Trogaspidia* (Chilotropidia) *fedtschenkoi* (Radoszkowski,1877) (Mutillidae) Synonym(s): *fedtschenkoi* Radoszkowski,1877
 7302) *Troglocimmerites* (s.str.) *pasquinii* Vigna Taglianti,1977 (Carabidae) Synonym(s): *pasquinii* Vigna Taglianti,1977
 7303) *Tromatobia ornata* (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *ornata* Gravenhorst,1829
 7304) *Tropiderinus interruptus* (Reitter,1889) (Anthribidae) Synonym(s): *interruptus* Reitter,1889
 7305) *Tropidasia scita* (Harris,1780) (Syrphidae) Synonym(s): *scita* Harris,1780
 7306) *Tropidomyia aureifacies* Kröber,1915 (Conopidae) Synonym(s): *aureifacies* Kröber,1915
 7307) *Tropidopola turanica* Uvarov,1926 (Acrididae) Synonym(s): *turanica* Uvarov,1926; *caspica* Uvarov,1933; *iliensis* Bei-Bienko,1948
 7308) *Tropidotilla litoralis* (Petagna,1787) (Mutillidae) Synonym(s): *litoralis* Petagna,1787
 7309) *Tropidotilla sareptana* (André,1901) (Mutillidae) Synonym(s): *sareptana* André,1901
 7310) *Tropidotilla semirufa* (André,1893) (Mutillidae) Synonym(s): *semirufa* André,1893
 7311) *Tropinota* (Epicometis) *hirta* (Poda,1761) (Scarabaeidae) Synonym(s): *hirta* Poda,1761; *hirtellus* Linnaeus,1767
 7312) *Tropinota* (Epicometis) *senicula* (Ménétriés,1832) (Scarabaeidae) Synonym(s): *senicula* Ménétriés,1832
 7313) *Tropinota* (Epicometis) *suturalis* Reitter,1913 (Scarabaeidae) Synonym(s): *suturalis* Reitter,1913
 7314) *Tropinota* (s.str.) *hirtiformis* Reitter,1913 (Scarabaeidae) Synonym(s): *hirtiformis* Reitter,1913
 7315) *Trupanea stellata* (Fuesslin,1775) (Tephritidae) Synonym(s): *stellata* Fuesslin,1775
 7316) *Truxalis eximia* Eichwald,1830 (Acrididae) Synonym(s): *eximia* Eichwald,1830; *cypria* Dirsh,[1951]; *#examia* Weidner,1969
 7317) *Truxalis nasuta* (Linnaeus,1758) (Acrididae) Synonym(s): *nasuta* Linnaeus,1758; *annulatus* Thunberg,1815; *bilineatus* Thunberg,1815; *nebulosus* Thunberg,1815; *miniata* Klug,1830; *obsoleta* Klug,1830; *scalaris* Klug,1830; *variabilis* Klug,1830; *unguiculata* Rambur,1839; *isabellina* Fischer-Waldheim,1846; *klugii* Fieber,1853
 7318) *Truxalis robusta* (Uvarov,1916) (Acrididae) Synonym(s): *robusta* Uvarov,1916
 7319) *Trypetimorpha occidentalis* Huang & Bourgoin,1993 (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoin,1993
 7320) *Tryphon* (s.str.) *rutilator* (Linnaeus,1761) (Ichneumonidae) Synonym(s): *rutilator* Linnaeus,1761
 7321) *Tryphon* (s.str.) *trochanteratus* Holmgren,1855 (Ichneumonidae) Synonym(s): *trochanteratus* Holmgren,1855
 7322) *Tryphon* (s.str.) *zavreli* Gregor,1939 (Ichneumonidae) Synonym(s): *zavreli* Gregor,1939
 7323) *Tshingisella bella* Kirkaldy,1913 (Pentatomidae) Synonym(s): *bella* Kirkaldy,1913
 7324) *Tuponia concinna* Reuter,1875 (Miridae) Synonym(s): *concinna* Reuter,1875; *conspersa* Reuter,1901; *fezzana* Wagner,1971; *amguele* Wagner,1975
 7325) *Tuponia elegans* (Jakovlev,1867) (Miridae) Synonym(s): *elegans* Jakovlev,1867; *bilobata* Benedek & Jaszai,1968
 7326) *Tuponia guttata* Wagner,1950 (Miridae) Synonym(s): *guttata* Wagner,1950; *variegata* Wagner,1958; *sodomita* Wagner,1974
 7327) *Tuponia hippophaes* (Fieber,1861) (Miridae) Synonym(s): *hippophaes* Fieber,1861; *unicolor* Scott,1872; *myricariae* Cerutti,1939; *michalki* Wagner,1951; *seidenstueckeri* Wagner,1955; *mimeuri* Wagner,1958; *albomarginata* Linnavuori,1961; *cypria* Wagner,1962; *longitarsis* Wagner,1962; *pradassiensis* Tamanini,1964; *menorcana* Wagner,1971; *liparensis* Tamanini,1973; *rhodensis* Wagner,1974
 7328) *Tuponia mixticolor* (Costa,1862) (Miridae) Synonym(s): *mixticolor* Costa,1862; *lethierryi* Reuter,1875; *colorata* Poppius,1914; *carayoni* Wagner,1955; *vulnerata* Linnavuori,1961; *hungarica* Benedek & Jaszai,1968; *annulata* Wagner,1974
 7329) *Tuponia prasina* (Fieber,1864) (Miridae) Synonym(s): *prasina* Fieber,1864; *affinis* Reuter,1878; *apicalis* Reuter,1894
 7330) *Tuponia punctipes* Reuter,1879 (Miridae) Synonym(s): *punctipes* Reuter,1879
 7331) *Tuponia tamarisci* (Perris,1857) (Miridae) Synonym(s): *tamarisci* Perris,1857; *notatus* Fieber,1858; *cunealis* Reuter,1902
 7332) *Turanana endymion* (Freyer,[1850]) (Lycaenidae) Synonym(s): *endymion* Freyer,[1850]
 7333) *Turanogryllus lateralis* (Fieber,1853) (Gryllidae) Synonym(s): *lateralis* Fieber,1853; *terrestris* Saussure,1877
 7334) *Turrutus socialis* (Flor,1861) (Cicadellidae) Synonym(s): *socialis* Flor,1861; *quadrivittatus* Marshall,1866; *inclusivalvis* Kirschbaum,1868; *quinquevittatus* Kirschbaum,1868; *flavineruis* Kirschbaum,1868; *onustus* Fieber,1869; *fugax* Horvath,1897; *sinuatus* Matsumura,1908
 7335) *Tychius ruscicus* Desbrochers,1908 (Curculionidae) Synonym(s): *ruscicus* Desbrochers,1908
 7336) *Tychius squamulatus* Gyllenhal,1836 (Curculionidae) Synonym(s): *squamulatus* Gyllenhal,1836
 7337) *Tychius thoracicus* Boheman,1843 (Curculionidae) Synonym(s): *thoracicus* Boheman,1843

- 7338) Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia* Fabricius,1793; *thymifolia* Petagna,1792; *gracilis* Germar,1817; *marginipunctata* Audinet-Serville,1838; *praeusta* Fischer von Waldheim,1846; *spinus* Fischer von Waldheim,1846; *#lilifolia* Bolivar,1877
- 7339) Typhonina lugubris (Hübner,1793)** (Psychidae) Synonym(s): *lugubris* Hübner,1793; *ciliaris* Ochseneheimer,1810; *lugubris* Hübner,[1808] nec Fabricius,1777; *aequalis* Osthelder,1938
- 7340) Typhonina punctata (Herrich-Schäffer,[1855])** (Psychidae) Synonym(s): *punctata* Herrich-Schäffer,[1855]
- 7341) Tyria jacobaeae (Linnaeus,1758)** (Arctiidae) Synonym(s): *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908.
- 7342) Tyta luctuosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 7343) Udea ferrugalis (Hübner,1796)** (Pyralidae) Synonym(s): *ferrugalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferrugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
- 7344) Udea fimbriatralis (Duponchel,1834)** (Pyralidae) Synonym(s): *fimbriatralis* Duponchel,1834; *#fimbriatralis* Rebel,1901
- 7345) Ula (s.str.) mollissima Haliday,1833** (Pediidae) Synonym(s): *mollissima* Haliday,1833; *inconclusa* Walker,1856; *crassicauda* Agrell,1945
- 7346) Uliaria rasilella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rasilella* Herrich-Schäffer,[1854]; *insulella* Dumont,1921; *occidentella* Zerny,1927.
- 7347) Ulidia albidipennis Loew,1845** (Uliidae) Synonym(s): *albidipennis* Loew,1845; *atrovirens* Loew,1845
- 7348) Uliolepis signatoria (Christoph,1893)** (Lymantriidae) Synonym(s): *signatoria* Christoph,1893; *pilosa* W.Warren,1897
- 7349) Ulochaena hirta (Hübner,[1813])** (Noctuidae) Synonym(s): *hirta* Hübner,[1813]
- 7350) Urophora affinis (Frauenfeld,1857)** (Tephritidae) Synonym(s): *affinis* Frauenfeld,1857
- 7351) Urophora aprica (Fallén,1820)** (Tephritidae) Synonym(s): *aprica* Fallén,1820; *centauriae* R-D.,1830; *scutellata* Rondani,1870
- 7352) Urophora cuspidata (Meigen,1826)** (Tephritidae) Synonym(s): *cuspidata* Meigen,1826; *solstitialis* Zettstedt,1847 nec Linn.,1758
- 7353) Urophora eriolepidis (Loew,1856)** (Tephritidae) Synonym(s): *eriolepidis* Loew,1856; *terebrans* Frauenfeld,1857
- 7354) Urophora jaceana (M.Hering,1935)** (Tephritidae) Synonym(s): *jaceana* M.Hering,1935
- 7355) Urophora macrura (Loew,1855)** (Tephritidae) Synonym(s): *macrura* Loew,1855; *lejura* Rondani,1870
- 7356) Urophora pauperata (Zaitzev,1945)** (Tephritidae) Synonym(s): *pauperata* Zaitzev,1945
- 7357) Urophora phaeocera (M.Hering,1961)** (Tephritidae) Synonym(s): *phaeocera* M.Hering,1961
- 7358) Urophora quadrifasciata (Meigen,1826)** (Tephritidae) Synonym(s): *quadrifasciata* Meigen,1826; *sjumorum* Rohdendorf,1934
- 7359) Urophora solstitialis (Linnaeus,1758)** (Tephritidae) Synonym(s): *solstitialis* Linnaeus,1758; *dauci* Fabricius,1787; *leucocanthi* Schrank,1803; *hastatus* Fabricius,1805; *pugionata* Meigen,1826; *reamurii* R-D.,1830; *sibynata* Rondani,1870; *sejuncta* Becker,1907
- 7360) Urophora stylata (Fabricius,1775)** (Tephritidae) Synonym(s): *stylata* Fabricius,1775; *ciesii* Schrank,1803; *jacobaeae* Panzer,1805; *venerabulata* Rondani,1870; *vulcanica* Rondani,1870; *pia* M.Hering,1938
- 7361) Urophora terebrans (Loew,1850)** (Tephritidae) Synonym(s): *terebrans* Loew,1850; *eriolepidis* Loew,1856; *manni* Hendel,1927; *approximata* M.Hering,1938
- 7362) Usia (Micrusia) aurata (Fabricius,1794)** (Bombyliidae) Synonym(s): *aurata* Fabricius,1794; *taeniolata* Costa,1883
- 7363) Usia (Micrusia) transcaspica Paramonov,1950** (Bombyliidae) Synonym(s): *transcaspica* Paramonov,1950
- 7364) Usia (s.str.) atrata (Fabricius,1798)** (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906
- 7365) Usia (s.str.) crinipes Becker,1906** (Bombyliidae) Synonym(s): *crinipes* Becker,1906
- 7366) Usia (s.str.) taeniolata Costa,1883** (Bombyliidae) Synonym(s): *taeniolata* Costa,1883
- 7367) Utecha trivia (Germar,1821)** (Cicadellidae) Synonym(s): *trivia* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872
- 7368) Utetes magnus Fischer,1958** (Braconidae) Synonym(s): *magnus* Fischer,1958; *sayanicus* Tobias,1977; *scrutator* Tobias,1977
- 7369) Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
- 7370) Vadonia unipunctata (Fabricius,1787)** (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787
- 7371) Valgus hemipterus (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763
- 7372) Vanessa (s.str.) atalanta (Linnaeus,1758)** (Argynniidae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczii* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900.
- 7373) Velia (Plesiovelia) affinis Kolenati,1856** (Veliidae) Synonym(s): *affinis* Kolenati,1856
- 7374) Velia (Plesiovelia) kitishenkoi Tamanini,1958** (Veliidae) Synonym(s): *kitishenkoi* Tamanini,1958
- 7375) Ventocoris (Astirocoris) armeniacus (Kiritshenko,1938)** (Pentatomidae) Synonym(s): *armeniaceus* Kiritshenko,1938
- 7376) Ventocoris (Astirocoris) bulbifer Seidenstücker,1964** (Pentatomidae) Synonym(s): *bulbifer* Seidenstücker,1964
- 7377) Ventocoris (Astirocoris) fischeri (Herrich-Schäffer,1851)** (Pentatomidae) Synonym(s): *fischeri* Herrich-Schäffer,1851; *baerensprungii* Stal,1860; *lehmanni* Fieber,1864; *umbrosum* Jakovlev,1882; *confusum* Kirby,1892
- 7378) Ventocoris (Astirocoris) halophilus (Jakovlev,1874)** (Pentatomidae) Synonym(s): *halophilus* Jakovlev,1874
- 7379) Ventocoris (Astirocoris) modestus (Jakovlev,1880)** (Pentatomidae) Synonym(s): *modestus* Jakovlev,1880; *martini* Horvath,1889
- 7380) Ventocoris (Astirocoris) oblongus (Horvath,1889)** (Pentatomidae) Synonym(s): *oblongus* Horvath,1889
- 7381) Ventocoris (Astirocoris) tataricus Kirkaldy,1909** (Pentatomidae) Synonym(s): *carinatum* Jakovlev,1887 nec Germ.,1838; *tataricus* Kirkaldy,1909; *taurus* Akramovskaya,1957
- 7382) Ventocoris (s.str.) horvathi (Puton,1896)** (Pentatomidae) Synonym(s): *horvathi* Puton,1896
- 7383) Ventocoris (s.str.) trigonus (Krynicky,1871)** (Pentatomidae) Synonym(s): *trigonus* Krynicky,1871
- 7384) Venturia canescens (Gravenhorst,1829)** (Ichneumonidae) Synonym(s): *canescens* Gravenhorst,1829
- 7385) Verdanus caucasicus (Emeljanov,1962)** (Cicadellidae) Synonym(s): *caucasicus* Emeljanov,1962
- 7386) Verdanus ciscaucasicus (Emeljanov,1964)** (Cicadellidae) Synonym(s): *ciscaucasicus* Emeljanov,1964
- 7387) Verdanus daghestanicus (Emeljanov,1964)** (Cicadellidae) Synonym(s): *daghestanicus* Emeljanov,1964
- 7388) Verdanus intermedius (Emeljanov,1964)** (Cicadellidae) Synonym(s): *intermedius* Emeljanov,1964
- 7389) Verdanus melichari (Dlabola,1951)** (Cicadellidae) Synonym(s): *melichari* Dlabola,1951
- 7390) Verdanus oseticus (Emeljanov,1964)** (Cicadellidae) Synonym(s): *oseticus* Emeljanov,1964
- 7391) Veribubo albinus (Becker,1913)** (Bombyliidae) Synonym(s): *albinus* Becker,1913
- 7392) Veribubo desertus Zaitzev,1972** (Bombyliidae) Synonym(s): *desertus* Zaitzev,1972

- 7393) *Veribubo heteropterus* Paramonov,1927 (Bombyliidae) Synonym(s): *heteropterus* Paramonov,1927
- 7394) *Veribubo misellus* (Loew,1869) (Bombyliidae) Synonym(s): *misellus* Loew,1869
- 7395) *Vespa crabro* Linnaeus,1758 (Vespidae) Synonym(s): *crabro* Linnaeus,1758; *germana* Christ,1791
- 7396) *Vespa orientalis* Linnaeus,1771 (Vespidae) Synonym(s): *orientalis* Linnaeus,1771; *turcica* Drury,1773; *quadripunctata* Forskal,1775; *fusca* Christ,1791; *aegyptiaca* Vallot,1802; *nilotica* Vallot,1802; *jurinei* Saussure,1854; *zavattarii* Guiglia & Capra,1933; *somalica* Giordani Soika,1934; *arabica* Giordani Soika,1957
- 7397) *Vespula austriaca* (Panzer,1799) (Vespidae) Synonym(s): *austriaca* Panzer,1799; *borealis* Smith,1843 nec Kby.,1837; *arborea* Smith,1849; *biloba* Schilling,1850; *infernalis* Saussure,1854; *tripunctata* Packard,1870
- 7398) *Vespula germanica* (Fabricius,1793) (Vespidae) Synonym(s): *germanica* Fabricius,1793
- 7399) *Vespula rufa* (Linnaeus,1758) (Vespidae) Synonym(s): *rufa* Linnaeus,1758; *schrenckii* Radoszkowski,1861; *sibirica* André,1884; *intermedia* Buysson,1905; *grahami* Archer,1981; *obscura* Lee,1986; *yichunensis* Lee,1986
- 7400) *Vespula vulgaris* (Linnaeus,1758) (Vespidae) Synonym(s): *vulgaris* Linnaeus,1758; *sexcincta* Panzer,1799; *communis* Saussure,1857 nec Schr.,1785; *alascensis* Packard,1870; *westwoodii* Shipp,1893; *pseudogermanica* Stolf,1932
- 7401) *Victrix (Poliobrya) umovii* (Eversmann,1846) (Noctuidae) Synonym(s): *umovii* Eversmann,1846
- 7402) *Victrix (Rasihia) boursini* (Draudt,1936) (Noctuidae) Synonym(s): *boursini* Draudt,1936
- 7403) *Victrix (Rasihia) hackeri* Varga & Ronkay,1991 (Noctuidae) Synonym(s): *hackeri* Varga & Ronkay,1991
- 7404) *Victrix (s.str.) artaxias* Varga & Ronkay,1989 (Noctuidae) Synonym(s): *artaxias* Varga & Ronkay,1989
- 7405) *Victrix (s.str.) karsiana* Staudinger,1879 (Noctuidae) Synonym(s): *karsiana* Staudinger,1879
- 7406) *Villa abbadon* (Fabricius,1794) (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794
- 7407) *Villa albula* (Loew,1869) (Bombyliidae) Synonym(s): *albula* Loew,1869; *gracilis* Ringdahl,1915
- 7408) *Villa brunnea* Becker,1916 (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916
- 7409) *Villa cana* (Meigen,1804) (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820
- 7410) *Villa chorassani* (Becker & Stein,1913) (Bombyliidae) Synonym(s): *medisecta* Pandelle,1899; *chorassani* Becker & Stein,1913
- 7411) *Villa cingulata* (Meigen,1804) (Bombyliidae) Synonym(s): *cingulata* Meigen,1804
- 7412) *Villa cingulum* (Wiedemann,1820) (Bombyliidae) Synonym(s): *cingulum* Wiedemann,1820
- 7413) *Villa claripennis* (Kowarz,1868) (Bombyliidae) Synonym(s): *vitifera* Zetterstedt,1845; *claripennis* Kowarz,1868
- 7414) *Villa clarissima* (Loew,1857) (Bombyliidae) Synonym(s): *clarissima* Loew,1857; *diluta* Rondani,1866
- 7415) *Villa fasciata* (Meigen,1804) (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901
- 7416) *Villa haesitans* Becker,1916 (Bombyliidae) Synonym(s): *haesitans* Becker,1916
- 7417) *Villa halteralis* (Kowarz,1883) (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911
- 7418) *Villa hottentotta* (Linnaeus,1758) (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780
- 7419) *Villa melanura* (Loew,1869) (Bombyliidae) Synonym(s): *melanura* Loew,1869
- 7420) *Villa modesta* (Meigen,1820) (Bombyliidae) Synonym(s): *modesta* Meigen,1820
- 7421) *Villa niphobleta* (Loew,1869) (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916
- 7422) *Villa occulta* (Wiedemann,1820) (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820
- 7423) *Villa orientalis* Zaitzev,1966 (Bombyliidae) Synonym(s): *orientalis* Zaitzev,1966
- 7424) *Villa senex* (Rondani,1863) (Bombyliidae) Synonym(s): *senex* Rondani,1863
- 7425) *Villa tomentosa* Becker,1916 (Bombyliidae) Synonym(s): *tomentosa* Becker,1916
- 7426) *Villa ventruosa* (Loew,1869) (Bombyliidae) Synonym(s): *ventruosa* Loew,1869
- 7427) *Villa venusta* (Meigen,1820) (Bombyliidae) Synonym(s): *venusta* Meigen,1820; *margaritifera* Dufour,1833; *dolosa* Jaennicke,1867; *turbidus* Loew,1869
- 7428) *Vilpianus galii* (Wolff,1802) (Pentatomidae) Synonym(s): *galii* Wolff,1802
- 7429) *Vladimirea* (s.str.) *glebicolorella* (Erschoff,1874) (Gelechiidae) Synonym(s): *glebicolorella* Erschoff,1874; *submaculata* Povolny,1967.
- 7430) *Volucella bombylans* (Linnaeus,1758) (Syrphidae) Synonym(s): *bombylans* Linnaeus,1758; *mystacea* Linnaeus,1758; *pocopyges* Poda,1761; *tricolor* Poda,1761; *pennata* Scopoli,1763; *melanopyrrha* Förster,1771; *plumata* DeGeer,1776; *sonora* Müller,1776; *plumosa* Gmelin,1790; *vulpina* Meigen,1830; *haemorrhoidalis* Zetterstedt,1838; *alpicola* Rondani,1857; *variabilis* Malm,1863; *adulterina* Rondani,1865; *hybrida* Rondani,1865; *incestuosa* Rondani,1865; *spuria* Rondani,1865; *caucasica* Portschinsky,1877; *xantholeuca* Mik,1887; *terestriformis* Drensky,1934; *pyrenaica* Doesburg,1951
- 7431) *Volucella pellucens* (Linnaeus,1758) (Syrphidae) Synonym(s): *pellucens* Linnaeus,1758; *dryaphila* Scopoli,1763; *fera* Harris,1776; *putescens* Schellenberg,1803; *japonica* Bigot,1875; *japonica* Matsumura,1916
- 7432) *Voria ruralis* (Fallén,1810) (Tachinidae) Synonym(s): *ruralis* Fallén,1810
- 7433) *Vulcaniella caucasica* Sinev,1986 (Cosmopterigidae) Synonym(s): *caucasica* Sinev,1986
- 7434) *Vulcaniella grandiferella* Sinev,1986 (Cosmopterigidae) Synonym(s): *grandiferella* Sinev,1986
- 7435) *Vulcaniella karadaghella* Sinev,1986 (Cosmopterigidae) Synonym(s): *karadaghella* Sinev,1986
- 7436) *Vulcaniella pomposella* (Zeller,1839) (Cosmopterigidae) Synonym(s): *pomposella* Zeller,1839
- 7437) *Watsonalla binaria* (Hufnagel,1767) (Drepanidae) Synonym(s): *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculatoria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,1802]
- 7438) *Watsonarctia deserta* (Bartel,1902) (Arctiidae) Synonym(s): *casta* Esper,1784] nec Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980.
- 7439) *Wegneria panchalcella* (Staudinger,1871) (Tineidae) Synonym(s): *panchalcella* Staudinger,1871
- 7440) *Wheeleria obsoleta* (Zeller,1841) (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970.
- 7441) *Wheeleria phlomidis* (Staudinger,1871) (Pterophoridae) Synonym(s): *phlomidis* Staudinger,1871
- 7442) *Wheeleria spilodactyla* (Curtis,1827) (Pterophoridae) Synonym(s): *spilodactyla* Curtis,1827; *marrubii* Heydenreich,1851.
- 7443) *Wiedemannia zetterstedti* (Fallén,1826) (Empididae) Synonym(s): *zetterstedti* Fallén,1826
- 7444) *Witlesia pallida* (Curtis,1827) (Pylalidae) Synonym(s): *pallida* Curtis,1827; *oertzeniella* Herrich-Schäffer,1848
- 7445) *Wohlfahrtia meigeni* (Schiner,1862) (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862
- 7446) *Xanthia (Cirrhia) gilvago* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775.
- 7447) *Xanthia (Cirrhia) ocellaris* (Borkhausen,1792) (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,1803].
- 7448) *Xanthia (Tiliacea) citrigo* (Linnaeus,1758) (Noctuidae) Synonym(s): *citrigo* Linnaeus,1758; *flavastrigata* Retzius,1783
- 7449) *Xanthia icteritia* (Hufnagel,1766) (Noctuidae) Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,1788].

- 7450)** *Xanthia sulphurago* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#fulvago* Clerk,1759; *sulphurago* [Denis & Schiffermüller],1775; *ochrago* Fabricius,1791; *#sulfurago* Poltavsky & Nekrasov,2002
- 7451)** *Xanthia togata* (Esper,1788) (Noctuidae) Synonym(s): *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,[1803].
- 7452)** *Xanthochilus omissus* (Horvath,1911) (Lygaeidae) Synonym(s): *omissus* Horvath,1911
- 7453)** *Xanthochlorus fulvus* Negrobov,1978 (Dolichopodidae) Synonym(s): *fulvus* Negrobov,1978
- 7454)** *Xanthochlorus luridus* Negrobov,1978 (Dolichopodidae) Synonym(s): *luridus* Negrobov,1978
- 7455)** *Xanthochlorus ornatus* (Haliday,1832) (Dolichopodidae) Synonym(s): *ornatus* Haliday,1832; *ultramontanus* Becker,1918
- 7456)** *Xanthochlorus tenellus* (Wiedemann,1817) (Dolichopodidae) Synonym(s): *tenellus* Wiedemann,1817; *flavellus* Zetterstedt,1843
- 7457)** *Xanthocrambus saxonellus* (Zincken,1821) (Pyralidae) Synonym(s): *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888
- 7458)** *Xanthogramma maculipenne* Mik,1887 (Syrphidae) Synonym(s): *maculipenne* Mik,1887
- 7459)** *Xanthorhoe* (s.str.) *montanata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *montanata* [Denis & Schiffermüller],1775; *implicata* Villers,1789; *implicaria* Haworth,1809; *montanaria* Treitschke,1828
- 7460)** *Xanthorhoe acutangulata* (Christoph,1887) (Geometridae) Synonym(s): *acutangulata* Christoph,1887
- 7461)** *Xanthorhoe bigeminata* (Christoph,1885) (Geometridae) Synonym(s): *bigeminata* Christoph,1885
- 7462)** *Xanthorhoe biriviata* (Borkhausen,1794) (Geometridae) Synonym(s): *biriviata* Borkhausen,1794; *pomoeraria* Eversmann,1844
- 7463)** *Xanthorhoe decoloraria* (Esper,[1806]) (Geometridae) Synonym(s): *decoloraria* Esper,[1806]; *munitata* Hübner,[1809]; *unitaria* Boisduval,1840; *collinaria* Metzner,1840; *pauperrimata* Christoph,1888
- 7464)** *Xanthorhoe designata* (Hufnagel,1767) (Geometridae) Synonym(s): *designata* Hufnagel,1767; *propugnata* [Denis & Schiffermüller],1775; *fuscifasciata* Retzius,1783; *fuscaria* Villers,1789; *propugnaria* Treitschke,1825
- 7465)** *Xanthorhoe ferrugata* (Clerck,1759) (Geometridae) Synonym(s): *#ferrugata* Clerck,1759; *corculata* Hufnagel,1767; *ferrugaria* [Denis & Schiffermüller],1775; *littorea* Fourcroy,1785; *lictorea* Geoffroy,1800; *unidentaria* Haworth,1809
- 7466)** *Xanthorhoe fluctuata* (Linnaeus,1758) (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 *nec* Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
- 7467)** *Xanthorhoe quadrifasciata* (Linnaeus,1761) (Geometridae) Synonym(s): *#quadrifasciaria* Clerck,1759; *quadrifasciata* Linnaeus,1761; *ligustrata* [Denis & Schiffermüller],1775; *undulataria* Villers,1789; *badiata* Borkhausen,1794; *ligustraria* Treitschke,1825; *#quadrifasciata* Viidalepp,1996
- 7468)** *Xanthorhoe rectifasciaria* (Lederer,1853) (Geometridae) Synonym(s): *rectifasciaria* Lederer,1853; *orthogrammaria* Guenée,[1858]
- 7469)** *Xestia* (Megasema) *ashworthii* (Doubleday,1855) (Noctuidae) Synonym(s): *ashworthii* Doubleday,1855
- 7470)** *Xestia* (Megasema) *c-nigrum* (Linnaeus,1758) (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *numatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 7471)** *Xestia* (Megasema) *triangulum* (Hufnagel,1766) (Noctuidae) Synonym(s): *triangulum* Hufnagel,1766; *rhomboidea* Esper,[1790].
- 7472)** *Xestia* (s.str.) *baja* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *baja* [Denis & Schiffermüller],1775
- 7473)** *Xestia* (s.str.) *cohaesa* (Herrich-Schäffer,[1849]) (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 7474)** *Xestia* (s.str.) *collina* (Boisduval,1840) (Noctuidae) Synonym(s): *collina* Boisduval,1840; *montana* Freyer,1845; *kenteana* Staudinger,1892; *eversmanni* Petersen,1905; *peterseni* Krulikowsky,1909; *nigromaculata* Hoffmann,1917; *roeggeri* Schawerda,1919; *loebeli* Rebel,1920
- 7475)** *Xestia* (s.str.) *ochreago* (Hübner,[1809]) (Noctuidae) Synonym(s): *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909.
- 7476)** *Xestia* (s.str.) *pallidago* (Staudinger,1900) (Noctuidae) Synonym(s): *pallidago* Staudinger,1900
- 7477)** *Xestia* (s.str.) *rhomboidea* (Esper,[1790]) (Noctuidae) Synonym(s): *rhomboidea* Esper,[1790]; *stigmatica* Hbn.,[1813].
- 7478)** *Xestia* (s.str.) *sareptana* (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936
- 7479)** *Xestia* (s.str.) *sexstrigata* (Haworth,1809) (Noctuidae) Synonym(s): *sexstrigata* Haworth,1809
- 7480)** *Xestia* (s.str.) *trifida* (Fischer v. Waldheim,1820) (Noctuidae) Synonym(s): *trifida* Fischer v. Waldheim,1820.
- 7481)** *Xestia* (s.str.) *xanthographa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 7482)** *Xorides* (Moerophora) *rufipes* (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *rufipes* Gravenhorst,1829
- 7483)** *Xorides* (s.str.) *fuligator* (Thunberg,1822) (Ichneumonidae) Synonym(s): *fuligator* Thunberg,1822
- 7484)** *Xorides* (s.str.) *gravenhorstii* (Curtis,1831) (Ichneumonidae) Synonym(s): *gravenhorstii* Curtis,1831; *securicornis* Holmgren,1860; *seticornis* Strobl,1902
- 7485)** *Xya variegata* (Latreille,1809) (Tridactylidae) Synonym(s): *variegata* Latreille,1809
- 7486)** *Xya variegata* (Latreille,1809) (Tridactylidae) Synonym(s): *variegata* Latreille,1809
- 7487)** *Xylena exsoleta* (Linnaeus,1758) (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 7488)** *Xylena lunifera* W.Warren,1910 (Noctuidae) Synonym(s): *lunifera* W.Warren,1910; *#lunigera* W.Warren,1910
- 7489)** *Xylena vetusta* (Hübner,[1813]) (Noctuidae) Synonym(s): *vetusta* Hübner,[1813]
- 7490)** *Xylocopa* (Copoxyla) *armeniaca* Warncke,1982 (Apidae) Synonym(s): *armeniaca* Warncke,1982
- 7491)** *Xylocopa* (Proxycopa) *rufa* Friese,1901 (Apidae) Synonym(s): *rufa* Friese,1901; *erivaniensis* Pérez,1901
- 7492)** *Xylogenes dilatatus* (Reitter,1889) (Bostrichidae) Synonym(s): *dilatatus* Reitter,1889
- 7493)** *Xylogenes mesopotamicus* Lesne,1937 (Bostrichidae) Synonym(s): *mesopotamicus* Lesne,1937
- 7494)** *Xylomoia apameaoides* (Hacker,1989) (Noctuidae) Synonym(s): *apameaoides* Hacker,1989
- 7495)** *Xylomoia graminea* (Graeser,1889) (Noctuidae) Synonym(s): *graminea* Graeser,1889; *separata* Staudinger,1892
- 7496)** *Xylomya ciscaucasica* (Pleske,1928) (Xylomyidae) Synonym(s): *ciscaucasica* Pleske,1928
- 7497)** *Xylomya mlokosiewiczii* (Pleske,1925) (Xylomyidae) Synonym(s): *mlokosiewiczii* Pleske,1925
- 7498)** *Xylomya trinotata* (Bigot,1880) (Xylomyidae) Synonym(s): *trinotata* Bigot,1880
- 7499)** *Xylophagus caucasicus* Krivosheina & Mamaev,1982 (Xylophagidae) Synonym(s): *caucasicus* Krivosheina & Mamaev,1982
- 7500)** *Xylophagus lukjanovtshi* Krivosheina & Mamaev,1972 (Xylophagidae) Synonym(s): *lukjanovtshi* Krivosheina & Mamaev,1972
- 7501)** *Xylotrechus antilope* (Schönherr,1817) (Cerambycidae) Synonym(s): *antilope* Schönherr,1817
- 7502)** *Xylotrechus arvicola* (Olivier,1795) (Cerambycidae) Synonym(s): *arvicola* Olivier,1795

- 7503) *Xylotrechus pantherinus* (Savenius,1825) (Cerambycidae) Synonym(s): *pantherinus* Savenius,1825
- 7504) *Xylotrechus rusticus* (Linnaeus,1758) (Cerambycidae) Synonym(s): *rusticus* Linnaeus,1758
- 7505) *Xylotrechus sieversi* Ganglbauer,1890 (Cerambycidae) Synonym(s): *sieversi* Ganglbauer,1890
- 7506) *Xyphosia conspicua* (Loew,1869) (Tephritidae) Synonym(s): *conspicua* Loew,1869
- 7507) *Yerohama maculata* (Meigen,1835) (Sarcophagidae) Synonym(s): *maculata* Meigen,1835
- 7508) *Yponomeuta cognagellus* (Hübner,1813) (Yponomeutidae) Synonym(s): *cognagella* Hübner,1813
- 7509) *Yponomeuta malinellus* Zeller,1838 (Yponomeutidae) Synonym(s): *malinellus* Zeller,1838
- 7510) *Ypsolopha albiramella* (Mann,1861) (Yponomeutidae) Synonym(s): *albiramella* Mann,1861
- 7511) *Ypsolopha dentella* (Fabricius,1775) (Yponomeutidae) Synonym(s): *dentella* Fabricius,1775; *harpella* [Denis & Schiffermüller],1775; *caprifolii* Retzius,1783; *dentatus* Fabricius,1798; *pallescentella* Staudinger,1892
- 7512) *Ypsolopha persicella* (Fabricius,1787) (Yponomeutidae) Synonym(s): *persicella* Fabricius,1787; *sulphurella* Hübner,1793; *persicellume* Noack,1960.
- 7513) *Zabrachypus tenuiabdominalis* (Uchida,1914) (Ichneumonidae) Synonym(s): *tenuiabdominalis* Uchida,1914
- 7514) *Zabrus aciculatus* Schaum,1864 (Carabidae) Synonym(s): *aciculatus* Schaum,1864
- 7515) *Zabrus aurichalceus* M.F.Adams,1817 (Carabidae) Synonym(s): *aurichalceus* M.F.Adams,1817
- 7516) *Zabrus chalceus* Faldermann,1836 (Carabidae) Synonym(s): *chalceus* Faldermann,1836
- 7517) *Zabrus morio* Mandrias,1832 (Carabidae) Synonym(s): *morio* Mandrias,1832
- 7518) *Zabrus tenebrioides* (Goeze,1777) (Carabidae) Synonym(s): *tenebrioides* Goeze,1777
- 7519) *Zatypota bohemani* (Holmgren,1854) (Ichneumonidae) Synonym(s): *bohemani* Holmgren,1854
- 7520) *Zegris eupheme* (Esper,1804) (Pieridae) Synonym(s): *eupheme* Esper,1804; *erother* Eversmann,1832; *tschudica* Herrich-Schäffer,1851].
- 7521) *Zeiraphera griseana* (Hübner,1799) (Tortricidae) Synonym(s): *griseana* Hübner,1799; *diniana* Guenée,1845; *occultana* Douglas,1846; *pinicolana* Lienig & Zeller,1846; *desertana* Caradja,1916
- 7522) *Zeiraphera isertana* (Fabricius,1794) (Tortricidae) Synonym(s): *isertana* Fabricius,1794; *communana* Fabricius,1794; *cuiviana* Fabricius,1794; *adustana* Hübner,1813; *corticana* Hübner,1813; *kuhlweiniana* Hübner,1825; *licheana* Treitschke,1829; *nigricans* Sorhagen,1882; *steiniana* Sorhagen,1882; *wautersi* Dufrene,1945
- 7523) *Zekelita (Ravalita) ravalis* (Herrich-Schäffer,1852) (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,1852; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *pallida* Schawerda,1929; *transcaspica* Brandt,1941.
- 7524) *Zekelita (Rhynchodontodes) antiqualis* (Hübner,1809) (Noctuidae) Synonym(s): *antiqualis* Hübner,1809; *anatolica* Wagner,1931; *antiquilis* Zukowsky,1941
- 7525) *Zekelita (Rhynchodontodes) ravulalis* (Staudinger,1879) (Noctuidae) Synonym(s): *ravulalis* Staudinger,1879
- 7526) *Zenophasus schamyl* (Christoph,1888) (Hepialidae) Synonym(s): *schamyl* Christoph,1888
- 7527) *Zerynthia (Allancastris) caucasica* (Lederer,1864) (Papilionidae) Synonym(s): *caucasica* Lederer,1864; *tkatshukovi* Sheljuzhko,1927; *cachetica* Sheljuzhko,1927; *caucasica* Bernardi,1970.
- 7528) *Zerynthia (s.str.) ruma* (Linnaeus,1758) (Papilionidae) Synonym(s): *ruma* Linnaeus,1758
- 7529) *Zethes propinquus* Christoph,1885 (Noctuidae) Synonym(s): *propinquus* Christoph,1885
- 7530) *Zeuxia nudigena* Belanovsky,1951 (Tachinidae) Synonym(s): *nudigena* Belanovsky,1951
- 7531) *Zeuzera pyrina* (Linnaeus,1761) (Cossidae) Synonym(s): *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892
- 7532) *Zicrona caerulea* (Linnaeus,1758) (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851
- 7533) *Zonitis nigriventris* Motschulsky,1845 (Meloidae) Synonym(s): *nigriventris* Motschulsky,1845
- 7534) *Zophomyia temula* (Scopoli,1763) (Tachinidae) Synonym(s): *temula* Scopoli,1763
- 7535) *Zophosis (Oculosis) punctata* Brullé,1832 (Tenebrionidae) Synonym(s): *punctata* Brullé,1832
- 7536) *Zophosis (Septentriophosis) rugosa* Faldermann,1837 (Tenebrionidae) Synonym(s): *rugosa* Faldermann,1837
- 7537) *Zorochores caucasicus* Jagemann,1939 (Elateridae) Synonym(s): *caucasicus* Jagemann,1939
- 7538) *Zorochores georgicus* Dolin & Tschatlandze,1980 (Elateridae) Synonym(s): *georgicus* Dolin & Tschatlandze,1980
- 7539) *Zorochores meridionalis* (Laporte,1840) (Elateridae) Synonym(s): *meridionalis* Laporte,1840
- 7540) *Zygaena (Agrumenia) armena* Eversmann,1851 (Zygaenidae) Synonym(s): *armena* Eversmann,1851; *kadenii* Lederer,1864
- 7541) *Zygaena (Agrumenia) carniolica* (Scopoli,1763) (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909
- 7542) *Zygaena (Agrumenia) formosa* Herrich-Schäffer,1852 (Zygaenidae) Synonym(s): *formosa* Herrich-Schäffer,1852
- 7543) *Zygaena (Agrumenia) fraxini* Ménétériés,1832 (Zygaenidae) Synonym(s): *fraxini* Ménétériés,1832; *scovitzii* Ménétériés,1832; *cingulata* Sheljuzhko,1958
- 7544) *Zygaena (Agrumenia) haberhaueri* Lederer,1870 (Zygaenidae) Synonym(s): *haberhaueri* Lederer,1870
- 7545) *Zygaena (Agrumenia) loti* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777
- 7546) *Zygaena (Agrumenia) olivieri* Boisduval,1828 (Zygaenidae) Synonym(s): *olivieri* Boisduval,1828; *cremonae* Seitz,1907
- 7547) *Zygaena (Agrumenia) optima* H.Reiss,1939 (Zygaenidae) Synonym(s): *nobilis* H.Reiss,1933 *nec* Navas,1924; *optima* H.Reiss,1939.
- 7548) *Zygaena (Agrumenia) rosinae* Korb,1903 (Zygaenidae) Synonym(s): *rosinae* Korb,1903
- 7549) *Zygaena (Agrumenia) sedi* Fabricius,1787 (Zygaenidae) Synonym(s): *sedi* Fabricius,1787
- 7550) *Zygaena (Mesembrynus) adsharica* H.Reiss,1935 (Zygaenidae) Synonym(s): *adsharica* H.Reiss,1935; *interrupta* H.Reiss,1935; *omniconfluens* H.Reiss,1935
- 7551) *Zygaena (Mesembrynus) alpherakyi* Sheljuzhko,1936 (Zygaenidae) Synonym(s): *alpherakyi* Sheljuzhko,1936
- 7552) *Zygaena (Mesembrynus) brizae* (Esper,1800) (Zygaenidae) Synonym(s): *brizae* Esper,1800
- 7553) *Zygaena (Mesembrynus) cambysea* Lederer,1870 (Zygaenidae) Synonym(s): *cambysea* Lederer,1870
- 7554) *Zygaena (Mesembrynus) cuvieri* Boisduval,1828 (Zygaenidae) Synonym(s): *cuvieri* Boisduval,1828
- 7555) *Zygaena (Mesembrynus) cynarae* (Esper,1789) (Zygaenidae) Synonym(s): *cynarae* Esper,1789; *genistae* Herrich-Schäffer,1846
- 7556) *Zygaena (Mesembrynus) lydia* Staudinger,1887 (Zygaenidae) Synonym(s): *lydia* Staudinger,1887
- 7557) *Zygaena (Mesembrynus) manlia* Lederer,1870 (Zygaenidae) Synonym(s): *manlia* Lederer,1870
- 7558) *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *minos* [Denis & Schiffermüller],1775.
- 7559) *Zygaena (Mesembrynus) punctum* Ochsenheimer,1808 (Zygaenidae) Synonym(s): *punctum* Ochsenheimer,1808

- 7560)** *Zygaena (Mesembrynus) purpuralis* (Brünnich,1763) (Zygaenidae) Synonym(s): *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973.
- 7561)** *Zygaena (Mesembrynus) rubricollis* Hampson,1900 (Zygaenidae) Synonym(s): *rubricollis* Hampson,1900
- 7562)** *Zygaena (Mesembrynus) tamara* Christoph,1889 (Zygaenidae) Synonym(s): *tamara* Christoph,1889
- 7563)** *Zygaena (s.str.) araratica* Staudinger,1871 (Zygaenidae) Synonym(s): *araratica* Staudinger,1871
- 7564)** *Zygaena (s.str.) dorycnii* Ochsenheimer,1808 (Zygaenidae) Synonym(s): *dorycnii* Ochsenheimer,1808
- 7565)** *Zygaena (s.str.) filipendulae* (Linnaeus,1758) (Zygaenidae) Synonym(s): *filipendulae* Linnaeus,1758; *aries* Retzius,1783
- 7566)** *Zygaena (s.str.) loniceriae* (Scheven,1777) (Zygaenidae) Synonym(s): *loniceriae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965
- 7567)** *Zygaena (s.str.) mana* Kirby,1892 (Zygaenidae) Synonym(s): *erebus* Staudinger,1867 *nec* Meig.,1830; *mana* Kirby,1892; *erebaea* Burgeff,1926
- 7568)** *Zygaena (s.str.) osterodensis* H.Reiss,1921 (Zygaenidae) Synonym(s): *osterodensis* H.Reiss,1921
- 7569)** *Zygaena (s.str.) rjabovi* Holik,1939 (Zygaenidae) Synonym(s): *rjabovi* Holik,1939
- 7570)** *Zygaena (s.str.) teberdica* H.Reiss,1939 (Zygaenidae) Synonym(s): *teberdica* H.Reiss,1939
- 7571)** *Zygaena (s.str.) viciae* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829
- 7572)** *Zygaenoprocris (Molletia) taftana* (Alberti,1939) (Zygaenidae) Synonym(s): *taftana* Alberti,1939
- 7573)** *Zygina (s.str.) angusta* Lethierry,1874 (Cicadellidae) Synonym(s): *angusta* Lethierry,1874
- 7574)** *Zygina (s.str.) discolor* Horvath,1897 (Cicadellidae) Synonym(s): *discolor* Horvath,1897; *#discolor* Lodos & Kalkandelen,1984
- 7575)** *Zygina (s.str.) rorida* (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *rorida* Mulsant & Rey,1855; *costalis* Ferrari,1882; *deleta* Ribaut,1936
- 7576)** *Zygina (s.str.) suavis* Rey,1891 (Cicadellidae) Synonym(s): *suavis* Rey,1891; *ramnicola* Horvath,1903; *fulguralis* Matsumura,1908; *concinna* Edwards,1924; *inconstans* Ribaut,1936
- 7577)** *Zygina (s.str.) tiliae* (Fallén,1806) (Cicadellidae) Synonym(s): *tiliae* Fallén,1806
- 7578)** *Zyginidia (s.str.) eremita* Zachvatkin,1953 (Cicadellidae) Synonym(s): *eremita* Zachvatkin,1953; *caucasica* Zachvatkin,1953
- 7579)** *Zyginidia (s.str.) scutellaris* (Herrich-Schäffer,1838) (Cicadellidae) Synonym(s): *scutellaris* Herrich-Schäffer,1838
- 7580)** *Zyginidia (s.str.) sohrab* Zachvatkin,1947 (Cicadellidae) Synonym(s): *sohrab* Zachvatkin,1947; *coacta* Ribaut,1948
- 7581)** *Zygothymus suturalis* (Fabricius,1775) (Chrysomelidae) Synonym(s): *suturalis* Fabricius,1775

BULGARIA (5555 SPECIES)

- 1) *Abax (Abacopercus) carinatus* (Duftschmid,1812) (Carabidae) Synonym(s): *carinatus* Duftschmid,1812
- 2) *Abia sericea* (Linnaeus,1767) (Cimicidae) Synonym(s): *sericea* Linnaeus,1767
- 3) *Abraeus granulum* Erichson,1839 (Histeridae) Synonym(s): *granulum* Erichson,1839
- 4) *Abraeus perpusillus* (Marsham,1802) (Histeridae) Synonym(s): *perpusillus* Marsham,1802
- 5) *Abraxas (Calospilos) sylvata* (Scopoli,1763) (Geometridae) Synonym(s): *sylvata* Scopoli,1763
- 6) *Abraxas (s.str.) grossulariatus* (Linnaeus,1758) (Geometridae) Synonym(s): *grossulariata* Linnaeus,1758; *cuneifera* W.Warren,1895; *memorabilis* Inoue,1946
- 7) *Abrepaogoe osmangazii* (Koçak,1986) (Tortricidae) Synonym(s): *treitschkeana* Treitschke,1835 *nec* Fröh.,1828; *osmangazii* Koçak,1986; *cesa* Kemal & Koçak,2004; *#osmangazii* Brown,2005
- 8) *Abrostola agnorista* Dufay,1956 (Noctuidae) Synonym(s): *agnorista* Dufay,1956
- 9) *Abrostola asclepiadis* (Lang,1789) (Noctuidae) Synonym(s): *#asclepiadis* [Denis & Schiffermüller],1775; *asclepiadis* Lang,1789.
- 10) *Abrostola tripartita* (Hufnagel,1766) (Noctuidae) Synonym(s): *tripartita* Hufnagel,1766; *conspicillum* Retzius,1783; *urticae* Hübner,[1817]
- 11) *Abrostola triplasia* (Linnaeus,1758) (Noctuidae) Synonym(s): *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864.
- 12) *Acalyptris platani* (Müller-Rutz,1934) (Nepticulidae) Synonym(s): *platani* Müller-Rutz,1934
- 13) *Acanthodelphax spinosa* (Fieber,1866) (Delphacidae) Synonym(s): *spinosa* Fieber,1866; *ferruginea* Kirschbaum,1868
- 14) *Acanthophila alacella* (Zeller,1839) (Gelechiidae) Synonym(s): *alacella* Zeller,1839
- 15) *Acanthopsyche ecksteini* (Lederer,1855) (Psychidae) Synonym(s): *ecksteini* Lederer,1855; *erksteiniella* Bruand,1858.
- 16) *Acanthopsyche uralensis* (Freyer,1852) (Psychidae) Synonym(s): *uralensis* Freyer,1852
- 17) *Acasis appensata* (Eversmann,1842) (Geometridae) Synonym(s): *appensata* Eversmann,1842; *appensaria* Herrich-Schäffer,1848
- 18) *Acasis viretata* (Hübner,[1799]) (Geometridae) Synonym(s): *viretata* Hübner,[1799]; *trinotata* Donovan,1810; *viretaria* Boisduval,1840
- 19) *Acaudinum (Protacaudinum) bulgaricum* Holman,1991 (Aphididae) Synonym(s): *bulgaricum* Holman,1991
- 20) *Acaudinum (s.str.) centaureae* (Koch,1854) (Aphididae) Synonym(s): *centaureae* Koch,1854
- 21) *Acaudinum (s.str.) roumanicum* Holman,1991 (Aphididae) Synonym(s): *roumanicum* Holman,1991
- 22) *Accanthopus velikensis* (Piller & Mitterpacher,1783) (Tenebrionidae) Synonym(s): *velikensis* Piller & Mitterpacher,1783; *dentipes* Rossi,1790
- 23) *Acemya acuticornis* (Meigen,1824) (Tachinidae) Synonym(s): *acuticornis* Meigen,1824
- 24) *Acemya rufitibia* (Von Roser,1840) (Tachinidae) Synonym(s): *rufitibia* Von Roser,1840
- 25) *Acentria ephemerella* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *ephemerella* [Denis & Schiffermüller],1775; *nivea* Olivier,1791; *phryganea* Hübner,[1803]; *sebris* Hübner,1808; *ephemera* Hübner,1819; *hansoni* Stephens,1833; *nivosa* Stephens,1834; *garnonsii* Curtis,1834; *newae* Kolenati,1858; *latipennis* Möschler,1860; *obscurus* Tengström,1869; *badensis* Nolcken,1869; *germanicus* Nolcken,1869
- 26) *Acetropis sinuata* E.Wagner,1951 (Miridae) Synonym(s): *sinuata* E.Wagner,1951; *josifovi* E.Wagner,1974
- 27) *Achalcerinys lindus* (Mercet,1921) (Encyrtidae) Synonym(s): *lindus* Mercet,1921
- 28) *Achalcus flavicollis* (Meigen,1824) (Dolichopodidae) Synonym(s): *flavicollis* Meigen,1824; *pallidus* Zetterstedt,1843
- 29) *Acherontia atropos* (Linnaeus,1758) (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.

- 30) **Achroia grisella (Fabricius,1794)** (Pylalidae) Synonym(s): *grisella* Fabricius,1794; *alvearia* Fabricius,1798; *cinereola* Hübner,[1803]; *alvea* Haworth,1811; *alveariella* Guenée,1845; *anticella* Walker,1863; *obscurivittella* Ragonot,1901; #major Dufrene,1930.
- 31) **Achyra nudalis (Hübner,1796)** (Pylalidae) Synonym(s): *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901
- 32) **Achyrolimonia decemmaculata (Loew,1873)** (Limoniidae) Synonym(s): *decemmaculata* Loew,1873
- 33) **Achyrolimonia neonebulosa (Alexander,1924)** (Limoniidae) Synonym(s): *nebulosa* Alexander,1913; *neonebulosa* Alexander,1924; *delicatula* Lackschewitz,1964
- 34) **Acidia cognata Wiedemann,1817** (Tephritidae) Synonym(s): *cognata* Wiedemann,1817; *mutatus* Walker,1850
- 35) **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794
- 36) **Acleris boscanoides Razowski,1959** (Tortricidae) Synonym(s): *boscanoides* Razowski,1959
- 37) **Acleris laterana (Fabricius,1794)** (Tortricidae) Synonym(s): *laterana* Fabricius,1794; *abildgaardana* Fabricius,1794; *latifasciana* Haworth,1811; *comparana* Hübner,[1825]; *labeculana* Freyer,1833; *costimaculana* Stephens,1834; *dormoyana* Duponchel,1835; *erebana* Guenée,1845; *perplexana* Barrett,1881.
- 38) **Acleris literana (Linnaeus,1758)** (Tortricidae) Synonym(s): *literana* Linnaeus,1758; *squamana* Fabricius,1775; *aspersana* [Denis & Schiffermüller],1775; *romanana* Fabricius,1787; *squamulana* Hübner,1793; *irrorana* Hübner,[1799]; *tricolorana* Haworth,1811; *abjectana* Hübner,[1825]; *aerugana* Hübner,[1825]; *fulvomixtana* Stephens,1834; *suavana* Herrich-Schäffer,1851.
- 39) **Acleris quercinana (Zeller,1849)** (Tortricidae) Synonym(s): *quercinana* Zeller,1849; ? *mucidana* Peyerimhoff,1874
- 40) **Acleris schalleriana (Linnaeus,1761)** (Tortricidae) Synonym(s): *schalleriana* Linnaeus,1761; *hirundana* Thunberg,1791; *tristana* Hübner,[1799]; *castaneana* Haworth,1811; *plumbosana* Haworth,1811; *falsana* Hübner,[1825]; *germarana* Frölich,1828; *trigonana* Stephens,1834; *semirhombana* Curtis,1835; *violaceana* Guenée,1845; *erutana* Herrich-Schäffer,1851.
- 41) **Acleris variegana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851.
- 42) **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *bivitis* Frivaldsky,1912; *krueperi* Obenberger,1926
- 43) **Acnephalum fasciculatus (Loew,1847)** (Asilidae) Synonym(s): *fasciculatus* Loew,1847
- 44) **Acompsia cinerella (Clerck,1759)** (Gelechiidae) Synonym(s): *cinerella* Clerck,1759; *murinella* Scopoli,1763; *ardeliella* Hübner,[1817]; *cinerea* Haworth,1828; *spodiella* Treitschke,1833
- 45) **Acompus pallipes (Herrich-Schäffer,1834)** (Lygaeidae) Synonym(s): *pallipes* Herrich-Schäffer,1834; *orientalis* Horvath,1929
- 46) **Acompus rufipes (Wolff,1804)** (Lygaeidae) Synonym(s): *rufipes* Wolff,1804
- 47) **Acontia (Emmelia) trabealis (Scopoli,1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goetze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881
- 48) **Acontia (s.str.) lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliadora* Schawerda,1923
- 49) **Acontia (Uracontia) titania (Esper,[1798])** (Noctuidae) Synonym(s): *titania* Esper,[1798]; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
- 50) **Acontiola lascivalis (Lederer,1855)** (Noctuidae) Synonym(s): *lascivalis* Lederer,1855
- 51) **Acontiola moldavicola (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874
- 52) **Acossus terebrus (Denis,1785)** (Cossidae) Synonym(s): #*terebra* [Denis & Schiffermüller],1775; *terebra* Denis,1785.
- 53) **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792
- 54) **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803
- 55) **Acrobasis centunculella (Mann,1859)** (Pylalidae) Synonym(s): *centunculella* Mann,1859
- 56) **Acrobasis glauccella Staudinger,1859** (Pylalidae) Synonym(s): *glauccella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910.
- 57) **Acrobasis obtusella (Hübner,1796)** (Pylalidae) Synonym(s): *obtusella* Hübner,1796; *obtusa* Haworth,1811; *obtusalis* Hübner,[1825].
- 58) **Acrobasis sodalella Zeller,1848** (Pylalidae) Synonym(s): *sodalella* Zeller,1848
- 59) **Acrolepia autumnetella Curtis,1838** (Yponomeutidae) Synonym(s): *autumnetella* Curtis,1838; *pygmeana* Haworth,1811 nec Hübner,1799; *lefebvreiella* Duponchel,1838; *heleniella* Zeller,1839; *dulcamarella* Bruand,1856; *submontana* Osthelder,1951
- 60) **Acrolepiopsis betulella (Curtis,1850)** (Yponomeutidae) Synonym(s): *betulella* Curtis,1850; *unicolor* Wocke,1884; *ursinella* Weber,1945
- 61) **Acrolepiopsis marcidella (Curtis,1850)** (Yponomeutidae) Synonym(s): *marcidella* Curtis,1850; *fumociliella* Mann,1855
- 62) **Acrometopa servillea (Brullé,1832)** (Tettigoniidae) Synonym(s): *servillea* Brullé,1832
- 63) **Acronicta (s.str.) leporina (Linnaeus,1758)** (Noctuidae) Synonym(s): *leporina* Linnaeus,1758
- 64) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) Synonym(s): *megacephala* Fabricius,1787; *ankarensis* Hering,1933.
- 65) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 66) **Acronicta (Triaena) alni (Linnaeus,1767)** (Noctuidae) Synonym(s): *alni* Linnaeus,1767
- 67) **Acronicta (Triaena) cuspidata (Hübner,[1813])** (Noctuidae) Synonym(s): *cuspidata* Hübner,[1813]
- 68) **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758
- 69) **Acronicta (Triaena) tridens ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tridens* [Denis & Schiffermüller],1775; *karghalika* Moore,1878.
- 70) **Acronicta (Viminia) auricoma (Fabricius,1787)** (Noctuidae) Synonym(s): #*auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *laphathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858
- 71) **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) Synonym(s): #*euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusik & Niesiolowski,1946.
- 72) **Acronicta (Viminia) orientalis Mann,1862** (Noctuidae) Synonym(s): *orientalis* Mann,1862
- 73) **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 74) **Acronicta cinerea (Hufnagel,1766)** (Noctuidae) Synonym(s): *cinerea* Hufnagel,1766; *abscondita* Treitschke,1825
- 75) **Acropsilus niger (Loew,1869)** (Dolichopodidae) Synonym(s): *niger* Loew,1869; *perplexus* Becker,1917

- 76) *Acrorrhinium conspersum* Noualhier, 1895 (Miridae) Synonym(s): *conspersum* Noualhier, 1895
- 77) *Actebia praecox* (Linnaeus, 1758) (Noctuidae) Synonym(s): *praecox* Linnaeus, 1758; *praeceps* Denis & Schiffermüller, [1775]; *pomacea* Fourcroy, 1785
- 78) *Actenia brunnealis* (Treitschke, 1829) (Pyralidae) Synonym(s): *brunnealis* Treitschke, 1829; *phaealis* Hampson, 1900.
- 79) *Actenia honestalis* (Treitschke, 1829) (Pyralidae) Synonym(s): *honestalis* Treitschke, 1829
- 80) *Actenodia confluens* (Reiche, 1866) (Meloidae) Synonym(s): *confluens* Reiche, 1866; *picta* Baudi di Selve, 1878; *caudanigra* Abeille de Perrin, 1880; *ottomana* Escherich, 1899; *mediopartita* Mader, 1929; *mediodisjuncta* Pic, 1930
- 81) *Actia crassicornis* (Meigen, 1824) (Tachinidae) Synonym(s): *crassicornis* Meigen, 1824; *dubitata* Herting, 1974
- 82) *Actia infantula* (Zetterstedt, 1844) (Tachinidae) Synonym(s): *infantula* Zetterstedt, 1844
- 83) *Actia lamia* (Meigen, 1838) (Tachinidae) Synonym(s): *lamia* Meigen, 1838
- 84) *Actia nigroscutellata* Lundbeck, 1927 (Tachinidae) Synonym(s): *nigroscutellata* Lundbeck, 1927
- 85) *Actia pilipennis* (Fallén, 1810) (Tachinidae) Synonym(s): *pilipennis* Fallén, 1810
- 86) *Actina chalybea* Meigen, 1804 (Stratiomyidae) Synonym(s): *chalybea* Meigen, 1804; *femoralis* Meigen, 1820; *nigripes* Meigen, 1820; *flavofemorata* Meigen, 1820; *hirsuta* Macquart, 1834
- 87) *Actinotia polyodon* (Clerck, 1759) (Noctuidae) Synonym(s): *polyodon* Clerck, 1759; *perspicillaris* Linnaeus, 1761.
- 88) *Actinotia radiosa* (Esper, [1804]) (Noctuidae) Synonym(s): *radiosa* Esper, [1804]; *lyncea* Hübner, [1809] (praeocc.)
- 89) *Adaina microdactyla* (Hübner, [1813]) (Pterophoridae) Synonym(s): *microdactyla* Hübner, [1813]; *carphodactylus* Stephens, 1834; *subflavescens* Meyrick, 1930; *montivola* Meyrick, 1937.
- 90) *Adarrus bellevoeyi* (Puton, 1877) (Cicadellidae) Synonym(s): *bellevoeyi* Puton, 1877
- 91) *Adela associatella* (Zeller, 1839) (Adelidae) Synonym(s): *associatella* Zeller, 1839
- 92) *Adela australis* (Heydenreich, 1851) (Adelidae) Synonym(s): *aldrovandella* Villers, 1789; *australis* Heydenreich, 1851; *australis* Herrich-Schäffer, 1855
- 93) *Adela reaumurella* (Linnaeus, 1758) (Adelidae) Synonym(s): *reaumurella* Linnaeus, 1758; *viridella* Scopoli, 1763; *sphingiella* Hübner, 1793; *viridis* Haworth, 1828; *nigra* Zeller, 1853; *speyeri* Zeller, 1853; *vernella* Bruand, 1859
- 94) *Adela violella* ([Denis & Schiffermüller], 1775) (Adelidae) Synonym(s): *violella* [Denis & Schiffermüller], 1775; *tombacinella* Stainton, 1851
- 95) *Adelencyrtus aulacaspidis* (Bréthes, 1914) (Encyrtidae) Synonym(s): *aulacaspidis* Bréthes, 1914
- 96) *Adelphocoris insignis* Horvath, 1898 (Miridae) Synonym(s): *insignis* Horvath, 1898
- 97) *Adontomerus robustus* (Boucek, 1969) (Torymidae) Synonym(s): *robustus* Boucek, 1969
- 98) *Adoxophyes orana* (Fischer v. Röslerstamm, 1834) (Tortricidae) Synonym(s): *reticulana* Hübner, [1819] (praeocc.); *orana* Fischer v. Röslerstamm, 1834; *tripsiana* Eversmann, 1844; *fasciata* Walsingham, 1900; *minor* Shiraki, 1913; *sutschana* Caradja, 1926; *beijingensis* Zhou, Qiu & Fu, 1997
- 99) *Adscita* (s.str.) *albanica* (Naufock, 1926) (Zygaenidae) Synonym(s): *albanica* Naufock, 1926
- 100) *Adscita* (s.str.) *geryon* (Hübner, [1813]) (Zygaenidae) Synonym(s): *geryon* Hübner, [1813]
- 101) *Adscita* (s.str.) *obscura* (Zeller, 1847) (Zygaenidae) Synonym(s): *obscura* Zeller, 1847; *anceps* Staudinger, 1862.
- 102) *Adscita* (s.str.) *statices* (Linnaeus, 1758) (Zygaenidae) Synonym(s): *statices* Linnaeus, 1758; *turcosa* Retzius, 1783; *stuticus* Fourcroy, 1785; *micans* Freyer, 1833; *extensa* Alberti, 1937; *anomala* Verity, 1946; *lutrinensis* Heuser, 1960; *heuseri* Reichl, 1964
- 103) *Adscita* (Tarmannita) *mannii* (Lederer, 1853) (Zygaenidae) Synonym(s): *mannii* Lederer, 1853; *heydenreichii* Lederer, 1853; *crassicornis* Staudinger, 1862; *prasina* Rothschild, 1917; *glauca* Verity, 1946; *pseudostatices* Verity, 1946.
- 104) *Aedes* (Aedimorphus) *vexans* (Meigen, 1830) (Culicidae) Synonym(s): *vexans* Meigen, 1830; *parvus* Macquart, 1834; *articulatus* Rondani, 1872; *malariae* Grassi, 1898; *sylvestris* Theobald, 1901; *montcalmi* Blanchard, 1905; *minuta* Theobald, 1907; *eruthrosops* Theobald, 1910; *sudanensis* Theobald, 1911; *euochrus* Howard, Dyar & Knab, 1917
- 105) *Aedes* (Finlaya) *echinus* Edwards, 1920 (Culicidae) Synonym(s): *echinus* Edwards, 1920
- 106) *Aedes* (Finlaya) *geniculatus* (Olivier, 1791) (Culicidae) Synonym(s): *geniculatus* Olivier, 1791; *guttatus* Meigen, 1818; *lateralis* Meigen, 1818; *ornatus* Meigen, 1818; *guttatus* Curtis, 1835; *albopunctatus* Rondani, 1872
- 107) *Aedes* (Ochlerotatus) *annulipes* (Meigen, 1803) (Culicidae) Synonym(s): *annulipes* Meigen, 1803; *musivus* Skuse, 1889; *mastersi* Skuse, 1889; *quartus* Martini, 1920; *opisthopus* Komp, 1926; *mychonde* Komp, 1928; *derricki* Taylor, 1943; *perplerus* Taylor, 1943; *persimilis* Taylor, 1943
- 108) *Aedes* (Ochlerotatus) *caspicus* (Pallas, 1771) (Culicidae) Synonym(s): *caspicus* Pallas, 1771; *punctatus* Meigen, 1804; *siculus* R-D., 1827; *maculiventris* Macquart, 1844; *penicillaris* Rondani, 1872; *curriei* Coquillett, 1901; *onodagensis* Felt, 1904; *longisquamosa* Theobald, 1905; *subtilis* Sergent & Sergent, 1905; *quaylei* Dyar & Knab, 1906; *lativittatus* Coquillett, 1906; *arabica* Giles, 1906; *africanus* Neveu-Lemaire, 1906; *willcocksii* Theobald, 1907; *arabicus* Becker, 1910; *broquetii* Theobald, 1913; *grahami* Ludlow, 1919; *epsilon* Ségué, 1924
- 109) *Aedes* (Ochlerotatus) *communis* (DeGeer, 1776) (Culicidae) Synonym(s): *communis* DeGeer, 1776
- 110) *Aedes* (Ochlerotatus) *excrucians* (Walker, 1856) (Culicidae) Synonym(s): *excrucians* Walker, 1856; *siphonalis* Grossbeck, 1904; *abfitchii* Felt, 1904; *sanconi* Dyar & Knab, 1909; *dytes* Martini, 1922
- 111) *Aedes* (Ochlerotatus) *pulcritarsis* (Rondani, 1872) (Culicidae) Synonym(s): *pulcritarsis* Rondani, 1872; *leucacanthus* Loew, 1873; *stegomyia* Stackelberg & Monchadskii, 1926; *asiatica* Edwards, 1926; *simici* Baranoff, 1927
- 112) *Aedes* (Rusticoides) *rusticus* (Rossi, 1790) (Culicidae) Synonym(s): *rusticus* Rossi, 1790; *maculatus* Meigen, 1804; *musicus* Leach, 1825; *pungens* R-D., 1827; *quadrata* Macquart, 1834; *diversus* Theobald, 1901; *luteovittata* Theobald, 1901; *subtrichurus* Martini, 1927 (ssp.)
- 113) *Aedes* (s.str.) *cinereus* Meigen, 1818 (Culicidae) Synonym(s): *cinereus* Meigen, 1818
- 114) *Aedes* (Stegomyia) *aegypti* (Linnaeus, 1762) (Culicidae) Synonym(s): *aegypti* Linnaeus, 1762; *argenteus* Poirét, 1787; *fasciatus* Fabricius, 1805; *sugens* Wiedemann, 1828; *annulitarsis* Macquart, 1846; *inexorabilis* Walker, 1848; *insatiabilis* Bigot, 1859; *nigeria* Theobald, 1901; *atrutarsis* Edwards, 1920
- 115) *Aedia funesta* (Esper, [1786]) (Noctuidae) Synonym(s): *funesta* Esper, [1786]; *quadrata* Scopoli, 1786
- 116) *Aedia leucomelas* (Linnaeus, 1758) (Noctuidae) Synonym(s): *leucomelas* Linnaeus, 1758; *ramburii* Boisduval, 1829; *adepta* Geyer, 1832; *olivascens* Guenée, 1852; *limitaris* Walker, [1863]; *shisa* Strand, 1920; *thomae* A.E. Prout, 1927; *albodiscalis* Roepke, 1932; *ermanniae* Berio, 1989
- 117) *Aedophron rhodites* (Eversmann, 1851) (Noctuidae) Synonym(s): *rhodites* Eversmann, 1851; *aurorina* Herrich-Schäffer, 1852.
- 118) *Aegle kaekeritziana* (Hübner, [1799]) (Noctuidae) Synonym(s): *kaekeritziana* Hübner, [1799]; *flava* Hübner, [1809]; *flavida* Ochseneimer, 1816.
- 119) *Aegle semicana* (Esper, [1798]) (Noctuidae) Synonym(s): *semicana* Esper, [1798]; *vespertalis* Hübner, [1813]; *mimetes* Brandt, 1938; *verspertalis* Hacker, 1986.
- 120) *Aeletes atomarius* (Aubé, 1843) (Histeridae) Synonym(s): *atomarius* Aubé, 1843
- 121) *Aeletes hopffgarteni* (Reitter, 1876) (Histeridae) Synonym(s): *hopffgarteni* Reitter, 1876

- 122) *Aelia acuminata* (Linnaeus,1758)** (Pentatomidae) Synonym(s): *acuminata* Linnaeus,1758; *rostratus* De Geer,1773; *tessarophthalmus* Schrank,1781; *neglecta* Dallas,1851; *burmeisteri* Küster,1852; *pallida* Küster,1852; *turanica* Horvath,1895; *punctiventris* Horvath,1911; *#nigripes* Wagner,1938; *baluchistanensis* Ahmad & Zaidi,1988
- 123) *Aelia klugii* Hahn,1833** (Pentatomidae) Synonym(s): *klugii* Hahn,1833; *granum* Jakovlev,1903; *demissa* Kiritchenko,1914; *angusta* Stehlik,1976; *bifida* Hsiao & Cheng,1977; *orientalis* Josifov,1984; *chinensis* Rider & Rolston,1995
- 124) *Aelia rostrata* Boheman,1852** (Pentatomidae) Synonym(s): *rostrata* Boheman,1852; *cognata* Fieber,1868; *glebana* Ferrari,1874; *syriaca* Horvath,1903; *eminealkanata* Lodos,1959; *confusa* Kirkaldy,1909; *brunnea* Halaszfy,1955
- 125) *Aelia sibirica* Reuter,1884** (Pentatomidae) Synonym(s): *sibirica* Reuter,1884; *henschi* Montandon,1886; *aspera* Jakovlev,1903
- 126) *Aelia virgata* (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *virgata* Herrich-Schäffer,1841
- 127) *Aelopus atratus* (Goeze,1778)** (Lygaeidae) Synonym(s): *atratus* Goeze,1778
- 128) *Aethalura punctulata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *punctulata* [Denis & Schiffermüller],1775; *tigris* Walchs,1779; *scopularia* Thunberg,1784; *punctularia* Hübner,[1823];
- 129) *Aethes bilbaensis* (Rössler,1877)** (Tortricidae) Synonym(s): *bilbaensis* Rössler,1877; *loxopteroides* Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923.
- 130) *Aethes enicana* (Westwood,1854)** (Tortricidae) Synonym(s): *enicana* Westwood,1854; *arctica* Brandt,1937
- 131) *Aethes deutschiana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *deutschiana* Zetterstedt,1839; *lutulentana* Herrich-Schäffer,1856; *chalcana* Packard,1866.
- 132) *Aethes eichleri* Razowski,1983** (Tortricidae) Synonym(s): *eichleri* Razowski,1983
- 133) *Aethes eryngiella* (Vallot,1829)** (Tortricidae) Synonym(s): *eryngiella* Vallot,1829; *flagellana* Duponchel,1836; *helveticana* Heyden,1865; *eryngiana* Heyden,1865; *sardoa* Amsel,1952.
- 134) *Aethes francillana* (Fabricius,1794)** (Tortricidae) Synonym(s): *francillana* Fabricius,1794; *francillonana* Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920.
- 135) *Aethes hartmanniana* (Clerck,1759)** (Tortricidae) Synonym(s): *lyonetella* Linnaeus,1758; *#hartmanniana* Clerck,1759; *wiedemannella* Müller,1764; *baumanniana* [Denis & Schiffermüller],1775; *allioniana* De Villers,1789; *avellana* Hübner,1822; *subbaumanniana* Wilkinson,1859; *murciana* Caradja,1916; *excelsior* Schawerda,1920.
- 136) *Aethes margaritana* (Haworth,[1811])** (Tortricidae) Synonym(s): *margaritana* Haworth,[1811]; *dipoltella* Hübner,[1813].
- 137) *Aethes mauritanica* (Walsingham,1898)** (Tortricidae) Synonym(s): *mauritanica* Walsingham,1898; *#mauretanica* Kennel,1910; *cornelia* Turati,1924; *albella* Amsel,1952.
- 138) *Aethes nefandana* (Kennel,1899)** (Tortricidae) Synonym(s): *nefandana* Kennel,1899; *diacrisiana* Rebel,1903; *chersonana* Obratsov,1937.
- 139) *Aethes rubigana* (Treitschke,1830)** (Tortricidae) Synonym(s): *rubigana* Treitschke,1830; *arctica* Brandt,1937.
- 140) *Aethes smeathmanniana* (Fabricius,1781)** (Tortricidae) Synonym(s): *smeathmanniana* Fabricius,1781; *fabriciana* Hübner,[1799]; *biviana* Duponchel,1842; *stachydana* Herrich-Schäffer,1851; *scissana* Walker,1863.
- 141) *Aethes tesserana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller],1775; *alella* Sulzer,1776; *heiserana* Fabricius,1787; *groendalana* Thunberg,1791.
- 142) *Aethes tornella* (Walsingham,1898)** (Tortricidae) Synonym(s): *tornella* Walsingham,1898
- 143) *Aethes triangulana* (Treitschke,1835)** (Tortricidae) Synonym(s): *triangulana* Treitschke,1835; *kuhlweiniana* Fischer v. Rösslerstamm,[1836]; *tergana* Eversmann,1844.
- 144) *Aethes williana* (Brahm,1791)** (Tortricidae) Synonym(s): *williana* Brahm,1791; *cembrana* Hübner,[1825]; *zephyrana* Treitschke,1830; *dubrisana* Curtis,1834; *marmoratana* Curtis,1834; *luteolana* Stephens,1834; *virginana* Guenée,1845; *loriculana* Guenée,1849; *costignata* Filipjev,1926.
- 145) *Agabus (Acatodes) congener* (Thunberg,1794)** (Dytiscidae) Synonym(s): *congener* Thunberg,1794; *foveolatus* Mulsant & Godart,1860; *venturii* Bertolini,1870; *funkii* Seidlitz,1887; *daisetsuzanus* Kamiya,1938
- 146) *Agabus (Acatodes) sturmii* Gyllenhal,1808** (Dytiscidae) Synonym(s): *sturmii* Gyllenhal,1808; *goedeli* A.Villa & G.B.Villa,1833; *fallax* Munster,1932
- 147) *Agabus (Gaurodytes) biguttatus* (Olivier,1795)** (Dytiscidae) Synonym(s): *biguttatus* Olivier,1795
- 148) *Agabus (Gaurodytes) caraboides* Sharp,1882** (Dytiscidae) Synonym(s): *caraboides* Sharp,1882; *merkli* Régimbart,1884
- 149) *Agabus (s.str.) labiatus* (Brahm,1790)** (Dytiscidae) Synonym(s): *labiatus* Brahm,1790; *femoralis* Paykull,1798; *impressus* Zoubkoff,1833; *assimilis* Sturm,1834; *hochhuti* Zaitsev,1908; *transcaucasicus* Zaitsev,1927
- 150) *Agabus (s.str.) zimmermanni* Scholz,1920** (Dytiscidae) Synonym(s): *zimmermanni* Scholz,1920
- 151) *Agallia consobrina* Curtis,1833** (Cicadellidae) Synonym(s): *consobrina* Curtis,1833
- 152) *Agallia perarmata* (Dlabola,1958)** (Cicadellidae) Synonym(s): *perarmata* Dlabola,1958
- 153) *Agalmatium flavescens* (Olivier,1791)** (Issidae) Synonym(s): *flavescens* Olivier,1791; *grylloides* Fabricius,1794; *liliiaculata* O.Costa,1834; *bifasciatus* O.Costa,1834; *smyrnensis* Spinola,1839; *dufourii* Spinola,1839; *sicula* O.Costa,1840; *zelleri* Kirschbaum,1868
- 154) *Agapanthia cynarae* (Germar,1817)** (Cerambycidae) Synonym(s): *cynarae* Germar,1817
- 155) *Agapanthia kirbyi* (Gyllenhal,1817)** (Cerambycidae) Synonym(s): *kirbyi* Gyllenhal,1817
- 156) *Agapanthia osmanlis* Reiche & Sauley,1858** (Cerambycidae) Synonym(s): *osmanlis* Reiche & Sauley,1858
- 157) *Agapeta hamana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *hamana* Linnaeus,1758; *trigonana* [Denis & Schiffermüller],1775; *citrinella* Fourcroy,1785; *cruciana* Fabricius,1787; *diversana* Hübner,1793
- 158) *Agapeta largana* (Rebel,1906)** (Tortricidae) Synonym(s): *largana* Rebel,1906; *vicolana* Capuse,1964.
- 159) *Agapeta zoegana* (Linnaeus,1767)** (Tortricidae) Synonym(s): *zoegana* Linnaeus,1767; *cincta* Fourcroy,1785; *flavella* Villers,1789; *ferrugana* Haworth,[1811] *nec* [Denis & Schiff.],1775; *#zaegana* Staudinger,1879
- 160) *Agdistis adactyla* (Hübner,[1819])** (Pterophoridae) Synonym(s): *adactyla* Hübner,[1819]; *huebneri* Curtis,1834; *delphinensis* Bruand,1858; *shaanxisis* Qin & Zheng,1997.
- 161) *Agdistis heydeni* (Zeller,1852)** (Pterophoridae) Synonym(s): *heydeni* Zeller,1852; *canariensis* Rebel,1896; *excurata* Meyrick,1920.
- 162) *Agdistis satanas* Millière,1876** (Pterophoridae) Synonym(s): *satanas* Millière,1876; *nanus* Turati,1924; *pseudosatanas* Amsel,1952.
- 163) *Agdistis tamaricis* (Zeller,1847)** (Pterophoridae) Synonym(s): *tamaricis* Zeller,1847; *bagdadiensis* Amsel,1949; *xinjiangsis* Qin & Zheng,1997.
- 164) *Agenisaspis fuscicollis* (Dalman,1820)** (Encyrtidae) Synonym(s): *fuscicollis* Dalman,1820; *cianocephalus* Bouché,1834; *praysincola* Silvestri,1907; *anchyloperae* De Santis,1957
- 165) *Aglais urticae* (Linnaeus,1758)** (Argynnidae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936.

- 166) **Aglena ornata (Herrich-Schäffer, 1838)** (Cicadellidae) Synonym(s): *ornata* Herrich-Schäffer, 1838; *pallida* Walker, 1851 (*praeocc.*); *ornatula* Kirkaldy, 1906
- 167) **Aglia tau (Linnaeus, 1758)** (Saturniidae) Synonym(s): *tau* Linnaeus, 1758; *cerretanica* Rougeot, 1965; *spaniolissima* Gomez-Bustillo & Gomez de Aizpurua, 1980; *eumense* Gomez-Bustillo & Fernandez Vidal, 1980
- 168) **Aglossa caprealis (Hübner, [1809])** (Pyralidae) Synonym(s): *caprealis* Hübner, [1809]; *capreolatus* Haworth, 1809; *aenalis* Costa, 1836; *domalis* Guenée, 1854; *incultella* Walker, 1866; *enthealis* Hulst, 1886; *#cuprealis* Kalchberg, 1897
- 169) **Aglossa pinguinalis (Linnaeus, 1758)** (Pyralidae) Synonym(s): *pinguinalis* Linnaeus, 1758; *marmorella* Geoffroy, 1785; *marmoratella* Villers, 1789; *pinguiculatus* Haworth, 1809; *pinguinatus* Haworth, 1809; *asiatica* Erschoff, 1871; *rubralis* Hampson, 1900; *guicciardii* Constantino, 1922; *sanaensis* Rebel, 1930; *maroccana* Schmidt, 1934
- 170) **Aglossa signicostalis Staudinger, 1871** (Pyralidae) Synonym(s): *signicostalis* Staudinger, 1871
- 171) **Agonochoetia quartana (Povolny, 1990)** (Oecophoridae) Synonym(s): *quartana* Povolny, 1990
- 172) **Agonopterix alstromeriana (Clerck, 1759)** (Oecophoridae) Synonym(s): *alstromeriana* Clerck, 1759; *monilella* [Denis & Schiffermüller], 1775; *puella* Hübner, 1796; *alstroemeri* Haworth, 1811; *alstroemerella* Hübner, [1825]; *albidella* Eversmann, 1844; *alstroemeriella* Doubleday, 1859
- 173) **Agonopterix doricella (Wocke, 1849)** (Oecophoridae) Synonym(s): *doricella* Wocke, 1849
- 174) **Agonopterix furvella (Treitschke, 1832)** (Oecophoridae) Synonym(s): *furvella* Treitschke, 1832
- 175) **Agonopterix laterella ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *laterella* [Denis & Schiffermüller], 1775
- 176) **Agonopterix pallorella (Zeller, 1839)** (Oecophoridae) Synonym(s): *pallorella* Zeller, 1839; *subpallorella* Staudinger, 1871
- 177) **Agonopterix tschorbadjiewi (Rebel, 1916)** (Oecophoridae) Synonym(s): *tschorbadjiewi* Rebel, 1916
- 178) **Agonum angustatum Dejean, 1828** (Carabidae) Synonym(s): *angustatum* Dejean, 1828
- 179) **Agonum antennarium (Duftschmid, 1812)** (Carabidae) Synonym(s): *antennarium* Duftschmid, 1812
- 180) **Agonum gisellae Csiki, 1931** (Carabidae) Synonym(s): *gisellae* Csiki, 1931
- 181) **Agonum gracile Sturm, 1824** (Carabidae) Synonym(s): *gracile* Sturm, 1824
- 182) **Agonum hypocrita (Apfelbeck, 1904)** (Carabidae) Synonym(s): *hypocrita* Apfelbeck, 1904
- 183) **Agonum longicorne Chaudoir, 1846** (Carabidae) Synonym(s): *longicorne* Chaudoir, 1846
- 184) **Agonum lugens (Duftschmid, 1812)** (Carabidae) Synonym(s): *lugens* Duftschmid, 1812; *longipenne* Mannerheim, 1844
- 185) **Agonum marginatum (Linnaeus, 1758)** (Carabidae) Synonym(s): *marginatum* Linnaeus, 1758
- 186) **Agonum monachum (Duftschmid, 1812)** (Carabidae) Synonym(s): *monachum* Duftschmid, 1812
- 187) **Agonum muelleri (Herbst, 1784)** (Carabidae) Synonym(s): *muelleri* Herbst, 1784
- 188) **Agonum rugicollae Chaudoir, 1846** (Carabidae) Synonym(s): *rugicollae* Chaudoir, 1846
- 189) **Agonum sexpunctatum (Linnaeus, 1758)** (Carabidae) Synonym(s): *sexpunctatum* Linnaeus, 1758
- 190) **Agonum thoreyi Dejean, 1828** (Carabidae) Synonym(s): *thoreyi* Dejean, 1828
- 191) **Agrilus (Anambus) buresi Obenberger, 1935** (Buprestidae) Synonym(s): *buresi* Obenberger, 1935
- 192) **Agrilus (Anambus) derasofasciatus Lacordaire, 1835** (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire, 1835
- 193) **Agrilus (Anambus) obscuricollis Kiesenwetter, 1857** (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter, 1857
- 194) **Agrilus (Anambus) roscidus Kiesenwetter, 1857** (Buprestidae) Synonym(s): *roscidus* Kiesenwetter, 1857
- 195) **Agrilus (s.str.) aurichalceus Redtenbacher, 1849** (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher, 1849
- 196) **Agrilus (s.str.) hyperici (Creutzer, 1799)** (Buprestidae) Synonym(s): *hyperici* Creutzer, 1799
- 197) **Agrilus (s.str.) lineolus Redtenbacher, 1849** (Buprestidae) Synonym(s): *lineolus* Redtenbacher, 1849
- 198) **Agriopsis bajaran ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#aerugaria* [Denis & Schiffermüller], 1775; *bajaran* [Denis & Schiffermüller], 1775; *vittaria* Sulzer, 1776; *rubrostriata* Goeze, 1781; *ligustriaria* Lang, 1789; *sericearia* Borkhausen, 1794; *cineraria* Esper, [1801]; *sorditaria* Hübner, [1809]; *legrasi* Dumont, 1925
- 199) **Agriopsis beschkovi Ganév, 1987** (Geometridae) Synonym(s): *beschkovi* Ganév, 1987
- 200) **Agriopsis brumaria (Borkhausen, 1794)** (Geometridae) Synonym(s): *#leucophaearia* [Denis & Schiffermüller], 1775; *brumaria* Borkhausen, 1794; *nigricaria* Hübner, [1799]
- 201) **Agriotes (s.str.) litigiosus (Rossi, 1792)** (Elateridae) Synonym(s): *litigiosus* Rossi, 1792
- 202) **Agriphila brionella (Zerny, 1914)** (Pyralidae) Synonym(s): *brioniella* Zerny, 1914; *#subbrioniella* Amsel, 1959.
- 203) **Agriphila dalmatinella (Hampson, 1900)** (Pyralidae) Synonym(s): *dalmatinella* Hampson, 1900
- 204) **Agriphila deliella (Hübner, [1813])** (Pyralidae) Synonym(s): *deliella* Hübner, [1813]; *delialis* Hübner, [1825]
- 205) **Agriphila inquinatella ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller], 1775; *? arbustella* Schrank, 1802; *nevadensis* Caradja, 1910.
- 206) **Agriphila latistria (Haworth, [1811])** (Pyralidae) Synonym(s): *latistria* Haworth, [1811]; *gueneellus* Duponchel, 1836; *monotaeniellus* Herrich-Schäffer, [1852]; *vectifer* Zeller, 1863; *vallicolella* Costa, 1885.
- 207) **Agriphila poliella (Treitschke, 1832)** (Pyralidae) Synonym(s): *poliella* Treitschke, 1832
- 208) **Agriphila selasella (Hübner, [1813])** (Pyralidae) Synonym(s): *selasella* Hübner, [1813]; *obtusellus* Stephens, 1834
- 209) **Agriphila straminella ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *straminella* [Denis & Schiffermüller], 1775; *marginella* Stephens, 1834.
- 210) **Agriphila tersella (Lederer, 1855)** (Pyralidae) Synonym(s): *tersellus* Lederer, 1855; *graphellus* Constant, 1884; *hungaricus* Schmidt, 1909; *austellus* Chrétien, 1913; *uniformellus* Caradja, 1918; *chneouri* Lucas, 1942.
- 211) **Agriphila tolli (Bleszynski, 1952)** (Pyralidae) Synonym(s): *tollii* Bleszynski, 1952
- 212) **Agriphila tristella ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *tristella* [Denis & Schiffermüller], 1775; *ferruginella* Thunberg, 1788; *paleella* Hübner, 1796; *aquilella* Hübner, 1796; *moerens* Fabricius, 1798; *fuscinella* Schrank, 1802; *fuscelinellus* Stephens, 1834; *ribbeellus* Caradja, 1910; *discistrigatus* Hampson, 1919.
- 213) **Agriphila vasilevi Ganév, 1983** (Pyralidae) Synonym(s): *vasilevi* Ganév, 1983
- 214) **Agrius convolvuli (Linnaeus, 1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distant* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O.Bang-Haas, 1927
- 215) **Agrochola (Alpichola?) gratiosa (Staudinger, 1882)** (Noctuidae) Synonym(s): *gratiosa* Staudinger, 1881
- 216) **Agrochola (Anchoscelis) consueta (Herrich-Schäffer, [1852])** (Noctuidae) Synonym(s): *consueta* Herrich-Schäffer, [1852]
- 217) **Agrochola (Anchoscelis) deleta (Staudinger, 1881)** (Noctuidae) Synonym(s): *deleta* Staudinger, 1881
- 218) **Agrochola (Anchoscelis) helvola (Linnaeus, 1758)** (Noctuidae) Synonym(s): *helvola* Linnaeus, 1758; *rufina* Linnaeus, 1758; *#fulvago* Clerck, 1759
- 219) **Agrochola (Anchoscelis) humilis (Fabricius, 1787)** (Noctuidae) Synonym(s): *#humilis* [Denis & Schiffermüller], 1775; *humilis* Fabricius, 1787

- 220)** *Agrochola (Anchoscelis) kindermanni* (Fischer v. Röslerstamm,[1841]) (Noctuidae) Synonym(s): *kindermanni* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermanni* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953.
- 221)** *Agrochola (Anchoscelis) litura* (Linnaeus,1761) (Noctuidae) Synonym(s): *litura* Linnaeus,1761
- 222)** *Agrochola (Anchoscelis) lota* (Clerck,1759) (Noctuidae) Synonym(s): *#lota* Clerck,1759; *hippophae* Goerze,1781; *hippophaes* Retzius,1783; *americana* Morris,1876
- 223)** *Agrochola (Anchoscelis) macilenta* (Hübner,[1809]) (Noctuidae) Synonym(s): *macilenta* Hübner,[1809]
- 224)** *Agrochola (Anchoscelis) nitida* (Fabricius,1787) (Noctuidae) Synonym(s): *#nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787
- 225)** *Agrochola (Anchoscelis) osthelderi* Boursin,1951 (Noctuidae) Synonym(s): *osthelderi* Boursin,1951
- 226)** *Agrochola (Anchoscelis) rupicapra* (Staudinger,1879) (Noctuidae) Synonym(s): *rupicapra* Staudinger,1879
- 227)** *Agrochola (Anchoscelis) thurneri* Boursin,1953 (Noctuidae) Synonym(s): *thurneri* Boursin,1953
- 228)** *Agrochola (Propenistra) laevis* (Hübner,[1803]) (Noctuidae) Synonym(s): *laevis* Hübner,[1803]
- 229)** *Agrochola (s.str.) pistacina* (Goeze,1781) (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 nec Panzer,1785; *sphaerulatina* Haworth,1809; *venosa* Haworth,1809 nec Hw.1809.
- 230)** *Agrochola (Sunira) circellaris* (Hufnagel,1766) (Noctuidae) Synonym(s): *circellaris* Hufnagel,1766
- 231)** *Agrochola pistacinoides* (d'Aubuisson,1867) (Noctuidae) Synonym(s): *pistacinoides* d'Aubuisson,1867; *garibaldina* Turati,1905; *dujardini* Dufay,1975.
- 232)** *Agrotera nemoralis* (Scopoli,1763) (Pyralidae) Synonym(s): *nemoralis* Scopoli,1763
- 233)** *Agrotherutes parvulus* (Habermehl,1926) (Ichneumonidae) Synonym(s): *parvulus* Habermehl,1926
- 234)** *Agrotis (Crassagrotis) bigramma* (Esper,[1790]) (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 235)** *Agrotis (Crassagrotis) obesa* (Boisduval,1829) (Noctuidae) Synonym(s): *obesa* Boisduval,1840
- 236)** *Agrotis (Putagrotis) puta* (Hübner,[1803]) (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
- 237)** *Agrotis (s.str.) biconicus* Kollar,[1844] (Noctuidae) Synonym(s): *spinifera* Hübner,[1808] nec Vill.,1789; *biconica* Kollar,[1844]; *aristifera* Guenée,1852; *spiculifera* Guenée,1852; *ferina* Felder & Rogenhofer,1874; *hodnae* Oberthür,1878
- 238)** *Agrotis (s.str.) cinerea* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculata* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910.
- 239)** *Agrotis (s.str.) clavis* (Hufnagel,1766) (Noctuidae) Synonym(s): *clavis* Hufnagel,1766; *corticea* [Denis & Schiffermüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902.
- 240)** *Agrotis (s.str.) desertorum* Boisduval,1840 (Noctuidae) Synonym(s): *desertorum* Boisduval,1840; *deserticola* Eversmann,1842
- 241)** *Agrotis (s.str.) exclamationis* (Linnaeus,1758) (Noctuidae) Synonym(s): *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 nec Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 242)** *Agrotis (s.str.) fatidica* (Hübner,[1824]) (Noctuidae) Synonym(s): *fatidica* Hübner,[1824]; *heydenreichii* Germar,[1844]; *incurva* Herrich-Schäffer,[1852].
- 243)** *Agrotis (s.str.) ipsilon* (Hufnagel,1766) (Noctuidae) Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 244)** *Agrotis (s.str.) segetum* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (praeocc.); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversa* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificata* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 245)** *Agrotis (s.str.) trux* (Hübner,[1824]) (Noctuidae) Synonym(s): *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 246)** *Agrotis (s.str.) vestigialis* (Hufnagel,1766) (Noctuidae) Synonym(s): *vestigialis* Hufnagel,1766
- 247)** *Aguriahana germari* (Zetterstedt,1840) (Cicadellidae) Synonym(s): *germari* Zetterstedt,1840
- 248)** *Aguriahana stellulata* (Burmeister,1841) (Cicadellidae) Synonym(s): *stellulata* Burmeister,1841
- 249)** *Aiolopus strepens* (Latreille,[1802]) (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913
- 250)** *Akotropis quercicola* Linnavuori,1962 (Achilidae) Synonym(s): *quercicola* Linnavuori,1962
- 251)** *Alabonia staintoniella* (Zeller,1850) (Oecophoridae) Synonym(s): *staintoniella* Zeller,1850
- 252)** *Alastor (s.str.) mocsaryi* (André,1884) (Vespidae) Synonym(s): *mocsaryi* André,1884; *bieglebeni* Giordani Soika,1942; *pannonicus* Blüthgen,1956
- 253)** *Alastor seidenstueckeri* Blüthgen,1956 (Vespidae) Synonym(s): *seidenstueckeri* Blüthgen,1956; *bulgaricus* Atanassov,1967
- 254)** *Albocosta musiva* (Hübner,[1803]) (Noctuidae) Synonym(s): *musiva* Hübner,[1803]
- 255)** *Alcis jubata* (Thunberg,1788) (Geometridae) Synonym(s): *dilatata* Hufnagel,1767; *jubata* Thunberg,1788; *glabraria* Hübner,[1799]; *teneraria* Hübner,[1813]; *plancaria* Hübner,[1825]; *semiothisata* Lenz,1917
- 256)** *Alcis repandata* (Linnaeus,1758) (Geometridae) Synonym(s): *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *bistortae* Vallot,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 nec Wrnk.,1941
- 257)** *Alebra albostrigella* (Fallén,1826) (Cicadellidae) Synonym(s): *albostrigella* Fallén,1826; *elegantula* Zetterstedt,1828; *discicollis* Herrich-Schäffer,1834; *fasciata* Curtis,1837; *fulveola* Herrich-Schäffer,1838; *eximia* Hardy,1850; *fastuosa* Graff, Six & Snellen,1862; *viridis* Rey,1894; *flavocephala* Kupka,1899; *diluta* Ribaut,1936; *dufourii* Ribaut,1936
- 258)** *Aleimma loeflingianum* (Linnaeus,1758) (Tortricidae) Synonym(s): *loeflingiana* Linnaeus,1758; *mixtana* Fabricius,1794; *plumbana* Hübner,[1799]; *ectypana* Hübner,[1800]; *plumbeolana* Haworth,1811
- 259)** *Aleucis distinctata* (Herrich-Schäffer,[1839]) (Geometridae) Synonym(s): *distinctata* Herrich-Schäffer,[1839]; *pictaria* auct.

- 260) *Alloerhynchus flavipes* (Fieber, 1836) (Nabidae) Synonym(s): *flavipes* Fieber, 1836
- 261) *Allophorocera ferruginea* (Meigen, 1824) (Tachinidae) Synonym(s): *ferruginea* Meigen, 1824
- 262) *Allophyes oxyacanthae* (Linnaeus, 1758) (Noctuidae) Synonym(s): *oxyacanthae* Linnaeus, 1758; *capucina* Millièrè, 1870; *corsica* Spuler, 1905; *alfaroi* Agenjo, 1951; *powelli* Rungs, [1953]; *protai* Boursin, 1966; *dujardini* Boursin, 1968; *parenzani* De Laever, 1977.
- 263) *Allygidius atomarius* (Fabricius, 1794) (Cicadellidae) Synonym(s): *reticulata* Thunberg, 1784 (praeocc.); *atomarius* Fabricius, 1794; *conspicillaris* Schrank, 1801; *heydeni* Kirschbaum, 1868
- 264) *Allygidius commutatus* Fieber, 1872 (Cicadellidae) Synonym(s): *commutatus* Fieber, 1872
- 265) *Allygus mayri* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *mayri* Kirschbaum, 1868; *horvathi* Csiki, 1940
- 266) *Allygus mixtus* (Fabricius, 1794) (Cicadellidae) Synonym(s): *mixtus* Fabricius, 1794; *marmorata* Hardy, 1850; *communis* Ferrari, 1882; *corisipennis* Ferrari, 1882; *juvenis* Ferrari, 1882; *margaritinus* Ferrari, 1882; *gracilis* Rey, 1894; *immunis* Rey, 1894
- 267) *Allygus provincialis* (Ferrari, 1882) (Cicadellidae) Synonym(s): *provincialis* Ferrari, 1882
- 268) *Alnetoidia alneti* (Dahlbom, 1850) (Cicadellidae) Synonym(s): *alneti* Dahlbom, 1850; *coryli* Tollin, 1851; *mali* Edwards, 1851
- 269) *Alosimus chalybaeus* (Tauscher, 1812) (Meloidae) Synonym(s): *chalybaeus* Tauscher, 1812
- 270) *Alosimus syriacus* (Linnaeus, 1758) (Meloidae) Synonym(s): *syriacus* Linnaeus, 1758; *austriacus* Schrank, 1781
- 271) *Alsophila aceraria* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *#aceraria* [Denis & Schiffermüller], 1775; *quadripunctaria* Esper, 1801 nec Pda., 1761
- 272) *Alsophila hirsutaria* (Fabricius, 1781) (Geometridae) Synonym(s): *#aescularia* [Denis & Schiffermüller], 1775; *hirtaria* Fabricius, [1776] nec Linn., 1761; *hirsutaria* Fabricius, 1781; *murinaria* Borkhausen, 1794.
- 273) *Altenia scriptella* (Hübner, 1796) (Gelechiidae) Synonym(s): *scriptella* Hübner, 1796
- 274) *Alucita bulgaria* Zagulyaev, 2000 (Alucitidae) Synonym(s): *bulgaria* Zagulyaev, 2000
- 275) *Alucita grammodactyla* Zeller, 1841 (Alucitidae) Synonym(s): *grammodactyla* Zeller, 1841
- 276) *Alucita major* (Rebel, 1906) (Alucitidae) Synonym(s): *major* Rebel, 1906
- 277) *Alydus calcaratus* (Linnaeus, 1758) (Alydidae) Synonym(s): *calcaratus* Linnaeus, 1758
- 278) *Amara* (*Curtonotus*) *propinqua* Ménéttriés, 1832 (Carabidae) Synonym(s): *propinqua* Ménéttriés, 1832; *bistriata* Putzeys, 1866
- 279) *Amara* (*Amarocelia*) *erratica* (Duftschmid, 1812) (Carabidae) Synonym(s): *erratica* Duftschmid, 1812; *gracula* Heer, 1837; *affinis* Motschoulsky, 1850; *nivina* Gistel, 1857; *rugulosa* Gistel, 1857; *trophina* Gistel, 1857; *xenechthum* Gistel, 1857; *obscuricornis* Motschoulsky, 1859; *caucasicola* Lutschnik, 1935
- 280) *Amara* (*Bradytus*) *apricaria* (Paykull, 1790) (Carabidae) Synonym(s): *apricaria* Paykull, 1790; *analis* Fabricius, 1792; *petri* Hummel, 1825; *raethica* Heer, 1837; *armena* Motschoulsky, 1844; *parallela* Chaudoir, 1842; *putzeysi* Horn, 1875; *baschkirica* Schweiger, 1966; *paphlagoniensis* Schweiger, 1966; *uludagensis* Schweiger, 1966
- 281) *Amara* (*Bradytus*) *consularis* (Duftschmid, 1812) (Carabidae) Synonym(s): *consularis* Duftschmid, 1812; *crassa* Stephens, 1828; *nigra* Chaudoir, 1837; *uralensis* Motschoulsky, 1844; *regismontium* Schweiger, 1966
- 282) *Amara* (*Bradytus*) *fulva* (O.F.Müller, 1776) (Carabidae) Synonym(s): *fulva* O.F.Müller, 1776; *concolor* Olivier, 1795; *iridipennis* Heer, 1837
- 283) *Amara* (*Bradytus*) *majuscula* (Chaudoir, 1850) (Carabidae) Synonym(s): *majuscula* Chaudoir, 1850
- 284) *Amara* (*Celia*) *arenaria* (Putzeys, 1865) (Carabidae) Synonym(s): *arenaria* Putzeys, 1865; *diversa* Putzeys, 1865; *croatica* Ganglbauer, 1891; *hispanica* Csiki, 1929
- 285) *Amara* (*Celia*) *bifrons* (Gyllenhal, 1810) (Carabidae) Synonym(s): *oricalcica* O.F.Müller, 1776; *bifrons* Gyllenhal, 1810; *discrepans* Stephens, 1828; *zimmermanni* Heer, 1837; *longiceps* Seidlitz, 1887; *kleini* Schuler, 1964
- 286) *Amara* (*Celia*) *praetermissa* (Sahlberg, 1827) (Carabidae) Synonym(s): *pallens* Sturm, 1825; *praetermissa* Sahlberg, 1827; *rufocincta* Sahlberg, 1827; *grandicollis* C.Zimmermann, 1832; *oreophila* C.Zimmermann, 1832; *solitaria* Gistel, 1857; *indivisa* Putzeys, 1871; *transcaucasica* Lutschnik, 1935; *monticusta* Jablókoff & Khnzorian, 1957
- 287) *Amara* (*Curtonotus*) *aulica* (Panzer, 1796) (Carabidae) Synonym(s): *aulica* Panzer, 1796; *caucasica* Motschoulsky, 1844; *lithuanica* Motschoulsky, 1844; *abruzzensis* Schauburger, 1923
- 288) *Amara* (*Percosia*) *equestris* (Duftschmid, 1812) (Carabidae) Synonym(s): *equestris* Duftschmid, 1812
- 289) *Amara* (*radytus*) *crenata* Dejean, 1828 (Carabidae) Synonym(s): *crenata* Dejean, 1828; *crenatostriata* Chaudoir, 1846
- 290) *Amara* (s.str.) *aenea* (De Geer, 1774) (Carabidae) Synonym(s): *aenea* De Geer, 1774; *trivialis* Gyllenhal, 1810; *atra* Stephens, 1828; *persica* Chaudoir, 1842; *maculipes* Grimmer, 1841; *palustris* Gistel, 1857; *sororcula* Tschitscherine, 1895; *vogesiaca* Bourgeois, 1898; *devincta* Casey, 1918; *palanda* Jedlicka, 1957; *thisbe* Antoine, 1951
- 291) *Amara* (s.str.) *anthobia* A.Villa & G.B.Villa, 1833 (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa, 1833; *krekichii* Schtzmair, 1919
- 292) *Amara* (s.str.) *convexior* Stephens, 1828 (Carabidae) Synonym(s): *convexior* Stephens, 1828; *obtusa* Stephens, 1828; *puncticollis* Rylands, 1841; *continua* Thomson, 1873
- 293) *Amara* (s.str.) *curta* Dejean, 1828 (Carabidae) Synonym(s): *curta* Dejean, 1828; *brunnicornis* Heer, 1837; *aeruginosa* Kolenati, 1845; *cyanocnamis* Thomson, 1857; *ovalis* Mulsant & Rey, 1861
- 294) *Amara* (s.str.) *eurynota* (Panzer, 1796) (Carabidae) Synonym(s): *eurynota* Panzer, 1796; *acuminata* Paykull, 1898; *aerata* Stephens, 1828; *exculpta* Hassmann, 1866; *raymondi* Putzeys, 1870
- 295) *Amara* (s.str.) *famelica* C.Zimmermann, 1832 (Carabidae) Synonym(s): *famelica* C.Zimmermann, 1832; *bibula* Antoine, 1944
- 296) *Amara* (s.str.) *familiaris* (Duftschmid, 1812) (Carabidae) Synonym(s): *familiaris* Duftschmid, 1812; *cursor* Sturm, 1825; *levis* Sturm, 1825; *perplexa* Dejean, 1828; *elegans* Rylands, 1841; *humilis* Casey, 1918
- 297) *Amara* (s.str.) *littorea* Thomson, 1857 (Carabidae) Synonym(s): *dubia* Motschoulsky, 1844; *ovata* Motschoulsky, 1844; *littorea* Thomson, 1857; *motschoulskyi* Heyden, 1880; *wuki* Matcha, 1922; *bogatshvi* Lutschnik, 1934; *kodymi* Jedlicka, 1936; *tockensis* Jedlicka, 1936
- 298) *Amara* (s.str.) *morio* Ménéttriés, 1832 (Carabidae) Synonym(s): *morio* Ménéttriés, 1832
- 299) *Amara* (s.str.) *ovata* (Fabricius, 1792) (Carabidae) Synonym(s): *ovata* Fabricius, 1792; *trivialis* Duftschmid, 1812; *pratensis* Sturm, 1825; *incisa* Germar, 1841; *adamantina* Kolenati, 1845; *audax* Gistel, 1857; *sarsi* Munster, 1927; *melanochlora* Lutschnik, 1933; *simulatores* Jedlicka, 1934; *aequatorialis* Baliani, 1939
- 300) *Amara* (*Xenocelia*) *cursitans* C.Zimmermann, 1832 (Carabidae) Synonym(s): *cursitans* C.Zimmermann, 1832; *properans* C.Zimmermann, 1832; *ougsburgeri* Heer, 1837; *oculata* Helliesen, 1912; *arnoldi* Lutschnik, 1934; *bernhardi* Schuler, 1965; *cerdanica* Aubry, 1970
- 301) *Amara* (*Xenocelia*) *fusca* Dejean, 1828 (Carabidae) Synonym(s): *fusca* Dejean, 1828; *complanata* Dejean, 1828; *mesatlantica* Antoine, 1853; *theryi* Antoine, 1853
- 302) *Amara* (*Xenocelia*) *ingenuea* (Duftschmid, 1812) (Carabidae) Synonym(s): *ingenuea* Duftschmid, 1812; *liberta* Duftschmid, 1812; *subaenea* Sturm, 1825; *ruficornis* Dejean, 1828

- 303) *Amara (Xenocelia) municipalis* (Duftschmid,1812) (Carabidae) Synonym(s): *municipalis* Duftschmid,1812
- 304) *Amara (Zezea) chaudiroidi* Schaum,1858 (Carabidae) Synonym(s): *chaudiroidi* Schaum,1858; *incognita* Fassati,1946
- 305) *Amara (Zezea) fulvipes* (Audinet-Serville,1821) (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859
- 306) *Amara (Zezea) plebeja* (Gyllenhal,1810) (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957
- 307) *Amata kruegeri* (Ragusa,1904) (Ctenuchidae) Synonym(s): *#kruegeri* Ragusa,1904; *kruegeri* Turati,1917
- 308) *Amata phegea* (Linnaeus,1758) (Ctenuchidae) Synonym(s): *phegea* Linnaeus,1758; *quercus* Fabricius,1793
- 309) *Amaurophanes stigmatosalis* (Herrich-Schäffer,[1848]) (Pyralidae) Synonym(s): *stigmatosalis* Herrich-Schäffer,[1848]
- 310) *Amblyptilia acanthadactyla* (Hübner,[1813]) (Pterophoridae) Synonym(s): *acanthadactyla* Hübner,[1813]; *odontodactyla* Charpentier,1821; *calaminthae* Frey,1886; *tetralicella* Hofmann,1895.
- 311) *Amblyptilia punctidactyla* (Haworth,1811) (Pterophoridae) Synonym(s): *punctidactyla* Haworth,1811; *cosmodactyla* Hübner,[1819]; *ulodactyla* Zetterstedt,1839; *stachydalis* Frey,1870; *nivea* Bankes,1906; *moerens* Snellen,1884; *jezoensis* Matsumura,1931; *bella* Yano,1963.
- 312) *Amblyteles armatorius* (Forster,1771) (Ichneumonidae) Synonym(s): *armatorius* Forster,1771
- 313) *Amephana dalmatica* (Rebel,1919) (Noctuidae) Synonym(s): *dalmatica* Rebel,1919
- 314) *Ametastegia carpini* (Hartig,1837) (Tenthredinidae) Synonym(s): *carpini* Hartig,1837
- 315) *Amictus pictus* Loew,1869 (Bombyliidae) Synonym(s): *pictus* Loew,1869
- 316) *Amictus validus* Loew,1869 (Bombyliidae) Synonym(s): *validus* Loew,1869
- 317) *Ammoconia caecimacula* (Fabricius,1787) (Noctuidae) Synonym(s): *caecimacula* Fabricius,1787; *millegrana* Esper,[1790]; *respersa* Brahm,1791; *rhaeticaria* Dannehl,1926; *marsicaria* Dannehl,1929
- 318) *Ammoconia senex* (Geyer,[1828]) (Noctuidae) Synonym(s): *senex* Geyer,[1828].
- 319) *Ammophila heydeni* Dahlbom,1845 (Sphecidae) Synonym(s): *heydeni* Dahlbom,1845; *iberica* André,1886
- 320) *Ammophila hungarica* Mocsary,1883 (Sphecidae) Synonym(s): *hungarica* Mocsary,1883; *turcica* Mocsary,1883; *hispanica* Mocsary,1883; *fallax* Kohl,1884
- 321) *Amobia signata* (Meigen,1824) (Sarcophagidae) Synonym(s): *signata* Meigen,1824; *conica* R-D.,1830; *nigra* Macquart,1834; *odyneri* R-D.,1853; *anomalus* Zetterstedt,1859; *deprimata* Zetterstedt,1859; *maculosa* Rondani,1859; *cinerea* R-D.,1863; *ardeacea* R-D.,1863; *obliquata* R-D.,1863; *laeta* R-D.,1863; *cinereifrons* R-D.,1863; *fugitiva* R-D.,1863; *incana* R-D.,1863; *hortulana* R-D.,1863; *despecta* R-D.,1863; *flavicans* R-D.,1863; *vivida* R-D.,1863; *pervia* R-D.,1863; *biciliata* R-D.,1863; *aurifacies* R-D.,1863; *praecox* R-D.,1863
- 322) *Amorphocephala coronata* (Germar,1817) (Brentidae) Synonym(s): *coronata* Germar,1817
- 323) *Amorphogynia inversarius* (Rebel,1903) (Geometridae) Synonym(s): *inversarius* Rebel,1903
- 324) *Amphicoma (Eulasia) arctos* (Pallas,1781) (Glaphyridae) Synonym(s): *arctos* Pallas,1781; *martes* Frivaldsky,1845; *armeniaca* Reitter,1890; *subfasciatula* Reitter,1903; *anatolica* Reitter,1903
- 325) *Amphicoma (Pygopleurus) diffusus* Petrovitz,1957 (Glaphyridae) Synonym(s): *diffusus* Petrovitz,1957
- 326) *Amphicoma (Pygopleurus) simplex* Petrovitz,1963 (Glaphyridae) Synonym(s): *simplex* Petrovitz,1963
- 327) *Amphicoma (Vittateulasia) vittata* (Fabricius,1775) (Glaphyridae) Synonym(s): *vittata* Fabricius,1775; *lineata* Faldermann,1835; *strigata* Walzl,1838; *smyrnensis* Castelnau,1840; *syriaca* Kollar & Redtenbacher,1843; *africana* Reitter,1890; *chrysura* Reitter,1890; *decorata* Reitter,1890; *semifulva* Reitter,1890; *lateritia* Reitter,1903; *pseudochrysura* Miksic,1960; *persica* Petrovitz,1963
- 328) *Amphipoea fucosa* (Freyer,1830) (Noctuidae) Synonym(s): *fucosa* Freyer,1830; *paludis* Tutt,1888
- 329) *Amphipoea oculea* (Linnaeus,1761) (Noctuidae) Synonym(s): *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918.
- 330) *Amphipyra berbera* Rungs,1949 (Noctuidae) Synonym(s): *#variegata* W.Warren,1911; *berbera* Rungs,1949
- 331) *Amphipyra livida* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *livida* [Denis & Schiffermüller],1775
- 332) *Amphipyra micans* Lederer,1857 (Noctuidae) Synonym(s): *micans* Lederer,1857; *frivaldskyi* Mocsary,1896
- 333) *Amphipyra perflua* (Fabricius,1787) (Noctuidae) Synonym(s): *perflua* Fabricius,1787; *ulmea* Schrank,1801; *pyramidina* Esper,[1803].
- 334) *Amphipyra pyramidea* (Linnaeus,1758) (Noctuidae) Synonym(s): *pyramidea* Linnaeus,1758
- 335) *Amphipyra stix* Herrich-Schäffer,[1850] (Noctuidae) Synonym(s): *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879.
- 336) *Amphipyra tetra* (Fabricius,1787) (Noctuidae) Synonym(s): *tetra* Fabricius,1787
- 337) *Amphipyra tragopoginis* (Clerck,1759) (Noctuidae) Synonym(s): *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766.
- 338) *Amselina cedestiella* (Zeller,1868) (Autostichidae) Synonym(s): *cedestiella* Zeller,1868; *dissoluta* Staudinger,1870.
- 339) *Anacampsis obscurella* ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *obscurella* [Denis & Schiffermüller],1775; *subsequella* Hübner,1796.
- 340) *Anacampsis populella* (Clerck,1759) (Gelechiidae) Synonym(s): *populella* Clerck,1759; *tremella* Denis & Schiffermüller,1775; *populi* Haworth,1828; *Stephens*,1834; *tremulella* Duponchel,[1839]
- 341) *Anacampsis scintillella* (Fischer v. Röslerstamm,1841) (Gelechiidae) Synonym(s): *scintillella* Fischer v. Röslerstamm,1841; *brunneella* Herrich-Schäffer,1854; *contuberniella* Staudinger,1859
- 342) *Anacampsis temerella* (Lienig & Zeller,1846) (Gelechiidae) Synonym(s): *temerella* Lienig & Zeller,1846; *pernigrella* Douglas,1850
- 343) *Anaceratagallia laevis* (Ribaut,1935) (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946
- 344) *Anaceratagallia ribauti* (Ossiannilsson,1938) (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1938
- 345) *Anaceratagallia sinuata* (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisingata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964
- 346) *Anachalcis rubra* Steffan,1951 (Chalcididae) Synonym(s): *rubra* Steffan,1951
- 347) *Anacridium aegyptium* (Linnaeus,1764) (Acrididae) Synonym(s): *aegyptium* Linnaeus,1764; *lineola* Fabricius,1781; *nubecula* Thunberg,1815; *campanum* Costa,1836; *tataricum* Burmeister,1838; *albidiiferum* Walker,1870; *indecisum* Walker,1870; *stuardoi* Liebermann,1943
- 348) *Anaglyptus mysticus* (Linnaeus,1758) (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758
- 349) *Anagnota major* Rohacek & Freidberg,1993 (Anthomyzidae) Synonym(s): *major* Rohacek & Freidberg,1993
- 350) *Anagyrus schoenherri* (Westwood,1837) (Encyrtidae) Synonym(s): *schoenherri* Westwood,1837; *flavus* Ishii,1928; *albobclavatus* Ishii,1928

- 351) **Anania (Eurrhpara) hortulata (Linnaeus,1758)** (Pylalidae) Synonym(s): *hortulata* Linnaeus,1758; *urticata* Linnaeus,1761; *urticalis* [Denis & Schiffermüller],1775; *flavicauda* Retzius,1783; *hortulana* Fourcroy,1785.
- 352) **Anania (Opsibotys) fuscalis ([Denis & Schiffermüller],1775)** (Pylalidae) Synonym(s): *fuscalis* [Denis & Schiffermüller],1775
- 353) **Anania (Perinephela) lancealis ([Denis & Schiffermüller],1775)** (Pylalidae) Synonym(s): *lancealis* [Denis & Schiffermüller],1775; *glabralis* Fabricius,1794; *palustrata* Fabricius,1794; *longalis* Haworth,1811
- 354) **Anania (Phlyctaenia) coronata (Hufnagel,1767)** (Pylalidae) Synonym(s): *coronata* Hufnagel,1767; *sambucalis* [Denis & Schiffermüller],1775; *aureomaculata* Goeze,1781; *sambuci* Retzius,1783; *sambucata* Fabricius,1787.
- 355) **Anania (Phlyctaenia) stachydalis (Germar,1821)** (Pylalidae) Synonym(s): *stachydalis* Germar,1821
- 356) **Anania (s.str.) crocealis (Hübner,1796)** (Pylalidae) Synonym(s): *crocealis* Hübner,1796
- 357) **Anania (s.str.) funebris (Ström,1768)** (Pylalidae) Synonym(s): *funebris* Ström,1768; *octomaculata* Linnaeus,1771; *funeraria* Müller,1764; *atralis* Fabricius,1775; *guttalis* [Denis & Schiffermüller],1775; *octomaculalis* Treitschke,1828.
- 358) **Anania (s.str.) terrealis (Treitschke,1829)** (Pylalidae) Synonym(s): *terrealis* Treitschke,1829
- 359) **Anania verbascata (Fabricius,1787)** (Pylalidae) Synonym(s): *#verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934.
- 360) **Anaplectoides prasina (Goeze,1781)** (Noctuidae) Synonym(s): *#prasina* [Denis & Schiffermüller],1775; *#hebrida* [Denis & Schiffermüller],1775; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 *nec* De Vill.,1789; *mixta* Haworth,1809 *nec* Fabr.,1787; *herbacea* Guenée,1852; *albicula* Hormuzaki,1894
- 361) **Anarsia (Anarsia) lineatella Zeller,1839** (Gelechiidae) Synonym(s): *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967.
- 362) **Anarta myrtili (Linnaeus,1761)** (Noctuidae) Synonym(s): *myrtili* Linnaeus,1761; *ericae* Hufnagel,1766
- 363) **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989
- 364) **Anchinia daphnella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *#daphnella* [Denis & Schiffermüller],1775; *rufella* Panzer,1804
- 365) **Anchinia laureolella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer,1854
- 366) **Ancylis achatana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *achatana* [Denis & Schiffermüller],1775; *inarmorana* Hübner,[1799]; *stevensi* Portchinskij,1888
- 367) **Ancylis apicella ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *apicella* [Denis & Schiffermüller],1775; *leeana* Fabricius,1777; *plumbana* Fabricius,1787; *siculana* Hübner,[1799]; *#alpina* Weber,1936
- 368) **Ancylis badiana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *badiana* [Denis & Schiffermüller],1775; *lundana* Fabricius,1777.
- 369) **Ancylis comptana (Frölich,1828)** (Tortricidae) Synonym(s): *comptana* Frölich,1828; *conflexana* Walker,1863; *pulchellana* Clemens,1864; *lamiana* Clemens,1864; *fragariae* Walsh & Riley,1869; *floridana* Zeller,1875; *amblygona* Zeller,1875; *cometana* Walsingham,1879; *sculpta* Meyrick,1922
- 370) **Ancylis geminana (Donovan,1806)** (Tortricidae) Synonym(s): *geminana* Donovan,1806; *cuspidana* Treitschke,1830; *biarcuana* Stephens,1834; *crenana* Duponchel,1835; *subarcuana* Douglas,1847; *fluctigerana* Herrich-Schäffer,[1851]; *inornatana* Herrich-Schäffer,[1851]; *diminuatana* Kearfott,1905
- 371) **Ancylis selenana (Guenée,1845)** (Tortricidae) Synonym(s): *selenana* Guenée,1845; *curvana* Zeller,1849
- 372) **Ancylis unguicella (Linnaeus,1758)** (Tortricidae) Synonym(s): *unguicella* Linnaeus,1758; *unguicana* Fabricius,1775; *falcana* Hübner,[1799]; *vappana* Hübner,[1817]; *plagosana* Clemens,1864; *cuencana* Caradja,1916; *#albida* Orstadius,1932; *#unicolor* Orstadius,1932
- 373) **Ancylolomia palpella ([Denis & Schiffermüller],1775)** (Pylalidae) Synonym(s): *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909
- 374) **Ancylolomia pectinatella (Zeller,1847)** (Pylalidae) Synonym(s): *pectinatellus* Zeller,1847
- 375) **Ancylolomia tentaculella (Hübner,1796)** (Pylalidae) Synonym(s): *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 376) **Ancylis (Cabotia) oblitella (Zeller,1848)** (Pylalidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955.
- 377) **Ancylosis (Heterographis) hellenica (Staudinger,1870)** (Pylalidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 378) **Ancylosis (Heterographis) roscidella (Eversmann,1844)** (Pylalidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W.Warren,1888; *bartelella* Caradja,1910; *benderella* Amsel,1961.
- 379) **Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pylalidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 380) **Ancylosis (s.str.) maculifera Staudinger,1870** (Pylalidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
- 381) **Ancylosis (s.str.) sareptella (Herrich-Schäffer,1860)** (Pylalidae) Synonym(s): *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863.
- 382) **Ancyrosoma leucogrammes (Gmelin,1790)** (Pentatomidae) Synonym(s): *albolineatus* Fabricius,1781 *nec* Gz.,1778; *leucogrammes* Gmelin,1790; *nervosus* Cyrillus,1791 *nec* Sc.,1763; *affine* Westwood,1837; *tuberculatum* Bergevin,1908
- 383) **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *parvula* Morawitz,1871; *colletiformis* Morawitz,1874; *sardinica* Strand,1915; *#gandzhensis* Lebedev,1933; *insulana* Pittioni,1950; *subsquamularis* Noskiewicz,1960
- 384) **Andrena (Graecandrena) graecella Warncke,1965** (Andrenidae) Synonym(s): *graecella* Warncke,1965
- 385) **Andrena (Melandrena) thoracica (Fabricius,1775)** (Andrenidae) Synonym(s): *thoracica* Fabricius,1775
- 386) **Andrenosoma atrum (Linnaeus,1758)** (Asilidae) Synonym(s): *atrum* Linnaeus,1758; *prostratum* Scopoli,1763
- 387) **Andricus amblycerus (Giraud,1859)** (Cynipidae) Synonym(s): *amblycerus* Giraud,1859
- 388) **Andricus amenti Giraud,1859** (Cynipidae) Synonym(s): *amenti* Giraud,1859; *giraudianus* Dalla Torre & Kieffer,1910
- 389) **Andricus bulgaricus Vassileva & Samnalieva,1977** (Cynipidae) Synonym(s): *bulgaricus* Vassileva & Samnalieva,1977
- 390) **Andricus caliciformis (Giraud,1859)** (Cynipidae) Synonym(s): *caliciformis* Giraud,1859
- 391) **Andricus callidoma (Hartig,1841)** (Cynipidae) Synonym(s): *callidoma* Hartig,1841; *cirratus* Adler,1881; *giraudi* Wachtl,1882
- 392) **Andricus caputmedusae (Hartig,1843)** (Cynipidae) Synonym(s): *caputmedusae* Hartig,1843; *gallaecristatae* Henschel,1876

- 393) **Andricus conglomeratus (Giraud,1859)** (Cynipidae) Synonym(s): *conglomeratus* Giraud,1859; *cincta* Hartig,1879
- 394) **Andricus conificus (Hartig,1843)** (Cynipidae) Synonym(s): *conificus* Hartig,1843; *longipes* Kieffer,1901; *longispinae* Kieffer,1901
- 395) **Andricus coriarius (Hartig,1843)** (Cynipidae) Synonym(s): *coriarius* Hartig,1843; *lusitanicus* Kieffer,1900
- 396) **Andricus coronatus (Giraud,1859)** (Cynipidae) Synonym(s): *coronatus* Giraud,1859; *coronaria* Stefani,1898
- 397) **Andricus corruptrix (Schlechtendal,1870)** (Cynipidae) Synonym(s): *corruptrix* Schlechtendal,1870; *ambiguus* Trotter,1899
- 398) **Andricus curvator Hartig,1840** (Cynipidae) Synonym(s): *curvator* Hartig,1840; *axillaris* Hartig,1840; *collaris* Hartig,1840; *curvata* Förster,1869; *dimidiatus* Schenck,1863; *fasciatus* Schenck,1863; *perfoliatus* Schenck,1863; *tegumentorum* Schlechtendal,1870; *lusitanicus* Kieffer,1901
- 399) **Andricus cydoniae Giraud,1859** (Cynipidae) Synonym(s): *cydoniae* Giraud,1859
- 400) **Andricus dentimitratus (Rejto,1887)** (Cynipidae) Synonym(s): *dentimitratus* Rejto,1887; *mayri* Kieffer,1897 *nec* Wachtl,1879; *gallaeviscosus* Benson,1953; *viscosus* Nieves-Aldrey,1986; *floridus* Melika & Csoka,1998
- 401) **Andricus foecundatrix (Hartig,1840)** (Cynipidae) Synonym(s): *foecundatrix* Hartig,1840; *gemmarum* Lacaze-Duthiers,1853; *gemmae* Schenck,1863; *foecundator* Tavares,1918
- 402) **Andricus galeatus (Giraud,1859)** (Cynipidae) Synonym(s): *galeatus* Giraud,1859
- 403) **Andricus gallaurnaeformis (Fonscolombe,1832)** (Cynipidae) Synonym(s): *gallaurnaeformis* Fonscolombe,1832; *urnaeformis* Giraud,1859; *sufflator* Mayr,1882
- 404) **Andricus gemmeus (Giraud,1859)** (Cynipidae) Synonym(s): *gemmeus* Giraud,1859; *kirchbergi* Wachtl,1876
- 405) **Andricus glutinosus (Giraud,1859)** (Cynipidae) Synonym(s): *glutinosus* Giraud,1859; *tergestensis* Kieffer,1905
- 406) **Andricus grossulariae Giraud,1859** (Cynipidae) Synonym(s): *grossulariae* Giraud,1859; *mayri* Wachtl,1879; *panteli* Kieffer,1897; *fructuum* Trotter,1899; *intermedius* Tavares,1922; *gemellus* Belizin & Maisuradze,1961
- 407) **Andricus hartigi (Hartig,1843)** (Cynipidae) Synonym(s): *hartigi* Hartig,1843
- 408) **Andricus hungaricus Hartig,1943** (Cynipidae) Synonym(s): *hungaricus* Hartig,1943
- 409) **Andricus hystrix Kieffer,1897** (Cynipidae) Synonym(s): *hystrix* Kieffer,1897
- 410) **Andricus inflator Hartig,1840** (Cynipidae) Synonym(s): *inflator* Hartig,1840; *globuli* Hartig,1840; *inflatioides* Belizin & Maisuradze,1962
- 411) **Andricus kollari (Hartig,1843)** (Cynipidae) Synonym(s): *kollari* Hartig,1843; *circulans* Mayr,1870; *indigena* Giraud,1909
- 412) **Andricus lignicolus (Hartig,1840)** (Cynipidae) Synonym(s): *lignicolus* Hartig,1840; *vanheurni* Docters van Leeuwen & Deukhuijzen-Maasland,1958
- 413) **Andricus lucidus (Hartig,1843)** (Cynipidae) Synonym(s): *lucidus* Hartig,1843; *aestivalis* Giraud,1859; *lucidoserinaceus* Kieffer,1901
- 414) **Andricus malpighi (Adler,1881)** (Cynipidae) Synonym(s): *malpighi* Adler,1881; *nudus* Adler,1881
- 415) **Andricus mitratus (Mayr,1870)** (Cynipidae) Synonym(s): *mitratus* Mayr,1870
- 416) **Andricus polycerus (Giraud,1859)** (Cynipidae) Synonym(s): *polycerus* Giraud,1859; *subterranea* Giraud,1859; *transversa* Kieffer,1897; *trinacriae* Stefani,1906
- 417) **Andricus quercuscalicis (Burgsdorf,1783)** (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf,1783; *calicis* Hartig,1843; *cerri* Beyerinck,1895; *beyerincki* Trotter,1899
- 418) **Andricus solitarius (Fonscolombe,1832)** (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930
- 419) **Andricus stefanii (Kieffer,1897)** (Cynipidae) Synonym(s): *stefanii* Kieffer,1897; *#keszthelyensis* Mehes,1953
- 420) **Andricus tomentosus (Trotter,1901)** (Cynipidae) Synonym(s): *tomentosus* Trotter,1901
- 421) **Andricus truncicola (Giraud,1859)** (Cynipidae) Synonym(s): *truncicola* Giraud,1859
- 422) **Aneomochtherus flavicornis (Ruthe,1831)** (Asilidae) Synonym(s): *flavicornis* Ruthe,1831
- 423) **Angerona prunaria (Linnaeus,1758)** (Geometridae) Synonym(s): *prunaria* Linnaeus,1758
- 424) **Anisoplia (Chaetopteropia) segetum (Herbst,1783)** (Scarabaeidae) Synonym(s): *segetum* Herbst,1783
- 425) **Anopheles (s.str.) algeriensis Theobald,1903** (Culicidae) Synonym(s): *algeriensis* Theobald,1903; *lukisi* Christophers,1916
- 426) **Anopheles (s.str.) claviger (Meigen,1804)** (Culicidae) Synonym(s): *claviger* Meigen,1804; *villosus* R-D.,1827; *grisescens* Stephens,1828; *turkestan* Shingarev,1926; *amaurus* Martini,1929; *habibi* Mulligan & Puri,1936; *missiroli* Del Vecchio,1939; *pullutus* Canameres,1945
- 427) **Anopheles (s.str.) hyrcanus (Pallas,1771)** (Culicidae) Synonym(s): *hyrcanus* Pallas,1771
- 428) **Anopheles (s.str.) maculipennis Meigen,1818** (Culicidae) Synonym(s): *maculipennis* Meigen,1818
- 429) **Anopheles (s.str.) marteri Senetev & Prunelle,1927** (Culicidae) Synonym(s): *marteri* Senetev & Prunelle,1927; *sogdianus* Keshishian,1938; *conquensis* Torres Canameres,1946
- 430) **Anopheles (s.str.) plumbeus Stephens,1828** (Culicidae) Synonym(s): *plumbeus* Stephens,1828; *nigripes* Staeger,1839; *corsicanus* Edwards,1928; *intermedius* Shingarev,1928
- 431) **Anopheles (s.str.) sacharovi Favre,1903** (Culicidae) Synonym(s): *sacharovi* Favre,1903; *elutus* Edwards,1921
- 432) **Anoplius viaticus (Linnaeus,1758)** (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905
- 433) **Anoplocerus elevatus (Fieber,1861)** (Coreidae) Synonym(s): *elevatus* Fieber,1861; *rufulus* Jakovlev,1903; *brevicornis* Kormilev,1939
- 434) **Anoplotettix fuscovenosus (Ferrari,1882)** (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882
- 435) **Anoplotrupes stercorosus (Scriba,1791)** (Geotrupidae) Synonym(s): *stercorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czwalina,1884
- 436) **Anoscopus albifrons (Linnaeus,1758)** (Cicadellidae) Synonym(s): *albifrons* Linnaeus,1758; *costata* Panzer,1799; *affinis* Fallén,1806; *subrustica* Fallén,1806; *dispar* Zetterstedt,1828; *testudo* Curtis,1833; *costata* Curtis,1837; *concinna* Curtis,1837; *arcuatus* Kirschbaum,1868; *confusus* Kirschbaum,1868; *interruptus* Scott,1873; *polystolus* Scott,1873; *apicalis* Signoret,1879; *pelas* Signoret,1879; *fuliginosus* Ferrari,1882; *argus* Rey,1891; *bifasciatus* Melichar,1896; *limicola* Edwards,1908; *maculata* Edwards,1908; *irritans* Wagner,1937; *germari* Wagner,1937; *dimidiata* Ribaut,1952; *blotei* Metcalf,1963
- 437) **Antarchaea conicephala (Staudinger,1870)** (Noctuidae) Synonym(s): *conicephala* Staudinger,1870 [April]; *conicephala* Staudinger,1870 [Oct.]; *barcinonensis* Milliéré,1872; *fumicollis* Rogenhofer,1873.
- 438) **Anthaxia (Cratomerus) diadema Fischer,1824** (Buprestidae) Synonym(s): *diadema* Fischer,1824
- 439) **Anthaxia (Cratomerus) scorzonerae (Frivaldski,1838)** (Buprestidae) Synonym(s): *scorzonerae* Frivaldski,1838; *euphrosyne* Ganglbauer,1885; *artemis* Daniel,1905

- 440) *Anthaxia (Cratomerus) sponsa* Kiesenwetter, 1857 (Buprestidae) Synonym(s): *sponsa* Kiesenwetter, 1857
- 441) *Anthaxia (Euanthaxia) anatolica* Chevrolat, 1837 (Buprestidae) Synonym(s): *anatolica* Chevrolat, 1837
- 442) *Anthaxia (Haplanthaxia) kiesenwetteri* Marseul, 1865 (Buprestidae) Synonym(s): *kiesenwetteri* Marseul, 1865
- 443) *Anthaxia (Haplanthaxia) millefolii* (Fabricius, 1801) (Buprestidae) Synonym(s): *millefolii* Fabricius, 1801
- 444) *Anthaxia (Haplanthaxia) rossica* Daniel, 1903 (Buprestidae) Synonym(s): *rossica* Daniel, 1903; *horvathi* Kaszab, 1940
- 445) *Anthaxia (s.str.) discicollis* Gory & Laporte, 1839 (Buprestidae) Synonym(s): *discicollis* Gory & Laporte, 1839; *kanaanita* Obenberger, 1912
- 446) *Anthaxia (s.str.) hackeri* Frivalsky, 1884 (Buprestidae) Synonym(s): *hackeri* Frivalsky, 1884
- 447) *Anthidium (Exanthidium) eximium* Giraud, 1863 (Megachilidae) Synonym(s): *eximium* Giraud, 1863; *excisum* Mocsary, 1884
- 448) *Anthidium (Icteranthidium) grohmanni* Spinola, 1838 (Megachilidae) Synonym(s): *grohmanni* Spinola, 1838; *latreillii* Lepeletier, 1841; *rubiginosum* Lepeletier, 1841; *provinciale* Lepeletier, 1841; *comptum* Lepeletier, 1841; *numidum* Lepeletier, 1841; *lepeletieri* Fonscolombe, 1846; *klugi* Lucas, 1849; *coronatum* Smith, 1854 (praeocc.); *obscurum* Dusmet, 1908 (praeocc.); *tergale* Pasteels, 1969.
- 449) *Anthidium (Pseudoanthidium) laterale* Latreille, 1809 (Megachilidae) Synonym(s): *laterale* Latreille, 1809; *scutellare* Latreille, 1809; *quadrilobum* Lepeletier, 1841; *auripes* Eversmann, 1852; *annulare* Schenck, 1868; *sexmaculatum* Chevrier, 1872; *perrisii* Dours, 1873; *ifranicum* Cockerell, 1931; *confluens* Alfken, 1931
- 450) *Anthidium (Mesanthidium) carduele* Morawitz, 1876 (Megachilidae) Synonym(s): *carduele* Morawitz, 1876; *controversum* Radoszkowski, 1886; *malacopygum* Gribodo, 1894; *konowi* Friese, 1897; *zonulum* Alfken, 1935
- 451) *Anthidium (Pseudoanthidium) melanurum* Klug, 1832 (Megachilidae) Synonym(s): *melanurum* Klug, 1832; *nigricolle* Morawitz, 1876; *dilobum* Pérez, 1895; *moricei* Friese, 1911; *royoi* Dusmet, 1915; *flavicolle* Friese, 1917; *flaviventre* Friese, 1917
- 452) *Anthidium (Pseudoanthidium) reticulatum* Mocsary, 1884 (Megachilidae) Synonym(s): *reticulatum* Mocsary, 1884; *tegulare* Morawitz, 1886; *mocsaryi* Friese, 1897; *asiaticum* Friese, 1917; *kindermanni* Mavromoustakis, 1954
- 453) *Anthocharis cardamines* (Linnaeus, 1758) (Pieridae) Synonym(s): *cardamines* Linnaeus, 1758; *hesperides* Newman, 1894; *britannica* Verity, 1908; *meridionalis* Verity, 1908 nec Lederer, 1852; *montivaga* Turati & Verity, 1911
- 454) *Anthocharis grueneri* Herrich-Schäffer, [1851] (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer, [1851]; *#diluta* Röber, 1907; *eros* Röber, 1907
- 455) *Anthocomus humeralis* Morawitz, 1861 (Melyridae) Synonym(s): *humeralis* Morawitz, 1861
- 456) *Anthocoris limbatus* Fieber, 1836 (Anthocoridae) Synonym(s): *limbatus* Fieber, 1836
- 457) *Anthocoris minki* (Dohrn, 1860) (Anthocoridae) Synonym(s): *minki* Dohrn, 1860; *rubicundulus* Garbiglietti, 1869; *pistaciae* E. Wagner, 1957
- 458) *Anthocoris nemoralis* (Fabricius, 1794) (Anthocoridae) Synonym(s): *nemoralis* Fabricius, 1794
- 459) *Anthocoris nemorum* (Linnaeus, 1761) (Anthocoridae) Synonym(s): *nemorum* Linnaeus, 1761
- 460) *Anthocoris pilosus* (Jakovlev, 1877) (Anthocoridae) Synonym(s): *pilosus* Jakovlev, 1877
- 461) *Anthomyia procellaris* Rondani, 1866 (Anthomyiidae) Synonym(s): *procellaris* Rondani, 1866
- 462) *Anthomyza anderssoni* Rohacek, 1984 (Anthomyzidae) Synonym(s): *anderssoni* Rohacek, 1984
- 463) *Anthomyza gracilis* Fallén, 1823 (Anthomyzidae) Synonym(s): *gracilis* Fallén, 1823; *sordidella* Zetterstedt, 1848; *trojani* Elberg, 1968
- 464) *Anthophila fabriciana* (Linnaeus, 1767) (Choreutidae) Synonym(s): *fabriciana* Linnaeus, 1767; *oxyacanthella* Linnaeus, 1767; *urticana* Denis & Schiffermüller, [1775]; *excisum* Retzius, 1783; *gilibertiana* Villers, 1789; *oxyacanthae* Fabricius, 1798; *dentana* Hübner, 1799; *fabricii* Haworth, 1811; *dentanal* Treitschke, 1829; *parietariae* Stainton, 1855; *fabriciella* Herrich-Schäffer, 1862; *parietariella* Herrich-Schäffer, 1862
- 465) *Anthracia eriopoda* (Herrich-Schäffer, [1851]) (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer, [1851]; *sareptae* Guenée, 1852; *eriopodoides* Strand, 1916
- 466) *Anthrax aethiops* (Fabricius, 1781) (Bombyliidae) Synonym(s): *aethiops* Fabricius, 1781; *punctata* Meigen, 1820; *mendax* Austen, 1937
- 467) *Anthrax anthrax* (Schränk, 1781) (Bombyliidae) Synonym(s): *anthrax* Schränk, 1781; *sinuata* Meigen, 1804
- 468) *Anthrax leucogaster* Wiedemann, 1820 (Bombyliidae) Synonym(s): *leucogaster* Wiedemann, 1820
- 469) *Anthrax trifasciatus* Meigen, 1804 (Bombyliidae) Synonym(s): *trifasciatus* Meigen, 1804
- 470) *Anthrax varius* Fabricius, 1794 (Bombyliidae) Synonym(s): *varius* Fabricius, 1794
- 471) *Anthrax virgo* Egger, 1859 (Bombyliidae) Synonym(s): *virgo* Egger, 1859
- 472) *Anthrenus (Florilinus) olgae* Kalik, 1946 (Dermestidae) Synonym(s): *olgae* Kalik, 1946
- 473) *Anthrenus (s.str.) munroi* Hinton, 1943 (Dermestidae) Synonym(s): *munroi* Hinton, 1943
- 474) *Anthrenus (s.str.) pimpinellae* (Fabricius, 1775) (Dermestidae) Synonym(s): *pimpinellae* Fabricius, 1775; *scrophulariae* Fourcroy, 1785 nec Linn., 1758
- 475) *Anticlea badiata* (Lang, 1789) (Geometridae) Synonym(s): *#badiata* [Denis & Schiffermüller], 1775; *badiata* Lang, 1789; *radiata* Spener & Spener, 1843.
- 476) *Anticlea derivata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *derivata* [Denis & Schiffermüller], 1775; *nigrofasciaria* Goeze, 1781; *separata* Thunberg, 1788.
- 477) *Anticollis sparsata* (Treitschke, 1828) (Geometridae) Synonym(s): *sparsaria* Hübner, [1813] nec Hbn., [1809]; *sparsata* Treitschke, 1828; *lysimachiata* Treitschke, 1828; *melanoparia* Graslin, 1848
- 478) *Antipalus reginae* Moucha & Hradski, 1966 (Asilidae) Synonym(s): *reginae* Moucha & Hradski, 1966
- 479) *Antispila treitschkiella* (Fischer v. Röslerstamm, 1843) (Heliozelidae) Synonym(s): *treitschkiella* Fischer v. Röslerstamm, 1843
- 480) *Antitype chi* (Linnaeus, 1758) (Noctuidae) Synonym(s): *chi* Linnaeus, 1758; *olivacea* Stephens, 1829; *marsicana* Dannehl, 1929.
- 481) *Antitype suda* (Geyer, [1832]) (Noctuidae) Synonym(s): *suda* Geyer, [1832]
- 482) *Antocha (Orimargula) alpigena* (Mik, 1883) (Limoniidae) Synonym(s): *alpigena* Mik, 1883
- 483) *Antocha (s.str.) vitripennis* (Meigen, 1830) (Limoniidae) Synonym(s): *vitripennis* Meigen, 1830
- 484) *Apamea (s.str.) anceps* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller], 1775; *sordida* Borkhausen, 1792; *infesta* Ochsenheimer, 1816; *renardii* Boisduval, 1829; *engelhardtii* Duurloo, 1889; *pyxina* A. Bang-Haas, 1910; *siegeli* Berio, 1985; *sassanidica* Hacker, 1990; *mazeli* Lutran, 1993
- 485) *Apamea (s.str.) aquila* Donzel, 1837 (Noctuidae) Synonym(s): *aquila* Donzel, 1837
- 486) *Apamea (s.str.) crenata* (Hufnagel, 1766) (Noctuidae) Synonym(s): *crenata* Hufnagel, 1766; *rurea* Fabricius, 1775; *alopecurus* Esper, [1788]; *combusta* Hübner, [1808]; *hirticornus* Haworth, 1812.
- 487) *Apamea (s.str.) epomidion* (Haworth, 1809) (Noctuidae) Synonym(s): *charactera* auct. nec [Denis & Schiff.], 1775; *epomidion* Haworth, 1809

- 488) *Apamea* (s.str.) *furva* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775
 489) *Apamea* (s.str.) *illyria* Freyer,1846 (Noctuidae) Synonym(s): *illyria* Freyer,1846
 490) *Apamea* (s.str.) *lateritia* (Hufnagel,1766) (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,[1803].
 491) *Apamea* (s.str.) *lithoxylaea* (Fabricius,1787) (Noctuidae) Synonym(s): *#lithoxylaea* [Denis & Schiffermüller],1775; *lithoxylaea* Fabricius,1787.
 492) *Apamea* (s.str.) *maillardi* (Geyer,1834) (Noctuidae) Synonym(s): *maillardi* Geyer,1834
 493) *Apamea* (s.str.) *miachelii* Varga,1976 (Noctuidae) Synonym(s): *miachelii* Varga,1976
 494) *Apamea* (s.str.) *monoglypha* (Hufnagel,1766) (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 *nec* Cl.,1759; *monoglypha* Hufnagel,1766.
 495) *Apamea* (s.str.) *oblonga* (Haworth,[1809]) (Noctuidae) Synonym(s): *oblonga* Haworth,[1809]; *abjecta* Hübner,[1813].
 496) *Apamea* (s.str.) *remissa* (Hübner,[1809]) (Noctuidae) Synonym(s): *remissa* Hübner,[1809]
 497) *Apamea* (s.str.) *rubrirena* (Treitschke,1825) (Noctuidae) Synonym(s): *rubrirena* Treitschke,1825
 498) *Apamea* (s.str.) *sicula* (Turati,1909) (Noctuidae) Synonym(s): *sicula* Turati,1909
 499) *Apamea* (s.str.) *sordens* (Hufnagel,1766) (Noctuidae) Synonym(s): *sordens* Hufnagel,1766; *basilinea* [Denis & Schiffermüller],1775; *marmorosa* Esper,[1788]; *nebulosa* Vieweg,1790; *cinefacta* Graeser,1889 *nec* Gte.,1881; *grisescens* Staudinger,1889; *basistriga* Staudinger,1892; *alacra* Dannehl,1933
 500) *Apamea* (s.str.) *sublustris* (Esper,[1788]) (Noctuidae) Synonym(s): *sublustris* Esper,[1788]
 501) *Apamea* (s.str.) *syriaca* (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
 502) *Apamea* (s.str.) *unanimis* (Hübner,[1813]) (Noctuidae) Synonym(s): *unanimis* Hübner,[1813]
 503) *Apamea* (s.str.) *zeta* (Treitschke,1825) (Noctuidae) Synonym(s): *zeta* Treitschke,1825
 504) *Apanteles* *atreus* Nixon,1973 (Braconidae) Synonym(s): *atreus* Nixon,1973
 505) *Apanteles* *hemara* Nixon,1965 (Braconidae) Synonym(s): *hemara* Nixon,1965
 506) *Apanteles* *ingenuoides* Papp,1971 (Braconidae) Synonym(s): *ingenuoides* Papp,1971
 507) *Apatema* *mediopallidum* Walsingham,1900 (Autostichidae) Synonym(s): *mediopallidum* Walsingham,1900
 508) *Aputura* *iris* (Linnaeus,1758) (Argynniidae) Synonym(s): *iris* Linnaeus,1758; *suspirans* Poda,1761; *jole* [Denis & Schiffermüller],1775; *junonia* Borkhausen,1788; *beroe* Fabricius,1793; *pseudoiris* Verity,1913.
 509) *Aputura* *metis* Freyer,1829 (Argynniidae) Synonym(s): *metis* Freyer,1829
 510) *Apautis* *rupicola* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *rupicola* [Denis & Schiffermüller],1775; *palliatia* Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803]
 511) *Apautis* *theophila* (Staudinger,1866) (Noctuidae) Synonym(s): *theophila* Staudinger,1866
 512) *Apeira* *syringaria* (Linnaeus,1758) (Geometridae) Synonym(s): *syringaria* Linnaeus,1758; *jaspoides* Fourcroy,1785; *circularia* Thunberg,1792
 513) *Aphanotrigonum* *cinctellum* (Zetterstedt,1848) (Chloropidae) Synonym(s): *cinctellum* Zetterstedt,1848; *brevirostris* Loew,1858; *pallidinerve* Duda,1933
 514) *Aphanotrigonum* *trilineatum* (Meigen,1830) (Chloropidae) Synonym(s): *trilineatum* Meigen,1830; *quadrivittata* Meigen,1830; *annulifera* Zetterstedt,1848; *microptera* Duda,1932
 515) *Aphantopus* *hyperantus* (Linnaeus,1758) (Satyridae) Synonym(s): *hyperantus* Linnaeus,1758; *arete* Müller,1764; *vidua* Müller,1764; *tristan* Retzius,1783; *sajanus* O.Bang-Haas,1906.
 516) *Aphanus* *rolandri* (Linnaeus,1758) (Lygaeidae) Synonym(s): *rolandri* Linnaeus,1758; *aethiops* Douglas & Scott,1868
 517) *Aphelia* (s.str.) *viburniana* (Fabricius,1787) (Tortricidae) Synonym(s): *#viburnana* [Denis & Schiffermüller],1775; *viburniana* Fabricius,1787
 518) *Aphelia* (Zelothereses) *euxina* (Djakonov,1929) (Tortricidae) Synonym(s): *euxina* Djakonov,1929; *regisborissi* Drenowski,1931
 519) *Aphelia* (Zelothereses) *ochreana* (Hübner,[1799]) (Tortricidae) Synonym(s): *ferugana* Hübner,1793 (homonym); *ochreana* Hübner,[1799]; *shaqlawana* Amsel,1955; *chretieni* Obraztsov,1957
 520) *Aphelia* (Zelothereses) *paleana* (Hübner,1793) (Tortricidae) Synonym(s): *paleana* Hübner,1793; *flavana* Hübner,[1799] *nec* Hübner,[1799]; *icterana* Fröhlich,1828; *intermediana* Herrich-Schäffer,1856 *nec* Heyd.,1851; *raebeli* Toll,1951
 521) *Aphelocheirus* *aestivalis* (Fabricius,1794) (Aphelocheiridae) Synonym(s): *aestivalis* Fabricius,1794
 522) *Aphelonyx* *cericcola* (Giraud,1859) (Cynipidae) Synonym(s): *cericcola* Giraud,1859
 523) *Aphomia* *sapozhnikovi* (Krulikovsky,1909) (Pyralidae) Synonym(s): *anella* Zincken *nec* [Denis & Schiff.]; *bipunctatus* Zeller,1848 *nec* Curt.; *sapozhnikovi* Krulikovsky,1909; *decolor* Caradja,1910; *zelleri* Joannis,1932
 524) *Aphomia* *sociella* (Linnaeus,1758) (Pyralidae) Synonym(s): *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941.
 525) *Aphomia* *unicolor* (Staudinger,1870) (Pyralidae) Synonym(s): *unicolor* Staudinger,1870
 526) *Aphrodes* *bicinctus* (Schränk,1776) (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (praeocc.); *rustica* Fabricius,1775 (praeocc.); *bicinctus* Schränk,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966
 527) *Aphrodes* *bifasciatus* (Linnaeus,1758) (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963
 528) *Aphrodes* *flavostriatus* (Donovan,1799) (Cicadellidae) Synonym(s): *flavostriatus* Donovan,1799; *rivularis* Germar,1821
 529) *Aphrodes* *nigritus* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *nigritus* Kirschbaum,1868; *integer* Wagner,1937
 530) *Aphrodes* *serratulae* (Fabricius,1775) (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscofasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus* Signoret,1879; *vicarius* Horvath,1897
 531) *Aphrophora* *alni* (Fallén,1805) (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950
 532) *Aphrophora* *salicina* (Goeze,1778) (Cercopidae) Synonym(s): *salicina* Goeze,1778
 533) *Aphthona* *bonvouloiri* Allard,1861 (Chrysomelidae) Synonym(s): *bonvouloiri* Allard,1861; *tauricola* Pic,1910
 534) *Aphycoides* *clavellatus* (Dalman,1820) (Encyrtidae) Synonym(s): *clavellatus* Dalman,1820; *corybas* Walker,1837; *liriope* Walker,1837; *ilithyia* Walker,1838; *mysus* Walker,1838; *alycocoeus* Walker,1848; *cephalotes* Ratzeburg,1852; *radialis* Thomson,1876; *physokermis* Girault,1916; *merceti* Ferriere,1953; *viridescens* Hoffer,1957

- 535) *Apiomyia bergenstammi* (Wachtl,1882) (Cecidomyiidae) Synonym(s): *bergenstammi* Wachtl,1882
- 536) *Apis* (s.str.) *mellifera* Linnaeus,1758 (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761
- 537) *Aplasta ononaria* (Fuessly,1783) (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
- 538) *Aplidia transversa* (Fabricius,1801) (Scarabaeidae) Synonym(s): *transversa* Fabricius,1801
- 539) *Aplocera columbata* (Metzner,1845) (Geometridae) Synonym(s): *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848
- 540) *Aplocera efformata* (Guenée,[1858]) (Geometridae) Synonym(s): *efformata* Guenée,[1858]; *pallidata* Staudinger,1870
- 541) *Aplocera plagiata* (Linnaeus,1758) (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
- 542) *Aplocera praeformata* (Hübner,1826) (Geometridae) Synonym(s): *praeformata* Hübner,1826; *cassata* Treitschke,1828
- 543) *Aplocera simplicata* (Treitschke,1835) (Geometridae) Synonym(s): *simplicata* Treitschke,1835
- 544) *Aplotarsus angustulus* (Kiesenwetter,1858) (Elateridae) Synonym(s): *angustulus* Kiesenwetter,1858
- 545) *Apocheima hispidarium* ([Denis & Schiffermüller],[1775]) (Geometridae) Synonym(s): *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauraria* Newman,1833.
- 546) *Apochima flabellaria* (Heeger,1838) (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
- 547) *Apoda limacodes* (Hufnagel,1766) (Limacodidae) Synonym(s): *limacodes* Hufnagel,1766; *testudo* [Denis & Schiffermüller],1775; *funalis* Donovan,1794; *testunidana* Hübner,[1799]; *avellana* auct.
- 548) *Apoderus coryli* (Linnaeus,1758) (Attelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790
- 549) *Apodia bifractella* (Duponchel,1843) (Gelechiidae) Synonym(s): *bifractella* Duponchel,[1843]
- 550) *Apodiphus amygdali* (Germar,1817) (Pentatomidae) Synonym(s): *amygdali* Germar,1817; *hellenica* Lefebvre,1831; *exsculpta* Burmeister,1835
- 551) *Apomyelois ceratoniae* (Zeller,1839) (Pyralidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilinella* Hampson,1896; *psarella* Hampson,1903; *rivularis* W.Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950
- 552) *Apopestes spectrum* (Esper,[1787]) (Noctuidae) Synonym(s): *spectrum* Esper,[1787]; *innotata* W.Warren,1913; *maura* W.Warren,1913
- 553) *Aporia* (s.str.) *crataegi* (Linnaeus,1758) (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 554) *Aporodes floralis* (Hübner,[1809]) (Pyralidae) Synonym(s): *floralis* Hübner,[1809]; *stygielis* Treitschke,1829; *sicualis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 555) *Aporophyla australis* (Boisduval,1829) (Noctuidae) Synonym(s): *australis* Boisduval,1829
- 556) *Aporophyla lutulenta* ([Denis & Schiffermüller],[1775]) (Noctuidae) Synonym(s): *lutulenta* [Denis & Schiffermüller],1775; *electrica* Fabricius,1794; *fuscus* Haworth,1803; *consimilis* Stephens,1829; *orthostigma* Stephens,1829; *sedi* Duponchel,1836; *tripuncta* Freyer,1848; *brunnea* Schawerda,1929; *aterrima* Warnecke,1936; *insularis* Hansson,1952
- 557) *Aporophyla nigra* (Haworth,[1809]) (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
- 558) *Apotomis capreana* (Hübner,[1817]) (Tortricidae) Synonym(s): *capreana* Hübner,[1817]; *sapporensis* Matsumura,1931
- 559) *Apotomis sauciana* (Frölich,1828) (Tortricidae) Synonym(s): *sauciana* Frölich,1828; *grevillana* Curtis,1835; *boreana* Krogerus,1946
- 560) *Apotomis semifasciana* (Haworth,[1811]) (Tortricidae) Synonym(s): *semifasciana* Haworth,[1811]; *acutana* Treitschke,1835; *elutana* Duponchel,1836
- 561) *Apotomus ctypeonitens* J.Müller,1943 (Carabidae) Synonym(s): *ctypeonitens* J.Müller,1943
- 562) *Apotomus testaceus* Dejean,1825 (Carabidae) Synonym(s): *testaceus* Dejean,1825
- 563) *Aptraerema anthyllidella* (Hübner,[1813]) (Gelechiidae) Synonym(s): *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralella* Millière,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964
- 564) *Aprominta atricanella* (Rebel,1906) (Autostichidae) Synonym(s): *atricanella* Rebel,1906
- 565) *Aprominta designatella* (Herrich-Schäffer,[1855]) (Autostichidae) Synonym(s): *designatella* Herrich-Schäffer,[1855]
- 566) *Aprostocetus caudatus* Westwood,1833 (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878
- 567) *Aprostocetus crino* (Walker,1838) (Eulophidae) Synonym(s): *crino* Walker,1838; *dispar* Silvestri,1920; *oecanthivorus* Gahan,1932; *compar* Gahan,1932; *dubius* Bakkendorf,1955
- 568) *Apterola* (s.str.) *kuenckeli* Mulsant & Rey,1866 (Lygaeidae) Synonym(s): *kuenckeli* Mulsant & Rey,1866; *pedestris* Stal,1866
- 569) *Apterola* (s.str.) *lownii* (Saunders,1876) (Lygaeidae) Synonym(s): *lownii* Saunders,1876
- 570) *Apterona crenulella* (Bruand,1853) (Psychidae) Synonym(s): *crenulella* Bruand,1853
- 571) *Apterona helicoidella* (Vallot,1827) (Psychidae) Synonym(s): *helicoidella* Vallot,1827; *resedella* Vallot,1843; *helix* Siebold,[1851].
- 572) *Aptinus cordicollis* Chaudoir,1843 (Carabidae) Synonym(s): *cordicollis* Chaudoir,1843; *ponticus* Apfelbeck,1904
- 573) *Aquarius ventralis* (Fieber,1860) (Gerridae) Synonym(s): *ventralis* Fieber,1860
- 574) *Araschnia levana* (Linnaeus,1758) (Argynnidae) Synonym(s): *levana* Linnaeus,1758; *prorsa* Linnaeus,1758.
- 575) *Arboridia cantoreanica* Dworakowska,1970 (Cicadellidae) Synonym(s): *cantoreanica* Dworakowska,1970
- 576) *Arboridia expansa* (Zachvatkin,1946) (Cicadellidae) Synonym(s): *expansa* Zachvatkin,1946
- 577) *Arboridia parvula* (Boheman,1845) (Cicadellidae) Synonym(s): *parvula* Boheman,1845; *disjuncta* Ribaut,1931 (praeocc.)
- 578) *Arboridia potentillae* (Moravskaja,1948) (Cicadellidae) Synonym(s): *potentillae* Moravskaja,1948
- 579) *Arboridia pusilla* (Ribaut,1936) (Cicadellidae) Synonym(s): *pusilla* Ribaut,1936
- 580) *Arboridia ribauti* (Ossiannilsson,1937) (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1937
- 581) *Arboridia velata* (Ribaut,1952) (Cicadellidae) Synonym(s): *velata* Ribaut,1952
- 582) *Arboridia vitisuga* (Dlabola,1963) (Cicadellidae) Synonym(s): *vitisuga* Dlabola,1963
- 583) *Archanara algae* (Esper,[1789]) (Noctuidae) Synonym(s): *algae* Esper,[1789]; *cannae* Ochsenheimer,1816
- 584) *Archanara dissoluta* (Treitschke,1825) (Noctuidae) Synonym(s): *dissoluta* Treitschke,1825; *hessii* Boisduval,1840; *arundineta* Schmidt,1858
- 585) *Archanara geminipuncta* (Haworth,1809) (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817].
- 586) *Archanara neurica* (Hübner,[1808]) (Noctuidae) Synonym(s): *neurica* Hübner,[1808]; *edelsteni* Tutt,1908

- 587) **Archana sparganii** (Esper,[1790]) (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892.
- 588) **Archicaris notha** (Hübner,[1803]) (Geometridae) Synonym(s): *notha* Hübner,[1803]
- 589) **Archicaris parthenias** (Linnaeus,1761) (Geometridae) Synonym(s): *parthenias* Linnaeus,1761
- 590) **Archicaris puella** (Esper,1787) (Geometridae) Synonym(s): *puella* Esper,1787
- 591) **Archips crataeganus** (Hübner,[1799]) (Tortricidae) Synonym(s): *crataegana* Hübner,[1799]; *roborana* Hübner,[1799]
- 592) **Archips oporanus** (Linnaeus,1758) (Tortricidae) Synonym(s): *oporanus* Linnaeus,1758; *piceana* Linnaeus,1758; *hermanniana* [Denis & Schiffermüller],1775; *dissimilana* Bentley,1845; *similis* Butler,1879; *impervia* Meyrick,1929; *bathyglypta* Meyrick,1932
- 593) **Archips podanus** (Scopoli,1763) (Tortricidae) Synonym(s): *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,[1799]; *congenerana* Hübner,[1824]; *sauberiana* Sorhagen,1882; *vulpeculana* Fuchs,1903; *meridana* Kozlov & Esartia,1991
- 594) **Archips rosanus** (Linnaeus,1758) (Tortricidae) Synonym(s): *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834
- 595) **Archips xylosteanus** (Linnaeus,1758) (Tortricidae) Synonym(s): *xylosteana* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784; *densata* Fourcroy,1785; *densana* Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901
- 596) **Arctia (Epicallia) villica** (Linnaeus,1758) (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
- 597) **Arctia (Eucharia) festiva** (Hufnagel,1766) (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
- 598) **Arctia (s.str.) caja** (Linnaeus,1758) (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 nec Rom.,1884; *rebeli* Wnukowsky,1929.
- 599) **Arctia (s.str.) flavia** (Fuessly,1779) (Arctiidae) Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,[1804]; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927
- 600) **Arctoconopa melampodia** (Loew,1873) (Limoniidae) Synonym(s): *melampodia* Loew,1873
- 601) **Arctornis l-nigrum** (Müller,1764) (Lymantriidae) Synonym(s): *l-nigrum* Müller,1764; *v-nigrum* Fabricius,1775; *nivosa* [Denis & Schiffermüller],1775; *vaunigra* Stephens,1828
- 602) **Arenostola phragmitidis** (Hübner,[1803]) (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803]
- 603) **Arethusana arethusa** ([Denis & Schiffermüller],1775) (Satyridae) Synonym(s): *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (sensu Hesselbarth et al.,1995: 917).
- 604) **Arge berberidis** (Schränk,1802) (Argidae) Synonym(s): *berberidis* Schränk,1802
- 605) **Arge ciliaris** (Linnaeus,1767) (Argidae) Synonym(s): *ciliaris* Linnaeus,1767
- 606) **Arge cyanocrocea** (Forster,1771) (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880
- 607) **Arge enodis** (Linnaeus,1767) (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783
- 608) **Arge frivaldskyi** (Tischbein,1852) (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852)
- 609) **Arge melanocheira** (Gmelin,1790) (Argidae) Synonym(s): *melanocheira* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907
- 610) **Arge ochropus** (Gmelin,1790) (Argidae) Synonym(s): *ochropus* Gmelin,1790
- 611) **Arge pagana** (Panzer,1798) (Argidae) Synonym(s): *pagana* Panzer,1798; *flaviventris* Fallén,1807; *stephensis* Leach,1817
- 612) **Arge pleuritica** (Klug,1834) (Argidae) Synonym(s): *pleuritica* Klug,1834
- 613) **Arge rustica** (Linnaeus,1758) (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805
- 614) **Arge scita** (Mocsary,1880) (Argidae) Synonym(s): *scita* Mocsary,1880; *zarudnyi* Gussakovskii,1935
- 615) **Arge simulatrix** Konow,1887 (Argidae) Synonym(s): *simulatrix* Konow,1887
- 616) **Arge ustulata** (Linnaeus,1758) (Argidae) Synonym(s): *ustulata* Linnaeus,1758
- 617) **Argynnis (Fabriciana) adippe** (Rottentburg,1775) (Argynnididae) Synonym(s): *cydippe* Linnaeus,1761 (rejected); *berecynthia* Poda,1761 (rejected); *adippe* Rottentburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc.
- 618) **Argynnis (Fabriciana) niobe** (Linnaeus,1758) (Argynnididae) Synonym(s): *niobe* Linnaeus,1758.
- 619) **Argynnis (Pandoriana) pandora** ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
- 620) **Argynnis (s.str.) paphia** (Linnaeus,1758) (Argynnididae) Synonym(s): *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950.
- 621) **Argynnis (Speyeria) aglaja** (Linnaeus,1758) (Argynnididae) Synonym(s): *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 nec Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 nec Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926.
- 622) **Argyra atriceps** Loew,1857 (Dolichopodidae) Synonym(s): *atriceps* Loew,1857
- 623) **Argyra leucocephala** (Meigen,1824) (Dolichopodidae) Synonym(s): *leucocephala* Meigen,1824; *fulviventr* Macquart,1827; *fulgens* Haliday,1832; *pellucens* Zetterstedt,1838
- 624) **Argyra vestita** (Wiedemann,1817) (Dolichopodidae) Synonym(s): *vestita* Wiedemann,1817
- 625) **Argyresthia (Blastotere) glabratella** (Zeller,1847) (Yponomeutidae) Synonym(s): *glabratella* Zeller,1847; *oleaginella* Standfuss,1851
- 626) **Argyresthia (Blastotere) illuminatella** Zeller,1839 (Yponomeutidae) Synonym(s): *illuminatella* Zeller,1839
- 627) **Argyresthia (s.str.) abdominalis** Zeller,1839 (Yponomeutidae) Synonym(s): *abdominalis* Zeller,1839; *abdominalis* Duponchel,[1845]; *inauratella* Tengström,1848; *abdominella* Herrich-Schäffer,1855; *helvetica* Heinemann,[1876]
- 628) **Argyresthia (s.str.) albistria** (Haworth,1828) (Yponomeutidae) Synonym(s): *albistria* Haworth,1828; *fagetella* Zeller,1839; *albistriella* Bruand,1850; *tarnis* Réal,1990
- 629) **Argyresthia (s.str.) bonnetella** (Linnaeus,1758) (Yponomeutidae) Synonym(s): *bonnetella* Linnaeus,1758; *tetrapodella* Linnaeus,1767; *ossea* Haworth,1828; *denudatella* Zeller,1847; *purpurascens* Stainton,1849; *osseella* Bruand,1850
- 630) **Argyresthia (s.str.) curvella** (Linnaeus,1761) (Yponomeutidae) Synonym(s): *curvella* Linnaeus,1761; *nitidella* Denis & Schiffermüller,[1775]; *arcella* Fabricius,1777; *curva* Haworth,1828; *sparsella* sensu Zell.,1839
- 631) **Argyresthia (s.str.) fundella** (Fischer v. Röslerstamm,1835) (Yponomeutidae) Synonym(s): *fundella* Fischer v. Röslerstamm,1835

- 632) *Argyresthia* (s.str.) *glauzinella* Zeller,1839 (Yponomeutidae) Synonym(s): *glauzinella* Zeller,1839; *dzieduszyckii* Nowicki,1860
- 633) *Argyresthia* (s.str.) *goedartella* (Linnaeus,1758) (Yponomeutidae) Synonym(s): *goedartella* Linnaeus,1758; *semiargentella* Donovan,1793; *literella* Haworth,1828
- 634) *Argyresthia* (s.str.) *pruniella* (Clerck,1759) (Yponomeutidae) Synonym(s): *#pruniella* Clerck,1759; *comella* Scopoli,1763; *ephippella* Fabricius,1777; *ephippium* Fabricius,1798; *pruni* Haworth,[1828]; *#ephippiella* Staudinger,1879.
- 635) *Argyresthia* (s.str.) *spinosella* Stainton,1849 (Yponomeutidae) Synonym(s): *mendica* auct; *spinosella* Stainton,1849.
- 636) *Aristotelia* *decoratella* (Staudinger,1880) (Gelechiidae) Synonym(s): *decoratella* Staudinger,1880
- 637) *Aristotelia* *decurtella* (Hübner,[1813]) (Gelechiidae) Synonym(s): *decurtella* Hübner,[1813]; *turbatella* Treitschke,1835; *amoenella* Joannis,1891
- 638) *Aristotelia* *subdecurtella* (Stainton,1859) (Gelechiidae) Synonym(s): *subdecurtella* Stainton,1859
- 639) *Aristotelia* *subericinella* (Duponchel,1843) (Gelechiidae) Synonym(s): *subericinella* Duponchel,1843; *prohaskaella* Rebel,1907
- 640) *Aritranis* *graeffei* (Thomson,1896) (Ichneumonidae) Synonym(s): *graeffei* Thomson,1896
- 641) *Aritranis* *odoriferator* (Dufour & Perris,1840) (Ichneumonidae) Synonym(s): *odoriferator* Dufour & Perris,1840
- 642) *Arma* *custos* (Fabricius,1794) (Pentatomidae) Synonym(s): *custos* Fabricius,1794; *#scutellaris* Stichel,1961; *neocustos* Ahmad & Önder,1990; *neoinsperata* Ahmad & Önder,1990
- 643) *Arma* *insperata* Horvath,1899 (Pentatomidae) Synonym(s): *insperata* Horvath,1899
- 644) *Arocatus* *longiceps* Stal,1872 (Lygaeidae) Synonym(s): *longiceps* Stal,1872; *grassii* Picco,1920; *fuscipes* Picco,1920; *nigrirostris* Picco,1920; *sanguineus* Picco,1920; *thoracicus* Picco,1920
- 645) *Arocatus* *melanocephalus* (Fabricius,1798) (Lygaeidae) Synonym(s): *melanocephalus* Fabricius,1798
- 646) *Arocatus* *roeselii* (Schilling,1829) (Lygaeidae) Synonym(s): *roeselii* Schilling,1829; *#collaris* Puton,1875; *intermedius* Puton,1878; *barrosii* Seabra,1930; *royeri* Seabra,1930; *seabrai* Stichel,1957
- 647) *Arocephalus* *languidus* (Flor,1861) (Cicadellidae) Synonym(s): *languidus* Flor,1861; *pallipes* Kirschbaum,1868; *pusillus* Kirschbaum,1868; *productus* Thomson,1869; *haupti* Lindberg,1924; *ocellatus* Cerutti,1939
- 648) *Arocephalus* *longiceps* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *longiceps* Kirschbaum,1868; *longivalvis* Kirschbaum,1868; *linnei* Fieber,1869
- 649) *Arocephalus* *punctum* (Flor,1861) (Cicadellidae) Synonym(s): *punctum* Flor,1861; *paucinervis* Sahlberg,1871
- 650) *Aroga* *aristotelis* (Millière,1875) (Gelechiidae) Synonym(s): *aristotelis* Millière,1875; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacertella* Walsingham; *hyrcanella* Toll,1948.
- 651) *Aroga* *flavicomella* (Zeller,1839) (Gelechiidae) Synonym(s): *flavicomella* Zeller,1839
- 652) *Aroga* *velocella* (Zeller,1839) (Gelechiidae) Synonym(s): *velocella* Zeller,1839; *affiniella* Zetterstedt,[1839]; *tesserella* Zetterstedt,[1839]; *brunnea* Schöyen,1882; *aterrimella* Rebel,1889; *rupicolella* Müller-Rutz,1934
- 653) *Arthaldeus* *striifrons* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *striifrons* Kirschbaum,1868
- 654) *Artianus* *manderstjernii* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *manderstjernii* Kirschbaum,1868
- 655) *Artiora* *evonymaria* (Hübner,[1799]) (Geometridae) Synonym(s): *#evonymaria* [Denis & Schiffermüller],1775; *evonymaria* Hübner,[1799].
- 656) *Asalebria* (Exophora) *florella* (Mann,1862) (Pyralidae) Synonym(s): *florella* Mann,1862
- 657) *Asaphidion* (Asaphidion) *flavicornis* (Solsky,1874) (Carabidae) Synonym(s): *flavicornis* Solsky,1874
- 658) *Asarta* *aethiopella* (Duponchel,1836) (Pyralidae) Synonym(s): *aethiopella* Duponchel,1836; *helveticella* Zeller,1839; *majella* Constantini,1922.
- 659) *Ascotis* *selenaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#selenaris* Okyar & Aytac,1999
- 660) *Asiraca* *clavicornis* (Fabricius,1794) (Delphacidae) Synonym(s): *clavicornis* Fabricius,1794; *divisa* Rey,1891
- 661) *Asovia* *maeoticaria* (Alpheraky,1876) (Geometridae) Synonym(s): *maeoticaria* Alpheraky,1876; *decoloraria* Alpheraky,1889
- 662) *Asphalia* *ruficollis* (Fabricius,1787) (Thyatiridae) Synonym(s): *#ruficollis* [Denis & Schiffermüller],1775; *ruficollis* Fabricius,1787
- 663) *Aspilapteryx* (Sabulopteryx) *limosella* (Duponchel,1844) (Gracillariidae) Synonym(s): *limosella* Duponchel,1844
- 664) *Aspitates* *ochrearia* (Rossi,1794) (Geometridae) Synonym(s): *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953
- 665) *Aspitates* *quadrupunctata* (Goeze,1781) (Geometridae) Synonym(s): *#gilvaria* [Denis & Schiffermüller],1775; *quadrupunctata* Goeze,1781.
- 666) *Assara* *terebrella* (Zincken,1818) (Pyralidae) Synonym(s): *terebrella* Zincken,1818
- 667) *Assuania* *thalhammeri* (Strobl,1893) (Chloropidae) Synonym(s): *thalhammeri* Strobl,1893; *hispanica* Strobl,1899; *glabra* Becker,1903; *frontata* Becker,1907; *siciliensis* Duda,1933
- 668) *Asteroscopus* *sphinx* (Hufnagel,1766) (Noctuidae) Synonym(s): *sphinx* Hufnagel,1766; *cassinia* [Denis & Schiffermüller],1775; *alpina* Seifers,1916.
- 669) *Asteroscopus* *syriaca* (W.Warren,1910) (Noctuidae) Synonym(s): *syriaca* W.Warren,1910; *decipulae* Kovacs,1966.
- 670) *Asthena* *albulata* (Hufnagel,1767) (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *candidata* [Denis & Schiffermüller],1775; *candidaria* Hübner,[1799]; *candidulata* Haworth,1809; *albularia* Boisduval,1840
- 671) *Asthena* *anseraria* (Herrich-Schäffer,1855) (Geometridae) Synonym(s): *? asparagi* Fourcroy,1785; *anseraria* Herrich-Schäffer,1855; *soldaria* Turati,1879
- 672) *Atanycolus* *denigrator* (Linnaeus,1758) (Braconidae) Synonym(s): *denigrator* Linnaeus,1758
- 673) *Ateliotum* *hungaricellum* Zeller,1839 (Tineidae) Synonym(s): *hungaricellum* Zeller,1839; *cypellias* Meyrick,1937
- 674) *Atethmia* *ambusta* (Fabricius,1787) (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
- 675) *Atethmia* *centrago* (Haworth,[1809]) (Noctuidae) Synonym(s): *centrago* Haworth,[1809].
- 676) *Athalia* *rufoscutellata* Mocsary,1879 (Tenthredinidae) Synonym(s): *rufoscutellata* Mocsary,1879; *maculata* Mocsary,1879; *maritima* Kirby,1884; *mocsaryi* Konow,1892; *nigroscutellata* Konow,1892; *pleuralis* Konow,1898; *obscurata* Konow,1904
- 677) *Athetis* *furvula* (Hübner,[1808]) (Noctuidae) Synonym(s): *furvula* Hübner,[1808]; *dasychira* Hübner,[1817]; *lenta* Treitschke,1825.
- 678) *Athetis* *gluteosa* (Treitschke,1835) (Noctuidae) Synonym(s): *gluteosa* Treitschke,1835
- 679) *Athetis* *pallustris* (Hübner,[1808]) (Noctuidae) Synonym(s): *pallustris* Hübner,[1808]; *#palustris* Lederer,1870
- 680) *Atholus* *bimaculatus* (Linnaeus,1758) (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758
- 681) *Atholus* *corvinus* (Germar,1817) (Histeridae) Synonym(s): *corvinus* Germar,1817
- 682) *Atholus* *duodecimstriatus* (Schrank,1781) (Histeridae) Synonym(s): *duodecimstriatus* Schrank,1781

- 683) *Athous (Euplathous) proximus* (Hampe, 1864) (Elateridae) Synonym(s): *proximus* Hampe, 1864
- 684) *Athous (Haplathous) turcicus* Reitter, 1905 (Elateridae) Synonym(s): *turcicus* Reitter, 1905
- 685) *Athous (Orthathous) barriesi* Platia & Gudenzi, 1996 (Elateridae) Synonym(s): *barriesi* Platia & Gudenzi, 1996
- 686) *Athous (Orthathous) dasycerus* Buysson, 1890 (Elateridae) Synonym(s): *dasycerus* Buysson, 1890
- 687) *Athous (Orthathous) propinquus* Buysson, 1889 (Elateridae) Synonym(s): *propinquus* Buysson, 1889
- 688) *Athrycia impressa* (van der Wulp, 1869) (Tachinidae) Synonym(s): *impressa* van der Wulp, 1869
- 689) *Atolmis rubricollis* (Linnaeus, 1758) (Arctiidae) Synonym(s): *rubricollis* Linnaeus, 1758
- 690) *Atralata albofascialis* (Treitschke, 1829) (Pyralidae) Synonym(s): *albofascialis* Treitschke, 1829; *minutalis* Speyer, 1868
- 691) *Atranus ruficollis* Gautier des Cottés, 1858 (Carabidae) Synonym(s): *ruficollis* Gautier des Cottés, 1858
- 692) *Atremaea lonchoptera* Staudinger, 1871 (Gelechiidae) Synonym(s): *lonchoptera* Staudinger, 1871
- 693) *Archopogon winnertzi* Goetghebuer, 1922 (Ceratopogonidae) Synonym(s): *winnertzi* Goetghebuer, 1922; *torgnyensis* Goetghebuer, 1949
- 694) *Attelabus nitens* (Scopoli, 1763) (Attelabidae) Synonym(s): *nitens* Scopoli, 1763; *curculionoides* Linnaeus, 1767; *coryli* Müller, 1776; *maculipes* Rondani, 1833
- 695) *Attelabus sulcifrons* (Argod, 1895) (Attelabidae) Synonym(s): *sulcifrons* Argod, 1895
- 696) *Atylotus latistriatus* Brauer, 1879 (Tabanidae) Synonym(s): *latistriatus* Brauer, 1879; *nigrifacies* Gobert, 1880
- 697) *Atylotus loewianus* (Villeneuve, 1920) (Tabanidae) Synonym(s): *loewianus* Villeneuve, 1920; *znojko* Olsufjev, 1937
- 698) *Atypha pulmonaris* (Esper, [1790]) (Noctuidae) Synonym(s): *pulmonaris* Esper, [1790]
- 699) *Auchenodes costalis* (Lethierry, 1877) (Lygaeidae) Synonym(s): *costalis* Lethierry, 1877
- 700) *Auchmis* (s.str.) *detersa* (Esper, [1791]) (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller], 1775; *detersa* Esper, [1791]
- 701) *Auletobius politus* Voss, 1934 (Attelabidae) Synonym(s): *politus* Voss, 1934
- 702) *Aulogymnus skianeuros* (Ratzeburg, 1844) (Eulophidae) Synonym(s): *skianeuros* Ratzeburg, 1844; *skianeurus* Ratzeburg, 1848
- 703) *Austroagallia sinuata* (Mulsant & Rey, 1855) (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey, 1855; *quadrisignata* Flor, 1861; *homeyeri* Kirschbaum, 1868; *feberi* Vismara, 1878; *laevis* Bergevin, 1934; *zachvatkini* Vilbaste, 1961; *nasti* Dlabola, 1964; *deserticola* Dlabola, 1964; *afghanistanensis* Kameswara Rao, Ramakrishnan & Ghai, 1979
- 704) *Autographa bractea* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *bractea* [Denis & Schiffermüller], 1775
- 705) *Autographa gamma* (Linnaeus, 1758) (Noctuidae) Synonym(s): *gamma* Linnaeus, 1758; *messmeri* Schädewald, 1992; *voelkeri* Schädewald, 1992.
- 706) *Autographa jota* (Linnaeus, 1758) (Noctuidae) Synonym(s): *jota* Linnaeus, 1758; *protea* Stoll, 1782; *inscripta* Esper, 1787; *gammaaurina* Haworth, 1809; *percontationis* Ochsenheimer, 1816; *aurigutta* Hübner, [1821]; *ancora* Freyer, 1832; *bartholomaei* Ménétriés, 1859; *anatolica* Schwingenschuss, 1938
- 707) *Autographa pulchrina* (Haworth, 1809) (Noctuidae) Synonym(s): *pulchrina* Haworth, 1809; *v-aureum* Guenée, 1852; *percontratrix* Auriivillius, 1891
- 708) *Autophila* (Cheirophanes) *anaphanes* Boursin, 1940 (Noctuidae) Synonym(s): *anaphanes* Boursin, 1940
- 709) *Autophila* (s.str.) *dilucida* (Hübner, [1808]) (Noctuidae) Synonym(s): *dilucida* Hübner, [1808]; *praeclara* Schawerda, 1918; *argentea* Caradja, 1930; *troniceki* Reisser, 1958.
- 710) *Autophila* (s.str.) *limbata* (Staudinger, 1871) (Noctuidae) Synonym(s): *limbata* Staudinger, 1871
- 711) *Axylia putris* (Linnaeus, 1761) (Noctuidae) Synonym(s): *putris* Linnaeus, 1761; *subcorticalis* Hufnagel, 1766; *pallium* Villers, 1789; *lignosa* Hübner, [1803]; *mundipennis* W. Warren, 1912
- 712) *Aylax hypecoi* Trotter, 1913 (Cynipidae) Synonym(s): *hypecoi* Trotter, 1913; *spirohynchusii* Diakontshuk, 1990
- 713) *Azelia gibbera* (Meigen, 1826) (Muscidae) Synonym(s): *gibbera* Meigen, 1826
- 714) *Azelia monodactyla* Loew, 1874 (Muscidae) Synonym(s): *monodactyla* Loew, 1874
- 715) *Azelia trigonica* Hennig, 1956 (Muscidae) Synonym(s): *trigonica* Hennig, 1956
- 716) *Azelia triquetra* (Wiedemann, 1817) (Muscidae) Synonym(s): *triquetra* Wiedemann, 1817
- 717) *Azelia zetterstedtii* Rondani, 1866 (Muscidae) Synonym(s): *zetterstedtii* Rondani, 1866
- 718) *Bacotia claustralla* (Bruand, 1845) (Psychidae) Synonym(s): *claustralla* Bruand, 1845
- 719) *Bactra* (s.str.) *furfurana* (Haworth, [1811]) (Tortricidae) Synonym(s): *furfurana* Haworth, [1811]; *gozmaniana* Toll, 1958
- 720) *Bactra* (s.str.) *lancealana* (Hübner, [1799]) (Tortricidae) Synonym(s): *lancealana* Hübner, [1799]; *#lanceolana* Hübner, [1822]; *egestana* Haworth, 1811; *plagana* Haworth, 1811; *dibeliana* Hübner, [1819]; *rufana* Stephens, 1834; *nigrovittana* Stephens, 1852
- 721) *Bactra* (s.str.) *robustana* (Christoph, 1872) (Tortricidae) Synonym(s): *robustana* Christoph, 1872; *griseana* A.M. Djakonov, 1929; *grisea* A.M. Djakonov, 1929; *scirpicolana* Pierce, 1935
- 722) *Badister tibialatus* (Schrank, 1798) (Carabidae) Synonym(s): *bullatus* Schrank, 1798
- 723) *Bagrada stolidia* (Herrich-Schäffer, 1839) (Pentatomidae) Synonym(s): *stolidia* Herrich-Schäffer, 1839; *gibbicollis* Horvath, 1936; *cicur* Horvath, 1936; *scutellaris* Horvath, 1936; *confusa* Horvath, 1936; *stolata* Horvath, 1936; *quadrinaculata* Horvath, 1936
- 724) *Balcanocerus balcanicus* (Horvath, 1903) (Cicadellidae) Synonym(s): *balcanicus* Horvath, 1903
- 725) *Balclutha boica* Wagner, 1950 (Cicadellidae) Synonym(s): *boica* Wagner, 1950
- 726) *Balclutha punctata* (Fabricius, 1775) (Cicadellidae) Synonym(s): *punctata* Fabricius, 1775; *tricolor* Gmelin, 1790; *clypeata* Curtis, 1837; *spretia* Zetterstedt, 1840; *confluens* Rey, 1894; *impunctatus* Rey, 1894; *lineolatus* Horvath, 1904; *thalassicus* Siderski, 1937; *taunica* Wagner, 1939; *langi* Dlabola, 1944; *sagittaria* Ribaut, 1952
- 727) *Balclutha rhenana* Wagner, 1939 (Cicadellidae) Synonym(s): *rhenana* Wagner, 1939
- 728) *Balclutha saltuella* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *saltuella* Kirschbaum, 1868; *angustus* Then, 1886; *incisus* Matsumura, 1902; *quadriguttatus* Matsumura, 1908
- 729) *Baptia tibiale* (Esper, 1804) (Geometridae) Synonym(s): *dimidiata* Hübner, 1790; *tibialata* Hübner, [1799]; *tibiale* Esper, 1804; *tibialaria* Hübner, [1825]; *moeroraria* Freyer, [1846]; *eversmannaria* Herrich-Schäffer, 1852; *aethiopata* Heinemann, 1859; *decisata* Walker, 1862
- 730) *Baryscapus adalia* (Walker, 1839) (Eulophidae) Synonym(s): *adalia* Walker, 1839; *crassinervis* Thomson, 1878
- 731) *Barytarbes superbus* Schmiedeknecht, 1913 (Ichneumonidae) Synonym(s): *superbus* Schmiedeknecht, 1913
- 732) *Basilina mongolensis* Theodor, 1966 (Nycteribiidae) Synonym(s): *mongolensis* Theodor, 1966
- 733) *Basilina nana* Theodor & Moscona, 1954 (Nycteribiidae) Synonym(s): *nana* Theodor & Moscona, 1954
- 734) *Basistriga flammata* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *flammata* [Denis & Schiffermüller], 1775; *bimaculata* Milliere, 1885.
- 735) *Bathyplectes carinata* Horstmann, 1974 (Ichneumonidae) Synonym(s): *carinata* Horstmann, 1974
- 736) *Batia lunaris* (Haworth, [1828]) (Oecophoridae) Synonym(s): *lunaris* Haworth, [1828]

- 737) **Batophila olexai Kral, 1964** (Chrysomelidae) Synonym(s): *olexai Kral, 1964*
- 738) **Batrachomorpha irroratus Lewis, 1834** (Cicadellidae) Synonym(s): *irroratus Lewis, 1834*; *microcephalus Herrich-Schäffer, 1838*; *punctulatus Forel, 1858*; *punctuosus Kirschbaum, 1868*; *verrucosa Haupt, 1917*
- 739) **Baumhaueria gonaeformis (Meigen, 1824)** (Tachinidae) Synonym(s): *gonaeformis Meigen, 1824*
- 740) **Bedellia somnulentella (Zeller, 1847)** (Lyonetiidae) Synonym(s): *somnulentella Zeller, 1847*; *orpheella Stainton, 1849*; *convolutella Heydenreich, 1851*; *staintoniella Clemens, 1860*; *mnesileuca Meyrick, 1928*; *ipomoeae Bradley, 1953*
- 741) **Behounekia freyeri (Frivaldsky, 1835)** (Noctuidae) Synonym(s): *freyeri Frivaldsky, 1835*; *linthea Freyer, 1842*; *orontii Herrich-Schäffer, [1851]*; *senescens Eversmann, 1856*; *#linthea Lederer, 1870*
- 742) **Bellardia bayeri (Jacentkovsky, 1937)** (Calliphoridae) Synonym(s): *bayeri Jacentkovsky, 1937*
- 743) **Bellardia obsoleta (Meigen, 1824)** (Calliphoridae) Synonym(s): *obsoleta Meigen, 1824*; *clausa Macquart, 1835*; *vernalis R-D., 1863*; *angusta Séguin, 1928*
- 744) **Bellardia stricta (Villeneuve, 1926)** (Calliphoridae) Synonym(s): *stricta Villeneuve, 1926*; *pumicata Enderlein, 1933*; *minutissima Enderlein, 1933*; *xinganensis Chen, Fan & Cui, 1983*
- 745) **Bellardia vulgaris (R-D., 1830)** (Calliphoridae) Synonym(s): *vulgaris R-D., 1830*; *agilis Meigen, 1826*; *bisetosa Hall, 1948*
- 746) **Belostoma cordofanum Mayr, 1853** (Belostomatidae) Synonym(s): *cordofanum Mayr, 1853*
- 747) **Bembecia albanensis (Rebel, 1918)** (Sesiidae) Synonym(s): *albanensis Rebel, 1918*; *corcyrensis Rebel, 1918*; *kalavrytana Sheljuzhko, 1924*
- 748) **Bembecia ichneumoniformis ([Denis & Schiffermüller], 1775)** (Sesiidae) Synonym(s): *#ichneumoniformis [Denis & Schiffermüller], 1775*; *rhagioniformis Hübner, [1806]*; *ophioniformis Hübner, [1813]*; *systrophaeformis Hübner, [1813]*; *palpina Dalman, 1816*; *statuiformis Freyer, 1836*; *cryptiformis Walker, 1856*; *albanica Rebel, 1910*
- 749) **Bembecia pavicevici Tosevski, 1989** (Sesiidae) Synonym(s): *pavicevici Tosevski, 1989*
- 750) **Bembecia puella Z. Lastuvka, 1989** (Sesiidae) Synonym(s): *puella Z. Lastuvka, 1989*; *daghestanica Gorbunov, 1991*; *aladagica Gorbunov & K. Spatenka, 2001*
- 751) **Bembecia sanguinolenta (Lederer, 1853)** (Sesiidae) Synonym(s): *sanguinolenta Lederer, 1853*
- 752) **Bembecia scopigera (Scopoli, 1763)** (Sesiidae) Synonym(s): *scopigera Scopoli, 1763*; *communis Le Cerf, 1920*
- 753) **Bembecinus hungaricus (Frivaldsky, 1876)** (Crabronidae) Synonym(s): *hungaricus Frivaldsky, 1876*
- 754) **Bembecinus peregrinus (Smith, 1856)** (Crabronidae) Synonym(s): *peregrinus Smith, 1856*; *erberi Mocsary, 1881*; *biarmatus Mocsary, 1883*
- 755) **Bembecinus tridens (Fabricius, 1781)** (Crabronidae) Synonym(s): *tridens Fabricius, 1781*; *cinctus Rossi, 1790*; *repandus Panzer, 1801*; *sinuatus Latreille, 1805*; *satumanus Sonan, 1934*; *errans De Beaumont, 1950*
- 756) **Bembidion (Diplocampa) fumigatum (Duftschmid, 1812)** (Carabidae) Synonym(s): *fumigatum Duftschmid, 1812*
- 757) **Bembidion (Euperyphus) combustum Ménétriés, 1832** (Carabidae) Synonym(s): *combustum Ménétriés, 1832*
- 758) **Bembidion (Metallina) lampros (Herbst, 1784)** (Carabidae) Synonym(s): *lampros Herbst, 1784*
- 759) **Bembidion (Metallina) properans (Stephens, 1828)** (Carabidae) Synonym(s): *properans Stephens, 1828*
- 760) **Bembidion (Microserrullula) quadricolle (Motschoulsky, 1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky, 1844*
- 761) **Bembidion (Nepha) caucasicum (Motschoulsky, 1844)** (Carabidae) Synonym(s): *caucasicum Motschoulsky, 1844*
- 762) **Bembidion (Nepha) retipenne J. Müller, 1918** (Carabidae) Synonym(s): *retipenne J. Müller, 1918*
- 763) **Bembidion (Nepha) rufimacula J. Müller, 1918** (Carabidae) Synonym(s): *rufimacula J. Müller, 1918*
- 764) **Bembidion (Notaphemphanes) ephippium (Marsham, 1802)** (Carabidae) Synonym(s): *ephippium Marsham, 1802*
- 765) **Bembidion (Notaphocampa) niloticum Dejean, 1831** (Carabidae) Synonym(s): *niloticum Dejean, 1831*
- 766) **Bembidion (Notaphus) semipunctatum (Donovan, 1806)** (Carabidae) Synonym(s): *semipunctatum Donovan, 1806*
- 767) **Bembidion (Notaphus) varium (Olivier, 1795)** (Carabidae) Synonym(s): *varium Olivier, 1795*
- 768) **Bembidion (Ocydromus) atlanticum Wollaston, 1854** (Carabidae) Synonym(s): *atlanticum Wollaston, 1854*
- 769) **Bembidion (Ocydromus) cordicolle Jacquelin du Val, 1852** (Carabidae) Synonym(s): *cordicolle Jacquelin du Val, 1852*; *veldkampii Kirschenhofer, 1994*
- 770) **Bembidion (Ocydromus) decorum (Panzer, 1799)** (Carabidae) Synonym(s): *decorum Panzer, 1799*
- 771) **Bembidion (Ocyturanus) praeustum Dejean, 1831** (Carabidae) Synonym(s): *praeustum Dejean, 1831*
- 772) **Bembidion (Ocyturanus) signatipenne Jacquelin du Val, 1852** (Carabidae) Synonym(s): *signatipenne Jacquelin du Val, 1852*
- 773) **Bembidion (Odontium) striatum (Fabricius, 1792)** (Carabidae) Synonym(s): *striatum Fabricius, 1792*
- 774) **Bembidion (Omoperyphus) semibraccatum Netolitzky, 1911** (Carabidae) Synonym(s): *semibraccatum Netolitzky, 1911*
- 775) **Bembidion (Peryphanes) castaneipenne Jacquelin du Val, 1852** (Carabidae) Synonym(s): *castaneipenne Jacquelin du Val, 1852*
- 776) **Bembidion (Peryphanes) dalmatinum Dejean, 1831** (Carabidae) Synonym(s): *dalmatinum Dejean, 1831*
- 777) **Bembidion (Peryphus) femoratum Sturm, 1825** (Carabidae) Synonym(s): *femoratum Sturm, 1825*
- 778) **Bembidion (Philochthus) lunulatum Geoffroy, 1785** (Carabidae) Synonym(s): *lunulatum Geoffroy, 1785*
- 779) **Bembidion (Talanus) subfasciatum Chaudoir, 1850** (Carabidae) Synonym(s): *subfasciatum Chaudoir, 1850*
- 780) **Bembidion (Testedium) bipunctatum (Linnaeus, 1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus, 1761*
- 781) **Bembidion (Trepanes) octomaculatum (Goeze, 1777)** (Carabidae) Synonym(s): *octomaculatum Goeze, 1777*
- 782) **Bembidion concoloruleum Netolitzky, 1943** (Carabidae) Synonym(s): *concoloruleum Netolitzky, 1943*
- 783) **Bembidion tibiale (Duftschmid, 1812)** (Carabidae) Synonym(s): *tibiale Duftschmid, 1812*
- 784) **Bembix bicolor (Radoszkowski, 1877)** (Crabronidae) Synonym(s): *bicolor Radoszkowski, 1877*; *femoralis Radoszkowski, 1877*; *bipunctata Radoszkowski, 1877*; *barbiventris Morawitz, 1889*
- 785) **Bembix oculata (Panzer, 1801)** (Crabronidae) Synonym(s): *oculata Panzer, 1801*; *latreillii Lepeletier, 1845*; *neglecta Dahlbom, 1845*; *ocellata Dahlbom, 1845*; *panzeri Handlirsch, 1893*; *hispanica Mercet, 1904*; *ebusiana Giner Mari, 1934*
- 786) **Bembix olivacea Fabricius, 1787** (Crabronidae) Synonym(s): *olivacea Fabricius, 1787*; *senilis Fabricius, 1804*; *notata Dahlbom, 1845*; *mediterranea Handlirsch, 1893*; *maroccana Mercet, 1905*; *pardoi Giner Mari, 1945*
- 787) **Bembix pallida Radoszkowski, 1877** (Crabronidae) Synonym(s): *pallida Radoszkowski, 1877*
- 788) **Bembix rostrata (Linnaeus, 1758)** (Crabronidae) Synonym(s): *rostrata Linnaeus, 1758*; *armata Gmelin, 1790*; *vidua Lepeletier, 1845*; *dissecta Dahlbom, 1845*; *gallica Mocsary, 1883*; *paradoxa Giner Mari, 1943*
- 789) **Bembix turca Dahlbom, 1845** (Crabronidae) Synonym(s): *turca Dahlbom, 1845*; *melaena Smith, 1856*
- 790) **Bena bicolorana (Fuessly, 1775)** (Noctuidae) Synonym(s): *prasinana auct. nec Linn., 1758*; *bicolorana Fuessly, 1775*; *quercana Denis & Schiffermüller, 1775*; *consersa W. Warren, 1913*
- 791) **Beris clavipes (Linnaeus, 1767)** (Stratiomyidae) Synonym(s): *clavipes Linnaeus, 1767*; *nigroptera Geoffroy, 1785*; *nigritarsis Latreille, 1805*
- 792) **Besseria lateritia (Meigen, 1824)** (Tachinidae) Synonym(s): *lateritia Meigen, 1824*

- 793) **Bibio pomonae** (Fabricius,1775) (Bibionidae) Synonym(s): *pomonae* Fabricius,1775; *funestus* Harris,1776; *marcifulvipes* De Geer,1776
- 794) **Bijugis bombycella** ([Denis & Schiffermüller],1775) (Psychidae) Synonym(s): *bombycella* [Denis & Schiffermüller],1775
- 795) **Bijugis pectinella** ([Denis & Schiffermüller],1775) (Psychidae) Synonym(s): *pectinella* [Denis & Schiffermüller],1775
- 796) **Biorhiza pallida** (Olivier,1791) (Cynipidae) Synonym(s): *pallida* Olivier,1791; *aptera* Bosc,1791; *gallaecaebriformis* Anthoine,1794; *gallaecerebriformis* Anthoine,1794; *quercusterminalis* Fabricius,1798; *terminalis* Hartig,1840; *codinae* Tavares,1928; *hispanica* Tavares,1928; *lusitanica* Tavares,1928
- 797) **Biston betularius** (Linnaeus,1758) (Geometridae) Synonym(s): *betularia* Linnaeus,1758; *p-graecum* Poda,1761; *marmoraria* Sepp,1792; *ulmaria* Borkhausen,1794; *alexandrina* Wehrli,1941.
- 798) **Biston stratarius** (Hufnagel,1767) (Geometridae) Synonym(s): *strataria* Hufnagel,1767; *prodromaria* [Denis & Schiffermüller],1775; *marmorata* Sulzer,1776; *vernalis* Fourcroy,1785; *nigricans* Oberthür,1913
- 799) **Bithia demotica** (Egger,1861) (Tachinidae) Synonym(s): *demotica* Egger,1861
- 800) **Bithia geniculata** (Zetterstedt,1844) (Tachinidae) Synonym(s): *geniculata* Zetterstedt,1844
- 801) **Bithia glirina** (Rondani,1861) (Tachinidae) Synonym(s): *glirina* Rondani,1861
- 802) **Bithia jacentkovskyi** (Villeneuve,1937) (Tachinidae) Synonym(s): *jacentkovskyi* Villeneuve,1937
- 803) **Bithia modesta** (Meigen,1824) (Tachinidae) Synonym(s): *modesta* Meigen,1824
- 804) **Bithia spreta** (Meigen,1824) (Tachinidae) Synonym(s): *spretta* Meigen,1824
- 805) **Blacus (Ganychorus) diversicornis** (Nees ab Esenbeck,1834) (Braconidae) Synonym(s): *diversicornis* Nees ab Esenbeck,1834; *compar* Ruth,1861
- 806) **Blacus (Ganychorus) maculipes** Wesmael,1835 (Braconidae) Synonym(s): *maculipes* Wesmael,1835
- 807) **Blacus (Ganychorus) ruficornis** (Nees ab Esenbeck,1811) (Braconidae) Synonym(s): *ruficornis* Nees ab Esenbeck,1811
- 808) **Blacus (Hysterobolus) nixonii** Haeselbarth,1973 (Braconidae) Synonym(s): *nixonii* Haeselbarth,1973
- 809) **Blacus (s.str.) exilis** (Nees ab Esenbeck,1811) (Braconidae) Synonym(s): *exilis* Nees ab Esenbeck,1811; *lactucaphis* Fitch,1855; *pallipes* Förster,1862; *propallipes* Shenefelt,1969; *intermedius* Janzon,1975
- 810) **Blacus (s.str.) humilis** (Nees ab Esenbeck,1811) (Braconidae) Synonym(s): *humilis* Nees ab Esenbeck,1811; *trivialis* Haliday,1835; *wesmaeli* Ruthe,1861
- 811) **Blacus (s.str.) instabilis** Ruthe,1861 (Braconidae) Synonym(s): *instabilis* Ruthe,1861; *#petiolatus* Haeselbarth,1973
- 812) **Blacus (s.str.) paganus** (Haliday,1835) (Braconidae) Synonym(s): *paganus* Haliday,1835; *brevicornis* Ruthe,1861
- 813) **Blacus (s.str.) stelfoxi** Haeselbarth,1973 (Braconidae) Synonym(s): *stelfoxi* Haeselbarth,1973
- 814) **Blaesoxipha campestris** (R-D.,1863) (Sarcophagidae) Synonym(s): *lineata* Fallén,1817 nec Harr.,1776; *campestris* R-D.,1863; *redempta* Pandellé,1895
- 815) **Blaesoxipha cochlearis** (Pandellé,1894) (Sarcophagidae) Synonym(s): *cochlearis* Pandellé,1894; *sinica* Rohdendorf,1928
- 816) **Blaesoxipha erythrura** (Meigen,1826) (Sarcophagidae) Synonym(s): *erythrura* Meigen,1826; *crocata* R-D.,1830; *agilis* R-D.,1830; *riparia* R-D.,1830; *clinalis* R-D.,1830; *erythrocerca* R-D.,1863; *egena* R-D.,1863; *gagatea* R-D.,1863; *luteicauda* R-D.,1863; *aurea* R-D.,1863; *strenua* R-D.,1863; *silantjevi* Rohdendorf,1937
- 817) **Blaesoxipha gladiatrix** (Pandellé,1896) (Sarcophagidae) Synonym(s): *gladiatrix* Pandellé,1896; *krameri* Baranoff,1925
- 818) **Blaesoxipha grisea** (Meigen,1826) (Sarcophagidae) Synonym(s): *grisea* Meigen,1826; *erythrocerca* R-D.,1830; *brunnicans* R-D.,1830; *claripennis* R-D.,1830; *cinerea* R-D.,1830; *rapida* R-D.,1830; *campestris* R-D.,1830; *grisea* R-D.,1830; *riparia* R-D.,1830; *albifrons* R-D.,1830; *luteifrons* R-D.,1830; *musca* R-D.,1830; *floralis* R-D.,1830; *aurifacies* R-D.,1830; *agrestis* R-D.,1830; *fuliginosa* R-D.,1830; *grisella* R-D.,1863; *fulvifrons* R-D.,1863; *ruralis* R-D.,1863; *rustica* R-D.,1863
- 819) **Blaesoxipha grylloctona** Loew,1861 (Sarcophagidae) Synonym(s): *grylloctona* Loew,1861; *ussurica* Rohdendorf,1928; *changbaishanensis* Hsue,1978; *takanoi* Rohdendorf & Verves,1980; *scheenkoi* Artamanov,1980
- 820) **Blaesoxipha litoralis** (Villeneuve,1911) (Sarcophagidae) Synonym(s): *litoralis* Villeneuve,1911
- 821) **Blaesoxipha unguolata** (Pandellé,1896) (Sarcophagidae) Synonym(s): *unguolata* Pandellé,1896; *talyshensis* Rohdendorf & Verves,1977
- 822) **Blaps abbreviata** Ménétériés,1836 (Tenebrionidae) Synonym(s): *abbreviata* Ménétériés,1836
- 823) **Blastobasis phycidella** (Zeller,1839) (Blastobasidae) Synonym(s): *phycidella* Zeller,1839; *roscidella* Zeller,1847
- 824) **Blastodacna hellerella** (Duponchel,1838) (Agonoxenidae) Synonym(s): *hellerella* Duponchel,1838
- 825) **Blastothrix erythrostetha** (Walker,1847) (Encyrtidae) Synonym(s): *erythrostetha* Walker,1847; *clara* Nikolskaya,1952
- 826) **Blastothrix hungarica** Erdős,1959 (Encyrtidae) Synonym(s): *hungarica* Erdős,1959; *meridionalis* Sugonjaev,1964
- 827) **Blastothrix longipennis** Howard,1881 (Encyrtidae) Synonym(s): *longipennis* Howard,1881; *confusa* Erdős,1959
- 828) **Blepharita satura** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *satura* [Denis & Schiffermüller],1775
- 829) **Blepisanis vittipennis** (Reich,1877) (Cerambycidae) Synonym(s): *vittipennis* Reich,1877
- 830) **Blitopertha (s.str.) lineolata** (Fischer von Waldheim,1824) (Scarabaeidae) Synonym(s): *lineolata* Fischer von Waldheim,1824
- 831) **Blitopertha (Trichopertha) hirtella** (Brullé,1832) (Scarabaeidae) Synonym(s): *hirtella* Brullé,1832
- 832) **Blondelia inclusa** (Hartig,1838) (Tachinidae) Synonym(s): *inclusa* Hartig,1838
- 833) **Blondelia nigripes** (Fallén,1810) (Tachinidae) Synonym(s): *nigripes* Fallén,1810; *agilis* Meigen,1824; *machairopsis* Brauer & Bergenstamm,1889
- 834) **Bohemannia pulverosella** (Stainton,1849) (Nepticulidae) Synonym(s): *pulverosella* Stainton,1849
- 835) **Boloria (Clossiana) dia** (Linnaeus,1767) (Argynnididae) Synonym(s): *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919.
- 836) **Boloria (Clossiana) euphrosyne** (Linnaeus,1758) (Argynnididae) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *figal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc.
- 837) **Boloria (Clossiana) selene** ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *selene* [Denis & Schiffermüller],1775; *thalia* Hübner,1790 nec Linnaeus,1758; *cybele* Hübner,1790 nec Cramer,1777; *euphrasia* Lewin,1795; *marphisa* Herbst,1800; *rinaldus* Herbst,1800; *lado* Hummel,1826; *veta* Motschulsky,1852.
- 838) **Boloria (Proclossiana) eunomia** (Esper,[1799]) (Argynnididae) Synonym(s): *eunomia* Esper,[1799]; *aphirape* Hübner,[1800]; *tomyris* Herbst,1800.
- 839) **Boloria (s.str.) graeca** (Staudinger,1870) (Argynnididae) Synonym(s): *graeca* Staudinger,1870
- 840) **Boloria (s.str.) pales** ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *pales* [Denis & Schiffermüller],1775; *arsilache* Esper,1780.
- 841) **Bombus (Megabombus) armeniacus** (Radoszkowski,1877) (Apidae) Synonym(s): *armeniaceus* Radoszkowski,1877; *scythes* Skorikov,1925

- 842) **Bombus (Megabombus) mesomelas (Gerstaecker,1869)** (Apidae) Synonym(s): *mesomelas* Gerstaecker,1869; *elegans* Seidl,1837
- 843) **Bombus (Psithyrus) rupestris (Fabricius,1793)** (Apidae) Synonym(s): *rupestris* Fabricius,1793; *pyrenaeus* Lepeletier,1832; *interruptus* Lepeletier,1832;
- 844) **Bombylella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855
- 845) **Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minimus* Schrank,1781; *flavus* Meigen,1804
- 846) **Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Séguy,1926
- 847) **Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855
- 848) **Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855
- 849) **Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820
- 850) **Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892
- 851) **Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820
- 852) **Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antenoreus* Liow,1864; *notialis* Evenhuis,1978
- 853) **Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec *Lw.*,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978
- 854) **Bombylius (s.str.) minor Linnaeus,1758** (Bombyliidae) Synonym(s): *minor* Linnaeus,1758; *dilutus* Wiedemann,1820; *subcinctus* Wiedemann,1820; *allibarbis* Zetterstedt,1842; *flavesens* Palm,1876; *ochraceus* paramonov,1926 nec *Big.*,1892; *molдавianicus* Paramonov,1926; *luteolus* Evenhuis,1978; *thapsinoides* Evenhuis,1978
- 855) **Bombylius (s.str.) niveus Meigen,1804** (Bombyliidae) Synonym(s): *niveus* Meigen,1804
- 856) **Bombylius (s.str.) posticus Fabricius,1805** (Bombyliidae) Synonym(s): *micans* Meigen,1804 nec *Fabr.*,1798; *posticus* Fabricius,1805; *vulpinus* Wiedemann,1820; *fugax* Wiedemann,1820; *tibialis* Walker,1849; *desertorum* Paramonov,1926; *palaestinus* Paramonov,1926
- 857) **Bombylius (s.str.) trichurus Pallas,1818** (Bombyliidae) Synonym(s): *trichurus* Pallas,1818; *fuliginosus* Wiedemann,1820; *brevirostris* Meigen,1830 nec *Oliv.*,1789; *rhodius* Loew,1855; *capillatus* Palm,1876; *tavrizi* Paramonov,1926
- 858) **Bombylius (s.str.) venosus Mikan,1796** (Bombyliidae) Synonym(s): *venosus* Mikan,1796; *holosericeus* Wiedemann,1820; *longirostris* Meigen,1820; *pusillus* Meigen,1830
- 859) **Bombylius (Zephyrectes) cinerarius Pallas,1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas,1818; *eversmanni* Paramonov,1926; *karelini* Paramonov,1926; *pallasi* Paramonov,1926
- 860) **Bombylius (Zephyrectes) quadrifarius Loew,1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew,1855
- 861) **Bombyx mori (Linnaeus,1758)** (Bombycidae) Synonym(s): *mori* Linnaeus,1758; *sinensis* Moore & Hutton,1862; *croesi* Moore & Hutton,1862; *fortunatus* Moore & Hutton,1862; *arracanensis* Moore & Hutton,1862; *textor* Moore & Hutton,1862.
- 862) **Boreophila manualis (Geyer,[1832])** (Pyralidae) Synonym(s): *manualis* Geyer,[1832]
- 863) **Borkhausenia minutella (Linnaeus,1758)** (Oecophoridae) Synonym(s): *minutella* Linnaeus,1758
- 864) **Bostrichus capucinus (Linnaeus,1758)** (Bostrichidae) Synonym(s): *capucinus* Linnaeus,1758; *ruber* Geoffroy,1785; *luctuosus* Olivier,1790; *nigriiventris* Lucas,1843; *rubriiventris* Zoufal,1894
- 865) **Brachemys brevipennis (Laporte de Castelnau,1836)** (Melyridae) Synonym(s): *brevipennis* Laporte de Castelnau,1836
- 866) **Brachinus (Brachynidius) brevicollis Motschoulsky,1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky,1844; *peregrinus* Apfelbeck,1904
- 867) **Brachinus (Brachynidius) explodens (Duftschmid,1812)** (Carabidae) Synonym(s): *explodens* Duftschmid,1812
- 868) **Brachinus (s.str.) alexandri F.Battoni,1984** (Carabidae) Synonym(s): *plagiatus* Jablonkoff & Khnzorian,1973 nec *Reiche*,1868; *alexandri* F.Battoni,1984
- 869) **Brachinus (s.str.) berytensis Reiche & Saulcy,1855** (Carabidae) Synonym(s): *berytensis* Reiche & Saulcy,1855
- 870) **Brachinus (s.str.) crepitans (Linnaeus,1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus,1758
- 871) **Brachinus (s.str.) ejaculans Fischer von Waldheim,1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim,1828
- 872) **Brachinus (s.str.) psophia Audinet-Serville,1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville,1821; *elegans* Chaudoir,1842
- 873) **Brachionycha nubeculosa (Esper,[1785])** (Noctuidae) Synonym(s): *nubeculosa* Esper,[1785]
- 874) **Brachmia blandella (Fabricius,1798)** (Gelechiidae) Synonym(s): *blandella* Fabricius,1798; *geronella* Zeller,1850
- 875) **Brachmia dimidiella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *dimidiella* [Denis & Schiffermüller],1775; *costiguttella* Lienig & Zeller,1846; *kneri* Nowicki,1865
- 876) **Brachodes appendiculata (Esper,[1783])** (Brachodidae) Synonym(s): *appendiculata* Esper,[1783]; *vahlana* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853; *powelli* Oberthür,1922; *gerassimovii* Kozhantschikov,1923
- 877) **Brachodes nana (Treitschke,1834)** (Brachodidae) Synonym(s): *nana* Treitschke,1834
- 878) **Brachodes pumilus (Ochsenheimer,1808)** (Brachodidae) Synonym(s): *pumila* Ochsenheimer,1808
- 879) **Brachyceph laetus (Herrich-Schäffer,1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer,1835
- 880) **Brachycerus foveicollis Gyllenhal,1833** (Brachyceridae) Synonym(s): *foveicollis* Gyllenhal,1833
- 881) **Brachygluta helferi (Schmidt-Göbl,1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl,1836; *longispina* Reitter,1884
- 882) **Brachylomia viminalis (Fabricius,1777)** (Noctuidae) Synonym(s): *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803].
- 883) **Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951
- 884) **Brachymeria minuta (Linnaeus,1767)** (Chalcididae) Synonym(s): *minuta* Linnaeus,1767; *femoralis* Geoffroy,1785; *pusilla* Fabricius,1787; *saltatrix* Cuvier,1833; *brevicornis* Klug,1834; *scrobiculata* Förster,1859; *tricolor* Förster,1859; *fumata* Thomson,1876; *paraplepsia* Crawford,1910; *jezoensis* Matsumura,1918...
- 885) **Brachymeria moerens (Ruschka,1922)** (Chalcididae) Synonym(s): *moerens* Ruschka,1922

- 886) *Brachymeria rugulosa* (Förster,1859) (Chalcididae) Synonym(s): *rugulosa* Förster,1859
 887) *Brachymeria secundaria* (Ruschka,1922) (Chalcididae) Synonym(s): *secundaria* Ruschka,1922; *tauriensis* Masi,1929
 888) *Brachymeria tibialis* (Walker,1834) (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951;
 889) *Brachymeria vitripennis* (Förster,1859) (Chalcididae) Synonym(s): *vitripennis* Förster,1859
 890) *Brachyptera bulgarica* Rauser,1962 (Taeniopterygidae) Synonym(s): *bulgarica* Rauser,1962
 891) *Brachyptera thracica* Rauser,1965 (Taeniopterygidae) Synonym(s): *thracica* Rauser,1965
 892) *Brachyptera zwicki* Braasch & Joost,1971 (Taeniopterygidae) Synonym(s): *zwicki* Braasch & Joost,1971
 893) *Bradyporus* (s.str.) *dasytus* (Illiger,1800) (Tettigoniidae) Synonym(s): *dasytus* Illiger,1800; *rex* Illiger,1801; *armadillo* Thunberg,1815; *mocsaryi* Kuthy,1910
 894) *Bradyrrhoa confiniella* Zeller,1848 (Pyralidae) Synonym(s): *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1893; *ifraneella* Lucas,1956; *ebertella* Roesler,1969
 895) *Bradyrrhoa gilveolella* (Treitschke,1833) (Pyralidae) Synonym(s): *gilveolella* Treitschke,1833
 896) *Bradyrrhoa trapezella* (Duponchel,1836) (Pyralidae) Synonym(s): *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalconiella* Herrisch-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933.
 897) *Braula orientalis* Örsi Pal,1963 (Braulidae) Synonym(s): *orientalis* Örsi Pal,1963
 898) *Braula schmitzi* Örsi Pal,1939 (Braulidae) Synonym(s): *schmitzi* Örsi Pal,1939
 899) *Brenthis daphne* (Bergsträsser,1780) (Argynniidae) Synonym(s): *daphne* Bergsträsser,1780; *chloris* Esper,1778 nec Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935.
 900) *Brenthis hecate* ([Denis & Schiffermüller],1775) (Argynniidae) Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933.
 901) *Brenthis ino* (Rottemburg,1775) (Argynniidae) Synonym(s): *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträsser,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957.
 902) *Brintesia circe* (Fabricius,1775) (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettae* Varin,1962.
 903) *Brontaea eremophila* (Brauer & Bergenstamm,1894) (Muscidae) Synonym(s): *eremophila* Brauer & Bergenstamm,1894; *impedita* Pandellé,1898
 904) *Brontaea genurufa* (Pandellé,1899) (Muscidae) Synonym(s): *genurufa* Pandellé,1899
 905) *Bruandia comitella* (Bruand,1853) (Psychidae) Synonym(s): *comitella* Bruand,1853
 906) *Bruchophagus astragali* Fedoseeva,1954 (Eurytomidae) Synonym(s): *astragali* Fedoseeva,1954
 907) *Bruchophagus gibbus* (Boheman,1836) (Eurytomidae) Synonym(s): *gibbus* Boheman,1836
 908) *Bruchophagus mutabilis* Nikolskaya,1952 (Eurytomidae) Synonym(s): *mutabilis* Nikolskaya,1952
 909) *Bruchophagus robiniae* Zerova,1970 (Eurytomidae) Synonym(s): *robiniae* Zerova,1970
 910) *Bruchophagus roddi* Gussakovskiy,1933 (Eurytomidae) Synonym(s): *roddi* Gussakovskiy,1933
 911) *Brucoscelis peculiaris* (Horvath,1904) (Caliscelidae) Synonym(s): *peculiaris* Horvath,1904
 912) *Bryaxis curtisii* (Leach,1817) (Staphylinidae) Synonym(s): *curtisii* Leach,1817; *orientalis* Karaman,1952
 913) *Bryotropha arabica* Amsel,1952 (Gelechiidae) Synonym(s): *arabica* Amsel,1952
 914) *Bryotropha azovica* Bidzilya,1996 (Gelechiidae) Synonym(s): *azovica* Bidzilya,1996
 915) *Bryotropha basaltinella* (Zeller,1839) (Gelechiidae) Synonym(s): *basaltinella* Zeller,1839
 916) *Bryotropha desertella* (Douglas,1850) (Gelechiidae) Synonym(s): *desertella* Douglas,1850; *decrepidella* Herrich-Schäffer,1854.
 917) *Bryotropha dryadella* (Zeller,1850) (Gelechiidae) Synonym(s): *dryadella* Zeller,1850; *saralella* Amsel,1952
 918) *Bryotropha figulella* (Staudinger,1859) (Gelechiidae) Synonym(s): *figulella* Staudinger,1859; *capnella* Constant,1865
 919) *Bryotropha hendrikseni* Karsholt & Rutten,2005 (Gelechiidae) Synonym(s): *hendrikseni* Karsholt & Rutten,2005
 920) *Bryotropha hulli* Karsholt & Rutten,2005 (Gelechiidae) Synonym(s): *hulli* Karsholt & Rutten,2005
 921) *Bryotropha plebejella* (Zeller,1847) (Gelechiidae) Synonym(s): *plebejella* Zeller,1847; *ancillula* Walsingham,1908; *inexpectella* Nel,1999
 922) *Bryotropha senectella* (Zeller,1839) (Gelechiidae) Synonym(s): *senectella* Zeller,1839; *obscura* Heinemann,1870; *phoebusella* Millière,1876; *larseni* Strand,1927
 923) *Bryotropha similis* (Stainton,1854) (Gelechiidae) Synonym(s): *similis* Stainton,1854; *thaleella* Zeller,1857; *similella* Doubleday,1859; *stolidella* Morris,1870; *confinis* Stainton,1871; *obscuricinerea* Nolcken,1871; *dufraneella* De Joannis,1928; *novisimilis* Li & Zheng,1997
 924) *Bryotropha tachyptilella* (Rebel,1916) (Gelechiidae) Synonym(s): *tachyptilella* Rebel,1916
 925) *Bryotropha terrella* ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *terrella* [Denis & Schiffermüller],1775; *inulella* Hübner,[1825]; *pauperella* Hübner,[1825]; *latella* Herrich-Schäffer,1854; *lutescens* Constant,1865; *suspectella* Heinemann,1870; *alpicolella* Heinemann,1870; *tenebrosella* Teich,1886; *sardoterrella* Schawerda,1936
 926) *Bryotropha umbrosella* (Zeller,1839) (Gelechiidae) Synonym(s): *umbrosella* Zeller,1839; *fuliginosella* Snellen,1882; *fulvipalpella* Joannis,1908; *anacampoidella* Hering,1924
 927) *Bubopsis andromache* Aspöck, Aspöck & Hölzel,1979 (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel,1979
 928) *Bucculatrix maritima* Stainton,1851 (Bucculatricidae) Synonym(s): *maritima* Stainton,1851; *maritimella* Herrich-Schäffer,1855
 929) *Bucephaloptera bucephala* (Brunner von Wattenwyl,1882) (Tettigoniidae) Synonym(s): *bucephala* Brunner von Wattenwyl,1882; *riveti* Berland & Chopard,1922; *jannonei* Ramme,1939
 930) *Bulaca lichatschovi* (Hummel,1827) (Coccinellidae) Synonym(s): *lichatschovi* Hummel,1827
 931) *Bupalus piniarius* (Linnaeus,1758) (Geometridae) Synonym(s): *piniaria* Linnaeus,1758; *tiliaria* Linnaeus,1758; *iberaria* Kolenati,1846
 932) *Buquetia musca* R-D.,1847 (Tachinidae) Synonym(s): *musca* R-D.,1847
 933) *Buszkoiana capnodactyla* (Zeller,1841) (Pterophoridae) Synonym(s): *capnodactylus* Zeller,1841
 934) *Byctiscus betulae* (Linnaeus,1758) (Attelabidae) Synonym(s): *betulae* Linnaeus,1758; *violaceus* Poda,1761; *unispinosus* Müller,1776; *inermis* Müller,1776; *unispinus* Müller,1776; *bispinus* Müller,1776; *alni* Müller,1776; *viridis* Geoffroy,1785; *betuleti* Fabricius,1792; *populi* Paykull,1792; *violacea* Donovan,1794
 935) *Byctiscus populi* (Linnaeus,1758) (Attelabidae) Synonym(s): *populi* Linnaeus,1758; *auratus* Fourcroy,1785
 936) *Cabera exanthemata* (Scopoli,1763) (Geometridae) Synonym(s): *exanthemata* Scopoli,1763; *exanthemaria* Borkhausen,1794; *striaria* Hübner,[1799]; *approximaria* Haworth,1809; *arenosaria* Haworth,1809; *suprapunctata* Wehrli,1935.

- 937) **Cabera pusaria (Linnaeus,1758)** (Geometridae) Synonym(s): *pusaria* Linnaeus,1758; *strigata* Scopoli,1763; *rotundaria* Haworth,1809; *confinaria* Freyer,1832; *heyeraria* Herrich-Schäffer,1848
- 938) **Cadra cautella (Walker,1863)** (Pyralidae) Synonym(s): *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959
- 939) **Cadra figulilella (Gregson,1871)** (Pyralidae) Synonym(s): *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *#halfaella* Roesler,1965.
- 940) **Cadra furcatella (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer,[1849]
- 941) **Caenocoris nerii (Germar,1847)** (Lygaeidae) Synonym(s): *nerii* Germar,1817; *semiruber* Walker,1872
- 942) **Calamia tridens (Hufnagel,1766)** (Noctuidae) Synonym(s): *tridens* Hufnagel,1766; *virens* Linnaeus,1767; *immaculata* Staudinger,1871.
- 943) **Calamotropha aureliella (Fischer v. Röslerstamm,[1841])** (Pyralidae) Synonym(s): *aureliella* Fischer v. Röslerstamm,[1841]; *fulvilineata* Okano,1958.
- 944) **Calamotropha paludella (Hübner,[1824])** (Pyralidae) Synonym(s): *paludella* Hübner,[1824]; *obtusellus* Stainton,1887; *paramattellus* Meyrick,1879; *carpherus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959.
- 945) **Caliscelis affinis (Fieber,1876)** (Caliscelidae) Synonym(s): *affinis* Fieber,1876
- 946) **Callierges ramosa (Esper,[1786])** (Noctuidae) Synonym(s): *ramosa* Esper,[1786]
- 947) **Callimorpha dominula (Linnaeus,1758)** (Arctiidae) Synonym(s): *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943.
- 948) **Callimoxys gracilis (Brullé,1832)** (Cerambycidae) Synonym(s): *gracilis* Brullé,1832
- 949) **Calliopum aeneum (Fallén,1820)** (Lauaxaniidae) Synonym(s): *aeneum* Fallén,1820
- 950) **Calliopum elisae (Meigen,1826)** (Lauaxaniidae) Synonym(s): *elisae* Meigen,1826
- 951) **Calliopum splendidum Papp,1978** (Lauaxaniidae) Synonym(s): *splendidum* Papp,1978; *ellisorum* Shatalkin,2000
- 952) **Calliptamus barbarus (Costa,1836)** (Acrididae) Synonym(s): *barbarus* Costa,1836; *ictericus* Audinet-Serville,1838; *siculus* Burmeister,1838; *cephalotes* Fischer von Waldheim,1846; *discoidalis* Walker,1870; *minimus* Ivanov,1888; *deserticola* Vosseler,1902; *punctata* Kirby,1914; *montanus* Chopard,1937; *palidipes* Chopard,1943; *monspelliensis* Grassé & Hollande,1945; *nanus* Mishchenko,1951; *parvus* Maran,1952; *salina* Maran,1954
- 953) **Calliptamus coelesyriensis (Giglio-Tos,1893)** (Acrididae) Synonym(s): *coelesyriensis* Giglio-Tos,1893; *carbonaria* Uvarov,1914; *angustus* Uvarov,1934; *anatolicus* Maran,1951; *hissaricus* Mishtchenko,1951; *intricatus* Mishtchenko,1951; *#nigra* Bei-Bienko & Richter,1960
- 954) **Calliptamus italicus (Linnaeus,1758)** (Acrididae) Synonym(s): *italicus* Linnaeus,1758; *germanicus* Fabricius,1775; *affinis* Thunberg,1815; *fasciatum* Hahn,1836; *marginellis* Serville,1838; *cerisanus* Serville,1838; *marmoratus* Fischer von Waldheim,1846; *blandus* Ivanov,1888; *bilineata* Puschig,1910; *anachoretus* Baranov,1925; *gilvonigrans* Voroncovsky,1927; *grandis* Ramme,1927; *reductus* Ramme,1927; *afghanus* Ramme,1952
- 955) **Callipteroma sexguttata Motschulsky,1863** (Encyrtidae) Synonym(s): *sexguttata* Motschulsky,1863; *quinqueguttatum* Motschulsky,1863; *guttatipennis* Girault,1915; *kiushiuensis* Ishii,1928
- 956) **Callistege mi (Clerck,1759)** (Noctuidae) Synonym(s): *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrrilli,1787 nec Sc.,1763
- 957) **Callisto denticulella (Thunberg,1794)** (Gracillariidae) Synonym(s): *denticulella* Thunberg,1794; *gyllenhalella* Thunberg,1794; *malinella* Hübner,[1813]; *guttea* Haworth,1828; *guttiferella* Duponchel,1840; *marginimaculella* Eversmann,1844; *guttella* Doubleday,1859; *solitariella* Dietz,1907
- 958) **Callistus (s.str.) lunatus (Fabricius,1775)** (Carabidae) Synonym(s): *lunatus* Fabricius,1775
- 959) **Calliteara pudibunda (Linnaeus,1758)** (Lymantriidae) Synonym(s): *pudibunda* Linnaeus,1758; *scopularia* Linnaeus,1758; *jutica* Müller,1764; *porrectaalba* Retzius,1783; *grandi* Lorkovic,1930
- 960) **Calodietya krueperi (Fieber,1876)** (Dictyopharidae) Synonym(s): *krueperi* Fieber,1876
- 961) **Calophris rubi (Linnaeus,1758)** (Lycaenidae) Synonym(s): *rubi* Linnaeus,1758; *caecus* Fourcroy,1785; *virgatus* Verity,1913; *herculeana* Pfeiffer,1927
- 962) **Callopietria juvenina (Stoll,[1782])** (Noctuidae) Synonym(s): *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878
- 963) **Callopietria latreillei (Duponchel,1827)** (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973.
- 964) **Calocucullia celsiae (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850]
- 965) **Calophasia barthae F.Wagner,1929** (Noctuidae) Synonym(s): *barthae* F.Wagner,1929
- 966) **Calophasia lunula (Hufnagel,1766)** (Noctuidae) Synonym(s): *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775.
- 967) **Calophasia opalina (Esper,[1796])** (Noctuidae) Synonym(s): *casta* Borkhausen,1793 nec Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923.
- 968) **Calophasia platyptera (Esper,[1788])** (Noctuidae) Synonym(s): *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901; *signata* Constantini,1916
- 969) **Calopteryx balcanica Fudakowsky,1930** (Calopterygidae) Synonym(s): *balcanica* Fudakowsky,1930
- 970) **Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo* Linnaeus,1758; *colchicus* Eichwald,1837
- 971) **Caloptilia (s.str.) onustella (Hübner,[1813])** (Gracillariidae) Synonym(s): *onustella* Hübner,[1813]
- 972) **Caloptilia (s.str.) semifascia (Haworth,[1828])** (Gracillariidae) Synonym(s): *semifascia* Haworth,[1828]
- 973) **Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum* Herbst,1784
- 974) **Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922
- 975) **Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850
- 976) **Calybites phasianipennella (Hübner,[1813])** (Gracillariidae) Synonym(s): *phasianipennella* Hübner,[1813]; *quadruplela* Zeller,1839; *isograptia* Meyrick,1928
- 977) **Calyciphora homoiodyctyla (Kasy,1960)** (Pterophoridae) Synonym(s): *homoiodyctyla* Kasy,1960
- 978) **Calyciphora nephelodyctyla (Eversmann,1844)** (Pterophoridae) Synonym(s): *nephelodyctyla* Eversmann,1844; *apollina* Millière,1882; *extensa* Zagulyaev,1986.
- 979) **Calyciphora xerodactyla (Zeller,1841)** (Pterophoridae) Synonym(s): *xerodactyla* Zeller,1841; *sicula* Fuchs,1901.
- 980) **Calymma communimacula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller],1775

- 981) Calyptra thalictri (Borkhausen,1790)** (Noctuidae) Synonym(s): *capucina* Esper,1789 nec Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938
- 982) Cameraria ohridella Deschka & Dimic,1986** (Gracillariidae) Synonym(s): *ohridella* Deschka & Dimic,1986
- 983) Campaea margaritaria (Linnaeus,1761)** (Geometridae) Synonym(s): *margaritaria* Linnaeus,1761; *margaritata* Linnaeus,1767; *vernaria* Hufnagel,1767; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* Villers,1789; *rubrociliata* Schawerda,1932
- 984) Campiglossa punctella (Fallén,1814)** (Tephritidae) Synonym(s): *punctella* Fallén,1814; *fenestrata* Zetterstedt,1847
- 985) Campsicnemus curvipes (Fallén,1823)** (Dolichopodidae) Synonym(s): *curvipes* Fallén,1823; *fuscipennis* Macquart,1839; *cilitibius* Von Roser,1840
- 986) Campsicnemus magius (Loew,1845)** (Dolichopodidae) Synonym(s): *magius* Loew,1845
- 987) Campsicnemus scambus (Fallén,1823)** (Dolichopodidae) Synonym(s): *scambus* Fallén,1823; *prodromus* Meigen,1824; *clavitibius* Von Roser,1840
- 988) Campsicnemus umbripennis Loew,1856** (Dolichopodidae) Synonym(s): *umbripennis* Loew,1856
- 989) Campsicnemus varipes Loew,1859** (Dolichopodidae) Synonym(s): *varipes* Loew,1859
- 990) Campptogramma bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
- 991) Canephora hirsuta (Poda,1761)** (Psychidae) Synonym(s): *hirsuta* Poda,1761; *dubia* Scopoli,1763; *unicolor* Hufnagel,1766; *xylophthorum* Pallas,1767; *vestita* Fabricius,1775; *fasciculifera* Fourcroy,1785; *quercus* Schrank,1802; *vestitella* Hübner,1825; *asiatica* Staudinger,1887
- 992) Canephora lutea (Staudinger,1871)** (Psychidae) Synonym(s): *lutea* Staudinger,1871
- 993) Canephora senex (Staudinger,1871)** (Psychidae) Synonym(s): *senex* Staudinger,1871
- 994) Canephora villosella (Ochsenheimer,1810)** (Psychidae) Synonym(s): *villosella* Ochsenheimer,1810
- 995) Cantharis annularis Ménétériés,1836** (Cantharidae) Synonym(s): *annularis* Ménétériés,1836
- 996) Cantharis livida Linnaeus,1758** (Cantharidae) Synonym(s): *livida* Linnaeus,1758
- 997) Cantharis pulicaria Fabricius,1781** (Cantharidae) Synonym(s): *pulicaria* Fabricius,1781
- 998) Cantharis rufa Linnaeus,1758** (Cantharidae) Synonym(s): *rufa* Linnaeus,1758
- 999) Cantharis rustica Fallén,1807** (Cantharidae) Synonym(s): *rustica* Fallén,1807
- 1000) Cantharis smyrnensis Marseul,1864** (Cantharidae) Synonym(s): *smyrnensis* Marseul,1864; *#smyrnensis* Silkin,2008
- 1001) Canthophorus dubius (Scopoli,1763)** (Cydnidae) Synonym(s): *dubius* Scopoli,1763; *albomarginatus* Schrank,1776; *histriolus* Goeze,1778; *viennensis* Gmelin,1790; *albomarginellus* Fabricius,1794
- 1002) Canthophorus impressus (Horvath,1880)** (Cydnidae) Synonym(s): *impressus* Horvath,1880; *brevipennis* Signoret,1884
- 1003) Canthophorus melanopterus (Herrich-Schäffer,1835)** (Cydnidae) Synonym(s): *melanopterus* Herrich-Schäffer,1835
- 1004) Capnodis carbonaria (Klug,1829)** (Buprestidae) Synonym(s): *carbonaria* Klug,1829; *lefebvrei* Laporte & Gory,1836; *cribricollis* Abeille,1904; *abeillei* Obenberger,1926
- 1005) Capnodis cariosa (Pallas,1776)** (Buprestidae) Synonym(s): *cariosa* Pallas,1776; *bruttia* Petagna,1787
- 1006) Capnodis porosa (Klug,1829)** (Buprestidae) Synonym(s): *porosa* Klug,1829; *hypocrita* Géhin,1855
- 1007) Capnodis tenebricosa (Olivier,1790)** (Buprestidae) Synonym(s): *tenebricosa* Olivier,1790; *dorsata* Voet,1806; *lugens* Küster,1846; *semisuturalis* Marseul,1865; *aurosparsa* Abeille,1891; *anomala* Fairmaire,1895; *simulatrix* Obenberger,1916; *atronida* Obenberger,1945; *persica* Obenberger,1945; *olcese* Obenberger,1945; *morio* Obenberger,1945
- 1008) Capnodis tenebrionis (Linnaeus,1761)** (Buprestidae) Synonym(s): *tenebrionis* Linnaeus,1761; *variegata* Goeze,1777; *tenebrioides* Pallas,1782; *naevia* Gmelin,1788; *moluccensis* Voet,1806; *moerens* Mannerheim,1837; *aerea* Castelnau & Gory,1836; *aequicollis* Obenberger,1917; *deglabrata* Obenberger,1917; *undulata* Fleischer,1917
- 1009) Capperia celeusi (Frey,1886)** (Pterophoridae) Synonym(s): *celeusi* Frey,1886; *interciscus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997
- 1010) Capperia fusca (Hofmann,1898)** (Pterophoridae) Synonym(s): *fusca* Hofmann,1898; *marrubii* Adamczewski,1951
- 1011) Capperia maratonica Adamczewski,1951** (Pterophoridae) Synonym(s): *maratonica* Adamczewski,1951
- 1012) Capperia trichodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *trichodactyla* [Denis & Schiffermüller],1775; *leonuri* Stange,1882; *affinis* Müller-Rutz,1933
- 1013) Capricornia boisduvaliana (Duponchel,1836)** (Tortricidae) Synonym(s): *boisduvaliana* Duponchel,1836
- 1014) Capua vulgana (Frölich,1828)** (Tortricidae) Synonym(s): *rusticana* Hübner,1799 nec Hbn.,1799; *favillaceana* Hübner,1817 nec Hbn.,1799; *vulgana* Frölich,1828; *ochraceana* Stephens,1834; *terreana* Treitschke,1835; *porcana* Zetterstedt,1839; *stramineana* Zetterstedt,1839
- 1015) Carabus (Lamprostus) torosus Frivaldsky,1835** (Carabidae) Synonym(s): *torosus* Frivaldsky,1835
- 1016) Carabus (Morphocarabus) scabriusculus Olivier,1795** (Carabidae) Synonym(s): *scabriusculus* Olivier,1795
- 1017) Carabus (s.str.) granulatus Linnaeus,1758** (Carabidae) Synonym(s): *granulatus* Linnaeus,1758
- 1018) Carabus intricatus Linnaeus,1761** (Carabidae) Synonym(s): *intricatus* Linnaeus,1761
- 1019) Carabus marietti Cristofori & Jan,1837** (Carabidae) Synonym(s): *marietti* Cristofori & Jan,1837
- 1020) Carabus montivagus Palliardi,1825** (Carabidae) Synonym(s): *montivagus* Palliardi,1825
- 1021) Caradrina (Boursinidrina) syriaca (Staudinger,1892)** (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
- 1022) Caradrina (Eremodrina) gilva (Donzel,1837)** (Noctuidae) Synonym(s): *gilva* Donzel,1837; *molisana* Dannehl,1929
- 1023) Caradrina (Eremodrina) pertinax (Staudinger,1879)** (Noctuidae) Synonym(s): *pertinax* Staudinger,1879; *argentea* Caradja,1930
- 1024) Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911
- 1025) Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975
- 1026) Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) Synonym(s): *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolar* Boursin,1933; *subdita* Leraut,1980
- 1027) Caradrina (Paradrina) selini (Boisduval,1840)** (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Riegenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,1935
- 1028) Caradrina (Paradrina) suscijania Mentzer,1981** (Noctuidae) Synonym(s): *suscijania* Mentzer,1981
- 1029) Caradrina (Paradrina) wulschlegeli (Püngeler,1903)** (Noctuidae) Synonym(s): *wulschlegeli* Püngeler,1903
- 1030) Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) Synonym(s): *aspersa* Rambur,1834; *anceps* Herrich-Schäffer,1849; *culoti* Turati,1913

- 1031) Caradrina (Platyperigea) kadenii (Freyer,1836)** (Noctuidae) Synonym(s): *kadenii* Freyer,1836
- 1032) Caradrina (Platyperigea) terrea (Freyer,[1840])** (Noctuidae) Synonym(s): *terrea* Freyer,[1840]; *ustirena* Boisduval,1840
- 1033) Caradrina (s.str.) morpheus (Hufnagel,1766)** (Noctuidae) Synonym(s): *morpheus* Hufnagel,1766; *pulla* Beckwith,1794 nec Esp.,[1785]; *sepii* Hübner,[1803]; *dresnaya* D.Lucas,1933; *alpina* Hartig,[1938]
- 1034) Carcelia laxifrons Villeneuve,1912** (Tachinidae) Synonym(s): *laxifrons* Villeneuve,1912
- 1035) Carcharodus (Lavatheria) lavatherae (Esper,[1783])** (Hesperiidae) Synonym(s): *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948.
- 1036) Carcharodus (Reverdinus) flocciferus (Zeller,1847)** (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *altheae* Hübner,[1803] nec Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.
- 1037) Carcharodus (Reverdinus) orientalis Reverdin,1913** (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *#aestatis* Graves,1928; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
- 1038) Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) Synonym(s): *alceae* Esper,[1780]; *malvae* Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
- 1039) Carcina quercana (Fabricius,1775)** (Oecophoridae) Synonym(s): *quercana* Fabricius,1775
- 1040) Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae) Synonym(s): *hinkei* Frivaldsky,1837
- 1041) Carinatodorcadion aethiops (Scopoli,1763)** (Cerambycidae) Synonym(s): *aethiops* Scopoli,1763; *morio* Fabricius,1787; *majoripenne* Pic,1926; *tomentosulum* Breuning,1946; *kudlai* Heyrovsky,1951
- 1042) Carinatodorcadion fulvum (Scopoli,1763)** (Cerambycidae) Synonym(s): *fulvum* Scopoli,1763; *sanguinolentus* Scopoli,1772; *frontale* Mulsant & Rey,1863
- 1043) Carpatolechia fugacella (Zeller,1839)** (Gelechiidae) Synonym(s): *fugacella* Zeller,1839
- 1044) Carpatolechia humeralis (Zeller,1839)** (Gelechiidae) Synonym(s): *decorella* Haworth,1812 nec Hübner,[1810]; *humeralis* Zeller,1839; *lyellella* Humpreys & Westwood,1845; *incretella* Duponchel,[1854]; *pisticella* Nowicki,1860; *scabra* Staudinger,1870; *erschoffii* Frey,1880; *buckwelli* Lucas,1956; *dumitrescui* Capuse,1964.
- 1045) Carpatolechia proximella (Hübner,1796)** (Gelechiidae) Synonym(s): *proximella* Hübner,1796
- 1046) Carpocoris fuscipinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscipinus* Boheman,1851; *hahni* Flor,1856; *atlanticus* Tamanini,1958; *mediterraneus* Tamanini,1958
- 1047) Carpocoris melanocerus Mulsant,1852** (Pentatomidae) Synonym(s): *melanocerus* Mulsant,1852
- 1048) Carpocoris purpureipennis (DeGeer,1773)** (Pentatomidae) Synonym(s): *purpureipennis* DeGeer,1773; *nigricornis* Fabricius,1775; *porphyropterus* Gmelin,1790; *pyramosa* Westhoff,1884
- 1049) Carpomya schieneri (Loew,1856)** (Tephritidae) Synonym(s): *schieneri* Loew,1856
- 1050) Carposina scirrhosella Herrich-Schäffer,[1854]** (Carposinidae) Synonym(s): *scirrhosella* Herrich-Schäffer,[1854]; *orientella* Stanoiu & Nemes,1968.
- 1051) Carsia lythoxylata (Hübner,[1799])** (Geometridae) Synonym(s): *lythoxylata* Hübner,[1799]; *lythoxylaria* Boisduval,1840.
- 1052) Carterocephalus palaemon (Pallas,1771)** (Hesperiidae) Synonym(s): *palaemon* Pallas,1771; *paniscus* Fabricius,1775; *brontes* [Denis & Schiffermüller],1775; *mesapano* Scudder,1868; *skada* Edwards,1870.
- 1053) Caryocolum fibigerium Huemer,1888** (Gelechiidae) Synonym(s): *fibigerium* Huemer,1888
- 1054) Caryocolum fischerellum (Treitschke,1833)** (Gelechiidae) Synonym(s): *fischerellum* Treitschke,1833
- 1055) Caryocolum junctellum (Douglas,1851)** (Gelechiidae) Synonym(s): *junctellum* Douglas,1851; *aganocarpa* Meyrick,1935
- 1056) Caryocolum tischeriellum (Zeller,1839)** (Gelechiidae) Synonym(s): *tischeriellum* Zeller,1839
- 1057) Cataclysmes rigua (Hübner,[1813])** (Geometridae) Synonym(s): *rigua* Hübner,[1813]; *subtilisparsata* Wehrli,1932.
- 1058) Cataclysta lemnata (Linnaeus,1758)** (Pyralidae) Synonym(s): *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935.
- 1059) Catarhoe cuculata (Hufnagel,1767)** (Geometridae) Synonym(s): *cuculata* Hufnagel,1767; *sinuata* [Denis & Schiffermüller],1775; *sabinata* Dannehl,1933
- 1060) Catarhoe permixtaria (Guenée,[1858])** (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858]
- 1061) Catarhoe putridaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millière,1868
- 1062) Catarhoe rubidata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775
- 1063) Catastia acraspedella (Staudinger,1879)** (Pyralidae) Synonym(s): *acraspedella* Staudinger,1879
- 1064) Catastia marginea ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *marginea* [Denis & Schiffermüller],1775.
- 1065) Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775
- 1066) Catocala (Ephesia) nymphaea (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
- 1067) Catocala (s.str.) conjuncta (Esper,[1787])** (Noctuidae) Synonym(s): *conjuncta* Esper,[1787]; *conjuga* Hübner,[1803]; *perrettei* Seyer,1976
- 1068) Catocala (s.str.) conversa (Esper,1783)** (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813]
- 1069) Catocala (s.str.) dilecta (Hübner,[1808])** (Noctuidae) Synonym(s): *dilecta* Hübner,[1808]; *laetitia* Schawerda,1931
- 1070) Catocala (s.str.) disjuncta (Geyer,[1828])** (Noctuidae) Synonym(s): *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 nec Hulst,1884; *fumigata* Kuznetsov,1903.
- 1071) Catocala (s.str.) diversa (Geyer,[1828])** (Noctuidae) Synonym(s): *diversa* Geyer,[1828]; *callinympha* Boisduval,[1828]; *#divera* Hacker,1988
- 1072) Catocala (s.str.) electa (Vieweg,1790)** (Noctuidae) Synonym(s): *electa* Vieweg,1790
- 1073) Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 1074) Catocala (s.str.) fraxini (Linnaeus,1758)** (Noctuidae) Synonym(s): *fraxini* Linnaeus,1758
- 1075) Catocala (s.str.) fulminea (Scopoli,1763)** (Noctuidae) Synonym(s): *fulminea* Scopoli,1763; *manturna* Hufnagel,1766; *paranympha* Linnaeus,1767; *invasa* Leech,1900; *melli* Ishizuka,2001; *tungus* Ishizuka,2009
- 1076) Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775
- 1077) Catocala (s.str.) lupina Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851]; *detrita* W.Warren,1913

- 1078)** *Catocala* (s.str.) *nupta* (Linnaeus,1767) (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concupina* Hübner,[1803]
- 1079)** *Catocala* (s.str.) *nymphagoga* (Esper,[1787]) (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 1080)** *Catocala* (s.str.) *promissa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller],1775; *mnesta* Hübner,[1813]
- 1081)** *Catocala* (s.str.) *puerpera* (Giorna,1791) (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pelle* Hübner,[1809]; *romana* Schultz,1909
- 1082)** *Catocala* (s.str.) *sponsa* (Linnaeus,1767) (Noctuidae) Synonym(s): *sponsa* Linnaeus,1767; *rejecta* Fischer v. Waldheim,1820
- 1083)** *Catoptria* *acutangulella* (Herrich-Schäffer,[1847]) (Pyralidae) Synonym(s): *acutangulellus* Herrich-Schäffer,[1847]; *macedonica* Osthelder,1951.
- 1084)** *Catoptria* *biformella* (Rebel,1893) (Pyralidae) Synonym(s): *biformellus* Rebel,1893
- 1085)** *Catoptria* *ciliciella* (Rebel,1893) (Pyralidae) Synonym(s): *ciliciellus* Rebel,1893; *#siliciellus* Ganev,1996.
- 1086)** *Catoptria* *confusella* (Staudinger,1881) (Pyralidae) Synonym(s): *confusellus* Staudinger,1881
- 1087)** *Catoptria* *domaviella* (Rebel,1904) (Pyralidae) Synonym(s): *domaviellus* Rebel,1904
- 1088)** *Catoptria* *falsella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956.
- 1089)** *Catoptria* *gozmanyi* Bleszynski,1956 (Pyralidae) Synonym(s): *gozmanyi* Bleszynski,1956
- 1090)** *Catoptria* *laevigatella* (Lederer,1870) (Pyralidae) Synonym(s): *laevigatellus* Lederer,1870; *semicanella* Fuchs,1903.
- 1091)** *Catoptria* *languidella* (Zeller,1863) (Pyralidae) Synonym(s): *languidellus* Zeller,1863
- 1092)** *Catoptria* *lithargyrella* (Hübner,1796) (Pyralidae) Synonym(s): *lithargyrella* Hübner,1796
- 1093)** *Catoptria* *luctiferella* (Hübner,[1813]) (Pyralidae) Synonym(s): *luctiferella* Hübner,[1813]; *luctiferalis* Hübner,[1825]; *luctuella* Herrich-Schäffer,[1855].
- 1094)** *Catoptria* *majorella* (Drenowski,1925) (Pyralidae) Synonym(s): *majorellus* Drenowski,1925
- 1095)** *Catoptria* *margaritella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *margaritella* [Denis & Schiffermüller],1775; *montanicella* Bleszynski,1948
- 1096)** *Catoptria* *myella* (Hübner,1796) (Pyralidae) Synonym(s): *myella* Hübner,1796; *epimyellus* Joannis,1935; *mellinella* De Lattin,1951.
- 1097)** *Catoptria* *mytilella* (Hübner,[1805]) (Pyralidae) Synonym(s): *mytilella* Hübner,[1805]; *vilarrubiae* Agenjo,1954.
- 1098)** *Catoptria* *olympica* Ganev,1983 (Pyralidae) Synonym(s): *olympica* Ganev,1983
- 1099)** *Catoptria* *osthelderi* (Lattin,1950) (Pyralidae) Synonym(s): *osthelderi* Lattin,1950
- 1100)** *Catoptria* *permutatella* (Herrich-Schäffer,[1848]) (Pyralidae) Synonym(s): *permutatellus* Herrich-Schäffer,[1848]; *hercyniae* Heinemann,1854; *uralensis* Petersen,1924.
- 1101)** *Catoptria* *petrificella* (Hübner,1796) (Pyralidae) Synonym(s): *petrificella* Hübner,1796; *coulonellus* Duponchel,1836; *taeniellus* Zeller,1839.
- 1102)** *Catoptria* *pinella* (Linnaeus,1758) (Pyralidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
- 1103)** *Catoptria* *pyramidella* (Treitschke,1832) (Pyralidae) Synonym(s): *pyramidellus* Treitschke,1832; *cuneellus* Treitschke,1835; *adamantellus* Guenée,1845.
- 1104)** *Catoptria* *radiella* (Hübner,[1813]) (Pyralidae) Synonym(s): *radiella* Hübner,[1813]; *tristrigellus* Ragonot,1875; *radialis* Hübner,[1825]; *tatricella* Bleszynski,1955; *mouterdella* Marion,1962.
- 1105)** *Catoptria* *verella* (Zincken,1817) (Pyralidae) Synonym(s): *verellus* Zincken,1817; *radiolana* Eversmann,1844.
- 1106)** *Cauchas* *leucocerella* (Scopoli,1763) (Adelidae) Synonym(s): *leucocerella* Scopoli,1763; *conformella* Zeller,1839; *bimaculella* Fischer v. Rösslerstamm,1840
- 1107)** *Cedestis* *gysseleniella* Zeller,1839 (Yponomeutidae) Synonym(s): *gysseleniella* Zeller,1839; *gysseleniella* Duponchel,1840; *fuscilineella* Bruand,1850
- 1108)** *Celaena* *leucostigma* (Hübner,[1808]) (Noctuidae) Synonym(s): *leucostigma* Hübner,[1808]; *fibrosa* Hübner,[1808] *lunina* Haworth,1809; *laevis* Butler,1881
- 1109)** *Celastrina* *argiolus* (Linnaeus,1758) (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
- 1110)** *Celes* *variabilis* (Pallas,1771) (Acrididae) Synonym(s): *variabilis* Pallas,1771; *rhodoptilus* Charpentier,1825; *subcoerulipennis* Charpentier,1825; *#arborarius* Uvarov,1917
- 1111)** *Celonites* *abbreviatus* (Villers,1789) (Vespidae) Synonym(s): *abbreviatus* Villers,1789; *dubia* Rossi,1790; *vespiformis* Olivier,1790; *apiformis* Fabricius,1793; *hungaricus* Mocsary,1877; *engadinensis* Schulthess,1923; *tauricus* Kostylev,1935
- 1112)** *Celonites* *rugiceps* Bischoff,1928 (Vespidae) Synonym(s): *rugiceps* Bischoff,1928
- 1113)** *Celypha* *aurofasciana* (Haworth,[1811]) (Tortricidae) Synonym(s): *aurofasciana* Haworth,[1811]; *venustana* Frölich,1828; *dormoyana* Duponchel,1835; *grapholitana* Guenée,1845; *implicana* Offmann,1850; *paleana* Caradja,1916
- 1114)** *Celypha* *capreolana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *capreolana* Herrich-Schäffer,1851
- 1115)** *Celypha* *cespitana* (Hübner,[1817]) (Tortricidae) Synonym(s): *? umbriana* Scopoli,1763; *cespitana* Hübner,[1817]; *gramineana* Curtis,1831; *poana* Zeller,1875
- 1116)** *Celypha* *rivulana* (Scopoli,1763) (Tortricidae) Synonym(s): *rivulana* Scopoli,1763; *rivellana* Fabricius,1775; *fasciella* Goetze,1783; *undulatella* Fourcroy,1785; *conchana* Hübner,[1799]
- 1117)** *Celypha* *rosaceana* (Schläger,1848) (Tortricidae) Synonym(s): *purpurana* Haworth,1811 *nec* Thunb.,1784; *rosaceana* Schläger,1848.
- 1118)** *Celypha* *rufana* (Scopoli,1763) (Tortricidae) Synonym(s): *rufana* Scopoli,1763; *rosetana* Hübner,[1799]; *arenana* Laharpe,1858
- 1119)** *Celypha* *rurestrana* (Duponchel,1843) (Tortricidae) Synonym(s): *rurestrana* Duponchel,1843; *lucivagana* Lienig & Zeller,1846; *#ruepestrana* Staudinger,1879; *kemnerana* Benander,1943.
- 1120)** *Celypha* *striana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *striana* [Denis & Schiffermüller],1775; *rusticana* Hübner,[1799]; *biliturana* Donovan,1806; *fasciolana* Hübner,[1817].
- 1121)** *Centrocoris* *spiniger* (Fabricius,1781) (Coreidae) Synonym(s): *branderi* Linnaeus,1767; *spiniger* Fabricius,1781; *pallenscens* Kolenati,1845; *subinermis* Rey,1887; *bampurensis* Linnavuori,1968
- 1122)** *Centrocoris* *variegatus* Kolenati,1845 (Coreidae) Synonym(s): *variegatus* Kolenati,1845; *nigricans* Fieber,1861; *convergens* Sienkiewicz,1959
- 1123)** *Centrotus* *cornutus* (Linnaeus,1758) (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (praeocc.); *depressus* Fieber,1876; *obtus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955
- 1124)** *Cephalota* (s.str.) *turcica* (Schaum,1859) (Carabidae) Synonym(s): *turcica* Schaum,1859

- 1125) Cephalota (Taenidia) circumdata (Dejean,1822)** (Carabidae) Synonym(s): *circumdata* Dejean,1822
- 1126) Cephimallota angusticostella (Zeller,1839)** (Tineidae) Synonym(s): *angusticostella* Zeller,1839; *libanotica* G.Petersen,1959; *hasarorum* Zagulyaev,1965
- 1127) Cepphis advenaria (Hübner,[1799])** (Geometridae) Synonym(s): *advenaria* Hübner,[1799]
- 1128) Cerambyx (Microcerambyx) scopoli Fuessly,1775** (Cerambycidae) Synonym(s): *scopoli* Fuessly,1775; *nitidus* Pic,1892
- 1129) Cerambyx (s.str.) cerdo Linnaeus,1758** (Cerambycidae) Synonym(s): *cerdo* Linnaeus,1758; *acuminatus* Motschulsky,1852; *pfisteri* Stierlin,1864
- 1130) Cerambyx (s.str.) dux (Faldermann,1837)** (Cerambycidae) Synonym(s): *dux* Faldermann,1837
- 1131) Cerambyx (s.str.) miles Bonelli,1812** (Cerambycidae) Synonym(s): *miles* Bonelli,1812
- 1132) Cerambyx (s.str.) nodulosus Germar,1817** (Cerambycidae) Synonym(s): *nodulosus* Germar,1817
- 1133) Cerambyx (s.str.) welensii (Küster,1846)** (Cerambycidae) Synonym(s): *velutinus* Brullé,1832; *welensii* Küster,1846
- 1134) Ceramius bureschi Atanassov,1938** (Vespidae) Synonym(s): *bureschi* Atanassov,1938; *lycaonius* Blüthgen,1952
- 1135) Cerapteryx graminis (Linnaeus,1758)** (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricusps* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837]
- 1136) Cerastis leucographa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *leucographa* [Denis & Schiffermüller],1775; *cervina* Hübner,[1821]; *lepetitii* Boisduval,1832
- 1137) Cerastis rubricosa (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813]
- 1138) Ceratina chrysomalla Gerstaecker,1869** (Apidae) Synonym(s): *chrysomalla* Gerstaecker,1869; *chrysomallina* Kocourek,1998
- 1139) Ceratina parvula Smith,1854** (Apidae) Synonym(s): *parvula* Smith,1854; *pygmaea* Lichtenstein,1872; *scintilla* Cockerell,1931
- 1140) Ceratina schwarzi Kocourek,1998** (Apidae) Synonym(s): *schwarzi* Kocourek,1998
- 1141) Ceratuncus danubiellus (Mann,1866)** (Tineidae) Synonym(s): *danubiellus* Mann,1866
- 1142) Cerchysiella planiscutellum (Mercet,1921)** (Encyrtidae) Synonym(s): *planiscutellum* Mercet,1921; *laeviscuta* Erdős,1946; *vestonicensis* Hoffer,1954
- 1143) Cercinthus griseus (Fieber,1861)** (Coreidae) Synonym(s): *griseus* Fieber,1861
- 1144) Cercopis arcuata Fieber,1844** (Cercopidae) Synonym(s): *arcuata* Fieber,1844; *haupti* Priesner,1923; *pallida* Mancini,1934
- 1145) Cercopis intermedia Kirschbaum,1868** (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923
- 1146) Cercopis sanguinolenta (Scopoli,1763)** (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (*praeocc.*); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917
- 1147) Cerdistus denticulatus Loew,1849** (Asilidae) Synonym(s): *denticulatus* Loew,1849
- 1148) Ceresa bubalus (Fabricius,1794)** (Membracidae) Synonym(s): *bubalus* Fabricius,1794
- 1149) Ceriana conopsoidea (Linnaeus,1758)** (Syrphidae) Synonym(s): *conopsoidea* Linnaeus,1758; *adunata* Geoffroy,1785; *clavicornis* Fabricius,1794; *vaginicornis* Schrank,1803; *uralensis* Becker,1921
- 1150) Cerocoma (Meloides) kunzei Frivaldsky,1835** (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835; *patelligera* Baudi,1878; *patkaii* Kaszab,1941; *kaszabi* Maran,1944; *#violacea* Kaszab,1951; *iranica* Muehe,1963; *palaestinensis* Muehe,1963
- 1151) Cerocoma (Meloides) macedonica Maran,1944** (Meloidae) Synonym(s): *macedonica* Maran,1944
- 1152) Cerocoma (Metacerocoma) ephesica Reitter,1885** (Meloidae) Synonym(s): *ephesica* Reitter,1885
- 1153) Cerocoma (Metacerocoma) marthae Turco & Bologna,2011** (Meloidae) Synonym(s): *marthae* Turco & Bologna,2011
- 1154) Cerocoma (Metacerocoma) schreberi Fabricius,1781** (Meloidae) Synonym(s): *schreberi* Fabricius,1781
- 1155) Cerocoma adamovichiana (Piller & Mitterpacher,1783)** (Meloidae) Synonym(s): *adamovichiana* Piller & Mitterpacher,1783
- 1156) Cerocoma muehlfeldi Gyllenhal,1817** (Meloidae) Synonym(s): *muehlfeldi* Gyllenhal,1817
- 1157) Cerocoma schaefferi (Linnaeus,1758)** (Meloidae) Synonym(s): *schaefferi* Linnaeus,1758
- 1158) Cerocoma syriaca Abeille de Perrin,1880** (Meloidae) Synonym(s): *syriaca* Abeille de Perrin,1880
- 1159) Ceroxys fraudulosa Loew,1864** (Ulidiidae) Synonym(s): *fraudulosa* Loew,1864
- 1160) Cerura (s.str.) erminea (Esper,1783)** (Notodontidae) Synonym(s): *erminea* Esper,1783
- 1161) Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939
- 1162) Cetonia (s.str.) aurata (Linnaeus,1761)** (Scarabaeidae) Synonym(s): *aurata* Linnaeus,1761; *smaragdus* De Geer,1774; *aenea* Fuessly,1778; *chlorochrysa* Schrank,1776; *viridicoruscus* Voet,1779; *maculata* Scriba,1790; *variabilis* Preyssl,1790; *piliger* Mulsant & Rey,1842; *praeclara* Mulsant & Rey,1842; *clermonti* Bourgin,1948
- 1163) Ceuthomadarus viduellus Rebel,1903** (Lecithoceridae) Synonym(s): *viduellus* Rebel,1903
- 1164) Ceutorhynchus assimilis (Paykull,1792)** (Curculionidae) Synonym(s): *assimilis* Paykull,1792
- 1165) Ceutorhynchus coarctatus Gyllenhal,1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal,1837
- 1166) Ceutorhynchus erysimi (Fabricius,1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius,1787
- 1167) Ceutorhynchus fallax Boheman,1845** (Curculionidae) Synonym(s): *fallax* Boheman,1845
- 1168) Ceutorhynchus nanus Gyllenhal,1837** (Curculionidae) Synonym(s): *nanus* Gyllenhal,1837
- 1169) Ceutorhynchus niyazii Hoffmann,1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann,1957
- 1170) Ceutorhynchus pallidactylus (Marsham,1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham,1802
- 1171) Ceutorhynchus picitarsis Gyllenhal,1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal,1837
- 1172) Ceutorhynchus pulvinatus Gyllenhal,1837** (Curculionidae) Synonym(s): *pulvinatus* Gyllenhal,1837
- 1173) Ceutorhynchus rapae Gyllenhal,1837** (Curculionidae) Synonym(s): *rapae* Gyllenhal,1837
- 1174) Ceutorhynchus subpilosus Brisothe,1869** (Curculionidae) Synonym(s): *subpilosus* Brisothe,1869
- 1175) Ceutorhynchus sulcatus Brisothe,1869** (Curculionidae) Synonym(s): *sulcatus* Brisothe,1869
- 1176) Ceutorhynchus sulcicollis (Paykull,1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull,1800
- 1177) Ceutorhynchus turbatus Schultze,1903** (Curculionidae) Synonym(s): *turbatus* Schultze,1903
- 1178) Chaetopodella scutellaris (Haliday,1836)** (Sphaeroceridae) Synonym(s): *scutellaris* Haliday,1836
- 1179) Chalcochiton pallasii (Loew,1856)** (Bombyliidae) Synonym(s): *pallasii* Loew,1856; *schineri* Nowicki,1868
- 1180) Chamaepsila setalba Freidberg & Shatalkin,2008** (Psilidae) Synonym(s): *gracilis* Loew,1854 *nec* Meig.,1826; *setalba* Freidberg & Shatalkin,2008
- 1181) Chamaesphacia albiventris Lederer,1853** (Sesiidae) Synonym(s): *albiventris* Lederer,1853
- 1182) Chamaesphacia alysoniformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *alysoniformis* Herrich-Schäffer,1846

- 1183) Chamaesphecia annellata (Zeller,1847)** (Sesiidae) Synonym(s): *annellata* Zeller,1847; *ceriaeformis* Lederer,1853 nec Luc.,1849; *muscinaeformis* Walker,1856; *ceriiformis* Staudinger,1856; *clermonti* Le Cerf,1914
- 1184) Chamaesphecia astatifomis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *astatifomis* Herrich-Schäffer,1846
- 1185) Chamaesphecia bibioniformis (Esper,[1800])** (Sesiidae) Synonym(s): *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954.
- 1186) Chamaesphecia chalciformis (Esper,[1804])** (Sesiidae) Synonym(s): *chalciformis* Esper,[1804]
- 1187) Chamaesphecia colpiformis (Staudinger,1856)** (Sesiidae) Synonym(s): *colpiformis* Staudinger,1856
- 1188) Chamaesphecia crassicornis Bartel,1913** (Sesiidae) Synonym(s): *crassicornis* Bartel,1913
- 1189) Chamaesphecia dumonti Le Cerf,1922** (Sesiidae) Synonym(s): *dumonti* Le Cerf,1922; *similis* Lastuvka,1983
- 1190) Chamaesphecia empiformis (Esper,[1783])** (Sesiidae) Synonym(s): *empiformis* Esper,[1783]; *bombyciformis* Fourcroy,1785; *empinaeformis* Walker,1856; *#flavoabdominalis* Popescu-Gorj,1955; *lastuvkai* Spatenka,1987
- 1191) Chamaesphecia euceraeformis (Ochsenheimer,1816)** (Sesiidae) Synonym(s): *euceraeformis* Ochsenheimer,1816; *stelidiformis* Freyer,1836; *#misoleptiformis* Herrich-Schäffer,1846; *unicincta* Herrich-Schäffer,1851; *herrichii* Staudinger,1856; *eucерiformis* Staudinger,1856
- 1192) Chamaesphecia leucopsiformis (Esper,1800)** (Sesiidae) Synonym(s): *leucopsiformis* Esper,1800; *foenusaeformis* Heydenreich,1851; *leucopsidiformis* Lederer,1853
- 1193) Chamaesphecia masariformis (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 nec Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966
- 1194) Chamaesphecia nigrifrons (Le Cerf,1911)** (Sesiidae) Synonym(s): *nigrifrons* Le Cerf,1911; *sevenari* Liphthay,1961; *#schmidtii* Liphthay,1961
- 1195) Chamaesphecia oxybeliformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *oxybeliformis* Herrich-Schäffer,1846
- 1196) Chamaesphecia proximata (Staudinger,1871)** (Sesiidae) Synonym(s): *proximata* Staudinger,1871; *moreaui* Le Cerf,1911; *gravesi* Rebel,1927
- 1197) Chamaesphecia schmidtiformis (Freyer,1836)** (Sesiidae) Synonym(s): *schmidtiformis* Freyer,1836
- 1198) Chamaesphecia tenthrediniformis ([Denis & Schiffermüller],1775)** (Sesiidae) Synonym(s): *tenthrediniformis* [Denis & Schiffermüller],1775; *taediiformis* Freyer,1836
- 1199) Chamaesphecia thracica Z.Lastuvka,1983** (Sesiidae) Synonym(s): *thracica* Z.Lastuvka,1983
- 1200) Charanyca trigrammica (Hufnagel,1766)** (Noctuidae) Synonym(s): *trigrammica* Hufnagel,1766; *quercus* Fabricius,1775; *trilinea* [Denis & Schiffermüller],1775; *evidens* Thunberg,1784; *notacula* Fabricius,1787; *quercicola* Gmelin,1790; *bilinea* Hübner,1803; *semifuscans* Haworth,1809; *approximans* Haworth,1809; *asiaminorica* Pinker,1980
- 1201) Chariaspilates formosaria (Eversmann,1837)** (Geometridae) Synonym(s): *formosaria* Eversmann,1837
- 1202) Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958.
- 1203) Chazaria incarnata (Freyer,1838)** (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840.
- 1204) Cheiloneurus claviger Thomson,1876** (Encyrtidae) Synonym(s): *claviger* Thomson,1876; *graeffei* Ruschka,1923
- 1205) Cheiloneurus paralia (Walker,1837)** (Encyrtidae) Synonym(s): *paralia* Walker,1837; *formosus* Boheman,1852; *eriococci* Alam,1957; *brachyptera* Hoffer,1957; *nigrithorax* Hoffer,1957; *submacroptera* Hoffer,1957; *mongolicus* Szelenyi,1971
- 1206) Cheilosia (s.str.) proxima (Zetterstedt,1843)** (Syrphidae) Synonym(s): *proxima* Zetterstedt,1843
- 1207) Cheilosia sahlbergi (Becker,1894)** (Syrphidae) Synonym(s): *sahlbergi* Becker,1894
- 1208) Cheilosia soror (Zetterstedt,1843)** (Syrphidae) Synonym(s): *soror* Zetterstedt,1843
- 1209) Cheilotoma erythrostoma Faldermann,1837** (Chrysomelidae) Synonym(s): *erythrostoma* Faldermann,1837
- 1210) Cheilotrichia (Empeda) cinerascens (Meigen,1804)** (Limoniidae) Synonym(s): *cinerascens* Meigen,1804; *nubila* Schummel,1829; *ditula* Zetterstedt,1851; *tenella* Walker,1856
- 1211) Cheironitis furcifer (Rossi,1792)** (Scarabaeidae) Synonym(s): *furcifer* Rossi,1792; *pugil* Costa,1853; *syphax* Fairmaire,1875; *metasternalis* Reitter,1894; *theryi* Tondou,1907
- 1212) Cheironitis hungaricus (Herbst,1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst,1789; *clinias* Fabricius,1792; *amyntas* Steven,1806; *alexis* Mulsant,1842; *tityrus* Mulsant,1842
- 1213) Chelis maculosa (Gerning,1780)** (Arctiidae) Synonym(s): *#maculosa* [Denis & Schiffermüller],1775; *maculosa* Gerning,1780; *monacensis* Osthelder,1933.
- 1214) Chelostoma (Foveosmia) campanularum (Kirby,1802)** (Megachilidae) Synonym(s): *campanularum* Kirby,1802
- 1215) Chelostoma (Foveosmia) distinctum (Stöckert,1929)** (Megachilidae) Synonym(s): *distinctum* Stöckert,1929
- 1216) Chelostoma (Foveosmia) foveolatum (Morawitz,1868)** (Megachilidae) Synonym(s): *foveolatum* Morawitz,1868
- 1217) Chelostoma (Foveosmia) styriacum Schwarz & Gusenleitner,1999** (Megachilidae) Synonym(s): *styriacum* Schwarz & Gusenleitner,1999
- 1218) Chelostoma (Gyrodromella) nasutum Pérez,1895** (Megachilidae) Synonym(s): *nasutum* Pérez,1895; *truncatus* Friese,1897
- 1219) Chelostoma (Gyrodromella) rapunculi (Lepelletier,1841)** (Megachilidae) Synonym(s): *rapunculi* Lepelletier,1841; *nigricornis* Nylander,1848; *inermis* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928
- 1220) Chelostoma (s.str.) emarginatum (Nylander,1856)** (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935
- 1221) Chelostoma (s.str.) florissomnis (Linnaeus,1758)** (Megachilidae) Synonym(s): *florissomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepelletier,1841; *parumcristatus* Alfken,1932
- 1222) Chelostoma (s.str.) mocsaryi Schletterer,1889** (Megachilidae) Synonym(s): *mocsaryi* Schletterer,1889
- 1223) Chelostoma (s.str.) transversum (Friese,1897)** (Megachilidae) Synonym(s): *transversum* Friese,1897
- 1224) Chelostoma (subgen?) ventrale Schletterer,1889** (Megachilidae) Synonym(s): *ventrale* Schletterer,1889; *brevifurca* Benoist,1935; *subnitida* Benoist,1935
- 1225) Chersotis (s.str.) cuprea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller],1775; *haematitidea* Esper,[1794]; *palustris* Osthelder,1927; *jordanovi* Toulouchkov,1951.
- 1226) Chersotis (s.str.) elegans (Eversmann,1837)** (Noctuidae) Synonym(s): *elegans* Eversmann,1837; *grammiptera* Rambur,[1839].
- 1227) Chersotis (s.str.) fimbriola (Esper,[1798])** (Noctuidae) Synonym(s): *fimbriola* Esper,[1798]
- 1228) Chersotis (s.str.) margaritacea (Villers,1789)** (Noctuidae) Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espinensis* Calle,1982
- 1229) Chersotis (s.str.) multangula (Hübner,[1803])** (Noctuidae) Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Toulouchkov,1951.

- 1230) Chersotis (s.str.) rectangula (Fabricius,1787)** (Noctuidae) Synonym(s): *rectangula* Fabricius,1787.
- 1231) Chesias legatella ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *legatella* [Denis & Schiffermüller],1775; *spartiana* Herbst,1782; *soubryana* Villers,1789; *capriata* L.B.Prout,1914; *scanica* Burrau,1950
- 1232) Chesias rufata (Fabricius,1775)** (Geometridae) Synonym(s): *rufata* Fabricius,1775; *obliquaria* [Denis & Schiffermüller],1775; *bombycata* Donovan,1806; *occidentalis* Delahaye,1900; *cinerea* Staudinger,1901; *plumbeata* Staudinger,1901; *ornata* Heydemann,1933; *scotica* Richardson,1952
- 1233) Chetogena acuminata Rondani,1859** (Tachinidae) Synonym(s): *acuminata* Rondani,1859
- 1234) Chetogena fasciata (Egger,1856)** (Tachinidae) Synonym(s): *fasciata* Egger,1856
- 1235) Chetogena filipalpis Rondani,1859** (Tachinidae) Synonym(s): *filipalpis* Rondani,1859
- 1236) Chetogena nigrofasciata (Strobl,1902)** (Tachinidae) Synonym(s): *nigrofasciata* Strobl,1902; *repanda* Mesnil,1939
- 1237) Chetogena obliquata (Fallén,1810)** (Tachinidae) Synonym(s): *obliquata* Fallén,1810
- 1238) Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
- 1239) Chiasmia clathrata (Linnaeus,1758)** (Geometridae) Synonym(s): *clathrata* Linnaeus,1758; *almacola* Wehrli,1934.
- 1240) Chiasmus conspurcatus (Perris,1857)** (Cicadellidae) Synonym(s): *conspurcatus* Perris,1857; *laboulbenii* Perris,1857; *gautschii* Then,1886
- 1241) Chilaspis nitida (Giraud,1859)** (Cynipidae) Synonym(s): *nitida* Giraud,1859; *loewii* Wachtl,1882
- 1242) Chilo luteellus (Motschulsky,1866)** (Pyralidae) Synonym(s): *lutellus* Motschulsky,1866 *nec* [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941.
- 1243) Chilo pulverosellus Ragonot,1895** (Pyralidae) Synonym(s): *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezii* Joannis,1932; *lemarchandellus* Lucas,1945.
- 1244) Chilodes maritima (Tauscher,1806)** (Noctuidae) Synonym(s): *maritima* Tauscher,1806; *bipunctana* Haworth,1812.
- 1245) Chionodes distinctella (Zeller,1839)** (Gelechiidae) Synonym(s): *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979.
- 1246) Chionodes electella (Zeller,1839)** (Gelechiidae) Synonym(s): *electella* Zeller,1839
- 1247) Chionodes fumatella (Douglas,1850)** (Gelechiidae) Synonym(s): *fumatella* Douglas,1850; *celerella* Stainton,1851; *oppletella* Herrich-Schäffer,1854; *reuttiella* Heinemann,1870; *nigricans* Heinemann,1870; *syrticola* Staudinger,1871
- 1248) Chionodes viduella (Fabricius,1794)** (Gelechiidae) Synonym(s): *viduella* Fabricius,1794; *leucomella* Quensel,1802; *luctiferella* Herrich-Schäffer,1854; *labradoriella* Clemens,1863
- 1249) Chirosia histricina (Rondani,1866)** (Anthomyiidae) Synonym(s): *histicina* Rondani,1866
- 1250) Chlaenius (Chlaeniellus) nigricornis (Fabricius,1787)** (Carabidae) Synonym(s): *nigricornis* Fabricius,1787
- 1251) Chlaenius (Chlaeniellus) nitidulus (Schrank,1781)** (Carabidae) Synonym(s): *nitidulus* Schrank,1781
- 1252) Chlaenius (Chlaeniellus) tristis (Schaller,1783)** (Carabidae) Synonym(s): *tristis* Schaller,1783
- 1253) Chlaenius (Chlaeniellus) vestitus (Paykull,1790)** (Carabidae) Synonym(s): *vestitus* Paykull,1790
- 1254) Chlaenius (Chlaenites) spoliatus (P.Rossi,1792)** (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792
- 1255) Chlaenius aeneocephalus Dejean,1826** (Carabidae) Synonym(s): *aeneocephalus* Dejean,1826
- 1256) Chlaenius circumscriptus Duftschmid,1812** (Carabidae) Synonym(s): *circumscriptus* Duftschmid,1812
- 1257) Chlaenius cruralis Fischer von Waldheim,1829** (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829
- 1258) Chlaenius decipiens L.Dufour,1820** (Carabidae) Synonym(s): *decipiens* L.Dufour,1820
- 1259) Chlaenius festivus (Panzer,1796)** (Carabidae) Synonym(s): *festivus* Panzer,1796
- 1260) Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
- 1261) Chloriona oriens (Dlabola,1961)** (Delphacidae) Synonym(s): *oriens* Dlabola,1961
- 1262) Chloriona sicula Matsumura,1910** (Delphacidae) Synonym(s): *sicula* Matsumura,1910; *flaveola* Lindberg,1948
- 1263) Chlorissa cloraria (Hübner,[1813])** (Geometridae) Synonym(s): *cloraria* Hübner,[1813]; *porrinata* Zeller,1848; *porrinaria* Heydenreich,1851.
- 1264) Chlorissa viridata (Linnaeus,1758)** (Geometridae) Synonym(s): *viridata* Linnaeus,1758; *volutata* Fabricius,1775; *sirene* Villers,1789
- 1265) Chlorita beieri Dlabola,1959** (Cicadellidae) Synonym(s): *beieri* Dlabola,1959
- 1266) Chlorita dumosa (Ribaut,1933)** (Cicadellidae) Synonym(s): *dumosa* Ribaut,1933
- 1267) Chlorita orientalis (Dlabola,1961)** (Cicadellidae) Synonym(s): *orientalis* Dlabola,1961
- 1268) Chlorita paolii (Ossiannilsson,1939)** (Cicadellidae) Synonym(s): *paolii* Ossiannilsson,1939
- 1269) Chlorita tessellata Lethierry,1884** (Cicadellidae) Synonym(s): *tessellata* Lethierry,1884
- 1270) Chlorita thracia Dlabola,1965** (Cicadellidae) Synonym(s): *thracia* Dlabola,1965
- 1271) Chlorita viridula (Fallén,1806)** (Cicadellidae) Synonym(s): *viridula* Fallén,1806
- 1272) Chloroclysta citrata (Linnaeus,1761)** (Geometridae) Synonym(s): *citrata* Linnaeus,1761; *variata* Thunberg,1784 *nec* [Denis & Schiff.],1775; *marmorata* Fabricius,1794; *strigulata* Fabricius,1794; *immanata* Haworth,1809; *amoenata* Stephens,1831; *immanaria* Doubleday,1849; *acutata* Guenée,1858; *pythonissata* Millière,1872
- 1273) Chloroclysta miata (Linnaeus,1758)** (Geometridae) Synonym(s): *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 *nec* Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853
- 1274) Chloroclysta siterata (Hufnagel,1767)** (Geometridae) Synonym(s): *siterata* Hufnagel,1767; *psittacata* [Denis & Schiffermüller],1775; *rubroviridata* Donovan,1810; *psittacaria* Boisduval,1840
- 1275) Chloroclysta truncata (Hufnagel,1767)** (Geometridae) Synonym(s): *truncata* Hufnagel,1767; *centumnotata* Schulze,1775; *russata* [Denis & Schiffermüller],1775; *perfuscata* Haworth,1809; *commantata* Haworth,1809; *saturata* Stephens,1831; *russaria* Boisduval,1840; *perfuscaria* La Harpe,1853
- 1276) Chloroclystis v-ata (Haworth,1809)** (Geometridae) Synonym(s): *v-ata* Haworth,1809; *coronata* Hübner,[1813]; *coronaria* Doubleday,1849
- 1277) Chloromyia formosa (Scopoli,1763)** (Stratiomyidae) Synonym(s): *formosa* Scopoli,1763
- 1278) Chloromyia speciosa (Macquart,1834)** (Stratiomyidae) Synonym(s): *speciosa* Macquart,1834; *melampogon* Zeller,1842; *subalpina* Strobl,1910; *nigripes* Pleske,1926
- 1279) Chlorophorus aegyptiacus (Fabricius,1775)** (Cerambycidae) Synonym(s): *aegyptiacus* Fabricius,1775; *nigripes* Brullé,1832
- 1280) Chlorophorus figuratus (Scopoli,1763)** (Cerambycidae) Synonym(s): *figuratus* Scopoli,1763
- 1281) Chlorops (Sclerophallus) limbatus Meigen,1830** (Chloropidae) Synonym(s): *limbatus* Meigen,1830; *fulviceps* Von Roser,1840; *discicornis* Zetterstedt,1848; *brevimanus* Loew,1866
- 1282) Chlorops interruptus Meigen,1830** (Chloropidae) Synonym(s): *interruptus* Meigen,1830; *hirsutus* Loew,1866

- 1283) Chlorops pumilionis (Bjerkander,1778)** (Chloropidae) Synonym(s): *pumilionis* Bjerkander,1778; *lineatus* Fabricius,1781; *nasutus* Schrank,1781; *taeniopus* Meigen,1830; *annulipes* Brullé,1833; *lineolus* Brullé,1833; *pumilio* Zetterstedt,1848
- 1284) Chlorops serenus Loew,1866** (Chloropidae) Synonym(s): *serenus* Loew,1866
- 1285) Choerades gilva (Linnaeus,1758)** (Asilidae) Synonym(s): *gilva* Linnaeus,1758; *rufa* De Geer,1776; *bilineata* Walker,1849
- 1286) Choerades ursula (Loew,1851)** (Asilidae) Synonym(s): *ursula* Loew,1851
- 1287) Chonostropheus tristis (Fabricius,1794)** (Atelabidae) Synonym(s): *tristis* Fabricius,1794; *seminiger* Reitter,1880
- 1288) Choreia maculata (Hoffer,1954)** (Encyrtidae) Synonym(s): *maculata* Hoffer,1954
- 1289) Chorisops tibialis (Meigen,1820)** (Stratiomyidae) Synonym(s): *tibialis* Meigen,1820; *hyaliniventris* A.Costa,1857
- 1290) Choristoneura diversana (Hübner,[1817])** (Tortricidae) Synonym(s): *diversana* Hübner,[1817]; *viduana* Frölich,1828; *transitana* Guenée,1845; *alfredana* Duponchel,1846
- 1291) Choristoneura hebenstreitella (Müller,1764)** (Tortricidae) Synonym(s): *hebenstreitella* Müller,1764; *pyrana* Villers,1789; *sorbiana* Hübner,[1799]
- 1292) Choristoneura murinana (Hübner,[1799])** (Tortricidae) Synonym(s): *murinana* Hübner,[1799]; *caprimulgana* Koch,1859; *besseri* Nowicki,1860; *histrionana* Ratzeburg,1868 *nec* Fröl.,1828; *immaculana* Wachtl,1882
- 1293) Chorthippus (s.str.) parallelus (Zetterstedt,1821)** (Acrididae) Synonym(s): *parallelus* Zetterstedt,1821; *pratorum* Fieber,1852; *explicatus* Selys-Longchamps,1862; *nigrolineatus* Ivanov,1888; *sylvestris* Puschnig,1910; *montana* Chopard,1922; *caffra* Ramme,1923; *fuliginosus* Voroncovsky,1928; *prasinolateralis* Voroncovsky,1928; *prasinusuperficies* Voroncovsky,1928; *prasinus* Voroncovsky,1928; *viridis* Voroncovsky,1928; *aemulus* Mishchenko,1951; *geriberti* Harz,1962; *caffer* Harz,1975
- 1294) Chortodes morrisii (Dale,1837)** (Noctuidae) Synonym(s): *morrisii* Dale,1837; *bondii* Knaggs,1861
- 1295) Chortodes pygmina (Haworth,1809)** (Noctuidae) Synonym(s): *pygmina* Haworth,1809; *fulva* Hübner,[1813]
- 1296) Chrysobothris affinis (Fabricius,1794)** (Buprestidae) Synonym(s): *affinis* Fabricius,1794; *congener* Paykull,1799; *tetragramma* Ménétériés,1832; *hexastigma* Mannerheim,1837; *assimulans* Schreiber,1843; *aeruginosa* Fügner,1891; *heliophila* Abeille,1893; *inaqualis* Reitter,1895; *reitteri* Kerremans,1900; *tristis* Abeille,1900; *adusta* Abeille,1901; *carinithorax* Oberberger,1916; *heterochroa* Oberberger,1916; *laticollis* Oberberger,1916; *leonhardi* Oberberger,1916; *sibirica* Oberberger,1916; *reinecki* Schirmer,1918; *eurythorax* Oberberger,1934; *nevstyji* Richter,1944
- 1297) Chrysobothris chrysostigma (Linnaeus,1758)** (Buprestidae) Synonym(s): *chrysostigma* Linnaeus,1758; *quadraticollis* Abeille,1893; *kerremansi* Abeille,1894
- 1298) Chrysobothris solieri Laporte & Gory,1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory,1837; *consentacea* Dejean,1836; *multipunctata* Campanyo,1863; *quadridens* Rey,1890; *bedeli* Pic,1930
- 1299) Chrysocharis nephereus (Walker,1839)** (Eulophidae) Synonym(s): *nephereus* Walker,1839; *erigone* Walker,1839; *inarius* Walker,1839; *matho* Walker,1839; *metella* Walker,1839; *nautes* Walker,1839; *orchestis* Ratzeburg,1844; *sauros* Walker,1848; *laeta* Ratzeburg,1848; *auronitens* Ratzeburg,1852; *turcicus* Fahringer,1938; *gunholdi* Delucchi,1954; *laevigata* Delucchi,1954; *tadici* Delucchi,1954; *cuspidigaster* Yoshimoto,1973; *truncatipennis* Yoshimoto,1973; *elmaellae* Doğanlar,1980
- 1300) Chrysochraon dispar (Germar,1834)** (Acrididae) Synonym(s): *platypterus* Ocskay,1832; *dispar* Germar,1834; *decurtatum* Herrich-Schäffer,1840; *smilacea* Fischer von Waldheim,1846; *macroptera* Chopard,1922
- 1301) Chrysoclista lathamella (T.B.Fletcher,1936)** (Agonoxenidae) Synonym(s): *bimaculella* Haworth,1828 *nec* Thunb.,1794; *lathamella* Fletcher,1936; *razowskii* Riedl,1965
- 1302) Chrysocrambus craterellus (Scopoli,1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958
- 1303) Chrysocrambus linetellus (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960
- 1304) Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865
- 1305) Chrysosthia drurella (Fabricius,1775)** (Gelechiidae) Synonym(s): *drurella* Fabricius,1775; *myllerella* Fabricius,1794; *zinckeella* Hübner,[1813]; *zinckenella* Hübner,[1825]; *druryella* Zeller,1850; *hermannella* auct.
- 1306) Chrysogaster coemiteriora (Linnaeus,1758)** (Syrphidae) Synonym(s): *coemiteriorum* Linnaeus,1758
- 1307) Chrysolina anatolica (Dahlgren,1984)** (Chrysomelidae) Synonym(s): *anatolica* Dahlgren,1984
- 1308) Chrysolina geminata (Paykull,1799)** (Chrysomelidae) Synonym(s): *geminata* Paykull,1799
- 1309) Chrysolina reitteri (Weise,1884)** (Chrysomelidae) Synonym(s): *reitteri* Weise,1884; *pseudolurida* Roubal,1917; *bakuensis* Bechyne,1952; *jailensis* Bechyne,1952
- 1310) Chrysolina turca (Fairmaire,1865)** (Chrysomelidae) Synonym(s): *turca* Fairmaire,1865
- 1311) Chrysolina vernalis (Brullé,1836)** (Chrysomelidae) Synonym(s): *vernalis* Brullé,1836; *ottomana* Weise,1906
- 1312) Chrysomya albiceps (Wiedemann,1819)** (Calliphoridae) Synonym(s): *albiceps* Wiedemann,1819
- 1313) Chrysops (Petersenichrysops) hamatus Loew,1858** (Tabanidae) Synonym(s): *hamatus* Loew,1858
- 1314) Chrysops (s.str.) caecutiens (Linnaeus,1758)** (Tabanidae) Synonym(s): *caecutiens* Linnaeus,1758; *ludens* Loew,1858
- 1315) Chrysops (s.str.) flavipes Meigen,1804** (Tabanidae) Synonym(s): *flavipes* Meigen,1804; *punctifer* Loew,1858; *#favipes* Kılıç,1999
- 1316) Chrysops (s.str.) italicus Meigen,1804** (Tabanidae) Synonym(s): *italicus* Meigen,1804; *nigriventris* Loew,1856
- 1317) Chrysops (s.str.) relictus Meigen,1820** (Tabanidae) Synonym(s): *relictus* Meigen,1820; *chlorosis* Goffe,1931; *clarus* Goffe,1931; *conspicius* Goffe,1931; *inconspicius* Goffe,1931
- 1318) Chrysops (s.str.) viduatus (Fabricius,1794)** (Tabanidae) Synonym(s): *viduatus* Fabricius,1794; *pictus* Meigen,1820
- 1319) Chrysoteuchia culmella (Linnaeus,1758)** (Noctuidae) Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#hortellus* Zerny,1914; *#brunnea* Dufrane,1942
- 1320) Chrysotimus (s.str.) flaviventris (Von Roser,1840)** (Dolichopodidae) Synonym(s): *flaviventris* Von Roser,1840; *concinus* Zetterstedt,1843
- 1321) Chrysotimus (s.str.) molliculus (Fallén,1823)** (Dolichopodidae) Synonym(s): *molliculus* Fallén,1823; *laetus* Meigen,1824
- 1322) Chrysotoxum arcuatum (Linnaeus,1758)** (Syrphidae) Synonym(s): *arcuatum* Linnaeus,1758; *intersectum* Geoffroy,1785; *vespiforme* Geoffroy,1785; *hortense* Meigen,1822; *scoticum* Curtis,1837; *alpinum* Rondani,1865; *nigropilosum* Giglio-Tos,1890; *angustifasciatum* Mik,1897
- 1323) Chrysotoxum bicinctum (Linnaeus,1758)** (Syrphidae) Synonym(s): *bicinctum* Linnaeus,1758
- 1324) Chrysotoxum festivum (Linnaeus,1758)** (Syrphidae) Synonym(s): *festivum* Linnaeus,1758; *bipunctatum* Müller,1776; *imbelle* Harris,[1776]; *geographicum* Geoffroy,1785; *annulatum* Loew,1840; *infuscatum* Loew,1840; *scutellare* Loew,1840; *tomentosum* Giglio-Tos,1890; *japonicum* Matsumura,1916
- 1325) Chrysotoxum impressum Becker,1921** (Syrphidae) Synonym(s): *impressum* Becker,1921
- 1326) Chrysotoxum lineare (Zetterstedt,1819)** (Syrphidae) Synonym(s): *lineare* Zetterstedt,1819

- 1327) **Chrysotoxum parmense Rondani, 1845** (Syrphidae) Synonym(s): *parmense* Rondani, 1845; *holzi* Becker, 1913
- 1328) **Chrysotoxum rhodopense Drensky, 1934** (Syrphidae) Synonym(s): *rhodopense* Drensky, 1934
- 1329) **Chrysotoxum vernale Loew, 1841** (Syrphidae) Synonym(s): *vernale* Loew, 1841; *collinum* Rondani, 1857; *flavipenne* Palma, 1863; *fusum* Giglio-Tos, 1890; *vernaloide* Giglio-Tos, 1890 q
- 1330) **Chrysotus pennatus Lichtwardt, 1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt, 1902
- 1331) **Chrysotus pulchellus Kowarz, 1874** (Dolichopodidae) Synonym(s): *pulchellus* Kowarz, 1874
- 1332) **Chrysotus suavis Loew, 1857** (Dolichopodidae) Synonym(s): *suavis* Loew, 1857
- 1333) **Chunrocerus balcanicus (Horvath, 1903)** (Cicadellidae) Synonym(s): *balcanicus* Horvath, 1903
- 1334) **Chunrocerus pruni (Ribaut, 1952)** (Cicadellidae) Synonym(s): *pruni* Ribaut, 1952
- 1335) **Cicadatra atra (Oliver, 1790)** (Cicadidae) Synonym(s): *atra* Oliver, 1790; *concinna* Germar, 1821; *transversa* Germar, 1830 (praeocc.); *vitreus* Brullé, 1832; *hyalinatus* Brullé, 1832; *helianthem* Rambur, 1840; *aquila* Fieber, 1876; *pallipes* Fieber, 1876; *tau* Fieber, 1876; *appendiculata* Linnavuori, 1954
- 1336) **Cicadatra hyalina (Fabricius, 1798)** (Cicadidae) Synonym(s): *hyalina* Fabricius, 1798; *geodesma* Kolenati, 1857; *taurica* Fieber, 1876; *virens* Fieber, 1876; *burriana* Horvath, 1912; *viridis* Haupt, 1917; *discrepans* Schumacher, 1923; *rossica* Schumacher, 1923
- 1337) **Cicadella viridis (Linnaeus, 1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus, 1758; *arundinis* Germar, 1821; *flavicatella* Graaf, 1854; *concolor* Haupt, 1912
- 1338) **Cicadetta gastrica (Stal, 1854)** (Cicadidae) Synonym(s): *gastrica* Stal, 1854
- 1339) **Cicadetta mediterranea Fieber, 1876** (Cicadidae) Synonym(s): *mediterranea* Fieber, 1876
- 1340) **Cicadetta montana (Scopoli, 1772)** (Cicadidae) Synonym(s): *montana* Scopoli, 1772; *flavofenestrata* Goeze, 1778; *schafferi* Gmelin, 1780; *pygmaea* Olivier, 1790; *dimidiata* Fabricius, 1803; *anglica* Samouelle, 1819; *parvula* Walker, 1850 (praeocc.); *saxonica* Hartwig, 1857; *megerlei* Fieber, 1876; *longipennis* Fieber, 1876
- 1341) **Cicadivetta tibialis (Panzer, 1798)** (Cicadidae) Synonym(s): *tibialis* Panzer, 1798; *libanotica* Horvath, 1911; *cissilvanica* Haupt, 1935; *acuta* Dlabola, 1961
- 1342) **Cicadula divaricata Ribaut, 1952** (Cicadellidae) Synonym(s): *divaricata* Ribaut, 1952; *Ribaut*, 1952
- 1343) **Cicadula lineatopunctata (Matsumura, 1908)** (Cicadellidae) Synonym(s): *lineatopunctata* Matsumura, 1908; *siciliensis* Matsumura, 1908; *divaricata* Ribaut, 1952
- 1344) **Cicadula persimilis (Edwards, 1920)** (Cicadellidae) Synonym(s): *persimilis* Edwards, 1920
- 1345) **Cicadula placida (Horvath, 1897)** (Cicadellidae) Synonym(s): *placida* Horvath, 1897
- 1346) **Cicadula quadrinotata (Fabricius, 1794)** (Cicadellidae) Synonym(s): *quadrinotata* Fabricius, 1794; *strigipes* Zetterstedt, 1828; *spilotocephala* Hardy, 1850
- 1347) **Cicadula quinquenotata (Boheman, 1845)** (Cicadellidae) Synonym(s): *quinquenotata* Boheman, 1845
- 1348) **Cicindela campestris Linnaeus, 1758** (Carabidae) Synonym(s): *campestris* Linnaeus, 1758
- 1349) **Cidaria fulvata (Forster, 1771)** (Geometridae) Synonym(s): *fulvata* Forster, 1771; *cuspidata* Thunberg, 1784
- 1350) **Cilix glaucata (Scopoli, 1763)** (Drepanidae) Synonym(s): *glaucata* Scopoli, 1763; *modesta* Müller, 1764; *ruffa* Linnaeus, 1766; *spinula* [Denis & Schiffermüller], 1775; *candidula* [Denis & Schiffermüller], 1775; *compressa* Fabricius, 1777
- 1351) **Cimbex quadrimaculatus (O.F. Müller, 1766)** (Cimicidae) Synonym(s): *quadrimaculatus* O.F. Müller, 1766
- 1352) **Cinara acutirostris Hille Ris Lambers, 1956** (Aphididae) Synonym(s): *acutirostris* Hille Ris Lambers, 1956
- 1353) **Cionus scrophulariae (Linnaeus, 1758)** (Curculionidae) Synonym(s): *scrophulariae* Linnaeus, 1758
- 1354) **Cirrospilus lyncus Walker, 1838** (Eulophidae) Synonym(s): *lyncus* Walker, 1838; *unifasciatus* Förster, 1841; *caudatulus* Thomson, 1878
- 1355) **Cirrospilus staryi Boucek, 1959** (Eulophidae) Synonym(s): *staryi* Boucek, 1959
- 1356) **Cirrospilus variegatus (Masi, 1907)** (Eulophidae) Synonym(s): *variegatus* Masi, 1907
- 1357) **Cirrospilus vittatus Walker, 1838** (Eulophidae) Synonym(s): *vittatus* Walker, 1838; *lineatus* Förster, 1841; *nigrolineatus* Crawford, 1913; *sanguinea* Girault, 1916; *pulcherrimus* Mercet, 1916; *donatellae* Mariani, 1942; *hytomyzae* Ishii, 1953; *novickyi* Bakkendorf, 1955
- 1358) **Cixidia parnassia (Stal, 1859)** (Achilidae) Synonym(s): *parnassia* Stal, 1859
- 1359) **Cixidia pilatoi D'Urso & Guglielmino, 1995** (Achilidae) Synonym(s): *pilatoi* D'Urso & Guglielmino, 1995
- 1360) **Cixius distinguendus Kirschbaum, 1868** (Cixiidae) Synonym(s): *distinguendus* Kirschbaum, 1868; *intermedius* Scott, 1870; *brachycranus* Scott, 1870; *#distinguendus* Lodos & Kalkandelen, 1980
- 1361) **Cixius pallipes Fieber, 1876** (Cixiidae) Synonym(s): *pallipes* Fieber, 1876; *notaticollis* Rey, 1894; *fumipennis* Horvath, 1897
- 1362) **Cixius remotus Edwards, 1888** (Cixiidae) Synonym(s): *remotus* Edwards, 1888
- 1363) **Cixius simplex (Herrich-Schäffer, 1835)** (Cixiidae) Synonym(s): *bifasciata* Schrank, 1776 (praeocc.); *simplex* Herrich-Schäffer, 1835; *minor* Kirschbaum, 1868; *vitripennis* Kirschbaum, 1868; *scotti* Edwards, 1888
- 1364) **Clanoptilus (Hypoptilus) assimilis (Baudi di Selve, 1873)** (Melyridae) Synonym(s): *assimilis* Baudi di Selve, 1873
- 1365) **Clanoptilus (s.str.) durandi (Pardo, 1970)** (Melyridae) Synonym(s): *durandi* Pardo, 1970
- 1366) **Clanoptilus (s.str.) elegans (Olivier, 1790)** (Melyridae) Synonym(s): *elegans* Olivier, 1790
- 1367) **Clanoptilus (s.str.) geniculatus (Germar, 1824)** (Melyridae) Synonym(s): *geniculatus* Germar, 1824
- 1368) **Clanoptilus (s.str.) spinipennis (Erichson, 1840)** (Melyridae) Synonym(s): *spinipennis* Erichson, 1840
- 1369) **Cleoceris scoriacea (Esper, [1789])** (Noctuidae) Synonym(s): *scoriacea* Esper, [1789]; *capreae* Hübner, [1803].
- 1370) **Cleonymia (Serryvania) opposita (Lederer, 1870)** (Noctuidae) Synonym(s): *opposita* Lederer, 1870; *#obscurior* Osthelder, 1933.
- 1371) **Cleora cinctaria ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *cinctaria* [Denis & Schiffermüller], 1775; *pascuaria* Brahm, 1791; *consimilana* Duponchel, 1829.
- 1372) **Cleorodes lichenarius (Hufnagel, 1767)** (Geometridae) Synonym(s): *lichenaria* Hufnagel, 1767
- 1373) **Clepsis antigona (Meyrick, 1931)** (Tortricidae) Synonym(s): *antigona* Meyrick, 1931
- 1374) **Clepsis balcanica (Rebel, 1917)** (Tortricidae) Synonym(s): *balcanica* Rebel, 1917; *wassiana* Schmidt, 1930.
- 1375) **Clepsis burgasiensis (Rebel, 1916)** (Tortricidae) Synonym(s): *burgasiensis* Rebel, 1916; *#burgasensis* Drenowsky, 1924; *#burgisana* Thurner, 1941
- 1376) **Clepsis consimilana (Hübner, [1817])** (Tortricidae) Synonym(s): *consimilana* Hübner, [1817]; *unifasciana* Duponchel, 1843; *productana* Zeller, 1847; *obliterana* Herrich-Schäffer, 1851; *peregrinana* Stephens, 1852; *eatoniana* Ragonot, 1881; *semiana* Chrétien, 1915; *acclivana* Zerny, 1933; *placida* Diakonoff, 1948
- 1377) **Clepsis neglectana (Herrich-Schäffer, 1851)** (Tortricidae) Synonym(s): *neglectana* Herrich-Schäffer, 1851; *flavana* Duponchel, 1834 nec Hüb., [1799]; *betulifolia* Lederer, 1859; *striolana* Ragonot, 1879; *xylotoma* Meyrick, 1891; *severana* Kennel, 1901; *delibatana* Rothschild, 1912; *dorana* Kennel, 1919; *acclivana* Zerny, 1933.
- 1378) **Clepsis pallidana (Fabricius, 1776)** (Tortricidae) Synonym(s): *pallidana* Fabricius, 1776; *strigana* Hübner, [1799]; *stramineana* Herrich-Schäffer, [1851]; *quinquemaculana* Bremer, 1864; *cesareana* Joannis, 1891; *districta* Meyrick, 1920.

- 1379) *Clepsis rurinana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *rurinana* Linnaeus,1758; *modeerinana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935.
- 1380) *Clepsis senecionana* (Hübner,[1819])** (Tortricidae) Synonym(s): *rusticana* Hübner,[1799] (praeocc.); *senecionana* Hübner,[1819]; *helvolana* Fröhlich,1828; *stramineana* Zetterstedt,1839; *porcana* Zetterstedt,1839; *pulverana* Eversmann,1844; *culmana* Peyerimhoff,1864.
- 1381) *Clepsis spectrana* (Treitschke,1830)** (Tortricidae) Synonym(s): *spectrana* Treitschke,1830; *vinculana* Treitschke,1830; *laticornata* Stainton,1857; *liverana* Mansbridge,1914; *intermedia* Mansbridge,1914
- 1382) *Cleptes consimilis* Buysson,1887** (Chrysididae) Synonym(s): *consimilis* Buysson,1887; *chyzeri* Mocsary,1889
- 1383) *Cleptes pallipes* Lepeletier,1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier,1806; *diana* Mocsary,1889
- 1384) *Cleptes semiauratus* (Linnaeus,1761)** (Chrysididae) Synonym(s): *semiauratus* Linnaeus,1761
- 1385) *Cleptes semicyaneus* Tournier,1879** (Chrysididae) Synonym(s): *semicyaneus* Tournier,1879; *elegans* Mocsary,1901; *erdoesi* Moczar,1951
- 1386) *Cleta filicearia* (Herrich-Schäffer,[1847])** (Geometridae) Synonym(s): *filicearia* Herrich-Schäffer,[1847]
- 1387) *Clostera anachoreta* (Fabricius,1787)** (Notodontidae) Synonym(s): *anachoreta* [Denis & Schiffermüller],1775; *anachoreta* Fabricius,1787; *pallida* Staudinger,1887 nec Wlk.,1855; *albidior* Pfütze,1901; *erema* Bryk,1942; *lundquisti* Bryk,1942; *mahatma* Bryk,1949
- 1388) *Clostera anastomosis* (Linnaeus,1758)** (Notodontidae) Synonym(s): *anastomosis* Linnaeus,1758; *alticaudagrisea* Retzius,1783; *orientalis* Fixsen,1887; *kononis* Matsumura,1929; *insignior* Kiriakoff,1963
- 1389) *Clostera curtula* (Linnaeus,1758)** (Notodontidae) Synonym(s): *curtula* Linnaeus,1758; *albicaudaalba* Retzius,1783
- 1390) *Clostera pigra* (Hufnagel,1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936
- 1391) *Closterocerus formosus* Westwood,1833** (Eulophidae) Synonym(s): *formosus* Westwood,1833; *phaenna* Walker,1839; *lunatus* Ratzeburg,1848; *ovulorum* Ratzeburg,1848; *fullowayi* Crawford,1913; *meridionalis* Silvestri,1914; *silvia* Girault,1917; *camilli* Girault,1917
- 1392) *Clytie* (s.str.) *syriaca* (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848.
- 1393) *Clytiomya continua* (Panzer,1798)** (Tachinidae) Synonym(s): *continua* Panzer,1798
- 1394) *Clytiomya sola* (Rondani,1861)** (Tachinidae) Synonym(s): *sola* Rondani,1861
- 1395) *Clytra novempunctata* Olivier,1808** (Chrysomelidae) Synonym(s): *novempunctata* Olivier,1808; *elata* Weise,1881; *persica* Pic,1920
- 1396) *Clytra valeriana* Ménétériés,1832** (Chrysomelidae) Synonym(s): *valeriana* Ménétériés,1832; *tetrastigma* Schmidt,1841; *#valerianae* Aydın & Kismali,1990
- 1397) *Cnaemidophorus rhododactylus* (Fabricius,1787)** (Pterophoridae) Synonym(s): *#rhododactyla* [Denis & Schiffermüller],1775; *rhododactylus* Fabricius,1787; *koreana* Matsumura,1931; *#rhododactylus* Arenberger,1998
- 1398) *Cnephasia (Cnephasiella) abrasana* (Duponchel,1843)** (Tortricidae) Synonym(s): *abrasana* Duponchel,1843
- 1399) *Cnephasia (Cnephasiella) incertana* (Treitschke,1835)** (Tortricidae) Synonym(s): *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistan* Amsel,1955; *atticana* Razowski,1958
- 1400) *Cnephasia* (s.str.) *asseclana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *asseclana* [Denis & Schiffermüller],1775; *interjectana* Haworth,1811; *virgaureana* Treitschke,1835; *oleraceana* Gibson,1916
- 1401) *Cnephasia* (s.str.) *chrysanthæana* (Duponchel,1843)** (Tortricidae) Synonym(s): *chrysanthæana* Duponchel,1843; *cinareana* Chrétien,1892; *#cinareana* Meyrick,1912
- 1402) *Cnephasia* (s.str.) *communana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *communana* Herrich-Schäffer,[1851]
- 1403) *Cnephasia* (s.str.) *cupressivorana* (Staudinger,1871)** (Tortricidae) Synonym(s): *cupressivorana* Staudinger,1871; *appenicola* Obratzsov,1950; *orthoxyana* Réal,1951; *confluentana* Réal,1951
- 1404) *Cnephasia* (s.str.) *orientana* (Alpheraky,1877)** (Tortricidae) Synonym(s): *orientana* Alpheraky,1877
- 1405) *Cnephasia* (s.str.) *stephensiana* (Doubleday,1849)** (Tortricidae) Synonym(s): *stephensiana* Doubleday,1849
- 1406) *Coccophagus lycimnia* (Walker,1839)** (Aphelinidae) Synonym(s): *lycimnia* Walker,1839; *lecanii* Fitch,1859; *ater* Howard,1881; *cognatus* Howard,1881; *vividus* Howard,1885; *californicus* Howard,1889; *coccidis* Girault,1917; *corni* Alam,1956; *taxi* Alam,1956
- 1407) *Cochylidia heydeniana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *heydeniana* Herrich-Schäffer,[1851]; *pudorana* Staudinger,1859; *erigenana* Walsingham,1891; *sabulicola* Walsingham,1900; *almana* Kennel,1919; *obratzsovi* Amsel,1951; *amseli* Obratzsov,1956.
- 1408) *Cochylidia rupicola* (Curtis,1834)** (Tortricidae) Synonym(s): *rupicola* Curtis,1834; *marginana* Stephens,1834; *humidana* Herrich-Schäffer,1851
- 1409) *Cochylidia subroseana* (Haworth,[1811])** (Tortricidae) Synonym(s): *subroseana* Haworth,[1811]; *flammeolana* Tengström,1848; *phaleratana* Herrich-Schäffer,1851; *#derosana* Razowski,1960; *#roseotincta* Razowski,1960; *roseotincta* Razowski,1970.
- 1410) *Cochylimorpha decolorella* (Zeller,1839)** (Tortricidae) Synonym(s): *decolorella* Zeller,1839; *chamomillana* Herrich-Schäffer,[1851]; *pentactinana* Mann,1855.
- 1411) *Cochylimorpha meridiana* (Staudinger,1859)** (Tortricidae) Synonym(s): *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919.
- 1412) *Cochylimorpha straminea* (Haworth,[1811])** (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
- 1413) *Cochylimorpha wolniana* (Schleich,1868)** (Tortricidae) Synonym(s): *wolniana* Schleich,1868; *lorana* Fuchs,1897.
- 1414) *Cochylis defessana* Mann,1861** (Tortricidae) Synonym(s): *defessana* Mann,1861; *centaureana* Staudinger,1879.
- 1415) *Cochylis epilina* Duponchel,1842** (Tortricidae) Synonym(s): *epilina* Duponchel,1842; *carpophilana* Staudinger,1859.
- 1416) *Cochylis hybridella* (Hübner,[1813])** (Tortricidae) Synonym(s): *hybridella* Hübner,[1813]; *dissolutana* Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916.
- 1417) *Cochylis nana* (Haworth,[1811])** (Tortricidae) Synonym(s): *nana* Haworth,[1811]; *carneana* Guenée,1845; *cruentana* Guenée,1845; *pallidana* Herrich-Schäffer,1851 nec Zell.,1847; *ochreoalbana* Walker,1863; *albidana* Walker,1866; *altocorsicana* Petry,1904; *winniana* Kearfott,1905
- 1418) *Cochylis pallidana* Zeller,1847** (Tortricidae) Synonym(s): *pallidana* Zeller,1847
- 1419) *Cochylis posterana* Zeller,1847** (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935

- 1420) *Cochylis roseana* (Haworth,[1811])** (Tortricidae) Synonym(s): *roseana* Haworth,[1811]; *rubellana* Hübner,[1823]; *dipsaceana* Duponchel,1843; *undulatana* Kennel,1899.
- 1421) *Cochylis salebrana* Mann,1862** (Tortricidae) Synonym(s): *salebrana* Mann,1862; *millierana* Peyerimhoff,1877.
- 1422) *Codophila* (s.str.) *varia* (Fabricius,1787)** (Pentatomidae) Synonym(s): *varia* Fabricius,1787; *longicornis* De la Fuente,1972
- 1423) *Coenagrion syriacum* (Morton,1924)** (Coenagrionidae) Synonym(s): *syriacum* Morton,1924
- 1424) *Coenocalpe lapidata* (Hübner,[1809])** (Geometridae) Synonym(s): *lapidata* Hübner,[1809]; *subrufata* Haworth,1809; *lapidaria* Boisduval,1840
- 1425) *Coenonympha* (s.str.) *arcania* (Linnaeus,1761)** (Satyridae) Synonym(s): *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *triumphans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935.
- 1426) *Coenonympha* (s.str.) *glycerion* (Borkhausen,1788)** (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 nec Dru.,1773; *amyntas* auctorum; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 nec Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.
- 1427) *Coenonympha* (s.str.) *leander* (Fabricius,1787)** (Satyridae) Synonym(s): *#leander* Esper,[1784]; *leander* Fabricius,1787
- 1428) *Coenonympha* (s.str.) *oedippus* (Fabricius,1787)** (Satyridae) Synonym(s): *oedippus* Fabricius,1787; *oedippe* Borkhausen,1789; *burdigalensis* Pionneau,1937; *herbuloti* Varin,1952; *sebrica* Varin,1952; *aquitania* Varin,1952; *rhodanica* Varin,1964; *senonica* Varin,1966.
- 1429) *Coenonympha* (s.str.) *pamphilus* (Linnaeus,1758)** (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 1430) *Coenonympha* (s.str.) *rhodopensis* Elwes,1900** (Satyridae) Synonym(s): *rhodopensis* Elwes,1900
- 1431) *Coenonympha* (s.str.) *symphita* Lederer,1870** (Satyridae) Synonym(s): *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919
- 1432) *Coenorhinus aeneovirens* (Marshall,1802)** (Atelabidae) Synonym(s): *minutus* Herbst,1797; *aeneovirens* Marshall,1802; *punctatus* Olivier,1807; *obscurus* Gyllenhal,1833
- 1433) *Coenorhinus aequatus* (Linnaeus,1767)** (Atelabidae) Synonym(s): *aequatus* Linnaeus,1767; *purpureus* Goeze,1777; *ruber* Geoffroy,1785; *bicolor* Rossi,1790; *rufipes* Sturm,1826; *ruber* Fairmaire,1859; *paykulli* Schilsky,1903
- 1434) *Coenorhinus germanicus* (Herbst,1797)** (Atelabidae) Synonym(s): *germanicus* Herbst,1797; *rugipennis* Stephens,1831; *minutus* C.G.Thomson,1865 nec Herbst.; *fauconetti* Pic,1926
- 1435) *Coenorhinus interpunctatus* (Stephens,1831)** (Atelabidae) Synonym(s): *interpunctatus* Stephens,1831; *alliariae* Gyllenhal,1821
- 1436) *Coenorhinus pauxillus* (Germar,1824)** (Atelabidae) Synonym(s): *pauxillus* Germar,1824; *persicus* Gyllenhal,1839; *pauculus* Voss,1933
- 1437) *Coleophora adpersella* Benander,1939** (Coleophoridae) Synonym(s): *adpersella* Benander,1939
- 1438) *Coleophora aestuariella* Bradley,1984** (Coleophoridae) Synonym(s): *aestuariella* Bradley,1984; *tanassella* Nemes,2003
- 1439) *Coleophora agrianaella* Rebel,1934** (Coleophoridae) Synonym(s): *agrianaella* Rebel,1934
- 1440) *Coleophora albella* (Thunberg,1788)** (Coleophoridae) Synonym(s): *albella* Thunberg,1788; *leucapennella* Hübner,1796.
- 1441) *Coleophora albicans* Zeller,1849** (Coleophoridae) Synonym(s): *albicans* Zeller,1849; *artemisiella* Scott,1861; *simillimella* Fuchs,1881; *digitella* Palm,1947
- 1442) *Coleophora albitarsella* Zeller,1849** (Coleophoridae) Synonym(s): *albitarsella* Zeller,1849; *lividella* Bruand,1850
- 1443) *Coleophora alcyonipennella* (Kollar,1832)** (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962
- 1444) *Coleophora alticolella* Zeller,1849** (Coleophoridae) Synonym(s): *alticolella* Zeller,1849
- 1445) *Coleophora amellivora* Baldizzone,1979** (Coleophoridae) Synonym(s): *amellivora* Baldizzone,1979
- 1446) *Coleophora argentula* (Stephens,1834)** (Coleophoridae) Synonym(s): *argentula* Stephens,1834; *cothurnella* Duponchel,1843; *argentulella* Doubleday,1859; *argentulella* Bruand,1859
- 1447) *Coleophora artemisicolella* Bruand,1855** (Coleophoridae) Synonym(s): *artemisicolella* Bruand,1855
- 1448) *Coleophora badiipennella* (Duponchel,1843)** (Coleophoridae) Synonym(s): *badiipennella* Duponchel,1843
- 1449) *Coleophora ballotella* (Fischer v. Röslerstamm,1839)** (Coleophoridae) Synonym(s): *ballotella* Fischer v. Röslerstamm,1839; *alexinschiella* Nemes,2004
- 1450) *Coleophora bernoulliella* (Goeze,1783)** (Coleophoridae) Synonym(s): *bernoulliella* Goeze,1783; *anatipennella* Hübner,1796
- 1451) *Coleophora ciconiella* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *ciconiella* Herrich-Schäffer,1855
- 1452) *Coleophora clypeiferella* Hofmann,1871** (Coleophoridae) Synonym(s): *clypeiferella* Hofmann,1871
- 1453) *Coleophora coarctataephaga* Toll,1961** (Coleophoridae) Synonym(s): *coarctataephaga* Toll,1961; *balcanica* Baldizzone,1994
- 1454) *Coleophora congeriella* Staudinger,1859** (Coleophoridae) Synonym(s): *congeriella* Staudinger,1859; *suboriolella* Toll,1944
- 1455) *Coleophora coronillae* Zeller,1849** (Coleophoridae) Synonym(s): *coronillae* Zeller,1849
- 1456) *Coleophora cracella* Vallot,1835** (Coleophoridae) Synonym(s): *cracella* Vallot,1835
- 1457) *Coleophora deviella* Zeller,1847** (Coleophoridae) Synonym(s): *deviella* Zeller,1847; *leucophaeella* Caradja,1920; *suaedivora* Meyrick,1928
- 1458) *Coleophora dianthi* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer,1855; *dianthella* Herrich-Schäffer,1861; *amseli* Toll,1942
- 1459) *Coleophora ditella* Zeller,1849** (Coleophoridae) Synonym(s): *ditella* Zeller,1849; *tanaceti* Roesler,1866 nec Mühl.,1865; *roesleri* Wocke,[1876]; *anatolica* Toll,1952.
- 1460) *Coleophora expressella* Klemensiewicz,1883** (Coleophoridae) Synonym(s): *expressella* Klemensiewicz,1883
- 1461) *Coleophora follicularis* (Vallot,1802)** (Coleophoridae) Synonym(s): *follicularis* Vallot,1802; *troglyodytella* Duponchel,1843.
- 1462) *Coleophora gardesanella* Toll,1953** (Coleophoridae) Synonym(s): *maritimella* Machin,1884 nec Newm.,1873; *gardesanella* Toll,1953; *machinella* Bradley,1971
- 1463) *Coleophora glaseri* Toll,1961** (Coleophoridae) Synonym(s): *glaseri* Toll,1961
- 1464) *Coleophora glaucicolella* Wood,1892** (Coleophoridae) Synonym(s): *glaucicolella* Wood,1892
- 1465) *Coleophora graminicolella* Heinemann,1876** (Coleophoridae) Synonym(s): *graminicolella* Heinemann,1876

- 1466) *Coleophora gryphipennella* (Hübner,1796) (Coleophoridae) Synonym(s): *gryphipennella* Hübner,1796; *obscura* Haworth,1828; *mariniella* Hodgkinson,1881; *scolopiphora* Hering,1926.
- 1467) *Coleophora hartigi* Toll,1944 (Coleophoridae) Synonym(s): *hartigi* Toll,1944
- 1468) *Coleophora hungariae* Gozmany,1955 (Coleophoridae) Synonym(s): *hungariae* Gozmany,1955
- 1469) *Coleophora inulae* Wocke,1876 (Coleophoridae) Synonym(s): *inulae* Wocke,1876
- 1470) *Coleophora kroneella* Fuchs,1899 (Coleophoridae) Synonym(s): *kroneella* Fuchs,1899
- 1471) *Coleophora lutipennella* (Zeller,1838) (Coleophoridae) Synonym(s): *lutipennella* Zeller,1838.
- 1472) *Coleophora maritimella* Newman,1863 (Coleophoridae) Synonym(s): *maritimella* Newman,1863
- 1473) *Coleophora medelichensis* Krone,1908 (Coleophoridae) Synonym(s): *medelichensis* Krone,1908
- 1474) *Coleophora millefolii* Zeller,1849 (Coleophoridae) Synonym(s): *millefolii* Zeller,1849
- 1475) *Coleophora niveicostella* Zeller,1839 (Coleophoridae) Synonym(s): *niveicostella* Zeller,1839
- 1476) *Coleophora obtectella* Zeller,1849 (Coleophoridae) Synonym(s): *obtectella* Zeller,1849
- 1477) *Coleophora occatella* Staudinger,1880 (Coleophoridae) Synonym(s): *occatella* Staudinger,1880
- 1478) *Coleophora ochroflava* Toll,1961 (Coleophoridae) Synonym(s): *ochroflava* Toll,1961; *halimionella* Baldizzone,1980
- 1479) *Coleophora onopordiella* Zeller,1849 (Coleophoridae) Synonym(s): *onopordiella* Zeller,1849; *eremica* Amsel,1935; *cerinaula* Meyrick,1936; *fusca* Toll,1952; *pseudophlomidella* Toll,1952; *sivandella* Toll,1959; *litorella* Nemes,2003
- 1480) *Coleophora oriolella* Zeller,1849 (Coleophoridae) Synonym(s): *oriolella* Zeller,1849
- 1481) *Coleophora ornatipennella* (Hübner,1796) (Coleophoridae) Synonym(s): *ornatipennella* Hübner,1796; *#agrammella* Rebel,1935.
- 1482) *Coleophora parvicuprella* Baldizzone & Tabell,2006 (Coleophoridae) Synonym(s): *parvicuprella* Baldizzone & Tabell,2006
- 1483) *Coleophora pennella* ([Denis & Schiffermüller],1775) (Coleophoridae) Synonym(s): *pennella* [Denis & Schiffermüller],1775; *borowskiella* Goeze,1783; *mucosa* Fourcroy,1785; *mucosella* Villers,1789; *onosmella* Brahm,1791; *struthionipennella* Hübner,1796; *cornuum* Vallot,1818; *hispanicella* Möschler,1866; *diffinis* Staudinger,1880; *nervosella* Müller-Rutz,1927; *flavilineella* Toll,1952; *gogovi* Capuse,1971
- 1484) *Coleophora peribenanderi* Toll,1943 (Coleophoridae) Synonym(s): *benanderi* Toll,1942 *nec* Kanerv.,1941; *peribenanderi* Toll,1943
- 1485) *Coleophora pratella* Zeller,1871 (Coleophoridae) Synonym(s): *pratella* Zeller,1871
- 1486) *Coleophora pseudociconiella* Toll,1952 (Coleophoridae) Synonym(s): *pseudociconiella* Toll,1952; *patrascui* Nemes,2003
- 1487) *Coleophora pseudodianthi* Baldizzone & Tabell,2006 (Coleophoridae) Synonym(s): *pseudodianthi* Baldizzone & Tabell,2006
- 1488) *Coleophora salinella* Stainton,1858 (Coleophoridae) Synonym(s): *salinella* Stainton,1858
- 1489) *Coleophora serinipennella* Christoph,1872 (Coleophoridae) Synonym(s): *serinipennella* Christoph,1872; *stefanii* Joannis,1899; *novella* Chrétien,1926; *caliacraella* Caradja,1931; *lucidella* Caradja,1932; *jerichoella* Amsel,1935; *jordanella* Amsel,1935; *deserticola* Toll,1944; *soffneri* Toll,1944.
- 1490) *Coleophora siccifolia* Stainton,1856 (Coleophoridae) Synonym(s): *siccifolia* Stainton,1856
- 1491) *Coleophora silenella* Herrich-Schäffer,1855 (Coleophoridae) Synonym(s): *silenella* Herrich-Schäffer,1855; *dragusanii* Nemes,2004
- 1492) *Coleophora soffneriella* Toll,1961 (Coleophoridae) Synonym(s): *soffneriella* Toll,1961
- 1493) *Coleophora sternipennella* (Zetterstedt,1839) (Coleophoridae) Synonym(s): *sternipennella* Zetterstedt,1839
- 1494) *Coleophora stramentella* Zeller,1849 (Coleophoridae) Synonym(s): *stramentella* Zeller,1849
- 1495) *Coleophora supinella* Ortner,1949 (Coleophoridae) Synonym(s): *supinella* Ortner,1949
- 1496) *Coleophora tamesis* Waters,1929 (Coleophoridae) Synonym(s): *tamesis* Waters,1929
- 1497) *Coleophora tanaceti* Mühlig,1865 (Coleophoridae) Synonym(s): *tanaceti* Mühlig,1865
- 1498) *Coleophora therinella* Tengström,1848 (Coleophoridae) Synonym(s): *therinella* Tengström,1848
- 1499) *Coleophora trientella* Christoph,1872 (Coleophoridae) Synonym(s): *trientella* Christoph,1872; *pilicornis* Rebel,1914.
- 1500) *Coleophora trifolii* (Curtis,1832) (Coleophoridae) Synonym(s): *trifolii* Curtis,1832; *chalybaella* Costa,[1836]; *melilotella* Scott,1861.
- 1501) *Coleophora tyrphaenica* Amsel,1952 (Coleophoridae) Synonym(s): *tyrphaenica* Amsel,1952.
- 1502) *Coleophora varnella* Badizzone & Tabell,2006 (Coleophoridae) Synonym(s): *varnella* Badizzone & Tabell,2006
- 1503) *Coleophora versurella* Zeller,1849 (Coleophoridae) Synonym(s): *versurella* Zeller,1849; *tardipennella* Zeller,1849; *miserella* Staudinger,1880; *agricolella* Fuchs,1886; *atlanticella* Rebel,1896; *enchorda* Meyrick,1931; *pallorella* Benander,1939; *thalassella* McDunnough,1940; *constanti* Hering,1942; *pisella* Amsel,1953; *saccharella* Amsel,1953; *amaranthivora* Oku,1965
- 1504) *Coleophora vestianella* (Linnaeus,1758) (Coleophoridae) Synonym(s): *vestianella* Linnaeus,1758; *laripennella* Zetterstedt,1839; *galbulipennella* Duponchel,1843; *annulata* Tengström,1848; *tengstroemella* Doubleday,1859; *subtractella* Caradja,1920
- 1505) *Coleophora vibicella* (Hübner,[1813]) (Coleophoridae) Synonym(s): *vibicella* Hübner,[1813]; *vibicipennella* Treitschke,1833; *brunneella* Müller-Rutz,1922
- 1506) *Coleophora vibicigerella* Zeller,1839 (Coleophoridae) Synonym(s): *vibicigerella* Zeller,1839; *mandschuriae* Toll,1942; *didyma* Toll,1957.
- 1507) *Coleophora virgatella* Zeller,1849 (Coleophoridae) Synonym(s): *virgatella* Zeller,1849
- 1508) *Coleophora vulnerariae* Zeller,1839 (Coleophoridae) Synonym(s): *vulnerariae* Zeller,1839; *icterella* Duponchel,1840; *vulnerariella* Doubleday,1859; *vulnerariella* Bruand,1859
- 1509) *Coleophora vulpecula* Zeller,1849 (Coleophoridae) Synonym(s): *vulpecula* Zeller,1849; *vulpeculoides* Toll,1952
- 1510) *Coleophora zelleriella* Heinemann,1854 (Coleophoridae) Synonym(s): *zelleriella* Heinemann,1854
- 1511) *Colias* (Eriocolias) *chrysotheme* (Esper,[1781]) (Pieridae) Synonym(s): *chrysotheme* Esper,[1781]
- 1512) *Colias* (Eriocolias) *crocea* (Fourcroy,1785) (Pieridae) Synonym(s): *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893.
- 1513) *Colias* (Neocolias) *caucasica* Staudinger,1871 (Pieridae) Synonym(s): *caucasica* Staudinger,1871; *olga* Romanoff,1882; *anna* Gerhard,1882.
- 1514) *Colias* (Neocolias) *erate* (Esper,[1805]) (Pieridae) Synonym(s): *erate* Esper,[1805]; *afghana* O.Bang-Haas,1927
- 1515) *Colias* (s.str.) *alfacariensis* Ribbe,1905 (Pieridae) Synonym(s): *alfacariensis* Ribbe,1905
- 1516) *Colias* (s.str.) *hyale* (Linnaeus,1758) (Pieridae) Synonym(s): *hyale* Linnaeus,1758; *#amdensis* Verity,[1911].
- 1517) *Collita griseola* (Hübner,[1803]) (Arctiidae) Synonym(s): *griseola* Hübner,[1803]; *plumbeolata* Stephens,1829; *stramineola* Doubleday,1847.
- 1518) *Colobaea punctata* (Lundbeck,1923) (Sciomyzidae) Synonym(s): *punctata* Lundbeck,1923

- 1519) Colobochyla (s.str.) salicalis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller],1775; *salicatus* Haworth,1809; *cinerea* Butler,1879.
- 1520) Colocasia coryli (Linnaeus,1758)** (Noctuidae) Synonym(s): *coryli* Linnaeus,1758; *gibbosa* Miller,1764
- 1521) Colostygia aptata (Hübner,[1813])** (Geometridae) Synonym(s): *aptata* Hübner,[1813]; *aptaria* Boisduval,1840; *suplata* Freyer,1840
- 1522) Colostygia aqueata (Hübner,[1813])** (Geometridae) Synonym(s): *aqueata* Hübner,[1813]; *lotaria* Boisduval,1840; *aquearia* Bruand,1846
- 1523) Colostygia austriacaria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *austriacaria* Herrich-Schäffer,1852
- 1524) Colostygia olivata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *olivata* [Denis & Schiffermüller],1775
- 1525) Colostygia pectinataria (Knoch,1781)** (Geometridae) Synonym(s): *viridaria* Fabricius,1775 nec Cl.,1759; *pectinataria* Knoch,1781
- 1526) Colostygia turbata (Hübner,[1799])** (Geometridae) Synonym(s): *lineolata* Fabricius,1794 nec Hbn.,1787; *turbata* Hübner,[1799]; *turbaria* Treitschke,1828; *lineolaria* Boisduval,1840
- 1527) Colotes flavicinctus Marseul,1868** (Melyridae) Synonym(s): *flavicinctus* Marseul,1868
- 1528) Colotes maculatus (Castelnau du Laporte,1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte,1836
- 1529) Colotes obsoletus Erichson,1840** (Melyridae) Synonym(s): *obsoletus* Erichson,1840
- 1530) Colotois pennaria (Linnaeus,1761)** (Geometridae) Synonym(s): *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809
- 1531) Colpoclypeus florus (Walker,1839)** (Eulophidae) Synonym(s): *florus* Walker,1839; *silvestrii* Lucchese,1941
- 1532) Comibaena bajularia ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pustulata* Hufnagel,1767 nec Müller,1764; *bajularia* [Denis & Schiffermüller],1775
- 1533) Conдика viscosa (Freyer,1831)** (Noctuidae) Synonym(s): *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980.
- 1534) Conistra (Dasyampa) erythrocephala (Fabricius,1787)** (Noctuidae) Synonym(s): *#erythrocephala* [Denis & Schiffermüller],1775; *erythrocephala* Fabricius,1787.
- 1535) Conistra (Dasyampa) rubiginea (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubiginea* [Denis & Schiffermüller],1775; *rubiginea* Fabricius,1787; *tigerina* Esper,[1791]; *pulverea* Hübner,[1803]
- 1536) Conistra (s.str.) ligula (Esper,1791)** (Noctuidae) Synonym(s): *ligula* Esper,[1791]
- 1537) Conistra (s.str.) ragusae (Failla-Tedaldi,1890)** (Noctuidae) Synonym(s): *ragusae* Failla-Tedaldi,1890
- 1538) Conistra (s.str.) rubiginosa (Scopoli,1763)** (Noctuidae) Synonym(s): *rubiginosa* Scopoli,1763; *silene* [Denis & Schiffermüller],1775; *vaupunctatum* Esper,[1786].
- 1539) Conistra (s.str.) torrida (Lederer,1857)** (Noctuidae) Synonym(s): *torrida* Lederer,1857
- 1540) Conistra (s.str.) vaccinii (Linnaeus,1761)** (Noctuidae) Synonym(s): *vaccinii* Linnaeus,1761; *polita* [Denis & Schiffermüller],1775; *spadicea* [Denis & Schiffermüller],1775
- 1541) Conistra (s.str.) veronicae (Hübner,[1813])** (Noctuidae) Synonym(s): *veronicae* Hübner,[1813]
- 1542) Conobathra repandana (Fabricius,1798)** (Pyralidae) Synonym(s): *repandana* Fabricius,1798; *tumidella* Zincken,1818; *zelleri* Ragonot,1888.
- 1543) Conobathra tumidana ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839.
- 1544) Conocephalus (s.str.) kisi Harz,1967** (Tettigoniidae) Synonym(s): *kisi* Harz,1967; *harzi* Willemse,1971
- 1545) Conocephalus (Xiphidion) fuscus (Fabricius,1793)** (Tettigoniidae) Synonym(s): *fuscus* Fabricius,1793; *discolor* Thunberg,1815; *thoracicus* Fischer von Waldheim,1846; *concolor* Bolivar,1878; *ponticus* Nedelkov,1907; *turanicus* Semenov,1916; *dilatatus* Ramme,1951
- 1546) Conomelus anceps (Germar,1821)** (Delphacidae) Synonym(s): *anceps* Germar,1821; *pictipennis* Curtis,1837; *signifera* Boheman,1845; *palliat* Boheman,1849
- 1547) Conomelus odryssius Dlabola,1965** (Delphacidae) Synonym(s): *odryssius* Dlabola,1965; *clavifer* Remane & Asche,1979
- 1548) Conophorus glaucescens (Loew,1863)** (Bombyliidae) Synonym(s): *glaucescens* Loew,1863; *#glaucesces* Hasbenli & Aktaş,1995
- 1549) Conops flavifrons Meigen,1824** (Conopidae) Synonym(s): *flavifrons* Meigen,1824; *pugioniformis* Becker,1913; *minor* Becker,1922; *kroeberi* Paramonov,1927; *immaculata* Paramonov,1927
- 1550) Conosanus obsoletus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum,1858; *sejungendus* Kirschbaum,1868; *covexus* Kirschbaum,1868; *sexpunctatus* Sahlberg,1871; *piceus* Scott,1875
- 1551) Copidosoma aithya (Walker,1837)** (Encyrtidae) Synonym(s): *aithya* Walker,1837; *hydramon* Walker,1848; *phalenarum* Thonson,1876; *kriechbaumeri* Mayr,1876; *quercicola* Mercet,1921; *salicina* Erdős,1956
- 1552) Copidosoma breviclava Hoffer,1970** (Encyrtidae) Synonym(s): *breviclava* Hoffer,1970
- 1553) Copidosoma floridanum (Ashmead,1900)** (Encyrtidae) Synonym(s): *floridanum* Ashmead,1900; *japonicum* Ashmead,1904; *javae* Girault,1917; *nippon* Girault,1917; *argentinus* Brèthes,1913; *calypso* Crawford,1914; *brasilensis* Brèthes,1920; *intermedia* Mercet,1921; *walshi* Mercet,1922; *maculata* Ishii,1928; *brethesi* Blanchard,1936; *daccaensis* Mani,1941; *phytometrae* Risbec,1951
- 1554) Copidosoma varicorne (Nees ab Esenbeck,1834)** (Encyrtidae) Synonym(s): *varicorne* Nees ab Esenbeck,1834; *sylliptae* Risbec,1951; *gallaephila* Risbec,1951; *annulata* Nikolskaya,1952; *clavellatus* Erdős,1960; *batorligetensis* Erdős,1960
- 1555) Copium clavicorne (Linnaeus,1758)** (Tingidae) Synonym(s): *clavicorne* Linnaeus,1758; *punctata* Lamarck,1816; *cornutum* Thunberg,1822
- 1556) Copium horvathi E.Wagner,1957** (Tingidae) Synonym(s): *horvathi* E.Wagner,1957
- 1557) Copium intermedium (Rey,1888)** (Tingidae) Synonym(s): *intermedium* Rey,1888
- 1558) Copium teucarii (Host,1788)** (Tingidae) Synonym(s): *teucarii* Host,1788; *lusitanicum* de Seabra,1924
- 1559) Coproica digitata (Duda,1918)** (Sphaeroceridae) Synonym(s): *digitata* Duda,1918
- 1560) Coproica ferruginata (Stenhammar,1855)** (Sphaeroceridae) Synonym(s): *ferruginata* Stenhammar,1855
- 1561) Coproica hirticula Collin,1956** (Sphaeroceridae) Synonym(s): *hirticula* Collin,1956
- 1562) Coproica vagans (Haliday,1833)** (Sphaeroceridae) Synonym(s): *vagans* Haliday,1833; *opacula* Stenhammar,1854; *albipennis* Rondani,1880; *flava* Duda,1918
- 1563) Copromyza (Borborillus) vitripennis (Meigen,1830)** (Sphaeroceridae) Synonym(s): *saniosa* Westring,1814; *vitripennis* Meigen,1830; *longipennis* Haliday,1836; *pilosiventris* Zetterstedt,1860
- 1564) Copromyza (Crumomyia) glabrifrons (Meigen,1830)** (Sphaeroceridae) Synonym(s): *glabrifrons* Meigen,1830; *limbinervis* Rondani,1880
- 1565) Copromyza (Crumomyia) nigra (Meigen,1830)** (Sphaeroceridae) Synonym(s): *nigra* Meigen,1830; *tuxeni* Collin,1954
- 1566) Coptocephala gebleri Gebler,1841** (Chrysomelidae) Synonym(s): *quadrinaculatus* Fabricius,1792 nec Linn.,1767; *gebleri* Gebler,1841; *amasiensis* Weise,1889; *inundata* Reitter,1905

- 1567) *Coptotriche marginata* (Haworth, [1828]) (Tischeriidae) Synonym(s): *marginata* Haworth, [1828]
 1568) *Coquillettia richiardi* (Ficalbi, 1889) (Culicidae) Synonym(s): *richiardi* Ficalbi, 1889; *nikolskyi* Shingarev, 1927
 1569) *Coranus contrarius* Reuter, 1881 (Reduviidae) Synonym(s): *contrarius* Reuter, 1881
 1570) *Coranus griseus* (Rossi, 1790) (Reduviidae) Synonym(s): *griseus* Rossi, 1790; *murinus* Rambur, 1840; *persicus* Wagner, 1952
 1571) *Coranus subapterus* (De Geer, 1775) (Reduviidae) Synonym(s): *subapterus* De Geer, 1775; *naevius* Gmelin, 1790; *dimidiatus* Turton, 1802; *pedestris* Wolff, 1811; *griseus* Hahn, 1833 nec Ross., 1790; *hahnii* Kolenati, 1857
 1572) *Coranus tuberculifer* Reuter, 1881 (Reduviidae) Synonym(s): *tuberculifer* Reuter, 1881
 1573) *Corcyra cephalonica* (Stainton, 1866) (Pyralidae) Synonym(s): *cephalonica* Stainton, 1866; *oeconomellus* Mann, 1872; *translineata* Hampson, 1901; *theobromae* Dyar, 1913; *lineata* Legrand, 1965
 1574) *Cordulegaster insignis* Schneider, 1845 (Cordulegasteridae) Synonym(s): *insignis* Schneider, 1845; *amasina* Morton, 1916
 1575) *Coremacera amoena* (Loew, 1853) (Sciomyzidae) Synonym(s): *amoena* Loew, 1853; *trivittata* Loew, 1860; *manni* Schiner, 1864
 1576) *Coremacera catenata* (Loew, 1847) (Sciomyzidae) Synonym(s): *catenata* Loew, 1847
 1577) *Coremacera marginata* (Fabricius, 1781) (Sciomyzidae) Synonym(s): *marginata* Fabricius, 1781; *pontica* Elberg, 1968
 1578) *Cornutiplusia circumflexa* (Linnaeus, 1767) (Noctuidae) Synonym(s): *circumflexa* Linnaeus, 1767; *lunata* Fabricius, 1787; *flexuosa* Donovan, 1807; *daubii* Freyer, 1838; *graphica* Herrich-Schäffer, 1851; *patefacta* Walker, [1858]; *reticulata* Moore, 1882; *clarescens* Pinker & Bacallado, 1975; *#unata* Kononenko & Pinratana, 2005
 1579) *Corynis caucasica* (Mocsary, 1886) (Cimbicidae) Synonym(s): *caucasica* Mocsary, 1886
 1580) *Corynis obscura* (Fabricius, 1775) (Cimbicidae) Synonym(s): *obscura* Fabricius, 1775; *valkanovi* Vassilev, 1969
 1581) *Coscinia cribraria* (Linnaeus, 1758) (Arctiidae) Synonym(s): *cribraria* Linnaeus, 1758; *cribrum* Linnaeus, 1761; *chrysocephala* Hübner, [1804]; *punctigera* Freyer, 1834; *sibirica* Staudinger, 1892; *bivittata* South, 1900; *fumidaria* O. Bang-Haas, 1927; *arenaria* Lempke, 1937; *nikitini* O. Bang-Haas, 1938; *pannonica* Daniel, 1955; ...
 1582) *Cosmia (Calymnia) trapezina* (Linnaeus, 1758) (Noctuidae) Synonym(s): *trapezina* Linnaeus, 1758
 1583) *Cosmia (s.str.) affinis* (Linnaeus, 1767) (Noctuidae) Synonym(s): *affinis* Linnaeus, 1767
 1584) *Cosmia (s.str.) confinis* Herrich-Schäffer, [1849] (Noctuidae) Synonym(s): *confinis* Herrich-Schäffer, [1849]; *rhodopsis* Boursin, 1962; *phaiopsis* Boursin, 1962.
 1585) *Cosmia (s.str.) diffinis* (Linnaeus, 1767) (Noctuidae) Synonym(s): *diffinis* Linnaeus, 1767
 1586) *Cosmia (s.str.) pyralina* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *pyralina* [Denis & Schiffermüller], 1775
 1587) *Cosmiotes consortella* (Stainton, 1851) (Elachistidae) Synonym(s): *consortella* Stainton, 1851; *roesslerella* Wocke, 1876; *exiguella* Frey, 1885
 1588) *Cosmopterix lienigiella* Lienig & Zeller, 1846 (Cosmopterigidae) Synonym(s): *lienigiella* Lienig & Zeller, 1846
 1589) *Cosmopterix orichalcea* Stainton, 1861 (Cosmopterigidae) Synonym(s): *orichalcea* Stainton, 1861; *singularis* Sinev, 1980
 1590) *Cosmopterix zieglerella* (Hübner, [1810]) (Cosmopterigidae) Synonym(s): *zieglerella* Hübner, [1810]; *eximia* Haworth, 1828
 1591) *Cosmorhoe ocellata* (Linnaeus, 1758) (Geometridae) Synonym(s): *ocellata* Linnaeus, 1758; *lynca* Fabricius, 1775; *lynceata* Fabricius, 1781; *ocellaria* Boisduval, 1840
 1592) *Cossus balcanicus* Lederer, 1863 (Cossidae) Synonym(s): *balcanicus* Lederer, 1863
 1593) *Cossus cossus* (Linnaeus, 1758) (Cossidae) Synonym(s): *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794
 1594) *Costaconvexa polygrammata* (Borkhausen, 1794) (Geometridae) Synonym(s): *polygrammata* Borkhausen, 1794; *polygrammaria* Haworth, 1809; *conjunctaria* Lederer, 1853; *#rosea* Wiltshire, 1946
 1595) *Cotesia ancilla* (Nixon, 1974) (Braconidae) Synonym(s): *ancilla* Nixon, 1974
 1596) *Cotesia geryonis* (Marshall, 1885) (Braconidae) Synonym(s): *geryonis* Marshall, 1885
 1597) *Cotesia glabrata* (Telenga, 1955) (Braconidae) Synonym(s): *glabrata* Telenga, 1955
 1598) *Cotesia kazak* (Telenga, 1949) (Braconidae) Synonym(s): *kazak* Telenga, 1949
 1599) *Cotesia kurdjumovi* (Telenga, 1955) (Braconidae) Synonym(s): *kurdjumovi* Telenga, 1955; *laverna* Nixon, 1974
 1600) *Cotesia lineola* (Curtis, 1830) (Braconidae) Synonym(s): *lineola* Curtis, 1830; *gabrielis* Gautier & Riel, 1919
 1601) *Cotesia memnon* (Nixon, 1974) (Braconidae) Synonym(s): *memnon* Nixon, 1974
 1602) *Cotesia ofella* (Nixon, 1974) (Braconidae) Synonym(s): *ofella* Nixon, 1974
 1603) *Cotesia saltatoria* (Balevski, 1980) (Braconidae) Synonym(s): *saltatoria* Balevski, 1980
 1604) *Cotesia setebis* (Nixon, 1974) (Braconidae) Synonym(s): *setebis* Nixon, 1974
 1605) *Cotesia telengai* (Tobias, 1972) (Braconidae) Synonym(s): *telengai* Tobias, 1972; *amabilis* Nixon, 1974
 1606) *Cotesia tetrica* (Reinhard, 1880) (Braconidae) Synonym(s): *tetrica* Reinhard, 1880
 1607) *Cotesia tibialis* (Curtis, 1830) (Braconidae) Synonym(s): *tibialis* Curtis, 1830
 1608) *Cotesia vanessae* (Reinhard, 1880) (Braconidae) Synonym(s): *vanessae* Reinhard, 1880
 1609) *Cowperia areolata* (Walker, 1872) (Encyrtidae) Synonym(s): *longicornis* Fonscolombe, 1832; *areolata* Walker, 1872; *niger* Masi, 1919
 1610) *Crambus lathoniellus* (Zincken, 1817) (Pyralidae) Synonym(s): *nemorellus* Hübner, [1813] nec Thunb., 1788; *lathoniellus* Zincken, 1817; *angustellus* Stephens, 1834; *alfacarellus* Staudinger, 1859; *altivolens* Schawerda, 1913; *marpurgensis* Strand, 1920.
 1611) *Crambus pascuellus* (Linnaeus, 1758) (Pyralidae) Synonym(s): *pascuella* Linnaeus, 1758; *scirpellus* Laharpe, 1864; *fumipalpellus* Mann, 1871; *acutulellus* Chrétien, 1896.
 1612) *Crambus perlellus* (Scopoli, 1763) (Pyralidae) Synonym(s): *perlellus* Scopoli, 1763; *dealbellus* Thunberg, 1788; *warringtonellus* Stainton, 1849.
 1613) *Crambus pratellus* (Linnaeus, 1758) (Pyralidae) Synonym(s): *pratellus* Linnaeus, 1758; *dumetellus* Hübner, [1813]; *saltalis* Hübner, [1825].
 1614) *Crambus scoticus* Westwood, 1849 (Pyralidae) Synonym(s): *scoticus* Westwood, 1849; *uliginosellus* Zeller, 1850; *#infuscatellus* Caradja, 1910
 1615) *Crambus silvellus* (Hübner, [1813]) (Pyralidae) Synonym(s): *silvellus* Hübner, [1813]; *adippellus* Zincken, 1817; *#adippalis* Hübner, [1825].
 1616) *Craniophora ligustri* (Fabricius, 1787) (Noctuidae) Synonym(s): *#ligustri* [Denis & Schiffermüller], 1775; *ligustri* Fabricius, 1787.
 1617) *Craniophora pontica* (Staudinger, 1879) (Noctuidae) Synonym(s): *pontica* Staudinger, 1879
 1618) *Crassa tinctella* (Hübner, 1796) (Oecophoridae) Synonym(s): *tinctella* Hübner, 1796
 1619) *Crataepus marbis* (Walker, 1839) (Eulophidae) Synonym(s): *marbis* Walker, 1839; *aquisgranensis* Förster, 1878; *fletcherii* Ashmead, 1892

- 1620) *Cratyna* (s.str.) *ambigua* (Lengersdorf,1934) (Sciaridae) Synonym(s): *ambigua* Lengersdorf,1934; *latiforceps* Bukowski & Lengersdorf,1936; *lignea* Lengersdorf,1941; *prima* Frey,1942
- 1621) *Cratyna* (s.str.) *betulae* (Mohrig & Mamaev,1992) (Sciaridae) Synonym(s): *betulae* Mohrig & Mamaev,1992
- 1622) *Creoleon plumbeus* (Olivier,1811) (Myrmeleontidae) Synonym(s): *plumbeus* Olivier,1811
- 1623) *Crepidodera nigricoxis* Allard,1878 (Chrysomelidae) Synonym(s): *nigricoxis* Allard,1878
- 1624) *Crioceris bicrucata* (Sahlberg,1823) (Chrysomelidae) Synonym(s): *bicrucata* Sahlberg,1823; *merkli* Pic,1909
- 1625) *Crocallis* (s.str.) *elinguaria* (Linnaeus,1758) (Geometridae) Synonym(s): *elinguaria* Linnaeus,1758; *trapezaria* Boisduval,1840
- 1626) *Crocallis* (s.str.) *tusciaria* (Borkhausen,1793) (Geometridae) Synonym(s): *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799]
- 1627) *Crociosema plebejana* Zeller,1847 (Tortricidae) Synonym(s): *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millière,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana* Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946.
- 1628) *Crocothemis erythraea* (Brullé,1832) (Libellulidae) Synonym(s): *victoria* Fourcroy,1785; *erythraea* Brullé,1832; *coccinea* Charpentier,1840; *lorti* Kirby,1896
- 1629) *Croesia bergmanniana* (Linnaeus,1758) (Tortricidae) Synonym(s): *bergmanniana* Linnaeus,1758; *rosana* Hübner,1822.
- 1630) *Croesia holmiana* (Linnaeus,1758) (Tortricidae) Synonym(s): *holmiana* Linnaeus,1758; *stellata* Fourcroy,1785; *stellatella* Villers,1789.
- 1631) *Crombruggia distans* (Zeller,1847) (Pterophoridae) Synonym(s): *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactuae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997.
- 1632) *Crombruggia laeta* (Zeller,1847) (Pterophoridae) Synonym(s): *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882.
- 1633) *Crombruggia tristis* (Zeller,1839) (Pterophoridae) Synonym(s): *tristis* Zeller,1839; *tristidactyla* Bruand,1858; *adamczewskii* Bigot & Picard,1988.
- 1634) *Crossotocera wagnerella* Zerny,1930 (Oecophoridae) Synonym(s): *wagnerella* Zerny,1930
- 1635) *Cryphia* (Bryoleuca) *ereptricula* (Treitschke,1825) (Noctuidae) Synonym(s): *ereptricula* Treitschke,1825
- 1636) *Cryphia* (Bryoleuca) *petricolor* (Lederer,1870) (Noctuidae) Synonym(s): *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937.
- 1637) *Cryphia* (Bryoleuca) *raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962
- 1638) *Cryphia* (Bryoleuca) *ravula* (Hübner,[1813]) (Noctuidae) Synonym(s): *ravula* Hübner,[1813]; *lupula* Hübner,[1813]; *trogodyta* Freyer,1832.
- 1639) *Cryphia* (Bryoleuca) *rectilinea* (W.Warren,1909) (Noctuidae) Synonym(s): *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962.
- 1640) *Cryphia* (Bryoleuca) *seladona* (Christoph,1885) (Noctuidae) Synonym(s): *seladona* Christoph,1885; *umovii* auct.
- 1641) *Cryphia* (Bryoleuca) *tephrocharis* Boursin,1954 (Noctuidae) Synonym(s): *tephrocharis* Boursin,1954
- 1642) *Cryphia* (Bryophila) *domestica* (Hufnagel,1766) (Noctuidae) Synonym(s): *domestica* Hufnagel,1766; *perla* [Denis & Schiffermüller],1775.
- 1643) *Cryphia* (Bryopsis) *amasina* (Draudt,1931) (Noctuidae) Synonym(s): *amasina* Draudt,1931
- 1644) *Cryphia* (Bryopsis) *muralis* (Forster,1771) (Noctuidae) Synonym(s): *muralis* Forster,1771; *lichenis* Fabricius,1775; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]; *viridior* Schawerda,1932
- 1645) *Cryphia* (Euthales) *algae* (Fabricius,1775) (Noctuidae) Synonym(s): *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *alni* Fabricius,1787; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813].
- 1646) *Cryphia* (Euthales) *ochsi* (Boursin,1941) (Noctuidae) Synonym(s): *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952
- 1647) *Cryphia* (s.str.) *fraudatricula* (Hübner,[1803]) (Noctuidae) Synonym(s): *fraudatricula* Hübner,[1803]
- 1648) *Cryphia* (s.str.) *receptricula* (Hübner,[1803]) (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 *nec* Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétries,1859.
- 1649) *Cryptoblabes bistriga* (Haworth,1811) (Pyralidae) Synonym(s): *bistriga* Haworth,1811
- 1650) *Cryptocephalus bicolor* Eschscholtz,1818 (Chrysomelidae) Synonym(s): *bicolor* Eschscholtz,1818; *concinus* Suffrian,1853
- 1651) *Cryptocephalus biledjekensis* Pic,1909 (Chrysomelidae) Synonym(s): *biledjekensis* Pic,1909
- 1652) *Cryptocephalus bipunctatus* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus,1758; *dispar* Paykull,1799
- 1653) *Cryptocephalus concolor* Suffrian,1847 (Chrysomelidae) Synonym(s): *concolor* Suffrian,1847
- 1654) *Cryptocephalus connexus* Olivier,1808 (Chrysomelidae) Synonym(s): *connexus* Olivier,1808
- 1655) *Cryptocephalus flavipes* Fabricius,1781 (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781
- 1656) *Cryptocephalus fulvus* (Goeze,1777) (Chrysomelidae) Synonym(s): *fulvus* Goeze,1777
- 1657) *Cryptocephalus imperialis* Laicharting,1781 (Chrysomelidae) Synonym(s): *imperialis* Laicharting,1781
- 1658) *Cryptocephalus moraei* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *moraei* Linnaeus,1758
- 1659) *Cryptocephalus ocellatus* Drapiez,1819 (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819
- 1660) *Cryptocephalus octacasmus* Bedel,1891 (Chrysomelidae) Synonym(s): *octacasmus* Bedel,1891
- 1661) *Cryptocephalus populi* Suffrian,1848 (Chrysomelidae) Synonym(s): *populi* Suffrian,1848
- 1662) *Cryptocephalus prusias* Suffrian,1853 (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853
- 1663) *Cryptocephalus pygmaeus* Fabricius,1792 (Chrysomelidae) Synonym(s): *pygmaeus* Fabricius,1792
- 1664) *Cryptocephalus signatifrons* Suffrian,1847 (Chrysomelidae) Synonym(s): *signatifrons* Suffrian,1847
- 1665) *Cryptocephalus trimaculatus* (Rossi,1790) (Chrysomelidae) Synonym(s): *trimaculatus* Rossi,1790
- 1666) *Cryptocephalus turcicus* Suffrian,1847 (Chrysomelidae) Synonym(s): *turcicus* Suffrian,1847; *pistaciae* Suffrian,1853
- 1667) *Cryptocephalus variceps* Weise,1884 (Chrysomelidae) Synonym(s): *variceps* Weise,1884
- 1668) *Cryptocochylis conjunctana* (Mann,1864) (Tortricidae) Synonym(s): *conjunctana* Mann,1864; *grapholitana* Kennel,1913.
- 1669) *Cryptus subspinosus* Burgst,1913 (Ichneumonidae) Synonym(s): *subspinosus* Burgst,1913
- 1670) *Ctenodasyptigia siciliensis* (Böttcher,1913) (Sarcophagidae) Synonym(s): *siciliensis* Böttcher,1913
- 1671) *Ctenotilla caeca* (Radoszkowski,1879) (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879; *pectinifera* André,1893; *obscura* Nonveiller,1959

- 1672) *Cucullia* (s.str.) *absinthii* (Linnaeus,1761)** (Noctuidae) Synonym(s): *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857
- 1673) *Cucullia* (s.str.) *anifurca* (Goeze,1781)** (Noctuidae) Synonym(s): *#lactucae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781.
- 1674) *Cucullia* (s.str.) *argentea* (Hufnagel,1766)** (Noctuidae) Synonym(s): *argentea* Hufnagel,1766
- 1675) *Cucullia* (s.str.) *argentina* (Fabricius,1787)** (Noctuidae) Synonym(s): *argentina* Fabricius,1787; *achalina* Püngeler,1900; *griseocens* F.Wagner,1931 nec Lch.,1900; *anatoliensis* Koçak,1980.
- 1676) *Cucullia* (s.str.) *artemisiae* (Hufnagel,1766)** (Noctuidae) Synonym(s): *artemisiae* Hufnagel,1766; *abrotani* [Denis & Schiffermüller],1775
- 1677) *Cucullia* (s.str.) *asteris* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#asteris* [Denis & Schiffermüller],1775
- 1678) *Cucullia* (s.str.) *biornata* Fischer v. Waldheim,1840** (Noctuidae) Synonym(s): *biornata* Fischer v. Waldheim,1840; *#lobnorica* Draudt,1934
- 1679) *Cucullia* (s.str.) *chamomillae* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822].
- 1680) *Cucullia* (s.str.) *formosa* Rogenhofer,1860** (Noctuidae) Synonym(s): *formosa* Rogenhofer,1860
- 1681) *Cucullia* (s.str.) *fraterna* Butler,1878** (Noctuidae) Synonym(s): *fraterna* Butler,1878
- 1682) *Cucullia* (s.str.) *fraudatrix* Eversmann,1837** (Noctuidae) Synonym(s): *fraudatrix* Eversmann,1837; *pontica* Boisduval,1840.
- 1683) *Cucullia* (s.str.) *lucifuga* (Hübner,[1803])** (Noctuidae) Synonym(s): *lucifuga* Hübner,[1803].
- 1684) *Cucullia* (s.str.) *mixta* Freyer,1841** (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846
- 1685) *Cucullia* (s.str.) *santonici* (Hübner,[1813])** (Noctuidae) Synonym(s): *santonici* Hübner,[1813]; *yuennanensis* Boursin,1941
- 1686) *Cucullia* (s.str.) *scopariae* Dorfmeister,1853** (Noctuidae) Synonym(s): *scopariae* Dorfmeister,1853
- 1687) *Cucullia* (s.str.) *tanacetii* (Goeze,1781)** (Noctuidae) Synonym(s): *tanacetii* Goeze,1781
- 1688) *Cucullia* (s.str.) *umbratica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
- 1689) *Cucullia* (s.str.) *xeranthemi* Boisduval,1840** (Noctuidae) Synonym(s): *xeranthemi* Boisduval,1840
- 1690) *Cucullia* (Shargacucullia) *blattariae* (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790]
- 1691) *Cucullia* (Shargacucullia) *gozmanyi* G.Ronkay & L.Ronkay,1994** (Noctuidae) Synonym(s): *gozmanyi* G.Ronkay & L.Ronkay,1994
- 1692) *Cucullia* (Shargacucullia) *lanceolata* (Villers,1789)** (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
- 1693) *Cucullia* (Shargacucullia) *lychnitis* (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833
- 1694) *Cucullia* (Shargacucullia) *prenanthis* Boisduval,1840** (Noctuidae) Synonym(s): *prenanthis* Boisduval,1840; *ceramanthea* Freyer,1844.
- 1695) *Cucullia* (Shargacucullia) *scrophulariae* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852
- 1696) *Cucullia* (Shargacucullia) *verbasci* (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 1697) *Culex* (Maillotia) *hortensis* Ficalbi,1889** (Culicidae) Synonym(s): *hortensis* Ficalbi,1889; *pilifera* Theobald,1907; *lavieri* Larrousse,1925
- 1698) *Culex* (s.str.) *mimeticus* Noe,1899** (Culicidae) Synonym(s): *mimeticus* Noe,1899; *pseudomimeticus* Sergent,1909
- 1699) *Culex* (s.str.) *pipiens* Linnaeus,1758** (Culicidae) Synonym(s): *pipiens* Linnaeus,1758; *bifurcatus* Linnaeus,1758; *fasciatus* Müller,1764; *molestus* Forskal,1775; *trifurcatus* Fabricius,1794; *luteus* Meigen,1804; *domesticus* Germar,1817; *bicolor* Meigen,1818; *marginalis* Stephens,1825; *meridionalis* Leach,1825; *thoracicus* R-D.,1827; *calcitrans* R-D.,1827; *consobrinus* R-D.,1827; *unistriatus* Curtis,1837; *pallipes* Macquart,1838; *rufinus* Bigot,1888; *phytophagus* Ficalbi,1889; *agilis* Bigot,1889; *haematophagus* Ficalbi,1893; *melanorhinus* Giles,1900; *longefurcatus* Becker,1903; *varioannulatus* Theobald,1903; *azorensis* Theobald,1903; *quasimodestus* Theobald,1905; *osakensis* Theobald,1907; *comitatus* Dyar & Knab,1909; *dipseticus* Dyar & Knab,1909; *doliorum* Edwards,1912; *autogenicus* Roubaud,1935; *berbericus* Roubaud,1935; *sternopallidus* Roubaud,1945; *sternopunctatus* Roubaud,1945; *disjunctus* Roubaud,1957; *calloti* Rioux & Pech,1959; *erectus* Iglisch,1977; *torridus* Iglisch,1977
- 1700) *Culex* (s.str.) *theileri* Theobald,1903** (Culicidae) Synonym(s): *theileri* Theobald,1903
- 1701) *Culicoides* *circumscripatus* Kieffer,1918** (Ceratopogonidae) Synonym(s): *circumscripatus* Kieffer,1918; *nadayanus* Kieffer,1918; *edwardsi* Goetghebuer,1921; *algarum* Kieffer,1924; *salicola* Kieffer,1924; *pictidorsum* Kieffer,1924; *albnotatus* Vimmer,1932 nec Kieff.,1918; *albosignatus* Vimmer,1932; *polymaculatus* Vimmer,1932; *kirovabadicus* Dzhabarov,1964
- 1702) *Culicoides* *imicola* Kieffer,1913** (Ceratopogonidae) Synonym(s): *imicola* Kieffer,1913; *pallidipennis* Carter,Ingram & Macfie,1920; *iraqensis* Khalaf,1957; *minutus* Sen & Das Gupta,1959; *pseudoturgidus* Das Gupta,1962
- 1703) *Culicoides* *pallidicornis* Kieffer,1919** (Ceratopogonidae) Synonym(s): *pallidicornis* Kieffer,1919; *susae* Kieffer,1919; *dileucus* Kieffer,1921; *haunneiscutellatus* Zilahi-Sebess,1933; *bruneoscutellatus* Zilahi-Sebess,1934; *niger* Root & Hoffman,1937
- 1704) *Culicoides* *pulcher* Zilahi-Sebess,1934** (Ceratopogonidae) Synonym(s): *pulcher* Zilahi-Sebess,1934
- 1705) *Culicoides* *saevus* Kieffer,1922** (Ceratopogonidae) Synonym(s): *saevus* Kieffer,1922; *dremskii* Zilahi-Sebess,1934; *puncticeps* Goetghebuer,1934; *micromaculithorax* Khalaf,1957
- 1706) *Culiseta* (Allotheobaldia) *longiareolata* (Macquart,1838)** (Culicidae) Synonym(s): *longiareolata* Macquart,1838; *spathipalpis* Rondani,1872; *leucogrammus* Loew,1874; *serratipes* Becker,1908; *marocanus* D'Anfreville,1916
- 1707) *Culiseta* (Culicella) *fumipennis* (Stephens,1825)** (Culicidae) Synonym(s): *fumipennis* Stephens,1825; *ficalbii* Noe,1899; *theobaldi* Meijere,1911; *setivalva* Monchadskii,1936
- 1708) *Culiseta* (s.str.) *annulata* (Schränk,1776)** (Culicidae) Synonym(s): *annulata* Schränk,1776; *annulatus* Fabricius,1787; *affinis* Stephens,1825; *nicaensis* Leach,1825; *ferruginata* Martini,1924
- 1709) *Cupedia* *cupediella* (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *cupediella* Herrich-Schäffer,1855
- 1710) *Cupido* (Everes) *alcetas* (Hoffmannsegg,1804)** (Lycaenidae) Synonym(s): *tiresias* Hübner,[1800] nec *tiresias* Rottemburg,1775; *alcetas* Hoffmannsegg,1804; *coretas* Ochsenheimer,1808.
- 1711) *Cupido* (Everes) *argiades* (Pallas,1771)** (Lycaenidae) Synonym(s): *argiades* Pallas,1771; *tiresias* Rottemburg,1775; *amyntas* [Denis & Schiffermüller],1775 nec Poda,1761; *irenae* Dujardin,1974.
- 1712) *Cupido* (Everes) *decoloratus* (Staudinger,1886)** (Lycaenidae) Synonym(s): *decoloratus* Staudinger,1886.
- 1713) *Cupido* (s.str.) *minimus* (Fuessly,1775)** (Lycaenidae) Synonym(s): *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schränk,1801.

- 1714) Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) Synonym(s): *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833].
- 1715) Cybosis mesomella (Linnaeus,1758)** (Arctiidae) Synonym(s): *mesomella* Linnaeus,1758; *eborina* Denis & Schiffermüller,1775; *quatrilis* Fourcroy,1785; *eremella* Vorbrod,1914
- 1716) Cyclophora albiocellaria (Hübner,1789)** (Geometridae) Synonym(s): *albiocellaria* Hübner,1789; *ocellaria* Hübner,1799; *argusaria* Boisduval,1840
- 1717) Cyclophora annularia (Fabricius,1775)** (Geometridae) Synonym(s): *annularia* Fabricius,1775; *annulata* Schulze,1775
- 1718) Cyclophora linearia (Hübner,[1799])** (Geometridae) Synonym(s): *zonata* Fourcroy,1785; *luteolaria* Villers,1789; *linearia* Hübner,[1799]; *strabonaria* Zeller,1851
- 1719) Cyclophora pendularia (Clerck,1759)** (Geometridae) Synonym(s): *pendularia* Clerck,1759; *orbicularia* Hübner,1799
- 1720) Cyclophora porata (Linnaeus,1767)** (Geometridae) Synonym(s): *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825
- 1721) Cyclophora punctaria (Linnaeus,1758)** (Geometridae) Synonym(s): *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
- 1722) Cyclophora puppillaria (Hübner,[1799])** (Geometridae) Synonym(s): *puppillaria* Hübner,[1799].
- 1723) Cyclophora quercimontaria (Bastelberger,1897)** (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrospararia* Scoble,1999; *privataria* Scoble,1999
- 1724) Cyclophora ruficiliaria (Herrich-Schäffer,[1855])** (Geometridae) Synonym(s): *ruficiliaria* Herrich-Schäffer,[1855]
- 1725) Cyclophora suppunctaria (Zeller,1847)** (Geometridae) Synonym(s): *suppunctaria* Zeller,1847
- 1726) Cynia luctuosa (Geyer,[1833])** (Arctiidae) Synonym(s): *luctuosa* Geyer,[1833]; *lugubris* Herrich-Schäffer,[1844]; *djamila* Schawerda,1910.
- 1727) Cydia amplana (Hübner,[1799])** (Tortricidae) Synonym(s): *amplana* Hübner,[1799]; *molybdana* Constant,1884
- 1728) Cydia coronillana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): ? *turcica* Fourcroy,1785; *coronillana* Lienig & Zeller,1846; *moldovana* Caradja,1899
- 1729) Cydia duplicana (Zetterstedt,1839)** (Tortricidae) Synonym(s): ? *dahlana* Frölich,1828; *duplicana* Zetterstedt,1839; *#interruptana* Herrich-Schäffer,1848; *interruptana* Herrich-Schäffer,1851
- 1730) Cydia fissana (Frölich,1828)** (Tortricidae) Synonym(s): *fissana* Frölich,1828; *divisana* Duponchel,1836; *diffusana* Herrich-Schäffer,1851
- 1731) Cydia illutana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *illutana* Herrich-Schäffer,1851; *ibzeliana* Karpinski,1962
- 1732) Cydia inquinatana (Hübner,[1799])** (Tortricidae) Synonym(s): *inquinatana* Hübner,[1799]
- 1733) Cydia lathyrana (Hübner,[1813])** (Tortricidae) Synonym(s): *lathyrana* Hübner,[1813]; *scopariana* Herrich-Schäffer,1851; *stelliferana* Peyerimhoff,1863; *krausiana* Standfuss,1881
- 1734) Cydia microgrammana (Guenée,1845)** (Tortricidae) Synonym(s): *microgrammana* Guenée,1845
- 1735) Cydia molesta (Busck,1916)** (Tortricidae) Synonym(s): *molesta* Busck,1916
- 1736) Cydia orobana (Treitschke,1830)** (Tortricidae) Synonym(s): *orobana* Treitschke,1830; *strandiana* Fuchs,1901; *persicana* Osthelder,1938
- 1737) Cydia pomonella (Linnaeus,1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859
- 1738) Cydia pyrivora Danilevsky,1947** (Tortricidae) Synonym(s): *pyrivora* Danilevsky,1947; *dannehli* Obratsov,1950
- 1739) Cydia semicinctana (Kennel,1901)** (Tortricidae) Synonym(s): *semicinctana* Kennel,1901
- 1740) Cydia succedana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] nec [Den. & Schiff.],1775; *griseana* Osthelder,1938
- 1741) Cydia tenebrosana (Duponchel,1843)** (Tortricidae) Synonym(s): *tenebrosana* Duponchel,1843; *roseticolana* Zeller,1849
- 1742) Cydia triangulella (Goeze,1783)** (Tortricidae) Synonym(s): *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *#glandella* Schrank,1802; *reaumurana* Heyden,1860
- 1743) Cydia ulicetana (Haworth,[1811])** (Tortricidae) Synonym(s): *ulicetana* Haworth,[1811]; *consequana* Zeller,1847; *micaceana* Constant,1865.
- 1744) Cyllindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae) Synonym(s): *arenaria* Fuessli,1775
- 1745) Cyllindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata* Dejean,1822
- 1746) Cyllindera (s.str.) germanica (Linnaeus,1758)** (Carabidae) Synonym(s): *germanica* Linnaeus,1758
- 1747) Cyllindromyia (Calocyptera) intermedia (Meigen,1824)** (Tachinidae) Synonym(s): *intermedia* Meigen,1824
- 1748) Cyllindromyia (Conopisoma) rufipes (Meigen,1824)** (Tachinidae) Synonym(s): *rufipes* Meigen,1824; *nigra* Villeneuve,1918 nec Big.,1885
- 1749) Cyllindromyia (Neocyptera) hermonensis Kugler,1974** (Tachinidae) Synonym(s): *hermonensis* Kugler,1974
- 1750) Cyllindromyia (Neocyptera) interrupta (Meigen,1824)** (Tachinidae) Synonym(s): *interrupta* Meigen,1824
- 1751) Cyllindromyia (s.str.) brassicaria (Fabricius,1775)** (Tachinidae) Synonym(s): *brassicaria* Fabricius,1775; *boscii* R-D.,1830; *trinacrina* Bigot,1878; *sapporensis* Matsumura,1916
- 1752) Cyllindromyia crassa (Loew,1845)** (Tachinidae) Synonym(s): *crassa* Loew,1845
- 1753) Cyllindromyia pilipes (Loew,1844)** (Tachinidae) Synonym(s): *pilipes* Loew,1844
- 1754) Cyllindromyia rufifrons (Loew,1844)** (Tachinidae) Synonym(s): *rufifrons* Loew,1844
- 1755) Cyllindromyia xylotina (Egger,1860)** (Tachinidae) Synonym(s): *xylotina* Egger,1860
- 1756) Cymatophorima diluta ([Denis & Schiffermüller],1775)** (Thyatiridae) Synonym(s): *diluta* [Denis & Schiffermüller],1775; *fasciculosa* Borkhausen,1790; *bistrigata* Borkhausen,1790; *hartwiegi* Reisser,1927
- 1757) Cymbalophora rivularis (Ménétriés,1832)** (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
- 1758) Cymolomia hartigiana (Saxen,1840)** (Tortricidae) Synonym(s): *hartigiana* Saxen,1840; *faillana* Fuchs,1903
- 1759) Cynaeda dentalis ([Denis & Schiffermüller],1775)** (Pylalidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
- 1760) Cynips agama Hartig,1840** (Cynipidae) Synonym(s): *agama* Hartig,1840; *mailleti* Folliot,1964
- 1761) Cynips cornifex Hartig,1843** (Cynipidae) Synonym(s): *cornifex* Hartig,1843
- 1762) Cynips disticha Hartig,1840** (Cynipidae) Synonym(s): *disticha* Hartig,1840; *indistincta* Niblett,1948
- 1763) Cynips longiventris Hartig,1840** (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930
- 1764) Cynips quercusfolii (Linnaeus,1758)** (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaenidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870

- 1765) *Cyrtosus ovalis* (Laporte, 1838) (Melyridae) Synonym(s): *ovalis* Laporte, 1838
- 1766) *Cytherea obscura* Fabricius, 1794 (Bombyliidae) Synonym(s): *obscura* Fabricius, 1794; *tauriacus* Becker, 1903
- 1767) *Dahlbominus fuscipennis* (Zetterstedt, 1838) (Eulophidae) Synonym(s): *fuscipennis* Zetterstedt, 1838
- 1768) *Dailognatha caraboides* Solier, 1835 (Tenebrionidae) Synonym(s): *caraboides* Solier, 1835; *audouini* Solier, 1835; *caucasica* Desbrochers, 1881
- 1769) *Dalmannia aculeata* (Linnaeus, 1761) (Conopidae) Synonym(s): *aculeata* Linnaeus, 1761; *gemina* Weidemann, 1824; *meridionalis* R-D., 1830; *australis* Macquart, 1835; *desponsata* Rondani, 1857; *nigrifemorata* Paramonov, 1927
- 1770) *Dalmannia punctata* (Fabricius, 1794) (Conopidae) Synonym(s): *punctata* Fabricius, 1794; *virens* Meigen, 1804
- 1771) *Daphnis nerii* (Linnaeus, 1758) (Sphingidae) Synonym(s): *nerii* Linnaeus, 1758; *infernelutea* Saalmüller, 1884; *#confluens* Closs, 1912; *#nigra* Schmidt, 1914; *bipartita* Gehlen, 1934.
- 1772) *Dasycorsa modesta* (Staudinger, 1879) (Geometridae) Synonym(s): *modesta* Staudinger, 1879
- 1773) *Dasylabris (Craspedopyga) mandersternii* (Radoszkowski, 1865) (Mutillidae) Synonym(s): *mandersternii* Radoszkowski, 1865; *cyprina* Sichel & Radoszkowski, 1870 [ssp.]
- 1774) *Dasylabris (s.str.) maura* (Linnaeus, 1758) (Mutillidae) Synonym(s): *maura* Linnaeus, 1758
- 1775) *Dasyopogon diadema* (Fabricius, 1781) (Asilidae) Synonym(s): *diadema* Fabricius, 1781; *punctatus* Fabricius, 1781; *bohemicus* Preyssler, 1790; *analys* Fabricius, 1794; *cylindrica* Fabricius, 1794; *nervosus* Meigen, 1804; *liburnicus* Germar, 1817; *fasciatus* Meigen, 1820; *umbrosus* Brullé, 1832; *sicanus* Costa, 1853; *rubidus* Hermann, 1906
- 1776) *Dasytopia (s.str.) templi* (Thunberg, 1792) (Noctuidae) Synonym(s): *templi* Thunberg, 1792; *alpina* Rogenhofer, 1866; *caflischi* Rühl, 1892; *banghaasi* Turati, 1909.
- 1777) *Dasyrhamphis ater* (Rossi, 1790) (Tabanidae) Synonym(s): *ater* Rossi, 1790; *fuscatus* Macquart, 1826; *transiens* Walker, 1848
- 1778) *Dasyrhamphis umbrinus* (Meigen, 1820) (Tabanidae) Synonym(s): *umbrinus* Meigen, 1820; *istriensis* Meigen, 1820; *maculipennis* Brullé, 1832; *atavina* Enderlein, 1925
- 1779) *Dasytes bulgaricus* Pic, 1903 (Melyridae) Synonym(s): *bulgaricus* Pic, 1903
- 1780) *Dasytes moniliatus* Kiesenwetter, 1863 (Melyridae) Synonym(s): *moniliatus* Kiesenwetter, 1863
- 1781) *Dasytes niger* (Linnaeus, 1761) (Melyridae) Synonym(s): *niger* Linnaeus, 1761; *villosus* Olivier, 1790; *palustris* Fiori, 1906
- 1782) *Dasytes orientalis* Schilsky, 1894 (Melyridae) Synonym(s): *orientalis* Schilsky, 1894
- 1783) *Dasytes plumbeus* (O.F.Müller, 1776) (Melyridae) Synonym(s): *plumbeus* O.F.Müller, 1776
- 1784) *Dasytiscus affinis* Morawitz, 1861 (Melyridae) Synonym(s): *affinis* Morawitz, 1861
- 1785) *Dasytroma salicella* (Hübner, 1796) (Oecophoridae) Synonym(s): *salicella* Hübner, 1796; *salicis* Haworth, 1828; *rufocrinitalis* Zetterstedt, 1839
- 1786) *Decticus albifrons* (Fabricius, 1793) (Tettigoniidae) Synonym(s): *albifrons* Fabricius, 1793; *aeolicus* Guarino, 1935
- 1787) *Decticus verrucivorus* (Linnaeus, 1758) (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus, 1758; *rubicundus* De Geer, 1778; *hastatus* Fischer von Waldheim, 1839; *radiata* Fischer von Waldheim, 1846
- 1788) *Deilephila elpenor* (Linnaeus, 1758) (Sphingidae) Synonym(s): *elpenor* Linnaeus, 1758
- 1789) *Deilephila porcellus* (Linnaeus, 1758) (Sphingidae) Synonym(s): *porcellus* Linnaeus, 1758
- 1790) *Delia platura* Meigen, 1826 (Anthomyiidae) Synonym(s): *platura* Meigen, 1826
- 1791) *Delphacodes audrasi* Ribaut, 1954 (Delphacidae) Synonym(s): *audrasi* Ribaut, 1954; *linnavuorii* LeQuesne, 1960
- 1792) *Delta unguiculatum* (Villers, 1789) (Vespidae) Synonym(s): *unguiculatum* Villers, 1789; *coangustata* Rossi, 1790; *cursor* Christ, 1791; *lapidica* Christ, 1791; *infundibuliformis* Olivier, 1791; *dumetorum* Panzer, 1799; *olivieri* Lepeletier, 1841; *huberti* Saussure, 1852; *sporadense* Schulthess, 1929
- 1793) *Deltocephalus horvathi* Joakimov, 1909 (Cicadellidae) Synonym(s): *horvathi* Joakimov, 1909
- 1794) *Deltocephalus pulicaris* (Fallén, 1806) (Cicadellidae) Synonym(s): *pulicaris* Fallén, 1806; *convexus* Rey, 1894; *fumigatus* Rey, 1894
- 1795) *Deltote bankiana* (Fabricius, 1775) (Noctuidae) Synonym(s): *bankiana* Fabricius, 1775; *olivana* [Denis & Schiffermüller], 1775; *olivea* Hübner, [1813]; *amurula* Staudinger, 1892; *albescens* Draudt, 1935; *uniformis* Draudt, 1935.
- 1796) *Deltote uncula* (Clerck, 1759) (Noctuidae) Synonym(s): *uncula* Clerck, 1759
- 1797) *Dendrolimus pini* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *pini* Linnaeus, 1758; *paulae* Daniel, 1959; *adriatica* Micheli, 1959
- 1798) *Denisia augustella* (Hübner, 1796) (Oecophoridae) Synonym(s): *augustella* Hübner, 1796; *augusta* Haworth, 1828; *tillicolella* Bruand, 1859
- 1799) *Denisia stipella* (Linnaeus, 1758) (Oecophoridae) Synonym(s): *stipella* Linnaeus, 1758; *accessella* [Denis & Schiffermüller], 1775; *sulphurella* Hübner, [1813]; *tigrella* Hübner, [1813]; *westermannella* Zetterstedt, 1839; *stipivicinella* Bruand, 1859; *haydenella* Chambers, 1877
- 1800) *Denticollis rubens* Piller & Mitterpacher, 1783 (Elateridae) Synonym(s): *rubens* Piller & Mitterpacher, 1783
- 1801) *Dentilla erronea* (André, 1902) (Mutillidae) Synonym(s): *erronea* André, 1902
- 1802) *Deporaus betulae* (Linnaeus, 1758) (Attelabidae) Synonym(s): *betulae* Linnaeus, 1758; *populi* Scopoli, 1763; *fagi* Scopoli, 1763; *femoratus* Olivier, 1789; *populneus* Gmelin, 1790; *femoralis* Latreille, 1804
- 1803) *Depressaria absynthiella* Herrich-Schäffer, 1865 (Oecophoridae) Synonym(s): *absynthiella* Herrich-Schäffer, 1865
- 1804) *Depressaria discipunctella* Herrich-Schäffer, 1854 (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer, 1854
- 1805) *Depressaria douglasella* Stainton, 1849 (Oecophoridae) Synonym(s): *douglasella* Stainton, 1849
- 1806) *Depressaria marcella* Rebel, 1901 (Oecophoridae) Synonym(s): *marcella* Rebel, 1901; *cuprinella* Walsingham, 1907; *marcidella* Walsingham, 1907; *cruenta* Meyrick, 1920; *chneuriella* Lucas, 1940
- 1807) *Depressaria pantheri* Rebel, 1904 (Oecophoridae) Synonym(s): *pantheri* Rebel, 1904
- 1808) *Depressotetrix depressa* (Brisout, 1848) (Tetrigidae) Synonym(s): *depressa* Brisout, 1848; *acuminata* Brisout, 1850; *charpentieri* Fieber, 1853; *elevata* Fieber, 1853; *rudis* Walker, 1971; *turcicus* Demirsoy, 1977
- 1809) *Dermestes (Dermestinus) intermedius* Kalik, 1951 (Dermestidae) Synonym(s): *intermedius* Kalik, 1951
- 1810) *Dermestes (Dermestinus) kaszabi* Kalik, 1950 (Dermestidae) Synonym(s): *kaszabi* Kalik, 1950
- 1811) *Dermestes (Dermestinus) leopardinus* Mulsant & Godart, 1855 (Dermestidae) Synonym(s): *leopardinus* Mulsant & Godart, 1855
- 1812) *Derocrepis rhilensis* Gruev, 1974 (Chrysomelidae) Synonym(s): *rhilensis* Gruev, 1974
- 1813) *Derocrepis rhodopensis* Gruev, 1973 (Chrysomelidae) Synonym(s): *rhodopensis* Gruev, 1973
- 1814) *Derocrepis serbica* (Kutschera, 1860) (Chrysomelidae) Synonym(s): *serbica* Kutschera, 1860; *strangulata* Allard, 1860; *bicolor* Weise, 1886
- 1815) *Derocrepis slavica* Gruev, 1979 (Chrysomelidae) Synonym(s): *slavica* Gruev, 1979
- 1816) *Deronectes latus* (Fairmaire, 1858) (Dytiscidae) Synonym(s): *latus* Fairmaire, 1858
- 1817) *Deronectes moestus* (Fairmaire, 1858) (Dytiscidae) Synonym(s): *moestus* Fairmaire, 1858
- 1818) *Deronectes parvicollis* (Schaum, 1864) (Dytiscidae) Synonym(s): *parvicollis* Schaum, 1864

- 1819) Deronectes platynotus (Germar,1834)** (Dytiscidae) Synonym(s): *platynotus* Germar,1834
- 1820) Derula flavoguttata Mulsant & Rey,1856** (Pentatomidae) Synonym(s): *flavoguttata* Mulsant & Rey,1856; *oculatum* Baerensprung,1858
- 1821) Deuterotinea balcanica Zagulyaev,1972** (Eriocottidae) Synonym(s): *balcanica* Zagulyaev,1972
- 1822) Diachrysia chrysis (Linnaeus,1758)** (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758
- 1823) Diachrysia chryson (Esper,[1789])** (Noctuidae) Synonym(s): *chryson* Esper,[1789]; *aerifera* Sowerby,1805
- 1824) Diachrysia tutti (Kostrowicki,1961)** (Noctuidae) Synonym(s): *tutti* Kostrowicki,1961
- 1825) Diacrisia sannio (Linnaeus,1758)** (Arctiidae) Synonym(s): *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892.
- 1826) Dialectica soffneri (Gregor & Povolny,1965)** (Gracillariidae) Synonym(s): *soffneri* Gregor & Povolny,1965
- 1827) Diaphora mendica (Linnaeus,1761)** (Arctiidae) Synonym(s): *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791]
- 1828) Diarsia brunnea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#brunnea* [Denis & Schiffermüller],1775
- 1829) Diarsia florida (Schmidt,1859)** (Noctuidae) Synonym(s): *florida* Schmidt,1859
- 1830) Diarsia mendica (Fabricius,1775)** (Noctuidae) Synonym(s): *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933.
- 1831) Diarsia rubi (Vieweg,1790)** (Noctuidae) Synonym(s): *rubi* Vieweg,1790; *radica* Esper,[1790]; *bella* Borkhausen,1792 *nec* Linn.,1758; *quadratum* Hübner,[1813]; *posticata* Walker,[1858].
- 1832) Diasemia reticularis (Linnaeus,1761)** (Pyralidae) Synonym(s): *reticularis* Linnaeus,1761; *litterata* Scopoli,1763
- 1833) Diasemiopsis ramburialis (Duponchel,1831)** (Pyralidae) Synonym(s): *ramburialis* Duponchel,1831; *melaleucalis* Walker,1859; *reconditalis* Walker,[1866]; *leucophaealis* Walker,[1866].
- 1834) Dibolia carpathica Weise,1893** (Chrysomelidae) Synonym(s): *carpathica* Weise,1893; *transcaucasica* Khnzorian,1968
- 1835) Dibolia phoenicia Allard,1866** (Chrysomelidae) Synonym(s): *phoenicia* Allard,1866
- 1836) Dicallomera fascelina (Linnaeus,1758)** (Lymantriidae) Synonym(s): *fascelina* Linnaeus,1758; *medicaginis* Hübner,[1803]; *danieli* De Freina,1979.
- 1837) Diceratura ostrinana (Guenée,1845)** (Tortricidae) Synonym(s): *ostrinana* Guenée,1845; *purpuratana* Herrich-Schäffer,[1851].
- 1838) Dichagyris (Grisyigoga) candelisequa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962.
- 1839) Dichagyris (s.str.) melanura (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
- 1840) Dichagyris (s.str.) renigera (Hübner,[1808])** (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebis* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930.
- 1841) Dichagyris (Yigoga) flavina (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer,[1852]; *ochrina* Staudinger,1898; *pretiosa* Caradja,1931.
- 1842) Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980.
- 1843) Dichagyris (Yigoga) nigrescens (Hofner,1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner,1888
- 1844) Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775
- 1845) Dichelia histrionana (Frölich,1828)** (Tortricidae) Synonym(s): *pinana* [Denis & Schiffermüller],1775; *histrionana* Frölich,1828; *stygiانا* Rebel,1929
- 1846) Dichetophora finlandica Verbeke,1964** (Sciomyzidae) Synonym(s): *finlandica* Verbeke,1964
- 1847) Dichomeris derasella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *derasella* [Denis & Schiffermüller],1775; *fasciella* Hübner,1796; *unguiculatus* Fabricius,1798; *coreana* Matsumura,1931; *paranthes* Meyrick,1936
- 1848) Dichomeris juniperella (Linnaeus,1761)** (Gelechiidae) Synonym(s): *juniperella* Linnaeus,1761; *juniperi* Haworth,1828.
- 1849) Dichomeris marginella (Fabricius,1781)** (Gelechiidae) Synonym(s): *marginella* Fabricius,1781; *fimbriella* Thunberg,1788; *striatella* Hübner,1796 *nec* [Denis & Schiff.],1775; *marginata* Fabricius,1798; *clarella* Treitschke,1833.
- 1850) Dichomeris ustalella (Fabricius,1794)** (Gelechiidae) Synonym(s): *ustalella* Fabricius,1794; *capucinella* Hübner,1796; *ustulatus* Fabricius,1798; *cornatus* Fabricius,1798; *burgundiellus* Bruand,1859.
- 1851) Dichonia (Gripesia) aprilina (Linnaeus,1758)** (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 1852) Dichonia (Gripesia) pinkeri Kobes,1973** (Noctuidae) Synonym(s): *pinker Kobes*,1973
- 1853) Dichonia (Gripesia) wegneri Kobes & Fibiger,2003** (Noctuidae) Synonym(s): *wegneri* Kobes & Fibiger,2003
- 1854) Dichonia (s.str.) aeruginea (Hübner,[1803])** (Noctuidae) Synonym(s): *aeruginea* Hübner,[1803]; *miroleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913.
- 1855) Dichonia (s.str.) convergens ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791]
- 1856) Dichrorampha alpinana (Treitschke,1830)** (Tortricidae) Synonym(s): *alpinana* Treitschke,1830; *quaestionana* Zeller,1878
- 1857) Dichrorampha harpeana Frey,1870** (Tortricidae) Synonym(s): *harpeana* Frey,1870; *andorraensis* Huemer,1993
- 1858) Dichrorampha incognitana (Kremky & Maslowski,1933)** (Tortricidae) Synonym(s): *incognitana* Kremky & Maslowski,1933; *zermattana* Weber,1945
- 1859) Dichrorampha incursana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *incursana* Herrich-Schäffer,1851
- 1860) Dichrorampha ligulana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *ligulana* Herrich-Schäffer,1851; *plusiana* Staudinger,1871; *obliterana* Müller-Rutz,1934
- 1861) Dichrorampha montanana (Duponchel,1843)** (Tortricidae) Synonym(s): *montanana* Duponchel,1843; *alpestrana* Zeller,1843; *tanacetii* Stainton,1857; *monticolana* Heinemann,1863; *herbosana* Barrett,1872; *blasiana* Kennel,1919; *modestana* Müller-Rutz,1922; *olivacea* Müller-Rutz,1934
- 1862) Dichrorampha plumbagana (Treitschke,1830)** (Tortricidae) Synonym(s): *plumbagana* Treitschke,1830; *salicetana* Prittwitz,1844; *subsequana* Wocke,1871
- 1863) Dichrorampha plumbana (Scopoli,1763)** (Tortricidae) Synonym(s): *plumbana* Scopoli,1763; *saturnana* Guenée,1845; *ulicana* Guenée,1845; *blepharana* Herrich-Schäffer,1851; *rejectana* La Harpe,1858; *resplendana* Heinemann,1863
- 1864) Dichrorampha rilana Drenowski,1909** (Tortricidae) Synonym(s): *rilana* Drenowski,1909; *#rylana* Drenowski,1909
- 1865) Dichrorampha senectana Guenée,1845** (Tortricidae) Synonym(s): *senectana* Guenée,1845; *pseudocinerosana* Obraztsov,1958
- 1866) Dichrorampha typhlodes (Meyrick,1931)** (Tortricidae) Synonym(s): *typhlodes* Meyrick,1931

- 1867) *Dicraeus beschovskii* Nartshuk, 2010 (Chloropidae) Synonym(s): *beschovskii* Nartshuk, 2010
- 1868) *Dicraeus ingratus* (Loew, 1866) (Chloropidae) Synonym(s): *ingratus* Loew, 1866
- 1869) *Dicraeus sabroskyi* Beschovsky, 1977 (Chloropidae) Synonym(s): *sabroskyi* Beschovsky, 1977
- 1870) *Dicraeus vagans* (Meigen, 1838) (Chloropidae) Synonym(s): *vagans* Meigen, 1838; *xanthopygus* Strobl, 1909
- 1871) *Dicraeus valkanovi* Beschovsky, 1982 (Chloropidae) Synonym(s): *valkanovi* Beschovsky, 1982
- 1872) *Dicranocephalus setulosus* (Ferrari, 1874) (Stenocephalidae) Synonym(s): *setulosus* Ferrari, 1874
- 1873) *Dicranomyia* (Glochina) *sericata* (Meigen, 1830) (Limoniidae) Synonym(s): *sericata* Meigen, 1830; *glabrata* Walker, 1856; *croatica* Egger, 1863
- 1874) *Dicranomyia* (Glochina) *transsilvanica* Lackschewitz, 1928 (Limoniidae) Synonym(s): *transsilvanica* Lackschewitz, 1928
- 1875) *Dicranomyia* (Glochina) *tristis* (Schummel, 1829) (Limoniidae) Synonym(s): *tristis* Schummel, 1829; *subtristis* Alexander, 1924; *retroflexa* Bangerter, 1948
- 1876) *Dicranomyia* (Melanolimonia) *morio* (Fabricius, 1787) (Limoniidae) Synonym(s): *morio* Fabricius, 1787; *leucocephala* Meigen, 1818; *reperta* Walker, 1848; *pauliani* Séguin, 1941
- 1877) *Dicranomyia* (Numantia) *fusca* (Meigen, 1804) (Limoniidae) Synonym(s): *fusca* Meigen, 1804; *atra* Macquart, 1826; *laevigata* Macquart, 1826; *turpis* Walker, 1856; *pubipennis* Osten Sacken, 1860; *pilipennis* Egger, 1863
- 1878) *Dicranomyia* (s.str.) *chorea* (Meigen, 1818) (Limoniidae) Synonym(s): *#lutea* Meigen, 1804; *chorea* Meigen, 1818; *quadra* Meigen, 1838; *flavicollis* Becker, 1908; *longipes* Santos Abreu, 1923; *vidua* Santos Abreu, 1923; *grisescens* Lackschewitz, 1928; *lutescens* Lackschewitz, 1928
- 1879) *Dicranomyia* (s.str.) *kamakensis* Stary, 1993 (Limoniidae) Synonym(s): *kamakensis* Stary, 1993
- 1880) *Dicranomyia* (s.str.) *longipennis* (Schummel, 1829) (Limoniidae) Synonym(s): *longipennis* Schummel, 1829; *immemor* Osten Sacken, 1861; *tiefii* Strobl, 1900
- 1881) *Dicranomyia* (s.str.) *lucida* De Meijere, 1918 (Limoniidae) Synonym(s): *lucida* De Meijere, 1918
- 1882) *Dicranomyia* (s.str.) *mitis* (Meigen, 1830) (Limoniidae) Synonym(s): *mitis* Meigen, 1830; *excisa* Walker, 1848; *unicolor* Strobl, 1898; *maculosa* Strobl, 1900; *lutea* Lackschewitz, 1928; *infusca* Lackschewitz, 1928; *imbecilla* Lackschewitz, 1941; *hygropetrica* Vaillant, 1952
- 1883) *Dicranomyia* (s.str.) *modesta* (Meigen, 1818) (Limoniidae) Synonym(s): *modesta* Meigen, 1818; *simplex* Meigen, 1830; *nova* Meigen, 1830; *takahashii* Alexander, 1920; *spinicauda* Alexander, 1924
- 1884) *Dicranomyia* (s.str.) *ornata* (Meigen, 1818) (Limoniidae) Synonym(s): *ornata* Meigen, 1818
- 1885) *Dicranomyia* (s.str.) *sera* (Walker, 1848) (Limoniidae) Synonym(s): *sera* Walker, 1848; *disjuncta* Walker, 1848; *globata* Walker, 1848; *forcipula* De Meijere, 1918; *discors* Kuntze, 1919; *erostrata* Alexander, 1930
- 1886) *Dicranomyia* (s.str.) *signatella* Stary & Freidberg, 2007 (Limoniidae) Synonym(s): *modesta* Lackschewitz & Pagast, 1941 nec Meig., 1818; *signata* Lackschewitz & Pagast, 1941 (praeocc.); *signatella* Stary & Freidberg, 2007
- 1887) *Dicranomyia* (s.str.) *ventralis* (Schummel, 1829) (Limoniidae) Synonym(s): *ventralis* Schummel, 1829; *simplex* Brunetti, 1912; *perserotina* Alexander, 1945; *pristomera* Alexander, 1968
- 1888) *Dicranophragma* (Brachylimnophila) *nemorale* (Meigen, 1818) (Limoniidae) Synonym(s): *nemorale* Meigen, 1818; *leucophaeum* Meigen, 1818; *plebeium* Meigen, 1818; *inclusum* Walker, 1848; *collinum* Edwards, 1921; *quadratum* Edwards, 1921; *minusculum* Edwards, 1921
- 1889) *Dicranoptycha* (s.str.) *fuscescens* (Schummel, 1829) (Limoniidae) Synonym(s): *fuscescens* Schummel, 1829; *lundstroemi* Bergroth, 1922
- 1890) *Dicranota* (Ludicia) *lucidipennis* (Edwards, 1921) (Pedicidae) Synonym(s): *lucidipennis* Edwards, 1921; *luteicolor* Alexander, 1975
- 1891) *Dicranotropis divergens* Kirschbaum, 1868 (Delphacidae) Synonym(s): *divergens* Kirschbaum, 1868; *carpathica* Horvath, 1884
- 1892) *Dicranotropis hamata* (Boheman, 1847) (Delphacidae) Synonym(s): *hamata* Boheman, 1847
- 1893) *Dicranura ulmi* ([Denis & Schiffermüller], 1775) (Notodontidae) Synonym(s): *#ulmi* [Denis & Schiffermüller], 1775; *discors* Fabricius, 1798; *modica* Dannehl, 1929; *istriaca* Bytinski-Salz, 1939
- 1894) *Dicronychus incanus* (Erichson, 1840) (Elateridae) Synonym(s): *incanus* Erichson, 1840
- 1895) *Dicronychus luciae* (Laibner, 1985) (Elateridae) Synonym(s): *luciae* Laibner, 1985
- 1896) *Dicronychus marani* (Roubal, 1936) (Elateridae) Synonym(s): *marani* Roubal, 1936
- 1897) *Dictenidia bimaculata* (Linnaeus, 1760) (Tipulidae) Synonym(s): *maculata* Linnaeus, 1758; *bimaculata* Linnaeus, 1760; *idriensis* Scopoli, 1763; *pectinata* Gmelin, 1790; *paludosa* Fabricius, 1794; *fulvida* Bigot, 1861
- 1898) *Dictyla triconula* (Seidenstücker, 1954) (Tingidae) Synonym(s): *triconula* Seidenstücker, 1954
- 1899) *Dictyophara europaea* (Linnaeus, 1767) (Dictyopharidae) Synonym(s): *europaea* Linnaeus, 1767; *#aeuropaea* Petagna, 1787; *europae* Aucher-Elroy, 1826; *italica* Kirschbaum, 1868; *lutea* Lang, 1942
- 1900) *Dictyophara lindbergi* Metcalf, 1955 (Dictyopharidae) Synonym(s): *acuminata* Lindberg, 1948; *lindbergi* Metcalf, 1955
- 1901) *Dictyophara multireticulata* Mulsant & Rey, 1855 (Dictyopharidae) Synonym(s): *multireticulata* Mulsant & Rey, 1855; *heydenii* Kirschbaum, 1868; *curvata* Matsumura, 1910; *nemourensis* Matsumura, 1910; *oertzeni* Matsumura, 1910
- 1902) *Dictyophara pannonica* (Germar, 1830) (Dictyopharidae) Synonym(s): *pannonica* Germar, 1830
- 1903) *Dicycla oo* (Linnaeus, 1758) (Noctuidae) Synonym(s): *oo* Linnaeus, 1758; *ferruginago* Hübner, [1803].
- 1904) *Dicyphus digitalidis* (Josifov, 1958) (Miridae) Synonym(s): *digitalidis* Josifov, 1958
- 1905) *Dicyphus eckerleini* E. Wagner, 1963 (Miridae) Synonym(s): *eckerleini* E. Wagner, 1963
- 1906) *Dicyphus martinovi* Josifov, 1958 (Miridae) Synonym(s): *martinovi* Josifov, 1958
- 1907) *Dicyphus montandoni* Reuter, 1888 (Miridae) Synonym(s): *montandoni* Reuter, 1888
- 1908) *Digitivalva* (Inuliphila) *granitella* (Treitschke, 1833) (Yponomeutidae) Synonym(s): *granitella* Treitschke, 1833; *variella* Müller-Rutz, 1920
- 1909) *Digitivalva* (Inuliphila) *pulicariae* (Klimesch, 1956) (Yponomeutidae) Synonym(s): *pulicariae* Klimesch, 1956
- 1910) *Digitivalva reticulella* (Hübner, 1796) (Yponomeutidae) Synonym(s): *reticulella* Hübner, 1796; *cariosella* Treitschke, 1835
- 1911) *Diglyphus chabrias* (Walker, 1838) (Eulophidae) Synonym(s): *chabrias* Walker, 1838
- 1912) *Diglyphus crassinervis* Erdős, 1958 (Eulophidae) Synonym(s): *crassinervis* Erdős, 1958
- 1913) *Diglyphus isaea* (Walker, 1838) (Eulophidae) Synonym(s): *isaea* Walker, 1838; *lycophron* Walker, 1838; *medidas* Walker, 1838; *gracilis* Goureau, 1851; *ornatus* Förster, 1861; *bisannulatus* Förster, 1861; *clavicornis* Walker, 1872; *phytomyzae* Rondani, 1877
- 1914) *Dilar turcicus* Hagen, 1858 (Dilaridae) Synonym(s): *turcicus* Hagen, 1858
- 1915) *Diloba caeruleocephala* (Linnaeus, 1758) (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus, 1758
- 1916) *Dilophus bispinosus* Lundström, 1913 (Bibionidae) Synonym(s): *bispinosus* Lundström, 1913
- 1917) *Dimorphopterus blissoides* (Bärensprung, 1859) (Lygaeidae) Synonym(s): *blissoides* Bärensprung, 1859

- 1918) *Dimorphopterus doriae* (Ferrari,1874) (Lygaeidae) Synonym(s): *doriae* Ferrari,1874
 1919) *Dimorphopterus spinolae* (Signoret,1857) (Lygaeidae) Synonym(s): *spinolae* Signoret,1857
 1920) *Dinera carinifrons* (Fallén,1817) (Tachinidae) Synonym(s): *carinifrons* Fallén,1817
 1921) *Dinera ferina* (Fallén,1817) (Tachinidae) Synonym(s): *ferina* Fallén,1817
 1922) *Dinera griseescens* (Fallén,1817) (Tachinidae) Synonym(s): *griseescens* Fallén,1817
 1923) *Dioctria arthritica* Loew,1871 (Asilidae) Synonym(s): *arthritica* Loew,1871
 1924) *Dioctria atricapilla* Meigen,1804 (Asilidae) Synonym(s): *atricapilla* Meigen,1804; *falleni* Meigen,1820; *atrata* Meigen,1820; *geniculata* Meigen,1820
 1925) *Dioctria flavipennis* Meigen,1820 (Asilidae) Synonym(s): *flavipennis* Meigen,1820; *aurifrons* Meigen,1820
 1926) *Dioctria harcyniae* Loew,1844 (Asilidae) Synonym(s): *harcyniae* Loew,1844
 1927) *Dioctria hyalipennis* (Fabricius,1794) (Asilidae) Synonym(s): *hyalipennis* Fabricius,1794; *anomala* Macquart,1826; *flavipes* Meigen,1804; *frontalis* Meigen,1804; *varipes* Meigen,1804; *baumhaueri* Meigen,1820; *strandii* Duda,1940
 1928) *Dioctria linearis* (Fabricius,1787) (Asilidae) Synonym(s): *linearis* Fabricius,1787; *cingulata* Zetterstedt,1849
 1929) *Diorhabda elongata* (Brullé,1832) (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852
 1930) *Dioryctria abietella* (Fabricius,1787) (Pyralidae) Synonym(s): *abietella* [Denis & Schiffermüller],1775; *abietella* Fabricius,1787
 1931) *Dioryctria sylvestrella* (Ratzeburg,1840) (Pyralidae) Synonym(s): *sylvestrella* Ratzeburg,1840; *splendidella* sensu auct.
 1932) *Diphaspecia intermedia* K.Spatenka,1997 (Sesiidae) Synonym(s): *intermedia* K.Spatenka,1997
 1933) *Diphaspecia lanipes* (Lederer,1863) (Sesiidae) Synonym(s): *lanipes* Lederer,1863
 1934) *Dipleurina lacustrata* (Panzer,1804) (Pyralidae) Synonym(s): *crataegella* sensu Hübner,1796 nec Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845
 1935) *Diplocolenus abdominalis* (Fabricius,1803) (Cicadellidae) Synonym(s): *abdominalis* Fabricius,1803
 1936) *Diplocolenus bohemani* (Zetterstedt,1840) (Cicadellidae) Synonym(s): *bohemani* Zetterstedt,1840; *calceolatus* Boheman,1845; *tiaratus* Fieber,1869
 1937) *Diplocolenus frauenfeldi* (Fieber,1869) (Cicadellidae) Synonym(s): *frauenfeldi* Fieber,1869; *altaicus* Vilbaste,1965
 1938) *Diplocolenus nigrifrons* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *nigrifrons* Kirschbaum,1868; *ensatus* Then,1897
 1939) *Diplocolenus parcanicus* Dlabola,1948 (Cicadellidae) Synonym(s): *parcanicus* Dlabola,1948
 1940) *Diplocolenus quadrivirgatus* (Horvath,1884) (Cicadellidae) Synonym(s): *quadrivirgatus* Horvath,1884; *nasti* Wagner,1939
 1941) *Diplodoma laichartingella* (Goeze,1783) (Psychidae) Synonym(s): *laichartingella* Goeze,1783; *herminata* Fourcroy,1785; *herminatella* Villers,1789; *marginipunctella* Stephens,1835; *siderella* Zeller,1839
 1942) *Dirhinosis cervinella* (Eversmann,1844) (Gelechiidae) Synonym(s): *cervinella* Eversmann,1844; *trifasciella* Rebel,1905
 1943) *Discodes coccophagus* (Ratzeburg,1848) (Encyrtidae) Synonym(s): *coccophagus* Ratzeburg,1848
 1944) *Discodes trjapitzini* Herthetvztian,1979 (Encyrtidae) Synonym(s): *trjapitzini* Herthetvztian,1979
 1945) *Discomyza incurva* (Fallén,1823) (Ephydriidae) Synonym(s): *incurva* Fallén,1823
 1946) *Diurnea lipsiella* ([Denis & Schiffermüller],1775) (Oecophoridae) Synonym(s): *lipsiella* [Denis & Schiffermüller],1775; *phryganella* Hübner,1796; *autumnalis* Fabricius,1798; *novembris* Haworth,1811; *phryganea* haworth,1811
 1947) *Dociostaurus* (Notostaurus) *anatolicus* Krauss,1896 (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905
 1948) *Dociostaurus* (s.str.) *maroccanus* (Thunberg,1815) (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciat* Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965
 1949) *Dociostaurus* (s.str.) *tartarus* Stshelkanovtzev,1921 (Acrididae) Synonym(s): *tartarus* Stshelkanovtzev,1921
 1950) *Docirava derveniaria* (Mentzer,1981) (Geometridae) Synonym(s): *derveniaria* Mentzer,1981
 1951) *Docosia gilvipes* (Haliday,1856) (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856
 1952) *Dolbina elegans* (A.Bang-Haas,1912) (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,1912; *steffensi* Popescu-Gorj,1971
 1953) *Dolicharthria bruguieralis* (Duponchel,1833) (Pyralidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915
 1954) *Dolicharthria punctalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *punctalis* [Denis & Schiffermüller],1775
 1955) *Dolichogenidea drusilla* (Nixon,1972) (Braconidae) Synonym(s): *drusilla* Nixon,1972
 1956) *Dolichogenidea mycale* (Nixon,1972) (Braconidae) Synonym(s): *mycale* Nixon,1972
 1957) *Dolichogenidea soikai* (Nixon,1972) (Braconidae) Synonym(s): *soikai* Nixon,1972
 1958) *Dolichopeza* (s.str.) *nitida* Mik,1874 (Tipulidae) Synonym(s): *nitida* Mik,1874; *graeca* Mannheims,1954
 1959) *Dolichopus diadema* Haliday,1832 (Dolichopodidae) Synonym(s): *diadema* Haliday,1832; *fraternus* Staeger,1842
 1960) *Dolichopus excisus* Loew,1859 (Dolichopodidae) Synonym(s): *excisus* Loew,1859
 1961) *Dolichopus griseipennis* Stannius,1831 (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 nec Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859
 1962) *Dolichopus latilimbatus* Macquart,1827 (Dolichopodidae) Synonym(s): *latilimbatus* Macquart,1827; *vulgaris* Stannius,1831
 1963) *Dolichopus plumipes* (Scopoli,1763) (Dolichopodidae) Synonym(s): *plumipes* Scopoli,1763; *pennitarsis* Fallén,1823; *planitarsis* Meigen,1824
 1964) *Dolichopus popularis* Wiedemann,1817 (Dolichopodidae) Synonym(s): *popularis* Wiedemann,1817
 1965) *Dolichopus sabinus* Haliday,1838 (Dolichopodidae) Synonym(s): *sabinus* Haliday,1838; *pictus* Staeger,1842
 1966) *Dolichopus sculus* Loew,1859 (Dolichopodidae) Synonym(s): *sculus* Loew,1859
 1967) *Dolichopus signifer* Haliday,1832 (Dolichopodidae) Synonym(s): *signifer* Haliday,1832; *pictipennis* Wahlberg,1850; *punctum* Haliday,1851
 1968) *Dolichopus strigipes* Verrall,1875 (Dolichopodidae) Synonym(s): *strigipes* Verrall,1875; *aratriformis* Becker,1890
 1969) *Dolichopus thalhammeri* Knezy,1929 (Dolichopodidae) Synonym(s): *thalhammeri* Knezy,1929
 1970) *Dolichovespula media* (Retzius,1783) (Vespidae) Synonym(s): *media* Retzius,1783; *geerii* Lepeletier,1836; *crassa* Herrich-Schaeffer,1841; *similis* Schenck,1853; *rufoscutellata* Schenck,1853; *flavicincta* Schenck,1853; *lineolata* Pérez,1910; *#lugubris* Birula,1927; *conjgens* Paul,1943; *sugare* Ishikawa,1969; *borealis* Lee,1986

- 1971) Dolichovespula norwegica (Fabricius,1781)** (Vespidae) Synonym(s): *norwegica* Fabricius,1781; *norvegica* Olivier,1792; *britannica* Leach,1814; *marginata* Kirby,1837; *borealis* Zetterstedt,1838 nec Kby.,1837; *albida* Sladen,1918; *arctica* Friese,1919; *zetterstedti* Blüthgen,1937
- 1972) Dolichovespula omissa (Bischoff,1931)** (Vespidae) Synonym(s): *tripunctata* Schenk,1861 nec Fabr.,1787; *#ingrica* Birula,1930; *omissa* Bischoff,1931
- 1973) Dolichovespula saxonica (Fabricius,1793)** (Vespidae) Synonym(s): *saxonica* Fabricius,1793; *bavarica* Schrank,1802; *tridens* Schenk,1853; *#monticola* Birula,1930; *nipponica* Yamane,1975; *kamtschatkensis* Eck,1983; *nigrescens* Eck,1983
- 1974) Dolichovespula sylvestris (Scopoli,1763)** (Vespidae) Synonym(s): *sylvestris* Scopoli,1763; *parietum* Harris,1776 nec Linn.,1758; *holsatica* Fabricius,1793; *frontalis* Latreille,1802; *campanaria* Fowler,1833; *pilosella* Costa,1858; *sumptuosa* Du Buysson,1905; *xinjiangensis* Lee,1986
- 1975) Dolycoris baccarum (Linnaeus,1758)** (Pentatomidae) Synonym(s): *baccarum* Linnaeus,1758; *verbasci* De Geer,1773; *subater* Harris,1780; *albidus* Gmelin,1790; *depressa* Westwood,1837; *confusa* Westwood,1837; *inconcisa* Walker,1867
- 1976) Donacula mucronella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *mucronella* [Denis & Schiffermüller],1775
- 1977) Doratura exilis Horvath,1903** (Cicadellidae) Synonym(s): *exilis* Horvath,1903
- 1978) Doratura heterophylla Horvath,1903** (Cicadellidae) Synonym(s): *heterophylla* Horvath,1903
- 1979) Doratura homophylla (Flor,1861)** (Cicadellidae) Synonym(s): *homophylla* Flor,1861
- 1980) Doratura impudica Horvath,1897** (Cicadellidae) Synonym(s): *impudica* Horvath,1897
- 1981) Doratura stylata (Boheman,1847)** (Cicadellidae) Synonym(s): *stylata* Boheman,1847; *macroptera* Kusnezov,1928
- 1982) Dorycera hybrida Loew,1862** (Ulidiidae) Synonym(s): *hybrida* Loew,1862
- 1983) Drasteria cailino (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857
- 1984) Drepana falcatoria (Linnaeus,1758)** (Drepanidae) Synonym(s): *falcatoria* Linnaeus,1758; *sicula* [Denis & Schiffermüller],1775; *falcula* [Denis & Schiffermüller],1775; *falcata* Retzius,1783 nec Fabr.,1775; *falcatorialis* Haworth,1802; *infernalis* Bytinski-Salz,1939
- 1985) Drosophila (Hirtodrosophila) cameraria Haliday,1833** (Drosophilidae) Synonym(s): *cameraria* Haliday,1833; *unistriata* Strobl,1898; *latestriata* Becker,1908; *fungicola* Villeneuve,1921
- 1986) Drosophila (Hirtodrosophila) trivittata Strobl,1893** (Drosophilidae) Synonym(s): *trivittata* Strobl,1893
- 1987) Drosophila (Lordiphosa) fenestratum (Fallén,1823)** (Drosophilidae) Synonym(s): *fenestrarum* Fallén,1823; *virginea* Meigen,1830
- 1988) Drosophila (s.str.) phalerata Meigen,1830** (Drosophilidae) Synonym(s): *phalerata* Meigen,1830
- 1989) Drosophila (s.str.) testacea Roser,1840** (Drosophilidae) Synonym(s): *testacea* Roser,1840; *nigrithorax* Strobl,1894; *setosa* Villeneuve,1921
- 1990) Drosophila (s.str.) transversa Fallén,1823** (Drosophilidae) Synonym(s): *transversa* Fallén,1823; *laeta* Zetterstedt,1847
- 1991) Drosophila (Scaptodrosophila) deflexa Duda,1924** (Drosophilidae) Synonym(s): *deflexa* Duda,1924; *guyenoti* Burla,1948
- 1992) Drosophila (Sophophora) melanogaster Meigen,1830** (Drosophilidae) Synonym(s): *melanogaster* Meigen,1830; *fasciata* Meigen,1830; *approximata* Zetterstedt,1847; *uvarum* Rondani,1875; *pilosula* Becker,1908
- 1993) Drosophila (Sophophora) obscura Fallén,1823** (Drosophilidae) Synonym(s): *obscura* Fallén,1823; *meigeni* Duda,1935; *obscuroides* Pomini,1940
- 1994) Drosophila (Sophophora) subobscura Collin,1936** (Drosophilidae) Synonym(s): *subobscura* Collin,1936
- 1995) Drymeia fasciculata (Stein,1916)** (Muscidae) Synonym(s): *fasciculata* Stein,1916
- 1996) Drymonia dodonaea ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#dodonaea* [Denis & Schiffermüller],1775; *trimacula* Esper,[1785]; *lunata* Villers,1789; *poltawskii* Schintlmeister,1981; *wagneri* De Freina,1981
- 1997) Drymonia obliterata (Esper,[1785])** (Notodontidae) Synonym(s): *obliterata* Esper,[1785]; *melagone* Borkhausen,1790; *deleta* Brahm,1790; *esmera* De Freina,1981
- 1998) Drymonia querna (Fabricius,1787)** (Notodontidae) Synonym(s): *#querna* [Denis & Schiffermüller],1775; *querna* Fabricius,1787; *sausalia* Daniel,1968; *meridioitalica* Hartig,1970; *danieli* Hartig,1970
- 1999) Drymonia ruficornis (Hufnagel,1766)** (Notodontidae) Synonym(s): *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803
- 2000) Drymonia velitaris (Hufnagel,1766)** (Notodontidae) Synonym(s): *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789
- 2001) Dryobotodes (Dichonioxa) tenebrosa (Esper,[1789])** (Noctuidae) Synonym(s): *tenebrosa* Esper,[1789]; *saportae* Duponchel,1826.
- 2002) Dryobotodes (s.str.) carbonis (F.Wagner,1931)** (Noctuidae) Synonym(s): *carbonis* F.Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976.
- 2003) Dryobotodes (s.str.) eremita (Fabricius,1775)** (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911
- 2004) Dryobotodes (s.str.) monochroma (Esper,1790)** (Noctuidae) Synonym(s): *monochroma* Esper,[1790]; *distans* Hübner,[1813]; *suberis* Duponchel,1827
- 2005) Dryodurgades anatolicus Dlabola,1957** (Cicadellidae) Synonym(s): *anatolicus* Dlabola,1957
- 2006) Dryodurgades dlabolai Wagner,1963** (Cicadellidae) Synonym(s): *dlabolai* Wagner,1963
- 2007) Dryodurgades reticulatus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834
- 2008) Dufourea (Cyprirrophites) iris Ebmer,1987** (Halictidae) Synonym(s): *iris* Ebmer,1987
- 2009) Dufourea (Halictoides) graeca Ebmer,1976** (Halictidae) Synonym(s): *graeca* Ebmer,1976; *dubiosa* Warncke,1979
- 2010) Duroniella laticornis (Krauss,1909)** (Acrididae) Synonym(s): *laticornis* Krauss,1909
- 2011) Dypterygia scabriuscula (Linnaeus,1758)** (Noctuidae) Synonym(s): *scabriuscula* Linnaeus,1758; *pinastri* Linnaeus,1761.
- 2012) Dyroderes umbraculatus (Fabricius,1775)** (Pentatomidae) Synonym(s): *umbraculatus* Fabricius,1775; *marginatus* Fabricius,1798 nec Linn.,1758; *aparines* Dufour,1833
- 2013) Dysauxes (s.str.) ancilla (Linnaeus,1767)** (Ctenuchidae) Synonym(s): *ancilla* Linnaeus,1767; *obscura* Fabricius,1781; *quadrioculata* Goetze,1783; *lomopicta* Fourcroy,1785; *fuscoptera* Fourcroy,1785; *tripunctata* Scopoli,1786; *arcuatella* Schrank,1802; *horta* Schrank,1802; *abundans* Dannehl,1933; *pluripuncta* Naufock,1933.
- 2014) Dysauxes (s.str.) famula (Freyer,1836)** (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983.
- 2015) Dyscia (Calodyscia) innocentaria (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentana* Pugaeu & Zolotuhin,2006

- 2016)** *Dysmachus bilobus* Loew,1871 (Asilidae) Synonym(s): *bilobus* Loew,1871
- 2017)** *Dysmachus bimucronatus* (Loew,1854) (Asilidae) Synonym(s): *bimucronatus* Loew,1854
- 2018)** *Dysmachus cephalenus* Loew,1871 (Asilidae) Synonym(s): *cephalenus* Loew,1871
- 2019)** *Dysmachus fuscipennis* (Meigen,1820) (Asilidae) Synonym(s): *fuscipennis* Meigen,1820
- 2020)** *Dysmachus praemorsus* (Loew,1854) (Asilidae) Synonym(s): *praemorsus* Loew,1854
- 2021)** *Dysmachus stylifer* (Loew,1854) (Asilidae) Synonym(s): *stylifer* Loew,1854
- 2022)** *Dyspessa salicicola* (Eversmann,1848) (Cossidae) Synonym(s): *salicicola* Eversmann,1848
- 2023)** *Dyspessa ulula* (Borkhausen,1790) (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscula* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912.
- 2024)** *Eana* (*Eutrachia*) *goiiana* (Linnaeus,1761) (Tortricidae) Synonym(s): *#argentana* Clerck,1759; *goiiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *gerningiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887
- 2025)** *Eana* (s.str.) *incanana* (Stephens,1852) (Tortricidae) Synonym(s): *incanana* Stephens,1852; *sinuana* Stephens,1852; *infusana* Réal,1953
- 2026)** *Eana* (*Subeana*) *canescana* (Guenée,1845) (Tortricidae) Synonym(s): *canescana* Guenée,1845; *styriacana* Herrich-Schäffer,1851; *candidana* La Harpe,1858; *monochromana* Lederer,1859; *rielana* Réal,1951
- 2027)** *Earias clorana* (Linnaeus,1761) (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
- 2028)** *Earias insulana* (Boisduval,1833) (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdina* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
- 2029)** *Earias vernana* (Fabricius,1787) (Noctuidae) Synonym(s): *vernana* Fabricius,1787; *obliterata* Bartel,1914
- 2030)** *Ebaeus appendiculatus* Erichson,1840 (Melyridae) Synonym(s): *appendiculatus* Erichson,1840
- 2031)** *Ebarrius cognatus* (Fieber,1869) (Cicadellidae) Synonym(s): *cognatus* Fieber,1869
- 2032)** *Eccopisa effractella* Zeller,1848 (Pyralidae) Synonym(s): *effractella* Zeller,1848
- 2033)** *Echthistius rufinervis* (Meigen,1820) (Asilidae) Synonym(s): *rufinervis* Meigen,1820
- 2034)** *Ecliptopera capitata* (Herrich-Schäffer,1839) (Geometridae) Synonym(s): *posticata* Fabricius,1794; *capitata* Herrich-Schäffer,1839; *capitaria* Boisduval,1840; *balsaminata* Freyer,1842
- 2035)** *Ecliptopera silaceata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *silaceata* [Denis & Schiffermüller],1775; *insulata* Haworth,1809; *cuneata* Donovan,1810; *silacearia* Boisduval,1840
- 2036)** *Ecpyrrhorhoe diffusalis* (Guenée,1854) (Pyralidae) Synonym(s): *carnealis* Dup.,1831 nec Treit.1829; *diffusalis* Guenée,1854; *affusalis* Guenée,1854; *tenuialis* Mann,1862.
- 2037)** *Ecpyrrhorhoe rubiginalis* (Hübner,1796) (Pyralidae) Synonym(s): *rubiginalis* Hübner,1796
- 2038)** *Ectoedemia* (s.str.) *arcuatella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *arcuatella* Herrich-Schäffer,1855
- 2039)** *Ectoedemia* (s.str.) *argyropeza* (Zeller,1839) (Nepticulidae) Synonym(s): *argyropeza* Zeller,1839
- 2040)** *Ectoedemia* (s.str.) *spinosella* (Joannis,1908) (Nepticulidae) Synonym(s): *spinosella* Joannis,1908
- 2041)** *Ectophasia crassipennis* (Fabricius,1794) (Tachinidae) Synonym(s): *crassipennis* Fabricius,1794
- 2042)** *Ectophasia leucoptera* (Rondani,1865) (Tachinidae) Synonym(s): *leucoptera* Rondani,1865
- 2043)** *Ectropis bistortata* (Goeze,1781) (Geometridae) Synonym(s): *#crepuscularia* [Denis & Schiffermüller],1775; *virginaria* Cramer,[1780]; *bistortata* Goeze,1781; *biundulata* Villers,1789; *biundularia* Borkhausen,1794; *baeticaria* Scharfenberg,1805; *strigularia* Stephens,1831; *defessaria* Freyer,1847; *occiduaria* Guenée,[1858]; *divisaria* Walker,1860 nec Wlk.,1860; *intrataria* Walker,1860; *signaria* Walker,1860; *spatiosaria* Walker,1860; *abraxaria* Walker,1860; *cineraria* Walker,1860; *crepusculata* Herrich-Schäffer,1863; *fumataria* Minot,1869; *tristis* Riesen,1897
- 2044)** *Edwardsiana avellanae* (Edwards,1888) (Cicadellidae) Synonym(s): *avellanae* Edwards,1888; *bidentata* Edwards,1914; *#avellana* Lodos & Kalkandelen,1984
- 2045)** *Edwardsiana bergmani* (Tullgren,1916) (Cicadellidae) Synonym(s): *bergmani* Tullgren,1916
- 2046)** *Edwardsiana crataegi* (Douglas,1876) (Cicadellidae) Synonym(s): *crataegi* Douglas,1876; *australis* Froggatt,1918; *froggatti* Baker,1925; *oxyacanthae* Ribaut,1925; *cornuta* Wagner,1947
- 2047)** *Edwardsiana diversa* (Edwards,1914) (Cicadellidae) Synonym(s): *diversa* Edwards,1914; *tridentata* Edwards,1928
- 2048)** *Edwardsiana flavescens* (Fabricius,1794) (Cicadellidae) Synonym(s): *flavescens* Fabricius,1794; *fratercula* Edwards,1908; *sororecula* Ossiannilsson,1936
- 2049)** *Edwardsiana geometrica* (Schränk,1801) (Cicadellidae) Synonym(s): *marginata* Scopoli,1763 (praeooc.); *marginella* Gmelin,1790 (praeooc.); *geometrica* Schränk,1801; *lineatella* Fallén,1806; *plagiata* Hardy,1850
- 2050)** *Edwardsiana lethierryi* (Edwards,1881) (Cicadellidae) Synonym(s): *lethierryi* Edwards,1881; *chromata* Rey,1894; *plurispinosa* Wagner,1935
- 2051)** *Edwardsiana nicolovae* Dlabola,1967 (Cicadellidae) Synonym(s): *nicolovae* Dlabola,1967
- 2052)** *Edwardsiana nigriloba* (Edwards,1924) (Cicadellidae) Synonym(s): *nigriloba* Edwards,1924
- 2053)** *Edwardsiana plebeja* (Edwards,1914) (Cicadellidae) Synonym(s): *plebeja* Edwards,1914; *divergens* Ribaut,1931; *orientalis* Zachvatkin,1949
- 2054)** *Edwardsiana prunicola* (Edwards,1914) (Cicadellidae) Synonym(s): *prunicola* Edwards,1914; *barbata* Ribaut,1931
- 2055)** *Edwardsiana rosae* (Linnaeus,1758) (Cicadellidae) Synonym(s): *rosae* Linnaeus,1758; *laetifica* Rey,1894; *subcarnea* Rey,1894; *manca* Ribaut,1936
- 2056)** *Edwardsiana ruthenica* Zachvatkin,1929 (Cicadellidae) Synonym(s): *ruthenica* Zachvatkin,1929
- 2057)** *Edwardsiana spinigera* (Edwards,1924) (Cicadellidae) Synonym(s): *spinigera* Edwards,1924
- 2058)** *Egira anatolica* (Hering,1933) (Noctuidae) Synonym(s): *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966
- 2059)** *Egira tibori* Hreblay,1994 (Noctuidae) Synonym(s): *tibori* Hreblay,1994
- 2060)** *Eidophasia messingiella* (Fischer v. Röslerstamm,1840) (Yponomeutidae) Synonym(s): *messingiella* Fischer v. Röslerstamm,1840; *transversella* Stephens,1841; *mullerella* Rougemont,1903
- 2061)** *Eidophasia syenitella* (Heydenreich,1851) (Yponomeutidae) Synonym(s): *syenitella* Heydenreich,1851
- 2062)** *Eilema caniolum* (Hübner,1808) (Arctiidae) Synonym(s): *caniola* Hübner,[1808]
- 2063)** *Eilicrinia cordiaria* (Hübner,1790) (Geometridae) Synonym(s): *cordiaria* Hübner,1790
- 2064)** *Eilicrinia trinotata* (Metzner,1845) (Geometridae) Synonym(s): *trinotata* Metzner,1845
- 2065)** *Elachertus pilosiscuta* Boucek,1971 (Eulophidae) Synonym(s): *pilosiscuta* Boucek,1971
- 2066)** *Elachiptera agricola* Beschovsky & Kristeva,1998 (Chloropidae) Synonym(s): *agricola* Beschovsky & Kristeva,1998
- 2067)** *Elachiptera bimaculata* (Loew,1845) (Chloropidae) Synonym(s): *bimaculata* Loew,1845; *furcata* Perris,1876; *bilineata* Bigot,1891; *quadrilineata* Strobl,1902; *tuberculata* Becker,1907; *tuberifera* Becker,1910; *latifasciata* Duda,1932; *trifasciata* Duda,1932

- 2068) *Elachiptera brevipennis* (Meigen,1830) (Chloropidae) Synonym(s): *brevipennis* Meigen,1830
- 2069) *Elachiptera cornuta* (Fallén,1820) (Chloropidae) Synonym(s): *cornuta* Fallén,1820
- 2070) *Elachiptera diastema* Collin,1946 (Chloropidae) Synonym(s): *diastema* Collin,1946
- 2071) *Elachiptera megaspis* (Loew,1858) (Chloropidae) Synonym(s): *megaspis* Loew,1858
- 2072) *Elachiptera ruffifrons* Duda,1932 (Chloropidae) Synonym(s): *ruffifrons* Duda,1932
- 2073) *Elachiptera sibirica* (Loew,1858) (Chloropidae) Synonym(s): *sibirica* Loew,1858
- 2074) *Elachiptera submediterranea* Beschovsky,1980 (Chloropidae) Synonym(s): *submediterranea* Beschovsky,1980
- 2075) *Elachiptera tuberculifera* (Corti,1909) (Chloropidae) Synonym(s): *tuberculifera* Corti,1909
- 2076) *Elachista anserinella* Zeller,1839 (Elachistidae) Synonym(s): *anserinella* Zeller,1839; *disertella* Herrich-Schäffer,1855].
- 2077) *Elachista atricomella* Stainton,1849 (Elachistidae) Synonym(s): *atricomella* Stainton,1849; *alienella* Stainton,1851; *extensella* Stainton,1851; *zetterstedtii* Wallengren,1852; *holdenella* Stainton,1854; *helvetica* Frey,1856; *longipennis* Frey,1885
- 2078) *Elachista bedellella* (Sircom,1848) (Elachistidae) Synonym(s): *bedellella* Sircom,1848; *truncatella* Herrich-Schäffer,1855; *nigrella* Herrich-Schäffer,1855; *lugdunensis* Frey,1859; *coeneni* Traugott-Olsen,1985; *titanella* Kaila & Jalva,1994
- 2079) *Elachista contaminatella* Zeller,1847 (Elachistidae) Synonym(s): *contaminatella* Zeller,1847; *fadella* Millière,1876; *suspectella* Chrétien,1896; *hypoleuca* Walsingham,1907
- 2080) *Elachista festucicolella* Zeller,1853 (Elachistidae) Synonym(s): *festucicolella* Zeller,1853; *#festucicolella* Staudinger,1880.
- 2081) *Elachista laetella* Rebel,1930 (Elachistidae) Synonym(s): *laetella* Rebel,1930
- 2082) *Elachista maculata* Parenti,1978 (Elachistidae) Synonym(s): *maculata* Parenti,1978
- 2083) *Elachista nuraghella* Amsel,1951 (Elachistidae) Synonym(s): *nuraghella* Amsel,1951
- 2084) *Elachista occulta* Parenti,1978 (Elachistidae) Synonym(s): *occulta* Parenti,1978
- 2085) *Elachista ohridella* Parenti,2001 (Elachistidae) Synonym(s): *ohridella* Parenti,2001
- 2086) *Elachista parvula* Parenti,1978 (Elachistidae) Synonym(s): *parvula* Parenti,1978
- 2087) *Elachista pullicomella* Zeller,1839 (Elachistidae) Synonym(s): *pullicomella* Zeller,1839; *rectifasciella* Stainton,1851; *bohemanii* Wallengren,1852; *pullella* Herrich-Schäffer,1855
- 2088) *Elachista rudectella* Stainton,1851 (Elachistidae) Synonym(s): *rudectella* Stainton,1851
- 2089) *Elachista squamosella* (Duponchel,1843) (Elachistidae) Synonym(s): *squamosella* Duponchel,1843
- 2090) *Elachista tetragonella* (Herrich-Schäffer,1855) (Elachistidae) Synonym(s): *tetragonella* Herrich-Schäffer,1855
- 2091) *Elachista vegliae* Parenti,1978 (Elachistidae) Synonym(s): *vegliae* Parenti,1978
- 2092) *Elaphria venustula* (Hübner,1790) (Noctuidae) Synonym(s): *venustula* Hübner,1790
- 2093) *Elasmus unicolor* (Rondani,1877) (Eulophidae) Synonym(s): *unicolor* Rondani,1877; *fumipennis* Thomson,1878; *vibicellae* Ferrière,1947
- 2094) *Elater ferrugineus* Linnaeus,1758 (Elateridae) Synonym(s): *ferrugineus* Linnaeus,1758
- 2095) *Elatobia fuliginosella* (Lienig & Zeller,1846) (Tineidae) Synonym(s): *fuliginosella* Lienig & Zeller,1846
- 2096) *Electrophaea corylata* (Thunberg,1792) (Geometridae) Synonym(s): *corylata* Thunberg,1792; *ruptata* Hübner,[1799]; *albocrenata* Curtis,1836; *ruptaria* Boisduval,1840
- 2097) *Elegia fallax* (Staudinger,1881) (Pyralidae) Synonym(s): *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953.
- 2098) *Elegia similella* (Zincken,1818) (Pyralidae) Synonym(s): *similella* Zincken,1818
- 2099) *Eliozeta helluo* (Fabricius,1805) (Tachinidae) Synonym(s): *helluo* Fabricius,1805
- 2100) *Eliozeta pellucens* (Fallén,1820) (Tachinidae) Synonym(s): *pellucens* Fallén,1820
- 2101) *Ellipteroides (Protogonomyia) limbatus* (Von Roser,1840) (Limoniidae) Synonym(s): *limbatus* Von Roser,1840; *huguenini* Bangerter,1947
- 2102) *Elophila nymphaeata* (Linnaeus,1758) (Pyralidae) Synonym(s): *nymphaeata* Linnaeus,1758; *potamogata* Linnaeus,1758; *rivulata* Scopoli,1763; *nymphaealis* [Denis & Schiffermüller],1775; *potamogalis* [Denis & Schiffermüller],1775; *obscuralis* Selys-Longchamps,1845; *potamogetalis* Reutti,1898
- 2103) *Elophos (Parietaria) dilucidaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *dilucidaria* [Denis & Schiffermüller],1775
- 2104) *Elymana sulphurella* (Zetterstedt,1828) (Cicadellidae) Synonym(s): *virescens* Fabricius,1794 (praeocc.); *sulphurella* Zetterstedt,1828; *combibus* Matsumura,1906; *excisus* Haupt,1917
- 2105) *Ematheudes punctellus* (Treitschke,1833) (Pyralidae) Synonym(s): *punctellus* Treitschke,1833
- 2106) *Ematurga atomaria* (Linnaeus,1758) (Geometridae) Synonym(s): *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candeze,1926.
- 2107) *Embolemus ruddii* Westwood,1833 (Embolemidae) Synonym(s): *ruddii* Westwood,1833; *sickershusanus* Nees,1834; *antennalis* Kieffer,1906; *holochlora* Kieffer,1906; *hypochlora* Kieffer,1906
- 2108) *Emelyanoviana mollicula* (Boheman,1845) (Cicadellidae) Synonym(s): *mollicula* Boheman,1845; *fascialis* Flor,1861; *florii* Kirschbaum,1868; *albicans* Lethierry,1876
- 2109) *Emmelina argoteles* (Meyrick,1922) (Pterophoridae) Synonym(s): *argoteles* Meyrick,1922; *jezonius* Matsumura,1931; *komabensis* Matsumura,1931; *menoko* Matsumura,1931; *yanagawanus* Matsumura,1931.
- 2110) *Emmelina monodactyla* (Linnaeus,1758) (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 2111) *Empis (Euempis) sericans* Brullé,1833 (Empidae) Synonym(s): *sericans* Brullé,1833; *nepticula* Loew,1869
- 2112) *Empis (Polyblepharis) haemi* Loew,1862 (Empidae) Synonym(s): *haemi* Loew,1862
- 2113) *Empis (Polyblepharis) nigerrima* Loew,1862 (Empidae) Synonym(s): *nigerrima* Loew,1862
- 2114) *Empis (s.str.) nigripes* Fabricius,1794 (Empididae) Synonym(s): *nigripes* Fabricius,1794; *obscura* Zetterstedt,1842
- 2115) *Empoasca decipiens* Paoli,1930 (Cicadellidae) Synonym(s): *decipiens* Paoli,1930; *bifurcata* Cerutti,1939; *meridiana* Zachvatkin,1946; *minutissima* Vilbaste,1961
- 2116) *Empoasca solani* (Curtis,1846) (Cicadellidae) Synonym(s): *solani* Curtis,1846; *pteridis* Dahlbom,1850; *solanituberosi* Kollar,1852; *roseiventris* Rey,1894; *tullgreni* Ribaut,1933; *dlabolae* Lindberg,1960
- 2117) *Enargia abluta* (Hübner,[1808]) (Noctuidae) Synonym(s): *abluta* Hübner,[1808]; *imbuta* Boisduval,1840.
- 2118) *Enargia paleacea* (Esper,[1788]) (Noctuidae) Synonym(s): *paleacea* Esper,[1788].
- 2119) *Enarmonia formosana* (Scopoli,1763) (Tortricidae) Synonym(s): *formosana* Scopoli,1763; *woeberiana* [Denis & Schiffermüller],1775; *scriptana* Thunberg,1784; *ornatana* Hübner,[1799].
- 2120) *Encarsia inaron* (Walker,1839) (Aphelinidae) Synonym(s): *inaron* Walker,1839; *idaeus* Walker,1839; *parthenopea* Masi,1909; *indifferens* Mercet,1929; *aleyrodis* Mercet,1930; *brassicae* Shafee & Bela,1984; *borealis* Hulden,1986
- 2121) *Endothenia ericetana* (Humphreys & Westwood,1845) (Tortricidae) Synonym(s): *ericetana* Humphreys & Westwood,1845; *trifoliana* Herrich-Schäffer,[1851].

- 2122) Endothenia gentianaeana (Hübner,[1799])** (Tortricidae) Synonym(s): ? *bidella* Fourcroy,1785; *gentianaeana* Hübner,[1799]; *gentianana* Hübner,[1825]; *oblongana* Haworth,[1811]; *sellana* Frölich,1828; *desertana* Staudinger,1879; *adelana* Rebel,1892.
- 2123) Endothenia nigricostana (Haworth,[1811])** (Tortricidae) Synonym(s): *nigricostana* Haworth,[1811]; *squalidana* Herrich-Schäffer,[1851]; *remyana* Herrich-Schäffer,[1851]; *illegidana* Kennel,1901.
- 2124) Endothenia oblongana (Haworth,[1811])** (Tortricidae) Synonym(s): *oblongana* Haworth,[1811]; *sellana* Frölich,1828.
- 2125) Endothenia quadrimaculana (Haworth,1811)** (Tortricidae) Synonym(s): *quadrimaculana* Haworth,1811; *antiguana* Hübner,[1813]; *obesana* Peyerimhoff,1863
- 2126) Endothenia ustulana (Haworth,1811)** (Tortricidae) Synonym(s): *ustulana* Haworth,1811; *carbonana* Doubleday,1849; *violana* Peyerimhoff,1863
- 2127) Endotricha flammealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951.
- 2128) Endromis versicolora (Linnaeus,1758)** (Endromidae) Synonym(s): *versicolora* Linnaeus,1758; *versicolor* Schrank,1801; *lapponica* Bau,1877; *sachalinensis* Matsumura,1929; *asiaeorientis* Warnecke,1943; *meridionalis* Rougeot,1971; *subpyrinaea* Gomez-Bustillo et al.,1974
- 2129) Endrosis sarcitrella (Linnaeus,1758)** (Oecophoridae) Synonym(s): *sarcitrella* Linnaeus,1758; *luridella* Scopoli,1763; *lacteella* [Denis & Schiffermüller],1775; *scapulata* Fourcroy,1785; *betulinella* Fabricius,1787; *scapulatella* Villers,1789; *atratus* Panzer,1804; *sarcitea* Haworth,1828; *kennicottella* Clemens,1860; *subditella* Walker,1863; *antarctica* Staudinger,1899.
- 2130) Engelepogon goedli (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854
- 2131) Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787
- 2132) Enicospilus cruciator Victorov,1957** (Ichneumonidae) Synonym(s): *cruciator* Victorov,1957
- 2133) Enicospilus ramidulus (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *ramidulus* Linnaeus,1758; *merdarius* Gravenhorst,1829
- 2134) Enicospilus repentinus (Holmgren,1858)** (Ichneumonidae) Synonym(s): *repentinus* Holmgren,1858
- 2135) Enicospilus tournieri (Snellen van Vollenhoven,1879)** (Ichneumonidae) Synonym(s): *ournieri* Snellen van Vollenhoven,1879
- 2136) Ennomos (Deuteronomos) erosarius (Hübner,1790)** (Geometridae) Synonym(s): *#erosaria* [Denis & Schiffermüller],1775; Hübner,1790.
- 2137) Ennomos (Deuteronomos) fuscantarius (Haworth,1809)** (Geometridae) Synonym(s): *fuscantaria* Haworth,1809
- 2138) Ennomos (Deuteronomos) quercarius (Hübner,[1813])** (Geometridae) Synonym(s): *quercaria* Hübner,[1813]
- 2139) Ennomos (s.str.) quercinarius (Hufnagel,1767)** (Geometridae) Synonym(s): *quercinaria* Hufnagel,1767; *angularia* [Denis & Schiffermüller],1775; *zona* Fourcroy,1785; *carpinaria* Hübner,[1799]
- 2140) Enochrus (Lumetus) fuscipennis (Thomson,1884)** (Hydrophilidae) Synonym(s): *fuscipennis* Thomson,1884
- 2141) Enoplops disciger (Kolenati,1845)** (Coreidae) Synonym(s): *disciger* Kolenati,1845
- 2142) Entedon abdera Walker,1839** (Eulophidae) Synonym(s): *abdera* Walker,1839; *punctatus* Thomson,1878; *nigritarsis* Erdős,1944
- 2143) Entedon biroi Erdős,1944** (Eulophidae) Synonym(s): *biroi* Erdős,1944
- 2144) Entedon cardui Askew,2001** (Eulophidae) Synonym(s): *cardui* Askew,2001
- 2145) Entedon cionobius Thomson,1878** (Eulophidae) Synonym(s): *cionobius* Thomson,1878; *cinereae* Erdős,1961; *fructicola* Gumowsky,1996
- 2146) Entedon fufius Walker,1846** (Eulophidae) Synonym(s): *fufius* Walker,1846; *montanus* Erdős,1951
- 2147) Entedon hercyna Walker,1839** (Eulophidae) Synonym(s): *hercyna* Walker,1839; *elongatus* Thomson,1878; *aselli* Erdős,1954
- 2148) Entedon longus Boucek,1968** (Eulophidae) Synonym(s): *longulus* Erdős,1944; *longus* Boucek,1968
- 2149) Entedon marci Askew,1992** (Eulophidae) Synonym(s): *marci* Askew,1992
- 2150) Entedon marginalis Askew,2001** (Eulophidae) Synonym(s): *marginalis* Askew,2001
- 2151) Entedon pallicrus Erdős,1944** (Eulophidae) Synonym(s): *pallicrus* Erdős,1944
- 2152) Entedon palvicalcar Thomson,1878** (Eulophidae) Synonym(s): *palvicalcar* Thomson,1878; *subovatus* Thomson,1878
- 2153) Entedon procioni Erdős,1944** (Eulophidae) Synonym(s): *procioni* Erdős,1944; *molybdaenus* Erdős,1944; *urticarii* Erdős,1951; *meliloti* Askew,1992
- 2154) Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus* Walker,1839; *longiventris* Thomson,1878; *longiventrosus* Dalla Torre,1898; *insignis* Erdős,1944; *lixi* Erdős,1951; *mecini* Askew,1992
- 2155) Entedon thomsianus Erdős,1944** (Eulophidae) Synonym(s): *thomsianus* Erdős,1944
- 2156) Entephria caesiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *caesiata* [Denis & Schiffermüller],1775
- 2157) Entephria cyanata (Hübner,[1809])** (Geometridae) Synonym(s): *cyanata* Hübner,[1809]
- 2158) Entephria flavicinctata (Hübner,[1813])** (Geometridae) Synonym(s): *flavicinctata* Hübner,[1813]; *griseicinctata* Bruand,1850; *rubigicinctata* Bruand,1850; *ruficinctata* Guenée,[1858]; *obscurata* Staudinger,1901; *samnitaria* Sohn-Rethel,1929; *septentrionalis* Warnecke,1934
- 2159) Entomoscelis suturalis Weise,1882** (Chrysomelidae) Synonym(s): *suturalis* Weise,1882
- 2160) Eochorica balcanica (Rebel,1919)** (Psychidae) Synonym(s): *balcanica* Rebel,1919; *troughti* Amsel,1955; *#balcania* De Freina,1994
- 2161) Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;...
- 2162) Epagoge grotiana (Fabricius,1781)** (Tortricidae) Synonym(s): *grotiana* Fabricius,1781; *flavana* Hübner,[1799]; *ochreana* Hübner,[1799]; *artificana* Herrich-Schäffer,1851; *amasiana* Caradja,1916.
- 2163) Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840
- 2164) Epascestria pustulalis (Hübner,[1823])** (Pyralidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917.
- 2165) Epatolmis caesarea (Goeze,1781)** (Arctiidae) Synonym(s): *#luctifera* [Denis & Schiffermüller],1775; *caesarea* Goeze,1781; *japonica* Walker,[1865].
- 2166) Epermenia (Calotripis) chaerophyllella (Goeze,1783)** (Epermeniidae) Synonym(s): *chaerophyllella* Goeze,1783; *testaceella* Hübner,[1813]; *fasciculellus* Stephens,1834; *nigrostriatellus* Heylaerts,1883; *turatiella* Constantini,1923.
- 2167) Epermenia (Calotripis) illigerella (Hübner,[1813])** (Epermeniidae) Synonym(s): *illigerella* Hübner,[1813]
- 2168) Epermenia (Calotripis) strictella (Wocke,1867)** (Epermeniidae) Synonym(s): *strictella* Wocke,1867; *anthracoptila* Meyrick,1931.

- 2169) Epermenia (s.str.) ochreomaculella (Millière,1854)** (Epermeniidae) Synonym(s): *ochreomaculella* Millière,1854; *prohaskaella* Schawerda,1921; *afghanistanella* Gaedike,1971.
- 2170) Epermenia (s.str.) pontificella (Hübner,1796)** (Epermeniidae) Synonym(s): *pontificella* Hübner,1796
- 2171) Ephelis cruentalis (Geyer,[1832])** (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835
- 2172) Ephestia (Anagasta) kuehniella Zeller,1879** (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern & Tubtim,1995
- 2173) Ephestia (Anagasta) welseriella (Zeller,1848)** (Pyralidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927.
- 2174) Ephestia (s.str.) disparella Hampson,1901** (Pyralidae) Synonym(s): *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934.
- 2175) Ephestia (s.str.) elutella (Hübner,1796)** (Pyralidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965
- 2176) Ephestia (s.str.) parasitella Staudinger,1859** (Pyralidae) Synonym(s): *parasitella* Staudinger,1859; *bimaculella* Lucas,1955.
- 2177) Ephippiger ephippiger (Fiebig,1784)** (Tettigoniidae) Synonym(s): *ephippiger* Fiebig,1784; *vitium* Serville,1831; *rossii* Fieber,1853; *fibigii* Fieber,1853; *fabricii* Fieber,1853; *moguntiacus* Schuster,1906
- 2178) Ephydra attica Becker,1896** (Ephydriidae) Synonym(s): *attica* Becker,1896
- 2179) Ephydra bivittata Loew,1860** (Ephydriidae) Synonym(s): *bivittata* Loew,1860
- 2180) Ephydra riparia Fallén,1813** (Ephydriidae) Synonym(s): *riparia* Fallén,1813; *albula* Meigen,1830; *salina* Heyden,1843; *halophila* Heyden,1844; *salinae* Zetterstedt,1846; *strenzkei* Soika,1960
- 2181) Ephysteris (Microcraspedus) insulella (Heinemann,1870)** (Gelechiidae) Synonym(s): *insulella* Heinemann,1870
- 2182) Epiblema costipunctana (Haworth,[1811])** (Tortricidae) Synonym(s): *costipunctana* Haworth,[1811]; *argyrana* Stephens,1829; *trigeminana* Stephens,1834; *poecilana* Guenée,1845; *ravulana* Herrich-Schäffer,1851
- 2183) Epiblema foenellum (Linnaeus,1758)** (Tortricidae) Synonym(s): *foenella* Linnaeus,1758; *hohenwartiana* Scopoli,1772; *scopoliانا* [Denis & Schiffermüller],1775; *pflugiana* Fabricius,1787; *tibialana* Hübner,[1793]; *interrogationana* Donovan,1793; *clavigerana* Walker,1863; *sinicana* Walker,1863
- 2184) Epiblema fuchsiana (Rössler,1877)** (Tortricidae) Synonym(s): *fuchsiana* Rössler,1877
- 2185) Epiblema graphana (Treitschke,1835)** (Tortricidae) Synonym(s): *graphana* Treitschke,1835; *pierretana* Duponchel,1836
- 2186) Epiblema hepaticana (Treitschke,1835)** (Tortricidae) Synonym(s): *hepaticana* Treitschke,1835; *senecionana* Staudinger,1871; *tristana* Hauser,1918
- 2187) Epiblema junctana (Herrich-Schäffer,1856)** (Tortricidae) Synonym(s): *junctana* Herrich-Schäffer,1856; *jaspidana* Christoph,1872; *maculiferana* Kennel,1900
- 2188) Epiblema mendiculana (Treitschke,1835)** (Tortricidae) Synonym(s): *mendiculana* Treitschke,1835; *hungaricana* Herrich-Schäffer,1851
- 2189) Epiblema obscurana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *obscurana* Herrich-Schäffer,1851; *inulivora* Meyrick,1932.
- 2190) Epiblema scutulana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872
- 2191) Epiblema similana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *similana* [Denis & Schiffermüller],1775; *fluidana* [Denis & Schiffermüller],1775
- 2192) Epiblema sticticana (Fabricius,1794)** (Tortricidae) Synonym(s): *sticticana* Fabricius,1794; *farfae* Fletcher,1938.
- 2193) Epiblema turbidana (Treitschke,1835)** (Tortricidae) Synonym(s): *turbidana* Treitschke,1835; *zelleriana* Schläger,1848
- 2194) Epicallima formosella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller],1775
- 2195) Epicallima icterinella (Mann,1867)** (Oecophoridae) Synonym(s): *icterinella* Mann,1867
- 2196) Epicauta erythrocephala (Pallas,1771)** (Meloidae) Synonym(s): *erythrocephala* Pallas,1771
- 2197) Epichnopteryx kovacsii Sieder,1955** (Psychidae) Synonym(s): *kovacsii* Sieder,1955
- 2198) Epichnopteryx plumella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *plumella* [Denis & Schiffermüller],1775; *pulla* Esper,[1785]
- 2199) Epilecta linogrisea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosana* Staudinger,1901.
- 2200) Epimecia ustula (Freyer,1835)** (Noctuidae) Synonym(s): *ustula* Freyer,1835
- 2201) Epinotia abbreviana (Fabricius,1794)** (Tortricidae) Synonym(s): *abbreviana* Fabricius,1794; *trimaculana* Donovan,1806; *ulmariana* Duponchel,[1843]; *excruciana* Stephens,1852
- 2202) Epinotia bilunana (Haworth,[1811])** (Tortricidae) Synonym(s): *bilunana* Haworth,[1811]; *cretaceana* Frölich,1828
- 2203) Epinotia crenana (Hübner,[1817])** (Tortricidae) Synonym(s): *crenana* Hübner,[1817]
- 2204) Epinotia cruciana (Linnaeus,1761)** (Tortricidae) Synonym(s): *cruciana* Linnaeus,1761; *gyllenhahliana* Thunberg,1784; *augustana* Hübner,[1813]; *viminana* Guenée,1845; *alticolana* Stephens,1852
- 2205) Epinotia fraternana (Haworth,[1811])** (Tortricidae) Synonym(s): *fraternana* Haworth,[1811]; *proximana* Herrich-Schäffer,1851; *distinctana* Wilkinson,1859; *concretana* Peyerimhoff,1863
- 2206) Epinotia nanana (Treitschke,1835)** (Tortricidae) Synonym(s): *nanana* Treitschke,1835; *immetallana* Peyerimhoff,1863
- 2207) Epinotia pygmaeana (Hübner,[1799])** (Tortricidae) Synonym(s): *pygmaeana* Hübner,[1799]; *huebneri* Koçak,1980.
- 2208) Epinotia tedella (Clerck,1759)** (Tortricidae) Synonym(s): *tedella* Clerck,1759; *comitana* [Denis & Schiffermüller],1775; *hercyniana* Usler,1798; *piceana* Hübner,[1799]; *taedana* Doubleday,1859; *finitimana* Doubleday,1859
- 2209) Epione repandaria (Hufnagel,1767)** (Geometridae) Synonym(s): *repandaria* Hufnagel,1767; *apiciaria* [Denis & Schiffermüller],1775; *marginaria* Villers,1789; *demarginaria* Wehrli,1940; *franziscaria* Müller,1962
- 2210) Epione vespertaria (Linnaeus,1767)** (Geometridae) Synonym(s): *vespertaria* Linnaeus,1767; *paraellaria* [Denis & Schiffermüller],1775; *affiniaria* Borkhausen,1794; *amara* Wehrli,1940
- 2211) Epirrhoe alternata (Müller,1764)** (Geometridae) Synonym(s): *alternata* Müller,1764; *sociata* Borkhausen,1794; *degenerata* Haworth,1809; *subtristata* Haworth,1809; *contristata* Donovan,1811; *aparinata* Hübner,[1825].
- 2212) Epirrhoe galiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912
- 2213) Epirrhoe hastulata (Hübner,1790)** (Geometridae) Synonym(s): *hastulata* Hübner,1790; *luctuata* Hübner,[1799]

- 2214)** *Epirrhoe molluginata* (Hübner, [1813]) (Geometridae) Synonym(s): *molluginata* Hübner, [1813]
2215) *Epirrhoe rivata* (Hübner, [1813]) (Geometridae) Synonym(s): *rivata* Hübner, [1813]
2216) *Epirrhoe tristata* (Linnaeus, 1758) (Geometridae) Synonym(s): *tristata* Linnaeus, 1758; *limbosignata* Nolcken, 1867
2217) *Epirrita dilutata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *#dilutata* [Denis & Schiffermüller], 1775; *nebulata* Thunberg, 1784; *impluviata* Borkhausen, 1794; *fimbriata* Haworth, 1809; *inscriptata* Donovan, 1811; *neglectata* Weaver, 1852; *unicolorata* Lambillion, 1905
2218) *Epischnia prodromella* (Hübner, [1799]) (Pyralidae) Synonym(s): *prodromella* Hübner, [1799]; *#prodromella* Rebel, 1939
2219) *Episcythrastis tabidella* (Mann, 1864) (Pyralidae) Synonym(s): *tabidella* Mann, 1864; *griseella* Ragonot, 1887; *constanti* Ragonot, 1893; *heringi* Hartig, 1938; *demawendella* Zerny, 1939
2220) *Episcythrastis tetricella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *tetricella* [Denis & Schiffermüller], 1775; *tetrix* Fabricius, 1798; *chrysorrhoeella* Zincken, 1818; *plumbaginella* Eversmann, 1844; *amurensis* Ragonot, 1887; *alternella* Lewin, 1942
2221) *Episcythrastis triangulella* (Ragonot, 1875) (Scythridae) Synonym(s): *triangulella* Ragonot, 1875; *albonigrella* Amsel, 1939; *marocanella* Lucas, 1955
2222) *Episema glaucina* (Esper, [1789]) (Noctuidae) Synonym(s): *glaucina* Esper, [1789]; *dentimacula* Hübner, 1790; *unicolor* Duponchel, 1835; *hispana* Boisduval, [1837]; *meridionalis* Calberla, 1888; *abruzzorum* Dannehl, 1929
2223) *Episema korsakovi* (Christoph, 1885) (Noctuidae) Synonym(s): *korsakovi* Christoph, 1885; *paenulata* Christoph, 1885
2224) *Episema lederi* Christoph, 1885 (Noctuidae) Synonym(s): *lederi* Christoph, 1885; *sareptana* Alpheraky, 1897; *#ledereri* Wiltshire, 1937
2225) *Episema tersa* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller], 1775; *trimacula* [Denis & Schiffermüller], 1775; *swiderskii* Kostrowicki, 1956
2226) *Epistrophe* (s.str.) *eligans* (Harris, 1776) (Syrphidae) Synonym(s): *eligans* Harris, 1776; *interrupta* Gmelin, 1790; *bifasciata* Fabricius, 1794; *fulvipes* Wiedemann, 1822; *trifasciata* Strobl, 1880; *nigra* Suster & Zilberman, 1958
2227) *Epithalassius caucasicus* Becker, 1918 (Dolichopodidae) Synonym(s): *caucasicus* Becker, 1918
2228) *Epithalassius stackelbergi* Beschovsky, 1966 (Dolichopodidae) Synonym(s): *stackelbergi* Beschovsky, 1966
2229) *Epitrix hirtipennis* (Melsheimer, 1847) (Chrysomelidae) Synonym(s): *hirtipennis* Melsheimer, 1847
2230) *Erannis declinans* (Staudinger, 1879) (Geometridae) Synonym(s): *declinans* Staudinger, 1879
2231) *Erannis defoliaria* (Linnaeus, 1761) (Geometridae) Synonym(s): *#defoliaria* Clerk, 1759; *defoliaria* Linnaeus, 1761
2232) *Erebia aethiops* (Esper, [1777]) (Satyridae) Synonym(s): *aethiops* Esper, [1777]; *ligea* Poda, 1761 nec Linnaeus, 1758; *medea* Denis & Schiff., 1775; *blandina* Fabricius, 1787; *media* Hübner, 1799; *caledonia* Verity, 1911; *altivaga* Fruhstorfer, 1917; *sapaudia* Fruhstorfer, 1917; *peneplana* Berger, 1936
2233) *Erebia alberganus* (De Prunner, 1798) (Satyridae) Synonym(s): *alberganus* De Prunner, 1798; *themistocles* Locke, 1801 nec Fabricius, 1793; *ceto* Hübner, [1804]; *frenus* Fruhstorfer, 1911
2234) *Erebia cassioides* (Reiner & Hochenwarth, 1792) (Satyridae) Synonym(s): *cassioides* Reiner & Hochenwarth, 1792; *cleo* Hübner, 1799; *neleus* Freyer, 1833; *#galvagnii* Helwegger, 1914
2235) *Erebia epiphron* (Knoch, 1783) (Satyridae) Synonym(s): *epiphron* Knoch, 1783; *egea* Borkhausen, 1788 nec Fabricius, 1775; *ianthe* Hübner, [1800] nec Pallas, 1771
2236) *Erebia euryale* (Esper, [1805]) (Satyridae) Synonym(s): *euryale* Esper, [1805]; *philomela* sensu Hübner, [1805]; *adyte* Hübner, 1822; *isarica* Heyne, [1895]; *tramelana* Reverdin, 1918
2237) *Erebia gorge* (Hübner, [1804]) (Satyridae) Synonym(s): *gorge* Hübner, [1804]; *gorgone* Herrich-Schäffer, 1846 nec Boisduval, 1833
2238) *Erebia ligea* (Linnaeus, 1758) (Satyridae) Synonym(s): *ligea* Linnaeus, 1758; *alexis* Retzius, 1783 nec Poda, 1761; *permagina* Fruhstorfer, 1909; *carthusianorum* Fruhstorfer, 1909
2239) *Erebia medusa* ([Denis & Schiffermüller], 1775) (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller], 1775
2240) *Erebia melas* (Herbst, 1796) (Satyridae) Synonym(s): *melas* Herbst, 1796
2241) *Erebia oeme* (Hübner, [1804]) (Satyridae) Synonym(s): *oeme* Hübner, [1804]
2242) *Erebia orientalis* Elwes, 1900 (Satyridae) Synonym(s): *orientalis* Elwes, 1900
2243) *Erebia ottomana* Herrich-Schäffer, [1847] (Satyridae) Synonym(s): *ottomana* Herrich-Schäffer, [1847]
2244) *Erebia pandrose* (Borkhausen, 1788) (Satyridae) Synonym(s): *castor* Esper, 1781 nec Cramer, 1775; *pandrose* Borkhausen, 1788; *zilia* Borkhausen, 1789; *baucis* Schrank, 1801; *hungarus* Latreille, 1803; *asiorientalis* Goltz, 1937
2245) *Erebia pronoe* (Esper, [1780]) (Satyridae) Synonym(s): *arachne* [Denis & Schiffermüller], 1775 nec Cr., 1775; *pyrrha* [Denis & Schiffermüller], 1775 nec Linnaeus, 1758; *pronoe* Esper, [1780]; *psathura* Fruhstorfer, 1920
2246) *Erebia rhodopensis* Nicholl, 1900 (Satyridae) Synonym(s): *rhodopensis* Nicholl, 1900
2247) *Eremobia asiatica* Draudt, 1936 (Noctuidae) Synonym(s): *asiatica* Draudt, 1936
2248) *Eremobia ochroleuca* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *ochroleuca* [Denis & Schiffermüller], 1775; *citrina* Donovan, 1801; *bifasciosa* Haworth, 1809
2249) *Eremobina pabulatricula* (Brahm, 1791) (Noctuidae) Synonym(s): *pabulatricula* Brahm, 1791
2250) *Eremocoris abietis* (Linnaeus, 1758) (Lygaeidae) Synonym(s): *abietis* Linnaeus, 1758
2251) *Eremocoris fenestratus* (Herrich-Schäffer, 1839) (Lygaeidae) Synonym(s): *fenestratus* Herrich-Schäffer, 1839
2252) *Eremocoris pellitus* Seidenstücker, 1965 (Lygaeidae) Synonym(s): *pellitus* Seidenstücker, 1965
2253) *Eremocoris plebejus* (Fallén, 1807) (Lygaeidae) Synonym(s): *plebejus* Fallén, 1807; *caucasica* Horvath, 1883
2254) *Eremocoris podagricus* (Fabricius, 1775) (Lygaeidae) Synonym(s): *podagricus* Fabricius, 1775
2255) *Eriogaster* (s.str.) *catax* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *catax* Linnaeus, 1758; *lentipes* Esper, 1783
2256) *Eriogaster* (s.str.) *lanestris* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *lanestris* Linnaeus, 1758; *senecta* Graeser, 1888
2257) *Eriogaster* (s.str.) *rimicola* (Schrank, 1802) (Lasiocampidae) Synonym(s): *#rimicola* [Denis & Schiffermüller], 1775; *rimicola* Schrank, 1802
2258) *Eriopygodes imbecilla* (Fabricius, 1794) (Noctuidae) Synonym(s): *imbecilla* Fabricius, 1794; *alpina* Hübner, 1793; *aliena* Hübner, [1808]; *disparilis* Ochseneimer, 1816
2259) *Eriothrix apenninus* (Rondani, 1862) (Tachinidae) Synonym(s): *apenninus* Rondani, 1862; *latifrons* Brauer, 1898
2260) *Eriothrix rufomaculatus* (De Geer, 1776) (Tachinidae) Synonym(s): *lateralis* Fabricius, 1775; *rufomaculatus* De Geer, 1776; *demano* Harris, 1780; *tachinaria* Fallén, 1815
2261) *Eristalinus* (Lathypophthalmus) *aeneus* (Scopoli, 1763) (Syrphidae) Synonym(s): *aeneus* Scopoli, 1763; *punctatus* Müller, 1764; *macrophthalmus* Preysler, 1791; *taphicus* Wiedemann, 1830; *stygius* Newman, 1835; *aenescens* Macquart, 1842; *nigrolineatus* Hervé-Bazin, 1923
2262) *Eristalinus* (s.str.) *sepulchralis* (Linnaeus, 1758) (Syrphidae) Synonym(s): *sepulchralis* Linnaeus, 1758

- 2263) Eristalis (Eoseritalis) alpina (Panzer,[1798])** (Syrphidae) Synonym(s): *alpina* Panzer,[1798]; *caucasica* Portschinsky,1892
- 2264) Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *arbustorum* Linnaeus,1758; *lineole* Harris,1776
- 2265) Eristalis (Eoseritalis) horticola (DeGeer,1776)** (Syrphidae) Synonym(s): *horticola* DeGeer,1776; *cincta* Harris,1776; *lineata* Harris,1776; *lunula* Villers,1789; *flavicincta* Fabricius,1805
- 2266) Eristalis (Eoseritalis) jugorum Egger,1858** (Syrphidae) Synonym(s): *jugorum* Egger,1858; *pyrenaica* Becker,1921
- 2267) Eristalis (Eoseritalis) pertinax (Scopoli,1763)** (Syrphidae) Synonym(s): *pertinax* Scopoli,1763; *fossarum* Meigen,1822; *lucorum* Meigen,1838; *flavitaris* Malm,1863
- 2268) Eristalis (Eoseritalis) rupium Fabricius,1805** (Syrphidae) Synonym(s): *rupium* Fabricius,1805; *hybrida* Kanervo,1938; *infusata* Kanervo,1938; *nigrofasciata* Kanervo,1938; *nigrotarsata* Kanervo,1938
- 2269) Eristalis (Eoseritalis) similis (Fallén,1817)** (Syrphidae) Synonym(s): *similis* Fallén,1817
- 2270) Erynnis (Hesperopegasus) marloyi (Boisduval,[1834])** (Hesperiidae) Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849].
- 2271) Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921.
- 2272) Erythria (s.str.) seclusa Horvath,1803** (Cicadellidae) Synonym(s): *Horvath*,1803
- 2273) Esperarge (s.str.) clymene (Fabricius,1787)** (Satyridae) Synonym(s): *#clymene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819].
- 2274) Esperia oliviella (Fabricius,1794)** (Oecophoridae) Synonym(s): *oliviella* Fabricius,1794
- 2275) Estheria bohemani (Rondani,1862)** (Tachinidae) Synonym(s): *bohemani* Rondani,1862
- 2276) Estheria cristata (Meigen,1826)** (Tachinidae) Synonym(s): *cristata* Meigen,1826
- 2277) Estheria petiolata (Bonsdorff,1866)** (Tachinidae) Synonym(s): *petiolata* Bonsdorff,1866
- 2278) Estheria picta (Meigen,1826)** (Tachinidae) Synonym(s): *picta* Meigen,1826
- 2279) Eteobalea intermediella (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966
- 2280) Eteobalea isabellella (Costa,1836)** (Cosmopterigidae) Synonym(s): *isabellella* Costa,1836; *opulentella* Herrich-Schäffer,1853; *rutillella* Chrétien,1896.
- 2281) Eteobalea serratella (Treitschke,1833)** (Cosmopterigidae) Synonym(s): *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920
- 2282) Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920
- 2283) Ethmia aurifluella (Hübner,[1810])** (Ethmiidae) Synonym(s): *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882.
- 2284) Ethmia haemorrhoidella (Eversmann,1844)** (Ethmiidae) Synonym(s): *haemorrhoidella* Eversmann,1844; *anatolica* Amsel,1953.
- 2285) Ethmia lugubris (Staudinger,1879)** (Ethmiidae) Synonym(s): *lugubris* Staudinger,1879
- 2286) Ethmia terminella T.B.Fletcher,1938** (Ethmiidae) Synonym(s): *sempunctella* Hübner,[1810] *nec* Fabr.,1794; *terminella* T.B.Fletcher,1938.
- 2287) Ethmia tripunctella (Staudinger,1879)** (Ethmiidae) Synonym(s): *tripunctella* Staudinger,1879
- 2288) Etiella zinckenella (Treitschke,1832)** (Pyralidae) Synonym(s): *marginella* Fabricius,1781 *nec* Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975.
- 2289) Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850
- 2290) Eublemma (candidana-gr.) minutatum (Fabricius,1794)** (Noctuidae) Synonym(s): *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809].
- 2291) Eublemma (candidana-gr.) viridulum (Guenée,1841)** (Noctuidae) Synonym(s): *viridula* Guenée,1841; *minuta* Freyer,1849; *dalmatina* Herrich-Schäffer,[1851]; *caprearum* Draudt,1933.
- 2292) Eublemma (Coccidiphaga) scitulum (Rambur,1833)** (Noctuidae) Synonym(s): *scitula* Rambur,1833; *exasperata* Lederer,1855; *gibbosa* Snellen,1872; *futilis* Swinhoe,1884; *cretacea* Hampson,1893; *turatii* Berio,2002.
- 2293) Eublemma (Glossodice) polygrammum (Duponchel,[1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *violetta* Staudinger,1889.
- 2294) Eublemma (Glossodice) pudorinum (Staudinger,1889)** (Noctuidae) Synonym(s): *pudorinum* Staudinger,1889
- 2295) Eublemma (Honeyania) ragusanum (Freyer,1844)** (Noctuidae) Synonym(s): *ragusana* Freyer,1844; *virginea* Guenée,1852; *cinerina* Ghiliani,1854; *psilogramma* Lederer,1855; *quinquelinealis* Moore,1877; *dividens* Lucas,1892; *polygramma* Hampson,1894.
- 2296) Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973.
- 2297) Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
- 2298) Eublemma (rosina-gr.) amoenum (Hübner,[1803])** (Noctuidae) Synonym(s): *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888.
- 2299) Eublemma (rosina-gr.) panonicum (Freyer,1840)** (Noctuidae) Synonym(s): *panonica* Freyer,1840; *kindermannii* Boisduval,1840; *lenis* Eversmann,1844
- 2300) Eublemma (rosina-gr.) purpurinum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901.
- 2301) Eublemma (rosina-gr.) rosinum (Hübner,[1803])** (Noctuidae) Synonym(s): *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
- 2302) Eublemma porphyria (Freyer,1845)** (Noctuidae) Synonym(s): *porphyria* Freyer,1845
- 2303) Eucarta amethystina (Hübner,[1803])** (Noctuidae) Synonym(s): *amethystina* Hübner,[1803]; *austera* W.Warren,1911.
- 2304) Eucarta virgo (Treitschke,1835)** (Noctuidae) Synonym(s): *virgo* Treitschke,1835; *virginalis* Bryk,1949; *griseofulgens* Kovacs,1968.
- 2305) Euchalcia (s.str.) consona (Fabricius,1787)** (Noctuidae) Synonym(s): *consona* Fabricius,1787
- 2306) Euchalcia (s.str.) modestoides Poole,1989** (Noctuidae) Synonym(s): *modesta* Hübner,1787 *nec* Müll.,1764; *modestoides* Poole,1989
- 2307) Euchalcia (s.str.) variabilis (Piller & Mitterpacher,1783)** (Noctuidae) Synonym(s): *variabilis* Piller & Mitterpacher,1783; *cuprea* Esper,1787; *illustris* Fabricius,1787
- 2308) Eucharis (Psilogastrellus) punctata Förster,1859** (Eucharidae) Synonym(s): *punctata* Förster,1859

- 2309) Eucharis (s.str.) marani Boucek,1955** (Eucharidae) Synonym(s): *marani* Boucek,1955
- 2310) Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
- 2311) Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
- 2312) Euchoeca nebulata (Scopoli,1763)** (Geometridae) Synonym(s): *nebulata* Scopoli,1763; *obliterata* Hufnagel,1767; *heparata* [Denis & Schiffermüller],1775; *strigata* Thunberg,1788 nec Sc.,1763; *hepararia* Hübner,[1799]
- 2313) Euchromius bellus (Hübner,1796)** (Pyrilidae) Synonym(s): *bella* Hübner,1796; *bellalis* Hübner,[1825].
- 2314) Euchromius ocellus (Haworth,[1811])** (Pyrilidae) Synonym(s): *occella* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 2315) Euchromius ramburiellus (Duponchel,1836)** (Pyrilidae) Synonym(s): *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949.
- 2316) Euchromius rayatellus (Amsel,1949)** (Pyrilidae) Synonym(s): *rayatella* Amsel,1949
- 2317) Euchromius superbullus (Zeller,1849)** (Pyrilidae) Synonym(s): *superbullus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958.
- 2318) Euclasta (s.str.) splendidalis (Herrich-Schäffer,[1848])** (Pyrilidae) Synonym(s): *splendidalis* Herrich-Schäffer,[1848]
- 2319) Euclidia glyphica (Linnaeus,1758)** (Noctuidae) Synonym(s): *glyphica* Linnaeus,1758; *pratensis* Müller,1764
- 2320) Euconomelus lepidus (Boheman,1847)** (Delphacidae) Synonym(s): *limbata* Fabricius,1794 (praeocc.); *lepidus* Boheman,1847; *tristis* Boheman,1847
- 2321) Eucosma albidulana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *albidulana* Herrich-Schäffer,[1851]
- 2322) Eucosma aspidiscana (Hübner,[1817])** (Tortricidae) Synonym(s): *obscurana* Fabricius,1798; *aspidiscana* Hübner,[1817]; *zachana* Hübner,[1817]; *dahlbomiana* Zetterstedt,1839; *rubescana* Constant,1895
- 2323) Eucosma caliacrana (Caradja,1931)** (Tortricidae) Synonym(s): *luciana* Kennel,1919 (praeocc.); *caliacrana* Caradja,1931; *nessebarana* Soffner,1962; *galactica* Obratzov,1968
- 2324) Eucosma campoliliana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *campoliliana* [Denis & Schiffermüller],1775
- 2325) Eucosma cana (Haworth,1811)** (Tortricidae) Synonym(s): *marmorana* Fabricius,1798; *cana* Haworth,1811; *monetulana* Hübner,[1817]; *carduana* Guenée,1845; *subvittana* Staudinger,1892.
- 2326) Eucosma conformana (Mann,1872)** (Tortricidae) Synonym(s): *conformana* Mann,1872; *umbratana* Staudinger,1880; *significanta* Kennel,1901.
- 2327) Eucosma conterminana (Guenée,1845)** (Tortricidae) Synonym(s): *conterminana* Guenée,1845
- 2328) Eucosma cumulana (Guenée,1845)** (Tortricidae) Synonym(s): *cumulana* Guenée,1845; *obscurana* Caradja,1916 nec Fabricius,1798; *caradjai* Obratzov,1968.
- 2329) Eucosma metzneriana (Treitschke,1830)** (Tortricidae) Synonym(s): *metzneriana* Treitschke,1830
- 2330) Eucosma obumbratana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *obumbratana* Lienig & Zeller,1846
- 2331) Eucosma pupillana (Clerck,1759)** (Tortricidae) Synonym(s): *pupillana* Clerck,1759
- 2332) Eucosma tripoliana (Barrett,1880)** (Tortricidae) Synonym(s): *tripoliana* Barrett,1880
- 2333) Eucosmomorpha albersana (Hübner,[1813])** (Tortricidae) Synonym(s): *albersana* Hübner,[1813]; *ussuriana* Caradja,1916.
- 2334) Eucremastoides angelovi Kolarov,1980** (Ichneumonidae) Synonym(s): *angelovi* Kolarov,1980
- 2335) Eucrostes indigenata (Villers,1789)** (Geometridae) Synonym(s): *indigenata* Villers,1789
- 2336) Eudarcia (Obesoceras) balcanica (Gaedike,1988)** (Tineidae) Synonym(s): *balcanica* Gaedike,1988
- 2337) Eudarcia (Obesoceras) forsteri G.Petersen,1964** (Tineidae) Synonym(s): *forsteri* G.Petersen,1964
- 2338) Eudarcia (Obesoceras) kasyi (G.Petersen,1971)** (Tineidae) Synonym(s): *kasyi* G.Petersen,1971
- 2339) Eudarcia granulata (Zeller,1852)** (Tineidae) Synonym(s): *granulata* Zeller,1852
- 2340) Eudelus similimus (Taschenberg,1865)** (Ichneumonidae) Synonym(s): *similimus* Taschenberg,1865
- 2341) Eudemis (s.str.) porphyra (Hübner,[1799])** (Tortricidae) Synonym(s): *porphyra* Hübner,[1799]; *pomedaxana* Pierce & Metcalfe,1915
- 2342) Eudemis (s.str.) profundana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *profundana* [Denis & Schiffermüller],1775; *triangulella* Goeze,1783; *nebulana* Donovan,1806; *aethiopiana* Haworth,1811; *wellesiana* Hübner,[1813]; *alphonisiana* Duponchel,1834; *#obscurata* Gibeaux & Luquet,1998; *#satans* Gibeaux & Luquet,1998
- 2343) Eudonia delunella (Stainton,1849)** (Pyrilidae) Synonym(s): *resinea* auct.; *delunella* Stainton,1849; *vandalisella* Herrich-Schäffer,1851; *vandalialis* Herrich-Schäffer,1862; *pernigralis* Turati,1923
- 2344) Eudonia mercurella (Linnaeus,1758)** (Pyrilidae) Synonym(s): *mercurella* Linnaeus,1758; *mercurii* Fabricius,1798; *mercurea* Haworth,1811; *mercurealis* Hübner,[1825]; *portlandica* Westwood,1845; *frequentella* Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862
- 2345) Eudonia phaeoleuca (Zeller,1846)** (Pyrilidae) Synonym(s): *phaeoleuca* Zeller,1846; *sciaphilella* La Harpe,1855; *bielnalis* Rougemont,1904; *gratiella* Turati,1914
- 2346) Eudonia truncicolella (Stainton,1849)** (Pyrilidae) Synonym(s): *truncicolella* Stainton,1849; *pallida* Banks,1895 nec Curt.,1827; *#minor* Dufrene,1960; *#fusca* Dufrene,1960
- 2347) Eugnorisma (Metagnorisma) depuncta (Linnaeus,1761)** (Noctuidae) Synonym(s): *depuncta* Linnaeus,1761; *meridionalis* Dannehl,1925.
- 2348) Eugnorisma (Metagnorisma) pontica (Staudinger,1892)** (Noctuidae) Synonym(s): *pontica* Staudinger,1892
- 2349) Eugnosta lathoniana (Hübner,[1800])** (Tortricidae) Synonym(s): *lathoniana* Hübner,[1800]
- 2350) Eugraphe sigma ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#sigma* [Denis & Schiffermüller],1775; *charactera* [Denis & Schiffermüller],1775; *ditrapezum* Esper,[1786]; *nubila* Esper,[1786]; *signum* Fabricius,1787; *umbra* Vieweg,1789; *signa* Hampson,1903; *terminalis* Strand,1915
- 2351) Euheptaulacus carinatus (Germar,1824)** (Scarabaeidae) Synonym(s): *carinatus* Germar,1824
- 2352) Euheptaulacus sus (Herbst,1783)** (Scarabaeidae) Synonym(s): *sus* Herbst,1783
- 2353) Eulamprotes atrella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *atrella* [Denis & Schiffermüller],1775; *quadripunctella* Fabricius,1781; *umbripherella* Herrich-Schäffer,1854; *aurimaculella* Höfner,1896
- 2354) Eulamprotes unicolorella (Duponchel,1843)** (Gelechiidae) Synonym(s): *unicorella* Duponchel,1843; *immaculatella* Douglas,1850; *lucetella* Peyerimhoff,1870
- 2355) Eulamprotes wilkella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *wilkella* Linnaeus,1758; *merianella* Linnaeus,1758; *pictella* Zeller,1839; *tarquiniella* Stainton,1862.
- 2356) Eulithis populata (Linnaeus,1758)** (Geometridae) Synonym(s): *populata* Linnaeus,1758; *dotata* Linnaeus,1758; *popularia* Boisduval,1840.
- 2357) Eulithis prunata (Linnaeus,1758)** (Geometridae) Synonym(s): *prunata* Linnaeus,1758; *ribesaria* Boisduval,1840

- 2358) Eulithis pyraliata** ([Denis & Schiffermüller,1775] (Geometridae) Synonym(s): *#pyraliata* [Denis & Schiffermüller,1775; ?*aurantiaca* Fourcroy,1785; *pyraliaria* Bosiudval,1840; *dotata* sensu Staudinger,1877
- 2359) Eulophus larvarum** (Linnaeus,1758) (Eulophidae) Synonym(s): *larvarum* Linnaeus,1758; *aeneicoxa* Thomson,1878
- 2360) Eumasia parietariella** (Heydenreich,1851) (Psychidae) Synonym(s): *parietariella* Heydenreich,1851; *crepusculella* Müller-Rutz,1920.
- 2361) Eumecurus bourouensis** (Linnavuori,1965) (Cixiidae) Synonym(s): *bourouensis* Linnavuori,1965
- 2362) Eumera regina** Staudinger,1892 (Geometridae) Synonym(s): *regina* Staudinger,1892
- 2363) Eumerus argyropus** Loew,1848 (Syrphidae) Synonym(s): *argyropus* Loew,1848
- 2364) Eumerus basalis** Loew,1848 (Syrphidae) Synonym(s): *basalis* Loew,1848
- 2365) Eumerus basalis** Loew,1848 (Syrphidae) Synonym(s): *basalis* Loew,1848
- 2366) Eumerus graecus** Becker,1921 (Syrphidae) Synonym(s): *graecus* Becker,1921
- 2367) Eumerus graecus** Becker,1921 (Syrphidae) Synonym(s): *graecus* Becker,1921
- 2368) Euphydryas (Eurodryas) aurinia** (Rottemburg,1775) (Argynniidae) Synonym(s): *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller,1775; *lye* Bergsträßer,1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917; *pychanpar* Lastukhin,2007
- 2369) Euphydryas (Hypodryas) cynthia** ([Denis & Schiffermüller,1775] (Argynniidae) Synonym(s): *cynthia* [Denis & Schiffermüller,1775; *mysia* Hübner,1800]; *ichnea* Boisduval,1833; *pallida* Spuler,1901 nec Staudinger,1881; *leonhardi* Fruhstorfer,1917; *drenowskii* Röber,1926; *spuleri* Röber,1926; *extensa* Dujardin,1948; *demissa* Verity,1950.
- 2370) Euphydryas (Hypodryas) maturna** (Linnaeus,1758) (Argynniidae) Synonym(s): *maturna* Linnaeus,1758; *agrotea* Bergsträßer,1780]; *cynthia* Hübner,1800] nec [Denis & Schiff.,1775
- 2371) Euphyia biangulata** (Haworth,1809) (Geometridae) Synonym(s): *biangulata* Haworth,1809]; *picata* Hübner,1813]
- 2372) Euphyia frustata** (Treitschke,1828) (Geometridae) Synonym(s): *frustata* Treitschke,1828; *muscosata* Donzel,1837; *fulvocinctata* Rambur,1866
- 2373) Euphyia scripturata** (Hübner,1799) (Geometridae) Synonym(s): *scripturata* Hübner,1799]; *placidaria* Freyer,1852
- 2374) Euphyia unangulata** (Haworth,1809) (Geometridae) Synonym(s): *bicolorata* Borkhausen,1794; *unangulata* Haworth,1809; *amniculata* Hübner,1813]; *amnicularia* Boisduval,1840; *gracilaria* A.Bang-Haas,1906; *tonnaichana* Matsumura,1925; *chinensis* Sterneck,1928; *regnelli* Bryk,1942; *renei* Bryk,1948
- 2375) Eupithecia abbreviata** Stephens,1831 (Geometridae) Synonym(s): *nebulata* Haworth,1809; *abbreviata* Stephens,1831
- 2376) Eupithecia abietaria** (Goeze,1781) (Geometridae) Synonym(s): *pini* Retzius,1783 nec Linn.,1758; *abietaria* Goeze,1781; *strobilata* Borkhausen,1794; *togata* Hübner,1817]; *bilunulata* Zetterstedt,1839; *togaria* Boisduval,1840.
- 2377) Eupithecia absinthiata** (Clerck,1759) (Geometridae) Synonym(s): *#absinthiata* Clerck,1759; *minutata* [Denis & Schiffermüller,1775; *elongata* Haworth,1809; *notata* Stephens,1831; *minutaria* Boisduval,1840; *absinthiaria* Herrich-Schäffer,1848; *elongaria* Doubleday,1849; *callunae* Speyer,1867; *geminata* Packard,1873; *knautiana* Gregson,1874
- 2378) Eupithecia adscriptaria** Staudinger,1871 (Geometridae) Synonym(s): *adscriptaria* Staudinger,1871
- 2379) Eupithecia alliaria** Staudinger,1870 (Geometridae) Synonym(s): *alliaria* Staudinger,1870; *#notata* Dietze,1910 nec Stph.,1831
- 2380) Eupithecia assimilata** Doubleday,1856 (Geometridae) Synonym(s): *assimilata* Doubleday,1856; *fumosa* Hulst,1896; *grisescens* Dietze,1910
- 2381) Eupithecia biornata** Christoph,1867 (Geometridae) Synonym(s): *biornata* Christoph,1867
- 2382) Eupithecia breviculata** (Donzel,1837) (Geometridae) Synonym(s): *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977.
- 2383) Eupithecia caeruleata** Favre,1899 (Geometridae) Synonym(s): *caeruleata* Favre,1899
- 2384) Eupithecia carpophagata** Staudinger,1871 (Geometridae) Synonym(s): *carpophagata* Staudinger,1871
- 2385) Eupithecia cretacea** (Packard,1874) (Geometridae) Synonym(s): *cretacea* Packard,1874; *fenestrata* Millière,1874.
- 2386) Eupithecia cucullaria** (Rebel,1901) (Geometridae) Synonym(s): *undata* Bohatsch,1893 nec Frr.,1840; *cucullaria* Rebel,1901
- 2387) Eupithecia denotata** (Hübner,1813) (Geometridae) Synonym(s): *denotata* (Hübner,1813]; *atraria* Herrich-Schäffer,1848]; *campanulata* Herrich-Schäffer,1861; *primulata* Millière,1874; *jasioneata* Crewe,1881; *livida* Dietze,1910.
- 2388) Eupithecia denticulata** (Treitschke,1828) (Geometridae) Synonym(s): *denticulata* Treitschke,1828
- 2389) Eupithecia distinctaria** Herrich-Schäffer,1848] (Geometridae) Synonym(s): *distinctaria* Herrich-Schäffer,1848]; *constrictata* Guenée,1858]; *sextiata* Dardoin & Millière,1867; *piemonticola* Schwingenschuss,1954
- 2390) Eupithecia dodoneata** Guenée,1858] (Geometridae) Synonym(s): *dodoneata* Guenée,1858]; *quercifoliata* A.Bang-Haas,1874; *austrina* Herbulot,1962
- 2391) Eupithecia druentiata** Dietze,1902 (Geometridae) Synonym(s): *druentiata* Dietze,1902
- 2392) Eupithecia egenaria** Herrich-Schäffer,1848] (Geometridae) Synonym(s): *egenaria* Herrich-Schäffer,1848]; *undosata* Dietze,1875
- 2393) Eupithecia ericeata** (Rambur,1833) (Geometridae) Synonym(s): *ericeata* Rambur,1833; *millierata* Staudinger,1871
- 2394) Eupithecia extraversaria** Herrich-Schäffer,1852] (Geometridae) Synonym(s): *extraversaria* Herrich-Schäffer,1852]; *libanotidata* Guenée,1858]
- 2395) Eupithecia extremata** (Fabricius,1787) (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
- 2396) Eupithecia gemellata** Herrich-Schäffer,1861 (Geometridae) Synonym(s): *gemellata* Herrich-Schäffer,1861
- 2397) Eupithecia goossensata** Mabille,1869 (Geometridae) Synonym(s): *goossensata* Mabille,1869
- 2398) Eupithecia graphata** (Treitschke,1828) (Geometridae) Synonym(s): *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,1858]
- 2399) Eupithecia gratiosata** Herrich-Schäffer,1861 (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885
- 2400) Eupithecia haworthiata** Doubleday,1856 (Geometridae) Synonym(s): *haworthiata* Doubleday,1856; *gozmanyi* Vojnits,1972
- 2401) Eupithecia icterata** (Villers,1789) (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
- 2402) Eupithecia impurata** (Hübner,1813) (Geometridae) Synonym(s): *impurata* Hübner,1813]; *modicata* Hübner,1813]; *proluaria* Freyer,1852; *badenata* Schütze,1952; *germanicata* Schütze,1952; *gremmingerata* Schütze,1952; *langeata* Schütze,1952; *francoiata* Schütze,1956; *thuringiata* Schütze,1956; *westfalicata* Weigt,1982
- 2403) Eupithecia indigata** (Hübner,1813) (Geometridae) Synonym(s): *indigata* Hübner,1813]; *turfosata* Draudt,1903; *pliniata* Stauder,1929
- 2404) Eupithecia innotata** (Hufnagel,1767) (Geometridae) Synonym(s): *innotata* Hufnagel,1767; *tamarisciata* Freyer,1836; *suspectata* Dietze,1871; *uliata* Staudinger,1897; *ulicada* Dietze,1910; *alexandriana* Vardikjan,1972; *sergiana* Vardikjan,1972.

- 2405) Eupithecia insigniata (Hübner,1790)** (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794.
- 2406) Eupithecia intricata Zetterstedt,[1839]** (Geometridae) Synonym(s): *intricata* Zetterstedt,[1839]; *helveticaria* Boisduval,1840
- 2407) Eupithecia irriguata (Hübner,[1813])** (Geometridae) Synonym(s): *variegata* Haworth,1809 nec Scop.,1763; *irriguata* Hübner,[1813]
- 2408) Eupithecia laquaearia Herrich-Schäffer,[1848]** (Geometridae) Synonym(s): *laquaearia* Herrich-Schäffer,[1848]; *merinata* Guenée,[1858]
- 2409) Eupithecia limbata Staudinger,1879** (Geometridae) Synonym(s): *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973
- 2410) Eupithecia linariata (Fabricius,1787)** (Geometridae) Synonym(s): *#linariata* [Denis & Schiffermüller],1775; *linariata* Fabricius,1787
- 2411) Eupithecia millefoliata Roesler,1866** (Geometridae) Synonym(s): *millefoliata* Roesler,1866; *achilleata* Mabilie,1869; *#maeoticaria* Bohatsch,1893
- 2412) Eupithecia nanata (Hübner,[1813])** (Geometridae) Synonym(s): *angustata* Haworth,1809; *nanata* Hübner,[1813]; *angusta* L.B.Prout,1938; *gelidatoides* Warnecke,1951
- 2413) Eupithecia oblongata (Thunberg,1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892; *chinae* Vojnits,1977.
- 2414) Eupithecia ochridata Schütze & Pinker,1968** (Geometridae) Synonym(s): *ochridata* Schütze & Pinker,1968; *szelenyii* Vojnits,1969.
- 2415) Eupithecia orphnata W.Petersen,1909** (Geometridae) Synonym(s): *#orphnata* Bohatsch,1883; *orphnata* W.Petersen,1909
- 2416) Eupithecia pimpinellata (Hübner,[1813])** (Geometridae) Synonym(s): *pimpinellata* Hübner,[1813]; *altaicata* Guenée,[1858]; *lantoscata* Millière,1873; *cinerascens* Tengström,1875; *limbosignata* Dietze,1910; *elongata* Dietze,1913 nec Hw,1809; *retheli* L.B.Prout,1938; *variata* Schwingenschuss,1936.
- 2417) Eupithecia plumbeolata (Haworth,[1809])** (Geometridae) Synonym(s): *plumbeolata* Haworth,[1809]; *isogrammata* Treitschke,1828; *begrandaria* Boisduval,1840; *singularia* Herrich-Schäffer,1848; *plumbeolaria* Doubleday,1849; *begrandata* Bruand,1850; *dshungarica* Viidalepp,1988.
- 2418) Eupithecia pusillata (Fabricius,1787)** (Geometridae) Synonym(s): *#pusillata* [Denis & Schiffermüller],1775; *pusillata* Fabricius,1787; *sobrinata* Hübner,[1817]; *pusillaria* Hübner,[1825]; *sobrinaria* Boisduval,1840; *expressaria* Herrich-Schäffer,1848; *anglicata* Herrich-Schäffer,1863; *latoniata* Millière,1882; *stevensata* Webb,1896; *scotica* Dietze,1910
- 2419) Eupithecia pyreneata Mabilie,1871** (Geometridae) Synonym(s): *pyreneata* Mabilie,1871; *digitaliaria* Dietze,1872; *granadensis* Bubacek,1926
- 2420) Eupithecia quercetica L.B.Prout,1938** (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938
- 2421) Eupithecia satyrata (Hübner,[1813])** (Geometridae) Synonym(s): *satyrata* Hübner,[1813]; *satyraria* Boisduval,1840; *italicata* Guenée,1858; *submelanochroa* Vojnits,1973
- 2422) Eupithecia schiefereri Dietze,1904** (Geometridae) Synonym(s): *#schiefereri* Bohatsch,1893; *schiefereri* Dietze,1904; *#confluens* Dietze,1910; *#schiefererie* Pinker,1958; *#schieferi* Arnscheid,2000
- 2423) Eupithecia selinata Herrich-Schäffer,1861** (Geometridae) Synonym(s): *selinata* Herrich-Schäffer,1861; *divina* Vojnits,1981
- 2424) Eupithecia semigraphata Bruand,[1847]** (Geometridae) Synonym(s): *semigraphata* Bruand,[1847]
- 2425) Eupithecia silenata Assmann,1848** (Geometridae) Synonym(s): *silenata* Assmann,1848; *silenaria* Herrich-Schäffer,1852.
- 2426) Eupithecia silenicolata Mabilie,1867** (Geometridae) Synonym(s): *silenicolata* Mabilie,1867
- 2427) Eupithecia simpliciatia Haworth,[1809]** (Geometridae) Synonym(s): *simpliciatia* Haworth,[1809]; *subnotata* Hübner,[1813]; *subnotaria* Boisduval,1840; *subnotataria* Herrich-Schäffer,1848.
- 2428) Eupithecia spadiceata Zerny,1933** (Geometridae) Synonym(s): *spadiceata* Zerny,1933
- 2429) Eupithecia spissilineata (Metzner,1846)** (Geometridae) Synonym(s): *spissilineata* Metzner,1846; *multilineata* Mann,1866.
- 2430) Eupithecia subfuscata (Haworth,[1809])** (Geometridae) Synonym(s): *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898
- 2431) Eupithecia subumbrata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *subumbrata* [Denis & Schiffermüller],1775; *scabiosata* Borkhausen,1794; *piperata* Stephens,1831, *subumbraria* Boisduval,1840; *obrutaria* Doubleday,1849; *majoraria* De La Harpe,1855.
- 2432) Eupithecia succenturiata (Linnaeus,1758)** (Geometridae) Synonym(s): *succenturiata* Linnaeus,1758; *disparata* Hübner,[1799]
- 2433) Eupithecia tantillaria Boisduval,1840** (Geometridae) Synonym(s): *tantillaria* Boisduval,1840; *laricis* Speyer,1873; *calabrica* Dietze,1910; *piceata* L.B.Prout,1915
- 2434) Eupithecia tenuiata (Hübner,[1813])** (Geometridae) Synonym(s): *tenuiata* Hübner,[1813]; *macellata* Fischer v. Roeslerstamm,1827
- 2435) Eupithecia thurnerata Schütze,1958** (Geometridae) Synonym(s): *thurnerata* Schütze,1958
- 2436) Eupithecia tripunctaria Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *albipunctata* Haworth,1809 nec Hfn.,1767; *tripunctaria* Herrich-Schäffer,[1852]; *angelicata* Barrett,1877; *promulgata* Pearsall,1909; *#privata* Dietze,1913
- 2437) Eupithecia trisignaria Herrich-Schäffer,1848** (Geometridae) Synonym(s): *trisignaria* Herrich-Schäffer,1848; *#trisignata* Herrich-Schäffer,1861
- 2438) Eupithecia undata (Freyer,[1840])** (Geometridae) Synonym(s): *undata* Freyer,[1840]; *scriptaria* Herrich-Schäffer,1848; *puengeleri* Dietze.
- 2439) Eupithecia venosata (Fabricius,1787)** (Geometridae) Synonym(s): *venosata* Fabricius,1787; *insignata* Hübner,1789; *decussata* Donovan,1799; *comparanda* Vojnits,1981
- 2440) Eupithecia veratraria Herrich-Schäffer,1848** (Geometridae) Synonym(s): *veratraria* Herrich-Schäffer,1848; *eymensata* Graslin,1863; *magnata* Millière,1873; *homophaea* Djakonov,1926; *perpaupera* Inoue,1965; *arctica* Viidalepp,1974; *geiserata* Mironov,1988
- 2441) Eupithecia virgaureata Doubleday,1861** (Geometridae) Synonym(s): *virgaureata* Doubleday,1861; *altenaria* Staudinger,1861; *offirmata* Speyer,1869; *invisa* Butler,1878; *wettsteini* Vojnits,1974
- 2442) Eupithecia vulgata (Haworth,[1809])** (Geometridae) Synonym(s): *vulgata* Haworth,[1809]; *pygmaeata* Borkhausen,1794; *clusterata* Hübner,[1813]; *austeraria* Herrich-Schäffer,1848; *atropicta* Dietze,1910; *cyrneata* Schawerda,1933

- 2443) Euplagia quadripunctaria (Poda,1761)** (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915.
- 2444) Euplexia lucipara (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucipara* Linnaeus,1758; *dubia* Hufnagel,1766; *leonhardi* Rebel,1909; *britannica* Turner,1943
- 2445) Euplocamus anthracinalis (Scopoli,1763)** (Tineidae) Synonym(s): *anthracinalis* Scopoli,1763; *anthracinella* [Denis & Schiffmüller],1775; *fuesslinella* Sulzer,1776; *guttella* Fabricius,1781; *anthracina* Borkhausen,1793; *fuesslinaria* Esper,[1801]; *guttatus* Latreille,1809; *monetellus* Lederer,1864; *amanalis* Osthelder,1935.
- 2446) Euplocamus ophisus (Cramer,[1779])** (Tineidae) Synonym(s): *ophisus* Cramer,[1779]
- 2447) Eupoecilia ambiguella (Hübner,1796)** (Tortricidae) Synonym(s): *ambiguella* Hübner,1796; *omphaciella* Faure-Bignot de Simonest,1801; *roserana* Frölich,1828; *turbinaris* Meyrick,1928
- 2448) Eupoecilia angustana (Hübner,[1799])** (Tortricidae) Synonym(s): *angustana* Hübner,[1799]; *fasciella* Donovan,1808 *nec* Goeze,1783; *cruentana* Herrich-Schäffer,[1851].
- 2449) Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) Synonym(s): *chrysorrhoea* Linnaeus,1758; *phaeorrhoeus* Haworth,1803
- 2450) Euproctis similis (Fuessly,1775)** (Lymantriidae) Synonym(s): *similis* Fuessly,1775; *auriflua* [Denis & Schiffmüller],1775; *cygnea* Thunberg,1788; *rebeli* Haberhauer,1902.
- 2451) Eupsilia transversa (Hufnagel,1766)** (Noctuidae) Synonym(s): *transversa* Hufnagel,1766; *satellitica* Linnaeus,1767
- 2452) Eupterycyba jucunda (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *jucunda* Herrich-Schäffer,1837; *zetterstedti* Boheman,1845
- 2453) Eupteryx adpersa (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *adpersa* Herrich-Schäffer,1838; *gallica* Wagner,1939
- 2454) Eupteryx atropunctata (Goeze,1778)** (Cicadellidae) Synonym(s): *atropunctata* Goeze,1778; *nigropunctata* Schrank,1781; *carpini* Fourcroy,1785; *tripunctata* Gmelin,1790; *melanostica* Gmelin,1790; *picta* Fabricius,1794; *aureola* Boheman,1845; *petasitidis* Ferrari,1882; *impunctata* Cerutti,1939; *marginata* Cerutti,1939
- 2455) Eupteryx aurata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurata* Linnaeus,1758; *festiva* Fabricius,1794; *fulva* Herrich-Schäffer,1836; *interpuncta* Cerutti,1939; *nigerrima* Cerutti,1939
- 2456) Eupteryx austriaca (Metcalf,1968)** (Cicadellidae) Synonym(s): *binotata* Fieber,1872 (*praeocc.*); *austriaca* Metcalf,1968
- 2457) Eupteryx calcarata Ossiannilsson,1936** (Cicadellidae) Synonym(s): *calcarata* Ossiannilsson,1936; *albifrons* Cerutti,1939; *frontalis* Cerutti,1939; *triguttata* Cerutti,1939; *ypsilon* Cerutti,1939
- 2458) Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936
- 2459) Eupteryx cyclops Matsumura,1906** (Cicadellidae) Synonym(s): *cyclops* Matsumura,1906; *nigrifrons* Haupt,1912; *britteni* Edwards,1924; *affinis* Ossiannilsson,1936; *mendax* Ribaut,1936; *trilobata* Ribaut,1936
- 2460) Eupteryx heydenii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *heydenii* Kirschbaum,1868; *ornata* Fieber,1872; *pruni* Edwards,1888
- 2461) Eupteryx lielievrei (Lethierry,1874)** (Cicadellidae) Synonym(s): *lielievrei* Lethierry,1874
- 2462) Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837
- 2463) Eupteryx notata Curtis,1837** (Cicadellidae) Synonym(s): *notata* Curtis,1837; *wallengreni* Stal,1853; *dimiunta* Kirschbaum,1868
- 2464) Eupteryx stachydearum (Hardy,1850)** (Cicadellidae) Synonym(s): *stachydearum* Hardy,1850; *curtisii* Flor,1861; *catenata* Rey,1894; *confluens* Rey,1894; *continua* Cerutti,1939
- 2465) Eupteryx urticae (Fabricius,1803)** (Cicadellidae) Synonym(s): *urticae* Fabricius,1803; *tarsalis* Curtis,1837; *jucunda* Hardy,1850 (*praeocc.*); *octonotata* Hardy,1850; *basalis* Rey,1894; *conjuncta* Rey,1894; *haupti* Wagner,1935; *deficiens* Ribaut,1936; *glomerata* Ribaut,1936
- 2466) Eupteryx vittata (Linnaeus,1758)** (Cicadellidae) Synonym(s): *vittata* Linnaeus,1758
- 2467) Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868; *putoni* Lethierry,1876; *hipposideros* Horvath,1892; *decussata* Ribaut,1936
- 2468) Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna* Germar,1831
- 2469) Eurhadina kirschbaumi Wagner,1937** (Cicadellidae) Synonym(s): *kirschbaumi* Wagner,1937; *oshanini* Zachvatkin,1948
- 2470) Eurhadina loewii (Then,1886)** (Cicadellidae) Synonym(s): *loewii* Then,1886
- 2471) Eurhadina pulchella (Fallén,1806)** (Cicadellidae) Synonym(s): *pulchella* Fallén,1806; *ornatipennis* Curtis,1837; *lutea* Hardy,1850; *aurantiaca* Snellen,1862; *thoracica* Fieber,1884; *orientalis* Dworakowska,1969
- 2472) Eurhodope (s.str.) cirrigerella (Zincken,1818)** (Pyralidae) Synonym(s): *cirrigerella* Zincken,1818; *infusata* Staudinger,1879
- 2473) Eurhodope (s.str.) monogrammos (Zeller,1867)** (Pyralidae) Synonym(s): *monogrammos* Zeller,1867; *buxtoni* Rothschild,1921; *homochromella* Amsel,1961; *melanella* Roesler,1969
- 2474) Eurhodope (s.str.) ortneri Hartig,1938** (Pyralidae) Synonym(s): *ortneri* Hartig,1938
- 2475) Eurhodope (s.str.) rosella (Scopoli,1763)** (Pyralidae) Synonym(s): *rosella* Scopoli,1763; *pudoralis* Denis & Schiffmüller,1775; *pudorella* Hübner,1796; *pudorana* Frölich,1828
- 2476) Eurina ducalis A.Costa,1885** (Chloropidae) Synonym(s): *ducalis* A.Costa,1885; *dalmatina* Strobl,1893
- 2477) Eurina lurida Meigen,1830** (Chloropidae) Synonym(s): *lurida* Meigen,1830; *clypeata* Meigen,1830; *nuda* Loew,1858
- 2478) Eurodachtha flavissimella (Mann,1862)** (Lecithoceridae) Synonym(s): *flavissimella* Mann,1862
- 2479) Eurois occulta (Linnaeus,1758)** (Noctuidae) Synonym(s): *occulta* Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa* Zetterstedt,[1839]; *roseovirgata* Dannehl,1929; *fumea* Corti & Draudt,1933; *tibetica* Corti & Draudt,1933
- 2480) Eurrhysis cacuminalis (Eversmann,1843)** (Pyralidae) Synonym(s): *cacuminalis* Eversmann,1843
- 2481) Eurrhysis gutturalis (Herrich-Schäffer,1848)** (Pyralidae) Synonym(s): *gutturalis* Herrich-Schäffer,1848
- 2482) Eurrhysis pollinalis ([Denis & Schiffmüller],1775)** (Pyralidae) Synonym(s): *pollinalis* [Denis & Schiffmüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985
- 2483) Eurydema (Horvath-eurydema) fieberi Fieber,1837** (Pentatomidae) Synonym(s): *fieberi* Fieber,1837; *armeniaceum* Kolenati,1846; *schaefferi* Gorski,1852; *meyeri* Fieber,1861; *caucasica* Jalkovlev,1873; *scutellata* Jakovlev,1883; *melanogaster* Horvath,1917; *gussakovskii* Kiritschenko,1952; *bagradiformis* Kiritschenko,1952
- 2484) Eurydema (Horvath-eurydema) rugulosa (Dohrn,1860)** (Pentatomidae) Synonym(s): *rugulosa* Dohrn,1860; *nigrorubra* Reuter,1900; *v-rubrum* Horvath,1917; *anaemica* Horvath,1917
- 2485) Eurydema (Rubrodorsalium) spectabilis Horvath,1882** (Pentatomidae) Synonym(s): *spectabilis* Horvath,1882; *#intaminata* Stichel,1961
- 2486) Euryrsa lineata (Perris,1857)** (Delphacidae) Synonym(s): *lineata* Perris,1857; *vittata* Fieber,1866; *quadrivittata* Kirschbaum,1868; *livens* Rey,1894; *syriaca* Dlabola,1965

- 2487) *Eurytoma amygdali* Enderlein, 1907 (Eurytomidae) Synonym(s): *amygdali* Enderlein, 1907
- 2488) *Eurytoma aspila* (Walker, 1836) (Eurytomidae) Synonym(s): *aspila* Walker, 1836
- 2489) *Eurytoma brunniventris* Ratzeburg, 1852 (Eurytomidae) Synonym(s): *brunniventris* Ratzeburg, 1852
- 2490) *Eurytoma pistaciae* Rondani, 1877 (Eurytomidae) Synonym(s): *pistaciae* Rondani, 1877; *setigera* Mayr, 1878
- 2491) *Eurytoma robusta* Mayr, 1878 (Eurytomidae) Synonym(s): *robusta* Mayr, 1878
- 2492) *Eurytoma rosae* Nees ab Esenbeck, 1834 (Eurytomidae) Synonym(s): *rosae* Nees ab Esenbeck, 1834; *pubicornis* Boheman, 1836
- 2493) *Eurytoma serratulae* (Fabricius, 1798) (Eurytomidae) Synonym(s): *serratulae* Fabricius, 1798; *tristis* Mayr, 1878
- 2494) *Eusapromyza multipunctata* (Fallén, 1820) (Lauaxaniidae) Synonym(s): *multipunctata* Fallén, 1820
- 2495) *Eusapromyza poeciloptera* (Loew, 1873) (Lauaxaniidae) Synonym(s): *poeciloptera* Loew, 1873
- 2496) *Euscelidius schenkii* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *schenkii* Kirschbaum, 1868; *zetterstedti* Melichar, 1896
- 2497) *Euscelidius variegatus* (Kirschbaum, 1858) (Cicadellidae) Synonym(s): *variegatus* Kirschbaum, 1858; *irroratus* Scott, 1875; *doderi* Ferrari, 1888; *maculosus* Rey, 1891; *duplex* Rey, 1894
- 2498) *Euscelis alsius* Ribaut, 1952 (Cicadellidae) Synonym(s): *alsius* Ribaut, 1952
- 2499) *Euscelis distinguendus* (Kirschbaum, 1858) (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum, 1858
- 2500) *Euscelis incisus* (Kirschbaum, 1858) (Cicadellidae) Synonym(s): *plebeja* Fallén, 1806; *incisus* Kirschbaum, 1858; *obscurus* Kirschbaum, 1858; *pallidior* Kirschbaum, 1868; *communis* Edwards, 1868; *tessellatus* Rey, 1891; *fusciventris* Rey, 1894; *paradoxus* Rey, 1894; *ochreatea* Haupt, 1927; *albingensis* Wagner, 1939; *galiberti* Ribaut, 1952; *subplebejus* H. Müller, 1954; *superplebejus* H. Müller, 1954; *aestivalis* H. Müller, 1954; *vernalis* H. Müller, 1954
- 2501) *Euscelis lineolatus* Brullé, 1832 (Cicadellidae) Synonym(s): *lineolatus* Brullé, 1832; *nitidus* Curtis, 1833; *stictopterus* Flor, 1861; *ochrosomus* Kirschbaum, 1868; *bilunaris* Rey, 1891; *bilobatus* Wagner, 1952
- 2502) *Euscelis venosus* (Kirschbaum, 1868) (Cicadellidae) Synonym(s): *venosus* Kirschbaum, 1868
- 2503) *Eustenancistrocerus* (s.str.) *israelensis* Giordani Soika, 1938 (Vespidae) Synonym(s): *israelensis* Giordani Soika, 1938; *#israilensis* Bağrıaçık & Tüzün, 2005
- 2504) *Eustroma reticulata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *reticulata* [Denis & Schiffermüller], 1775
- 2505) *Eutelia adulatrix* (Hübner, [1813]) (Noctuidae) Synonym(s): *adulatrix* Hübner, [1813]
- 2506) *Euthystira brachyptera* (Ocskay, 1826) (Acrididae) Synonym(s): *brachyptera* Ocskay, 1826; *abbreviatum* Herrich-Schäffer, 1840; *smaragdulum* Herrich-Schäffer, 1840; *longicrus* Fischer von Waldheim, 1846; *ocskayi* Fischer von Waldheim, 1846; *leucoptera* Fischer von Waldheim, 1846; *homoptera* Eversmann, 1848; *subcaerulea* Puschig, 1910; *chrysoberyllus* Fruhstorfer, 1921
- 2507) *Eutropha fulvifrons* (Haliday, 1833) (Chloropidae) Synonym(s): *fulvifrons* Haliday, 1833; *sulcata* Wulp, 1871
- 2508) *Eutropha variegata* Loew, 1866 (Chloropidae) Synonym(s): *variegata* Loew, 1866; *grandicornis* Strobl, 1909; *eutrophaeformis* Becker, 1910
- 2509) *Euxesta pechumani* Curran, 1938 (Ulidiidae) Synonym(s): *pechumani* Curran, 1938; *stackelbergi* Kirvosheina & Kirvosheina, 1995; *freyi* Kirvosheina & Kirvosheina, 1997
- 2510) *Euxesta stigmatias* Loew, 1873 (Ulidiidae) Synonym(s): *stigmatias* Loew, 1873
- 2511) *Euxoa* (Pleonectopoda) *hilaris* (Freyer, 1838) (Noctuidae) Synonym(s): *hilaris* Freyer, 1838
- 2512) *Euxoa* (s.str.) *aquilina* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller], 1775; *fictilis* Hübner, [1813]; *unicolor* Hübner, [1813]; *petrina* Mayer, 1937.
- 2513) *Euxoa* (s.str.) *conspicua* (Hübner, [1824]) (Noctuidae) Synonym(s): *conspicua* Hübner, [1824]; *agricola* Boisduval, 1829; *lycarum* Herrich-Schäffer, 1846; *abdita* De Joannis, 1891; *#indistincta* Strand, 1915; *osthelderi* Corti, 1931; *complicata* Corti, 1931.
- 2514) *Euxoa* (s.str.) *cos* (Hübner, [1824]) (Noctuidae) Synonym(s): *cos* Hübner, [1824]; *tephra* Boisduval, 1840; *nagyagensis* Freyer, 1845; *vacillans* Herrich-Schäffer, [1850]; *millierei* Staudinger, 1870; *cycladum* Staudinger, 1871; *aphe* Mabilie, 1885; *crimaea* A. Bang-Haas, 1906; *mesopotamica* A. Bang-Haas, 1912; *rubra* Corti, 1933.
- 2515) *Euxoa* (s.str.) *decora* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller], 1775
- 2516) *Euxoa* (s.str.) *diaphora* Boursin, 1928 (Noctuidae) Synonym(s): *diaphora* Boursin, 1928; *philippsi* Corti, 1928; *claricostata* Corti, 1932.
- 2517) *Euxoa* (s.str.) *distinguenda* (Lederer, 1857) (Noctuidae) Synonym(s): *distinguenda* Lederer, 1857.
- 2518) *Euxoa* (s.str.) *glabella* (Wagner, 1930) (Noctuidae) Synonym(s): *glabella* Wagner, 1930
- 2519) *Euxoa* (s.str.) *hastifera* (Donzel, 1847) (Noctuidae) Synonym(s): *hastifera* Donzel, 1837; *proleuca* Hampson, 1903; *pomazensis* Kovacs, 1952; *hungarica* Kovacs, 1952.
- 2520) *Euxoa* (s.str.) *nigricans* (Linnaeus, 1761) (Noctuidae) Synonym(s): *nigricans* Linnaeus, 1761; *fumosa* [Denis & Schiffermüller], 1775; *rubricans* Esper, [1788]; *dubia* Haworth, 1809; *vilis*, *fuliginea* Hübner, [1813]; *carbonea* Hübner, [1823]; *ursina* Godart, 1825; *rustica* Eversmann, 1842; *oppidicola* Krulikowsky, 1907.
- 2521) *Euxoa* (s.str.) *nigrofusca* (Esper, [1788]) (Noctuidae) Synonym(s): *tritici* sensu auct. nec Linn., 1761; *nigrofusca* Esper, [1788]; *praticola* Borkhausen, 1792; *domestica* Fabricius, 1794; *pupillata* Haworth, 1803; *venosus* Haworth, 1803; *pusillus* Haworth, 1803; *lineolata* Haworth, 1809; *sordida* Haworth, 1809; *albilinea* Haworth, 1809; *hortorum* Stephens, 1829; *cuneigera* Stephens, 1829; *nigrina* Staudinger, 1867; *pygmaea* Hampson, 1903; *privigna* Püngeler, 1906; *fumosoides* Culot, 1909
- 2522) *Euxoa* (s.str.) *obelisca* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller], 1775; *praticola* Hübner, [1813]; *plectoides* Guenée, 1852; *grisea* Tutt, 1892; *#carbonis* W. Warren, 1909; *stephensis* Heyd., 1933; *salioclitana* Boursin, 1934.
- 2523) *Euxoa* (s.str.) *segnilis* (Duponchel, 1836) (Noctuidae) Synonym(s): *segnilis* Duponchel, 1836; *seliginis* Duponchel, 1836; *siliginis* Guenée, 1852; *#huebneroides* Boursin, 1940; *adriatica* Fiori, 1957.
- 2524) *Euxoa* (s.str.) *temera* (Hübner, [1808]) (Noctuidae) Synonym(s): *temera* Hübner, [1808]; *ruris* Hübner, [1808]; *villiersii* Guenée, 1837; *declarans* Walker, [1857]; *alphonsina* Fernald, 1918; *boursini* Schawerda, 1931; *perambulans* Corti, 1931; *leucotera* Bytinski-Salz & Brandt, 1937.
- 2525) *Euxoa* (s.str.) *tritici* (Linnaeus, 1761) (Noctuidae) Synonym(s): *tritici* Linnaeus, 1761
- 2526) *Euxoa* (s.str.) *vitta* (Esper, [1789]) (Noctuidae) Synonym(s): *vitta* Esper, [1789]
- 2527) *Euzophora* (Cymbalorissa) *fuliginosella* (Heinemann, 1865) (Pyralidae) Synonym(s): *fuliginosella* Heinemann, 1865; *polyxenella* Millière, 1872.
- 2528) *Euzophora* (s.str.) *bigella* (Zeller, 1848) (Pyralidae) Synonym(s): *bigella* Zeller, 1848; *stenoptycha* Herrich-Schäffer, 1855; *bisinuella* Ragonot, 1887; *punicacella* Moore, 1891; *immundella* Ragonot, 1901; *angulella* Chrétien, 1922; *renulella* Constantini, 1922
- 2529) *Euzophora* (s.str.) *cinerosella* (Zeller, 1839) (Pyralidae) Synonym(s): *cinerosella* Zeller, 1839; *incanella* Eversmann, 1844; *artemisiella* Stainton, 1859; *pimelella* Zerny, 1934.

- 2530) Euzophera (s.str.) nessebarella Soffner,1962** (Pyrilidae) Synonym(s): *nessebarella Soffner,1962*
- 2531) Euzophera (s.str.) pinguis (Haworth,[1811])** (Pyrilidae) Synonym(s): *pinguis Haworth,[1811]; fischeri Zeller,1846; splendidella Herrich-Schäffer,1848.*
- 2532) Euzophera (s.str.) pulchella Ragonot,1887** (Pyrilidae) Synonym(s): *pulchella Ragonot,1887; xylomorpha Meyrick,1937*
- 2533) Euzopherodes charlottae (Rebel,1914)** (Pyrilidae) Synonym(s): *charlottae Rebel,1914; nigrolineella Zerny,1936.*
- 2534) Euzopherodes lutisignella (Mann,1869)** (Pyrilidae) Synonym(s): *lutisignella Mann,1869; leonhardi Rebel,1910; scipionella Turati,1924; battella Turati,1924.*
- 2535) Euzopherodes vapidella (Mann,1857)** (Pyrilidae) Synonym(s): *vapidella Mann,1857; tenebrosa Zeller,1867; lutescentella Chrétien,1911; xylobrunnea Amsel,1951.*
- 2536) Evacanthus acuminatus (Fabricius,1794)** (Cicadellidae) Synonym(s): *acuminatus Fabricius,1794; acuminalis Turton,1802; interstincta Fallén,1806; germari Curtis,1833*
- 2537) Evacanthus interruptus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *interruptus Linnaeus,1758; bicordata Scopoli,1763; hemiptera Piller & Mitterpacher,1783; moesta Zetterstedt,1828; nigroflavus Stal,1858; nigricans Matsumura,1911; miyakei Matsumura,1911; xanthus Oshanin,1912; pallidis Matsumura,1912; svaneticus Melichar,1913; rubescens Haupt,1925; striatus Kusnezov,1929*
- 2538) Evagetus dubius (Van der Linden,1827)** (Pompilidae) Synonym(s): *dubius Van der Linden,1827; obscurodubius Wolf & Diniz,1970*
- 2539) Evagetus elongatus Lepeletier,1845** (Pompilidae) Synonym(s): *elongatus Lepeletier,1845; infernalis Wolf,1970*
- 2540) Evagetus gibbulus Lepeletier,1845** (Pompilidae) Synonym(s): *gibbulus Lepeletier,1845*
- 2541) Evagetus iconionus Wolf,1970** (Pompilidae) Synonym(s): *iconionus Wolf,1970*
- 2542) Evagetus pectinipes (Linnaeus,1758)** (Pompilidae) Synonym(s): *pectinipes Linnaeus,1758; trispinosus Kohl,1886; mediterraneus Wolf,1970*
- 2543) Evagetus pontomoravicus (Sustera,1938)** (Pompilidae) Synonym(s): *pontomoravicus Sustera,1938; schwarzi Priesner,1965; mavromoustakisi Wolf,1970*
- 2544) Evergestis aenealis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *aenealis [Denis & Schiffermüller],1775; furvalis Hübner,1796; rufimitralis Hübner,1796; nigralis Schrank,1802; mitralis Hübner,[1825]*
- 2545) Evergestis caesialis Herrich-Schäffer,[1855]** (Pyrilidae) Synonym(s): *caesialis Herrich-Schäffer,[1855]*
- 2546) Evergestis desertalis (Hübner,[1813])** (Pyrilidae) Synonym(s): *desertalis Hübner,[1813]; avicennae Tams,1925.*
- 2547) Evergestis extimalis (Scopoli,1763)** (Pyrilidae) Synonym(s): *extimalis Scopoli,1763; margaritalis [Denis & Schiffermüller],1775; flavofusca Retzius,1783; mediella Goeze,1783; intermediata Fourcroy,1785; erucalis Hübner,1796*
- 2548) Evergestis forficalis (Linnaeus,1758)** (Pyrilidae) Synonym(s): *forficalis Linnaeus,1758; trivialis Scopoli,1763; forficatus Fabricius,1798; sodalis Butler,1878*
- 2549) Evergestis frumentalis (Linnaeus,1761)** (Pyrilidae) Synonym(s): *frumentalis Linnaeus,1761*
- 2550) Evergestis limbata (Linnaeus,1767)** (Pyrilidae) Synonym(s): *limbata Linnaeus,1767; praetextalis Hübner,[1825]; limbalis Hübner,[1825]*
- 2551) Evergestis mundalis (Guenée,1854)** (Pyrilidae) Synonym(s): *mundalis Guenée,1854*
- 2552) Evergestis pallidata (Hufnagel,1767)** (Pyrilidae) Synonym(s): *pallidata Hufnagel,1767; straminalis Hübner,1793; stramentalis Hübner,[1825]*
- 2553) Evergestis politalis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *politalis [Denis & Schiffermüller],1775; pictoralis Fabricius,1794; bifascialis Guenée,1849; bicoloralis La Harpe,1861; maroccana Lucas,1955*
- 2554) Evergestis segetalis (Herrich-Schäffer,1851)** (Pyrilidae) Synonym(s): *segetalis Herrich-Schäffer,1851*
- 2555) Evergestis sophialis (Fabricius,1787)** (Pyrilidae) Synonym(s): *sophialis Fabricius,1787; variegalis Fabricius,1787; sophiae Fabricius,1798*
- 2556) Evergestis subfuscalis (Staudinger,1870)** (Pyrilidae) Synonym(s): *subfuscalis Staudinger,1870*
- 2557) Exaeretia preisseckeri (Rebel,1937)** (Oecophoridae) Synonym(s): *preisseckeri Rebel,1937*
- 2558) Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva Santos Abreu,1920; exornata Séguy,1941; peyerimhoffi Burghelle-Balacesco,1966*
- 2559) Exhyalanthrax afer (Fabricius,1794)** (Bombyliidae) Synonym(s): *afer Fabricius,1794; fimbriata Meigen,1804; marginalis Wiedemann,1820; tangerinus Bigot,1892; burtti Hesse,1956; aequisexus Bowden,1964; decipiens Bowden,1964*
- 2560) Exochus elegantissimus Schmiedeknecht,1925** (Ichneumonidae) Synonym(s): *elegantissimus Schmiedeknecht,1925; #clesantissimus Öncüler,1991*
- 2561) Exochus suborbitalis Schmiedeknecht,1924** (Ichneumonidae) Synonym(s): *suborbitalis Schmiedeknecht,1924*
- 2562) Exophyla rectangularis (Geyer,[1828])** (Noctuidae) Synonym(s): *rectangularis Geyer,[1828]; #rctangularis Lehmann, Hacker et al.,1998*
- 2563) Exopristoides hypocoi Zerova & Stojanova,2004** (Torymidae) Synonym(s): *hypocoi Zerova & Stojanova,2004*
- 2564) Exoprosopa capucina (Fabricius,1781)** (Bombyliidae) Synonym(s): *capucina Fabricius,1781; caloptera Pallas,1818*
- 2565) Exoprosopa jacchus (Fabricius,1805)** (Bombyliidae) Synonym(s): *jacchus Fabricius,1805; picta Wiedemann,1820; quadripunctata Paramonov,1926*
- 2566) Exoprosopa onusta (Walker,1852)** (Bombyliidae) Synonym(s): *onusta Walker,1852; truquii Rondani,1863*
- 2567) Exorista (Adenia) mimula (Meigen,1824)** (Tachinidae) Synonym(s): *mimula Meigen,1824*
- 2568) Exorista (Adenia) rustica (Fallén,1810)** (Tachinidae) Synonym(s): *rustica Fallén,1810; germana R-D.,1830; grisea R-D.,1830; lauta R-D.,1863*
- 2569) Exorista (Ptilotachina) deligata Pandellé,1896** (Tachinidae) Synonym(s): *deligata Pandellé,1896*
- 2570) Exorista (s.str.) larvarum (Linnaeus,1758)** (Tachinidae) Synonym(s): *larvarum Linnaeus,1758*
- 2571) Exorista civilis (Rondani,1859)** (Tachinidae) Synonym(s): *civilis Rondani,1859*
- 2572) Exorista grandis (Zetterstedt,1844)** (Tachinidae) Synonym(s): *grandis Zetterstedt,1844*
- 2573) Exorista nova (Rondani,1859)** (Tachinidae) Synonym(s): *nova Rondani,1859*
- 2574) Exorista segregata (Rondani,1859)** (Tachinidae) Synonym(s): *segregata Rondani,1859*
- 2575) Exoteleia dodecella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *dodecella Linnaeus,1758; punctulata Fourcroy,1785; dodecea Haworth,1828; annulicornis Stephens,1834; favillatella Zeller,1839; reussiella Ratzeburg,1840.*
- 2576) Exoteleia succinctella (Zeller,1872)** (Gelechiidae) Synonym(s): *succinctella Zeller,1872; oribatella Rebel,1918.*
- 2577) Eysarcoris aeneus (Scopoli,1763)** (Pentatomidae) Synonym(s): *aeneus Scopoli,1763; venustissima Schrenk; melanocephala Fabricius*
- 2578) Fabiola pokornyi (Nickerl,1864)** (Oecophoridae) Synonym(s): *pokornyi Nickerl,1864*
- 2579) Fagivorina arenaria (Hufnagel,1767)** (Geometridae) Synonym(s): *arenaria Hufnagel,1767*
- 2580) Fagocyba cruenta (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *cruenta Herrich-Schäffer,1838; opaca Edwards,1888; inquinata Ribaut,1936*

- 2581) Falcotoya minuscula (Horvath,1897)** (Delphacidae) Synonym(s): *minuscula* Horvath,1897
- 2582) Falseuncaria ruficiliana (Haworth,[1811])** (Tortricidae) Synonym(s): *ciliella* Hübner,[1796] nec [Denis & Schiff.],1775; *ruficiliana* Haworth,[1811]; *coniana* Fuchs,1903; *tectana* Fuchs,1903.
- 2583) Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris* Fabricius,1794
- 2584) Fannia serena (Fallén,1825)** (Fanniidae) Synonym(s): *serena* Fallén,1825; *stygia* Meigen,1826
- 2585) Ficocyba ficaria (Horvath,1897)** (Cicadellidae) Synonym(s): *ficaria* Horvath,1897
- 2586) Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864
- 2587) Fieberiella septentrionalis Wagner,1963** (Cicadellidae) Synonym(s): *septentrionalis* Wagner,1963
- 2588) Flabellomalachius flabellatus (Frivaldsky,1835)** (Melyridae) Synonym(s): *flabellatus* Frivaldsky,1835
- 2589) Flastena fumata (Lindberg,1948)** (Delphacidae) Synonym(s): *fumata* Lindberg,1948
- 2590) Foesteria puber (Haliday,1835)** (Braconidae) Synonym(s): *puber* Haliday,1835; *opacus* Reinhard,1867; *flavipes* Szepligeti,1896; *talitzkii* Tobias,1961
- 2591) Forficula auricularia Linnaeus,1758** (Forficulidae) Synonym(s): *auricularia* Linnaeus,1758; *dentata* Fabricius,1775
- 2592) Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839
- 2593) Formicomus ionicus LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus* LaFerté & Sénectere,1847
- 2594) Friedlanderia cicatricella (Hübner,[1824])** (Pyralidae) Synonym(s): *cicatricella* Hübner,[1824]; *strigellus* Treitschke,1833; *treitschkeella* Freyer,1836 nec Sodoffsky,1830.
- 2595) Frutoidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947
- 2596) Fulvoclysia nerminae Koçak,1982** (Tortricidae) Synonym(s): *fulvana* Fischer von Rösslerstamm,[1836] nec [Denis & Schiff.],1775; *nerminae* Koçak,1982.
- 2597) Fungomyza albimana (Meigen,1830)** (Anthomyzidae) Synonym(s): *albimana* Meigen,1830; *glabra* Meigen,1838; *nigrimana* Meigen,1838; *armillaris* Rondani,1875; *rufa* Czerny,1928
- 2598) Furcula bicuspis (Borkhausen,1790)** (Notodontidae) Synonym(s): *bicuspis* Borkhausen,1790; *borealis* Boisduval,1829; *infumata* Staudinger,1887; *transiens* Krulikowsky,1909
- 2599) Furcula bifida (Brahm,1787)** (Notodontidae) Synonym(s): *hermelina* Goeze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933; *beida* Rungs,1956
- 2600) Furcula furcula (Linnaeus,1761)** (Notodontidae) Synonym(s): *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965.
- 2601) Gaedia connexa (Meigen,1824)** (Tachinidae) Synonym(s): *connexa* Meigen,1824
- 2602) Gaedia distincta Egger,1861** (Tachinidae) Synonym(s): *distincta* Egger,1861
- 2603) Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufane,1930.
- 2604) Gampsocleis glabra (Herbst,1786)** (Tettigoniidae) Synonym(s): *prima* Schaff,1776; *glabra* Herbst,1786; *gratiosus* Millet,1870; *annae* Shugurov,1908; *podolica* Shugurov,1908; *alberti* Seidl,1937
- 2605) Gargara genistae (Fabricius,1775)** (Membracidae) Synonym(s): *genistae* Fabricius,1775; *okinawanus* Matsumura,1775
- 2606) Gastrodes grossipes (De Geer,1773)** (Lygaeidae) Synonym(s): *grossipes* De Geer,1773
- 2607) Gastropacha (s.str.) populifolia (Esper,[1782])** (Lasiocampidae) Synonym(s): *#populifolia* [Denis & Schiffermüller],1775; *populifolia* Esper,[1782]
- 2608) Gastropacha (s.str.) quercifolia (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909
- 2609) Geina didactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *didactyla* Linnaeus,1758; *brunneodactyla* Millièrre,1854.
- 2610) Gelechia rhombella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *rhombella* [Denis & Schiffermüller],1775
- 2611) Gelechia scotinella Herrich-Schäffer,[1854]** (Gelechiidae) Synonym(s): *scotinella* Herrich-Schäffer,[1854]
- 2612) Gelechia soroculella (Hübner,[1817])** (Gelechiidae) Synonym(s): *soroculella* Hübner,[1817]
- 2613) Geometra papilionaria (Linnaeus,1758)** (Geometridae) Synonym(s): *papilionaria* Linnaeus,1758; *prasinaria* Hufnagel,1767; *albopunctata* Mattuschka,1805.
- 2614) Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802
- 2615) Germaria ruficeps (Fallén,1820)** (Tachinidae) Synonym(s): *ruficeps* Fallén,1820; *latifrons* R-D.,1830
- 2616) Geron (s.str.) krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929
- 2617) Gesneria centuriella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *centuriella* [Denis & Schiffermüller],1775; *centurionalis* Hübner,[1825]; *numeralis* Zetterstedt,[1839]; *quadratella* Zetterstedt,[1839]; *centurialis* Guenée,1854; *obscura* Caradja,1919
- 2618) Glaucopsyche (Iolana) iolas (Ochsenheimer,1816)** (Lycaenidae) Synonym(s): *iolas* Ochsenheimer,1816; *obscuriolas* Betti,1977.
- 2619) Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) Synonym(s): *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller],1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *miroli* Coutsis,1976.
- 2620) Glossotrophia (s.str.) confinaria (Herrich-Schäffer,[1847])** (Geometridae) Synonym(s): *confinaria* Herrich-Schäffer,[1847]
- 2621) Gluphisia crenata (Esper,1785)** (Notodontidae) Synonym(s): *crenata* Esper,1785; *rurea* Fabricius,1787; *varia* Fabricius,1794; *crenosa* Hübner,[1803]; *amurensis* Grünberg,1912
- 2622) Glyphipterix equitella (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *equitella* Scopoli,1763; *majorella* Heinemann & Wocke,[1876]; *minorella* Snellen,1882; *crassilunella* Rebel,1916; *zermattensis* Amsel,1933; *sexguttella* Toll,1936
- 2623) Glyphipterix fuscoviridella (Haworth,[1828])** (Glyphipterygidae) Synonym(s): *fuscoviridella* Haworth,[1828]; *albicostella* Duponchel,[1839]; *aereinitidella* Millièrre,1854
- 2624) Glyphipterix schoenicolella Boyd,1859** (Glyphipterygidae) Synonym(s): *schoenicolella* Boyd,1859
- 2625) Glyphomerus aylax Stojanova,2008** (Torymidae) Synonym(s): *aylax* Stojanova,2008
- 2626) Glyphomerus stigma (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793
- 2627) Glyptapanteles eugeni (Papp,1972)** (Braconidae) Synonym(s): *eugeni* Papp,1972
- 2628) Gnophos (Dicrognophos) sartatus (Treitschke,1827)** (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.
- 2629) Gnophos (s.str.) furvatus ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#furvata* [Denis & Schiffermüller],1775; *meridionalis* Wehrli,1924
- 2630) Gnophos (s.str.) obfuscatus ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#obfuscata* [Denis & Schiffermüller],1775

- 2631) **Gnorimoschema antiquum Povolny, 1966** (Gelechiidae) Synonym(s): *antiquum Povolny, 1966*
- 2632) **Gomphocerippus rufus (Linnaeus, 1758)** (Acrididae) Synonym(s): *rufus Linnaeus, 1758; clavicorne DeGeer, 1773*
- 2633) **Gomphocerus sibiricus (Linnaeus, 1767)** (Acrididae) Synonym(s): *sibiricus Linnaeus, 1767; clavimanus Pallas, 1772; graecus Uvarov, 1931; helveticus Uvarov, 1931; hispanicus Uvarov, 1931; pyrenaicus Uvarov, 1931; turcicus Mistshenko, 1951*
- 2634) **Gonepteryx (Isogonepteryx) cleopatra (Linnaeus, 1767)** (Pieridae) Synonym(s): *cleopatra Linnaeus, 1767; balearica Bubacek, 1920.*
- 2635) **Gonepteryx (s.str.) farinosa (Zeller, 1847)** (Pieridae) Synonym(s): *farinosa Zeller, 1847*
- 2636) **Gonepteryx (s.str.) rhamni (Linnaeus, 1758)** (Pieridae) Synonym(s): *rhamni Linnaeus, 1758; gravesi Huggins, 1956.*
- 2637) **Goniagnathus bolivari (Melichar, 1907)** (Cicadellidae) Synonym(s): *bolivari Melichar, 1907; hoberlandti Dlabola, 1957*
- 2638) **Goniagnathus brevis (Herrich-Schäffer, 1835)** (Cicadellidae) Synonym(s): *brevis Herrich-Schäffer, 1835; annulipes Lucas, 1849*
- 2639) **Gonospileia triquetra ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *triquetra [Denis & Schiffermüller], 1775; aurantiaca Staudinger, 1881.*
- 2640) **Gortyna borelii (Pierret, 1837)** (Noctuidae) Synonym(s): *borelii Pierret, 1837*
- 2641) **Gortyna flavago ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *flavago [Denis & Schiffermüller], 1775*
- 2642) **Gortyna xanthenes (Germar, [1842])** (Noctuidae) Synonym(s): *xanthenes Germar, [1842]*
- 2643) **Gracillaria syringella (Fabricius, 1794)** (Gracillariidae) Synonym(s): *?microdactylella [Denis & Schiffermüller], 1775; syringella Fabricius, 1794; anastomosis Haworth, 1828; aedeapennella Treitschke, 1833; heringiella Reutti, 1898*
- 2644) **Grammodes bifasciata (Petagna, 1786)** (Noctuidae) Synonym(s): *geometrica auct.; bifasciata Petagna, 1786; linearis Hübner, 1790; parallela Cyrillo, 1790; chalcipera Borkhausen, 1792; parallelaris Hübner, [1803].*
- 2645) **Grammodes stolidus (Fabricius, 1775)** (Noctuidae) Synonym(s): *stolidus Fabricius, 1775; cingularis Hübner, [1808]; stupida Herrich-Schäffer, 1851; curvilinea Walker, 1869.*
- 2646) **Graphiphora augur (Fabricius, 1775)** (Noctuidae) Synonym(s): *augur Fabricius, 1775*
- 2647) **Graphocraerus ventralis (Fallén, 1806)** (Cicadellidae) Synonym(s): *ventralis Fallén, 1806; punctifrons Germar, 1821*
- 2648) **Graphogaster vestita Rondani, 1868** (Tachinidae) Synonym(s): *vestita Rondani, 1868*
- 2649) **Graphomya maculata (Scopoli, 1763)** (Muscidae) Synonym(s): *maculata Scopoli, 1763; compuncta Harris, 1780*
- 2650) **Graptodytes bilineatus (Sturm, 1835)** (Dytiscidae) Synonym(s): *bilineatus Sturm, 1835; nigratarsis Sahlberg, 1882; hopfgarteni Schilsky, 1892; pervasus Gozis, 1914; narentinus Zimmermann, 1915*
- 2651) **Gryllomorpha (Gryllomorphella) miramae Medvedev, 1933** (Gryllidae) Synonym(s): *miramae Medvedev, 1933*
- 2652) **Gryllomorpha (s.str.) dalmatina (Ocskay, 1832)** (Gryllidae) Synonym(s): *dalmatina Ocskay, 1832; aptera Herrich-Schäffer, 1838; fasciata Fieber, 1853; longicauda Finot, 1897; pieperi Harz, 1979; strumae Andreeva, 1982*
- 2653) **Gryllotalpa gryllotalpa (Linnaeus, 1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa Linnaeus, 1758; talpa Olivier, 1791; vulgaris Latreille, 1804*
- 2654) **Gryllus (s.str.) campestris Linnaeus, 1758** (Gryllidae) Synonym(s): *campestris Linnaeus, 1758; hybrida Rambur, 1838; caudata Krauss, 1886; cephalotes Ramme, 1921*
- 2655) **Gymnancella (s.str.) canella ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *canella [Denis & Schiffermüller], 1775; depositella Zincken, 1818; canellaris Hübner, [1825].*
- 2656) **Gymnancella (Spermatophthora) hornigii (Lederer, 1852)** (Pyralidae) Synonym(s): *hornigii Lederer, 1852; #hornigi Hannemann, 1964.*
- 2657) **Gymnocnemis variegata (Schneider, 1845)** (Myrmeleonidae) Synonym(s): *variegata Schneider, 1845; multipunctatus Costa, 1855; mocsaryi Pongracz, 1910*
- 2658) **Gymnomerus laevipes (Shuckard, 1837)** (Vespidae) Synonym(s): *laevipes Shuckard, 1837; cognatus Dufour, 1839; rubicola Dufour, 1839; simplicipes Herrich-Schäffer, 1839*
- 2659) **Gymnopleurus mopsus (Pallas, 1781)** (Scarabaeidae) Synonym(s): *mopsus Pallas, 1781*
- 2660) **Gymnopleurus sturmi MacLeay, 1821** (Scarabaeidae) Synonym(s): *sturmi MacLeay, 1821*
- 2661) **Gymnopternus celer (Meigen, 1824)** (Dolichopodidae) Synonym(s): *celer Meigen, 1824*
- 2662) **Gymnoscelis rufifasciata (Haworth, [1809])** (Geometridae) Synonym(s): *rufifasciata Haworth, [1809]; pumilata Hübner, [1813].*
- 2663) **Gymnosoma clavatum (Rohdendorf, 1947)** (Tachinidae) Synonym(s): *clavata Rohdendorf, 1947; verbekei Mesnil, 1952*
- 2664) **Gymnosoma desertorum (Rohdendorf, 1947)** (Tachinidae) Synonym(s): *desertorum Rohdendorf, 1947; plesiomorpha Zimin, 1966*
- 2665) **Gymnosoma nudifrons Herting, 1966** (Tachinidae) Synonym(s): *nudifrons Herting, 1966*
- 2666) **Gypsochroa renitidata (Hübner, [1817])** (Geometridae) Synonym(s): *renitidata Hübner, [1817].*
- 2667) **Gypsonoma aceriana (Duponchel, 1843)** (Tortricidae) Synonym(s): *aceriana Duponchel, 1843; belgiensis Dufrane, 1945*
- 2668) **Gypsonoma dealbana (Frölich, 1828)** (Tortricidae) Synonym(s): *dealbana Frölich, 1828; alnetana Guenée, 1845*
- 2669) **Gypsonoma minutana (Hübner, [1799])** (Tortricidae) Synonym(s): *minutana Hübner, [1799]; vermiculana Duponchel, 1836*
- 2670) **Habrosyne pyritoides (Hufnagel, 1766)** (Thyatiridae) Synonym(s): *pyritoides Hufnagel, 1766; derasa Linnaeus, 1767; gloriosa Boisduval, 1852; intermedia Bremer, 1864*
- 2671) **Hada plebeja (Linnaeus, 1761)** (Noctuidae) Synonym(s): *plebeja Linnaeus, 1761; nana Hufnagel, 1766; dentina [Denis & Schiffermüller], 1775; leucostigma Haworth, 1809; odontides Boisduval, 1829; latenai Pierret, 1837; hilaris Zetterstedt, [1839]; reducta Rebel & Zerny, [1932]; littoralis Schawerda, 1938; gredensis Schawerda, 1938; nevadensis Schawerda, 1938; hawelkae Schawerda, 1938*
- 2672) **Hadena (Anepia) irregularis (Hufnagel, 1766)** (Noctuidae) Synonym(s): *irregularis Hufnagel, 1766; echii Borkhausen, 1792; syngenesiae Borkhausen, 1793; brecciaeformis Esper, [1805].*
- 2673) **Hadena (Anepia) perplexa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *perplexa [Denis & Schiffermüller], 1775; lepida Esper, [1790] nec Cr., [1779]; carpophaga Brahm, 1791; ochracea Haworth, 1809; capsophila Boisduval, 1840; nissus Germar, [1842]; repanda Herrich-Schäffer, [1850]; atlas A.E. Prout, 1929; sicula Draudt, 1933*
- 2674) **Hadena (Anepia) silenes (Hübner, [1822])** (Noctuidae) Synonym(s): *silenes Hübner, [1822]; sejuncta Herrich-Schäffer, [1850].*
- 2675) **Hadena (Anepia) syriaca (Osthelder, 1933)** (Noctuidae) Synonym(s): *syriaca Osthelder, 1933; osthelderi Draudt, 1933.*
- 2676) **Hadena (Enterpia) laudeti (Boisduval, 1840)** (Noctuidae) Synonym(s): *laudeti Boisduval, 1840*
- 2677) **Hadena (Pinkercola) tephroleuca (Boisduval, 1833)** (Noctuidae) Synonym(s): *tephroleuca Boisduval, 1833*
- 2678) **Hadena (s.str. Albimaculia) albimacula (Borkhausen, 1792)** (Noctuidae) Synonym(s): *albimacula Borkhausen, 1792; concinna Hübner, [1803]; conserta Hübner, [1820].*
- 2679) **Hadena (s.str. Caeshadena) caesia ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *caesia [Denis & Schiffermüller], 1775; dichroma Esp., [1790].*

- 2680) Haden** (s.str.(*Clarhaden*)) **clara** (Staudinger,1901) (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938.
- 2681) Haden** (s.str.(*Clarhaden*)) **drenowski** (Rebel,1930) (Noctuidae) Synonym(s): *drenowski* Rebel,1930.
- 2682) Haden** (s.str.(*Filograna*)) **filograna** (Esper,[1788]) (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821].
- 2683) Haden** (s.str.(*Hadenobilis*)) **melanochroa** (Staudinger,1892) (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892
- 2684) Haden** (s.str.(*Hadenobilis*)) **vulcanica** (Turati,1907) (Noctuidae) Synonym(s): *vulcanica* Turati,1907
- 2685) Haden** (s.str.(*Magnolihaden*)) **magnolii** (Boisduval,1828) (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844.
- 2686) Haden** (s.str.(*Miselia*)) **compta** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
- 2687) Haden** (s.str.(*Zeteolyga*)) **confusa** (Hufnagel,1766) (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902.
- 2688) Hadula** (*Calocestra* (*Dianthus*)) **dianthi** (Tauscher,1809) (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930.
- 2689) Hadula** (*Calocestra* (*Hadumelanopa*)) **melanopa** (Thunberg,1791) (Noctuidae) Synonym(s): *melanopa* Thunberg,1791; *alpicola* Quenzel,1802; *wistroemi* Lampa,1885.
- 2690) Hadula** (*Calocestra* (*Hadumendax*)) **mendax** (Staudinger,1879) (Noctuidae) Synonym(s): *mendax* Staudinger,1879
- 2691) Hadula** (*Calocestra* (*Hadupugnax*)) **odontites** (Boisduval,1829) (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941.
- 2692) Hadula** (*Calocestra* (*Hadutrifolium*)) **trifolii** (Hufnagel,1766) (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 2693) Hadula** (*Calocestra* (*Stigma*)) **stigma** (Christoph,1887) (Noctuidae) Synonym(s): *stigma* Christoph,1887.
- 2694) Hadula** (*Cardiestra*) **vassilini** (O.Bang-Haas,1927) (Noctuidae) Synonym(s): *vassilini* O.Bang-Haas,1927
- 2695) Haematopota** **grandis** Macquart,1834 (Tabanidae) Synonym(s): *grandis* Macquart,1834; *fraseri* Austen,1925
- 2696) Haematopota** **ocelligera** Kröber,1922 (Tabanidae) Synonym(s): *ocelligera* Kröber,1922; *hispanica* Szilady,1923; *belligera* Austen,1925
- 2697) Haematopota** **pandazisi** Kröber,1936 (Tabanidae) Synonym(s): *variegata* auct.; *pandazisi* Kröber,1936
- 2698) Haematopota** **scutellata** (Olsufjev, Moucha & Chvala,1964) (Tabanidae) Synonym(s): *scutellata* Olsufjev, Moucha & Chvala,1964; *pontica* Olsufjev,1964; *rossica* Olsufjev & Ivanitschuk,1975
- 2699) Haematopota** **subcylindrica** Pandellé,1883 (Tabanidae) Synonym(s): *subcylindrica* Pandellé,1883; *elbrusensis* Abbassian-Lintzen,1960
- 2700) Haemerosia** **renalis** (Hübner,[1813]) (Noctuidae) Synonym(s): *renalis* Hübner,[1813]
- 2701) Halidayia** **spinipennis** (Haliday,1836) (Sphaeroceridae) Synonym(s): *spinipennis* Haliday,1836; *akka* Rondani,1880
- 2702) Hamearis** **lucina** (Linnaeus,1758) (Riodinidae) Synonym(s): *lucina* Linnaeus,1758
- 2703) Handianus** **ignoscus** (Melichar,1896) (Cicadellidae) Synonym(s): *ignoscus* Melichar,1896
- 2704) Handianus** **procerus** (Herrich-Schäffer,1835) (Cicadellidae) Synonym(s): *procerus* Herrich-Schäffer,1835; *palaestinensis* Linnavuori,1962
- 2705) Haplotinea** **ditella** (Pierce & Diakonoff,1938) (Tineidae) Synonym(s): *ditella* Pierce & Diakonoff,1938
- 2706) Haplotinea** **insectella** (Fabricius,1794) (Tineidae) Synonym(s): *insectella* Fabricius,1794; *misella* Zeller,1839.
- 2707) Hapsifera** **luridella** Zeller,1847 (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 *nec* Zell.,1852; *eburnea* Butler,1881; *palaestinis* Rebel,1901; *kerbelella* Amsel,1949
- 2708) Hardya** **anatolica** Zachvatkin,1946 (Cicadellidae) Synonym(s): *anatolica* Zachvatkin,1946
- 2709) Harpalus** (s.str.) **affinis** (Schränk,1781) (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schränk,1781; *bifoveolatus* Kuster,1846; *paganetti* Flach,1907
- 2710) Harpalus** (s.str.) **rubripes** Duftschmid,1812 (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904
- 2711) Harpella** **forficella** (Scopoli,1763) (Oecophoridae) Synonym(s): *forficella* Scopoli,1763
- 2712) Harpyia** **milhauseri** (Fabricius,1775) (Notodontidae) Synonym(s): *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932
- 2713) Hauptidia** (s.str.) **distinguenda** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *distinguenda* Kirschbaum,1868; *fasciaticollis* Rey,1891; *ecbalii* Linnavuori,1962
- 2714) Hauptidia** (s.str.) **provincialis** (Ribaut,1931) (Cicadellidae) Synonym(s): *provincialis* Ribaut,1931
- 2715) Hebecnema** **nigra** (R-D.,1830) (Muscidae) Synonym(s): *nigra* R-D.,1830
- 2716) Hecalus** **glaucescens** (Fieber,1866) (Cicadellidae) Synonym(s): *glaucescens* Fieber,1866; *sulcatus* Fieber,1866; *aegyptiacus* Signoret,1879; *arenarius* Horvath,1897
- 2717) Hecatera** **bicolorata** (Hufnagel,1766) (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861.
- 2718) Hecatera** **cappa** (Hübner,[1809]) (Noctuidae) Synonym(s): *cappa* Hübner,[1809]
- 2719) Hecatera** **spinaciae** (Vieweg,1790) (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villiers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910.
- 2720) Hedy** **nubiferana** (Haworth,[1811]) (Tortricidae) Synonym(s): *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] *nec* [Denis & Schiff.],1775; *nubiferana* Haworth,[1811]
- 2721) Hedy** **ochroleucana** (Frölich,1828) (Tortricidae) Synonym(s): *ochroleucana* Frölich,1828; *nimbata* Clemens,1860; *contraria* Walker,1863; *consanguinana* Walsingham,1879
- 2722) Hedy** **pruniana** (Hübner,[1799]) (Tortricidae) Synonym(s): *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849
- 2723) Hedy** **salicella** (Linnaeus,1758) (Tortricidae) Synonym(s): *salicella* Linnaeus,1758; *salicana* [Denis & Schiffermüller],1775
- 2724) Heinemannia** **festivella** ([Denis & Schiffermüller],1775) (Agonoxenidae) Synonym(s): *festivella* [Denis & Schiffermüller],1775; *kokujevi* Krulikowsky,1903
- 2725) Heinemannia** **laspeyrella** (Hübner,1796) (Agonoxenidae) Synonym(s): *laspeyrella* Hübner,1796
- 2726) Helcystogramma** **lutatella** (Herrich-Schäffer,[1854]) (Gelechiidae) Synonym(s): *lutatella* Herrich-Schäffer,[1854]

- 2727) *Helcystogramma triannulella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *triannulella* Herrich-Schäffer,[1854]; *sepiella* Steudel,1866; *macroscopa* Meyrick,1932.
- 2728) *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 2729) *Heliomata glarearia* (Brahm,1791)** (Geometridae) Synonym(s): *#glarearia* [Denis & Schiffermüller],1775; *glarearia* Brahm,1791.
- 2730) *Heliophobus kitti* (Schawerda,1914)** (Noctuidae) Synonym(s): *kitti* Schawerda,1914; *#silbernageli* Tykac,1940
- 2731) *Heliophobus reticulata* (Goeze,1781)** (Noctuidae) Synonym(s): *calcatrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
- 2732) *Heliopsychidea graecella* (Millière,1866)** (Psychidae) Synonym(s): *graecella* Millière,1866
- 2733) *Heliorthela wulfeniana* (Scopoli,1763)** (Pyrilidae) Synonym(s): *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 nec Fabr.,1775; *coerulealis* Caradja,1917; *huebneri* Koçak,1980.
- 2734) *Heliorthis maritima* Graslin,1855** (Noctuidae) Synonym(s): *maritima* Graslin,1855
- 2735) *Heliorthis nubigera* Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 2736) *Heliorthis ononis* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ononis* [Denis & Schiffermüller],1775; *ononis* Fabricius,1787; *ononidis* Guenée,1852.
- 2737) *Heliorthis peltigera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 2738) *Heliorthis viriplaca* (Hufnagel,1766)** (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 2739) *Helladia praetextata* (Steven,1817)** (Cerambycidae) Synonym(s): *praetextata* Steven,1817
- 2740) *Hellinsia carphodactyla* (Hübner,[1813])** (Pterophoridae) Synonym(s): *carphodactylus* Hübner,[1813]; *citridactylus* Stephens,1834; *infirma* Heydenreich,1851; *buphthalmi* Hofmann,1898; *inulaevorus* Gibeaux,1989; *alpinus* Gibeaux & Picard,1992
- 2741) *Hellinsia inulae* (Zeller,1852)** (Pterophoridae) Synonym(s): *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992.
- 2742) *Hellinsia lienigiana* (Zeller,1852)** (Pterophoridae) Synonym(s): *lienigianus* Zeller,1852; *melinodactylus* Herrich-Schäffer,1855; *scarodactylus* Becker,1861; *serindibanus* Moore,1886; *victorianus* Strand,1913; *catharodactylus* Caradja,1920; *hirosakianus* Matsumura,1931; *mutuurai* Yano,1963.
- 2743) *Hellinsia osteodactylus* (Zeller,1841)** (Pterophoridae) Synonym(s): *microdactyla* Zetterstedt,1839 nec Hübner,[1813]; *osteodactylus* Zeller,1841; *trimmatodactylus* Christoph,1872; *cinerariae* Millière,1874; *chrysocoma* Ragonot,1875; *korbi* Caradja,1920; *turbidellus* Caradja,1920; *sophronistes* Meyrick,1938.
- 2744) *Hellinsia tephradactyla* (Hübner,[1813])** (Pterophoridae) Synonym(s): *tephradactylus* Hübner,[1813]; *inframaculella* Bruand,1850.
- 2745) *Helophilus (Anasimyia) lunulatus* (Meigen,1822)** (Syrphidae) Synonym(s): *lunulatus* Meigen,1822; *japonicus* Shiraki,1930
- 2746) *Helophilus (Anasimyia) transfugus* (Linnaeus,1758)** (Syrphidae) Synonym(s): *transfuga* Linnaeus,1758
- 2747) *Helophilus (s.str.) hybridus* Loew,1846** (Syrphidae) Synonym(s): *hybridus* Loew,1846
- 2748) *Helophilus (s.str.) pendulus* (Linnaeus,1758)** (Syrphidae) Synonym(s): *pendulus* Linnaeus,1758; *turanicus* Smirnov,1923; *sibiricus* Smirnov,1923; *biguttatus* Szilady,1940; *trizonus* Szilady,1940
- 2749) *Helophilus (s.str.) trivittatus* (Fabricius,1805)** (Syrphidae) Synonym(s): *trivittatus* Fabricius,1805
- 2750) *Hemaris (Cochranella) croatica* (Esper,[1779])** (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 2751) *Hemaris (Eitschbergera) tityus* (Linnaeus,1758)** (Sphingidae) Synonym(s): *tityus* Linnaeus,1758; *bombylififormis* Linnaeus,1758; *knautiae* Zeller,1869; *scabiosae* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; *#tityrus* De Freina,1983; *saldaitisi* Eitschberger, Danner & Surholt,1998
- 2752) *Hemaris (s.str.) fuciformis* (Linnaeus,1758)** (Sphingidae) Synonym(s): *fuciformis* Linnaeus,1758; *variegata* Allioni,1766; *musca* Retzius,1783; *bombylififormis* sensu Ochsenheimer,1808; *milesiformis* Treitschke,1834; *caprifolii* Zeller,1869; *loniceriae* Zeller,1869; *robusta* Alpheraky,1882; *simillima* Moore,1888; *ganssuensis* Grun-Grshimailo,1891; *heynei* Bartel,1898;
- 2753) *Hemicrepidius niger* (Linnaeus,1758)** (Elateridae) Synonym(s): *niger* Linnaeus,1758
- 2754) *Hemipenthes hamiferus* (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854
- 2755) *Hemipenthes maurus* (Linnaeus,1758)** (Bombyliidae) Synonym(s): *maurus* Linnaeus,1758; *denigrata* Linnaeus,1767; *hirsuta* Villers,1789; *daemon* Panzer,1797; *bifasciata* Meigen,1804; *relata* Walker,1852; *uncinus* Loew,1869; *flavotomentosa* Paramonov,1927
- 2756) *Hemipenthes morio* (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823
- 2757) *Hemipenthes velutinus* (Meigen,1820)** (Bombyliidae) Synonym(s): *velutinus* Meigen,1820; *bicincta* Wiedemann,1820; *nycthemera* Wiedemann,1820
- 2758) *Hemipterochilus aberrans* (Morawitz,1885)** (Vespidae) Synonym(s): *aberrans* Morawitz,1885
- 2759) *Hemipterochilus bembeciformis* (Morawitz,1867)** (Vespidae) Synonym(s): *bembeciformis* Morawitz,1867; *terricola* Moesary,1883; *sinuatofascius* Costa,1888; *rubromaculatus* Bialynicki-Birula,1926; *circensis* Giordani Soika,1942
- 2760) *Hemistola chrysoprasaria* (Esper,[1794])** (Geometridae) Synonym(s): *nayas* Fourcroy,1785; *pomona* Fourcroy,1785; *lucidata* Donovan,1794; *chrysoprasaria* Esper,[1794];
- 2761) *Hemithea aestivaria* (Hübner,1789)** (Geometridae) Synonym(s): *strigata* Müller,1764 nec Sc.,1763; *herbacea* Fourcroy,1785; *aestivaria* Hübner,[1799]; *alboundulata* Hedemann,1879
- 2762) *Henestaris halophilus* (Burmeister,1835)** (Lygaeidae) Synonym(s): *halophilus* Burmeister,1835; *geocoripes* D'Antessanty,1885; *cremeus* Kiritschenko,1924
- 2763) *Henestaris laticeps* (Curtis,1836)** (Lygaeidae) Synonym(s): *laticeps* Curtis,1836; *genei* Spinola,1837; *spinolae* A.Costa,1839; *hispanus* Rambur,1839; *oculatus* Motschulsky,1863; *curtulus* Horvath,1911; *cypriacus* E.Wagner,1949; *oboussierae* E.Wagner,1954
- 2764) *Hephathus freyi* (Fieber,1868)** (Cicadellidae) Synonym(s): *freyi* Fieber,1868
- 2765) *Hephathus nanus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nanus* Herrich-Schäffer,1835; *cretacea* Fieber,1868
- 2766) *Hepialus humuli* (Linnaeus,1758)** (Hepialidae) Synonym(s): *humuli* Linnaeus,1758; *humulator* Haworth,1802
- 2767) *Hercostomus fugax* (Loew,1857)** (Dolichopodidae) Synonym(s): *fugax* Loew,1857
- 2768) *Hercostomus gracilis* (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis* Stannius,1831; *bohemani* Wahlberg,1851

- 2769) *Hercostomus longiventris* (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923
- 2770) *Hercostomus nanus* (Macquart,1827)** (Dolichopodidae) Synonym(s): *nanus* Macquart,1827; *minimus* Zetterstedt,1849; *angustus* Loew,1857
- 2771) *Heriades* (Michenerella) *dalmaticus* Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951
- 2772) *Heriades* (s.str.) *crenulatus* Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856
- 2773) *Heriades* (s.str.) *rubicola* Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931
- 2774) *Heriades* (s.str.) *truncorum* (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastris* Schrank,1802; *mordax* Schletterer,1889
- 2775) *Heringocrania unimaculella* (Zetterstedt,1839)** (Eriocraniidae) Synonym(s): *unimaculella* Zetterstedt,1839
- 2776) *Herminia grisealis* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nemoralis* Fabricius,1775 *nec* Scop.,1763; *grisealis* [Denis & Schiffermüller],1775; *sulzeriana* Scopoli,1786; *nemorum* Fabricius,1798; *nemoratus* Haworth,1809
- 2777) *Herminia tarsicrinalis* (Knoch,1782)** (Noctuidae) Synonym(s): *tarsicrinalis* Knoch,1782; *tarsicrinatus* Haworth,1809
- 2778) *Herminia tarsipennalis* Treitschke,1835** (Noctuidae) Synonym(s): *tarsipennalis* Treitschke,1835
- 2779) *Herminia tenuialis* (Rebel,1899)** (Noctuidae) Synonym(s): *tenuialis* Rebel,1899
- 2780) *Herophila tristis* (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767
- 2781) *Hesium domino* (Reuter,1880)** (Cicadellidae) Synonym(s): *biguttata* Fallén,1806 (*praeocc.*); *domino* Reuter,1880; *hyomelas* Csiki,1940; *falleni* Metcalf,1955
- 2782) *Hesperia comma* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.
- 2783) *Hesperocorixa parallela* (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860
- 2784) *Heteralonia* (Homolonia) *megerlei* (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937
- 2785) *Heteralonia* (Zygodiola) *aeaca* (Meigen,1804)** (Bombyliidae) Synonym(s): *aeaca* Meigen,1804; *livida* Pallas,1818; *bombyciformis* Dufour,1833; *lutea* Macquart,1840
- 2786) *Heterogenea asella* ([Denis & Schiffermüller],1775)** (Limaconidae) Synonym(s): *asella* [Denis & Schiffermüller],1775; *cruciata* Knoch,1783; *asellana* Hübner,1799
- 2787) *Heteropogon ornatipes* Loew,1851** (Asilidae) Synonym(s): *ornatipes* Loew,1851
- 2788) *Heteropterus morpheus* (Pallas,1771)** (Hesperiidae) Synonym(s): *morpheus* Pallas,1771; *speculum* Rottemburg,1775; *steropes* Denis & Schiffermüller,1775; *aracanthus* Fabricius,1777; *speculifer* Fourcroy,1785.
- 2789) *Hexatoma* (Cladolipes) *simplex* (Loew,1865)** (Limoniidae) Synonym(s): *simplex* Loew,1865
- 2790) *Hexatoma* (Eriocera) *chirothecata* (Scopoli,1763)** (Limoniidae) Synonym(s): *chirothecata* Scopoli,1763; *waterstoni* Edwards,1921
- 2791) *Hilara allogastra* Chvala,2001** (Empididae) Synonym(s): *heterogastra* Nowicki,1868 *nec* Lw.,1858; *allogastra* Chvala,2001
- 2792) *Hilara bechevi* Dzhabbazov,1998** (Empididae) Synonym(s): *bechevi* Dzhabbazov,1998
- 2793) *Hipparchia* (Neohipparchia) *fatua* (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kossuigi* De Lattin,1950.
- 2794) *Hipparchia* (Neohipparchia) *statilinus* (Hufnagel,1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 *nec* Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 *nec* Denis & Schiff.,1775; *allionii* Hübner,1826, etc.
- 2795) *Hipparchia* (Parahipparchia) *semele* (Linnaeus,1758)** (Satyridae) Synonym(s): *semele* Linnaeus,1758; *danae* Hufnagel,1766; *vulgaris* Zeller,1847; *anopenopterus* Lambrichs,1875; *diffusa* Butler,1880; *scota* Verity,1911; *tristis* Wahlgren,1913; *angliae* Verity,1924; *anglorum* Verity,1924; *thyone* Thompson,1944; *clarensis* Lattin,1952, etc.
- 2796) *Hipparchia* (Parahipparchia) *volgensis* (Mazochin-Porshnjakov,1952)** (Satyridae) Synonym(s): *volgensis* Mazochin-Porshnjakov,1952
- 2797) *Hipparchia* (s.str.) *fagi* (Scopoli,1763)** (Satyridae) Synonym(s): *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orphanis* Fruhstorfer,1908; *sigurdrija* Fruhstorfer,1908; *aturia* Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fuksiensis* Varin,1963.
- 2798) *Hipparchia* (s.str.) *syriaca* (Staudinger,1871)** (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
- 2799) *Hippotion celerio* (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,1819; *albolineatus* Montrousier,1864
- 2800) *Hispa atra* Linnaeus,1767** (Chrysomelidae) Synonym(s): *atra* Linnaeus,1767; *cariosa* Reiche & Saulcy,1858; *algira* Motschoulsky,1860; *aptera* Motschoulsky,1860; *minuta* Balbi,1892; *balbii* Donckier,1899
- 2801) *Hockeria unicolor* Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859
- 2802) *Hofferia schmiedeknechti* (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928
- 2803) *Hofmannophila pseudospretella* (Stainton,1849)** (Oecophoridae) Synonym(s): *pseudospretella* Stainton,1849; *punctipinguinella* Bruand,1856; *improbella* Walker,1869
- 2804) *Holcogaster fibulata* (Germar,1831)** (Pentatomidae) Synonym(s): *fibulata* Germar,1831; *exilis* Horvath,1903; *meridionalis* De Seabra,1924; *longicornis* E. Wagner,1955; *weberi* E. Wagner,1964
- 2805) *Holcopogon bubulcellus* (Staudinger,1859)** (Autostichidae) Synonym(s): *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata* Walsingham,1900.
- 2806) *Holcostethus congenitus* Putshkov,1965** (Pentatomidae) Synonym(s): *congenitus* Putshkov,1965
- 2807) *Holcostethus sphacelatus* (Fabricius,1794)** (Pentatomidae) Synonym(s): *sphacelatus* Fabricius,1794
- 2808) *Holcostethus strictus* (Fabricius,1803)** (Pentatomidae) Synonym(s): *strictus* Fabricius,1803; *vernalis* Wolff,1804
- 2809) *Holopogon nigripennis* (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis* Meigen,1820
- 2810) *Holoscolia huebneri* Koçak,1980** (Oecophoridae) Synonym(s): *forficella* Hübner,1813 *nec* Thunb.,1794; *huebneri* Koçak,1980
- 2811) *Homalura tarsata* Meigen,1826** (Chloropidae) Synonym(s): *tarsata* Meigen,1826
- 2812) *Homoeosoma* (Anhomoeosoma) *nimbella* (Duponchel,1837)** (Pyralidae) Synonym(s): *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Bentick,1930.
- 2813) *Homoeosoma* (s.str.) *calcellum* Ragonot,1887** (Pyralidae) Synonym(s): *calcella* Ragonot,1887

- 2814) Homocosoma (s.str.) inustellum Ragonot,1884** (Pyrilidae) Synonym(s): *inustella* Ragonot,1884; *compsitella* Rebel,1914.
- 2815) Homocosoma (s.str.) nebulellum ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *nebulella* [Denis & Schiffermüller],1775; *nebulosa* Haworth,1811; *muscardalis* Hübner,[1813].
- 2816) Homocosoma (s.str.) sinuellum (Fabricius,1794)** (Pyrilidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 2817) Homocosoma (s.str.) subalbatellum (Mann,1864)** (Pyrilidae) Synonym(s): *subalbatella* Mann,1864
- 2818) Hoplia (Decamera) corniculata Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890
- 2819) Hoplia (s.str.) praticola Duftschmidt,1805** (Scarabaeidae) Synonym(s): *praticola* Duftschmidt,1805
- 2820) Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 nec Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991
- 2821) Hoplitis (Alcidamea) leucomelaena (Kirby,1802)** (Megachilidae) Synonym(s): *leucomelaena* Kirby,1802; *caulicola* Schrank,1802; *parvula* Dufour & Perris,1840; *bidenticulatus* Costa,1863
- 2822) Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991
- 2823) Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841
- 2824) Hoplitis (Micreriades) haemi Tkalcu,2000** (Megachilidae) Synonym(s): *haemi* Tkalcu,2000
- 2825) Hoplitis (Micreriades) illyrica (Noskiewicz,1926)** (Megachilidae) Synonym(s): *illyrica* Noskiewicz,1926
- 2826) Hoplitis (Micreriades) mazzuccoi (Schwarz & Gusenleitner,2005)** (Megachilidae) Synonym(s): *mazzuccoi* Schwarz & Gusenleitner,2005
- 2827) Hoplitis (Prionohoplitis) brachypogon (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Ducke,1899; *seyrigi* Benoist,1934
- 2828) Hoplitis (Prionohoplitis) campanularis (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mauromoustakis,1947
- 2829) Hoplitis (Prionohoplitis) curvipes (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871
- 2830) Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974
- 2831) Hoplitis (s.str.) anthocopoides (Schenck,1853)** (Megachilidae) Synonym(s): *anthocopoides* Schenck,1853; *caementaria* Gerstaecker,1869; *hybrida* Pérez,1879; *romana* Morice,1901; *algerica* Benoist,1959
- 2832) Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969
- 2833) Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901
- 2834) Hoplitis (s.str.) strymonia Tkalcu,1999** (Megachilidae) Synonym(s): *strymonia* Tkalcu,1999
- 2835) Hoplobasis (Eurasica) idiophallus (Savchenko,1973)** (Limoniidae) Synonym(s): *idiophallus* Savchenko,1973
- 2836) Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 2837) Hoplodrina blanda ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
- 2838) Hoplodrina octogenaria (Goeze,1781)** (Noctuidae) Synonym(s): *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 nec Hübner,[1803]
- 2839) Hoplodrina respersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 nec Vill.,1789
- 2840) Hoplodrina superstes (Ochsenheimer,1816)** (Noctuidae) Synonym(s): *superstes* Ochsenheimer,1816
- 2841) Hoplolabis (Parilis) punctigera (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940
- 2842) Horisme calligraphata (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *calligraphata* Herrich-Schäffer,1839
- 2843) Horisme corticata (Treitschke,1835)** (Geometridae) Synonym(s): *corticata* Treitschke,1835
- 2844) Horisme laurinata (Schawerda,1919)** (Geometridae) Synonym(s): *laurinata* Schawerda,1919
- 2845) Horisme radicularia (La Harpe,1855)** (Geometridae) Synonym(s): *radicularia* La Harpe,1855
- 2846) Horisme tersata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *tersata* [Denis & Schiffermüller],1775; *singulariata* Villers,1789; *testacea* Hübner,[1809]; *tersaria* Boisduval,1840; *testacearia* Boisduval,1840; *tersulata* Staudinger,1871
- 2847) Horisme vitalbata (Hübner,[1799])** (Geometridae) Synonym(s): *#vitalbata* [Denis & Schiffermüller],1775; *nebulata* Villers,1789 nec Thunb.,1784; *vitalbata* Hübner,[1799]; *vitalbaria* Boisduval,1840; *detersata* Püngeler,1900; *repedata* L.B.Prout,1938
- 2848) Horridopalpus dictamnella (Treitschke,1835)** (Oecophoridae) Synonym(s): *dictamnella* Treitschke,1835
- 2849) Horvathianella palliceps (Horvath,1897)** (Delphacidae) Synonym(s): *palliceps* Horvath,1897
- 2850) Huebneria affinis (Fallén,1810)** (Tachinidae) Synonym(s): *affinis* Fallén,1810
- 2851) Hyalesthes luteipes Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876
- 2852) Hyalesthes obsoletus Signoret,1865** (Cixiidae) Synonym(s): *obsoletus* Signoret,1865; *albolimbatus* Kirschbaum,1868; *flavovarius* Kusnezov,1935
- 2853) Hyalesthes scotti Ferrari,1882** (Cixiidae) Synonym(s): *scotti* Ferrari,1882
- 2854) Hybomitra decora (Loew,1858)** (Tabanidae) Synonym(s): *decora* Loew,1858; *defasciata* Szilady,1923; *amani* Szilady,1926
- 2855) Hybomitra tarandina (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758; *karafutonis* Matsumura,1911
- 2856) Hycleus zebraeus (Marseul,1870)** (Meloidae) Synonym(s): *zebraea* Marseul,1870; *tenenbaumi* Pic,1928; *kervillei* Pic,1932
- 2857) Hydraecia micacea (Esper,1789)** (Noctuidae) Synonym(s): *micacea* Esper,1789; *cypriaca* Hübner,[1803].
- 2858) Hydraecia petasitis Doubleday,1847** (Noctuidae) Synonym(s): *petasitis* Doubleday,1847
- 2859) Hydrelia flammeolaria (Hufnagel,1767)** (Geometridae) Synonym(s): *flammeolaria* Hufnagel,1767; *luteata* [Denis & Schiffermüller],1775; *centrata* Fabricius,[1776]; *flavicata* Thunberg,1784; *sinuosata* Girona,1791; *flavostrigata* Donovan,1806; *chibiana* Matsumura,1925
- 2860) Hydrellia griseola (Fallén,1813)** (Ephydriidae) Synonym(s): *griseola* Fallén,1813; *obscura* Meigen,1830; *chrysostoma* Meigen,1830
- 2861) Hydria undulata (Linnaeus,1758)** (Geometridae) Synonym(s): *undulata* Linnaeus,1758; *serrata* Hufnagel,1767; *limbata* Goeze,1781; *fuscata* Fourcroy,1785 nec Hufn.,1767; *undularia* Boisduval,1840

- 2862) *Hydriomena coerulata* (Fabricius,1777)** (Geometridae) Synonym(s): *#impluviata* [Denis & Schiffermüller],1775; *coerulata* Fabricius,1777; *autumnalis* Ström,1783; *trifasciata* Borkhausen,1794; *bicommatata* Schrank,1802; *literata* Donovan,1810; *relictata* Zetterstedt,1839; *impluviaria* Boisduval,1840; *insulicolata* Schawerda,1933
- 2863) *Hydriomena furcata* (Thunberg,1784)** (Geometridae) Synonym(s): *furcata* Thunberg,1784; *sordidata* Fabricius,1794; *elutata* Hübner,[1799]; *fuscoundata* Donovan,1806; *elutaria* Boisduval,1840; *shibuyae* Matsumura,1925.
- 2864) *Hydriomena ruberata* (Freyer,[1831])** (Geometridae) Synonym(s): *ruberata* Freyer,[1831]; *ruberaria* Herrich-Schäffer,1848
- 2865) *Hydrochara caraboides* (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758
- 2866) *Hydrochara dichorama* (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829
- 2867) *Hydrochara flavipes* (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808
- 2868) *Hydrometra gracilenta* Horvath,1899** (Hydrometridae) Synonym(s): *gracilenta* Horvath,1899
- 2869) *Hydrometra stagnorum* (Linnaeus,1758)** (Hydrometridae) Synonym(s): *stagnorum* Linnaeus,1758
- 2870) *Hydromya dorsalis* (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775; *punctipennis* Fallén,1820; *caeruleipennis* R-D.,1830; *obscuriventris* Strobl,1899; *infusata* Villeneuve,1912
- 2871) *Hydrophorus balticus* (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840
- 2872) *Hydrophorus praecox* (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherrii* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902
- 2873) *Hydrophorus viridis* (Meigen,1824)** (Dolichopodidae) Synonym(s): *viridis* Meigen,1824; *semiglaucus* Perris,1850; *paulosetosus* Becker,1907; *beckeri* Oldenberg,1920
- 2874) *Hydrothassa flavocincta* (Brullé,1832)** (Chrysomelidae) Synonym(s): *flavocincta* Brullé,1832
- 2875) *Hydrothassa glabra* (Herbst,1783)** (Chrysomelidae) Synonym(s): *glabra* Herbst,1783; *aucta* Fabricius,1787; *egena* Suffrian,1851 nec Gyll.,1827; *umhangi* Wehncke,1866
- 2876) *Hylaea fasciaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *biliosata* Villers,1789; *viridifasciosa* Esper,1794; *cleui* Leraut,1993
- 2877) *Hylaeus sinuatus* (Schenck,1853)** (Colletidae) Synonym(s): *sinuatus* Schenck,1853
- 2878) *Hyles euphorbiae* (Linnaeus,1758)** (Sphingidae) Synonym(s): *euphorbiae* Linnaeus,1758; *esulae* Hufnagel,1766; *vandalusica* Ribbe,1910; *etrusca* Verity,1911; *sinensis* Closs,1917; *rothschildi* Stauder,1928; *dolomiticola* Stauder,1930; *filipjevi* O.Bang-Haas,1936; *lucida* Derzhavets,1980.
- 2879) *Hyles gallii* (Rottemburg,1775)** (Sphingidae) Synonym(s): *gallii* Rottemburg,1775; *intermedia* Kirby,1837; *oxybaphi* Clemens,1859; *gallii* Kirby,1892; *sachaliensis* Matsumura,1929; *nepalensis* Daniel,1961; *tibetanica* Eichler,1971.
- 2880) *Hyles hippophaes* (Esper,[1789])** (Sphingidae) Synonym(s): *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsaftikis,1974; *#hippophaes* De Freina,1981
- 2881) *Hyles livornica* (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharae* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998.
- 2882) *Hyles nicaea* (Prunner,1798)** (Sphingidae) Synonym(s): *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]; *#nicaea* De Freina,1981
- 2883) *Hyles vespertilio* (Esper,[1780])** (Sphingidae) Synonym(s): *vespertilio* Esper,[1780].
- 2884) *Hyatima rhomboidella* (Linnaeus,1758)** (Gelechiidae) Synonym(s): *rhomboidella* Linnaeus,1758; *conscriptella* Hübner,[1805]; *huebnerella* Donovan,1806; *conscripta* Haworth,1828
- 2885) *Hypena (Ophiuche) lividalis* (Hübner,1796)** (Noctuidae) Synonym(s): *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicialis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; ? *bipartita* Smith,1900.
- 2886) *Hypena (s.str.) obsitalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813]
- 2887) *Hypena crassalis* (Fabricius,1787)** (Noctuidae) Synonym(s): *crassalis* Fabricius,1787; *fontis* Thunberg,1788; *achatalis* Hübner,1796; *crassatus* Haworth,1809; *achatus* Haworth,1809
- 2888) *Hypena munitalis* Mann,1861** (Noctuidae) Synonym(s): *munitalis* Mann,1861.
- 2889) *Hypena obesalis* Treitschke,1829** (Noctuidae) Synonym(s): *obesalis* Treitschke,1829
- 2890) *Hypena palpalis* (Hübner,1796)** (Noctuidae) Synonym(s): *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901.
- 2891) *Hypena proboscidalis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *proboscidalis* Linnaeus,1758; *tatorhina* Butler,1879
- 2892) *Hypena rostralis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *rostralis* Linnaeus,1758.
- 2893) *Hypenidium graecum* Loew,1862** (Tephritidae) Synonym(s): *graecum* Loew,1862; *novakii* Strobl,1893; *pulchella* Tavares,1902; *bipartita* Séguy,1930
- 2894) *Hypenodes anatolica* Schwingenschuss,1938** (Noctuidae) Synonym(s): *anatolica* Schwingenschuss,1938; *nigritalis* Ronkay,1984.
- 2895) *Hypenodes humidalis* Doubleday,1850** (Noctuidae) Synonym(s): *humidalis* Doubleday,1850
- 2896) *Hypenodes nigritalis* Ronkay,1984** (Noctuidae) Synonym(s): *nigritalis* Ronkay,1984
- 2897) *Hypenodes orientalis* Staudinger,1901** (Noctuidae) Synonym(s): *orientalis* Staudinger,1901; *nesiota* Rebel,1916.
- 2898) *Hypercallia citrinalis* (Scopoli,1763)** (Oecophoridae) Synonym(s): *citrinalis* Scopoli,1763; *christiannana* Linnaeus,1767; *thoracella* Goeze,1783; *thoracica* Fourcroy,1785; *christiannella* Hübner,[1824]; *christierella* Hübner,[1825]; *christiannini* Zeller,1839
- 2899) *Hyperlais dulcinalis* (Treitschke,1835)** (Pyralidae) Synonym(s): *dulcinalis* Treitschke,1835
- 2900) *Hyphantria cunea* (Drury,[1773])** (Arctiidae) Synonym(s): *cunea* Drury,[1773]; *punctatissima* Smith,1797; *budea* Hübner,[1823]; *textor* Harris,1828; *mutans* Walker,1856; *collaris* Fitch,1857; *punctata* Fitch,1857; *pallida* Packard,1864; *candida* Walker,1865; *suffusa* Strecker,1900; *brunnea* Strecker,1900
- 2901) *Hyphoraia aulica* (Linnaeus,1758)** (Arctiidae) Synonym(s): *aulica* Linnaeus,1758; *pustulata* Müller,1764
- 2902) *Hypochalcia ahenella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *luridella* Schläger,1845; *caucasica* Ragonot,1893; *lugubrella* Hering,1924
- 2903) *Hypochalcia balcanica* Ragonot,1887** (Pyralidae) Synonym(s): *balcanica* Ragonot,1887
- 2904) *Hypochalcia dignella* (Hübner,1796)** (Pyralidae) Synonym(s): *dignella* Hübner,1796; *dignalis* Hübner,[1825]
- 2905) *Hypochalcia fuliginella* (Duponchel,1836)** (Pyralidae) Synonym(s): *fuliginella* Duponchel,1836; *ghiliani* Staudinger,1871
- 2906) *Hypochalcia subrubiginella* Ragonot,1887** (Pyralidae) Synonym(s): *subrubiginella* Ragonot,1887

- 2907) *Hypomecis punctinalis* (Scopoli,1763)** (Geometridae) Synonym(s): *punctinalis* Scopoli,1763; *urticaria* Hufnagel,1767; *turcaria* Fabricius,1775; *griseonigra* Goeze,1781; *bandevillaea* Fourcroy,1785; *consortaria* Fabricius,1787; *convexata* Villers,1789; *leucopheataria* Villers,1789
- 2908) *Hypomecis roboraria* (Fabricius,1787)** (Geometridae) Synonym(s): *#roboraria* [Denis & Schiffermüller],1775; *roboraria* Fabricius,1787; *consobrinaria* Hübner,[1799] nec Borkh.,1790; *grandaria* Haworth,1809; *piperitaria* Stephens,1831; *isabellae* Fernandez,1931
- 2909) *Hyponephele* (s.str.) *lycaon* (Rottemburg,1775)** (Satyridae) Synonym(s): *lycaon* Rottemburg,1775; *#lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800; *rufomaculata* Korb,2005
- 2910) *Hyposcotis* (Charissa) *certhiata* (Rebel & Zerny,1931)** (Geometridae) Synonym(s): *certhiatus* Rebel & Zerny,1931; *bezengius* Niesiolowski,1953.
- 2911) *Hyposcotis* (Charissa) *obscurata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#obscurata* [Denis & Schiffermüller],1775; *lividata* Fabricius,1787 nec Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808
- 2912) *Hyposcotis* (Costignophos) *pullata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pullata* [Denis & Schiffermüller],1775
- 2913) *Hyposcotis* (Euchrognophos) *mucidaria* (Hübner,[1799])** (Geometridae) Synonym(s): *mucidaria* Hübner,[1799]; *herrichi* Oberthür,1913; *nubilarius* Reisser,1936
- 2914) *Hyposcotis* (Euchrognophos) *variegata* (Duponchel,1830)** (Geometridae) Synonym(s): *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932.
- 2915) *Hyposcotis* (Kemtroglyphos) *ambigua* (Duponchel,1830)** (Geometridae) Synonym(s): *ambigua* Duponchel,1830; *meyeraria* Harpe,1853; *ophthalmicata* Lederer,1853
- 2916) *Hyposcotis* (Kemtroglyphos) *onustaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *onustaria* Herrich-Schäffer,[1852]; *oneraria* Guenée,[1858]
- 2917) *Hyposcotis* (Neognophina) *intermedia* (Wehrli,1917)** (Geometridae) Synonym(s): *intermedia* Wehrli,1917
- 2918) *Hyposcotis* (Rhopaloglyphos) *glaucinararia* (Hübner,[1799])** (Geometridae) Synonym(s): *glaucinararia* Hübner,[1799]; *glaucinata* Treitschke,1827; *falconaria* Freyer,1842; *supinata* Bruand,[1852]; *supinaria* Mann,1854; *perstrigata* Wehrli,1924
- 2919) *Hypoxystis pluviana* (Fabricius,1787)** (Geometridae) Synonym(s): *pluviana* Fabricius,1787; *adpersaria* Hübner,1790 nec Fabricius,1787; *jacobaearia* Borkhausen,1794; *inspersaria* Hübner,[1823].
- 2920) *Hyppa rectilinea* (Esper,[1788])** (Noctuidae) Synonym(s): *rectilinea* Esper,[1788]; *albopicta* Matsumura,1952
- 2921) *Hypsopygia costalis* (Fabricius,1775)** (Pyralidae) Synonym(s): *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
- 2922) *Hypsotropa limbella* Zeller,1848** (Pyralidae) Synonym(s): *limbella* Zeller,1848
- 2923) *Hysterophora maculosana* (Haworth,[1811])** (Tortricidae) Synonym(s): *maculosana* Haworth,[1811]; *purgatana* Treitschke,1835; *porculana* Mann,1862.
- 2924) *Hysteropterum conspurcatum* (Spinola,1939)** (Issidae) Synonym(s): *conspurcatum* Spinola,1939
- 2925) *Hysteropterum grylloides* (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794
- 2926) *Hysteropterum latifrons* Fieber,1877** (Issidae) Synonym(s): *latifrons* Fieber,1877
- 2927) *Hysteropterum tauricum* Kusnezov,1926** (Issidae) Synonym(s): *tauricum* Kusnezov,1926
- 2928) *Iassus scutellaris* (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris* Fieber,1868
- 2929) *Ibalia leucospoides* (Hochenwarth,1785)** (Ibaliidae) Synonym(s): *leucospoides* Hochenwarth,1785
- 2930) *Ichneumon proletarius* Wesmael,1848** (Ichneumonidae) Synonym(s): *proletarius* Wesmael,1848
- 2931) *Iconella laspeyresiella* (Papp,1972)** (Braconidae) Synonym(s): *laspeyresiella* Papp,1972
- 2932) *Iconella vindicia* (Nixon,1965)** (Braconidae) Synonym(s): *vindicia* Nixon,1965
- 2933) *Idaea albitorquata* (Püngeler,1909)** (Geometridae) Synonym(s): *albitorquata* Püngeler,1909
- 2934) *Idaea aureolaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *trilineata* Scopoli,1772 nec Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1785; *trilinearia* Hübner,[1787].
- 2935) *Idaea aversata* (Linnaeus,1758)** (Geometridae) Synonym(s): *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fuliginata* Haworth,1809; *latifasciaria* Heydenreich,1851.
- 2936) *Idaea bilinearia* (Fuchs,1889)** (Geometridae) Synonym(s): *bilinearia* Fuchs,1889; *rubraria* Staudinger,1901
- 2937) *Idaea biselata* (Hufnagel,1767)** (Geometridae) Synonym(s): *biselata* Hufnagel,1767; *fimbriata* [Denis & Schiffermüller],1775; *fimbriolata* Stephens,1831; *plumipedata* Walker,1861; *shimizuensis* Matsumura,1925.
- 2938) *Idaea camparia* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934.
- 2939) *Idaea circuitaria* (Hübner,[1819])** (Geometridae) Synonym(s): *circuitaria* Hübner,[1819]; *chimaeraria* Millière,1869
- 2940) *Idaea consanguinaria* (Lederer,1853)** (Geometridae) Synonym(s): *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
- 2941) *Idaea consolidata* (Lederer,1853)** (Geometridae) Synonym(s): *consolidata* Lederer,1853
- 2942) *Idaea contiguaria* (Hübner,[1799])** (Geometridae) Synonym(s): *contiguaria* Hübner,[1799]
- 2943) *Idaea degeneraria* (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913
- 2944) *Idaea determinata* (Staudinger,1876)** (Geometridae) Synonym(s): *determinata* Staudinger,1876; *fasciata* Staudinger,1892; *geministrigata* Fuchs,1901.
- 2945) *Idaea dilutaria* (Hübner,[1799])** (Geometridae) Synonym(s): *dilutaria* Hübner,[1799]; *holosericata* Duponchel,1842; *holosericaria* Bruand,1846; *holosericearia* De La Harpe,1853; *praeustaria* De La Harpe,1853.
- 2946) *Idaea dimidiata* (Hufnagel,1767)** (Geometridae) Synonym(s): *dimidiata* Hufnagel,1767; *scutulata* [Denis & Schiffermüller],1775; *antitaurica* Wehrli,1931 nec Wehrli,1931; *tauricola* Wehrli,1934.
- 2947) *Idaea distinctaria* (Boisduval,1840)** (Geometridae) Synonym(s): *distinctaria* Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852
- 2948) *Idaea elongaria* (Rambur,1833)** (Geometridae) Synonym(s): *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infermata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942.
- 2949) *Idaea emarginata* (Linnaeus,1758)** (Geometridae) Synonym(s): *emarginata* Linnaeus,1758
- 2950) *Idaea filicata* (Hübner,[1799])** (Geometridae) Synonym(s): *filicata* Hübner,[1799]; *filicaria* Duponchel,1830; *levequei* Leraut,2003
- 2951) *Idaea fuscovenosa* (Goeze,1781)** (Geometridae) Synonym(s): *fuscovenosa* Goeze,1781; *plebeia* Fourcroy,1785

- 2952) *Idaea humiliata* (Hufnagel,1767)** (Geometridae) Synonym(s): *humiliata* Hufnagel,1767; *osseata* [Denis & Schiffermüller],1775; *ossearia* Hübner,[1799]
- 2953) *Idaea inquinata* (Scopoli,1763)** (Geometridae) Synonym(s): *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840
- 2954) *Idaea laevigata* (Scopoli,1763)** (Geometridae) Synonym(s): *laevigata* Scopoli,1763; *laevigaria* Hübner,[1799]; *renularia* Hübner,[1809]; *lividellaria* Peyerimhoff,1863; *renulata* Rambur,1866; *couloniata* Balestre,1907; *storiae* Andreas,1928
- 2955) *Idaea maritima* (Bruand,1846)** (Geometridae) Synonym(s): *maritima* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885
- 2956) *Idaea metohiensis* (Rebel,1900)** (Geometridae) Synonym(s): *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938.
- 2957) *Idaea moniliata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *moniliata* [Denis & Schiffermüller],1775; *?pentolineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805
- 2958) *Idaea obsoletaria* (Rambur,1833)** (Geometridae) Synonym(s): *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 nec Wlk.,1861
- 2959) *Idaea ochrata* (Scopoli,1763)** (Geometridae) Synonym(s): *ochrata* Scopoli,1763; *#ochreatea* [Denis & Schiffermüller],1775; *corrugata* Fabricius,1781; *ochreatea* Schrank,1802 nec Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901
- 2960) *Idaea ostrinaria* (Hübner,[1813])** (Geometridae) Synonym(s): *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938.
- 2961) *Idaea pallidata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pallidata* [Denis & Schiffermüller],1775; *pallidaria* Treitschke,1825; *byssinata* Treitschke,1828; *byssinaria* Boisduval,1840
- 2962) *Idaea politaria* (Hübner,[1799])** (Geometridae) Synonym(s): *politata* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901
- 2963) *Idaea rufaria* (Hübner,[1799])** (Geometridae) Synonym(s): *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944
- 2964) *Idaea rusticata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866.
- 2965) *Idaea seriata* (Schrank,1802)** (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *seriata* Schrank,1802; *cubicularia* Peyerimhoff,1862
- 2966) *Idaea serpentata* (Hufnagel,1767)** (Geometridae) Synonym(s): *serpentata* Hufnagel,1767; *trifasciata* Scopoli,1772; *similata* Thunberg,1784; *perochraria* Fischer von Rösslerstamm,1836.
- 2967) *Idaea spissilimbaria* (Mabille,1888)** (Geometridae) Synonym(s): *spissilimbaria* Mabille,1888
- 2968) *Idaea straminata* (Borkhausen,1794)** (Geometridae) Synonym(s): *straminata* Borkhausen,1794; *inornata* Haworth,1809; *subfusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmata* Guenée,[1858]
- 2969) *Idaea subsericeata* (Haworth,[1809])** (Geometridae) Synonym(s): *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934
- 2970) *Idaea sylvestraria* (Hübner,[1799])** (Geometridae) Synonym(s): *sylvestraria* Hübner,[1799]; *marginepunctata* Stephens,1831 nec Gz.,1781; *straminata* Treitschke,1835 nec Bkh.,1794; *grammicaria* Boisduval,1840; *circellata* Guenée,1858; *folognearia* Staudinger,1863; *graciliata* Mann,1867; *shiskensis* Matsumura,1925; *minuta* Heydemann,1933
- 2971) *Idaea trigeminata* (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830.
- 2972) *Idia calvaria* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller],1775
- 2973) *Idiocera* (s.str.) *pulchripennis* (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?filičina* Santos Abreu,1923; *similior* Alexander,1956
- 2974) *Idiocerus fulgidus* (Fabricius,1775)** (Cicadellidae) Synonym(s): *fulgidus* Fabricius,1775; *aurulentus* Kirschbaum,1868; *cupreus* Kirschbaum,1868 (praeocc.); *decipiens* Kirschbaum,1868; *kirschbaumi* Baker,1924; *lineolata* Ribaut,1952
- 2975) *Idiocerus herrichii* Kirschbaum,1868** (Cicadellidae) Synonym(s): *herrichii* Kirschbaum,1868
- 2976) *Idiocerus heydenii* Kirschbaum,1868** (Cicadellidae) Synonym(s): *heydenii* Kirschbaum,1868
- 2977) *Idiocerus lituratus* (Fallén,1806)** (Cicadellidae) Synonym(s): *lituratus* Fallén,1806; *dorsiger* Lepeletier & Audinet-Serville,1825; *lineolatus* Lepeletier & Audinet-Serville,1825; *maculipennis* Curtis,1839; *rubrifrons* Rey,1894
- 2978) *Idiocerus nitidissimus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *nitidissimus* Herrich-Schäffer,1835
- 2979) *Idiocerus poecilus* (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835
- 2980) *Idiocerus stigmatalis* Lewis,1834** (Cicadellidae) Synonym(s): *stigmatalis* Lewis,1834; *adustus* Herrich-Schäffer,1837
- 2981) *Idiocerus vittifrons* Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons* Kirschbaum,1868
- 2982) *Idiodonus cruentatus* (Panzer,1799)** (Cicadellidae) Synonym(s): *cruentatus* Panzer,1799; *simulans* Ribaut,1952
- 2983) *Idiomacromerus terebrator* (Masi,1916)** (Torymidae) Synonym(s): *terebrator* Masi,1916
- 2984) *Illidops butalidis* (Marshall,1888)** (Braconidae) Synonym(s): *butalidis* Marshall,1888
- 2985) *Illidops naso* (Marshall,1888)** (Braconidae) Synonym(s): *naso* Marshall,1888
- 2986) *Illidops szaboi* (Papp,1974)** (Braconidae) Synonym(s): *szaboi* Papp,1974
- 2987) *Inachis io* (Linnaeus,1758)** (Argynniidae) Synonym(s): *io* Linnaeus,1758; *ioides* Ochsenheimer,1808; *caucasica* Jachontov,1911.
- 2988) *Incurvaria masculella* ([Denis & Schiffermüller],1775)** (Incurvariidae) Synonym(s): *masculella* [Denis & Schiffermüller],1775; *muscula* Haworth,[1828]; *spuria* Haworth,[1828].
- 2989) *Incurvaria oehlmanniella* (Hübner,1796)** (Incurvariidae) Synonym(s): *oehlmanniella* Hübner,1796; *oehlmanni* Haworth,1828; *schoenherrella* Zetterstedt,1839; *unitipallidella* Bruand,1859
- 2990) *Incurvaria vetulella* (Zetterstedt,1839)** (Incurvariidae) Synonym(s): *vetulella* Zetterstedt,1839
- 2991) *Infurcitinea albicomella* (Stainton,1851)** (Tineidae) Synonym(s): *albicomella* Stainton,1851; *albicapilla* Zeller,1852; *luridella* Jäckh,1959; *raetica* Zagulyaev,1974.
- 2992) *Infurcitinea finalis* Gozmany,1959** (Tineidae) Synonym(s): *finalis* Gozmany,1959
- 2993) *Infurcitinea kasyi* G.Petersen,1962** (Tineidae) Synonym(s): *kasyi* G.Petersen,1962
- 2994) *Infurcitinea rumelicella* (Rebel,1903)** (Tineidae) Synonym(s): *rumelicella* Rebel,1903
- 2995) *Iphiclidus podalirius* (Linnaeus,1758)** (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926.
- 2996) *Ipimorpha retusa* (Linnaeus,1761)** (Noctuidae) Synonym(s): *retusa* Linnaeus,1761; *chreysoglossa* Beckwith,1794; *gracilis* Haworth,1809.
- 2997) *Ipimorpha subtusa* (Fabricius,1787)** (Noctuidae) Synonym(s): *#subtusa* [Denis & Schiffermüller],1775; *subtusa* Fabricius,1787.

- 2998) Irochrotus maculiventris (Germar, 1839)** (Scutelleridae) Synonym(s): *maculiventris* Germar, 1839; *villosus* Herrich-Schäffer, 1839; *hirtus* A. Costa, 1842
- 2999) Isauria dilucidella (Duponchel, 1836)** (Pyrilidae) Synonym(s): *dilucidella* Duponchel, 1836; *ilignella* Zeller, 1839; *laternella* Eversmann, 1844; *crepusculella* Lederer, 1870; *incredibilis* Staudinger, 1879; *subsortella* Ragonot, 1887; *satanella* Ragonot, 1887; *odontella* Ragonot, 1893; *ledereri* Ragonot, 1893; *cuencella* Caradja, 1916; *gabaltella* Chrétien, 1931; *grisescens* Lucas, 1950; *parvella* Amsel, 1951; *shahidanella* Amsel, 1970
- 3000) Ischnodemus sabuleti (Fallén, 1826)** (Lygaeidae) Synonym(s): *sabuleti* Fallén, 1826
- 3001) Isophrictis anthemidella (Wocke, 1871)** (Gelechiidae) Synonym(s): *anthemidella* Wocke, 1871
- 3002) Isophrictis striatella ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *striatella* [Denis & Schiffermüller], 1775; *tanacetella* Schrank, 1802
- 3003) Isophya hospodar (Saussure & Pictet, 1898)** (Tettigoniidae) Synonym(s): *hospodar* Saussure & Pictet, 1898; *burmevi* Nedelkov, 1907; *tshirpanensis* Nedelkov, 1907
- 3004) Isoscelipteron fulvum Costa, 1863** (Berothidae) Synonym(s): *fulvum* Costa, 1863
- 3005) Isotrias hybridana (Hübner, [1817])** (Tortricidae) Synonym(s): *cingulana* Scopoli, 1772; *hybridana* Hübner, [1817]; *puellana* Frölich, 1828; *pedemontana* Staudinger, 1871; *tingalana* Millière, 1884; *castiliana* Ragonot, 1894
- 3006) Issoria lathonia (Linnaeus, 1758)** (Argynniidae) Synonym(s): *lathonia* Linnaeus, 1758; *saturata* Röber, 1897; *hungarica* Aigner-Abafi, 1906; *florens* Verity, 1916; *emiflorens* Verity, 1919; *attenuata* Sagarra, 1926; *nigroprivata* Verity, 1933.
- 3007) Issus coleoptratus (Fabricius, 1781)** (Issidae) Synonym(s): *gibbosa* Goeze, 1778 (praeocc.); *coleoptratus* Fabricius, 1781; *pedestris* Fabricius, 1794; *maurus* Walker, 1851; *cribellus* Rey, 1894
- 3008) Issus muscaeformis (Schrank, 1781)** (Issidae) Synonym(s): *muscaeformis* Schrank, 1781
- 3009) Isturgia roraria (Fabricius, [1776])** (Geometridae) Synonym(s): *roraria* Fabricius, [1776]; *adpersaria* Fabricius, 1787; *spartariaria* Hübner, [1799]; *conspicuaria* Esper, [1801]; *spartaria* Treitschke, 1827.
- 3010) Jalla dumosa (Linnaeus, 1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus, 1758; *nigriventris* Fieber, 1861; *anthracina* Jakovlev, 1885; *vidua* Horvath, 1917
- 3011) Janthinea friwaldskii (Duponchel, 1835)** (Noctuidae) Synonym(s): *friwaldskii* Duponchel, 1835; *viola* Freyer, 1836; *#violacea* Staudinger, 1879; *frivaldszci* Hampson, 1910.
- 3012) Jassargus alpinus (Then, 1896)** (Cicadellidae) Synonym(s): *alpinus* Then, 1896
- 3013) Jassidophaga pilosa (Zetterstedt, 1838)** (Pipunculidae) Synonym(s): *pilosa* Zetterstedt, 1838
- 3014) Javesella dubia (Kirschbaum, 1868)** (Delphacidae) Synonym(s): *dubia* Kirschbaum, 1868; *nitidipennis* Kirschbaum, 1868; *pargasensis* Reuter, 1880; *difficilis* Edwards, 1888
- 3015) Javesella obscurella (Boheman, 1847)** (Delphacidae) Synonym(s): *obscurella* Boheman, 1847; *discreta* Edwards, 1888; *fuscotestacea* Metcalf, 1943
- 3016) Javesella salina (Haupt, 1924)** (Delphacidae) Synonym(s): *salina* Haupt, 1924; *junceae* Haupt, 1935
- 3017) Jodia croceago (Fabricius, 1787)** (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller], 1775; *croceago* Fabricius, 1787; *aurantiagio* Donovan, 1796; *corsica* Mabilie, 1868
- 3018) Jodis lactearia (Linnaeus, 1758)** (Geometridae) Synonym(s): *lactearia* Linnaeus, 1758; *vernaria* Linnaeus, 1761; *aeruginaria* [Denis & Schiffermüller], 1775; *semipunctinata* Retzius, 1783; *syrene* Fourcroy, 1785; *sirene* Villers, 1789; *syrena* Geoffroy, 1799
- 3019) Jordanita (Lucasiterna) subsolana (Staudinger, 1862)** (Zygaenidae) Synonym(s): *subsolana* Staudinger, 1862
- 3020) Jordanita (Roccia) budensis (Speyer & Speyer, 1858)** (Zygaenidae) Synonym(s): *budensis* Speyer & Speyer, 1858
- 3021) Jordanita (s.str.) chloros (Hübner, [1813])** (Zygaenidae) Synonym(s): *chloros* Hübner, [1813]; *sepium* Boisduval, 1834.
- 3022) Jordanita (s.str.) globulariae (Hübner, 1793)** (Zygaenidae) Synonym(s): *globulariae* Hübner, 1793
- 3023) Jordanita (s.str.) graeca (Jordan, 1907)** (Zygaenidae) Synonym(s): *graeca* Jordan, 1907
- 3024) Jordanita (Tremewania) notata (Zeller, 1847)** (Zygaenidae) Synonym(s): *notata* Zeller, 1847
- 3025) Julodis ehrenbergi Laporte, 1835** (Buprestidae) Synonym(s): *ehrenbergi* Laporte, 1835
- 3026) Katha depressa (Esper, [1787])** (Arctiidae) Synonym(s): *deplana* Esper, [1787] *nec* Linn., 1771; *depressa* Esper, [1787]; *helvola* Hübner, [1803]; *ochreola* Hübner, [1803]; *helvola* Ochsenheimer, 1810.
- 3027) Kazachtanicus aitosis Dlabola, 1965** (Cicadellidae) Synonym(s): *aitosis* Dlabola, 1965
- 3028) Kelisia praecox Haupt, 1935** (Delphacidae) Synonym(s): *praecox* Haupt, 1935
- 3029) Kelisia yarkonensis Linnavuori, 1962** (Delphacidae) Synonym(s): *yarkonensis* Linnavuori, 1962
- 3030) Kenneliola fagiglandana (Zeller, 1841)** (Tortricidae) Synonym(s): *grossana* Haworth, [1811] *nec* Thunb., 1791; *fagiglandana* Zeller, 1841.
- 3031) Kessleria (s.str.) alpicella (Stainton, 1851)** (Yponomeutidae) Synonym(s): *alpicella* Stainton, 1851
- 3032) Khorassania compositella (Treitschke, 1835)** (Pyrilidae) Synonym(s): *compositella* Treitschke, 1835; *murinella* Heinemann, 1865; *senescens* Heinemann, 1865; *kalischella* Staudinger, 1870; *iconiensis* Caradja, 1910.
- 3033) Kirinia (Melike) roxelana (Cramer, [1777])** (Satyridae) Synonym(s): *roxelana* Cramer, [1777]; *#anatolica* Koçak, 1989
- 3034) Kokujewia clementi Zirngiebl, 1949** (Argidae) Synonym(s): *clementi* Zirngiebl, 1949; *taschevi* Vassilev, 1978
- 3035) Korscheltellus lupulinus (Linnaeus, 1758)** (Hepialidae) Synonym(s): *lupulinus* Linnaeus, 1758; *serraticornis* Gmelin, 1790; *obliquus* Fabricius, 1794; *cora* Schrank, 1801; *lupulator* Haworth, 1802; *obliquator* Haworth, 1802; *nebulosator* Haworth, 1802; *fuscus* Haworth, 1809; *angulum* Haworth, 1809; *nebulosus* Haworth, 1809; *nebulosus* Haworth, 1828; *espanoli* Gregorio, 1981
- 3036) Krombeinella gaullei (Invrea, 1952)** (Mutillidae) Synonym(s): *nigriceps* auct. *nec* Saunders, 1850; *gaullei* Invrea, 1952
- 3037) Krombeinella longicollis (Tournier, 1889)** (Mutillidae) Synonym(s): *longicollis* Tournier, 1889
- 3038) Krombeinella wolffi (Invrea, 1963)** (Mutillidae) Synonym(s): *wolffi* Invrea, 1963
- 3039) Kropka unipunctata (Dlabola, 1957)** (Cicadellidae) Synonym(s): *unipunctata* Dlabola, 1957; *vidanoi* Dworakowska, 1970
- 3040) Kybos candelabricus Dlabola, 1958** (Cicadellidae) Synonym(s): *candelabricus* Dlabola, 1958
- 3041) Kybos populi (Edwards, 1908)** (Cicadellidae) Synonym(s): *populi* Edwards, 1908; *tremulae* Zachvatkin, 1953; *zaizanensis* Mitjaev, 1963
- 3042) Kybos smaragdulus (Fallén, 1806)** (Cicadellidae) Synonym(s): *smaragdulus* Fallén, 1806; *viridipes* Curtis, 1837
- 3043) Kybos virgator (Ribaut, 1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut, 1933; *saageri* Wagner, 1935
- 3044) Labidostomis (s.str.) cyanicornis Germar, 1822** (Chrysomelidae) Synonym(s): *cyanicornis* Germar, 1822; *fulvipennis* Lacordaire, 1848; *dimidiaticornis* Lacordaire, 1848; *hungarica* Lacordaire, 1848; *salicis* Lacordaire, 1848;
- 3045) Labidostomis (s.str.) oertzeni Weise, 1889** (Chrysomelidae) Synonym(s): *oertzeni* Weise, 1889; *heteromalla* Lefebvre, 1889; *villosula* Weise, 1900
- 3046) Labidostomis (s.str.) propinqua Faldermann, 1837** (Chrysomelidae) Synonym(s): *propinqua* Faldermann, 1837; *binotata* Waltl, 1838; *steveni* Waltl, 1848; *arnoldii* Medvedev, 1962
- 3047) Labidostomis (s.str.) rufa (Waltl, 1838)** (Chrysomelidae) Synonym(s): *rufa* Waltl, 1838

- 3048) Laburru impictifrons (Boheman,1852)** (Cicadellidae) Synonym(s): *impictifrons* Boheman,1852; *sulphureus* Kirschbaum,1858; *thiogaster* Kirschbaum,1858; *anomalus* Uhler,1896; *vittatipes* Uhler,1896
- 3049) Lacanobia (Dianobia) dissimilis (Knoch,1781)** (Noctuidae) Synonym(s): *#suasa* [Denis & Schiffermüller],1775; *dissimilis* Knoch,1781; *leucographa* Esper,[1790]; *denscanis* Haworth,1809; *permixta* Geyer,[1833]; *pavida* Boisduval,1840; *confluens* Eversmann,1844; *laeta* Reuter,1893.
- 3050) Lacanobia (Dianobia) histrio (Goeze,1781)** (Noctuidae) Synonym(s): *#contigua* [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc.
- 3051) Lacanobia (Dianobia) thalassina (Hufnagel,1766)** (Noctuidae) Synonym(s): *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813].
- 3052) Lacanobia (Diataraxia) aliena (Hübner,[1809])** (Noctuidae) Synonym(s): *aliena* Hübner,[1809]
- 3053) Lacanobia (Diataraxia) blenna (Hübner,[1824])** (Noctuidae) Synonym(s): *blenna* Hübner,[1824]; *peregrina* Treitschke,1825; *trimenda* Geyer,[1832]; *guenei* Bruand,1850.
- 3054) Lacanobia (Diataraxia) oleracea (Linnaeus,1758)** (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
- 3055) Lacanobia (Diataraxia) praedita (Hübner,[1813])** (Noctuidae) Synonym(s): *praedita* Hübner,[1813]
- 3056) Lacanobia (Diataraxia) splendens (Hübner,[1808])** (Noctuidae) Synonym(s): *splendens* Hübner,[1808]
- 3057) Lacanobia (s.str.) w-latinum (Hufnagel,1766)** (Noctuidae) Synonym(s): *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962.
- 3058) Laelia coenosa (Hübner,[1808])** (Lymantriidae) Synonym(s): *coenosa* Hübner,[1808]
- 3059) Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae) Synonym(s): *cimmerius* Fischer von Waldheim,1823; *weiratheiri* J. Müller,1932
- 3060) Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758
- 3061) Lamoria anella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller],1775
- 3062) Lampides boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
- 3063) Lamprochromus bifasciatus (Macquart,1827)** (Dolichopodidae) Synonym(s): *bifasciatus* Macquart,1827; *elegans* Meigen,1830; *semiflavus* Strobl,1880
- 3064) Lamprochromus speciosus (Loew,1871)** (Dolichopodidae) Synonym(s): *speciosus* Loew,1871
- 3065) Lamprochromus strobli Parent,1925** (Dolichopodidae) Synonym(s): *strobli* Parent,1925
- 3066) Lampronia morosa Zeller,1852** (Prodoxidae) Synonym(s): *morosa* Zeller,1852
- 3067) Lampronia rupella ([Denis & Schiffermüller],1775)** (Prodoxidae) Synonym(s): *rupella* [Denis & Schiffermüller],1775
- 3068) Lampropteryx suffumata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *suffumata* [Denis & Schiffermüller],1775; *piceata* Stephens,1831
- 3069) Lamprosticta culta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#cultata* [Denis & Schiffermüller],1775
- 3070) Lamprotes c-aureum (Knoch,1781)** (Noctuidae) Synonym(s): *c-aureum* Knoch,1781; *concha* Fabricius,1787
- 3071) Lampyrus zenkeri Germar,1817** (Lampyridae) Synonym(s): *zenkeri* Germar,1817
- 3072) Laodelphax striatellus (Fallén,1826)** (Delphacidae) Synonym(s): *striatellus* Fallén,1826; *lateralis* Fieber,1879; *fimbriata* Rey,1894; *dorsalis* Rey,1894 (*praeocc.*); *devastans* Matsumura,1900; *nipponica* Matsumura,1900; *minoensis* Matsumura,1900; *giffuensis* Matsumura,1900; *akashiensis* Matsumura,1900; *maikoensis* Matsumura,1900; *niveopicta* Haupt,1927; *reyana* Metcalf,1943
- 3073) Laothoe populi (Linnaeus,1758)** (Sphingidae) Synonym(s): *populi* Linnaeus,1758; *tremulae* Borkhausen,1793; *palustris* Holle,1865; *salicis* Holle,1865; *roseotincta* Reuter,1893; *borkhauseni* Bartel,1900; *lappona* Rangnow,1935.
- 3074) Laphria ephippium (Fabricius,1781)** (Asilidae) Synonym(s): *ephippium* Fabricius,1781
- 3075) Laphria flava (Linnaeus,1761)** (Asilidae) Synonym(s): *flava* Linnaeus,1761; *grisea* Giglio-Tos,1893
- 3076) Larentia clavaria Haworth,[1809]** (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901
- 3077) Larerannis aurantiaria (Hübner,[1799])** (Geometridae) Synonym(s): *aurantiaria* Hübner,[1799]; *incompletaria* Haworth,1809
- 3078) Larerannis marginaria (Fabricius,1777)** (Geometridae) Synonym(s): *marginaria* Fabricius,1777; *testacea* Retzius,1783; *testacearia* Villers,1789; *progemma* Hübner,[1799]; *capreolaria* Esper,1801 nec [Den. & Schiff.],1775; *luctuaria* Haworth,1809; *connectaria* Haworth,1809; *stictaria* Haworth,1809
- 3079) Lasiocampa eversmanni (Kindermann,1843)** (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960.
- 3080) Lasiocampa grandis (Rogenhofer,1891)** (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891
- 3081) Lasiocampa quercus (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millière,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturica* De Freina,1981
- 3082) Lasiocampa trifolii ([Denis & Schiffermüller],1775)** (Lasiocampidae) Synonym(s): *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *ratamae* Herrich-Schäffer,1851; *bathseba* Staudinger,1891; *maculosa* Rogenhofer,1891
- 3083) Lasiommata maera (Linnaeus,1758)** (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 3084) Lasiommata megera (Linnaeus,1767)** (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 3085) Lasiommata petropolitana (Fabricius,1787)** (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929.
- 3086) Lasionycta proxima (Hübner,[1809])** (Noctuidae) Synonym(s): *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976.
- 3087) Lasiopa balius (Walker,1849)** (Stratiomyidae) Synonym(s): *balius* Walker,1849; *tenuirostris* Loew,1854; *bertoni* Seguy,1932
- 3088) Lasiopa villosa (Fabricius,1794)** (Stratiomyidae) Synonym(s): *villosa* Fabricius,1794
- 3089) Lasioptera eryngii (Vallot,1829)** (Cecidomyiidae) Synonym(s): *eryngii* Vallot,1829
- 3090) Lasioptera rubi (Schränk,1803)** (Cecidomyiidae) Synonym(s): *rubi* Schränk,1803; *albipennis* Meigen,1804; *picta* Meigen,1818; *juniperi* Meigen,1818; *fusca* Meigen,1818; *argyrosticka* Meigen,1830; *pulchra* Meigen,1830; *annulata* Costa,1844; *fuliginosa* Stephens,1846; *ichigo* Shinji,1935; *rubicola* Monzen,1955
- 3091) Lasiorrhynchites cavifrons (Gyllenhal,1833)** (Atelabidae) Synonym(s): *cavifrons* Gyllenhal,1833

- 3092) Lasiorrhynchites praeustus (Boheman,1845)** (Attelabidae) Synonym(s): *praeustus* Boheman,1845; *kindermanni* Desbrochers,1845; *syriacus* Desbrochers,1868
- 3093) Lasiorrhynchites sericeus (Herbst,1797)** (Attelabidae) Synonym(s): *sericeus* Herbst,1797; *ophthalmicus* Stephens,1831; *similis* Curtis,1837; *splendidulus* Kiesenwetter,1861
- 3094) Lasiosina cinctipes (Meigen,1830)** (Chloropidae) Synonym(s): *cinctipes* Meigen,1830; *limbata* Meigen,1830; *herpini* Guérin-Méneville,1843; *obscurata* Duda,1933; *nigripes* Dely-Draskovits,1977
- 3095) Laspeyria flexula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flexula* [Denis & Schiffermüller],1775
- 3096) Laterologia ophiogramma (Esper,1794)** (Noctuidae) Synonym(s): *ophiogramma* Esper,1794
- 3097) Lathronympha strigana (Fabricius,1775)** (Tortricidae) Synonym(s): *strigana* Fabricius,1775; *politana* [Denis & Schiffermüller],1775; *hypericana* Hübner,[1799]
- 3098) Lecithocera nigrana (Duponchel,1836)** (Lecithoceridae) Synonym(s): *nigrana* Duponchel,1836; *luticornella* Zeller,1839; *orsoviella* Heinemann,1870; *#leticornella* Staudinger,1880.
- 3099) Ledra aurita (Linnaeus,1758)** (Cicadellidae) Synonym(s): *aurita* Linnaeus,1758; *cristata* Schreber,1759; *secunda* Schaeffer,1767
- 3100) Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis* Fabricius,1775
- 3101) Lejogaster nigricans (Stackelberg,1922)** (Syrphidae) Synonym(s): *nigricans* Stackelberg,1922
- 3102) Lejogaster tarsata (Meigen,1822)** (Syrphidae) Synonym(s): *tarsata* Meigen,1822 [line priority]; *splendida* Meigen,1822; *bicolor* Macquart,1829; *amethystina* Macquart,1834; *rufitarsis* Loew,1840; *aurichalcea* Becker,1913; *longior* Becker,1921
- 3103) Lemonia balcanica Herrich-Schäffer,[1843]** (Lemoniidae) Synonym(s): *balcanica* Herrich-Schäffer,[1843]; *anatolica* Wagner,1931.
- 3104) Lemonia dumi (Linnaeus,1761)** (Lemoniidae) Synonym(s): *dumi* Linnaeus,1761; *dumeti* Linnaeus,1767
- 3105) Lemonia taraxaconis (Gmelin,1790)** (Lemoniidae) Synonym(s): *#taraxaci* [Denis & Schiffermüller],1775; *taraxaconis* Gmelin,1790
- 3106) Leopoldius coronatus (Rondani,1857)** (Conopidae) Synonym(s): *coronatus* Rondani,1857
- 3107) Leprosoma inconspicuum Bärensprung,1859** (Pentatomidae) Synonym(s): *inconspicuum* Bärensprung,1859; *carinatum* Montandon,1895
- 3108) Leptarthus brevirostris (Meigen,1804)** (Asilidae) Synonym(s): *brevirostris* Meigen,1804
- 3109) Leptidea duponcheli (Staudinger,1871)** (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003
- 3110) Leptidea morsei (Fenton,1881)** (Pieridae) Synonym(s): *morsei* Fenton,1882
- 3111) Leptidea reali Reissinger,1989** (Pieridae) Synonym(s): *lorkovicii* Reissinger,1988 *nec* Pfeiffer,1932; *reali* Reissinger,1989.
- 3112) Leptidea sinapis (Linnaeus,1758)** (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiatarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
- 3113) Leptinotarsa decemlineata (Say,1824)** (Chrysomelidae) Synonym(s): *decemlineata* Say,1824
- 3114) Leptocera (s.str.) fontinalis (Fallén,1826)** (Sphaeroceridae) Synonym(s): *fontinalis* Fallén,1826
- 3115) Leptocera (s.str.) nigra Olivier,1813** (Sphaeroceridae) Synonym(s): *nigra* Olivier,1813; *curvinervis* Stenhammar,1854; *roralis* Rondani,1880
- 3116) Leptochilus (Euleptochilus) limbiferus (Morawitz,1867)** (Vespidae) Synonym(s): *limbiferus* Morawitz,1867; *anatolicus* Blüthgen,1955; *achaeus* Gusenleitner,1970
- 3117) Leptochilus (Lionotulus) alpestris (Saussure,1855)** (Vespidae) Synonym(s): *minutus* Herrich-Schäffer,1839; *alpestris* Saussure,1855; *grandii* Giordani Soika,1947; *bulsanensis* Blüthgen,1953
- 3118) Leptochilus (Lionotulus) membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus* Morawitz,1867
- 3119) Leptochilus (Neoleptochilus) regulus Saussure,1855** (Vespidae) Synonym(s): *regulus* Saussure,1855; *gallicus* Saussure,1855; *calabricus* Gribodo,1881; *siculus* De Stefani,1883; *costae* Costa,1884; *buyssoni* Medina,1891; *pauli* Medina,1892; *perforatus* Dusmet,1903; *obtusidentatus* Maidl,1922; *wuczetici* Kostylev,1928
- 3120) Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaennicke,1867
- 3121) Leptometopa niveipennis Strobl,1900** (Milichiidae) Synonym(s): *niveipennis* Strobl,1900; *simplicipes* Becker,1907
- 3122) Leptometopa rufifrons Becker,1903** (Milichiidae) Synonym(s): *rufifrons* Becker,1903; *flavipalpis* Ségu,1932; *latigenis* Hendel,1933
- 3123) Leptophyes albovittata (Kollar,1833)** (Tettigoniidae) Synonym(s): *albovittata* Kollar,1833; *foliicauda* Fischer von Waldheim,1846; *vittata* Fischer,1853; *pontica* Bei-Bienko,1941
- 3124) Leptophyes punctatissima (Bosc,1792)** (Tettigoniidae) Synonym(s): *punctatissima* Bosc,1792; *autumnalis* Hagenbach,1822; *virescens* Stephens,1835; *glabricauda* Bork,1848; *standishii* Müller,1890
- 3125) Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
- 3126) Lepyrionia coleoptrata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoptrata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896
- 3127) Leucania comma (Linnaeus,1761)** (Noctuidae) Synonym(s): *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909.
- 3128) Leucania herrichi Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer,[1849]
- 3129) Leucania loreyi (Duponchel,1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856.
- 3130) Leucania obsoleta (Hübner,[1803])** (Noctuidae) Synonym(s): *obsoleta* Hübner,[1803]; *insecuta* Walker,1865; *intermissa* Walker,1865; *nohirae* Matsumura,1926; *griseola* Matsumura,1926
- 3131) Leucania putrescens (Hübner,[1824])** (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
- 3132) Leucoma salicis (Linnaeus,1758)** (Lymantriidae) Synonym(s): *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949
- 3133) Leucoptera aceris (Fuchs,1903)** (Lyonetiidae) Synonym(s): *aceris* Fuchs,1903
- 3134) Leucoptera cytisiphagella Klimesch,1938** (Lyonetiidae) Synonym(s): *cytisiphagella* Klimesch,1938
- 3135) Leucoptera genistae (Hering,1933)** (Lyonetiidae) Synonym(s): *genistae* Hering,1933; *aprutiiella* Parenti,1958
- 3136) Leucoptera heringiella Toll,1938** (Lyonetiidae) Synonym(s): *heringiella* Toll,1938
- 3137) Leucoptera laburnella (Stainton,1851)** (Lyonetiidae) Synonym(s): *laburnella* Stainton,1851; *waillesella* Stainton,1858; *cytisella* Amsel,1939
- 3138) Leucoptera malifoliella (Costa,[1836])** (Lyonetiidae) Synonym(s): *malifoliella* Costa,[1836]; *scitella* Zeller,1839.

- 3139) **Leucoptera sinuella** (Reutti,1853) (Lyonetiidae) Synonym(s): *sinuella* Reutti,1853; *susinella* Herrich-Schäffer,1854
- 3140) **Leucospilapteryx omissella** (Stainton,1848) (Gracillariidae) Synonym(s): *omissella* Stainton,1848; *ainoniella* Matsumura,1931
- 3141) **Leucostoma tetraptera** (Meigen,1824) (Tachinidae) Synonym(s): *tetraptera* Meigen,1824
- 3142) **Liancalus virens** (Scopoli,1763) (Dolichopodidae) Synonym(s): *virens* Scopoli,1763; *regius* Fabricius,1805
- 3143) **Libythea (s.str.) celtis** (Laicharting,1782) (Libytheidae) Synonym(s): *celtis* Laicharting,1782
- 3144) **Lichenotinea pustulatella** (Zeller,1852) (Tineidae) Synonym(s): *pustulatella* Zeller,1852; *igaloensis* Amsel,1951
- 3145) **Ligdia adustata** (Fabricius,1787) (Geometridae) Synonym(s): *#adustata* [Denis & Schiffermüller],1775; *adustata* Fabricius,1787; *adustaria* Boisduval,1840
- 3146) **Lignoptera fumidaria** (Hübner,[1825]) (Geometridae) Synonym(s): *fumidaria* Hübner,[1825]
- 3147) **Ligya ferrea** (Walker,1849) (Bombyliidae) Synonym(s): *ferrea* Walker,1849; *#versicolor* Loew,1869
- 3148) **Limenitis (Azuritis) reducta** Staudinger,1901 (Argynniidae) Synonym(s): *reducta* Staudinger,1901.
- 3149) **Limenitis (Ladoga) camilla** (Linnaeus,1764) (Argynniidae) Synonym(s): *camilla* Linnaeus,1764; *prorsa* Linnaeus,1764 *nec* Linnaeus,1758; *sibilla* Linnaeus,1769; *luctuosus* Fourcroy,1785 *nec* Walch,1775.
- 3150) **Limenitis (s.str.) populi** (Linnaeus,1758) (Argynniidae) Synonym(s): *populi* Linnaeus,1758; *semiramis* Schrank,1801; *tremulae* Esper,1804 *nec* Piller & Mitterpacher,1783; *goliath* Fruhstorfer,1908; *fruhstorferi* Krulikowsky,1909.
- 3151) **Limnaecia phragmitella** Stainton,1851 (Cosmopterigidae) Synonym(s): *phragmitella* Stainton,1851
- 3152) **Limnia unguicornis** (Scopoli,1763) (Sciomyzidae) Synonym(s): *unguicornis* Scopoli,1763
- 3153) **Limonia phragmitidis** (Schrank,1781) (Limoniidae) Synonym(s): *tripunctata* Fabricius,1781 *nec* Müll.,1764; *phragmitidis* Schrank,1781
- 3154) **Limosina flavipes** (Meigen,1830) (Sphaeroceridae) Synonym(s): *flavipes* Meigen,1830; *minutissima* Zetterstedt,1847; *retracta* Rondani,1880; *ventruosella* Venturi,1965
- 3155) **Limosina mirabilis** Collin,1902 (Sphaeroceridae) Synonym(s): *mirabilis* Collin,1902
- 3156) **Limosina palmata** (Richards,1927) (Sphaeroceridae) Synonym(s): *palmata* Richards,1927
- 3157) **Limosina parapusio** Dahl,1909 (Sphaeroceridae) Synonym(s): *parapusio* Dahl,1909; *rustica* Villeneuve,1918
- 3158) **Limosina pseudosetaria** Duda,1918 (Sphaeroceridae) Synonym(s): *pseudosetaria* Duda,1918; *penetralis* Collin,1925
- 3159) **Limotettix striola** (Fallén,1806) (Cicadellidae) Synonym(s): *striola* Fallén,1806; *frenatus* Germar,1821; *ferganensis* Dubovsky,1966
- 3160) **Lindbergina pandellei** (Lethierry,1878) (Cicadellidae) Synonym(s): *pandellei* Lethierry,1878; *spoliata* Horvath,1907
- 3161) **Lindenius anaticus** Beaumont,1967 (Crabronidae) Synonym(s): *anaticus* Beaumont,1967
- 3162) **Linnaemya compta** (Fallén,1810) (Tachinidae) Synonym(s): *compta* Fallén,1810; *compta* Meigen,1824; *fulgeus* Meigen,1824; *heraclei* R-D.,1830; *aestivalis* R-D.,1830; *borealis* R-D.,1830; *longipes* R-D.,1830; *oenanthis* R-D.,1830; *humeralis* R-D.,1863; *#campta* Doğanlar,1982
- 3163) **Linnaemya frater** (Rondani,1859) (Tachinidae) Synonym(s): *frater* Rondani,1859
- 3164) **Linnaemya impudica** (Rondani,1859) (Tachinidae) Synonym(s): *impudica* Rondani,1859
- 3165) **Linnaemya lithosiophaga** (Rondani,1859) (Tachinidae) Synonym(s): *lithosiophaga* Rondani,1859
- 3166) **Linnaemya rossica** Zimin,1954 (Tachinidae) Synonym(s): *rossica* Zimin,1954
- 3167) **Linnaemya tessellans** (R-D.,1830) (Tachinidae) Synonym(s): *tessellans* R-D.,1830
- 3168) **Linnaemya vulpina** (Fallén,1810) (Tachinidae) Synonym(s): *vulpina* Fallén,1810
- 3169) **Linnavuoriana sexmaculata** (Hardy,1850) (Cicadellidae) Synonym(s): *sempunctata* Fallén,1828 (*praeocc.*); *sexmaculata* Hardy,1850; *agathina* Snellen van Vollenhoven,1862; *bipunctata* Cerutti,1939; *quadripunctata* Mitjaev,1963
- 3170) **Lipara rufitarsis** Loew,1858 (Chloropidae) Synonym(s): *rufitarsis* Loew,1858
- 3171) **Lipara similis** Schiner,1854 (Chloropidae) Synonym(s): *similis* Schiner,1854
- 3172) **Lissonota (Loxonota) flavovariegata** (Lucas,1849) (Ichneumonidae) Synonym(s): *flavovariegata* Lucas,1849; *lineolator* Aubert,1972
- 3173) **Lissonota (s.str.) cruentator** (Panzer,1809) (Ichneumonidae) Synonym(s): *cruentator* Panzer,1809; *insignita* Gravenhorst,1829
- 3174) **Lissonota (s.str.) mutator** Aubert,1969 (Ichneumonidae) Synonym(s): *mutator* Aubert,1969
- 3175) **Lithomoia solidaginis** (Hübner,[1803]) (Noctuidae) Synonym(s): *solidaginis* Hübner,[1803]
- 3176) **Lithophane furcifera** (Hufnagel,1766) (Noctuidae) Synonym(s): *furcifera* Hufnagel,1766; *conformis* [Denis & Schiffermüller],1775.
- 3177) **Lithophane lamda** (Fabricius,1787) (Noctuidae) Synonym(s): *lamda* Fabricius,1787
- 3178) **Lithophane lapidea** (Hübner,[1808]) (Noctuidae) Synonym(s): *lapidea* Hübner,[1808]
- 3179) **Lithophane leautieri** (Boisduval,1829) (Noctuidae) Synonym(s): *leautieri* Boisduval,1829
- 3180) **Lithophane ledereri** (Staudinger,1892) (Noctuidae) Synonym(s): *ledereri* Staudinger,1892; *discors* Staudinger,1892
- 3181) **Lithophane merckii** (Rambur,1832) (Noctuidae) Synonym(s): *merckii* Rambur,1832
- 3182) **Lithophane ornitopus** (Hufnagel,1766) (Noctuidae) Synonym(s): *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976
- 3183) **Lithophane semibrunnea** (Haworth,1809) (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824].
- 3184) **Lithophane socia** (Hufnagel,1766) (Noctuidae) Synonym(s): *socia* Hufnagel,1766
- 3185) **Lithosia quadra** (Linnaeus,1758) (Arctiidae) Synonym(s): *quadra* Linnaeus,1758; *flava* Müller,1764; *deplana* Linnaeus,1771; *quadrata* Walckenaer,1802; *dives* Butler,1877.
- 3186) **Lithostege farinata** (Hufnagel,1767) (Geometridae) Synonym(s): *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turton,1802; *bachmutensis* L.B.Prout,1938
- 3187) **Lithostege griseata** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *incanata* Hufnagel,1767; *griseata* [Denis & Schiffermüller],1775; *asinata* Fabricius,1794; *duplicaria* Hübner,[1799]; *grisearia* Hübner,[1799]; *clarkiata* Stephens,1850; *gigantea* Bytinski-Salz & Brandt,1937; *#transversaria* Bytinski-Salz & Brandt,1937
- 3188) **Lithurgus chrysurus** Fonscolombe,1834 (Megachilidae) Synonym(s): *chrysurus* Fonscolombe,1834; *analisis* Lepeletier,1841; *haemorrhoidalis* Lepeletier,1841; *monocerus* Morawitz,1873
- 3189) **Livia mediterranea** Loginova,1974 (Psyllidae) Synonym(s): *mediterranea* Loginova,1974
- 3190) **Lobesia (s.str.) artemisiana** (Zeller,1847) (Tortricidae) Synonym(s): *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1876
- 3191) **Lobesia (s.str.) bicinctana** (Duponchel,1844) (Tortricidae) Synonym(s): *bicinctana* Duponchel,1844; *lugdunana* Guenée,1845
- 3192) **Lobesia (s.str.) indusiana** (Zeller,1847) (Tortricidae) Synonym(s): *indusiana* Zeller,1847; *staticeana* Millière,1869; *cognata* Obratsov,1949.

- 3193) Lobesia (s.str.) reliquana (Hübner,[1825])** (Tortricidae) Synonym(s): *reliquana* Hübner,[1825]; *leucoptera* Frölich,1828; *fischerana* Treitschke,1835.
- 3194) Lobesia (s.str.) vitisana (Jacquin,1788)** (Tortricidae) Synonym(s): *#botrana* [Denis & Schiffermüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Milliere,1865.
- 3195) Lobophora halterata (Hufnagel,1767)** (Geometridae) Synonym(s): *halterata* Hufnagel,1767
- 3196) Locusta migratoria (Linnaeus,1758)** (Acrididae) Synonym(s): *migratoria* Linnaeus,1758; *danica* Linnaeus,1767; *australis* Saussure,1884; *rossica* Uvarov & Zolotarevsky,1929; *gallica* Remaudiere,1947; *solitaria* Carthy,1955
- 3197) Loebelia crassicornis (Staudinger,1870)** (Psychidae) Synonym(s): *crassicornis* Staudinger,1870
- 3198) Lomaspilis marginata (Linnaeus,1758)** (Geometridae) Synonym(s): *marginata* Linnaeus,1758; *bithynica* Wehrli,1939
- 3199) Lomatia erinnys Loew,1869** (Bombyliidae) Synonym(s): *erinnys* Loew,1869
- 3200) Lomatia lachesis Egger,1859** (Bombyliidae) Synonym(s): *lachesis* Egger,1859
- 3201) Lomatia rogenhoferi Nowicki,1867** (Bombyliidae) Synonym(s): *rogenhoferi* Nowicki,1867
- 3202) Lomographa bimaculata (Fabricius,1775)** (Geometridae) Synonym(s): *bimaculata* Fabricius,1775; *taminata* [Denis & Schiffermüller],1775; *taminaria* Hübner,1799
- 3203) Lomographa temerata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *punctata* Fabricius,1775 nec Cl.,1759; *temerata* [Denis & Schiffermüller],1775; *nitidula* Fourcroy,1785; *sylvestrata* Hübner,1786; *nitidularia* Villers,1789; *temeraria* Hübner,1799; *nubeculata* Haworth,1809
- 3204) Longitarsus alfieri (Pic,1923)** (Chrysomelidae) Synonym(s): *alfieri* Pic,1923; *antennae* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruen,1982
- 3205) Longitarsus brisouti Heikertinger,1912** (Chrysomelidae) Synonym(s): *brisouti* Heikertinger,1912
- 3206) Longitarsus fallax Weise,1888** (Chrysomelidae) Synonym(s): *dimidiata* Allard,1866 nec Sph.,1834; *fallax* Weise,1888; *nitens* Khnzorian,1968; *cynoglossi* Palij,1970 nec Marshm.,1802
- 3207) Longitarsus jailensis Heikertinger,1913** (Chrysomelidae) Synonym(s): *jailensis* Heikertinger,1913
- 3208) Longitarsus nimrodi Furth,1979** (Chrysomelidae) Synonym(s): *nimrodi* Furth,1979
- 3209) Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata* Meigen,1824
- 3210) Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817
- 3211) Lopinga achine (Scopoli,1763)** (Satyridae) Synonym(s): *achine* Scopoli,1763; *deianira* Linnaeus,1764; *mendelensis* Lowe,1904.
- 3212) Loscopia scolopacina (Esper,1788)** (Noctuidae) Synonym(s): *scolopacina* Esper,1788
- 3213) Loxostege aeruginalis (Hübner,1796)** (Pyralidae) Synonym(s): *aeruginalis* Hübner,1796; *olivalis* Hübner,1796
- 3214) Loxostege delibatica Szent-Ivány & Uhrík-Meszáros,1942** (Pyralidae) Synonym(s): *sulphuralis* Hübner,[1813] nec Thunb.,1784; *delibatica* Szent-Ivány & Uhrík-Meszáros,1942; *huebneri* Koçak,1980
- 3215) Loxostege mucosalis (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *mucosalis* Herrich-Schäffer,[1848]
- 3216) Loxostege sticticalis (Linnaeus,1761)** (Pyralidae) Synonym(s): *lupulina* Clerk,1759 nec Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811
- 3217) Loxostege turbidalis (Treitschke,1829)** (Pyralidae) Synonym(s): *turbidalis* Treitschke,1829
- 3218) Loxostege virescalis (Guenée,1854)** (Pyralidae) Synonym(s): *virescalis* Guenée,1854
- 3219) Lozotaenia forsterana (Fabricius,1781)** (Tortricidae) Synonym(s): *forsterana* Fabricius,1781; *reticulana* Frölich,1828; *adiunctana* Treitschke,1830; *sineana* Freyer,1833; *luteolana* Humpreys & Westwood,1845; *argyllaceana* Zetterstedt,1839; *immaculana* Strand,1900; *fagi* Constantini,1923
- 3220) Lucanus (s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus* Linnaeus,1758; *capreolus* Fuessly,1775 nec Linn.,1758; *dorcus* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis* Marsham,1802; *grandis* Haworth,1807; *microcephalus* Mulsant,1842; *lusitanicus* Hope & Westwood,1845
- 3221) Lucilia caesar (Linnaeus,1758)** (Calliphoridae) Synonym(s): *caesar* Linnaeus,1758
- 3222) Lucilia richardsi Collin,1926** (Calliphoridae) Synonym(s): *richardsi* Collin,1926; *pilosa* Baranov,1926
- 3223) Lucilia sericata (Meigen,1826)** (Calliphoridae) Synonym(s): *sericata* Meigen,1826
- 3224) Lucilia silvarum (Meigen,1826)** (Calliphoridae) Synonym(s): *silvarum* Meigen,1826
- 3225) Luciola lusitanica (Charpentier,1825)** (Lampyridae) Synonym(s): *italica* Olivier,1790 nec Linn.,1767; *lusitanica* Charpentier,1825; *caucasica* Motschoulsky,1854; *collaris* Motschoulsky,1854; *mehadiensis* Motschoulsky,1854; *mingrelica* Motschoulsky,1854; *pontica* Motschoulsky,1854; *mentonensis* Peragallo,1863; *minor* Baudi di Selve,1873; *erythrocephalus* E.Olivier,1885; *papii* Miksic,1969
- 3226) Luperina dumerilii (Duponchel,1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826
- 3227) Luperina nickerlii (Freyer,1845)** (Noctuidae) Synonym(s): *nickerlii* Freyer,1845
- 3228) Luperina rubella (Duponchel,1835)** (Noctuidae) Synonym(s): *mediosignata* Turati,1930; *sericea* Caradja,1932; *thurneri* Schawerd,1938.
- 3229) Luperina testacea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *testacea* [Denis & Schiffermüller],1775
- 3230) Luperina zollikoferi (Freyer,1836)** (Noctuidae) Synonym(s): *zollikoferi* Freyer,1836
- 3231) Lycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) Synonym(s): *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787.
- 3232) Lycaena (Heodes) ottomanus (Lefèbvre,[1830])** (Lycaenidae) Synonym(s): *ottomanus* Lefèbvre,[1830]; *legeri* Freyer,1830.
- 3233) Lycaena (Heodes) virgaureae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928.
- 3234) Lycaena (Loweia) tityrus (Poda,1761)** (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acirion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.
- 3235) Lycaena (Palaeochrysophanus) candens (Herrich-Schäffer,[1845])** (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer,[1845]
- 3236) Lycaena (Palaeochrysophanus) hippothoe (Linnaeus,1761)** (Lycaenidae) Synonym(s): *hippothoe* Linnaeus,1761; *chryseis* [Denis & Schiffermüller],1775 nec Drury,1773; *euridice* Rottemburg,1775 nec Johansson,1763.
- 3237) Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
- 3238) Lycaena (Thersamolycaena) dispar ([Haworth],1802)** (Lycaenidae) Synonym(s): *dispar* [Haworth],1802; *hippothoe* Rottemburg,1775 nec Linnaeus,1761.
- 3239) Lycaena (Thersamonia) thersamon (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.
- 3240) Lycia bulgariensis Vojnits & Meszaros,1973** (Geometridae) Synonym(s): *bulgariensis* Vojnits & Meszaros,1973
- 3241) Lycia graecarius (Staudinger,1861)** (Geometridae) Synonym(s): *graecarius* Staudinger,1861

- 3242) *Lycia hirtaria* (Linnaeus,1761)** (Geometridae) Synonym(s): *#hirtaria* Clerck,1759; *hirtaria* Linnaeus,1761; *eremita* Scopoli,1763; *atomaria* Hufnagel,1767 nec Linn.,1758; *hirtipennis* Retzius,1783; *congeneraria* Hübner,1799; *fumaria* Haworth,1809; *hanoviensis* Heymons,1891
- 3243) *Lyciella affinis* (Zetterstedt,1847)** (Lauzaniidae) Synonym(s): *affinis* Zetterstedt,1847
- 3244) *Lyciella rorida* (Fallén,1820)** (Lauzaniidae) Synonym(s): *rorida* Fallén,1820
- 3245) *Lycophotia molothina* (Esper,1789)** (Noctuidae) Synonym(s): *molothina* Esper,1789; *ericae* Boisduval,1840; *velum* Germar,1842]
- 3246) *Lycophotia porphyrea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *porphyrea* [Denis & Schiffermüller],1775; *lepida* Esper,1786 nec Cr.,[1779]; *strigula* Thunberg,1788 (praeocc.); *varia* Villers,1789; *concinna* Esper,1790; *picta* Fabricius,1794; *arnicae* Fabricius,1794; *ericae* Donovan,1801 (praeocc.); *marmorea* Graslin,1863
- 3247) *Lydella grisea* R-D.,1830** (Tachinidae) Synonym(s): *grisea* R-D.,1830
- 3248) *Lydella stabulans* (Meigen,1824)** (Tachinidae) Synonym(s): *stabulans* Meigen,1824
- 3249) *Lydella thompsoni* Herting,1959** (Tachinidae) Synonym(s): *thompsoni* Herting,1959
- 3250) *Lygaeosoma anaticum* Seidenstücker,1960** (Lygaeidae) Synonym(s): *anaticum* Seidenstücker,1960
- 3251) *Lygaeosoma angulare* Reuter,1885** (Lygaeidae) Synonym(s): *angulare* Reuter,1885
- 3252) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatum* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 3253) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatus* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *erythropterum* Puton,1876 [ssp.]; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 3254) *Lygaeosoma sibiricum* Seidenstücker,1962** (Lygaeidae) Synonym(s): *sibiricum* Seidenstücker,1962; *rufa* Seidenstücker,1962
- 3255) *Lygaeus equestris* (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758; *speciosus* Poda,1761; *punctumalbum* Pollich,1781; *lactans* Horvath,1899; *sicilianus* Wagner,1954
- 3256) *Lygaeus simulans* Deckert,1985** (Lygaeidae) Synonym(s): *simulans* Deckert,1985
- 3257) *Lygephila* (s.str.) *cracca* (Fabricius,1787)** (Noctuidae) Synonym(s): *#cracca* [Denis & Schiffermüller],1775; *cracca* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#cracca* Hacker & Kautt,1999.
- 3258) *Lygephila* (s.str.) *ludicra* (Hübner,1790)** (Noctuidae) Synonym(s): *ludicra* Hübner,1790
- 3259) *Lygephila* (s.str.) *lusoria* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758; *orobi* Duponchel,1821; *lathyr* Boisduval,1828]
- 3260) *Lygephila* (s.str.) *pastinum* (Treitschke,1826)** (Noctuidae) Synonym(s): *pastinum* Treitschke,1826; *astragali* Herrich-Schäffer,1851; *dilutior* Staudinger,1892.
- 3261) *Lygephila* (s.str.) *procax* (Hübner,1813)]** (Noctuidae) Synonym(s): *procax* Hübner,1813]; *limosa* Treitschke,1826; *nigricostata* Graeser,1890
- 3262) *Lygephila* (s.str.) *viciae* (Hübner,1822)]** (Noctuidae) Synonym(s): *viciae* Hübner,1822]; *coronillae* Herrich-Schäffer,1851; *stigmata* Wileman,1911; *violaceogrisea* Draudt,1950
- 3263) *Lymantria dispar* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926
- 3264) *Lymantria monacha* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *monacha* Linnaeus,1758; *heteroclitia* Müller,1764; *chosenibia* Bryk,1949; *matuta* Bryk,1949; *idae* Bryk,1949
- 3265) *Lyonetia clerkella* (Linnaeus,1758)** (Lyonetiidae) Synonym(s): *clerkella* Linnaeus,1758; *penicilla* Borkhausen,1794; *cerasifoliella* Hübner,1796; *malifoliella* Hübner,1796; *malella* Schrank,1802; *autumnella* Curtis,1829; *unipunctella* Stephens,1829; *semiaurella* Stephens,1829; *nivella* Stephens,1829; *aereella* Treitschke,1833; *phrynella* Costa,1836]; *fonscolombella* Duponchel,1840]; *magnimaculella* Bruand,1859
- 3266) *Lypusa tokari* Elsner, Liska & Petru,2008** (Lypusidae) Synonym(s): *tokari* Elsner, Liska & Petru,2008
- 3267) *Lythria cruentaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *purpurata* Linnaeus,1761 nec Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839.
- 3268) *Lythria purpuraria* (Linnaeus,1758)** (Geometridae) Synonym(s): *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767
- 3269) *Macaria alternata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *alternata* [Denis & Schiffermüller],1775; *alternaria* Hübner,1805]; *praenotata* Haworth,1809
- 3270) *Macaria liturata* (Linnaeus,1761)** (Geometridae) Synonym(s): *#liturata* Clerck,1759; *liturata* Linnaeus,1761; *igneata* Hufnagel,1767; *fuscata* Thunberg,1788; *liturataria* Esper,1801]; *lituraria* Hübner,1823]
- 3271) *Macaria notata* (Linnaeus,1758)** (Geometridae) Synonym(s): *notata* Linnaeus,1758; *notataria* [Denis & Schiffermüller],1775; *hieroglyphica* Fourcroy,1785; *notaria* Morris,1861
- 3272) *Macaria wauaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Vill.,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809.
- 3273) *Maccevethus corsicus* Signoret,1862** (Rhopalidae) Synonym(s): *corsicus* Signoret,1862
- 3274) *Maccevethus errans* (Fabricius,1794)** (Rhopalidae) Synonym(s): *errans* Fabricius,1794
- 3275) *Macdunnoughia confusa* (Stephens,1850)** (Noctuidae) Synonym(s): *confusa* Stephens,1850; *gutta* Guenée,1852.
- 3276) *Machimus annulipes* (Brullé,1832)** (Asilidae) Synonym(s): *annulipes* Brullé,1832; *basalis* Loew,1849; *cerdo* Gerstaecker,1861
- 3277) *Machimus cyanopus* (Loew,1849)** (Asilidae) Synonym(s): *cyanopus* Loew,1849
- 3278) *Machimus modestus* (Loew,1849)** (Asilidae) Synonym(s): *modestus* Loew,1849
- 3279) *Machimus rusticus* (Meigen,1820)** (Asilidae) Synonym(s): *rusticus* Meigen,1820; *obscurus* Meigen,1820; *genualis* Zeller,1840
- 3280) *Machimus setibarbus* (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849
- 3281) *Macquartia praefica* (Meigen,1824)** (Tachinidae) Synonym(s): *praefica* Meigen,1824; *microcera* R-D.,1830; *olizon* Walker,1849; *torta* Walker,1853; *celebs* Rondani,1859; *atra* R-D.,1863; *spinicincta* Meade,1891; *echinalis* Pandelle,1895; *fuscularis* Pandelle,1895; *#praefica* Kara,1999
- 3282) *Macquartia tessellum* (Meigen,1824)** (Tachinidae) Synonym(s): *tessellum* Meigen,1824; *brevicornis* Macquart,1839; *occlusa* Rondani,1859; *brunusquamis* R-D.,1863; *microcera* R-D.,1863; *olivaceomaculata* Porthinsky,1881; *genistae* Pandelle,1895
- 3283) *Macrochilo cribrumalis* (Hübner,1793)** (Noctuidae) Synonym(s): *cribrumalis* Hübner,1793
- 3284) *Macroglossum stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 3285) *Macrolophus pygmaeus* (Rambur,1839)** (Miridae) Synonym(s): *nubilus* Herrich-Schäffer,1835 nec *nubilus* Say,1832; *pygmaeus* Rambur,1839; *brevicornis* E.Wagner,1957; *balcanicus* E.Wagner,1959; *geranii* Josifov,1961; *insignis* Josifov,1968

- 3286) *Macronemurus bilineatus* Brauer, 1868** (Myrmeleonidae) Synonym(s): *bilineatus* Brauer, 1868
- 3287) *Macronychia* (Moschusa) *polyodon* (Meigen, 1824)** (Sarcophagidae) Synonym(s): *polyodon* Meigen, 1824; *trifaria* R-D., 1863; *villana* R-D., 1863; *sylvestris* Rondani, 1865
- 3288) *Macropsis albae* Wagner, 1950** (Cicadellidae) Synonym(s): *albae* Wagner, 1950
- 3289) *Macropsis fuscineris* (Boheman, 1845)** (Cicadellidae) Synonym(s): *fuscineris* Boheman, 1845
- 3290) *Macropsis fuscata* (Zetterstedt, 1828)** (Cicadellidae) Synonym(s): *fuscata* Zetterstedt, 1828
- 3291) *Macropsis graminea* (Fabricius, 1798)** (Cicadellidae) Synonym(s): *graminea* Fabricius, 1798; *populi* Edwards, 1919
- 3292) *Macropsis infuscata* (J. Sahlberg, 1871)** (Cicadellidae) Synonym(s): *infuscata* J. Sahlberg, 1871
- 3293) *Macropsis megerlei* (Fieber, 1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber, 1868; *bipunctata* Lethierry, 1876; *limbopunctata* Reter, 1885; *ornata* Lindberg, 1926
- 3294) *Macropsis scutellata* (Boheman, 1845)** (Cicadellidae) Synonym(s): *scutellata* Boheman, 1845; *tibialis* Scott, 1874
- 3295) *Macropsis vestita* Ribaut, 1952** (Cicadellidae) Synonym(s): *vestita* Ribaut, 1952
- 3296) *Macrorileya inopinata* (Silvestri, 1920)** (Eurytomidae) Synonym(s): *inopinata* Silvestri, 1920
- 3297) *Macrosteles cristatus* (Ribaut, 1927)** (Cicadellidae) Synonym(s): *cristatus* Ribaut, 1927
- 3298) *Macrosteles fieberi* (Edwards, 1889)** (Cicadellidae) Synonym(s): *frontalis* Fieber, 1885; *nec* Scdt., 1875; *fieberi* Edwards, 1889
- 3299) *Macrosteles forficula* (Ribaut, 1927)** (Cicadellidae) Synonym(s): *forficula* Ribaut, 1927
- 3300) *Macrosteles halophilus* (Horvath, 1903)** (Cicadellidae) Synonym(s): *halophilus* Horvath, 1903; *brevis* Matsumura, 1908
- 3301) *Macrosteles laevis* (Ribaut, 1927)** (Cicadellidae) Synonym(s): *laevis* Ribaut, 1927; *mannerheimi* Kontkanen, 1935; *nubila* Ossiannilsson, 1936
- 3302) *Macrosteles quadripunctulatus* (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum, 1868; *ramigera* Zachvatkin, 1933
- 3303) *Macrosteles sexnotatus* (Fallén, 1806)** (Cicadellidae) Synonym(s): *sexnotatus* Fallén, 1806; *devastans* Guérin-Méneville, 1852; *didymus* Mulsant & Rey, 1855; *diminuta* Lethierry, 1876; *binotata* Rey, 1894; *submaculata* Rey, 1894
- 3304) *Macrosteles variatus* (Fallén, 1806)** (Cicadellidae) Synonym(s): *variatus* Fallén, 1806; *fumatus* Herrich-Schäffer, 1838
- 3305) *Macrosteles viridigriseus* (Edwards, 1922)** (Cicadellidae) Synonym(s): *viridigriseus* Edwards, 1922
- 3306) *Macrothylacia rubi* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *rubi* Linnaeus, 1758
- 3307) *Macrotylus dentifer* Wagner, 1969** (Miridae) Synonym(s): *dentifer* Wagner, 1969
- 3308) *Macrotylus solitarius* (Meyer-Dür, 1843)** (Miridae) Synonym(s): *solitarius* Meyer-Dür, 1843; *pilosus* Douglas & Scott, 1865; *mayri* Reuter, 1904
- 3309) *Macustus grisescens* (Zetterstedt, 1828)** (Cicadellidae) Synonym(s): *grisescens* Zetterstedt, 1828; *validinervis* Kirschbaum, 1868; *cognatus* Douglas & Scott, 1873
- 3310) *Malachius fucatus* Peyron, 1877** (Melyridae) Synonym(s): *fucatus* Peyron, 1877
- 3311) *Malachius rubidus* Erichson, 1840** (Melyridae) Synonym(s): *rubidus* Erichson, 1840; *carnifex* Erichson, 1840; *fallax* Strübing, 1854; *sublateralis* Pic, 1912; *valesiacus* Pic, 1929
- 3312) *Malachius scutellaris* Erichson, 1840** (Melyridae) Synonym(s): *scutellaris* Erichson, 1840
- 3313) *Malachiohelea remota* (Kieffer, 1919)** (Ceratopogonidae) Synonym(s): *remota* Kieffer, 1919; *dimidiata* Kieffer, 1921; *bulgarica* Zilahi-Sebess, 1934
- 3314) *Malacosoma castrensis* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *castrensis* Linnaeus, 1758; *ksiezopolskii* Sheljuzhko, 1943
- 3315) *Malacosoma franconicum* ([Denis & Schiffermüller], 1775) / *prima* Staudinger, 1887** (Lasiocampidae) Synonym(s): *#franconica* [Denis & Schiffermüller], 1775; *grandiella* Boisduval, 1840
- 3316) *Malacosoma neustria* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus, 1758; *annularis* Fourcroy, 1785; *unicolor* Cyrrilli, 1787; *bilineatus* Haworth, 1803
- 3317) *Malthinus fasciatus* (A.G. Olivier, 1790)** (Cantharidae) Synonym(s): *fasciatus* A.G. Olivier, 1790; *bulgaricus* Svihla, 1990
- 3318) *Malthodes minimus* (Linnaeus, 1758)** (Cantharidae) Synonym(s): *minimus* Linnaeus, 1758; *melanocephalus* Marsham, 1802; *ruficollis* Latreille, 1806; *sanguinicollis* Fallén, 1807; *sanguinolentus* Gyllenhal, 1808; *cognatus* Stephens, 1830; *fulvicollis* Stephens, 1830; *marginicollis* Schilsky, 1892
- 3319) *Mamestra brassicae* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889.
- 3320) *Maniola* (s.str.) *jurtina* (Linnaeus, 1758)** (Satyridae) Synonym(s): *jurtina* Linnaeus, 1758; *janira* Linnaeus, 1758; *lemur* Schrank, 1801.
- 3321) *Mantispa aphavexelte* U. Aspöck & H. Aspöck, 1994** (Mantispidae) Synonym(s): *aphavexelte* U. Aspöck & H. Aspöck, 1994; *#aphavexelte* Dobosz, 2007
- 3322) *Mantispa lobata* Navas, 1912** (Mantispidae) Synonym(s): *adelungi* Navas, 1912; *mandrina* Navas, 1914
- 3323) *Mantispa styriaca* (Poda, 1761)** (Mantispidae) Synonym(s): *styriaca* Poda, 1761; *pagana* Fabricius, 1775; *hauseri* Poivre, 1982
- 3324) *Manulea* (Agenjoa) *lurideola* (Zincken, 1817)** (Arctiidae) Synonym(s): *lurideolum* Zincken, 1817; *complanula* Boisduval, 1834; *plumbeolana* Herrich-Schäffer, 1852.
- 3325) *Manulea* (s.str.) *complana* (Linnaeus, 1758)** (Arctiidae) Synonym(s): *complana* Linnaeus, 1758; *ochrocephala* Fourcroy, 1785; *sericea* Gregson, 1860; *molybdeola* Guenée, 1861; *balcanica* Daniel, 1939.
- 3326) *Manulea* (s.str.) *costalis* (Zeller, 1847)** (Arctiidae) Synonym(s): *#morosina* Herrich-Schäffer, 1847; *costalis* Zeller, 1847
- 3327) *Manulea* (s.str.) *lutarella* (Linnaeus, 1758)** (Arctiidae) Synonym(s): *lutarella* Linnaeus, 1758; *luteola* [Denis & Schiffermüller], 1775; *alboflava* Retzius, 1783; *flava* Fabricius, 1798; *lutea* Fabricius, 1798; *nec* Fabr., 1775
- 3328) *Manulea* (s.str.) *palliatella* (Scopoli, 1763)** (Arctiidae) Synonym(s): *palliatella* Scopoli, 1763; *unita* [Denis & Schiffermüller], 1775; *palleola* Hübner, [1808]; *gilveola* Ochsenheimer, 1810; *vitellina* Treitschke, 1834; *flaveola* Rambur, 1866.
- 3329) *Manulea* (s.str.) *pseudocomplana* (Daniel, 1939)** (Arctiidae) Synonym(s): *pseudocomplana* Daniel, 1939
- 3330) *Manulea* (s.str.) *pygmaeola* (Doubleday, 1847)** (Arctiidae) Synonym(s): *pygmaeolum* Doubleday, 1847
- 3331) *Maraschia grisescens* Osthelder, 1933** (Noctuidae) Synonym(s): *grisescens* Osthelder, 1933
- 3332) *Martania taeniata* (Stephens, 1831)** (Geometridae) Synonym(s): *taeniata* Stephens, 1831; *intrusata* Herrich-Schäffer, 1841; *arctata* Lienig, 1846; *arctaria* Herrich-Schäffer, 1848; *albimacularia* Freyer, 1849; *obsoleta* Djakonov, 1929
- 3333) *Marumba quercus* ([Denis & Schiffermüller], 1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller], 1775; *denisii* Fuessly, 1779; *#brunnescens* Rebel, 1910; *#canescens*, *pallascens* Closs, 1922; *mesopotamica* O. Bang-Haas, 1938; *schirasi* O. Bang-Haas, 1938; *#pallida* Vilarrubia, 1973.
- 3334) *Matratinea rufulicaput* Sziraki & Szöcs, 1990** (Tineidae) Synonym(s): *rufulicaput* Sziraki & Szöcs, 1990
- 3335) *Mecostethus parapleurus* (Hagenbach, 1822)** (Acrididae) Synonym(s): *parapleurus* Hagenbach, 1822; *alliaceus* Germar, 1825; *typus* Fischer, 1853; *fastigiatus* Rehn, 1902
- 3336) *Mecyna biternalis* (Mann, 1862)** (Pyralidae) Synonym(s): *biternalis* Mann, 1862

- 3337** *Mecyna flavalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *flavalis* [Denis & Schiffermüller],1775; *paludalis* Rougemont,1906; *flaviculalis* Caradja,1916
- 3338** *Mecyna lutealis* (Duponchel,1833) (Pyralidae) Synonym(s): *flavalis* Devillers,1789 nec [Denis & Schiff.],1775; *lutealis* Duponchel,1833; *citralis* Herrich-Schäffer,1849; *gomagoialis* Amsel,1932
- 3339** *Mecyna subsequalis* (Herrich-Schäffer,1851) (Pyralidae) Synonym(s): *subsequalis* Herrich-Schäffer,1851; *consequens* Meyrick,1932.
- 3340** *Mecyna trinalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *trinalis* [Denis & Schiffermüller],1775
- 3341** *Medetera diadema* (Linnaeus,1767) (Dolichopodidae) Synonym(s): *diadema* Linnaeus,1767; *rostrata* Fabricius,1775; *carnivora* Fischer von Waldheim,1819; *aeneivittata* Macquart,1827; *ehrenbergi* Becker,1923
- 3342** *Medetera glauca* Loew,1869 (Dolichopodidae) Synonym(s): *glauca* Loew,1869
- 3343** *Medetera magius* (Loew,1845) (Dolichopodidae) Synonym(s): *magius* Loew,1845
- 3344** *Medetera micacea* Loew,1857 (Dolichopodidae) Synonym(s): *micacea* Loew,1857; *acuta* Negrobov,1966
- 3345** *Medetera mixta* Negrobov,1967 (Dolichopodidae) Synonym(s): *mixta* Negrobov,1967
- 3346** *Medetera petrophila* (Kowarz,1877) (Dolichopodidae) Synonym(s): *petrophila* Kowarz,1877; *petrophiloides* Parent,1925
- 3347** *Medina separata* (Meigen,1824) (Tachinidae) Synonym(s): *separata* Meigen,1824
- 3348** *Megachile sexmaculata* Alfken,1942 **homonym!** (Megachilidae) Synonym(s): *sexmaculata* Alfken,1942 nec Smith,1868
- 3349** *Megacraspedus binotellus* (Duponchel,1843) (Gelechiidae) Synonym(s): *binotella* Duponchel,1843
- 3350** *Megacraspedus cerussatellus* Rebel,1930 (Gelechiidae) Synonym(s): *cerussatellus* Rebel,1930
- 3351** *Megacraspedus dolosellus* (Zeller,1839) (Gelechiidae) Synonym(s): *dolosellus* Zeller,1839
- 3352** *Megacraspedus incertellus* Rebel,1930 (Gelechiidae) Synonym(s): *incertellus* Rebel,1930
- 3353** *Megalodontes cephalotes* (Fabricius,1781) (Megalodontesidae) Synonym(s): *cephalotes* Fabricius,1781; *klugii* Leach,1817; *spissicornis* Klug,1824; *fuscipennis* Herrich-Schäffer,1840
- 3354** *Megalodontes eversmanni* (Freymuth,1870) (Megalodontesidae) Synonym(s): *eversmanni* Freymuth,1870; *loewii* Stein,1876; *multicincta* Mocsary,1891
- 3355** *Megalodontes fabricii* (Leach,1817) (Megalodontesidae) Synonym(s): *fabricii* Leach,1817; *megacephalus* Klug,1824; *redimita* Klug,1824
- 3356** *Megalodontes flavicornis* Klug,1824 (Megalodontesidae) Synonym(s): *flavicornis* Klug,1824
- 3357** *Megalodontes laticeps* Konow,1897 (Megalodontesidae) Synonym(s): *laticeps* Konow,1897
- 3358** *Megalodontes mocsaryi* (André,1881) (Megalodontesidae) Synonym(s): *mocsaryi* André,1881; *anatolicus* Mocsary,1883
- 3359** *Megalodontes panzeri* (Leach,1817) (Megalodontesidae) Synonym(s): *panzeri* Leach,1817
- 3360** *Megalodontes phaenicius* (Lepeletier,1823) (Megalodontesidae) Synonym(s): *phaenicius* Lepeletier,1823; *caucasicus* André,1881; *imperialis* Konow,1897; *kohli* Konow,1897
- 3361** *Megalodontes thor* Taeger,2002 (Megalodontesidae) Synonym(s): *thor* Taeger,2002
- 3362** *Megalodontes turcicus* (Mocsary,1881) (Megalodontesidae) Synonym(s): *turcicus* Mocsary,1881; *orientalis* Mocsary,1881
- 3363** *Megalonotus dilatatus* (Herrich-Schäffer,1840) (Lygaeidae) Synonym(s): *dilatatus* Herrich-Schäffer,1840; *obscurus* Mulsant & Rey,1852
- 3364** *Megalophanes viciella* ([Denis & Schiffermüller],1775) (Psychidae) Synonym(s): *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977.
- 3365** *Meganephria bimaculosa* (Linnaeus,1767) (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804].
- 3366** *Meganola albula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *albula* [Denis & Schiffermüller],1775
- 3367** *Meganola gigantula* (Staudinger,1879) (Noctuidae) Synonym(s): *gigantula* Staudinger,1879
- 3368** *Meganola strigula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *strigula* [Denis & Schiffermüller],1775
- 3369** *Meganola togatalis* (Hübner,1796) (Noctuidae) Synonym(s): *togatulalis* Hübner,1796; *togatulana* Duponchel,1845
- 3370** *Megascolia* (Regiscolia) *maculata* (Drury,1773) (Scoliidae) Synonym(s): *maculata* Drury,1773; *flavifrons* Fabricius,1775; *haemorrhoidalis* Fabricius,1787; *insignis* Saussure,1858; *versicolor* Saussure,1859
- 3371** *Megaselia berndseni* (Schmitz,1919) (Phoridae) Synonym(s): *berndseni* Schmitz,1919
- 3372** *Megasia mimeticella* (Staudinger,1879) (Pyralidae) Synonym(s): *mimeticella* Staudinger,1879; *tolli* Amsel,1953.
- 3373** *Megasia rippertella* (Zeller,1839) (Pyralidae) Synonym(s): *rippertella* Zeller,1839
- 3374** *Megastigmus aculeatus* (Swederus,1795) (Torymidae) Synonym(s): *aculeatus* Swederus,1795
- 3375** *Megastigmus bipunctatus* (Swederus,1795) (Torymidae) Synonym(s): *bipunctatus* Swederus,1795
- 3376** *Megastigmus dorsalis* (Fabricius,1798) (Torymidae) Synonym(s): *dorsalis* Fabricius,1798; *bohemani* Ratzeburg,1848; *xanthopygus* Förster,1859
- 3377** *Megastigmus pistaciae* Walker,1871 (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877
- 3378** *Megastigmus rosae* Boucek,1971 (Torymidae) Synonym(s): *rosae* Boucek,1971; *kondaricus* Zerova & Seregina,1994
- 3379** *Megastigmus stigmatizans* (Fabricius,1798) (Torymidae) Synonym(s): *stigmatizans* Fabricius,1798
- 3380** *Megischina armillata* (Brullé,1832) (Tenebrionidae) Synonym(s): *armillata* Brullé,1832
- 3381** *Megophthalmus scabripennis* Edwards,1915 (Cicadellidae) Synonym(s): *scabripennis* Edwards,1915
- 3382** *Megophthalmus scanicus* (Fallén,1806) (Cicadellidae) Synonym(s): *scanicus* Fallén,1806; ? *scutata* Germar,1821; *bipunctatus* Curtis,1833; *pallidipennis* Hardy,1850; *vilis* Snellen van Vollenhoven,1862; *innotata* Rey,1894
- 3383** *Melanargia* (Parce) *russiae* (Esper,[1784]) (Satyridae) Synonym(s): *russiae* Esper,[1784]; *suarovius* Herbst,1796; *clotho* Hübner,[1800]; *varalauko* Korb,2005
- 3384** *Melanargia* (s.str.) *galathea* (Linnaeus,1758) (Satyridae) Synonym(s): *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmediensis* Derenne,1926; *xanthonica* Varin,1948.
- 3385** *Melanargia* (Turcargia) *larissa* (Geyer,[1828]) (Satyridae) Synonym(s): *larissa* Geyer,[1828].
- 3386** *Melanchra persicariae* (Linnaeus,1761) (Noctuidae) Synonym(s): *persicariae* Linnaeus,1761; *sambuci* Hufnagel,1766; *graphica* Geoffroy,1785; *accipitrina* Esper,[1788].
- 3387** *Melanchra pisi* (Linnaeus,1758) (Noctuidae) Synonym(s): *pisi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoi* Agenjo,1945.
- 3388** *Melanochaeta pubescens* (Thalhammer,1898) (Chloropidae) Synonym(s): *pubescens* Thalhammer,1898; *rufithorax* Duda,1932
- 3389** *Melanosoma bicolor* (Meigen,1824) (Conopidae) Synonym(s): *bicolor* Meigen,1824; *nigrum* Meigen,1824; *nupta* Rondani,1857; *fraternum* Kröber,1915; *flaviventre* Belanovsky,1954
- 3390** *Melanostoma dubium* (Zetterstedt,1838) (Syrphidae) Synonym(s): *dubium* Zetterstedt,1838

- 3391) *Melanostoma scalare* (Fabricius,1794)** (Syrphidae) Synonym(s): *scalare* Fabricius,1794
- 3392) *Melanotus* (s.str.) *monticola* (Ménétriés,1832)** (Elateridae) Synonym(s): *monticola* Ménétriés,1832
- 3393) *Melanthia alaudaria* (Freyer,1846)** (Geometridae) Synonym(s): *alaudaria* Freyer,1846; *culmaria* Herrich-Schäffer,1848; *bicuspidaria* Ghiliani,1852
- 3394) *Melanthia procellata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *procellata* [Denis & Schiffermüller],1775; ? *areolata* Fourcroy,1785; *procellaria* Boisduval,1840
- 3395) *Melanum lateralis* (Haliday,1833)** (Chloropidae) Synonym(s): *lateralis* Haliday,1833; *hyalipenne* Strobl,1899
- 3396) *Melecta albifrons* (Förster,1771)** (Apidae) Synonym(s): *albifrons* Förster,1771
- 3397) *Melecta luctuosa* (Scopoli,1770)** (Apidae) Synonym(s): *luctuosa* Scopoli,1770
- 3398) *Melecta tuberculata* Lieftinck,1980** (Apidae) Synonym(s): *tuberculata* Lieftinck,1980
- 3399) *Melieria picta* (Meigen,1826)** (Ulidiidae) Synonym(s): *picta* Meigen,1826; *quinquemaculata* Macquart,1835; *quinenotata* Macquart,1838
- 3400) *Meligethes ater* Brisout,1868** (Nitidulidae) Synonym(s): *ater* Brisout,1868
- 3401) *Meligethes vomer* Kirejtschuk,1978** (Nitidulidae) Synonym(s): *vomer* Kirejtschuk,1978
- 3402) *Melitaea* (Cinclidia) *phoebe* (Goeze,1779)** (Argynnididae) Synonym(s): *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783.
- 3403) *Melitaea* (Didymaeformis) *didyma* (Esper,[1779])** (Argynnididae) Synonym(s): *didyma* Esper,[1779]; *armoricana* Oberthür,1909.
- 3404) *Melitaea* (Didymaeformis) *fascelis* (Fabricius,1787)** (Argynnididae) Synonym(s): *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803
- 3405) *Melitaea* (Melicta) *athalia* (Rottemburg,1775)** (Argynnididae) Synonym(s): *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *anatolica* F.Wagner,1929; *subluciflua* Verity,1935; *mixtadeladussa* Verity,1940; *neglecta* Pfau,1962
- 3406) *Melitaea* (Melicta) *aurelia* (Nickerl,1850)** (Argynnididae) Synonym(s): *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920.
- 3407) *Melitaea* (Melicta) *britomartis* (Assmann,1847)** (Argynnididae) Synonym(s): *britomartis* Assmann,1847; *veronicae* Dorfmeister,1853.
- 3408) *Melitaea* (s.str.) *arduinna* (Fabricius,1787)** (Argynnididae) Synonym(s): *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844.
- 3409) *Melitaea* (s.str.) *cinxia* (Linnaeus,1758)** (Argynnididae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791.
- 3410) *Melitaea* (s.str.) *diamina* (Lang,1789)** (Argynnididae) Synonym(s): *dictynna* Esper,1778 *nec* [Denis & Schiffermüller],1775; *diamina* Lang,1789; *magnaobscura* Verity,1931.
- 3411) *Melitturga taurica* Friese,1922** (Andrenidae) Synonym(s): *taurica* Friese,1922
- 3412) *Menaccarus* (Oploscelis) *arenicola* (Scholtz,1847)** (Pentatomidae) Synonym(s): *arenicola* Scholtz,1847; *ciliatus* Mulsant & Rey,1852; *pallidus* Perris,1857; *minor* Stichel,1936
- 3413) *Menophra abruptaria* (Thunberg,1792)** (Geometridae) Synonym(s): *abruptaria* Thunberg,1792; *strigata* Fabricius,1794; *petrificata* Hübner,[1799]; *suberaria* Donovan,1808; *petrificaria* Duponchel,1829; *barcinonaria* Bellier,1862; *theobromaria* Turati,1909
- 3414) *Meringopus pseudonymphus* (Tschek,1872)** (Ichneumonidae) Synonym(s): *pseudonymphus* Tschek,1872
- 3415) *Merodon albifrons* Meigen,1822** (Syrphidae) Synonym(s): *albifrons* Meigen,1822; *grossus* Gil Collado,1930
- 3416) *Merodon clunipes* Sack,1913** (Syrphidae) Synonym(s): *clunipes* Sack,1913
- 3417) *Merodon flavus* Sack,1913** (Syrphidae) Synonym(s): *flavus* Sack,1913
- 3418) *Merodon funestus* (Fabricius,1794)** (Syrphidae) Synonym(s): *funestus* Fabricius,1794
- 3419) *Merodon geniculatus* Strobl,1909** (Syrphidae) Synonym(s): *geniculatus* Strobl,1909
- 3420) *Merodon loewi* Van der Gott,1964** (Syrphidae) Synonym(s): *loewi* Van der Gott,1964
- 3421) *Merodon nanus* (Sack,1913)** (Syrphidae) Synonym(s): *nanus* Sack,1913
- 3422) *Merodon natans* (Fabricius,1794)** (Syrphidae) Synonym(s): *natans* Fabricius,1794
- 3423) *Merodon obscuritarsis* Strobl,1909** (Syrphidae) Synonym(s): *obscuritarsis* Strobl,1909; *fuerteventurensis* Barkemeyer,2002
- 3424) *Meromyza balcanica* Beschovsky,1996** (Chloropidae) Synonym(s): *balcanica* Beschovsky,1996
- 3425) *Meromyza nigriventris* Macquart,1835** (Chloropidae) Synonym(s): *nigriventris* Macquart,1835; *basalis* Von Roser,1840
- 3426) *Merrifieldia baliodactyla* (Zeller,1841)** (Pterophoridae) Synonym(s): *baliodactyla* Zeller,1841; *tridactylus* Stephens,1834; *daliiodactylus* Bruand,1850; *meridionalis* Staudinger,1880.
- 3427) *Merrifieldia leucodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *#leucodactyla* [Denis & Schiffermüller],1775; *theiodactyla* Hübner,[1825]; *wernickei* Wocke,1897; *fitzi* Rebel,1912; *flavella* Chrétien,1923; *dryogramma* Meyrick,1930.
- 3428) *Merrifieldia malacodactyla* (Zeller,1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847; *meridionalis* Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922; *phaeoschista* Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev & Filippova,1976; *transdanubinus* Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel & Picard,1993
- 3429) *Merrifieldia tridactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *tridactyla* Linnaeus,1758; *tetradactyla* Linnaeus,1758; *niveidactylus* Stephens,1829; *fuscolimbatus* Duponchel,1844; *icterodactyla* Mann,1855; *exilidactyla* Buszko,1975.
- 3430) *Mesapamea* (s.str.) *didyma* (Esper,[1788])** (Noctuidae) Synonym(s): *didyma* Esper,[1788]; *secalella* Remm,1983.
- 3431) *Mesapamea* (s.str.) *secalis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *secalis* Linnaeus,1758
- 3432) *Mesocrambus candidellus* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *candidellus* Herrich-Schäffer,[1848]; *#candiellus* Bleszynski,1965.
- 3433) *Mesogona acetosellae* (Goeze,1781)** (Noctuidae) Synonym(s): *#acetosellae* [Denis & Schiffermüller],1775; *acetosellae* Goeze,1781; *vorbrotti* Wehrli,1917; *grisea* Dannehl,1929; *pallida* Dannehl,1929; *segoviensis* Calle,1982; *#clarescens* Calle,1982
- 3434) *Mesogona oxalina* (Hübner,[1803])** (Noctuidae) Synonym(s): *oxalina* Hübner,[1803]
- 3435) *Mesoleuca albicillata* (Linnaeus,1758)** (Geometridae) Synonym(s): *albicillata* Linnaeus,1758
- 3436) *Mesologia furuncula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller],1775; *spoliaticula* [Denis & Schiffermüller],1775; *bicoloria* Villers,1789; *vinctuncula* Hübner,[1803]; *humeralis* Haworth,1809; *terminalis* Haworth,1809; *rufuncula* Haworth,1809
- 3437) *Mesologia literosa* (Haworth,[1809])** (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918

- 3438** *Mesophleps silacella* (Hübner,1796) (Gelechiidae) Synonym(s): *?pyropella* Hübner,1793; *silacella* Hübner,1796; *silacea* Haworth,1828
- 3439** *Mesotrosta signalis* (Treitschke,1829) (Noctuidae) Synonym(s): *signalis* Treitschke,1829
- 3440** *Metacantharis clypeata* (Illiger,1798) (Cantharidae) Synonym(s): *clypeata* Illiger,1798
- 3441** *Metachrostis dardouini* (Boisduval,1840) (Noctuidae) Synonym(s): *dardouini* Boisduval,1840; *velox* Treitschke nec Hbn.,[1813]; *mendacula* Freyer,1841; *dilutior* Schwingenschuss,1926
- 3442** *Metachrostis velocior* (Staudinger,1892) (Noctuidae) Synonym(s): *velocior* Staudinger,1892
- 3443** *Metachrostis velox* (Hübner,[1813]) (Noctuidae) Synonym(s): *velox* Hübner,[1813]; *griseimargo* W.Warren,1912; *mendacularis* Treitschke,1829; *tarda* Turati,1926; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930
- 3444** *Metacnephia uzunovi* Kovachev,1985 (Simuliidae) Synonym(s): *uzunovi* Kovachev,1985
- 3445** *Metacnephia uzunovi* Kovachev,1985 (Simuliidae) Synonym(s): *uzunovi* Kovachev,1985
- 3446** *Metacrambus carectellus* (Zeller,1847) (Pyralidae) Synonym(s): *carectellus* Zeller,1847; *lugdunellus* Millière,1868; *truncatellus* Caradja,1916.
- 3447** *Metalimnus formosus* (Boheman,1845) (Cicadellidae) Synonym(s): *formosus* Boheman,1845
- 3448** *Metallosticha argyrogrammos* (Zeller,1847) (Pyralidae) Synonym(s): *argyrogrammos* Zeller,1847
- 3449** *Metapterus linearis* A.Costa,1863 (Reduviidae) Synonym(s): *linearis* A.Costa,1863
- 3450** *Metasia* (Clasperia) *ophialis* (Treitschke,1829) (Pyralidae) Synonym(s): *ophialis* Treitschke,1829; *parvalis* Caradja,1917.
- 3451** *Metasia* (s.str.) *carnealis* (Treitschke,1829) (Pyralidae) Synonym(s): *carnealis* Treitschke,1829
- 3452** *Metasia* (s.str.) *suppandalis* (Hübner,[1823]) (Pyralidae) Synonym(s): *suppandalis* Hübner,[1823]
- 3453** *Metaxmeste phrygialis* (Hübner,1796) (Pyralidae) Synonym(s): *phrygialis* Hübner,1796
- 3454** *Metaxmeste schrankiana* (Hochenwarth,1785) (Pyralidae) Synonym(s): *schrankiana* Hochenwarth,1785
- 3455** *Metendotheria atropunctana* (Zetterstedt,1839) (Tortricidae) Synonym(s): *atropunctana* Zetterstedt,1839; *ochromelana* Guenée,1845
- 3456** *Meteorus affinis* (Wesmael,1835) (Braconidae) Synonym(s): *affinis* Wesmael,1835; *punctiventris* Ruthe,1862; *gracilis* Ruthe,1862 nec Ratz.,1852; *ruthei* Schmiedeknecht,1897; *voloscensis* M.Fischer,1959
- 3457** *Meteorus gyrator* (Thunberg,1822) (Braconidae) Synonym(s): *gyrator* Thunberg,1822; *scutellator* Nees ab Esenbeck,1834; *melanostictus* Capron,1887; *parvulus* Thomson,1895
- 3458** *Meteorus rubens* (Nees ab Esenbeck,1811) (Braconidae) Synonym(s): *rubens* Nees ab Esenbeck,1811; *leviventris* Wesmael,1835; *islandicus* Ruthe,1859; *medianus* Ruthe,1862; *scutatus* Costa,1884; *heteroneurus* Thomson,1895; *szechuanensis* Fahringer,1935; *mesopotamicus* M.Fischer,1957
- 3459** *Meteorus versicolor* (Wesmael,1835) (Braconidae) Synonym(s): *versicolor* Wesmael,1835; *bimaculatus* Wesmael,1835; *unicolor* Hartig,1838 nec Wesm.,1835; *brevicornis* Ratzeburg,1844; *rugator* Ratzeburg,1852; *decoloratus* Ruthe,1862; *camptolomae* Watanabe,1939; *ikonomovi* M.Fischer,1959; *hartigi* Shenefelt,1969
- 3460** *Methocha articulata* (Latreille,1792) (Tiphidae) Synonym(s): *articulata* Latreille,1792; *formicaria* Latreille,1792; *ichneumonides* Latreille,1805; *mutillaria* Latreille,1806; *sanvitali* Latreille,1809; *italica* Costa,1858 *articulata* Latreille,1792
- 3461** *Metrioptera* (Bicolorana) *bicolor* (Philippi,1830) (Tettigoniidae) Synonym(s): *bicolor* Philippi,1830
- 3462** *Metrioptera* (Broughtonia) *arnoldi* Ramme,1933 (Tettigoniidae) Synonym(s): *arnoldi* Ramme,1933
- 3463** *Metzneria aestivella* (Zeller,1839) (Gelechiidae) Synonym(s): *aestivella* Zeller,1839; *carlinella* Stainton,1851; *selaginella* Mann,1855; *torridella* Mann.
- 3464** *Metzneria aprilella* (Herrich-Schäffer,[1854]) (Gelechiidae) Synonym(s): *aprilella* Herrich-Schäffer,[1854]
- 3465** *Metzneria artificella* (Herrich-Schäffer,1861) (Gelechiidae) Synonym(s): *artificella* Herrich-Schäffer,1861; *litiosella* Millière,1879.
- 3466** *Metzneria diffusella* Englert,1974 (Gelechiidae) Synonym(s): *diffusella* Englert,1974
- 3467** *Metzneria intestinella* (Mann,1864) (Gelechiidae) Synonym(s): *intestinella* Mann,1864
- 3468** *Metzneria lappella* (Linnaeus,1758) (Gelechiidae) Synonym(s): *lappella* Linnaeus,1758; *silacea* Haworth,1828; *silacella* Wood,1839.
- 3469** *Metzneria neuropterella* Zeller,1839 (Gelechiidae) Synonym(s): *neuropterella* Zeller,1839; *#gigantella* Krulikowsky,1909.
- 3470** *Metzneria paucipunctella* (Zeller,1839) (Gelechiidae) Synonym(s): *paucipunctella* Zeller,1839; *zimmermanni* Hering,1940; *confusalis* Lucas,1955.
- 3471** *Micantulina* (Mulsantina) *stigmatipennis* (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884
- 3472** *Micantulina* (Mulsantina) *teucii* (Cerutti,1938) (Cicadellidae) Synonym(s): *teucii* Cerutti,1938; *impunctata* Cerutti,1938; *incompleta* Cerutti,1938
- 3473** *Micomitra iris* (Loew,1869) (Bombyliidae) Synonym(s): *iris* Loew,1869
- 3474** *Microchrysa cyaneiventris* (Zetterstedt,1842) (Stratiomyidae) Synonym(s): *cyaneiventris* Zetterstedt,1842
- 3475** *Microchrysa flavicornis* (Meigen,1822) (Stratiomyidae) Synonym(s): *flavicornis* Meigen,1822
- 3476** *Microchrysa polita* (Linnaeus,1758) (Stratiomyidae) Synonym(s): *polita* Linnaeus,1758; *splendens* Meigen,1804; *adventicia* Plassmann,1987
- 3477** *Microdon devius* (Linnaeus,1761) (Syrphidae) Synonym(s): *devius* Linnaeus,1761
- 3478** *Microdon mutabilis* (Linnaeus,1758) (Syrphidae) Synonym(s): *mutabilis* Linnaeus,1758; *auropubescens* Latreille,1805
- 3479** *Microdontomerus annulatus* (Spinola,1808) (Torymidae) Synonym(s): *annulatus* Spinola,1808
- 3480** *Microdynerus* (Alastoryneus) *microdynerus* (Dalla Torre,1889) (Vespidae) Synonym(s): *alastoroides* Morawitz,1885 (praeocc.); *microdynerus* Dalla Torre,1889; *tridentatus* Kostylev,1935
- 3481** *Microdynerus* (Pseudomicrodynerus) *eurasius* Blüthgen,1938 (Vespidae) Synonym(s): *eurasius* Blüthgen,1938
- 3482** *Microdynerus* (Pseudomicrodynerus) *parvulus* (Herrich-Schäffer,1838) (Vespidae) Synonym(s): *parvulus* Herrich-Schäffer,1838; *helveticus* Saussure,1855; *bifidus* Morawitz,1885
- 3483** *Microdynerus* (s.str.) *appenninicus* Giordani Soika,1960 (Vespidae) Synonym(s): *appenninicus* Giordani Soika,1960
- 3484** *Microdynerus* (s.str.) *confinis* Gusenleitner,1979 (Vespidae) Synonym(s): *confinis* Gusenleitner,1979
- 3485** *Microdynerus* (s.str.) *longicollis* Morawitz,1895 (Vespidae) Synonym(s): *longicollis* Morawitz,1895; *patagiatus* Schulthess,1897
- 3486** *Microdynerus* (s.str.) *mirandus* (Giordani Soika,1947) (Vespidae) Synonym(s): *mirandus* Giordani Soika,1947
- 3487** *Microdynerus* (s.str.) *nugundensis* (Saussure,1855) (Vespidae) Synonym(s): *nugundensis* Saussure,1855
- 3488** *Microloxia herbaria* (Hübner,[1813]) (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millière,1860.

- 3489) *Micromorphus albipes* (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *albipes* Zetterstedt,1843; *bellus* Strobl,1880 nec Lw.,1869
- 3490) *Micronecta vitticeps* (Horvath,1895)** (Corixidae) Synonym(s): *vitticeps* Horvath,1895
- 3491) *Micropterix allionella* (Fabricius,1794)** (Micropterigidae) Synonym(s): *allionella* Fabricius,1794; *tricinctella* Costa,[1836]
- 3492) *Micropterix corcyrella* Walsingham,1919** (Micropterigidae) Synonym(s): *corcyrella* Walsingham,1919
- 3493) *Micropterix myrtetella* (Zeller,1850)** (Micropterigidae) Synonym(s): *myrtetella* Zeller,1850
- 3494) *Micropterix schaefferi* J.Heath,1975** (Micropterigidae) Synonym(s): *anderschella* sensu Herrich-Schäffer,1855; *schaefferi* J.Heath,1975
- 3495) *Microptilis docilis* (Telenga,1964)** (Braconidae) Synonym(s): *docilis* Telenga,1964
- 3496) *Microptilis flavipalpis* Brullé,1832** (Braconidae) Synonym(s): *flavipalpis* Brullé,1832
- 3497) *Microptilis sofron* Nixon,1970** (Braconidae) Synonym(s): *sofron* Nixon,1970
- 3498) *Microsphecia brosiiformis* (Hübner,[1813])** (Sesiidae) Synonym(s): *brosiiformis* Hübner,[1813]; *dorsalis* Le Cerf,1914; *#obscura* Le Cerf,1914
- 3499) *Microsphecia tineiformis* (Esper,[1789])** (Sesiidae) Synonym(s): *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794.
- 3500) *Microvelia pygmaea* (Dufour,1833)** (Veliidae) Synonym(s): *pygmaea* Dufour,1833
- 3501) *Microvelia reticulata* (Burmeister,1835)** (Veliidae) Synonym(s): *reticulata* Burmeister,1835
- 3502) *Micrurapteryx kollariella* (Zeller,1839)** (Gracillariidae) Synonym(s): *kollariella* Zeller,1839
- 3503) *Milesia crabroniformis* (Fabricius,1775)** (Syrphidae) Synonym(s): *crabroniformis* Fabricius,1775; *gigas* Rossi,1790
- 3504) *Milesia semiluctifera* (Villers,1789)** (Syrphidae) Synonym(s): *semiluctifera* Villers,1789; *splendida* Rossi,1790; *fulminans* Fabricius,1805
- 3505) *Miltochrista miniata* (Forster,1771)** (Aretiidae) Synonym(s): *miniata* Forster,1771; *rosea* Fabricius,1775; *rubicunda* [Denis & Schiffermüller],1775; *minialis* Thunberg,1784; *rosacea* Fourcroy,1785; *roseana* Villers,1789; *rosea* Donovan,1793 nec Fabricius,1775; *destrigata* Dannehl,1928; *mosbacheri* Roesler,1967.
- 3506) *Miltogramma (Dichiracantha) germari* Meigen,1824** (Sarcophagidae) Synonym(s): *germari* Meigen,1824; *fasciatum* R-D.,1830 nec Mg.,1824
- 3507) *Miltogramma (s.str.) punctatum* Meigen,1824** (Sarcophagidae) Synonym(s): *punctatum* Meigen,1824; *arcuata* Zetterstedt,1844; *sempunctatum* Meigen,1838; *laterale* R-D.,1863; *macquarti* R-D.,1863; *punctatellum* R-D.,1863
- 3508) *Miltogrammidium (s.str.) taeniatum* (Meigen,1824)** (Sarcophagidae) Synonym(s): *taeniatum* Meigen,1824; *pilimanum* Rondani,1859
- 3509) *Mimas tiliae* (Linnaeus,1758)** (Sphingidae) Synonym(s): *tiliae* Linnaeus,1758
- 3510) *Mimudea languidalis* (Eversmann,1842)** (Pyralidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *veneralis* Staudinger,1871
- 3511) *Mimudea lutealis* (Hübner,[1809])** (Pyralidae) Synonym(s): *lutealis* Hübner,[1809]; *pascualis* Lienig & Zeller,1846; *aetialis* Stephens,1850; *aetialis* Guenée,1854
- 3512) *Mimudea nebulalis* (Hübner,1796)** (Pyralidae) Synonym(s): *nebulalis* Hübner,1796; *squalidalis* Hübner,[1809]; *pratalis* Zeller,1841
- 3513) *Minetia crinitus* (Fabricius,1798)** (Oecophoridae) Synonym(s): *crinitus* Fabricius,1798
- 3514) *Minetia labiosella* (Hübner,[1810])** (Oecophoridae) Synonym(s): *labiosella* Hübner,[1810]
- 3515) *Minettia (s.str.) bulgarica* Papp,1981** (Lauaxaniidae) Synonym(s): *bulgarica* Papp,1981
- 3516) *Minettia (s.str.) fasciata* (Fallén,1826)** (Lauaxaniidae) Synonym(s): *fasciata* Fallén,1826; *rivosa* Meigen,1826; *nemorosa* R-D.,1830
- 3517) *Minoa murinata* (Scopoli,1763)** (Geometridae) Synonym(s): *murinata* Scopoli,1763; *sordida* Linnaeus,1767; *fusca* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799; *limburgia* Lempke,1969
- 3518) *Minois dryas* (Scopoli,1763)** (Satyridae) Synonym(s): *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiriopontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsoftikis,1988.
- 3519) *Mintho compressa* (Fabricius,1787)** (Tachinidae) Synonym(s): *compressa* Fabricius,1787
- 3520) *Mirificarma (s.str. (s.str.)) eburnella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 nec [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeoformosella* Bruand,1859.
- 3521) *Mniophila muscorum* (Koch,1803)** (Chrysomelidae) Synonym(s): *muscorum* Koch,1803
- 3522) *Mniotype adusta* (Esper,[1790])** (Noctuidae) Synonym(s): *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *grisescens* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki
- 3523) *Mniotype solieri* (Boisduval,1840)** (Noctuidae) Synonym(s): *solieri* Boisduval,1840
- 3524) *Mocuellus collinus* (Boheman,1850)** (Cicadellidae) Synonym(s): *collinus* Boheman,1850; *aridellus* Boheman,1850; *lateralis* Sahlberg,1871
- 3525) *Mocydia crocea* (Herrich-Schäffer,1837)** (Cicadellidae) Synonym(s): *nervosus* Curtis,1835 (praeocc.); *crocea* Herrich-Schäffer,1837; *oxypterus* Kirschbaum,1868
- 3526) *Mocydiopsis attenuata* (Germar,1821)** (Cicadellidae) Synonym(s): *attenuata* Germar,1821; *rupicapra* Marshall,1861; *ambigua* Fieber,1885
- 3527) *Mocydiopsis parvicauda* Ribaut,1939** (Cicadellidae) Synonym(s): *parvicauda* Ribaut,1939
- 3528) *Modicogryllus (Eumodicogryllus) burdigalensis* (Latreille,1804)** (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#burdigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927
- 3529) *Molobratria teutonius* (Linnaeus,1767)** (Asilidae) Synonym(s): *teutonius* Linnaeus,1767; *marmoratus* Geoffroy,1785; *teuton* Macquart,1834
- 3530) *Moma alpium* (Osbeck,1778)** (Noctuidae) Synonym(s): *alpium* Osbeck,1778; *orion* Esper,1791; *murrhina* Graeser,1889; *designata* Turati,1923; *kolthoffi* Bryk,1949
- 3531) *Mompha (Anybia) epilobiella* (Roemer,1794)** (Mompidae) Synonym(s): *epilobiella* Roemer,1794; *langiella* Hübner,1796; *niveipunctella* Stainton,1849; *fulicella* Herrich-Schäffer,1853.
- 3532) *Mompha (Cyphophora) idaei* (Zeller,1839)** (Mompidae) Synonym(s): *idaei* Zeller,1839; *idaella* Duponchel,[1845]; *grandisella* Chambers,1875; *tricristella* Chambers,1875; *subiridescens* Walsingham,1882; *polaris* Sinev,1986
- 3533) *Mompha (Lophoptilus) miscella* ([Denis & Schiffermüller],1775)** (Mompidae) Synonym(s): *miscella* [Denis & Schiffermüller],1775; *staintoni* Sircom,1848; *opacella* Müller-Rutz,1934.

- 3534) Mompha (Psacaphora) locupletella ([Denis & Schiffermüller],1775)** (Mompidae) Synonym(s): *locupletella* [Denis & Schiffermüller],1775; *schränkella* Hübner,1805; *quadrilobella* Herrich-Schäffer,1853.
- 3535) Mompha (s.str.) fulvescens (Haworth,[1828])** (Mompidae) Synonym(s): *#epilobiella* [Denis & Schiffermüller],1775; *epilobiella* Schrank,1802 nec Roemer,1794; *fulvescens* Haworth,[1828]; *nebulella* Stephens,1834.
- 3536) Monochroa cytisella (Curtis,1837)** (Gelechiidae) Synonym(s): *cytisella* Curtis,1837; *fuscipennis* Humpreys & Westwood,1845; *walkeriella* Douglas,1850; *coenulentella* Herrich-Schäffer,1854; *clinosema* Meyrick,1935; *griseocapitella* Benthinck,1949
- 3537) Monochroa rumicetella (Hofmann,1868)** (Gelechiidae) Synonym(s): *rumicetella* Hofmann,1868; *acutangulella* Heinemann,1870; *leptotechna* Meyrick,1937
- 3538) Monochroa sepicolella (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *sepicolella* Herrich-Schäffer,1854
- 3539) Monochroa servella (Zeller,1839)** (Gelechiidae) Synonym(s): *servella* Zeller,1839
- 3540) Monochroa tenebrella (Hübner,[1817])** (Gelechiidae) Synonym(s): *tenebrella* Hübner,[1817]; *fuscocuprea* Haworth,1828; *subcuprella* Stephens,1834; *tenebrosella* Zeller,1839; *parvella* Heydenreich,1851; *fuscocuprella* Doubleday,1859; *buffonella* Millière,1876
- 3541) Monodontomerus aereus Walker,1834** (Torymidae) Synonym(s): *aereus* Walker,1834
- 3542) Monodontomerus obscurus Westwood,1833** (Torymidae) Synonym(s): *obscurus* Westwood,1833
- 3543) Monopis crocicapitella (Clemens,1859)** (Tineidae) Synonym(s): *crocicapitella* Clemens,1859; *amandatella* Walker,1863; *hyalinella* Staudinger,1870; *lombardica* Hering,1889; *heringi* Richardson,1893; *ptilophaga* Enderlein,1909; *prometopias* Gyeen,1913; *ceconii* Turati,1919; *dobrogica* Georgescu,1964
- 3544) Monopis imella (Hübner,[1813])** (Tineidae) Synonym(s): *imella* Hübner,[1813]; *nitidella* Zagulyaev,1960.
- 3545) Monopis laevigella ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *laevigella* [Denis & Schiffermüller],1775; *rusticella* Hübner,1796; *rustica* Haworth,[1828]; *saturella* Haworth,[1828].
- 3546) Monopis monachella (Hübner,1796)** (Tineidae) Synonym(s): *monachella* Hübner,1796
- 3547) Monopis obviella ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *obviella* [Denis & Schiffermüller],1775; *ferruginella* Hübner,[1813] nec Thunberg,1788; *splendella* Hübner,[1813] nec [Denis & Schiffermüller],1775.
- 3548) Monopis weaverella (Scott,1858)** (Tineidae) Synonym(s): *weaverella* Scott,1858
- 3549) Montescardia tessulatellus (Lienig & Zeller,1846)** (Tineidae) Synonym(s): *tessulatellus* Lienig & Zeller,1846
- 3550) Morimus asper (Sulzer,1776)** (Cerambycidae) Synonym(s): *asper* Sulzer,1776
- 3551) Morimus funereus Mulsant,1863** (Cerambycidae) Synonym(s): *funereus* Mulsant,1863
- 3552) Mormo maura (Linnaeus,1758)** (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996
- 3553) Morophaga (choragella-gr.) choragella ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *choragella* [Denis & Schiffermüller],1775; *boleti* Fabricius,1777; *fungella* Thunberg,1794; *mediella* Hübner,1796
- 3554) Mosillus subsultans (Fabricius,1794)** (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794
- 3555) Muirodelphax aubei (Perris,1857)** (Delphacidae) Synonym(s): *aubei* Perris,1857; *cognata* Fieber,1866; *protrusa* Fieber,1866; *obsoleta* Kirschbaum,1868; *obscurinervis* Kirschbaum,1868; *altaicus* Vilbaste,1965
- 3556) Musaria argus (Frölich,1793)** (Cerambycidae) Synonym(s): *argus* Frölich,1793
- 3557) Musca tempestiva Fallén,1817** (Muscidae) Synonym(s): *tempestiva* Fallén,1817
- 3558) Muschampia cribrellum (Eversmann,1841)** (Hesperiidae) Synonym(s): *cribrellum* Eversmann,1841
- 3559) Muscina levida (Harris,1780)** (Muscidae) Synonym(s): *levida* Harris,1780; *assimilis* Fallén,1823
- 3560) Mustha spinosula (Lefebvre,1831)** (Pentatomidae) Synonym(s): *spinosula* Lefebvre,1831
- 3561) Mutilla marginata BAer,1848** (Mutillidae) Synonym(s): *marginata* BAer,1848; *trifasciata* Radoszkowski,1865
- 3562) Muzimes collaris (Fabricius,1787)** (Meloidae) Synonym(s): *collaris* Fabricius,1787
- 3563) Myathropa florea (Linnaeus,1758)** (Syrphidae) Synonym(s): *florea* Linnaeus,1758; *ablecta* Harris,1776; *atropos* Schrank,1776; *bigoti* Macquart,1850; *nigrotarsata* Schiner,1862; *flavofemorata* Strobl,1902; *nigrofasciata* Becker,1907; *auripila* Becker,1907; *nigrofemorata* Santos Abreu,1924; *pygmaea* Santos Abreu,1924; *varifemorata* Santos Abreu,1924; *nigrolanata* Frey,1945
- 3564) Mycodosophila poecilogastra (Loew,1874)** (Drosophilidae) Synonym(s): *poecilogastra* Loew,1874
- 3565) Mycomya (Cymomya) circumdata (Staeger,1840)** (Mycetophilidae) Synonym(s): *circumdata* Staeger,1840
- 3566) Mycterodus (s.str.) immaculatus (Fabricius,1794)** (Issidae) Synonym(s): *immaculatus* Fabricius,1794
- 3567) Mycterodus nasutus (Herrich-Schäffer,1835)** (Issidae) Synonym(s): *nasutus* Herrich-Schäffer,1835
- 3568) Mycteropus puniceago (Boisduval,1840)** (Noctuidae) Synonym(s): *puniceago* Boisduval,1840
- 3569) Myelois (s.str.) circumvoluta (Fourcroy,1785)** (Pyralidae) Synonym(s): *circumvoluta* Fourcroy,1785; *circumvolutella* Villers,1789; *cribrella* Hübner,1796; *carhdui* Haworth,1811; *medullalis* Hübner,[1825]; *pallium* Vallot,1829; *gilvescentella* Fuchs,1903; *britannicella* Amsel,1951; *impunctata* Hartig,1952; *nigrapeza* Hartig,1952
- 3570) Myelois (s.str.) multiflorella Ragonot,1887** (Pyralidae) Synonym(s): *multiflorella* Ragonot,1887; *#multiforella* Zerny,1939.
- 3571) Mylabris (Chalcabris) festiva (Pallas,1773)** (Meloidae) Synonym(s): *festiva* Pallas,1773; *sericea* Pallas,1782
- 3572) Mylabris (Chalcabris) formosa Welman,1910** (Meloidae) Synonym(s): *decora* Frivaldsky,1835; *formosa* Welman,1910
- 3573) Mylabris (Eumylabris) calida (Pallas,1782)** (Meloidae) Synonym(s): *calida* Pallas,1782; *maculata* Olivier,1795; *bimaculata* Olivier,1811; *decora* Olivier,1811; *maura* Chevrolat,1837; *niligena* Reiche,1865; *maroccana* Escherich,1899; *bimaculaticeps* Pic,1920; *tlemceni* Pic,1930
- 3574) Mylabris (Eumylabris) crocata (Pallas,1782)** (Meloidae) Synonym(s): *crocata* Pallas,1782; *duodecimpunctata* Tauscher,1812
- 3575) Mylabris (Eumylabris) fabricii Sumakov,1924** (Meloidae) Synonym(s): *decimpunctata* Petagna,1787 nec Fabr.,1781; *forti* Mulsant,1857; *fabricii* Sumakov,1924
- 3576) Mylabris (Micrabris) pusilla Olivier,1811** (Meloidae) Synonym(s): *pusilla* Olivier,1811
- 3577) Mylabris (s.str.) quadripunctata (Linnaeus,1767)** (Meloidae) Synonym(s): *quadripunctata* Linnaeus,1767; *melanura* Pallas,1781; *decimpunctata* Fabricius,1781; *octopunctata* Olivier,1811; *adamsi* Fischer von Waldheim,1824; *armeniaca* Faldermann,1837; *restricta* Motschoulsky,1849; *maldinesi* Chevrolat,1865
- 3578) Mylabris (s.str.) variabilis (Pallas,1781)** (Meloidae) Synonym(s): *cichorii* Linnaeus,1767; *variabilis* Pallas,1781; *lacera* Fischer von Waldheim,1827; *mutans* Guérin de Méneville,1834; *hypocrita* Mulsant,1857; *similaris* Mulsant,1857; *disrupta* Baudi,1878; *erivanica* Pic,1901
- 3579) Myndus musivus (Germar,1825)** (Cixiidae) Synonym(s): *musivus* Germar,1825
- 3580) Myolepta dubia (Fabricius,1805)** (Syrphidae) Synonym(s): *dubia* Fabricius,1805; *luteola* Gmelin,1790; *lateralis* Fallén,1817
- 3581) Myolepta nigritarsis Coe,1957** (Syrphidae) Synonym(s): *nigritarsis* Coe,1957

- 3582) *Myopa dorsalis* Fabricius, 1794** (Conopidae) Synonym(s): *testacea* Gmelin, 1793 nec Linn., 1767; *dorsalis* Fabricius, 1794; *ferruginea* Panzer, [1794]; *grandis* Meigen, 1804; *nigrifacies* Becker, 1922
- 3583) *Myopa occulta* Wiedemann, 1824** (Conopidae) Synonym(s): *occulta* Wiedemann, 1824; *dispar* Rondani, 1857
- 3584) *Myopa pellucida* (R-D., 1830)** (Conopidae) Synonym(s): *pellucida* R-D., 1830; *fulvipalpis* R-D., 1853; *extricata* Collin, 1960
- 3585) *Myopa picta* Panzer, 1798** (Conopidae) Synonym(s): *picta* Panzer, 1798; *varia* Wiedemann, 1830; *meridionalis* Macquart, 1835; *chusanensis* Ouchi, 1939
- 3586) *Myopa testacea* (Linnaeus, 1767)** (Conopidae) Synonym(s): *testacea* Linnaeus, 1767; *longirostris* R-D., 1830; *pictipennis* R-D., 1830; *umbripennis* R-D., 1830; *japonica* Kröber, 1916
- 3587) *Myrmecozela* (Promasia) *parnassiella* (Rebel, 1915)** (Tineidae) Synonym(s): *parnassiella* Rebel, 1915
- 3588) *Myrmica schencki* Viereck, 1903** (Formicidae) Synonym(s): *schencki* Viereck, 1903; *kutteri* Finzi, 1926; *obscura* Finzi, 1926; *subopaca* Arnoldi, 1934
- 3589) *Myrmilla* (*Pseudomutilla*) *capitata* (Lucas, 1849)** (Mutillidae) Synonym(s): *capitata* Lucas, 1849; *parvicollis* Costa, 1860; *sardiniensis* Costa, 1885; *olcese* Tourneir, 1895; *robustior* André, 1901 [ssp.]
- 3590) *Myrmilla* (*Pseudomutilla*) *glabrata* (Fabricius, 1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius, 1775; *ciliata* Fabricius, 1775; *fraterna* Baer, 1848; *cephalica* Sichel & Radoszkowski, 1869; *sarmatica* Skorikov, 1927; *beljovskii* Skorikov, 1927
- 3591) *Myrmilla* (*Pseudomutilla*) *vutshetitshi* Skorikov, 1927** (Mutillidae) Synonym(s): *vutshetitshi* Skorikov, 1927; *kusdasi* Invrea, 1965
- 3592) *Myrmilla* (s.str.) *calva* (Villers, 1789)** (Mutillidae) Synonym(s): *calva* Villers, 1789; *triareolata* Spinola, 1841; *distincta* Lepeletier, 1845; *agrestis* Lepeletier, 1845; *incompleta* Lepeletier, 1845; *hastata* Costa, 1858; *andalusiana* Skorikov, 1927
- 3593) *Myrmilla* (s.str.) *caucasica* (Kolenati, 1846)** (Mutillidae) Synonym(s): *caucasica* Kolenati, 1846; *jasonia* Skorikov, 1927; *kirtschenkoi* Skorikov, 1927
- 3594) *Myrmilla* (s.str.) *erythrocephala* (Latreille, 1792)** (Mutillidae) Synonym(s): *erythrocephala* Latreille, 1792; *latreillei* Meyer, 1794; *cornuta* Olivier, 1811; *megacephala* Costa, 1858; *bison* Costa, 1887
- 3595) *Myrmilla* (s.str.) *lezginica* (Radoszkowski, 1885)** (Mutillidae) Synonym(s): *lezginica* Radoszkowski, 1885; *subcornuta* Morawitz, 1893; *nigrifrons* André, 1901 [ssp.]; *kokujevi* Skorikov, 1927; *susiana* Skorikov, 1927
- 3596) *Mythimna* (*Aletia*) *alopecuri* (Boisduval, 1840)** (Noctuidae) Synonym(s): *alopecuri* Boisduval, 1840; *syriaca* Osthelder, 1933
- 3597) *Mythimna* (*Aletia*) *andereggii* (Boisduval, 1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval, 1840
- 3598) *Mythimna* (*Aletia*) *congrua* (Hübner, [1817])** (Noctuidae) Synonym(s): *congrua* Hübner, [1817]; *amnicola* Rambur, 1829.
- 3599) *Mythimna* (*Aletia*) *conigera* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller], 1775; *floccida* Esper, [1788].
- 3600) *Mythimna* (*Aletia*) *impura* (Hübner, [1808])** (Noctuidae) Synonym(s): *impura* Hübner, [1808]; *fuliginosa* Haworth, 1809; *punctina* Haworth, 1809; *amurensis* Staudinger, 1892; *transbaikalensis* Staudinger, 1892; *fuscipennis* W. Warren, 1910
- 3601) *Mythimna* (*Aletia*) *l-album* (Linnaeus, 1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus, 1767; *penicillata* Moore, 1881
- 3602) *Mythimna* (*Aletia*) *pallens* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *pallens* Linnaeus, 1758; *ectypa* Hübner, [1803]; *rufescens* Haworth, 1803; *arcuata* Stephens, 1829; *ochracea* Stephens, 1829; *suffusa* Stephens, 1829.
- 3603) *Mythimna* (*Aletia*) *pudorina* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *pudorina* [Denis & Schiffermüller], 1775; *impudens* Hübner, [1803].
- 3604) *Mythimna* (*Aletia*) *sicula* (Treitschke, 1835)** (Noctuidae) Synonym(s): *sicula* Treitschke, 1835; *albivena* Graslin, 1852.
- 3605) *Mythimna* (*Aletia*) *straminea* (Treitschke, 1825)** (Noctuidae) Synonym(s): *straminea* Treitschke, 1825
- 3606) *Mythimna* (*Aletia*) *vitellina* (Hübner, [1808])** (Noctuidae) Synonym(s): *vitellina* Hübner, [1808]; *#vitellina* Lederer, 1870; *decolorata* Dannehl, 1929; *saturator* Dannehl, 1929; *grisea* Dannehl, 1929.
- 3607) *Mythimna* (*Anapoma*) *riparia* (Rambur, 1829)** (Noctuidae) Synonym(s): *riparia* Rambur, 1829
- 3608) *Mythimna* (*Hyphilare*) *albipuncta* (Fabricius, 1787)** (Noctuidae) Synonym(s): *#albipuncta* [Denis & Schiffermüller], 1775; *albipuncta* (Fabricius, 1787; *rufotincta* Wagner, 1921.
- 3609) *Mythimna* (*Hyphilare*) *ferrago* (Fabricius, 1787)** (Noctuidae) Synonym(s): *ferrago* Fabricius, 1787; *lithargyria* Esper, [1788]; *grisea* Stephens, 1829; *anargyria* Boisduval, 1840; *argyristis* Rambur, 1858; *meridionalis* Dannehl, 1926
- 3610) *Mythimna* (*Pseudaletia*) *unipuncta* (Haworth, [1809])** (Noctuidae) Synonym(s): *unipuncta* Haworth, [1809]; *extranea* Guenée, 1856; *antica* Walker, 1856; *tseki* Koutsafikis, 1974.
- 3611) *Mythimna* (s.str.) *turca* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *turca* Linnaeus, 1761; *volupia* Hufnagel, 1766; *camuna* Turati, 1914.
- 3612) *Mythimna* *flammea* (Curtis, 1828)** (Noctuidae) Synonym(s): *flammea* Curtis, 1828
- 3613) *Nabis punctatus* Costa, 1847** (Nabidae) Synonym(s): *punctatus* Costa, 1847
- 3614) *Nabis sareptanus* Dohrn, 1862** (Nabidae) Synonym(s): *sareptanus* Dohrn, 1862
- 3615) *Naenia typica* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *typica* Linnaeus, 1758; *filicis* Goeze, 1781; *venosa* Hübner, [1803]; *excusa* Esper, [1805]; *claricolor* Schawerda, 1928.
- 3616) *Narraga fasciolaria* (Hufnagel, 1767)** (Geometridae) Synonym(s): *fasciolaria* Hufnagel, 1767; *cebraria* Hübner, [1799]; *zebraria* Duponchel, 1829.
- 3617) *Narraga tessularia* (Metzner, 1845)** (Geometridae) Synonym(s): *tessularia* Metzner, 1845; *baltearia* Freyer, 1845; *atronacularia* Herrich-Schäffer, 1848.
- 3618) *Nebria* (*Eunebria*) *merkliana* Apfelbeck, 1904** (Carabidae) Synonym(s): *merkliana* Apfelbeck, 1904
- 3619) *Nebula achromaria* (La Harpe, 1853)** (Geometridae) Synonym(s): *achromaria* La Harpe, 1853; *saxicolata* Lederer, 1853; *hispalata* Rambur, 1866; *fasciata* Wehrli, 1920; *tenebrata* Dannehl, 1933.
- 3620) *Nebula nebulata* (Treitschke, 1828)** (Geometridae) Synonym(s): *nebulata* Treitschke, 1828
- 3621) *Nebula salicata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller], 1775
- 3622) *Nebula senectaria* (Herrich-Schäffer, [1852])** (Geometridae) Synonym(s): *senectaria* Herrich-Schäffer, [1852].
- 3623) *Nebula tophaceata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *tophaceata* [Denis & Schiffermüller], 1775
- 3624) *Negotinthia myrmosaeformis* (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *myrmosaeformis* Herrich-Schäffer, 1846; *#lucida* Lederer, 1853; *myrmosiformis* Staudinger, 1856.
- 3625) *Nemapogon arcella* (Fabricius, 1777)** (Tineidae) Synonym(s): *arcella* Fabricius, 1777; ? *niveella* Fabricius, 1777; *clematella* Fabricius, 1781; *repandella* Hübner, [1799]; *clematea* Haworth, 1828; *auritinctella* Wallengren, 1852
- 3626) *Nemapogon cloacella* (Haworth, [1828])** (Tineidae) Synonym(s): *cloacella* Haworth, [1828]; *infimella* Herrich-Schäffer, 1851.

- 3627) Nemapogon granella (Linnaeus,1758)** (Tineidae) Synonym(s): *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763 (praeocc.); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873; *fuscocomaculella* Chambers,1875; *mancuniella* Hodgkinson,1880; *nigroatomella* Dietz,1905; *fuscicomella* Wörz,1958
- 3628) Nemapogon gravosaella G.Petersen,1957** (Tineidae) Synonym(s): *gravosaellus* G.Petersen,1957; *signatellus* G.Petersen,1960; *borshomi* Zagulyaev,1964.
- 3629) Nemapogon hungarica Gozmany,1960** (Tineidae) Synonym(s): *hungaricus* Gozmany,1960; *pliginskii* Zagulyaev,1963.
- 3630) Nemapogon inconditella (Lucas,1956)** (Tineidae) Synonym(s): *inconditella* Lucas,1956; *buckwelli* Lucas,1956; *heydeni* G.Petersen,1957; *hispanellus* Gozmany,1960; *thomasi* Capușe,1975.
- 3631) Nemapogon nigrabella (Zeller,1839)** (Tineidae) Synonym(s): *nigrabella* Zeller,1839
- 3632) Nemapogon ruricolella (Stainton,1859)** (Tineidae) Synonym(s): *ruricolella* Stainton,1859; *cochylidella* Stainton,1854.
- 3633) Nemapogon signatella G.Petersen,1957** (Tineidae) Synonym(s): *signatellus* G.Petersen,1957
- 3634) Nemapogon variatella (Clemens,1859)** (Tineidae) Synonym(s): *variata* Clemens,1859; *personella* Pierce & Metcalf,1934; *secalella* Zacher,1938; *infimella* Corbet,1943.
- 3635) Nemapogon wolffiella Karsholt & Nielsen,1976** (Tineidae) Synonym(s): *albipunctellus* Haworth,[1828] *nec* [Denis & Schiff.],1775; *wolffiella* Karsholt & Nielsen,1976.
- 3636) Nematopogon pilella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *pilella* [Denis & Schiffermüller],1775; *pilea* Haworth,1828; *minutella* Snellen,1884; *submetallica* Caradja,1920; *flavicomella* Müller-Rutz,1927
- 3637) Nematopogon robertella (Clerck,1759)** (Adelidae) Synonym(s): *robertella* Clerck,1759; *pilulella* Hübner,[1813].
- 3638) Nematopogon swammerdamella (Linnaeus,1758)** (Adelidae) Synonym(s): *swammerdamella* Linnaeus,1758; *reamurella* Peyerimhoff,1877.
- 3639) Nemaxera betulinella (Paykull,1785)** (Tineidae) Synonym(s): *betulinella* Paykull,1785; *betulea* Haworth,1828; *corticella* Curtis,1834; *emortuella* Zeller,1839
- 3640) Nemestrinus caucasicus (Fischer,1806)** (Nemestrinidae) Synonym(s): *caucasicus* Fischer,1806; *analisis* Olivier,1811; *adamsii* Fischer,1812; *albofasciata* Wiedemann,1828; *anthophorina* Portschiński,1881
- 3641) Nemka viduata (Pallas,1773)** (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865
- 3642) Nemophora barbatella (Zeller,1847)** (Adelidae) Synonym(s): *barbatellus* Zeller,1847; *chalcocrhyssellus* Mann,1855; *constantinella* Baker,1888; *demaioni* Ragonot,1889; *#padrejusto* Agenjo,1965
- 3643) Nemophora chrysochraon (Razowski,1978)** (Adelidae) Synonym(s): *pfeifferella* Hübner,[1813] (fig.422) *nec* Hbn.[1813] (fig.398); *chrysochraon* Razowski,1978; *#chrysochraon* Razowski,1978; *huebneri* Koçak,1980.
- 3644) Nemophora degeerella (Linnaeus,1758)** (Adelidae) Synonym(s): *degeerella* Linnaeus,1758; *debornella* Scopoli,1772; *striatella* Fabricius,1781; *phryganoides* Retzius,1783; *geerella* Hübner,1796; *degeerii* Haworth,1828
- 3645) Nemophora dumerilella (Duponchel,1839)** (Adelidae) Synonym(s): *basochesella* Hübner,[1824] (n.o.); *dumerilella* Duponchel,1839; *inaurata* Duponchel,1844; *#fervidellus* Zeller,1853; *#zelleriellus* Zeller,1853
- 3646) Nemophora fasciella (Fabricius,1775)** (Adelidae) Synonym(s): *fasciella* Fabricius,1775; *schiffermillerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867
- 3647) Nemophora metallica (Poda,1761)** (Adelidae) Synonym(s): *metallica* Poda,1761; *scabiosella* Scopoli,1763; *viridella* Hübner,1796; *aerosellus* Zeller,1850; *rebelellus* Turati,1924
- 3648) Nemophora minimella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *minimella* [Denis & Schiffermüller],1775; *lenellus* Zeller,1853
- 3649) Nemophora raddella (Hübner,1793)** (Adelidae) Synonym(s): *raddella* Hübner,1793; *latreillella* Fabricius,1798; *raddaellus* Wocke,1871; *algeriensis* Walsingham,1907
- 3650) Nemophora violellus (Herrich-Schäffer,1851)** (Adelidae) Synonym(s): *violella* Herrich-Schäffer,1851; *violaria* Razowski,1978
- 3651) Nemoptera sinuata Olivier,1811** (Nemopteridae) Synonym(s): *sinuata* Olivier,1811
- 3652) Nemoraea pellucida (Meigen,1824)** (Tachinidae) Synonym(s): *pellucida* Meigen,1824; *neglecta* Meigen,1824; *rubrica* Meigen,1824; *affinis* R-D.,1830; *bombylans* R-D.,1830; *fulva* R-D.,1830; *conjuncta* Macquart,1848; *vicina* Macquart,1848; *vulnerata* Zetterstedt,1849; *nupta* Rondani,1859; *discreta* R-D.,1863; *sponsa* Rondani,1865
- 3653) Nemorius vitripennis (Meigen,1820)** (Tabanidae) Synonym(s): *vitripennis* Meigen,1820; *fallotii* Kriechbaumer,1873; *horvathi* Szilady,1925
- 3654) Nemotelus (s.str.) argentifer Loew,1846** (Stratiomyidae) Synonym(s): *argentifer* Loew,1846; *limbatus* Egger,1859
- 3655) Nemotelus (s.str.) bipunctatus Loew,1846** (Stratiomyidae) Synonym(s): *bipunctatus* Loew,1846
- 3656) Nemotelus (s.str.) brachystomus Loew,1846** (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969
- 3657) Nemotelus (s.str.) brevirostris Meigen,1822** (Stratiomyidae) Synonym(s): *brevirostris* Meigen,1822; *globuliceps* Loew,1846; *pseudoglobuliceps* Pleske,1937; *reichardti* Pleske,1937
- 3658) Nemotelus (s.str.) obscuripes Loew,1871** (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871
- 3659) Nemotelus (s.str.) signatus Schiner,1855** (Stratiomyidae) Synonym(s): *signatus* Schiner,1855; *varius* Loew,1871
- 3660) Nemoura cinerea (Retzius,1783)** (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *bureschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972
- 3661) Neoaliturus fenestratus (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834
- 3662) Neoascia interrupta (Meigen,1822)** (Syrphidae) Synonym(s): *interrupta* Meigen,1822
- 3663) Neoascia podagrica (Fabricius,1775)** (Syrphidae) Synonym(s): *podagrica* Fabricius,1775; *molio* Harris,[1780]; *tenur* Harris,[1780]; *crassipes* Schrank,1781; *elephantopus* Gmelin,1790; *lanceolata* Meigen,1822; *maculata* Macquart,1829; *unifasciata* Strobl,1898
- 3664) Neodorcadion exornatum (Fivaldsky,1835)** (Cerambycidae) Synonym(s): *exornatum* Fivaldsky,1835; *labyrinthicum* Thomson,1865; *balcanicum* Tournier,1872;...
- 3665) Neodorcadion laqueatum (Waltl,1838)** (Cerambycidae) Synonym(s): *laqueatum* Waltl,1838; *interruptum* Mulsant & Rey,1863; *sparsum* Mulsant & Rey,1863; *abeillei* Tournier,1872; *bulgaricum* Pic,1913;...
- 3666) Neognopharmia stevenaria (Boisduval,1840)** (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841
- 3667) Neoitamus cyanurus (Loew,1849)** (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849
- 3668) Neoleria ruficeps (Zetterstedt,1838)** (Heloemyzidae) Synonym(s): *ruficeps* Zetterstedt,1838; *crepusculascens* Schmitz,1917

- 3669) *Neomusaria balcanica* (Frivaldsky,1835) (Cerambycidae) Synonym(s): *balcanica* Frivaldsky,1835
- 3670) *Neophilaenus albipennis* (Fabricius,1798) (Cercopidae) Synonym(s): *albipennis* Fabricius,1798
- 3671) *Neophilaenus exclamationis* (Thunberg,1784) (Cercopidae) Synonym(s): *exclamationis* Thunberg,1784
- 3672) *Neophilaenus infumatus* (Haupt,1917) (Cercopidae) Synonym(s): *infumatus* Haupt,1917
- 3673) *Neophilaenus lineatus* (Linnaeus,1758) (Cercopidae) Synonym(s): *lineatus* Linnaeus,1758; *abbreviata* Fabricius,1787; *capitata* Fabricius,1794; *aterrimus* Sahlberg,1871; *pulchellus* Sahlberg,1871; *fusca* Haupt,1912; *pallida* Haupt,1917; *danicus* Wagner,1935; *fulva* Gyllensvard,1965
- 3674) *Neophilaenus minor* (Kirschbaum,1868) (Cercopidae) Synonym(s): *minor* Kirschbaum,1868
- 3675) *Neoplacionotus bobelayei* (Brullé,1832) (Cerambycidae) Synonym(s): *speciosus* Adams,1817; *bobelayei* Brullé,1832
- 3676) *Neoplacionotus scalaris* (Brullé,1832) (Cerambycidae) Synonym(s): *scalaris* Brullé,1832
- 3677) *Neosphaleroptera nubilana* (Hübner,[1799]) (Tortricidae) Synonym(s): ? *alniana* [Denis & Schiffermüller],1775; *nubilana* Hübner,[1799]; *glareana* Schrank,1802; *perfuscana* Haworth,1811; *conradii* Portshinkij,1888
- 3678) *Neottiglossa lineolata* (Mulsant & Rey,1852) (Pentatomidae) Synonym(s): *lineolata* Mulsant & Rey,1852
- 3679) *Nephoterix divisella* (Duponchel,1842) (Pyralidae) Synonym(s): *divisella* Duponchel,1842; *albiricella* Herrich-Schäffer,1849; *euphorbiella* Zeller,1846; *sardzeella* Amsel,1961.
- 3680) *Nephrotoma aculeata* (Loew,1871) (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924
- 3681) *Nephrotoma analis* (Schummel,1833) (Tipulidae) Synonym(s): *analis* Schummel,1833
- 3682) *Nephrotoma appendiculata* (Pierre,1919) (Tipulidae) Synonym(s): *maculata* Meigen,1804; *maculosa* Meigen,1818; *appendiculata* Pierre,1919
- 3683) *Nephrotoma cornicina* (Linnaeus,1758) (Tipulidae) Synonym(s): *cornicina* Linnaeus,1758; *flavomaculata* De Geer,1776; *iridicolor* Schummel,1833; *sannio* Meigen,1838; *petiolata* Zetterstedt,1838; *nigrina* Savchenko,1973
- 3684) *Nephrotoma scalaris* (Meigen,1818) (Tipulidae) Synonym(s): *scalaris* Meigen,1818; *imperialis* Meigen,1818
- 3685) *Neptis* (s.str.) *rivularis* (Scopoli,1763) (Argynnididae) Synonym(s): *rivularis* Scopoli,1763; *lucilla* Denis & Schiffermüller,1775; *coenobita* Cramer,1780; *#tolunay* Koçak & Kemal,2006.
- 3686) *Neptis* (s.str.) *sappho* (Pallas,1771) (Argynnididae) Synonym(s): *sappho* Pallas,1771; *aceris* Lepechin,1771; *aceris* Esper,[1783].
- 3687) *Netelia* (Paropheltes) *caucasica* (Kokujev,1899) (Ichneumonidae) Synonym(s): *caucasica* Kokujev,1899
- 3688) *Netelia* (s.str.) *fuscicornis* (Holmgren,1860) (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888
- 3689) *Netelia* (s.str.) *testacea* (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899
- 3690) *Netelia* (Toxochiloides) *krishtali* Tolkantiz,1971 (Ichneumonidae) Synonym(s): *krishtali* Tolkantiz,1971
- 3691) *Neurigona biflexa* Strobl,1909 (Dolichopodidae) Synonym(s): *biflexa* Strobl,1909
- 3692) *Neuroleon microstenus* (McLachlan,1898) (Myrmeleionidae) Synonym(s): *microstenus* McLachlan,1898; *propinxius* Navas,1911; *noxius* Navas,1912; *hellenicus* Navas,1912; *occultus* Navas,1914; *vicinus* Navas,1914
- 3693) *Neuroterus albipes* (Schenck,1863) (Cynipidae) Synonym(s): *albipes* Schenck,1863; *laeviusculus* Schenck,1863; *pezizaeformis* Schlechtendal,1870; *lusitanicus* Tavares,1902; *codinae* Tavares,1928
- 3694) *Neuroterus anthracinus* (Curtis,1838) (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882
- 3695) *Neuroterus lanuginosus* Giraud,1859 (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859
- 3696) *Neuroterus minutulus* Giraud,1859 (Cynipidae) Synonym(s): *minutulus* Giraud,1859
- 3697) *Neuroterus numismalis* (Fourcroy,1785) (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reamurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarum* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925
- 3698) *Neuroterus politus* Hartig,1840 (Cynipidae) Synonym(s): *politus* Hartig,1840; *petioliventris* Hartig,1840; *nitens* Hartig,1841; *bipunctatus* Hartig,1841; *rubeculus* Hartig,1841; *aprilinus* Giraud,1859; *burgundus* Schlechtendal,1870; *schlechtendali* Mayr,1870
- 3699) *Neuroterus quercusbaccarum* (Linnaeus,1758) (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrio* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916
- 3700) *Neuroterus tricolor* Hartig,1841 (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulisippore* Tavares,1928
- 3701) *Neurothausia ankerella* (Mann,1867) (Tineidae) Synonym(s): *ankerella* Mann,1867; *geratocoma* Walsingham,1907; *nigratella* Chrétien,1917; *burdigalensis* Le Marchand,1934; *tirsella* Amsel,1952;
- 3702) *Nicrophorus nigricornis* Faldermann,1835 (Silphidae) Synonym(s): *nigricornis* Faldermann,1835
- 3703) *Niditinea fuscella* (Linnaeus,1758) (Tineidae) Synonym(s): *fuscella* Linnaeus,1758; *spretella* [Denis & Schiffermüller],1775; *crinitella* Schrank,1802; *fuscipunctella* Haworth,[1828]; *nubilipennella* Clemens,1859; *abligatella* Walker,1863; *eurinella* Zagulyaev,1952; *distans* Gozmany,1959.
- 3704) *Niditinea striolella* (Matsumura,1931) (Tineidae) Synonym(s): *striolella* Matsumura,1931; *semidivisa* Meyrick,1934; *piercella* Benthinck,1935; *ignotella* Zagulyaev,1956; *distinguenda* G.Petersen,1957; *pacifella* Zagulyaev,1960
- 3705) *Nineta flava* (Scopoli,1763) (Chrysopidae) Synonym(s): *flava* Scopoli,1763
- 3706) *Nineta pallida* (Schneider,1845) (Chrysopidae) Synonym(s): *pallida* Schneider,1845
- 3707) *Nineta vittata* (Wesmael,1841) (Chrysopidae) Synonym(s): *vittata* Wesmael,1841
- 3708) *Noctua* (Divana) *haywardi* (Tams,1926) (Noctuidae) Synonym(s): *haywardi* Tams,1926; *balcanica* Slivov,1985
- 3709) *Noctua* (Euschesis) *interjecta* (Hübner,[1803]) (Noctuidae) Synonym(s): *interjecta* Hübner,[1803].
- 3710) *Noctua* (Euschesis) *janthina* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900.
- 3711) *Noctua* (Lampra) *fimbriata* (Schreber,1759) (Noctuidae) Synonym(s): *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787.
- 3712) *Noctua* (Lampra) *tirrenica* (Biebing, Speidel & Hanigk,1983) (Noctuidae) Synonym(s): *tirrenica* Biebing, Speidel & Hanigk,1983
- 3713) *Noctua* (Latanotua) *orbona* (Hufnagel,1766) (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
- 3714) *Noctua* (Paranotua) *comes* (Hübner,[1813]) (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.

- 3715) Noctua (Paranoctua) interposita (Hübner,1790)** (Noctuidae) Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszczyk,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963
- 3716) Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 *nec* Piesz.,1908; *decolorata* Turati,1923.
- 3717) Noctua (s.str.) tertia Mentzer, Moberg & Fibiger,1991** (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991
- 3718) Nola aerugula (Hübner,1793)** (Noctuidae) Synonym(s): *aerugula* Hübner,1793; *centonalis* Hübner,1796; *centonana* Hübner,[1825]; *littoralis* Paux,1901; *contrarialis* Heydemann,1934; *trituberculana* Heslop,1959.
- 3719) Nola chlamitulalis (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamilulalis* Hübner,[1813]; *chlamydulana* Duponchel,[1845]
- 3720) Nola cicatricalis (Treitschke,1835)** (Noctuidae) Synonym(s): *cicatricalis* Treitschke,1835
- 3721) Nola confusalis (Herrich-Schäffer,1847)** (Noctuidae) Synonym(s): *confusalis* Herrich-Schäffer,1847; *fumosalis* Daniel,1957.
- 3722) Nola cristatula (Hübner,1793)** (Noctuidae) Synonym(s): *cristatula* Hübner,1793; *cristulalis* Hübner,1796; *cristulana* Hübner,[1825].
- 3723) Nola cucullatella (Linnaeus,1758)** (Noctuidae) Synonym(s): *cucullatella* Linnaeus,1758; *ludvigella* Müller,1764; *palliola* [Denis & Schiffermüller],1775; *pygmaria* Fabricius,1794; *palliolalis* Hübner,1796; *cucullatalis* Haworth,1811; *cucullatana* Hübner,[1825]; *fuliginalis* Stephens,1834
- 3724) Nola ronkayorum Beshkov,2006** (Noctuidae) Synonym(s): *ronkayorum* Beshkov,2006
- 3725) Nola subchlamyda Staudinger,1870** (Noctuidae) Synonym(s): *subchlamyda* Staudinger,1870
- 3726) Nomada diacantha Schwarz,1981** (Apidae) Synonym(s): *diacantha* Schwarz,1981
- 3727) Nomada pygidialis Schwarz,1981** (Apidae) Synonym(s): *pygidialis* Schwarz,1981
- 3728) Nomophila noctuella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859
- 3729) Nonagria typhae (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787.
- 3730) Noterus clavicornis (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774
- 3731) Noterus crassicornis (O.F.Müller,1776)** (Noteridae) Synonym(s): *crassicornis* O.F.Müller,1776
- 3732) Nothocasis sertata (Hübner,[1817])** (Geometridae) Synonym(s): *sertata* Hübner,[1817]
- 3733) Nothris verbascella (Brahm,1791)** (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828; *clarella* Amsel,1935
- 3734) Notiophilus aestuans Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826
- 3735) Notiophilus danieli Reitter,1897** (Carabidae) Synonym(s): *danieli* Reitter,1897
- 3736) Notiophilus germinyi Fauvel,1863** (Carabidae) Synonym(s): *germinyi* Fauvel,1863
- 3737) Notiophilus interstitialis Reitter,1889** (Carabidae) Synonym(s): *interstitialis* Reitter,1889
- 3738) Notiophilus laticollis Chaudoir,1850** (Carabidae) Synonym(s): *laticollis* Chaudoir,1850
- 3739) Notiophilus rufipes Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829
- 3740) Notiophilus substriatus C.R.Waterhouse,1833** (Carabidae) Synonym(s): *substriatus* C.R.Waterhouse,1833
- 3741) Notocelia aquana (Hübner,[1799])** (Tortricidae) Synonym(s): *#roborana* [Denis & Schiffermüller],1775; *aquana* Hübner,[1799].
- 3742) Notocelia cynosbatella (Linnaeus,1758)** (Tortricidae) Synonym(s): *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775; *#cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967.
- 3743) Notocelia trimaculana (Haworth,[1811])** (Tortricidae) Synonym(s): *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843.
- 3744) Notodonta dromedarius (Linnaeus,1758)** (Notodontidae) Synonym(s): *dromedarius* Linnaeus,1758; *dromedarulus* Haworth,1803; *zebu* Donovan,1807; *perfusca* Stephens,1828; *frigida* Rangnow,1932; *westfalica* Brandt,1936; *schintlmeisteri* Witt,1980
- 3745) Notodonta tritophus ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#tritophus* [Denis & Schiffermüller],1775; *phoebe* Siebert,1790; *perfuscus* Haworth,1803; *irfana* De Freina,1983.
- 3746) Notodonta ziczac (Linnaeus,1758)** (Notodontidae) Synonym(s): *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *lapponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956
- 3747) Notonecta glauca Linnaeus,1758** (Notonectidae) Synonym(s): *glauca* Linnaeus,1758; *kervillei* Poisson,1933; *poissoni* Hungerford,1934; *hybrida* Poisson,1953
- 3748) Notoxus appendicinus Desbr.,1875** (Anthicidae) Synonym(s): *appendicinus* Desbr.,1875
- 3749) Notoxus monoceros (Linnaeus,1761)** (Anthicidae) Synonym(s): *monoceros* Linnaeus,1761; *biinterruptus* Pic,1900
- 3750) Notus flavipennis (Zetterstedt,1828)** (Cicadellidae) Synonym(s): *flavipennis* Zetterstedt,1828; *orichalcea* Dahlbom,1850; *marginatus* Sahlberg,1871; *armata* Buckton,1891; *armata* Haupt,1912 (*praeocc.*); *haupti* Oshanin,1912
- 3751) Nowickia atripalpis (R-D.,1863)** (Tachinidae) Synonym(s): *atripalpis* R-D.,1863
- 3752) Nowickia ferox (Panzer,1809)** (Tachinidae) Synonym(s): *ferox* Panzer,1809
- 3753) Nowickia marklini (Zetterstedt,1838)** (Tachinidae) Synonym(s): *marklini* Zetterstedt,1838
- 3754) Nowickia rondanii (Giglio-Tos,1890)** (Tachinidae) Synonym(s): *rondanii* Giglio-Tos,1890
- 3755) Nudaria mundana (Linnaeus,1761)** (Arctiidae) Synonym(s): *mundana* Linnaeus,1761
- 3756) Nychiodes (Eunychiodes) amygdalaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *amygdalaria* Herrich-Schäffer,[1848]
- 3757) Nychiodes (Fritzwagneria) dalmatina F.Wagner,1909** (Geometridae) Synonym(s): *dalmatina* F.Wagner,1909
- 3758) Nychiodes (Fritzwagneria) waltheri F.Wagner,1919** (Geometridae) Synonym(s): *waltheri* F.Wagner,1919.
- 3759) Nyctegretis ruminella Harpe,1860** (Pyralidae) Synonym(s): *ruminella* Harpe,1860
- 3760) Nycteola asiatica (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954.
- 3761) Nycteola columbana (Turner,1925)** (Noctuidae) Synonym(s): *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958.
- 3762) Nycteola degenerana (Hübner,[1799])** (Noctuidae) Synonym(s): *degenerana* Hübner,[1799]
- 3763) Nycteola revayana (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 *nec* Hbn.,1787
- 3764) Nycteola siculana (Fuchs,1899)** (Noctuidae) Synonym(s): *siculana* Fuchs,1899; *cuneana* Patočka,1953; *pseudodilutana* Obraztsov,1954.
- 3765) Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835

- 3766) *Nycteribia* (s.str.) *latreillii* (Leach,1817) (Nycteribiidae) Synonym(s): *latreillii* Leach,1817
- 3767) *Nycteribia* (s.str.) *pedicularia* Latreille,1805 (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805
- 3768) *Nycteribia* (s.str.) *schmidlii* Schiner,1853 (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853
- 3769) *Nymphalis antiopa* (Linnaeus,1758) (Argynnididae) Synonym(s): *antiopa* Linnaeus,1758; *pompador* Pollich,1783; *morio* Retzius,1783; *borealis* Wnukowsky,1927.
- 3770) *Nymphalis polychloros* (Linnaeus,1758) (Argynnididae) Synonym(s): *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896.
- 3771) *Nymphalis vaualbum* ([Denis & Schiffermüller],1775) (Argynnididae) Synonym(s): *#vaualbum* [Denis & Schiffermüller],1775; *l-album* Esper,[1781]
- 3772) *Nymphalis xanthomelas* (Esper,[1781]) (Argynnididae) Synonym(s): *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781]
- 3773) *Nymphula nitidulata* (Hufnagel,1767) (Pyrilidae) Synonym(s): *nitidulata* Hufnagel,1767; *stagnata* Donovan,1806; *stagnalis* Guenée,1854; *corculina* Butler,1879; *distinctalis* Ragonot,1894
- 3774) *Obera oculata* (Linnaeus,1758) (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758
- 3775) *Ochloides venatus* (Bremer & Grey,[1852]) (Hesperiidae) Synonym(s): *venatus* Bremer & Grey,[1852]
- 3776) *Ochromolopis ictella* (Hübner,[1813]) (Epermeniidae) Synonym(s): *ictella* Hübner,[1813]; *ictipennella* Treitschke,1833.
- 3777) *Ochropacha duplaris* (Linnaeus,1761) (Thyatiridae) Synonym(s): *duplaris* Linnaeus,1761; *bicolorata* Hufnagel,1766; *bipuncta* Borkhausen,1792; *binotata* Fabricius,1793; *kamschadalis* Sheljuzhko,1926
- 3778) *Ochroleura leucogaster* (Freyer,1831) (Noctuidae) Synonym(s): *leucogaster* Freyer,1831
- 3779) *Ochroleura plecta* (Linnaeus,1761) (Noctuidae) Synonym(s): *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unuplecta* Bryk,1942.
- 3780) *Ochthera mantis* (DeGeer,1776) (Ephydriidae) Synonym(s): *mantis* DeGeer,1776
- 3781) *Ochthera schembrii* Rondani,1847 (Ephydriidae) Synonym(s): *schembrii* Rondani,1847; *mantispa* Loew,1847; *setigera* Czerny,1909
- 3782) *Ocnieria rubea* ([Denis & Schiffermüller],1775) (Lymantriidae) Synonym(s): *#rubea* [Denis & Schiffermüller],1775
- 3783) *Ocnierostoma piniariella* Zeller,1847 (Yponomeutidae) Synonym(s): *piniariella* Zeller,1847; *copiosella* Frey,1856
- 3784) *Ocnogyna* (Somatotrichia) *parasita* (Hübner,1790) (Arctiidae) Synonym(s): *parasita* Hübner,1790
- 3785) *Odezia atrata* (Linnaeus,1758) (Geometridae) Synonym(s): *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpfenberg,1887; *meridionalis* Reisser,1935
- 3786) *Odice arcuinna* (Hübner,1790) (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
- 3787) *Odice suava* (Hübner,[1813]) (Noctuidae) Synonym(s): *suava* Hübner,[1813].
- 3788) *Odinia boletina* (Zetterstedt,1848) (Odiniidae) Synonym(s): *boletina* Zetterstedt,1848
- 3789) *Odonestis pruni* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *pruni* Linnaeus,1758
- 3790) *Odontognophos dumetatus* (Treitschke,1827) (Geometridae) Synonym(s): *dumetatus* Treitschke,1827; *temperata* Eversmann,1846; *saturata* Fuchs,1902
- 3791) *Odontomyia cephalonica* Strobl,1898 (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922
- 3792) *Odontomyia ornata* (Meigen,1822) (Stratiomyidae) Synonym(s): *ornata* Meigen,1822; *signaticornis* Loew,1846
- 3793) *Odontopera bidentata* (Linnaeus,1761) (Geometridae) Synonym(s): *#bidentata* Clerck,1759; *bidentata* Linnaeus,1761; *bidentaria* Fabricius,1794; *dentaria* Hübner,[1799].
- 3794) *Odontopera graecarius* (A.Bang-Haas,1910) (Geometridae) Synonym(s): *graecarius* A.Bang-Haas,1910
- 3795) *Odontoscels fuliginosa* (Linnaeus,1761) (Scutelleridae) Synonym(s): *fuliginosa* Linnaeus,1761
- 3796) *Odynerus* (s.str.) *femoratus* Saussure,1856 (Vespidae) Synonym(s): *femoratus* Saussure,1856; *duskei* Morawitz,1895
- 3797) *Odynerus* (s.str.) *melanocephalus* (Gmelin,1790) (Vespidae) Synonym(s): *melanocephalus* Gmelin,1790; *dentipes* Herrich-Schäffer,1839; *serripes* Taschenberg,1866; *sareptanus* André,1884; *armeniacus* Morawitz,1885; *combinata* Blüthgen,1940; *luxuriosa* Blüthgen,1955; *cypriacus* Eck,1971
- 3798) *Odynerus* (s.str.) *poecilus* Saussure,1856 (Vespidae) Synonym(s): *poecilus* Saussure,1856; *ruficornis* Rudow,1876
- 3799) *Odynerus* (s.str.) *spinipes* (Linnaeus,1758) (Vespidae) Synonym(s): *spinipes* Linnaeus,1758; *quinquefasciata* Fabricius,1793; *muticus* Zetterstedt,1838; *#flaviscapus* Mader,1936; *scutellaris* Blüthgen,1940
- 3800) *Odynerus* (Spinicoxa) *albopictus* Saussure,1856 (Vespidae) Synonym(s): *albopictus* Saussure,1856; *calcaratus* Morawitz,1885; *rufospinosus* Morawitz,1895; *argivus* Schulthess,1924
- 3801) *Oecophora* (s.str.) *bractella* (Linnaeus,1758) (Oecophoridae) Synonym(s): *bractella* Linnaeus,1758
- 3802) *Oedipoda caerulea* (Linnaeus,1758) (Acrididae) Synonym(s): *caerulea* Linnaeus,1758; *coeruleipenne* De Geer,1773; *fasciata* Stal,1873
- 3803) *Oegoconia caradjai* Popescu-Gorj & Capuse,1965 (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse,1965
- 3804) *Oegoconia deauratella* (Herrich-Schäffer,[1854]) (Autostichidae) Synonym(s): *deauratella* Herrich-Schäffer,[1854]; *bacescui* Popescu-Gorj & Capuse,1965
- 3805) *Oegoconia novimundi* (Busck,1915) (Autostichidae) Synonym(s): *novimundi* Busck,1915
- 3806) *Oenas crassicornis* (Illiger,1800) (Meloidae) Synonym(s): *crassicornis* Illiger,1800
- 3807) *Oeneis glacialis* (Moll,1783) (Satyridae) Synonym(s): *glacialis* Moll,1783; *aello* Hübner,[1804].
- 3808) *Ogcodes reginae* (Trojan,1956) (Acroceridae) Synonym(s): *reginae* Trojan,1956
- 3809) *Oidaematophorus didactylites* (Ström,1783) (Pterophoridae) Synonym(s): *didactylites* Ström,1783; *scarodactyla* Hübner,[1813]; *icarodactyla* Treitschke,1833; *catharodactylus* Caradja,1921.
- 3810) *Oidaematophorus lithodactylus* (Treitschke,1833) (Pterophoridae) Synonym(s): *lithodactylus* Treitschke,1833; *septodactylus* Treitschke,1833; *similidactylus* Dale,1834; *lithoxylodactylus* Duponchel,[1840].
- 3811) *Olethreutes* (Argyroploce) *arbutella* (Linnaeus,1758) (Tortricidae) Synonym(s): *arbutella* Linnaeus,1758; *arbutana* Hübner,[1813]
- 3812) *Olethreutes* (Argyroploce) *lacunana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *lacunana* [Denis & Schiffermüller],1775; *herbana* Guenée,1845
- 3813) *Olethreutes* (Argyroploce) *noricana* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *noricana* Herrich-Schäffer,1851
- 3814) *Olethreutes* (Argyroploce) *stibiana* (Guenée,1845) (Tortricidae) Synonym(s): *stibiana* Guenée,1845; *sibirana* Caradja,1916; *fluviana* Kennel,1919.
- 3815) *Olethreutes* (s.str.) *arcuana* (Linnaeus,1761) (Tortricidae) Synonym(s): *#arcuella* Clerck,1759; *arcuana* Linnaeus,1761; *lamberiana* Scopoli,1763.
- 3816) *Oliarus panzeri* (Loew,1883) (Cixiidae) Synonym(s): *panzeri* Loew,1883
- 3817) *Oliarus ropotamus* Dlabola,1970 (Cixiidae) Synonym(s): *ropotamus* Dlabola,1970

- 3818** *Oliarus roridus* Fieber, 1876 (Cixiidae) Synonym(s): *roridus* Fieber, 1876; *maculatus* Fieber, 1876
- 3819** *Oligia fasciuncula* (Haworth, 1809) (Noctuidae) Synonym(s): *fasciuncula* Haworth, 1809
- 3820** *Oligia latruncula* ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller], 1775
- 3821** *Oligia strigilis* (Linnaeus, 1758) (Noctuidae) Synonym(s): *strigilis* Linnaeus, 1758; *praeduncula* [Denis & Schiffermüller], 1775.
- 3822** *Oligia versicolor* (Borkhausen, 1792) (Noctuidae) Synonym(s): *versicolor* Borkhausen, 1792; *vojnitsi* Kovacs, 1967; *nerminae* Koçak, 1982.
- 3823** *Olivenebula subsericata* (Herrich-Schäffer, 1861) (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer, 1861; *#elisabethae* De Lattin, 1951; *bobitsi* Beck, 1996.
- 3824** *Omaloplia* (s.str.) *baraudi* (Galante, 1985) (Scarabaeidae) Synonym(s): *baraudi* Galante, 1985
- 3825** *Omaloplia* (s.str.) *caeca* (Baraud, 1965) (Scarabaeidae) Synonym(s): *caeca* Baraud, 1965; *balcanica* Adam, 1994
- 3826** *Omaloplia* (s.str.) *cerrutii* (Sabatinelli, 1977) (Scarabaeidae) Synonym(s): *cerrutii* Sabatinelli, 1977
- 3827** *Omaloplia* (s.str.) *corcyrae* (Baraud, 1965) (Scarabaeidae) Synonym(s): *corcyrae* Baraud, 1965
- 3828** *Omaloplia* (s.str.) *erythroptera* (Frigalsky, 1835) (Scarabaeidae) Synonym(s): *erythroptera* Frivaldsky, 1835; *carbonaria* Blanchard, 1850; *transsylvanica* Bielz, 1850
- 3829** *Omaloplia* (s.str.) *hericus* (Chobaut, 1907) (Scarabaeidae) Synonym(s): *hericus* Chobaut, 1907; *majuscula* Baraud, 1965; *rozneri* Adam, 1994
- 3830** *Omaloplia* (s.str.) *illyrica* (Baraud, 1965) (Scarabaeidae) Synonym(s): *illyrica* Baraud, 1965
- 3831** *Omaloplia* (s.str.) *iris* (Reitter, 1887) (Scarabaeidae) Synonym(s): *iris* Reitter, 1887
- 3832** *Omaloplia* (s.str.) *uricola* (Fabricius, 1775) (Scarabaeidae) Synonym(s): *uricola* Fabricius, 1775; *humeralis* Fabricius, 1775; *marginatus* Fuessly, 1775; *floricola* Laicharting, 1781; *atrata* Geoffroy, 1785; *pruinosa* Küster, 1849; *populi* Gistel, 1857; *intermedia* Abeille, 1895; *fritschi* Reitter, 1905; *arnoldi* Medvedev, 1952; *tergestina* Bauard, 1965; *svanetica* Medvedev & Dzambazishvili, 1973
- 3833** *Omocestus* (s.str.) *rufipes* (Zetterstedt, 1821) (Acrididae) Synonym(s): *rufipes* Zetterstedt, 1821; *ventralis* Zetterstedt, 1821; *cruentata* Brullé, 1832; *geniculata* Brullé, 1832; *miniata* Stephens, 1835; *viridulum* Wesmael, 1838; *zetterstedti* Fieber, 1852
- 3834** *Omphalophana anatolica* (Lederer, 1857) (Noctuidae) Synonym(s): *anatolica* Lederer, 1857
- 3835** *Omphalophana antirrhinii* (Hübner, [1803]) (Noctuidae) Synonym(s): *antirrhinii* Hübner, [1803]
- 3836** *Oncoccephalus acutangulus* Reuter, 1882 (Reduviidae) Synonym(s): *acutangulus* Reuter, 1882; *brevipennis* Reuter, 1882
- 3837** *Oncoccephalus reuteri* Bergroth, 1914 (Reduviidae) Synonym(s): *reuteri* Bergroth, 1914
- 3838** *Oncocera semirubella* (Scopoli, 1763) (Pyralidae) Synonym(s): *semirubella* Scopoli, 1763; *rosella* Goeze, 1783 *nec* Sc., 1763; *purpurella* Thunberg, 1788; *sanguinella* Hübner, 1796; *sanguinea* Haworth, 1811; *nigrella* Caradja, 1916
- 3839** *Oncopsis flavicollis* (Linnaeus, 1761) (Cicadellidae) Synonym(s): *flavicollis* Linnaeus, 1761; *diadema* Fabricius, 1794; *triangularis* Fabricius, 1794; *fruticola* Fallén, 1806; *fuscula* Gravenhorst, 1807; *nigritulus* Zetterstedt, 1828; *obscurus* Zetterstedt, 1828; *pallens* Zetterstedt, 1828; *personatus* Curtis, 1837; *pulchellus* Curtis, 1837; *reticulatus* Curtis, 1837; *frontalis* Curtis, 1837; *capucinus* Zetterstedt, 1840; *dubius* Fieber, 1868; *ochraceus* Rey, 1894; *transitus* Rey, 1894; *hyalina* Wagner, 1944; *luteomarginata* Wagner, 1944
- 3840** *Oncopsis tristis* (Zetterstedt, 1840) (Cicadellidae) Synonym(s): *tristis* Zetterstedt, 1840; *frontalis* Flor, 1861; *rufusculus* Fieber, 1868; *brevicauda* Thomson, 1870
- 3841** *Onesia austriaca Villeneuve, 1920* (Calliphoridae) Synonym(s): *austriaca* Villeneuve, 1920; *macrohallus* Stein, 1924
- 3842** *Onthophagus* (Euonthophagus) *amyntas* (Olivier, 1789) (Scarabaeidae) Synonym(s): *amyntas* Olivier, 1789
- 3843** *Onthophagus* (Euonthophagus) *amyntas alces* (Fabricius, 1792) (Scarabaeidae) Synonym(s): *alces* Fabricius, 1792; *hybneri* Fabricius, 1792
- 3844** *Onthophagus* (Euonthophagus) *atramentarius* (Ménétriés, 1832) (Scarabaeidae) Synonym(s): *atramentarius* Ménétriés, 1832
- 3845** *Onthophagus* (Palaeonthophagus) *angorensis* Petrovitz, 1963 (Scarabaeidae) Synonym(s): *angorensis* Petrovitz, 1963
- 3846** *Onthophagus* (Palaeonthophagus) *kindermanni* Harold, 1877 (Scarabaeidae) Synonym(s): *kindermanni* Harold, 1877
- 3847** *Onthophagus* (Palaeonthophagus) *opacicollis* Reitter, 1893 (Scarabaeidae) Synonym(s): *opacicollis* Reitter, 1893
- 3848** *Onthophagus* (Palaeonthophagus) *ovatus* (Linnaeus, 1762) (Scarabaeidae) Synonym(s): *ovatus* Linnaeus, 1762
- 3849** *Onthophagus* (Palaeonthophagus) *semicornis* (Panzer, 1798) (Scarabaeidae) Synonym(s): *semicornis* Panzer, 1798
- 3850** *Onthophagus* (Palaeonthophagus) *vitulus* (Fabricius, 1776) (Scarabaeidae) Synonym(s): *vitulus* Fabricius, 1776
- 3851** *Ooetonus novickyi* Soyka, 1950 (Mymaridae) Synonym(s): *novickyi* Soyka, 1950; *flaviventris* Donev, 1990
- 3852** *Ooetonus vulgatus* Haliday, 1833 (Mymaridae) Synonym(s): *vulgatus* Haliday, 1833; *americanus* Girault, 1916; *wesmaeli* Debauche, 1948; *acutiventris* Soyka, 1949; *collinus* Soyka, 1949; *stammeri* Soyka, 1949; *viennensis* Soyka, 1949; *niger* Soyka, 1950; *askhamensis* Hincks, 1952
- 3853** *Oodes* (s.str.) *gracilis* A. Villa & G.B. Villa, 1833 (Carabidae) Synonym(s): *gracilis* A. Villa & G.B. Villa, 1833
- 3854** *Oodes* (s.str.) *helopioides* Fabricius, 1792 (Carabidae) Synonym(s): *helopioides* Fabricius, 1792
- 3855** *Opacifrons coxata* (Stenhammar, 1855) (Sphaeroceridae) Synonym(s): *coxata* Stenhammar, 1855
- 3856** *Opacifrons maculifrons* (Becker, 1907) (Sphaeroceridae) Synonym(s): *maculifrons* Becker, 1907
- 3857** *Operophtera brumata* (Linnaeus, 1758) (Geometridae) Synonym(s): *brumata* Linnaeus, 1758; *hyemata* Hufnagel, 1767; *hyemalis* Retzius, 1783; *brumaria* Esper, 1801; *vulgaris* Stephens, 1829; *phryganea* Rambur, 1870; *myricaria* Cooke, 1882
- 3858** *Operophtera fagata* (Scharfenberg, 1805) (Geometridae) Synonym(s): *fagata* Scharfenberg, 1805; *boreata* Hübner, [1813]; *borearia* Boisduval, 1840
- 3859** *Ophion longigena* Thomson, 1888 (Ichneumonidae) Synonym(s): *longigena* Thomson, 1888
- 3860** *Ophion luteus* (Linnaeus, 1758) (Ichneumonidae) Synonym(s): *luteus* Linnaeus, 1758; *fulvus* Retzius, 1783; *distans* Thomson, 1888; *slavicki* Kriechbaumer, 1892; *pictus* Kokujev, 1906; *calcaratus* Morley, 1915
- 3861** *Ophion minutus* Kriechbaumer, 1879 (Ichneumonidae) Synonym(s): *minutus* Kriechbaumer, 1879
- 3862** *Ophion mocsaryi* Brauns, 1889 (Ichneumonidae) Synonym(s): *mocsaryi* Brauns, 1889
- 3863** *Ophion obscuratus* Fabricius, 1798 (Ichneumonidae) Synonym(s): *obscuratus* Fabricius, 1798; *obscurus* Fabricius, 1804
- 3864** *Ophiusa lunaris* (Goeze, 1781) (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller], 1775; *lunaris* Goeze, 1781; *undosa* Goeze, 1781; *ventrilabris* Fabricius, 1787; *tarsiplumalis* Hübner, 1796; *chosensis* Bryk, 1949.
- 3865** *Ophiusa tirhaca* (Cramer, [1777]) (Noctuidae) Synonym(s): *tirhaca* Cramer, [1777]; *#tirrhaca* Fabricius, 1781; *vesta* Esper, 1789; *olivacea* Villers, 1789; *auricularis* Hübner, [1803]; *separans* Walker, 1858; *hottentota* Guenée, 1852; *clementi* Swinhoe, 1918; *#demarginata* Heydemann et al., 1963; *obscura* Pinker & Bacallado, 1978
- 3866** *Ophonus* (Hesperophonus) *cribricollis* (Dejean, 1829) (Carabidae) Synonym(s): *cribricollis* Dejean, 1829

- 3867) *Opigena polygona* (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792.
- 3868) *Opisthograptis luteolata* (Linnaeus,1758)** (Geometridae) Synonym(s): *luteolata* Linnaeus,1758; *crataegata* Linnaeus,1761; *crataegaria* Hübner,[1823]; *#emaculata* Graeser,1892; *impunctata* Osthelder,1931.
- 3869) *Opius (Agnopius) rex* Fischer,1958** (Braconidae) Synonym(s): *rex* Fischer,1958
- 3870) *Oplisa (Anoplisa) oldenbergi* Herting,1961** (Rhizophoridae) Synonym(s): *oldenbergi* Herting,1961
- 3871) *Opostega salaciella* (Treitschke,1833)** (Opostegidae) Synonym(s): *salaciella* Treitschke,1833; *reliquella* Zeller,1848
- 3872) *Opostega spatulella* Herrich-Schäffer,[1855]** (Opostegidae) Synonym(s): *spatulella* Herrich-Schäffer,[1855]; *nepticulella* Bruand,1859; *bimaculatella* Rothschild,1912; *costantiniella* Costantini,1923; *angulata* Gerasimov,1930; *heringiella* Mariani,1937
- 3873) *Opsius euxinus* Dlabola,1965** (Cicadellidae) Synonym(s): *euxinus* Dlabola,1965
- 3874) *Opsius lethierryi* Wagner,1942** (Cicadellidae) Synonym(s): *heydeni* Lethierry,1876 (praeocc.); *lethierryi* Wagner,1942
- 3875) *Orbellia borisregis* Czerny,1930** (Heleomyzidae) Synonym(s): *borisregis* Czerny,1930
- 3876) *Orbona fragariae* (Vieweg,1790)** (Noctuidae) Synonym(s): *#brunnea* [Denis & Schiffermüller],1775; *brunnea* Goeze,1781 nec Hufnagel,1767; *lucifera* Esp.,[1789]; *arvensis* Gmelin,[1790]; *carnea* Thunberg,1792; *fragariae* Borkhausen,1792; *serotina* Ochsenheimer,1816.
- 3877) *Orectis proboscidata* (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *proboscidata* Herrich-Schäffer,[1851]; *barteli* Turati,1907.
- 3878) *Orellia punctata* (Schränk,1781)** (Tephritidae) Synonym(s): *punctata* Schränk,1781; *flavicans* R-D.,1830; *intermedia* Frauenfeld,1857
- 3879) *Orellia stictica* (Gmelin,1790)** (Tephritidae) Synonym(s): *punctata* Schränk,1781 nec Poda,1761; *stictica* Gmelin,1790; *flavicans* R-D.,1830; *intermedia* Frauenfeld,1857
- 3880) *Oreana alpestralis* (Fabricius,1787)** (Pyrilidae) Synonym(s): *alpestralis* Fabricius,1787
- 3881) *Orgyia antiqua* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *antiqua* Linnaeus,1758; *gonostigma* Scopoli,1763; *paradoxa* Retzius,1783; *modesta* Heyne,1899; *manchurica* Matsumura,1931;
- 3882) *Orgyia antiquiodes* (Hübner,1822)** (Lymantriidae) Synonym(s): *antiquiodes* Hübner,1822; *ericae* Germar,1824
- 3883) *Oria muscosa* (Hübner,[1808])** (Noctuidae) Synonym(s): *muscosa* Hübner,[1808]; *laeta* Alpheraky,1889.
- 3884) *Ormyrus diffinis* (Fonscolombe,1832)** (Ormyridae) Synonym(s): *diffinis* Fonscolombe,1832; *punctulatus* Ratzeburg,1848
- 3885) *Ormyrus gratus* (Förster,1860)** (Ormyridae) Synonym(s): *gratus* Förster,1860
- 3886) *Ormyrus nitidulus* (Fabricius,1804)** (Ormyridae) Synonym(s): *nitidulus* Fabricius,1804; *tubulosa* Fonscolombe,1832; *cyanostehtus* Walker,1847; *gallaequercus* Dufour,1864; *chrysidiformis* De Stefani,1868
- 3887) *Ormyrus orientalis* Walker,1871** (Ormyridae) Synonym(s): *orientalis* Walker,1871; *indicus* Ahmad,1946; *hungaricus* Erdős,1946; *peninsularis* Mani & Kaul,1972; *fredricki* Narendran & Samodan,1990
- 3888) *Ormyrus wachtl* Mayr,1904** (Ormyridae) Synonym(s): *wachtl* Mayr,1904
- 3889) *Orthoceratium lacustre* (Scopoli,1763)** (Dolichopodidae) Synonym(s): *lacustre* Scopoli,1763; *virens* Panzer,1798; *formosum* Haliday,1832; *viridipes* Macquart,1834
- 3890) *Orthonoma obstipata* (Fabricius,1794)** (Geometridae) Synonym(s): *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905
- 3891) *Orthonevra elegans* (Meigen,1822)** (Syrphidae) Synonym(s): *elegans* Meigen,1822
- 3892) *Orthonevra frontalis* (Loew,1843)** (Syrphidae) Synonym(s): *frontalis* Loew,1843; *venusta* Rondani,1856
- 3893) *Orthonevra fumipennis* (Loew,1843)** (Syrphidae) Synonym(s): *fumipennis* Loew,1843
- 3894) *Orthonevra longicornis* (Loew,1843)** (Syrphidae) Synonym(s): *longicornis* Loew,1843
- 3895) *Orthonevra nobilis* (Fallén,1817)** (Syrphidae) Synonym(s): *nobilis* Fallén,1817; *nigricollis* Meigen,1822; *byzanthina* Strobl,1902; *anomala* Becker,1921
- 3896) *Orthonevra splendens* (Meigen,1822)** (Syrphidae) Synonym(s): *splendens* Meigen,1822
- 3897) *Orthopygia fulvociliialis* (Duponchel,1834)** (Pyrilidae) Synonym(s): *fulvociliialis* Duponchel,1834
- 3898) *Orthopygia glaucinalis* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *glaucinalis* Linnaeus,1758
- 3899) *Orthopygia rubidalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *rubidalis* [Denis & Schiffermüller],1775
- 3900) *Orthosia (Dioszeghyana) schmidt* (Diószeghy,1935)** (Noctuidae) Synonym(s): *schmidt* Diószeghy,1935
- 3901) *Orthosia (Monima) cerasi* (Fabricius,1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 3902) *Orthosia (Monima) dalmatica* (Wagner,1909)** (Noctuidae) Synonym(s): *dalmatica* Wagner,1909
- 3903) *Orthosia (Monima) opima* (Hübner,[1809])** (Noctuidae) Synonym(s): *opima* Hübner,[1809]
- 3904) *Orthosia (Monima) populeti* (Fabricius,1781)** (Noctuidae) Synonym(s): *populeti* Fabricius,1781; *populi* Ström,1783; *subplumbeus* Haworth,1803; *intermedia* Stephens,1829; *ocularis* Freyer,1833; *tremuleti* Tetens,1876.
- 3905) *Orthosia (Monima) pulverulenta* (Esper,[1786])** (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 3906) *Orthosia (s.str.) incerta* (Hufnagel,1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 nec Hw.,1809; *pallidior* Staudinger,1901 nec Stgr.,1888
- 3907) *Orthosia (Semiophora) gothica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *gothica* Linnaeus,1758; *nunatrum* [Denis & Schiffermüller],1775; *gothicina* Herrich-Schäffer,[1849].
- 3908) *Orthosia gracilis* (Fabricius,1787)** (Noctuidae) Synonym(s): *#gracilis* [Denis & Schiffermüller],1775; *gracilis* Fabricius,1787; *lepida* Brahm,1791; *sparsus* Haworth,1803; *pallidior* Staudinger,1888.
- 3909) *Orthosia rubricosa* (Esper,[1786])** (Noctuidae) Synonym(s): *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper,[1786].
- 3910) *Orthostixis cribraria* (Hübner,[1799])** (Geometridae) Synonym(s): *cribraria* Hübner,[1799].
- 3911) *Orthotaenia undulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *undulana* [Denis & Schiffermüller],1775; *urticana* Hübner,1796; *campestrana* Zeller,1875; *dilutifusca* Walsingham,1879
- 3912) *Orthochile nigrocoerulea* Latreille,1809** (Dolichopodidae) Synonym(s): *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859
- 3913) *Oscinella (Cyclocerculla) nartshukiana* Beschovsky,1978** (Chloropidae) Synonym(s): *nartshukiana* Beschovsky,1978

- 3914) *Oscinella* (s.str.) *frit* (Linnaeus,1758)** (Chloropidae) Synonym(s): *frit* Linnaeus,1758; *nigra* Linnaeus,1764; *fumipennis* Meigen,1830; *brunnitarsis* Macquart,1835; *viridescens* Macquart,1835; *rufitarsis* Meigen,1838; *nigrita* Meigen,1838; *aenea* von Roser,1840; *distincta* von Roser,1840; *nigrimana* von Roser,1840; *granarius* Curtis,1846; *nigripes* Strobl,1894; *plumiset* Duda,1933; *sziladyi* Duda,1933
- 3915) *Oscinella* (s.str.) *pusilla* (Meigen,1830)** (Chloropidae) Synonym(s): *pusilla* Meigen,1830
- 3916) *Oscinella* *nitidissima* (Meigen,1838)** (Chloropidae) Synonym(s): *nitidissima* Meigen,1838; *agrostis* Nartshuk,1955
- 3917) *Oscinimorpha* *albisetosa* (Duda,1932)** (Chloropidae) Synonym(s): *albisetosa* Duda,1932
- 3918) *Oscinimorpha* *arcuata* (Duda,1932)** (Chloropidae) Synonym(s): *arcuata* Duda,1932
- 3919) *Oscinimorpha* *arcuata* (Duda,1932)** (Chloropidae) Synonym(s): *arcuata* Duda,1932
- 3920) *Oscinimorpha* *minutissima* (Strobl,1900)** (Chloropidae) Synonym(s): *minutissima* Strobl,1900
- 3921) *Osmia* (Allosmia) *bischoffi* Atanassov,1938** (Megachilidae) Synonym(s): *bischoffi* Atanassov,1938
- 3922) *Osmia* (Allosmia) *melanura* Morawitz,1871** (Megachilidae) Synonym(s): *melanura* Morawitz,1871
- 3923) *Osmia* (Allosmia) *nuda* Friese,1899** (Megachilidae) Synonym(s): *nuda* Friese,1899
- 3924) *Osmia* (Allosmia) *rufohirta* Latreille,1811** (Megachilidae) Synonym(s): *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896
- 3925) *Osmia* (Erythrosmia) *andrenoides* Spinola,1808** (Megachilidae) Synonym(s): *andrenoides* Spinola,1808
- 3926) *Osmia* (Helicosmia) *caerulescens* (Linnaeus,1758)** (Megachilidae) Synonym(s): *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864
- 3927) *Osmia* (Helicosmia) *clypearis* Morawitz,1871** (Megachilidae) Synonym(s): *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988
- 3928) *Osmia* (Helicosmia) *dimidiata* Morawitz,1870** (Megachilidae) Synonym(s): *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899
- 3929) *Osmia* (Helicosmia) *leaiana* (Kirby,1802)** (Megachilidae) Synonym(s): *hirta* Geoffroy,1785; *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachti* Warncke,1988
- 3930) *Osmia* (Helicosmia) *melanogaster* Spinola,1808** (Megachilidae) Synonym(s): *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895
- 3931) *Osmia* (Helicosmia) *niveata* (Fabricius,1804)** (Megachilidae) Synonym(s): *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Bramson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914
- 3932) *Osmia* (Hoplosmia) *algae* (Tkalcu,1978)** (Megachilidae) Synonym(s): *algae* Tkalcu,1978
- 3933) *Osmia* (Hoplosmia) *bidentata* Morawitz,1876** (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979
- 3934) *Osmia* (Hoplosmia) *croatica* Friese,1893** (Megachilidae) Synonym(s): *croatica* Friese,1893
- 3935) *Osmia* (Hoplosmia) *ligurica* Morawitz,1868** (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879
- 3936) *Osmia* (Hoplosmia) *padri* (Tkalcu,1974)** (Megachilidae) Synonym(s): *padri* Tkalcu,1974
- 3937) *Osmia* (Hoplosmia) *scutellaris* Morawitz,1868** (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868
- 3938) *Osmia* (Hoplosmia) *spinigera* Latreille,1811** (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869
- 3939) *Osmia* (Hoplosmia) *spinulosa* (Kirby,1802)** (Megachilidae) Synonym(s): *spinulosa* Kirby,1802; *euchreiformis* Radoszkowski,1882
- 3940) *Osmia* (Melanosmia) *parietina* Curtis,1828** (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887
- 3941) *Osmia* (Metallinella) *brevicornis* (Fabricius,1798)** (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935
- 3942) *Osmia* (Monosmia) *apicata* Smith,1853** (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroGLOSSa* Gerstaecker,1869
- 3943) *Osmia* (Neosmia) *bicolor* (Schränk,1781)** (Megachilidae) Synonym(s): *bicolor* Schränk,1781; *rustica* Geoffroy,1785; *fusca* Christ,1791; *hirudinaria* Christ,1791; *pyrenaica* Lepeletier,1841; *fusca* Gistel,1857; *rufitarsis* Smith,1879; *monachiensis* Strand,1917
- 3944) *Osmia* (Pyrosmia) *cephalotes* Morawitz,1870** (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876
- 3945) *Osmia* (Pyrosmia) *gallarum* Spinola,1808** (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Ferton,1920
- 3946) *Osmia* (Pyrosmia) *hellados* Zanden,1984** (Megachilidae) Synonym(s): *hellados* Zanden,1984
- 3947) *Osmia* (Pyrosmia) *nana* Morawitz,1874** (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934
- 3948) *Osmia* (Pyrosmia) *versicolor* Latreille,1811** (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephala* Warncke,1992
- 3949) *Osmia* (Pyrosmia) *viridana* Morawitz,1874** (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984
- 3950) *Osmia* (s.str.) *bicornis* (Linnaeus,1758)** (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Ducke,1899
- 3951) *Osmia* (Tergosmia) *tergestensis* Ducke,1897** (Megachilidae) Synonym(s): *tergestensis* Ducke,1897; *ononidis* Ferton,1897; *rondoui* Pérez,1902; *wolhynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979
- 3952) *Osmylus* *fulvicephalus* (Scopoli,1763)** (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763
- 3953) *Ossiannilssonola* *callosa* (Then,1886)** (Cicadellidae) Synonym(s): *callosa* Then,1886; *distincta* Edwards,1914
- 3954) *Ostrinia* *nubilalis* (Hübner,1796)** (Pyralidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis* Hübner,1796.
- 3955) *Ostrinia* *palustralis* (Hübner,1796)** (Pyralidae) Synonym(s): *palustralis* Hübner,1796; *carneola* Esper,1796.
- 3956) *Otites* *bacescui* Gheorghiu,1987** (Ulidiidae) Synonym(s): *bacescui* Gheorghiu,1987
- 3957) *Otites* *formosa* (Panzer,1798)** (Ulidiidae) Synonym(s): *formosa* Panzer,1798; *?porca* Latreille,1804; *elegans* Latreille,1805; *?gangraenosa* Fabricius,1805; *ruficeps* Fabricius,1805; *ornata* Meigen,1826; *genualis* Loew,1868
- 3958) *Otites* *lamed* (Schränk,1781)** (Ulidiidae) Synonym(s): *lamed* Schränk,1781
- 3959) *Otites* *levigata* (Loew,1873)** (Ulidiidae) Synonym(s): *levigata* Loew,1873
- 3960) *Oulobophora* *internata* (Püngeler,1888)** (Geometridae) Synonym(s): *internata* Püngeler,1888; *macedonica* Staudinger,1892
- 3961) *Ourapteryx* *sambucaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *sambucaria* Linnaeus,1758.
- 3962) *Ovaliptila* *buresi* (Maran,1958)** (Gryllidae) Synonym(s): *buresi* Maran,1958
- 3963) *Oxicesta* *geographica* (Fabricius,1787)** (Noctuidae) Synonym(s): *geographica* Fabricius,1787

- 3964) *Oxybia transversella* (Duponchel,1836)** (Pyrilidae) Synonym(s): *transversella* Duponchel,1836; *bituminella* Millièrè,1870; *panorminatella* Caradja,1928.
- 3965) *Oxycarenus* (*Euoxycaenus*) *pallens* (Herrich-Schäffer,1850)** (Lygaeidae) Synonym(s): *pallens* Herrich-Schäffer,1850
- 3966) *Oxycarenus* (s.str.) *hyalinipennis* (A.Costa,1843)** (Lygaeidae) Synonym(s): *hyalinipennis* A.Costa,1843
- 3967) *Oxycarenus* (s.str.) *lavatae* (Fabricius,1787)** (Lygaeidae) Synonym(s): *lavatae* Fabricius,1787
- 3968) *Oxycarenus* (s.str.) *modestus* (Fallén,1829)** (Lygaeidae) Synonym(s): *modestus* Fallén,1829
- 3969) *Oxyia duponcheli* (Brullé,1832)** (Cerambycidae) Synonym(s): *duponcheli* Brullé,1832
- 3970) *Oxyna parietina* (Linnaeus,1758)** (Tephritidae) Synonym(s): *parietina* Linnaeus,1758
- 3971) *Oxyptilus chrysodactylus* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *chrysodactylus* [Denis & Schiffermüller],1775; *hieracii* Zeller,1841; *hieracidactyla* Bruand,1858; *perunovi* Ustjuzhanin,1996.
- 3972) *Oxyptilus ericetorum* (Zeller,1844)** (Pterophoridae) Synonym(s): *ericetorum* Zeller,1844; *ericetidactyla* Bruand,1859.
- 3973) *Oxyptilus parvidactylus* (Haworth,[1811])** (Pterophoridae) Synonym(s): *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemidactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroocanensis* Amsel,1956.
- 3974) *Oxyptilus pilosellae* (Zeller,1841)** (Pterophoridae) Synonym(s): *pilosellae* Zeller,1841; *pilosellidactyla* Bruand,1859; *bohemanii* Wallengren,1862.
- 3975) *Oxythyrea cinctella* (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (praeocc.); *cinctella* Schaum,1841; *natalia* Olsufiev,1917
- 3976) *Oxythyrea funesta* (Poda,1761)** (Scarabaeidae) Synonym(s): *funesta* Poda,1761
- 3977) *Pachybrachis* (s.str.) *fimbriolatus* (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mul santi* Perris,1852
- 3978) *Pachybrachis* (s.str.) *limbatus* (Ménétriés,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétriés,1836; *maculatus* Suffrian,1848; *ater* Weise,1882
- 3979) *Pachybrachis* (s.str.) *scriptidorsum* Marseul,1875** (Chrysomelidae) Synonym(s): *piceus* Suffrian,1848; *scriptidorsum* Marseul,1875; *lugubris* Weise,1882; *thoracicus* Weise,1889; *beckeri* Pic,1910; *chinensis* Weise,1913
- 3980) *Pachybrachis* (s.str.) *sinuatus* Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882
- 3981) *Pachycephus smyrnensis* Stein,1876** (Cephidae) Synonym(s): *smyrnensis* Stein,1876; *aeneovarius* Kohl,1905; *brevis* Ghigi,1915; *sanctus* Pic,1916; *notativentris* Pic,1916
- 3982) *Pachygaster atra* (Panzer,[1798])** (Stratiomyidae) Synonym(s): *atra* Panzer,[1798]; *pachygaster* Fallén,1817
- 3983) *Pachypasa otus* (Drury,[1773])** (Lasiocampidae) Synonym(s): *otus* Drury,[1773]
- 3984) *Pachytrachis gracilis* (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861
- 3985) *Pagiphora annulata* (Brullé,1832)** (Cicadidae) Synonym(s): *annulata* Brullé,1832
- 3986) *Palmitia massilialis* (Duponchel,1832)** (Pyrilidae) Synonym(s): *massilialis* Duponchel,1832; *taurica* Rebel,1910.
- 3987) *Palomena prasina* (Linnaeus,1761)** (Pentatomidae) Synonym(s): *prasina* Linnaeus,1761
- 3988) *Palpares libelluloides* (Linnaeus,1764)** (Myrmeleonidae) Synonym(s): *libelluloides* Linnaeus,1764; *turcica* Petiver & Empson,1767; *nordmanni* Kolenati,1846
- 3989) *Palpita vitrealis* (Rossi,1794)** (Pyrilidae) Synonym(s): *vitrealis* Rossi,1794; *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *suralis* Lederer,1863; *septempunctalis* Mabille,1880
- 3990) *Paluda preyssleri* (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *preyssleri* Herrich-Schäffer,1838
- 3991) *Paluda vitripennis* (Flor,1861)** (Cicadellidae) Synonym(s): *vitripennis* Flor,1861; *andropoginis* Haupt,1924; *graminis* Haupt,1935; *monticola* Ribaut,1939; *parvispinus* Wagner,1947; *hibernica* Le Quesne,1964; *orientalis* Vilbaste,1965; *lalahani* Kalkandelen,1972
- 3992) *Pammene amygdalana* (Duponchel,1842)** (Tortricidae) Synonym(s): *amygdalana* Duponchel,1842
- 3993) *Pammene christophana* (Möschler,1862)** (Tortricidae) Synonym(s): *christophana* Möschler,1862
- 3994) *Pammene fasciana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *fasciana* Linnaeus,1761; *trinotata* Frölich,1828; *juliana* Curtis,1836; *nimbana* Herrich-Schäffer,1851; *herrichiana* Heinemann,1854
- 3995) *Pammene regiana* (Zeller,1849)** (Tortricidae) Synonym(s): *regiana* Zeller,1849
- 3996) *Pancalia leuwenhoekella* (Linnaeus,1761)** (Cosmopterigidae) Synonym(s): *leuwenhoekella* Linnaeus,1761; *schmidtella* Treitschke,1833
- 3997) *Pancalia nodosella* (Bruand,[1850])** (Cosmopterigidae) Synonym(s): *nodosella* Bruand,[1850]; *nodosella* Mann,1854
- 3998) *Pancalia schwarzella* (Fabricius,1798)** (Cosmopterigidae) Synonym(s): *schwarzella* Fabricius,1798; *latreillella* Curtis,1830.
- 3999) *Panchrysia aurea* (Hübner,[1803])** (Noctuidae) Synonym(s): *deaurata* Esper,[1787] nec Goeze,1981; *chryson* Borkhausen,1792 nec Esp.,[1789]; *aurea* Hübner,[1803].
- 4000) *Panchrysia v-argenteum* (Esper,[1798])** (Noctuidae) Synonym(s): *v-argenteum* Esper,[1798]; *mya* Hübner,[1821]
- 4001) *Pandemis cerasana* (Hübner,1786)** (Tortricidae) Synonym(s): *cerasana* Hübner,1786; *ribeana* Hübner,[1799]; *grossulariana* Stephens,1834
- 4002) *Pandemis chondrillana* (Herrich-Schäffer,1860)** (Tortricidae) Synonym(s): *chondrillana* Herrich-Schäffer,1860; *praefloratana* Kennel,1901; *laurana* Kennel,1919; *elsana* Kennel,1919; *eulogiana* Kennel,1919; *#unicolor* Obratzov,1943.
- 4003) *Pandemis cinnamomeana* (Treitschke,1830)** (Tortricidae) Synonym(s): *croceana* Hübner,[1799]; *croceana* Frölich,1828 (praeocc.); *cinnamomeana* Treitschke,1830; *basana* Zerny,1935
- 4004) *Pandemis corylana* (Fabricius,1794)** (Tortricidae) Synonym(s): *avellana* Poda,1761 (praeocc.); *corylana* Fabricius,1794; *textana* Hübner,[1799]
- 4005) *Pandemis dumetana* (Treitschke,1835)** (Tortricidae) Synonym(s): *dumetana* Treitschke,1835; *gravana* Caradja,1932
- 4006) *Pandemis heparana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *heparana* [Denis & Schiffermüller],1775
- 4007) *Panemeria tenebrata* (Scopoli,1763)** (Noctuidae) Synonym(s): *tenebrata* Scopoli,1763
- 4008) *Pangonius* (*Melanopangonius*) *funebis* Macquart,1845** (Tabanidae) Synonym(s): *funebis* Macquart,1845; *aterrimus* Dufour,1853
- 4009) *Pangonius* (*Melanopangonius*) *haustellatus* (Fabricius,1781)** (Tabanidae) Synonym(s): *haustellatus* Fabricius,1781; *mauritanicus* Meigen,1804; *marginata* Fabricius,1805; *cellulatus* Brullé,1832; *tenuipalpis* Kröber,1921; *medioargentatus* Szilady,1923; *basiargentatus* Szilady,1923
- 4010) *Pangonius* (s. str.) *obscuratus* Loew,1859** (Tabanidae) Synonym(s): *obscuratus* Loew,1859
- 4011) *Pangonius* (s.str.) *pyritosus* Loew,1859** (Tabanidae) Synonym(s): *pyritosus* Loew,1859; *decipiens* Kröber,1921; *hirsutipalpis* Kröber,1921

- 4012** *Panolis flammea* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *flammea* [Denis & Schiffermüller],1775
- 4013** *Panorpa communis* Linnaeus,1758 (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845
- 4014** *Panorpa hybrida* McLachlan,1882 (Panorpidae) Synonym(s): *hybrida* McLachlan,1882; *romanica* Bechet,1955
- 4015** *Panstegia aerealis* (Hübner,1793) (Pyrilidae) Synonym(s): *aerealis* Hübner,1793; *unicolor* Rebel,1917.
- 4016** *Panthea coenobita* (Esper,1785) (Noctuidae) Synonym(s): *coenobita* Esper,1785
- 4017** *Papestra biren* (Goeze,1781) (Noctuidae) Synonym(s): *biren* Goeze,1781; *glauca* Kleemann,1792; *lappo* Duponchel,1827; *aperta* Geyer,1832; *quadriposita* Zetterstedt,1839; *poliostigma* Hampson,1894; *tanensis* Fuchs,1899; *paupercula* Püngeler,1902; *frustrata* McDunnough,1946.
- 4018** *Papilio* (s.str.) *machaon* Linnaeus,1758 (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
- 4019** *Paraboarmia viertlii* (Bohatsch,1883) (Geometridae) Synonym(s): *viertlii* Bohatsch,1883
- 4020** *Paracaloptenus caloptenoides* (Brunner von Wattenwyl,1861) (Acrididae) Synonym(s): *caloptenoides* Brunner von Wattenwyl,1861; *brunneri* Stal,1876; *typus* Bolivar,1878
- 4021** *Paracardiophorus musculus* (Erichson,1840) (Elateridae) Synonym(s): *musculus* Erichson,1840
- 4022** *Paraclusia tigrina* (Fallén,1820) (Clusiidae) Synonym(s): *tigrina* Fallén,1820
- 4023** *Paraclytus sexguttatus* (Adams,1817) (Cerambycidae) Synonym(s): *sexguttatus* Adams,1817
- 4024** *Paracolax tritalis* (Fabricius,1794) (Noctuidae) Synonym(s): *tritalis* Fabricius,1794; *derivalis* Hübner,1796.
- 4025** *Paracorsia repandalis* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *repandalis* [Denis & Schiffermüller],1775
- 4026** *Paracorymbia pallens* (Brullé,1832) (Cerambycidae) Synonym(s): *pallens* Brullé,1832
- 4027** *Paracossulus thrips* (Hübner,1818) (Cossidae) Synonym(s): *thrips* Hübner,1818; *fuchsiana* Eversmann,1832; *kindermanni* Freyer,1836.
- 4028** *Paradarisa consonaria* (Hübner,1799) (Geometridae) Synonym(s): *consonaria* Hübner,1799; *tetragonaria* Curtis,1829
- 4029** *Paradiarsia punicea* (Hübner,1803) (Noctuidae) Synonym(s): *punicea* Hübner,1803; *exustiformis* Matsumura,1925
- 4030** *Paradyrmonia vittata* (Staudinger,1892) (Notodontidae) Synonym(s): *vittata* Staudinger,1892
- 4031** *Parafomoria helianthemella* (Herrich-Schäffer,1860) (Nepticulidae) Synonym(s): *helianthemella* Herrich-Schäffer,1860
- 4032** *Paragus* (s.str.) *albifrons* (Fallén,1817) (Syrphidae) Synonym(s): *albifrons* Fallén,1817
- 4033** *Parahypopta caestrum* (Hübner,1808) (Cossidae) Synonym(s): *caestrum* Hübner,1808; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912.
- 4034** *Paralimosina fucata* (Rondani,1880) (Sphaeroceridae) Synonym(s): *fucata* Rondani,1880
- 4035** *Paralimosina macedonica* (Rohacek,1977) (Sphaeroceridae) Synonym(s): *macedonica* Rohacek,1977
- 4036** *Parallelia torrida* (Guenée,1852) (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albiwitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,1987]
- 4037** *Parallelloma albipes* (Fallén,1819) (Scathophagidae) Synonym(s): *albipes* Fallén,1819; *#ochroleuca* Stephens,1829; *filipes* R-D.,1830; *fulva* R-D.,1830; *bilineata* Meigen,1838; *hispanica* Czerny,1909
- 4038** *Paramesia gnomana* (Clerck,1759) (Tortricidae) Synonym(s): *#gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829; *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943.
- 4039** *Paramesus obtusifrons* (Stal,1853) (Cicadellidae) Synonym(s): *nervosa* Fallén,1806 (praeocc.); *obtusifrons* Stal,1853; *verrallii* Scott,1875; *caucasicus* Melichar,1913
- 4040** *Paramyrmosa brunnipes* (Lepeletier,1845) (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858
- 4041** *Paranocaracris bulgaricus* (Ebner & Drenowsky,1930) (Pamphagidae) Synonym(s): *bulgaricus* Ebner & Drenowsky,1930
- 4042** *Paranocarodes chopardi* Peshev,1965 (Pamphagidae) Synonym(s): *chopardi* Peshev,1965
- 4043** *Paranthrene diaphana* Dalla-Torre & Strand,1925 (Sesiidae) Synonym(s): *diaphana* Dalla-Torre & Strand,1925
- 4044** *Paranthrene insolita* Le Cerf,1914 (Sesiidae) Synonym(s): *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917.
- 4045** *Paranthrene tabaniformis* (Rottemburg,1775) (Sesiidae) Synonym(s): *tabaniformis* Rottemburg,1775; *asiliformis* [Denis & Schiffermüller],1775 nec Rott.,1775; *sesia* Gmelin,1789; *rhingiaeformis* Hübner,1790; *crabroniformis* Laspeyres,1801 nec Fabr.,1793; *trincta* Harris,1839; *serratifrons* Freyer,1842; *rhingiiformis* Staudinger,1856; *denotata* Edwards,1882; *flammans* Hampson,1893
- 4046** *Parapholidoptera castaneoviridis* (Brunner von Wattenwyl,1882) (Tettigoniidae) Synonym(s): *castaneoviridis* Brunner von Wattenwyl,1882; *ornata* Nedelkov,1907
- 4047** *Paraplagionotus floralis* (Pallas,1773) (Cerambycidae) Synonym(s): *floralis* Pallas,1773
- 4048** *Paraplatyptilia metzneri* (Zeller,1841) (Pterophoridae) Synonym(s): *metzneri* Zeller,1841; *bolli* Frey,1856; *gaji* Zagulyaev,1983
- 4049** *Parapoynx nivalis* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *nivalis* [Denis & Schiffermüller],1775; *candidata* Fabricius,1787; *nivealis* Hübner,1796
- 4050** *Parapoynx stratiotatum* (Linnaeus,1758) (Pyrilidae) Synonym(s): *stratiotata* Linnaeus,1758; *paludata* Fabricius,1794; *amanica* Osthelder,1935
- 4051** *Pararge aegeria* (Linnaeus,1758) (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 4052** *Parascotia fuliginaria* (Linnaeus,1761) (Noctuidae) Synonym(s): *fuliginaria* Linnaeus,1761; *lunulata* Fabricius,1775; *carbonaria* Denis & Schiffermüller,1775; *lignaria* Fabricius,1794
- 4053** *Parasemia plantaginis* (Linnaeus,1758) (Arctiidae) Synonym(s): *plantaginis* Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775.
- 4054** *Parasemidalis fuscipennis* (Reuter,1894) (Coniopterygidae) Synonym(s): *fuscipennis* Reuter,1894
- 4055** *Parastichtis corticea* (Esper,1800) (Noctuidae) Synonym(s): *#upsilon* [Denis & Schiffermüller],1775; *epsilon* Goeze,1781 nec Hufn.,1766; *corticea* Esper,1800; *fissipuncta* Haworth,1809; *epsilon* Curtis,1828.
- 4056** *Parastichtis suspecta* (Hübner,1817) (Noctuidae) Synonym(s): *suspecta* Hübner,1817]
- 4057** *Paraswammerdamia albicapitella* (Scharfenberg,1805) (Yponomeutidae) Synonym(s): *albicapitella* Scharfenberg,1805; *spiniella* Hübner,1808; *caesiella* Hübner,1813] nec Hbn.,1796
- 4058** *Paraswammerdamia lutarea* (Haworth,1828) (Yponomeutidae) Synonym(s): *lutarea* Haworth,1828]
- 4059** *Paratalanta hyalinalis* (Hübner,1796) (Pyrilidae) Synonym(s): *hyalinalis* Hübner,1796
- 4060** *Paratalanta pandalis* (Hübner,1825) (Pyrilidae) Synonym(s): *pandalis* Hübner,1825]
- 4061** *Parectecephala longicornis* (Fallén,1820) (Chloropidae) Synonym(s): *longicornis* Fallén,1820

- 4062) *Parectropis similaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *similaria* Hufnagel,1767; *corticaria* [Denis & Schiffermüller],1775; *extersaria* Hübner,[1799]; *luridata* Borkhausen,1794
- 4063) *Parexarnis fugax* (Treitschke,1825)** (Noctuidae) Synonym(s): *fugax* Treitschke,1825.
- 4064) *Parnassius (Driopa) mnemosyne* (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758
- 4065) *Parnassius (s.str.) apollo* (Linnaeus,1758)** (Papilionidae) Synonym(s): *apollo* Linnaeus,1758
- 4066) *Parocneria detrita* (Esper,[1785])** (Lymantriidae) Synonym(s): *detrita* Esper,[1785]; *orientalis* Schwingenschuss,1939; *orientis* Daniel,1963
- 4067) *Parocneria ledereri* (Millière,1868)** (Lymantriidae) Synonym(s): *ledereri* Millière,1868
- 4068) *Parocneria terebinthi* (Freyer,[1838])** (Lymantriidae) Synonym(s): *terebinthi* Freyer,[1838]
- 4069) *Parornix anglicella* (Stainton,1850)** (Gracillariidae) Synonym(s): *nebulea* Haworth,1828; *anglicella* Stainton,1850; *fragariae* Stainton,1874; *rubiella* Caradja,1920
- 4070) *Parornix carpinella* (Frey,1863)** (Gracillariidae) Synonym(s): *carpinella* Frey,1863; *eppelsheimi* Fuchs,1901
- 4071) *Parornix devoniella* (Stainton,1850)** (Gracillariidae) Synonym(s): *devoniella* Stainton,1850; *avellanella* Stainton,1854; *avellanaecolella* Doubleday,1859; *cotoneastri* Caradja,1920
- 4072) *Parornix fagivora* (Frey,1861)** (Gracillariidae) Synonym(s): *fagivora* Frey,1861
- 4073) *Parornix petiolella* (Frey,1861)** (Gracillariidae) Synonym(s): *petiolella* Frey,1861
- 4074) *Pasiphila chloerata* (Mabille,1870)** (Geometridae) Synonym(s): *chloerata* Mabille,1870; *consueta* Butler,1879; *horticolaria* Fuchs,1892
- 4075) *Pasiphila rectangulata* (Linnaeus,1758)** (Geometridae) Synonym(s): *rectangulata* Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocericeata* Haworth,1809; *sericeata* Haworth,1809; *subaerata* Hübner,[1817]; *rectangularia* Boisduval,1840
- 4076) *Pasira basiptera* Stal,1859** (Reduviidae) Synonym(s): *basiptera* Stal,1859
- 4077) *Pasira mediterranea* Dispons,1959** (Reduviidae) Synonym(s): *mediterranea* Dispons,1959
- 4078) *Paussus (Cochliopaussus) turcicus* Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835
- 4079) *Pechipogo strigilata* (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809.
- 4080) *Pectinophora gossypiella* (Saunders,1844)** (Gelechiidae) Synonym(s): *gossypiella* Saunders,1844; *umbripennis* Walsingham,1885
- 4081) *Pedestredorcadion axillare* (Küster,1847)** (Cerambycidae) Synonym(s): *axillare* Küster,1847; *ottomanum* Kraatz,1871; *kraatzi* Tournier,1872; *vernanum* Pic,1926
- 4082) *Pedestredorcadion condensatum* (Küster,1852)** (Cerambycidae) Synonym(s): *condensatum* Küster,1852; *punctatissimum* Ganglbauer,1883; *adampolum* Pic,1917
- 4083) *Pedestredorcadion equestre* (Laxman,1770)** (Cerambycidae) Synonym(s): *equestre* Laxman,1770; *crucifer* Lepechin,1774; *cruciata* Fabricius,1787; *pallasi* Fischer von Waldheim,1806; *bisuturale* Jurecek,1933;...
- 4084) *Pedestredorcadion lineatocolle* (Kraatz,1873)** (Cerambycidae) Synonym(s): *lineatocolle* Kraatz,1873; *riveti* Pic,1927; *sinuaticolle* Pic,1927
- 4085) *Pedestredorcadion litigiosum* (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *litigiosum* Ganglbauer,1883; *vernanum* Pic,1926
- 4086) *Pedestredorcadion lugubre* (Kraatz,1873)** (Cerambycidae) Synonym(s): *lugubre* Kraatz,1873
- 4087) *Pedestredorcadion pedestre* (Poda,1761)** (Cerambycidae) Synonym(s): *pedestre* Poda,1761; *suturalis* Voet,1778; *rufipes* Fabricius,1792;...
- 4088) *Pedestredorcadion regulare* (Pic,1931)** (Cerambycidae) Synonym(s): *regulare* Pic,1931
- 4089) *Pedestredorcadion scopoli* (Herbst,1784)** (Cerambycidae) Synonym(s): *scopoli* Herbst,1784; *lineatum* Fabricius,1787; *ungaricus* Gmelin,1790; *vicinum* Pic,1892;...
- 4090) *Pedestredorcadion sturmi* (Frivaldszky,1837)** (Cerambycidae) Synonym(s): *sturmi* Frivaldszky,1837
- 4091) *Pedestredorcadion tauricum* (Waltl,1838)** (Cerambycidae) Synonym(s): *tauricum* Waltl,1838; *nigritarse* Kraatz,1873
- 4092) *Pediasia aridella* (Thunberg,1788)** (Pyralidae) Synonym(s): *aridella* Thunberg,1788; *salinellus* Tutt,1887.
- 4093) *Pediasia contaminella* (Hübner,1796)** (Pyralidae) Synonym(s): *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886.
- 4094) *Pediasia fascelinella* (Hübner,[1813])** (Pyralidae) Synonym(s): *fascelinella* Hübner,[1813]; *treitschkeella* Sodoffsky,1830
- 4095) *Pediasia jucundella* (Herrich-Schäffer,[1847])** (Pyralidae) Synonym(s): *jucundellus* Herrich-Schäffer,[1847]; *festivellus* Herrich-Schäffer,[1847]; *saisanella* Bleszynski,1954; *adamczewskii* Bleszynski,1954; *sareptella* Bleszynski,1954.
- 4096) *Pediasia luteella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *luteella* [Denis & Schiffermüller],1775; *exoletella* [Denis & Schiffermüller],1775; *exoletella* Hübner,1796; *ochrella* Hübner,1796; *kindermannii* Zeller,1863; *uhryki* Rothschild,1911.
- 4097) *Pediasia matricella* (Treitschke,1832)** (Pyralidae) Synonym(s): *matricella* Treitschke,1832; *obscura* Caradja,1931
- 4098) *Pedicia (Amalopsis) occulta* (Meigen,1830)** (Pediidae) Synonym(s): *occulta* Meigen,1830
- 4099) *Pedicia (Crunobia) littoralis* (Meigen,1804)** (Pediidae) Synonym(s): *littoralis* Meigen,1804
- 4100) *Pedicia (Crunobia) spinifera* Stary,1974** (Pediidae) Synonym(s): *spinifera* Stary,1974
- 4101) *Pediobius metallicus* (Nees ab Esenbeck,1834)** (Eulophidae) Synonym(s): *metallicus* Nees ab Esenbeck,1834; *acantha* Walker,1839; *caenus* Walker,1839
- 4102) *Pegomya bicolor* (Wiedemann,1817)** (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* R-D.,1851; *rumicis* Hardy,1854; *jynx* Ségué,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941
- 4103) *Pegomya testacea* (De Geer,1776)** (Anthomyiidae) Synonym(s): *testacea* De Geer,1776
- 4104) *Peirates hybridus* (Scopoli,1763)** (Reduviidae) Synonym(s): *hybridus* Scopoli,1763
- 4105) *Peleteria rubescens* R-D.,1830** (Tachinidae) Synonym(s): *rubescens* R-D.,1830; *nigricornis* Meigen,1838; *pulverulanata* R-D.,1863
- 4106) *Pelina nitens* Loew,1873** (Ephydriidae) Synonym(s): *nitens* Loew,1873
- 4107) *Pellonia vibicaria* (Linnaeus,1761)** (Geometridae) Synonym(s): *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789.
- 4108) *Pelochrista agrestana* (Treitschke,1830)** (Tortricidae) Synonym(s): *agrestana* Treitschke,1830; *fultana* Zeller,1847
- 4109) *Pelochrista caecimaculana* (Hübner,[1799])** (Tortricidae) Synonym(s): *caecimaculana* Hübner,[1799]; *kollariana* Herrich-Schäffer,[1851]
- 4110) *Pelochrista decolorana* (Freyer,1842)** (Tortricidae) Synonym(s): *decolorana* Freyer,1842
- 4111) *Pelochrista fuscilana* (Zeller,1847)** (Tortricidae) Synonym(s): *fuscilana* Zeller,1847; *crustulana* Lederer,1859; *obstinatana* Kennel,1901
- 4112) *Pelochrista infidana* (Hübner,[1824])** (Tortricidae) Synonym(s): *infidana* Hübner,[1824]; *bulgarica* Soffner,1967

- 4113) *Pelochrista medullana* (Staudinger,1880) (Tortricidae) Synonym(s): *medullana* Staudinger,1880
 4114) *Pelochrista modicana* (Zeller,1847) (Tortricidae) Synonym(s): *modicana* Zeller,1847; *definitana* Kennel,1901; *hinnebergiana* Fuchs,1902; *modestana* Herrich-Schäffer,1851]
 4115) *Pelochrista mollitana* (Zeller,1847) (Tortricidae) Synonym(s): *mollitana* Zeller,1847; *trisignana* Nolcken,1870; *commodestana* Rössler,1877; *modestana* Seebold,1879 nec H.-S.,[1851]
 4116) *Peloropecodes meridionalis* (Parent,1928) (Dolichopodidae) Synonym(s): *meridionalis* Parent,1928
 4117) *Peloropecodes meridionalis* (Parent,1928) (Dolichopodidae) Synonym(s): *meridionalis* Parent,1928
 4118) *Pelosia muscerda* (Hufnagel,1766) (Arctiidae) Synonym(s): *muscerda* Hufnagel,1766
 4119) *Pelosia obtusa* Herrich-Schäffer,1847] (Arctiidae) Synonym(s): *obtusa* Herrich-Schäffer,1847]; *taurica* Daniel,1939.
 4120) *Pelurga comitata* (Linnaeus,1758) (Geometridae) Synonym(s): *comitata* Linnaeus,1758
 4121) *Pempelia alpigenella* (Duponchel,1836) (Pyrilidae) Synonym(s): *alpigenella* Duponchel,1836; *wagnerella* Freyer,1845
 4122) *Pempelia formosa* (Haworth,1811) (Pyrilidae) Synonym(s): *formosa* Haworth,1811]; *perfluella* Zincken,1818; *dibaphiella* Geyer,1836]; *dubiella* Duponchel,1836; *formosella* Doubleday,1859.
 4123) *Pempelia obductella* Zeller,1839 (Pyrilidae) Synonym(s): *obductella* Zeller,1839
 4124) *Pempelia palumbella* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *palumbella* [Denis & Schiffermüller],1775
 4125) *Pempeliella alibotuschella* (Drenowski,1932) (Pyrilidae) Synonym(s): *alibotuschella* Drenowski,1932
 4126) *Pempeliella dilutella* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *dilutella* [Denis & Schiffermüller],1775; *magna* Amsel,1953
 4127) *Pempeliella ornatella* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *ornatella* [Denis & Schiffermüller],1775; *criptella* Hübner,1796; *criptea* Haworth,1811; *ornatalis* Hübner,1825]; *fraternella* Ragonot,1887; *gigantella* Amsel,1932; *aixella* Lucas,1938; *elbursella* Amsel,1954
 4128) *Pempeliella sororiella* (Zeller,1839) (Pyrilidae) Synonym(s): *sororiella* Zeller,1839
 4129) *Penicillidia conspicua* Speiser,1901 (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901
 4130) *Penicillidia dufourii* (Westwood,1835) (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835
 4131) *Pennisetia hylaeiformis* (Laspeyres,1801) (Sesiidae) Synonym(s): *hylaeiformis* Laspeyres,1801; *anomala* Dehne,1850.
 4132) *Pentastira megista* Emeljanov,1978 (Cixiidae) Synonym(s): *megista* Emeljanov,1978
 4133) *Pentastira rorida* (Fieber,1876) (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus* Fieber,1876
 4134) *Penthimia nigra* (Goeze,1778) (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicolis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952
 4135) *Penthophera morio* (Linnaeus,1767) (Lymantriidae) Synonym(s): *morio* Linnaeus,1767
 4136) *Perconia strigillaria* (Hübner,1787) (Geometridae) Synonym(s): *strigillaria* Hübner,1787; *respersaria* Hübner,1799]; *inaequaria* Haworth,1809; *herpetocaria* Rambur,1866; *grisearia* Lempke,1952; *fuscocsignaria* Lempke,1953
 4137) *Peribatodes correptarius* (Zeller,1847) (Geometridae) Synonym(s): *correptaria* Zeller,1847.
 4138) *Peribatodes rhomboidarius* [Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemma* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943
 4139) *Peribatodes secundarius* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *#secundaria* [Denis & Schiffermüller],1775; *fallentaria* Staudinger,1879; *druentaria* Cleu,1928; *syrisca* Wehrli,1933; *francosuevica* Schneider,1942; *rometschi* Schneider,1942; *occidentaria* Lempke,1953
 4140) *Peribatodes umbrarius* (Hübner,1809) (Geometridae) Synonym(s): *umbraria* Hübner,1809]; *vaucheri* Thierry-Mieg,1916
 4141) *Periclepsis cinctana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *cinctana* [Denis & Schiffermüller],1775; *ceretana* Fabricius,1787; *albidana* Hübner,1799]
 4142) *Peridea anceps* (Goeze,1781) (Notodontidae) Synonym(s): *anceps* Goeze,1781; *trepida* Esper,1786; *serrata* Thunberg,1792; *tremula* Hübner,1800]; *baetica* Zerny,1927; *agenjoi* Schawerda,1938; *mesatlantica* Rungs,1940; *albertiana* Witt,1974.
 4143) *Peridea korbi* (Rebel,1918) (Notodontidae) Synonym(s): *korbi* Rebel,1918
 4144) *Peridroma saucia* (Hübner,1808) (Noctuidae) Synonym(s): *saucia* Hübner,1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,1857]; *impacta* Walker,1857]; *intecta* Walker,1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
 4145) *Perigrapha (Anorthoa) munda* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#munda* [Denis & Schiffermüller],1775
 4146) *Perigrapha (Opacographa (Turcographa)) rorida* (Frivaldsky,1835) (Noctuidae) Synonym(s): *rorida* Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990
 4147) *Perigrapha (s.str.) i-cinctum* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966.
 4148) *Perileptus areolatus* (Creutzer,1799) (Carabidae) Synonym(s): *areolatus* Creutzer,1799
 4149) *Periphanes delphinii* (Linnaeus,1758) (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
 4150) *Periphanes victorina* (Sodoffsky,1849) (Noctuidae) Synonym(s): *victorina* Sodoffsky,1849
 4151) *Periscelis annulata* (Fallén,1813) (Periscelididae) Synonym(s): *annulata* Fallén,1813
 4152) *Perittia farinella* (Thunberg,1794) (Elachistidae) Synonym(s): *farinella* Thunberg,1794; *subargentella* Dattin,1932
 4153) *Perizoma affinitata* (Stephens,1831) (Geometridae) Synonym(s): *affinitata* Stephens,1831
 4154) *Perizoma albulata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *albulata* [Denis & Schiffermüller],1775; *dissoluta* Strand,1902
 4155) *Perizoma alchemillata* (Linnaeus,1758) (Geometridae) Synonym(s): *alchemillata* Linnaeus,1758; *rivulata* [Denis & Schiffermüller],1775; *nassata* Fabricius,1794; *alchemillaria* Borkhausen,1794; *aparinata* Hübner,1825]; *silenata* Stephens,1850; *fennica* Reuter,1893
 4156) *Perizoma bifaciata* (Haworth,1809) (Geometridae) Synonym(s): *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *aquilaria* Herrich-Schäffer,1848; *linulata* Guenée,1858]; *odontata* Millière,1870; *#bifasciata* Rebel,1939
 4157) *Perizoma blandiata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *blandiata* [Denis & Schiffermüller],1775; *adaequata* Borkhausen,1794; *derasata* Schrank,1802; *trigonata* Haworth,1809; *dilacerata* Zetterstedt,1839; *blandiaria* Boisduval,1840; *jucundaria* Boisduval,1840; *albidata* Eversmann,1842.

- 4158) Perizoma didymata (Linnaeus,1758)** (Geometridae) Synonym(s): *didymata* Linnaeus,1758; *inundaria* [Denis & Schiffermüller],1775; *scabrata* Hübner,[1799]; *alpestrata* Hübner,[1809]; *scabraria* Hübner,[1825]; *attenuata* Culot,1919; *pyraenaeta* Bubacek,1926; *trifasciata* Warnecke,1936; *koehni* Warnecke,1936; *gedrensis* Prout,1937
- 4159) Perizoma flavofasciata (Thunberg,1792)** (Geometridae) Synonym(s): *flavofasciata* Thunberg,1792; *decolorata* Thunberg,[1799] nec Villier,1789.
- 4160) Perizoma hydrata (Treitschke,1829)** (Geometridae) Synonym(s): *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852
- 4161) Perizoma lugdunaria (Herrich-Schäffer,1855)** (Geometridae) Synonym(s): *lugdunaria* Herrich-Schäffer,1855
- 4162) Perizoma minorata (Treitschke,1828)** (Geometridae) Synonym(s): *minorata* Treitschke,1828
- 4163) Perizoma obsoletata (Herrich-Schäffer,1838)** (Geometridae) Synonym(s): *obsoletata* Herrich-Schäffer,1838; *alpicolaria* Herrich-Schäffer,1848; *gentianata* Millièr,1873; *juracolaria* Wehrli,1939
- 4164) Perizoma parallelolineata (Retzius,1783)** (Geometridae) Synonym(s): *parallelolineata* Retzius,1783; *pralellaria* Villers,1789; *subduplicaria* Costa,[1849]
- 4165) Perizoma verberata (Scopoli,1763)** (Geometridae) Synonym(s): *verberata* Scopoli,1763; *rupestrata* [Denis & Schiffermüller],1775; *bassaria* Feisthamel,1835; *vogesaria* Peyerimhoff,1880; *pawlitscheki* Hormuzaki,1899
- 4166) Perla illiesi Braasch & Joost,1971** (Perlidae) Synonym(s): *illiesi* Braasch & Joost,1971
- 4167) Perlamantispa perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla* Pallas,1772; *christiana* Charpentier,1825; *victorii* Guérin-Méneville,1845
- 4168) Petrophora chlorosata (Scopoli,1763)** (Geometridae) Synonym(s): *chlorosata* Scopoli,1763; *innata* Fabricius,1794; *virgaria* Borkhausen,1794; *petraria* Hübner,[1799]; *petrata* Haworth,1809.
- 4169) Petrorossia chraminensis Zaitzev,1962** (Bombyliidae) Synonym(s): *chraminensis* Zaitzev,1962
- 4170) Petrorossia hespera (Rossi,1790)** (Bombyliidae) Synonym(s): *hesperus* Rossi,1790; *albipectus* Walker,1849
- 4171) Petrorossia letho (Wiedemann,1828)** (Bombyliidae) Synonym(s): *letho* Wiedemann,1828; *longitarsis* Becker,1902
- 4172) Pexicopia malvella (Hübner,[1805])** (Gelechiidae) Synonym(s): *umbrella* auct.; *malvella* Hübner,[1805]; *lutarea* Haworth,1828
- 4173) Phaeton armoraciae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *armoraciae* Linnaeus,1758
- 4174) Phaeton cochleariae (Fabricius,1792)** (Chrysomelidae) Synonym(s): *cochleariae* Fabricius,1792
- 4175) Phaeton laevigatus (Duftschmid,1825)** (Chrysomelidae) Synonym(s): *laevigatus* Duftschmid,1825
- 4176) Phaeogenes corcirensis Berthoumieu,1901** (Ichneumonidae) Synonym(s): *corcirensis* Berthoumieu,1901
- 4177) Phaiogramma etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903.
- 4178) Phalera bucephala (Linnaeus,1758)** (Notodontidae) Synonym(s): *bucephala* Linnaeus,1758; *lunula* Retzius,1783 nec Hufn.,1766 non Strm,1768.
- 4179) Phalera bucephaloides (Ochsenheimer,1810)** (Notodontidae) Synonym(s): *bucephaloides* Ochsenheimer,1810
- 4180) Phalonidia affinitana (Douglas,1846)** (Tortricidae) Synonym(s): *affinitana* Douglas,1846; *cancellana* Zeller,1847; *inulana* Constant,1884; *littorana* Galvagni,1906.
- 4181) Phalonidia contractana (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 4182) Phalonidia gilvicomana (Zeller,1847)** (Tortricidae) Synonym(s): *gilvicomana* Zeller,1847; *flaviscapulana* Herrich-Schäffer,1851; *gratiosana* Laharpe,1858.
- 4183) Phalonidia manniana (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *manniana* Fischer v. Röslerstamm,1839; *notulana* Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960.
- 4184) Phaneta pauperana (Duponchel,1843)** (Tortricidae) Synonym(s): *pauperana* Duponchel,1843
- 4185) Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838
- 4186) Phaonia regalis (Stein,1900)** (Muscidae) Synonym(s): *regalis* Stein,1900
- 4187) Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780; *variegata* Meigen,1826
- 4188) Pharmacis fusconebulosa (De Geer,1778)** (Hepialidae) Synonym(s): *fusconebulosa* De Geer,1778; *mappa* Donovan,1801
- 4189) Phasia (Hyalomya) pandellei (Dupuis,1957)** (Tachinidae) Synonym(s): *pandellei* Dupuis,1957
- 4190) Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla* Meigen,1824
- 4191) Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera* Egger,1860
- 4192) Phasia (s.str.) auralans Meigen,1824** (Tachinidae) Synonym(s): *aurulans* Meigen,1824
- 4193) Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera* Fabricius,1794
- 4194) Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798
- 4195) Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata* Linnaeus,1767
- 4196) Phengaris arion (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *telegones* Bergsträßer,1779; *mamers* Bergsträßer,1779; *arctophoni* Bergsträßer,1779; *arcina* Fruhstorfer,1910; *eutyphron* Fruhstorfer,1915; *microchroa* Verity,1948; *gelriae* Lempke,1956
- 4197) Phengaris rebeli (Hirschke,1904)** (Lycaenidae) Synonym(s): *rebeli* Hirschke,1904; *coerulea* Vorbrodt,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949.
- 4198) Pheosia gnoma (Fabricius,1777)** (Notodontidae) Synonym(s): *gnoma* Fabricius,1777; *dictaeoides* Esper,[1789]
- 4199) Pheosia tremula (Linnaeus,1761)** (Notodontidae) Synonym(s): *#tremula* Clerck,1759; *tremula* Linnaeus,1761; *dictaea* Linnaeus,1767; *turcica* De Freina,1979; *#turica* Schintlmeister,1989
- 4200) Phorbella dorsata (Zetterstedt,1846)** (Sciomyzidae) Synonym(s): *dorsata* Zetterstedt,1846
- 4201) Phorbella ventralis (Fallén,1820)** (Sciomyzidae) Synonym(s): *ventralis* Fallén,1820
- 4202) Phibalapteryx virgata (Hufnagel,1767)** (Geometridae) Synonym(s): *virgata* Hufnagel,1767; *lineolata* [Denis & Schiffermüller],1775; *obliquata* Thunberg,1784; *lineolaria* Boisduval,1840
- 4203) Phigalia pendaria (Fabricius,1787)** (Geometridae) Synonym(s): *#pilosaria* [Denis & Schiffermüller],1775; *pendaria* Fabricius,1787; *hyemaria* Borkhausen,1794; *extinctaria* Standfuss,1847.
- 4204) Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758
- 4205) Philanthus triangulum (Fabricius,1775)** (Crabronidae) Synonym(s): *ruspatrix* Linnaeus,1767; *triangulum* Fabricius,1775; *abdelcader* Lepeletier,1845
- 4206) Philedone gerningana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *gerningana* [Denis & Schiffermüller],1775; *pectinana* Hübner,[1799].
- 4207) Philedonides lunana (Thunberg,1784)** (Tortricidae) Synonym(s): *lunana* Thunberg,1784; *prodromana* Hübner,[1816]; *walkerana* Curtis,1828; *rungs* Lucas,1954
- 4208) Philere me transversata (Hufnagel,1767)** (Geometridae) Synonym(s): *transversata* Hufnagel,1767; *rhannata* [Denis & Schiffermüller],1775.

- 4209) Philereime vetulata** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *undulataria* Hufnagel,1767; *vetulata* [Denis & Schiffermüller],1775; *affectata* Eversmann,1842; *subductata* Walker,1862
- 4210) Philipomyia graeca** (Fabricius,1794) (Tabanidae) Synonym(s): *graeca* Fabricius,1794; *ferruginea* Meigen,1804; *fulvicornis* Meigen,1820; *segmentaria* Brullé,1832; *infusa* Walker,1850; *propinqua* Palm,1876
- 4211) Philopotamus achemenus** Schmid,1959 (Philopotamidae) Synonym(s): *achemenus* Schmid,1959
- 4212) Philopotamus montanus** (Donovan,1813) (Philopotamidae) Synonym(s): *montanus* Donovan,1813; *scopulorum* Stephens,1836; *charpentieri* Zetterstedt,1840; *tigrinus* Brauer,1857
- 4213) Philopotamus variegatus** (Scopoli,1763) (Philopotamidae) Synonym(s): *variegatus* Scopoli,1763; *pedemontanus* Navas,1934
- 4214) Phlebotomus (Adlerius) simici** Nitzulescu,1931 (Psychodidae) Synonym(s): *simici* Nitzulescu,1931
- 4215) Phlebotomus (s.str.) papatasi** (Scopoli,1786) (Psychodidae) Synonym(s): *papatasi* Scopoli,1786; *molesta* Costa,1840; *breviventris* Ristorcelli,1943
- 4216) Phlepsius intricatus** (Herrich-Schäffer,1838) (Cicadellidae) Synonym(s): *intricatus* Herrich-Schäffer,1838; *octopunctatus* Burmeister,1838
- 4217) Phlogophora meticulosa** (Linnaeus,1758) (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993
- 4218) Phlogophora scita** (Hübner,1790) (Noctuidae) Synonym(s): *scita* Hübner,1790
- 4219) Pholidoptera griseoptera** (De Geer,1773) (Tettigoniidae) Synonym(s): *griseoptera* De Geer,1773; *cinereus* Gmelin,1789; *aptera* Charpentier,1825
- 4220) Photedes captiuncula** (Treitschke,1825) (Noctuidae) Synonym(s): *captiuncula* Treitschke,1825; *unica* Freyer,1858; *tincta* Kane,1895; *delattini* Varga,1970 *nec* Wiltshire,1953; *kasyi* Varga,1970.
- 4221) Photedes extrema** (Hübner,[1809]) (Noctuidae) Synonym(s): *extrema* Hübner,[1809]; *concolor* Guenée,1852; *calamoxantha* Varga,1982.
- 4222) Photedes fluxa** (Hübner,[1809]) (Noctuidae) Synonym(s): *fluxa* Hübner,[1809]
- 4223) Photedes minima** (Haworth,1809) (Noctuidae) Synonym(s): *minima* Haworth,1809; *arcuosa* Haworth,1809.
- 4224) Phragmataecia castaneae** (Hübner,1790) (Cossidae) Synonym(s): *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891
- 4225) Phragmatobia fuliginosa** (Linnaeus,1758) (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934
- 4226) Phragmatobia placida** (Frivaldsky,1835) (Arctiidae) Synonym(s): *placida* Frivaldsky,1835
- 4227) Phratora vitellinae** (Linnaeus,1758) (Chrysomelidae) Synonym(s): *vitellinae* Linnaeus,1758
- 4228) Phratora vulgatissima** (Linnaeus,1758) (Chrysomelidae) Synonym(s): *vulgatissima* Linnaeus,1758
- 4229) Phryxe magnicornis** (Zetterstedt,1838) (Tachinidae) Synonym(s): *magnicornis* Zetterstedt,1838
- 4230) Phryxe nemea** (Meigen,1824) (Tachinidae) Synonym(s): *nemea* Meigen,1824
- 4231) Phryxe vulgaris** (Fallén,1810) (Tachinidae) Synonym(s): *vulgaris* Fallén,1810
- 4232) Phtheochroa drenowskyi** (Rebel,1916) (Tortricidae) Synonym(s): *drenowskyi* Rebel,1916
- 4233) Phtheochroa inopiana** (Haworth,1811) (Tortricidae) Synonym(s): *inopiana* Haworth,1811; *centrana* Herrich-Schäffer,1851; *obscurana* Kennel,1913; *pallidana* Caradja,1916.
- 4234) Phtheochroa procerana** (Lederer,1853) (Tortricidae) Synonym(s): *procerana* Lederer,1853
- 4235) Phtheochroa pulvillana** (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *pulvillana* Herrich-Schäffer,1851
- 4236) Phthiria gaedii** Wiedemann,1820 (Bombyliidae) Synonym(s): *gaedii* Wiedemann,1820; *maculata* Wiedemann,1820; *punctata* Meigen,1835; *zimmermanni* Nowicki,1868; *gaedei* Engel,1933
- 4237) Phthorimaea operculella** (Zeller,1873) (Gelechiidae) Synonym(s): *terrella* Walker,1864; *operculella* Zeller,1873; *piscipellis* Zeller,1873; *solanella* Boisduval,1874; *tabacella* Ragonot,1879; *sedata* Butler,1880; *#terella* Pinhey,1975
- 4238) Phycita coronatella** (Guenée,1845) (Pyralidae) Synonym(s): *coronatella* Guenée,1845
- 4239) Phycita meliella** (Mann,1864) (Pyralidae) Synonym(s): *meliella* Mann,1864
- 4240) Phycita metzneri** (Zeller,1846) (Pyralidae) Synonym(s): *metzneri* Zeller,1846
- 4241) Phycita potiella** (Zeller,1846) (Pyralidae) Synonym(s): *potiella* Zeller,1846
- 4242) Phycita roborella** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *#roborella* [Denis & Schiffermüller],1775; *spissicella* Fabricius,1777; *spissicornis* Fabricius,1798; *roboralis* Hübner,[1825].
- 4243) Phycitodes albatella** (Ragonot,1887) (Pyralidae) Synonym(s): *albatella* Ragonot,1887
- 4244) Phycitodes binaevella** (Hübner,[1813]) (Pyralidae) Synonym(s): *binaevella* Hübner,[1813].
- 4245) Phycitodes carlinella** (Heinemann,1865) (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *canisella* Ragonot,1901
- 4246) Phycitodes inquinatella** (Ragonot,1887) (Pyralidae) Synonym(s): *inquinatella* Ragonot,1887
- 4247) Phycitodes lacteella** (Rothschild,1915) (Pyralidae) Synonym(s): *lacteella* Rothschild,1915; *viettella* Roesler,1965.
- 4248) Phycitodes saxicola** (Vaughan,1870) (Pyralidae) Synonym(s): *saxicola* Vaughan,1870
- 4249) Phyladelphus thalhammeri** Becker,1910 (Chloropidae) Synonym(s): *thalhammeri* Becker,1910; *graecus* Duda,1933
- 4250) Phylapora canescens** (Duponchel,1826) (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933.
- 4251) Phyllocnistis valentinensis** (M.Hering,1936) (Gracillariidae) Synonym(s): *valentinensis* M.Hering,1936
- 4252) Phylloidesma (s.str.) ilicifolium** (Linnaeus,1758) (Lasiocampidae) Synonym(s): *ilicifolia* Linnaeus,1758; *betulifolia* Esper,1782; *foliumsicum* Retzius,1783
- 4253) Phylloidesma (s.str.) tremulifolium** (Hübner,[1810]) (Lasiocampidae) Synonym(s): *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *danieli* De Lajonquière,1963; *#tremulifolium* De Freina,1999
- 4254) Phyllonorycter abrasella** (Duponchel,1843) (Gracillariidae) Synonym(s): *abrasella* Duponchel,1843; *abrasella* Zeller,1846
- 4255) Phyllonorycter acaciella** (Duponchel,1843) (Gracillariidae) Synonym(s): *acaciella* Duponchel,1843; *bentivoliella* Costantini,1923
- 4256) Phyllonorycter acerifoliella** (Zeller,1839) (Gracillariidae) Synonym(s): *sylvella* Haworth,[1828] *nec* Hübner,[1813]; *acerifoliella* Zeller,1839; *acermella* Duponchel,[1843].
- 4257) Phyllonorycter agilella** (Zeller,1846) (Gracillariidae) Synonym(s): *agilella* Zeller,1846
- 4258) Phyllonorycter blancardella** (Fabricius,1781) (Gracillariidae) Synonym(s): *blancardella* Fabricius,1781; *pyrariella* Tutt,1898; *concomitella* Banks,1899
- 4259) Phyllonorycter cerasinella** (Reutti,1853) (Gracillariidae) Synonym(s): *cerasinella* Reutti,1853; *quinenotella* Herrich-Schäffer,1855
- 4260) Phyllonorycter comparella** (Duponchel,1843) (Gracillariidae) Synonym(s): *comparella* Duponchel,1843; *cerrutiella* Hartig,1952
- 4261) Phyllonorycter coryli** (Nicelli,1851) (Gracillariidae) Synonym(s): *coryli* Nicelli,1851; *corylella* Herrich-Schäffer,1855

- 4262) Phyllonorycter corylifoliella (Hübner,1796)** (Gracillariidae) Synonym(s): *corylifoliella* Hübner,1796; *betulae* Zeller,1839; *betulifoliella* Duponchel,1845; *caledoniella* Stainton,1851; *betulella* Herrich-Schäffer,1855
- 4263) Phyllonorycter cydoniella [Denis & Schiffermüller,1775]** (Gracillariidae) Synonym(s): *#cydoniella* [Denis & Schiffermüller],1775; *gregori* Povolny,1949
- 4264) Phyllonorycter delitella (Duponchel,1844)** (Gracillariidae) Synonym(s): *delitella* Duponchel,1844
- 4265) Phyllonorycter dubitella (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *dubitella* Herrich-Schäffer,1855; *spinicolella* Herrich-Schäffer,1855
- 4266) Phyllonorycter emberizaepennella (Bouché,1834)** (Gracillariidae) Synonym(s): *emberizaepennella* Bouché,1834; *pezzolella* Herrich-Schäffer,1855
- 4267) Phyllonorycter esperella (Goeze,1783)** (Gracillariidae) Synonym(s): *esperella* Goeze,1783; *quinnata* Fourcroy,1785; *quinnatella* Villers,1789; *caprinicolella* Stainton,1851
- 4268) Phyllonorycter froelichiella (Zeller,1839)** (Gracillariidae) Synonym(s): *froelichiella* Zeller,1839
- 4269) Phyllonorycter geniculella (Ragonot,1874)** (Gracillariidae) Synonym(s): *geniculella* Ragonot,1874; *dahmiella* Sorhagen,1900
- 4270) Phyllonorycter gerasimovi (M.Hering,1930)** (Gracillariidae) Synonym(s): *gerasimovi* M.Hering,1930
- 4271) Phyllonorycter harrisella (Linnaeus,1761)** (Gracillariidae) Synonym(s): *harrisella* Linnaeus,1761; *cramerella* Fabricius,1777; *tenella* Duponchel,1843
- 4272) Phyllonorycter heegeriella (Zeller,1846)** (Gracillariidae) Synonym(s): *heegeriella* Zeller,1846
- 4273) Phyllonorycter insignitella (Zeller,1846)** (Gracillariidae) Synonym(s): *insignitella* Zeller,1846; *bueringerella* Heydenreich,1851
- 4274) Phyllonorycter junoniella (Zeller,1846)** (Gracillariidae) Synonym(s): *junoniella* Zeller,1846; *vacciniella* Stainton,1855
- 4275) Phyllonorycter kleemannella (Fabricius,1781)** (Gracillariidae) Synonym(s): *kleemannella* Fabricius,1781
- 4276) Phyllonorycter kuhlweiniella (Zeller,1839)** (Gracillariidae) Synonym(s): *hortella* Fabricius,1794 *nec* Fabr.,1794; *kuhlweiniella* Zeller,1839; *saportella* Duponchel,1840
- 4277) Phyllonorycter lautella (Zeller,1846)** (Gracillariidae) Synonym(s): *lautella* Zeller,1846; *irradiella* Stainton,1854
- 4278) Phyllonorycter maestingella (Müller,1764)** (Gracillariidae) Synonym(s): *maestingella* Müller,1764; *faginella* Zeller,1846; *securiferella* Stainton,1848; *triguttella* Stainton,1850; *phegophagella* Herrich-Schäffer,1855; *hedemanni* Caradja,1920
- 4279) Phyllonorycter mannii (Zeller,1846)** (Gracillariidae) Synonym(s): *mannii* Zeller,1846; *manniella* Herrich-Schäffer,1855; *#manni* M.Hering,1934
- 4280) Phyllonorycter medicaginella (Gerasimov,1930)** (Gracillariidae) Synonym(s): *medicaginella* Gerasimov,1930
- 4281) Phyllonorycter messaniella (Zeller,1846)** (Gracillariidae) Synonym(s): *messaniella* Zeller,1846
- 4282) Phyllonorycter millierella (Staudinger,1871)** (Gracillariidae) Synonym(s): *millierella* Staudinger,1871; *celtidella* Rondani,1876
- 4283) Phyllonorycter nicellii (Stainton,1851)** (Gracillariidae) Synonym(s): *nicellii* Stainton,1851; *dunningiella* Stainton,1852; *nicelliella* Doubleday,1859
- 4284) Phyllonorycter oxyacanthae (Frey,1855)** (Gracillariidae) Synonym(s): *oxyacanthae* Frey,1855
- 4285) Phyllonorycter pastorella (Zeller,1846)** (Gracillariidae) Synonym(s): *pastorella* Zeller,1846; *finae* Gerasimov,1931
- 4286) Phyllonorycter platani (Staudinger,1870)** (Gracillariidae) Synonym(s): *platani* Staudinger,1870; *felinella* Heinrich,1920
- 4287) Phyllonorycter platanoidella (Joannis,1920)** (Gracillariidae) Synonym(s): *platanoidella* Joannis,1920; *joannis* Le Marchard,1936
- 4288) Phyllonorycter populifoliella (Treitschke,1833)** (Gracillariidae) Synonym(s): *populifoliella* Treitschke,1833; *fritillella* Koch,1856; *pilosissimella* Bruand,1859; *petrazzaniella* Constantini,1923
- 4289) Phyllonorycter pyrifoliella (Gerasimov,1933)** (Gracillariidae) Synonym(s): *pyrifoliella* Gerasimov,1933
- 4290) Phyllonorycter quercifoliella (Zeller,1839)** (Gracillariidae) Synonym(s): *quercifoliella* Zeller,1839
- 4291) Phyllonorycter rajella (Linnaeus,1758)** (Gracillariidae) Synonym(s): *rajella* Linnaeus,1758; *alnifoliella* Hübner,1796; *alniella* Zeller,1839
- 4292) Phyllonorycter roboris (Zeller,1839)** (Gracillariidae) Synonym(s): *roboris* Zeller,1839; *roborifoliella* Duponchel,1843; *roborella* Stainton,1848
- 4293) Phyllonorycter salictella (Zeller,1846)** (Gracillariidae) Synonym(s): *salictella* Zeller,1846; *viminiella* Sircom,1848; *heringiella* Gronlien,1932; *jaeckhi* M.Hering,1934
- 4294) Phyllonorycter schreberella (Fabricius,1781)** (Gracillariidae) Synonym(s): *schreberella* Fabricius,1781; *ulminella* Zeller,1839; *guicciardiella* Costantini,1923
- 4295) Phyllonorycter scitulella (Duponchel,1843)** (Gracillariidae) Synonym(s): *scitulella* Duponchel,1843
- 4296) Phyllonorycter spinicolella (Zeller,1846)** (Gracillariidae) Synonym(s): *spinicolella* Zeller,1846; *cerasicolella* Herrich-Schäffer,1855
- 4297) Phyllonorycter staintoniella (Nicelli,1853)** (Gracillariidae) Synonym(s): *staintoniella* Nicelli,1853; *pilosicolella* Bruand,1852; *tinctoriella* Le Marchard,1926; *desertella* Gregor & Povolny,1949
- 4298) Phyllonorycter stettinensis (Nicelli,1852)** (Gracillariidae) Synonym(s): *stettinensis* Nicelli,1852; *stettinella* Herrich-Schäffer,1855
- 4299) Phyllonorycter strigulatella (Lienig & Zeller,1846)** (Gracillariidae) Synonym(s): *strigulatella* Lienig & Zeller,1846
- 4300) Phyllonorycter suberifoliella (Zeller,1850)** (Gracillariidae) Synonym(s): *suberifoliella* Zeller,1850
- 4301) Phyllonorycter tenerella (Joannis,1915)** (Gracillariidae) Synonym(s): *tenella* Zeller,1846 *nec* Dup.,1845; *tenerella* Joannis,1915; *albidorsella* Benander,1944
- 4302) Phyllonorycter ulmifoliella (Hübner,[1817])** (Gracillariidae) Synonym(s): *ulmifoliella* Hübner,[1817]
- 4303) Phyllostreta judaea Pic,1901** (Chrysomelidae) Synonym(s): *judaea* Pic,1901
- 4304) Phyllostreta pontoaegica Gruev,1982** (Chrysomelidae) Synonym(s): *pontoaegica* Gruev,1982
- 4305) Phymata (s.str.) crassipes (Fabricius,1775)** (Reduviidae) Synonym(s): *crassipes* Fabricius,1775
- 4306) Phymatopus hecta (Linnaeus,1758)** (Hepialidae) Synonym(s): *hecta* Linnaeus,1758; *filina* [Denis & Schiffermüller],1775; *jodutta* [Denis & Schiffermüller],1775; *clavipes* Retzius,1783; *nemorosa* Esper,1786; *hectator* Haworth,1802; *joduttator* Haworth,1802
- 4307) Physatocheila costata (Fabricius,1794)** (Tingidae) Synonym(s): *costata* Fabricius,1794; *quadrimaculata* Wolff,1804
- 4308) Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838
- 4309) Physiphora alceae (Preyßler,1791)** (Ulidiidae) Synonym(s): *alceae* Preyßler,1791
- 4310) Physocephala chrysorrhoea (Meigen,1824)** (Conopidae) Synonym(s): *chrysorrhoea* Meigen,1824
- 4311) Physocephala lacera (Meigen,1824)** (Conopidae) Synonym(s): *lacera* Meigen,1824

- 4312) *Physocephala pusilla* (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *tener* Loew,1847; *persica* Becker,1913; *punctithorax* Becker,1913
- 4313) *Physocephala rufipes* (Fabricius,1781)** (Conopidae) Synonym(s): *rufipes* Fabricius,1781; *petiolata* Donovan,1808; *meridionalis* Macquart,1835
- 4314) *Physocephala variegata* (Meigen,1824)** (Conopidae) Synonym(s): *variegata* Meigen,1824; *furax* Becker,1913
- 4315) *Physocephala vittata* (Fabricius,1794)** (Conopidae) Synonym(s): *vittata* Fabricius,1794; *dorsalis* Wiedemann,1824; *solaeformis* Gimmerthal,1842; *fraterna* Loew,1847; *semitrata* Costa,1844; *detecta* Becker,1913; *abdominalis* Kröber,1915; *semirufa* Kröber,1915; *immaculata* Kröber,1939
- 4316) *Phytoecia* (*Blepisanis*) *vittipennis* Reiche,1877** (Cerambycidae) Synonym(s): *vittipennis* Reiche,1877; *pallidior* Pic,1901; *tokatensis* Pic,1933
- 4317) *Phytoecia* (*Pilemia*) *hirsutula* (Frölich,1793)** (Cerambycidae) Synonym(s): *hirsutula* Frölich,1793
- 4318) *Phytoecia* (s.str.) *geniculata* Mulsant,1862** (Cerambycidae) Synonym(s): *geniculata* Mulsant,1862
- 4319) *Phytoecia geniculata* Mulsant,1863** (Cerambycidae) Synonym(s): *geniculata* Mulsant,1863
- 4320) *Phytometra viridaria* (Clerck,1759)** (Noctuidae) Synonym(s): *#viridaria* Clerck,1759; *purpurata* Linnaeus,1761; *lanceata* Scopoli,1763; *aenea* [Denis & Schiffermüller],1775; *olivacea* Vieweg,1790; *latruncula* Esper,[1791]; *hoffmann*, Stauder,1915; *lutaigira* Schawerda,1924
- 4321) *Picromerus conformis* (Herrich-Schäffer,1841)** (Pentatomidae) Synonym(s): *conformis* Herrich-Schäffer,1841
- 4322) *Pieris* (*Artogeia*) *bryoniae* (Hübner,[1804])** (Pieridae) Synonym(s): *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfbergeri* Eitschberger,[1984]; *debrosi* Eitschberger,[1984] (cf. Leraut,1997).
- 4323) *Pieris* (*Artogeia*) *ergane* (Geyer,[1828])** (Pieridae) Synonym(s): *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].
- 4324) *Pieris* (*Artogeia*) *krueperi* Staudinger,1860** (Pieridae) Synonym(s): *krueperi* Staudinger,1860
- 4325) *Pieris* (*Artogeia*) *mannii* (Mayer,1851)** (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.
- 4326) *Pieris* (*Artogeia*) *napi* (Linnaeus,1758)** (Pieridae) Synonym(s): *napi* Linn.,1758; *napaeae* Esper,[1804]; *dubiosa* Röber,1907; *napoleon* Eitschb.,1990
- 4327) *Pieris* (*Artogeia*) *pseudorapae* Verity,1908** (Pieridae) Synonym(s): *pseudorapae* Verity,1908
- 4328) *Pieris* (*Artogeia*) *rapae* (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
- 4329) *Pieris* (s.str.) *brassicae* (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
- 4330) *Piesma* (*Parapiesma*) *kochiae* (Becker,1867)** (Piesmatidae) Synonym(s): *kochiae* Becker,1867
- 4331) *Piesma* (*Parapiesma*) *kolenatii* (Fieber,1861)** (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 *nec* Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973
- 4332) *Piesma* (*Parapiesma*) *quadratum* (Fieber,1844)** (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spergulariae* Woodroffe,1966
- 4333) *Piesma* (*Parapiesma*) *salsolae* (Becker,1867)** (Piesmatidae) Synonym(s): *salsolae* Becker,1867
- 4334) *Piesma* (*Parapiesma*) *silenes* (Horvath,1888)** (Piesmatidae) Synonym(s): *silenes* Horvath,1888
- 4335) *Piesma* (s.str.) *capitatum* (Wolff,1804)** (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893
- 4336) *Piesma* (s.str.) *maculatum* (Laporte,1833)** (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871
- 4337) *Pithotomus rufiventris* Kriechbaumer,1888** (Ichneumonidae) Synonym(s): *rufiventris* Kriechbaumer,1888
- 4338) *Pithyotettix abietinus* (Fallén,1806)** (Cicadellidae) Synonym(s): *abietinus* Fallén,1806; *proteus* Herrich-Schäffer,1834; *pinastri* Fieber,1885
- 4339) *Plagiosterna aenea* (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *aenea* Linnaeus,1758
- 4340) *Plagodis dolabraria* (Linnaeus,1767)** (Geometridae) Synonym(s): *dolabraria* Linnaeus,1767; *ustulataria* Hufnagel,1767; *fulvicans* Fourcroy,1785.
- 4341) *Plagodis pulveraria* (Linnaeus,1758)** (Geometridae) Synonym(s): *pulveraria* Linnaeus,1758; *diffusaria* Walker,1862
- 4342) *Platycephala umbraculata* (Fabricius,1794)** (Chloropidae) Synonym(s): *umbraculata* Fabricius,1794; *nigra* Meigen,1830
- 4343) *Platyceus caraboides* (Linnaeus,1758)** (Lucanidae) Synonym(s): *caraboides* Linnaeus,1758; *azurea* Dalla Torre,1789; *viridis* Dalla Torre,1789; *rufipes* Herbst,1790; *virescens* Mulsant,1842; *viridiaeneus* Mulsant,1842; *aeneus* Weise,1883; *viridicollis* Depoli,1917; *carniolicus* Roubal,1919
- 4344) *Platycheirus scutatus* (Meigen,1822)** (Syrphidae) Synonym(s): *scutatus* Meigen,1822; *quadratus* Macquart,1829; *sexnotatus* Meigen,1838; *pygmaeus* Frey,1907
- 4345) *Platyedra subcinerea* (Haworth,[1828])** (Gelechiidae) Synonym(s): *subcinerea* Haworth,[1828]; *vilella* Zeller,1847.
- 4346) *Platymetopius* (Quernus) *signoreti* Wagner,1959** (Cicadellidae) Synonym(s): *viridinervis* Signoret,1880 *nec* Kbm.,1868; *signoreti* Wagner,1959
- 4347) *Platymetopius* (s.str.) *filigranus* (Scott,1876)** (Cicadellidae) Synonym(s): *filigranus* Scott,1876
- 4348) *Platymetopius* (s.str.) *guttatus* Fieber,1869** (Cicadellidae) Synonym(s): *guttatus* Fieber,1869
- 4349) *Platymetopius* (s.str.) *henribauti* Dlabola,1961** (Cicadellidae) Synonym(s): *henribauti* Dlabola,1961
- 4350) *Platymetopius* (s.str.) *undatus* (De Geer,1773)** (Cicadellidae) Synonym(s): *undatus* De Geer,1773; *flammigera* Villers,1789; *chosensis* Matsumura,1915; *parvulus* Linnavuori,1962
- 4351) *Platymetopius dorsofenestratus* Dlabola,1958** (Cicadellidae) Synonym(s): *dorsofenestratus* Dlabola,1958
- 4352) *Platymetopius major* (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *major* Kirschbaum,1868; *opalinus* Fieber,1876; *interjectus* Linnavuori,1957; *atratus* Dlabola,1958
- 4353) *Platymetopius ponticus* Emeljanov,1964** (Cicadellidae) Synonym(s): *ponticus* Emeljanov,1964
- 4354) *Platymetopius rostratus* (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *rostratus* Herrich-Schäffer,1834; *decipiens* Horvath,1894
- 4355) *Platymyrmilla quinquefasciata* (Olivier,1811)** (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811
- 4356) *Platytilia calodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *calodactyla* [Denis & Schiffermüller],1775; *petradactyla* Hübner,[1819]; *zetterstedtii* Zeller,1841; *taeniadactylus* South,1882; *doronicella* Fuchs,1902; *leucorrhincha* Meyrick,1902.
- 4357) *Platytilia farfarella* Zeller,1867** (Pterophoridae) Synonym(s): *farfarella* Zeller,1867; *molopias* Meyrick,1906; *gonodactyla* Hori,1934 *nec* [Denis & Schiffermüller],1775.

- 4358) *Platyptilia gonodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *gonodactyla* [Denis & Schiffermüller],1775; *megalodactyla* [Denis & Schiffermüller],1775; *diptera* Sulzer,1776; *trigonodactyla* Haworth,1811; *farfara* Gregson,1885; *albidior* Caradja,1920.
- 4359) *Platyptilia miantodactylus* (Zeller,1841)** (Pterophoridae) Synonym(s): *miantodactylus* Zeller,1841
- 4360) *Platyptilia nemoralis* (Zeller,1841)** (Pterophoridae) Synonym(s): *nemoralis* Zeller,1841; *nemoralidactyla* Bruand,1859; *graafii* Zeller,1873; *sinuosa* Yano,1960.
- 4361) *Platyptilia pallidactyla* (Haworth,1811)** (Pterophoridae) Synonym(s): *pallidactyla* Haworth,1811; *marginidactylus* Fitch,1854; *nebulaedactylus* Fitch,1854; *bertrami* Rössler,1864; *bischoffi* Zeller,1867; *cervinidactylus* Packard,1873; *adustus* Walsingham,1880; *chapmani* Tutt,1896; *sachalinensis* Matsumura,1931.
- 4362) *Platyptilia tesseradactyla* (Linnaeus,1761)** (Pterophoridae) Synonym(s): *tesseradactyla* Linnaeus,1761; *fischeri* Zeller,1841; *hibernica* Tutt,1906.
- 4363) *Platyptilia tetradactyla* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *tetradactyla* Linnaeus,1758
- 4364) *Platypygus ridibundus* (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus* A.Costa,1863
- 4365) *Platypygus ridibundus* (A.Costa,1863)** (Mythicomyiidae) Synonym(s): *ridibundus* A.Costa,1863; *tauricus* Paramonov,1926
- 4366) *Platystoma subfasciatum* Loew,1862** (Platystomidae) Synonym(s): *subfasciatum* Loew,1862
- 4367) *Platytes alpinella* (Hübner,[1813])** (Pyralidae) Synonym(s): *alpinella* Hübner,[1813]; *alpicolalis* Hübner,[1825]
- 4368) *Platytes cerussella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *cerussella* [Denis & Schiffermüller],1775; *quadrella* [Denis & Schiffermüller],1775; *barbella* Hübner,1796; *auriferella* Hübner,1796; *pygmaeus* Stephens,1834.
- 4369) *Plebejus* (Lycaeides) *argyrognomon* (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *argyrognomon* Bergsträßer,[1779]; *argyrobius* Bergsträßer,[1779]; *argyrocapelus* Bergsträßer,[1779]; *argyrocopus* Bergsträßer,[1779]; *argyroela* Bergsträßer,[1779]; *argyrophylax* Bergsträßer,[1779]; *ismenias* Meigen,1829; *ligurica* Oberthür,1910; *aegus* Chapman,1917
- 4370) *Plebejus* (Lycaeides) *idas* (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793.
- 4371) *Plebejus* (Plebejides) *sephirus* (Frivaldszky,1835)** (Lycaenidae) Synonym(s): *sephirus* Frivaldszky,1835; *uhryki* Rebel,1911; *proximus* Szabo,1954; *kovacsi* Szabo,1954; *foticus* Szabo,1956.
- 4372) *Plebejus* (s.str.) *argus* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931.
- 4373) *Pleuroptya balteata* (Fabricius,1798)** (Pyralidae) Synonym(s): *balteata* Fabricius,1798; *crocealis* Duponchel,1831; *aurantiacalis* Fischer v. Roeslerstamm,1840; *accipitralis* Walker,[1866]; *aurea* Butler,1879; *fraterna* Moore,1886; *evergestialis* Strand,1918.
- 4374) *Pleuroptya ruralis* (Scopoli,1763)** (Pyralidae) Synonym(s): *ruralis* Scopoli,1763; *iridialis* Hübner,[1825]; *perpendicularis* Duponchel,1833; *conchalis* Werneburg,1864; *dubia* Hampson,1891
- 4375) *Pleurota aristella* (Linnaeus,1767)** (Oecophoridae) Synonym(s): *aristella* Linnaeus,1767; *corniculata* Villers,1789; *cornicella* Villers,1789; *schlaegerella* Zeller,1847; *argenticistrigella* Mann,1854
- 4376) *Pleurota cumaniella* Rebel,1907** (Oecophoridae) Synonym(s): *cumaniella* Rebel,1907
- 4377) *Pleurota malatya* H.Back,1973** (Oecophoridae) Synonym(s): *malatya* H.Back,1973
- 4378) *Pleurota metricella* (Zeller,1847)** (Oecophoridae) Synonym(s): *metricella* Zeller,1847
- 4379) *Pleurota planella* (Staudinger,1859)** (Oecophoridae) Synonym(s): *planella* Staudinger,1859
- 4380) *Pleurota pungitiella* Herrich-Schäffer,[1854]** (Oecophoridae) Synonym(s): *pungitiella* Herrich-Schäffer,[1854]
- 4381) *Pleurota pyropella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller],1775
- 4382) *Plodia interpunctella* (Hübner,[1813])** (Pyralidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 4383) *Plusia putnami* (Grote,1873)** (Noctuidae) Synonym(s): *putnami* Grote,1873
- 4384) *Plusidia cheiranthi* (Tauscher,1809)** (Noctuidae) Synonym(s): *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* W.Warren,1913.
- 4385) *Plutella* (s.str.) *xylostella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 nec Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Bentinck,1943
- 4386) *Podagrimon pachymerum* (Walker,1833)** (Torymidae) Synonym(s): *pachymerum* Walker,1833
- 4387) *Podisma pedestris* (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933
- 4388) *Poecilimon schmidtii* (Fieber,1853)** (Tettigoniidae) Synonym(s): *schmidtii* Fieber,1853; *zolutarewi* Stshelkanovtzev,1910
- 4389) *Poecilobothrus comitalis* (Kowarz,1867)** (Dolichopodidae) Synonym(s): *comitalis* Kowarz,1867
- 4390) *Poecilobothrus regalis* (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis* Meigen,1824
- 4391) *Poecilocampa alpina* (Frey & Wulschlegel,1874)** (Lasiocampidae) Synonym(s): *alpina* Frey & Wulschlegel,1874; *pontica* De Freina,1999.
- 4392) *Poecilocampa populi* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *populi* Linnaeus,1758
- 4393) *Pogonosoma maroccanum* (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794
- 4394) *Polia bombycina* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809.
- 4395) *Polia nebulosa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *nebulosa* Hufnagel,1766; *bimaculosa* Esper,1788 nec Linn.,1767; *thapsi* Brahm,1791; *grandis* Donovan,1801; *plebeja* Hübner,[1803].
- 4396) *Polia sagittigera* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.
- 4397) *Polia serratilinea* Ochsenheimer,1816** (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kovatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 4398) *Polistes* (s.str.) *nymphus* (Christ,1791)** (Vespidae) Synonym(s): *nympha* Christ,1791; *opinabilis* Kohl,1898; *moltonii* Guiglia,1944; *irakensis* Gusenleitner,1976
- 4399) *Pollenia bulgarica* Jacentkovsky,1939** (Calliphoridae) Synonym(s): *bulgarica* Jacentkovsky,1939
- 4400) *Pollenia dasypoda* Portschinsky,1881** (Calliphoridae) Synonym(s): *dasypoda* Portschinsky,1881

- 4401) Polychrysis moneta (Fabricius,1787)** (Noctuidae) Synonym(s): *moneta* Fabricius,1787; *argyritis* Esper,1787; *napelli* Villers,1789
- 4402) Polydegmon sinuatus Förster,1862** (Braconidae) Synonym(s): *sinuatus* Förster,1862; *pillichi* Zilaki-Kiss,1915
- 4403) Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnidae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
- 4404) Polygonia (Comma) egea (Cramer,[1775])** (Argynnidae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
- 4405) Polymixis (Myxinia) flavicincta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#flavicincta* [Denis & Schiffermüller],1775; *dysodea* Esper,[1790]; *major* Esper,[1790]
- 4406) Polymixis (Myxinia) rufocincta (Geyer,1828)** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 4407) Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 4408) Polymixis (s.str.) polymita (Linnaeus,1761)** (Noctuidae) Synonym(s): *viridiobscura* Goetze,1781; *ridens* Hübner,[1803]; *aithalodes* Dannehl,1929
- 4409) Polymixis (s.str.) xanthomista (Hübner,[1819])** (Noctuidae) Synonym(s): *xanthomista* Hübner,[1819]; *nigrocincta* Treitschke,1825; *nivescens* Staudinger,1861; *nivea* Dannehl,1929
- 4410) Polymixis (Serpixis) serpentina (Treitschke,1825)** (Noctuidae) Synonym(s): *serpentina* Treitschke,1825
- 4411) Polyodaspis ruficornis (Macquart,1835)** (Chloropidae) Synonym(s): *ruficornis* Macquart,1835; *tarsalis* Frey,1923; *flavipila* Duda,1934; *endogena* De Meijere,1938; *flavisetosa* Nartshuk,1991; *similis* Nartshuk,1991
- 4412) Polyodaspis sulcicornis (Meigen,1838)** (Chloropidae) Synonym(s): *sulcicornis* Meigen,1838; *atra* Meigen,1838; *dasyprocta* Loew,1858; *amicalis* Becker,1912; *pokorny* Becker,1912; *hispanica* Duda,1933; *helvetica* Duda,1933; *lacteipennis* Duda,1933; *anglicus* Collin,1946
- 4413) Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003
- 4414) Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 *nec* Fabr.,1775; *eumedon* Esper,[1780]; *osiris* O.Bang-Haas,1927 *nec* Hopff.,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
- 4415) Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 4416) Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) Synonym(s): *artaxerxes* Fabricius,1793.
- 4417) Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) Synonym(s): *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] *nec* Frivaldsky,1835; *orpheus* Nekrutenko,1980.
- 4418) Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) Synonym(s): *admetus* Esper,[1783]
- 4419) Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis (Brown,1976)** (Lycaenidae) Synonym(s): *aroaniensis* Brown,1976
- 4420) Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi (Lukhtanov, Wiemers & Meusemann,2003)** (Lycaenidae) Synonym(s): *dantchenkoi* Lukhtanov, Wiemers & Meusemann,2003
- 4421) Polyommatus (s.str. (Agrodiaetus (Admetusia))) nephohiptamenos (Brown & Coutsis,1978)** (Lycaenidae) Synonym(s): *nephohiptamenos* Brown & Coutsis,1978
- 4422) Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) Synonym(s): *ripartii* Freyer,[1830].
- 4423) Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *damon* [Denis & Schiffermüller],1775
- 4424) Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *semiargus* Rottemburg,1775; *acis* Denis & Schiffermüller,1775 *nec* Dry.,1773; *byzas* Bergsträßer,[1779]; *byze* Bergsträßer,[1779]; *argopoeus* Bergsträßer,[1779]; *byzenus* Bergsträßer,[1779]; *argopoei* Bergsträßer,[1779]; *cimon* Lewin,1795; *argianus* Dalman,1816.
- 4425) Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 4426) Polyommatus (s.str. (Lysandra)) coridon (Poda,1761)** (Lycaenidae) Synonym(s): *coridon* Poda,1761; *graeca* Heyne,1895; *torgniensis* Haverkamp,1906; *altica* Neustetter,1909; *alpiumpallida* Verity,1926; *jurae* Verity,1926; *insulana* Verity,1926; *galliae* Verity,1926; *narbonensis* Verity,1926; *fumosa* Verity,1926; *italagallica* Verity,1926; *dinae* Verity,1926; *minutepunctata* Verity,1926; *bieneri* Stauder,1924; *nicaeensis* Dujardin,1944.
- 4427) Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 4428) Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius* Esper,1789 *nec* Rottemburg,1775; *amandus* Schneider,1792
- 4429) Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] *nec* Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985.
- 4430) Polyommatus (s.str. (Plebicula)) escheri (Hübner,[1823])** (Lycaenidae) Synonym(s): *escheri* Hübner,[1823]; *agestor* Godart,1823.
- 4431) Polyommatus (s.str.) eroides (Frivaldsky,1835)** (Lycaenidae) Synonym(s): *eroides* Frivaldsky,1835
- 4432) Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 *nec* Linn.,1758; *alexis* Scopoli,1763 *nec* Pda,1761; *thetis* Esper,1777 *nec* Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 4433) Polyphaenis viridis (De Villers,1789)** (Noctuidae) Synonym(s): *sericata* Esper,[1787] *nec* ; *viridis* De Villers,1789.
- 4434) Polyphylla (s.str.) boryi Brullé,1832** (Scarabaeidae) Synonym(s): *boryi* Brullé,1832; *lessinae* Reitter,1890
- 4435) Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758; *luctuosa* Mulsant,1842; *marmorata* Mulsant,1847; *macrocera* Reitter,1891
- 4436) Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840; *abhasica* Motschoulsky,1845; *caucasica* Heyden,1864; *persica* Brenske,1902

- 4437) **Polyploca ridens (Fabricius,1787)** (Thyatiridae) Synonym(s): *ridens* Fabricius,1787; *nitens* Villers,1789; *xanthoceros* Borkhausen,1792; *chrysoceros* Beckwith,1794
- 4438) **Polyopogon gryphalis (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *gryphalis* Herrich-Schäffer,1851
- 4439) **Polyopogon lunalis (Scopoli,1763)** (Noctuidae) Synonym(s): *lunalis* Scopoli,1763
- 4440) **Polyopogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 4441) **Polyopogon tentacularia (Linnaeus,1758)** (Noctuidae) Synonym(s): *tentacularia* Linnaeus,1758
- 4442) **Polyopogon zelleralis (Wocke,1850)** (Noctuidae) Synonym(s): *zelleralis* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851.
- 4443) **Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] nec *russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881.
- 4444) **Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.
- 4445) **Pontia edusa (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908].
- 4446) **Praestilbia armeniaca Staudinger,1892** (Noctuidae) Synonym(s): *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936
- 4447) **Prasocuris junci (Brahm,1790)** (Chrysomelidae) Synonym(s): *junci* Brahm,1790; *beccabungae* Küster,1846; *minutus* Markovic,1909
- 4448) **Prasocuris phellandrii (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *phellandrii* Linnaeus,1758
- 4449) **Prays fraxinella (Bjerkander,1784)** (Yponomeutidae) Synonym(s): *fraxinella* Bjerkander,1784; *curtisella* Donovan,1793; *circulella* Fabricius,1794; *coenobitella* Hübner,[1813]; *curtisii* Haworth,1828; *hortulella* Stephens,1828
- 4450) **Pristaulacus bimaculatus Kieffer,1900** (Aulacidae) Synonym(s): *bimaculatus* Kieffer,1900
- 4451) **Pristaulacus obscuripennis (Westwood,1841)** (Aulacidae) Synonym(s): *obscuripennis* Westwood,1841; *schlettereri* Kieffer,1904
- 4452) **Pristerognatha penthinana (Guenée,1845)** (Tortricidae) Synonym(s): *penthinana* Guenée,1845; *postremana* Lienig & Zeller,1846
- 4453) **Pristomerus armatus (Lucas,1849)** (Ichneumonidae) Synonym(s): *armatus* Lucas,1849; *cingulatus* Szepligeti,1905
- 4454) **Pristomerus tibialis Kolarov,1982** (Ichneumonidae) Synonym(s): *tibialis* Kolarov,1982
- 4455) **Procapperia linariae (Chrétien,1922)** (Pterophoridae) Synonym(s): *linariae* Chrétien,1922; *croatica* Adamczewski,1951.
- 4456) **Procapperia maculata (Constant,1865)** (Pterophoridae) Synonym(s): *maculata* Constant,1865; *croatica* Adamczewski,1951.
- 4457) **Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868
- 4458) **Prochoreutis myllerana (Fabricius,1794)** (Choreutidae) Synonym(s): *myllerana* Fabricius,1794; *mylleri* Haworth,1811; *augustana* Hübner,[1813]; *scintilulana* Hübner,[1825]; *scintilulalis* Treitschke,1835; *albipunctalis* Zetterstedt,1839; *müllerana* Heyden,1865
- 4459) **Prochoreutis stellaris (Zeller,1847)** (Choreutidae) Synonym(s): *stellaris* Zeller,1847; *irradiata* Meyrick,1913
- 4460) **Procræus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835
- 4461) **Prolita sexpunctella (Fabricius,1794)** (Gelechiidae) Synonym(s): *sexpunctella* Fabricius,1794; *virgella* Thunberg,1784; *longicornis* Curtis,1827; *histrionella* Geyer,[1832]; *zebrella* Treitschke,1833; *alpicola* Frey,1867; *alternella* Keafott,1908; *petulans* Braun,1925.
- 4462) **Prolita solutella (Zeller,1839)** (Gelechiidae) Synonym(s): *solutella* Zeller,1839; *fumosella* Douglas,1852; *pribitzeri* Rebel,1889; *nigrobipunctella* Lucas,1932.
- 4463) **Propiomorpha rhodophana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *rhodophana* Herrich-Schäffer,[1851]
- 4464) **Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781
- 4465) **Prorachthes beckeri Paramonov,1926** (Bombyliidae) Synonym(s): *beckeri* Paramonov,1926
- 4466) **Proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermülleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876]; *maxima* Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922.
- 4467) **Prosimulium (s.str.) fulvipes Edwards,1921** (Simuliidae) Synonym(s): *fulvipes* Edwards,1921; *subrufipes* Knoch,1980
- 4468) **Prosimulium (s.str.) latimucro (Enderlein,1925)** (Simuliidae) Synonym(s): *latimucro* Enderlein,1925
- 4469) **Prosimulium (s.str.) rachiliense Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense* Djafarov,1954; *pronevitschae* Rubtsov,1955
- 4470) **Prosimulium (s.str.) rufipes (Meigen,1830)** (Simuliidae) Synonym(s): *rufipes* Meigen,1830; *galli* Edwards,1921; *conistylum* Rubtsov,1956
- 4471) **Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbolicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfiliatum* Rubtsov,1955; *maruashvili* Machavariani,1966
- 4472) **Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857
- 4473) **Protaetia (Cetonischema) aeruginosa (Drury,1770)** (Scarabaeidae) Synonym(s): *aeruginosa* Drury,1770; *auratus* Fuessly,1782; *fastuosa* Fabricius,1792; *frischii* Schrank,1798;...
- 4474) **Protaetia (Netocia) trojana (Gory & Percheron,1833)** (Scarabaeidae) Synonym(s): *trojana* Gory & Percheron,1833
- 4475) **Protaetia (Potosia) cuprea (Fabricius,1775)** (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775
- 4476) **Protaetia (Potosia) vidua (Gory & Perchenson,1833)** (Scarabaeidae) Synonym(s): *vidua* Gory & Perchenson,1833
- 4477) **Protapantes anchiades (Nixon,1973)** (Braconidae) Synonym(s): *anchiades* Nixon,1973
- 4478) **Proteuchloris neriaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *neriaria* Herrich-Schäffer,[1852].
- 4479) **Protodeltote pygarga (Hufnagel,1766)** (Noctuidae) Synonym(s): *pygarga* Hufnagel,1766
- 4480) **Protorhoe corollaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935.
- 4481) **Protorhoe unicolor (Guenée,[1858])** (Geometridae) Synonym(s): *unicolor* Guenée,[1858]
- 4482) **Protoschinia scutosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
- 4483) **Protosmia (s.str.) glutinosa (Giraud,1871)** (Megachilidae) Synonym(s): *glutinosa* Giraud,1871
- 4484) **Protosmia (s.str.) sideritis Tkalcu,1978** (Megachilidae) Synonym(s): *sideritis* Tkalcu,1978
- 4485) **Protosmia (s.str.) tauricola Popov,1961** (Megachilidae) Synonym(s): *tauricola* Popov,1961

- 4486) **Protosmia (s.str.) tiflensis (Morawitz,1876)** (Megachilidae) Synonym(s): *tiflensis* Morawitz,1876; *graffei* Schmiedeknecht,1890
- 4487) **Proutia breviserrata Sieder,1963** (Psychidae) Synonym(s): *breviserrata* Sieder,1963
- 4488) **Proutictis artesiaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller],1775
- 4489) **Proxenus hospes (Freyer,[1831])** (Noctuidae) Synonym(s): *hospes* Freyer,[1831]
- 4490) **Psallus asthenicus Seidenstücker,1966** (Miridae) Synonym(s): *asthenicus* Seidenstücker,1966; *amitinus* Wagner,1975
- 4491) **Psallus atomosus Reuter,1878** (Miridae) Synonym(s): *atomosus* Reuter,1878
- 4492) **Psamathocrita osseella (Stainton,1860)** (Gelechiidae) Synonym(s): *osseella* Stainton,1860
- 4493) **Psammotettix alienus (Dahlbom,1850)** (Cicadellidae) Synonym(s): *alienus* Dahlbom,1850; *breviceps* Kirschbaum,1868; *flavidus* Fieber,1869; *karafutonis* Matsumura,1914
- 4494) **Psammotettix cephalotes (Herrich-Schäffer,1834)** (Cicadellidae) Synonym(s): *cephalotes* Herrich-Schäffer,1834; *citrinellus* Kirschbaum,1868; *sulphurellus* Kirschbaum,1868; *tristis* Kirschbaum,1868; *normani* Scott,1881
- 4495) **Psammotettix confinis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925
- 4496) **Psammotettix helvolus (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombifer* Fieber,1869; *substriatus* Then,1902
- 4497) **Psammotettix nodosus (Ribaut,1925)** (Cicadellidae) Synonym(s): *nodosus* Ribaut,1925
- 4498) **Psammotettix notatus (Melichar,1896)** (Cicadellidae) Synonym(s): *notatus* Melichar,1896; *diluta* Ribaut,1952
- 4499) **Psammotettix ornaticeps (Horvath,1897)** (Cicadellidae) Synonym(s): *ornaticeps* Horvath,1897
- 4500) **Psammotettix pallidinervis (Dahlbom,1850)** (Cicadellidae) Synonym(s): *pallidinervis* Dahlbom,1850; *brachynotus* Fieber,1869; *hannoveranus* Wagner,1937
- 4501) **Psammotettix pictipennis (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *pictipennis* Kirschbaum,1868; *fasciatus* Fieber,1869
- 4502) **Psammotettix provincialis (Ribaut,1925)** (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925
- 4503) **Psammotettix sabulicola (Curtis,1837)** (Cicadellidae) Synonym(s): *sabulicola* Curtis,1837; *arenicola* Sahlberg,1871
- 4504) **Psammotettix striatus (Linnaeus,1758)** (Cicadellidae) Synonym(s): *striatus* Linnaeus,1758; *striata* Fabricius,1794 (*praeocc.*); *strigatus* Germar,1821; *varipennis* Herrich-Schäffer,1838; *pallidus* Flor,1861; *flavipennis* Scott,1876; *amyoti* Vismara,1878; *divergens* Rey,1894; *capitatus* Matsumura,1908; *immundus* Matsumura,1908
- 4505) **Psammotis pulveralis (Hübner,1796)** (Pyralidae) Synonym(s): *pulveralis* Hübner,1796
- 4506) **Psectra diptera (Burmeister,1839)** (Hemerobiidae) Synonym(s): *diptera* Burmeister,1839
- 4507) **Pselaphorhynchites tomentosus (Gyllenhal,1839)** (Attelabidae) Synonym(s): *tomentosus* Gyllenhal,1839; *coeruleus* Fabricius,1798
- 4508) **Pselnophorus heterodactylus (Müller,1764)** (Pterophoridae) Synonym(s): *heterodactylus* Müller,1764; *brachydactylus* Kollar,1832; *aetodactylus* Duponchel,1840.
- 4509) **Pseudargyrotoza conwagana (Fabricius,1775)** (Tortricidae) Synonym(s): *montana* Scopoli,1763; *conwagana* Fabricius,1775; *hofmannseggana* Hübner,[1799]; *spixiana* Frölich,1828; *subaurantiana* Stephens,1834; *graphitana* Eversmann,1844; *#conwagana* Staudinger,1879.
- 4510) **Pseudeulia asinana (Hübner,[1799])** (Tortricidae) Synonym(s): *asinana* Hübner,[1799]
- 4511) **Pseudeustrotia candidula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candidula* [Denis & Schiffermüller],1775; *pusilla* Vieweg,1789
- 4512) **Pseudeustrotia deceptoria (Scopoli,1763)** (Noctuidae) Synonym(s): *deceptoria* Scopoli,1763; *tineodes* Hufnagel,1766; *atrata* [Denis & Schiffermüller],1775
- 4513) **Pseudobissetia terrestrella (Christoph,1885)** (Pyralidae) Synonym(s): *terrestrella* Christoph,1885; *hypenalis* Rebel,1910; *tozeurellus* Lucas,1911
- 4514) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
- 4515) **Pseudochazara (s.str.) orestes De Prins & Poorten,1981** (Satyridae) Synonym(s): *orestes* De Prins & Poorten,1981
- 4516) **Pseudoclavellaria amerinae (Linnaeus,1758)** (Cimbridae) Synonym(s): *amerinae* Linnaeus,1758
- 4517) **Pseudococcyx posticana (Zetterstedt,1839)** (Tortricidae) Synonym(s): *posticana* Zetterstedt,1839; *fulvimitrana* Heinemann,1863
- 4518) **Pseudococcyx tessulatana (Staudinger,1871)** (Tortricidae) Synonym(s): *tessulatana* Staudinger,1871
- 4519) **Pseudoips prasinana (Linnaeus,1758)** (Noctuidae) Synonym(s): *prasinana* Linnaeus,1758; *fagana* Fabricius,1781; *sylvana* Fabricius,1794; *britannica* W.Warren,1913.
- 4520) **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus* Hartig,1843
- 4521) **Pseudopanthia macularia (Linnaeus,1758)** (Geometridae) Synonym(s): *macularia* Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrinaculata* Haworth,1809; *meridionalis* Galvagni,1908
- 4522) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865
- 4523) **Pseudopostega crepusculella (Zeller,1839)** (Opostegidae) Synonym(s): *crepusculella* Zeller,1839; *lvovskyi* Kozlov,1985
- 4524) **Pseudoryssus henschi (Mocsary,1910)** (Orussidae) Synonym(s): *henschi* Mocsary,1910; *emanuelis* Guiglia,1956
- 4525) **Pseudosciaphila branderiana (Linnaeus,1758)** (Tortricidae) Synonym(s): *brandiana* Linnaeus,1758; *fuscana* Linnaeus,1758; *wahlbomiana* Linnaeus,1758; *asinana* Clerck,1759; *grossana* Thunberg,1791; *achariana* Thunberg,1797; *maurana* Hübner,[1799]; *sajana* Caradja,1938
- 4526) **Pseudoswammerdamia combinella (Hübner,1786)** (Yponomeutidae) Synonym(s): *combinella* Hübner,1786
- 4527) **Pseudotelphusa paripunctella (Thunberg,1794)** (Gelechiidae) Synonym(s): *paripunctella* Thunberg,1794; *triparella* Zeller,1839; *trijugella* Erschoff,1877; *sultanella* Caradja,1920; *arenicolella* Caradja,1920.
- 4528) **Pseudotelphusa scalella (Scopoli,1763)** (Gelechiidae) Synonym(s): *scalella* Scopoli,1763; *aleella* Fabricius,1794; *alternella* Hübner,1796 *nec* Den. & Schiff.,1775; *alterna* Haworth,1828; *bicolorella* Treitschke,1832
- 4529) **Pseudoterpna pruinata (Hufnagel,1767)** (Geometridae) Synonym(s): *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 *nec* Hufnagel,1767; *cythisaria* [Denis & Schiffermüller],1775; *genistaria* Villers,1789.
- 4530) **Pseudoxestia apfelbecki (Rebel,1901)** (Noctuidae) Synonym(s): *apfelbecki* Rebel,1901
- 4531) **Pseudozarba bipartita (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bipartita* Herrich-Schäffer,1850
- 4532) **Psodos coracina (Esper,1805)** (Geometridae) Synonym(s): *hirtata* Fabricius,1794; *coracina* Esper,1805; *chaonaria* Freyer,1828
- 4533) **Psorosa dahliella (Treitschke,1832)** (Pyralidae) Synonym(s): *dahliella* Treitschke,1832; *bivittella* Duponchel,1836.
- 4534) **Psyche casta (Pallas,1767)** (Psychidae) Synonym(s): *casta* Pallas,1767; *nitidella* Hübner,1793; *germanica* Chapman,1900; *minor* Chapman,1900; *bowerella* Chapman,1900; *mitterdella* Chapman,1900; *niphonica* Hori,1926; *ussuriensis* Kozhantschikov,1956.

- 4535) *Psyche crassiorella* (Bruand,[1851]) (Psychidae) Synonym(s): *crassiorella* Bruand,[1851]; *intermediella* Bruand,1853; *affinis* Reutti,1853; *subflavella* Milliere,1876; *ciliella* Chapman,1900; *danieli* Siedler,1958.
- 4536) *Psychidea balcanica* (Wehrli,1933) (Psychidae) Synonym(s): *balcanica* Wehrli,1933
- 4537) *Psychidea nudella* (Ochsenheimer,1810) (Psychidae) Synonym(s): *nudella* Ochsenheimer,1810
- 4538) *Psylliodes pallidicolor* Pic,1903 (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903
- 4539) *Pterella grisea* (Meigen,1824) (Sarcophagidae) Synonym(s): *grisea* Meigen,1824; *intricata* Meigen,1824; *cerceridis* R-D.,1863; *incompta* R-D.,1863
- 4540) *Pterolonche (Gomezbastillus) pulverulenta* Zeller, 1847 (Pterolonchidae) Synonym(s): *pulverulenta* Zeller, 1847
- 4541) *Pterolonche (s.str.) albescens* Zeller,1847 (Pterolonchidae) Synonym(s): *albescens* Zeller,1847
- 4542) *Pterolonche (s.str.) inspersa* Staudinger,1859 (Pterolonchidae) Synonym(s): *inspersa* Staudinger,1859
- 4543) *Pterophorus ischnodactylus* (Treitschke,1835) (Pterophoridae) Synonym(s): *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968.
- 4544) *Pterophorus pentadactylus* (Linnaeus,1758) (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880.
- 4545) *Pterostoma palpinum* (Linnaeus,1761) (Notodontidae) Synonym(s): *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812.
- 4546) *Pterothrixidia caucasiella* (Ragonot,1888) (Pyrilidae) Synonym(s): *caucasiella* Ragonot,1888
- 4547) *Pterothrixidia rufella* (Duponchel,1836) (Pyrilidae) Synonym(s): *rufella* Duponchel,1836; *squalidella* Eversmann,1842; *luridatella* Zeller,1848; *infuscatella* Herrich-Schäffer,1849; *tauricella* Wocke,1871; *corsicella* Ragonot,1893.
- 4548) *Pterotmetus staphyliniformis* (Schilling,1829) (Lygaeidae) Synonym(s): *staphyliniformis* Schilling,1829
- 4549) *Ptilocephala (Deuterohyalina) albida* (Esper,[1786]) (Psychidae) Synonym(s): *albida* Esper,[1786]
- 4550) *Ptilocephala (gr.4) plumifera* (Ochsenheimer,1810) (Psychidae) Synonym(s): *plumifera* Ochsenheimer,1810; *mediterranea* Lederer,1853.
- 4551) *Ptilocephala (s.str.) muscella* ([Denis & Schiffermüller],1775) (Psychidae) Synonym(s): *muscella* [Denis & Schiffermüller],1775
- 4552) *Ptilodon capucina* (Linnaeus,1758) (Notodontidae) Synonym(s): *capucina* Linnaeus,1758; *camelina* Linnaeus,1758
- 4553) *Ptilodontella cucullina* ([Denis & Schiffermüller],1775) (Notodontidae) Synonym(s): *cucullina* [Denis & Schiffermüller],1775; *cuculla* Esper
- 4554) *Ptilophora plumigera* ([Denis & Schiffermüller],1775) (Notodontidae) Synonym(s): *#plumigera* [Denis & Schiffermüller],1775; *variegata* Villers,1789 nec Sc.,1763
- 4555) *Ptycholoma lecheana* (Linnaeus,1758) (Tortricidae) Synonym(s): *lecheana* Linnaeus,1758; *obsoletana* Stephens,1834
- 4556) *Ptycholomoides aeriferanus* (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *aeriferana* Herrich-Schäffer,1851
- 4557) *Pungeleria capreolaria* (Fabricius,1787) (Geometridae) Synonym(s): *capreolaria* Fabricius,1787; *donzelaria* Duponchel,1829; *valesiaria* Vorbrodt & Müller-Rutz,1913
- 4558) *Purpuricenus globulicollis* Mulsant,1839 (Cerambycidae) Synonym(s): *globulicollis* Mulsant,1839
- 4559) *Purpuricenus renyvona* Slama,2001 (Cerambycidae) Synonym(s): *renyvona* Slama,2001
- 4560) *Pyla fusca* (Haworth,[1811]) (Pyrilidae) Synonym(s): *fusca* Haworth,[1811]
- 4561) *Pyralis farinalis* (Linnaeus,1758) (Pyrilidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
- 4562) *Pyralis regalis* [Denis & Schiffermüller],1775 (Pyrilidae) Synonym(s): *regalis* [Denis & Schiffermüller],1775
- 4563) *Pyrausta (Haematia) castalis* Treitschke,1829 (Pyrilidae) Synonym(s): *castalis* Treitschke,1829
- 4564) *Pyrausta (Haematia) cingulata* (Linnaeus,1758) (Pyrilidae) Synonym(s): *cingulata* Linnaeus,1758; *aethiopata* Scopoli,1763; *cingulalis* [Denis & Schiffermüller],1775; *eremitica* Fourcroy,1785; *vittalis* La Harpe,1864; *apenninalis* Costantini,1923
- 4565) *Pyrausta (Haematia) despicata* (Scopoli,1763) (Pyrilidae) Synonym(s): *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775.
- 4566) *Pyrausta (Haematia) rectefascialis* Toll,1936 (Pyrilidae) Synonym(s): *rectefascialis* Toll,1936
- 4567) *Pyrausta (Haematia) sanguinalis* (Linnaeus,1767) (Pyrilidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
- 4568) *Pyrausta (Haematia) virginalis* Duponchel,1832 (Pyrilidae) Synonym(s): *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916
- 4569) *Pyrausta (s.str.) amatalis* Rebel,1903 (Pyrilidae) Synonym(s): *amatalis* Rebel,1903
- 4570) *Pyrausta (s.str.) aurata* (Scopoli,1763) (Pyrilidae) Synonym(s): *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *niepoldalis* Lederer,1863
- 4571) *Pyrausta (s.str.) coracinalis* Leraut,1982 (Pyrilidae) Synonym(s): *coracinalis* Leraut,1982
- 4572) *Pyrausta (s.str.) falcatalis* (Guenée,1854) (Pyrilidae) Synonym(s): *falcatalis* Guenée,1854; *coecilialis* Walker,1859; *flegialis* Walker,1859; *noraxalis* Walker,1859; *ocellusalis* Walker,1859; *palopealis* Walker,1859; *probalis* Walker,1859; *catenalis* Walker,[1866]; *concatenalis* Walker,[1866]; *juncturalis* Walker,[1866]; *tauricalis* Caradja,1917
- 4573) *Pyrausta (s.str.) nigrata* (Scopoli,1763) (Pyrilidae) Synonym(s): *nigrata* Scopoli,1763; *podaella* Fabricius,1781; *funigera* Fourcroy,1785; *anguinalis* Hübner,1796; *fascialis* Schrank,1802 nec Hbn.,1796
- 4574) *Pyrausta (s.str.) obfuscata* (Scopoli,1763) (Pyrilidae) Synonym(s): *obfuscata* Scopoli,1763; *fuscorubella* Goeze,1783; *bimaculosa* Fourcroy,1785; *rubralis* Villers,1789; *pygmeal* Duponchel,1833; *fucatalis* Treitschke,1835; *atrosanguinalis* Eversmann,1842
- 4575) *Pyrausta (s.str.) ostrinalis* (Hübner,1796) (Pyrilidae) Synonym(s): *ostrinalis* Hübner,1796; *moestalis* Duponchel,1833; *purialis* La Harpe,1864
- 4576) *Pyrausta (s.str.) porphyralis* ([Denis & Schiffermüller],1775) (Pyrilidae) Synonym(s): *porphyralis* [Denis & Schiffermüller],1775
- 4577) *Pyrausta (s.str.) purpuralis* (Linnaeus,1758) (Pyrilidae) Synonym(s): *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916
- 4578) *Pyrgus alveus* (Hübner,[1803]) (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelenis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
- 4579) *Pyrgus andromedae* (Wallengren,1853) (Hesperiidae) Synonym(s): *andromedae* Wallengren,1853; *striata* Vorbrodt,1912; *perseus* Schawerda,1919.
- 4580) *Pyrgus armoricanus* (Oberthür,1910) (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
- 4581) *Pyrgus cacaliae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *cacaliae* Rambur,[1839]; *pyreneus* Picard,1947
- 4582) *Pyrgus carthami* (Hübner,[1813]) (Hesperiidae) Synonym(s): *carthami* Hübner,[1813]
- 4583) *Pyrgus cinarae* (Rambur,[1839]) (Hesperiidae) Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840

- 4584) **Pyrgus malvae** (Linnaeus,1758) (Hesperiidae) Synonym(s): *malvae* Linnaeus,1758; *minor* Esper,1777; *sao Bergsträßer*,1779; *taras Bergsträßer*,1780; *althaeae* Esper,1783; *malvarum Ochsenheimer*,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema Pfeiffer*,1938.
- 4585) **Pyrgus serratulae** (Rambur,[1839]) (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 4586) **Pyrgus sidae** (Esper,[1784]) (Hesperiidae) Synonym(s): *sidae* Esper,[1784]
- 4587) **Pyrocleptria cora** (Eversmann,1837) (Noctuidae) Synonym(s): *cora* Eversmann,1837
- 4588) **Pyroderces argyrogrammos** (Zeller,1847) (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggiella* Herrich-Schäffer,[1853]
- 4589) **Pyroderces caesaris** Gozmany,1957 (Cosmopterigidae) Synonym(s): *caesaris* Gozmany,1957
- 4590) **Pyrois cinnamomea** (Goeze,1781) (Noctuidae) Synonym(s): *cinnamomea* Goeze,1781
- 4591) **Pyrois effusa** (Boisduval,1828) (Noctuidae) Synonym(s): *effusa* Boisduval,1828; *sciaphila* Staudinger,1871
- 4592) **Pyronia tithonus** (Linnaeus,1771) (Satyridae) Synonym(s): *tithonus* Linnaeus,1771; *tiphon* Kühn,1774; *pilosellae* Fabricius,1775; *herse* Denis & Schiffermüller,1775; *phaedra* Esper,1776; *amaryllis* Fourcroy,1785 *nec* Cramer,1782; *tithone* Hübner,1819; *britanniae* Verity,1914; *bajocassensis* Moulton,1938; *armoricanus* Moulton,1938
- 4593) **Pyropteron minianiformis** (Freyer,1843) (Sesiidae) Synonym(s): *minianiformis* Freyer,1843
- 4594) **Pyropteron triannuliformis** (Freyer,1845) (Sesiidae) Synonym(s): *meriaeformis* Assmann,1845 *nec* Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 *nec* Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *ljiljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987
- 4595) **Pyrrhia purpurina** (Esper,[1804]) (Noctuidae) Synonym(s): *purpurina* Esper,[1804].
- 4596) **Pyrrhia treitschkii** (Frivaldszky,1835) (Noctuidae) Synonym(s): *treitschkii* Frivaldszky,1835.
- 4597) **Pyrrhia umbra** (Hufnagel,1766) (Noctuidae) Synonym(s): *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölzermann,1902.
- 4598) **Pyrrhocoris apterus** (Linnaeus,1758) (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829
- 4599) **Pyrrhocoris marginatus** (Kolenati,1845) (Pyrrhocoridae) Synonym(s): *marginatus* Kolenati,1845
- 4600) **Quercusia quercus** (Linnaeus,1758) (Lycanidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 4601) **Rabdophaga jaapi** Rübsaamen,1916 (Cecidomyiidae) Synonym(s): *jaapi* Rübsaamen,1916
- 4602) **Rabdophaga pierrei** (Kieffer,1896) (Cecidomyiidae) Synonym(s): *pierrei* Kieffer,1896
- 4603) **Rabdophaga saliciperda** (Dufour,1841) (Cecidomyiidae) Synonym(s): *saliciperda* Dufour,1841
- 4604) **Rabdophaga salicis** (Schränk,1803) (Cecidomyiidae) Synonym(s): *salicis* Schränk,1803; *salicina* Bouché,1834; *gallarumsalicis* Hardy,1850; *argyrosticta* Macquart,1854; *noduli* Rübsaamen,1895; *saliyonai* Shinji,1938
- 4605) **Rabdophaga strobilina** (Bremi,1847) (Cecidomyiidae) Synonym(s): *strobilina* Bremi,1847; *rosaria* Loew,1850
- 4606) **Rachispoda lutosa** (Stenhammar,1855) (Sphaeroceridae) Synonym(s): *lutosa* Stenhammar,1855
- 4607) **Rachispoda lutosoidea** (Duda,1938) (Sphaeroceridae) Synonym(s): *lutosoidea* Duda,1938
- 4608) **Rachispoda modesta** (Duda,1924) (Sphaeroceridae) Synonym(s): *modesta* Duda,1924
- 4609) **Rachispoda varicornis** (Strobl,1900) (Sphaeroceridae) Synonym(s): *varicornis* Strobl,1900; *halidayi* Collin,1902
- 4610) **Ramburiella (Palaeocesa) turcomana** (Fischer von Waldheim,1833) (Acrididae) Synonym(s): *turcomana* Fischer von Waldheim,1833; *formosus* Becker,1864
- 4611) **Ranissus leptopus** Fieber,1866 (Dictyopharidae) Synonym(s): *leptopus* Fieber,1866; *edirneus* Dlabola,1957
- 4612) **Raphidia (Magnoraphidia) major** Burmeister,1839 (Raphidiidae) Synonym(s): *major* Burmeister,1839.
- 4613) **Raphidia (Pontoraphidia) rhodopica** Klapalek,1894 (Raphidiidae) Synonym(s): *rhodopica* Klapalek,1894
- 4614) **Raphidia (s.str.) beieri** H.Aspöck & U.Aspöck,1964 (Raphidiidae) Synonym(s): *beieri* H.Aspöck & U.Aspöck,1964; *schizurotergalis* Bartos,1965
- 4615) **Raphidia (Turcoraphidia) amara** H.Aspöck & U.Aspöck,1964 (Raphidiidae) Synonym(s): *amara* H.Aspöck & U.Aspöck,1964
- 4616) **Raphimetopus ablutellus** (Zeller,1839) (Pylalidae) Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 4617) **Ravinia striata** (Fabricius,1794) (Sarcophagidae) Synonym(s): *striata* Fabricius,1794; *haematodes* Meigen,1826; *haemisphaerica* R-D.,1830; *limpidipennis* R-D.,1830; *horticola* R-D.,1830; *campestris* R-D.,1830; *parva* R-D.,1863; *sulcata* R-D.,1863; *hebes* R-D.,1863; *nova* Siebke,1877; *aozia* Ségué,1935; *disjuncta* Ségué,1938
- 4618) **Rebelia perlucidella** (Bruand,1853) (Psychidae) Synonym(s): *perlucidella* Bruand,1853
- 4619) **Rebelia sapho** (Millière,1864) (Psychidae) Synonym(s): *sapho* Millière,1864
- 4620) **Recilia horvathi** (Then,1896) (Cicadellidae) Synonym(s): *horvathi* Then,1896
- 4621) **Recilia schmidtgeni** (Wagner,1939) (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
- 4622) **Recurvaria leucatella** (Linnaeus,1761) (Gelechiidae) Synonym(s): *#leucatella* Clerck,1759; *leucatella* Linnaeus,1761; *leucatea* Haworth,1828.
- 4623) **Recurvaria nanella** ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *nanella* [Denis & Schiffermüller],1775; *pumilella* [Denis & Schiffermüller],1775; *nana* Haworth,1828; *crataegella* Busck,1903; *unicolor* Rebel,1927
- 4624) **Reduvius pallipes** Klug,1830 (Reduviidae) Synonym(s): *pallipes* Klug,1830; *thoracicus* Stal,1855; *testaceus* Fieber
- 4625) **Reduvius testaceus** (Herrich-Schäffer,1845) (Reduviidae) Synonym(s): *testaceus* Herrich-Schäffer,1845
- 4626) **Reisserita relicinella** (Zeller,1839) (Tineidae) Synonym(s): *relicinella* Zeller,1839
- 4627) **Reisseronia nigrociliella** (Rebel,1934) (Psychidae) Synonym(s): *nigrociliella* Rebel,1934
- 4628) **Reisseronia pusilella** (Rebel,1941) (Psychidae) Synonym(s): *pusilella* Rebel,1941
- 4629) **Reptalus (s.str.) melanochaetus** (Fieber,1876) (Cixiidae) Synonym(s): *melanochaetus* Fieber,1876; *fasciatus* Kusnezov,1928
- 4630) **Reptalus (s.str.) panzeri** (Loew,1883) (Cixiidae) Synonym(s): *panzeri* Loew,1883
- 4631) **Reptalus (s.str.) quinquecostatus** (Dufour,1833) (Cixiidae) Synonym(s): *quinquecostatus* Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937
- 4632) **Reskovitsia alborivulalis** (Eversmann,1843) (Pylalidae) Synonym(s): *alborivulalis* Eversmann,1843
- 4633) **Rethera komarovi** (Christoph,1885) (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
- 4634) **Rhabdomastix (s.str.) filata** Stary,2004 (Limoniidae) Synonym(s): *filata* Stary,2004
- 4635) **Rhacognathus punctatus** (Linnaeus,1758) (Pentatomidae) Synonym(s): *punctatus* Linnaeus,1758; *annularis* Geoffroy,1785
- 4636) **Rhagades (s.str.) pruni** ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *#pruni* [Denis & Schiffermüller],1775

- 4637) **Rhagoletis alternata** (Fallén,1814) (Tephritidae) Synonym(s): *alternata* Fallén,1814
 4638) **Rhagoletis cerasi** (Linnaeus,1758) (Tephritidae) Synonym(s): *cerasi* Linnaeus,1758
 4639) **Rhagonycha fulva** (Scopoli,1763) (Cantharidae) Synonym(s): *fulva* Scopoli,1763
 4640) **Rhagonycha lutea** (O.F.Müller,1764) (Cantharidae) Synonym(s): *lutea* O.F.Müller,1764
 4641) **Rhamphomyia** (Lundstroemiella) **strobli** Bartak,1985 (Empididae) Synonym(s): *alpina* Strobl,1893 (*praeocc.*); *strobli* Bartak,1985
 4642) **Rhaphium appendiculatum** Zetterstedt,1849 (Dolichopodidae) Synonym(s): *appendiculatum* Zetterstedt,1849; *anale* Becker,1918; *macrocerum* Parent,1925
 4643) **Rhaphium caliginosum** Meigen,1824 (Dolichopodidae) Synonym(s): *caliginosum* Meigen,1824; *zetterstedti* Parent,1925
 4644) **Rhaphium laticorne** (Fallén,1823) (Dolichopodidae) Synonym(s): *laticorne* Fallén,1823; *nemorum* Meigen,1830; *nigripes* Macquart,1834; *subnudipes* Zetterstedt,1859
 4645) **Rhaphium micans** (Meigen,1824) (Dolichopodidae) Synonym(s): *micans* Meigen,1824; *simplex* Verrall,1876
 4646) **Rhegmaphila alpina** (Bellier,1881) (Notodontidae) Synonym(s): *alpina* Bellier,1881; *burgensis* Fernandez,1934
 4647) **Rheumaptera hastata** (Linnaeus,1758) (Geometridae) Synonym(s): *hastata* Linnaeus,1758; *heraclitaea* Fourcroy,1785; *hastaria* Boisduval,1840
 4648) **Rheumaptera subhastata** (Nolcken,1870) (Geometridae) Synonym(s): *subhastata* Nolcken,1870; *sagittifera* Gumpfenberg,1890
 4649) **Rhigognostis wolfschlaegeri** (Rebel,1940) (Yponomeutidae) Synonym(s): *wolfschlaegeri* Rebel,1940
 4650) **Rhingia rostrata** (Linnaeus,1758) (Syrphidae) Synonym(s): *rostrata* Linnaeus,1758
 4651) **Rhizedra lutosa** (Hübner,[1803]) (Noctuidae) Synonym(s): *lutosa* Hübner,[1803]
 4652) **Rhodometra sacaria** (Linnaeus,1767) (Geometridae) Synonym(s): *sacaria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858];
 4653) **Rhodostrophia calabra** (Petagna,1786) (Geometridae) Synonym(s): *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabrararia* Hübner,1790.
 4654) **Rhodostrophia discopunctata** Amsel,1935 (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935
 4655) **Rhoptria asperaria** (Hübner,[1817]) (Geometridae) Synonym(s): *asperaria* Hübner,[1817]; *collata* Hübner,[1826]; *pityata* Rambur,1829; *esteparentis* Agenjo,1933; *#aspersaria* Zukowsky,1941.
 4656) **Rhyacia** (Epipsilia) **cervantes** (Reisser,1935) (Noctuidae) Synonym(s): *cervantes* Reisser,1935; *#gyulaipetri* Varga,1975
 4657) **Rhyacia** (Epipsilia) **grisescens** (Fabricius,1794) (Noctuidae) Synonym(s): *grisescens* Fabricius,1794; *ignicola* Hübner,[1813]; *corrosa* Herrich-Schäffer,1850; *defasciata* Wendlandt,1902; *fasciata* Vorbrodt,1917; *albescens* Rohn-Rethel,1929; *coralita* Hospital,1948; *obscurata* Feichtenberger,1962; *lucida* Feichtenberger,1962
 4658) **Rhyacia** (Epipsilia) **latens** (Hübner,[1809]) (Noctuidae) Synonym(s): *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929.
 4659) **Rhyacia** (s.str.) **arenacea** (Hampson,1907) (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929.
 4660) **Rhyacia** (s.str.) **lucipeta** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775.
 4661) **Rhyacia** (s.str.) **simulans** (Hufnagel,1766) (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,1789; *obscurata* Staudinger,1901; *augurides* Rothschild,1914
 4662) **Rhyacionia buoliana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goetze,1783; *thurificana* Lederer,1855; *#bouoliana* Kalchberg,1897
 4663) **Rhyacionia pinivorana** (Lienig & Zeller,1846) (Tortricidae) Synonym(s): *pinivorana* Lienig & Zeller,1846; *albionana* Doubleday,1850; *pudendana* Herrich-Schäffer,1851; *rhaeticana* Thomann,1914; *hafneri* Rebel,1937
 4664) **Rhynchites auratus** (Scopoli,1763) (Atelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniacus* Zaitzev,1937
 4665) **Rhynchites bacchus** (Linnaeus,1758) (Atelabidae) Synonym(s): *bacchus* Linnaeus,1758; *laetus* Germar,1824; *circassicus* Voss,1938
 4666) **Rhynchites coeruleus** (De Geer,1775) (Atelabidae) Synonym(s): *coeruleus* De Geer,1775; *alliararia* Fabricius,1775; *pubescens* Rossi,1790; *nanus* Marshall,1802; *conicus* Illiger,1807; *ussuriensis* Voss,1930
 4667) **Rhynchites giganteus** Krynický,1832 (Atelabidae) Synonym(s): *giganteus* Krynický,1832
 4668) **Rhynchites hungaricus** (Herbst,1784) (Atelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916
 4669) **Rhynchites lenaeus** Faust,1891 (Atelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926
 4670) **Rhyncomyia cyanescens** (Loew,1844) (Calliphoridae) Synonym(s): *cyanescens* Loew,1844
 4671) **Rhyncomyia peusi** Zumpt,1956 (Calliphoridae) Synonym(s): *peusi* Zumpt,1956
 4672) **Rhyncomyia speciosa** (Loew,1844) (Calliphoridae) Synonym(s): *speciosa* Loew,1844
 4673) **Rhynocoris niger** (Herrich-Schäffer,1842) (Reduviidae) Synonym(s): *niger* Herrich-Schäffer,1842
 4674) **Rhynocoris punctiventris** Herrich-Schäffer,1846 (Reduviidae) Synonym(s): *punctiventris* Herrich-Schäffer,1846; *dimidiatus* Dispons,1964
 4675) **Rhyphaga lacernaria** (Hübner,[1813]) (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842
 4676) **Rhypharia purpurata** (Linnaeus,1758) (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909.
 4677) **Rhypharioides flavida** (Bremer,1861) (Arctiidae) Synonym(s): *flavida* Bremer,1861; *occidentalis* Daniel,1939
 4678) **Rhytidodus decimusquartus** (Schrank,1776) (Cicadellidae) Synonym(s): *decimusquartus* Schrank,1776; *crenatus* Germar,1827; *scurra* Germar,1837; *germari* Fieber,1868; *fulvus* Rey,1894
 4679) **Ribautiana alces** (Ribaut,1931) (Cicadellidae) Synonym(s): *alces* Ribaut,1931
 4680) **Ribautiana cruciata** (Ribaut,1931) (Cicadellidae) Synonym(s): *cruciata* Ribaut,1931
 4681) **Ribautiana ognevi** (Zachvatkin,1948) (Cicadellidae) Synonym(s): *ognevi* Zachvatkin,1948; *horvathiana* Dlabola,1954
 4682) **Ribautiana scalaris** (Ribaut,1931) (Cicadellidae) Synonym(s): *scalaris* Ribaut,1931
 4683) **Ribautiana ulmi** (Linnaeus,1758) (Cicadellidae) Synonym(s): *ulmi* Linnaeus,1758; *musciiformis* De Geer,1773; *ocellata* Curtis,1837; *thecla* Ferrari,1882
 4684) **Rileyiana fovea** (Treitschke,1825) (Noctuidae) Synonym(s): *fovea* Treitschke,1825

- 4685) *Rivula sericealis* (Scopoli,1763)** (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789.
- 4686) *Rondania dimidiata* (Meigen,1824)** (Tachinidae) Synonym(s): *dimidiata* Meigen,1824
- 4687) *Ronisia brutia* (Petagna,1787)** (Mutillidae) Synonym(s): *brutia* Petagna,1787; *sexmaculata* Cyrillo,1787; *hungarica* Fabricius,1793; *confusa* Lepeletier,1845; *monspeliensis* Lepeletier,1845; *robusta* Smith,1855; *torosa* Costa,1858; *sericeiventris* Costa,1864; *duplex* Radoszkowski,1885; *discoidalis* Radoszkowski,1885 *morawitzii* Dalla Torre,1897
- 4688) *Rusina ferruginea* (Esper,[1785])** (Noctuidae) Synonym(s): *umbratica* Goeze,1781; *ferruginea* Esper,[1785]; *tenebrosa* Hübner,[1803]; *phaeus* Haworth,1803; *obsoletissima* Haworth,1809.
- 4689) *Ruspolia nitidula* (Scopoli,1786)** (Tettigoniidae) Synonym(s): *nitidula* Scopoli,1786; *tuberculata* Rossi,1790; *erythrosoma* St.Fargeau & Serville,1825; *mandibularis* Charpentier,1825; *ambiguus* Stal,1876; *macropterus* Bolivar,1890; *minor* Bolivar,1890; *eurostratus* Jannone,1936
- 4690) *Rutpela maculata* (Poda,1761)** (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996
- 4691) *Saga natoliae* Audinet-Serville,1839** (Tettigoniidae) Synonym(s): *onos* Stoll,1787 *nec* Pall.,1772; *synophrys* Charpentier,1841; *natoliae* Audinet-Serville,1839; *brunneri* Saussure,1888
- 4692) *Saga rammei* Kaltenbach,1965** (Tettigoniidae) Synonym(s): *rammei* Kaltenbach,1965
- 4693) *Salda littoralis* (Linnaeus,1758)** (Saldidae) Synonym(s): *littoralis* Linnaeus,1758
- 4694) *Saldula arenicola* (Scholtz,1847)** (Saldidae) Synonym(s): *arenicola* Scholtz,1847
- 4695) *Saldula opacula* (Zetterstedt,1838)** (Saldidae) Synonym(s): *opacula* Zetterstedt,1838
- 4696) *Saldula orthochila* (Fieber,1859)** (Saldidae) Synonym(s): *orthochila* Fieber,1859
- 4697) *Saldula pallipes* (Fabricius,1794)** (Saldidae) Synonym(s): *pallipes* Fabricius,1794
- 4698) *Saldula pilosella* (Thomson,1871)** (Saldidae) Synonym(s): *pilosella* Thomson,1871; *hirsuta* Reuter,1888
- 4699) *Saldula xanthochila* (Fieber,1859)** (Saldidae) Synonym(s): *xanthochila* Fieber,1859; *#xanthochila* Önder et al.,2006
- 4700) *Samia cynthia* (Drury,1773)** (Saturniidae) Synonym(s): *cynthia* Drury,1773; *aylanti* Motschulsky,1858; *walkerii* C.Felder & R.Felder,1862; *ailanthi* Weil,1863; *parisiensis* Clemens,1899; *advena* Watson,1912; *eulowaina* Watson,1914
- 4701) *Sarcophaga (Bercaea) africa* (Wiedemann,1819)** (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819
- 4702) *Sarcophaga (Bercaea) cruentata* Meigen,1826** (Sarcophagidae) Synonym(s): *cruentata* Meigen,1826; *haemorrhoidalis* Fallén,1817; *squalida* R-D.,1830; *blondeli* R-D.,1830; *villia* R-D.,1830; *ruficauda* Zetterstedt,1838; *consobrina* Rondani,1860; *nurus* Rondani,1860; *zetterstedti* R-D.,1863; *iners* R-D.,1863; *pabulorum* R-D.,1863; *meigeni* R-D.,1863; *inlyta* R-D.,1863; *praeceps* R-D.,1863; *fugax* R-D.,1863; *nitida* R-D.,1863; *albidula* R-D.,1863; *commendata* R-D.,1863; *fulvipalpis* R-D.,1863; *haematura* R-D.,1863; *agilis* R-D.,1863; *oralis* R-D.,1863; *agraria* R-D.,1863; *meditata* R-D.,1863; *#interrupta* Enderlein,1928; *#tiesleri* Enderlein,1928
- 4703) *Sarcophaga (Discachaeta) cucullans* Pandellé,1896** (Sarcophagidae) Synonym(s): *cucullans* Pandellé,1896
- 4704) *Sarcophaga (Helicophagella) crassimargo* Pandellé,1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé,1896
- 4705) *Sarcophaga (Helicophagella) melanura* Meigen,1826** (Sarcophagidae) Synonym(s): *melanura* Meigen,1826; *edax* Walker,1849; *striata* R-D.,1863
- 4706) *Sarcophaga (Heteronychia) bulgarica* (Enderlein,1936)** (Sarcophagidae) Synonym(s): *bulgarica* Enderlein,1936; *boettcheriana* Rohdendorf,1937; *fraterna* Lehrer,1977; *nostalgica* Lehrer,2000
- 4707) *Sarcophaga (Heteronychia) consanguinea* Rondani,1860** (Sarcophagidae) Synonym(s): *consanguinea* Rondani,1860; *schnabli* Villeneuve,1911; *portschinskyana* Rohdendorf,1937; *atanassovi* Lehrer,1977; *cullottorum* Povolny,2005
- 4708) *Sarcophaga (Heteronychia) cucullans* Pandellé,1896** (Sarcophagidae) Synonym(s): *cucullans* Pandellé,1896; *iacentkovskyi* Enderlein,1936
- 4709) *Sarcophaga (Heteronychia) dissimilis* Meigen,1826** (Sarcophagidae) Synonym(s): *dissimilis* Meigen,1826; *offuscata* Meigen,1826; *arvensis* R-D.,1830; *trifaria* R-D.,1830; *claripennis* R-D.,1830; *obscuripennis* R-D.,1830; *nigricans* R-D.,1830; *fuscipennis* R-D.,1830; *grisea* R-D.,1830; *nana* R-D.,1830; *despecta* R-D.,1830; *trifasciata* Macquart,1835; *infantula* Rondani,1860; *nigricauda* R-D.,1863; *cursoria* R-D.,1863; *viatrix* R-D.,1863; *hilaris* R-D.,1863; *infuscata* R-D.,1863; *grisella* R-D.,1863; *morio* R-D.,1863; *sistoria* R-D.,1863; *flavescens* R-D.,1863; *opaca* R-D.,1863; *concolor* R-D.,1863; *claripennis* R-D.,1863; *villana* R-D.,1863; *myoidea* R-D.,1863; *grisella* R-D.,1863; *socia* R-D.,1863; *sordida* R-D.,1863; *tristis* R-D.,1863; *fuscipennis* R-D.,1863; *tenella* R-D.,1863; *dissoluta* Pandellé,1896; *lugubris* R-D.,1863; *nigricauda* Povolny & Slameckova,1959; *rohdendorfiana* Mihalyi,1975; *nigricaudata* Povolny & Slameckova,1982; *dimioniphalla* Lehrer,1996
- 4710) *Sarcophaga (Heteronychia) filia* Rondani,1860** (Sarcophagidae) Synonym(s): *filia* Rondani,1860; *iuvenis* Rondani,1860; *lyneborgi* Rohdendorf,1975; *resnikae* Lehrer,1996
- 4711) *Sarcophaga (Heteronychia) haemorrhoea* Meigen,1826** (Sarcophagidae) Synonym(s): *haemorrhoea* Meigen,1826; *contempta* R-D.,1830; *aestivalis* R-D.,1830; *riparia* R-D.,1830; *albicans* R-D.,1830; *sanguinolenta* Macquart,1835; *valida* R-D.,1863; *pilosa* R-D.,1863; *campestris* R-D.,1863; *chetalis* R-D.,1863; *labialis* R-D.,1863; *oralis* R-D.,1863; *ambulatoria* R-D.,1863; *ardeacea* R-D.,1863; *fuliginosa* R-D.,1863; *musca* R-D.,1863; *rustica* R-D.,1863; *umbripennis* R-D.,1863; *procax* R-D.,1863; *claripennis* R-D.,1863; *varinervis* R-D.,1863; *arbores* R-D.,1863; *inconstans* R-D.,1863; *contigua* R-D.,1863; *flavinervis* R-D.,1863; *anxia* R-D.,1863; *helicivorax* Enderlein,1933; *fugitiva* Povolny,2001
- 4712) *Sarcophaga (Heteronychia) haemorrhoides* Böttcher,1913** (Sarcophagidae) Synonym(s): *haemorrhoides* Böttcher,1913; *wahisi* Lehrer,1976
- 4713) *Sarcophaga (Heteronychia) infantilis* Böttcher,1913** (Sarcophagidae) Synonym(s): *infantilis* Böttcher,1913; *ostensackeni* Rohdendorf,1937
- 4714) *Sarcophaga (Heteronychia) mutila* Villeneuve,1912** (Sarcophagidae) Synonym(s): *mutila* Villeneuve,1912; *nedelkoffi* Lehrer,1977; *galmuda* Lehrer,1998
- 4715) *Sarcophaga (Heteronychia) pontica* (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *pontica* Rohdendorf,1937
- 4716) *Sarcophaga (Heteronychia) porrecta* Böttcher,1913** (Sarcophagidae) Synonym(s): *porrecta* Böttcher,1913; *bulgariensis* Lehrer,1977
- 4717) *Sarcophaga (Heteronychia) pseudobenaci* (Baranov,1942)** (Sarcophagidae) Synonym(s): *pseudobenaci* Baranov,1942; *drenskiana* Lehrer,1977
- 4718) *Sarcophaga (Heteronychia) rondaniana* (Rohdendorf,1937)** (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf,1937
- 4719) *Sarcophaga (Heteronychia) schineri* Bezzi,1891** (Sarcophagidae) Synonym(s): *schineri* Bezzi,1891
- 4720) *Sarcophaga (Heteronychia) setinervis* Rondani,1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani,1860; *puerula* Rondani,1860; *efflatouni* Salem,1935; *seguyi* Lehrer,1977
- 4721) *Sarcophaga (Heteronychia) siciliensis* Böttcher,1913** (Sarcophagidae) Synonym(s): *siciliensis* Böttcher,1913
- 4722) *Sarcophaga (Jantia) crassipalpis* Macquart,1839** (Sarcophagidae) Synonym(s): *crassipalpis* Macquart,1839; *dalmatina* Schiner,1862; *securifera* Villeneuve,1908
- 4723) *Sarcophaga (Krameromyia) anaces* Walker,1849** (Sarcophagidae) Synonym(s): *anaces* Walker,1849
- 4724) *Sarcophaga (Liopygia) argyrostoma* (R-D.,1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D.,1830

- 4725) *Sarcophaga (Liosarcophaga) aegyptica* (Salem,1935) (Sarcophagidae) Synonym(s): *aegyptica* Salem,1935
- 4726) *Sarcophaga (Liosarcophaga) emdeni* (Rohdendorf,1969) (Sarcophagidae) Synonym(s): *emdeni* Rohdendorf,1969
- 4727) *Sarcophaga (Liosarcophaga) exuberans* Pandellé,1896 (Sarcophagidae) Synonym(s): *exuberans* Pandellé,1896; *setosa* Baranov,1929
- 4728) *Sarcophaga (Liosarcophaga) jacobsoni* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *jacobsoni* Rohdendorf,1937; *sachtlebeni* Lehrer,1959
- 4729) *Sarcophaga (Liosarcophaga) portschinskyi* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *portschinskyi* Rohdendorf,1937; *verticina* Ringdahl,1945
- 4730) *Sarcophaga (Liosarcophaga) teretirostris* Pandellé,1896 (Sarcophagidae) Synonym(s): *teretirostris* Pandellé,1896; *kroeberi* Rohdendorf,1937; *decellei* Lehrer,1976
- 4731) *Sarcophaga (Liosarcophaga) tuberosa* Pandellé,1896 (Sarcophagidae) Synonym(s): *tuberosa* Pandellé,1896
- 4732) *Sarcophaga (Mimarhopocnemis) granulata* (Kramer,1908) (Sarcophagidae) Synonym(s): *granulata* Kramer,1908
- 4733) *Sarcophaga (Pandelleana) protuberans* Pandellé,1896 (Sarcophagidae) Synonym(s): *protuberans* Pandellé,1896; *angustifrons* Baranov,1926; *dzhavachetica* Gudjabidze,1966
- 4734) *Sarcophaga (Pandelleisca) similis* Meade,1876 (Sarcophagidae) Synonym(s): *similis* Meade,1876; *appendiculata* Kramer,1905; *popovi* Trofimov,1948
- 4735) *Sarcophaga (Parasarcophaga) albiceps* Meigen,1826 (Sarcophagidae) Synonym(s): *albiceps* Meigen,1826; *privigna* Rondani,1860; *cyathisans* Pandellé,1896; *pauciseta* Kramer,1905; *colchica* Gudjabidze,1966
- 4736) *Sarcophaga (Robineauella) scoparia* Pandellé,1896 (Sarcophagidae) Synonym(s): *scoparia* Pandellé,1896; *neglecta* Kramer,1905
- 4737) *Sarcophaga (s.str.) bergi* Rohdendorf,1937 (Sarcophagidae) Synonym(s): *bergi* Rohdendorf,1937; *jupalnica* Lehrer,1967
- 4738) *Sarcophaga (s.str.) carnaria* (Linnaeus,1758) (Sarcophagidae) Synonym(s): *carnaria* Linnaeus,1758; *variegata* Scopoli,1763; *collosus* Scopoli,1763; *atropos* Meigen,1826; *soror* R-D.,1830; *brunnifacies* R-D.,1830; *fuliginosa* R-D.,1830; *intermedia* R-D.,1830; *nigra* R-D.,1830; *livida* R-D.,1830; *livens* R-D.,1830; *villana* R-D.,1830; *squamosa* R-D.,1830; *floreana* R-D.,1830; *strata* R-D.,1830; *squamigera* R-D.,1830; *grisea* R-D.,1830; *agricola* R-D.,1830; *obscuricauda* R-D.,1830; *aurifacies* R-D.,1830; *compar* R-D.,1830; *aprilis* R-D.,1830; *conica* R-D.,1830; *vernalis* R-D.,1830; *specialis* R-D.,1830; *squalens* R-D.,1830; *affinis* R-D.,1830; *subnitens* R-D.,1830; *rubescens* R-D.,1830; *grisescens* R-D.,1830; *atrata* R-D.,1830; *laticrus* R-D.,1830; *arvensis* R-D.,1830; *florum* R-D.,1830; *squalida* R-D.,1830; *morio* R-D.,1830; *atrata* R-D.,1830; *limpida* R-D.,1863; *melanura* R-D.,1863; *aurata* R-D.,1863; *propinqua* R-D.,1863; *albida* R-D.,1863; *erratica* R-D.,1863; *pratensis* R-D.,1863; *tenebricosa* R-D.,1863; *caesia* R-D.,1863; *maeta* R-D.,1863; *florida* R-D.,1863; *ciliatula* R-D.,1863; *agilis* R-D.,1863; *claripennis* R-D.,1863; *auriflua* R-D.,1863; *geoffroyi* R-D.,1863; *cursoria* R-D.,1863; *myoidea* R-D.,1863; *herbaria* R-D.,1863; *velox* R-D.,1863; *vagans* R-D.,1863; *afra* R-D.,1863; *tristis* R-D.,1863; *praecox* R-D.,1863; *boisduvali* R-D.,1863; *ramburi* R-D.,1863; *mitis* R-D.,1863; *tessellata* R-D.,1863; *lusoria* R-D.,1863; *virgo* R-D.,1863; *ambulatoria* R-D.,1863; *hilaris* R-D.,1863; *modesta* R-D.,1863; *uricola* R-D.,1863; *humilis* R-D.,1863; *hyalipennis* R-D.,1863; *sordida* R-D.,1863; *nigrita* R-D.,1863; *fallax* R-D.,1863; *lugubris* R-D.,1863; *funebis* R-D.,1863; *paludosa* R-D.,1863; *praticola* R-D.,1863; *obscura* R-D.,1863; *vaga* R-D.,1863; *fulvescens* R-D.,1863; *misera* R-D.,1863; *pascuorum* R-D.,1863; *angustata* R-D.,1863; *chrysifacies* R-D.,1863; *frontalis* R-D.,1863; *pallidipes* R-D.,1863; *obscura* R-D.,1863; *dumonti* R-D.,1863; *herbaria* R-D.,1863; *pabulina* R-D.,1863; *nebulosa* R-D.,1863; *germana* R-D.,1863; *festiva* R-D.,1863; *tetrella* R-D.,1863; *macquarti* R-D.,1863; *errans* R-D.,1863; *agraria* R-D.,1863; *monticola* R-D.,1863; *montana* R-D.,1863 ...
- 4739) *Sarcophaga (s.str.) lehmanni* Müller,1922 (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922; *clausa* Müller,1922; *meridionalis* Rohdendorf,1937
- 4740) *Sarcophaga (Sarcotachinella) sinuata* Meigen,1826 (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826
- 4741) *Sarcophaga (Thomsona) argyrostoma* (R-D.,1830) (Sarcophagidae) Synonym(s): *argyrostoma* R-D.,1830; *barbata* Thomson,1869; *falculata* Pandellé,1896; *persicae* Senior-White,1924; *chivensis* Zimin,1928
- 4742) *Sargus bipunctatus* (Scopoli,1763) (Stratiomyidae) Synonym(s): *bipunctatus* Scopoli,1763
- 4743) *Sargus cuprarius* (Linnaeus,1758) (Stratiomyidae) Synonym(s): *cuprarius* Linnaeus,1758; *violaceus* Scopoli,1763; *caeruleicollis* Meigen,1822; *coeruleicollis* Loew,1855; *nubeculosus* Zetterstedt,1842; *minimus* Zetterstedt,1849
- 4744) *Sargus flavipes* Meigen,1822 (Stratiomyidae) Synonym(s): *flavipes* Meigen,1822
- 4745) *Sargus iridatus* (Scopoli,1763) (Stratiomyidae) Synonym(s): *iridatus* Scopoli,1763
- 4746) *Saturnia (Heraea) pavonia* (Linnaeus,1758) (Saturniidae) Synonym(s): *pavonia* Linnaeus,1758; *pavoniella* Scopoli,1763; *carpini* Denis & Schiffermüller,1775; *pavunculus* Retzius,1783
- 4747) *Saturnia (Heraea) spini* ([Denis & Schiffermüller],1775) (Saturniidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775
- 4748) *Saturnia (Perisomena) caecigena* Kupido,1825 (Saturniidae) Synonym(s): *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914
- 4749) *Saturnia (s.str.) pyri* ([Denis & Schiffermüller],1775) (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980.
- 4750) *Satyrimum (Nordmannia) acaciae* (Fabricius,1787) (Lycaenidae) Synonym(s): *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965.
- 4751) *Satyrimum (Nordmannia) ilicis* (Esper,[1779]) (Lycaenidae) Synonym(s): *ilicis* Esper,[1779]
- 4752) *Satyrimum (Strymonidia) pruni* (Linnaeus,1758) (Lycaenidae) Synonym(s): *pruni* Linnaeus,1758
- 4753) *Satyrimum (Strymonidia) spini* (Fabricius,1787) (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] nec Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 nec Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
- 4754) *Satyrimum (Strymonidia) w-album* (Knoch,1782) (Lycaenidae) Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.
- 4755) *Satyrus (Asatyrus (s.str.)) ferulus* (Fabricius,1793) (Satyridae) Synonym(s): *proserpina* Cyrillo,1787 nec Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 nec Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800].
- 4756) *Scambus (Atelophadnus) rufator* Aubert,1963 (Ichneumonidae) Synonym(s): *rufator* Aubert,1963
- 4757) *Scantius aegyptius* (Linnaeus,1758) (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758
- 4758) *Scaptomyza (Parascaptomyza) pallida* (Zetterstedt,1847) (Drosophilidae) Synonym(s): *pallida* Zetterstedt,1847; *disticha* Duda,1921
- 4759) *Scaptomyza (s.str.) flava* (Fallén,1823) (Drosophilidae) Synonym(s): *flava* Fallén,1823; *flaveola* Meigen,1830; *apicalis* Hardy,1849; *montana* Wheeler,1949

- 4760) *Scaptomyza* (s.str.) *graminum* (Fallén,1823)** (Drosophilidae) Synonym(s): *graminum* Fallén,1823; *incana* Meigen,1830; *rufipes* Meigen,1830; *amoena* Meigen,1838; *flavipennis* Zetterstedt,1838; *tetrasticha* Becker,1908; *semiatricornis* Duda,1935; *norica* Hackman,1955
- 4761) *Scarabaeus sacer* Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925
- 4762) *Scarabaeus typhon* (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822
- 4763) *Scarabaeus variolosus* Fabricius,1787** (Scarabaeidae) Synonym(s): *variolosus* Fabricius,1787
- 4764) *Sceliphron* (s.str.) *destillatorium* (Illiger,1807)** (Sphecidae) Synonym(s): *flavipes* Christ,1791 nec Fabr.,1781; *destillatorium* Illiger,1807; *pensilis* Illiger,1807; *sardonius* Lepeletier,1845; *sardous* Caruccio,1872; *trinaeriensis* De Stefani Perez,1889
- 4765) *Sceliphron* (s.str.) *sprifex* (Linnaeus,1758)** (Sphecidae) Synonym(s): *sprifex* Linnaeus,1758; *aegyptius* Linnaeus,1758; *atra* Scopoli,1786; *aegyptiacum* Dalla Torowe,1897
- 4766) *Scellus notatus* (Fabricius,1781)** (Dolichopodidae) Synonym(s): *notatus* Fabricius,1781; *armiger* Fallén,1823
- 4767) *Sceptonia flavipuncta* Edwards,1925** (Mycetophilidae) Synonym(s): *flavipuncta* Edwards,1925
- 4768) *Sceptonia membranacea* Edwards,1925** (Mycetophilidae) Synonym(s): *membranacea* Edwards,1925
- 4769) *Schiffermuelleria schaefferella* (Linnaeus,1758)** (Oecophoridae) Synonym(s): *schaefferella* Linnaeus,1758; *hermannella* Fabricius,1781; *lucidula* Fourcroy,1785.
- 4770) *Schinia cardui* (Hübner,1790)** (Noctuidae) Synonym(s): *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933.
- 4771) *Schinia cognata* (Freyer,[1833])** (Noctuidae) Synonym(s): *cognata* Freyer,[1833]
- 4772) *Schistostegia decussata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decussata* [Denis & Schiffermüller],1775; *treitschkei* Kovacs,1957
- 4773) *Schoenobius forficellus* (Thunberg,1794)** (Pylalidae) Synonym(s): *forficella* Thunberg,1794; *consortellus* Hübner,1796; *lanceolatus* Hübner,1810; *consorta* Haworth,1811; *hirtus* Haworth,1811; *lanceolalis* Hübner,[1825]
- 4774) *Schoenobius gigantellus* ([Denis & Schiffermüller],1775)** (Pylalidae) Synonym(s): *gigantella* [Denis & Schiffermüller],1775
- 4775) *Schoenobius niloticus* Zeller,1867** (Pylalidae) Synonym(s): *niloticus* Zeller,1867
- 4776) *Schranksia costaestrigalis* (Stephens,1834)** (Noctuidae) Synonym(s): *costaestrigalis* Stephens,1834; *hartigi* Berio,1991.
- 4777) *Schranksia taenialis* (Hübner,[1809])** (Noctuidae) Synonym(s): *taenialis* Hübner,[1809]
- 4778) *Sciapus contristans* (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *contristans* Wiedemann,1817; *flexus* Loew,1869; *vialis* Raddatz,1873; *loewi* Becker,1902
- 4779) *Sciapus flavicinctus* (Loew,1857)** (Dolichopodidae) Synonym(s): *flavicinctus* Loew,1857; *ludens* Loew,1873
- 4780) *Sciapus glaucescens* (Loew,1856)** (Dolichopodidae) Synonym(s): *glaucescens* Loew,1856; *robustus* Loew,1857; *validus* Loew,1858; *brionii* Becker,1918
- 4781) *Sciapus longulus* (Fallén,1823)** (Dolichopodidae) Synonym(s): *longulus* Fallén,1823; *lugens* Meigen,1824; *obscurus* Meigen,1824
- 4782) *Sciapus maurus* Parent,1930** (Dolichopodidae) Synonym(s): *maurus* Parent,1930
- 4783) *Sciapus opacus* (Loew,1866)** (Dolichopodidae) Synonym(s): *opacus* Loew,1866
- 4784) *Sciapus pallens* (Wiedemann,1830)** (Dolichopodidae) Synonym(s): *pallens* Wiedemann,1830
- 4785) *Sciapus platypterus* (Fabricius,1805)** (Dolichopodidae) Synonym(s): *platypterus* Fabricius,1805; *tipularius* Fallén,1823; *crinipes* Meigen,1830
- 4786) *Sciocoris* (s.str.) *cursitans* (Fabricius,1794)** (Pentatomidae) Synonym(s): *cursitans* Fabricius,1794; *terreus* Schrank,1801; *rubropunctatus* Fuente,1972
- 4787) *Sciomyza testacea* Macquart,1835** (Sciomyzidae) Synonym(s): *testacea* Macquart,1835
- 4788) *Sciota* (s.str.) *insignella* (Mann,1862)** (Pylalidae) Synonym(s): *insignella* Mann,1862
- 4789) *Sciota* (s.str.) *rhenella* (Zincken,1818)** (Pylalidae) Synonym(s): *rhenella* Zincken,1818
- 4790) *Scirpophaga praelata* (Scopoli,1763)** (Pylalidae) Synonym(s): *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960.
- 4791) *Scleroconia acutella* (Eversmann,1842)** (Pylalidae) Synonym(s): *acutella* Eversmann,1842; *acutalis* Guenée,1854; *tincticostellus* Walker,1863; *sinensellus* Walker,1863
- 4792) *Scleroracis corniculus* (Marshall,1866)** (Cicadellidae) Synonym(s): *corniculus* Marshall,1866; *orichalceus* Thomson,1869; *intractabilis* Kontkanen,1949
- 4793) *Scleroracis decumanus* (Kontkanen,1949)** (Cicadellidae) Synonym(s): *striatula* Fallén,1806 (praeocc.); *decumanus* Kontkanen,1949
- 4794) *Scleroracis transversus* (Fallén,1826)** (Cicadellidae) Synonym(s): *transversus* Fallén,1826; *lineigera* Zetterstedt,1840; *sibiricus* Vilbaste,1965
- 4795) *Scolia galbula* (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muche,1962
- 4796) *Scoliopteryx libatrix* (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatrix* Haworth,1809
- 4797) *Scolitantides orion* (Pallas,1771)** (Lycaenidae) Synonym(s): *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.
- 4798) *Scoparia basistrigalis* Knaggs,1866** (Pylalidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
- 4799) *Scoparia ingratella* (Zeller,1846)** (Pylalidae) Synonym(s): ? *majalis* Scopoli,1763; *ingratella* Zeller,1846; *ingratalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982
- 4800) *Scoparia luteolaris* (Scopoli,1772)** (Pylalidae) Synonym(s): *luteolaris* Scopoli,1772; *ochrealis* [Denis & Schiffermüller],1775; *simplicella* Laharpe,1861; *cremealis* Zerny,1934.
- 4801) *Scoparia manifestella* (Herrich-Schäffer,1848)** (Pylalidae) Synonym(s): *manifestella* Herrich-Schäffer,1848; *fasciata* Turati,1919; *ticinensis* Müller-Rutz,1920; *laserella* Thurner,1958; *marioni* Viète,1965
- 4802) *Scoparia pyralella* ([Denis & Schiffermüller],1775)** (Pylalidae) Synonym(s): *pyralella* [Denis & Schiffermüller],1775; *arundinata* Thunberg,1792; *dubitalis* Hübner,1796; *dubita* Haworth,1811; *pyralea* Haworth,1811; *dubitellus* Zincken,1817; *tristigella* Stephens,1834; *pyralalis* Guenée,1854; *purbeckensis* Bankes,1889; *australis* Müller-Rutz,1920; *vesubiella* Marion,1976

- 4803) *Scoparia subfusca* Haworth,[1811]** (Pyralidae) Synonym(s): *subfusca* Haworth,[1811]; *graecella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *#sugfusca* Leraut,1984
- 4804) *Scopula beckeraria* (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853
- 4805) *Scopula decorata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806].
- 4806) *Scopula drenowskii* Sterneck,1941** (Geometridae) Synonym(s): *drenowskii* Sterneck,1941
- 4807) *Scopula flaccidaria* (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
- 4808) *Scopula floslactata* (Haworth,1809)** (Geometridae) Synonym(s): *spataceata* Scopoli,1763; *concanetata* Hufnagel,1767; *brunneata* Goeze,1781; *fulvostrata* Goeze,1781; *fulvicans*, *strigata* Fourcroy,1785; *dentilineata* Borkhausen,1794; *remutata* Hübner,1799; *floslactata* Haworth,1809; *lactata* Haworth,1809; *scotica* Cockayne,1951.
- 4809) *Scopula imitaria* (Hübner,[1799])** (Geometridae) Synonym(s): *fimbriata* Fourcroy,1785 nec Schreb.,1759; *imitaria* Hübner,[1799]
- 4810) *Scopula immistaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
- 4811) *Scopula immorata* (Linnaeus,1758)** (Geometridae) Synonym(s): *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 nec Hbn.,1790; *fuscata* Fabricius,1794 nec Hfn.,1767; *immoraria* Hübner,[1799]; *serenata* Turati,1905; *myrtillata* Dadd,1911
- 4812) *Scopula immutata* (Linnaeus,1758)** (Geometridae) Synonym(s): *immutata* Linnaeus,1758; *pallidata* Borkhausen,1794.
- 4813) *Scopula incanata* (Linnaeus,1758)** (Geometridae) Synonym(s): *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846
- 4814) *Scopula marginepunctata* (Goeze,1781)** (Geometridae) Synonym(s): *marginpunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
- 4815) *Scopula minorata* (Boisduval,1833)** (Geometridae) Synonym(s): *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabilie,1900; *mombasae* W.Warren,1904; *dresnaya* D.Lucas,1937.
- 4816) *Scopula nigropunctata* (Hufnagel,1767)** (Geometridae) Synonym(s): *nigropunctata* Hufnagel,1767; *nemorata* Borkhausen,1794; *tristriaria* Fabricius,1794; *inspersata* Schrank,1802; *exemptaria* Hübner,[1823]
- 4817) *Scopula ochraceata* (Staudinger,1901)** (Geometridae) Synonym(s): *ochraceata* Staudinger,1901
- 4818) *Scopula ornata* (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
- 4819) *Scopula rubiginata* (Hufnagel,1767)** (Geometridae) Synonym(s): *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839
- 4820) *Scopula submutata* (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
- 4821) *Scopula subpunctaria* (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *punctata* Scopoli,1763 nec Cl.,1759; *punctaria* Duponchel,1830; *subpunctaria* Herrich-Schäffer,1847; *cerusaria* La Harpe,1850; *depunctata* Guenée,[1858]
- 4822) *Scopula ternata* Schrank,1802** (Geometridae) Synonym(s): *ternata* Schrank,1802; *fumata* Stephens,1831; *commutata* Freyer,1832; *saluata* Speyer,1839; *commutaria* Boisduval,1840; *nitidaria* Boisduval,1840; *gypsaria* Boisduval,1840; *simplaria* Freyer,1852; *duplexaria* La Harpe,1855; *perfumata* L.B.Prout,1934; *aequicerata* Traff,1965
- 4823) *Scopula tessellaria* (Boisduval,1840)** (Geometridae) Synonym(s): *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955
- 4824) *Scopula turbulentaria* (Staudinger,1870)** (Geometridae) Synonym(s): *turbulentaria* Staudinger,1870; *collata* W.Warren,1901; *habenata* W.Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
- 4825) *Scorlupella discolor* (Germar,1821)** (Issidae) Synonym(s): *discolor* Germar,1821
- 4826) *Scotochrosta pulla* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller],1775
- 4827) *Scotopteryx bipunctaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 nec Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851
- 4828) *Scotopteryx chenopodiata* (Linnaeus,1758)** (Geometridae) Synonym(s): *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829
- 4829) *Scotopteryx coarctaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809]
- 4830) *Scotopteryx ignorata* Hausmann,1998** (Geometridae) Synonym(s): *ignorata* Hausmann,1998
- 4831) *Scotopteryx luridata* (Hufnagel,1767)** (Geometridae) Synonym(s): *luridata* Hufnagel,1767; *plumbaria* Fabricius,1775; *palumbaria* [Denis & Schiffermüller],1775; *marginaria* Goeze,1781; *quadrifasciaria* Thunberg,1784; *luridaria* Brahm,1791; *palumbata* Hübner,[1825]
- 4832) *Scotopteryx moeniata* (Scopoli,1763)** (Geometridae) Synonym(s): *moeniata* Scopoli,1763; *moeniaria* [Denis & Schiffermüller],1775; *fimbriata* Fabricius,1777 nec Schr.,1759; *angulata* Rottemburg,1777 nec Hufn.,1767; *moeniataria* Villers,1789; *modesta* Lempke,1967
- 4833) *Scotopteryx mucronata* (Scopoli,1763)** (Geometridae) Synonym(s): *mucronata* Scopoli,1763; *virgaria* Esper,[1801]; *turturia* Treitschke,1827
- 4834) *Scotopteryx roesleri* (Vojnits,1973)** (Geometridae) Synonym(s): *roesleri* Vojnits,1973
- 4835) *Scotopteryx vicinaria* (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919
- 4836) *Scrobipalpa (Ilseopsis) acuminatella* (Sircom,1850)** (Gelechiidae) Synonym(s): *acuminatella* Sircom,1850
- 4837) *Scrobipalpa (Ilseopsis) artemisiella* (Treitschke,1833)** (Gelechiidae) Synonym(s): *artemisiella* Treitschke,1833; *paniculatella* Novickij,1924
- 4838) *Scrobipalpa (Ilseopsis) atriplicella* (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *atriplicella* Fischer v. Röslerstamm,1841
- 4839) *Scrobipalpa (Ilseopsis) obsoletella* (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *obsoletella* Fischer v. Röslerstamm,1841; *miscitella* Clarke,1932; *calaritanella* Amsel,1951.
- 4840) *Scrobipalpa (Ilseopsis) ocellatella* (Boyd,1858)** (Gelechiidae) Synonym(s): *ocellatella* Boyd,1858; *submissella* Stainton,1859; *horticolella* Rössler,1866.

- 4841) Scrobipalpa (Ilseopsis) salinella (Zeller,1847)** (Gelechiidae) Synonym(s): *salinella* Zeller,1847
- 4842) Scrobipalpa (Ilseopsis) soffneri Povolny,1964** (Gelechiidae) Synonym(s): *soffneri* Povolny,1964
- 4843) Scrobipalpula psilella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *psilella* Herrich-Schäffer,[1854]; *cacuminum* Frey,1870.
- 4844) Scythris (aerariella-gr.) aerariella (Herrich-Schäffer,[1854])** (Scythridae) Synonym(s): *aerariella* Herrich-Schäffer,[1854]
- 4845) Scythris (aerariella-gr.) hungaricella Rebel,1917** (Scythridae) Synonym(s): *hungaricella* Rebel,1917
- 4846) Scythris (aerariella-gr.) tergestinella (Zeller,1855)** (Scythridae) Synonym(s): *tergestinella* Zeller,1855; *focella* Cosntant,1885
- 4847) Scythris (cicadella-gr.) moldavicella Caradja,1905** (Scythridae) Synonym(s): *moldavicella* Caradja,1905; *moldavicella* Rebel,1907; *ottomana* Jäckh,1978; *balcanica* Jäckh,1978
- 4848) Scythris (crassiuscula-gr.) crassiuscula (Herrich-Schäffer,1855)** (Scythridae) Synonym(s): *crassiuscula* Herrich-Schäffer,1855; *disqueella* Fuchs,1903; *fletcherella* Meyrick,1928
- 4849) Scythris (crypta-gr.) crypta Hannemann,1961** (Scythridae) Synonym(s): *crypta* Hannemann,1961
- 4850) Scythris (elegantella-gr.) limbella (Fabricius,1775)** (Scythridae) Synonym(s): *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880.
- 4851) Scythris (fallacella-gr.) fallacella (Schläger,1847)** (Scythridae) Synonym(s): *fallacella* Schläger,1847; *armatella* Herrich-Schäffer,1855; *hydrargyrella* Steudel & Hofmann,1882
- 4852) Scythris (fuscoaenea-gr.) vittella (Costa,[1836])** (Scythridae) Synonym(s): *vittella* Costa,[1836]; *restigerella* Zeller,1839.
- 4853) Scythris (laminella-gr.) saxella Bengtsson,1991** (Scythridae) Synonym(s): *saxella* Bengtsson,1991
- 4854) Scythris (obscurella-gr.) cuspidella ([Denis & Schiffermüller],1775)** (Scythridae) Synonym(s): *cuspidella* [Denis & Schiffermüller],1775; *bifariella* Hübner,[1813]; *lampyrella* Constant,1865; *ochrolitella* Staudinger,1871; *flavilaterella* Fuchs,1886; *immaculata* Fuchs,1895; *#unicolor* Müller-Rutz,1920
- 4855) Scythris (obscurella-gr.) obscurella (Scopoli,1763)** (Scythridae) Synonym(s): *obscurella* Scopoli,1763; *esperella* Hübner,[1799] *nec Fabr.,1787*; *extensella* Hübner,[1825]
- 4856) Scythris (pascariella-gr.) subaerariella (Stainton,1867)** (Scythridae) Synonym(s): *subaerariella* Stainton,1867
- 4857) Scythris (picaepennis-gr.) picaepennis (Haworth,[1828])** (Scythridae) Synonym(s): *picaepennis* Haworth,[1828]
- 4858) Scythris (productella-gr.) productella (Zeller,1839)** (Scythridae) Synonym(s): *productella* Zeller,1839; *psychidella* Zeller,1839
- 4859) Scythris (punctivittella-gr.) punctivittella (Costa,[1836])** (Scythridae) Synonym(s): *punctivittella* Costa,[1836]; *asmodella* Millière,1873
- 4860) Scythris (scopolella-gr.) flabella (Mann,1861)** (Scythridae) Synonym(s): *flabella* Mann,1861; *aurella* Caradja,1920
- 4861) Scythropia crataegella (Linnaeus,1767)** (Yponomeutidae) Synonym(s): *crataegella* Linnaeus,1767
- 4862) Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis* Fabricius,1794; *nubeculipennis* Costa,1863; *menstruus* Loew,1882
- 4863) Sedina buettneri (O.Hering,1858)** (Noctuidae) Synonym(s): *buettneri* O.Hering,1858
- 4864) Sehirus ovatus (Herrich-Schäffer,1839)** (Cydnidae) Synonym(s): *ovatus* Herrich-Schäffer,1839
- 4865) Selagia argyrella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *argyrella* ([Denis & Schiffermüller],1775; *janthinella* Hübner,[1813].
- 4866) Selagia spadicella (Hübner,1796)** (Pyralidae) Synonym(s): *spadicella* Hübner,1796
- 4867) Selagia subochrella (Herrich-Schäffer,1849)** (Pyralidae) Synonym(s): *subochrella* Herrich-Schäffer,1849
- 4868) Selenia dentaria (Fabricius,1775)** (Geometridae) Synonym(s): *dentaria* Fabricius,1775; *gagathes* Goeze,1781; *achataea* Fourcroy,1785; *ustularia* Donovan,1794; *illumaria* Hübner,[1799]; *bilunaria* Esper,[1801]; *juliaria* Haworth,1809; *minor* Boisduval,1840
- 4869) Selenia lunularia (Hübner,1788)** (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 *nec Fabr.,1775*; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831
- 4870) Selenia tetralunaria (Hufnagel,1767)** (Geometridae) Synonym(s): *tetralunaria* Hufnagel,1767
- 4871) Selenocephalus obsoletus (Germar,1817)** (Cicadellidae) Synonym(s): *grisea* Fabricius,1794 (*praeocc.*); *obsoletus* Germar,1817; *punctatonevrosus* Stal,1854
- 4872) Senotainia (s.str.) conica (Fallén,1810)** (Sarcophagidae) Synonym(s): *conica* Fallén,1810; *atrox* R-D.,1830; *crudelis* R-D.,1830; *inimica* R-D.,1830; *quadrinotata* Macquart,1835; *fasciolella* Zetterstedt,1844; *fulvipalpis* R-D.,1863; *cinerella* R-D.,1863
- 4873) Senotainia (s.str.) tricusps (Meigen,1838)** (Sarcophagidae) Synonym(s): *tricusps* Meigen,1838; *pucticornis* Zetterstedt,1859; *angellozi* Séguy,1929; *borealis* Rohdendorf,1935
- 4874) Senotainia (Sphixapata) albifrons (Rondani,1860)** (Sarcophagidae) Synonym(s): *albifrons* Rondani,1860
- 4875) Sepedon (s.str.) sphegea (Fabricius,1775)** (Sciomyzidae) Synonym(s): *sphegea* Fabricius,1775; *ruficollis* Meigen,1818
- 4876) Sepedon (s.str.) spinipes (Scopoli,1763)** (Sciomyzidae) Synonym(s): *spinipes* Scopoli,1763
- 4877) Sericomomyia bequaerti (Herve-Bazin,1913)** (Syrphidae) Synonym(s): *bequaerti* Herve-Bazin,1913
- 4878) Sericomomyia silentis (Harris,[1776])** (Syrphidae) Synonym(s): *silentis* Harris,[1776]; *tricincta* Preyssler,1793; *borealis* Fallén,1816; *ciscaucasica* Stackelberg,1927 [*ssp.*]
- 4879) Serrulacera serraticornella (Zeller,1839)** (Pyralidae) Synonym(s): *serraticornella* Zeller,1839; *gregella* Eversmann,1844.
- 4880) Sesamia cretica Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857
- 4881) Sesamia nonagrioides (Lefèbvre,1827)** (Noctuidae) Synonym(s): *nonagrioides* Lefèbvre,1827; *hesperica* Rambur,1839; *sacchari* Wollaston,1858; *gracilis* Rebel,1898.
- 4882) Sesia apiformis (Clerck,1759)** (Sesiidae) Synonym(s): *#apiformis* Clerck,1759; *crabroniformis* [Denis & Schiffermüller],1775; *sireciformis* Esper,1782; *tenebrioniformis* Esper,1782; *vespa* Retzius,1783
- 4883) Sesia pimplaeformis Oberthür,1872** (Sesiidae) Synonym(s): *pimplaeformis* Oberthür,1872
- 4884) Setina irrorella (Linnaeus,1758)** (Arctiidae) Synonym(s): *irrorella* Linnaeus,1758; *ochracea* Scopoli,1772; *irroraea* [Denis & Schiffermüller],1775; *flavanigropunctata* Retzius,1783; *palealis* Villers,1789; *irrorata* Fabricius,1798; *binumerica* Drapiez,1819; *pseudoirrorella* Witt & De Freina,1985
- 4885) Setina roscida ([Denis & Schiffermüller],1775)** (Arctiidae) Synonym(s): *roscida* [Denis & Schiffermüller],1775; *roscidella* Fabricius,1794; *melanomos* Nickerl,1845; *bosniaca* Rebel,1910; *baltica* Wahlgren,1913; *subalpina* Thomann,1951; *rubeni* Viidalepp,1979
- 4886) Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea* Dejean,1826
- 4887) Sialis fuliginosa Pictet,1836** (Sialidae) Synonym(s): *fuliginosa* Pictet,1836
- 4888) Sialis lutaria (Linnaeus,1758)** (Sialidae) Synonym(s): *lutaria* Linnaeus,1758
- 4889) Sialis nigripes Pictet,1865** (Sialidae) Synonym(s): *nigripes* Pictet,1865

- 4890) Sideridis (Aneda) rivularis (Fabricius,1775)** (Noctuidae) Synonym(s): *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845.
- 4891) Sideridis (Conisania) leineri (Freyer,1836)** (Noctuidae) Synonym(s): *leineri* Freyer,1836
- 4892) Sideridis (Conisania) renati (Oberthür,1890)** (Noctuidae) Synonym(s): *renati* Oberthür,1890; *magdalene* Oberthür,1896; *vitensis* Fernandez,1933
- 4893) Sideridis (Dianthivora) implexa (Hübner,[1809])** (Noctuidae) Synonym(s): *implexa* Hübner,[1809]; *fallovi* Oberthür,1876
- 4894) Sideridis (Luteohadena) luteago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (praeocc.); *ottomana* Koçak,1990.
- 4895) Sideridis (s.str.) lampra (Schawerda,1913)** (Noctuidae) Synonym(s): *evidens* Hübner,[1808] nec Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975
- 4896) Sideridis (s.str.) turbida (Esper,[1790])** (Noctuidae) Synonym(s): *turbida* Esper,[1790]; *albicolon* Hübner,[1813]
- 4897) Sigara mayri (Fieber,1860)** (Corixidae) Synonym(s): *mayri* Fieber,1860
- 4898) Sigara scripta (Rambur,1840)** (Corixidae) Synonym(s): *scripta* Rambur,1840
- 4899) Silvius (s.str.) algirus Meigen,1930** (Tabanidae) Synonym(s): *algirus* Meigen,1930; *bicolor* Bigot,1892
- 4900) Simplicia rectalis (Eversmann,1842)** (Noctuidae) Synonym(s): *rectalis* Eversmann,1842
- 4901) Simulium (Eusimulium) aureum Fries,1824** (Simuliidae) Synonym(s): *aureum* Fries,1824
- 4902) Simulium (Eusimulium) krymense (Rubtsov,1956)** (Simuliidae) Synonym(s): *krymense* Rubtsov,1956
- 4903) Simulium (Nevermannia) codreanui Sherban,1958** (Simuliidae) Synonym(s): *codreanui* Sherban,1958
- 4904) Simulium (Nevermannia) costatum Friederichs,1920** (Simuliidae) Synonym(s): *costatum* Friederichs,1920; *incornutum* Enderlein,1929; *barbativentre* Enderlein,1929
- 4905) Simulium (Nevermannia) cryophilum (Rubtsov,1959)** (Simuliidae) Synonym(s): *cryophilum* Rubtsov,1959; *biankoi* Rubtsov,1964; *courverti* Rubtsov,1964; *vidanoi* Rubtsov,1964; *tricrenum* Rubtsov & Carlsson,1965
- 4906) Simulium (Nevermannia) lundstromi (Enderlein,1921)** (Simuliidae) Synonym(s): *lundstromi* Enderlein,1921; *latigonium* Rubtsov,1956
- 4907) Simulium (s.str.) alajense (Rubtsov,1938)** (Simuliidae) Synonym(s): *alajense* Rubtsov,1938; *sbergi* Rubtsov,1940
- 4908) Simulium (s.str.) argenteostriatum Strobl,1898** (Simuliidae) Synonym(s): *argenteostriatum* Strobl,1898; *schoenbaueri* Enderlein,1921; *alternans* Enderlein,1921; *rupicolum* Séguy & Dornier,1936; *simici* Zivkovitch,1956
- 4909) Simulium (s.str.) argyreatum Meigen,1838** (Simuliidae) Synonym(s): *argyreatum* Meigen,1838; *montanum* Enderlein,1921; *mehelyi* Enderlein,1926; *polae* Smart,1944; *celticum* Doby & Rault,1960
- 4910) Simulium (s.str.) baracorne Smart,1944** (Simuliidae) Synonym(s): *ruficornis* Baranov,1926 (praeocc.); *baracorne* Smart,1944; *ponticum* Rubtsov,1956; *acutiphallus* Rubtsov,1963
- 4911) Simulium (s.str.) bezzii (Corti,1914)** (Simuliidae) Synonym(s): *bezzii* Corti,1914; *delphinense* Villeneuve,1918; *tristigatum* Enderlein,1921; *obscurum* Enderlein,1924; *kondici* Baranov,1926; *atlas* Séguy,1930; *crinitum* Rubtsov,1956; *gorjense* Dinulescu,1966; *graium* Courvert,1967
- 4912) Simulium (s.str.) debacii Terteryan,1952** (Simuliidae) Synonym(s): *debacii* Terteryan,1952
- 4913) Simulium (s.str.) degrangei Dorier & Grenier,1960** (Simuliidae) Synonym(s): *degrangei* Dorier & Grenier,1960; *sastcheri* Machavariani,1966
- 4914) Simulium (s.str.) desertorum Rubtsov,1938** (Simuliidae) Synonym(s): *desertorum* Rubtsov,1938
- 4915) Simulium (s.str.) kerisorum (Rubtsov,1956)** (Simuliidae) Synonym(s): *kerisorum* Rubtsov,1956
- 4916) Simulium (s.str.) kiritshenkoi Rubtsov,1940** (Simuliidae) Synonym(s): *kiritshenkoi* Rubtsov,1940; *caucasicum* Rubtsov,1940; *sevanense* Rubtsov & Terteryan,1952; *cisalpinum* Rubtsov,1956; *longicaulis* Rubtsov,1956
- 4917) Simulium (s.str.) monticoloides (Rubtsov,1956)** (Simuliidae) Synonym(s): *monticoloides* Rubtsov,1956
- 4918) Simulium (s.str.) ornatum Meigen,1818** (Simuliidae) Synonym(s): *ornatum* Meigen,1818; *fasciatum* Meigen,1830; *crassitarse* Macquart,1834; *tibiale* Macquart,1834; *pratorum* Friederichs,1920; *konsuloffi* Enderlein,1924; *babici* Baranov,1937; *boricii* Baranov,1937; *bartulici* Baranov,1937; *guelminoi* Baranov,1937; *nikolici* Baranov,1937; *anderlickei* Baranov,1937; *zagrebense* Baranov,1937; *barense* Baranov,1939; *arensae* Baranov,1940; *oblimatum* Odintsov,1961; *amnis* Rubtsov,1962; *albifrons* Rubtsov,1967; *curvifila* Rivošecchi,1978
- 4919) Simulium (s.str.) trifasciatum Curtis,1839** (Simuliidae) Synonym(s): *trifasciatum* Curtis,1839; *angustimanus* Enderlein,1921; *wilhelmianum* Enderlein,1921; *nigriperna* Enderlein,1922; *odagmiina* Enderlein,1922; *spinosum* Doby & Deblock,1957
- 4920) Simulium (s.str.) tuberosum (Lundström,1911)** (Simuliidae) Synonym(s): *tuberosum* Lundström,1911
- 4921) Simulium (Trichodagmia) auricoma Meigen,1818** (Simuliidae) Synonym(s): *auricoma* Meigen,1818; *syriacum* Roubaud,1909; *djerdapense* Baranov,1937
- 4922) Simulium (Trichodagmia) popowae Rubtsov,1940** (Simuliidae) Synonym(s): *popowae* Rubtsov,1940; *terminasjanae* Terteryan,1952; *atrofuscum* Rubtsov,1956
- 4923) Simulium (Wilhelmia) balcanicum (Enderlein,1924)** (Simuliidae) Synonym(s): *balcanicum* Enderlein,1924; *secundum* Baranov,1926; *danubiense* Zivkovitch,1955; *severinense* Dinulescu,1966
- 4924) Simulium (Wilhelmia) equinum (Linnaeus,1758)** (Simuliidae) Synonym(s): *equinum* Linnaeus,1758; *marginatum* Meigen,1818; *cinereum* Macquart,1834; *pubescens* Macquart,1834; *canum* Meigen,1838; *dahlgrueni* Enderlein,1921; *orichalcea* Enderlein,1922; *annulitibia* Enderlein,1922; *begbunaricum* Baranov,1924; *varicolor* Séguy,1925; *tertium* Baranov,1926; *brunettii* Enderlein,1934; *bianchii* Rubtsov,1940; *ivanshentzovi* Rubtsov,1940; *avetjanae* Rubtsov & Terteryan,1952; *zetlandense* Davies,1966; *sangrense* Rivošecchi,1967
- 4925) Simulium (Wilhelmia) lineatum (Meigen,1804)** (Simuliidae) Synonym(s): *lineatum* Meigen,1804; *falcula* Enderlein,1921; *salopiense* Edwards,1927; *turgaicum* Rubtsov,1940
- 4926) Simyra albovenosa (Goeze,1781)** (Noctuidae) Synonym(s): *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809.
- 4927) Simyra dentinosa Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990
- 4928) Simyra nervosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775.
- 4929) Sinodendron cylindricum (Linnaeus,1758)** (Lucanidae) Synonym(s): *cylindricum* Linnaeus,1758; *tenebroides* Scopoli,1777; *americanum* Beauvois,1805; *aspromontanum* Müller,1938
- 4930) Siona lineata (Scopoli,1763)** (Geometridae) Synonym(s): *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 nec Fabr.,1775; *dealbaria* Hübner,[1799]
- 4931) Sisypus schaefferi (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *schaefferi* Linnaeus,1758
- 4932) Sitochroa palealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *? flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]

- 4933) *Sitochroa verticalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829
- 4934) *Sitotroga cerealella* (Olivier,1789)** (Gelechiidae) Synonym(s): *cerealella* Olivier,1789; *hordei* Kirby,1815; *arctella* Walker,1864; *melanartha* Lower,1900; *palearis* Meyrick,1913; *ochrescens* Meyrick,1938
- 4935) *Smaragdina chloris* (Lacordaire,1848)** (Chrysomelidae) Synonym(s): *chloris* Lacordaire,1848; *biornata* Lefebvre,1872
- 4936) *Smaragdina concolor* (Fabricius,1792)** (Chrysomelidae) Synonym(s): *concolor* Fabricius,1792; *hypocrita* Lacordaire,1848; *amabilis* Lacordaire,1848
- 4937) *Smaragdina limbata* (Steven,1806)** (Chrysomelidae) Synonym(s): *limbata* Steven,1806; *dorsalis* Olivier,1808
- 4938) *Smaragdina scutellaris* (Lefebvre,1872)** (Chrysomelidae) Synonym(s): *scutellaris* Lefebvre,1872
- 4939) *Smaragdina tibialis* (Brullé,1832)** (Chrysomelidae) Synonym(s): *tibialis* Brullé,1832
- 4940) *Smerinthus ocellatus* (Linnaeus,1758)** (Sphingidae) Synonym(s): *ocellatus* Linnaeus,1758
- 4941) *Smicromyrme* (Erimyrme) *pulawskii* Suarez,1975** (Mutillidae) Synonym(s): *pulawskii* Suarez,1975
- 4942) *Smicromyrme* (s.str.) *ruficollis* (Fabricius,1793)** (Mutillidae) Synonym(s): *ruficollis* Fabricius,1793
- 4943) *Somatochlora borisi* Marinov,2001** (Corduliidae) Synonym(s): *borisi* Marinov,2001
- 4944) *Sophronia acaudella* Rebel,1903** (Gelechiidae) Synonym(s): *acaudella* Rebel,1903
- 4945) *Sophronia consanguinella* Herrich-Schäffer,[1855]** (Gelechiidae) Synonym(s): *consanguinella* Herrich-Schäffer,[1855]; *marginella* Toll,1936 *nec* *marginella* Thunberg,1794 *non* Den. & Schiff.,1775.
- 4946) *Sophronia sicariella* (Zeller,1839)** (Gelechiidae) Synonym(s): *sicariella* Zeller,1839
- 4947) *Sorhaginia lophyrella* (Douglas,1846)** (Cosmopterigidae) Synonym(s): *lophyrella* Douglas,1846; *tolli* Riedl,1962
- 4948) *Sorhoanus medius* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *medius* Mulsant & Rey,1855
- 4949) *Spaelotis ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933.
- 4950) *Spaelotis senna* (Freyer,1829)** (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
- 4951) *Spallanzania hebes* (Fallén,1820)** (Tachinidae) Synonym(s): *hebes* Fallén,1820; *pansa* Snow,1895
- 4952) *Spargania luctuata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *luctuata* [Denis & Schiffermüller],1775; *transversata* Thunberg,1788 *nec* Hfn.,1767; *kodiakata* Packard,1873; *lugubrata* Müller,1930
- 4953) *Sparganothis pilleriana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *pilleriana* [Denis & Schiffermüller],1775
- 4954) *Spatalia argentina* ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller],1775
- 4955) *Speudotettix subfuscus* (Fallén,1806)** (Cicadellidae) Synonym(s): *subfuscus* Fallén,1806; *pectoralis* Germar,1821; *craticula* Curtis,1837
- 4956) *Sphegina* (s.str.) *clavata* (Scopoli,1763)** (Syrphidae) Synonym(s): *clavata* Scopoli,1763; *nigra* Meigen,1822
- 4957) *Sphegina* (s.str.) *clunipes* (Fallén,1816)** (Syrphidae) Synonym(s): *clunipes* Fallén,1816
- 4958) *Sphegina* (s.str.) *elegans* Schummel,1843** (Syrphidae) Synonym(s): *elegans* Schummel,1843; *kimakowiczi* Strobl,1897; *germanica* Becker,1921; *Szilady*,1939
- 4959) *Sphegina* (s.str.) *latifrons* Egger,1865** (Syrphidae) Synonym(s): *latifrons* Egger,1865
- 4960) *Spheg flavipennis* Fabricius,1793** (Sphecidae) Synonym(s): *flavipennis* Fabricius,1793; *rufocinctus* Brullé,1833; *bicolor* Dahlbom,1845; *cinereorufocinctus* Dahlbom,1845; *sellae* Gribodo,1873; *rufodorsatus* DeStefani,1887
- 4961) *Sphingonaeipopsis gorgoniades* (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] *nec* Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 4962) *Sphinx ligustri* Linnaeus,1758** (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998
- 4963) *Sphinx pinastri* Linnaeus,1758** (Sphingidae) Synonym(s): *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisus* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987.
- 4964) *Sphiximorpha subsessilis* (Illiger,1807)** (Syrphidae) Synonym(s): *subsessilis* Illiger,1807
- 4965) *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 4966) *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 4967) *Spilartia lutea* (Hufnagel,1766)** (Arctiidae) Synonym(s): *lutea* Hufnagel,1766; *radiatus* Haworth,1812; *rhododaktyla* Bryk,1948; *reisseri* Koutsaftikis,1973
- 4968) *Spilonota ocellana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949
- 4969) *Spilosoma lubricipeda* (Linnaeus,1758)** (Arctiidae) Synonym(s): *lubricipeda* Linnaeus,1758; *menthastri* [Denis & Schiffermüller],1775; *? sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsaftikis,1973; *#lubrecipeda* De Freina,1981.
- 4970) *Spilosoma urticae* (Esper,[1789])** (Arctiidae) Synonym(s): *urticae* Esper,[1789]; *papyratia* Marsham,1791
- 4971) *Spiris striata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obratzsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948.
- 4972) *Spodoptera cilium* Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *imperviata* Walker,1865; *retrahens* Walker,1870.
- 4973) *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
- 4974) *Spogostylum tripunctatum* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *tripunctatum* Wiedemann,1820; *difficilis* Wiedemann,1820; *mystaceum* Macquart,1840
- 4975) *Spudaea castanea* Osthelder,1933** (Noctuidae) Synonym(s): *#castanea* W.Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968
- 4976) *Stagmatophora anonymella* (Riedl,1965)** (Cosmopterigidae) Synonym(s): *anonymella* Riedl,1965
- 4977) *Standfussiana lucerneae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucernea* Linnaeus,1758

- 4978) **Stangeia siceliota** (Zeller,1847) (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
- 4979) **Staria lunata** (Hahn,1835) (Pentatomidae) Synonym(s): *lunata* Hahn,1835; *lobulatus* Rambur,1839; *maroccana* Lindberg,1932; *levantinae* Fuente,1972
- 4980) **Staudingeria (s.str.) deserticola** (Staudinger,1870) (Pyralidae) Synonym(s): *deserticola* Staudinger,1870
- 4981) **Stauroderus scalaris** (Fischer von Waldheim,1846) (Acrididae) Synonym(s): *scalaris* Fischer von Waldheim,1846; *discoidalis* Eversmann,1848; *melanopterus* Borch,1848; *pyrenaicus* Sauley,1887
- 4982) **Stauropus fagi** (Linnaeus,1758) (Notodontidae) Synonym(s): *fagi* Linnaeus,1758
- 4983) **Stegania dilectaria** (Hübner,1790) (Geometridae) Synonym(s): *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832]
- 4984) **Stelis (s.str.) simillima** Morawitz,1876 (Megachilidae) Synonym(s): *simillima* Morawitz,1876; *cognata* Kohl,1892; *genalis* Pasteels,1969
- 4985) **Stemmatophora combustalis** (Fischer v. Röslerstamm,[1842]) (Pyralidae) Synonym(s): *combustalis* Fischer v. Röslerstamm,[1842].
- 4986) **Stenobothrus (s.str.) fischeri** (Eversmann,1848) (Acrididae) Synonym(s): *fischeri* Eversmann,1848; *nigrogeniculatus* Krauss,1879; *prasina* Voroncovsky,1927
- 4987) **Stenocranus fuscovittatus** (Stal,1858) (Delphacidae) Synonym(s): *fuscovittatus* Stal,1858; *colorata* Kirschbaum,1868
- 4988) **Stenocranus minutus** (Fabricius,1787) (Delphacidae) Synonym(s): *minutus* Fabricius,1787; *lineola* Germar,1818; *longifrons* Boheman,1847; *farinosa* Buckton,1890; *illabatus* Rey,1894
- 4989) **Stenoheriades asiaticus** (Friese,1921) (Megachilidae) Synonym(s): *asiaticus* Friese,1921; *coelostoma* Benoist,1935
- 4990) **Stenoheriades hofferi** (Tkalcu,1984) (Megachilidae) Synonym(s): *hofferi* Tkalcu,1984
- 4991) **Stenopogon callosus** (Pallas,1818) (Asilidae) Synonym(s): *callosus* Pallas,1818
- 4992) **Stenopogon coracinus** (Loew,1847) (Asilidae) Synonym(s): *coracinus* Loew,1847
- 4993) **Stenopogon milvus** (Loew,1847) (Asilidae) Synonym(s): *milvus* Loew,1847
- 4994) **Stenopterus flavicornis** Küster,1846 (Cerambycidae) Synonym(s): *flavicornis* Küster,1846; *procerus* A.Costa,1855
- 4995) **Stenopterus rufus** (Linnaeus,1767) (Cerambycidae) Synonym(s): *rufus* Linnaeus,1767; *attenuatus* Geoffroy,1785
- 4996) **Stenopterus similatus** Holzschuh,1979 (Cerambycidae) Synonym(s): *similatus* Holzschuh,1979
- 4997) **Stenoptilia arida** (Zeller,1847) (Pterophoridae) Synonym(s): *arida* Zeller,1847; *oxyactis* Meyrick,1921; *elkefi* Arenberger,1984; *kopetdagi* Zagulyaev,2002
- 4998) **Stenoptilia bipunctidactyla** (Scopoli,1763) (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli,1763; *mictodactyla* [Denis & Schiffermüller],1775; *#pallida* Tutt,1906; *arida* Caradja,1920 nec Zell.,1847.
- 4999) **Stenoptilia coprodactyla** (Stainton,1851) (Pterophoridae) Synonym(s): *coprodactyla* Stainton,1851; *zalocrossa* Meyrick,1907.
- 5000) **Stenoptilia graphodactyla** (Treitschke,1833) (Pterophoridae) Synonym(s): *graphodactyla* Treitschke,1833.
- 5001) **Stenoptilia gratiolae** Gibeaux & Nel,1990 (Pterophoridae) Synonym(s): *gratiolae* Gibeaux & Nel,1990
- 5002) **Stenoptilia mannii** (Zeller,1852) (Pterophoridae) Synonym(s): *mannii* Zeller,1852; *megalochra* Meyrick,1930.
- 5003) **Stenoptilia pelidnodactyla** (Stein,1837) (Pterophoridae) Synonym(s): *pelidnodactyla* Stein,1837
- 5004) **Stenoptilia plagiodactyla** (Stainton,1851) (Pterophoridae) Synonym(s): *plagiodactyla* Stainton,1851
- 5005) **Stenoptilia pneumonanthes** (Büttner,1880) (Pterophoridae) Synonym(s): *pneumonanthos* Büttner,1880; *nelorum* Gibeaux,1989; *arenbergeri* Gibeaux,1990.
- 5006) **Stenoptilia pterodactyla** (Linnaeus,1761) (Pterophoridae) Synonym(s): *pterodactyla* Linnaeus,1761; *fuscus* Retzius,1783; *fuscodactyla* Haworth,1811; *ptilodactyla* Hübner,[1813]; *palludicola* Wallengren,1862; *#pallida* Tutt,1906
- 5007) **Stenoptilia stigmatodactyla** (Zeller,1852) (Pterophoridae) Synonym(s): *stigmatodactyla* Zeller,1852
- 5008) **Stenoptilia zophodactyla** (Duponchel,1838) (Pterophoridae) Synonym(s): *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873.
- 5009) **Stenoptilodes taprobanes** (R.Felder & Rogenhofer,1875) (Pterophoridae) Synonym(s): *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenicodactyla* Chrétien,1915; *terlizzii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962.
- 5010) **Stephanitis pyri** (Fabricius,1775) (Tingidae) Synonym(s): *pyri* Fabricius,1775
- 5011) **Stephensia brunnicella** (Linnaeus,1767) (Elachistidae) Synonym(s): *brunnicella* Linnaeus,1767.
- 5012) **Sterrhopterix fusca** (Haworth,1809) (Psychidae) Synonym(s): *fusca* Haworth,1809; *calvella* Ochseneimer,1810; *fuscella* Meigen,1832; *gozmanyi* Kovacs,1953
- 5013) **Stevenia atramentaria** (Meigen,1824) (Rhinophoridae) Synonym(s): *atramentaria* Meigen,1824
- 5014) **Stichopogon elegantulus** (Wiedemann,1820) (Asilidae) Synonym(s): *elegantulus* Wiedemann,1820
- 5015) **Stichopogon inaequalis** Loew,1847 (Asilidae) Synonym(s): *inaequalis* Loew,1847
- 5016) **Stichopogon scaliger** Loew,1847 (Asilidae) Synonym(s): *scaliger* Loew,1847; *congener* Loew,1856
- 5017) **Stichopogon schineri** Koch,1872 (Asilidae) Synonym(s): *schineri* Koch,1872; *spinimanus* Pokorný,1887
- 5018) **Stigmella aceris** (Frey,1857) (Nepticulidae) Synonym(s): *aceris* Frey,1857; *penicillata* Heinemann & Wocke,1877
- 5019) **Stigmella anomalella** (Goeze,1783) (Nepticulidae) Synonym(s): *anomalella* Goeze,1783; *rubicurrens* Walsingham,1907; *rosarum* Sorhagen,1922; *helbigi* Hartig,1941
- 5020) **Stigmella assimilella** (Zeller,1848) (Nepticulidae) Synonym(s): *assimilella* Zeller,1848
- 5021) **Stigmella aurella** (Fabricius,1775) (Nepticulidae) Synonym(s): *aurella* Fabricius,1775
- 5022) **Stigmella basiguttella** (Heinemann,1862) (Nepticulidae) Synonym(s): *basiguttella* Heinemann,1862
- 5023) **Stigmella catharticella** (Stainton,1853) (Nepticulidae) Synonym(s): *catharticella* Stainton,1853
- 5024) **Stigmella centifoliella** (Zeller,1848) (Nepticulidae) Synonym(s): *centifoliella* Zeller,1848
- 5025) **Stigmella confusella** (Wood & Walsingham,1894) (Nepticulidae) Synonym(s): *confusella* Wood & Walsingham,1894
- 5026) **Stigmella desperatella** (Frey,1856) (Nepticulidae) Synonym(s): *desperatella* Frey,1856
- 5027) **Stigmella floslactella** (Haworth,1828) (Nepticulidae) Synonym(s): *floslactella* Haworth,1828; *saxatilella* Grönlien,1932
- 5028) **Stigmella hemargyrella** (Kollar,1832) (Nepticulidae) Synonym(s): *hemargyrella* Kollar,1832; *basalella* Herrich-Schäffer,1855; *fagella* Herrich-Schäffer,1855; *fagi* Frey,1856; *nobilella* Heinemann & Wocke,[1876]; *fulgens* Stainton,1888
- 5029) **Stigmella lemniscella** (Zeller,1839) (Nepticulidae) Synonym(s): *lemniscella* Zeller,1839; *marginicolella* Stainton,1853; *suberosella* Toll,1934; *#fulvomacula* Skala,1936
- 5030) **Stigmella magdalenae** (Klimesch,1950) (Nepticulidae) Synonym(s): *magdalenae* Klimesch,1950
- 5031) **Stigmella malella** (Stainton,1854) (Nepticulidae) Synonym(s): *malella* Stainton,1854; *angustella* Heinemann & Wocke,[1876]; *nigrobrunella* Groschke,1939
- 5032) **Stigmella microtheriella** (Stainton,1854) (Nepticulidae) Synonym(s): *microtheriella* Stainton,1854
- 5033) **Stigmella minusculella** (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *minusculella* Herrich-Schäffer,1855; *stettinensis* Heinemann,1871; *chalybeia* Braun,1914; *embonella* Klimesch,1978

- 5034) *Stigmella myrtillella* (Stainton,1857) (Nepticulidae) Synonym(s): *myrtillella* Stainton,1857
- 5035) *Stigmella nylandriella* (Tengström,1848) (Nepticulidae) Synonym(s): *nylandriella* Tengström,1848; *aucupariae* Frey,1857; *aucupariella* Herrich-Schäffer,1862
- 5036) *Stigmella obliquella* (Heinemann,1862) (Nepticulidae) Synonym(s): *obliquella* Heinemann,1862; *wockeella* Heinemann,1871; *diversa* Glitz,1872; *babylonicae* Hartig,1942
- 5037) *Stigmella paradoxa* (Frey,1858) (Nepticulidae) Synonym(s): *paradoxa* Frey,1858
- 5038) *Stigmella perpygmaeella* (Doubleday,1859) (Nepticulidae) Synonym(s): *pygmaeella* Haworth,1828 nec [Denis & Schiff.],1775; *perpygmaeella* Doubleday,1859
- 5039) *Stigmella plagicolella* (Stainton,1854) (Nepticulidae) Synonym(s): *plagicolella* Stainton,1854
- 5040) *Stigmella prunetorum* (Stainton,1855) (Nepticulidae) Synonym(s): *prunetorum* Stainton,1855; *dimidiatella* Herrich-Schäffer,1855; *perpusillella* Herrich-Schäffer,1855; *prunetella* Doubleday,1859; *ligustrella* Rössler,1866; *punctella* Threfall,1884.
- 5041) *Stigmella pyri* (Glitz,1865) (Nepticulidae) Synonym(s): *pyri* Glitz,1865
- 5042) *Stigmella roborella* (Johansson,1971) (Nepticulidae) Synonym(s): *roborella* Johansson,1971
- 5043) *Stigmella salicis* (Stainton,1854) (Nepticulidae) Synonym(s): *salicis* Stainton,1854
- 5044) *Stigmella sorbi* (Stainton,1861) (Nepticulidae) Synonym(s): *sorbi* Stainton,1861
- 5045) *Stigmella speciosa* (Frey,1857) (Nepticulidae) Synonym(s): *speciosa* Frey,1857; *pseudoplatanella* Weber,1937
- 5046) *Stigmella splendidissimella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *splendidissimella* Herrich-Schäffer,1855
- 5047) *Stigmella tiliae* (Frey,1856) (Nepticulidae) Synonym(s): *tiliae* Frey,1856
- 5048) *Stigmella tityrella* (Stainton,1854) (Nepticulidae) Synonym(s): *tityrella* Stainton,1854; *turicella* Herrich-Schäffer,1855; *turicensis* Frey,1856; *castanella* Stainton,1859
- 5049) *Stigmella trimaculella* (Haworth,1828) (Nepticulidae) Synonym(s): *trimaculella* Haworth,1828; *rufella* Zeller,1839; *populella* Herrich-Schäffer,1855; *albicornella* Kollar,1860; *gilvella* Rössler,1866; *populicola* Sørhagen,1922; *subtrimaculella* Dufrane,1949
- 5050) *Stigmella viscerella* (Stainton,1853) (Nepticulidae) Synonym(s): *viscerella* Stainton,1853
- 5051) *Stiroma bicarinata* (Herrich-Schäffer,1835) (Delphacidae) Synonym(s): *bicarinata* Herrich-Schäffer,1835; *mutabilis* Boheman,1847; *nasalis* Boheman,1847; *nigra* Metcalf,1943; *alpha* Metcalf,1943; *vittata* Metcalf,1943
- 5052) *Stizoides crassicornis* (Fabricius,1787) (Crabronidae) Synonym(s): *crassicornis* Fabricius,1787; *rufipes* Olivier,1789; *alienus* Fischer v. Waldheim,1843; *fulvipes* Eversmann,1846
- 5053) *Stomina iners* (Meigen,1838) (Tachinidae) Synonym(s): *iners* Meigen,1838
- 5054) *Stomopteryx deterrentella* (Zeller,1847) (Gelechiidae) Synonym(s): *detersella* Zeller,1847
- 5055) *Stomopteryx remissella* (Zeller,1847) (Gelechiidae) Synonym(s): *remissella* Zeller,1847
- 5056) *Stomoxys calcitrans* (Linnaeus,1758) (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758
- 5057) *Strangalia attenuata* (Linnaeus,1758) (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758
- 5058) *Stratiomys ruficornis* (Macquart,1838) (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868
- 5059) *Streptanus albanicus* (Horvath,1916) (Cicadellidae) Synonym(s): *albanicus* Horvath,1916; *josifovi* Dlabola,1957
- 5060) *Stroggylocephalus agrestis* (Fallén,1806) (Cicadellidae) Synonym(s): *agrestis* Fallén,1806; *maculipes* Curtis,1835; *irroratus* Curtis,1835; *orientalis* Vilbaste,1968
- 5061) *Strongylopsis abdominalis* Kasparyan,1974 (Ichneumonidae) Synonym(s): *abdominalis* Kasparyan,1974
- 5062) *Stygia mosulensis* Daniel,1965 (Cossidae) Synonym(s): *mosulensis* Daniel,1965
- 5063) *Stymphalus rubrolineatus* (Stal,1855) (Cicadellidae) Synonym(s): *rubrolineatus* Stal,1855; *rubrostriatus* Horvath,1907; *rubrovittatus* Matsumura,1914
- 5064) *Suillia affinis* (Meigen,1830) (Heleomyzidae) Synonym(s): *affinis* Meigen,1830
- 5065) *Suillia gigantea* (Meigen,1830) (Heleomyzidae) Synonym(s): *gigantea* Meigen,1830
- 5066) *Suillia humilis* (Meigen,1830) (Heleomyzidae) Synonym(s): *humilis* Meigen,1830; *inornata* Loew,1862
- 5067) *Suillia pallida* (Fallén,1820) (Heleomyzidae) Synonym(s): *pallida* Fallén,1820
- 5068) *Suillia villeneuvei* Czerny,1924 (Heleomyzidae) Synonym(s): *villeneuvei* Czerny,1924
- 5069) *Sulamicerus stali* (Fieber,1868) (Cicadellidae) Synonym(s): *stali* Fieber,1868; *bicolor* Melichar,1896; *toktogulensis* Dubovsky,1970
- 5070) *Swammerdamia caesiella* (Hübner,1796) (Yponomeutidae) Synonym(s): *caesiella* Hübner,1796; *heroldella* Hübner,[1825]; *caesia* Haworth,1828; *nubeculella* Tengström,1848; *griseocapitella* Stainton,1851
- 5071) *Swammerdamia pyrella* (Villers,1789) (Yponomeutidae) Synonym(s): *pelicariapyri* Retzius,1783; *pyrella* Villers,1789; *cerasiella* Hübner,[1813]; *sapporensis* Matsumura,1931
- 5072) *Sybistroma impar* (Rondani,1843) (Dolichopodidae) Synonym(s): *impar* Rondani,1843
- 5073) *Sybistroma nodicornis* Meigen,1824 (Dolichopodidae) Synonym(s): *nodicornis* Meigen,1824; *wiedemanni* Rondani,1843
- 5074) *Sycophila biguttata* (Swederus,1795) (Eurytomidae) Synonym(s): *biguttata* Swederus,1795; *obscura* Curtis,1831; *cooperi* Curtis,1831; *fasciatus* Fonscolombe,1832; *immaculata* Walker,1832; *semifasciata* Walker,1834; *signata* Nees,1834; *inaequalis* Thomson,1876; *strigifrons* Thomson,1876
- 5075) *Sycophila binotata* (Fonscolombe,1832) (Eurytomidae) Synonym(s): *binotata* Fonscolombe,1832
- 5076) *Sycophila flavicollis* (Walker,1834) (Eurytomidae) Synonym(s): *flavicollis* Walker,1834
- 5077) *Sycophila submutica* (Thomson,1876) (Eurytomidae) Synonym(s): *submutica* Thomson,1876
- 5078) *Sycophila variegata* (Curtis,1831) (Eurytomidae) Synonym(s): *variegata* Curtis,1831
- 5079) *Sympiesis acalle* (Walker,1848) (Eulophidae) Synonym(s): *acalle* Walker,1848; *nubeculatus* Ratzeburg,1848; *bifasciatus* Thomson,1878; *bimaculatipennis* Girault,1912; *bimaculatus* Crawford,1913; *meteor* Girault,1916
- 5080) *Sympiesis euspilapterygis* (Erdős,1958) (Eulophidae) Synonym(s): *euspilapterygis* Erdős,1958
- 5081) *Sympiesis sericeicornis* (Nees ab Esenbeck,1834) (Eulophidae) Synonym(s): *sericeicornis* Nees ab Esenbeck,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford fulvipes Györfi,1941
- 5082) *Symplecta* (s.str.) *hybrida* (Meigen,1804) (Limoniidae) Synonym(s): *hybrida* Meigen,1804; *punctipennis* De Meijere,1920
- 5083) *Sympycnus annulipes* (Meigen,1824) (Dolichopodidae) Synonym(s): *annulipes* Meigen,1824
- 5084) *Sympycnus cirripes* (Haliday,1851) (Dolichopodidae) Synonym(s): *cirripes* Haliday,1851; *brachydactylus* Kowarz,1889; *pullatus* Kowarz,1899
- 5085) *Sympycnus pulicarius* (Fallén,1823) (Dolichopodidae) Synonym(s): *pulicarius* Fallén,1823; *annulipes* Meigen,1824; *pygmaeus* Macquart,1827; *cinerellus* Zetterstedt,1838; *desoutteri* Parent,1925
- 5086) *Synansphacia leucomelaena* (Zeller,1847) (Sesiidae) Synonym(s): *leucomelaena* Zeller,1847

- 5087) *Synansphecchia mannii* (Lederer, 1853) (Sesiidae) Synonym(s): *mannii* Lederer, 1853
- 5088) *Synansphecchia muscaeformis* (Esper, [1783]) (Sesiidae) Synonym(s): *muscaeformis* Esper, [1783]
- 5089) *Synanthedon andrenaeformis* (Laspeyres, 1801) (Sesiidae) Synonym(s): *andrenaeformis* Laspeyres, 1801; *atlantiforme* Newman, 1832; *andraeniformis* Westwood, 1843; *andreniformis* Staudinger, 1856
- 5090) *Synanthedon cephiiformis* (Ochsenheimer, 1808) (Sesiidae) Synonym(s): *cephiiformis* Ochsenheimer, 1808; *laspeyres* Heppner & Duckworth, 1981
- 5091) *Synanthedon conopiformis* (Esper, [1782]) (Sesiidae) Synonym(s): *conopiformis* Esper, [1782]; *syrphiformis* Hübner, 1796; *nomadaeformis* Laspeyres, 1801
- 5092) *Synanthedon culiciformis* (Linnaeus, 1758) (Sesiidae) Synonym(s): *culiciformis* Linnaeus, 1758; *culex* Retzius, 1783; *americana* Beutenmüller, 1896
- 5093) *Synanthedon formicaeformis* (Esper, [1783]) (Sesiidae) Synonym(s): *formicaeformis* Esper, [1783]; *formiciformis* Staudinger, 1856
- 5094) *Synanthedon gardensis* (Králíček & Povolný, 1977) (Sesiidae) Synonym(s): *gardensis* Králíček & Povolný, 1977
- 5095) *Synanthedon loranthe* (Králíček, 1966) (Sesiidae) Synonym(s): *loranthe* Králíček, 1966; *cryptica* Králíček & Povolný, 1977
- 5096) *Synanthedon mesiaeformis* (Herrich-Schäffer, 1846) (Sesiidae) Synonym(s): *mesiaeformis* Herrich-Schäffer, 1846; *mesiiiformis* Staudinger, 1856
- 5097) *Synanthedon myopaeformis* (Borkhausen, 1789) (Sesiidae) Synonym(s): *myopaeformis* Borkhausen, 1789; *mutillaeformis* Laspeyres, 1801; *luctuosa* Lederer, 1853; *myopiiformis* Staudinger, 1856; *elegans* Lederer, 1861
- 5098) *Synanthedon scoliaeformis* (Borkhausen, 1789) (Sesiidae) Synonym(s): *scoliaeformis* Borkhausen, 1789; *thynniformis* Laspeyres, 1801; *emphytiiformis* Herrich-Schäffer, 1846; *scoliiformis* Staudinger, 1856; *deserta* Staudinger, 1887; *danieli* Capuse, 1973
- 5099) *Synanthedon spheciformis* ([Denis & Schiffermüller], 1775) (Sesiidae) Synonym(s): *spheciformis* [Denis & Schiffermüller], 1775; *sphegiiformis* Fabricius, 1787
- 5100) *Synanthedon spuleri* (Fuchs, 1908) (Sesiidae) Synonym(s): *spuleri* Fuchs, 1908; *schwarzi* Králíček & Povolný, 1977
- 5101) *Synanthedon stomoxiformis* (Hübner, 1790) (Sesiidae) Synonym(s): *stomoxiformis* Hübner, 1790; *culiciformis* Scopoli, 1763 *nec* Linn., 1758; *stomoxiiformis* Hübner, 1796; *amasina* Staudinger, 1878
- 5102) *Synanthedon tipuliformis* (Clerck, 1759) (Sesiidae) Synonym(s): *#salmachus* Linnaeus, 1758 (suppressed); *tipuliformis* Clerck, 1759; *tipula* Retzius, 1783; *ophioniiformis* Hübner, [1813]
- 5103) *Synanthedon vespiformis* (Linnaeus, 1761) (Sesiidae) Synonym(s): *vespiformis* Linnaeus, 1761; *asiliformis* Rottemburg, 1775; *oestriiformis* Rottentburg, 1775; *cynipiformis* Esper, 1783; *chrysorrhoea* Donovan, 1795
- 5104) *Synaphe antennalis* (Fabricius, 1794) (Pyralidae) Synonym(s): *antennalis* Fabricius, 1794; *connectalis* Hübner, 1796
- 5105) *Synaphe moldavica* (Esper, [1789]) (Pyralidae) Synonym(s): *moldavica* Esper, [1789]; *schmidtii* Hartig, 1941
- 5106) *Synaphe punctalis* (Fabricius, 1775) (Pyralidae) Synonym(s): *punctalis* Fabricius, 1775; *angustalis* [Denis & Schiffermüller], 1775
- 5107) *Synclera traducalis* (Zeller, 1852) (Pyralidae) Synonym(s): *traducalis* Zeller, 1852; *retinalis* Lederer, 1857; *univocalis* Walker, 1859; *achatalis* Guenée, 1862
- 5108) *Syncopacma cinctella* (Clerck, 1759) (Gelechiidae) Synonym(s): *cinctella* Clerck, 1759; *vorticella* Scopoli, 1763; *ligulella* [Denis & Schiffermüller], 1775; *vittata* Fourcroy, 1785; *vittatella* Villers, 1789; *albitrigella* Stephens, 1834; *cincticullella* Heydenreich, 1851 *nec* Br., 1850; *siromella* Stainton, 1854; *finlandica* Gozmany, 1957
- 5109) *Syncopacma coronilella* (Treitschke, 1833) (Gelechiidae) Synonym(s): *coronilella* Treitschke, 1833
- 5110) *Syncopacma taeniolella* (Zeller, 1839) (Gelechiidae) Synonym(s): *taeniolella* Zeller, 1839
- 5111) *Syndemis musculana* (Hübner, [1799]) (Tortricidae) Synonym(s): *musculana* Hübner, [1799]; *musculinana* Kennel, 1899; *nipponensis* Yasuda, 1975
- 5112) *Syngnapha devergans* (Hübner, [1813]) (Noctuidae) Synonym(s): *devergans* Hübner, [1813]
- 5113) *Syngnapha interrogationis* (Linnaeus, 1758) (Noctuidae) Synonym(s): *interrogationis* Linnaeus, 1758; *aurosignata* Donovan, 1808
- 5114) *Synomelix albipes* (Gravenhorst, 1829) (Ichneumonidae) Synonym(s): *albipes* Gravenhorst, 1829
- 5115) *Synophrus politus* Hartig, 1843 (Cynipidae) Synonym(s): *politus* Hartig, 1843
- 5116) *Synopsis sociaria* (Hübner, [1799]) (Geometridae) Synonym(s): *sociaria* Hübner, [1799]; *staudingeraria* Martorell, 1874; *acuta* Wehrli, 1926
- 5117) *Syntormon aulicus* (Meigen, 1824) (Dolichopodidae) Synonym(s): *aulicus* Meigen, 1824; *calcaratus* Becker, 1907
- 5118) *Syntormon denticulatum* (Zetterstedt, 1843) (Dolichopodidae) Synonym(s): *denticulatus* Zetterstedt, 1843; *aculeatus* Zetterstedt, 1843; *biseriatus* Loew, 1850; *pumilus* Parent, 1925
- 5119) *Syntormon filiger* Verrall, 1912 (Dolichopodidae) Synonym(s): *filiger* Verrall, 1912; *obscurifrons* Parent, 1932
- 5120) *Syntormon fuscipes* (Von Roser, 1840) (Dolichopodidae) Synonym(s): *fuscipes* Von Roser, 1840; *spicatus* Loew, 1857
- 5121) *Syntormon macula* Parent, 1927 (Dolichopodidae) Synonym(s): *macula* Parent, 1927
- 5122) *Syntormon monilis* (Haliday, 1851) (Dolichopodidae) Synonym(s): *monilis* Haliday, 1851; *silvianus* Parvu, 1989
- 5123) *Syntormon pallipes* (Fabricius, 1794) (Dolichopodidae) Synonym(s): *pallipes* Fabricius, 1794; *hamatus* Zetterstedt, 1843; *pseudospicatus* Strobl, 1899; *immaculatus* Santos Abreu, 1929
- 5124) *Syntormon pumilus* (Meigen, 1824) (Dolichopodidae) Synonym(s): *pumilus* Meigen, 1824; *rufipes* Meigen, 1824; *longiseta* Zetterstedt, 1843; *pumilio* Zetterstedt, 1859; *pusillus* Zetterstedt, 1859; *tridens* Becker, 1918
- 5125) *Synuchus* (Synuchus) *vivalis* Illiger, 1798 (Carabidae) Synonym(s): *vivalis* Illiger, 1798
- 5126) *Syritta flaviventris* Macquart, 1842 (Syrphidae) Synonym(s): *flaviventris* Macquart, 1842; *nigricornis* Macquart, 1842; *spinigera* Loew, 1848
- 5127) *Syritta pipiens* (Linnaeus, 1758) (Syrphidae) Synonym(s): *pipiens* Linnaeus, 1758; *proxima* Say, 1824; *obscuripes* Strobl, 1899; *albicincta* Santos Abreu, 1924; *flavicans* Szilady, 1940; *vicina* Szilady, 1940; *tenofemora* Dzshafarova, 1974
- 5128) *Syromastus rhombeus* (Linnaeus, 1767) (Coreidae) Synonym(s): *rhombeus* Linnaeus, 1767; *quadratus* Fabricius, 1775; *sinuata* Fieber, 1861; *fusca* Vidal, 1936
- 5129) *Systoechus autumnalis* (Wiedemann, 1818) (Bombyliidae) Synonym(s): *autumnalis* Wiedemann, 1818
- 5130) *Systoechus ctenopterus* (Mikan, 1796) (Bombyliidae) Synonym(s): *ctenopterus* Mikan, 1796; *sulphureus* Mikan, 1796; *aurulentus* Wiedemann, 1820; *fulvus* Meigen, 1820; *dalmatinus* Loew, 1855; *convergens* Loew, 1855; *orientalis* Zakhvatkin, 1954
- 5131) *Systoechus gomezmenori* Rubio, 1959 (Bombyliidae) Synonym(s): *gomezmenori* Rubio, 1959
- 5132) *Systoechus gradatus* (Wiedemann, 1820) (Bombyliidae) Synonym(s): *gradatus* Wiedemann, 1820; *leucophaeus* Wiedemann, 1820; *lucidus* Loew, 1855; *gallicus* Villeneuve, 1904; *tesquorum* Becker, 1916; *validus* Bezzi, 1925
- 5133) *Systoechus longirostris* Becker, 1916 (Bombyliidae) Synonym(s): *longirostris* Becker, 1916
- 5134) *Systole albipennis* Walker, 1832 (Eurytomidae) Synonym(s): *albipennis* Walker, 1832
- 5135) *Systole coriandri* Gussakovsky, 1933 (Eurytomidae) Synonym(s): *coriandri* Gussakovsky, 1933

- 5136) *Systole foeniculi* Otten, 1941 (Eurytomidae) Synonym(s): *foeniculi* Otten, 1941
- 5137) *Tabanus bifarius* Loew, 1858 (Tabanidae) Synonym(s): *bifarius* Loew, 1858; *longicornis* Enderlein, 1932; *tauricus* Enderlein, 1932; *simovae* Leclercq, 1959; *mesogaeus* Peus, 1980
- 5138) *Tabanus eggeri* Schiner, 1868 (Tabanidae) Synonym(s): *intermedius* Egger, 1859 nec Wlk., 1848; *eggeri* Schiner, 1868; *luizae* Dias, 1980
- 5139) *Tabanus exclusus* Pandellé, 1883 (Tabanidae) Synonym(s): *exclusus* Pandellé, 1883
- 5140) *Tabanus fraseri* Austen, 1925 (Tabanidae) Synonym(s): *fraseri* Austen, 1925
- 5141) *Tabanus glaucopis* Meigen, 1820 (Tabanidae) Synonym(s): *ferrugineus* Meigen, 1804 nec Ström, 1768; *glaucopis* Meigen, 1820; *lunulatus* Meigen, 1820; *chlorophthalmus* Meigen, 1820; *flavicans* Zeller, 1842; *cognatus* Loew, 1858; *castellanus* Strobl, 1906; *rubra* Muschamp, 1939
- 5142) *Tabanus indrae* Hauser, 1939 (Tabanidae) Synonym(s): *indrae* Hauser, 1939; *vappa* Bogatchev & Samedov, 1949; *montivagus* Olsufjev, 1970
- 5143) *Tabanus lunatus* Fabricius, 1794 (Tabanidae) Synonym(s): *lunatus* Fabricius, 1794; *algiricus* Thunberg, 1827; *wideri* Jaennicke, 1866; *syriacus* Szilady, 1923; *rufus* Szilady, 1923; *politus* Szilady, 1923; *farinosus* Szilady, 1923; *algeriensis* Peus, 1980; *levantinus* Peus, 1980
- 5144) *Tabanus prometheus* Szilady, 1923 (Tabanidae) Synonym(s): *prometheus* Szilady, 1923; *capito* Olsufjev, 1937
- 5145) *Tabanus quatuornatatus* Meigen, 1820 (Tabanidae) Synonym(s): *quatuornatatus* Meigen, 1820; *labaumeanus* Enderlein, 1925; *cherbottae* Muschamp, 1939; *araxis* Olsufjev, 1972
- 5146) *Tabanus regularis* Jaennicke, 1866 (Tabanidae) Synonym(s): *regularis* Jaennicke, 1866; *rufus* Szilady, 1923 nec Scop., 1763; #*regluaris* Kılıç, 1999
- 5147) *Tabanus shannonellus* Kröber, 1936 (Tabanidae) Synonym(s): *shannonellus* Kröber, 1936
- 5148) *Tabanus spectabilis* Loew, 1858 (Tabanidae) Synonym(s): *lateralis* Brullé, 1832 (praeocc.); *spectabilis* Loew, 1858; *aspahanicus* Rondani, 1873
- 5149) *Tabanus spodopterus* Meigen, 1820 (Tabanidae) Synonym(s): *spodopterus* Meigen, 1820; *ponticus* Olsufjev, Moucha & Chvala, 1967
- 5150) *Tabanus tergestinus* Egger, 1859 (Tabanidae) Synonym(s): *tergestinus* Egger, 1859
- 5151) *Tabanus tinctus* Walker, 1850 (Tabanidae) Synonym(s): *tinctus* Walker, 1850; *mixtus* Szilady, 1914
- 5152) *Tabanus unifasciatus* Loew, 1858 (Tabanidae) Synonym(s): *unifasciatus* Loew, 1858; *albescens* Kröber, 1928
- 5153) *Tachina (Echinogaster) praeceps* Meigen, 1824 (Tachinidae) Synonym(s): *praeceps* Meigen, 1824; *argentifrons* Macquart, 1835; *pusilla* Macquart, 1845; *fuscanipennis* Macquart, 1845; *alpicola* Rondani, 1861; *tricondyla* Rondani, 1868; *roederi* Giglio-Tos, 1891; *similis* Giglio-Tos, 1891
- 5154) *Tachina (Eudoromyia) fera* (Linnaeus, 1761) (Tachinidae) Synonym(s): *fera* Linnaeus, 1761
- 5155) *Tachina (Eudoromyia) magnicornis* Zetterstedt, 1844 (Tachinidae) Synonym(s): *tessellata* Fabricius, 1794; *magnicornis* Zetterstedt, 1844; *conjugata* Rondani, 1859; *dispersa* Giglio-Tos, 1891; *friedrichi* Wachtl, 1894; *vernalis* R.-D.; *satanas* Zimin, 1935
- 5156) *Tachina (Eudoromyia) nupta* (Rondani, 1859) (Tachinidae) Synonym(s): *nupta* Rondani, 1859; *micado* Kirby, 1884; *orientalis* Zimin, 1935; *trigonata* Villeneuve, 1936; *nigriventris* Zimin, 1967; *mesnili* Zimin, 1967; *turanica* Zimin, 1980
- 5157) *Tachina (s.str.) grossa* (Linnaeus, 1758) (Tachinidae) Synonym(s): *grossa* Linnaeus, 1758
- 5158) *Tachina (Servillia) lurida* (Fabricius, 1781) (Tachinidae) Synonym(s): *lurida* Fabricius, 1781
- 5159) *Tachina casta* (Rondani, 1859) (Tachinidae) Synonym(s): *casta* Rondani, 1859
- 5160) *Tachina corsicana* (Villeneuve, 1931) (Tachinidae) Synonym(s): *corsicana* Villeneuve, 1931
- 5161) *Tachina magna* (Giglio-Tos, 1890) (Tachinidae) Synonym(s): *magna* Giglio-Tos, 1890
- 5162) *Tachyancistrocerus rhodensis* (Saussure, 1855) (Vespidae) Synonym(s): *rhodensis* Saussure, 1855; *sulcatus* André, 1883
- 5163) *Tachycixius desertorum* (Fieber, 1876) (Cixiidae) Synonym(s): *desertorum* Fieber, 1876
- 5164) *Tachycixius viperinus* (Dlabola, 1965) (Cixiidae) Synonym(s): *viperinus* Dlabola, 1965
- 5165) *Tachys (Eotachys) bistriatus* (Duftschmid, 1812) (Carabidae) Synonym(s): *bistriatus* Duftschmid, 1812
- 5166) *Tachys (Eotachys) fulvicollis* (Dejean, 1831) (Carabidae) Synonym(s): *fulvicollis* Dejean, 1831
- 5167) *Tachys (Eotachys) micros* (Fischer von Waldheim, 1828) (Carabidae) Synonym(s): *micros* Fischer von Waldheim, 1828
- 5168) *Tachytrechus genualis* Loew, 1857 (Dolichopodidae) Synonym(s): *genualis* Loew, 1857
- 5169) *Tachytrechus insignis* (Stannius, 1831) (Dolichopodidae) Synonym(s): *insignis* Stannius, 1831
- 5170) *Tachytrechus notatus* (Stannius, 1831) (Dolichopodidae) Synonym(s): *notatus* Stannius, 1831; *litoreus* Haliday, 1833; *obscuripes* Gertaecker, 1864; *beckeri* Müller, 1923
- 5171) *Tachytrechus ripicola* Loew, 1857 (Dolichopodidae) Synonym(s): *ripicola* Loew, 1857
- 5172) *Taleporia tubulosa* (Retzius, 1783) (Psychidae) Synonym(s): *tubulosa* Retzius, 1783; *pseudobombycella* Hübner, 1796; *glabrella* Ochsenheimer, 1816; *tessellea* Haworth, 1828; *tesserella* Stephens, 1829; *anderreggella* Duponchel, 1842; *guenei* Zeller, 1852; *hirta* Bartosova & Duskova, 1958
- 5173) *Talis quercella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): #*quercella* [Denis & Schiffermüller], 1775; *noctuella* Hübner, 1796; *neglectella* Hübner, [1824]
- 5174) *Tamaricella tamaricis* (Puton, 1872) (Cicadellidae) Synonym(s): *tamaricis* Puton, 1872; *subpunctata* Vilbaste, 1961
- 5175) *Tarucus (s.str.) balkanicus* (Freyer, [1843]) (Lycaenidae) Synonym(s): *balkanicus* Freyer, [1843]
- 5176) *Taurocera pontica* Lindner, 1936 (Stratiomyidae) Synonym(s): *pontica* Lindner, 1936
- 5177) *Tegostoma comparalis* (Hübner, 1796) (Pyralidae) Synonym(s): *comparalis* Hübner, 1796; *ramalis* Hübner, 1796; *tenebrosalis* Walker, 1865; *fotalis* Swinhoe, 1885; #*comparale* Caradja, 1917
- 5178) *Teinoptera lunaki* (Boursin, 1940) (Noctuidae) Synonym(s): *lunaki* Boursin, 1940
- 5179) *Teinoptera olivina* (Herrich-Schäffer, [1852]) (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer, [1852]
- 5180) *Teleophrys tripuncta* (Haworth, [1828]) (Oecophoridae) Synonym(s): *tripuncta* Haworth, [1828]; *tripunctella* Stephens, 1834; *scyllaella* Costa, [1836]; *tresignella* Zeller, 1839; *trimaculella* Duponchel, [1840]
- 5181) *Teleiodes cisti* (Stainton, 1869) (Gelechiidae) Synonym(s): *cisti* Stainton, 1869
- 5182) *Teleiopsis diffinis* (Haworth, [1828]) (Gelechiidae) Synonym(s): *diffinis* Haworth, [1828]; *tristis* Staudinger, 1879
- 5183) *Teleiopsis terebinthinella* (Herrich-Schäffer, [1856]) (Gelechiidae) Synonym(s): *terebinthinella* Herrich-Schäffer, [1856]
- 5184) *Telmatoscopus bosnicus* (Krek, 1977) (Psychodidae) Synonym(s): *bosnicus* Krek, 1977
- 5185) *Tenthredo (Elinora) amasiensis* (Kriechbaumer, 1869) (Tenthredinidae) Synonym(s): *amasiensis* Kriechbaumer, 1869
- 5186) *Tenthredo marginella* Fabricius, 1793 (Tenthredinidae) Synonym(s): *marginella* Fabricius, 1793; *fuscipennis* Konow, 1886; *hakkariensis* Blank, 1991

- 5187) *Tephрина arenacearia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *arenacearia* [Denis & Schiffermüller],1775; *flavidaria* Eversmann,1852; *discriminaria* Walker,1862; *irradiata* Walker,1862; *impreviata* Walker,1863; *stena* Wehrli,1940
- 5188) *Tephрина murinaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *murinaria* [Denis & Schiffermüller],1775; *nubecularia* Villers,1789; *myosaria* Esper,1806; *cineraria* Duponchel,1829; *buffonaria* Millière,1855
- 5189) *Tephritis bardanae* (Schrank,1803)** (Tephritidae) Synonym(s): *bardanae* Schrank,1803
- 5190) *Tephritis carmen* M.Hering,1937** (Tephritidae) Synonym(s): *carmen* M.Hering,1937
- 5191) *Tephritis cometa* (Loew,1840)** (Tephritidae) Synonym(s): *cometa* Loew,1840; *israelis* Freidberg,1974
- 5192) *Tephritis fallax* (Loew,1844)** (Tephritidae) Synonym(s): *fallax* Loew,1844
- 5193) *Tephritis formosa* (Loew,1844)** (Tephritidae) Synonym(s): *formosa* Loew,1844
- 5194) *Tephritis matricariae* (Loew,1844)** (Tephritidae) Synonym(s): *matricariae* Loew,1844
- 5195) *Tephritis neesii* (Meigen,1830)** (Tephritidae) Synonym(s): *neesii* Meigen,1830
- 5196) *Tephritis nigricauda* (Loew,1856)** (Tephritidae) Synonym(s): *nigricauda* Loew,1856
- 5197) *Tephritis pulchra* (Loew,1844)** (Tephritidae) Synonym(s): *pulchra* Loew,1844
- 5198) *Tephritis vespertina* (Loew,1844)** (Tephritidae) Synonym(s): *vespertina* Loew,1844; *apicalis* Becker,1907
- 5199) *Tephritis zernyi* Hendel,1927** (Tephritidae) Synonym(s): *zernyi* Hendel,1927
- 5200) *Tephronia oppositaria* Mann,1864** (Geometridae) Synonym(s): *oppositaria* Mann,1864
- 5201) *Tephronia oranaria* Staudinger,1892** (Geometridae) Synonym(s): *oranaria* Staudinger,1892
- 5202) *Tephronia sepiaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *sepiaria* Hufnagel,1767; *cineraria* [Denis & Schiffermüller],1775; *carieraria* Herrich-Schäffer,1848; *destituta* Walker,1870; *figalata* Millière,1873
- 5203) *Teratolytta dives* (Brullé,1832)** (Meloidea) Synonym(s): *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894
- 5204) *Terellia uncinata* White,1989** (Tephritidae) Synonym(s): *uncinata* White,1989
- 5205) *Terrilimosina racovitzae* (Bezzi,1911)** (Sphaeroceridae) Synonym(s): *racovitzae* Bezzi,1911
- 5206) *Tetanops* (s.str.) *psammophila* Loew,1862** (Ulidiidae) Synonym(s): *psammophila* Loew,1862
- 5207) *Tethea ocularis* (Linnaeus,1767)** (Thyatiridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788; *kosswigii* Werny,1967; *caucasica* Werny,1967; *nec* Krul,1901
- 5208) *Tethea* or ([Denis & Schiffermüller],1775)** (Thyatiridae) Synonym(s): *#or* [Denis & Schiffermüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 *nec* Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911; *nigrescens* Werny,1967
- 5209) *Tethina albosetulosa* (Strobl,1900)** (Tethinidae) Synonym(s): *albosetulosa* Strobl,1900; *beckeri* Strobl,1906; *albipila* Frey,1958; *albissima* Collin,1966; *diversa* Collin,1966; *mixta* Collin,1966
- 5210) *Tethina cinerea* (Loew,1862)** (Tethinidae) Synonym(s): *cinerea* Loew,1862
- 5211) *Tethina czernyi* (Hendel,1934)** (Tethinidae) Synonym(s): *czernyi* Hendel,1934
- 5212) *Tethina flavigenis* (Hendel,1934)** (Tethinidae) Synonym(s): *flavigenis* Hendel,1934
- 5213) *Tethina grisea* (Fallén,1823)** (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907
- 5214) *Tethina ochracea* (Hendel,1913)** (Tethinidae) Synonym(s): *ochracea* Hendel,1913; *canzonieri* Munari,1981
- 5215) *Tethina pallipes* Loew,1865** (Tethinidae) Synonym(s): *pallipes* Loew,1865
- 5216) *Tethina strobliana* (Mercier,1923)** (Tethinidae) Synonym(s): *strobliana* Mercier,1923
- 5217) *Tetratetrix tenuicornis* (Sahlberg,1891)** (Tetrigidae) Synonym(s): *#nutans* Hagenbach,1822; *tenuicornis* Sahlberg,1891; *pisarskii* Bazyluk,1963; *antennata* Steinmann,1964; *australis* Bei-Bienko,1964
- 5218) *Tetrix bipunctata* (Linnaeus,1758)** (Tetrigidae) Synonym(s): *bipunctata* Linnaeus,1758; *obscura* Hagenbach,1822; *arcticus* Hancock,1909; *obtusus* Hancock,1909; *validus* Hancock,1909; *explicatum* Ebner,1910; *paradoxa* Haij,1914; *subaptera* Haij,1914; *tuberculata* Haij,1914; *sjoestedti* Bei-Bienko,1933; *sjoestedtiana* Bei-Bienko & Mishchenko,1951
- 5219) *Tetrix bolivari* (Saulcy,1901)** (Tetrigidae) Synonym(s): *bolivari* Saulcy,1901
- 5220) *Tetrops praeustus* (Linnaeus,1758)** (Cerambycidae) Synonym(s): *praeustus* Linnaeus,1758; *ustulatus* Hagenbach,1822; *inapicalis* Pic,1891; *angorensis* Pic,1918; *mesmini* Pic,1928; *vicinus* Pic,1928; *anatolicus* Özdikmen & Turgut,2008
- 5221) *Tettigometra (Hystrigonia) hexaspina* Kolenati,1857** (Tettigometridae) Synonym(s): *hexaspina* Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866
- 5222) *Tettigometra (Metropalpa) baranii* Signoret,1866** (Tettigometridae) Synonym(s): *baranii* Signoret,1866
- 5223) *Tettigometra (Mitricephalus) leucophaea* (Preyssl,1792)** (Tettigometridae) Synonym(s): *leucophaea* Preyssl,1792; *obliqua* Panzer,1799; *#leucophaea* Lodos & Kalkandelen,1980
- 5224) *Tettigometra varia* Fieber,1865** (Tettigometridae) Synonym(s): *varia* Fieber,1865
- 5225) *Tettigonia viridissima* (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *viridissima* Linnaeus,1758; *cantatrix* De Geer,1773; *flava* Nedelkov,1907; *meridionalis* Shugurov,1912; *paoli* Capra,1936; *intermedia* Jannone,1937; *trinacriae* Jannone,1937
- 5226) *Teuchophorus chaetifemoratus* Pollet & Kechev,2007** (Dolichopodidae) Synonym(s): *chaetifemoratus* Pollet & Kechev,2007
- 5227) *Teuchophorus monocanthus* Loew,1859** (Dolichopodidae) Synonym(s): *monocanthus* Loew,1859
- 5228) *Teuchophorus simplex* Mik,1880** (Dolichopodidae) Synonym(s): *simplex* Mik,1880
- 5229) *Teuchophorus spinigerellus* (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *spinigerellus* Zetterstedt,1843
- 5230) *Thalera fimbrialis* (Scopoli,1763)** (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiararia* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,1801; *magnata* Fuchs,1903
- 5231) *Thalophila matura* (Hufnagel,1766)** (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,1787; *cytherea* Fabricius,1794; *provincialis* Culot,1912
- 5232) *Thamnotettix (Loepotettix) exemtus* Melichar,1896** (Cicadellidae) Synonym(s): *exemtus* Melichar,1896
- 5233) *Thamnotettix thrax* Dlabola,1965** (Cicadellidae) Synonym(s): *thrax* Dlabola,1965
- 5234) *Thaumalea bezzii* Edwards,1929** (Thaumaleidae) Synonym(s): *bezzii* Edwards,1929
- 5235) *Thaumalea popovi* Joost,1978** (Thaumaleidae) Synonym(s): *popovi* Joost,1978
- 5236) *Thaumatomyia glabra* (Meigen,1830)** (Chloropidae) Synonym(s): *glabra* Meigen,1830; *nigrimana* Macquart,1835; *analis* Macquart,1835
- 5237) *Thaumatomyia notata* (Meigen,1830)** (Chloropidae) Synonym(s): *notata* Meigen,1830; *ornata* Meigen,1830; *circumdata* Meigen,1830; *prodigiosa* Zenker,1833; *lucida* Meigen,1838; *copiosa* Schiner,1872; *punctipleuris* Becker,1913
- 5238) *Thaumatomyia rufa* Macquart,1835** (Chloropidae) Synonym(s): *rufa* Macquart,1835; *simplex* Meigen,1838; *abbreviata* Zetterstedt,1848; *nigrovittata* Strobl,1899; *variegata* Strobl,1899
- 5239) *Thaumatomyia sulcifrons* (Becker,1907)** (Chloropidae) Synonym(s): *sulcifrons* Becker,1907; *aragonensis* Duda,1933; *plicata* Duda,1933

- 5240) Thaumetopoea (s.str.) processionea (Linnaeus,1758)** (Thaumetopoeidae) Synonym(s): *processionea* Linnaeus,1758; *pseudosolitaria* Daniel,1951.
- 5241) Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838]
- 5242) Thaumetopoea (Traumatocampa) pityocampa ([Denis & Schiffermüller],1775)** (Thaumetopoeidae) Synonym(s): *#pityocampa* [Denis & Schiffermüller],1775; *ceballosi* Agenjo,1941
- 5243) Thecla betulae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850].
- 5244) Thecophora distincta (Wiedemann,1824)** (Conopidae) Synonym(s): *distincta* Wiedemann,1824
- 5245) Thecophora melanopa Rondani,1857** (Conopidae) Synonym(s): *melanopa* Rondani,1857
- 5246) Thecophora pusilla (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *abdominalis* Chen,1939
- 5247) Thera (Pennithera) firmata (Hübner,[1822])** (Geometridae) Synonym(s): *firmata* Hübner,[1822]; *consobrinata* Curtis,1834; *firmaria* Treitschke,1835
- 5248) Thera (s.str.) cognata (Thunberg,1792)** (Geometridae) Synonym(s): *cognata* Thunberg,1792; *simulata* Hübner,[1809]; *coniferata* Curtis,1834; *geneata* Feisthamel,1835; *simularia* Boisduval,1840; *genearia* Boisduval,1840
- 5249) Thera (s.str.) juniperata (Linnaeus,1758)** (Geometridae) Synonym(s): *juniperata* Linnaeus,1758; *juniperaria* Boisduval,1840
- 5250) Thera (s.str.) obeliscata (Hübner,1787)** (Geometridae) Synonym(s): *obeliscata* Hübner,1787; *tristrigaria* Donovan,1808; *scotica* Staudinger,1901; *diniensis* Heinrich,1923
- 5251) Thera (s.str.) variata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *variata* [Denis & Schiffermüller],1775; *adumbrata* Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932.
- 5252) Thera (s.str.) vetustata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *vetustata* [Denis & Schiffermüller],1775; *stragulata* Hübner,[1809]; *vitiosata* Freyer,1832; *stragularia* Boisduval,1840
- 5253) Therapis flavicaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *flavicaria* [Denis & Schiffermüller],1775
- 5254) Therapne obsoletalis (Mann,1864)** (Pyrilidae) Synonym(s): *obsoletalis* Mann,1864
- 5255) Theresimima ampelophaga (Bayle-Barelle,1808)** (Zygaenidae) Synonym(s): *ampelophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878.
- 5256) Theretra alecto (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 5257) Thereva praecox Egger,1859** (Therevidae) Synonym(s): *praecox* Egger,1859
- 5258) Theria rupicaprararia ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rupicaprararia* [Denis & Schiffermüller],1775
- 5259) Theriopectes gigas (Herbst,1787)** (Tabanidae) Synonym(s): *gigas* Herbst,1787; *ignotus* Rossi,1790; *albipes* Fabricius,1794; *grossus* Thunberg,1827; *ursus* Costa,1857
- 5260) Theriopectes tricolor Zeller,1842** (Tabanidae) Synonym(s): *tricolor* Zeller,1842; *ruficauda* Enderlein,1925; *kirschbergi* Moucha & Chvala,1959
- 5261) Thermocoris munieri Puton,1875** (Miridae) Synonym(s): *munieri* Puton,1875; *algericus* Wagner,1943
- 5262) Thetidia smaragdaria (Fabricius,1787)** (Geometridae) Synonym(s): *smaragdaria* Fabricius,1787
- 5263) Thophilus flavipalpis (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *flavipalpis* Zetterstedt,1843; *neptunus* Frey,1815
- 5264) Thinophilus versutus Haliday,1851** (Dolichopodidae) Synonym(s): *versutus* Haliday,1851; *maculipennis* Strobl,1899
- 5265) Thiodia citrana (Hübner,[1799])** (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obratzov,1964.
- 5266) Thiodia lerneana Treitschke,1835** (Tortricidae) Synonym(s): *lerneana* Treitschke,1835
- 5267) Thiodia major (Rebel,1903)** (Tortricidae) Synonym(s): *major* Rebel,1903; *sardiniana* Schawerda,1936
- 5268) Thiodia trochillana (Frölich,1828)** (Tortricidae) Synonym(s): *trochillana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839]
- 5269) Thisanotia chrysonuchella (Scopoli,1763)** (Pyrilidae) Synonym(s): *chrysonuchella* Scopoli,1763; *gramella* Fabricius,1781; *campella* Hübner,1793; *dilutior* Alpheraky,1877.
- 5270) Tholera cespitis (Goeze,1781)** (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 5271) Tholera decimalis (Poda,1761)** (Noctuidae) Synonym(s): *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927; *chebka* Rungs,1940
- 5272) Thoraco chaeta zosteriae (Haliday,1833)** (Sphaeroceridae) Synonym(s): *zosteriae* Haliday,1833; *fulvipes* Meigen,1838; *setulosa* Zetterstedt,1847; *piligera* Stenhammar,1854; *ciliola* Rondani,1880; *sanctipauli* Séguy,1940
- 5273) Thricops bukowskii (Ringdahl,1934)** (Muscidae) Synonym(s): *bukowskii* Ringdahl,1934
- 5274) Thricops genarum (Zetterstedt,1838)** (Muscidae) Synonym(s): *genarum* Zetterstedt,1838; *sundewalli* Zetterstedt,1845; *argyrata* Strobl,1898
- 5275) Thricops longipes (Zetterstedt,1845)** (Muscidae) Synonym(s): *atra* Fallén,1823 *nec* Harr.,1776; *longipes* Zetterstedt,1845; *tirolensis* Rondani,1877; *baicalensis* Schnabl,1888; *anthomyzoides* Strom,1896
- 5276) Thricops nigrifellus (Zetterstedt,1838)** (Muscidae) Synonym(s): *nigrifellus* Zetterstedt,1838; *mikii* Schnabl,1888
- 5277) Thricops simplex (Wiedemann,1817)** (Muscidae) Synonym(s): *simplex* Wiedemann,1817; *nigricans* R-D.,1830; *blondeli* R-D.,1830; *postica* Zetterstedt,1846
- 5278) Thricops sudeticus (Schnabl,1888)** (Muscidae) Synonym(s): *sudeticus* Schnabl,1888; *aurulans* Pandellé,1899
- 5279) Thrypticus bellus Loew,1869** (Dolichopodidae) Synonym(s): *bellus* Loew,1869
- 5280) Thumatha senex (Hübner,[1808])** (Arctiidae) Synonym(s): *senex* Hübner,[1808]; *syriaca* Daniel,1939.
- 5281) Thyatira batis (Linnaeus,1758)** (Thyatridae) Synonym(s): *batis* Linnaeus,1758; *indecorata* Turner,1926; *albopunctata* Spuler,1908; *confluens* Marschner,1908; *derosea* Maurer,1909; *conflua* Rebel,1910; *japonica* Werny,[1967]; *mandschurica* Werny,[1967]
- 5282) Thymelicus acteon (Rottemburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara*-*obsolata* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.
- 5283) Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 5284) Thymelicus sylvestris (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauamas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 5285) Thyreus orbatus (Lepeletier,1841)** (Apidae) Synonym(s): *orbatus* Lepeletier,1841

- 5286) Thyridanthrax elegans (Wiedemann,1820)** (Bombyliidae) Synonym(s): *elegans* Wiedemann,1820; *fenestralis* Macquart,1840 nec Wied.,1830; *varinervis* Macquart,1846; *variegatus* Jaennicke,1867 nec Pall.,1818; *macquarti* Bezzi,1912; *calochromatus* Bezzi,1921; *subperspicillaris* Bezzi,1922; *kappa* Bowden,1964; *dolgovskayae* Zaitzev,1999
- 5287) Thyridanthrax fenestratus (Fallén,1814)** (Bombyliidae) Synonym(s): *fenestratus* Fallén,1814; *variegata* Pallas,1818; *ornatus* Curtis,1824; *italica* Walker,1849; *montana* Paramonov,1927
- 5288) Thyridanthrax perspicillaris (Loew,1869)** (Bombyliidae) Synonym(s): *perspicillaris* Loew,1869; *gallus* Loew,1869; *hispanus* Loew,1869; *ternarius* Bezzi,1920; *idolus* Hesse,1956; *speciosus* Hesse,1956; *hessei* Bowden,1964
- 5289) Thyris fenestrella (Scopoli,1763)** (Thyridae) Synonym(s): *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffermüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910.
- 5290) Thysanoplusia (s.str.) orichalcea (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813].
- 5291) Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876
- 5292) Tibicina steveni (Krynicky,1837)** (Cicadidae) Synonym(s): *steveni* Krynicky,1837
- 5293) Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* Bielz,1850
- 5294) Timandra comae Schmidt,1931** (Geometridae) Synonym(s): *angulata* Fourcroy,1785 nec Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994
- 5295) Timarcha (s.str.) melica Bechyne,1847** (Chrysomelidae) Synonym(s): *melica* Bechyne,1847
- 5296) Timarcha (s.str.) tenebricosa (Fabricius,1775)** (Chrysomelidae) Synonym(s): *tenebricosa* Fabricius,1775
- 5297) Tinagma anchusellum (Benander,1936)** (Douglasiidae) Synonym(s): *anchusellum* Benander,1936
- 5298) Tinea basifasciella Ragonot,1895** (Tineidae) Synonym(s): *basifasciella* Ragonot,1895; *punctigera* Walsingham,1907; *nitentella* Chrétien,1908; *palaestinensis* Amsel,1955; *#basifasciella* Gaedike,2011
- 5299) Tinea columbariella Wocke,1877** (Tineidae) Synonym(s): *columbariella* Wocke,1877
- 5300) Tinea dubiella Stainton,1859** (Tineidae) Synonym(s): *dubiella* Stainton,1857; *turicensis* Müller-Rutz,1920; *tenerifi* Zagulyaev,1960; *bispinella* Zagulyaev,1960
- 5301) Tinea omichlopus Meyrick,1928** (Tineidae) Synonym(s): *omichlopus* Meyrick,1928; *nonimella* Zagulyaev,1955
- 5302) Tinea pellionella Linnaeus,1758** (Tineidae) Synonym(s): *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albellia* Costa,[1836] nec Thunb.,1788; *demiurga* Meyrick,1920; *gerasimovi* Zagulyaev,1978.
- 5303) Tinea semifulvella Haworth,[1828]** (Tineidae) Synonym(s): *semifulvella* Haworth,[1828]
- 5304) Tinea trinotella Thunberg,1794** (Tineidae) Synonym(s): *trinotella* Thunberg,1794; *ganomella* Treitschke,1833; *lappella* auct.
- 5305) Tineola bisselliella (Hummel,1823)** (Tineidae) Synonym(s): *flavifrontella* Thunberg,1794 nec [Denis & Schiff.],1775; *bisselliella* Hummel,1823; *crinella* Sodoffsky,1830; *destructor* Stephens,1834; *lanariella* Clemens,1859; *furciferella* Zagulyaev,1954.
- 5306) Tingis rotundicollis (Jakovlev,1883)** (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883
- 5307) Tingis sideritis Stusak,1973** (Tingidae) Synonym(s): *sideritis* Stusak,1973
- 5308) Tipula (Acutipula) fulvipennis De Geer,1776** (Tipulidae) Synonym(s): *fulvipennis* De Geer,1776; *lutescens* Fabricius,1805
- 5309) Tipula (Acutipula) latifurca Vermoolen,1983** (Tipulidae) Synonym(s): *latifurca* Vermoolen,1983
- 5310) Tipula (Emodotipula) obscuriventris Strobl,1900** (Tipulidae) Synonym(s): *obscuriventris* Strobl,1900
- 5311) Tipula (Lunatipula) helvola Loew,1873** (Tipulidae) Synonym(s): *helvola* Loew,1873
- 5312) Tipula (Lunatipula) istriana Erhan & Theowald,1961** (Tipulidae) Synonym(s): *istriana* Erhan & Theowald,1961
- 5313) Tipula (s.str.) italica Lackschewitz,1930** (Tipulidae) Synonym(s): *italica* Lackschewitz,1930
- 5314) Tipula (s.str.) orientalis Lackschewitz,1930** (Tipulidae) Synonym(s): *orientalis* Lackschewitz,1930
- 5315) Tipula (Yamatotipula) lateralis Meigen,1804** (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990
- 5316) Titanio normalis (Hübner,1796)** (Pyralidae) Synonym(s): *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898].
- 5317) Tolmerus cingulatus (Fabricius,1781)** (Asilidae) Synonym(s): *cingulatus* Fabricius,1781; *striatus* Meigen,1820; *annulatus* Macquart,1826; *pictipes* Loew,1848
- 5318) Tortrix viridana (Linnaeus,1758)** (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübner,[1799]; *coeruleana* Sorhagen,1881.
- 5319) Tormoides kiesenuwetteri (Mayr,1874)** (Torymidae) Synonym(s): *kiesenuwetteri* Mayr,1874; *longicauda* Masi,1916
- 5320) Tormoides violaceus Nikolskaya,1954** (Torymidae) Synonym(s): *violaceus* Nikolskaya,1954; *bifasciatus* Szelenyi,1973
- 5321) Tormus auratus (Müller,1764)** (Torymidae) Synonym(s): *auratus* Müller,1764
- 5322) Tormus bedeguaris (Linnaeus,1758)** (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929
- 5323) Tormus rubi (Schrank,1781)** (Torymidae) Synonym(s): *rubi* Schrank,1781; *macropterum* Walker,1833; *splendidus* Förster,1841
- 5324) Tosirips magyarus Razowski,1987** (Tortricidae) Synonym(s): *magyarus* Razowski,1987
- 5325) Toxophora fasciculata (Villers,1789)** (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933
- 5326) Toya propinqua (Fieber,1866)** (Delphacidae) Synonym(s): *propinqua* Fieber,1866; *hamulata* Kirschbaum,1868
- 5327) Trachea atriplicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *atriplicis* Linnaeus,1758
- 5328) Trachycera dulcella (Zeller,1848)** (Pyralidae) Synonym(s): *dulcella* Zeller,1848
- 5329) Trachycera suavella (Zincken,1818)** (Pyralidae) Synonym(s): *suavella* Zincken,1818; *fascia* Stephens,1829; *porphyrea* Stephens,1834; *supposita* Heinrich,1940
- 5330) Trachys minuta (Linnaeus,1758)** (Buprestidae) Synonym(s): *minuta* Linnaeus,1758; *mandjurica* Obenberger,1917; *reflexiformis* Obenberger,1917
- 5331) Trachys troglodytes Gyllenhal,1817** (Buprestidae) Synonym(s): *troglodytes* Gyllenhal,1817; *laevicollis* Kiesenuwetter,1857; *puncticeps* Abeille de Perrin,1900; *carinthiaca* Obenberger,1918
- 5332) Trechus (s.str.) austriacus Dejean,1831** (Carabidae) Synonym(s): *austriacus* Dejean,1831
- 5333) Trechus (s.str.) crucifer Piochard,1876** (Carabidae) Synonym(s): *crucifer* Piochard,1876
- 5334) Trechus (s.str.) obtusus Erichson,1837** (Carabidae) Synonym(s): *obtus* Erichson,1837
- 5335) Trechus (s.str.) quadristriatus (Schrank,1781)** (Carabidae) Synonym(s): *quadristriatus* Schrank,1781
- 5336) Tremulicerus poecilus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874
- 5337) Triaxomera parasitella (Hübner,1796)** (Tineidae) Synonym(s): *parasitella* Hübner,1796

- 5338) Trichiura (s.str.) crataegi (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *crataegi* Linnaeus,1758; *ariae* Hübner,[1824]; *scytharum* Seitz,1913; *albicans* Daniel,1956; *vallisicola* Daniel,1956; *griseotincta* Daniel,1956; *borealis* Daniel,1956; *#passini* Boursin,1957
- 5339) Trichiura (s.str.) verenae Witt,1981** (Lasiocampidae) Synonym(s): *verenae* Witt,1981; *witti* Ganev,1982
- 5340) Trichius sexualis Bedel,1906** (Scarabaeidae) Synonym(s): *sexualis* Bedel,1906
- 5341) Trichodes apiarius (Linnaeus,1758)** (Cleridae) Synonym(s): *apiarius* Linnaeus,1758
- 5342) Trichodes crabroniformis Fabricius,1787** (Cleridae) Synonym(s): *crabroniformis* Fabricius,1787
- 5343) Trichodes punctatus Fischer v. Waldheim,1829** (Cleridae) Synonym(s): *punctatus* Fischer v. Waldheim,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843
- 5344) Trichodes quadriguttatus Adams,1817** (Cleridae) Synonym(s): *quadriguttatus* Adams,1817
- 5345) Trichophaga bipartitella (Ragonot,1892)** (Tineidae) Synonym(s): *abruptella* Wollaston,1858 (praeocc.); *bipartitella* Ragonot,1892; *desertella* Mabilie,1907; *amina* Meyrick,1925
- 5346) Trichophaga tapetzella (Linnaeus,1758)** (Tineidae) Synonym(s): *tapetzella* Linnaeus,1758; *pulchella* Fabricius,1794; *pulchana* Fabricius,1798; *#tapezana* Fabricius,1798; *#tapetiella* Zeller,1839; *palaestrica* Butler,1877
- 5347) Trichoplusia ni (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 5348) Trichopteryx carpinata (Borkhausen,1794)** (Geometridae) Synonym(s): *carpinata* Borkhausen,1794; *costaestrigata* Haworth,1809; *dentistrigata* Haworth,1809; *lobulata* Hübner,[1813]
- 5349) Trichopteryx polycommata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *polycommata* [Denis & Schiffermüller],1775; *solata* Schrank,1802; *grisea* Djakonov,1926
- 5350) Trichosea ludifica (Linnaeus,1758)** (Noctuidae) Synonym(s): *ludifica* Linnaeus,1758
- 5351) Tricimba (Nartshukiella) humeralis (Loew,1858)** (Chloropidae) Synonym(s): *humeralis* Loew,1858; *maculifrons* Becker,1903; *punctifrons* Becker,1914
- 5352) Tricimba (s.str.) lineella (Fallén,1820)** (Chloropidae) Synonym(s): *lineella* Fallén,1820; *delpinii* Rondani,1869
- 5353) Tricyphona (s.str.) immaculata (Meigen,1804)** (Pedicidae) Synonym(s): *immaculata* Meigen,1804
- 5354) Tricyphona (s.str.) zwicki Mendl,1973** (Pedicidae) Synonym(s): *zwicki* Mendl,1973; *acuspica* Alexander,1975; *elburzensis* Alexander,1975
- 5355) Trifurcula (Levarchama) eurema (Tutt,1899)** (Nepticulidae) Synonym(s): *eurema* Tutt,1899; *dorycniella* Suire,1928; *gozmanyi* Szocs,1959
- 5356) Trifurcula (s.str.) subnitidella (Duponchel,1843)** (Nepticulidae) Synonym(s): *subnitidella* Duponchel,1843; *griseella* Wolff,1957
- 5357) Triodia amasina (Herrich-Schäffer,[1851])** (Hepialidae) Synonym(s): *amasina* Herrich-Schäffer,[1851]
- 5358) Triodontella brunneipennis (Sahlberg,1908)** (Scarabaeidae) Synonym(s): *brunneipennis* Sahlberg,1908
- 5359) Triodontella dalmatica (Baraud,1962)** (Scarabaeidae) Synonym(s): *dalmatica* Baraud,1962; *bulgarica* Bunalski,2001
- 5360) Triphosa dubitata (Linnaeus,1758)** (Geometridae) Synonym(s): *dubitata* Linnaeus,1758
- 5361) Triphosa sabaudia (Duponchel,1830)** (Geometridae) Synonym(s): *sabaudia* Duponchel,1830
- 5362) Trissolcus pseudoturesis (Rjachovsky,1959)** (Scelionidae) Synonym(s): *pseudoturesis* Rjachovsky,1959; *rossicus* Rjachovsky,1959
- 5363) Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius,1775
- 5364) Tropidocephala andropogonis Horvath,1895** (Delphacidae) Synonym(s): *andropogonis* Horvath,1895
- 5365) Tropidotilla grisescens (Lepeletier,1845)** (Mutillidae) Synonym(s): *grisescens* Lepeletier,1845; *litoralis* sensu Özbek et al.,1999 nec Petagna,1787
- 5366) Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787
- 5367) Trypetimorpha occidentalis Huang & Bourgoin,1993** (Tropiduchidae) Synonym(s): *fenestrata* auct. nec A.Costa,1862; *occidentalis* Huang & Bourgoin,1993
- 5368) Trypetoptera punctulata (Scopoli,1763)** (Sciomyzidae) Synonym(s): *punctulata* Scopoli,1763
- 5369) Tryphon (s.str.) zavreli Gregor,1939** (Ichneumonidae) Synonym(s): *zavreli* Gregor,1939
- 5370) Tubuliferola flavifrontella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *flavifrontella* [Denis & Schiffermüller],1775
- 5371) Tuponia macedonica Wagner,1957** (Miridae) Synonym(s): *macedonica* Wagner,1957; *dentifer* Wagner,1974
- 5372) Turrutus socialis (Flor,1861)** (Cicadellidae) Synonym(s): *socialis* Flor,1861; *quadrivittatus* Marshall,1866; *inclusivalvis* Kirschbaum,1868; *quinquevittatus* Kirschbaum,1868; *flavineris* Kirschbaum,1868; *onustus* Fieber,1869; *fugax* Horvath,1897; *sinuatus* Matsumura,1908
- 5373) Tuta absoluta (Meyrick,1917)** (Gelechiidae) Synonym(s): *absoluta* Meyrick,1917
- 5374) Tylopsis lilifolia (Fabricius,1793)** (Tettigoniidae) Synonym(s): *lilifolia* Fabricius,1793; *thymifolia* Petagna,1792; *gracilis* Germar,1817; *marginipunctata* Audinet-Serville,1838; *praeusta* Fischer von Waldheim,1846; *spinosus* Fischer von Waldheim,1846; *#lilifolia* Bolivar,1877
- 5375) Typhlocyba bifasciata Boheman,1851** (Cicadellidae) Synonym(s): *nitidula* Fabricius,1794 (praeocc.); *bifasciata* Boheman,1851; *norgueti* Lethierry,1874; *fenestrata* Melichar,1896; *atrata* Melichar,1896; *perrieri* Ribaut,1936
- 5376) Typhlocyba quercus (Fabricius,1777)** (Cicadellidae) Synonym(s): *quercus* Fabricius,1777; *fasciata* Tolin,1851
- 5377) Typhonia lugubris (Hübner,1793)** (Psychidae) Synonym(s): *lugubris* Hübner,1793; *ciliaris* Ochseneheimer,1810; *lugubris* Hübner,[1808] nec Fabricius,1777; *aequalis* Osthelder,1938
- 5378) Tyria jacobaeae (Linnaeus,1758)** (Arctiidae) Synonym(s): *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908.
- 5379) Tyta luctuosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 5380) Udea austriacalis (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *austriacalis* Herrich-Schäffer,1851; *donzelalis* Guenée,1854; *sororalis* Heyden,1860; *nitidalis* Heinemann,1865
- 5381) Udea ferrugalis (Hübner,1796)** (Pyralidae) Synonym(s): *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *marialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
- 5382) Udea fimbriatralis (Duponchel,1834)** (Pyralidae) Synonym(s): *fimbriatralis* Duponchel,1834; *#fimbriatralis* Rebel,1901
- 5383) Udea fulvalis (Hübner,[1809])** (Pyralidae) Synonym(s): *fulvalis* Hübner,[1809]; *pronoidalis* Staudinger,1879
- 5384) Udea olivalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *olivalis* [Denis & Schiffermüller],1775; *umbralis* Hübner,1796
- 5385) Udea prunalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *#prunalis* [Denis & Schiffermüller],1775; *nivealis* Fabricius,1781; *ferruginalis* Villers,1789 nec Fabr.,1781
- 5386) Udea rhododendronalis (Duponchel,1834)** (Pyralidae) Synonym(s): *rhododendronalis* Duponchel,1834; *ventosalis* Leraut,1996; *luquetalis* Leraut,1996

- 5387) *Udea uliginosalis* (Stephens, 1834) (Pyrilidae) Synonym(s): *uliginosalis* Stephens, 1834; *monticolalis* La Harpe, 1855
- 5388) *Ula* (s.str.) *mollissima* Haliday, 1833 (Pediidae) Synonym(s): *mollissima* Haliday, 1833; *inconclusa* Walker, 1856; *crassicauda* Agrell, 1945
- 5389) *Ulidia parallela* Loew, 1845 (Ulidiidae) Synonym(s): *parallela* Loew, 1845
- 5390) *Ulochaena hirta* (Hübner, [1813]) (Noctuidae) Synonym(s): *hirta* Hübner, [1813]
- 5391) *Ulotricha egregialis* (Herrich-Schäffer, 1838) (Pyrilidae) Synonym(s): *egregialis* Herrich-Schäffer, 1838
- 5392) *Uranotaenia* (Pseudoficalbia) *unguiculata* Edwards, 1913 (Culicidae) Synonym(s): *unguiculata* Edwards, 1913; *pefflyi* Stone, 1961
- 5393) *Uresiphita polygonalis* ([Denis & Schiffermüller], 1775) (Pyrilidae) Synonym(s): *polygonalis* [Denis & Schiffermüller], 1775; *#limbalis* [Denis & Schiffermüller], 1775; *gilvata* Fabricius, 1794; *orientalis* Fabricius, 1794; *diversalis* Hübner, 1796; *rusticalis* Hübner, 1796; *aversalis* Guenée, 1854; *consanguinalis* Guenée, 1854; *teriadalis* Guenée, 1854; *deprivalis* Walker, 1859; *virescens* Butler, 1881; *ochrocrossa* Clarke, 1971
- 5394) *Urophora cardui* (Linnaeus, 1758) (Tephritidae) Synonym(s): *cardui* Linnaeus, 1758; *flexuosa* Germar, 1814; *reamurii* R-D., 1830
- 5395) *Urophora terebrans* (Loew, 1850) (Tephritidae) Synonym(s): *terebrans* Loew, 1850; *erilepidis* Loew, 1856; *manni* Hendel, 1927; *approximata* M. Hering, 1938
- 5396) *Usia* (s.str.) *aenea* (Rossi, 1794) (Bombyliidae) Synonym(s): *aenea* Rossi, 1794; *dubia* Kertész, 1900
- 5397) *Usia* (s.str.) *atrata* (Fabricius, 1798) (Bombyliidae) Synonym(s): *atrata* Fabricius, 1798; *vicina* Macquart, 1840; *#pubera* Becker, 1906; *pubera* Strobl, 1906
- 5398) *Utecha trivialis* (Germar, 1821) (Cicadellidae) Synonym(s): *trivialis* Germar, 1821; *decussata* Germar, 1821; *lugens* Germar, 1821; *germari* Fieber, 1872
- 5399) *Utetheisa* (s.str.) *pulchella* (Linnaeus, 1758) (Arctiidae) Synonym(s): *pulchella* Linnaeus, 1758; *pulchra* [Denis & Schiffermüller], 1775; *thyter* Butler, 1877; *shyama* Bhattacherjee & Gupta, 1969; *menoni* Bhattacherjee & Gupta, 1969.
- 5400) *Vadonia bisignata* (Brullé, 1832) (Cerambycidae) Synonym(s): *bisignata* Brullé, 1832
- 5401) *Vadonia moesiaca* (K. Daniel & J. Daniel, 1891) (Cerambycidae) Synonym(s): *moesiaca* K. Daniel & J. Daniel, 1891
- 5402) *Vadonia unipunctata* (Fabricius, 1787) (Cerambycidae) Synonym(s): *unipunctata* Fabricius, 1787
- 5403) *Valeria oleagina* (Esper, [1786]) (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller], 1775; *oleagina* Esper, [1786].
- 5404) *Valerietta bulgarica* (Drenowski, 1953) (Noctuidae) Synonym(s): *bulgarica* Drenowski, 1953
- 5405) *Valgus hemipterus* (Linnaeus, 1758) (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus, 1758; *variegatus* Scopoli, 1763
- 5406) *Vanessa* (Cynthia) *cardui* (Linnaeus, 1758) (Argynnididae) Synonym(s): *cardui* Linnaeus, 1758; *carduelis* Cramer, 1775; *elymi* Rambur, 1829; *kershawi* McCoy, 1868; *pallida* Schoyen, 1881; *universa* Verity, 1919; *takesakiana* Kato, 1925.
- 5407) *Vanessa* (s.str.) *atalanta* (Linnaeus, 1758) (Argynnididae) Synonym(s): *atalanta* Linnaeus, 1758; *amiralis* Retzius, 1783; *#klemensiewiczzi* Schille, 1896; *#klimene* Fischer, 1896; *italica* Stichel, 1900.
- 5408) *Velia* (Plesiovelia) *affinis* Kolenati, 1856 (Veliidae) Synonym(s): *affinis* Kolenati, 1856
- 5409) *Velia* (Plesiovelia) *mancinii* Tamanini, 1947 (Veliidae) Synonym(s): *mancinii* Tamanini, 1947
- 5410) *Ventocoris* (s.str.) *trigonus* (Krynicky, 1871) (Pentatomidae) Synonym(s): *trigonus* Krynicky, 1871
- 5411) *Venusia blomeri* (Curtis, 1832) (Geometridae) Synonym(s): *blomeri* Curtis, 1832; *pulchraria* Eversmann, 1842; *szechuanensis* Wehrli, 1931
- 5412) *Venusia cambrica* Curtis, 1839 (Geometridae) Synonym(s): *cambrica* Curtis, 1839; *erutaria* Boisduval, 1840; *nebulosaria* Freyer, 1850; *scitularia* Walker, 1860.
- 5413) *Vermileo vermileo* (Linnaeus, 1758) (Vermileonidae) Synonym(s): *vermileo* Linnaeus, 1758; *apivora* Fitch, 1864
- 5414) *Verrallia aucta* (Fallén, 1817) (Pipunculidae) Synonym(s): *aucta* Fallén, 1817
- 5415) *Vespa crabro* Linnaeus, 1758 (Vespidae) Synonym(s): *crabro* Linnaeus, 1758; *germana* Christ, 1791
- 5416) *Vespa orientalis* Linnaeus, 1771 (Vespidae) Synonym(s): *orientalis* Linnaeus, 1771; *turcica* Drury, 1773; *quadripunctata* Forskal, 1775; *fusca* Christ, 1791; *aegyptiaca* Vallot, 1802; *nilotica* Vallot, 1802; *jurinei* Saussure, 1854; *zavattarii* Guiglia & Capra, 1933; *somalica* Giordani Soika, 1934; *arabica* Giordani Soika, 1957
- 5417) *Vespula austriaca* (Panzer, 1799) (Vespidae) Synonym(s): *austriaca* Panzer, 1799; *borealis* Smith, 1843; *nec* Kby., 1837; *arborea* Smith, 1849; *biloba* Schilling, 1850; *infernalis* Saussure, 1854; *tripunctata* Packard, 1870
- 5418) *Vespula rufa* (Linnaeus, 1758) (Vespidae) Synonym(s): *rufa* Linnaeus, 1758; *schrenckii* Radoszkowski, 1861; *sibirica* André, 1884; *intermedia* Buysson, 1905; *grahami* Archer, 1981; *obscura* Lee, 1986; *yichunensis* Lee, 1986
- 5419) *Vetimidictus mediterraneus* (Becker, 1918) (Dolichopodidae) Synonym(s): *mediterraneus* Becker, 1918
- 5420) *Villa albula* (Loew, 1869) (Bombyliidae) Synonym(s): *albula* Loew, 1869; *gracilis* Ringdahl, 1915
- 5421) *Villa brunnea* Becker, 1916 (Bombyliidae) Synonym(s): *brunnea* Becker, 1916; *latifrons* Stein, 1916
- 5422) *Villa cana* (Meigen, 1804) (Bombyliidae) Synonym(s): *cana* Meigen, 1804; *quinquefasciata* Wiedemann, 1820
- 5423) *Villa clarissima* (Loew, 1857) (Bombyliidae) Synonym(s): *clarissima* Loew, 1857; *diluta* Rondani, 1866
- 5424) *Villa fasciata* (Meigen, 1804) (Bombyliidae) Synonym(s): *fasciata* Meigen, 1804; *trigonostigma* Czerny, 1901
- 5425) *Villa halteralis* (Kowarz, 1883) (Bombyliidae) Synonym(s): *halteralis* Kowarz, 1883; *corsicana* Schnabl, 1911
- 5426) *Villa hottentotta* (Linnaeus, 1758) (Bombyliidae) Synonym(s): *hottentotta* Linnaeus, 1758; *nugator* Harris, 1780
- 5427) *Villa niphobleta* (Loew, 1869) (Bombyliidae) Synonym(s): *niphobleta* Loew, 1869; *nana* Becker, 1916
- 5428) *Villa occulta* (Wiedemann, 1820) (Bombyliidae) Synonym(s): *occulta* Wiedemann, 1820
- 5429) *Villa pygarga* (Loew, 1868) (Bombyliidae) Synonym(s): *pygarga* Loew, 1868
- 5430) *Villa ventruosa* (Loew, 1869) (Bombyliidae) Synonym(s): *ventruosa* Loew, 1869
- 5431) *Viridicercus ustulatus* (Mulsant & Rey, 1855) (Cicadellidae) Synonym(s): *viridis* Schrank, 1801; *ustulatus* Mulsant & Rey, 1855; *salicetorum* Mulsant & Rey, 1855; *prasinus* Kirschbaum, 1868
- 5432) *Volucella bombylans* (Linnaeus, 1758) (Syrphidae) Synonym(s): *bombylans* Linnaeus, 1758; *mystacea* Linnaeus, 1758; *pocopyges* Poda, 1761; *tricolor* Poda, 1761; *pennata* Scopoli, 1763; *melanopyrrha* Förster, 1771; *plumata* DeGeer, 1776; *sonora* Müller, 1776; *plumosa* Gmelin, 1790; *vulpina* Meigen, 1830; *haemorrhoidalis* Zetterstedt, 1838; *alpicola* Rondani, 1857; *variabilis* Malm, 1863; *adulterina* Rondani, 1865; *hybrida* Rondani, 1865; *incestuosa* Rondani, 1865; *spuria* Rondani, 1865; *caucasica* Portschinsky, 1877; *xantholeuca* Mik, 1887; *terestriiformis* Drensky, 1934; *pyrenaea* Doesburg, 1951
- 5433) *Volucella inanis* (Linnaeus, 1758) (Syrphidae) Synonym(s): *inanis* Linnaeus, 1758; *trifasciata* Scopoli, 1763; *apivora* DeGeer, 1776; *annulata* Harris, [1776]; *micans* Fabricius, 1794
- 5434) *Volucella pellucens* (Linnaeus, 1758) (Syrphidae) Synonym(s): *pellucens* Linnaeus, 1758; *dryaphila* Scopoli, 1763; *fera* Harris, [1776]; *putescens* Schellenberg, 1803; *japonica* Bigot, 1875; *japonica* Matsumura, 1916
- 5435) *Voria ruralis* (Fallén, 1810) (Tachinidae) Synonym(s): *ruralis* Fallén, 1810
- 5436) *Wagneria cunctans* (Meigen, 1824) (Tachinidae) Synonym(s): *cunctans* Meigen, 1824
- 5437) *Wagneria gagatea* R-D., 1830 (Tachinidae) Synonym(s): *gagatea* R-D., 1830

- 5438) *Watsonalla binaria* (Hufnagel,1767)** (Drepanidae) Synonym(s): *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculatoria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,1802]
- 5439) *Watsonalla cultaria* (Fabricius,1775)** (Drepanidae) Synonym(s): *cultaria* Fabricius,1775; *hamula* [Denis & Schiffermüller],1775; *cultarialis* Haworth,1802; *unguicula* Hübner,1803; *fasciata* Stephens,1829
- 5440) *Watsonarctia deserta* (Bartel,1902)** (Arctiidae) Synonym(s): *casta* Esper,1784] *nec* Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperi* Koçak,1980.
- 5441) *Wheeleria ivae* (Kasy,1960)** (Pterophoridae) Synonym(s): *ivae* Kasy,1960
- 5442) *Wheeleria obsoleta* (Zeller,1841)** (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970.
- 5443) *Winthemia cruentata* (Rondani,1859)** (Tachinidae) Synonym(s): *cruentata* Rondani,1859
- 5444) *Winthemia erythrura* (Meigen,1838)** (Tachinidae) Synonym(s): *erythrura* Meigen,1838
- 5445) *Winthemia quadripustulata* (Fabricius,1794)** (Tachinidae) Synonym(s): *quadripustulata* Fabricius,1794
- 5446) *Winthemia variegata* (Meigen,1824)** (Tachinidae) Synonym(s): *variegata* Meigen,1824; *similis* Williston,1895
- 5447) *Wittia sororcula* (Hufnagel,1766)** (Arctiidae) Synonym(s): *sororcula* Hufnagel,1766; *crocella* Fourcroy,1785; *crocinea* Villers,1789; *aureola* Hübner,1808; *aurantia* Haworth,1809.
- 5448) *Wohlfahrtia magnifica* (Schiner,1862)** (Sarcophagidae) Synonym(s): *magnifica* Schiner,1862
- 5449) *Wohlfahrtia meigeni* (Schiner,1862)** (Sarcophagidae) Synonym(s): *meigeni* Schiner,1862
- 5450) *Xanthia* (Cirrhia) *gilvago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775.
- 5451) *Xanthia* (Cirrhia) *ocellaris* (Borkhausen,1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,1803].
- 5452) *Xanthia* (Tiliacea) *aurago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aurago* [Denis & Schiffermüller],1775; *rutilago* [Denis & Schiffermüller],1775; *fuscata* Esper,1788 *nec* Hufn.,1766
- 5453) *Xanthia* (Tiliacea) *citrago* (Linnaeus,1758)** (Noctuidae) Synonym(s): *citrago* Linnaeus,1758; *flavastrigata* Retzius,1783
- 5454) *Xanthia* (Tiliacea) *cypreago* (Hampson,1906)** (Noctuidae) Synonym(s): *cypreago* Hampson,1906
- 5455) *Xanthia icteritia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,1788].
- 5456) *Xanthia sulphurago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#fulvago* Clerk,1759; *sulphurago* [Denis & Schiffermüller],1775; *ochrago* Fabricius,1791; *#sulfurago* Poltavsky & Nekrasov,2002
- 5457) *Xanthia togata* (Esper,1788)** (Noctuidae) Synonym(s): *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,1803].
- 5458) *Xanthochlorus tenellus* (Wiedemann,1817)** (Dolichopodidae) Synonym(s): *tenellus* Wiedemann,1817; *flavellus* Zetterstedt,1843
- 5459) *Xanthocrambus saxonellus* (Zincken,1821)** (Pyralidae) Synonym(s): *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888
- 5460) *Xanthorhoe* (s.str.) *montanata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *montanata* [Denis & Schiffermüller],1775; *implicata* Villers,1789; *implicaria* Haworth,1809; *montanaria* Treitschke,1828
- 5461) *Xanthorhoe biriviata* (Borkhausen,1794)** (Geometridae) Synonym(s): *biriviata* Borkhausen,1794; *pomoeraria* Eversmann,1844
- 5462) *Xanthorhoe designata* (Hufnagel,1767)** (Geometridae) Synonym(s): *designata* Hufnagel,1767; *propugnata* [Denis & Schiffermüller],1775; *fuscofasciata* Retzius,1783; *fuscaria* Villers,1789; *propugnaria* Treitschke,1825
- 5463) *Xanthorhoe ferrugata* (Clerck,1759)** (Geometridae) Synonym(s): *#ferrugata* Clerck,1759; *corculata* Hufnagel,1767; *ferrugaria* [Denis & Schiffermüller],1775; *littorea* Fourcroy,1785; *lictorea* Geoffroy,1800; *unidentaria* Haworth,1809
- 5464) *Xanthorhoe fluctuata* (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 *nec* Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
- 5465) *Xanthorhoe quadrifasciata* (Linnaeus,1761)** (Geometridae) Synonym(s): *#quadrifasciaria* Clerck,1759; *quadrifasciata* Linnaeus,1761; *ligustrata* [Denis & Schiffermüller],1775; *undulataria* Villers,1789; *badiata* Borkhausen,1794; *ligustraria* Treitschke,1825; *#quadrifasciata* Viidalepp,1996
- 5466) *Xanthorhoe spadicearia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *spadicearia* [Denis & Schiffermüller],1775; *alchemillaria* Esper,1801; *livinaria* LaHarpe,1855
- 5467) *Xenion ignitum* (Kraatz,1875)** (Carabidae) Synonym(s): *ignitum* Kraatz,1875
- 5468) *Xestia* (Anomogyna) *speciosa* (Hübner,1813)** (Noctuidae) Synonym(s): *speciosa* Hübner,1813]
- 5469) *Xestia* (Megasema) *ashworthii* (Doubleday,1855)** (Noctuidae) Synonym(s): *ashworthii* Doubleday,1855
- 5470) *Xestia* (Megasema) *c-nigrum* (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,1786; *singularis* Esper,1786; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 5471) *Xestia* (Megasema) *ditrapezium* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#ditrapezium* [Denis & Schiffermüller],1775
- 5472) *Xestia* (s.str.) *baja* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *baja* [Denis & Schiffermüller],1775
- 5473) *Xestia* (s.str.) *castanea* (Esper,1798)]** (Noctuidae) Synonym(s): *castanea* Esper,1798; *neglecta* Hübner,1803; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949.
- 5474) *Xestia* (s.str.) *cohaesa* (Herrich-Schäffer,1849)]** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,1849]
- 5475) *Xestia* (s.str.) *collina* (Boisduval,1840)** (Noctuidae) Synonym(s): *collina* Boisduval,1840; *montana* Freyer,1845; *kenteana* Staudinger,1892; *eversmanni* Petersen,1905; *peterseni* Krulikowsky,1909; *nigromaculata* Hoffmann,1917; *roeggeri* Schauerda,1919; *loebeli* Rebel,1920
- 5476) *Xestia* (s.str.) *ochreago* (Hübner,1809)]** (Noctuidae) Synonym(s): *ochreago* Hübner,1809; *ochrojois* Hbn.,1821; *habichi* Rebel,1909.
- 5477) *Xestia* (s.str.) *rhomboidea* (Esper,1790)]** (Noctuidae) Synonym(s): *rhomboidea* Esper,1790; *stigmatica* Hbn.,1813].
- 5478) *Xestia* (s.str.) *xanthographa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 5479) *Xorides* (s.str.) *fuligator* (Thunberg,1822)** (Ichneumonidae) Synonym(s): *fuligator* Thunberg,1822
- 5480) *Xya variegata* (Latreille,1809)** (Tridactylidae) Synonym(s): *variegata* Latreille,1809
- 5481) *Xylena exsoleta* (Linnaeus,1758)** (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 5482) *Xylena lunifera* W.Warren,1910** (Noctuidae) Synonym(s): *lunifera* W.Warren,1910; *#lunigera* W.Warren,1910
- 5483) *Xylena vetusta* (Hübner,1813)]** (Noctuidae) Synonym(s): *vetusta* Hübner,1813]
- 5484) *Xylocampa areola* (Esper,1789)]** (Noctuidae) Synonym(s): *areola* Esper,1789; *lithorhiza* Borkhausen,1792; *operosa* Hübner,1808]

- 5485) *Xylota ignava* (Panzer,1798)** (Syrphidae) Synonym(s): *ignava* Panzer,1798; *basalis* Matsumura,1911; *inermis* Becker,1921
- 5486) *Xylota segnis* (Linnaeus,1758)** (Syrphidae) Synonym(s): *segnis* Linnaeus,1758; *maritima* Scopoli,1763; *fucata* Harris,1780; *brassicaria* Donovan,1796
- 5487) *Xylota sylvarum* (Linnaeus,1758)** (Syrphidae) Synonym(s): *sylvarum* Linnaeus,1758; *longisco* Harris,1780; *impigra* Rossi,1790
- 5488) *Xyphosia miliaria* (Schrank,1781)** (Tephritidae) Synonym(s): *miliaria* Schrank,1781; *punctipennis* Hendel,1927; *orientalis* M.Hering,1936; *balcanica* Drensky,1943
- 5489) *Xysta holocericea* (Fabricius,1805)** (Tachinidae) Synonym(s): *holocericea* Fabricius,1805
- 5490) *Xystophora carchariella* (Zeller,1839)** (Gelechiidae) Synonym(s): *carchariella* Zeller,1839
- 5491) *Yerohama maculata* (Meigen,1835)** (Sarcophagidae) Synonym(s): *maculata* Meigen,1835
- 5492) *Yponomeuta cognagellus* (Hübner,[1813])** (Yponomeutidae) Synonym(s): *cognagella* Hübner,[1813]
- 5493) *Yponomeuta evonymellus* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *evonymella* Linnaeus,1758; *padi* Zeller,1846
- 5494) *Yponomeuta irrorellus* (Hübner,1796)** (Yponomeutidae) Synonym(s): *irrorellus* Hübner,1796; *irrorea* Haworth,1828; *huebneri* Koçak,1982.
- 5495) *Yponomeuta malinellus* Zeller,1838** (Yponomeutidae) Synonym(s): *malinellus* Zeller,1838
- 5496) *Yponomeuta padellus* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *padella* Linnaeus,1758; *evonymella* Scopoli,1763 nec Linn.,1758; *malinella* Zeller,1838; *variabilis* Zeller,1844; *diffuellus* Heinemann,1870.
- 5497) *Yponomeuta plumbellus* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *plumbellus* [Denis & Schiffermüller],1775; *nigrifimbriatus* Christoph,1882
- 5498) *Yponomeuta rorrellus* (Hübner,1796)** (Yponomeutidae) Synonym(s): *rorrella* Hübner,1796; *helicella* Freyer,1827; *rorea* Haworth,1828.
- 5499) *Yponomeuta vigintipunctatus* (Retzius,1783)** (Yponomeutidae) Synonym(s): *vigintipunctata* Retzius,1783; *sedella* Treitschke,1832; *vigintipunctella* Doubleday,1859; *apicalis* Matsumura,1931; *elementaris* Meyrick,1931.
- 5500) *Ypsolopha alpella* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *alpella* [Denis & Schiffermüller],1775; *alpinus* Fabricius,1798
- 5501) *Ypsolopha asperella* (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *asperella* Linnaeus,1761; *clairvillella* Fabricius,1798; *falcateella* Donovan,1801
- 5502) *Ypsolopha chazariella* (Mann,1866)** (Yponomeutidae) Synonym(s): *chazariella* Mann,1866
- 5503) *Ypsolopha falcella* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *falcella* [Denis & Schiffermüller],1775; *schellenbergella* Fabricius,1798; *harnatus* Fabricius,1798; *falcatus* Fabricius,1798
- 5504) *Ypsolopha horridella* (Treitschke,1835)** (Yponomeutidae) Synonym(s): *horridella* Treitschke,1835
- 5505) *Ypsolopha lucella* (Fabricius,1775)** (Yponomeutidae) Synonym(s): *lucella* Fabricius,1775; *antennella* [Denis & Schiffermüller],1775; *retusana* Thunberg,1784; *mucronella* Hübner,1796 nec Sc.,1763; *lucorum* Fabricius,1798
- 5506) *Ypsolopha parenthesesella* (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *parenthesella* Linnaeus,1761; *costella* Fabricius,1775; *genistella* [Denis & Schiffermüller],1775; *ochrella* Hübner,1793; *maculella* Fabricius,1794; *costatus* Fabricius,1798; *maculatus* Fabricius,1798; *ochroleucus* Haworth,1828; *ermineus* Haworth,1828; *ustulatus* Haworth,1828; *takamukui* Matsumura,1931
- 5507) *Ypsolopha persicella* (Fabricius,1787)** (Yponomeutidae) Synonym(s): *persicella* Fabricius,1787; *sulphurella* Hübner,1793; *#persicellume* Noack,1960.
- 5508) *Ypsolopha scabrella* (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *scabrella* Linnaeus,1761; *bifissella* [Denis & Schiffermüller],1775; *pterodactylella* Hübner,1793
- 5509) *Ypsolopha sculpturella* (Herrich-Schäffer,[1854])** (Yponomeutidae) Synonym(s): *sculpturella* Herrich-Schäffer,[1854]
- 5510) *Ypsolopha sequella* (Clerck,1759)** (Yponomeutidae) Synonym(s): *#sequella* Clerck,1759; *nycthemerella* [Denis & Schiffermüller],1775; *nyctemerus* Fabricius,1798; *leucophaea* Zeller,1839
- 5511) *Ypsolopha sylvella* (Linnaeus,1767)** (Yponomeutidae) Synonym(s): *sylvella* Linnaeus,1767; *bifasciatus* Haworth,1828
- 5512) *Ypsolopha ustella* (Clerck,1759)** (Yponomeutidae) Synonym(s): *#ustella* Clerck,1759; *ciliella* [Denis & Schiffermüller],1775; *radiatella* Donovan,1794 nec Fourc.,1785; *variella* Hübner,1796 nec [Den. & Schiff.],1775; *fissella* Hübner,1796; *cornutus* Fabricius,1798; *unguiculatus* Fabricius,1798; *parallela* Panzer,1799; *byssinella* Hübner,[1813]; *quinquepunctatus* Haworth,1828; *lutosus* Haworth,1828; *flaviciatus* Haworth,1828; *varians* Haworth,1828; *fissus* Haworth,1828; *radiatus* Haworth,1828; *fulvella* Duponchel,1839
- 5513) *Ypsolopha vittella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *vittella* Linnaeus,1758; *sisymbrella* Denis & Schiffermüller,[1775]; *lanceolata* Fabricius,1777; *lancea* Borkhausen,1792; *dorsella* Fabricius,1794; *dorsatus* Fabricius,1798; *#vitellum* Noack,1960.
- 5514) *Zabrus tenebrioides* (Goeze,1777)** (Carabidae) Synonym(s): *tenebrioides* Goeze,1777
- 5515) *Zaira cinerea* (Fallén,1810)** (Tachinidae) Synonym(s): *cinerea* Fallén,1810; *pacta* Meigen,1824; *agrestis* R-D.,1830; *#cinerae* Doğanlar,1982
- 5516) *Zebeeba falsalis* (Herrich-Schäffer,1839)** (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer,1839
- 5517) *Zeiraphera isertana* (Fabricius,1794)** (Tortricidae) Synonym(s): *isertana* Fabricius,1794; *communana* Fabricius,1794; *cuiviana* Fabricius,1794; *adustana* Hübner,[1813]; *corticana* Hübner,[1813]; *kuhlweiniana* Hübner,[1825]; *licheana* Treitschke,1829; *nigricans* Sorhagen,1882; *steiniana* Sorhagen,1882; *wautersi* Dufrane,1945
- 5518) *Zeiraphera rufimitrana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *#rufimitrana* Herrich-Schäffer,1847; *rufimitrana* Herrich-Schäffer,[1851]
- 5519) *Zekelita (Rhynchodontodes) antiqualis* (Hübner,[1809])** (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquilis* Zukowsky,1941
- 5520) *Zenillia dolosa* (Meigen,1824)** (Tachinidae) Synonym(s): *dolosa* Meigen,1824
- 5521) *Zenillia libatrix* (Panzer,1798)** (Tachinidae) Synonym(s): *libatrix* Panzer,1798
- 5522) *Zerynthia (Allancastris) cerisyi* (Godart,1822)** (Papilionidae) Synonym(s): *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eisn. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989.
- 5523) *Zerynthia (s.str.) polyxena* ([Denis & Schiffermüller],1775)** (Papilionidae) Synonym(s): *hypermnestra* Scopoli,1763 nec Linn.,1763; *polyxena* [Denis & Schiffermüller],1775; *hypsipyle* Fabricius,1777; *aristolochiae* Schneider,1787 nec Fabricius,1775.
- 5524) *Zethes insularis* Rambur,1833** (Noctuidae) Synonym(s): *insularis* Rambur,1833
- 5525) *Zeuxia erythraea* (Egger,1856)** (Tachinidae) Synonym(s): *erythraea* Egger,1856

- 5526) *Zeuzera pyrina* (Linnaeus,1761) (Cossidae) Synonym(s): *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892
- 5527) *Zicrona caerulea* (Linnaeus,1758) (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851
- 5528) *Zophomyia temula* (Scopoli,1763) (Tachinidae) Synonym(s): *temula* Scopoli,1763
- 5529) *Zygaena (Agrumenia) carniolica* (Scopoli,1763) (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909
- 5530) *Zygaena (Agrumenia) loti* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777
- 5531) *Zygaena (Agrumenia) sedi* Fabricius,1787 (Zygaenidae) Synonym(s): *sedi* Fabricius,1787
- 5532) *Zygaena (Mesembrynus) laeta* (Hübner,1790) (Zygaenidae) Synonym(s): *laeta* Hübner,1790
- 5533) *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *minos* [Denis & Schiffermüller],1775
- 5534) *Zygaena (Mesembrynus) punctum* Ochsenheimer,1808 (Zygaenidae) Synonym(s): *punctum* Ochsenheimer,1808
- 5535) *Zygaena (Mesembrynus) purpuralis* (Brünnich,1763) (Zygaenidae) Synonym(s): *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973
- 5536) *Zygaena (s.str.) angelicae* Ochsenheimer,1808 (Zygaenidae) Synonym(s): *angelicae* Ochsenheimer,1808
- 5537) *Zygaena (s.str.) ephialtes* (Linnaeus,1767) (Zygaenidae) Synonym(s): *ephialtes* Linnaeus,1767; *scheveni* Oberthür,1910; *esperii* Oberthür,1910; *unipunctata* Vorbrod,1913; *valesiaca* Burgeff,1914; *herrichschaefferi* Burgeff,1914
- 5538) *Zygaena (s.str.) filipendulae* (Linnaeus,1758) (Zygaenidae) Synonym(s): *filipendulae* Linnaeus,1758; *aries* Retzius,1783
- 5539) *Zygaena (s.str.) lonicerac* (Scheven,1777) (Zygaenidae) Synonym(s): *lonicerac* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965
- 5540) *Zygaena (s.str.) osterodensis* H.Reiss,1921 (Zygaenidae) Synonym(s): *osterodensis* H.Reiss,1921
- 5541) *Zygaena (s.str.) viciae* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829
- 5542) *Zygina (Hypericiella) hyperici* (Herrich-Schäffer,1836) (Cicadellidae) Synonym(s): *hyperici* Herrich-Schäffer,1836
- 5543) *Zygina (s.str.) angusta* Lethierry,1874 (Cicadellidae) Synonym(s): *angusta* Lethierry,1874
- 5544) *Zygina (s.str.) discolor* Horvath,1897 (Cicadellidae) Synonym(s): *discolor* Horvath,1897; *#discolar* Lodos & Kalkandelen,1984
- 5545) *Zygina (s.str.) dorsalis* Horvath,1897 (Cicadellidae) Synonym(s): *dorsalis* Horvath,1897
- 5546) *Zygina (s.str.) flammigera* (Fourcroy,1785) (Cicadellidae) Synonym(s): *flammigera* Fourcroy,1785
- 5547) *Zygina (s.str.) rhamni* Ferrari,1882 (Cicadellidae) Synonym(s): *rhamni* Ferrari,1882; *simplex* Ferrari,1882; *detrita* Rey,1894; *difficilis* Ribaut,1936; *manca* Ribaut,1936
- 5548) *Zygina (s.str.) rorida* (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *rorida* Mulsant & Rey,1855; *costalis* Ferrari,1882; *deleta* Ribaut,1936
- 5549) *Zygina (s.str.) rubrovittata* (Lethierry,1869) (Cicadellidae) Synonym(s): *rubrovittata* Lethierry,1869
- 5550) *Zygina (s.str.) suavis* Rey,1891 (Cicadellidae) Synonym(s): *suavis* Rey,1891; *rhamnicola* Horvath,1903; *fulguralis* Matsumura,1908; *concinna* Edwards,1924; *inconstans* Ribaut,1936
- 5551) *Zygina (s.str.) tiliae* (Fallén,1806) (Cicadellidae) Synonym(s): *tiliae* Fallén,1806
- 5552) *Zygina (s.str.) tithide* Ferrari,1882 (Cicadellidae) Synonym(s): *tithide* Ferrari,1882; *nudale* Ribaut,1936 (*praeocc.*); *nudior* Cerr.,1937; *decolorata* Cerr.,1939; *unipunctata* Cerr.,1939; *nudista* Knull,1944
- 5553) *Zyginella albifrons* Horvath,1897 (Cicadellidae) Synonym(s): *albifrons* Horvath,1897; *erubescens* Horvath,1897
- 5554) *Zyginella pulchra* Loew,1885 (Cicadellidae) Synonym(s): *pulchra* Loew,1885; *quercus* Kusnezov,1930
- 5555) *Zyginidia (s.str.) pullula* (Boheman,1845) (Cicadellidae) Synonym(s): *pullula* Boheman,1845

GREECE (6992 SPECIES)

- 1) *Ablattaria arenaria* (Kraatz,1876) (Silphidae) Synonym(s): *arenaria* Kraatz,1876; *punctigera* Reitter,1885; *alleoni* Portevin,1926
- 2) *Ablattaria laevigata* (Fabricius,1775) (Silphidae) Synonym(s): *laevigata* Fabricius,1775
- 3) *Abraeus granulum* Erichson,1839 (Histeridae) Synonym(s): *granulum* Erichson,1839
- 4) *Abraeus perpusillus* (Marsham,1802) (Histeridae) Synonym(s): *perpusillus* Marsham,1802
- 5) *Abraxas (s.str.) grossulariatus* (Linnaeus,1758) (Geometridae) Synonym(s): *grossulariata* Linnaeus,1758; *cuneifera* W.Warren,1895; *memorabilis* Inoue,1946
- 6) *Abrostola agnorista* Dufay,1956 (Noctuidae) Synonym(s): *agnorista* Dufay,1956
- 7) *Abrostola asclepiadis* (Lang,1789) (Noctuidae) Synonym(s): *#asclepiadis* [Denis & Schiffermüller],1775; *asclepiadis* Lang,1789
- 8) *Abrostola tripartita* (Hufnagel,1766) (Noctuidae) Synonym(s): *tripartita* Hufnagel,1766; *conspicillum* Retzius,1783; *urticae* Hübner,[1817]
- 9) *Abrostola triplasia* (Linnaeus,1758) (Noctuidae) Synonym(s): *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864
- 10) *Acalyptris lesbia* Nieukerken & Hull,2007 (Nepticulidae) Synonym(s): *lesbia* Nieukerken & Hull,2007
- 11) *Acalyptris limonii* Z.Lastuvka & A.Lastuvka,1998 (Nepticulidae) Synonym(s): *limonii* Z.Lastuvka & A.Lastuvka,1998
- 12) *Acalyptris loranthella* (Klimesch,1937) (Nepticulidae) Synonym(s): *loranthella* Klimesch,1937
- 13) *Acalyptris maritima* Z.Lastuvka & A.Lastuvka,1997 (Nepticulidae) Synonym(s): *maritima* Z.Lastuvka & A.Lastuvka,1997
- 14) *Acalyptris minimella* (Rebel,1924) (Nepticulidae) Synonym(s): *minimella* Rebel,1924; *lentiscella* Groschke,1944
- 15) *Acalyptris pistaciae* Nieukerken,2007 (Nepticulidae) Synonym(s): *pistaciae* Nieukerken,2007
- 16) *Acalyptris platani* (Müller-Rutz,1934) (Nepticulidae) Synonym(s): *platani* Müller-Rutz,1934
- 17) *Acanthophila alacella* (Zeller,1839) (Gelechiidae) Synonym(s): *alacella* Zeller,1839
- 18) *Acanthopsyche uralensis* (Freyer,1852) (Psychidae) Synonym(s): *uralensis* Freyer,1852
- 19) *Acanthoporus velikensis* (Piller & Mitterpacher,1783) (Tenebrionidae) Synonym(s): *velikensis* Piller & Mitterpacher,1783; *dentipes* Rossi,1790

- 20) **Acemya acuticornis (Meigen,1824)** (Tachinidae) Synonym(s): *acuticornis* Meigen,1824
- 21) **Acemya rufitibia (Von Roser,1840)** (Tachinidae) Synonym(s): *rufitibia* Von Roser,1840
- 22) **Acherontia atropos (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877.
- 23) **Achyra nudalis (Hübner,1796)** (Pyralidae) Synonym(s): *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901
- 24) **Acinopus ammophilus Dejean,1829** (Carabidae) Synonym(s): *ammophilus* Dejean,1829
- 25) **Acinopus megacephalus (P.Rossi,1794)** (Carabidae) Synonym(s): *megacephalus* P.Rossi,1794
- 26) **Acleris boscanoides Razowski,1959** (Tortricidae) Synonym(s): *boscanoides* Razowski,1959
- 27) **Acleris hastiana (Linnaeus,1758)** (Tortricidae) Synonym(s): *hastiana* Linnaeus,1758; *coronana* Thunberg,1784; *borana* Fabricius,1787; *liberana* Fabricius,1787; *byringerana* Hübner,1793; *blomiana* Thunberg,1797; *stickmanniana* Thunberg,1797; *radiana* Hübner,1799; *albistrana* Haworth,1811; *eximiana* Haworth,1811; *aquilana* Hübner,1813; *divisana* Hübner,1813; *combustana* Hübner,1813; *autumnana* Hübner,1817; *bollingerana* Hübner,1825; *veterana* Hübner,1825; *leprosana* Frölich,1828; *mayrana* Geyer,1833; *ramostrana* Stephens,1834; *centrovittana* Stephens,1834; *subcristana* Stephens,1834; *obsoletana* Stephens,1834; *leacheana* Curtis,1835; *leucophaeana* Humpreys & Westwood,1845; *basilineana* Peyerimhoff,1863.
- 28) **Acleris lipsiana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *lipsiana* [Denis & Schiffermüller],1775; *sudoriana* Hübner,1823].
- 29) **Acleris quercinana (Zeller,1849)** (Tortricidae) Synonym(s): *quercinana* Zeller,1849; ? *mucidana* Peyerimhoff,1874
- 30) **Acleris schalleriana (Linnaeus,1761)** (Tortricidae) Synonym(s): *schalleriana* Linnaeus,1761; *hirundana* Thunberg,1791; *tristana* Hübner,1799; *castaneana* Haworth,1811; *plumbosana* Haworth,1811; *falsana* Hübner,1825; *germarana* Frölich,1828; *trigonana* Stephens,1834; *semirhombana* Curtis,1835; *violaceana* Guenée,1845; *erutana* Herrich-Schäffer,1851.
- 31) **Acleris variegana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,1817; *blandiana* Charpentier,1821; *blandana* Hübner,1825; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer,1851.
- 32) **Acmaeodera (s.str.) flavolineata Laporte & Gory,1835** (Buprestidae) Synonym(s): *flavolineata* Laporte & Gory,1835; *dorsalis* Spinola,1838; *sturalis* Gory,1840; *biivitis* Frivaldsky,1912; *krueperi* Obenberger,1926
- 33) **Acnephalum fasciculatus (Loew,1847)** (Asilidae) Synonym(s): *fasciculatus* Loew,1847
- 34) **Acnephalum mixtus (Loew,1847)** (Asilidae) Synonym(s): *mixtus* Loew,1847; *anthophorinus* Loew,1847
- 35) **Acnephalum olivieri Macquart,1838** (Asilidae) Synonym(s): *olivieri* Macquart,1838
- 36) **Acompsia cinerella (Clerck,1759)** (Gelechiidae) Synonym(s): *cinerella* Clerck,1759; *murinella* Scopoli,1763; *ardeliella* Hübner,1817; *cinerea* Haworth,1828; *spodiella* Treitschke,1833
- 37) **Acompus pallipes (Herrich-Schäffer,1834)** (Lygaeidae) Synonym(s): *pallipes* Herrich-Schäffer,1834; *orientalis* Horvath,1929
- 38) **Acompus rufipes (Wolff,1804)** (Lygaeidae) Synonym(s): *rufipes* Wolff,1804
- 39) **Acontia (Emmelia) trabealis (Scopoli,1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphura* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881
- 40) **Acontia (s.str.) lucida (Hufnagel,1766)** (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,1822; *triradiata* Walker,1858; *lugens* Alpharaky,1889; *heliadora* Schawerda,1923
- 41) **Acontia (Uracontia) titania (Esper,1798)** (Noctuidae) Synonym(s): *titania* Esper,1798; *urania* Frivaldsky,1835; *eversmanni* Kolenati,1846.
- 42) **Acontiola lascivalis (Lederer,1855)** (Noctuidae) Synonym(s): *lascivalis* Lederer,1855
- 43) **Acontiola moldavicola (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *moldavicola* Herrich-Schäffer,1851; *euboica* Mill.,1874
- 44) **Acritus italicus Reitter,1904** (Histeridae) Synonym(s): *italicus* Reitter,1904
- 45) **Acritus komai Lewis,1879** (Histeridae) Synonym(s): *komai* Lewis,1879
- 46) **Acritus minutus (Herbst,1792)** (Histeridae) Synonym(s): *minutus* Herbst,1792
- 47) **Acritus nigricornis (Hoffmann,1803)** (Histeridae) Synonym(s): *nigricornis* Hoffmann,1803
- 48) **Acrobasis centunculella (Mann,1859)** (Pyralidae) Synonym(s): *centunculella* Mann,1859
- 49) **Acrobasis consociella (Hübner,1813)** (Pyralidae) Synonym(s): *consociella* Hübner,1813; *consocialis* Hübner,1825; *tumidella* Duponchel,1836; *oberthueri* Lucas,1914.
- 50) **Acrobasis glauella Staudinger,1859** (Pyralidae) Synonym(s): *glauella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910.
- 51) **Acrobasis obliqua (Zeller,1847)** (Pyralidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927.
- 52) **Acrobasis obtusella (Hübner,1796)** (Pyralidae) Synonym(s): *obtusella* Hübner,1796; *obtusa* Haworth,1811; *obtusalis* Hübner,1825].
- 53) **Acrobasis sodalella Zeller,1848** (Pyralidae) Synonym(s): *sodalella* Zeller,1848
- 54) **Acrocercops brongniardella (Fabricius,1798)** (Gracillariidae) Synonym(s): *brongniardella* Fabricius,1798; *substriga* Haworth,1828; *quercetella* Zeller,1838; *curtisella* Duponchel,1840]
- 55) **Acrocercops cocciferella (Chrétien,1910)** (Gracillariidae) Synonym(s): *cocciferella* Chrétien,1910
- 56) **Acrocercops tacita Triberti,2001** (Gracillariidae) Synonym(s): *tacita* Triberti,2001
- 57) **Acrolepiopsis vesperella (Zeller,1850)** (Yponomeutidae) Synonym(s): *vesperella* Zeller,1850; *smilaxella* Millière,1864; *tami* Hering,1927
- 58) **Acrometopa cretensis Ramme,1927** (Tettigoniidae) Synonym(s): *cretensis* Ramme,1927
- 59) **Acrometopa servillea (Brullé,1832)** (Tettigoniidae) Synonym(s): *servillea* Brullé,1832
- 60) **Acrometopa syriaca Brunner von Wattenwyl,1878** (Tettigoniidae) Synonym(s): *syriaca* Brunner von Wattenwyl,1878; *festae* Giglio-Tos,1893; *elsae* Werner,1937
- 61) **Acronicta (Hyboma) strigosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *strigosa* [Denis & Schiffermüller],1775
- 62) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) Synonym(s): *megacephala* Fabricius,1787; *ankarensis* Hering,1933.
- 63) **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758
- 64) **Acronicta (Triaena) cuspis (Hübner,1813)** (Noctuidae) Synonym(s): *cuspis* Hübner,1813]
- 65) **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758
- 66) **Acronicta (Triaena) tridens ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tridens* [Denis & Schiffermüller],1775; *karghalika* Moore,1878.

- 67) **Acronicta (Viminia) auricoma (Fabricius,1787)** (Noctuidae) Synonym(s): *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858
- 68) **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) Synonym(s): *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowski* Wojtusiak & Niesiolowski,1946.
- 69) **Acronicta (Viminia) orientalis Mann,1862** (Noctuidae) Synonym(s): *orientalis* Mann,1862
- 70) **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857
- 71) **Acroricus seductor (Scopoli,1786)** (Ichneumonidae) Synonym(s): *seductor* Scopoli,1786; *syriacus* Mocsary,1883
- 72) **Acrosternum arabicum Wagner,1959** (Pentatomidae) Synonym(s): *arabicum* Wagner,1959
- 73) **Acrotylus insubricus (Scopoli,1786)** (Acrididae) Synonym(s): *insubricus* Scopoli,1786; *maculatum* Olivier,1791; *fasciatus* Fabricius,1793; *maderae* Audinet-Serville,1838; *inficitus* Walker,1870; *variegata* Walker,1870; *versicolor* Burr,1898; *biskrensis* Maran,1958
- 74) **Acrotylus longipes (Charpentier,1845)** (Acrididae) Synonym(s): *longipes* Charpentier,1845; *aurifera* Walker,1870; *collecta* Walker,1870
- 75) **Actenia brunnealis (Treitschke,1829)** (Pyralidae) Synonym(s): *brunnealis* Treitschke,1829; *phaealis* Hampson,1900.
- 76) **Actenia honestalis (Treitschke,1829)** (Pyralidae) Synonym(s): *honestalis* Treitschke,1829
- 77) **Actia crassicornis (Meigen,1824)** (Tachinidae) Synonym(s): *crassicornis* Meigen,1824; *dubitata* Herting,1974
- 78) **Actia infantula (Zetterstedt,1844)** (Tachinidae) Synonym(s): *infantula* Zetterstedt,1844
- 79) **Actia lamia (Meigen,1838)** (Tachinidae) Synonym(s): *lamia* Meigen,1838
- 80) **Actia nigroscutellata Lundbeck,1927** (Tachinidae) Synonym(s): *nigroscutellata* Lundbeck,1927
- 81) **Actia pilipennis (Fallén,1810)** (Tachinidae) Synonym(s): *pilipennis* Fallén,1810
- 82) **Actinotia radiosa (Esper,[1804])** (Noctuidae) Synonym(s): *radiosa* Esper,[1804]; *lyncea* Hübner,[1809] (*praeocc.*)
- 83) **Acyrtosiphon (Xanthomyzus) lambersi Leclant & Remaudière,1974** (Aphididae) Synonym(s): *lambersi* Leclant & Remaudière,1974
- 84) **Adaina microdactyla (Hübner,[1813])** (Pterophoridae) Synonym(s): *microdactyla* Hübner,[1813]; *carphodactylus* Stephens,1834; *subflavescens* Meyrick,1930; *montivola* Meyrick,1937.
- 85) **Adela auricella Ragonot,1874** (Adelidae) Synonym(s): *auricella* Ragonot,1874
- 86) **Adela croesella (Scopoli,1763)** (Adelidae) Synonym(s): *croesella* Scopoli,1763; *podaella* Linnaeus,1767; *sultzella* Linnaeus,1767; *malletella* Fourcroy,1785; *fasciata* Esper,1791; *sultzii* Haworth,1828; *sulzeriella* Zeller,1839; *laqueatella* Zeller,1850.
- 87) **Adela mazzolella (Hübner,[1801])** (Adelidae) Synonym(s): *aurella* [Denis & Schiffermüller],1775 *nec* Fabr.,1775; *mazzolella* Hübner,[1801]; *armeniella* Rebel,1902
- 88) **Adela paludicolella (Zeller,1850)** (Adelidae) Synonym(s): *paludicolella* Zeller,1850
- 89) **Adoxomyia aureovittata (Bigot,1879)** (Stratiomyidae) Synonym(s): *aureovittata* Bigot,1879
- 90) **Adoxomyia dahlia (Meigen,1830)** (Stratiomyidae) Synonym(s): *dahlia* Meigen,1830; *schineri* Lindner,1937; *personata* Lindner,1975
- 91) **Adoxophyes orana (Fischer v. Röslerstamm,1834)** (Tortricidae) Synonym(s): *reticulana* Hübner,[1819] (*praeocc.*); *orana* Fischer v. Röslerstamm,1834; *tripsiana* Eversmann,1844; *fasciata* Walsingham,1900; *minor* Shiraki,1913; *sutschana* Caradja,1926; *beijingensis* Zhou, Qiu & Fu,1997
- 92) **Adrastus limbatus (Fabricius,1776)** (Elateridae) Synonym(s): *limbatus* Fabricius,1776
- 93) **Adrastus rachifer (Fourcroy,1785)** (Elateridae) Synonym(s): *rachifer* Fourcroy,1785
- 94) **Adscita (s.str.) albanica (Naufock,1926)** (Zygaenidae) Synonym(s): *albanica* Naufock,1926
- 95) **Adscita (s.str.) geryon (Hübner,[1813])** (Zygaenidae) Synonym(s): *geryon* Hübner,[1813]
- 96) **Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862.
- 97) **Adscita (s.str.) statices (Linnaeus,1758)** (Zygaenidae) Synonym(s): *statices* Linnaeus,1758; *turcosa* Retzius,1783; *stuticus* Fourcroy,1785; *micans* Freyer,1833; *extensa* Alberti,1937; *anomala* Verity,1946; *lutrinensis* Heuser,1960; *heuseri* Reichl,1964
- 98) **Adscita (Tarmannita) mannii (Lederer,1853)** (Zygaenidae) Synonym(s): *mannii* Lederer,1853; *heydenreichii* Lederer,1853; *crassicornis* Staudinger,1862; *prasina* Rothschild,1917; *glauca* Verity,1946; *pseudostatices* Verity,1946.
- 99) **Aedes (Aedimorphus) vexans (Meigen,1830)** (Culicidae) Synonym(s): *vexans* Meigen,1830; *parvus* Macquart,1834; *articulatus* Rondani,1872; *malariae* Grassi,1898; *sylvestris* Theobald,1901; *montcalmi* Blanchard,1905; *minuta* Theobald,1907; *eruthrosops* Theobald,1910; *sudanensis* Theobald,1911; *euochrus* Howard, Dyar & Knab,1917
- 100) **Aedes (Finlaya) echinus Edwards,1920** (Culicidae) Synonym(s): *echinus* Edwards,1920
- 101) **Aedes (Finlaya) geniculatus (Olivier,1791)** (Culicidae) Synonym(s): *geniculatus* Olivier,1791; *guttatus* Meigen,1818; *lateralis* Meigen,1818; *ornatus* Meigen,1818; *guttatus* Curtis,1835; *albopunctatus* Rondani,1872
- 102) **Aedes (Ochlerotatus) annulipes (Meigen,1803)** (Culicidae) Synonym(s): *annulipes* Meigen,1803; *musivus* Skuse,1889; *mastersi* Skuse,1889; *quartus* Martini,1920; *opisthopus* Komp,1926; *mychonde* Komp,1928; *derricki* Taylor,1943; *perplerus* Taylor,1943; *persimilis* Taylor,1943
- 103) **Aedes (Ochlerotatus) caspius (Pallas,1771)** (Culicidae) Synonym(s): *caspius* Pallas,1771; *punctatus* Meigen,1804; *siculus* R-D.,1827; *maculiventris* Macquart,1844; *penicillaris* Rondani,1872; *curriei* Coquillett,1901; *onodagensis* Felt,1904; *longisquamosa* Theobald,1905; *subtilis* Sergent & Sergent,1905; *quaylei* Dyar & Knab,1906; *lativittatus* Coquillett,1906; *arabica* Giles,1906; *africanus* Neveu-Lemaire,1906; *willcocksii* Theobald,1907; *arabicus* Becker,1910; *broquetii* Theobald,1913; *grahami* Ludlow,1919; *epsilon* Ségué,1924
- 104) **Aedes (Ochlerotatus) communis (DeGeer,1776)** (Culicidae) Synonym(s): *communis* DeGeer,1776
- 105) **Aedes (Ochlerotatus) detritus Haliday,1833** (Culicidae) Synonym(s): *detritus* Haliday,1833; *salinus* Ficalbi,1896; *terriei* Theobald,1903; *maculosa* Theobald,1905
- 106) **Aedes (Ochlerotatus) dorsalis (Meigen,1830)** (Culicidae) Synonym(s): *dorsalis* Meigen,1830
- 107) **Aedes (Ochlerotatus) pulcritarsis (Rondani,1872)** (Culicidae) Synonym(s): *pulcritarsis* Rondani,1872; *leucacanthus* Loew,1873; *stegomyia* Stackelberg & Monchadskii,1926; *asiatica* Edwards,1926; *simici* Baranoff,1927
- 108) **Aedes (Ochlerotatus) zammitii (Theobald,1903)** (Culicidae) Synonym(s): *zammitii* Theobald,1903
- 109) **Aedes (Rusticoides) lepidonotus (Edwards,1920)** (Culicidae) Synonym(s): *lepidonotus* Edwards,1920
- 110) **Aedes (Rusticoides) refiki Medschid,1928** (Culicidae) Synonym(s): *refiki* Medschid,1928; *stampari* Apfelbeck,1929; *pseudorusticus* Callot,1945
- 111) **Aedes (Rusticoides) rusticus (Rossi,1790)** (Culicidae) Synonym(s): *rusticus* Rossi,1790; *maculatus* Meigen,1804; *musicus* Leach,1825; *pungens* R-D.,1827; *quadratimaculatus* Macquart,1834; *diversus* Theobald,1901; *luteovittata* Theobald,1901; *subtrichurus* Martini,1927 (*ssp.*)
- 112) **Aedes (Stegomyia) aegypti (Linnaeus,1762)** (Culicidae) Synonym(s): *aegypti* Linnaeus,1762; *argenteus* Poirét,1787; *fasciatus* Fabricius,1805; *sugens* Wiedemann,1828; *annulitarsis* Macquart,1846; *inexorabilis* Walker,1848; *insatiabilis* Bigot,1859; *nigeria* Theobald,1901; *atrirtarsis* Edwards,1920

- 113) *Aedes (Stegomyia) cretinus* Edwards, 1921 (Culicidae) Synonym(s): *cretinus* Edwards, 1921; *delta* Séguy, 1924; *lindtropi* Shingarev, 1927
- 114) *Aedia funesta* (Esper, [1786]) (Noctuidae) Synonym(s): *funesta* Esper, [1786]; *quadrimaculata* Scopoli, 1786
- 115) *Aedia leucomelas* (Linnaeus, 1758) (Noctuidae) Synonym(s): *leucomelas* Linnaeus, 1758; *ramburi* Boisduval, 1829; *adepta* Geyer, 1832; *olivascens* Guenée, 1852; *limitaris* Walker, [1863]; *shisa* Strand, 1920; *thomae* A.E. Prout, 1927; *albodiscalis* Roepke, 1932; *ermanniae* Berio, 1989
- 116) *Aedophron rhodites* (Eversmann, 1851) (Noctuidae) Synonym(s): *rhodites* Eversmann, 1851; *aurorina* Herrich-Schäffer, [1852]
- 117) *Aegle agatha* (Staudinger, 1861) (Noctuidae) Synonym(s): *agatha* Staudinger, 1861
- 118) *Aegle kaekeritziana* (Hübner, [1799]) (Noctuidae) Synonym(s): *kaekeritziana* Hübner, [1799]; *flava* Hübner, [1809]; *flavida* Ochsenheimer, 1816
- 119) *Aegle semicana* (Esper, [1798]) (Noctuidae) Synonym(s): *semicana* Esper, [1798]; *vespertalis* Hübner, [1813]; *mimetes* Brandt, 1938; *#verspatalis* Hacker, 1986
- 120) *Aeletes hopffgarteni* (Reitter, 1876) (Histeridae) Synonym(s): *hopffgarteni* Reitter, 1876
- 121) *Aelia acuminata* (Linnaeus, 1758) (Pentatomidae) Synonym(s): *acuminata* Linnaeus, 1758; *rostratus* De Geer, 1773; *tessarophthalmus* Schrank, 1781; *neglecta* Dallas, 1851; *burmeisteri* Küster, 1852; *pallida* Küster, 1852; *turanica* Horvath, 1895; *punctiventris* Horvath, 1911; *#nigripes* Wagner, 1938; *baluchistanensis* Ahmad & Zaidi, 1988
- 122) *Aelia albiovittata* Fieber, 1868 (Pentatomidae) Synonym(s): *albiovittata* Fieber, 1868
- 123) *Aelia furcula* Fieber, 1868 (Pentatomidae) Synonym(s): *furcula* Fieber, 1868; *simillima* Reuter, 1900
- 124) *Aelia glebana* Horvath, 1895 (Pentatomidae) Synonym(s): *glebana* Horvath, 1895
- 125) *Aelia klugii* Hahn, 1833 (Pentatomidae) Synonym(s): *klugii* Hahn, 1833; *granum* Jakovlev, 1903; *demissa* Kiritchenko, 1914; *angusta* Stehlik, 1976; *bifida* Hsiao & Cheng, 1977; *orientalis* Josifov, 1984; *chinensis* Rider & Rolston, 1995
- 126) *Aelia rostrata* Boheman, 1852 (Pentatomidae) Synonym(s): *rostrata* Boheman, 1852; *cognata* Fieber, 1868; *glebana* Ferrari, 1874; *syriaca* Horvath, 1903; *eminealkanata* Lodos, 1959; *confusa* Kirkaldy, 1909; *brunnea* Halaszfy, 1955
- 127) *Aelia virgata* (Herrich-Schäffer, 1841) (Pentatomidae) Synonym(s): *virgata* Herrich-Schäffer, 1841
- 128) *Aellopus atratus* (Goeze, 1778) (Lygaeidae) Synonym(s): *atratus* Goeze, 1778
- 129) *Aeoloderma crucifer* (Rossi, 1790) (Elateridae) Synonym(s): *crucifer* Rossi, 1790
- 130) *Aeschremon disparalis* Herrich-Schäffer, [1855] (Pyralidae) Synonym(s): *disparalis* Herrich-Schäffer, [1855]; *#indistinctalis* Amsel, 1961
- 131) *Aethes bilbaensis* (Rössler, 1877) (Tortricidae) Synonym(s): *bilbaensis* Rössler, 1877; *loxopteroides* Walsingham, 1903; *mediterranea* Rebel, 1906; *reclusa* Meyrick, 1923
- 132) *Aethes capnospila* (Meyrick, 1912) (Tortricidae) Synonym(s): *capnospila* Meyrick, 1912
- 133) *Aethes eryngiella* (Vallot, 1829) (Tortricidae) Synonym(s): *eryngiella* Vallot, 1829; *flagellana* Duponchel, 1836; *helvticana* Heyden, 1865; *eryngiana* Heyden, 1865; *sardoa* Amsel, 1952
- 134) *Aethes francillana* (Fabricius, 1794) (Tortricidae) Synonym(s): *francillana* Fabricius, 1794; *francillonana* Humprey & Westwood, 1845; *ferulae* Müller-Rutz, 1920
- 135) *Aethes hartmanniana* (Clerck, 1759) (Tortricidae) Synonym(s): *lyonetella* Linnaeus, 1758; *#hartmanniana* Clerck, 1759; *wiedemannella* Müller, 1764; *baumanniana* [Denis & Schiffermüller], 1775; *allioniana* De Villers, 1789; *avellana* Hübner, 1822; *subbaumanniana* Wilkinson, 1859; *murciana* Caradja, 1916; *excelsior* Schawerda, 1920
- 136) *Aethes margarotana* (Duponchel, 1836) (Tortricidae) Synonym(s): *margarotana* Duponchel, 1836; *maritimana* Guenée, 1845; *parallelana* Kennel, 1913; *edrisitana* Chrétien, 1922; *paronyma* Meyrick, 1932
- 137) *Aethes mauritanica* (Walsingham, 1898) (Tortricidae) Synonym(s): *mauritanica* Walsingham, 1898; *#mauretanica* Kennel, 1910; *cornelia* Turati, 1924; *albella* Amsel, 1952
- 138) *Aethes nefandana* (Kennel, 1899) (Tortricidae) Synonym(s): *nefandana* Kennel, 1899; *diacrisiana* Rebel, 1903; *chersonana* Obratsov, 1937
- 139) *Aethes sanguinana* (Treitschke, 1830) (Tortricidae) Synonym(s): *sanguinana* Treitschke, 1830; *#sanguinea* Humpreys & Westwood, 1845; *#sanguinella* Bradley, Tremewan & Smith, 1973
- 140) *Aethes tesserana* [Denis & Schiffermüller], 1775 (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller], 1775; *alella* Sulzer, 1776; *heiserana* Fabricius, 1787; *groendaliana* Thunberg, 1791
- 141) *Aethes triangulana* (Treitschke, 1835) (Tortricidae) Synonym(s): *triangulana* Treitschke, 1835; *kuhlweiniana* Fischer v. Rösslerstamm, [1836]; *tergana* Eversmann, 1844
- 142) *Aethes williana* (Brahm, 1791) (Tortricidae) Synonym(s): *williana* Brahm, 1791; *cembrana* Hübner, [1825]; *zephyrana* Treitschke, 1830; *dubrisana* Curtis, 1834; *marmoratana* Curtis, 1834; *luteolana* Stephens, 1834; *virginiana* Guenée, 1845; *loriculana* Guenée, 1849; *costignata* Filipjev, 1926
- 143) *Afrolimnophila minima* (Savchenko, 1971) (Limoniidae) Synonym(s): *minima* Savchenko, 1971
- 144) *Agabus (Gaurodytes) biguttatus* (Olivier, 1795) (Dytiscidae) Synonym(s): *biguttatus* Olivier, 1795
- 145) *Agabus (s.str.) zimmermanni* Scholz, 1920 (Dytiscidae) Synonym(s): *zimmermanni* Scholz, 1920
- 146) *Agallia consobrina* Curtis, 1833 (Cicadellidae) Synonym(s): *consobrina* Curtis, 1833
- 147) *Agallia minuta* Melichar, 1896 (Cicadellidae) Synonym(s): *minuta* Melichar, 1896
- 148) *Agallia venosa* (Fourcroy, 1785) (Cicadellidae) Synonym(s): *venosa* Fourcroy, 1785; *elongatus* Vismara, 1878; *aspera* Ribaut, 1935
- 149) *Agalmatium bilobum* (Fieber, 1877) (Issidae) Synonym(s): *bilobum* Fieber, 1877
- 150) *Agalmatium flavescens* (Olivier, 1791) (Issidae) Synonym(s): *flavescens* Olivier, 1791; *grylloides* Fabricius, 1794; *liliimacula* O. Costa, 1834; *bifasciatus* O. Costa, 1834; *smyrnensis* Spinola, 1839; *dufourii* Spinola, 1839; *sicula* O. Costa, 1840; *zelleri* Kirschbaum, 1868
- 151) *Agapanthia cardui* (Linnaeus, 1767) (Cerambycidae) Synonym(s): *cardui* Linnaeus, 1767; *pannonica* Kratochvil, 1985
- 152) *Agapanthia cynarae* (Germar, 1817) (Cerambycidae) Synonym(s): *cynarae* Germar, 1817
- 153) *Agapanthia kirbyi* (Gyllenhal, 1817) (Cerambycidae) Synonym(s): *kirbyi* Gyllenhal, 1817
- 154) *Agapanthia lais* Reiche, 1858 (Cerambycidae) Synonym(s): *lais* Reiche, 1858
- 155) *Agapanthia probsti* Hozlschuh, 1984 (Cerambycidae) Synonym(s): *probsti* Hozlschuh, 1984
- 156) *Agapanthia schurmanni* Sama, 1978 (Cerambycidae) Synonym(s): *schurmanni* Sama, 1978
- 157) *Agapanthia violacea* (Fabricius, 1775) (Cerambycidae) Synonym(s): *violacea* Fabricius, 1775
- 158) *Agapanthiola leucaspis* (Steven, 1817) (Cerambycidae) Synonym(s): *leucaspis* Steven, 1817
- 159) *Agapeta largana* (Rebel, 1906) (Tortricidae) Synonym(s): *largana* Rebel, 1906; *vicolana* Capuse, 1964
- 160) *Agapeta zoegana* (Linnaeus, 1767) (Tortricidae) Synonym(s): *zoegana* Linnaeus, 1767; *cincta* Fourcroy, 1785; *flavella* Villers, 1789; *ferrugina* Haworth, [1811] nec [Denis & Schiff], 1775; *#zaegana* Staudinger, 1879
- 161) *Agdistis adactyla* (Hübner, [1819]) (Pterophoridae) Synonym(s): *adactyla* Hübner, [1819]; *huebneri* Curtis, 1834; *delphinensella* Bruand, 1858; *shaanxisis* Qin & Zheng, 1997

- 162) **Agdistis bigoti Arenberger, 1976** (Pterophoridae) *Synonym(s): bigoti Arenberger, 1976*
- 163) **Agdistis frankeniae (Zeller, 1847)** (Pterophoridae) *Synonym(s): frankeniae Zeller, 1847; lerinsis Millière, 1876; bahrlutia Amsel, 1955; tondeuri Bigot, 1963; rupestris Bigot, 1974; rjabovi Zagulyaev & Filippova, 1976; kuhunda Ustjuzhanin, 1991.*
- 164) **Agdistis hartigi Arenberger, 1973** (Pterophoridae) *Synonym(s): hartigi Arenberger, 1973.*
- 165) **Agdistis heydeni (Zeller, 1852)** (Pterophoridae) *Synonym(s): heydeni Zeller, 1852; canariensis Rebel, 1896; excurata Meyrick, 1920.*
- 166) **Agdistis meridionalis (Zeller, 1847)** (Pterophoridae) *Synonym(s): meridionalis Zeller, 1847; staticis Millière, 1875; portlandica Tutt, 1906; clivicola Meyrick, 1920; tyrrhenica Amsel, 1952; prolai Hartig, 1953.*
- 167) **Agdistis paralia (Zeller, 1847)** (Pterophoridae) *Synonym(s): paralia Zeller, 1847*
- 168) **Agdistis satanas Millière, 1876** (Pterophoridae) *Synonym(s): satanas Millière, 1876; nanus Turati, 1924; pseudosatanas Amsel, 1952.*
- 169) **Agdistis tamaricis (Zeller, 1847)** (Pterophoridae) *Synonym(s): tamaricis Zeller, 1847; bagdadiensis Amsel, 1949; xinjiangsis Qin & Zheng, 1997.*
- 170) **Ageniaspis citricola Logvinovskaya, 1983** (Encyrtidae) *Synonym(s): citricola Logvinovskaya, 1983*
- 171) **Ageniaspis fuscicollis (Dalman, 1820)** (Encyrtidae) *Synonym(s): fuscicollis Dalman, 1820; cyanocephalus Bouché, 1834; praysincola Silvestri, 1907; anchyloperae De Santis, 1957*
- 172) **Ageniaspis mayri (Masi, 1908)** (Encyrtidae) *Synonym(s): mayri Masi, 1908*
- 173) **Aglais urticae (Linnaeus, 1758)** (Argynnisidae) *Synonym(s): urticae Linnaeus, 1758; opima Verity, 1919; variegata Querci, 1932; strandi Verity, 1936.*
- 174) **Aglaostigma aucupariae (Klug, 1817)** (Tenthredinidae) *Synonym(s): aucupariae Klug, 1817; lacteore Benson, 1968*
- 175) **Aglena ornata (Herrich-Schäffer, 1838)** (Cicadellidae) *Synonym(s): ornata Herrich-Schäffer, 1838; pallida Walker, 1851 (praeocc.); ornata Kirkaldy, 1906*
- 176) **Aglia tau (Linnaeus, 1758)** (Saturniidae) *Synonym(s): tau Linnaeus, 1758; cerretanica Rougeot, 1965; spaniolissima Gomez-Bustillo & Gomez de Aizpurua, 1980; eumense Gomez-Bustillo & Fernandez Vidal, 1980*
- 177) **Aglossa caprealis (Hübner, [1809])** (Pyralidae) *Synonym(s): caprealis Hübner, [1809]; capreolatus Haworth, 1809; aenalis Costa, 1836; domalis Guenée, 1854; incultella Walker, 1866; enthealis Hulst, 1886; #cuprealis Kalchberg, 1897*
- 178) **Aglossa pinguinalis (Linnaeus, 1758)** (Pyralidae) *Synonym(s): pinguinalis Linnaeus, 1758; marmorella Geoffroy, 1785; marmoratella Villers, 1789; pinguiculatus Haworth, 1809; pinguinatus Haworth, 1809; asiatica Erschoff, 1871; rubralis Hampson, 1900; guicciardii Constantino, 1922; sanaensis Rebel, 1930; maroccana Schmidt, 1934*
- 179) **Aglossa signicostalis Staudinger, 1871** (Pyralidae) *Synonym(s): signicostalis Staudinger, 1871*
- 180) **Agnippe lunaki (Rebel, 1941)** (Gelechiidae) *Synonym(s): lunaki Rebel, 1941*
- 181) **Agonopterix adpersella (Kollar, 1832)** (Oecophoridae) *Synonym(s): adpersella Kollar, 1832; athamanticella Heinemann, 1870; amanthicella Staudinger, 1901; sabulatella Turati, 1919; karmeliella Amsel, 1933*
- 182) **Agonopterix alstromeriana (Clerck, 1759)** (Oecophoridae) *Synonym(s): alstromeriana Clerck, 1759; monilella [Denis & Schiffermüller], 1775; puella Hübner, 1796; alstroemeri Haworth, 1811; alstroemerella Hübner, [1825]; albidella Eversmann, 1844; alstroemerella Doubleday, 1859*
- 183) **Agonopterix arenella ([Denis & Schiffermüller], 1775)** (Oecophoridae) *Synonym(s): arenella [Denis & Schiffermüller], 1775; gilvella Hübner, 1796; gilvosa Haworth, 1811; immaculana Stephens, 1834*
- 184) **Agonopterix assimilella (Treitschke, 1832)** (Oecophoridae) *Synonym(s): assimilella Treitschke, 1832; irrorella Stephens, 1834; reticulatella Bruand, 1850*
- 185) **Agonopterix atomella ([Denis & Schiffermüller], 1775)** (Oecophoridae) *Synonym(s): atomella [Denis & Schiffermüller], 1775; atomosa Haworth, 1811*
- 186) **Agonopterix enicella (Treitschke, 1832)** (Oecophoridae) *Synonym(s): enicella Treitschke, 1832*
- 187) **Agonopterix comitella (Lederer, 1855)** (Oecophoridae) *Synonym(s): comitella Lederer, 1855*
- 188) **Agonopterix furvella (Treitschke, 1832)** (Oecophoridae) *Synonym(s): furvella Treitschke, 1832*
- 189) **Agonopterix graecella Hannemann, 1976** (Oecophoridae) *Synonym(s): graecella Hannemann, 1976*
- 190) **Agonopterix inoxiella Hannemann, 1959** (Oecophoridae) *Synonym(s): inoxiella Hannemann, 1959*
- 191) **Agonopterix irrorata (Staudinger, 1870)** (Oecophoridae) *Synonym(s): irrorata Staudinger, 1870; rubrociliella Ragonot, 1877; anthriscella Brown, 1886*
- 192) **Agonopterix leucadensis (Rebel, 1932)** (Oecophoridae) *Synonym(s): leucadensis Rebel, 1932*
- 193) **Agonopterix nanatella (Stainton, 1849)** (Oecophoridae) *Synonym(s): nanatella Stainton, 1849*
- 194) **Agonopterix nervosa (Haworth, [1811])** (Oecophoridae) *Synonym(s): nervosa Haworth, [1811]; costosa Haworth, 1811; depunctella Hübner, [1825]; boieella Freyer, 1835; costella Doubleday, 1859; nervosella Doubleday, 1859; nervosella Bruand, 1859; costosella Bruand, 1859; dryadoxena Meyrick, 1920; blackmori Busck, 1922; venosata Kautz, 1930*
- 195) **Agonopterix pallorella (Zeller, 1839)** (Oecophoridae) *Synonym(s): pallorella Zeller, 1839; subpallorella Staudinger, 1871*
- 196) **Agonopterix propinquella (Treitschke, 1835)** (Oecophoridae) *Synonym(s): propinquella Treitschke, 1835*
- 197) **Agonopterix purpurea (Haworth, [1811])** (Oecophoridae) *Synonym(s): purpurea Haworth, [1811]*
- 198) **Agonopterix rotundella (Douglas, 1846)** (Oecophoridae) *Synonym(s): rotundella Douglas, 1846; peloritanaella Zeller, 1847*
- 199) **Agonopterix rutana (Fabricius, 1794)** (Oecophoridae) *Synonym(s): rutana Fabricius, 1794; retiferella Zeller, 1850; griseirubidella Bruand, 1850; rutella Heydenreich, 1851; syriaca Caradja, 1920.*
- 200) **Agonopterix scopariella (Heinemann, 1870)** (Oecophoridae) *Synonym(s): scopariella Heinemann, 1870; calycotomella Amsel, 1958*
- 201) **Agonopterix straminella (Staudinger, 1870)** (Oecophoridae) *Synonym(s): straminella Staudinger, 1870*
- 202) **Agonopterix subpropinquella (Stainton, 1849)** (Oecophoridae) *Synonym(s): subpropinquella Stainton, 1849; rhodochrella Herrich-Schäffer, [1854]; thoracica Lederer, 1855; sublutella Staudinger, 1859; variabilis Heinemann, 1870; crispella Lhomme, 1929; amilcarella Lucas, 1951.*
- 203) **Agonopterix thapsiella (Zeller, 1847)** (Oecophoridae) *Synonym(s): thapsiella Zeller, 1847; feruliphila Millière, 1866; linolotella Lhomme, 1929*
- 204) **Agonopterix yeatiana (Fabricius, 1781)** (Oecophoridae) *Synonym(s): yeatiana Fabricius, 1781; albidana Donovan, 1806; yeatsii Haworth, 1811; yeatseana Stephens, 1834; ventosella Reutti, 1853; altricornella Mann, 1855; yeatiella Doubleday, 1859; olatella Chrétien, 1915*
- 205) **Agonum angustatum Dejean, 1828** (Carabidae) *Synonym(s): angustatum Dejean, 1828*
- 206) **Agonum antennarium (Duftschmid, 1812)** (Carabidae) *Synonym(s): antennarium Duftschmid, 1812*
- 207) **Agonum extensum Ménétriés, 1849** (Carabidae) *Synonym(s): extensum Ménétriés, 1849*
- 208) **Agonum gisellae Csiki, 1931** (Carabidae) *Synonym(s): gisellae Csiki, 1931*
- 209) **Agonum hypocrita (Apfelbeck, 1904)** (Carabidae) *Synonym(s): hypocrita Apfelbeck, 1904*
- 210) **Agonum longicorne Chaudoir, 1846** (Carabidae) *Synonym(s): longicorne Chaudoir, 1846*

- 211) *Agonum lugens* (Duftschmid, 1812) (Carabidae) Synonym(s): *lugens* Duftschmid, 1812; *longipenne* Mannerheim, 1844
- 212) *Agonum marginatum* (Linnaeus, 1758) (Carabidae) Synonym(s): *marginatum* Linnaeus, 1758
- 213) *Agonum monachum* (Duftschmid, 1812) (Carabidae) Synonym(s): *monachum* Duftschmid, 1812
- 214) *Agonum nigrum* Dejean, 1828 (Carabidae) Synonym(s): *nigrum* Dejean, 1828
- 215) *Agonum sordidum* Dejean, 1828 (Carabidae) Synonym(s): *sordidum* Dejean, 1828
- 216) *Agramma* (s.str.) *atricapillum* (Spinola, 1837) (Tingidae) Synonym(s): *atricapillum* Spinola, 1837
- 217) *Agramma* (s.str.) *blandulum* (Horvath, 1905) (Tingidae) Synonym(s): *blandulum* Horvath, 1905
- 218) *Agrapha accentifera* (Lefèbvre, 1827) (Noctuidae) Synonym(s): *accentifera* Lefèbvre, 1827; *l-aureum* Freyer, 1831; *accifera* Gaede, 1937.
- 219) *Agrilus* (Anambus) *buresi* Obenberger, 1935 (Buprestidae) Synonym(s): *buresi* Obenberger, 1935
- 220) *Agrilus* (Anambus) *derasofasciatus* Lacordaire, 1835 (Buprestidae) Synonym(s): *derasofasciatus* Lacordaire, 1835
- 221) *Agrilus* (Anambus) *obscuricollis* Kiesenwetter, 1857 (Buprestidae) Synonym(s): *obscuricollis* Kiesenwetter, 1857
- 222) *Agrilus* (Anambus) *roscidus* Kiesenwetter, 1857 (Buprestidae) Synonym(s): *roscidus* Kiesenwetter, 1857
- 223) *Agrilus* (s.str.) *aurichalceus* Redtenbacher, 1849 (Buprestidae) Synonym(s): *aurichalceus* Redtenbacher, 1849
- 224) *Agrilus* (s.str.) *hyperici* (Creutzer, 1799) (Buprestidae) Synonym(s): *hyperici* Creutzer, 1799
- 225) *Agrilus* (s.str.) *lineolus* Redtenbacher, 1849 (Buprestidae) Synonym(s): *lineolus* Redtenbacher, 1849
- 226) *Agriopis bajaria* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *aerugaria* [Denis & Schiffermüller], 1775; *bajaria* [Denis & Schiffermüller], 1775; *vittaria* Sulzer, 1776; *rubrostriata* Goeze, 1781; *ligustriaria* Lang, 1789; *sericearia* Borkhausen, 1794; *cineraria* Esper, [1801]; *sorditaria* Hübner, [1809]; *legراسي* Dumont, 1925
- 227) *Agriotes* (s.str.) *brevis* Candeze, 1863 (Elateridae) Synonym(s): *brevis* Candeze, 1863
- 228) *Agriotes* (s.str.) *graecus* Franz, 1967 (Elateridae) Synonym(s): *graecus* Franz, 1967
- 229) *Agriotes* (s.str.) *gurgistanus* (Faldermann, 1835) (Elateridae) Synonym(s): *gurgistanus* Faldermann, 1835
- 230) *Agriotes* (s.str.) *lineatus* (Linnaeus, 1758) (Elateridae) Synonym(s): *lineatus* Linnaeus, 1758
- 231) *Agriotes* (s.str.) *litigiosus* (Rossi, 1792) (Elateridae) Synonym(s): *litigiosus* Rossi, 1792
- 232) *Agriotes* (s.str.) *paludum* Kiesenwetter, 1859 (Elateridae) Synonym(s): *paludum* Kiesenwetter, 1859
- 233) *Agriotes* (s.str.) *pilosellus* (Schönherr, 1817) (Elateridae) Synonym(s): *pilosellus* Schönherr, 1817
- 234) *Agriotes* (s.str.) *rufipalpis* (Brullé, 1832) (Elateridae) Synonym(s): *rufipalpis* Brullé, 1832; *rubiginosus* Candeze, 1863
- 235) *Agriotes* (s.str.) *sputator* (Linnaeus, 1758) (Elateridae) Synonym(s): *sputator* Linnaeus, 1758
- 236) *Agriotes* (s.str.) *ustulatus* (Schaller, 1783) (Elateridae) Synonym(s): *ustulatus* Schaller, 1783
- 237) *Agriphila cyrenaicella* (Ragonot, 1887) (Pyralidae) Synonym(s): *cyrenaicella* Ragonot, 1887; *alexandriensis* Bethune-Baker, 1894; *permixtella* Kalchberg, 1897.
- 238) *Agriphila dalmatinella* (Hampson, 1900) (Pyralidae) Synonym(s): *dalmatinella* Hampson, 1900
- 239) *Agriphila geniculea* (Haworth, [1811]) (Pyralidae) Synonym(s): *geniculea* Haworth, [1811]; *imistella* Hübner, [1813]; *angulatellus* Duponchel, 1836; *suspectellus* Zeller, 1839.
- 240) *Agriphila inquinatella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller], 1775; *arbustella* Schrank, 1802; *nevadensis* Caradja, 1910.
- 241) *Agriphila latistria* (Haworth, [1811]) (Pyralidae) Synonym(s): *latistria* Haworth, [1811]; *gueneellus* Duponchel, 1836; *monotaeniellus* Herrich-Schäffer, [1852]; *vectifer* Zeller, 1863; *vallicolella* Costa, 1885.
- 242) *Agriphila paleatella* (Zeller, 1847) (Pyralidae) Synonym(s): *paleatellus* Zeller, 1847
- 243) *Agriphila selasella* (Hübner, [1813]) (Pyralidae) Synonym(s): *selasella* Hübner, [1813]; *obtusellus* Stephens, 1834
- 244) *Agriphila tersella* (Lederer, 1855) (Pyralidae) Synonym(s): *tersellus* Lederer, 1855; *graphellus* Constant, 1884; *hungaricus* Schmidt, 1909; *austellus* Chrétien, 1913; *uniformellus* Caradja, 1918; *chneouri* Lucas, 1942.
- 245) *Agriphila tolli* (Bleszynski, 1952) (Pyralidae) Synonym(s): *tollii* Bleszynski, 1952
- 246) *Agriphila trabeatella* (Herrich-Schäffer, [1848]) (Pyralidae) Synonym(s): *trabeatellus* Herrich-Schäffer, [1848]; *divisellus* Joannis, 1888.
- 247) *Agriphila tristella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *tristella* [Denis & Schiffermüller], 1775; *ferruginella* Thunberg, 1788; *paleella* Hübner, 1796; *aquilella* Hübner, 1796; *moerens* Fabricius, 1798; *fuscinella* Schrank, 1802; *fuscelinellus* Stephens, 1834; *ribbeellus* Caradja, 1910; *discistrigatus* Hampson, 1919.
- 248) *Agrius convolvuli* (Linnaeus, 1758) (Sphingidae) Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O.Bang-Haas, 1927
- 249) *Agrochola* (Alpichola) *fibigeri* Hacker & Moberg, 1989 (Noctuidae) Synonym(s): *fibigeri* Hacker & Moberg, 1989
- 250) *Agrochola* (Alpichola) *wautieri* Dufay, 1975 (Noctuidae) Synonym(s): *lactiflora* sensu Pinker, 1956; *wautieri* Dufay, 1975
- 251) *Agrochola* (Alpichola?) *gratiosa* (Staudinger, 1882) (Noctuidae) Synonym(s): *gratiosa* Staudinger, 1881
- 252) *Agrochola* (Anchoscelis) *consueta* (Herrich-Schäffer, [1852]) (Noctuidae) Synonym(s): *consueta* Herrich-Schäffer, [1852]
- 253) *Agrochola* (Anchoscelis) *deleta* (Staudinger, 1881) (Noctuidae) Synonym(s): *deleta* Staudinger, 1881
- 254) *Agrochola* (Anchoscelis) *helvola* (Linnaeus, 1758) (Noctuidae) Synonym(s): *helvola* Linnaeus, 1758; *rufina* Linnaeus, 1758; *fulvago* Clerck, 1759
- 255) *Agrochola* (Anchoscelis) *humilis* (Fabricius, 1787) (Noctuidae) Synonym(s): *humilis* [Denis & Schiffermüller], 1775; *humilis* Fabricius, 1787
- 256) *Agrochola* (Anchoscelis) *kindermannii* (Fischer v. Röslerstamm, [1841]) (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm, [1841]; *ballotae* Duponchel, [1842]; *cindermannii* Hampson, 1906; *rufa* Osthelder, 1933; *wolfschlaegeri* Boursin, 1953.
- 257) *Agrochola* (Anchoscelis) *litura* (Linnaeus, 1761) (Noctuidae) Synonym(s): *litura* Linnaeus, 1761
- 258) *Agrochola* (Anchoscelis) *lota* (Clerck, 1759) (Noctuidae) Synonym(s): *lota* Clerck, 1759; *hippophae* Goerze, 1781; *hippophae* Retzius, 1783; *americana* Morris, 1876
- 259) *Agrochola* (Anchoscelis) *macilenta* (Hübner, [1809]) (Noctuidae) Synonym(s): *macilenta* Hübner, [1809]
- 260) *Agrochola* (Anchoscelis) *nitida* (Fabricius, 1787) (Noctuidae) Synonym(s): *nitida* [Denis & Schiffermüller], 1775; *nitida* Fabricius, 1787
- 261) *Agrochola* (Anchoscelis) *osthelderi* Boursin, 1951 (Noctuidae) Synonym(s): *osthelderi* Boursin, 1951
- 262) *Agrochola* (Anchoscelis) *rupicapra* (Staudinger, 1879) (Noctuidae) Synonym(s): *rupicapra* Staudinger, 1879
- 263) *Agrochola* (Anchoscelis) *schreieri* Hacker & Weigert, 1986 (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert, 1986
- 264) *Agrochola* (Anchoscelis) *turneri* Boursin, 1953 (Noctuidae) Synonym(s): *turneri* Boursin, 1953

- 265)** *Agrochola (Frivaldskyola) mansueta (Herrich-Schäffer,[1850])* (Noctuidae) Synonym(s): *mansueta* Herrich-Schäffer,[1850]; *pontica* Staudinger,1901.
- 266)** *Agrochola (Propenistra) laevis (Hübner,[1803])* (Noctuidae) Synonym(s): *laevis* Hübner,[1803]
- 267)** *Agrochola (s.str.) pistacina (Goeze,1781)* (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 nec Panzer,1785; *sphaerulatina* Haworth,1809; *venosa* Haworth,1809 nec Hw.1809.
- 268)** *Agrochola (Sunira) circellaris (Hufnagel,1766)* (Noctuidae) Synonym(s): *circellaris* Hufnagel,1766
- 269)** *Agrochola pistacinoides (d'Aubuisson,1867)* (Noctuidae) Synonym(s): *pistacinoides* d'Aubuisson,1867; *garibaldina* Turati,1905; *dujardini* Dufay,1975.
- 270)** *Agrotera nemoralis (Scopoli,1763)* (Pyralidae) Synonym(s): *nemoralis* Scopoli,1763
- 271)** *Agrotis (Crassagrotis) bigramma (Esper,[1790])* (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891.
- 272)** *Agrotis (Crassagrotis) obesa (Boisduval,1829)* (Noctuidae) Synonym(s): *obesa* Boisduval,1840
- 273)** *Agrotis (Putagrotis) herzogii (Rebel,1911)* (Noctuidae) Synonym(s): *herzogii* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenicus* Tams,1925; *leroyi* Lucas,1940
- 274)** *Agrotis (Putagrotis) puta (Hübner,[1803])* (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylla* Treitl,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958.
- 275)** *Agrotis (Putagrotis) syricola Berio,1936* (Noctuidae) Synonym(s): *#syricola* Corti & Draudt,1933; *syricola* Berio,1936
- 276)** *Agrotis (s.str.) biconicus Kollar,[1844]* (Noctuidae) Synonym(s): *spinifera* Hübner,[1808] nec Vill.,1789; *biconica* Kollar,[1844]; *aristifera* Guenée,1852; *spiculifera* Guenée,1852; *ferina* Felder & Rogenhofer,1874; *hodnae* Oberthür,1878
- 277)** *Agrotis (s.str.) cinerea ([Denis & Schiffermüller],1775)* (Noctuidae) Synonym(s): *cinerea* [Denis & Schiffermüller],1775; *obscura* Hübner,[1803]; *dentimaculatus* Haworth,1803; *fusca* Boisduval,[1837]; *murina* Eversmann,1848; *livonica* Teich,1886; *alpigena* Calberla,1888; *tephrina* Staudinger,1901; *eximia* Culot,1910.
- 278)** *Agrotis (s.str.) clavis (Hufnagel,1766)* (Noctuidae) Synonym(s): *clavis* Hufnagel,1766; *corticea* [Denis & Schiffermüller],1775; *clavigerus* Haworth,1803; *subfuscus* Haworth,1803; *sincerii* Freyer,1849; *transversa* Walker,[1857]; *neocomensis* Rougemont,1902.
- 279)** *Agrotis (s.str.) endogaea Boisduval,[1837]* (Noctuidae) Synonym(s): *endogaea* Boisduval,[1837]
- 280)** *Agrotis (s.str.) exclamationis (Linnaeus,1758)* (Noctuidae) Synonym(s): *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 nec Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934.
- 281)** *Agrotis (s.str.) haifae Staudinger,1897* (Noctuidae) Synonym(s): *haifae* Staudinger,1897
- 282)** *Agrotis (s.str.) ipsilon (Hufnagel,1766)* (Noctuidae) Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789.
- 283)** *Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)* (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (praeocc.); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversa* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificata* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886.
- 284)** *Agrotis (s.str.) trux (Hübner,[1824])* (Noctuidae) Synonym(s): *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *amasina* Staudinger,1901; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933.
- 285)** *Agrotis (s.str.) vestigialis (Hufnagel,1766)* (Noctuidae) Synonym(s): *vestigialis* Hufnagel,1766
- 286)** *Aiolopus simulatrix (Walker,1870)* (Acrididae) Synonym(s): *simulatrix* Walker,1870; *savignyi* Krauss,1890; *affinis* Bolivar,1902; *laticosta* Bolivar,1912; *deserticola* Uvarov,1922
- 287)** *Aiolopus strepens (Latreille,[1802])* (Acrididae) Synonym(s): *strepens* Latreille,1804; *prasinus* Thunberg,1815; *vittatum* Brullé,1840; *chloroptera* Ramme,1913; *cyanoptera* Ramme,1913
- 288)** *Aiolopus thalassinus (Fabricius,1781)* (Acrididae) Synonym(s): *thalassinus* Fabricius,1781; *grossuni* Costa,1836; *laetum* Brullé,1840; *flavovirens* Fischer von Waldheim,1846; *angustifemur* Ghiliani,1869; *rufipes* Ivanov,1888; *kivuensis* Sjöstedt,1923; *acutus* Uvarov,1953
- 289)** *Akis elongata Brullé,1832* (Tenebrionidae) Synonym(s): *elongata* Brullé,1832; *deplanata* Waltl,1838
- 290)** *Akis opaca Heyden,1897* (Tenebrionidae) Synonym(s): *opaca* Heyden,1897; *anatolica* Reitter,1904
- 291)** *Akotropis quercicola Linnavuori,1962* (Achilidae) Synonym(s): *quercicola* Linnavuori,1962
- 292)** *Alastor (Megalastor) mediomaculatus Giordani Soika,1952* (Vespidae) Synonym(s): *mediomaculatus* Giordani Soika,1952; *iconius* Blüthgen,1955; *graecus* Gusenleitner,1970
- 293)** *Alastor (s.str.) mocsaryi (André,1884)* (Vespidae) Synonym(s): *mocsaryi* André,1884; *bieglebeni* Giordani Soika,1942; *pannonicus* Blüthgen,1956
- 294)** *Alastor seidenstueckeri Blüthgen,1956* (Vespidae) Synonym(s): *seidenstueckeri* Blüthgen,1956; *bulgaricus* Atanassov,1967
- 295)** *Albocosta musiva (Hübner,[1803])* (Noctuidae) Synonym(s): *musiva* Hübner,[1803]
- 296)** *Alcis jubata (Thunberg,1788)* (Geometridae) Synonym(s): *dilatata* Hufnagel,1767; *jubata* Thunberg,1788; *glabraria* Hübner,[1799]; *teneraria* Hübner,[1813]; *plancaria* Hübner,[1825]; *semiothisata* Lenz,1917
- 297)** *Alcis repandata (Linnaeus,1758)* (Geometridae) Synonym(s): *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *bistortae* Vallot,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 nec Wrnk.,1941
- 298)** *Aleimma loeflingianum (Linnaeus,1758)* (Tortricidae) Synonym(s): *loeflingiana* Linnaeus,1758; *mixtana* Fabricius,1794; *plumbana* Hübner,[1799]; *ectypana* Hübner,[1800]; *plumbeolana* Haworth,1811
- 299)** *Aleucis distinctata (Herrich-Schäffer,[1839])* (Geometridae) Synonym(s): *distinctata* Herrich-Schäffer,[1839]; *pictaria* auct.
- 300)** *Allodia (Brachycampta) pistillata (Lundström,1911)* (Mycetophilidae) Synonym(s): *pistillata* Lundström,1911
- 301)** *Alloerhynchus flavipes (Fieber,1836)* (Nabidae) Synonym(s): *flavipes* Fieber,1836
- 302)** *Allophyes asiatica (Staudinger,1892)* (Noctuidae) Synonym(s): *asiatica* Staudinger,1892
- 303)** *Allophyes oxyacanthae (Linnaeus,1758)* (Noctuidae) Synonym(s): *oxyacanthae* Linnaeus,1758; *capucina* Milliere,1870; *corsica* Spuler,1905; *alfaroi* Agenjo,1951; *powelli* Rungs,[1953]; *protai* Boursin,1966; *dujardini* Boursin,1968; *parenzani* De Laever,1977.

- 304)** *Allygidius atomarius* (Fabricius,1794) (Cicadellidae) Synonym(s): *reticulata* Thunberg,1784 (*praeoce.*); *atomarius* Fabricius,1794; *conspicillaris* Schrank,1801; *heydeni* Kirschbaum,1868
- 305)** *Allygus modestus* Scott,1876 (Cicadellidae) Synonym(s): *modestus* Scott,1876
- 306)** *Alophia combustella* (Herrich-Schäffer,[1855]) (Pyralidae) Synonym(s): *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910.
- 307)** *Alosimus armeniacus* (Faldermann,1837) (Meloidae) Synonym(s): *armeniacus* Faldermann,1837
- 308)** *Alosimus decolor* (Abeille de Perrin,1880) (Meloidae) Synonym(s): *decolor* Abeille de Perrin,1880
- 309)** *Alosimus smyrnensis* (Maran,1942) (Meloidae) Synonym(s): *smyrnensis* Maran,1942
- 310)** *Altenia elsneriella* Huemer & Karsholt,1999 (Gelechiidae) Synonym(s): *elsneriella* Huemer & Karsholt,1999
- 311)** *Altenia scriptella* (Hübner,1796) (Gelechiidae) Synonym(s): *scriptella* Hübner,1796
- 312)** *Altenia wagneriella* (Rebel,1926) (Gelechiidae) Synonym(s): *wagneriella* Rebel,1926; *danilevskiji* Piskunov,1973.
- 313)** *Altica graeca* Kral,1966 (Chrysomelidae) Synonym(s): *graeca* Kral,1966
- 314)** *Altica jarmilae* Kral,1979 (Chrysomelidae) Synonym(s): *jarmilae* Kral,1979
- 315)** *Alucita bidentata* Scholz & Jäckh,1994 (Alucitidae) Synonym(s): *bidentata* Scholz & Jäckh,1994
- 316)** *Alucita desmodactyla* Zeller,1847 (Alucitidae) Synonym(s): *desmodactyla* Zeller,1847
- 317)** *Alucita grammodactyla* Zeller,1841 (Alucitidae) Synonym(s): *grammodactyla* Zeller,1841
- 318)** *Alucita hexadactyla* Linnaeus,1758 (Alucitidae) Synonym(s): *hexadactyla* Linnaeus,1758
- 319)** *Alucita huebneri* Wallengren,1859 (Alucitidae) Synonym(s): *huebneri* Wallengren,1859
- 320)** *Alucita major* (Rebel,1906) (Alucitidae) Synonym(s): *major* Rebel,1906
- 321)** *Alucita palodactyla* Zeller,1847 (Alucitidae) Synonym(s): *palodactyla* Zeller,1847; *perittodactyla* Staudinger,1859; *parthenodactyla* Chrétien,1915
- 322)** *Alucita pectinata* Scholz & Jäckh,1994 (Alucitidae) Synonym(s): *pectinata* Scholz & Jäckh,1994
- 323)** *Alucita tridentata* Scholz & Jäckh,1994 (Alucitidae) Synonym(s): *tridentata* Scholz & Jäckh,1994
- 324)** *Alucita zonodactyla* Zeller,1847 (Alucitidae) Synonym(s): *zonodactyla* Zeller,1847
- 325)** *Alydus calcaratus* (Linnaeus,1758) (Alydidae) Synonym(s): *calcaratus* Linnaeus,1758
- 326)** *Amara (Amarocelia) erratica* (Duftschmid,1812) (Carabidae) Synonym(s): *erratica* Duftschmid,1812; *gracula* Heer,1837; *affinis* Motschoulsky,1850; *nivina* Gistel,1857; *rugulosa* Gistel,1857; *trophina* Gistel,1857; *xenechthum* Gistel,1857; *obscuricornis* Motschoulsky,1859; *caucasicola* Lutschnik,1935
- 327)** *Amara (Bradytus) apricaria* (Paykull,1790) (Carabidae) Synonym(s): *apricaria* Paykull,1790; *analis* Fabricius,1792; *petri* Hummel,1825; *raetica* Heer,1837; *armena* Motschoulsky,1844; *parallela* Chaudoir,1842; *putzeysi* Horn,1875; *baschkirica* Schweiger,1966; *paphlagoniensis* Schweiger,1966; *uludagensis* Schweiger,1966
- 328)** *Amara (Celia) aberrans* Baudi di Selva,1864 (Carabidae) Synonym(s): *aberrans* Baudi di Selva,1864; *syriaca* Putzeys,1866; *palaestina* Putzeys,1870; *gridellii* Baliani,1928
- 329)** *Amara (Celia) arenaria* (Putzeys,1865) (Carabidae) Synonym(s): *arenaria* Putzeys,1865; *diversa* Putzeys,1865; *croatica* Ganglbauer,1891; *hispanica* Csiki,1929
- 330)** *Amara (Celia) bifrons* (Gyllenhal,1810) (Carabidae) Synonym(s): *oralecica* O.F.Müller,1776; *bifrons* Gyllenhal,1810; *discrepans* Stephens,1828; *zimmermanni* Heer,1837; *longiceps* Seidlitz,1887; *kleini* Schuler,1964
- 331)** *Amara (Celia) montana* Dejean,1828 (Carabidae) Synonym(s): *montana* Dejean,1828; *distincta* Rambur,1838; *corsica* Putzeys,1866; *collina* Putzeys,1867; *burdigalenis* Schuler,1964
- 332)** *Amara (Celia) praetermissa* (Sahlberg,1827) (Carabidae) Synonym(s): *pallens* Sturm,1825; *praetermissa* Sahlberg,1827; *rufocincta* Sahlberg,1827; *grandicollis* C.Zimmermann,1832; *oreophila* C.Zimmermann,1832; *solitaria* Gistel,1857; *indivisa* Putzeys,1871; *transcaucasica* Lutschnik,1935; *monticusta* Jablkoﬀ & Khnzorian,1957
- 333)** *Amara (Curtonotus) aulica* (Panzer,1796) (Carabidae) Synonym(s): *aulica* Panzer,1796; *caucasica* Motschoulsky,1844; *lithuanica* Motschoulsky,1844; *abruzzensis* Schaubberger,1923
- 334)** *Amara (Percosia) equestris* (Duftschmid,1812) (Carabidae) Synonym(s): *equestris* Duftschmid,1812
- 335)** *Amara (radytus) crenata* Dejean,1828 (Carabidae) Synonym(s): *crenata* Dejean,1828; *crenatostriata* Chaudoir,1846
- 336)** *Amara (s.str.) aenea* (De Geer,1774) (Carabidae) Synonym(s): *aenea* De Geer,1774; *trivialis* Gyllenhal,1810; *atra* Stephens,1828; *persica* Chaudoir,1842; *maculipes* Grimmer,1841; *palustris* Gistel,1857; *sororcula* Tschitscherine,1895; *vogesiaca* Bourgeois,1898; *devincta* Casey,1918; *palanda* Jedlicka,1957; *thisbe* Antoine,1951
- 337)** *Amara (s.str.) anthobia* A.Villa & G.B.Villa,1833 (Carabidae) Synonym(s): *anthobia* A.Villa & G.B.Villa,1833; *kekichi* Schtzmair,1919
- 338)** *Amara (s.str.) convexior* Stephens,1828 (Carabidae) Synonym(s): *convexior* Stephens,1828; *obtusa* Stephens,1828; *puncticollis* Rylands,1841; *continua* Thomson,1873
- 339)** *Amara (s.str.) curta* Dejean,1828 (Carabidae) Synonym(s): *curta* Dejean,1828; *brunnicornis* Heer,1837; *aeruginosa* Kolenati,1845; *cyanocnamis* Thomson,1857; *ovalis* Mulsant & Rey,1861
- 340)** *Amara (s.str.) eurynota* (Panzer,1796) (Carabidae) Synonym(s): *eurynota* Panzer,1796; *acuminata* Paykull,1898; *aerata* Stephens,1828; *exculpta* Hassmann,1866; *raymondi* Putzeys,1870
- 341)** *Amara (s.str.) familiaris* (Duftschmid,1812) (Carabidae) Synonym(s): *familiaris* Duftschmid,1812; *cursor* Sturm,1825; *levis* Sturm,1825; *perplexa* Dejean,1828; *elegans* Rylands,1841; *humilis* Casey,1918
- 342)** *Amara (s.str.) ovata* (Fabricius,1792) (Carabidae) Synonym(s): *ovata* Fabricius,1792; *trivialis* Duftschmid,1812; *pratensis* Sturm,1825; *incisa* Germar,1841; *adamantina* Kolenati,1845; *audax* Gistel,1857; *sarsi* Munster,1927; *melanochlora* Lutschnik,1933; *similatoides* Jedlicka,1934; *aequatorialis* Baliani,1939
- 343)** *Amara (Xenocelia) cursitans* C.Zimmermann,1832 (Carabidae) Synonym(s): *cursitans* C.Zimmermann,1832; *properans* C.Zimmermann,1832; *ougsburgeri* Heer,1837; *oculata* Helliesen,1912; *arnoldi* Lutschnik,1934; *bernhardti* Schuler,1965; *cerdanica* Aubry,1970
- 344)** *Amara (Xenocelia) fusca* Dejean,1828 (Carabidae) Synonym(s): *fusca* Dejean,1828; *complanata* Dejean,1828; *mesatlantica* Antoine,1853; *theryi* Antoine,1853
- 345)** *Amara (Xenocelia) ingenua* (Duftschmid,1812) (Carabidae) Synonym(s): *ingenua* Duftschmid,1812; *liberta* Duftschmid,1812; *subaenea* Sturm,1825; *ruficornis* Dejean,1828
- 346)** *Amara (Xenocelia) municipalis* (Duftschmid,1812) (Carabidae) Synonym(s): *municipalis* Duftschmid,1812
- 347)** *Amara (Zezea) chaudiiri* Schaum,1858 (Carabidae) Synonym(s): *chaudiiri* Schaum,1858; *incognita* Fassati,1946
- 348)** *Amara (Zezea) fulvipes* (Audinet-Serville,1821) (Carabidae) Synonym(s): *fulvipes* Audinet-Serville,1821; *striatopunctatata* Dejean,1828; *valida* Fairmaire,1859
- 349)** *Amara (Zezea) plebeja* (Gyllenhal,1810) (Carabidae) Synonym(s): *plebeja* Gyllenhal,1810; *lapidicola* Heer,1837; *lenticularis* Schiodte,1837; *cylindrella* Schiodte,1837; *varicolor* Heer,1838; *tridens* Morawitz,1862; *noctivaga* Hochhuth,1871; *barnevillei* Croissandeau,1893; *brisouti* Csiki,1929; *punctibasis* Jedlicka,1957
- 350)** *Amata kruegeri* (Ragusa,1904) (Ctenuchidae) Synonym(s): *#kruegeri* Ragusa,1904; *kruegeri* Turati,1917
- 351)** *Amata phegea* (Linnaeus,1758) (Ctenuchidae) Synonym(s): *phegea* Linnaeus,1758; *quercus* Fabricius,1793

- 352) **Amaurophanes stigmosalis** (Herrich-Schäffer, [1848]) (Pyrilidae) Synonym(s): *stigmosalis* Herrich-Schäffer, [1848]
 353) **Amblyptilia acanthadactyla** (Hübner, [1813]) (Pterophoridae) Synonym(s): *acanthadactyla* Hübner, [1813]; *odontodactyla* Charpentier, 1821; *calaminthae* Frey, 1886; *tetralicella* Hofmann, 1895.
 354) **Amegilla garrula** (Rossi, 1790) (Apidae) Synonym(s): *garrula* Rossi, 1790; *bombylans* Mocsary, 1879
 355) **Ameles decolor** (Charpentier, 1825) (Mantidae) Synonym(s): *decolor* Charpentier, 1825
 356) **Ameles heldreichi** Brunner von Wattenwyl, 1882 (Mantidae) Synonym(s): *heldreichi* Brunner von Wattenwyl, 1882
 357) **Ameles spallanzania** (Rossi, 1792) (Mantidae) Synonym(s): *spallanzania* Rossi, 1792; *nana* Charpentier, 1825; *brevis* Rambur, 1838; *soror* Audinet-Serville, 1839; *gracilis* Brullé, 1840; *abjecta* Bolivar, 1897
 358) **Amephana dalmatica** (Rebel, 1919) (Noctuidae) Synonym(s): *dalmatica* Rebel, 1919
 359) **Ametastegia carpini** (Hartig, 1837) (Tenthredinidae) Synonym(s): *carpini* Hartig, 1837
 360) **Amictus insularis** (Rondani, 1863) (Bombyliidae) Synonym(s): *insularis* Rondani, 1863
 361) **Amictus minor** Austen, 1937 (Bombyliidae) Synonym(s): *minor* Austen, 1937; *aharonii* Engel, 1937
 362) **Amictus pictus** Loew, 1869 (Bombyliidae) Synonym(s): *pictus* Loew, 1869
 363) **Amictus pulchellus** Macquart, 1846 (Bombyliidae) Synonym(s): *pulchellus* Macquart, 1846; *strigillatus* Loew, 1869
 364) **Amictus scutellaris** Loew, 1869 (Bombyliidae) Synonym(s): *scutellaris* Loew, 1869
 365) **Amictus setosus** Loew, 1869 (Bombyliidae) Synonym(s): *setosus* Loew, 1869
 366) **Amictus validus** Loew, 1869 (Bombyliidae) Synonym(s): *validus* Loew, 1869
 367) **Ammonoconia caecimacula** (Fabricius, 1787) (Noctuidae) Synonym(s): *caecimacula* Fabricius, 1787; *millegrana* Esper, [1790]; *respersa* Brahm, 1791; *rhaeticaria* Dannehl, 1926; *mariscaria* Dannehl, 1929
 368) **Ammonoconia reisseri** Ronkay & Varga, 1984 (Noctuidae) Synonym(s): *reisseri* Ronkay & Varga, 1984
 369) **Ammonoconia senex** (Geyer, [1828]) (Noctuidae) Synonym(s): *senex* Geyer, [1828].
 370) **Ammophila heydeni** Dahlbom, 1845 (Sphecidae) Synonym(s): *heydeni* Dahlbom, 1845; *iberica* André, 1886
 371) **Ammophila hungarica** Mocsary, 1883 (Sphecidae) Synonym(s): *hungarica* Mocsary, 1883; *turcica* Mocsary, 1883; *hispanica* Mocsary, 1883; *fallax* Kohl, 1884
 372) **Amorphocephala coronata** (Germar, 1817) (Brentidae) Synonym(s): *coronata* Germar, 1817
 373) **Amorphogynia necessaria** (Zeller, 1849) (Geometridae) Synonym(s): *necessaria* Zeller, 1849
 374) **Ampedus cinnabarinus** (Eschscholtz, 1829) (Elateridae) Synonym(s): *cinnabarinus* Eschscholtz, 1829; *atropilosus* Reitter, 1918
 375) **Ampedus nigerrimus** (Lacordaire, 1835) (Elateridae) Synonym(s): *nigerrimus* Lacordaire, 1835
 376) **Ampedus sanguineus** (Linnaeus, 1758) (Elateridae) Synonym(s): *sanguineus* Linnaeus, 1758
 377) **Ampedus sinuatus** Germar, 1844 (Elateridae) Synonym(s): *sinuatus* Germar, 1844
 378) **Amphicoma (Eulasia) bicolor** Waltl, 1838 (Glaphyridae) Synonym(s): *bicolor* Waltl, 1838; *limbipennis* Reitter, 1899; *dichroa* Reitter, 1890
 379) **Amphicoma (Eulasia) bombylifformis** (Pallas, 1781) (Glaphyridae) Synonym(s): *bombylifformis* Pallas, 1781; *rufipennis* Reitter, 1890; *pygidialis* Petrovitz, 1963; *erevanica* Petrovitz, 1972; *athenae* Petrovitz, 1980
 380) **Amphicoma (Pygopleurus) anemoninus** (Brullé, 1832) (Glaphyridae) Synonym(s): *anemoninus* Brullé, 1832; *purpuricollis* Waltl, 1838; *chrysonota* Brullé, 1832; *albopilosa* Petrovitz, 1957; *pseudopsilotrichia* Petrovitz, 1957
 381) **Amphicoma (Pygopleurus) apicalis** Brullé, 1832 (Glaphyridae) Synonym(s): *apicalis* Brullé, 1832; *humerosa* Reitter, 1890
 382) **Amphicoma (Pygopleurus) foina** (Reitter, 1890) (Glaphyridae) Synonym(s): *foina* Reitter, 1890; *albopilosa* Petrovitz, 1957; *atriplicis* Petrovitz, 1957; *chalybeipennis* Petrovitz, 1962
 383) **Amphicoma (Pygopleurus) hirsutus** (Brullé, 1832) (Glaphyridae) Synonym(s): *hirsutus* Brullé, 1832; *suturangula* Reitter, 1890
 384) **Amphicoma (Pygopleurus) humeralis** (Brullé, 1832) (Glaphyridae) Synonym(s): *humeralis* Brullé, 1832; *apicale* Waltl, 1838; *viridisuturata* Reitter, 1903; *elegans* Balthasar, 1931; *bogoevskii* Miksic, 1955; *nigroapicalis* Petrovitz, 1957; *obscurithorax* Miksic, 1959; *petrovitzi* Miksic, 1959; *iskdagensis* Petrovitz, 1962; *rufa* Petrovitz, 1972; *uniformis* Petrovitz, 1972
 385) **Amphicoma (Pygopleurus) lucarellii** Piatella & Sabatinelli, 1992 (Glaphyridae) Synonym(s): *lucarellii* Piatella & Sabatinelli, 1992
 386) **Amphicoma (Pygopleurus) scutellatus** (Brullé, 1832) (Glaphyridae) Synonym(s): *scutellatus* Brullé, 1832; *aereus* Baraud, 1989; *coeruleus* Baraud, 1989; *purpureus* Baraud, 1989
 387) **Amphicoma (Pygopleurus) vulpes** (Fabricius, 1792) (Glaphyridae) Synonym(s): *alopecias* Pallas, 1781; *hirta* Fabricius, 1781; *vulpes* Fabricius, 1792; *vulpecula* Truqui, 1848; *pyrrhothrix* Dohrn, 1885; *griseovillosa* Reitter, 1903; *obscurithorax* Miksic, 1955; *bogoevskii* Miksic, 1955
 388) **Amphicoma (Vittateulasia) pareyssei** (Brullé, 1832) (Glaphyridae) Synonym(s): *pareyssei* Brullé, 1832; *lasserei* Germar, 1834
 389) **Amphicoma (Vittateulasia) vittata** (Fabricius, 1775) (Glaphyridae) Synonym(s): *vittata* Fabricius, 1775; *lineata* Faldermann, 1835; *strigata* Waltl, 1838; *smyrnensis* Castelnau, 1840; *syriaca* Kollar & Redtenbacher, 1843; *africana* Reitter, 1890; *chrysura* Reitter, 1890; *decorata* Reitter, 1890; *semifulva* Reitter, 1890; *lateritia* Reitter, 1903; *pseudochrysura* Miksic, 1960; *persica* Petrovitz, 1963
 390) **Amphipoea fucosa** (Freyer, 1830) (Noctuidae) Synonym(s): *fucosa* Freyer, 1830; *paludis* Tutt, 1888
 391) **Amphipoea oculea** (Linnaeus, 1761) (Noctuidae) Synonym(s): *oculea* Linnaeus, 1761; *nictitans* Linnaeus, 1767; *chrysographa* [Denis & Schiffermüller], 1775; *splendens* Borkhausen, 1792; *myopa* Fabricius, 1794; *cinerago* Fabricius, 1798; *auricula* Donovan, 1807; *erythrostigma* Haworth, 1809; *struvei* Oberthür, 1918.
 392) **Amphipyra berbera** Rungs, 1949 (Noctuidae) Synonym(s): *#variegata* W. Warren, 1911; *berbera* Rungs, 1949
 393) **Amphipyra livida** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *livida* [Denis & Schiffermüller], 1775
 394) **Amphipyra micans** Lederer, 1857 (Noctuidae) Synonym(s): *micans* Lederer, 1857; *frivaldskyi* Mocsary, 1896
 395) **Amphipyra pyramidea** (Linnaeus, 1758) (Noctuidae) Synonym(s): *pyramidea* Linnaeus, 1758
 396) **Amphipyra stix** Herrich-Schäffer, [1850] (Noctuidae) Synonym(s): *stix* Herrich-Schäffer, [1850]; *#styx* Staudinger, 1879.
 397) **Amphipyra tetra** (Fabricius, 1787) (Noctuidae) Synonym(s): *tetra* Fabricius, 1787
 398) **Amphipyra tragopoginis** (Clerck, 1759) (Noctuidae) Synonym(s): *#tragopoginis* Clerck, 1759; *luciola* Hufnagel, 1766.
 399) **Amphibetetus favillaceus** (Loew, 1856) (Asilidae) Synonym(s): *favillaceus* Loew, 1856
 400) **Amselina cedeștiella** (Zeller, 1868) (Autostichidae) Synonym(s): *cedeștiella* Zeller, 1868; *dissoluta* Staudinger, 1870.
 401) **Amselina emir** (Gozmany, 1961) (Autostichidae) Synonym(s): *emir* Gozmany, 1961
 402) **Amselina kasyi** (Gozmany, 1961) (Autostichidae) Synonym(s): *kasyi* Gozmany, 1961
 403) **Amygdalops thomasseti** Lamb, 1914 (Anthomyzidae) Synonym(s): *thomasseti* Lamb, 1914
 404) **Anacampsis obscurella** ([Denis & Schiffermüller], 1775) (Gelechiidae) Synonym(s): *obscurella* [Denis & Schiffermüller], 1775; *subsequella* Hübner, 1796.

- 405) **Anacampsis scintillella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *scintillella* Fischer v. Röslerstamm,1841; *brunneella* Herrich-Schäffer,1854; *contuberniella* Staudinger,1859
- 406) **Anacampsis timidella (Wocke,1887)** (Gelechiidae) Synonym(s): *timidella* Wocke,1887; *quercella* Chrétien,1907; *disquei* Mees,1907; *suberiella* Caradja,1920.
- 407) **Anaceratagallia laevis (Ribaut,1935)** (Cicadellidae) Synonym(s): *laevis* Ribaut,1935; *acuteangulata* Zachvatkin,1946
- 408) **Anaceratagallia ribauti (Ossiannilsson,1938)** (Cicadellidae) Synonym(s): *ribauti* Ossiannilsson,1938
- 409) **Anaceratagallia sinuata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *feberi* Vismara,1878; *laevis* Berg.,1934 (praeocc.); *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964
- 410) **Anachalcis rubra Steffan,1951** (Chalcididae) Synonym(s): *rubra* Steffan,1951
- 411) **Anadrymadusa (s.str.) brevipennis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *brevipennis* Brunner von Wattenwyl,1882
- 412) **Anaglyptus luteofasciatus Pic,1905** (Cerambycidae) Synonym(s): *luteofasciatus* Pic,1905; *moreanus* Demelt,1970
- 413) **Anaglyptus mysticus (Linnaeus,1758)** (Cerambycidae) Synonym(s): *mysticus* Linnaeus,1758
- 414) **Anaglyptus praececellens Holzschuh,1981** (Cerambycidae) Synonym(s): *praececellens* Holzschuh,1981
- 415) **Anagyrus aligarhensis Agarwal & Alam,1959** (Encyrtidae) Synonym(s): *diversicornis* Mercet,1921; *opacus* Mercet,1921; *aligarhensis* Agarwal & Alam,1959; *punctulatus* Agarwal,1965; *micans* Noyes,2000
- 416) **Anagyrus spaici Hoffer,1970** (Encyrtidae) Synonym(s): *spaici* Hoffer,1970
- 417) **Anania (Eurhynpara) hortulata (Linnaeus,1758)** (Pyralidae) Synonym(s): *hortulata* Linnaeus,1758; *urticata* Linnaeus,1761; *urticalis* [Denis & Schiffermüller],1775; *flavicauda* Retzius,1783; *hortulana* Fourcroy,1785.
- 418) **Anania (Perinephela) lancealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *lancealis* [Denis & Schiffermüller],1775; *glabralis* Fabricius,1794; *palustrata* Fabricius,1794; *longalis* Haworth,1811
- 419) **Anania (Phlyctaenia) coronata (Hufnagel,1767)** (Pyralidae) Synonym(s): *coronata* Hufnagel,1767; *sambucalis* [Denis & Schiffermüller],1775; *aureomaculata* Goeze,1781; *sambuci* Retzius,1783; *sambucata* Fabricius,1787.
- 420) **Anania (Phlyctaenia) stachydalis (Germar,1821)** (Pyralidae) Synonym(s): *stachydalis* Germar,1821
- 421) **Anania (s.str.) crocealis (Hübner,1796)** (Pyralidae) Synonym(s): *crocealis* Hübner,1796
- 422) **Anania (s.str.) funebris (Ström,1768)** (Pyralidae) Synonym(s): *funebris* Ström,1768; *octomaculata* Linnaeus,1771; *funeraria* Müller,1764; *atralis* Fabricius,1775; *guttalis* [Denis & Schiffermüller],1775; *octomaculalis* Treitschke,1828.
- 423) **Anania (s.str.) testacealis (Zeller,1847)** (Pyralidae) Synonym(s): *testacealis* Zeller,1847
- 424) **Anania verbascata (Fabricius,1787)** (Pyralidae) Synonym(s): *#verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934.
- 425) **Anaplectoides prasina (Goeze,1781)** (Noctuidae) Synonym(s): *#prasina* [Denis & Schiffermüller],1775; *#hebrida* [Denis & Schiffermüller],1775; *prasina* Goeze,1781; *egregia* Esper,[1787]; *jaspidea* Borkhausen,1792 *nec* De Vill.,1789; *mixta* Haworth,1809 *nec* Fabr.,1787; *herbacea* Guenée,1852; *albimacula* Hormuzaki,1894
- 426) **Anapleus raddei (Reitter,1878)** (Histeridae) Synonym(s): *raddei* Reitter,1878
- 427) **Anarolius jubatus Loew,1844** (Asilidae) Synonym(s): *jubatus* Loew,1844
- 428) **Anarpia incertalis (Duponchel,1832)** (Pyralidae) Synonym(s): *incertalis* Duponchel,1832; *pyrenaealis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaeella* Duponchel,[1845]; *pyrenaicalis* Guenée,1846
- 429) **Anarsia (Anarsia) lineatella Zeller,1839** (Gelechiidae) Synonym(s): *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967.
- 430) **Anarsia (s.str.) spartiella (Schrank,1802)** (Gelechiidae) Synonym(s): *spartiella* Schrank,1802; *genistae* Stainton,1854; *ragonotella* Réal,1994; *krausei* Réal,1994; *lhommeella* Réal,1994; *acutiloba* Réal,1994; *pseudospartiella* Réal,1994 *ungemachi* Réal,1994
- 431) **Anastoechus fulvescens Becker,1913** (Bombyliidae) Synonym(s): *fulvescens* Becker,1913; *intermedius* Becker,1916
- 432) **Anastoechus hyrcanus (Wiedemann,1818)** (Bombyliidae) Synonym(s): *hyrcanus* Wiedemann,1818; *viduus* Becker,1916
- 433) **Anastoechus nitidulus (Fabricius,1794)** (Bombyliidae) Synonym(s): *nitidulus* Fabricius,1794; *caudatus* Meigen,1804; *diadema* Meigen,1804; *cephalotes* Walker,1849; *olivaceus* Paramonov,1930; *corsicanus* Paramonov,1930; *hummeli* Paramonov,1933; *aberrans* Paramonov,1940; *corsicanus* Zaitzev,1989
- 434) **Anastoechus trisignatus Portschiński,1881** (Bombyliidae) Synonym(s): *trisignatus* Portschiński,1881; *retrogradus* Becker,1902; *werneri* Paramonov,1930; *fulvojubatus* François,1967
- 435) **Anastrangalia montana (Mulsant & Rey,1863)** (Cerambycidae) Synonym(s): *montana* Mulsant & Rey,1863
- 436) **Anax imperator Leach,1815** (Aeshnidae) Synonym(s): *imperator* Leach,1815
- 437) **Anchinia laureolella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer,1854
- 438) **Ancylis achatana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *achatana* [Denis & Schiffermüller],1775; *inarmorana* Hübner,[1799]; *stevani* Portschiński,1888
- 439) **Ancylis apicella ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *apicella* [Denis & Schiffermüller],1775; *leeana* Fabricius,1777; *plumbana* Fabricius,1787; *siculana* Hübner,[1799]; *#alpina* Weber,1936
- 440) **Ancylis comptana (Frölich,1828)** (Tortricidae) Synonym(s): *comptana* Frölich,1828; *conflexana* Walker,1863; *pulchellana* Clemens,1864; *lamiana* Clemens,1864; *fragariae* Walsh & Riley,1869; *floridana* Zeller,1875; *amblygona* Zeller,1875; *cometana* Walsingham,1879; *sculpta* Meyrick,1922
- 441) **Ancylis selenana (Guenée,1845)** (Tortricidae) Synonym(s): *selenana* Guenée,1845; *curvana* Zeller,1849
- 442) **Ancylis unguicella (Linnaeus,1758)** (Tortricidae) Synonym(s): *unguicella* Linnaeus,1758; *unguicana* Fabricius,1775; *falcana* Hübner,[1799]; *vappana* Hübner,[1817]; *plagosana* Clemens,1864; *cuencana* Caradja,1916; *#albida* Orstadius,1932; *#unicolor* Orstadius,1932
- 443) **Ancylodes pallens Ragonot,1887** (Pyralidae) Synonym(s): *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958.
- 444) **Ancylolomia disparalis (Hübner,[1825])** (Pyralidae) Synonym(s): *disparella* Hübner,[1813] *nec* Schr.,1802; *disparalis* Hübner,[1825]; *contritellus* Zeller,1847; *hipponella* Ragonot,1888; *rabatella* Lucas,1937; *griseella* Amsel,1951; *powelli* Lucas,1954.
- 445) **Ancylolomia palpella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palpella* [Denis & Schiffermüller],1775; *sovinskiji* Krulikovsky,1909
- 446) **Ancylolomia pectinatella (Zeller,1847)** (Pyralidae) Synonym(s): *pectinatellus* Zeller,1847
- 447) **Ancylolomia tentaculella (Hübner,1796)** (Pyralidae) Synonym(s): *tentaculella* Hübner,1796; *irakella* Amsel,1949.
- 448) **Ancylorhynchus brussensis (Schiner,1867)** (Asilidae) Synonym(s): *brussensis* Schiner,1867
- 449) **Ancylorhynchus glaucius (Rossi,1790)** (Asilidae) Synonym(s): *glaucius* Rossi,1790; *variegatus* Wiedemann,1818; *pictus* Wiedemann,1821
- 450) **Ancylorhynchus longicornis (Schiner,1867)** (Asilidae) Synonym(s): *longicornis* Schiner,1867

- 451) **Ancylosis (Cabotia) oblitella (Zeller,1848)** (Pyrilidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955.
- 452) **Ancylosis (Heterographis) convexella (Lederer,1855)** (Pyrilidae) Synonym(s): *convexella* Lederer,1855; *albicieliella* Staudinger,1859; *favorinella* Zeller,1867
- 453) **Ancylosis (Heterographis) hellenica (Staudinger,1870)** (Pyrilidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910.
- 454) **Ancylosis (Heterographis) pallida (Staudinger,1870)** (Pyrilidae) Synonym(s): *pallida* Staudinger,1870
- 455) **Ancylosis (Heterographis) roscidella (Eversmann,1844)** (Pyrilidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W. Warren,1888; *bartellella* Caradja,1910; *benderella* Amsel,1961.
- 456) **Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pyrilidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924.
- 457) **Ancylosis (s.str.) sareptella (Herrich-Schäffer,1860)** (Pyrilidae) Synonym(s): *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863.
- 458) **Ancyrosoma leucogrammes (Gmelin,1790)** (Pentatomidae) Synonym(s): *albolineatus* Fabricius,1781 nec Gz.,1778; *leucogrammes* Gmelin,1790; *nervosus* Cyrillus,1791 nec Sc.,1763; *affine* Westwood,1837; *tuberculatum* Bergevin,1908
- 459) **Andrallus spinidens (Fabricius,1787)** (Pentatomidae) Synonym(s): *spinidens* Fabricius,1787; *geometricus* Burmeister,1835; *aliena* Westwood,1837; *cinctum* Montrouzier,1858; *aculeata* Ellenreider,1862; *ludovicianus* Stoner,1917
- 460) **Andrena (Acandrena) aciculata Morawitz,1886** (Andrenidae) Synonym(s): *aciculata* Morawitz,1886
- 461) **Andrena (Acandrena) lamiana Warncke,1965** (Andrenidae) Synonym(s): *lamiana* Warncke,1965
- 462) **Andrena (Aenandrena) aeneiventris Morawitz,1872** (Andrenidae) Synonym(s): *aeneiventris* Morawitz,1872
- 463) **Andrena (Aenandrena) bisulcata Morawitz,1878** (Andrenidae) Synonym(s): *bisulcata* Morawitz,1878
- 464) **Andrena (Avandrena) canohirta (Friese,1922)** (Andrenidae) Synonym(s): *canohirta* Friese,1922
- 465) **Andrena (Brachyandrena) colletiformis Morawitz,1874** (Andrenidae) Synonym(s): *parvula* Morawitz,1871; *colletiformis* Morawitz,1874; *sardinica* Strand,1915; *#gandzhensis* Lebedev,1933; *insulana* Pittioni,1950; *subsquamularis* Noskiewicz,1960
- 466) **Andrena (Brachyandrena) miegiella Dours,1873** (Andrenidae) Synonym(s): *miegiella* Dours,1873; *lojaconi* Destefani,1889; *tingitana* Pérez,1895
- 467) **Andrena (Campylogaster) erberi Morawitz,1872** (Andrenidae) Synonym(s): *erberi* Morawitz,1872
- 468) **Andrena (Campylogaster) incisa Eversmann,1852** (Andrenidae) Synonym(s): *incisa* Eversmann,1852
- 469) **Andrena (Carandrena) schlettereri Friese,1896** (Andrenidae) Synonym(s): *schlettereri* Friese,1896
- 470) **Andrena (Charitandrena) hattorfiana (Fabricius,1775)** (Andrenidae) Synonym(s): *hattorfiana* Fabricius,1775; *dimidiata* Brullé,1832
- 471) **Andrena (Chlorandrena) astica Warncke,1967** (Andrenidae) Synonym(s): *astica* Warncke,1967
- 472) **Andrena (Chlorandrena) cinerea Brullé,1832** (Andrenidae) Synonym(s): *cinerea* Brullé,1832
- 473) **Andrena (Chlorandrena) cinereophila Warncke,1965** (Andrenidae) Synonym(s): *cinereophila* Warncke,1965
- 474) **Andrena (Chlorandrena) clypella Strand,1921** (Andrenidae) Synonym(s): *clypella* Strand,1921; *hasitata* Warncke,1973
- 475) **Andrena (Chlorandrena) humabilis Warncke,1965** (Andrenidae) Synonym(s): *humabilis* Warncke,1965
- 476) **Andrena (Chlorandrena) humilis Imhoff,1832** (Andrenidae) Synonym(s): *humilis* Imhoff,1832; *indigena* Warncke,1975
- 477) **Andrena (Chlorandrena) nigroolivacea Dours,1873** (Andrenidae) Synonym(s): *nigroolivacea* Dours,1873
- 478) **Andrena (Chlorandrena) orientana Warncke,1965** (Andrenidae) Synonym(s): *orientana* Warncke,1965
- 479) **Andrena (Chlorandrena) panurgimorpha Mavromoustakis,1957** (Andrenidae) Synonym(s): *panurgimorpha* Mavromoustakis,1957
- 480) **Andrena (Chlorandrena) taraxaci Giraud,1861** (Andrenidae) Synonym(s): *taraxaci* Giraud,1861
- 481) **Andrena (Chrysandrena) fulvago (Christ,1791)** (Andrenidae) Synonym(s): *fulvago* Christ,1791
- 482) **Andrena (Chrysandrena) hesperia Smith,1853** (Andrenidae) Synonym(s): *hesperia* Smith,1853
- 483) **Andrena (Chrysandrena) merula Warncke,1969** (Andrenidae) Synonym(s): *merula* Warncke,1969
- 484) **Andrena (Cnemidandrena) nigripes (Kirby,1802)** (Andrenidae) Synonym(s): *nigripes* Kirby,1802; *comata* Warncke,1975
- 485) **Andrena (Cnemidandrena) simillima Smith,1851** (Andrenidae) Synonym(s): *simillima* Smith,1851
- 486) **Andrena (Cordandrena) cordialis Morawitz,1878** (Andrenidae) Synonym(s): *cordialis* Morawitz,1878
- 487) **Andrena (Cordandrena) torda Warncke,1965** (Andrenidae) Synonym(s): *torda* Warncke,1965
- 488) **Andrena (Cryptandrena) brumanensis Friese,1899** (Andrenidae) Synonym(s): *brumanensis* Friese,1899
- 489) **Andrena (Cryptandrena) monacha Warncke,1965** (Andrenidae) Synonym(s): *monacha* Warncke,1965
- 490) **Andrena (Cryptandrena) ventricosa Dours,1873** (Andrenidae) Synonym(s): *ventricosa* Dours,1873
- 491) **Andrena (Cubandrena) cubiceps Friese,1914** (Andrenidae) Synonym(s): *cubiceps* Friese,1914
- 492) **Andrena (Didonia) mucida Kriechbaumer,1873** (Andrenidae) Synonym(s): *mucida* Kriechbaumer,1873; *julliani* Schmiedeknecht,1883; *punica* Gribodo,1894
- 493) **Andrena (Didonia) nasuta Giraud,1863** (Andrenidae) Synonym(s): *nasuta* Giraud,1863
- 494) **Andrena (Distandrena) distinguenda Schenck,1871** (Andrenidae) Synonym(s): *distinguenda* Schenck,1871
- 495) **Andrena (Euandrena) allosa Warncke,1975** (Andrenidae) Synonym(s): *allosa* Warncke,1975; *canigica* Warncke,1975; *pileata* Warncke,1975
- 496) **Andrena (Euandrena) bicolor Fabricius,1775** (Andrenidae) Synonym(s): *bicolor* Fabricius,1775
- 497) **Andrena (Euandrena) montana Warncke,1973** (Andrenidae) Synonym(s): *montana* Warncke,1973
- 498) **Andrena (Euandrena) robusta Warncke,1975** (Andrenidae) Synonym(s): *robusta* Warncke,1975
- 499) **Andrena (Euandrena) rufula Schmiedeknecht,1883** (Andrenidae) Synonym(s): *rufula* Schmiedeknecht,1883
- 500) **Andrena (Euandrena) symphyti Schmiedeknecht,1883** (Andrenidae) Synonym(s): *symphyti* Schmiedeknecht,1883; *furcata* Friese,1921
- 501) **Andrena (Euandrena) vulpecula Kriechbaumer,1873** (Andrenidae) Synonym(s): *vulpecula* Kriechbaumer,1873
- 502) **Andrena (Fumandrena) djelfensis Pérez,1895** (Andrenidae) Synonym(s): *djelfensis* Pérez,1895
- 503) **Andrena (Fumandrena) sandanskia Warncke,1973** (Andrenidae) Synonym(s): *sandanskia* Warncke,1973
- 504) **Andrena (Fumandrena) tomora Warncke,1975** (Andrenidae) Synonym(s): *tomora* Warncke,1975
- 505) **Andrena (Graecandrena) graecella Warncke,1965** (Andrenidae) Synonym(s): *graecella* Warncke,1965
- 506) **Andrena (Graecandrena) helenica Warncke,1965** (Andrenidae) Synonym(s): *helenica* Warncke,1965

- 507) *Andrena* (*Graecandrena*) *hyemala* Warncke, 1973 (Andrenidae) Synonym(s): *hyemala* Warncke, 1973; *repressa* Warncke, 1975
- 508) *Andrena* (*Graecandrena*) *impunctata* Pérez, 1895 (Andrenidae) Synonym(s): *impunctata* Pérez, 1895; *contusa* Warncke, 1967
- 509) *Andrena* (*Graecandrena*) *pelopa* Warncke, 1975 (Andrenidae) Synonym(s): *pelopa* Warncke, 1975
- 510) *Andrena* (*Holandrena*) *decipiens* Schenck, 1859 (Andrenidae) Synonym(s): *decipiens* Schenck, 1859
- 511) *Andrena* (*Holandrena*) *fimbriata* Brullé, 1832 (Andrenidae) Synonym(s): *fimbriata* Brullé, 1832
- 512) *Andrena* (*Holandrena*) *forsterella* Osytshnjuk, 1978 (Andrenidae) Synonym(s): *forsterella* Osytshnjuk, 1978
- 513) *Andrena* (*Holandrena*) *labialis* (Kirby, 1802) (Andrenidae) Synonym(s): *labialis* Kirby, 1802; *megala* Warncke, 1975
- 514) *Andrena* (*Holandrena*) *variabilis* Smith, 1853 (Andrenidae) Synonym(s): *variabilis* Smith, 1853
- 515) *Andrena* (*Holandrena*) *wilhelmi* Schuberth, 1995 (Andrenidae) Synonym(s): *wilhelmi* Schuberth, 1995
- 516) *Andrena* (*Hoplandrena*) *clusia* Warncke, 1966 (Andrenidae) Synonym(s): *clusia* Warncke, 1966
- 517) *Andrena* (*Hoplandrena*) *rosae* Panzer, 1801 (Andrenidae) Synonym(s): *rosae* Panzer, 1801
- 518) *Andrena* (*Hoplandrena*) *trimmerana* (Kirby, 1802) (Andrenidae) Synonym(s): *trimmerana* Kirby, 1802
- 519) *Andrena* (*Hyperandrena*) *bicolorata* (Rossi, 1790) (Andrenidae) Synonym(s): *bicolorata* Rossi, 1790
- 520) *Andrena* (*Larandrena*) *larisana* Warncke, 1965 (Andrenidae) Synonym(s): *larisana* Warncke, 1965; *medioxima* Warncke, 1975; *sculpturata* Warncke, 1975
- 521) *Andrena* (*Larandrena*) *sericata* Imhoff, 1868 (Andrenidae) Synonym(s): *sericata* Imhoff, 1868
- 522) *Andrena* (*Larandrena*) *ventralis* Imhoff, 1832 (Andrenidae) Synonym(s): *ventralis* Imhoff, 1832
- 523) *Andrena* (*Lepidandrena*) *curvungula* Thomson, 1870 (Andrenidae) Synonym(s): *curvungula* Thomson, 1870
- 524) *Andrena* (*Lepidandrena*) *dorsalis* Brullé, 1832 (Andrenidae) Synonym(s): *dorsalis* Brullé, 1832
- 525) *Andrena* (*Lepidandrena*) *mocsaryi* Schmiedeknecht, 1884 (Andrenidae) Synonym(s): *mocsaryi* Schmiedeknecht, 1884
- 526) *Andrena* (*Lepidandrena*) *pandellei* Pérez, 1895 (Andrenidae) Synonym(s): *pandellei* Pérez, 1895; *europaea* Warncke, 1967
- 527) *Andrena* (*Lepidandrena*) *paucisquama* Noskiewicz, 1924 (Andrenidae) Synonym(s): *paucisquama* Noskiewicz, 1924; *curonica* Warncke, 1974
- 528) *Andrena* (*Leucandrena*) *argentata* Smith, 1844 (Andrenidae) Synonym(s): *argentata* Smith, 1844
- 529) *Andrena* (*Leucandrena*) *barbilabris* (Kirby, 1802) (Andrenidae) Synonym(s): *barbilabris* Kirby, 1802
- 530) *Andrena* (*Leucandrena*) *mistrensis* Grünwaldt, 2005 (Andrenidae) Synonym(s): *mistrensis* Grünwaldt, 2005
- 531) *Andrena* (*Leucandrena*) *parviceps* Kriechbaumer, 1873 (Andrenidae) Synonym(s): *parviceps* Kriechbaumer, 1873
- 532) *Andrena* (*Margandrena*) *marginata* Fabricius, 1776 (Andrenidae) Synonym(s): *marginata* Fabricius, 1776
- 533) *Andrena* (*Melanapis*) *fuscata* Erichson, 1835 (Andrenidae) Synonym(s): *fuscata* Erichson, 1835; *rutula* Spinola, 1838; *xanthocelis* Brullé, 1839; *dorsalis* Lepeletier, 1841; *lepeletieri* Lucas, 1849; *ruficornis* Smith, 1853; *atrocoerulea* Giraud, 1863; *dagestanica* Radoszkowski, 1867; *turcestanica* Morawitz, 1876; *dilecta* Mocsary, 1879; *aschabadensis* Radoszkowski, 1893; *jucunda* Pérez, 1895; *cleopatra* Friese, 1899; *violaceipennis* Cameron, 1902; *rufifrons* Nurse, 1904; *cyprica* Cockerell, 1910; *flavipennis* Friese, 1914; *pallipes* Friese, 1914; *rufocincta* Friese, 1914; *rubriventris* Friese, 1922; *dorsatula* Viereck, 1918; *ankarae* Alfken, 1935; *mauritanica* Patiny, 1997; *canariensis* Patiny, 1997
- 534) *Andrena* (*Melandrena*) *albopunctata* (Rossi, 1792) (Andrenidae) Synonym(s): *albopunctata* Rossi, 1792; *funebis* Panzer, 1798
- 535) *Andrena* (*Melandrena*) *assimilis* Radoszkowski, 1876 (Andrenidae) Synonym(s): *assimilis* Radoszkowski, 1876
- 536) *Andrena* (*Melandrena*) *atrotegularis* Hedicke, 1923 (Andrenidae) Synonym(s): *atrotegularis* Hedicke, 1923
- 537) *Andrena* (*Melandrena*) *dubiosa* Kohl, 1905 (Andrenidae) Synonym(s): *dubiosa* Kohl, 1905
- 538) *Andrena* (*Melandrena*) *limata* Smith, 1853 (Andrenidae) Synonym(s): *limata* Smith, 1853
- 539) *Andrena* (*Melandrena*) *magna* Warncke, 1965 (Andrenidae) Synonym(s): *magna* Warncke, 1965
- 540) *Andrena* (*Melandrena*) *morio* Brullé, 1832 (Andrenidae) Synonym(s): *morio* Brullé, 1832
- 541) *Andrena* (*Melandrena*) *nigroaenea* (Kirby, 1802) (Andrenidae) Synonym(s): *nigroaenea* Kirby, 1802; *candiae* Strand, 1915; *aemula* Alfken, 1926
- 542) *Andrena* (*Melandrena*) *nitida* (Müller, 1776) (Andrenidae) Synonym(s): *nitida* Müller, 1776
- 543) *Andrena* (*Melandrena*) *pyropygia* Kriechbaumer, 1873 (Andrenidae) Synonym(s): *pyropygia* Kriechbaumer, 1873
- 544) *Andrena* (*Melandrena*) *thoracica* (Fabricius, 1775) (Andrenidae) Synonym(s): *thoracica* Fabricius, 1775
- 545) *Andrena* (*Melandrena*) *vaga* Panzer, 1799 (Andrenidae) Synonym(s): *vaga* Panzer, 1799
- 546) *Andrena* (*Melittoides*) *curiosa* (Morawitz, 1878) (Andrenidae) Synonym(s): *curiosa* Morawitz, 1878
- 547) *Andrena* (*Micrandrena*) *alfkenella* Perkins, 1914 (Andrenidae) Synonym(s): *alfkenella* Perkins, 1914
- 548) *Andrena* (*Micrandrena*) *alfkenelloides* Warncke, 1965 (Andrenidae) Synonym(s): *alfkenelloides* Warncke, 1965
- 549) *Andrena* (*Micrandrena*) *biarmica* Warncke, 1975 (Andrenidae) Synonym(s): *biarmica* Warncke, 1975
- 550) *Andrena* (*Micrandrena*) *enslinella* Stöckert, 1924 (Andrenidae) Synonym(s): *enslinella* Stöckert, 1924
- 551) *Andrena* (*Micrandrena*) *falsifica* Perkins, 1915 (Andrenidae) Synonym(s): *falsifica* Perkins, 1915
- 552) *Andrena* (*Micrandrena*) *floricola* Eversmann, 1852 (Andrenidae) Synonym(s): *floricola* Eversmann, 1852
- 553) *Andrena* (*Micrandrena*) *illyrica* Warncke, 1975 (Andrenidae) Synonym(s): *illyrica* Warncke, 1975
- 554) *Andrena* (*Micrandrena*) *minutula* (Kirby, 1802) (Andrenidae) Synonym(s): *minutula* Kirby, 1802; *parvula* Kirby, 1802; *nigrifrons* Smith, 1853 nec. Ev., 1852; *gilvifrons* Pérez, 1903; *lenis* Pérez, 1903; *dargia* Warncke, 1965; *alga* Warncke, 1974
- 555) *Andrena* (*Micrandrena*) *minutuloides* Perkins, 1914 (Andrenidae) Synonym(s): *minutuloides* Perkins, 1914
- 556) *Andrena* (*Micrandrena*) *nana* (Kirby, 1802) (Andrenidae) Synonym(s): *nana* Kirby, 1802
- 557) *Andrena* (*Micrandrena*) *oedinenema* Warncke, 1975 (Andrenidae) Synonym(s): *oedinenema* Warncke, 1975
- 558) *Andrena* (*Micrandrena*) *paganettina* Warncke, 1965 (Andrenidae) Synonym(s): *paganettina* Warncke, 1965
- 559) *Andrena* (*Micrandrena*) *rugothorace* Warncke, 1965 (Andrenidae) Synonym(s): *rugothorace* Warncke, 1965
- 560) *Andrena* (*Micrandrena*) *rugulosa* Stöckert, 1935 (Andrenidae) Synonym(s): *rugulosa* Stöckert, 1935
- 561) *Andrena* (*Micrandrena*) *saxonica* Stöckert, 1935 (Andrenidae) Synonym(s): *saxonica* Stöckert, 1935
- 562) *Andrena* (*Micrandrena*) *simontornyella* Noskiewicz, 1939 (Andrenidae) Synonym(s): *simontornyella* Noskiewicz, 1939
- 563) *Andrena* (*Micrandrena*) *spretta* Pérez, 1895 (Andrenidae) Synonym(s): *spretta* Pérez, 1895; *pseudasuniensis* Strand, 1921
- 564) *Andrena* (*Micrandrena*) *subopaca* Nylander, 1848 (Andrenidae) Synonym(s): *subopaca* Nylander, 1848
- 565) *Andrena* (*Micrandrena*) *taprobana* Warncke, 1975 (Andrenidae) Synonym(s): *taprobana* Warncke, 1975
- 566) *Andrena* (*Micrandrena*) *tinga* Warncke, 1973 (Andrenidae) Synonym(s): *tinga* Warncke, 1973
- 567) *Andrena* (*Nobandrena*) *anatolica* Alfken, 1935 (Andrenidae) Synonym(s): *anatolica* Alfken, 1935

- 568) *Andrena* (*Nobandrena*) *asiatica* Friese, 1921 (Andrenidae) Synonym(s): *asiatica* Friese, 1921
- 569) *Andrena* (*Nobandrena*) *athensis* Warncke, 1965 (Andrenidae) Synonym(s): *athensis* Warncke, 1965
- 570) *Andrena* (*Nobandrena*) *flavobila* Warncke, 1975 (Andrenidae) Synonym(s): *flavobila* Warncke, 1975
- 571) *Andrena* (*Nobandrena*) *nobilis* Morawitz, 1873 (Andrenidae) Synonym(s): *nobilis* Morawitz, 1873
- 572) *Andrena* (*Nobandrena*) *probata* Warncke, 1972 (Andrenidae) Synonym(s): *probata* Warncke, 1972
- 573) *Andrena* (*Notandrena*) *curvana* Warncke, 1975 (Andrenidae) Synonym(s): *curvana* Warncke, 1975
- 574) *Andrena* (*Notandrena*) *erythrocnemis* Morawitz, 1870 (Andrenidae) Synonym(s): *erythrocnemis* Morawitz, 1870
- 575) *Andrena* (*Notandrena*) *langadensis* Warncke, 1965 (Andrenidae) Synonym(s): *langadensis* Warncke, 1965; *clanga* Warncke, 1965
- 576) *Andrena* (*Notandrena*) *nitidiuscula* Schenck, 1853 (Andrenidae) Synonym(s): *nitidiuscula* Schenck, 1853; *nigellata* Pérez, 1895
- 577) *Andrena* (*Notandrena*) *optata* Warncke, 1975 (Andrenidae) Synonym(s): *optata* Warncke, 1975
- 578) *Andrena* (*Notandrena*) *stellaris* Warncke, 1966 (Andrenidae) Synonym(s): *stellaris* Warncke, 1966
- 579) *Andrena* (*Notandrena*) *ungeri* Mavromoustakis, 1952 (Andrenidae) Synonym(s): *ungeri* Mavromoustakis, 1952
- 580) *Andrena* (*Notandrena*) *urdula* Warncke, 1965 (Andrenidae) Synonym(s): *urdula* Warncke, 1965
- 581) *Andrena* (*Opandrena*) *schencki* Morawitz, 1866 (Andrenidae) Synonym(s): *schencki* Morawitz, 1866
- 582) *Andrena* (*Orandrena*) *garrula* Warncke, 1965 (Andrenidae) Synonym(s): *garrula* Warncke, 1965; *lomvia* Warncke, 1969
- 583) *Andrena* (*Orandrena*) *oralis* Morawitz, 1876 (Andrenidae) Synonym(s): *oralis* Morawitz, 1876
- 584) *Andrena* (*Pallandrena*) *pallidicincta* Brullé, 1832 (Andrenidae) Synonym(s): *pallidicincta* Brullé, 1832
- 585) *Andrena* (*Philandrena*) *muscaria* Warncke, 1965 (Andrenidae) Synonym(s): *muscaria* Warncke, 1965
- 586) *Andrena* (*Plastandrena*) *apiformis* Kriechbaumer, 1873 (Andrenidae) Synonym(s): *apiformis* Kriechbaumer, 1873
- 587) *Andrena* (*Plastandrena*) *bimaculata* (Kirby, 1802) (Andrenidae) Synonym(s): *bimaculata* Kirby, 1802
- 588) *Andrena* (*Plastandrena*) *pilipes* Fabricius, 1781 (Andrenidae) Synonym(s): *pilipes* Fabricius, 1781; *dolorosa* Nurse, 1904
- 589) *Andrena* (*Plastandrena*) *tibialis* (Kirby, 1802) (Andrenidae) Synonym(s): *tibialis* Kirby, 1802; *vindobonensis* Stoeckert, 1950; *porzana* Warncke, 1975; *concreta* Warncke, 1975
- 590) *Andrena* (*Poecilandrena*) *crassana* Warncke, 1965 (Andrenidae) Synonym(s): *crassana* Warncke, 1965; *inka* Warncke, 1969
- 591) *Andrena* (*Poecilandrena*) *labiata* Fabricius, 1781 (Andrenidae) Synonym(s): *labiata* Fabricius, 1781
- 592) *Andrena* (*Poecilandrena*) *neovirida* Grünwaldt, 2005 (Andrenidae) Synonym(s): *neovirida* Grünwaldt, 2005
- 593) *Andrena* (*Poecilandrena*) *olympica* Grünwaldt, 2005 (Andrenidae) Synonym(s): *olympica* Grünwaldt, 2005
- 594) *Andrena* (*Poecilandrena*) *seminuda* Friese, 1896 (Andrenidae) Synonym(s): *seminuda* Friese, 1896
- 595) *Andrena* (*Poecilandrena*) *sphecodimorpha* Hedicke, 1942 (Andrenidae) Synonym(s): *sphecodimorpha* Hedicke, 1942
- 596) *Andrena* (*Poecilandrena*) *viridescens* Viereck, 1916 (Andrenidae) Synonym(s): *viridescens* Viereck, 1916
- 597) *Andrena* (*Poliandrena*) *caspica* Morawitz, 1886 (Andrenidae) Synonym(s): *caspica* Morawitz, 1886; *unicincta* Friese, 1899
- 598) *Andrena* (*Poliandrena*) *florea* Fabricius, 1793 (Andrenidae) Synonym(s): *florea* Fabricius, 1793
- 599) *Andrena* (*Poliandrena*) *limbata* Eversmann, 1852 (Andrenidae) Synonym(s): *limbata* Eversmann, 1852; *squamea* Giraud, 1863; *dusmeti* Warncke, 1967
- 600) *Andrena* (*Poliandrena*) *polita* Smith, 1847 (Andrenidae) Synonym(s): *polita* Smith, 1847
- 601) *Andrena* (*Poliandrena*) *toelgiana* Friese, 1921 (Andrenidae) Synonym(s): *toelgiana* Friese, 1921
- 602) *Andrena* (*Ptilandrena*) *glidia* Warncke, 1965 (Andrenidae) Synonym(s): *glidia* Warncke, 1965
- 603) *Andrena* (*Ptilandrena*) *grossella* Grünwaldt, 1976 (Andrenidae) Synonym(s): *grossella* Grünwaldt, 1976
- 604) *Andrena* (*Ptilandrena*) *vetula* Lepeletier, 1841 (Andrenidae) Synonym(s): *vetula* Lepeletier, 1841
- 605) *Andrena* (s.str.) *fucata* Smith, 1847 (Andrenidae) Synonym(s): *fucata* Smith, 1847
- 606) *Andrena* (s.str.) *fulva* Müller, 1766 (Andrenidae) Synonym(s): *fulva* Müller, 1766
- 607) *Andrena* (s.tr.) *mitis* Schmiedeknecht, 1883 (Andrenidae) Synonym(s): *mitis* Schmiedeknecht, 1883
- 608) *Andrena* (*Scitandrena*) *scita* Eversmann, 1852 (Andrenidae) Synonym(s): *scita* Eversmann, 1852
- 609) *Andrena* (*Simandrena*) *combinata* (Christ, 1791) (Andrenidae) Synonym(s): *combinata* Christ, 1791
- 610) *Andrena* (*Simandrena*) *congruens* Schmiedeknecht, 1883 (Andrenidae) Synonym(s): *congruens* Schmiedeknecht, 1883
- 611) *Andrena* (*Simandrena*) *dorsata* (Kirby, 1802) (Andrenidae) Synonym(s): *dorsata* Kirby, 1802
- 612) *Andrena* (*Simandrena*) *lepida* Schenck, 1861 (Andrenidae) Synonym(s): *lepida* Schenck, 1861
- 613) *Andrena* (*Simandrena*) *nucleola* Warncke, 1972 (Andrenidae) Synonym(s): *nucleola* Warncke, 1972
- 614) *Andrena* (*Simandrena*) *susterae* Alfken, 1914 (Andrenidae) Synonym(s): *susterae* Alfken, 1914
- 615) *Andrena* (*Simandrena*) *thomsoni* Dücke, 1898 (Andrenidae) Synonym(s): *thomsoni* Dücke, 1898
- 616) *Andrena* (*Simandrena*) *transitoria* Morawitz, 1872 (Andrenidae) Synonym(s): *transitoria* Morawitz, 1872
- 617) *Andrena* (*Stenomelissa*) *lonicera* Warncke, 1973 (Andrenidae) Synonym(s): *lonicera* Warncke, 1973
- 618) *Andrena* (*Taeniandrena*) *intermedia* Thomson, 1870 (Andrenidae) Synonym(s): *intermedia* Thomson, 1870
- 619) *Andrena* (*Taeniandrena*) *lathyri* Alfken, 1899 (Andrenidae) Synonym(s): *lathyri* Alfken, 1899
- 620) *Andrena* (*Taeniandrena*) *leucopsis* Warncke, 1967 (Andrenidae) Synonym(s): *leucopsis* Warncke, 1967; *finschii* Warncke, 1975
- 621) *Andrena* (*Taeniandrena*) *ovatula* (Kirby, 1802) (Andrenidae) Synonym(s): *ovatula* Kirby, 1802; *poupillieri* Dours, 1872; *heliopsis* Friese, 1914
- 622) *Andrena* (*Taeniandrena*) *similis* Smith, 1849 (Andrenidae) Synonym(s): *similis* Smith, 1849
- 623) *Andrena* (*Taeniandrena*) *wilkella* (Kirby, 1802) (Andrenidae) Synonym(s): *wilkella* Kirby, 1802
- 624) *Andrena* (*Tarsandrena*) *tarsata* Nylander, 1848 (Andrenidae) Synonym(s): *tarsata* Nylander, 1848
- 625) *Andrena* (*Thysandrena*) *hypopolia* Schmiedeknecht, 1883 (Andrenidae) Synonym(s): *hypopolia* Schmiedeknecht, 1883; *albiscopa* Warncke, 1967
- 626) *Andrena* (*Trachandrena*) *haemorrhhoa* (Fabricius, 1781) (Andrenidae) Synonym(s): *haemorrhhoa* Fabricius, 1781
- 627) *Andrena* (*Truncandrena*) *mucronata* Morawitz, 1871 (Andrenidae) Synonym(s): *mucronata* Morawitz, 1871; *albida* Warncke, 1967
- 628) *Andrena* (*Troandrena*) *saettana* Warncke, 1975 (Andrenidae) Synonym(s): *saettana* Warncke, 1975
- 629) *Andrena* (*Truncandrena*) *caneae* Strand, 1915 (Andrenidae) Synonym(s): *caneae* Strand, 1915
- 630) *Andrena* (*Truncandrena*) *delphiensis* Warncke, 1965 (Andrenidae) Synonym(s): *delphiensis* Warncke, 1965
- 631) *Andrena* (*Truncandrena*) *derbentina* Morawitz, 1886 (Andrenidae) Synonym(s): *derbentina* Morawitz, 1886
- 632) *Andrena* (*Truncandrena*) *rufomaculata* Friese, 1921 (Andrenidae) Synonym(s): *rufomaculata* Friese, 1921

- 633) *Andrena* (*Truncandrena*) *schmiedeknechti* Magretti, 1883 (Andrenidae) Synonym(s): *schmiedeknechti* Magretti, 1883; *flavopilis* Warncke, 1965
- 634) *Andrena* (*Truncandrena*) *serraticornis* Warncke, 1965 (Andrenidae) Synonym(s): *serraticornis* Warncke, 1965
- 635) *Andrena* (*Truncandrena*) *truncatilabris* Morawitz, 1877 (Andrenidae) Synonym(s): *truncatilabris* Morawitz, 1877
- 636) *Andrena* (*Truncandrena*) *tscheki* Morawitz, 1872 (Andrenidae) Synonym(s): *tscheki* Morawitz, 1872; *tritica* Warncke, 1965
- 637) *Andrena* (*Ulandrena*) *abbreviata* Dours, 1873 (Andrenidae) Synonym(s): *abbreviata* Dours, 1873
- 638) *Andrena* (*Ulandrena*) *acerba* Warncke, 1967 (Andrenidae) Synonym(s): *acerba* Warncke, 1967
- 639) *Andrena* (*Ulandrena*) *cantiaca* Warncke, 1975 (Andrenidae) Synonym(s): *cantiaca* Warncke, 1975; *infuscata* Warncke, 1975
- 640) *Andrena* (*Ulandrena*) *combaella* Warncke, 1966 (Andrenidae) Synonym(s): *combaella* Warncke, 1966
- 641) *Andrena* (*Ulandrena*) *fulvitaris* Brullé, 1832 (Andrenidae) Synonym(s): *fulvitaris* Brullé, 1832
- 642) *Andrena* (*Ulandrena*) *heinrichi* Grünwaldt, 2005 (Andrenidae) Synonym(s): *heinrichi* Grünwaldt, 2005
- 643) *Andrena* (*Ulandrena*) *neocyprica* Mavromoustakis, 1956 (Andrenidae) Synonym(s): *neocyprica* Mavromoustakis, 1956
- 644) *Andrena* (*Ulandrena*) *osychniukae* Radoszkowski, 1867 (Andrenidae) Synonym(s): *osychniukae* Radoszkowski, 1867
- 645) *Andrena* (*Ulandrena*) *schulzi* Strand, 1921 (Andrenidae) Synonym(s): *schulzi* Strand, 1921; *alba* Warncke, 1967
- 646) *Andrena* (*Ulandrena*) *trikalensis* Warncke, 1965 (Andrenidae) Synonym(s): *trikalensis* Warncke, 1965
- 647) *Andrena* (*Zonandrena*) *chrysopyga* Schenck, 1853 (Andrenidae) Synonym(s): *chrysopyga* Schenck, 1853
- 648) *Andrena* (*Zonandrena*) *flavipes* Panzer, 1799 (Andrenidae) Synonym(s): *flavipes* Panzer, 1799
- 649) *Andrena* (*Zonandrena*) *gravida* Imhoff, 1832 (Andrenidae) Synonym(s): *gravida* Imhoff, 1832
- 650) *Andrena* (*Zonandrena*) *korleviciana* Friese, 1887 (Andrenidae) Synonym(s): *korleviciana* Friese, 1887
- 651) *Andrena* (*Zonandrena*) *quadrinaculata* Friese, 1921 (Andrenidae) Synonym(s): *quadrinaculata* Friese, 1921
- 652) *Andrena* *fuscocalcarata* Morawitz, 1878 (Andrenidae) Synonym(s): *fuscocalcarata* Morawitz, 1878
- 653) *Andrena* *rotundilabris* Morawitz, 1878 (Andrenidae) Synonym(s): *rotundilabris* Morawitz, 1878
- 654) *Andrenosoma* *albibarbe* (Meigen, 1820) (Asilidae) Synonym(s): *albibarbe* Meigen, 1820; *adustiventris* Costa, 1863; *erythrurum* Loew, 1847
- 655) *Andrenosoma* *atrum* (Linnaeus, 1758) (Asilidae) Synonym(s): *atrum* Linnaeus, 1758; *prostratum* Scopoli, 1763
- 656) *Andrenosoma* *cornuta* Oldroyd, 1972 (Asilidae) Synonym(s): *cornuta* Oldroyd, 1972
- 657) *Andrenosoma* *pusillum* Hermann, 1906 (Asilidae) Synonym(s): *pusillum* Hermann, 1906
- 658) *Andricus* *amblycerus* (Giraud, 1859) (Cynipidae) Synonym(s): *amblycerus* Giraud, 1859
- 659) *Andricus* *amenti* Giraud, 1859 (Cynipidae) Synonym(s): *amenti* Giraud, 1859; *giraudianus* Dalla Torre & Kieffer, 1910
- 660) *Andricus* *aries* (Giraud, 1859) (Cynipidae) Synonym(s): *aries* Giraud, 1859
- 661) *Andricus* *caputmedusae* (Hartig, 1843) (Cynipidae) Synonym(s): *caputmedusae* Hartig, 1843; *gallaecristatae* Henschel, 1876
- 662) *Andricus* *cecconii* Kieffer, 1901 (Cynipidae) Synonym(s): *cecconii* Kieffer, 1901
- 663) *Andricus* *conglomeratus* (Giraud, 1859) (Cynipidae) Synonym(s): *conglomeratus* Giraud, 1859; *cincta* Hartig, 1879
- 664) *Andricus* *conificus* (Hartig, 1843) (Cynipidae) Synonym(s): *conificus* Hartig, 1843; *longipes* Kieffer, 1901; *longispinae* Kieffer, 1901
- 665) *Andricus* *coriarius* (Hartig, 1843) (Cynipidae) Synonym(s): *coriarius* Hartig, 1843; *lusitanicus* Kieffer, 1900
- 666) *Andricus* *coronatus* (Giraud, 1859) (Cynipidae) Synonym(s): *coronatus* Giraud, 1859; *coronaria* Stefani, 1898
- 667) *Andricus* *corruptrix* (Schlechtendal, 1870) (Cynipidae) Synonym(s): *corruptrix* Schlechtendal, 1870; *ambiguus* Trotter, 1899
- 668) *Andricus* *curtisii* (Müller, 1870) (Cynipidae) Synonym(s): *curtisii* Müller, 1870; *mediterraneae* Trotter, 1901
- 669) *Andricus* *curvator* Hartig, 1840 (Cynipidae) Synonym(s): *curvator* Hartig, 1840; *axillaris* Hartig, 1840; *collaris* Hartig, 1840; *curvata* Förster, 1869; *dimidiatus* Schenck, 1863; *fasciatus* Schenck, 1863; *perfoliatus* Schenck, 1863; *tegumentorum* Schlechtendal, 1870; *lusitanicus* Kieffer, 1901
- 670) *Andricus* *dentimitratus* (Rejto, 1887) (Cynipidae) Synonym(s): *dentimitratus* Rejto, 1887; *mayri* Kieffer, 1897; *nec* Wacht., 1879; *gallaevicosus* Benson, 1953; *viscosus* Nieves-Aldrey, 1986; *floridus* Melika & Csoka, 1998
- 671) *Andricus* *foecundatrix* (Hartig, 1840) (Cynipidae) Synonym(s): *foecundatrix* Hartig, 1840; *gemmarum* Lacaze-Duthiers, 1853; *gemmae* Schenck, 1863; *foecundator* Tavares, 1918
- 672) *Andricus* *galeatus* (Giraud, 1859) (Cynipidae) Synonym(s): *galeatus* Giraud, 1859
- 673) *Andricus* *gallaearnaeformis* (Fonscolombe, 1832) (Cynipidae) Synonym(s): *gallaearnaeformis* Fonscolombe, 1832; *urnaeformis* Giraud, 1859; *sufflator* Mayr, 1882
- 674) *Andricus* *gemmeus* (Giraud, 1859) (Cynipidae) Synonym(s): *gemmeus* Giraud, 1859; *kirchbergi* Wachtl, 1876
- 675) *Andricus* *grossulariae* Giraud, 1859 (Cynipidae) Synonym(s): *grossulariae* Giraud, 1859; *mayri* Wachtl, 1879; *panteli* Kieffer, 1897; *fructuum* Trotter, 1899; *intermedius* Tavares, 1922; *gemellus* Belizin & Maisuradze, 1961
- 676) *Andricus* *hartigi* (Hartig, 1843) (Cynipidae) Synonym(s): *hartigi* Hartig, 1843
- 677) *Andricus* *hystrix* Kieffer, 1897 (Cynipidae) Synonym(s): *hystrix* Kieffer, 1897
- 678) *Andricus* *infectorius* (Hartig, 1843) (Cynipidae) Synonym(s): *infectorius* Hartig, 1843; *nostra* Kieffer, 1901; *tinctorianostras* Trotter, 1903
- 679) *Andricus* *inflator* Hartig, 1840 (Cynipidae) Synonym(s): *inflator* Hartig, 1840; *globuli* Hartig, 1840; *inflatioides* Belizin & Maisuradze, 1962
- 680) *Andricus* *insanus* (Westwood, 1837) (Cynipidae) Synonym(s): *insanus* Westwood, 1837
- 681) *Andricus* *kollari* (Hartig, 1843) (Cynipidae) Synonym(s): *kollari* Hartig, 1843; *circulans* Mayr, 1870; *indigena* Giraud, 1909
- 682) *Andricus* *lignicolus* (Hartig, 1840) (Cynipidae) Synonym(s): *lignicolus* Hartig, 1840; *vanheurni* Docters van Leuween & Deukhuijzen-Maasland, 1958
- 683) *Andricus* *lucidus* (Hartig, 1843) (Cynipidae) Synonym(s): *lucidus* Hartig, 1843; *aestivalis* Giraud, 1859; *lucidoserinaceus* Kieffer, 1901
- 684) *Andricus* *melikai* Pujade-Villar & Kwast, 2002 (Cynipidae) Synonym(s): *melikai* Pujade-Villar & Kwast, 2002
- 685) *Andricus* *mitratus* (Mayr, 1870) (Cynipidae) Synonym(s): *mitratus* Mayr, 1870
- 686) *Andricus* *moreae* (Graeffe, 1905) (Cynipidae) Synonym(s): *moreae* Graeffe, 1905
- 687) *Andricus* *multiplicatus* Giraud, 1859 (Cynipidae) Synonym(s): *multiplicatus* Giraud, 1859
- 688) *Andricus* *polycerus* (Giraud, 1859) (Cynipidae) Synonym(s): *polycerus* Giraud, 1859; *subterranea* Giraud, 1859; *transversa* Kieffer, 1897; *trinacrae* Stefani, 1906
- 689) *Andricus* *quercuscalicis* (Burgsdorf, 1783) (Cynipidae) Synonym(s): *quercuscalicis* Burgsdorf, 1783; *calicis* Hartig, 1843; *cerri* Beyerinck, 1895; *beyerincki* Trotter, 1899

- 690) **Andricus quercustozae** (Bosc,1792) (Cynipidae) Synonym(s): *quercustozae* Bosc,1792; *quercustojae* Fabricius,1793; *argentea* Hartig,1843; *rosenhaueri* Hartig,1856; *kiefferi* Cabrera,1897; *tozae* Kieffer,1898
- 691) **Andricus seckendorffi** (Wachtl,1879) (Cynipidae) Synonym(s): *seckendorffi* Wachtl,1879; *magrettii* Kieffer,1897
- 692) **Andricus solitarius** (Fonscolombe,1832) (Cynipidae) Synonym(s): *solitarius* Fonscolombe,1832; *ferruginea* Hartig,1840; *occultus* Tschek,1871; *filigranata* Dettmer,1925; *villarubiae* Tavares,1930
- 693) **Andricus stefanii** (Kieffer,1897) (Cynipidae) Synonym(s): *stefanii* Kieffer,1897; *#keszthelyensis* Mehes,1953
- 694) **Andricus tomentosus** (Trotter,1901) (Cynipidae) Synonym(s): *tomentosus* Trotter,1901
- 695) **Anemopogon quercicolella** (Zeller,1852) (Tineidae) Synonym(s): *quercicolellus* Zeller,1852
- 696) **Aneomochtherus acratulus** (Tsacas,1968) (Asilidae) Synonym(s): *acratulus* Tsacas,1968
- 697) **Aneomochtherus aegaeus** (Tsacas,1965) (Asilidae) Synonym(s): *aegaeus* Tsacas,1965
- 698) **Aneomochtherus cythereius** (Tsacas,1965) (Asilidae) Synonym(s): *cythereius* Tsacas,1965
- 699) **Aneomochtherus flavicornis** (Ruthe,1831) (Asilidae) Synonym(s): *flavicornis* Ruthe,1831
- 700) **Aneomochtherus flavipes** (Meigen,1820) (Asilidae) Synonym(s): *flavipes* Meigen,1820
- 701) **Aneomochtherus granitis** (Tsacas,1963) (Asilidae) Synonym(s): *granitis* Tsacas,1963
- 702) **Aneomochtherus mundus** (Loew,1849) (Asilidae) Synonym(s): *mundus* Loew,1849; *rhodius* Tsacas,1963
- 703) **Aneomochtherus pygaeus** (Tsacas,1963) (Asilidae) Synonym(s): *pygaeus* Tsacas,1963
- 704) **Aneomochtherus rhogmopygus** (Tsacas,1965) (Asilidae) Synonym(s): *rhogmopygus* Tsacas,1965
- 705) **Anerastia lotella** (Hübner,[1813]) (Pyralidae) Synonym(s): *lotella* Hübner,[1813]
- 706) **Angerona prunaria** (Linnaeus,1758) (Geometridae) Synonym(s): *prunaria* Linnaeus,1758
- 707) **Angustalius malacellus** (Duponchel,1836) (Pyralidae) Synonym(s): *malacellus* Duponchel,1836
- 708) **Anicetus italicus** (Masi,1917) (Encyrtidae) Synonym(s): *italicus* Masi,1917; *brevicaudatus* Subba-Rao,1965
- 709) **Anisobas seyrigi** Heinrich,1933 (Ichneumonidae) Synonym(s): *seyrigi* Heinrich,1933
- 710) **Anisopogon glabellus** von Roeder,1881 (Cynipidae) Synonym(s): *glabellus* von Roeder,1881; *curviventris* Mik,1882
- 711) **Anisopteromalus calandrae** (Howard,1881) (Pteromalidae) Synonym(s): *calandrae* Howard,1881; *oryzae* Cameron,1891; *vandinei* Tucker,1910; *mollis* Ruschka,1912; *pratti* Crawford,1913; *medius* Masi,1917; *mamezophagus* Ishii & Nagasawa,1942; *brasiliensis* Domenichini,1951
- 712) **Anopheles (Cellia) superpictus** Grassi,1899 (Culicidae) Synonym(s): *superpictus* Grassi,1899; *palestinensis* Theobald,1903; *nursei* Theobald,1907; *cardamatisi* Newstead & Carter,1910; *vassilievii* Portsichinsky,1911; *macedoniensis* Cot & Hovasse,1917; *berestnevi* Shingarev,1926; *atheniensis* Cardamatis,1931; *hellenicus* Peus,1954
- 713) **Anopheles (s.str.) algeriensis** Theobald,1903 (Culicidae) Synonym(s): *algeriensis* Theobald,1903; *lukisi* Christophers,1916
- 714) **Anopheles (s.str.) claviger** (Meigen,1804) (Culicidae) Synonym(s): *claviger* Meigen,1804; *villosus* R-D.,1827; *griseus* Stephens,1828; *turkestanii* Shingarev,1926; *amaurus* Martini,1929; *habibi* Mulligan & Puri,1936; *missiroli* Del Vecchio,1939; *pullutus* Canamares,1945
- 715) **Anopheles (s.str.) hyrcanus** (Pallas,1771) (Culicidae) Synonym(s): *hyrcanus* Pallas,1771
- 716) **Anopheles (s.str.) maculipennis** Meigen,1818 (Culicidae) Synonym(s): *maculipennis* Meigen,1818
- 717) **Anopheles (s.str.) marteri** Senetev & Prunelle,1927 (Culicidae) Synonym(s): *marteri* Senetev & Prunelle,1927; *sogdianus* Keshishian,1938; *conquensis* Torres Canamares,1946
- 718) **Anopheles (s.str.) plumbeus** Stephens,1828 (Culicidae) Synonym(s): *plumbeus* Stephens,1828; *nigripes* Staeger,1839; *corsicanus* Edwards,1928; *intermedius* Shingarev,1928
- 719) **Anopheles (s.str.) sacharovi** Favre,1903 (Culicidae) Synonym(s): *sacharovi* Favre,1903; *elutus* Edwards,1921
- 720) **Anoplius viaticus** (Linnaeus,1758) (Pompilidae) Synonym(s): *viaticus* Linnaeus,1758; *fusca* Linnaeus,1761; *paganus* Dahlbom,1843; *propinquus* SWmith,1879; *delatorius* Tournier,1890; *immixtus* Tournier,1890; *macrurus* Tournier,1890; *pleuropicus* Tournier,1890; *tibialis* Tournier,1890; *valesicus* Tournier,1890; *holomelas* Mantero,1905
- 721) **Anoplocerus elevatus** (Fieber,1861) (Coreidae) Synonym(s): *elevatus* Fieber,1861; *rufulus* Jakovlev,1903; *brevicornis* Kormilev,1939
- 722) **Anoplocerus luteus** (Fieber,1861) (Coreidae) Synonym(s): *luteus* Fieber,1861; *subinermis* Puton,1888
- 723) **Anoplotettix beieri** Wagner,1959 (Cicadellidae) Synonym(s): *beieri* Wagner,1959
- 724) **Anoplotettix fuscovenosus** (Ferrari,1882) (Cicadellidae) Synonym(s): *fuscovenosus* Ferrari,1882; *bipunctata* Ferrari,1882
- 725) **Anoplotettix graecus** Remane,1966 (Cicadellidae) Synonym(s): *graecus* Remane,1966
- 726) **Anoplotettix rodosicus** Dlabola,1974 (Cicadellidae) Synonym(s): *rodosicus* Dlabola,1974
- 727) **Anoplotrupes stercorosus** (Scriba,1791) (Geotrupidae) Synonym(s): *stercorosus* Scriba,1791; *sylvaticus* Panzer,1798; *monticola* Heer,1841; *amoethysticus* Mulsant,1842; *juvenilis* Mulsant,1842; *nigrinus* Mulsant,1842; *prusicus* Czwalińska,1884
- 728) **Antarchaea conicephala** (Staudinger,1870) (Noctuidae) Synonym(s): *conicephala* Staudinger,1870 [April]; *conicephala* Staudinger,1870 [Oct.]; *barcinonensis* Milliére,1872; *fumicollis* Rogenhofer,1873.
- 729) **Antennola impura** (Mann,1862) (Noctuidae) Synonym(s): *impura* Mann,1862
- 730) **Anthaxia (Cratomerus) diadema** Fischer,1824 (Buprestidae) Synonym(s): *diadema* Fischer,1824
- 731) **Anthaxia (Cratomerus) eugeniae** Ganglbauer,1885 (Buprestidae) Synonym(s): *eugeniae* Ganglbauer,1885
- 732) **Anthaxia (Cratomerus) hungarica** (Scopoli,1772) (Buprestidae) Synonym(s): *hungarica* Scopoli,1772
- 733) **Anthaxia (Cratomerus) scorzonerae** (Fivaldski,1838) (Buprestidae) Synonym(s): *scorzonerae* Fivaldski,1838; *euphrosyne* Ganglbauer,1885; *artemis* Daniel,1905
- 734) **Anthaxia (Cratomerus) sponsa** Kiesenwetter,1857 (Buprestidae) Synonym(s): *sponsa* Kiesenwetter,1857
- 735) **Anthaxia (Euanthaxia) anatolica** Chevrolat,1837 (Buprestidae) Synonym(s): *anatolica* Chevrolat,1837
- 736) **Anthaxia (Haplanthaxia) bettagi** Niehuis,1983 (Buprestidae) Synonym(s): *bettagi* Niehuis,1983
- 737) **Anthaxia (Haplanthaxia) cichorii** (Olivier,1790) (Buprestidae) Synonym(s): *cichorii* Olivier,1790
- 738) **Anthaxia (Haplanthaxia) kiesenwetteri** Marseul,1865 (Buprestidae) Synonym(s): *kiesenwetteri* Marseul,1865
- 739) **Anthaxia (Haplanthaxia) laticeps** Abeille,1900 (Buprestidae) Synonym(s): *laticeps* Abeille,1900; *minerva* Obenberger,1913; *navratili* Bily,1984
- 740) **Anthaxia (Haplanthaxia) praeclara** Mannerheim,1837 (Buprestidae) Synonym(s): *praeclara* Mannerheim,1837
- 741) **Anthaxia (Haplanthaxia) rossica** Daniel,1903 (Buprestidae) Synonym(s): *rossica* Daniel,1903; *horvathi* Kaszab,1940
- 742) **Anthaxia (Haplanthaxia) umbellatarum** (Fabricius,1787) (Buprestidae) Synonym(s): *umbellatarum* Fabricius,1787
- 743) **Anthaxia (Melanthaxia) mysteriosa** Obenberger,1917 (Buprestidae) Synonym(s): *mysteriosa* Obenberger,1917
- 744) **Anthaxia (Melanthaxia) obesa** Abeille,1900 (Buprestidae) Synonym(s): *obesa* Abeille,1900
- 745) **Anthaxia (Melanthaxia) rugicollis** Lucas,1846 (Buprestidae) Synonym(s): *rugicollis* Lucas,1846; *tassii* Herman,1966
- 746) **Anthaxia (s.str.) amasina** Daniel,1903 (Buprestidae) Synonym(s): *amasina* Daniel,1903
- 747) **Anthaxia (s.str.) brevis** Gory & Laporte,1839 (Buprestidae) Synonym(s): *brevis* Gory & Laporte,1839

- 748) *Anthaxia* (s.str.) *discicollis* Gory & Laporte, 1839 (Buprestidae) Synonym(s): *discicollis* Gory & Laporte, 1839; *kanaanita* Obenberger, 1912
- 749) *Anthaxia* (s.str.) *hypomelaena* (Illiger, 1803) (Buprestidae) Synonym(s): *hypomelaena* Illiger, 1803
- 750) *Anthaxia* (s.str.) *lucens* Küster, 1852 (Buprestidae) Synonym(s): *lucens* Küster, 1852; *phoenica* Ganglbauer, 1882
- 751) *Anthaxia* (s.str.) *olivieri* Gory & Laporte, 1839 (Buprestidae) Synonym(s): *olivieri* Gory & Laporte, 1839
- 752) *Anthidium* (Anthidiellum) *breviusculum* Pérez, 1890 (Megachilidae) Synonym(s): *breviusculum* Pérez, 1890; *troodicum* Mavromoustakis, 1949
- 753) *Anthidium* (Anthidiellum) *clypeare* Morawitz, 1874 (Megachilidae) Synonym(s): *clypeare* Morawitz, 1874; *elongatum* Friese, 1897; *hoplostomum* Mavromoustakis, 1945
- 754) *Anthidium* (Anthidiellum) *insulare* Morawitz, 1873 (Megachilidae) Synonym(s): *insulare* Morawitz, 1873; *persiculum* Mavromoustakis, 1937; *lemesium* Mavromoustakis, 1937
- 755) *Anthidium* (Anthidiellum) *strigatum* (Panzer, 1805) (Megachilidae) Synonym(s): *strigatum* Panzer, 1805; *contractum* Latreille, 1809; *frontale* Lepeletier, 1841; *minusculum* Nylander, 1852; *coronatum* Dufour, 1853; *decoratum* Chevrier, 1872; *luteum* Friese, 1897; *rubellum* Friese, 1917; *cyrenaicum* Gribodo, 1924; *pauperculum* Cockerell, 1928; *crassepunctatum* Popov, 1935; *palaestinense* Alfken, 1935; *ibericum* Alfken, 1936; *judaicum* Alfken, 1936; *humerales* Alfken, 1936
- 756) *Anthidium* (Archianthidium) *laticeps* Morawitz, 1873 (Megachilidae) Synonym(s): *laticeps* Morawitz, 1873; *fasciatellum* Friese, 1917; *anatolicum* Mavromoustakis, 1939
- 757) *Anthidium* (Archianthidium) *pubescens* (Morawitz, 1872) (Megachilidae) Synonym(s): *pubescens* Morawitz, 1872; *maximum* Friese, 1931; *verhoeffi* Mavromoustakis, 1935
- 758) *Anthidium* (Icteranthis) *cimbiciforme* (Smith, 1854) (Megachilidae) Synonym(s): *cimbiciforme* Smith, 1854; *bartholomei* Radoszkowski, 1862
- 759) *Anthidium* (Icteranthis) *grohmanni* Spinola, 1838 (Megachilidae) Synonym(s): *grohmanni* Spinola, 1838; *latreillii* Lepeletier, 1841; *rubiginosum* Lepeletier, 1841; *provinciale* Lepeletier, 1841; *comptum* Lepeletier, 1841; *numidum* Lepeletier, 1841; *lepeletieri* Fonscolombe, 1846; *klugi* Lucas, 1849; *coronatum* Smith, 1854 (praeocc.); *obscurum* Dusmet, 1908 (praeocc.); *tergale* Pasteels, 1969.
- 760) *Anthidium* (Mesanthidium) *malacopygum* (Gribodo, 1894) (Megachilidae) Synonym(s): *malacopygum* Gribodo, 1894
- 761) *Anthidium* (Paraanthidium) *dumerlei* Warncke, 1980 (Megachilidae) Synonym(s): *dumerlei* Warncke, 1980
- 762) *Anthidium* (Paraanthidium) *interruptum* (Fabricius, 1781) (Megachilidae) Synonym(s): *interruptum* Fabricius, 1781; *rufipes* Fabricius, 1787 nec Fabr., 1781; *varia* Olivier, 1789; *erythropus* Gmelin, 1790; *flavilabre* Latreille, 1809; *dufourii* Lepeletier, 1841; *litesipes* Lepeletier, 1841; *integrum* Eversmann, 1852; *curvipes* Smith, 1872; *melanostomum* Costa, 1884; *foliivolutor* Ferton, 1921
- 763) *Anthidium* (Proanthidium) *oblongatum* (Illiger, 1806) (Megachilidae) Synonym(s): *oblongatum* Illiger, 1806; *oblongatum* Latreille, 1809; *trochantericum* Morawitz, 1894; *nigrum* Friese, 1897; *luteum* Dusmet, 1915 nec Fr., 1897; *xanthurum* Cockerell, 1925; *australe* Alfken, 1937; *flavens* Moczar, 1956; *tornense* Tkalcu, 1966; *berberum* Warncke, 1980
- 764) *Anthidium* (Proanthidium) *undulatifforme* Friese, 1917 (Megachilidae) Synonym(s): *undulatifforme* Friese, 1917
- 765) *Anthidium* (Proanthidium) *undulatum* Dours, 1873 (Megachilidae) Synonym(s): *undulatum* Dours, 1873; *littorale* Morawitz, 1874; *holozonicum* Mavromoustakis, 1939; *kvakium* Mavromoustakis, 1939; *wahrmanni* Mavromoustakis, 1948
- 766) *Anthidium* (Pseudoanthidium) *cribratum* Morawitz, 1875 (Megachilidae) Synonym(s): *cribratum* Morawitz, 1875; *palaesticum* Mavromoustakis, 1938
- 767) *Anthidium* (Pseudoanthidium) *litratum* (Panzer, 1801) (Megachilidae) Synonym(s): *litratum* Panzer, 1801; *scapulare* Latreille, 1809; *sinuatum* Lepeletier, 1841; *reptans* Eversmann, 1852; *floripetum* Eversmann, 1852; *stigmaticorne* Dours, 1873; *cribratum* Morawitz, 1875; *petechiale* Morawitz, 1875; *nanum* Moczar, 1879; *leucostoma* Costa, 1883; *peregrinum* Costa, 1884; *eversmanni* Radoszkowski, 1886; *fraternum* Perez, 1895; *astilleroi* Dusmet, 1915; *grandi* Alfken, 1937; *karakalense* Popov, 1952; *canariense* Mavromoustakis, 1954
- 768) *Anthidium* (Pseudoanthidium) *melanurum* Klug, 1832 (Megachilidae) Synonym(s): *melanurum* Klug, 1832; *nigricolle* Morawitz, 1876; *dilobum* Pérez, 1895; *moricei* Friese, 1911; *royoi* Dusmet, 1915; *flavicolle* Friese, 1917; *flaviventre* Friese, 1917
- 769) *Anthidium* (Pseudoanthidium) *reticulatum* Moczar, 1884 (Megachilidae) Synonym(s): *reticulatum* Moczar, 1884; *tegulare* Morawitz, 1886; *mocsaryi* Friese, 1897; *asiaticum* Friese, 1917; *kindermanni* Mavromoustakis, 1954
- 770) *Anthidium* (Rhodanthidium) *acuminatum* Moczar, 1884 (Megachilidae) Synonym(s): *acuminatum* Moczar, 1884
- 771) *Anthidium* (Rhodanthidium) *caturigense* Giraud, 1863 (Megachilidae) Synonym(s): *caturigense* Giraud, 1863; *ducale* Morawitz, 1876; *moreense* Friese, 1917; *pyrenaicum* Alfken, 1927; *jerusalemicum* Mavromoustakis, 1938
- 772) *Anthidium* (Rhodanthidium) *septemdentatum* (Latreille, 1809) (Megachilidae) Synonym(s): *septemdentatum* Latreille, 1809; *rufiventre* Brullé, 1832; *quadridentatum* Lepeletier, 1841; *fuscipenne* Lepeletier, 1841; *binominatum* Smith, 1854; *sexlineatum* Chevrier, 1872; *fasciale* Friese, 1917; *rufocinctum* Alfken, 1930; *nigrosetosum* Staneek, 1968
- 773) *Anthidium* (s.str.) *dalmaticum* Moczar, 1884 (Megachilidae) Synonym(s): *dalmaticum* Moczar, 1884; *syriacum* Dusmet, 1915
- 774) *Anthidium* (s.str.) *diadema* Latreille, 1809 (Megachilidae) Synonym(s): *diadema* Latreille, 1809; *ornatum* Lepeletier, 1841; *albiventre* Lepeletier, 1841; *radoszkowskyi* Moczar, 1887; *seraxense* Radoszkowski, 1893; *terminale* Morawitz, 1894; *caucasicum* Friese, 1897
- 775) *Anthidium* (s.str.) *loti* Perris, 1852 (Megachilidae) Synonym(s): *variegata* Fabricius, 1781 (praeocc.); *loti* Perris, 1852; *regulare* Eversmann, 1852; *meridionale* Giraud, 1863; *mosaicum* Costa, 1863; *quadriseriatum* Kriechbaumer, 1873; *circumcinctum* Kriechbaumer, 1873; *incisum* Friese, 1917
- 776) *Anthidium* (s.str.) *punctatum* Latreille, 1809 (Megachilidae) Synonym(s): *punctatum* Latreille, 1809; *minus* Nylander, 1848; *senile* Eversmann, 1852; *greyi* Radoszkowski, 1862; *albidulum* Chevrier, 1872; *nigrinum* Morawitz, 1875; *nitidulum* Morawitz, 1894; *mayeti* Pérez, 1895; *albofasciatum* Friese, 1897; *fulvipes* Friese, 1897; *kohlui* Friese, 1897; *bequaerti* Alfken, 1914; *amanusense* Dusmet, 1915; *ariasi* Dusmet, 1915; *nigritulum* Friese, 1917; *succicum* Alfken, 1927
- 777) *Anthidium* (s.str.) *taeniatum* Latreille, 1809 (Megachilidae) Synonym(s): *taeniatum* Latreille, 1809; *fasciatum* Latreille, 1809; *sulphureum* Lepeletier, 1841; *affine* Morawitz, 1873; *monile* Friese, 1897; *nostrum* Radoszkowski, 1893
- 778) *Anthidium* (s.str.) *waltlii* Spinosa, 1838 (Megachilidae) Synonym(s): *waltlii* Spinosa, 1838
- 779) *Anthidium* (s.str.) *wuestneii* Moczar, 1887 (Megachilidae) Synonym(s): *wuestneii* Moczar, 1887
- 780) *Anthobiodes* *turcicus* (Medvedev, 1975) (Chrysomelidae) Synonym(s): *turcicus* Medvedev, 1975
- 781) *Anthocharis* *cardamines* (Linnaeus, 1758) (Pieridae) Synonym(s): *cardamines* Linnaeus, 1758; *hesperides* Newman, 1894; *britannica* Verity, 1908; *meridionalis* Verity, 1908 nec Lederer, 1852; *montivaga* Turati & Verity, 1911
- 782) *Anthocharis* *damone* Boisduval, 1836 (Pieridae) Synonym(s): *damone* Boisduval, 1836
- 783) *Anthocharis* *grueneri* Herrich-Schäffer, [1851] (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer, [1851]; *#diluta* Röber, 1907; *eros* Röber, 1907

- 784) *Anthocomus creticus* Evers,1994 (Melyridae) Synonym(s): *creticus* Evers,1994
 785) *Anthocomus fasciatus* (Linnaeus,1758) (Melyridae) Synonym(s): *fasciatus* Linnaeus,1758
 786) *Anthocomus humeralis* Morawitz,1861 (Melyridae) Synonym(s): *humeralis* Morawitz,1861
 787) *Anthocoris minki* (Dohrn,1860) (Anthocoridae) Synonym(s): *minki* Dohrn,1860; *rubicundulus* Garbiglietti,1869; *pistaciae* E.Wagner,1957
 788) *Anthocoris nemoralis* (Fabricius,1794) (Anthocoridae) Synonym(s): *nemoralis* Fabricius,1794
 789) *Anthomalachius spinosus* (Erichson,1840) (Melyridae) Synonym(s): *spinosus* Erichson,1840
 790) *Anthomyia bazini* Seguy,1929 (Anthomyiidae) Synonym(s): *bazini* Seguy,1929
 791) *Anthomyia procellaris* Rondani,1866 (Anthomyiidae) Synonym(s): *procellaris* Rondani,1866
 792) *Anthophila fabriciana* (Linnaeus,1767) (Choreutidae) Synonym(s): *fabriciana* Linnaeus,1767; *oxyacanthella* Linnaeus,1767; *urticana* Denis & Schiffermüller,1775; *excisum* Retzius,1783; *gilibertiana* Villers,1789; *oxyacanthae* Fabricius,1798; *dentana* Hübner,1799; *fabricii* Haworth,1811; *dentanal* Treitschke,1829; *parietariae* Stainton,1855; *fabriciella* Herrich-Schäffer,1862; *parietariella* Herrich-Schäffer,1862
 793) *Anthophilopsis baphialis* (Staudinger,1870) (Pyralidae) Synonym(s): *baphialis* Staudinger,1870; *#baphiale* Caradja,1917
 794) *Anthophora fulvitaris* Brullé,1832 (Apidae) Synonym(s): *fulvitaris* Brullé,1832
 795) *Anthracia eriopoda* (Herrich-Schäffer,1851) (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer,1851; *sareptae* Guenée,1852; *eriopodoides* Strand,1916
 796) *Anthrax aethiops* (Fabricius,1781) (Bombyliidae) Synonym(s): *aethiops* Fabricius,1781; *punctata* Meigen,1820; *mendax* Austen,1937
 797) *Anthrax anthrax* (Schrank,1781) (Bombyliidae) Synonym(s): *anthrax* Schrank,1781; *sinuata* Meigen,1804
 798) *Anthrax binotatus* Wiedemann,1820 (Bombyliidae) Synonym(s): *binotatus* Wiedemann,1820; *subnotata* Wiedemann,1820
 799) *Anthrax chionostigma* Tsacas,1962 (Bombyliidae) Synonym(s): *chionostigma* Tsacas,1962
 800) *Anthrax francoisi* Evenhuis & Greathead,1999 (Bombyliidae) Synonym(s): *pallidus* François,1966 nec Coq.,1887; *francoisi* Evenhuis & Greathead,1999
 801) *Anthrax giselae* François,1966 (Bombyliidae) Synonym(s): *giselae* François,1966
 802) *Anthrax hellenicus* François,1966 (Bombyliidae) Synonym(s): *hellenicus* François,1966
 803) *Anthrax heteropygus* (Sack,1909) (Bombyliidae) Synonym(s): *heteropyga* Sack,1909
 804) *Anthrax ipiriensis* Dils & Weyer,1995 (Bombyliidae) Synonym(s): *ipiriensis* Dils & Weyer,1995
 805) *Anthrax leucogaster* Wiedemann,1820 (Bombyliidae) Synonym(s): *leucogaster* Wiedemann,1820
 806) *Anthrax pelopeius* François,1966 (Bombyliidae) Synonym(s): *pelopeius* François,1966
 807) *Anthrax pilosulus* Strobl,1902 (Bombyliidae) Synonym(s): *pilosulus* Strobl,1902
 808) *Anthrax sticticus* Klug,1832 (Bombyliidae) Synonym(s): *sticticus* Klug,1832
 809) *Anthrax trifasciatus* Meigen,1804 (Bombyliidae) Synonym(s): *trifasciatus* Meigen,1804
 810) *Anthrax varius* Fabricius,1794 (Bombyliidae) Synonym(s): *varius* Fabricius,1794
 811) *Anthrax virgo* Egger,1859 (Bombyliidae) Synonym(s): *virgo* Egger,1859
 812) *Anthrenus* (s.str.) *pimpinellae* (Fabricius,1775) (Dermestidae) Synonym(s): *pimpinellae* Fabricius,1775; *scrophulariae* Fourcroy,1785 nec Linn.,1758
 813) *Antigastra catalaunalis* (Duponchel,1833) (Pyralidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,1866; *#sionensis* Caradja,1929
 814) *Antipalus bilobus* Ionescu & Weinberg,1960 (Asilidae) Synonym(s): *bilobus* Ionescu & Weinberg,1960
 815) *Antipalus graecus* Moucha & Hradski,1966 (Asilidae) Synonym(s): *graecus* Moucha & Hradski,1966
 816) *Antipalus krueperi* Loew,1871 (Asilidae) Synonym(s): *krueperi* Loew,1871
 817) *Antipalus reginae* Moucha & Hradski,1966 (Asilidae) Synonym(s): *reginae* Moucha & Hradski,1966
 818) *Antipalus weinbergae* Moucha & Hradski,1966 (Asilidae) Synonym(s): *weinbergae* Moucha & Hradski,1966
 819) *Antiphrisson trifarius* (Loew,1849) (Asilidae) Synonym(s): *trifarius* Loew,1849; *sareptanus* Lichtwardt,1903; *thammeri* Lichtwardt,1903
 820) *Antispila treitschkiella* (Fischer v. Röslerstamm,1843) (Heliozelidae) Synonym(s): *treitschkiella* Fischer v. Röslerstamm,1843
 821) *Antitype chi* (Linnaeus,1758) (Noctuidae) Synonym(s): *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929
 822) *Antitype suda* (Geyer,1832) (Noctuidae) Synonym(s): *suda* Geyer,1832
 823) *Antocha* (s.str.) *vitripennis* (Meigen,1830) (Limoniidae) Synonym(s): *vitripennis* Meigen,1830
 824) *Apalus necydala* (Pallas,1782) (Meloidae) Synonym(s): *necydala* Pallas,1782
 825) *Apalus spectabilis* Schaum,1859 (Meloidae) Synonym(s): *spectabilis* Schaum,1859
 826) *Apamea* (s.str.) *anceps* ([Denis & Schiffermüller,1775] (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller,1775; *sordida* Borkhausen,1792; *infesta* Ochsenheimer,1816; *renardii* Boisduval,1829; *engelhardtii* Duurloo,1889; *pyxina* A.Bang-Haas,1910; *siegeli* Berio,1985; *sassanidica* Hacker,1990; *mazeli* Lutran,1993
 827) *Apamea* (s.str.) *aquila* Donzel,1837 (Noctuidae) Synonym(s): *aquila* Donzel,1837
 828) *Apamea* (s.str.) *baischi* (Hacker,1989) (Noctuidae) Synonym(s): *baischi* Hacker,1989
 829) *Apamea* (s.str.) *crenata* (Hufnagel,1766) (Noctuidae) Synonym(s): *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopocurus* Esper,1788; *combusta* Hübner,1808; *hirticornus* Haworth,1812
 830) *Apamea* (s.str.) *furva* ([Denis & Schiffermüller,1775] (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller,1775
 831) *Apamea* (s.str.) *illyria* Freyer,1846 (Noctuidae) Synonym(s): *illyria* Freyer,1846
 832) *Apamea* (s.str.) *lateritia* (Hufnagel,1766) (Noctuidae) Synonym(s): *lateritia* Hufnagel,1766; *molochina* Hübner,1803
 833) *Apamea* (s.str.) *lithoxylaea* (Fabricius,1787) (Noctuidae) Synonym(s): *#lithoxylaea* [Denis & Schiffermüller,1775; *lithoxylaea* Fabricius,1787
 834) *Apamea* (s.str.) *maillardi* (Geyer,1834) (Noctuidae) Synonym(s): *maillardi* Geyer,1834
 835) *Apamea* (s.str.) *monoglypha* (Hufnagel,1766) (Noctuidae) Synonym(s): *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766
 836) *Apamea* (s.str.) *oblonga* (Haworth,1809) (Noctuidae) Synonym(s): *oblonga* Haworth,1809; *abjecta* Hübner,1813
 837) *Apamea* (s.str.) *platinea* (Treitschke,1825) (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 nec Stgr.,1889; *touleschkoffi* Koçak,1980
 838) *Apamea* (s.str.) *remissa* (Hübner,1809) (Noctuidae) Synonym(s): *remissa* Hübner,1809
 839) *Apamea* (s.str.) *sicula* (Turati,1909) (Noctuidae) Synonym(s): *sicula* Turati,1909

- 840) *Apamea* (s.str.) **sordens** (Hufnagel,1766) (Noctuidae) Synonym(s): *sordens* Hufnagel,1766; *basilinea* [Denis & Schiffermüller],1775; *marmorosa* Esper,[1788]; *nebulosa* Vieweg,1790; *cinefacta* Graeser,1889 nec *Gte.*,1881; *grisescens* Staudinger,1889; *basistriga* Staudinger,1892; *alacra* Dannehl,1933
- 841) *Apamea* (s.str.) **sublustris** (Esper,[1788]) (Noctuidae) Synonym(s): *sublustris* Esper,[1788]
- 842) *Apamea* (s.str.) **syriaca** (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969.
- 843) *Apamea* (s.str.) **unanimis** (Hübner,[1813]) (Noctuidae) Synonym(s): *unanimis* Hübner,[1813]
- 844) *Apamea* (s.str.) **zeta** (Treitschke,1825) (Noctuidae) Synonym(s): *zeta* Treitschke,1825
- 845) *Apamea* **indiges** (Turati,1926) (Noctuidae) Synonym(s): *indiges* Turati,1926
- 846) *Apanteles* **atreus** Nixon,1973 (Braconidae) Synonym(s): *atreus* Nixon,1973
- 847) *Apanteles* **myron** Nixon,1973 (Braconidae) Synonym(s): *myron* Nixon,1973
- 848) *Apatema* **mediopallidum** Walsingham,1900 (Autostichidae) Synonym(s): *mediopallidum* Walsingham,1900
- 849) *Apatetris* **trivittellum** (Rebel,1903) (Gelechiidae) Synonym(s): *trivittellum* Rebel,1903
- 850) *Apatura* **ilia** ([Denis & Schiffermüller],1775) (Argynnidae) Synonym(s): *ilia* [Denis & Schiffermüller],1775; *clytie* [Denis & Schiffermüller],1775; *luteus* Esper,1777; *roeselii* Bergsträßer,1779; *vulgaris* Bergsträßer,1779; *rubescens* Esper,1781; *eos* Rossi,1794; *julia* Schrank,1801; *astasia* Hübner,1826; *heos* Meigen,1828, etc.
- 851) *Apatura* **iris** (Linnaeus,1758) (Argynnidae) Synonym(s): *iris* Linnaeus,1758; *suspirans* Poda,1761; *jole* [Denis & Schiffermüller],1775; *junonia* Borkhausen,1788; *beroe* Fabricius,1793; *pseudoiris* Verity,1913.
- 852) *Apatura* **metis** Freyer,1829 (Argynnidae) Synonym(s): *metis* Freyer,1829
- 853) *Apaustis* **rupicola** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *rupicola* [Denis & Schiffermüller],1775; *palliat* Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803]
- 854) *Apaustis* **theophila** (Staudinger,1866) (Noctuidae) Synonym(s): *theophila* Staudinger,1866
- 855) *Apeira* **syringaria** (Linnaeus,1758) (Geometridae) Synonym(s): *syringaria* Linnaeus,1758; *jaspoides* Fourcroy,1785; *circularis* Thunberg,1792
- 856) *Aphantopus* **hyperantus** (Linnaeus,1758) (Satyridae) Synonym(s): *hyperantus* Linnaeus,1758; *arete* Müller,1764; *vidua* Müller,1764; *tristan* Retzius,1783; *sajanus* O.Bang-Haas,1906.
- 857) *Aphanus* **rolandri** (Linnaeus,1758) (Lygaeidae) Synonym(s): *rolandri* Linnaeus,1758; *aethiops* Douglas & Scott,1868
- 858) *Aphelia* (Zelotheres) **euxina** (Djakonov,1929) (Tortricidae) Synonym(s): *euxina* Djakonov,1929; *regisborissi* Drenowski,1931
- 859) *Aphelia* (Zelotheres) **ochreana** (Hübner,[1799]) (Tortricidae) Synonym(s): *ferugana* Hübner,1793 (homonym); *ochreana* Hübner,[1799]; *shaqlawana* Amsel,1955; *chretieni* Obratzsov,1957
- 860) *Aphelonyx* **cericcola** (Giraud,1859) (Cynipidae) Synonym(s): *cericcola* Giraud,1859
- 861) *Aphis* **illinoisensis** Shimer,1866 (Aphididae) Synonym(s): *illinoisensis* Shimer,1866
- 862) *Aphomia* **sapozhnikov** (Krulikovsky,1909) (Pyralidae) Synonym(s): *anella* Zincken nec [Denis & Schiff.]; *bipunctatus* Zeller,1848 nec Curt.; *sapozhnikov* Krulikovsky,1909; *decolor* Caradja,1910; *zelleri* Joannis,1932
- 863) *Aphomia* **sociella** (Linnaeus,1758) (Pyralidae) Synonym(s): *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941.
- 864) *Aphomia* **unicolor** (Staudinger,1870) (Pyralidae) Synonym(s): *unicolor* Staudinger,1870
- 865) *Aphrodes* **bicinctus** (Schrank,1776) (Cicadellidae) Synonym(s): *striata* Linnaeus,1761 (praeocc.); *rustica* Fabricius,1775 (praeocc.); *bicinctus* Schrank,1776; *ochromelas* Gmelin,1790; *variegata* Fabricius,1794; *striatella* Fabricius,1794; *transversa* Fabricius,1798; *strigata* Turton,1802; *pallidus* Curtis,1836; *cardui* Curtis,1836; *fasciatus* Curtis,1836; *obscurus* Curtis,1836; *rugosus* Curtis,1836; *sparsus* Curtis,1836; *unicolor* Curtis,1836; *pulverulenta* Curtis,1837; *adustus* Hardy,1850; *obtusifrons* Kirschbaum,1868; *signifrons* Rey,1894; *aestuarinus* Edwards,1908; *brevior* Melichar,1914; *alpinus* Prohaska,1923; *diminutus* Ribaut,1952; *centrossicus* Zachvatkin,1952; *ferganensis* Dubovsky,1966
- 866) *Aphrodes* **bifasciatus** (Linnaeus,1758) (Cicadellidae) Synonym(s): *bifasciatus* Linnaeus,1758; *trifasciata* De Geer,1773; *tristriata* Gmelin,1790; *spuria* Fallén,1806; *obliquus* Germar,1821; *tricinctus* Curtis,1836; *simulans* Ribaut,1952; *major* Duffield,1963
- 867) *Aphrodes* **histrionicus** (Fabricius,1794) (Cicadellidae) Synonym(s): *histrionicus* Fabricius,1794; *arenicola* Marshall,1866
- 868) *Aphrodes* **serratulae** (Fabricius,1775) (Cicadellidae) Synonym(s): *serratulae* Fabricius,1775; *fuscifasciata* Goeze,1778; *transversalis* Fourcroy,1785; *bistrigata* Gmelin,1790; *brunneobifasciatus* Signoret,1879; *vicarius* Horvath,1897
- 869) *Aphrophora* **alni** (Fallén,1805) (Cercopidae) Synonym(s): *alni* Fallén,1805; *fuscata* Haupt,1925; *umbrina* Linnavuori,1950
- 870) *Aphthona* **bonvouloiri** Allard,1861 (Chrysomelidae) Synonym(s): *bonvouloiri* Allard,1861; *tauricola* Pic,1910
- 871) *Apiomyia* **bergenstammi** (Wachtl,1882) (Cecidomyiidae) Synonym(s): *bergenstammi* Wachtl,1882
- 872) *Apis* (s.str.) **mellifera** Linnaeus,1758 (Apidae) Synonym(s): *mellifera* Linnaeus,1758; *mellifica* Linnaeus,1761
- 873) *Apistomyia* **ariadne** Zwick,1978 (Blephariceridae) Synonym(s): *ariadne* Zwick,1978
- 874) *Aplasta* **ononaria** (Fuessly,1783) (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]; *ononata* Bellier,1861
- 875) *Aplocera* **annexata** (Freyer,[1830]) (Geometridae) Synonym(s): *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831
- 876) *Aplocera* **columbata** (Metzner,1845) (Geometridae) Synonym(s): *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848
- 877) *Aplocera* **efformata** (Guenée,[1858]) (Geometridae) Synonym(s): *efformata* Guenée,[1858]; *pallidata* Staudinger,1870
- 878) *Aplocera* **plagiata** (Linnaeus,1758) (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879.
- 879) *Aplocera* **praeformata** (Hübner,1826) (Geometridae) Synonym(s): *praeformata* Hübner,1826; *cassata* Treitschke,1828
- 880) *Aplocera* **simpliciata** (Treitschke,1835) (Geometridae) Synonym(s): *simpliciata* Treitschke,1835
- 881) *Aplocnemus* **abietum** (Kiesenwetter,1859) (Melyridae) Synonym(s): *abietum* Kiesenwetter,1859
- 882) *Aplocnemus* **basalis** (Küster,1849) (Melyridae) Synonym(s): *basalis* Küster,1849
- 883) *Aplocnemus* **pertusus** (Kiesenwetter,1859) (Melyridae) Synonym(s): *pertusus* Kiesenwetter,1859
- 884) *Apochima* **flabellaria** (Heeger,1838) (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915.
- 885) *Apoda* **limacodes** (Hufnagel,1766) (Limacodidae) Synonym(s): *limacodes* Hufnagel,1766; *testudo* [Denis & Schiffermüller],1775; *funalis* Donovan,1794; *testunidana* Hübner,[1799]; *avellana* auct.
- 886) *Apoderus* **coryli** (Linnaeus,1758) (Atelabidae) Synonym(s): *coryli* Linnaeus,1758; *collaris* Scopoli,1863; *avellanae* Linnaeus,1767; *dauricus* Laxmann,1770; *excoriatoruber* De Geer,1775; *denigratus* Gmelin,1790
- 887) *Apodia* **bifractella** (Duponchel,1843) (Gelechiidae) Synonym(s): *bifractella* Duponchel,[1843]

- 888) Apodiphus amygdali (Germar,1817)** (Pentatomidae) Synonym(s): *amygdali* Germar,1817; *hellenica* Lefebvre,1831; *exsculpta* Burmeister,1835
- 889) Apolysis fumipennis (Loew,1844)** (Bombyliidae) Synonym(s): *fumipennis* Loew,1844
- 890) Apomyelois ceratoniae (Zeller,1839)** (Pyrilidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilina* Hampson,1896; *psarella* Hampson,1903; *rivularis* W.Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950
- 891) Apomyelois cognata (Staudinger,1871)** (Pyrilidae) Synonym(s): *cognata* Staudinger,1871
- 892) Apopestes spectrum (Esper,[1787])** (Noctuidae) Synonym(s): *spectrum* Esper,[1787]; *innotata* W.Warren,1913; *maura* W.Warren,1913
- 893) Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937.
- 894) Aporodes floralis (Hübner,[1809])** (Pyrilidae) Synonym(s): *floralis* Hübner,[1809]; *stygalis* Treitschke,1829; *siculalis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939
- 895) Aporophyla australis (Boisduval,1829)** (Noctuidae) Synonym(s): *australis* Boisduval,1829
- 896) Aporophyla chioleuca (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *chioleuca* Herrich-Schäffer,1850
- 897) Aporophyla lutulenta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lutulenta* [Denis & Schiffermüller],1775; *electrica* Fabricius,1794; *fuscus* Haworth,1803; *consimilis* Stephens,1829; *orthostigma* Stephens,1829; *sedi* Duponchel,1836; *tripuncta* Freyer,1848; *brunnea* Schauerda,1929; *aterrima* Warnecke,1936; *insularis* Hansson,1952
- 898) Aporophyla nigra (Haworth,[1809])** (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901
- 899) Apotomus rufithorax Pecchioli,1837** (Carabidae) Synonym(s): *rufithorax* Pecchioli,1837
- 900) Aproaerema anthyllidella (Hübner,[1813])** (Gelechiidae) Synonym(s): *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralella* Millière,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964
- 901) Aprominta atricanella (Rebel,1906)** (Autostichidae) Synonym(s): *atricanella* Rebel,1906
- 902) Aprominta bifasciata (Staudinger,1870)** (Autostichidae) Synonym(s): *bifasciata* Staudinger,1870; *virginella* Rebel,1902.
- 903) Aprominta designatella (Herrich-Schäffer,[1855])** (Autostichidae) Synonym(s): *designatella* Herrich-Schäffer,[1855]
- 904) Aprominta gloriosa Gozmany,1959** (Autostichidae) Synonym(s): *gloriosa* Gozmany,1959
- 905) Aprominta pannosella (Rebel,1906)** (Autostichidae) Synonym(s): *pannosella* Rebel,1906
- 906) Aprostocetus agrus (Walker,1839)** (Eulophidae) Synonym(s): *agrus* Walker,1839; *amynus* Walker,1839; *conii* Erdős,1954; *rugosus* Erdős,1954
- 907) Aprostocetus caudatus Westwood,1833** (Eulophidae) Synonym(s): *caudatus* Westwood,1833; *tristis* Nees,1834; *phalis* Walker,1839; *trabea* Walker,1839; *mutilia* Walker,1839; *crassicauda* Thomson,1878
- 908) Aprostocetus ceroplastae (Girault,1916)** (Eulophidae) Synonym(s): *ceroplastae* Girault,1916
- 909) Aprostocetus cracens Graham,1987** (Eulophidae) Synonym(s): *cracens* Graham,1987
- 910) Aprostocetus graciliclavus Graham,1987** (Eulophidae) Synonym(s): *graciliclavus* Graham,1987
- 911) Aprostocetus levadiensis Graham,1987** (Eulophidae) Synonym(s): *levadiensis* Graham,1987
- 912) Aprostocetus longicauda (Thomson,1878)** (Eulophidae) Synonym(s): *longicauda* Thomson,1878
- 913) Aprostocetus lycidas (Walker,1839)** (Eulophidae) Synonym(s): *lycidas* Walker,1839
- 914) Aprostocetus neglectus (Domenichini,1957)** (Eulophidae) Synonym(s): *neglectus* Domenichini,1957
- 915) Aprostocetus pausiris (Walker,1839)** (Eulophidae) Synonym(s): *pausiris* Walker,1839
- 916) Aprostocetus pygmaeus (Zetterstedt,1838)** (Eulophidae) Synonym(s): *pygmaeus* Zetterstedt,1838
- 917) Apterola (s.str.) kuenckeli Mulsant & Rey,1866** (Lygaeidae) Synonym(s): *kuenckeli* Mulsant & Rey,1866; *pedestris* Stal,1866
- 918) Apterola (s.str.) lownii (Saunders,1876)** (Lygaeidae) Synonym(s): *lownii* Saunders,1876
- 919) Apterona helicinella (Herrich-Schäffer,1846)** (Psychidae) Synonym(s): *helicinella* Herrich-Schäffer,1846
- 920) Apterona helicoidella (Vallot,1827)** (Psychidae) Synonym(s): *helicoidella* Vallot,1827; *resedella* Vallot,1843; *helix* Siebold,[1851].
- 921) Aptinus cordicollis Chaudoir,1843** (Carabidae) Synonym(s): *cordicollis* Chaudoir,1843; *ponticus* Apfelbeck,1904
- 922) Aquarius ventralis (Fieber,1860)** (Gerridae) Synonym(s): *ventralis* Fieber,1860
- 923) Araeopteron cephaea (Hampson,1914)** (Noctuidae) Synonym(s): *cephaea* Hampson,1914
- 924) Araschnia levana (Linnaeus,1758)** (Argynnididae) Synonym(s): *levana* Linnaeus,1758; *prorsa* Linnaeus,1758.
- 925) Archanara dissoluta (Treitschke,1825)** (Noctuidae) Synonym(s): *dissoluta* Treitschke,1825; *hessii* Boisduval,1840; *arundineta* Schmidt,1858
- 926) Archanara geminipuncta (Haworth,1809)** (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817].
- 927) Archanara sparganii (Esper,[1790])** (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892.
- 928) Archinemapogon yildizae Koçak,1981** (Tineidae) Synonym(s): *laterella* Thunberg,1794 *nec* [Denis & Schiff.],1775; *arcuatella* Stainton,1854 *nec* Schrank,1802; *yildizae* Koçak,1981.
- 929) Archips crataeganus (Hübner,[1799])** (Tortricidae) Synonym(s): *crataegana* Hübner,[1799]; *roborana* Hübner,[1799]
- 930) Archips podanus (Scopoli,1763)** (Tortricidae) Synonym(s): *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,[1799]; *congenerana* Hübner,[1824]; *sauberiana* Sorhagen,1882; *vulpeculana* Fuchs,1903; *meridana* Kozlov & Esartia,1991
- 931) Archips rosanus (Linnaeus,1758)** (Tortricidae) Synonym(s): *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834
- 932) Archips xylosteanus (Linnaeus,1758)** (Tortricidae) Synonym(s): *xylosteana* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784; *densata* Fourcroy,1785; *densana* Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901
- 933) Archon apollinus (Herbst,1798)** (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979.
- 934) Arctia (Epicallia) villica (Linnaeus,1758)** (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
- 935) Arctia (Eucharia) festiva (Hufnagel,1766)** (Arctiidae) Synonym(s): *festiva* Hufnagel,1766; *hebe* Linnaeus,1767; *interrogationis* Ménétriés,1863; *sartha* Staudinger,1886; *nivea* O.Bang-Haas,1927; *ragusai* Stauder,1928.
- 936) Arctia (s.str.) caja (Linnaeus,1758)** (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783; *phantasma* Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 *nec* Rom.,1884; *rebeli* Wnukowsky,1929.

- 937) **Arctornis l-nigrum (Müller,1764)** (Lymantriidae) Synonym(s): *l-nigrum* Müller,1764; *v-nigrum* Fabricius,1775; *nivosa* [Denis & Schiffermüller],1775; *vaunigra* Stephens,1828
- 938) **Arcyptera (Pararcyptera) labiata (Brullé,1832)** (Acrididae) Synonym(s): *labiata* Brullé,1832; *tibialis* Brullé,1832; *stenoptera* Uvarov,1942
- 939) **Arenostola phragmitidis (Hübner,[1803])** (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803]
- 940) **Arethusana arethusia ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *arethusia* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (sensu Hesselbarth et al.,1995: 917).
- 941) **Arge cyanocrocea (Forster,1771)** (Argidae) Synonym(s): *cyanocrocea* Forster,1771; *syriaca* Mocsary,1880
- 942) **Arge enodis (Linnaeus,1767)** (Argidae) Synonym(s): *enodis* Linnaeus,1767; *coeruleipennis* Retzius,1783
- 943) **Arge frivaldskyi (Tischbein,1852)** (Argidae) Synonym(s): *frivaldskyi* (Tischbein,1852)
- 944) **Arge melanochra (Gmelin,1790)** (Argidae) Synonym(s): *melanochra* Gmelin,1790; *nigritarsis* Klug,1834; *fuliginata* Konow,1907
- 945) **Arge nigripes (Retzius,1783)** (Argidae) Synonym(s): *nigripes* Retzius,1783
- 946) **Arge ochropus (Gmelin,1790)** (Argidae) Synonym(s): *ochropus* Gmelin,1790
- 947) **Arge rustica (Linnaeus,1758)** (Argidae) Synonym(s): *rustica* Linnaeus,1758; *atrata* Forster,1771; *segmentarius* Panzer,1805
- 948) **Arge scita (Mocsary,1880)** (Argidae) Synonym(s): *scita* Mocsary,1880; *zarudnyi* Gussakovskii,1935
- 949) **Arge simulatrix Konow,1887** (Argidae) Synonym(s): *simulatrix* Konow,1887
- 950) **Argynnis (Fabriciana) adippe (Rottemburg,1775)** (Argynnididae) Synonym(s): *cydippe* Linnaeus,1761 (rejected); *berecynthia* Poda,1761 (rejected); *adippe* Rottemburg,1775; *phryxa* Bergsträßer,1780; *margaritacea* Retzius,1783; *syrinx* Borkhausen,1788; *aspasia* Borkhausen,1788; *liriope* Borkhausen,1788; *baiuvarica* Spuler,1901, etc.
- 951) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnididae) Synonym(s): *niobe* Linnaeus,1758.
- 952) **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975.
- 953) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnididae) Synonym(s): *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950.
- 954) **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnididae) Synonym(s): *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 nec Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 nec Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926.
- 955) **Argyra argentina (Meigen,1824)** (Dolichopodidae) Synonym(s): *diaphana* Fallén,1823 nec Fabr.,1775; *argentina* Meigen,1824; *geniculata* Schummel,1837
- 956) **Argyra argyria (Meigen,1824)** (Dolichopodidae) Synonym(s): *argyria* Meigen,1824; *argentata* Macquart,1834; *argentellus* Zetterstedt,1843; *divergens* Parent,1926; *discedens* Parent,1838
- 957) **Argyresthia (s.str.) glaucinella Zeller,1839** (Yponomeutidae) Synonym(s): *glaucinella* Zeller,1839; *dzieduszyckii* Nowicki,1860
- 958) **Argyresthia (s.str.) hilfiella Rebel,1910** (Yponomeutidae) Synonym(s): *hilfiella* Rebel,1910
- 959) **Argyresthia (s.str.) pruniella (Clerck,1759)** (Yponomeutidae) Synonym(s): *#pruniella* Clerck,1759; *comella* Scopoli,1763; *ephippella* Fabricius,1777; *ephippium* Fabricius,1798; *pruni* Haworth,[1828]; *#ephippiella* Staudinger,1879.
- 960) **Argyresthia (s.str.) spinosella Stainton,1849** (Yponomeutidae) Synonym(s): *mendica* auct; *spinosella* Stainton,1849.
- 961) **Argyrotaenia ljugiana (Thunberg,1797)** (Tortricidae) Synonym(s): *ljugiana* Thunberg,1797; *sylvana* Hübner,[1799]; *pulchellana* Haworth,1811; *cognatana* Stephens,1852; *fuscociliana* Stephens,1852; *lepidana* Herrich-Schäffer,1854; *micantana* Lucas,1937.
- 962) **Aristotelia brizella (Treitschke,1833)** (Gelechiidae) Synonym(s): *brizella* Treitschke,1833
- 963) **Aristotelia decurtella (Hübner,[1813])** (Gelechiidae) Synonym(s): *decurtella* Hübner,[1813]; *turbatella* Treitschke,1835; *amoenella* Joannis,1891
- 964) **Aristotelia ericinella (Zeller,1839)** (Gelechiidae) Synonym(s): *ericinella* Zeller,1839
- 965) **Aristotelia subericinella (Duponchel,1843)** (Gelechiidae) Synonym(s): *subericinella* Duponchel,1843; *prohaskaella* Rebel,1907
- 966) **Arma insperata Horvath,1899** (Pentatomidae) Synonym(s): *insperata* Horvath,1899
- 967) **Arocatus longiceps Stal,1872** (Lygaeidae) Synonym(s): *longiceps* Stal,1872; *grassii* Picco,1920; *fuscipes* Picco,1920; *nigrirostris* Picco,1920; *sanguineus* Picco,1920; *thoracicus* Picco,1920
- 968) **Arocatus melanocephalus (Fabricius,1798)** (Lygaeidae) Synonym(s): *melanocephalus* Fabricius,1798
- 969) **Arocephalus longiceps (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *longiceps* Kirschbaum,1868; *longivalvis* Kirschbaum,1868; *linnei* Fieber,1869
- 970) **Aroga aristotelis (Millière,1875)** (Gelechiidae) Synonym(s): *aristotelis* Millière,1875; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacertella* Walsingham; *hyrcanella* Toll,1948.
- 971) **Aroga velocella (Zeller,1839)** (Gelechiidae) Synonym(s): *velocella* Zeller,1839; *affiniella* Zetterstedt,[1839]; *tesserella* Zetterstedt,[1839]; *brunnea* Schöyen,1882; *aterrimella* Rebel,1889; *rupicolella* Müller-Rutz,1934
- 972) **Artiotilla biguttata (Costa,1858)** (Mutillidae) Synonym(s): *biguttata* Costa,1858
- 973) **Asalebria (Exophora) florella (Mann,1862)** (Pyralidae) Synonym(s): *florella* Mann,1862
- 974) **Asaphes vulgaris Walker,1834** (Pteromalidae) Synonym(s): *vulgaris* Walker,1834; *aenea* Nees ab Esenbeck,1834; *aphidophila* Rondani,1848
- 975) **Asaphidion (Asaphidion) flavicorne (Solsky,1874)** (Carabidae) Synonym(s): *flavicorne* Solsky,1874
- 976) **Ascalenia vanella (Frey,1860)** (Cosmopterigidae) Synonym(s): *vanella* Frey,1860; *seeboldiella* Ragonot,1882.
- 977) **Ascotis selenaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#seleneris* Okyar & Aytac,1999
- 978) **Asovia maeoticaria (Alpheraky,1876)** (Geometridae) Synonym(s): *maeoticaria* Alpheraky,1876; *decoloraria* Alpheraky,1889
- 979) **Asphalia ruficollis (Fabricius,1787)** (Thyatiridae) Synonym(s): *#ruficollis* [Denis & Schiffermüller],1775; *ruficollis* Fabricius,1787
- 980) **Aspilapteryx (Sabulopteryx) inquinata Triberti,1985** (Gracillariidae) Synonym(s): *inquinata* Triberti,1985
- 981) **Aspilapteryx (Sabulopteryx) limosella (Duponchel,1844)** (Gracillariidae) Synonym(s): *limosella* Duponchel,1844
- 982) **Aspilaspis viridis (Brullé,1835)** (Nabidae) Synonym(s): *viridis* Brullé,1835
- 983) **Aspitates ochrearia (Rossi,1794)** (Geometridae) Synonym(s): *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953
- 984) **Astata graeca De Beaumont,1965** (Crabronidae) Synonym(s): *graeca* De Beaumont,1965

- 985) *Asteroscopus sphinx* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sphinx* Hufnagel,1766; *cassinia* [Denis & Schiffermüller],1775; *alpina* Seifers,1916.
- 986) *Asteroscopus syriaca* (W.Warren,1910)** (Noctuidae) Synonym(s): *syriaca* W.Warren,1910; *decipulae* Kovacs,1966.
- 987) *Asthena albulata* (Hufnagel,1767)** (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *candidata* [Denis & Schiffermüller],1775; *candidaria* Hübner,[1799]; *candidulata* Haworth,1809; *albularia* Boisduval,1840
- 988) *Astomella hispaniae* Lamarck,1816** (Acroceridae) Synonym(s): *hispaniae* Lamarck,1816; *curvinervis* Dufour,1833; *clavicornis* Macquart,1834; *marginata* Meigen,1838; *aurea* Erichson,1840; *lindenii* Erichson,1840; *macquarti* A.Costa,1847; *grandipennis* A.Costa,1854; *apiformis* Westwood,1876; *bombiformis* Westwood,1876
- 989) *Atanycolus denigrator* (Linnaeus,1758)** (Braconidae) Synonym(s): *denigrator* Linnaeus,1758
- 990) *Atanycolus sculpturatus* (Thomson,1892)** (Braconidae) Synonym(s): *sculpturatus* Thomson,1892; *signatus* Szepilgeti,1901
- 991) *Ateliotum hungaricellum* Zeller,1839** (Tineidae) Synonym(s): *hungaricellum* Zeller,1839; *cypellias* Meyrick,1937
- 992) *Ateliotum petrinellum* (Herrich-Schäffer,1853)** (Tineidae) Synonym(s): *petrinella* Herrich-Schäffer,1853; *turatiella* Millière,1886
- 993) *Atethmia ambusta* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
- 994) *Atethmia centrargo* (Haworth,[1809])** (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].
- 995) *Athalia cordata* Audinet-Serville,1823** (Tenthredinidae) Synonym(s): *cordata* Audinet-Serville,1823; *suesionnensis* Audinet-Serville,1823; *blanchardi* Brullé,1846
- 996) *Athalia paradoxa* Konow,1886** (Tenthredinidae) Synonym(s): *paradoxa* Konow,1886
- 997) *Athalia rufoscutellata* Mocsary,1879** (Tenthredinidae) Synonym(s): *rufoscutellata* Mocsary,1879; *maculata* Mocsary,1879; *maritima* Kirby,1884; *mocsaryi* Konow,1892; *nigroscutellata* Konow,1892; *pleuralis* Konow,1898; *obscurata* Konow,1904
- 998) *Atheroides serrulatus* Haliday,1839** (Aphididae) Synonym(s): *serrulatus* Haliday,1839; *aculeata* Dahl,1912; *paradoxa* Theobald,1918; *festucae* Mordvilko,1934; *suwonensis* Paik,1971
- 999) *Athetis gluteosa* (Treitschke,1835)** (Noctuidae) Synonym(s): *gluteosa* Treitschke,1835
- 1000) *Atholus bimaculatus* (Linnaeus,1758)** (Histeridae) Synonym(s): *bimaculatus* Linnaeus,1758
- 1001) *Atholus corvinus* (Germar,1817)** (Histeridae) Synonym(s): *corvinus* Germar,1817
- 1002) *Atholus duodecimstriatus* (Schrank,1781)** (Histeridae) Synonym(s): *duodecimstriatus* Schrank,1781
- 1003) *Athous (Euplathous) proximus* (Hampe,1864)** (Elateridae) Synonym(s): *proximus* Hampe,1864
- 1004) *Athous (Haplathous) marginicollis* Reitter,1890** (Elateridae) Synonym(s): *marginicollis* Reitter,1890
- 1005) *Athous (Orthathous) acutangulus* Fairmaire,1866** (Elateridae) Synonym(s): *acutangulus* Fairmaire,1866; *thessalicus* Reiche,1869
- 1006) *Athous (Orthathous) epirus* Stierlin,1875** (Elateridae) Synonym(s): *epirus* Stierlin,1875
- 1007) *Athous (Orthathous) graecus* Platia,1989** (Elateridae) Synonym(s): *graecus* Platia,1989
- 1008) *Athous (s.str.) belloi* Platia & Gudenzi,1985** (Elateridae) Synonym(s): *belloi* Platia & Gudenzi,1985
- 1009) *Athous (s.str.) vittatus* (Fabricius,1792)** (Elateridae) Synonym(s): *vittatus* Gmelin,1790; *vittatus* Fabricius,1792
- 1010) *Athrips amoenella* (Frey,1882)** (Gelechiidae) Synonym(s): *amoenella* Frey,1882; *#allgunnensis* Svensson,1993
- 1011) *Athrips nigricostella* (Duponchel,1842)** (Gelechiidae) Synonym(s): *nigricostella* Duponchel,1842
- 1012) *Athrips rancidella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *rancidella* Herrich-Schäffer,[1854]; *triatomaea* Mühlhig,1864; *vepretella* Zeller,1870; *superfetella* Peyerimhoff,1877; *cotoneastri* Busck,1934; *cerasivorella* Kuznetsov,1960.
- 1013) *Athyrcia impressa* (van der Wulp,1869)** (Tachinidae) Synonym(s): *impressa* van der Wulp,1869
- 1014) *Atranus ruficollis* Gautier des Cottés,1858** (Carabidae) Synonym(s): *ruficollis* Gautier des Cottés,1858
- 1015) *Atrichopogon flavolineatus* (Strobl,1880)** (Ceratopogonidae) Synonym(s): *flavolineatus* Strobl,1880; *trifasciatus* Kieffer,1918
- 1016) *Atrichopogon rostratus* (Winnertz,1852)** (Ceratopogonidae) Synonym(s): *rostratus* Winnertz,1852; *transversalis* Kieffer,1918; *ventralis* Kieffer,1918; *homopterus* Kieffer,1919; *coracellus* Kieffer,1919; *nigriventris* Kieffer,1919; *putredinis* Kieffer,1922
- 1017) *Atricops apollinis* Lindler,1923** (Athericidae) Synonym(s): *apollinis* Lindler,1923
- 1018) *Attalus sicanus* Erichson,1840** (Melyridae) Synonym(s): *sicanus* Erichson,1840; *testaceipes* Pic,1903
- 1019) *Attelabus sulcifrons* (Argod,1895)** (Attelabidae) Synonym(s): *sulcifrons* Argod,1895
- 1020) *Atylotus latistriatus* Brauer,1879** (Tabanidae) Synonym(s): *latistriatus* Brauer,1879; *nigrifacies* Gobert,1880
- 1021) *Atylotus loewianus* (Villeneuve,1920)** (Tabanidae) Synonym(s): *loewianus* Villeneuve,1920; *znojkoii* Olsufjev,1937
- 1022) *Atypha pulmonaris* (Esper,[1790])** (Noctuidae) Synonym(s): *pulmonaris* Esper,[1790]
- 1023) *Auchenodes costalis* (Lethierry,1877)** (Lygaeidae) Synonym(s): *costalis* Lethierry,1877
- 1024) *Auchmis (s.str.) detersa* (Esper,[1791])** (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller],1775; *detersa* Esper,[1791]
- 1025) *Augasma aeratellum* (Zeller,1839)** (Coleophoridae) Synonym(s): *aeratellum* Zeller,1839
- 1026) *Auletobius politus* Voss,1934** (Attelabidae) Synonym(s): *politus* Voss,1934
- 1027) *Auletobius pubescens* (Kiesenwetter,1852)** (Attelabidae) Synonym(s): *pubescens* Kiesenwetter,1852; *cisticola* Fairmaire,1859; *subplumbeus* Chevrolat,1860
- 1028) *Austroagallia sinuata* (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *sinuata* Mulsant & Rey,1855; *quadrisignata* Flor,1861; *homeyeri* Kirschbaum,1868; *feiberi* Vismara,1878; *laevis* Bergevin,1934; *zachvatkini* Vilbaste,1961; *nasti* Dlabola,1964; *deserticola* Dlabola,1964; *afghanistanensis* Kameswara Rao, Ramakrishnan & Ghai,1979
- 1029) *Austrolimnophila (s.str.) brevicellula* Stary,1977** (Limoniidae) Synonym(s): *brevicellula* Stary,1977
- 1030) *Autographa gamma* (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992.
- 1031) *Autographa jota* (Linnaeus,1758)** (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaaurina* Haworth,1809; *percontationis* Ochsenheimer,1816; *aurigutta* Hübner,[1821]; *ancora* Freyer,1832; *bartholomaei* Ménétériés,1859; *anatolica* Schwingenschuss,1938
- 1032) *Autographa pulchrina* (Haworth,1809)** (Noctuidae) Synonym(s): *pulchrina* Haworth,1809; *v-aureum* Guenée,1852; *percontratrix* Auriwillius,1891
- 1033) *Autophila (Cheirophanes) anaphanes* Boursin,1940** (Noctuidae) Synonym(s): *anaphanes* Boursin,1940
- 1034) *Autophila (Cheirophanes) ligaminosa* (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904.
- 1035) *Autophila (s.str.) asiatica* (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1888

- 1036) Autophila (s.str.) dilucida (Hübner,[1808])** (Noctuidae) Synonym(s): *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniccki* Reisser,1958.
- 1037) Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962.
- 1038) Autophila (s.str.) limbata (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871
- 1039) Autophila (s.str.) rosea (Staudinger,1888)** (Noctuidae) Synonym(s): *rosea* Staudinger,1888
- 1040) Avaria hyerana (Millière,1858)** (Tortricidae) Synonym(s): *hyerana* Millière,1858; *reynana* Staudinger,1861; *lithosiana* Kennel,1899; *#alpha* Chapman,1906; *marginata* Chapman,1906
- 1041) Axia (s.str.) nesiota Reisser,1962** (Cimeliidae) Synonym(s): *nesiota* Reisser,1962
- 1042) Axinopalpis gracilis (Krynicky,1832)** (Cerambycidae) Synonym(s): *gracilis* Krynicky,1832
- 1043) Axylia putris (Linnaeus,1761)** (Noctuidae) Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *pallium* Villers,1789; *lignosa* Hübner,[1803]; *mundipennis* W.Warren,1912
- 1044) Aylax hypecoi Trotter,1913** (Cynipidae) Synonym(s): *hypecoi* Trotter,1913; *spirohynchusii* Diakontshuk,1990
- 1045) Azelia nebulosa R-D.,1830** (Muscidae) Synonym(s): *nebulosa* R-D.,1830; *macquarti* Staeger,1843
- 1046) Bactra (Chiloides) venosana (Zeller,1847)** (Tortricidae) Synonym(s): *venosana* Zeller,1847; *truculenta* Meyrick,1909; *scythropa* Meyrick,1911; *geraropa* Meyrick,1932; *banosii* Gozmany,1960
- 1047) Bactra (s.str.) bactrana (Kennel,1901)** (Tortricidae) Synonym(s): *bactrana* Kennel,1901; *cyperana* Amsel,1951; *mediterranea* Agenjo,1952.
- 1048) Bactra (s.str.) furfurana (Haworth,[1811])** (Tortricidae) Synonym(s): *furfurana* Haworth,[1811]; *gozmaniana* Toll,1958
- 1049) Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolana* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852
- 1050) Bagrada (Nitilia) abeillei Puton,1881** (Pentatomidae) Synonym(s): *abeillei* Puton,1881; *persica* Horvath,1936; *lepida* Horvath,1936; *pallens* Kiritschenko,1966
- 1051) Bagrada stolidia (Herrich-Schäffer,1839)** (Pentatomidae) Synonym(s): *stolidia* Herrich-Schäffer,1839; *gibbicollis* Horvath,1936; *cicur* Horvath,1936; *scutellaris* Horvath,1936; *confusa* Horvath,1936; *stolata* Horvath,1936; *quadrinaculata* Horvath,1936
- 1052) Balcanocerus larvatus (Herrich-Schäffer,1835)** (Cicadellidae) Synonym(s): *exaltata* Fabricius,1803 (*praeocc.*); *notata* Fabricius,1803 (*praeocc.*); *larvatus* Herrich-Schäffer,1835
- 1053) Balclutha hebe (Kirkaldy,1906)** (Cicadellidae) Synonym(s): *hebe* Kirkaldy,1906; *hortensis* Lindberg,1948; *virescens* Haupt,1927
- 1054) Balclutha punctata (Fabricius,1775)** (Cicadellidae) Synonym(s): *punctata* Fabricius,1775; *tricolor* Gmelin,1790; *clypeata* Curtis,1837; *spretia* Zetterstedt,1840; *confluens* Rey,1894; *impunctatus* Rey,1894; *lineolatus* Horvath,1904; *thalassicus* Siderski,1937; *taunica* Wagner,1939; *langi* Dlabola,1944; *sagittaria* Ribaut,1952
- 1055) Baryphora speciosa Loew,1844** (Therevidae) Synonym(s): *speciosa* Loew,1844
- 1056) Basilia mongolensis Theodor,1966** (Nycteribiidae) Synonym(s): *mongolensis* Theodor,1966
- 1057) Basistriga flammata ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammata* [Denis & Schiffermüller],1775; *bimaculata* Millière,1885.
- 1058) Bassus graecus Achterberg,1992** (Braconidae) Synonym(s): *graecus* Achterberg,1992
- 1059) Batia lambdella (Donovan,1793)** (Oecophoridae) Synonym(s): *lambdella* Donovan,1793
- 1060) Batia lunaris (Haworth,[1828])** (Oecophoridae) Synonym(s): *lunaris* Haworth,[1828]
- 1061) Batia lutosella Jäckh,1972** (Oecophoridae) Synonym(s): *lutosella* Jäckh,1972
- 1062) Batophila olexai Kral,1964** (Chrysomelidae) Synonym(s): *olexai* Kral,1964
- 1063) Batrachedra parvulipunctella Chrétien,1915** (Batrachedridae) Synonym(s): *parvulipunctella* Chrétien,1915; *phragmitidella* Mariani,1936
- 1064) Baumhaueria microps Mesnil,1963** (Tachinidae) Synonym(s): *microps* Mesnil,1963
- 1065) Beckerellus androgynus (Loew,1855)** (Bombyliidae) Synonym(s): *androgynus* Loew,1855
- 1066) Bedellia somnulentella (Zeller,1847)** (Lyonetiidae) Synonym(s): *somnulentella* Zeller,1847; *orpheella* Stainton,1849; *convolutella* Heydenreich,1851; *staintoniella* Clemens,1860; *mnesileuca* Meyrick,1928; *ipomoeae* Bradley,1953
- 1067) Behounekia freyeri (Frivaldsky,1835)** (Noctuidae) Synonym(s): *freyeri* Frivaldsky,1835; *lintea* Freyer,1842; *orontii* Herrich-Schäffer,[1851]; *senescens* Eversmann,1856; *#linthea* Lederer,1870
- 1068) Belaspidia obscura Masi,1916** (Chalcididae) Synonym(s): *obscura* Masi,1916; *meridionalis* Steffan,1951
- 1069) Bellardia tatica (Enderlein,1933)** (Calliphoridae) Synonym(s): *tatica* Enderlein,1933
- 1070) Bembecia albanensis (Rebel,1918)** (Sesiidae) Synonym(s): *albanensis* Rebel,1918; *corcyrensis* Rebel,1918; *kalavrytana* Sheljuzhko,1924
- 1071) Bembecia fokidensis Tosevski,1991** (Sesiidae) Synonym(s): *fokidensis* Tosevski,1991
- 1072) Bembecia ichneumoniformis ([Denis & Schiffermüller],1775)** (Sesiidae) Synonym(s): *#ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *systrophaeformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910
- 1073) Bembecia lomataeformis Lederer,1853** (Sesiidae) Synonym(s): *lomataeformis* Lederer,1853
- 1074) Bembecia megillaeformis (Hübner,[1813])** (Sesiidae) Synonym(s): *megillaeformis* Hübner,[1813]; *megilliformis* Staudinger,1856
- 1075) Bembecia pavicevici Tosevski,1989** (Sesiidae) Synonym(s): *pavicevici* Tosevski,1989
- 1076) Bembecia priesneri Kallies et al.,1998** (Sesiidae) Synonym(s): *priesneri* Kallies et al.,1998
- 1077) Bembecia puella Z.Lastuvka,1989** (Sesiidae) Synonym(s): *puella* Z.Lastuvka,1989; *daghestanica* Gorbunov,1991; *aladagica* Gorbunov & K. Spatenka,2001
- 1078) Bembecia sanguinolenta (Lederer,1853)** (Sesiidae) Synonym(s): *sanguinolenta* Lederer,1853
- 1079) Bembecia scopigera (Scopoli,1763)** (Sesiidae) Synonym(s): *scopigera* Scopoli,1763; *communis* Le Cerf,1920
- 1080) Bembecia uroceriformis (Treitschke,1834)** (Sesiidae) Synonym(s): *uroceriformis* Treitschke,1834; *mamertina* Zeller,1847; *monedulaeformis* Rambur,1866; *athaliaeformis* Boisduval,[1875]; *armoricana* Oberthür,1907; *atlantica* Le Cerf,1920; *nigricornis* Mariani,1937
- 1081) Bembecinus cyprius De Beaumont,1954** (Crabronidae) Synonym(s): *cyprius* De Beaumont,1954
- 1082) Bembecinus hungaricus (Frivaldsky,1876)** (Crabronidae) Synonym(s): *hungaricus* Frivaldsky,1876
- 1083) Bembecinus meridionalis A.Costa,1859** (Crabronidae) Synonym(s): *meridionalis* A.Costa,1859
- 1084) Bembecinus rhodius De Beaumont,1960** (Crabronidae) Synonym(s): *rhodius* De Beaumont,1960; *creticus* De Beaumont,1961

- 1085) Bembecinus tridens (Fabricius,1781)** (Crabronidae) Synonym(s): *tridens Fabricius,1781; cinctus Rossi,1790; repandus Panzer,1801; sinuatus Latreille,1805; satsumanus Sonan,1934; errans De Beaumont,1950*
- 1086) Bembidion (Chlorodium) splendidum Sturm,1825** (Carabidae) Synonym(s): *splendidum Sturm,1825*
- 1087) Bembidion (Diplocampa) fumigatum (Duftschmid,1812)** (Carabidae) Synonym(s): *fumigatum Duftschmid,1812*
- 1088) Bembidion (Emphanes) tenellum Erichson,1837** (Carabidae) Synonym(s): *tenellum Erichson,1837*
- 1089) Bembidion (Euperyphus) combustum Ménétériés,1832** (Carabidae) Synonym(s): *combustum Ménétériés,1832*
- 1090) Bembidion (Metallina) lampros (Herbst,1784)** (Carabidae) Synonym(s): *lampros Herbst,1784*
- 1091) Bembidion (Metallina) properans (Stephens,1828)** (Carabidae) Synonym(s): *properans Stephens,1828*
- 1092) Bembidion (Microserrullula) quadricolle (Motschoulsky,1844)** (Carabidae) Synonym(s): *quadricolle Motschoulsky,1844*
- 1093) Bembidion (Neja) leucoscelis Chaudoir,1850** (Carabidae) Synonym(s): *leucoscelis Chaudoir,1850*
- 1094) Bembidion (Neja) sporadicum Sahlberg,1903** (Carabidae) Synonym(s): *sporadicum Sahlberg,1903*
- 1095) Bembidion (Nepha) caucasicum (Motschoulsky,1844)** (Carabidae) Synonym(s): *caucasicum Motschoulsky,1844*
- 1096) Bembidion (Nepha) retipenne J.Müller,1918** (Carabidae) Synonym(s): *retipenne J.Müller,1918*
- 1097) Bembidion (Nepha) rufimacula J.Müller,1918** (Carabidae) Synonym(s): *rufimacula J.Müller,1918*
- 1098) Bembidion (Nepha) turcicum Gemminger & Harold,1868** (Carabidae) Synonym(s): *versicolor Jacquelin du Val,1852 nec LeConte,1848; turcicum Gemminger & Harold,1868 nec Ganglb.,1891*
- 1099) Bembidion (Nepha) vseteckai Maran,1936** (Carabidae) Synonym(s): *vseteckai Maran,1936*
- 1100) Bembidion (Notaphemphanes) ephippium (Marsham,1802)** (Carabidae) Synonym(s): *ephippium Marsham,1802*
- 1101) Bembidion (Notaphocampa) niloticum Dejean,1831** (Carabidae) Synonym(s): *niloticum Dejean,1831*
- 1102) Bembidion (Notaphus) varium (Olivier,1795)** (Carabidae) Synonym(s): *varium Olivier,1795*
- 1103) Bembidion (Ocydromus) atlanticum Wollaston,1854** (Carabidae) Synonym(s): *atlanticum Wollaston,1854*
- 1104) Bembidion (Ocydromus) cordicolle Jacquelin du Val,1852** (Carabidae) Synonym(s): *cordicolle Jacquelin du Val,1852; veldkampii Kirschenhofer,1994*
- 1105) Bembidion (Ocydromus) decorum (Panzer,1799)** (Carabidae) Synonym(s): *decorum Panzer,1799*
- 1106) Bembidion (Ocyturanus) praeustum Dejean,1831** (Carabidae) Synonym(s): *praeustum Dejean,1831*
- 1107) Bembidion (Ocyturanus) signatipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *signatipenne Jacquelin du Val,1852*
- 1108) Bembidion (Peryphanes) castaneipenne Jacquelin du Val,1852** (Carabidae) Synonym(s): *castaneipenne Jacquelin du Val,1852*
- 1109) Bembidion (Peryphanes) dalmatinum Dejean,1831** (Carabidae) Synonym(s): *dalmatinum Dejean,1831*
- 1110) Bembidion (Peryphanes) stephensii Crotch,1866** (Carabidae) Synonym(s): *stephensii Crotch,1866*
- 1111) Bembidion (Peryphanes) femoratum Sturm,1825** (Carabidae) Synonym(s): *femoratum Sturm,1825*
- 1112) Bembidion (Philochthus) lunulatum Geoffroy,1785** (Carabidae) Synonym(s): *lunulatum Geoffroy,1785*
- 1113) Bembidion (Phyla) liliputanum (J.Sahlberg,1908)** (Carabidae) Synonym(s): *liliputanum J.Sahlberg,1908*
- 1114) Bembidion (Phyla) phoeniceum Huber & Marggi,1997** (Carabidae) Synonym(s): *phoeniceum Huber & Marggi,1997*
- 1115) Bembidion (Princidium) punctulatum Drapiez,1820** (Carabidae) Synonym(s): *punctulatum Drapiez,1820*
- 1116) Bembidion (s.str.) quadripustulatum Audinet-Serville,1821** (Carabidae) Synonym(s): *quadripustulatum Audinet-Serville,1821*
- 1117) Bembidion (Talanus) subfasciatum Chaudoir,1850** (Carabidae) Synonym(s): *subfasciatum Chaudoir,1850*
- 1118) Bembidion (Testedium) bipunctatum (Linnaeus,1761)** (Carabidae) Synonym(s): *bipunctatum Linnaeus,1761*
- 1119) Bembidion (Trepanus) octomaculatum (Goeze,1777)** (Carabidae) Synonym(s): *octomaculatum Goeze,1777*
- 1120) Bembidion concoeruleum Netolitzky,1943** (Carabidae) Synonym(s): *concoeruleum Netolitzky,1943*
- 1121) Bembidion tibiale (Duftschmid,1812)** (Carabidae) Synonym(s): *tibiale Duftschmid,1812*
- 1122) Bembix bicolor (Radoszkowski,1877)** (Crabronidae) Synonym(s): *bicolor Radoszkowski,1877; femoralis Radoszkowski,1877; bipunctata Radoszkowski,1877; barbiventris Morawitz,1889*
- 1123) Bembix oculata (Panzer,1801)** (Crabronidae) Synonym(s): *oculata Panzer,1801; latreillii Lepeletier,1845; neglecta Dahlbom,1845; ocellata Dahlbom,1845; panzeri Handlirsch,1893; hispanica Mercet,1904; ebusiana Giner Mari,1934;*
- 1124) Bembix olivacea Fabricius,1787** (Crabronidae) Synonym(s): *olivacea Fabricius,1787; senilis Fabricius,1804; notata Dahlbom,1845; mediterranea Handlirsch,1893; maroccana Mercet,1905; pardoi Giner Mari,1945*
- 1125) Bembix pallida Radoszkowski,1877** (Crabronidae) Synonym(s): *pallida Radoszkowski,1877*
- 1126) Bembix turca Dahlbom,1845** (Crabronidae) Synonym(s): *turca Dahlbom,1845 melaena Smith,1856*
- 1127) Bena bicolorana (Fuessly,1775)** (Noctuidae) Synonym(s): *prasinana auct. nec Linn.,1758; bicolorana Fuessly,1775; quercana Denis & Schiffermüller,1775; conspersa W. Warren,1913.*
- 1128) Besseria lateritia (Meigen,1824)** (Tachinidae) Synonym(s): *lateritia Meigen,1824*
- 1129) Betheron bisbimaculatus (Fabricius,1803)** (Elateridae) Synonym(s): *bisbimaculatus Fabricius,1803*
- 1130) Bibio femoralis Meigen,1818** (Bibionidae) Synonym(s): *femoralis Meigen,1818; globuliceps Loew,1846*
- 1131) Bibio graecus Duda,1930** (Bibionidae) Synonym(s): *graecus Duda,1930*
- 1132) Bibio hortulanus (Linnaeus,1758)** (Bibionidae) Synonym(s): *hortulanus Linnaeus,1758; citrius Harris,1776; hirtipes Loew,1846; hispanicus Duda,1930; major Duda,1930*
- 1133) Bibio picinitarsis Brullé,1832** (Bibionidae) Synonym(s): *picinitarsis Brullé,1832*
- 1134) Bibio sculus Loew,1846** (Bibionidae) Synonym(s): *sculus Loew,1846*
- 1135) Bibloplectus hellenicus Besuchet,1955** (Staphylinidae) Synonym(s): *hellenicus Besuchet,1955*
- 1136) Bijugis bombycella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *bombycella [Denis & Schiffermüller],1775*
- 1137) Bijugis pectinella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *pectinella [Denis & Schiffermüller],1775*
- 1138) Biorhiza pallida (Olivier,1791)** (Cynipidae) Synonym(s): *pallida Olivier,1791; aptera Bosc,1791; gallaealveariformis Anthoine,1794; gallaecerebriformis Anthoine,1794; quercusterminalis Fabricius,1798; terminalis Hartig,1840; codinae Tavares,1928; hispanica Tavares,1928; lusitanica Tavares,1928*
- 1139) Biston betularius (Linnaeus,1758)** (Geometridae) Synonym(s): *betularia Linnaeus,1758; p-graecum Poda,1761; marmoraria Sepp,1792; ulmaria Borkhausen,1794; alexandrina Wehrli,1941.*
- 1140) Bithia acanthophora (Rondani,1861)** (Tachinidae) Synonym(s): *acanthophora Rondani,1861*
- 1141) Bithia ancyrensis (Villeneuve,1942)** (Tachinidae) Synonym(s): *ancyrensis Villeneuve,1942*
- 1142) Bithia demotica (Egger,1861)** (Tachinidae) Synonym(s): *demotica Egger,1861*
- 1143) Bithia golanensis (Kugler,1971)** (Tachinidae) Synonym(s): *golanensis Kugler,1971*
- 1144) Bithia modesta (Meigen,1824)** (Tachinidae) Synonym(s): *modesta Meigen,1824*
- 1145) Bittacus italicus (O.F.Müller,1766)** (Bittacidae) Synonym(s): *italicus O.F.Müller,1766; tipularia Fabricius,1775; tipuloides Schrank,1776*

- 1146) Blacus (Ganychorus) ruficornis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *ruficornis* Nees ab Esenbeck,1811
- 1147) Blacus (s.str.) bovistae (Haeselbarth,1973)** (Braconidae) Synonym(s): *bovistae* Haeselbarth,1973
- 1148) Blacus (s.str.) exilis (Nees ab Esenbeck,1811)** (Braconidae) Synonym(s): *exilis* Nees ab Esenbeck,1811; *lactucaphis* Fitch,1855; *pallipes* Förster,1862; *propallipes* Shenefelt,1969; *intermedius* Janzon,1975
- 1149) Blacus (s.str.) stelfoxi Haeselbarth,1973** (Braconidae) Synonym(s): *stelfoxi* Haeselbarth,1973
- 1150) Blaesoxipha erythrura (Meigen,1826)** (Sarcophagidae) Synonym(s): *erythrura* Meigen,1826; *crocata* R-D.,1830; *agilis* R-D.,1830; *riparia* R-D.,1830; *clinalis* R-D.,1830; *erythrocerca* R-D.,1863; *egena* R-D.,1863; *gagatea* R-D.,1863; *luteicauda* R-D.,1863; *aurea* R-D.,1863; *strenua* R-D.,1863; *silantjevi* Rohdendorf,1937
- 1151) Blakeius bipunctatus (Latreille,1792)** (Mutillidae) Synonym(s): *bipunctatus* Latreille,1792; *angusticollis* Spinola,1843; *tuberculata* Lepeletier,1845; *bituberculata* Smith,1855; *erythrothorax* Sichel & Radoszowski,1870; *cobosi* Suarez,1958
- 1152) Blaps graeca Solier,1848** (Tenebrionidae) Synonym(s): *graeca* Solier,1848
- 1153) Blastobasis phycidella (Zeller,1839)** (Blastobasidae) Synonym(s): *phycidella* Zeller,1839; *roscidella* Zeller,1847
- 1154) Blastodaena atra (Haworth,[1828])** (Agonoxenidae) Synonym(s): *atra* Haworth,[1828]; *putripenella* Zeller,1839
- 1155) Blastodaena hellerella (Duponchel,1838)** (Agonoxenidae) Synonym(s): *hellerella* Duponchel,1838
- 1156) Blastodaena vinolentella (Herrich-Schäffer,[1854])** (Agonoxenidae) Synonym(s): *vinolentella* Herrich-Schäffer,[1854]
- 1157) Blastothrix sericea (Dalman,1820)** (Encyrtidae) Synonym(s): *sericea* Dalman,1820; *saccas* Walker,1851; *coryli* Alam,1961
- 1158) Blepharicera fasciata (Westwood,1842)** (Blephariceridae) Synonym(s): *fasciata* Westwood,1842
- 1159) Blepharita satura ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *satura* [Denis & Schiffermüller],1775
- 1160) Blissus putoni Jakovlev,1875** (Lygaeidae) Synonym(s): *putoni* Jakovlev,1875
- 1161) Blitopertha (s.str.) lineolata (Fischer von Waldheim,1824)** (Scarabaeidae) Synonym(s): *lineolata* Fischer von Waldheim,1824
- 1162) Blitopertha (Trichopertha) hirtella (Brullé,1832)** (Scarabaeidae) Synonym(s): *hirtella* Brullé,1832
- 1163) Boloria (Clossiana) dia (Linnaeus,1767)** (Argynnidae) Synonym(s): *dia* Linnaeus,1767; *diniensis* Fruhstorfer,1909; *leonina* Fruhstorfer,1909; *disconota* Krulikowsky,1909; *laetior* Verity,1919.
- 1164) Boloria (Clossiana) euphrosyne (Linnaeus,1758)** (Argynnidae) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *finjal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc.
- 1165) Boloria (s.str.) graeca (Staudinger,1870)** (Argynnidae) Synonym(s): *graeca* Staudinger,1870
- 1166) Bombomyia discoidea (Fabricius,1794)** (Bombyliidae) Synonym(s): *analisis* Fabricius,1794 nec Oliv.,1789; *discoidea* Fabricius,1794; *charopus* Lichtenstein,1796; *thoracicus* Fabricius,1805; *analisis* Thunberg,1827; *trichromus* Paramonov,1955
- 1167) Bombomyia vertebralis (Dufour,1833)** (Bombyliidae) Synonym(s): *punctatus* Fabricius,1794 nec De Geer,1776; *#perlatus* Pallas,1818; *#maximus* Wiedemann,1818; *#hemipterus* Pallas,1818; *vertebralis* Dufour,1833; *sticticus* Boisduval,1835; *subluna* Walker,1849
- 1168) Bombus (Megabombus) armeniacus (Radoszkowski,1877)** (Apidae) Synonym(s): *armeniaceus* Radoszkowski,1877; *scythes* Skorikov,1925
- 1169) Bombus (s.str.) lucorum Linnaeus,1761** (Apidae) Synonym(s): *lucorum* Linnaeus,1761; *cryptarum* Fabricius,1775; *lucocryptarum* Ball,1914; *magnus* Alford,1975
- 1170) Bombus (s.str.) terrestris Linnaeus,1758** (Apidae) Synonym(s): *terrestris* Linnaeus,1758; *cullumanus* Kirby,1802; *audax* Harris,1870; *silantjewei* Morawitz,1892; *holsaticus* Krüger,1954
- 1171) Bombyliella atra (Scopoli,1763)** (Bombyliidae) Synonym(s): *ater* Scopoli,1763; *#quartus* Schaeffer,1768; *uralensis* Gmelin,1790; *barbulus* Pallas,1818; *lugubris* Loew,1855
- 1172) Bombylisoma brevisculum (Loew,1855)** (Bombyliidae) Synonym(s): *breviusculum* Loew,1855
- 1173) Bombylisoma croaticum (Kertész,1901)** (Bombyliidae) Synonym(s): *barbula* Loew,1855 nec Pall.,1818; *croaticum* Kertész,1901
- 1174) Bombylisoma flavibarbum (Loew,1855)** (Bombyliidae) Synonym(s): *flavibarbum* Loew,1855; *brevirostratus* Austen,1937
- 1175) Bombylisoma imitator (Loew,1855)** (Bombyliidae) Synonym(s): *imitator* Loew,1855
- 1176) Bombylisoma minimum (Scopoli,1771)** (Bombyliidae) Synonym(s): *minimum* Scopoli,1771; *minus* Schrank,1781; *flavus* Meigen,1804
- 1177) Bombylisoma nigriceps (Loew,1862)** (Bombyliidae) Synonym(s): *nigriceps* Loew,1862; *nigricephalus* Séguy,1926
- 1178) Bombylisoma simulator (Loew,1855)** (Bombyliidae) Synonym(s): *simulator* Loew,1855
- 1179) Bombylisoma unicolor (Loew,1855)** (Bombyliidae) Synonym(s): *unicolor* Loew,1855
- 1180) Bombylius (s.str.) ambustus Pallas,1818** (Bombyliidae) Synonym(s): *ambustus* Pallas,1818; *dispar* Meigen,1820
- 1181) Bombylius (s.str.) canescens Mikan,1796** (Bombyliidae) Synonym(s): *canescens* Mikan,1796; *cinereus* Meigen,1804; *variabilis* Loew,1855
- 1182) Bombylius (s.str.) cinerascens Mikan,1796** (Bombyliidae) Synonym(s): *cinerascens* Mikan,1796; *floralis* Meigen,1820
- 1183) Bombylius (s.str.) citrinus Loew,1855** (Bombyliidae) Synonym(s): *citrinus* Loew,1855
- 1184) Bombylius (s.str.) discolor Mikan,1796** (Bombyliidae) Synonym(s): *discolor* Mikan,1796
- 1185) Bombylius (s.str.) fimbriatus Meigen,1820** (Bombyliidae) Synonym(s): *fimbriatus* Meigen,1820; *dimidiatus* Wiedemann,1820; *ventralis* Loew,1855; *debilis* Loew,1855; *expleta* Loew,1855
- 1186) Bombylius (s.str.) floccosus Loew,1857** (Bombyliidae) Synonym(s): *floccosus* Loew,1857; *nigropenicillatus* Bigot,1892
- 1187) Bombylius (s.str.) fulvescens Wiedemann,1820** (Bombyliidae) Synonym(s): *fulvescens* Wiedemann,1820; *apicalis* Meigen,1820
- 1188) Bombylius (s.str.) fuscus Fabricius,1781** (Bombyliidae) Synonym(s): *fuscus* Fabricius,1781
- 1189) Bombylius (s.str.) kutshurganicus Paramonov,1926** (Bombyliidae) Synonym(s): *kutshurganicus* Paramonov,1926
- 1190) Bombylius (s.str.) major Linnaeus,1758** (Bombyliidae) Synonym(s): *major* Linnaeus,1758; *anonymus* Sulzer,1761; *variegatus* De Geer,1776; *aequalis* Fabricius,1781; *lanigerus* Geoffroy,1785; *sinuatus* Mikan,1796; *fratellus* Wiedemann,1828; *consanguineus* Macquart,1840; *vicinus* Macquart,1840; *albipectus* Macquart,1855; *basilinea* Loew,1855; *australis* Loew,1855; *antennoreus* Lioy,1864; *notialis* Evenhuis,1978
- 1191) Bombylius (s.str.) medius Linnaeus,1758** (Bombyliidae) Synonym(s): *medius* Linnaeus,1758; *punctatus* De Geer,1776; *concolor* Mikan,1796; *discolor* Meigen,1804; *tectus* panzer,1804; *intermedius* Walker,1849; *albomicans* Loew,1855; *pictipennis* Loew,1855; *pallipes* Loew,1855; *dalmatina* Strobl,1902 nec Lw.,1855; *poecilopterus* Bezzi,1925; *caucasicus* Paramonov,1940; *varipennis* Evenhuis,1978

- 1192) Bombylius (s.str.) minor Linnaeus, 1758** (Bombyliidae) Synonym(s): *minor* Linnaeus, 1758; *dilutus* Wiedemann, 1820; *subcinctus* Wiedemann, 1820; *allibarbis* Zetterstedt, 1842; *flavescens* Palm, 1876; *ochraceus* paramonov, 1926 nec Big., 1892; *moldavanicus* Paramonov, 1926; *luteolus* Evenhuis, 1978; *thapsinoides* Evenhuis, 1978
- 1193) Bombylius (s.str.) modestus Loew, 1873** (Bombyliidae) Synonym(s): *modestus* Loew, 1873
- 1194) Bombylius (s.str.) mus Bigot, 1862** (Bombyliidae) Synonym(s): *mus* Bigot, 1862; *argentifrons* Loew, 1873; *similis* Loew, 1873
- 1195) Bombylius (s.str.) niveus Meigen, 1804** (Bombyliidae) Synonym(s): *niveus* Meigen, 1804
- 1196) Bombylius (s.str.) nubilus Mikan, 1796** (Bombyliidae) Synonym(s): *nubilus* Mikan, 1796; *pilirostris* Loew, 1855; *monticola* Paramonov, 1926; *algericus* Villeneuve, 1932
- 1197) Bombylius (s.str.) obliquus Brullé, 1833** (Bombyliidae) Synonym(s): *obliquus* Brullé, 1833
- 1198) Bombylius (s.str.) pallens Wiedemann, 1820** (Bombyliidae) Synonym(s): *pallens* Wiedemann, 1820
- 1199) Bombylius (s.str.) pallidicruris Brullé, 1833** (Bombyliidae) Synonym(s): *pallidicruris* Brullé, 1833
- 1200) Bombylius (s.str.) posticus Fabricius, 1805** (Bombyliidae) Synonym(s): *micans* Meigen, 1804 nec Fabr., 1798; *posticus* Fabricius, 1805; *vulpinus* Wiedemann, 1820; *fugax* Wiedemann, 1820; *tibialis* Walker, 1849; *desertorum* Paramonov, 1926; *palaestinus* Paramonov, 1926
- 1201) Bombylius (s.str.) pumilus Meigen, 1820** (Bombyliidae) Synonym(s): *pumilus* Meigen, 1820
- 1202) Bombylius (s.str.) punctipennis Loew, 1855** (Bombyliidae) Synonym(s): *punctipennis* Loew, 1855
- 1203) Bombylius (s.str.) rhodius Loew, 1855** (Bombyliidae) Synonym(s): *rhodius* Loew, 1855
- 1204) Bombylius (s.str.) semifuscus Meigen, 1820** (Bombyliidae) Synonym(s): *semifuscus* Meigen, 1820; *senilis* Jaennicke, 1867 nec Fabr., 1794; *nigripes* Strobl, 1898 nec Macq., 1834
- 1205) Bombylius (s.str.) shelkovnikovi Paramonov, 1926** (Bombyliidae) Synonym(s): *shelkovnikovi* Paramonov, 1926
- 1206) Bombylius (s.str.) trichurus Pallas, 1818** (Bombyliidae) Synonym(s): *trichurus* Pallas, 1818; *fuliginosus* Wiedemann, 1820; *brevirostris* Meigen, 1830 nec Oliv., 1789; *rhodius* Loew, 1855; *capillatus* Palm, 1876; *taurizi* Paramonov, 1926
- 1207) Bombylius (s.str.) venosus Mikan, 1796** (Bombyliidae) Synonym(s): *venosus* Mikan, 1796; *holosericeus* Wiedemann, 1820; *longirostris* Meigen, 1820; *pusillus* Meigen, 1830
- 1208) Bombylius (Zephyrectes) cinerarius Pallas, 1818** (Bombyliidae) Synonym(s): *cinerarius* Pallas, 1818; *eversmanni* Paramonov, 1926; *karelini* Paramonov, 1926; *pallasi* Paramonov, 1926
- 1209) Bombylius (Zephyrectes) cruciatus Fabricius, 1798** (Bombyliidae) Synonym(s): *cruciatus* Fabricius, 1798; *leucopogon* Meigen, 1804
- 1210) Bombylius (Zephyrectes) quadrifarius Loew, 1855** (Bombyliidae) Synonym(s): *quadrifarius* Loew, 1855
- 1211) Boreophila manualis (Geyer, [1832])** (Pyralidae) Synonym(s): *manualis* Geyer, [1832]
- 1212) Borkhausenia minutella (Linnaeus, 1758)** (Oecophoridae) Synonym(s): *minutella* Linnaeus, 1758
- 1213) Bostrichus capucinus (Linnaeus, 1758)** (Bostrichidae) Synonym(s): *capucinus* Linnaeus, 1758; *ruber* Geoffroy, 1785; *luctuosus* Olivier, 1790; *nigriventris* Lucas, 1843; *rubriventris* Zoufal, 1894
- 1214) Brachemys brevipennis (Laporte de Castelnau, 1836)** (Melyridae) Synonym(s): *brevipennis* Laporte de Castelnau, 1836
- 1215) Brachinus (Brachynidius) bodemeyeri Apfelbeck, 1904** (Carabidae) Synonym(s): *bodemeyeri* Apfelbeck, 1904; *fulviventris* Jeannel, 1962 nec Mtsch., 1864
- 1216) Brachinus (Brachynidius) brevicollis Motschoulsky, 1844** (Carabidae) Synonym(s): *brevicollis* Motschoulsky, 1844; *peregrinus* Apfelbeck, 1904
- 1217) Brachinus (Brachynidius) explodens (Duftschmid, 1812)** (Carabidae) Synonym(s): *explodens* Duftschmid, 1812
- 1218) Brachinus (Brachynidius) nigricornis Gebler, 1829** (Carabidae) Synonym(s): *nigricornis* Gebler, 1829; *incertus* Brullé, 1834
- 1219) Brachinus (s.str.) alexandri F. Battoni, 1984** (Carabidae) Synonym(s): *plagiatus* Jablonkoff & Khnzorian, 1973 nec Reiche, 868; *alexandri* F. Battoni, 1984
- 1220) Brachinus (s.str.) crepitans (Linnaeus, 1758)** (Carabidae) Synonym(s): *crepitans* Linnaeus, 1758
- 1221) Brachinus (s.str.) ejaculans Fischer von Waldheim, 1828** (Carabidae) Synonym(s): *ejaculans* Fischer von Waldheim, 1828
- 1222) Brachinus (s.str.) psophia Audinet-Serville, 1821** (Carabidae) Synonym(s): *psophia* Audinet-Serville, 1821; *elegans* Chaudoir, 1842
- 1223) Brachmia blandella (Fabricius, 1798)** (Gelechiidae) Synonym(s): *blandella* Fabricius, 1798; *gerronella* Zeller, 1850
- 1224) Brachodes appendiculata (Esper, [1783])** (Brachodidae) Synonym(s): *appendiculata* Esper, [1783]; *vahlana* Fabricius, 1787; *saldonana* Fabricius, 1787; *chimaera* Hübner, 1796; *lucida* Lederer, 1853; *powelli* Oberthür, 1922; *gerassimovii* Kozhantschikov, 1923
- 1225) Brachodes nana (Treitschke, 1834)** (Brachodidae) Synonym(s): *nana* Treitschke, 1834
- 1226) Brachodes pumilus (Ochsenheimer, 1808)** (Brachodidae) Synonym(s): *pumila* Ochsenheimer, 1808
- 1227) Brachycaudus (Appelia) tragopogonis (Kaltenbach, 1843)** (Aphididae) Synonym(s): *tragopogonis* Kaltenbach, 1843; *setosus* Hille Ris Lambers, 1948
- 1228) Brachyceph laetus (Herrich-Schäffer, 1835)** (Tettigometridae) Synonym(s): *laetus* Herrich-Schäffer, 1835
- 1229) Brachyceraea brevicornis (Loew, 1847)** (Conopidae) Synonym(s): *brevicornis* Loew, 1847
- 1230) Brachycerus algirus Latreille, 1807** (Brachyceridae) Synonym(s): *algirus* Latreille, 1807; *muricatus* Olivier, 1790; *planirostris* Gyllenhal, 1833; *sulcifrons* Gyllenhal, 1833; *cirrosus* Gyllenhal, 1840; *perodiosus* Gyllenhal, 1840; *semiaeneus* Desbrochers, 1871; *carinula* Rey, 1894; *exemptus* Rey, 1894; *attenuatus* Vit., 1903
- 1231) Brachycerus foveicollis Gyllenhal, 1833** (Brachyceridae) Synonym(s): *foveicollis* Gyllenhal, 1833
- 1232) Brachycerus junix Herbst, 1797** (Brachyceridae) Synonym(s): *junix* Herbst, 1797; *incertus* Desbrochers, 1871; *olivieri* Desbrochers, 1871
- 1233) Brachycerus lutosus Gyllenhal, 1833** (Brachyceridae) Synonym(s): *lutosus* Gyllenhal, 1833; *cinereus* Bedel, 1874; *graecus* Zumpt, 1937
- 1234) Brachycerus orbipennis Reiche, 1857** (Brachyceridae) Synonym(s): *orbipennis* Reiche, 1857
- 1235) Brachycerus plicatus Gyllenhal, 1833** (Brachyceridae) Synonym(s): *plicatus* Gyllenhal, 1833
- 1236) Brachycerus sinuatus Olivier, 1807** (Brachyceridae) Synonym(s): *psifernus* Thunberg, 1799; *sinuatus* Olivier, 1807; *lutulentus* Gyllenhal, 1833
- 1237) Brachycerus undatus Fabricius, 1798** (Brachyceridae) Synonym(s): *undatus* Fabricius, 1798
- 1238) Brachycoleus bolivari Horvath, 1901** (Miridae) Synonym(s): *bolivari* Horvath, 1901
- 1239) Brachygluta helferi (Schmidt-Göbl, 1836)** (Staphylinidae) Synonym(s): *helferi* Schmidt-Göbl, 1836; *longispina* Reitter, 1884
- 1240) Brachylomia viminalis (Fabricius, 1777)** (Noctuidae) Synonym(s): *viminalis* Fabricius, 1777; *stricta* Esper, [1789]; *saliceti* Borkhausen, 1792; *scripta* Hübner, [1803].

- 1241) Brachymeria femorata (Panzer,1801)** (Chalcididae) Synonym(s): *femorata* Panzer,1801; *ornatipes* Cameron,1906; *immaculata* Masi,1951
- 1242) Brachymeria inermis (Fonscolombe,1840)** (Chalcididae) Synonym(s): *inermis* Fonscolombe,1840; *punctulata* Förster,1859; *carbonaria* Masi,1951
- 1243) Brachymeria obtusata (Förster,1859)** (Chalcididae) Synonym(s): *vicina* Walker,1834; *obtusata* Förster,1859; *walkeri* Dalla Torre,1898
- 1244) Brachymeria rugulosa (Förster,1859)** (Chalcididae) Synonym(s): *rugulosa* Förster,1859
- 1245) Brachymeria tibialis (Walker,1834)** (Chalcididae) Synonym(s): *tibialis* Walker,1834; *intermedia* Nees,1834; *cingulata* Walker,1834; *distinguenda* Walker,1834; *rufofemorata* Rosenhauer,1856; *scirropoda* Förster,1859; *boops* Thomson,1876; *quettaensis* Cameron,1906; *turkestanica* Masi,1951;
- 1246) Brachymeria vitripennis (Förster,1859)** (Chalcididae) Synonym(s): *vitripennis* Förster,1859
- 1247) Brachynema cinctum (Fabricius,1775)** (Pentatomidae) Synonym(s): *cinctus* Fabricius,1775; *forskahlii* Gmelin,1790; *tarsatus* Klug,1845; *roseipennis* Mulsant & Rey,1852; *flavatum* Horvath,1896; *simonyi* Horvath,1896; *exul* Horvath,1896; *splendidum* Montandon,1900; *miniatulum* Montandon,1900; *venustum* Montandon,1900
- 1248) Brachynema germarii (Kolenati,1846)** (Pentatomidae) Synonym(s): *virens* Klug,1845 *nec* Linn.,1767; *germarii* Kolenati,1846; *anabasis* Becker,1867; *biplaga* Walker,1867; *flavomarginatus* Jakovlev,1871; *grisea* Jakovlev,1871; *melanota* Jakovlev,1874; *alternatum* Horvath,1899
- 1249) Brachypalpoides lentus (Meigen,1822)** (Syrphidae) Synonym(s): *lentus* Meigen,1822; *lateralis* Szilady,1940
- 1250) Brachymeria beali (Navas,1923)** (Taeniopterygidae) Synonym(s): *beali* Navas,1923; *cretica* Zwick,1973
- 1251) Brachyptera graeca Berthelemy,1971** (Taeniopterygidae) Synonym(s): *graeca* Berthelemy,1971
- 1252) Brachyptera helenica Aubert,1956** (Taeniopterygidae) Synonym(s): *helenica* Aubert,1956
- 1253) Brachyptera transcaucasica Zhiltzova,1956** (Taeniopterygidae) Synonym(s): *transcaucasica* Zhiltzova,1956
- 1254) Brachytarsina flavipennis Macquart,1851** (Stereblidae) Synonym(s): *flavipennis* Macquart,1851
- 1255) Brachytron pratense (O.F.Müller,1764)** (Aeshnidae) Synonym(s): *pratense* O.F.Müller,1764; *#partense* Demirsoy,1982
- 1256) Bracon (Glabrobracon) anthracinus (Nees ab Esenbeck,1834)** (Braconidae) Synonym(s): *anthracinus* Nees ab Esenbeck,1834
- 1257) Bracon (Lucobracon) moczari Papp,1969** (Braconidae) Synonym(s): *moczari* Papp,1969
- 1258) Bracon (Rostrobracon) urinator (Fabricius,1798)** (Braconidae) Synonym(s): *urator* Fabricius,1798
- 1259) Bradyporus (Callimenus) macrogaster (Lefebvre,1831)** (Tettigoniidae) Synonym(s): *macrogaster* Lefebvre,1831; *brachynotus* Fieber,1853; *longicollis* Fieber,1853; *intermedius* Werner,1901; *dobrogensis* Müller,1933; *skopiensis* Karaman,1961
- 1260) Bradyporus (Callimenus) oniscus Burmeister,1838** (Tettigoniidae) Synonym(s): *oniscus* Burmeister,1838
- 1261) Bradyporus (s.str.) dasypus (Illiger,1800)** (Tettigoniidae) Synonym(s): *dasypus* Illiger,1800; *rex* Illiger,1801; *armadillo* Thunberg,1815; *mocsaryi* Kuthy,1910
- 1262) Bradyrrhoa cantenerella (Duponchel,1837)** (Pyralidae) Synonym(s): *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicolella* Schawerda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955
- 1263) Bradyrrhoa confiniella Zeller,1848** (Pyralidae) Synonym(s): *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1893; *ifraneella* Lucas,1956; *ebertella* Roesler,1969
- 1264) Bradyrrhoa gilveolella (Treitschke,1833)** (Pyralidae) Synonym(s): *gilveolella* Treitschke,1833
- 1265) Bradyrrhoa trapezella (Duponchel,1836)** (Pyralidae) Synonym(s): *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalcadoniella* Herrich-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933.
- 1266) Bradysia neoreflex Mohrig & Roschmann,1996** (Sciaridae) Synonym(s): *neoreflex* Mohrig & Roschmann,1996
- 1267) Braula schmitzi Örsi Pal,1939** (Braulidae) Synonym(s): *schmitzi* Örsi Pal,1939
- 1268) Brenthis daphne (Bergsträsser,1780)** (Argynnididae) Synonym(s): *daphne* Bergsträsser,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935.
- 1269) Brenthis hecate ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933.
- 1270) Brevicornu griseicolle (Staeger,1840)** (Mycetophilidae) Synonym(s): *griseicolle* Staeger,1840
- 1271) Brintesia circe (Fabricius,1775)** (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettiae* Varin,1962.
- 1272) Brithys crini (Fabricius,1775)** (Noctuidae) Synonym(s): *crini* Fabricius,1775; *dominica* Cramer,1872; *nipponica* Matsumura,1931
- 1273) Brithys encausta (Hübner,[1808])** (Noctuidae) Synonym(s): *encausta* Hübner,[1808]
- 1274) Bryotropha affinis (Haworth,1828)** (Gelechiidae) Synonym(s): *affinis* Haworth,1828; *tegulella* Herrich-Schäffer,1854; *affinella* Doubleday,1859; *affinitella* Bruand,1859
- 1275) Bryotropha arabica Amsel,1952** (Gelechiidae) Synonym(s): *arabica* Amsel,1952
- 1276) Bryotropha azovica Bidzilya,1996** (Gelechiidae) Synonym(s): *azovica* Bidzilya,1996
- 1277) Bryotropha desertella (Douglas,1850)** (Gelechiidae) Synonym(s): *desertella* Douglas,1850; *decrepidella* Herrich-Schäffer,1854.
- 1278) Bryotropha domestica (Haworth,1828)** (Gelechiidae) Synonym(s): *domestica* Haworth,1828; *domesticella* Doubleday,1859; *domesticella* Bruand,1859; *salmonis* Walsingham,1908; *algoricella* Chrétien,1917
- 1279) Bryotropha dryadella (Zeller,1850)** (Gelechiidae) Synonym(s): *dryadella* Zeller,1850; *saralella* Amsel,1952
- 1280) Bryotropha figulella (Staudinger,1859)** (Gelechiidae) Synonym(s): *figulella* Staudinger,1859; *capnella* Constant,1865
- 1281) Bryotropha hulli Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hulli* Karsholt & Rutten,2005
- 1282) Bryotropha plebejella (Zeller,1847)** (Gelechiidae) Synonym(s): *plebejella* Zeller,1847; *ancillula* Walsingham,1908; *inexpectella* Nel,1999
- 1283) Bryotropha sutteri Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *sutteri* Karsholt & Rutten,2005
- 1284) Bryotropha terrella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *terrella* [Denis & Schiffermüller],1775; *inulella* Hübner,[1825]; *pauperella* Hübner,[1825]; *latella* Herrich-Schäffer,1854; *lutescens* Constant,1865; *suspectella* Heinemann,1870; *alpicolella* Heinemann,1870; *tenebrosella* Teich,1886; *sardoterrella* Schawerda,1936
- 1285) Bubas bubaloides Janssens,1938** (Scarabaeidae) Synonym(s): *bubaloides* Janssens,1938
- 1286) Bubastia (s.str.) suturale (Fieber,1877)** (Issidae) Synonym(s): *suturale* Fieber,1877
- 1287) Bubopsis andromache Aspöck, Aspöck & Hölzel,1979** (Ascalaphidae) Synonym(s): *andromache* Aspöck, Aspöck & Hölzel,1979
- 1288) Bubopsis hamata (Klug,1834)** (Ascalaphidae) Synonym(s): *hamatus* Klug,1834
- 1289) Bucculatrix albedinella (Zeller,1839)** (Bucculatricidae) Synonym(s): *albedinella* Zeller,1839; *boyerella* Duponchel,[1840].
- 1290) Bucculatrix albella Stainton,1867** (Bucculatricidae) Synonym(s): *albella* Stainton,1867

- 1291) Bucculatrix centaureae Deschka, 1973** (Bucculatricidae) Synonym(s): *centaureae* Deschka, 1973
- 1292) Bucculatrix ulmella Zeller, 1848** (Bucculatricidae) Synonym(s): *ulmella* Zeller, 1848; *sircomella* Stainton, 1848; *venustella* Stainton, 1849.
- 1293) Bucephaloptera bucephala (Brunner von Wattenwyl, 1882)** (Tettigoniidae) Synonym(s): *bucephala* Brunner von Wattenwyl, 1882; *riveti* Berland & Chopard, 1922; *jannonei* Ramme, 1939
- 1294) Bulaea lichatschovi (Hummel, 1827)** (Coccinellidae) Synonym(s): *lichatschovi* Hummel, 1827
- 1295) Bupalus piniarius (Linnaeus, 1758)** (Geometridae) Synonym(s): *piniaria* Linnaeus, 1758; *tiliaria* Linnaeus, 1758; *iberaria* Kolenati, 1846
- 1296) Buquetia musca R-D., 1847** (Tachinidae) Synonym(s): *musca* R-D., 1847
- 1297) Cabera pusaria (Linnaeus, 1758)** (Geometridae) Synonym(s): *pusaria* Linnaeus, 1758; *strigata* Scopoli, 1763; *rotundaria* Haworth, 1809; *confinaria* Freyer, 1832; *heyeraria* Herrich-Schäffer, 1848
- 1298) Cacochoa permixtella (Herrich-Schäffer, [1855])** (Oecophoridae) Synonym(s): *permixtella* Herrich-Schäffer, [1855]
- 1299) Cacoecimorpha pronubana (Hübner, [1799])** (Tortricidae) Synonym(s): *pronubana* Hübner, [1799]; *ambustana* Frölich, 1830; *herminiana* Treitschke, 1835; *insolatana* Lucas, 1848; *perochreana* Herrich-Schäffer, 1856; *obsoletana* Strand, 1901
- 1300) Cadra abstersella (Zeller, 1847)** (Pyralidae) Synonym(s): *abstersella* Zeller, 1847; *liguriella* Amsel, 1954.
- 1301) Cadra calidella (Guenée, 1845)** (Pyralidae) Synonym(s): *calidella* Guenée, 1845; *#ficella* Douglas, 1851; *xanthotricha* Staudinger, 1859.
- 1302) Cadra cautella (Walker, 1863)** (Pyralidae) Synonym(s): *cautella* Walker, 1863; *defectella* Walker, 1864; *desuetella* Walker, 1866; *passulella* Barrett, 1875; *formosella* Wileman & South, 1918; *rotundatella* Turati, 1930; *pelopis* Turner, 1947; *irakella* Amsel, 1959
- 1303) Cadra delattinella Roesler, 1965** (Pyralidae) Synonym(s): *delattinella* Roesler, 1965
- 1304) Cadra figulilella (Gregson, 1871)** (Pyralidae) Synonym(s): *figulilella* Gregson, 1871; *milleri* Zeller, 1876; *gypsella* Ragonot, 1887; *venosella* Turati, 1926; *ernestinella* Turati, 1927; *#halfaella* Roesler, 1965.
- 1305) Cadra furcatella (Herrich-Schäffer, [1849])** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer, [1849]
- 1306) Caecanthrax arabicus (Macquart, 1840)** (Bombyliidae) Synonym(s): *arabicus* Macquart, 1840; *punctum* Loew, 1854; *dimidiatus* Greathead, 1980
- 1307) Caenocoris nerii (Germar, 1847)** (Lygaeidae) Synonym(s): *nerii* Germar, 1817; *semiruber* Walker, 1872
- 1308) Calais parreysi (Steven, 1830)** (Elateridae) Synonym(s): *parreysi* Steven, 1830
- 1309) Calameuta (s.str.) haemorrhoidalis (Fabricius, 1781)** (Cephalidae) Synonym(s): *haemorrhoidalis* Fabricius, 1781
- 1310) Calamia tridens (Hufnagel, 1766)** (Noctuidae) Synonym(s): *tridens* Hufnagel, 1766; *virens* Linnaeus, 1767; *immaculata* Staudinger, 1871.
- 1311) Calamobius filum (Rossi, 1790)** (Cerambycidae) Synonym(s): *filum* Rossi, 1790
- 1312) Calamotropha aureliella (Fischer v. Röslerstamm, [1841])** (Pyralidae) Synonym(s): *aureliella* Fischer v. Röslerstamm, [1841]; *fulvilineata* Okano, 1958.
- 1313) Calamotropha hackeri Ganey, 1985** (Pyralidae) Synonym(s): *hackeri* Ganey, 1985
- 1314) Calamotropha hierichuntica Zeller, 1867** (Pyralidae) Synonym(s): *hierichuntica* Zeller, 1867; *orontella* Ragonot, 1895; *leucaniellus* Zerny, 1914.
- 1315) Calamotropha paludella (Hübner, [1824])** (Pyralidae) Synonym(s): *paludella* Hübner, [1824]; *obtusellus* Stainton, 1856; *paramattellus* Meyrick, 1879; *carpherus* Hampson, 1898; *nivellus* Rebel, 1914; *calamosus* Hampson, 1919; *durandi* Lucas, 1931; *typhivorus* Meyrick, 1932; *#digitatus* Osthelder, 1937; *afghanistanica* Bleszynski, 1959.
- 1316) Calchaenesthes oblongomaculatus (Guérin, 1844)** (Cerambycidae) Synonym(s): *oblongomaculatus* Guérin, 1844
- 1317) Caliaeschna microstigma (Schneider, 1845)** (Aeshnidae) Synonym(s): *microstigma* Schneider, 1845
- 1318) Caliscelis wallengreni (Stål, 1863)** (Caliscelidae) Synonym(s): *wallengreni* Stål, 1863
- 1319) Caliscelis salicis Horvath, 1913** (Aradidae) Synonym(s): *salicis* Horvath, 1913
- 1320) Callierges ramosa (Esper, [1786])** (Noctuidae) Synonym(s): *ramosa* Esper, [1786]
- 1321) Callimorpha dominula (Linnaeus, 1758)** (Arctiidae) Synonym(s): *dominula* Linnaeus, 1758; *insubrica* Wackerzapp, 1890; *rhodanica* Kettlewell, 1943.
- 1322) Callimoxys gracilis (Brullé, 1832)** (Cerambycidae) Synonym(s): *gracilis* Brullé, 1832
- 1323) Callimus (Procallimus) egregius (Mulsant & Rey, 1863)** (Cerambycidae) Synonym(s): *egregius* Mulsant & Rey, 1863
- 1324) Callimus (s.str.) angulatus (Schränk, 1789)** (Cerambycidae) Synonym(s): *angulatus* Schränk, 1789
- 1325) Calliopum aeneum (Fallén, 1820)** (Lauxaniidae) Synonym(s): *aeneum* Fallén, 1820
- 1326) Calliopum elisae (Meigen, 1826)** (Lauxaniidae) Synonym(s): *elisae* Meigen, 1826
- 1327) Calliopum ellisorum Shatalkin, 2000** (Lauxaniidae) Synonym(s): *ellisorum* Shatalkin, 2000
- 1328) Calliopum simillimum (Collin, 1933)** (Lauxaniidae) Synonym(s): *simillimum* Collin, 1933
- 1329) Calliopum splendidum Papp, 1978** (Lauxaniidae) Synonym(s): *splendidum* Papp, 1978; *ellisorum* Shatalkin, 2000
- 1330) Calliptamus coelestiensis (Giglio-Tos, 1893)** (Acrididae) Synonym(s): *coelestiensis* Giglio-Tos, 1893; *carbonaria* Uvarov, 1914; *angustus* Uvarov, 1934; *anatolicus* Maran, 1951; *hissaricus* Mishtchenko, 1951; *intricatus* Mishtchenko, 1951; *#nigra* Bei-Bienko & Richter, 1960
- 1331) Calliptamus italicus (Linnaeus, 1758)** (Acrididae) Synonym(s): *italicus* Linnaeus, 1758; *germanicus* Fabricius, 1775; *affinis* Thunberg, 1815; *fasciatum* Hahn, 1836; *marginellus* Serville, 1838; *cerisanus* Serville, 1838; *marmoratus* Fischer von Waldheim, 1846; *blandus* Ivanov, 1888; *bilineata* Puschnig, 1910; *anachoretus* Baranov, 1925; *gilvonigrans* Voroncovsky, 1927; *grandis* Ramme, 1927; *reductus* Ramme, 1927; *afghanus* Ramme, 1952
- 1332) Callipteroma sexguttata Motschulsky, 1863** (Encyrtidae) Synonym(s): *sexguttata* Motschulsky, 1863; *quinqueguttatum* Motschulsky, 1863; *guttatipennis* Girault, 1915; *kiushiuensis* Ishii, 1928
- 1333) Callirhytis rufescens (Mayr, 1882)** (Cynipidae) Synonym(s): *rufescens* Mayr, 1882; *villarrubiae* Tavares, 1930; *glandulosa* Weld, 1930
- 1334) Callistege mi (Clerck, 1759)** (Noctuidae) Synonym(s): *#mi* Clerck, 1759; *graminis* Hufnagel, 1766; *albolineata* Goeze, 1781; *litterata* Cyrilli, 1787 nec Sc., 1763
- 1335) Callistodema fasciatum (Kolenati, 1856)** (Reduviidae) Synonym(s): *fasciatum* Kolenati, 1856
- 1336) Calliteara pudibunda (Linnaeus, 1758)** (Lymantriidae) Synonym(s): *pudibunda* Linnaeus, 1758; *scopularia* Linnaeus, 1758; *jutica* Müller, 1764; *porrectaalba* Retzius, 1783; *grandi* Lorkovic, 1930
- 1337) Calodietya krueperi (Fieber, 1876)** (Dictyopharidae) Synonym(s): *krueperi* Fieber, 1876
- 1338) Calophris rubi (Linnaeus, 1758)** (Lycaenidae) Synonym(s): *rubi* Linnaeus, 1758; *caecus* Fourcroy, 1785; *virgatus* Verity, 1913; *herculeana* Pfeiffer, 1927
- 1339) Callopietria juvenina (Stoll, [1782])** (Noctuidae) Synonym(s): *juvenina* Stoll, [1782]; *purpureofasciata* Piller & Mitterpacher, 1783; *lagopus* Esper, [1788]; *pteridis* Thunberg, 1788; *manicata* Villers, 1789; *formissimalis* Hübner, 1796; *obscura* Butler, 1878

- 1340) Callopietria latreillei (Duponchel,1827)** (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973.
- 1341) Callostoma fascipenne Macquart,1840** (Bombyliidae) Synonym(s): *fascipenne* Macquart,1840; *palaestinae* Paramonov,1931
- 1342) Calocucullia celsiae (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850]
- 1343) Calophasia barthae F.Wagner,1929** (Noctuidae) Synonym(s): *barthae* F.Wagner,1929
- 1344) Calophasia lunula (Hufnagel,1766)** (Noctuidae) Synonym(s): *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775.
- 1345) Calophasia opalina (Esper,[1796])** (Noctuidae) Synonym(s): *casta* Borkhausen,1793 *nec* Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923.
- 1346) Calophasia platyptera (Esper,[1788])** (Noctuidae) Synonym(s): *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901; *signata* Constantini,1916
- 1347) Calopteryx ancilla Hagen,1983** (Calopterygidae) Synonym(s): *ancilla* Hagen,1983
- 1348) Calopteryx balcanica Fudakowsky,1930** (Calopterygidae) Synonym(s): *balcanica* Fudakowsky,1930
- 1349) Calopteryx cretensis Pongracz,1911** (Calopterygidae) Synonym(s): *cretensis* Pongracz,1911
- 1350) Calopteryx virgo (Linnaeus,1758)** (Calopterygidae) Synonym(s): *virgo* Linnaeus,1758; *colchicus* Eichwald,1837
- 1351) Caloptilia (Povolnya) leucapennella (Stephens,1835)** (Gracillariidae) Synonym(s): *sulphurella* Haworth,[1828] *nec* Fabr.,1777; *leucapennella* Stephens,1835; *citrinellum* Zeller,1839; *aurantiella* Peyerimhoff,1871.
- 1352) Caloptilia (s.str.) braccatella (Staudinger,1870)** (Gracillariidae) Synonym(s): *braccatella* Staudinger,1870; *?mutilata* Staudinger,1880
- 1353) Caloptilia (s.str.) coruscans (Walsingham,1907)** (Gracillariidae) Synonym(s): *coruscans* Walsingham,1907; *schinella* Walsingham,1908; *terebinthiella* Chrétien,1910; *instincta* Meyrick,1922; *ferruginipennis* Turati,1924
- 1354) Caloptilia (s.str.) elongella (Linnaeus,1761)** (Gracillariidae) Synonym(s): *elongella* Linnaeus,1761; *punctella* Linnaeus,1761; *signipennella* Hübner,1796; *elongatus* Fabricius,1798; *signipennis* Haworth,1828; *bruneorubella* Bruand,1850; *inconstans* Stainton,1851; *stramineella* Stainton,1851; *inconstantella* Bruand,1859
- 1355) Caloptilia (s.str.) flava (Staudinger,1871)** (Gracillariidae) Synonym(s): *flava* Staudinger,1871; *inquinatella* Christoph,1872; *impictipennella* Gerasimov,1930; *glycyrrhizae* Deschka,1979
- 1356) Caloptilia (s.str.) fribergensis (Fritzsch,1871)** (Gracillariidae) Synonym(s): *fribergensis* Fritzsch,1871; *monspessulanella* Klimesch,1942
- 1357) Caloptilia (s.str.) roscipennella (Hübner,1796)** (Gracillariidae) Synonym(s): *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867
- 1358) Calosoma auropunctatum Herbst,1784** (Carabidae) Synonym(s): *auropunctatum* Herbst,1784
- 1359) Calosoma inquisitor (Linnaeus,1758)** (Carabidae) Synonym(s): *inquisitor* Linnaeus,1758; *punctiventre* Reiche & Saulcy,1855; *viridulum* Kraatz,1877; *cupreofulgens* Chapman,1922
- 1360) Calosoma maderae Fabricius,1775** (Carabidae) Synonym(s): *maderae* Fabricius,1775
- 1361) Calosoma sycophanta (Linnaeus,1758)** (Carabidae) Synonym(s): *sycophanta* Linnaeus,1758; *severum* Chaudoir,1850
- 1362) Calyciphora homiodactyla (Kasy,1960)** (Pterophoridae) Synonym(s): *homiodactyla* Kasy,1960
- 1363) Calyciphora nephelodactyla (Eversmann,1844)** (Pterophoridae) Synonym(s): *nephelodactyla* Eversmann,1844; *apollina* Millière,1882; *extensa* Zagulyaev,1986.
- 1364) Calyciphora xerodactyla (Zeller,1841)** (Pterophoridae) Synonym(s): *xerodactyla* Zeller,1841; *sicula* Fuchs,1901.
- 1365) Calymma communimacula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller],1775
- 1366) Calyptopsis capnisioides Reitter,1896** (Tenebrionidae) Synonym(s): *capnisioides* Reitter,1896
- 1367) Calyptopsis caraboides Brullé,1832** (Tenebrionidae) Synonym(s): *caraboides* Brullé,1832; *emondi* Solier,1835
- 1368) Calyptopsis pandaroides Reitter,1896** (Tenebrionidae) Synonym(s): *pandaroides* Reitter,1896
- 1369) Calyptra thalictri (Borkhausen,1790)** (Noctuidae) Synonym(s): *capucina* Esper,1789 *nec* Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938
- 1370) Cameraria ohridella Deschka & Dimic,1986** (Gracillariidae) Synonym(s): *ohridella* Deschka & Dimic,1986
- 1371) Camilla acutipennis (Loew,1865)** (Camillidae) Synonym(s): *acutipennis* Loew,1865; *nigripes* Strobl,1900
- 1372) Campaea honoraria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *honoraria* [Denis & Schiffermüller],1775; *ilicaria* Villers,1789; *adsociaria* Borkhausen,1794; *excisaria* Esper,[1801]; *honorifica* Esper,[1801]; *pictarorum* Oberthür,1910
- 1373) Campaea margaritaria (Linnaeus,1761)** (Geometridae) Synonym(s): *margaritaria* Linnaeus,1761; *margaritata* Linnaeus,1767; *vernaria* Hufnagel,1767; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* Villers,1789; *rubrociliata* Schawerda,1932
- 1374) Camponotus fallax (Nylander,1856)** (Formicidae) Synonym(s): *fallax* Nylander,1856
- 1375) Camponotus gestroi Emery,1878** (Formicidae) Synonym(s): *gestroi* Emery,1878
- 1376) Campsigenus crinitarsis Strobl,1906** (Dolichopodidae) Synonym(s): *crinitarsis* Strobl,1906
- 1377) Campsigenus curvipes (Fallén,1823)** (Dolichopodidae) Synonym(s): *curvipes* Fallén,1823; *fuscipennis* Macquart,1839; *cilitibius* Von Roser,1840
- 1378) Campsigenus filipes Loew,1859** (Dolichopodidae) Synonym(s): *filipes* Loew,1859
- 1379) Campsigenus loripes (Haliday,1832)** (Dolichopodidae) Synonym(s): *loripes* Haliday,1832; *femoralis* Zetterstedt,1843; *armipes* Zetterstedt,1843
- 1380) Campsigenus marginatus Loew,1857** (Dolichopodidae) Synonym(s): *marginatus* Loew,1857
- 1381) Campsigenus simplicissimus Strobl,1906** (Dolichopodidae) Synonym(s): *simplicissimus* Strobl,1906
- 1382) Campsigenus umbripennis Loew,1856** (Dolichopodidae) Synonym(s): *umbripennis* Loew,1856
- 1383) Campsomeriella thoracica (Fabricius,1787)** (Scolidae) Synonym(s): *thoracica* Fabricius,1787; *eriophora* Khalof,1958
- 1384) Campptogramma bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
- 1385) Campptogramma grisescens (Staudinger,1892)** (Geometridae) Synonym(s): *grisescens* Staudinger,1892
- 1386) Campptopoeum (s.str.) frontale (Fabricius,1804)** (Andrenidae) Synonym(s): *frontale* Fabricius,1804; *sacrum* Alfken,1935; *triticum* Warncke,1972
- 1387) Campylosteira ciliata Fieber,1844** (Tingidae) Synonym(s): *ciliata* Fieber,1844
- 1388) Canephora febretha (Boyer de Fonscolombe,1835)** (Psychidae) Synonym(s): *febretha* Boyer de Fonscolombe,1835
- 1389) Canephora hirsuta (Poda,1761)** (Psychidae) Synonym(s): *hirsuta* Poda,1761; *dubia* Scopoli,1763; *unicolor* Hufnagel,1766; *xylophthorum* Pallas,1767; *vestita* Fabricius,1775; *fasciculifera* Fourcroy,1785; *quercus* Schrank,1802; *vestitella* Hübner,[1825]; *asiatica* Staudinger,1887.

- 1390) *Canephora lutea* (Staudinger, 1871) (Psychidae) Synonym(s): *lutea* Staudinger, 1871
 1391) *Canephora villosella* (Ochsenheimer, 1810) (Psychidae) Synonym(s): *villosella* Ochsenheimer, 1810
 1392) *Cantharis flavilabris* Fallén, 1807 (Cantharidae) Synonym(s): *flavilabris* Fallén, 1807
 1393) *Cantharis livida* Linnaeus, 1758 (Cantharidae) Synonym(s): *livida* Linnaeus, 1758
 1394) *Cantharis longicollis* Kiesenwetter, 1852 (Cantharidae) Synonym(s): *longicollis* Kiesenwetter, 1852
 1395) *Cantharis nigra* De Geer, 1774 (Cantharidae) Synonym(s): *nigra* De Geer, 1774
 1396) *Cantharis pulicaria* Fabricius, 1781 (Cantharidae) Synonym(s): *pulicaria* Fabricius, 1781
 1397) *Cantharis rufa* Linnaeus, 1758 (Cantharidae) Synonym(s): *rufa* Linnaeus, 1758
 1398) *Cantharis rustica* Fallén, 1807 (Cantharidae) Synonym(s): *rustica* Fallén, 1807
 1399) *Cantharis smyrnensis* Marseul, 1864 (Cantharidae) Synonym(s): *smyrnensis* Marseul, 1864; #*smyrnensis* Silkin, 2008
 1400) *Canthophorus dubius* (Scopoli, 1763) (Cydniidae) Synonym(s): *dubius* Scopoli, 1763; *albomarginatus* Schrank, 1776; *histriolus* Goeze, 1778; *viennensis* Gmelin, 1790; *albomarginellus* Fabricius, 1794
 1401) *Canthophorus maculipes* (Mulsant & Rey, 1852) (Cydniidae) Synonym(s): *maculipes* Mulsant & Rey, 1852
 1402) *Canthophorus melanopterus* (Herrich-Schäffer, 1835) (Cydniidae) Synonym(s): *melanopterus* Herrich-Schäffer, 1835
 1403) *Capitetes ramulosa* (Loew, 1844) (Tephritidae) Synonym(s): *ramulosa* Loew, 1844; *radiata* Macquart, 1849
 1404) *Capnodis carbonaria* (Klug, 1829) (Buprestidae) Synonym(s): *carbonaria* Klug, 1829; *lefebvrei* Laporte & Gory, 1836; *cribricollis* Abeille, 1904; *abeillei* Oberberger, 1926
 1405) *Capnodis cariosa* (Pallas, 1776) (Buprestidae) Synonym(s): *cariosa* Pallas, 1776; *bruttia* Petagna, 1787
 1406) *Capnodis miliaris* (Klug, 1829) (Buprestidae) Synonym(s): *miliaris* Klug, 1829; *daedalea* Stephens, 1830; *albisparsa* Faldermann, 1830; *aurata* Abeille, 1914; *mysteriosa* Oberberger, 1917; *nonfriedi* Oberberger, 1934
 1407) *Capnodis porosa* (Klug, 1829) (Buprestidae) Synonym(s): *porosa* Klug, 1829; *hypocrita* Géhin, 1855
 1408) *Capnodis tenebrionis* (Linnaeus, 1761) (Buprestidae) Synonym(s): *tenebrionis* Linnaeus, 1761; *variegata* Goeze, 1777; *tenebrioides* Pallas, 1782; *naevia* Gmelin, 1788; *moluccensis* Voet., 1806; *moerens* Mannerheim, 1837; *aerea* Castelnau & Gory, 1836; *aequicollis* Oberberger, 1917; *deglabrata* Oberberger, 1917; *undulata* Fleischer, 1917
 1409) *Capnoptera pilosa* Loew, 1866 (Chloropidae) Synonym(s): *pilosa* Loew, 1866; *sicula* Loew, 1866
 1410) *Capparimya savastani* (Martelli, 1911) (Tephritidae) Synonym(s): *savastani* Martelli, 1911
 1411) *Capperia celeusi* (Frey, 1886) (Pterophoridae) Synonym(s): *celeusi* Frey, 1886; *interciscus* Meyrick, 1930; *belutschistanella* Amsel, 1959; *karakalensis* Gibeaux, 1997
 1412) *Capperia fusca* (Hofmann, 1898) (Pterophoridae) Synonym(s): *fusca* Hofmann, 1898; *marrubii* Adamczewski, 1951
 1413) *Capperia hellenica* Adamczewski, 1951 (Pterophoridae) Synonym(s): *hellenica* Adamczewski, 1951
 1414) *Capperia maratonica* Adamczewski, 1951 (Pterophoridae) Synonym(s): *maratonica* Adamczewski, 1951
 1415) *Capperia marginella* (Zeller, 1847) (Pterophoridae) Synonym(s): *marginella* Zeller, 1847
 1416) *Capperia polonica* Adamczewski, 1951 (Pterophoridae) Synonym(s): *polonica* Adamczewski, 1951
 1417) *Capperia trichodactyla* ([Denis & Schiffermüller], 1775) (Pterophoridae) Synonym(s): *trichodactyla* [Denis & Schiffermüller], 1775; *leonuri* Stange, 1882; *affinis* Müller-Rutz, 1933
 1418) *Capperia washbourni* Adamczewski, 1951 (Pterophoridae) Synonym(s): *washbourni* Adamczewski, 1951
 1419) *Capsodes* (Horistus) *infuscatus* (Brullé, 1832) (Miridae) Synonym(s): *infuscatus* Brullé, 1832
 1420) *Capua vulgana* (Frölich, 1828) (Tortricidae) Synonym(s): *rusticana* Hübner, [1799] nec Hbn., [1799]; *favillaceana* Hübner, [1817] nec Hbn., [1799]; *vulgana* Frölich, 1828; *ochraceana* Stephens, 1834; *terreana* Treitschke, 1835; *porcana* Zetterstedt, 1839; *stramineana* Zetterstedt, 1839
 1421) *Carabus* (Pachystus) *graecus* Dejean, 1826 (Carabidae) Synonym(s): *graecus* Dejean, 1826
 1422) *Carabus* (Procrustes) *coriaceus* Linnaeus, 1758 (Carabidae) Synonym(s): *coriaceus* Linnaeus, 1758
 1423) *Carabus* (s.str.) *granulatus* Linnaeus, 1758 (Carabidae) Synonym(s): *granulatus* Linnaeus, 1758
 1424) *Carabus intricatus* Linnaeus, 1761 (Carabidae) Synonym(s): *intricatus* Linnaeus, 1761
 1425) *Carabus montivagus* Palliardi, 1825 (Carabidae) Synonym(s): *montivagus* Palliardi, 1825
 1426) *Caradrina* (Boursinidrina) *syriaca* (Staudinger, 1892) (Noctuidae) Synonym(s): *syriaca* Staudinger, 1892
 1427) *Caradrina* (Eremodrina) *draudti* (Boursin, 1936) (Noctuidae) Synonym(s): *draudti* Boursin, 1936; *pseudopertinax* Boursin, 1939; *pseudopertinax* Boursin, 1940
 1428) *Caradrina* (Eremodrina) *gilva* (Donzel, 1837) (Noctuidae) Synonym(s): *gilva* Donzel, 1837; *molisana* Dannehl, 1929
 1429) *Caradrina* (Eremodrina) *pertinax* (Staudinger, 1879) (Noctuidae) Synonym(s): *pertinax* Staudinger, 1879; *argentea* Caradja, 1930
 1430) *Caradrina* (Eremodrina) *zernyi* (Boursin, 1936) (Noctuidae) Synonym(s): *zernyi* Boursin, 1936; *signata* Boursin, 1936
 1431) *Caradrina* (Kalchbergiana) *ingrata* (Staudinger, 1897) (Noctuidae) Synonym(s): *ingrata* Staudinger, 1897
 1432) *Caradrina* (Paradrina) *clavipalpis* (Scopoli, 1763) (Noctuidae) Synonym(s): *clavipalpis* Scopoli, 1763; *grisea* Hufnagel, 1766; *quadripunctata* Fabricius, 1775; *cubicularis* [Denis & Schiffermüller], 1775; *leucoptera* Thunberg, 1791; *milleri* Schultz, 1862; *avicula* Krulikovsky, 1909; *teidovolans* Pinker, 1974; *pinkeri* Kobes, 1975
 1433) *Caradrina* (Paradrina) *flava* (Oberthür, 1876) (Noctuidae) Synonym(s): *flava* Oberthür, 1876; *approximans* Rothschild, 1914
 1434) *Caradrina* (Paradrina) *flavirena* (Guenée, 1852) (Noctuidae) Synonym(s): *flavirena* Guenée, 1852; *minor* Staudinger, 1897; *subdita* W. Warren, 1911; *muricolor* Boursin, 1933; *subdita* Leraut, 1980
 1435) *Caradrina* (Paradrina) *minoica* Hacker, 2004 (Noctuidae) Synonym(s): *minoica* Hacker, 2004
 1436) *Caradrina* (Paradrina) *selini* (Boisduval, 1840) (Noctuidae) Synonym(s): *selini* Boisduval, 1840; *selinoides* Bellier, 1862; *milleri* Schultz, 1862; *jurassica* Rigenbach-Stehlin, 1876; *minor* Staudinger, 1897; #*puengeleri* Draudt, 1934; *telekii* Dioszeghy, [1935]
 1437) *Caradrina* (Paradrina) *suscijania* Mentzer, 1981 (Noctuidae) Synonym(s): *suscijania* Mentzer, 1981
 1438) *Caradrina* (Paradrina) *wulschlegeli* (Püngeler, 1903) (Noctuidae) Synonym(s): *wulschlegeli* Püngeler, 1903
 1439) *Caradrina* (Platyperigea) *albina* (Eversmann, 1848) (Noctuidae) Synonym(s): *albina* Eversmann, 1848; *congesta* Lederer, 1853; *tenera* A. Bang-Haas, 1912
 1440) *Caradrina* (Platyperigea) *aspersa* (Rambur, 1834) (Noctuidae) Synonym(s): *aspersa* Rambur, 1834; *anceps* Herrich-Schäffer, 1849; *culoti* Turati, 1913
 1441) *Caradrina* (Platyperigea) *kadenii* (Freyer, 1836) (Noctuidae) Synonym(s): *kadenii* Freyer, 1836
 1442) *Caradrina* (Platyperigea) *montana* (Bremer, 1861) (Noctuidae) Synonym(s): *montana* Bremer, 1861; *apatetica* Püngeler, 1914; *sachalinensis* Matsumura, 1925; *melancholica* Draudt, 1934; *kaolina* Bryk, 1949
 1443) *Caradrina* (Platyperigea) *terrea* (Freyer, [1840]) (Noctuidae) Synonym(s): *terrea* Freyer, [1840]; *ustirena* Boisduval, 1840
 1444) *Caradrina* (s.str.) *morpheus* (Hufnagel, 1766) (Noctuidae) Synonym(s): *morpheus* Hufnagel, 1766; *pulla* Beckwith, 1794 nec Esp., [1785]; *sepii* Hübner, [1803]; *dresnaya* D. Lucas, 1933; *alpina* Hartig, [1938]
 1445) *Carcelia laxifrons* Villeneuve, 1912 (Tachinidae) Synonym(s): *laxifrons* Villeneuve, 1912

- 1446) Carcharodus (Lavatheria) lavatherae (Esper,[1783])** (Hesperiidae) Synonym(s): *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948.
- 1447) Carcharodus (Lavatheria) stauderi Reverdin,1913** (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913.
- 1448) Carcharodus (Reverdinus) flocciferus (Zeller,1847)** (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *altheae* Hübner,[1803] nec Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940.
- 1449) Carcharodus (Reverdinus) orientalis Reverdin,1913** (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *#aestatis* Graves,1928; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932.
- 1450) Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) Synonym(s): *alceae* Esper,[1780]; *malvae* Hufnagel,1766 nec Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948.
- 1451) Carcina quercana (Fabricius,1775)** (Oecophoridae) Synonym(s): *quercana* Fabricius,1775
- 1452) Cardepi hartigi Parenzan,1981** (Noctuidae) Synonym(s): *hartigi* Parenzan,1981
- 1453) Cardepi sociabilis (Graslin,1850)** (Noctuidae) Synonym(s): *sociabilis* Graslin,1850; *ghigii* Turati,1926; *pedrosai* Monteiro,1972; *grisea* Berio,1986.
- 1454) Cardiophorus (s.str.) discicollis (Herbst,1806)** (Elateridae) Synonym(s): *discicollis* Herbst,1806
- 1455) Cardiophorus (s.str.) dolini Mardjanian,1985** (Elateridae) Synonym(s): *dolini* Mardjanian,1985
- 1456) Cardiophorus (s.str.) hinkei Frivaldsky,1837** (Elateridae) Synonym(s): *hinkei* Frivaldsky,1837
- 1457) Cardiophorus (s.str.) megathorax (Faldermann,1835)** (Elateridae) Synonym(s): *megathorax* Faldermann,1835; *antennalis* Desbrochers,1875
- 1458) Cardiophorus (s.str.) miniaticollis Candeze,1860** (Elateridae) Synonym(s): *miniaticollis* Candeze,1860
- 1459) Cardiophorus (s.str.) parvulus Platia & Gudenzi,2000** (Elateridae) Synonym(s): *parvulus* Platia & Gudenzi,2000
- 1460) Cardiophorus (s.str.) riedeli (Platia & Gundezi,2000)** (Elateridae) Synonym(s): *riedeli* Platia & Gundezi,2000
- 1461) Cardiophorus (s.str.) rotundicollis Frivaldsky,1845** (Elateridae) Synonym(s): *rotundicollis* Frivaldsky,1845; *turgescens* Buysson,1891
- 1462) Cardiophorus (s.str.) ruficruris (Linnaeus,1758)** (Elateridae) Synonym(s): *ruficruris* Linnaeus,1758; *tibialis* Erichson,1840
- 1463) Cardiophorus (s.str.) strussineri Buysson,1913** (Elateridae) Synonym(s): *strussineri* Buysson,1913
- 1464) Cardiophorus (s.str.) tenellus Reiche,1856** (Elateridae) Synonym(s): *tenellus* Reiche,1856
- 1465) Cardiophorus (s.str.) vestigialis Erichson,1840** (Elateridae) Synonym(s): *vestigialis* Erichson,1840; *atramentarius* Erichson,1840; *erichsoni* Buysson,1901; *maritimus* Dolin,1971; *nijazi* Dolin & Agajew,1983
- 1466) Carinatodorcadiion hybridum (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *hybridum* Ganglbauer,1883
- 1467) Carinatodorcadiion propinquum (Breuning,1962)** (Cerambycidae) Synonym(s): *propinquum* Breuning,1962
- 1468) Carpatolechia fugitivella (Zeller,1839)** (Gelechiidae) Synonym(s): *fugitivella* Zeller,1839; *#fugivitella* Noack,1960.
- 1469) Carpatolechia humeralis (Zeller,1839)** (Gelechiidae) Synonym(s): *decorella* Haworth,1812 nec Hübner,[1810]; *humeralis* Zeller,1839; *lyella* Humpreys & Westwood,1845; *incretella* Duponchel,[1854]; *pisticella* Nowicki,1860; *scabra* Staudinger,1870; *erschoffii* Frey,1880; *buckwelli* Lucas,1956; *dumitrescui* Capuse,1964.
- 1470) Carpocoris coreanus Distant,1899** (Pentatomidae) Synonym(s): *coreanus* Distant,1899; *iranus* Tamanini,1958
- 1471) Carpocoris fuscispinus (Boheman,1851)** (Pentatomidae) Synonym(s): *fuscispinus* Boheman,1851; *hahni* Flor,1856; *atlanticus* Tamanini,1958; *mediterraneus* Tamanini,1958
- 1472) Carpocoris purpureipennis (DeGeer,1773)** (Pentatomidae) Synonym(s): *purpureipennis* DeGeer,1773; *nigricornis* Fabricius,1775; *porphyropterus* Gmelin,1790; *pyromosa* Westhoff,1884
- 1473) Carterocephalus palaemon (Pallas,1771)** (Hesperiidae) Synonym(s): *palaemon* Pallas,1771; *paniscus* Fabricius,1775; *brontes* [Denis & Schiffermüller],1775; *mesapano* Scudder,1868; *skada* Edwards,1870.
- 1474) Caryocolum alsinellum (Zeller,1868)** (Gelechiidae) Synonym(s): *alsinellum* Zeller,1868; *albifrontella* Heinemann,1870; *tristella* Heinemann,1870; *semidecandriella* Tutt,1887; *semidecandrella* Threlfall & Stainton,1887
- 1475) Caryocolum amaurellum (M.Hering,1924)** (Gelechiidae) Synonym(s): *amaurellum* M.Hering,1924
- 1476) Caryocolum blandulellum (Tutt,1887)** (Gelechiidae) Synonym(s): *blandulellum* Tutt,1887
- 1477) Caryocolum cauligenellum (Schmid,1863)** (Gelechiidae) Synonym(s): *cauligenellum* Schmid,1863
- 1478) Caryocolum confluens Huemer,1988** (Gelechiidae) Synonym(s): *confluens* Huemer,1988
- 1479) Caryocolum fibigerium Huemer,1988** (Gelechiidae) Synonym(s): *fibigerium* Huemer,1988
- 1480) Caryocolum hispanicum Huemer,1988** (Gelechiidae) Synonym(s): *hispanicum* Huemer,1988
- 1481) Caryocolum junctellum (Douglas,1851)** (Gelechiidae) Synonym(s): *junctellum* Douglas,1851; *aganocarpa* Meyrick,1935
- 1482) Caryocolum leucomelanellum (Zeller,1839)** (Gelechiidae) Synonym(s): *leucomelanellum* Zeller,1839; *gypsophilae* Stainton,1869
- 1483) Caryocolum marmoreum (Haworth,1828)** (Gelechiidae) Synonym(s): *marmoreum* Haworth,1828; *manniella* Zeller,1839; *marmorella* Herrich-Schäffer,1855
- 1484) Caryocolum moehringiae (Klimesch,1954)** (Gelechiidae) Synonym(s): *moehringiae* Klimesch,1954
- 1485) Caryocolum mucronatellum (Chrétien,1900)** (Gelechiidae) Synonym(s): *mucronatellum* Chrétien,1900; *poschiavensis* Rebel,1936
- 1486) Caryocolum peregrinellum (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *peregrinellum* Herrich-Schäffer,1854; *melantypella* Mann,1877
- 1487) Caryocolum proximum (Haworth,[1828])** (Gelechiidae) Synonym(s): *proximum* Haworth,[1828]; *maculiferella* Douglas,1851; *maculivicinella* Bruand,1859; *horticola* Peyerimhoff,1871.
- 1488) Caryocolum saginellum (Zeller,1868)** (Gelechiidae) Synonym(s): *saginellum* Zeller,1868; *coussonella* Chrétien,1908
- 1489) Caryocolum tischeriellum (Zeller,1839)** (Gelechiidae) Synonym(s): *tischeriellum* Zeller,1839
- 1490) Caryocolum vicinellum (Douglas,1851)** (Gelechiidae) Synonym(s): *vicinellum* Douglas,1851
- 1491) Casilda antophilaria (Hübner,[1813])** (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911.
- 1492) Casilda rosearia (Treitschke,1828)** (Geometridae) Synonym(s): *rosearia* Treitschke,1828
- 1493) Cassida brevis Weise,1834** (Chrysomelidae) Synonym(s): *brevis* Weise,1834
- 1494) Cassida seraphina Ménétériés,1836** (Chrysomelidae) Synonym(s): *seraphina* Ménétériés,1836
- 1495) Cataclysmes rigata (Hübner,[1813])** (Geometridae) Synonym(s): *rigata* Hübner,[1813]; *subtilisparsata* Wehrli,1932.
- 1496) Cataclysta lemnata (Linnaeus,1758)** (Pyralidae) Synonym(s): *lemnata* Linnaeus,1758; *lemnalis* [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935.
- 1497) Cataonia erubescens (Christoph,1877)** (Pyralidae) Synonym(s): *erubescens* Christoph,1877; *monocerialis* Ragonot,1891.

- 1498) Catarhoe basochesiata (Duponchel,1831)** (Geometridae) Synonym(s): *basochesiata* Duponchel,1831; *indecora* W.Warren,1899
- 1499) Catarhoe cupreata (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *cupreata* Herrich-Schäffer,1839
- 1500) Catarhoe permixtaria (Guenée,[1858])** (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858]
- 1501) Catarhoe putridaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millière,1868
- 1502) Catastia marginea ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *marginea* [Denis & Schiffermüller],1775.
- 1503) Catephia alchymista ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775
- 1504) Catocala (Ephesia) eutychea (Treitschke,1835)** (Noctuidae) Synonym(s): *eutychea* Treitschke,1835; *delicata* Vicent,1913.
- 1505) Catocala (Ephesia) nymphaea (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835].
- 1506) Catocala (Ephesia) separata Freyer,1848** (Noctuidae) Synonym(s): *separata* Freyer,1848
- 1507) Catocala (s.str.) brandti Hacker & Kautt,1999** (Noctuidae) Synonym(s): *brandti* Hacker & Kautt,1999
- 1508) Catocala (s.str.) conjuncta (Esper,[1787])** (Noctuidae) Synonym(s): *conjuncta* Esper,[1787]; *conjuga* Hübner,[1803]; *perrettei* Seyer,1976
- 1509) Catocala (s.str.) conversa (Esper,1783)** (Noctuidae) Synonym(s): *conversa* Esper,[1787]; *pasythea* Hübner,[1809]; *agamos* Hübner,[1813]
- 1510) Catocala (s.str.) dilecta (Hübner,[1808])** (Noctuidae) Synonym(s): *dilecta* Hübner,[1808]; *laetitia* Schawerda,1931
- 1511) Catocala (s.str.) disjuncta (Geyer,[1828])** (Noctuidae) Synonym(s): *disjuncta* Geyer,[1828]; *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884; *fumigata* Kuznetsov,1903.
- 1512) Catocala (s.str.) diversa (Geyer,[1828])** (Noctuidae) Synonym(s): *diversa* Geyer,[1828]; *callinympha* Boisduval,[1828]; *#divera* Hacker,1988
- 1513) Catocala (s.str.) electa (Vieweg,1790)** (Noctuidae) Synonym(s): *electa* Vieweg,1790
- 1514) Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822]
- 1515) Catocala (s.str.) fraxini (Linnaeus,1758)** (Noctuidae) Synonym(s): *fraxini* Linnaeus,1758
- 1516) Catocala (s.str.) fulminea (Scopoli,1763)** (Noctuidae) Synonym(s): *fulminea* Scopoli,1763; *manturna* Hufnagel,1766; *paranympha* Linnaeus,1767; *invasa* Leech,1900; *melli* Ishizuka,2001; *tungus* Ishizuka,2009
- 1517) Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775
- 1518) Catocala (s.str.) lupina Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851]; *detrita* W.Warren,1913
- 1519) Catocala (s.str.) nupta (Linnaeus,1767)** (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concubina* Hübner,[1803]
- 1520) Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865
- 1521) Catocala (s.str.) promissa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller],1775; *mneste* Hübner,[1813]
- 1522) Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pellex* Hübner,[1809]; *romana* Schultz,1909
- 1523) Catocala (s.str.) sponsa (Linnaeus,1767)** (Noctuidae) Synonym(s): *sponsa* Linnaeus,1767; *rejecta* Fischer v. Waldheim,1820
- 1524) Catoplatus anticus (Reuter,1880)** (Tingidae) Synonym(s): *anticus* Reuter,1880
- 1525) Catoptria acutangulella (Herrich-Schäffer,[1847])** (Pyralidae) Synonym(s): *acutangulellus* Herrich-Schäffer,[1847]; *macedonica* Osthelder,1951.
- 1526) Catoptria biformella (Rebel,1893)** (Pyralidae) Synonym(s): *biformellus* Rebel,1893
- 1527) Catoptria confusella (Staudinger,1881)** (Pyralidae) Synonym(s): *confusellus* Staudinger,1881
- 1528) Catoptria dimorphella (Staudinger,1881)** (Pyralidae) Synonym(s): *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *wolffi* Ganev & Hacker,1984
- 1529) Catoptria falsella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956.
- 1530) Catoptria fibigeri Ganev,1987** (Pyralidae) Synonym(s): *fibigeri* Ganev,1987
- 1531) Catoptria fulgidella (Hübner,[1813])** (Pyralidae) Synonym(s): *fulgidella* Hübner,[1813]
- 1532) Catoptria gozmanyi Bleszynski,1956** (Pyralidae) Synonym(s): *gozmanyi* Bleszynski,1956
- 1533) Catoptria languidella (Zeller,1863)** (Pyralidae) Synonym(s): *languidellus* Zeller,1863
- 1534) Catoptria margaritella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *margaritella* [Denis & Schiffermüller],1775; *montanicella* Bleszynski,1948
- 1535) Catoptria myella (Hübner,1796)** (Pyralidae) Synonym(s): *myella* Hübner,1796; *epimyellus* Joannis,1935; *mellinella* De Lattin,1951.
- 1536) Catoptria mytilella (Hübner,[1805])** (Pyralidae) Synonym(s): *mytilella* Hübner,[1805]; *vilarrubiae* Agenjo,1954.
- 1537) Catoptria olympica Ganev,1983** (Pyralidae) Synonym(s): *olympica* Ganev,1983
- 1538) Catoptria pinella (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
- 1539) Cauchas anatolica (Rebel,1902)** (Adelidae) Synonym(s): *anatolica* Rebel,1902
- 1540) Cauchas leucocerella (Scopoli,1763)** (Adelidae) Synonym(s): *leucocerella* Scopoli,1763; *conformella* Zeller,1839; *bimaculella* Fischer v. Rösslerstamm,1840
- 1541) Cauchas rufifrontella (Treitschke,1833)** (Adelidae) Synonym(s): *rufifrontella* Treitschke,1833
- 1542) Cauchas rufimitrella (Scopoli,1763)** (Adelidae) Synonym(s): *rufimitrella* Scopoli,1763; *purpuratella* Zeller,1850
- 1543) Cedestis gysseleniella Zeller,1839** (Yponomeutidae) Synonym(s): *gysseleniella* Zeller,1839; *gysseleniella* Duponchel,1840; *fusilineella* Bruand,1850
- 1544) Cedestis subfasciella (Stephens,1834)** (Yponomeutidae) Synonym(s): *subfasciella* Stephens,1834; *farinatella* Zeller,1839.
- 1545) Celaena leucostigma (Hübner,[1808])** (Noctuidae) Synonym(s): *leucostigma* Hübner,[1808]; *fibrosa* Hübner,[1808] *lunina* Haworth,1809; *laevis* Butler,1881
- 1546) Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.

- 1547) **Celonites abbreviatus** (Villers,1789) (Vespidae) Synonym(s): *abbreviatus* Villers,1789; *dubia* Rossi,1790; *vespiformis* Olivier,1790; *apiformis* Fabricius,1793; *hungaricus* Mocsary,1877; *engadinensis* Schulthess,1923; *tauricus* Kostylev,1935
- 1548) **Celonites cyprius** Saussure,1854 (Vespidae) Synonym(s): *cyprius* Saussure,1854
- 1549) **Celonites hellenicus** Gusenleitner,1997 (Vespidae) Synonym(s): *hellenicus* Gusenleitner,1997
- 1550) **Celonites rugiceps** Bischoff,1928 (Vespidae) Synonym(s): *rugiceps* Bischoff,1928
- 1551) **Celonoptera mirificaria** Lederer,1862 (Geometridae) Synonym(s): *mirificaria* Lederer,1862; *paradoxaria* Staudinger,1862
- 1552) **Celypha rurestrana** (Duponchel,1843) (Tortricidae) Synonym(s): *rurestrana* Duponchel,1843; *lucivagana* Lienig & Zeller,1846; *#rupestrana* Staudinger,1879; *kemnerana* Benander,1943.
- 1553) **Celypha striana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *striana* [Denis & Schiffermüller],1775; *rusticana* Hübner,[1799]; *biliturana* Donovan,1806; *fasciolana* Hübner,[1817].
- 1554) **Celypha woodiana** (Barrett,1882) (Tortricidae) Synonym(s): *woodiana* Barrett,1882
- 1555) **Centrocoris spiniger** (Fabricius,1781) (Coreidae) Synonym(s): *branderi* Linnaeus,1767; *spiniger* Fabricius,1781; *pallens* Kolenati,1845; *subinermis* Rey,1887; *bampurensis* Linnavuori,1968
- 1556) **Centrocoris variegatus** Kolenati,1845 (Coreidae) Synonym(s): *variegatus* Kolenati,1845; *nigricans* Fieber,1861; *convergens* Sienkiewicz,1959
- 1557) **Centrotus cornutus** (Linnaeus,1758) (Membracidae) Synonym(s): *cornutus* Linnaeus,1758; *gallicus* Kirschbaum,1868; *italicus* Kirschbaum,1868; *turcicus* Kirschbaum,1868; *abbreviatus* Kirschbaum,1868 (praeocc.); *depressus* Fieber,1876; *obtus* Fieber,1876; *rugosus* Buckton,1903; *kirschbaumi* Metcalf,1955
- 1558) **Cephalispheira sordidella** (Hübner,1796) (Oecophoridae) Synonym(s): *sordidella* Hübner,1796
- 1559) **Cephalostenus elegans** Brullé,1832 (Tenebrionidae) Synonym(s): *elegans* Brullé,1832; *dejeani* Solier,1838
- 1560) **Cephalostenus orbicollis** Ménétériés,1836 (Tenebrionidae) Synonym(s): *orbicollis* Ménétériés,1836; *elegans* Solier,1838; *dejeani* Reiche & Saulcy,1857 nec Sol.,1838
- 1561) **Cephalota (s.str.) turcica** (Schaum,1859) (Carabidae) Synonym(s): *turcica* Schaum,1859
- 1562) **Cephalota (Taenidia) circumdata** (Dejean,1822) (Carabidae) Synonym(s): *circumdata* Dejean,1822
- 1563) **Cephimallota angusticostella** (Zeller,1839) (Tineidae) Synonym(s): *angusticostella* Zeller,1839; *libanotica* G.Petersen,1959; *hasarorum* Zagulyaev,1965
- 1564) **Cephimallota crassiflavella** (Bruand,1851) (Tineidae) Synonym(s): *crassiflavella* Bruand,1851; *simplicella* Zeller,1852.
- 1565) **Cerambyx (Microcerambyx) scopoli** Fuessly,1775 (Cerambycidae) Synonym(s): *scopoli* Fuessly,1775; *nitidus* Pic,1892
- 1566) **Cerambyx (s.str.) carinatus** Küster,1846 (Cerambycidae) Synonym(s): *carinatus* Küster,1846
- 1567) **Cerambyx (s.str.) cerdo** Linnaeus,1758 (Cerambycidae) Synonym(s): *cerdo* Linnaeus,1758; *acuminatus* Motschulsky,1852; *pfisteri* Stierlin,1864
- 1568) **Cerambyx (s.str.) dux** (Faldermann,1837) (Cerambycidae) Synonym(s): *dux* Faldermann,1837
- 1569) **Cerambyx (s.str.) miles** Bonelli,1812 (Cerambycidae) Synonym(s): *miles* Bonelli,1812
- 1570) **Cerambyx (s.str.) nodulosus** Germar,1817 (Cerambycidae) Synonym(s): *nodulosus* Germar,1817
- 1571) **Cerambyx (s.str.) welensii** (Küster,1846) (Cerambycidae) Synonym(s): *velutinus* Brullé,1832; *welensii* Küster,1846
- 1572) **Ceramius bureschi** Atanassov,1938 (Vespidae) Synonym(s): *bureschi* Atanassov,1938; *lycaonius* Blüthgen,1952
- 1573) **Cerastis rubricosa** (Fabricius,1787) (Noctuidae) Synonym(s): *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813].
- 1574) **Ceratina acuta** Friese,1896 (Apidae) Synonym(s): *acuta* Friese,1896
- 1575) **Ceratina bispinosa** Handlirsch,1889 (Apidae) Synonym(s): *bispinosa* Handlirsch,1889
- 1576) **Ceratina chalcites** Germar,1839 (Apidae) Synonym(s): *aenea* Brullé,1832; *chalcites* Germar,1839; *egregia* Gerstaecker,1896
- 1577) **Ceratina chrysomalla** Gerstaecker,1869 (Apidae) Synonym(s): *chrysomalla* Gerstaecker,1869; *chrysomallina* Kocourek,1998
- 1578) **Ceratina cucurbitina** (Rossi,1792) (Apidae) Synonym(s): *cucurbitina* Rossi,1792; *albilabris* Fabricius,1793; *decolorans* Brullé,1832
- 1579) **Ceratina gravidula** Gerstaecker,1869 (Apidae) Synonym(s): *gravidula* Gerstaecker,1869
- 1580) **Ceratina loewi** Gerstaecker,1869 (Apidae) Synonym(s): *loewi* Gerstaecker,1869
- 1581) **Ceratina nigroaenea** Gerstaecker,1869 (Apidae) Synonym(s): *nigroaenea* Gerstaecker,1869
- 1582) **Ceratina parvula** Smith,1854 (Apidae) Synonym(s): *parvula* Smith,1854; *pygmaea* Lichtenstein,1872; *scintilla* Cockerell,1931
- 1583) **Ceratina zandeni** Terzo,1998 (Apidae) Synonym(s): *zandeni* Terzo,1998
- 1584) **Ceratitis (s.str.) capitata** (Wiedemann,1824) (Tephritidae) Synonym(s): *capitata* Wiedemann,1824; *citriperda* Mac Leay,1829; *asparagi* Bezzi,1924
- 1585) **Ceratuncus danubiellus** (Mann,1866) (Tineidae) Synonym(s): *danubiellus* Mann,1866
- 1586) **Cercopis arcuata** Fieber,1844 (Cercopidae) Synonym(s): *arcuata* Fieber,1844; *haupti* Priesner,1923; *pallida* Mancini,1934
- 1587) **Cercopis intermedia** Kirschbaum,1868 (Cercopidae) Synonym(s): *intermedia* Kirschbaum,1868; *obliterata* Kirschbaum,1868; *nigra* Royer,1906; *simulans* Peneau,1912; *turkestanica* Lindberg,1923
- 1588) **Cercopis sanguinolenta** (Scopoli,1763) (Cercopidae) Synonym(s): *sanguinolenta* Scopoli,1763; *mactata* Germar,1821; *panzeri* Peletier & Serville,1825; *distinguenda* Kirschbaum,1868; *basalis* Dominique,1892; *basalis* Melichar,1896 (praeocc.); *quadripunctata* Sabransky,1912; *reducta* Melichar,1913; *egestosa* Haupt,1917
- 1589) **Cercopis vulnerata** Rossi,1807 (Cercopidae) Synonym(s): *vulnerata* Rossi,1807; *helvetica* Melichar,1896; *nicolausi* Wagner,1947
- 1590) **Cerdistus debilis** Becker,1923 (Asilidae) Synonym(s): *debilis* Becker,1923
- 1591) **Cerdistus denticulatus** Loew,1849 (Asilidae) Synonym(s): *denticulatus* Loew,1849
- 1592) **Ceresa bubalus** (Fabricius,1794) (Membracidae) Synonym(s): *bubalus* Fabricius,1794
- 1593) **Ceriana conopsoidea** (Linnaeus,1758) (Syrphidae) Synonym(s): *conopsoidea* Linnaeus,1758; *adunata* Geoffroy,1785; *clavicornis* Fabricius,1794; *vaginicornis* Schrank,1803; *uralensis* Becker,1921
- 1594) **Ceriana vespiformis** (Latreille,1804) (Syrphidae) Synonym(s): *vespiformis* Latreille,1804; *scutellata* Macquart,1842; *intricata* Saunders,1845
- 1595) **Cerocoma (Meloides) kunzei** Frivaldsky,1835 (Meloidae) Synonym(s): *kunzei* Frivaldsky,1835; *patelligera* Baudi,1878; *patkaii* Kaszab,1941; *kaszabi* Maran,1944; *#violacea* Kaszab,1951; *iranica* Muehe,1963; *palaestinensis* Muehe,1963
- 1596) **Cerocoma (Meloides) macedonica** Maran,1944 (Meloidae) Synonym(s): *macedonica* Maran,1944
- 1597) **Cerocoma (Metacerocoma) ephesica** Reitter,1885 (Meloidae) Synonym(s): *ephesica* Reitter,1885
- 1598) **Cerocoma (Metacerocoma) prevezaensis** Dvorak,1993 (Meloidae) Synonym(s): *prevezaensis* Dvorak,1993

- 1599) **Cerocoma (Metacerocoma) schreberi Fabricius, 1781** (Meloidae) Synonym(s): *schreberi* Fabricius, 1781
- 1600) **Ceroptera rufitarsis (Meigen, 1830)** (Sphaeroceridae) Synonym(s): *rufitarsis* Meigen, 1830; *sacra* Meigen, 1838; *luteipennis* Strobl, 1902; *picta* Becker, 1913
- 1601) **Ceroxys fraudulosa Loew, 1864** (Ulidiidae) Synonym(s): *fraudulosa* Loew, 1864
- 1602) **Ceroxys urticae (Linnaeus, 1758)** (Ulidiidae) Synonym(s): *urticae* Linnaeus, 1758; *?baneai* Gheorghiu, 1994
- 1603) **Certallum ebulinum (Linnaeus, 1767)** (Cerambycidae) Synonym(s): *ebulinum* Linnaeus, 1767; *ruficollis* Fabricius, 1787
- 1604) **Cerura (s.str.) vinula (Linnaeus, 1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus, 1758; *minax* Hübner, [1803]; *teberdina* Kornejev, 1939
- 1605) **Ceuthomadarus viduellus Rebel, 1903** (Lecithoceridae) Synonym(s): *viduellus* Rebel, 1903
- 1606) **Ceutorhynchus assimilis (Paykull, 1792)** (Curculionidae) Synonym(s): *assimilis* Paykull, 1792
- 1607) **Ceutorhynchus coarctatus Gyllenhal, 1837** (Curculionidae) Synonym(s): *coarctatus* Gyllenhal, 1837
- 1608) **Ceutorhynchus erysimi (Fabricius, 1787)** (Curculionidae) Synonym(s): *erysimi* Fabricius, 1787
- 1609) **Ceutorhynchus fallax Boheman, 1845** (Curculionidae) Synonym(s): *fallax* Boheman, 1845
- 1610) **Ceutorhynchus niyazii Hoffmann, 1957** (Curculionidae) Synonym(s): *niyazii* Hoffmann, 1957
- 1611) **Ceutorhynchus pallidactylus (Marsham, 1802)** (Curculionidae) Synonym(s): *pallidactylus* Marsham, 1802
- 1612) **Ceutorhynchus picitarsis Gyllenhal, 1837** (Curculionidae) Synonym(s): *picitarsis* Gyllenhal, 1837
- 1613) **Ceutorhynchus sophiae Gyllenhal, 1837** (Curculionidae) Synonym(s): *sophiae* Gyllenhal, 1837
- 1614) **Ceutorhynchus sulcicollis (Paykull, 1800)** (Curculionidae) Synonym(s): *sulcicollis* Paykull, 1800
- 1615) **Ceylalictus (s.str.) variegatus (Olivier, 1789)** (Halictidae) Synonym(s): *variegatus* Olivier, 1789; *pulchella* Jurine, 1807; *?syrphoides* Walker, 1871; *flavopicta* Dours, 1873; *jucunda* Morawitz, 1874; *fasciatus* Friese, 1898; *intermedius* Alfken, 1924; *simplex* Blüthgen, 1925; *labiatarum* Cockerell, 1931; *nigrita* Blüthgen, 1934; *pseudocerea* Blüthgen, 1934; *nigriventris* Blüthgen, 1934
- 1616) **Chaetomalachius punctatus Schilsky, 1896** (Melyridae) Synonym(s): *punctatus* Schilsky, 1896
- 1617) **Chaetorellia succinea (Costa, 1844)** (Tephritidae) Synonym(s): *succinea* Costa, 1844
- 1618) **Chalarus clarus Jervis, 1992** (Pipunculidae) Synonym(s): *clarus* Jervis, 1992
- 1619) **Chalcochiton holosericea (Fabricius, 1794)** (Bombyliidae) Synonym(s): *holosericea* Fabricius, 1794; *albiwillus* Pallas, 1818; *semiargentea* Macquart, 1840; *aberrans* Walker, 1849
- 1620) **Chalcochiton pallasii (Loew, 1856)** (Bombyliidae) Synonym(s): *pallasii* Loew, 1856; *schineri* Nowicki, 1868
- 1621) **Chamaesphacia aerifrons (Zeller, 1847)** (Sesiidae) Synonym(s): *aerifrons* Zeller, 1847
- 1622) **Chamaesphacia albiventris Lederer, 1853** (Sesiidae) Synonym(s): *albiventris* Lederer, 1853
- 1623) **Chamaesphacia anatolica Schwingenschuss, 1938** (Sesiidae) Synonym(s): *anatolica* Schwingenschuss, 1938
- 1624) **Chamaesphacia annellata (Zeller, 1847)** (Sesiidae) Synonym(s): *annellata* Zeller, 1847; *ceriaeformis* Lederer, 1853 *nec* Luc., 1849; *muscinaeformis* Walker, 1856; *ceriiformis* Staudinger, 1856; *clermonti* Le Cerf, 1914
- 1625) **Chamaesphacia astatifomis (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *astatifomis* Herrich-Schäffer, 1846
- 1626) **Chamaesphacia bibioniformis (Esper, [1800])** (Sesiidae) Synonym(s): *bibioniformis* Esper, [1800]; *tengyraeformis* Boisduval, 1840; *tengiriformis* Rambur, 1866; *myrsinides* Pinker, 1954
- 1627) **Chamaesphacia chalciformis (Esper, [1804])** (Sesiidae) Synonym(s): *chalciformis* Esper, [1804]
- 1628) **Chamaesphacia colpiformis (Staudinger, 1856)** (Sesiidae) Synonym(s): *colpiformis* Staudinger, 1856
- 1629) **Chamaesphacia doleriformis (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *doleriformis* Herrich-Schäffer, 1846
- 1630) **Chamaesphacia empiformis (Esper, [1783])** (Sesiidae) Synonym(s): *empiformis* Esper, [1783]; *bombyciformis* Fourcroy, 1785; *empinaeformis* Walker, 1856; *#flavoabdominalis* Popescu-Gorj, 1955; *lastuvkai* Spatenka, 1987
- 1631) **Chamaesphacia masariformis (Ochsenheimer, 1808)** (Sesiidae) Synonym(s): *masariformis* Ochsenheimer, 1808; *banchiformis* Hübner, [1813]; *allantiformis* Eversmann, 1844 *nec* Newm., 1832; *loewii* Zeller, 1847; *brandti* Le Cerf, 1937; *djakonovi* Popescu-Gorj & Capuse, 1966
- 1632) **Chamaesphacia oxybeliformis (Herrich-Schäffer, 1846)** (Sesiidae) Synonym(s): *oxybeliformis* Herrich-Schäffer, 1846
- 1633) **Chamaesphacia proximata (Staudinger, 1871)** (Sesiidae) Synonym(s): *proximata* Staudinger, 1871; *moreaui* Le Cerf, 1911; *gravesi* Rebel, 1927
- 1634) **Chamaesphacia schmidtiformis (Freyer, 1836)** (Sesiidae) Synonym(s): *schmidtiformis* Freyer, 1836
- 1635) **Chamaesphacia tenthrediniformis ([Denis & Schiffermüller], 1775)** (Sesiidae) Synonym(s): *tenthrediniformis* [Denis & Schiffermüller], 1775; *taediiformis* Freyer, 1836
- 1636) **Chamaesphacia thracica Z. Lastuvka, 1983** (Sesiidae) Synonym(s): *thracica* Z. Lastuvka, 1983
- 1637) **Characoma nilotica (Rogenhofer, 1882)** (Noctuidae) Synonym(s): *nilotica* Rogenhofer, 1882; *chamaeleon* Möschler, 1890; *littora* Bethune-Baker, 1894; *laurea* Druce, 1898; *proteella* Dyar, 1898; *#albifascia* Draudt, 1939
- 1638) **Charanyca trigrammica (Hufnagel, 1766)** (Noctuidae) Synonym(s): *trigrammica* Hufnagel, 1766; *quercus* Fabricius, 1775; *trilinea* [Denis & Schiffermüller], 1775; *evidens* Thunberg, 1784; *notacula* Fabricius, 1787; *quercicola* Gmelin, 1790; *bilinea* Hübner, 1803; *semifuscans* Haworth, 1809; *approximans* Haworth, 1809; *asiaminorica* Pinker, 1980
- 1639) **Charaxes jasius (Linnaeus, 1767)** (Argynniidae) Synonym(s): *jasius* Linnaeus, 1767; *jason* Linnaeus, 1767 *praeocc.*; *rhea* Hübner, 1800; *unedonis* Hübner, 1806; *faroensis* Ribbe, 1909; *septentrionalis* Verity, 1913; *europaeus* Verity, 1917
- 1640) **Chariaspilates formosaria (Eversmann, 1837)** (Geometridae) Synonym(s): *formosaria* Eversmann, 1837
- 1641) **Charopus apicalis Kiesenwetter, 1859** (Melyridae) Synonym(s): *apicalis* Kiesenwetter, 1859
- 1642) **Chazara (s.str.) briseis (Linnaeus, 1764)** (Satyridae) Synonym(s): *briseis* Linnaeus, 1764; *daedale* Bergsträßer, 1780; *bataia* Fruhstorfer, 1909; *interjecta* Verity, 1916; *variabilis* Varin, 1958; *pictonica* Varin, 1958
- 1643) **Chazara incarnata (Freyer, 1838)** (Noctuidae) Synonym(s): *incarnata* Freyer, 1838; *boisduvali* Boisduval, 1840
- 1644) **Cheiloneurus claviger Thomson, 1876** (Encyrtidae) Synonym(s): *claviger* Thomson, 1876; *graeffei* Ruschka, 1923
- 1645) **Cheilosis (Eucartosyrphus) scutellata (Fallén, 1817)** (Syrphidae) Synonym(s): *scutellata* Fallén, 1817
- 1646) **Cheilosis (s.str.) schnabli Becker, 1894** (Syrphidae) Synonym(s): *schnabli* Becker, 1894
- 1647) **Cheilosis soror (Zetterstedt, 1843)** (Syrphidae) Synonym(s): *soror* Zetterstedt, 1843
- 1648) **Cheironitis furcifer (Rossi, 1792)** (Scarabaeidae) Synonym(s): *furcifer* Rossi, 1792; *pugil* Costa, 1853; *syphax* Fairmaire, 1875; *metasternalis* Reitter, 1894; *theryi* Tondou, 1907
- 1649) **Cheironitis hungaricus (Herbst, 1789)** (Scarabaeidae) Synonym(s): *hungaricus* Herbst, 1789; *clinias* Fabricius, 1792; *amyntas* Steven, 1806; *alexis* Mulsant, 1842; *tityrus* Mulsant, 1842
- 1650) **Cheironitis pamphilus (Ménétriés, 1849)** (Scarabaeidae) Synonym(s): *pamphilus* Ménétriés, 1849; *eumenes* Motschoulsky, 1859; *ponticus* Lansberge, 1875
- 1651) **Chelis maculosa (Gerning, 1780)** (Arctiidae) Synonym(s): *#maculosa* [Denis & Schiffermüller], 1775; *maculosa* Gerning, 1780; *monacensis* Osthelder, 1933
- 1652) **Chelostoma (Foveosmia) campanularum (Kirby, 1802)** (Megachilidae) Synonym(s): *campanularum* Kirby, 1802
- 1653) **Chelostoma (Foveosmia) distinctum (Stöckert, 1929)** (Megachilidae) Synonym(s): *distinctum* Stöckert, 1929
- 1654) **Chelostoma (Foveosmia) forcipatum (Benoist, 1928)** (Megachilidae) Synonym(s): *forcipatum* Benoist, 1928

- 1655) *Chelostoma (Foveosmia) foveolatum* (Morawitz,1868) (Megachilidae) Synonym(s): *foveolatum* Morawitz,1868
 1656) *Chelostoma (Foveosmia) hellenicum* (Benoist,1938) (Megachilidae) Synonym(s): *hellenicum* Benoist,1938
 1657) *Chelostoma (Foveosmia) laticaudum* (Benoist,1938) (Megachilidae) Synonym(s): *laticaudum* Benoist,1938
 1658) *Chelostoma (Foveosmia) schlettereri* (Friese,1899) (Megachilidae) Synonym(s): *schlettereri* Friese,1899; *palaestina* Benoist,1935; *pici* Benoist,1935
 1659) *Chelostoma (Foveosmia) styriacum* Schwarz & Gusenleitner,1999 (Megachilidae) Synonym(s): *styriacum* Schwarz & Gusenleitner,1999
 1660) *Chelostoma (Gyrodromella) handlirschi* Schletterer,1889 (Megachilidae) Synonym(s): *handlirschi* Schletterer,1889
 1661) *Chelostoma (Gyrodromella) nasutum* Pérez,1895 (Megachilidae) Synonym(s): *nasutum* Pérez,1895; *truncatus* Friese,1897
 1662) *Chelostoma (Gyrodromella) rapunculi* (Lepelletier,1841) (Megachilidae) Synonym(s): *rapunculi* Lepelletier,1841; *nigricornis* Nylander,1848; *inermis* Eversmann,1852; *casularum* Chevrier,1872; *archanensis* Cockerell,1928; *platyodonta* Cockerell,1928
 1663) *Chelostoma (s.str.) diodon* Schletterer,1889 (Megachilidae) Synonym(s): *diodon* Schletterer,1889; *cypricum* Mavromoustakis,1951
 1664) *Chelostoma (s.str.) emarginatum* (Nylander,1856) (Megachilidae) Synonym(s): *emarginatum* Nylander,1856; *appendiculata* Morawitz,1871; *angustata* Chevrier,1872; *intermedia* Chevrier,1872; *quadrifidum* Kriechbaumer,1879; *incertum* Pérez,1890; *ursina* Benoist,1935
 1665) *Chelostoma (s.str.) florissomnis* (Linnaeus,1758) (Megachilidae) Synonym(s): *florissomnis* Linnaeus,1758; *maxillosa* Linnaeus,1767; *culmorum* Lepelletier,1841; *parumcrinitus* Alfken,1932
 1666) *Chelostoma (s.str.) grande* (Nylander,1852) (Megachilidae) Synonym(s): *grande* Nylander,1852
 1667) *Chelostoma (s.str.) lucens* (Benoist,1928) (Megachilidae) Synonym(s): *lucens* Benoist,1928
 1668) *Chelostoma (s.str.) mocsaryi* Schletterer,1889 (Megachilidae) Synonym(s): *mocsaryi* Schletterer,1889
 1669) *Chelostoma (s.str.) transversum* (Friese,1897) (Megachilidae) Synonym(s): *transversum* Friese,1897
 1670) *Chemerina caliginearia* (Rambur,1833) (Geometridae) Synonym(s): *caliginearia* Rambur,1833
 1671) *Chersotis (s.str.) anatolica* (Draudt,1936) (Noctuidae) Synonym(s): *anatolica* Draudt,1936; *elegantula* Boursin,1945.
 1672) *Chersotis (s.str.) anderegii* (Boisduval,[1837]) (Noctuidae) Synonym(s): *anderegii* Boisduval,[1837]
 1673) *Chersotis (s.str.) capnistis* (Lederer,1872) (Noctuidae) Synonym(s): *capnistis* Lederer,1872; *neara* Püngeler,1902.
 1674) *Chersotis (s.str.) cuprea* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller],1775; *haematitidea* Esper,[1794]; *palustris* Osthelder,1927; *jordanovi* Touleschkov,1951.
 1675) *Chersotis (s.str.) elegans* (Eversmann,1837) (Noctuidae) Synonym(s): *elegans* Eversmann,1837; *grammiptera* Rambur,[1839].
 1676) *Chersotis (s.str.) fimbriola* (Esper,[1798]) (Noctuidae) Synonym(s): *fimbriola* Esper,[1798]
 1677) *Chersotis (s.str.) laeta* (Rebel,1904) (Noctuidae) Synonym(s): *laeta* Rebel,1904
 1678) *Chersotis (s.str.) margaritacea* (Villers,1789) (Noctuidae) Synonym(s): *margaritacea* Villers,1789; *i-intactum* Hübner,[1803]; *#abruzzensis* Corti & Draudt,1933; *espuensis* Calle,1982
 1679) *Chersotis (s.str.) multangula* (Hübner,[1803]) (Noctuidae) Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Touleschkov,1951.
 1680) *Chersotis (s.str.) rectangula* (Fabricius,1787) (Noctuidae) Synonym(s): *rectangula* Fabricius,1787.
 1681) *Chersotis (s.str.) zukowskyi* (Draudt,1936) (Noctuidae) Synonym(s): *zukowskyi* Draudt,1936
 1682) *Chesias legatella* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *legatella* [Denis & Schiffermüller],1775; *spartiana* Herbst,1782; *soubryana* Villers,1789; *capriata* L.B.Prout,1914; *scanica* Burrau,1950
 1683) *Chesias rufata* (Fabricius,1775) (Geometridae) Synonym(s): *rufata* Fabricius,1775; *obliquaria* [Denis & Schiffermüller],1775; *bombycata* Donovan,1806; *occidentalis* Delahaye,1900; *cinerea* Staudinger,1901; *plumbeata* Staudinger,1901; *ornata* Heydemann,1933; *scotica* Richardson,1952
 1684) *Chesias zuellichi* Schawerda,1939 (Geometridae) Synonym(s): *zuellichi* Schawerda,1939
 1685) *Chetogena acuminata* Rondani,1859 (Tachinidae) Synonym(s): *acuminata* Rondani,1859
 1686) *Chetogena filipalpis* Rondani,1859 (Tachinidae) Synonym(s): *filipalpis* Rondani,1859
 1687) *Chetogena nigrofasciata* (Strobl,1902) (Tachinidae) Synonym(s): *nigrofasciata* Strobl,1902; *repanda* Mesnil,1939
 1688) *Chetogena obliquata* (Fallén,1810) (Tachinidae) Synonym(s): *obliquata* Fallén,1810
 1689) *Chiasmia (Godonela) aestimaria* (Hübner,[1809]) (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949.
 1690) *Chiasmia clathrata* (Linnaeus,1758) (Geometridae) Synonym(s): *clathrata* Linnaeus,1758; *almacola* Wehrli,1934.
 1691) *Chilades (Freyeria) trochylus* (Freyer,[1843]) (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931
 1692) *Chilaspis mayri* (Müllner,1901) (Cynipidae) Synonym(s): *mayri* Müllner,1901
 1693) *Chilo luteellus* (Motschulsky,1866) (Pyralidae) Synonym(s): *lutellus* Motschulsky,1866 *nec* [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941.
 1694) *Chilodes maritima* (Tauscher,1806) (Noctuidae) Synonym(s): *maritima* Tauscher,1806; *bipunctana* Haworth,1812.
 1695) *Chionodes distinctella* (Zeller,1839) (Gelechiidae) Synonym(s): *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979.
 1696) *Chionodes electella* (Zeller,1839) (Gelechiidae) Synonym(s): *electella* Zeller,1839
 1697) *Chirosia albitarsis* (Zetterstedt,1845) (Anthomyiidae) Synonym(s): *albitarsis* Zetterstedt,1845
 1698) *Chirosia cinerosa* (Zetterstedt,1845) (Anthomyiidae) Synonym(s): *cinerosa* Zetterstedt,1845
 1699) *Chirosia crassisetia* Stein,1908 (Anthomyiidae) Synonym(s): *crassisetia* Stein,1908
 1700) *Chirosia histricina* (Rondani,1866) (Anthomyiidae) Synonym(s): *histricina* Rondani,1866
 1701) *Chlaenius (Chlaenites) spoliatus* (P.Rossi,1792) (Carabidae) Synonym(s): *spoliatus* P.Rossi,1792
 1702) *Chlaenius circumscriptus* Duftschmid,1812 (Carabidae) Synonym(s): *circumscriptus* Duftschmid,1812
 1703) *Chlaenius cruralis* Fischer von Waldheim,1829 (Carabidae) Synonym(s): *cruralis* Fischer von Waldheim,1829
 1704) *Chlaenius decipiens* L.Dufour,1820 (Carabidae) Synonym(s): *decipiens* L.Dufour,1820
 1705) *Chloantha hypericii* (Fabricius,1787) (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787
 1706) *Chloriona ponticana* Asche,1982 (Delphacidae) Synonym(s): *ponticana* Asche,1982
 1707) *Chlorissa cloraria* (Hübner,[1813]) (Geometridae) Synonym(s): *cloraria* Hübner,[1813]; *porrinata* Zeller,1848; *porrinaria* Heydenreich,1851.
 1708) *Chlorissa viridata* (Linnaeus,1758) (Geometridae) Synonym(s): *viridata* Linnaeus,1758; *volutata* Fabricius,1775; *sirene* Villers,1789

- 1709) **Chlorita beieri Dlabola, 1959** (Cicadellidae) Synonym(s): *beieri Dlabola, 1959*
 1710) **Chlorita punctum Lethierry, 1884** (Cicadellidae) Synonym(s): *punctum Lethierry, 1884*
 1711) **Chlorita tessellata Lethierry, 1884** (Cicadellidae) Synonym(s): *tessellata Lethierry, 1884*
 1712) **Chloroclysta siterata (Hufnagel, 1767)** (Geometridae) Synonym(s): *siterata Hufnagel, 1767*; *psittacata* [Denis & Schiffermüller, 1775; *rubroviridata* Donovan, 1810; *psittacaria* Boisduval, 1840
 1713) **Chloroclysta truncata (Hufnagel, 1767)** (Geometridae) Synonym(s): *truncata Hufnagel, 1767*; *centumnotata* Schulze, 1775; *russata* [Denis & Schiffermüller, 1775; *perfuscata* Haworth, 1809; *commantata* Haworth, 1809; *saturata* Stephens, 1831; *russaria* Boisduval, 1840; *perfuscata* La Harpe, 1853
 1714) **Chloroclystis v-ata (Haworth, 1809)** (Geometridae) Synonym(s): *v-ata* Haworth, 1809; *coronata* Hübner, [1813]; *coronaria* Doubleday, 1849
 1715) **Chloromyia formosa (Scopoli, 1763)** (Stratiomyidae) Synonym(s): *formosa* Scopoli, 1763
 1716) **Chloromyia speciosa (Macquart, 1834)** (Stratiomyidae) Synonym(s): *speciosa* Macquart, 1834; *melampogon* Zeller, 1842; *subalpina* Strobl, 1910; *nigripes* Pleske, 1926
 1717) **Chlorophorus aegyptiacus (Fabricius, 1775)** (Cerambycidae) Synonym(s): *aegyptiacus* Fabricius, 1775; *nigripes* Brullé, 1832
 1718) **Chlorophorus figuratus (Scopoli, 1763)** (Cerambycidae) Synonym(s): *figuratus* Scopoli, 1763
 1719) **Chlorops pumilionis (Bjerkander, 1778)** (Chloropidae) Synonym(s): *pumilionis* Bjerkander, 1778; *lineatus* Fabricius, 1781; *nasutus* Schrank, 1781; *taeniopus* Meigen, 1830; *annulipes* Brullé, 1833; *lineolus* Brullé, 1833; *pumilio* Zetterstedt, 1848
 1720) **Choerades loewi Lehr, 1991** (Asilidae) Synonym(s): *loewi* Lehr, 1991
 1721) **Choerades ursula (Loew, 1851)** (Asilidae) Synonym(s): *ursula* Loew, 1851
 1722) **Chorebus flavipes Goureau, 1851** (Braconidae) Synonym(s): *flavipes* Goureau, 1851
 1723) **Choreutis nemorana (Hübner, [1799])** (Choreutidae) Synonym(s): *nemorana* Hübner, [1799]; *incisalis* Treitschke, 1828; *nemoranal* Treitschke, 1829; *nemorella* Herrich-Schäffer, 1862
 1724) **Chorisops tibialis (Meigen, 1820)** (Stratiomyidae) Synonym(s): *tibialis* Meigen, 1820; *hyaliniventris* A. Costa, 1857
 1725) **Choristoneura hebenstreitella (Müller, 1764)** (Tortricidae) Synonym(s): *hebenstreitella* Müller, 1764; *pyrana* Villers, 1789; *sorbiana* Hübner, [1799]
 1726) **Choristoneura murinana (Hübner, [1799])** (Tortricidae) Synonym(s): *murinana* Hübner, [1799]; *caprimulgana* Koch, 1859; *besseri* Nowicki, 1860; *histrionana* Ratzeburg, 1868 *nec* Fröl., 1828; *immaculana* Wachtl, 1882
 1727) **Chorthippus (Glyptobothrus) biguttulus (Linnaeus, 1758)** (Acrididae) Synonym(s): *biguttulus* Linnaeus, 1758
 1728) **Chorthippus (Glyptobothrus) biroi (Kuthy, 1907)** (Acrididae) Synonym(s): *biroi* Kuthy, 1907
 1729) **Chortodes morrisii (Dale, 1837)** (Noctuidae) Synonym(s): *morrisii* Dale, 1837; *bondii* Knaggs, 1861
 1730) **Chortodes pygmina (Haworth, 1809)** (Noctuidae) Synonym(s): *pygmina* Haworth, 1809; *fulva* Hübner, [1813].
 1731) **Chovela (s.str.) reitteri Petri, 1915** (Leiodidae) Synonym(s): *reitteri* Petri, 1915
 1732) **Chroantha ornatula (Herrich-Schäffer, 1842)** (Pentatomidae) Synonym(s): *ornatula* Herrich-Schäffer, 1842
 1733) **Chrysobothris affinis (Fabricius, 1794)** (Buprestidae) Synonym(s): *affinis* Fabricius, 1794; *congener* Paykull, 1799; *tetragramma* Ménétériés, 1832; *hexastigma* Mannerheim, 1837; *assimulans* Schreiber, 1843; *aeruginosa* Fügner, 1891; *heliophila* Abeille, 1893; *inaqualis* Reitter, 1895; *reitteri* Kerremans, 1900; *tristis* Abeille, 1900; *adusta* Abeille, 1901; *carinithorax* Oberberger, 1916; *heterochroa* Oberberger, 1916; *laticollis* Oberberger, 1916; *leonhardi* Oberberger, 1916; *sibirica* Oberberger, 1916; *reinecki* Schirmer, 1918; *eurythorax* Oberberger, 1934; *nevstyti* Richter, 1944
 1734) **Chrysobothris solieri Laporte & Gory, 1837** (Buprestidae) Synonym(s): *solieri* Laporte & Gory, 1837; *consentacea* Dejean, 1836; *multipunctata* Campanyo, 1863; *quadridens* Rey, 1890; *bedeli* Pic, 1930
 1735) **Chrysocharis nephereus (Walker, 1839)** (Eulophidae) Synonym(s): *nephereus* Walker, 1839; *erigone* Walker, 1839; *inarus* Walker, 1839; *matho* Walker, 1839; *metella* Walker, 1839; *nautes* Walker, 1839; *orchestis* Ratzeburg, 1844; *sauros* Walker, 1848; *laeta* Ratzeburg, 1848; *auronitens* Ratzeburg, 1852; *turcicus* Fahringer, 1938; *gunholdi* Delucchi, 1954; *laevigata* Delucchi, 1954; *tadici* Delucchi, 1954; *cuspidigaster* Yoshimoto, 1973; *truncatipennis* Yoshimoto, 1973; *elmaellae* Doğanlar, 1980
 1736) **Chrysocrambus craterellus (Scopoli, 1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli, 1763; *rorella* Linnaeus, 1767; *klimeschi* Toll, 1938; *alpinus* Bleszynski, 1958; *abruzzellus* Bleszynski, 1958.
 1737) **Chrysocrambus linetellus (Fabricius, 1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius, 1781; *cassentiniellus* Herrich-Schäffer, [1848]; *distinctus* Müller-Rutz, 1920; *chrysocrossis* Meyrick, 1936; *#marioni* Dufrane, 1960.
 1738) **Chrysodeixis chalcites (Esper, [1789])** (Noctuidae) Synonym(s): *chalcites* Esper, [1789]; *chalsytis* Hübner, 1790; *bengalensis* Rossi, 1794; *quaestiois* Fabricius, 1794; *verticillata* Guenée, 1852; *integra* Walker, 1858; *adjuncta* Walker, 1865
 1739) **Chrysoesthia drurella (Fabricius, 1775)** (Gelechiidae) Synonym(s): *drurella* Fabricius, 1775; *myllerella* Fabricius, 1794; *zinckeella* Hübner, [1813]; *zinckenella* Hübner, [1825]; *druryella* Zeller, 1850; *hermannella* auct.
 1740) **Chrysoesthia sexguttella (Thunberg, 1794)** (Gelechiidae) Synonym(s): *sexguttella* Thunberg, 1794; *auropunctella* Thunberg, 1794; *stipella* sensu Hübner, 1796; *aurofasciella* Stephens, 1834; *naeviferella* Duponchel, [1843].
 1741) **Chrysogaster coemeteriora (Linnaeus, 1758)** (Syrphidae) Synonym(s): *coemeteriorum* Linnaeus, 1758
 1742) **Chrysogaster simplex Loew, 1843** (Syrphidae) Synonym(s): *simplex* Loew, 1843
 1743) **Chrysolina chalcites (Germar, 1824)** (Chrysomelidae) Synonym(s): *chalcites* Germar, 1824; *festiva* Ménétériés, 1832
 1744) **Chrysolina cretica (Olivier, 1807)** (Chrysomelidae) Synonym(s): *cretica* Olivier, 1807
 1745) **Chrysolina orientalis (Olivier, 1807)** (Chrysomelidae) Synonym(s): *orientalis* Olivier, 1807; *campicola* Gistel, 1857; *palaestina* Bechyne, 1950; *thraeissa* Bechyne, 1950
 1746) **Chrysolina peregrina (Herrich-Schäffer, 1839)** (Chrysomelidae) Synonym(s): *peregrina* Herrich-Schäffer, 1839; *erythromera* Lucas, 1849; *oberndorferi* Brenske, 1890; *schotti* Suffrian, 1851; *impavida* Bechyne, 1949
 1747) **Chrysolina rhodia Bechyne, 1950** (Chrysomelidae) Synonym(s): *rhodia* Bechyne, 1950
 1748) **Chrysolina taygetana Bechyne, 1952** (Chrysomelidae) Synonym(s): *taygetana* Bechyne, 1952
 1749) **Chrysolina vernalis (Brullé, 1836)** (Chrysomelidae) Synonym(s): *vernalis* Brullé, 1836; *ottomana* Weise, 1906
 1750) **Chrysomela populi Linnaeus, 1758** (Chrysomelidae) Synonym(s): *populi* Linnaeus, 1758
 1751) **Chrysomela saliceti (Weise, 1884)** (Chrysomelidae) Synonym(s): *saliceti* Weise, 1884; *#salceti* Arslan & Özbek, 1999
 1752) **Chrysomya albiceps (Wiedemann, 1819)** (Calliphoridae) Synonym(s): *albiceps* Wiedemann, 1819
 1753) **Chrysopilus pallipes (Loew, 1869)** (Rhagionidae) Synonym(s): *pallipes* Loew, 1869
 1754) **Chrysopilus palparis Loew, 1869** (Rhagionidae) Synonym(s): *palparis* Loew, 1869
 1755) **Chrysopilus praetiosus Loew, 1869** (Rhagionidae) Synonym(s): *praetiosus* Loew, 1869
 1756) **Chrysops (Petersenichrysops) hamatus Loew, 1858** (Tabanidae) Synonym(s): *hamatus* Loew, 1858
 1757) **Chrysops (s.str.) caecutiens (Linnaeus, 1758)** (Tabanidae) Synonym(s): *caecutiens* Linnaeus, 1758; *ludens* Loew, 1858
 1758) **Chrysops (s.str.) flavipes Meigen, 1804** (Tabanidae) Synonym(s): *flavipes* Meigen, 1804; *punctifer* Loew, 1858; *#favipes* Kılıç, 1999
 1759) **Chrysops (s.str.) italicus Meigen, 1804** (Tabanidae) Synonym(s): *italicus* Meigen, 1804; *nigriventris* Loew, 1856

- 1760) Chrysops (s.str.) relictus Meigen, 1820** (Tabanidae) Synonym(s): *relictus* Meigen, 1820; *chlorosis* Goffe, 1931; *clarus* Goffe, 1931; *conspiciuus* Goffe, 1931; *inconspiciuus* Goffe, 1931
- 1761) Chrysops (s.str.) viduatus (Fabricius, 1794)** (Tabanidae) Synonym(s): *viduatus* Fabricius, 1794; *pictus* Meigen, 1820
- 1762) Chrysoteuchia culmella (Linnaeus, 1758)** (Pyralidae) Synonym(s): *culmella* Linnaeus, 1758; *strigella* Fabricius, 1781; *hortuella* Hübner, 1796; *cespitella* Hübner, 1796; *caricetalis* Hübner, [1825]; *#hortellus* Zerny, 1914; *#brunnea* Dufrane, 1942.
- 1763) Chrysotoxum bicinctum (Linnaeus, 1758)** (Syrphidae) Synonym(s): *bicinctum* Linnaeus, 1758
- 1764) Chrysotoxum festivum (Linnaeus, 1758)** (Syrphidae) Synonym(s): *festivum* Linnaeus, 1758; *bipunctatum* Müller, 1776; *imbelle* Harris, [1776]; *geographicum* Geoffroy, 1785; *annulatum* Loew, 1840; *infuscatum* Loew, 1840; *scutellare* Loew, 1840; *tomentosum* Giglio-Tos, 1890; *japonicum* Matsumura, 1916
- 1765) Chrysotoxum impressum Becker, 1921** (Syrphidae) Synonym(s): *impressum* Becker, 1921
- 1766) Chrysotoxum intermedium Meigen, 1822** (Syrphidae) Synonym(s): *intermedium* Meigen, 1822; *lunulatum* Brullé, 1832; *monticola* Schummel, 1842; *italicum* Rondani, 1845; *graecum* Walker, 1852; *gymnophthalmum* Giglio-Tos, 1890
- 1767) Chrysotus albibarbus Loew, 1857** (Dolichopodidae) Synonym(s): *albibarbus* Loew, 1857
- 1768) Chrysotus pennatus Lichtwardt, 1902** (Dolichopodidae) Synonym(s): *pennatus* Lichtwardt, 1902
- 1769) Chrysotus suavis Loew, 1857** (Dolichopodidae) Synonym(s): *suavis* Loew, 1857
- 1770) Cicada cretensis Quartau & Simoes, 2005** (Cicadidae) Synonym(s): *cretensis* Quartau & Simoes, 2005
- 1771) Cicada longicornis Poda, 1761** (Cicadidae) Synonym(s): *longicornis* Poda, 1761
- 1772) Cicada mordoganensis Boulard, 1979** (Cicadidae) Synonym(s): *mordoganensis* Boulard, 1979
- 1773) Cicada orni Linnaeus, 1758** (Cicadidae) Synonym(s): *orni* Linnaeus, 1758; *punctata* Fabricius, 1798; *oleae* A. Costa, 1877
- 1774) Cicadatra atra (Oliver, 1790)** (Cicadidae) Synonym(s): *atra* Oliver, 1790; *concinna* Germar, 1821; *transversa* Germar, 1830 (praeocc.); *vitreus* Brullé, 1832; *hyalinatus* Brullé, 1832; *helianthemii* Rambur, 1840; *aquila* Fieber, 1876; *pallipes* Fieber, 1876; *tau* Fieber, 1876; *appendiculata* Linnavuori, 1954
- 1775) Cicadella viridis (Linnaeus, 1758)** (Cicadellidae) Synonym(s): *viridis* Linnaeus, 1758; *arundinis* Germar, 1821; *flavicatella* Graaf, 1854; *concolor* Haupt, 1912
- 1776) Cicadetta aestuans (Fabricius, 1794)** (Cicadidae) Synonym(s): *aestuans* Fabricius, 1794; *algira* Fabricius, 1803
- 1777) Cicadetta albipennis Fieber, 1876** (Cicadidae) Synonym(s): *albipennis* Fieber, 1876
- 1778) Cicadetta brullei Fieber, 1876** (Cicadidae) Synonym(s): *brullei* Fieber, 1876
- 1779) Cicadetta flaveola (Brullé, 1832)** (Cicadidae) Synonym(s): *flaveola* Brullé, 1832
- 1780) Cicadetta gastrica (Stal, 1854)** (Cicadidae) Synonym(s): *gastrica* Stal, 1854
- 1781) Cicadetta hageni Fieber, 1872** (Cicadidae) Synonym(s): *hageni* Fieber, 1872
- 1782) Cicadetta montana (Scopoli, 1772)** (Cicadidae) Synonym(s): *montana* Scopoli, 1772; *flavofenestrata* Goeze, 1778; *schafferi* Gmelin, 1780; *pygmaea* Olivier, 1790; *dimidiata* Fabricius, 1803; *anglica* Samouelle, 1819; *parvula* Walker, 1850 (praeocc.); *saxonica* Hartwig, 1857; *megerlei* Fieber, 1876; *longipennis* Fieber, 1876
- 1783) Cicadivetta tibialis (Panzer, 1798)** (Cicadidae) Synonym(s): *tibialis* Panzer, 1798; *libanotica* Horvath, 1911; *cissilvanica* Haupt, 1935; *acuta* Dlabola, 1961
- 1784) Cicadulina bipunctata (Melichar, 1904)** (Cicadellidae) Synonym(s): *bipunctata* Melichar, 1904; *bipunctella* Matsumura, 1908; *zeae* China, 1926
- 1785) Cicindela campestris Linnaeus, 1758** (Carabidae) Synonym(s): *campestris* Linnaeus, 1758
- 1786) Cidaria fulvata (Forster, 1771)** (Geometridae) Synonym(s): *fulvata* Forster, 1771; *cuspidata* Thunberg, 1784
- 1787) Cidnopus pilosus (Leske, 1785)** (Elateridae) Synonym(s): *pilosus* Leske, 1785
- 1788) Cidnopus schurmanni Platia & Gudenzi, 1998** (Elateridae) Synonym(s): *schurmanni* Platia & Gudenzi, 1998
- 1789) Cilix glaucata (Scopoli, 1763)** (Drepanidae) Synonym(s): *glaucata* Scopoli, 1763; *modesta* Müller, 1764; *ruffa* Linnaeus, 1766; *spinula* [Denis & Schiffermüller], 1775; *candidula* [Denis & Schiffermüller], 1775; *compressa* Fabricius, 1777
- 1790) Cionus scrophulariae (Linnaeus, 1758)** (Curculionidae) Synonym(s): *scrophulariae* Linnaeus, 1758
- 1791) Circulifer haematoceps (Mulsant & Rey, 1855)** (Cicadellidae) Synonym(s): *haematoceps* Mulsant & Rey, 1855; *haagi* Kirschbaum, 1868; *opacus* Kirschbaum, 1868; *rubrotinctus* Kirschbaum, 1868; *opacipennis* Lethierry, 1876; *vittiventris* Lethierry, 1876; *diluta* Ferrari, 1882; *picta* Ferrari, 1882; *minor* Ferrari, 1884; *futilis* Horvath, 1909; *unicolor* Haupt, 1927; *haupti* Zachvatkin, 1935; *viridiflavus* Lindberg, 1948; *interibilis* Lindberg, 1948
- 1792) Cirrospilus vittatus Walker, 1838** (Eulophidae) Synonym(s): *vittatus* Walker, 1838; *lineatus* Förster, 1841; *nigrolineatus* Crawford, 1913; *sanguinea* Girault, 1916; *pulcherrimus* Mercet, 1916; *donatellae* Mariani, 1942; *hytomyzae* Ishii, 1953; *novickyi* Bakkendorf, 1955
- 1793) Cixidia parnassia (Stal, 1859)** (Achilidae) Synonym(s): *parnassia* Stal, 1859
- 1794) Cixius remotus Edwards, 1888** (Cixiidae) Synonym(s): *remotus* Edwards, 1888
- 1795) Clanoptilus (s.str.) affinis (Ménétrières, 1832)** (Melyridae) Synonym(s): *affinis* Ménétrières, 1832
- 1796) Clanoptilus (s.str.) ambiguus (Peyron, 1877)** (Melyridae) Synonym(s): *ambiguus* Peyron, 1877
- 1797) Clanoptilus (s.str.) durandi (Pardo, 1970)** (Melyridae) Synonym(s): *durandi* Pardo, 1970
- 1798) Clanoptilus (s.str.) elegans (Olivier, 1790)** (Melyridae) Synonym(s): *elegans* Olivier, 1790
- 1799) Clanoptilus (s.str.) geniculatus (Germar, 1824)** (Melyridae) Synonym(s): *geniculatus* Germar, 1824
- 1800) Clanoptilus (s.str.) spinipennis (Erichson, 1840)** (Melyridae) Synonym(s): *spinipennis* Erichson, 1840
- 1801) Clanoptilus (s.str.) transadriaticus (Evers, 1969)** (Melyridae) Synonym(s): *transadriaticus* Evers, 1969
- 1802) Clavigesta sylvestrana (Curtis, 1850)** (Tortricidae) Synonym(s): *sylvestrana* Curtis, 1850; *pollinis* Milliere, 1874
- 1803) Clavigesta tokei K.Larsen, 2010** (Tortricidae) Synonym(s): *tokei* K.Larsen, 2010
- 1804) Cleoceris scoriacea (Esper, [1789])** (Noctuidae) Synonym(s): *scoriacea* Esper, [1789]; *capreae* Hübner, [1803].
- 1805) Cleonymia (Serryvania) opposita (Lederer, 1870)** (Noctuidae) Synonym(s): *opposita* Lederer, 1870; *#obscurior* Osthelder, 1933.
- 1806) Cleorodes lichenarius (Hufnagel, 1767)** (Geometridae) Synonym(s): *lichenaria* Hufnagel, 1767
- 1807) Clepsis consimilana (Hübner, [1817])** (Tortricidae) Synonym(s): *consimilana* Hübner, [1817]; *unifasciana* Duponchel, 1843; *productana* Zeller, 1847; *obliterana* Herrich-Schäffer, 1851; *peregrinana* Stephens, 1852; *eatoniana* Ragonot, 1881; *semiana* Chrétien, 1915; *acclivana* Zerny, 1933; *placida* Diakonoff, 1948
- 1808) Clepsis pallidana (Fabricius, 1776)** (Tortricidae) Synonym(s): *pallidana* Fabricius, 1776; *strigana* Hübner, [1799]; *stramineana* Herrich-Schäffer, [1851]; *quinquemaculana* Bremer, 1864; *cesareana* Joannis, 1891; *districta* Meyrick, 1920.
- 1809) Clepsis steineriana (Hübner, [1799])** (Tortricidae) Synonym(s): *steineriana* Hübner, [1799]; *chrysitana* Frölich, 1828; *caprana* Della Beffa, 1935; *roganodes* Hannemann, 1960; *#chrisitana* Razowski, 1979
- 1810) Cleptes aerosus Förster, 1853** (Chrysididae) Synonym(s): *aerosus* Förster, 1853; *abeillei* Buysson, 1887
- 1811) Cleptes cavernalis Moczar, 1968** (Chrysididae) Synonym(s): *cavernalis* Moczar, 1968
- 1812) Cleptes consimilis Buysson, 1887** (Chrysididae) Synonym(s): *consimilis* Buysson, 1887; *chyzeri* Moczar, 1889
- 1813) Cleptes femoralis Moczar, 1890** (Chrysididae) Synonym(s): *femoralis* Moczar, 1890; *antakyensis* Linsenmaier, 1968
- 1814) Cleptes graecus Moczar, 2001** (Chrysididae) Synonym(s): *graecus* Moczar, 2001

- 1815) Cleptes pallipes Lepeletier, 1806** (Chrysididae) Synonym(s): *pallipes* Lepeletier, 1806; *diana* Mocsary, 1889
- 1816) Cleptes parnassicus Mocsary, 1902** (Chrysididae) Synonym(s): *parnassicus* Mocsary, 1902
- 1817) Cleptes scutellaris Mocsary, 1889** (Chrysididae) Synonym(s): *scutellaris* Mocsary, 1889
- 1818) Cleta filacearia (Herrich-Schäffer, [1847])** (Geometridae) Synonym(s): *filacearia* Herrich-Schäffer, [1847]
- 1819) Clostera anachoreta (Fabricius, 1787)** (Notodontidae) Synonym(s): *#anachoreta* [Denis & Schiffermüller], 1775; *anachoreta* Fabricius, 1787; *pallida* Staudinger, 1887 nec Wlk., 1855; *albidior* Pfütze, 1901; *erema* Bryk, 1942; *lundquisti* Bryk, 1942; *mahatma* Bryk, 1949
- 1820) Clostera anastomosis (Linnaeus, 1758)** (Notodontidae) Synonym(s): *anastomosis* Linnaeus, 1758; *alticaudagrisea* Retzius, 1783; *orientalis* Fixsen, 1887; *kononis* Matsumura, 1929; *insignior* Kiriakoff, 1963
- 1821) Clostera curtula (Linnaeus, 1758)** (Notodontidae) Synonym(s): *curtula* Linnaeus, 1758; *albicaudaalba* Retzius, 1783
- 1822) Clostera pigra (Hufnagel, 1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel, 1766; *reclusa* [Denis & Schiffermüller], 1775; *alticaudafurcata* Retzius, 1783; *suffusa* Stephens, 1835; *superior* Rangnow, 1935; *#flavidior* Bytinski-Salz, 1936
- 1823) Closterocerus arvensis (Graham, 1963)** (Eulophidae) Synonym(s): *arvensis* Graham, 1963
- 1824) Closterocerus cuprifrons (Erdős, 1954)** (Eulophidae) Synonym(s): *cuprifrons* Erdős, 1954
- 1825) Closterocerus formosus Westwood, 1833** (Eulophidae) Synonym(s): *formosus* Westwood, 1833; *phaenna* Walker, 1839; *lunatus* Ratzeburg, 1848; *ovulorum* Ratzeburg, 1848; *fullowayi* Crawford, 1913; *meridionalis* Silvestri, 1914; *silvia* Girault, 1917; *camilli* Girault, 1917
- 1826) Closterotomus annulus (Brullé, 1832)** (Miridae) Synonym(s): *annulus* Brullé, 1832; *collaris* Fieber, 1870; *fuliginosus* Reuter, 1877; *fuscescens* Reuter, 1877; *nebulosus* Wagner, 1974
- 1827) Closterotomus histrio (Reuter, 1877)** (Miridae) Synonym(s): *histrio* Reuter, 1877; *obscurus* Wagner, 1968
- 1828) Closterotomus krueperi (Reuter, 1880)** (Miridae) Synonym(s): *krueperi* Reuter, 1880
- 1829) Closterotomus norvegicus (Gmelin, 1790)** (Miridae) Synonym(s): *bipunctatus* Fabricius, 1779 nec Linn.; *norvegicus* Gmelin, 1790; *biguttatus* Schrank, 1801; *contiguus* Walker, 1873; *stramineus* Walker, 1873; *vittiger* Reuter, 1896; *atava* Reuter, 1896; *picticollis* Horvath, 1909
- 1830) Closterotomus trivialis (A. Costa, 1853)** (Miridae) Synonym(s): *trivialis* A. Costa, 1853
- 1831) Clytie (s.str.) syriaca (Bugnion, 1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion, 1837; *gentilitia* Freyer, 1848.
- 1832) Clytiomya continua (Panzer, 1798)** (Tachinidae) Synonym(s): *continua* Panzer, 1798
- 1833) Clytiomya dupuisi Kugler, 1971** (Tachinidae) Synonym(s): *dupuisi* Kugler, 1971
- 1834) Clytiomya mesnili Kugler, 1968** (Tachinidae) Synonym(s): *mesnili* Kugler, 1968
- 1835) Clytiomya sola (Rondani, 1861)** (Tachinidae) Synonym(s): *sola* Rondani, 1861
- 1836) Clytra atraphaxidis (Pallas, 1773)** (Chrysomelidae) Synonym(s): *atraphaxidis* Pallas, 1773; *deficiens* Weise, 1900
- 1837) Clytra binominata Monros, 1953** (Chrysomelidae) Synonym(s): *binominata* Monros, 1953
- 1838) Clytra valeriana Ménétriés, 1832** (Chrysomelidae) Synonym(s): *valeriana* Ménétriés, 1832; *tetrastigma* Schmidt, 1841; *#valerianae* Aydın & Kismali, 1990
- 1839) Clytus rhamni Germar, 1817** (Cerambycidae) Synonym(s): *rhamni* Germar, 1817
- 1840) Cnaemidophorus rhododactylus (Fabricius, 1787)** (Pterophoridae) Synonym(s): *#rhododactyla* [Denis & Schiffermüller], 1775; *rhododactylus* Fabricius, 1787; *koreana* Matsumura, 1931; *#rhododactyls* Arenberger, 1998
- 1841) Cnephasia (Cnephasiella) abrasana (Duponchel, 1843)** (Tortricidae) Synonym(s): *abrasana* Duponchel, 1843
- 1842) Cnephasia (Cnephasiella) incertana (Treitschke, 1835)** (Tortricidae) Synonym(s): *incertana* Treitschke, 1835; *subjectana* Guenée, 1845; *minorana* Herrich-Schäffer, 1851; *barbarana* Walsingham, 1900; *kurdistan* Amsel, 1955; *atticana* Razowski, 1958
- 1843) Cnephasia (s.str.) asseclana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *asseclana* [Denis & Schiffermüller], 1775; *interjectana* Haworth, 1811; *virgaureana* Treitschke, 1835; *oleraceana* Gibson, 1916
- 1844) Cnephasia (s.str.) communana (Herrich-Schäffer, [1851])** (Tortricidae) Synonym(s): *communana* Herrich-Schäffer, [1851]
- 1845) Cnephasia (s.str.) cupressivorana (Staudinger, 1871)** (Tortricidae) Synonym(s): *cupressivorana* Staudinger, 1871; *appenicola* Obratzsov, 1950; *orthoxyana* Réal, 1951; *confluentana* Réal, 1951
- 1846) Cnephasia (s.str.) ecullyana Réal, 1951** (Tortricidae) Synonym(s): *ecullyana* Réal, 1951; *tyrrhaenica* Amsel, 1952; *pollinoana* Trematerra, 1991
- 1847) Cnephasia (s.str.) fragosana (Zeller, 1847)** (Tortricidae) Synonym(s): *fragosana* Zeller, 1847; *adulterinana* Kennel, 1901; *reisseri* Filipjev, 1934; *distinctana* Lucas, 1937
- 1848) Cnephasia (s.str.) graecana Rebel, 1902** (Tortricidae) Synonym(s): *graecana* Rebel, 1902; *#ochreana* Razowski, 1961
- 1849) Cnephasia (s.str.) gueneana (Duponchel, 1836)** (Tortricidae) Synonym(s): *gueneana* Duponchel, 1836; *segetana* Zeller, 1847; *nuraghana* Amsel, 1952
- 1850) Cnephasia (s.str.) helenica Obratzsov, 1950** (Tortricidae) Synonym(s): *helenica* Obratzsov, 1950; *hellenica* Obratzsov, 1956
- 1851) Cnephasia (s.str.) heringi Razowski, 1958** (Tortricidae) Synonym(s): *heringi* Razowski, 1958
- 1852) Cnephasia (s.str.) longana (Haworth, [1811])** (Tortricidae) Synonym(s): *longana* Haworth, [1811]; *egenana* Haworth, [1811]; *expallidana* Haworth, [1811]; *ictericana* Haworth, [1811]; *lutosana* Hübner, [1813]; *capillana* Guenée, 1845; *stratana* Zeller, 1847; *loewiana* Zeller, 1847; *luridalbana* Herrich-Schäffer, 1851; *insolatana* Herrich-Schäffer, 1851; *gratana* Laharpe, 1860; *#ongana* Meyrick, 1912; *cadizensis* Razowski, 1959
- 1853) Cnephasia (s.str.) parnassicola Razowski, 1958** (Tortricidae) Synonym(s): *parnassicola* Razowski, 1958
- 1854) Cnephasia (s.str.) pasiutana (Hübner, [1799])** (Tortricidae) Synonym(s): *pasiutana* Hübner, [1799]; *obsoletana* Stephens, 1835; *pumicana* Zeller, 1847; *#pasivana* Staudinger, 1879; *crassifasciana* Joannis, 1920; *linophagana* Rebel, 1939; *pyrophagana* Rebel, 1939; *cleuana* Réal, 1952; *pseudotypica* Réal, 1952; *algerana* Réal, 1953; *blezynskii* Toll, 1953; *hagiosana* Razowski, 1959
- 1855) Cnephasia (s.str.) stephensiana (Doubleday, 1849)** (Tortricidae) Synonym(s): *stephensiana* Doubleday, 1849
- 1856) Cnephasia (s.str.) tofina (Meyrick, 1922)** (Tortricidae) Synonym(s): *tofina* Meyrick, 1922; *syriella* Razowski, 1956; *tolli* Razowski, 1956; *palaestinensis* Amsel, 1958
- 1857) Coccidiphila gerasimovi Danilevsky, 1950** (Cosmopterigidae) Synonym(s): *gerasimovi* Danilevsky, 1950
- 1858) Coccophagus cowperi Girault, 1917** (Aphelinidae) Synonym(s): *cowperi* Girault, 1917
- 1859) Coccophagus lycimnia (Walker, 1839)** (Aphelinidae) Synonym(s): *lycimnia* Walker, 1839; *lecanii* Fitch, 1859; *ater* Howard, 1881; *cognatus* Howard, 1881; *vividus* Howard, 1885; *californicus* Howard, 1889; *coccidis* Girault, 1917; *corni* Alam, 1956; *taxi* Alam, 1956
- 1860) Coccophagus scutellaris (Dalman, 1826)** (Aphelinidae) Synonym(s): *scutellaris* Dalman, 1826; *australiensis* Girault, 1917

- 1861) *Coccophagus semicircularis* (Förster,1841)** (Aphelinidae) Synonym(s): *semicircularis* Förster,1841; *xanthostictus* Ratzeburg,1852; *nigrifrons* Wollaston,1858; *lunulatus* Howard,1894
- 1862) *Cochylidia heydeniana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *heydeniana* Herrich-Schäffer,[1851]; *pudorana* Staudinger,1859; *erigenana* Walsingham,1891; *sabulicola* Walsingham,1900; *amana* Kennel,1919; *obraztsovi* Amsel,1951; *amseli* Obraztsov,1956.
- 1863) *Cochylidia subroseana* (Haworth,[1811])** (Tortricidae) Synonym(s): *subroseana* Haworth,[1811]; *flammeolana* Tengström,1848; *phaleratana* Herrich-Schäffer,1851; *#derosana* Razowski,1960; *#roseotincta* Razowski,1960; *roseotincta* Razowski,1970.
- 1864) *Cochylimorpha meridiana* (Staudinger,1859)** (Tortricidae) Synonym(s): *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919.
- 1865) *Cochylimorpha straminea* (Haworth,[1811])** (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954.
- 1866) *Cochylis defessana* Mann,1861** (Tortricidae) Synonym(s): *defessana* Mann,1861; *centaureana* Staudinger,1879.
- 1867) *Cochylis epilana* Duponchel,1842** (Tortricidae) Synonym(s): *epilana* Duponchel,1842; *carpophilana* Staudinger,1859.
- 1868) *Cochylis molliculana* Zeller,1847** (Tortricidae) Synonym(s): *molliculana* Zeller,1847; *rufosignana* Kennel,1899; *calavrytana* Rebel,1906.
- 1869) *Cochylis nana* (Haworth,[1811])** (Tortricidae) Synonym(s): *nana* Haworth,[1811]; *carneana* Guenée,1845; *cruentana* Guenée,1845; *pallidana* Herrich-Schäffer,1851 *nec* Zell.,1847; *ochreoalbana* Walker,1863; *albidana* Walker,1866; *altocorsicana* Petry,1904; *winniana* Kearfott,1905
- 1870) *Cochylis pallidana* Zeller,1847** (Tortricidae) Synonym(s): *pallidana* Zeller,1847
- 1871) *Cochylis posterana* Zeller,1847** (Tortricidae) Synonym(s): *posterana* Zeller,1847; *nubivagana* Zerny,1935
- 1872) *Codophila* (s.str.) *varia* (Fabricius,1787)** (Pentatomidae) Synonym(s): *varia* Fabricius,1787; *longicornis* De la Fuente,1972
- 1873) *Coenagrion pulchellum* (Van Der Linden,1825)** (Coenagrionidae) Synonym(s): *pulchellum* Van Der Linden,1825
- 1874) *Coenonympha (gardetta) orientalis* Rebel,1910** (Satyridae) Synonym(s): *orientalis* Rebel,1910; *skypetarum* Rebel & Zerny,1931; *katarae* Coutsis,1972
- 1875) *Coenonympha* (s.str.) *arcania* (Linnaeus,1761)** (Satyridae) Synonym(s): *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *triumphans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935.
- 1876) *Coenonympha* (s.str.) *glycerion* (Borkhausen,1788)** (Satyridae) Synonym(s): *iphis* [Denis & Schiffermüller],1775 *nec* Dru.,1773; *amyntas* auctorum; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 *nec* Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901.
- 1877) *Coenonympha* (s.str.) *leander* (Fabricius,1787)** (Satyridae) Synonym(s): *#leander* Esper,[1784]; *leander* Fabricius,1787
- 1878) *Coenonympha* (s.str.) *pamphilus* (Linnaeus,1758)** (Satyridae) Synonym(s): *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *juldusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950
- 1879) *Coenonympha* (s.str.) *rhodopensis* Elwes,1900** (Satyridae) Synonym(s): *rhodopensis* Elwes,1900
- 1880) *Coenorhinus cribripennis* Desbrochers,1869** (Atelabidae) Synonym(s): *cribripennis* Desbrochers,1869
- 1881) *Coenorhinus cribrum* (Desbrochers,1875)** (Atelabidae) Synonym(s): *cribrum* Desbrochers,1875; *italicus* Voss,1929
- 1882) *Coleophora achilleae* Baldizzone,2001** (Coleophoridae) Synonym(s): *achilleae* Baldizzone,2001
- 1883) *Coleophora acrisella* Millière,1872** (Coleophoridae) Synonym(s): *acrisella* Millière,1872
- 1884) *Coleophora adjectella* Herrich-Schäffer,1861** (Coleophoridae) Synonym(s): *adjectella* Herrich-Schäffer,1861
- 1885) *Coleophora adpersella* Benander,1939** (Coleophoridae) Synonym(s): *adpersella* Benander,1939
- 1886) *Coleophora aestuariella* Bradley,1984** (Coleophoridae) Synonym(s): *aestuariella* Bradley,1984; *tanassella* Nemes,2003
- 1887) *Coleophora afrosarda* Baldizzone & Kaltenbach,1983** (Coleophoridae) Synonym(s): *afrosarda* Baldizzone & Kaltenbach,1983
- 1888) *Coleophora albella* (Thunberg,1788)** (Coleophoridae) Synonym(s): *albella* Thunberg,1788; *leucapennella* Hübner,1796.
- 1889) *Coleophora albicostella* (Duponchel,1842)** (Coleophoridae) Synonym(s): *albicostella* Duponchel,1842; *albinmarginella* Herrich-Schäffer,1855
- 1890) *Coleophora albilineella* Toll,1960** (Coleophoridae) Synonym(s): *albilineella* Toll,1960; *bucovinella* Nemes,1968
- 1891) *Coleophora alcyonipennella* (Kollar,1832)** (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962
- 1892) *Coleophora alticolella* Zeller,1849** (Coleophoridae) Synonym(s): *alticolella* Zeller,1849
- 1893) *Coleophora asteris* Mühlig,1864** (Coleophoridae) Synonym(s): *asteris* Mühlig,1864; *tripoliella* Hodgkinson,1875
- 1894) *Coleophora badiipennella* (Duponchel,1843)** (Coleophoridae) Synonym(s): *badiipennella* Duponchel,1843
- 1895) *Coleophora ballotella* (Fischer v. Röslerstamm,1839)** (Coleophoridae) Synonym(s): *ballotella* Fischer v. Röslerstamm,1839; *alexinschiella* Nemes,2004
- 1896) *Coleophora basimaculella* Mann,1864** (Coleophoridae) Synonym(s): *basimaculella* Mann,1864
- 1897) *Coleophora bernoulliella* (Goeze,1783)** (Coleophoridae) Synonym(s): *bernoulliella* Goeze,1783; *anatipennella* Hübner,1796
- 1898) *Coleophora bilineatella* Zeller,1849** (Coleophoridae) Synonym(s): *bilineatella* Zeller,1849
- 1899) *Coleophora bilineella* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *bilineella* Herrich-Schäffer,1855; *perserenella* Rebel,1919; *joannisella* Suire,1930; *sergii* Gozmany,1956
- 1900) *Coleophora breviscula* Staudinger,1880** (Coleophoridae) Synonym(s): *breviuscula* Staudinger,1880
- 1901) *Coleophora calycotomella* Stainton,1869** (Coleophoridae) Synonym(s): *calycotomella* Stainton,1869; *sarothamni* Rösler,1877; *oranella* Toll,1952; *afra* Toll,1952; *paraobviella* Toll,1961
- 1902) *Coleophora chamaedriella* Bruand,1852** (Coleophoridae) Synonym(s): *chamaedriella* Bruand,1852; *setipalpella* Staudinger,1879.
- 1903) *Coleophora christenseni* Baldizzone,1983** (Coleophoridae) Synonym(s): *christenseni* Baldizzone,1983
- 1904) *Coleophora ciconiella* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *ciconiella* Herrich-Schäffer,1855
- 1905) *Coleophora colutella* (Fabricius,1794)** (Coleophoridae) Synonym(s): *colutella* Fabricius,1794; *serenella* Duponchel,1843; *crocina* Tengström,1848; *stanoiu* Nemes,2004
- 1906) *Coleophora congeriella* Staudinger,1859** (Coleophoridae) Synonym(s): *congeriella* Staudinger,1859; *suboriolella* Toll,1944

- 1907) *Coleophora conspicuella* Zeller, 1849 (Coleophoridae) Synonym(s): *conspicuella* Zeller, 1849; *centaureicolella* Bruand, [1856]; *similis* Staudinger, 1880; *aceris* Caradja, 1920
- 1908) *Coleophora conyzae* Zeller, 1868 (Coleophoridae) Synonym(s): *conyzae* Zeller, 1868, *angustilinea* Toll, 1962; *mellechella* Toll, 1962; *vicolii* Nemes, 2003
- 1909) *Coleophora corsicella* Walsingham, 1898 (Coleophoridae) Synonym(s): *corsicella* Walsingham, 1898
- 1910) *Coleophora coxi* Baldizzone & Van der Wolf, 2007 (Coleophoridae) Synonym(s): *coxi* Baldizzone & Van der Wolf, 2007
- 1911) *Coleophora crepidinella* Zeller, 1847 (Coleophoridae) Synonym(s): *crepidinella* Zeller, 1847
- 1912) *Coleophora currucipennella* Zeller, 1839 (Coleophoridae) Synonym(s): *currucipennella* Zeller, 1839
- 1913) *Coleophora deauratella* Lienig & Zeller, 1846 (Coleophoridae) Synonym(s): *deauratella* Lienig & Zeller, 1846
- 1914) *Coleophora dentiferella* Toll, 1952 (Coleophoridae) Synonym(s): *dentiferella* Toll, 1952; *latilinea* Toll, 1961.
- 1915) *Coleophora depunctella* Toll, 1961 (Coleophoridae) Synonym(s): *depunctella* Toll, 1961
- 1916) *Coleophora deviella* Zeller, 1847 (Coleophoridae) Synonym(s): *deviella* Zeller, 1847; *leucophaeella* Caradja, 1920; *suaedivora* Meyrick, 1928
- 1917) *Coleophora dianthi* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer, 1855; *dianthella* Herrich-Schäffer, 1861; *amseli* Toll, 1942
- 1918) *Coleophora dignella* Toll, 1961 (Coleophoridae) Synonym(s): *dignella* Toll, 1961
- 1919) *Coleophora discordella* Zeller, 1849 (Coleophoridae) Synonym(s): *discordella* Zeller, 1849; *dorycniella* Hartig, 1939
- 1920) *Coleophora drymidis* Mann, 1857 (Coleophoridae) Synonym(s): *drymidis* Mann, 1857
- 1921) *Coleophora filaginella* Fuchs, 1881 (Coleophoridae) Synonym(s): *filaginella* Fuchs, 1881; *graurii* Nemes, 2004
- 1922) *Coleophora flaviella* Mann, 1857 (Coleophoridae) Synonym(s): *flaviella* Mann, 1857
- 1923) *Coleophora follicularis* (Vallot, 1802) (Coleophoridae) Synonym(s): *follicularis* Vallot, 1802; *troglydytella* Duponchel, 1843.
- 1924) *Coleophora fretella* Zeller, 1847 (Coleophoridae) Synonym(s): *fretella* Zeller, 1847; *gilveolella* Toll, 1953.
- 1925) *Coleophora frischella* (Linnaeus, 1758) (Coleophoridae) Synonym(s): *frischella* Linnaeus, 1758; *dannehli* Toll, 1952; *aaronitella* Toll, 1962
- 1926) *Coleophora fuscicornis* Zeller, 1847 (Coleophoridae) Synonym(s): *fuscicornis* Zeller, 1847
- 1927) *Coleophora galbulipennella* Zeller, 1838 (Coleophoridae) Synonym(s): *galbulipennella* Zeller, 1838; *otitae* Zeller, 1839.
- 1928) *Coleophora genistae* Stainton, 1857 (Coleophoridae) Synonym(s): *genistae* Stainton, 1857
- 1929) *Coleophora glaucicolella* Wood, 1892 (Coleophoridae) Synonym(s): *glaucicolella* Wood, 1892
- 1930) *Coleophora graeca* Baldizzone, 1990 (Coleophoridae) Synonym(s): *graeca* Baldizzone, 1990
- 1931) *Coleophora graminicolella* Heinemann, 1876 (Coleophoridae) Synonym(s): *graminicolella* Heinemann, 1876
- 1932) *Coleophora granulata* Zeller, 1849 (Coleophoridae) Synonym(s): *granulata* Zeller, 1849
- 1933) *Coleophora halophilella* Zimmermann, 1926 (Coleophoridae) Synonym(s): *halophilella* Zimmermann, 1926
- 1934) *Coleophora hartigi* Toll, 1944 (Coleophoridae) Synonym(s): *hartigi* Toll, 1944
- 1935) *Coleophora helianthemella* Millière, 1870 (Coleophoridae) Synonym(s): *helianthemella* Millière, 1870
- 1936) *Coleophora helichrysiella* Krone, 1909 (Coleophoridae) Synonym(s): *helichrysiella* Krone, 1909
- 1937) *Coleophora hemerobiella* (Scopoli, 1763) (Coleophoridae) Synonym(s): *hemerobiella* Scopoli, 1763
- 1938) *Coleophora hieronella* Zeller, 1849 (Coleophoridae) Synonym(s): *hieronella* Zeller, 1849
- 1939) *Coleophora hospitiella* Chrétien, 1915 (Coleophoridae) Synonym(s): *hospitiella* Chrétien, 1915; *eupepla* Gozmany, 1954; *fuscostraminella* Toll, 1956; *richteri* Toll, 1959
- 1940) *Coleophora ibipennella* Zeller, 1849 (Coleophoridae) Synonym(s): *ibipennella* Zeller, 1849; *nemorum* Heinemann, 1854; *ardeaepennella* Scott, 1860; *alba* Toll, 1952; *peralba* Toll, 1953; *quercivorella* Capușe, 1971
- 1941) *Coleophora jerusalemella* Toll, 1942 (Coleophoridae) Synonym(s): *jerusalemella* Toll, 1942
- 1942) *Coleophora juncicolella* Stainton, 1851 (Coleophoridae) Synonym(s): *juncicolella* Stainton, 1851
- 1943) *Coleophora kautzi* Rebel, 1933 (Coleophoridae) Synonym(s): *kautzi* Rebel, 1933
- 1944) *Coleophora klimeschiella* Toll, 1952 (Coleophoridae) Synonym(s): *klimeschiella* Toll, 1952
- 1945) *Coleophora kroneella* Fuchs, 1899 (Coleophoridae) Synonym(s): *kroneella* Fuchs, 1899
- 1946) *Coleophora laconiae* Baldizzone, 1983 (Coleophoridae) Synonym(s): *laconiae* Baldizzone, 1983
- 1947) *Coleophora lassella* Staudinger, 1859 (Coleophoridae) Synonym(s): *lassella* Staudinger, 1859; *teidensis* Walsingham, 1908; *gotlandica* Benander, 1939; *telavivella* Toll, 1942
- 1948) *Coleophora lebedella* (Falkovitsh, 1982) (Coleophoridae) Synonym(s): *lebedella* Falkovitsh, 1982
- 1949) *Coleophora limosipennella* (Duponchel, 1843) (Coleophoridae) Synonym(s): *limosipennella* Duponchel, 1843
- 1950) *Coleophora lineolea* (Haworth, 1828) (Coleophoridae) Synonym(s): *lineolea* Haworth, 1828; *crocogrammos* Zeller, 1849; *stachydella* Zeller, 1849; *balloticoella* Bruand, 1850; *lineolella* Doubleday, 1859; *crocogrammella* Bruand, 1859
- 1951) *Coleophora longicornella* Constant, 1893 (Coleophoridae) Synonym(s): *longicornella* Constant, 1893
- 1952) *Coleophora luteolella* Staudinger, 1880 (Coleophoridae) Synonym(s): *luteolella* Staudinger, 1880; *mendosella* Toll, 1960
- 1953) *Coleophora lutipennella* (Zeller, 1838) (Coleophoridae) Synonym(s): *lutipennella* Zeller, 1838.
- 1954) *Coleophora maritimella* Newman, 1863 (Coleophoridae) Synonym(s): *maritimella* Newman, 1863
- 1955) *Coleophora mausolella* Chrétien, 1908 (Coleophoridae) Synonym(s): *mausolella* Chrétien, 1908; *thermoleuca* Meyrick, 1922; *palaestinella* Toll, 1942
- 1956) *Coleophora mayrella* (Hübner, [1813]) (Coleophoridae) Synonym(s): *fabriciella* Villers, 1789 nec Swed., 1787; *mayrella* Hübner, [1813]; *spissicornis* Haworth, [1828]; *moldaviella* Nemes, 2004
- 1957) *Coleophora medelichensis* Krone, 1908 (Coleophoridae) Synonym(s): *medelichensis* Krone, 1908
- 1958) *Coleophora meridionella* Rebel, 1912 (Coleophoridae) Synonym(s): *meridionella* Rebel, 1912
- 1959) *Coleophora millefolii* Zeller, 1849 (Coleophoridae) Synonym(s): *millefolii* Zeller, 1849
- 1960) *Coleophora minoica* Baldizzone, 1983 (Coleophoridae) Synonym(s): *minoica* Baldizzone, 1983
- 1961) *Coleophora nikiella* Baldizzone, 1983 (Coleophoridae) Synonym(s): *nikiella* Baldizzone, 1983
- 1962) *Coleophora niveicostella* Zeller, 1839 (Coleophoridae) Synonym(s): *niveicostella* Zeller, 1839
- 1963) *Coleophora nubivagella* Zeller, 1849 (Coleophoridae) Synonym(s): *nubivagella* Zeller, 1849
- 1964) *Coleophora nutantella* Mühlig & Frey, 1857 (Coleophoridae) Synonym(s): *nutantella* Mühlig & Frey, 1857
- 1965) *Coleophora obtectella* Zeller, 1849 (Coleophoridae) Synonym(s): *obtectella* Zeller, 1849
- 1966) *Coleophora ochripennella* Zeller, 1849 (Coleophoridae) Synonym(s): *ochripennella* Zeller, 1849
- 1967) *Coleophora ochroflava* Toll, 1961 (Coleophoridae) Synonym(s): *ochroflava* Toll, 1961; *halimionella* Baldizzone, 1980
- 1968) *Coleophora olympica* Baldizzone, 1983 (Coleophoridae) Synonym(s): *olympica* Baldizzone, 1983
- 1969) *Coleophora onobrychiella* Zeller, 1849 (Coleophoridae) Synonym(s): *onobrychiella* Zeller, 1849; *arenariella* Zeller, 1865
- 1970) *Coleophora ononidella* Millière, 1879 (Coleophoridae) Synonym(s): *ononidella* Millière, 1879
- 1971) *Coleophora onopordiella* Zeller, 1849 (Coleophoridae) Synonym(s): *onopordiella* Zeller, 1849; *eremica* Amsel, 1935; *cerinaula* Meyrick, 1936; *fusca* Toll, 1952; *pseudophlomidella* Toll, 1952; *sivandella* Toll, 1959; *litorella* Nemes, 2003

- 1972) *Coleophora oriolella* Zeller, 1849 (Coleophoridae) Synonym(s): *oriolella* Zeller, 1849
- 1973) *Coleophora ornatipennella* (Hübner, 1796) (Coleophoridae) Synonym(s): *ornatipennella* Hübner, 1796; *#agrammella* Rebel, 1935.
- 1974) *Coleophora otidipennella* (Hübner, [1817]) (Coleophoridae) Synonym(s): *otidipennella* Hübner, [1817]
- 1975) *Coleophora parthenica* Meyrick, 1891 (Coleophoridae) Synonym(s): *parthenica* Meyrick, 1891; *cygnipennella* Toll, 1959; *candidella* Toll, 1959; *transcaspica* Toll, 1959; *laskharella* Toll & Amsel, 1967; *hilmendella* Amsel, 1968.
- 1976) *Coleophora parvicuprella* Baldizzone & Tabell, 2006 (Coleophoridae) Synonym(s): *parvicuprella* Baldizzone & Tabell, 2006
- 1977) *Coleophora patzaki* Baldizzone, 1983 (Coleophoridae) Synonym(s): *patzaki* Baldizzone, 1983
- 1978) *Coleophora peribenanderi* Toll, 1943 (Coleophoridae) Synonym(s): *benanderi* Toll, 1942 *nec* Kanerv., 1941; *peribenanderi* Toll, 1943
- 1979) *Coleophora pratella* Zeller, 1871 (Coleophoridae) Synonym(s): *pratella* Zeller, 1871
- 1980) *Coleophora pyrrhulipennella* Zeller, 1839 (Coleophoridae) Synonym(s): *pyrrhulipennella* Zeller, 1839
- 1981) *Coleophora quadristraminella* Toll, 1961 (Coleophoridae) Synonym(s): *quadristraminella* Toll, 1961
- 1982) *Coleophora qulikushella* Toll, 1959 (Coleophoridae) Synonym(s): *qulikushella* Toll, 1959
- 1983) *Coleophora salicorniae* Heinemann & Wocke, 1877 (Coleophoridae) Synonym(s): *salicorniae* Heinemann & Wocke, 1877; *cypricella* Rebel, 1928.
- 1984) *Coleophora salsolella* Chrétien, 1915 (Coleophoridae) Synonym(s): *salsolella* Chrétien, 1915; *nigradorsella* Amsel, 1935.
- 1985) *Coleophora saxicolella* (Duponchel, 1843) (Coleophoridae) Synonym(s): *saxicolella* Duponchel, 1843; *bucovinensis* Nemes, 2004
- 1986) *Coleophora semicineria* Staudinger, 1859 (Coleophoridae) Synonym(s): *semicineria* Staudinger, 1859
- 1987) *Coleophora serinipennella* Christoph, 1872 (Coleophoridae) Synonym(s): *serinipennella* Christoph, 1872; *stefanii* Joannis, 1899; *novella* Chrétien, 1926; *caliacraella* Caradja, 1931; *lucidella* Caradja, 1932; *jerichoella* Amsel, 1935; *jordanella* Amsel, 1935; *deserticola* Toll, 1944; *soffneri* Toll, 1944.
- 1988) *Coleophora serpylletorum* Hering, 1889 (Coleophoridae) Synonym(s): *serpylletorum* Hering, 1889; *assisi* Nemes, 2003
- 1989) *Coleophora serratulella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *serratulella* Herrich-Schäffer, 1855
- 1990) *Coleophora soffneriella* Toll, 1961 (Coleophoridae) Synonym(s): *soffneriella* Toll, 1961
- 1991) *Coleophora taeniipennella* Herrich-Schäffer, 1855 (Coleophoridae) Synonym(s): *taeniipennella* Herrich-Schäffer, 1855; *galactaula* Meyrick, 1928
- 1992) *Coleophora tamesis* Waters, 1929 (Coleophoridae) Synonym(s): *tamesis* Waters, 1929
- 1993) *Coleophora taygeti* Baldizzone, 1983 (Coleophoridae) Synonym(s): *taygeti* Baldizzone, 1983
- 1994) *Coleophora therinella* Tengström, 1848 (Coleophoridae) Synonym(s): *therinella* Tengström, 1848
- 1995) *Coleophora thymi* Hering, 1942 (Coleophoridae) Synonym(s): *thymi* Hering, 1942
- 1996) *Coleophora trifolii* (Curtis, 1832) (Coleophoridae) Synonym(s): *trifolii* Curtis, 1832; *chalybaella* Costa, [1836]; *melilotella* Scott, 1861.
- 1997) *Coleophora tyrhaenica* Amsel, 1952 (Coleophoridae) Synonym(s): *tyrhaenica* Amsel, 1952.
- 1998) *Coleophora valesianella* Zeller, 1849 (Coleophoridae) Synonym(s): *valesianella* Zeller, 1849; *giraudi* Ragonot, 1874; *simillima* Staudinger, 1880; *predotaella* Rebel, 1914
- 1999) *Coleophora versurella* Zeller, 1849 (Coleophoridae) Synonym(s): *versurella* Zeller, 1849; *tardipennella* Zeller, 1849; *miserella* Staudinger, 1880; *agricolella* Fuchs, 1886; *atlanticella* Rebel, 1896; *enchorda* Meyrick, 1931; *pallorella* Benander, 1939; *thalassella* McDunnough, 1940; *constanti* Hering, 1942; *pisella* Amsel, 1953; *saccharella* Amsel, 1953; *amaranthivora* Oku, 1965
- 2000) *Coleophora vicinella* Zeller, 1849 (Coleophoridae) Synonym(s): *vicinella* Zeller, 1849; *gypsophilae* Christoph, 1862.
- 2001) *Coleophora virgatella* Zeller, 1849 (Coleophoridae) Synonym(s): *virgatella* Zeller, 1849
- 2002) *Coleophora vulnerariae* Zeller, 1839 (Coleophoridae) Synonym(s): *vulnerariae* Zeller, 1839; *icterella* Duponchel, 1840; *vulnerariella* Doubleday, 1859; *vulnerariella* Bruand, 1859
- 2003) *Coleophora zelleriella* Heinemann, 1854 (Coleophoridae) Synonym(s): *zelleriella* Heinemann, 1854
- 2004) *Colias (Eriocolias) crocea* (Fourcroy, 1785) (Pieridae) Synonym(s): *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893.
- 2005) *Colias (Neocolias) erate* (Esper, [1805]) (Pieridae) Synonym(s): *erate* Esper, [1805]; *afghana* O. Bang-Haas, 1927
- 2006) *Colias (Neocolias) libanotica* Lederer, 1858 (Pieridae) Synonym(s): *libanotica* Lederer, 1858
- 2007) *Colias (s.str.) alfaciensis* Ribbe, 1905 (Pieridae) Synonym(s): *alfaciensis* Ribbe, 1905
- 2008) *Colletes (albomaculatus gr.) albomaculatus* (Lucas, 1849) (Colletidae) Synonym(s): *albomaculatus* Lucas, 1849
- 2009) *Colletes (albomaculatus gr.) punctatus* Mocsary, 1877 (Colletidae) Synonym(s): *punctatus* Mocsary, 1877
- 2010) *Colletes (carinatus gr.) carinatus* Radoszkowski, 1891 (Colletidae) Synonym(s): *carinatus* Radoszkowski, 1891
- 2011) *Colletes (cariniger gr.) cariniger* Pérez, 1903 (Colletidae) Synonym(s): *cariniger* Pérez, 1903
- 2012) *Colletes (caspicus gr.) maidli* Noskiewicz, 1936 (Colletidae) Synonym(s): *maidli* Noskiewicz, 1936
- 2013) *Colletes (clypearis gr.) floralis* Eversmann, 1852 (Colletidae) Synonym(s): *floralis* Eversmann, 1852
- 2014) *Colletes (cunicularius gr.) caskanus* (Strand, 1919) (Colletidae) Synonym(s): *caskanus* Strand, 1919
- 2015) *Colletes (cunicularius gr.) cunicularius* (Linnaeus, 1761) (Colletidae) Synonym(s): *cunicularius* Linnaeus, 1761; *cinerea* Geoffroy, 1785; *hirtus* Lepeletier, 1841; *pilosus* Spinola, 1838; *tauricus* Warncke, 1978; *hasanensis* Osytshnjuk, 1995
- 2016) *Colletes (fodiens gr.) similis* Schenck, 1853 (Colletidae) Synonym(s): *similis* Schenck, 1853
- 2017) *Colletes (fodiens gr.) tuberculatus* Morawitz, 1894 (Colletidae) Synonym(s): *tuberculatus* Morawitz, 1894
- 2018) *Colletes (foveolaris gr.) foveolaris* Pérez, 1903 (Colletidae) Synonym(s): *foveolaris* Pérez, 1903
- 2019) *Colletes (graefferi gr.) graeffei* Alfken, 1900 (Colletidae) Synonym(s): *graefferi* Alfken, 1900
- 2020) *Colletes (hylaeiformis gr.) hylaeiformis* Eversmann, 1852 (Colletidae) Synonym(s): *hylaeiformis* Eversmann, 1852
- 2021) *Colletes (marginatus gr.) chengtehensis* Yasumatsu, 1935 (Colletidae) Synonym(s): *chengtehensis* Yasumatsu, 1935; *pallascens* Noskiewicz, 1936; *tsunekii* Yasumatsu, 1948
- 2022) *Colletes (marginatus gr.) hethiticus* Warncke, 1978 (Colletidae) Synonym(s): *hethiticus* Warncke, 1978
- 2023) *Colletes (marginatus gr.) marginatus* Smith, 1846 (Colletidae) Synonym(s): *marginatus* Smith, 1846
- 2024) *Colletes (meyeri gr.) meyeri* Noskiewicz, 1936 (Colletidae) Synonym(s): *meyeri* Noskiewicz, 1936
- 2025) *Colletes (nasutus gr.) nasutus* Smith, 1853 (Colletidae) Synonym(s): *nasutus* Smith, 1853
- 2026) *Colletes (nigricans gr.) creticus* Noskiewicz, 1936 (Colletidae) Synonym(s): *creticus* Noskiewicz, 1936
- 2027) *Colletes (nigricans gr.) eous* Morice, 1904 (Colletidae) Synonym(s): *eous* Morice, 1904
- 2028) *Colletes (nigricans gr.) nigricans* Gistel, 1857 (Colletidae) Synonym(s): *nigricans* Gistel, 1857
- 2029) *Colletes (nigricans gr.) perezi* Morice, 1904 (Colletidae) Synonym(s): *perezi* Morice, 1904
- 2030) *Colletes (senilis gr.) mlokosewicz* Radoszkowski, 1891 (Colletidae) Synonym(s): *mlokosewicz* Radoszkowski, 1891
- 2031) *Colletes (senilis gr.) senilis* (Eversmann, 1852) (Colletidae) Synonym(s): *senilis* Eversmann, 1852
- 2032) *Colletes (succintus gr.) brevigena* Noskiewicz, 1936 (Colletidae) Synonym(s): *brevigena* Noskiewicz, 1936

- 2033) Colletes (succintus gr.) hederæ Schmidt & Westrich, 1993** (Colletidae) Synonym(s): *hederæ* Schmidt & Westrich, 1993
- 2034) Colletes (succintus gr.) standfussi Kuhlmann, 2003** (Colletidae) Synonym(s): *standfussi* Kuhlmann, 2003
- 2035) Colletes (succintus gr.) succinctus (Linnaeus, 1758)** (Colletidae) Synonym(s): *succinctus* Linnaeus, 1758
- 2036) Colobochyla (s.str.) salicalis ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller], 1775; *salicatus* Haworth, 1809; *cinerea* Butler, 1879.
- 2037) Colocasia coryli (Linnaeus, 1758)** (Noctuidae) Synonym(s): *coryli* Linnaeus, 1758; *gibbosa* Miller, 1764
- 2038) Colostygia aptata (Hübner, [1813])** (Geometridae) Synonym(s): *aptata* Hübner, [1813]; *aptaria* Boisduval, 1840; *suplata* Freyer, 1840
- 2039) Colostygia aqueata (Hübner, [1813])** (Geometridae) Synonym(s): *aqueata* Hübner, [1813]; *lotaria* Boisduval, 1840; *aquearia* Bruand, 1846
- 2040) Colostygia olivata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *olivata* [Denis & Schiffermüller], 1775
- 2041) Colostygia wolfschlaegeræ (Pinker, 1953)** (Geometridae) Synonym(s): *wolfschlaegeræ* Pinker, 1953
- 2042) Colotes maculatus (Castelnau du Laporte, 1836)** (Melyridae) Synonym(s): *maculatus* Castelnau du Laporte, 1836
- 2043) Colotes obsoletus Erichson, 1840** (Melyridae) Synonym(s): *obsoletus* Erichson, 1840
- 2044) Colotes punctatus (Erichson, 1840)** (Melyridae) Synonym(s): *punctatus* Erichson, 1840
- 2045) Colotois pennaria (Linnaeus, 1761)** (Geometridae) Synonym(s): *pennaria* Linnaeus, 1761; *cerasi* Fabricius, 1775; *bifidaria* Haworth, 1809
- 2046) Comibaena bajularia ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *pustulata* Hufnagel, 1767 nec Müller, 1764; *bajularia* [Denis & Schiffermüller], 1775
- 2047) Comperiella bifasciata Howard, 1906** (Encyrtidae) Synonym(s): *bifasciata* Howard, 1906; *cerapterocera* Mercet, 1921; *eugeniae* Risbec, 1952
- 2048) Condica viscosa (Freyer, 1831)** (Noctuidae) Synonym(s): *viscosa* Freyer, 1831; *indelicata* Turati, 1934; *europaea* Parenzan, 1980.
- 2049) Conistra (Dasyampa) erythrocephala (Fabricius, 1787)** (Noctuidae) Synonym(s): *#erythrocephala* [Denis & Schiffermüller], 1775; *erythrocephala* Fabricius, 1787.
- 2050) Conistra (Dasyampa) rubiginea (Fabricius, 1787)** (Noctuidae) Synonym(s): *#rubiginea* [Denis & Schiffermüller], 1775; *rubiginea* Fabricius, 1787; *tigerina* Esper, [1791]; *pulverea* Hübner, [1803]
- 2051) Conistra (s.str.) ligula (Esper, 1791)** (Noctuidae) Synonym(s): *ligula* Esper, [1791]
- 2052) Conistra (s.str.) ragusæ (Failla-Tedaldi, 1890)** (Noctuidae) Synonym(s): *ragusæ* Failla-Tedaldi, 1890
- 2053) Conistra (s.str.) rubiginosa (Scopoli, 1763)** (Noctuidae) Synonym(s): *rubiginosa* Scopoli, 1763; *silene* [Denis & Schiffermüller], 1775; *vaupunctatum* Esper, [1786].
- 2054) Conistra (s.str.) torrida (Lederer, 1857)** (Noctuidae) Synonym(s): *torrida* Lederer, 1857
- 2055) Conistra (s.str.) vacciniæ (Linnaeus, 1761)** (Noctuidae) Synonym(s): *vacciniæ* Linnaeus, 1761; *polita* [Denis & Schiffermüller], 1775; *spadicea* [Denis & Schiffermüller], 1775
- 2056) Conistra (s.str.) veronicae (Hübner, [1813])** (Noctuidae) Synonym(s): *veronicae* Hübner, [1813]
- 2057) Conobathra repandana (Fabricius, 1798)** (Pyralidae) Synonym(s): *repandana* Fabricius, 1798; *tumidella* Zincken, 1818; *zelleri* Ragonot, 1888.
- 2058) Conobathra tumidana ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *tumidana* [Denis & Schiffermüller], 1775; *tumidalis* Hübner, [1825]; *rubrotibiella* Fischer v. Roeslerstamm, 1839.
- 2059) Conocephalus (s.str.) kisi Harz, 1967** (Tettigoniidae) Synonym(s): *kisi* Harz, 1967; *harzi* Willemse, 1971
- 2060) Cononedys erythræspis Hermann, 1907** (Bombyliidae) Synonym(s): *erythræspis* Hermann, 1907
- 2061) Conophorus gracilis Dils & Özbek, 2006** (Bombyliidae) Synonym(s): *gracilis* Dils & Özbek, 2006
- 2062) Conophorus validus (Loew, 1869)** (Bombyliidae) Synonym(s): *validus* Loew, 1869
- 2063) Conops flavicaudus (Bigot, 1880)** (Conopidae) Synonym(s): *flavicaudus* Bigot, 1880; *euzonatus* Bigot, 1887; *superbus* Röder, 1899; *cypris* Janssens, 1955; *#falvicaudus* Stucke, Hayat & Özbek, 2008
- 2064) Conops flavifrons Meigen, 1824** (Conopidae) Synonym(s): *flavifrons* Meigen, 1824; *pugioniformis* Becker, 1913; *minor* Becker, 1922; *kroeberi* Paramonov, 1927; *immaculata* Paramonov, 1927
- 2065) Conops insignis Loew, 1848** (Conopidae) Synonym(s): *insignis* Loew, 1848; *laeta* Becker, 1922
- 2066) Conops silaceus Wiedemann, 1824** (Conopidae) Synonym(s): *silaceus* Wiedemann, 1824; *sareptanus* Becker, 1922
- 2067) Conosanus obsoletus (Kirschbaum, 1858)** (Cicadellidae) Synonym(s): *obsoletus* Kirschbaum, 1858; *sejungendus* Kirschbaum, 1868; *covexus* Kirschbaum, 1868; *sempunctatus* Sahlberg, 1871; *piceus* Scott, 1875
- 2068) Conosimus coelatus Mulsant & Rey, 1855** (Issidae) Synonym(s): *coelatus* Mulsant & Rey, 1855
- 2069) Copidosoma breviclava Hoffer, 1970** (Encyrtidae) Synonym(s): *breviclava* Hoffer, 1970
- 2070) Copidosoma floridanum (Ashmead, 1900)** (Encyrtidae) Synonym(s): *floridanum* Ashmead, 1900; *japonicum* Ashmead, 1904; *javæ* Girault, 1917; *nippon* Girault, 1917; *argentinus* Brèthes, 1913; *calypso* Crawford, 1914; *brasiliensis* Brèthes, 1920; *intermedia* Mercet, 1921; *walshi* Mercet, 1922; *maculata* Ishii, 1928; *brethesi* Blanchard, 1936; *daccaensis* Mani, 1941; *phytometrae* Risbec, 1951
- 2071) Copidosoma koehleri Blanchard, 1840** (Encyrtidae) Synonym(s): *koehleri* Blanchard, 1840; *uruguayensis* Tachikawa, 1968
- 2072) Copidosoma truncatellum (Dalman, 1820)** (Encyrtidae) Synonym(s): *truncatellum* Dalman, 1820; *aethas* Walker, 1837; *aestivalis* Mercet, 1921
- 2073) Copium brevicorne (Jakovlev, 1880)** (Tingidae) Synonym(s): *brevicorne* Jakovlev, 1880
- 2074) Copium clavicorne (Linnaeus, 1758)** (Tingidae) Synonym(s): *clavicorne* Linnaeus, 1758; *punctata* Lamarck, 1816; *cornutum* Thunberg, 1822
- 2075) Copium horvathi E. Wagner, 1957** (Tingidae) Synonym(s): *horvathi* E. Wagner, 1957
- 2076) Copium teucarii (Host, 1788)** (Tingidae) Synonym(s): *teucarii* Host, 1788; *lusitanicum* de Seabra, 1924
- 2077) Coproica ferruginata (Stenhammar, 1855)** (Sphaeroceridae) Synonym(s): *ferruginata* Stenhammar, 1855
- 2078) Coproica hirticula Collin, 1956** (Sphaeroceridae) Synonym(s): *hirticula* Collin, 1956
- 2079) Coproica lugubris (Haliday, 1836)** (Sphaeroceridae) Synonym(s): *lugubris* Haliday, 1836
- 2080) Coproica vagans (Haliday, 1833)** (Sphaeroceridae) Synonym(s): *vagans* Haliday, 1833; *opacula* Stenhammar, 1854; *albipennis* Rondani, 1880; *flava* Duda, 1918
- 2081) Copromyza (Crumomyia) glabrifrons (Meigen, 1830)** (Sphaeroceridae) Synonym(s): *glabrifrons* Meigen, 1830; *limbinervis* Rondani, 1880
- 2082) Copromyza (Crumomyia) nigra (Meigen, 1830)** (Sphaeroceridae) Synonym(s): *nigra* Meigen, 1830; *tuxeni* Collin, 1954
- 2083) Copromyza (Lotophila) atra (Meigen, 1830)** (Sphaeroceridae) Synonym(s): *atra* Meigen, 1830; *modesta* Meigen, 1830; *lugens* Meigen, 1830; *geniculata* Macquart, 1835; *analis* von Reser, 1840; *ferruginea* Becker, 1908

- 2084) Copromyza (s.str.) equina Fallén,1820** (Sphaeroceridae) Synonym(s): *equina* Fallén,1820; *vulgaris* R-D.,1830; *coprivora* R-D.,1830; *fuliginosa* R-D.,1830; *lurida* Meigen,1830; *pallipes* Meigen,1830; *rufipes* Meigen,1830; *incana* Meigen,1830; *longipes* Macquart,1835
- 2085) Copromyza (s.str.) pseudostercoraria Papp,1976** (Sphaeroceridae) Synonym(s): *pseudostercoraria* Papp,1976
- 2086) Coptocephala hellenica Warchalowski,1991** (Chrysomelidae) Synonym(s): *hellenica* Warchalowski,1991
- 2087) Coptocephala rubicunda (Laicharting,1781)** (Chrysomelidae) Synonym(s): *rubicunda* Laicharting,1781; *tetradyma* Küster,1845; *massiliensis* Pic,1914; *dalmatina* Pic,1918; *vittata* Petri,1926; *rossica* Medvedev,1977
- 2088) Coptotriche gaunacella (Duponchel,1843)** (Tischeriidae) Synonym(s): *gaunacella* Duponchel,1843
- 2089) Coptotriche marginea (Haworth,[1828])** (Tischeriidae) Synonym(s): *marginea* Haworth,[1828]
- 2090) Coquillettia richiardi (Ficalbi,1889)** (Culicidae) Synonym(s): *richiardi* Ficalbi,1889; *nikolskyi* Shingarev,1927
- 2091) Coranus griseus (Rossi,1790)** (Reduviidae) Synonym(s): *griseus* Rossi,1790; *murinus* Rambur,1840; *persicus* Wagner,1952
- 2092) Coranus subapterus (De Geer,1775)** (Reduviidae) Synonym(s): *subapterus* De Geer,1775; *naevius* Gmelin,1790; *dimidiatus* Turton,1802; *pedestris* Wolff,1811; *griseus* Hahn,1833 *nec* Ross.,1790; *hahnii* Kolenati,1857
- 2093) Coranus tuberculifer Reuter,1881** (Reduviidae) Synonym(s): *tuberculifer* Reuter,1881
- 2094) Corecra cephalonica (Stainton,1866)** (Pyralidae) Synonym(s): *cephalonica* Stainton,1866; *oeconomellus* Mann,1872; *translineella* Hampson,1901; *theobromae* Dyar,1913; *lineata* Legrand,1965
- 2095) Cordulegaster insignis Schneider,1845** (Cordulegasteridae) Synonym(s): *insignis* Schneider,1845; *amasina* Morton,1916
- 2096) Coremacera amoena (Loew,1853)** (Sciomyzidae) Synonym(s): *amoena* Loew,1853; *trivittata* Loew,1860; *manni* Schiner,1864
- 2097) Coremacera catenata (Loew,1847)** (Sciomyzidae) Synonym(s): *catenata* Loew,1847
- 2098) Coremacera marginata (Fabricius,1781)** (Sciomyzidae) Synonym(s): *marginata* Fabricius,1781; *pontica* Elberg,1968
- 2099) Coremacera obscuripennis (Loew,1845)** (Sciomyzidae) Synonym(s): *obscuripennis* Loew,1845
- 2100) Coriomeris spinolai (Costa,1847)** (Coreidae) Synonym(s): *spinolai* Costa,1847
- 2101) Coriomeris subglaber Horvath,1917** (Coreidae) Synonym(s): *subglaber* Horvath,1917
- 2102) Corizus fenestella Horvath,1917** (Rhopalidae) Synonym(s): *limbatus* Reuter,1900 *nec* Rey,1877; *fenestella* Horvath,1917; *alternans* Horvath,1917; *subsimilis* Horvath,1917; *diluta* Distant,1918
- 2103) Cornifrons ulceratalis Lederer,1858** (Pyralidae) Synonym(s): *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876
- 2104) Cornutiplusia circumflexa (Linnaeus,1767)** (Noctuidae) Synonym(s): *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *unata* Kononenko & Pinratana,2005
- 2105) Corynis lateralis (Brullé,1832)** (Cimbicidae) Synonym(s): *lateralis* Brullé,1832
- 2106) Corynis obscura (Fabricius,1775)** (Cimbicidae) Synonym(s): *obscura* Fabricius,1775; *valkanovi* Vassilev,1969
- 2107) Corynis similis (Mocsary,1880)** (Cimbicidae) Synonym(s): *similis* Mocsary,1880
- 2108) Cosmia (Calymnia) trapezina (Linnaeus,1758)** (Noctuidae) Synonym(s): *trapezina* Linnaeus,1758
- 2109) Cosmia (s.str.) affinis (Linnaeus,1767)** (Noctuidae) Synonym(s): *affinis* Linnaeus,1767
- 2110) Cosmia (s.str.) confinis Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *confinis* Herrich-Schäffer,[1849]; *rhodopsis* Boursin,1962; *phaiopsis* Boursin,1962.
- 2111) Cosmia (s.str.) diffinis (Linnaeus,1767)** (Noctuidae) Synonym(s): *diffinis* Linnaeus,1767
- 2112) Cosmiotes exactella (Herrich-Schäffer,1855)** (Elachistidae) Synonym(s): *exactella* Herrich-Schäffer,1855; *parvulella* Herrich-Schäffer,1855; *infuscatella* Frey,1882; *spectrella* Frey,1885
- 2113) Cosmiotes freyerella (Hübner,[1825])** (Elachistidae) Synonym(s): *nigrella* Hübner,[1805] *nec* Fabr.,1775; *freyerella* Hübner,[1825]; *tristictella* Tengström,1848; *bistictella* Tengström,1848; *aridella* Heinemann,1854; *gregsoni* Stainton,1855; *gregsonella* Doubleday,1859; *incertella* Frey,1866; *griseus* Wocke,1862; *sublimis* Frey,1866; *baltica* Hering,1891
- 2114) Cosmopterix coryphaea Walsingham,1908** (Cosmopterigidae) Synonym(s): *coryphaea* Walsingham,1908; *donatellae* Mariani,1932; *formosa* Amsel,1935; *coryphaea* Agenjo,1952
- 2115) Cosmopterix crassivervicella Chrétien,1896** (Cosmopterigidae) Synonym(s): *crassivervicella* Chrétien,1896; *flavipes* Turati,1930; *superba* Gozmany,1960; *dalii* Agenjo,1981
- 2116) Cosmopterix lienigiella Lienig & Zeller,1846** (Cosmopterigidae) Synonym(s): *lienigiella* Lienig & Zeller,1846
- 2117) Cosmopterix pulcherimella Chambers,1875** (Cosmopterigidae) Synonym(s): *pulcherimella* Chambers,1875; *parietariae* M.Hering,1931
- 2118) Cosmorhoe ocellata (Linnaeus,1758)** (Geometridae) Synonym(s): *ocellata* Linnaeus,1758; *lynca* Fabricius,1775; *lynceata* Fabricius,1781; *ocellaria* Boisduval,1840
- 2119) Cossus cossus (Linnaeus,1758)** (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794
- 2120) Costaconvexa polygrammata (Borkhausen,1794)** (Geometridae) Synonym(s): *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *rosea* Wiltshire,1946
- 2121) Cotesia kazak (Telenga,1949)** (Braconidae) Synonym(s): *kazak* Telenga,1949
- 2122) Cotesia setebis (Nixon,1974)** (Braconidae) Synonym(s): *setebis* Nixon,1974
- 2123) Cotesia telengai (Tobias,1972)** (Braconidae) Synonym(s): *telengai* Tobias,1972; *amabilis* Nixon,1974
- 2124) Cotesia tetrica (Reinhard,1880)** (Braconidae) Synonym(s): *tetrica* Reinhard,1880
- 2125) Cotesia tibialis (Curtis,1830)** (Braconidae) Synonym(s): *tibialis* Curtis,1830
- 2126) Crambus lathoniellus (Zincken,1817)** (Pyralidae) Synonym(s): *nemorellus* Hübner,[1813] *nec* Thunb.,1788; *lathoniellus* Zincken,1817; *angustellus* Stephens,1834; *alfacarellus* Staudinger,1859; *altivolens* Schawerda,1913; *marpurgensis* Strand,1920.
- 2127) Crambus pascuellus (Linnaeus,1758)** (Pyralidae) Synonym(s): *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutulellus* Chrétien,1896.
- 2128) Crambus perlellus (Scopoli,1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849.
- 2129) Crambus pratellus (Linnaeus,1758)** (Pyralidae) Synonym(s): *pratellus* Linnaeus,1758; *dumetellus* Hübner,[1813]; *saltalis* Hübner,[1825].
- 2130) Crambus scoticus Westwood,1849** (Pyralidae) Synonym(s): *scoticus* Westwood,1849; *uliginosellus* Zeller,1850; *infuscatellus* Caradja,1910
- 2131) Craniophora ligustri (Fabricius,1787)** (Noctuidae) Synonym(s): *ligustri* [Denis & Schiffermüller],1775; *ligustri* Fabricius,1787.
- 2132) Cratyna (s.str.) alpina (Mohrig & Menzel,1992)** (Sciaridae) Synonym(s): *alpina* Mohrig & Menzel,1992
- 2133) Cratyna (s.str.) ambigua (Lengersdorf,1934)** (Sciaridae) Synonym(s): *ambigua* Lengersdorf,1934; *latiforceps* Bukowski & Lengersdorf,1936; *lignea* Lengersdorf,1941; *prima* Frey,1942

- 2134) *Cratyna* (s.str.) *betulae* (Mohrig & Mamaev,1992) (Sciaridae) Synonym(s): *betulae* Mohrig & Mamaev,1992
- 2135) *Cratyna* (s.str.) *contracta* Mohrig & Roschmann,1996 (Sciaridae) Synonym(s): *contracta* Mohrig & Roschmann,1996
- 2136) *Creoleon plumbeus* (Olivier,1811) (Myrmeleontidae) Synonym(s): *plumbeus* Olivier,1811
- 2137) *Crepidodera nigricoxis* Allard,1878 (Chrysomelidae) Synonym(s): *nigricoxis* Allard,1878
- 2138) *Crepidodera peloponnesiaca* (Heikertinger,1910) (Chrysomelidae) Synonym(s): *peloponnesiaca* Heikertinger,1910
- 2139) *Crioceris bicrucata* (Sahlberg,1823) (Chrysomelidae) Synonym(s): *bicrucata* Sahlberg,1823; *merkli* Pic,1909
- 2140) *Crioceris macilenta* Weise,1880 (Chrysomelidae) Synonym(s): *campestris* Rossi,1790 *nec* Linn.,1767; *macilenta* Weise,1880
- 2141) *Crioceris paracanthesis* (Linnaeus,1767) (Chrysomelidae) Synonym(s): *paracanthesis* Linnaeus,1767
- 2142) *Criorhina graeca* Schirmer,1913 (Syrphidae) Synonym(s): *graeca* Schirmer,1913
- 2143) *Crotilocerus megilliformis* (Loew,1847) (Asilidae) Synonym(s): *megilliformis* Loew,1847
- 2144) *Crocallis* (s.str.) *elinguaria* (Linnaeus,1758) (Geometridae) Synonym(s): *elinguaria* Linnaeus,1758; *trapezaria* Boisduval,1840
- 2145) *Crocallis* (s.str.) *tusciaria* (Borkhausen,1793) (Geometridae) Synonym(s): *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799]
- 2146) *Crociosema plebejana* Zeller,1847 (Tortricidae) Synonym(s): *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millière,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana* Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946.
- 2147) *Crocothemis erythraea* (Brullé,1832) (Libellulidae) Synonym(s): *victoria* Fourcroy,1785; *erythraea* Brullé,1832; *coccinea* Charpentier,1840; *lorti* Kirby,1896
- 2148) *Croesia forsskaleana* (Linnaeus,1758) (Tortricidae) Synonym(s): *forsskaleana* Linnaeus,1758; *forskaliana* Haworth,1811.
- 2149) *Crombrugghia distans* (Zeller,1847) (Pterophoridae) Synonym(s): *distans* Zeller,1847; *distantidactyla* Bruand,1858; *geodactylus* Fuchs,1903; *lactucae* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli* Bigot & Picard,1989; *gibeauxi* Bigot et al.,1990; *supplementum* Gibeaux,1997.
- 2150) *Crombrugghia laeta* (Zeller,1847) (Pterophoridae) Synonym(s): *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882.
- 2151) *Crombrugghia propedistans* (Bigot & Picard,1988) (Pterophoridae) Synonym(s): *propedistans* Bigot & Picard,1988
- 2152) *Crossobela trinotella* (Herrich-Schäffer,[1856]) (Gelechiidae) Synonym(s): *trinotella* Herrich-Schäffer,[1856].
- 2153) *Crossotocera wagnerella* Zerny,1930 (Oecophoridae) Synonym(s): *wagnerella* Zerny,1930
- 2154) *Cryphia* (Bryoleuca) *ereptricula* (Treitschke,1825) (Noctuidae) Synonym(s): *ereptricula* Treitschke,1825
- 2155) *Cryphia* (Bryoleuca) *petrea* (Guenée,1852) (Noctuidae) Synonym(s): *petrea* Guenée,1852
- 2156) *Cryphia* (Bryoleuca) *petricolor* (Lederer,1870) (Noctuidae) Synonym(s): *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937.
- 2157) *Cryphia* (Bryoleuca) *raptricula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *#striata* Staudinger,1879; *#persica* Strand,1915; *cretica* Reisser,1962
- 2158) *Cryphia* (Bryoleuca) *rectilinea* (W.Warren,1909) (Noctuidae) Synonym(s): *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962.
- 2159) *Cryphia* (Bryoleuca) *seladona* (Christoph,1885) (Noctuidae) Synonym(s): *seladona* Christoph,1885; *umovii* auct.
- 2160) *Cryphia* (Bryoleuca) *strobinoi* Dujardin,1972 (Noctuidae) Synonym(s): *strobinoi* Dujardin,1972
- 2161) *Cryphia* (Bryoleuca) *tephrocharis* Boursin,1954 (Noctuidae) Synonym(s): *tephrocharis* Boursin,1954
- 2162) *Cryphia* (Bryophila) *domestica* (Hufnagel,1766) (Noctuidae) Synonym(s): *domestica* Hufnagel,1766; *perla* [Denis & Schiffermüller],1775.
- 2163) *Cryphia* (Bryophila) *maeonis* (Lederer,1865) (Noctuidae) Synonym(s): *maeonis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909.
- 2164) *Cryphia* (Bryopsis) *amasina* (Draudt,1931) (Noctuidae) Synonym(s): *amasina* Draudt,1931
- 2165) *Cryphia* (Bryopsis) *muralis* (Forster,1771) (Noctuidae) Synonym(s): *muralis* Forster,1771; *lichenis* Fabricius,1775; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]; *viridior* Schawerda,1932
- 2166) *Cryphia* (Euthales) *algae* (Fabricius,1775) (Noctuidae) Synonym(s): *algae* Fabricius,1775; *degener* [Denis & Schiffermüller],1775; *alni* Fabricius,1787; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813].
- 2167) *Cryphia* (Euthales) *ochsi* (Boursin,1941) (Noctuidae) Synonym(s): *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952
- 2168) *Cryphia* (s.str.) *amygdalina* Boursin,1963 (Noctuidae) Synonym(s): *amygdalina* Boursin,1963
- 2169) *Cryphia* (s.str.) *fraudatricula* (Hübner,[1803]) (Noctuidae) Synonym(s): *fraudatricula* Hübner,[1803]
- 2170) *Cryphia* (s.str.) *receptricula* (Hübner,[1803]) (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 *nec* Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétries,1859.
- 2171) *Cryptobium chaudiroi* Hochhuth,1851 (Staphylinidae) Synonym(s): *chaudoiri* Hochhuth,1851; *adanense* Rambousek,1906
- 2172) *Cryptoblabes gnidiella* (Millière,1867) (Pyralidae) Synonym(s): *gnidiella* Millière,1867; *wockiana* Briosi,[1877]; *aliena* Swezey,1909
- 2173) *Cryptocephalus bipunctatus* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *bipunctatus* Linnaeus,1758; *dispar* Paykull,1799
- 2174) *Cryptocephalus flavipes* Fabricius,1781 (Chrysomelidae) Synonym(s): *flavipes* Fabricius,1781
- 2175) *Cryptocephalus hypochoeridis* (Linnaeus,1758) (Chrysomelidae) Synonym(s): *hypochoeridis* Linnaeus,1758; *similis* Stephens,1834; *rugulipennis* Suffrian,1853
- 2176) *Cryptocephalus imperialis* Laicharting,1781 (Chrysomelidae) Synonym(s): *imperialis* Laicharting,1781
- 2177) *Cryptocephalus moehringi* Weise,1884 (Chrysomelidae) Synonym(s): *moehringi* Weise,1884
- 2178) *Cryptocephalus ocellatus* Drapiez,1819 (Chrysomelidae) Synonym(s): *ocellatus* Drapiez,1819
- 2179) *Cryptocephalus octacasmus* Bedel,1891 (Chrysomelidae) Synonym(s): *octacasmus* Bedel,1891
- 2180) *Cryptocephalus prusias* Suffrian,1853 (Chrysomelidae) Synonym(s): *prusias* Suffrian,1853
- 2181) *Cryptocephalus turcicus* Suffrian,1847 (Chrysomelidae) Synonym(s): *turcicus* Suffrian,1847; *pistaciae* Suffrian,1853
- 2182) *Cryptocochylis conjunctana* (Mann,1864) (Tortricidae) Synonym(s): *conjunctana* Mann,1864; *grapholitana* Kennel,1913.
- 2183) *Ctenagenia vespiformis* (Klug,1834) (Pompilidae) Synonym(s): *vespiformis* Klug,1834
- 2184) *Ctenodasypygia fertoni* (Villeneuve,1911) (Sarcophagidae) Synonym(s): *fertoni* Villeneuve,1911
- 2185) *Ctenodasypygia graeca* (Rohdendorf,1937) (Sarcophagidae) Synonym(s): *graeca* Rohdendorf,1937; *mousseti* Lehrer,1976

- 2186) Ctenotilla caeca (Radoszkowski,1879)** (Mutillidae) Synonym(s): *caeca* Radoszkowski,1879; *pectinifera* André,1893; *obscura* Nonveiller,1959
- 2187) Cucullia (s.str.) anifurca (Goeze,1781)** (Noctuidae) Synonym(s): *#lactucae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781.
- 2188) Cucullia (s.str.) argentea (Hufnagel,1766)** (Noctuidae) Synonym(s): *argentea* Hufnagel,1766
- 2189) Cucullia (s.str.) calendulae Treitschke,1835** (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemii* Rambur,1858; *dellabrunai* Berio,1980.
- 2190) Cucullia (s.str.) chamomillae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822].
- 2191) Cucullia (s.str.) formosa Rogenhofer,1860** (Noctuidae) Synonym(s): *formosa* Rogenhofer,1860
- 2192) Cucullia (s.str.) lucifuga (Hübner,[1803])** (Noctuidae) Synonym(s): *lucifuga* Hübner,[1803].
- 2193) Cucullia (s.str.) santonici (Hübner,[1813])** (Noctuidae) Synonym(s): *santonici* Hübner,[1813]; *yuennanensis* Boursin,1941
- 2194) Cucullia (s.str.) tanaceti (Goeze,1781)** (Noctuidae) Synonym(s): *tanaceti* Goeze,1781
- 2195) Cucullia (s.str.) umbratica (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859.
- 2196) Cucullia (s.str.) xeranthemi Boisduval,1840** (Noctuidae) Synonym(s): *xeranthemi* Boisduval,1840
- 2197) Cucullia (Shargacucullia) blattariae (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790]
- 2198) Cucullia (Shargacucullia) lanceolata (Villers,1789)** (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826
- 2199) Cucullia (Shargacucullia) lychnitis (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833
- 2200) Cucullia (Shargacucullia) scrophulariae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852
- 2201) Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911.
- 2202) Cueta beieri Hölzel,1969** (Myrmeleonidae) Synonym(s): *beieri* Hölzel,1969
- 2203) Cueta lineosus (Rambur,1842)** (Myrmeleonidae) Synonym(s): *lineosus* Rambur,1842; *mosorus* Walker,1853; *ulianini* McLachlan,1875; *trilineata* Navas,1911; *grammaticus* Navas,1912; *syriaca* Navas,1914; *natti* Navas,1914; *anomala* Navas,1915
- 2204) Culex (Barradius) modestus Ficalbi,1889** (Culicidae) Synonym(s): *modestus* Ficalbi,1889; *eadithae* Barraud,1924; *tanajcus* Stschelkanovzev,1926; *nudipalpis* Shingarev,1927
- 2205) Culex (Barradius) pusillus Macquart,1850** (Culicidae) Synonym(s): *pusillus* Macquart,1850
- 2206) Culex (Maillotia) hortensis Ficalbi,1889** (Culicidae) Synonym(s): *hortensis* Ficalbi,1889; *pilifera* Theobald,1907; *lavieri* Larrousse,1925
- 2207) Culex (Neoculex) territans Walker,1856** (Culicidae) Synonym(s): *territans* Walker,1856; *saxatilis* Grossbeck,1905; *frickii* Ludlow,1906; *pyrenaicus* Brolemann,1919; *nematoides* Dyar & Shannon,1925
- 2208) Culex (s.str.) laticinctus Edwards,1913** (Culicidae) Synonym(s): *laticinctus* Edwards,1913
- 2209) Culex (s.str.) mimeticus Noe,1899** (Culicidae) Synonym(s): *mimeticus* Noe,1899; *pseudomimeticus* Sargent,1909
- 2210) Culex (s.str.) perexiguus Theobald,1903** (Culicidae) Synonym(s): *perexiguus* Theobald,1903
- 2211) Culex (s.str.) pipiens Linnaeus,1758** (Culicidae) Synonym(s): *pipiens* Linnaeus,1758; *bifurcatus* Linnaeus,1758; *fasciatus* Müller,1764; *molestus* Forskal,1775; *trifurcatus* Fabricius,1794; *luteus* Meigen,1804; *domesticus* Germar,1817; *bicolor* Meigen,1818; *marginalis* Stephens,1825; *meridionalis* Leach,1825; *thoracicus* R-D.,1827; *calcitrans* R-D.,1827; *consobrinus* R-D.,1827; *unistriatus* Curtis,1837; *pallipes* Macquart,1838; *rufinus* Bigot,1888; *phytophagus* Ficalbi,1889; *agilis* Bigot,1889; *haematophagus* Ficalbi,1893; *melanorhinus* Giles,1900; *longefurcatus* Becker,1903; *varioannulatus* Theobald,1903; *azorensis* Theobald,1903; *quasimodestus* Theobald,1905; *osakensis* Theobald,1907; *comitatus* Dyar & Knab,1909; *dipseticus* Dyar & Knab,1909; *doliorum* Edwards,1912; *autogenicus* Roubaud,1935; *berbericus* Roubaud,1935; *sternopallidus* Roubaud,1945; *sternopunctatus* Roubaud,1945; *disjunctus* Roubaud,1957; *calloti* Rioux & Pech,1959; *erectus* Iglish,1977; *torridus* Iglish,1977
- 2212) Culex (s.str.) theileri Theobald,1903** (Culicidae) Synonym(s): *theileri* Theobald,1903
- 2213) Culex (s.str.) tritaeniorhynchus Giles,1901** (Culicidae) Synonym(s): *tritaeniorhynchus* Giles,1901; *summorosus* Dyar,1920; *biroi* Theobald,1905; *siamensis* Barraud & Christophers,1931
- 2214) Culicoides denisoni Boorman,1988** (Ceratopogonidae) Synonym(s): *denisoni* Boorman,1988
- 2215) Culicoides imicola Kieffer,1913** (Ceratopogonidae) Synonym(s): *imicola* Kieffer,1913; *pallidipennis* Carter,Ingram & Macfie,1920; *iraqensis* Khalaf,1957; *minutus* Sen & Das Gupta,1959; *pseudoturgidus* Das Gupta,1962
- 2216) Culicoides kolymbiensis Boorman,1988** (Ceratopogonidae) Synonym(s): *kolymbiensis* Boorman,1988
- 2217) Culicoides paradisionensis Boorman,1988** (Ceratopogonidae) Synonym(s): *paradisionensis* Boorman,1988
- 2218) Culiseta (Allotheobaldia) longiareolata (Macquart,1838)** (Culicidae) Synonym(s): *longiareolata* Macquart,1838; *spathipalpis* Rondani,1872; *leucogrammus* Loew,1874; *serratipes* Becker,1908; *marocanus* D'Anfreville,1916
- 2219) Culiseta (Culicella) fumipennis (Stephens,1825)** (Culicidae) Synonym(s): *fumipennis* Stephens,1825; *ficalbii* Noe,1899; *theobaldi* Meijere,1911; *setivalva* Monchadskii,1936
- 2220) Culiseta (Culicella) morsitans (Theobald,1901)** (Culicidae) Synonym(s): *morsitans* Theobald,1901; *dyari* Coquillett,1902; *brittoni* Felt,1905; *parodites* Dyar,1928
- 2221) Culiseta (s.str.) annulata (Schränk,1776)** (Culicidae) Synonym(s): *annulata* Schränk,1776; *annulatus* Fabricius,1787; *affinis* Stephens,1825; *nicaensis* Leach,1825; *ferruginata* Martini,1924
- 2222) Cupedia cupediella (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *cupediella* Herrich-Schäffer,1855
- 2223) Cupido (Everes) alcetas (Hoffmannsegg,1804)** (Lycaenidae) Synonym(s): *tiresias* Hübner,[1800] *nec tiresias* Rottemburg,1775; *alcetas* Hoffmannsegg,1804; *coretas* Ochsenheimer,1808.
- 2224) Cupido (Everes) argiades (Pallas,1771)** (Lycaenidae) Synonym(s): *argiades* Pallas,1771; *tiresias* Rottemburg,1775; *amyntas* [Denis & Schiffermüller],1775 *nec* Poda,1761; *irenae* Dujardin,1974.
- 2225) Cupido (Everes) decoloratus (Staudinger,1886)** (Lycaenidae) Synonym(s): *decoloratus* Staudinger,1886.
- 2226) Cupido (s.str.) minimus (Fuessly,1775)** (Lycaenidae) Synonym(s): *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schränk,1801.
- 2227) Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) Synonym(s): *osiris* Meigen,[1829]; *saportae* Dupnchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833].
- 2228) Cybalomia pentadalis (Lederer,1855)** (Pyralidae) Synonym(s): *pentadalis* Lederer,1855
- 2229) Cybosis mesomella (Linnaeus,1758)** (Arctiidae) Synonym(s): *mesomella* Linnaeus,1758; *eborina* Denis & Schiffermüller,1775; *quatrilis* Fourcroy,1785; *eremella* Vörbrodt,1914
- 2230) Cyclophora albiocellaria (Hübner,1789)** (Geometridae) Synonym(s): *albiocellaria* Hübner,1789; *ocellaria* Hübner,1799; *argusaria* Boisduval,1840

- 2231) Cyclophora annularia (Fabricius,1775)** (Geometridae) Synonym(s): *annularia* Fabricius,1775; *annulata* Schulze,1775
- 2232) Cyclophora linearia (Hübner,[1799])** (Geometridae) Synonym(s): *zonata* Fourcroy,1785; *luteolaria* Villers,1789; *linearia* Hübner,[1799]; *strabonaria* Zeller,1851
- 2233) Cyclophora porata (Linnaeus,1767)** (Geometridae) Synonym(s): *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825
- 2234) Cyclophora punctaria (Linnaeus,1758)** (Geometridae) Synonym(s): *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
- 2235) Cyclophora puppillaria (Hübner,[1799])** (Geometridae) Synonym(s): *puppillaria* Hübner,[1799].
- 2236) Cyclophora quercimontaria (Bastelberger,1897)** (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrospararia* Scoble,1999; *privataria* Scoble,1999
- 2237) Cyclophora ruficiliaria (Herrich-Schäffer,[1855])** (Geometridae) Synonym(s): *ruficiliaria* Herrich-Schäffer,[1855]
- 2238) Cyclophora suppunctaria (Zeller,1847)** (Geometridae) Synonym(s): *suppunctaria* Zeller,1847
- 2239) Cynia luctuosa (Geyer,[1833])** (Arctiidae) Synonym(s): *luctuosa* Geyer,[1833]; *lugubris* Herrich-Schäffer,[1844]; *djamila* Schauerda,1910.
- 2240) Cydia amplana (Hübner,[1799])** (Tortricidae) Synonym(s): *amplana* Hübner,[1799]; *molybdana* Constant,1884
- 2241) Cydia blackmoreana (Walsingham,1903)** (Tortricidae) Synonym(s): *blackmoreana* Walsingham,1903
- 2242) Cydia compositella (Fabricius,1775)** (Tortricidae) Synonym(s): *compositella* Fabricius,1775; *quadralla* Goeze,1783; *quadratella* Fourcroy,1785; *composana* Fabricius,1798; *gundiana* Hübner,[1799]; *compositana* Haworth,1802; *simillimana* Toll,1953
- 2243) Cydia conicolana (Heylaerts,1874)** (Tortricidae) Synonym(s): *conicolana* Heylaerts,1874
- 2244) Cydia corollana (Hübner,[1823])** (Tortricidae) Synonym(s): *corollana* Hübner,[1823]
- 2245) Cydia coronillana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): ? *turcica* Fourcroy,1785; *coronillana* Lienig & Zeller,1846; *moldovana* Caradja,1899
- 2246) Cydia delineana (Walker,1863)** (Tortricidae) Synonym(s): *delineana* Walker,1863; *apicatana* Walker,1863; *sinana* Felder,1874; *tetragrammana* Staudinger,1879; *mundana* Christoph,1881; *terstrigana* Ragonot,1894; *quadristrana* Walsingham,1900.
- 2247) Cydia duplicana (Zetterstedt,1839)** (Tortricidae) Synonym(s): ? *dahlana* Frölich,1828; *duplicana* Zetterstedt,1839; *#interruptana* Herrich-Schäffer,1848; *interruptana* Herrich-Schäffer,1851
- 2248) Cydia fissana (Frölich,1828)** (Tortricidae) Synonym(s): *fissana* Frölich,1828; *divisana* Duponchel,1836; *diffusana* Herrich-Schäffer,1851
- 2249) Cydia funebrana (Treitschke,1835)** (Tortricidae) Synonym(s): *funebrana* Treitschke,1835; *cerasana* Kozhantschikov,1953
- 2250) Cydia gemmiferana (Treitschke,1835)** (Tortricidae) Synonym(s): *gemmiferana* Treitschke,1835; *olbienana* Guenée,1845
- 2251) Cydia honorana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *honorana* Herrich-Schäffer,1851
- 2252) Cydia ilipulana (Walsingham,1903)** (Tortricidae) Synonym(s): *ilipulana* Walsingham,1903; *dioszeghi* Capuse,1970
- 2253) Cydia janthinana (Duponchel,1843)** (Tortricidae) Synonym(s): *janthinana* Duponchel,1843; *incisana* Herrich-Schäffer,1851
- 2254) Cydia johanssoni Aarvik & Karsholt,1993** (Tortricidae) Synonym(s): *johanssoni* Aarvik & Karsholt,1993
- 2255) Cydia jungiella (Linnaeus,1761)** (Tortricidae) Synonym(s): *#jungiella* Clerck,1759; *jungiella* Linnaeus,1761; *perlepidana* Haworth,[1811]; *jungiana* Fröhlich,1828; *schränkiana* Fröhlich,1828; *albisecondella* Bruand,1850.
- 2256) Cydia marathonana Präse & Sutter,1973** (Tortricidae) Synonym(s): *marathonana* Präse & Sutter,1973
- 2257) Cydia molesta (Busck,1916)** (Tortricidae) Synonym(s): *molesta* Busck,1916
- 2258) Cydia nebritana (Treitschke,1830)** (Tortricidae) Synonym(s): *nebritana* Treitschke,1830
- 2259) Cydia orobana (Treitschke,1830)** (Tortricidae) Synonym(s): *orobana* Treitschke,1830; *strandiana* Fuchs,1901; *persicana* Osthelder,1938
- 2260) Cydia plumbiferana (Staudinger,1870)** (Tortricidae) Synonym(s): *plumbiferana* Staudinger,1870
- 2261) Cydia pomonella (Linnaeus,1758)** (Tortricidae) Synonym(s): *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859
- 2262) Cydia pyrivora Danilevsky,1947** (Tortricidae) Synonym(s): *pyrivora* Danilevsky,1947; *dannehli* Obratsov,1950
- 2263) Cydia semicinctana (Kennel,1901)** (Tortricidae) Synonym(s): *semicinctana* Kennel,1901
- 2264) Cydia succedana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] nec [Den. & Schiff.],1775; *griseana* Osthelder,1938
- 2265) Cydia triangulella (Goeze,1783)** (Tortricidae) Synonym(s): *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *#glandella* Schrank,1802; *reaumurana* Heyden,1860
- 2266) Cydia trogodana Präse,1988** (Tortricidae) Synonym(s): *trogodana* Präse,1988
- 2267) Cyllindera (Cicindina) arenaria (Fuessli,1775)** (Carabidae) Synonym(s): *arenaria* Fuessli,1775
- 2268) Cyllindera (Cicindina) trisignata (Dejean,1822)** (Carabidae) Synonym(s): *trisignata* Dejean,1822
- 2269) Cyllindera (s.str.) germanica (Linnaeus,1758)** (Carabidae) Synonym(s): *germanica* Linnaeus,1758
- 2270) Cyllindromyia (Calocyptera) intermedia (Meigen,1824)** (Tachinidae) Synonym(s): *intermedia* Meigen,1824
- 2271) Cyllindromyia (Conopisoma) rufipes (Meigen,1824)** (Tachinidae) Synonym(s): *rufipes* Meigen,1824; *nigra* Villeneuve,1918 nec Big.,1885
- 2272) Cyllindromyia (Neocyptera) hermonensis Kugler,1974** (Tachinidae) Synonym(s): *hermonensis* Kugler,1974
- 2273) Cyllindromyia (s.str.) brassicaria (Fabricius,1775)** (Tachinidae) Synonym(s): *brassicaria* Fabricius,1775; *boscii* R-D.,1830; *trinacrina* Bigot,1878; *sapporensis* Matsumura,1916
- 2274) Cyllindromyia crassa (Loew,1845)** (Tachinidae) Synonym(s): *crassa* Loew,1845
- 2275) Cyllindromyia gemma (Richter,1972)** (Tachinidae) Synonym(s): *gemma* Richter,1972
- 2276) Cyllindromyia pilipes (Loew,1844)** (Tachinidae) Synonym(s): *pilipes* Loew,1844
- 2277) Cyllindromyia rufifrons (Loew,1844)** (Tachinidae) Synonym(s): *rufifrons* Loew,1844
- 2278) Cyllindromyia scapularis (Loew,1845)** (Tachinidae) Synonym(s): *scapularis* Loew,1845
- 2279) Cyllindromyia xyloina (Egger,1860)** (Tachinidae) Synonym(s): *xyloina* Egger,1860
- 2280) Cyllenina marginata Loew,1846** (Bombyliidae) Synonym(s): *marginata* Loew,1846
- 2281) Cyllenina rustica (Rossi,1790)** (Bombyliidae) Synonym(s): *rustica* Rossi,1790; *maculata* Latreille,1802; *cyllenina* Lamarck,1816
- 2282) Cymatophorima diluta ([Denis & Schiffermüller],1775)** (Thyatridae) Synonym(s): *diluta* [Denis & Schiffermüller],1775; *fasciculosa* Borkhausen,1790; *bistrigata* Borkhausen,1790; *hartwiegi* Reisser,1927

- 2283)** *Cymbalophora pudica* (Esper,[1784]) (Arctiidae) Synonym(s): *pudica* Esper,[1784]; *tessellata* Villers,1789 *nec* Goeze,1781
- 2284)** *Cymbalophora rivularis* (Ménétriés,1832) (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929.
- 2285)** *Cynaeda dentalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller],1775; *ramalis* Fabricius,1787; *radiata* Esper,1788; *fulminans* Fabricius,1794; *dilutalis* De Lattin,1959
- 2286)** *Cynaeda gigantea* (Wocke,1871) (Pyralidae) Synonym(s): *gigantea* Wocke,1871
- 2287)** *Cynips cornifex* Hartig,1843 (Cynipidae) Synonym(s): *cornifex* Hartig,1843
- 2288)** *Cynips disticha* Hartig,1840 (Cynipidae) Synonym(s): *disticha* Hartig,1840; *indistincta* Niblett,1948
- 2289)** *Cynips divisa* Hartig,1840 (Cynipidae) Synonym(s): *divisa* Hartig,1840; *verrucosus* Schlechtendal,1870
- 2290)** *Cynips longiventris* Hartig,1840 (Cynipidae) Synonym(s): *longiventris* Hartig,1840; *similis* Adler,1881; *substituta* Kinsey,1930
- 2291)** *Cynips quercus* (Fourcroy,1785) (Cynipidae) Synonym(s): *quercus* Fourcroy,1785; *pubescentis* Mayr,1881; *ilicis* Kieffer,1896; *geminus* Belizin & Maisuradze,1962; *rusanovae* Belizin & Maisuradze,1962
- 2292)** *Cynips quercusfolii* (Linnaeus,1758) (Cynipidae) Synonym(s): *quercusfolii* Linnaeus,1758; *scutellaris* Olivier,1791; *gallaecerasiformis* Anthoine,1794; *gallaecunidoniformis* Anthoine,1794; *folii* Hartig,1840; *flosculi* Giraud,1868; *giraudi* Tschek,1869; *taschenbergi* Schlechtendal,1870
- 2293)** *Cyphon longiusculus* Nyholm,1970 (Scirtidae) Synonym(s): *longiusculus* Nyholm,1970
- 2294)** *Cyrtosia melleus* (Loew,1856) (Mythicomylidae) Synonym(s): *melleus* Loew,1856
- 2295)** *Cyrtosia seriatus* Fairmaire,1880 (Chrysomelidae) Synonym(s): *seriatus* Fairmaire,1880
- 2296)** *Cyrtosia latipes* (Rondani,1874) (Pteromalidae) Synonym(s): *latipes* Rondani,1874; *dacida* Masi,1907; *virescens* Masi,1908; *lesbiacus* Masi,1922; *albicus* Masi,1934
- 2297)** *Cyrtosia obscuripes* Loew,1855 (Mythicomylidae) Synonym(s): *obscuripes* Loew,1855
- 2298)** *Cyrtosia opaca* Loew,1846 (Mythicomylidae) Synonym(s): *opaca* Loew,1846
- 2299)** *Cyrtosia serena* (Becker,1915) (Mythicomylidae) Synonym(s): *serena* Becker,1915
- 2300)** *Cyrtosia ovalis* (Laporte,1838) (Melyridae) Synonym(s): *ovalis* Laporte,1838
- 2301)** *Cytherea infusca* (Meigen,1820) (Bombyliidae) Synonym(s): *infusca* Meigen,1820
- 2302)** *Cytherea obscura* Fabricius,1794 (Bombyliidae) Synonym(s): *obscura* Fabricius,1794; *tauriacus* Becker,1903
- 2303)** *Dactylolabis* (s.str.) *jonica* Lackschewitz,1940 (Limoniidae) Synonym(s): *jonica* Lackschewitz,1940
- 2304)** *Dahlica achajensis* (Sieder,1966) (Psychidae) Synonym(s): *achajensis* Sieder,1966
- 2305)** *Dahlica pseudoachajensis* (Stengel,1990) (Psychidae) Synonym(s): *pseudoachajensis* Stengel,1990
- 2306)** *Dahlica triquetrella* (Hübner,[1813]) (Psychidae) Synonym(s): *triquetrella* Hübner,[1813]
- 2307)** *Dailognatha carceli* Solier,1835 (Tenebrionidae) Synonym(s): *carceli* Solier,1835
- 2308)** *Dailognatha hellenica* Reitter,1896 (Tenebrionidae) Synonym(s): *hellenica* Reitter,1896
- 2309)** *Dailognatha obtusangula* Reitter,1896 (Tenebrionidae) Synonym(s): *obtusangula* Reitter,1896
- 2310)** *Dailognatha quadricollis* Brullé,1832 (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832
- 2311)** *Dailognatha vicina* Brullé,1832 (Tenebrionidae) Synonym(s): *vicina* Brullé,1832
- 2312)** *Dalmannia aculeata* (Linnaeus,1761) (Conopidae) Synonym(s): *aculeata* Linnaeus,1761; *gemina* Weidemann,1824; *meridionalis* R-D.,1830; *australis* Macquart,1835; *desponsata* Rondani,1857; *nigrifemorata* Paramonov,1927
- 2313)** *Dalopius marginatus* (Linnaeus,1758) (Elateridae) Synonym(s): *marginatus* Linnaeus,1758
- 2314)** *Danacaea bleusei* Pic,1895 (Melyridae) Synonym(s): *bleusei* Pic,1895
- 2315)** *Danacaea cervina* (Küster,1850) (Melyridae) Synonym(s): *cervina* Küster,1850
- 2316)** *Danacaea championi* Marseul,1878 (Melyridae) Synonym(s): *championi* Marseul,1878
- 2317)** *Danacaea marginata* (Küster,1851) (Melyridae) Synonym(s): *marginata* Küster,1851
- 2318)** *Danaus* (Anosia) *chrysippus* (Linnaeus,1758) (Danaidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759
- 2319)** *Daphnis nerii* (Linnaeus,1758) (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934.
- 2320)** *Dasycorea modesta* (Staudinger,1879) (Geometridae) Synonym(s): *modesta* Staudinger,1879
- 2321)** *Dasyhelea flavifrons* (Guérin-Ménéville,1833) (Ceratopogonidae) Synonym(s): *flavifrons* Guérin-Ménéville,1833; *obscura* Winnertz,1852 *nec* Walk.,1848; *versicolor* Winnertz,1852; *dufourii* Laboulbène,1869; *hippocastani* Mik,1888; *brevitibialis* Goetghebuuer,1919; *goetghebuuri* Kieffer,1919; *sensualis* Kieffer,1919; *lignicola* Kieffer,1919; *paludicola* Kieffer,1925; *oppressa* Thomsen,1935; *septuosa* Borkent,1997
- 2322)** *Dasyhelea flavoscutellata* (Zetterstedt,1850) (Ceratopogonidae) Synonym(s): *flavoscutellata* Zetterstedt,1850; *egens* Winnertz,1852; *alonensis* Strobl,1906; *heracleae* Kieffer,1919; *halobia* Kieffer,1924
- 2323)** *Dasylabris* (Craspedopyga) *manderstiernii* (Radoszkowski,1865) (Mutillidae) Synonym(s): *manderstiernii* Radoszkowski,1865; *cypria* Sichel & Radoszkowski,1870 [ssp.]
- 2324)** *Dasylabris* (Inbaltilla) *biblica* Invrea,1950 (Mutillidae) Synonym(s): *biblica* Invrea,1950
- 2325)** *Dasylabris* (Inbaltilla) *scutilla* Skorikov,1935 (Mutillidae) Synonym(s): *scutilla* Skorikov,1935
- 2326)** *Dasylabris* (s.str.) *maura* (Linnaeus,1758) (Mutillidae) Synonym(s): *maura* Linnaeus,1758
- 2327)** *Dasyopoda* (Heterodasyopoda) *pyrotrichia* Förster,1855 (Melittidae) Synonym(s): *pyrotrichia* Förster,1855
- 2328)** *Dasyopoda* (Megadasyopoda) *argentata* Panzer,1809 (Melittidae) Synonym(s): *argentata* Panzer,1809
- 2329)** *Dasyopoda* (Megadasyopoda) *braccata* Eversmann,1852 (Melittidae) Synonym(s): *braccata* Eversmann,1852; *anatolica* Warncke,1973
- 2330)** *Dasyopoda* (Megadasyopoda) *frieseana* Schletterer,1890 (Melittidae) Synonym(s): *frieseana* Schletterer,1890
- 2331)** *Dasyopoda* (Megadasyopoda) *spinigera* Kohl,1905 (Melittidae) Synonym(s): *spinigera* Kohl,1905
- 2332)** *Dasyopoda* (Megadasyopoda) *suripes* (Christ,1791) (Melittidae) Synonym(s): *suripes* Christ,1791
- 2333)** *Dasyopoda* (Megadasyopoda) *visnaga* Rossi,1790 (Melittidae) Synonym(s): *visnaga* Rossi,1790
- 2334)** *Dasyopoda* (Microdasyopoda) *cingulata* Erichson,1835 (Melittidae) Synonym(s): *cingulata* Erichson,1835
- 2335)** *Dasyopoda* (s.str.) *hirtipes* (Fabricius,1793) (Melittidae) Synonym(s): *hirtipes* Fabricius,1793; *graeca* Lepeletier,1841
- 2336)** *Dasyopoda* (s.str.) *pyriformis* Radoszkowski,1887 (Melittidae) Synonym(s): *pyriformis* Radoszkowski,1887
- 2337)** *Dasyopogon diadema* (Fabricius,1781) (Asilidae) Synonym(s): *diadema* Fabricius,1781; *punctatus* Fabricius,1781; *bohemicus* Preysler,1790; *analis* Fabricius,1794; *cylindrica* Fabricius,1794; *nervosus* Meigen,1804; *liburnicus* Germar,1817; *fasciatus* Meigen,1820; *umbrosus* Brullé,1832; *sicanus* Costa,1853; *rubidus* Hermann,1906
- 2338)** *Dasyopogon gerardi* Weinberg,1987 (Asilidae) Synonym(s): *gerardi* Weinberg,1987
- 2339)** *Dasyopogon octonotatus* Loew,1869 (Asilidae) Synonym(s): *octonotatus* Loew,1869; *melanopterus* Loew,1869
- 2340)** *Dasypolia* (s.str.) *esseri* Fibiger,1993 (Noctuidae) Synonym(s): *esseri* Fibiger,1993
- 2341)** *Dasypolia* (s.str.) *ferdinandi* Rühl,1892 (Noctuidae) Synonym(s): *ferdinandi* Rühl,1892

- 2342) *Dasypolia* (s.str.) *templi* (Thunberg,1792)** (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909.
- 2343) *Dasyrhamphis ater* (Rossi,1790)** (Tabanidae) Synonym(s): *ater* Rossi,1790; *fuscatus* Macquart,1826; *transiens* Walker,1848
- 2344) *Dasyrhamphis umbrinus* (Meigen,1820)** (Tabanidae) Synonym(s): *umbrinus* Meigen,1820; *istriensis* Meigen,1820; *maculipennis* Brullé,1832; *atavina* Enderlein,1925
- 2345) *Dasy scolia ciliata* (Fabricius,1787)** (Scoliidae) Synonym(s): *ciliata* Fabricius,1787; *araratica* Radoskovsky,1890; *fastuosa* Gribodo,1893
- 2346) *Dasytes graeculus* Kiesenwetter,1859** (Melyridae) Synonym(s): *graeculus* Kiesenwetter,1859
- 2347) *Dasytes moniliatus* Kiesenwetter,1863** (Melyridae) Synonym(s): *moniliatus* Kiesenwetter,1863
- 2348) *Dasytes murinus* Schilsky,1894** (Melyridae) Synonym(s): *murinus* Schilsky,1894
- 2349) *Dasytes niger* (Linnaeus,1761)** (Melyridae) Synonym(s): *niger* Linnaeus,1761; *villosus* Olivier,1790; *palustris* Fiori,1906
- 2350) *Dasytes orientalis* Schilsky,1894** (Melyridae) Synonym(s): *orientalis* Schilsky,1894
- 2351) *Dasytes plumbeus* (O.F.Müller,1776)** (Melyridae) Synonym(s): *plumbeus* O.F.Müller,1776
- 2352) *Dasytes tardus* Schaufuss,1876** (Melyridae) Synonym(s): *tardus* Schaufuss,1876
- 2353) *Dasytes virens* (Marsham,1802)** (Melyridae) Synonym(s): *virens* Marsham,1802
- 2354) *Dasytidius congruens* Majer,1989** (Melyridae) Synonym(s): *congruens* Majer,1989
- 2355) *Dasytidius emgei* (Reitter,1884)** (Melyridae) Synonym(s): *emgei* Reitter,1884
- 2356) *Dasytidius ethologus* Majer,1989** (Melyridae) Synonym(s): *ethologus* Majer,1989
- 2357) *Dasytidius indutus* Kiesenwetter,1859** (Melyridae) Synonym(s): *indutus* Kiesenwetter,1859
- 2358) *Dasytidius insularis* Majer,1996** (Melyridae) Synonym(s): *insularis* Majer,1996
- 2359) *Dasytidius nigripes* (Pic,1894)** (Melyridae) Synonym(s): *nigripes* Pic,1894
- 2360) *Dasytiscus affinis* Morawitz,1861** (Melyridae) Synonym(s): *affinis* Morawitz,1861
- 2361) *Dasytiscus flaveolus* Reitter,1889** (Melyridae) Synonym(s): *flaveolus* Reitter,1889
- 2362) *Dasytiscus graminis* Majer,1996** (Melyridae) Synonym(s): *rufitarsis* Lucas,1853 (praeocc.); *graminis* Majer,1996
- 2363) *Dasytiscus impressicollis* Reitter,1885** (Melyridae) Synonym(s): *impressicollis* Reitter,1885
- 2364) *Dasytiscus minotaurus* Majer,1988** (Melyridae) Synonym(s): *minotaurus* Majer,1988
- 2365) *Dasytiscus praecox* (Küster,1851)** (Melyridae) Synonym(s): *praecox* Küster,1851
- 2366) *Decantha borkhausenii* (Zeller,1839)** (Oecophoridae) Synonym(s): *borkhausenii* Zeller,1839
- 2367) *Decticus albifrons* (Fabricius,1793)** (Tettigoniidae) Synonym(s): *albifrons* Fabricius,1793; *aeolicus* Guarino,1935
- 2368) *Decticus verrucivorus* (Linnaeus,1758)** (Tettigoniidae) Synonym(s): *verrucivorus* Linnaeus,1758; *rubicundus* De Geer,1778; *hastatus* Fischer von Waldheim,1839; *radiata* Fischer von Waldheim,1846
- 2369) *Deilephila elpenor* (Linnaeus,1758)** (Sphingidae) Synonym(s): *elpenor* Linnaeus,1758
- 2370) *Deilephila porcellus* (Linnaeus,1758)** (Sphingidae) Synonym(s): *porcellus* Linnaeus,1758
- 2371) *Deileptenia ribeata* (Clerck,1759)** (Geometridae) Synonym(s): *ribeata* Clerck,1759
- 2372) *Delfimeus irroratus* (Olivier,1811)** (Myrmeleonidae) Synonym(s): *irroratus* Olivier,1811; *imbecillus* Stein,1863; *extorris* Navas,1913; *clarus* Navas,1914; *sobrius* Navas,1914
- 2373) *Delia platura* Meigen,1826** (Anthomyiidae) Synonym(s): *platura* Meigen,1826
- 2374) *Delta unguiculatum* (Villers,1789)** (Vespidae) Synonym(s): *unguiculatum* Villers,1789; *coangustata* Rossi,1790; *cursor* Christ,1791; *lapidica* Christ,1791; *infundibuliformis* Olivier,1791; *dumetorum* Panzer,1799; *olivieri* Lepeletier,1841; *huberti* Saussure,1852; *sporadense* Schulthess,1929
- 2375) *Deltophora maculata* (Staudinger,1879)** (Gelechiidae) Synonym(s): *maculata* Staudinger,1879
- 2376) *Deltote bankiana* (Fabricius,1775)** (Noctuidae) Synonym(s): *bankiana* Fabricius,1775; *olivana* [Denis & Schiffmüller],1775; *olivea* Hübner,[1813]; *amurula* Staudinger,1892; *albescens* Draudt,1935; *uniformis* Draudt,1935.
- 2377) *Deltote uncula* (Clerck,1759)** (Noctuidae) Synonym(s): *uncula* Clerck,1759
- 2378) *Dendarus* (Pandarinus) *messenius* Brullé,1832** (Tenebrionidae) Synonym(s): *messenius* Brullé,1832; *gravidus* Brullé,1832; *tentyrioides* Brullé,1832; *ottomanus* Mulsant,1854
- 2379) *Dendarus* (Pandarinus) *moesiacus* Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *moesiacus* Mulsant & Rey,1854
- 2380) *Dendarus* (Pandarinus) *rhodius* Baudi,1876** (Tenebrionidae) Synonym(s): *rhodius* Baudi,1876
- 2381) *Dendarus* (Pandarinus) *simius* Mulsant,1854** (Tenebrionidae) Synonym(s): *simius* Mulsant,1854
- 2382) *Dendarus* (Pandarinus) *tenellus* Mulsant & Rey,1854** (Tenebrionidae) Synonym(s): *tenellus* Mulsant & Rey,1854
- 2383) *Dendarus* (Pandarinus) *tibialis* Seidlitz,1893** (Tenebrionidae) Synonym(s): *tibialis* Seidlitz,1893
- 2384) *Dendarus* (Pandarinus) *stygius* Walth,1838** (Tenebrionidae) Synonym(s): *stygius* Walth,1838
- 2385) *Dendrolimus pini* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Micheli,1959
- 2386) *Denisia augustella* (Hübner,1796)** (Oecophoridae) Synonym(s): *augustella* Hübner,1796; *augusta* Haworth,1828; *tilirolella* Bruand,1859
- 2387) *Denisia rhaetica* (Frey,1856)** (Oecophoridae) Synonym(s): *rhaetica* Frey,1856; *engadinella* Herrich-Schäffer,1856
- 2388) *Dentifovea fulvifascialis* (Christoph,1887)** (Pyralidae) Synonym(s): *fulvifascialis* Christoph,1887
- 2389) *Dentilla curtiventris* (André,1901)** (Mutillidae) Synonym(s): *curtiventris* André,1901
- 2390) *Dentilla erronea* (André,1902)** (Mutillidae) Synonym(s): *erronea* André,1902
- 2391) *Dentilla persica* (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *persica* Sichel & Radoszkowski,1869
- 2392) *Depressaria absynthiella* Herrich-Schäffer,1865** (Oecophoridae) Synonym(s): *absynthiella* Herrich-Schäffer,1865
- 2393) *Depressaria albipunctella* ([Denis & Schiffmüller],1775)** (Oecophoridae) Synonym(s): *albipunctella* [Denis & Schiffmüller],1775; *albipuncta* Haworth,1811; *aegopodiella* Hübner,[1825]
- 2394) *Depressaria badiella* (Hübner,1796)** (Oecophoridae) Synonym(s): *badiella* Hübner,1796; *badia* Haworth,1811; *aurantiella* Tutt,1893; *frigidella* Turati,1919
- 2395) *Depressaria beckmanni* Heinemann,1870** (Oecophoridae) Synonym(s): *beckmanni* Heinemann,1870
- 2396) *Depressaria chaerophylli* Zeller,1839** (Oecophoridae) Synonym(s): *chaerophylli* Zeller,1839
- 2397) *Depressaria daucella* ([Denis & Schiffmüller],1775)** (Oecophoridae) Synonym(s): *#daucella* [Denis & Schiffmüller],1775; *rubricella* [Denis & Schiffmüller],1775; *apiella* Hübner,1796; *apiana* Haworth,1802; *apiosa* Haworth,1811
- 2398) *Depressaria depressana* (Fabricius,1775)** (Oecophoridae) Synonym(s): *depressana* Fabricius,1775; *anethana* Brahm,1791; *depressella* Fabricius,1798; *bluntii* Curtis,1828; *collarella* Zetterstedt,1839.
- 2399) *Depressaria discipunctella* Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer,1854
- 2400) *Depressaria douglasella* Stainton,1849** (Oecophoridae) Synonym(s): *douglasella* Stainton,1849
- 2401) *Depressaria floridella* Mann,1864** (Oecophoridae) Synonym(s): *floridella* Mann,1864
- 2402) *Depressaria hirtipalpis* Zeller,1854** (Oecophoridae) Synonym(s): *hirtipalpis* Zeller,1854

- 2403) *Depressaria hofmanni* Stainton, 1861** (Oecophoridae) Synonym(s): *hofmanni* Stainton, 1861
- 2404) *Depressaria marcella* Rebel, 1901** (Oecophoridae) Synonym(s): *marcella* Rebel, 1901; *cuprinella* Walsingham, 1907; *marcidella* Walsingham, 1907; *cruenta* Meyrick, 1920; *chneuriella* Lucas, 1940
- 2405) *Depressaria tenebricosa* Zeller, 1854** (Oecophoridae) Synonym(s): *tenebricosa* Zeller, 1854
- 2406) *Depressaria ultimella* Stainton, 1849** (Oecophoridae) Synonym(s): *ultimella* Stainton, 1849
- 2407) *Depressaria velox* Staudinger, 1859** (Oecophoridae) Synonym(s): *velox* Staudinger, 1859; *tortuosella* Chrétien, 1908
- 2408) *Depressaria veneficella* Zeller, 1847** (Oecophoridae) Synonym(s): *veneficella* Zeller, 1847
- 2409) *Depressotetrix depressa* (Brisout, 1848)** (Tetrigidae) Synonym(s): *depressa* Brisout, 1848; *acuminata* Brisout, 1850; *charpentieri* Fieber, 1853; *elevata* Fieber, 1853; *rudis* Walker, 1971; *turcicus* Demirsoy, 1977
- 2410) *Deraeocoris putoni* (Montandon, 1885)** (Miridae) Synonym(s): *putoni* Montandon, 1885
- 2411) *Deraeocoris schach* (Fabricius, 1781)** (Miridae) Synonym(s): *schach* Fabricius, 1781; *miniatus* Herrich-Schäffer, 1838; *novaki* Horvath, 1885; *cunealis* Reuter, 1888; *nigritus* Reuter, 1902; *nigritus* Reuter, 1902; *rutiloides* Reuter, 1905; *rufipennis* Reuter, 1905; *subrutilis* Horvath, 1914
- 2412) *Dermestes* (Dermestinus) *intermedius* Kalik, 1951** (Dermestidae) Synonym(s): *intermedius* Kalik, 1951
- 2413) *Dermestes* (Dermestinus) *kaszabi* Kalik, 1950** (Dermestidae) Synonym(s): *kaszabi* Kalik, 1950
- 2414) *Derocrepis graeca* (Allard, 1884)** (Chrysomelidae) Synonym(s): *graeca* Allard, 1884; *obscurithorax* Pic, 1909
- 2415) *Derocrepis hellenica* Doguet & Bergeal, 2000** (Chrysomelidae) Synonym(s): *hellenica* Doguet & Bergeal, 2000
- 2416) *Derocrepis peloponnesiaca* Heikertinger, 1910** (Chrysomelidae) Synonym(s): *peloponnesiaca* Heikertinger, 1910
- 2417) *Derocrepis serbica* (Kutschera, 1860)** (Chrysomelidae) Synonym(s): *serbica* Kutschera, 1860; *strangulata* Allard, 1860; *bicolor* Weise, 1886
- 2418) *Deronectes latus* (Fairmaire, 1858)** (Dytiscidae) Synonym(s): *latus* Fairmaire, 1858
- 2419) *Deronectes moestus* (Fairmaire, 1858)** (Dytiscidae) Synonym(s): *moestus* Fairmaire, 1858
- 2420) *Deronectes parvicollis* (Schaum, 1864)** (Dytiscidae) Synonym(s): *parvicollis* Schaum, 1864
- 2421) *Deronectes sahlbergi* Zimmermann, 1932** (Dytiscidae) Synonym(s): *sahlbergi* Zimmermann, 1932
- 2422) *Deroxena venosulella* (Möschler, 1862)** (Autostichidae) Synonym(s): *venosulella* Möschler, 1862; *neglectella* Lederer, 1863.
- 2423) *Derula flavoguttata* Mulsant & Rey, 1856** (Pentatomidae) Synonym(s): *flavoguttata* Mulsant & Rey, 1856; *oculatum* Baerensprung, 1858
- 2424) *Desmometopa discipalpis* Papp, 1993** (Milichiidae) Synonym(s): *discipalpis* Papp, 1993
- 2425) *Desmometopa microps* Lamb, 1914** (Milichiidae) Synonym(s): *microps* Lamb, 1914
- 2426) *Desmometopa sordida* (Fallén, 1820)** (Milichiidae) Synonym(s): *sordida* Fallén, 1820; *m-atrum* Meigen, 1830; *atra* Duda, 1935
- 2427) *Deudorix* (Virachola) *livia* (Klug, 1834)** (Lycaenidae) Synonym(s): *livia* Klug, 1834; *pallescens* Rothschild, 1921
- 2428) *Dextellia dorsilineella* (Amsel, 1935)** (Gracillariidae) Synonym(s): *dorsilineella* Amsel, 1935; *#dorsiliniella* Kuznetsov & Baryshnikova, 2001
- 2429) *Diachrysia chrysis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *chrysis* Linnaeus, 1758
- 2430) *Diachrysia chryson* (Esper, [1789])** (Noctuidae) Synonym(s): *chryson* Esper, [1789]; *aerifera* Sowerby, 1805
- 2431) *Diacrisia sannio* (Linnaeus, 1758)** (Arctiidae) Synonym(s): *sannio* Linnaeus, 1758; *russula* Linnaeus, 1758; *vulpinaria* Linnaeus, 1758; *hesperidea* Fourcroy, 1785; *pallida* Staudinger, 1892.
- 2432) *Diadegma pulchripes* (Kokujev, 1915)** (Ichneumonidae) Synonym(s): *pulchripes* Kokujev, 1915
- 2433) *Dialectica scalaris* (Zeller, 1850)** (Gracillariidae) Synonym(s): *scalaris* Zeller, 1850
- 2434) *Dialectica soffneri* (Gregor & Povolny, 1965)** (Gracillariidae) Synonym(s): *soffneri* Gregor & Povolny, 1965
- 2435) *Diaphora mendica* (Linnaeus, 1761)** (Arctiidae) Synonym(s): *#mendica* Clerck, 1759; *mendica* Linnaeus, 1761; *rustica* Hübner, [1791]
- 2436) *Diaphorus disjunctus* Loew, 1857** (Dolichopodidae) Synonym(s): *disjunctus* Loew, 1857
- 2437) *Diaphorus graecus* Parent, 1932** (Dolichopodidae) Synonym(s): *graecus* Parent, 1932
- 2438) *Diaphorus lautus* Loew, 1857** (Dolichopodidae) Synonym(s): *lautus* Loew, 1857
- 2439) *Diaphorus nigricans* Meigen, 1824** (Dolichopodidae) Synonym(s): *nigricans* Meigen, 1824; *obscuripes* Zetterstedt, 1838; *sokolovi* Stackelberg, 1928; *consimilis* Parent, 1937
- 2440) *Diarsia mendica* (Fabricius, 1775)** (Noctuidae) Synonym(s): *mendica* Fabricius, 1775; *festiva* [Denis & Schiffermüller], 1775; *primulae* Esper, [1788]; *subrufa* Haworth, 1809; *conflua* Treitschke, 1827; *dannehli* Corti & Draudt, 1933.
- 2441) *Diasemia reticularis* (Linnaeus, 1761)** (Pyralidae) Synonym(s): *reticularis* Linnaeus, 1761; *litterata* Scopoli, 1763
- 2442) *Diasemiopsis ramburialis* (Duponchel, 1831)** (Pyralidae) Synonym(s): *ramburialis* Duponchel, 1831; *melaleucalis* Walker, 1859; *reconditalis* Walker, [1866]; *leucophaealis* Walker, [1866].
- 2443) *Dibolia chevrolati* Allard, 1861** (Chrysomelidae) Synonym(s): *chevrolati* Allard, 1861
- 2444) *Dibolia femoralis* Redtenbacher, 1849** (Chrysomelidae) Synonym(s): *femoralis* Redtenbacher, 1849; *aurichalcea* Förster, 1849; *erythrogaster* Allard, 1861; *theresae* Pic, 1909
- 2445) *Dibolia foersteri* Bach, 1859** (Chrysomelidae) Synonym(s): *foersteri* Bach, 1859; *buglossi* Foudras, 1860; *foudrasi* Mulsant & Rey, 1874
- 2446) *Dicallomera fascelina* (Linnaeus, 1758)** (Lymantriidae) Synonym(s): *fascelina* Linnaeus, 1758; *medicaginis* Hübner, [1803]; *danieli* De Freina, 1979.
- 2447) *Diceratura ostrinana* (Guenée, 1845)** (Tortricidae) Synonym(s): *ostrinana* Guenée, 1845; *purpuratana* Herrich-Schäffer, [1851].
- 2448) *Diceratura rhodographa* Djakonov, 1929** (Tortricidae) Synonym(s): *rhodographa* Djakonov, 1929
- 2449) *Dichagyris* (Grisyigoga) *candelisequa* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller], 1775; *sagittifera* Hübner, [1813]; *piemonticola* Schwingenschuss, 1954; *zapateri* Schwingenschuss, 1962.
- 2450) *Dichagyris* (s.str.) *erubescens* (Staudinger, 1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger, 1892
- 2451) *Dichagyris* (s.str.) *forficula* (Eversmann, 1851)** (Noctuidae) Synonym(s): *forficula* Eversmann, 1851
- 2452) *Dichagyris* (s.str.) *melanura* (Kollar, 1846)** (Noctuidae) Synonym(s): *melanura* Kollar, 1846
- 2453) *Dichagyris* (s.str.) *renigera* (Hübner, [1808])** (Noctuidae) Synonym(s): *renigera* Hübner, [1808]; *dumosa* Donzel, 1837; *caucasica* Staudinger, 1877; *funebis* Staudinger, 1892; *nigrescens* Kitt, 1925 *nec* Höfner, 1888; *funestissima* Bubacek, 1926; *argentina* Caradja, 1930.
- 2454) *Dichagyris* (Yigoga) *celsicola* (Bellier, 1858)** (Noctuidae) Synonym(s): *celsicola* Bellier, 1858
- 2455) *Dichagyris* (Yigoga) *flavina* (Herrich-Schäffer, [1852])** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898; *pretiosa* Caradja, 1931.
- 2456) *Dichagyris* (Yigoga) *forcipula* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller], 1775; *denticulosa* Esper, [1794]; *bornicensis* Fuchs, 1884; *helladica* Rebel, 1905; *samnitica* Dannehl, 1933; *romanoi* Berio, 1980.

- 2457) **Dichagyris (Yigoga) gracilis** (F.Wagner,1929) (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929
- 2458) **Dichagyris (Yigoga) insula** Fibiger,1997 (Noctuidae) Synonym(s): *insula* Fibiger,1997
- 2459) **Dichagyris (Yigoga) nigrescens** (Hofner,1888) (Noctuidae) Synonym(s): *nigrescens* Höfner,1888
- 2460) **Dichagyris (Yigoga) signifera** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775
- 2461) **Dichagyris (Yigoga) soror** Fibiger,1997 (Noctuidae) Synonym(s): *soror* Fibiger,1997
- 2462) **Dichelia histrionana** (Frölich,1828) (Tortricidae) Synonym(s): *pinana* [Denis & Schiffermüller],1775; *histrionana* Frölich,1828; *stygiانا* Rebel,1929
- 2463) **Dichetophora obliterated** (Fabricius,1805) (Sciomyzidae) Synonym(s): *obliterated* Fabricius,1805; *ichneumonea* R-D.,1830; *gracilis* Loew,1845
- 2464) **Dichillus (Dichillocerus) pertusus** Kiesenwetter,1861 (Tenebrionidae) Synonym(s): *pertusus* Kiesenwetter,1861
- 2465) **Dichillus (s.str.) carinatus** Küster,1848 (Tenebrionidae) Synonym(s): *carinatus* Küster,1848
- 2466) **Dichomeris acuminata** (Staudinger,1876) (Gelechiidae) Synonym(s): *acuminata* Staudinger,1876; *ianthes* Meyrick,1887; *rusticus* Walsingham,1892; *lotellus* Constant,1893; *ammoxanthus* Meyrick,1904; *ochrophanes* Meyrick,1907; *agathopa* Meyrick,1921; *#agathope* Janse,1950
- 2467) **Dichomeris limbipunctella** (Staudinger,1859) (Gelechiidae) Synonym(s): *limbipunctella* Staudinger,1859; *millierella* Stainton,1873.
- 2468) **Dichomeris marginella** (Fabricius,1781) (Gelechiidae) Synonym(s): *marginella* Fabricius,1781; *fimbriella* Thunberg,1788; *striatella* Hübner,1796 nec [Denis & Schiff.,1775; *marginata* Fabricius,1798; *clarella* Treitschke,1833.
- 2469) **Dichomeris ustalella** (Fabricius,1794) (Gelechiidae) Synonym(s): *ustalella* Fabricius,1794; *capucinella* Hübner,1796; *ustulatus* Fabricius,1798; *cornatus* Fabricius,1798; *burgundius* Bruand,1859.
- 2470) **Dichomma dardanus** (Steven,1829) (Tenebrionidae) Synonym(s): *dardanus* Steven,1829
- 2471) **Dichonia (Gripesia) aprilina** (Linnaeus,1758) (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *obscurior* Wolfsberger,1969.
- 2472) **Dichonia (Gripesia) pinkeri** Kobes,1973 (Noctuidae) Synonym(s): *pinker* Kobes,1973
- 2473) **Dichonia (Gripesia) wegneri** Kobes & Fibiger,2003 (Noctuidae) Synonym(s): *wegneri* Kobes & Fibiger,2003
- 2474) **Dichonia (s.str.) aeruginea** (Hübner,[1803]) (Noctuidae) Synonym(s): *aeruginea* Hübner,[1803]; *miolauca* Geyer,[1828]; *chiolauca* Treitschke,1835; *mesembrina* Schawerda,1913.
- 2475) **Dichonia (s.str.) convergens** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791]
- 2476) **Dichrorampha incursana** (Herrich-Schäffer,1851) (Tortricidae) Synonym(s): *incursana* Herrich-Schäffer,1851
- 2477) **Dichrorampha montanana** (Duponchel,1843) (Tortricidae) Synonym(s): *montanana* Duponchel,1843; *alpestrana* Zeller,1843; *tanaceti* Stainton,1857; *monticolana* Heinemann,1863; *herbosana* Barrett,1872; *blasiana* Kennel,1919; *modestana* Müller-Rutz,1922; *olivacea* Müller-Rutz,1934
- 2478) **Dichrorampha petiverella** (Linnaeus,1758) (Tortricidae) Synonym(s): *petiverella* Linnaeus,1758; *albinella* Linnaeus,1758; *dorsana* Fabricius,1775; *jacquiniana* [Denis & Schiffermüller],1775; *petiverana* Haworth,1809; *stelliferana* Curtis,1831; *gigantana* Staudinger,1879
- 2479) **Dichrorampha plumbagana** (Treitschke,1830) (Tortricidae) Synonym(s): *plumbagana* Treitschke,1830; *salicetana* Prittwitz,1844; *subsequana* Wocke,1871
- 2480) **Dichrorampha plumbana** (Scopoli,1763) (Tortricidae) Synonym(s): *plumbana* Scopoli,1763; *saturnana* Guenée,1845; *ulicana* Guenée,1845; *blepharana* Herrich-Schäffer,1851; *rejectana* La Harpe,1858; *resplendana* Heinemann,1863
- 2481) **Dicranoccephalus setulosus** (Ferrari,1874) (Stenocephalidae) Synonym(s): *setulosus* Ferrari,1874
- 2482) **Dicranomyia (Glochina) sericata** (Meigen,1830) (Limoniidae) Synonym(s): *sericata* Meigen,1830; *glabrata* Walker,1856; *croatica* Egger,1863
- 2483) **Dicranomyia (Melanolimonia) morio** (Fabricius,1787) (Limoniidae) Synonym(s): *morio* Fabricius,1787; *leucocephala* Meigen,1818; *reperta* Walker,1848; *pauliani* Séguy,1941
- 2484) **Dicranomyia (s.str.) chorea** (Meigen,1818) (Limoniidae) Synonym(s): *#lutea* Meigen,1804; *chorea* Meigen,1818; *quadra* Meigen,1838; *flavicollis* Becker,1908; *longipes* Santos Abreu,1923; *vidua* Santos Abreu,1923; *griseus* Lackschewitz,1928; *lutescens* Lackschewitz,1928
- 2485) **Dicranomyia (s.str.) goritiensis** (Mik,1864) (Limoniidae) Synonym(s): *goritiensis* Mik,1864; *cornubiensis* Edwards,1938
- 2486) **Dicranomyia (s.str.) livornica** Lackschewitz,1928 (Limoniidae) Synonym(s): *livornica* Lackschewitz,1928
- 2487) **Dicranomyia (s.str.) lucida** De Meijere,1918 (Limoniidae) Synonym(s): *lucida* De Meijere,1918
- 2488) **Dicranomyia (s.str.) mitis** (Meigen,1830) (Limoniidae) Synonym(s): *mitis* Meigen,1830; *excisa* Walker,1848; *unicolor* Strobl,1898; *maculosa* Strobl,1900; *lutea* Lackschewitz,1928; *infusca* Lackschewitz,1928; *imbecilla* Lackschewitz,1941; *hygropetrica* Vaillant,1952.
- 2489) **Dicranomyia (s.str.) modesta** (Meigen,1818) (Limoniidae) Synonym(s): *modesta* Meigen,1818; *simplex* Meigen,1830; *nova* Meigen,1830; *takahashii* Alexander,1920; *spinicauda* Alexander,1924
- 2490) **Dicranomyia (s.str.) signatella** Stary & Freidberg,2007 (Limoniidae) Synonym(s): *modesta* Lackschewitz & Pagast,1941 nec Meig.,1818; *signata* Lackschewitz & Pagast,1941 (praeocc.); *signatella* Stary & Freidberg,2007
- 2491) **Dicranomyia (s.str.) ventralis** (Schummel,1829) (Limoniidae) Synonym(s): *ventralis* Schummel,1829; *simplex* Brunetti,1912; *perserotina* Alexander,1945; *pristomera* Alexander,1968
- 2492) **Dicranophragma (Brachylimnophila) adjunctum** (Walker,1848) (Limoniidae) Synonym(s): *adjunctum* Walker,1848; *axillare* Strobl,1906; *brevifurcatum* Strobl,1906; *dimidiatum* De Meijere,1918; *noscibile* Edwards,1921
- 2493) **Dicranophragma (Brachylimnophila) nemorale** (Meigen,1818) (Limoniidae) Synonym(s): *nemorale* Meigen,1818; *leucophaeum* Meigen,1818; *plebeium* Meigen,1818; *inclusum* Walker,1848; *collinum* Edwards,1921; *quadratum* Edwards,1921; *minusculum* Edwards,1921
- 2494) **Dicranoptycha (s.str.) fuscescens** (Schummel,1829) (Limoniidae) Synonym(s): *fuscescens* Schummel,1829; *lundstroemi* Bergroth,1922
- 2495) **Dicranoptycha (Ulugbekia) savtshenkoi** Mendl,1976 (Limoniidae) Synonym(s): *savtshenkoi* Mendl,1976
- 2496) **Dicranura ulmi** ([Denis & Schiffermüller],1775) (Notodontidae) Synonym(s): *#ulmi* [Denis & Schiffermüller],1775; *discors* Fabricius,1798; *modica* Dannehl,1929; *istriaca* Bytinski-Salz,1939.
- 2497) **Dicronychus cinereus** (Herbst,1784) (Elateridae) Synonym(s): *cinereus* Herbst,1784
- 2498) **Dicronychus equiseti** (Herbst,1784) (Elateridae) Synonym(s): *equiseti* Herbst,1784
- 2499) **Dicronychus rubripes** (Germar,1824) (Elateridae) Synonym(s): *rubripes* Germar,1824
- 2500) **Dicronychus versicolor** (Mulsant & Guillebeau,1856) (Elateridae) Synonym(s): *versicolor* Mulsant & Guillebeau,1856
- 2501) **Dictenidia bimaculata** (Linnaeus,1760) (Tipulidae) Synonym(s): *maculata* Linnaeus,1758; *bimaculata* Linnaeus,1760; *idriensis* Scopoli,1763; *pectinata* Gmelin,1790; *paludosa* Fabricius,1794; *fulvida* Bigot,1861

- 2502) *Dictyla echii* (Schrank,1782) (Tingidae) Synonym(s): *echii* Schrank,1782
- 2503) *Dictyophara distincta* Melichar,1912 (Dictyopharidae) Synonym(s): *distincta* Melichar,1912
- 2504) *Dictyophara europaea* (Linnaeus,1767) (Dictyopharidae) Synonym(s): *europaea* Linnaeus,1767; *#aeuropaea* Petagna,1787; *europa* Aucher-Elroy,1826; *italica* Kirschbaum,1868; *lutea* Lang,1942
- 2505) *Dictyophara multireticulata* Mulsant & Rey,1855 (Dictyopharidae) Synonym(s): *multireticulata* Mulsant & Rey,1855; *heydenii* Kirschbaum,1868; *curvata* Matsumura,1910; *nemourensis* Matsumura,1910; *oertzeni* Matsumura,1910
- 2506) *Dictyophara oertzeni* Matsumura,1910 (Dictyopharidae) Synonym(s): *oertzeni* Matsumura,1910
- 2507) *Dictyophara validicornis* (Stal,1859) (Dictyopharidae) Synonym(s): *validicornis* Stal,1859
- 2508) *Dicycla oo* (Linnaeus,1758) (Noctuidae) Synonym(s): *oo* Linnaeus,1758; *ferruginago* Hübner,[1803].
- 2509) *Didea fasciata* Macquart,1834 (Syrphidae) Synonym(s): *fasciata* Macquart,1834; *foersteri* Meigen,1838
- 2510) *Digitivalva* (Inuliphila) *granitella* (Treitschke,1833) (Yponomeutidae) Synonym(s): *granitella* Treitschke,1833; *variella* Müller-Rutz,1920
- 2511) *Digitivalva* (Inuliphila) *occidentella* (Klimesch,1956) (Yponomeutidae) Synonym(s): *occidentella* Klimesch,1956.
- 2512) *Digitivalva* (Inuliphila) *pulicariae* (Klimesch,1956) (Yponomeutidae) Synonym(s): *pulicariae* Klimesch,1956
- 2513) *Digitivalva* (s.str.) *eglanteriella* (Mann,1855) (Yponomeutidae) Synonym(s): *eglanteriella* Mann,1855; *cydoniella* Rebel,1916; *maculatella* Turati,1930; *heringi* Klimesch,1956
- 2514) *Diglyphus isaea* (Walker,1838) (Eulophidae) Synonym(s): *isaea* Walker,1838; *lycophron* Walker,1838; *medidas* Walker,1838; *gracilis* Goureau,1851; *ornatus* Förster,1861; *bisannulatus* Förster,1861; *clavicornis* Walker,1872; *phytomyzae* Rondani,1877
- 2515) *Dikraneura variata* Hardy,1850 (Cicadellidae) Synonym(s): *variata* Hardy,1850; *agnatus* Letherry,1850; *lenensis* Linnavuori,1953
- 2516) *Dilar turcicus* Hagen,1858 (Dilaridae) Synonym(s): *turcicus* Hagen,1858
- 2517) *Diloba caeruleocephala* (Linnaeus,1758) (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758
- 2518) *Dilophus lingens* Loew,1869 (Bibionidae) Synonym(s): *lingens* Loew,1869
- 2519) *Dimissalna dimissa* (Hagen,1856) (Cicadidae) Synonym(s): *dimissa* Hagen,1856
- 2520) *Dimorphopterus blissoides* (Bärensprung,1859) (Lygaeidae) Synonym(s): *blissoides* Bärensprung,1859
- 2521) *Dimorphopterus doriae* (Ferrari,1874) (Lygaeidae) Synonym(s): *doriae* Ferrari,1874
- 2522) *Dinera carinifrons* (Fallén,1817) (Tachinidae) Synonym(s): *carinifrons* Fallén,1817
- 2523) *Dinera ferina* (Fallén,1817) (Tachinidae) Synonym(s): *ferina* Fallén,1817
- 2524) *Diorhabda carinata* (Faldermann,1837) (Chrysomelidae) Synonym(s): *carinata* Faldermann,1837
- 2525) *Diorhabda elongata* (Brullé,1832) (Chrysomelidae) Synonym(s): *elongata* Brullé,1832; *costalis* Mulsant & Wachanru,1852
- 2526) *Dioryctria abietella* (Fabricius,1787) (Pyralidae) Synonym(s): *#abietella* [Denis & Schiffermüller],1775; *abietella* Fabricius,1787
- 2527) *Dioryctria mendacella* (Staudinger,1859) (Pyralidae) Synonym(s): *mendacella* Staudinger,1859; *#mendacella* Rebel,1939
- 2528) *Dioryctria pineae* (Staudinger,1859) (Pyralidae) Synonym(s): *pineae* Staudinger,1859
- 2529) *Dioryctria sylvestrella* (Ratzeburg,1840) (Pyralidae) Synonym(s): *sylvestrella* Ratzeburg,1840; *splendidella* sensu auct.
- 2530) *Diospilus productus* Marshall,1894 (Braconidae) Synonym(s): *productus* Marshall,1894
- 2531) *Dioxys cincta* (Jurine,1807) (Megachilidae) Synonym(s): *cincta* Jurine,1807
- 2532) *Dioxys moesta* (Costa,1883) (Megachilidae) Synonym(s): *moesta* Costa,1883
- 2533) *Dioxys pumila* Gerstaecker,1869 (Megachilidae) Synonym(s): *pumila* Gerstaecker,1869
- 2534) *Dipara claviger* (Kieffer,1906) (Pteromalidae) Synonym(s): *claviger* Kieffer,1906
- 2535) *Dipleurina lacustrata* (Panzer,1804) (Pyralidae) Synonym(s): *crataegella* sensu Hübner,1796 *nec* Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845.
- 2536) *Dirhinosis arnoldiella* (Rebel,1905) (Gelechiidae) Synonym(s): *arnoldiella* Rebel,1905
- 2537) *Discodes coccophagus* (Ratzeburg,1848) (Encyrtidae) Synonym(s): *coccophagus* Ratzeburg,1848
- 2538) *Discomyza incurva* (Fallén,1823) (Ephydriidae) Synonym(s): *incurva* Fallén,1823
- 2539) *Dociostaurus* (Notostaurus) *anatolicus* Krauss,1896 (Acrididae) Synonym(s): *anatolicus* Krauss,1896; *castaneopicta* Krauss,1896; *castaneopictus* Jacobson,1905
- 2540) *Dociostaurus* (s.str.) *maroccanus* (Thunberg,1815) (Acrididae) Synonym(s): *maroccanus* Thunberg,1815; *cruciatu* Charpentier,1825; *vastator* Fischer von Waldheim,1833; *oceanica* Walker,1870; *degeneratus* Baranov,1925; *xanthocnema* Tarbinsky,1932; *pendulus* Steinmann,1965
- 2541) *Docirava dervenaria* (Mentzer,1981) (Geometridae) Synonym(s): *dervenaria* Mentzer,1981
- 2542) *Docosia gilvipes* (Haliday,1856) (Mycetophilidae) Synonym(s): *gilvipes* Haliday,1856
- 2543) *Docotettix cornutus* Ribaut,1948 (Cicadellidae) Synonym(s): *cornutus* Ribaut,1948
- 2544) *Dolbina elegans* (A.Bang-Haas,1912) (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,1912; *steffensi* Popescu-Gorj,1971.
- 2545) *Dolicharthria bruguieralis* (Duponchel,1833) (Pyralidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915
- 2546) *Dolicharthria punctalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *punctalis* [Denis & Schiffermüller],1775
- 2547) *Dolichopeza* (s.str.) *nitida* Mik,1874 (Tipulidae) Synonym(s): *nitida* Mik,1874; *graeca* Mannheims,1954
- 2548) *Dolichopus diadema* Haliday,1832 (Dolichopodidae) Synonym(s): *diadema* Haliday,1832; *fraternus* Staeger,1842
- 2549) *Dolichopus griseipennis* Stannius,1831 (Dolichopodidae) Synonym(s): *nitidus* Macquart,1827 *nec* Fall.,1823; *griseipennis* Stannius,1831; *subrutilus* Zetterstedt,1859
- 2550) *Dolichopus plumipes* (Scopoli,1763) (Dolichopodidae) Synonym(s): *plumipes* Scopoli,1763; *pennitarsis* Fallén,1823; *planitarsis* Meigen,1824
- 2551) *Dolichopus sabinus* Haliday,1838 (Dolichopodidae) Synonym(s): *sabinus* Haliday,1838; *pictus* Staeger,1842
- 2552) *Dolichopus signifer* Haliday,1832 (Dolichopodidae) Synonym(s): *signifer* Haliday,1832; *pictipennis* Wahlberg,1850; *punctum* Haliday,1851
- 2553) *Dolichopus strigipes* Verrall,1875 (Dolichopodidae) Synonym(s): *strigipes* Verrall,1875; *aratriformis* Becker,1890
- 2554) *Dolycoris baccarum* (Linnaeus,1758) (Pentatomidae) Synonym(s): *baccarum* Linnaeus,1758; *verbasci* De Geer,1773; *subater* Harris,1780; *albidus* Gmelin,1790; *depressa* Westwood,1837; *confusa* Westwood,1837; *inconcisa* Walker,1867
- 2555) *Donacula mucronella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *mucronella* [Denis & Schiffermüller],1775
- 2556) *Doratulina acuticeps* (Ribaut,1948) (Cicadellidae) Synonym(s): *acuticeps* Ribaut,1948

- 2557) *Doratulina instabilis* (Ribaut,1948) (Cicadellidae) Synonym(s): *instabilis* Ribaut,1948
- 2558) *Doratura heterophyla* Horvath,1903 (Cicadellidae) Synonym(s): *heterophyla* Horvath,1903
- 2559) *Dorcadion* (Bergerianum) *chrysochroum* Breuning,1943 (Cerambycidae) Synonym(s): *chrysochroum* Breuning,1943
- 2560) *Dorcadion* (Cribridorcadion) *divisum* Germar,1839 (Cerambycidae) Synonym(s): *divisum* Germar,1839
- 2561) *Dorcadion* (s.str.) *nodicorne* Tournier,1872 (Cerambycidae) Synonym(s): *nodicorne* Tournier,1872
- 2562) *Dorcadion* (s.str.) *quadrinaculatum* Küster,1848 (Cerambycidae) Synonym(s): *quadrinaculatum* Küster,1848
- 2563) *Dorycera brevis* Loew,1868 (Ulidiidae) Synonym(s): *brevis* Loew,1868
- 2564) *Dorycera hybrida* Loew,1862 (Ulidiidae) Synonym(s): *hybrida* Loew,1862
- 2565) *Dorycera maculipennis* Macquart,1843 (Ulidiidae) Synonym(s): *maculipennis* Macquart,1843
- 2566) *Dorycera tuberculosa* Hendel,1908 (Ulidiidae) Synonym(s): *tuberculosa* Hendel,1908
- 2567) *Drasteria cailino* (Lefèbvre,1827) (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857
- 2568) *Drepana falcatoria* (Linnaeus,1758) (Drepanidae) Synonym(s): *falcatoria* Linnaeus,1758; *sicula* [Denis & Schiffermüller],1775; *falcata* [Denis & Schiffermüller],1775; *falcata* Retzius,1783 nec Fabr.,1775; *falcatorialis* Haworth,1802; *infernalis* Bytinski-Salz,1939
- 2569) *Drosophila* (Dorsilopha) *buskii* Coquillett,1901 (Drosophilidae) Synonym(s): *buskii* Coquillett,1901; *rubrostriata* Becker,1908; *plurilineata* Villeneuve,1911
- 2570) *Drosophila* (Hirtodrosophila) *cameraria* Haliday,1833 (Drosophilidae) Synonym(s): *cameraria* Haliday,1833; *unistriata* Strobl,1898; *latestriata* Becker,1908; *fungicola* Villeneuve,1921
- 2571) *Drosophila* (Lordiphosa) *andalusiaca* Strobl,1906 (Drosophilidae) Synonym(s): *andalusiaca* Strobl,1906; *forcipata* Collin,1952
- 2572) *Drosophila* (s.str.) *immigrans* Sturtevant,1921 (Drosophilidae) Synonym(s): *immigrans* Sturtevant,1921; *cilifemur* Villeneuve,1923
- 2573) *Drosophila* (Scaptodrosophila) *lebanonensis* Wheeler,1949 (Drosophilidae) Synonym(s): *lebanonensis* Wheeler,1949
- 2574) *Drosophila* (Sophophora) *ambigua* Pomini,1940 (Drosophilidae) Synonym(s): *ambigua* Pomini,1940
- 2575) *Drosophila* (Sophophora) *melanogaster* Meigen,1830 (Drosophilidae) Synonym(s): *melanogaster* Meigen,1830; *fasciata* Meigen,1830; *approximata* Zetterstedt,1847; *uvarum* Rondani,1875; *pilosula* Becker,1908
- 2576) *Drosophila* (Sophophora) *obscura* Fallén,1823 (Drosophilidae) Synonym(s): *obscura* Fallén,1823; *meigeni* Duda,1935; *obscuroides* Pomini,1940
- 2577) *Drosophila* (Sophophora) *simulans* Sturtevant,1921 (Drosophilidae) Synonym(s): *simulans* Sturtevant,1921
- 2578) *Drosophila* (Sophophora) *subobscura* Collin,1936 (Drosophilidae) Synonym(s): *subobscura* Collin,1936
- 2579) *Dryadula hellenica* Gaedike,1988 (Tineidae) Synonym(s): *hellenica* Gaedike,1988
- 2580) *Dryadula minuta* Gaedike,2007 (Tineidae) Synonym(s): *minuta* Gaedike,2007
- 2581) *Drymadusa dorsalis* (Brullé,1832) (Tettigoniidae) Synonym(s): *dorsalis* Brullé,1832
- 2582) *Drymadusa limbata* Brunner von Wattenwyl,1882 (Tettigoniidae) Synonym(s): *limbata* Brunner von Wattenwyl,1882
- 2583) *Drymonia dodonaea* ([Denis & Schiffermüller],1775) (Notodontidae) Synonym(s): *#dodonaea* [Denis & Schiffermüller],1775; *trimacula* Esper,[1785]; *lunata* Villers,1789; *poltawskii* Schintlmeister,1981; *wageneri* De Freina,1981
- 2584) *Drymonia querna* (Fabricius,1787) (Notodontidae) Synonym(s): *#querna* [Denis & Schiffermüller],1775; *querna* Fabricius,1787; *sausalica* Daniel,1968; *meridionalica* Hartig,1970; *danieli* Hartig,1970
- 2585) *Drymonia ruficornis* (Hufnagel,1766) (Notodontidae) Synonym(s): *ruficornis* Hufnagel,1766; *confusa* Hufnagel,1767; *chaonia* [Denis & Schiffermüller],1775; *roboris* Fabricius,1777; *ilicis* Fabricius,1793; *roboreus* Haworth,1803; *querneus* Haworth,1803
- 2586) *Drymonia velitaris* (Hufnagel,1766) (Notodontidae) Synonym(s): *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789
- 2587) *Dryobota labecula* (Esper,[1788]) (Noctuidae) Synonym(s): *labecula* Esper,[1788]
- 2588) *Dryobotodes* (Dichonioxia) *tenebrosa* (Esper,[1789]) (Noctuidae) Synonym(s): *tenebrosa* Esper,[1789]; *saportae* Duponchel,1826.
- 2589) *Dryobotodes* (s.str.) *carbonis* (F.Wagner,1931) (Noctuidae) Synonym(s): *carbonis* F.Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976.
- 2590) *Dryobotodes* (s.str.) *eremita* (Fabricius,1775) (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911
- 2591) *Dryobotodes* (s.str.) *monochroma* (Esper,1790) (Noctuidae) Synonym(s): *monochroma* Esper,[1790]; *distans* Hübner,[1813]; *suberis* Duponchel,1827
- 2592) *Dryobotodes* (s.str.) *servadeii* Parenzan,1982 (Noctuidae) Synonym(s): *servadeii* Parenzan,1982
- 2593) *Dryodurgades anaticus* Dlabola,1957 (Cicadellidae) Synonym(s): *anaticus* Dlabola,1957
- 2594) *Dryodurgades reticulatus* (Herrich-Schäffer,1834) (Cicadellidae) Synonym(s): *reticulatus* Herrich-Schäffer,1834
- 2595) *Dufourea* (Cephalictoides) *paradoxa* (Morawitz,1867) (Halictidae) Synonym(s): *paradoxa* Morawitz,1867
- 2596) *Dufourea* (Cyprorhithes) *iris* Ebmer,1987 (Halictidae) Synonym(s): *iris* Ebmer,1987
- 2597) *Dufourea* (Cyprorhithes) *styx* Ebmer,1976 (Halictidae) Synonym(s): *styx* Ebmer,1976
- 2598) *Dufourea* (Halictoides) *graeca* Ebmer,1976 (Halictidae) Synonym(s): *graeca* Ebmer,1976; *dubiosa* Warncke,1979
- 2599) *Dufourea* (Halictoides) *inermis* (Nylander,1848) (Halictidae) Synonym(s): *inermis* Nylander,1848
- 2600) *Dufourea* (s.str.) *wolffi* Ebmer,1989 (Halictidae) Synonym(s): *wolffi* Ebmer,1989
- 2601) *Duponchelia fovealis* (Zeller,1847) (Pyralidae) Synonym(s): *fovealis* Zeller,1847; *canuialis* Millière,1869; *griseata* Butler,1875; *uniflexalis* Mabille,1880
- 2602) *Dypterygia scabriuscula* (Linnaeus,1758) (Noctuidae) Synonym(s): *scabriuscula* Linnaeus,1758; *pinastri* Linnaeus,1761.
- 2603) *Dyrodere umbraculatus* (Fabricius,1775) (Pentatomidae) Synonym(s): *umbraculatus* Fabricius,1775; *marginatus* Fabricius,1798 nec Linn.,1758; *aparinus* Dufour,1833
- 2604) *Dysaphis* (Cotoneasera) *microsiphon* (Nevsky,1929) (Aphididae) Synonym(s): *microsiphon* Nevsky,1929
- 2605) *Dysauxes* (s.str.) *ancilla* (Linnaeus,1767) (Ctenuchidae) Synonym(s): *ancilla* Linnaeus,1767; *obscura* Fabricius,1781; *quadrioculata* Goeze,1783; *lomopicta* Fourcroy,1785; *fuscoptera* Fourcroy,1785; *tripunctata* Scopoli,1786; *arcuatella* Schrank,1802; *horta* Schrank,1802; *abundans* Dannehl,1933; *pluripuncta* Naufock,1933.
- 2606) *Dysauxes* (s.str.) *famula* (Freyer,1836) (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983.

- 2607** *Dyscia (Calodyscia) innocentaria* (Christoph,1885) (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentana* Pugaev & Zolotuhin,2006
- 2608** *Dyscia (s.str.) conspersaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *conspersaria* [Denis & Schiffermüller],1775; *cuniculina* Hübner,1790; *cunicularia* Esper,1803; *turturaria* Boisduval,1840; *#conspersana* Pugaev & Zolotuhin,2006
- 2609** *Dyscia (s.str.) raunaria* (Freyer,1851) (Geometridae) Synonym(s): *raunaria* Freyer,1851
- 2610** *Dyseriocrania subpurpurella* (Haworth,[1828]) (Eriocraniidae) Synonym(s): *subpurpurella* Haworth,[1828]; *fastuosella* Zeller,1839; *donzelella* Duponchel,[1839].
- 2611** *Dysmachus cephalenus* Loew,1871 (Asilidae) Synonym(s): *cephalenus* Loew,1871
- 2612** *Dysmachus dasyproctus* Loew,1871 (Asilidae) Synonym(s): *dasyproctus* Loew,1871
- 2613** *Dysmachus fuscipennis* (Meigen,1820) (Asilidae) Synonym(s): *fuscipennis* Meigen,1820
- 2614** *Dysmachus stylifer* (Loew,1854) (Asilidae) Synonym(s): *stylifer* Loew,1854
- 2615** *Dysmachus tricusps* (Loew,1848) (Asilidae) Synonym(s): *tricusps* Loew,1848
- 2616** *Dyspessa aphrodite* Yakovlev & Witt,2007 (Cossidae) Synonym(s): *aphrodite* Yakovlev & Witt,2007
- 2617** *Dyspessa emilia* (Staudinger,1879) (Cossidae) Synonym(s): *emilia* Staudinger,1879
- 2618** *Dyspessa salicicola* (Eversmann,1848) (Cossidae) Synonym(s): *salicicola* Eversmann,1848
- 2619** *Dyspessa ulula* (Borkhausen,1790) (Cossidae) Synonym(s): *ulula* Borkhausen,1790; *hepialica* Borkhausen,1790; *hepialina* Hübner,1792; *marmorata* Rambur,1858; *fuscula* Staudinger,1892; *affinis* Rothschild,1917; *maroccana* Rothschild,1917; *pallida* Rothschild,1917 nec Roth.,1912.
- 2620** *Dysspastus musculus* (Staudinger,1870) (Autostichidae) Synonym(s): *musculina* Staudinger,1870
- 2621** *Dysspastus undecimpunctellus* (Mann,1864) (Autostichidae) Synonym(s): *undecimpunctellus* Mann,1864
- 2622** *Dystebenna stephensi* (Stainton,1849) (Agonoxenidae) Synonym(s): *stephensi* Stainton,1849; *tesselatella* Herrich-Schäffer,[1854]; *stephensiella* Doubleday,1859
- 2623** *Eana (Eutrachia) goiiana* (Linnaeus,1761) (Tortricidae) Synonym(s): *#argentana* Clerck,1759; *goiiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *gerningiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887
- 2624** *Eana (s.str.) derivana* (La Harpe,1858) (Tortricidae) Synonym(s): *derivana* La Harpe,1858; *paraliana* Zeller,1872
- 2625** *Eana (s.str.) italica* (Obraztsov,1950) (Tortricidae) Synonym(s): *italica* Obraztsov,1950
- 2626** *Eana (s.str.) penziana* (Thunberg,1791) (Tortricidae) Synonym(s): *penziana* Thunberg,1791; *bellana* Curtis,1826; *diurneana* Guenée,1845; *alpestris* Réal,1953
- 2627** *Eana (Subeana) canescana* (Guenée,1845) (Tortricidae) Synonym(s): *canescana* Guenée,1845; *styriacana* Herrich-Schäffer,1851; *candidana* La Harpe,1858; *monochromana* Lederer,1859; *rielana* Réal,1951
- 2628** *Earias clorana* (Linnaeus,1761) (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
- 2629** *Earias insulana* (Boisduval,1833) (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881.
- 2630** *Earias vernana* (Fabricius,1787) (Noctuidae) Synonym(s): *vernana* Fabricius,1787; *obliterata* Bartel,1914
- 2631** *Eccopisa effractella* Zeller,1848 (Pyralidae) Synonym(s): *effractella* Zeller,1848
- 2632** *Echthistus rufinervis* (Meigen,1820) (Asilidae) Synonym(s): *rufinervis* Meigen,1820
- 2633** *Echthroxylella aeneiventris* Mercet,1921 (Encyrtidae) Synonym(s): *aeneiventris* Mercet,1921
- 2634** *Eclimurus gracilis* Loew,1844 (Bombyliidae) Synonym(s): *gracilis* Loew,1844; *festae* Bezzi,1924
- 2635** *Eclimurus perspicillaris* Loew,1844 (Bombyliidae) Synonym(s): *perspicillaris* Loew,1844
- 2636** *Ecpyrrhorhoe diffusalis* (Guenée,1854) (Pyralidae) Synonym(s): *carnealis* Dup.,1831 nec Treit.1829; *diffusalis* Guenée,1854; *affusalis* Guenée,1854; *tenuialis* Mann,1862.
- 2637** *Ecpyrrhorhoe rubiginalis* (Hübner,1796) (Pyralidae) Synonym(s): *rubiginalis* Hübner,1796
- 2638** *Ectoedemia (Etainia) decentella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *decentella* Herrich-Schäffer,1855
- 2639** *Ectoedemia (Fomoria) deschkai* (Klimesch,1978) (Nepticulidae) Synonym(s): *deschkai* Klimesch,1978
- 2640** *Ectoedemia (Fomoria) empetrifolii* Lastuvka & Lastuvka,2000 (Nepticulidae) Synonym(s): *empetrifolii* Lastuvka & Lastuvka,2000
- 2641** *Ectoedemia (Fomoria) eriki* Lastuvka & Lastuvka,2000 (Nepticulidae) Synonym(s): *eriki* Lastuvka & Lastuvka,2000
- 2642** *Ectoedemia (Fomoria) euphorbiella* (Stainton,1869) (Nepticulidae) Synonym(s): *euphorbiella* Stainton,1869; *tergestina* Klimesch,1940
- 2643** *Ectoedemia (Fomoria) groschkei* (Skala,1943) (Nepticulidae) Synonym(s): *groschkei* Skala,1943
- 2644** *Ectoedemia (Fomoria) septembrella* (Stainton,1849) (Nepticulidae) Synonym(s): *septembrella* Stainton,1849
- 2645** *Ectoedemia (s.str.) aegilopidella* (Klimesch,1978) (Nepticulidae) Synonym(s): *aegilopidella* Klimesch,1978
- 2646** *Ectoedemia (s.str.) agrimoniae* (Frey,1858) (Nepticulidae) Synonym(s): *agrimoniae* Frey,1858
- 2647** *Ectoedemia (s.str.) albifasciella* (Heinemann,1871) (Nepticulidae) Synonym(s): *albifasciella* Heinemann,1871
- 2648** *Ectoedemia (s.str.) alnifoliae* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *alnifoliae* Van Nieukerken,1985
- 2649** *Ectoedemia (s.str.) angulifasciella* (Stainton,1849) (Nepticulidae) Synonym(s): *angulifasciella* Stainton,1849
- 2650** *Ectoedemia (s.str.) arcuatella* (Herrich-Schäffer,1855) (Nepticulidae) Synonym(s): *arcuatella* Herrich-Schäffer,1855
- 2651** *Ectoedemia (s.str.) argyropeza* (Zeller,1839) (Nepticulidae) Synonym(s): *argyropeza* Zeller,1839
- 2652** *Ectoedemia (s.str.) caradjai* (M.Hering,1932) (Nepticulidae) Synonym(s): *caradjai* M.Hering,1932
- 2653** *Ectoedemia (s.str.) erythrogonella* (De Joannis,1908) (Nepticulidae) Synonym(s): *erythrogonella* De Joannis,1908
- 2654** *Ectoedemia (s.str.) haraldi* (Soffner,1942) (Nepticulidae) Synonym(s): *haraldi* Soffner,1942
- 2655** *Ectoedemia (s.str.) ilicis* (Mendes,1910) (Nepticulidae) Synonym(s): *ilicis* Mendes,1910
- 2656** *Ectoedemia (s.str.) mahalebella* (Klimesch,1936) (Nepticulidae) Synonym(s): *mahalebella* Klimesch,1936
- 2657** *Ectoedemia (s.str.) quinquebella* (Bedell,1848) (Nepticulidae) Synonym(s): *quinquebella* Bedell,1848
- 2658** *Ectoedemia (s.str.) spinosella* (Joannis,1908) (Nepticulidae) Synonym(s): *spinosella* Joannis,1908
- 2659** *Ectoedemia (s.str.) terebinthivora* (Klimesch,1975) (Nepticulidae) Synonym(s): *terebinthivora* Klimesch,1975
- 2660** *Ectoedemia (s.str.) turbidella* (Zeller,1848) (Nepticulidae) Synonym(s): *turbidella* Zeller,1848
- 2661** *Ectoedemia (Zimmermannia) atrifrontella* (Stainton,1851) (Nepticulidae) Synonym(s): *atrifrontella* Stainton,1851
- 2662** *Ectoedemia (Zimmermannia) liebwerdella* (Zimmermann,1940) (Nepticulidae) Synonym(s): *liebwerdella* Zimmermann,1940
- 2663** *Ectoedemia (Zimmermannia) monemvasiae* Van Nieukerken,1985 (Nepticulidae) Synonym(s): *monemvasiae* Van Nieukerken,1985
- 2664** *Ectomocoris chiragra* (Fabricius,1803) (Reduviidae) Synonym(s): *chiragra* Fabricius,1803; *infimus* Miller,1954; *lindbergi* Miller,1956

- 2665) *Ectophasia crassipennis* (Fabricius, 1794) (Tachinidae) Synonym(s): *crassipennis* Fabricius, 1794
 2666) *Ectophasia leucoptera* (Rondani, 1865) (Tachinidae) Synonym(s): *leucoptera* Rondani, 1865
 2667) *Edmundiella niveifrons* Becker, 1915 (Bombyliidae) Synonym(s): *niveifrons* Becker, 1915
 2668) *Edwardsiana cretica* Dworakowska, 1971 (Cicadellidae) Synonym(s): *cretica* Dworakowska, 1971
 2669) *Egira anatolica* (Hering, 1933) (Noctuidae) Synonym(s): *anatolica* Hering, 1933; *#metaxys* Boursin, 1966; *#leucomelas* Boursin, 1966
 2670) *Egira conspiciellaris* (Linnaeus, 1758) (Noctuidae) Synonym(s): *conspiciellaris* Linnaeus, 1758
 2671) *Eidophasia messingiella* (Fischer v. Röslerstamm, 1840) (Yponomeutidae) Synonym(s): *messingiella* Fischer v. Röslerstamm, 1840; *transversella* Stephens, 1841; *mullerella* Rougemont, 1903
 2672) *Eidophasia syenitella* (Heydenreich, 1851) (Yponomeutidae) Synonym(s): *syenitella* Heydenreich, 1851
 2673) *Eilema caniolum* (Hübner, [1808]) (Arctiidae) Synonym(s): *caniola* Hübner, [1808]
 2674) *Eilicrinia cordiaria* (Hübner, 1790) (Geometridae) Synonym(s): *cordiaria* Hübner, 1790
 2675) *Eilicrinia trinotata* (Metzner, 1845) (Geometridae) Synonym(s): *trinotata* Metzner, 1845
 2676) *Elachertus fenestratus* Nees ab Esenbeck, 1834 (Eulophidae) Synonym(s): *fenestratus* Nees ab Esenbeck, 1834; *argissa* Walker, 1839; *eurybates* Walker, 1839; *saon* Walker, 1839; *opaculus* Thomson, 1878; *coxalis* Howard, 1885; *viridaeneus* Cresson, 1887; *pini* Gahan, 1927
 2677) *Elachiptera bimaculata* (Loew, 1845) (Chloropidae) Synonym(s): *bimaculata* Loew, 1845; *furcata* Perris, 1876; *bilineata* Bigot, 1891; *quadrilineata* Strobl, 1902; *tuberculata* Becker, 1907; *tuberifera* Becker, 1910; *latifasciata* Duda, 1932; *trifasciata* Duda, 1932
 2678) *Elachiptera brevipennis* (Meigen, 1830) (Chloropidae) Synonym(s): *brevipennis* Meigen, 1830
 2679) *Elachiptera graeca* Becker, 1910 (Chloropidae) Synonym(s): *graeca* Becker, 1910
 2680) *Elachiptera megaspis* (Loew, 1858) (Chloropidae) Synonym(s): *megaspis* Loew, 1858
 2681) *Elachista argentella* (Clerck, 1759) (Elachistidae) Synonym(s): *argentella* Clerck, 1759; *alabastrella* [Denis & Schiffermüller], 1775; *melanopsis* Fourcroy, 1785; *alabastrata* Villers, 1789; *cygnipennella* Hübner, 1796; *cygnipennis* Haworth, 1828; *semialbella* Stephens, 1834
 2682) *Elachista atrisquamosa* Staudinger, 1880 (Elachistidae) Synonym(s): *atrisquamosa* Staudinger, 1880
 2683) *Elachista christenseni* Traugott-Olsen, 2000 (Elachistidae) Synonym(s): *christenseni* Traugott-Olsen, 2000
 2684) *Elachista cinereopunctella* (Haworth, [1828]) (Elachistidae) Synonym(s): *cinereopunctella* Haworth, [1828]
 2685) *Elachista cingillella* (Herrich-Schäffer, [1855]) (Elachistidae) Synonym(s): *cingillella* Herrich-Schäffer, [1855]; *densicornuella* Hodgkinson, 1879
 2686) *Elachista dalmatiensis* Traugott-Olsen, 1992 (Elachistidae) Synonym(s): *dalmatiensis* Traugott-Olsen, 1992
 2687) *Elachista deceptricula* Staudinger, 1880 (Elachistidae) Synonym(s): *deceptricula* Staudinger, 1880
 2688) *Elachista dispilella* Zeller, 1839 (Elachistidae) Synonym(s): *dispilella* Zeller, 1839
 2689) *Elachista festucicolella* Zeller, 1853 (Elachistidae) Synonym(s): *festucicolella* Zeller, 1853; *#festicolella* Staudinger, 1880
 2690) *Elachista gangabella* Zeller, 1850 (Elachistidae) Synonym(s): *gangabella* Zeller, 1850; *taeniatella* Stainton, 1857; *ursinella* Chrétien, 1896
 2691) *Elachista gleichenella* (Fabricius, 1781) (Elachistidae) Synonym(s): *gleichenella* Fabricius, 1781; *gleichella* Fabricius, 1794; *magnificella* Duponchel, 1843; *trifasciella* Tengström, 1848; *fractella* Herrich-Schäffer, 1855
 2692) *Elachista graeca* Parenti, 2002 (Elachistidae) Synonym(s): *graeca* Parenti, 2002
 2693) *Elachista kosteri* Traugott-Olsen, 1995 (Elachistidae) Synonym(s): *kosteri* Traugott-Olsen, 1995
 2694) *Elachista maculata* Parenti, 1978 (Elachistidae) Synonym(s): *maculata* Parenti, 1978
 2695) *Elachista martinii* O. Hofmann, 1898 (Elachistidae) Synonym(s): *martinii* O. Hofmann, 1898
 2696) *Elachista neapolisella* Traugott-Olsen, 1985 (Elachistidae) Synonym(s): *neapolisella* Traugott-Olsen, 1985
 2697) *Elachista nuraghella* Amsel, 1951 (Elachistidae) Synonym(s): *nuraghella* Amsel, 1951
 2698) *Elachista occulta* Parenti, 1978 (Elachistidae) Synonym(s): *occulta* Parenti, 1978
 2699) *Elachista pigerella* (Herrich-Schäffer, 1854) (Elachistidae) Synonym(s): *pigerella* Herrich-Schäffer, 1854; *fuscochreella* Frey, 1856; *muehligiella* Frey, 1856; *thorencella* Millièr, 1875; *incolorella* Constant, 1890; *bilbaensis* Rebel, 1893; *uniformella* Rebel, 1916; *fuscogrisella* Rebel, 1936
 2700) *Elachista pollutella* (Duponchel, 1844) (Elachistidae) Synonym(s): *pollutella* Duponchel, 1844
 2701) *Elachista rudectella* Stainton, 1851 (Elachistidae) Synonym(s): *rudectella* Stainton, 1851
 2702) *Elachista rufocinerea* (Haworth, [1828]) (Elachistidae) Synonym(s): *rufocinerea* Haworth, [1828]; *oleae* Haworth, [1828]; *floslactis* Haworth, [1828]; *rufocinerella* Herrich-Schäffer, 1855; *rufocinereella* Bruand, 1859
 2703) *Elachista scirpi* Stainton, 1887 (Elachistidae) Synonym(s): *scirpi* Stainton, 1887
 2704) *Elachista skulei* Traugott-Olsen, 1992 (Elachistidae) Synonym(s): *skulei* Traugott-Olsen, 1992
 2705) *Elachista subalbidella* Schläger, 1847 (Elachistidae) Synonym(s): *subalbidella* Schläger, 1847
 2706) *Elachista utonella* Frey, 1856 (Elachistidae) Synonym(s): *utonella* Frey, 1856
 2707) *Elaphria venustula* (Hübner, 1790) (Noctuidae) Synonym(s): *venustula* Hübner, 1790
 2708) *Elasmus flabellatus* (Fonscolombe, 1832) (Eulophidae) Synonym(s): *flabellatus* Fonscolombe, 1832; *scutellaris* Nees, 1834; *rhpicerus* Förster, 1841; *giraudi* Ferrière, 1947
 2709) *Elasmus platydrae* Ferrière, 1935 (Eulophidae) Synonym(s): *platydrae* Ferrière, 1935; *elongatus* Ferrière, 1947
 2710) *Elasmus westwoodi* Giraud, 1856 (Eulophidae) Synonym(s): *westwoodi* Giraud, 1856
 2711) *Elater ferrugineus* Linnaeus, 1758 (Elateridae) Synonym(s): *ferrugineus* Linnaeus, 1758
 2712) *Elatobia bugrai* Koçak, 1981 (Tineidae) Synonym(s): *atratella* Staudinger, 1870 nec Fourcr., 1785; *bugrai* Koçak, 1981
 2713) *Elatobia fuliginosella* (Lienig & Zeller, 1846) (Tineidae) Synonym(s): *fuliginosella* Lienig & Zeller, 1846
 2714) *Elegia fallax* (Staudinger, 1881) (Pyralidae) Synonym(s): *fallax* Staudinger, 1881; *atrifasciella* Ragonot, 1887; *nigribasella* Ragonot, 1895; *iozona* Meyrick, 1937; *elegiella* Amsel, 1953
 2715) *Elegia similella* (Zincken, 1818) (Pyralidae) Synonym(s): *similella* Zincken, 1818
 2716) *Elgiva cucularia* (Linnaeus, 1767) (Sciomyzidae) Synonym(s): *cucularia* Linnaeus, 1767
 2717) *Elgiva sollicita* (Harris, 1780) (Sciomyzidae) Synonym(s): *sollicita* Harris, 1780; *rufa* Panzer, 1798
 2718) *Eliezeta helluo* (Fabricius, 1805) (Tachinidae) Synonym(s): *helluo* Fabricius, 1805
 2719) *Eliezeta pellucens* (Fallén, 1820) (Tachinidae) Synonym(s): *pellucens* Fallén, 1820
 2720) *Elodes sieberi* Klausnitzer, 1973 (Scirtidae) Synonym(s): *sieberi* Klausnitzer, 1973
 2721) *Elophila nymphaeata* (Linnaeus, 1758) (Pyralidae) Synonym(s): *nymphaeata* Linnaeus, 1758; *potamogata* Linnaeus, 1758; *rivulata* Scopoli, 1763; *nymphaealis* [Denis & Schiffermüller], 1775; *potamogalis* [Denis & Schiffermüller], 1775; *obscuralis* Selys-Longchamps, 1845; *potamogetalis* Reutti, 1898
 2722) *Elophila rivulalis* (Duponchel, 1834) (Pyralidae) Synonym(s): *rivulalis* Duponchel, 1834; *#rivularis* Klima, 1937
 2723) *Ematheudes punctellus* (Treitschke, 1833) (Pyralidae) Synonym(s): *punctellus* Treitschke, 1833

- 2724) Ematurga atomaria (Linnaeus,1758)** (Geometridae) Synonym(s): *atomaria* Linnaeus,1758; *isoscelata* Scopoli,1763; *pennata* Scopoli,1763; *aceraria* Hufnagel,1767; *artemisaria* Herbst,1782; *picta*, *microcosa* Fourcroy,1785; *glarearia* Hübner,[1799]; *obsoletaria* Zett.,1839; *minuta* Heydemann,1925; *arenaria* Candèze,1926.
- 2725) Emmelina monodactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920.
- 2726) Empis (Euempis) sericans Brullé,1833** (Empidae) Synonym(s): *sericans* Brullé,1833; *nepticula* Loew,1869
- 2727) Empis (Leptempis) meridionalis Meigen,1822** (Empidae) Synonym(s): *meridionalis* Meigen,1822
- 2728) Empis (Lisempis) cuneipennis Bezzi,1899** (Empidae) Synonym(s): *cuneipennis* Bezzi,1899
- 2729) Empis (Lisempis) nigratarsis Meigen,1804** (Empidae) Synonym(s): *nigratarsis* Meigen,1804; *crassipes* Meigen,1822; *nitidicollis* Curtis,1831
- 2730) Empis (Pachymeria) contigua (Loew,1864)** (Empididae) Synonym(s): *contigua* Loew,1864
- 2731) Empis (Pachymeria) trianguligera Strobl,1898** (Empidae) Synonym(s): *trianguligera* Strobl,1898
- 2732) Empis (Polyblepharis) dedecor Loew,1869** (Empidae) Synonym(s): *dedecor* Loew,1869
- 2733) Empis (Polyblepharis) engeli Chvala,1999** (Empidae) Synonym(s): *engeli* Chvala,1999
- 2734) Empis (Polyblepharis) haemi Loew,1862** (Empidae) Synonym(s): *haemi* Loew,1862
- 2735) Empis (Polyblepharis) haemorrhoea Loew,1869** (Empididae) Synonym(s): *haemorrhoea* Loew,1869; *conscisa* Loew,1869; *divergens* Loew,1869
- 2736) Empis (Polyblepharis) lugubris Loew,1869** (Empididae) Synonym(s): *lugubris* Loew,1869; *decoripes* Röder,1894
- 2737) Empis (Polyblepharis) nigerrima Loew,1862** (Empidae) Synonym(s): *nigerrima* Loew,1862
- 2738) Empis (s.str.) tristis Loew,1867** (Empididae) Synonym(s): *tristis* Loew,1867
- 2739) Empusa fasciata Brullé,1836** (Empusidae) Synonym(s): *fasciata* Brullé,1836
- 2740) Enanthyperythra legataria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *legataria* Herrich-Schäffer,[1852]
- 2741) Enargia paleacea (Esper,[1788])** (Noctuidae) Synonym(s): *paleacea* Esper,[1788].
- 2742) Encarsia inaron (Walker,1839)** (Aphelinidae) Synonym(s): *inaron* Walker,1839; *idaeus* Walker,1839; *parthenopea* Masi,1909; *indifferentis* Mercet,1929; *aleyrodus* Mercet,1930; *brassicae* Shafée & Bela,1984; *borealis* Hulden,1986
- 2743) Encarsia lahorensis (Howard,1911)** (Aphelinidae) Synonym(s): *lahorensis* Howard,1911
- 2744) Encyrtus aurantii (Geoffroy,1785)** (Encyrtidae) Synonym(s): *aurantii* Geoffroy,1785; *lecaniorum* Mayr,1876; *bicolor* Howard,1881; *albicoxa* Ashmead,1885; *hibisci* Girault,1915; *argenticoxa* Girault,1915; *argenticapus* Girault,1915; *aurantifasciata* Girault,1915; *mirabilis* Brethes,1916; *albiscapus* Masi,1917; *barbatus* Timerlake,1919; *cocci* Risbec,1951; *ceroplastis* Agarwal,1965
- 2745) Encyrtus infidus (Rossi,1790)** (Encyrtidae) Synonym(s): *infidus* Rossi,1790; *scutellatus* Swederus,1795; *obscura* Dalman,1820; *hokkaidonis* Tachikawa,1963
- 2746) Endothenia gentianaana (Hübner,[1799])** (Tortricidae) Synonym(s): ? *bidella* Fourcroy,1785; *gentianaana* Hübner,[1799]; *gentianaana* Hübner,[1825]; *oblongana* Haworth,[1811]; *sellana* Frölich,1828; *desertana* Staudinger,1879; *adelana* Rebel,1892.
- 2747) Endothenia oblongana (Haworth,[1811])** (Tortricidae) Synonym(s): *oblongana* Haworth,[1811]; *sellana* Frölich,1828.
- 2748) Endothenia sororiana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): ? *sororiana* Herrich-Schäffer,[1850]; *sororiana* Herrich-Schäffer,[1851]; *phlomidana* Staudinger,1871.
- 2749) Endotricha flammealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *carnealis* De Lattin,1951.
- 2750) Endrosis sarcitrella (Linnaeus,1758)** (Oecophoridae) Synonym(s): *sarcitrella* Linnaeus,1758; *luridella* Scopoli,1763; *lacteella* [Denis & Schiffermüller],1775; *scapulata* Fourcroy,1785; *betulinella* Fabricius,1787; *scapulatella* Villers,1789; *atratus* Panzer,1804; *sarcitea* Haworth,1828; *kennicottella* Clemens,1860; *subditella* Walker,1863; *antarctica* Staudinger,1899.
- 2751) Engelepogon brunripes (Fabricius,1794)** (Asilidae) Synonym(s): *brunripes* Fabricius,1794; *castanipes* Meigen,1820; *rufipes* Meigen,1820; *goliath* Schiner,1867
- 2752) Engelepogon goedli (Loew,1854)** (Asilidae) Synonym(s): *goedli* Loew,1854
- 2753) Engelepogon rarus (Loew,1871)** (Asilidae) Synonym(s): *rarus* Loew,1871
- 2754) Engistus boops (Dufour,1857)** (Lygaeidae) Synonym(s): *boops* Dufour,1857; *genei* A.Costa,1864; *brucki* Fieber,1864; *gracilicornis* Linnavuori,1960 [ssp.]
- 2755) Engistus exsanguis Stal,1872** (Lygaeidae) Synonym(s): *exsanguis* Stal,1872; *unicolor* Jakovlev,1877; *conspurcatus* Horvath,1911; *fasciatus* Horvath,1911; *#crocea* Priesner & Alfieri,1953; *#viridis* Priesner & Alfieri,1953; *punctulatus* Linnavuori,1953 [ssp.]
- 2756) Engistus salinus Jakovlev,1874** (Lygaeidae) Synonym(s): *salinus* Jakovlev,1874; *marmoratus* Jakovlev,1902
- 2757) Enicopus hirtus (Linnaeus,1767)** (Melyridae) Synonym(s): *pilosus* auct. nec Scop.,1763; *hirtus* Linnaeus,1767; *ater* Fabricius,1787
- 2758) Ennomos (Deuteronomos) alniarius (Linnaeus,1758)** (Geometridae) Synonym(s): *alniaria* Linnaeus,1758
- 2759) Ennomos (Deuteronomos) quercarius (Hübner,[1813])** (Geometridae) Synonym(s): *quercaria* Hübner,[1813]
- 2760) Ennomos (s.str.) quercinarius (Hufnagel,1767)** (Geometridae) Synonym(s): *quercinaria* Hufnagel,1767; *angularia* [Denis & Schiffermüller],1775; *zona* Fourcroy,1785; *carpinaria* Hübner,[1799]
- 2761) Enoplops disciger (Kolenati,1845)** (Coreidae) Synonym(s): *disciger* Kolenati,1845
- 2762) Entedon cardui Askew,2001** (Eulophidae) Synonym(s): *cardui* Askew,2001
- 2763) Entedon palliscus Erdős,1944** (Eulophidae) Synonym(s): *palliscus* Erdős,1944
- 2764) Entedon sparetus Walker,1839** (Eulophidae) Synonym(s): *sparetus* Walker,1839; *longiventris* Thomson,1878; *longiventrosus* Dalla Torre,1898; *insignis* Erdős,1944; *lixi* Erdős,1951; *mecini* Askew,1992
- 2765) Entedon thomsianus Erdős,1944** (Eulophidae) Synonym(s): *thomsianus* Erdős,1944
- 2766) Entephria cyanata (Hübner,[1809])** (Geometridae) Synonym(s): *cyanata* Hübner,[1809]
- 2767) Entephria flavicinctata (Hübner,[1813])** (Geometridae) Synonym(s): *flavicinctata* Hübner,[1813]; *griseicinctata* Bruand,1850; *rubicinctata* Bruand,1850; *ruficinctata* Guenée,[1858]; *obscurata* Staudinger,1901; *samnitaria* Sohn-Rethel,1929; *septentrionalis* Warnecke,1934
- 2768) Eochorica balcanica (Rebel,1919)** (Psychidae) Synonym(s): *balcanica* Rebel,1919; *troughti* Amsel,1955; *#balcania* De Freina,1994
- 2769) Eoferreola anatolica Priesner,1973** (Pompilidae) Synonym(s): *anatolica* Priesner,1973
- 2770) Eoferreola distincta (Smith,1855)** (Pompilidae) Synonym(s): *distincta* Smith,1855; *syransensis* Radoszkowski,1888; *schmidtii* Priesner,1973; *#cinerata* Priesner,1973
- 2771) Eoferreola manticata (Pallas,1771)** (Pompilidae) Synonym(s): *manticata* Pallas,1771; *fasciatus* Eversmann,1849; *variabilis* Eversmann,1849 nec Ross.; *hellmanni* Eversmann,1849; *micans* Radoszkowski,1877; *caucasica* Radoszkowski,1889; *rossica* Radoszkowski,1889; *lichtensteini* Tournier,1895; *claripennis* Priesner,1966;...
- 2772) Eoferreola rhombica (Christ,1791)** (Pompilidae) Synonym(s): *rhombica* Christ,1791; *coccineus* Fabricius,1804

- 2773) Eohardya fraudulentus (Horvath,1903)** (Cicadellidae) Synonym(s): *fraudulentus* Horvath,1903; *imitatus* Haupt,1924; *byzantina* Zachvatkin,1946; *mira* Zachvatkin,1946; *insularis* Lindberg,1948
- 2774) Eoperla ochracea (Kolbe,1885)** (Perlidae) Synonym(s): *ochracea* Kolbe,1885; *pau* Navas,1909; *latisulcata* Klapalek,1921; *nigritaris* Despax,1931; *theryana* Navas,1935
- 2775) Epagoge grotiana (Fabricius,1781)** (Tortricidae) Synonym(s): *grotiana* Fabricius,1781; *flavana* Hübner,[1799]; *ochreana* Hübner,[1799]; *artificana* Herrich-Schäffer,1851; *amasiana* Caradja,1916.
- 2776) Epallage fatime (Charpentier,1840)** (Calopterygidae) Synonym(s): *fatime* Charpentier,1840
- 2777) Epascestria pustulalis (Hübner,[1823])** (Pyralidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917.
- 2778) Epermenia (Calotripis) aequidentella (Hofmann,1867)** (Epermeniidae) Synonym(s): *aequidentella* Hofmann,1867; *daucellus* Peyerimhoff,1870.
- 2779) Epermenia (Calotripis) chaerophyllella (Goeze,1783)** (Epermeniidae) Synonym(s): *chaerophyllella* Goeze,1783; *testaceella* Hübner,[1813]; *fasciculellus* Stephens,1834; *nigrostriatellus* Heylaerts,1883; *turatiella* Constantini,1923.
- 2780) Epermenia (Calotripis) strictella (Wocke,1867)** (Epermeniidae) Synonym(s): *strictella* Wocke,1867; *anthracoptila* Meyrick,1931.
- 2781) Epermenia (Cataplectica) iniquella (Wocke,1867)** (Epermeniidae) Synonym(s): *dentosella* auct. nec Stt.,1851; *iniquella* Wocke,1867; *kruegerella* Schawerda,1921; *ochrodesma* Meyrick,1913
- 2782) Epermenia (s.str.) ochreomaculella (Millière,1854)** (Epermeniidae) Synonym(s): *ochreomaculella* Millière,1854; *prohaskaella* Schawerda,1921; *afghanistanella* Gaedike,1971.
- 2783) Epermenia (s.str.) pontificella (Hübner,1796)** (Epermeniidae) Synonym(s): *pontificella* Hübner,1796
- 2784) Ephelis cruentalis (Geyer,[1832])** (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835
- 2785) Ephestia (Anagasta) cypriusella Roesler,1965** (Pyralidae) Synonym(s): *cypriusella* Roesler,1965
- 2786) Ephestia (Anagasta) kuehniella Zeller,1879** (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern & Tubtim,1995
- 2787) Ephestia (Anagasta) welseriella (Zeller,1848)** (Pyralidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927.
- 2788) Ephestia (s.str.) disparella Hampson,1901** (Pyralidae) Synonym(s): *disparella* Hampson,1901; *rectifasciella* Turati,1913; *semicostella* Turati,1934.
- 2789) Ephestia (s.str.) elutella (Hübner,1796)** (Pyralidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumata* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965
- 2790) Ephestia (s.str.) parasitella Staudinger,1859** (Pyralidae) Synonym(s): *parasitella* Staudinger,1859; *bimaculella* Lucas,1955.
- 2791) Ehippiger ehippiger (Fiebig,1784)** (Tettigoniidae) Synonym(s): *ehippiger* Fiebig,1784; *vitium* Serville,1831; *rossii* Fieber,1853; *fibigii* Fieber,1853; *fabricii* Fieber,1853; *moguntiacus* Schuster,1906
- 2792) Ephydra attica Becker,1896** (Ephydriidae) Synonym(s): *attica* Becker,1896
- 2793) Ephysteris (Microcraspedus) olympica Povolny,1968** (Gelechiidae) Synonym(s): *olympica* Povolny,1968
- 2794) Ephysteris (Microcraspedus) treskensis Povolny,1966** (Gelechiidae) Synonym(s): *treskensis* Povolny,1966
- 2795) Ephysteris (s.str.) promptella (Staudinger,1859)** (Gelechiidae) Synonym(s): *promptella* Staudinger,1859; *despectella* Walker,1863; *petiginella* Mann,1867; *parvula* Staudinger,1879; *cacomica* Walsingham,1907; *chersaea* Meyrick,1908; *oschophora* Meyrick,1910; *fanatica* Meyrick,1921; *dispensata* Meyrick,1921; *xanthorhabda* Gozmany,1951 *australiae* Povolny,1977; *#promptella* Sattler,1978.
- 2796) Epiblema costipunctana (Haworth,[1811])** (Tortricidae) Synonym(s): *costipunctana* Haworth,[1811]; *argyrana* Stephens,1829; *trigeminana* Stephens,1834; *poecilana* Guenée,1845; *ravulana* Herrich-Schäffer,1851
- 2797) Epiblema cretana Osthelder,1941** (Tortricidae) Synonym(s): *cretana* Osthelder,1941
- 2798) Epiblema foenellum (Linnaeus,1758)** (Tortricidae) Synonym(s): *foenella* Linnaeus,1758; *hohenwartiana* Scopoli,1772; *scopoliana* [Denis & Schiffermüller],1775; *pflugiana* Fabricius,1787; *tibialana* Hübner,[1793]; *interrogationana* Donovan,1793; *clavigerana* Walker,1863; *sinicana* Walker,1863
- 2799) Epiblema gammata (Mann,1866)** (Tortricidae) Synonym(s): *gammata* Mann,1866
- 2800) Epiblema graphana (Treitschke,1835)** (Tortricidae) Synonym(s): *graphana* Treitschke,1835; *pierretana* Duponchel,1836
- 2801) Epiblema hepaticana (Treitschke,1835)** (Tortricidae) Synonym(s): *hepaticana* Treitschke,1835; *senecionana* Staudinger,1871; *tristana* Hauser,1918
- 2802) Epiblema mendiculana (Treitschke,1835)** (Tortricidae) Synonym(s): *mendiculana* Treitschke,1835; *hungaricana* Herrich-Schäffer,1851
- 2803) Epiblema scutulana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872
- 2804) Epicallima formosella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller],1775
- 2805) Epicallima icterinella (Mann,1867)** (Oecophoridae) Synonym(s): *icterinella* Mann,1867
- 2806) Epichnopterix plumella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *plumella* [Denis & Schiffermüller],1775; *pulla* Esper,[1785]
- 2807) Epichnopterix sieboldi (Reutti,1853)** (Psychidae) Synonym(s): *sieboldi* Reutti,1853
- 2808) Epidauria strigosa (Staudinger,1879)** (Pyralidae) Synonym(s): *strigosa* Staudinger,1879
- 2809) Epidauria transversariella (Zeller,1848)** (Pyralidae) Synonym(s): *transversariella* Zeller,1848
- 2810) Epidola barcinonella Millière,1867** (Gelechiidae) Synonym(s): *barcinonella* Millière,1867
- 2811) Epilecta linogrisea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901.
- 2812) Epimecia ustula (Freyer,1835)** (Noctuidae) Synonym(s): *ustula* Freyer,1835
- 2813) Epinotia brunnichiana (Linnaeus,1767)** (Tortricidae) Synonym(s): *brunnichiana* Linnaeus,1767; *sinuana* [Denis & Schiffermüller],1775; *rhenana* Thunberg & Becklin,1791
- 2814) Epinotia dalmatana (Rebel,1891)** (Tortricidae) Synonym(s): *dalmatana* Rebel,1891; *psychrodora* Meyrick,1936; *mesopotamica* Obraztsov,1952; *obraztsovi* Agenjo,1967
- 2815) Epinotia festivana (Hübner,[1799])** (Tortricidae) Synonym(s): *festivana* Hübner,[1799]
- 2816) Epinotia fraternana (Haworth,[1811])** (Tortricidae) Synonym(s): *fraternana* Haworth,[1811]; *proximana* Herrich-Schäffer,1851; *distinctana* Wilkinson,1859; *concretana* Peyerimhoff,1863

- 2817) *Epinotia nigricana* (Herrich-Schäffer, [1851])** (Tortricidae) Synonym(s): *nigricana* Herrich-Schäffer, [1851]; *suasana* Peyerimhoff, 1863
- 2818) *Epinotia nisella* (Clerck, 1759)** (Tortricidae) Synonym(s): *nisella* Clerck, 1759; *boeberana* Fabricius, 1787; *pavonana* Donovan, 1804; *cuspidana* Haworth, 1811; *rhombifasciana* Haworth, 1811; *stictana* Haworth, 1811; *cinereana* Haworth, 1811; *nisana* Guenée, 1845
- 2819) *Epinotia subsequana* (Haworth, [1811])** (Tortricidae) Synonym(s): *subsequana* Haworth, [1811]; *abiegana* Duponchel, [1843]
- 2820) *Epinotia tedella* (Clerck, 1759)** (Tortricidae) Synonym(s): *tedella* Clerck, 1759; *comitana* [Denis & Schiffermüller], 1775; *hercyniana* Uslar, 1798; *piceana* Hübner, [1799]; *taedana* Doubleday, 1859; *finitimana* Doubleday, 1859
- 2821) *Epinotia thapsiana* (Zeller, 1847)** (Tortricidae) Synonym(s): *thapsiana* Zeller, 1847
- 2822) *Epione repandaria* (Hufnagel, 1767)** (Geometridae) Synonym(s): *repandaria* Hufnagel, 1767; *apiciaria* [Denis & Schiffermüller], 1775; *marginaria* Villers, 1789; *demarginaria* Wehrli, 1940; *franziscaria* Müller, 1962
- 2823) *Epirrhoe alternata* (Müller, 1764)** (Geometridae) Synonym(s): *alternata* Müller, 1764; *sociata* Borkhausen, 1794; *degenerata* Haworth, 1809; *subtristata* Haworth, 1809; *contristata* Donovan, 1811; *aparinata* Hübner, [1825]
- 2824) *Epirrhoe galiata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller], 1775; *quadriannulata* Haworth, 1809; *unilobata* Haworth, 1809; *chalybeata* Hübner, [1813]; *eophanata* Krulikowsky, 1906; *emina* Schawerda, 1912
- 2825) *Epirrhoe molluginata* (Hübner, [1813])** (Geometridae) Synonym(s): *molluginata* Hübner, [1813]
- 2826) *Epirrhoe rivata* (Hübner, [1813])** (Geometridae) Synonym(s): *rivata* Hübner, [1813]
- 2827) *Epirrita dilutata* ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#dilutata* [Denis & Schiffermüller], 1775; *nebulata* Thunberg, 1784; *impluviata* Borkhausen, 1794; *fimbriata* Haworth, 1809; *inscriptata* Donovan, 1811; *neglectata* Weaver, 1852; *unicolorata* Lambillion, 1905
- 2828) *Epischnia adultella* (Zeller, 1848)** (Pyralidae) Synonym(s): *adultella* Zeller, 1848
- 2829) *Epischnia cretaciella* Mann, 1869** (Pyralidae) Synonym(s): *cretaciella* Mann, 1869; *demartinella* Turati, 1922.
- 2830) *Epischnia illotella* Zeller, 1839** (Pyralidae) Synonym(s): *illotella* Zeller, 1839
- 2831) *Epischnia leucoloma* (Herrich-Schäffer, [1849])** (Pyralidae) Synonym(s): *leucoloma* Herrich-Schäffer, [1849]
- 2832) *Epischnia prodromella* (Hübner, [1799])** (Pyralidae) Synonym(s): *prodromella* Hübner, [1799]; *#prodromella* Rebel, 1939
- 2833) *Episcythis triangulella* (Ragonot, 1875)** (Scythridae) Synonym(s): *triangulella* Ragonot, 1875; *albonigrella* Amsel, 1939; *marocanella* Lucas, 1955.
- 2834) *Episema glaucina* (Esper, [1789])** (Noctuidae) Synonym(s): *glaucina* Esper, [1789]; *dentimacula* Hübner, 1790; *unicolor* Duponchel, 1835; *hispana* Boisduval, [1837]; *meridionalis* Calberla, 1888; *abruzzorum* Dannehl, 1929.
- 2835) *Episema korsakovi* (Christoph, 1885)** (Noctuidae) Synonym(s): *korsakovi* Christoph, 1885; *paenulata* Christoph, 1885.
- 2836) *Episema lederi* Christoph, 1885** (Noctuidae) Synonym(s): *lederi* Christoph, 1885; *sareptana* Alpheraky, 1897; *#lederi* Wiltshire, 1937.
- 2837) *Episema tersa* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *tersa* [Denis & Schiffermüller], 1775; *trimacula* [Denis & Schiffermüller], 1775; *swiderskii* Kostrowicki, 1956.
- 2838) *Epistrophe* (s.str.) *eligans* (Harris, 1776)** (Syrphidae) Synonym(s): *eligans* Harris, 1776; *interrupta* Gmelin, 1790; *bifasciata* Fabricius, 1794; *fulvipes* Wiedemann, 1822; *trifasciata* Strobl, 1880; *nigra* Suster & Zilberman, 1958
- 2839) *Episyrrhus balteatus* (De Geer, 1776)** (Syrphidae) Synonym(s): *cannabina* Scopoli, 1763; *balteatus* De Geer, 1776; *scitula* Harris, 1776; *alternata* Schrank, 1781; *nectarea* Fabricius, 1787; *nectarina* Wiedemann, 1830; *alternans* Macquart, 1842; *trigilatus* Walker, 1856
- 2840) *Epitrix hirtipennis* (Melsheimer, 1847)** (Chrysomelidae) Synonym(s): *hirtipennis* Melsheimer, 1847
- 2841) *Erax tenuicornis* (Loew, 1848)** (Asilidae) Synonym(s): *tenuicornis* Loew, 1848
- 2842) *Erebia aethiops* (Esper, [1777])** (Satyridae) Synonym(s): *aethiops* Esper, [1777]; *ligea* Poda, 1761 *nec* Linnaeus, 1758; *medea* Denis & Schiff., 1775; *blandina* Fabricius, 1787; *media* Hübner, 1799; *caledonia* Verity, 1911; *altivaga* Fruhstorfer, 1917; *sapaudia* Fruhstorfer, 1917; *peneplana* Berger, 1936.
- 2843) *Erebia cassioides* (Reiner & Hochenwarth, 1792)** (Satyridae) Synonym(s): *cassioides* Reiner & Hochenwarth, 1792; *cleo* Hübner, 1799; *neleus* Freyer, 1833; *#galvagnii* Hellweger, 1914.
- 2844) *Erebia epiphron* (Knoch, 1783)** (Satyridae) Synonym(s): *epiphron* Knoch, 1783; *egea* Borkhausen, 1788 *nec* Fabricius, 1775; *ianthe* Hübner, [1800] *nec* Pallas, 1771.
- 2845) *Erebia euryale* (Esper, [1805])** (Satyridae) Synonym(s): *euryale* Esper, [1805]; *philomela* sensu Hübner, [1805]; *adyte* Hübner, 1822; *isarica* Heyne, [1895]; *tramelana* Reverdin, 1918.
- 2846) *Erebia ligea* (Linnaeus, 1758)** (Satyridae) Synonym(s): *ligea* Linnaeus, 1758; *alexis* Retzius, 1783 *nec* Poda, 1761; *per magna* Fruhstorfer, 1909; *carthusianorum* Fruhstorfer, 1909.
- 2847) *Erebia medusa* ([Denis & Schiffermüller], 1775)** (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller], 1775
- 2848) *Erebia melas* (Herbst, 1796)** (Satyridae) Synonym(s): *melas* Herbst, 1796
- 2849) *Erebia oeme* (Hübner, [1804])** (Satyridae) Synonym(s): *oeme* Hübner, [1804]
- 2850) *Erebia ottomana* Herrich-Schäffer, [1847]** (Satyridae) Synonym(s): *ottomana* Herrich-Schäffer, [1847]
- 2851) *Erebia rhodopensis* Nicholl, 1900** (Satyridae) Synonym(s): *rhodopensis* Nicholl, 1900
- 2852) *Eremobia asiatica* Draudt, 1936** (Noctuidae) Synonym(s): *asiatica* Draudt, 1936
- 2853) *Eremobia ochroleuca* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *ochroleuca* [Denis & Schiffermüller], 1775; *citrina* Donovan, 1801; *bifasciosa* Haworth, 1809.
- 2854) *Eremocoris abietis* (Linnaeus, 1758)** (Lygaeidae) Synonym(s): *abietis* Linnaeus, 1758
- 2855) *Eremocoris fenestratus* (Herrich-Schäffer, 1839)** (Lygaeidae) Synonym(s): *fenestratus* Herrich-Schäffer, 1839
- 2856) *Eremocoris pellitus* Seidenstücker, 1965** (Lygaeidae) Synonym(s): *pellitus* Seidenstücker, 1965
- 2857) *Eremocoris plebejus* (Fallén, 1807)** (Lygaeidae) Synonym(s): *plebejus* Fallén, 1807; *caucasica* Horvath, 1883
- 2858) *Eremocoris podagricus* (Fabricius, 1775)** (Lygaeidae) Synonym(s): *podagricus* Fabricius, 1775
- 2859) *Eriogaster* (s.str.) *catax* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *catax* Linnaeus, 1758; *lentipes* Esper, 1783
- 2860) *Eriogaster* (s.str.) *lanestris* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *lanestris* Linnaeus, 1758; *senecta* Graeser, 1888
- 2861) *Eriogaster* (s.str.) *rimicola* (Schrank, 1802)** (Lasiocampidae) Synonym(s): *#rimicola* [Denis & Schiffermüller], 1775; *rimicola* Schrank, 1802
- 2862) *Eriothrix rufomaculatus* (De Geer, 1776)** (Tachinidae) Synonym(s): *lateralis* Fabricius, 1775; *rufomaculatus* De Geer, 1776; *demano* Harris, 1780; *tachinaria* Fallén, 1815
- 2863) *Eristalinus taeniops* (Wiedemann, 1818)** (Syrphidae) Synonym(s): *taeniops* Wiedemann, 1818; *pulchripes* Wiedemann, 1822; *fasciatus* Germar, 1845; *aegyptius* Walker, 1849; *torridus* Walker, 1849; *completus* Santos-Abreu, 1924; *concinus* Santos-Abreu, 1924

- 2864) Eristalinus (Lathrophthalmus) aeneus (Scopoli,1763)** (Syrphidae) Synonym(s): *aeneus* Scopoli,1763; *punctatus* Müller,1764; *macrophthalmus* Preyssl,1791; *taphicus* Wiedemann,1830; *stygius* Newman,1835; *aenescens* Macquart,1842; *nigrolineatus* Hervé-Bazin,1923
- 2865) Eristalinus (Lathrophthalmus) megacephalus (Rossi,1792)** (Syrphidae) Synonym(s): *megacephalus* Rossi,1792
- 2866) Eristalinus (s.str.) sepulchralis (Linnaeus,1758)** (Syrphidae) Synonym(s): *sepulchralis* Linnaeus,1758
- 2867) Eristalis (Eoseritalis) arbustorum (Linnaeus,1758)** (Syrphidae) Synonym(s): *arbustorum* Linnaeus,1758; *lineole* Harris,1776
- 2868) Eristalis (Eoseritalis) rupium Fabricius,1805** (Syrphidae) Synonym(s): *rupium* Fabricius,1805; *hybrida* Kanervo,1938; *infuscata* Kanervo,1938; *nigrofasciata* Kanervo,1938; *nigrotarsata* Kanervo,1938
- 2869) Eristalis (Eoseritalis) similis (Fallén,1817)** (Syrphidae) Synonym(s): *similis* Fallén,1817
- 2870) Eristalis (s.str.) tenax (Linnaeus,1758)** (Syrphidae) Synonym(s): *tenax* Linnaeus,1758; *interrupta* Poda,1761; *vulgaris* Scopoli,1763; *fuscus* Scopoli,1763; *porcinus* De Geer,1776; *arbustorum* Schrank,1781; *silvaticus* Meigen,1822; *vulpinus* Meigen,1822; *sinensis* Wiedemann,1824; *ventralis* Thomson,1869; *alpina* Strobl,1909
- 2871) Erynnis (Hesperopegasus) marloyi (Boisduval,1834)** (Hesperiidae) Synonym(s): *marloyi* Boisduval,1834; *sericea* Freyer,1838; *rustan* Kollar,1849
- 2872) Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921
- 2873) Erythroneura soosi Dlabola,1952** (Cicadellidae) Synonym(s): *soosi* Dlabola,1952
- 2874) Esperage (s.str.) clymene (Fabricius,1787)** (Satyridae) Synonym(s): *#climene* Esper,1783; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,1819
- 2875) Esperia imitatrix (Zeller,1847)** (Oecophoridae) Synonym(s): *imitatrix* Zeller,1847
- 2876) Esperia krueperella (Staudinger,1871)** (Oecophoridae) Synonym(s): *krueperella* Staudinger,1871; *ethnica* Gozmany,1956
- 2877) Esperia oliviella (Fabricius,1794)** (Oecophoridae) Synonym(s): *oliviella* Fabricius,1794
- 2878) Esperia sulphurella (Fabricius,1775)** (Oecophoridae) Synonym(s): *sulphurella* Fabricius,1775
- 2879) Estheria cristata (Meigen,1826)** (Tachinidae) Synonym(s): *cristata* Meigen,1826
- 2880) Estheria nigripes (Villeneuve,1920)** (Tachinidae) Synonym(s): *nigripes* Villeneuve,1920
- 2881) Estheria pallicornis (Loew,1873)** (Tachinidae) Synonym(s): *pallicornis* Loew,1873
- 2882) Estheria picta (Meigen,1826)** (Tachinidae) Synonym(s): *picta* Meigen,1826
- 2883) Eteobalea albiapicella (Duponchel,1843)** (Cosmopterigidae) Synonym(s): *albiapicella* Duponchel,1843
- 2884) Eteobalea dohrnii (Zeller,1847)** (Cosmopterigidae) Synonym(s): *dohrnii* Zeller,1847
- 2885) Eteobalea intermediella (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966
- 2886) Eteobalea isabellella (Costa,1836)** (Cosmopterigidae) Synonym(s): *isabellella* Costa,1836; *opulentella* Herrich-Schäffer,1853; *rutilella* Chrétien,1896
- 2887) Eteobalea serratella (Treitschke,1833)** (Cosmopterigidae) Synonym(s): *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920
- 2888) Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920
- 2889) Ethmia aurifluella (Hübner,1810)** (Ethmiidae) Synonym(s): *aurifluella* Hübner,1810; *albarracinella* Ragonot,1882
- 2890) Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947
- 2891) Ethmia candidella (Alpheraky,1908)** (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931
- 2892) Ethmia chrysopyga (Zeller,1844)** (Ethmiidae) Synonym(s): *chrysopyga* Zeller,1844; *callidella* Walsingham,1910
- 2893) Ethmia distigmatella (Erschoff,1874)** (Ethmiidae) Synonym(s): *distigmatella* Erschoff,1874; *bipunctella* Rebel,1936; *distichella* Rebel,1940
- 2894) Ethmia fumidella (Wocke,1850)** (Ethmiidae) Synonym(s): *fumidella* Wocke,1850; *ardosiella* Caradja,1931
- 2895) Ethmia haemorrhoidella (Eversmann,1844)** (Ethmiidae) Synonym(s): *haemorrhoidella* Eversmann,1844; *anatolica* Amsel,1953
- 2896) Ethmia iranella Zerny,1940** (Ethmiidae) Synonym(s): *iranella* Zerny,1940
- 2897) Ethmia pusiella (Linnaeus,1758)** (Ethmiidae) Synonym(s): *pusiella* Linnaeus,1758; *scaella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796
- 2898) Ethmia quadrinotella (Mann,1861)** (Ethmiidae) Synonym(s): *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922
- 2899) Ethmia terminella T.B.Fletcher,1938** (Ethmiidae) Synonym(s): *sempunctella* Hübner,1810; *nec Fabr.*,1794; *terminella* T.B.Fletcher,1938
- 2900) Etiella zinckenella (Treitschke,1832)** (Pylalidae) Synonym(s): *marginella* Fabricius,1781; *nec Den. & Schiff.*,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975
- 2901) Euaresta bullans (Wiedemann,1830)** (Tephritidae) Synonym(s): *bullans* Wiedemann,1830; *tenera* Loew,1850
- 2902) Eublemma (albida-gr.) stramineum (Staudinger,1892)** (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933
- 2903) Eublemma (candidana-gr.) candidanum (Fabricius,1794)** (Noctuidae) Synonym(s): *candidana* Fabricius,1794; *minuta* Hübner,1809; *perlana* Geyer,1830; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871
- 2904) Eublemma (candidana-gr.) minutatum (Fabricius,1794)** (Noctuidae) Synonym(s): *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,1809
- 2905) Eublemma (candidana-gr.) ochreolum (Staudinger,1900)** (Noctuidae) Synonym(s): *ochreola* Staudinger,1900; *thurneri* Zerny,1936
- 2906) Eublemma (candidana-gr.) viridulum (Guenée,1841)** (Noctuidae) Synonym(s): *viridula* Guenée,1841; *minuta* Freyer,1849; *dalmatina* Herrich-Schäffer,1851; *caprearum* Draudt,1933
- 2907) Eublemma (Coccidiphaga) scitulum (Rambur,1833)** (Noctuidae) Synonym(s): *scitula* Rambur,1833; *exasperata* Lederer,1855; *gibbosa* Snellen,1872; *futilis* Swinhoe,1884; *cretacea* Hampson,1893; *turatii* Berio,2002
- 2908) Eublemma (cochylioides-gr.) cochylioides (Guenée,1852)** (Noctuidae) Synonym(s): *cochylioides* Guenée,1852; *rosita* Guenée,1852; *phoenissa* Lederer,1855; *derogata* Walker,1858; *calida* Rebel,1894; *calida* Staudinger,1895; *confusata* W.Warren,1913
- 2909) Eublemma (Glossodice) polygrammum (Duponchel,1842)** (Noctuidae) Synonym(s): *polygramma* Duponchel,1842; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *violetta* Staudinger,1889

- 2910) Eublemma (Glossodice) pudorinum (Staudinger,1889)** (Noctuidae) Synonym(s): *pudorinum* Staudinger,1889
- 2911) Eublemma (Honeyania) ragusanum (Freyer,1844)** (Noctuidae) Synonym(s): *ragusana* Freyer,1844; *virginea* Guenée,1852; *cinerina* Ghiliani,1854; *psilogramma* Lederer,1855; *quinquelinealis* Moore,1877; *dividens* Lucas,1892; *polygramma* Hampson,1894.
- 2912) Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsaftikis,1973.
- 2913) Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902.
- 2914) Eublemma (rosina-gr.) amoenum (Hübner,[1803])** (Noctuidae) Synonym(s): *respersa* Hübner,1790; *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888.
- 2915) Eublemma (rosina-gr.) purpurinum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901.
- 2916) Eublemma (rosina-gr.) rosinum (Hübner,[1803])** (Noctuidae) Synonym(s): *rosea* Hübner,1790 *nec* Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938.
- 2917) Eucera albofasciata Friese,1896** (Apidae) Synonym(s): *albofasciata* Friese,1896
- 2918) Eucera caspica Morawitz,1873** (Apidae) Synonym(s): *caspica* Morawitz,1873; *nigrita* Friese,1896
- 2919) Eucera graeca Radoszkowski,1876** (Apidae) Synonym(s): *graeca* Radoszkowski,1876
- 2920) Eucera seminuda Brullé,1832** (Apidae) Synonym(s): *seminuda* Brullé,1832
- 2921) Eucera taurica Morawitz,1870** (Apidae) Synonym(s): *taurica* Morawitz,1870; *pulveracea* Dours,1873; *seminigra* Friese,1896; *hellenica* Pérez,1902; *fallax* Dusmet & Alonso,1926; *asiatica* Alfken,1936
- 2922) Euchalcia (s.str.) chlorocharis (Dufay,1961)** (Noctuidae) Synonym(s): *chlorocharis* Dufay,1961
- 2923) Euchalcia (s.str.) consona (Fabricius,1787)** (Noctuidae) Synonym(s): *consona* Fabricius,1787
- 2924) Euchalcia (s.str.) siderifera (Eversmann,1846)** (Noctuidae) Synonym(s): *siderifera* Eversmann,1846
- 2925) Euchalcia (s.str.) variabilis (Piller & Mitterpacher,1783)** (Noctuidae) Synonym(s): *variabilis* Piller & Mitterpacher,1783; *cuprea* Esper,1787; *illustris* Fabricius,1787
- 2926) Euchalcis miegii Dufour,1861** (Chalcididae) Synonym(s): *miegii* Dufour,1861; *bicolor* Sichel,1866
- 2927) Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) Synonym(s): *penia* Freyer,[1852]; *mesopotamica* Baker,1889.
- 2928) Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832].
- 2929) Euchromius bellus (Hübner,1796)** (Pyralidae) Synonym(s): *bella* Hübner,1796; *bellalis* Hübner,[1825].
- 2930) Euchromius bleszynskiellus Popescu-Gorj,1964** (Pyralidae) Synonym(s): *bleszynskiellus* Popescu-Gorj,1964
- 2931) Euchromius ocellus (Haworth,[1811])** (Pyralidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982
- 2932) Euchromius rayatellus (Amsel,1949)** (Pyralidae) Synonym(s): *rayatella* Amsel,1949
- 2933) Euchromius superbullus (Zeller,1849)** (Pyralidae) Synonym(s): *superbellus* Zeller,1849; *wockeella* Zeller,1863; *cypriusella* Amsel,1958.
- 2934) Euchromius vinculellus (Zeller,1847)** (Pyralidae) Synonym(s): *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrutella* Amsel,1949.
- 2935) Euclasta (s.str.) splendidalis (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *splendidalis* Herrich-Schäffer,[1848]
- 2936) Euclidia glyphica (Linnaeus,1758)** (Noctuidae) Synonym(s): *glyphica* Linnaeus,1758; *pratensis* Müller,1764
- 2937) Eucosma albidulana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *albidulana* Herrich-Schäffer,[1851]
- 2938) Eucosma campoliliana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *campoliliana* [Denis & Schiffermüller],1775
- 2939) Eucosma cana (Haworth,1811)** (Tortricidae) Synonym(s): *marmorana* Fabricius,1798; *cana* Haworth,1811; *monetulana* Hübner,[1817]; *carduana* Guenée,1845; *subvittana* Staudinger,1892.
- 2940) Eucosma conformana (Mann,1872)** (Tortricidae) Synonym(s): *conformana* Mann,1872; *umbratana* Staudinger,1880; *significatana* Kennel,1901.
- 2941) Eucosma conterminana (Guenée,1845)** (Tortricidae) Synonym(s): *conterminana* Guenée,1845
- 2942) Eucosma cumulana (Guenée,1845)** (Tortricidae) Synonym(s): *cumulana* Guenée,1845; *obscurana* Caradja,1916 *nec* Fabricius,1798; *caradjai* Obratzsov,1968.
- 2943) Eucosma lugubrana (Treitschke,1830)** (Tortricidae) Synonym(s): *lugubrana* Treitschke,1830
- 2944) Eucosma obumbratana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *obumbratana* Lienig & Zeller,1846
- 2945) Eucremastus manni (Tschek,1871)** (Ichneumonidae) Synonym(s): *manni* Tschek,1871
- 2946) Eucrostes indigenata (Villers,1789)** (Geometridae) Synonym(s): *indigenata* Villers,1789
- 2947) Eudarcia (Abchagleris) glaseri (G.Petersen,1967)** (Tineidae) Synonym(s): *glaseri* G.Petersen,1967
- 2948) Eudarcia (Abchagleris) sutteri Gaedike,1997** (Tineidae) Synonym(s): *sutteri* Gaedike,1997
- 2949) Eudarcia (Neomeessia) lobata (G.Petersen & Gaedike,1979)** (Tineidae) Synonym(s): *lobata* G.Petersen & Gaedike,1979
- 2950) Eudarcia (Obesoceras) balcanica (Gaedike,1988)** (Tineidae) Synonym(s): *balcanica* Gaedike,1988
- 2951) Eudarcia (Obesoceras) confusella (Heydenreich,1851)** (Tineidae) Synonym(s): *confusella* Heydenreich,1851; *danubiellum* G.Petersen,1959; *nigrescens* Jäckh,1959; *orientale* Capuse,1966
- 2952) Eudarcia (Obesoceras) fibigeri Gaedike,1997** (Tineidae) Synonym(s): *fibigeri* Gaedike,1997
- 2953) Eudarcia (Obesoceras) forsteri G.Petersen,1964** (Tineidae) Synonym(s): *forsteri* G.Petersen,1964
- 2954) Eudarcia (Obesoceras) kasyi (G.Petersen,1971)** (Tineidae) Synonym(s): *kasyi* G.Petersen,1971
- 2955) Eudarcia armatum (Gaedike,1985)** (Tineidae) Synonym(s): *armatum* Gaedike,1985
- 2956) Eudarcia graecum (Gaedike,1985)** (Tineidae) Synonym(s): *graecum* Gaedike,1985
- 2957) Eudarcia holtzi (Rebel,1902)** (Tineidae) Synonym(s): *holtzi* Rebel,1902
- 2958) Eudarcia montanum (Gaedike,1985)** (Tineidae) Synonym(s): *montanum* Gaedike,1985
- 2959) Eudarcia moreae (G.Petersen & Gaedike,1983)** (Tineidae) Synonym(s): *moreae* G.Petersen & Gaedike,1983
- 2960) Eudasyphora cyanella (Meigen,1826)** (Muscidae) Synonym(s): *cyanella* Meigen,1826
- 2961) Eudemis (s.str.) porphyra (Hübner,[1799])** (Tortricidae) Synonym(s): *porphyra* Hübner,[1799]; *pomedaxana* Pierce & Metcalfe,1915
- 2962) Eudonia angustea (Curtis,1827)** (Pyralidae) Synonym(s): *angustea* Curtis,1827
- 2963) Eudonia delunella (Stainton,1849)** (Pyralidae) Synonym(s): *resinea* auct.; *delunella* Stainton,1849; *vandaliella* Herrich-Schäffer,1851; *vandalialis* Herrich-Schäffer,1862; *permigralis* Turati,1923
- 2964) Eudonia laetella (Zeller,1846)** (Pyralidae) Synonym(s): *laetella* Zeller,1846

- 2965) Eudonia mercurella (Linnaeus,1758)** (Pyrilidae) Synonym(s): *mercurella* Linnaeus,1758; *mercurii* Fabricius,1798; *mercurea* Haworth,1811; *mercurialis* Hübner,[1825]; *portlandica* Westwood,1845; *frequentella* Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862
- 2966) Eudonia murana (Curtis,1827)** (Pyrilidae) Synonym(s): *murana* Curtis,1827; *muralis* Doubleday,1850; *delphinatalis* Guenée,1854; *muranella* La Harpe,1855; *pseudomurana* Müller-Rutz,1925
- 2967) Eudonia phaeoleuca (Zeller,1846)** (Pyrilidae) Synonym(s): *phaeoleuca* Zeller,1846; *sciaphilella* La Harpe,1855; *bielnalis* Rougemont,1904; *gratiella* Turati,1914
- 2968) Eugnorisma (Metagnorisma) depuncta (Linnaeus,1761)** (Noctuidae) Synonym(s): *depuncta* Linnaeus,1761; *meridionalis* Dannehl,1925.
- 2969) Eugnorisma (Metagnorisma) pontica (Staudinger,1892)** (Noctuidae) Synonym(s): *pontica* Staudinger,1892
- 2970) Eugnosta lathoniana (Hübner,[1800])** (Tortricidae) Synonym(s): *lathoniana* Hübner,[1800]
- 2971) Euidopsis truncata Ribaut,1948** (Delphacidae) Synonym(s): *truncata* Ribaut,1948
- 2972) Eulamprotes helotella (Staudinger,1859)** (Gelechiidae) Synonym(s): *helotella* Staudinger,1859; *damonella* Millière,1876; *algeriella* Baker,1888; *doliodes* Meyrick,1891; *striatopunctella* Rebel,1891; *levisella* Chrétien,1922
- 2973) Eulamprotes wilkella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *wilkella* Linnaeus,1758; *merianella* Linnaeus,1758; *pictella* Zeller,1839; *tarquiniella* Stainton,1862.
- 2974) Eulithis peloponnesiaca (Rebel,1902)** (Geometridae) Synonym(s): *peloponnesiaca* Rebel,1902
- 2975) Eulithis populata (Linnaeus,1758)** (Geometridae) Synonym(s): *populata* Linnaeus,1758; *dotata* Linnaeus,1758; *popularia* Boisduval,1840.
- 2976) Eulithis prunata (Linnaeus,1758)** (Geometridae) Synonym(s): *prunata* Linnaeus,1758; *ribesaria* Boisduval,1840
- 2977) Eulithis pyraliata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#pyraliata* [Denis & Schiffermüller],1775; *?aurantiaca* Fourcroy,1785; *pyraliaria* Bosiudval,1840; *dotata sensu* Staudinger,1877
- 2978) Eumasia parietariella (Heydenreich,1851)** (Psychidae) Synonym(s): *parietariella* Heydenreich,1851; *crepusculella* Müller-Rutz,1920.
- 2979) Eumecurus bourouensis (Linnavuori,1965)** (Cixiidae) Synonym(s): *bourouensis* Linnavuori,1965
- 2980) Eumera regina Staudinger,1892** (Geometridae) Synonym(s): *regina* Staudinger,1892
- 2981) Eumerus amoenus Loew,1848** (Syrphidae) Synonym(s): *amoenus* Loew,1848
- 2982) Eumerus amoenus Loew,1848** (Syrphidae) Synonym(s): *amoenus* Loew,1848
- 2983) Eumerus argyropus Loew,1848** (Syrphidae) Synonym(s): *argyropus* Loew,1848
- 2984) Eumerus basalis Loew,1848** (Syrphidae) Synonym(s): *basalis* Loew,1848
- 2985) Eumerus basalis Loew,1848** (Syrphidae) Synonym(s): *basalis* Loew,1848
- 2986) Eumerus bernhardi Lindner,1969** (Syrphidae) Synonym(s): *bernhardi* Lindner,1969
- 2987) Eumerus flavitarsis Zetterstedt,1843** (Syrphidae) Synonym(s): *flavitarsis* Zetterstedt,1843
- 2988) Eumerus graecus Becker,1921** (Syrphidae) Synonym(s): *graecus* Becker,1921
- 2989) Eumerus graecus Becker,1921** (Syrphidae) Synonym(s): *graecus* Becker,1921
- 2990) Eumerus ovatus Loew,1848** (Syrphidae) Synonym(s): *ovatus* Loew,1848
- 2991) Eumerus pauper Becker,1921** (Syrphidae) Synonym(s): *pauper* Becker,1921
- 2992) Eumerus pulchellus Loew,1848** (Syrphidae) Synonym(s): *pulchellus* Loew,1848
- 2993) Eumerus pusillus Loew,1848** (Syrphidae) Synonym(s): *pusillus* Loew,1848
- 2994) Euodynerus hellenicus Blüthgen,1942** (Vespididae) Synonym(s): *hellenicus* Blüthgen,1942
- 2995) Eupavlovskia funeraria (Smith,1854)** (Apidae) Synonym(s): *funeraria* Smith,1854
- 2996) Eupavlovskia obscura (Friese,1855)** (Apidae) Synonym(s): *obscura* Friese,1855
- 2997) Eupholidoptera megastyla (Ramme,1939)** (Tettigoniidae) Synonym(s): *megastyla* Ramme,1939; *danconai* La Greca,1959; *willemsi* Nadig,1985
- 2998) Eupholidoptera smyrnensis (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *smyrnensis* Brunner-Wattenwyl,1882; *festae* Giglio-Tos,1914; *chabrieri sensu* Karabağ nec Charpentier,1825.
- 2999) Eupholidoptera uvarovi (Karabağ,1952)** (Tettigoniidae) Synonym(s): *uvarovi* Karabağ,1952
- 3000) Euphyicus dispar (Wiedemann,1820)** (Theravidae) Synonym(s): *dispar* Wiedemann,1820
- 3001) Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynniidae) Synonym(s): *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträßer,1779; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917; *pychanpar* Lastukhin,2007
- 3002) Euphyia frustata (Treitschke,1828)** (Geometridae) Synonym(s): *frustata* Treitschke,1828; *muscosata* Donzel,1837; *fulvocinctata* Rambur,1866
- 3003) Euphyia unangulata (Haworth,1809)** (Geometridae) Synonym(s): *bicolorata* Borkhausen,1794; *unangulata* Haworth,1809; *amnicularia* Hübner,[1813]; *amnicularia* Boisduval,1840; *gracilaria* A.Bang-Haas,1906; *tonnaichana* Matsumura,1925; *chinesis* Sterneck,1928; *regnelli* Bryk,1942; *renei* Bryk,1948
- 3004) Eupithecia addictata Dietze,1908** (Geometridae) Synonym(s): *addictata* Dietze,1908; *danielata* Schütze,1959; *pseudoplumbeolata* Vojnits,1973; *rudniki* Vojnits,1973; *falkovishi* Viidalepp,1976; *koreaica* Vojnits & De Laever,1978
- 3005) Eupithecia adscriptaria Staudinger,1871** (Geometridae) Synonym(s): *adscriptaria* Staudinger,1871
- 3006) Eupithecia alliardia Staudinger,1870** (Geometridae) Synonym(s): *alliardia* Staudinger,1870; *#notata* Dietze,1910 nec *Stph.*,1831
- 3007) Eupithecia antalica Mironov,2001** (Geometridae) Synonym(s): *antalica* Mironov,2001
- 3008) Eupithecia biornata Christoph,1867** (Geometridae) Synonym(s): *biornata* Christoph,1867
- 3009) Eupithecia breviculata (Donzel,1837)** (Geometridae) Synonym(s): *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977.
- 3010) Eupithecia caeruleata Favre,1899** (Geometridae) Synonym(s): *caeruleata* Favre,1899
- 3011) Eupithecia carpophagata Staudinger,1871** (Geometridae) Synonym(s): *carpophagata* Staudinger,1871
- 3012) Eupithecia cerussaria (Lederer,1855)** (Geometridae) Synonym(s): *cerussaria* Lederer,1855
- 3013) Eupithecia cretacea (Packard,1874)** (Geometridae) Synonym(s): *cretacea* Packard,1874; *fenestrata* Millière,1874.
- 3014) Eupithecia cucullaria (Rebel,1901)** (Geometridae) Synonym(s): *undata* Bohatsch,1893 nec *Frr.*,1840; *cucullaria* Rebel,1901
- 3015) Eupithecia denotata (Hübner,[1813])** (Geometridae) Synonym(s): *denotata* (Hübner,[1813]; *atraria* Herrich-Schäffer,[1848]; *campanulata* Herrich-Schäffer,1861; *primulata* Millière,1874; *jasioneata* Crewe,1881; *livida* Dietze,1910.
- 3016) Eupithecia distinctaria Herrich-Schäffer,[1848]** (Geometridae) Synonym(s): *distinctaria* Herrich-Schäffer,[1848]; *constrictata* Guenée,[1858]; *sextiata* Dardoin & Millière,1867; *piemonticola* Schwingenschuss,1954
- 3017) Eupithecia dodoneata Guenée,[1858]** (Geometridae) Synonym(s): *dodoneata* Guenée,[1858]; *quercifoliata* A.Bang-Haas,1874; *austrina* Herbulot,1962
- 3018) Eupithecia druantiata Dietze,1902** (Geometridae) Synonym(s): *druantiata* Dietze,1902

- 3019) Eupithecia ericeata (Rambur,1833)** (Geometridae) Synonym(s): *ericeata* Rambur,1833; *millierata* Staudinger,1871
- 3020) Eupithecia extraversaria Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *extraversaria* Herrich-Schäffer,[1852]; *libanotidana* Guenée,[1858]
- 3021) Eupithecia extremata (Fabricius,1787)** (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977.
- 3022) Eupithecia fuscicostata Christoph,1887** (Geometridae) Synonym(s): *fuscicostata* Christoph,1887; *fuscostigma* Alpheraky,1892; *salami* Brandt,1938; *domogledana* Vojnits & Szabo,1988
- 3023) Eupithecia gemellata Herrich-Schäffer,1861** (Geometridae) Synonym(s): *gemellata* Herrich-Schäffer,1861
- 3024) Eupithecia graphata (Treitschke,1828)** (Geometridae) Synonym(s): *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858]
- 3025) Eupithecia gratosata Herrich-Schäffer,1861** (Geometridae) Synonym(s): *gratosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885
- 3026) Eupithecia gueneata Millière,1862** (Geometridae) Synonym(s): *gueneata* Millière,1862; *busambraria* Ragusa,1889
- 3027) Eupithecia haworthiata Doubleday,1856** (Geometridae) Synonym(s): *haworthiata* Doubleday,1856; *gozmanyi* Vojnits,1972
- 3028) Eupithecia icterata (Villers,1789)** (Geometridae) Synonym(s): *icterata* Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata* Dietze,1910
- 3029) Eupithecia impurata (Hübner,[1813])** (Geometridae) Synonym(s): *impurata* Hübner,[1813]; *modicata* Hübner,[1813]; *proluaria* Freyer,1852; *badeniana* Schütze,1952; *germanicata* Schütze,1952; *gremmingerata* Schütze,1952; *langeata* Schütze,1952; *franconiata* Schütze,1956; *thuringiata* Schütze,1956; *westfalicata* Weigt,1982
- 3030) Eupithecia indigata (Hübner,[1813])** (Geometridae) Synonym(s): *indigata* Hübner,[1813]; *turfosata* Draudt,1903; *pliniata* Stauder,1929
- 3031) Eupithecia innotata (Hufnagel,1767)** (Geometridae) Synonym(s): *innotata* Hufnagel,1767; *tamarisciata* Freyer,1836; *suspectata* Dietze,1871; *uliata* Staudinger,1897; *ulicada* Dietze,1910; *alexandriana* Vardikjan,1972; *sergiana* Vardikjan,1972.
- 3032) Eupithecia insigniata (Hübner,1790)** (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794.
- 3033) Eupithecia irriguata (Hübner,[1813])** (Geometridae) Synonym(s): *variegata* Haworth,1809 nec Scop.,1763; *irriguata* Hübner,[1813]
- 3034) Eupithecia limbata Staudinger,1879** (Geometridae) Synonym(s): *limbata* Staudinger,1879; *irritaria* Staudinger,1892; *kueppersi* Vojnits,1973
- 3035) Eupithecia linariata (Fabricius,1787)** (Geometridae) Synonym(s): *#linariata* [Denis & Schiffermüller],1775; *linariata* Fabricius,1787
- 3036) Eupithecia mystica Dietze,1910** (Geometridae) Synonym(s): *mystica* Dietze,1910; *wehrlii* F.Wagner,1931
- 3037) Eupithecia oblongata (Thunberg,1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892; *chinae* Vojnits,1977.
- 3038) Eupithecia olympica Tuleschkov,1951** (Geometridae) Synonym(s): *olympica* Tuleschkov,1951
- 3039) Eupithecia oxycedrata (Rambur,1833)** (Geometridae) Synonym(s): *oxycedrata* Rambur,1833; *oxycedrararia* Boisduval,1840; *provinciata* Millière,1872
- 3040) Eupithecia pauxillaria Boisduval,1840** (Geometridae) Synonym(s): *pauxillaria* Boisduval,1840; *euphrasiata* Herrich-Schäffer,1861; *vellicata* Dietze,1906
- 3041) Eupithecia phoeniceata (Rambur,1834)** (Geometridae) Synonym(s): *phoeniceata* Rambur,1834; *mnemosynata* Millière,[1876]
- 3042) Eupithecia pimpinellata (Hübner,[1813])** (Geometridae) Synonym(s): *pimpinellata* Hübner,[1813]; *altaicata* Guenée,[1858]; *lantoscata* Millière,1873; *cinerascens* Tengström,1875; *limbosignata* Dietze,1910; *elongata* Dietze,1913 nec Hw,1809; *retheli* L.B.Prout,1938; *variata* Schwingenschuss,1936.
- 3043) Eupithecia plumbeolata (Haworth,[1809])** (Geometridae) Synonym(s): *plumbeolata* Haworth,[1809]; *isogrammata* Treitschke,1828; *begrandaria* Boisduval,1840; *singularia* Herrich-Schäffer,1848; *plumbeolaria* Doubleday,1849; *begrandata* Bruand,1850; *dshungarica* Viidalepp,1988.
- 3044) Eupithecia pusillata (Fabricius,1787)** (Geometridae) Synonym(s): *#pusillata* [Denis & Schiffermüller],1775; *pusillata* Fabricius,1787; *sobrinata* Hübner,[1817]; *pusillaria* Hübner,[1825]; *sobrinaria* Boisduval,1840; *expressaria* Herrich-Schäffer,1848; *anglicata* Herrich-Schäffer,1863; *latoniata* Millière,1882; *stevensata* Webb,1896; *scotica* Dietze,1910
- 3045) Eupithecia pyreneata Mabilie,1871** (Geometridae) Synonym(s): *pyreneata* Mabilie,1871; *digitaliaria* Dietze,1872; *granadensis* Bubacek,1926
- 3046) Eupithecia quercetica L.B.Prout,1938** (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938
- 3047) Eupithecia reisserata Pinker,1976** (Geometridae) Synonym(s): *reisserata* Pinker,1976
- 3048) Eupithecia riparia Herrich-Schäffer,1852** (Geometridae) Synonym(s): *riparia* Herrich-Schäffer,1852; *drupisaria* W.Petersen,1909
- 3049) Eupithecia satyrata (Hübner,[1813])** (Geometridae) Synonym(s): *satyrata* Hübner,[1813]; *satyraria* Boisduval,1840; *italicata* Guenée,1858; *submelanochroa* Vojnits,1973
- 3050) Eupithecia scalptata Christoph,1885** (Geometridae) Synonym(s): *scalptata* Christoph,1885
- 3051) Eupithecia schiefereri Dietze,1904** (Geometridae) Synonym(s): *#schiefereri* Bohatsch,1893; *schiefereri* Dietze,1904; *#confluens* Dietze,1910; *#schiefererie* Pinker,1958; *#schieferi* Arnscheid,2000
- 3052) Eupithecia scopariata (Rambur,1833)** (Geometridae) Synonym(s): *scopariata* Rambur,1833; *scoparia* Boisduval,1840; *tenebrosaria* Herrich-Schäffer,1848; *multiflorata* Millière,1866
- 3053) Eupithecia semigraphata Bruand,[1847]** (Geometridae) Synonym(s): *semigraphata* Bruand,[1847]
- 3054) Eupithecia silenicolata Mabilie,1867** (Geometridae) Synonym(s): *silenicolata* Mabilie,1867
- 3055) Eupithecia spissilineata (Metzner,1846)** (Geometridae) Synonym(s): *spissilineata* Metzner,1846; *multilineata* Mann,1866.
- 3056) Eupithecia subfuscata (Haworth,[1809])** (Geometridae) Synonym(s): *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898
- 3057) Eupithecia succenturiata (Linnaeus,1758)** (Geometridae) Synonym(s): *succenturiata* Linnaeus,1758; *disparata* Hübner,[1799]
- 3058) Eupithecia sutiliata Christoph,1877** (Geometridae) Synonym(s): *sutiliata* Christoph,1877; *aequata* Staudinger,1892; *orientata* Staudinger,1901; *diffisata* Dietze,1903; *rjabovi* Vojnits,1975; *kasachstanica* Viidalepp,1988.
- 3059) Eupithecia tantillaria Boisduval,1840** (Geometridae) Synonym(s): *tantillaria* Boisduval,1840; *laricis* Speyer,1873; *calabrica* Dietze,1910; *piceata* L.B.Prout,1915

- 3060) Eupithecia tenuiata (Hübner,[1813])** (Geometridae) Synonym(s): *tenuiata* Hübner,[1813]; *macellata* Fischer v. Roeslerstamm,1827
- 3061) Eupithecia thurnerata Schütze,1958** (Geometridae) Synonym(s): *thurnerata* Schütze,1958
- 3062) Eupithecia unedonata (Mabille,1868)** (Geometridae) Synonym(s): *unedonata* Mabille,1868
- 3063) Eupithecia venosata (Fabricius,1787)** (Geometridae) Synonym(s): *venosata* Fabricius,1787; *insignata* Hübner,1789; *decussata* Donovan,1799; *comparanda* Vojnits,1981
- 3064) Eupithecia virgaureata Doubleday,1861** (Geometridae) Synonym(s): *virgaureata* Doubleday,1861; *altenaria* Staudinger,1861; *offirmata* Speyer,1869; *invisa* Butler,1878; *wettsteini* Vojnits,1974
- 3065) Euplagia quadripunctaria (Poda,1761)** (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 nec Hol.,1897; *latefasciata* Bubacek,1915.
- 3066) Euplectus corcyreus Meggiolaro,1966** (Staphylinidae) Synonym(s): *corcyreus* Meggiolaro,1966; *jonicus* Meggiolaro,1966
- 3067) Euplexia lucipara (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucipara* Linnaeus,1758; *dubia* Hufnagel,1766; *leonhardi* Rebel,1909; *britannica* Turner,1943
- 3068) Euplocamus anthracinalis (Scopoli,1763)** (Tineidae) Synonym(s): *anthracinalis* Scopoli,1763; *anthracinella* [Denis & Schiffermüller],1775; *fuesslinella* Sulzer,1776; *guttella* Fabricius,1781; *anthracina* Borkhausen,1793; *fuesslinaria* Esper,[1801]; *guttatus* Latreille,1809; *monetellus* Lederer,1864; *amanalis* Osthelder,1935.
- 3069) Euplocamus ophisus (Cramer,[1779])** (Tineidae) Synonym(s): *ophisus* Cramer,[1779]
- 3070) Eupoecilia cibrana (Hübner,[1813])** (Tortricidae) Synonym(s): *cibrana* Hübner,[1813].
- 3071) Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) Synonym(s): *chrysorrhoea* Linnaeus,1758; *phaeorrhoeus* Haworth,1803
- 3072) Euproctis similis (Fuessly,1775)** (Lymantriidae) Synonym(s): *similis* Fuessly,1775; *auriflua* [Denis & Schiffermüller],1775; *cygnea* Thunberg,1788; *rebeli* Haberhauer,1902.
- 3073) Eupsilia transversa (Hufnagel,1766)** (Noctuidae) Synonym(s): *transversa* Hufnagel,1766; *satellitica* Linnaeus,1767
- 3074) Eupteryx collina (Flor,1861)** (Cicadellidae) Synonym(s): *collina* Flor,1861; *florida* Ribaut,1936
- 3075) Eupteryx cypria (Ribaut,1948)** (Cicadellidae) Synonym(s): *cypria* Ribaut,1948
- 3076) Eupteryx decemnotata Rey,1891** (Cicadellidae) Synonym(s): *decemnotata* Rey,1891
- 3077) Eupteryx filicum (Newman,1853)** (Cicadellidae) Synonym(s): *filicum* Newman,1853; *laureti* Lindberg,1936
- 3078) Eupteryx gyaurdagicus Dlabola,1957** (Cicadellidae) Synonym(s): *gyaurdagicus* Dlabola,1957
- 3079) Eupteryx melissae Curtis,1837** (Cicadellidae) Synonym(s): *melissae* Curtis,1837
- 3080) Eupteryx vicaria Linnavuori,1968** (Cicadellidae) Synonym(s): *vicaria* Linnavuori,1968
- 3081) Eupteryx zelleri (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868; *putoni* Lethierry,1876; *hipposideros* Horvath,1892; *decussata* Ribaut,1936
- 3082) Eurhadina concinna (Germar,1831)** (Cicadellidae) Synonym(s): *concinna* Germar,1831
- 3083) Eurhodope (s.str.) cirrigerella (Zincken,1818)** (Pyralidae) Synonym(s): *cirrigerella* Zincken,1818; *infusata* Staudinger,1879
- 3084) Eurhodope (s.str.) incompta (Zeller,1847)** (Pyralidae) Synonym(s): *incompta* Zeller,1847
- 3085) Eurhodope (s.str.) rosella (Scopoli,1763)** (Pyralidae) Synonym(s): *rosella* Scopoli,1763; *pudoralis* Denis & Schiffermüller,1775; *pudorella* Hübner,1796; *pudorana* Frölich,1828
- 3086) Eurhodope (s.str.) sielmannella Roesler,1969** (Pyralidae) Synonym(s): *sielmannella* Roesler,1969
- 3087) Eurodachtha flavissimella (Mann,1862)** (Lecithoceridae) Synonym(s): *flavissimella* Mann,1862
- 3088) Eurrhysis cacuminalis (Eversmann,1843)** (Pyralidae) Synonym(s): *cacuminalis* Eversmann,1843
- 3089) Eurrhysis gutturalis (Herrich-Schäffer,1848)** (Pyralidae) Synonym(s): *gutturalis* Herrich-Schäffer,1848
- 3090) Eurrhysis pollinalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985
- 3091) Eurydema (Horvath-eurydema) fieberi Fieber,1837** (Pentatomidae) Synonym(s): *fieberi* Fieber,1837; *armeniaceum* Kolenati,1846; *schaefferi* Gorski,1852; *meyeri* Fieber,1861; *caucasica* Jalkovlev,1873; *scutellata* Jakovlev,1883; *melanogaster* Horvath,1917; *gussakovskii* Kiritshenko,1952; *bagradiformis* Kiritshenko,1952
- 3092) Eurydema (Horvath-eurydema) rugulosa (Dohrn,1860)** (Pentatomidae) Synonym(s): *rugulosa* Dohrn,1860; *nigrorubra* Reuter,1900; *v-rubrum* Horvath,1917; *anaemica* Horvath,1917
- 3093) Eurydema (Rubrodorsalium) spectabilis Horvath,1882** (Pentatomidae) Synonym(s): *spectabilis* Horvath,1882; *#intaminata* Stichel,1961
- 3094) Euryphara cantans (Fabricius,1794)** (Cicadidae) Synonym(s): *cantans* Fabricius,1794
- 3095) Eurythrea austriaca (Linnaeus,1767)** (Buprestidae) Synonym(s): *austriaca* Linnaeus,1767
- 3096) Eurytoma amygdali Enderlein,1907** (Eurytomidae) Synonym(s): *amygdali* Enderlein,1907
- 3097) Eurytoma aspila (Walker,1836)** (Eurytomidae) Synonym(s): *aspila* Walker,1836
- 3098) Eurytoma martellii Domenichini,1960** (Eurytomidae) Synonym(s): *martellii* Domenichini,1960
- 3099) Eurytoma plotnikovi Nikolskaya,1934** (Eurytomidae) Synonym(s): *plotnikovi* Nikolskaya,1934
- 3100) Eurytoma robusta Mayr,1878** (Eurytomidae) Synonym(s): *robusta* Mayr,1878
- 3101) Eurytoma rosae Nees ab Esenbeck,1834** (Eurytomidae) Synonym(s): *rosae* Nees ab Esenbeck,1834; *pubicornis* Boheman,1836
- 3102) Eurytoma schreineri Schreiner,1908** (Eurytomidae) Synonym(s): *schreineri* Schreiner,1908
- 3103) Eusapromyza poeciloptera (Loew,1873)** (Lauxaniidae) Synonym(s): *poeciloptera* Loew,1873
- 3104) Euscelidia pallasii (Wiedemann,1818)** (Asilidae) Synonym(s): *conopsoides* Pallas,1818; *pallasii* Wiedemann,1818; *pubiceps* Loew,1871
- 3105) Euscelidius mundus (Haupt,1927)** (Cicadellidae) Synonym(s): *mundus* Haupt,1927; *orientalis* Dlabola,1957
- 3106) Euscelidius schenkii (Kirschbaum,1868)** (Cicadellidae) Synonym(s): *schenkii* Kirschbaum,1868; *zetterstedti* Melichar,1896
- 3107) Euscelis alsius Ribaut,1952** (Cicadellidae) Synonym(s): *alsius* Ribaut,1952
- 3108) Euscelis distinguendus (Kirschbaum,1858)** (Cicadellidae) Synonym(s): *distinguendus* Kirschbaum,1858
- 3109) Euscelis lineolatus Brullé,1832** (Cicadellidae) Synonym(s): *lineolatus* Brullé,1832; *nitidus* Curtis,1833; *stictopterus* Flor,1861; *ochrosomus* Kirschbaum,1868; *bilunaris* Rey,1891; *bilobatus* Wagner,1952
- 3110) Euspilapteryx auroguttella Stephens,1835** (Gracillariidae) Synonym(s): *stipella* Haworth,1828 nec Linn.,1761; *auroguttella* Stephens,1835; *lacertella* Zeller,1839; *plumbella* Duponchel,1845
- 3111) Eustenancistrocerus (s.str.) israelensis Giordani Soika,1938** (Vespidae) Synonym(s): *israelensis* Giordani Soika,1938; *#israelensis* Bağrıaçık & Tüzün,2005
- 3112) Eutagenia smyrnensis Solier,1838** (Tenebrionidae) Synonym(s): *smyrnensis* Solier,1838
- 3113) Eutelia adoratrix (Staudinger,1892)** (Noctuidae) Synonym(s): *adoratrix* Staudinger,1892

- 3114)** *Eutelia adulatrix* (Hübner,[1813]) (Noctuidae) Synonym(s): *adulatrix* Hübner,[1813]
- 3115)** *Euthrix potatoria* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *potatoria* Linnaeus,1758; *occidentalis* Lempke,1949
- 3116)** *Euthycera chaerophylli* (Fabricius,1798) (Sciomyzidae) Synonym(s): *variegata* DeGeer,1776 nec Sc.,1863; *chaerophylli* Fabricius,1798; *flavescens* R-D.,1830; *irrorata* Macquart,1835;
- 3117)** *Euthycera prominens* (Loew,1847) (Sciomyzidae) Synonym(s): *prominens* Loew,1847
- 3118)** *Euthycera stictica* (Fabricius,1805) (Sciomyzidae) Synonym(s): *stictica* Fabricius,1805
- 3119)** *Euthycera stictica* (Fabricius,1805) (Sciomyzidae) Synonym(s): *stictica* Fabricius,1805; *prominens* Loew,1847; *mehadiensis* Oldenberg,1923
- 3120)** *Euthystira brachyptera* (Ocskay,1826) (Acrididae) Synonym(s): *brachyptera* Ocskay,1826; *abbreviatum* Herrich-Schäffer,1840; *smaragdulum* Herrich-Schäffer,1840; *longicrus* Fischer von Waldheim,1846; *ocskayi* Fischer von Waldheim,1846; *leucoptera* Fischer von Waldheim,1846; *homoptera* Eversmann,1848; *subcaerulea* Puschnig,1910; *chrysoberyllus* Fruhstorfer,1921
- 3121)** *Eutolmus calopus* (Loew,1848) (Asilidae) Synonym(s): *calopus* Loew,1848
- 3122)** *Eutolmus graecus* Loew,1871 (Asilidae) Synonym(s): *graecus* Loew,1871
- 3123)** *Eutolmus haematoscels* (Gerstaecker,1861) (Asilidae) Synonym(s): *haematoscels* Gerstaecker,1861; *stenolabes* Loew,1871
- 3124)** *Eutolmus mordax* (Loew,1848) (Asilidae) Synonym(s): *mordax* Loew,1848
- 3125)** *Eutopha fulvifrons* (Haliday,1833) (Chloropidae) Synonym(s): *fulvifrons* Haliday,1833; *sulcata* Wulp,1871
- 3126)** *Euxesta pechumani* Curran,1938 (Ulidiidae) Synonym(s): *pechumani* Curran,1938; *stackelbergi* Kirvosheina & Kirvosheina,1995; *freyi* Kirvosheina & Kirvosheina,1997
- 3127)** *Euxoa (Chorizagrotis) penelope* Fibiger,1997 (Noctuidae) Synonym(s): *penelope* Fibiger,1997
- 3128)** *Euxoa (Pleonectopoda) hilaris* (Freyer,1838) (Noctuidae) Synonym(s): *hilaris* Freyer,1838
- 3129)** *Euxoa (s.str.) aquilina* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937.
- 3130)** *Euxoa (s.str.) conspicua* (Hübner,[1824]) (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931.
- 3131)** *Euxoa (s.str.) cos* (Hübner,[1824]) (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933.
- 3132)** *Euxoa (s.str.) decora* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller],1775
- 3133)** *Euxoa (s.str.) distinguenda* (Lederer,1857) (Noctuidae) Synonym(s): *distinguenda* Lederer,1857.
- 3134)** *Euxoa (s.str.) glabella* (Wagner,1930) (Noctuidae) Synonym(s): *glabella* Wagner,1930
- 3135)** *Euxoa (s.str.) hastifera* (Donzel,1847) (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952.
- 3136)** *Euxoa (s.str.) homicida* (Staudinger,1900) (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999.
- 3137)** *Euxoa (s.str.) montivaga* Fibiger,1997 (Noctuidae) Synonym(s): *montivaga* Fibiger,1997
- 3138)** *Euxoa (s.str.) nigricans* (Linnaeus,1761) (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907.
- 3139)** *Euxoa (s.str.) nigrofusca* (Esper,[1788]) (Noctuidae) Synonym(s): *tritici sensu auct. nec Linn.*,1761; *nigrofusca* Esper,[1788]; *praticola* Borkhausen,1792; *domestica* Fabricius,1794; *pupillata* Haworth,1803; *venosus* Haworth,1803; *pusillus* Haworth,1803; *lineolata* Haworth,1809; *sordida* Haworth,1809; *albilinea* Haworth,1809; *hortorum* Stephens,1829; *cuneigera* Stephens,1829; *nigrina* Staudinger,1867; *pygmaea* Hampson,1903; *privigna* Püngeler,1906; *fumosoides* Culot,1909
- 3140)** *Euxoa (s.str.) obelisca* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* W.Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934.
- 3141)** *Euxoa (s.str.) segnilis* (Duponchel,1836) (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957.
- 3142)** *Euxoa (s.str.) temera* (Hübner,[1808]) (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937.
- 3143)** *Euxoa (s.str.) tritici* (Linnaeus,1761) (Noctuidae) Synonym(s): *tritici* Linnaeus,1761
- 3144)** *Euxoa (s.str.) vitta* (Esper,[1789]) (Noctuidae) Synonym(s): *vitta* Esper,[1789]
- 3145)** *Euzonitis rubida* (Ménétriés,1832) (Meloidae) Synonym(s): *rubida* Ménétriés,1832
- 3146)** *Euzonitis terminata* (Abeille de Perrin,1880) (Meloidae) Synonym(s): *terminata* Abeille de Perrin,1880; *auricoma* Escherich,1891; *bombycna* Escherich,1896; *armeniaca* Pic,1901
- 3147)** *Euzophera (Cymbalorissa) fuliginosella* (Heinemann,1865) (Pyralidae) Synonym(s): *fuliginosella* Heinemann,1865; *polyxenella* Millièr,1872.
- 3148)** *Euzophera (s.str.) bigella* (Zeller,1848) (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922
- 3149)** *Euzophera (s.str.) cinerosella* (Zeller,1839) (Pyralidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimelella* Zerny,1934.
- 3150)** *Euzophera (s.str.) formosella* (Rebel,1910) (Pyralidae) Synonym(s): *formosella* Rebel,1910
- 3151)** *Euzophera (s.str.) lunulella* (Costa,1836) (Pyralidae) Synonym(s): *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851.
- 3152)** *Euzophera (s.str.) nessebarella* Soffner,1962 (Pyralidae) Synonym(s): *nessebarella* Soffner,1962
- 3153)** *Euzophera (s.str.) osseatella* (Treitschke,1832) (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901.
- 3154)** *Euzophera (s.str.) pinguis* (Haworth,[1811]) (Pyralidae) Synonym(s): *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848.
- 3155)** *Euzophera (s.str.) pulchella* Ragonot,1887 (Pyralidae) Synonym(s): *pulchella* Ragonot,1887; *xylomorpha* Meyrick,1937
- 3156)** *Euzophera (s.str.) umbrosella* (Staudinger,1879) (Pyralidae) Synonym(s): *umbrosella* Staudinger,1879; *albugilvella* Ragonot,1887; *depauperatella* Ragonot,1901.

- 3157) Euzopherodes lutisignella (Mann,1869)** (Pyrilidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924.
- 3158) Euzopherodes vapidella (Mann,1857)** (Pyrilidae) Synonym(s): *vapidella* Mann,1857; *tenebrosa* Zeller,1867; *lutescentella* Chrétien,1911; *xylobrunnea* Amsel,1951.
- 3159) Evagetes dubius (Van der Linden,1827)** (Pompilidae) Synonym(s): *dubius* Van der Linden,1827; *obscurodubius* Wolf & Diniz,1970
- 3160) Evagetes elongatus Lepeletier,1845** (Pompilidae) Synonym(s): *elongatus* Lepeletier,1845; *infernalis* Wolf,1970
- 3161) Evagetes pectinipes (Linnaeus,1758)** (Pompilidae) Synonym(s): *pectinipes* Linnaeus,1758; *trispinosus* Kohl,1886; *mediterraneus* Wolf,1970
- 3162) Evagetes pontomoravicus (Sustera,1938)** (Pompilidae) Synonym(s): *pontomoravicus* Sustera,1938; *schwarzi* Priesner,1965; *mauromoustakisi* Wolf,1970
- 3163) Evagetes proximus (Dahlbom,1843)** (Pompilidae) Synonym(s): *proximus* Dahlbom,1843
- 3164) Evagetes sculus (Lepeletier,1845)** (Pompilidae) Synonym(s): *sculus* Lepeletier,1845; *seitzii* Haupt,1927; *villicus* Tournier,1969
- 3165) Evergestis aenealis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *aenealis* [Denis & Schiffermüller],1775; *furvalis* Hübner,1796; *rufimitralis* Hübner,1796; *nigralis* Schrank,1802; *mitralis* Hübner,[1825]
- 3166) Evergestis caesialis Herrich-Schäffer,[1855]** (Pyrilidae) Synonym(s): *caesialis* Herrich-Schäffer,[1855]
- 3167) Evergestis extimalis (Scopoli,1763)** (Pyrilidae) Synonym(s): *extimalis* Scopoli,1763; *margaritalis* [Denis & Schiffermüller],1775; *flavofusca* Retzius,1783; *mediella* Goetze,1783; *intermediata* Fourcroy,1785; *erucalis* Hübner,1796
- 3168) Evergestis frumentalis (Linnaeus,1761)** (Pyrilidae) Synonym(s): *frumentalis* Linnaeus,1761
- 3169) Evergestis infirmalis (Staudinger,1870)** (Pyrilidae) Synonym(s): *infirmalis* Staudinger,1870; *helenalis* Staudinger,1870
- 3170) Evergestis isatidalis (Duponchel,1833)** (Pyrilidae) Synonym(s): *isatidalis* Duponchel,1833
- 3171) Evergestis limbata (Linnaeus,1767)** (Pyrilidae) Synonym(s): *limbata* Linnaeus,1767; *praetextalis* Hübner,[1825]; *limbalis* Hübner,[1825]
- 3172) Evergestis mundalis (Guenée,1854)** (Pyrilidae) Synonym(s): *mundalis* Guenée,1854
- 3173) Evergestis serratalis (Staudinger,1870)** (Pyrilidae) Synonym(s): *serratalis* Staudinger,1870
- 3174) Evergestis sophialis (Fabricius,1787)** (Pyrilidae) Synonym(s): *sophialis* Fabricius,1787; *variegalis* Fabricius,1787; *sophiae* Fabricius,1798
- 3175) Evergestis subfuscalis (Staudinger,1870)** (Pyrilidae) Synonym(s): *subfuscalis* Staudinger,1870
- 3176) Evisa schawerdae Reisser,1930** (Noctuidae) Synonym(s): *schawerdae* Reisser,1930
- 3177) Exaeretia conciliatella (Rebel,1892)** (Oecophoridae) Synonym(s): *conciliatella* Rebel,1892
- 3178) Exaeretia nigromaculata Hannemann,1989** (Oecophoridae) Synonym(s): *nigromaculata* Hannemann,1989
- 3179) Exechia fulva Santos Abreu,1920** (Mycetophilidae) Synonym(s): *fulva* Santos Abreu,1920; *exornata* Séguéy,1941; *peyerimhoffi* Burghle-Balacesco,1966
- 3180) Exhyalanthrax afer (Fabricius,1794)** (Bombyliidae) Synonym(s): *afer* Fabricius,1794; *fimbriata* Meigen,1804; *marginalis* Wiedemann,1820; *tangerinus* Bigot,1892; *burtii* Hesse,1956; *aequisex* Bowden,1964; *decipiens* Bowden,1964
- 3181) Exhyalanthrax argentifer (Becker,1916)** (Bombyliidae) Synonym(s): *argentifer* Becker,1916
- 3182) Exhyalanthrax collarti (François,1962)** (Bombyliidae) Synonym(s): *collarti* François,1962
- 3183) Exhyalanthrax contrarius Becker,1916** (Bombyliidae) Synonym(s): *contrarius* Becker,1916
- 3184) Exhyalanthrax melanchlaenus (Loew,1869)** (Bombyliidae) Synonym(s): *melanchlaenus* Loew,1869; *agnitionalis* Austen,1937
- 3185) Exhyalanthrax muscarius (Pallas,1818)** (Bombyliidae) Synonym(s): *muscarius* Pallas,1818; *vagans* Loew,1862; *squamifera* Jaennicke,1867; *marginalis* Bezzi,1903; *beckeri* Paramonov,1927; *unistriata* Engel,1936
- 3186) Exitianus capicola (Stal,1855)** (Cicadellidae) Synonym(s): *capicola* Stal,1855; *taeniaticeps* Kirschbaum,1868; *ragusai* Haupt,1924; *albipennis* Haupt,1927
- 3187) Exophyla rectangularis (Geyer,[1828])** (Noctuidae) Synonym(s): *rectangularis* Geyer,[1828]; *#rectangularis* Lehmann, Hacker et al.,1998
- 3188) Exopristus trigonomerus (Masi,1916)** (Torymidae) Synonym(s): *trigonomerus* Masi,1916
- 3189) Exoprosopa baccha Loew,1869** (Bombyliidae) Synonym(s): *baccha* Loew,1869
- 3190) Exoprosopa capucina (Fabricius,1781)** (Bombyliidae) Synonym(s): *capucina* Fabricius,1781; *caloptera* Pallas,1818
- 3191) Exoprosopa dispar (Loew,1869)** (Bombyliidae) Synonym(s): *dispar* Loew,1869; *interrupta* Paramonov,1928 *nec* Wied.,1828; *paramonovi* Evenhuis,1978
- 3192) Exoprosopa grandis (Wiedemann,1820)** (Bombyliidae) Synonym(s): *grandis* Wiedemann,1820; *fasciata* Dufour,1850 *nec* Meig.,1804; *turcomana* Portschinsky,1887
- 3193) Exoprosopa jacchus (Fabricius,1805)** (Bombyliidae) Synonym(s): *jacchus* Fabricius,1805; *picta* Wiedemann,1820; *quadripunctata* Paramonov,1926
- 3194) Exoprosopa melaena Loew,1874** (Bombyliidae) Synonym(s): *melaena* Loew,1874; *abbreviata* Paramonov,1928
- 3195) Exoprosopa minois Loew,1869** (Bombyliidae) Synonym(s): *minois* Loew,1869; *semiflavida* Becker,1906
- 3196) Exoprosopa minos (Meigen,1804)** (Bombyliidae) Synonym(s): *minos* Meigen,1804; *semialba* Pallas & Wiedemann,1818; *germari* Wiedemann,1818; *senilis* Klug,1832; *albiventris* Macquart,1840
- 3197) Exoprosopa onusta (Walker,1852)** (Bombyliidae) Synonym(s): *onusta* Walker,1852; *truquii* Rondani,1863
- 3198) Exoprosopa pallasii (Wiedemann,1818)** (Bombyliidae) Synonym(s): *pallasii* Wiedemann,1818; *rhymnica* Eversmann,1855; *dionysii* Bigot,1861; *dionysii* Kertész,1909
- 3199) Exoprosopa pectoralis Loew,1862** (Bombyliidae) Synonym(s): *pectoralis* Loew,1862
- 3200) Exoprosopa rutila (Wiedemann,1818)** (Bombyliidae) Synonym(s): *rutila* Wiedemann,1818; *daubei* Guérin-Méneville,1844; *miegii* Dufour,1850; *interrupta* Mulsant,1852; *hilaris* Eversmann,1855; *kruegeri* Bezzi,1926
- 3201) Exorista (Adenia) mimula (Meigen,1824)** (Tachinidae) Synonym(s): *mimula* Meigen,1824
- 3202) Exorista (Adenia) rustica (Fallén,1810)** (Tachinidae) Synonym(s): *rustica* Fallén,1810; *germana* R-D.,1830; *grisea* R-D.,1830; *lauta* R-D.,1863
- 3203) Exorista (Ptilotachina) deligata Pandellé,1896** (Tachinidae) Synonym(s): *deligata* Pandellé,1896
- 3204) Exorista (s.str.) larvarum (Linnaeus,1758)** (Tachinidae) Synonym(s): *larvarum* Linnaeus,1758
- 3205) Exorista civilis (Rondani,1859)** (Tachinidae) Synonym(s): *civilis* Rondani,1859
- 3206) Exorista cuneata Herting,1971** (Tachinidae) Synonym(s): *cuneata* Herting,1971
- 3207) Exorista grandis (Zetterstedt,1844)** (Tachinidae) Synonym(s): *grandis* Zetterstedt,1844
- 3208) Exorista nova (Rondani,1859)** (Tachinidae) Synonym(s): *nova* Rondani,1859
- 3209) Exorista segregata (Rondani,1859)** (Tachinidae) Synonym(s): *segregata* Rondani,1859

- 3210) Exoteleia dodecella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *dodecella* Linnaeus,1758; *punctulata* Fourcroy,1785; *dodecea* Haworth,1828; *annulicornis* Stephens,1834; *favillaticea* Zeller,1839; *reussiella* Ratzeburg,1840.
- 3211) Eyprepocnemis plorans (Charpentier,1825)** (Acrididae) Synonym(s): *plorans* Charpentier,1825; *reticulatus* Fischer von Waldheim,1839; *tarsius* Fischer von Waldheim,1846; *consobrina* Walker,1870; *senegalensis* Bolivar,1914; *pallida* Uvarov,1921; *#polarans* Salman,1978
- 3212) Fabiola pokornyi (Nickerl,1864)** (Oecophoridae) Synonym(s): *pokornyi* Nickerl,1864
- 3213) Fagivorina arenaria (Hufnagel,1767)** (Geometridae) Synonym(s): *arenaria* Hufnagel,1767
- 3214) Falcaria lacertinaria (Linnaeus,1758)** (Drepanidae) Synonym(s): *lacertinaria* Linnaeus,1758; *lacertula* [Denis & Schiffermüller],1775; *lacertina* Retzius,1783; *dentaria* Thunberg,1784; *lacertinalis* Haworth,1802; *curvula* Haworth,1802
- 3215) Falcidius apterus (Fabricius,1794)** (Issidae) Synonym(s): *apterus* Fabricius,1794; *barbarica* Turton,1802; *limbatum* A.Costa,1864; *heydenii* Kirschbaum,1868; *striolatum* Fieber,1877; *areolatus* A.Costa,1883
- 3216) Fallenia fasciata (Fabricius,1805)** (Nemestrinidae) Synonym(s): *fasciata* Fabricius,1805
- 3217) Falseuncaria ruficiliana (Haworth,1811)** (Tortricidae) Synonym(s): *ciliella* Hübner,[1796] *nec* [Denis & Schiff.],1775; *ruficiliana* Haworth,[1811]; *coniana* Fuchs,1903; *tectana* Fuchs,1903.
- 3218) Fannia scalaris (Fabricius,1794)** (Fanniidae) Synonym(s): *scalaris* Fabricius,1794
- 3219) Faveria dionysia (Zeller,1846)** (Pyralidae) Synonym(s): *dionysia* Zeller,1846; *terrella* Ragonot,1888; *isoxyla* Meyrick,1937
- 3220) Fermocelina gardesanella (Hartig,1950)** (Tineidae) Synonym(s): *gardenanella* Hartig,1950.
- 3221) Fermocelina liguriella (Millière,1879)** (Tineidae) Synonym(s): *inquinatella* Zeller,1852 *nec* [Den. & Schiff.],1775; *liguriella* Millière,1879.
- 3222) Fieberiella chioscola Meyer-Arndt,1988** (Cicadellidae) Synonym(s): *chioscola* Meyer-Arndt,1988
- 3223) Fieberiella duffelsi Wagner,1963** (Cicadellidae) Synonym(s): *duffelsi* Wagner,1963
- 3224) Fieberiella florii (Stal,1864)** (Cicadellidae) Synonym(s): *florii* Stal,1864
- 3225) Fieberiella ida Dlabola,1965** (Cicadellidae) Synonym(s): *ida* Dlabola,1965
- 3226) Flastena fumata (Lindberg,1948)** (Delphacidae) Synonym(s): *fumata* Lindberg,1948
- 3227) Foesteria puber (Haliday,1835)** (Braconidae) Synonym(s): *puber* Haliday,1835; *opacus* Reinhard,1867; *flavipes* Szepligeti,1896; *talitzkii* Tobias,1961
- 3228) Forcipomyia (s.str.) antrijovis (Kieffer,1919)** (Ceratopogonidae) Synonym(s): *antrijovis* Kieffer,1919
- 3229) Forficula lurida Fischer,1853** (Forficulidae) Synonym(s): *lurida* Fischer,1853; *orientalis* Burr,1900
- 3230) Forficula smyrnensis Audinet-Serville,1839** (Forficulidae) Synonym(s): *smyrnensis* Audinet-Serville,1839
- 3231) Formicomus ionicus LaFerté & Sénectere,1847** (Anthicidae) Synonym(s): *ionicus* LaFerté & Sénectere,1847
- 3232) Frutoidia (s.str.) bisignata (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *bisignata* Mulsant & Rey,1855; *bactriana* Zachvatkin,1947
- 3233) Furcula bifida (Brahm,1787)** (Notodontidae) Synonym(s): *hermelina* Goeze,1781 *nec* Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933; *beida* Rungs,1956
- 3234) Furcula furcula (Linnaeus,1761)** (Notodontidae) Synonym(s): *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965.
- 3235) Gaedia connexa (Meigen,1824)** (Tachinidae) Synonym(s): *connexa* Meigen,1824
- 3236) Gaedia distincta Egger,1861** (Tachinidae) Synonym(s): *distincta* Egger,1861
- 3237) Gaedikeia kokkariensis Sutter,1998** (Tineidae) Synonym(s): *kokkariensis* Sutter,1998
- 3238) Galeatus scrophicus Saunders,1876** (Tingidae) Synonym(s): *scrophicus* Saunders,1876; *helianthi* Önder & Lodos,1977
- 3239) Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombrugheella* Dufrane,1930.
- 3240) Gastrodes grossipes (De Geer,1773)** (Lygaeidae) Synonym(s): *grossipes* De Geer,1773
- 3241) Gastropacha (s.str.) quercifolia (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochsenheimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909
- 3242) Gegenes nostrodamus (Fabricius,1793)** (Hesperiidae) Synonym(s): *nostrodamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *pumiliominima* Verity,1931; *megalegyna* Verity,1940.
- 3243) Gegenes pumilio (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrilli,1787 *nec* Fabr.,1775; *aetna* Boisduval,1840; *lefebvrei* Rambur,1842; *monochroa* Rebel,1907.
- 3244) Gelechia dujardini Huemer,1991** (Gelechiidae) Synonym(s): *dujardini* Huemer,1991.
- 3245) Gelechia mediterranea Huemer,1991** (Gelechiidae) Synonym(s): *mediterranea* Huemer,1991.
- 3246) Gelechia scotinella Herrich-Schäffer,[1854]** (Gelechiidae) Synonym(s): *scotinella* Herrich-Schäffer,[1854]
- 3247) Gelechia senticetella (Staudinger,1859)** (Gelechiidae) Synonym(s): *senticetella* Staudinger,1859; *obscuripennis* Frey,1880; *limitanella* Rebel,1904; *#senticella* Rebel,1932; *nigrostriatella* Zerny,1936.
- 3248) Gelechia sororculella (Hübner,[1817])** (Gelechiidae) Synonym(s): *sororculella* Hübner,[1817]
- 3249) Gelis sculptator Aubert,1977** (Ichneumonidae) Synonym(s): *sculptator* Aubert,1977
- 3250) Geostiba euboica (Pace,1990)** (Staphylinidae) Synonym(s): *euboica* Pace,1990
- 3251) Geotrupes spiniger (Marsham,1802)** (Geotrupidae) Synonym(s): *spiniger* Marsham,1802
- 3252) Germaria erecta Ziegler,2010** (Tachinidae) Synonym(s): *erecta* Ziegler,2010
- 3253) Germaria graeca (Brauer & Bergenstamm,1889)** (Tachinidae) Synonym(s): *graeca* Brauer & Bergenstamm,1889
- 3254) Germaria neglecta Ziegler,2010** (Tachinidae) Synonym(s): *neglecta* Ziegler,2010
- 3255) Germaria ruficeps (Fallén,1820)** (Tachinidae) Synonym(s): *ruficeps* Fallén,1820; *latifrons* R.-D.,1830
- 3256) Geron (s.str.) freidbergi Zaitzev,1996** (Bombyliidae) Synonym(s): *freidbergi* Zaitzev,1996
- 3257) Geron (s.str.) gibbosus (Olivier,1789)** (Bombyliidae) Synonym(s): *gibbosus* Olivier,1789; *hybridus* Meigen,1804; *gibbosus* Meigen,1820; *corcyreus* Frey,1936
- 3258) Geron (s.str.) halteralis Wiedemann,1820** (Bombyliidae) Synonym(s): *halteralis* Wiedemann,1820; *albidulus* François,1969
- 3259) Geron (s.str.) krymensis Paramonov,1929** (Bombyliidae) Synonym(s): *krymensis* Paramonov,1929
- 3260) Geron (s.str.) macquarti Greathead,1999** (Bombyliidae) Synonym(s): *macquarti* Greathead,1999
- 3261) Geron (s.str.) olivierii Macquart,1840** (Bombyliidae) Synonym(s): *olivierii* Macquart,1840
- 3262) Geron (s.str.) smirnovi Zaitzev,1978** (Bombyliidae) Synonym(s): *smirnovi* Zaitzev,1978
- 3263) Gerris ventralis Fieber,1860** (Gerridae) Synonym(s): *ventralis* Fieber,1860
- 3264) Glabellula meridionalis François,1955** (Mythicomylidae) Synonym(s): *meridionalis* François,1955
- 3265) Glaphyrus modestus Kiesenwetter,1858** (Glaphyridae) Synonym(s): *modestus* Kiesenwetter,1858; *nigripes* Schaufuss,1879

- 3266) *Glaucocharis euchromiella* (Ragonot,1895)** (Pyrilidae) Synonym(s): *euchromiella* Ragonot,1895; *sinualis* Hampson,1900; *rebeli* Osthelder,1941.
- 3267) *Glaucopsyche (Iolana) iolas* (Ochsenheimer,1816)** (Lycaenidae) Synonym(s): *iolas* Ochsenheimer,1816; *obscuriolas* Betti,1977.
- 3268) *Glaucopsyche* (s.str.) *alexis* (Poda,1761)** (Lycaenidae) Synonym(s): *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; #*sublugens* Strand,1909; #*insulicola* Turati & Fiori,1930; #*mironi* Coutsis,1976.
- 3269) *Globiceps holtzi* Reuter,1912** (Miridae) Synonym(s): *holtzi* Reuter,1912
- 3270) *Globiceps horvathi* Reuter,1912** (Miridae) Synonym(s): *horvathi* Reuter,1912
- 3271) *Glossotrophia (Libanonia) sacraria* (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910
- 3272) *Glossotrophia (Parenzanella) asellaria* (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *asellaria* Herrich-Schäffer,1847
- 3273) *Glossotrophia* (s.str.) *confinaria* (Herrich-Schäffer,[1847])** (Geometridae) Synonym(s): *confinaria* Herrich-Schäffer,[1847]
- 3274) *Glossotrophia* (s.str.) *diffinaria* L.B.Prout,1913** (Geometridae) Synonym(s): *luridata* Staudinger,1871 *nec* Zell.; *diffinaria* L.B.Prout,1913
- 3275) *Glyphipterix equitella* (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *equitella* Scopoli,1763; *majorella* Heinemann & Wocke,[1876]; *minorella* Snellen,1882; *crassilunella* Rebel,1916; *zermattensis* Amsel,1933; *sexguttella* Toll,1936
- 3276) *Glyphipterix schoenicolella* Boyd,1859** (Glyphipterygidae) Synonym(s): *schoenicolella* Boyd,1859
- 3277) *Glyphipterix simpliciella* (Stephens,1834)** (Glyphipterygidae) Synonym(s): *simpliciella* Stephens,1834; *cognatella* Stephens,1834; *conjunctella* Costa,1834; *colluripennella* Costa,1834; *aechmiella* Duponchel,1838; *fischeriella* Zeller,1839; *desideratella* Duponchel,1842; *roeslerstammella* Fischer v. Roeslerstamm,1843; #*nattani* Gozmany,1954
- 3278) *Glyphipterix thrasonella* (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *thrasonella* Scopoli,1763; *klemannella* Fabricius,1781; *fueslella* Fabricius,1787; *fyeslella* Fabricius,1794; *ahornerella* Hübner,1796; *seppella* Hübner,1796; *aillyella* Hübner,1796; *triguttella* Donovan,1806; *fuesslii* Haworth,1828; *equitella* Treitschke,1833; *poeyella* Duponchel,1838; *cladiella* Stainton,1859; *eyndhoveniella* Snellen,1882; *albardella* Snellen,1882; #*nitens* Bankes,1907; *struvei* Amsel,1938
- 3279) *Glyphomerus stigma* (Fabricius,1793)** (Torymidae) Synonym(s): *stigma* Fabricius,1793
- 3280) *Glyphomerus tibialis* Förster,1856** (Torymidae) Synonym(s): *tibialis* Förster,1856
- 3281) *Glyptomorpha baetica* (Spinola,1843)** (Braconidae) Synonym(s): *baetica* Spinola,1843
- 3282) *Gnaptor spinimanus* (Pallas,1781)** (Tenebrionidae) Synonym(s): *spinimanus* Pallas,1781; *glabratus* Fabricius,1792; *laevigatus* Fabricius,1792; *graecus* Küster,1848
- 3283) *Gnophos (Dicrognophos) sartatus* (Treitschke,1827)** (Geometridae) Synonym(s): *sartata* Treitschke,1827; *syriaca* Thierry-Mieg,1916.
- 3284) *Gnophos* (s.str.) *furvatus* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): #*furvata* [Denis & Schiffermüller],1775; *meridionalis* Wehrli,1924
- 3285) *Gnophos* (s.str.) *obfuscatus* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): #*obfuscata* [Denis & Schiffermüller],1775
- 3286) *Gomphocerippus rufus* (Linnaeus,1758)** (Acrididae) Synonym(s): *rufus* Linnaeus,1758; *clavicorne* DeGeer,1773
- 3287) *Gomphocerus sibiricus* (Linnaeus,1767)** (Acrididae) Synonym(s): *sibiricus* Linnaeus,1767; *clavimanus* Pallas,1772; *graecus* Uvarov,1931; *helveticus* Uvarov,1931; *hispanicus* Uvarov,1931; *pyrenaicus* Uvarov,1931; *turcicus* Mistshenko,1951
- 3288) *Gonepteryx (Isogonepteryx) cleopatra* (Linnaeus,1767)** (Pieridae) Synonym(s): *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920.
- 3289) *Gonepteryx* (s.str.) *farinosa* (Zeller,1847)** (Pieridae) Synonym(s): *farinosa* Zeller,1847
- 3290) *Gonepteryx* (s.str.) *ramni* (Linnaeus,1758)** (Pieridae) Synonym(s): *ramni* Linnaeus,1758; *gravesi* Huggins,1956.
- 3291) *Goniodoma auroguttella* (Fischer v. Röslerstamm,1841)** (Coleophoridae) Synonym(s): *auroguttella* Fischer v. Röslerstamm,1841
- 3292) *Goniodoma limoniella* (Stainton,1884)** (Coleophoridae) Synonym(s): *limoniella* Stainton,1884
- 3293) *Gonocerus imitator* Reuter,1891** (Coreidae) Synonym(s): *imitator* Reuter,1891; *carreti* Puton,1895
- 3294) *Gonospileia triquetra* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881.
- 3295) *Gortyna borelii* (Pierret,1837)** (Noctuidae) Synonym(s): *borelii* Pierret,1837
- 3296) *Gortyna flavago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller],1775
- 3297) *Gortyna moesiaca* Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *moesiaca* Herrich-Schäffer,[1849]; *perlucida* W.Warren,1911.
- 3298) *Gortyna xanthenes* (Germar,[1842])** (Noctuidae) Synonym(s): *xanthenes* Germar,[1842]
- 3299) *Grammodes bifasciata* (Petagna,1786)** (Noctuidae) Synonym(s): *geometrica* auct.; *bifasciata* Petagna,1786; *linearis* Hübner,1790; *parallela* Cyrillo,1790; *chalcipetra* Borkhausen,1792; *parallelaris* Hübner,[1803].
- 3300) *Grammodes stolidus* (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidus* Fabricius,1775; *cingularis* Hübner,[1808]; *stupidus* Herrich-Schäffer,1851; *curvilinea* Walker,1869.
- 3301) *Graphogaster vestita* Rondani,1868** (Tachinidae) Synonym(s): *vestita* Rondani,1868
- 3302) *Graphomya maculata* (Scopoli,1763)** (Muscidae) Synonym(s): *maculata* Scopoli,1763; *compuncta* Harris,1780
- 3303) *Graptodytes bilineatus* (Sturm,1835)** (Dytiscidae) Synonym(s): *bilineatus* Sturm,1835; *nigritarsis* Sahlberg,1882; *hopffgarteni* Schilsky,1892; *pervasus* Gozis,1914; *narentinus* Zimmermann,1915
- 3304) *Graptostethus servus* (Fabricius,1787)** (Lygaeidae) Synonym(s): *servus* Fabricius,1787; *maculicollis* Germar,1847; *rubricosus* Stal,1854; *manillensis* Stal,1860; *ornatus* Uhler,1860; #*conjuncta* Srtichel,1957
- 3305) *Gravarmata margarotana* (Heinemann,1863)** (Tortricidae) Synonym(s): *margarotana* Heinemann,1863; *amethystana* Peyerimhoff,1872; *retiferana* Wocke,1879
- 3306) *Gryllomorpha (Gryllomorphella) miramae* Medvedev,1933** (Gryllidae) Synonym(s): *miramae* Medvedev,1933
- 3307) *Gryllomorpha* (s.str.) *cretensis* Ramme,1927** (Gryllidae) Synonym(s): *cretensis* Ramme,1927
- 3308) *Gryllomorpha* (s.str.) *dalmatina* (Ocskay,1832)** (Gryllidae) Synonym(s): *dalmatina* Ocskay,1832; *aptera* Herrich-Schäffer,1838; *fasciata* Fieber,1853; *longicauda* Pinot,1897; *pieperi* Harz,1979; *strumae* Andreeva,1982
- 3309) *Gryllotalpa gryllotalpa* (Linnaeus,1758)** (Gryllotalpidae) Synonym(s): *gryllotalpa* Linnaeus,1758; *talpa* Olivier,1791; *vulgaris* Latreille,1804
- 3310) *Gryllotalpa kimbasi* Baccetti,1992** (Gryllotalpidae) Synonym(s): *kimbasi* Baccetti,1992
- 3311) *Grypotes staurus* Ivanoff,1885** (Cicadellidae) Synonym(s): *staurus* Ivanoff,1885; *australis* Haupt,1927
- 3312) *Gymnancyla* (s.str.) *canella* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *canella* [Denis & Schiffermüller],1775; *deposittella* Zincken,1818; *canellaris* Hübner,[1825].
- 3313) *Gymnancyla (Spermatophthora) hornigii* (Lederer,1852)** (Pyrilidae) Synonym(s): *hornigii* Lederer,1852; #*hornigi* Hannemann,1964.

- 3314) *Gymnocnemia variegata* (Schneider,1845)** (Myrmeleonidae) Synonym(s): *variegata* Schneider,1845; *multipunctatus* Costa,1855; *mocsaryi* Pongracz,1910
- 3315) *Gymnomerus laevipes* (Shuckard,1837)** (Vespidae) Synonym(s): *laevipes* Shuckard,1837; *cognatus* Dufour,1839; *rubicola* Dufour,1839; *simplicipes* Herrich-Schäffer,1839
- 3316) *Gymnopleurus geoffroyi* Fuessly,1785** (Scarabaeidae) Synonym(s): *geoffroyi* Fuessly,1785; *cantharus* Illiger,1803
- 3317) *Gymnoscelis rufifasciata* (Haworth,[1809])** (Geometridae) Synonym(s): *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813].
- 3318) *Gymnosoma clavatum* (Rohdendorf,1947)** (Tachinidae) Synonym(s): *clavata* Rohdendorf,1947; *verbekei* Mesnil,1952
- 3319) *Gymnosoma nudifrons* Herting,1966** (Tachinidae) Synonym(s): *nudifrons* Herting,1966
- 3320) *Gynnidomorpha permixtana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *permixtana* [Denis & Schiffermüller],1775; *antennana* Frölich,1828; *mussehlana* Treitschke,1835; *dymotana* Treitschke,1835.
- 3321) *Gypochoera renitidata* (Hübner,[1817])** (Geometridae) Synonym(s): *renitidata* Hübner,[1817].
- 3322) *Gypsonoma aceriana* (Duponchel,1843)** (Tortricidae) Synonym(s): *aceriana* Duponchel,1843; *belgiensis* Dufrane,1945
- 3323) *Gypsonoma dealbana* (Frölich,1828)** (Tortricidae) Synonym(s): *dealbana* Frölich,1828; *alnetana* Guenée,1845
- 3324) *Gypsonoma minutana* (Hübner,[1799])** (Tortricidae) Synonym(s): *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836
- 3325) *Gypsonoma sociana* (Haworth,[1811])** (Tortricidae) Synonym(s): *sociana* Haworth,[1811]; *neglectana* Duponchel,1844
- 3326) *Gyrinus caspius* Ménétériés,1832** (Gyrinidae) Synonym(s): *caspius* Ménétériés,1832
- 3327) *Habropoda ezonata* Smith,1854** (Apidae) Synonym(s): *ezonata* Smith,1854
- 3328) *Habropoda tarsata* (Spinola,1838)** (Apidae) Synonym(s): *tarsata* Spinola,1838
- 3329) *Habropoda zonatula* Smith,1854** (Apidae) Synonym(s): *zonatula* Smith,1854
- 3330) *Habropogon longiventris* Loew,1847** (Asilidae) Synonym(s): *longiventris* Loew,1847
- 3331) *Hada plebeja* (Linnaeus,1761)** (Noctuidae) Synonym(s): *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiffermüller],1775; *leucostigma* Haworth,1809; *odontides* Boisduval,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rebel & Zerny,[1932]; *littoralis* Schawerda,1938; *gredensis* Schawerda,1938; *nevadensis* Schawerda,1938; *hauwelkae* Schawerda,1938
- 3332) *Hadena* (*Anepia*) *perplexa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933
- 3333) *Hadena* (*Anepia*) *silenes* (Hübner,[1822])** (Noctuidae) Synonym(s): *silenes* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850].
- 3334) *Hadena* (*Anepia*) *syriaca* (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933.
- 3335) *Hadena* (*Enterpia*) *laudeti* (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval,1840
- 3336) *Hadena* (*Maschukia*) *pumila* (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879
- 3337) *Hadena* (*Pinkericola*) *tephroleuca* (Boisduval,1833)** (Noctuidae) Synonym(s): *tephroleuca* Boisduval,1833
- 3338) *Hadena* (s.str.(*Albimaculia*)) *adriana* (Schawerda,1921)** (Noctuidae) Synonym(s): *adriana* Schawerda,1921
- 3339) *Hadena* (s.str.(*Albimaculia*)) *albimacula* (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820].
- 3340) *Hadena* (s.str.(*Albimaculia*)) *gueneei* (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905
- 3341) *Hadena* (s.str.(*Caeshadena*)) *caesia* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *caesia* [Denis & Schiffermüller],1775; *dichroma* Esp.,[1790].
- 3342) *Hadena* (s.str.(*Clarhadena*)) *clara* (Staudinger,1901)** (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938.
- 3343) *Hadena* (s.str.(*Clarhadena*)) *drenowski* (Rebel,1930)** (Noctuidae) Synonym(s): *drenowski* Rebel,1930.
- 3344) *Hadena* (s.str.(*Dianthoeicia*)) *impressa* (Esper,[1790])** (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790].
- 3345) *Hadena* (s.str.(*Filigrana*)) *filograna* (Esper,[1788])** (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821].
- 3346) *Hadena* (s.str.(*Hadenobilis*)) *vulcanica* (Turati,1907)** (Noctuidae) Synonym(s): *vulcanica* Turati,1907
- 3347) *Hadena* (s.str.(*Luteocincta*)) *persimilis* Hacker,1996** (Noctuidae) Synonym(s): *persimilis* Hacker,1996
- 3348) *Hadena* (s.str.(*Magnolihadena*)) *magnolii* (Boisduval,1828)** (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844.
- 3349) *Hadena* (s.str.(*Miselia*)) *compta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908.
- 3350) *Hadena* (s.str.(*Zeteolyga*)) *confusa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902.
- 3351) *Hadula* (*Calocestra* (*Hadumendax*)) *mendax* (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax* Staudinger,1879
- 3352) *Hadula* (*Calocestra* (*Hadupugnax*)) *odontites* (Boisduval,1829)** (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941.
- 3353) *Hadula* (*Calocestra* (*Hadutrifolium*)) *trifolii* (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921
- 3354) *Hadula* (*Calocestra* (*Stigmoma*)) *sodae* (Boisduval,1829)** (Noctuidae) Synonym(s): *sodae* Boisduval,1829; *sodae* Rambur,1829.
- 3355) *Hadula* (*Calocestra* (*Stigmoma*)) *stigmoma* (Christoph,1887)** (Noctuidae) Synonym(s): *stigmoma* Christoph,1887.
- 3356) *Hadula* (*Cardiestra*) *vassilini* (O.Bang-Haas,1927)** (Noctuidae) Synonym(s): *vassilini* O.Bang-Haas,1927
- 3357) *Haematoloma dorsatum* (Ahrens,1812)** (Cercopidae) Synonym(s): *dorsatum* Ahrens,1812; *quinquemaculata* Germar,1821; *lugens* Horvath,1882
- 3358) *Haematopota gallica* Szilady,1923** (Tabanidae) Synonym(s): *gallica* Szilady,1923
- 3359) *Haematopota graeca* Szilady,1923** (Tabanidae) Synonym(s): *graeca* Szilady,1923
- 3360) *Haematopota grandis* Macquart,1834** (Tabanidae) Synonym(s): *grandis* Macquart,1834; *fraseri* Austen,1925
- 3361) *Haematopota italica* Meigen,1804** (Tabanidae) Synonym(s): *italica* Meigen,1804; *elongata* Lepeletier & Audinet-Serville,1828; *gymnonota* Brullé,1832; *tenuicornis* Macquart,1834; *longicornis* Macquart,1834; *nigricornis* Gobert,1880; *argyrophora* Kröber,1922
- 3362) *Haematopota longantennata* Olsufjev,1937** (Tabanidae) Synonym(s): *longantennata* Olsufjev,1937

- 3363) Haematopota ocelligera Kröber,1922** (Tabanidae) Synonym(s): *ocelligera* Kröber,1922; *hispanica* Szilady,1923; *belligera* Austen,1925
- 3364) Haematopota pandazisi Kröber,1936** (Tabanidae) Synonym(s): *variegata* auct.; *pandazisi* Kröber,1936
- 3365) Haemerosia renalis (Hübner,[1813])** (Noctuidae) Synonym(s): *renalis* Hübner,[1813]
- 3366) Haetosmia vechti (Peters,1974)** (Megachilidae) Synonym(s): *vechti* Peters,1974
- 3367) Halictus (Hexataenites) scabiosae (Rossi,1790)** (Halictidae) Synonym(s): *scabiosae* Rossi,1790; *alternans* Fabricius,1793; *zebrus* Walckenaer,1817; *griseozonatus* Dours,1872; *powelli* Cockerell,1931
- 3368) Halictus (Hexataenites) sexcinctus (Fabricius,1775)** (Halictidae) Synonym(s): *sexcinctus* Fabricius,1775
- 3369) Halictus (s.str.) alfkenellus Strand,1909** (Halictidae) Synonym(s): *alfkenellus* Strand,1909; *cedens* Strand,1925
- 3370) Halictus (s.str.) asperulus Pérez,1895** (Halictidae) Synonym(s): *asperulus* Pérez,1895
- 3371) Halictus (s.str.) brunnescens (Eversmann,1852)** (Halictidae) Synonym(s): *brunnescens* Eversmann,1852; *maximus* Friese,1916; *aegyptiacus* Friese,1916
- 3372) Halictus (s.str.) centaureae Ebmer,1982** (Halictidae) Synonym(s): *centaureae* Ebmer,1982
- 3373) Halictus (s.str.) cochlearitarsis (Dours,1872)** (Halictidae) Synonym(s): *cochlearitarsis* Dours,1872
- 3374) Halictus (s.str.) eurygnathus Blüthgen,1930** (Halictidae) Synonym(s): *eurygnathus* Blüthgen,1930
- 3375) Halictus (s.str.) graecus Blüthgen,1933** (Halictidae) Synonym(s): *graecus* Blüthgen,1933
- 3376) Halictus (s.str.) grossellus Ebmer,1978** (Halictidae) Synonym(s): *grossellus* Ebmer,1978
- 3377) Halictus (s.str.) holomelaenus Blüthgen,1936** (Halictidae) Synonym(s): *holomelaenus* Blüthgen,1936
- 3378) Halictus (s.str.) lunatus Warncke,1975** (Halictidae) Synonym(s): *lunatus* Warncke,1975
- 3379) Halictus (s.str.) lussinicus Blüthgen,1936** (Halictidae) Synonym(s): *lussinicus* Blüthgen,1936
- 3380) Halictus (s.str.) maculatus Smith,1848** (Halictidae) Synonym(s): *maculatus* Smith,1848; *priesneri* Ebmer,1975
- 3381) Halictus (s.str.) nicosiae Blüthgen,1923** (Halictidae) Synonym(s): *nicosiae* Blüthgen,1923
- 3382) Halictus (s.str.) patellatus Morawitz,1873** (Halictidae) Synonym(s): *patellatus* Morawitz,1873; *wagneri* Blüthgen,1937; *ifranicola* Cockerell,1937
- 3383) Halictus (s.str.) pentheri Blüthgen,1923** (Halictidae) Synonym(s): *pentheri* Blüthgen,1923
- 3384) Halictus (s.str.) ponticus Blüthgen,1934** (Halictidae) Synonym(s): *ponticus* Blüthgen,1934
- 3385) Halictus (s.str.) quadricinctus (Fabricius,1776)** (Halictidae) Synonym(s): *quadricinctus* Fabricius,1776; *hortensis* Geoffroy,1785; *quadristrigatus* Latreille,1805; *grandis* Illiger,1806
- 3386) Halictus (s.str.) resurgens Nurse,1903** (Halictidae) Synonym(s): *resurgens* Nurse,1903
- 3387) Halictus (s.str.) rubicundus (Christ,1791)** (Halictidae) Synonym(s): *rubicundus* Christ,1791
- 3388) Halictus (s.str.) scardicus Blüthgen,1936** (Halictidae) Synonym(s): *scardicus* Blüthgen,1936
- 3389) Halictus (s.str.) simplex Blüthgen,1923** (Halictidae) Synonym(s): *simplex* Blüthgen,1923
- 3390) Halictus (s.str.) tetrazonianellus Strand,1909** (Halictidae) Synonym(s): *tetrazonianellus* Strand,1909
- 3391) Halictus (s.str.) tetrazonius (Klug,1817)** (Halictidae) Synonym(s): *tetrazonius* Klug,1817; *furcatus* Blüthgen,1925
- 3392) Halictus (Seladonia) cephalicus (Morawitz,1873)** (Halictidae) Synonym(s): *cephalicus* Morawitz,1873
- 3393) Halictus (Seladonia) gavarnicus Pérez,1903** (Halictidae) Synonym(s): *gavarnicus* Pérez,1903
- 3394) Halictus (Seladonia) gemmeus Dours,1872** (Halictidae) Synonym(s): *gemmeus* Dours,1872
- 3395) Halictus (Seladonia) kessleri Bramson,1879** (Halictidae) Synonym(s): *kessleri* Bramson,1879
- 3396) Halictus (Seladonia) seladonius (Fabricius,1794)** (Halictidae) Synonym(s): *seladonius* Fabricius,1794
- 3397) Halictus (Seladonia) smaragdulus Vachal,1895** (Halictidae) Synonym(s): *smaragdulus* Vachal,1895
- 3398) Halictus (Seladonia) subauratus (Rossi,1792)** (Halictidae) Synonym(s): *subauratus* Rossi,1792
- 3399) Halictus (Seladonia) tumulorum (Linnaeus,1758)** (Halictidae) Synonym(s): *tumulorum* Linnaeus,1758
- 3400) Halictus (Vestitohalictus) inpilosus Ebmer,1975** (Halictidae) Synonym(s): *inpilosus* Ebmer,1975
- 3401) Halictus (Vestitohalictus) pollinosus Sichel,1860** (Halictidae) Synonym(s): *pollinosus* Sichel,1860
- 3402) Halictus (Vestitohalictus) pulvereus Morawitz,1874** (Halictidae) Synonym(s): *pulvereus* Morawitz,1874
- 3403) Halictus (Vestitohalictus) tectus Radoszkowski,1875** (Halictidae) Synonym(s): *tectus* Radoszkowski,1875
- 3404) Hamearis lucina (Linnaeus,1758)** (Riodinidae) Synonym(s): *lucina* Linnaeus,1758
- 3405) Haplochromis gelechiella (Rebel,1902)** (Agonoxenidae) Synonym(s): *gelechiella* Rebel,1902
- 3406) Haplothrix aequalis (Reitter,1885)** (Melyridae) Synonym(s): *aequalis* Reitter,1885
- 3407) Haplothrix pospisi Majer,1989** (Melyridae) Synonym(s): *pospisi* Majer,1989
- 3408) Haplothrix subtilis (Reitter,1885)** (Melyridae) Synonym(s): *subtilis* Reitter,1885
- 3409) Haplothrix subtilis (Reitter,1885)** (Melyridae) Synonym(s): *subtilis* Reitter,1885
- 3410) Hapsifera luridella Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliopsamma* Meyrick,1921; *pustulatella* Lucas,1942 nec Zell.,1852; *eburnea* Butler,1881; *palaestinis* Rebel,1901; *kerbelella* Amsel,1949
- 3411) Harmonia axyridis (Pallas,1773)** (Coccinellidae) Synonym(s): *axyridis* Pallas,1773
- 3412) Harpalus (s.str.) affinis (Schränk,1781)** (Carabidae) Synonym(s): *aeneus* Fabricius,1775; *affinis* Schrank,1781; *bifoveolatus* Kuster,1846; *paganettii* Flach,1907
- 3413) Harpalus (s.str.) rubripes Duftschmid,1812** (Carabidae) Synonym(s): *rubripes* Duftschmid,1812; *sobrinus* Dejean,1829; *serdicanus* Apfelbeck,1904
- 3414) Harpella forficella (Scopoli,1763)** (Oecophoridae) Synonym(s): *forficella* Scopoli,1763
- 3415) Harpyia milhauseri (Fabricius,1775)** (Notodontidae) Synonym(s): *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffmüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932
- 3416) Hebecnema nigra (R-D.,1830)** (Muscidae) Synonym(s): *nigra* R-D.,1830
- 3417) Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffmüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861.
- 3418) Hecatera cappa (Hübner,[1809])** (Noctuidae) Synonym(s): *cappa* Hübner,[1809]
- 3419) Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffmüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villiers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910.
- 3420) Hedya nubiferana (Haworth,[1811])** (Tortricidae) Synonym(s): *dimidioalba* Retzius,1783; *variegana* Hübner,[1799] nec [Denis & Schiff.],1775; *nubiferana* Haworth,[1811]
- 3421) Hedya pruniana (Hübner,[1799])** (Tortricidae) Synonym(s): *pruniana* Hübner,[1799]; *pruneticolana* Zeller,1849
- 3422) Hedya salicella (Linnaeus,1758)** (Tortricidae) Synonym(s): *salicella* Linnaeus,1758; *salicana* [Denis & Schiffmüller],1775
- 3423) Heegeria tangirica (Saunders,1877)** (Alydidae) Synonym(s): *tangirica* Saunders,1877; *adspersa* Rueter,1881; *ferrugineus* Carlini,1895; *robustus* Distant,1904; *venosus* Bergroth,1908; *sjostedti* Schouteden,1912
- 3424) Helcystogramma lutatella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *lutatella* Herrich-Schäffer,[1854]

- 3425) *Helcystogramma rufescens* (Haworth,1828)** (Gelechiidae) Synonym(s): *rufescens* Haworth,1828; *simplella* Eversmann,1844; *diaphanella* Lienig & Zeller,1846; *isabella* Stainton,1849; *rufescentella* Doubleday,1859.
- 3426) *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
- 3427) *Helina straminea* Hennig,1963** (Muscidae) Synonym(s): *straminea* Hennig,1963
- 3428) *Heliomata glarearia* (Brahm,1791)** (Geometridae) Synonym(s): *#glarearia* [Denis & Schiffermüller],1775; *glarearia* Brahm,1791.
- 3429) *Heliophobus reticulata* (Goeze,1781)** (Noctuidae) Synonym(s): *calcatrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944.
- 3430) *Heliopsychidea graecella* (Millière,1866)** (Psychidae) Synonym(s): *graecella* Millière,1866
- 3431) *Heliothela wulfeniana* (Scopoli,1763)** (Pyrilidae) Synonym(s): *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 nec Fabr.,1775; *coerulealis* Caradja,1917; *huebneri* Koçak,1980.
- 3432) *Heliothis maritima* Graslin,1855** (Noctuidae) Synonym(s): *maritima* Graslin,1855
- 3433) *Heliothis nubigera* Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
- 3434) *Heliothis peltigera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
- 3435) *Heliothis viriplaca* (Hufnagel,1766)** (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spargulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928.
- 3436) *Helladia flavescens* (Brullé,1832)** (Cerambycidae) Synonym(s): *flavescens* Brullé,1832
- 3437) *Hellinsia distincta* (Herrich-Schäffer,1855)** (Pterophoridae) Synonym(s): *distinctus* Herrich-Schäffer,1855; *sibiricus* Caradja,1921; *zermattensis* Müller-Rutz,1930; *acutus* Yano,1963.
- 3438) *Hellinsia inulae* (Zeller,1852)** (Pterophoridae) Synonym(s): *inulae* Zeller,1852; *coniodactylus* Staudinger,1859; *alpinus* Gibeaux & Picard,1992.
- 3439) *Hellinsia pectodactyla* (Staudinger,1859)** (Pterophoridae) Synonym(s): *pectodactylus* Staudinger,1859; *angustus* Walsingham,1880; *stramineus* Walsingham,1880; *melanoschisma* Walsingham,1908.
- 3440) *Hellinsia tephradactyla* (Hübner,[1813])** (Pterophoridae) Synonym(s): *tephradactylus* Hübner,[1813]; *inframaculella* Bruand,1850.
- 3441) *Hellula undalis* (Fabricius,1781)** (Pyrilidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977
- 3442) *Helophilus* (s.str.) *trivittatus* (Fabricius,1805)** (Syrphidae) Synonym(s): *trivittatus* Fabricius,1805
- 3443) *Helophorus alternans* Gené,1836** (Helophoridae) Synonym(s): *alternans* Gené,1836
- 3444) *Helophorus discrepans* Rey,1885** (Helophoridae) Synonym(s): *discrepans* Rey,1885
- 3445) *Helophorus hirsutiventris* Angus,1984** (Helophoridae) Synonym(s): *hirsutiventris* Angus,1984
- 3446) *Helophorus liguricus* Angus,1970** (Helophoridae) Synonym(s): *liguricus* Angus,1970
- 3447) *Helophorus longitarsis* Wollaston,1864** (Helophoridae) Synonym(s): *longitarsis* Wollaston,1864
- 3448) *Helophorus obscurus* Mulsant,1844** (Helophoridae) Synonym(s): *obscurus* Mulsant,1844
- 3449) *Helophorus pallidipennis* Mulsant & Wachanru,1852** (Helophoridae) Synonym(s): *pallidipennis* Mulsant & Wachanru,1852
- 3450) *Hemaris* (Cochrania) *croatica* (Esper,[1779])** (Sphingidae) Synonym(s): *croatica* Esper,[1779]; *sesia* Hübner,[1806]; *#obscurata* Closs,1911; *#rangnowi* Closs,1911.
- 3451) *Hemaris* (Eitschbergera) *tityus* (Linnaeus,1758)** (Sphingidae) Synonym(s): *tityus* Linnaeus,1758; *bombylifformis* Linnaeus,1758; *knautiae* Zeller,1869; *scabiosa* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; *#tityrus* De Freina,1983; *saldaitisi* Eitschberger, Danner & Surholt,1998
- 3452) *Hemaris* (s.str.) *fuciformis* (Linnaeus,1758)** (Sphingidae) Synonym(s): *fuciformis* Linnaeus,1758; *variegata* Allioni,1766; *musca* Retzius,1783; *bombylifformis* sensu Ochsenheimer,1808; *milesiformis* Treitschke,1834; *caprifolii* Zeller,1869; *loniceriae* Zeller,1869; *robusta* Alpheraky,1882; *simillima* Moore,1888; *ganssuensis* Grun-Grshimailo,1891; *heynei* Bartel,1898;
- 3453) *Hemipenthes hamiferus* (Loew,1854)** (Bombyliidae) Synonym(s): *hamifera* Loew,1854
- 3454) *Hemipenthes morio* (Linnaeus,1758)** (Bombyliidae) Synonym(s): *morio* Linnaeus,1758; *semiatra* Meigen,1820; *morioides* Say,1823
- 3455) *Hemipenthes villeneuvei* François,1970** (Bombyliidae) Synonym(s): *villeneuvei* François,1970
- 3456) *Hemipterochilus aberrans* (Morawitz,1885)** (Vespidae) Synonym(s): *aberrans* Morawitz,1885
- 3457) *Hemipterochilus bembeciformis* (Morawitz,1867)** (Vespidae) Synonym(s): *bembeciformis* Morawitz,1867; *terricola* Moesary,1883; *sinuatofascius* Costa,1888; *rubromaculatus* Bialynicki-Birula,1926; *circensis* Giordani Soika,1942
- 3458) *Hemistola chrysoprasaria* (Esper,[1794])** (Geometridae) Synonym(s): *nayas* Fourcroy,1785; *pomona* Fourcroy,1785; *lucidata* Donovan,1794; *chrysoprasaria* Esper,[1794];
- 3459) *Hemithea aestivaria* (Hübner,1789)** (Geometridae) Synonym(s): *strigata* Müller,1764 nec Sc.,1763; *herbacea* Fourcroy,1785; *aestivaria* Hübner,[1799]; *alboundulata* Hedemann,1879
- 3460) *Henestaris laticeps* (Curtis,1836)** (Lygaeidae) Synonym(s): *laticeps* Curtis,1836; *genei* Spinola,1837; *spinolae* A.Costa,1839; *hispanus* Rambur,1839; *oculatus* Motschulsky,1863; *curtulus* Horvath,1911; *cypricus* E.Wagner,1949; *oboussierae* E.Wagner,1954
- 3461) *Hepialus humuli* (Linnaeus,1758)** (Hepialidae) Synonym(s): *humuli* Linnaeus,1758; *humulator* Haworth,1802
- 3462) *Hercostomus apollo* (Loew,1869)** (Dolichopodidae) Synonym(s): *apollo* Loew,1869
- 3463) *Hercostomus chetifer* (Walker,1849)** (Dolichopodidae) Synonym(s): *chetifer* Walker,1849; *chetifera* Walker,1849; *alutifer* Haliday,1851; *cretifer* Walker,1856; *cretifera* Walker,1856
- 3464) *Hercostomus gracilis* (Stannius,1831)** (Dolichopodidae) Synonym(s): *gracilis* Stannius,1831; *bohemani* Wahlberg,1851
- 3465) *Hercostomus longiventris* (Loew,1857)** (Dolichopodidae) Synonym(s): *longiventris* Loew,1857; *forcipatus* A.Müller,1923
- 3466) *Heriades* (Michenerella) *dalmaticus* Maidl,1922** (Megachilidae) Synonym(s): *dalmaticus* Maidl,1922; *troodicus* Mavromoustakis,1951
- 3467) *Heriades* (Michenerella) *punctuliferus* Schletterer,1889** (Megachilidae) Synonym(s): *punctuliferus* Schletterer,1889; *syriaca* Benoist,1928
- 3468) *Heriades* (Rhopaloheriades) *clavicornis* Morawitz,1875** (Megachilidae) Synonym(s): *clavicornis* Morawitz,1875; *armeniacus* Popov,1956
- 3469) *Heriades* (s.str.) *crenulatus* Nylander,1856** (Megachilidae) Synonym(s): *crenulatus* Nylander,1856
- 3470) *Heriades* (s.str.) *rubicola* Pérez,1890** (Megachilidae) Synonym(s): *rubicola* Pérez,1890; *copetica* Morawitz,1892; *aurantifer* Cockerell,1931

- 3471) Heriades (s.str.) truncorum (Linnaeus,1758)** (Megachilidae) Synonym(s): *truncorum* Linnaeus,1758; *xanthogastrica* Schrank,1802; *mordax* Schletterer,1889
- 3472) Herina oscillans (Meigen,1826)** (Ulidiidae) Synonym(s): *oscillans* Meigen,1826
- 3473) Herina rivoecchii Merz,2002** (Ulidiidae) Synonym(s): *rivoecchii* Merz,2002
- 3474) Hermaeophaga ruficollis (Lucas,1849)** (Chrysomelidae) Synonym(s): *ruficollis* Lucas,1849
- 3475) Herminia grisealis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nemoralis* Fabricius,1775 nec Scop.,1763; *grisealis* [Denis & Schiffermüller],1775; *sulzeriana* Scopoli,1786; *memorum* Fabricius,1798; *memoratus* Haworth,1809
- 3476) Herminia tarsicrinalis (Knoch,1782)** (Noctuidae) Synonym(s): *tarsicrinalis* Knoch,1782; *tarsicrinatus* Haworth,1809
- 3477) Herminia tarsipennalis Treitschke,1835** (Noctuidae) Synonym(s): *tarsipennalis* Treitschke,1835
- 3478) Herophila beieri Breuning,1942** (Cerambycidae) Synonym(s): *beieri* Breuning,1942
- 3479) Herophila fairmairei (Thomson,1857)** (Cerambycidae) Synonym(s): *fairmairei* Thomson,1857
- 3480) Herophila tristis (Linnaeus,1767)** (Cerambycidae) Synonym(s): *tristis* Linnaeus,1767
- 3481) Hesperia comma (Linnaeus,1758)** (Hesperiidae) Synonym(s): *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928.
- 3482) Hesperocorixa parallela (Fieber,1860)** (Corixidae) Synonym(s): *parallela* Fieber,1860
- 3483) Heteracris littoralis (Rambur,1838)** (Acrididae) Synonym(s): *littoralis* Rambur,1838; *similis* Brunner von Wattenwyl,1861; *notata* Walker,1870; *aethiopica* Carl,1916; *asiaticus* Uvarov,1933; *bituberculatus* Bei-Bienko,1948
- 3484) Heteralonia (Acrodisca) suffusa (Klug,1832)** (Bombyliidae) Synonym(s): *suffusa* Klug,1832; *conturbata* Loew,1869
- 3485) Heteralonia (Homolonia) megerlei (Meigen,1820)** (Bombyliidae) Synonym(s): *megerlei* Meigen,1820; *consanguinea* Macquart,1840; *egyptiaca* Macquart,1840; *campicola* Eversmann,1855; *mayeti* Bigot,1888; *aegyptiacus* Bezzi,1903; *compar* Bezzi,1924; *deserticola* Paramonov,1928; *turanica* Paramonov,1928; *conspicienda* Austen,1937
- 3486) Heteralonia (Zygodiola) algira (Fabricius,1794)** (Bombyliidae) Synonym(s): *algira* Fabricius,1794; *sicula* Macquart,1834; *archimedeia* Bigot,1861
- 3487) Heteralonia (Zygodiola) normalis (Loew,1869)** (Bombyliidae) Synonym(s): *normalis* Loew,1869
- 3488) Heterocnemis (s.str.) graeca (Brullé,1832)** (Scarabaeidae) Synonym(s): *graeca* Brullé,1832
- 3489) Heterocnemis graeca (Brullé,1832)** (Scarabaeidae) Synonym(s): *graeca* Brullé,1832
- 3490) Heterogenea asella ([Denis & Schiffermüller],1775)** (Limacodidae) Synonym(s): *#asella* [Denis & Schiffermüller],1775; *cruciata* Knoch,1783; *asellana* Hübner,1799]
- 3491) Heterogynis penella (Hübner,1819)]** (Heterogynidae) Synonym(s): *penella* Hübner,1819; *affinis* Rambur,1837; *erotica* Graslén,1850; *affiniella* Bruand,1853; *dubia* Schmidt,1860
- 3492) Heteropogon manni Loew,1854** (Asilidae) Synonym(s): *manni* Loew,1854
- 3493) Heteropogon ornatipes Loew,1851** (Asilidae) Synonym(s): *ornatipes* Loew,1851
- 3494) Heterotropus taurus Bowden,1967** (Bombyliidae) Synonym(s): *taurus* Bowden,1967
- 3495) Hexatoma (Cladolipes) simplex (Loew,1865)** (Limoniidae) Synonym(s): *simplex* Loew,1865
- 3496) Hexatoma (Eriocera) chirothecata (Scopoli,1763)** (Limoniidae) Synonym(s): *chirothecata* Scopoli,1763; *waterstoni* Edwards,1921
- 3497) Hilara bernmerzi Chvala,2008** (Empididae) Synonym(s): *bernmerzi* Chvala,2008
- 3498) Hilara spectabilis Chvala,2008** (Empididae) Synonym(s): *spectabilis* Chvala,2008
- 3499) Hipparchia (Neohipparchia) fatua (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950.
- 3500) Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 nec Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 nec Denis & Schiff.,1775; *allionii* Hübner,1826, etc.
- 3501) Hipparchia (Parahipparchia) christenseni Kudrna,1977** (Satyridae) Synonym(s): *christenseni* Kudrna,1977
- 3502) Hipparchia (Parahipparchia) mersina (Staudinger,1871)** (Satyridae) Synonym(s): *mersina* Staudinger,1871; *malickyi* Kudrna,1977.
- 3503) Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) Synonym(s): *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976.
- 3504) Hipparchia (Parahipparchia) volgensis (Mazochin-Porshnjakov,1952)** (Satyridae) Synonym(s): *volgensis* Mazochin-Porshnjakov,1952
- 3505) Hipparchia (s.str.) fagi (Scopoli,1763)** (Satyridae) Synonym(s): *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orphanis* Fruhstorfer,1908; *sigurdrii* Fruhstorfer,1908; *aturia* Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fuixiensis* Varin,1963.
- 3506) Hipparchia (s.str.) syriaca (Staudinger,1871)** (Satyridae) Synonym(s): *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959.
- 3507) Hippotion celerio (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,1819; *albolineatus* Montrouzier,1864
- 3508) Hirmoneura obscura Wiedemann,1820** (Nemestrinidae) Synonym(s): *obscura* Wiedemann,1820
- 3509) Hispa atra Linnaeus,1767** (Chrysomelidae) Synonym(s): *atra* Linnaeus,1767; *cariosa* Reiche & Saulcy,1858; *algira* Motschoulsky,1860; *aptera* Motschoulsky,1860; *minuta* Balbi,1892; *balbii* Donckier,1899
- 3510) Hister quadrimaculatus Linnaeus,1758** (Histeridae) Synonym(s): *quadrimaculatus* Linnaeus,1758; *gagates* Illiger,1807; *aethiops* Heer,1841
- 3511) Hockeria bifasciata Walker,1834** (Chalcididae) Synonym(s): *bifasciata* Walker,1834; *albomaculatus* Lucas,1849; *maculipennis* Steffani,1887; *modesta* Silvestri,1907; *erdoesi* Boucek,1952; *nipponica* Habu,1960
- 3512) Hockeria hockerioides (Boucek,1952)** (Chalcididae) Synonym(s): *hockerioides* Boucek,1952
- 3513) Hockeria unicolor Walker,1834** (Chalcididae) Synonym(s): *unicolor* Walker,1834; *pachycera* Förster,1859
- 3514) Hodgesiella rebeli (Krone,1905)** (Cosmopterigidae) Synonym(s): *rebeli* Krone,1905
- 3515) Hofferia schmiedeknechti (Schletterer,1889)** (Megachilidae) Synonym(s): *schmiedeknechti* Schletterer,1889; *tumida* Benoist,1928; *gibba* Benoist,1928
- 3516) Holcogaster fibulata (Germar,1831)** (Pentatomidae) Synonym(s): *fibulata* Germar,1831; *exilis* Horvath,1903; *meridionalis* De Seabra,1924; *longicornis* E.Wagner,1955; *weberi* E.Wagner,1964
- 3517) Holcopogon bubulcellus (Staudinger,1859)** (Autostichidae) Synonym(s): *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata* Walsingham,1900.
- 3518) Holcostethus sphacelatus (Fabricius,1794)** (Pentatomidae) Synonym(s): *sphacelatus* Fabricius,1794
- 3519) Holcostethus strictus (Fabricius,1803)** (Pentatomidae) Synonym(s): *strictus* Fabricius,1803; *vernalis* Wolff,1804
- 3520) Holocacista rivillei (Stainton,1855)** (Heliozelidae) Synonym(s): *rivillei* Stainton,1855

- 3521) Holopogon dimidiatus (Meigen,1820)** (Asilidae) Synonym(s): *dimidiatus* Meigen,1820; *dimidipennis* Megerle,1820; *fuscipennis* Meigen,1820; *timidus* Loew,1847
- 3522) Holopogon nigripennis (Meigen,1820)** (Asilidae) Synonym(s): *nigripennis* Meigen,1820
- 3523) Holoscolia huebneri Koçak,1980** (Oecophoridae) Synonym(s): *forficella* Hübner,[1813] *nec* Thunb.,1794; *huebneri* Koçak,1980
- 3524) Holotrichius denutatus Costa,1841** (Reduviidae) Synonym(s): *denutatus* Costa,1841
- 3525) Holotrichius obtusangulus Stal,1874** (Reduviidae) Synonym(s): *obtusangulus* Stal,1874; *variegatus* Reuter,1880; *tauricus* Reuter,1891; *brachymerus* Reuter,1891
- 3526) Holotrichius spinicollis Reuter,1891** (Reduviidae) Synonym(s): *spinicollis* Reuter,1891
- 3527) Homodela ismenia (Gory,1833)** (Carabidae) Synonym(s): *ismenia* Gory,1833
- 3528) Homoeosoma (Anhomoiosoma) nimbellum (Duponchel,1837)** (Pyralidae) Synonym(s): *nimbella* Duponchel,1837; *homoeosomella* Zerny,1926; *snellenella* Bentick,1930.
- 3529) Homoeosoma (s.str.) nebulellum ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *nebulella* [Denis & Schiffermüller],1775; *nebulosa* Haworth,1811; *muscardalis* Hübner,[1813].
- 3530) Homoeosoma (s.str.) sinuellum (Fabricius,1794)** (Pyralidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934.
- 3531) Hoplia (Decamera) corniculata Reitter,1890** (Scarabaeidae) Synonym(s): *corniculata* Reitter,1890
- 3532) Hoplitis (Alcidamea) abnormis Zanden,1992** (Megachilidae) Synonym(s): *abnormis* Zanden,1992
- 3533) Hoplitis (Alcidamea) acuticornis (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *acuticornis* Dufour & Perris,1840; *dentiventris* Morawitz,1877; *hispanica* Schmiedeknecht,1886; *brunneipes* Peters,1975; *gilva* Zanden,1994
- 3534) Hoplitis (Alcidamea) bicallosa (Morawitz,1876)** (Megachilidae) Synonym(s): *bicallosa* Morawitz,1876
- 3535) Hoplitis (Alcidamea) bispinosa Zanden,1992** (Megachilidae) Synonym(s): *bispinosa* Zanden,1992
- 3536) Hoplitis (Alcidamea) ciliaris (Pérez,1902)** (Megachilidae) Synonym(s): *ciliaris* Pérez,1902
- 3537) Hoplitis (Alcidamea) claviventris (Thomson,1872)** (Megachilidae) Synonym(s): *interrupta* Schenck,1861 *nec* Latr.,1811; *claviventris* Thomson,1872; *foveolata* Schenck,1873; *columba* Warncke,1991
- 3538) Hoplitis (Alcidamea) galbula (Warncke,1991)** (Megachilidae) Synonym(s): *galbula* Warncke,1991
- 3539) Hoplitis (Alcidamea) mitis (Nylander,1852)** (Megachilidae) Synonym(s): *mitis* Nylander,1852; *montivaga* Morawitz,1872
- 3540) Hoplitis (Alcidamea) praestans (Morawitz,1894)** (Megachilidae) Synonym(s): *praestans* Morawitz,1894; *lineola* Pérez,1895
- 3541) Hoplitis (Alcidamea) stellaris (Warncke,1991)** (Megachilidae) Synonym(s): *stellaris* Warncke,1991
- 3542) Hoplitis (Alcidamea) subbutea (Warncke,1991)** (Megachilidae) Synonym(s): *subbutea* Warncke,1991
- 3543) Hoplitis (Alcidamea) tridentata (Dufour & Perris,1840)** (Megachilidae) Synonym(s): *tridentata* Dufour & Perris,1840; *melanoleuca* Benoist,1934; *asensioi* Tkalcu,1975
- 3544) Hoplitis (Annosmia) annulata (Latreille,1811)** (Megachilidae) Synonym(s): *annulata* Latreille,1811; *crenulata* Morawitz,1871; *pruinosa* Destefani,1887; *corsaria* Warncke,1991; *cretica* Warncke,1991
- 3545) Hoplitis (Annosmia) idaensis (Warncke,1991)** (Megachilidae) Synonym(s): *idaensis* Warncke,1991
- 3546) Hoplitis (Anthocopa) agis (Benoist,1929)** (Megachilidae) Synonym(s): *agis* Benoist,1929
- 3547) Hoplitis (Anthocopa) anipuncta (Alfken,1935)** (Megachilidae) Synonym(s): *anipuncta* Alfken,1935
- 3548) Hoplitis (Anthocopa) bisulca (Gerstaecker,1869)** (Megachilidae) Synonym(s): *bisulca* Gerstaecker,1869; *lanosa* Pérez,1879
- 3549) Hoplitis (Anthocopa) cretaea (Tkalcu,1992)** (Megachilidae) Synonym(s): *cretaea* Tkalcu,1992
- 3550) Hoplitis (Anthocopa) dalmatica (Morawitz,1871)** (Megachilidae) Synonym(s): *dalmatica* Morawitz,1871
- 3551) Hoplitis (Anthocopa) furcula (Morawitz,1875)** (Megachilidae) Synonym(s): *furcula* Morawitz,1875
- 3552) Hoplitis (Anthocopa) graeca (Tkalcu,2000)** (Megachilidae) Synonym(s): *graeca* Tkalcu,2000; *ionica* Tkalcu,2000
- 3553) Hoplitis (Anthocopa) idalia (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *idalia* Mavromoustakis,1948
- 3554) Hoplitis (Anthocopa) mocsaryi (Friese,1895)** (Megachilidae) Synonym(s): *mocsaryi* Friese,1895; *linophila* Westrich,2006
- 3555) Hoplitis (Anthocopa) obtusa (Friese,1899)** (Megachilidae) Synonym(s): *obtusa* Friese,1899
- 3556) Hoplitis (Anthocopa) papaveris (Latreille,1799)** (Megachilidae) Synonym(s): *papaveris* Latreille,1799; *hyalinipennis* Lepeletier,1841
- 3557) Hoplitis (Anthocopa) perezi (Ferton,1895)** (Megachilidae) Synonym(s): *perezi* Ferton,1895; *convolvuli* Duce,1899
- 3558) Hoplitis (Anthocopa) unispina (Alfken,1935)** (Megachilidae) Synonym(s): *unispina* Alfken,1935
- 3559) Hoplitis (Anthocopa) yermasoyiae (Mavromoustakis,1938)** (Megachilidae) Synonym(s): *yermasoyiae* Mavromoustakis,1938; *asiae* Tkalcu,1979; *coreyraea* Tkalcu,1979
- 3560) Hoplitis (Chlidoplitis) lysholmi (Friese,1899)** (Megachilidae) Synonym(s): *lysholmi* Friese,1899
- 3561) Hoplitis (Megahoplitis) tigrina (Morawitz,1871)** (Megachilidae) Synonym(s): *tigrina* Morawitz,1871; *tricuspidata* Sichel,1873; *deserti* Benoist,1934
- 3562) Hoplitis (Micreriades) haemi Tkalcu,2000** (Megachilidae) Synonym(s): *haemi* Tkalcu,2000
- 3563) Hoplitis (Micreriades) illyrica (Noskiewicz,1926)** (Megachilidae) Synonym(s): *illyrica* Noskiewicz,1926
- 3564) Hoplitis (Micreriades) parnesica (Mavromoustakis,1958)** (Megachilidae) Synonym(s): *parnesica* Mavromoustakis,1958
- 3565) Hoplitis (Pentadentostmia) pomarina (Warncke,1991)** (Megachilidae) Synonym(s): *pomarina* Warncke,1991
- 3566) Hoplitis (Prionohoplitis) brachypogon (Pérez,1879)** (Megachilidae) Synonym(s): *brachypogon* Pérez,1879; *carsophila* Duce,1899; *seyrigi* Benoist,1934
- 3567) Hoplitis (Prionohoplitis) campanularis (Morawitz,1877)** (Megachilidae) Synonym(s): *campanularis* Morawitz,1877; *sexcinctella* Pérez,1895; *digitata* Friese,1899; *ibericola* Mavromoustakis,1947
- 3568) Hoplitis (Prionohoplitis) curvipes (Morawitz,1871)** (Megachilidae) Synonym(s): *curvipes* Morawitz,1871
- 3569) Hoplitis (Prionohoplitis) grossepunctata (Kohl,1905)** (Megachilidae) Synonym(s): *grossepunctata* Kohl,1905
- 3570) Hoplitis (s.str.) adunca (Panzer,1798)** (Megachilidae) Synonym(s): *adunca* Panzer,1798; *spinolae* Lepeletier,1841; *aduncoides* Strand,1910; *contraria* Tkalcu,1974
- 3571) Hoplitis (s.str.) carinata (Stanek,1969)** (Megachilidae) Synonym(s): *carinata* Stanek,1969
- 3572) Hoplitis (s.str.) fabrei Zanden,1987** (Megachilidae) Synonym(s): *fabrei* Zanden,1987
- 3573) Hoplitis (s.str.) holmboei (Mavromoustakis,1948)** (Megachilidae) Synonym(s): *holmboei* Mavromoustakis,1948
- 3574) Hoplitis (s.str.) jheringi (Duce,1898)** (Megachilidae) Synonym(s): *jheringi* Duce,1898
- 3575) Hoplitis (s.str.) manicata (Morice,1901)** (Megachilidae) Synonym(s): *manicata* Morice,1901
- 3576) Hoplitis (s.str.) pallicornis (Friese,1895)** (Megachilidae) Synonym(s): *pallicornis* Friese,1895
- 3577) Hoplitis (s.str.) pici (Friese,1899)** (Megachilidae) Synonym(s): *pici* Friese,1899

- 3578) *Hoplodrina ambigua* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885
- 3579) *Hoplodrina blanda* (Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813].
- 3580) *Hoplodrina octogenaria* (Goeze,1781)** (Noctuidae) Synonym(s): *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 nec Hübner,[1803]
- 3581) *Hoplodrina respersa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 nec Vill.,1789
- 3582) *Hoplodrina superstes* (Ochsenheimer,1816)** (Noctuidae) Synonym(s): *superstes* Ochsenheimer,1816
- 3583) *Hoplolabis* (Parilisia) *punctigera* (Lackschewitz,1940)** (Limoniidae) Synonym(s): *punctigera* Lackschewitz,1940
- 3584) *Horisme corticata* (Treitschke,1835)** (Geometridae) Synonym(s): *corticata* Treitschke,1835
- 3585) *Horisme radicularia* (La Harpe,1855)** (Geometridae) Synonym(s): *radicularia* La Harpe,1855
- 3586) *Horisme tersata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *tersata* [Denis & Schiffermüller],1775; *singulariata* Villers,1789; *testacea* Hübner,[1809]; *tersaria* Boisduval,1840; *testacearia* Boisduval,1840; *tersulata* Staudinger,1871
- 3587) *Horisme vitalbata* (Hübner,[1799])** (Geometridae) Synonym(s): *vitalbata* [Denis & Schiffermüller],1775; *nebulata* Villers,1789 nec Thunb.,1784; *vitalbata* Hübner,[1799]; *vitalbaria* Boisduval,1840; *detersata* Püngeler,1900; *repedata* L.B.Prout,1938
- 3588) *Horvathianella palliceps* (Horvath,1897)** (Delphacidae) Synonym(s): *palliceps* Horvath,1897
- 3589) *Hoyosia cretica* (Rebel,1906)** (Limacodidae) Synonym(s): *cretica* Rebel,1906
- 3590) *Huebneria affinis* (Fallén,1810)** (Tachinidae) Synonym(s): *affinis* Fallén,1810
- 3591) *Hyalesthes luteipes* Fieber,1876** (Cixiidae) Synonym(s): *luteipes* Fieber,1876
- 3592) *Hyalesthes mavromoustakisi* Dlabola,1959** (Cixiidae) Synonym(s): *mavromoustakisi* Dlabola,1959
- 3593) *Hyalesthes thracicus* Hoch,1985** (Cixiidae) Synonym(s): *thracicus* Hoch,1985
- 3594) *Hybomitra decora* (Loew,1858)** (Tabanidae) Synonym(s): *decora* Loew,1858; *defasciata* Szilady,1923; *amani* Szilady,1926
- 3595) *Hybomitra erberi* (Brauer,1880)** (Tabanidae) Synonym(s): *erberi* Brauer,1880; *fuscipennis* Szilady,1926
- 3596) *Hybomitra media* (Kröber,1928)** (Tabanidae) Synonym(s): *media* Kröber,1928
- 3597) *Hybomitra peculiaris* (Szilady,1914)** (Tabanidae) Synonym(s): *peculiaris* Szilady,1914; *inaequata* Austen,1923; *kroeberi* Szilady,1926; *kashmiriana* Szilady,1926
- 3598) *Hybomitra pilosa* (Loew,1858)** (Tabanidae) Synonym(s): *lateralis* Meigen,1820 nec Fourc.,1785; *pilosa* Loew,1858
- 3599) *Hybomitra tarandina* (Linnaeus,1758)** (Tabanidae) Synonym(s): *tarandina* Linnaeus,1758; *karafutonis* Matsumura,1911
- 3600) *Hycleus humerosus* (Escherich,1899)** (Meloidae) Synonym(s): *humerosus* Escherich,1899
- 3601) *Hycleus polymorphus* (Pallas,1771)** (Meloidae) Synonym(s): *polymorphus* Pallas,1771; *floralis* Pallas,1773
- 3602) *Hycleus zebraeus* (Marseul,1870)** (Meloidae) Synonym(s): *zebraea* Marseul,1870; *tenenbaumi* Pic,1928; *kervillei* Pic,1932
- 3603) *Hydraecia osseola* (Staudinger,1882)** (Noctuidae) Synonym(s): *osseola* Staudinger,1882
- 3604) *Hydrellia griseola* (Fallén,1813)** (Ephydriidae) Synonym(s): *griseola* Fallén,1813; *obscura* Meigen,1830; *chrysostoma* Meigen,1830
- 3605) *Hydriris ornatalis* (Duponchel,1832)** (Pyralidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *deciusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabilbe,1880 nec Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972
- 3606) *Hydrochara caraboides* (Linnaeus,1758)** (Hydrophilidae) Synonym(s): *caraboides* Linnaeus,1758
- 3607) *Hydrochara dichorama* (Fairmaire,1829)** (Hydrophilidae) Synonym(s): *dichorama* Fairmaire,1829
- 3608) *Hydrochara flavipes* (Steven,1808)** (Hydrophilidae) Synonym(s): *flavipes* Steven,1808
- 3609) *Hydrocyphon segrex* Nyholm,1972** (Sciirtidae) Synonym(s): *segrex* Nyholm,1972
- 3610) *Hydrometra gracilenta* Horvath,1899** (Hydrometridae) Synonym(s): *gracilenta* Horvath,1899
- 3611) *Hydrometra stagnorum* (Linnaeus,1758)** (Hydrometridae) Synonym(s): *stagnorum* Linnaeus,1758
- 3612) *Hydromya dorsalis* (Fabricius,1775)** (Sciomyzidae) Synonym(s): *dorsalis* Fabricius,1775; *punctipennis* Fallén,1820; *caeruleipennis* R-D.,1830; *obscuriventris* Strobl,1899; *infusca* Villeneuve,1912
- 3613) *Hydrophorus balticus* (Meigen,1824)** (Dolichopodidae) Synonym(s): *balticus* Meigen,1824; *chloropus* Von Roser,1840
- 3614) *Hydrophorus praecox* (Lehmann,1822)** (Dolichopodidae) Synonym(s): *praecox* Lehmann,1822; *inaequalipes* Macquart,1834; *schoenherr* Zetterstedt,1843; *cinereus* Perris,1847; *vagus* Hutton,1901; *breviventris* Becker,1902
- 3615) *Hydrotaea penicillata* (Rondani,1866)** (Muscidae) Synonym(s): *penicillata* Rondani,1866
- 3616) *Hydrothassa flavocincta* (Brullé,1832)** (Chrysomelidae) Synonym(s): *flavocincta* Brullé,1832
- 3617) *Hydrothassa glabra* (Herbst,1783)** (Chrysomelidae) Synonym(s): *glabra* Herbst,1783; *aucta* Fabricius,1787; *egena* Suffrian,1851 nec Gyll.,1827; *umhangi* Wehncke,1866
- 3618) *Hylaea fasciaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *biliolata* Villers,1789; *viridifasciosa* Esper,1794; *cleui* Leraut,1993
- 3619) *Hylaeus adriaticus* Warncke,1972** (Colletidae) Synonym(s): *adriaticus* Warncke,1972
- 3620) *Hylaeus alpinus* (Morawitz,1867)** (Colletidae) Synonym(s): *alpinus* Morawitz,1867
- 3621) *Hylaeus bifasciatus* (Jurine,1807)** (Colletidae) Synonym(s): *bifasciatus* Jurine,1807
- 3622) *Hylaeus clypearis* (Schenck,1853)** (Colletidae) Synonym(s): *clypearis* Schenck,1853
- 3623) *Hylaeus cornutus* Curtis,1831** (Colletidae) Synonym(s): *cornutus* Curtis,1831
- 3624) *Hylaeus deceptorius* (Benoist,1959)** (Colletidae) Synonym(s): *deceptorius* Benoist,1959
- 3625) *Hylaeus difformis* (Eversmann,1852)** (Colletidae) Synonym(s): *difformis* Eversmann,1852
- 3626) *Hylaeus duckei* (Alfken,1904)** (Colletidae) Synonym(s): *duckei* Alfken,1904
- 3627) *Hylaeus euryscapus* Förster,1871** (Colletidae) Synonym(s): *euryscapus* Förster,1871
- 3628) *Hylaeus friesei* (Alfken,1904)** (Colletidae) Synonym(s): *friesei* Alfken,1904
- 3629) *Hylaeus gibbus* Saunders,1850** (Colletidae) Synonym(s): *gibbus* Saunders,1850
- 3630) *Hylaeus hyalinatus* Smith,1842** (Colletidae) Synonym(s): *hyalinatus* Smith,1842
- 3631) *Hylaeus hyperpunctatus* (Strand,1909)** (Colletidae) Synonym(s): *hyperpunctatus* Strand,1909
- 3632) *Hylaeus imparilis* Förster,1871** (Colletidae) Synonym(s): *imparilis* Förster,1871
- 3633) *Hylaeus kahri* Förster,1871** (Colletidae) Synonym(s): *kahri* Förster,1871
- 3634) *Hylaeus lineolatus* (Schenck,1861)** (Colletidae) Synonym(s): *lineolatus* Schenck,1861
- 3635) *Hylaeus longimaculus* (Alfken,1936)** (Colletidae) Synonym(s): *longimaculus* Alfken,1936

- 3636) *Hylaeus meridionalis* Förster, 1871 (Colletidae) Synonym(s): *meridionalis* Förster, 1871
- 3637) *Hylaeus moricei* (Friese, 1898) (Colletidae) Synonym(s): *moricei* Friese, 1898
- 3638) *Hylaeus nivaliformis* Dathe, 1977 (Colletidae) Synonym(s): *nivaliformis* Dathe, 1977
- 3639) *Hylaeus punctatus* (Brullé, 1832) (Colletidae) Synonym(s): *punctatus* Brullé, 1832
- 3640) *Hylaeus punctulatus* Smith, 1842 (Colletidae) Synonym(s): *punctulatus* Smith, 1842
- 3641) *Hylaeus punctus* Förster, 1871 (Colletidae) Synonym(s): *punctus* Förster, 1871
- 3642) *Hylaeus rubicola* (Saunders, 1850) (Colletidae) Synonym(s): *rubicola* Saunders, 1850
- 3643) *Hylaeus scutellatus* (Spinola, 1838) (Colletidae) Synonym(s): *scutellatus* Spinola, 1838
- 3644) *Hylaeus sinuatus* (Schenck, 1853) (Colletidae) Synonym(s): *sinuatus* Schenck, 1853
- 3645) *Hylaeus soror* (Pérez, 1903) (Colletidae) Synonym(s): *soror* Pérez, 1903
- 3646) *Hylaeus taeniolatus* Förster, 1871 (Colletidae) Synonym(s): *taeniolatus* Förster, 1871
- 3647) *Hylaeus trifidus* (Alfken, 1936) (Colletidae) Synonym(s): *trifidus* Alfken, 1936
- 3648) *Hylaeus trinotatus* (Pérez, 1895) (Colletidae) Synonym(s): *trinotatus* Pérez, 1895
- 3649) *Hylaeus tyrolensis* Förster, 1871 (Colletidae) Synonym(s): *tyrolensis* Förster, 1871
- 3650) *Hyles euphorbiae* (Linnaeus, 1758) (Sphingidae) Synonym(s): *euphorbiae* Linnaeus, 1758; *esulae* Hufnagel, 1766; *vandalusica* Ribbe, 1910; *etrusca* Verity, 1911; *sinensis* Closs, 1917; *rothschildi* Stauder, 1928; *dolomiticola* Stauder, 1930; *filipjevi* O. Bang-Haas, 1936; *lucida* Derzhavets, 1980.
- 3651) *Hyles hippophaes* (Esper, [1789]) (Sphingidae) Synonym(s): *hippophaes* Esper, [1789]; *teriolensis* Dannehl, 1929; *kiortsii* Koutsafikis, 1974; *#hippophaeas* De Freina, 1981
- 3652) *Hyles livornica* (Esper, [1780]) (Sphingidae) Synonym(s): *livornica* Esper, [1780]; *koechlini* Fuessly, 1781; *tatsienluica* Oberthür, 1916; *saharae* Gehlen, 1932; *malgassica* Denso, 1944; *tatsienluica* Oberthür, 1944; *renneri* Eitschberger, Danner & Surholt, 1998.
- 3653) *Hyles nicaea* (Prunner, 1798) (Sphingidae) Synonym(s): *nicaea* Prunner, 1798; *cyparissiae* Hübner, [1813]; *#nicea* De Freina, 1981
- 3654) *Hyebaeus flavicollis* (Erichson, 1840) (Melyridae) Synonym(s): *flavicollis* Erichson, 1840
- 3655) *Hypena (Ophiuche) lividalis* (Hübner, 1796) (Noctuidae) Synonym(s): *lividualis* Hübner, 1796; *diagonalis* Fabricius, 1794; *simplicis* Zeller, 1852; *abjurialis* Walker, [1859]; *scissalis* Walker, [1866]; ? *perna* R. Felder & Rogenhofer, 1873; ? *bipartita* Smith, 1900.
- 3656) *Hypena (s.str.) obsitalis* (Hübner, [1813]) (Noctuidae) Synonym(s): *obsitalis* Hübner, [1813]
- 3657) *Hypena munitalis* Mann, 1861 (Noctuidae) Synonym(s): *munitalis* Mann, 1861.
- 3658) *Hypena obesalis* Treitschke, 1829 (Noctuidae) Synonym(s): *obesalis* Treitschke, 1829
- 3659) *Hypena palpalis* (Hübner, 1796) (Noctuidae) Synonym(s): *palpalis* Hübner, 1796; *extensalis* Guenée, 1854; *armenialis* Staudinger, 1901.
- 3660) *Hypena proboscidalis* (Linnaeus, 1758) (Noctuidae) Synonym(s): *proboscidalis* Linnaeus, 1758; *tatorhina* Butler, 1879
- 3661) *Hypena rostralis* (Linnaeus, 1758) (Noctuidae) Synonym(s): *rostralis* Linnaeus, 1758.
- 3662) *Hypenidium graecum* Loew, 1862 (Tephritidae) Synonym(s): *graecum* Loew, 1862; *novakii* Strobl, 1893; *pulchella* Tavares, 1902; *bipartita* Séguin, 1930
- 3663) *Hypenodes anatolica* Schwingenschuss, 1938 (Noctuidae) Synonym(s): *anatolica* Schwingenschuss, 1938; *nigritalis* Ronkay, 1984.
- 3664) *Hypercallia citrinalis* (Scopoli, 1763) (Oecophoridae) Synonym(s): *citrinalis* Scopoli, 1763; *christiannana* Linnaeus, 1767; *thoracella* Goeze, 1783; *thoracica* Fourcroy, 1785; *christiannella* Hübner, [1824]; *christiella* Hübner, [1825]; *christiannini* Zeller, 1839
- 3665) *Hyperlais argillacealis* (Zeller, 1847) (Pyralidae) Synonym(s): *argillacealis* Zeller, 1847
- 3666) *Hyperlais dulcinalis* (Treitschke, 1835) (Pyralidae) Synonym(s): *dulcinalis* Treitschke, 1835
- 3667) *Hyperlais nemausalis* (Duponchel, 1834) (Pyralidae) Synonym(s): *nemausalis* Duponchel, 1834
- 3668) *Hyphantria cunea* (Drury, [1773]) (Arctiidae) Synonym(s): *cunea* Drury, [1773]; *punctatissima* Smith, 1797; *budea* Hübner, [1823]; *textor* Harris, 1828; *mutans* Walker, 1856; *collaris* Fitch, 1857; *punctata* Fitch, 1857; *pallida* Packard, 1864; *candida* Walker, 1865; *suffusa* Strecker, 1900; *brunnea* Strecker, 1900
- 3669) *Hypocaccus (s.str.) brasiliensis* (Paykull, 1811) (Histeridae) Synonym(s): *brasiliensis* Paykull, 1811
- 3670) *Hypochoalcia ahenella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *ahenella* [Denis & Schiffermüller], 1775; *aeneella* Hübner, 1796; *obscuratus* Haworth, 1809; *tetrix* Haworth, 1811; *ahenalis* Hübner, [1825]; *rubiginella* Treitschke, 1833; *bistrigella* Duponchel, 1836; *luridella* Schläger, 1845; *caucasica* Ragonot, 1893; *lugubrella* Hering, 1924
- 3671) *Hypochoalcia fuliginella* (Duponchel, 1836) (Pyralidae) Synonym(s): *fuliginella* Duponchel, 1836; *ghilianii* Staudinger, 1871
- 3672) *Hypochoalcia lignella* (Hübner, 1796) (Pyralidae) Synonym(s): *lignella* Hübner, 1796; *lignalis* Hübner, [1825]; *melanella* Treitschke, 1832; *bruneoviolaceella* Bruand, 1850; *delineata* Filipjev, 1927
- 3673) *Hypoganus inunctus* (Panzer, 1795) (Elateridae) Synonym(s): *inunctus* Panzer, 1795; *cinctus* Paykull, 1800
- 3674) *Hypomecis punctinalis* (Scopoli, 1763) (Geometridae) Synonym(s): *punctinalis* Scopoli, 1763; *urticaria* Hufnagel, 1767; *turcaria* Fabricius, 1775; *griseonigra* Goeze, 1781; *bandevillaea* Fourcroy, 1785; *consortaria* Fabricius, 1787; *convexata* Villers, 1789; *leucopheataria* Villers, 1789
- 3675) *Hypomecis roboraria* (Fabricius, 1787) (Geometridae) Synonym(s): *#roboraria* [Denis & Schiffermüller], 1775; *roboraria* Fabricius, 1787; *consobrinaria* Hübner, [1799] nec Borkh., 1790; *grandaria* Haworth, 1809; *piperitaria* Stephens, 1831; *isabellae* Fernandez, 1931
- 3676) *Hyponephele (s.str.) lupina* (Costa, [1836]) (Satyridae) Synonym(s): *lupina* Costa, [1836]
- 3677) *Hyponephele (s.str.) lycaon* (Rottentburg, 1775) (Satyridae) Synonym(s): *lycaon* Rottentburg, 1775; *#lycaon* Kuhn, 1774; *eudora* Esper, 1778; *janirula* Esper, 1800; *rufomaculata* Korb, 2005
- 3678) *Hyposcotis (?) mutilata* (Staudinger, 1879) (Geometridae) Synonym(s): *mutilata* Staudinger, 1879
- 3679) *Hyposcotis (Charissa) certhiata* (Rebel & Zerny, 1931) (Geometridae) Synonym(s): *certhiatus* Rebel & Zerny, 1931; *bezengius* Niesiolowski, 1953.
- 3680) *Hyposcotis (Charissa) obscurata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *#obscurata* [Denis & Schiffermüller], 1775; *lividata* Fabricius, 1787 nec Cl., 1759; *obscuraria* Hübner, 1799; *anthracinaria* Esper, 1801; *quadripustulata* Donovan, 1808
- 3681) *Hyposcotis (Costignophos) pullata* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *pullata* [Denis & Schiffermüller], 1775
- 3682) *Hyposcotis (Euchrognophos) dubitaria* (Staudinger, 1892) (Geometridae) Synonym(s): *dubitaria* Staudinger, 1892
- 3683) *Hyposcotis (Euchrognophos) mucidaria* (Hübner, [1799]) (Geometridae) Synonym(s): *mucidaria* Hübner, [1799]; *herricki* Oberthür, 1913; *nubilarius* Reisser, 1936

- 3684) *Hyposcotis (Euchrognophos) variegata* (Duponchel,1830)** (Geometridae) Synonym(s): *variegatus* Duponchel,1830; *#subtaurica* Wehrli,1932.
- 3685) *Hyposcotis (Kemtrognophos) ambiguata* (Duponchel,1830)** (Geometridae) Synonym(s): *ambiguata* Duponchel,1830; *meyeraria* Harpe,1853; *ophthalmicata* Lederer,1853
- 3686) *Hyposcotis (Kemtrognophos) onustaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *onustaria* Herrich-Schäffer,[1852]; *oneraria* Guenée,[1858]
- 3687) *Hyposcotis (Neognophina) intermedia* (Wehrli,1917)** (Geometridae) Synonym(s): *intermedia* Wehrli,1917
- 3688) *Hyposcotis (Neognophina) pfeifferi* Wehrli,1926** (Geometridae) Synonym(s): *pfeifferi* Wehrli,1926
- 3689) *Hyposcotis (Neognophina) supinaria* (Mann,1854)** (Geometridae) Synonym(s): *supinaria* Mann,1854; *supinata* Guenée,[1858]; *hypophana* Wehrli,1953
- 3690) *Hyposcotis (Rhopalognophos) glaucinaria* (Hübner,[1799])** (Geometridae) Synonym(s): *glaucinaria* Hübner,[1799]; *glaucinata* Treitschke,1827; *falconaria* Freyer,1842; *supinata* Bruand,[1852]; *supinaria* Mann,1854; *perstrigata* Wehrli,1924
- 3691) *Hypotia corticalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *corticalis* [Denis & Schiffermüller],1775
- 3692) *Hypsopygia costalis* (Fabricius,1775)** (Pyralidae) Synonym(s): *costalis* Fabricius,1775; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917.
- 3693) *Hypsotropa limbella* Zeller,1848** (Pyralidae) Synonym(s): *limbella* Zeller,1848
- 3694) *Hysterophora maculosana* (Haworth,[1811])** (Tortricidae) Synonym(s): *maculosana* Haworth,[1811]; *purgatana* Treitschke,1835; *porculana* Mann,1862.
- 3695) *Hysteropterum angustum* Melichar,1906** (Issidae) Synonym(s): *angustum* Melichar,1906
- 3696) *Hysteropterum fallaciosum* Matsumura,1910** (Issidae) Synonym(s): *fallaciosum* Matsumura,1910
- 3697) *Hysteropterum grylloides* (Fabricius,1794)** (Issidae) Synonym(s): *grylloides* Fabricius,1794
- 3698) *Hysteropterum inconspicuum* Matsumura,1910** (Issidae) Synonym(s): *inconspicuum* Matsumura,1910
- 3699) *Hysteropterum lesbicum* Dlabola,1980** (Issidae) Synonym(s): *lesbicum* Dlabola,1980
- 3700) *Hysteropterum nervosum* Fieber,1877** (Issidae) Synonym(s): *nervosum* Fieber,1877
- 3701) *Hysteropterum obsoletum* Fieber,1877** (Issidae) Synonym(s): *obsoletum* Fieber,1877
- 3702) *Iassus scutellaris* (Fieber,1868)** (Cicadellidae) Synonym(s): *scutellaris* Fieber,1868
- 3703) *Ichneumon haematofemur* Heinrich,1980** (Ichneumonidae) Synonym(s): *haematofemur* Heinrich,1980
- 3704) *Ichneumon ostentator* Heinrich,1978** (Ichneumonidae) Synonym(s): *ostentator* Heinrich,1978
- 3705) *Iconella lacteoides* (Nixon,1965)** (Braconidae) Synonym(s): *lacteoides* Nixon,1965
- 3706) *Icosium tomentosum* Lucas,1854** (Cerambycidae) Synonym(s): *tomentosum* Lucas,1854
- 3707) *Idaea albitorquata* (Püngeler,1909)** (Geometridae) Synonym(s): *albitorquata* Püngeler,1909
- 3708) *Idaea aureolaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *trilineata* Scopoli,1772 *nec* Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1875; *trilinearia* Hübner,[1787].
- 3709) *Idaea aversata* (Linnaeus,1758)** (Geometridae) Synonym(s): *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fuliginata* Haworth,1809; *latifasciaria* Heydenreich,1851.
- 3710) *Idaea bilinearia* (Fuchs,1889)** (Geometridae) Synonym(s): *bilinearia* Fuchs,1889; *rubraria* Staudinger,1901
- 3711) *Idaea biselata* (Hufnagel,1767)** (Geometridae) Synonym(s): *biselata* Hufnagel,1767; *fimbriata* [Denis & Schiffermüller],1775; *fimbriolata* Stephens,1831; *plumipedata* Walker,1861; *shimizuensis* Matsumura,1925.
- 3712) *Idaea camparia* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934.
- 3713) *Idaea circuitaria* (Hübner,[1819])** (Geometridae) Synonym(s): *circuitaria* Hübner,[1819]; *chimaeraria* Millière,1869
- 3714) *Idaea consanguinaria* (Lederer,1853)** (Geometridae) Synonym(s): *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
- 3715) *Idaea consolidata* (Lederer,1853)** (Geometridae) Synonym(s): *consolidata* Lederer,1853
- 3716) *Idaea degeneraria* (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913
- 3717) *Idaea determinata* (Staudinger,1876)** (Geometridae) Synonym(s): *determinata* Staudinger,1876; *fasciata* Staudinger,1892; *geministrigata* Fuchs,1901.
- 3718) *Idaea dilutaria* (Hübner,[1799])** (Geometridae) Synonym(s): *dilutaria* Hübner,[1799]; *holosericata* Duponchel,1842; *holosericaria* Bruand,1846; *holosericearia* De La Harpe,1853; *praeustaria* De La Harpe,1853.
- 3719) *Idaea dimidiata* (Hufnagel,1767)** (Geometridae) Synonym(s): *dimidiata* Hufnagel,1767; *scutulata* [Denis & Schiffermüller],1775; *antitaurica* Wehrli,1931 *nec* Wehrli,1931; *tauricola* Wehrli,1934.
- 3720) *Idaea distinctaria* (Boisduval,1840)** (Geometridae) Synonym(s): *distinctaria* Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852
- 3721) *Idaea elongaria* (Rambur,1833)** (Geometridae) Synonym(s): *elongaria* Rambur,1833; *aridata* Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infermata* Staudinger,1871; *zephyrata* Millière,1872; *ludovicata* Lucas,1942.
- 3722) *Idaea emargianata* (Linnaeus,1758)** (Geometridae) Synonym(s): *emarginata* Linnaeus,1758
- 3723) *Idaea filicata* (Hübner,[1799])** (Geometridae) Synonym(s): *filicata* Hübner,[1799]; *filicaria* Duponchel,1830; *levequei* Leraut,2003
- 3724) *Idaea fuscovenosa* (Goeze,1781)** (Geometridae) Synonym(s): *fuscovenosa* Goeze,1781; *plebeia* Fourcroy,1785
- 3725) *Idaea humiliata* (Hufnagel,1767)** (Geometridae) Synonym(s): *humiliata* Hufnagel,1767; *osseata* [Denis & Schiffermüller],1775; *ossearia* Hübner,[1799]
- 3726) *Idaea infirmaria* (Rambur,1833)** (Geometridae) Synonym(s): *infirmaria* Rambur,1833; *carnearia* Mann,1855; *ledererata* Guenée,[1858]; *nigrobarbata* Staudinger,1859; *aquitana* Constant,1865
- 3727) *Idaea inquinata* (Scopoli,1763)** (Geometridae) Synonym(s): *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840
- 3728) *Idaea intermedia* (Staudinger,1879)** (Geometridae) Synonym(s): *intermedia* Staudinger,1879
- 3729) *Idaea laevigata* (Scopoli,1763)** (Geometridae) Synonym(s): *laevigata* Scopoli,1763; *laevigaria* Hübner,[1799]; *renularia* Hübner,[1809]; *lividellaria* Peyerimhoff,1863; *renulata* Rambur,1866; *couloniata* Balestre,1907; *storiae* Andreas,1928
- 3730) *Idaea leipnitzii* Hausmann,2004** (Geometridae) Synonym(s): *leipnitzii* Hausmann,2004
- 3731) *Idaea longaria* (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *longaria* Herrich-Schäffer,1852; *prolongata* Rambur,1866
- 3732) *Idaea maritimaria* (Bruand,1846)** (Geometridae) Synonym(s): *maritimaria* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885
- 3733) *Idaea metohiensis* (Rebel,1900)** (Geometridae) Synonym(s): *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938.

- 3734) *Idaea moniliata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *moniliata* [Denis & Schiffermüller],1775; *?pentolineata* De Villers,1789; *omicata* Fabricius,1794; *#moniliaria* Hübner,[1799]; *pluripunctata* Scharfenberg,1805
- 3735) *Idaea obsoletaria* (Rambur,1833)** (Geometridae) Synonym(s): *obsoletaria* Rambur,1833; *violacearia* Staudinger,1901; *distans* Hausmann,1991; *violacearia* Hausmann,1991 *nec* Wlk.,1861
- 3736) *Idaea ochrata* (Scopoli,1763)** (Geometridae) Synonym(s): *ochrata* Scopoli,1763; *#ochreata* [Denis & Schiffermüller],1775; *corrugata* Fabricius,1781; *ochrearia* Schrank,1802 *nec* Ross.,1794; *sicula* Zeller,1847; *accretata* Fuchs,1901
- 3737) *Idaea ossiculata* (Lederer,1871)** (Geometridae) Synonym(s): *ossiculata* Lederer,1871
- 3738) *Idaea ostrinaria* (Hübner,[1813])** (Geometridae) Synonym(s): *ostrinaria* Hübner,[1813]; *demarginata* Schwingenschuss,1938.
- 3739) *Idaea palaestinensis* (Sterneck,1933)** (Geometridae) Synonym(s): *antitaurica* Wehrli,1932 *nec* Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934.
- 3740) *Idaea pallidata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pallidata* [Denis & Schiffermüller],1775; *pallidaria* Treitschke,1825; *byssinata* Treitschke,1828; *byssinaria* Boisduval,1840
- 3741) *Idaea politaria* (Hübner,[1799])** (Geometridae) Synonym(s): *politata* Hübner,1793 *nec* Fabr.,1781; *politaria* Hübner,[1799]; *#abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901
- 3742) *Idaea rufaria* (Hübner,[1799])** (Geometridae) Synonym(s): *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944
- 3743) *Idaea ruficostata* Zeller,1847** (Geometridae) Synonym(s): *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852.
- 3744) *Idaea rusticata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866.
- 3745) *Idaea seriata* (Schrank,1802)** (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *seriata* Schrank,1802; *cubicularia* Peyerimhoff,1862
- 3746) *Idaea straminata* (Borkhausen,1794)** (Geometridae) Synonym(s): *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmata* Guenée,[1858]
- 3747) *Idaea subsericeata* (Haworth,[1809])** (Geometridae) Synonym(s): *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934
- 3748) *Idaea textaria* (Lederer,1861)** (Geometridae) Synonym(s): *textaria* Lederer,1861
- 3749) *Idaea tineata* (Thierry-Mieg,1911)** (Geometridae) Synonym(s): *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931.
- 3750) *Idaea trigeminata* (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830.
- 3751) *Idaea troglodytaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939
- 3752) *Idaea cecilia* (Vallantin,1894)** (Satyridae) Synonym(s): *ida* Esper,1784 *nec* Cramer,1775; *cecilia* Vallantin,1894; *aphrodite* Hemming,1934.
- 3753) *Idia calvaria* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller],1775
- 3754) *Idiocera* (s.str.) *laterospina* (Alexander,1975)** (Limoniidae) Synonym(s): *laterospina* Alexander,1975
- 3755) *Idiocera* (s.str.) *pulchripennis* (Loew,1856)** (Limoniidae) Synonym(s): *pulchripennis* Loew,1856; *?filicina* Santos Abreu,1923; *similior* Alexander,1956
- 3756) *Idiocerus vicinus* Melichar,1898** (Cicadellidae) Synonym(s): *vicinus* Melichar,1898
- 3757) *Idiocerus vittifrons* Kirschbaum,1868** (Cicadellidae) Synonym(s): *vittifrons* Kirschbaum,1868
- 3758) *Ilisia inermis* Mendl,1979** (Limoniidae) Synonym(s): *inermis* Mendl,1979
- 3759) *Inachis io* (Linnaeus,1758)** (Argynniidae) Synonym(s): *io* Linnaeus,1758; *ioides* Ochsenheimer,1808; *caucasica* Jachontov,1911.
- 3760) *Incurvaria masculella* ([Denis & Schiffermüller],1775)** (Incurvariidae) Synonym(s): *masculella* [Denis & Schiffermüller],1775; *muscula* Haworth,[1828]; *spuria* Haworth,[1828].
- 3761) *Incurvaria oehlmanniella* (Hübner,1796)** (Incurvariidae) Synonym(s): *oehlmanniella* Hübner,1796; *oehlmanni* Haworth,1828; *schoenherrrella* Zetterstedt,1839; *unitipallidella* Bruand,1859
- 3762) *Incurvaria triglavensis* Hauder,1912** (Incurvariidae) Synonym(s): *triglavensis* Hauder,1912
- 3763) *Incurvaria vetulella* (Zetterstedt,1839)** (Incurvariidae) Synonym(s): *vetulella* Zetterstedt,1839
- 3764) *Infurcitinea albicomella* (Stainton,1851)** (Tineidae) Synonym(s): *albicomella* Stainton,1851; *albicapilla* Zeller,1852; *luridella* Jäckh,1959; *raetica* Zagulyaev,1974.
- 3765) *Infurcitinea arenbergeri* Gaedike,1988** (Tineidae) Synonym(s): *arenbergeri* Gaedike,1988
- 3766) *Infurcitinea banatica* G.Petersen,1961** (Tineidae) Synonym(s): *banatica* G.Petersen,1961
- 3767) *Infurcitinea finalis* Gozmany,1959** (Tineidae) Synonym(s): *finalis* Gozmany,1959
- 3768) *Infurcitinea graeca* Gaedike,1983** (Tineidae) Synonym(s): *graeca* Gaedike,1983; *graeca* G.Petersen & Gaedike,1983
- 3769) *Infurcitinea hellenica* Gaedike,1997** (Tineidae) Synonym(s): *hellenica* Gaedike,1997
- 3770) *Infurcitinea karsholti* Gaedike,1992** (Tineidae) Synonym(s): *karsholti* Gaedike,1992
- 3771) *Infurcitinea kasyi* G.Petersen,1962** (Tineidae) Synonym(s): *kasyi* G.Petersen,1962
- 3772) *Infurcitinea lakoniae* Gaedike,1983** (Tineidae) Synonym(s): *lakoniae* Gaedike,1983; *lakoniae* G.Petersen & Gaedike,1983.
- 3773) *Infurcitinea lithochorella* G.Petersen,1964** (Tineidae) Synonym(s): *lithochorella* G.Petersen,1964
- 3774) *Infurcitinea nedae* Gaedike,1983** (Tineidae) Synonym(s): *nedae* Gaedike,1983; *nedae* Baldizzone,1983
- 3775) *Infurcitinea nigropluviella* (Walsingham,1907)** (Tineidae) Synonym(s): *nigropluviella* Walsingham,1907; *maraschensis* G.Petersen,1968.
- 3776) *Infurcitinea olympica* G.Petersen,1958** (Tineidae) Synonym(s): *olympica* G.Petersen,1958; *romanica* Capuse,1966.
- 3777) *Infurcitinea orchidella* G.Petersen,1962** (Tineidae) Synonym(s): *orchidella* G.Petersen,1962
- 3778) *Infurcitinea parnassiella* Gaedike,1987** (Tineidae) Synonym(s): *parnassiella* Gaedike,1987
- 3779) *Infurcitinea reisseri* G.Petersen,1968** (Tineidae) Synonym(s): *reisseri* G.Petersen,1968
- 3780) *Infurcitinea rumelicella* (Rebel,1903)** (Tineidae) Synonym(s): *rumelicella* Rebel,1903
- 3781) *Infurcitinea tauridella* G.Petersen,1968** (Tineidae) Synonym(s): *tauridella* G.Petersen,1968; *juliae* Satschkov,1995.
- 3782) *Infurcitinea taurus* Gaedike,1988** (Tineidae) Synonym(s): *taurus* Gaedike,1988
- 3783) *Infurcitinea tribertii* Gaedike,1983** (Tineidae) Synonym(s): *tribertii* Gaedike,1983; *tribertii* Baldizzone,1983.
- 3784) *Infurcitinea turcica* G.Petersen,1968** (Tineidae) Synonym(s): *turcica* G.Petersen,1968
- 3785) *Infurcitinea vanderwolfi* Gaedike,1997** (Tineidae) Synonym(s): *vanderwolfi* Gaedike,1997
- 3786) *Iphiclides podalirius* (Linnaeus,1758)** (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926.

- 3787) *Ipimorpha retusa* (Linnaeus,1761)** (Noctuidae) Synonym(s): *retusa* Linnaeus,1761; *chreysoglossa* Beckwith,1794; *gracilis* Haworth,1809.
- 3788) *Ipimorpha subtusa* (Fabricius,1787)** (Noctuidae) Synonym(s): *#subtusa* [Denis & Schiffermüller],1775; *subtusa* Fabricius,1787.
- 3789) *Iris oratoria* (Linnaeus,1758)** (Irididae) Synonym(s): *oratoria* Linnaeus,1758; *dentata* Goeze,1778; *bella* Germar,1817; *minima* Charpentier,1825; *fenestrata* Brullé,1832
- 3790) *Irochrotus maculiventris* (Germar,1839)** (Scutelleridae) Synonym(s): *maculiventris* Germar,1839; *villosus* Herrich-Schäffer,1839; *hirtus* A.Costa,1842
- 3791) *Isauria dilucidella* (Duponchel,1836)** (Pyralidae) Synonym(s): *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsoritella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *grisescens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970
- 3792) *Ischnodemus sabuleti* (Fallén,1826)** (Lygaeidae) Synonym(s): *sabuleti* Fallén,1826
- 3793) *Ischnodes sanguinicollis* (Panzer,1793)** (Elateridae) Synonym(s): *sanguinicollis* Panzer,1793
- 3794) *Ischnura elegans* (Van Der Linden,1820)** (Coenagrionidae) Synonym(s): *elegans* Van Der Linden,1820
- 3795) *Isolabella graeca* (Verhoeff,1901)** (Spongiphoridae) Synonym(s): *graeca* Verhoeff,1901
- 3796) *Isophrictis anthemidella* (Wocke,1871)** (Gelechiidae) Synonym(s): *anthemidella* Wocke,1871
- 3797) *Isophrictis kefersteiniellus* (Zeller,1850)** (Gelechiidae) Synonym(s): *kefersteiniella* Zeller,1850; *senicula* Meyrick,1913; *leptidella* Turati,1924
- 3798) *Isophrictis lineatellus* (Zeller,1850)** (Gelechiidae) Synonym(s): *lineatellus* Zeller,1850; *albilineella* Bruand,1859
- 3799) *Isophrictis striatella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *striatella* [Denis & Schiffermüller],1775; *tanacetella* Schrank,1802
- 3800) *Isoscelipteron fulvum* Costa,1863** (Berothidae) Synonym(s): *fulvum* Costa,1863
- 3801) *Isotrias hybridana* (Hübner,[1817])** (Tortricidae) Synonym(s): *cingulana* Scopoli,1772; *hybridana* Hübner,[1817]; *puellana* Frölich,1828; *pedemontana* Staudinger,1871; *gingalana* Millière,1884; *castiliana* Ragonot,1894
- 3802) *Isotrias rectifasciana* (Haworth,[1811])** (Tortricidae) Synonym(s): *trifasciana* Donovan,[1806] (*praeocc.*); *rectifasciana* Haworth,[1811]; *memorana* Frölich,1828; *curvifasciana* Stephens,1834; *albula* Treitschke,1835; *insubrica* Müller-Rutz,1920; *pseudomodestana* Obratzov,1957
- 3803) *Issoria lathonia* (Linnaeus,1758)** (Argynnididae) Synonym(s): *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933.
- 3804) *Issus analis* Brullé,1832** (Issidae) Synonym(s): *analis* Brullé,1832
- 3805) *Issus coleoptratus* (Fabricius,1781)** (Issidae) Synonym(s): *gibbosa* Goeze,1778 (*praeocc.*); *coleoptratus* Fabricius,1781; *pedestris* Fabricius,1794; *maurus* Walker,1851; *cribrellus* Rey,1894
- 3806) *Issus dilatatus* (Fourcroy,1785)** (Issidae) Synonym(s): *dilatatus* Fourcroy,1785; *luteus* Fieber,1876
- 3807) *Issus lauri* Ahrens,1814** (Issidae) Synonym(s): *lauri* Ahrens,1814; *climacus* Fieber,1876
- 3808) *Issus muscaeformis* (Schrank,1781)** (Issidae) Synonym(s): *muscaeformis* Schrank,1781
- 3809) *Issus pallipes* Lucas,1853** (Issidae) Synonym(s): *pallipes* Lucas,1853
- 3810) *Issus tendinosus* Spinola,1839** (Issidae) Synonym(s): *tendinosus* Spinola,1839
- 3811) *Istrianis femoralis* (Staudinger,1876)** (Gelechiidae) Synonym(s): *femoralis* Staudinger,1876; *comendonella* Staudinger,1879; *gravosensis* Rebel,1937; *angustipennis* Rebel,1941; *funebrella* Rebel,1941.
- 3812) *Istrianis myricariella* (Frey,1870)** (Gelechiidae) Synonym(s): *myricariella* Frey,1870
- 3813) *Isturgia berytaria* (Staudinger,1892)** (Geometridae) Synonym(s): *berytaria* Staudinger,1892
- 3814) *Iubsoda stigmatica* (Melichar,1897)** (Delphacidae) Synonym(s): *stigmatica* Melichar,1897; *strigosa* Matsumura,1910; *duffelsi* Dlabola,1974
- 3815) *Jalla dumosa* (Linnaeus,1758)** (Pentatomidae) Synonym(s): *dumosa* Linnaeus,1758; *nigriventris* Fieber,1861; *anthracina* Jakovlev,1885; *vidua* Horvath,1917
- 3816) *Janthinea friwaldskii* (Duponchel,1835)** (Noctuidae) Synonym(s): *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#violacea* Staudinger,1879; *friwaldski* Hampson,1910.
- 3817) *Jassargus obtusivalvis* (Kirschabaum,1868)** (Cicadellidae) Synonym(s): *obtusivalvis* Kirschabaum,1868; *picturatus* Fieber,1869
- 3818) *Jodia croceago* (Fabricius,1787)** (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiagio* Donovan,1796; *corsica* Mabilie,1868
- 3819) *Jodis lactearia* (Linnaeus,1758)** (Geometridae) Synonym(s): *lactearia* Linnaeus,1758; *vernaria* Linnaeus,1761; *aeruginaria* [Denis & Schiffermüller],1775; *semipunctata* Retzius,1783; *syrene* Fourcroy,1785; *sirene* Villers,1789; *syrena* Geoffroy,1799
- 3820) *Jordanita* (Lucasiterna) *subsolana* (Staudinger,1862)** (Zygaenidae) Synonym(s): *subsolana* Staudinger,1862
- 3821) *Jordanita* (Roccia) *budensis* (Speyer & Speyer,1858)** (Zygaenidae) Synonym(s): *budensis* Speyer & Speyer,1858
- 3822) *Jordanita* (s.str.) *chloros* (Hübner,[1813])** (Zygaenidae) Synonym(s): *chloros* Hübner,[1813]; *sepium* Boisduval,1834.
- 3823) *Jordanita* (s.str.) *globulariae* (Hübner,1793)** (Zygaenidae) Synonym(s): *globulariae* Hübner,1793
- 3824) *Jordanita* (s.str.) *graeca* (Jordan,1907)** (Zygaenidae) Synonym(s): *graeca* Jordan,1907
- 3825) *Jordanita* (Tremewania) *notata* (Zeller,1847)** (Zygaenidae) Synonym(s): *notata* Zeller,1847
- 3826) *Julodis ehrenbergi* Laporte,1835** (Buprestidae) Synonym(s): *ehrenbergi* Laporte,1835
- 3827) *Katamenes dimidiatus* (Brullé,1832)** (Vespidae) Synonym(s): *dimidiatus* Brullé,1832
- 3828) *Katamenes sichelii* (Saussure,1852)** (Vespidae) Synonym(s): *sichelii* Saussure,1852; *tauriae* Giordani-Soika,1960
- 3829) *Katha depressa* (Esper,[1787])** (Arctiidae) Synonym(s): *deplana* Esper,[1787] *nec* Linn.,1771; *depressa* Esper,[1787]; *helvola* Hübner,[1803]; *ochreola* Hübner,[1803]; *helvola* Ochsenheimer,1810.
- 3830) *Katha rungsi* (de Toulgoet,1960)** (Arctiidae) Synonym(s): *rungsii* de Toulgoet,1960
- 3831) *Kelisia brucki* Fieber,1878** (Delphacidae) Synonym(s): *brucki* Fieber,1878
- 3832) *Kelisia yarkonensis* Linnavuori,1962** (Delphacidae) Synonym(s): *yarkonensis* Linnavuori,1962
- 3833) *Kenneliola fagiglandana* (Zeller,1841)** (Tortricidae) Synonym(s): *grossana* Haworth,[1811] *nec* Thunb.,1791; *fagiglandana* Zeller,1841.
- 3834) *Keradere lepidella* (Ragonot,1887)** (Pyralidae) Synonym(s): *lepidella* Ragonot,1887
- 3835) *Keradere tengstroemiella* (Erschoff,1874)** (Pyralidae) Synonym(s): *tengstroemiella* Erschoff,1874; *noctivaga* Staudinger,1879.
- 3836) *Kervillea syriaca* (Melichar,1906)** (Issidae) Synonym(s): *syriaca* Melichar,1906
- 3837) *Kessleria* (s.str.) *osyridellus* Stainton,1869** (Yponomeutidae) Synonym(s): *osyridellus* Stainton,1869
- 3838) *Khorassania compositella* (Treitschke,1835)** (Pyralidae) Synonym(s): *compositella* Treitschke,1835; *murinella* Heinemann,1865; *senescens* Heinemann,1865; *kalischii* Staudinger,1870; *iconiensis* Caradja,1910.

- 3839) Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989
- 3840) Klapperichicen viridissimus (Walker,1858)** (Cicadidae) Synonym(s): *viridissima* Walker,1858; *alhageos* Kolenati,1857; *glycyrrhizae* Kolenati,1857; *ochreate* Melichar,1902; *olivacea* Melichar,1913; *stenoptera* Haupt,1917; *smaragdula* Haupt,1920
- 3841) Klimeschia cinereipunctella (Turati & Fiori,1930)** (Douglassiidae) Synonym(s): *cinereipunctella* Turati & Fiori,1930; *lutumella* Amsel,1938.
- 3842) Klimeschia transversella (Zeller,1839)** (Douglassiidae) Synonym(s): *transversella* Zeller,1839
- 3843) Klimeschiopsis kiningerella (Duponchel,1844)** (Gelechiidae) Synonym(s): *kiningerella* Duponchel,1844; *atralbella* Palm,1947
- 3844) Knutsonia (s.str.) corcyrensis Verbeke,1964** (Sciomyzidae) Synonym(s): *corcyrensis* Verbeke,1964
- 3845) Knutsonia (s.str.) turcestanica (Hendel,1903)** (Sciomyzidae) Synonym(s): *turcestanica* Hendel,1903
- 3846) Kokujewia clementi Zirngiebl,1949** (Argidae) Synonym(s): *clementi* Zirngiebl,1949; *taschevi* Vassilev,1978
- 3847) Korscheltellus lupulinus (Linnaeus,1758)** (Hepialidae) Synonym(s): *lupulinus* Linnaeus,1758; *serraticornis* Gmelin,1790; *obliquus* Fabricius,1794; *cora* Schrank,1801; *lupulator* Haworth,1802; *obliquator* Haworth,1802; *nebulosator* Haworth,1802; *fuscus* Haworth,1809; *angulum* Haworth,1809; *nebulosus* Haworth,1809; *nebulosus* Haworth,1828; *espanoli* Gregorio,1981
- 3848) Korynetes coxalis Reitter,1894** (Korynetidae) Synonym(s): *coxalis* Reitter,1894
- 3849) Krombeinella longicollis (Tournier,1889)** (Mutillidae) Synonym(s): *longicollis* Tournier,1889
- 3850) Kropka unipunctata (Dlabola,1957)** (Cicadellidae) Synonym(s): *unipunctata* Dlabola,1957; *vidanoi* Dworakowska,1970
- 3851) Kybos candelabricus Dlabola,1958** (Cicadellidae) Synonym(s): *candelabricus* Dlabola,1958
- 3852) Kybos virgator (Ribaut,1933)** (Cicadellidae) Synonym(s): *virgator* Ribaut,1933; *saageri* Wagner,1935
- 3853) Labidostomis (s.str.) oertzeni Weise,1889** (Chrysomelidae) Synonym(s): *oertzeni* Weise,1889; *heteromalla* Lefebvre,1889; *villosula* Weise,1900
- 3854) Labidostomis (s.str.) propinqua Faldermann,1837** (Chrysomelidae) Synonym(s): *propinqua* Faldermann,1837; *binotata* Walth,1838; *steveni* Walth,1848; *arnoldii* Medvedev,1962
- 3855) Labidostomis (s.str.) rufa (Walth,1838)** (Chrysomelidae) Synonym(s): *rufa* Walth,1838
- 3856) Labidostomis tymphristica Tomov,1990** (Chrysomelidae) Synonym(s): *tymphristica* Tomov,1990
- 3857) Lacanobia (Dianobia) dissimilis (Knoch,1781)** (Noctuidae) Synonym(s): *#suasa* [Denis & Schiffermüller],1775; *dissimilis* Knoch,1781; *leucographa* Esper,[1790]; *denscanis* Haworth,1809; *permixta* Geyer,[1833]; *pavida* Boisduval,1840; *confluens* Eversmann,1844; *laeta* Reuter,1893.
- 3858) Lacanobia (Dianobia) histrio (Goeze,1781)** (Noctuidae) Synonym(s): *#contigua* [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc.
- 3859) Lacanobia (Dianobia) thalassina (Hufnagel,1766)** (Noctuidae) Synonym(s): *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813].
- 3860) Lacanobia (Diataraxia) blenna (Hübner,[1824])** (Noctuidae) Synonym(s): *blenna* Hübner,[1824]; *peregrina* Treitschke,1825; *trimenda* Geyer,[1832]; *guenei* Bruand,1850.
- 3861) Lacanobia (Diataraxia) oleracea (Linnaeus,1758)** (Noctuidae) Synonym(s): *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937
- 3862) Lacanobia (Diataraxia) splendens (Hübner,[1808])** (Noctuidae) Synonym(s): *splendens* Hübner,[1808]
- 3863) Lacanobia (s.str.) w-latinum (Hufnagel,1766)** (Noctuidae) Synonym(s): *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962.
- 3864) Lachnaia orientalis (Weise,1882)** (Chrysomelidae) Synonym(s): *orientalis* Weise,1882
- 3865) Lachnaia zoiai Regalin,1997** (Chrysomelidae) Synonym(s): *zoiai* Regalin,1997
- 3866) Lacon graecus Candeze,1857** (Elateridae) Synonym(s): *graecus* Candeze,1857
- 3867) Lacon kapleri Platia & Schimmel,1994** (Elateridae) Synonym(s): *kapleri* Platia & Schimmel,1994
- 3868) Lacon punctatus (Herbst,1779)** (Elateridae) Synonym(s): *punctatus* Herbst,1779
- 3869) Laelia coenosa (Hübner,[1808])** (Lymantriidae) Synonym(s): *coenosa* Hübner,[1808]
- 3870) Laemostenus (Pristonychus) cimmerius (Fischer von Waldheim,1823)** (Carabidae) Synonym(s): *cimmerius* Fischer von Waldheim,1823; *weiratheiri* J.Müller,1932
- 3871) Laemostenus (Pristonychus) conspicuus (Waltl,1838)** (Carabidae) Synonym(s): *conspiciuus* Waltl,1838; *grandicollis* Sturm,1843; *grandis* Motschoulsky,1950; *nitidus* Motschoulsky,1865
- 3872) Laena graeca Weise,1878** (Tenebrionidae) Synonym(s): *graeca* Weise,1878
- 3873) Lamia textor (Linnaeus,1758)** (Cerambycidae) Synonym(s): *textor* Linnaeus,1758
- 3874) Lamoria anella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *anella* [Denis & Schiffermüller],1775
- 3875) Lampides boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886
- 3876) Lamprochromus defectivus Strobl,1899** (Dolichopodidae) Synonym(s): *defectivus* Strobl,1899
- 3877) Lamprohiza splendidula (Linnaeus,1767)** (Lampyridae) Synonym(s): *splendidula* Linnaeus,1767; *antiqua* Brullé,1832; *Villaret*,1833
- 3878) Lampromeloe cavensis (Petagna,1819)** (Meloidae) Synonym(s): *cavensis* Petagna,1819; *purpurascens* Germar,1834; *sardous* Gené,1836; *aeneus* Laporte,1840; *latreillei* Marseul,1867
- 3879) Lampronia rupella ([Denis & Schiffermüller],1775)** (Prodoxidae) Synonym(s): *rupella* [Denis & Schiffermüller],1775
- 3880) Lamprosticta culta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#cultata* [Denis & Schiffermüller],1775
- 3881) Lampyris hellenica Geisthardt,1983** (Lampyridae) Synonym(s): *hellenica* Geisthardt,1983
- 3882) Lampyris monticola Geisthardt,2000** (Lampyridae) Synonym(s): *monticola* Geisthardt,2000
- 3883) Lampyris noctiluca (Linnaeus,1758)** (Lampyridae) Synonym(s): *noctiluca* Linnaeus,1758; *sibirica* Gebler,1847; *longipennis* Motschoulsky,1854; *obscura* Motschoulsky,1854; *thoracica* Motschoulsky,1854; *bellieri* Reiche,1858; *carreti* E.Olivier,1895; *minor* E.Olivier,1901; *parvicollis* E.Olivier,1901
- 3884) Lampyris zenkeri Germar,1817** (Lampyridae) Synonym(s): *zenkeri* Germar,1817
- 3885) Lampyroidea achaiaca Gesithardt,1999** (Lampyridae) Synonym(s): *achaiaca* Gesithardt,1999
- 3886) Lampyroidea graeca (Laporte de Castelnau,1833)** (Lampyridae) Synonym(s): *graecca* Laporte de Castelnau,1833; *euboica* Pic,1914
- 3887) Lampyroidea quadrinotata Wittmer,1935** (Lampyridae) Synonym(s): *quadrinotata* Wittmer,1935
- 3888) Laothoe populi (Linnaeus,1758)** (Sphingidae) Synonym(s): *populi* Linnaeus,1758; *tremulae* Borkhausen,1793; *palustris* Holle,1865; *salicis* Holle,1865; *roseotincta* Reuter,1893; *borkhauseni* Bartel,1900; *lappona* Rangnow,1935.

- 3889) *Laphria auriflua* Gerstaecker, 1862 (Asilidae) Synonym(s): *auriflua* Gerstaecker, 1862
 3890) *Laphria dizonias* Loew, 1847 (Asilidae) Synonym(s): *dizonias* Loew, 1847; *integra* Becker, 1912
 3891) *Laphria empyrea* Gerstaecker, 1862 (Asilidae) Synonym(s): *empyrea* Gerstaecker, 1862
 3892) *Laphria flava* (Linnaeus, 1761) (Asilidae) Synonym(s): *flava* Linnaeus, 1761; *conopsoides* Scopoli, 1763; *ferox* Scopoli, 1763; *fulva* Geoffroy, 1785; *pedemontana* Fabricius, 1794; *escorialensis* Strobl, 1906
 3893) *Laphria flava* (Linnaeus, 1761) (Asilidae) Synonym(s): *flava* Linnaeus, 1761; *grisea* Giglio-Tos, 1893
 3894) *Laphria galathei* Costa, 1857 (Asilidae) Synonym(s): *simplex* Meigen, 1838; *galathei* Costa, 1857
 3895) *Laphria hecate* Gerstaecker, 1862 (Asilidae) Synonym(s): *hecate* Gerstaecker, 1862; *nigrovittata* Strobl, 1899
 3896) *Laphystia alpheia* Janssens, 1958 (Asilidae) Synonym(s): *alpheia* Janssens, 1958
 3897) *Laphystia erberi* (Schiner, 1865) (Asilidae) Synonym(s): *erberi* Schiner, 1865; *arenacea* Paramonov, 1930
 3898) *Laphystia francoisi* Janssens, 1966 (Asilidae) Synonym(s): *francoisi* Janssens, 1966
 3899) *Laphystia sabulicola* Loew, 1847 (Asilidae) Synonym(s): *sabulicola* Loew, 1847
 3900) *Larentia clavaria* Haworth, [1809] (Geometridae) Synonym(s): *clavaria* Haworth, [1809]; *pallidata* Staudinger, 1901
 3901) *Larentia malvata* (Rambur, 1833) (Geometridae) Synonym(s): *malvata* Rambur, 1833
 3902) *Lasiocampa grandis* (Rogenhofer, 1891) (Lasiocampidae) Synonym(s): *grandis* Rogenhofer, 1891
 3903) *Lasiocampa quercus* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *quercus* Linnaeus, 1758; *roboris* Fabricius, 1793; *spartii* Hübner, [1803]; *guillemontii* Trimoulet, 1858; *sicula* Staudinger, 1861; *scopariae* Millière, 1861; *burdigalensis* Gerhard, 1882; *meridionalis* Tutt, 1901; *altaica* Grünberg, 1911; *balcanoturica* De Freina, 1981
 3904) *Lasiocampa terreni* (Herrich-Schäffer, 1847) (Lasiocampidae) Synonym(s): *terreni* Herrich-Schäffer, 1847
 3905) *Lasiocampa trifolii* ([Denis & Schiffermüller], 1775) (Lasiocampidae) Synonym(s): *#trifolii* [Denis & Schiffermüller], 1775; *medicaginis* Borkhausen, 1793; *ratamae* Herrich-Schäffer, 1851; *bathseba* Staudinger, 1891; *maculosa* Rogenhofer, 1891
 3906) *Lasioglossum* (Evylaeus) *aeratum* (Kirby, 1802) (Halictidae) Synonym(s): *aeratum* Kirby, 1802; *caudatum* Warncke, 1982
 3907) *Lasioglossum* (Evylaeus) *albipes* (Fabricius, 1781) (Halictidae) Synonym(s): *albipes* Fabricius, 1781
 3908) *Lasioglossum* (Evylaeus) *albocinctum* (Lucas, 1879) (Halictidae) Synonym(s): *albocinctum* Lucas, 1879
 3909) *Lasioglossum* (Evylaeus) *algirum* (Blüthgen, 1923) (Halictidae) Synonym(s): *algirum* Blüthgen, 1923
 3910) *Lasioglossum* (Evylaeus) *alpigenum* (Dalla Torre, 1877) (Halictidae) Synonym(s): *alpigenum* Dalla Torre, 1877
 3911) *Lasioglossum* (Evylaeus) *anellum* (Vachal, 1905) (Halictidae) Synonym(s): *anellum* Vachal, 1905
 3912) *Lasioglossum* (Evylaeus) *angusticeps* (Perkins, 1895) (Halictidae) Synonym(s): *angusticeps* Perkins, 1895
 3913) *Lasioglossum* (Evylaeus) *angustipes* Ebmer, 1972 (Halictidae) Synonym(s): *angustipes* Ebmer, 1972
 3914) *Lasioglossum* (Evylaeus) *apostoli* Ebmer, 1970 (Halictidae) Synonym(s): *apostoli* Ebmer, 1970
 3915) *Lasioglossum* (Evylaeus) *argaeum* (Blüthgen, 1931) (Halictidae) Synonym(s): *argaeum* Blüthgen, 1931
 3916) *Lasioglossum* (Evylaeus) *atrovirens* (Pérez, 1903) (Halictidae) Synonym(s): *atrovirens* Pérez, 1903
 3917) *Lasioglossum* (Evylaeus) *bavaricum* (Blüthgen, 1930) (Halictidae) Synonym(s): *bavaricum* Blüthgen, 1930
 3918) *Lasioglossum* (Evylaeus) *bicallosum* (Morawitz, 1873) (Halictidae) Synonym(s): *bicallosum* Morawitz, 1873; *dmitrijewi* Morawitz, 1892
 3919) *Lasioglossum* (Evylaeus) *bischoffi* (Blüthgen, 1931) (Halictidae) Synonym(s): *bischoffi* Blüthgen, 1931
 3920) *Lasioglossum* (Evylaeus) *bluethgeni* (Ebmer, 1971) (Halictidae) Synonym(s): *bluethgeni* Ebmer, 1971
 3921) *Lasioglossum* (Evylaeus) *brevicorne* (Schenck, 1868) (Halictidae) Synonym(s): *brevicorne* Schenck, 1868
 3922) *Lasioglossum* (Evylaeus) *breviventre* (Schenck, 1853) (Halictidae) Synonym(s): *breviventre* Schenck, 1853
 3923) *Lasioglossum* (Evylaeus) *calceatum* (Scopoli, 1763) (Halictidae) Synonym(s): *calceatum* Scopoli, 1763
 3924) *Lasioglossum* (Evylaeus) *clypeare* (Schenck, 1853) (Halictidae) Synonym(s): *clypeare* Schenck, 1853
 3925) *Lasioglossum* (Evylaeus) *clypeiferellum* (Strand, 1909) (Halictidae) Synonym(s): *clypeiferellum* Strand, 1909
 3926) *Lasioglossum* (Evylaeus) *convexiusculum* (Schenck, 1853) (Halictidae) Synonym(s): *convexiusculum* Schenck, 1853
 3927) *Lasioglossum* (Evylaeus) *corvinum* (Morawitz, 1876) (Halictidae) Synonym(s): *corvinum* Morawitz, 1876
 3928) *Lasioglossum* (Evylaeus) *crassepunctatum* (Blüthgen, 1923) (Halictidae) Synonym(s): *crassepunctatum* Blüthgen, 1923
 3929) *Lasioglossum* (Evylaeus) *cupromicans* (Pérez, 1903) (Halictidae) Synonym(s): *cupromicans* Pérez, 1903; *pangaeum* Warncke, 1982; *gevriense* Warncke, 1984
 3930) *Lasioglossum* (Evylaeus) *damascenum* (Pérez, 1910) (Halictidae) Synonym(s): *damascenum* Pérez, 1910
 3931) *Lasioglossum* (Evylaeus) *danubium* (Blüthgen, 1944) (Halictidae) Synonym(s): *danubium* Blüthgen, 1944
 3932) *Lasioglossum* (Evylaeus) *denislucum* (Strand, 1909) (Halictidae) Synonym(s): *denislucum* Strand, 1909
 3933) *Lasioglossum* (Evylaeus) *dolichocephalum* (Blüthgen, 1923) (Halictidae) Synonym(s): *dolichocephalum* Blüthgen, 1923
 3934) *Lasioglossum* (Evylaeus) *duckei* (Alfken, 1909) (Halictidae) Synonym(s): *duckei* Alfken, 1909
 3935) *Lasioglossum* (Evylaeus) *elegans* (Lepeletier, 1841) (Halictidae) Synonym(s): *elegans* Lepeletier, 1841
 3936) *Lasioglossum* (Evylaeus) *erraticum* (Blüthgen, 1931) (Halictidae) Synonym(s): *erraticum* Blüthgen, 1931
 3937) *Lasioglossum* (Evylaeus) *euboense* (Strand, 1909) (Halictidae) Synonym(s): *euboense* Strand, 1909
 3938) *Lasioglossum* (Evylaeus) *fratellum* (Pérez, 1903) (Halictidae) Synonym(s): *fratellum* Pérez, 1903
 3939) *Lasioglossum* (Evylaeus) *fulvicorne* (Kirby, 1802) (Halictidae) Synonym(s): *fulvicorne* Kirby, 1802
 3940) *Lasioglossum* (Evylaeus) *glabriusculum* (Morawitz, 1872) (Halictidae) Synonym(s): *glabriusculum* Morawitz, 1872
 3941) *Lasioglossum* (Evylaeus) *griseolum* (Morawitz, 1872) (Halictidae) Synonym(s): *griseolum* Morawitz, 1872
 3942) *Lasioglossum* (Evylaeus) *hethiticum* Ebmer, 1970 (Halictidae) Synonym(s): *hethiticum* Ebmer, 1970
 3943) *Lasioglossum* (Evylaeus) *hilare* Ebmer, 1972 (Halictidae) Synonym(s): *hilare* Ebmer, 1972
 3944) *Lasioglossum* (Evylaeus) *imbecillum* (Ebmer, 1974) (Halictidae) Synonym(s): *imbecillum* Ebmer, 1974
 3945) *Lasioglossum* (Evylaeus) *intermedium* (Schenck, 1869) (Halictidae) Synonym(s): *intermedium* Schenck, 1869
 3946) *Lasioglossum* (Evylaeus) *interruptum* (Panzer, 1798) (Halictidae) Synonym(s): *interruptum* Panzer, 1798; *trispinosum* Alfken, 1907
 3947) *Lasioglossum* (Evylaeus) *laeve* (Kirby, 1802) (Halictidae) Synonym(s): *laeve* Kirby, 1802
 3948) *Lasioglossum* (Evylaeus) *laevidorsum* (Blüthgen, 1923) (Halictidae) Synonym(s): *laevidorsum* Blüthgen, 1923
 3949) *Lasioglossum* (Evylaeus) *laticeps* Schenck, 1870 (Halictidae) Synonym(s): *laticeps* Schenck, 1870; *hellenicum* Blüthgen, 1937
 3950) *Lasioglossum* (Evylaeus) *limbelloides* (Blüthgen, 1931) (Halictidae) Synonym(s): *limbelloides* Blüthgen, 1931
 3951) *Lasioglossum* (Evylaeus) *limbellum* (Morawitz, 1876) (Halictidae) Synonym(s): *limbellum* Morawitz, 1876
 3952) *Lasioglossum* (Evylaeus) *lineare* (Schenck, 1869) (Halictidae) Synonym(s): *lineare* Schenck, 1869
 3953) *Lasioglossum* (Evylaeus) *lissonatum* (Noskiewicz, 1925) (Halictidae) Synonym(s): *lissonatum* Noskiewicz, 1925
 3954) *Lasioglossum* (Evylaeus) *longirostre* (Morawitz, 1876) (Halictidae) Synonym(s): *longirostre* Morawitz, 1876

- 3955) *Lasioglossum* (Evylaeus) *malachurum* (Kirby,1802) (Halictidae) Synonym(s): *malachurum* Kirby,1802
- 3956) *Lasioglossum* (Evylaeus) *mandibulare* (Morawitz,1866) (Halictidae) Synonym(s): *mandibulare* Morawitz,1866; *carneivendre* Dours,1872
- 3957) *Lasioglossum* (Evylaeus) *marginatum* (Brullé,1832) (Halictidae) Synonym(s): *marginatum* Brullé,1832
- 3958) *Lasioglossum* (Evylaeus) *mesosclerum* (Pérez,1903) (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *rhodosianus* Strand,1909; *balneorum* Ebmer,1974; *bubulcus* Warncke,1982
- 3959) *Lasioglossum* (Evylaeus) *mesosclerum* (Pérez,1903) (Halictidae) Synonym(s): *mesosclerum* Pérez,1903; *balneorum* Ebmer,1974
- 3960) *Lasioglossum* (Evylaeus) *minutissimum* (Kirby,1802) (Halictidae) Synonym(s): *minutissimum* Kirby,1802
- 3961) *Lasioglossum* (Evylaeus) *minutulum* (Schenck,1853) (Halictidae) Synonym(s): *minutulum* Schenck,1853
- 3962) *Lasioglossum* (Evylaeus) *montivolans* Ebmer,1975 (Halictidae) Synonym(s): *montivolans* Ebmer,1975
- 3963) *Lasioglossum* (Evylaeus) *morio* (Fabricius,1793) (Halictidae) Synonym(s): *morio* Fabricius,1793
- 3964) *Lasioglossum* (Evylaeus) *nigripes* (Lepelletier,1841) (Halictidae) Synonym(s): *nigripes* Lepelletier,1841
- 3965) *Lasioglossum* (Evylaeus) *nitidiusculum* (Kirby,1802) (Halictidae) Synonym(s): *nitidiusculum* Kirby,1802
- 3966) *Lasioglossum* (Evylaeus) *nitidulum* (Fabricius,1804) (Halictidae) Synonym(s): *nitidulum* Fabricius,1804
- 3967) *Lasioglossum* (Evylaeus) *obscuratum* (Morawitz,1875) (Halictidae) Synonym(s): *obscuratum* Morawitz,1875
- 3968) *Lasioglossum* (Evylaeus) *parvulum* (Schenck,1853) (Halictidae) Synonym(s): *parvulum* Schenck,1853
- 3969) *Lasioglossum* (Evylaeus) *pauperatum* (Brullé,1832) (Halictidae) Synonym(s): *pauperatum* Brullé,1832
- 3970) *Lasioglossum* (Evylaeus) *pauxillum* (Schenck,1853) (Halictidae) Synonym(s): *pauxillum* Schenck,1853
- 3971) *Lasioglossum* (Evylaeus) *peregrinum* (Blüthgen,1923) (Halictidae) Synonym(s): *peregrinum* Blüthgen,1923
- 3972) *Lasioglossum* (Evylaeus) *podolicum* (Noskiewicz,1924) (Halictidae) Synonym(s): *podolicum* Noskiewicz,1924
- 3973) *Lasioglossum* (Evylaeus) *politum* Schenck,1853 (Halictidae) Synonym(s): *politum* Schenck,1853
- 3974) *Lasioglossum* (Evylaeus) *pressithorax* Ebmer,1974 (Halictidae) Synonym(s): *pressithorax* Ebmer,1974
- 3975) *Lasioglossum* (Evylaeus) *punctatissimum* (Schenck,1853) (Halictidae) Synonym(s): *punctatissimum* Schenck,1853
- 3976) *Lasioglossum* (Evylaeus) *puncticolle* (Morawitz,1872) (Halictidae) Synonym(s): *puncticolle* Morawitz,1872
- 3977) *Lasioglossum* (Evylaeus) *pygmaeum* Schenck,1853 (Halictidae) Synonym(s): *pygmaeum* Schenck,1853; *patulum* Vachal,1905
- 3978) *Lasioglossum* (Evylaeus) *quadrisignatus* (Schenck,1853) (Halictidae) Synonym(s): *quadrisignatus* Schenck,1853
- 3979) *Lasioglossum* (Evylaeus) *salinum* (Morawitz,1875) (Halictidae) Synonym(s): *salinum* Morawitz,1875
- 3980) *Lasioglossum* (Evylaeus) *semilucens* (Alfken,1914) (Halictidae) Synonym(s): *semilucens* Alfken,1914
- 3981) *Lasioglossum* (Evylaeus) *setulellum* (Strand,1909) (Halictidae) Synonym(s): *setulellum* Strand,1909
- 3982) *Lasioglossum* (Evylaeus) *soror* (Saunders,1901) (Halictidae) Synonym(s): *soror* Saunders,1901; *elatum* Warncke,1975; *livium* Warncke,1982
- 3983) *Lasioglossum* (Evylaeus) *subaenescens* (Pérez,1896) (Halictidae) Synonym(s): *subaenescens* Pérez,1896; *asiaticum* Dalla Torre,1896
- 3984) *Lasioglossum* (Evylaeus) *subfulvicorne* (Blüthgen,1934) (Halictidae) Synonym(s): *subfulvicorne* Blüthgen,1934; *austriacum* Ebmer,1974
- 3985) *Lasioglossum* (Evylaeus) *tarsatum* (Schenck,1868) (Halictidae) Synonym(s): *tarsatum* Schenck,1868
- 3986) *Lasioglossum* (Evylaeus) *transitorium* (Schenck,1870) (Halictidae) Synonym(s): *transitorium* Schenck,1870; *uncinum* Vachal,1905
- 3987) *Lasioglossum* (Evylaeus) *trichopygum* (Blüthgen,1923) (Halictidae) Synonym(s): *trichopygum* Blüthgen,1923
- 3988) *Lasioglossum* (Evylaeus) *tricinctum* (Schenck,1874) (Halictidae) Synonym(s): *tricinctum* Schenck,1874; *muganicum* Ebmer,1972
- 3989) *Lasioglossum* (Evylaeus) *truncaticolle* (Morawitz,1877) (Halictidae) Synonym(s): *truncaticolle* Morawitz,1877
- 3990) *Lasioglossum* (Evylaeus) *tschibuklinum* (Blüthgen,1931) (Halictidae) Synonym(s): *tschibuklinum* Blüthgen,1931
- 3991) *Lasioglossum* (Evylaeus) *villosulum* (Kirby,1802) (Halictidae) Synonym(s): *villosulum* Kirby,1802
- 3992) *Lasioglossum* (s.str.) *acephaloides* (Blüthgen,1931) (Halictidae) Synonym(s): *acephaloides* Blüthgen,1931
- 3993) *Lasioglossum* (s.str.) *aegyptiellum* (Strand,1909) (Halictidae) Synonym(s): *aegyptiellum* Strand,1909; *orontis* Cockerell,1918; *dalmaticum* Ebmer,1970
- 3994) *Lasioglossum* (s.str.) *costulatum* (Kriechbaumer,1873) (Halictidae) Synonym(s): *costulatum* Kriechbaumer,1873; *alpestris* Morawitz,1877
- 3995) *Lasioglossum* (s.str.) *cristulum* (Pérez,1895) (Halictidae) Synonym(s): *cristulum* Pérez,1895; *mesoleus* Cockerell,1938; *donatum* Warncke,1975; *#cristulam* Grace,2010
- 3996) *Lasioglossum* (s.str.) *discum* (Smith,1853) (Halictidae) Synonym(s): *discum* Smith,1853; *morbillosus* Kriechbaumer,1873; *glasunovi* Cockerell,1924;
- 3997) *Lasioglossum* (s.str.) *euxanthopus* Pesenko,1986 (Halictidae) Synonym(s): *euxanthopus* Pesenko,1986
- 3998) *Lasioglossum* (s.str.) *glaciegenitum* (Ebmer,1972) (Halictidae) Synonym(s): *glaciegenitum* Ebmer,1972
- 3999) *Lasioglossum* (s.str.) *haesitans* (Blüthgen,1931) (Halictidae) Synonym(s): *haesitans* Blüthgen,1931
- 4000) *Lasioglossum* (s.str.) *kussariense* (Blüthgen,1925) (Halictidae) Synonym(s): *kussariense* Blüthgen,1925
- 4001) *Lasioglossum* (s.str.) *laterale* (Brullé,1832) (Halictidae) Synonym(s): *lateralis* Brullé,1832; *bifasciatus* Brullé,1832; *ticinensis* Frey-Gessner,1903
- 4002) *Lasioglossum* (s.str.) *lativentre* (Schenck,1853) (Halictidae) Synonym(s): *lativentre* Schenck,1853; *bisbistrigatus* Schenck,1853; *bicinctus* Schenck,1874; *decipiens* Perkins,1913; *sotschica* Blüthgen,1931
- 4003) *Lasioglossum* (s.str.) *lativentre* (Schenck,1853) (Halictidae) Synonym(s): *lativentre* Schenck,1853
- 4004) *Lasioglossum* (s.str.) *leucozonium* (Schränk,1781) (Halictidae) Synonym(s): *leucozonium* Schränk,1781; *leucostoma* Schränk,1781; *similis* Smith,1853; *bifasciatellus* Schenck,1875; *nigrotibialis* Dalla Torre,1877; *deiphobus* Bingham,1908; *clusium* Warncke,1975; *cedri* Ebmer,1976
- 4005) *Lasioglossum* (s.str.) *pallens* (Brullé,1832) (Halictidae) Synonym(s): *pallens* Brullé,1832
- 4006) *Lasioglossum* (s.str.) *perclavipes* (Blüthgen,1934) (Halictidae) Synonym(s): *perclavipes* Blüthgen,1934
- 4007) *Lasioglossum* (s.str.) *perclavipes* (Blüthgen,1934) (Halictidae) Synonym(s): *perclavipes* Blüthgen,1934
- 4008) *Lasioglossum* (s.str.) *prasinum* (Smith,1848) (Halictidae) Synonym(s): *prasinum* Smith,1848
- 4009) *Lasioglossum* (s.str.) *prunellum* Warncke,1975 (Halictidae) Synonym(s): *prunellum* Warncke,1975
- 4010) *Lasioglossum* (s.str.) *pseudocaspicum* (Blüthgen,1923) (Halictidae) Synonym(s): *pseudocaspicum* Blüthgen,1923
- 4011) *Lasioglossum* (s.str.) *subfasciatum* (Imhoff,1832) (Halictidae) Synonym(s): *subfasciatum* Imhoff,1832
- 4012) *Lasioglossum* (s.str.) *xanthopum* (Kirby,1802) (Halictidae) Synonym(s): *xanthopum* Kirby,1802; *lativalve* Warncke,1984
- 4013) *Lasioglossum* *buccale* (Pérez,1903) (Halictidae) Synonym(s): *buccale* Pérez,1903
- 4014) *Lasioglossum* *eurasicum* Ebmer,1972 (Halictidae) Synonym(s): *eurasicum* Ebmer,1972

- 4015) Lasiommata maera (Linnaeus,1758)** (Satyridae) Synonym(s): *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909.
- 4016) Lasiommata megera (Linnaeus,1767)** (Satyridae) Synonym(s): *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923.
- 4017) Lasiommata petropolitana (Fabricius,1787)** (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929.
- 4018) Lasionycta proxima (Hübner,[1809])** (Noctuidae) Synonym(s): *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976.
- 4019) Lasiopa balius (Walker,1849)** (Stratiomyidae) Synonym(s): *balius* Walker,1849; *tenuirostris* Loew,1854; *bertoni* Seguy,1932
- 4020) Lasioptera berlesiana Paoli,1907** (Cecidomyiidae) Synonym(s): *berlesiana* Paoli,1907; *kiefferiana* Del Guercio,1910; *carphophila* Del Guercio,1918; *brevicornis* Melis,1927
- 4021) Lasioptera carophila Loew,1874** (Cecidomyiidae) Synonym(s): *carophila* Loew,1874; *thapsiae* Kieffer,1898
- 4022) Lasiorrhynchites praeustus (Boheman,1845)** (Attelebidae) Synonym(s): *praeustus* Boheman,1845; *kindermanni* Desbrochers,1845; *syriacus* Desbrochers,1868
- 4023) Laspeyria flexula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flexula* [Denis & Schiffermüller],1775
- 4024) Lathronympha christenseni Aarvik & Karsholt,1993** (Tortricidae) Synonym(s): *christenseni* Aarvik & Karsholt,1993
- 4025) Lathronympha strigana (Fabricius,1775)** (Tortricidae) Synonym(s): *strigana* Fabricius,1775; *politana* [Denis & Schiffermüller],1775; *hypericana* Hübner,[1799].
- 4026) Latilica maculipes (Melichar,1906)** (Issidae) Synonym(s): *maroccanum* Lethierry,1877; *maculipes* Melichar,1906; *oertzeni* Matsumura,1910
- 4027) Lecithocera nigrana (Duponchel,1836)** (Lecithoceridae) Synonym(s): *nigrana* Duponchel,1836; *luticornella* Zeller,1839; *rosoviella* Heinemann,1870; *#leticornella* Staudinger,1880.
- 4028) Legnotomyia olympiaca François,1970** (Bombyliidae) Synonym(s): *olympiaca* François,1970
- 4029) Legnotomyia trichorhoea (Loew,1855)** (Bombyliidae) Synonym(s): *trichorhoea* Loew,1855
- 4030) Leia bimaculata (Meigen,1804)** (Mycetophilidae) Synonym(s): *bimaculata* Meigen,1804; *fasciola* Meigen,1818; *octomaculata* Curtis,1837
- 4031) Leia graeca Bechev,1997** (Mycetophilidae) Synonym(s): *graeca* Bechev,1997
- 4032) Leistus (Pogonophorus) spinibarbis (Fabricius,1775)** (Carabidae) Synonym(s): *spinibarbis* Fabricius,1775
- 4033) Lejogaster nigricans (Stackelberg,1922)** (Syrphidae) Synonym(s): *nigricans* Stackelberg,1922
- 4034) LEMONIA balcanica Herrich-Schäffer,[1843]** (Lemoniidae) Synonym(s): *balcanica* Herrich-Schäffer,[1843]; *anatolica* Wagner,1931.
- 4035) LEMONIA dumi (Linnaeus,1761)** (Lemoniidae) Synonym(s): *dumi* Linnaeus,1761; *dumeti* Linnaeus,1767
- 4036) LEMONIA taraxaconis (Gmelin,1790)** (Lemoniidae) Synonym(s): *#taraxaci* [Denis & Schiffermüller],1775; *taraxaconis* Gmelin,1790
- 4037) Leopoldius coronatus (Rondani,1857)** (Conopidae) Synonym(s): *coronatus* Rondani,1857
- 4038) Leprosoma inconspicuum Bärensprung,1859** (Pentatomidae) Synonym(s): *inconspicuum* Bärensprung,1859; *carinatum* Montandon,1895
- 4039) Leptidea duponcheli (Staudinger,1871)** (Pieridae) Synonym(s): *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003
- 4040) Leptidea morsei (Fenton,1881)** (Pieridae) Synonym(s): *morsei* Fenton,1882
- 4041) Leptidea reali Reissinger,1989** (Pieridae) Synonym(s): *lorkovicii* Reissinger,1988 *nec* Pfeiffer,1932; *reali* Reissinger,1989.
- 4042) Leptidea sinapis (Linnaeus,1758)** (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952.
- 4043) Leptinotarsa decemlineata (Say,1824)** (Chrysomelidae) Synonym(s): *decemlineata* Say,1824
- 4044) Leptocera (s.str.) fontinalis (Fallén,1826)** (Sphaeroceridae) Synonym(s): *fontinalis* Fallén,1826
- 4045) Leptocera (s.str.) nigra Olivier,1813** (Sphaeroceridae) Synonym(s): *nigra* Olivier,1813; *curvinervis* Stenhammar,1854; *roralis* Rondani,1880
- 4046) Leptochilus (Euleptochilus) limbiferus (Morawitz,1867)** (Vespidae) Synonym(s): *limbiferus* Morawitz,1867; *anatolicus* Blüthgen,1955; *achaeus* Gusenleitner,1970
- 4047) Leptochilus (Lionotulus) aegineticus Gusenleitner,1970** (Vespidae) Synonym(s): *aegineticus* Gusenleitner,1970; *globosus* Gusenleitner,1997
- 4048) Leptochilus (Lionotulus) alpestris (Saussure,1855)** (Vespidae) Synonym(s): *minutus* Herrich-Schäffer,1839; *alpestris* Saussure,1855; *grandii* Giordani Soika,1947; *bulsanensis* Blüthgen,1953
- 4049) Leptochilus (Lionotulus) hermon Gusenleitner,1971** (Vespidae) Synonym(s): *hermon* Gusenleitner,1971
- 4050) Leptochilus (Lionotulus) membranaceus (Morawitz,1867)** (Vespidae) Synonym(s): *membranaceus* Morawitz,1867
- 4051) Leptochilus (Lionotulus) mimulus Gusenleitner,1970** (Vespidae) Synonym(s): *mimulus* Gusenleitner,1970; *turcicus* Gusenleitner,1971
- 4052) Leptochilus (Neoleptochilus) regulus Saussure,1855** (Vespidae) Synonym(s): *regulus* Saussure,1855; *gallicus* Saussure,1855; *calabricus* Gribodo,1881; *siculus* De Stefani,1883; *costae* Costa,1884; *buyssoni* Medina,1891; *pauli* Medina,1892; *perforatus* Dusmet,1903; *obtusidentatus* Maidl,1922; *wuczetici* Kostylev,1928
- 4053) Leptocybe invasa Fisher & La Salle,2004** (Eulophidae) Synonym(s): *invasa* Fisher & La Salle,2004
- 4054) Leptogaster palparis Loew,1847** (Asilidae) Synonym(s): *palparis* Loew,1847
- 4055) Leptogaster pubicornis Loew,1847** (Asilidae) Synonym(s): *pubicornis* Loew,1847; *pusillus* Jaennicke,1867
- 4056) Leptomastidea abnormis (Girault,1915)** (Encyrtidae) Synonym(s): *abnormis* Girault,1915
- 4057) Leptometopa latipes (Meigen,1830)** (Milichiidae) Synonym(s): *latipes* Meigen,1830; *annulimana* Von Reser,1840; *annulitarsis* Von Roser,1840; *annulitarsis* Zetterstedt,1848
- 4058) Leptometopa niveipennis Strobl,1900** (Milichiidae) Synonym(s): *niveipennis* Strobl,1900; *simplicipes* Becker,1907
- 4059) Leptometopa rufifrons Becker,1903** (Milichiidae) Synonym(s): *rufifrons* Becker,1903; *flavipalpis* Ségu,1932; *latigenis* Hendel,1933
- 4060) Leptophyes lisae Heller,1988** (Tettigoniidae) Synonym(s): *lisae* Heller,1988
- 4061) Leptotes pirithous (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925.
- 4062) Lepyrionia coleoprata (Linnaeus,1758)** (Cercopidae) Synonym(s): *coleoprata* Linnaeus,1758; *unifasciata* Fabricius,1781; *angulata* Fabricius,1794; *grossa* Uhler,1896
- 4063) Leucania comma (Linnaeus,1761)** (Noctuidae) Synonym(s): *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909.

- 4064) *Leucania herrichi* Herrich-Schäffer, [1849] (Noctuidae) Synonym(s): *herrichi* Herrich-Schäffer, [1849]
 4065) *Leucania joannisi* Boursin & Rungs, 1952 (Noctuidae) Synonym(s): *joannisi* Boursin & Rungs, 1952
 4066) *Leucania loreyi* (Duponchel, 1827) (Noctuidae) Synonym(s): *loreyi* Duponchel, 1827; *caricis* Walker, 1856; *collecta* Walker, 1856; *curcula* Walker, 1856; *denotata* Walker, 1856; *designata* Walker, 1856; *exterior* Walker, 1856; *thoracica* Walker, 1856.
 4067) *Leucania obsoleta* (Hübner, [1803]) (Noctuidae) Synonym(s): *obsoleta* Hübner, [1803]; *insecuta* Walker, 1865; *intermissa* Walker, 1865; *nohirae* Matsumura, 1926; *griseola* Matsumura, 1926
 4068) *Leucania palaestinae* Staudinger, 1897 (Noctuidae) Synonym(s): *palaestinae* Staudinger, 1897; *languida* Staudinger, 1897 nec Wlk., 1858; #*obscura* Heydemann et al., 1963; #*plastinae* Kornošor & Lödl, 1990
 4069) *Leucania punctosa* (Treitschke, 1825) (Noctuidae) Synonym(s): *punctosa* Treitschke, 1825
 4070) *Leucania putrescens* (Hübner, [1824]) (Noctuidae) Synonym(s): *putrescens* Hübner, [1824]; *boisduvalii* Duponchel, 1827; *valletai* Boursin, 1952
 4071) *Leucania zae* (Duponchel, 1827) (Noctuidae) Synonym(s): *zae* Duponchel, 1827; *indistincta* Christoph, 1887; *putrida* Staudinger, 1889; *cinerea* Lucas, 1948
 4072) *Leucochlaena hoerhammeri* (Wagner, 1931) (Noctuidae) Synonym(s): *hoerhammeri* Wagner, 1931
 4073) *Leucochlaena muscosa* (Staudinger, 1892) (Noctuidae) Synonym(s): *muscosa* Staudinger, 1892; *hirsutus* Staudinger, 1892
 4074) *Leucoma salicis* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *salicis* Linnaeus, 1758; *apparens* Retzius, 1783; *salicinus* Haworth, 1803; *xanthocampa* Dyar, 1905; *coreacola* Matsumura, 1933; *sjoquisti* Bryk, 1942; *variabilis* Bryk, 1949
 4075) *Leucophora cinerea* R-D., 1830 (Anthomyiidae) Synonym(s): *cinerea* R-D., 1830
 4076) *Leucophora dissimilis* (Villeneuve, 1920) (Anthomyiidae) Synonym(s): *dissimilis* Villeneuve, 1920
 4077) *Leucophora spatulensis* Hennig, 1967 (Anthomyiidae) Synonym(s): *spatulensis* Hennig, 1967
 4078) *Leucoptera malifoliella* (Costa, [1836]) (Lyonetiidae) Synonym(s): *malifoliella* Costa, [1836]; *scitella* Zeller, 1839.
 4079) *Leucoptera nieukerkeri* Mey, 1994 (Lyonetiidae) Synonym(s): *nieukerkeri* Mey, 1994
 4080) *Leucoptera thessalica* Mey, 1994 (Lyonetiidae) Synonym(s): *thessalica* Mey, 1994
 4081) *Leucospis gigas* (Fabricius, 1793) (Leucospidae) Synonym(s): *gigas* Fabricius, 1793; *grandis* Klug, 1814; *varia* Klug, 1814; *shuckardi* Westwood, 1834; *rufonotata* Westwood, 1839; *quaettaensis* Cameron, 1906; *nursei* Cameron, 1906
 4082) *Leucostoma tetraptera* (Meigen, 1824) (Tachinidae) Synonym(s): *tetraptera* Meigen, 1824
 4083) *Leuctra aegaeica* I. Pardo & Zwick, 1993 (Leuctridae) Synonym(s): *aegaeica* I. Pardo & Zwick, 1993
 4084) *Leuctra cretica* Zwick, 1978 (Leuctridae) Synonym(s): *cretica* Zwick, 1978
 4085) *Leuctra kykladica* I. Pardo & Zwick, 1993 (Leuctridae) Synonym(s): *kykladica* I. Pardo & Zwick, 1993
 4086) *Leuctra rhodoica* I. Pardo & Zwick, 1993 (Leuctridae) Synonym(s): *rhodoica* I. Pardo & Zwick, 1993
 4087) *Liancalus virens* (Scopoli, 1763) (Dolichopodidae) Synonym(s): *virens* Scopoli, 1763; *regius* Fabricius, 1805
 4088) *Libanissus talhouki* (Dlabola, 1974) (Issidae) Synonym(s): *talhouki* Dlabola, 1974
 4089) *Libelloides rhomboideus* (Schneider, 1845) (Ascalaphidae) Synonym(s): *rhomboideus* Schneider, 1845; #*romboideus* Dobosz & Abraham, 2007
 4090) *Libythea* (s.str.) *celtis* (Laicharting, 1782) (Libytheidae) Synonym(s): *celtis* Laicharting, 1782
 4091) *Lichenotinea pustulatella* (Zeller, 1852) (Tineidae) Synonym(s): *pustulatella* Zeller, 1852; *igaloensis* Amsel, 1951
 4092) *Ligdia adustata* (Fabricius, 1787) (Geometridae) Synonym(s): #*adustata* [Denis & Schiffermüller], 1775; *adustata* Fabricius, 1787; *adustaria* Boisduval, 1840
 4093) *Ligyra ferrea* (Walker, 1849) (Bombyliidae) Synonym(s): *ferrea* Walker, 1849; #*versicolor* Loew, 1869
 4094) *Limenitis (Azuritis) reducta* Staudinger, 1901 (Argynnididae) Synonym(s): *reducta* Staudinger, 1901.
 4095) *Limenitis (Ladoga) camilla* (Linnaeus, 1764) (Argynnididae) Synonym(s): *camilla* Linnaeus, 1764; *prorsa* Linnaeus, 1764 nec Linnaeus, 1758; *sibilla* Linnaeus, 1769; *luctuosus* Fourcroy, 1785 nec Walch, 1775.
 4096) *Limenitis* (s.str.) *populi* (Linnaeus, 1758) (Argynnididae) Synonym(s): *populi* Linnaeus, 1758; *semiramis* Schrank, 1801; *tremulae* Esper, 1804 nec Piller & Mitterpacher, 1783; *goliath* Fruhstorfer, 1908; *fruhstorferi* Krulikowsky, 1909.
 4097) *Limnaecia phragmitella* Stainton, 1851 (Cosmopterigidae) Synonym(s): *phragmitella* Stainton, 1851
 4098) *Limnia unguicornis* (Scopoli, 1763) (Sciomyzidae) Synonym(s): *unguicornis* Scopoli, 1763
 4099) *Limonijs minutus* (Linnaeus, 1758) (Elateridae) Synonym(s): *minutus* Linnaeus, 1758
 4100) *Limonijs quercus* (Olivier, 1790) (Elateridae) Synonym(s): *quercus* Olivier, 1790
 4101) *Limosina silvatica* (Meigen, 1830) (Sphaeroceridae) Synonym(s): *silvatica* Meigen, 1830
 4102) *Limosina simplicipes* (Duda, 1925) (Sphaeroceridae) Synonym(s): *simplicimana* Duda, 1918 (praeocc.); *simplicipes* Duda, 1925
 4103) *Limosina villosa* Duda, 1918 (Sphaeroceridae) Synonym(s): *villosa* Duda, 1918
 4104) *Lindenia tetraphylla* (Van Der Linden, 1825) (Gomphidae) Synonym(s): *tetraphylla* Van Der Linden, 1825; *inkitii* Bartenev, 1929
 4105) *Linnaemya compta* (Fallén, 1810) (Tachinidae) Synonym(s): *compta* Fallén, 1810; *compta* Meigen, 1824; *fulgeus* Meigen, 1824; *heraclei* R-D., 1830; *aestivalis* R-D., 1830; *borealis* R-D., 1830; *longipes* R-D., 1830; *oenanthi* R-D., 1830; *humeralis* R-D., 1863; #*campta* Doğanlar, 1982
 4106) *Linnaemya impudica* (Rondani, 1859) (Tachinidae) Synonym(s): *impudica* Rondani, 1859
 4107) *Linnaemya neavei* Curran, 1934 (Tachinidae) Synonym(s): *neavei* Curran, 1934
 4108) *Linnaemya soror* Zimin, 1954 (Tachinidae) Synonym(s): *soror* Zimin, 1954
 4109) *Linnaemya vulpina* (Fallén, 1810) (Tachinidae) Synonym(s): *vulpina* Fallén, 1810
 4110) *Lispe scalaris* Loew, 1847 (Muscidae) Synonym(s): *scalaris* Loew, 1847; *persica* Becker, 1904
 4111) *Lispe tentaculata* (De Geer, 1776) (Muscidae) Synonym(s): *tentaculata* De Geer, 1776; *fluviatilis* R-D., 1830; *tarsalis* R-D., 1830; *tibialis* Macquart, 1839; *dissona* Villeneuve, 1936
 4112) *Lissonota (Loxonota) flavovariegata* (Lucas, 1849) (Ichneumonidae) Synonym(s): *flavovariegata* Lucas, 1849; *lineolator* Aubert, 1972
 4113) *Lissonota* (s.str.) *superbator* Aubert, 1967 (Ichneumonidae) Synonym(s): *superbator* Aubert, 1967
 4114) *Lithophane lapidea* (Hübner, [1808]) (Noctuidae) Synonym(s): *lapidea* Hübner, [1808]
 4115) *Lithophane ledereri* (Staudinger, 1892) (Noctuidae) Synonym(s): *ledereri* Staudinger, 1892; *discors* Staudinger, 1892
 4116) *Lithophane merckii* (Rambur, 1832) (Noctuidae) Synonym(s): *merckii* Rambur, 1832
 4117) *Lithophane ornitopus* (Hufnagel, 1766) (Noctuidae) Synonym(s): *ornitopus* Hufnagel, 1766; *rhizolitha* [Denis & Schiffermüller], 1775; *pitzalis* Hartig, 1976
 4118) *Lithophane semibrunnea* (Haworth, 1809) (Noctuidae) Synonym(s): *semibrunnea* Haworth, [1809]; *oculata* Sommer, [1824].
 4119) *Lithosia quadra* (Linnaeus, 1758) (Arctiidae) Synonym(s): *quadra* Linnaeus, 1758; *flava* Müller, 1764; *deplana* Linnaeus, 1771; *quadrata* Walckenaer, 1802; *dives* Butler, 1877.

- 4120) Lithostege farinata (Hufnagel,1767)** (Geometridae) Synonym(s): *farinata* Hufnagel,1767; *illibata* [Denis & Schiffermüller],1775; *nivearia* Hübner,[1799]; *albaria* Turton,1802; *bachmutensis* L.B.Prout,1938
- 4121) Lithostege palaestinensis Amsel,1935** (Geometridae) Synonym(s): *palaestinensis* Amsel,1935; *ali* Wiltshire,1941.
- 4122) Lithurgus chrysurus Fonscolombe,1834** (Megachilidae) Synonym(s): *chrysurus* Fonscolombe,1834; *analisis* Lepeletier,1841; *haemorrhoidalis* Lepeletier,1841; *monocerus* Morawitz,1873
- 4123) Lithurgus cornutus (Fabricius,1787)** (Megachilidae) Synonym(s): *cornutus* Fabricius,1787; *fuscipennis* Lepeletier,1841; *umbraculatus* Lepeletier,1841; *nasutus* Dufour,1849; *monoceros* Eversmann,1852; *dohrni* Radoszkowski,1862; *maximus* Radoszkowski,1872
- 4124) Lithurgus tibialis Morawitz,1875** (Megachilidae) Synonym(s): *tibialis* Morawitz,1875
- 4125) Lobesia (s.str.) artemisiana (Zeller,1847)** (Tortricidae) Synonym(s): *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1876
- 4126) Lobesia (s.str.) confinitana (Staudinger,1870)** (Tortricidae) Synonym(s): *confinitana* Staudinger,1870
- 4127) Lobesia (s.str.) vitisana (Jacquin,1788)** (Tortricidae) Synonym(s): *#botrana* [Denis & Schiffermüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Millière,1865.
- 4128) Loebelia crassicornis (Staudinger,1870)** (Psychidae) Synonym(s): *crassicornis* Staudinger,1870
- 4129) Lomatia erinnys Loew,1869** (Bombyliidae) Synonym(s): *erinnys* Loew,1869
- 4130) Lomatia graeca Paramonov,1928** (Bombyliidae) Synonym(s): *graeca* Paramonov,1928
- 4131) Lomatia lachesis Egger,1859** (Bombyliidae) Synonym(s): *lachesis* Egger,1859
- 4132) Lomatia polyzona Loew,1869** (Bombyliidae) Synonym(s): *polyzona* Loew,1869
- 4133) Lomatia rogenhoferi Nowicki,1867** (Bombyliidae) Synonym(s): *rogenhoferi* Nowicki,1867
- 4134) Longitarsus alfieri (Pic,1923)** (Chrysomelidae) Synonym(s): *alfieri* Pic,1923; *antennae* Peyerimhoff,1929; *klapperichi* Mohr,1962; *furthi* Gruev,1982
- 4135) Longitarsus apicalis (Beck,1817)** (Chrysomelidae) Synonym(s): *apicalis* Beck,1817; *analisis* Duftschmidt,1825; *praticola* Sahlberg,1834; *fischeri* Zetterstedt,1838; *quadrimaculatus* Weise,1888
- 4136) Longitarsus barbarae Doguet & Bergeal,2002** (Chrysomelidae) Synonym(s): *barbarae* Doguet & Bergeal,2002
- 4137) Longitarsus cerinthes (Schränk,1798)** (Chrysomelidae) Synonym(s): *cerinthes* Schränk,1798; *nervosa* Wollaston,1854; *pectoralis* Foudras,1860
- 4138) Longitarsus truncatellus Weise,1890** (Chrysomelidae) Synonym(s): *truncatellus* Weise,1890
- 4139) Lophosia fasciata Meigen,1824** (Tachinidae) Synonym(s): *fasciata* Meigen,1824
- 4140) Lophoterges (Fibigeres) hoerhammeri (Wagner,1931)** (Noctuidae) Synonym(s): *hoerhammeri* Wagner,1931
- 4141) Lophyridia concolor (Dejean,1822)** (Carabidae) Synonym(s): *concolor* Dejean,1822
- 4142) Lophyridia fischeri (Adams,1817)** (Carabidae) Synonym(s): *fischeri* Adams,1817
- 4143) Loxostege aeruginalis (Hübner,1796)** (Pyralidae) Synonym(s): *aeruginalis* Hübner,1796; *olivalis* Hübner,1796
- 4144) Loxostege delibaticla Szent-Ivány & Uhrík-Meszáros,1942** (Pyralidae) Synonym(s): *sulphuralis* Hübner,[1813] *nec* Thunb.,1784; *delibaticla* Szent-Ivány & Uhrík-Meszáros,1942; *huebneri* Koçak,1980
- 4145) Loxostege sticticalis (Linnaeus,1761)** (Pyralidae) Synonym(s): *lupulina* Clerk,1759 *nec* Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811
- 4146) Loxostege turbidalis (Treitschke,1829)** (Pyralidae) Synonym(s): *turbidalis* Treitschke,1829
- 4147) Lucanus (s.str.) cervus (Linnaeus,1758)** (Lucanidae) Synonym(s): *cervus* Linnaeus,1758; *capreolus* Fuessly,1775 *nec* Linn.,1758; *dorcus* Müller,1776; *capra* Olivier,1789; *hircus* Herbst,1790; *inermis* Marsham,1802; *grandis* Haworth,1807; *microcephalus* Mulsant,1842; *lusitanicus* Hope & Westwood,1845
- 4148) Lucanus (s.str.) ibericus Motschoulsky,1845** (Lucanidae) Synonym(s): *ibericus* Motschoulsky,1845; *curtulus* Motschoulsky,1845; *barbarossa* Burmeister,1847 *nec* Fabr.,1801; *minor* Burmeister,1847; *orientalis* Kraatz,1860; *piger* Motschoulsky,1870; *syriacus* Motschoulsky,1870; *tenebrosus* Motschoulsky,1870; *intermedius* Motschoulsky,1870; *caspica* Semenov,1901; *ravasinii* Schatzmayr,1923; *#ibericus* Sabatinelli,1977
- 4149) Lucilia caesar (Linnaeus,1758)** (Calliphoridae) Synonym(s): *caesar* Linnaeus,1758
- 4150) Lucilia sericata (Meigen,1826)** (Calliphoridae) Synonym(s): *sericata* Meigen,1826
- 4151) Luciola italica (Linnaeus,1758)** (Lampyridae) Synonym(s): *italica* Linnaeus,1758
- 4152) Luffia lapidella (Goeze,1783)** (Psychidae) Synonym(s): *lapidella* Goeze,1783
- 4153) Luperina dumerilii (Duponchel,1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel,1826
- 4154) Luperina rubella (Duponchel,1835)** (Noctuidae) Synonym(s): *mediosignata* Turati,1930; *sericea* Caradja,1932; *thurneri* Schaverda,1938.
- 4155) Luperus margaritae Lopatin,1990** (Chrysomelidae) Synonym(s): *margaritae* Lopatin,1990
- 4156) Lutilabria olympica Huemer,1993** (Gelechiidae) Synonym(s): *olympica* Huemer,1993
- 4157) Lycaena (Alciphronia) alciphron (Rottemburg,1775)** (Lycaenidae) Synonym(s): *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hierae* Fabricius,1787.
- 4158) Lycaena (Heodes) ottomanus (Lefèbvre,[1830])** (Lycaenidae) Synonym(s): *ottomanus* Lefèbvre,[1830]; *legeri* Freyer,1830.
- 4159) Lycaena (Heodes) virgaureae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928.
- 4160) Lycaena (Loweia) tityrus (Poda,1761)** (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acirion* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990.
- 4161) Lycaena (Palaeochrysophanus) candens (Herrich-Schäffer,[1845])** (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer,[1845]
- 4162) Lycaena (Palaeochrysophanus) hippothoe (Linnaeus,1761)** (Lycaenidae) Synonym(s): *hippithoe* Linnaeus,1761; *chryseis* [Denis & Schiffermüller],1775 *nec* Drury,1773; *euridice* Rottemburg,1775 *nec* Johansson,1763.
- 4163) Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853
- 4164) Lycaena (Thersamolycaena) dispar ([Haworth],1802)** (Lycaenidae) Synonym(s): *dispar* [Haworth],1802; *hippithoe* Rottemburg,1775 *nec* Linnaeus,1761.
- 4165) Lycaena (Thersamonia) thersamon (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925.
- 4166) Lycaena (Thersamonia) thetis (Klug,1834)** (Lycaenidae) Synonym(s): *thetis* Klug,1834.
- 4167) Lycia graecarius (Staudinger,1861)** (Geometridae) Synonym(s): *graecarius* Staudinger,1861
- 4168) Lycia hirtaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#hirtaria* Clerck,1759; *hirtaria* Linnaeus,1761; *eremita* Scopoli,1763; *atomaria* Hufnagel,1767 *nec* Linn.,1758; *hirtipennis* Retzius,1783; *congeneraria* Hübner,1799; *fumaria* Haworth,1809; *hanoviensis* Heymons,1891
- 4169) Lyciella rorida (Fallén,1820)** (Lauzaniidae) Synonym(s): *rorida* Fallén,1820

- 4170) *Lycophotia porphyrea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *porphyrea* [Denis & Schiffermüller],1775; *lepida* Esper,1786 nec Cr.,[1779]; *strigula* Thunberg,1788 (praeocc.); *varia* Villers,1789; *concinna* Esper,1790; *picta* Fabricius,1794; *arnicae* Fabricius,1794; *ericae* Donovan,1801 (praeocc.); *marmorea* Graslin,1863
- 4171) *Lydella stabulans* (Meigen,1824)** (Tachinidae) Synonym(s): *stabulans* Meigen,1824
- 4172) *Lygaeosoma anaticum* Seidenstücker,1960** (Lygaeidae) Synonym(s): *anaticum* Seidenstücker,1960
- 4173) *Lygaeosoma angulare* Reuter,1885** (Lygaeidae) Synonym(s): *angulare* Reuter,1885
- 4174) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatum* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 4175) *Lygaeosoma sardeum* Spinola,1837** (Lygaeidae) Synonym(s): *sardeum* Spinola,1837; *reticulatus* Herrich-Schäffer,1838; *variabilis* Rambur,1839; *erythropterum* Puton,1876 [ssp.]; *numidicum* Puton,1887; *hungarica* Stichel,1957
- 4176) *Lygaeus creticus* (Lucas,1854)** (Lygaeidae) Synonym(s): *creticus* Lucas,1854; *bisbipunctatus* A.Costa,1864; *sexmaculatus* Garbiglietti,1869
- 4177) *Lygaeus equestris* (Linnaeus,1758)** (Lygaeidae) Synonym(s): *equestris* Linnaeus,1758; *speciosus* Poda,1761; *punctumalbum* Pollich,1781; *lactans* Horvath,1899; *sicilianus* Wagner,1954
- 4178) *Lygephila* (s.str.) *cracca* (Fabricius,1787)** (Noctuidae) Synonym(s): *#cracca* [Denis & Schiffermüller],1775; *cracca* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#cracca* Hacker & Kautt,1999.
- 4179) *Lygephila* (s.str.) *lusoria* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758; *orobi* Duponchel,1821; *lathyri* Boisduval,[1828]
- 4180) *Lygephila* (s.str.) *procax* (Hübner,[1813])** (Noctuidae) Synonym(s): *procax* Hübner,[1813]; *limosa* Treitschke,1826; *nigricostata* Graeser,1890
- 4181) *Lygephila* (s.str.) *viciae* (Hübner,[1822])** (Noctuidae) Synonym(s): *viciae* Hübner,[1822]; *coronillae* Herrich-Schäffer,1851; *stigmata* Wileman,1911; *violaceogrisea* Draudt,1950
- 4182) *Lymantria dispar* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabilie,1876; *bordigalensis* Mabilie,1876; *asiatica* Wnukowsky,1926
- 4183) *Lymantria monacha* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *monacha* Linnaeus,1758; *heteroclitia* Müller,1764; *chosenibia* Bryk,1949; *matuta* Bryk,1949; *idae* Bryk,1949
- 4184) *Lyonetia clerkella* (Linnaeus,1758)** (Lyonetiidae) Synonym(s): *clerkella* Linnaeus,1758; *penicilla* Borkhausen,1794; *cerasfoliella* Hübner,1796; *malifoliella* Hübner,1796; *malella* Schrank,1802; *autumnella* Curtis,1829; *unipunctella* Stephens,1829; *semiaurella* Stephens,1829; *nivella* Stephens,1829; *aereella* Treitschke,1833; *phrynella* Costa,[1836]; *fonscolombella* Duponchel,[1840]; *magnimaculella* Bruand,1859
- 4185) *Lyonetia prunifoliella* (Hübner,1796)** (Lyonetiidae) Synonym(s): *prunifoliella* Hübner,1796; *padifoliella* Hübner,[1813]; *sittaepenella* Hübner,[1825]; *acerifoliella* Curtis,1850
- 4186) *Lyristes plebejus* (Scopoli,1763)** (Cicadidae) Synonym(s): *plebejus* Scopoli,1763; *fraxini* Fabricius,1803; *obscura* Fabricius,1803; *armeniaca* Kolenati,1857; *africana* Metcalf,1955
- 4187) *Lythria purpuraria* (Linnaeus,1758)** (Geometridae) Synonym(s): *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767
- 4188) *Macaria liturata* (Linnaeus,1761)** (Geometridae) Synonym(s): *#liturata* Clerck,1759; *liturata* Linnaeus,1761; *igneata* Hufnagel,1767; *fusca* Thunberg,1788; *liturataria* Esper,[1801]; *lituraria* Hübner,[1823]
- 4189) *Macaria notata* (Linnaeus,1758)** (Geometridae) Synonym(s): *notata* Linnaeus,1758; *notataria* [Denis & Schiffermüller],1775; *hieroglyphica* Fourcroy,1785; *notaria* Morris,1861
- 4190) *Macaria signaria* (Hübner,[1809])** (Geometridae) Synonym(s): *signaria* Hübner,[1809]
- 4191) *Macaria wauaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Vill.,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809.
- 4192) *Macevethus corsicus* Signoret,1862** (Rhopalidae) Synonym(s): *corsicus* Signoret,1862
- 4193) *Macevethus errans* (Fabricius,1794)** (Rhopalidae) Synonym(s): *errans* Fabricius,1794
- 4194) *Macdunnoughia confusa* (Stephens,1850)** (Noctuidae) Synonym(s): *confusa* Stephens,1850; *gutta* Guenée,1852.
- 4195) *Machimus annulipes* (Brullé,1832)** (Asilidae) Synonym(s): *annulipes* Brullé,1832; *basalis* Loew,1849; *cerdo* Gerstaecker,1861
- 4196) *Machimus cyanopus* (Loew,1849)** (Asilidae) Synonym(s): *cyanopus* Loew,1849
- 4197) *Machimus leucocephalus* Janssens,1968** (Asilidae) Synonym(s): *leucocephalus* Janssens,1968
- 4198) *Machimus modestus* (Loew,1849)** (Asilidae) Synonym(s): *modestus* Loew,1849
- 4199) *Machimus rusticus* (Meigen,1820)** (Asilidae) Synonym(s): *rusticus* Meigen,1820; *obscurus* Meigen,1820; *genualis* Zeller,1840
- 4200) *Machimus setibarbus* (Loew,1849)** (Asilidae) Synonym(s): *setibarbus* Loew,1849
- 4201) *Macquartia tessellum* (Meigen,1824)** (Tachinidae) Synonym(s): *tessellum* Meigen,1824; *brevicornis* Macquart,1839; *occlusa* Rondani,1859; *brunusquamis* R-D.,1863; *microcera* R-D.,1863; *olivaceomaculata* Porthinsky,1881; *genistae* Pandelle,1895
- 4202) *Macrocera crassicornis* Winnertz,1863** (Keroplatidae) Synonym(s): *crassicornis* Winnertz,1863; *annulicoxa* Mik,1864
- 4203) *Macrochilo cribrumalis* (Hübner,1793)** (Noctuidae) Synonym(s): *cribrumalis* Hübner,1793
- 4204) *Macroglossum stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892.
- 4205) *Macronemurus appendiculatus* (Latreille,1807)** (Myrmeleonidae) Synonym(s): *appendiculatus* Latreille,1807; *insidiosus* Walker,1853; *platycerus* Navas,1919; *weissi* Navas,1921; *surcoufi* Navas,1928
- 4206) *Macronemurus bilineatus* Brauer,1868** (Myrmeleonidae) Synonym(s): *bilineatus* Brauer,1868
- 4207) *Macronychia* (s.str.) *lemariei* Jacentkovsky,1941** (Sarcophagidae) Synonym(s): *lemariei* Jacentkovsky,1941; *vervesi* Mihalyi,1979; *sinerea* Chao & Zhang,1988
- 4208) *Macropis europaea* Warncke,1973** (Melittidae) Synonym(s): *europaea* Warncke,1973
- 4209) *Macropis frivaldszkyi* Mocsary,1878** (Melittidae) Synonym(s): *frivaldszkyi* Mocsary,1878
- 4210) *Macropsis heracleionica* Dlabola,1967** (Cicadellidae) Synonym(s): *heracleionica* Dlabola,1967
- 4211) *Macropsis megerlei* (Fieber,1868)** (Cicadellidae) Synonym(s): *megerlei* Fieber,1868; *bipunctata* Lethierry,1876; *limbopunctata* Reter,1885; *ornata* Lindberg,1926
- 4212) *Macropsis prasina* (Boheman,1852)** (Cicadellidae) Synonym(s): *prasina* Boheman,1852
- 4213) *Macrocytus brunneus* (Fabricius,1803)** (Cydnidae) Synonym(s): *brunneus* Fabricius,1803; *proximus* Rambur,1839; *opacus* Stal,1854; *scutellaris* Horvath,1919; *exiguus* Horvath,1919
- 4214) *Macrocephoniella* (Papillomyzus) *papillata* Holman,1962** (Aphididae) Synonym(s): *papillata* Holman,1962
- 4215) *Macrosteles forficula* (Ribaut,1927)** (Cicadellidae) Synonym(s): *forficula* Ribaut,1927

- 4216) Macrosteles ossiannilssoni Lindberg, 1954** (Cicadellidae) Synonym(s): *ossiannilssoni* Lindberg, 1954; *ossiannilssoni* Le Quense, 1968
- 4217) Macrosteles quadripunctulatus (Kirschbaum, 1868)** (Cicadellidae) Synonym(s): *quadripunctulatus* Kirschbaum, 1868; *ramigera* Zachvatkin, 1933
- 4218) Macrosteles ramosus Ribaut, 1952** (Cicadellidae) Synonym(s): *ramosus* Ribaut, 1952; *quadricornis* Lindberg, 1954; *orientalis* Mitjaev, 1969 nec Vilb., 1968
- 4219) Macrothylacia rubi (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *rubi* Linnaeus, 1758
- 4220) Macrotylus phlomidis Rieger, 1984** (Miridae) Synonym(s): *phlomidis* Rieger, 1984
- 4221) Madiza glabra Fallén, 1820** (Milichiidae) Synonym(s): *glabra* Fallén, 1820; *flavitaris* Meigen, 1830; *rufitaris* Meigen, 1838
- 4222) Malachius aeneus (Linnaeus, 1758)** (Melyridae) Synonym(s): *aeneus* Linnaeus, 1758
- 4223) Malachius carnifex Erichson, 1840** (Melyridae) Synonym(s): *carnifex* Erichson, 1840
- 4224) Malachius coccineus Waltl, 1838** (Melyridae) Synonym(s): *coccineus* Waltl, 1838
- 4225) Malachius graecus Kraatz, 1862** (Melyridae) Synonym(s): *graecus* Kraatz, 1862
- 4226) Malachius labiatus Brullé, 1832** (Melyridae) Synonym(s): *labiatus* Brullé, 1832
- 4227) Malachius labiatus Brullé, 1832** (Melyridae) Synonym(s): *labiatus* Brullé, 1832
- 4228) Malachius stolatus Mulsant & Godart, 1855** (Melyridae) Synonym(s): *stolatus* Mulsant & Godart, 1855; *suturellus* Kiesenwetter, 1859; *fallaciosus* Baudi di Selve, 1871; *latenotatus* Pic, 1914; *naxosensis* Pic, 1923; *bilyi* Svihla, 1987
- 4229) Malachius truncaticornis Abeille, 1890** (Melyridae) Synonym(s): *truncaticornis* Abeille, 1890
- 4230) Malacosoma castrensis (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *castrensis* Linnaeus, 1758; *ksiezopolskii* Sheljuzhko, 1943
- 4231) Malacosoma franconicum ([Denis & Schiffermüller], 1775) /prima Staudinger, 1887** (Lasiocampidae) Synonym(s): *#franconica* [Denis & Schiffermüller], 1775; *grandiella* Boisduval, 1840
- 4232) Malacosoma neustrium (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus, 1758; *annularis* Fourcroy, 1785; *unicolor* Cyrilli, 1787; *bilineatus* Haworth, 1803
- 4233) Maladera (Macroserica) graeca Petrovitz, 1969** (Scarabaeidae) Synonym(s): *graeca* Petrovitz, 1969
- 4234) Maladera (Macroserica) punctatissima (Faldermann, 1835)** (Scarabaeidae) Synonym(s): *punctatissima* Faldermann, 1835
- 4235) Mallosia graeca (Sturm, 1843)** (Cerambycidae) Synonym(s): *graeca* Sturm, 1843
- 4236) Malthinus gratus Pic, 1901** (Cantharidae) Synonym(s): *gratus* Pic, 1901
- 4237) Malthinus lasithiensis Wittmer, 1975** (Cantharidae) Synonym(s): *lasithiensis* Wittmer, 1975
- 4238) Malthodes denizlianus Wittmer, 1970** (Cantharidae) Synonym(s): *denizlianus* Wittmer, 1970
- 4239) Mamestra brassicae (Linnaeus, 1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889.
- 4240) Maniola (s.str.) chia Thomson, 1987** (Satyridae) Synonym(s): *chia* Thomson, 1987
- 4241) Maniola (s.str.) jurtina (Linnaeus, 1758)** (Satyridae) Synonym(s): *jurtina* Linnaeus, 1758; *janira* Linnaeus, 1758; *lemur* Schrank, 1801.
- 4242) Maniola (s.str.) megala (Oberthür, 1909)** (Satyridae) Synonym(s): *megala* Oberthür, 1909; *maraschi* Pfeiffer, 1932; *antalyana* Tauber, 1970.
- 4243) Maniola (Telmessiola) halicarnassus Thomson, 1990** (Satyridae) Synonym(s): *halicarnassus* Thomson, 1990
- 4244) Maniola (Telmessiola) telmessia (Zeller, 1847)** (Satyridae) Synonym(s): *telmessia* Zeller, 1847; *pallascens* Butler, 1868; *kurdistan* Heyne, 1894; *oreas* Le Cerf, 1912; *manioides* Le Cerf, 1912; *ornata* Turati & Fiori, 1930; *marenigrans* Verity, 1938; *pelekassii* Kattulas & Koutsafikis, 1978.
- 4245) Mantispa aphavexelte U. Aspöck & H. Aspöck, 1994** (Mantispidae) Synonym(s): *aphavexelte* U. Aspöck & H. Aspöck, 1994; *#aphavexelte* Dobosz, 2007
- 4246) Mantispa lobata Navas, 1912** (Mantispidae) Synonym(s): *adelungi* Navas, 1912; *mandrina* Navas, 1914
- 4247) Mantispa scabricollis McLachlan, 1875** (Mantispidae) Synonym(s): *scabricollis* McLachlan, 1875; *?minuta* Kozhantshikov, 1949; *caucasica* Handschin, 1959
- 4248) Mantispa styriaca (Poda, 1761)** (Mantispidae) Synonym(s): *styriaca* Poda, 1761; *pagana* Fabricius, 1775; *hauseri* Poivre, 1982
- 4249) Manulea (Agenjoa) lurideola (Zincken, 1817)** (Arctiidae) Synonym(s): *lurideolum* Zincken, 1817; *complanula* Boisduval, 1834; *plumbeolana* Herrich-Schäffer, 1852.
- 4250) Manulea (s.str.) complana (Linnaeus, 1758)** (Arctiidae) Synonym(s): *complanata* Linnaeus, 1758; *ochrocephala* Fourcroy, 1785; *sericea* Gregson, 1860; *molybdeola* Guenée, 1861; *balcanica* Daniel, 1939.
- 4251) Manulea (s.str.) costalis (Zeller, 1847)** (Arctiidae) Synonym(s): *#morosina* Herrich-Schäffer, 1847; *costalis* Zeller, 1847
- 4252) Manulea (s.str.) palliatella (Scopoli, 1763)** (Arctiidae) Synonym(s): *palliatella* Scopoli, 1763; *unita* [Denis & Schiffermüller], 1775; *palleola* Hübner, [1808]; *gilveola* Ochsenheimer, 1810; *vitellina* Treitschke, 1834; *flaveola* Rambur, 1866.
- 4253) Manulea (s.str.) pseudocomplana (Daniel, 1939)** (Arctiidae) Synonym(s): *pseudocomplana* Daniel, 1939
- 4254) Manulea (s.str.) pygmaeola (Doubleday, 1847)** (Arctiidae) Synonym(s): *pygmaeolum* Doubleday, 1847
- 4255) Maraschia griseocens Osthelder, 1933** (Noctuidae) Synonym(s): *griseocens* Osthelder, 1933
- 4256) Marasmarcha lunaedactyla (Haworth, [1811])** (Pterophoridae) Synonym(s): *lunaedactyla* Haworth, [1811]; *phaeodactyla* Hübner, [1813]; *agrorum* Herrich-Schäffer, 1855; *fauna* Millière, 1876; *altaica* Krulikowsky, 1906; *tuttodactyla* Chapman, 1906
- 4257) Marumba quercus ([Denis & Schiffermüller], 1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller], 1775; *denisii* Fuessly, 1779; *#brunnescens* Rebel, 1910; *#canescens*, *pallascens* Closs, 1922; *mesopotamica* O. Bang-Haas, 1938; *schirasi* O. Bang-Haas, 1938; *#pallida* Vilarrubia, 1973.
- 4258) Matratinea ruficaput Sziraki & Szöcs, 1990** (Tineidae) Synonym(s): *ruficaput* Sziraki & Szöcs, 1990
- 4259) Mecostethus parapleurus (Hagenbach, 1822)** (Acrididae) Synonym(s): *parapleurus* Hagenbach, 1822; *alliaceus* Germar, 1825; *typus* Fischer, 1853; *fastigiatus* Rehn, 1902
- 4260) Mecyna asinalis (Hübner, [1819])** (Pyralidae) Synonym(s): *asinalis* Hübner, [1819]; *characteralis* Freyer, 1848
- 4261) Mecyna flavalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *flavalis* [Denis & Schiffermüller], 1775; *paludalis* Rougemont, 1906; *flavicularis* Caradja, 1916
- 4262) Mecyna lutealis (Duponchel, 1833)** (Pyralidae) Synonym(s): *flavalis* Devillers, 1789 nec [Denis & Schiff.], 1775; *lutealis* Duponchel, 1833; *citralis* Herrich-Schäffer, 1849; *gomagoialis* Amsel, 1932
- 4263) Mecyna subequalis (Herrich-Schäffer, 1851)** (Pyralidae) Synonym(s): *subequalis* Herrich-Schäffer, 1851; *consequens* Meyrick, 1932.
- 4264) Mecyna trinalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *trinalis* [Denis & Schiffermüller], 1775
- 4265) Medetera dendrobaena Kowarz, 1877** (Dolichopodidae) Synonym(s): *dendrobaena* Kowarz, 1877

- 4266) Medetera diadema (Linnaeus,1767)** (Dolichopodidae) Synonym(s): *diadema* Linnaeus,1767; *rostrata* Fabricius,1775; *carnivora* Fischer von Waldheim,1819; *aeneivittata* Macquart,1827; *ehrenbergi* Becker,1923
- 4267) Medetera flavipes Meigen,1824** (Dolichopodidae) Synonym(s): *flavipes* Meigen,1824; *insignis* Girschner,1888
- 4268) Medetera pallipes (Zetterstedt,1843)** (Dolichopodidae) Synonym(s): *pallipes* Zetterstedt,1843; *dendrophila* Bezzi,1903
- 4269) Medetera petrophila (Kowarz,1877)** (Dolichopodidae) Synonym(s): *petrophila* Kowarz,1877; *petrophiloides* Parent,1925
- 4270) Medetera saxatilis Collin,1941** (Dolichopodidae) Synonym(s): *saxatilis* Collin,1941; *saxicola* Negrobov & Stackelberg,1974
- 4271) Medetera tenuicauda Loew,1857** (Dolichopodidae) Synonym(s): *tenuicauda* Loew,1857
- 4272) Meenoplus albosignatus Fieber,1866** (Meenoplidae) Synonym(s): *albosignatus* Fieber,1866
- 4273) Megacephala euphratica Dejean,1822** (Carabidae) Synonym(s): *euphratica* Dejean,1822
- 4274) Megachile melanopyga Costa,1863** (Megachilidae) Synonym(s): *melanopyga* Costa,1863
- 4275) Megacraspedus binotellus (Duponchel,1843)** (Gelechiidae) Synonym(s): *binotella* Duponchel,1843
- 4276) Megacraspedus cerussatellus Rebel,1930** (Gelechiidae) Synonym(s): *cerussatellus* Rebel,1930
- 4277) Megacraspedus incertellus Rebel,1930** (Gelechiidae) Synonym(s): *incertellus* Rebel,1930
- 4278) Megacraspedus separatellus (Fischer v. Röslerstamm,1843)** (Gelechiidae) Synonym(s): *separatellus* Fischer v. Röslerstamm,1843
- 4279) Megalodes eximia (Freyer,1845)** (Noctuidae) Synonym(s): *eximia* Freyer,1845
- 4280) Megalodontes eversmanni (Freyemuth,1870)** (Megalodontesidae) Synonym(s): *eversmanni* Freymuth,1870; *loewii* Stein,1876; *multicincta* Mocsary,1891
- 4281) Megalodontes fabricii (Leach,1817)** (Megalodontesidae) Synonym(s): *fabricii* Leach,1817; *megacephalus* Klug,1824; *redimita* Klug,1824
- 4282) Megalodontes flabellicornis Germar,1817** (Megalodontesidae) Synonym(s): *flabellicornis* Germar,1817; *exornatus* Zaddach,1866; *coronatus* Zaddach,1866; *albicincta* Stein,1876; *speciosus* Mocsary,1877
- 4283) Megalodontes medius Konow,1897** (Megalodontesidae) Synonym(s): *medius* Konow,1897
- 4284) Megalodontes mocsaryi (André,1881)** (Megalodontesidae) Synonym(s): *mocsaryi* André,1881; *anatolicus* Mocsary,1883
- 4285) Megalodontes panzeri (Leach,1817)** (Megalodontesidae) Synonym(s): *panzeri* Leach,1817
- 4286) Megalodontes phaenicius (Lepeletier,1823)** (Megalodontesidae) Synonym(s): *phaenicius* Lepeletier,1823; *caucasicus* André,1881; *imperialis* Konow,1897; *kohli* Konow,1897
- 4287) Megalonotus brevicornis (Puton,1883)** (Lygaeidae) Synonym(s): *brevicornis* Puton,1883
- 4288) Megalonotus colon Puton,1874** (Lygaeidae) Synonym(s): *colon* Puton,1874
- 4289) Megalonotus dilatatus (Herrich-Schäffer,1840)** (Lygaeidae) Synonym(s): *dilatatus* Herrich-Schäffer,1840; *obscurus* Mulsant & Rey,1852
- 4290) Megalonotus setosus Puton,1874** (Lygaeidae) Synonym(s): *setosus* Puton,1874
- 4291) Megalophanes viciella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977
- 4292) Meganephria bimaculosa (Linnaeus,1767)** (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804]
- 4293) Meganola albula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *albula* [Denis & Schiffermüller],1775
- 4294) Meganola gigantula (Staudinger,1879)** (Noctuidae) Synonym(s): *gigantula* Staudinger,1879
- 4295) Meganola strigula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *strigula* [Denis & Schiffermüller],1775
- 4296) Meganola togatalis (Hübner,1796)** (Noctuidae) Synonym(s): *togatulalis* Hübner,1796; *togatulana* Duponchel,1845
- 4297) Megascolia (Regiscolia) maculata (Drury,1773)** (Scoliidae) Synonym(s): *maculata* Drury,1773; *flavifrons* Fabricius,1775; *haemorrhoidalis* Fabricius,1787; *insignis* Saussure,1858; *versicolor* Saussure,1859
- 4298) Megaselia flavicans Schmitz,1935** (Phoridae) Synonym(s): *flavicans* Schmitz,1935
- 4299) Megasis rippertella (Zeller,1839)** (Pyralidae) Synonym(s): *rippertella* Zeller,1839
- 4300) Megastigmus aculeatus (Swederus,1795)** (Torymidae) Synonym(s): *aculeatus* Swederus,1795
- 4301) Megastigmus pistaciae Walker,1871** (Torymidae) Synonym(s): *pistaciae* Walker,1871; *ballestrerii* Rondani,1877
- 4302) Megastigmus wachtlit Seitner,1916** (Torymidae) Synonym(s): *wachtlit* Seitner,1916
- 4303) Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845
- 4304) Megatelus contractus (Klug,1845)** (Scarabaeidae) Synonym(s): *contractus* Klug,1845
- 4305) Megophthalmus scabripennis Edwards,1915** (Cicadellidae) Synonym(s): *scabripennis* Edwards,1915
- 4306) Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) Synonym(s): *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]; *varalauko* Korb,2005
- 4307) Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) Synonym(s): *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmediensis* Derenne,1926; *xanthonica* Varin,1948
- 4308) Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) Synonym(s): *larissa* Geyer,[1828]
- 4309) Melanchra pisi (Linnaeus,1758)** (Noctuidae) Synonym(s): *pisi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoi* Agenjo,1945
- 4310) Melanochaeta pubescens (Thalhammer,1898)** (Chloropidae) Synonym(s): *pubescens* Thalhammer,1898; *rufithorax* Duda,1932
- 4311) Melanosoma abdominalis Kröber,1914** (Conopidae) Synonym(s): *abdominalis* Kröber,1914
- 4312) Melanosoma bicolor (Meigen,1824)** (Conopidae) Synonym(s): *bicolor* Meigen,1824; *nigrum* Meigen,1824; *nupta* Rondani,1857; *fraternum* Kröber,1915; *flaviventris* Belanovsky,1954
- 4313) Melanostoma mellinum (Linnaeus,1758)** (Syrphidae) Synonym(s): *mellinum* Linnaeus,1758; *facultas* Harris,1776; *scalare* Panzer,1797; *mellarium* Meigen,1822; *melliturgus* Meigen,1822; *laevigatum* Meigen,1822; *minutum* Macquart,1827; *unicolor* Macquart,1827; *concolor* Walker,1851; *pruinose* Bigot,1884; *nigricorne* Stroble,1893
- 4314) Melanostoma scalare (Fabricius,1794)** (Syrphidae) Synonym(s): *scalare* Fabricius,1794
- 4315) Melanotus (s.str.) aemulus (Erichson,1841)** (Elateridae) Synonym(s): *aemulus* Erichson,1841
- 4316) Melanotus (s.str.) brignolii Guglielmi & Platia,1985** (Elateridae) Synonym(s): *brignolii* Guglielmi & Platia,1985
- 4317) Melanotus (s.str.) brunnipes (Germar,1824)** (Elateridae) Synonym(s): *brunnipes* Germar,1824
- 4318) Melanotus (s.str.) castanipes (Paykull,1800)** (Elateridae) Synonym(s): *castanipes* Paykull,1800
- 4319) Melanotus (s.str.) crassicolis (Erichson,1841)** (Elateridae) Synonym(s): *crassicolis* Erichson,1841
- 4320) Melanotus (s.str.) dichrous (Erichson,1841)** (Elateridae) Synonym(s): *dichrous* Erichson,1841
- 4321) Melanotus (s.str.) fusciceps (Gyllenhal,1817)** (Elateridae) Synonym(s): *fusciceps* Gyllenhal,1817; *robustus* Erichson,1841

- 4322) **Melanotus (s.str.) punctolineatus (Pélerin,1829)** (Elateridae) Synonym(s): *punctolineatus* Pélerin,1829
 4323) **Melanotus (s.str.) tenebrosus (Erichson,1841)** (Elateridae) Synonym(s): *tenebrosus* Erichson,1841
 4324) **Melanotus (s.str.) villosus (Fourcroy,1785)** (Elateridae) Synonym(s): *rufipes* Herbst,1784; *villosus* Fourcroy,1785
 4325) **Melanthia procellata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *procellata* [Denis & Schiffermüller],1775; ? *areolata* Fourcroy,1785; *procellaria* Boisduval,1840
 4326) **Melecta aegyptiaca Radoszkowski,1876** (Apidae) Synonym(s): *aegyptiaca* Radoszkowski,1876; *indbergi* Lieftinck,1958
 4327) **Melecta albifrons (Förster,1771)** (Apidae) Synonym(s): *albifrons* Förster,1771
 4328) **Melecta duodecimmaculata (Rossi,1790)** (Apidae) Synonym(s): *duodecimmaculata* Rossi,1790
 4329) **Melecta festiva Lieftinck,1980** (Apidae) Synonym(s): *festiva* Lieftinck,1980
 4330) **Melecta fulgida Lieftinck,1980** (Apidae) Synonym(s): *fulgida* Lieftinck,1980
 4331) **Melecta guichardi Lieftinck,1980** (Apidae) Synonym(s): *guichardi* Lieftinck,1980
 4332) **Melecta italica Radoszkowski,1876** (Apidae) Synonym(s): *italica* Radoszkowski,1876
 4333) **Melecta leucorhyncha Gribodo,1893** (Apidae) Synonym(s): *leucorhyncha* Gribodo,1893
 4334) **Melecta luctuosa (Scopoli,1770)** (Apidae) Synonym(s): *luctuosa* Scopoli,1770
 4335) **Melecta obscura Friese,1895** (Apidae) Synonym(s): *obscura* Friese,1895
 4336) **Melecta tuberculata Lieftinck,1980** (Apidae) Synonym(s): *tuberculata* Lieftinck,1980
 4337) **Meliera cana Loew,1858** (Ulidiidae) Synonym(s): *cana* Loew,1858; *egena* Pandelle,1902
 4338) **Meliera omissa (Meigen,1826)** (Ulidiidae) Synonym(s): *omissa* Meigen,1826
 4339) **Meliera picta (Meigen,1826)** (Ulidiidae) Synonym(s): *picta* Meigen,1826; *quinquemaculata* Macquart,1835; *quinquenotata* Macquart,1838
 4340) **Melillaia matsumuri (Metcalf,1955)** (Cicadellidae) Synonym(s): *acuminatus* Matsumura,1908 (*praeocc.*); *matsumuri* Metcalf,1955
 4341) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnididae) Synonym(s): *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783.
 4342) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnididae) Synonym(s): *didyma* Esper,[1779]; *armoricana* Oberthür,1909.
 4343) **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnididae) Synonym(s): *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803
 4344) **Melitaea (Melicta) athalia (Rottemburg,1775)** (Argynnididae) Synonym(s): *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *anatolica* F.Wagner,1929; *subluciflua* Verity,1935; *mixtaceladussa* Verity,1940; *neglecta* Pfau,1962
 4345) **Melitaea (Melicta) aurelia (Nickerl,1850)** (Argynnididae) Synonym(s): *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920.
 4346) **Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnididae) Synonym(s): *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844.
 4347) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnididae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791.
 4348) **Melitta haemorrhoidalis (Fabricius,1775)** (Melittidae) Synonym(s): *haemorrhoidalis* Fabricius,1775; *dichroa* Gmelin,1790; *chrysura* Kirby,1802
 4349) **Melitta wankowiczi Radoszkowski,1891** (Melittidae) Synonym(s): *wankowiczi* Radoszkowski,1891
 4350) **Melitturga clavicornis (Latreille,1806)** (Andrenidae) Synonym(s): *clavicornis* Latreille,1806
 4351) **Melitturga praestans Giraud,1861** (Andrenidae) Synonym(s): *praestans* Giraud,1861; *syriaca* Friese,1896
 4352) **Melitturga spinosa Morawitz,1892** (Andrenidae) Synonym(s): *spinosa* Morawitz,1892
 4353) **Meloe (Eurymeloe) ganglbaueri Apfelbeck,1905** (Meloidae) Synonym(s): *ganglbaueri* Apfelbeck,1905
 4354) **Meloe (Meloegonius) rufiventris (Germar,1817)** (Meloidae) Synonym(s): *rufiventris* Germar,1817; *coriarius* Brandt & Erichson,1832; *reticulatus* Brandt & Ratzeburg,1833; *cyanicornis* Escherich,1889
 4355) **Meloe (Taphromeloe) erythrocnemus Pallas,1782** (Meloidae) Synonym(s): *erythrocnemus* Pallas,1782; *corallipes* Gebler,1847
 4356) **Melolontha (s.str.) albida Frivaldsky,1835** (Scarabaeidae) Synonym(s): *albida* Frivaldsky,1835
 4357) **Menophra abruptaria (Thunberg,1792)** (Geometridae) Synonym(s): *abruptaria* Thunberg,1792; *strigata* Fabricius,1794; *petrificata* Hübner,[1799]; *suberaria* Donovan,1808; *petrificaria* Duponchel,1829; *barcinonaria* Bellier,1862; *theobromaria* Turati,1909
 4358) **Menophra berenicidaria (Turati,1924)** (Geometridae) Synonym(s): *berenicidaria* Turati,1924; *trypanaria* Wiltshire,1948; *cretacaria* Reisser,1948
 4359) **Menophra japygiaria (Costa,1849)** (Geometridae) Synonym(s): *japygiaria* Costa,1849; *fractaria* Staudinger,1859; *rhizolitharia* Rambur,1866; *sagarraria* Turati,1924
 4360) **Meoneura acuticerca Gregor,1973** (Carnidae) Synonym(s): *acuticerca* Gregor,1973
 4361) **Meoneura atoma Papp,1981** (Carnidae) Synonym(s): *atoma* Papp,1981
 4362) **Meoneura graeca Hennig,1972** (Carnidae) Synonym(s): *graeca* Hennig,1972
 4363) **Meoneura prima (Becker,1903)** (Carnidae) Synonym(s): *prima* Becker,1903; *baluchistani* Duda,1936; *seducta* Collin,1937
 4364) **Meria aurantiaca Guérin-Ménéville,1837** (Tiphidae) Synonym(s): *aurantiaca* Guérin-Ménéville,1837; *paradisiaca* Boni Bartalucci,1992
 4365) **Meria geniculata (Brullé,1832)** (Tiphidae) Synonym(s): *geniculata* Brullé,1832; *graeca* Saunders,1850; *swanetiae* Radoszkowski,1861; *nigriceps* Mocsary,1883; *picta* Schulthess,1893; *nigrigena* Guiglia,1966
 4366) **Meringopus titilator (Linnaeus,1758)** (Ichneumonidae) Synonym(s): *titilator* Linnaeus,1758; *orientalis* Szepliget,1916
 4367) **Merodon aberrans Egger,1860** (Syrphidae) Synonym(s): *aberrans* Egger,1860; *obscuripennis* Palma,1863; *knerii* Mik,1883
 4368) **Merodon alagoezicus Paramonov,1925** (Syrphidae) Synonym(s): *alagoezicus* Paramonov,1925
 4369) **Merodon albifrons Meigen,1822** (Syrphidae) Synonym(s): *albifrons* Meigen,1822; *grossus* Gil Collado,1930
 4370) **Merodon avidus (Rossi,1790)** (Syrphidae) Synonym(s): *avidus* Rossi,1790; *spinipes* Fabricius,1794; *rufitibius* Rondani,1845; *graecus* Walker,1852; *aurifer* Loew,1862; *quadri-lineatus* Liroy,1864
 4371) **Merodon biarcuatus Curran,1939** (Syrphidae) Synonym(s): *biarcuatus* Curran,1939
 4372) **Merodon chalybeatus Sack,1913** (Syrphidae) Synonym(s): *chalybeatus* Sack,1913; *albonigrum* Radenkovic & Simic,1996
 4373) **Merodon clavipes (Fabricius,1781)** (Syrphidae) Synonym(s): *clavipes* Fabricius,1781; *clauda* Villers,1789; *gravipes* Rossi,1790; *canipilus* Rondani,1865; *senilis* Meigen,1822; *albus* Paramonov,1927; *ater* Paramonov,1927; *niger* Paramonov,1927; *sacki* Paramonov,1937

- 4374) **Merodon clunipes Sack, 1913** (Syrphidae) Synonym(s): *clunipes* Sack, 1913
- 4375) **Merodon crassifemoris Paramonov, 1925** (Syrphidae) Synonym(s): *crassifemoris* Paramonov, 1925
- 4376) **Merodon distinctus Palma, 1863** (Syrphidae) Synonym(s): *distinctus* Palma, 1863; *dimorpha* Szilady, 1940
- 4377) **Merodon erivanicus Paramonov, 1925** (Syrphidae) Synonym(s): *erivanicus* Paramonov, 1925; *kaloceros* Hurkmans, 1993
- 4378) **Merodon femoratoides Paramonov, 1925** (Syrphidae) Synonym(s): *femoratoides* Paramonov, 1925
- 4379) **Merodon femoratus Sack, 1913** (Syrphidae) Synonym(s): *femoratus* Sack, 1913
- 4380) **Merodon hamifer Sack, 1913** (Syrphidae) Synonym(s): *hamifer* Sack, 1913
- 4381) **Merodon italicus Rondani, 1845** (Syrphidae) Synonym(s): *italicus* Rondani, 1845; *longicornis* Sack, 1913; *affinis* Gil Collado, 1930
- 4382) **Merodon mariae Hurkmans, 1993** (Syrphidae) Synonym(s): *mariae* Hurkmans, 1993
- 4383) **Merodon natans (Fabricius, 1794)** (Syrphidae) Synonym(s): *natans* Fabricius, 1794
- 4384) **Merodon nigratarsis Rondani, 1845** (Syrphidae) Synonym(s): *nigratarsis* Rondani, 1845
- 4385) **Merodon obscuratarsis Strobl, 1909** (Syrphidae) Synonym(s): *obscuratarsis* Strobl, 1909; *fuerteventurensis* Barkemeyer, 2002
- 4386) **Merodon papillus Vujic, Radenkovic & Pérez-Banon, 2007** (Syrphidae) Synonym(s): *papillus* Vujic, Radenkovic & Pérez-Banon, 2007
- 4387) **Merodon parietum Wiedemann, 1822** (Syrphidae) Synonym(s): *parietum* Wiedemann, 1822
- 4388) **Merodon planiceps Loew, 1862** (Syrphidae) Synonym(s): *planiceps* Loew, 1862
- 4389) **Merodon pruni (Rossi, 1790)** (Syrphidae) Synonym(s): *pruni* Rossi, 1790; *fulvus* Macquart, 1834; *pallidus* Macquart, 1842; *sicanus* Rondani, 1845; *fuscineris* Röder, 1887; *obscurus* Gil Collado, 1929
- 4390) **Merodon sapphous Vujic, Pérez-Banon & Radenkovic, 2007** (Syrphidae) Synonym(s): *sapphous* Vujic, Pérez-Banon & Radenkovic, 2007
- 4391) **Merodon serrulatus Wiedemann, 1822** (Syrphidae) Synonym(s): *serrulatus* Wiedemann, 1822; *alexexi* Paramonov, 1925
- 4392) **Merodon velox Loew, 1869** (Syrphidae) Synonym(s): *velox* Loew, 1869; *anathema* Paramonov, 1925; *armeniaca* Paramonov, 1925
- 4393) **Merrifieldia baliodactyla (Zeller, 1841)** (Pterophoridae) Synonym(s): *baliodactyla* Zeller, 1841; *tridactylus* Stephens, 1834; *daliiodactylus* Bruand, 1850; *meridionalis* Staudinger, 1880.
- 4394) **Merrifieldia leucodactyla (Denis & Schiffermüller, 1775)** (Pterophoridae) Synonym(s): *#leucodactyla* [Denis & Schiffermüller], 1775; *theiodactyla* Hübner, [1825]; *wernickei* Wocke, 1897; *fitzi* Rebel, 1912; *flavella* Chrétien, 1923; *dryogramma* Meyrick, 1930.
- 4395) **Merrifieldia lyrae (Arenberger, 1983)** (Pterophoridae) Synonym(s): *lyrae* Arenberger, 1983
- 4396) **Merrifieldia malacodactyla (Zeller, 1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller, 1847; *meridionalis* Staudinger, 1880; *indocata* Meyrick, 1913; *subtilis* Caradja, 1920; *parca* Meyrick, 1921; *subcretosa* Meyrick, 1922; *phaeoschista* Meyrick, 1923; *luteodactyla* Turati, 1926; *rayatella* Amsel, 1959; *insularis* Bigot, 1961; *livadiensis* Zagulyaev & Filippova, 1976; *transdanubinus* Fazekas, 1986; *garrigae* Bigot & Picard, 1989; *moulinieri* Nel, 1991; *inopinata* Bigot, Nel & Picard, 1993
- 4397) **Merrifieldia phlomidactyla (Wasserthal, 1970)** (Pterophoridae) Synonym(s): *phlomidactyla* Wasserthal, 1970
- 4398) **Merrifieldia tridactyla (Linnaeus, 1758)** (Pterophoridae) Synonym(s): *tridactyla* Linnaeus, 1758; *tetradactyla* Linnaeus, 1758; *niveidactylus* Stephens, 1829; *fuscolimbatus* Duponchel, 1844; *icterodactyla* Mann, 1855; *exilidactyla* Buszko, 1975.
- 4399) **Mesapamea (s.str.) didyma (Esper, 1788)** (Noctuidae) Synonym(s): *didyma* Esper, [1788]; *secalella* Remm, 1983.
- 4400) **Mesapamea (s.str.) secalis (Linnaeus, 1758)** (Noctuidae) Synonym(s): *secalis* Linnaeus, 1758
- 4401) **Mesocrambus candidellus (Herrich-Schäffer, 1848)** (Pyralidae) Synonym(s): *candidellus* Herrich-Schäffer, [1848]; *#candiellus* Bleszynski, 1965.
- 4402) **Mesogona acetosellae (Goeze, 1781)** (Noctuidae) Synonym(s): *#acetosellae* [Denis & Schiffermüller], 1775; *acetosellae* Goeze, 1781; *vorbrotti* Wehrli, 1917; *grisea* Dannehl, 1929; *pallida* Dannehl, 1929; *segoviensis* Calle, 1982; *#clarescens* Calle, 1982
- 4403) **Mesogona oxalina (Hübner, 1803)** (Noctuidae) Synonym(s): *oxalina* Hübner, [1803]
- 4404) **Mesoligia furuncula (Denis & Schiffermüller, 1775)** (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller], 1775; *spoliaticula* [Denis & Schiffermüller], 1775; *bicoloria* Villers, 1789; *vinctuncula* Hübner, [1803]; *humeralis* Haworth, 1809; *terminalis* Haworth, 1809; *rufuncula* Haworth, 1809
- 4405) **Mesoligia literosa (Haworth, 1809)** (Noctuidae) Synonym(s): *literosa* Haworth, [1809]; *erraticula* Hübner, [1813]; *faroulti* Rothschild, 1914; *powelli* Oberthür, 1918
- 4406) **Mesophleps corsicella (Herrich-Schäffer, 1856)** (Gelechiidae) Synonym(s): *corsicella* Herrich-Schäffer, [1856]
- 4407) **Mesophleps silacella (Hübner, 1796)** (Gelechiidae) Synonym(s): *?pyropella* Hübner, 1793; *silacella* Hübner, 1796; *silacea* Haworth, 1828
- 4408) **Metacantharis clypeata (Illiger, 1798)** (Cantharidae) Synonym(s): *clypeata* Illiger, 1798
- 4409) **Metacantharis peloponnesica Wittmer, 1974** (Cantharidae) Synonym(s): *peloponnesica* Wittmer, 1974
- 4410) **Metachrostis dardouini (Boisduval, 1840)** (Noctuidae) Synonym(s): *dardouini* Boisduval, 1840; *velox* Treitschke nec Hbn., [1813]; *mendacula* Freyer, 1841; *dilutior* Schwingenschuss, 1926
- 4411) **Metachrostis velocior (Staudinger, 1892)** (Noctuidae) Synonym(s): *velocior* Staudinger, 1892
- 4412) **Metachrostis velox (Hübner, 1813)** (Noctuidae) Synonym(s): *velox* Hübner, [1813]; *griseimargo* W. Warren, 1912; *mendacularis* Treitschke, 1829; *tarda* Turati, 1926; *velocissima* Turati, 1926; *rubescens* Schwingenschuss, 1930
- 4413) **Metacrambus carectellus (Zeller, 1847)** (Pyralidae) Synonym(s): *carectellus* Zeller, 1847; *lugdunellus* Millière, 1868; *truncatellus* Caradja, 1916.
- 4414) **Metadioxys graeca Mavromoustakis, 1963** (Megachilidae) Synonym(s): *graeca* Mavromoustakis, 1963
- 4415) **Metallosticha argyrogrammos (Zeller, 1847)** (Pyralidae) Synonym(s): *argyrogrammos* Zeller, 1847
- 4416) **Metallostichodes nigrocyanea (Constant, 1865)** (Pyralidae) Synonym(s): *nigrocyanea* Constant, 1865; *chalcocyanea* Staudinger & Wocke, 1871.
- 4417) **Metapterus linearis A. Costa, 1863** (Reduviidae) Synonym(s): *linearis* A. Costa, 1863
- 4418) **Metasia (Clasperia) ophialis (Treitschke, 1829)** (Pyralidae) Synonym(s): *ophialis* Treitschke, 1829; *parvalis* Caradja, 1917.
- 4419) **Metasia (s.str.) carnealis (Treitschke, 1829)** (Pyralidae) Synonym(s): *carnealis* Treitschke, 1829
- 4420) **Metasia (s.str.) rosealis Ragonot, 1895** (Pyralidae) Synonym(s): *rosealis* Ragonot, 1895
- 4421) **Metasia (s.str.) suppandalis (Hübner, 1823)** (Pyralidae) Synonym(s): *suppandalis* Hübner, [1823]
- 4422) **Metaxmeste phrygialis (Hübner, 1796)** (Pyralidae) Synonym(s): *phrygialis* Hübner, 1796
- 4423) **Metaxmeste schrankiana (Hochenwarth, 1785)** (Pyralidae) Synonym(s): *schrackiana* Hochenwarth, 1785
- 4424) **Methocha articulata (Latreille, 1792)** (Tiphidae) Synonym(s): *articulata* Latreille, 1792; *formicaria* Latreille, 1792; *ichneumonides* Latreille, 1805; *mutillaria* Latreille, 1806; *sanvitali* Latreille, 1809; *italica* Costa, 1858; *articulata* Latreille, 1792
- 4425) **Metriochoa latifoliella (Millière, 1887)** (Gracillariidae) Synonym(s): *latifoliella* Millière, 1887; *neglectus* Silvestri, 1908

- 4426) *Metzneria aestivella* (Zeller,1839) (Gelechiidae) Synonym(s): *aestivella* Zeller,1839; *carlinella* Stainton,1851; *selaginella* Mann,1855; *torridella* Mann.
- 4427) *Metzneria aprilella* (Herrich-Schäffer,[1854]) (Gelechiidae) Synonym(s): *aprilella* Herrich-Schäffer,[1854]
- 4428) *Metzneria intestinella* (Mann,1864) (Gelechiidae) Synonym(s): *intestinella* Mann,1864
- 4429) *Metzneria lappella* (Linnaeus,1758) (Gelechiidae) Synonym(s): *lappella* Linnaeus,1758; *silacea* Haworth,1828; *silacella* Wood,1839.
- 4430) *Metzneria metzneriella* Stainton,1851 (Gelechiidae) Synonym(s): *paucipunctella* Douglas,1850 *nec* Zeller,1851; *metzneriella* Stainton,1851.
- 4431) *Metzneria neuropterella* Zeller,1839 (Gelechiidae) Synonym(s): *neuropterella* Zeller,1839; *#gigantella* Krulikowsky,1909.
- 4432) *Metzneria paucipunctella* (Zeller,1839) (Gelechiidae) Synonym(s): *paucipunctella* Zeller,1839; *zimmermanni* Hering,1940; *confusalis* Lucas,1955.
- 4433) *Micantulina (Mulsantina) stigmatipennis* (Mulsant & Rey,1855) (Cicadellidae) Synonym(s): *stigmatipennis* Mulsant & Rey,1855; *quadripunctata* Kirschbaum,1868; *pulcherrimus* Hovarth,1884
- 4434) *Micantulina (Mulsantina) teucii* (Cerutti,1938) (Cicadellidae) Synonym(s): *teucii* Cerutti,1938; *impunctata* Cerutti,1938; *incompleta* Cerutti,1938
- 4435) *Michaeliodes friesei* Roesler,1970 (Pyralidae) Synonym(s): *friesei* Roesler,1970
- 4436) *Micomitra iris* (Loew,1869) (Bombyliidae) Synonym(s): *iris* Loew,1869
- 4437) *Micomitra stupida* (Rossi,1790) (Bombyliidae) Synonym(s): *stupida* Rossi,1790; *rhadamanthus* Meigen,1804; *chalcoides* Pallas,1818; *vitricosta* Walker,1849; *vitricosta* Walker,1849; *squamea* Mulsant,1852
- 4438) *Microdon mutabilis* (Linnaeus,1758) (Syrphidae) Synonym(s): *mutabilis* Linnaeus,1758; *auropubescens* Latreille,1805
- 4439) *Microdynerus (Alastoryneus) microdynerus* (Dalla Torre,1889) (Vespidae) Synonym(s): *alastoroides* Morawitz,1885 (*praeocc.*); *microdynerus* Dalla Torre,1889; *tridentatus* Kostylev,1935
- 4440) *Microdynerus (Pseudomicrodynerus) eurasius* Blüthgen,1938 (Vespidae) Synonym(s): *eurasius* Blüthgen,1938
- 4441) *Microdynerus (Pseudomicrodynerus) parvulus* (Herrich-Schäffer,1838) (Vespidae) Synonym(s): *parvulus* Herrich-Schäffer,1838; *helveticus* Saussure,1855; *bifidus* Morawitz,1885
- 4442) *Microdynerus (s.str.) appenninicus* Giordani Soika,1960 (Vespidae) Synonym(s): *appenninicus* Giordani Soika,1960
- 4443) *Microdynerus (s.str.) longicollis* Morawitz,1895 (Vespidae) Synonym(s): *longicollis* Morawitz,1895; *patagiatus* Schulthess,1897
- 4444) *Microdynerus (s.str.) mirandus* (Giordani Soika,1947) (Vespidae) Synonym(s): *mirandus* Giordani Soika,1947
- 4445) *Microdynerus (s.str.) nugundensis* (Saussure,1855) (Vespidae) Synonym(s): *nugundensis* Saussure,1855
- 4446) *Microloxia herbaria* (Hübner,[1813]) (Geometridae) Synonym(s): *herbaria* Hübner,[1813]; *advolata* Eversmann,1837; *graminaria* Zeller,1849; *bruandaria* Millièrè,1860.
- 4447) *Micromorphus albipes* (Zetterstedt,1843) (Dolichopodidae) Synonym(s): *albipes* Zetterstedt,1843; *bellus* Strobl,1880 *nec* Lw.,1869
- 4448) *Micronecta vitticeps* (Horvath,1895) (Corixidae) Synonym(s): *vitticeps* Horvath,1895
- 4449) *Micronola karsholti* (Fibiger,1997) (Micronoctuidae) Synonym(s): *karsholti* Fibiger,1997
- 4450) *Micropterix aruncella* (Scopoli,1763) (Micropterigidae) Synonym(s): *aruncella* Scopoli,1763; *seppella* Fabricius,1787; *podevinella* Hübner,[1813]; *concinella* Stephens,1834; *eximiella* Zeller,1850; *atricapila* Wocke,1877; *nuraghella* Amsel,1936
- 4451) *Micropterix aureatella* (Scopoli,1763) (Micropterigidae) Synonym(s): *aureatella* Scopoli,1763; *ammanella* Hübner,[1813]; *allionella sensu* Stainton,1850
- 4452) *Micropterix aureoviridella* (Höfner,1898) (Micropterigidae) Synonym(s): *aureoviridella* Höfner,1898; *liogierella* Réal,1987
- 4453) *Micropterix coreyrella* Walsingham,1919 (Micropterigidae) Synonym(s): *coreyrella* Walsingham,1919
- 4454) *Micropterix kardamylensis* Rebel,1903 (Micropterigidae) Synonym(s): *kardamylensis* Rebel,1903
- 4455) *Micropterix lakoniensis* J.Heath,1985 (Micropterigidae) Synonym(s): *lakoniensis* J.Heath,1985
- 4456) *Micropterix myrtetella* (Zeller,1850) (Micropterigidae) Synonym(s): *myrtetella* Zeller,1850
- 4457) *Micropterix tunbergella* (Fabricius,1787) (Micropterigidae) Synonym(s): *tunbergella* Fabricius,1787; *hellwigella* Hübner,[1805]; *rubrifasciella* Haworth,1828; *depictella* Herrich-Schäffer,1855
- 4458) *Micropterix wockei* Staudinger,1870 (Micropterigidae) Synonym(s): *wocke* Staudinger,1870
- 4459) *Microptilis cebes* Nixon,1970 (Braconidae) Synonym(s): *cebes* Nixon,1970
- 4460) *Microptilis deprimator* (Fabricius,1798) (Braconidae) Synonym(s): *deprimator* Fabricius,1798
- 4461) *Microptilis sofron* Nixon,1970 (Braconidae) Synonym(s): *sofron* Nixon,1970
- 4462) *Microptilis vidua* (Ruthe,1860) (Braconidae) Synonym(s): *vidua* Ruthe,1860
- 4463) *Microsania meridionalis* Collart,1960 (Platyepidae) Synonym(s): *meridionalis* Collart,1960
- 4464) *Microsania pectipennis* (Meigen,1830) (Platyepidae) Synonym(s): *pectipennis* Meigen,1830; *stigmatalis* Zetterstedt,1837
- 4465) *Microsphecia brosisformis* (Hübner,[1813]) (Sesiidae) Synonym(s): *brosisformis* Hübner,[1813]; *dorsalis* Le Cerf,1914; *#obscura* Le Cerf,1914
- 4466) *Microsphecia tineiformis* (Esper,[1789]) (Sesiidae) Synonym(s): *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794.
- 4467) *Microvelia pygmaea* (Dufour,1833) (Veliidae) Synonym(s): *pygmaea* Dufour,1833
- 4468) *Microvelia reticulata* (Burmeister,1835) (Veliidae) Synonym(s): *reticulata* Burmeister,1835
- 4469) *Milichia ludens* Wahlberg,1847 (Milichiidae) Synonym(s): *ludens* Wahlberg,1847; *palposa* Zetterstedt,1848
- 4470) *Milichia speciosa* Meigen,1830 (Milichiidae) Synonym(s): *speciosa* Meigen,1830
- 4471) *Milichiella argyrogaster* (Perris,1876) (Milichiidae) Synonym(s): *argyrogaster* Perris,1876; *tiefii* Mik,1887
- 4472) *Milichiella iberica* Carles-Tolra,2001 (Milichiidae) Synonym(s): *iberica* Carles-Tolra,2001
- 4473) *Milichiella lacteipennis* (Loew,1866) (Milichiidae) Synonym(s): *lacteipennis* Loew,1866
- 4474) *Miltochrista miniata* (Forster,1771) (Aretiidae) Synonym(s): *miniata* Forster,1771; *rosea* Fabricius,1775; *rubicunda* [Denis & Schiffermüller],1775; *minialis* Thunberg,1784; *rosacea* Fourcroy,1785; *roseana* Villers,1789; *rosea* Donovan,1793 *nec* Fabricius,1775; *destrigata* Dannehl,1928; *mosbacheri* Roesler,1967.
- 4475) *Miltogramma (s.str.) punctatum* Meigen,1824 (Sarcophagidae) Synonym(s): *punctatum* Meigen,1824; *arcuata* Zetterstedt,1844; *sexpunctatum* Meigen,1838; *laterale* R-D.,1863; *macquarti* R-D.,1863; *punctatellum* R-D.,1863
- 4476) *Mimas tiliae* (Linnaeus,1758) (Sphingidae) Synonym(s): *tiliae* Linnaeus,1758
- 4477) *Mimudea confinalis* (Lederer,1858) (Pyralidae) Synonym(s): *confinalis* Lederer,1858; *graecalis* Staudinger,1870
- 4478) *Mimudea institalis* (Hübner,[1819]) (Pyralidae) Synonym(s): *? focorum* Fourcroy,1785; *institalis* Hübner,[1819]; *rutana* Vallot,1829; *ferreralis* Duponchel,1833

- 4479) **Mimudea languidalis** (Eversmann,1842) (Pyrilidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *veneralis* Staudinger,1871
- 4480) **Minettia (s.str.) bulgarica** Papp,1981 (Lauxaniidae) Synonym(s): *bulgarica* Papp,1981
- 4481) **Minettia (s.str.) fasciata** (Fallén,1826) (Lauxaniidae) Synonym(s): *fasciata* Fallén,1826; *rivosa* Meigen,1826; *memorosa* R.-D.,1830
- 4482) **Minettia (s.str.) graeca** Papp,1981 (Lauxaniidae) Synonym(s): *graeca* Papp,1981
- 4483) **Minettia (s.str.) subvittata** (Loew,1847) (Lauxaniidae) Synonym(s): *subvittata* Loew,1847; *cataracta* Pandellé,1902
- 4484) **Minettia (s.str.) tabidiventris** (Rondani,1877) (Lauxaniidae) Synonym(s): *tabidiventris* Rondani,1877; *luteofrontata* Becker,1895
- 4485) **Minettia (s.str.) tubifer** (Meigen,1826) (Lauxaniidae) Synonym(s): *tubifer* Meigen,1826
- 4486) **Minoa murinata** (Scopoli,1763) (Geometridae) Synonym(s): *murinata* Scopoli,1763; *sordata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799; *limburgia* Lempke,1969
- 4487) **Minois dryas** (Scopoli,1763) (Satyridae) Synonym(s): *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsaftikis,1988.
- 4488) **Mintho compressa** (Fabricius,1787) (Tachinidae) Synonym(s): *compressa* Fabricius,1787
- 4489) **Mirificarma (s.str. (Interrupta)) cytisella** (Treitschke,1833) (Gelechiidae) Synonym(s): *cytisella* Treitschke,1833; *#roseella* Hauser,1918
- 4490) **Mirificarma (s.str. (Interrupta)) mulinella** (Zeller,1839) (Gelechiidae) Synonym(s): *mulinella* Zeller,1839; *caminariella* Fuchs,1902; *nigraesilvae* Amsel,1950.
- 4491) **Mirificarma (s.str. (s.str.)) aflavella** (Amsel,1935) (Gelechiidae) Synonym(s): *aflavella* Amsel,1935
- 4492) **Mirificarma (s.str. (s.str.)) eburnella** ([Denis & Schiffermüller],1775) (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 *nec* [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeformosella* Bruand,1859.
- 4493) **Mirificarma (s.str. (s.str.)) flavella** (Duponchel,[1844]) (Gelechiidae) Synonym(s): *flavella* Duponchel,[1844]; *segetella* Zeller,1847.
- 4494) **Mirificarma (s.str. (s.str.)) maculatella** (Hübner,1796) (Gelechiidae) Synonym(s): *maculatella* Hübner,1796
- 4495) **Mirificarma (s.str. (s.str.)) rhodoptera** (Mann,1866) (Gelechiidae) Synonym(s): *rhodoptera* Mann,1866.
- 4496) **Mniotype adusta** (Esper,[1790]) (Noctuidae) Synonym(s): *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *griseocens* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki
- 4497) **Mniotype solieri** (Boisduval,1840) (Noctuidae) Synonym(s): *solieri* Boisduval,1940
- 4498) **Mocsarya syriaca** Benson,1936 (Orussidae) Synonym(s): *syriaca* Benson,1936
- 4499) **Mocydiopsis monticola** Remane,1961 (Cicadellidae) Synonym(s): *monticola* Remane,1961
- 4500) **Modicogryllus (Eumodicogryllus) burdigalensis** (Latreille,1804) (Gryllidae) Synonym(s): *chinensis* Weber,1801; *burdigalensis* Latreille,1804; *#bordigalensis* Charpentier,1825; *cerisyi* Audinet-Serville,1838; *geminus* Audinet-Serville,1838; *arvensis* Rambur,1838; *cinereus* Costa,1852; *marginatus* Eversmann,1859; *minusculus* Walker,1869; *pygmaeus* Walker,1869; *eversmanni* Jakovlev,1871; *ferdinandi* Bolivar,1899; *hygrophilus* Krauss,1902; *intermedia* Bolivar,1927
- 4501) **Molobratia teutonius** (Linnaeus,1767) (Asilidae) Synonym(s): *teutonius* Linnaeus,1767; *marmoratus* Geoffroy,1785; *teuton* Macquart,1834
- 4502) **Mompha (Lophoptilus) miscella** ([Denis & Schiffermüller],1775) (Mompidae) Synonym(s): *miscella* [Denis & Schiffermüller],1775; *staintoni* Sircom,1848; *opacella* Müller-Rutz,1934.
- 4503) **Mompha (s.str.) meridonella** Koster & Sinev,2003 (Mompidae) Synonym(s): *meridonella* Koster & Sinev,2003
- 4504) **Mompha (s.str.) subbistrigella** (Haworth,[1828]) (Mompidae) Synonym(s): *subbistrigella* Haworth,[1828]
- 4505) **Monochroa cytisella** (Curtis,1837) (Gelechiidae) Synonym(s): *cytisella* Curtis,1837; *fuscipennis* Humpreys & Westwood,1845; *walkeriella* Douglas,1850; *coenulentella* Herrich-Schäffer,1854; *clinosema* Meyrick,1935; *griseocapitella* Benthinck,1949
- 4506) **Monochroa nigromaculella** (Millière,1872) (Gelechiidae) Synonym(s): *nigromaculella* Millière,1872; *punctatella* Staudinger,1879; *morphochroma* Walsingham,1900; *jacatrix* Meyrick,1926; *angustipennis* Rebel,1931; *craterotypa* Meyrick,1938
- 4507) **Monochroa rumicetella** (Hofmann,1868) (Gelechiidae) Synonym(s): *rumicetella* Hofmann,1868; *acutangulella* Heinemann,1870; *leptotechna* Meyrick,1937
- 4508) **Monochroa tenebrella** (Hübner,[1817]) (Gelechiidae) Synonym(s): *tenebrella* Hübner,[1817]; *fuscocuprea* Haworth,1828; *subcuprella* Stephens,1834; *tenebrosella* Zeller,1839; *parvella* Heydenreich,1851; *fuscocuprella* Doubleday,1859; *buffonella* Millière,1876
- 4509) **Monodontomerus aereus** Walker,1834 (Torymidae) Synonym(s): *aereus* Walker,1834
- 4510) **Monopis crocicapitella** (Clemens,1859) (Tineidae) Synonym(s): *crocicapitella* Clemens,1859; *amandatella* Walker,1863; *hyalinella* Staudinger,1870; *lombardica* Hering,1889; *heringi* Richardson,1893; *ptilophaga* Enderlein,1909; *prometopias* Gyen,1913; *ceconii* Turati,1919; *dobroga* Georgescu,1964
- 4511) **Monopis imella** (Hübner,[1813]) (Tineidae) Synonym(s): *imella* Hübner,[1813]; *nitidella* Zagulyaev,1960.
- 4512) **Monopis laevigella** ([Denis & Schiffermüller],1775) (Tineidae) Synonym(s): *laevigella* [Denis & Schiffermüller],1775; *rusticella* Hübner,1796; *rustica* Haworth,[1828]; *saturella* Haworth,[1828].
- 4513) **Monopis monachella** (Hübner,1796) (Tineidae) Synonym(s): *monachella* Hübner,1796
- 4514) **Monopis obviella** ([Denis & Schiffermüller],1775) (Tineidae) Synonym(s): *obviella* [Denis & Schiffermüller],1775; *ferruginella* Hübner,[1813] *nec* Thunberg,1788; *splendella* Hübner,[1813] *nec* [Denis & Schiffermüller],1775.
- 4515) **Monopis weaverella** (Scott,1858) (Tineidae) Synonym(s): *weaverella* Scott,1858
- 4516) **Monosteira lobulifera** Reuter,1888 (Tingidae) Synonym(s): *lobulifera* Reuter,1888
- 4517) **Montanima predotae** (Sieder,1949) (Psychidae) Synonym(s): *predotae* Sieder,1949
- 4518) **Morellia simplex** (Loew,1857) (Muscidae) Synonym(s): *simplex* Loew,1857
- 4519) **Morimus asper** (Sulzer,1776) (Cerambycidae) Synonym(s): *asper* Sulzer,1776
- 4520) **Morimus ganglbaueri** (Reitter,1884) (Cerambycidae) Synonym(s): *ganglbaueri* Reitter,1884
- 4521) **Mormo maura** (Linnaeus,1758) (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996
- 4522) **Morphaga (choragella-gr.) choragella** ([Denis & Schiffermüller],1775) (Tineidae) Synonym(s): *choragella* [Denis & Schiffermüller],1775; *boleti* Fabricius,1777; *fungella* Thunberg,1794; *mediella* Hübner,1796
- 4523) **Morphaga (morella-gr.) morella** (Duponchel,1838) (Tineidae) Synonym(s): *morella* Duponchel,1838; *#fungicolella* Dumont,1930
- 4524) **Mosillus subsultans** (Fabricius,1794) (Ephydriidae) Synonym(s): *subsultans* Fabricius,1794

- 4525) **Mulsanteus schauumi** (Candeze,1881) (Elateridae) Synonym(s): *schauumi* Candeze,1881
- 4526) **Musaria affinis** (Harrer,1784) (Cerambycidae) Synonym(s): *affinis* Harrer,1784; *nigripes* Voet,1778
- 4527) **Musca crassirostris** Stein,1903 (Muscidae) Synonym(s): *crassirostris* Stein,1903; *insignis* Austen,1909
- 4528) **Musca tempestiva** Fallén,1817 (Muscidae) Synonym(s): *tempestiva* Fallén,1817
- 4529) **Muschampia proto** (Ochsenheimer,1808) (Hesperiidae) Synonym(s): *proto* Ochsenheimer,1808
- 4530) **Muschampia tessellum** (Hübner,[1802]) (Hesperiidae) Synonym(s): *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816
- 4531) **Muscina levida** (Harris,1780) (Muscidae) Synonym(s): *levida* Harris,1780; *assimilis* Fallén,1823
- 4532) **Muscula muscula** (Staudinger,1899) (Arctiidae) Synonym(s): *muscula* Staudinger,1899
- 4533) **Mustha spinosula** (Lefebvre,1831) (Pentatomidae) Synonym(s): *spinosula* Lefebvre,1831
- 4534) **Mutilla quinquemaculata** Cyrillo,1787 (Mutillidae) Synonym(s): *quinquemaculata* Cyrillo,1787
- 4535) **Muzimes collaris** (Fabricius,1787) (Meloidae) Synonym(s): *collaris* Fabricius,1787
- 4536) **Mycetophila pictula** Meigen,1830 (Mycetophilidae) Synonym(s): *pictula* Meigen,1830
- 4537) **Mycetophila spectabilis** Winnertz,1863 (Mycetophilidae) Synonym(s): *spectabilis* Winnertz,1863
- 4538) **Mycterodus (s.str.) immaculatus** (Fabricius,1794) (Issidae) Synonym(s): *immaculatus* Fabricius,1794
- 4539) **Mycterodus (Semirodus) colossicus** (Dlabola,1987) (Issidae) Synonym(s): *colossicus* Dlabola,1987
- 4540) **Mycterodus (Semirodus) hioles** Gnezdilov & Drosopoulos,2004 (Issidae) Synonym(s): *hioles* Gnezdilov & Drosopoulos,2004
- 4541) **Mycterodus (Semirodus) idomeneus** Dlabola,1985 (Issidae) Synonym(s): *idomeneus* Dlabola,1985
- 4542) **Mycterodus (Semirodus) ikarus** Gnezdilov & Drosopoulos,2004 (Issidae) Synonym(s): *ikarus* Gnezdilov & Drosopoulos,2004
- 4543) **Mycterodus (Semirodus) ionus** Gnezdilov & Drosopoulos,2004 (Issidae) Synonym(s): *ionus* Gnezdilov & Drosopoulos,2004
- 4544) **Mycterodus (Semirodus) johannesi** Gnezdilov & Drosopoulos,2004 (Issidae) Synonym(s): *johannesi* Gnezdilov & Drosopoulos,2004
- 4545) **Mycterodus (Semirodus) pallens** Stal,1861 (Issidae) Synonym(s): *pallens* Stal,1861
- 4546) **Mycterodus efesicus** Dlabola,1971 (Issidae) Synonym(s): *efesicus* Dlabola,1971
- 4547) **Mycterodus nasutus** (Herrich-Schäffer,1835) (Issidae) Synonym(s): *nasutus* Herrich-Schäffer,1835
- 4548) **Myelois (Gnathogutta) pluripunctella** (Ragonot,1887) (Pyralidae) Synonym(s): *pluripunctella* Ragonot,1887
- 4549) **Myelois (s.str.) circumvoluta** (Fourcroy,1785) (Pyralidae) Synonym(s): *circumvoluta* Fourcroy,1785; *circumvolutella* Villers,1789; *cribrella* Hübner,1796; *carhdui* Haworth,1811; *medullalis* Hübner,[1825]; *pallium* Vallot,1829; *gilvescentella* Fuchs,1903; *britannicella* Amsel,1951; *impunctata* Hartig,1952; *nigrapeza* Hartig,1952
- 4550) **Myelois (s.str.) hispanicella** (Herrich-Schäffer,1855) (Pyralidae) Synonym(s): *hispanicella* Herrich-Schäffer,1855; *rhizobiella* Staudinger,1859
- 4551) **Myennis octopunctata** (Coquebert,1798) (Ulidiidae) Synonym(s): *octopunctata* Coquebert,1798
- 4552) **Mylabris (Chalcabris) festiva** (Pallas,1773) (Meloidae) Synonym(s): *festiva* Pallas,1773; *sericea* Pallas,1782
- 4553) **Mylabris (Chalcabris) formosa** Welman,1910 (Meloidae) Synonym(s): *decora* Frivaldsky,1835; *formosa* Welman,1910
- 4554) **Mylabris (Eumylabris) calida** (Pallas,1782) (Meloidae) Synonym(s): *calida* Pallas,1782; *maculata* Olivier,1795; *bimaculata* Olivier,1811; *decora* Olivier,1811; *maura* Chevrolat,1837; *niligena* Reiche,1865; *maroccana* Escherich,1899; *bimaculaticeps* Pic,1920; *tlemceni* Pic,1930
- 4555) **Mylabris (Eumylabris) cincta** Olivier,1811 (Meloidae) Synonym(s): *cincta* Olivier,1811; *tiflensis* Billberg,1813; *matthesi* Faldermann,1837; *bicolor* Walzl,1838; *taeniata* Walzl,1838; *tricingulata* Redtenbacher,1850; *jugatoria* Reiche,1865; *soubironi* Pic,1921; *#cincta* Kaszab,1968
- 4556) **Mylabris (Eumylabris) crocata** (Pallas,1782) (Meloidae) Synonym(s): *crocata* Pallas,1782; *duodecimpunctata* Tauscher,1812
- 4557) **Mylabris (Eumylabris) fabricii** Sumakov,1924 (Meloidae) Synonym(s): *decimpunctata* Petagna,1787 nec Fabr.,1781; *forti* Mulsant,1857; *fabricii* Sumakov,1924
- 4558) **Mylabris (Micrabris) laevis** Marseul,1870 (Meloidae) Synonym(s): *laevis* Marseul,1870
- 4559) **Mylabris (Micrabris) pusilla** Olivier,1811 (Meloidae) Synonym(s): *pusilla* Olivier,1811
- 4560) **Mylabris (s.str.) olivieri** Billberg,1813 (Meloidae) Synonym(s): *olivieri* Billberg,1813; *caspia* Ménétrés,1832; *grisescens* Reiche,1865; *impar* Baudi,1878; *impexa* Escherich,1899; *kopetensis* Pic,1930
- 4561) **Mylabris (s.str.) quadripunctata** (Linnaeus,1767) (Meloidae) Synonym(s): *quadripunctata* Linnaeus,1767; *melanura* Pallas,1781; *decimpunctata* Fabricius,1781; *octopunctata* Olivier,1811; *adamsi* Fischer von Waldheim,1824; *armeniaca* Faldermann,1837; *restricta* Motschoulsky,1849; *maldinesi* Chevrolat,1865
- 4562) **Mylabris (s.str.) variabilis** (Pallas,1781) (Meloidae) Synonym(s): *cichorii* Linnaeus,1767; *variabilis* Pallas,1781; *lacera* Fischer von Waldheim,1827; *mutans* Guérin de Ménéville,1834; *hypocrita* Mulsant,1857; *similaris* Mulsant,1857; *disrupta* Baudi,1878; *erivanica* Pic,1901
- 4563) **Mylabris (Zitunabris) syriaca** Klug,1845 (Meloidae) Synonym(s): *gebleri* Faldermann,1837; *syriaca* Klug,1845; *intersecta* Reiche,1857; *smyrnensis* Escherich,1899
- 4564) **Myolepta nigratarsis** Coe,1957 (Syrphidae) Synonym(s): *nigratarsis* Coe,1957
- 4565) **Myopa arabica** Macquart,1850 (Conopidae) Synonym(s): *arabica* Macquart,1850
- 4566) **Myopa argentata** Stuke,2005 (Conopidae) Synonym(s): *argentata* Stuke,2005
- 4567) **Myopa extricata** Collin,1960 (Conopidae) Synonym(s): *extricata* Collin,1960
- 4568) **Myopa hirsuta** Stuke & Clements,2008 (Conopidae) Synonym(s): *hirsuta* Stuke & Clements,2008
- 4569) **Myopa pellucida** (R-D.,1830) (Conopidae) Synonym(s): *pellucida* R-D.,1830; *fulvipalpis* R-D.,1853; *extricata* Collin,1960
- 4570) **Myopa stigma** Meigen,1824 (Conopidae) Synonym(s): *stigma* Meigen,1824; *nigridorsata* R-D.,1853; *flavipennis* R-D.,1853; *scutellaris* R-D.,1853
- 4571) **Myopa testacea** (Linnaeus,1767) (Conopidae) Synonym(s): *testacea* Linnaeus,1767; *longirostris* R-D.,1830; *pictipennis* R-D.,1830; *umbripennis* R-D.,1830; *japonica* Kröber,1916
- 4572) **Myopites apicatus** Freidberg,1979 (Tephritidae) Synonym(s): *apicatus* Freidberg,1979
- 4573) **Myopotta rubripes** (Villeneuve,1909) (Conopidae) Synonym(s): *rubripes* Villeneuve,1909; *horrida* Becker,1922
- 4574) **Myriochoile (s.str.) melancholica** (Fabricius,1798) (Carabidae) Synonym(s): *melancholica* Fabricius,1798
- 4575) **Myrmecozela (Promasia) parnassiella** (Rebel,1915) (Tineidae) Synonym(s): *parnassiella* Rebel,1915
- 4576) **Myrmoleon (Morter) inconspicuus** (Rambur,1842) (Myrmelonidae) Synonym(s): *inconspicuus* Rambur,1842
- 4577) **Myrmica pelops** Seifert,2003 (Formicidae) Synonym(s): *pelops* Seifert,2003
- 4578) **Myrmica ravasinii** Finzi,1923 (Formicidae) Synonym(s): *ravasinii* Finzi,1923

- 4579) **Myrmilla (Pseudomutilla) glabrata (Fabricius,1775)** (Mutillidae) Synonym(s): *glabrata* Fabricius,1775; *ciliata* Fabricius,1775; *fraterna* Baer,1848; *cephalica* Sichel & Radoszkowski,1869; *sarmatica* Skorikov,1927; *beljgouskii* Skorikov,1927
- 4580) **Myrmilla (Pseudomutilla) vutshetitski Skorikov,1927** (Mutillidae) Synonym(s): *vutshetitski* Skorikov,1927; *kusdasi* Invrea,1965
- 4581) **Myrmilla (s.str.) calva (Villers,1789)** (Mutillidae) Synonym(s): *calva* Villers,1789; *triareolata* Spinola,1841; *distincta* Lepeletier,1845; *agrestis* Lepeletier,1845; *incompleta* Lepeletier,1845; *hastata* Costa,1858; *andalusiana* Skorikov,1927
- 4582) **Myrmilla (s.str.) caucasica (Kolenati,1846)** (Mutillidae) Synonym(s): *caucasica* Kolenati,1846; *jasonia* Skorikov,1927; *kiritschenkoi* Skorikov,1927
- 4583) **Myrmilla (s.str.) corniculata (Sichel & Radoszkowski,1869)** (Mutillidae) Synonym(s): *#corniculata* Gerstaecker,1862; *corniculata* Sichel & Radoszkowski,1869
- 4584) **Myrmilla (s.str.) corniculatina Skorikov,1927** (Mutillidae) Synonym(s): *corniculatina* Skorikov,1927
- 4585) **Myrmilla (s.str.) erythrocephala (Latreille,1792)** (Mutillidae) Synonym(s): *erythrocephala* Latreille,1792; *latreillei* Meyer,1794; *cornuta* Olivier,1811; *megacephala* Costa,1858; *bison* Costa,1887
- 4586) **Myrmilla (s.str.) lezginica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *lezginica* Radoszkowski,1885; *subcornuta* Morawitz,1893; *nigrifrons* André,1901 [ssp.]; *kokujevi* Skorikov,1927; *susiana* Skorikov,1927
- 4587) **Myrmilla (s.str.) mutica (André,1903)** (Mutillidae) Synonym(s): *mutica* André,1903; *ecornuta* Skorikov,1927; *hamata* Skorikov,1927
- 4588) **Mythimna (Aletia) alopecuri (Boisduval,1840)** (Noctuidae) Synonym(s): *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933
- 4589) **Mythimna (Aletia) andereggii (Boisduval,1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval,1840
- 4590) **Mythimna (Aletia) congrua (Hübner,[1817])** (Noctuidae) Synonym(s): *congrua* Hübner,[1817]; *amnicola* Rambur,1829.
- 4591) **Mythimna (Aletia) conigera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788].
- 4592) **Mythimna (Aletia) impura (Hübner,[1808])** (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892; *transbaikalensis* Staudinger,1892; *fuscipennis* W.Warren,1910
- 4593) **Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881
- 4594) **Mythimna (Aletia) pallens (Linnaeus,1758)** (Noctuidae) Synonym(s): *pallens* Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea* Stephens,1829; *suffusa* Stephens,1829.
- 4595) **Mythimna (Aletia) prominens Walker,1856** (Noctuidae) Synonym(s): *prominens* Walker,1856; *hispanica* Bellier,1863.
- 4596) **Mythimna (Aletia) scirpi (Duponchel,1836)** (Noctuidae) Synonym(s): *scirpi* Duponchel,1836; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *cyperi* Boisduval,1840; *fusilinea* Graslin,1852; *syriaca* Osthelder,1933.
- 4597) **Mythimna (Aletia) sicula (Treitschke,1835)** (Noctuidae) Synonym(s): *sicula* Treitschke,1835; *albivena* Graslin,1852.
- 4598) **Mythimna (Aletia) straminea (Treitschke,1825)** (Noctuidae) Synonym(s): *straminea* Treitschke,1825
- 4599) **Mythimna (Aletia) umbriger (Saalmüller,1891)** (Noctuidae) Synonym(s): *umbriger* Saalmüller,1891
- 4600) **Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellina* Lederer,1870; *decolorata* Dannehl,1929; *saturator* Dannehl,1929; *griseus* Dannehl,1929.
- 4601) **Mythimna (Anapoma) riparia (Rambur,1829)** (Noctuidae) Synonym(s): *riparia* Rambur,1829
- 4602) **Mythimna (Hyphilare) albipuncta (Fabricius,1787)** (Noctuidae) Synonym(s): *#albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921.
- 4603) **Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) Synonym(s): *ferrago* Fabricius,1787; *lithargyria* Esper,[1788]; *grisea* Stephens,1829; *anargyria* Boisduval,1840; *argyristis* Rambur,1858; *meridionalis* Dannehl,1926
- 4604) **Mythimna (Morphopoliana) languida (Walker,1858)** (Noctuidae) Synonym(s): *consanguis* auct. nec Gn.,1852; *languida* Walker,1858; *zachii* Bohatsch,1880; *abbas* Bethune-Baker,1894; *arbia* Boursin & Rungs,1952.
- 4605) **Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsaftikis,1974.
- 4606) **Mythimna (s.str.) turca (Linnaeus,1761)** (Noctuidae) Synonym(s): *turca* Linnaeus,1761; *volupia* Hufnagel,1766; *camuna* Turati,1914.
- 4607) **Mythimna joannisi Boursin & Rungs,1952** (Noctuidae) Synonym(s): *joannisi* Boursin & Rungs,1952
- 4608) **Nabis punctatus Costa,1847** (Nabidae) Synonym(s): *punctatus* Costa,1847
- 4609) **Naenia typica (Linnaeus,1758)** (Noctuidae) Synonym(s): *typica* Linnaeus,1758; *filicis* Goeze,1781; *venosa* Hübner,[1803]; *excusa* Esper,[1805]; *claricolor* Schawerda,1928.
- 4610) **Nampista auriventris (Guérin-Ménéville,1838)** (Mantispidae) Synonym(s): *auriventris* Guérin-Ménéville,1838; *apicalis* Loew,1843; *speciosa* Navas,1914; *relicta* Kozhanchikov,1949
- 4611) **Narycia astrella (Herrich-Schäffer,1851)** (Psychidae) Synonym(s): *astrella* Herrich-Schäffer,1851
- 4612) **Nebria (Tyrrenia) testacea Olivier,1811** (Carabidae) Synonym(s): *testacea* Olivier,1811
- 4613) **Nebula achromaria (La Harpe,1853)** (Geometridae) Synonym(s): *achromaria* La Harpe,1853; *saxicolata* Lederer,1853; *hispalata* Rambur,1866; *fasciata* Wehrli,1920; *tenebrata* Dannehl,1933.
- 4614) **Nebula adlata (Staudinger,[1895])** (Geometridae) Synonym(s): *adlata* Staudinger,[1895]
- 4615) **Nebula ludificata (Staudinger,1870)** (Geometridae) Synonym(s): *ludificata* Staudinger,1870; *decipiata* Staudinger,1901
- 4616) **Nebula nebulata (Treitschke,1828)** (Geometridae) Synonym(s): *nebulata* Treitschke,1828
- 4617) **Nebula salicata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#salicata* [Denis & Schiffermüller],1775
- 4618) **Nebula senectaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *senectaria* Herrich-Schäffer,[1852].
- 4619) **Negotinthia hoplisiformis (Mann,1864)** (Sesiidae) Synonym(s): *hoplisiformis* Mann,1864
- 4620) **Negotinthia myrmosaeformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853; *myrmosiformis* Staudinger,1856.
- 4621) **Nemapogon anatolica Gaedike,1986** (Tineidae) Synonym(s): *anatolica* Gaedike,1986
- 4622) **Nemapogon cloacella (Haworth,[1828])** (Tineidae) Synonym(s): *cloacella* Haworth,[1828]; *infirmella* Herrich-Schäffer,1851.
- 4623) **Nemapogon granella (Linnaeus,1758)** (Tineidae) Synonym(s): *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763 (praeocc.); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873; *fuscocomaculella* Chambers,1875; *mancuniella* Hodgkinson,1880; *nigroatomella* Dietz,1905; *fuscomaculella* Wörz,1958
- 4624) **Nemapogon gravosaella G.Petersen,1957** (Tineidae) Synonym(s): *gravosaellus* G.Petersen,1957; *signatellus* G.Petersen,1960; *borschomi* Zagulyaev,1964.
- 4625) **Nemapogon hungarica Gozmany,1960** (Tineidae) Synonym(s): *hungaricus* Gozmany,1960; *pliginskii* Zagulyaev,1963.

- 4626) **Nemapogon inconditella** (Lucas,1956) (Tineidae) Synonym(s): *inconditella* Lucas,1956; *buckwelli* Lucas,1956; *heydeni* G.Petersen,1957; *hispanellus* Gozmany,1960; *thomasi* Capuše,1975.
- 4627) **Nemapogon levantina** G.Petersen,1961 (Tineidae) Synonym(s): *levantinus* G.Petersen,1961
- 4628) **Nemapogon nigralbella** (Zeller,1839) (Tineidae) Synonym(s): *nigralbella* Zeller,1839
- 4629) **Nemapogon reisseri** G.Petersen & Gaedike,1983 (Tineidae) Synonym(s): *reisseri* G.Petersen & Gaedike,1983.
- 4630) **Nemapogon scholzi** Sutter,2000 (Tineidae) Synonym(s): *scholzi* Sutter,2000
- 4631) **Nemapogon scutifera** Gaedike,2007 (Tineidae) Synonym(s): *scutifera* Gaedike,2007
- 4632) **Nemapogon signatella** G.Petersen,1957 (Tineidae) Synonym(s): *signatellus* G.Petersen,1957
- 4633) **Nemapogon variatella** (Clemens,1859) (Tineidae) Synonym(s): *variata* Clemens,1859; *personella* Pierce & Metcalf,1934; *secalella* Zacher,1938; *infimella* Corbet,1943.
- 4634) **Nematopogon pilella** ([Denis & Schiffermüller],1775) (Adelidae) Synonym(s): *pilella* [Denis & Schiffermüller],1775; *pilea* Haworth,1828; *minutella* Snellen,1884; *submetallica* Caradja,1920; *flavicomella* Müller-Rutz,1927
- 4635) **Nematopogon robertella** (Clerck,1759) (Adelidae) Synonym(s): *robertella* Clerck,1759; *pilulella* Hübner,[1813].
- 4636) **Nemestrinus graecus** Lichtwardt,1907 (Nemestrinidae) Synonym(s): *graecus* Lichtwardt,1907
- 4637) **Nemestrinus reticulatus** Latreille,1802 (Nemestrinidae) Synonym(s): *reticulatus* Latreille,1802; *latreillei* Fischer,1812; *cinctus* Macquart,1840; *kindermanni* Bischoff,1905
- 4638) **Nemka viduata** (Pallas,1773) (Mutillidae) Synonym(s): *viduata* Pallas,1773; *bartholomaei* Radoszkowski,1865
- 4639) **Nemognatha (s.str.) chrysomelina** (Fabricius,1775) (Meloidae) Synonym(s): *chrysomelina* Fabricius,1775; *flavipes* Ménétris,1849; *nigripes* Suffrian,1853; *asiatica* Motschulsky,1872; *maculicollis* Fairmaire,1875; *unipunctata* Beaugregard,1890; *akbesiana* Pic,1897; *atripennis* Chobaut,1898; *#chrysomelira* Özbek & Szaloki,1998
- 4640) **Nemophora barbatella** (Zeller,1847) (Adelidae) Synonym(s): *barbatellus* Zeller,1847; *chalcocorysellus* Mann,1855; *constantinella* Baker,1888; *demaioni* Ragonot,1889; *#padrejusto* Agenjo,1965
- 4641) **Nemophora dumerilella** (Duponchel,1839) (Adelidae) Synonym(s): *basochesella* Hübner,[1824] (n.o.); *dumerilella* Duponchel,1839; *inauratella* Duponchel,1844; *#fervidellus* Zeller,1853; *#zelleriellus* Zeller,1853
- 4642) **Nemophora fasciella** (Fabricius,1775) (Adelidae) Synonym(s): *fasciella* Fabricius,1775; *schiffermillerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867
- 4643) **Nemophora metallica** (Poda,1761) (Adelidae) Synonym(s): *metallica* Poda,1761; *scabiosella* Scopoli,1763; *viridella* Hübner,1796; *aerosellus* Zeller,1850; *rebelellus* Turati,1924
- 4644) **Nemophora minimella** ([Denis & Schiffermüller],1775) (Adelidae) Synonym(s): *minimella* [Denis & Schiffermüller],1775; *lenellus* Zeller,1853
- 4645) **Nemophora raddella** (Hübner,1793) (Adelidae) Synonym(s): *raddella* Hübner,1793; *latreillella* Fabricius,1798; *raddaellus* Wocke,1871; *algeriensis* Walsingham,1907
- 4646) **Nemoptera coa** (Linnaeus,1758) (Nemopteridae) Synonym(s): *coa* Linnaeus,1758; *petiveri* Westwood,1841
- 4647) **Nemoptera sinuata** Olivier,1811 (Nemopteridae) Synonym(s): *sinuata* Olivier,1811
- 4648) **Nemora peltata** (Meigen,1824) (Tachinidae) Synonym(s): *peltata* Meigen,1824; *neglecta* Meigen,1824; *rubrica* Meigen,1824; *affinis* R-D.,1830; *bombylans* R-D.,1830; *fulva* R-D.,1830; *conjuncta* Macquart,1848; *vicina* Macquart,1848; *vulnerata* Zetterstedt,1849; *nupta* Rondani,1859; *discreta* R-D.,1863; *sponsa* Rondani,1865
- 4649) **Nemotelus (s.str.) argentifer** Loew,1846 (Stratiomyidae) Synonym(s): *argentifer* Loew,1846; *limbatus* Egger,1859
- 4650) **Nemotelus (s.str.) brachystomus** Loew,1846 (Stratiomyidae) Synonym(s): *brachystomus* Loew,1846; *plagiatus* Schiner,1857; *luteicornis* Egger,1859; *punctiventris* Becker,1902; *aegyptiacus* Lindner,1925; *turcorum* Szilady,1941; *pleskei* Nartshuk,1969
- 4651) **Nemotelus (s.str.) brevisrostris** Meigen,1822 (Stratiomyidae) Synonym(s): *brevirostris* Meigen,1822; *globuliceps* Loew,1846; *pseudoglobuliceps* Pleske,1937; *reichardtii* Pleske,1937
- 4652) **Nemotelus (s.str.) obscuripes** Loew,1871 (Stratiomyidae) Synonym(s): *obscuripes* Loew,1871; *modestus* Loew,1871
- 4653) **Nemotelus (s.str.) signatus** Schiner,1855 (Stratiomyidae) Synonym(s): *signatus* Schiner,1855; *varius* Loew,1871
- 4654) **Nemoura cinerea** (Retzius,1783) (Nemouridae) Synonym(s): *cinerea* Retzius,1783; *variegata* Olivier,1811; *affinis* Stephens,1836; *pallida* Stephens,1836; *annulata* Stephens,1836; *macrophthalma* Pictet,1836; *pallipes* Burmeister,1839; *lunata* Rambur,1842; *castanea* Kempny,1898; *lobuata* Navas,1918; *bureschi* Navas,1929; *caucasica* Balinsky,1950; *turcica* Zwick,1972; *iberica* Zwick,1972
- 4655) **Neoliturus fenestratus** (Herrich-Schäffer,1834) (Cicadellidae) Synonym(s): *fenestratus* Herrich-Schäffer,1834
- 4656) **Neoliturus guttulatus** (Kirschbaum,1868) (Cicadellidae) Synonym(s): *guttulatus* Kirschbaum,1868
- 4657) **Neosasia podagrica** (Fabricius,1775) (Syrphidae) Synonym(s): *podagrica* Fabricius,1775; *molio* Harris,[1780]; *tenur* Harris,[1780]; *crassipes* Schrank,1781; *elephantopus* Gmelin,1790; *lanceolata* Meigen,1822; *maculata* Macquart,1829; *unifasciata* Stöbl,1898
- 4658) **Neocrambus wolfschlaegeri** (Schawerda,1937) (Pyralidae) Synonym(s): *wolfschlaegeri* Schawerda,1937
- 4659) **Neodorcadion bilineatum** (Germar,1824) (Cerambycidae) Synonym(s): *bilineatum* Germar,1824
- 4660) **Neodorcadion fallax** (Kraatz,1873) (Cerambycidae) Synonym(s): *fallax* Kraatz,1873; *fallaciosum* Breuning,1947
- 4661) **Neodorcadion laqueatum** (Waltl,1838) (Cerambycidae) Synonym(s): *laqueatum* Waltl,1838; *interruptum* Mulsant & Rey,1863; *sparsum* Mulsant & Rey,1863; *abeillei* Tournier,1872; *bulgaricum* Pic,1913;...
- 4662) **Neodorcadion pelleti** (Mulsant & Rey,1863) (Cerambycidae) Synonym(s): *pelleti* Mulsant & Rey,1863; *segne* Mulsant & Rey,1863; *disjunctum* Pic,1907; *credulum* Pic,1917
- 4663) **Neodorcadion virleti** (Brullé,1832) (Cerambycidae) Synonym(s): *virleti* Brullé,1832; *ionicum* Pic,1901; *acarnanicum* Pic,1914; *subbinotatum* Pic,1914
- 4664) **Neofriseria baungaardiella** (Huemer & Karsholt,1999) (Gelechiidae) Synonym(s): *baungaardiella* Huemer & Karsholt,1999
- 4665) **Neognopharmia stevenaria** (Boisduval,1840) (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841
- 4666) **Neoitamus cyanurus** (Loew,1849) (Asilidae) Synonym(s): *tipuloides* Harris,1776; *niger* De Geer,1776; *aestivus* Schrank,1781; *tabidus* Meigen,1820; *cyanurus* Loew,1849
- 4667) **Neolieria pusilla** Loew,1862 (Heleomyzidae) Synonym(s): *pusilla* Loew,1862
- 4668) **Neomariania partinicensis** (Rebel,1937) (Oecophoridae) Synonym(s): *partinicensis* Rebel,1937
- 4669) **Neophilanus campestris** (Fallén,1805) (Cercopidae) Synonym(s): *campestris* Fallén,1805; *parvula* Vismara,1877; *fasciatus* Ferrari,1882; *obsoletus* Ferrari,1882; *bimaculata* Rey,1894; *brunnifrons* Rey,1894
- 4670) **Neophyllomyza acyglossa** Villeneuve,1920 (Milichiidae) Synonym(s): *acyglossa* Villeneuve,1920; *quercus* Duda,1935
- 4671) **Neoplagonotus bobelayei** (Brullé,1832) (Cerambycidae) Synonym(s): *speciosus* Adams,1817; *bobelayei* Brullé,1832
- 4672) **Neoplagonotus scalaris** (Brullé,1832) (Cerambycidae) Synonym(s): *scalaris* Brullé,1832
- 4673) **Neorhynchocephalus tauscheri** (Fischer,1812) (Nemestrinidae) Synonym(s): *tauscheri* Fischer,1812

- 4674) **Neosphaleroptera nubilana** (Hübner,[1799]) (Tortricidae) Synonym(s): ? *alniana* [Denis & Schiffermüller],1775; *nubilana* Hübner,[1799]; *glareana* Schrank,1802; *perfusca* Haworth,1811; *conradii* Portshinkij,1888
- 4675) **Neottiglossa bifida** (Costa,1847) (Pentatomidae) Synonym(s): *bifida* Costa,1847
- 4676) **Nephoterix divisella** (Duponchel,1842) (Pyrilidae) Synonym(s): *divisella* Duponchel,1842; *albiricella* Herrich-Schäffer,1849; *euphorbiella* Zeller,1846; *sardzeella* Amsel,1961.
- 4677) **Nephrocera scutellatus** (Macquart,1834) (Pipunculidae) Synonym(s): *scutellatus* Macquart,1834
- 4678) **Nephrotoma aculeata** (Loew,1871) (Tipulidae) Synonym(s): *aculeata* Loew,1871; *atricauda* Alexander,1924
- 4679) **Nephrotoma analis** (Schummel,1833) (Tipulidae) Synonym(s): *analis* Schummel,1833
- 4680) **Nephrotoma appendiculata** (Pierre,1919) (Tipulidae) Synonym(s): *maculata* Meigen,1804; *maculosa* Meigen,1818; *appendiculata* Pierre,1919
- 4681) **Nephrotoma cornicina** (Linnaeus,1758) (Tipulidae) Synonym(s): *cornicina* Linnaeus,1758; *flavomaculata* De Geer,1776; *iridicolor* Schummel,1833; *sannio* Meigen,1838; *petiolata* Zetterstedt,1838; *nigrina* Savchenko,1973
- 4682) **Nephrotoma scalaris** (Meigen,1818) (Tipulidae) Synonym(s): *scalaris* Meigen,1818; *imperialis* Meigen,1818
- 4683) **Nephrotoma theowaldi** Oosterbroek,1978 (Tipulidae) Synonym(s): *theowaldi* Oosterbroek,1978
- 4684) **Neptis (s.str.) rivularis** (Scopoli,1763) (Argynnidae) Synonym(s): *rivularis* Scopoli,1763; *lucilla* Denis & Schiffermüller,1775; *coenobita* Cramer,1780; *#tolunay* Koçak & Kemal,2006.
- 4685) **Neptis (s.str.) sappho** (Pallas,1771) (Argynnidae) Synonym(s): *sappho* Pallas,1771; *aceris* Lepechin,1771; *aceris* Esper,[1783].
- 4686) **Nesoclutha erythrocephala** (Ferrari,1882) (Cicadellidae) Synonym(s): *erythrocephala* Ferrari,1882; *flaveolus* Matsumura,1908; *wagneri* Lindberg,1954
- 4687) **Netelia (s.str.) fuscicornis** (Holmgren,1860) (Ichneumonidae) Synonym(s): *fuscicornis* Holmgren,1860; *gracilipes* Thomson,1888
- 4688) **Netelia (s.str.) testacea** (Gravenhorst,1829) (Ichneumonidae) Synonym(s): *testacea* Gravenhorst,1829; *opacula* Thomson,1888; *melanurus* Thomson,1888; *fuscicarpus* Kokujev,1899
- 4689) **Neurigona nubifera** (Loew,1869) (Dolichopodidae) Synonym(s): *nubifera* Loew,1869
- 4690) **Neuroleon assimilis** (Navas,1914) (Myrmeleonidae) Synonym(s): *assimilis* Navas,1914
- 4691) **Neuroleon egenus** (Navas,1914) (Myrmeleonidae) Synonym(s): *egenus* Navas,1914; *cyprius* Navas,1940
- 4692) **Neuroleon microstenus** (McLachlan,1898) (Myrmeleonidae) Synonym(s): *microstenus* McLachlan,1898; *propinxus* Navas,1911; *noxius* Navas,1912; *hellenicus* Navas,1912; *occultus* Navas,1914; *vicinus* Navas,1914
- 4693) **Neuroleon nemausiensis** (Borkhausen,1791) (Myrmeleonidae) Synonym(s): *nemausiensis* Borkhausen,1791
- 4694) **Neuroleon tenellus** (Klug,1834) (Myrmeleonidae) Synonym(s): *tenellus* Klug,1834; *naxensis* Navas,1915
- 4695) **Neuroterus anthracinus** (Curtis,1838) (Cynipidae) Synonym(s): *anthracinus* Curtis,1838; *ostreus* Giraud,1859; *ostria* Hartig,1840; *pallicornis* Hartig,1840; *furunculus* Bayerinck,1882
- 4696) **Neuroterus lanuginosus** Giraud,1859 (Cynipidae) Synonym(s): *lanuginosus* Giraud,1859
- 4697) **Neuroterus numismalis** (Fourcroy,1785) (Cynipidae) Synonym(s): *numismalis* Fourcroy,1785; *reaumurii* Hartig,1840; *defectus* Hartig,1840; *quercustiarae* Curtis,1843; *vesicatrix* Schlechtendal,1870; *vesicator* Hieronymus,1890; *brunneus* Dettmer,1925
- 4698) **Neuroterus quercusbaccarum** (Linnaeus,1758) (Cynipidae) Synonym(s): *quercusbaccarum* Linnaeus,1758; *baccarumquercus* Fourcroy,1785; *flavipes* Fourcroy,1785; *pedunculiquercus* Fourcroy,1785; *lenticularis* Olivier,1791; *longipennis* Fabricius,1793; *gallaelenticulatae* Anthoine,1794; *malpighii* Hartig,1840; *interruptor* Hartig,1841; *interruptrix* Hartig,1841; *baccarum* Blanchard,1849; *pedunculi* Dumeril,1860; *striatus* Schenck,1863; *attenuatus* Schenck,1863; *giraudi* Tschek,1869; *histrio* Kieffer,1901; *hispanicus* Tavares,1916; *intermedius* Tavares,1916
- 4699) **Neuroterus tricolor** Hartig,1841 (Cynipidae) Synonym(s): *tricolor* Hartig,1841; *fumipennis* Hartig,1841; *varius* Schenck,1863; *ulissippore* Tavares,1928
- 4700) **Neurothaumasia ankerella** (Mann,1867) (Tineidae) Synonym(s): *ankerella* Mann,1867; *geratocoma* Walsingham,1907; *nigratella* Chrétien,1917; *burdigalensis* Le Marchand,1934; *tirsella* Amsel,1952;
- 4701) **Neurothaumasia macedonica** G.Petersen,1962 (Tineidae) Synonym(s): *macedonica* G.Petersen,1962; *inornata* G.Petersen,1966
- 4702) **Neurothaumasia tenuipennella** Gaedike,2011 (Tineidae) Synonym(s): *tenuipennella* Gaedike,2011
- 4703) **Nezara viridula** (Linnaeus,1758) (Pentatomidae) Synonym(s): *viridula* Linnaeus,1758
- 4704) **Nicarinus poecilopterus** (Stein,1863) (Myrmeleonidae) Synonym(s): *poecilopterus* Stein,1863; *basilius* Navas,1914
- 4705) **Niditinea fuscella** (Linnaeus,1758) (Tineidae) Synonym(s): *fuscella* Linnaeus,1758; *spretella* [Denis & Schiffermüller],1775; *crinitella* Schrank,1802; *fuscipunctella* Haworth,[1828]; *nubilipennella* Clemens,1859; *abligatella* Walker,1863; *eurinella* Zagulyaev,1952; *distans* Gozmany,1959.
- 4706) **Niditinea striolella** (Matsumura,1931) (Tineidae) Synonym(s): *striolella* Matsumura,1931; *semidivisa* Meyrick,1934; *piercella* Benthinck,1935; *ignotella* Zagulyaev,1956; *distinguenda* G.Petersen,1957; *pacifella* Zagulyaev,1960
- 4707) **Nineta flava** (Scopoli,1763) (Chrysopidae) Synonym(s): *flava* Scopoli,1763
- 4708) **Nineta guadarrensis** (Pictet,1865) (Chrysopidae) Synonym(s): *guadarrensis* Pictet,1865
- 4709) **Nisia nervosa** (Motschulsky,1863) (Meenoplidae) Synonym(s): *nervosa* Motschulsky,1863; *atrovenosus* Lethierry,1888
- 4710) **Noctua (Divaena) haywardi** (Tams,1926) (Noctuidae) Synonym(s): *haywardi* Tams,1926; *balcanica* Slivov,1985
- 4711) **Noctua (Euschesis) interjecta** (Hübner,[1803]) (Noctuidae) Synonym(s): *interjecta* Hübner,[1803].
- 4712) **Noctua (Euschesis) janthina** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller],1775; *latimarginata* Röber,1900.
- 4713) **Noctua (Lampra) fimbriata** (Schreber,1759) (Noctuidae) Synonym(s): *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787.
- 4714) **Noctua (Lampra) tirrenica** (Biebinge, Speidel & Hanigk,1983) (Noctuidae) Synonym(s): *tirrenica* Biebinge, Speidel & Hanigk,1983
- 4715) **Noctua (Latanocua) orbona** (Hufnagel,1766) (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964.
- 4716) **Noctua (Paranoctua) comes** (Hübner,[1813]) (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901.
- 4717) **Noctua (Paranoctua) interposita** (Hübner,1790) (Noctuidae) Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszecek,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963
- 4718) **Noctua (s.str.) pronuba** (Linnaeus,1758) (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 nec Piesz.,1908; *decolorata* Turati,1923.
- 4719) **Noctua (s.str.) tertia** Mentzer, Moberg & Fibiger,1991 (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991

- 4720) *Noctuella vespertalis* Herrich-Schäffer,[1855]** (Pylalidae) Synonym(s): *vespertalis* Herrich-Schäffer,[1855]; *#gilvalis* Zerny,1914.
- 4721) *Nodaria nodosalis* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *nodosalis* Herrich-Schäffer,[1851]; *aethiopal* Herrich-Schäffer,[1851]; *hispanalis* Guenée,1854; *aesopusalis* Walker,[1859]; *#nododalis* Hacker,1992.
- 4722) *Nola chlamitulalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamitulalis* Hübner,[1813]; *chlamydulana* Duponchel,[1845]
- 4723) *Nola cicatricalis* (Treitschke,1835)** (Noctuidae) Synonym(s): *cicatricalis* Treitschke,1835
- 4724) *Nola cristatula* (Hübner,1793)** (Noctuidae) Synonym(s): *cristatula* Hübner,1793; *cristulalis* Hübner,1796; *cristulana* Hübner,[1825].
- 4725) *Nola cucullatella* (Linnaeus,1758)** (Noctuidae) Synonym(s): *cucullatella* Linnaeus,1758; *ludvigella* Müller,1764; *palliola* [Denis & Schiffermüller],1775; *pygmaria* Fabricius,1794; *palliollalis* Hübner,1796; *cucullatalis* Haworth,1811; *cucullatana* Hübner,[1825]; *fuliginalis* Stephens,1834
- 4726) *Nola harouni* (Wiltshire,1951)** (Noctuidae) Synonym(s): *harouni* Wiltshire,1951; *dilmuna* Wiltshire,1961.
- 4727) *Nola squalida* Staudinger,1871** (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henrioti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947
- 4728) *Nola subchlamydula* Staudinger,1870** (Noctuidae) Synonym(s): *subchlamydula* Staudinger,1870
- 4729) *Nomada caspia* Morawitz,1895** (Apidae) Synonym(s): *caspia* Morawitz,1895; *graeca* Schwarz,1967
- 4730) *Nomada cruenta* Schmiedeknecht,1882** (Apidae) Synonym(s): *cruenta* Schmiedeknecht,1882; *sexspinosa* Friese,1921; *rubescens* Lozinski,1922
- 4731) *Nomada diacantha* Schwarz,1981** (Apidae) Synonym(s): *diacantha* Schwarz,1981
- 4732) *Nomada lucidula* Schwarz,1967** (Apidae) Synonym(s): *lucidula* Schwarz,1967
- 4733) *Nomada pallispinosa* Schwarz,1967** (Apidae) Synonym(s): *pallispinosa* Schwarz,1967
- 4734) *Nomada pygidialis* Schwarz,1981** (Apidae) Synonym(s): *pygidialis* Schwarz,1981
- 4735) *Nomada rubricollis* Schwarz,1967** (Apidae) Synonym(s): *rubricollis* Schwarz,1967
- 4736) *Nomioides* (s.str.) *chalybeatus* (Blüthgen,1934)** (Halictidae) Synonym(s): *chalybeatus* Blüthgen,1934
- 4737) *Nomioides* (s.str.) *facilis* (Smith,1853)** (Halictidae) Synonym(s): *facilis* Smith,1853
- 4738) *Nomioides* (s.str.) *minutissimus* (Rossi,1790)** (Halictidae) Synonym(s): *minutissimus* Rossi,1790; *modestus* Pesenko,1977
- 4739) *Nomophila noctuella* ([Denis & Schiffermüller],1775)** (Pylalidae) Synonym(s): *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859
- 4740) *Nonagria typhae* (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787.
- 4741) *Norrhomia marginatis* (Adams,1905)** (Sphaeroceridae) Synonym(s): *marginatis* Adams,1905
- 4742) *Norrhomia niveipennis* (Duda,1923)** (Sphaeroceridae) Synonym(s): *niveipennis* Duda,1923; *parallelinervis* Duda,1938; *tenuicalcar* Duda,1938
- 4743) *Norrhomia sordida* (Zetterstedt,1847)** (Sphaeroceridae) Synonym(s): *sordida* Zetterstedt,1847; *nigritella* Zetterstedt,1847; *bilineatus* Grimshaw,1901; *brevisetus* Malloch,1913; *minutus* Johnson,1913
- 4744) *Noterus clavicornis* (De Geer,1774)** (Noteridae) Synonym(s): *clavicornis* De Geer,1774
- 4745) *Nothodes parvulus* (Panzer,1799)** (Elateridae) Synonym(s): *parvulus* Panzer,1799
- 4746) *Nothris congressariella* (Bruand,1858)** (Gelechiidae) Synonym(s): *congressariella* Bruand,1858; *deciaratella* Staudinger,1859
- 4747) *Nothris verbascella* (Brahm,1791)** (Gelechiidae) Synonym(s): *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828; *clarella* Amsel,1935
- 4748) *Notiophilus aestuans* Dejean,1826** (Carabidae) Synonym(s): *aestuans* Dejean,1826
- 4749) *Notiophilus danieli* Reitter,1897** (Carabidae) Synonym(s): *danieli* Reitter,1897
- 4750) *Notiophilus interstitialis* Reitter,1889** (Carabidae) Synonym(s): *interstitialis* Reitter,1889
- 4751) *Notiophilus rufipes* Curtis,1829** (Carabidae) Synonym(s): *rufipes* Curtis,1829
- 4752) *Notiphila australis* Loew,1860** (Ephydriidae) Synonym(s): *australis* Loew,1860
- 4753) *Notiphila graecula* Becker,1926** (Ephydriidae) Synonym(s): *graecula* Becker,1926
- 4754) *Notocelia aquana* (Hübner,[1799])** (Tortricidae) Synonym(s): *#roborana* [Denis & Schiffermüller],1775; *aquana* Hübner,[1799].
- 4755) *Notocelia cynosbatella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schiffermüller],1775; *#cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967.
- 4756) *Notocelia incarnatana* (Hübner,[1800])** (Tortricidae) Synonym(s): *incarnatana* Hübner,[1800]; *amoenana* Hübner,[1817].
- 4757) *Notocelia trimaculana* (Haworth,[1811])** (Tortricidae) Synonym(s): *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843.
- 4758) *Notocelia uddmanniana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *uddmanniana* Linnaeus,1758; *rubiana* Scopoli,1763; *achata* Hübner,[1799]
- 4759) *Notodonta torvus* (Hübner,[1803])** (Notodontidae) Synonym(s): *tritophus* Esper,1786 nec Denis & Schiff.,1775; *torva* Hübner,[1803]; *balsaminifera* Brahm,1791; *simpliaria* Graef,1881; *lappona* Rangnow,1923; *sugitanii* Matsumura,1924; *musculus* Kiriakoff,1963; *tarburi* Eitschberger,1981
- 4760) *Notodonta tritophus* ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#tritophus* [Denis & Schiffermüller],1775; *phoebe* Siebert,1790; *perfuscus* Haworth,1803; *irfana* De Freina,1983.
- 4761) *Notodonta ziczac* (Linnaeus,1758)** (Notodontidae) Synonym(s): *ziczac* Linnaeus,1758; *venosa* Fourcroy,1785; *monticola* Dannehl,1925; *laponica* Rangnow,1935; *dimorpha* Rangnow,1935; *reisseri* Rungs,1956
- 4762) *Notonecta glauca* Linnaeus,1758** (Notonectidae) Synonym(s): *glauca* Linnaeus,1758; *kervillei* Poisson,1933; *poissoni* Hungerford,1934; *hybrida* Poisson,1953
- 4763) *Notoxus angustulus* Krekich & Strassoldo,1919** (Anthicidae) Synonym(s): *angustulus* Krekich & Strassoldo,1919
- 4764) *Notoxus appendicinus* Desbr.,1875** (Anthicidae) Synonym(s): *appendicinus* Desbr.,1875
- 4765) *Notoxus eurycerus* Kiesenwetter,1861** (Anthicidae) Synonym(s): *eurycerus* Kiesenwetter,1861
- 4766) *Notoxus monoceros* (Linnaeus,1761)** (Anthicidae) Synonym(s): *monoceros* Linnaeus,1761; *biinterruptus* Pic,1900
- 4767) *Novotinea klimeschi* (Rebel,1940)** (Tineidae) Synonym(s): *klimeschi* Rebel,1940
- 4768) *Nowickia ferox* (Panzer,1809)** (Tachinidae) Synonym(s): *ferox* Panzer,1809
- 4769) *Nowickia rondanii* (Giglio-Tos,1890)** (Tachinidae) Synonym(s): *rondanii* Giglio-Tos,1890
- 4770) *Nukusa cinerella* (Rebel,1941)** (Autostichidae) Synonym(s): *cinerella* Rebel,1941

- 4771) **Nychiodes (Eunychiodes) amygdalaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *amygdalaria* Herrich-Schäffer,[1848]
- 4772) **Nychiodes (Fritzwagneria) dalmatina F.Wagner,1909** (Geometridae) Synonym(s): *dalmatina* F.Wagner,1909
- 4773) **Nychiodes (Fritzwagneria) waltheri F.Wagner,1919** (Geometridae) Synonym(s): *waltheri* F.Wagner,1919.
- 4774) **Nychiodes (s.str.) obscuraria (Villers,1789)** (Geometridae) Synonym(s): *obscuraria* Villers,1789; *obscurata* Borkhausen,1794; *lividaria* Hübner,[1799]
- 4775) **Nyctegretis lineana (Scopoli,1786)** (Pylalidae) Synonym(s): *lineana* Scopoli,1786; *achatinella* Hübner,[1824].
- 4776) **Nyctegretis triangulella Ragonot,1901** (Pylalidae) Synonym(s): *triangulella* Ragonot,1901; *griseella* Caradja,1910; *impossibilella* Roesler,1969.
- 4777) **Nycteola asiatica (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954.
- 4778) **Nycteola columbana (Turner,1925)** (Noctuidae) Synonym(s): *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958.
- 4779) **Nycteola degenerana (Hübner,[1799])** (Noctuidae) Synonym(s): *degenerana* Hübner,[1799]
- 4780) **Nycteola revayana (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 nec Hbn.,1787
- 4781) **Nycteola siculana (Fuchs,1899)** (Noctuidae) Synonym(s): *siculana* Fuchs,1899; *cuneana* Patočka,1953; *pseudodilutana* Obraztsov,1954.
- 4782) **Nycteribia (Acrocholidia) vexata Westwood,1835** (Nycteribiidae) Synonym(s): *vexata* Westwood,1835
- 4783) **Nycteribia (s.str.) latreillii (Leach,1817)** (Nycteribiidae) Synonym(s): *latreillii* Leach,1817
- 4784) **Nycteribia (s.str.) pedicularia Latreille,1805** (Nycteribiidae) Synonym(s): *pedicularia* Latreille,1805
- 4785) **Nycteribia (s.str.) schmidlii Schiner,1853** (Nycteribiidae) Synonym(s): *schmidlii* Schiner,1853
- 4786) **Nyctophila colorata Geisthardt,1983** (Lampyridae) Synonym(s): *colorata* Geisthardt,1983
- 4787) **Nyctophila graeca Geisthardt,1990** (Lampyridae) Synonym(s): *graeca* Geisthardt,1990
- 4788) **Nyctophila riegeri Geisthardt,1990** (Lampyridae) Synonym(s): *riegeri* Geisthardt,1990
- 4789) **Nymphalis antiopa (Linnaeus,1758)** (Argynnididae) Synonym(s): *antiopa* Linnaeus,1758; *pompador* Pollich,1783; *morio* Retzius,1783; *borealis* Wnukowsky,1927.
- 4790) **Nymphalis polychloros (Linnaeus,1758)** (Argynnididae) Synonym(s): *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896.
- 4791) **Nymphalis xanthomelas (Esper,[1781])** (Argynnididae) Synonym(s): *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781]
- 4792) **Oberea linearis (Linnaeus,1761)** (Cerambycidae) Synonym(s): *linearis* Linnaeus,1761
- 4793) **Oberea oculata (Linnaeus,1758)** (Cerambycidae) Synonym(s): *oculata* Linnaeus,1758
- 4794) **Ochloides venatus (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s): *venatus* Bremer & Grey,[1852]
- 4795) **Ochrilidia pruinosa Brunner von Wattenwyl,1882** (Acrididae) Synonym(s): *pruinosa* Brunner von Wattenwyl,1882
- 4796) **Ochrilidia tibialis (Fieber,1853)** (Acrididae) Synonym(s): *tibialis* Fieber,1853
- 4797) **Ochromolopis ictella (Hübner,[1813])** (Epermeniidae) Synonym(s): *ictella* Hübner,[1813]; *ictipennella* Treitschke,1833.
- 4798) **Ochromolopis staintonella (Millière,1869)** (Epermeniidae) Synonym(s): *staintonella* Millière,1869.
- 4799) **Ochroleura leucogaster (Freyer,1831)** (Noctuidae) Synonym(s): *leucogaster* Freyer,1831
- 4800) **Ochroleura plecta (Linnaeus,1761)** (Noctuidae) Synonym(s): *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucomacula* Graeser,[1889]; *unuplecta* Bryk,1942.
- 4801) **Ochsenheimeria taurella ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *taurella* [Denis & Schiffermüller],1775; *mediopectinellus* Haworth,1828; *birdella* Curtis,1831; *trifasciata* Wocke,1871; *hederarum* Millière,1874; *talhouki* Amsel,1947; *baurella* Zagulyaev,1966
- 4802) **Ochthera schembrii Rondani,1847** (Ephydriidae) Synonym(s): *schembrii* Rondani,1847; *mantispa* Loew,1847; *setigera* Czerny,1909
- 4803) **Ocneria rubea ([Denis & Schiffermüller],1775)** (Lymantriidae) Synonym(s): *#rubea* [Denis & Schiffermüller],1775
- 4804) **Ocnogyna (s.str.) loewii (Zeller,1846)** (Arctiidae) Synonym(s): *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931.
- 4805) **Ocnogyna (Somatotrichia) parasita (Hübner,1790)** (Arctiidae) Synonym(s): *parasita* Hübner,1790
- 4806) **Odezia atrata (Linnaeus,1758)** (Geometridae) Synonym(s): *atrata* Linnaeus,1758; *chaerophyllata* Linnaeus,1767; *chaerophyllaria* Boisduval,1840; *pyrenaica* Gumpfenberg,1887; *meridionalis* Reisser,1935
- 4807) **Odice arcuina (Hübner,1790)** (Noctuidae) Synonym(s): *arcuina* Hübner,1790; *inamoena* Hübner,[1803].
- 4808) **Odice suava (Hübner,[1813])** (Noctuidae) Synonym(s): *suava* Hübner,[1813].
- 4809) **Odites (Gozmaniola) kollarella (Costa,[1836])** (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836]
- 4810) **Odonestis pruni (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *pruni* Linnaeus,1758
- 4811) **Odontognophos dumetatus (Treitschke,1827)** (Geometridae) Synonym(s): *dumetatus* Treitschke,1827; *temperata* Eversmann,1846; *saturata* Fuchs,1902
- 4812) **Odontomyia angulata (Panzer,[1798])** (Stratiomyidae) Synonym(s): *angulata* Panzer,[1798]; *vulpina* Panzer,[1798]; *hydropta* Meigen,1822; *latifasciata* Macquart,1834; *brevicornis* Loew,1840; *ruficornis* Zetterstedt,1842; *hydrophila* Loew,1846
- 4813) **Odontomyia cephalonica Strobl,1898** (Stratiomyidae) Synonym(s): *cephalonica* Strobl,1898; *byzantina* Strobl,1902; *persica* Pleske,1922
- 4814) **Odontomyia discolor Loew,1846** (Stratiomyidae) Synonym(s): *discolor* Loew,1846; *limbata* Macquart,1849 nec Meig.,1822
- 4815) **Odontomyia flavissima (Rossi,1790)** (Stratiomyidae) Synonym(s): *flavissima* Rossi,1790; *decora* Meigen,1822; *infusata* Meigen,1830; *semiviolacea* Brullé,1832; *nigripes* Macquart,1847; *laufferi* Strobl,1909
- 4816) **Odontopera graecarius (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *graecarius* A.Bang-Haas,1910
- 4817) **Odontoscelis dubius Wagner,1957** (Scutelleridae) Synonym(s): *dubius* Wagner,1957
- 4818) **Odontotarsus caudatus (Burmeister,1835)** (Scutelleridae) Synonym(s): *caudatus* Burmeister,1835
- 4819) **Odontotarsus freyi Puton,1882** (Scutelleridae) Synonym(s): *freyi* Puton,1882
- 4820) **Odontotarsus latissimus Göllner-Scheiding,1990** (Scutelleridae) Synonym(s): *latissimus* Göllner-Scheiding,1990
- 4821) **Odynerus (s.str.) femoratus Saussure,1856** (Vespidae) Synonym(s): *femoratus* Saussure,1856; *duskei* Morawitz,1895
- 4822) **Odynerus (s.str.) melanocephalus (Gmelin,1790)** (Vespidae) Synonym(s): *melanocephalus* Gmelin,1790; *dentipes* Herrich-Schäffer,1839; *serripes* Taschenberg,1866; *sareptanus* André,1884; *armeniaceus* Morawitz,1885; *combinata* Blüthgen,1940; *luxuriosa* Blüthgen,1955; *cypriacus* Eck,1971
- 4823) **Odynerus (s.str.) poecilus Saussure,1856** (Vespidae) Synonym(s): *poecilus* Saussure,1856; *ruficornis* Rudow,1876

- 4824) *Odynerus (Spinicoxa) albopictus* Saussure, 1856** (Vespidae) Synonym(s): *albopictus* Saussure, 1856; *calcaratus* Morawitz, 1885; *rufospinosus* Morawitz, 1895; *argivus* Schulthess, 1924
- 4825) *Oecia oecophila* (Staudinger, 1876)** (Autostichidae) Synonym(s): *oecophila* Staudinger, 1876; *maculata* Walsingham, 1897; *busadeli* Rebel, 1910.
- 4826) *Oecophora* (s.str.) *bractella* (Linnaeus, 1758)** (Oecophoridae) Synonym(s): *bractella* Linnaeus, 1758
- 4827) *Oegoconia ariadne* Gozmany, 1988** (Autostichidae) Synonym(s): *ariadne* Gozmany, 1988
- 4828) *Oegoconia caradjai* Popescu-Gorj & Capuse, 1965** (Autostichidae) Synonym(s): *caradjai* Popescu-Gorj & Capuse, 1965
- 4829) *Oegoconia deauratella* (Herrich-Schäffer, [1854])** (Autostichidae) Synonym(s): *deauratella* Herrich-Schäffer, [1854]; *bacescui* Popescu-Gorj & Capuse, 1965
- 4830) *Oegoconia novimundi* (Busck, 1915)** (Autostichidae) Synonym(s): *novimundi* Busck, 1915
- 4831) *Oestranthrax melanothrix* Miksch, 1991** (Bombyliidae) Synonym(s): *melanothrix* Miksch, 1991
- 4832) *Ogcodes guttatus* A. Costa, 1854** (Acroceridae) Synonym(s): *guttatus* A. Costa, 1854; *benacensis* Pokorný, 1887
- 4833) *Oidaematophorus coniodactylus* (Staudinger, 1859)** (Pterophoridae) Synonym(s): *coniodactylus* Staudinger, 1859.
- 4834) *Oidaematophorus lithodactylus* (Treitschke, 1833)** (Pterophoridae) Synonym(s): *lithodactylus* Treitschke, 1833; *septodactylus* Treitschke, 1833; *similidactylus* Dale, 1834; *lithoxyloactylus* Duponchel, [1840].
- 4835) *Oinophila v-flava* (Haworth, [1828])** (Tineidae) Synonym(s): *v-flava* Haworth, [1828]
- 4836) *Olethreutes (Argyroplote) lacunana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *lacunana* [Denis & Schiffermüller], 1775; *herbana* Guenée, 1845
- 4837) *Olethreutes (Argyroplote) stibiana* (Guenée, 1845)** (Tortricidae) Synonym(s): *stibiana* Guenée, 1845; *sibirana* Caradja, 1916; *fluviana* Kennel, 1919.
- 4838) *Olethreutes* (s.str.) *arcuana* (Linnaeus, 1761)** (Tortricidae) Synonym(s): *#arcuella* Clerck, 1759; *arcuana* Linnaeus, 1761; *lambertiana* Scopoli, 1763.
- 4839) *Oliarus concolor* Fieber, 1876** (Cixiidae) Synonym(s): *concolor* Fieber, 1876
- 4840) *Oliarus roridus* Fieber, 1876** (Cixiidae) Synonym(s): *roridus* Fieber, 1876; *maculatus* Fieber, 1876
- 4841) *Oliarus sordidus* Fieber, 1876** (Cixiidae) Synonym(s): *sordidus* Fieber, 1876
- 4842) *Oligia latruncula* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller], 1775
- 4843) *Oligia strigilis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *strigilis* Linnaeus, 1758; *praeduncula* [Denis & Schiffermüller], 1775.
- 4844) *Oligodranes obscuripennis* Loew, 1844** (Bombyliidae) Synonym(s): *obscuripennis* Loew, 1844
- 4845) *Oligoneura murina* (Loew, 1844)** (Acroceridae) Synonym(s): *murina* Loew, 1844
- 4846) *Oligopogon creticus* Geller-Grimm & Hradsky, 2003** (Asilidae) Synonym(s): *creticus* Geller-Grimm & Hradsky, 2003
- 4847) *Oligopogon graecus* Geller-Grimm & Hradsky, 2003** (Asilidae) Synonym(s): *graecus* Geller-Grimm & Hradsky, 2003
- 4848) *Oligopogon hybotinus* (Loew, 1847)** (Asilidae) Synonym(s): *hybotinus* Loew, 1847
- 4849) *Oligopogon londti* Geller-Grimm & Hradsky, 2003** (Asilidae) Synonym(s): *londti* Geller-Grimm & Hradsky, 2003
- 4850) *Olivenebula subsericata* (Herrich-Schäffer, 1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer, 1861; *#elisabethae* De Lattin, 1951; *bobitsi* Beck, 1996.
- 4851) *Omaloplia* (s.str.) *baraudi* (Galante, 1985)** (Scarabaeidae) Synonym(s): *baraudi* Galante, 1985
- 4852) *Omaloplia* (s.str.) *caeca* (Baraud, 1965)** (Scarabaeidae) Synonym(s): *caeca* Baraud, 1965; *balkanica* Adam, 1994
- 4853) *Omaloplia* (s.str.) *cerrutii* (Sabatinelli, 1977)** (Scarabaeidae) Synonym(s): *cerrutii* Sabatinelli, 1977
- 4854) *Omaloplia* (s.str.) *corcyrae* (Baraud, 1965)** (Scarabaeidae) Synonym(s): *corcyrae* Baraud, 1965
- 4855) *Omaloplia* (s.str.) *depilis* (Müller, 1910)** (Scarabaeidae) Synonym(s): *depilis* Müller, 1910
- 4856) *Omaloplia* (s.str.) *erythroptera* (Frigalsky, 1835)** (Scarabaeidae) Synonym(s): *erythroptera* Frivaldsky, 1835; *carbonaria* Blanchard, 1850; *transsylvanica* Bielz, 1850
- 4857) *Omaloplia* (s.str.) *gibbosa* (Baraud, 1965)** (Scarabaeidae) Synonym(s): *gibbosa* Baraud, 1965; *macedoniae* Baraud, 1965
- 4858) *Omaloplia* (s.str.) *gobbii* (Piattella & Sabatinelli, 1993)** (Scarabaeidae) Synonym(s): *gobbii* Piattella & Sabatinelli, 1993
- 4859) *Omaloplia* (s.str.) *graeca* (Reitter, 1887)** (Scarabaeidae) Synonym(s): *graeca* Reitter, 1887; *attica* Baraud, 1965; *oetaea* Baraud, 1965
- 4860) *Omaloplia* (s.str.) *hericus* (Chobaut, 1907)** (Scarabaeidae) Synonym(s): *hericus* Chobaut, 1907; *majuscula* Baraud, 1965; *rozneri* Adam, 1994
- 4861) *Omaloplia* (s.str.) *illyrica* (Baraud, 1965)** (Scarabaeidae) Synonym(s): *illyrica* Baraud, 1965
- 4862) *Omaloplia* (s.str.) *iris* (Reitter, 1887)** (Scarabaeidae) Synonym(s): *iris* Reitter, 1887
- 4863) *Omaloplia* (s.str.) *minuta* (Brenske, 1887)** (Scarabaeidae) Synonym(s): *minuta* Brenske, 1887
- 4864) *Omaloplia* (s.str.) *polita* (Baraud, 1965)** (Scarabaeidae) Synonym(s): *polita* Baraud, 1965
- 4865) *Omaloplia* (s.str.) *pubipennis* Rössner & Ahrens, 2004** (Scarabaeidae) Synonym(s): *pubipennis* Rössner & Ahrens, 2004
- 4866) *Omaloplia* (s.str.) *ruvicola* (Fabricius, 1775)** (Scarabaeidae) Synonym(s): *ruvicola* Fabricius, 1775; *humeralis* Fabricius, 1775; *marginatus* Fuessly, 1775; *floricola* Laicharting, 1781; *atrata* Geoffroy, 1785; *pruinosa* Küster, 1849; *populi* Gistel, 1857; *intermedia* Abeille, 1895; *fritschii* Reitter, 1905; *arnoldi* Medvedev, 1952; *tergestina* Bauard, 1965; *svanetica* Medvedev & Dzambazishvili, 1973
- 4867) *Ommatidiotus falleni* Stal, 1863** (Caliscelidae) Synonym(s): *falleni* Stal, 1863
- 4868) *Ommatidiotus longiceps* Puton, 1896** (Caliscelidae) Synonym(s): *falleni* Bolívar & Chicote, 1879; *longiceps* Puton, 1896; *alternans* Horvath, 1916; *longicipiti* Horvath, 1916
- 4869) *Ommatissus binotatus* Fieber, 1876** (Tropiduchidae) Synonym(s): *binotatus* Fieber, 1876
- 4870) *Omocestus* (s.str.) *minutus* (Brullé, 1832)** (Acrididae) Synonym(s): *minutus* Brullé, 1832; *moreanus* Ramme, 1926; *chersonensis* Pustovojt, 1927
- 4871) *Omophlus (Odontomophlus) flavipennis* Küster, 1850** (Tenebrionidae) Synonym(s): *flavipennis* Küster, 1850
- 4872) *Omophlus (Odontomophlus) lepturoides* (Fabricius, 1787)** (Tenebrionidae) Synonym(s): *lepturoides* Fabricius, 1787
- 4873) *Omophlus (Odontomophlus) turcicus* Kirsch, 1869** (Tenebrionidae) Synonym(s): *turcicus* Kirsch, 1869
- 4874) *Omophlus* (s.str.) *proteus* Kirsch, 1869** (Tenebrionidae) Synonym(s): *proteus* Kirsch, 1869
- 4875) *Omphalophana anatolica* (Lederer, 1857)** (Noctuidae) Synonym(s): *anatolica* Lederer, 1857
- 4876) *Omphalophana antirrhinii* (Hübner, [1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner, [1803]
- 4877) *Oncocephalus acutangulus* Reuter, 1882** (Reduviidae) Synonym(s): *acutangulus* Reuter, 1882; *brevipennis* Reuter, 1882
- 4878) *Oncocera semirubella* (Scopoli, 1763)** (Pyralidae) Synonym(s): *semirubella* Scopoli, 1763; *rosella* Goeze, 1783 *nec* Sc., 1763; *purpurella* Thunberg, 1788; *sanguinella* Hübner, 1796; *sanguinea* Haworth, 1811; *nigrella* Caradja, 1916
- 4879) *Oncopsis tristis* (Zetterstedt, 1840)** (Cicadellidae) Synonym(s): *tristis* Zetterstedt, 1840; *frontalis* Flor, 1861; *rufusculus* Fieber, 1868; *brevicauda* Thomson, 1870
- 4880) *Oncopygius formosus* Parent, 1927** (Dolichopodidae) Synonym(s): *formosus* Parent, 1927

- 4881) *Oncopygius magnificus* Loew, 1873 (Dolichopodidae) Synonym(s): *magnificus* Loew, 1873
- 4882) *Onitis damoetas* Steven, 1806 (Scarabaeidae) Synonym(s): *damoetas* Steven, 1806; *laevigatus* Olivier, 1811; *steveni* Brullé, 1832
- 4883) *Onthophagus* (Euonthophagus) *amyntas* (Olivier, 1789) (Scarabaeidae) Synonym(s): *amyntas* Olivier, 1789
- 4884) *Onthophagus* (Euonthophagus) *amyntas alces* (Fabricius, 1792) (Scarabaeidae) Synonym(s): *alces* Fabricius, 1792; *hybneri* Fabricius, 1792
- 4885) *Onthophagus* (Euonthophagus) *atramentarius* (Ménétriés, 1832) (Scarabaeidae) Synonym(s): *atramentarius* Ménétriés, 1832
- 4886) *Onthophagus* (Euonthophagus) *dorbignyi* Olsoufieff, 1900 (Scarabaeidae) Synonym(s): *dorbignyi* Olsoufieff, 1900; *neutto* Olsoufieff, 1900
- 4887) *Onthophagus* (Palaeonthophagus) *angorensis* Petrovitz, 1963 (Scarabaeidae) Synonym(s): *angorensis* Petrovitz, 1963
- 4888) *Onthophagus* (Palaeonthophagus) *cruciatus* (Ménétriés, 1832) (Scarabaeidae) Synonym(s): *cruciatus* Ménétriés, 1832
- 4889) *Onthophagus* (Palaeonthophagus) *kindermanni* Harold, 1877 (Scarabaeidae) Synonym(s): *kindermanni* Harold, 1877
- 4890) *Onthophagus* (Palaeonthophagus) *marginalis* Gebler, 1817 (Scarabaeidae) Synonym(s): *marginalis* Gebler, 1817
- 4891) *Onthophagus* (Palaeonthophagus) *opacicolis* Reitter, 1893 (Scarabaeidae) Synonym(s): *opacicolis* Reitter, 1893
- 4892) *Onthophagus* (Palaeonthophagus) *ponticus* Harold, 1883 (Scarabaeidae) Synonym(s): *ponticus* Harold, 1883; *furcicornis* Reitter, 1893; *granulifer* Reitter, 1893; *granulosus* Kozhantschikov, 1894; *gorhami* Shipp, 1895; *krali* Balthasar, 1963; *citellorum* Medvedev, 1965
- 4893) *Onthophagus* (Palaeonthophagus) *semicornis* (Panzer, 1798) (Scarabaeidae) Synonym(s): *semicornis* Panzer, 1798
- 4894) *Onthophagus* (Palaeonthophagus) *suturellus* Brullé, 1832 (Scarabaeidae) Synonym(s): *suturellus* Brullé, 1832; *trochiscobius* Kolenati, 1846
- 4895) *Onthophagus* (Palaeonthophagus) *vacca* (Linnaeus, 1767) (Scarabaeidae) Synonym(s): *vacca* Linnaeus, 1767
- 4896) *Onychopterocheilus hellenicus* (Morawitz, 1885) (Vespidae) Synonym(s): *hellenicus* Morawitz, 1885; *syriacus* Blüthgen, 1952
- 4897) *Oodes* (s.str.) *gracilis* A. Villa & G.B. Villa, 1833 (Carabidae) Synonym(s): *gracilis* A. Villa & G.B. Villa, 1833
- 4898) *Oodes* (s.str.) *helopioides* Fabricius, 1792 (Carabidae) Synonym(s): *helopioides* Fabricius, 1792
- 4899) *Opacifrons coxata* (Stenhammar, 1855) (Sphaeroceridae) Synonym(s): *coxata* Stenhammar, 1855
- 4900) *Ophiogomphus cecilia* (Fourcroy, 1785) (Gomphidae) Synonym(s): *cecilia* Fourcroy, 1785; *serpentinus* Charpentier, 1825
- 4901) *Ophion luteus* (Linnaeus, 1758) (Ichneumonidae) Synonym(s): *luteus* Linnaeus, 1758; *fulvus* Retzius, 1783; *distans* Thomson, 1888; *slaviceki* Kriechbaumer, 1892; *pictus* Kokujev, 1906; *calcaratus* Morley, 1915
- 4902) *Ophion obscuratus* Fabricius, 1798 (Ichneumonidae) Synonym(s): *obscuratus* Fabricius, 1798; *obscurus* Fabricius, 1804
- 4903) *Ophiusa lunaris* (Goeze, 1781) (Noctuidae) Synonym(s): *#lunaris* [Denis & Schifferrmüller], 1775; *lunaris* Goeze, 1781; *undosa* Goeze, 1781; *ventrilabris* Fabricius, 1787; *tarsiplumalis* Hübner, 1796; *chosisensis* Bryk, 1949.
- 4904) *Ophiusa tirhaca* (Cramer, [1777]) (Noctuidae) Synonym(s): *tirhaca* Cramer, [1777]; *#tirrhaea* Fabricius, 1781; *vesta* Esper, 1789; *olivacea* Villers, 1789; *auricularis* Hübner, [1803]; *separans* Walker, 1858; *hottentota* Guenée, 1852; *clementi* Swinhoe, 1918; *#demarginata* Heydemann et al., 1963; *obscura* Pinker & Bacallado, 1978
- 4905) *Opigena polygona* (Fabricius, 1787) (Noctuidae) Synonym(s): *#polygona* [Denis & Schifferrmüller], 1775; *polygona* Fabricius, 1787; *nigrofulva* Esper, [1788]; *pyramis* Borkhausen, 1792.
- 4906) *Opilo taeniatus* (Klug, 1842) (Cleridae) Synonym(s): *taeniatus* Klug, 1842
- 4907) *Opiathographtis luteolata* (Linnaeus, 1758) (Geometridae) Synonym(s): *luteolata* Linnaeus, 1758; *crataegata* Linnaeus, 1761; *crataegaria* Hübner, [1823]; *#emaculata* Graeser, 1892; *impunctata* Osthelder, 1931.
- 4908) *Opostega spatulella* Herrich-Schäffer, [1855] (Opostegidae) Synonym(s): *spatulella* Herrich-Schäffer, [1855]; *nepticulella* Bruand, 1859; *bimaculatella* Rothschild, 1912; *costantiniella* Costantini, 1923; *angulata* Gerasimov, 1930; *heringiella* Mariani, 1937
- 4909) *Opostegoides menthinella* (Mann, 1855) (Opostegidae) Synonym(s): *menthinella* Mann, 1855; *snelleni* Nolcken, 1882
- 4910) *Opsilia coerulescens* (Scopoli, 1763) (Cerambycidae) Synonym(s): *coerulescens* Scopoli, 1763
- 4911) *Opsius pallasi* (Lethierry, 1874) (Cicadellidae) Synonym(s): *pallasi* Lethierry, 1874
- 4912) *Opsius stactogalus* Fieber, 1866 (Cicadellidae) Synonym(s): *stactogalus* Fieber, 1866; *tamaricis* Kirschbaum, 1868; *heydeni* Fieber, 1872; *spinulosus* Della Guistina, 1981
- 4913) *Orchamus raulinii* (Lucas, 1854) (Pamphagidae) Synonym(s): *raulinii* Lucas, 1854
- 4914) *Orchamus yersini* (Brunner von Wattenwyl, 1882) (Pamphagidae) Synonym(s): *raulinii* Yersin, 1860 nec Lucas, 1854; *yersini* Brunner von Wattenwyl, 1882
- 4915) *Orectis euprepiata* Dannehl, 1933 (Noctuidae) Synonym(s): *euprepiata* Dannehl, 1933
- 4916) *Orectis proboscidata* (Herrich-Schäffer, 1851) (Noctuidae) Synonym(s): *proboscidata* Herrich-Schäffer, [1851]; *barteli* Turati, 1907.
- 4917) *Orellia falcata* (Scopoli, 1763) (Tephritidae) Synonym(s): *falcata* Scopoli, 1763; *abdominalis* R-D., 1830; *octopunctata* Macquart, 1835
- 4918) *Orgyia antiqua* (Linnaeus, 1758) (Lymantriidae) Synonym(s): *antiqua* Linnaeus, 1758; *gonostigma* Scopoli, 1763; *paradoxa* Retzius, 1783; *modesta* Heyne, 1899; *manchurica* Matsumura, 1931;
- 4919) *Oria musculosa* (Hübner, [1808]) (Noctuidae) Synonym(s): *musculosa* Hübner, [1808]; *laeta* Alpheraky, 1889.
- 4920) *Ormyrus orientalis* Walker, 1871 (Ormyridae) Synonym(s): *orientalis* Walker, 1871; *indicus* Ahmad, 1946; *hungaricus* Erdős, 1946; *peninsularis* Mani & Kaul, 1972; *fredricki* Narendran & Samodan, 1990
- 4921) *Ornativa valva plutelliformis* (Staudinger, 1859) (Gelechiidae) Synonym(s): *plutelliformis* Staudinger, 1859; *sinuatella* Walsingham, 1904
- 4922) *Ornixola caudulatella* (Zeller, 1839) (Gracillariidae) Synonym(s): *caudulatella* Zeller, 1839; *nigroscriptella* Duponchel, 1845; *eisendlei* Hauser, 1910
- 4923) *Orphilus beali* Zhantiev, 2001 (Dermestidae) Synonym(s): *beali* Zhantiev, 2001
- 4924) *Ortaliella gruneraria* (Staudinger, 1862) (Geometridae) Synonym(s): *gruneraria* Staudinger, 1862
- 4925) *Orthocephalus proserpinae* (Mulsant & Rey, 1852) (Miridae) Synonym(s): *proserpinae* Mulsant & Rey, 1852; *coracinus* Puton, 1874
- 4926) *Orthocephalus saltator* (Hahn, 1835) (Miridae) Synonym(s): *saltator* Hahn, 1835; *hirtus* Curtis, 1838 nec Müll., 1776; *major* Costa, 1853; *infuscatus* Garbiglietti, 1869; *ferrarii* Reuter, 1891; *parvulus* Reuter, 1891
- 4927) *Orthoceratium lacustre* (Scopoli, 1763) (Dolichopodidae) Synonym(s): *lacustre* Scopoli, 1763; *virens* Panzer, 1798; *formosum* Haliday, 1832; *viridipes* Macquart, 1834

- 4928) *Orthonama obstipata* (Fabricius,1794)** (Geometridae) **Synonym(s):** *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905
- 4929) *Orthonevra fumipennis* (Loew,1843)** (Syrphidae) **Synonym(s):** *fumipennis* Loew,1843
- 4930) *Orthonevra longicornis* (Loew,1843)** (Syrphidae) **Synonym(s):** *longicornis* Loew,1843
- 4931) *Orthonotus cylindricollis* C.** (Miridae) **Synonym(s):**
- 4932) *Orthonotus graecus* Rieger,1985** (Miridae) **Synonym(s):** *graecus* Rieger,1985
- 4933) *Orthonotus longiceps* Rt.** (Miridae) **Synonym(s):**
- 4934) *Orthonotus pseudoponticus* Josifov** (Miridae) **Synonym(s):**
- 4935) *Orthopygia fulvociliialis* (Duponchel,1834)** (Pyrilidae) **Synonym(s):** *fulvociliialis* Duponchel,1834
- 4936) *Orthopygia glaucinalis* (Linnaeus,1758)** (Pyrilidae) **Synonym(s):** *glaucinalis* Linnaeus,1758
- 4937) *Orthopygia incarnatalis* Zeller,1847** (Pyrilidae) **Synonym(s):** *incarnatalis* Zeller,1847
- 4938) *Orthopygia rubidalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) **Synonym(s):** *rubidalis* [Denis & Schiffermüller],1775
- 4939) *Orthosia (Dioszeghyana) schmidtii* (Diószeghy,1935)** (Noctuidae) **Synonym(s):** *schmidtii* Diószeghy,1935
- 4940) *Orthosia (Monima) cerasi* (Fabricius,1775)** (Noctuidae) **Synonym(s):** *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809.
- 4941) *Orthosia (Monima) dalmatica* (Wagner,1909)** (Noctuidae) **Synonym(s):** *dalmatica* Wagner,1909
- 4942) *Orthosia (Monima) pulverulenta* (Esper,[1786])** (Noctuidae) **Synonym(s):** *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].
- 4943) *Orthosia (s.str.) incerta* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 *nec* Hw.,1809; *pallidior* Staudinger,1901 *nec* Stgr.,1888
- 4944) *Orthosia (Semiophora) gothica* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *gothica* Linnaeus,1758; *nunatrum* [Denis & Schiffermüller],1775; *gothicina* Herrich-Schäffer,[1849].
- 4945) *Orthosia rubricosa* (Esper,[1786])** (Noctuidae) **Synonym(s):** *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper,[1786].
- 4946) *Orthostixis cribraria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *cribraria* Hübner,[1799].
- 4947) *Orthotelia sparganella* (Thunberg,1788)** (Glyptopterygidae) **Synonym(s):** *sparganella* Thunberg,1788; *venosa* Haworth,1811; *tostella* Hübner,[1824]; *sparganiella* Treitschke,1832
- 4948) *Ortochile nigrocoerulea* Latreille,1809** (Dolichopodidae) **Synonym(s):** *nigrocoerulea* Latreille,1809; *nigrocoerulescens* Staeger,1842; *coerulea* Zetterstedt,1843; *walkeri* Rondani,1859; *unicolor* Loew,1850; *italica* Rondani,1859
- 4949) *Osbornellus macchiaie* (Lindberg,1948)** (Cicadellidae) **Synonym(s):** *macchiaie* Lindberg,1948; *consanguineus* Dlabola,1967
- 4950) *Oscinella (s.str.) frit* (Linnaeus,1758)** (Chloropidae) **Synonym(s):** *frit* Linnaeus,1758; *nigra* Linnaeus,1764; *fumipennis* Meigen,1830; *brunnitarsis* Macquart,1835; *viridescens* Macquart,1835 *rufitarsis* Meigen,1838; *nigrita* Meigen,1838; *aenea* von Roser,1840; *distincta* von Roser,1840; *nigrimana* von Roser,1840; *granarius* Curtis,1846; *nigripes* Strobl,1894; *plumisetata* Duda,1933; *sziladyi* Duda,1933
- 4951) *Oscinella nitidissima* (Meigen,1838)** (Chloropidae) **Synonym(s):** *nitidissima* Meigen,1838; *agrostis* Nartshuk,1955
- 4952) *Oscinomorpha albiseta* (Duda,1932)** (Chloropidae) **Synonym(s):** *albiseta* Duda,1932
- 4953) *Oscinomorpha graeca* Nartshuk,2010** (Chloropidae) **Synonym(s):** *graeca* Nartshuk,2010
- 4954) *Oscinomorpha longirostris* (Loew,1858)** (Chloropidae) **Synonym(s):** *longirostris* Loew,1858; *tunisica* Duda,1933
- 4955) *Oscinomorpha minutissima* (Strobl,1900)** (Chloropidae) **Synonym(s):** *minutissima* Strobl,1900
- 4956) *Oscinomorpha novakii* (Strobl,1893)** (Chloropidae) **Synonym(s):** *novakii* Strobl,1893
- 4957) *Osmenius bathasari* (Petrovitz,1963)** (Scarabaeidae) **Synonym(s):** *bathasari* Petrovitz,1963
- 4958) *Osmia (Allosmia) bischoffi* Atanassov,1938** (Megachilidae) **Synonym(s):** *bischoffi* Atanassov,1938
- 4959) *Osmia (Allosmia) melanura* Morawitz,1871** (Megachilidae) **Synonym(s):** *melanura* Morawitz,1871
- 4960) *Osmia (Allosmia) rufohirta* Latreille,1811** (Megachilidae) **Synonym(s):** *rufohirta* Latreille,1811; *spiniventris* Giraud,1857; *soror* Pérez,1896
- 4961) *Osmia (Allosmia) sybarita* Smith,1853** (Megachilidae) **Synonym(s):** *sybarita* Smith,1853; *ruficollis* Sichel,1873; *fossoria* Pérez,1890; *duckeii* Friese,1899
- 4962) *Osmia (Erythrosmia) andreoides* Spinola,1808** (Megachilidae) **Synonym(s):** *andreoides* Spinola,1808
- 4963) *Osmia (Erythrosmia) erythrogastra* Ferton,1905** (Megachilidae) **Synonym(s):** *erythrogastra* Ferton,1905
- 4964) *Osmia (Helicosmia) aurulenta* (Panzer,1799)** (Megachilidae) **Synonym(s):** *aurulenta* Panzer,1799; *haematoda* Panzer,1801
- 4965) *Osmia (Helicosmia) caerulescens* (Linnaeus,1758)** (Megachilidae) **Synonym(s):** *caerulescens* Linnaeus,1758; *aenea* Linnaeus,1761; *superbus* Harris,1776; *muraria* Retzius,1783; *cuprea* Geoffroy,1785; *cyanea* Fabricius,1793; *purpurea* Cresson,1864; *rustica* Cresson,1864
- 4966) *Osmia (Helicosmia) cinctella* Dours,1873** (Megachilidae) **Synonym(s):** *cinctella* Dours,1873
- 4967) *Osmia (Helicosmia) clypearis* Morawitz,1871** (Megachilidae) **Synonym(s):** *clypearis* Morawitz,1871; *macedonica* Tkalcu,1979; *acuta* Warncke,1988
- 4968) *Osmia (Helicosmia) dimidiata* Morawitz,1870** (Megachilidae) **Synonym(s):** *dimidiata* Morawitz,1870; *taurica* Radoszkowski,1874; *rossica* Friese,1899
- 4969) *Osmia (Helicosmia) dives* Mocsary,1877** (Megachilidae) **Synonym(s):** *dives* Mocsary,1877; *medanae* Magreti,1890; *subintegra* Pérez,1902; *hierosolomita* Benoist,1934
- 4970) *Osmia (Helicosmia) latreillei* (Spinola,1806)** (Megachilidae) **Synonym(s):** *latreillei* Spinola,1806; *nasidens* Latreille,1811; *quadricornis* Kriechbaumer,1869; *friesei* Verhoeff,1892; *iberoafricana* Peters,1975
- 4971) *Osmia (Helicosmia) leaiana* (Kirby,1802)** (Megachilidae) **Synonym(s):** *hirta* Geoffroy,1785 *nec* Schr.,1781; *leaiana* Kirby,1802; *confusa* Morawitz,1869; *solkji* Morawitz,1870; *bidens* Pérez,1879; *forsii* Alfken,1924; *schachti* Warncke,1988
- 4972) *Osmia (Helicosmia) melanogaster* Spinola,1808** (Megachilidae) **Synonym(s):** *melanogaster* Spinola,1808; *aterrima* Morawitz,1872; *carniolica* Morawitz,1872; *incerta* Radoszkowski,1876; *subaenea* Pérez,1895
- 4973) *Osmia (Helicosmia) mirhiji* Mavromoustakis,1957** (Megachilidae) **Synonym(s):** *mirhiji* Mavromoustakis,1957
- 4974) *Osmia (Helicosmia) niveata* (Fabricius,1804)** (Megachilidae) **Synonym(s):** *niveata* Fabricius,1804; *fulvicornis* Latreille,1809; *minuta* Branson,1879; *sieversii* Morawitz,1886; *carneiventris* Dours,1887; *albiscopa* Alfken,1914

- 4975) *Osmia (Helicosmia) niveocincta* Pérez,1879 (Megachilidae) Synonym(s): *niveocincta* Pérez,1879; *violascens* Pérez,1895
- 4976) *Osmia (Helicosmia) signata* Erichson,1835 (Megachilidae) Synonym(s): *signata* Erichson,1835; *jucunda* Smith,1853; *vidua* Gerstaecker,1869; *cincta* Dours,1873; *taurica* Radoszkowski,1874; *laticincta* Pérez,1879; *atriventris* Costa,1883; *costaniana* Dalla Torre,1895
- 4977) *Osmia (Helicosmia) subcornuta* Morawitz,1875 (Megachilidae) Synonym(s): *subcornuta* Morawitz,1875
- 4978) *Osmia (Hoplosmia) bidentata* Morawitz,1876 (Megachilidae) Synonym(s): *bidentata* Morawitz,1876; *affinis* Frivaldsky,1877; *pallens* Tkalcu,1979
- 4979) *Osmia (Hoplosmia) croatica* Friese,1893 (Megachilidae) Synonym(s): *croatica* Friese,1893
- 4980) *Osmia (Hoplosmia) distinguenda* (Tkalcu,1974) (Megachilidae) Synonym(s): *distinguenda* Tkalcu,1974
- 4981) *Osmia (Hoplosmia) elegans* (Tkalcu,1992) (Megachilidae) Synonym(s): *elegans* Tkalcu,1992
- 4982) *Osmia (Hoplosmia) ligurica* Morawitz,1868 (Megachilidae) Synonym(s): *ligurica* Morawitz,1868; *detrita* Pérez,1879
- 4983) *Osmia (Hoplosmia) padri* (Tkalcu,1974) (Megachilidae) Synonym(s): *padri* Tkalcu,1974
- 4984) *Osmia (Hoplosmia) scutellaris* Morawitz,1868 (Megachilidae) Synonym(s): *scutellaris* Morawitz,1868
- 4985) *Osmia (Hoplosmia) spinigera* Latreille,1811 (Megachilidae) Synonym(s): *spinigera* Latreille,1811; *clavicula* Gerstaecker,1869
- 4986) *Osmia (Melanosmia) inermis* (Zetterstedt,1838) (Megachilidae) Synonym(s): *inermis* Zetterstedt,1838; *globosa* Cresson,1864; *vulpecula* Gerstaecker,1869; *globosiformis* Cockerell,1910; *bulgarica* Friese,1923
- 4987) *Osmia (Melanosmia) parietina* Curtis,1828 (Megachilidae) Synonym(s): *parietina* Curtis,1828; *angustula* Zetterstedt,1838; *vankovitzii* Radoszkowski,1887
- 4988) *Osmia (Melanosmia) xanthomelana* (Kirby,1802) (Megachilidae) Synonym(s): *xanthomelana* Kirby,1802; *fuciformis* Latreille,1811; *chrysomelina* Panzer,1812; *clarior* Tkalcu,1983
- 4989) *Osmia (Metallinella) brevicornis* (Fabricius,1798) (Megachilidae) Synonym(s): *brevicornis* Fabricius,1798; *atrocaerulea* Schilling,1849; *panzeri* Morawitz,1869; *leucogastra* Morawitz,1875; *subcyanea* Alfken,1935
- 4990) *Osmia (Monosmia) apicata* Smith,1853 (Megachilidae) Synonym(s): *apicata* Smith,1853; *macroglossa* Gerstaecker,1869
- 4991) *Osmia (Neosmia) jason* Benoist,1929 (Megachilidae) Synonym(s): *jason* Benoist,1929
- 4992) *Osmia (Pyrosmia) amathusica* Mavromoustakis,1937 (Megachilidae) Synonym(s): *amathusica* Mavromoustakis,1937
- 4993) *Osmia (Pyrosmia) cephalotes* Morawitz,1870 (Megachilidae) Synonym(s): *cephalotes* Morawitz,1870; *bacillus* Pérez,1879; *pulsata* Buysson,1899; *longiceps* Morawitz,1876
- 4994) *Osmia (Pyrosmia) cyanoxantha* Pérez,1879 (Megachilidae) Synonym(s): *cyanoxantha* Pérez,1879; *cyanoxura* Zanden,1991; *elbaba* Warncke,1992
- 4995) *Osmia (Pyrosmia) ferruginea* Latreille,1811 (Megachilidae) Synonym(s): *ferruginea* Latreille,1811; *metallica* Lucas,1849; *igneopurpurea* Costa,1882
- 4996) *Osmia (Pyrosmia) forticornis* Zanden,1989 (Megachilidae) Synonym(s): *forticornis* Zanden,1989
- 4997) *Osmia (Pyrosmia) gallarum* Spinola,1808 (Megachilidae) Synonym(s): *gallarum* Spinola,1808; *ruborum* Dufour & Perris,1840; *lapidistructor* Ferton,1920
- 4998) *Osmia (Pyrosmia) hellados* Zanden,1984 (Megachilidae) Synonym(s): *hellados* Zanden,1984
- 4999) *Osmia (Pyrosmia) laticauda* Stanek,1969 (Megachilidae) Synonym(s): *laticauda* Stanek,1969; *tichodroma* Warncke,1992
- 5000) *Osmia (Pyrosmia) moreensis* Zanden,1984 (Megachilidae) Synonym(s): *moreensis* Zanden,1984
- 5001) *Osmia (Pyrosmia) nana* Morawitz,1874 (Megachilidae) Synonym(s): *nana* Morawitz,1874; *tetrodonta* Benoist,1934
- 5002) *Osmia (Pyrosmia) saxicola* Dücke,1899 (Megachilidae) Synonym(s): *saxicola* Dücke,1899; *caelestina* Benoist,1929; *cypricola* Mavromoustakis,1937; *posti* Mavromoustakis,1956; *riemanni* Warncke,1992
- 5003) *Osmia (Pyrosmia) submicans* Morawitz,1870 (Megachilidae) Synonym(s): *submicans* Morawitz,1870; *giraudi* Schmiedeknecht,1886; *hebraea* Benoist,1934; *canaria* Mavromoustakis,1957; *lanzarotae* Warncke,1992; *columbina* Zanden,1996
- 5004) *Osmia (Pyrosmia) teunissenii* Zanden,1981 (Megachilidae) Synonym(s): *teunissenii* Zanden,1981
- 5005) *Osmia (Pyrosmia) versicolor* Latreille,1811 (Megachilidae) Synonym(s): *versicolor* Latreille,1811; *corrusca* Erichson,1835; *laeta* Gistel,1857; *algarbiensis* Strand,1917; *viricephalica* Warncke,1992
- 5006) *Osmia (Pyrosmia) viridana* Morawitz,1874 (Megachilidae) Synonym(s): *viridana* Morawitz,1874; *rufispina* Morawitz,1875; *angulata* Pérez,1896; *nicosiana* Mavromoustakis,1939; *mulleolus* Zanden,1984
- 5007) *Osmia (s.str.) ariadne* Peters,1978 (Megachilidae) Synonym(s): *ariadne* Peters,1978
- 5008) *Osmia (s.str.) bicornis* (Linnaeus,1758) (Megachilidae) Synonym(s): *bicornis* Linnaeus,1758; *rufa* Linnaeus,1758; *globosa* Scopoli,1763; *agino* Harris,1776; *cornigera* Rossi,1790; *fronticornis* Panzer,1799; *hedera* Smith,1844; *fracticornis* Pérez,1895; *borealis* Dücke,1899
- 5009) *Osmia (s.str.) cerinthidis* Morawitz,1876 (Megachilidae) Synonym(s): *cerinthidis* Morawitz,1876
- 5010) *Osmia (s.str.) cornuta* (Latreille,1805) (Megachilidae) Synonym(s): *cornuta* Latreille,1805; *divergens* Friese,1920; *neoregaena* Mavromoustakis,1938; *quasirufa* Peters,1978
- 5011) *Osmia (s.str.) mustelina* Gerstaecker,1869 (Megachilidae) Synonym(s): *mustelina* Gerstaecker,1869; *nigrohirta* Friese,1899; *griseohirta* Alfken,1935; *umbrosa* Peters,1978
- 5012) *Osmia (s.str.) nigrohirta* Friese,1899 (Megachilidae) Synonym(s): *nigrohirta* Friese,1899
- 5013) *Osmia (s.str.) rufa* (Linnaeus,1758) (Megachilidae) Synonym(s): *rufa* Linnaeus,1758; *cornigera* Rossi,1790
- 5014) *Osmia (Tergosmia) rhodoensis* (Zanden,1983) (Megachilidae) Synonym(s): *rhodoensis* Zanden,1983
- 5015) *Osmia (Tergosmia) rhodoensis* (Zanden,1983) (Megachilidae) Synonym(s): *rhodoensis* Zanden,1983; *arcuata* Warncke,1988; *ferina* Warncke,1988
- 5016) *Osmia (Tergosmia) tergestensis* Dücke,1897 (Megachilidae) Synonym(s): *tergestensis* Dücke,1897; *ononidis* Ferton,1897; *rondoui* Pérez,1902; *wolhynica* Noskiewicz,1922; *atlantica* Benoist,1934; *remota* Tkalcu,1979
- 5017) *Osmylus fulvicephalus* (Scopoli,1763) (Osmylidae) Synonym(s): *fulvicephalus* Scopoli,1763
- 5018) *Ostrinia nubilalis* (Hübner,1796) (Pyralidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis* Hübner,1796.
- 5019) *Otites formosa* (Panzer,1798) (Ulidiidae) Synonym(s): *formosa* Panzer,1798; *?porca* Latreille,1804; *elegans* Latreille,1805; *?gangraenosa* Fabricius,1805; *ruficeps* Fabricius,1805; *ornata* Meigen,1826; *genualis* Loew,1868
- 5020) *Otites lamed* (Schränk,1781) (Ulidiidae) Synonym(s): *lamed* Schränk,1781
- 5021) *Otites obliqua* (Loew,1868) (Ulidiidae) Synonym(s): *obliqua* Loew,1868
- 5022) *Oulobophora externata* Freyer,1846 (Geometridae) Synonym(s): *#externata* Herrich-Schäffer,1843; *externata* Freyer,1846; *turcosyrica* Wehrli,1934.
- 5023) *Oulobophora internata* (Püngeler,1888) (Geometridae) Synonym(s): *internata* Püngeler,1888; *macedonica* Staudinger,1892

- 5024) **Ourapteryx sambucaria (Linnaeus,1758)** (Geometridae) Synonym(s): *sambucaria* Linnaeus,1758.
- 5025) **Ovaliptila kinzelbachi (Harz,1971)** (Gryllidae) Synonym(s): *kinzelbachi* Harz,1971
- 5026) **Ovaliptila kruperi (Pantel,1890)** (Gryllidae) Synonym(s): *kruperi* Pantel,1890
- 5027) **Ovaliptila lindbergi (Chopard,1957)** (Gryllidae) Synonym(s): *lindbergi* Chopard,1957
- 5028) **Ovaliptila newmanae (Harz,1969)** (Gryllidae) Synonym(s): *newmanae* Harz,1969
- 5029) **Ovaliptila wettsteini (Werner,1934)** (Gryllidae) Synonym(s): *wettsteini* Werner,1934
- 5030) **Oxybia transversella (Duponchel,1836)** (Pyralidae) Synonym(s): *transversella* Duponchel,1836; *bituminella* Millièrre,1870; *panorminatella* Caradja,1928.
- 5031) **Oxycarenus (Euoxycarenus) pallens (Herrich-Schäffer,1850)** (Lygaeidae) Synonym(s): *pallens* Herrich-Schäffer,1850
- 5032) **Oxycarenus (s.str.) hyalinipennis (A.Costa,1843)** (Lygaeidae) Synonym(s): *hyalinipennis* A.Costa,1843
- 5033) **Oxycera (Camptopelta) meigenii Staeger,1844** (Stratiomyidae) Synonym(s): *meigenii* Staeger,1844; *fraterna* Loew,1873; *caucasica* Kertész,1916; *turkestanica* Kertész,1916; *sinica* Pleske,1925; *transcaspia* Pleske,1925; *pallidipes* Pleske,1925
- 5034) **Oxycera grata Loew,1869** (Stratiomyidae) Synonym(s): *grata* Loew,1869
- 5035) **Oxycera limbata Loew,1862** (Stratiomyidae) Synonym(s): *limbata* Loew,1862
- 5036) **Oxycera trilineata (Linnaeus,1767)** (Stratiomyidae) Synonym(s): *trilineata* Linnaeus,1767; *graeca* Pontoppidan,1763; *hypoleon* Linnaeus,1767; *fasciata* Geoffroy,1785; *proxima* Loew,1873; *collaris* Brunetti,1889; *transfasciata* Pleske,1925; *ferghanensis* Pleske,1925; *ucrainica* Paramonov,1926; *bucheti* Seguy,1930; *angustistomata* Lindner,1938
- 5037) **Oxyliia duponcheli (Brullé,1832)** (Cerambycidae) Synonym(s): *duponcheli* Brullé,1832
- 5038) **Oxyna flavipennis (Loew,1844)** (Tephritidae) Synonym(s): *flavipennis* Loew,1844; *flavescens* R-D.,1830; *laticauda* Walker,1836; *parietina* Zetterstedt,1847
- 5039) **Oxyptilus ericetorum (Zeller,1844)** (Pterophoridae) Synonym(s): *ericetorum* Zeller,1844; *ericetidactyla* Bruand,1859.
- 5040) **Oxyptilus parvidactylus (Haworth,1811)** (Pterophoridae) Synonym(s): *parvidactylus* Haworth,1811; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroccanensis* Amsel,1956.
- 5041) **Oxyptilus pilosellae (Zeller,1841)** (Pterophoridae) Synonym(s): *pilosellae* Zeller,1841; *pilosellidactyla* Bruand,1859; *bohemanii* Wallengren,1862.
- 5042) **Oxythyrea cinctella (Schaum,1841)** (Scarabaeidae) Synonym(s): *albella* Illiger,1802 (praeocc.); *cinctella* Schaum,1841; *natalia* Olsufiev,1917
- 5043) **Oxytrippa orbiculosa (Esper,1799)** (Noctuidae) Synonym(s): *orbiculosa* Esper,1799
- 5044) **Pachyanthrax laconae Greathead,1981** (Bombyliidae) Synonym(s): *laconae* Greathead,1981
- 5045) **Pachyanthrax telamon (Loew,1869)** (Bombyliidae) Synonym(s): *telamon* Loew,1869; *loevi* Paramonov,1928; *loewi* Zaitzev,1989
- 5046) **Pachyanthrax unctus (Loew,1869)** (Bombyliidae) Synonym(s): *unctus* Loew,1869
- 5047) **Pachybrachis (s.str.) creticus Weise,1886** (Chrysomelidae) Synonym(s): *creticus* Weise,1886
- 5048) **Pachybrachis (s.str.) fimbriolatus (Suffrian,1848)** (Chrysomelidae) Synonym(s): *tristis* Olivier,1808 nec Laich.,1781; *fimbriolatus* Suffrian,1848; *mulsanti* Perris,1852
- 5049) **Pachybrachis (s.str.) freyi Burlini,1957** (Chrysomelidae) Synonym(s): *freyi* Burlini,1957
- 5050) **Pachybrachis (s.str.) leonardii Sassi & Schöller,2003** (Chrysomelidae) Synonym(s): *leonardii* Sassi & Schöller,2003
- 5051) **Pachybrachis (s.str.) limbatus (Ménétrières,1836)** (Chrysomelidae) Synonym(s): *limbatus* Ménétrières,1836; *maculatus* Suffrian,1848; *ater* Weise,1882
- 5052) **Pachybrachis (s.str.) oertzeni Weise,1886** (Chrysomelidae) Synonym(s): *oertzeni* Weise,1886
- 5053) **Pachybrachis (s.str.) sinuatus Mulsant & Rey,1859** (Chrysomelidae) Synonym(s): *sinuatus* Mulsant & Rey,1859; *haliciensis* Miller,1868; *rufimanus* Weise,1882
- 5054) **Pachycephus smyrnensis Stein,1876** (Cephidae) Synonym(s): *smyrnensis* Stein,1876; *aeneovarius* Kohl,1905; *brevis* Ghigi,1915; *sanctus* Pic,1916; *notativentris* Pic,1916
- 5055) **Pachynemia hippocastanaria (Hübner,1799)** (Geometridae) Synonym(s): *hippocastanaria* Hübner,1799; *anomalata* Haworth,1812; *degenerata* Hübner,1813; *difformaria* Hübner,1825; *hippocastanata* Treitschke,1827; *modestaria* Lempke,1970
- 5056) **Pachynemia tibiaria (Rambur,1829)** (Geometridae) Synonym(s): *tibiaria* Rambur,1829; *uniformis* Bytinski-Salz,1937
- 5057) **Pachypasa otus (Drury,1773)** (Lasiocampidae) Synonym(s): *otus* Drury,1773
- 5058) **Pachyscelis obscura Solier,1836** (Tenebrionidae) Synonym(s): *obscura* Solier,1836
- 5059) **Pachyscelis quadricollis Brullé,1832** (Tenebrionidae) Synonym(s): *quadricollis* Brullé,1832
- 5060) **Pachyscelis thessalica Reitter,1893** (Tenebrionidae) Synonym(s): *thessalica* Reitter,1893
- 5061) **Pachyscelis villosa (Drapiez,1820)** (Tenebrionidae) Synonym(s): *villosa* Drapiez,1820; *granulosa* Solier,1836
- 5062) **Pachytrachis gracilis (Brunner von Wattenwyl,1861)** (Tettigoniidae) Synonym(s): *gracilis* Brunner von Wattenwyl,1861
- 5063) **Pagiphora annulata (Brullé,1832)** (Cicadidae) Synonym(s): *annulata* Brullé,1832
- 5064) **Pagiphora aschei Kartal,1978** (Cicadidae) Synonym(s): *aschei* Kartal,1978
- 5065) **Paidia (s.str.) cinerascens (Herrich-Schäffer,1847)** (Arctiidae) Synonym(s): *cinerascens* Herrich-Schäffer,1847
- 5066) **Paidia (s.str.) rica (Freyer,1855)** (Arctiidae) Synonym(s): *rica* Freyer,1855
- 5067) **Palpares libelluloides (Linnaeus,1764)** (Myrmeleonidae) Synonym(s): *libelluloides* Linnaeus,1764; *turcica* Petiver & Empson,1767; *nordmanni* Kolenati,1846
- 5068) **Palpita testalis (Fabricius,1794)** (Pyralidae) Synonym(s): *testalis* Fabricius,1794; *incoloralis* Guenée,1854; *ruficostalis* Lederer,1855; *albidalis* Walker,1866; *putrescens* Meyrick,1934
- 5069) **Palpita vitrealis (Rossi,1794)** (Pyralidae) Synonym(s): *vitrealis* Rossi,1794; *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *suralis* Lederer,1863; *septempunctalis* Mabilie,1880
- 5070) **Palumbina guerini (Stainton,1857)** (Gelechiidae) Synonym(s): *guerini* Stainton,1857; *terebrintella* Rondani,1876; *pistaciae* Anagnostopoulos,1935.
- 5071) **Pammene aurita Razowski,1992** (Tortricidae) Synonym(s): *aurantiana* Staudinger,1871 nec Stgr.,1870; *aurita* Razowski,1992
- 5072) **Pammene christophana (Möschler,1862)** (Tortricidae) Synonym(s): *christophana* Möschler,1862
- 5073) **Pammene fasciana (Linnaeus,1761)** (Tortricidae) Synonym(s): *fasciana* Linnaeus,1761; *trinotata* Frölich,1828; *juliana* Curtis,1836; *nimbana* Herrich-Schäffer,1851; *herrichiana* Heinemann,1854
- 5074) **Pammene gallicolana (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *gallicolana* Lienig & Zeller,1846
- 5075) **Pammene macrolepis Diakonoff,1976** (Tortricidae) Synonym(s): *macrolepis* Diakonoff,1976
- 5076) **Pamparama acuta (Freyer,1837)** (Noctuidae) Synonym(s): *acuta* Freyer,1837; *producta* Lederer,1857; *pygmaea* Staudinger,1871.

- 5077) *Pancalia leuwenhoekella* (Linnaeus,1761)** (Cosmopterigidae) Synonym(s): *leuwenhoekella* Linnaeus,1761; *schmidtella* Treitschke,1833
- 5078) *Pancalia schwarzella* (Fabricius,1798)** (Cosmopterigidae) Synonym(s): *schwarzella* Fabricius,1798; *latreillella* Curtis,1830.
- 5079) *Panchrysia aurea* (Hübner,[1803])** (Noctuidae) Synonym(s): *deaurata* Esper,[1787] *nec* Goeze,1981; *chryson* Borkhausen,1792 *nec* Esp.,[1789]; *aurea* Hübner,[1803].
- 5080) *Panchrysia v-argenteum* (Esper,[1798])** (Noctuidae) Synonym(s): *v-argenteum* Esper,[1798]; *mya* Hübner,[1821]
- 5081) *Pandemis cerasana* (Hübner,1786)** (Tortricidae) Synonym(s): *cerasana* Hübner,1786; *ribeana* Hübner,[1799]; *grossulariana* Stephens,1834
- 5082) *Pandemis heparana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *heparana* [Denis & Schiffermüller],1775
- 5083) *Pandivirilia caesia* (Meigen,1838)** (Therevidae) Synonym(s): *caesia* Meigen,1838
- 5084) *Panemeria tenebrata* (Scopoli,1763)** (Noctuidae) Synonym(s): *tenebrata* Scopoli,1763
- 5085) *Panemeria tenebromorpha* Rakosy, Hentscholek & Huber,1996** (Noctuidae) Synonym(s): *tenebromorpha* Rakosy, Hentscholek & Huber,1996
- 5086) *Pangonius* (*Melanopangonius*) *haustellatus* (Fabricius,1781)** (Tabanidae) Synonym(s): *haustellatus* Fabricius,1781; *mauritanicus* Meigen,1804; *marginata* Fabricius,1805; *cellulatus* Brullé,1832; *tenuipalpis* Kröber,1921; *medioargentatus* Szilady,1923; *basiaargentatus* Szilady,1923
- 5087) *Pangonius* (s. str.) *obscuratus* Loew,1859** (Tabanidae) Synonym(s): *obscuratus* Loew,1859
- 5088) *Pangonius* (s.str.) *fulvipes* Loew,1868** (Tabanidae) Synonym(s): *fulvipes* Loew,1868; *sulcata* Bezzi,1909; *palpalis* Kröber,1921
- 5089) *Pangonius* (s.str.) *pyritosus* Loew,1859** (Tabanidae) Synonym(s): *pyritosus* Loew,1859; *decipiens* Kröber,1921; *hirsutipalpis* Kröber,1921
- 5090) *Pangonius* (s.str.) *variegatus* (Fabricius,1805)** (Tabanidae) Synonym(s): *variegatus* Fabricius,1805; *acutipalpis* Kröber,1921; *brunneipes* Szilady,1923
- 5091) *Panolis flammea* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammea* [Denis & Schiffermüller],1775
- 5092) *Panorpa communis* Linnaeus,1758** (Panorpidae) Synonym(s): *communis* Linnaeus,1758; *vulgaris* Imhoff & Labram,1845
- 5093) *Panorpa germanica* Linnaeus,1758** (Panorpidae) Synonym(s): *germanica* Linnaeus,1758; *affinis* Leach,1815; *apicalis* Stephens,1835; *montana* Brauer,1857; *gibberosa* McLachlan,1869; *ruizi* Navas,1926; *pirion*, Navas,1929
- 5094) *Panorpa lacedaemonia* Lauterbach,1972** (Panorpidae) Synonym(s): *lacedaemonia* Lauterbach,1972; *corcyraea* Lauterbach,1972
- 5095) *Panorpa rufostigma* Westwood,1846** (Panorpidae) Synonym(s): *rufostigma* Westwood,1846
- 5096) *Panstegia aerealis* (Hübner,1793)** (Pyrilidae) Synonym(s): *aerealis* Hübner,1793; *unicolor* Rebel,1917.
- 5097) *Pantacordis pantsa* (Gozmany,1963)** (Autostichidae) Synonym(s): *pantsa* Gozmany,1963
- 5098) *Panthea coenobita* (Esper,1785)** (Noctuidae) Synonym(s): *coenobita* Esper,1785
- 5099) *Panurginus montanus* Giraud,1861** (Andrenidae) Synonym(s): *montanus* Giraud,1861; *tyrolensis* Richards,1932; *ponticus* Warncke,1972
- 5100) *Panurgus banksianus* (Kirby,1802)** (Andrenidae) Synonym(s): *banksianus* Kirby,1802
- 5101) *Panurgus calcaratus* (Scopoli,1763)** (Andrenidae) Synonym(s): *calcaratus* Scopoli,1763
- 5102) *Papilio* (s.str. (*Alexanoria*)) *alexanor* Esper,[1800]** (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 *nec* Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983.
- 5103) *Papilio* (s.str.) *machaon* Linnaeus,1758** (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858.
- 5104) *Paraboarmia viertlii* (Bohatsch,1883)** (Geometridae) Synonym(s): *viertlii* Bohatsch,1883
- 5105) *Paracaloptenus caloptenoides* (Brunner von Wattenwyl,1861)** (Acrididae) Synonym(s): *caloptenoides* Brunner von Wattenwyl,1861; *brunneri* Stål,1876; *typus* Bolívar,1878
- 5106) *Paracaloptenus caloptenoides moreanus* Willemse,1973** (Acrididae) Synonym(s): *moreanus* Willemse,1973
- 5107) *Paracardiophorus musculus* (Erichson,1840)** (Elateridae) Synonym(s): *musculus* Erichson,1840
- 5108) *Paracolax tristalis* (Fabricius,1794)** (Noctuidae) Synonym(s): *tristalis* Fabricius,1794; *derivalis* Hübner,1796.
- 5109) *Paracorsia repandalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *repandalis* [Denis & Schiffermüller],1775
- 5110) *Paracorymbia pallens* (Brullé,1832)** (Cerambycidae) Synonym(s): *pallens* Brullé,1832
- 5111) *Paracrocisa guilochi* Dusmet,1915** (Apidae) Synonym(s): *guilochi* Dusmet,1915
- 5112) *Paradelia brunneonigra* (Schnabl,1911)** (Anthomyiidae) Synonym(s): *brunneonigra* Schnabl,1911
- 5113) *Paradelia intersecta* (Meigen,1826)** (Anthomyiidae) Synonym(s): *intersecta* Meigen,1826
- 5114) *Paradrymonia vittata* (Staudinger,1892)** (Notodontidae) Synonym(s): *vittata* Staudinger,1892
- 5115) *Parafomoria pseudocistivora* Van Nieukerken,1983** (Nepticulidae) Synonym(s): *pseudocistivora* Van Nieukerken,1983
- 5116) *Parageron incisus* (Wiedemann,1830)** (Bombyliidae) Synonym(s): *incisus* Wiedemann,1830
- 5117) *Parageron punctipennis* (Loew,1846)** (Bombyliidae) Synonym(s): *punctipennis* Loew,1846
- 5118) *Paragus* (*Pandasyopthalmus*) *tibialis* (Fallén,1817)** (Syrphidae) Synonym(s): *tibialis* Fallén,1817; *aeneus* Meigen,1822; *geniculatus* Curtis,1837; *trianguliferus* Zetterstedt,1838; *dispar* Schummel,1842; *dimidiatus* Loew,1843; *varipes* Bigot,1880; *auricaudatus* Bigot,1883
- 5119) *Paragus* (s.str.) *bicolor* (Fabricius,1794)** (Syrphidae) Synonym(s): *cruentata* Geoffroy,1785; *bicolor* Fabricius,1794; *melonchrysa* Gmelin,1788; *zonatus* Meigen,1822; *punctulatus* Zetterstedt,1838; *ruficauda* Zetterstedt,1843; *sexarcuatus* Bigot,1862; *angustifrons* Loew,1863
- 5120) *Paragus* (s.str.) *gorgus Vujic & Radenovic*,1999** (Syrphidae) Synonym(s): *gorgus Vujic & Radenovic*,1999
- 5121) *Paragus* (s.str.) *quadrifasciatus* Meigen,1822** (Syrphidae) Synonym(s): *quadrifasciatus* Meigen,1822
- 5122) *Parahypopta caestrum* (Hübner,[1808])** (Cossidae) Synonym(s): *caestrum* Hübner,[1808]; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912.
- 5123) *Parallelia algira* (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europaea* Schawerda,1912
- 5124) *Parallelia torrida* (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987]

- 5125) *Paramesia gnomana* (Clerck,1759)** (Tortricidae) Synonym(s): *#gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829; *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943.
- 5126) *Paramesus ancorifer* Linnavuori,1953** (Cicadellidae) Synonym(s): *ancorifer* Linnavuori,1953
- 5127) *Paramyia hungarica* Papp,1993** (Milichidae) Synonym(s): *hungarica* Papp,1993
- 5128) *Paramyrmosa bischoffi* (Invrea,1952)** (Mutillidae) Synonym(s): *bischoffi* Invrea,1952
- 5129) *Paramyrmosa brunnipes* (Lepeletier,1845)** (Mutillidae) Synonym(s): *brunnipes* Lepeletier,1845; *cognata* Costa,1858
- 5130) *Paranocarodes fieberi* (Brunner von Wattenwyl,1882)** (Pamphagidae) Synonym(s): *fieberi* Brunner von Wattenwyl,1882
- 5131) *Paranocarodes straubei* (Fieber,1853)** (Pamphagidae) Synonym(s): *straubei* Fieber,1853
- 5132) *Paranthrene tabaniformis* (Rottemburg,1775)** (Sesiidae) Synonym(s): *tabaniformis* Rottemburg,1775; *asiliformis* [Denis & Schiffermüller],1775 nec Rott.,1775; *sesia* Gmelin,1789; *rhingiaeformis* Hübner,1790; *crabroniformis* Laspeyres,1801 nec Fabr.,1793; *tricincta* Harris,1839; *serratifformis* Freyer,1842; *rhingiiformis* Staudinger,1856; *denotata* Edwards,1882; *flammans* Hampson,1893
- 5133) *Paraphamartania syriaca* (Schiner,1867)** (Asilidae) Synonym(s): *syriaca* Schiner,1867
- 5134) *Parapholidoptera castaneoviridis* (Brunner von Wattenwyl,1882)** (Tettigoniidae) Synonym(s): *castaneoviridis* Brunner von Wattenwyl,1882; *ornata* Nedelkov,1907
- 5135) *Paraplagionotus floralis* (Pallas,1773)** (Cerambycidae) Synonym(s): *floralis* Pallas,1773
- 5136) *Parapoynx stagnalis* (Zeller,1852)** (Pyralidae) Synonym(s): *stagnalis* Zeller,1852; *depunctalis* Guenée,1852; *decussalis* Walker,1859; *vestigialis* Snellen,1880; *hillii* Tepper,1890
- 5137) *Parapoynx stratotatum* (Linnaeus,1758)** (Pyralidae) Synonym(s): *stratotata* Linnaeus,1758; *paludata* Fabricius,1794; *amanica* Osthelder,1935
- 5138) *Pararge aegeria* (Linnaeus,1758)** (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
- 5139) *Parascotia fuliginaria* (Linnaeus,1761)** (Noctuidae) Synonym(s): *fuliginaria* Linnaeus,1761; *lunulata* Fabricius,1775; *carbonaria* Denis & Schiffermüller,1775; *lignaria* Fabricius,1794
- 5140) *Parasemia plantaginis* (Linnaeus,1758)** (Arctiidae) Synonym(s): *plantaginis* Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775.
- 5141) *Parasemidalis fuscipennis* (Reuter,1894)** (Coniopterygidae) Synonym(s): *fuscipennis* Reuter,1894
- 5142) *Parastichtis corticea* (Esper,[1800])** (Noctuidae) Synonym(s): *#upsilon* [Denis & Schiffermüller],1775; *epsilon* Goeze,1781 nec Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828.
- 5143) *Paraswammerdamia albicapitella* (Scharfenberg,1805)** (Yponomeutidae) Synonym(s): *albicapitella* Scharfenberg,1805; *spiniella* Hübner,[1808]; *caesiella* Hübner,[1813] nec Hbn.,1796
- 5144) *Paraswammerdamia lutarea* (Haworth,[1828])** (Yponomeutidae) Synonym(s): *lutarea* Haworth,[1828]
- 5145) *Paratalanta hyalinalis* (Hübner,1796)** (Pyralidae) Synonym(s): *hyalinalis* Hübner,1796
- 5146) *Parexarnis fugax* (Treitschke,1825)** (Noctuidae) Synonym(s): *fugax* Treitschke,1825.
- 5147) *Parnassius (Driopa) mnemosyne* (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758
- 5148) *Parnassius (s.str.) apollo* (Linnaeus,1758)** (Papilionidae) Synonym(s): *apollo* Linnaeus,1758
- 5149) *Parocneria detrita* (Esper,[1785])** (Lymantriidae) Synonym(s): *detrita* Esper,[1785]; *orientalis* Schwingenschuss,1939; *orientis* Daniel,1963
- 5150) *Parocneria ledereri* (Millière,1868)** (Lymantriidae) Synonym(s): *ledereri* Millière,1868
- 5151) *Parocneria terebinthi* (Freyer,[1838])** (Lymantriidae) Synonym(s): *terebinthi* Freyer,[1838]
- 5152) *Paropta paradoxus* (Herrich-Schäffer,1851)** (Cossidae) Synonym(s): *paradoxus* Herrich-Schäffer,1851
- 5153) *Parorgerius platypus* (Fieber,1866)** (Dictyopharidae) Synonym(s): *platypus* Fieber,1866
- 5154) *Parornix acuta* Triberti,1980** (Gracillariidae) Synonym(s): *acuta* Triberti,1980
- 5155) *Parornix anguliferella* (Zeller,1847)** (Gracillariidae) Synonym(s): *anguliferella* Zeller,1847
- 5156) *Parornix carpinella* (Frey,1863)** (Gracillariidae) Synonym(s): *carpinella* Frey,1863; *eppelsheimi* Fuchs,1901
- 5157) *Parornix compsumpta* Triberti,1987** (Gracillariidae) Synonym(s): *compsumpta* Triberti,1987
- 5158) *Parornix finitimella* (Zeller,1850)** (Gracillariidae) Synonym(s): *finitimella* Zeller,1850
- 5159) *Parornix fragilella* Triberti,1981** (Gracillariidae) Synonym(s): *fragilella* Triberti,1981
- 5160) *Parornix oculata* Triberti,1979** (Gracillariidae) Synonym(s): *oculata* Triberti,1979
- 5161) *Parornix scoticella* (Stainton,1850)** (Gracillariidae) Synonym(s): *scoticella* Stainton,1850; *canella* Tengström,1859; *alpicola* Wocke,1877; *fulluzella* Chretien,1898; *sauberiella* Sorhagen,1905; *leucostola* Pelham-Clinton,1964
- 5162) *Pasiphila chloerata* (Mabille,1870)** (Geometridae) Synonym(s): *chloerata* Mabille,1870; *consueta* Butler,1879; *horticolaria* Fuchs,1892
- 5163) *Pasiphila debiliata* (Hübner,[1817])** (Geometridae) Synonym(s): *debiliata* Hübner,[1817]; *nigropunctata* Chant,1833; *debiliaria* Boisduval,1840; *clerci* Krulikovsky,1891; *suspiciosa* Inoue,1982
- 5164) *Pasiphila rectangulata* (Linnaeus,1758)** (Geometridae) Synonym(s): *rectangulata* Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocericeata* Haworth,1809; *sericeata* Haworth,1809; *subaerata* Hübner,[1817]; *rectangularia* Boisduval,1840
- 5165) *Pasira basiptera* Stal,1859** (Reduviidae) Synonym(s): *basiptera* Stal,1859
- 5166) *Pausus (Cochliopausus) turcicus* Frivaldszky,1835** (Carabidae) Synonym(s): *turcicus* Frivaldszky,1835
- 5167) *Pectinophora gossypiella* (Saunders,1844)** (Gelechiidae) Synonym(s): *gossypiella* Saunders,1844; *umbripennis* Walsingham,1885
- 5168) *Pedestredorcadion aeginasum* (Pic,1942)** (Cerambycidae) Synonym(s): *aeginasum* Pic,1942
- 5169) *Pedestredorcadion amphissae* (Breuning,1974)** (Cerambycidae) Synonym(s): *amphissae* Breuning,1974
- 5170) *Pedestredorcadion arcadium* (Breuning,1946)** (Cerambycidae) Synonym(s): *arcadium* Breuning,1946; *unicolor* Breuning,1946
- 5171) *Pedestredorcadion arenarioides* (Rabaron,1979)** (Cerambycidae) Synonym(s): *arenarioides* Rabaron,1979
- 5172) *Pedestredorcadion atritarse* (Pic,1931)** (Cerambycidae) Synonym(s): *atritarse* Pic,1931
- 5173) *Pedestredorcadion atticum* (Kratz,1873)** (Cerambycidae) Synonym(s): *atticum* Kratz,1873
- 5174) *Pedestredorcadion breuningi* (Heyrovsky,1943)** (Cerambycidae) Synonym(s): *breuningi* Heyrovsky,1943
- 5175) *Pedestredorcadion buresi* (Streba,1922)** (Cerambycidae) Synonym(s): *buresi* Streba,1922
- 5176) *Pedestredorcadion corcyricum* (Ganglbauer,1883)** (Cerambycidae) Synonym(s): *corcyricum* Ganglbauer,1883
- 5177) *Pedestredorcadion emgei* (Ganglbauer,1886)** (Cerambycidae) Synonym(s): *emgei* Ganglbauer,1886
- 5178) *Pedestredorcadion epirense* (Breuning,1942)** (Cerambycidae) Synonym(s): *epirense* Breuning,1942
- 5179) *Pedestredorcadion equestre* (Laxman,1770)** (Cerambycidae) Synonym(s): *equestre* Laxman,1770; *crucifer* Lepechin,1774; *cruciata* Fabricius,1787; *pallasi* Fischer von Waldheim,1806; *bisuturale* Jurecek,1933;...

- 5180) *Pedestredorcadion etruscum* (Rossi,1790) (Cerambycidae) Synonym(s): *etruscum* Rossi,1790; *italicum* Küster,1847;...
- 5181) *Pedestredorcadion eugeniae* (Ganglbauer,1886) (Cerambycidae) Synonym(s): *eugeniae* Ganglbauer,1886; *peloponesium* Pic,1902; *moreanum* Pic,1907
- 5182) *Pedestredorcadion funestum* (Ganglbauer,1883) (Cerambycidae) Synonym(s): *funestum* Ganglbauer,1883
- 5183) *Pedestredorcadion granigerum* (Ganglbauer,1883) (Cerambycidae) Synonym(s): *granigerum* Ganglbauer,1883
- 5184) *Pedestredorcadion heldreichi* (Kraatz,1873) (Cerambycidae) Synonym(s): *heldreichi* Kraatz,1873
- 5185) *Pedestredorcadion insulare* (Kraatz,1873) (Cerambycidae) Synonym(s): *insulare* Kraatz,1873
- 5186) *Pedestredorcadion joanninae* (Breuning,1967) (Cerambycidae) Synonym(s): *joanninae* Breuning,1967
- 5187) *Pedestredorcadion krueperi* (Ganglbauer,1883) (Cerambycidae) Synonym(s): *krueperi* Ganglbauer,1883
- 5188) *Pedestredorcadion kykladicum* (Breuning,1944) (Cerambycidae) Synonym(s): *kykladicum* Breuning,1944
- 5189) *Pedestredorcadion lamiae* (Breuning,1962) (Cerambycidae) Synonym(s): *lamiae* Breuning,1962
- 5190) *Pedestredorcadion lianokladii* (Breuning,1962) (Cerambycidae) Synonym(s): *lianokladii* Breuning,1962
- 5191) *Pedestredorcadion lineatocolle* (Kraatz,1873) (Cerambycidae) Synonym(s): *lineatocolle* Kraatz,1873; *riveti* Pic,1927; *sinuaticolle* Pic,1927
- 5192) *Pedestredorcadion lugubre* (Kraatz,1873) (Cerambycidae) Synonym(s): *lugubre* Kraatz,1873
- 5193) *Pedestredorcadion margheritae* (Breuning,1964) (Cerambycidae) Synonym(s): *margheritae* Breuning,1964
- 5194) *Pedestredorcadion meschniggi* (Breit,1928) (Cerambycidae) Synonym(s): *meschniggi* Breit,1928
- 5195) *Pedestredorcadion mimarenarium* (Breuning,1974) (Cerambycidae) Synonym(s): *mimarenarium* Breuning,1974
- 5196) *Pedestredorcadion nemeense* (Breuning,1974) (Cerambycidae) Synonym(s): *nemeense* Breuning,1974
- 5197) *Pedestredorcadion obenbergeri* (Heyrovsky,1940) (Cerambycidae) Synonym(s): *obenbergeri* Heyrovsky,1940
- 5198) *Pedestredorcadion obsoletum* (Kraatz,1873) (Cerambycidae) Synonym(s): *obsoletum* Kraatz,1873; *obsoletoides* Breuning,1946
- 5199) *Pedestredorcadion olympianum* (Meschnigg,1947) (Cerambycidae) Synonym(s): *olympianum* Meschnigg,1947
- 5200) *Pedestredorcadion olympicola* (Heyrovsky,1941) (Cerambycidae) Synonym(s): *olympicola* Heyrovsky,1941
- 5201) *Pedestredorcadion ossae* (Heyrovsky,1941) (Cerambycidae) Synonym(s): *ossae* Heyrovsky,1941
- 5202) *Pedestredorcadion parinfernale* (Breuning,1975) (Cerambycidae) Synonym(s): *parinfernale* Breuning,1975
- 5203) *Pedestredorcadion parnassi* (Kraatz,1873) (Cerambycidae) Synonym(s): *parnassi* Kraatz,1873; *oertzeni* Ganglbauer,1883
- 5204) *Pedestredorcadion pilosellum* (Kraatz,1873) (Cerambycidae) Synonym(s): *pilosellum* Kraatz,1873
- 5205) *Pedestredorcadion pindicum* (Breuning,1966) (Cerambycidae) Synonym(s): *pindicum* Breuning,1966
- 5206) *Pedestredorcadion pseudolineatocolle* (Breuning,1962) (Cerambycidae) Synonym(s): *pseudolineatocolle* Breuning,1962
- 5207) *Pedestredorcadion regulare* (Pic,1931) (Cerambycidae) Synonym(s): *regulare* Pic,1931
- 5208) *Pedestredorcadion salonicum* (Pic,1916) (Cerambycidae) Synonym(s): *salonicum* Pic,1916
- 5209) *Pedestredorcadion scopoli* (Herbst,1784) (Cerambycidae) Synonym(s): *scopoli* Herbst,1784; *lineatum* Fabricius,1787; *ungaricus* Gmelin,1790; *vicinum* Pic,1892;...
- 5210) *Pedestredorcadion smyrnensis* (Linnaeus,1758) (Cerambycidae) Synonym(s): *smyrnensis* Linnaeus,1758; *crux* Billberg,1817; *graecum* Waltl,1838; *cruciator* Gistel,1848; *bifidum* Chevrolat,1882;...
- 5211) *Pedestredorcadion subjunctum* (Pic,1904) (Cerambycidae) Synonym(s): *subjunctum* Pic,1904
- 5212) *Pedestredorcadion taborskyi* (Heyrovsky,1941) (Cerambycidae) Synonym(s): *taborskyi* Heyrovsky,1941
- 5213) *Pedestredorcadion tassii* (Breuning,1964) (Cerambycidae) Synonym(s): *tassii* Breuning,1964
- 5214) *Pedestredorcadion tauricum* (Waltl,1838) (Cerambycidae) Synonym(s): *tauricum* Waltl,1838; *nigritarse* Kraatz,1873
- 5215) *Pedestredorcadion taygetanum* (Pic,1902) (Cerambycidae) Synonym(s): *taygetanum* Pic,1902
- 5216) *Pedestredorcadion thessalicum* (Pic,1916) (Cerambycidae) Synonym(s): *thessalicum* Pic,1916
- 5217) *Pedestredorcadion tuleskovi* (Heyrovsky,1937) (Cerambycidae) Synonym(s): *tuleskovi* Heyrovsky,1937
- 5218) *Pedestredorcadion valonense* (Pic,1917) (Cerambycidae) Synonym(s): *valonense* Pic,1917; *apfelbecki* Winkler,1924
- 5219) *Pedestredorcadion veluchense* (Pic,1903) (Cerambycidae) Synonym(s): *veluchense* Pic,1903
- 5220) *Pedestredorcadion veluchianum* (Breuning,1943) (Cerambycidae) Synonym(s): *veluchianum* Breuning,1943
- 5221) *Pedestredorcadion wewalkai* (Breuning,1974) (Cerambycidae) Synonym(s): *wewalkai* Breuning,1974
- 5222) *Pediasia contaminella* (Hübner,1796) (Pyralidae) Synonym(s): *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886.
- 5223) *Pediasia fascelinella* (Hübner,[1813]) (Pyralidae) Synonym(s): *fascelinella* Hübner,[1813]; *treitschkeella* Sodoffsky,1830
- 5224) *Pediasia jucundella* (Herrich-Schäffer,[1847]) (Pyralidae) Synonym(s): *jucundellus* Herrich-Schäffer,[1847]; *festivellus* Herrich-Schäffer,[1847]; *saisanella* Bleszynski,1954; *adamczewskii* Bleszynski,1954; *sareptella* Bleszynski,1954.
- 5225) *Pediasia luteella* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *luteella* [Denis & Schiffermüller],1775; *exoletella* [Denis & Schiffermüller],1775; *exoletella* Hübner,1796; *ochrella* Hübner,1796; *kindermannii* Zeller,1863; *uhryki* Rothschild,1911.
- 5226) *Pediasia matricella* (Treitschke,1832) (Pyralidae) Synonym(s): *matricella* Treitschke,1832; *obscura* Caradja,1931
- 5227) *Pedicia (Amalopsis) occulta* (Meigen,1830) (Pediidae) Synonym(s): *occulta* Meigen,1830
- 5228) *Pedicia (Crunobia) zernyi* (Lackschewitz,1940) (Pediidae) Synonym(s): *zernyi* Lackschewitz,1940
- 5229) *Pedostrangalia emmipoda* (Mulsant,1863) (Cerambycidae) Synonym(s): *emmipoda* Mulsant,1863
- 5230) *Pedostrangalia verticalis* (Germar,1822) (Cerambycidae) Synonym(s): *verticalis* Germar,1822
- 5231) *Pegomya bicolor* (Wiedemann,1817) (Anthomyiidae) Synonym(s): *bicolor* Wiedemann,1817; *mitis* Meigen,1826; *longipes* R-D.,1851; *rumicis* Hardy,1854; *jynx* Ségué,1926; *cinereorufa* Ringdahl,1930; *sapporensis* Kato,1941
- 5232) *Pegomya cunicularia* (Rondani,1866) (Anthomyiidae) Synonym(s): *cunicularia* Rondani,1866; *tristriata* Stein,1908; *mixta* Villeneuve,1922
- 5233) *Pegomya testacea* (De Geer,1776) (Anthomyiidae) Synonym(s): *testacea* De Geer,1776
- 5234) *Peirates hybridus* (Scopoli,1763) (Reduviidae) Synonym(s): *hybridus* Scopoli,1763
- 5235) *Peirates strepitans* (Rambur,1839) (Reduviidae) Synonym(s): *strepitans* Rambur,1839
- 5236) *Pelina nitens* Loew,1873 (Ephydriidae) Synonym(s): *nitens* Loew,1873
- 5237) *Pellonia vibicaria* (Linnaeus,1761) (Geometridae) Synonym(s): *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789.
- 5238) *Pelochrista agrestana* (Treitschke,1830) (Tortricidae) Synonym(s): *agrestana* Treitschke,1830; *fultana* Zeller,1847
- 5239) *Pelochrista caecimaculana* (Hübner,[1799]) (Tortricidae) Synonym(s): *caecimaculana* Hübner,[1799]; *kollariana* Herrich-Schäffer,[1851]
- 5240) *Pelochrista duercki* (Osthelder,1941) (Tortricidae) Synonym(s): *duercki* Osthelder,1941

- 5241) Pelochrista fuscilana (Zeller,1847)** (Tortricidae) Synonym(s): *fuscilana* Zeller,1847; *crustulana* Lederer,1859; *obstinatana* Kennel,1901
- 5242) Pelochrista medullana (Staudinger,1880)** (Tortricidae) Synonym(s): *medullana* Staudinger,1880
- 5243) Peloponnesia culminella Sieder,1961** (Psychidae) Synonym(s): *culminella* Sieder,1961
- 5244) Peloponnesia glaphyrella (Rebel,1906)** (Psychidae) Synonym(s): *glaphyrella* Rebel,1906; *megaspiliella* Sieder,1959.
- 5245) Peloroepodes acuticornis (Oldenberg,1916)** (Dolichopodidae) Synonym(s): *acuticornis* Oldenberg,1916
- 5246) Pelosia obtusa Herrich-Schäffer,[1847]** (Arctiidae) Synonym(s): *obtusa* Herrich-Schäffer,[1847]; *taurica* Daniel,1939.
- 5247) Pempelia alpigenella (Duponchel,1836)** (Pyralidae) Synonym(s): *alpigenella* Duponchel,1836; *wagnerella* Freyer,1845
- 5248) Pempelia amoenella (Zeller,1848)** (Pyralidae) Synonym(s): *amoenella* Zeller,1848
- 5249) Pempelia johannella (Caradja,1917)** (Pyralidae) Synonym(s): *johannella* Caradja,1917
- 5250) Pempelia obductella Zeller,1839** (Pyralidae) Synonym(s): *obductella* Zeller,1839
- 5251) Pempelia palumbella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palumbella* [Denis & Schiffermüller],1775
- 5252) Pempeliella dilutella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *dilutella* [Denis & Schiffermüller],1775; *magna* Amsel,1953
- 5253) Pempeliella ornatella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ornatella* [Denis & Schiffermüller],1775; *criptella* Hübner,1796; *criptea* Haworth,1811; *ornatalis* Hübner,[1825]; *fraternella* Ragonot,1887; *gigantella* Amsel,1932; *aixella* Lucas,1938; *elbursella* Amsel,1954
- 5254) Pempeliella sororculella (Ragonot,1887)** (Pyralidae) Synonym(s): *sororculella* Ragonot,1887.
- 5255) Pempeliella sororiella (Zeller,1839)** (Pyralidae) Synonym(s): *sororiella* Zeller,1839
- 5256) Penestoglossa dardoinella (Millière,1863)** (Psychidae) Synonym(s): *dardoinella* Millière,1863; *latiorella* Mann,1873; *incerta* Millière,1876; *symmathetica* Meyrick,1938
- 5257) Penichroa fasciata (Stephens,1831)** (Cerambycidae) Synonym(s): *fasciata* Stephens,1831; *eggeri* Adlbauer,2006
- 5258) Penicillidia conspicua Speiser,1901** (Nycteribiidae) Synonym(s): *conspicua* Speiser,1901
- 5259) Penicillidia dufourii (Westwood,1835)** (Nycteribiidae) Synonym(s): *dufourii* Westwood,1835
- 5260) Pentastira megista Emeljanov,1978** (Cixiidae) Synonym(s): *megista* Emeljanov,1978
- 5261) Pentastira rorida (Fieber,1876)** (Cixiidae) Synonym(s): *rorida* Fieber,1876; *maculatus* Fieber,1876
- 5262) Pentastiridius leporinus (Linnaeus,1761)** (Cixiidae) Synonym(s): *leporinus* Linnaeus,1761; *pallidus* Herrich-Schäffer,1835
- 5263) Penthimia nigra (Goeze,1778)** (Cicadellidae) Synonym(s): *nigra* Goeze,1778; *aethyops* Schrank,1781; *haemorrhoea* Schrank,1781; *castanea* Gmelin,1790; *biguttata* Gmelin,1790 (*praeocc.*); *atra* Fabricius,1794; *ruficollis* Fabricius,1794; *thoracica* Panzer,1799; *sanguinicollis* Fabricius,1803; *maculata* Melichar,1896; *caucasica* Kusnezov,1931; *clavalis* Ribaut,1952; *fulva* Ribaut,1952; *maculipennis* Ribaut,1952
- 5264) Perconia strigillaria (Hübner,1787)** (Geometridae) Synonym(s): *strigillaria* Hübner,1787; *respersaria* Hübner,[1799]; *inaequaria* Haworth,1809; *herpeticaria* Rambur,1866; *grisearia* Lempke,1952; *fuscognaria* Lempke,1953
- 5265) Peribatodes correptarius (Zeller,1847)** (Geometridae) Synonym(s): *correptaria* Zeller,1847.
- 5266) Peribatodes ilicarius (Geyer,1833)** (Geometridae) Synonym(s): *ilicaria* Geyer,1833; *manuelarius* Herrich-Schäffer,1852; *maghrebica* Le Cerf,1923; *jacobitaria* Fernandez,1931
- 5267) Peribatodes rhomboidarius [Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemmaria* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943
- 5268) Peribatodes secundarius ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#secundaria* [Denis & Schiffermüller],1775; *fallentaria* Staudinger,1879; *druentaria* Cleu,1928; *syrisca* Wehrli,1933; *francosuevica* Schneider,1942; *rometschi* Schneider,1942; *occidentaria* Lempke,1953
- 5269) Peribatodes umbrarius (Hübner,[1809])** (Geometridae) Synonym(s): *umbraria* Hübner,[1809]; *vaucheri* Thierry-Mieg,1916
- 5270) Pericoma platystyla R.Wagner,1986** (Psychodidae) Synonym(s): *platystyla* R.Wagner,1986
- 5271) Pericyma albidentaria (Freyer,1842)** (Noctuidae) Synonym(s): *albidentaria* Freyer,1842
- 5272) Peridea korbi (Rebel,1918)** (Notodontidae) Synonym(s): *korbi* Rebel,1918
- 5273) Peridroma saucia (Hübner,[1808])** (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusca* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929.
- 5274) Perigrapha (Opacographa (Turcographa)) rorida (Frivaldsky,1835)** (Noctuidae) Synonym(s): *rorida* Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990
- 5275) Perigrapha (s.str.) i-cinctum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Micheli,1966.
- 5276) Perileptus areolatus (Creutzer,1799)** (Carabidae) Synonym(s): *areolatus* Creutzer,1799
- 5277) Periphanes delphinii (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903.
- 5278) Periphanes victorini (Sodoffsky,1849)** (Noctuidae) Synonym(s): *victorina* Sodoffsky,1849
- 5279) Peripontius oertzeni Schwarz,1897** (Elateridae) Synonym(s): *oertzeni* Schwarz,1897
- 5280) Peripontius terminatus (Erichson,1842)** (Elateridae) Synonym(s): *terminatus* Erichson,1842
- 5281) Perissomastix (s.str.) crassicornella (Zeller,1847)** (Tineidae) Synonym(s): *crassicornella* Zeller,1847
- 5282) Perittia echiella Joannis,1902** (Elachistidae) Synonym(s): *echiella* Joannis,1902
- 5283) Perittia minitaurella Kaila,2009** (Elachistidae) Synonym(s): *minitaurella* Kaila,2009
- 5284) Perittia mucronata (Parenti,2001)** (Elachistidae) Synonym(s): *mucronata* Parenti,2001
- 5285) Perittia ravida Kaila,2009** (Elachistidae) Synonym(s): *ravida* Kaila,2009
- 5286) Perizoma albulata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *albulata* [Denis & Schiffermüller],1775; *dissoluta* Strand,1902
- 5287) Perizoma alchemillata (Linnaeus,1758)** (Geometridae) Synonym(s): *alchemillata* Linnaeus,1758; *riulata* [Denis & Schiffermüller],1775; *nassata* Fabricius,1794; *alchemillaria* Borkhausen,1794; *aparinata* Hübner,[1825]; *silenata* Stephens,1850; *fennica* Reuter,1893
- 5288) Perizoma bifaciata (Haworth,1809)** (Geometridae) Synonym(s): *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *aquilaria* Herrich-Schäffer,1848; *linulata* Guenée,[1858]; *odontata* Millière,1870; *#bifasciata* Rebel,1939
- 5289) Perizoma flavosparsata (Wagner,1926)** (Geometridae) Synonym(s): *flavosparsata* Wagner,1926; *perpusillata* Fernandez,1931

- 5290) Perizoma minorata (Treitschke,1828)** (Geometridae) Synonym(s): *minorata* Treitschke,1828
- 5291) Perizoma sagittata (Fabricius,1787)** (Geometridae) Synonym(s): *bidentata* Hufnagel,1767 (*praeocc.*); *sagittata* Fabricius,1787; *comitata* Hübner,[1800]
- 5292) Perlamantispa perla (Pallas,1772)** (Mantispidae) Synonym(s): *perla* Pallas,1772; *christiana* Charpentier,1825; *victorii* Guérin-Ménéville,1845
- 5293) Petalographis orientalis (G.Petersen,1961)** (Tineidae) Synonym(s): *orientalis* G.Petersen,1961
- 5294) Petrophora chlorosata (Scopoli,1763)** (Geometridae) Synonym(s): *chlorosata* Scopoli,1763; *innata* Fabricius,1794; *virgaria* Borkhausen,1794; *petraria* Hübner,[1799]; *petrata* Haworth,1809.
- 5295) Petrorossia hespera (Rossi,1790)** (Bombyliidae) Synonym(s): *hesperus* Rossi,1790; *albipectus* Walker,1849
- 5296) Pexicopia malvella (Hübner,[1805])** (Gelechiidae) Synonym(s): *umbrella* auct.; *malvella* Hübner,[1805]; *lutarea* Haworth,1828
- 5297) Peyerimhoffina gracilis (Schneider,1851)** (Chrysopidae) Synonym(s): *gracilis* Schneider,1851; *tricolor* Brauer,1856
- 5298) Pezotettix lagoi Jannone,1936** (Acrididae) Synonym(s): *lagoi* Jannone,1936; *silvestrii* Jannone,1936
- 5299) Phaedon armoraciae (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *armoraciae* Linnaeus,1758
- 5300) Phaedon cochleariae (Fabricius,1792)** (Chrysomelidae) Synonym(s): *cochleariae* Fabricius,1792
- 5301) Phaeogenes corcirensis Berthoumieu,1901** (Ichneumonidae) Synonym(s): *corcirensis* Berthoumieu,1901
- 5302) Phaiogramma etruscaria (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903.
- 5303) Phaiogramma faustinata (Millière,1868)** (Geometridae) Synonym(s): *faustinata* Millière,1868; *rhoisaria* Chrétien,1909.
- 5304) Phalacropterix praeclens (Staudinger,1870)** (Psychidae) Synonym(s): *praeclens* Staudinger,1870
- 5305) Phalera bucephala (Linnaeus,1758)** (Notodontidae) Synonym(s): *bucephala* Linnaeus,1758; *lunula* Retzius,1783 *nec* Hufn.,1766 *non* Strm.,1768.
- 5306) Phalera bucephaloides (Ochsenheimer,1810)** (Notodontidae) Synonym(s): *bucephaloides* Ochsenheimer,1810
- 5307) Phalonidia albipalpana (Zeller,1847)** (Tortricidae) Synonym(s): *albipalpana* Zeller,1847
- 5308) Phalonidia contractana (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
- 5309) Phalonidia manniana (Fischer v. Röslerstamm,1839)** (Tortricidae) Synonym(s): *manniana* Fischer v. Röslerstamm,1839; *notulana* Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960.
- 5310) Phanerotoma (Bracotritoma) parva Kokujev,1903** (Braconidae) Synonym(s): *parva* Kokujev,1903; *aberrans* Shestakov,1930; *gussakovskii* Shestakov,1930
- 5311) Phanerotoma (s.str.) dentata (Panzer,1805)** (Braconidae) Synonym(s): *dentata* Panzer,1805; *minor* Snoflak,1951
- 5312) Phanerotoma fracta Kokujev,1903** (Braconidae) Synonym(s): *fracta* Kokujev,1903
- 5313) Phanerotoma ocularia Kohl,1906** (Braconidae) Synonym(s): *ocularia* Kohl,1906; *rjabovi* Vojnovskaja-Krieger,1929; *media* Shestakov,1930; *desertorum* Hedwig,1957; *flavitestacea* Fischer,1959
- 5314) Phanerotomella rufa (Marshall,1898)** (Braconidae) Synonym(s): *rufa* Marshall,1898; *kerteszi* Szepligeti,1900; *graeffei* Fischer,1959
- 5315) Phantia subquadrata (Herrich-Schäffer,1838)** (Flatidae) Synonym(s): *subquadrata* Herrich-Schäffer,1838
- 5316) Phaonia regalis (Stein,1900)** (Muscidae) Synonym(s): *regalis* Stein,1900
- 5317) Phaonia subventa (Harris,1780)** (Muscidae) Synonym(s): *subventa* Harris,1780; *variegata* Meigen,1826
- 5318) Pharmacis carna ([Denis & Schiffermüller],1775)** (Hepialidae) Synonym(s): *carna* [Denis & Schiffermüller],1775; *carnator* Haworth,1802; *judotta* Hübner,[1808]
- 5319) Phasia (Hyalomya) pandellei (Duponis,1957)** (Tachinidae) Synonym(s): *pandellei* Dupuis,1957
- 5320) Phasia (Hyalomya) pusilla Meigen,1824** (Tachinidae) Synonym(s): *pusilla* Meigen,1824
- 5321) Phasia (s.str.) aurigera (Egger,1860)** (Tachinidae) Synonym(s): *aurigera* Egger,1860
- 5322) Phasia (s.str.) hemiptera (Fabricius,1794)** (Tachinidae) Synonym(s): *hemiptera* Fabricius,1794
- 5323) Phasia (s.str.) obesa (Fabricius,1798)** (Tachinidae) Synonym(s): *obesa* Fabricius,1798
- 5324) Phasia (s.str.) subcoleoprata (Linnaeus,1767)** (Tachinidae) Synonym(s): *subcoleoprata* Linnaeus,1767
- 5325) Phasia venturii Draber-Monko,1965** (Tachinidae) Synonym(s): *venturii* Draber-Monko,1965
- 5326) Phengaris arion (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *telegones* Bergsträßer,1779; *mamers* Bergsträßer,1779; *arctophoni* Bergsträßer,1779; *arcina* Fruhstorfer,1910; *eutyphron* Fruhstorfer,1915; *microchroa* Verity,1948; *gelbiae* Lempke,1956
- 5327) Phengaris rebeli (Hirschke,1904)** (Lycaenidae) Synonym(s): *rebeli* Hirschke,1904; *coerulea* Vorbodt,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949.
- 5328) Pherbellia cinerella (Fallén,1820)** (Sciomyzidae) Synonym(s): *cinerella* Fallén,1820
- 5329) Pherbellia griseola (Fallén,1820)** (Sciomyzidae) Synonym(s): *griseola* Fallén,1820
- 5330) Pherbellia nana (Fallén,1820)** (Sciomyzidae) Synonym(s): *nana* Fallén,1820
- 5331) Pherbellia schoenherri (Fallén,1826)** (Sciomyzidae) Synonym(s): *schoenherri* Fallén,1826
- 5332) Pherbellia ventralis (Fallén,1820)** (Sciomyzidae) Synonym(s): *ventralis* Fallén,1820
- 5333) Phigalia pedaria (Fabricius,1787)** (Geometridae) Synonym(s): *#pilosaria* [Denis & Schiffermüller],1775; *pedaria* Fabricius,1787; *hyemaria* Borkhausen,1794; *extinctaria* Standfuss,1847.
- 5334) Philaenus signatus Melichar,1896** (Cercopidae) Synonym(s): *signatus* Melichar,1896
- 5335) Philaenus spumarius (Linnaeus,1758)** (Cercopidae) Synonym(s): *spumarius* Linnaeus,1758; *leucophthalma* Linnaeus,1758; *lateralis* Linnaeus,1758; *leucocephala* Linnaeus,1758
- 5336) Philanthus triangulum (Fabricius,1775)** (Crabronidae) Synonym(s): *ruspatrix* Linnaeus,1767; *triangulum* Fabricius,1775; *abdelcader* Lepeletier,1845
- 5337) Philere me transversata (Hufnagel,1767)** (Geometridae) Synonym(s): *transversata* Hufnagel,1767; *rhannata* [Denis & Schiffermüller],1775.
- 5338) Philipomyia graeca (Fabricius,1794)** (Tabanidae) Synonym(s): *graeca* Fabricius,1794; *ferruginea* Meigen,1804; *fulvicornis* Meigen,1820; *segmentaria* Brullé,1832; *infusa* Walker,1850; *propinqua* Palm,1876
- 5339) Philodiscus ponticus (Bigot,1880)** (Asilidae) Synonym(s): *ponticus* Bigot,1880; *bimaculatus* Becker,1913
- 5340) Philonicus albiceps (Meigen,1820)** (Asilidae) Synonym(s): *albiceps* Meigen,1820; *canescens* Wiedemann,1820; *nudus* Loew,1840; *eletus* Loew,1871; *domesticus* Ricardo,1920; *pulcher* Becker,1923; *marinus* Becker,1923; *orientalis* Esipenko,1969
- 5341) Philopotamus achemenus Schmid,1959** (Philopotamidae) Synonym(s): *achemenus* Schmid,1959
- 5342) Philopotamus montanus (Donovan,1813)** (Philopotamidae) Synonym(s): *montanus* Donovan,1813; *scopulorum* Stephens,1836; *charpentieri* Zetterstedt,1840; *tigrinus* Brauer,1857
- 5343) Philopotamus variegatus (Scopoli,1763)** (Philopotamidae) Synonym(s): *variegatus* Scopoli,1763; *pedemontanus* Navas,1934

- 5344) *Phlebotomus (Adlerius) balcanicus* Theodor, 1958 (Psychodidae) Synonym(s): *balcanicus* Theodor, 1958
- 5345) *Phlebotomus (Adlerius) brevis* Theodor & Mesghali, 1964 (Psychodidae) Synonym(s): *brevis* Theodor & Mesghali, 1964; *ismailicus* Perfilev, 1966
- 5346) *Phlebotomus (Adlerius) simici* Nitzulescu, 1931 (Psychodidae) Synonym(s): *simici* Nitzulescu, 1931
- 5347) *Phlebotomus (Larroussius) neglectus* Tonnoir, 1921 (Psychodidae) Synonym(s): *neglectus* Tonnoir, 1921; *krimensis* Perfilev, 1966
- 5348) *Phlebotomus (Larroussius) perfilevi* Parrot, 1930 (Psychodidae) Synonym(s): *perfilevi* Parrot, 1930; *macedonicus* Adler & Theodor, 1931
- 5349) *Phlebotomus (Larroussius) tobbei* Adler & Theodor, 1930 (Psychodidae) Synonym(s): *tobbei* Adler & Theodor, 1930; *pirumovi* Burakova & Mirzayan, 1934
- 5350) *Phlebotomus (Paraphlebotomus) alexandri* Sinton, 1928 (Psychodidae) Synonym(s): *alexandri* Sinton, 1928; *borovskii* Khodukin & Sofiev, 1931
- 5351) *Phlebotomus (Paraphlebotomus) sergenti* Parrot, 1917 (Psychodidae) Synonym(s): *sergenti* Parrot, 1917; *similis* Perfilev, 1963
- 5352) *Phlebotomus (s.str.) papatasi* (Scopoli, 1786) (Psychodidae) Synonym(s): *papatasi* Scopoli, 1786; *molesta* Costa, 1840; *breviventris* Ristorcelli, 1943
- 5353) *Phlebotomus (Transphlebotomus) nitzulescui* Simic, 1932 (Psychodidae) Synonym(s): *nitzulescui* Simic, 1932
- 5354) *Phlogophora meticulosa* (Linnaeus, 1758) (Noctuidae) Synonym(s): *meticulosa* Linnaeus, 1758; *lamii* Schadewald, 1993
- 5355) *Phlogophora scita* (Hübner, 1790) (Noctuidae) Synonym(s): *scita* Hübner, 1790
- 5356) *Pholidoptera griseoptera* (De Geer, 1773) (Tettigoniidae) Synonym(s): *griseoptera* De Geer, 1773; *cinereus* Gmelin, 1789; *aptera* Charpentier, 1825
- 5357) *Photodes fluxa* (Hübner, [1809]) (Noctuidae) Synonym(s): *fluxa* Hübner, [1809]
- 5358) *Phradonoma nobile* (Reitter, 1881) (Dermestidae) Synonym(s): *nobile* Reitter, 1881
- 5359) *Phragmacossia albida* (Erschoff, 1874) (Cossidae) Synonym(s): *albida* Erschoff, 1874
- 5360) *Phragmataecia castaneae* (Hübner, 1790) (Cossidae) Synonym(s): *castaneae* Hübner, 1790; *arundinis* Hübner, [1808]; *minor* Moore, 1879; *pygmaea* Graeser, 1888; *minima* Hampson, 1891
- 5361) *Phragmatobia fuliginosa* (Linnaeus, 1758) (Arctiidae) Synonym(s): *fuliginosa* Linnaeus, 1758; *fervida* Staudinger, 1871 *nec* Walk., 1855; *lurida* Rothschild, 1910; *monticola* Daniel, 1970 *nec* Reiss., 1934
- 5362) *Phragmatobia placida* (Frigalsky, 1835) (Arctiidae) Synonym(s): *placida* Frigalsky, 1835
- 5363) *Phratora laticollis* (Suffrian, 1851) (Chrysomelidae) Synonym(s): *laticollis* Suffrian, 1851
- 5364) *Phryxe caudata* (Rondani, 1859) (Tachinidae) Synonym(s): *caudata* Rondani, 1859
- 5365) *Phryxe nemea* (Meigen, 1824) (Tachinidae) Synonym(s): *nemea* Meigen, 1824
- 5366) *Phryxe vulgaris* (Fallén, 1810) (Tachinidae) Synonym(s): *vulgaris* Fallén, 1810
- 5367) *Phtheochroa annae* Huemer, 1990 (Tortricidae) Synonym(s): *annae* Huemer, 1990
- 5368) *Phtheochroa duponchelana* (Duponchel, 1843) (Tortricidae) Synonym(s): *duponchelana* Duponchel, 1843; *duponcheliana* Costa, 1847; *gloriosana* Herrich-Schäffer, 1851; *syriaca* Walsingham, 1900
- 5369) *Phtheochroa sodaliana* (Haworth, 1811) (Tortricidae) Synonym(s): *sodaliana* Haworth, 1811; *amandana* Herrich-Schäffer, 1851
- 5370) *Phthiria canescens* Loew, 1846 (Bombyliidae) Synonym(s): *canescens* Loew, 1846; *convergens* Loew, 1846
- 5371) *Phthiria conspicua* Loew, 1846 (Bombyliidae) Synonym(s): *conspicua* Loew, 1846
- 5372) *Phthiria gaedii* Wiedemann, 1820 (Bombyliidae) Synonym(s): *gaedei* Wiedemann, 1820; *maculata* Wiedemann, 1820; *punctata* Meigen, 1835; *zimmermanni* Nowicki, 1868; *gaedei* Engel, 1933
- 5373) *Phthiria minuta* (Fabricius, 1805) (Bombyliidae) Synonym(s): *minuta* Fabricius, 1805; *maura* Wiedemann, 1820
- 5374) *Phthiria pulicaria* (Mikan, 1796) (Bombyliidae) Synonym(s): *pulicaria* Mikan, 1796; *nigra* Meigen, 1804; *pygmaea* Fabricius, 1805; *campestris* Fallén, 1815; *major* Strobl, 1909
- 5375) *Phthiria subnitens* Loew, 1846 (Bombyliidae) Synonym(s): *subnitens* Loew, 1846; *rustica* Loew, 1846
- 5376) *Phthiria umbripennis* Loew, 1846 (Bombyliidae) Synonym(s): *umbripennis* Loew, 1846; *notata* Bigot, 1862
- 5377) *Phthiria vagans* Loew, 1846 (Bombyliidae) Synonym(s): *vagans* Loew, 1846; *pallenscens* Engel, 1933
- 5378) *Phthiridium biarticulatum* Hermann, 1804 (Nycteribiidae) Synonym(s): *biarticulatum* Hermann, 1804
- 5379) *Phthorimaea operculella* (Zeller, 1873) (Gelechiidae) Synonym(s): *terrella* Walker, 1864; *operculella* Zeller, 1873; *piscipellis* Zeller, 1873; *solanella* Boisduval, 1874; *tabacella* Ragonot, 1879; *sedata* Butler, 1880; *terrella* Pinhey, 1975
- 5380) *Phycita coronatella* (Guenée, 1845) (Pyralidae) Synonym(s): *coronatella* Guenée, 1845
- 5381) *Phycita diaphana* (Staudinger, 1870) (Pyralidae) Synonym(s): *diaphana* Staudinger, 1870
- 5382) *Phycita meliella* (Mann, 1864) (Pyralidae) Synonym(s): *meliella* Mann, 1864
- 5383) *Phycita metzneri* (Zeller, 1846) (Pyralidae) Synonym(s): *metzneri* Zeller, 1846
- 5384) *Phycita pedisignella* Ragonot, 1887 (Pyralidae) Synonym(s): *pedisignella* Ragonot, 1887
- 5385) *Phycita poteriella* (Zeller, 1846) (Pyralidae) Synonym(s): *poteriella* Zeller, 1846
- 5386) *Phycita roborella* ([Denis & Schiffermüller], 1775) (Pyralidae) Synonym(s): *roborella* [Denis & Schiffermüller], 1775; *spissicella* Fabricius, 1777; *spissicornis* Fabricius, 1798; *roboralis* Hübner, [1825]
- 5387) *Phycitodes albatella* (Ragonot, 1887) (Pyralidae) Synonym(s): *albatella* Ragonot, 1887
- 5388) *Phycitodes binaevella* (Hübner, [1813]) (Pyralidae) Synonym(s): *binaevella* Hübner, [1813]
- 5389) *Phycitodes inquinatella* (Ragonot, 1887) (Pyralidae) Synonym(s): *inquinatella* Ragonot, 1887
- 5390) *Phycitodes lacteella* (Rothschild, 1915) (Pyralidae) Synonym(s): *lacteella* Rothschild, 1915; *viettella* Roesler, 1965
- 5391) *Phycitodes saxicola* (Vaughan, 1870) (Pyralidae) Synonym(s): *saxicola* Vaughan, 1870
- 5392) *Phycotettix paryphantus* (Lethierry, 1878) (Cicadellidae) Synonym(s): *paryphantus* Lethierry, 1878; *abalia* Ferrari, 1884; *rubrostriatus* Loew, 1885
- 5393) *Phyladelphus thalhammeri* Becker, 1910 (Chloropidae) Synonym(s): *thalhammeri* Becker, 1910; *graecus* Duda, 1933
- 5394) *Phylapora canescens* (Duponchel, 1826) (Noctuidae) Synonym(s): *canescens* Duponchel, 1826; *pumicosa* Geyer, [1832]; *asphodeli* Rambur, 1832; *plumbea* Staudinger, 1895; *plumbina* Osthelder, 1933
- 5395) *Phyllocnistis citrella* Stainton, 1856 (Gracillariidae) Synonym(s): *citrella* Stainton, 1856; *minutella* Van Deventer, 1904; *citricola* Shiraki, 1913
- 5396) *Phyllocnistis labyrinthella* (Bjerkander, 1790) (Gracillariidae) Synonym(s): *labyrinthella* Bjerkander, 1790; *sorhageniella* Lüders, 1900
- 5397) *Phyllocnistis unipunctella* (Stephens, 1834) (Gracillariidae) Synonym(s): *unipunctella* Stephens, 1834; *augustella* Costa, [1836] *nec* Hübn., 1796; *suffusella* Zeller, 1848
- 5398) *Phyllocnistis valentinensis* (M. Hering, 1936) (Gracillariidae) Synonym(s): *valentinensis* M. Hering, 1936
- 5399) *Phyllodesma (s.str.) ilicifolium* (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *ilicifolia* Linnaeus, 1758; *betulifolia* Esper, 1782; *foliumsicum* Retzius, 1783

- 5400) Phyllodesma (s.str.) tremulifolium (Hübner,[1810])** (Lasiocampidae) Synonym(s): *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *danieli* De Lajonquière,1963; *#tremulifolium* De Freina,1999
- 5401) Phyllomorphus laceratus (Herrich-Schäffer,1835)** (Coreidae) Synonym(s): *laceratus* Herrich-Schäffer,1835; *persica* Westwood,1841
- 5402) Phyllomorphus laciniatus (Villers,1789)** (Coreidae) Synonym(s): *laciniatus* Villers,1789; *hystrix* Latreille,1817; *gallicus* Germar,1822; *muricatus* Hummel,1827; *algorica* Guérin-Ménéville,1839; *erinaceus* Herrich-Schäffer,1842; *brevispina* Wagner,1955; *montandoni* Zange,2005
- 5403) Phylomyza longipalpis (Schmitz,1924)** (Milichiidae) Synonym(s): *longipalpis* Schmitz,1924
- 5404) Phylomyza securicornis Fallén,1823** (Milichiidae) Synonym(s): *securicornis* Fallén,1823; *flavipes* Meigen,1830; *flavitaris* Meigen,1830
- 5405) Phyllonorycter abrasella (Duponchel,1843)** (Gracillariidae) Synonym(s): *abrasella* Duponchel,1843; *abrasella* Zeller,1846
- 5406) Phyllonorycter acaciella (Duponchel,1843)** (Gracillariidae) Synonym(s): *acaciella* Duponchel,1843; *bentivoliella* Costantini,1923
- 5407) Phyllonorycter anatolica (Deschka,1970)** (Gracillariidae) Synonym(s): *anatolica* Deschka,1970
- 5408) Phyllonorycter arkadiella Derra,1985** (Gracillariidae) Synonym(s): *arkadiella* Derra,1985
- 5409) Phyllonorycter blancardella (Fabricius,1781)** (Gracillariidae) Synonym(s): *blancardella* Fabricius,1781; *pyrariella* Tutt,1898; *concomitella* Banks,1899
- 5410) Phyllonorycter brunnea Deschka,1975** (Gracillariidae) Synonym(s): *brunnea* Deschka,1975
- 5411) Phyllonorycter cephalariae (Lhomme,1934)** (Gracillariidae) Synonym(s): *cephalariae* Lhomme,1934
- 5412) Phyllonorycter christenseni Derra,1985** (Gracillariidae) Synonym(s): *christenseni* Derra,1985
- 5413) Phyllonorycter delitella (Duponchel,1844)** (Gracillariidae) Synonym(s): *delitella* Duponchel,1844
- 5414) Phyllonorycter fraxinella (Zeller,1846)** (Gracillariidae) Synonym(s): *fraxinella* Zeller,1846
- 5415) Phyllonorycter heegeriella (Zeller,1846)** (Gracillariidae) Synonym(s): *heegeriella* Zeller,1846
- 5416) Phyllonorycter helianthemella (Herrich-Schäffer,1861)** (Gracillariidae) Synonym(s): *helianthemella* Herrich-Schäffer,1861; *cistifoliella* Groschke,1944
- 5417) Phyllonorycter ilicifoliella (Duponchel,1843)** (Gracillariidae) Synonym(s): *ilicifoliella* Duponchel,1843
- 5418) Phyllonorycter joviella (Constant,1890)** (Gracillariidae) Synonym(s): *joviella* Constant,1890
- 5419) Phyllonorycter kusdasi (Deschka,1970)** (Gracillariidae) Synonym(s): *kusdasi* Deschka,1970
- 5420) Phyllonorycter lautella (Zeller,1846)** (Gracillariidae) Synonym(s): *lautella* Zeller,1846; *irradiella* Stainton,1854
- 5421) Phyllonorycter leucographella (Zeller,1850)** (Gracillariidae) Synonym(s): *leucographella* Zeller,1850
- 5422) Phyllonorycter maestingella (Müller,1764)** (Gracillariidae) Synonym(s): *maestingella* Müller,1764; *faginella* Zeller,1846; *securiferella* Stainton,1848; *triguttella* Stainton,1850; *phegophagella* Herrich-Schäffer,1855; *hedemanni* Caradja,1920
- 5423) Phyllonorycter messaniella (Zeller,1846)** (Gracillariidae) Synonym(s): *messaniella* Zeller,1846
- 5424) Phyllonorycter millierella (Staudinger,1871)** (Gracillariidae) Synonym(s): *millierella* Staudinger,1871; *celtidella* Rondani,1876
- 5425) Phyllonorycter muelleriella (Zeller,1839)** (Gracillariidae) Synonym(s): *muelleriella* Zeller,1839; *amyotella* Duponchel,1840
- 5426) Phyllonorycter olympica Deschka,1983** (Gracillariidae) Synonym(s): *olympica* Deschka,1983
- 5427) Phyllonorycter parisiella (Wocke,1848)** (Gracillariidae) Synonym(s): *parisiella* Wocke,1848
- 5428) Phyllonorycter platani (Staudinger,1870)** (Gracillariidae) Synonym(s): *platani* Staudinger,1870; *felinella* Heinrich,1920
- 5429) Phyllonorycter roboris (Zeller,1839)** (Gracillariidae) Synonym(s): *roboris* Zeller,1839; *roborifoliella* Duponchel,[1843]; *roborella* Stainton,1848
- 5430) Phyllonorycter spinicolella (Zeller,1846)** (Gracillariidae) Synonym(s): *spinicolella* Zeller,1846; *cerasicolella* Herrich-Schäffer,1855.
- 5431) Phyllonorycter suberifoliella (Zeller,1850)** (Gracillariidae) Synonym(s): *suberifoliella* Zeller,1850
- 5432) Phyllonorycter sublautella (Stainton,1869)** (Gracillariidae) Synonym(s): *sublautella* Stainton,1869
- 5433) Phyllonorycter trifasciella (Haworth,[1828])** (Gracillariidae) Synonym(s): *trifasciella* Haworth,[1828]
- 5434) Phyllonorycter ulicicolella (Stainton,1851)** (Gracillariidae) Synonym(s): *ulicicolella* Stainton,1851
- 5435) Phyllophila obliterata (Rambur,1833)** (Noctuidae) Synonym(s): *obliterata* Rambur,1833; *wimmerii* Treitschke,1835; *recta* Eversmann,1844; *cretacea* Butler,1879; *venerica* Bryk,1949.
- 5436) Phyllostreta latevittata Kutschera,1860** (Chrysomelidae) Synonym(s): *latevittata* Kutschera,1860
- 5437) Phyllostreta pontoaegeica Gruev,1982** (Chrysomelidae) Synonym(s): *pontoaegeica* Gruev,1982
- 5438) Phymata (s.str.) crassipes (Fabricius,1775)** (Reduviidae) Synonym(s): *crassipes* Fabricius,1775
- 5439) Physatocheila confinis Horvath,1905** (Tingidae) Synonym(s): *confinis* Horvath,1905
- 5440) Physatocheila dumetorum (Herrich-Schäffer,1838)** (Tingidae) Synonym(s): *dumetorum* Herrich-Schäffer,1838
- 5441) Physatocheila municeps Horvath,1903** (Tingidae) Synonym(s): *municeps* Horvath,1903
- 5442) Physetopoda daghestanica (Radoszkowski,1885)** (Mutillidae) Synonym(s): *daghestanica* Radoszkowski,1885
- 5443) Physiphora alceae (Preyssler,1791)** (Ulidiidae) Synonym(s): *alceae* Preyssler,1791
- 5444) Physocephala lacera (Meigen,1824)** (Conopidae) Synonym(s): *lacera* Meigen,1824
- 5445) Physocephala laticincta (Brullé,1832)** (Conopidae) Synonym(s): *laticincta* Brullé,1832
- 5446) Physocephala pusilla (Meigen,1824)** (Conopidae) Synonym(s): *pusilla* Meigen,1824; *tener* Loew,1847; *persica* Becker,1913; *punctithorax* Becker,1913
- 5447) Physocephala truncata (Loew,1847)** (Conopidae) Synonym(s): *truncata* Loew,1847
- 5448) Physocephala vaginalis (Rondani,1865)** (Conopidae) Synonym(s): *vaginalis* Rondani,1865
- 5449) Physocephala variegata (Meigen,1824)** (Conopidae) Synonym(s): *variegata* Meigen,1824; *furax* Becker,1913
- 5450) Physocephala vittata (Fabricius,1794)** (Conopidae) Synonym(s): *vittata* Fabricius,1794; *dorsalis* Wiedemann,1824; *solaeformis* Gimmerthal,1842; *fraterna* Loew,1847; *semiatrata* Costa,1844; *detecta* Becker,1913; *abdominalis* Kröber,1915; *semirufa* Kröber,1915; *immaculata* Kröber,1939
- 5451) Phytoecia (Blepisanis) vittipennis Reiche,1877** (Cerambycidae) Synonym(s): *vittipennis* Reiche,1877; *pallidior* Pic,1901; *tokatensis* Pic,1933
- 5452) Phytoecia (s.str.) geniculata Mulsant,1862** (Cerambycidae) Synonym(s): *geniculata* Mulsant,1862
- 5453) Phytoecia caerulea (Scopoli,1772)** (Cerambycidae) Synonym(s): *caerulea* Scopoli,1772
- 5454) Phytoecia cylindrica (Linnaeus,1758)** (Cerambycidae) Synonym(s): *cylindrica* Linnaeus,1758
- 5455) Phytoecia geniculata Mulsant,1863** (Cerambycidae) Synonym(s): *geniculata* Mulsant,1863
- 5456) Phytoecia nausicae Rejzek & Kaklopoulos,2004** (Cerambycidae) Synonym(s): *nausicae* Rejzek & Kaklopoulos,2004

- 5457) **Phytoecia virgula** (Charpentier,1825) (Cerambycidae) Synonym(s): *virgula* Charpentier,1825
- 5458) **Phytometra viridaria** (Clerck,1759) (Noctuidae) Synonym(s): *#viridaria* Clerck,1759; *purpurata* Linnaeus,1761; *lanceata* Scopoli,1763; *aenea* [Denis & Schiffermüller],1775; *olivacea* Vieweg,1790; *latruncula* Esper,[1791]; *hoffmanni*, Stauder,1915; *lutaigira* Schawerda,1924
- 5459) **Picromerus bidens** (Linnaeus,1758) (Pentatomidae) Synonym(s): *bidens* Linnaeus,1758; *bilobus* Schrank,1781; *fuscoannulatus* Stal,1858; *longicollis* Jakovlev,1902
- 5460) **Picromerus nigridentis** (Fabricius,1803) (Pentatomidae) Synonym(s): *nigridentis* Fabricius,1803; *maculicornis* Mulsant,1852
- 5461) **Pieris (Artogeia) ergane** (Geyer,[1828]) (Pieridae) Synonym(s): *ergane* Geyer,[1828]; *narcaea* Freyer,[1828].
- 5462) **Pieris (Artogeia) krueperi** Staudinger,1860 (Pieridae) Synonym(s): *krueperi* Staudinger,1860
- 5463) **Pieris (Artogeia) mannii** (Mayer,1851) (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973.
- 5464) **Pieris (Artogeia) napi** (Linnaeus,1758) (Pieridae) Synonym(s): *napi* Linn.,1758; *napaeae* Esper,[1804]; *dubiosa* Röber,1907; *napoleon* Eitschb.,1990
- 5465) **Pieris (Artogeia) pseudorapae** Verity,1908 (Pieridae) Synonym(s): *pseudorapae* Verity,1908
- 5466) **Pieris (Artogeia) rapae** (Linnaeus,1758) (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929.
- 5467) **Pieris (s.str.) brassicae** (Linnaeus,1758) (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924.
- 5468) **Piesma (Parapiesma) kochiae** (Becker,1867) (Piesmatidae) Synonym(s): *kochiae* Becker,1867
- 5469) **Piesma (Parapiesma) kolenatii** (Fieber,1861) (Piesmatidae) Synonym(s): *laportei* Kolenati,1857 nec Fieb.,1844; *kolenatii* Fieber,1861; *caucasicum* Péricart,1973
- 5470) **Piesma (Parapiesma) quadratum** (Fieber,1844) (Piesmatidae) Synonym(s): *quadratum* Fieber,1844; *dilatatus* Jakovlev,1874; *convexicollis* Jakovlev,1874; *rotundicollis* Rey,1888; *nigroscutellata* Peneau,1921; *chiniana* Drake & Maa,1953; *spargulariae* Woodroffe,1966
- 5471) **Piesma (Parapiesma) salsolae** (Becker,1867) (Piesmatidae) Synonym(s): *salsolae* Becker,1867
- 5472) **Piesma (Parapiesma) variabile** (Fieber,1844) (Piesmatidae) Synonym(s): *variabile* Fieber,1844; *brevicornis* Rey,1888
- 5473) **Piesma (s.str.) capitatum** (Wolff,1804) (Piesmatidae) Synonym(s): *capitatum* Wolff,1804; *collaris* Zetterstedt,1828; *pedicularis* Herrich-Schäffer,1830; *stephensi* Fieber,1844; *pallidum* Costa,1862; *declivis* Rey,1893; *divergens* Rey,1893
- 5474) **Piesma (s.str.) maculatum** (Laporte,1833) (Piesmatidae) Synonym(s): *antica* Stephens,1829; *maculatum* Laporte,1833; *laportei* Fieber,1844; *viridis* Jakovlev,1871
- 5475) **Pimelia (Eurypimelia) subglobosa** (Pallas,1781) (Tenebrionidae) Synonym(s): *subglobosa* Pallas,1781
- 5476) **Pimelia (Eurypimelia) subglobosa polita** Solier,1836 (Tenebrionidae) Synonym(s): *polita* Solier,1836; *euboica* Boield.,1865
- 5477) **Pimelia (Eurypimelia) subglobosa verruculifera** Solier,1836 (Tenebrionidae) Synonym(s): *verruculifera* Solier,1836
- 5478) **Pimelia sericella** Solier,1836 (Tenebrionidae) Synonym(s): *sericella* Solier,1836
- 5479) **Pinthaeus sanguinipes** (Fabricius,1781) (Pentatomidae) Synonym(s): *sanguinipes* Fabricius,1781; *genei* Costa,1841
- 5480) **Pittonotus theseus** (Germar,1817) (Elateridae) Synonym(s): *theseus* Germar,1817
- 5481) **Plagiotrochus kiefferianus** Tavares,1901 (Cynipidae) Synonym(s): *kiefferianus* Tavares,1901
- 5482) **Planaphrodes trifasciatus** (Fourcroy,1785) (Cicadellidae) Synonym(s): *trifasciatus* Fourcroy,1785; *laevus* Rey,1891; *niger* Kuznezov,1929
- 5483) **Platycleis (Incertana) incerta** Brunner von Wattenwyl,1882 (Tettigoniidae) Synonym(s): *incerta* Brunner von Wattenwyl,1882
- 5484) **Platycleis (s.str.) affinis** Fieber,1853 (Tettigoniidae) Synonym(s): *affinis* Fieber,1853; *boscae* Bolivar,1873
- 5485) **Platycleis (s.str.) albopunctata** (Goeze,1778) (Tettigoniidae) Synonym(s): *albopunctata* Goeze,1778; *denticulata* Panzer,1796; *falcata* Zetterstedt,1821; *biedermanni* Wolff,1911; *occidentalis* Zeuner,1930; *jerseyana* Zeuner,1940
- 5486) **Platycleis (Sporadiana) sporadarum** Werner,1933 (Tettigoniidae) Synonym(s): *sporadarum* Werner,1933; *brevipes* Uvarov,1934
- 5487) **Platynemesis pennipes** (Pallas,1771) (Platynemidae) Synonym(s): *pennipes* Pallas,1771
- 5488) **Platyedra subcinerea** (Haworth,[1828]) (Gelechiidae) Synonym(s): *subcinerea* Haworth,[1828]; *vilella* Zeller,1847.
- 5489) **Platymetopius (s.str.) guttatus** Fieber,1869 (Cicadellidae) Synonym(s): *guttatus* Fieber,1869
- 5490) **Platymetopius complicatus** Nast,1972 (Cicadellidae) Synonym(s): *signoreti* Metcalf,1967 (*praeocc.*); *complicatus* Nast,1972
- 5491) **Platymyrmilla quinquefasciata** (Olivier,1811) (Mutillidae) Synonym(s): *quinquefasciata* Olivier,1811
- 5492) **Platypalpus graecus** Grootaert & Chvala,1992 (Hybotidae) Synonym(s): *graecus* Grootaert & Chvala,1992
- 5493) **Platypalpus halli** Grootaert & Chvala,1992 (Hybotidae) Synonym(s): *halli* Grootaert & Chvala,1992
- 5494) **Platyptilia farfarella** Zeller,1867 (Pterophoridae) Synonym(s): *farfarella* Zeller,1867; *molopias* Meyrick,1906; *gonodactyla* Hori,1934 nec [Denis & Schiffermüller],1775.
- 5495) **Platyptilia gonodactyla** ([Denis & Schiffermüller],1775) (Pterophoridae) Synonym(s): *gonodactyla* [Denis & Schiffermüller],1775; *megalodactyla* [Denis & Schiffermüller],1775; *diptera* Sulzer,1776; *trigonodactyla* Haworth,1811; *farfara* Gregson,1885; *albidior* Caradja,1920.
- 5496) **Platyptilia miantodactylus** (Zeller,1841) (Pterophoridae) Synonym(s): *miantodactylus* Zeller,1841
- 5497) **Platyptilia pallidactyla** (Haworth,1811) (Pterophoridae) Synonym(s): *pallidactyla* Haworth,1811; *marginidactylus* Fitch,1854; *nebulaedactylus* Fitch,1854; *bertrami* Rössler,1864; *bischoffi* Zeller,1867; *cervinidactylus* Packard,1873; *adustus* Walsingham,1880; *chapmani* Tutt,1896; *sachalinensis* Matsumura,1931.
- 5498) **Platyptilia tesseradactyla** (Linnaeus,1761) (Pterophoridae) Synonym(s): *tesseradactyla* Linnaeus,1761; *fischeri* Zeller,1841; *hibernica* Tutt,1906.
- 5499) **Platypygus chrysanthemi** Loew,1844 (Mythicomyiidae) Synonym(s): *chrysanthemi* Loew,1844
- 5500) **Platypygus ridibundus** (A.Costa,1863) (Mythicomyiidae) Synonym(s): *ridibundus* A.Costa,1863; *tauricus* Paramonov,1926
- 5501) **Platystoma arcuatum** Loew,1856 (Platystomidae) Synonym(s): *arcuatum* Loew,1856
- 5502) **Platytes cerussella** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *cerussella* [Denis & Schiffermüller],1775; *quadrella* [Denis & Schiffermüller],1775; *barbella* Hübner,1796; *auriferella* Hübner,1796; *pygmaeus* Stephens,1834.
- 5503) **Plebejus (Kretania) carmon** (Gerhard,[1851]) (Lycaenidae) Synonym(s): *carmon* Gerhard,[1851, November]; *eurypilus* Freyer,[1851,December].
- 5504) **Plebejus (Kretania) psylorita** (Freyer,1845) (Lycaenidae) Synonym(s): *psylorita* Freyer,1845
- 5505) **Plebejus (Lycaeides) argyrognomon** (Bergsträßer,[1779]) (Lycaenidae) Synonym(s): *argyrognomon* Bergsträßer,[1779]; *argyrobius* Bergsträßer,[1779]; *argyrocapelus* Bergsträßer,[1779]; *argyrocopus* Bergsträßer,[1779];

- argyroela* Bergsträßer,[1779]; *argyrophylax* Bergsträßer,[1779]; *ismenias* Meigen,1829; *ligurica* Oberthür,1910; *aegus* Chapman,1917
- 5506) *Plebejus (Lycaeides) idas* (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793.
- 5507) *Plebejus (Plebejides) brethertoni* (Brown,1976)** (Lycaenidae) Synonym(s): *brethertoni* Brown,1976
- 5508) *Plebejus (s.str.) argus* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931.
- 5509) *Plemyria rubiginata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bicolorata* Hufnagel,1767 *nec* Hufn.,1766; *rubiginata* [Denis & Schiffermüller],1775.
- 5510) *Pleuroptya balteata* (Fabricius,1798)** (Pyrilidae) Synonym(s): *balteata* Fabricius,1798; *crocealis* Duponchel,1831; *aurantiacalis* Fischer v. Roeslerstamm,1840; *accipitralis* Walker,[1866]; *aurea* Butler,1879; *fraterna* Moore,1886; *evergestialis* Strand,1918.
- 5511) *Pleuroptya ruralis* (Scopoli,1763)** (Pyrilidae) Synonym(s): *ruralis* Scopoli,1763; *iridialis* Hübner,[1825]; *perpendicularis* Duponchel,1833; *conchalis* Werneburg,1864; *dubia* Hampson,1891
- 5512) *Pleurota arduella* Rebel,1906** (Oecophoridae) Synonym(s): *arduella* Rebel,1906
- 5513) *Pleurota aristella* (Linnaeus,1767)** (Oecophoridae) Synonym(s): *aristella* Linnaeus,1767; *corniculata* Villers,1789; *cornicella* Villers,1789; *schlaegerella* Zeller,1847; *argentistrigella* Mann,1854
- 5514) *Pleurota bicostella* (Clerck,1759)** (Oecophoridae) Synonym(s): *bicostella* Clerck,1759; *bipunctella* Hübner,1793; *bicostatus* Fabricius,1798
- 5515) *Pleurota contristatella* Mann,1867** (Oecophoridae) Synonym(s): *contristatella* Mann,1867
- 5516) *Pleurota ericella* (Duponchel,1839)** (Oecophoridae) Synonym(s): *ericella* Duponchel,1839; *imitatrix* Herrich-Schäffer,1854; *imitatricella* Herrich-Schäffer,1862; *aenella* Lhomme,1949
- 5517) *Pleurota filigerella* Mann,1867** (Oecophoridae) Synonym(s): *filigerella* Mann,1867
- 5518) *Pleurota marginella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *marginella* [Denis & Schiffermüller],1775
- 5519) *Pleurota metricella* (Zeller,1847)** (Oecophoridae) Synonym(s): *metricella* Zeller,1847
- 5520) *Pleurota nitens* Staudinger,1871** (Oecophoridae) Synonym(s): *nitens* Staudinger,1871
- 5521) *Pleurota planella* (Staudinger,1859)** (Oecophoridae) Synonym(s): *planella* Staudinger,1859
- 5522) *Pleurota protasella* Staudinger,1883** (Oecophoridae) Synonym(s): *protasella* Staudinger,1883
- 5523) *Pleurota pungitiella* Herrich-Schäffer,[1854]** (Oecophoridae) Synonym(s): *pungitiella* Herrich-Schäffer,[1854]
- 5524) *Pleurota pyropella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller],1775
- 5525) *Pleurota sublustrella* (Mann,1872)** (Oecophoridae) Synonym(s): *sublustrella* Mann,1872
- 5526) *Pleurota tristatella* Staudinger,1871** (Oecophoridae) Synonym(s): *tristatella* Staudinger,1871
- 5527) *Pleurota vittalba* Staudinger,1871** (Oecophoridae) Synonym(s): *vittalba* Staudinger,1871
- 5528) *Plodia interpunctella* (Hübner,[1813])** (Pyrilidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932.
- 5529) *Plusia festucae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *festucae* Linnaeus,1758; *aureoargentea* Retzius,1783; *yokohamensis* Bryk,1949; *japonibia* Bryk,1949
- 5530) *Plutella (s.str.) xylostella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 *nec* Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Benthinck,1943
- 5531) *Podisma pedestris* (Linnaeus,1758)** (Acrididae) Synonym(s): *pedestris* Linnaeus,1758; *apterum* Degeer,1773; *mesoptera* Ramme; *semifasciata* Werner,1933
- 5532) *Poecilimon anatolicus* Ramme,1933** (Tettigoniidae) Synonym(s): *anatolicus* Ramme,1933; *rufonitens* Ingrisch & Pavicevic,1985
- 5533) *Poecilimon mytilenensis* Werner,1932** (Tettigoniidae) Synonym(s): *mytilenensis* Werner,1932; *brevicauda* Werner,1932
- 5534) *Poecilimon schmidtii* (Fieber,1853)** (Tettigoniidae) Synonym(s): *schmidtii* Fieber,1853; *zolutarewi* Stshelkanovtzev,1910
- 5535) *Poecilobothrus regalis* (Meigen,1824)** (Dolichopodidae) Synonym(s): *regalis* Meigen,1824
- 5536) *Pogonistes convexicollis* Chaudoir,1871** (Carabidae) Synonym(s): *convexicollis* Chaudoir,1871
- 5537) *Pogonistes liliputanus* Apfelbeck,1904** (Carabidae) Synonym(s): *liliputanus* Apfelbeck,1904
- 5538) *Pogonistes rufoaeneus* Dejean,1828** (Carabidae) Synonym(s): *rufoaeneus* Dejean,1828
- 5539) *Pogonosoma maroccanum* (Fabricius,1794)** (Asilidae) Synonym(s): *maroccanum* Fabricius,1794
- 5540) *Polia bombycina* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809.
- 5541) *Polia hepatica* (Clerck,1759)** (Noctuidae) Synonym(s): *hepatica* Clerck,1759; *socia* Hufnagel,1766; *petrificata* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *petrificosa* Hübner,[1803]; *petrolignea* Hübner,[1821]; *incognita* Butler,1885.
- 5542) *Polia nebulosa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *nebulosa* Hufnagel,1766; *bimaculosa* Esper,1788 *nec* Linn.,1767; *thapsi* Brahm,1791; *grandis* Donovan,1801; *plebeja* Hübner,[1803].
- 5543) *Polia sagittigera* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885.
- 5544) *Polia serratilinea* Ochsenheimer,1816** (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schauerda,1925; *kowatschevi* Drenowski,1931; *pinkeri* Varga,1974.
- 5545) *Polistes (s.str.) associus* Kohl,1898** (Vespidae) Synonym(s): *associus* Kohl,1898
- 5546) *Polistes (s.str.) gallicus* (Linnaeus,1767)** (Vespidae) Synonym(s): *gallicus* Linnaeus,1767; *foederatus* Kohl,1898; *omissus* Weyrauch,1939
- 5547) *Polistes (s.str.) nimphus* (Christ,1791)** (Vespidae) Synonym(s): *nimpha* Christ,1791; *opinabilis* Kohl,1898; *moltonii* Guiglia,1944; *irakensis* Gusenleitner,1976
- 5548) *Polistes (s.str.) semenowi* Morawitz,1889** (Vespidae) Synonym(s): *semenowi* Morawitz,1889
- 5549) *Pollenia bulgarica* Jacentkovsky,1939** (Calliphoridae) Synonym(s): *bulgarica* Jacentkovsky,1939
- 5550) *Pollenia dasypoda* Portschinsky,1881** (Calliphoridae) Synonym(s): *dasypoda* Portschinsky,1881
- 5551) *Pollenia labialis* R-D.,1863** (Calliphoridae) Synonym(s): *labialis* R-D.,1863; *excarinata* Wainwright,1940

- 5552) Pollenia rudis (Fabricius,1794)** (Calliphoridae) Synonym(s): *rudis* Fabricius,1794; *varia* Meigen,1826; *familiaris* Harris,1869
- 5553) Polydegmon foveolatus (Herrich-Schäffer,1838)** (Braconidae) Synonym(s): *foveolatus* Herrich-Schäffer,1838; *marshalli* Szepliget,1896
- 5554) Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnididae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785.
- 5555) Polygonia (Comma) egea (Cramer,[1775])** (Argynnididae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932.
- 5556) Polymerus cognatus (Fieber,1858)** (Miridae) Synonym(s): *cognatus* Fieber,1858
- 5557) Polymerus hirtulus Wagner,1959** (Miridae) Synonym(s): *hirtulus* Wagner,1959
- 5558) Polymixis (Bischoffia) bischoffi (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bischoffi* Herrich-Schäffer,[1850]
- 5559) Polymixis (Bischoffia) culoti (Schawerda,1921)** (Noctuidae) Synonym(s): *culoti* Schawerda,1921
- 5560) Polymixis (Myxinia) flavicincta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#flavicincta* [Denis & Schiffermüller],1775; *dysodea* Esper,[1790]; *major* Esper,[1790]
- 5561) Polymixis (Myxinia) rufocincta (Geyer,1828)** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852.
- 5562) Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
- 5563) Polymixis (s.str.) polymita (Linnaeus,1761)** (Noctuidae) Synonym(s): *viridiobscura* Goeze,1781; *ridens* Hübner,[1803]; *aithalodes* Dannehl,1929
- 5564) Polymixis (s.str.) xanthomista (Hübner,[1819])** (Noctuidae) Synonym(s): *xanthomista* Hübner,[1819]; *nigrocincta* Treitschke,1825; *nivescens* Staudinger,1861; *nivea* Dannehl,1929
- 5565) Polymixis (Serpimixis) serpentina (Treitschke,1825)** (Noctuidae) Synonym(s): *serpentina* Treitschke,1825
- 5566) Polyocha venosa (Zeller,1847)** (Pyralidae) Synonym(s): *venosa* Zeller,1847
- 5567) Polyodaspis sulcicornis (Meigen,1838)** (Chloropidae) Synonym(s): *sulcicornis* Meigen,1838; *atra* Meigen,1838; *dasyprocta* Loew,1858; *amicalis* Becker,1912; *pokornyi* Becker,1912; *hispanica* Duda,1933; *helvetica* Duda,1933; *lacteipennis* Duda,1933; *anglicus* Collin,1946
- 5568) Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)** (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003
- 5569) Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934.
- 5570) Polyommatus (Aricia (Eumedonia)) eumedon (Esper,[1780])** (Lycaenidae) Synonym(s): *chiron* Rottemburg,1775 *nec* Fabr.,1775; *eumedon* Esper,[1780]; *osiris* O.Bang-Haas,1927 *nec* Hopff.,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980.
- 5571) Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel,1766 *nec* Linn.,1763; *alexis* Rottemburg,1775 *nec* Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779].
- 5572) Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) Synonym(s): *artaxerxes* Fabricius,1793.
- 5573) Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper,[1783])** (Lycaenidae) Synonym(s): *admetus* Esper,[1783]
- 5574) Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis (Brown,1976)** (Lycaenidae) Synonym(s): *aroaniensis* Brown,1976
- 5575) Polyommatus (s.str. (Agrodiaetus (Admetusia))) eleniae Coutsis & De Prins,2005** (Lycaenidae) Synonym(s): *eleniae* Coutsis & De Prins,2005
- 5576) Polyommatus (s.str. (Agrodiaetus (Admetusia))) nephohiptamenos (Brown & Coutsis,1978)** (Lycaenidae) Synonym(s): *nephohiptamenos* Brown & Coutsis,1978
- 5577) Polyommatus (s.str. (Agrodiaetus (Admetusia))) ripartii (Freyer,[1830])** (Lycaenidae) Synonym(s): *ripartii* Freyer,[1830].
- 5578) Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): *iphigenia* Herrich-Schäffer,[1847]
- 5579) Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *damon* [Denis & Schiffermüller],1775
- 5580) Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *semiargus* Rottemburg,1775; *acis* Denis & Schiffermüller,1775 *nec* Dry.,1773; *byzas* Bergsträßer,[1779]; *byze* Bergsträßer,[1779]; *argopoeus* Bergsträßer,[1779]; *byzenus* Bergsträßer,[1779]; *argopoei* Bergsträßer,[1779]; *cimon* Lewin,1795; *argianus* Dalman,1816.
- 5581) Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 *nec* Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779;; *hyacinthus* Lewin,1795; *urania* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antarentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958
- 5582) Polyommatus (s.str. (Lysandra)) coridon (Poda,1761)** (Lycaenidae) Synonym(s): *coridon* Poda,1761; *graeca* Heyne,1895; *torgniensis* Haverkamp,1906; *altica* Neustetter,1909; *alpiumpallida* Verity,1926; *jurae* Verity,1926; *insulana* Verity,1926; *galliae* Verity,1926; *narbonensis* Verity,1926; *fumosa* Verity,1926; *italagallica* Verity,1926; *dinae* Verity,1926; *minutepunctata* Verity,1926; *bieneri* Stauder,1924; *nicaeensis* Dujardin,1944.
- 5583) Polyommatus (s.str. (Lysandra)) philippi (Brown & Coutsis,1978)** (Lycaenidae) Synonym(s): *philippi* Brown & Coutsis,1978
- 5584) Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 *nec* Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909.
- 5585) Polyommatus (s.str. (Neolysandra)) coelestinus (Eversmann,1843)** (Lycaenidae) Synonym(s): *coelestinus* Eversmann,1843
- 5586) Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius* Esper,1789 *nec* Rottemburg,1775; *amandus* Schneider,1792
- 5587) Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] *nec* Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985.
- 5588) Polyommatus (s.str. (Plebicula)) escheri (Hübner,[1823])** (Lycaenidae) Synonym(s): *escheri* Hübner,[1823]; *aggestor* Godart,1823.

- 5589) Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919.
- 5590) Polyommatus (s.str.) andronicus Coutsis & Ghavalas,1995** (Lycaenidae) Synonym(s): *andronicus* Coutsis & Ghavalas,1995
- 5591) Polyommatus (s.str.) eros (Ochsenheimer,1808)** (Lycaenidae) Synonym(s): *tithonus* Hübner,[1804] nec Linn.,1771; *eros* Ochsenheimer,1808
- 5592) Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999
- 5593) Polyommatus (s.str.) menelaos Brown,1976** (Lycaenidae) Synonym(s): *menelaos* Brown,1976
- 5594) Polyphaenis viridis (De Villers,1789)** (Noctuidae) Synonym(s): *sericata* Esper,[1787] nec ; *viridis* De Villers,1789.
- 5595) Polyphonus laevigatus Loew,1848** (Asilidae) Synonym(s): *laevigatus* Loew,1848
- 5596) Polyphylla (s.str.) boryi Brullé,1832** (Scarabaeidae) Synonym(s): *boryi* Brullé,1832; *lessinae* Reitter,1890
- 5597) Polyphylla (s.str.) fullo (Linnaeus,1758)** (Scarabaeidae) Synonym(s): *fullo* Linnaeus,1758; *luctuosa* Mulsant,1842; *marmorata* Mulsant,1847; *macrocera* Reitter,1891
- 5598) Polyphylla (s.str.) naxiana Reitter,1902** (Scarabaeidae) Synonym(s): *naxiana* Reitter,1902
- 5599) Polyphylla (s.str.) olivieri (Laporte de Castelnau,1840)** (Scarabaeidae) Synonym(s): *olivieri* Laporte de Castelnau,1840; *abhasica* Motschoulsky,1845; *caucasica* Heyden,1864; *persica* Brenske,1902
- 5600) Polypogon lunalis (Scopoli,1763)** (Noctuidae) Synonym(s): *lunalis* Scopoli,1763
- 5601) Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829.
- 5602) Polypogon tentacularia (Linnaeus,1758)** (Noctuidae) Synonym(s): *tentacularia* Linnaeus,1758
- 5603) Polypogon zelleri (Wocke,1850)** (Noctuidae) Synonym(s): *zelleri* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851.
- 5604) Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] nec *russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881.
- 5605) Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940.
- 5606) Pontia edusa (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienenr,1869; *#nitida* Verity,[1908].
- 5607) Praestilbia armeniaca Staudinger,1892** (Noctuidae) Synonym(s): *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936
- 5608) Prasocuris junci (Brahm,1790)** (Chrysomelidae) Synonym(s): *junci* Brahm,1790; *beccabungae* Küster,1846; *minutus* Markovic,1909
- 5609) Prasocuris phellandrii (Linnaeus,1758)** (Chrysomelidae) Synonym(s): *phellandrii* Linnaeus,1758
- 5610) Prays citri (Millière,1873)** (Yponomeutidae) Synonym(s): *citri* Millière,1873
- 5611) Prays oleae (Bernard,1788)** (Yponomeutidae) Synonym(s): *oleae* Bernard,1788; *oleellus* Fabricius,1794; *oliviella* Boyer,1837; *adpersella* Heydenreich,1851; *adpersigriseella* Bruand,1859
- 5612) Pristomerus armatus (Lucas,1849)** (Ichneumonidae) Synonym(s): *armatus* Lucas,1849; *cingulatus* Szepliget,1905
- 5613) Pristomerus vulnerator (Panzer,1799)** (Ichneumonidae) Synonym(s): *vulnerator* Panzer,1799; *schreineri* Ashmead,1904; *#marginalis* Habermehl,1923
- 5614) Problepsis ocellata (Frivaldszky,1845)** (Geometridae) Synonym(s): *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858]
- 5615) Procapperia linariae (Chrétien,1922)** (Pterophoridae) Synonym(s): *linariae* Chrétien,1922; *croatia* Adamczewski,1951.
- 5616) Proceps acicularis Mulsant & Rey,1855** (Cicadellidae) Synonym(s): *acicularis* Mulsant & Rey,1855; *albolimbatus* Kirschbaum,1868
- 5617) Prochlidonia amiantana (Hübner,[1799])** (Tortricidae) Synonym(s): *amiantana* Hübner,[1799]
- 5618) Prochoreutis myllerana (Fabricius,1794)** (Choreutidae) Synonym(s): *myllerana* Fabricius,1794; *mylleri* Haworth,1811; *augustana* Hübner,[1813]; *scintilulana* Hübner,[1825]; *scintilulalis* Treitschke,1835; *albipunctalis* Zetterstedt,1839; *müllerana* Heyden,1865
- 5619) Prochoreutis stellaris (Zeller,1847)** (Choreutidae) Synonym(s): *stellaris* Zeller,1847; *irradiata* Meyrick,1913
- 5620) Procraterus tibialis (Lacordaire,1835)** (Elateridae) Synonym(s): *tibialis* Lacordaire,1835
- 5621) Prolita sexpunctella (Fabricius,1794)** (Gelechiidae) Synonym(s): *sexpunctella* Fabricius,1794; *virgella* Thunberg,1784; *longicornis* Curtis,1827; *histrionella* Geyer,[1832]; *zebrilla* Treitschke,1833; *alpicola* Frey,1867; *alternella* Keafott,1908; *petulans* Braun,1925.
- 5622) Prolita solutella (Zeller,1839)** (Gelechiidae) Synonym(s): *solutella* Zeller,1839; *fumosella* Douglas,1852; *pribitzeri* Rebel,1889; *nigrobipunctella* Lucas,1932.
- 5623) Promachus leoninus Loew,1848** (Asilidae) Synonym(s): *leoninus* Loew,1848
- 5624) Propiromorpha rhodophana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *rhodophana* Herrich-Schäffer,[1851]
- 5625) Propomacrus bimucronatus (Pallas,1781)** (Scarabaeidae) Synonym(s): *bimucronatus* Pallas,1781
- 5626) Prorachthes ledereri Loew,1868** (Bombyliidae) Synonym(s): *ledereri* Loew,1868
- 5627) Prorachthes vespertilio (Séguy,1932)** (Bombyliidae) Synonym(s): *vespertilio* Séguy,1932
- 5628) Proscolia spectator Day,1981** (Scolidae) Synonym(s): *spectator* Day,1981
- 5629) Proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Grun-Grshimailo,1887; *japetus* Grun-Grshimailo,1890; *gigas* Oberthür,1922.
- 5630) Prosimulium (s.str.) rachiliense Djafarov,1954** (Simuliidae) Synonym(s): *rachiliense* Djafarov,1954; *pronevitschae* Rubtsov,1955
- 5631) Prosimulium (s.str.) rufipes (Meigen,1830)** (Simuliidae) Synonym(s): *rufipes* Meigen,1830; *galli* Edwards,1921; *conistylum* Rubtsov,1956
- 5632) Prosimulium (s.str.) tomosvaryi (Enderlein,1921)** (Simuliidae) Synonym(s): *fuscipes* Roser,1840 (*praeocc.*); *tomosvaryi* Enderlein,1921; *nigripes* Enderlein,1925; *balcanicum* Enderlein,1929; *canbalicum* Smart,1944; *pseudohirtipes* Smart,1944; *arvernense* Grenier,1947; *duodecimfilium* Rubtsov,1955; *maruashvili* Machavariani,1966
- 5633) Prostemma aeneicolle Stein,1857** (Nabidae) Synonym(s): *aeneicolle* Stein,1857
- 5634) Prostemma krueperi Stein,1878** (Nabidae) Synonym(s): *krueperi* Stein,1878

- 5635) *Prosternon tessellatum* (Linnaeus,1758) (Elateridae) Synonym(s): *tessellatum* Linnaeus,1758
 5636) *Protaetia* (Netocia) *trojana* (Gory & Percheron,1833) (Scarabaeidae) Synonym(s): *trojana* Gory & Percheron,1833
 5637) *Protaetia* (Potosia) *cretica* Kraatz,1880 (Scarabaeidae) Synonym(s): *cretica* Kraatz,1880
 5638) *Protaetia* (Potosia) *cuprea* (Fabricius,1775) (Scarabaeidae) Synonym(s): *cuprea* Fabricius,1775
 5639) *Protaetia* (Potosia) *rhodensis* Rataj,1998 (Scarabaeidae) Synonym(s): *rhodensis* Rataj,1998
 5640) *Protaetia* (Potosia) *vidua* (Gory & Perchenson,1833) (Scarabaeidae) Synonym(s): *vidua* Gory & Perchenson,1833
 5641) *Proteinus creticus* Assing,2004 (Staphylinidae) Synonym(s): *creticus* Assing,2004
 5642) *Proterebia afra* (Fabricius,1787) (Satyridae) Synonym(s): *afra* Fabricius,1787
 5643) *Proterospastis merdella* (Zeller,1852) (Tineidae) Synonym(s): *merdella* Zeller,1852; *siccanella* Chrétien,1915; *palaestinella* Amsel,1935.
 5644) *Proteuchloris neriaria* (Herrich-Schäffer,[1852]) (Geometridae) Synonym(s): *neriaria* Herrich-Schäffer,[1852].
 5645) *Protocalliphora falcozi* Séguy,1928 (Calliphoridae) Synonym(s): *falcozi* Séguy,1928
 5646) *Protodeltote pygarga* (Hufnagel,1766) (Noctuidae) Synonym(s): *pygarga* Hufnagel,1766
 5647) *Protonemura intricata* (Ris,1902) (Nemouridae) Synonym(s): *intricata* Ris,1902
 5648) *Protonemura mattheyi* (Aubert,1956) (Nemouridae) Synonym(s): *mattheyi* Aubert,1956
 5649) *Protonemura praecox* (Morton,1894) (Nemouridae) Synonym(s): *praecox* Morton,1894
 5650) *Protopiophila latipes* (Meigen,1838) (Piophilidae) Synonym(s): *latipes* Meigen,1838; *caucasica* Ozerov,2008
 5651) *Protorhoe corollaria* (Herrich-Schäffer,[1848]) (Geometridae) Synonym(s): *corollaria* Herrich-Schäffer,[1848]; *noacki* Draudt,1935.
 5652) *Protorhoe unicata* (Guenée,[1858]) (Geometridae) Synonym(s): *unicata* Guenée,[1858]
 5653) *Protoschinia scutosa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
 5654) *Protosmia* (Chelostomopsis) *longiceps* (Frieze,1899) (Megachilidae) Synonym(s): *longiceps* Frieze,1899; *depauperata* Benoist,1928
 5655) *Protosmia* (s.str.) *glutinosa* (Giraud,1871) (Megachilidae) Synonym(s): *glutinosa* Giraud,1871
 5656) *Protosmia* (s.str.) *monstrosa* (Pérez,1895) (Megachilidae) Synonym(s): *monstrosa* Pérez,1895; *mirabilis* Frieze,1899
 5657) *Protosmia* (s.str.) *paradoxa* (Frieze,1899) (Megachilidae) Synonym(s): *paradoxa* Frieze,1899
 5658) *Protosmia* (s.str.) *sideritis* Tkalcu,1978 (Megachilidae) Synonym(s): *sideritis* Tkalcu,1978
 5659) *Protosmia* (s.str.) *stigmatica* (Pérez,1895) (Megachilidae) Synonym(s): *stigmatica* Pérez,1895
 5660) *Protosmia* (s.str.) *tiflensis* (Morawitz,1876) (Megachilidae) Synonym(s): *tiflensis* Morawitz,1876; *graffei* Schmiedeknecht,1890
 5661) *Proutictis artesiaria* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *artesiaria* [Denis & Schiffermüller],1775
 5662) *Proxenus hospes* (Freyer,[1831]) (Noctuidae) Synonym(s): *hospes* Freyer,[1831]
 5663) *Psallus asthenicus* Seidenstücker,1966 (Miridae) Synonym(s): *asthenicus* Seidenstücker,1966; *amitinus* Wagner,1975
 5664) *Psallus henschii* Reuter,1888 (Miridae) Synonym(s): *henschii* Reuter,1888; *femoralis* Reuter,1899
 5665) *Psammotettix confinis* (Dahlbom,1850) (Cicadellidae) Synonym(s): *confinis* Dahlbom,1850; *eurylobus* Kirschbaum,1868; *heydeni* Fieber,1872; *thenii* Edwards,1915; *spathifer* Ribaut,1925
 5666) *Psammotettix helvolus* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *helvolus* Kirschbaum,1868; *obtusiceps* Kirschbaum,1868; *rhombifer* Fieber,1869; *substriatus* Then,1902
 5667) *Psammotettix provincialis* (Ribaut,1925) (Cicadellidae) Synonym(s): *provincialis* Ribaut,1925
 5668) *Psammotis pulveralis* (Hübner,1796) (Pyralidae) Synonym(s): *pulveralis* Hübner,1796
 5669) *Pselnophorus heterodactylus* (Müller,1764) (Pterophoridae) Synonym(s): *heterodactylus* Müller,1764; *brachydactylus* Kollar,1832; *aetodactylus* Duponchel,1840.
 5670) *Pseudapis* (Nomiapis) *diversipes* (Latreille,1806) (Halictidae) Synonym(s): *diversipes* Latreille,1806
 5671) *Pseudapis* (Nomiapis) *equestris* Gerstaecker,1872 (Halictidae) Synonym(s): *equestris* Gerstaecker,1872
 5672) *Pseudapis* (Nomiapis) *femoralis* (Pallas,1773) (Halictidae) Synonym(s): *femoralis* Pallas,1773; *valga* Gerstaecker,1872
 5673) *Pseudapis* (Nomiapis) *monstrosa* (Costa,1861) (Halictidae) Synonym(s): *monstrosa* Costa,1861
 5674) *Pseudapis* (Nomiapis) *valga* (Gerstaecker,1872) (Halictidae) Synonym(s): *valga* Gerstaecker,1872
 5675) *Pseudaraeopus lethierryi* (Mulsant & Rey,1879) (Delphacidae) Synonym(s): *lethierryi* Mulsant & Rey,1879; *ribauti* Lallemant,1921
 5676) *Pseudargyrotoza conwagana* (Fabricius,1775) (Tortricidae) Synonym(s): *montana* Scopoli,1763; *conwagana* Fabricius,1775; *hofmannseggana* Hübner,[1799]; *spixiana* Frölich,1828; *subaurantiana* Stephens,1834; *graphitana* Eversmann,1844; *#conwajana* Staudinger,1879.
 5677) *Pseudeuchromius lata* (Staudinger,1870) (Pyralidae) Synonym(s): *lata* Staudinger,1870
 5678) *Pseudeustrotia candidula* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *candidula* [Denis & Schiffermüller],1775; *pusilla* Vieweg,1789
 5679) *Pseudeustrotia deceptor* (Scopoli,1763) (Noctuidae) Synonym(s): *deceptor* Scopoli,1763; *tineodes* Hufnagel,1766; *atratura* [Denis & Schiffermüller],1775
 5680) *Pseudexechia trisignata* (Edwards,1913) (Mycetophilidae) Synonym(s): *trisignata* Edwards,1913
 5681) *Pseudobanksia arahova* Stengel,1990 (Psychidae) Synonym(s): *arahova* Stengel,1990
 5682) *Pseudobanksia darwini* Stengel,1990 (Psychidae) Synonym(s): *darwini* Stengel,1990
 5683) *Pseudochazara* (Achazara) *anthelea* (Hübner,[1824]) (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973.
 5684) *Pseudochazara* (s.str.) *amymone* Brown,1976 (Satyridae) Synonym(s): *amymone* Brown,1976
 5685) *Pseudochazara* (s.str.) *geyeri* (Herrich-Schäffer,[1846]) (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer,[1846]; *aristonius* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978
 5686) *Pseudochazara* (s.str.) *graeca* (Staudinger,1870) (Satyridae) Synonym(s): *graeca* Staudinger,1870
 5687) *Pseudochazara* (s.str.) *mniszecchii* (Herrich-Schäffer,[1851]) (Satyridae) Synonym(s): *mniszecchii* Herrich-Schäffer,[1851]
 5688) *Pseudochazara* (s.str.) *orestes* De Prins & Poorten,1981 (Satyridae) Synonym(s): *orestes* De Prins & Poorten,1981
 5689) *Pseudococyx tessulatana* (Staudinger,1871) (Tortricidae) Synonym(s): *tessulatana* Staudinger,1871
 5690) *Pseudocopicucullia syrtana* (Mabille,1888) (Noctuidae) Synonym(s): *syrtana* Mabille,1888
 5691) *Pseudoips prasinana* (Linnaeus,1758) (Noctuidae) Synonym(s): *prasinana* Linnaeus,1758; *fagana* Fabricius,1781; *sylvana* Fabricius,1794; *britannica* W.Warren,1913.
 5692) *Pseudolychnia canariensis* (Macquart,1839) (Hippoboscidae) Synonym(s): *canariensis* Macquart,1839; *maura* Bigot,1885

- 5693) **Pseudoneuroterus macropterus (Hartig,1843)** (Cynipidae) Synonym(s): *macropterus* Hartig,1843
- 5694) **Pseudopanthera macularia (Linnaeus,1758)** (Geometridae) Synonym(s): *macularia* Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrimaculata* Haworth,1809; *meridionalis* Galvagni,1908
- 5695) **Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865
- 5696) **Pseudophotopsis syriaca (André,1900)** (Mutillidae) Synonym(s): *syriaca* André,1900; *caspica* sensu Özbek et al.,1999 nec Radoszkowski,1885
- 5697) **Pseudopostega crepusculella (Zeller,1839)** (Opostegidae) Synonym(s): *crepusculella* Zeller,1839; *lvovskyi* Kozlov,1985
- 5698) **Pseudoryssus henshii (Mocsary,1910)** (Orussidae) Synonym(s): *henshii* Mocsary,1910; *emanuelis* Guiglia,1956
- 5699) **Pseudosphegistes bergeri Slama,1982** (Cerambycidae) Synonym(s): *bergeri* Slama,1982
- 5700) **Pseudotelphusa istrella (Mann,1866)** (Gelechiidae) Synonym(s): *istrella* Mann,1866; *decuriella* Mann,1872; *trifasciella* Rebel,1916.
- 5701) **Pseudotelphusa scalella (Scopoli,1763)** (Gelechiidae) Synonym(s): *scalella* Scopoli,1763; *aleella* Fabricius,1794; *alternella* Hübner,1796 nec Den. & Schiff.,1775; *alterna* Haworth,1828; *bicolorella* Treitschke,1832
- 5702) **Pseudoterpna pruinata (Hufnagel,1767)** (Geometridae) Synonym(s): *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 nec Hufnagel,1767; *cythisaria* [Denis & Schiffermüller],1775; *genistaria* Villers,1789.
- 5703) **Pseudoxestia apfelbecki (Rebel,1901)** (Noctuidae) Synonym(s): *apfelbecki* Rebel,1901
- 5704) **Pseudozarba bipartita (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bipartita* Herrich-Schäffer,1850
- 5705) **Psilochalcis nigerrima (Masi,1929)** (Chalcididae) Synonym(s): *nigerrima* Masi,1929
- 5706) **Psilochalcis subarmata (Förster,1855)** (Chalcididae) Synonym(s): *subarmata* Förster,1855; *tarsalis* Förster,1859
- 5707) **Psilopa obscuripes Loew,1860** (Ephydriidae) Synonym(s): *obscuripes* Loew,1860
- 5708) **Psilothrix melanostoma (Brullé,1832)** (Melyridae) Synonym(s): *melanostoma* Brullé,1832
- 5709) **Psilothrix viridicoerulea (Geoffroy,1785)** (Melyridae) Synonym(s): *viridicoerulea* Geoffroy,1785
- 5710) **Psoricoptera gibbosella (Zeller,1839)** (Gelechiidae) Synonym(s): *gibbosella* Zeller,1839; *triorthias* Meyrick,1935; *lepigreeella* Lucas,1946.
- 5711) **Psorosa dahliaella (Treitschke,1832)** (Pyrilidae) Synonym(s): *dahliaella* Treitschke,1832; *bivitella* Duponchel,1836.
- 5712) **Psyche casta (Pallas,1767)** (Psychidae) Synonym(s): *casta* Pallas,1767; *nitidella* Hübner,1793; *germanica* Chapman,1900; *minor* Chapman,1900; *bowerella* Chapman,1900; *mitterdella* Chapman,1900; *niphonica* Hori,1926; *ussuriensis* Kozhantschikov,1956.
- 5713) **Psyche crassiorella (Bruand,[1851])** (Psychidae) Synonym(s): *crassiorella* Bruand,[1851]; *intermediella* Bruand,1853; *affinis* Reutti,1853; *subflavella* Milliere,1876; *ciliella* Chapman,1900; *danieli* Siedler,1958.
- 5714) **Psylliodes milleri Kutschera,1864** (Chrysomelidae) Synonym(s): *milleri* Kutschera,1864
- 5715) **Psylliodes pallidicolor Pic,1903** (Chrysomelidae) Synonym(s): *pallidicolor* Pic,1903
- 5716) **Pterolonche (s.str.) albescens Zeller,1847** (Pterolonchidae) Synonym(s): *albescens* Zeller,1847
- 5717) **Pterolonche (s.str.) dispersa Staudinger,1859** (Pterolonchidae) Synonym(s): *dispersa* Staudinger,1859
- 5718) **Pterophorus ischnodactylus (Treitschke,1835)** (Pterophoridae) Synonym(s): *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968.
- 5719) **Pterophorus pentadactylus (Linnaeus,1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880.
- 5720) **Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) Synonym(s): *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812.
- 5721) **Pterothrixidia contectella (Zeller,1848)** (Pyrilidae) Synonym(s): *contectella* Zeller,1848
- 5722) **Pterothrixidia rufella (Duponchel,1836)** (Pyrilidae) Synonym(s): *rufella* Duponchel,1836; *squalidella* Eversmann,1842; *luridatella* Zeller,1848; *infuscatella* Herrich-Schäffer,1849; *tauricella* Wocke,1871; *corsicella* Ragonot,1893.
- 5723) **Pterotmetus parnassius Horvath,1882** (Lygaeidae) Synonym(s): *parnassius* Horvath,1882
- 5724) **Pterotmetus staphyliniformis (Schilling,1829)** (Lygaeidae) Synonym(s): *staphyliniformis* Schilling,1829
- 5725) **Ptilocephala (Deuterothalina) albida (Esper,[1786])** (Psychidae) Synonym(s): *albida* Esper,[1786]
- 5726) **Ptilodon capucina (Linnaeus,1758)** (Notodontidae) Synonym(s): *capucina* Linnaeus,1758; *camelina* Linnaeus,1758
- 5727) **Ptocheuusa inopella (Zeller,1839)** (Gelechiidae) Synonym(s): *inopella* Zeller,1839
- 5728) **Ptocheuusa paupella (Zeller,1847)** (Gelechiidae) Synonym(s): *paupella* Zeller,1847
- 5729) **Ptycholoma lecheana (Linnaeus,1758)** (Tortricidae) Synonym(s): *lecheana* Linnaeus,1758; *obsoletana* Stephens,1834
- 5730) **Ptycholomoides aeriferanus (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *aeriferana* Herrich-Schäffer,1851
- 5731) **Puerphorus olbiadactylus (Millière,1859)** (Pterophoridae) Synonym(s): *olbiadactylus* Millière,1859; *hemargus* Meyrick,1908; *dactilographa* Turati,1927.
- 5732) **Puncticorpus cribratum (Villeneuve,1918)** (Sphaeroceridae) Synonym(s): *cribratum* Villeneuve,1918; *brevipennis* Duda,1918
- 5733) **Pungeleria capreolaria (Fabricius,1787)** (Geometridae) Synonym(s): *capreolaria* Fabricius,1787; *donzelaria* Duponchel,1829; *valesiaria* Vorbrod & Müller-Rutz,1913
- 5734) **Purpuricenens budensis (Götz,1783)** (Cerambycidae) Synonym(s): *budensis* Götz,1783
- 5735) **Purpuricenens desfontainei (Fabricius,1792)** (Cerambycidae) Synonym(s): *desfontainei* Fabricius,1792
- 5736) **Purpuricenens kaehleri (Linnaeus,1758)** (Cerambycidae) Synonym(s): *kaehleri* Linnaeus,1758
- 5737) **Purpuricenens renyvona Slama,2001** (Cerambycidae) Synonym(s): *renyvona* Slama,2001
- 5738) **Pyla fusca (Haworth,[1811])** (Pyrilidae) Synonym(s): *fusca* Haworth,[1811]
- 5739) **Pyncostola bohemiella (Nickerl,1864)** (Gelechiidae) Synonym(s): *bohemiella* Nickerl,1864
- 5740) **Pyrallis farinalis (Linnaeus,1758)** (Pyrilidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 nec Fabr.,1794.
- 5741) **Pyrallis regalis [Denis & Schiffermüller],1775** (Pyrilidae) Synonym(s): *regalis* [Denis & Schiffermüller],1775
- 5742) **Pyrausta (Haematia) castalis Treitschke,1829** (Pyrilidae) Synonym(s): *castalis* Treitschke,1829
- 5743) **Pyrausta (Haematia) cingulata (Linnaeus,1758)** (Pyrilidae) Synonym(s): *cingulata* Linnaeus,1758; *aethiopata* Scopoli,1763; *cingulalis* [Denis & Schiffermüller],1775; *eremitica* Fourcroy,1785; *vittalis* La Harpe,1864; *apenninialis* Costantini,1923
- 5744) **Pyrausta (Haematia) despicata (Scopoli,1763)** (Pyrilidae) Synonym(s): *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775.
- 5745) **Pyrausta (Haematia) sanguinalis (Linnaeus,1767)** (Pyrilidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819]
- 5746) **Pyrausta (Haematia) virginalis Duponchel,1832** (Pyrilidae) Synonym(s): *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916
- 5747) **Pyrausta (s.str.) aurata (Scopoli,1763)** (Pyrilidae) Synonym(s): *aurata* Scopoli,1763; *punicealis* [Denis & Schiffermüller],1775; *niepoldalis* Lederer,1863

- 5748) Pyrausta (s.str.) inciae Koçak,1982** (Pyrilidae) Synonym(s): *meridionalis* Staudinger,1880 *nec* Wecke,1871; *inciae* Koçak,1982.
- 5749) Pyrausta (s.str.) obfuscata (Scopoli,1763)** (Pyrilidae) Synonym(s): *obfuscata* Scopoli,1763; *fuscobellula* Goeze,1783; *bimaculosa* Fourcroy,1785; *rubralis* Villers,1789; *pygmaea* Duponchel,1833; *fucatalis* Treitschke,1835; *atrosanguinalis* Eversmann,1842
- 5750) Pyrausta (s.str.) purpuralis (Linnaeus,1758)** (Pyrilidae) Synonym(s): *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916
- 5751) Pyrausta (s.str.) trimaculalis (Staudinger,1867)** (Pyrilidae) Synonym(s): *trimaculalis* Staudinger,1867
- 5752) Pyrgus alveus (Hübner,[1803])** (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryfffelensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
- 5753) Pyrgus armoricanus (Oberthür,1910)** (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927.
- 5754) Pyrgus carthami (Hübner,[1813])** (Hesperiidae) Synonym(s): *carthami* Hübner,[1813]
- 5755) Pyrgus cinarae (Rambur,[1839])** (Hesperiidae) Synonym(s): *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840
- 5756) Pyrgus malvae (Linnaeus,1758)** (Hesperiidae) Synonym(s): *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *althaeae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938.
- 5757) Pyrgus melotis (Duponchel,[1834])** (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932.
- 5758) Pyrgus serratulae (Rambur,[1839])** (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948.
- 5759) Pyrgus sidae (Esper,[1784])** (Hesperiidae) Synonym(s): *sidae* Esper,[1784]
- 5760) Pyroderces argyrogrammos (Zeller,1847)** (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggia* Herrich-Schäffer,[1853]
- 5761) Pyrois cinnamomea (Goeze,1781)** (Noctuidae) Synonym(s): *cinnamomea* Goeze,1781
- 5762) Pyrois effusa (Boisduval,1828)** (Noctuidae) Synonym(s): *effusa* Boisduval,1828; *sciaphila* Staudinger,1871
- 5763) Pyronia tithonus (Linnaeus,1771)** (Satyridae) Synonym(s): *tithonus* Linnaeus,1771; *tiphon* Kühn,1774; *pilosellae* Fabricius,1775; *herse* Denis & Schiffermüller,1775; *phaedra* Esper,1776; *amaryllis* Fourcroy,1785 *nec* Cramer,1782; *tithone* Hübner,1819; *britanniae* Verity,1914; *bajocassensis* Moulton,1938; *armoricanus* Moulton,1938
- 5764) Pyropteron chrysidiformis (Esper,[1782])** (Sesiidae) Synonym(s): *chrysidiformis* Esper,[1782]; *crabroniformis* Fabricius,1793; *polistiformis* Boisduval,1840; *chalcocnemis* Staudinger,1856; *depuiseti* Sand,1879; *rondoui* Siepi,1909; *lecerfi* Oberthür,1909; *joannisi* Le Cerf,1909; *castiliana* Le Cerf,1922
- 5765) Pyropteron minianiformis (Freyer,1843)** (Sesiidae) Synonym(s): *minianiformis* Freyer,1843
- 5766) Pyropteron triannuliformis (Freyer,1845)** (Sesiidae) Synonym(s): *meriaeformis* Assmann,1845 *nec* Bsd.,1840; *triannuliformis* Freyer,1845; *bracniformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 *nec* Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *ljiljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987
- 5767) Pyrrhia purpurina (Esper,[1804])** (Noctuidae) Synonym(s): *purpurina* Esper,[1804].
- 5768) Pyrrhia treitschkii (Frivaldszky,1835)** (Noctuidae) Synonym(s): *treitschkii* Frivaldszky,1835.
- 5769) Pyrrhia umbra (Hufnagel,1766)** (Noctuidae) Synonym(s): *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölztermann,1902.
- 5770) Pyrrhocoris apterus (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *apterus* Linnaeus,1758; *clamariensis* Fallén,1829
- 5771) Pyrrhocoris marginatus (Kolenati,1845)** (Pyrrhocoridae) Synonym(s): *marginatus* Kolenati,1845
- 5772) Quadrastylus scoleogramma (Fieber,1877)** (Issidae) Synonym(s): *scoleogramma* Fieber,1877
- 5773) Quartinia araxana Giordani Soika,1960** (Vespidae) Synonym(s): *araxana* Giordani Soika,1960; *soika* Richards,1962
- 5774) Quercusia quercus (Linnaeus,1758)** (Lycenidae) Synonym(s): *quercus* Linnaeus,1758; *longicauda* Riley,1921
- 5775) Rachispoda acrosticalis (Becker,1903)** (Sphaeroceridae) Synonym(s): *acrosticalis* Becker,1903; *zernyi* Duda,1924
- 5776) Rachispoda lutosoidea (Duda,1938)** (Sphaeroceridae) Synonym(s): *lutosoidea* Duda,1938
- 5777) Rachispoda modesta (Duda,1924)** (Sphaeroceridae) Synonym(s): *modesta* Duda,1924
- 5778) Rachispoda varicornis (Strobl,1900)** (Sphaeroceridae) Synonym(s): *varicornis* Strobl,1900; *halidayi* Collin,1902
- 5779) Ramburiella (Palaeocesa) turcomana (Fischer von Waldheim,1833)** (Acrididae) Synonym(s): *turcomana* Fischer von Waldheim,1833; *formosus* Becker,1864
- 5780) Ramphis libanoticus Riedl,1969** (Cosmopterigidae) Synonym(s): *libanoticus* Riedl,1969
- 5781) Ranissus acucephalus Fieber,1866** (Dictyopharidae) Synonym(s): *acucephalus* Fieber,1866
- 5782) Ranissus discrepans Fieber,1866** (Dictyopharidae) Synonym(s): *discrepans* Fieber,1866
- 5783) Ranissus leptopus Fieber,1866** (Dictyopharidae) Synonym(s): *leptopus* Fieber,1866; *edirneus* Dlabola,1957
- 5784) Raphidia (Magnoraphidia) major Burmeister,1839** (Raphidiidae) Synonym(s): *major* Burmeister,1839.
- 5785) Raphidia (Magnoraphidia) wewalkai Aspöck & Aspöck,1971** (Raphidiidae) Synonym(s): *wewalkai* Aspöck & Aspöck,1971
- 5786) Raphidia (Phaeostigma) euboica H.Aspöck & U.Aspöck,1976** (Raphidiidae) Synonym(s): *euboica* H.Aspöck & U.Aspöck,1976
- 5787) Raphidia (Phidiara) biroi (Navas,1915)** (Raphidiidae) Synonym(s): *biroi* Navas,1915; *labyrintha* H.Aspöck & U.Aspöck,1964
- 5788) Raphidia (Phidiara) longicauda Stein,1863** (Raphidiidae) Synonym(s): *longicauda* Stein,1863; *parnassia* Navas,1922
- 5789) Raphidia (Phidiara) prophetica H.Aspöck & U.Aspöck,1964** (Raphidiidae) Synonym(s): *prophetica* H.Aspöck & U.Aspöck,1964
- 5790) Raphidia (Ulrike) attica (H.Aspöck & U.Aspöck,1967)** (Raphidiidae) Synonym(s): *attica* H.Aspöck & U.Aspöck,1967
- 5791) Raphimetopus ablutellus (Zeller,1839)** (Pyrilidae) Synonym(s): *ablutellus* Zeller,1839; *stigmatellus* Ragonot,1888; *buxtoni* Rothschild,1921
- 5792) Raphimetopus nitidicostella (Ragonot,1887)** (Pyrilidae) Synonym(s): *nitidicostella* Ragonot,1887
- 5793) Ravinia pernix (Harris,1780)** (Sarcophagidae) Synonym(s): *pernix* Harris,1780
- 5794) Ravinia striata (Fabricius,1794)** (Sarcophagidae) Synonym(s): *striata* Fabricius,1794; *haematodes* Meigen,1826; *haemisphaerica* R-D.,1830; *limpidipennis* R-D.,1830; *horticola* R-D.,1830; *campestris* R-D.,1830; *parva* R-D.,1863; *sulcata* R-D.,1863; *hebes* R-D.,1863; *nova* Siebke,1877; *aozia* Séguy,1935; *disjuncta* Séguy,1938
- 5795) Recilia schmidtgeni (Wagner,1939)** (Cicadellidae) Synonym(s): *schmidtgeni* Wagner,1939
- 5796) Recurvaria nanella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *nanella* [Denis & Schiffermüller],1775; *pumilella* [Denis & Schiffermüller],1775; *nana* Haworth,1828; *crataegella* Busck,1903; *unicolor* Rebel,1927
- 5797) Reduvius pallipes Klug,1830** (Reduviidae) Synonym(s): *pallipes* Klug,1830; *thoracicus* Stal,1855; *testaceus* Fieber

- 5798) *Reisserita relicinella* (Zeller,1839) (Tineidae) Synonym(s): *relicinella* Zeller,1839
- 5799) *Reisseronia* (Tsikalasia) *malickyi* Hauser,1996 (Psychidae) Synonym(s): *malickyi* Hauser,1996
- 5800) *Reisseronia flavociliella* (Mann,1864) (Psychidae) Synonym(s): *flavociliella* Mann,1864
- 5801) *Reisseronia magna* Hättenschwiler,1982 (Psychidae) Synonym(s): *magna* Hättenschwiler,1982
- 5802) *Reisseronia nigrociliella* (Rebel,1934) (Psychidae) Synonym(s): *nigrociliella* Rebel,1934
- 5803) *Reisseronia pusilella* (Rebel,1941) (Psychidae) Synonym(s): *pusilella* Rebel,1941
- 5804) *Reptalus* (s.str.) *horridus* (Linnavuori,1962) (Cixiidae) Synonym(s): *horridus* Linnavuori,1962; *zercanus* Dlabola,1965
- 5805) *Reptalus* (s.str.) *quinquecostatus* (Dufour,1833) (Cixiidae) Synonym(s): *quinquecostatus* Dufour,1833; *pallidus* Kusnezov,1937; *flavidus* Kusnezov,1937; *rufocarinatus* Kusnezov,1937
- 5806) *Reptalus rhodosica* (Dlabola,1980) (Cixiidae) Synonym(s): *rhodosica* Dlabola,1980
- 5807) *Rethera komarovi* (Christoph,1885) (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi* Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
- 5808) *Rexa raddai* (Hölzel,1966) (Chrysopidae) Synonym(s): *raddai* Hölzel,1966
- 5809) *Rhabdomastix* (s.str.) *filata* Stary,2004 (Limoniidae) Synonym(s): *filata* Stary,2004
- 5810) *Rhacocleis uvarovi* Ramme,1939 (Tettigoniidae) Synonym(s): *uvarovi* Ramme,1939; *sylvestriana* Uvarov,1942
- 5811) *Rhacocleis werneri* Willemse,1982 (Tettigoniidae) Synonym(s): *werneri* Willemse,1982
- 5812) *Rhacognathus punctatus* (Linnaeus,1758) (Pentatomidae) Synonym(s): *punctatus* Linnaeus,1758; *annularis* Geoffroy,1785
- 5813) *Rhagades* (s.str.) *pruni* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *#pruni* [Denis & Schiffermüller],1775
- 5814) *Rhagades* (Wiegelia) *amasina* (Herrich-Schäffer,1851) (Zygaenidae) Synonym(s): *amasina* Herrich-Schäffer,1851
- 5815) *Rhagio difficilis* Becker,1921 (Rhagionidae) Synonym(s): *difficilis* Becker,1921
- 5816) *Rhagio graeculus* (Loew,1869) (Rhagionidae) Synonym(s): *graeculus* Loew,1869
- 5817) *Rhagio idaeus* Becker,1908 (Rhagionidae) Synonym(s): *idaeus* Becker,1908
- 5818) *Rhagio insularis* Becker,1921 (Rhagionidae) Synonym(s): *insularis* Becker,1921
- 5819) *Rhagoletis cerasi* (Linnaeus,1758) (Tephritidae) Synonym(s): *cerasi* Linnaeus,1758
- 5820) *Rhagonycha fulva* (Scopoli,1763) (Cantharidae) Synonym(s): *fulva* Scopoli,1763
- 5821) *Rhagonycha kiesenwetteri* Marseul,1864 (Cantharidae) Synonym(s): *kiesenwetteri* Marseul,1864
- 5822) *Rhagonycha lutea* (O.F.Müller,1764) (Cantharidae) Synonym(s): *lutea* O.F.Müller,1764
- 5823) *Rhamphomyia* (Lundstroemiella) *australis* Frey,1922 (Empididae) Synonym(s): *australis* Frey,1922
- 5824) *Rhaphium appendiculatum* Zetterstedt,1849 (Dolichopodidae) Synonym(s): *appendiculatum* Zetterstedt,1849; *anale* Becker,1918; *macrocerum* Parent,1925
- 5825) *Rhaphium brevicorne* Curtis,1835 (Dolichopodidae) Synonym(s): *brevicorne* Curtis,1835; *dissectum* Loew,1850; *pectinatum* Becker,1908
- 5826) *Rhaphium caliginosum* Meigen,1824 (Dolichopodidae) Synonym(s): *caliginosum* Meigen,1824; *zetterstedti* Parent,1925
- 5827) *Rhaphium fascipes* Meigen,1824 (Dolichopodidae) Synonym(s): *fascipes* Meigen,1824; *latipes* Macquart,1827; *insulsum* Haliday,1832;
- 5828) *Rhaphium fissum* Loew,1850 (Dolichopodidae) Synonym(s): *fissum* Loew,1850; *bilamellatum* Becker,1918; *trifidum* Becker,1918
- 5829) *Rhegmaphila alpina* (Bellier,1881) (Notodontidae) Synonym(s): *alpina* Bellier,1881; *burgensis* Fernandez,1934.
- 5830) *Rhigognostis annulatella* (Curtis,1832) (Yponomeutidae) Synonym(s): *annulatella* Curtis,1832; *immaculicornella* Guenée,1845
- 5831) *Rhigognostis wolfschlaegeri* (Rebel,1940) (Yponomeutidae) Synonym(s): *wolfschlaegeri* Rebel,1940
- 5832) *Rhizedra lutosa* (Hübner,[1803]) (Noctuidae) Synonym(s): *lutosa* Hübner,[1803]
- 5833) *Rhodobates unicolor* (Staudinger,1871) (Tineidae) Synonym(s): *unicolor* Staudinger,1871; *tibulella* Rebel,1936.
- 5834) *Rhodometra sacraria* (Linnaeus,1767) (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistel,1856; *labdaria* Guenée,[1858];
- 5835) *Rhodostrophia calabra* (Petagna,1786) (Geometridae) Synonym(s): *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabraria* Hübner,1790.
- 5836) *Rhodostrophia cretacearia* Rebel,1916 (Geometridae) Synonym(s): *cretacearia* Rebel,1916
- 5837) *Rhodostrophia discopunctata* Amsel,1935 (Geometridae) Synonym(s): *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935
- 5838) *Rhodostrophia tabidaria* (Zeller,1847) (Geometridae) Synonym(s): *tabidaria* Zeller,1847
- 5839) *Rhodus cyprius* (Houard,1919) (Cynipidae) Synonym(s): *cyprius* Houard,1919; *oriundus* Quinlan,1968; *kezivi* Melika,2003
- 5840) *Rhopitoides epiroticus* Schwammberger,1975 (Halictidae) Synonym(s): *epiroticus* Schwammberger,1975
- 5841) *Rhoptria asperaria* (Hübner,[1817]) (Geometridae) Synonym(s): *asperaria* Hübner,[1817]; *collata* Hübner,[1826]; *pityata* Rambur,1829; *esteparentis* Agenjo,1933; *#aspersaria* Zukowsky,1941.
- 5842) *Rhoptria dolosaria* (Herrich-Schäffer,[1848]) (Geometridae) Synonym(s): *dolosaria* Herrich-Schäffer,[1848]
- 5843) *Rhyacia* (Epipsilia) *cervantes* (Reisser,1935) (Noctuidae) Synonym(s): *cervantes* Reisser,1935; *#gyulaipetri* Varga,1975
- 5844) *Rhyacia* (Epipsilia) *griseus* (Fabricius,1794) (Noctuidae) Synonym(s): *griseus* Fabricius,1794; *ignicola* Hübner,[1813]; *corrosa* Herrich-Schäffer,1850; *defasciata* Wendlandt,1902; *fasciata* Vorbrodt,1917; *albescens* Rohn-Rethel,1929; *coralita* Hospital,1948; *obscurata* Feichtenberger,1962; *lucida* Feichtenberger,1962
- 5845) *Rhyacia* (Epipsilia) *latens* (Hübner,[1809]) (Noctuidae) Synonym(s): *latens* Hübner,[1809]; *murina* Freyer,1842; *latitans* Guenée,1852; *apennina* Sohn-Rethel,1929.
- 5846) *Rhyacia* (s.str.) *helvetina* (Boisduval,1833) (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836
- 5847) *Rhyacia* (s.str.) *lucipeta* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775.
- 5848) *Rhyacia* (s.str.) *nyctimerides* (O.Bang-Haas,1922) (Noctuidae) Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschko,1951; *alagesica* Boursin,1962; *#nyctomerides* Hacker,[1987]
- 5849) *Rhyacia* (s.str.) *simulans* (Hufnagel,1766) (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914
- 5850) *Rhyacionia buoliana* ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *buoliana* [Denis & Schiffermüller],1775; *herbstella* Goeze,1783; *thurificana* Lederer,1855; *#bouliana* Kalchberg,1897

- 5851** *Rhynchites auratus* (Scopoli,1763) (Attelabidae) Synonym(s): *auratus* Scopoli,1763; *aurifer* Olivier,1790; *rectirostris* Gyllenhal,1833; *theresae* Pic,1926; *angorensis* Pic,1926; *ferghanensis* Newskij,1929; *armeniaceus* Zaitzev,1937
- 5852** *Rhynchites giganteus* Krynický,1832 (Attelabidae) Synonym(s): *giganteus* Krynický,1832
- 5853** *Rhynchites hungaricus* (Herbst,1784) (Attelabidae) Synonym(s): *hungaricus* Herbst,1784; *marginatus* Schrank,1798; *ursus* Gebler,1830; *anatolicus* Schilsky,1903; *marginicollis* Schilsky,1903; *maculicollis* Reitter,1916; *suturifer* Reitter,1916
- 5854** *Rhynchites lenaeus* Faust,1891 (Attelabidae) Synonym(s): *lenaeus* Faust,1891; *asiaticus* Desbrochers,1908; *subviolaceus* Pic,1926
- 5855** *Rhynchites trojanus* Gyllenhal,1839 (Attelabidae) Synonym(s): *trojanus* Gyllenhal,1839; *maximus* Debrochers,1869; *minor* Schilsky,1903
- 5856** *Rhynchium oculatum* (Fabricius,1781) (Vespidae) Synonym(s): *oculatum* Fabricius,1781; *lefebrii* Lepeletier,1841; *leviscutis* Cameron,1908; *distinguendum* Buysson,1913; *hebraeum* Giordani Soika,1952; *adenense* Giordani Soika,1952; *ibericum* Giordani Soika,1966
- 5857** *Rhyncomya cyanescens* (Loew,1844) (Calliphoridae) Synonym(s): *cyanescens* Loew,1844
- 5858** *Rhyncomya peusi* Zumpt,1956 (Calliphoridae) Synonym(s): *peusi* Zumpt,1956
- 5859** *Rhyncomya speciosa* (Loew,1844) (Calliphoridae) Synonym(s): *speciosa* Loew,1844
- 5860** *Rhyncomya zernyana* Villeneuve,1926 (Calliphoridae) Synonym(s): *zernyana* Villeneuve,1926
- 5861** *Rhynocoris bipustulatus* (Fieber,1861) (Reduviidae) Synonym(s): *bipustulatus* Fieber,1861; *signiceps* Walker,1870; *nigripennis* Lindberg,1930; *israelensis* Hoberlandt,1951
- 5862** *Rhynocoris ibericus* (Kolenati,1856) (Reduviidae) Synonym(s): *ibericus* Kolenati,1856
- 5863** *Rhypagla lacernaria* (Hübner,1813) (Noctuidae) Synonym(s): *lacernaria* Hübner,1813; *glarea* Treitschke,1826; *cretula* Freyer,1842
- 5864** *Rhyparia purpurata* (Linnaeus,1758) (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909
- 5865** *Rhyparochromus minusculatus* (Reuter,1885) (Lygaeidae) Synonym(s): *minusculatus* Reuter,1885
- 5866** *Ribautiana alces* (Ribaut,1931) (Cicadellidae) Synonym(s): *alces* Ribaut,1931
- 5867** *Ricania hedenborgi* Stål,1865 (Ricanidae) Synonym(s): *hedenborgi* Stål,1865
- 5868** *Rileyana fovea* (Treitschke,1825) (Noctuidae) Synonym(s): *fovea* Treitschke,1825
- 5869** *Rivetina baetica* (Rambur,1838) (Mantidae) Synonym(s): *fasciata* Thunberg,1815 *nec* Olivier,1792; *baetica* Rambur,1838; *maculipennis* Gistel,1856; *pallasii* Fieber,1853
- 5870** *Rivetina balcanica* La Greca & Lombardo,1982 (Mantidae) Synonym(s): *#balcanica* Kaltenbach,1963; *balcanica* La Greca & Lombardo,1982
- 5871** *Rivula sericealis* (Scopoli,1763) (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789
- 5872** *Rivula tanitalis* Rebel,1912 (Noctuidae) Synonym(s): *tanitalis* Rebel,1912
- 5873** *Rondania dispar* (Dufour,1851) (Tachinidae) Synonym(s): *dispar* Dufour,1851
- 5874** *Rondania fasciata* (Macquart,1834) (Tachinidae) Synonym(s): *fasciata* Macquart,1834
- 5875** *Ronisia brutia* (Petagna,1787) (Mutillidae) Synonym(s): *brutia* Petagna,1787; *sexmaculata* Cyrillo,1787; *hungarica* Fabricius,1793; *confusa* Lepeletier,1845; *monspeliensis* Lepeletier,1845; *robusta* Smith,1855; *torosa* Costa,1858; *sericeiventris* Costa,1864; *duplex* Radoszkowski,1885; *discoidalis* Radoszkowski,1885 *morawitzii* Dalla Torre,1897
- 5876** *Rophites algirus* Pérez,1895 (Halictidae) Synonym(s): *algirus* Pérez,1895; *trispinosus* Pérez,1903; *montanus* Ebmer,1978; *graecus* Warncke,1980
- 5877** *Rophites hartmanni* Friese,1902 (Halictidae) Synonym(s): *hartmanni* Friese,1902
- 5878** *Rophites hellenicus* Ebmer,1984 (Halictidae) Synonym(s): *hellenicus* Ebmer,1984
- 5879** *Rophites quinquespinosus* Spinola,1808 (Halictidae) Synonym(s): *quinquespinosus* Spinola,1808
- 5880** *Rubrapteris bavius* (Eversmann,1832) (Lycaenidae) Synonym(s): *bavius* Eversmann,1832
- 5881** *Rusina ferruginea* (Esper,1785) (Noctuidae) Synonym(s): *umbratica* Goeze,1781; *ferruginea* Esper,1785; *tenebrosa* Hübner,1803; *phaeus* Haworth,1803; *obsoletissima* Haworth,1809
- 5882** *Rutpela maculata* (Poda,1761) (Cerambycidae) Synonym(s): *maculata* Poda,1761; *irmasanica* Sama,1996
- 5883** *Rymosia affinis* Winnertz,1863 (Mycetophilidae) Synonym(s): *affinis* Winnertz,1863
- 5884** *Sabra harpagula* (Esper,1786) (Drepanidae) Synonym(s): *harpagula* Esper,1786; *harparia* Fabricius,1798
- 5885** *Saga campbelli* Uvarov,1921 (Tettigoniidae) Synonym(s): *campbelli* Uvarov,1921
- 5886** *Saga hellenica* Kaltenbach,1967 (Tettigoniidae) Synonym(s): *hellenica* Kaltenbach,1967
- 5887** *Saga rhodiensis* Salfi,1929 (Tettigoniidae) Synonym(s): *rhodiensis* Salfi,1929
- 5888** *Salda littoralis* (Linnaeus,1758) (Saldidae) Synonym(s): *littoralis* Linnaeus,1758
- 5889** *Saldula arenicola* (Scholtz,1847) (Saldidae) Synonym(s): *arenicola* Scholtz,1847
- 5890** *Saldula melanoscela* (Fieber,1859) (Saldidae) Synonym(s): *melanoscela* Fieber,1859
- 5891** *Saldula opacula* (Zetterstedt,1838) (Saldidae) Synonym(s): *opacula* Zetterstedt,1838
- 5892** *Saldula orthochila* (Fieber,1859) (Saldidae) Synonym(s): *orthochila* Fieber,1859
- 5893** *Saldula pallipes* (Fabricius,1794) (Saldidae) Synonym(s): *pallipes* Fabricius,1794
- 5894** *Saldula pilosella* (Thomson,1871) (Saldidae) Synonym(s): *pilosella* Thomson,1871; *hirsuta* Reuter,1888
- 5895** *Saldula xanthochila* (Fieber,1859) (Saldidae) Synonym(s): *xanthochila* Fieber,1859; *#xanthochila* Önder et al.,2006
- 5896** *Salentia nigripes* (Kröber,1912) (Theravidae) Synonym(s): *nigripes* Kröber,1912
- 5897** *Saltella nigripes* R-D.,1830 (Sepsidae) Synonym(s): *nigripes* R-D.,1830
- 5898** *Santhomyza inermis* Rohacek,1984 (Anthomyzidae) Synonym(s): *inermis* Rohacek,1984
- 5899** *Sapromyza palpella* Rondani,1868 (Lauxaniidae) Synonym(s): *palpella* Rondani,1868
- 5900** *Sapyga* (s.str.) *morawitzi* Turner,1911 (Sapygidae) Synonym(s): *morawitzi* Turner,1911; *gussakovskii* Kurzenko,1986
- 5901** *Sapyga* (s.str.) *quinquepunctata* (Fabricius,1781) (Sapygidae) Synonym(s): *quinquepunctata* Fabricius,1781
- 5902** *Sapygina decemguttata* (Jurine,1807) (Sapygidae) Synonym(s): *decemguttata* Jurine,1807; *millefolii* Lepeletier,1825; *chelostomae* Robineau,1836; *panzeri* Guérin,1837; *cylindricum* Schenk,1857; *nigra* Tournier,1889
- 5903** *Sapygina kurzenkoi* Gusenleitner,1997 (Sapygidae) Synonym(s): *kurzenkoi* Gusenleitner,1997
- 5904** *Sarcophaga* (Bercaea) *africa* (Wiedemann,1819) (Sarcophagidae) Synonym(s): *africa* Wiedemann,1819
- 5905** *Sarcophaga* (Bercaea) *cruentata* Meigen,1826 (Sarcophagidae) Synonym(s): *cruentata* Meigen,1826; *haemorrhoidalis* Fallén,1817; *squalida* R-D.,1830; *blondeli* R-D.,1830; *villiva* R-D.,1830; *ruficauda* Zetterstedt,1838; *consobrina* Rondani,1860; *nurus* Rondani,1860; *zetterstedti* R-D.,1863; *iners* R-D.,1863; *pabulorum* R-D.,1863; *meigeni* R-D.,1863; *inlyta* R-D.,1863; *praeceps* R-D.,1863; *fugax* R-D.,1863; *nitida* R-D.,1863; *albidula* R-D.,1863; *commendata* R-D.,1863; *fulvipalpis* R-D.,1863; *haematura* R-D.,1863; *agilis* R-D.,1863; *oralis* R-D.,1863; *agraria* R-D.,1863; *meditata* R-D.,1863; *#interrupta* Enderlein,1928; *#tiesleri* Enderlein,1928

- 5906) Sarcophaga (Curranella) tibialis Macquart, 1850** (Sarcophagidae) Synonym(s): *tibialis* Macquart, 1850; *beckeri* Villeneuve, 1908; *#togoana* Enderlein, 1928
- 5907) Sarcophaga (Helicophagella) crassimargo Pandellé, 1896** (Sarcophagidae) Synonym(s): *crassimargo* Pandellé, 1896
- 5908) Sarcophaga (Helicophagella) melanura Meigen, 1826** (Sarcophagidae) Synonym(s): *melanura* Meigen, 1826; *edax* Walker, 1849; *striata* R-D., 1863
- 5909) Sarcophaga (Heteronychia) benaci Böttcher, 1913** (Sarcophagidae) Synonym(s): *benaci* Böttcher, 1913; *tenuiforceps* Böttcher, 1913; *vachai* Povolny, 1987
- 5910) Sarcophaga (Heteronychia) boettcheri Villeneuve, 1912** (Sarcophagidae) Synonym(s): *boettcheri* Villeneuve, 1912; *taurica* Rohdendorf, 1937; *gaspari* Lehrer, 1977; *bodediana* Lehrer, 1998; *shakrana* Lehrer, 1998; *caraormana* Lehrer, 2008
- 5911) Sarcophaga (Heteronychia) consanguinea Rondani, 1860** (Sarcophagidae) Synonym(s): *consanguinea* Rondani, 1860; *schnabli* Villeneuve, 1911; *portschinskyana* Rohdendorf, 1937; *atanassovi* Lehrer, 1977; *cullottorum* Povolny, 2005
- 5912) Sarcophaga (Heteronychia) croca Pape, 1996** (Sarcophagidae) Synonym(s): *maritima* Povolny, 1995 nec Eng., 1925; *croca* Pape, 1996
- 5913) Sarcophaga (Heteronychia) depressifrons Zetterstedt, 1845** (Sarcophagidae) Synonym(s): *depressifrons* Zetterstedt, 1845; *obscurata* Rohdendorf, 1937; *kovalae* Verves, 1979; *compactilobata* Wyatt, 1991
- 5914) Sarcophaga (Heteronychia) enderleini Jacentkovsky, 1937** (Sarcophagidae) Synonym(s): *enderleini* Jacentkovsky, 1937; *macedonica* Povolny, 1996
- 5915) Sarcophaga (Heteronychia) filia Rondani, 1860** (Sarcophagidae) Synonym(s): *filia* Rondani, 1860; *iuvensis* Rondani, 1860; *lyneborgi* Rohdendorf, 1975; *resnikae* Lehrer, 1996
- 5916) Sarcophaga (Heteronychia) haemorrhoea Meigen, 1826** (Sarcophagidae) Synonym(s): *haemorrhoea* Meigen, 1826; *contempta* R-D., 1830; *aestivalis* R-D., 1830; *riparia* R-D., 1830; *albicans* R-D., 1830; *sanguinolenta* Macquart, 1835; *valida* R-D., 1863; *pilosa* R-D., 1863; *campestris* R-D., 1863; *chetalis* R-D., 1863; *labialis* R-D., 1863; *oralis* R-D., 1863; *ambulatoria* R-D., 1863; *ardeacea* R-D., 1863; *fuliginosa* R-D., 1863; *musca* R-D., 1863; *rustica* R-D., 1863; *umbripennis* R-D., 1863; *procax* R-D., 1863; *claripennis* R-D., 1863; *varinervis* R-D., 1863; *arborea* R-D., 1863; *inconstans* R-D., 1863; *contigua* R-D., 1863; *flavinervis* R-D., 1863; *anxia* R-D., 1863; *helicivora* Enderlein, 1933; *fugitiva* Povolny, 2001
- 5917) Sarcophaga (Heteronychia) haemorrhoides Böttcher, 1913** (Sarcophagidae) Synonym(s): *haemorrhoides* Böttcher, 1913; *wahisi* Lehrer, 1976
- 5918) Sarcophaga (Heteronychia) helenae (Trofimov, 1948)** (Sarcophagidae) Synonym(s): *helenae* Trofimov, 1948; *fraterna* Lehrer, 1977; *delicata* Lehrer, 2000
- 5919) Sarcophaga (Heteronychia) hellenica Whitmore, 2011** (Sarcophagidae) Synonym(s): *vervesi* Povolny, 1996 nec Nandi, 1993; *hellenica* Whitmore, 2011
- 5920) Sarcophaga (Heteronychia) infantilis Böttcher, 1913** (Sarcophagidae) Synonym(s): *infantilis* Böttcher, 1913; *ostensackeni* Rohdendorf, 1937
- 5921) Sarcophaga (Heteronychia) kataphygionis (Povolny, 1999)** (Sarcophagidae) Synonym(s): *kataphygionis* Povolny, 1999
- 5922) Sarcophaga (Heteronychia) lederbergi (Lehrer, 1995)** (Sarcophagidae) Synonym(s): *rohdendorfi* Povolny & Slameckova, 1959 nec auct.; *lederbergi* Lehrer, 1995; *borodorf* Pape, 1996
- 5923) Sarcophaga (Heteronychia) minima Rondani, 1860** (Sarcophagidae) Synonym(s): *minima* Rondani, 1860; *fertoni* Villeneuve, 1916; *graeca* Rohdendorf, 1937
- 5924) Sarcophaga (Heteronychia) monspeliensis Böttcher, 1913** (Sarcophagidae) Synonym(s): *monspeliensis* Böttcher, 1913
- 5925) Sarcophaga (Heteronychia) mutila Villeneuve, 1912** (Sarcophagidae) Synonym(s): *mutila* Villeneuve, 1912; *nedelkoffi* Lehrer, 1977; *galmuda* Lehrer, 1998
- 5926) Sarcophaga (Heteronychia) porrecta Böttcher, 1913** (Sarcophagidae) Synonym(s): *porrecta* Böttcher, 1913; *bulgariensis* Lehrer, 1977
- 5927) Sarcophaga (Heteronychia) pseudobenaci (Baranov, 1942)** (Sarcophagidae) Synonym(s): *pseudobenaci* Baranov, 1942; *drenskiana* Lehrer, 1977
- 5928) Sarcophaga (Heteronychia) rondaniana (Rohdendorf, 1937)** (Sarcophagidae) Synonym(s): *rondaniana* Rohdendorf, 1937
- 5929) Sarcophaga (Heteronychia) schineri Bezzi, 1891** (Sarcophagidae) Synonym(s): *schineri* Bezzi, 1891
- 5930) Sarcophaga (Heteronychia) setinervis Rondani, 1860** (Sarcophagidae) Synonym(s): *setinervis* Rondani, 1860; *puerula* Rondani, 1860; *efflatouni* Salem, 1935; *seguyi* Lehrer, 1977
- 5931) Sarcophaga (Heteronychia) siciliensis Böttcher, 1913** (Sarcophagidae) Synonym(s): *siciliensis* Böttcher, 1913
- 5932) Sarcophaga (Liopygia) argyrostoma (R-D., 1830)** (Sarcophagidae) Synonym(s): *argyrostoma* R-D., 1830
- 5933) Sarcophaga (Liosarcophaga) exuberans Pandellé, 1896** (Sarcophagidae) Synonym(s): *exuberans* Pandellé, 1896; *setosa* Baranov, 1929
- 5934) Sarcophaga (Liosarcophaga) jacobsoni (Rohdendorf, 1937)** (Sarcophagidae) Synonym(s): *jacobsoni* Rohdendorf, 1937; *sachtlebeni* Lehrer, 1959
- 5935) Sarcophaga (Liosarcophaga) portschinskyi (Rohdendorf, 1937)** (Sarcophagidae) Synonym(s): *portschinskyi* Rohdendorf, 1937; *verticina* Ringdahl, 1945
- 5936) Sarcophaga (Parasarcophaga) albiceps Meigen, 1826** (Sarcophagidae) Synonym(s): *albiceps* Meigen, 1826; *privigna* Rondani, 1860; *cyathisans* Pandellé, 1896; *pauciseta* Kramer, 1905; *colchica* Gudjabidze, 1966
- 5937) Sarcophaga (s.str.) carnaria (Linnaeus, 1758)** (Sarcophagidae) Synonym(s): *carnaria* Linnaeus, 1758; *variegata* Scopoli, 1763; *collosus* Scopoli, 1763; *atropos* Meigen, 1826; *soror* R-D., 1830; *brunnifacies* R-D., 1830; *fuliginosa* R-D., 1830; *intermedia* R-D., 1830; *nigra* R-D., 1830; *livida* R-D., 1830; *livens* R-D., 1830; *villana* R-D., 1830; *squamosa* R-D., 1830; *floreana* R-D., 1830; *strata* R-D., 1830; *squamigera* R-D., 1830; *grisea* R-D., 1830; *agricola* R-D., 1830; *obscuricauda* R-D., 1830; *aurifacies* R-D., 1830; *compar* R-D., 1830; *aprilis* R-D., 1830; *conica* R-D., 1830; *vernalis* R-D., 1830; *specialis* R-D., 1830; *squalens* R-D., 1830; *affinis* R-D., 1830; *subnitens* R-D., 1830; *rubescens* R-D., 1830; *griseocens* R-D., 1830; *atrata* R-D., 1830; *laticrus* R-D., 1830; *arvensis* R-D., 1830; *florum* R-D., 1830; *squalida* R-D., 1830; *morio* R-D., 1830; *atrata* R-D., 1830; *limpida* R-D., 1863; *melanura* R-D., 1863; *aurata* R-D., 1863; *propinqua* R-D., 1863; *albida* R-D., 1863; *erratica* R-D., 1863; *pratensis* R-D., 1863; *tenebricosa* R-D., 1863; *caesia* R-D., 1863; *maeta* R-D., 1863; *florida* R-D., 1863; *ciliatula* R-D., 1863; *agilis* R-D., 1863; *claripennis* R-D., 1863; *auriflua* R-D., 1863; *geoffroyi* R-D., 1863; *cursoria* R-D., 1863; *myoidea* R-D., 1863; *herbaria* R-D., 1863; *velox* R-D., 1863; *vagans* R-D., 1863; *afra* R-D., 1863; *tristis* R-D., 1863; *praecox* R-D., 1863; *boisduvali* R-D., 1863; *ramburii* R-D., 1863; *mitis* R-D., 1863; *tessellata* R-D., 1863; *lusoria* R-D., 1863; *virgo* R-D., 1863; *ambulatoria* R-D., 1863; *hilaris* R-D., 1863; *modesta* R-D., 1863; *rusticola* R-D., 1863; *humilis* R-D., 1863; *hyalipennis* R-D., 1863; *sordida* R-D., 1863; *nigrita* R-D., 1863; *fallax* R-D., 1863; *lugubris* R-D., 1863; *funebis* R-D., 1863; *paludosa* R-D., 1863; *praticola* R-D., 1863; *obscura* R-D., 1863; *vaga* R-D., 1863; *fulvescens* R-D., 1863; *misera* R-D., 1863; *pascuorum* R-D., 1863; *angustata* R-D., 1863; *chrysfacies* R-D., 1863; *frontalis* R-D., 1863; *pallidipes* R-D., 1863; *obscura* R-D., 1863; *dumonti* R-D., 1863; *herbaria* R-D., 1863; *pabulina* R-D., 1863; *nebulosa* R-D., 1863; *germana* R-D., 1863; *obscura* R-D., 1863; *dumonti* R-D., 1863; *herbaria* R-D., 1863; *pabulina* R-D., 1863; *nebulosa* R-D., 1863; *germana* R-D., 1863; *obscura* R-D., 1863; *dumonti* R-D., 1863; *herbaria* R-D., 1863; *pabulina* R-D., 1863; *nebulosa* R-D., 1863; *germana* R-D., 1863

- D.*,1863; *festiva* R-D.,1863; *tetrella* R-D.,1863; *macquarti* R-D.,1863; *errans* R-D.,1863; *agraria* R-D.,1863; *monticola* R-D.,1863; *montana* R-D.,1863
- 5938) Sarcophaga (s.str.) lehmanni Müller,1922** (Sarcophagidae) Synonym(s): *lehmanni* Müller,1922; *clausa* Müller,1922; *meridionalis* Rohdendorf,1937
- 5939) Sarcophaga (Sarcotachinella) sinuata Meigen,1826** (Sarcophagidae) Synonym(s): *sinuata* Meigen,1826
- 5940) Sargus bipunctatus (Scopoli,1763)** (Stratiomyidae) Synonym(s): *bipunctatus* Scopoli,1763
- 5941) Saropogon ehrenbergii Loew,1851** (Asilidae) Synonym(s): *ehrenbergii* Loew,1851
- 5942) Saropogon eucerus (Loew,1847)** (Asilidae) Synonym(s): *eucerus* Loew,1847
- 5943) Saropogon jugulum (Loew,1847)** (Asilidae) Synonym(s): *jugulum* Loew,1847; *brachyterus* Loew,1869; *micropterus* Loew,1869
- 5944) Saropogon luctuosus (Wiedemann,1820)** (Asilidae) Synonym(s): *luctuosus* Wiedemann,1820; *nigripennis* Costa,1844
- 5945) Satanas gigas (Eversmann,1855)** (Asilidae) Synonym(s): *gigas* Eversmann,1855
- 5946) Saturnia (Heraca) pavonia (Linnaeus,1758)** (Saturniidae) Synonym(s): *pavonia* Linnaeus,1758; *pavoniella* Scopoli,1763; *carpini* Denis & Schiffermüller,1775; *pavunculus* Retzius,1783
- 5947) Saturnia (Heraca) spini ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775
- 5948) Saturnia (Perisomena) caecigena Kupido,1825** (Saturniidae) Synonym(s): *caecigena* Kupido,1825; *unicolor* Schultz,1910; *wiskotti* Niepelt,1914; *derosata* Schawerda,1914
- 5949) Saturnia (s.str.) pyri ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980.
- 5950) Satyramoeba hetrusca (Fabricius,1794)** (Bombyliidae) Synonym(s): *hetrusca* Fabricius,1794; *rubiginipennis* Macquart,1840; *formosa* Dufour,1852; *etrusca* Bezzi,1903
- 5951) Satyrium (Nordmannia) acaciae (Fabricius,1787)** (Lycaenidae) Synonym(s): *acaciae* Fabricius,1787; *nostras* Courvoisier,1913; *guichardi* Higgins,1965.
- 5952) Satyrium (Nordmannia) ilicis (Esper,[1779])** (Lycaenidae) Synonym(s): *ilicis* Esper,[1779]
- 5953) Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] nec Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 nec Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.
- 5954) Satyrium (Strymonidia) w-album (Knoch,1782)** (Lycaenidae) Synonym(s): *w-album* Knoch,1782; *cerasi* Fabricius,1787; *majuscula* Jachontov,1911.
- 5955) Satyrium (Superflua) ledereri (Boisduval,1848)** (Lycaenidae) Synonym(s): *ledereri* Boisduval,1848
- 5956) Satyrus (Asatyrus (s.str.)) ferulus (Fabricius,1793)** (Satyridae) Synonym(s): *proserpina* Cyrillo,1787 nec Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 nec Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800].
- 5957) Scaeva albomaculata (Macquart,1842)** (Syrphidae) Synonym(s): *albomaculata* Macquart,1842
- 5958) Scaeva dignota (Rondani,1857)** (Syrphidae) Synonym(s): *dignota* Rondani,1857
- 5959) Scaeva pyrastris (Linnaeus,1758)** (Syrphidae) Synonym(s): *pyrastris* Linnaeus,1758; *melinus* Harris,1776; *rosae* De Geer,1776; *transfugus* Fabricius,1794; *affinis* Say,1823
- 5960) Scantius aegyptius (Linnaeus,1758)** (Pyrrhocoridae) Synonym(s): *aegyptius* Linnaeus,1758
- 5961) Scaptomyza (Parascaptomyza) pallida (Zetterstedt,1847)** (Drosophilidae) Synonym(s): *pallida* Zetterstedt,1847; *disticha* Duda,1921
- 5962) Scarabaeus armeniacus Ménétériés,1832** (Scarabaeidae) Synonym(s): *armeniaceus* Ménétériés,1832; *nigrociliatus* Motschoulsky,1849
- 5963) Scarabaeus pius (Illiger,1803)** (Scarabaeidae) Synonym(s): *pius* Illiger,1803
- 5964) Scarabaeus puncticolis (Latreille,1819)** (Scarabaeidae) Synonym(s): *puncticolis* Latreille,1819
- 5965) Scarabaeus sacer Linnaeus,1758** (Scarabaeidae) Synonym(s): *sacer* Linnaeus,1758; *crenatus* De Geer,1778; *impius* Fabricius,1801; *platychilus* Fischer von Waldheim,1823; *retusus* Brullé,1832; *europaeus* Motschoulsky,1849; *confluidens* Fleisch.,1925
- 5966) Scarabaeus typhon (Fischer von Waldheim,1822)** (Scarabaeidae) Synonym(s): *typhon* Fischer von Waldheim,1822
- 5967) Scarabaeus variolosus Fabricius,1787** (Scarabaeidae) Synonym(s): *variolosus* Fabricius,1787
- 5968) Scardia boletella (Fabricius,1794)** (Tineidae) Synonym(s): *boletella* Fabricius,1794; *boleti* Fabricius,1798; *polypori* Esper,[1804]; *relicta* Kozhantschikov,1923
- 5969) Scaurus atratus Fabricius,1775** (Tenebrionidae) Synonym(s): *atratus* Fabricius,1775
- 5970) Sceliphron (Hensenia) funestum Kohl,1918** (Sphecidae) Synonym(s): *funestum* Kohl,1918
- 5971) Sceliphron (s.str.) destillatorium (Illiger,1807)** (Sphecidae) Synonym(s): *flavipes* Christ,1791 nec Fabr.,1781; *destillatorium* Illiger,1807; *pensilis* Illiger,1807; *sardonius* Lepeletier,1845; *sardous* Caruccio,1872; *trinacriensis* De Stefani Perez,1889
- 5972) Sceliphron (s.str.) madraspatanum (Fabricius,1781)** (Sphecidae) Synonym(s): *madraspatanum* Fabricius,1781; *interruptus* Palisot de Beauvois,1806; *bilineatus* F.Smith,1852; *separatus* F.Smith,1852
- 5973) Sceliphron (s.str.) sprifex (Linnaeus,1758)** (Sphecidae) Synonym(s): *sprifex* Linnaeus,1758; *aegyptius* Linnaeus,1758; *atra* Scopoli,1786; *aegyptiacum* Dalla Torowe,1897
- 5974) Scellus notatus (Fabricius,1781)** (Dolichopodidae) Synonym(s): *notatus* Fabricius,1781; *armiger* Fallén,1823
- 5975) Sceptonia intestata Plassmann & Schacht,1990** (Mycetophilidae) Synonym(s): *intestata* Plassmann & Schacht,1990
- 5976) Sceptonia membranacea Edwards,1925** (Mycetophilidae) Synonym(s): *membranacea* Edwards,1925
- 5977) Schiffermuelleria schaefferella (Linnaeus,1758)** (Oecophoridae) Synonym(s): *schaefferella* Linnaeus,1758; *hermannella* Fabricius,1781; *lucidula* Fourcroy,1785.
- 5978) Schinia cognata (Freyer,[1833])** (Noctuidae) Synonym(s): *cognata* Freyer,[1833]
- 5979) Schistostegia decussata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decussata* [Denis & Schiffermüller],1775; *treitschkei* Kovacs,1957
- 5980) Schoenobius forficellus (Thunberg,1794)** (Pyralidae) Synonym(s): *forficella* Thunberg,1794; *consortellus* Hübner,1796; *lanceolellus* Hübner,1810; *consorta* Haworth,1811; *hirtus* Haworth,1811; *lanceolalis* Hübner,[1825]
- 5981) Schoutedenomyia superba (Kröber,1912)** (Therevidae) Synonym(s): *superba* Kröber,1912
- 5982) Schrankia costaeistrigalis (Stephens,1834)** (Noctuidae) Synonym(s): *costaeistrigalis* Stephens,1834; *hartigi* Berio,1991.
- 5983) Sciapus bellus (Loew,1873)** (Dolichopodidae) Synonym(s): *bellus* Loew,1873
- 5984) Sciapus euzonus (Loew,1859)** (Dolichopodidae) Synonym(s): *euzonus* Loew,1859; *eutarsus* Schiner,1862
- 5985) Sciapus evanidus (Bezzi,1898)** (Dolichopodidae) Synonym(s): *evanidus* Bezzi,1898
- 5986) Sciapus flavicinctus (Loew,1857)** (Dolichopodidae) Synonym(s): *flavicinctus* Loew,1857; *ludens* Loew,1873
- 5987) Sciapus nigricornis (Loew,1869)** (Dolichopodidae) Synonym(s): *nigricornis* Loew,1869

- 5988) *Sciapus opacus* (Loew,1866)** (Dolichopodidae) Synonym(s): *opacus* Loew,1866
- 5989) *Sciapus pallens* (Wiedemann,1830)** (Dolichopodidae) Synonym(s): *pallens* Wiedemann,1830
- 5990) *Sciapus platypterus* (Fabricius,1805)** (Dolichopodidae) Synonym(s): *platypterus* Fabricius,1805; *tipularius* Fallén,1823; *crinipes* Meigen,1830
- 5991) *Sciapus spinosus* Parent,1929** (Dolichopodidae) Synonym(s): *spinosus* Parent,1929
- 5992) *Sciapus tenuinervis* (Loew,1857)** (Dolichopodidae) Synonym(s): *tenuinervis* Loew,1857
- 5993) *Sciocoris* (s.str.) *cursitans* (Fabricius,1794)** (Pentatomidae) Synonym(s): *cursitans* Fabricius,1794; *terreus* Schrank,1801; *rubropunctatus* Fuente,1972
- 5994) *Sciocoris* (s.str.) *sulcatus* Fieber,1851** (Pentatomidae) Synonym(s): *sulcatus* Fieber,1851; *angustipennis* Mulsant & Rey,1852; *lautus* Horvath,1903; *atticus* Horvath,1907; *cypria* Lindberg,1948
- 5995) *Sciota* (Ciliocerodes) *coenulentella* (Zeller,1846)** (Pyralidae) Synonym(s): *coenulentella* Zeller,1846
- 5996) *Sciota* (s.str.) *hostilis* (Stephens,1834)** (Pyralidae) Synonym(s): *hostilis* Stephens,1834
- 5997) *Sciota* (s.str.) *imperiaella* (Ragonot,1887)** (Pyralidae) Synonym(s): *imperiaella* Ragonot,1887
- 5998) *Scirpophaga praelata* (Scopoli,1763)** (Pyralidae) Synonym(s): *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,1825; *alba* Hübner,1828; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960.
- 5999) *Scolia* (s.str.) *anatoliae* Osten,2004** (Scoliidae) Synonym(s): *anatoliae* Osten,2004
- 6000) *Scolia* (s.str.) *fallax* Eversmann,1849** (Scoliidae) Synonym(s): *fallax* Eversmann,1849; *syriacola* Betrem,1935; *moreana* Muche,1962; *tricolor* Bradley,1972
- 6001) *Scolia* (s.str.) *flaviceps* Eversmann,1846** (Scoliidae) Synonym(s): *flaviceps* Eversmann,1846; *mangichlakensis* Radoszkowski,1879
- 6002) *Scolia* *galbula* (Pallas,1771)** (Scoliidae) Synonym(s): *galbula* Pallas,1771; *tricolor* Pallas,1771; *quadricincta* Scopoli,1786; *notata* Fabricius,1787; *bifasciata* Rossi,1790; *tridens* Fabricius,1793; *elisabethae* Muche,1962
- 6003) *Scoliopteryx libatrix* (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatricos* Haworth,1809
- 6004) *Scolitantides orion* (Pallas,1771)** (Lycaenidae) Synonym(s): *orion* Pallas,1771; *battus* Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943.
- 6005) *Scoparia ambigualis* (Treitschke,1829)** (Pyralidae) Synonym(s): *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Bankes,1909
- 6006) *Scoparia basistrigalis* Knaggs,1866** (Pyralidae) Synonym(s): *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923
- 6007) *Scoparia dicteella* Rebel,1916** (Pyralidae) Synonym(s): *dicteella* Rebel,1916
- 6008) *Scoparia ingratella* (Zeller,1846)** (Pyralidae) Synonym(s): *? majalis* Scopoli,1763; *ingratella* Zeller,1846; *ingratalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982
- 6009) *Scoparia luteolaris* (Scopoli,1772)** (Pyralidae) Synonym(s): *luteolaris* Scopoli,1772; *ochrealis* [Denis & Schiffermüller],1775; *simplicella* Laharpe,1861; *cremealis* Zerny,1934.
- 6010) *Scoparia manifestella* (Herrich-Schäffer,1848)** (Pyralidae) Synonym(s): *manifestella* Herrich-Schäffer,1848; *fasciata* Turati,1919; *ticinensis* Müller-Rutz,1920; *laserella* Thurner,1958; *marioni* Viette,1965
- 6011) *Scoparia perplexella* (Zeller,1839)** (Pyralidae) Synonym(s): *perplexella* Zeller,1839; *perplexalis* Guenée,1854
- 6012) *Scoparia pyralella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *pyralella* [Denis & Schiffermüller],1775; *arundinata* Thunberg,1792; *dubitalis* Hübner,1796; *dubita* Haworth,1811; *pyralea* Haworth,1811; *dubitellus* Zincken,1817; *tristrigella* Stephens,1834; *pyralalis* Guenée,1854; *purbeckensis* Bankes,1889; *australis* Müller-Rutz,1920; *vesubiella* Marion,1976
- 6013) *Scoparia staudingeralis* (Mabille,1869)** (Pyralidae) Synonym(s): *staudingeralis* Mabille,1869; *nevadalis* Caradja,1917; *fusculalis* Amsel,1936
- 6014) *Scoparia subfusca* Haworth,[1811]** (Pyralidae) Synonym(s): *subfusca* Haworth,[1811]; *graecella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembrae* auct. nec Gn.,1854; *#sugfusca* Leraut,1984
- 6015) *Scopula beckeraria* (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853
- 6016) *Scopula decorata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806].
- 6017) *Scopula emutaria* (Hübner,[1809])** (Geometridae) Synonym(s): *emutaria* Hübner,[1809]; *subroseata* Haworth,1809
- 6018) *Scopula flaccidaria* (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852
- 6019) *Scopula imitaria* (Hübner,[1799])** (Geometridae) Synonym(s): *fimbriata* Fourcroy,1785 nec Schreb.,1759; *imitaria* Hübner,[1799]
- 6020) *Scopula immutata* (Linnaeus,1758)** (Geometridae) Synonym(s): *immutata* Linnaeus,1758; *pallidata* Borkhausen,1794.
- 6021) *Scopula incanata* (Linnaeus,1758)** (Geometridae) Synonym(s): *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846
- 6022) *Scopula luridata* (Zeller,1847)** (Geometridae) Synonym(s): *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855
- 6023) *Scopula marginepunctata* (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* De Joannis,1891
- 6024) *Scopula minorata* (Boisduval,1833)** (Geometridae) Synonym(s): *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabille,1900; *mombasae* W.Warren,1904; *dresnaji* D.Lucas,1937.
- 6025) *Scopula nigropunctata* (Hufnagel,1767)** (Geometridae) Synonym(s): *nigropunctata* Hufnagel,1767; *nemorata* Borkhausen,1794; *tristriaria* Fabricius,1794; *inspersata* Schrank,1802; *exemptaria* Hübner,[1823]
- 6026) *Scopula ochraceata* (Staudinger,1901)** (Geometridae) Synonym(s): *ochraceata* Staudinger,1901
- 6027) *Scopula ornata* (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785.
- 6028) *Scopula rubiginata* (Hufnagel,1767)** (Geometridae) Synonym(s): *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839

- 6029) Scopula submutata (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902
- 6030) Scopula tessellaria (Boisduval,1840)** (Geometridae) Synonym(s): *tessellaria* Boisduval,1840; *pulverulentaria* Selys-Longchamps,1844; *tabianaria* Turati,1905; *proutiana* Sheljuzhko,1955
- 6031) Scopula turbulentaria (Staudinger,1870)** (Geometridae) Synonym(s): *turbulentaria* Staudinger,1870; *collata* W. Warren,1901; *habenata* W. Warren,1901; *syriacata* Neuburger,1904; *syriturica* Wehrli,1934
- 6032) Scopula vigilata (Wagner,1926)** (Geometridae) Synonym(s): *#submutulata* Rebel,1902; *#vigilata* L.B. Prout,1913; *vigilata* Wagner,1926; *turatii* Wagner,1926; *submutulata* Wagner,1926
- 6033) Scorlupella montana (Becker,1865)** (Issidae) Synonym(s): *montanum* Becker,1865; *arundidis* Becker,1865
- 6034) Scotochrosta pulla ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller],1775
- 6035) Scotomera caesarealis (Ragonot,1891)** (Pyrilidae) Synonym(s): *caesarealis* Ragonot,1891
- 6036) Scotopteryx bipunctaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bipunctaria* [Denis & Schiffermüller],1775; *undulata* Scopoli,1763 nec Linn.,1758; *geminataria* Villers,1789; *gachtaria* Freyer,1851
- 6037) Scotopteryx chenopodiata (Linnaeus,1758)** (Geometridae) Synonym(s): *chenopodiata* Linnaeus,1758; *limitata* Scopoli,1763; *zonata* Hufnagel,1767; *olivaceofasciata* Retzius,1783; *chenopodiaria* Haworth,1809; *mensuraria* sensu Duponchel,1829
- 6038) Scotopteryx coarctaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *coarctaria* [Denis & Schiffermüller],1775; *coarctata* Fabricius,1794; *tenebraria* Hübner,[1809]
- 6039) Scotopteryx ignorata Hausmann,1998** (Geometridae) Synonym(s): *ignorata* Hausmann,1998
- 6040) Scotopteryx luridata (Hufnagel,1767)** (Geometridae) Synonym(s): *luridata* Hufnagel,1767; *plumbaria* Fabricius,1775; *palumbaria* [Denis & Schiffermüller],1775; *marginaria* Goeze,1781; *quadrifasciaria* Thunberg,1784; *luridaria* Brahm,1791; *palumbata* Hübner,[1825]
- 6041) Scotopteryx moeniata (Scopoli,1763)** (Geometridae) Synonym(s): *moeniata* Scopoli,1763; *moeniaria* [Denis & Schiffermüller],1775; *fimbriata* Fabricius,1777 nec Schr.,1759; *angulata* Rottemburg,1777 nec Hufn.,1767; *moeniataria* Villers,1789; *modesta* Lempke,1967
- 6042) Scotopteryx olympia Rezbanyai-Reser,2003** (Geometridae) Synonym(s): *olympia* Rezbanyai-Reser,2003
- 6043) Scotopteryx vicinaria (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919
- 6044) Scrobipalpa (Ergasiola) ergasima (Meyrick,1916)** (Gelechiidae) Synonym(s): *ergasima* Meyrick,1916; *intestina* Meyrick,1921; *mignatella* Caradja,1920; *mirabilis* Gregor & Povolny,1955; *perdava* Clarke,1962
- 6045) Scrobipalpa (Ilseopsis) acuminatella (Sircom,1850)** (Gelechiidae) Synonym(s): *acuminatella* Sircom,1850
- 6046) Scrobipalpa (Ilseopsis) artemisiella (Treitschke,1833)** (Gelechiidae) Synonym(s): *artemisiella* Treitschke,1833; *paniculatella* Novickij,1924
- 6047) Scrobipalpa (Ilseopsis) atriplicella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *atriplicella* Fischer v. Röslerstamm,1841
- 6048) Scrobipalpa (Ilseopsis) kasyi Povolny,1968** (Gelechiidae) Synonym(s): *kasyi* Povolny,1968
- 6049) Scrobipalpa (Ilseopsis) obsoletella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *obsoletella* Fischer v. Röslerstamm,1841; *miscitella* Clarke,1932; *calaritanella* Amsel,1951
- 6050) Scrobipalpa (Ilseopsis) ocellatella (Boyd,1858)** (Gelechiidae) Synonym(s): *ocellatella* Boyd,1858; *submissella* Stainton,1859; *horticolella* Rössler,1866
- 6051) Scrobipalpa (Ilseopsis) proclivella (Fuchs,1886)** (Gelechiidae) Synonym(s): *proclivella* Fuchs,1886
- 6052) Scrobipalpa (Ilseopsis) salinella (Zeller,1847)** (Gelechiidae) Synonym(s): *salinella* Zeller,1847
- 6053) Scrobipalpa (Ilseopsis) vasconiella (Rössler,1877)** (Gelechiidae) Synonym(s): *vasconiella* Rössler,1877
- 6054) Scrobipalpula psilella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *psilella* Herrich-Schäffer,[1854]; *cacuminum* Frey,1870
- 6055) Scythris (aerariella-gr.) aerariella (Herrich-Schäffer,[1854])** (Scythridae) Synonym(s): *aerariella* Herrich-Schäffer,[1854]
- 6056) Scythris (aerariella-gr.) jaeckhi Bengtsson,1989** (Scythridae) Synonym(s): *jaeckhi* Bengtsson,1989
- 6057) Scythris (aerariella-gr.) parnassiae Bengtsson,1997** (Scythridae) Synonym(s): *parnassiae* Bengtsson,1997
- 6058) Scythris (aerariella-gr.) tergestinella (Zeller,1855)** (Scythridae) Synonym(s): *tergestinella* Zeller,1855; *focella* Cosntant,1885
- 6059) Scythris (cicadella-gr.) moldavicella Caradja,1905** (Scythridae) Synonym(s): *moldavicella* Caradja,1905; *moldavicella* Rebel,1907; *ottomana* Jäckh,1978; *balcanica* Jäckh,1978
- 6060) Scythris (crassiuscula-gr.) crassiuscula (Herrich-Schäffer,1855)** (Scythridae) Synonym(s): *crassiuscula* Herrich-Schäffer,1855; *disqueella* Fuchs,1903; *fletcherella* Meyrick,1928
- 6061) Scythris (crypta-gr.) crypta Hannemann,1961** (Scythridae) Synonym(s): *crypta* Hannemann,1961
- 6062) Scythris (elegantella-gr.) limbella (Fabricius,1775)** (Scythridae) Synonym(s): *limbella* Fabricius,1775; *variella* [Denis & Schiffermüller],1775; *quadriguttella* Thunberg,1794; *chenopodiella* Hübner,[1813]; *obscura* Staudinger,1880
- 6063) Scythris (fallacella-gr.) fallacella (Schläger,1847)** (Scythridae) Synonym(s): *fallacella* Schläger,1847; *armatella* Herrich-Schäffer,1855; *hydrargyrella* Steudel & Hofmann,1882
- 6064) Scythris (fuscoaenea-gr.) fuscoaenea (Haworth,1828)** (Scythridae) Synonym(s): *fuscoaenea* Haworth,1828; *unitella* Costa,1836; *schneideri* Zeller,1855
- 6065) Scythris (fuscoaenea-gr.) tenuivittella (Stainton,1867)** (Scythridae) Synonym(s): *tenuivittella* Stainton,1867; *leucogaster* Mann,1872; *constantella* Dumont,1925; *rhueli* Gozmany,1960
- 6066) Scythris (fuscoaenea-gr.) vittella (Costa,[1836])** (Scythridae) Synonym(s): *vittella* Costa,[1836]; *restigerella* Zeller,1839
- 6067) Scythris (grandipennis-gr.) tabidella (Herrich-Schäffer,[1854])** (Scythridae) Synonym(s): *tabidella* Herrich-Schäffer,[1854]; *inquilinella* Erschoff,1874
- 6068) Scythris (gravatella-gr.) gravatella (Zeller,1847)** (Scythridae) Synonym(s): *gravatella* Zeller,1847; *vagabundella* Herrich-Schäffer,[1854]; *caradjae* Amsel,1939; *flavidella* Passerin d'Entrèves,1986 nec Preiss.,1911
- 6069) Scythris (inertella-gr.) inertella (Zeller,1855)** (Scythridae) Synonym(s): *inertella* Zeller,1855; *tangerensis* Stainton,1782; *gurdella* Christoph,1877; *orbidella* Chrétien,1901; *marionella* Walsingham,1907; *praeclava* Meyrick,1913; *hassenella* Chrétien,1915; *semialbicostella* Turati,1927
- 6070) Scythris (knochella-gr.) ambustella Bengtsson,1997** (Scythridae) Synonym(s): *ambustella* Bengtsson,1997
- 6071) Scythris (laminella-gr.) braschiella (Hofmann,1897)** (Scythridae) Synonym(s): *braschiella* Hofmann,1897
- 6072) Scythris (laminella-gr.) eberhardi Bengtsson,1997** (Scythridae) Synonym(s): *eberhardi* Bengtsson,1997
- 6073) Scythris (mus-gr.) mus Walsingham,1898** (Scythridae) Synonym(s): *mus* Walsingham,1898; *talpella* Walsingham,1907; *blandella* Chrétien,1915; *griseomiscella* Turati,1924

- 6074) Scythris (obscurella-gr.) cuspidella ([Denis & Schiffermüller],1775)** (Scythridae) Synonym(s): *cuspidella* [Denis & Schiffermüller],1775; *bifariella* Hübner,[1813]; *lampyrella* Constant,1865; *ochrolitella* Staudinger,1871; *flavilaterella* Fuchs,1886; *immaculata* Fuchs,1895; *#unicolor* Müller-Rutz,1920
- 6075) Scythris (obscurella-gr.) flavilaterella (Fuchs,1886)** (Scythridae) Synonym(s): *flavilaterella* Fuchs,1886
- 6076) Scythris (obscurella-gr.) obscurella (Scopoli,1763)** (Scythridae) Synonym(s): *obscurella* Scopoli,1763; *esperella* Hübner,[1799] nec Fabr.,1787; *extensella* Hübner,[1825]
- 6077) Scythris (pascuella-gr.) albidella (Stainton,1867)** (Scythridae) Synonym(s): *albidella* Stainton,1867; *recreata* Meyrick,1925; *abdominalis* Turati,1926; *lemarchandella* Lucas,1950
- 6078) Scythris (pascuella-gr.) pascuella (Zeller,1855)** (Scythridae) Synonym(s): *pascuella* Zeller,1855; *flavidella* Preissecker,1911
- 6079) Scythris (pascuella-gr.) paullella (Herrich-Schäffer,1855)** (Scythridae) Synonym(s): *paullella* Herrich-Schäffer,1855
- 6080) Scythris (pascuella-gr.) pudorinella (Möschler,1866)** (Scythridae) Synonym(s): *pudorinella* Möschler,1866
- 6081) Scythris (pascuella-gr.) subaerariella (Stainton,1867)** (Scythridae) Synonym(s): *subaerariella* Stainton,1867
- 6082) Scythris (pascuella-gr.) tabescentella (Staudinger,1880)** (Scythridae) Synonym(s): *tabescentella* Staudinger,1880; ? *caniolella* Fuchs,1903
- 6083) Scythris (pulicella-gr.) skulei Bengtsson,1997** (Scythridae) Synonym(s): *skulei* Bengtsson,1997
- 6084) Scythris (punctivittella-gr.) albostrata Hannemann,1961** (Scythridae) Synonym(s): *albostrata* Hannemann,1961
- 6085) Scythris (punctivittella-gr.) apicistrigella (Staudinger,1870)** (Scythridae) Synonym(s): *apicistrigella* Staudinger,1870
- 6086) Scythris (punctivittella-gr.) confluens (Staudinger,1870)** (Scythridae) Synonym(s): *confluens* Staudinger,1870
- 6087) Scythris (punctivittella-gr.) cycladeae Jäckh,1978** (Scythridae) Synonym(s): *cycladeae* Jäckh,1978
- 6088) Scythris (punctivittella-gr.) punctivittella (Costa,[1836])** (Scythridae) Synonym(s): *punctivittella* Costa,[1836]; *asmodella* Millière,1873
- 6089) Scythris (schleichiella-gr.) similis Hannemann,1961** (Scythridae) Synonym(s): *similis* Hannemann,1961
- 6090) Scythris (seliniella-gr.) seliniella (Zeller,1839)** (Scythridae) Synonym(s): *seliniella* Zeller,1839
- 6091) Scythris (tributella-gr.) tributella (Zeller,1847)** (Scythridae) Synonym(s): *tributella* Zeller,1847; *terrenella* Zeller,1847; *parvella* Herrich-Schäffer,1855; *denigratella* Herrich-Schäffer,1855; *serella* Constant,1885; *karnyella* Rebel,1918; *monotinctella* Turati,1924; *bulbosella* Lhomme,1949; *igaloensis* Amsel,1951
- 6092) Scythropia crataegella (Linnaeus,1767)** (Yponomeutidae) Synonym(s): *crataegella* Linnaeus,1767
- 6093) Scytomedes haemorrhoidalis (Fabricius,1794)** (Asilidae) Synonym(s): *haemorrhoidalis* Fabricius,1794; *nubeculipennis* Costa,1863; *menstruus* Loew,1882
- 6094) Sehirus ovatus (Herrich-Schäffer,1839)** (Cydnidae) Synonym(s): *ovatus* Herrich-Schäffer,1839
- 6095) Seioptera vibrans (Linnaeus,1758)** (Ulidiidae) Synonym(s): *vibrans* Linnaeus,1758; *urticae* R-D.,1830
- 6096) Selagia argyrella ([Denis & Schiffermüller],1775)** (Pylalidae) Synonym(s): *argyrella* ([Denis & Schiffermüller],1775; *janthinella* Hübner,[1813].
- 6097) Selagia spadicella (Hübner,1796)** (Pylalidae) Synonym(s): *spadicella* Hübner,1796
- 6098) Selagia subochrella (Herrich-Schäffer,1849)** (Pylalidae) Synonym(s): *subochrella* Herrich-Schäffer,1849
- 6099) Selania capparidana (Zeller,1847)** (Tortricidae) Synonym(s): *capparidana* Zeller,1847; *rhezelana* Chrétien,1915
- 6100) Selatosomus (s.str.) amplicollis (Germar,1843)** (Elateridae) Synonym(s): *amplicollis* Germar,1843
- 6101) Selenia lunularia (Hübner,1788)** (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 nec Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831
- 6102) Selenocephalus abbreviatus Melichar,1896** (Cicadellidae) Synonym(s): *abbreviatus* Melichar,1896
- 6103) Selenocephalus pallidus Kirschbaum,1868** (Cicadellidae) Synonym(s): *pallidus* Kirschbaum,1868; *simavensis* Zachvatkin,1946; *tauricus* Zachvatkin,1946; *#pellidus* Lodos & Kalkandelen,1986
- 6104) Seleucia pectinella (Chrétien,1911)** (Pylalidae) Synonym(s): *pectinella* Chrétien,1911
- 6105) Seleucia semirosella Ragonot,1887** (Pylalidae) Synonym(s): *semirosella* Ragonot,1887
- 6106) Selidosema brunnearium (Villers,1789)** (Geometridae) Synonym(s): *brunnearia* Villers,1789; *ericetaria* Villers,1789; *subfimbriata* Haworth,1812; *oelandica* Wahlgren,1913.
- 6107) Selidosema plumarium ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#plumaria* [Denis & Schiffermüller],1775; *limbata* Rambur,1829.
- 6108) Semioscopis orientella (Rebel,1893)** (Oecophoridae) Synonym(s): *orientella* Rebel,1893
- 6109) Senotainia (Sphixapata) albifrons (Rondani,1860)** (Sarcophagidae) Synonym(s): *albifrons* Rondani,1860
- 6110) Sepedon (s.str.) sphegea (Fabricius,1775)** (Sciomyzidae) Synonym(s): *sphegea* Fabricius,1775; *ruficollis* Meigen,1818
- 6111) Sepedon (s.str.) spinipes (Scopoli,1763)** (Sciomyzidae) Synonym(s): *spinipes* Scopoli,1763
- 6112) Sepsis barbata Becker,1907** (Sepsidae) Synonym(s): *barbata* Becker,1907; *chopardi* Séguy,1932; *pamirensis* Enderlein,1934
- 6113) Sepsis nigripes Meigen,1826** (Sepsidae) Synonym(s): *nigripes* Meigen,1826; *minima* Strobl,1893; *tonsa* Duda,1925
- 6114) Sepsis punctum (Fabricius,1794)** (Sepsidae) Synonym(s): *punctum* Fabricius,1794; *stigma* Panzer,1798; *cornuta* Meigen,1826; *ornata* Meigen,1826; *pectoralis* Macquart,1835; *rufocincta* Hoffmeister,1844; *#zernyi* Duda,1926; *quadrissetosa* Duda,1926; *icaria* Séguy,1932; *meridionalis* Séguy,1932
- 6115) Serrulacera serraticornella (Zeller,1839)** (Pylalidae) Synonym(s): *serraticornella* Zeller,1839; *gregella* Eversmann,1844.
- 6116) Sesamia cretica Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857
- 6117) Sesamia nonagrioides (Lefèbvre,1827)** (Noctuidae) Synonym(s): *nonagrioides* Lefèbvre,1827; *hesperica* Rambur,1839; *sacchari* Wollaston,1858; *gracilis* Rebel,1898.
- 6118) Sesia apiformis (Clerck,1759)** (Sesiidae) Synonym(s): *#apiformis* Clerck,1759; *crabroniformis* [Denis & Schiffermüller],1775; *sireiciformis* Esper,1782; *tenebrioniformis* Esper,1782; *vespa* Retzius,1783
- 6119) Sesia pimplaeformis Oberthür,1872** (Sesiidae) Synonym(s): *pimplaeformis* Oberthür,1872
- 6120) Setapius bitinctus (Dlabola,1961)** (Cixiidae) Synonym(s): *bitinctus* Dlabola,1961
- 6121) Setina irrorella (Linnaeus,1758)** (Arctiidae) Synonym(s): *irrorella* Linnaeus,1758; *ochracea* Scopoli,1772; *irrorea* [Denis & Schiffermüller],1775; *flavanigropunctata* Retzius,1783; *palealis* Villers,1789; *irrorata* Fabricius,1798; *binumerica* Drapiez,1819; *pseudoirrorella* Witt & De Freina,1985
- 6122) Siagona (Siagona) europaea Dejean,1826** (Carabidae) Synonym(s): *europaea* Dejean,1826
- 6123) Sideridis (Conisania) renati (Oberthür,1890)** (Noctuidae) Synonym(s): *renati* Oberthür,1890; *magdalene* Oberthür,1896; *vitensis* Fernandez,1933
- 6124) Sideridis (Dianthivora) implexa (Hübner,[1809])** (Noctuidae) Synonym(s): *implexa* Hübner,[1809]; *fallovi* Oberthür,1876

- 6125) Sideridis (Luteohadena) luteago ([Denis & Schiffermüller],1775)** (Noctuidae) *Synonym(s): luteago [Denis & Schiffermüller],1775; brunneago Esper,[1804]; nigrescens Wagner,1926 (praeocc.); ottomana Koçak,1990.*
- 6126) Sideridis (s.str.) lampra (Schawerda,1913)** (Noctuidae) *Synonym(s): evidens Hübner,[1808] nec Thunb.,1784; lampra Schawerda,1913; anapheles Nye,1975*
- 6127) Sigara mayri (Fieber,1860)** (Corixidae) *Synonym(s): mayri Fieber,1860*
- 6128) Silvius (s.str.) algirus Meigen,1930** (Tabanidae) *Synonym(s): algirus Meigen,1930; bicolor Bigot,1892*
- 6129) Silvius (s.str.) caucasicus (Kröber,1921)** (Tabanidae) *Synonym(s): caucasicus Kröber,1921; latifrons Olsuljev,1937*
- 6130) Silvius (s.str.) variegatus (Fabricius,1805)** (Tabanidae) *Synonym(s): variegatus Fabricius,1805; maroccanus Bigot,1892*
- 6131) Simplicia rectalis (Eversmann,1842)** (Noctuidae) *Synonym(s): rectalis Eversmann,1842*
- 6132) Simlimorpha promissa (Staudinger,1871)** (Nepticulidae) *Synonym(s): promissa Staudinger,1871*
- 6133) Simulium (Boophthora) erythrocephalum (De Geer,1776)** (Simuliidae) *Synonym(s): erythrocephalum De Geer,1776; sericatum Meigen,1830; tenuifrons Enderlein,1921; sinense Enderlein,1934; mihalyii Rubtsov,1967; chelevini Ivashchenko,1968*
- 6134) Simulium (Eusimulium) flexibranchium Crosskey,2001** (Simuliidae) *Synonym(s): flexibranchium Crosskey,2001*
- 6135) Simulium (Eusimulium) flexibranchium Crosskey,2001** (Simuliidae) *Synonym(s): flexibranchium Crosskey,2001*
- 6136) Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) *Synonym(s): petricolum Rivosecchi,1963*
- 6137) Simulium (Eusimulium) petricolum (Rivosecchi,1963)** (Simuliidae) *Synonym(s): petricolum Rivosecchi,1963*
- 6138) Simulium (Eusimulium) velutinum (Santos Abreu,1922)** (Simuliidae) *Synonym(s): velutinum Santos Abreu,1922; nigripes Santos Abreu,1922; pseudolatipes Santos Abreu,1922; serbicum Baranov,1925; primum Baranov,1926; secundum Baranov,1926; rubzovianum Sherban,1961; latinum Rubtsov,1962*
- 6139) Simulium (Nevermannia) cryophilum (Rubtsov,1959)** (Simuliidae) *Synonym(s): cryophilum Rubtsov,1959; biankoi Rubtsov,1964; courverti Rubtsov,1964; vidanoi Rubtsov,1964; tricennum Rubtsov & Carlsson,1965*
- 6140) Simulium (s.str.) baracorne Smart,1944** (Simuliidae) *Synonym(s): ruficorne Baranov,1926 (praeocc.); baracorne Smart,1944; ponticum Rubtsov,1956; acutipallus Rubtsov,1963*
- 6141) Simulium (s.str.) bezzii (Corti,1914)** (Simuliidae) *Synonym(s): bezzii Corti,1914; delphinense Villeneuve,1918; tristrigatum Enderlein,1921; obscurum Enderlein,1924; kondici Baranov,1926; atlas Ségu,1930; crinitum Rubtsov,1956; gorjense Dinulescu,1966; graium Courvert,1967*
- 6142) Simulium (s.str.) ornatum Meigen,1818** (Simuliidae) *Synonym(s): ornatum Meigen,1818; fasciatum Meigen,1830; crassitarse Macquart,1834; tibiale Macquart,1834; pratorum Friederichs,1920; konsuloffi Enderlein,1924; babici Baranov,1937; borici Baranov,1937; bartulici Baranov,1937; guelminoi Baranov,1937; nikolici Baranov,1937; anderliceki Baranov,1937; zagrebiense Baranov,1937; barensae Baranov,1939; arensae Baranov,1940; oblimatum Odintsov,1961; amnis Rubtsov,1962; albifrons Rubtsov,1967; curvifila Rivosecchi,1978*
- 6143) Simulium (s.str.) trifasciatum Curtis,1839** (Simuliidae) *Synonym(s): trifasciatum Curtis,1839; angustimanus Enderlein,1921; wilhelmianum Enderlein,1921; nigripes Enderlein,1922; odagmiina Enderlein,1922; spinosum Doby & Deblock,1957*
- 6144) Simulium (Trichodagmia) auricoma Meigen,1818** (Simuliidae) *Synonym(s): auricoma Meigen,1818; syriacum Roubaud,1909; djerdapense Baranov,1937*
- 6145) Simulium (Wilhelmia) balcanicum (Enderlein,1924)** (Simuliidae) *Synonym(s): balcanicum Enderlein,1924; secundum Baranov,1926; danubiense Zivkovitch,1955; severinense Dinulescu,1966*
- 6146) Simulium (Wilhelmia) pseudequinum Seguy,1921** (Simuliidae) *Synonym(s): pseudequinum Seguy,1921; canariense Ségu,1921; brnizense Baranov,1924; mediterraneum Puri,1925; stylatum Baranov,1926; quartum Baranov,1926; barbaricum Ségu,1930; sulfuricola Rivosecchi,1972; fluminicola Rivosecchi,1972*
- 6147) Simyra albovenosa (Goeze,1781)** (Noctuidae) *Synonym(s): albovenosa Goeze,1781; venosa Borkhausen,1792; atomina Haworth,1809.*
- 6148) Simyra dentinosa Freyer,1839** (Noctuidae) *Synonym(s): dentinosa Freyer,1839; leucaspis Fischer v. Waldheim,1840; zeliha Kornosor & Lödl,1990*
- 6149) Simyra nervosa ([Denis & Schiffermüller],1775)** (Noctuidae) *Synonym(s): nervosa [Denis & Schiffermüller],1775.*
- 6150) Siona lineata (Scopoli,1763)** (Geometridae) *Synonym(s): lineata Scopoli,1763; dealbata Linnaeus,1767; duplicata Fourcroy,1785 nec Fabr.,1775; dealbaria Hübner,[1799]*
- 6151) Sitaris rufiventris Kraatz,1884** (Meloidae) *Synonym(s): rufiventris Kraatz,1884*
- 6152) Sitaris solieri Pecchioli,1839** (Meloidae) *Synonym(s): solieri Pecchioli,1839; longicornis Kraatz,1858; lativentris Schaufuss,1861; apicalis Escherich,1897; tibialis Ragusa,1898; corzoi Pardo Alcaide,1950*
- 6153) Sitochroa palealis ([Denis & Schiffermüller],1775)** (Pyralidae) *Synonym(s): ? flaveolata Hufnagel,1767; palealis [Denis & Schiffermüller],1775; stigmatalis Villers,1789; selenalis Hübner,[1819]*
- 6154) Sitochroa verticalis (Linnaeus,1758)** (Pyralidae) *Synonym(s): verticalis Linnaeus,1758; inversa Fourcroy,1785; cinctalis Treitschke,1829*
- 6155) Sitotroga cerealella (Olivier,1789)** (Gelechiidae) *Synonym(s): cerealella Olivier,1789; hordei Kirby,1815; arctella Walker,1864; melanartha Lower,1900; palearis Meyrick,1913; ochrescens Meyrick,1938*
- 6156) Sitotroga psacasta (Meyrick,1908)** (Gelechiidae) *Synonym(s): psacasta Meyrick,1908; celyphodes Meyrick,1909; nea Walsingham,1920*
- 6157) Smaragdina graeca (Lefebvre,1872)** (Chrysomelidae) *Synonym(s): graeca Lefebvre,1872*
- 6158) Smaragdina limbata (Steven,1806)** (Chrysomelidae) *Synonym(s): limbata Steven,1806; dorsalis Olivier,1808*
- 6159) Smaragdina tibialis (Brullé,1832)** (Chrysomelidae) *Synonym(s): tibialis Brullé,1832*
- 6160) Smerinthus ocellatus (Linnaeus,1758)** (Sphingidae) *Synonym(s): ocellatus Linnaeus,1758*
- 6161) Smicromyrme (Astomyrme) ausonius Invrea,1950** (Mutillidae) *Synonym(s): ausonius Invrea,1950*
- 6162) Smicromyrme (Eremotilla) schwarzi Suarez,1975** (Mutillidae) *Synonym(s): schwarzi Suarez,1975*
- 6163) Smicromyrme (Erimyrme) pulawskii Suarez,1975** (Mutillidae) *Synonym(s): pulawskii Suarez,1975*
- 6164) Smicromyrme (Erimyrme) sicanus (De Stefani,1887)** (Mutillidae) *Synonym(s): sicanus De Stefani,1887*
- 6165) Smicromyrme (s.str.) ruficollis (Fabricius,1793)** (Mutillidae) *Synonym(s): ruficollis Fabricius,1793*
- 6166) Solenostethium bilunatum (Lefebvre,1827)** (Scutelleridae) *Synonym(s): bilunatum Lefebvre,1827*
- 6167) Somatochlora borisi Marinov,2001** (Corduliidae) *Synonym(s): borisi Marinov,2001*
- 6168) Sophronia humerella ([Denis & Schiffermüller],1775)** (Gelechiidae) *Synonym(s): humerella [Denis & Schiffermüller],1775*
- 6169) Sorhagenia lophyrella (Douglas,1846)** (Cosmopterigidae) *Synonym(s): lophyrella Douglas,1846; tolli Riedl,1962*
- 6170) Sorhagenia reconditella Riedl,1983** (Cosmopterigidae) *Synonym(s): reconditella Riedl,1983*

- 6171) *Spaelotis ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 nec Cramer,1780; *salva* Corti & Draudt,1933.
- 6172) *Spaelotis senna* (Freyer,1829)** (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] nec Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934
- 6173) *Spallanzania hebes* (Fallén,1820)** (Tachinidae) Synonym(s): *hebes* Fallén,1820; *pansa* Snow,1895
- 6174) *Spallanzania multisetosa* (Rondani,1859)** (Tachinidae) Synonym(s): *multisetosa* Rondani,1859
- 6175) *Spallanzania quadrimaculata* Herting,1967** (Tachinidae) Synonym(s): *quadrimaculata* Herting,1967
- 6176) *Spallanzania rectistylum* Macquart,1847** (Tachinidae) Synonym(s): *rectistylum* Macquart,1847
- 6177) *Sparganothis pilleriana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *pilleriana* [Denis & Schiffermüller],1775
- 6178) *Spatialia argentina* ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller],1775
- 6179) *Sphaerophoria rueppelli* Wiedemann,1830** (Syrphidae) Synonym(s): *rueppelli* Wiedemann,1830
- 6180) *Sphaerophoria scripta* (Linnaeus,1758)** (Syrphidae) Synonym(s): *scripta* Linnaeus,1758; *gemmata* Scopoli,1763; *fasciata* Müller,1764; *invisita* Harris,1776; *menthostri* De Geer,1776
- 6181) *Sphecodes albilabris* (Fabricius,1793)** (Halictidae) Synonym(s): *albilabris* Fabricius,1793
- 6182) *Sphecodes alternatus* Smith,1853** (Halictidae) Synonym(s): *alternatus* Smith,1853; *punctiventris* Hagens,1882; *gracilior* Morawitz,1894; *antigae* Tournier,1901; *lindbergi* Pittioni,1950
- 6183) *Sphecodes crassanus* Warncke,1992** (Halictidae) Synonym(s): *crassanus* Warncke,1992
- 6184) *Sphecodes crassus* Thomson,1870** (Halictidae) Synonym(s): *crassus* Thomson,1870
- 6185) *Sphecodes cristatus* Hagens,1882** (Halictidae) Synonym(s): *cristatus* Hagens,1882
- 6186) *Sphecodes croaticus* Meyer,1922** (Halictidae) Synonym(s): *croaticus* Meyer,1922; *cypricus* Blüthgen,1938
- 6187) *Sphecodes dusmeti* Blüthgen,1924** (Halictidae) Synonym(s): *dusmeti* Blüthgen,1924
- 6188) *Sphecodes ephippius* (Linnaeus,1767)** (Halictidae) Synonym(s): *ephippius* Linnaeus,1767
- 6189) *Sphecodes ferruginatus* Hagens,1882** (Halictidae) Synonym(s): *ferruginatus* Hagens,1882
- 6190) *Sphecodes gibbus* (Linnaeus,1758)** (Halictidae) Synonym(s): *gibbus* Linnaeus,1758; *rufispinosus* Meyer,1920
- 6191) *Sphecodes longulus* Hagens,1882** (Halictidae) Synonym(s): *longulus* Hagens,1882
- 6192) *Sphecodes majalis* Pérez,1903** (Halictidae) Synonym(s): *majalis* Pérez,1903; *barbatus* Blüthgen,1923
- 6193) *Sphecodes marginatus* Hagens,1882** (Halictidae) Synonym(s): *marginatus* Hagens,1882; *biskrensis* Pérez,1903
- 6194) *Sphecodes miniatus* Hagens,1882** (Halictidae) Synonym(s): *miniatus* Hagens,1882
- 6195) *Sphecodes monilicornis* (Kirby,1802)** (Halictidae) Synonym(s): *monilicornis* Kirby,1802; *cephalotes* Meyer,1920
- 6196) *Sphecodes punctipes* Thomson,1870** (Halictidae) Synonym(s): *punctipes* Thomson,1870
- 6197) *Sphecodes reticulatus* Thomson,1870** (Halictidae) Synonym(s): *reticulatus* Thomson,1870
- 6198) *Sphecodes rubicundus* Hagens,1875** (Halictidae) Synonym(s): *rubicundus* Hagens,1875
- 6199) *Sphecodes ruficrus* Erichson,1835** (Halictidae) Synonym(s): *ruficrus* Erichson,1835
- 6200) *Sphecodes rufiventris* (Panzer,1798)** (Halictidae) Synonym(s): *rufiventris* Panzer,1798; *hethiticus* Warncke,1992
- 6201) *Sphecodes scabricollis* Wesmael,1835** (Halictidae) Synonym(s): *scabricollis* Wesmael,1835
- 6202) *Sphecodes schencki* Hagens,1882** (Halictidae) Synonym(s): *schencki* Hagens,1882
- 6203) *Sphecodes spinulosus* Hagens,1875** (Halictidae) Synonym(s): *spinulosus* Hagens,1875
- 6204) *Sphedanolestes pulchellus* (Klug,1830)** (Reduviidae) Synonym(s): *pulchellus* Klug,1830
- 6205) *Sphegina* (s.str.) *clavata* (Scopoli,1763)** (Syrphidae) Synonym(s): *clavata* Scopoli,1763; *nigra* Meigen,1822
- 6206) *Sphegina* (s.str.) *elegans* Schummel,1843** (Syrphidae) Synonym(s): *elegans* Schummel,1843; *kimakowiczi* Strobl,1897; *germanica* Becker,1921; *Szilady*,1939
- 6207) *Sphenocratus productus* (Fieber,1876)** (Dictyopharidae) Synonym(s): *productus* Fieber,1876
- 6208) *Sphenometopa fastuosa* (Meigen,1824)** (Sarcophagidae) Synonym(s): *fastuosa* Meigen,1824; *agilis* R-D.,1830; *festiva* R-D.,1830
- 6209) *Sphenometopa lindneri* (Verves,1979)** (Sarcophagidae) Synonym(s): *lindneri* Verves,1979
- 6210) *Sphex flavipennis* Fabricius,1793** (Sphecidae) Synonym(s): *flavipennis* Fabricius,1793; *rufocinctus* Brullé,1833; *bicolor* Dahlbom,1845; *cinereorufocinctus* Dahlbom,1845; *sellae* Gribodo,1873; *rufodorsatus* DeStefani,1887
- 6211) *Sphingonaepiopsis gorgoniades* (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] nec Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974.
- 6212) *Sphinx ligustri* Linnaeus,1758** (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998
- 6213) *Sphinx pinastri* Linnaeus,1758** (Sphingidae) Synonym(s): *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon* De Freina & Witt,1987.
- 6214) *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845].
- 6215) *Spialia* (Neospialia) *sertorius* (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): *sertorius* Hoffmannsegg,1804
- 6216) *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974.
- 6217) *Spilarctia lutea* (Hufnagel,1766)** (Arctiidae) Synonym(s): *lutea* Hufnagel,1766; *radiatus* Haworth,1812; *rhododaktyla* Bryk,1948; *reisseri* Koutsaftikis,1973
- 6218) *Spilonota ocellana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obraztsov,1949
- 6219) *Spilosoma lubricipedum* (Linnaeus,1758)** (Arctiidae) Synonym(s): *lubricipeda* Linnaeus,1758; *menthastri* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsaftikis,1973; *lubricipeda* De Freina,1981.
- 6220) *Spilostethus pandurus* (Scopoli,1763)** (Lygaeidae) Synonym(s): *pandurus* Scopoli,1763
- 6221) *Spiris striata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obraztsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948.
- 6222) *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.

- 6223) *Spodoptera littoralis* (Boisduval,1833)** (Noctuidae) Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911.
- 6224) *Spogostylum isis* (Meigen,1820)** (Bombyliidae) Synonym(s): *isis* Meigen,1820; *subnotata* Walker,1871 *nec* Wied.,1820
- 6225) *Spogostylum tripunctatum* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *tripunctatum* Wiedemann,1820; *difficilis* Wiedemann,1820; *mystaceum* Macquart,1840
- 6226) *Spogostylum velox* (Loew,1862)** (Bombyliidae) Synonym(s): *velox* Loew,1862
- 6227) *Spudaea castanea* Osthelder,1933** (Noctuidae) Synonym(s): *#castanea* W.Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968
- 6228) *Spulerina simploniella* (Fischer v. Röslerstamm,1840)** (Gracillariidae) Synonym(s): *simploniella* Fischer v. Röslerstamm,1840; *eximiella* Christoph,1888
- 6229) *Stagmatophora anonymella* (Riedl,1965)** (Cosmopterigidae) Synonym(s): *anonymella* Riedl,1965
- 6230) *Stagmatophora beata* (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *beata* Walsingham,1907
- 6231) *Stagonomus amoenus* (Brullé,1832)** (Pentatomidae) Synonym(s): *amoenus* Brullé,1832
- 6232) *Stamnodes depeculata* (Lederer,1870)** (Geometridae) Synonym(s): *depeculata* Lederer,1870
- 6233) *Standfussiana lucerneae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucernea* Linnaeus,1758
- 6234) *Standfussiana nictymera* (Boisduval,[1837])** (Noctuidae) Synonym(s): *nictymera* Boisduval,[1837]; *carriei* Boursin,1948.
- 6235) *Stangeia siceliota* (Zeller,1847)** (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858.
- 6236) *Staria lunata* (Hahn,1835)** (Pentatomidae) Synonym(s): *lunata* Hahn,1835; *lobulatus* Rambur,1839; *maroccana* Lindberg,1932; *levantinae* Fuente,1972
- 6237) *Stauroderus scalaris* (Fischer von Waldheim,1846)** (Acrididae) Synonym(s): *scalaris* Fischer von Waldheim,1846; *discoidalis* Eversmann,1848; *melanopterus* Borck,1848; *pyrenaicus* Saulcy,1887
- 6238) *Stauropus fagi* (Linnaeus,1758)** (Notodontidae) Synonym(s): *fagi* Linnaeus,1758
- 6239) *Stegania dilectaria* (Hübner,1790)** (Geometridae) Synonym(s): *dilectaria* Hübner,1790; *commutataria* Hübner,[1819]; *commutata* Freyer,[1832]
- 6240) *Stelis* (s.str.) *annulata* (Lepelletier,1841)** (Megachilidae) Synonym(s): *annulata* Lepelletier,1841; *freygessneri* Friese,1885; *hispanica* Dusmet,1921; *hungarica* Noskiewicz,1962
- 6241) *Stelis* (s.str.) *breviuscula* (Nylander,1848)** (Megachilidae) Synonym(s): *breviuscula* Nylander,1848; *pygmaea* Schenck,1853; *paxillorum* Chevrier,1872
- 6242) *Stelis* (s.str.) *gigantea* Friese,1921** (Megachilidae) Synonym(s): *gigantea* Friese,1921
- 6243) *Stelis* (s.str.) *minuta* Lepelletier & Audinet-Serville,1828** (Megachilidae) Synonym(s): *minuta* Lepelletier & Audinet-Serville,1828; *nana* Schenck,1853; *minima* Schenck,1859; *#unicolor* Alfken,1944
- 6244) *Stelis* (s.str.) *odontopyga* Noskiewicz,1925** (Megachilidae) Synonym(s): *odontopyga* Noskiewicz,1925
- 6245) *Stelis* (s.str.) *orientalis* Warncke,1992** (Megachilidae) Synonym(s): *orientalis* Warncke,1992
- 6246) *Stelis* (s.str.) *ornatula* (Klug,1807)** (Megachilidae) Synonym(s): *ornatula* Klug,1807; *sempunctata* Stschegloff,1826; *octomaculata* Smith,1843; *sexsignata* Costa,1858; *immaculata* Noskiewicz,1925
- 6247) *Stelis* (s.str.) *punctulatissima* (Kirby,1802)** (Megachilidae) Synonym(s): *punctulatissima* Kirby,1802; *moravica* Tkalcu,1970
- 6248) *Stelis* (s.str.) *rhodia* Mavromoustakis,1959** (Megachilidae) Synonym(s): *rhodia* Mavromoustakis,1959
- 6249) *Stelis* (s.str.) *ruficornis* Morawitz,1872** (Megachilidae) Synonym(s): *ruficornis* Morawitz,1872; *paradoxum* Mocsary,1884; *lebanensis* Mavromoustakis,1963
- 6250) *Stelis* (s.str.) *signata* (Latreille,1809)** (Megachilidae) Synonym(s): *signata* Latreille,1809
- 6251) *Stelis* (s.str.) *simillima* Morawitz,1876** (Megachilidae) Synonym(s): *simillima* Morawitz,1876; *cognata* Kohl,1892; *genalis* Pasteels,1969
- 6252) *Stelis* (Stelidomorpha) *nasuta* (Latreille,1809)** (Megachilidae) Synonym(s): *nasuta* Latreille,1809
- 6253) *Stelis* (Stelidomorpha) *pentelica* Mavromoustakis,1963** (Megachilidae) Synonym(s): *pentelica* Mavromoustakis,1963; *bicornuta* Pasteels,1969
- 6254) *Stemmatophora combustalis* (Fischer v. Röslerstamm,[1842])** (Pyralidae) Synonym(s): *combustalis* Fischer v. Röslerstamm,[1842].
- 6255) *Stenagostus zuercheri* Reitter,1909** (Elateridae) Synonym(s): *zuercheri* Reitter,1909
- 6256) *Stenobothrus* (s.str.) *graecus* Ramme,1926** (Acrididae) Synonym(s): *graecus* Ramme,1926
- 6257) *Stenoheriades asiaticus* (Friese,1921)** (Megachilidae) Synonym(s): *asiaticus* Friese,1921; *coelostoma* Benoist,1935
- 6258) *Stenolechia gemmella* (Linnaeus,1758)** (Gelechiidae) Synonym(s): *gemmella* Linnaeus,1758; *nivella* Fabricius,1794; *nivea* Haworth,1828; *lepidella* Zeller,1839; *nigrovittella* Duponchel,[1839].
- 6259) *Stenolechoides macrolepiellus* Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *macrolepiellus* Huemer & Karsholt,1999
- 6260) *Stenolechoides pseudogemmellus* Elsner,[1996]** (Gelechiidae) Synonym(s): *pseudogemmellus* Elsner,[1996]
- 6261) *Stenomutilla* (s.str.) *bizonata* (Smith,1856)** (Mutillidae) Synonym(s): *bizonata* Smith,1856
- 6262) *Stenopogon coracinus* (Loew,1847)** (Asilidae) Synonym(s): *coracinus* Loew,1847
- 6263) *Stenopogon elongatus* (Meigen,1804)** (Asilidae) Synonym(s): *elongatus* Meigen,1804
- 6264) *Stenopogon junceus* (Wiedemann,1820)** (Asilidae) Synonym(s): *junceus* Wiedemann,1820; *tanygastrus* Loew,1861
- 6265) *Stenopogon milvus* (Loew,1847)** (Asilidae) Synonym(s): *milvus* Loew,1847
- 6266) *Stenopogon nigriventris* Loew,1868** (Asilidae) Synonym(s): *nigriventris* Loew,1868
- 6267) *Stenopogon strataegus* Gerstaecker,1862** (Asilidae) Synonym(s): *strataegus* Gerstaecker,1862; *antar* Schiner,1867
- 6268) *Stenopogon xanthotricus* (Brullé,1832)** (Asilidae) Synonym(s): *xanthotricus* Brullé,1832
- 6269) *Stenopterius ater* (Linnaeus,1767)** (Cerambycidae) Synonym(s): *ater* Linnaeus,1767; *praeustus* Fabricius,1792; *ustulatus* Mulsant,1839; *auroventris* Küster,1851; *nigripes* A.Costa,1855; *flavipes* Pic,1892; *subhumeralis* Pic,1905; *theryi* Pic,1918; *biskrensis* Dayrem,1922
- 6270) *Stenopterius atricornis* Pic,1891** (Cerambycidae) Synonym(s): *atricornis* Pic,1891
- 6271) *Stenopterius creticus* Sama,1985** (Cerambycidae) Synonym(s): *creticus* Sama,1985
- 6272) *Stenopterius flavicornis* Küster,1846** (Cerambycidae) Synonym(s): *flavicornis* Küster,1846; *procerus* A.Costa,1855
- 6273) *Stenopterius similatus* Holzschuh,1979** (Cerambycidae) Synonym(s): *similatus* Holzschuh,1979
- 6274) *Stenoptilia arida* (Zeller,1847)** (Pterophoridae) Synonym(s): *arida* Zeller,1847; *oxyactis* Meyrick,1921; *elkefi* Arenberger,1984; *kopetdagi* Zagulyaev,2002
- 6275) *Stenoptilia bipunctidactyla* (Scopoli,1763)** (Pterophoridae) Synonym(s): *bipunctidactyla* Scopoli,1763; *mictodactyla* [Denis & Schiffermüller],1775; *#pallida* Tutt,1906; *arida* Caradja,1920 *nec* Zell.,1847.

- 6276) *Stenoptilia coprodactyla* (Stainton,1851)** (Pterophoridae) Synonym(s): *coprodactyla* Stainton,1851; *zalocrossa* Meyrick,1907.
- 6277) *Stenoptilia inopinata* Bigot & Picard,2002** (Pterophoridae) Synonym(s): *inopinata* Bigot & Picard,2002
- 6278) *Stenoptilia lucasi* Arenberger,1990** (Pterophoridae) Synonym(s): *lucasi* Arenberger,1990
- 6279) *Stenoptilia mannii* (Zeller,1852)** (Pterophoridae) Synonym(s): *mannii* Zeller,1852; *megalochra* Meyrick,1930.
- 6280) *Stenoptilia mariaeluisae* Bigot & Picard,2002** (Pterophoridae) Synonym(s): *mariaeluisae* Bigot & Picard,2002
- 6281) *Stenoptilia parnasia* Arenberger,1986** (Pterophoridae) Synonym(s): *parnasia* Arenberger,1986
- 6282) *Stenoptilia pterodactyla* (Linnaeus,1761)** (Pterophoridae) Synonym(s): *pterodactyla* Linnaeus,1761; *fuscus* Retzius,1783; *fuscodactyla* Haworth,1811; *ptilodactyla* Hübner,[1813]; *palludicola* Wallengren,1862; *#pallida* Tutt,1906
- 6283) *Stenoptilia stenodactyla* Turati & Fiori,1930** (Pterophoridae) Synonym(s): *stenodactyla* Turati & Fiori,1930
- 6284) *Stenoptilia stigmatodactyla* (Zeller,1852)** (Pterophoridae) Synonym(s): *stigmatodactyla* Zeller,1852
- 6285) *Stenoptilia zophodactyla* (Duponchel,1838)** (Pterophoridae) Synonym(s): *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873.
- 6286) *Stenoptilodes taprobanes* (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonym(s): *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenicodactyla* Chrétien,1915; *terlizzii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962.
- 6287) *Stenoptinea cyaneimarmorella* (Millière,1854)** (Tineidae) Synonym(s): *cyaneimarmorella* Millière,1854; *angustipennis* Herrich-Schäffer,1854; *angustipennis* Staudinger,1871 nec H.-S.,1854
- 6288) *Stenosia orientalis* Brullé,1832** (Tenebrionidae) Synonym(s): *orientalis* Brullé,1832; *graeca* Solier,1838
- 6289) *Stephanitis pyri* (Fabricius,1775)** (Tingidae) Synonym(s): *pyri* Fabricius,1775
- 6290) *Stephensia staudingeri* Nielsen & Traugott-Olsen,1981** (Elachistidae) Synonym(s): *staudingeri* Nielsen & Traugott-Olsen,1981
- 6291) *Stevenia fausti* (Portschinsky,1875)** (Rhinophoridae) Synonym(s): *fausti* Portschinsky,1875
- 6292) *Stevenia laeiventris* (Loew,1847)** (Rhinophoridae) Synonym(s): *laeiventris* Loew,1847
- 6293) *Stevenia signata* (Mik,1886)** (Rhinophoridae) Synonym(s): *signata* Mik,1886
- 6294) *Stichobasis helicinoides* (Heylaerts,1879)** (Psychidae) Synonym(s): *helicinoides* Heylaerts,1879
- 6295) *Stichopogon scaliger* Loew,1847** (Asilidae) Synonym(s): *scaliger* Loew,1847; *congener* Loew,1856
- 6296) *Stichopogon schineri* Koch,1872** (Asilidae) Synonym(s): *schineri* Koch,1872; *spimanus* Pokorný,1887
- 6297) *Stictoleptura rufa* (Brullé,1832)** (Cerambycidae) Synonym(s): *rufa* Brullé,1832; *dimidiata* J.Daniel,1891
- 6298) *Stigmella aceris* (Frey,1857)** (Nepticulidae) Synonym(s): *aceris* Frey,1857; *penicillata* Heinemann & Wocke,1877
- 6299) *Stigmella amygdali* (Klimesch,1978)** (Nepticulidae) Synonym(s): *amygdali* Klimesch,1978
- 6300) *Stigmella atricapitella* (Haworth,1828)** (Nepticulidae) Synonym(s): *atricapitella* Haworth,1828; *discrepans* Sorhagen,1922
- 6301) *Stigmella aurella* (Fabricius,1775)** (Nepticulidae) Synonym(s): *aurella* Fabricius,1775
- 6302) *Stigmella auromarginella* (Richardson,1890)** (Nepticulidae) Synonym(s): *auromarginella* Richardson,1890
- 6303) *Stigmella azaroli* (Klimesch,1978)** (Nepticulidae) Synonym(s): *azaroli* Klimesch,1978
- 6304) *Stigmella basiguttella* (Heinemann,1862)** (Nepticulidae) Synonym(s): *basiguttella* Heinemann,1862
- 6305) *Stigmella carpinella* (Heinemann,1862)** (Nepticulidae) Synonym(s): *carpinella* Heinemann,1862
- 6306) *Stigmella cocciferae* Nieukerken & Johansson,2003** (Nepticulidae) Synonym(s): *cocciferae* Nieukerken & Johansson,2003
- 6307) *Stigmella crataegella* (Klimesch,1936)** (Nepticulidae) Synonym(s): *crataegella* Klimesch,1936
- 6308) *Stigmella dorsiguttella* (Johansson,1971)** (Nepticulidae) Synonym(s): *dorsiguttella* Johansson,1971
- 6309) *Stigmella eberhardi* (Johansson,1971)** (Nepticulidae) Synonym(s): *eberhardi* Johansson,1971
- 6310) *Stigmella fasciata* Nieukerken & Johansson,2003** (Nepticulidae) Synonym(s): *fasciata* Nieukerken & Johansson,2003
- 6311) *Stigmella freyella* (Heyden,1858)** (Nepticulidae) Synonym(s): *freyella* Heyden,1858
- 6312) *Stigmella hemargyrella* (Kollar,1832)** (Nepticulidae) Synonym(s): *hemargyrella* Kollar,1832; *basalella* Herrich-Schäffer,1855; *agella* Herrich-Schäffer,1855; *fagi* Frey,1856; *nobilella* Heinemann & Wocke,[1876]; *fulgens* Stainton,1888
- 6313) *Stigmella hybnerella* (Hübner,[1813])** (Nepticulidae) Synonym(s): *hybnerella* Hübner,[1813]
- 6314) *Stigmella incognitella* (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *incognitella* Herrich-Schäffer,1855
- 6315) *Stigmella macrolepidella* (Klimesch,1978)** (Nepticulidae) Synonym(s): *macrolepidella* Klimesch,1978
- 6316) *Stigmella malella* (Stainton,1854)** (Nepticulidae) Synonym(s): *malella* Stainton,1854; *angustella* Heinemann & Wocke,[1876]; *nigrobrunella* Groshcke,1939
- 6317) *Stigmella microtheriella* (Stainton,1854)** (Nepticulidae) Synonym(s): *microtheriella* Stainton,1854
- 6318) *Stigmella minusculella* (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *minusculella* Herrich-Schäffer,1855; *stettinensis* Heinemann,1871; *chalybeia* Braun,1914; *embonella* Klimesch,1978
- 6319) *Stigmella nivenburgensis* (Preissecker,1942)** (Nepticulidae) Synonym(s): *nivenburgensis* Preissecker,1942
- 6320) *Stigmella oxyacanthella* (Stainton,1854)** (Nepticulidae) Synonym(s): *oxyacanthella* Stainton,1854
- 6321) *Stigmella paliurella* (Klimesch,1940)** (Nepticulidae) Synonym(s): *paliurella* Klimesch,1940
- 6322) *Stigmella perpygmaeella* (Doubleday,1859)** (Nepticulidae) Synonym(s): *pygmaeella* Haworth,1828 nec [Denis & Schiff,],1775; *perpygmaeella* Doubleday,1859
- 6323) *Stigmella plagicolella* (Stainton,1854)** (Nepticulidae) Synonym(s): *plagicolella* Stainton,1854
- 6324) *Stigmella prunetorum* (Stainton,1855)** (Nepticulidae) Synonym(s): *prunetorum* Stainton,1855; *dimidiatella* Herrich-Schäffer,1855; *perpusillella* Herrich-Schäffer,1855; *prunetella* Doubleday,1859; *ligustrella* Rössler,1866; *punctella* Threfall,1884.
- 6325) *Stigmella rhamnophila* (Amsel,1934)** (Nepticulidae) Synonym(s): *rhamnophila* Amsel,1934
- 6326) *Stigmella rolandi* Nieukerken,1990** (Nepticulidae) Synonym(s): *rolandi* Nieukerken,1990
- 6327) *Stigmella ruficapitella* (Haworth,[1828])** (Nepticulidae) Synonym(s): *ruficapitella* Haworth,[1828]; ? *violacella* Haworth,[1828]; *lamprotornella* Bruand,1859
- 6328) *Stigmella samiatella* (Zeller,1839)** (Nepticulidae) Synonym(s): *samiatella* Zeller,1839
- 6329) *Stigmella sorbi* (Stainton,1861)** (Nepticulidae) Synonym(s): *sorbi* Stainton,1861
- 6330) *Stigmella speciosa* (Frey,1857)** (Nepticulidae) Synonym(s): *speciosa* Frey,1857; *pseudoplatanella* Weber,1937
- 6331) *Stigmella styracicolella* (Klimesch,1978)** (Nepticulidae) Synonym(s): *styracicolella* Klimesch,1978
- 6332) *Stigmella svenssoni* (Johansson,1971)** (Nepticulidae) Synonym(s): *svenssoni* Johansson,1971
- 6333) *Stigmella szoeckiella* (Borkowski,1972)** (Nepticulidae) Synonym(s): *szoeckiella* Borkowski,1972
- 6334) *Stigmella tityrella* (Stainton,1854)** (Nepticulidae) Synonym(s): *tityrella* Stainton,1854; *turicella* Herrich-Schäffer,1855; *turicensis* Frey,1856; *castanella* Stainton,1859
- 6335) *Stigmella trimaculella* (Haworth,1828)** (Nepticulidae) Synonym(s): *trimaculella* Haworth,1828; *rufella* Zeller,1839; *populella* Herrich-Schäffer,1855; *albicornella* Kollar,1860; *gilvella* Rössler,1866; *populicola* Sorhagen,1922; *subtrimaculella* Dufrane,1949

- 6336) *Stigmella trojana* Z.Lastuvka & A.Lastuvka,1998 (Nepticulidae) Synonym(s): *trojana* Z.Lastuvka & A.Lastuvka,1998
- 6337) *Stigmella ulmiphaga* (Preissecker,1942) (Nepticulidae) Synonym(s): *ulmiphaga* Preissecker,1942
- 6338) *Stigmella viscerella* (Stainton,1853) (Nepticulidae) Synonym(s): *viscerella* Stainton,1853
- 6339) *Stigmella zangherii* (Klimesch,1951) (Nepticulidae) Synonym(s): *zangherii* Klimesch,1951
- 6340) *Stilbina* (Lukaschia) *olympica* Dierl & Povolny,1970 (Noctuidae) Synonym(s): *olympica* Dierl & Povolny,1970
- 6341) *Stizoides crassicornis* (Fabricius,1787) (Crabronidae) Synonym(s): *crassicornis* Fabricius,1787; *rufipes* Olivier,1789; *alienus* Fischer v. Waldheim,1843; *fulvipes* Eversmann,1846
- 6342) *Stizoides melanopterus* (Dahlbom,1845) (Crabronidae) Synonym(s): *melanopterus* Dahlbom,1845; *concolor* Eversmann,1849
- 6343) *Stizoides tridentatus* (Fabricius,1775) (Crabronidae) Synonym(s): *tridentatus* Fabricius,1775; *bifasciata* Fabricius,1798; *unifasciatus* Radoszkowski,1877
- 6344) *Stomina iners* (Meigen,1838) (Tachinidae) Synonym(s): *iners* Meigen,1838
- 6345) *Stomopteryx detersella* (Zeller,1847) (Gelechiidae) Synonym(s): *detersella* Zeller,1847
- 6346) *Stomopteryx remissella* (Zeller,1847) (Gelechiidae) Synonym(s): *remissella* Zeller,1847
- 6347) *Stomorhina ellinikia* Lehrer,2007 (Calliphoridae) Synonym(s): *ellinikia* Lehrer,2007
- 6348) *Stomorhina lunata* (Fabricius,1805) (Calliphoridae) Synonym(s): *lunata* Fabricius,1805; *selgae* Lehrer,1979
- 6349) *Stomoxys calcitrans* (Linnaeus,1758) (Muscidae) Synonym(s): *calcitrans* Linnaeus,1758
- 6350) *Stomylomyia europaea* (Loew,1869) (Bombyliidae) Synonym(s): *europaea* Loew,1869; *leonina* Bigot,1887
- 6351) *Strangalia attenuata* (Linnaeus,1758) (Cerambycidae) Synonym(s): *attenuata* Linnaeus,1758
- 6352) *Stratiomys ruficornis* (Macquart,1838) (Stratiomyidae) Synonym(s): *ruficornis* Macquart,1838; *erythroceras* Egger,1859; *pyrrhocera* Loew,1868
- 6353) *Streyella anguinella* (Herrich-Schäffer,1861) (Gelechiidae) Synonym(s): *anguinella* Herrich-Schäffer,1861; *ostentella* Zerny,1934
- 6354) *Strobilotoma typhaecornis* (Fabricius,1803) (Coreidae) Synonym(s): *typhaecornis* Fabricius,1803; *clavicornis* Fabricius,1803; *genei* Spinola,1837; *obscurus* Herrich-Schäffer,1840; *divergens* Reuter,1900
- 6355) *Stygia mosulensis* Daniel,1965 (Cossidae) Synonym(s): *mosulensis* Daniel,1965
- 6356) *Stygiodides colchica* (Herrich-Schäffer,1851) (Cossidae) Synonym(s): *colchica* Herrich-Schäffer,[1851]
- 6357) *Suillia affinis* (Meigen,1830) (Heleomyzidae) Synonym(s): *affinis* Meigen,1830
- 6358) *Suillia gigantea* (Meigen,1830) (Heleomyzidae) Synonym(s): *gigantea* Meigen,1830
- 6359) *Suillia pallida* (Fallén,1820) (Heleomyzidae) Synonym(s): *pallida* Fallén,1820
- 6360) *Sulamicerus stali* (Fieber,1868) (Cicadellidae) Synonym(s): *stali* Fieber,1868; *bicolor* Melichar,1896; *toktogulensis* Dubovsky,1970
- 6361) *Swammerdamia caesiella* (Hübner,1796) (Yponomeutidae) Synonym(s): *caesiella* Hübner,1796; *heroldella* Hübner,[1825]; *caesia* Haworth,1828; *nubeculella* Tengström,1848; *griseocapitella* Stainton,1851
- 6362) *Sybistroma discipes* (Germar,1821) (Dolichopodidae) Synonym(s): *discipes* Germar,1821; *patellata* Fallén,1823; *ventralis* Fallén,1823; *patellipes* Meigen,1824
- 6363) *Sybistroma dufouri* Macquart,1838 (Dolichopodidae) Synonym(s): *dufour* Macquart,1838; *spatulata* Loew,1861
- 6364) *Sybistroma impar* (Rondani,1843) (Dolichopodidae) Synonym(s): *impar* Rondani,1843
- 6365) *Sybistroma nodicornis* Meigen,1824 (Dolichopodidae) Synonym(s): *nodicornis* Meigen,1824; *wiedemanni* Rondani,1843
- 6366) *Sybistroma obscurella* (Fallén,1823) (Dolichopodidae) Synonym(s): *obscurella* Fallén,1823; *xanthogastra* Meigen,1824; *appendiculata* Macquart,1827
- 6367) *Sycophila submutica* (Thomson,1876) (Eurytomidae) Synonym(s): *submutica* Thomson,1876
- 6368) *Symmactantha sparsella* (De Joannis,1891) (Autostichidae) Synonym(s): *sparsella* De Joannis,1891
- 6369) *Symmoca attalica* Gozmany,1957 (Autostichidae) Synonym(s): *attalica* Gozmany,1957
- 6370) *Symmoca christenseni* Gozmany,1982 (Autostichidae) Synonym(s): *christenseni* Gozmany,1982
- 6371) *Symmoca signatella* Herrich-Schäffer,1854 (Autostichidae) Synonym(s): *signatella* Herrich-Schäffer,1854; *rosmarinella* Walsingham,1901
- 6372) *Symmoca signella* (Hübner,1796) (Autostichidae) Synonym(s): *signella* Hübner,1796
- 6373) *Symmoca vitiosella* Zeller,1868 (Autostichidae) Synonym(s): *vitiosella* Zeller,1868
- 6374) *Sympyca fusca* (Van Der Linden,1820) (Lestidae) Synonym(s): *fusca* Van Der Linden,1820
- 6375) *Sympiesis sericeicornis* (Nees ab Esenbeck,1834) (Eulophidae) Synonym(s): *sericeicornis* Nees ab Esenbeck,1834; *upupaenellae* Bouché,1834; *docilis* Walker,1839; *eneugamus* Walker,1839; *sithon* Walker,1839; *laticornis* Ratzeburg,1848; *punctipleura* Thomson,1878; *conicus* Provancher,1887; *nigrifemora* Ashmead,1888; *massasoit* Crawford,1911
- 6376) *Sympycnus annulipes* (Meigen,1824) (Dolichopodidae) Synonym(s): *annulipes* Meigen,1824
- 6377) *Sympycnus pulicarius* (Fallén,1823) (Dolichopodidae) Synonym(s): *pulicarius* Fallén,1823; *annulipes* Meigen,1824; *pygmaeus* Macquart,1827; *cinerellus* Zetterstedt,1838; *desoutteri* Parent,1925
- 6378) *Sympycnus simpliceps* Becker,1908 (Dolichopodidae) Synonym(s): *simpliceps* Becker,1908
- 6379) *Synansphecchia affinis* (Staudinger,1856) (Sesiidae) Synonym(s): *affinis* Staudinger,1856
- 6380) *Synansphecchia leucomelaena* (Zeller,1847) (Sesiidae) Synonym(s): *leucomelaena* Zeller,1847
- 6381) *Synansphecchia muscaeformis* (Esper,[1783]) (Sesiidae) Synonym(s): *muscaeformis* Esper,[1783]
- 6382) *Synansphecchia umbrifera* (Staudinger,1871) (Sesiidae) Synonym(s): *umbrifera* Staudinger,1871
- 6383) *Synanthedon cepiformis* (Ochsenheimer,1808) (Sesiidae) Synonym(s): *cephiformis* Ochsenheimer,1808; *laspeyres* Heppner & Duckworth,1981
- 6384) *Synanthedon conopiformis* (Esper,[1782]) (Sesiidae) Synonym(s): *conopiformis* Esper,[1782]; *syrphiformis* Hübner,1796; *nomadaeformis* Laspeyres,1801
- 6385) *Synanthedon culiciformis* (Linnaeus,1758) (Sesiidae) Synonym(s): *culiciformis* Linnaeus,1758; *culex* Retzius,1783; *americana* Beutenmüller,1896
- 6386) *Synanthedon formicaeformis* (Esper,[1783]) (Sesiidae) Synonym(s): *formicaeformis* Esper,[1783]; *formiciformis* Staudinger,1856
- 6387) *Synanthedon gardensis* (Kralicek & Povolny,1977) (Sesiidae) Synonym(s): *gardensis* Kralicek & Povolny,1977
- 6388) *Synanthedon loranthei* (Kralicek,1966) (Sesiidae) Synonym(s): *loranthei* Kralicek,1966; *cryptica* Kralicek & Povolny,1977
- 6389) *Synanthedon myopaeformis* (Borkhausen,1789) (Sesiidae) Synonym(s): *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiformis* Staudinger,1856; *elegans* Lederer,1861
- 6390) *Synanthedon rubiana* Kallies, M.Petersen & Riefenstahl,1998 (Sesiidae) Synonym(s): *rubiana* Kallies, M.Petersen & Riefenstahl,1998
- 6391) *Synanthedon spuleri* (Fuchs,1908) (Sesiidae) Synonym(s): *spuleri* Fuchs,1908; *schwarzi* Kralicek & Povolny,1977

- 6392) *Synanthedon tipuliformis* (Clerck,1759)** (Sesiidae) Synonym(s): *#salmachus* Linnaeus,1758 (suppressed); *tipuliformis* Clerck,1759; *tipula* Retzius,1783; *ophioniformis* Hübner,[1813]
- 6393) *Synanthedon typhiaeformis* (Borkhausen,1789)** (Sesiidae) Synonym(s): *typhiaeformis* Borkhausen,1789; *typhiaeformis* Hübner,[1806]; *tiphiiformis* Staudinger,1856
- 6394) *Synanthedon vespiformis* (Linnaeus,1761)** (Sesiidae) Synonym(s): *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795
- 6395) *Synaphe moldavica* (Esper,[1789])** (Pyralidae) Synonym(s): *moldavica* Esper,[1789]; *schmidtii* Hartig,1941.
- 6396) *Synaphe punctalis* (Fabricius,1775)** (Pyralidae) Synonym(s): *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775.
- 6397) *Synaptus filiformis* (Fabricius,1781)** (Elateridae) Synonym(s): *filiformis* Fabricius,1781
- 6398) *Syncopacma albipalpella* (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *albipalpella* Herrich-Schäffer,1854; *ruptella* Constant,1865
- 6399) *Syncopacma cinctella* (Clerck,1759)** (Gelechiidae) Synonym(s): *cinctella* Clerck,1759; *vorticella* Scopoli,1763; *ligulella* [Denis & Schiffermüller],1775; *vittata* Fourcroy,1785; *vittatella* Villers,1789; *albitrigella* Stephens,1834; *cincticullella* Heydenreich,1851 nec Br.,1850; *sircomella* Stainton,1854; *finlandica* Gozmany,1957
- 6400) *Syncopacma patruella* (Mann,1857)** (Gelechiidae) Synonym(s): *patruella* Mann,1857
- 6401) *Syncopacma suecicella* (Wolff,1958)** (Gelechiidae) Synonym(s): *suecicella* Wolff,1958
- 6402) *Syndemis musculana* (Hübner,[1799])** (Tortricidae) Synonym(s): *musculana* Hübner,[1799]; *musculinana* Kennel,1899; *nipponensis* Yasuda,1975.
- 6403) *Synophrus politus* Hartig,1843** (Cynipidae) Synonym(s): *politus* Hartig,1843
- 6404) *Synophropsis lauri* (Horvath,1897)** (Cicadellidae) Synonym(s): *lauri* Horvath,1897; *wagneri* Haupt,1926
- 6405) *Synopsis sociaria* (Hübner,[1799])** (Geometridae) Synonym(s): *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926
- 6406) *Synoria antiquella* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *antiquella* Herrich-Schäffer,[1855]
- 6407) *Syntormon aulicum* (Meigen,1824)** (Dolichopodidae) Synonym(s): *aulicus* Meigen,1824; *calcaratus* Becker,1907
- 6408) *Syntormon filiger* Verrall,1912** (Dolichopodidae) Synonym(s): *filiger* Verrall,1912; *obscurifrons* Parent,1932
- 6409) *Syntormon fuscipes* (Von Roser,1840)** (Dolichopodidae) Synonym(s): *fuscipes* Von Roser,1840; *spicatus* Loew,1857
- 6410) *Syntormon miki* Strobl,1899** (Dolichopodidae) Synonym(s): *miki* Strobl,1899
- 6411) *Syntormon pallipes* (Fabricius,1794)** (Dolichopodidae) Synonym(s): *pallipes* Fabricius,1794; *hamatus* Zetterstedt,1843; *pseudospicatus* Strobl,1899; *immaculatus* Santos Abreu,1929
- 6412) *Syntormon pumilus* (Meigen,1824)** (Dolichopodidae) Synonym(s): *pumilus* Meigen,1824; *rufipes* Meigen,1824; *longiseta* Zetterstedt,1843; *pumilio* Zetterstedt,1859; *pusillus* Zetterstedt,1859; *tridens* Becker,1918
- 6413) *Syntormon tabariae* Becker,1918** (Dolichopodidae) Synonym(s): *tabariae* Becker,1918
- 6414) *Syntormon zelleri* (Loew,1850)** (Dolichopodidae) Synonym(s): *zelleri* Loew,1850
- 6415) *Syringopais temperatella* (Lederer,1855)** (Deoclonidae) Synonym(s): *temperatella* Lederer,1855; *fuscofasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920
- 6416) *Syritta flaviventris* Macquart,1842** (Syrphidae) Synonym(s): *flaviventris* Macquart,1842; *nigricornis* Macquart,1842; *spinigera* Loew,1848
- 6417) *Syritta pipiens* (Linnaeus,1758)** (Syrphidae) Synonym(s): *pipiens* Linnaeus,1758; *proxima* Say,1824; *obscuripes* Strobl,1899; *albicincta* Santos Abreu,1924; *flavicans* Szilady,1940; *vicina* Szilady,1940; *tenofemora* Dzhanfarova,1974
- 6418) *Syromastus rhombeus* (Linnaeus,1767)** (Coreidae) Synonym(s): *rhombeus* Linnaeus,1767; *quadratus* Fabricius,1775; *sinuata* Fieber,1861; *fusca* Vidal,1936
- 6419) *Systoechus ctenopterus* (Mikan,1796)** (Bombyliidae) Synonym(s): *ctenopterus* Mikan,1796; *sulphureus* Mikan,1796; *aurulentus* Wiedemann,1820; *fulvus* Meigen,1820; *dalmatinus* Loew,1855; *convergens* Loew,1855; *orientalis* Zakhvatkin,1954
- 6420) *Systoechus gradatus* (Wiedemann,1820)** (Bombyliidae) Synonym(s): *gradatus* Wiedemann,1820; *leucophaeus* Wiedemann,1820; *lucidus* Loew,1855; *gallicus* Villeneuve,1904; *tesquorum* Becker,1916; *validus* Bezzi,1925
- 6421) *Systoechus microcephalus* (Loew,1855)** (Bombyliidae) Synonym(s): *microcephalus* Loew,1855
- 6422) *Systropha* (s.str.) *curvicornis* (Scopoli,1770)** (Halictidae) Synonym(s): *curvicornis* Scopoli,1770; *convolvuli* Pallas,1773; *labrosa* Eversmann,1852
- 6423) *Systropha* (s.str.) *planidens* Giraud,1861** (Halictidae) Synonym(s): *planidens* Giraud,1861; *chrysura* Pérez,1905; *grandimargo* Pérez,1905; *anatolica* Warncke,1977
- 6424) *Tabanus bifarius* Loew,1858** (Tabanidae) Synonym(s): *bifarius* Loew,1858; *longicornis* Enderlein,1932; *tauricus* Enderlein,1932; *simovae* Leclercq,1959; *mesogaeus* Peus,1980
- 6425) *Tabanus bromius* Linnaeus,1758** (Tabanidae) Synonym(s): *bromius* Linnaeus,1758; *maculatus* De Geer,1776; *scalaris* Meigen,1820; *glaucus* Meigen,1820; *connexus* Walker,1856; *antophilus* Loew,1858; *glaucescens* Schiner,1862; *flavofemoratus* Strobl,1909; *nigricans* Szilady,1914; *simplex* Muschamp,1939
- 6426) *Tabanus decipiens* (Kröber,1928)** (Tabanidae) Synonym(s): *decipiens* Kröber,1928
- 6427) *Tabanus exclusus* Pandellé,1883** (Tabanidae) Synonym(s): *exclusus* Pandellé,1883
- 6428) *Tabanus fraseri* Austen,1925** (Tabanidae) Synonym(s): *fraseri* Austen,1925
- 6429) *Tabanus glaucopsis* Meigen,1820** (Tabanidae) Synonym(s): *ferrugineus* Meigen,1804 nec Ström,1768; *glaucopsis* Meigen,1820; *lunulatus* Meigen,1820; *chlorophthalmus* Meigen,1820; *flavicans* Zeller,1842; *cognatus* Loew,1858; *castellanus* Strobl,1906; *rubra* Muschamp,1939
- 6430) *Tabanus hellenicus* Peus,1980** (Tabanidae) Synonym(s): *hellenicus* Peus,1980
- 6431) *Tabanus holtzianus* (Enderlein,1927)** (Tabanidae) Synonym(s): *holtzianus* Enderlein,1927
- 6432) *Tabanus leleani* Austen,1920** (Tabanidae) Synonym(s): *leleani* Austen,1920; *pallidus* Olsufjev,1937 nec P.B.,1809; *turkestanicus* Olsufjev,1970
- 6433) *Tabanus lunatus* Fabricius,1794** (Tabanidae) Synonym(s): *lunatus* Fabricius,1794; *algiricus* Thunberg,1827; *wideri* Jaennicke,1866; *syriacus* Szilady,1923; *rufus* Szilady,1923; *politus* Szilady,1923; *farinosus* Szilady,1923; *algeriensis* Peus,1980; *levantinus* Peus,1980
- 6434) *Tabanus marianii* (Leclercq,1956)** (Tabanidae) Synonym(s): *marianii* Leclercq,1956
- 6435) *Tabanus miki* Brauer,1880** (Tabanidae) Synonym(s): *miki* Brauer,1880; *velutinus* Kröber,1936; *australis* Hauser,1960; *postvelutinus* Moucha,1962
- 6436) *Tabanus obsolescens* Pandellé,1883** (Tabanidae) Synonym(s): *obsolescens* Pandellé,1883
- 6437) *Tabanus paradoxus* Jaennicke,1866** (Tabanidae) Synonym(s): *paradoxus* Jaennicke,1866; *macedonicus* Kröber,1936
- 6438) *Tabanus quatuornatatus* Meigen,1820** (Tabanidae) Synonym(s): *quatuornatatus* Meigen,1820; *labaumeanus* Enderlein,1925; *cherbottae* Muschamp,1939; *araxis* Olsufjev,1972
- 6439) *Tabanus regularis* Jaennicke,1866** (Tabanidae) Synonym(s): *regularis* Jaennicke,1866; *rufus* Szilady,1923 nec Scop.,1763; *#regluaris* Kılıç,1999

- 6440) *Tabanus rupium* Brauer, 1880 (Tabanidae) Synonym(s): *pusillus* Egger, 1859 nec Macq., 1839; *rupium* Brauer, 1880; *abazus* Bigot, 1880; *alazinus* Bigot, 1892; *lasios* Surcouf, 1924; *hadjinicolaoui* Kröber, 1936; *loewi* Muschamp, 1939
- 6441) *Tabanus shannonellus* Kröber, 1936 (Tabanidae) Synonym(s): *shannonellus* Kröber, 1936
- 6442) *Tabanus spectabilis* Loew, 1858 (Tabanidae) Synonym(s): *lateralis* Brullé, 1832 (praeocc.); *spectabilis* Loew, 1858; *aspahanicus* Rondani, 1873
- 6443) *Tabanus spodopterus* Meigen, 1820 (Tabanidae) Synonym(s): *spodopterus* Meigen, 1820; *ponticus* Olsufjev, Moucha & Chvala, 1967
- 6444) *Tabanus subcaeruleus* Peus, 1980 (Tabanidae) Synonym(s): *subcaeruleus* Peus, 1980
- 6445) *Tabanus taygetus* Peus, 1980 (Tabanidae) Synonym(s): *taygetus* Peus, 1980
- 6446) *Tabanus tergestinus* Egger, 1859 (Tabanidae) Synonym(s): *tergestinus* Egger, 1859
- 6447) *Tabanus tinctus* Walker, 1850 (Tabanidae) Synonym(s): *tinctus* Walker, 1850; *mixtus* Szilady, 1914
- 6448) *Tabanus unifasciatus* Loew, 1858 (Tabanidae) Synonym(s): *unifasciatus* Loew, 1858; *albescens* Kröber, 1928
- 6449) *Tachina (Echinogaster) praeceps* Meigen, 1824 (Tachinidae) Synonym(s): *praeceps* Meigen, 1824; *argentifrons* Macquart, 1835; *pusilla* Macquart, 1845; *fuscanipennis* Macquart, 1845; *alpicola* Rondani, 1861; *tricondyla* Rondani, 1868; *roederi* Giglio-Tos, 1891; *similis* Giglio-Tos, 1891
- 6450) *Tachina (Eudoromyia) fera* (Linnaeus, 1761) (Tachinidae) Synonym(s): *fera* Linnaeus, 1761
- 6451) *Tachina (Eudoromyia) nupta* (Rondani, 1859) (Tachinidae) Synonym(s): *nupta* Rondani, 1859; *micado* Kirby, 1884; *orientalis* Zimin, 1935; *trigonata* Villeneuve, 1936; *nigriventris* Zimin, 1967; *mesnili* Zimin, 1967; *turanica* Zimin, 1980
- 6452) *Tachina (s.str.) grossa* (Linnaeus, 1758) (Tachinidae) Synonym(s): *grossa* Linnaeus, 1758
- 6453) *Tachina (Servillia) lurida* (Fabricius, 1781) (Tachinidae) Synonym(s): *lurida* Fabricius, 1781
- 6454) *Tachina casta* (Rondani, 1859) (Tachinidae) Synonym(s): *casta* Rondani, 1859
- 6455) *Tachina corsicana* (Villeneuve, 1931) (Tachinidae) Synonym(s): *corsicana* Villeneuve, 1931
- 6456) *Tachina magna* (Giglio-Tos, 1890) (Tachinidae) Synonym(s): *magna* Giglio-Tos, 1890
- 6457) *Tachycistrocerus rhodensis* (Saussure, 1855) (Vespidae) Synonym(s): *rhodensis* Saussure, 1855; *sulcatus* André, 1883
- 6458) *Tachycixius creticus* Dlabola, 1974 (Cixiidae) Synonym(s): *creticus* Dlabola, 1974
- 6459) *Tachycixius desertorum* (Fieber, 1876) (Cixiidae) Synonym(s): *desertorum* Fieber, 1876
- 6460) *Tachycixius pilosus* (Olivier, 1791) (Cixiidae) Synonym(s): *pilosus* Olivier, 1791; *contaminata* Germar, 1818; *albicincta* Germar, 1818; *infumata* Fieber, 1876; *discicollis* Rey, 1894; *nigrita* Haupt, 1931
- 6461) *Tachys (Eotachys) bistriatus* (Duftschmid, 1812) (Carabidae) Synonym(s): *bistriatus* Duftschmid, 1812
- 6462) *Tachytrechus notatus* (Stannius, 1831) (Dolichopodidae) Synonym(s): *notatus* Stannius, 1831; *litoreus* Haliday, 1833; *obscuripes* Gertaeker, 1864; *beckeri* Müller, 1923
- 6463) *Tachytrechus ripicola* Loew, 1857 (Dolichopodidae) Synonym(s): *ripicola* Loew, 1857
- 6464) *Tamaricella bipunctata* (Melichar, 1896) (Cicadellidae) Synonym(s): *bipunctata* Melichar, 1896
- 6465) *Tamaricella remanei* Dworakowska, 1971 (Cicadellidae) Synonym(s): *remanei* Dworakowska, 1971
- 6466) *Tamaricella ribauti* (Zachvatkin, 1947) (Cicadellidae) Synonym(s): *ribauti* Zachvatkin, 1947
- 6467) *Tamaricella tamaricis* (Puton, 1872) (Cicadellidae) Synonym(s): *tamaricis* Puton, 1872; *subpunctata* Vilbaste, 1961
- 6468) *Tarucus (s.str.) balkanicus* (Freyer, [1843]) (Lycaenidae) Synonym(s): *balkanicus* Freyer, [1843]
- 6469) *Tathorhynchus exsiccatus* (Lederer, 1855) (Noctuidae) Synonym(s): *exsiccata* Lederer, 1855; *vinctalis* Walker, [1866]; *angustiorata* Grote, 1882; *fallax* Swinhoe, 1902; *#exiccata* Wiltshire, 1941; *greuteri* Koutsafikis, 1973
- 6470) *Tebenna micalis* (Mann, 1857) (Choreutidae) Synonym(s): *micalis* Mann, 1857; *ishikii* Matsumura, 1931; *bradleyi* Clarke, 1971; *hypocroca* Diakonoff, 1978
- 6471) *Tecmerium perplexum* (Gozmany, 1957) (Blastobasidae) Synonym(s): *perplexum* Gozmany, 1957
- 6472) *Tegostoma comparalis* (Hübner, 1796) (Pyralidae) Synonym(s): *comparalis* Hübner, 1796; *ramalis* Hübner, 1796; *tenebrosalis* Walker, 1865; *fotalis* Swinhoe, 1885; *#comparale* Caradja, 1917.
- 6473) *Teinoptera lunaki* (Boursin, 1940) (Noctuidae) Synonym(s): *lunaki* Boursin, 1940
- 6474) *Teinoptera oliva* (Staudinger, [1895]) (Noctuidae) Synonym(s): *oliva* Staudinger, [1895]
- 6475) *Teinoptera olivina* (Herrich-Schäffer, [1852]) (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer, [1852]
- 6476) *Teleiodes cisti* (Stainton, 1869) (Gelechiidae) Synonym(s): *cisti* Stainton, 1869
- 6477) *Teleiodes sequax* (Haworth, 1828) (Gelechiidae) Synonym(s): *sequax* Haworth, 1828
- 6478) *Teleiopsis bagriotella* (Duponchel, 1840) (Gelechiidae) Synonym(s): *bagriotella* Duponchel, 1840
- 6479) *Teleiopsis diffinis* (Haworth, [1828]) (Gelechiidae) Synonym(s): *diffinis* Haworth, [1828]; *tristis* Staudinger, 1879.
- 6480) *Teleiopsis terebinthinella* (Herrich-Schäffer, [1856]) (Gelechiidae) Synonym(s): *terebinthinella* Herrich-Schäffer, [1856]
- 6481) *Telphusa cistiflorella* (Constant, 1890) (Gelechiidae) Synonym(s): *cistiflorella* Constant, 1890
- 6482) *Tenaga nigripunctella* (Haworth, [1828]) (Tineidae) Synonym(s): *nigripunctella* Haworth, [1828]; *pomiliella* Clemens, 1862; *moeniella* Rössler, 1877; *linobola* Eyrick, 1893; *sesquitertia* Meyrick, 1909
- 6483) *Tenaga rhenania* (G. Petersen, 1962) (Tineidae) Synonym(s): *rhenania* G. Petersen, 1962
- 6484) *Tenthredo (Cephaloed) bifasciata* O. Müller, 1766 (Tenthredinidae) Synonym(s): *bifasciata* O. Müller, 1766; *vidua* Spinola, 1806; *palestina* Pic, 1948
- 6485) *Tenthredo marginella* Fabricius, 1793 (Tenthredinidae) Synonym(s): *marginella* Fabricius, 1793; *fuscipennis* Konow, 1886; *hakkariensis* Blank, 1991
- 6486) *Tentyria rotundata* Brullé, 1832 (Tenebrionidae) Synonym(s): *rotundata* Brullé, 1832; *angulata* Brullé, 1832; *mittrei* Solier, 1835; *winkleri* Koch, 1936; *jonica* Koch, 1944; *dahestris* Koch, 1944
- 6487) *Tephрина arenacearia* ([Denis & Schiffermüller], 1775) (Geometridae) Synonym(s): *arenacearia* [Denis & Schiffermüller], 1775; *flavidaria* Eversmann, 1852; *discriminaria* Walker, 1862; *irradiata* Walker, 1862; *impreviata* Walker, 1863; *stena* Wehrli, 1940
- 6488) *Tephрина inconspicuaria* (Hübner, [1819]) (Geometridae) Synonym(s): *inconspicuaria* Hübner, [1819]
- 6489) *Tephritis bardanae* (Schrank, 1803) (Tephritidae) Synonym(s): *bardanae* Schrank, 1803
- 6490) *Tephritis carmen* M. Hering, 1937 (Tephritidae) Synonym(s): *carmen* M. Hering, 1937
- 6491) *Tephritis cometa* (Loew, 1840) (Tephritidae) Synonym(s): *cometa* Loew, 1840; *israelis* Freidberg, 1974
- 6492) *Tephritis divisa* Rondani, 1871 (Tephritidae) Synonym(s): *divisa* Rondani, 1871
- 6493) *Tephritis formosa* (Loew, 1844) (Tephritidae) Synonym(s): *formosa* Loew, 1844
- 6494) *Tephritis frauenfeldi* Hendel, 1927 (Tephritidae) Synonym(s): *frauenfeldi* Hendel, 1927
- 6495) *Tephritis heliophila* Hendel, 1927 (Tephritidae) Synonym(s): *heliophila* Hendel, 1927
- 6496) *Tephritis hendeliana* M. Hering, 1944 (Tephritidae) Synonym(s): *hendeliana* M. Hering, 1944
- 6497) *Tephritis hurvitzi* Freidberg, 1981 (Tephritidae) Synonym(s): *hurvitzi* Freidberg, 1981
- 6498) *Tephritis matricariae* (Loew, 1844) (Tephritidae) Synonym(s): *matricariae* Loew, 1844

- 6499) *Tephritis nigricauda* (Loew,1856) (Tephritidae) Synonym(s): *nigricauda* Loew,1856
6500) *Tephritis pulchra* (Loew,1844) (Tephritidae) Synonym(s): *pulchra* Loew,1844
6501) *Tephritis recurrens* Loew,1869 (Tephritidae) Synonym(s): *recurrens* Loew,1869
6502) *Tephritis separata* Rondani,1871 (Tephritidae) Synonym(s): *separata* Rondani,1871
6503) *Tephritis simplex* (Loew,1844) (Tephritidae) Synonym(s): *simplex* Loew,1844
6504) *Tephritis vespertina* (Loew,1844) (Tephritidae) Synonym(s): *vespertina* Loew,1844; *apicalis* Becker,1907
6505) *Tephritis zernyi* Hendel,1927 (Tephritidae) Synonym(s): *zernyi* Hendel,1927
6506) *Tephritomyia lauta* (Loew,1869) (Tephritidae) Synonym(s): *lauti* Loew,1869
6507) *Tephronia cremiaria* (Freyer,1837) (Geometridae) Synonym(s): *cremiaria* Freyer,1837
6508) *Tephronia oppositaria* Mann,1864 (Geometridae) Synonym(s): *oppositaria* Mann,1864
6509) *Tephronia sepiaria* (Hufnagel,1767) (Geometridae) Synonym(s): *sepiaria* Hufnagel,1767; *cineraria* [Denis & Schiffermüller],1775; *carieraria* Herrich-Schäffer,1848; *destituta* Walker,1870; *fingalata* Millière,1873
6510) *Teratolytta dives* (Brullé,1832) (Meloidae) Synonym(s): *dives* Brullé,1832; *phalerata* Frivaldsky,1837; *vittata* Kiesenwetter,1861; *excellens* Escherich,1894
6511) *Teratolytta gentilis* (Frivaldsky,1877) (Meloidae) Synonym(s): *gentilis* Frivaldsky,1877; *violaceipennis* Beauregard,1890; *coeruleipennis* Escherich,1894; *coonensis* G.Müller,1936
6512) *Terellia fuscicornis* (Loew,1844) (Tephritidae) Synonym(s): *fuscicornis* Loew,1844; *#fuscicornis* Giray,1979
6513) *Terellia gynaecochroma* (M.Hering,1936) (Tephritidae) Synonym(s): *gynaecochroma* M.Hering,1936
6514) *Terellia luteola* (Wiedemann,1830) (Tephritidae) Synonym(s): *luteola* Wiedemann,1830
6515) *Terellia serratulae* (Linnaeus,1758) (Tephritidae) Synonym(s): *serratulae* Linnaeus,1758
6516) *Terellia uncinata* White,1989 (Tephritidae) Synonym(s): *uncinata* White,1989
6517) *Terellia zerovae* Korneyev,1985 (Tephritidae) Synonym(s): *zerovae* Korneyev,1985
6518) *Tetartostylus illyricus* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *illyricus* Kirschbaum,1868; *pellucidus* Wagner,1951 *nec* Melichar,1896
6519) *Tethea ocularis* (Linnaeus,1767) (Thyrididae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788; *kossigwi* Werny,[1967]; *caucasica* Werny,[1967] *nec* Krul.,1901
6520) *Tethea* or ([Denis & Schiffermüller],1775) (Thyrididae) Synonym(s): *#or* [Denis & Schiffermüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 *nec* Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911; *nigrescens* Werny,[1967]
6521) *Tethina grisea* (Fallén,1823) (Tethinidae) Synonym(s): *grisea* Fallén,1823; *latigenis* Becker,1907
6522) *Tethina incisuralis* (Macquart,1851) (Tethinidae) Synonym(s): *incisuralis* Macquart,1851; *pictipes* Becker,1903
6523) *Tethina inopinata* Munari & Canzoneri,1992 (Tethinidae) Synonym(s): *inopinata* Munari & Canzoneri,1992
6524) *Tethina longirostris* (Loew,1865) (Tethinidae) Synonym(s): *longirostris* Loew,1865
6525) *Tethina nigrofemorata* Beschovsky,1997 (Tethinidae) Synonym(s): *nigrofemorata* Beschovsky,1997
6526) *Tethina ochracea* (Hendel,1913) (Tethinidae) Synonym(s): *ochracea* Hendel,1913; *canzoneri* Munari,1981
6527) *Tethina pallipes* Loew,1865 (Tethinidae) Synonym(s): *pallipes* Loew,1865
6528) *Tethina strobliana* (Mercier,1923) (Tethinidae) Synonym(s): *strobliana* Mercier,1923
6529) *Tetralonia ruficollis* (Friese,1911) (Apidae) Synonym(s): *ruficollis* Friese,1911
6530) *Tetrigus cyprius* Baudi,1871 (Elateridae) Synonym(s): *cyprius* Baudi,1871; *akbesianus* Fairmaire,1893
6531) *Tetrops praecustus* (Linnaeus,1758) (Cerambycidae) Synonym(s): *praeustus* Linnaeus,1758; *ustulatus* Hagenbach,1822; *inapicalis* Pic,1891; *angorensis* Pic,1918; *mesmini* Pic,1928; *vicinus* Pic,1928; *anatolicus* Özdikmen & Turgut,2008
6532) *Tettigometra (Hystrigonia) hexaspina* Kolenati,1857 (Tettigometridae) Synonym(s): *hexaspina* Kolenati,1857; *hispidula* Fieber,1865; *callosa* Signoret,1866
6533) *Tettigometra (Metropalca) baranii* Signoret,1866 (Tettigometridae) Synonym(s): *baranii* Signoret,1866
6534) *Tettigometra (Metropalca) longicornis* (Signoret,1866) (Tettigometridae) Synonym(s): *longicornis* Signoret,1866
6535) *Tettigometra (Mitricephalus) macrocephalus* (Fieber,1865) (Tettigometridae) Synonym(s): *macrocephalus* Fieber,1865; *longiceps* Signoret,1866; *concolor* Fieber,1876 (*praeocc.*); *contaminatus* Metcalf,1932
6536) *Tettigometra (s.str.) sulphurea* Mulsant-Rey,1855 (Tettigometridae) Synonym(s): *sulphurea* Mulsant-Rey,1855; *mendax* Horvath,1888; *scutellaris* Horvath,1903
6537) *Tettigometra (s.str.) virescens* (Panzer,1799) (Tettigometridae) Synonym(s): *virescens* Panzer,1799; *dorsalis* Latreille,1804
6538) *Tettigometra helferi* Fieber,1865 (Tettigometridae) Synonym(s): *helferi* Fieber,1865
6539) *Tettigometra impressifrons* Mulsant-Rey,1855 (Tettigometridae) Synonym(s): *impressifrons* Mulsant-Rey,1855; *marginata* Fieber,1876
6540) *Tettigometra peliotaenia* Fieber,1865 (Tettigometridae) Synonym(s): *peliotaenia* Fieber,1865
6541) *Teuchophorus monocanthus* Loew,1859 (Dolichopodidae) Synonym(s): *monocanthus* Loew,1859
6542) *Teuchophorus simplex* Mik,1880 (Dolichopodidae) Synonym(s): *simplex* Mik,1880
6543) *Teuchophorus spinigerellus* (Zetterstedt,1843) (Dolichopodidae) Synonym(s): *spinigerellus* Zetterstedt,1843
6544) *Thalera fimbrialis* (Scopoli,1763) (Geometridae) Synonym(s): *fimbrialis* Scopoli,1763; *thymiararia* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
6545) *Thaleropsis ionia* (Eversmann,1851) (Argynnididae) Synonym(s): *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851
6546) *Thalophila matura* (Hufnagel,1766) (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912
6547) *Thamnotettix (s.str.) creticus* Dlabola,1974 (Cicadellidae) Synonym(s): *creticus* Dlabola,1974
6548) *Thamnotettix (s.str.) zelleri* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *zelleri* Kirschbaum,1868
6549) *Thamnotettix thrax* Dlabola,1965 (Cicadellidae) Synonym(s): *thrax* Dlabola,1965
6550) *Thaumalea bezzii* Edwards,1929 (Thaumaleidae) Synonym(s): *bezzii* Edwards,1929
6551) *Thaumalea minuta* Wagner,1981 (Thaumaleidae) Synonym(s): *minuta* Wagner,1981
6552) *Thaumatomyia notata* (Meigen,1830) (Chloropidae) Synonym(s): *notata* Meigen,1830; *ornata* Meigen,1830; *circumdata* Meigen,1830; *prodigiosa* Zenker,1833; *lucida* Meigen,1838; *copiosa* Schiner,1872; *punctipleuris* Becker,1913
6553) *Thaumetopoea (s.str.) processionea* (Linnaeus,1758) (Thaumetopoeidae) Synonym(s): *processionea* Linnaeus,1758; *pseudosolitaria* Daniel,1951
6554) *Thaumetopoea (s.str.) solitaria* (Freyer,[1838]) (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838]
6555) *Thaumetopoea (Traumatocampa) pityocampa* ([Denis & Schiffermüller],1775) (Thaumetopoeidae) Synonym(s): *#pityocampa* [Denis & Schiffermüller],1775; *ceballosi* Agenjo,1941
6556) *Thecla betulae* (Linnaeus,1758) (Lycanidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850].

- 6557) *Thecophora distincta* (Wiedemann,1824) (Conopidae) Synonym(s): *distincta* Wiedemann,1824
- 6558) *Thecophora fulvipes* (R-D.,1830) (Conopidae) Synonym(s): *fulvipes* R-D.,1830; *sundewalli* Zetterstedt,1844
- 6559) *Thecophora pusilla* (Meigen,1824) (Conopidae) Synonym(s): *pusilla* Meigen,1824; *abdominalis* Chen,1939
- 6560) *Thera* (Pennithera) *firmata* (Hübner,[1822]) (Geometridae) Synonym(s): *firmata* Hübner,[1822]; *consobrinata* Curtis,1834; *firmaria* Treitschke,1835
- 6561) *Thera* (s.str.) *britannica* (Turner,1925) (Geometridae) Synonym(s): *britannica* Turner,1925; *albonigrata* Gornik,1942
- 6562) *Thera* (s.str.) *cognata* (Thunberg,1792) (Geometridae) Synonym(s): *cognata* Thunberg,1792; *simulata* Hübner,[1809]; *coniferata* Curtis,1834; *geneata* Feisthamel,1835; *simularia* Boisduval,1840; *genearia* Boisduval,1840
- 6563) *Thera* (s.str.) *cupressata* (Geyer,[1831]) (Geometridae) Synonym(s): *cupressata* (Geyer,[1831]); *cupressaria* Boisduval,1840
- 6564) *Thera* (s.str.) *variata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *variata* [Denis & Schiffermüller],1775; *adumbrata* Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932.
- 6565) *Thera* (s.str.) *vetustata* ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *vetustata* [Denis & Schiffermüller],1775; *stragulata* Hübner,[1809]; *vitiosata* Freyer,1832; *stragularia* Boisduval,1840
- 6566) *Therapne obsoletalis* (Mann,1864) (Pyralidae) Synonym(s): *obsoletalis* Mann,1864
- 6567) *Theresimima ampelophaga* (Bayle-Barelle,1808) (Zygaenidae) Synonym(s): *ampelophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878.
- 6568) *Theretra alecto* (Linnaeus,1758) (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 6569) *Thereva apicalis* Wiedemann,1821 (Therevidae) Synonym(s): *apicalis* Wiedemann,1821; *bivittata* Loew,1840
- 6570) *Thereva aurata* (Loew,1854) (Therevidae) Synonym(s): *aurata* Loew,1854; *auricincta* Egger,1859; *corrineae* Gosseries,1991
- 6571) *Thereva cincta* Meigen,1820 (Therevidae) Synonym(s): *cincta* Meigen,1820; *taenita* Meigen,1820; *antheracoides* Macquart,1840; *arcuata* Loew,1847
- 6572) *Thereva circumscripta* (Loew,1847) (Therevidae) Synonym(s): *circumscripta* Loew,1847; *niveifacies* Kröber,1912
- 6573) *Thereva eggeri* Lyneborg & Spitzer,1974 (Therevidae) Synonym(s): *eggeri* Lyneborg & Spitzer,1974
- 6574) *Thereva glaucescens* Kröber,1912 (Therevidae) Synonym(s): *glaucescens* Kröber,1912
- 6575) *Thereva graeca* Kröber,1912 (Therevidae) Synonym(s): *graeca* Kröber,1912
- 6576) *Thereva grisea* Kröber,1913 (Therevidae) Synonym(s): *grisea* Kröber,1913
- 6577) *Thereva neglecta* Kröber,1912 (Therevidae) Synonym(s): *neglecta* Kröber,1912
- 6578) *Thereva plebeja* (Linnaeus,1758) (Therevidae) Synonym(s): *plebeja* Linnaeus,1758; *fasciatus* De Geer,1776; *monos* Haris,1780; *lugens* Loew,1847; *lichtwardti* Kröber,1913
- 6579) *Thereva praecox* Egger,1859 (Therevidae) Synonym(s): *praecox* Egger,1859
- 6580) *Thereva spinulosa* (Loew,1847) (Therevidae) Synonym(s): *spinulosa* Loew,1847; *didyma* Loew,1847; *bifasciata* Kröber,1913
- 6581) *Thereva strigata* (Fabricius,1794) (Therevidae) Synonym(s): *strigata* Fabricius,1794; *latistrigata* Kröber,1913; *thermophila* Trojan,1970
- 6582) *Thereva unica* (Harris,1780) (Therevidae) Synonym(s): *unica* Harris,1780; *lugubris* Fabricius,1787; *albipennis* Meigen,1820; *bipunctata* Meigen,1820; *albilabris* Meigen,1820; *canescens* Zetterstedt,1859; *frontata* Kröber,1912; *vulpina* Kröber,1912; *hermaphrodita* Becker,1922
- 6583) *Therioplectes gigas* (Herbst,1787) (Tabanidae) Synonym(s): *gigas* Herbst,1787; *ignotus* Rossi,1790; *albipes* Fabricius,1794; *grossus* Thunberg,1827; *ursus* Costa,1857
- 6584) *Therioplectes tricolor* Zeller,1842 (Tabanidae) Synonym(s): *tricolor* Zeller,1842; *ruficauda* Enderlein,1925; *kirchbergi* Moucha & Chvala,1959
- 6585) *Therioplectes tunicatus* Szilady,1927 (Tabanidae) Synonym(s): *tunicatus* Szilady,1927
- 6586) *Thermocoris munieri* Puton,1875 (Miridae) Synonym(s): *munieri* Puton,1875; *algricus* Wagner,1943
- 6587) *Thetidia smaragdaria* (Fabricius,1787) (Geometridae) Synonym(s): *smaragdaria* Fabricius,1787
- 6588) *Thevenetimyia* (s.str.) *hirta* (Loew,1876) (Bombyliidae) Synonym(s): *hirta* Loew,1876
- 6589) *Thinophilus flavipalpis* (Zetterstedt,1843) (Dolichopodidae) Synonym(s): *flavipalpis* Zetterstedt,1843; *neptunus* Frey,1815
- 6590) *Thinophilus versutus* Haliday,1851 (Dolichopodidae) Synonym(s): *versutus* Haliday,1851; *maculipennis* Strobl,1899
- 6591) *Thiodia major* (Rebel,1903) (Tortricidae) Synonym(s): *major* Rebel,1903; *sardiniana* Schawerda,1936
- 6592) *Thiodia trochillana* (Frölich,1828) (Tortricidae) Synonym(s): *trochillana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839]
- 6593) *Thiotricha majorella* (Rebel,1910) (Gelechiidae) Synonym(s): *majorella* Rebel,1910
- 6594) *Thisanotia chrysonuchella* (Scopoli,1763) (Pyralidae) Synonym(s): *chrysonuchella* Scopoli,1763; *gramella* Fabricius,1781; *campella* Hübner,1793; *dilutior* Alpheraky,1877.
- 6595) *Tholera cespitis* (Goeze,1781) (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896.
- 6596) *Tholera decimalis* (Poda,1761) (Noctuidae) Synonym(s): *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927; *chebka* Rungs,1940
- 6597) *Thoracochaeta zosteræ* (Haliday,1833) (Sphaeroceridae) Synonym(s): *zosteræ* Haliday,1833; *fulvipes* Meigen,1838; *setulosa* Zetterstedt,1847; *piligera* Stenhammar,1854; *ciliosa* Rondani,1880; *sanctipauli* Séguin,1940
- 6598) *Thria robusta* Walker,[1858] (Noctuidae) Synonym(s): *anyssa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
- 6599) *Thricops semicinereus* (Wiedemann,1817) (Muscidae) Synonym(s): *semicinereus* Wiedemann,1817; *hyalinata* Fallén,1823; *apicalis* Meigen,1830; *subhyalina* Rondani,1877
- 6600) *Thricops simplex* (Wiedemann,1817) (Muscidae) Synonym(s): *simplex* Wiedemann,1817; *nigricans* R-D.,1830; *blondeli* R-D.,1830; *postica* Zetterstedt,1846
- 6601) *Thrincohalictus prognathus* (Pérez,1912) (Halictidae) Synonym(s): *prognathus* Pérez,1912
- 6602) *Thrypticus bellus* Loew,1869 (Dolichopodidae) Synonym(s): *bellus* Loew,1869
- 6603) *Thyatira batis* (Linnaeus,1758) (Thyatiridae) Synonym(s): *batis* Linnaeus,1758; *indecorata* Turner,1926; *albopunctata* Spuler,1908; *confluens* Marschner,1908; *derosea* Maurer,1909; *conflua* Rebel,1910; *japonica* Werny,[1967]; *mandschurica* Werny,[1967]
- 6604) *Thymelicus acteon* (Rottemburg,1775) (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara*-*obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948.

- 6605) Thymelicus hyrax (Lederer,1861)** (Hesperiidae) Synonym(s): *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937.
- 6606) Thymelicus lineolus (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 nec Retz.,1783; *ludoviciae* Mabilbe,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *fornax* Hemming,1934
- 6607) Thymelicus sylvestris (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thamias* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905
- 6608) Thyreus affinis (Morawitz,1874)** (Apidae) Synonym(s): *affinis* Morawitz,1874; *transcaspica* Radoszkowski,1893; *portchinski* Radoszkowski,1893; *tunensis* Pérez,1895; *villosa* Meyer,1921
- 6609) Thyreus hellenicus Lieftinck,1968** (Apidae) Synonym(s): *hellenicus* Lieftinck,1968
- 6610) Thyreus histrionicus (Illiger,1806)** (Apidae) Synonym(s): *histrionicus* Illiger,1806; *major* Morawitz,1876; *divisa* Pérez,1905; *alboscuteolata* Meyer,1921; *rimosiscutum* Alfken,1927
- 6611) Thyreus orbatus (Lepeletier,1841)** (Apidae) Synonym(s): *orbatus* Lepeletier,1841
- 6612) Thyreus picaron Lieftinck,1968** (Apidae) Synonym(s): *picaron* Lieftinck,1968
- 6613) Thyreus piceus (Meyer,1921)** (Apidae) Synonym(s): *piceus* Meyer,1921
- 6614) Thyreus ramosus (Lepeletier,1841)** (Apidae) Synonym(s): *ramosus* Lepeletier,1841; *rufa* Radoszkowski,1886; *ashabadensis* Radoszkowski,1893; *albociliata* Meyer,1921; *minor* Friese,1925; *circulata* Alfken,1927
- 6615) Thyreus truncatus (Pérez,1883)** (Apidae) Synonym(s): *truncatus* Pérez,1883; *mucorea* Friese,1925; *nadigi* Alfken,1934
- 6616) Thyridanthrax elegans (Wiedemann,1820)** (Bombyliidae) Synonym(s): *elegans* Wiedemann,1820; *fenestralis* Macquart,1840 nec Wied.,1830; *varinervis* Macquart,1846; *variegatus* Jaennicke,1867 nec Pall.,1818; *macquarti* Bezzi,1912; *calochromatus* Bezzi,1921; *subperspicillaris* Bezzi,1922; *kappa* Bowden,1964; *dolgovskayae* Zaitzev,1999
- 6617) Thyridanthrax fenestratus (Fallén,1814)** (Bombyliidae) Synonym(s): *fenestratus* Fallén,1814; *variegata* Pallas,1818; *ornatus* Curtis,1824; *italica* Walker,1849; *montana* Paramonov,1927
- 6618) Thyridanthrax graecus Paramonov,1927** (Bombyliidae) Synonym(s): *graecus* Paramonov,1927
- 6619) Thyridanthrax incanus (Klug,1832)** (Bombyliidae) Synonym(s): *incanus* Klug,1832; *testacea* Macquart,1840; *varipennis* Macquart,1849
- 6620) Thyridanthrax lotus (Loew,1869)** (Bombyliidae) Synonym(s): *lotus* Loew,1869; *confusa* Becker,1916
- 6621) Thyridanthrax mutilus (Loew,1869)** (Bombyliidae) Synonym(s): *mutilus* Loew,1869
- 6622) Thyridanthrax oblitteratus (Loew,1862)** (Bombyliidae) Synonym(s): *oblitteratus* Loew,1862
- 6623) Thyridanthrax perspicillaris (Loew,1869)** (Bombyliidae) Synonym(s): *perspicillaris* Loew,1869; *gallus* Loew,1869; *hispanus* Loew,1869; *ternarius* Bezzi,1920; *idolus* Hesse,1956; *speciosus* Hesse,1956; *hessei* Bowden,1964
- 6624) Thyridanthrax polyphemus (Wiedemann,1820)** (Bombyliidae) Synonym(s): *polyphemus* Wiedemann,1820; *pumilio* Austen,1937
- 6625) Thyridiphora furia (Swinhoe,1884)** (Pyralidae) Synonym(s): *furia* Swinhoe,1884; *fenestrata* W.Warren,1888; *grisea* Amsel,1968.
- 6626) Thyris fenestrella (Scopoli,1763)** (Thyridae) Synonym(s): *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffermüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910.
- 6627) Thysanoplusia (Daubeiplusia) daubei (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858]
- 6628) Thysanoplusia (s.str.) orichalcea (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813].
- 6629) Tibicina haematodes (Scopoli,1763)** (Cicadidae) Synonym(s): *haematodes* Scopoli,1763; *sanguinea* Fabricius,1803; *helveola* Germar,1821; *viridinervis* Fieber,1876
- 6630) Tilloidea transversalis (Charpentier,1825)** (Cleridae) Synonym(s): *unifasciatus* Rossi,1790; *transversalis* Charpentier,1825
- 6631) Tillus pallidipennis Bielz,1850** (Cleridae) Synonym(s): *pallidipennis* Bielz,1850
- 6632) Tillus pectinicornis Abeille,1892** (Cleridae) Synonym(s): *pectinicornis* Abeille,1892; *holtzi* Hintz,1902
- 6633) Timandra comae Schmidt,1931** (Geometridae) Synonym(s): *angulata* Fourcroy,1785 nec Hfn.,1767; *comae* Schmidt,1931; *brykaria* Nordström,1943; *comai* Kaila & Albrecht,1994
- 6634) Timarcha (Metallotimarcha) corinthia Fairmaire,1873** (Chrysomelidae) Synonym(s): *corinthia* Fairmaire,1873; *albanica* Afelbeck,1912
- 6635) Timarcha (Timarchostoma) olivieri Fairmaire,1868** (Chrysomelidae) Synonym(s): *olivieri* Fairmaire,1868
- 6636) Timia (Empyelocera) melanorrhina (Loew,1866)** (Ulidiidae) Synonym(s): *melanorrhina* Loew,1866
- 6637) Timia (Empyelocera) xanthaspis (Loew,1868)** (Ulidiidae) Synonym(s): *xanthaspis* Loew,1868
- 6638) Tinagma anchusellum (Benander,1936)** (Douglassiidae) Synonym(s): *anchusellum* Benander,1936
- 6639) Tinagma klimeschi Gaedike,1987** (Douglassiidae) Synonym(s): *klimeschi* Gaedike,1987
- 6640) Tinagma ocnorostomellum (Stainton,1850)** (Douglassiidae) Synonym(s): *ocnorostomellum* Stainton,1850; *echii* Herrich-Schäffer,1854.
- 6641) Tinea basifasciella Ragonot,1895** (Tineidae) Synonym(s): *basifasciella* Ragonot,1895; *punctigera* Walsingham,1907; *nitentella* Chrétien,1908; *palaestinensis* Amsel,1955; *#basifasciella* Gaedike,2011
- 6642) Tinea columbariella Wocke,1877** (Tineidae) Synonym(s): *columbariella* Wocke,1877
- 6643) Tinea flavescens Haworth,[1828]** (Tineidae) Synonym(s): *flavescens* Haworth,[1828]; *tristigmatella* O.G.Costa,1836
- 6644) Tinea messalina G.S.Robinson,1979** (Tineidae) Synonym(s): *messalina* G.S.Robinson,1979
- 6645) Tinea murariella Staudinger,1859** (Tineidae) Synonym(s): *murariella* Staudinger,1859; *bipunctella* Ragonot,1874.
- 6646) Tinea pelliella Linnaeus,1758** (Tineidae) Synonym(s): *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] nec Thunb.,1788; *demiurga* Meyrick,1920; *gerasimovi* Zagulyaev,1978.
- 6647) Tinea translucens Meyrick,1917** (Tineidae) Synonym(s): *translucens* Meyrick,1917; *metonella* Pierce & Metcalfe,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *forficata* Gozmany,1968.
- 6648) Tinea trinotella Thunberg,1794** (Tineidae) Synonym(s): *trinotella* Thunberg,1794; *ganomella* Treitschke,1833; *lappella* auct.
- 6649) Tineola bisselliella (Hummel,1823)** (Tineidae) Synonym(s): *flavifrontella* Thunberg,1794 nec [Denis & Schiff.],1775; *bisselliella* Hummel,1823; *crinella* Sodoffsky,1830; *destructor* Stephens,1834; *lanariella* Clemens,1859; *furciferella* Zagulyaev,1954.
- 6650) Tingis hellenica (Puton,1877)** (Tingidae) Synonym(s): *hellenica* Puton,1877
- 6651) Tingis rotundicollis (Jakovlev,1883)** (Tingidae) Synonym(s): *rotundicollis* Jakovlev,1883
- 6652) Tipula (Acutipula) fulvipennis De Geer,1776** (Tipulidae) Synonym(s): *fulvipennis* De Geer,1776; *lutescens* Fabricius,1805

- 6653) *Tipula (Acutipula) latifurca* Vermoolen,1983 (Tipulidae) Synonym(s): *latifurca* Vermoolen,1983
6654) *Tipula (Emodotipula) obscuriventris* Strobl,1900 (Tipulidae) Synonym(s): *obscuriventris* Strobl,1900
6655) *Tipula (Lunatipula) bimacula* Theowald,1980 (Tipulidae) Synonym(s): *bimaculata* Riedel,1913; *bimacula* Theowald,1980
6656) *Tipula (Lunatipula) dedecor* Loew,1873 (Tipulidae) Synonym(s): *dedecor* Loew,1873
6657) *Tipula (Lunatipula) dracula* Theischinger,1977 (Tipulidae) Synonym(s): *dracula* Theischinger,1977
6658) *Tipula (Lunatipula) furcula* Mannheims,1954 (Tipulidae) Synonym(s): *furcula* Mannheims,1954
6659) *Tipula (Lunatipula) helvola* Loew,1873 (Tipulidae) Synonym(s): *helvola* Loew,1873
6660) *Tipula (Lunatipula) istriana* Erhan & Theowald,1961 (Tipulidae) Synonym(s): *istriana* Erhan & Theowald,1961
6661) *Tipula (Lunatipula) pseudowolffi* Theischinger,1979 (Tipulidae) Synonym(s): *pseudowolffi* Theischinger,1979
6662) *Tipula (Lunatipula) teunissenii* Theischinger,1979 (Tipulidae) Synonym(s): *teunissenii* Theischinger,1979
6663) *Tipula (Lunatipula) vermooleni* Theischinger,1987 (Tipulidae) Synonym(s): *vermooleni* Theischinger,1987
6664) *Tipula (s.str.) italica* Lackschewitz,1930 (Tipulidae) Synonym(s): *italica* Lackschewitz,1930
6665) *Tipula (s.str.) orientalis* Lackschewitz,1930 (Tipulidae) Synonym(s): *orientalis* Lackschewitz,1930
6666) *Tipula (Savtshenkia) pechlaneri* Mannheims & Theowald,1959 (Tipulidae) Synonym(s): *pechlaneri* Mannheims & Theowald,1959
6667) *Tipula (Savtshenkia) rufina* Meigen,1818 (Tipulidae) Synonym(s): *rufina* Meigen,1818; *guttipennis* Meigen,1818; *consanguinea* Macquart,1838; *parvicauda* Hansen,1881
6668) *Tipula (Yamatotipula) lateralis* Meigen,1804 (Tipulidae) Synonym(s): *lateralis* Meigen,1804; *itermedia* Eiroa,1990
6669) *Tipula (Yamatotipula) submontium* Theowald & Oosterbroek,1981 (Tipulidae) Synonym(s): *submontium* Theowald & Oosterbroek,1981
6670) *Tischeria ekebladella* (Bjerkander,1795) (Tischeriidae) Synonym(s): *ekebladella* Bjerkander,1795; *complanella* Hübner,[1817].
6671) *Titanio normalis* (Hübner,1796) (Pyalidae) Synonym(s): *normalis* Hübner,1796; *ancyrensis* Hofmann,[1898].
6672) *Titanio venustalis* (Lederer,1855) (Pyalidae) Synonym(s): *venustalis* Lederer,1855
6673) *Tortilia graeca* Kasy,1981 (Stathmopodidae) Synonym(s): *graeca* Kasy,1981
6674) *Tortrix viridana* (Linnaeus,1758) (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübner,[1799]; *coeruleana* Sorhagen,1881.
6675) *Torymoides kiesenwetteri* (Mayr,1874) (Torymidae) Synonym(s): *kiesenwetteri* Mayr,1874; *longicauda* Masi,1916
6676) *Torymus bedeguaris* (Linnaeus,1758) (Torymidae) Synonym(s): *bedeguaris* Linnaeus,1758; *viridis* Geoffroy,1785; *aurata* Christ,1791; *elegans* Boheman,1834; *forsteri* Ratzeburg,1844; *divisus* Walker,1871; *rosarum* Hoffmeyer,1929
6677) *Toxophora fasciculata* (Villers,1789) (Bombyliidae) Synonym(s): *fasciculata* Villers,1789; *maculata* Rossi,1790 nec Müll.,1764; *completa* Paramonov,1933
6678) *Toya ibiturca* Asche,1980 (Delphacidae) Synonym(s): *ibiturca* Asche,1980
6679) *Trachea atriplicis* (Linnaeus,1758) (Noctuidae) Synonym(s): *atriplicis* Linnaeus,1758
6680) *Trachycera advenella* (Zincken,1818) (Pyalidae) Synonym(s): *advenella* Zincken,1818; *rhenella* Stephens,1834; *consociella* Duponchel,1836; *recurvella* Guenée,1845
6681) *Trachycera dulcella* (Zeller,1848) (Pyalidae) Synonym(s): *dulcella* Zeller,1848
6682) *Trachycera legatella* (Haworth,[1811]) (Pyalidae) Synonym(s): *legatella* Haworth,[1811]; *legatella* Hübner,1796 nec [Den. & Schiff.],1775; *legatalis* Hübner,[1825]
6683) *Trachycera marmorea* (Haworth,[1811]) (Pyalidae) Synonym(s): *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859
6684) *Trachycera suavella* (Zincken,1818) (Pyalidae) Synonym(s): *suavella* Zincken,1818; *fascia* Stephens,1829; *porphyrea* Stephens,1834; *supposita* Heinrich,1940
6685) *Trachyderma lima* (Petagna,1819) (Tenebrionidae) Synonym(s): *lima* Petagna,1819; *angustata* Solier,1836
6686) *Trachyderma philistina* Reich & Saulcy,1857 (Tenebrionidae) Synonym(s): *philistina* Reich & Saulcy,1857; *gomorrhana* Reiche & Saulcy,1857; *perseae* Baudi,1875; *ovalipennis* Baudi,1875
6687) *Trachys minuta* (Linnaeus,1758) (Buprestidae) Synonym(s): *minuta* Linnaeus,1758; *mandjurica* Obenberger,1917; *reflexiformis* Obenberger,1917
6688) *Trachys troglodytes* Gyllenhal,1817 (Buprestidae) Synonym(s): *troglodytes* Gyllenhal,1817; *laevicollis* Kiesenwetter,1857; *puncticeps* Abeille de Perrin,1900; *carinthiaca* Obenberger,1918
6689) *Tragonitis cristella* (Hübner,1796) (Pyalidae) Synonym(s): *cristella* Hübner,1796; *cristalis* Hübner,[1825].
6690) *Trechus (s.str.) austriacus* Dejean,1831 (Carabidae) Synonym(s): *austriacus* Dejean,1831
6691) *Trechus (s.str.) crucifer* Piochard,1876 (Carabidae) Synonym(s): *crucifer* Piochard,1876
6692) *Trechus (s.str.) quadristriatus* (Schränk,1781) (Carabidae) Synonym(s): *quadristriatus* Schränk,1781
6693) *Tremulicerus mesopyrrhus* (Kirschbaum,1868) (Cicadellidae) Synonym(s): *mesopyrrhus* Kirschbaum,1868; *socialis* Fieber,1868; *variegata* Ribaut,1952
6694) *Tremulicerus poecilus* (Herrich-Schäffer,1835) (Cicadellidae) Synonym(s): *poecilus* Herrich-Schäffer,1835; *falciger* Boheman,1845; *discolor* Flor,1861; *venustus* Scott,1874
6695) *Tretopteryx pertusalis* (Geyer,[1832]) (Pyalidae) Synonym(s): *pertusalis* Geyer,[1832]; *weissenbornii* Freyer
6696) *Triaxomasia caprimulgella* (Stainton,1851) (Tineidae) Synonym(s): *caprimulgella* Stainton,1851
6697) *Triaxomera parasitella* (Hübner,1796) (Tineidae) Synonym(s): *parasitella* Hübner,1796
6698) *Tribalus anatolicus* Olexa,1980 (Histeridae) Synonym(s): *anatolicus* Olexa,1980
6699) *Tribatus creticus* Reitter,1884 (Staphylinidae) Synonym(s): *creticus* Reitter,1884
6700) *Trichiura (s.str.) castiliana* (Spuler,1908) (Lasiocampidae) Synonym(s): *castiliana* Spuler,1908
6701) *Trichiura (s.str.) crataegi* (Linnaeus,1758) (Lasiocampidae) Synonym(s): *crataegi* Linnaeus,1758; *ariae* Hübner,[1824]; *scytharum* Seitz,1913; *albicans* Daniel,1956; *vallisicola* Daniel,1956; *griseotincta* Daniel,1956; *borealis* Daniel,1956; *#passini* Boursin,1957
6702) *Trichiura (s.str.) veranae* Witt,1981 (Lasiocampidae) Synonym(s): *veranae* Witt,1981; *witti* Ganey,1982
6703) *Trichius orientalis* Reitter,1894 (Scarabaeidae) Synonym(s): *orientalis* Reitter,1894
6704) *Trichodes affinis* Chevrolat,1843 (Cleridae) Synonym(s): *affinis* Chevrolat,1843; *apicalis* Champenois,1900
6705) *Trichodes crabroniformis* Fabricius,1787 (Cleridae) Synonym(s): *crabroniformis* Fabricius,1787
6706) *Trichodes ganglbaueri* Escherich,1893 (Cleridae) Synonym(s): *ganglbaueri* Escherich,1893; *israelicus* Winkler,1963
6707) *Trichodes laminatus* Chevrolat,1843 (Cleridae) Synonym(s): *laminatus* Chevrolat,1843
6708) *Trichodes nobilis* Klug,1842 (Cleridae) Synonym(s): *nobilis* Klug,1842; *sanguineosignatus* Spinola,1844
6709) *Trichodes punctatus* Fischer v. Waldheim,1829 (Cleridae) Synonym(s): *punctatus* Fischer v. Waldheim,1829; *illustris* Klug,1842; *viridifasciatus* Chevrolat,1843
6710) *Trichodes quadriguttatus* Adams,1817 (Cleridae) Synonym(s): *quadriguttatus* Adams,1817

- 6711) Trichodes sipylus (Linnaeus,1758)** (Cleridae) Synonym(s): *sipylus* Linnaeus,1758; *subfasciatus* Kraatz,1873; *frater* Kraatz,1893; *fraterculus* Zaitzev,1915
- 6712) Trichoferus griseus (Fabricius,1792)** (Cerambycidae) Synonym(s): *griseus* Fabricius,1792
- 6713) Trichomeloe conicicollis (Reitter,1907)** (Meloidae) Synonym(s): *conicicollis* Reitter,1907
- 6714) Trichophaga bipartitella (Ragonot,1892)** (Tineidae) Synonym(s): *abruptella* Wollaston,1858 (*praeocc.*); *bipartitella* Ragonot,1892; *desertella* Mabilie,1907; *amina* Meyrick,1925
- 6715) Trichophaga tapetzella (Linnaeus,1758)** (Tineidae) Synonym(s): *tapetzella* Linnaeus,1758; *pulchella* Fabricius,1794; *pulchana* Fabricius,1798; *#tapezana* Fabricius,1798; *#tapetiella* Zeller,1839; *palaestrica* Butler,1877
- 6716) Trichoplusia circumscripta (Freyer,1831)** (Noctuidae) Synonym(s): *circumscripta* Freyer,1831
- 6717) Trichoplusia ni (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874.
- 6718) Triclis olivaceus Loew,1851** (Asilidae) Synonym(s): *olivaceus* Loew,1851; *halictivorus* Rondani,1856
- 6719) Trifurcula (Glaucolepis) headleyella (Stainton,1854)** (Nepticulidae) Synonym(s): *headleyella* Stainton,1854; *argyrostigma* Frey,1856; *argyrostigmella* Herrich-Schäffer,1862; *dubiella* Hauser,1912; *rodella* Svensson,1982
- 6720) Trifurcula (Glaucolepis) saturejae (Parenti,1963)** (Nepticulidae) Synonym(s): *saturejae* Parenti,1963
- 6721) Trifurcula (Glaucolepis) trilobella Klimesch,1978** (Nepticulidae) Synonym(s): *trilobella* Klimesch,1978
- 6722) Trifurcula (Levarchama) cryptella (Stainton,1856)** (Nepticulidae) Synonym(s): *cryptella* Stainton,1856; ? *trifolii* Sorhagen,1885
- 6723) Trifurcula (Levarchama) eurema (Tutt,1899)** (Nepticulidae) Synonym(s): *eurema* Tutt,1899; *dorycniella* Suire,1928; *gozmanyi* Szocs,1959
- 6724) Trifurcula (Levarchama) manygoza Van Nieukerken, A.Lastuvka & Z.Lastuvka,2007** (Nepticulidae) Synonym(s): *manygoza* Van Nieukerken, A.Lastuvka & Z.Lastuvka,2007
- 6725) Trifurcula (Levarchama) peloponnesica Van Nieukerken,2007** (Nepticulidae) Synonym(s): *peloponnesica* Van Nieukerken,2007
- 6726) Trifurcula (s.str.) aurella Rebel,1933** (Nepticulidae) Synonym(s): *aurella* Rebel,1933
- 6727) Trifurcula (s.str.) austriaca van Nieukerken,1990** (Nepticulidae) Synonym(s): *austriaca* van Nieukerken,1990
- 6728) Trifurcula (s.str.) josefklimeschi Van Nieukerken,1990** (Nepticulidae) Synonym(s): *josefklimeschi* Van Nieukerken,1990
- 6729) Trifurcula (s.str.) pallidella (Duponchel,1843)** (Nepticulidae) Synonym(s): *pallidella* Duponchel,1843
- 6730) Trifurcula (s.str.) subnitidella (Duponchel,1843)** (Nepticulidae) Synonym(s): *subnitidella* Duponchel,1843; *griseella* Wolff,1957
- 6731) Trigonophora flammea (Esper,1785)** (Noctuidae) Synonym(s): *flammea* Esper,1785; *empyrea* Hübner,[1803].
- 6732) Triodia adriatica (Osthelder,1931)** (Hepialidae) Synonym(s): *adriatica* Osthelder,1931
- 6733) Triodia amasina (Herrich-Schäffer,[1851])** (Hepialidae) Synonym(s): *amasina* Herrich-Schäffer,[1851]
- 6734) Triodia sylvina (Linnaeus,1761)** (Hepialidae) Synonym(s): *sylvina* Linnaeus,1761; *hamma* [Denis & Schiffermüller],1775; *angulatum* Fabricius,1781; *multicolor* Fourcroy,1785; *crux* Fabricius,1787; *c-album* Villers,1789; *fauna* Schrank,1801; *cruxator* Haworth,1802; *angulator* Haworth,1802; *sylvinator* Haworth,1802; *kruegeri* Turati,1909; *androgynus* Agenjo,1942; *pardoi* Agenjo,1942; *alfaroi* Agenjo,1942; *laincalvo* Agenjo,1942
- 6735) Triodontella brunneipennis (Sahlberg,1908)** (Scarabaeidae) Synonym(s): *brunneipennis* Sahlberg,1908
- 6736) Triodontella dalmatica (Baraud,1962)** (Scarabaeidae) Synonym(s): *dalmatica* Baraud,1962; *bulgarica* Bunalski,2001
- 6737) Triphosa dubitata (Linnaeus,1758)** (Geometridae) Synonym(s): *dubitata* Linnaeus,1758
- 6738) Triphosa sabaudiatata (Duponchel,1830)** (Geometridae) Synonym(s): *sabaudiatata* Duponchel,1830
- 6739) Triplasia pictus (Panzer,1794)** (Bombyliidae) Synonym(s): *pictus* Panzer,1794; *planicornis* Fabricius,1798
- 6740) Trirhacus setulosus Fieber,1876** (Cixiidae) Synonym(s): *setulosus* Fieber,1876
- 6741) Trirhacus trichophorus Melichar,1914** (Cixiidae) Synonym(s): *trichophorus* Melichar,1914
- 6742) Trixoscelis pedestris (Loew,1865)** (Trixoscelidae) Synonym(s): *pedestris* Loew,1865
- 6743) Trogaspidia catanensis (Rossi,1794)** (Mutillidae) Synonym(s): *catanensis* Rossi,1794
- 6744) Troglophilus (Dasycelus) roeweri Werner,1928** (Raphidophoridae) Synonym(s): *roeweri* Werner,1928
- 6745) Troglophilus (Dasycelus) spinulosus Chopard,1921** (Raphidophoridae) Synonym(s): *spinulosus* Chopard,1921; *petrochilosi* Boudou-Saltet,1978
- 6746) Troglophilus (s.str.) lagoi Mennozi,1934** (Raphidophoridae) Synonym(s): *lagoi* Mennozi,1934
- 6747) Troglophilus (s.str.) marinae Rampini & Di Russo,2003** (Raphidophoridae) Synonym(s): *marinae* Rampini & Di Russo,2003
- 6748) Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius,1775
- 6749) Troilus luridus (Fabricius,1775)** (Pentatomidae) Synonym(s): *luridus* Fabricius,1775; *serrulatus* Müller,1776; *dentatus* Schrank,1781; *beryllinus* Gmelin,1788; *elector* Fabricius,1794; *angusta* Reuter,1881
- 6750) Tropidocephala andropogonis Horvath,1895** (Delphacidae) Synonym(s): *andropogonis* Horvath,1895
- 6751) Tropidocephala tuberipennis (Mulsant & Rey,1855)** (Delphacidae) Synonym(s): *tuberipennis* Mulsant & Rey,1855; *elegans* O.Costa,1834
- 6752) Tropidodrynerus interruptus (Brullé,1832)** (Vespidae) Synonym(s): *interruptus* Brullé,1832
- 6753) Tropidomyia aureifacies Kröber,1915** (Conopidae) Synonym(s): *aureifacies* Kröber,1915
- 6754) Tropidopola graeca Uvarov,1926** (Acrididae) Synonym(s): *graeca* Uvarov,1926
- 6755) Tropidopola longicornis (Fieber,1853)** (Acrididae) Synonym(s): *longicornis* Fieber,1853; *syrica* Walker,1871; *cylindrica* Giglio-Tos,1893; *indica* Uvarov,1937
- 6756) Tropidotilla grisescens (Lepelletier,1845)** (Mutillidae) Synonym(s): *grisescens* Lepelletier,1845; *litoralis* sensu Özbek et al.,1999 nec Petagna,1787
- 6757) Tropidotilla litoralis (Petagna,1787)** (Mutillidae) Synonym(s): *litoralis* Petagna,1787
- 6758) Tropidotilla sareptana (André,1901)** (Mutillidae) Synonym(s): *sareptana* André,1901
- 6759) Tropinota (s.str.) squalida (Scopoli,1763)** (Scarabaeidae) Synonym(s): *squalida* Scopoli,1763; *pilosa* Brullé,1832
- 6760) Trychosis priesneri Rossem,1971** (Ichneumonidae) Synonym(s): *priesneri* Rossem,1971
- 6761) Trypetoptera punctulata (Scopoli,1763)** (Sciomyzidae) Synonym(s): *punctulata* Scopoli,1763
- 6762) Tshurtshurnella peloponica Dlabola,1979** (Issidae) Synonym(s): *peloponica* Dlabola,1979
- 6763) Tuponia hippophaes (Fieber,1861)** (Miridae) Synonym(s): *hippophaes* Fieber,1861; *unicolor* Scott,1872; *myricariae* Cerutti,1939; *michalki* Wagner,1951; *seidenstueckeri* Wagner,1955; *mimeuri* Wagner,1958; *albomarginata* Linnavuori,1961; *cypria* Wagner,1962; *longitarsis* Wagner,1962; *pradassiensis* Tamanini,1964; *menorcana* Wagner,1971; *liparensis* Tamanini,1973; *rhodensis* Wagner,1974
- 6764) Tuponia linnavuorii Wagner,1961** (Miridae) Synonym(s): *linnavuorii* Wagner,1961
- 6765) Tuponia prasina (Fieber,1864)** (Miridae) Synonym(s): *prasina* Fieber,1864; *affinis* Reuter,1878; *apicalis* Reuter,1894

- 6766) *Tuponia tamarisci* (Perris,1857) (Miridae) Synonym(s): *tamarisci* Perris,1857; *notatus* Fieber,1858; *cunealis* Reuter,1902
- 6767) *Turanana taygetica* (Rebel,1902) (Lycaenidae) Synonym(s): *taygetica* Rebel,1902
- 6768) *Turanogryllus lateralis* (Fieber,1853) (Gryllidae) Synonym(s): *lateralis* Fieber,1853; *terrestris* Saussure,1877
- 6769) *Tuta absoluta* (Meyrick,1917) (Gelechiidae) Synonym(s): *absoluta* Meyrick,1917
- 6770) *Tychius aurarius* Boheman,1843 (Curculionidae) Synonym(s): *aurarius* Boheman,1843
- 6771) *Tychius graecus* Kiesenwetter,1864 (Curculionidae) Synonym(s): *graecus* Kiesenwetter,1864
- 6772) *Tychius hirtellus* Tournier,1873 (Curculionidae) Synonym(s): *hirtellus* Tournier,1873
- 6773) *Tylopsis coi* Jannone,1936 (Tettigoniidae) Synonym(s): *coi* Jannone,1936
- 6774) *Typhlocyba lepida* (Fieber,1884) (Cicadellidae) Synonym(s): *lepida* Fieber,1884
- 6775) *Typhonia christenseni* (Hättenschwiler,1990) (Psychidae) Synonym(s): *christenseni* Hättenschwiler,1990
- 6776) *Typhonia lugubris* (Hübner,1793) (Psychidae) Synonym(s): *lugubris* Hübner,1793; *ciliaris* Ochsenheimer,1810; *lugubris* Hübner,[1808] nec Fabricius,1777; *aequalis* Osthelder,1938
- 6777) *Tyria jacobaeae* (Linnaeus,1758) (Arctiidae) Synonym(s): *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908.
- 6778) *Tyta luctuosa* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789
- 6779) *Udea austriacalis* (Herrich-Schäffer,1851) (Pyralidae) Synonym(s): *austriacalis* Herrich-Schäffer,1851; *donzelalis* Guenée,1854; *sororalis* Heyden,1860; *nitidalis* Heinemann,1865
- 6780) *Udea ferrugalis* (Hübner,1796) (Pyralidae) Synonym(s): *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879
- 6781) *Udea fimbriatralis* (Duponchel,1834) (Pyralidae) Synonym(s): *fimbriatralis* Duponchel,1834; *#fimbriatralis* Rebel,1901
- 6782) *Udea fulvalis* (Hübner,[1809]) (Pyralidae) Synonym(s): *fulvalis* Hübner,[1809]; *pronoidalis* Staudinger,1879
- 6783) *Udea numeralis* (Hübner,1796) (Pyralidae) Synonym(s): *numeralis* Hübner,1796; *simplicella* La Harpe,1861
- 6784) *Udea olivialis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *olivialis* [Denis & Schiffermüller],1775; *umbralis* Hübner,1796
- 6785) *Udea prunalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *#prunalis* [Denis & Schiffermüller],1775; *nivealis* Fabricius,1781; *ferruginalis* Villers,1789 nec Fabr.,1781
- 6786) *Udea rhododendronalis* (Duponchel,1834) (Pyralidae) Synonym(s): *rhododendronalis* Duponchel,1834; *ventosalis* Leraut,1996; *luquetalis* Leraut,1996
- 6787) *Ulidia albidipennis* Loew,1845 (Ulidiidae) Synonym(s): *albidipennis* Loew,1845; *atrovirens* Loew,1845
- 6788) *Ulidia apicalis* Meigen,1826 (Ulidiidae) Synonym(s): *apicalis* Meigen,1826
- 6789) *Ulidia atrata* Loew,1868 (Ulidiidae) Synonym(s): *atrata* Loew,1868
- 6790) *Ulidia erythrophthalma* Meigen,1826 (Ulidiidae) Synonym(s): *erythrophthalma* Meigen,1826; *nitida* Meigen,1826; *nitens* Loew,1845; *semiopaca* Loew,1868
- 6791) *Ulidia megacephala* Loew,1845 (Ulidiidae) Synonym(s): *megacephala* Loew,1845
- 6792) *Ulidia nigripennis* Loew,1845 (Ulidiidae) Synonym(s): *nigripennis* Loew,1845
- 6793) *Ulidia salonikiensis* Hennig,1940 (Ulidiidae) Synonym(s): *salonikiensis* Hennig,1940
- 6794) *Uliodipsis mirabilis* Hennig,1939 (Ulidiidae) Synonym(s): *mirabilis* Hennig,1939
- 6795) *Ulochaena hirta* (Hübner,[1813]) (Noctuidae) Synonym(s): *hirta* Hübner,[1813]
- 6796) *Ulotricha egregialis* (Herrich-Schäffer,1838) (Pyralidae) Synonym(s): *egregialis* Herrich-Schäffer,1838
- 6797) *Uranotaenia* (Pseudoficalbia) *unguiculata* Edwards,1913 (Culicidae) Synonym(s): *unguiculata* Edwards,1913; *pefflyi* Stone,1961
- 6798) *Uresiphita polygonalis* ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971
- 6799) *Urophora cardui* (Linnaeus,1758) (Tephritidae) Synonym(s): *cardui* Linnaeus,1758; *flexuosa* Germar,1814; *reamurii* R-D.,1830
- 6800) *Urophora jaculata* Rondani,1870 (Tephritidae) Synonym(s): *jaculata* Rondani,1870
- 6801) *Urophora macrura* (Loew,1855) (Tephritidae) Synonym(s): *macrura* Loew,1855; *lejura* Rondani,1870
- 6802) *Urophora mauritanica* Macquart,1851 (Tephritidae) Synonym(s): *mauritanica* Macquart,1851
- 6803) *Urophora neuenschwanderi* Freidberg,1982 (Tephritidae) Synonym(s): *neuenschwanderi* Freidberg,1982
- 6804) *Urophora sirunaseva* (M.Hering,1938) (Tephritidae) Synonym(s): *sirunaseva* M.Hering,1938
- 6805) *Urophora terebrans* (Loew,1850) (Tephritidae) Synonym(s): *terebrans* Loew,1850; *erilepidis* Loew,1856; *manni* Hendel,1927; *approximata* M.Hering,1938
- 6806) *Usia* (Micrusia) *forcipata* Brullé,1833 (Bombyliidae) Synonym(s): *forcipata* Brullé,1833
- 6807) *Usia* (Micrusia) *novakii* Strobl,1902 (Bombyliidae) Synonym(s): *novakii* Strobl,1902
- 6808) *Usia* (Micrusia) *sicula* Egger,1859 (Bombyliidae) Synonym(s): *sicula* Egger,1859
- 6809) *Usia* (Micrusia) *versicolor* (Fabricius,1787) (Bombyliidae) Synonym(s): *versicolor* Fabricius,1787; *hyalipennis* Macquart,1840
- 6810) *Usia* (s.str.) *aenea* (Rossi,1794) (Bombyliidae) Synonym(s): *aenea* Rossi,1794; *dubia* Kertész,1900
- 6811) *Usia* (s.str.) *angustifrons* Becker,1906 (Bombyliidae) Synonym(s): *angustifrons* Becker,1906; *putilla* Becker,1906
- 6812) *Usia* (s.str.) *atrata* (Fabricius,1798) (Bombyliidae) Synonym(s): *atrata* Fabricius,1798; *vicina* Macquart,1840; *#pubera* Becker,1906; *pubera* Strobl,1906
- 6813) *Usia* (s.str.) *bicolor* Macquart,1855 (Bombyliidae) Synonym(s): *bicolor* Macquart,1855
- 6814) *Usia* (s.str.) *lata* Loew,1846 (Bombyliidae) Synonym(s): *lata* Loew,1846; *bicoloripes* Malloch,1926
- 6815) *Utecha trivialis* (Germar,1821) (Cicadellidae) Synonym(s): *trivialis* Germar,1821; *decussata* Germar,1821; *lugens* Germar,1821; *germari* Fieber,1872
- 6816) *Utetheisa* (s.str.) *pulchella* (Linnaeus,1758) (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
- 6817) *Vadonia bisignata* (Brullé,1832) (Cerambycidae) Synonym(s): *bisignata* Brullé,1832
- 6818) *Vadonia unipunctata* (Fabricius,1787) (Cerambycidae) Synonym(s): *unipunctata* Fabricius,1787
- 6819) *Valeria oleagina* (Esper,[1786]) (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786].
- 6820) *Valgus hemipterus* (Linnaeus,1758) (Scarabaeidae) Synonym(s): *hemipterus* Linnaeus,1758; *variegatus* Scopoli,1763
- 6821) *Vanessa* (Cynthia) *cardui* (Linnaeus,1758) (Argynnis) Synonym(s): *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawii* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925.

- 6822) Vanessa (s.str.) atalanta (Linnaeus,1758)** (Argynnidae) Synonym(s): *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczii* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900.
- 6823) Vartiana necopinata H.Aspöck & U.Aspöck,1965** (Coniopterygidae) Synonym(s): *necopinata* H.Aspöck & U.Aspöck,1965
- 6824) Velia (Plesiovelia) affinis Kolenati,1856** (Veliidae) Synonym(s): *affinis* Kolenati,1856
- 6825) Velia (Plesiovelia) mancinii Tamanini,1947** (Veliidae) Synonym(s): *mancinii* Tamanini,1947
- 6826) Ventocoris (Astirocoris) achivus (Horvath,1889)** (Pentatomidae) Synonym(s): *achivus* Horvath,1889
- 6827) Ventocoris (s.str.) trigonus (Krynicky,1871)** (Pentatomidae) Synonym(s): *trigonus* Krynicky,1871
- 6828) Veribubo angustoculatus (Becker,1902)** (Bombyliidae) Synonym(s): *angustoculatus* Becker,1902
- 6829) Veribubo misellus (Loew,1869)** (Bombyliidae) Synonym(s): *misellus* Loew,1869
- 6830) Vespa crabro Linnaeus,1758** (Vespidae) Synonym(s): *crabro* Linnaeus,1758; *germana* Christ,1791
- 6831) Vespa orientalis Linnaeus,1771** (Vespidae) Synonym(s): *orientalis* Linnaeus,1771; *turcica* Drury,1773; *quadripunctata* Forskal,1775; *fusca* Christ,1791; *aegyptiaca* Vallot,1802; *nilotica* Vallot,1802; *jurinei* Saussure,1854; *zavattarii* Guiglia & Capra,1933; *somalica* Giordani Soika,1934; *arabica* Giordani Soika,1957
- 6832) Vetimicrotes mediterraneus (Becker,1918)** (Dolichopodidae) Synonym(s): *mediterraneus* Becker,1918
- 6833) Villa abbadon (Fabricius,1794)** (Bombyliidae) Synonym(s): *abbadon* Fabricius,1794
- 6834) Villa albula (Loew,1869)** (Bombyliidae) Synonym(s): *albula* Loew,1869; *gracilis* Ringdahl,1915
- 6835) Villa bicingulata (Macquart,1840)** (Bombyliidae) Synonym(s): *bicingulata* Macquart,1840
- 6836) Villa brunnea Becker,1916** (Bombyliidae) Synonym(s): *brunnea* Becker,1916; *latifrons* Stein,1916
- 6837) Villa cana (Meigen,1804)** (Bombyliidae) Synonym(s): *cana* Meigen,1804; *quinquefasciata* Wiedemann,1820
- 6838) Villa cingulata (Meigen,1804)** (Bombyliidae) Synonym(s): *cingulata* Meigen,1804
- 6839) Villa cingulum (Wiedemann,1820)** (Bombyliidae) Synonym(s): *cingulum* Wiedemann,1820
- 6840) Villa claripennis (Kowarz,1868)** (Bombyliidae) Synonym(s): *vitifera* Zetterstedt,1845; *claripennis* Kowarz,1868
- 6841) Villa deludens François,1966** (Bombyliidae) Synonym(s): *deludens* François,1966; *fulvescens* Santos Abreu,1976
- 6842) Villa distincta (Meigen,1835)** (Bombyliidae) Synonym(s): *distincta* Meigen,1835; *steinii* Schnabl,1888
- 6843) Villa fasciata (Meigen,1804)** (Bombyliidae) Synonym(s): *fasciata* Meigen,1804; *trigonostigma* Czerny,1901
- 6844) Villa fasciculata Becker,1916** (Bombyliidae) Synonym(s): *fasciculata* Becker,1916
- 6845) Villa haesitans Becker,1916** (Bombyliidae) Synonym(s): *haesitans* Becker,1916
- 6846) Villa halteralis (Kowarz,1883)** (Bombyliidae) Synonym(s): *halteralis* Kowarz,1883; *corsicana* Schnabl,1911
- 6847) Villa hottentotta (Linnaeus,1758)** (Bombyliidae) Synonym(s): *hottentotta* Linnaeus,1758; *nugator* Harris,1780
- 6848) Villa humilis (Ruthe,1831)** (Bombyliidae) Synonym(s): *testacea* Fabricius,1781; *humilis* Ruthe,1831
- 6849) Villa insularis (Rondani,1863)** (Bombyliidae) Synonym(s): *insularis* Rondani,1863
- 6850) Villa ixion (Fabricius,1794)** (Bombyliidae) Synonym(s): *ixion* Fabricius,1794; *stolata* Rondani,1866; *senecio* Loew,1869
- 6851) Villa melanura (Loew,1869)** (Bombyliidae) Synonym(s): *melanura* Loew,1869
- 6852) Villa modesta (Meigen,1820)** (Bombyliidae) Synonym(s): *modesta* Meigen,1820
- 6853) Villa multibalteata Austen,1936** (Bombyliidae) Synonym(s): *multibalteata* Austen,1936
- 6854) Villa niphobleta (Loew,1869)** (Bombyliidae) Synonym(s): *niphobleta* Loew,1869; *nana* Becker,1916
- 6855) Villa occulta (Wiedemann,1820)** (Bombyliidae) Synonym(s): *occulta* Wiedemann,1820
- 6856) Villa pygarga (Loew,1868)** (Bombyliidae) Synonym(s): *pygarga* Loew,1868
- 6857) Villa senecio (Loew,1869)** (Bombyliidae) Synonym(s): *senecio* Loew,1869
- 6858) Villa stenozona (Loew,1869)** (Bombyliidae) Synonym(s): *stenozona* Loew,1869; *disjuncta* Becker,1916
- 6859) Villa tomentosa Becker,1916** (Bombyliidae) Synonym(s): *tomentosa* Becker,1916
- 6860) Villa unicingulata (Macquart,1840)** (Bombyliidae) Synonym(s): *unicingulata* Macquart,1840
- 6861) Viridicerus ustulatus (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *viridis* Schrank,1801; *ustulatus* Mulsant & Rey,1855; *salicetorum* Mulsant & Rey,1855; *prasinus* Kirschbaum,1868
- 6862) Volucella pellucens (Linnaeus,1758)** (Syrphidae) Synonym(s): *pellucens* Linnaeus,1758; *dryaphila* Scopoli,1763; *fera* Harris,1776; *putescens* Schellenberg,1803; *japonica* Bigot,1875; *japonica* Matsumura,1916
- 6863) Volucella zonaria (Poda,1761)** (Syrphidae) Synonym(s): *zonaria* Poda,1761; *bifasciata* Scopoli,1763; *valentina* Müller,1766; *inanis* Fabricius,1794 nec Linn.; *fasciata* Herrich-Schäffer,1829; *beckeri* Van der Goot,1961
- 6864) Voria ruralis (Fallén,1810)** (Tachinidae) Synonym(s): *ruralis* Fallén,1810
- 6865) Vulcaniella cognatella Riedl,1991** (Cosmopterigidae) Synonym(s): *cognatella* Riedl,1991
- 6866) Vulcaniella grabowiella (Staudinger,1859)** (Cosmopterigidae) Synonym(s): *grabowiella* Staudinger,1859
- 6867) Vulcaniella grandiferella Sinev,1986** (Cosmopterigidae) Synonym(s): *grandiferella* Sinev,1986
- 6868) Vulcaniella klimeschi (Riedl,1966)** (Cosmopterigidae) Synonym(s): *klimeschi* Riedl,1966
- 6869) Vulcaniella pomposella (Zeller,1839)** (Cosmopterigidae) Synonym(s): *pomposella* Zeller,1839
- 6870) Vulcaniella rosmarinella (Walsingham,1891)** (Cosmopterigidae) Synonym(s): *rosmarinella* Walsingham,1891
- 6871) Wagneria albifrons Kugler,1977** (Tachinidae) Synonym(s): *albifrons* Kugler,1977
- 6872) Wagneria cunctans (Meigen,1824)** (Tachinidae) Synonym(s): *cunctans* Meigen,1824
- 6873) Wagneria gagatea R-D.,1830** (Tachinidae) Synonym(s): *gagatea* R-D.,1830
- 6874) Wagneria micronychia Mesnil,1974** (Tachinidae) Synonym(s): *micronychia* Mesnil,1974
- 6875) Watsonalla binaria (Hufnagel,1767)** (Drepanidae) Synonym(s): *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculataria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,1802
- 6876) Watsonalla cultraria (Fabricius,1775)** (Drepanidae) Synonym(s): *cultraria* Fabricius,1775; *hamula* [Denis & Schiffermüller],1775; *cultrialis* Haworth,1802; *unguicula* Hübner,1803; *fasciata* Stephens,1829
- 6877) Watsonalla uncinula (Borkhausen,1790)** (Drepanidae) Synonym(s): *uncinula* Borkhausen,1790
- 6878) Watsonarctia deserta (Bartel,1902)** (Arctiidae) Synonym(s): *casta* Esper,1784 nec Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980.
- 6879) Wegneria panchalcella (Staudinger,1871)** (Tineidae) Synonym(s): *panchalcella* Staudinger,1871
- 6880) Wheeleria ivae (Kasy,1960)** (Pterophoridae) Synonym(s): *ivae* Kasy,1960
- 6881) Wheeleria lyrae (Arenberger,1983)** (Pterophoridae) Synonym(s): *lyrae* Arenberger,1983
- 6882) Wheeleria obsoleta (Zeller,1841)** (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *marrubii* Wasserthal,1970.
- 6883) Wheeleria phlomidis (Staudinger,1871)** (Pterophoridae) Synonym(s): *phlomidis* Staudinger,1871
- 6884) Winthemia cruentata (Rondani,1859)** (Tachinidae) Synonym(s): *cruentata* Rondani,1859
- 6885) Winthemia quadripustulata (Fabricius,1794)** (Tachinidae) Synonym(s): *quadripustulata* Fabricius,1794
- 6886) Wohlfahrtia magnifica (Schiner,1862)** (Sarcophagidae) Synonym(s): *magnifica* Schiner,1862
- 6887) Xanthia (Cirrhia) gilvago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775.

- 6888) *Xanthia (Cirrha) ocellaris* (Borkhausen,1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803].
- 6889) *Xanthia (Tiliacea) aurago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aurago* [Denis & Schiffermüller],1775; *rutilago* [Denis & Schiffermüller],1775; *fuscata* Esper,1788 nec Hufn.,1766
- 6890) *Xanthia (Tiliacea) citrago* (Linnaeus,1758)** (Noctuidae) Synonym(s): *citrago* Linnaeus,1758; *flavastrigata* Retzius,1783
- 6891) *Xanthia (Tiliacea) cypreago* (Hampson,1906)** (Noctuidae) Synonym(s): *cypreago* Hampson,1906
- 6892) *Xanthia icteritia* (Hufnagel,1766)** (Noctuidae) Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788].
- 6893) *Xanthia sulphurago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#fulvago* Clerk,1759; *sulphurago* [Denis & Schiffermüller],1775; *ochrago* Fabricius,1791; *#sulfurago* Poltavsky & Nekrasov,2002
- 6894) *Xanthia togata* (Esper,1788)** (Noctuidae) Synonym(s): *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,[1803].
- 6895) *Xanthochlorus luridus* Negrobov,1978** (Dolichopodidae) Synonym(s): *luridus* Negrobov,1978
- 6896) *Xanthocrambus saxonellus* (Zincken,1821)** (Pyralidae) Synonym(s): *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888
- 6897) *Xanthodes albago* (Fabricius,1794)** (Noctuidae) Synonym(s): *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858.
- 6898) *Xanthorhoe (s.str.) montanata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *montanata* [Denis & Schiffermüller],1775; *implicata* Villers,1789; *implicaria* Haworth,1809; *montanaria* Treitschke,1828
- 6899) *Xanthorhoe biriviata* (Borkhausen,1794)** (Geometridae) Synonym(s): *biriviata* Borkhausen,1794; *pomoeraria* Eversmann,1844
- 6900) *Xanthorhoe fluctuata* (Linnaeus,1758)** (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840
- 6901) *Xanthorhoe oxybiata* (Millière,1872)** (Geometridae) Synonym(s): *oxybiata* Millière,1872
- 6902) *Xanthorhoe spadicearia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *spadicearia* [Denis & Schiffermüller],1775; *alchemillaria* Esper,1801; *livinaria* LaHarpe,1855
- 6903) *Xenochlorodes beryllaria* (Mann,1853)** (Geometridae) Synonym(s): *beryllaria* Mann,1853; *aureliaria* Millière,1863
- 6904) *Xenolechia lindae* Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *lindae* Huemer & Karsholt,1999
- 6905) *Xenolechia pseudovulgella* Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *pseudovulgella* Huemer & Karsholt,1999
- 6906) *Xeramoeba pallipes* (Loew,1869)** (Bombyliidae) Synonym(s): *pallipes* Loew,1869
- 6907) *Xeramoeba sabulonis* (Becker,1906)** (Bombyliidae) Synonym(s): *sabulonis* Becker,1906
- 6908) *Xerocnephasia rigana* (Sodoffsky,1829)** (Tortricidae) Synonym(s): *rigana* Sodoffsky,1829; *horridana* Frölich,1830; *modestana* Treitschke,1830; *monticolana* Frey,1880
- 6909) *Xestia (Megasema) ashworthii* (Doubleday,1855)** (Noctuidae) Synonym(s): *ashworthii* Doubleday,1855
- 6910) *Xestia (Megasema) c-nigrum* (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972.
- 6911) *Xestia (Megasema) ditrapezium* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#ditrapezium* [Denis & Schiffermüller],1775
- 6912) *Xestia (Megasema) triangulum* (Hufnagel,1766)** (Noctuidae) Synonym(s): *triangulum* Hufnagel,1766; *rhomboidea* Esper,[1790].
- 6913) *Xestia (s.str.) baja* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *baja* [Denis & Schiffermüller],1775
- 6914) *Xestia (s.str.) castanea* (Esper,[1798])** (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949.
- 6915) *Xestia (s.str.) cohaesa* (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849]
- 6916) *Xestia (s.str.) ochreago* (Hübner,[1809])** (Noctuidae) Synonym(s): *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909.
- 6917) *Xestia (s.str.) palaestinensis* (Kalchberg,1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898.
- 6918) *Xestia (s.str.) rhomboidea* (Esper,[1790])** (Noctuidae) Synonym(s): *rhomboidea* Esper,[1790]; *stigmatica* Hbn.,[1813].
- 6919) *Xestia (s.str.) xanthographa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepida* Constantino,1922.
- 6920) *Xyela graeca* Stein,1876** (Xyelidae) Synonym(s): *graeca* Stein,1876
- 6921) *Xylena exsoleta* (Linnaeus,1758)** (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787
- 6922) *Xylena lunifera* W. Warren,1910** (Noctuidae) Synonym(s): *lunifera* W. Warren,1910; *#lumigera* W. Warren,1910
- 6923) *Xylena vetusta* (Hübner,[1813])** (Noctuidae) Synonym(s): *vetusta* Hübner,[1813]
- 6924) *Xylocopa (Copoxyla) iris* (Christ,1791)** (Apidae) Synonym(s): *iris* Christ,1791; *nasuta* Christ,1791; *cyanescens* Brullé,1832; *taurica* Erichson,1841; *minuta* Lepeletier,1841; *canuta* Rondani,1874; *virescentis* Strand,1917; *aliceae* Cockerell,1931
- 6925) *Xylocopa (Proxylocopa) olivieri* Lepeletier,1841** (Apidae) Synonym(s): *olivieri* Lepeletier,1841
- 6926) *Xylocopa (s.str.) violacea* (Linnaeus,1758)** (Apidae) Synonym(s): *violacea* Linnaeus,1758; *insubrica* Müller,1766; *femorata* Fabricius,1804
- 6927) *Xylota ignava* (Panzer,1798)** (Syrphidae) Synonym(s): *ignava* Panzer,1798; *basalis* Matsumura,1911; *inermis* Becker,1921
- 6928) *Xylotrechus arvicola* (Olivier,1795)** (Cerambycidae) Synonym(s): *arvicola* Olivier,1795
- 6929) *Xylotrechus stebbingi* Gahan,1906** (Cerambycidae) Synonym(s): *stebbingi* Gahan,1906
- 6930) *Xyphosia miliaria* (Schränk,1781)** (Tephritidae) Synonym(s): *miliaria* Schränk,1781; *punctipennis* Hendel,1927; *orientalis* M.Hering,1936; *balcanica* Drensky,1943
- 6931) *Yponomeuta cognagellus* (Hübner,[1813])** (Yponomeutidae) Synonym(s): *cognagella* Hübner,[1813]
- 6932) *Yponomeuta evonymellus* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *evonymella* Linnaeus,1758; *padi* Zeller,1846
- 6933) *Yponomeuta malinellus* Zeller,1838** (Yponomeutidae) Synonym(s): *malinellus* Zeller,1838
- 6934) *Yponomeuta padellus* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *padella* Linnaeus,1758; *evonymella* Scopoli,1763 nec Linn.,1758; *malinella* Zeller,1838; *variabilis* Zeller,1844; *diffuellus* Heinemann,1870.
- 6935) *Yponomeuta plumbellus* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *plumbellus* [Denis & Schiffermüller],1775; *nigrifimbriatus* Christoph,1882
- 6936) *Yponomeuta rorrellus* (Hübner,1796)** (Yponomeutidae) Synonym(s): *rorrella* Hübner,1796; *helicella* Freyer,1827; *rorea* Haworth,1828.

- 6937) *Ypsolopha albiramella* (Mann,1861) (Yponomeutidae) Synonym(s): *albiramella* Mann,1861
- 6938) *Ypsolopha dentella* (Fabricius,1775) (Yponomeutidae) Synonym(s): *dentella* Fabricius,1775; *harpella* [Denis & Schiffermüller],1775; *caprifolii* Retzius,1783; *dentatus* Fabricius,1798; *palescentella* Staudinger,1892
- 6939) *Ypsolopha lucella* (Fabricius,1775) (Yponomeutidae) Synonym(s): *lucella* Fabricius,1775; *antennella* [Denis & Schiffermüller],1775; *retusana* Thunberg,1784; *mucronella* Hübner,1796 nec Sc.,1763; *lucorum* Fabricius,1798
- 6940) *Ypsolopha minotaurella* (Rebel,1916) (Yponomeutidae) Synonym(s): *minotaurella* Rebel,1916
- 6941) *Ypsolopha persicella* (Fabricius,1787) (Yponomeutidae) Synonym(s): *persicella* Fabricius,1787; *sulphurella* Hübner,1793; *#persicellume* Noack,1960.
- 6942) *Ypsolopha sculpturella* (Herrich-Schäffer,[1854]) (Yponomeutidae) Synonym(s): *sculpturella* Herrich-Schäffer,[1854]
- 6943) *Ypsolopha sylvella* (Linnaeus,1767) (Yponomeutidae) Synonym(s): *sylvella* Linnaeus,1767; *bifasciatus* Haworth,1828
- 6944) *Ypsolopha ustella* (Clerck,1759) (Yponomeutidae) Synonym(s): *#ustella* Clerck,1759; *ciliella* [Denis & Schiffermüller],1775; *radiatella* Donovan,1794 nec Fourc.,1785; *variella* Hübner,1796 nec [Den. & Schiff.],1775; *fissella* Hübner,1796; *cornutus* Fabricius,1798; *unguiculatus* Fabricius,1798; *parallela* Panzer,1799; *byssinella* Hübner,[1813]; *quinquepunctatus* Haworth,1828; *lutosus* Haworth,1828; *flaviciatus* Haworth,1828; *varians* Haworth,1828; *fissus* Haworth,1828; *radiatus* Haworth,1828; *fulvella* Duponchel,1839
- 6945) *Ypthima asterope* (Klug,1832) (Satyridae) Synonym(s): *asterope* Klug,1832; *marlenii* Kattulas & Koutsaftikis,1978.
- 6946) *Zabrus spinipes* (Fabricius,1798) (Carabidae) Synonym(s): *spinipes* Fabricius,1798
- 6947) *Zabrus tenebrioides* (Goeze,1777) (Carabidae) Synonym(s): *tenebrioides* Goeze,1777
- 6948) *Zaira cinerea* (Fallén,1810) (Tachinidae) Synonym(s): *cinerea* Fallén,1810; *pacta* Meigen,1824; *agrestis* R-D.,1830; *#cinerae* Doğanlar,1982
- 6949) *Zaprionus tuberculatus* Malloch,1932 (Drosophilidae) Synonym(s): *tuberculatus* Malloch,1932
- 6950) *Zeebeba falsalis* (Herrich-Schäffer,1839) (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer,1839
- 6951) *Zeiraphera rufimitrana* (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *#rufimitrana* Herrich-Schäffer,1847; *rufimitrana* Herrich-Schäffer,[1851]
- 6952) *Zekelita (Ravalita) ravalis* (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W. Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941.
- 6953) *Zekelita (Rhynchodontodes) antiqualis* (Hübner,[1809]) (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquilis* Zukowsky,1941
- 6954) *Zelleria hepariella* Stainton,1849 (Yponomeutidae) Synonym(s): *hepariella* Stainton,1849
- 6955) *Zelleria oleastrella* (Millière,1864) (Yponomeutidae) Synonym(s): *oleastrella* Millière,1864
- 6956) *Zerynthia (Allancastris) cerisyi* (Godart,1822) (Papilionidae) Synonym(s): *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eisn. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt. & Kouts.,1978; *sami* Schmidt,1989.
- 6957) *Zerynthia (s.str.) polyxena* ([Denis & Schiffermüller],1775) (Papilionidae) Synonym(s): *hypermnestra* Scopoli,1763 nec Linn.,1763; *polyxena* [Denis & Schiffermüller],1775; *hypsipyle* Fabricius,1777; *aristolochiae* Schneider,1787 nec Fabricius,1775.
- 6958) *Zethes insularis* Rambur,1833 (Noctuidae) Synonym(s): *insularis* Rambur,1833
- 6959) *Zeuxia erythraea* (Egger,1856) (Tachinidae) Synonym(s): *erythraea* Egger,1856
- 6960) *Zeuzera pyrina* (Linnaeus,1761) (Cossidae) Synonym(s): *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892
- 6961) *Zicrona caerulea* (Linnaeus,1758) (Pentatomidae) Synonym(s): *caerulea* Linnaeus,1758; *concinna* Westwood,1837; *violacea* Westwood,1837; *illustris* Amyot & Serville,1843; *cuprea* Dallas,1851
- 6962) *Zodion nigratarsis* (Strobl,1902) (Conopidae) Synonym(s): *nigratarsis* Strobl,1902; *grande* Kröber,1915
- 6963) *Zonitis gibbicollis* Abeille de Perrin,1880 (Meloidae) Synonym(s): *gibbicollis* Abeille de Perrin,1880
- 6964) *Zonitis immaculata* (Olivier,1790) (Meloidae) Synonym(s): *immaculata* Olivier,1790; *mutica* Scriba,1790; *gibbicollis* Abeille de Perrin,1880
- 6965) *Zonitis nana* Ragusa,1882 (Meloidae) Synonym(s): *nana* Ragusa,1882; *laevicollis* Escherich,1891
- 6966) *Zonitis nigriventris* Motschulsky,1845 (Meloidae) Synonym(s): *nigriventris* Motschulsky,1845
- 6967) *Zophodia grossulariella* (Hübner,[1809]) (Pyralidae) Synonym(s): *convolutella* Hübner,1796 nec [Denis & Schiffermüller],1775; *grossulariella* Hübner,[1809]; *rectella* Guenée,1845.
- 6968) *Zophomyia temula* (Scopoli,1763) (Tachinidae) Synonym(s): *temula* Scopoli,1763
- 6969) *Zophosis (Oculosis) dilatata* Deyrolle,1867 (Tenebrionidae) Synonym(s): *dilatata* Deyrolle,1867
- 6970) *Zorochores alysidotus* (Kiesenwetter,1858) (Elateridae) Synonym(s): *alysidotus* Kiesenwetter,1858
- 6971) *Zygaena (Agrumenia) carniolica* (Scopoli,1763) (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909
- 6972) *Zygaena (Agrumenia) loti* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777
- 6973) *Zygaena (Agrumenia) sedi* Fabricius,1787 (Zygaenidae) Synonym(s): *sedi* Fabricius,1787
- 6974) *Zygaena (Mesembrynus) brizae* (Esper,1800) (Zygaenidae) Synonym(s): *brizae* Esper,1800
- 6975) *Zygaena (Mesembrynus) laeta* (Hübner,1790) (Zygaenidae) Synonym(s): *laeta* Hübner,1790
- 6976) *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller],1775) (Zygaenidae) Synonym(s): *minos* [Denis & Schiffermüller],1775.
- 6977) *Zygaena (Mesembrynus) punctum* Ochsenheimer,1808 (Zygaenidae) Synonym(s): *punctum* Ochsenheimer,1808
- 6978) *Zygaena (Mesembrynus) purpuralis* (Brünnich,1763) (Zygaenidae) Synonym(s): *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973.
- 6979) *Zygaena (s.str.) angelicae* Ochsenheimer,1808 (Zygaenidae) Synonym(s): *angelicae* Ochsenheimer,1808
- 6980) *Zygaena (s.str.) ephialtes* (Linnaeus,1767) (Zygaenidae) Synonym(s): *ephialtes* Linnaeus,1767; *scheveni* Oberthür,1910; *esperii* Oberthür,1910; *unipunctata* Vorbrodt,1913; *valesiaca* Burgeff,1914; *herrichschaefferi* Burgeff,1914
- 6981) *Zygaena (s.str.) filipendulae* (Linnaeus,1758) (Zygaenidae) Synonym(s): *filipendulae* Linnaeus,1758; *aries* Retzius,1783
- 6982) *Zygaena (s.str.) loniceriae* (Scheven,1777) (Zygaenidae) Synonym(s): *loniceriae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965
- 6983) *Zygaena (s.str.) nevadensis* Rambur,1858 (Zygaenidae) Synonym(s): *nevadensis* Rambur,1858
- 6984) *Zygaena (s.str.) osterodensis* H.Reiss,1921 (Zygaenidae) Synonym(s): *osterodensis* H.Reiss,1921

- 6985) Zygaena (s.str.) ramburii Herrich-Schäffer,1861** (Zygaenidae) Synonym(s): *ramburii* Herrich-Schäffer,1861; *ramburi* Lederer,1861
- 6986) Zygaena (s.str.) trifolii (Esper,1783)** (Zygaenidae) Synonym(s): *trifolii* Esper,1783; *pratorum* Villers,1789; *vogesiaca* Przegendza,1932; *carueli* Le Charles,1960
- 6987) Zygaena (s.str.) viciae ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829
- 6988) Zygina (s.str.) krueperi Fieber,1884** (Cicadellidae) Synonym(s): *krueperi* Fieber,1884
- 6989) Zygina (s.str.) nivea (Mulsant & Rey,1855)** (Cicadellidae) Synonym(s): *nivea* Mulsant & Rey,1855; *punctulum* Mulsant & Rey,1855; *cruoris* Rey,1891; *dorsuaria* Ribaut,1936; *nycthemera* Ribaut,1936
- 6990) Zygina pulchra Loew,1885** (Cicadellidae) Synonym(s): *pulchra* Loew,1885; *quercus* Kusnezov,1930
- 6991) Zyginiidia (s.str.) scutellaris (Herrich-Schäffer,1838)** (Cicadellidae) Synonym(s): *scutellaris* Herrich-Schäffer,1838
- 6992) Zygomyia valida Winnertz,1863** (Mycetophilidae) Synonym(s): *valida* Winnertz,1863

Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)¹, Miscellaneous Papers (ISSN 1015-8235)², Memoirs (ISSN-8227)³, DVD Films⁴, Iconographia Insectorum⁵, Cesa Publications on African Lepidoptera (series)⁶, Cesa News [online]⁷, Cesa Books⁸

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Assoc. Prof. Dr. Selma Seven (Gazi University, Turkey); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record,
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom
ts-emea-york.dcsadmins@thomson.com

¹ <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

² <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

³ <http://www.cesa-tr.org/Memoirs.htm> -

⁴ <http://www.cesa-tr.org/CDF.htm>

⁵ <http://www.cesa-tr.org/Icon.htm>

⁶ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

⁷ <http://www.cesa-tr.org/Cesanews.htm>

⁸ <http://www.cesa-tr.org/Cesabooks.htm>